Dispensarium ad aromatarios / [Nicole Prévost].

Contributors

Prévost, Nicole, active 15th century.

Publication/Creation

[Lyons]: [M. Huss], [1497?]

Persistent URL

https://wellcomecollection.org/works/qgakm7bt

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.





Dipensarium magi stri Micolai Preposi ti ad aromatarios. 七九三打 i Dipentariam magi firi Micolai Brepost ti ao aromatarios.

Brologus

"Micolai prepofiti doctoris medici clarifimi Psagoge fine introductiones in artem apote cariatus incipiunt.

Actoris prefatio.

Berebatille Saladinus folennis doctor à r quot funt libri apotecario nes ceffari, Et respondens: fer dirit effe libros apote cario necessarios: quos

ipfein compendio fuo ad aromatarios declarat. Nos vero dicamus q ifte for lus nofter libellus fufficiens eft apo, tecario, co o babito nullo alio indiget. artem em tota apotecariam in fe compre bendit. t vbi in aligs medicon libris pro live diffuscos tradita eft, bic breuiter z fuccincte a qualifub quoda compendio pertractatur. In primis itag innocato oimmi numinis auxtho liberifte oimidas tur in fectiones tres fine in tres libros partiales. Liber primus crit de fimplis cibus. Liber fecundus crit de copofitis t erit antidotariu fine difpenfarium, Et liber tertius erit terminozus peregrino/ rum declaratums.

Libri primi de simplicibus erunt due

partes puncipales.

q

T Pars prima crit de fimplicibus quis bus oebet effe munitus apotecarius, de tempore fue collectionis, modo repontionis. Toetemporefue durationis.

(Bars fecunda erit de preparationis bus timp licium quibus ocbent prepara ri antem ingrediantur compositionem. Dartis prime crunt capitula, rvy.

Capitulum primum de conditioni busboni apotecarn.

Capitulum fecundum de bis a quis bus fumuntur medicine in generali.

Capitulum terrium de radicibus qui bus debs effe munitus apotecarius.tem porc collectionis caru, modo repolitios nis, rtempore fuedurationis,

Capitulii grtu de berbis 7 folis pla tan quibus ocbet effe munit apotecari? betpe fue collectionis, modo repofitio nis. the tempore fue durationis,

Capitulum, v. de flozibus quibus de bet effe munitus apotecarius . 7 de tem/ pore fue collectionis, z modo repofitio uis. tempoze fue durationis,

Decoditionibus boni apotečarij,

Folium.TT.

Capitulum , vi. de aquis diffularis quibus os effe munitus apotecarius z detempore conenientiad cas distillans dum. De modo repositionis, t de tems poze durationis carum,

Capitulum, vi, de feminibus quibus debet effe munitus apotecarius, et de tempoze sue collectionis, zmodo sue re

ofitionis, toe tempore fue durationis Capitulum, vin, de fructibus quibus beber effe munitus apotecarius, tempe fue collectionis, modo fue repositionis t de tempore suc durationis.

Capitulu, ir, de corncib? quibus des bet effe munitus apotecarius, toe aligs circunftantins vt dictum eft de alus.

Capitulus,r. de gums quibus debet effe munit apotecarius cus alis circuns ftanting vt de aligs dictu eft.

Capitulum, vi. de fuccis ficcis quibus dever effe munitus aporecarius'cu alijs circunftantis vt dictum eft.

Capitulu, rh. de mineralibus quibus debet effe munitus apotecarius cu alijs circunftantis vede alijs dictum eft.

(Capitulum, pin. de medicinis fumpt) ab aialibus, cum alas circunftantas vt de alige dictum eft.

Capitulu, riin, de droguis r elephan ginis quibus oeber effe munitus apo f tecarius, toe electione earum vt de as lys dictus eft.

(1 Capitulum, rv, be laratinif quibus be bet effe munitus apotecarius, Toe eles chone cozus cum alis circunftantis vt de aligs dictum eft

Capitulu.rvi, de valis in quibus des bent reponi predicte medicine,

Capitula vitimum de medicinis fos philticatis z quomo fophisticant,

Lapitulum primum de con ditionibus boni apotecarij.

Hi ad arte apotecariatus pgres di intendit tres in se conditio nes babere debet. Pozima condi tio elt q os effe vir conscientios us sems per babés den pre oculis in quem omia fua opera dirigat z per eum perficiat: necoolofe agat quico. Ande mefue lis bro fuo de appropriatis capitulo poce miali . Zonis igituro ei timoz preuento at z principiat opera tua z felicitabit ea. Et Subdes ait . Confidera ne te amoz aut odium circunuentar ne declines a re cro. Eft enim excelfus glociofus qui ins dicat, funt & celi qui arguint, elementa

que femint: t fi no eft alind fupeft in pos fterű cruciatus gebenne. No ergo prefus mat er fe apotecari?fine pfilio periti me dici aliga facere: z marie in medicinis la ratius vibodic faciat apotecari noftri ă pillulas ad oe quare z oe ppofită erbi bent, Res etia antiquas trefolutas i vir ture abijciat a borbeca fua:nec prefumat ing pinurationib? medicinarii: ficut fecia ille apotecari? que refert fatadin? tempe ino finife puniti neapoli a rege arrago nii:q cares albis cozalis rubeos cobuffit er quox cobustios effects sunt albicodes natus eft em in mille ducatis: 2 de ceto no fut apotecari?regis. Secuda codi. tio cit o 03 effedines t potes vt posit fufficienter muniri de bis q fue arti funt necessaria, Erterna coditio est poebs ellefcieus respertus inarte sua, fciens quidem in cognoscendo r expertus in o perando: quoma ars ilta pure mechani ca cit que plus viu z opere @ ratiocaut filogumo offcitur,

Lapitulum fecidem de bis a que fumutur medicine in ghali z de dimioc medicinap q fimmust er platis

fiquet amecina in fecundo cafit, capitulo de electione medicinară et iplară confernatione Odedicia narum alte fum de plantis alte de minea rabbus a alte de ammalibus. Sed ille q fumătur et platis fim Q pposito nostro comienti alte sur radices: a ue derbe a fo sia derbară a arbustormalie sunt flores alte semmaralie fructicalie cortices: alte gimi; aste decodice; clepță gime: aste sit medicine folutiue, de quibus omnibi p ordinem dicendă est fim q ad apotecaria am artem spectat,

Lapitulum tertium de radicibus quibus debet elle munit? apoteca rius fin ordines minoris alphabeti: t de tempore sue collectiois: medo repositio mis: z tempore sue durationis.

Bre funt radices quib? debet effe munit?apotecarius in boteca fua fm ordinem minoris alphabeti. um Altea

Marun Ariftologia vtrags Acous

Acoms Apum Affrodilus

Zisapviridis melioz est officca, Platea. Antitologia viram debet colligi i bycine ate pouccione flox vi notat actor pede mrii. vult in plateari, z credo of meli? of os colligi in autūno qū cadūt folia: ficut rectere radices. Et dicit faladin? Q 05 colligi in menfe augusto.

d électus debet colligi in pricipio ella tis thi abini t postea seindi in quattus orptes remotis extrussees supfinitations cu cultello; t sie ad sole debet sie carineti cu bumiditate remaneat putrescat, Sieca aut pertres annos por servari in multa esseca applateari? Dient si sala dinns t credo quelus que debet colligi in mense augusto vi cetere radices, cois tamen plus est cum Materario.

tamen vius est cum Blatcario.

(Radic aph 53 colligi i mese angusto vi notat saladinus: sante et circce os mundari t ablui a terra t supsinitatibus extrussecise t postea că malico quo coği sari t a corde müdari t sine corde si ccari qui similiter cescude e de radicio petrose limi t seniculi vi notat bulcrasis in libo suo de pparato emedicinați o con estitutor.

(Alfrodilus no di servari secus qui a reces melio est et in omni repore siniculiur. 30 di servari

inc. Platearus
IBedegar IBugloffa
IBenecus IBenonia
IBancia

33

B.

D

Œ

Bedegar debet colligi m mese a ugusto Baladinus Tsiliter deuscus T detonia. Baucia viridis melioz est & sicca gola. Costus Ercta marina

Eentaureamaioz Eiperus Eiclamen

Eclidanen Eondissus Consolida ptracti Eclidania ptracti

Collus por servari p dece annos. Adla. Centauree matoris sola radir couentes est vius medicine. Debet autes colligi in milio vi notat saladinus

Eiperus maioz meltoz est minoze: p bié num feruatur Platearins. Unit in fala duns q bebet colligim méle anguito. Eiclaminis radip recens z ficea magne é efficacie recens in maiozis. Plateari?. Et dicit saladinus q deby colligim més se octobri.

Celidonia in multa efficacia per tres an nos poteli fernari, Platearius, Diptamus

Radir diptami collecta in menfe augusto of notat faladinus per duos annos fere uatur in multa efficacia Polatearius Enula

Radir enule căpane bebet colligi în principio estat le ad fole siccarine putrescat. Siccata auté per ouos aut pertres and

2

U

7

nos fernatur in multa efficacia; Plate. Filipendula Silie Frarinus Seniculus. Radir filipendule copetit pfui medicine, In fine autuni colligit, et vicit faladin? q in mese octobal. z p dece annos i mul ta efficacia fernat, Blatearius. Benciana Bramen Bariofilata Er geciana radir no berba in medicinis debet poni, in fine veris colligif, Dicit th faladinus z credo melius q in menfe augusto. efficcatur.licca aut seruatur i muita efficacia. Blatcarius, Radir gariofilate 05 colligi in mele aus gusto ve notar Saladinus Zilium Liquiricia Radic liquiricie do colligi in mele augu Ito. Baladinus, Docu **Walua** Worus. Ec meu radir mag copetit viui medicie q collecta in mefe augusto vt notat fala dinus pouos annos fernatur, Platea. Piretrum Віоніа Betro felinum Blantago 33 encedanum Radit piretri colligif in byeme Dicit th faladin' q in mele augufti, z credo q me lius, Etp quo annos fernatur, 30 late. Radic pronte colligitur in bycme, ofcit th faladinus: t credo q melius q debet colligi in menfe augusto z in occremeto lune:qz fic efficacius operatur cotra epi lentiam, z p annu fernatur, platearius, Radir pecedani de college in mele lepté bri: vt notat faladin?, z p anu fuat, pla, Rubus Rubea tinctop vtrace Reuponticum Reuponticu os in mele quento colligi. Balad. tp occeanos por Puari, platea, Sapifraga Spatula fetida. Speragus Satirion. Scrofularia Solatri Er fanifraga fola radice vtimur,platea,

Quedebet colligi in mele augusto, Sas

ladinus, Etp tres annos fernatur, pla,

5

B

Z

0

R

K

S

p?

in.

lt)

to

白血

U)

3,05

はないないないは、

Radic fperagi debet colligi in meleaus gufto, Galadinus. Radir folatri debs colligi in mele augu fto. Saladinus Zozmentile. Tunici Radictormentile ochet colligi in menfe augusto. Saladinus Caleriana Quod admiftratur er valeriana eradir ei'cii comis iuis, S.u.ag, caplo, Suau ctoritate Dya. Et debet colligiin estate Lame vicit faladinus: z credo melius Q debet colligi in mese augusto z debs ad foles beficcari, que ficca p triennui i mul ta efficacia fernatur.platearius, Viis gringus Radir yzis bebet colligiin menfeaugus fto. Saladinus, z per ouos annos ferna tur.platearins. Radir yzingozum debet colligi in menfe decembri Sa ladinus Circa radices debet aliq notare apo tecarins. Primo debet notare tepus col lectionis caru. Et secundo debet notare modu exficcationis repolitionis caru Etterno debet notare tepus ouratiois carum in efficacia bona. De primo nos tandum q radices funt colligende cu ca fus folion tempus adeft, Decregula da ta est abanicena i scoo can, caplo de cols lectione medicinarus v ipfarum confers uatoe, Similiter za plateario caplo de artitologia. Hb bac tamé regula excipiti turalique de quib? particulariter, dictu elt.De lcoo notandus onung radices timiliter cenfedum eft de berbis debet reponi aut exficcari nifi pus abluatur cu aqua:a terra Tfordib?, Unde albuler, in fernitoze, Opoztet inquit ve lauct ca die qua effodiuntur: ita q bene mudentur a Defecatioes ra terra z luto queadberent eis. Totandus fecudo de intentione ciuf dem albulcrafis in code libro q illa die qua effodumtur bebet exponi foli aut in loco ventofo ad exficcadu, ne filongo te poze fernent an earû exficcatoem beftru antur. z maxime tempoze byemis: z qua do deficcas debes eas seperenolitere in fole z in nocte debet pont in locovetofo proculad humiditate, Etiterum in die debent repont in fole donec exficeentur perfecte. Etfi dies nebulofatuerit fine

apertione folis opoztet o extendant in

cribzo expaleis aut super craticulam ex

cannis inbilibus, Tiul pende iup ignem

ita q caloz ignis afcendes cas beficcet,

Et qui vult eau beficcatões subito immi nente necessirate: ops quaccipiat patellă terreă lată: tealesaciat ea sup igué, bein de auferat abigne tetedat super cam radices aut alio que group voluent desicea, re: teu o luat sepe cii manu teum patella resngerabit remoueat radices a patella tuerii calesaciat eam te postea tollat abigne: tueu desiup apponatur radices tsac poc quous siccent calesaciando semper patellam quotiens resnigerabit, ecaue tamen ne comburantur.

Totat tertio faladinus quadicum q dam funt ad folem erficcande ficut funt radices magne valde groffe zbenfe fub ftane. Et radic brionie, geciane, reupon ci,mandragoze z fimiles:qz pzius putre fecret & possent deficeart in vinbra. Ellie funt q'unt rarious lubstantie, Et funt radu yzcos.petrofelini.apij.feniculi. ga riofilate, azari z ofimiles. Ettales ofit ficcari invindzaine ex caloze folis exalct virtus carū. Et et bis patet veritas bus dotarn quunq radices funt reponende siff fint cogruo tempoze z debito modo exticcate ne putrescat ti debito loco fut ponende:no odem ad fumum velad for tem aut in loco bumido vel pulucruleto ne grefcant aut putrefcant. De tertio.f. de repoze durationis radicum invirtute r efficacia, Notanda q no ptrascunt ple tratres annos:venotat aucena, q, can, caplo de collectõe medicinan t ipiarus colernatoe, Ab bac th regula excipuint alique radices de ques puculant oteth é Notar in faladinad boc ppolitu o radi cu qdam funt q funt fubtiles trare fubs ftanticivt funt radir valeriane, petrofelt mapij,gariofilate,azari, farifragic, dis ptami,tomentile,bermodattilon: zcoff miles; tales debent quolibet anno res nouarudemptis duoboclebozis de quis infra in caplo demedicinis folitimis. Alle funt groffe z benfe fubftatte: vtfut radir brionte, reuponci, pencedani, men arittologic: tofiniles, Ettales pollimit feruari pouos vel pertres annos,

Lapitulum quartă de bere bis z folijs plantau ābus debs effe mus nitus apotecari?:z detempozecollectio nis berbară:z modo fue repolitionis et detempoze fue durationis.

b nitus apotecarius er bac arcola fin ordine minozis alphabeti pole

funt comprehendi, Acetofa Alleiaya Albiinchium Alleiaya Agnus caftus Ambrofia Adyantos Arthemafia Apium Aipergula Agrimonia Arnoglofia Abotanum Alleiangi

Ablinchin nostru est absinchin romanu: t melius tempus collectois eins est ver Oesue: t vicus saladinus o debs collisi in mese inni, t Plateario vicit o in fine veris: t debet siccari in vmbra: t p annu sic sernatur, Platearius.

Agnus caftus in of the reperturviridis Etautemviridis maiozis efficacie offic cus, Actor pendetan. Er boc nota o no ochet referuari ficcus in boteca.

Edyantos sempoebet ppinarirecens ni finerit causa restringedi: z in omni tpe innenitur recens: sed in causa restringen di debet ppinari siccus: z qo dicif bic de adyantos idem censendu eitoe aligs berbis capillaribus. Ector pendetarum.

Arthematia matoris est efficacie viridis of ficea, deb5 to colligi in mense tunij vt notat saladmus: t sie per ann potest sernari. Platearius.

Agrinoma debet colligi in menfe innipe ve notat faladinus.

Abrotanii 03 colligt in iunio, Saladin?, Balfannta Berbena

Betonica Brancavefina Borrago Bugloffa Blera

Burfapaftozis
Betonice folia competütvfui medicine viridi magis & ficca, Plateari? oicit tü faladin? p in apall t unio oebet colligi Er beancavilina foliavuridia femp pone da funt in vnguentis: t nun@ ficca, pla, Burfa paftozis colligit in apall. Sala,

Centinodia Eicorea Cardo benedictus.

Eanda equina Crassula viracy Centaurea minoz 2

33

E

Lemp' duration

Capillus veneris
Ceterae

Lentonica
Cameleonta
Calamentum

Lamed reos
Camepiteos
Creta marina

Lotula fetida

Luícuta
Celidonia

Lozigiola
Calendula
Cime rubi
Cumbalaría

Confolida triplex

Lucumer afinimus

Caulis Cicorea viridis magne eft efficacie:ficca vero pauce aut nulli?, Potest tamé p an num icruari, Platearius.

Cardo benedictus fimul debet colligi cui floribus, Actor pendetarum.

Craffula viraco oebet pont i medicinis reces: que ficce nullo funt efficacie, Pla, tearius,

Ec centaurea minozi radic non confert vius medicine. Galich feptimo simplicin farmacozum, 3dem dya, 3dem S. Etdi cit mesue o melioz pars planteeius sint flozes e semina. Debet auté colligi in pzi cipio estatis, Wesue, se i inno, Salad De capillo veneris e de ceterac vide i adyantos quia de eis vides idé indicini ça

funt capillana. Calamentum motanum debet colligi cii flores produrut t per anun potest feruas

en. Platearus,

Lamedreos i fine veris: chi flores produ
pit debet colligi: scilicet i iumo. Le debet
nmul colligi derda chi floridus adiccis
radicidus. Qui invindra sceat? per tres
annos in multa esticacia scruat Platea,
Camepiteos debet colligi in iumo vi no
tat Baladinus. sed melius chi semen er
est maturum, vi notat actor pendetarum
Etservatur per tres anos, Platearus.
Lotula setida zeotula odorisera abe si
mul debent colligi chi floridus, Actor pe
detarum.

Daucus fimul debs colligi cum floridocă flores producit, adiectis radicidocă vi vm brofo toco ficcari, Per ânti poteft ferua ri sed fingulis ânis renouet, Platearius

Eupatorum Eurratia

E

Eudinia bomeltica
Endinia agreftis
Epatica terreftris
Epatica aquatica
Edera terreftris
Edera arbozca
Epithimus

Eupatoziñ viride maiozis efficacie & ficci. Plateari?. Dicit tame melue q me lius tepus collectionis cus est finis ve ris, Et dicit faladinus q in iunio.

Enfratia debet colligi in mente iuni,
Dés édinte species siccepance at nullis
sunt efficacie, ideo debet ppinari recen
tes immo etiam no debet ablui: qi vir?
eară superficierenus est: t debent ppinari nouelle: no âtiq, auicena sedo ca, c.i.
Epithinus di colligi in iumo, Saladin?
Fumus terre

Sragaria

Filip Fumus terre viridis de poni in medicionis, a accipitur ille cui? flos est violace? a no ille cuius est albidus cinerici? aut pallidus, S, li. ag, ca. sterig, toiet mesue q melius tépus collectionis est cit pam cipis veris. Et vicit ialadin? Q tempus sue collectionis est i medio maris q d verium est pro succo es?, aut pro sirupo faci endo quonia pro conservatio es? debet colligitoriens quoties, si posti reperiri als pro coservato e cuis colligatur vi no tam est. Tung enim secus est rante est cacie scut rece evi notat platearius. Sianimula viridis magne est efficacie, sic

ca pauce vel nultius, Platearius, Gariofilata Galitricum

Bartofilata recens maioris est efficacie Transplate de la companioris est efficacie Transplate arms.

Jusquianus
Jsopus
Ex insquiamo, niger est mortalis, ruf? ve
ro t albus saus viu medicine coneniut
Plate. Dieu insequenci viui medicine
ger t rut? abo discoueniut viui medicine
led solum albus berba solu apponenda
eit in vngueris t emplasius. t recens e
magis coueniens. Debet tamen codigi i

mayo vt notar laladinus.

Jiopus i citatecu flozes producit debet colugi fezin unio vt notat laladinus. z i vmbrolo loco no fumolo debet luipedt z ficcari. Folia z flozes fiml'adiecus fit pitid' debent pom i medicina. Per anu feruat. sed fingulis annis renouet. Pla, a un

| R | Kalédulai, | feilicet in mefe iunipert notat faladinus, |
|--------------|---|---|
| 2 | Zactuca | tperannifernatur. Platearius. |
| 1000 | Zaurus | Bullegium colligit tempore pauctois |
| | Zapacium acutum | florum: icz in iulio venotat faladin?: e fi |
| | Zapacium rotundum | |
| | Zapaciolum | mul cum flozibus:abicctis ftipitib? i me |
| | | dicinaponit z pannu fernat. Platea. |
| | Lentigo aque | Expolicaria fona magis competut olni |
| | Lingua ceruina | medicine timul debet colligi cum ftipis |
| | Lingua auis Zapa maior | tibus:in medicinis tamen debent poni fi |
| | Zapa minoz | ne ftipitibus, per annu fernatur, Bla. |
| | Zilium | Mortulaca piridis magne e efficacie:fic |
| | Folia lauri ficcata invintzofo loco mul | caro pance aut nulti, Hola, Etfice et |
| | tum fumoso scruatur perannum | eft illud qo in ca eft magis vitie opatios |
| 00 | Obandragota - | nis, Auicena. |
| | Obalina | Paritaria viridis magne e efficacie:fice |
| | Datozana | cavero pauce aut nullius. Adiatearius. |
| | Obeliffa | Braffinn panni potett fernari Blate, |
| | Q)ozella | Dafit colligi in innio: pi notat Salad. |
| 1 | Occurialis Oarubium | Quincifolia |
| | Dillefolium | Quinos folia berba 03 colligi in innio. |
| | Datricaria Wirtus | Ruta Ribes |
| | Dandragoza recens magis cit,couenis | Rosmarinus |
| | cns viut medicine q ficcata. | Ruta y annum fernatur. Platearius |
| | Datozana colligitur i effate cu florib? | Ros marin pannum pot fernari 301a. |
| | tin vinbrofo loco ficcatur to anni fere | Debet aut colligi in minio:vt notat fala. |
| | natur, Plategrins. | Baluta Semp vuia |
| | Dellitia viridis e ficca magne eft effica | Scrpilum Scapiola |
| | cic.03 aut pus exficcari ad fole : poltea i | Scolopendria Saturegia |
| | vmbra: the panni pot fernari. Pola, | |
| | Warnbunn in vmbzofo loco fuipefa p | |
| | annu feruatur in multa efficacia. Bla. | Saluta viridis t ficca copetit viui medi |
| | Willefolin bebet colligi in unno vino | cinc:03 aut colligi in mayo:vt notat fala |
| | tat faladınus, | din?: tochiccari in vinbrofo loco t fic p |
| | Corti folia quato funt recentioza: tato | amum poteft feruari Platearius |
| | | Semp vua viridis ochet pom in medis |
| | Tafturcum Tenuffar | cuis:q2 erticcata nulli?eft efficacie, pla. |
| TI | | Expulo folia t flores copetutvini mes |
| 75000 | Halturch perba viridis maioris è effica | dicie:03 aur colligi fil cu floub tpe q flo |
| | cie cincca:imo ficca pance aut millio clt | relat: 7 p annu pot fernari, Platearins |
| | efficacie, Platearins | Scabiola viridis magne elt efficacie lic |
| 0 | Deiganum Oculi populi | ca vero pance ant nultius, Platearius, |
| | Dimunda Os mudi regal | Baturegia debet colligi cus flores pdu |
| 294 | D3tmum gariofilatum | rit sc5 in imnio:venorat salad, e i vindea |
| | Duganu ortenic os pont in medicinis, | deficcari, fernatur aut p annu, Platea. |
| | Comgiftpe pouctionis flom, finmen | Scolopendria colligitur in mele aplis |
| | fe mun venorat faladinus.fimul cum flo | vt notat faladin? z fimiliter in menfe fce |
| | ribus tfoins:abiectis itipitib? tivm | ptcmb21s.idcm |
| | bra inspenduur z exflecatur : z fic per an | Zamarifcus Zrifolium |
| | num feruatur: fed fingulis annis renoue | Zetrahit Zimus |
| | tur. Adarcarius. | Zapiusbarbatus |
| | Oculi populi ocbet colligi in menfe ape | Zerrabit viridis magne eft efficacie: fice |
| LA COM | li:vt notat faladinus | ca autem nullius aut pauce. |
| 30 | Molium Mulegium | Zunus colligitur in unto, Saladinus. |
| The state of | Hoolicaria Hoottilaca | Zapfus barbatus viridis magne eft effi |
| | Paritaria Hinpinella | cacie,ficcus aut pauce aut mulu?, 30tar, |
| | Beaffinn Blantago vtrace, | Utolaria Efnea |
| | Becmula veris Ses columbinus | Girga paftozis Urtica |
| | Bolium Debet colligica flores poucit | Bermenlang |
| | at a second | |

Q

R

T

ध

Biolaria reces bebet poni in medicinis Unea proprie no eberba fed lanugo q dam:q veftit arbores granatop Het.pe. Er virga paftozis folia viridia e ficca co petitt viui medicine, viridia tamen funt maioris efficacie, Blatearius,

Spericon ypericon bebet colligi in iunio z cii radi

cibus. Saladuius. TEtrca berbas aliq babet apotecari? notarcficut & circa radices: fc3 tep? colo lectois carum.modu repositionis: Ttem pus fucourations, De primo notadu q berbe debet colligi polici earu folia i Zempus collecti cipiut babere quantitate quas debent, T remanet fin formam, fc3 antc@ :ploznin color aiteretur z fragantur:nedum q ca dante attrita tint, Huicena fcoo canonis capto de collectione medicinarum et iplas rum conscruatioe. 3dem albulcrafis in li beo suo qui oicif scruitoz. (1 De secudo fes de modo exficcations z repofitionis earii notetur mod? expecadi radices pre notatus in capitulo de radicib? quonia effidem modus exaccationis ambarum, Detertio: ses de tépore durations eas rum notet qo fupra dictum elt de radicis bus quiminter ochintant perouos aut tresanos, Muicena icoo can. I Hotet ctiagficut dicineft de radicibus quio funtreponede nili fint ocbito modo z co gruo tepoze esticcate, altoquin putrefce rent, Er cauedum eft ctiam ne reponans tur ad fumu veladiolem aut in loco bus mido vel pulneruleto quia purrescerent

z virtutem amitterent, Lapitului quintus de flori bus quibus debet effe munitus apoteca rus z octempoze fue collectiois, modo repositiois tempore sue durationis in virtute z efficacia.

Sit funt flozes quibus debet el fe munitus apotecarius per oz# dincy litterate minozis alphabeti

Antos Mbfinchij Elgni cafti Alfi filuctiris Zempus collectiois florum abfinchin eft

principi u eftatis, Obcluc. Slores antos collecti e ceffecati parti ad tolem per annum fernatur. Polatearius. Slozes ain it lucitris debent colligi i fine veris tin vinbra ficcari. t fulpedi. Ala. Flos agm cath, diatur agn? caltus fime pliciter. In vere zautuno debet colligi per annum fernatur z non vitra, Borrago 2Bugloffa

75 allauttia Borrago z buglossa bebent colligit më fe apuli, Saladinus.

Ballaustia ocos colligi i iunio.saladino z per ouosaunos potelt feruari imulta efficacia. Platearius.

Eamomilla Eamelconta Caparis Capafoli

Luicuta Erocus. Camomilla debet colligi in vere . fcs in mayo venotat faladinus. t fimf ocbetre pont folia z flores, 53. ll. ag. capto. 18co

Flores caparis ochent colligica adbuc lunt tuberofi z non bilatatur, quia quan do vilatari funt no valent, Eccipiatur T cum fale e accto condiuntur. e ita feruas tur Boffunt autem fernari per vnum an num aut per duos. Blatcarius.

Luicuta ideft podagra lini rafca lini q circa linum adocret cuflozibus deb3 col ligi in mayo velulto. p onos anospo

teft fernari, Blatearius. Epithunum

De epithimo dicit mesue q melioz ps plate ci? funt extremitates ci? roffe q fut neut flores, to det plateario q debs colo ligi cum flores producit,

Beneftula **B**cncfta Flos genefte debs colligi in mele mayo or notat faladinus,

Keyzi debet colligi imefe apzili. vt no & tattaladinus.

Lambzusca Lambrusca scu flos vitis agrestis ocbs colligi cum vitis agreftis icipit flozere z deb3 exficcari in ombra z intesta repo ni oya.capitulo. Emantium,

Coalua Durtus De flore mirti dicit plateari? . Q quanto funt cuis flores recentieres, tato melio res. Nequeunt cum din fernari.

flos malue debs colligi in mayo. Sala

Henuffar Henuffar in menfe inlio aut septebri be bet colfigi. z per ouos anos i multa effi cacia potelt feruari. Et melioz elt qui ire gionious calidis & in frigidiozib? repe ritur, Decomma platearius,

Olcander. Rola Ros marinus Role ficce trecetes ponunt i medicinis E

您

Ø

Z

0

11

DR

38

21

dish

oms berbarum,

Quidam colligut rofas post maturitate fed fic no our ieruatur fed debent colligi du no babet omnino folia extera times fe man. Saladin?. z cus aliquatulus funt rubce. Si vero pallide funt aut nigre no debet poni in medicinis; qa fignus eft @ funt confumpte veruftate aut an tps col lecte, Collecte vero ficut dictu eft debet aliquantulus oeficcari ad folem: Tfic per biennin poffunt fernari, Plateari. 3de melue. Idem bulcrafis in fernitoze

Nozis marini flozes debet colligi in mes feapeili. Galadinus.t aliquantulu de bentad folem ficcari:t fic per annum fer

uantur. Platearius,

Squmantum Salicis **Sambuccus**

Utracy Sticade De fquinato attende q in capitibus raf mulozum ems muentitur fpice pilofe: T illipili funt flozes t p decem annos fere uant i multa efficacia, S. Lag.ca, Acher. Attende of fi inneniatur in fquinanto qo dam ouru ficut lignu circa ftipitem:illud b3 abifci: 7 no poni in medicinis, Acro? pendetarum.

Sticade colligi ostpe pouctois floy, f. i mese mnn, vtruce aut.l. citrinut arabicu per annu servatur, Polatearus,

Zamarifois Hiola

Biola debet colligi a mefe ianuari vies ad melem marry inclufiue, Baladinus, Et licet dicat bulcrafis in feruitore @ 03 colligi in menfe aprilis quado funt in fis ne bonitatis & maturitatis. Opinio tam faladini melioz eft, Einde Dicit mefue @ melioz eft er primis quam no inuenti ca lor refoluens virtutem ator ca diffipans Ber biennin fernatifed melius eft vt of

anno renouetur. Platcarius

(Sicut Inpra notath eft de radicib? et berbis:ita fimilie cenfendu eft de flozib? Debet eni notare apotecarius tria circa flores vi circa radices t berbas: falls tes pus fue collecctois:modus repositionis r tempus fue durationis. De primo falcer de tempoze collectionis flozum: Thorandi o flozes debet colligipoft iplozii apertione integra z ante extenua tionem z calum, Amicena in scoo can.c. de collectione medicinarii z ipfariicone fernatoe. Ho bactame regula excipiun tur rofe: que debet colligi ante can aper tione integra vt supra notatu eft. De fcoo.f.demo exficcatois & repofitionis cop notandi q oes flores debet exficca

rificut erficcatur rofe. Obod? vero erfice catois rofan feribit abulerafi i libro fuo ocpreparatione medicinaru qui dicitur feruitozific. Accipe rofas cu fuerint i me dictate fue apertois:nech adbuc fint fo lia carú egrella a camerula fua z expone ne foli cum fua tota camerula in fine me Modus erfices As aprilis cadem ore qua collecte fuerit cois rofarum. nam ii referuarentur vico ad mane:mari me coacernate in vin diminueretur mul tum in fuo odoze truboze, t cu deficcas renolue cas cu manu fepe in die, Et qua do marcefcent z fuerunt prope deficcato nem aufer folia caru a camerults fuis: 2 ferna folia repolita: t fi no posiint erpo ni folicade die qua colliguntur: opoztet op ponantur in loco ventofo in quo non fit bumiditas: r fequeti die quito poter] ponant in fole donec compleatur caret ficcatio. repone invafeterreno t ftriga tur os cuisict odoz vt coloz remaneat i eis. Debent ante deficcari victad cons fumptionem decine partis:ita q er dece libris rofarum z aliozum flozum munda tozum zviridium no remaneat nifi libra vna posto exficcate funt Detertio.f. detempore durationis florum in virtus ter efficacia notandum q minozitem/ poze feruantur o radices aut berbe:pzo pter subtilitate sue substantie: dempta ca momilia: queficut multum patitur de de coctione propter forte eius committo nem:ita etiam multo tempore seruat in fua efficacia. Tlotadu vitra o ficut fu pra dictii eft de radicibus t berbis, ita ce fendus eft de floribus quing funtres ponedinififint debitomo t tempore co gruo exficcaticalioquin putrefeeret. Cas uendu eft etiam ne reponantur ad fumu vel adfolerant in loco bumido: vel pul uerulento:quonia putrescerent z virtue tem amitterent,

apitulum fextum de aquis a predictis radicibus berbis z florib? di stillatis: modo repositionis z tempoze durationis earum.

Ste funt aque diffillate quibus de bet effe munitus apotecarius in boteca fua fin ordinem litterarus

minoris alphabeti,

Abfinchij Acetofe Erremefie Zipn Abzotani Auguric

君

Tépus collectio nisflozum

233

E

| | | Potuni |
|----------------|---|---|
| | Allzelzangi | |
| 213 | Borraginis | |
| 10 | Bethonice | |
| | Berbene | |
| E | | |
| ~ | Eicozee Capillanum max | |
| | Capillozum ven. | |
| | Calamenti | last malada mil |
| | Consolide triplicis scil | acer matotis mit |
| | nozis i medie. | Waldania: |
| | Enfante | Eclidonic |
| | Ercte marine | Centonici |
| | Corticum fabarum | Eucurbite |
| Œ | Endinie | Epatice |
| ~ | Enule campane | Enfraste |
| | Feniculi. | |
| 5 | Benefte falicet flozun | N Market |
| IL. | Braminis | Ballitrict |
| 7 | Zupuli | A COLUMN TO STATE OF THE PARTY |
| 200 | Obente | Daiozante |
| 200 | Obellide | Odellefolij |
| R | Rofarum | Rutej |
| 11 | Rozis marini | THE PART HOUSEY |
| 9 | Sauine | Speragi |
| ~ | Solatri | Scabiosc |
| B | Hiolarum | Time |
| | Bitis q cadit ervite d | abscindit i vere, |
| | Circa iltas aqs babe | t tria notareapore |
| | carius:vt dictu eft de | ams: 103 tepus of |
| | stillatois feu couenies | aa outugan: mo |
| | du repofitois can tte | p incourationis |
| | Bro dedaratene que | notat laladin'i |
| | fuo copedio ad arom | atanos ques aq |
| empus biftilla | pus diffilla diffillace quant ex berbis debet fieri i ve | |
| aquas | re fe a medietate marti vico ad toti me fe man incluiue, los vero dicamo fale | |
| | se man inclume, 1108 | vero otcami tale |
| | no meliozi indicio q e | es aq ommare na |
| | ne fint er berbis fine | ekradicio, une ek |
| | Rozibus debetfierit | de duo tagices per |
| | beaut flores funt ima | ion emicacia e no |
| | femp i vere: vt voluit | faudin, imo q fuit |
| | exradicib? Debent fier | rt in autuno quod |
| | eft rps couentens coll | ectionis radicu: 2 |
| | quefitt et floribus de | bent here i vere: z |
| | oue frut ex berbis deb | et rieri epe quo for |
| | lia berbaru babet qua | atitate conneniete |
| | * To man and a same | Gus Farman Grans |

門前 放 回 回 数 お は 即 門 品 即 点

(i) Flotanduscio et videatur mod? repo ficionis aquarii offillararii coueniens qu o es aque offillate posto facto sucritos bent reponi ad sole z ibi stare saltes vies bus quindecim et purificetur a funo, sed si vis penullo modo sapiat sumum vistel la cas in ouplici vase ponendo alebicus in balneo marie,

qua debet eremanent fin formam fuam

feilicet anteg color foliopalteret.zan

teg folia alterant t cadant vt fupza nos

catum cit in fuo loco,

an odus repost

tiois agua ra dis

Rillacarus

De tertio:scilicet de tépore duratiois aquarum:notetur o vir pannii posiunt permanere in esticacia z virtute: ppter raritatem substantie vapozose er q sunt ideo omni anno debent renouari

Lapitulum feprimi de femi nibus dous de effe municapotecarius. Ra funt femina dous de effe munic

tus apotecarius
Altee Agni casti
Abrotani Atriplicis
Allectandi Apn
Annii Aneri
Annii Aneri
Annii Acctose
Anacardi

Bemen agni caltiviridis eft magis cone niens officcus; ppter subrilitate sue sub stantie, est em subrilifime substatie, Gabienus sexto simplicius farmacop, Pera, num tamé poteit servari e nó pius: siene estos eius. Dien tamé Galadinus o o colligi in mense septent

Seme anifi debet colligi in menfe tunif. Baladinus: 2 per tres annos poteft fer

nari, Polatearius Anctum 03 colligi in vere cumipla berba, Etdicit faladinus op in mayo, td3 in ipla berba fernari. Et p trienniü fernaf in multa efficacia, Obelius tamê estvt of

anno innouctur. Platearius Antera debet colligi in mito: vt notat fa

Anacardi semen p trigita annos potest servari in multa efficacia: mii ponati to co nimis bumido Platearius Berberis Biusci

Berberis Bauci Bardane Bacce tauri Semen berberis y feranos potefi fers uari in multa efficacia, Platearius Cucumeris

Cucurdite Citruli

Eoziandri

Caulium Coti

Cartami Citri

Etromozum Cretami

Eimin Caru

Eicute Countrie Cucurdife melo

Semina cucuneris cucurbite melonii e ci truli vicit faladin' debent colligi in in plio, quod no posser pabere verum in hac nostra regione in q ppter sin fragilitate tarde maturescut fruct' isti uno tardant vice ad sine augusti e septembris, ideo tardi'nos horisemina colligim', 3deo bic habeat regula: quia tempus collecto

0

n

O

B

nis medicinarum q fumunt er platis feri pto pfectemadari no pot, cii qdas tardi? z qdas tempeftinius maturefcant fm di uerfitatem regionum. z gdam in gbufda regionibus bis in ano: q i bis femp mo dus confuerus t tpa convenieria Pm co fuerudine region is bebent observari. At tendeti specialif circa modi collectois feminii cucumeris & cucurbite of fructus cozu post maturatone cozu debet colligi Tluspendi cu feminibus vi substantia de ficcetur:polica ppter glutinofitate velvi fcofitate abluantur femina i aqua: t ficce turin fole: Ti loco ficco feruent:ne ppt bumiditate multa corrupatur: r p tres a nos feruat. pla. To ta credo falua plate arn reuerentia o tato tpe poffint feruari fed rancefcunt Talterantur a virtute eos rum propria: r medulle fructuff r feminii raucide est venenu, auicena quarto can, ideo melus est o omnianno monent. Seme coziandri 03 colligi in iulio. Sala dinus, t pouos annos pot fernari i mul ta efficacia.platearius. Seme cimini debet colligi in menfe fue nij Saladinus. Et per quing annos po teft fernari. Platearins. Seme carm debet colligi in inlio Sala din?, t per quincy annos fernaf in mira efficacia.platearins Seme cicute debet colligi in menfe iulij Saladinus, Semen centonice debet colligi in mele feptember Saladinus Semen danci per annti poteft fernari:f3 debet quolibet anno renouari.plateari? Endunc. Eruce Edere Seme endinic debet colligi in inlio, Sa ladmus. Seme eruce debet colligi in julio, Bal. Frarimi Sumiterre Seniculi. Fenugreci Welius tempus collectiois feminis ful miterre eft finis veris. Wefue, Semen feniculi in fine autumni colligi tur: fcils in mefe feptebai: vt notat falas dinus: quia tucmaturu eft e in multa ef ficacia ptres anos fernatur.platearins Seme fenngreci deb3 colligi in inlio,fas tadmus. Bith Benefte

Semen genefte bebet colligi in iulio.

D

但

5

B

Juniperi Julquiami Bemen umiperi in vere colligif,platea. Sed vicit faladinus & fortemelius q in mele nouebri:qz tūc matur elt. tp ouos annos feruat i mita efficacia, platearius Gemen iulquiami ppriedicitur iulquia mus.berba vero caffillago, pla. Er infq amo albu magis comperit vini medicie z postilludrufus, Migrupo est morrale, 3de plateari". z ide eria oicit ferapio. 2. ag.caplo berig, debs vero colligi femen in inlio, Saladinus Kermes Louistici Lactuce Lini semen Lupinos dulces tamaros Leticule Leufticus of colligi in iulio, Galadin p tres annos feruatur. Platearins. Lactuca berba vini cibo z copetit magi feme vero vini medicine. Pola. Do vero colligifeme lacruce in inlio, Saladinus Odelon, Dellilon Dalluc Wirti Odilin Wiln folis De femine melonii bictii eft in littera E. Seme melliloti cu ipfins corticions 03 colligi r ita in medicinis 03 poni: colli gif aut i melcapul: z ad fole beficcatur. Balad, Et fic pbienin pot fernari, pla, Willi folis pocce annos pot feruari. Molatearins, Et 05 colligi in innio, falai Nigella Masturcium Seme nigelle pocceanos fuat. Bla. Semen nafturci) p quinc annos ferua tur in multa efficacia. Halatearius, Q3imum Semen ozimi collectu p tres annos po teft feruari in multa efficacia, Blateari? Mili papaucris 30oztulace plantaginis Diome paltinaceagreftis petrofelini petromacedonici Beme pfili mung 03 ppinari nifi cu can tela:q2 cotritti nuno 03 ppinari. Deoce cultat em el cotritto substatta medulare cius viceratina z excoriatina.mef. Ant ergo ciustinos ppinari mufcilago, aut 03 coquaffari groffo modo. z folecoztek exterioz dappinari.ciciendo fubliarias medulare, Et in boc attedendu eftobi th

0

77

那

S

adureretur aut toftaretur pofict tunul p pinari:cii inbitătia ina medullari:qz pvir ruteignis refoluerent ptes ignee t fubs tiles q funt in fubstatia medullari cius: q reddebāt iplam excoriatinā viceratinā ppter qua caufam bebet bene toftari vt virtus ignis vice ad pfundum penetret. Un e fortatis poter baccaulas die bul crafis in seruitoze o seme pilli 03 plus affari ceteris seminio?, D3 afit colligi in citate Tp dece annos fernat. Blateari? Semen papaneris per decem annos fer uatur, Miatearius,

Wemen portulace debet colligi in inlio, Semen plantaginis debet colligi in ins lio. Saladinus

Betromacedoicii de petrofelinii aggre itc. Amborn,i.petroleuni'z petromaces domci femma ochent colligi m mlio. Ba ladmus, Etambo pannuiernant, Ma, Rure domestice

Rute aggreftis que pigamim dicitur.

Benuna viriulis rute debet colligi in iu lio, Saladinus, e per ques annos ferna tur. Platearius

Stafilagne 53cicos Sinapis Beariola Sumac

Speragi Bemen fizelcos fimul cum perba bebet poni in medicinis, zp tres annos ferna tur. Placearius. Debet in colligi in ins

lio, watadmus, Er itaphuagria folü femen vini medicie competitite quing annos feruatur. Minteart? . 2 03 colligi in milio. Baladi, Semennapis 03 colligi in iulio, Balas dinus, t quinch annis icruat. Blatcari?

Beme fcarrole 03 colligi in into, Bala, Beme fperagi per annum feruat, Ablat, Brana iumac per quat. 1102 annos ferna tur, Solatearus,

Tamarife Bruce

R

5

Z

A

£

Lapitulum octanum be fru cribus quibus bebet effe munitus apote caring: Toetempore collections, modo repositionis, t tempore sue durationis;

Rucius quibo bebet elle munitus apotecarius funt th Amigdale amare

Amigdale onless Ruelanc Arangie Kitrangula g ubebe Lubebe per bece annos feruatur, Pla,

Dactilus Ficus citrine ficus nigre Balle Branata Branata fufpenfa p anun fernat. Bla. Buinte Limones O)andragoza Fructus mandragoze of colligi in mens te nouembri. Saladinus Thur cypresti Quinc conduce nunsek Perfica Baffule Bistacea Prina per anna fernant, Platearius. paffulcy duosannos fcruant, 301a. Er puliacers l'ubstantia interior ponitur in medicims

Sebelten Circa femina & fructus aliqua fimili ter by notare apotecart? proictuelt ora diciost aligs. Nos vero uta notanda de fructib'fift' feminib'olog ad boc capitulus oc fructib' polipolum'imul oc ibis tractado. Et mbil in capto de feminib' determinanim?, Semina em Thructune eade regula. Nostin be ipfis difficta fect mus capitula ppter omerfus modii loğu di'penes aporecarios noftros: cor em aliquos fructus ap cliat zaliquos femi na:eriam interdu improprie:vralleclean gi femen proprie no deber dici fementet lemen umperiproprie magis diceretur fructus. (1 Notandus ergo primo circa tempus collectionis femina e fructuum o femina funt colligenda polito ipfozu frucuum, terminus finitur texticcatur ab cis .ru ditas t aquotitas. fed fructus funt collis gendi posto finitur complementum cos rum zante@fint preparatiaa cadendii Decregula data est ab aucena loco fes pipallegato,f,in fecudo libro can, capitu to be collectione medicinarii z ipfarum confernatione, Trotandum fecundo circa modum repolitionis feminus vt fu pradictum eft be radicub? berbis t floris bus o nuno debent reponinifi conueni enti repore z debito modo exticcata:ita fimiliterneclemina authrice, Wodus autem erliceandi femina facile potetter trabi er otetis bulcrafis in fermiore capt tulo de mo extrabendi corda fine medul las a feminibus fatis ad principin capis tuli vbi ficoicie. Hocipe epcartamo. T 2 carrama debet intelligi ome ieme. Tpur ga a fupflutatibus cus: tfi babet alis

qua bumiditate oportet q beliccet in lo

Temp? collectio nis feminum et le. Omnia ergo semina bebent printo re ponantur purgari v mundari a supfluita tibus fins, Quod coiter fit enerado cum flabello zen parno baculo, ifine cuius ponit modicum cere.fic em mudantur fe mina a lapillis ralis supstantib? rim mudichs fibi admirtis:qz cu impingitur baculusille fic cerat' cotra lapilium ant alias fupfluitates: tales lapilli Tiuper flutates adverent cere: The faciliter tol luntur. Ifte eft modus fatis vitatus pe/ nes aporecarios nostros: qui saris vi deturration pformis. Et politalem pur gatione r mundificatione fi femina fint adbuc bumida debent exficcari in fole, at ofcit faladinus in compendio fuo ad arematarios of no radierit fol fed fit dies nebulofa: q talia femina debent erficcariad igne lentum za longe. Et de bent talta femina cum exficcatur fepius reuolui cu manu vt melius erficcentur, Totandu tertio circa tos duratiois femmu tfructus qvt plurimu debilität post duos aut tres ands sicut berbe tra dices:imo vir ptrafeut annu qu racefcat Et vir innenunt fructo qpoffint per an num feruari quin putrescant,

Lapitulum nonuz de cortici bus quis os esse munitus apotecarius.

Sti sunt cortices quibus octo esse munitus apotecarius, arangie Aph

16ugie

Citri Eaparis: Attêde bic circa iftos cortices de inteni tione bulcrafis in fernitoze o arangia t citrum illa die qua colligutur ab arbo; re Debent excorticarific. Brimo tergas tur fuaniter cum matili mundo t poltea ercozientur cum cultello acute aciei pau latim Tleniter ne accipiat ex carne cum cornce, Etdicit auteenna in quito can. in confectione curon coditorum o fcine dant in longum vin quartuoz partes fic em melius't facilius mundabit corter a carne, Scribit vltra bulcrafis in ferni. tore of debent accipi ab aranging z cie tris q funt magne acctofitatis intrinfes cus : q cortices con funt magis odons feri. Et dicit aucenna loco fupra allega to.f.in.v.canoms capitulo de citro con dito o debent effe media matura equa/ lis superficiei z longa,

Caparis solo cortice radicis otimur que in principio veris debet colligi: ve notat plateanus, Ault tamé saladinus r credo & melius & in septembri, Debet aut suspendi in ymbra r in sole siccari, Siccatus autpersepannos potest ser uari in multa efficacia Platearius.
Cortices granatorum,

Cortices granatoru oebēt colligi in tem pore maturitatis fructuum: z p duos an nos poffunt scruari Platearius

Enilus Ex ebulo precipue cortex radicis copes tu vim medicine, In vere colligitur: t ad folé ficcatur: t pannus fernat, Pla. Fraxinus

Feniculus
Exfração a feniculo fola radicevtimur
Et vult platearius q feniculus 03 col·
ligi in principio vens. Sed faladimis
vult q debet colligi in menfe augusto:
a credo q melius. Et dicit platearius
q p dimidium annú feruat dúsarat. Apo
tecari ti nostri feruant per annum, cauc
ant ne sit erroz.

Dandragoze Dozus

Ex mandragoza alta masculus atia se, mina, Indisserter verises veimur in me, dicina, peipue tamé coetice radicis; que collecta in mente augusto ve notat sa ladinus per tres annos in multa esti, cacia seruatur. Polatearius

Ermozo solo costice medio primur.

Papaueris Pfidie Pignee Petrofelini

Ex radice petrofelini folo cortice cius vrimuriu medicinis. Et debet colligi in mense augusto: vr norat saladin?: x mūs daria supstuntatid suns extrinsec] Bulg crasis in servitore.

Rafani Rafanua

Rafanus debet mundari a corde: q2 fos lo cortice e19 viimur. Et eft radit per excellentiam, recens melioz eft ficco. Sico cus tñ per annum potest seruari, Pla. Sambuci

Sumac

The semic sumae dicit galienus octa uo sumplicium farmacozum capitulo po prio que meius quod est in tota arbore est corte: grani cius, de sumae dictum est in seminibus,

Zburis

Erca istos cortices tria debs notare apotecarius vi de predictis dictü est, ses tempus collectionis corticum, modum repositionis, tempus durationis cap.

是

5

00

R

B

Z

I

tonis corticu,

耳

D

5

O

30

R

Derépose colles De pino notandu eft q cortices q fus muntur ce radicibo debent colligi codem tempore ficut & ipferadices. Et que funt cr feminibus aut fructibus debet colligi codem tpe ficut femma z fructus a qbus funt, De fcoo foe modo repolitionis co fimiliter dicedu clt q code modo bebent repont e ficcari ficut illa a qbus fumunt pt corrices radicii ficut iple radices reoz tices femini e fructui ficut femina e frus ctust ficocalis. | Detertio cham. f. de tempore fuedurationis:cofimiliter di cenduielt q tanto z cofimilitge ourat coz tices ficut illa a quibofumutur vt pluris mum:tñ interdu cortices fructun boralin vtarangie atri z etiā granatop folent di urus t melus conferuari scozium a fru ctu'propter exficcatione bumiditatis fup fluc fructus ipfi

> Lapitulum decimi de gum mis quibus dy effe mumtus apotecant Sti funt gummi quus ochet elle

munitus apotecaro Hilla ferida

Affaaromatica 2moniacum

Affa ideo diciffetida qu maxime fetet T oto fetidioz tanto melioz, In chino tepe colligitur:ou ables corruptione coferna turze de fernari in loco mediocriter ficco

23 Polatearus Bdellium indateum E

2Bdellium de mecha

Colopbonia Dragagantum

Dragagantum p rlannos fernaf, plat,

Bummi edere

Bluten Balbanum

Bummi cedri Bummi elemni Bummi arabici

Bummi amigdalarum Bummi ceraforum

Bummi edere 03 colligi in mayo, Sala.

Rarabe Lacca **Wirra**

Waltir Channa thuris Dppoponacum

Oppoponacii oiu potest fuari ablos coz ruptoeimmo vir aut nun corumpitur

Platearing Pir

Por liquida Refina

Gerapinum Storar calamita Storar rubea Storar liquida Storar calamita poece annos poteft fer uari platearus. Zercbentina Zerebentina p centum annos poteft fera uari.platcarus

Hemir T Eirca gumostria dynotare apoteca rius:vt depredictis bictii cft. (Depri mo.f.detpecollectionis gumnion notat autena los can.cap. sepius allegato op tepus collectionis guninoz eft poft con Belatione cox t expecatoem preparata pulucrifationier bocnotato psqualiter debêt günudeficeari qe debêt ficeari î are bozibe er fe ad fole. Non em debêt colligi mii post exficeatoem. Aliq in günu exfic cant ad igne artificialit vt potiffime fut fpes refine. Et ruc talis fpes de refina car pinata: z illa quo fic exficcat 62 rafa.

Coodus ant exficcaditales gummos defenbit a S. L. ag.ca. Atromg. fine bastin, Auctoritate dya. Invale magnot am plo ponunt, li.ir. pdictor gummor aq plunialis, li, rvin, z coquutur bii fup pzu nas z mouent semp cu cotmuatoe: z coa quitur, bonce deficeentur deficeatoe for tir frant facile frangibiles: ita o franga tur cum digitis: deinde reponantur inva feficuli. Et tales gumme cu primum ads bucfunthumide debet plus decoqui @ que exficcate funt in arboribus.qz debet decoqui mbodichus rnoctibus: rq fice ce funt fufficit o decoquatur die vna tos ta amane vica ad velpera. Et polica tas les gumi debent colari,fic em albificant, De tertio les detempore durationis gunmoz, dicitaucenna in sco cañ.ca, fepuis allegato q vi plurimii virtus gii mon debilitatur post tres annos:verutin prolongatur fpacum ourationis con 65 ipfor bonitate. Eumautem recens och cit fortis proculdubio ftat ouplum vetes risocbilis loco etus in omni re, anicena loco allegato,

Lapitulum vndecimū o fuce cis ficas quus 03 ce munitapotecarius Ucci des artificiales funt: ideo proprie cop Determinatio ad fe cundu libra spectat:ibic cus bei aupilio illop ponem? descriptoem z mos dum faciedi:q tamen folent ab appotes caris noftris iter fimplicia nuerarutetia

Exficcatio guns

quia con compositio est multus simpler sicut de aquis distillatistido de subisse mus caputus de dis ddus debet esse musus apotecari? cu alias supradictis cu cumstantias, ste collectionus plantarum ex quidus siunt, de mo repositionis et e pore sue duratois. Isti ergo simplucci sic ei ddus debet esse munitus apotecarius est notanter diri sicci ad differentia est duratse vinor de quidus in secsido simmis determinaturi

Acaffia Abfinchi fuccus

段

A

35

E

E

Ricassia qui sit ex fructu maturo perfecta maturatione ita piam acquisiut dulces dine est color er migrior r clarior. r non est sipticus ppe sium dulcedine. So qui sit ex fructu no psecte maturo erit color ex declius rubedini magis r stipticitas er crit maior. Eligas igistalis acassia r q est magis odorifera. Bulc, in suitore, Enccus absinchi do sserii n vere, mes, Berberis

Succus berberis dyfieri qui femia berbe ris funt bu matura, bulcra, in feruitoze, Eapzifoli

Echtauree Eclidonie

Eucumeris azimini Succus capriofoliță litium bicit p qui ch annos fernatur platearius

Succus centauree fit que cetaurea estre cens t tenera. Bulcrasis in sutore, toi est mes, qui principio estatis

Succus cendonie fit in copleta maturio tate punto perbe quod agnoscitur cu ino cipiunt apparere semma.

Succes cucumeris asyminfit post cople tam fruct' maturitate, Bulcrass in Puis tore, Et vicit mes. O meli'tos opationis succe et'est finis estatis, a subdit o fruct' ei'incoplete maturitatis malus est.

Succus enpatorif fit in fine veris.mef. Tote bulera, i futtore quin mense man

Sumterre Succus funnterre fit in principio veris.

Z Ziquiricie
Succus ligricie by fieri in iunio, Galas,
Wandragoze

Ocuste
Obabatematicon
Succus mandragoze fit du radices funt
tenere z recentes

Demita no est celidonia vi quidam pu tant: led quid fit vide in tertio buius pe

pter binersitatem borum succorum Wabatematico exponif coiter p est suc cus caulis agrestis. Is de boc vide i stio libro. t siccat? p duos anos suaf. platea. Opium

Opum pviginti annos scruatur: z vik

Circa iftos fuccof by tria notare apo tecarius:pt dealis supradictii eft.f. tps collectionis.modum exficcationis, 7 tps durationis cop. Deprio dicit Bul. in feruitoze. P fuca platan ex folis z ra mis car exprimantur dum funt adducte nere. Et faladur vicit q in vere, fed ego credo falua reneretia bon viron quello elt extrabere fuccos plantax fine radica fine foliop z berbarum z fructuu tempe conementiozi ad colligendii buinfmodi plantasivt fucci q funt ex radicibus tpe concentrozi ad colligendii radices, Et fucci à funt exfolis a berbis tempore co nementi ad colligendu berbas a folia be quibus fupra dicti eft fuis locis. Et lics in vereberbe omnes incipiant virere z abundet in bumiditate maiori. Zalis tit bumiditas cruda est v nimio bumose bo minante in eis quafi infantili etate plan tetales imbeciles viribus exiliunt, Des bent ergo extrabi carum fucci cum plene funt maturate, exceptis pancis vito cicti eft de acacia t fimilibus qui querit maioz Apticitas. Et ad auctoritate actorus dis cendum q toquunt non quide fimplicie fed vtplurumu.qzvt plurumu berbe collis guntur in vere non quidem in principio veris: sed quali in fine circa principium estatisvbi propter distantiam maiores a principio fui ortus plenefunt maturitas te. Et o bec fit mens auctor clare pater que fuccus cucumeris fit ia completa ma turitate fruct'et met. Et succus cupato ri fit in smeveris Etsi bene cosideres të poza conenientia ad extrabendii fuccos plantarum abactoribus affignata. vide bis q affignauerunt fibitempoza in co plemento fue maturitatis anteq tamen exficcent varefcant, zviribus deftituant Et boc est qo dicit bulcrafis in fernitoze cu dicit q fucci platap er folist ramis earum exprimi debet dum funt adducte nere, debes em exponere dus funt adbuc tenere, Lantem exficcetur z arefeant pan tiquitatem: Thou intelligas du funt ade buc tenere ex bumiditate crudatot i prin cipio fui ozins:ficut atingit invere fepif fime. Debet tame extrabi de mane ante folis ortil quia tune maiori abundar pue

H

28

E

眨

5

2

0

95

13

miditate cum nondu fint a vitute folis ec ficcate. De fedo fes be modo fue exfic cationis notadum o bebent erficcari ad folem: aut p decoctione ad ignem: 13 de boc lati?videbit in fcoo bui?. @ Deter trofcz de tempoze sue buratiois attende o tato tempoze conferuatur in efficacia ficut e place a quibus extrabuntur quas rum fapiunt naturā

Lapitulum duodecimus de mineraliboqbo os effe munitoapotecario Ineralia qbo ochet effe munitus apotecarius funt ifta,

Hurum fo hatum Argentum foliatum Argentum viuum Argentum vinum fublimatum Ellumen iamentid eft de pluma Alumen zuccarinum Hipaltū Atramentum Huripigmentum rubeum Huripigmentum citrinum Mintali Belliculi marini

Bolus armenus Borrage Batitura cris Cale ex lapidibus Cair er teitis onomin Calr er marmoze Bair er conchilis Elimia auri Elimia argenti &crufa Ebumolea Calcecumenon Coralus vteras Einabrium. Kozalus p.rl. annos pot feruari, 30la.

Ferrugo Fragmata'oun lapidu: vt fut faphiri ias cincti, granati, imaragdi, rubini, fardine, Bupfum Zitargirium auri Zitargirium argenti Zotura plumbi Lapis lincis Lapis velice Lapis spongie Zapis concoili Lapis inducus Lapis ematites Lapis (maragdus

Dentali

Es vitus Erugo eris

Lapis tacinctus Lapis gagates Lapis belilus Warcafita **Wagra** CDarnie? Winium Nitrum 30umer Dlumbum vítum Donfiligos Bulpbur vinum Sulphur entinctum Salgemma Sal armontacum **Spodium** Sulpbur p tres annos fernatur:poftea actione ppin caloris in cinere albu con ucritur. Platearius. Hitrcolum Bitrum combustum Bitreolify occeannos fernatur. Plate, (Eirca mineralia nota pino q mine) ralia debet accipi ce miner not e bonis Debent infug effe munda a pmintide er trancanta o lit con fubftantia pura de fuo genere:no cofracta in fuo ppzio costore z guftu. Auice, in. ii, cañ, c, fepi? alle gato. Totandu foo o mineralia oia funt magne durabilitatis:pter fulpourp pter pauca in cis bumiditate corrumpes tem t ptes terreas in cisdominari,

Lapitulum tridecimi de me dicints fumptis ab animalibus Ste funt medicine q folent acci pi ab animalibus oc quibus oc

bet effe munutus apotecarius

Arungia birci Arungia anferis Arungia anatis Arungia gallinarus Aque limutiarum Adipes animalium Adipes vaccarum Adcps boms Arungic anieris anatis ralie fic debet repont. Accipe arungias cari q recenter Repositio atrici fuerut interfecte t purgata bene a pelli/ aru anatis: anfe culis fuis tpone i olla nona terrea capa no tgalinarus, citatis of fit oupla oftitate adipis t cos opi vas r pone i vafe calidifiio r q oil

foluit er adipe pone i alio vafe, z fac ita affidue ad third Pm qo cgredict creo do nec mbil er co remancat. Deide accipe @ clarificată fuerit treponciloco frigido z ptere i neceffitate. Elcl facias fic. Accie pe ollam nouam, z pone i ca de adipe, z

B

banc ollaz pone intra alia plena aqua t pone ambas supigne. Et quicquid oils folnetur cradipe clarifica in alto vafe q uses totus soluaf: repone in loco frigi do T Et fut q qu reponut pheint defup modicii falis pp caufas medico notas, Istos duos modos clarificadi zrepone di arugias notaut, Bulcrafis i finitore, Adipes afaliu fic debent repont in genes rali,accipede adipe fin voluntate tua fi cut cft adeps bira:vel pecudii:vel pozco ra timiliu: taccipe deed qo est magis pingue:ficut eft adeps capran: vel sirb? ventris: z pone in vale: z pice fue cu de ağ pluniali frigida z frica manib? bene zpurifica a fanguine cioz venis zpellis cultalana iten donce mudeft albefeat, Deinde pone i olla noua: cui? capacitas fit oupler quatitate cepier pone lup ibs aqua qua coopiat: rponevas fup igne puum z lene:z misce oonecoiffoluatur. Et cu diffolut fuerit adeps pice in vale qo babeat aqua frigida viana v abfters ge olla fua bene: z dimitte ca ficcari ab aqua: t liquefac fcoo adipe: t iterii pince fup aqua frigida z bimitre infrigidari:z fachocter, quarta vero vice diffolne'fis ne aqua: z pice in vafe qo fit calefactim cii aq calida. Tpice qo clarificabitur er adipe zpijce fubstantia fi cft aligd: tres pone necessitati.

E2

abodus repone

duadipes afalin

Adepsvaccarum fic bebet reponiaccipe er ca z muda a fua pelticula z ablue cum aqua marina: z pone in moztario z tere bh t picc fup ca aqua maris du teris: t facias boc lepe, tadem pone in olla ficti li z lup ca poce aqua marina qua coope riat: r coque tadiu q fumatur odoz mas tural, Deinde appone ad oes libras adi pis cere. 3. attioz z liquefac fimul. zgñ infrigidatii fucritaccipe fupioze pte ei? z ponem ollanoua z erpone foli quali bet diereoopta pano vt albificetur tres cedat odor cus t fetor. Et funt à pontit in vale puo ficut fit er cera quado beals batur, Bulcrafis in ferutoze

Ecraaiba Lera rubea Corter oui a quo pullus fint extractus Cantarides Eastozeum. Eorna cerumus Eognu capec Eauda tremula

Carnes erich Caro lcomis Earo vulpis Cancri flumates Caro leponis Coagulum lepozis Loagulum cdi Ecrebella anium

Cera efficitur alba artificialiter fic, accie ADodus facili pebe cera qua accepilti ab alueari.boce cera noua q declinet ad albedine: fi pos tes t fino potes de cera muda t meliozí z pone in olla noua cu medictate quatis tar] cier aq clara z muda z pone fuper igne donce lightat cera tota Thatet fup facie aq. Deide accipe vas vitri cui? ps erterioz fit lenis zmadefac cu in aqua T fubmerge min?medictat]cius in cera liq facta z extrabe că cera q fibi adberetz bi mitte infrigidari cera illa a vafe quipfa eft babens forma parapidis: tfacita do nec totă cerătali modo extraperis. Des inde pone iftas formas i fole pluriboie bus tvolue sepe abomni parte carii do nec albefeat: t fiat cera alba ficut cerufa. Et funt q dealbat ca in trib? dieb? in ius lio qui fol est un maiori calore. L'Huthe Loque cera in aq bonce nigrefeat aqua zpice aqua illa zpone alia z facita ica pedonecfiat albar collige e Terna. Iftosonos modos faciendi cera albam notauit Bulcrafis in seruttoze

Opostetvenan catarides inverer clige Abodustood excis rubeas magnas tilenes tactuitea dicantarides ue anigris tafpis thabcat venator in manu fua forciculas de ferro vide igno ponat cătarides cu iltis forciculis in va le stricti ozifici; deinde pone sup eas ole um vetus z fulpede in fole pluriboich? bonce putrefcat t vtere, Hin comburunt eas. Ali vroyalconides ponut cas i vas fe no vitrcato e cooperint os vafis cum pano lini: z pfozat fundum oile z ponūt onficia olle fup fuma aceti fortis bullie tis donce catarides moziatur t infigunt infilo lini t fernat. Ettende o cataridas ru fortiores funt que traimutatur in ois uerfis coloribus t babent maculas citri nas z funt magni corpis longe z plene, Et que funt vm? colous:abiq q tranfa mutetur ad buerfos colozes funt dibilif opationis. Dec ofanotanit bulcrafis in feruitore loques de cataridibus

Caftozen pieranos pot fernari in muly ta efficacia:meli?tñ eft fi poffit babere re cens. Plateari. Cancat medico z apos carrus a migro fetido z racido qui tale in terficit in die vno, Elui. Devenenis. Biu rimu qo admiltrat er combus eft comu cerumu z capuu.na aduruf z admiftrat. 6.2, ag, ca, Dan, anctoritate galicin,

ceram albam

Drimus

Demedicinis fumptis ab animalibus

X

E

Albodus repo / nedi carnes afa: hum

Cauda tremula quado admistraf in me dicims bebet aduri Tredigi in cinere: a deo ve possit puluerisari

Carnes afalium vt erichileonis bebent ablui cũ vino calido onlei attuoz vel qui wiabus phora p qualibervice:poftea exficcari in furno leuiter & pfui refuari, Caro tame lepozis debs fimul cu pelle & offib?:visceribus remotis aduri i furno z puluerifari. Carnes vulpifi rarovenint I vius medicie: ptero i oleo vulpio voi fil totavulpes cu pelle t visceribioecogtur vice ad sepatione offin vt patebit i scoo buins caplo pprio de o leo vulpino Cancri interdu adurutur vt patebit i fes clida particula bui?. Interdu vero no vt ch intrat in electuarist antidotis refum

primis. Et tunc debent fic preparari. Opoztet vt enellatur ettremitates cans crop expedibus fuis & corporibofuis ct abluatur cu aq frigida t fale bono cum cinere vicibus trib? bonec mundificetur z purgetur a grauitate fui odozis. beide coquatur i aqua ordei aut aqua lactis a gertractu eft butiru. Sic eni pparati de bent repont in electuaris refumptime, Aucenaliteo orto fui can, Sen pinatra cratutertio cap oc remeoratoc medicia rum infrigidantium ethicos

Coagula afalium ochet accipi ab afali Repolitoleoagu lozum animalin bus on funt receter moztua, f, pofto oce

collancris:et inolne ca fale et inspede ca ad folem et fua. Bulcrafis in fuitoze Repositio cere: Cerebella aialium debet accipirecentia et polto emulia fuerit a crancis fuis ont fic purgarifricado cu manu et aq frigis da et lauari benez colari cu pano, fic eni Debent repont. Buli futoze, Et funt q lanat et ponut i vale ouplici ad igne do nec liqfiat medula et colat i aliquovale terreo nouo. Et quilt reponere fine ppa ratõe faciat ficut de fepis gallinarii et an fern dictueft. C Attedeth priculariter circa cerebella auni q folent admiftrari ? medicis coit :qo ochet accipi er autculif quidificat i bomib?. Erdebet tales ame cule venari in autuno aut i vereset bebet decollari et enelli cerebella copiquo fas cto ponatur in vale mudo: z purgent a ventriculis circudantib? ea. Et pone cu eis pro omnib? Dece cerebellis vitellim vnu oui recetts qo fuerit er gallina q ba buent masculü: et ofice simul et pone i pa tella supra cinere calidii et omutte quies coagulet et venccet ab bumiditate et au fer abigne et pone i fole vi deficcet mes dicame; aut ponetteru fuper ignem dos

nec ficcetur et vtere. TEtfunt à facifit boc medicame fine vitellis. Et funt q vintur ita recentiboficut extrabuntur a capitibo post occollatione. (Etfunt q coagulat fupra igne et fuant et ptuntur Bulcrafis in feruitoze

Ebur Epar adipad eft lupi Ebur qui ponit i medicinis quio potelt puluerifari:10 radifet ponit ei ralura. Epar adip 03 reponi prius lotum cum vino dulci et exficcatum i furno ve dictii eft de carnibus in littera, ...

fel gruis Sel leopardi Sel aquile Fel tauri Fellepons Sel ancipitris Fel vulturis

Sel bira

Fel testudinis Debent accipi fella aialium du funt rece Bualit fella sia tia. Et bebes ligare os fellis et pone i ol lium ochent res poffis facef tres paffus:et extrabe fra ti ab aget deficca iloco vmbrofo no bui do et fua et vtere:fedfella ábus volum? pti in medicins oculor oportet vt liget onficia com cu filo ligni et pone in vale vitri i quo pofitu est aliquantulu mellis Tligefalud caput fili ozi vafis. Tita fer net neceffitati, Bulcrafis in feruitoze.

Bluten animalium 3 Culi Frict fine ranule Ipotanus Zana Lepus **Wel**

Qummia

Occule offium cerni, vituli,vacce afini Mon oebet accipi mel byemale, que tale est malum, sed 03 accipi mel vernale aut esti nale. Zui, f. cañ. z p cetti anos fuat.pl. Alodus repone Codus preparandi medulas aialiñ t re di medulas anis ponedi cas. Accipe medulas ficut futres mallum centes, regtrabeab offib fuis r purga fricado cu manu e pone de aqua frigida Tlauabene t cola cum panno trepone, Et funt etia q lauant fic. Bonut vas fe ouplice & ponunt ollam fup igne: 2 di mittunt donec liquefiat medula z colat i alio vafe, Deinde accipiunt illud co latu clarificatum z ponut invale terreo nono Et q vult reponere fine preparatoe opor

Deeparatio cere bellozū! autum q folent'pomi me dicinis coitus

bellozu aialtum

tet o faciat ve be adipib? gallinan zan ferum, Bulcrafis in feruitoze,

Enemedicinio famotio

D Os de corde cerui

Ds fipie

Debumanu z specialiter de cranco : pt in epilencia.

Os de corde cerui aliquantulum debs fic cari ad folemne putrescat; z fic p trigins ta annos feruatur, Platearius.

3002celiones B Bulmo vulpis

530

Preparation res

interiozis stoma

ci'gallinarum

Russ process red

penti.

Dellicula interioz stomaci gallinarum. Dulmo vulpis debet feindi fup venas z canna gutturist postea abluit siccari, vt dictum est de carnibus, Bartolome? de metagna i atidotario addito fuis pfilips d Adellicula iterior stomaci gallinaru Debet fic reponi, Accipe aquam capitelli calida in qua infundant ftomaci gallina rum perboram. z postea ablue duab? at tribus vicibo t infude i vino : t fac ficut dicti est de aq.boc est ablue cu vino dua bus aut tribus vicibus. tterum ifunde i aqua capitelli vt fupra. Itex i vino ablu endo femper modo dicto e postea sicca in furno a qua extracto est panis. Sic em Debet reponi. Bartolomeus de montas gna fantidotario supaddito suis ofilis

Serum lactis Scorpiones Scarabei Stincus Splen pultri

Serpentes

Sanguis birci Sanguis edt Sanguis bumanus Sanguis testudunis Stercus columbinus Stercus lacerte. Sterens forias

Stercus apri Stercus infantium Sterens came comedentis offa

Stercus lupt Sericum fine feta

Serpentes debet eligi de locis ficciffim] Preparatiofers tremotis ab ags cu docto nigro. Et de bet cii virgulis munutis flagellari, z liga tis verfus caput t caudam debet fimicas put r cauda amputari r i vno instanti: r permittant postca agitari super terram z quato plus agitabitur ferpes zpl' cuis bit de fangume ino:tato melius tincer conentur e lauent in aqua falfa calida e postca cu vino puro. Dic em preparati: Debent poni i medicinis IB, de gozdonio in lilio, capitulo de lepza,

Er stinco fine debentaccipi renes sumë r canda, S. Z.ag, ca. Rbul,

De preparatione repositione sanguis birci dinerfi dinerfa fenferunt . Dic aute Preparatiofin tantu describa modu preparatois z repo Sumishira, fitois cius de mente alcradri yatros qui ipm fecuti fut oes ali posteriores. Debs ergo ficprepart. In augusto mele cu inci pit vua maturari, accipe patella nona de terra figuli z mitte in ca aquam vt buliat adigne vi terre fapoze amittat, o cinde ac cipe bircu z recipe fanguine cius no qui primo fluet aut postremo : saccipe medi um z cu fe coagulauerit; inscides minutif in patala fanguine: r coopi patella late ralifliteo ne tagat a puluere, z pone sub clino viad imposit fol queire vice du exficcat? fuerit, tere e viui referma. THE tende ti conditioes birci quas fcribit ip fe alexander, Prima coditio cft @ birc debet effe anoz quattuozifed no plus at minus antem occidatur. Scoa coditio e o vt fanguis fit bont odozie o bire des bet pai? nutriri p diest feptimanas z me fes cum folis fenicult:aut lauri at cdere aut amoi, Et, Jo, de tozna mira in clarifi catozio vult propter istam causam q i de ficcatione dicti languinis couemes effet infundere frondes bomodi plantaz. Et ipfe alexander admifcebat murram.

Sanguinis edi fic ochs colligi. Accipe a nisedi, nunalia fana z ingulent vnuqoco con z pone fanguine i valevitreo mudo z crfic ca i fole t ferna t vtere. IBulci fernitoze Sanguis teftudis ficos colligi. Accipe Repofitio Soi teltudine aque z pone ca refupinas fup merchudinis parapfide z abscinde caput civiubito z di mutte egredi faguine cit. Et qui coagulas bit coopi paraplide cli cribzo er fette vi cr pano lini z erpone foli donec deficcet Tferna. Bulcrafis in ferutoze,

Sterens canis bebs eligi qo fit albii : qa Agnueft of fuit er comeltioe offin, Et de Repolitio fiero bet colligirecens vni? dici vlouou tfac riscanis. efi ficcari z ferua neceffitati. IB.i Puitoze ris infantan. Ad recipiedu ftercoza infantiu galienns faciebat venire pueros adoomu fua z fa ciebat cos coedere panet Inpios t erat bocvtplurimu cibocoz z accipiebat fter cus con: rerficcabat r vtcbaf, Et no da bat ad comededu lupinos pueris nifi ve ftercus comm uon tantu feteret, Thi cm dabat eis ad comededum carnes pullog colliban t gallinan: fterc' con facicbat eandem operationem. Bul, in fernitoze Zela arance Lirus Tcaput el' Benter merguli

Repositioning

Repositio storo

Repositio viine infantium,

Ungula caprarum Urma infantium Ops q colligas veinā ifantiū i vafe pluri bus biebus. Et qu colliget fer cius in fu do refidens pice fubrile el fuguarans: T facita pluriboiebo: vonec colligat fatis exfece ei't vtere ca ita ligda ficut eft z repone, IBulcrafis in fuitoze gamdo

Eingula afini

y fopum bumidum

yfopum bumidific ochs reponi. Eccipe Repositio ylopi bumidi.

ai

152

100

de lana fuccida e fordida ficut tonditure lana in vafcaliquo quontos colligas de pinguedine fua fupnațate in aqua fatis. Boftea cola aqua ab ca t pone pingue dine in vafe enco z pone fup ca aquam z buli pauco igner accipe pinguedine illa colaram: pone in parapfide cli aqua fri gida fepe. Et modus abluendi eft q mis fceas fatis cu manu: quonfopalcedat fou ma cius. Deinde accipe panis aque mel lis t pronce sup illa spuma donec quies feat evulitio e collige pinguedinem illa mudam. Deinde adde fug cam alia aqua miscobonecascedat spuma emst picc fuper illa parum aque marine. Et quans do quiencrit spuma cius collige pingue dinem eins q lup aqua natanerit & frie ca cu manu, Et fi non videris aliquid ex forde eins in ea:bn.fed fi adbefent iter lana fin bac off aplinart eft appicias ite rum aqua illa. z muta aqua fepe donec albefeat. Et bocopus oportet fieri in fo le calido. Deinderepone & ferua, & funt qui accipint de illa pinguedine r ponnt in vafe qo fit calefactu aqua calida vipo munt fup en panum groffum: z exponunt foli quous ingroffetur piguedoilla bit z albefeat. Et yfopus bumtda bona e qu non babet odorelane. Et qui ponit cam cumaqua calida in coclea tagitat ocale batur z no reperitur in ca aliqua asperis tas necaliquid coagulatu: ficut repent milla q eft adulterata chi cera liquefacta cum pice vel fepo. Bulcrafis in fuitoze Etrca bas medicinas fuptas ab aia libos tria notare apotecario entocetes nsbictu eft fczaquibus aialibus debet accipi.quo mo cobuant. z quo ipe, oue rant. De prio nota q medicie que fus muntur ab animalibus debet accipi ab animalib? vinetibus. t & eligantur afa lia faniora corpora habetia T integriora mebra, requeat neillud qo affumit fit ab aialibus mortuis ab cgritudimb?cis ace cideribus, Zinice, loco lepvallegato: fc3

in, n, can, c, de collectione medicinarus t ipay conatoe. Totandu ico q me dicine que fumunt ab afalibus debet ac cipi in tempore veris. Ameenna ibidem. Detertio nota q medicine offofe fut quafi infinite durabilitatis:q2 ab cis pa rum aut mbil refolutur, immo antiquio animalium in ge res funt meliozes ve plurumū: faitevbi at nerali. tenditur opatio expte terrefreitatis:in mo cha quactico oparione. z fub mebus offofis intellige viigulas e cornua afali um. Partes vero molliozes vefunt mes dulcarungie carries pulmones epatalet fella coagulata funt pue durabilitatis'z raro perafeunt annu: movir durat p anu fed putrefcut z fetet. Aliquint medie in ter bas:vt glute, Et tales medio modo fe babent int bas z illas in burabilitate,

apitulum gridecimus de brogues t elephaginis quibus bebs elle munitus apotecaraiste de electõe caru modo fue repositionis e tempore sue du rabilitatis.

3c fupaddeda funt buo capitula fcz dedroguis z elephaginis: z de medicinis lavatinis: feorfini a predictis. Quis inrei veritate jomnes tales fint aut ex plantistant ex moneralt bus aut ex aialub?. Canfa aut ppter qua bic inferut predicta duo capitula scorfus a predictis elt:qu drogue folent effe mad gin prech ratione cuius fepiffime fopbis flicantur. Et medicie latatine de le funt timende mil fint tales quales effe bebet Bozopter ergo imminétia pericula pgrit umfint fpecialiter de ipfis tractate otp lice magis z přectins valeret declarari op fi fub globo pfulo aliozu fimpliciu tracta rentur. Et voco deoguas medicias mas gni precij. q ad nos deferuntur a longin quis partibus. Elephangine vero funt fpecies coquine. Ite funt quibus bebet cife munitus apotecarius,

Ambra

Zimbra melioz eft alba.t fi inueniatur gi speciologisteu grifea:adbuc est melioz nigra vero est mala. Ambra din potest F uan, Plateanus.

Eligendu eft amomu recens z albu vir gas purpurcas babes expensum z femi ne pienu fimile botruo z poderofium fua ue qo mafticatu lingua remordet. z vnus colorebus no varin, Dyaica, beamomo Balfamus

Bomba

Tempus duran

big

18

Repositio medu larum aialium.

Been albi Been rubei IBlacce bisancie

Penes actores medicie inneniutur isti termuni,baifamus,plobalfam?,oppobal famus t carpobaliamus, Bypiobalia museft lignus balfamiet funt rami arbo ris illus qui debent colligi recetes t exe ficcari, Et vebet eligi recens vel q no lit perforatii licet lit vetus. Bi em lit pfora tum:figmficat vetultate effe confumptii Debet etia eligi q qui feinditur babs gus montates interius: 7 pot fuari pouos annos ad plus p quattuoz. Oppobalfa mus eft fucchallami.ab opos qo eft fuc cus, no in ppric eft fuccus: fed eft lacria fine olen: licet aliqua species ci? fit ppe fincus: vt in scoo bums patebit in litter ra O.cap,ppno de oleo ballami. Et dis citur oppobatsam? p analogia balsam?: ita op qu simpliciter point balsamus de oppobalfamo intelligit:vt in fcda pticu la butus occlarabif.capto oc analogijs pleliptis. t cognofcit oppobalfam? qu eft bon? in quince.vt notat faladinus.ks in colore in odore in sapore in ardore vit patebit in capto finali pur particule qo erit de medicinis sopbificat]. Oppobal famus aut no din fuatur. Unde aucena Welius er co eft recens, groffum autem z vetus non bs virtute. Et. S.li.ag, cap. Julcfienmelius ex co e noun fortis odo ris nibil babes acetofi Et oya, fubdit Q 03 cffe guffu fuanc z mordar z ftipricum 3 carpobalfam? oz fruct balfami a car pos qo chruct?, vt in terno but? occlaras bit. Seruat vero carpobalfamad plus p attnor anos postea incipit putretieri. Is lacce bisancie ille funt meliozes q ver gunt ad albedine thit odorfere z quoz odor trabit aliquamili ad odore caltorci 5. Lag ca. Oftraccomm.

Carpobaliami **Eardamonn** Eamphora Linamomum **Eaffialignea** Eubebe Calamus aromaticus Ecitica

Crocus

Excarpobalfamo dictu eft in littera B Ercardamomo maius cft eligendu cin? color fit fubrufust op auftulu by acumi nis toulcedine imiria: 1 90 est album a biciat, Lu aut point in medicinis debet pha lapilli: t 05 fricari manibus vel pa

nis ppter puluere, z abniciantur fuftes. Der occe annos fuatur. Platearius Lamphora mil cu efficacia fuet facile p ditur. Debet aut fuari unvale marmozeo cu pfilio aut cu femme lini. Et fic per, pl. annos pot fuari. Elctor pendetarum. Linamomii eligendu eft qo eft fubtile et acută babes fapore bulcedini immirtas cu multa aromaticitate. Et tale or cinas momu alitini. Do aut subalbidu aut nie gru abhciendu est. Hitede p precipua ci namomi electio est p colore. Eu aut p gu ftű digit fi pus guftatű fuerir bonű ablu aturlingua cu faliua vel aq.qz bonu infi cit ita gultu q malu oz bonu. Od fimile censendu est in oibus acutis clingua re mordentib, Et pocceanos fuat 30la. De caffialignea oicir. S. Li.ag.ca. (Des lochaa, auctoritatedya, o tin oue fpes ciffunt administrade in medicia,f, ula q baftipitem groffua z cortice cuius folia funt fimilia folis yzcos:mgra v purpus rea Et q b3 odore ilmile odori rofe z illa cimis color eft ficut color corali, z eft fub tilis, leuis. longa, groffi calamit plenit mordicas lingua cu fripricitate z acuita te modica bonû babês odozê participan tê aligd odozis vini. Zilie ab istis buab? specied funt inutiles 7 male, 2 ve cogno fratur fic illas notificat. Sal.loco fupras dicto. Decis gda e q e nigra biis odoré malii z cortice lubiile. Et repiéres gdas tilis cafficliquee z no eft caffialignea, z cognofcit p sapore qui no elt acum sapo rens ligno. Et repitur filt qda babes ca lami lati tenemolle.afpez tacu. z emi musmala onficoicia, Bypciozoib? elt illa q cftalba z que est odons filis odon pozrino biis calamu groffus fa fubriles. Lubebefunt eligede quediocrit babent acutii sapore cii multa aromaticitate et panca dulcedine. Le poccen amos pir Puari, 30 latearius.

Ealam'aromaticus concauns est, qu qui colligir extrabir ab co quodda lignus est inde calam' out est. the comunius repe rituret fit maioris poderis, curone funt fpes. Un'in plia repent à atrinus est z co novtimur. Alius in india fubalbidus. ın longum pforatus non in latum q cus frangitur non pulner fatur.p tres anos Fuatur. Adlatearms.

Crocus vt facilius teratur 03 poni in fo le v cum fice fuerit remoucatur v pona s turin vinbra, tfi fol no cft in illo tempo. re calcfac en cum tella calida, Dya. Erp quinas amos fernatur. Et de fernari in lacculo de aluta, Polatearus,

presentation calculations as the

Potum Sohum

Tonum optimus est illud qo est lene i moalbidumos ingroium nardi serensodore nne vila sassedancac our multum
greseruans. Est en tohu integri odores cu inautatestiptică: zom cu duitur
no odore, S. L. ag. ca. Sedis.

Gallanga Gariofilus

15

B

2

0

Callanga eft cligeda q subusa eft et modosa, e in su specie ponderosa pabés acutusapore e centiu pitructor resistes Que vero subalbida est e leuis no acutu immo fere milli pabés sapore, e q etias persorata est e facile in puluere resolute abucienda est. Platearius,

adjectenda ett getateating,

A Barrofilus eft dupler, fimafeulusz fe
nuna: mafeulus eft ficut nucle? otunefed
longior z vedemetr? mger, Ame, Et ifte
dientre platofilus: id ett magn? garrofile
Ligni garrofili adminifrat in medicis
fimul en fructu fuo ficut deterf ex terri i
die. S. L. ag.ca. Armuldel, Ide oya. Et
meliozes iunt quop cotorvergit augtu
lii ad rubore. Debet aut colligi ex arbore
fua ingularit en digitis vonis post alui
Sa, voi supra, z p sex annos fuantur in
multa efficacia: imo p. x, absocorruptoe
in socis no multu dumidis ne putreicăte
nec multu ficus ne areseat. Priatearus.

Lapdanum Lignum alocs

Lighth acces

Lapdanü est eligendülquod est poniderosum i nigrü i qo pot malaçan. Ilb ivo qo e, valdenigrü i qo e i tractas mani bipuluerisas significat i pm e e vetustate osumptü: aut nimis e e soppisticatü, pla, E de electione ligni aloes dicetur i cai pitulo de medicinis soppisticatis

Dalabastrum
Dacis
De electione musci dicetur in cap. de medicinis soppisticatis. De autéseruari muscus in vase vitreo z spuso dene cooperto z obturato cu cera, Et adduc meli us suas i vase plubeo vi frigiditate z du miditate plubi meli serues. Z no os suari cum a sissa aromaticis est tunc aromatici tate sua amitte est, qua auti sua aromatici tate amisti os poni in vase vitreo ore apsto z in cloaca suspedas. Sic cin aromatici

tatem suá recuperabit. Platearius

Confeis eligat que si subzusus vel ru
bez a a acusú be sapore cú aliquenta as

maritudine. Niger vero ttered to non be acutum sapore abijetatur. Servatur aut macis per occe annos, Polatearius, Nur museata

Mucindica.

Léligeda est nur muscata q plana ê: r
unuo genere granis q cu fragitur iter?
no puluerisatur: q suentur acun sapos
ris. Et si ista desunt noje poneda: n medi
cuns. Plateari? D5 colligit tpe sue ma
turatois, z per septe annos seruat. pla.

Unu idica cu pontur i medicinis oco bent poni iteriora no cortices, per annus Fuatur, Ma. Et dicit aucena qua qua qua in ipfis fignum el qui la est ariqua

Biperistres funt speces. Leiper lögü piperalbü z pipermigrii depipereal bo dicit plateari? Q ipim nö dadem?: Ied loco et? pontur catdapucia trăsmaria q piper no est qu grosso e Q piperine az cutu bă sapore. Lu do tatis catdapucia trăsmarina pontur in medicinis terior substatia adiectis comedus debet pont piper nigră fige maturitatis colligitur goiper albu sans durat; sed no dadem? Diper nigră fuatur q quadragita anos z piper longu fuatur q viginti annos. Dec ad littera dicit plateanus.

Kibes
Spica nardi
Spongia
Sandalı Ötum ad tres enis ipecies qui
funt album rubeum z citrinum,

Spuna maris

(1) Spica nardi è cligêda q cîtin substă na plana, în colore citrma, i odore suame i gustu acuta: taliquătulă subamara ba bene ali q poticitat; t q st in colore ru fa, Lü aŭt pontur in medicis abțictêduș est quoddă albū q o intervest: t quoddă nigră q o extervest area radice, șolia eș une pura ponutur i medicines. Poerocce annos pot servari i loco sico t no būido Spicamardi q nigra est terrea no oebs nou un medicinis. Dec platearine.

pont in medicinis. Dec platearius,

The spogia dicit. S. L. ag.c. Affegial
bac. on plongatur sposine collections
enanescie virtus cius. Et non est conuc
niens vi administretur in opere nis paro
us lauctur cum nitro aut baurachaut cu
aqua cineris que distillata dicit, dest cu
trinto.

Tres funt species sadalo papud nos viuales schice album rubeum vennu, Et oes iste species per quadraginta and nos scruatur. Platearus,

TI

-

1

b iiii

Unicorna
Zuziber
Zegoaria
Zuccara
U Zusiber perbiemnifferuaf t cus pi

pere melius seruatur. Platearius

Zedoaria p. ramnos seruatur. Pla.

Zuccara p.v. anos pôt seruaru. pla.

Circa deoguas t elephangunas aliq
de notare apotecari. Primo de notare
modum electiois eapetos sere plurimo se notar
etempus sue durationis. Operamo
selicet de electione ipsay dantur alique
regule. Prima regula attêditur ex odos
retes es es coma aromatica quanto mas
gis sunt aromatica tanto sunt meliora.

Soda regula attêditur ex gustu. Et
est q cum aromatica gustu eliguntur no

cft & cun aromatica gustu cliguntur no debent cligi infi mora intercidente cone menti inter gustatione vinius z gustatio nem alterius, quonia pisa aromatica si ue primo gustata inficiunt gustus fim specie siam quare poster subsequi error in gustu alterius nti mora susticies iterca deret: tanta scils & in ore gustantis ni pist remaserit de gustu prioris aromatici dut saltem de bene lauari os cum aqua clara z tiñ & removeatur gustus aromatici pregustati. Decregula data esta pla teario capitulo de cinamomo. Et qo ba bent p esperimento & masticatio papiri penitus ausert gustum aromaticorum,

bent p experimento o masticatio papiri penitus aufert gustum aromaticorum. Et istas duas regulas tangit auice, sub vna regula generali i cassepius allegato de electione medicinay t ipsay coserua tioneitangens etiä electione aromatum ex parte coloris dices o quotienscunos sucrit cay ses door erunt fortiozesi genere suo Desco ocrunt fortiozesi genere suo Desco ocruntionis quo mina aromatica sunt subtilis sustantie et facilis resolutionis, licz aliqua videatur ereipi abbac regula de qo particularii dicti est. Et adduc minori tepore servasti

Lapitulum quindecimus de medicinis solutiuis quidus os esse munitus apotecarius e deipsarum electione modo sue repositionis e tempore sue du rationis e de officio apotecará circa ppi mationem ipsorum.

pulnerifata

Stud eft scom capis pecdentibe addendum ppter causas dictas in cap. pecdettiquis sit ex gise p dictor viud eis posser repont. Ista aut sit solutia que os esse munite apotecarie. Aloe

Agaricus

TEr aloc meliocft fuccotrinti, mef. Et cit ille cm2 aqua affimilatur aq croci, et cuius odor eft ficut odor mure, Anicen. Et post succotrinu melioz in bonitate est phoum, met. Et chtilled go vulgo appel latur epaticulad bincindebs foramina. vt'oza venan. Et iltud ba obscură substăs tia.elt em nigrus feu cinericiu, c polt pfis cum eft armenu, Et poft arabicus et pas rabică intellige cabalină.qua medicina eft aliena, z iltud eft mgra z obseux z fe culentă bă substantiă amarissimă z bozs ribile prendit odoze: qzvalde feridus eft Berfificatores autlandanerut aloe per fectum in quinas pprictatibus videlics in colore, in sapore, in odore in substans tia et pondere, In colore quoquetit cos loris citrini, declinantis ad rubedmem, ita of fit quafi fubrufus t in quo fit clari tas magie cu in parua frulta frangitur. z fi eft in eo denfitas cii colore: ficut eft coa lor epatis: ita q appareat fubnigrii z cis nericii declinanit bomtas ab illo qo eft clay. Et ops q fit odoris boni: ita q no borribilis: ficut z cabalinum z ppznnö extranci:aut acquifiti fibi p'adulterium Et sapor eins fin connententiorem mos dum cofiderationis cuis da fentiri in pe mo gultu dulce declinans ad amaritudi nem etta amariffima.non tame intenfe fa cut epaticus vel cabalinum. Jurta quod attende omne quod bebet babere alis qué sapore, quato in suo sapore est inten fins tanto melius excepto aloe. Na cu fit de natura rep aman quato minus amas rum tanto melius. Et omne quod de na tura fua elt fetidum quanto fetidius tas to melmsterceptolaloc. Het. pendetarus Etfit aloes in podere leue, t quato leui us tanto melius. Et fit in fubftantia fua tener rtenar, Tener quide vt fit habis lead frangendum, Zenar vero id elt pin gue t glutmofumvt vult dya.ita q qn fn. pra ipfum anbelatur cito humectetur z emittat humore, Zalem electione aloes describit mesue de verbo ad verbus que imitatus elt quidam verfificator ita me triceloquens, Bubzufum clarum frangi bile quogs fit amarum. Est aloes carum rerum res una bonarum, Et qu ve voluit

Repoficiol alocs

đ

10

W

15

E

iden melue vicinitaterei ad reicolumio res vel nequiores dispositiones acquin turin medianis:ideo coneniens eftrepo nere medicinas iurta fe inuicem ot meli us conferuentur tim modum fin quem fibiaddif in meliozatoc, Debs ergo alo es conferuari unta species elephaginas aut cum speciebus elephaginis vel inta bdeltium inde enismeliozatur operatio cins:otmefue capitulo de aloe, Poteft aute feruari p viginti anos. Platcarius Antiquum tamen benigrat temp?, id eft efficitur nigrum per antiquitatem,

Egarici generatio efticut generatio fungor pprer qui qui da eltimaner it qui fir fungus: z videt quod fit mefue. Er a garico alius eltmafeulus Talius étemi na,Dasculus eft mal, t eft ille proprie quicitiong' ringer z granis thabes in confracturis fuis ficut fila neruoy t eft durus e denfus. Agario vero que lapien tes landaucrunt elt femina. Ec 05 babe rem feppricutes quing bonas. t funt proprie vi fit albus z leius z velociffra gibilis t perolus trar? valde, t vtappa reatoulcis in primo guffu ci?, Deide fuc cedat amaritudo e fripticitas. e melioz ps totus corporis et e inproz pars. Et tipes cius eft non bon' baves quaff le mitas ligni pittrefacti z corrolus er co e maium. Defuc, Et de utis quing condi tionib ita loquens quida verifitator di cit. Res frangi prelto preciofus agand efto, Candidus & Splendens bon? i libra Repolitio agas leuis pendens. Debet autem fernari aga ricus cum susibere. Dauco, leuftico laut polipodio quercino . 3fta enim funt que mchozant cius operatione:vt mcfue,ca, de agarico, Expoteit fernari per ques an nos in multa efficacia, Platearis, Et ems corriro fubtilis e venena magna. Ja, de ptib?, caplo de quotidiana febre, Bellerici

Obeliozes er eis funt groffi z fpiffi pos derofi z denti cortice,meluc, Et per quis decm annos poffunt fernari, platearius Coloquintida Caffiafiftula

Eucumer afininus Caffiafitula deby eligi cumfer pprice tatibus boms (c3 of fit arundo ci groffa plena fplendes z multi poderis z fit pul pa cuis splendes e pinguis. Diciemefue op debyfola fernari, Dicit em in capitulo de electione medicinaru quest capitulu primi fur livri de cofolatione medicin ap o fingularital caffiani fiftulai facit bona Et potelt fernarig ouos anos, Adlatea.

Et bebs fernari i canna fua, Et er bocpa tet comunis error apotecarion q ve plus rimu illa extrabunt & mudant a granis & pulpis e medulam eius decoquint e co ferwant in vafis aligs. Dicit em melue ca putulo ppaio de caisiafutula: q erbausta arundine fua coferuata in vafis pigritat Coloquida onop eft modop:163 ma fentus efemina, Odaiculus eft, fup qua nafat ficut lanugo Te grams cu duricie et asperitate attinés ingredi, Zaudatur magis femia z ppiiebabes bas ppifeta tesbonas les vi in coloquida groffa et leuis: 2 quato leuto: tanto melioz. Et fit lara talba tlems teoplete maturitatis z cums pars icerozett pulpofa z laga ct lents t alba vebemetis albedinis: verus que non est copleta in maturitate mala é Etcufigilatertoto germine plante: vt nafcat coloquintida vna:illa elt mala et perniciofa imo cit venena, Et cus i rota regione no cit mit una planta p fe nalces elt mala. Et qualcutur in terris fortib? z pulueruletis aut incta loca reptiiti aut i locistermarum becoia faciur colloquiti das minores: t fut fimilit male. Que ve ro nascunt i terris lacis t arenofis t libe ris eft que eligit. Et de electione pulpe coloquentide dicit qua metrificator, llo refonas mota p pulpam, cadida tota. Si pulpis beret femen in furma coberet, See minib? pulpa coloquitida fit fine culpa, Zempus collections eins eft autumus et proprie ou tam citrinescit & remouetur viridit as ipfins.mcP, Wedula cins pos tiffima cft medicie. Seme fecudario, coz ter nulla babet efficacia vel modica.pla, Er debs fernari in fuo cortice, Macus ex trabitur pulpa cius tempus debilitat ca Obef. 3dem autena. Tiung aute bebs fola fuari,qz fiugularitas additilli iper meic, mef.ca.pzuno libri pzimi occoro lanone medicinate, fed debs fernari cum maftice gallanga, t fimilib cordialbito maticis repaticis: q opatioca ci? felicie tat vt.meb, ca.ppo de coloquida pot ve ro feruari p quarmoranos z plus Pla, Odelioz pars plante cucumeris afinini citfructus cus z ppic copictus: z poft cafuccus cius. vitto radir Tmchoz fru ctus ci? est copletus curinus ia expolia tus a viriditate eq eft vere amaritudis z cuius fucce e albo pabes ficut de pigue dinc aliqd, Incoplet' vero eft mal' z me lus tos collectors et? é finis eftat], mes fes in inlio, Salad, Et ips collections ra dicis cius e finis veris, met, Borr, ouos

Repositio cassiel

Albodus repos nendi pulpas cos

annos feru aturipoftea beficit virt? eins 性lebozus Lufozbum

authorial and hours 2

Emblica

Ex elebozo mger incolumior e albo im? mo minatur alo accidetia terrons Alo corportous noftri temporis est molesto i mo eft neut venenii ppue prefocas. Ilis gri vero vien ad tpa nostra virtus tolera bilis eft, iccrachie difficile, Ober. Qo auté ce nigro magis cheitur pprie elt eu ius lapor cit acut/mordicas gultū z ba bens colorencut afarum ppacet qo eft trangibile z mediumf inbtile z groffin t mediu interrecente t atiquii t mediu unter ponderofum z lenem immo plus le uis o poderolus. Et qui cit leuis cares aiperitate, Et meno: pars totins plante chtradiripn?. Tmchor pars radicis fut fultes, z menoz parsipion elt cuns con Web. Unde Tanicena. Erbonum quod oceo administraturest ve affumat lignu parui quod est apud radice eius, z fiida tur in parua aqua v excorncef. v affirma tur coences ille t expiceent in umbra t ad ministretur, Et melius temp' collectois cus elt ver teltas. Idem melue ,Et fub dir o albus plus paritur de atiquitate o niger. Er idem melue, Et debs conferuas ri cicbozus cu epithimo z polipodio,cos

fortant em fefe.mefue. Cercinia aliae magna bus radices grontas espelli corticis eden e poderon z alud e parunm babés radices fubtiles t eft tenuis corticis.magnus eft malu ici des vifcera, Parmi eft illud qo engitur Et meltor pars plate e corter radicis et? Tlaccius e acuti? t forti? t meliogradir iplius elt habes proprietates quincs bo nas felicet cums corter eft fubrilior Tle moz. t facile frangitur te babens de ru bedine aliquid. Er fuper qua ia prefernt medium anni. Recens melis fui tantum cit maia, ligra vero eft pniciofa. Tozta in locis termarum fimiliter. Et melus të pus collectionis radicis ipfins é pricipi um veris. Erlactis etus i funciplius. De bet autem fernariloge a fcamonea, tab Repoffio dule, alije acutier pricione medicinis quifibi addunt in malicia: fed debs cofernari in ra medicias cordiales reparicas of für Daucus macis abfinchiu.feme pfilip. rin no mant in foins lactuce ant fearioleme fue. Et per ouos anos feruatur in multa efficacia:melius tame eft ve fingulis and nis remonetur, Platearins.

Er cufozbio inclius eft leue fragibile bas

bens colorem palleare t clarit que eve bementis acredinis, Experimentută ci? per gultu elt difficile qui mordicat lign 13 fubito cu violentia multaz durar el'moz dicatio din z ppterbot omme qo guftat poltea videtur bonum. Actor pendetarū Eligatur etia o lit odoris vaide acuti z quod e reces sup qo sam preternt annore ces vero fin anni eft ficur venenn z ignis Cognofcitur recens quelfoluitur i oleo quia antiquum fostaffe non diffolint, me fue, Et per decemannos fernat. Platea rius. Debet vero confernari ne cito fene feat in milio fabis vel lentibus, Wefue. Cremblicis meliozes funt habentes bij. fruita groffa z defa z granta z q minus crefcunt i offib? z plus i carne. Kari qos non babent fpiritu, mefue, Bernant aus tem per longum tempus, Matearus, Dermodattius

Er bermodatilis eligif rotud' cu tri bus ppretatib' boms, videlicet of fit al bus vere aibedis itra textra, to ne grol fus. t o ht mediocris duriciei, rar? em le uis t larus eft ochilis .rubeus aute Tni ger ambo mali funt, t come out? cft in lo cis pinguibus aut bumidis cft mal? pro pterea qui addit ad ems hunnditate ing flua z inflatoem. Et chigat cuius out ni in vicinitate fquille aut rafamique ideme ltorat in conditoib? fins,met. De clecto ne vero bermodanli fic au qua metrifica tor, Laus twide jure dat permodattie Repositio bas bure, tifolid' affis albi cut figna coloris et 05 colligii eftate: Tfm angs imayo fed credit faladin? Timchins of fanguito vt cetere radices t p annum pot feruari i multa efficacia : f3 hnguite annierenoue tur fi fit poffibile. Biatearus. ocbs aute fernari i vicinitaic fquille aut rafamaut cum cimino, maftice, sinsibere, pipere io go mentattro aut leuilico:qz ide melio ratur in operationibus t conditioib? fu is. Obcluc. Laureola

Lapis lazuli Lapis armenus T Laureola id eft mescreon, meli? est ba bens folia tenuta e viridia: e que out in locis liberisiin vicinitate platariim fpcs eici ems, z quando ozit ep ca vna plara en toto ambituloci è moztalis, et que ozi tur in locis termarus est ficut venenü et. babes parua folia z spista est mata, et si repor militer afpera t erifpa:t fubungra fimilie ter deb3 autem fernari cum abfinchio co ofrangit acuitate cius t mehozat fimie later conditionen eins. Welie, Fracius

Repositio citor

modamii.

2

Repositio laurel

Albodus repos.

naidi debozum

eins per buos anos fernat. Adla. Et bes bet colligi in inlio, vt notat faladinus. Er lapide laguli melioz eft cuius coloz ê viridioz in coloze lazuli. Thabs maculas anreas & mirt? cum marcaffita eft no bos mis, r non maculatus etiam eft no bon? z fimiliter leuis mesuc.

Lapis armenus ad nos no quenit. fi tas men ad manus alientus ventatos cligi babens colozem medium iter viridem z obscurum terreum t indum. t habes mas cularum diftinctides virides Tnigras: t qui no est in lapidis termino: fino est oil folubilis t pulucufabilis: t q cft i tactu lenis carens afperitate, mefuc,

0

mirabolani citrini

mirabolant leconlimirabolant indi manna eft ros cadens super lapidest su per qualdam platas, Diverfificat autem rm dinerfitatem rerum fuper quas cadit Cadens chim fuper lapides eft fleut gut te parue que congelatur t funt ficut feme Et cadens super plantas suscipit de tota te Plantarum t cit cum permittioe parti cutarum plantarus foliop z flozi, er ca que cadit fuper lapides melloz eft que eft neut femen album reit oulcis reftreces Poft istam vero in bonitate est q est fub curina. Julca vero z cineroia z antiq elt non bona. Er ex ca q cadit luper plaras melioz cft illa que cft pauce permittonis cum folis z cit subalbida z recens mef. Et poteit fernari per annum, Matcari? Repositio mane Bed bebet fernari cum yfopo aut cu bas feeld eft cum thimo eo o confortant ope rationem ems.mcfue.

Ourabolani citrini eligantur cu quinos proprietatib' boms: videlica i colore vt lint cirrini multe citrinitatis occlinates ad viriditatem. Et fint in pondere granef toenii, Et vi in confracturis fins inenta tur ficut gumofitas, evt fint groffi z coz ter cozum fit spiffus defus; completus z offa parua, melue, Et debent feruari cus abfinchto aut fpica aut cu violis 7 paffins lis. Ilta emm funt que ipfos emedant in conditionibus fuis.mcine. Scruant vc ro per quidecun annos. Blatearius,

Wirabolam tebuli engant cum quattus or proprietations. fedicave fint groffi, et quato grofficzestato meliozes thint fub nigri declinates adrubedine t fint grad nes i podere cite fomerfiois i aquat fint babentes ipiffitudinem inozum cozticus Et debent confernari cum cifde rebus fi cut citrunilet fernatur tanto tempoze fis cut a citrini fez per quindeci anos. Bla. Dirabolani indi eligatur cu quince proprietatibo videlicet vr fint nigri z co fracti denfitatem babentes fubliane. Et fint groffi t graves caretes offibus, qua to aute ab his elongantur proprietatib? tanto a bonitate remoti.mef. Et debent roponi vi citrini. Longiozi vero tepoze conferuantur & citrini aut izebuli. Bla, Oppoponacum

Oppoponacă est gummi z meli er co e go eft cirrinum erma z fubalbidum intus Et qo elt amarius & quod facile frangit t quod facile diffolutur in aqua t qo cit boni odozia proprie, mefile, let debs fer uari cum fripricis rebusficut maftir Tipi ponaci, ca z cum ennla. Ifta enum figilat fibi pro prictates bonas t meliozant conditione cius,melue, 38otelt autem din fernarifi ne corruptione,

Bolipodium goolipodin est radir plante cuis out est inper arbores t fuper tapides t ca voca unt grecus filice arbon Qo autenafciti lapidibus bumidirate babet fup flua idi geltam caufante vetofitare 7 lubucrfioes r naufeam, Ande meine cr co eft arboy Et ppac qo nafcit fupza arboze ferentes glandes cum propriet atibo octo bonis ics offit groffum t folida t nodofum t cui? color aligd participat migredinis ct rubedinis fed parus Et ciu? coloz e ficut colorfiftici rigelt craromaticitateali quid: ricui? fapoze eltoulcedo cu flipti citate derelinques in gultu er amaritudi Repolitio polis ne aliquid, vitimo z qo'eft recens,mefuc. podq. Et debet fernari cum danco: feniculo: anifo:aut zinzibere, Zalia em rectificat operationem eins.mefue, ger biennu fernatur. Palatcarius,

Renbarbarum Reubarbaru laudatur qo e fubnigrii. bes clinas ad rubedine t qo eff'grane cu rari tate fua, Et in quo etia in fracturis fuis i uenuur difgregatio er rufo t glanco t qo eft crocee incture: 7 95 eftrecens, melue Repositio reus z od malticatu tingit vt crocus . Blate. barbari. Debet autem confernari cu spica quelt p pen umamenti cu ipsomes. Et pertres annos aut quattuoz fernaf. 3 bla, Et pfer natur a putrefactore corruptoeff fuglia tur ei cera e terebentmaligfacta, aut ce rafola autsuplimat melic tabased. aut fepeliatur in milio aut pfilio, Cofernat em effciphus fictempore longo, melue, Gcrapinum Barcocola **S**quila Berpentaria

Repositio oppo

Repositio miras bolanozum.

Bcamonca

ms coloz cít intra fubruben z fubalbidu z quod babs odozem pozrozum:z qo eft facile refolubilem aquait queftelarum cum fpiffa fubftatia. Et quod er eo eft le ums eft melins. Et quod no eft in vebes metia odoris balce falicet fetideinec ba bet odozem galbani. Jom enim eft fic ad ulteratum . Obefic. Debs autem feruari Repositio feras cum maftice z spica aut cum ruta :ch op? est vercponaturpeo passionibo oculozu Et ennla figillat fibi proprietate, mirabi

Scrapinum eft gummi, Et melius eft cui

turin loco ficco. Platearius. Barcocola cit gumus & fortioz eft fube citrinus albo. Et quod eft amari? meli? Defue. Et cauc a redacta in pulucreiga Repositiofarto? sepect alio pluere fols sopputicari, pla, tearins. Et debs fernari cus sinsibere aut cordument: quia vigorant et operatoes Obefue, Et din fernatur er gummofitate

lem adea que opozter, Def. Duferuas

quam babet, Blateanns. Squilla meliozeft babes pare, fola em cit venenofa. Adbuc meltoz eft que fapo rem babet compositu ex bulcedie z acu sate z amarindine z que splendozem ba ber in laminis fins & que nascit in locis liberis, Otta em inlocis termarum aut orta fingularis eft mala, Attede tame o exteriozes cortices fine unice fquille po pter nunuam caliditatem funt moztifere, Et medie füt teperate. Polateari? . Ideo ipis folis viimur, Buicra, in fernitoze, Forma deficcandi fquillam, Accipe cepe crudum z aufer corricem exteriorem et? Ticindem onas partes per longitudine ems cu cultello tacto er ligno pini. Dein de lepara timicas abinincem: t cofigas eas in filo lineo z imple filumer fruitis cuis diffanter, ita o frufta no tangant fe mucem z luspende in vinbra in loco ven Reposito squille toso tounitte donce deficcentur a pento ablogiole, Bulcrafis vbi fup, Etrepo ne cum rafano quia fibi vigozem preftat Welue. Er dever colligi in menfe marth

Ex ferpentaria melioz pars totius plate eius citradir. Et meliorradir e groffa z completa totta in locis liberis. Defue Repolitio ferpel Et melius tempus collections ci? est ver r principil eftatis. 3dem . Wefue vt in menfe marty. Baladinus. Radir in frus ftula dunfa rad folem ficcata p biennin fernatur. Blatcarius, Debs ameferna ricum elephangims z cum maftice z fpi ca. Ifta enum bont fa citt operatione et

Ochine. Scamonea melioz est atiochena: t arme na post banc, Que vero fit i partibus no ftris: 2 corafcem eft mala prozius. ODe. Laudatur ante scamonea in quinco pro prictatibus Beima cft vt fit in colore cla raficut gummi at fubalbida atvaria, Be cunda eft vt fi tangatur confractii ci?: al qua vi falina fratticut lac. Zertia e vt fit tenera, multe facilitatis ad frangendu z ad puluerilandu. Quarta elt vt fit pode releuis. Et onta eft vt fit bom odoris p prin non granis, Remota vero ab bis p prietatio eft non bona, Och. W Dicit Defue of fernatur pervigintiannos, fed Dicit ferapio. Z.ag, capulo, Scamonca go fernat via ad triginta anos vel adra ginta Bed oicit, Def. o quato antiqui or tanto debilior. Debs aute fuan grois fa non pulueris ata neces preparata. Beof fa quide aut no puluerifata, oicit, 30 las tearins, quia que i puluere redacta e no tanto tempore fernat, Etnon Preparas ta vt dicit faladin? loco fupza dicto, quia quando preparata est z transferit logum temp? fupra ipfam, amittit virtutem fua. Er quo apparet q non debs preparari mifi quado opo est viu eius, aut per modi cum tepus antc. Et ocbet fernari cus cis tonijs talijs supradicus quia rectificat Repositiosem operatione ems reins fena no cumenta nec reprimint: pt Welue caplo descamõea Ex sche preeligitur folicul? deide folia z melioz foliculus eft cui? color accedit ad viriditate z fubnigredine quadam:z in quo eft be amaritudine res modica cu ftipricitate to cft magis complet?: tin quo funt femina ampla compressa fubal bidus aute non est bonus z incomplet? fimilit. Et melioza folia funtviridia fub Repoficioles. albida vero r tenuta no bona. Eratiqua erco cft fine fpiritu, Et ftipites cius füt munics, Ociuc, Deb3 autem fernari cus 3m3ibere t medicinis fromacis t cordia libus vt eft maftir.fpica,crocus,rofe;t fi

Zamarindi Zurbith, Eligantur tamarindi cum fer proprieta tibus, ferlicet of fint nigri non vere nigre dinis cum luciditate e reneri e mieti cum vilis qui funt ficut radices ? fint recetes z pingues ables deficeatioe, z fint cu dul cedine acetolitatis pauce, veri.puri.no pmuri, Defue, Debent aute fernari cum confortantib? ftomacii calidis: vt efpis rindorum camacis emaftig:que talia corrigit mas

miles:qa talia meliozant opererationem

cuis mene,

I

tane.

leficium quod imprimut in Romachu fri gidum.meiue, per decem annos ierusa

ĺt

N.S

int int

cdi

11

aş

di ti Repositio tur=

tur. Platearius. Zurotth chigatur cum proprietatibus fe pics bonis, i, vt fit albu et vacuu arundis nolum et gumolum, et fit corter eius as nerici? et plan?, et fit reces facile frangis bile,Citrina vero est malum et nigra pes lus, Broffus elt no bonu et fubtile, tenue fimiliter, eft enun debile, et antiquis eft malum. Et quod eft crifpi corticis et ba bes interius du fragit neutnernos, elt filuettre et malu. Et qo no elt gumofum eftoebile et vetris coturbatinu, mefuc. En pont in medicinis 03 radi corter er exterior donec albu ipi?appeat: et 03 fua ri cum zinzibere, efteni er magis ipiuz co fortantib": et ligillat fibi, pprictate miras bilem mefue, et poteft ieruari p bienni um. Blatcari?. CErca bmot iacatina quattuor funt apotecario notada. 301io D3 notare electione con, Scho 03 notare modu repolitiouis, Et tertio 03 notare tempus ouratois cop. Et arto et vitimo do notare quatu est ex officio suo recunca tione ilon. I Depino falicet de electo ne lagatinozum nota qu'ila lagatina que funt potentioris virtut] fi fint icutora fut meltoza et quit funt grantora maligna funt, Eteni icamonea et aloe lemores que dam meliores et coloquintida filr et aga ricus et limilia: nifi fit ex cis in qbus req ritur agrauatio feu aggregatio substâtic ficut funt bermodattili:y2cos:z lapis la 3uli, Dec em iterioza et grantoza melioza funt, mefue libro de confolatione medici narum intentione prima capitulo pino. Similater et medicine baberes bumidus fupfluum lemozes quidem mehozes:hs cut agaricus, turbitb, polipodiu. fquilla Timilia.meineibide. Eth ex medicinis lapatiuis ilic q faciunt opationes fuas coprimendo: graniores quide meliores ficut mirabolam species t renbarban ab finchum et fuccus cius: q cm ex els gra mozes funt meliozes, melueibidem, Sis militer ex medicinis quibufcuna quecii Bimeniurant pleno et vacuo: gramores quide funt menozes: ficut caffiafiftula et tamarındı,et been, et cartamus, et iles. mefue ibide. Similiter er medicinis labi fications meliores funt grantores ficut pfiliu, caffiafiltula.pruna.febeften et fis milia, meine ibide, Similiter & medicina rum quarucuco elle funt meliores q colli gunt in aere ciaro o q in turbido. Ante. in fectido cant capitulo de electione mes

dicinarii Tipfarum confernatione, Simi liter z medicinarii quarticung filuefires lunt domefticis fortiores 7 minoris qua ettaris fin plurimum, Aucena ibidem, Ab bis ergo cauedu e incdicis fi fint foz tes cenatura fua z maligne: vt a turbith filmentri: t ficoe aligs, Similater & medici ne omnes quarum color elt magis tinct? z tapoz magis apparens: z odoz erut foz tiozes i genereluo, Aucena ibide, Exci pitur tamen aloes. Nam cumfit de natu ra rerum babentum amaritudinem qua to minus amarus tanto melius. Et cum ht de natura rerum fetidarum quanto minus fetidum tanto melius; vt fupra notatum eft . Similiter etiam 7 in locis terre libere acquiritur proprietas plans tis talis quale merentur Pin genus luus Et in terra non libera declinat ad latus excellus eus, Underes bunudo abuda tes fupfluo in locis orte ficciorib? mello res. Et ficciores in locis orte ficciorio" deteriores. Eteni permodatilus in locis nat pumdis malus cit, Et fimuler tur bith a agaricus. Er dicit q mezercon in locis termaru malus cft z venenolus, T fimiliter cucumer afinimist collogitida Et dicit q fcamonea corafcent elt mala: z atiochena bona. Et credo q dispositio loci vel aipect regulantium il muliter no eft bic z ibi, mefue ibide. De lecundo feilicet de modo coferuationis cara ipes cialiter dictum eft in capitulis propris. Bed generaliter babe pro regula q fem per debet iurta femutem colernari mes dicine queches adiumant lefe & felemely ozant in coditionibus z operationib? fit 18 of dictum est de intentione mesne cus loquebamur de modo repolitiois aloes. Et poppofitum nung debent fimul con fernari medicine quecig fibi addunt in malitia z funt due medicine lapatine acu tecm? ob causam voluit melue q esula Debet fuari longe a feamonea ravalhs acutis ? priciofis medicinis: q2 dicit ipe tibi addunt in malicia ex quo textu futto ciens elicitur generalis regula q nunq medicina q ett ex priciofis T acutis des bet colernari prope alla fimiliter pincio famant acutam que fibi addat un malicia Detertio falicet detempoze incous rationis notandum pmorp medicine las patine que berbe funt debilirant polt ou os aut tres annos: mit fint de titis q ets cipiunt ficut duo elebori q longiori ipe manent. Anice, loco supra allegato. Bu militer ex medicinis quecies funt amare

꿦

13

£

歷

1

0

D

驱

oto antigozes tato meliozes, spirat em p antiquitaté supficies in eis in flamabi lis. Similir oes medicine q stiptice sunt oto funt uniozestanto meliozes, z oes mediocres bulces funt meliozes & fimili ter ilipide, qu oes medicie buide recetes fuo bumido supfluo causant inflatone t ventofitate. Et oes medicine falle atiqo res funt ferofe, tumiozes funt coturbati uc. t caufat subversione t vomitu. medu ocres ergo funt meliozes. Wer vbi fup Bill etia oes medicine babentes bittes ochile t q funt debilis terture. Et qotus te baber facile refolubile aut polita i lup ficie q funt recetiozes fut meliozes, Etem antique can virtutes resolutiffs. In co trarijs vero eft ccotra. Obefibide. De quarto. sca de rectificatoe la ratino p no» tadu q nung 03 bari alığ medicia lapati ua aur ppom etia quatucuas benigna fu erit nifi prius recuficata fucrit mo dece ti. Un melue vbi lupza. Zua itereft mali gnarii ates icolumiii mediciarii apud te babere differetias. Ha funt e malignan qdam genera lup qb? de effrenttate non ambigit ficut melercon Teufozbill Tige neribus plurib? funt ficut turbith nigrus zagario niger z collo fintida fingularis in planta fua z fcamonea de cotracta co rafceni, a quus elogari opoztet nifi fozfi tan cogruant er eis qdam i magnis cans fis, trunc fup cis prefumedu est cu timos re z cautela post fractone til malitie fue vltima fi poffibile e.vel falte melo fie ripot ricquit in littera. Et plurimi ftoli dop ddem z precipue filueftres et nom p fumut fup cis nodu cofolatis no vtetes premitioe et ignorates o fut venenu pni ciofus rignozates leftone qua facilit pof fidere mebra q funt minere virtu tu cu ip fis butib?. Et iter fubdes aut er aucto ritatefua. Inquit mefue, Hon un bas fu gere ops, ven et oes etiafi elegantiozes fint nifi observet coditiones z modi cozs rectionii et rectificationii eap qui ipfe fe dicturi afferit i feantib. J Er B pats @ inbocquafi oes apotecari errat cu cofi cifit pillulas, cochias, rafis, et alia milta antidota i quoy descriptoib, no e expfla correctofolutinon mili par laratina coz rigatur @ipfacoponant, [Wedici em cofidetes de doctrina et fcietta apoteca rion îterdii talia ordinat antidota no ex primedo correctões tale credetes o be / beant ab apotecaris cofici correcta qo de ceroveit notadu ab iplis apotecaris Taratinou igit in picriptozutales

funt correctiones de mente auctorum Aloes Agaricus Aloes corrigitur p ablutione, vt in fectio da particula bums, Agand comgit pertrocifcacoes vt i.ij. boilfa. Z, ca, detro cifcis de agarico. Bellerici Bellerici corrigunt p cop ifufione i las cte bulci mutabo lac mane et fero p tridu us postea exficcado invmbra etveto mes Eaffiafiftula **Colloquintida** Eucumer azininus Caffiafiftulano idiget correctone nifi i bis q babet ventre lubricu, i q calu ppis nat cu maftice aut cu mirabolanis, coe. Colloquitida corrigit p trocifcatoes vti fcoop ilfa. Z.c. o trocicas o collogano Eucumer afinin?corrigiffi post operati one cius accipit infirmus de aqua ordei mellita, aut de vino, aut oleum. Expellut em iftanocumetti eius a corporc. Def. **Emblici** Eleborus **E**fula Eufozbium. Emblici corrigunt vt bellerici. Et genes raliformes species mirabolanozum. Elebozus no debet dar in fubftantia.13 folu virtus cius infusa in aliquo vi ima na aut melle vel i aliquo firupo er quo fi unt pfectoes. Bolteabonn eft addere i talibo de epythio vel de polippodio et la le indo id est succara cadi, qe talia cofoe# tant fefe in virtute. Obefue. Efulafic corrigit fi infundat in lacte oul ci vel acetofo et remoneaf lac multories et exficcetur. Obefine de intentione indei. Enforbin fic corngit, Accipiant parua frusta eiet inoluant in olco amigdalino ct tuc fepeliant in frustulis citri, et ocide unuoluatur pafta et occoquantur, Oef. Lapis lazuli, Lapis armen?, Laureola Lapis lazuli corrigit pablutoz vt i fcoa particula buius ca, de ablutionibus. Lapis armen? corrigit p ci? ablutões ve ifcoa pticula b? oicet, ca, de ablutiõib? Zaurcola corrigif fic Infudant folia ci? in accto die vna et exficcent, mefue, Et fubdit o fi i predicto aceto cogntur aut infundant citoia, aut macia aut berberis erit meli? et fubdit @ erb oc figillat bos nitas almefercon adpocquod opoztet. **Wirabolam** OD anna Obirabolani oes corrigunt vt bellerici. Coanna non indiget correctione, mef. Oppoponacii Oppoponacii cozrigit vt ferapinii **Bolipodium** Bolipodin corrigith chaq cafei ppinet

aut iure galli antiq, addedo fibi modică bauci, anifi feniculi, aut zinziberis, Odef

Reubarbarum, fi detur in emendatione opilationi coerigitur fi detur cum fpica

r modico vini albi, Wesie,
Gerapinum Gearcocola
Gerpentaria Geamonea
Gene Squilla

Scrapinus corrigitur per eins trocifcastionem vt in fcoo bui? in littera E. caplo

octrocucis oc ferapino.

5

ú

2

fi

なが

á.

CILO

çi

01/

51

Scarcocola fic Debet corrigi, p coliris i funde in lacte afine per ques des infundendo quotidie lac jup cam. Higozaut ctiam operatoem cius 3111316 e coedume m. Defue. Hund fola accipitur fed fem per cu alis medicinis. Bule, iferuitore Beamonea fic corrigit. Accipe mala oul cia tounde i duas partes tpoe illas p tes ertefas in fundo vinus olle otitate groffitudis vinus digiti t expone scamo nca fupra frufta malon vel fup ipfa cars nemalou tritou. t facias viu lectum ex bmoi carne z alium ex fcamoca fic grad datifaciedo donecolla fit femiplea. Des ide prepara treru alia ollam pm cade for ma cu malis t fcamoca, tita tres t quat tuoz ollas fin voluntatetua zponcolla fup oila a luta orificii olle cu fudo alteri? cupafta. z cooperi supiore olla ca coops tono t opula bene cu pafta etia t pone i medio furni calidi z dimitte nocte vna vico mae rapi furnum rollas r crtrabe fcamonea, ti inueneris mala q funt fub scamoea z circucurca ficca et cobusta,tuc ca prendu eft et no als.et funt alig er me dicis ot meluc q admifcet cu anifo t les mic apij t dauco t leniut an feamonea cu olco amıgdalaş bulcıü aur cü olcoviola to:aut cu muscalagie pfili zaffat i malo mudato a granis auticitolo z melius et viunfizittemodus faciedi puenies eft inter es modos: tians viitat? vel coz rigit p trociscatocs ci?: pt inscoo buins in ifa. Z. ca.ppo octrocisca t scamon. Senc corrigit ii ppinet ca ture galli. ct fit bmoi tur) ottras magna aut ci feros capno't fpica: ocide bulliat bullitoe vna aut puluis eren lacte bulci etfile de effe eius lact quatitas multa. Alin infundut in musto also eppinant post tres mene fes bumfmodi muttum Defue,

Squilla corrigit p cius affatione, vt in fecunda pricula puius de adultionibus. Serpetaria corrigit fic, mudet radir el? claueti vino: deide coq i rob autimelle addedo piperis: cinamõi zīziber]: macis gariofilop repone t ppina vbi 03, meb. Zamarindi Zurbith

Zamaridi ledit fromachi frigidi: is cor rigit admiscedo cii calidis q fromacii fri gidii habcat ofortare delibus nup dictii eft in isto caplo cii loquebamur de mo re positionis tamarindor.

Zurbith corngit lic In pmis abluat cor ter et voõec iphi albu appeat radmiseat et sisib. figiliat et fibi ppetate mirabile Oder s. mediü põderlei r fuccara filr. cor rigit et p trociscatões vt is coo p' in lia. Z.ca. de trociscis de turbith. Dabe p regula guati q mastir r spica sut errectificatib coid emedatib quagier acuitate medicinar timet, meh.c. de curorbio.

Lapitulum fertidecimi de bentreponi predicte medicine

Um apotecari? muniuit boteca3 fua fimplicib pdict :03 illa repos nere ilocis debit tvatis ad bone nietibofamoda q fcqt. Bhalr ofa aroma tica ad aromatizadu ochet reponi in va fis aurcis aut argeteis deaurat aut i va fis de pozcelioib?:autivitro capboza:tis ofit fuare i vafelapideo de marmoze at i alio vafe fibi appropato ad pfernatões 1969: vt. 8. notatu e i.c. de droguis e eles pháguns. Et croc os fuari ifacculo de a luta: vtibide dictú é, z des pulneres dit repont i vafe treo firicti ozifici z opilet os circu cera ne refoluat a minuatoire? con Et oes res bumide ficut fut fucci & gume bumide tofectoes ligde ac electu aria ligda z filia os ce i vali s groffis oc vitro vi detra vitrcata vel de argeto vel comu tilib?, B3 medicie molles q füt puemetes medicis oculi oebet repont in vafis encis. 35 vngueta i abreponitur pir tallatra: t piguedies: t cercbellatet oe pigue os reponere i vafis facti er fla no. Et olea ont repont in valisvureis ct os vafor di ftrigune putreat t feteat, et oe acetolus qo os Puari os reponi i vafe limito cera vel pice. z og reponere invafe vitreo oè vinii qo ba lubaa equa le:qo eft fignti fup ourabilitate cius t fup phibis tione fue corruptionis. Et oevinu cuius fubftatia eft inequalis qo eft figius fup corruptoe ci? facile: eqo non polictom feruari 05'm reponat i vale freo vt fra ex ficcet humiditate cie fupflua q eft caufa fue corruptois. Dec notauit de verbo ad pou IBul, in feruntoze. Do cria fecit fas ladinus in fuo copedio ad aromatarios I

Um predictis fimplicibus habet apotecarius botecam fuam fuffis cienter munitam. superest vt ils la renideat z noicat fi fua fimplicia bona fint aut fint aliqua creis mala z fopbilti cata, Deus cin oim ereplar cu primu mu du creamt peracto opere asperit q fece s rat t vidit q oia crant bene, the in fepti mo quienit. Ben,i, Sic enis debet facere apotecan?, munita boteca fua ocbs vide reli oia fint bene Toecent ordinata Tfi etia oia fint bona, Quo facto poterit de lcere ab opere, expectado lucrufuturu in deinoie, Dictii eft autes lup caplo pri mo o apotecarius os effe feiens, z expt? Sciens videlieet i cognoscedo. vt fciat elicare boas a malisz fophisticatis. Et ergo fciat fopbifticatas cognofcere vt a baciat, z no cis viaf.bis nostris sciripe tis poterit feire;

E Dedicine q coit fopbiliticat füt ille

Acaffia Amomum

Ambra

Affa fetida Algalia Afparim

Sophistelauant oloculotione qua par tes eius imunde z grosse separetur. Dei de lauant i aqua maris z pauco croco la uatio nibus piurib?, deinde piustunt ex siccari acquiretes ei p doc luciditate zco lore cirrinu, z odore bonú verú, odor des occultat eil fallaciá. Odes, ca ppo de aloc di Ricaliia adulteratur cú succo primels lorum, In doc tamen non est error mas gnus, caretes em alio fructue p sintel ra acassia viinur p acassia succis primel

lox agretin. Aucena in scoo cañ.
Ambra adulterar cu puluere ligni aloes
t storace calamita. Tiapdão resolutis ad
dito musco soluto in aq rosar apposita
abra in maiori quaritate. Lognosetur
vero soppisticata, qr potest malarar sis
cut cetera. vera aut ambra no potest ma

larari. Platearius. Amomus adulterat cuni plantaciocit amonides co o fimilat amomo, nufi que no dado odore cionectale feme. Si vis no decipi ad dac vel a fimilido canca plata q est numis innenis z elige ca cuio ras mi egredifitur ad vna radice, S. Liag.ca Dameme.

Affa fetida adulterafoŭ viridis est fuce cus cu ferapino z farina fabarŭ quod fa cile compbenditur gustu, odoze, z visu, Dya,ca. Gilpbium,

Aligalia adulterat vt muscus, Zicf.pen. De adulteratõe musci vide in littera O.). Asspaltus adulterat cü pice mirta, Dya, ca. Asspaltum,

Balfanus Bdellium

Balfam?qz car? eft mfris modis fopbis Iticat. Quida p co vendut terebetina:ct qdam cu terebetina miscet pay oppobal fami: titabs odore co. Alin accipiut fuc cufoliop citri emilcet terebetine addis to croco ozietali. Alfi do admiscet olcu nardinu terebetine, Cognoscit aut ver balfam'in que vt notat fala.f,i coloze. un odoze.in fapoze.i ardoze, z i pondere In colore.qz eft liquoz aliqlit filis olco: 13 cft groffioz z vifcofioz ad aliqle rubce dinetedes, In odoze que odozis alight racidi no placabil. In fapoze qz bs fapo re pinguedinis galline antiquo receris Tardet in gutture acii effet olcu fozte tā tiqui. In ardoze qz fi in oculis ponatur vna gutta de co:tin ardoze in oculo ges nerat;acfi liriuium forte effet in oculo p spacifivni?poze: zvltra apparet o ocul? velit exirc:13 dimittit vilus in code fraru in greperit qui ponit in oculo, In pode re cognoscit qui vna gutta ponat oceo in ciato pleno aqua no spargit ficut ole um in aq imo coglutinat z codenfat ad modu vni perle rotunde: z imediate per tit fundu. Et vltra cu cufpide potes ipas gutta ab ipfa aq retrabere: qa adberebit cufpidi iph?cultelli: regrabit tota gut ta integra ab aqua illa. Ellie ena pbatto nes plures folet a doctorib feribi. Quis da dicit of fi ponatur in plicto ftili zace cendar ardet: fed ilta phatio no eft fuffi ciens quita fimiliter ardet terebentina, Ali dicunt o fi gutta balfami ponaf in lacte q lac coagulabit z gutta ad fundii bescendit. Sed similiter ifta phatro non eft fufficiens:qz multa funt alia coagula tia lac, Ali dicunt of fi pann lubrilifim? madefactus oppobalfamo v ablut?:fi in nulla fut pte remaneat infect?:purus eft oppobaliam. Ali dictit o li i vafe enco of argeteo mudiffumo aq pleno ponatur oppobalfam?:illud puru eft qo cogrega bitur ad ptem vrargentu viini. Et fi alie quid gumi fuerit separabitur ad alia par temvafis. Ali dicut of fi inficiat panus oppobaliamo e poitca abluat in aliq

2

vase reperietur oppobalsamus in codes pondere sient paus. Alis diesit q oppos balsamu puru ponderat in duplo vel itri plo plus q terebentina. Sivo non plus aut solum parum plus: ostat esse soppo stica. Alis diesit q si pap oppobalsami ponatur i palato cerebru tra calesit q vi detur incendi.

IBdelliñ adulteratur qñ gümi fibi admis fectur: fed non by talem amaritudinem qualem by no adulteratum, Et cum fit fumigui cum co non babet odorez bonñ, S. L. ag, ca: Odelealyend.

Eaftorcum

Cocus Crocus

Canfora Caffialignea

too

(0)

ful

Third is adulterat castores. Accipist pelle in qua fuit castores pur z implet sanguine znerusz addit puluere castores vetrabeat odore castores. Alin ponst terra z sanguine. Alin facuit melus. Accipiunt sanguine z neruss castores z addint modicii piperis vesti acuti sapores. Gigatur igitur castoresi medicert acus tum habens saporez que mudica acutum habens saporez que mudica acutum habens saporez sus mudicacutum est z non habet nerus sintrincatos. Bo num ast castores habet sapore acutum glutinosum z odore multi porribitem et nerus intrincatos adherentes pellicus lis z ad altera extremitati conientes

E Lostus adulteras cii radice enule sic ca quadmiscet, z maxime enule q est ex terris que bicütur cumebarta. Sed cognitio cius est facilis. Na enula no mozdicat lingua sicut costus: nec odoz cius est adeo fortis: z exuberas sicut odoz co

fti. S.Z. ag.ca. Dolta.

¶ Erocus adulterat: admirta fecii mas
gnete vel spuma argeti vel molipdenand
eft plumbu vstum. Dya, ca. decroco.

T Lamphora maxime adulteratur i electopolitio e admixtio e alterius luccietita efficitur dupla veltripla in quatitate capporee. Soppisticat em ex admixtio e micis quibi finulat in odore e substatia Sedoiseemitur qui vernix solida by substantia e officile frangitur. Lamphora vero facile frangitur. Ti manto tractet cito pulnerisatur. Platearius.

Caffialignea adulteratur p admirtio nem corticis caparis, Plateanus,

Euforbum

Æ

T Eufordiü minutü adulterat cü admi xioe farcocole. Ame, z cü admixtoedzas gagantirubei, Pla, S5 vt cognosca f de bet eligi vt dictu est in cap, de la catiuis, Gariosilus Galbanum

Balanga EBariofili vetuftate confumpti quoz eralata é aia fopbifticaturite. Lauda po nunt tales garrofilos in aliquo vafe pus bumectato parú z ligát in pano z ponút in acre p nocte: mane exficcat ve bumidis tas illa actualis no cognofcat. Zalesto gariofili cognofcut: qui no babet fapores ita acutu ficut bom gariofili-Cognolcut etta qui matore cmittut bumiditate, 7 cos gnofcunt tertto quo multa babet plani cie. Aln aliter fopbilicant tales gartofis los.pulueriant gariofilos electos z pfi cuint i aceto fortifimo addito modico vi ni odoziferi. Et er boc vino vel aceto cos spergut garrofilos mutiles involutos m pano p nocte:quic cotrabunt builditate z sapore acutuzvir omoscutur i pricipio Dinofcunt th qu'illud acume mai? cit in exteriozib? & in iteriozib?. In interiozi ci fubstăria lingua modică ant nullus sens tit acume, Et raro fernant gariofili fic fo philicatimfi p viginti dies. Platearis Balbann adulterat p admixtione fer rature lignor, aling admirtione colopho nicin mira quantate z faban fractan ab tectis corticio?: fed 03 colligi q fit albiffi mû babês puras gutraf quali amontacu Mallaga fopbilticat padmixtione in ci cyperi vel biltorte, 15 cognofcit, qe ras dir uncimfipida aut falius ba fapore, bis storta po poticu s gallaga acutu Alipso philticat no. Poutuerisant optimu gala ga t piper: t coficiat i aceto t iponutra dices tunci pouas noctes a efficifacuti faporiscrerius, f3 cognofcit q2 interie faporis intipidi.gallagavero acuti.pla, Lignumalocs

Licium Zapdanum Comt aligo cceptores q accipiut ras dices cameleen merezeo in motio? alma fie qmvident affimilari i colorer podere z fapore că ligno alocs, z fopbilticătap fas ponendo i vino ebulitionis pulucr] light aloes paliquos dies quo deo t bois bus est abbominabile quomas camelea multă lagatura elt. Et lignă aloes elt ftis pticii, r camelea de femilio eft odoris fs ugnu aloes eft odons fuanis. Actor pen detap. D'Dicit faladinus q veru ligini aloes cognoscitur i quattuoz, sez i colore in odoze,in fapoze z pondere. In coloze quia debet effe nodolum fusci et obsenti ø

7

colozis. In odore, quia qui coburif fupza carboes facit funu boni odons z facit fpuma. Et be vnu de fecretis ad cognos tcedu. Et i fapore o fit amarii, Attedeta men opbatio veri fignialoes q attedit er parte faporis t odonis babet veritate oumodo radatur a substatia exteriozi fas tis profunde z probet foli quatu ad ei? fubltatia interiore: qe posset elle error in bac phatione quantu ad fubstatia et? ex terioze. In podere vero cognofatur.qz fi par de co ponafivno ciato pleno aqua no natat vi alia ligna: 13 imediate petit fundu, 1 Zapdanii adulteraf p admir tides pumerum grou t crotaru capuan Etio eligat o possit malarari, quillo qo puluerifat cu tractat maio fignificat ip fum effe adulteratu aut petuftate pfuptu. ■ Ziciñ adulteraf cu amurca olei cu ad misceturin coctura co. z cu succo absino con z felle bomno. S. Li, ag, ca. Dadado Idem, Bul, in fernitoze, Ideo deb3 eligi ucium qo baba spumā r baba colozē simi lemfanguini, e inflamaturi igne e extin guit in aqua, t cums color exterius e ni ger, iterius etiam declinat ad ingredines et quod non babet in se pinguedinem, et qo babet flipricitatem cu amaritudic aut cuis color eficut color croci. Bi futore Dulais **Danna**

Dirabolani Olirra Oufcust marine niger, aut ad colorem rufum accedens adulterafer admirtioe panis affi vel fagums bira. Et ponit 3. in,vel, iin. de puluere predicto. Difcernit tame.qz pams affus cito frangitur t fan guis piranus cu fragimir lucidus e z cla rus, Et ques vendif ca iplis pelliculis ? lopbuticatur nir cu puluere predicto, 3n cidunt eni farracem pelliculas v remonet bonu muscu z sophisticatum unponüt z pelliculas conglutinat iter pelliculas ve no appareat muse soppulticate cu pelle in ouplo plus ponderat mufco no fopbis flicaro. (Alin alif fopbillicat fic accipi unt carne columban ficcant z terut z pul nerifant z cu aqua rofaz mifcet cu modi co mufti, Platea. Et dicit actor pendes tari o muicus z algalia adulteratur cuz gum inuentu i radicibo pilocaracte, q oi citur cedra.id eft fuccus niger.

Oh

Jalificatores er succarat foliculis sene adulterat mana cui post tempo acci dit maturatio aut mollefeit ? liquefeit, ? fic beocculatatur fallacia. Obefue, Obrabolant non conditi no fopbiffica

tur conditi vero sopbifticantur quadoes

boc modo, Quidam accipiunt leeblos ve tuftos y ponut incuno calido donec in flentur z molles frant zigroffenturp on decimbles vel plures t calefaciut ligini us cu iflati z igroffati fucrit postea impo munt i fundo z ounittut p melem veplus vice ou oino frant nigri exteri? z fingus lis oich? comonet.qua nuces maiozes re centes i predicto firupo unponut tope rant fimiles. Quida ponut albutium, oi cunt aliq fic poffe difcernere fi acu penes tretur fine auquo obstaculo bonus e Si vero no. fed boc eft failum, qu tuc figna tur albutifi qe o es mirabolam recetes et veteres babet nucleos ficut pruna.vnde non poffunt acu traffigi, difcernif bonus boemodo qebonus cu femditur iterius z exterius niger oino reperit z cu gustaf parua baby poticuate z multa oulcedine Sophilticat? aut cu frangitur interins e subalbidus vel quasi pailid? t babs pon ticitate multa z pariia dulcedine. Pola. ODirra adulteraf cu admifcet cigum mi qo infulum fuerit i aqua mirre. S. Z. ag, ca, Dec auctozitate oya, J Qños cti am adulterat cu quoda l'acticimio pincio for fit ipla pniciola r boc odes lactices mii notaf altericius, t eftarboz priciofa Aucena, Eligat ergo mirra nona leuts muda q quado tagit est aliquatulu aspe ra. tarida: cito frangibilis. t qui fragit remanet in ciofractura res albait figura eins eft ficut figuravngui t q cft in, trus ftamagna, Ercoloz cie, e purfozinis, no durerfus i exterioribus cius fed interius elt trabés ad rubediné parti cu lincis fub albidus z odozer eft delectabilis, S.Z ag.caplo supradicto.

Opum **Орроронасии D**5unum

Os de corde cerni Opiù adulterat cu lacte lacture filue ftris, led nuc eftocbilis odozis z ena ad ulteraf cü gümi t tune eft iplendidum t clarum, Amcena ca, oe papauere, Oppoponacii adfrerat cii armoniaco z D

apprie fugcolorado grana minuta er co Bed odoz Talbedo i cofracturis fuis de occultăt fallaciam.melue, fligrum enim z leue est adulteratum cu armoniaco. Daimum adulteratur qui fopbilte apotes carn fimul mifcent feme bafilicon, 30lat, Sopbifte apotecarn ponnt poffce corde cerm carrilaginem quada tortuo fam que ibidem reperitur, fed cognofcit quia talis carrilago no e rubca ficut os: immo est alba:neas fibi adberet caro coz

Z

U

dis:ficut ipfi offi, 33 latearius. Betroleum

Diper album

驱

R

S

ES

il.

10

3

ŢLĮ

TIS di

Detroleum pot sophisticari facillie er alterius olei admirtide z parti petros lei fed cognofeit quia multi alteri? olci poteft reddere petrofeum fetidum, Bla. Biper album non babemus: fed locoet? venditur cathapucia transmaria q piper non eft qz groffioz eft & piper nec acutu babet fapozem ficut piper, platearius.

Reubarbarum

Ilo ptermittas qui fcias qo in reubar baro cadit de adulteratioe, accipitur em er co integro ficut eft quatitas magna t fubmergit in aqua per dies quing: Toil mittit aquailla beficcari. tiut ide tro cisci. Et funt trocifci illi medicina regum Renbarbarum vero ficcatur z veditur,fi cut eft quod tam perdidit animam, S5co gnofeteur quillud in quo no accidit adul teratio eft rarum z miozis ftipticitatis et eft crocee tincture, Edulteratum vero ba bet contrarum bozum t varietate quam beber habere in cofracturis fuis amifit;i mo fubnigrefat in cis, mefue,

Barcocola, Serapinum

Storag Spodium **Sandalus Guccus** liqueris Scamonea

C Serapiuum adulterat cu affa aut cu galvano tideo eligatur qo non est in ves bementia odozis affernechs odoze gal

bani, mefue.

CScarcola eligatur q eft alba vel fub alvida tque eft gumofa t groffa t no in puluere redacta. Sepe em talis er alio puluere folet fopbifticari.platearius.

T Stozar folet fophifticari accipiedo rafura fine limatura yzis ylirice coficien do cum melle z addedo ftozacem calami tam. Ged difcernitur: q2 fopbillicata ba bet nimiam bulcedinem, the maibus tras cteur morfit manus bumida zparum vi fcofa, Si vetus eft, cum malaratur pulue

rufatur. T Spodium fopbifticat fepeerradice cuiufda cane cobufta quadoger offib? canis cobultus, t quando q er marmoze combufto,fed poc eft nimis ponderofum unde engendus est quod subalbidum e t valde leue z continuum z groffum,quin puluere facile adulteraf e vir cognofcis tur. Si autem fit valde lene babens tame aliquas partes fubrigras bonum e,pla,

C Sandalus rubeus fopbifticat ex bri filio. Iz cognoscitur quenon cft aromaticu Etperboc cognofcimus oes fandalos

Matearius. Scamoea adulterat cum farcocola c lactetitimali, fed cognoscitur illa que est bona non adulterata, quia non pugut vel mordicat linguam forti mordicatione,qu tuncno babs admixtu lactitimali, 28 nl crafis in feruitoze,

Zurbuth Zamarindi

J Zurbith adulterarir cu fuperlinitone in extremitatib? caus cr gumi diffoluto: fed cognofettur er eo op in fins confractu ris est fine co, mefue,

Sex adulteratorib' quida funt q falfi ficant tamarindos cum carne primozus fed de occultat fallacia nigredo fine luci ditate i ipfis t qu füt bumozofiozes: tqz in eis eft odor a fapor prunozu. Defue.

Biride eris

Wiride eris adulteratur cu punice et marmozepiftatis. Et funt qui milcent cu calcato. Et qui vult cognoscere illud qo elt adulteratus cum punice vel cum mars moze madefaciat manu fua m aqua z po nat fuper eum.quia ftatim ouffoluet. Et funt quemafticant er co cum bentibuset fic percipunt lapides. Et discernit illud quod eft adulteratu cum vitreolo ponen do ipfum in lamina ferrea luper igne, Et ficontinet aliquid vitreoliquado erit co buftun fict rubcum, led id qonon e adul teratum remanet in suo coloze tin suafi gura. Bulcrafis in feruitoze.

Enccara

Cophifticatur succaru er fpuma fuce a canne, cu enun butt fuper igne ad fpif fitudine fpumatier fpuma buinfnodi fit succarum fopbiliticatum fed cognofeitur quia leminsielt alio t interus cauernoffi multo:vnde vt non decipiaris i magna emptioe succari frangaf toztell? succari z guftetur. Sjenun infra fozaminofus č valde, Tfenim non fentiat valde oulcis fed quafi enanescat i oze z quafi crepitat n masticatiocscias illud vanu effe t spu mofum.platearius. Cu bisitags fup feriptis pot quilibet apotecarius lufficie ter t cu boms simplicibo munire boteca fua, Bi aliqua fint i aliqua cotracta fim plicia viita a fuprafcriptis mniat ve mo ris cit. Et i boch abet finis particule par me libri primi cum der laude,

> Barticule prime libri primi finis, c n

Becuda parsprimi libri

Epredicta particula prima buins presentis opusculi voi docuimus apotecarium concententer munire botecam fuam fimplicibus confes quenter in bacfcoa particula anteg de ppolitis aliqd i mediu afferamus qa coti git in copolitoe varijs z dinerlis prepara tionib? fimplicia bebere preparari:cones nit rectos modos preparatiois fimplici um preferre, Din' autéparticule crut capitula quattuoz,

Capitulum primum de medicinis que de bent ablui et quomodo.

Capitulum fecundum de medicinis q de bent aduri: 2 quomodo.

Capitulum tertium de modo excorticadi radices & femma. Capitulii quartii be modo extrabédi mu falagines a femuibus zradicibus,

Lapitulum primu vemedici nis que debent ablui, z quomodo,

10

Ropter quattuoz caufas lauatur medicine, ficut notat mefue libro pamo de cofolatoe medicinan fes ctione prima de lauationit medicinarii. Primo odes lauat medicie.vrab eis rol lat acume vr cul anat feme vrice cu aq mufcilaginis ozagagāti, Scoo lauat me dicine vt ab cis tollat altera, fuar btutu zppzie malignioz beterrens z remaneat et melioz fuap operationfi z incolumioz ficut lanat lapis lazuli e lapis annen? vt foluant p ventretm t fine anguftia. Hon loti em p vomitu zp ventre foluunt z cu angustia Tsicutianus lacca vt fit min? fo luia, tremaneat ei vi fit opilacionii ape ritina, Et ficut lanat aloes, no lotus em magis larat emin? cofortat mebra mutri catois, Lot vero facit cotrariii, Zertio lauaf medicine,vt ab eis abitergant par tes imude,vt generalif lauantur oesme dicine mierales, di auicena scoo can, c. fepi? allegato de electioe medician t ip farti cofernatoc. Dedicine q funt de mis neris fint munde a pmirtione ertranea,i mo fit illud qo collectii eft i ipfa pura fub Statia de suo genere no fractu i suo colo re z gultu q funt et pprie. Quarto lauat medicie, vi magnificet vur? cap, ficut la uam? aloe cu aq specien aromatican vt magis cofortet, z lauaf aliq medicine cu aqua reru folutões multiplicatiu ficut cu turbith t agarico vi magis foluat. Et la nāt cii aqua bācilij z bragagāti verefifta

turfue venay. Obedicine autem que coiter abluumtur ta platarus of mineralium e of etiam fumptarum ab animalibus funt ifte,

Aloes Mcaffia antimonium

Aloes fic abluit. Accipe be aloc fuce co trino mudo qo cito fragit zbs coloze epatis. t cuius odoz e bonus lb,i,tere be ne t cribra. beide accipe caffie lignee. spi ce nardi, afari, fonati, carpobalfami, rilo balfami.cinamoi.ligi aloes.croci.mafti cis.lacce, añ. z.iñ. côtode z coque i lb.vi. aque donce cofupta fit medictas aq. cos la resprime r repoei vafe vitreo . roza aloes erifta aq boec imbibaftotfi zpo ne sup vas marmoris aut vitri: aut tere ? fole bene: tpone i parapfide miida t coa opi pano groffo zomitte ficcari abilla aqua. zcu beficcatu fuerit reducitenadii etura fcoo e ibibe iterfi er aq ilta e dimito teficcari ficut pro: titerato facias Bood nec aqua penetret ptes el oes tfit aqua tota cofimpta vel expleta teredo imbibê do e deficcado ficut dictum e.z cii vitio ficcatüfuerit repone i vase vitreo mudo vecre, Bul, in fernitoze. C Bliefic. Ac cipe macis.nucis muscate, cin amomi, spi ce, calami aromatici.cubebe.fquinati,asa ri,mafticis, gariofilop añ, partes eqles croci pars media,buliant i fertuplo eap aquevice adtertia er cufacilitate, zipo ne p qualibs libra illius aque aloes, 3,vi rimă tene me z pinitte ficcari in vinbra paus z perfice erficcatoem in fole. Aut fiat infufio illa i ağ cafet z erit melius. z adbuc crit melisus fi fibi addat plop? z caffialiguea, Bl fac cu speciebus verepigre, & mesue, ca. be aloe, Dod'ali' ablutois aloes: q vtendii elt in egritudinibo melancolicis Accipe croci. spice nardi, cinamomi gilos balfami.carpobalfai.cafficlignec, azari. añ 3.r. fánáti ficade arabis añ 3.v.co á in lib.r. a fontis fup igné leue zparum quonfos remaneat terria pars. z cola ca colatozio groffo z epprie deide accipede aloc fuccotrio lb.n. tere i cribto: z imbi be ex aqua ista sup petra marmozis a asse dua tritură ci? a un fusione a desiceatoem 63 supdicta disciplina donec biberit aco illatota vitimo tere z feruain vafe ftris cti onfich ne btute amittatz opila os va fis t tua itcre vt addas t minuas er iftis medicinis fin opportunitates egritudis Bulcrafis vbi fupza.

Elcaffia quia copofita e er fubftatta terrea ftiptica z exfubitătia fubtili: ideo

Omnes iftime di videnir iden Dicere: fed ut pla dus faciedi mes

B

ceffir ab pfu:fste nctur vnus mo duf generalisab lutiois aloes sd onme ppofici,

cft mordicativa. ci? aŭt mordicatio ablus tione removet. Avice. î, i), caŭ. ca. pprio o acastia. Ododus vero ablutios e cus est talis. Tere ea cii aqua dulci sepe t pice aqua o succi sepe aqua o succi sepe aqua o succi sepe aqua clara. Tac epe o done evi deas aqua clara. Tac epe a trociscos et sua. Et sunt o sauant ea cii aqua rosarus o volunt frigiduate cius maiore t sep datione doloris magis. B. in servitore, o Antimoniŭ abluit sicut marcastarca tbimia de obus inferius in locis ppris

Borray Batitura cris

ģ

și,

COJ TEZ

(Q)

ali

boy

おかは

151

は日本日

Dorrapsicabluit, mitte borracem in mortario cu aqua t manib cofrica fortif t cu residerit liquart trex mitteaqua co fricas poc facies odiu limpida t inuda exientiz sie in sole sicca t viere, Dya, ca,

Hiscalos

1 Batitura erise illa q cadit ab icude qui malleat es. B. in fuitore, Bicaut 03 ablui. Sume batituram eris z purga ex calb.n.z pone in moztario, z pone super că aquă clară bulce z milce bh donec fq. me descedant in fundu valis rascendat putredo in aqua e pronce aqua e aufer go eft clarificatu. Et pone lb.i.f.aq plus malisiz nez mifce i mortario ch manu, Et qui videris ca leue pice aqua paulas tim bonecremaneat.3.1x.7 lana iteru las uatione forti: postea coprime squamas illas apodiando parietibo vasis: r exprimat aq ab cis. tucaccipe aqua illam t pone ipfa i vafe er rubei:qz ilta aqua eft corpus fquaman t fubtilitas can t can virtus qua debem vti in medicinis ocu low. Illud vero qo remanet by modicato tuter o oportet q lauct alia vice t q mi fceaf bene quouig nibil remancat illus leuis. z postea cooperi residus cu panoz dimitte duoboiebus:ita quo comouea tur. Et post onos dies darifica e repone in vafe ftricti ozifich. Alig lauat flozem eris code mo. Bulcrafis in feruitore.

Ecrusa Elimia Eathimia Ealp

Ciminus Eordumeni

Cornu Cuis lane Cortices onorum

Conchilia

of Cerusa sic abluit, Tere cerusazin aq sepezpijce aqua sempe abluesicut laua tur scozia auri e argeti vetinfra stati do cebitur modus abluendi climiam,

Earmi

Elimia arabice ide e p fcozia gructi g metallor. B.i fuitore, Ibo or climia auri climia argenti. Tic de alijs. Climia aut auri z argen funt magis viuales in medicia, io de bis folii bic toğmur. Bbi untur itag fic. Z crant cii aquaz abiciat illa aqua z fiat boc fepetadin q no aps pareat fup aqua aliqd putredinis. Den de collige fic ea z refua. Simili eta mo de louatur feoria eris. B.i fernutore

do lanatur scozia eris. 18, i ferintoze CEathimia id eft tuthia ficabluif, Zes re cathimia groffo mo neterant pres q funti cis ex lapideis venis, deide liga ca i pano groffo er lino T pone cora te par rapfide magna cu aq dulci: T fubmerge pecia illa i qua ligafti tutbia i aqua z fris ca manibot imerge cu aq illa fepe tothi, geter donec diffoliat qo e fubrile er ca r egrediat er pano i aqua. Et tua itereft pt reponas aqua illa cu co qo egreffus e de tutbia i parapfide alia e frices iterus panu i aq alia. Et boc fac quoulgs tota terreftrettaf tutbie excolet a pano Eltio pice qo remanet ex lapidibo i pecia. De inde misce aqua q ett i parapside cu tus thia: piice aqua illa cu illo fubrili treo tationecius i vale alto Tfacias boc cum fumma facilitate:ita q fepares illud fub tiliffune ab arena q befcedit i fundo yas fis t pycias aqua illa fcoo ttertio qui mivil remaneat de forde et?, Deidepij ce arena q fua granitate iacet in fiido va fis. Reliqui do qo referualti dimutte re fidere i aqua bonec bescedat ad fundum tunc pice aqua cu facilitate donec rema neat coz puru. Doc aut pone sub sole dos mec deficcet rreponer fua, Bifuitore T Aliterfic, collige cor eler fpum i ciul feu piguedine cius de fupficie aq custos to mundo z pince fubstantia z facita fes pe quous egrediat tota spuma cio tto ta subtilitas ciot ablue coctus cius a tu thia q eft i ipfo qualibet vice z pone fub fole cu explenens donec ficcet, Bulcrae fis in seruitore

Lahroma fic os ablui. Accipe qo é be ea albū z mundū z tere z cribia calces al bam z mundū z pone in parapfide munda z pone fup cade aqua dulci quātitas tem fufficientē: ita p cooperia f abaqua z dimutte p bosā: postea misce: z cū refis dentiā feceru ad fūdū vasis; pice aquāz fac itaseptēdieb? vel decē: postea, pice aquā desup z repone, Bulcrasis i fustos Teminū z cozdumenū sic debēt ablui ziccipe de cozdumenī aut decimio noud

cin

albo. r purifica alignis ra forder pone in olla lapidear coopen ciraceto forn cu ius quatitas fitita o totumbibaf a cis mino 7 mibil remaneat, deide extede eus Supersextorium in ombra oligad exfic cationem, Bulcrafis in feruitoze

C forma abluendi carni cuos poni in medicinis ad flurii vetris. Accipe de can riut pone i vafe mudort ponevas fupra igne vna boza donecht fere calidit beide enfude supra ipm lac capre ontate q cos operiate dimitte duabbons ticca th ua.t ifta ablutio oz cotter eius cofectio. Dicti eft supra: ses in prima particla bui?ca. be medicinis firmpus abaialib? o foli vimuri medicis coznu ceruiz coz nu sapre q prins bebetaduri: z postca ablut. Abluunt ergo cornu cerui a cornu cap z cornecs onon z pebilia post iporii adultione ficut fcoria fine clima. B.if. forma abluedi cincre lane adulte, ac cipe cincrelane r ponei paraphide r file de sup că aquă vinisce verpecta bonec clarificer i ağ veinis descedat. v profice aqua illa t fundetter aqua t fiat vi pus tadiu donec cinis no pungat lingua qui gustatur: si sit stiptic gustui, postea sicca r fernaiquia ita debet pontin medicinis oculorum Bulcrafis in feruitore

Dagagantum Dzagagantű abluit z colat vt purifi cetur. Thos potifime qui dy pomi alcos bol aur in looth. Dodus to purificadi Tablucudi ipm qu 03 pont in alcohol eft talis. Accipe de dragagato e tere intura groffa:ne ugna eus cu co terătur. t pos ne in olla vitreata z cooperi chi aqua da ra mundavel cu aq rofata: t oimittep no cte, timane afpice fi encceffaria alia aq Tadde: Thino misce bit cu manu donec to tu inquescat zpiece ca supra cribra mudis fimile touc chi manu binc tide donecocs fcedat de cribzo totil colatil. T funt q des Accat T fuat deficeatfi. Tfunt q vintur eo ficut est. Bulcrafis in servito ze. Esvitum

D

Œ

2

S Es oftum fic abluit, Zere ips in aqua bulci fm modu quo lanat cerufa:mutas do aqua ter i die docc nibil remaneat pu tredims, Bul, z codem mo lauat fcona eris q alio noie dicitur climia.

5 flos eri abluit ficut et batitura. 18. B Bummi arabicum

T Bumi arabicu abluit vt dzagagantu. Zapis lažuli Zapis armenus Lapisarmenus Zitargirum

Lacca Limatura ferri

Erslauandi lapide lazuliz lapide ar menti est code oino r etalis. Zeraf cti fa cilitate in vase lapideo deide fundat de fup ag z lauct teredort fiat illud trigefie es fe innouando aqua. Et adbucbecies postillud lanet cu aq rof, mef. er anctos ritate alexadri z ex auct. alluindi dicit q lanct cuaq bugloffe post purgatione ci? figa pribus groffis terreis t lapidofis f. post ablutione cu aqua dulci:vt dictue Ex Bem acquiritur et mirabilis proprie tas ad egritudines melancolicas

De lapideth armeno dicrabymovses i tractatu fuo spali de mama z melacolia o no cognolatiz de co et featamezozar nobilioz medicop oubietate:pt fingulari ternotat Jo.mathei o gradi papielis bo ctor dariffim?, t rep ignotar biligens p ferutatozzafferes se quesimife ab apoteca ris quid effet lapis armen nec vno fcis

reant videre potuit.

De litargiro inqt 18, i Fuitoze, vingue ta q fint ex litargiro que aurei colons & clinas ad albedine funt nobiliffime bont tat 213 fi litargiz fuerit nigrüant babes ife aligd plubi: crit vnguetu qo fiet er co mgrut turpemin pus abluat. Bi ergovo Inerligin abluere t dealbare: elige qo bs colore auri z qo fit graue z mudu a plus boz frage in frosta quatitati fabez acci pe quatitate er co quavolucris z pone i olla rudizpicias aqua befupt pone fup td oc frumeto bono z purgato quatutate quadar acapedeordo pugilluvnur liga eli i pano linco nono fubtili t fulpede et liga cu i ozificio olle itra iplam r facias feruere donec crepet orden. deide aufce ras abigne t poncid qo ei olla i pua pa rapfide muda z photas frumentu z fund fup litargin alia aqua rablue im frica do manto fortif poltea dimitte ficcari. deide accipe z tere ipm z pronce desuper aqua calida z agita ipm z dimitte @ refis deat rabice aqua r iten deficca pus et facias bocbeficcado teredo Tabluendo tadin p fubtilict t diffoluat in aqua.bei de expecta q refideat r darificet aqua T abijce iplas t tere quotidie lepe i oter in vefpist ponefup cu aqua alia: toimits tep boza vna z cola z facias boctoni ter in die quing dieb? cotinuis, post bocph ce supouas ib.er eo.3. h.falifgeme z ifun de sup ipm aqua alia. T qui fit alba pone fup ipm aqua calida t facias fm qo feci fti pus:tadiu q nibil remaneat i co falfe

ಖ

O

dinis. postea dimitte siccari i fole mone do ipm sepedonec ficcet tota buiditas. deiderepone t ferna, J Alius mod?, Ac cipe de litargiro lb.h.tere bene, deideace apede falegema mig lb.vi.z mifce culis targiro t poci olla rudut pice fup ipm tin aq q coopiat t agita tota die mae t fero. Etfi aq videaf minut, adde paulati r facid.prr. ofeb? agitado vi ofcine. ne coagulet epurificete po trigita dies abis ce agitado paulati, beide poe ips i morta riot tere t postea pisceips i parapsidete rea muda, z phce lup ipm aquam z agua cu manu monoe forti z dimitte doec refi deat z abice ağ illa z supfunde alia ağ t facias b quouic falfedo tota recedat, postca dimitte fere exfict ari zifozma tro ciscos tine cosficcari t ferna i vase plu beo. D Alins mod?, Frage litargip i fru sta quatitatis sabe t poeipm itra stomas cu apri, t fac boctadur feruere i aqua do nec fromac? coquat.deide eurabe ipm a ftomacoz poe cu coo fale quatitate q fit fufficies: rtere r lana ficut dictu est supe rius. J Ali? mod?, Acapelitargiriqua? ritate lo.i. z mifcecu co tatude falis z po nelup ips aqua riere i foler muta aqua vna vicepoft alia quico albefcat, Tali us mod?, Accipe Quate litargiri t inols nei coto albo z poe i olla fictili. z poede fup ip3 aqua v accipefabas recentes vel nouas 30.1. v põe oclup v pinitte tadin bulire qui pfabe crepucrite totu fit nigri ficatu zpucez cola rinolnei poto alto et suppõe alia aqua clara, ponedo alias fabas vtpn? z coq iten vt fecifti, z facis as bter velapli? quit cottino tigaturet polt poe ips in valcalia, tpoe fup oms octogita. 3. er co falis nitri @titates lb.i. tere fil titen fuppoe o fale nitro albo fortis albedis.3.rin. posto fal nitru pri? diffolueris i aqua z terebene donec albe feat magna albedie, beinde pone in vafe terreo magnu babete ozificiú z fuppoe a qua multa ragita e dimitte doec refides at z aqua clarefcat z abijce ipfam z item poe alia aqua tfacita doecaq oulcefcat z mbil remaneat.faladin?, In fine vero cola ao tpoci olla terrea nona vitreas tain fole.xl.oicb'i eftate. r p?.rl.oics on erit deficcatii vtere eo. [Alio modo. Ac cipe litargiri boi aurei partes,i, t tere bii r pone fup ips de fale coi partes ouas t poc sup upm quantitate aq qua coopiat z fuperet circit quattuoz digitis tonnits te i vale fepte diebus, z milce oi die bis, z polt septe diespiccaquar pone alias

ħίζ

nic.

ú

KIZ

100

gi

aqua a muta aqua illa quotidie vice ad fi ne.rl.diep.tuc aq illa dulcificabit a litar gip dealbabit ficut cerufa, fac trocifcos a fua a vecre. Des autistos modos ab lutionis litargiri (cribit bulc, i finitoze de verbo ad verbu,

T Lacca fic by ablui. Accipit gum ei? tterit t pheit desup ag calida i g bulica rit aristologiat squaturmoueat cu pistet lo t dunittat residere t eherat ag. Deide siecet i umbra t repoat i vase vitreo. Et in no clariscat pma vice facias scoo. S.

Lag.ca. Hec, ancroritate dya.

Timatura ferri sic ablunt. Elige lima tură ferri z no sit mustio alicut? alterius metalli vt eris vi pludi rismilus, este empericulă că daret îpotu, z poc i vasc ma do z phecoesup pară acet z ponaf sub septono mūdo. z itez supseptoziă ponaf coziă aligo, zisi dimittat, pre, diedad mi? prvn. z eptrabe z inuenies coloreel si cut zinar. desicca z vtere, Elel sic. Ablue că aqua dulci aut că aceto z cola p pănă z dimitte sub septozio quous purrescat z posea ablue z repone.

Odarcassite duc sút spés: sos aurea et argétea, t illa q e grantoz é meltoz, t mo dus ablutios e us é q accipias de ca q est aurea: t tere t cribea, t item poe i moz tario t pince desing de aq pluniali, t tere t sicca, t item poe aqua alia t facias doc septé died? cotinuis t postea adde parú musci t tere t vtere ea. Bulcrass.

Offa Oleum

Offa anteg abluatur oebet pri? adus
ri, t postea debet ablui sicut abluitur scos

ria vel cathuna.

Dlen ad faciedii oia olea by ablui et albificari. t fic bicit olcu copolitu, foza vero ablutiois et etalis. Accipe de oleo boi odoris t saporis t poe i olla, t misce cu aqua calida: ocide poe i sole quous o albefcat. Ttuc poe itex in fole quoufos fe parcé olenab aqua. z collige olen de fup ficie aq ci cocleari Trepoe, Tfi fuent al bu pria vice:bene et fi no.iten repoc i aq ficut prins et miscescoo et tertio doce al bescar. [Alit fic. Accipe vas vitreatui tus et extra, et fac forame i fiundo et? oci de poe orgitu fup forame: z pollice fuper os valis et agua vas cu olco et aq aguta tioc forti et dimitte p bora les quoules le paret oleu ab aq.et natet oleu sup aqua tuc aufer digitu a fozamicvafis quoules egrediaf aq et icipiat egredi olen:tucopi la iten forame et poc aco calida fup oleu

r agita ficut pa?. T bfactonecoleu albe scat fin voluntate tua. Bulc,i seruitoze.

Dlumbum Dlumbu fic ablut.03 o beas morta riu r piftellu de plubor photas i morta rio parti aq vagita cii pittello oin donce aq icipiat igroffari z denigrari, deide cof la ipfaz p panu lineu z fac boc ter vel am plus tounitte qo colatu eft quico befce dat plūbū ad fūdū vafis i q ipm colafti z postea piice aqua t pone alia aqua t las ua ipin sicut lauat scoria auri vi argeti. t fepequique no remaneat i aqvlla nigredo Tfactrocifcos Trepone. This modus lanadi plūbū. Accipe plūbū purū z lima ipm cū lima z tere ipm modicū cū aqua i vafe qo orcit falara, z piftelli eft de petra z pone defup aqua z laua z cu manu ade una z qo egredit de nigredie pince. Et fci as φ no 03 lanari vna vice multu:ne con nertet i cerufa f3 obef expectare pan τ po ftea reiterare aqua aliar finere quiq3 plu bii descedat ad fiidii vasiszpiice illa:zitc rum mitte alia . Sinalit vero abheiat tos ta aq t fac exeo trocifcos trepone et vee re. Bulcrafis i fernitore.

Spodium Sarcocola Spuma maris Opodiu ablutificut pofiligos. Et po filigos est tutbia : Ttutbia elt cathunia

be a dictum eft in littera. Z.

J Barcocola fic 03 ablui. Accipe de far cocola bona alba z groffa, z ponem vafe vitreo apli ozifich: z cinulge ochup ca lac afine i ottate panca fine ifudat i ipo lac tevt lighat z remaneat gli ficca. z pone fubito i fole vtetto deficcet; z quado erit ficca ops q iten mulgeas fin quantitate quadiri. 83 fp caucas ne cooperias cam lacte ne acefcat lacano veliccet z veltru at. fac ita qt vel quice: ren bocfeceris ficca bit fua. Etfino babcas lac afine paratum:fac cumlacte multer queft me 12. Et funt q abluunt cum lacte cq z cap z alis fpebus lactis, fed lac mulier eft p ciofins. 28. in fernitoze, Et dicit ifta ablu tio farcocole ema nutritio vel confectio, Spuma maris abluit ficut abluit cli mia, Bulcrafis in fernitore,

fecundus be adu Lapitulum frombus media nan: 7 que bis debent aduri : 7 quomo. Nquit mefue affatões medicina rum i frigoris t i patellis frunt tribus de caulis. Bezima : vt can virtus augeatificut obigra affat fquilla vt fiat mag folutina, Scha ca eft pdicte oppolita:fcz vtvirtus medicie dimmuat

ficut bbigfa affat pfilliumot fit buiditas cius min lubrica 7 min folues, 7 affant plura vt mitioza fiat. Zertia ca ppf bas onas casfil.f.vt medicia babes i fe duas ptutes repmatur otus ad vna ptute tvi gozet Quad alia vt e facile videre imi rabolanis z in reubarbaro i qbus fif eft ins folutoem facies z virtus facies co tractoem. In con at affatoe minozat vir tus facies folutoem: zvigozat vi? facies stractoes, et iben qo e granus bermefis cft btovomica t bto folues gventre.ous auteaffat maturat ei? buiditas fupflua baurachia facies subuerfides T nausca, T remanet bt? folutoem facies. 3fte autes funt medicie q cotter affantur Pm ordine lfax minoris alphabeti, vi coluetus eft. Attramentus alumen aloes

arfenicny acassia Alleitran T Atrametusficadurif, accipe de eo et pone sup testă nouăr pone testă sup pru nas tvic.ct fit otitas adultiois fi fuerit attrametus no mite buiduat] qui no aps parebunt apulet crit oficcatus oficcatoe forti, t fi fuerit aplions buiditat | 03 Q di mittatur sup prunas qus mutctur color cionfra se rotatur ad filitudine mogre. i,finopis.tunc op3 quaferas ab igne et purges. Et funt à ponunt sup primas t exhifflant defup donec declinet ad citris nitate, aut ponunt fup testarponunt fup prunast milcet docc mutet color ciras. T Alume coburturficut attrametus m n quo fit rubeum ficut illud, Mulcrafis Taloes fic adurif, 03, vt poas aloe iol la muda T fup prunas docc adurat b.if. 1 Arfenicus feu auripigmetus fic cobu ritur.pone auripigmetus i vafe fictili fup carboes accelos, ragita fat ipm fine iter miffioe, z qui erit valde calidum et coloz mutat? auferas ab igne et dimitte infrie gidari et tere et repone. Bulin fuitoze, Elcaffia ficaduritur. poe fup prunas et affa quatum est necessarum. Bulcra. Bolus armenus Borrar TBolus armen ficaduritur. Frage ips in frusta quantitatis fabe et pone sup re fram vel laminam ferream. Bulcrafis

TBozrar ficaduritur.mitte bozrace tri tam in fartagine et carbonibus ipone et coque. Dy.ca. Hiscalos. Elimia Coralus

35

E

Cerusa **E**alcantum Conchiliozustefte Comu cermi et cap **Eantarides** Lancre Cortices ouorum

I Elimia grucund metallop i genera

Mutritio farcos cole,

lific aduritur, Bone ipfam fup ignem be pruis donce calefiat & faciat coulitões fi miles veficis ficut facit fconta ferri z erti que că i cftate in vino. Et q eget viu cius in scabie oculop opoztet vt extiguat ca i aceto. Ali vero accipitt feoria cobustam in bunc modu que dico, terit ipfam i vi no z ponūt ipfam in ollā factā er argilla z coburut alia vice z tertio doec vertat i cinere, z nibil remancat grofficiei, Buli feruitoze. Spaliter cluma ferri fic adurit Zeratur tritura groffa z ponat i aceto vi rob z exficcet z affet fup prunas, Bul .i Puttoze. Spältter etta clumia auri z arge ti fic coburutur. Accipe de fcona cabruffe quatu vis z cofice ipfam cu melle, z poe ipfam i valefictili nono e opila ozificia cius tlinicu argilla t facias forame i fu mitate cooptorn p qo fumus exalet po ne vas un medio ignis ex carbonibo. On ergo icipit scotta coburt aspice fumii qui egredit exforamieti vecliat ad nigredis ne dunittas adbuc fup igne. fcd qui vide ris ipfu decliare ad albedinem, aufer ab igne r extrabe feoria a vafe r poefup ipfa debono vio quatitate q extiguat a dunit terefrigerari atere a viere. B,i buttoze, Cozal? fic adurit, Accipe cozală z po ne in olla terrea z poe in furno p nocte fi bene coburit bene eft is fi no itex ponat bonec coburat, Et funt ddam qui ponut in crucibolo. t exfuffiant t comburitur fi cut volunt . Bulcrafis in feruitoze,

d

rt

S Calcantu aduriturficut attrametum,

Bulcrafis in scruitore.

Cerusa sie adurit. Accipetesta noua exterra t põe sup prunas t puluerisa de sup ecrusam posto sucre trita t moue at sine itermissõe, t qui sucrit couersa i colo re cineris lauscrat adurent couersa i colo re cineris lauscrat adurent couersa i morigidet t vere. A luter sie. Doe in vale concauo posto terit t moue at doec siat sicut auri pigmetu rubeu, deide auscrat ad igne: et administretur. S. L. ag. ca. A stidegi.

T Cochilia fic adurut. Zefte cap ponatiolla mūda, t põe i furno figuli vna nocte deide extrabe, fi fut cobuste ficut cinis al bobene. Di aŭt no põe iter, i furno país vleode: tounutte võec fut albe calcinate, t fut q ponüt coccas sup prinas t exsuf stat voinuttut võec fuerit albe, t terut et ponüt sup testa ferrea sup carvõest exsuf stat voine sint albe sim volutate corum.

Cornu cerui t capre sic coburut, Acci pe vecorum cerui aut capre et accipe sicut est et põe sup prinas t exsuffla võec albe scat, Qui vit coburere sim alia sorma sira

gat ips i frusta z poat cu i olla z faciat sid cut dictu est de concouns Dulcrasis.

T Eancri fic debêt aduri. Accipe căcros fiumales viuos qui fol erit i figno arietis tridecima die metis lunaris t păci furno pais qui go căburat t nă duertat i cinere Et qua incedut furnu că lignisvius t forma est eade. Et q iunt pro ptificis t emo toycis abscindunt pedes con toenes: sie căburunt. B. in seruitore.

Cantarides debent coburificut coburuntur yzundines. Bulcrafis i serutoze.

J Lorrices oud coburuntur ficut coburuntur conchita, Bul, in serutoze.

Dragagantum.

J Dragagantum fic bebet affari, frage eum ifrusta ad magnitudme orobi. Dei de accipe patella et calesac ea rauser ab tgne et poe super cam dragagatum r missee bene sine itermissione donec albescat Etsi no albescat prima vice. sac iterus vi prius donec fit album.

U Es fic adurit fm aliquos, Accipe cla nos crisrepertos in nam et pone in olla fictili cruda cum fulphure Tfale partibus equalibo e faconum folarium primo er la le z fulphure:poftca ex clauis: poftca ad buc alud folarin ex fulphure t fale: t po ftea er clauis. Et fic gradatum pcedendo quousostota olla fit plea z poftea coope rivas cum cooptozio terreo z ponei foz nace figuli: tounitte quico vas bene co quatur Taufer Trepone, Elin vero radut fuper ipfum alumen iament : befup loco fulpburis. Alin comburunt cum fulpbure foio fedid fit mgrum. Alin vero limit cla nos cu fulphure et alumine diffolutis in aceto, et adurut i vafe crudo. Et ali accis piunt clauos et ponut in vale erco et pi ciunt defup acetum et comburunt, et post aduftum eft femel pronciunt iterum de fup acetum et fic facunt ter et reponunt. 1 Hin vero comburunt es. Accipunt limatura eris rubei et ponunt desup octa uam parte fui de fulphure et ligant in pe cia et linunt vel lutat cu argilla et finut ficcari et postca sepeliunt in igne facto et ftercorio animalium ouobus victus.qa exit adultum. Et melius es vitum omnis bus è id quod apportaur de babiloia et postea id quod venit de copro qo declis nat ad nigrediem et rubozem. Bulcrafis in fernitore,

Ser vini et aceti T Odod coburedi fece vini et aceti, ace cipefece vini et munda et ficca că i testeo

0

O

vafe fup igne magnu t dimitte donce co burat, t fignii cobustionis ciect qui mue tabif color eis in albediner pügit lingua cu inflamatoc. z fimili modo coburit fex aceti. Bulcrafis inferutoze.

Bummi omnes C Sozma affandi gümasve gümi arabı cu z generaliter oes alias gumas z ficut forma affandi dragagantum

J foia affandi gallas, frage vnaquas agallai attuoz vel i ana pteser infime de cas in olco olmaz vna bora, beinde affa fupza patelia ferrea vel teftea calefa cta pino: z caue ne aduraturz destruatur virtus carum. Bulcrafis in fernitore. Rathimia

de ablut, r pone sup testa nouar pone su

p prunas tvoluetrocifcos cu affiduatõe

vocc ficcent t frat rubei t repone totere

B.i futtoze, Lobustio til eis fit i būc'mo

du. Elcape de tutbia lota Tofice ca cum

melle bono ita of fiat ad modii pafter po

ne i olla frea que at ozificiñ firictůzcoopi

cu cooptorio puenieti orificio cier opila

liniedo cii argillar fac forame i medio co

optorij z pone i fornace calcis z dimitte

Doccorat.z qui erit adufta curfignit e q

no egredit a foramic fum?aufer ab igner

extigue ca calida i rob: thecat repoe. IB

paruis taffa vna vice vel onab? t ferna,

3 cobultio el'fit i buc modii. Accipe ol

la fictile z poe lzarabeit? z claude os ci?

cu luto z poe i igne furnivna nocte. Deide

extraber terez vtere, 2Bul.in fernitoze

Karabe

R Affato trathimie L. Kathimia fic affat. Accipe cartere bit aut accipe o lauata e trocifcatavt i.c.

25

Combuftio la: thimie

Effatio learabe: (Rarabefic affat.frage ipaşi fractur)

Cobulzarabe.

Z

Litargirum Zana Tutargin fic adurit, Frage fruftation ad oritate nucle t pone fup primas exfuffiado cu fole fabrop ooec frat fic ignif deide extrape ab igne t fine ifrigidari t absterge ipm a putredie. Elinbo quertra but ipm ab igne extinguit i aceto vel ivi nort iterii poniit in igne; The facilit ters tio: t ctiam pluries extinguedo: tpoftea abstergunt. Bulcrasis in serutore.

Lana ficadurif. Lana ca bit r pectia cu pectier ponei olla fictili reobure lem igne:vel pone i fumo panis:t no op5 vt adurat:led folii affet vt poffit teri t res pone e viere. Et funt à pectinat cus fua iordicie: post lauat e faciut ficut dictu eft. Bulcrafis in Ceruitore.

(Lep' ficadurif. Accipe lepoze toes cola z ponei olla noua cu fuo cono z cos

bure donec fiat cines, Deindetere cinere iftum z ptere, Bulcrafis in feruitoze, Oirabolani

J foza affadi mirabolanos citrinos lec bulos idos bellericos eblicos os pibibas mirabolaos iaq.i.fucco citomo paut go natopacetofop:autifucco vue acerbe at citri autiaq vbi decocti füt berberes aut létes:aut vbi decoctú é lapaciú acutú et marie ortlapatiii qo eft acetofa. beide exficca cosbit z madefacioleo rofefioleo delectico: tolen de zaroz, imepfilis:vel de forbis aut oleo mafticino vi buttro vi oleo oline. Deide affa fup patella vel tes ste calefactă prio, z cauene adurat z des ftruat virtus con Bulcrafis in fuitore. Opium offa

Opiū cu administrat in coliris 03 aduri Codus aut adultiois eius eft talis Acci pe lamina erea z pone sup prunas donec bene calefiat z aufer ab igne z poe ibi fu bito de opio miido: z qñvider en ligfacti anfer ne deficcet ne fiat fragibileit refri gera Tytere. Bulcrafis infernitoze

COffa pourut vt popula. z fut q ponut fup primas t fuffiat donce dealbent. 3Pofilliti Wir ligda Mumbum Cood' affandi pfilliu. accipe patella ferrea aut frea aut enca aut lebete cu lato ozificiozcalefac ca bii.oció aufer ab igne z ftati suppone psillin and ifrigidet z co mifce femp donec videas affatoes et? co pleta advolutate tua. z fino fuent cople ta vna vice:reitera vt pu?: z calefiat pas tella fine pfillio: z cauene pfilli pburaf. Dath pfiliu multi affart ouplice de ca. Quan pria dicta eft i pricula pma but? ca, de l'eminibus, Soa caula eft vt ctus bumiduas supstua consumat cums can fa babet labificare z lubzicum facere.

T Dir ligda intdu adurit ad opa medi cine t vite el'fumo. Wod? aut adurendi pice ligda t accipiedi fumu el'elt ifte ac cipe crucibolii feu lucema ferrea vi trea r pone i co licimii r par picllique racce de licintil, beid copi fup flama lumis ci? cooptozio freo interi? vitreato: t fit foza el?fitis furnulo Dabes culme: cui?fummi tas tedat i acutu: thit firictar fumitas co beat forame fic athanorer dimitte fic flas mā fub cooptozio:nā fum? ci? adberebit partetibocoopculi. z qui pir minuct adde pice alia. r facial Bradin o colligat crtu mo otuvoluer]. et caue ne numi calefrat cooptoziù z fumon adbereat fumo. 13 cos uertaf ad inferiozatoz ops q cuetes cum flabello boza post boza, z p būc modū ac

Drimus

cipitur fumus er butiro, Bul. i feruitoze 1 Molubu fic adurit, Acape lamias plu beas rpoeiolla fictilit pronce supeas pari fulphuris radedo fup cas, Deinde accipcatias lamias plūbi z poe lup pzu nast iten radefup eas ochulphure thac ita quonfos olla fir plena. Deide accende fub cis igne, t qui videris plubă iflămari opozet q comifecas cu virga donec plu bû covertat in cinere, ita q nibil remanc at de substătia plubi: qu fit totu coucrfus i cinere. ton erit ita aufer ab igne t bimit te infrigidari. Et oportet quile à B fact cooperat facie fua. na odoz multu nocet T Aliter fic. Accepe limatura plabi zad mifcecii ca de fulpbure z pouc i olla fup igne z agita cũ virga mô pdicto. Alit fic. Accipe cernfam de plubo loco iniphu ris tumponc. T Aliter fic. temodo quo vtuntur bilpani, Accipe plubus z poc in furno aurifabet, z fuffia cu folle bocc ifia met. poit rade fup eus fulpbur donec fit cobultu v collige v repone. Bel fufflafu pra iom fine aliquo fulphure quousos co burat. Ecritame fic coburendo eft laboz magnus nec pot coburi nifi imagno tpe adultu covertet in coloze litargiri nec 03 poltea poi i operemfipuus abluatur 63 modu que dirun?, Bulcrafis i ferutoze Ramuli Radices

ia

tty

0.0

cii

R

Kanule 1 Ododus aduredi ramulos & radices t foua tacuna creis eget cobultioc vt cotter foler herr befarmetis vitis ligno fico t letici id e 3.33ur fine forbe aut melpi li terebiti tradice cane toib? radicib? r coencibe, of funt coetices auclanaz ,ca ftancaru, giadii, t fimilii qii volueris ex cis cincre facere. Accipe de eis qui fut de nono amputate, z babet in fe fatis obu miditate vabftergebenea terra v lauabe ne cu aqua donec nibil remaneati eis ex terra vel alia putredine. Deide iple ep eis olla magna quatu opoztet relandeca cii cooptorio pforato ve fum? con egredia tur. Deinde pone i furno pais afero vicis ad mae t extrabe olla tvidebis farmeta rramulos, rfic de ligulis facta ficut car bocstunctere bene cos z pone iolla mi nozi pria zpoe item in furno z facias B fepe bonecimiemas cinere albu bonu les netactu que fua necellitati. IB,i fuitoze T forma coburedi pricos t ramulas: eft ficut forma comburendi leporem,

Dericum Salcommune Salnitrum Salallally Spuma maris Scorpiones

Semina Squila Seta fine fericii fic adurif. Accipe de fo henlis ferici q nodu ptrenfierut anu vnu z'aperi z extrape vermes moztuos q'int in cis, t pursa cosbene t pone i fiido ol le none t pone supos el lapide t pone fub olla igne, t fac ficut factu elt de lana qa eft idem modus faciendi vtrobigs. C Salcoefic coburit. Eccipe de fale et tere z pone in vafeterreo z luta labia vas fis cu cooptorio fimul cu argilla z fepeli as inter prunast dimitte bonce coburat Tfunt q pontit i pafta Tfepelit fub paus mis donce pafta fuerit cobufta, z fut q ab luit i aqua e dimittut deliccari e postea ponüt in olla r coopenüt r accediit igne sub ca t ponut circum olla prunas qual no ceffat crepitare donce fit cobulin, Alh terüt falbene z ponüt i olla fup igne zer fufflat donec fit cobuftu. 18. ni icruitoze, C Salnutra coburtur ficut fal comune les q ponat itelta fup prunas donce cos burat exiuffiando, t unon bene adurat prima vice iter reponatur z erfuffict oo necaduratur quatu opoztet. 36,i funtoze Cal allraly coburit fic, Becape ipin t tere r cobure ip ficut adurit plubu, IB,i Puitoze. 4 Spuma mans fic adurit poc ca i olla terrea z coopi z luta că argula t poei turno quia adurat. Deide accipe repone. Quida ponunt fup punas ct courunt exfufflando. Bulan teruttoze. J Sozma aduredi lcorpiocs, Elccipepe ce fcorpiones vinos 7 poei olla nona ct luta că că pafta aut cu terra z poc i fumo z accede igne in co cu lignis vitis: qui for calefrat, voimitte ibi oila dic ac nocte v extrabe. Et funt q ponut olla in athanoz panis roimittat occeboris polica ternt fcorpiones tferuant, Bul.in fernitore, Solla ficadurit, Accipe folla purot cipiat geriarifolia cie thipites z cauteri fa cactiveru exferro cadeti tviebn i loco le appellafa mes illovoi fipes tfolia oznit ve oziri ont et dios cafratio et facidano geriet Ihpes,na qui ozt' eltis noaduftio pes el'no eapli' igentiviedi canili que fcidaftotu id qo oztu er cauteriset toza turbii lo dobi oziebatita q apli' no ger minet ibi aligd, IB, i futtore, Elliene, Ac cipe fquillas t chige cas om doctrinam ibe et porient qua dirim?mprima particula bui?ca, be la quas appellar lapatinio, Etabfeinde ex infetion parte foulle er and

Ziduftio ifta fold

folion et' id qo eft beficcatum z ablein medigunt

deradice eius z purga cam benetota zi nolucea i pafta facta exfaria ordei vial teri? aut in maffa facta epargilla rubea oulci aut nigra: t fitfinolutio ci? quo inol uis ca groffitudinis vni? digiti: z poe ca fic inolută în furno aut i athanoz obi fint prune icefc, tibi dimittetota vna nocte vel plo donecfit affata pafta. z copleatur decoctio et reolozems fiat rube. Dei de aufer ab igne v fine ifrigidari v aufer paftā q inolnisti cā z cosidera si videt tie bi bene assata, ita sc3 vt sit mollis tractas bilis, Gi ergo ignis copleuit op? fuñ i ea bene. sed fino: coquer iuoluta pasta vel argilla quico fit equaliterp totu affata Nă nufi bene affet remact i ea acuitas ma la quocet ftomaco z vetri valde z facit vomitu z naufea, Mulcrafis i fernitoze Semma q coiter aduruf füt ifta fegntia, Bortulace.

Hafturch

Altee

Mantaginis Žini Odirti

Anifi Carni

I

Decomnia femina adruntur ficut aduris

Zbus Zbirus

O Er thurisaduftioe accipit fumus ei? t co vrimur i medicina, t cins modus eft talis. Accipedethure bono r claro race cede cu lumine cadele z pone i olla trea vitreata quousos coburat veide coopi ol la subitovi colligat fum post cobustiocs ci?, qu'il no opiles ollà: inbito concrete un cincré. Et funt qui boza cobustiois co opiut olla cooptozio eris babete culme ad colliged fini ci?, veru forma colles ctiois fumi eius e q apprehed as fruftu thuris cutoto suo cortice cu forficib? et appoe flame vt accedat, z pice i vafeter reo paruo qo babcat co optomi er ere de licate factii. Et no oportet vt tu accedas granu fcos atem extinguat granu primu. Et opoztet q cooptozi fit talif fituatu fup os vafis o cognofcat qualit z quatu colligit ex fumo et coopculo: re q tu it ponas lapilli iter labiti vafis z coopculi tante groffitudinis vt p illa diffatia vide repoffis collectors fumi e roza fup coop tomi cli spongta vel pecia madefacta i as qua frigida ne cooprozifi nimis calefiat t mgat on fum? cu alio, na fi b no fieret fum? ppter caloze coopculi couerteretur ad iferioza z musceret cu cinere olibani z

non colligeret tantii. Et boc modo adu) runtur mirra t ftozar tgalliat oes gumi a que volum? fumu recipe, IB, i futoze J Sozma coburedi tyzos talios serpe tes. Acape ferpetes tyrias feminas qui funt rubei coloris: 7 baber caput extefu Tvenare cas in byeme i locis vbi funt po peaquas tarboies: t põe i olla noua et luta os ci' cu argilla z pilo z mitte i fur! no nocte vna, & forma coburedi caput tyzi eft ifta. Accipe de capitibotyzi ftatum polt abschione con ablo pfaliant t po nei olla fictili vitreata zinolue ca pafta: et poe fup ignem er prunis, e no ops @ coburatur.ita o frant ficut carbones: fed remaneaticis aligd humiditatis: ita @ possintteri foli z cribzari, B. in fuitoze Thecobelt cotra dicta o coit practicates ficut auicena ca. de lepza, zgozdoni?i ca. de tyriaca, t ceteri preeligunt tyros q ves nantur in moribus t loge ab aquis: t vo lunt o deber venari i principio effatis qr ipfi boc itelligut quo ad clivatoem, quo ad adultione vero debet eligi ficut dictu eft er itentioe. 28. i fuitoze, qz p adultio ne buiditas cox fupflua qua acqfiuerfit abags ratpe bumido fatis confumitur Hitrau Hiride eris Attreolum ?

Taura adurit fic, Zeratur zponat in crufibolo z ersuffletur fortiter donecadu ratur. z fi no aduritur bene iten ponat et exfuffictur quatu opozta, IB.in feruitoze probat magn? anesoar.fcd oicit o opoz tet ipmongi cu lutra id epice fubtili deis de calefieri z igniri z ignitu extrabi cu te naculis z fubmergi in aqua frigidiffima. pofteatergi titer vngi tigniri tiaqua. ertinguific faciedo fepties,fic em dicit ip fe pprie 03 denoiari vitru cobuftu. Attes de tamé o quanticuo vrat vitrii crufi bolo tame adduc femp ramaner fufibile: necptale aduftios remouet ab co fufibi litas. z fic videt on no fit combuftum. Si qui tame combultionis eius eft q eft in ter digitos teribilis z fragibilis faciliter cu digitis, z poteft i subtilissi imu puluere redigi quaffeffet cinis qo no cotingit de vitro qo non est combusti. Ad quod dis ligenter attendent apotecarii.

Tairide eris fic coburit. Accipe de ipo zpone i patella terrea sup igne z misce quous videas colore et mutari ita qu vertatur ad colorestuthie, z postea auser ab igne z sine tepescere, z collige z sers ua z vecre. Bulcrasis in servitore, B

異な

the state of

pa cat

100

ıfα

2001

127

ηń

Ú:

9

Watreolum adurifficut atramentum cuius eft species. Bularafis i seruitore. yundines ylopibumidum Toma aduredi yundunes. Eccipes

pullis yrundinű anteg nafcatur i etf plu mer pone sup eas modicu sal'r ponatur iollanoua q cooperiat z lutet: z ponat Supra prunas vel in furno panis donec coburantur. t ferua t vtere. Bul. Topi bumida iic adurit. Bone fup

igne i olla noua zoimitte ibi donec fiat fic cinist igroffet piguedo ci?, t funt q re cipiunt fumu ei? Bulcra.i feruntoze,

Lapitulum tertiñ de forma extrabedi medulas a feminib fine de mo excorticadi femia r radices

Quibulda feminibus debent extrabi medule pufo ingrediatur positione:ita o sola medula co rum vtimur:vt funt Teme cartami, quats tuoz femia frigida maioza, f. cucumer] en curbite, melonum z citruli, z fic oci alija quis interdi cii cortice debeat fimi poni i medicia aut folo cor corticevilmurant falte pricipaliter vt ex femie fumac prici paliter cortice vrimur: vt dicti est superi us in libro prio ca. de feminib?. Similif etia funt alique radices z aliquiate q de bent excorticarity folo eop cortice vtis mur de ques supra libro prio ca. pprio. T forma no extrapedi medulas a fes minub' eft talis. Accipe be ipfis t purga a supfluitatib?: t si babeat aliqua bumis ditate: ops q desicce in sole, Deide pos ne i morrario e frage leuiter cortices et? Tfrica manib? quonfepfeparet corter a corde, Deinde cribra paulati cu cribro fa cto ad boc.qz coz et?befcedet: z cozter re manebit fupra cribzu, Et funt q auferunt medula et? cu manu figillatis z colligunt coz etoci forficibus paruis vel cu vuguta bus. Bed boc op? e magni labozis: z no potelt fieri er eis mil modicii, z prior mo dus est melioz, Bul, in futtore. D' Aliq th femia excipiunt ab bac regula: vt funt femia cathapucie, fizăi amigdale pignec de quus seriati dicedii e. Seme cathapu feminis cathapus cie fic solet extorticari. Qui accipitur exar boze fua recens:eft difficilis separatois a corticefuo. In qualtifim excorticare fine labore: ops & extedat in fole calido Toimittat tota dies T moueat boza post boza:qz qn fol calefacit grana facit cres pare cortice illi ab oi pte ei?, z egredi fac gna ei?, colligat ergo gna q egreffa funt The remaneat aliq grana quo fint separa

a cortice fricentur cu manib? vel cu pano afpo donec egrediatur mudata. Et fi ali qua inde no crepuerit:ponatur itex i fo le donec crepet t frat vi pus, fa fi cges ex corticatoe con ibreuitge pone patellas fup igne donec fit ppe calefactoi z aufe ras abigne, z ponegrana i car mifcer fit caloz patelle aliquatula fortioz caloze fo lis, sciderur ei fic cortices z egredientur granaivez ad auferendu cortice ei? boc fcoo mo est labor magn?, Tpp boc multi extrabutoleu ciabiq b quuferat cortis ce illi. z q vult auferre cortice no by iges mualio nifi mudado grana vnup?jaliud aut aquaffet ca leuit ficut dictu eft de cre corticatoe femina i gnali, ver boc modo ipfa adberet fil'z conglobant ppter nis miā humiditatē coz quare op5 ve teran tur leuiter z paulatī cū leuitate magnaz ingenio. Et fin hāc formā op5 Q terātur grana laureole è bacceoes: qu'iunt ppe figură con. B.i fuitore. (Brana do fi sami ficoebet excorticari. Accipe de ifil t purga a fra fi fit: t abalns fupfluitatio bus z pone i vale fictili cuaq frigida et Dimitte p nocte r i mane cola. z Dimitte ficcari pap ab humiditate ag z pone i pe cia lim forti tiga os et?, t pente fisamus ab oi pte et? bonec excerte toth t price i vale. zpijcelup ipm aqua frigida z misce bn. z cuvidebis cortice ei? natarc i fupfie cie aque projecaqua t facita bonec mis bil remaneat ex corrice, beinde ficca zfer na necessitati. Bulcrasis in servitore. Codus do ercorticadi amigdalas pigneas nucest cetera bis filia talis eft Dia ista exconantia qualida z boc e no thoibus, t funt q ponut in aqua frigidaz fimilium, p nocte z i mane excoriat, z funt à ponut patella fup igne parun quonfos excorie tur. Et funt à sepchut qui recetes colligit

Lapitulum quartu zvltimu de modo extrabedi musculagines a radici bus t feminibus t gummis.

corde palio modo, 18. in feruitore,

tur i patella ferueti quiticcadit corter co

dice ple paffes cu malleo ferreo puo: que talt mo citius e melius legabit conter a

Quibulda feminibor qbulda radi cibocurabutur mufcilagines:qua rus muf claginti puenies est vius imedicia.vt a radicibor feminibomaluet bifmalue.t afeminibopfilin.eitoniop.fes nugrecialini malue, bilmalue, z fimilium

Excorticato gra neuffsami,

Excorticatio a = migdalarii pig= nearii et hotum

rfi supioz. B.i fuitore. C Bomodus ex Excericatio ra corticadi radices talis est, Unaquagora dicum,

inis cathapus cie riaureole,

quorum omnium vnus eft modustalis. Accipe de ipfis quatum vis: 7 munda a terra ta qualibet re extranea, t pone in olla munda. z ponefup ipfum de ad mus da calida lbiin ad vnaquam lb.femmis vt plili vel fimilia aut plus fin qo tu vo lucris purgue effe mufcilagine aut fubti lem: Toimitte fimul proctem, mane to calefactas parti fup ignem z proficias in marfupium factii extela lini forti z grof fa.tltringe os marfuph cum ligamento fortiter ne aliquid expfillio velalis fee mimbus lubrifcet, beinde eum fufpende Super orificing olle pitreate z poute mar suptum ab oi parte eius cu virga lignea vel ferrea subtili.z qo egredict ve musci lagine trabe mulgendo ad inferioza cum virga bonec mufcilago descedar in ollaz Tfacidoonecmipil egrediat a marfupio Deindediffolne os ems z liga itez ma gis inferius a loco in quo ligafti pus t p cute iteru cu virga quousque egrediat to ta musculago. Hamsic semina egrediens tur sicca totalis ex marsupio cu boc artis ficio, Et funt quam qui ponunt fup femi na aquam calida: r miscent bene, r pos munt in pano vel cribro. z premut donec tota muicilago egrediat. (A quibufda etiam gummis vt a gummi dragaganto: z a gummi arabico extrabuntur mufcila gines anus modus extrabendi notatus eft in capitulo de ablutioibus. Et in boc funt liber primus de limplicibus z coru preparationibus.

Cfinitliber primus.

Incipit liber Becundus

S. of the supply of the

Control of the State

Irimus in libro pmo befimpli cibus quibus dy effe munitus apotecarius: t de cop pparas tionibus. Confequeter in boc fcoo libro fm.ppolitu ordine fupelt anti dota describerevinalia nuero in bic plus ra describent di apotecario necessaria vi deatur. Idaut maxie fecimus qui in ple rifo regionibalique ofectioes, offpens fantur q no alibi oficiuntur. Et ergo bic noster libellus nullibi videat diminut? coucnies atos ydonen cenfetur plura de fcribere of fit necessario cofis cere. Proponim? afit in boc nostro libel lo ofat singula atidota describer qa 304 filio Def. va Micolao in fins antidotas rhs descributur cum quibusda alhs quo rundam antidotoztű viualium beferiptő nibus vt in bifeurfu libzi facile videri po terit. Et dinidetur libellus ifte in partis

Barticula prima crit de quibusdă ge neralibus notandis circa modii cofectio nis ătidotop. In reliquis particulis de scriberur atidota. Que pricule dinidetur fim numer vigintitriu ifap minoris als phabeti: p quas incipiut noia antidoto rum in poenostro libello descriptorum.

culas vigintiquattuoz,

Dums particule prime erunt capitula videcim.

Capitulum pmű bediuerlis modismes dicinan compolitarii in generali penes quas ars conficiendi dinerlificat.

Capitulu scom de cosección de solidis e electuarias: tá lacatiuis e no lacatiuis e opiatis. trociscis e suffus e locto e politicapitulum terrium de sirupis

Eapitulum quartum de pillulis Eapitulum quanti de emplaftris t cero tis t unguentis t alijs medicinis q exterius applicantur,

Capitulum fextum declifterib? z fuppo fitorijs communibus.

Capitulum septimum de triturationide medicinarum simplicium exquibus pre dicta componuntur

Capitulu octauu de decectionid fimpli cui q'ingrediunt copolitione predictor. Capitulum nonum de analogis medicia libus quando p se ponuntur pro quibus stant t supponunt.

Eapitulü vecimü ve pmutationiv medi cina z fimpliciü ingredientiü copolitoes pdicto z vt. f. fi vna no vabeatur quaali am vebem accipere z capitulü ilto fols alio nole intitulari capim ve qd pzo quo E Capitulu z vltimum ve ponderivu s z mensuris quibus debent poderari e mes surari simplicia que ingrediuntur coms positionem antidotorii.

Eapitulum pmű de diuer sis modis medicinar copolitar i gñali penes quas ars conficiendi diuerificat Edicinarii copolitarii alte lunt m quicitur cofectiones solide: et alte electuaria: alte opiate. As lie appellantur vulgari noie codita, Alie vocantur looth, Alie sunt firupi, Alie tro cisci, alte suffur, alte pillule, alte eplastra, alte vugueta, alte colature, alte clisteria, alte suppositoria, ques quomo a qualit conficientur tenetur sure apotecari? cos fectionarius. De quidus insillatim/per

ordunem dicamus,

Lapítulum fedm de pfectio
midus folidis velectuarijs tam laratium

pro laratius vopiatis, trocifes, fuffuf
looth veonditis.

Onfectio z electuarific interfe differunt. Bio que cofectio eft in plus o electuarii. Eft cin nome coe ad electuaria que ad forma folidiore reducitur, Un cofectio pprieide eft @ copolitio. Scoo qe electuarin pot fieri cu melle vel cu succara: vel cum viroqsfi cut fepe fit, Cofectio verò cu lola zucca) ra. Zerno que pfectio in folidioze substas tiam reductur o viterioze decoctionem Q electuarii. Bem oyacitonite z filia ele cmaria q cu melle conciuturad folidiffi ma forma reducatur p decoctione vt din tius colerucit : th femp confiftunt cum mollicie quadam viscolaiqo i natura co, fectois succare no conenit. Quarto quia ad coltructione electuariispectes q'i co positione ipsius ingrediunt ouplicatur in pondere, in cofectoe vero minimuntur: proelectatio pfections fit maioz z bilpli centia minoz, Decoia notamit de verbo ad verbū rpofozus georgius de boneft] fup antidotazio, inch. Jurta pdieta no tandu prio o mel qo ponit in cofectione folida ant in electuario os ce politionatii duabus coditionibus, Poria eft pno 03 parti occoqui ne remancat aquolus, See cunda eft q no os effe numis coctu: feils vlos ad duncie led mediocriter. Et alii addunt tertia condito em fez q tit bii del fpumati. Bignumafit decoctionis bos ne eft qui mel orgitis adberet: 2 qui pofitii fupra lapide t frigefat icipit infpifari. Aduerte tamen of the electuaria of confectiones of fuit in byeme debet plus deco qui quile q fiunt in estate, Dec oia nota uit faladinus ad Ifam in fuo copedio ad aromatarios. Totandusco o ppter boc qo conter ponit in receptis corectio nu t electuarion mellis plufficit t such cari o fufficit o antiquis i cofectoibus folidis aut electuaris ponebant i quali bet lb.mellis aut zuccare, z.nn, aromatu aut pulueru: 13 minoz quatitas aromatu femp regratur in cofectoe & in electuas rns. 35 bodicrnis tpib folum. 3.11, aros matu ponunt in electuaris: 7 min'm co fectoibus, Apoforus georgius vol. 8. et boc fit ppter duas caulas as reddit faladinus voi, 8, Porma venegultui oc lectabilioz Scoa ne fua pozribintate idu cat pariete ad naulea, Inuemut thi aliq cofectoes in quis ponunt, 3,14, aroma, tū in lb. succare; vt in dyafatirione vi elė ctuario de gemis, z etia in byeme semp plus dy pont despecteb? 7 minus de suc cara o i cftate, Sala, tbide. Tlotandu terrio vi videat ocbit? modus coficiedi electuaria folida aut ofectióes mfolida substatia fine fint lagatura fineno q pul ueres con debet coplere von teri preter of ille q excipilitur de qbusifra ca. detri turatoibus, toebet teri t milcen cumel le despumato ant cu suc. modicu cocta-Et filt pferue fi ibi intret, et fi ibi fint gu me quo poffint puluerifari cus pifteilo calido in moztario malarent z icozpozes tur. velotifoluatet decet t i moztario foz titer malarando fil cu alno incorporent. Thibi miret fucci deficcati deber pulnes rifari aut diffolui: z ad vltimu ponificut funt cappora.opui, tilia, Bi do fruce intrêt debêt ten z îcorporari cu cofernis melle vel zuccara. Si ho oporteat faces re occocroesvel infutione aliquor ochet tales infulioes vel occocioes trep occo qui t phumi ch succara aut ch melleige p tales decoctoes ledas virtus medicinas rūtrāfit in mel ant zuccarā z cū illis cos fernat.vt notanit getilis fup pina quare ti cap. de cura februi putridan i generali voi loques de firupo violato i folutocicu inida argumen dicit q cu fit firupusylo latus de violis recetib? Is decocho cofu mat de bumiditate violar lentina mbis lominorequat tata q fufficit ad lemficas tione. Et subdes arrigintali decocride fit trasumptio r digestio humiditatis lu bricatine i succará z in aquá: z ep cu illis

plernat. Si radices ibi intret oportet & becoquant z con decoctoes incorpores

ur vi dictu e. Et fill dicendu eft de fuce

ris. Etenim medicina opiata vere vicit electuarium in quo ingredit opin vi ma dragoza vel cofimilis medicina brute cu ius to llitur fenfus a meszo z fpus igrof fantur tipfop transit ad mebra phibet Et fimiliter etiam de tooth cenfendu eft Est cfi looth electuarin molle go lambe do tranfghititur. Zrocifcus vero ide eq confectio rotuda feu cofectio facta ad fi mulitudine lupinarem. Conficiunt autes trocula ex dinerlis pulneribus cu aliquo bono liquoze pel cum fructibo aut fuccis ant ağs ant gümis diffolutis z malara tis ant cü musculaginib'z debet ficcari i vmbza vt poffint puluerifari chi op? fues rit, Sic cm bin confernantur, Bed fuffuf idem elt o puluis fubriliffimus: redact? adfimilitudine atbomop, qui i radiis fo laribus apparent, t marie in aromaticis thein forma pulneris preparatur. Bul uis tame limpliciter plat'oiffert a luffuf vel genon fic affumitur ve fuffuf vel ga puluis est fimpler non permit? er pluri bus rebus. D'Eondita vero seu conierue funt illa que cum melle t succara confis cuntur cum lem decoctione ad ignem ve positione ad solem vt bumiditas supere tur, Doccum modo melius confera mantur. Christoforus georgi?vbi supra Bult tame gentilis expecfic, prima quar ti capitulo de cura febriti putridarii in ge nerali, Tiup onto canon, autc, o codita que frunt ex floribus ficut qo de rofis de violis de florib9 borragis: t bugloffe t fi milin debent confici per ex ficcatione ad folem eno per decoctionem ad igne, Et in boc inchit cotra malos aromatarios adqo attedat apotecarij, Etin. 3. n. flozz viridii debent poi, 3, vi, 3 uccarev mellif Tochettales flozes teri Ticozpozarica melle vi cuguccara z postea i vase vureo pom ad fole pringinta dies. (L'Etfimi li mo fint conferue de berbis. Sed cofer ne de radicib? vel de fructib? fic fint. De bet lauari radices poftea buliat z cu mel le pl'succara clarificata mittatur: 7 puls ueres alif fi q thi funt ponatur in fine; fes postota aqua est consumpta.

Lapitulum tertido firupis zinlep. rob. zvinis i boteca confua dis Elepoiffert a firupis compositis Prime qui firupus longenus coq tur quilep. Julep enun per deco ctione non sicad tenacitatem reducitur ficut firupus, Sedo qui ilep abs permi pride alicuius decoctiois componitur: z

non ficfirupus:vt eremplo patz beinlep rofato vel violato, Birupus tamé aceto fus locum medin tenet inter firuph vez Tverfi inlep. (Rob vero e fuce perbarum vel fructuf inspiffatus ad ignem ve folem: quando permutus cum succara t vt plurum fine upfo. Large tame omis fuccus poteft dici robub, Sed pprie fuc cus fructuus a medicis dicif robub. Rob absolute prolatus: ide eft @ sapa. Hinti vero a medicis loquedo de vinis q cofer uantur in botecis apotecarion, ficut e vi nfi maton granaton proprie cht fuce no infotfat fructuff vel flon à confernatur tempore necessitaties. Curca modu ofc ctionis istor of aliqua notare apotecas rius. Primo deb3 notare darificatoem ipfoz, Scoo 03 notare modii colandi ip fos toinerfas colatorion formas. Ett tio och notare occocione aliquo peop et firupoză iulep rob t fimilia. Et quare to debet notare modurepofitois aliquo rum eou vt vinozum. Et quinto deb3 no taretempo proprium ad predictas potio nes conficiendas [De primo notadus de itentione nicolar in atidot arto fuo ca pitulo de firupo rofato. (Quado firus pus rosatum clarificare volum? z gnālit eriam omne alium strupum vel iulep.ac cipimas albume out z cu aqua frigida ta tuin concutimus o fpumefette ulla fpus mam confpergedo i firupo buliente profi cimus, Et cum illa fpuma quali mgrefce reinceperit fuaniter cum caffia remouea tur z iterum aliam infüde: z fac boc quos ula darus fit. Et pariformiter etiam de bet fiere de ommi qu' debet danficari fus pra ignem vt de rob, () De secuido scilica de diuersis formis colatoriorii per que becocioes & potiones ocher colari &q modo per qo umut etiam alius modus clarificadi ipfozum, Notandum q iltorii colatoziozum tres debet effe forme diner fe. Brimum colatorius debet effe minus o fecumdum, v pannus erquo fit 03 ela fe rarioz. Et fecumdu colatozui ocher effe mains primo t pannus cr quo fit 03 cf fe fpiffioz. Et tiu colatorii os adbuc efa fe mains fecundo: t adduc er pano fuffi ozi. Bulcrafis i fernitoze. Expotecari th nostri bodie prentat vno colatorio cu pno em colatono infficier colar firupi p clarificatoefi i occoctioe con clarificet cu albumie ouou vt dictue ficut coit fit B30cmo clanficadi zcoladi firupos p iftatria colatoria fi qs veller ita darifica re z colare notat. B.ibide o q vit clari ficare alique firupu:oportet poit qu'p

Elarificario fin

Diuerfa colates ria firupou rino dus colandi, De kognofeeda pfera decorride firapos

23

の道

Demodo bepos fitionis succourt vinozum,

Detempe q des bet fieri firupi et sliepotiones

fectam becoctiones que coletur i cribrello facto defetis. Deinde fuspede colatoria oia vnii intra aliud: [c3 paruii îtra mediii z mediű intra maius, ocide ponáf in par no folia citrop vel palmay cotufa bene puluerifata:aut de letis eq bii ablutis et impleater eis qfi medietate colatonop tfint colatoria diffatta ab inice otitates tri digitop: T fulpede colatoria in parie te e suppone cis vas adrecipieda qo cos labit deide infüde intra colatozifi pzimus que superius potione coctà velidad vo meris colare to imitte fic colare p fe fine aliquo contactu manus, qe descendet de colatorio primo in fcom: z descoo in tere tin. Et fi opilet aliqo ex colatozhs a grof ficie decoctiois,ita o non descedat craq aliquid, oportet o effundas qo eff i co er abluas ipm a grofficie illa z poftea remit te decoctione in co z dimitte docc clarifi, cetur & facita donec defcedat tota occos etto zpijce lubftantiam cuis z vtere des ctione darificata, I Detertio: 103 de de coctone iplop, actedat in primis oiffere tia suprapolita in principio capituli iter firupu z intep: fc3 o firupus logenius de bet decoq @ inlep, Berfecta aut decocto nefirmpop oocs mcola cognofcerei and tidotario ca.de firupo rof tribus fignis. Primum fignu e qui gutta firupi adberet caffie fen vafi. Bosingni e qui facit quifi la fi cum digito tetigeris, Et tertiu lignu eft o gutt a polita lup marmoz vel vngue no offundit. I Dequarto. 103 de modo repositiois aliquor vior fine succor no inipifiatop. Attendatur modus coferna tionis iplop pofitus a. Obefuci antidos tario diltinctione quita ca.ifuffois rofa, rum & violan voi loques de confernatoe ipfins dicit fic, Si cofernare volueris po natur in vitro fricti orifici z orfittet ole um in orificio cius tftringat caput ipli? z erponatur foli dich? quadragita. Doc em modo oes infufiones t fucci coferna tur aut colernari poffit. De quito.fc3 detpequo deber fieri firupi zahe potio nes pic lupra noiate, Zenendu e poebet fieri tempore quo plate er quis fint funt in diute refficacia: de qb fup notati e i libro pmo de tepoze collectiois plataz,

Lapitulum quartum de pilo gliule debêt fieri er melle despu mato vel cuz aliquo firupo, vi cu aliquo aliquo aliquo e glutioso z pul meres à idi intrant debent essegnificaes qui itrant in alique cosectionidus, exce

ptis pulucribo lapida fi ibi intrent, lapia des em bebent fubriliffic puluerifari, Si aute gumme intrent q no poffint pulues rifari debent malarari cum piltello calido aut debent diffolm i aliq liquore, z icoze pozari cum melle z pulucrib. Bilit etia fi fucci intrent.oebet oiffolm t icozpoza rificut gumme Gi fucci virides intrent: debent pont cu melle despumato z decog vice ad confumptione , z fimiliter mulci lagines fed debent effe i parua quatitate Eirca piliulas aliq debet notarcapo tecarus. Pamo debet notare modures pofitiois piliulay, Scoo 03 notare mos du propinadi pillulas. Et terrio debano tareigto nucro debeat exhibere, J De primo fez de modo repositionis pulular attendat cois modus z vbicz generalis fc3 o feruentur in ainta, Aluta enis de fe non cft porrofa,ideo virtus ipecieru que intrant pillulas no fic de facili refoluitur eft cua tenuis, vude caliditas aeris meli us erficeat maffam in aluta cotetam qua renon ficoisponutur putresactioni t cor ruptioni. De scooses de modo ppina di pillulas a liqua apotecarius debet ato tendere quantum est er officio suo sin pro pinatione non folum pilluraru veru etta muas. oim laratmoz. Attedatur ergo primo re gula data abanic, grta pami i ca, ochis q perquireda funt in ains locis, Auic.ca, dedispotionibus medicinar ventre fol uetin voific dicit. Billule preterea ad bi bendu,id eft ad traiglutiendum o andeno funt posto desiccate funt tfactefucrit vt lapides nees etiam ch funt molles nepe netrent z retineant, fed fint ficut quando inceperint ficcari, a a digitis cedat fi com pillule aut etram quecug alia medicia in qua intrant dinerfe medicine lapatine de bent propinari quoufe fint bene fermen tate, Ande Anic, ca, de dispositionib? me dicinaru vetre folnetiu, oue preterea me dicine que counguntur, quaru vna fuu humozem cito expellitz altera tarde, vna ergo fua operatione efficies posto ia al teram etiam in suo bumoze compressit et operabiturin ipfam, zei? debilitabit vir tute. Lucy fcoa post operari ceperit ent ocbilis virtutis mouens t non perfectes quare erit aliğd adınıf cendü qo ipfam fa cilem redda: Tfeftiare faciat ficut 313iber turbith, qin ips lapefieri non permittit, Et fimilit frat fi cas bene feineris admis fecre, fez contritione finni i moztario et temporis dinturnitate, Lemporis cin din

Repositio pillus larum.

Abodus ppinte dipillulas tocs medicinas lapad tuas. Modus accipis endi medicinas

Albodus accipié endi pillulas.

turnitate fpeciep virtutes comifcetur z confurgit cr bis vna virt? fine forma mi eti debite fermétata. Et capto de regulis coibus vomitui Tfolutioi vetris ficoicit Dzetercavetris folutões facientin detes rioz e q er incdicinis est composita multe diverfiratis in the in quo foluendus e ve ter te. Hon ergo tune funt ppinande fed debet expectari vica ad can debita ferme tatoem. [Attedendütertio @ apoteca rius accedens ad infirmu caufa ppinadi pillulas aut alias quascity medicias so lutias fi medicie tales fuerit fecessine 03 illas ppiare facie leta ne pozroze inferat egroto, e ne de medicia feceffina fiat vos enica, t vomicas os ppiare cus borroze. It em fept? de medicia feceffina vomica ppter borrozel qua by paties de medicia qua fumptur? e.vt Auce.quarta pmi ca. de regulis coib voitui z folutioi vetris. Defue libro de cofolatioe medicinana ca. d electroe medicinan q fit p coprebe fione indicion ipfarus em poffe ipfarum Et ppter B. Huice. fen quarta pmi ca, be fermone i purgatioe vetris z regulis ci? doces coneniete modii ppinadi pillulas ralias afchas medicias folutinas dicit m fi que er odoze medicie terret cu medici na bibit nares coffringat. Et q medicina abborret 05 mafticare partier tarco ideft piretro ideo vi fini ozis ve odozis de ftu pida fiat. Et fi vomere timuerit extremis tates coffringat. Et cu ipfam biberit des fuper rem ftipticam bibat vel comedat aut faltem fecum tranfglutiat aut mordes at in pomo vel in piro Tinccii trabiciat fubstătia cius grosfam expuendo vel tale ad faciat aut ppinet odores fedates nau feam ficut eft odor mente.rute aph.citos mion aq rofan cu pauco aceto. Et doces modu accipiedi pillulas fic bicit. Odedis ci pterea pillulas quas cibaturi funt que dog in melle volufit. Et quadog fuper eas priciunt mel coctum aut succarii co ctum aut supple firupum bonec ei faciut tunica. Et iteru fubdes ait. Er co quor qo eft vtile ingenin eft vt fup eas ponat cera cli panco olco mollificara. Et er eo qo emagis coucnies ingenifi e prosaq aut altare impleatur, deide pillule ficut funt bibantur fup ipfam aut q aliquo bo rum ingeniop aptate fuerint. @ Attede plare apotecari? egroto famelico ne effi ciatur secessime, vr aucena z mesue locis supra allegaris. C Attedendu quarto q fumpta medicina bebet precipere apotes

carius egroto ve quicleat per temp? Ifi medicina fuerit ex fortib? z violentis.de bet fibi precipere vt dormiat. Tfi fuerit er debilib, melius eft vt non dozmat, quos niam fic natura digereret medicina. Qui escat ergo pacies boe modo: o o ecanima cius ledetur. Et fi pedes patietis fint fre gidi:precipiat apotecani vt calefiat. Ci B ala patietis fuerit fedata, precipiatfi bi vt ambulet e moueat quonias motus tuc eft imuatin, t bit precipiat ei ne bord miat quadiu medicina operat nifi fuerit voluntas reftringedi, z tunc intungat fo num patietieve Auicena loco supradicto defermone purgations vetris tregulis cius, Et precipiat etiamfibi ne ad min? perquincy boras aligd comedat aut bis bat nifi vbi ftomacus effet colericus z fis meret ne descedat cito colera ad ibs aut vbi patiens effet famelicus zinanit? a lo go tempoze. timeretur de virtute ne fuc cumbat. In bis em cafibus vit anicena o antem medicina operef q bebet bari pa rupanis in pauco vino ifulfi.quonia boc eft ico forfită o medicină adimuat, Doc tamen non deby confulere apotecario er fe fed boc ad medicum spectat, Thec obest cotrarius vius i baccintateturon, apud pilularum ane vulgh q exitentioe vt fert clariffimi dos abum ctoris magistri pataleois de versche ba bet de ppinatoe pillularu ftomaticaruin introitumefe quas appellat pillulas ate cibu. Obod em ille licet videat alighter cofozis ratioi Toe itentioe aucene cap. de regulis comunibo pomítui e folutioi ventris cui pecfut iba ad littera, Et fcis to o facere nature cofuetudine leutatis z obediencei qo vis er folutioe vetris et vomitu facili antem medicia def ant vo mit'efterregimunb' aperietibus vias: Tiunantibus fupple natura ad digeredis bumozes, Od fentire vifus eftille vir pro bus. B.oc motagana i fuis cofflis par ticularibo.cofilio vicefimo feptio i de nu tritinis in cap. de regimme per medicinas vbi in quarto regimine polto feripfit qo dam electuarum lentinu fic inquit. De B electuario patiens vtatur omni die parti ante cen am. Et fubdens aut. Et betur ad lemendum ventre ad boc vt digeftuum id eft firupus digeftin quez preordinautt connemerius operet. Et expressius boc fensit anicena ca.de aloe voi ita scribit ad littera. Et quado affumunt de eo i ma nez in fero pillule permitte cum rectifica tibus ipfum foimunt ventrem. z no cogra punt cibus, Caucant tamen apotecarn ne

De ppinatione

Atum modum propinadi pillulas teneat z propinent.bec em fentetia videtur pro bleumatica nec adbuc ad plenu vlog i bo diernu occura e. Ca aute q pala fut z in qbus oes conucmut tene; q vero in dubio funt, z in abus diffentiunt obmitte vt Jodam affor. D Etmod? alius ppis mandi ipfas, z etta quacuco medicina fo Intina. sc3 longe a cibo ve de claratu e:eft fecurior & magis confuetus. t no credo ofi croibcanturi dofi fufficienti quofit erroz magn? illas cu cibo exbibere, faciut em agitatóczi Itomaco z pturbatócz ma gnā. Inquit em melue libro de cofolatio nemedicinan ca. scoo de electioe medici narū q fit p coprebenfione indicion can Fin poffe ipfar attractio bumor p medi cinam no enti ervenis tocculus ducti b? corporis docc buiulmodi bumor ena cuadus adftomacuz inteffina repat,fto maci vero z inteltinop natura granata monetyteos extra pellat Ideanic, ca.fe pius allegato de regulis coib? voitui t folutioi ventris. Ista itach attractio bus mou pret natura e caufa debilitatis om niu vtutu fromaci ptero expulfine: T fic eft caufa corruptions aut indigeftions cis boziffomaco, tic maiozis agranatois nature quare fortus mouetur t cotra ci bū t contra bumozes, Btia medicia aut vapor emfalterat cibii no folii alteratoe fpűali:fedrealigmutado ipm a propria natura.quare postea iducit nature viole tiam vnde natura conaturips no oigeftu expelleretano nocuum, O No ergo ille modus effet regularis fi barent pillule i dofi fufficieti e acciperetur quatitas cibi talis qualcy folet conter accipere boies i prandio aur in cena, boc excepto poffent accipi medicine i dofi debita, Qo esprefo fe fenfit. Ant.i lo cis preallegatis, fez i ca, deregulis coibus vomitui Tfolutioi ven tris. voi ad pricipi caplificiquit. O por tet yt illi? cib? cuius folued? e vent par trat.vt qo ci in die fufficiebat multis cos medat vicib?, Et in ca, be fermone purga tiois vetris et regulis et ita feribit. Qui medicină bibere volucrit calide existens coplexiois rocbilis fromaci eritei meh? prea bibat pofto prius biberit aliqd qo fit ficut aq order, aut fuce granati, aut vt vniuerfalit oica cu ftomaco receperit nus tries subtile e lene fed q ita no fuerit erit eimeli? pt eas iciun? bibat, @ Ab bac er go ppiatioe pillulan immediate ate vel post cibu caucat apotecano nifisit de pre cepto expresso piti medici q ex causa fic

di;

ut

015

ath

BH

NIC

000

gj

p

ppinet tales medicias, ficut refert ille bu go fenenf fup arta pmiauc.cur becfüt verba ego auté puto q no fit ita regula-re pare medicias folutias cu cibo z ideo no do nifi ex caufa Dec auté oia mari me veritate babet de medicins laratims p feceffa quoemedicinis vomicis fec eft Debet em tales propinari fupra cibil etia ftomaco repleto cibis t poribo omerfis, Er bacem oispositoe accidir ftomaco ve expellere defideret qo in co eft fuperius: pt auic,locosupradicto, deregulis coib? vomitu a folutioni vetris. [Anededu vltimo ppt coes erroze apotecarion no ftron o no femp eft coneniens post vius pillulan aut alteri? cuius medicie solus tine accipere lanatini vt coiter precipint apotecari noftri patietibus o p boras ouas vetres etia anteq medicia iceperit operari, precipitit citi accipere de brodio pullicant de pureta pilozant de aqua oz det cu succara t malege fic impedint ope ratione medicie ppter aglitate illa multa per op diffundit medicia. Air? en imdiffu la remifiozeft, aggregata vero fit pluris pt Co efue ca, De electione medicinan que fit per copreffione undicion carti fin elle proprium. Scoo quia remitrif color na turalis ppter aduentii butulmodi ablicr fiui quare non ita bene beducif medicina De potentiaad actum, Ettertio qip ei? abiterfione remouetur medicina a loco fuo, vndc non fic deducit per calozes no ftrum Depotencia fua ad actu. J Berus eft tame q interdum contingit q poft fu ptionem t operationem debitam medici ne violete remanet odormedicine gfem per é causa solutiois maioris édui rema net in tali calu vbi luperflueret operacio precipit. Aufcena vt octur aqua ordei q lauat ftomacu et abstergit fed boc facere no spectat ad apotecarium absor cofilio medici. Etifte eft modus conneniens p pinandi piliulas zeria quacuas medicis nas folutiuam quatum eft ex officio fuo T Detertio, falicet iquoto numero be beant expiberi pillule, die o no e vis nifi propter imaginatione oumodo fit pons dus toofis conucnies, Contingiteni in terdum propter falfum babitum be mint ftrado pillulas i ipari numero qua vuls gi adberet fantafia i numero impari qui fi propinentur aut non operabunt aut in debite operabutur propter fortem imagi nationem que cooperatur,

Lapitulum quintum de em-

Erroz cõis apos tecariou, plastris e cerotis e vnguetis e alijs mes dicinis exterius applicandis.

Jucrfi funt modi medicinarum q externs applicant. quaru cognid tio facilis perbos verfus baberi potest. Tune embrocam? cu membra liquozerigam?. Zunc cathaplafina facis cum fuccu pois therbas, Dicitur epithi ma de fuccis vnetto pura. Odembraco fac cellas facco pleo medicinis. Si pulnis iacitur ppzie finapilma vocat, Si fumu recipis elt fuffumigatio dicta. Dicit em plastrii quems confectio dura. Lum spot ghs madidis fit fomentatio.fola. Ungue tum facint oleum cera cum specieb. Su ma cara gamus, fedinfima fearificamus. Quia tamen in boenostro libello tantus de quattuoz intedimus recept as describe re, videlicet de vuguetis, cerotis, empla ftris. toleis,ideo folum modum copolis tionis ipforum dicam?. [Attende ergo pruno q tam vnguentum q emplastrum appellantur cerota,fi in eis ponatur cera Eum autem un cerotis feribif cere qo fuf Ficit pro buob? 3. olei debs pont. 3. Scere Scofi dicatur cere parum:tuc itelligas o debet effe vnguentu molle ita op eleum debet ceram superare, multa enim cera fa citouritiem in onguens. Salad. Tane de fco o cerota q deferibit met devet in corporari cu ifufionib? fcz cum gumis li quefactis z diffolutis aqu fuccis mufcila gunb? z pulucribus q ibi intrant et debs effe confectio media i ouricie e mollicie infemplastru z vnguetu. (Emplastra plurib, modis poffunt fieri queda em füt in qbus itrant mineralia qualia litargiz z cerufa, z tuc debet per liquozes q ibi in trant ficut ift acet fi fucci vel aq fimt nutri ri fine igne i caffia fine i mortario. cui fpa tula.vel cum piftello cu oleo . Bi tamé in trarent alie pinguedines.tucdebent icoz pozari femp cum piftello calido.vel ical dario fupza ignem lentum femper cui fpas tula agitado ne adbercant mineralia pre dicta viquequo totu fit bene fpiffum, t fi ibi intrant gumme, tunc liquefiende lique frant, z biffoluende biffoluant, z pulucri fande puluerifent, vt in capitulis parebit fequentib? . T debet femp poi in fine deco ctiois.femp cu fpatula agitado , Attende tame o femp decocto 03 effe vlos ad coffi ptione aceti.vini.aque fuccop.vel fimili us ligra t fimilit fi ponut perbe flores vi radices, debet poi i fine decoctiois, z pri cipaliter flos croci bebs incorporari cum manibus malarando magdalcocs, Et as

lia mineralia debent poni in fine, ficut eft cs vitum. vifur, flos eris, magnes, bol? armen? fra figillata.fulpbur. auripigme tum e fimilia. Succi autespiffi e deficca ti dissoluantur in aliquo liquoze z ponat ad vltimum quado icipit ifrigidari. Buc ci virides i emplastro de ianua debent te perari cum oleo. 7 postea poue oleum cu gummis liquefactis t pone fuper ignes, Tfi fumantur berbe virides que intrant i emplastris, sicut in emplastro gratia del Debet temperari cum vino, t debs poi vi muz fuper ignem fimiliter cum gummis li quefactis via ad confumptione ei? Em plastra insuper possunt malagari cus pul ucribus t liquozibo. ve cu olco ficut apo ftolicum.ceroneum.orizocroccus diminis contra rupturam z byaquilo. zalia mala rantur cum fucas.ficut emplaftrum ocia nua. z alia cum lacte ficut emplastrus gra tia dei. Attende @ fanguis buman? et viscus quercinus que itrant i emplastro contra rupturam debet icozpozari i mozd tario cum piftello calido, z ocho decoqui viscus quercin? in decoction pellis arie tis ficut remoucturabariere,id eft receti ables boc qo preparetur cus calce tocot letur. Illa vero que fiunt cus mufcila ginibus.pinguedinibus.occoctionib?.in fulioibus vel aliquus liquozib? ficut, für fructus ficci, z fimilia debent teri decod z incorporari cum predictis miscedo pul ueres fub lento igne vel in moztario via quo fit tractabilis. Bi gumme ibi itrant malarentur diffoluanturant puluerifene z incorporentur cum piftello in mortario calcfacto. Enguera pollut fieri pluri bus modis. Hamaliqualunt in, quib? in divigenta. trant fucci berbarum. tune debent cofu mi per decoctionem cum liquoribus pin guedinibo vel guminis ligfactis vel oleo Et alia ffit que fint er berbie'liccie z tuc debet teperan berbe cu vino vel cu alis liquonbus. runc debet confumi per de coctionem. Et alia funt in quibus itrat lapides ficut in vngueto citrino, ttucbe bet subtilissime puluerisari z bene incoz pozari in moztario. Alia funt inquibus ? trant alia mineralia ficut litargirus .ceru. fa.argetum vinum, bolus armenus, ful pour, t fimilia, tunc fi ibi cera acetu vel fucci berbarum viridum intrent oportet nutriri cum matort parte olci z miori,par re aq vel fuca modo de vno, modo de as lio.lemp cum spatula agutando. z potest fieri fi bene nutriantur lb,1, vnguenti cuz 3.1.puluerus predictorus mineralius. Et

Albodus coficie di cerota,

Albodus confici endi éplastra.

Al Sodus coficit

tet extigui cum falma vel aceto vi fulphu ret caue ne appropiques argetu viuns ad igne.qz in fumus cuapozabit. @ Alia funt que fint cum olcis t gummis lique factis t tunc bebet fimul ligfieri ad igne femper cum spatula agitando, tli in rece ptis petatur pulms gummarum speciez berbarum vefennnu Puluerifentur z icoz pozentur. Bi gumme no posiunt pulueri fari malaretur z incorporetur cum piftel lo calido. Si no poffit malarari diffolia tur vel diftemperentur. z per decoctiones confumatur, colentur t in corporentur. Clea que funt ex femibus z fructib? Al Sodus confici funt per compressiones : sed illa que fint er flozibus fiunt i vafe vitreo per occocti onem ad ignem letum: aut per appositio nem in fole. tunc debent fieri in cftate. Bedilla q finter copolitoe fuccon viris din ochet fieri p occoctoes ignis vice ad cofuptoes fuccon. Sedula q frut er fuce cis ficcis debet diffolui fucci, z coq cii ole o vlas ad columptioes vini fed illa que fi unt exaffatione ficut oleum frumeti & ni gelle debent fiert fub lamia ferrea calefas cta abigne. sed olea que fiunt ex animali bus ficut oleum de ferpentibus, formicis scorpionibus oleum vulpinum debent er tingut z moni oleo, fed olea que funt p diftilationes ficut de mirabolais, de gum

fi petaf ceramifce cu olco etllis liquefa

ctis icorporentur fimul cum piftello cali

do, tamen fi argentum vinum itret.opoz

cula e. O leu petroleu veit nair de petra. Lapitulum serti de colatu ra clifteri t fuppofitozije coibus.

mis de cinamomo, de tartaro, de laterib?

debet pont in alembico bene figillato fu per lentilignes a principio. Tiemp debet

vigozari ignis. rcane ne tagas olen qu pt

Enes apotecarios habentur due decoctiones communes, falics de cocto colature cois cu qua genera liter oes medicie la ratine lenitine z com prefime diffolutiur. z decoctio comunis clifteris. Dabetur etiam forma comunis faciedi suppositozia, z beetres descripto nes lunt voice note penes apotecarios. Colatura comunis a diucrfis diucrfimo de describit. Bordonius ca, de cephalca describit cum tribus florib? cordialibus schicet violarum borraginis Tbugloffe i aqua lactis capzini, z bec eft conemens i febrietib? z i eftate, Jo, de tozamira i da rificatozio i pluribo locisfic describit co laturam comune. R. prunozum damasce

nozum vuarum paffarum mundataru ab arillis caricarum pinguit mubarum t fe befte an. Ab. semis. Epofozo vero georgi us fupza mefue beferibens colatură com munem famofam z nota penes apotecas nos describit duas, vna falles magis co uenientem in eftate z in febribus.queta Zolatura coisi lis eft, Tr. paffularum liquiricie munbar febribus 65 rpos order prunorum fine nucleis feminu com foru georgiu. muntum frigidozum mundatoru añ. par tes equales aque fimplicis quod fufficit Altam colatură describit idem posto Eolatura comu rus georgius vbi fup qua dicit effe viua lem magis, quia tamen magis attinet ca fou georgium, liditati,ideo confilium cius eft vt femper in febribo precedes accipiatur. Eins and te descriptio est ratis. Transferculi pas ful arum liquiricie. minbaru fine nuclcis capillozum veneris pzunozum ozdei mun dati.febeften quado reperiutur bont an. partes equales. Et attede ficut notat 30, de tomamura i libello fuo de neutras litate decidentic of femper colatura bebs effe liquida e no ipiffa. [In Decoctioe Elifterecomune vero communi clifteris tantum debet po niremolitina.fcilics matres violarii mal ua t bifmalua t branca vrfina q deby po mireces. Si circa cliftere bic bebet atten dere apotecarius forma propinadi clifte ria. Deforma autem emodo ppinan di clifterea scribit rafinono continetis in fecundo capto o ocbet iacere paciens fu didifteria, pra dorfum decinado caput inferi?, tíub leuado pedes superi? ita q subleuent la bi. clifterfator deb5 effe ppiquus ci in/ cindedo vngues manus ci 2, c funt inuns geda capita digitop man? finiffre cu ole o:etiā imgēdus eft anus cus olco abūdā ter: deide ipone digitu ano plaries, vt am plief loc? beide pone iltrumetti clifteris. no tame itelligit rap p bec woa o bebeat agitari cum clifterib? z comoueri eleuado crura superio ve fieri solet, lics ita debeat bisponi vedictum eft quonia aliquoties ptale commotionem afcedit cliftere vics ad stomacum, vnde aliquando sequit fin copis vt befacto vidit. Jo, ma, de gradi. ficut ipfe refert i caplo de colica. 1 3ftu tamen modum ouponendi patientem ad difterif andum modificaunt, Auicena i fer mone de qualitate clifteriorum maxie in colica, vbi oicitfic, Elmpli? oportet q tu confideres fi dolor eft declinas ad parte borfi.difterifa ergo refupio supple exite ter bocest meli? et cutus doloz est cus co munitate renum. Et fubdit. Et fi cft becit uis ad ateriora clifterifa eo iacete fupza.

Eolasura comu пів віп гробоги georgium

ppofitti farpos

Albodus crhibe

Colatura comu nia fin B.o goz donio,

ξn

ni

tú

kiz

10

W

endi olea.

ventrem. Et fubdit o boc modo bispone do patientem melius peruenit cliftere ad renolutiones intestinozum. Et ifte e com munis mod? disponendi patientes ad cli fterifandum t magis viitatus bodiernis tempozibus. Teti pueris babentibus ftrictum ozificing ant deby imponi digit? in ano ve dictum cft, ve dilatetur z prepas retur via ad inffrumentum elifteris. Et fe per fumpto clifteri deb3 iaccre paties fu! pea latus dolens. Et babetur regula de i tentione aucenne vbifupra q cum intro mitritur cliftere polita cannula q debs in tromitti cum vna bona exprefione t con tuma que non fit cum labore et violentia Nam multottens perviolentiam copres fiois impellitur cliftere vice ad loginqui preter@ lit neceffarin. vnde interdum vf of ftomacum: t fequitur fincopis. Dabe atur etiam pro regula de intentione ciuf dem. Aufcenne vbi fapra q cum unpellis tur differe z inclinat ad egrediendus: tta Q bifficulter immittitur propter vetofita tem repellente.no probibeas ab boc fup ple violent.immo aperias burfam vt ere at ventofitas reitera itromifiones cius post exitum ventofitar) . [Attede vitra de mente einfdem. Anicenne ibide q ers nima quantitate enematis: id è clifteris multiplicat nocumeta etimet ne afcens dar er nimia ei? quatitate ad ftomacum z fegnt accidetia fupza notata,ideo attede de itentiocfaladini i fuo copiendio ad a romatarios o quatital decoctois q com munit ponit un dufteri eft.3. rvin. z quati tas olcop comunit eft. 3. iin. t quaticas falis eft. 3. f. qo tame ocos itelligi ficur ip Te bicit im magis t min? prespectu ad es tate z ad complexionem qu'in viris z mu lieribus pruectis t fortis complexionis z virtutis bec quatitas eft quantitas cos nemies, sed in Pucris z belicatis ac debili bus ocbs minus quantitas, fimilit in dos loze errenfino a ventolitate.qz in bis cas fibus medietus fufficit. In ifantibus ve ro fufficit quantitas trium quart |. 7 i bis fit discretus apotecarius.qz fola discres tio facit apotecarium vt auerroys scoo colliger. O Deforma suppositorion co munum notetur quod feribit auicena de suppositozna fortibus educentibus fece Thenma viscosum vbi dicit fic. Et opoza tet vi fic longitudo eius septem digitoz feilicet in transuerfo. Et boc nota ppter communent errozes apotecariorum quia non frunt communiter nifi ad logitudine trium vel quatuoz digitorum z malezime

mo debent fieri vt diri vt virt supposito
ry atting at ad partes sursus magis stimu
lando non tamen pertranseumdo itestmu
rectum. Et suppositorius tune magis va
let & clistere quando dolor est i sudo ver
sus anu, t de poe diet baly abbas. Et no
num clisteri opus non est. sed licinii cus
passito t dolor circa pectinis est partes t
appeintestinu rectum. Componiutur au
tem suppositoria communia et melle t sa
le communitrito simul coctis ad couent
entem glutinositatem mellis.

Lapitulum septimum de tris turationib? medicinarum simplicium qui bus predicta componuntur.

Nquit. Oefue. Inturatio autem ommis qualifcung fit opostet qo flat cum facilitate & commensure tur substantijs teredorum. Laboziosa ve ro diffoluit virtutem. Bunt ergo medicia rum quedam i quibus no oporter ot mul ta clabozetur trituratioe, z funt in quib9 necessaria est multa trituratio, z fimt in q bus mediocris. Et fit trituratio tribus o caufis, vt notatidem. Wefue, @ Prima eft vt miscibiliti i vnu melioz fiat figillas tio. Gecuda vt medicinis aliqua pro pactas acquirat, vt cinno permultă tris turatioem acquirit ei vt fit pronocatiuf vame quis ex natura fua effet folutium ficeni fit magis penetras vnderepit ad vias ad quas non poterat p21? z euacuat per illa e mita alia acuta vi bafce id e the mus:vt Odefue ca, de thimo z fimiliter as 3arum. Terria ett vti eisaliğ malicia reprimatur, of coloquintida z proprie in terius eius ochet vlume puluerifari neces debet effe apotecarus in fufficietia tritu rationis einsert Weine auctoritate fera pionis. D'Afte autom funt medicie q int tum patiuntur de trituratione,

Aristologia Azarum vbi queritur, per cu prouocatio vine.

Colloquintida Centaurea

Centaurea

(Abi querif vt per euz prouocef vria

Bumme alique quia no omnes posiunt

Summe alique quia no omnes poffunt puluerifari: sed alique debet dissolui. Et quedam non possunt puluerifari nego dis solui nego liquesieri.

I Bumme que possunt pulueris ari funt

Zhus Wirra

Dirra Waltir Summe & phi

05

Comunis erroz apotecarion cir/ ca suppositozza.

Quaritas diftes

riozum.

Becudus

Debecoctionibus medicinarum

XXVIII

| Sarcocola |
|-----------------|
| Storarrubea |
| Storay calamita |
| Bdellium |
| Olibanum |
| Euforbium |

O Daffic perfetame 03 puluerifari:q2 nung cum alus fpeciebus puluerifaret. Actor pendetarum. W Bumme que debent diffolui funt ifte

Zapdanum quod debet diffolui cuz olco Dragagantum Bummi arabicum Bummi prunorum

Bummi cerafozum Er bis fimilia que debent diffolni in ags z postea pont in medicinis.

Bumme que non poffunt offolui,lis queficrined puluerifarifuntifte

Scrapinum Oppoponacum Balbanum Zmoniacum

3 lte debent temperari in vino velace to: Toebet cod vigs ad confumptoem vie nifine aceti t colarit poni in fine becos negliquefieri: fi ctionis cura ignem semper cum spatula agitando

Lapisarmenus

Zapis lazuli: z magis & lapis armenus. Darabolant (pecies:vbi quentur per cos refrictiot opilatio, Unde melue, Eo rum contritorum competit exhibitio qua do queritur ve postillam in visceribus ve ftigia contractionis remancant

Omnia mineralia J Reubarbay vbi queritur virt? oftipatiua. Un mef. Ipfius cotriti copetit erbi bitio qui quent: vt post illas i viceribo ve Itigia cotractionis remancant,

Scamonca quado ponitur i pillulis aut in medicinis quasvolumusvt diuti? remaneant in ftomaco: quando ponto tur in align medicinis deb3 magis pulue rifari:vt notat, faladinus, Autcenna tam vult oppositum capitulo de indicis extri fecis medicinarum cus dicit. Et ex medis cinis funt quedam quay virtus propter contritiones destruit ficut scamonea qua reoportet vi vitima facilitate coteratur ne ex corritione caliditas cam confequat corrumpenseins virtute, Et fubdufplu rime preterea gummarum funt buufmo di Tipfarum quidem resolutio in bumis ditate concentros eft o contritio, zbec sententia est vertor.

Thimus voi queritur vt per eum pro nocetur veina:vt notatum eft.

Dedicine que mediocriter patiuntur de trituratione funt ifte.

Agaricus Cuminum fi non per cum queratur pros nocatio vinc

2 himus.finon per eum intendatur prouocari viina.

ylopus

Zurbith

1 3fte fupza notate funt magis speciae les r de qu'a doctorib? specialis facta e mentio:vtth de trituratoe medicinan ge neralis babeatur notitia attende q oes medicine q multu patiutur de decoctione etia mitu panutur detrituratioe, z q mo dicu modicu, z que mediocriter mediocri ter. de que un sequenti capitulo;

Lapitulum octavuz de deco ctionibus fimplicium que ingreduntur Tique Obef. Zua interest decogre

commensurando calozem Tppozs tionando illum Inbstantus rerum z virtutibus debilibus z fornbus. Opoz tet enim vt gradatio fiat in decoctioe ca rum plus vel minus fin q oportet. Des coctio enim impetuofavei inflammatina refoluit virtutem medicine

13lteante funt medicine particularit que multum patiuntur de decoctione Hristologia

Ben

Lucumer afininus

Dermodatili

Wirabolani oms quando ab cis querit conftipationis imprefito, Welne ca, de mirabolanis.

Polipodium Reubarbarum quando ab eo queritur co ftipationis impreffio melue cap, de reus barbaro

Radices omnes

Sed ifte funt medicine que parus pa tuntur de decoctione

Capillus veneris **E**pubimum

Elephangine omes puluerifatevt alcool Flores omnes dempta camomilla Odirabolani omnes quado magis inten

dimus ad lagandum, pt mefue ca, de mie rabolams,

E

Z

o iii

Bummequede

bent diffolini.

Bumme queno possunt pulueris

at

Rose vbi querif apertio, solutio, z abster fio.melue ca.derofis.

Renbarbarum quo ad virtutem et? folus tinam absterfina t aperitua. Unde mek caputulo dercubarbaro, Et cius quidem quod purum est infusio competit qui foli queritur abstersio z solutio z opilationii

Sticados 9

Semina quattuoz frigida

Zamarindi

Biole, quado ab eis queritur virtus labi ficatina que fi queraturab eis virtus folu tina diffoluendo fecus eft:quila eft cens tralisert mcf.ca.de viola.

1 3fte funt medicine q mediocriter to's lerant dedecoctione.

Abfinchium

#sarum Agaricus

Sumus terre

Sene Squilla

2

T

V

Semina omnia preter femia attuoz fris

gida maioza. Zbimus

Zurbith

Vicos glopus

Thategeneraliter pregula q omnes medicine quan virtus oitheile refolint aut que funt fortis contexture vt que fut groffe substantie, aut que virtuté babent polită in cetro forti idiget decocioc. meb Dur? generis funt oes medicie minerales Dur? etia generis funt des mediane ftis price aut pontice q fundant in substâtia groffa t terreftri. Qo vez eft quatu ad fti pticitate aut terrefreitate : qu funt aliq medicine qui le pricipat stipncitate qua da:z cuboc babent amaritudine fupficie tenus.vt funt rofe,ablinchin, renbarbanz mirabolani: t fic dealis. t i talib bregla pateref inftatia. Bilr ena oia quife acu me babent decocta funt mittora, decocto com frangit virtute carti nifi forfitan fit virtus potita in fupficicant debilisybito taliter refolutur,mefue, Similiter 7 om nes medicine que longiori tempore per durant in virtute magis patiunt de deco ctione. Similiter tomnes medicine com posite in quibus volum? vt in eis fiat for tis mixtio virtutuz debemus cas magis Decoquere mifi ex modo fue substantie de coctioni repugnet, meluc. Similiter etia

omnes medicine que multum patiuntur oc trituratione ctiam multum patiuntur bedecoctione. Et oppositis modis mes dicine ille omnes parum patiunt de trie turatione quari virtus facile rofoluitur aut que funt debilis contexture: aut quir tutem babent in Superficic. Dunis enam generis funt omnes medicine acute; ppt fubtilitate fue fubstantie, vt funt species clephangine oes Tipecialiter pulucrifa te. Sumliter etiam omnes medicine ace tole. Wedicine etiam omnes babentes humiditatem superfluam lubricatinam. Unde melue, Berum nech per Decoctios nem fit innamentu in bis q foluunt labid ficando t faciendo lubacua de quo litval de curandum

Lapitulum nomus oc analo gis medicinalibus quando per fe ponun turpeo quibus stant z suppoment Nalogum est terminus commus

misqui ex modo fue impolitionis est aptus supponere pro plurib? de uno tamen per prinser de alio per po fterius ut aritoteles in predicamentis ficut verbigratia, caffia dicit de caffialis gnea r de caffiafiftula.pp219 tamé de caf fialignea: per posterius de caffiafistula Et cozalus dicit de cozalo rubeo z de co ralo albo, prius tamen de rubco, t per posterius ocalbo. Analogu enim per se fumptum star pro famolion fignificato fi cut quado p le ponif coraius de rubeo tano de famofiozifuo figurficato itelligi tur,vt ergo in iltisno decipiat apotecas rius:bic cofequenterfunt infereda anas logamedicinaliar con famofiora fignifi cata. Pm ordine minoris alphabeti; pt co fucuin? facere in pccdentibus capitulis

Hriftologia Agnus caftus Zinifum! Ameos **Eipmin** Hrmel alocs Affa Alumen Hrnogloffa Atramentum Huripigmentum Maum Acetola Acetum

Entlologia quado fimpliciter ponit in vinguetis mundifications absterious delongaintelligit.fed malns operatio mbus semper intelligit de rotunda, vnde aucenna scoo cañ, capto de aristología. Et longa eft digmoz in nascetus zviceri bus:quoma elt magis absterfina z calidi oz: fed in reliquis operationibus rotiida quoni am fortione est apertiois & fubtili ationis. Dec Autemad litteram,

Tagnus caltus quado simplicié poni tur de itoribus intelligitur. Actor pendes tarum. Flos em agni calti dictur simplis citer agnus caltus, Platearius.

Amfun Amcos Apus Armel prout est species rute quando simplicis pons, tur de semme debet intelligi . Actor pen, I Aloes quado simpliciter ponis de suc cotrino intelligitur. Ande Wesue, West us er speciebus aloes est succo trinu, lies em alexandrum intelligatur de epatico, I Alumen quando simplicis ponis des alumine seiso sine de alumine de pluma i telligatur. Actor pendetarum.

ts

I Affa quando fumplicit ponitur de affa ferida intelligitur que per excellentias fe tida dictur quia odorfera dicit odorfe raid est parum fetida. Actor pendetarus I Arnoglossa quado simpliciter ponit de maiori itelligitur, unde B. L. ag. ca. Li sen. Od atorest maioris sotutis so minor. I Attramentus quando simpliciter pos intur de nigro itelligit ab atro coloredi ctum, Actor pendetarum.

Thurpigmentum quado fimplicié ponitur de citrino intelligitur. Eurinus em competit viui medicine. Actor pendetar. Thilunn quado fimpliciter ponit de fil

mestri meeligitur. Platearius,

Ecetofa quando simpliciter ponis de
maiozi intelligis, Ende oya, ca, de acetos
sa, Ricetosa est oupler maioz e minoz ma
toz est ordapaciú, minoz dada folia minu
ta cum supurepario seminido pleno, Eo
uemunt in purunido, sed maioz esticacius

operatur. Dec ille.

@ Acctum quando simpliciter ponif be accto vini intelligitur.

Balfanus
Borrago
Baucia

35

Ben Bacca

J Bdelliū quādo fimpliete ponit z eft i
tentro ad reftringēdus z ifrigidādū, debs
poni bdellium de mecha. S quādo volu
mus aperire aut mollificare aut refolue
re debem? ponere ddellius undaicus, Actoz pendetarus. A Attēde tamē o qz di
ficile ē cognofeere ddellium vtrum fit de
mecha vē de indea, to ī cafu dubto vbi effs
intētro aperiēdi mollificādi aut refoluēdi
debs femp pom ddellius molle, sed vbi ef
fet itentro reftringēdi z infrigidādi do 3 po
ni ddellium ficcum z antiquus, Ande Aluicema ca. pzopzio de ddellio, Et cus an

tiquatur bdellium indaicum'egredif a les mficatione ad exficcationem.

C Balfannis cum fimplicit ponitur de oppobalfamo fine de oleo balfai itellgis tur, Unde Huic, ca, de balfamo, Et eins quidem oleum est melius semine ipfius z feme forti? ligno ipfi? i oibus modis et? 13802rago cus timplicat ponit ocher ba intelligit & precipie de folis: t preci pue oum viridia funtqz talia funt maio» ris efficacie, exficcata vero miozis t flos res competut viui medicie lodario. Bla. Baucia quado limpliciter ponttur de nineftri itelligit qa domeftica q paltiaca of magis econenies vini q medicic, Hol. 1 28cn quado fimplicit ponitur de ma iozi intelligitur, Ende Weluc, Waius e i columius paruo paruŭ vero e malignu Bacca quado fimplicit ponitur: De bacca edede intelligurur. Jan.

Cardamomum

Caffia

Calamentum

Centaurea

Coriandrum

Carramus

Carut

Cintinum

Carut

Carut

Citonium

Carut

Coffus

Coppetius

Cinamomit

Coralus

T Lardamomum quado simplicater po netur de maiozi intelligitur, Platearius. Lardamomum vero min? proprie dicié beyl, S, L, ag. ca, Latola e beyl.

Capar quado simplicit ponit de corticeradicis iteligis. Pla, Cassia cum simplicit posit de cassialignea iteligis; que cassiassitula nuo ponitursine detmiatio ne. Pla, Calametti cu simplicit ponitur de motano iteligis. Ende Plateare Calamentum montanum melius est.

T Cetaurea cu fimplicit poit de matozé itelligit fim platearii. Dicit em plateari? o oicit ceraurca maioz q maioze, z mioz q minoze bs efficacia, Cul en oicit corra rifi fentit meb .Dicit em q mior melioz e in oire, 53 vt tollat con cotrouerfia ate tede q quatu ad virtute lapatina mioz e meliozioireiqua ops riqidigetur folu toe flenatis z colere, fut em pricipalioz i terio mef i librofuo peractare de liplici bo fub roe laradi. Intetto po platearn e bermiare o amplicibo ulub roclaradi:13 eria p cofideratoes ad alias ppzierates p nculares qs babet. oti, ergo adotute fo lutiua qui fimpliciter poit cetaurea de mi nozi itelligit:15 qu fimpliciter ponit fub intetocalian pprieratioe maiori femp

pp:

您

intelligitur.

T Celidonia quando simpliciter pomé ocmatori intelligit. Platearins Dec ta men apud nos non inuenturrant raro si reperitur quedam communis que est mis nozis esticacie, vna tamé pro alta vitimur vi dicit idem. Plateari? aucrozitate con stantini.

Coriandrum ciminus.cartam?:carui quando fimpliciter ponuntur:de feminio bus debet itelligi: toe cartamo domesti

co. Actor pendetarum.

Citoniu quando fimpliciter ponit in medicinis de maioribus intelligit, Una de. Balien? in libro de cibis. Litonia ma tora vocătur faturnia z funt maiozis iuuamanti q alia. Apotecari ta me nostri bodiernis diebus intelligunt de miorib? propter acredinem nimam maiozum.vn de maioza no fic reddutur guftui velecta bilia. Dos enim medicozum z apote carroum poti? estregere egros cumbis que fibi delectationes inducunt & cum ri goze artis vt sup occlaratus est circa mo dum componendi. vbi veclaratus e q an tiquitus in confectiomb? t electuaris in 3.in aromatus fufficiebat lb.1, succare bo die vero propter complacentiam maioze in tantu. 3.19, aromatu ponif lb. succare. Catapucia quado fimplicit ponitur de minon intelligit ur z de femme cius Eatapucia enummaioz est palma christi fed catapucia minoz est de genere lactici mozns. Ande. S. L. ag. ca. cathua, aucto ritate. Ballen. Catapucie minoris ibtus est fimilis virtuti omnius specierum lacti comozumice non differt ab eis nifi invno quod eft quia in iemme ei? eft onleedort boesemen estillud quod babet virtutem larandi, Decille, Er Balien feptimo fim plicium farmacozum cap,cicci. Eicci fru ctus ide catapucie fruct? que purgat ab fterfinam toyafozeticam babet virtutem ita autem z flos, led omnino debilioz m. Et de radice ei? dicit bya. cap. Eicel. Et fimilit Saloco supradicto o radir cins'é tenuis. tomnino inutilis.

Coft? quado simpliciter ponitur'oe a maro intelligitur. Actor pendetarum,

Depression quando simplicater ponitur in medicinis restrictivis in debes ponere nuces ems. sed in medicis pronocativis vrine tu debes ponere liginum aut fosia, Ande Platearius, Poma fosia e lignu vsut medicine compessit: sed poma stipti ca sunte confolidatma: signus vero e for ha binrctica.

Cuamomum quando fimplicit poni tur in medicinis vomicis debet por cinamomum groffium. In alis vero debet po in cuamomum fubtile. Platearius.

Teoralus quando simpleter ponitoe rubeo intelligitur, telige grossum non pa foratum, Actor pendetarum,

Dancing

Dancus quando fimpliciter ponifoe bet itelligi paftmatica filueftris, id è dan cus afinin?, S. capitulo de briaca, t Barlienus libro de edulis circa finem: lic3 caf fius felipea, de empicis dicar q quando per fe ponitur debeat intelligi femen par fimace ortenfis.

Epatica Eruca Eichozus

Epatica quando simpliciter ponif be aquatica intelligitur. Unde Placearius. Eit berba cresces in aquosis iocis, milă faciens mentonem de terrestri ficut nec a lipactores,

Eruca quando fimpliciter ponif de fil ucitri intelligitur. Unde actor pendetară Domestica mioris e esticacie of filucitris (Eleborus quando fimpliciter ponif de nigro intelligitur. Unde Odesie, The ger incolumnor est albo. Opposită înuit Ba.quint.a affo.comento prino.dun in quit consuctudo fuit antiquorum cum di cerent eleborus absolute intelligere albū feniculus

Ex feniculo radix: semen t folia cope tunt vsin medicine. sed quando simplicit ponitur feniculus, de semine intelligitur excepto in colirps voi debs poi suco raddicis aut foliozum, Platearius,

Ballia Balla Bluten Bummus

Gummus dragagantus Gummus arabicus

Branatum

EBallia cum fimpliciter pomé de mus feataintelligitur.

Daila cum simplicater ponitur de no perfocata intelligitur. Ande S. Lag, au ctoritate oya. Et ea est que recepis ex arbore sua recens immatur a parua rotisda nodosa non psorata e grauis. Et é alia que est lems exporataried prima medicinis est connementos. Decille

Waluten quando fimplicater ponit ma

Becudus

De analogis medicinalibus pro quibus supponunt XXX

0

Q

ftir intelligitur:quonia excedit offia glu tina in bonitate. Actor pendetarum C Gumnus qu fimpli ponitur de aras

bico intelligitur. Actor pendetarum Bummus oragagantus qu fimplicié po mt in medicims calidis dy poni subrusus aut citrinü: sin medicinis frigidis dy po ni album e clay. Actor pendetarum

Dummus arabicus que fimplicit pos nitur i medicius calidis de poni gummi arabicus rufus aut cirruus : fed in medicius frigidis debet poni gummus arabicus albus e clarus. Platears, Ideact, pendetarum.

Coranatum que fimplicit ponitur i mes dicuns de acctofis intelligit. Dicit enim platearius que granata dulcia magis cos petunt efut que medicinis sed acctofa mas sis competunt medicine que efu.

Bitto quando simplicater ponitur de semme intelligitur.

Julquiannus Jeffeminum

ij,

fx

194

3

1

Dusquiamus que simpliciter ponitur de albo intelligit. Rube en eniger sunger sunt pernecios e maxime nigere numéro de ten medicinis o e sumendis semen de poni. Sed in medicinis extrunsecus applicandis vin vinguentis e emplastris semper de de tintelligi de roa. Diateari.

Idem actor pendetarum

Teffeminisseu sambacus qui simplici
ter ponitur de floribus intelligis: t deal
bo, di S. L. ag. ca. Jesseminum citrinus
cit minus in operatione qualbum

Zemfticus
Zaurus
Zupinus
Zactuca
Zapacium
Zaurcola

Zirargirum

Leutlicus cu fimpliciter ponit de fe

mine intelligitur Blatearius.

T Laurus cu fimplicif ponitur de foliss eus intelligitur. Elnde Platearius. Ex lauro folia z fructus copetunt viui medi cincifed folia maiore padet efficaciam.

Lupinus qu timpliciter ponttur de a maro intelligitur ille em peipue est à cop petit viui medicine, Adlatearing Lactuca qu timpliciter ponté in medi

d Lactuca qu' fimpliciter point in medi cuits semen eius of intelligi. An Blat. Derba eius conneniens est chui: seme ve ro eius medicine magis.

J Zapacium quado fimpliciter ponitur

dejacuto intelligit. Unde Platearius, Lapacuum acutus est esticaci? lapacio ro tundo: licct sit magis esticar q lapacium domesticii. Lapacium est domesticii est magis conveniens viui cidorum q medi

C Laureola quando fimplicater ponif i medicinal emen eius bebet poni, Plate

arus.

Litargirum qui simpliciter ponitur de litargiro auri intelligit. Dicit em. S. L. ag. capi. Occepet. Q aureum est inclus alis.

Wargarita

Odargarite qui fimpliciter ponuntur de non perforatio intelligitur, unit tame alique margarite obscure ad citrustatem tendentes perforate que non perforatio equipollent: nec de ulus debet intelligi.

Actor pendetarum.

O Del qu fimpliciter ponitur de melle apum intelligitur.

Tiasturcium Tiucleus

Tigella

T Nafturcium of simpliciter ponitur be semine ema intelligitur, folia enim ppe bumiditatem aquosam que est in eta ba bent virtutem debiliozem. S. L. ag. cap. Josrabelthese.

1 Tucleus qu'implicater ponituridicité quidam φ de nucleo pin intelligitur. Et ali dicum φ de nucleo oline. Actor pens detarum. Sed aucen, in sedo can, de mi cleo dataluntelleut.

Thucis multe funt species sed qu'simplicater ponitur de nuce vsuali intelligif Actor pendetarum

Thigella an fimplicater ponitur. de fesmine intelligitur

Osimum Oleum Opum

J Dzunuz qu fimpliciter ponitur de ga riofilato intelligitur. Dzimum em gario filatum efi illud quod abauctozibus lau datur. Actor pendetaru, Attende tamé q qu ponitur in medicinis ore fumendis fi ne determinatione aliquary tpote in electuariis e fimilibus debet poni femen. Sed in medicinis externis applicadis ve in vinguentis e fimilibus debent poni fo lia. Idem actor pendetarum.

Olens qui fimpliciter ponitur de oles olusarum intelligitur, Jan.

Opin qui simpliciter ponif de opio tebai co intelligitur. Bali septimo simplicium sarma comm, c. Odicon chirantes,

Dapauer Diper Doltum Policaria Diganti Dremula veris

36

Petrofelinum Boonia Bolipodium Billium

Dapauer que simpleit ponit de albo i telligit. vu aute, sedo cañ. c. de papauere Papaueres mite sunt spes ve. Et se quu in ira. Et samest albu; que cu suo stupore e etta domesticii v consuerum

Diper qu'impliciter ponit de pipes re albo intelligit autena quito can i de feriptione dyacim ex intentoc ga. Et ga. octano fimplicia farmacozum bocide vi detur fenture cums bec funt verba ad tit, teram Pm translatione arabica. Bapoz piperis eft acutus viliud qo no eft matu rum est piper albū:z ipm est acutionigro r magis pungens lingua. Et poc eft qu migru pprerea q maturaf accidit quore cipiat adultione v ochiccatoem fortes: qu minut acutas illa qquide remanet i als bo. Et th tollatur controuerfia q eft int Servna parte, & Balla aute, eralia p te qui bac materia no parti discrepare vi dentar, Boinit em S. Lag.ca. Salfel o piper nigrii acutius est albo: t palbum fit debilius eo, Attende of ficut er verbis ovascondis faciletrabi porest, piper als bum eft ouplices generis. Eft em pip als bu qo fit qu grana minuta que fuerunt in pipere longo incipiunt ingroffari z vnū ab altero incipit leparari: fed no factus eft botrus vel racemus. Eft aliud pip albū qo fit cū illa grana q funt in paicro pipere albo fin debită quatitate fuerint augmentata, vitra fe totaliter feparata: ficut q funt pofita in quoda botro vel ras cemort funt ppiqua maturitati. Primu piperalbu qui fapit adbucnatura piper longi:qe ei vicinatur pricipat adbuc de eins vicinitate. ideo no eft multu acutus Priper vero albu alind de quo dictus eft go eft i medio int maturitate z principiu generationis eft fatts acutu: qz em elons gatur remouet a pipe longo no pricie par buidirate ci', r cit acuti leiplo cii ve aut ad maturitate ppt qua amittit de ei?

acuitate.ficut videm? in fructib?acetofis q in medio tpe funt acetofiores. t fimilit in feminib?rvt in femiculo t i femine fina pis que in medio funt acutiora q in cos plemento fue maturitatis: ad banc intentione loquebatur auicena loco finpras dicto vbi fubdit. Et boc eft illud q o non eft paru in neg cotractu: t neg eft corter cius greffus.immo eft exillo quod bicit graus poderis: t eligatur de co magnu t fanium. Decille,

Depolicaria cu fimplicié ponit de med dia intelligitur. Dec enum plus est medi cinalis, platearius.

T Piganum cü fimpliciter ponitur fo ha ruthe agrestis debet ponifed qui po nitur seme pigani, seme oz poni, platea, T Piemula veris qui fimplicit ponitur berba paralis oz poni; sit alia spes er que dictur lauendula, prima em species sez herba paralis est verior premula ver Recorpendetarum.

Apir qui fimplicit ponit in unguetis maturatiuis a mundificatiuis debs poni pir liquida: sed in unguentis cicatrifatis uis a desiccattuis de poni pir sicca, And Balienus septimo simplicium farmacos rumca p.pir. Im translatõem grecam ims petiguies expurgat a digerto duros a sis digestos dumores des quando ponitur in catdaplasmatid. Fortior vero ad decomina talia est que liquida, duravero pir ad dec quidem petor estrad consolidatios nem vero vulneris magis ydonea, Deculle.

Detroselini due sunt species: scalicet petroselini domesticuma agrestre: quod dicit sumurion: quoti semina peipue co petunt in medicia: ideo quado simplicit pont petroselini de semine domestici in telligitur: sed quando pont sumurion de semine agrestis intelligitur.

Datearus.

Dionia quando siplicit ponit perba simul cum radice bebet poni. plateari?.
Dolipoditi că simpliciter ponitur o quercino intelligitur. Ende mesue capso de polipodio. Odlins exeo est arbozeii pprie qă nascitur supra arbozem feren tem glandes.

Dillium que fimpliciter ponitur de lemme itelligitur. Unde platearus, pfil lium perba est cuius semen sie vocatur.
Quattuor remolitiua

Quattuoz femina frigida maioza Quattuoz femina frigida minoza Quattuoz femina calida maioza

S

Quattuor femina calida minoza Quinos radices binretice

¶ Qualtuoz remolitina funt violaria: malna,bifinalna,bzanca vzfina

Cum fimplicif ponuntur attuoz femi na frigida maioza bebêt intelligi. Quato tuoz femina frigida maioza funt femê me lonum.citruli, cucumeris, z cucurbite

Tet attuor femma calida minora funt femen dauct, apin, ameos, x amomi, Dunnes radices diuretice funt radic apin, petrofelmi, drufei, fperagi, x gramis

apii,petrofelini,brufci,fp Ruta Rofa Rafanum

1,80

Radic
Refina
Ros marinus
C Ex ruta feme t folia copetut viui me
dicine: fed quando fimplicater ponif rus
ta folia el? debent poni. Matearius.

The Rola quitimplicat ponitive rubea 05 intelligi. Unde melue ca, de rolas Obelios eft rubea vere rubedinis. Et fubdes aut: Q virtus facies rubore plus impreffit @ amaritudine facies:propter qo in ablei! fione amaritudinis ipfius que remouet per folam exficcatione eino refoluit fpe cies.in abscifione vero rubedinis no pla eftrofa cobomo mortuus ebo.i Silit etiam qui fimpliciter ponit rofa in medici mis lapatinis de rofa recentivel de fucco eius debet, intelligi, velde firupo velde colerna cius: q no pterierunt annuz non de rolis ficcis le i medicinis reftrictius et ficcis debet intelligi. Un mesue vbi su pra. Elmaritudo aute q est in ca q est res ces est plus stipticitate ipfius, z prima o peratio cio est ppter amaritudine sua pp ter qo rosa reces t ppue suco eius soluit Eŭ aŭt resoluit caliditas dans ei amaris tudinem ppt exficcatoem eins manifesta tur fubftautia ftiptica coftipatoes facies In firupo afit zi oferua amaritudo rofe z cio humiditas folutia i substantia suce care vel mellis coferuatot expressevoluit getilis c, de cura febriñ puridarñ i gene rali (Radir cu fimplicie poit de rafano domestico itelligit, Sed cu fimplicie poi tur rafanus de filueftri itelligit

Refina cum fimplicit ponitur de omi gumo intelligit: quafi refina a refudore, fudas. Sed quando ponitur cu3 de termi natione dicitur gumini illius plante ad Q

fit beterminatio: vt refina pictuinazid eft refina pini. Similiter cum ponitur refina fimpliciter de rafa intelligit: id eft de mol li non fira nec puluerifabili, Boro quo at tende q ex pino masculo que oicitur com colligitur species refine que dicitur, colo fonia:z bec fit be ficca adeo vt poffit teri Sed exabiete fit alia refina in liquida fb Stantia que occiturletranez fit in liquida fubftantia:fed frigitur in patella et exfice caturet occlaratum eft in libro primo do nec z quoula politteri. Et bec pprievo catur refina crudita z carpinata. Staute non frigiturnec exficceturifed remaneat mollis z liquida:bec proprie vocatur re fina. Quando ergo fimpliciter ponitur re fina pinirafa debet intelligizid cft no car pinata velfrica, Elctor pen,

The marinus quando fimpliciter pot tur aut libanotides: debent pot folia, fed quando ponitur anthos: debent ponifiores. Platearus,

Sticados Salina Salina Storar Sandalus Sizeleos Spica Sulphur

Sal' Sizimbrum Sumac

Staphifagria Sisimbilum

O Sticade quifimpliciter ponit de aras
bis itelligiture de flore, Un melue, Ode
lius est arabicure melior pars plante er
est flos:post danc folia,

T Salina qui fimpliciter pomi de falina pois icium intelligif, qu'falina pois res pleti cibo est debilis vituris, pois vo sas melici est sortis: A prie cui? coplerio est calida. Paulus capitulo proprio.

Saluia cü fimplicit ponitur de mationi itelligitur:minorvero est species eus paron.

T Diozax qui fimpliciter ponit destora ce calamita intelligif, Undecalamita pi prie interpretatur bona gutta: a Iralos quod est bonum. mitequod est gutta: indecalamita: id est bona gutta, Actor pendetarum.

Gandalus qu'fimpliciter ponitur de curino intelligitur. Ende S. L. ag. capi. Sandal. Odelius ex fandalis est cirinu pingue post cirinu rubeu, e est magis sic cum curino, e post ipsum album

Esiscleos cufimplicat pomit de semie intelligifiullud em est que ex eo est in viu medicinali. B. Lag. ca. Biscleos,

Depica cu fimplicit point cois vius apotecarioù tenet e os pom fpica nardi Sulphur qu fimpliciter pontur de exertine to intelligit leet vinus fit majoris efficacie, vu platearins. Biumm majoris eft efficacie ed minus datur.

(1) Sal cu fimpli ponit de coi intelligit, (1) Sumac qu fimplicit ponit de cortice grant el'intelligitur. Gu S. Lag.ca. fue mac, auctoritate Dya, Junamentus el'è in cortice granop: 2 ga, Oeli' qo est i to

Tres flores cordiales

Tres flores cordialef qui fimplicit po muntur debent intelligi flos violaz boza raginis z buglofie,

Aiola Aifens

(Aiola că fimpli ponit de purpureat telligit. De bac em folü locur est. S. L. ag.ca. Seneslig. am vius er magis coue nit medicinis imo alie species violarum funt species levya act. pen.

Lapitulum de cimum de persimutationibus medicinarum.

Enctur fare apotecarius punta tiones medicinar fine ad p quo vt vna fibi deficiente alia accipi piat fimilis virtutis. Ifte aut fimi a folet, adinuice permutari fim ordinem litterar minozis alphabeti

Acaflia Asarum Automonfum Amonfacum Anacardus Acozus Briftologia Affa fetida Alcanna Aloes

Absinchium

I Pro acassia ponis succus prunclop agrestium imaturatop, auiscoo cas. ca. de acassia, Et dicit costan. poo cuo pos nuur proquistidos.

☐ \$\frac{1}{2}\text{20} asaro ponit podus iph? \$\tau\$ medi um de acozo \$\tau\$ ferta poderis ems amomi \$\text{1}\$\text{20}\$\text{20}\$ ationto ponit ftanti adulti.aui. \$\text{1}\$\text{20}\$\text{20}\$ amoniaco ponit fordicies alue

ris apum autcenna

J Pro anacardo ponit arta poderis ip fius veballamo. Jo deseto amado i are olis suts. Jo etia ana. Ponit vitra anac, loco el quintupla cius ponderis debon daca. Lauclana, Ponit vitra tertia pons deris de napta alba

T 3020 acozo i depelledis vetolitatib?

T umameto qo facit epati T spleni ponif
equale pondus de cimino cu tertio pone
deris de aristologia, anicema.

T Pro aristologia rotunda ponté pod? egle de surubet: t tertia poderis de mace t medictas sui de costo, t p longa ponté pondus equale de sisumber: t medictas sui de pipere albo, autrenna.

Total fetida ponit cqle podocius be odonfera, z podus z f. deferapino.

Deo alcana ponit aborfu z umamê

Dero alcăna ponifiaboriu rinnamê to qo facit i venenis equale podus ipfi? de arifiologia longa r metaltro. Joh, de fancto amando in arcolissinis

1 Pro aloes ponif oupli tpfi? be litio.
T Pro abfinchio ponif politi aut feeba
armenii, i. liticade citrinii. 'z in cofortado
ftomaco epazaro @tum ipm est cum me?
dio podere intrabolano p. auticenna.

T Pro antío ponificarui Fri ipsé, aui, Bedereg Bedegar Balanstia T Pro beben ponif Fri ipsé de rubea

B

E

t medietas fin de cortice caffielignee, t decima poderis eins de mace ancenna, D Pro bedereg ponit seme nasturcivos ga, vi. sim. far. c. Erismo, Seminis buins berbe sapor sapor seminis nasturcijovir tus ei? est similis virtuti ill?: nis qr eca

lida inflammatina. Dec ille,

T 3020 balauftia point cortex glandis

r caput granati.aucenna.

Deo bedegar in febribus ponitur fu musterre.

Camomilla Castozeum Cmamomum

Erocus Eppreffus Cordumeni Eoftus Eastiafistula Epimolea Eondisus

Eardamomum maius

T De camoinilla vicit Dya, q fi florem eins no babueris, folia 7 radit einsvirtu tem complent, na due partes foliop uns

Z

Ø

20

Becudus

De permutatione medicinan fine and bro ano

XXXII

5

| pf | ent Stute flou:ideo pro | ipfa be | bet po |
|----|-----------------------------|---------|--|
| | . z ani, dicit q in coforta | tiõe cc | rebai p |
| | fo ponuntur berengefif. | | NAME OF THE PERSON NAME OF THE P |
| | Pozo caftozeo yonitur qu | | |
| | ozo toto medietas ipii | | |
| 0 | 320 cinamomo ponit | costerc | afficlis |

k

guec aut ouplinn iplius de cubebe cofto: z quarta poderis ciº de [pica.z po dus ipfins de corricibo caffichignee. Hui. Thro cypreffo ponit medictas pons deris ci? de corrice granati. t pod? ipli? de farcocola rubea. Anicenna.

De cordunci ponif barmel aut fq nantum, Zuicenna.

1 3020 cofto ponit medictas poderis

Cius de piretro. Antenna

T 2000 caffiafifula ponifpod? ipfi? de teremabi, t triplu ponderis er de carne paffe, coctana ponderis ipfi? beturbith cques loco paffe ponit liquiricia.

1 1020 chimolea ponit illud qo inenit finbrota acuendi gladios qo exferro z la pide coficir, S. Lag, ca, de tumore pedu pregnantiü

3020 codifi in fternutationib? vtimur eleboro albo. Elet. pe, z in vomitu loco/ip fins vitimur nuce vomica in code ponde recumpertio funponderis de pipere.

1 3020 cardamomo maiozi vitimur car damomo minozi, t ccotra. S. Lag.c. cas cola Theylivbi dicit q ivins minous eff cut ot? maioris: mfi. ppter er fubtilita tem confert plus digeftiom: est magis deficeatiuum

T 3020 camepiteos ponit medietas po dens el de liscleos: 7 quarta ponderis eius de caffialignea.

Dyamozon Darfifaban Dozonicon

T 3010 dyamozo ponif fuce motor co ctus cu melle z despumatt.platearius J 3020 dozonico ponunt ductertie po dens ipfins degariofilis. Anicenna.

W 3020 Darfifaban ponunt fruct aliem buch, test guiqua vel plocaracta. f. due tertic poderisiph?. E in finnameris ner nox podus erocazaro z medictas pon deris ipfius ocabfinchio, anicenna,

Eupatorium Elchozusniger

D

E

3 30 cupatono pome podus el? de a zaro. t medictas poder liph? o abfinchio 1 3020 clebozo mgro pomí mediti ipfi? de mezerconit due tertie poderis el de agarico. Films aut melenguedicity los so ipfius ponitur condifi, Anicenna

| 2 cirum | 2 onnu |
|-------------------|------------------------|
| Seffire . | Sumusterre. |
| C ferrum, ferru | go,fcama ferriceinfdes |
| funt virtutis:ide | o vnú pro alio pomtur. |
| Actor pendetaru | |
| | rom2. Fed laca Ilinous |

muntur folia gariofilop:vel spica nardi. Blatcarius, Bel ponit pondus eus de mace, Huicenna,

13020 feffire.i, vite alba ponit pondul ipfins de dozonico. Et ducterne ponde ris eius de mace, auicenna,

De fumoterrem scabie z febrib an tiquis ponit quantu cit mediu poderis cius de fene de mecha. Autcenna,

Benciana Balbanum

Balanga J 3020 genciana ponit quatti ipm eft z quantu medictas ei? ex asaro:z quantu medietas ciº de radice caparis, anicena, T Pozo galaga pon it lzerfat gariofila. tum.i.cortex arboris gariofilozum. 3añ,

Dasce Dermodattilus

1 3020 basce,i.thimo ponit origanum montanumvel epithimum.aucenna.

De permodatilo ponif in bolozib? incurar podus ciode folis alizame:et medictas poderis erbebdellio, auicen, 3pericon

T \$20 iperico ponit pod?ipfi?befqna to: zpod'ipfims ocradice capar lautcen. Tero Hopo ponit fanfucci tantudem 7 mcdum cus,

Litium Zaurus Zingua ams

Bozo litio ponit podus equale exfau fel T fandalo mixtis equaliter,

3020 lauro ponunt folia fizibaicanic, 3020 lingualauis in monedo coitum ponit eqle pondus ipfi?de nuce excortis сата. Ашсенна.

Oclliffa Wentastrum Od canne

Demelliffa die ga.vij.fimp.far.qml tu ouffert a prafficito vnup alio no 03 po ni odin poterit repirt. Si vero aliquino fuerit praffium: 13 boc vti in oibus in qui bus vntillo.faentes q actu deeft.

Iftis oibometaftru.pulegiu. camomilla calametů motanů, z calamentů fluniale vnop alio vtit.funt em einfdemvirtutis Act, pe,i expoebut termini Bliconium 6

D

3

Z

മ

Pro melle canne ponitur mel apus. Jo, ma, sup nono aimeforis ca, de cephalea.

Dicitur q pro mirra ponit medictas po deris el de pipere, sed dicit Ameena qui mbil est.

Dabach

Nabach Nafturcium Nugmuscata

n

T Honabach ponit ga. 7 S.i vngučt 7 corectionibus aromaticis calamentus montanum

De femine nasturch pomint el'for ha efficcata t no viridia, vii, S. L. ag ca. Josialbathebe, inasturci te, Dicitur q qui nasturcii efficatist emp virtus sicut virtus seminis el'et dum elt recens pro pter puiditate aquosam q est in eo habet virtut debiliore virtute seminis cius,

The nuce muscata ponit spice equa le pondus, Auccina,

Opium
Oppoponacum
Osiumum gariofilatum
Oppobalfamum
Olcumtaurinum
Olcum be alcama
Olcum be vatica

Dleum rofarum Dleum de lzerua (3020 opio ponit triplum poderis et?

De semine insquami 7 duplum et? de ses mine mandragore, Aucena, \$20 oppoponaco ponit sicus. Estimat

mat chamanicena quanoniaci, clt ci ppins quum in virtute.

T Pozo ozimogariofilato ponit mellife fa i paffiombo cozdis z melme. Jan.

T pero oppobalfamo ponit mirra liĝda T pero oleo laurio ponit pir liĝda, aui, T pero oleo de alcanna ponit oleŭ fan Inceniu, Amerema.

T 30 to oleo de vetica ponit oleu de car tamo, antecma.

Ocum de menufare aucenna.

Bozo olco delecrua ponit olcum rafa
ninum.autecina,

Bolipodium

Bolum

Boo polipodio ponit epithimut me dium ponderio de lale indo aucenna.

Do polio ponunt in extractioe vert

niu t puocatione mestruon t vine pon dus ed lede lignis granati viridib? t due tertie poderis iplius de corticibus ligno rum cassielignee.anicen.

LDiet amii c,oe lactuca: p lactuca as

greftis est in virtute papaueris nigri. Ribes

Rob deribes Rob de mozis Rob de atoníis Rob de gran atis Rob murtinum

1 3020 fucco ribes ponit fuce acetole Defue in carrob de ribes,

E Pro rob ponunt carnes passulaz, ia cob? de ptib? parsien, doctor modernus vir magne auctoritat; int modernos qt/ti prima ca, de tusti febricitaneium.

pont fuccus acctofe aut firup? et?, vult the pool for the pool of the pool of the pool of the function of the pool of the function of the pool of the

De robde mous vennur dyamoro.
D. Ti. Epoforus georgius ver fupra

T 320 robde ettonis vennur mina cid
toniou vel mina fimplicade poforus

T 320 robde granaffette fueco granas

tozum. Idem ppofozus voi lupza.

Dzo rob murtino viimur lirupo mire
tino, idem ppofozus voi lupza.
Spica celtica

Spodium

Storar Squilla Staphifagria Sal indum Scrapinum Sucutum Sccacul

Sandalus Semen cucurbite Paro fpica, celtica ponif falifica. pla.

T 3020 storace ponif equale podus de castoreo: o diplus ponderis ci? de oleo sisanmo anice, in, i, cañ.ca, Lubue.

T 3020 spodio ponif ebur cobustus vel qo melius est cinis à inuenif sup sorace

argentarion, S. Lag. ca. abayfir.

¶ Profquilla ponif cordument i equali podererant podus equaler tertia ipfi us de acoro, aut tertia ipfins de amomo Anícenna.

J 3020 staphisagria pomé piretru. 300 desancto amado marcolissims.

T Pro fale indo ponit zuc,cadi.act.pe T Abro ferapio ponit gima cedri.z alip oucrit pini masculi, z alip oucrit pini masculi, z alip oucrit ponit tut podus ipii zi medifi de oppoponaco T Pro fucuto ponit fuccofolio z lactu ce aut aq folatri, auic, ca, fuccutii vez vi detur q aucena videt nescimite qd ess.

fuccutii cum bicit o bicitur o cit semp vi ua. t bicitur o cit species semunis madra goze t sie non accepit succutii nisi dubie p semine mandragoze aut pro semper viua t sie pro ipsis pomt aqua solatri aut suc cus foliop lactuce.

Dero secacul ponif satyrio. Auicena Dero sandalo Otuz ad virtute cius in frigidatua ponitur fauscl. Jañ in littera 5, m explitione buius termini sauscl.

ma malozum oulcum, Platearus.

Thefific Taratif Tiriaca Terebentina Tuthia

lat.

top

Zricon

Trocifei de tyro

Trocifei de

De paratif poitur medictas poderis cius de contec oni adulto abluto. e ferta poderis cius de galis e decima poderis cius de gummarab. aufecuna.

Deo tyriaca ponitur triplum poderis

eius de sedoaria.

1 3020 tereberina pomit gumus gariofi lop, glute em gariofilop epifit in otute glutims albotis, auce, cap. de gariofilis T 3020 tuthia i pafficibo oculor ponit cuns folior oliuc fimul cu floribo qui ita Debet fieri. Accipe folia ipfa cu flozer fil poneiolla terrea cruda: 7 obtura 08 et? z Dimutte in fornace donec illa coquatur dent timul cofice: titep combure ficut prius. poftea laua ficut lauat cerufa Tfac trocifcos.creditur em q qui cobunit, boc modo quo fit car virtus minoz virtute tutbie in innameto oculi, t ideo creditur q virtus buius fit ficut virt? illius, S. Z. ag.ca. Cabitatton. Jde Bul.in feruitoze Dia nofa terminata in tricon capilla fos naut.ideo pro codem accipilitur.ab code em effectu iunt impofita.ideo becpolitri con adyantos gallitrico capillo veneris p seinice accipint, S.l.ag. c. Bersegasce T Pozo trociscis de tyro i tyziaca ponut trocisci facti de diptão z tozmenia, Sal, Bicetocicum

T Proviceto cico poit arnal tormetila Pro vinee ponitur podus el? de cor dumeni, anicenna

Zedoaria

U

1 Pozo sedo aria poit ariftologia, Unde

Auice. zedoaria est in Stute aristologie, z dicit etiä in fine ca, cius q triplū poderis cius ponitur pyno tyziace. Et dicit fili? mesengue q ipsa in operatione sua est sis cut durungi, id est dozonicum.

Lapitulum virimum depons

deribus zmensuris.

Iftinctio mensuran z ponderum tribus de caufis diucrificat. 30216 mo rone duerfan prouinciaru: vt alind eft laift romanu. z alind laift ytalicu Scoo roc dinerlaz medician vi abe mel lis rabe olei, Aben em mellis funt mine duc. t aben olei fut mine one, f. z coclear mellis eft pod?,iin,aureop, t coclear me dicine eft auren. L'Ertio dinerfificant roe aucton vi verbigrai diffunctione poden mefuran qua poit auic, er bremario al feyt feribit o lett mellis eft podus lb.E. vin. Texbemario S. scribit q laft eft po dus duay lb.cu dimidia. Gilr etia differt Ti.ab alis in podere fertari, qapoit fer tariñ effe podis. i, ib.f. Sed anc. 7 S, ponüt fertariñ effe pod? vi.5. z.i, oanich Ettende ergo quita funt omería pode ru z menfurap genera obus vittur in me dicina fin ordine minoris alphabeti.

Adari

Arfeti

Allem princ

Alimilmein

Acetabulum Alnuluseth Aureus

Anelana Adarcami Aluelim

Arfat Arnula

Adorat Aben

Abenien vel alemen

Armo Adafafati Alasacrayti Asatıl

Alcomuas Athuatu Alleantus Aldegurach Alfet

Alfilef

(Acetabulu nome mesure est grta parate emine cotinens. t est em ysio. s. ci).

Aliqui antiqui exposuerunt quarum testa oui capere potest. Quandom inenit ace tabulus scriptum. Jan.

Almulusch eft podus, zi, vndc anic, ca. de agarico, z quado es i poru datur er co tres almulusch, et S. Lag, c. Agaric

D

E

51

05

K

vicit o poffum? varc.3. f. fic er cocozdia bon paret o alnulufeth eft podus.s.n.oi cit miter iltos mulla est cocozdia, que tres alnulufeth effet.vi 3.7 tale bofin de aga rico non conemit exhibere: fed Jan export q almulufeth e obol' id e.tfi.grafi, z meli? Aurens affumptus conter S. r auic.e po dus.3.i.l.fed in rei veritate in medicinis magne potentieffue fuit folutine fine no aureus elt min' @3 Dicit em & ca.de p battoc tyziace, Et des betyziaca ad qua titate lupini. t cft medi? aureus, tamice. ca.de cura alchites ofcit & fumat ocpillu lis fulirinis in potu ocbilis auren.1.2 for tis.3.1. Et ita patet illtis @ aureus fit mi mis q.3. Auclana eft aurens.i.fine.3.i.f. Adarcaum fm S. funt fer oboli: reft po dus.lpru.granozum ozdei. Adari fin S,eft pondus trium litearum Ainentim fin S,eft pondus, 3, rvin, Arfarelt pondus. 3.c. r. rr. fm &. Arien romana cit pondus ide [c3.3.c. tr. Amntavelanula vel angue que ides funt zeft pondus fin Baurcorum, vif. Adorat em auc.eft pondus trius librarii Innemuneur aben mellis z aben olei ze aben mellis fin S.pondus,ii, mmay :15 aben olei eft pondus vnius mine T.f. Hiem vrine Pm scrapione est podus. tro. fertariozum. Abemen velalemen fin Auicenna eft fet graria.v. 1.3. grri, 7 antuli, iin. Er atiede o vbi dicit, Aincen, antuli dicit B. z,mes lius armo. Eirmo eft pondus rriifi grafi.ozdei. Adalafati magna fin G.eft podus .3.v. t graff.gvi.ozdet.fcd adafafati parua fin S.cft pondus.vij. femimer Alfacrayati apud autcena eft nome pode ris granop. O. ccc. Et alibi. Aifacrayati magna granozii. L. livin, parua vero gra nozum.lerrin. Jan. Alfant arab elt nomen poderis apprebe dens grana .v.c.lervin. Idem, Jan. . Allconn as &m S.elt pondus trium. 3. Mimimeili fin G.eft pondus, 3.i.f. Zil buutu idem fin ferapione. Alleantus fin anicenna elt pondus.3.f. Al degurach vel danguaric Pm anicena e pondus.3.un. Hiceft pondus, 3.im, f. Alfulef oler funt.3, vi. Alfulcfmellis e pod' .3.in, id e quarti.i. **Ibnala** IBuala fin quoida est mensura contines

3. un. vude auc. pmo can.ca, de regimine

ağ z vini bicit fup cibii buas brialas aut tres bibere non nocet ei qui content? eft Charme Codear Choativel ciatus Ebons mellis L'ons olei Ebons vini **E**oatus **Earbon** Charine fim ferapiones eft grta pars 3.1. t funt grana. rvi. Coclear medicie Pm aut. e auren.i.s coclear mellis fin B. z aute.eaureniin. Choati vel ciatus eft. 3.in. Loons mellis eft ib, rin, fe Chons vinichtib.r. Donsolcieft lb.g. Carbo elt.3. pvin.f. Coatusvi coutes eft pondus, 3.1, f. f3 coatus olei cit barlamet. th. Et coat' vis ni eft.3.1.7 medictas darlamet a terria z coatus mellis pondus, 3.1, 2 quarra. Dragma Dozebini fine barlzimet Dorat Danico Dragma fm omnes eft pond, 3, trins e Debet fic figuraris. Dozchum fine darleimet eft pond? au Dozat ytalten e iobein.vin.t iobein e arfac romana.vi. z quid fit arfac bictu e Danich eft nome poderis, vin grano rum order 3an, Tagium fin Micolaum z fin commu nem opinionem eft pondus.3.1.1. TErub melus fin Ameenna eft podus n.to.f.fed erub olci eft min. 4. 7. f. Saba greca Saba alexandring Laba egiptiaca Cababaffiria faba greca cft. n. femict aut. n. oboli. Saba alexadrina eft pod'.3.1,1.2 gra gri. Saba egipti aca elt quatnoz femiet et elt.3.1.f. Jaba baffiria eft pod? 3. n. z gra, roi. 15 ozmia Bozmia eft quarta pars. 5.1.7, fe Kuft Ritat vellairates Rife Radus Rift, S.in feptimo in confectioe electua ri ocatois auctoritatega, dicq luitro mana é lo, 1, cu dunidia, e dicit aute, ca, de

23

fciatica platit est cotilc.ii.lb. t libzo de doctrina greca exponit pett cad? .i. t ex ca.aunc.supaddito in sine inti qo extrasetti est exdenario S.dicis pet pondus 3.xx. Et last ytalicii est. 3.1.s.pro quo atte de podi in lidzis auic.mes. S.ras. t alio rum arabicoa ponitur lasse, deba poi lasse ytalicii. sed obi in lidzis grecozii de Ticol. Sa.alegadri t alioa ponit lasse deba poni lasse romana. sed lb. ii. Innenti turtii lasse ole, t last yint, t lasse mellis.

Rift olci eft. 3, rvin. Rift vini eft ib. lere. Rift mellis eft ib. L. vin.

Rirat exponit xpofozus geoz. super mcf R.a trociscoz de cipero q e pod? vin, grañ, ozdet. Expoit tñ mund, q est filica z exponit q est pond? triñ grañ. ozdet, et banc expositioem imitatus est saladinus Rise est mensura continens, un, lb. vini, Doc podus pabetur in de secretis galieñ, Radus fin papia exponit q est vas am phoza dicta cottinens tres. 3, sed i libzo d doctrina greca exponitur prositula,

Libra medicinalis eft. 3. ph.

Wina

2

20

n

B

igs

Todina alia é romanat alia ytalica que do simpliciter ponit mina in lides arab ve auic, serap, mes debet poni mina ytalica, sed slides grecop ve gailica, aleradrit nicolat, debet poi mina romana. Odina ytalica est pondo, 3, pvi sed mina romana est pondus, 3, pr. e sim papia que vides in sequi Jan, mina é pondo. E. 3, cois vsus non insequiturism.

Nurmagna pro pondere eft podus.s.n. f.gran.rvin. Sed nur parua eft auclana

O Ocqua supra,

Tobolus eft. 3.f.

R Rafich

TRafici expoit sala, & épodus, 3, i.s.

Seminet Seminen

Sasureg Sufe

J Scrupul' eftertia pars uncie sm co mune opinione t sic sigurat i medicia. I Gemmet exponut aut. Psüt mine, p.s. G Semme est pondus, pin, gran. ordei. J Salureg in secretis ga. exponit q est pondus, z.i.s.

Coule in de fecretis galien, exponit que elt menfura continens lb.vi, acett.

Ancia

Concia eft podus, 5. viff, vt tenet mod

communis in biuerfistame regionib? va

riatur: 2 debet fic figurari, 3.

T 200 babeda memozia de dinerfis me dicinarum ponderibus vinalibus: qi no oia pdicta podera funt v fualia nota bos perfus. Collige triticeis mediciepodera grais. Brana quer que ferupuli p pode re poe. In dragma fcrupulis ter furgit me tiplicat', Si folida queris tres ozagmas bimidiabis. Eragius folido oiffert in no mine folo, Aureus eragio folidoco parifi catur. Conftat fer folidis vel ter trib? vn cia dragmis. Uncia pars libre duodena qs ambigit ide, Si queras pond quot by fertarius vins. Librar quinc podus de bes mediare. Cotila fertario diffet in no mine folo. Continer eminas fertari? fer puto binas. Er fertur obol femis fcrus pulus effe probatur. Cetere menfure no fint tibi noie cure. Nas qu' funt ficta forde fount funtos rerelict a. Hon eris illufus fi tenes quodtenet vius/

Finit particula prima buius lebilibri

Becuda Particula

fecundi libri Incipit.

Inita particula prima buins fe

cundi libri presentis opusculi: vbi documus modos generas les conficiendi omne antidotus superest in reliquis particulis antidota de feribere, befenbein? aut vt birim? ofa antidota que nicolao ta melue dicta fut licetapud apotecariof nostros no fintos fualia:q2 forfită aliq medici eis viuf ma giftraliter. z ialiquibus regionibus quif da,in alins vero reliquis. Et ergo nofter libellus fufficiat, vbics describem? omni cu diligeria correcta Temedata otti are correctors fuftinere pot lics canones em practicos nung recuperet itellectus cus in fola experientia confiftant thoin rati ocinatioe. Propter in oifcrime magnus feribetini libris practice marimus i bis fubfecut? é erroz adeo q veteftat génils in fuo ocpportioib? medician fient peef fus i ple ipes pmi pris debilitat doccia no fit orgnu nome gettu antiq pli radica lie affimilari; fic libzi fapietii pzopter ferio ptopignoratias i adulterio cecideriit et qui pzi? a fapiento cu diligiena ftudo ct experienta fuerut eraraticia totalit corru pti videtur:necfüt q par? erat, voi cm oil curreris patidotarios inenies i els mari

ma otherntatem maxime in ponderib. se

pe cm feribitur. 3.pro lb. v.3.pro. 3. cm? erroz facit apotecari il libris adberete ad potecaria equinoce. Doc aut opus nofte breue nebulofam viaclucidabit. tertus bene correctos flequit. Infequamur aus rem in boc nostro libello ve mozis fuit oz dinem litteran mions alphaben, Sed qz difficile eft penece impossibile atidota fic omma ordinata ferie z alphabetica ptras ctare, cus con queda fub forma pulueris t alia sub forma cofectois solide alia sub forma electuary oispensent, ideo voi sub una littera descriptio autidotozum no in uemerar recurratur ad alias. (Bequit ergo primo tractare in bac partitula fecii da de receptis antidotozum qui incipiüt per A. tin reliquis particulis de alis oz dine predicto. I In bac pricula crut recepte fequetes. Hurca alexandrina, D. Micolai Adranum.D.T. Heariftum, DII. Athanafia.D.Tu Athanafia magna. D.O. Athanalia minoz. D, auc.i quinto, cañ. Alcancalon.D.T. Antimaron D. 17. Antidotum emagogum. D. 71. Antium laratiuum. D.17. Aromaticum rop stomatici confortatinu D. Defuci Aromaticum rof mail.D. Babriclis qo pont Defne, Bromaticum rof minus. D. O. Bromaticum muscatum D.O. Aromaticum gariofilatum.D.O. Aromaticum naldmum, D.O. Aliptamuscata.D. Th Alliermes.D.O. Alfestera.D. Od. cuius due ponunt Tete Atmesercon, D.O.J. Acerum fquiliticum, D. D. cui? due pos nuntur Tre. Acctum rof anthofatum z fambucinu a beferibunturfub vna readem Ikta, Acerum paffulatum, D. Johanis mathei de gradidoctoris moderni. Aqua fructuum, D. O. Aquamellis, D. O. Luius tres ponunt tur Rete. Aqua ozdei fin D.auic.pzima quarti. Acaffia.D. Bulcrafis in feruntore. Amidon exfrumento. D. B. in Feruitoze Amidon er ordeo. D. B. in feruttore. Amidon er ozobo, D. IB. in fermitoze. Hurca alexandzina

Din.

R. Harri carpobalfami feminis iuldami an. 3, n.f. gariofilozus murre ciperi oph thebaicí añ.3.n. balfami cinamomi electi 3edoaric 3in3iberis cofft cozali cafficlignce eufo2bij dzagagāti thuris ftozacis calamite faliunce meu cardamomi fisclei napci facifrage aneti andi añ.z.i. hamaloes reubarbari reupotici abpte muscate caltozci fpice. gallange oppoponaci anacardí fulphuris pionie yzıngi rofarum thimi acozi pulegij vtriuf ariftologie gentiane corticis mandragore camedreos baccarum lauri danci cretica amcos macropiperis leucopiperis plobalfami armi momi actrofelini Puiltici

Subrikffimeph ucriferur azaruz hie in auren aler andrinave repar ad vias veine,

Dec Strararoin uenif ppata ali: qui tii ca magis strafater remit et fernatur p feran non, faladima,

Dicos pont tra gragatiti denti aut fubrufunce no abilita core con post el catala tra ferméticum que est posture dui autique,

Dic by ponims flir citrisum aut

> Die deby chind fubriliffunction uerifari er g ci/ fubrilifetem repat adviasvis

inpeluiplena aq cutanti arbitatici et bilima lepius piretri afi, gra.ir, abbii cus aq ant incefiupea cote et fiat fimiliter. poftea bimittat B. oph tebalci. 3, lip, matura befedet est locatici.

Adrianti oferna folit turannia fepres. oziganti Sal. Lofeco cti no evinalis:nec

feminis rute feminis citoni auri cocti añ. 3.f. Erpone ibacto argentimeri fectioe auri cocti ambarum margaritarii feilicet perfozata poecocione des poecocione del rum e non perrozataurm glofa, puracur. coebé blace bisancie suru cargétum offis de coede ceruí añ, grañ, ruñ, e dima parua limature ebozis inpeluiplena a calami aromatici

Adrianum D.n. reflace aquar li k.oph tebaici. 5, iii, matura defedet ad fundā. zilla li iufquiani albi añ. 3, ii, 3, iii, iii berpomi inedici leucopiperis enfozbi añ. 3, ii, grañ. vi, z tertiam partes abbreuiare pos grañ. i. feminis aph feminis fiscleos añ.s.t.).f. gra, n.

pparata repitur oppobaliami
jnadrino oebs ftozacis calamite
pom oragagain 5m3tberis
amanauniubs
rufatno albū, carpobalfami pecromacedonici cyperi an 3.1.minus.gra.vi, maratri.). n. gra. vin.. calami aromatici, 3. n. gra, n. Spice nardi anamomi croci cofti reupontici pirctri acozi dauci cretici antfian,3.f.gta,vi. caftozei.s.f. ferapini mirre rofarum cardamomi amomi feminis rute agreftis; ameos añ. J.i. gra,tiñ. Alin addiderat lufragi. 3.i.

mellis q.f. Acarıfti D.T.

R.cofti galbani

finicon indi plopi celini añ 3.i. Spice nardi cozali croci rilobalfami cafficfiftule,id eft caffielignee calami aromatici reupontici mirre ftozacis calamite oppoponaci bdelli mollis aut indaici amontact olibani cicidon Spice celtice abzotani acozí asari bzactei rozis firiaci fquille banidis pirctri anifi amomi pfillij 05lmi dauci cretici leuistici maratri miconis lencopiperis mclanopiperis macropipens flozum ciriaciañ. 3. fi. elempni. 3.1.f. eleboninigri sinsiberis afi. 3.i. mellis,q.f.

Atbanafia D.M.

R.cinamomi cafficfiftulc añ.3.ifi.gra,vin. croci fquinanti storacis calamite fisclei berbonice feminis infquiami anifi dauci cretici opij,3,i,f,gra,iij. **Tpice**

Quicquid'bicat plateari?abi bes bet ee tallictiftu le. t. cafficignee Pro q attede q antiq caffiantiu nınlıgneä. THá fi legis capt's bya. rapionis de caffi elightuenies qu fit verü p anniq vocabat caffiam lignea caffiafis ftulä:pater. Tha caffine feitt i ca. De dologib? ftof ne pigre gai.vbi caffinligheas ain feribunt ipfe feri Et ica fil'r bic fin it pr pie credif q phi fupra ly cars fichtfule feribif i glofa.i.caffieligh nari remouerüt ly.t.et virags feri plerunt. Dsers go bic fenbi caffi efiftule, i.caffieli gnee:cu beccofe eno nec fir lagae ua nec coperere pidearru caffiafi ftula exfuisppei eratibus fleutin oplummis algo enā antidotis ie quento? repit cal flatifuia z p bāc intelligerenoebef caffialig.vt ere/ pliftcar Jah: .oe

Elide ergo er olf tin Jan. o filr i

arbanafia

Ziber.

naficoebes sto: fold fare cafficitus caffozet le. i. cafficlignee mirre pt dicti eft

lapis ematites fanguinis draconis cozalirubei costi mammie boli armenici

Dicpuluerifa a: fimphiti sarā tantā q res lempnias paradvissyzine asart

acosi corticis mandragore poln baccarum lauri macropiperis leucopiperis petrofelini añ. 3, f. mellis.q.f.

Ifta cofectio cois terno inuenif p parata:aliqui in R, croci medici ea magis mirre Lorni dertrum oph

D,O. ceruionit aporo castozei rus scorgius & feminis infquiami cordument feminis papaueris albi fpice cupatozn cpatis adip comu destri capreadufti, i alio comu des tur: alia que liquefiant cum vino z cofi ce cum melle despumato Arbanafia minoz

D.auc.quinto caff.

Athanafia magna

Tha cofectio no om apotecarios croci
nostros. oparos spice nardi
ravero colernas opii
annis trib? 534 annis.trib7.534 ladinus.

inucuif pparata R. storacis calamite negrenitivius cofti caffielignee an. 3.iii). fucci enpatozn fcilicet ficci.3, vin. radicis lilip.5.pn. mellis quod fufficit Ali addunt mirre palobalfami an.3.iiii Alcancalon

Alcanealon non penit in viusmet mucuit ppatum

D.n. Tk.cozticis mirabolanozum citrinozum, lzebulozū Indozum añ.z.vh. Teminis poztulace feminis violarum

feminis scariole an. 3. S. bellerici emblician 3 i.gra.vn. maftici 8.3.11.3.1. thamarindozum, 3.14. flozum numphce berberis been rub renbarbari afi. 3.i.gra,ith

medulle caffiefi. 3, un. In alio. 3, v. Cofice fic. i lb.ij. aq: buliat. 3.f. violan na cife mdins aliquatulu bonecaq coloret. z postca ab igne deponat z colef: z de cade aqua ac cipe.q.f.ad abluendů predictá caffiáfiftu la thamarindos: tcola p caffola t cum alia aqua addat lb.f. succare t buliatofos ad columptione aq.postea addant collo tura cassicfulule e tamarindorum: e itez bultant victad spisstudine strupi, z fivis probare fi coctum str pon atur supra mar moz. t fiadberet quaft mel coctum eft.ct tuncab igne deponaturet aliquantulum infrigidari permittatur. Deinde puluis fupradictarum specierum superasperga tur T'cum fpatula agitentur bonec incoz pozentur.

Anthimozon D.T. Ralocs. z.v. f. gra, vi, cafficfi.3.1.gra.vi.f. mafticis. 3,11.gra,v. crocus.s. azari.).ij.gra.v. piloballami.).i.gra.ij.l, cmamomi.).ij.gra.v. v2c05,3.1+ barbe aaron deaguntee an. J.i.gra,i, f. agarici coloquintide aitri cufozbíj caftozeiañ. 3. f. gra. v. elebozinigi.3,f, aligandrij apn petrofelmian.). ij. gra. v. coconidi dyagredijan. 3. ij. gra.v. mellis,q.f.

R.acori asarı feminisatriplicis maratrian. 3. i.gra.vi

Zintimbron noc eft in viumera: mitur pporati

tierifari asamo reparad visse: ne:Raliquanius Groffi? etmags fit folutim gal permiun.

Dic variat ords fimplicitateodi ne aliquopliba rū. numaus a fimplicia tqui titas eft codes.

Antidotum emagogum Bocantidoni i D.N. nec eft i vin 190 il) ic asariboba
fubrildimepuls
uerilari gresa
ad vias vanc

000 min 000 do q

cofficfiftule id eft

mseft cadem:

fib

ISE

anifi.).n. aristologiclonge arthemelic Indiocalicifit. caffielignecan, J. ii.gra, riii. centaurce maioris pter caufas Deda Dauci cretici afi.). fi. ratām acarifton elebozi nigri,).i. foliozum lauri,).i.f.gra,ifi liquiricierafe,3.1.3.1. lupini,3.n. melanch.3.ff. mirre. 3. n. gra. pin, ozobi. J.i. stipere . J.i. Dievariaf ordo macedonici. 3.1. fimplicia ab ozs piretri...), n.gra.riii dne aliquoze li: brog.numer? ti fimplicia quari pulegn r egalis. j. n.gra.rii. pionte. 3.1, gra, vip. ciperi, 3.1. feminisruthe. 3. f. gra, piif. fpice. 3. ij. gra, riij. Imirms. 3. ij. fquinanti. 3.i.gra. riiij. aph faumean. 3.L. rilobalfami. 3.i.gra,riin zinziberis. 3. in. gra, riin. gariofi. 3.11. radicis caparis

Dicoeds cimină ciminis au. 3.1. subcidifine plue mellis, q. f. nfari o repatad Bindus tapatium eins ftipices furi les Albeb.

Anifum lagatinum D.M. no din viu: nec R. polipodi quercini, 3, n.
portulozu fene foliculozum fene mundatozum, 3, i.
turbitb electi. 3, f. turbith electi.3.1. mundatou fiza furbito electr. 3.1.
figuabus foigi sinsiberis albi. 3.1.
magnie. qu funt elule müdate trafe, 3.0% manne granate,3.1. gariofilozum gallange nucis muscate macis lightalocs fpice nardi cunamoi cardamoi maiozis añ.5.n. Dyagredh, 3.1. mafticis,3,1 D'Eofice fic. Fiat decoctio ex polipos. vice ad, 3. iii, remanentes in qua tempes

Iftemodus cofi ciendi raro inue/ nifmlibriete eft renturper noctes foliculi fene. Deide aco coueniens et cre do pfirbe inten cipe suc.lb. n. z clarifica in predicta decos ctione addendo mannam granatas tiúc tione actoris. accipe anifi boi electi e beficati quarti,f. Et cooperi duodeci vicibus, Et ola pres

dicta reliq pulutrifata aromatica e mas fticem to yagredius ad aliampartes que omnia dividanti duodecim partes z in qualibs coopertura predicti anifi vna ps Defuper cum manu puluerifetur, zivitis ma vice puluerifetur oyagredium cu3 ma ftice t deficcata lento igne.

Aromaticus rof stomaci em pfice description confortatium, D. D. tieneno inuenis

R.rof rubcarum, 3.1.f. lignialoes macis gariofi. trociscozum byarodon gallic mufcate an. 5.h.f. liquiricie mudate.3.vin. cinamomi electi, 5, in. gallange 3in3iberi8 nucis mulcate an.3., n, f. peyl fpice nardi an.3.i. fir.rop fir, corticis citri an, quod fufficit Et funt qui aromatisant cum ferta parte 5.4muici.

M.rofrub.z.rv. liquiricie raf.3.vij. Ligni aloes fandali macazir añ, z, iñ: cinamomi electi, 3.0, macis gariofilozum añ, 3. h, f. gummi arab deagagantiañ.s.n.r.h.partes alterius, nucis muscate cardamomi maiozis gallangean.3.i. fpice mardi ambre griffic an, 3. if. musci, 3,1. Aromaticum rof minus no eft in viu: nec fir.rof quod fufficit

D.W.

R.rof rub.3.r. ligni alocs fandali mufcacclini an. 5, h. cinamomi electisiii). mafticis.3.1, 3.1. ambac. 3.11. fir,rof quod fufficit

aromaticum muscatum D.O.

K.ligni alocs, vije barfeni,3,r.

Iftud electusriti noreft in viu: nec pparată regitur

ppararanechas befin vite;

Aromaticum rob mains reflicar apciolum de decturaria do gel neraliter a volce paratu reptur properature de decturaria de gel neraliter a volce paratu reptur properature de decturaria de gel neraliter a volce parature de la composition della compo

e im

mulci. 3.i.

ambre crude.3.in. musca boni z electi. 3. fi. fir.rof quod fufficit.

Iftud electuaria Bromaticum gariofilatum general'r eft i vfu led qa coforme ë in virtunbus cu D.00. R.gariofi.z.vn.

electuarije rof. macis
iD. gabrielis: iō zedoaric
postponifnecste galange
voiceppatum re
periur.

macropiperis trocifcozum dyarodon

cinamomi ligmaloes fpice inde piperis longi beylañ.3.n. rofarum.3.un.

liquiricierafe gallie muscate añ,3,fj.

cubebean, partestres, 3,i. fir, corticis am quod fufficit. ambre.3.1.

mulci, 3.f.

Iftud electuaria Aromaticum nardinum no est in viumec D.DJ+ ppamregimr

Perfpice inde.3-17: rofarum.3.un. liquiricie, 3. ij.f. gallie muscate cubebe lignialoes macis gariofilozum cmamomi foli indi anıfi foliozum citri trocifcis oyarodonan.3.i.f. pignearum purgatarum amışdalarum purga tarum an.5,02 gummuarab.

deagagantian,3.9. mulci.3.f.

Confice cum firupo rofato Alipta muscata D.11.

2. lapdani puriffimi. 3. iii. Hozacis calamite, 3.1.ft. liginalocs, 3.11. ftoracis rub.3.1. ambre.3.1. campboze. 3.f. mulci. 3.f. aquerofarum.q.f. Allzermes

The fete intincte in learnes recenter lb. t. Ifta ofening fubmerge ea in fucco pomorum dulcium noie folicos fubmerge ea in fucco pomorum dulcium noie folicos fum conform zagroffan.lb.i.f.Dimitte dievna.deide lapide lasi fac modicii bulire donce aqua rubeat. De no et vina inde extrabeleta ab ea v exprime ca. Dei pparata to depone in ea succari finillimi, 3. C. i. li aliqui fier bram, i, f. vel circiter: coque vico ad mel his spillitudine, deinde remone ab ignez pronce in co'calido ambre crude minutis incife,3.un, z dimitte ligherim co demde phecoclup pulucre baru speciera. B. ligitaloes crudi

barfent an.3.vi. lapidis lasuli loti z preparati. 3. rij. margaritaru no perforataru, 3,11,

auri boni.3.1. musci bonn, 3,i. **E**onfice

Alfeffera D.D. R.rad.feffere contrite z munde lb.f. mellis paffulatilo.iii,

fquille affate pignearum mundatarum añ. 3.i.f. nucis mufcate

cordumeni macis 3in3iberis an.3.n. gariofilozum piperis longian, 3.i.f. fizelcos

falifgemme galliemuscate an.3.s. fpicenardi.z.f.

agarici electi.3.fi. Ancad arab.3.111. (Confice

> Almesereon D.D.

R. foliozum mezereon partes.xi carnium citomozum elikatarum in aceto succari funfilmi aff. partes, here.

teremabipartes.lk. aque calciuntufionis agarici partes, pr. olei almesercon partes, rii. suc, teremabin in aqua pdicta cafei diffol

uantur 7 misceantur cum carne citomozū z becoquantur cus facilitate vicad mell' spissitudinem: muoluatur puluis folio rum almesercon in oleo iam oicto: z con fice cum eis.

Acetum fquiliticum D.D.

R.laminas fquille z ponantur in accto a pricipio veris vies ad fine estatis in va fe vitreato figillato exposito foli: tp ad

Zapidislini 19. becefiche Dobipbacol one rtent rectus. To crione optor fectiono a lba.f.min ij.vf circi. 60 meb.c. de la la sult mode fapients po iptium polici lutione moi omb⁹ letite pric. s.lvin. one: tficinh

Deberponin

bein bhous

Allig libri babi Foliog almos on ppaton gra ita fir pparaus bocmodo. Zin rā folia unya OH Lacero Dies ta:poftea ess tur. frügifens bac artevia? mabilis.wnd ca ppeio sunt pparatogapa ra bec ofemon bil alindvulm pparacione foli ra mesered st #

intuent.

Hoeta fquillitica antiqtue multus babebat in viu: nec vero recessit

vulgothepfuales botam t botam.

Ista Sfectio raro venit in vius mes dicinentifiquine tratinipfectorb? medicinalib?

Ifta prima eft q conter ppatur et on additionali quot aromatus nifi nat expressa métio in medicis Erliegcotter co/ quat vict quo qr ta pel quita parf nus ds femp co: tüvelir eius deco 311131ber ट्रांग्संतृ मात्रं ताराम plus aut min'oc cinamomum coquit variat in

nentur.

ministretur vbi oportet Ellind D.cuidem

R. laminarum fquille z pprie q fint mes die inter corpus v cortice ipfius quantis find hacofestioe, die inter corpus cornee ipinus quanti-ferimur co i for/ tatem quam volucris. Et fine cas fepara maffrapred mel tun cum fulo lineo t pone ad omnes lb. le pfecre cocto et till com titto tinco pone at office time bicif orimel et aceti vini lb. vin z pone i vafe vitrea fquillineum bed to ftricti orifich z ftringe caput cuistoi muttem fole poies.lr. z post illud cola. Et finecessitas viget festinare sepeliatur Istediuerespes van in cinere calido vel arena calida cus acti non funt in successione non repente: sed proprie inter viu medicinali.

> Acetu rolatif antofatum T fambucmum

funt per infusionem rofarum flozum an thos t florum fambuct in aceto vinitous unttendo in fole poies. Le in diebus cani cularibus, Sed rofe debent effe non ads buc plene maturitatis a quibus cu fozpi cibus pamo debet ammoueri extremitas inferioz que alba eft,

Acctum paffulatum-quod beferibie bonorandus magister Jo, matibei de gradi, papici, in quodam suo co filio delepra.

Infunde paffulas in aceto tante quantis tans ve cooperiri poffit paffule poies & postcabulliar duabus mundationibus z coletur v exprimatur acetum

Hqua,fructnum.D.D. Tr. prinorum damafcenoru numero, le-Tebeltem. inanbarum an. 3. prr. tamarındozum. 3.111+

cafficfiffule.3.in. Coquantur in lb.in.aque cafeivfc ad co fumptionemlb.i. z pice in ea caffiamfie ftulam a cortice suo mudată v tamarind. t fricenturfozuter manibus tviui refer

Aqua mellis primi modi

Remellis boni r mundati parte, i, pona tur in vafelapideo aut vitreato t funde fup ibm aque fontis dulcis a clareptes. vin. Loque cu facilitate z auferatur fpu ma ciust no dimittatur fupra ipm muls tiplicari:îmo octo apparet auferaf. De cius ad igne plu unde colef colatorio depreffo panno mar, in aporecas 65 fore alla proportione di fre cichina el Et funt quaromaniant cu speciebus eles fulere medici qu phangine vi funt

effectu repanoi: macis, Et filia, Elij vero aromatilant cus

galia mufcata Igno aloes. Et fimilibus

Aque mellis scoi modi D.cufdem mep.

Tk.mellis partem.i. aque fontis clare partes.vin.

Diftemperetur cu eis parum fermeti. fc3 ad oes lb, aque z mellis fint ci?. 3.in . Et includant in vafeligneo ficut ponit mu ftuita oremaneat er vale vacui ficut me fura digitoz. Et illudideo qu patit de ca bulitioe, ficut muftu. Deide post coulitio nesel firigat ouficia vafis ficut firigit vas vini. Et bibatur poft tres mefes, th vis aromatizare ponat in valc' species elephangine polite, t ligate in panno

Aqua order, D, anic, pina grti, c, o cura febriuli gfiali

R. aquefontis clare fattriati, ve. ozdei fatiriati.i.

Coque vico off rubefcat, z reducatur ad fatiriati quinco

D. Bul, in servitore J Recipe plantam prunorum filueffrin cum fructu eius, z ponas fuper cas aqua paucam in vafe z dunite fic dieb aliqui bus beide coque superignes t cola tco laturam illam coque super ignes quousqu coagulent. Demde pronce in paf fimili bus cocleis to imitte ficcari.

Amidon exfrumento D. Bulin fernitoze

Excipe be frumento bono tere cultri tura groffa, fcilicet vt folum frangatur z pone in vafe terreo vitreato mundo e po ne super cuin aquas ita o cooperiat & fu peret duodus veltrib? digitis & dimitte per noctem. In mane vero exprime cum manu bene quouses descendar amillato tum: cola z piece fubltantiam z bumitte aquam in olla quonf occendat amilla m fundo ollere aqua fupernatetetuncen ce aqua fuauiter ita quivil ex ea remas neat, t ficca cu modico coto. Et fiat boc in tempore,eftino z cito ficcetur ne aces feat toeftruat. z coopen ollam cum pan no fubtilita q mbil cadat untus pofemo dum. Et cu erit ficcu repone in vale fire cti ozifich obturado os valis nealigsver miculus ingrediaturi vel aliqd aliud. Si aut fiat in byeme magis opscultodire ne acelcat: quare opy of fiat ingenti ve cito ficcet in foleant vento vel properguent, Et fin bune modu fit amillium certion

Amillum ex ordeo D.emidem

Batiriati.rr.
Boc verbū poit auic.no.p ponde re: 6 ereplanter off bicat of fint aque present est ordei psyna. co fular in apotecas rius medicii cus pricularif aquas ordei pegrotis dispelar an iplas debeat colarean गठ र क्षां bebeat becod qa मा boc भ्रमावार साम्रक्ष nonce.

Pftudeft amido ter regitur ppas ratum,

Iftis fequentib? modis amili no vitimur:nec ppa: rantur ab apote carijs.

Stat ficut amidium ex frumento.nifi pos portet p coletur colatorio denfiori quia multu bo de furfure.propter fua grofficie amidon ex orobo

D, ciuldem,

[Elccipe ex ozobo qò babet piguia gra
na propinquum sue collectioni t qò cua
sit a perforatioc, t tere ipsus tritura gros
sa quo o remaneat nisi caro eius. Et po
ne super cum aquam t dimitte ser bons
t pronce aquam illam ter vel quater quo
us gelarisces aqua t remaneat corpus
suum mundum sine acumume t surfureret
tunc dimitte cum in aqua qua cooperiat
vna nocte. In mane vero malaga cuz ma
nu donec disoluat sac, t dimitte sac i vase
quous ga qua supernatet qua esce suam
ter, t expone soli donec epsiceetur.

Smis particule fecunde

Zertia particula fecti,

Epeditus in sected perticula of Aris antidotor quorus nos mina incipiunt p A. Sequitur consequenter in hac tertia par ticula describere Arias antidotor, quor nomina incipiunt per B. que est littera is mediate subsequens ad litteram A. in or dine minoris alphabeti. In hacauté par ticula crût recepte sequentes, Benedicta D. N. Blanca, D. N.

Melina eft bice re byagred i 5. ij ve pater er giola fequere recepta,

ABenedicta. D.T. Waturbith electi 3uccare an. 3. F. byagredh.3.v. bermodatulozum rofarum an. 3.ve gariofilozum fpice nardi 3insiberis croa **fapifrage** petrofelini macropiperis amomi cardamonni celuni **I**parmatis falifgemme

gallange
macis
carui
femculi
agarici
femuns fperagi
brufci
granozum folis
mellis quod fufficit

Blofa notanda

C Scom actorem bndicta cuacuat fleu ma.fcd exmode confections et? non vie detur poffe fieri:q2. 3.1. byagredi magl enacuat de colera \$3,1,vel. fi. turbito de fleumate. Exproportione ergo finiplicit que communiter dic ponuntur videnir q colera enacuat magis z pacipaliteradeo quidam moti bac ratione, vtrefertplas tearms fup ifto paffin volucrut q mon 03 pont dyagridum. Et tacobus de partib? parien in postilla sua sup marginali but? The volens blandire forptoribus mag! mitentioni actoris, voluit of fi intendis mus cum benedicta enacuare fleuma Q debenne muniere dyagredium z alia au gere quellemma enacuant intantus q bo minentur. C Bentilis vero audacius lo quens potus actori & feriptori blandis ens cicit in libello fuo de proportionib medicinarum o bec Rta vt racet elt falfa fed vbi forbitur oyagredii.3. v. q ocbuit Dicere 3. n. Et adbuc dicit q cft nimis. Di cit em q est inconueniens in medicina la patina in quarto gradu vt eft ifta in lb. i. confectionis apponere. 3.1. dyagredi z in uebit cotra apotecarios qua facilit i bac confectione, videt velle pochs elle bic de dyagredio minus @.3.n.aut faltem.3. h.pro tota confectione fic p non operes tur per virtutem eins propriam, fed foli fit ibi tano ftimulans virtutem aliozum lagatmozum

Ablanca D.N.

Meterebentine oppoponaci galbani affe fetide ferapini cafforci amoniaci fulpburis bdelli antimonii ftoracis liquid e carnis leonis

Blanca non eft in viu:nec posta inuesitur dyagridh euforbh agarici interioris colloquintide elebori migri polipodij quercini capfie piretri fquinanti pencedami azari radicis ciperi pionic bethonice camedreos poln amomi seminis ruthe fangumis drachonis aff. 5.4. cinamomi gariofilozum macis cardamomí anifi maratri balfami an. J.i.f. ambre grana.v. mellis quod fufficit Sinis particule tertie

Quarta particula cun

di libri Incipit.
Escriptis in precedenti particula antidotis quozum nomina inci o piunt per 28. Segtur un bac quar ta particula em prepofitum ordinem des ferbere antidota quozum nomina per C. incipiunt, Erunt autem in bac particula The fequentes Confectio de riloaloe, D.D.

Confectio de musco amara, D.D. Confectio nere. D. 11. Confectio de feminibus. D. Od, Confectio anacardina.D.D. Confectio de ftozace. D. D. Confectio bameth, D. D. cuius bue po nuntur Rite

Confectio de reubarbaro, cuius due pos nuntur Bete.

Lonfectio alfebran. D. DS. Eonfectio de cupatorio. D. D. Cofectio de mana.curone ponutur Rte

Conferna lecacul.D.D Conferna baucic, D. (1) Lonferna acozi, D. Obi Conferua athos, D.D. Litra condita, D.O. Estonia condita. D. D. Ecrotum galicii. D. Die Ecrotum fromaticum galicii. D. D. Ecrotum infrigidatiun galien, D.D. Cerotum fandalinum.D.D. Colirium albumratis Confectio de ploaloc

D.D. R.ligni aloes crudi rofarum añ. 3. vill. gariofilozum spice nardi macis nucis muscate gallie muscate cubebe cardamomi bcyl masticis cinamomi radicis ciperi Iquinanti 3edoarie

been albi rubei foli fete crude

margaritarum cozalirubet carabe

foliorum citrit corticum cins alphelengenusch

fanfucci fisimba menteficce piperis longi 3inziberis an.z.iif. 111 musciboni. 3,i, ambre.3:1.f.

Confice cus melle emblicat t vino aros matico vel mina aromatica

Confectio de musco oulcis, D.D.

R. croci bozonici romani sedoarij ligni aloes macis añ.z.n. margantarum albanum fete adufte carabe cozali albi z rubei озіні gallie citrozum añ. 5. n.f. been albi trubei

Dec cofectio no eft in viu.nec pe

> Iftud electuaris us generalithas bet in viu: the p paratti regitur

foli spice nardi gariofilozumafi.3.i. 3m3iberis cubete piperis longian.3.i.f. musci.3.1. partis.n. Cofice cum melle crudo quod fit quadru plum ponderis omnium. Confectio de mufco

Zicetifta ofccto fir pfectionif opa no camen prepa raf ppter oiipli/ restia in gustu

amra, D.O. B.abfinchij rofarum añ. 3. iij. aloes abluti.3.un. castorei keyfin añ.z.i.

cinamomi electi.3.h.f. Adde predicte confectioi o musco dulci, Confectio nere

D.T. R. ambre orientalis vel occidetalis, 3.4. ligni alocs.3.in, .l.E.iolum

eft in viu:nec p= parata repit.

camphore gran, v. Der cofectiono Confic fic. Sumatur caffiola ad modum caffic qua colatur firupus vel mel.no tas men perfozata. z ibi ponatur ambza sup prunas et liquesiat: z ligsacta ab igne de ponatur. Et postea ligna aloes subtilissi me puluertfatus admifceatur, Deinde ad datur musci z ad vitimum campboza,tas men vnaqueos per fe puluerifata poftea biligentermalagado cum manibus extra batur. Tluper corrigam encam extenda. tur. Et cum infrigidatum fuerit fruftrati incindatur

Cofectioe de feminibus D.W.

B. cimini feniculi caruí anth bauci amcos amomí api añ.3, vi, infufozus dicac nocte in ace to z erficcatozum. cinamomi electi, 3, vi, lzcyfis .3,in. garrofilozum cardamomi spice an.5,iin, 3in3ibcns macropiperis fizeleos galange añ.3.v. mellis despumati quod sufficit Et quado es ponitur duplu poderis om/

nium bezuccara t fit fuffuf. Cofectio anacardina,

Tr piperis macropiperis mirabolan ozum lzcbu lozum bellericozum emblicozum indozum mundebeduft añ.3. ŋ. costi anacardí succare tabased burungi baccarum lauri añ.3.vi. radicis cyperi

Zere anacardos per le. Deide medicinas alias r conce cu butyro vaccino r melle equali quantitate pri? bulitozu z oa post fer meles, Confectio de storace,

D.D. R. storacis liquide feminis infquiami castozei croci mirre olibani an. partes equales Wellis despumati quod sufficit.

Confectio bameth. D.W.

R.mirabolanozum citrinozum, 3, tiff, lzebulozum ındozum reubarbari an. 3. n. agarici colloquintide polipodij quercini añ. 3. gvij. abfinchi basce fene an. 3.1. piolarumi.3.i.f. epithimi. 3.n. anth rofarum afi.s.vi. fucci fumiterrelb.i. prunozum numero.lr. paffularum enucleatarum, 3, vi, Infunde omnia in aqua cafei quantitate sufficiéti, Et ponaf ivasevitreo strictiori fich e obturet os ei? e dimittat per dies quing. Deide buliant bulitioe vna , Dei de colentur: z un colatura biffollue, caffic fiftule munde. 3.tin, thamarindozum.3.v.

Coiter ber col ctio no babel pfu ppter ed cefftua calida Bnalidboth recis repif por rara: vius m el cft piculofus a te fer mentes malia a anaca dog reprimata pter femueran ne. Dec no. rp forus geor fur fectione,

Dec Ebeleriya confectionis pa meth q conte pi patur ano ppa tur fin odenos ne sequente,

gil

rit

U

Di

6

Dafcebieno os em pulueriano reparadyusyu ne:fi aliquamb groffi? vifit mal gis folutiud qu mocarium.

reremabi.3.9. Fricentur manibus v colentur. v proise besuper zuc.lb.t. s.fcamonce. 3. f. Loque of oum mellis babeat fpiffitudinem. De unde puluerila super illud mirablanozum citrino:um. lzebulozum indozum au. 3.f. bellericozum emblicozum reubarbari feminis fumiterrean 3,in, feminis anifi fpice nardi an.3.h.

D.ciuldem

De cofectio pre prione priorem. R.mirabolanozum nigrozum Izcbulozū

Dafcebieno bes bafce thing puocitis

fumiterre abfinchii aff. s.pr. bertanti puine/
rifari orepat ad
vias vanicifieli/
quantulu groffi/
vifit inagas folu liquiricie calamenti polipodii quercini bugloffean.s.r. Aicas arab camedreos camepiteos bedegaris! feminis anifi afi.3.0. D2Un02U3 ininbarus sebesten an.numero.lpp. paffularum enucleatarum lb.i. Decoquein aqua fufficieri vicad terria partes z pone in ca rob lb.11.

epithum an.3.1.

mellis lb.i.

tudinem.

fcamonec.3.n.

Deccofectio no eft i plu fim digu Boeferiptiones,

Cofectio de reubarbaro. D.D. R. raucndeseni fucci cupatozif fucci ablinchy ficcorum añ,3.v. **Fumiterre** spice nardi cimarum fquiannti feminis apn asari cafficlignee amigdalarum amarum ercozticatarum a11.3.f. mirre

Eog cu facilitate vice ad mellis fpiffis

crociañ.z.i. Confice cum melle despumato. Confectio alia de reubarbaro, D.11.

Rerenbarbari, s.uij. costi amari cinamomi croci spice nardi caffichance apti rofarum añ.s,i.f. mellis vel succare quod fufficit, Confectio alsebran

D.D. Ralfebran bom z electr. 3.i. mirabolanozum citrinozum. z.ij. Bulnerifentur z cribellentur: z befup p tas tamen vi cooperiat cost pone in fo bolafi. in equali le diebus quincs semper modice inouan podere cum alse do distillationem fueri sur contra podere cum alse do diftillationem fucci fuper cos . Deide bran. z gentis i dimitteliccari z pone in vale vitreo.

D.D.

Be. succi cubatozij rauendefeni an,3.iif, croc1.3,1). lacce feminis culcute an. 3.in cymarum fquinantí feminis citruli cucumerts Portulace fucciabfinchij añ.3.iij. fcamonee cocte in citonio.3.fi.f. Siat omnium trituratio bona, Confectio de manna,

D.W.

R.mannelb.i. Scamoee antiochene . 3.1.0iffoliat ma na cum fucco rofrub. t lit fucci quatitas conueniens circiter lb.i.z coquantur cus bicere. 3.1- ge facilitate, z cumbabueritoccoctione fuf nlis ad litterans ficientes pronce superillud masticis, 3,111 in suo de pporti e reconde, in su dicinas rus voi declarat

Confectio alia de manna.D.D.qua bacpfenionem.

R. fyzacoft boni z re centis. 3. un. thamarindozum lzeyfon, 3.vi. medule cafficfiffule.3.4m. suc.viol.3.vi. fucci endune fucci apij fucci male p granato p bulcius t acctofo rum fucci acetofitatis citri an, 3, un.

Ellij libel habent bol.an.3. n. z fozte meli?. vide in.c.alfebra mcB in ofectioe pillit laru alfebran q laratint p ppate taté 05 pont in pfectione in eqit podere cum lara

Ista confectio & multa an viu.

Scamonee bicit 3.1.falfo 13 03 paratur.

Edifne ppatur bin hac defenpu

Diffoluant alfracoft e thamarindiz caf fiafi. 7.3uc. viol. in liquoribus pdictis pri us tamen ocpuratis. Deinde cola z mus da a scopbis. Deinde Br.rad endune radicis aphañ.3.in. foliozum lupuli capillozum veñ.añ.3.ñ. prunorum ficcorum numero, pr. violarum, 3.1.f. rop.3.1 spice nardi.3.in. Decoquant becomnia intribus lb.aque fontis vicadio.t.f.t pronce in ca succa. tabased lb.in.accti bom lb.acoque coult tione vna. Deindepnce superillud cola turam priozert coque pfg où melles fpif fitudine babeat, vituno vero poce ibi fan dali citrini rofarum carabe **Ipodi** berberis feminis portulace, femmis acctofe quattuoz feminum frigidozum añ.3.if, ligm alocs.3.un. cubcbe 3. v. campboze.3.1. Repone in vale vitri

Zoferus fecacul no eft in viu: nec pparata repitur.

Eitra codita. Ht tende o cura co ticinetta ad con; dendaocbereffe recentta z media matura cut? ma/ etabmerko fab aqua.et deber ce eghs supficiel et longa. Et oebet incidi fin longis tudine in gituoz pres et mundari Er meli? rps col lectionisad boc eft ch fol ingredi cur capricornin. z melius qo fir de eiseft i anno ve am cu plus coge laf fup ea aqua eft magis indus rang eart furma arris codins

D.D. Accipe rad et albas groffas t teneras: Tradatur corter caru ciner ins z chrent mudentur a nerus interioribus 7 fem dantur in frusta ad mesuram policist po nantur invacuitatibarundinofis frufta 3m3iberis bumectati. Et recipiat ad oe pondus con mellis pondera tria 7 3uc. pondus.i. Er postop coctufuerit cus faci litate pronciat super illud specierus de phangine partes conuementes.

Lonferna fecacul

Conferna bancie. D.D.

Sit ficut conferua fecacul. Conferna acort.

DO.

Sit ficut conferna lecacul additur tamen ad oem parte cius fecacul bom partis, i. Conferna anthos.

D.W.

beneus figorif Stficut conferna violarum

Citra condia.

D.O.

Accipe contcum citroni mundator a car gis remanenta. mbus t pprie magnorum ficut vole mae smee.v.cafi.c.oe nus quantitate ip volucris t fundatur

fuper cos leciuij clari quantitas qua fub mergamurit mittatur fuper cos vich ad noue dies femel. Deide post ulud muttak fup cos aqua clara donecoulcefcat zabe fandatur amaritudo cop. Et tunc clipe tur in aqua fontis plurima in vafe mudo pico ou tenercicat. Demde exprimantur Zening clari los or fluat aquofitas cop: postea fundatur cobus infunde fup cos in vafe lapidco inlep quantitas cos Eucenna in qua fubmergantur, t ficomittatur poie aqua oula dara Z nocie, Deinde coquant cu facilitate vf. et fale groffo. Bad modu pentorum:tücvero separetur cornces citri a sucar recondant in vale ci treo z patant cu tulep rolato:cui? decos ctio fit ficut nabeth ita quena superficies fit laminap atrit alia mleper da pomele z funt q aromatifant cu mufco z ambra.

Estoma condita

D.D.

Accipe citonta miida a putredinere mun tonia magna a dent a cortice suo e granis interioribus matura. Apote z incindantur in frusta conuenientiaz co carnitinin accipi quantur cil iulep multe aquolitaris. Et post die vnum coquantur cum miep qo vicinus eft perfecte decoction vles dum cionia magna perficiatur in cis decoctio: deide aroma qui numis funtas tisent cu musco z ponant in vase vitrea to z fepchant cutulep in quo cocta fuc! rint. Et gdam codiunt cu fpecib? aromae beo peimo buid ticis: 7 gdam decognunt cum melle

Cerotum galien. D.n.

B.mente abfinchii matozane fficab arab fohozum lauri camomille rofarum añ. OS.i. cinamomi electi Spice nardi nucis mufcate gariofilozum macis cubebe gallange an 3.f. thuris maftices an. 3.1. Erbisoibus fat puluis er quo cum la pidano z cera forment magdalcones ct malagentur cum olcis camomille laurino **Inice** mafticis rofarum affi.quod fufficit

Cerotuitomaticum Bal.D. D.

Dicit Huicenna op debent effect unt citonia pua q funt min? aces tofa et relinquit cria ppter maga copiatore egrod ve notath eft ile ca. De fuccis.

Doc ceroti non en magistralner -co printing.

firm p fromaco

Dit

Bil Bil

to

did

antir

dator i

ude

rafed

POLON

stati

ms.E

ulcp#

date dent.

(100

tafte

INTO

Doc cerotum eft Tr. rolarum rub. 3. KT. in via multum z foliozum abfinchi ficcozum 3.cv.

malticis.z.rr. spicemde.s.r. Zere fubtiliter z accipe cere mude. 3, iin,

olciroflb.i.f. Diffolnead igne z la netur lotionib plu ribo in aqua rob deinde itez diffoluatur T lauent in vino veterije fucco citonioz vaceto pauco: beinde misce cus puluere rerum predictarum, that cerotum,

Doc cerotă non eff in plu.

Doc ceretum eft

fed tu potes cors

modo conficiedi

noftros.

Cerotum infrigidatinu Balien,ex.D.W.

Recere albers.n. oleirof. 3.iii. Et fit rad olei oleii onfantinii aq clarefo tis.zppneafit vebementis frigozis.q. f. Dleus bene lauctur lottonibus plurib9 Et anta magis clabozabit in lauando il lud fit excellenti? vltimo vero coquaffet culaceto albo z claro panco z feructur.

Cerotum fandalinum

multi invitapo D.O.,
nos talidiscite Terros.3.44.
fab forma épias fandalorum rub.5.4.
mavnguén. S5 fandalorum rub.5.4.
mavnguén. S5 fandalalor currintan,5,44. mayinguen. 55 samulaturate videa appliet pont tar minis occes foodin, 3, tith. tar minis occes foodin, 3, tith. camplafri no fast cere albe, 3, type magnetic form ole rof lb.t. iterre: fembrooi formation of ast of the fast of the fast

Confice. t aliqui lau ant o lefi t ceras pris ngerep en q ois us lento igne fimul offoliutis poftea cos mafunepaman mifcent cum alis z eft meltus.

Collinum album quod imponitur raft

phaftra, R. ceruse lote, 3. F. anudi.z.un. Doccolliring eft gummi arab multi vituale pes Dzagagaji, ai dragagan,an,3.9. nes aporecarios campboze.3.f. Pulucrifanda pulucrifent z biffoluatur gummin aqua rof t formentur trocalci.

fint particula quarta

Quinta particula_{lecti}

di libri Incipit, Oft descriptões receptar antidos ton quon noia mapuit p. E.coles queter in bac pricula supest reces ptas deferibere atidotop quicipinto D. Erntant bac particula Arcfequentes. Dyagalange, cuius due ponuntur Rte. Dyantion, cuius due ponuntur Rte Dyaciminu, cuius due ponuntur Rte

Dyanthos. D. M. Dyacinamomum.D.O Dyambre.D.O. Dyamargariton calidum, D. Tle Dyamargariton frigidum Dyacozali Dyacameron.D. 11. Dyaredon.o, coi quod ponit melue Dyarodon abbatis. o.n. Dyarodoniulin.o.n. Dyacoftum.cuins due ponuntur Rete. Dyacalamentu.cums oue ponutur The Dyatriopipero.cuione pomintur rece. Dyaprasium.D.N. Dyazinzibereos.cm? due ponunt! Thee, Dyaylopum.D.N. Dyayris fimpler. D.O. Dyayus falomonis. D. TI, Dyapenidion.o,n. Dyadragagantum calidum, D. O. Dyadragagantum frigidum. D. II. Dyamozon, cuius due ponuntur recep. Dyanucum.D.O. Dyacodium: cums due ponuntur rece, Dyapapaner: cuius due ponuntur rece. Dyafulphur.D.D. Dyamozufion.D. D. Dyacucurma maioz. D. O. Dyacucurma minoz.D.D. Dyalacca mator. D, O. Dyalacca minoz.D. O. Dyacaparis D. 11. Dyafatyzio:cuius tres ponuntur recep. Dyasparmaton.d.n. Dyacitomtem:cuius quattuoz ponunt Tete. Dyamaftir.d.n. Dyaolibani, b.n. Dyapennis, cuius one ponuntur recep. Dyaciminum, D. O. Dyaturbith.o.n.cum additione mefice Dyacartami. D. arnaldide villa noua Dyasene.d.n. Dyacastoreum.D.n. Dvaborraginatum.d.n. Dyabuglo ffatum: cuioue ponunt Atc.

D.DJ. R.gallange ligni aloes gariofilozum macis lacyfim añ.5.ij. 311131ber15 macropiperis cmamomi piperis albi afiz.i.l.

Dyagalange

liboc electuaring communter repes ne preparus sin hac descriptione

2iber

calamenti ficci mente ficce anish Deyl fpicenardi feminis aph feniculi anifi carui afi,3.1+ calami aromatici. 3,i.f. succare tabased. 3.x. Doc electuarius mellis despumati quod sufficit

conter no ppatur om phte delerips tione: 6 55 deleri R. ozigani ptionemefue.

Alind D.II. rozifmarini anifi #mcos gallange añ, 3, ifi. fene mente liquiricie feminis bafilicon Talme cafficlignee an. 3.fe auclanarum pignearumañ.3.i. Foliy 3in3iberis ylopian,3.6 croci3.11. ligni aloes nucismufcate radicisciperi spodn an.3.s. viol. 3.17.
3uccari lb.viff. fir.quod fufficit.

aliam.

Dyanilon, D. O. Morepitur cois ter pparatu om K.anifi.3.px. bac descriptione nec om quacus mastress and mafticis an. 3, vin. carut mads' gallange Fenicult zinziberis. cinamomi añ.3.Ve trium piperum calamenti Calamenti pirctri cafficligneean.3.14 beyl gariofilozum cubebe croct fpice nardian 3,1,1. succare, 3.he

mellis bespumati quod sufficit. Allind

D.T. Reanifizar, liquiricie mafticis añ.3.K. cinamomt gallange zinziberis carui maratrian.z.v. caffielignee

calamenti piretri piperis longi piperis nigri andin. cardamomi

gariofilozum cubebe fpice nardi crocian, 3.1.f. mellis quod fufficit

Dyaciminum D.W.

The cimini pridie infufi in aceto z exficca prione Micolai

bafce sinsiberisañ.z.iii. pipcris cmamomiañ.3,fj. amcos, s.i.f.

Foliozum ruthe ficcozum baurach rubei ani 3,iin; Confice cum melle despumato

Hlind.D.N. Re, cimini pridie in aceto infuff z exficcas bac deferiptione

1. E. niv. 5.11 darfeni gariofilozum.z.n.f. melanopiperis

zinziberis an.z.n.gran.v. gallange tymbre

calamenti añ.z.i,).ii. amcos leuistici añ, 3, i. grañ, cviñ macropiperisish

Spice nardi cardamomi

nucis minfficeafi. 3. n.f. Confice cum melle quod fufficit Dyanthos

D.n. R.flozum rozis marint, 3,i. violarum rofarum liquiricican, 3.vi.

peritur prepara! tus:fed flores an

Mon repitur coi ter pparacii.

Zöiter ppafhee pfectio bin belot

Doc electuariny tomuniter no re

thos coter codi
unaurin modus
codin aleradrini
culis coferua e
multi viualis er
voig paparatare
pentur zinziberis sedoane macis lignialoes cardamomi anifi anetian. 3.iin. mellis & fufficit Dyacinamomi

Doc electuarius conter no reperit perparatum. R.cinamomielecti.3. Fv. bent barfenici et Cimini om oariente e cimini falfo; q 2 barfeni elt chamonă.no teur fimit erroz ferptesă ficur un gariofuozum gariofuozum gariofuozum piperis longi cardamomi intebaf oarief in t pabebaruri sinsiberis sista; de ficura glofa: id eff cina beyl momi et isnari macis kriptozespirus nucis muscate feripferat. ics et ligni aloes, añ. 5, 1/4 miximaberur in croci, 3, i. plumbilibusqo zuc,tabased.s.v. acidit exerrore Confice cum melle bespumato: 2 quado Bponitur suc, ad duplum ponderis me dicmarum tfit fuffuf, Et gda addit mu

Doc electuarius coirer repentur pparatū,

function:

fci,t,i?,ptis,i, z puluerifant cum co, Dyambre D.W. R.cinamomi dozonici gariofilozum macis nucis muscate galange an, 3.iff, spice nardi cardamomi maiozis r minozis an, 3,4. sinsiberis, s.i.f. fandali citrini ligni aloes piperis longian, 3, 17. ambre.aur.i. musci.3.f. Confice cum firupo rof raquarof. Dyamargariton calib

Diw.

Doc electuarius coiter reperit p/

R.gariofilozum anamomi fpicenardi lignialoes gallange

D.n.

liquiricie trocifcozum byarodon trocifcon dyani, an, 3,1,1, nucis muscare macis aliptemuscate 3edoarie rcubarbari storacis calamite an, 3.1, margaritarum integrarum z perfozatan 3in3iberis offis de corde cerui rafure chozis blacce bizancie an. 3.f. mafci ambre cardamomi lemitici femmis bafilicon an, Jiminus gra, i campboze gra.vi. mellis rof quod fufficit

Dyamargariton frigidu Boc electuarius Requattuor feminum frigidoru matoru couer repent pre mundatozum feminis poztulace feminis papaneris albi fandati albi z muscacelini lignialoes 3in 3iberis rop rubearum flozum renufar flozum bozaginis mirtilozum an.3 ti cozali albi Trubei an. 3, f. margaritarum, 3.in,

Oblicefimul Dvacozali R.cozali albi Trubci cinamonii amomi feminis papaueris an. 3, iii fquinati. crocian,z.n. calami aromatici rilobalfami caffielignee, mafticis foli poln montani azari añ.z.i. Difce & fac pulueres Dyacameron. D.T.

R. anthofoli stnsiberis an, 5, v.), i, gra, rvi. cinamouni gariofilozum añ. 3, iin. 3. i. gra, pot

paratum a diner fis:ramé dinerff modert pt quills bet facere conne menter fuo mo

Editer non repe ritur pparatu

Eoiter no ppa's ratur nec eftofua lis.aliq tit hac o fectioe magiltra liter ytuntur

carnium bactilozum tantüdem gallange spice nards 3cdoarie colti piretri cozali albi z rubci oragagañ. taliunce Taliunce anacardi offium bactilozum carp obalfamt anni baccarum lauri feminis iuniperi afi.3.i, 3.ii, gra, viij melaopiperis leucopiperis macropiperis añ.3.i, 3,ii, gra, viii; Limature auri Targenti offis de corde cerui afi. 3. fi.f. rafure ebozis muscian. J.i.gra.vn. i, E, ssdma mellis quod fufficit, Dyarob.D.coi

Delinen D.

In alio rob.3.rr.

R.rofrub.z.rr. trocifcis ovarodon trocifcis ov fpodio liquiricie an. 3, iin. gariofilozum galliemuscatean, z.ii. fpodfi croci mafticis lignialoes an. 3.1%. asart fpice inde macis cardamomi | | Cardamomi | Cardam femmum protulace lactuce *fcariole* feminum citruli melonus cucumeris cucurbite albarum margaritarum, elphelengenusch rature ebozis bragagañ gununi arab,añ,3,1, campboze, s.f.

Confice cum firupo rof taqua rof.

Dyarodo abbatis, D.T.

muscu3,12 fextam

quod ponit mcF.

Tk.fandali albi ernbei afi, 3, fi, f. dzagagañ gummi arab fpodijan, 3, ij. asari mafticis fpice nardi cardamomi fucci liquiricie croci riloaloes gariofilozum galliemuscate anifi maratri cinamomí rent electi Scminis bafilicon berberis feminis scariole feminis poztulace quattuoz feminifrigidon maion añis.f. margaritarum offis de corde cerniafi. 3.1. succare candi rofaruman. 3.1.7.3.in. camphoze gra, vij. musci gra.in.f. Et cofice cum fir. be aqua rof facto,q.f. Dyarodon tulin

R.cinamomi gariofdozum antofolij gallange ipice nardi 3ingiberig carnium dactilozum añ. xine lignialoes, renbarbari nucis miriffice macis 3edoarie foli ftozacis calamite gallie mufcate añ. 3, %." pirctri radicis ciperi cofti yris spice celtice anacardi dragagañ cardamomi amomi amifi feminis bafilicon, an. 34.f. offis elebozis

Tittêde cirra has
buas confectors
op parti bifferir i
pirture rin copo
net 15°; byarodo
tilgo cotter pres
parat est byarod
do abbatis qo o
tenbit nicola' 21
liq ti magistrali
ter yritur D, me
fue fuaut' pract
cemberenes:
factebar fromas
be guerbo affes
rens qua faces
bat gentlis de
fulfgeneo

Eoiter non repe ritur om bac del fcriptionem offis be corde cerui offium dattilozum cozali abzotani tymbze ylopi thimi melanopiperis macropiperis ameos an, 3.4. limature auri z argenti ambarum margaritarum iacincti berillozum blacce bizancie ambre musci balfami añ,3,f.

mellis quod fufficit Corice fic carnes dattilou mudatas a crustulis tennib?, diutissime tere z cum storace i calido melle indefineter mones do fubice. Euch ad vnu corpus fubfta/ tiată fuerit p rară linteolă studiose cola totiensfacias donecvirtutes [pecien cu melle exficcetur. Deinde piecus fcos phis fucci ferna. Wargaritas vero tas cinctos & berilos & coralii in moztario tere r fepius cribrata in fubtiliffimu pul uere redige: z in fufficieti rodofto mate; ideft ag rofarup totudie z nocte recon desfequeti vero die inter lenissima mars moza tadiu frica donec nullus fonus ex pulucribus audiaf. Deinde offa battilo ruignita in testa figuli cu eburneo offe teratur donec in fubtiliffimu puluere re digas, que fic eotrita z cribzata finul cu omnibus alijs specieboci pdicto battilo rum fucco z ftozace temperenturz mifce tur. Deinde margarite cu fufficiete melle rof. Sinta aura z argentum fubtilifis me limata & cofectioni addant, Eltimo vero ambram z muscii cii calido balsao mo folutis fuperfunde. z oibus bñ mir tis in vitreo vafe recode z vini referna-

Dyacostum D.O.

preparatů reperi turietiá fins quá R.cofti amari caffielignee ama descriptio cianmomi añ.3.v. feminis aph

Mon'ei viu: nec

cymarum fquinanti rauendelcent gn.3,ii). azarizin. croci anstologie

mirre an, 3, ij. mellis quod fufficit Allind D.n.

R .azari antfi aph añ.5. n.). n. fquinanti mirre melanopiperisañ,3, fi.f. reubarbari croci vtriufd ariftologic an. 3.1, 3.1, costi, s,n. cinamomi electi caffielignee an, z.i.) iff. mellis quod fufficit

Dyacalamentus D.O.

R. Calamenti flunialis & montani fizeloes feminis petrofelini añ.3,vi. singiberis, 3,in. feminis aph extremitarum albafce añ.3.ñ. keifim, 3.vi. piperis,3,11). mellis quod fufficit

Dyacalamentumi D.IT.

R., calamenti pulegn melanopiperis fizeleos petrofelini añ.s.in. 3.in. lemftici.5.1'3in api, 3,i, ameos thimi ancti anifi cinamomi sinsiberisan, 3.n. mellis quod fufficit

Dyatrion piperum D.W.

R.trium piperum an,aur,v. 3in3iberis bafce an, aur, n. caffielignee feminis api fizelcos asan enulle ficce affiaur.f.
confice cum melle despumate Elliud

D.N.

Docelectuarius diciemes effega heni: fed no repe rif vbi galieñ en feripfir. Ho repe ritur pparatum Fm prefenten be feriptőem: 15 bin deferiptőes nico lai multū či ylu,

Doc dectuarius coster dispelatur Em prefences de feriptionem.

Doc electuarius fin prefentem de fer ipt dem coiter cftin viu: Tybiqs preparatus repe/

R. spice nardi

fi

melanopiperis maratri añi 3. tiñ, 31131beris ylopi petrofelini
leucopiperis
macropiperis
anthana,tij,
croci
caffic lignec
trocifcozum ydiocri
epithini
enulle
bethonice
pigani
cinont petrofelini anicos fizelcos leuttici afi. 5. f. mellis quod fufficit

Doc electuarius raro habet iviu ranuigi inuenit preparatum.

Dyaprassum
D. II.
R. prass viridis. 5. v.
prassagas an. pignearum purgatarum amigdalarum bulcium piftacearum carmum battilozum ficuum pinguium paffularum enucleatarum añ, 5, fin, f. cinamomi gariofilozum nucis muscate mucis mulcate macis light alocs gallange ipice nardi 3m3iberis 3cdoarie liquiricie renpontici anacardi ftozacis calamire galbani rerebentine was a samuel dampa w mafticis murc yreos aristologierotunde radicis caparis genciane melanopiperis anifi aneti feniculi feminis apij petromacedonici

farifragicañ.3.ii. bermodattilozum ozigani pancedami fquinanti cardamomi leucopiperis carut leuiftici vicetocifciañ 3,i,f,gra. n,f, balfamtre pulegij diptami costi piretri piretri
faturegie
bafilicoñ
pionie
macropiperis
amomi
cinoni

ozobi an, 3, i.gra. fi, ** tertiä parte alteri?, Linonifalio: qt fup polut pero macedonici got pilobalfami cafficfiftule cozali rafure choris carpobalfami dauci cretici añ-3.i,f,

offis de corde cerui añ.gra, riúj. mellis despumati quod sufficit. Cofice fic,in,iii,lb,mellis defpumat pone praffi viridis aliquantulu contufii 5.v.l. r pigneas recentes r mudatas : et ado. 3.in, viniverultifimir optimi: r bul liant infimul lento igne ad vim cofums prionem, z carice bene purgate intus ct extra. voattili mundati, filr v paffule fis ne granis fins z pignee et amigdale z pi ffacee. oia ifta fine bene mudata z vnus quoda per fe bene piftetur, Et poften fi mul milceatur in moztario: z addatur ibi terebentina. Et omnia infimul itera pis ftentur z cum supradicto melle calido in code mortario paulatine posito distema perentur, z pottca addantur pulueres'a) fas oficial des cuario, oficial des

ltarum fpecterum fupzadictarum, Dyazinziberis D.T.

72.3inziberis gallange gariofilozum cinamomi nucis muscare granozum paradifi piperislongi made

cinonum Eaffie fiftule.caf aur expone id eft caffie ligneeiurs ta notati inami rifto.

Zittéde op notář bicitur peaffigat ridis: qz matos ris eft cificace of ficcum imo biot platearins op ad but fl coponeré poc electuarium cum fucco praffi geffer meline: vbi carem? fucco at praffio vindi vult op toe coues men ettrabaffuc cus praffi, to exacectur că puis uere ligricie: 1 m ide fo; ment troj cifci e cii bis troni quifte (ned trous icar" prenalerpul nere foliorispial fi ficcorum.

non cft inviu fm कुंताक descripcio ne.codif th any berad modu co ferue. Ttalis co: ferna multő évín alis. zpbiczppa rara reperiair.

cardamomi fpice nardi reubarbari rof rub an gra. rv. pignearum munda tarum. 3, f. fifticozum.3.n. anth maratri liquiriciemundate croci an.3.f. Stat pulnis

Doc electuarius no eft in plu: To dego notară ê în priori recepta

Allind D.D.

Tk. succari albi partes, viij. mellis tabaseb partes,iin. 3inziberis boni puluerifati puluerifatoe plrima partes.in. aque infuñonis zinziberis qo fufficit ad diffoluendu succarum & diftemperet cu melle z decoquat donec fuffciat, deinde piiciat desup puluis sinsiberis ragitet zincorporent cueo radministrent,

Dyaylopum D.n.

R.ylopi yzis thimi melanopiperis an.3. Err, pulegy regalis thymbre pigant cimini añ.z.r. carnium dattilozum dzagagañ liquiricie ficuum pinguium paffalarum enucleatarum maratri añ.3.F. 31113 iberis anifi carm leuistician,5,0 mellis quod fufficit

Ista duo electua ria.f.dyayzif fim lomonisvoigre 3uc, candi rata.funtog viua misce r fac pulueres

Dyayris fimpler 1k.yzis.3.f. periuntur prepa puluc.oyadragañ frigidiañ.3. n.

Dyamis falomonis, D.M.

Tr.yris.3.1, pulcen ylopi liquiricie an. 3, vij. dragagan amıgdalarımı pignearu

cinamomi 3insiberis piperis an.3.in. caricarum carnium battilozum paffularum enucleatarum añ. 3,f. ftoracismb, 3, in. 3.4, mellisiquod fufficit

Dyapenidion D. TI.

R.peniorum.3.pvi.f. pignearum amigdalarum bulcium amigdalarum amarum ambarum mund. feminis papaneris an, 3,11, 3.4 cinamont garrofilozum 3insibens fucci liquiricie bragagañ gummi arab amidi

quattuoz feminum frigidozu maioz mu datozum añ 3.1.f. camphoze tertiam partem. 3.17.

firup.viol.quod fufficit Cofice fic, in ib. i aq bulliant. 3.11.vi ot. Donec ağ alıquantuluş inficiatur. Et postea coletur; zcolature addat lb.1.3uc. z buliat donec incipiat infpiffart: z tunc addant pignee amigdale e femia frigida cota vnaquer ple benetrita femp agita do cum fpatula, Deinde addant penidie fubtiliter puluerifate z că totum bene lis quefactum fuert illud groffum qo fupna tauerit in cassia colando in moztario ite rum bene teratur z caphoza bene agitas do commisceatur. Et ad vitimum pulue res predictarum specierus cu supradicto firupo in mostario femp agitado mouco antur donec bene incorporentur

fin

Dyadragagantú calidus
Dyadragagantú calidus
D.OD.
gañ, 3.114

gañ, 3.114

bulciú ambarí hurgata22

bulciú ambarí hurgata22 R.gummi dzagañ, z. úý ylopi pignearum amigdalarum bulciű ambarű purgatap feminis lini añ.3.vi. seminis fenugreci cinamomian.3.f. liquiricie Tluccieius zingiberisani, Fiat pulms Dyadragan frigio,

D.n. R.bragagañ.albi.3.11. gummarabici, 3,1,5,1),

Dicvariat ordo fimplicum aple rus in equantal

Dyapemidiono eft in viunee pre

vbiq Tgeneralis ter preparatum. eft eade. Eft aut amidi.3.f. bec cofectio mul liquiricie. 3.15. o preparati res pento, 3, in. peritur

quattuoz femuti frigidozum maiop mū datozum an.3.n.

Dyamozónő p paraturba pátě peferiptione. fed folum om beferig ptionem. IR.

camphoze. 3.f. firupi violati ant inlepviolati qo fufficit Dyamozon

D.O. R. crpreffionis mozozus dulcin que cur runt fm femită ficus z mozozum de femi an lb,i.f.

rob mellis añ.lb.i.

Leoq cu facilitate vica ad mellis fpif fitudine. Et funt qui faciunt medicame illud fimplex. Et funt qui addunt fin nes ceffitates allummis

mirre croci

fgriptione.

Dec cofectio no

eft in viu:necpze

parata repentur

fed ponuntur nu cce in coferua q

conferua vulgo è

plualis

Diamoton ppa fucci agrefte an partes equales

D.II. R.fucci mozozum celfilb.f. fucci mozozum baffi lb.i. mellis lb,f,

Wonficefic, fuccum chimelle z fapa i vale enco vel ftagnato ad primas lenes ad precta decoctione bulire define. Dus aute feire voluerish coctum fuert pone er co guttă vnă fupra marmor rinclina nato marmozefi se vt mel retinucrit, cos crum eft:cola referna in vafe fragnato

Dyanucum D.CO.

Refucci exteriora cortica nucă în dieb? canicularibus lb, in, coque chultione vna. Deide addemellis lb.ih z becogoo necumpunguat & fratheut mel, Ethis po

dictis aliqui addunt, rofas ballauftias Et interdum crocum muram Interdum vero baurac fal armoniacum

Et fimilia Pm duerfas medicozum inte tiones.

thec cofectio of

Dyacodion.D.O. effe galieni. fino (Hccipe p.capita papaveris albi in q. reperitur voipee bus fit mediocritas interparnitatet ma Descriptionem z guttudine: z inter humiditate z cefficca! vbichreperitur p tionem, Et pronctatur fup ca aque fer,

tarium.i. fit ağ plunialis. Et fi papane parata: rpofon ra fint humida plufo ficca oimittatur p diem enoctes. Etfi fint ficciora dimittà turplus, Tunc coquatur donccone ptes aque confumatur: tunc cola fuccu cius, Et tunc fin dicerias intériones miscet. tunc exrob quaritas que fit medictas aq z coquatur fup igne fine flamma: T fue mo:fc3 cum pauns tantum non appone do mel, Et quado aftit cum vtrifas: fcils cum melle z mufto, Popter vero alias intentiones quandogs ad verags lb, ipfi us projeciatur defuper, acaffie rubee

beyfiltidos croci

balauftiean,3.i. ramich 3.iin.

I Erain ad bacintentione loco mellif ponunt penidias. Et ali ponut succară Et interdu 03 fieri er papauere nigro. Et fint capita ei? oft ad quinquaginta, et que requirit vi fiat et albo e nigro. Et i bis caufis loco mellis da pont auc. aut penio.

murre

Alfind D.II.

R, capita papauer no nimio viridia ant ficca numero, rin. rof rubcarum. 3.9, f.

croct acaffie liquiricican,3,1, boli armentci, 3.f. cinamomi fimpbitti ypoquiftis ballauftarum añ,3.ij.

mirtilozum.3.1. cozali albi z rubci fumacb

fanguinis brachonis femmis lactuce afi. 3.11. femmis poztulace. 3.f.

Confice fic, capita papaneris in tatu ad plumalis ponatur ve bene cooperia. tur: t p tres dies ibi dimittatur. Er in ta li aqua buliat vict ad confumptione ter tie ptis.polica colentur: tin fali colatu ra apponatur lb,i.f. mellis mirtini : t in tali melle supradicte species misceatur pulucrifate

> Dyapapaner D.W.

R.papaueris albi.3.120, amigdalarum dulcium ercorticatorum granozum pini excorticatorum

Ded cofectio no pparatur 63 hac descriptoentied fin descriptione AlDefue

Ellig libri habet rozis firiaci zfal fo: a: ros firiad eft fumach: fi os feribi in glofa fu pen ly rosisfina ci id eft fumac

Diapapatter coi terpparatur fin phré descriptios nes: rest ysuale mulcum

gumm i azab
ozagagañ
fucci liquiricie añ.5,rr.
amili.3,tih.
feminis poziulace
feminis lactuce
feminis citoniozum añ.5,tiñ,
croci.3,t.
Surup, de papauere quod fufficit
Et fir propzie firupus er capitibus papa
ueris albi et nigri, et femine lactuce.
Aliud

Diapapauer côi ter pparatur fin priosé descriptio néquesest Libes rno fin bac que est nicolai.

ņ

R. dragagañ fucci liquiricie gummi arabici añ,3.k. papaueris albi pentorum añ,3.k. amigdalarum dulcium mundatarű,3.k. amidi feminis citoniozum feminis poztulace añ,5.v. feminis lactuce quattuoz feminis frigidozum mundatozi feminis malue añ,3.th. Fiat puluis, Et mifee cu firupo violato vel fapa.

Dyafulphur

D.T.

Doc electuarius no est in osu: nec preparatu regif.

D.W. R.piperis albi z longi añ, 5, vi, fulphuris citrini thuris men infquiamialbi mirre ftoracis. cordument an.s.vin, costianis,v. opij mandragozeañ,3,ii). croci.s.n.f. caffie lignec. 3. vi. Confice cum melle belpuato, Et ba post fer menfes.

Dyamozufion

Ded cofectio 'no oft in viu nec pre parata regitur

R.croci
rad acozi añ, 3, ñ,
mirre, 3, ñ,
baccarinn lauri, 3, ñ, f,
bauci
cinamomt
caffic lignec
ciniun carmeni
carpobalfami
flozum fouinăti

feminis apij anifi coedumeni spice nardi mente sicce marmacur ameos añ.3.i. Eonfice cum

Lonfice cummelle despumato

Dyacucurma maioz

D.O.

B.croci asari petrofelini dauci amfi feminis apij añ.3.iij. rauendeseni meu fpice nardi an. 3. vi. costi mirre caffielignee fquinanti carpobalfami rub tinctorum fucci abfinchi fucci eupatozij oppobalfami añ.3.ñ. calami aromatici cinamomi añ,3,1,f. fcolopendrie fcordeon fucciliquiricieani3. n.f. dragagan,3,i.

Eonfice cum melle despumato, Dyacucurma minoz D,W.

mure
caffic
croci
flozum fquinanti
cofti
cinamomi añ,partes equales
Confice cum melle despumato

R. Spice nardi

Dyalacca mator, D,OO,

R. lacce ablute
rauende feni añ, 3, ún.
fpice aromatice
masticis
feminis ap
fquinanti
absinch
fucci eupator
faume
amigdalarum amanum ercorticatarum

In'alio addif kri uspipen, an.s.i.

Dic asam os mi puluerifori ques parad vas vaine

Dec Afectio eft il la q cotter prepa ta repitur 2 q eft multu vinalis et no dyaçurma mi not,

Dicponaturota gaganti cirina aut fubrufa tno alba: tochyp fe puluerifar qu'a alipa nung puls uerifarctur.

Dec cofectio no eft viualismec p parata regitur,

Decofectio non eft viualis: alicu bitame prepara reperitur, Bicagarii bebet fentenli cantii puluerifa: ri or repat ad yis anifi as viinc.

arifologic lons croci ge t credo gine: liub t vide in de, cinamomi lcriptione fequés y fopi ficce ti ita fimiliter ba cafficlignee betur

autfalte bdellin piperis molie.

rubee tinctorum azari aristologie Zili libribabent genciane cimarum fquinanti Et ponatur bie bdellin bdellin indnicus mirre an. 3, i.f.

coffti mirre

zinziberis añ,z,i. Infunde mirram zbdelligin vino zcete ra tere coficiedo cum melle despumato. Dyalacca mino?

Dec cofectio no eft vlualis:necp parata repitus

D.W. R.lacce ablute croci costi flozum fquinanti rubce tinctozum aristologie longe liquiricie piperis añ.z.i.f. rauendeleni,3,iff, mirre

Die byponi bdel lium udaien aut bdelliñ molle,

Decofectio non eft in viu:nec pre parata regitur.

bdelly añ.z.i. Confice cum melle biffoluedo mirram z bdellium modo fupradicto in confectioe precedenti

Dyacaparis D.II.

R.praffin viridis paffularum enucleatarum afi,3.prv. croca fpice nardi cafficlignee cinamomi caparis aff. 3.1. calami aromatici fquinanti terebentine bdellijañ.z.j.f. mirre.s.iii). mellis quod fufficit

Blosa notanda Tlota circa modum cofectionis bui? electuari qo notatu eft in electuario bya praffium de praffio viridi de interde pla tearn: qu'fimiliter bic cenfendum eft,

Dyafatyzion.D.O. Rafatyzionu q abicidunt a prefuo lb.i. Zerantur z coquant cum lacte ouino bul ci in quatitate fufficieti fup prunas viqu quo cocti fint t cofumptu nt lac': ct tunc infunde fuper eos olei amigdalarti bulci um.3.in. Et agitent ficut conterendo cit ligno. Et postea funde sup torum sirupü fequentem.

R.fucci bugloffe cocti z bepurati a fpus ma continue lb.n.

fucci pomorum bulcium, 3, n. succarialbilb.if.

Olice agitando ad igne cum predictis: viasou fiat eius competens decoctio. et deponaturab ignet proficiatur defuper cinamomi electi.z.v.

ligm alocs 3.in. been albi z rubci an. 3,17. croci

fandali citrini añ,3,i.f. Confice & pone in vale vitreo Blofa notanda

Dur electuari due ponuntur beferi priones. Quaru pma est maioris efficas cie t virtutis corporito columptis t ex-ficiatis t pulicist civicist filito fiablos febre constat maxime talia corpora bus mectando. Etbec eltilla gin cafu bebet preparari:licet ettá tunet ad cortus mul tiplicadu ripmincitet. Deferiptio til fe ques est maioris potetie in faciedo viril mebri crectione r appetitu ad coitu inci tandu r multiplicadu r seme spermaticu augedu, Et ifto cafu pfectio icoa eftalla ā magis betur in vlu: tā inucnit ppara ta. I Attende circa pfectiones viralos ambe beferiptiones nome accipiutia radice cuiufda berbeique vulgari nomi ne testiculisvulpis appellat. Thtitu laut eff has prectiones melue in littera confectiones tefticulorum vulpis. Etas lio nomine folet becberba: aut faltem ra dices er vocari fatyzion: propter boc qo faciunt ad erectione virge, Satyzialis enim grecemimia crectiovirge dicitur. Atrende fecundo @ fatyrio loquedo

ocradice eins dicit iterfector patris fui co o posterioz radipocadit prioze:ita o remanet viridis z prior exficeat. Debent ergo accipi radices virides z abicindia pre fuo mortuo.id eft a radicib?ficcis.et bocest q bicit mes i teur recepte. Dicis tur etia in recepta q tales radices debet teriz decoquici lacte ouino. [Attede o o e lac superat in humiditate pluso in frigiditate, ideo o e lac comuent ethicis Tofumptis. Dinerfificatur tame lac fin dinerfitate specierum animalius a quib?

emulgitur.no tho exeat lextra latitudis nem dicte complexionis nifi extra vbera din mozam cotrabat z inde acetofitatem acquirat ex qua efficiatur frigidius cu fic citate quadas, in quo casu no fic conferet proposito. Debet ergo este lac recenter mulfum. Interautionnua genera lactis lac quod magis est proposito conucuies eft lac muliebre,q2 magis bumanenatus re eft conforme. Et etiam queft medium inter omnia genera lactis plus appros pinquans temperamento complexionis Et post ipsum meliocft lac caprinii. Lac vero vaccinii aut outnii de frigitate t bu miditate minus pricipant, z ideo minus videntur coferre propositolicet exprima tur in recepta de lacte oumo. Lacvero a fininum frigidius est z bumidius oi alio lacte,ideo licet quibufdam alijs predict] propter banc caufam magis videatur co ferre propolito. qr tamen minus eft nas turc bumane coforme, ideo inter alia mi nus eligatur cum non fic currat propries tas interiphum t natura humanam. Dis citur etia in recepta q ponatur zuc, albi 3020 quo attede q vbi deberet dari ptili cist columptis ad magis infrigidandu z humcetandu boc effet conuenies, vbi tamen deberet dari ad pronocadú coitú effet couemeti apponere suc, rub. qo oz mel canne quod eft calidins. Et attes de specialit er circa quacung succaram. q non apponas succaram antiqua. fs 03 efferecens anni illius, quic eft bumide complexionis verfus primum gradum, fed cum antiquatur gradum primum fice citatis acquirit e cius humiduas exfice catur. Attende viteri? plicet boc clectu arium propter succara qo ibi ponitur ad formam cofectionis solide possit reduci tii preparatur coiter sub forma electuas rij. @ appellat apotecarij nri fozma opi ate que fic melt coferuatur propter fuccos z lacque ibi ingrediuntur, etiamfic effis cacius operatur.

Blofa notanda circa fecunda befarptionem

Eirca modu confectionis fecunde de feriptionis attende quibi dicitur @ fecas cul debet elipari in aqua cicerum quozus prima aqua fuerit abiecta o cicera ont efferecentia e no antiqua nec ficcata, qu ficacquireret gradu ficcitatis confume pta commbumiditate. Debent ergo effe recentia dum funt in foliculo fuo ad ma turitate attingetia. nam fic bumida ab actonbolicunt, tochent multum decog vetalis bumiditas fit multum ventofa z inflatina z cum boc poztatina virtutum aliarum medicinaru ad genitalia mebra Ham fi parum decoquantur fola virtus committrofa z absterfina que in supers ficie eft in aquam diffunditur, p cut abe fterfionem z nitrofitate phibetur vento fitas t inflatio generari, imovoluit actor iste q abijciatur prima aqua vbi infula eft nitrofitas absterfina cop. t decoquat fcoort virtus ventofa z inflatina ibanc fcoam aqua fola oiffundaf,nibil ocnitro fitate participas p qua probibeatur ven tus tinflatio generari,

Allud D.etufde

B. secacul albi v mudi et clipati in aqua cofeccione p mo acerum, quozum pria aqua fuert abies ctalb.i. tefticulozum vulpis, 3, viil. radios rafanistine

luf plani. 3, 4, 1 Zerantur z infundant sup ca lactis vac cini aut outni quatitas que supemineat rad.duobus digitis, olei fizamini

butiri recentis an. 3.in. Coquant cum facilitate vice ad fpiffitu dine. Etfi adbuc radices no bene cocte fint.fundatur, fup cas ex lacte buttro eto leo fizamino via pfecte coctefint, 30oft bocinfunde sup boctotum mellis ocipu matilb,in.

fucci cepebumidelb.L. Coque omnia fimul adpfectabecoctios nem, tunc bepone ab igne et pronce be fuper puluerem parum specierum caudarum ftinci cum rembus

feminis cruce sinsiberis bcen albi z rubci lingue auis feminis nafturch cinamomi piperis longi baucie finapis feminis speragi añ.3.119.

r fumen.3.vin.

Confice cum cis , vitimopo ponatur in medicamine pignearum mundatarum lb,i,f,

rifticozum mundatozum. 3. K. cerebellozum pafferum.3.4. Confice of bene et aromatila cum, 3,L musca bom

Blind.D.Ti.

Mota circa bane ius illa q notata funt i fine glofe pcedentisBere.

K.tefticulozum viridium fatyzionum baucie nucis indice pignearum purgatarum piftacearum fecacul an. 3.kn. gariofilozum 311131berts amfi eruce lingue aufe añ.3.v. cinamomi caudarum fincozum recentium feminis bulbi añ.3. n.f. mulci grana.v.

Confice fic, in tantu mellis befpuma ti qo fufficit ponanë tefticult fatyzionum z baucia z fecacul vnumquodep fe p us bene tritum, Et fimiliter vnuquodes in supradicto melle mittat: z cum spatus la bene misceatur e buliat aliquantulus. Deinde addant pignee z piftacee bene trite, Et cum aliquatulum bulire voluce rint deponantab igne z pulueres predi ctarum (pecierii ibi commiscendo adiuni gantur. Ad vitimu vero muscus cu aqua rof apponatur. the vini referuetur

Dyaspermanun D.n.

K.leucopiperis, 3, ri, 31113iberis,3,11). carmi leuistici añ. 3. vi. petromacedonici amomi fementiañ.s.n. mellis quod fufficit

Blofa notanda Doc electuarin no est in vininec pre-paratum reperit. In dinersis tamen li-bris dinersimode scribit: sed potest qui libet facere suo modo

Dyacintonitem D.W.

B. carntii citonion coctan invino lb, if. mellis despumati tantundem Decoque cum facilitate, t posto fuerit coctum proncesuper ipsum cinamomt gariofilozum cardamomi an.3,1 barfeni, s.ii). 3m3iberis piperis longi macis and.un. CE quado co veget necessitas vt beco quatur citonia in aceto. Et quadogs mi

feetur eis tertia ps cius aut media z qua

dogs pmilcetur eis fucci granatozii aces tofozum medietas ponderis cozum, Et quadocofit cum speciebus, Et quadoco cum puluere istozum fpodn berberis feminis acetofe trium fandalozum rof rubearum an partes equales Et qui ponunt alia fin diversas medi con intentiones. Et quida aromatisant cumulco t capboza aut altero cozūtifi. Et que fit cu suc, et ques cu melle, Alind, D, ciufde, qo fit cu fuc

cis citoniop rai speciebus

R. Succicitomozum mellis despumati an, lb,in. aceti puri zboni lb.n. Loquatur cum facilitate & cotinuo aufe ratur fpuma ev. Et cu mellis fpiffitudi) nem babuerit: puluerifa fuper ipfum piperis longi 3ingiberis cinamonti añ.3.4 gariofilozum ligni alocs an.s.f. mufci.3.19 tertiam Et que fit fine speciebus, et que fit cu Juc, 7 que cum melle

Dyacintonite alind laratinus

D.einsdem. Rifucci citoniozum lb.in, mellis tabased lb.n. fcamonee, 3.4.f. gallie gariofilozum mafticis 3in3iberis piperis longi cinamomi nucis muscate an.3,in, Confice Et iterda ppter alia intentione ponunt fcamonec.3.v. turbith.3.ph. Et interdum abiecta scamonea ponunt medule cartami, 3, v. turbith.3.1. Et interdum loco pdictozum ponuntur clebozusniger epitunus aut polipodium Pm dinerias medicorum intentiones Et interdum fit boc medicamen cu mels le, Interdum cum succara. Interdu cum fucco citoniozum, Interdu cum carnib? t unterdum cum vtrifc fimul,

Alind, D. N.

Doc electuarius no eft in viu: noc preparatur

Doc electuarius nó est in víu bm přitem descriptio nes: sed bene eft i viu bm descriptis onem pofitam a Th, carnium citonioză a cortice exteriozi mundarozum z in aqua clicafoză lb.i.j. mellis despunati lb.i.j.

E Bupzadicta citonia foztif i moztario terantur z cum supraducto melle i caldario supra igné ponatur cum spatula sem per agitando donec incipiat sipisfari. Et si volucris seire quado coctum suerit po nantur in parapside plena aq z si non in uneat vi colligi valeat coctu est. Et súc ab igne deponatur. Et pulhus darum specierum cum spatula semper agitando lum

perafpergatur cinamomi, zi, i, zuiziberis, zi, piperis gallangeañ, zi, gariofilozum nucis mulcate añ, z, ij, fpice nardi ligin aloes macis

cardamomi an.5.4.

sedoarie, 3, 1,

Guper marmor ifusa aqua rov cu ali quantulo unici distemperata sup asper, gantur carnes citonicem micris. Et cu in frigidatum fueri cur cuitello frustrati i cindantur z si la catinus facere volucris i vinaqua oglib, ponaf scamõec bene trite 3, 6 tamen dum calidus fuerit, anteo si marmor ponatur z anteo ex caldario ex trabatur.

Blofa notanda .

De la manniter dyacitonité no lapation preparatur fun hanc descriptione, re non fun descriptionem melue. Et interdu preparatur cum suc, interdum cum melle interdum cu speciebus unterdu sine speciebus.

Dyamasticis, D.II.

Recimini gariofilozum lpice nardi cardamomi carpobalfami rilobalfami rilobalfa

cipcri

mirtilozum macis añ, z.i, malticis, z.i. mellis quod inficit Dyaolibani

D.T. R. caftozci opn infquiamian.3.iifi. oaffielignee,3.4.3.4. toln croca thuris makulini an.3.4. reupontici amomi an. z.i. 3.14 mirre.3.1,f. fpice nardi piretri enforbij leucopiperis an. 3. n. f. pronte ttozacis macropiperisañ.3,1.3,11h. mellis quod fufficit

Dyapun.

R. carniù prunor oblongor t muscor accedentiù ad dulcedine t chrator i af in qua poztulace fuerint elirate lb. ij. 3uccari albi lb. ij. aque viol. lb. i. Coque cù facilitate vi& ad spissitudine

reconde in vale vitreo,
Alind.D.N.

R.punopdamascenop viridisi nsiero.c Monatur in vale Hagnato z cu tato aq qua bene coopenatur & buliat donec bil folni videatur, z túc ab igne deponátur. Eunos tepefacta fuerint aliquatulus ab aqua extrabatur: z in cribzo lup cathino pofito tadiu pruna manibo fricetur vt ni bil remaneat pter offa T cortices, Et in aquavbi pzuna cocta fuerint ponat, 3.f. violarum. titerum bulire pmittatur, et fiat firupus culb. n. zuccare, i quo firupo ponatur lb,i-pulpe talis prunozus: Tad ipifitudine coquatur. z incipiète infpil/ fari ponatur caffiefi,munde cum pdicta aqua, 3,1, thamarindozum in pdicta aq fimiliter pus diffolutozum z colatozus p caffiam, 3.4.

of Odemero in qui paticta aqua pruno rum bultat, 3,1, violaz: vt oteti eft. Et co quatur ad prectionem femp t indefinen ter agitado cum spatula, Lungs ad perfectione occoctos deuenerit depone ab igne t semp cum spatula mouendo puls ucrez barum specierum desuper asperge

Doc electuarius no est inviu : nec pparatu reperif,

Dot electuaring no eft in viu. nec pparată reperit,

Doc electuaring cotter pparatur fin phie deferia prionen: t pres paraf laratunila non laratuum

Diamafticio no chinofu'necopre pratti reperitur fandali albi e rubei
fpodi
rcubarbari añ, 3, iñ,
rofarum
violarus
feminis postulace
feminis icariole
berberis
fucci liquiricie
deagagañ añ, 3, ñ,
quattuoz feminülfrigidozum mundato,
rum añ, 3, i,

T Si vero laratiuŭ facerelvolueris: ad
de in vnaquach lb. cû ab igne, deponitur
feamonee, 3, f,

Dyafinicon
D.O.

zeylon infulozum in acc

The dactilori legion infusorum in aceto tribus diebus ac noctibus partes. Le pentorum sapati partes. Le amigdalarum mundatarum partes, fre turbut partes, exporteamonec partes,

dauci gallange añ, partes. ij. f. Fiat omnum trituratio bona z pficiak cum melle despumato

Blofa notanda

G Gide qui qualibet, 3, bui? cofectois
ponuntur de scamonea gra, k. sc.).,

(Dec cofectio est multi vivalis: tvbi
c preparata reguur, Scribitur etiam a
mesue i capitulo de turbith, auctoritate
Johanicii

(Eurca pane cofectione notat fauana rola quin ea ochet poni dattili imaturi quifcon funt z quop viscofitas facit para tes subtiles solutino pungredienti i eus copositione membris nutritius adhere re adeo; vi no possint ad remotas ptes extendi zideo ovasimicon cofert i colica dyaturbith, D, II.

The singiberis s, v. turbith albi z gunmofi, 3, r. 3uccari, 3, rv.

Dec cotectio voice pparata reperit viunur tamen magis ovarinicon q poti? beberet dici oyaturbito qui intratia plus fleumati que colere fut appropata etiq me

lus corigif. Ad banc to pfectoem adde rone scamonee de mastice, the q ad ora que in turbith sunt corrigenda corriger. Et licet a diners dinersische quatras simplicisische tills dosant mesue ca, de turbith de intentione gosar,

Dyacartami Darnauldi de villa noua

R. pulue, by adragagañ frigidi. 3, f. carnium citoniozum, 3, f. medule cartami. 5, in, 5 medule cartami. 5, in, 5 medule cartami. 5, in, 6 manne granate 3, i, 6 manne granate 3, i, 6 mellis rof colan, 3, i, 5 mecare, 3, vii, bermodattilozum. 5, iii, 5 fiat electuarum addendo 5 uccare quod inficit

Docelectuaria raro inuenitur prepa ratum \$3 cade descriptione penesomer fos apotecarios. Renerendusti magia fterrobertus de leone turonenfismedis cus volcbat,vt ita ppararetur in botcca fratris fin, Attende q vbi deberet in pul nere propinari conenienter ponerent. 3. vinisuc, vt voluit Teta, Si to debeat co fernaritantu confernet puluis fine 3uc. ne liquefiat zuccara: fed rempoze ppmas tionis addat suc. Et vbi ocheret confici in forma electuarin: tunc debet remoueri ille, 3.vin succare q ponutur in recepta que modo coficiendi et? addit de suc, fufficienter, Berumetia pluso opostet p correctione fimplicium. Et qubi notaf intelligendum est fimiliter de omni cons fectione: vbi in Rta ponitur zuccara p correctione fimplicium,

Dyasene, D.N.

Tk.sene, 3. iii.

auclianas astatas numero, l.
ferici combusti, 3. ii.
lapidis armenici, 5. i. loti cū facilitate p.
ppr. vices cū aā clara font : tp.ir. vices
cū aā rosar vel busloste, is re vera meli?
est loco lapi o, armenici ponere lapidē la
julum code modo ppararū: qrtette raby
moyses nemo nouit lapidē armenū, boo
rū lotiozūtales approbat alexander.

3uccare, 3, v.
Aliud, D. eiufdem
R. ligni aloes
gartofilozum

macia

gartofilozum gallange nucis mufcate folij Dialene fin qua cus recep. no re peritur pparan

Amogamin

cinamomi an. 3.11. lapidis lasuli lapidis armenician.3.11.6, fenein ouplo predictorum croci.s.L. ferici erndi z combufti an. 3, n. rafurc cbozis ipodij anacardi offis de corde cerui blaccebizanciean.3.n. permodattilozum.3.1, murre genciane baccarum lauri elebozilnigri an. 3. f. auclianarum combustarum, rv. numero. pentum. 3. n. Dyacastozeum

Dyacaftozen no eft in viu:nec pre param reperitur

D.17. Tk. castozci mirabolanozum citrinozum añ.3.iij. minus gra.t.f. aloes, 3, i, f.minus gra, i, antimonn piretri liquiricie dzagagañ calami aromatici mitri galbani fpice nardi fquinanti opponaci trium piperam caffielignee rilobatiami carpobalfami coloquintide fcrapint reupontici ftoracis calamite! zinziberis cinamomiañ.z,i.gra,h. affefetide mirre cuforbi añ.3.i.gra.rvii. staphilagrie dauci maratri petrofelini filcris montani

dafnocoti

petrolei

cinoni storacis rubce fanguinis dzachonis cardamonit thuris maioris & minoris agarici mafticis falis armoniaci 3edoarie anifi añ. 3, i, gra, fi. Shelphan Summing and property of the state o faturegic ylopi camedreos pulegiregalis origani baliamite balfamite 05imi rad brance prfine diptami feminisruthe vtriufa ariftologie mabathematicon aaron asari rofarum bdelli an.gra.rvii. epythimi polipod quercini oppobalfamt añ gra, puij, olimpiados caparis an gra, pi. pencedami abfinchijan,gra,vij. anacardi fauine genciane corticis rad mandragore aff.gra.pi, yzeos gra.in, tertiam partem gra,i?, mellis quod fufficit

Dyabozraginatum D. II. Kaucilanas affatas tritas.pr. ferra combusti, 3, f. zinziberis. 3.1. gariofilozum nucis mufcate cardamomi fpicenardian.s.n. lapidis armenici lapidis lasuli an. 3.11. fucci boraginis fucci eupatozn an, quod fufficit Dyabugloffatum

D.n. R.puluc.dyadragan,frigidi, 3,f. carnium citoniozum, 3,1, medulle cartami, s, iii)t

Doc electuarius no eft in viu:nec preparati repe : rif. Eld ifm th confideda debes ret addi zuc.z mi feeri z firupari cii biccio fucas zpo frea additis fpe/ cieb? debet cofici

Doc electuarius paratű repifetiő Ém aliquá harus descriptionem

zinziberis albi.z.fi.
oyagredi.z.ifi.
turbith albi.z.vi.
manne granate.z.fi.
hermodattilozum.z.iifi.
mellis rof colati.z.i.
zuccare.z.vii.
fiat electuarium

Alind D.O.

Bose electuarius non est mesue de quid dicar titul? mente sicce etus: 2 no est in win: nec prepara um repertur.

1.bugloffe corncis citri foliozum citri an. 3.in. alfelengenufch.3.4.f. lete crude nucis muscate 3edoarie gallange been aibi z rubei fandalı citrini croci an.3,1.f. light aloes, 5,9, vini zaquean, lb.vi. mellis lo.vin. Aromatisetur cum musci,3.1, gallie,3, n.

D finit particula quinta

Berta particula fecili

Aperest in bac sexta particula determinare de antidotis quo, rum nomina incipiunt per E. q eft littera immediate fequens ad litteras D.in ozdine minozis alphabeti Erunt autem in bac particula Rete legn tes. Lidra magna.D.TI. Electuarium dyafinicon, D.W. Electuarium pliris arcoticum, D. 11. Electuarium ocaromatibus. D.O. Electuarium de gemmis, D.O. Electuarium farboteng. D. O. Electuarium lentie gatieni.D. II. Electuarum refumptuti fine ad reftans randum bumiditatem, D.TI. Electuarum catholicon,D.TI Electuarium de grants mirti.D.O. Electuarium de lucco rof cumsone pos nuntur Brc, Electuaria de pfilio cui oue ponat Tete Electuarium de curo, D.O. Electuarin alarif; curoue ponntur Rte,

Electuarium indum maius. D.O. Electuarium indum minus.D.O. Electuarium clescoph,oim, Electuarium confortatium ftomaci cu ius due ponuntur Bre. Electuarium defructibus.d.m. Emblici conditi er.d.m. Electuarium dulce:curquattuoz ponfis Electuarium contra pestem Emplastrum de muscalaginibus Emplastrum dyaquilon comune cutouc ponuntur Tete Emplaftrum oyaqlon magnum, D', O. Emplastrum dyaquilon parnum D.Od. Emplastrum pro stomaco,o,m, Emplastrum de granis lauri,d,m, Emplafty de gallia cuioneponut Rete Emplattrus de riloaloes,o,m. Emplastrum relatum ad andromacum. cuius due ponfitur Rte. Emplastrum definapi,d.m. Emplastrum de fermento: cui? tres por nuntur Bete Emplastrum ad duriciem tuncturarus: 2 eft rafis quod funt liter feribit mefue Emplastrum dyafinicon: cuius due pos nuntur Bre Emplaftrum de aleis, b.m. Emplastru relatuad aderiftraton, b,n. Emplastrum ozibalij:quod ponit,m. Emplaftrum de melliloto,o,m. Emplastru apostolicon,o,m. Emplaftrum ceroneum,d,n, Emplastrum ogisocroceum,o.n. Emplastrum de fanua.d.n. Emplastrum gratia dei.o.n. Emplastrum contra rupturam, d.m. Emplastrum dininum.d.n. Ældra magna

D.II. Bralipte muscate murre filiozum rutbe 3uccare feminis apin camedreos fenugrecianis,i 3,i.gra,i. rafure chons pigami iemmis lilifagi golene ballauftiarā añ.5,i.gra.vij.f.t parū plus gariofilozum cinamomi riloaloes fpice nardi

Iber cöfettio nö effrétualis: nec parata repritualis: nec parata repritualis: nec parata repritualis: nec parata repritualis: nec parata repritualis de pina il Botada vic panagi copho a magi to so platta i b erat gemelit ad ceta o ia pene ottoro se pedera modicavel nullà ba efficaciane in caro fi cer o fi de con numero vina fere nilpilpo teft operari.

οŷ

Pac.

it

120

isp

ms

IZ DOY

3,6

nigelle viifur conicis nere mabathematicon aquevitis an. 3, f. gra, ii. litargiriauri amidi oph thebaici rad nunci calamenti iulquiamian,gra.vn. mellis quod sufficit

R.cinamomi

An prison and

Electuarium pliris arcoticum, D.T.

Moc electuarius no eft m viu:nec pparatii repent. Bi doth en vel let oficere magif ftralit.lignii alof gartofiloziii esambia musco ligni aloes cocro ad pfectio/ fpodij bis trubcis, Pla,

gariofilozum/ er andre unus gallange adas con p feos spice puliceriarizaren qua finul artic cus firupo rosaro 3mistoria nė: fiat electuari us, aliq ffi nopo nūt capbora opt oelicarosigi idu Tolarum athornbuefapo violarum affisigrairve mafticis. ftozacis fanfucci balfamite bafiliconis cardamomi macropiperis mirtilozum corticis citri añ.). in. gra. v. gemmarum:id eft margaritarum albarit T fplendidarum been albi z rubei cozali ferici combufti an, 3,i,gra,i,f,

Doc electuarius no eft in plumec pparam reperit fir, rop quod fufficit Electuarin & aromatib? D.OU. R. ligni aloes crudi rofan.aur.rn, gallie muscate macis dozonici piperislongi nucis muscate menteficce fpice. caffielignee

musci gra, vij.f.

camphoze gra,vi

mafticis

gariofilozum cinamomi, azarrafi,aur.ifi. calami aromatici aur, iifi. cardamomimatozis t minozis trium fandalozum reubarbari cubebe cofti 3in3iberis Teminis feniculi Reyfim anili an, aur, ij, succare, 3.vi. mine aromatice, 3, xn. mellis despumati quod sufficit

Electuarius de gemmis Doc electuarius no estin vincine D.O.

R.margaritarum albarum.3.iij. fragmentozum tacincti fardinis granatozum feruzegiañ,z,i,f. 3edoane deronici costicis citri macis feminis alphelengenusch añ.3.n. cozalis rubei Izarabe limature chozis añ.3,17 partis.in been albi Trubei gariofilozum 31113iberis piperislongi 1pice foli croci beylañ, s.i. trociscozum byarob ligni aloes añ,3, v. anamomi gallange sisumber añ.3.4.f. foliozum auri z argenti affaur.f. musciboni, 3,f. ambze,3.i). Confice cum melle embliconum z colatu

bus equalibus otum fufficit Electuarium farbotheng D.bamet filin sacharie qo dicitur electuarium letifie cans: zillud ponit mef.

ra gelemabin de rofit, coferne rof parti

Brrof. ligni aloes anis,vi, macis

Wie agarti deber rantuspuluciúa ri co reparadruf puocatiuns ofo

pparam report.

Quidā libribit fmaragdou the rusega: is failed d eft finaragde ru:q2 ferusegad e op finaragdus.

Doc electuarius no eft in plumo pparati repent,

nucis mulcate gallie muscate cardamomi beylañ.3.h. cinamomi crocian.s.n.f. aperi.3.11. gariofilozum ipice nardi masticis garadeber tin azari an.z.in.

puluentari pres Stat omniti trituratio bona z cofice cus parad vas vine mellejemblicop. t aromatifa cum musci catua o folutie 3.19 quarta.

Electuarium letitie gas lieni, D. II.

Be, fucci pomozum oulcius z odoziferoz fucci citoniozum Succus bozagi ms 83 acapi de floriba: q2 fic eft vini veteris fucci bozaginis

florum batilicomis crock zedoarie gilobalfamt gariofilozum corticis citri gallange macis

mucis muscate ftozacis calamite an. 3. v. camphore

ambre musciañ.3.1. amfi rafure lebozis thimi epythimi an.3,11.

margaritarum perforatarum,3 i. offis de corde cerui.3.4

auri puri argenti meri succare quod fufficit

Electuaria refumptiuti fine ad reftaurandfibumiditate, D. N.

Tr.rop liquiricie succarean, 3, ij. z gra, v. gummi arabici deagagañañ.z.h.9.ff. fandalialbiz ruber afi, 3.1. 3.1. papaneris albus. in. amidi fucci liquirici feminis poztulace fenunts lactuce femims facri olean, 3-in. gariofilozum fpodnan-3.1.

cinamomi, 3,1. zinziberis ftoracis calamite anisin croci gra.v. penidrum.3,f. feminis citruli mclonu3 cucumeris cucurbitean.z.in. feminis atoniomin, 3.4. amigdalarum pignearum berberisañ 3.4. feminis malue feminis cocti violarus Sebesten

menuffa,añ,3.h. Confice cu firupo violato vel firupo de coctois gummi arab t deagagant t rof.

Electuarii catholicon qo de boe dectuariis

effe mcolatibeferibit tamena et wbigs prepain galieno i antidotario minozi, reperitur.

R. sene bene mundati cafficfiftule munde thamarindommañ. 3.vin, renbarbari piolarus polipodij anifi an. 3. un. liquiricie mundate peniorus candian, 3, iii). quattuor seminisfrigidorum mundator añ, 3,1,

The accipe lb.i.polipodi r tere riaqua dunifime decoque reprolatura facuru pū cũ, vin.lb, zuccare, In pte aut colatu rediftempera caffiamfiftulam t thama rindos: tin fine decoctois firupi ponc, Deinde confice electuarium

Electuarium degranis mirti Doc electuarius

R. confectionis electuarij de aromatib? pparan regime cui adde granozu mirti tritoz ficut, alchool. 3. vi. mirabolanozum indozu3 bellericozum emblicozum

Sup'quos ia preternt ebulitio vna in aq citontop cum vino odorifero añ. 3. v.

antfi cimini

feminis api infusorum in accto dievno ac noctet exhiciatorum afi.5.v. Confice cum mua aromatica

Sene dinamagnas a folija magnas t flipitib? folioz q: flipites nulli? int villicatis: ve mefue,c.oe fene.

Doc electuarius no eft multus in vin: interdă tă î ighus botecis pparati tegitur.

magis cordialis

Doc electuarius eft in viu multu et vbich prepatit repiturino th pi patur om plente descriptione: fed fin descriptione nicolat imediate fequétem.

Electuaria de fucco rof D.O

R. fucci rofarurub.completarum lb.f. succare tabased lb.i.f. teremabi pure recentis; 3.vi. scamonee antiochene. 3.1.1. Loquantur oia cu facilitate fup igne cla rum vice du mellis babeat spissitudines Deinde pronce super illud trociscozum despodio.3.4. gallte crociañ.3.ij, trocifcis de berberis, siin, Repone in vale vitreo

Doc electuarius eft multi vfuale et cotter prepat fin pitem beleri prione. Et feito/ te qui bac ofectis one in qlibs. 3 gredn zonis et? vire? At multu re preffa: nibilomi: n? ercedie nimis rvide quin oya/ fast meb. de dya/ gredio nifi 3 a. aut circa pro z vbi in bac ofe! rur.s.m. fi dices res. 3.vin. tu ita faceres.

Electuarium de v fuale apud nos th non reperitur preparati

Alind D.II. R succare fuccirof.an.lb.i.t.3.iii). trium fandalozum añ,3.vi. fpodn.z.m. cofectiois merat oyagredij.3.xij. fere.). ij.oya campboze.).1. camphore. J.i. Zempera ad modu'electuarij cus firupo facto de eodem suc.z succo rof Electuarium de pfillio

D.O. R. fucci bugloffe filueffris toomeffice fucci endinic fucci api coctorii z depuratorii ani, lb.i, Et profice desuper. feminis cuscute crione tota ponti foliculozum fencan. 3.f. capillozum veneris.m.i. succifumiterre,3.111. azari.z.ifi, spice.3.11.

Dimitte die ac nocte. deinde buliat ebus pfillio eft multus littone vna. z pinciatur defuper violarum viridium velficcarum. 3, in. cpithimi.z.vi. Er buliant iten alia coulitione pua. De

inde coletur z expinatur:z in colatura po nantur fpillin.3.vi.

et oimittat per die ac noctem omni bos ra tamé agitando cuz spatula. Deide cr. primaturoiscolitas tota. ocide accipe bu ius viscolitat] lb, iin, z pronce desuper. succare albi lb.fi.f.

fcamonecatiochene cocte i pomo. 3.in, f z coquantur cu facilitate, z posto cocmi fuerit pronciatur sup ipsum puluis trocifcozum de spodio trocife] oyarodon trocisci de renbarbaro añ. 3.1. trocisci de berberis, 3.1.

Blofa notada circa ofectoem

Dicos groffo mo pulnerifariazarum pt fit magis solutiui of puocatuus. In bac etia ofectoc ponit Biolarii viridius r cefa. In also prunou r vtracifia ebo na z conenies ppofito: z adducerit meli titas coueniens usfi virtig ponat:fc3 viole z pzuna: f3 debent poni pruna ficca non viridia,

Hlind, D.M. R. femmis pfilh lb.in. Bone in aqua feruenti p triduii: postea qet abei, coletur z colature addatur Dyagredn.3.in, succare lb.in. Etp buos dies dimittant:poftea coqua tur Tab igne deponatur, et puluis iftan specterum misceat fandali albi z rubci rofarum [podi reubarbari dragagañ gummi arabici vio larus berberis an. 3.f. feminis scariole postulace an 3.1111.

Electuarin de citro non laras timum. D.m.

R. corticu citrorum aur.pr. gariofilozum lignialoes anamomi electi mads gallange calami aromatici añ,3,ne cardamomí 3ingiberis añ.3.i. Confice am melle

Apotecari noftri vtuntur quoda ele tuario lagatino qo appellat electuarium decitro redditt p ktasfuas. r co vtun tur in aliquib? regioib?:vt i motepeffula no. Ego no vidi Retam: fed poteft glibet facere z vti fm bonam conuetudinem los civel regionis

Electuarium alarıf, D. muetionis'mer. K.mirabolanozum citrinozum

lzebulozum indozum añ, partes equales Zere z cribza z accipeolei amigdalarum otifufficit vinfundefuper cos v frica manibus. Et bocfacias tribus dicboilo le semp infundendo olen potto fuerit ex ficcatum, Deinde quantitatem zuc, albi in decuplo ipfi?aqfotis clarcoufoluefic B patctam migura triduo cotinuo tene

Artende Dings libet. 3. buius ofectionis intrat be byagredion 3.Leteftan

Boc electuarius no est in viu sin prite descriptos ne:sed sin priore

no eft in viainer pparatu regitur

Doc electuarius no eft in viutnec pparatti regitur

femp parti de oleo infundendo, t bocfas cias donec mirabolanozu amaritudo cel fet. Deinde ficca in vinbra, deide accipe erboctoto.3,rv. turbith albi.3.vi. fpice nardi 3, i.f. nabth Confice cum melle despumato

Blofa noranda Doc electuarin os cofici tpe effatisve notatur in textu cui pformat luttera mes ca.demirabolams de rectificatoe cozus voi tradicit ad littera, Sumatur de mis rabolanis cotrins contas qua volucris, Tfir boc in eftate, Dicitur in Tra of funs datur fup mirabolants bmot otu fufficit ocolco amigdalan oulcin. loco but tu potes ponere olen rof aut olen violarus aut olcu de fizamo, aut falte cotere cum cis amigdalas oulces aut paffulas, aut violas aut mel paffulatu. Zalia em proz tant opationes mirabolanop, z funt pro pan umaméti cum cis, vt mer loco supra dicto.Dretia in Rta Q succara oillolua tur moccuplo ipfius aqueclare forte q melus effet q ouloucretur maqua las bris fupadditur buic pfectioni amfi. 3.1). viol3, vn. feminis api). 3, i f. er ali poffut adderealia, finerigentia caius in quo p propinanda elt cofectio, elfi mef, vol. 8. Et iunt q addunt cu cis demedicinis bii dictis.quas volunt fin exigentia intens tionis cou: r facut finile, Eft em opus magni magistern.

Electuarium alarifaliud ctiam fimiliter descriptois 7 inuentionis melue

Remirabolanazum Izebulozum nigrozū an.partes.uj. emblicorum bellericozum añ.partem,i,f. curinorum partes.it. Zere z eribra incta modu pozis boctrie Beilies infunde! do ioico rofarus qo opus obfernadu est pro cop rectifica tione. Demdeaccipe expoc toto 3, gin, turbub albi.s.vi, 3in3ibcris masticis cinamomi electi lightalocs gartofilozum piperts cuvebe

feminis aph añ, z.i.f. fpice.5.i. pignearum purgatarum partes. 4: zuccare tabazed nabith añ. z., rh. Confice cu melle despumato. Electuarinm indum

Minus, dim,

Withibith, s.c.

Succare tantudem

macis

gartofilozum

piperis

sunsiberis 31n3lberis cinamomi electi beyl ... a mana a nucis mufcateañis,vij. Confice cum melle defpumato

Eicetharthm indum manus, D, ctufdem, manus, D, ctufdem, manus, D, ctufdem, manus, D, ctufdem, manus in indum mus in ingentional manus in indum mus in ingentional manus in indum mus in indim mus indim mus in indim mus in macis ciperi afi,3,iifi, fandali cirim,3,ii,f, ligni aloes Ingiti alocs
mucis mulcate añi 5, ij.
turbub electi. 5, le
succare
pentorum añi 5, pc.
gallange
cardamomt
asari

asari

bele asari oebet
groffo modo pul groffo modo pul ucrifari vt fir ma masticis afi.3.i.s.

byagridi,3.i.s.

Dinnta cum oleo amigdalarum fricetur

puocatiun Deinde accipe fucei citoniorum fucci granatorum fucci apij fucci feniculi andb,f.

fice cum speciebus Electuarium elefchopb R., scamonec anthiochene turbith electran.3.vi. gariofilozum cmamomi 3in3iberis emblicozum t nucis mulcate

Loque cum melle ad fpiffitudine: z cons

lboc electuarius no eft in viu: nec prepari reperit.

us vr pater i Perdenti Bera.

gallange

Doc electuarius

no cit in pfu: nec

pparatů regitur

Doc electuarius aponos eft i víu trapif prepatus non th Pm phtes descriptione: fed **Бил (с**ешентенн

polipodnana,iin,f. succari albi. 3.vi. Confice cum melle despumato

Electuarium confortatinii fto maci ex inuétione 7, D. O. Tk.ligni aloes

fptce galliemufcate ciperi

calami aromaticiani.3.n. cimun carmeni infufi i aceto die ac nocte zaffati.z.in.

femuus porri torcfacti, 3.i.f. emblicozum

bellicorum infusor in succo citoniorum z toftozum

nucis mulcatean. 3. n.f. granozum natturch toftozum. 3.vi. granozum paffularum 3.v. granop mirititoy ficut alchool, 5, prof.

balauftie concharum aduftarum olibani

In aquaid et in fructus tamarifci an. 3.11, f. inco.aur i aqua amcos.3.111.

occomonts con Zere oia thricenturin vino odonfero t exficcentur vitera fricentur in aqua cito nion aut in aqua granop mirti, Deide p mitte exficcari ivalevurco ad exficcatões aque vei fucci: tien terant ficut alcho! oler diffoluatur in mina aromatica.

Alud D. z mucus tionis cuildes

et coner peepat R. granop mirti triton fic achool. 5. kis. om prefentes oc rofarum Spodn fumach trium piperum fandali citrini ballaustic granop granatop affatomm. 3.vit. coziandri infufi in accto Taffatt, 3.iin. feminis acctofe scminis plantaginis femmis rolarum añ.3.ff. Siat oim trituratio bona, z fricentur cu fucco agrefte vel mirti z aceto ficcentur,

noeft in viu:nec

Doc electuarius

fcriptione,

D.O. pparatu regitur 3. carnfum citoniozum carnium pirozum ponticozus carnum malozum acidozum añ.lb.i. Quorum fingulus fuerit elicatum in ace to vint fortis i quo infulum fuerit fumac die ac nocter fucci agrefte, t fuper quot rum trituratoc fuerit elebozatus vica ad confumptionem pltimam fuccord.

Electuarium de fructibus

Deinde innolucin mina acetofa.

carnium forbarum immaturarum. 3.v. succarelb.in. Loque ad spissitudinem mellis Demde pone super ipsum luca berberis. 3.111. **Ipodi** feminis acetofe an. 3.4. Repone posto contectii estin vase vitri. Emblicicondii

Pm.D.O.

Recr cis quatitate quas volucris t fund de sup cos aquazerpone soli quonses tu mefiat a humectetur: polt expume a po nem ag mellis t dimitte p duos dies. Dendecoque ci facilitate: 2 posto cos cte fuerit dimitte cos infrigidari z adde cumelle tabased neut quartam partem totius, Quida Impercondumt de ipecies bus aromaticis neut eft. cinamonnum garnofile cardamonium crocus mulcus

> Electuarium bulce, D.M. paic Digo valet podagnicis, ce non et inva

> > carmi

Be. Spice 31113iberis piperis longi piperis migri fene cinamomi gariofilozum piretrian.3.v. mafticis rofarum

Et timiles

falifgemme marami carpobalfami petrosclini spice celtice an, 3, i. farifrage rilobalfami mili folis

macedonici [peragi brufet . cardamomi macis

gallange bermodattilomm añ.3.i. Dyagridh. 3.14.

turbith polipodi añ.z.iii. nucis mufcate, 5.v. ambre, 3,un,

Electuaria bull elapnoning pparam report

funt in viu

ballami.), i.

Confice i modif electuarif cum zuccara
veltulep.

Mind Deinstein [che D

Alfud.D.eiufdem fcoc.D.

R.rofarum
cinamomi
51131beris
violarum añ, 5, vi,
511care, 3, v,
fandali albi
fandali rubei añ, 5, iñ,
bermodattilorum
cfule añ, 3, i,
byagredi
turbith añ, 3, i, 2, 3, i,
511ctare quod fufficit,

pparatt regitur

Doc electuarius

o eft in piu: nec

pparată regitur

Doc electuarfus

noeft in phumee

pparatu regitur

He

Electuarium bulce aliud, D. eiufdem, 11

R.rof cinamomi sinsiberis feminis melofi fandali albi z rabel añ, 5, ñ, bermodattilozum chile añ, 5, iĥ, dyagridh turbith añ, 3, f. suc, quod fufficit

Electuarium bulce buplicatum, D, etuldem

oupticatum, D, eunaem
Retofarum
cinamonn
sinsiberis
meloñ añ. 5, iii,
fandali albi
fandali rubci añ. 5, ñ,
bermodattilorum
cful cañ. 5, x n,
byagridn
turbrth añ. 3, ñ,
Fiat puluis, ta dlb. i. 5uc.pone, 3, i. f, pul

ucrum 7,3,1,fcamonec, Electuarium contra pestem mgfi Ja,deptibus parif.

mgri Ja, de pitous parte.

Oulti multa scripferunt electuaria costra pestem a nullo tamé antiquorum barbemus aliquod electuarius inviu penes apotecarios nostros, io si placz ets aliys Kitis obmissis istud i sinis botecis pre qobene mibi placet e quod extrapi a famos sissimo bodie inter modernos doctore pariense magistro Ja, de partibus credo que bene facient. Sinaŭi faciat in noie dinivit pabet in sinis receptarijs e vi consucs ucrunt e probanerit

Resuccare albe lo, s.

Diffolne I fucco limonti: vi i fucco pomo ra arengie vel i fucco granaton acetofo ru vel in forti accto. z coquatur ad pfes ctione. Et in fine decoctois adde pulue rem qui recipit margaritarum fplendidarum offis de corde cerui cozali rubet fragmentozum rubinozu iacincton granatozumañ,3,i, ferici crudi ambre griffe cortias atri crocian. 3.f. rofarii rubearum ficcarus feminis endinie rafure chozis añ,3.f. Zerantur fubtiliffimez cribellante pan num de ferico z fiat electuariu p lozegis ponderis.3. fi. deauratas vudios cli pans nis auri finifimizer pot mitiplicari aut Diminui fi placet fm neceffitatem, Emplastrum oyaquilon

commune, D. D. B. fenugreci feminis lini radicis altee A quo oibus extrabant mufcilagine et ac cipe exipfis mufcilaginib? afi parte,i.lis targiri cotriti cotritide vitia z mundati a plumbo z fcoria partem.i.f., olei antiqui clari partes,ih. Litargirin v olcu din i mortario lapideo cui pestello ferreo coquassentur e elabore tur in con coquaffatoe multu, Deide bu liant sup igne cu facilitate semp v icella teragitado cu spatula vica ou coagulet litargira, Zimc deponat ab iguez dimit taf infrigidari paulatim, Poltea Ik,niu scilagines, zbuliat bulitoe aliqua. Dein de paulati z paulati pice mulcilagines fup litargiru z oleŭ femp cus pistello lis gneo coquassando donec frat coz cones mes pmirtio. The do coquat fup ignes vice infpiffet. Et fi vis iom facere yreas tu:tuc de intétée filh pameth pmisce pul

tio clus fortior.
Allud
D. N.
R. olci veteris, 3. rlij.
spume argenti, 3. rrvij.
radicis altee seminis semigreci
seminis lini an, 3. riij.
Confice sic, radicest semina in aqua sim
g ij

ucre yacos fubtiliffimi. Et funt aliqui q

pro coi oleo ponút oleú yrinu, z fi addas

muscilagine semunis melliloti eru sedas

Doe emplaffrus eft multu vivale et cotter pparaf fin pfitem ocieri ptione: t ppatur yzeată et no y.es atum,

Doc emplafiră ê multă în viu pre paratur fi cotter rm descripționeș precedente q ch melue. pliciter triduii infunde ad prunas leues vias ad medietate decoque z cola. z pro tectis feophis:id eft fupfluitatibus acci pe de mulcilaginid lo.i, mifce cus olco t aliquantulum bulire dimitte, Deide pul uerem spume argenti adbibe e indeficie ti ipatula inbince donec copetenter coqu tur. Quod fi fare voluens qui coctum fu crit medicametum biligentius attende, Et cum i eo ebulttionem fentire videris fcias effe coctum. Et cum infrigidatum fueru viui referua.

Boc emplaftrus nő eftin víu: net pparată repitur Emplastrum dyaquilon magnum, D. O.

Thelitargiri mundi triti v cribellati, 3.ch. olei yzmi olci camomilli olei anerintañ. 3.viij. mulculaginis leminis lini mufcitagims fenugreci muscilaginis rad altee mufcilaginis ficuum pinguium musculaginis passularum fucci yrcos fucci fquille ylopi bumide giutuus alleanan an. 3, ku, fe terebentme.3.ii. refine pim dere cirine an. 3. ff. Confice ve dictu est in dyaquilon coef3 Bot emplattrus Descriptionem mef.fupradicto

pparam regitur

Doc emplaffriis apo nos eltiviu z pparatti repert emplaftraioy: th eft fortius.

no eft in viu: nec

D.D. Belitargiri, 3. fiin. musclaguns pfillh. 3.11. musculaginis insquiami, 3. 1%. mufcilaginis feminis lini mulalaginisrao maluean,3,4. Et et'opatio est ficut opatio supradicti. Emplastrů aliud qo appellat apotecarii nostri emplastrů de mufolaginib? per excellentia oglon eftilludve så emplaftrå og be emplaftrå og muscalaginum seminis altee muscalaginum seminis altee

Dyaquilon paruus

trilon en interp: mediani corticis vini enfiace vel mus fenugreci añ, 3. tin. f. adion: id est de oleozum camonnile adion tie en de communiciagimbus. De lilio z aneti añ, 3,46, z videas ktai-qu amomaci pară differta vir galbani ture ifius. ifiud oppoponaci fcrapintan.3.f. cerenoue. 3.xx. दार्वा उसी.

terebentine.3.n. fiat emplattrum vt becet! Emplastrum pro stómaco

D.W. R. ligni aloes abfinchin gummi arabici mafficis cipcri costi zinziberis an.3.f. calami aromatici olibani aloes añ.z.iñ. gartofilozum macis cinamomi fpice nucis mulcate gallie mufcate iqumantian.3.i.f. Agregentur oia cum mina aromatica Et extende fup pannum z fuffumigetur fup lignoa loes & superponatur Emplastrum oc granis lauri,

D.W. R.olibani masticis mirrean,31. granozum lauri, 3. n. cipcri costian.3.f.

mellis colati din fufficit ad aggregada r extedat i pano. Et calida impponatur vbi 03. Si aut iriplicet expert r ponatur de ftercore vaccay aut capray fieco ins uenietur mirabile adodropins

Emplaftrim de gallia

D.W. Be,gallie muscate fquinanti an, 3.1.f. ramid fumac acassic ypoquiftidos lapdani gallarum non perfozatarum calami aromatici rofarmmz feminis earum fandalozum albozum fandalozum rubcozum mallicis piloaloes gariofilozum ipice oubani costi

murre

Doc emplaffres est missio vivale: aliq th apotous rn pparantiftud zain pparant te roth itomatició d'aprain ifa. E er alphaberoes feripitone aliam poteit aut diber facere ino mode

no eft in pfit: nec pparatti repitut

Möeft i vin: nee pparatil regitur aperi absinchijan,3.ij. fiat con trituratio bona , Deide accipe fucci foliozum mente fuccifoliozum lauri aquerof vini pontici an. 3, i.f. Et submerge in eis calefactis tottelaru de feni.3.in. Dattilozum ficcozum numero. ph. Dimittantur per bleg & noctem, Deinde terantur t frant ficut puluis t mifceant cu mine aromatice. 3.in, aut.iin. gummi arabiciaffi, 3.0%. Coquatur ofa lento ignevles ad fpiffitu dine mellis Deinde aggrega cum pul uere reru t tere din in mortario donce fi at totum vilcofum, Deinde lini er co fup lamina z fuffumiga cū ligno aloes, z epy thimetur cum co. Blind

D.eiuldem

Moefti vlu:nec pparatu regitur

pulpe fumady: del cornas fes minis. Elii fera/ pio auctăte dya. zgal.meli? è qo est îtora arboze èconer graniei?

R.galleramich rofarum z feminis carum ramich pulpe firmach fandali albi **spody** fanguinis ozachonis carabe ballauftie ppoquiftidos acaffic corticum rad mandragore capitum granatozum añ 3, f. camphore,s.f. Zerez fac puluerem.z beinde accipe fucci capziolozum vitium filucftrius, 3, ij fucci vuarum agreftium.3.1. fucci extremutatum mirte bumide acen an.3.iin. Infunde in eis fanich ozdi granozum mirt i tritozum ficut alchool gummi arabici affi,añ,3, uh, mifce cum eis mue acctofe, 3. nivel.in. Et decoque in igne leni vice bus babeat spissitudinem viscosam Deinde aggrega oia fimul cum specieb? Thini ex co fup lamia. T fuffumigetur cus piloaloez epythimetur cum co Emplastrum relatum ad

Moeft i viu nec pparato regitur

andromacum, D, O. R. Sepiarictini picis an.3. rvin. gummi pini, 3. vin. auripigmenti rubel z

citrini aluminis iameni calcis vine an.3.19. amoniaci.3.1). Diffoluatur amoniacum in vino rubeoz reliqua diffoluantur inagne cu olco lb.n z puluerifent puluerifanda; z aggrega ofa fimul fim decentem modů preparato nis eins t viere vbi opoztet Aliud

D,ciusdem Raque ardentis Teftag faponis lb,in. granozum rizi ct frumenti excorticati an.3.vij. Monantin vale vitreato: z ftringat ozi ficium eigvehemeter z bimittatur poies z nocté beinde agitet cum ligno z claudatur. z fic fiat oi die bonec grana diffo luta fint z factú fit totú mufcilaginofum. Deinde vinireferua, Eu aut co vti volue ris recipiatur de co in vacuitate corticil

auclane aut arundinis aut in cera ppara ta, z ponatur vbi opoztet

Emplastrum definapi D.O.

Reficum ficcarum pinguium ptemit. Et infunde in aqua tepida per die z nos ctemitune expine fortiter vi millus bus mot in eis remaneat. Deide finapum tris tam in aceto cum eis mifceas diligenter om concutiedo, tit finapis pars vna et ficui alia. Si ant vehementions virtut facere volueris pone definapi ptes, n. Si ant minus ex ficubus partes. n. z ex finapt ptem i, In defectu vero finapis fquiballe caprine ponatur pridie in acce to infufe, Er quandom additur in cis fimus columbarum agreftium rao enulle femen nafturch z gran lauri

rofarum

Emplastrum de fermento D.O.

Accipe fermenti partemil, fucci mente fucciablinchi an.partem, f. aceti vini:aut fucci citoniorum:aut fucci vuarum agreftium.ant fucci extremitată vitium filuestriii quar tamparten partisi?. macis gartofilozum ligni alocs malticis folfi **spice**

g fin

Mo eft i viu:nee pparam regitur.

Moeffi pfu: nee pparati regitur

Mo efti viu: nec pparatu regitur abfinchii ficci afi, octană partem i?. Officeantur omnia z coquatur ad igne z vtere vbi opostet

Mind D.eiufdem R. fermenti acetofi partem.i. facci endinic; aut folatri accti:aut fucci vuarumagreftinm:aut fucci extremitatum vit] partem,f. farine ordei tertiam partemi? trium fandalozum foliozum rop fpodin faufel (vefmemite boli armenici an, vi partis ?. fucci postulace muscilaginis plilli otum sufficit

ad agregandi ca. Fac excis emplaftri Mind

D.einsdem R.fermenti

mellis bleylactis mulicris vuella ouozum añ partes equales Fiat emplastrum. vii foztins facere voe lucris adde galbani parte la toiffolue cu eis. Et fladbuc fortius facere volucris adunge cum cis

baurac.vi.partemillius stercozis columbini

ftercozis gallinacei añ, quartá parté illi? Amplius cuzaceto feruenti t fale coqui tur interdum fermenta, fit emplastrum.

Ellind D,ciuldem

R.amonfact bdelli ficuum pinguium añ.partem.f. fermenti partem,i.

Diffoluem accto: tunc Accipe folionim ruthe fructus thamarifei

bauracan partes, iin. Difce fortiter omnia, T interdum opoz

tet addere fulpbur fal:t

cincrem vitium combustarum Et interdu additur cufozbium certis de caufis.

Mo eft i vfu:nec ppsnatū repitur,

ficefit pournes

Dicpone bdellis

us indaică vl'fal/ tebdelliù molle.

made unraded

Emplastrii filii zacarie ad one riciem iunciurarum, D.W.

Beccre citrine.3.19. medulle cruns vacce adipis galline

adipis anatis mufalagmis feminis lini an. 3, ifi, olci de lino quantum fufficit Si autem fortius facere volucris: adde mufclaginis feminis aitee mufcilaginis fenugreci an, partes couce Et pro oleo de lino ponitur olen de lecy. ricirmivel virulos. thadbuc facerevo lueris fortius adde ylopibumide glutinis sanaanam quantu de vna musci laginum

Emplastrum dyafinicon D.O.

In primis frat cerotum ex cere, 3, n. cere, 3.ij. olet rofarum olei nardini afi. 3.111), Deindeaccipe dattilozum ficcozum numero,gl,

toztelarum de feni,3,v. Infunde biduo in vino odozifero. beide accipe

carnin citonion decocton in vino. 3. vin. Zere'cii dactilis Ttortelis cotritio evitis ma z misce chi ceroto z cotonde i moztad rio bonec aggregent, Deide procochip Demelion ame mafticis

ulibaní abfinchij romani ficci an, 3. n, f. ligni alocs

mads fpice acaffie gallie

ranneb calami aromatician, 3.1,

lapdant,3,n Itera terantur bonec permisceantur.de

endelini er co fup lammat fuffumigetur cum piloaloe z applica, Emptaftru oyafinicon aliud pparato regine

Dialegandrini qo ponit mef. R. dattilozum vicinoz maturationi fine

offibus.3.v. tortelarum de fent Ettoniozum. Et proprie carnius con de coctozum in vino ftipitco. 3,1 ftoracis.

masticis lapdam añ. 3.ún. acaffie fuca agrefte flozum vuarum agreftium rop

fandalozum macafir

THổ eft i vín: nec Sparate reping

operatione e ve cum cera voleis. mifceantur, mcf in litters.

ramich mirre riloaloesañ,z,iiñ, cere, 3.iii. olcirof.3.pv vini pontici,q.f.ad ifundendü infüdeda Et cofice vtiupzain Ikta precedenti,et lim t fuffumiga vt declaratum eft,

ES COUNTY SEE

Mö eft i vfu:nec pparatii regitur

celida.

Mocffi pfu: nec pparatu regitur

Die pone beelli: usindateum aux. olibani faltebdellininol ftozacis refi aut citrinus alocs militer maftir

No eft i viu:nec aparacă regitur

Gide er capitus ariftologie, 3, it

Emplaftrum de aleis D.alepandri qo ponit mef. Raspicarum allearum, 3.19, fe ftozacis: aloes bomi Diepoebdelling bdellin an. 3.19. bachi mofic. et arungie porci recentis adipis anieris añ.3.v. aureirinano al malticis buge medicina e olibani an. 3, i.f. cufozbij.3.4 crock-3.f. cerecitrine, 3. pli. oleinardint viniquantum fufficit,

Emplastrum relatum ad cristraton. D. O. Pricere citrine, 3.1.

terebentine, 3.vi. arungic pozci recentis adipis anferis medulle cruris vacce an. 3. iiija bdelli murre le rolibană fube oppoponaci cina écalida Tff mafticis an. 3. i.f. amontaci, 3,117. colophome.3.f. aluminis.3.4 fpice, s.vi. calami aromatici cuforby granozum lauri au. 3,vij. olei balfamilb.i. oleinardini

vint odoriferi afi.q.f. Confice ficut precedens Emplastrum ozibalij R.litargiri, 3.un. cere.3.vin. refine.3.v. amontact.3.iin. confite.3.n.

thuris mafculini cuscute galbaniañ. 3,i,f, olei antiqui aceti fquilitician,q.f. Confice vt precedens

Aliud eplaftru ozibafij.D.O. Doc emplaftrus Dimitte in aceto squilitico p duos dies pparatu regiur deindetere in mortario donne Dimitte in aceto squilifico p onos occobernate in mortario, donce frat ficut puls, deide tere ibm cum ceroto facto et neo pone sucus apii. Aldes. ila est coneevent de des aceto est neo pone sucus apii. Aldes. ila est coneevent de des aceto est neo pone sucus apii. Aldes. ila est coneevent de des aceto est neo pone sucus apii. Aldes. ila est coneevent de des aceto est neo pone sucus aceto facto est neo pone sucus aceto facto est neo pone sucus pones sucus pones sucus per la coneevent de la croci3,v.

Eonfice contondendo donec pingue fiat lie vel paperot. olei yemi an, 3, iin.

Emplaftru de melliloto, D, m R.melliloti.3.v. florum camonnille Fenugreci granozum lauri radicis altee abfinchij an. 3. iij. Teminis aph cordumeni y2008 cyperi Ipice |

cafficlignee ameos anti añ.z.ñ.f. fanfucci.z.m. amoniaci.z.k. Moracis bdellinanis,v. terebentine, 3, i.f. ficuum pinguium chi numero, fepi yzani refine aft. 3. n.f. cere.3.vi. olei fanfucci olei de spica añ quod sufficit ad infundê

dum z contondendum Emplastrum apostolicon D.T. K,litargiri, z.vi. cererubee colophonic an.3.ff. propolei

pilci quercini an, 3.1. amontaci lapidis calaminaris an. 3, vi, mafticis mannethurisañ.3.f, terebentine bdellin galbani mure

fe fumptis libro primo z pidebis gibi ocher poni arittologia lóga

at ad fpiffitudis

Doc emplaffrus pparatu regitur

Wid ponebdellis falrem bdellium

Lirurgici mrifa ciarpparan alis
ud qo appellant
emplaftra apos
flolicon cirurgi
chiz iftud no bas
bef in yu apud

meno fim op nis gra aut rubeum olüt facere emi plastrum.

Quidăplus ap/ c alcecumenon farcocole lepidos calcu diptami praffin viridis

apponal ergo p olci, Thuin ira.

aristologie rotunde oppoponaci añ.3.iñ. Confice fic galbant, amoniacit coppos ponacum aliquantulus trita ponatur in

vino ita q bene cooperiant per noctes z in mane buliant Donec liquefiant & per caffiam colentur, titer buliant viosad confumptionevini, beinde litargiru fube Autende of fit tiliffime pulnerifată că sufficienti oleo i plus olei o debe caldario bistemperetur T sup igne pona at no poterito e; turiz că spatula semperaguiando tădiu coqui pinagnus turiz cu spatula semperaguando tadiu tempus spanaet bultat donce sup lapide positum in mos stant's adderesir adderesis sensones superaguando sa superaguando superaguan of a nutenda addatur ceranico de nutenda del vicora. Liquefiant et cos que magis funt humida vel vicora. Liquefacta cera addat colophonia, Boo cogunur appone ftea maftir z olibanii, deinde ponat inir se socio internallo ponatur bellius deinde viscus quercinus, t ligfactovisco ponatur terebentina z ca liquefacta pos natur caldariu in terra, Et tuc gume i ipo paulati ponătur no cuz îpetu:q2 exirent de stagnato. Et iten sup igne ponatur z cum fpatula agitando aliquantulus bue lire dimittatur.postea addatur sarcocola Et consequenter lapis calaminaris. Et facto iteruallo ponat flos erist lepidos calcu. Boft boc calcecumenon femp cu spatula agitado bonecrubere aliquatu lus incipiat. Ad oltimű diptamus t ari ftologia rotunda fugfundatur. Signus decoctionis eft qui pars fula in aqua fris gida moderate fit dura z digitis malara ta no inufcat vt ipfis adbercat, Demus fundat ın aqua frigida zab ağ extractuz mambus expamendo ita tractetur vt to ta aqua excat, z innetis maniboleo lau rmo magdalcones informentur tyfuirc (cruetur.

Woc emplaffrus eft multin in viu z vbicz pparatu repuur,

Emplastrum ceroneum D.T. Repicio nanalio bene colate cercan.3.4.2.3.14. ferapini, 3.n. amoniaci terebentine colophonie crocian, 3.1, 7.3.19. alocs thuris mirrean.3.4 орроронасі galbant

Rozacis masticis alummis fenugreci cozimbai bdellinan.z.in. litargiri.3.i.f.

Conficefic. scrapinti galbanti oppopo nacum z amoniacum.gumme iste aliqua tulum tale cum vino temperetur vt invn guento apostolicon oictu est. Deinde buliant vios ad columptionem medictatis vini. Et vale stagnato polito sup ignem cum inceperit bulire pir naualis bit cos lata p caffin addatur vcu fpatula bii agis tetur bonec liquefiat z liquefacta addat. cera z ca liquefacta ponat colopbonia. z postea storar cum pistello calido trita frustatim imponatur in stagnato, postca maftir olibanum. Deinde mura cus bdellio, et iternallo facto ponat tereveri na, z confequenter alumen z litargirum. Ad vltimum fenugrecu. Et cu decoctum fuerit fundatur fupra aqua frigida, z ab aqua extractus mambus exprimatur bo nec tota aqua inde excat, beinde cu pul. uere aloes supra marmorenetti oleo lau rino malayetur. Cosequenter cum croco pulucrifato z vnetis mambus cuz code oleo laurino magdaleones informentur

Emplastrum orizocroccus D.II. R.picis naualis croci colopbonic cercañ.3.un. terebentme galbani amontaci BUILDING olibani mafticis an.3.1.7.3.in. Conficiturfic galbanum z amontacum

Accipe this aliquatulus contufis pone in fufficieti aceto per noctem.manevero ponatur fup igne vt eliquetur. z eliqua te p caffia colent't coquatur itep oonec pars aceti plumatur. Tuncpir naualis bii colata addatur: z líquata pice pone cera cera liquefacta pone colopbania.de indeterebentina, z facto internallo pos natur maftig t olibanum t mirra femper agitando cu spatula a principio ad vitio mum, Chaute coctu fuerit in aq frigida ponat ab aq extracto mantbo expinatur pt tota aqua exeat & fup marmoz infictus

eft multi in vio Tobios pparate repiter.

oleo lauct z puluere croci supperposito malayetur Thant magdaleones Doc emplaffrus eft in wurs ppa/

ram repinir.

Doc emplaffrus

eft multa vinale a voich pparacu

De boc emplas

binerie recepte, becinicft illa q e

maliar q porqu

pparaca regitur

regitur,

Emplastrum de ianua D.II.

R. Succi bethonice fucci plantaginis fucci apijan.lb,i, cere

picis refine

terebentine afi.lb.f. Stat emplastrum

Emplastrum gratia bei

D.H. B'terebentinelb.f. refine lb.i. cerealbe, 3, iin,

mafticis, 3, f. verbene betbonice

punpinellean. O.i.

Derbe piftentur ti vino albo forti bulis ant vios ad plummatões tertie partis co letur: vinde substantia berbarus abiicia tur v cera refina v mastir cus colatura po natur T buliant agitando donec optiem corporentur z tunc deponant abigne et addatur terebentinat totum agitetur cu spatula z fiat emplaftrum

Emplastrum contra ruptură.

D.T.

R.picis naualis alocs an.3.19. litargiri cere rubee colopbonie

galbani armoniacian, 3.ff.

visci quercini. 3.vi+

ptrinic ariftologic an 3.119. mirre

thurisañ.3.vi. terebentine, 3.4. ysculi.3.iii). gallarum, 3, iin, vtrinfos confolide boli armenici an. 3. iii).

fanguinis bumanilb. Confice fic, prio ponatur vilcus querci nus t dimittatur out bulirci aqua decos ctionis pellis arietme ficut remouet ab ariete que do decoqui per diem v noctes. Boftea deponatur abignez ponaftere bentina litargirii z colopbonia. Boftea maftir thus yfcult mirra t galbanus et amontach, Daulo post cosolida mater z

minor, giplus, t bolus armen?. Poffea fuperigne ponatur. & ponatur fanguis bumanus, colequenter aritologia loga z rotunda, z ad vitimu aloe z femperagi taridafine intermiffide fortiter cum fpas tula. Signum occoctionis elt quoigitis no advers Postea ponat sup marmozon crumioleo violato: z mambo malaretur. Doltea teratur iterum in moztario afit due per duos vel tresdies, Deinde vini referua.

Emplattrum diginum

D.n. R.galbani, 3.1.7.3, n. amontaci, 3,19,7,3,19. oppoponaci, 3.1, litargirilb,i.i. cere noue. 3. vin. olei oliuarum lb,i,f. olibani, 3, 1,3.1, murc.3.1,3.11, viridis cris. 3.4

bdellin. 3.n. aristologiclonge,3,i. mafticis.3.1, adimentis.3.iii).

mifce omnia ficut becet,

Sinit particula ferta:

Beptimaparticula

fecundinbri Inapit,

Equitur in bac feptima particus la de littera & que ad litterans Emmediate subsequiturin 028 dine minores aiphabett. Erunt aute; in bac particula Tete sequentes filo antropos. D. II. Silonium cuius one ponuntur Rte Filonium maius. D. M.

Silonium perficum. D. O. Silo antropos D.II.

R.foli fquinanti cipeni ctifozbii

azarı

petromacedonici ibimi mili folis lapidis lincis an, 3. 1, fo

cmamomi calami aromatici polipodn

fifalidos melanopiperis Docemplaffra 1 biuerfis boteas biuerfimode bes feribit. Por aue ipm dliber ppas rare er facere fuo modo. becinred cepta milyi pidet bona.

Diepone bdellis uyudani vlials te bdellin molle,

Mo eft i viu nee pparatii regitur

Hyara dythipul uenfari oprepat ad vias veine: et fi tinagif pueca feminis lenistid feminis petrofelini feminis vitice feminis citri litospermatis femmis bardane baccarum edere an 3. i. gallange spice nardi 3cdoarn bethonice fu men **speragi** cardamomí apn maratri eruce finapis ozobi albi zrubcian, ... gariofilozum 3m3iberis cafficlignce costi piretri celtice mirabolanozum corticis olibant leucopiperis carpobalfami carui cimini baccarum lauri Alerisan. 3.4 oleinardini pulcgini fambucini muscelini an, gra, po, mellis quod lufficit filonium D.O.

T. piperis albi infquiami albi añ.3.px орф,з.г. croci.zive fpice nardi piretri caftozci añ.3.i. Confice cu melle despumato qo sit quas druplum poderis omnum, Blosa notanda

Ettende q de bac pfectioe filonin bis uerfedantur ocicriptioes, Due th unter alias funt famofe t vinales: q vbic preparate reperunt: vna ponit a nicolao: z tale filontum vocat filonium romanum Et banc etiam descriptione pomtanice, in quinto cantadducendo auctoritate 8a lien.in libro bece tractatuti qibi illa bes fcriptocm magis comune oat. Ellia eft fa moia filoni veleriptio q multii babetur in viu qua ponit mef,i fuo de appropria tis cap, de iputo fanguis a pectore, tilla vocat filonium plicum to tha bic inferut. Alle descriptiones conter no pparantur nec funt viuales: t boum descriptiones vide inferius.

Alund D. fili 3acarie qo ponit idem mes.

Ranigelle caftozei ameos piperis baccarum lauri cimini foliozum ruthe calamenti opn iufquiami;

corticis mandragore an, ptes equales. Confice cum melle despumato

Silonium maius, D. 71.

croa

qo dicitur filonium romanus Inalioopipari W.leucopiperis iulquiami an.3.0 . oph,3,11,1. caffielignee. 3.i.f. feminis aph.3,1. petro maratri

danci cretici afi. 3. fi. graiv. crock. 3.1. mardi pirctri sedoarican.gra.rv. Alf addunt: z itafieri bebet

cinamomi.5,1,f. enforbij coftiañ.z.i. mellis quod fuffiat

filonin plici.D. Din fuo deaps ppriatis ca, de fluxu laguis ab ore R.piperisalbi infquiami añ,3.pp. oph terrefigillatean, ...

दावदां बर्म-इ.ए. caftozei fpice nardi enforbi piretri margaritarum non perfozatarum Izarabe 3edoarn

Deroma

In alio callidita fed 05 erponi: id eft caffidigh, yt fept? notauim? z exprelling incas

rifton,

tel. n.croaptell

et meling.

trocife ramich aff.3.1. campbore,3,12 tertiam Lonfice cfi melle rof colato 98 fufficit. Sinci particula septima

Octava particula

fecundilibri Incipit,

Equitur in bacoctana particula de littera B.que ad litteram 5. immediate subsequitur in ordine litterarum minotis alphabeti. Continet autembec particula Ktam vna folam. Dic pprie th copeteret recepte bar prectionu, Elidely gallie mufcate, gallie febelie, gallie elephagie, z gallie magne. fine gallie regalis: f3 bas videm fra Z. voi proprius conveniunt.

Mo eft i viu nec Bartofilatum Sparain regirur

D.TI.

B.gariofilozum, cmamomi 311131bens uguricie rolarum añ,5,û,gra,FV. ligin alocs gallange candi miriffice

nardi *sedoarie*

violarum añ.5.i.gra.vh.L. reubarbari macis croci alipte

ciperi cardamomi bafiliconis

cotti

lemstici choris afi. 3.1.gra.ifi.f. mellis rof colati quod fufficit

Sinit particula octana.

Mona particula fecun,

di libri Incipit.

Equit in bac nona particula be lfa 3 qui ordine subsequir, cum oc D.nulla fit penes apotecaris os noftros viualis recepta. Connerauthee pricula Ktas fegutes,

Igia greca.D.II. Justimum, d.u.

Idr ocopium olimpiatum, b.n.
Julep, D.n. Juleprof cuius due ponuntur Petes Julep violar in giofa fugmarginali fu per intep rof. Julep de fucco violarum, b.m. Julep de fucco violarum, o.m.
Julep de fucco rof in margine ibidem, Mo effi viunee Infutio rof z violarum, o, ma pparato regitur

Jurino for e violatum, o, and Jurino for e violatum, o, and and a cost, and a murre

oppoponaci hazarani mazzona oziganiañ,3,í.gra.g. lcordeon
origaniañ,5,f.gra.k.
ftoracis calamite
galbani
agarici
genciane
pigani
iticados
prafin
cardamomiañ.),ñ.f.
balfami
nardi croci
fquinanti
thintamatis
amontaci
terebentine
cafficiignee!
mandragoze
radicis yzingi
rof
cupatozh

rof cupatorii cutorbij melanopiperis

leuftici bauci cretici

feniculi
feminis trifolij an. 3.1j,
mellis quod sufficit
anducuche fen
fulphurare q eft
b. N.

Recinamomi

Recinamomi foli folin co fti nardi caffielignee veriulga ardiologie elempnt and make yfopi pulegn arthemelle patafilon

leucopiperis

Juftinum no eft viuale:nec ppas raturepitur,

In alio cafficfit. eft caffielig.ve fes penoraumus et erpreffinus aca guiton,

petro i and making and a mand or a ri Lemftici macedonici femmis vatice feminis grangium folis farifrage imperi femmis fpcragi арб filerts aneti pigani Icminis citri feminis femicui anufi baccarum lauriaña,isl, pestoquago mellis quod fufficit Idrocopion olimpiatum

pac precioetens nardi bif (combinit mirre flaripost jubdit temmis apq: fed olibani diat feis linicoes buit dicere feliui td efeminis apq anifi ziic truftra pone reffeme apq. zvi feminis lini deas of feme lint no viactur pfer/ reppolito

Iftefpes iulep a pudnosnojnt i

IDoc mo facieni/ colaus ena tulen rop govocat firu på. cft cm firup? fimpler no milc pparatur penes aromatarios fed cu fucco violarus aut rop.

Bimili mo oth: ert tulep er tuccu rof. Te laranu? Tombunemoda Refoliogum rolarum

D.n. 3drocopion non R.cinamonn, 3.ifi, 3.i.gra, cv. etin via necpie panirepaur. In croci. 3. 11. 3. 11. credo o virag oph ira fictula: 2 voi mandragoze oph macropiperts amcos iusquiami iusumi fileris montani amendari iufquiami femins apij añ 3.i.) , j, gra, vij, mellis quod fufficit

3nlep

Julep D.m. efutalibi vero fic Sit ex succaro albo z aqua, Et fit triplu aque.z coquatur cu facilitatevias ad mo stradionumant dum pentorum

Juleprof Butter Reaque infusionis rof lb,p. succare lb,un. Loque cum facilitate Alind

D, emidem Raquerof louis succare lb.h.

bis modis pot furty fupta
furiulep violar
med, militera

D, ciufdem

Refucci violarum lbati, zuccare lb.n. Frat vt inpra

Infufio rofarum z violarum. Deuldem

flor violar ambarii recentiii ani.lb.vi, flor violar ambarurecentiu an.lb.vi, pparantur iulep 3mpone in vafe vitreo terreo firicti ozi, po ficie violanz ficht fundatur fup cas aq calide lb.rv. Et firingatur ouficiü vafis z dimittatur phoras octo: tunc colentur. Et in vafe iterum tantūdem pone foliozum recens tium rosarum v violarum. zstringat ozis ficium vafis poctoboras, beinde colet, Eth coferuare volucris pone in vale vi treo fricti ozifich z diftiletur olen in ozi ficto cius t firmgatur caput ipfi? . Excr ponatur foli dicbus,rl.

finit particula nona

Decima partícula

fecundilibri Incipit, Equitur in bac decima particu la de littera R que ad litteram 3mmediate fublequitur in ordi

ne minore alphabeti, In bac aur partis cula crunt Tete duc. Ratarticum imperiale.D.T.

Rebuli conditt, D. O. Rataritum imperiale

D.II. Th. byagridh succarian, 3.119,f, cinamomi mardi farifrage polipodijanī.5.ij. gariofilozum

zinziberis celtice melanopiperis macropiperis cardamomi amomi añziif.

mellis quod fufficit Rebult conditi Fm D.OD.

Accipe excispumidis vel faltem bume in viu a perpara ctatis farte qua bumectari pollut qua tirepuntur, titatem qua volucris: 7 cu Itilo punge eos viidios e decoque cos in aqua cu fa cilitate vios du tenerefeat, polt poc dis mitte ipfos fug tabulam t expine aquas illomm. Et lubmerge cos in aqua mels lis toimitte illos per duos dies, Tunc pero decog cos r reconde ivalevitreo:z submerge eos in melle decoctors corus Et da post ser menses.

Blofa notanda Tre angitut i bumectado cos 6 mo Jundat in ag pluria t exponant radys

Mo eft i vinner pparam region

folis p vies octo. Deide accipe vas mas gnü ficut volum vel falte fiat fouea mas gna in fra in loco bumido vviintus mul tam arenā bumidā pone, t in aqua vihū ctim fepeliant fepe ac fepe aquā fupfun dendot innouādo arenā, ve quinto in an tū aut ve quattuot in attuot vies vies vi tumefiant t bumectent, mef, in luttera

Sinit decima particula.

Bndecima particu

la secundi libri incipit.

Equitur velittera Liquead liti teram Kimmediate subsequit in ordine minoris alphabeti.

Erunt antem in hac duodecima particu la Rete sequentes
Zintotripon.D.N.
Zicium, d. Balien.
Zooth de pino, d.m.
Zooth de squilla.d.m.
Zooth fanum verpertum, d.m.
Zooth ad caliditate vaspertate pectos

Looth ad caliditate talpentate pectoris cuius due pomuntur lete.
Looth p prificis, columptis, t ethicis

Lintotripon

D.TI.

Renardi
sinsiberis
pilobalfami
acott
cinamomi
pencedami
men
melanopiperis
macropiperis
lencopiperis
fapifrage añ. 5, ñ, f,
oppobalfami
gartofilozum
cofti

Mő eft í víu:nec pparatů regitur

reupontici

liquiricie ciperi bzagagañ alegandrini camedreos apij ameos fperagi

fperagi bafiliconis feminis vitice feminis citri afi.3.i.gra.pp.

folh croci Iquinanti cafficlignee bdellin mafticis yzei amomi lenistici granozum folis fileris petro cinoni cardamomi aneti enforbit lapis lincis olcinardini olei mulcelini afi. 3,1 minus granis.in, mellis quod fufficit

Ziciuz D. &. libro dynamidia pparaus repitur rum ca. proprio de licio.

Excipe prunellas id est fructs de ca prisolio collige in mese septembri: r 199 sas tere per luntheum extorquens succi eius t ad solem siccabis. Aliqui tamen terunt solia: sicut sunt cu tota arborerant ponuntur in aqua t dimittuntur, plurib diebus t coquuntur; t exprununtur, t po nitur succus ad coquendis superigne do necingrossetur sicut mel.

Blofa notanda

Tattêde op p auice, ca, be felusearegi
in scoo cañ, que est arborlich sm in in in in sou licius quadocs assumitur exea, t quado
cs exalia arbore assumitur q vocat ader
sech, vel adorech, t si vides op habes ou
uersas species lich, Nosvero quia his di
uersis arborib caremus, ideo tantus bic
bescripsi liciu quod sit exarbore capriso
li qua abundanus, in quo inuenitur essi

Zooth be pino

Regranozum pinizze. amigdalarum oulcium audlanarum affatarum dragagañ gummi arabici liquiricie z fucci cius amilli capilli veneris rad, lili celeftisan, 3.iin carnium battilozum.3.ppp. amigdalarum amarum, 5,in. mellispaffulati succari tabased thuris recentis afi.3.iii. mellis tabased quod fufficit. Zooth de fquilla.D.O. Ziciñ est in viu z óparam repicur

Zooth de pino è in viu z pparatu regitur. Zooth of quilla Refrecisquille est in the treeters melles despuns in regitur.

Zooth fanti eft i viu: z preparată repentur.

Refuccifquille melles despumatianeptes conenientes Loque in substatia looth

Looth fanum z expertum

Tx.cinamomi vlopificce fucci liquiricie an.3.f. tutubarum sebesten an, prinumero paffularum enucleataru ficuum ficcarum dactilozum pinguium'añ,3.if. fenngreci.z.v. capillozum veneris. O.i. anifi fentculi y2003 calamenti an. 3.1111. feminis liniz.v. Decoia coquatur in lb. tift, aque, bonec remaneat lb.ij. Et pone fup ea penidian lb.n. Loque vias ad mellis spilitudines Deinde pronce desuper pignearum mundatarum.3.11. amigdalarum mundatarum liquiricie bragagañ gummi arabici amidi an,3, in, y2005,3,1

Mojesti vsu: nec pparatu regitur

dicamen maturetur e fiat album Zooth ad calidutatem e afperi tatem pectoris, D, CD.

Walayanturoia ragitentur vico bu me

Renadicis liquiricie. 3, rv. lzesnes pingutum. 3, ii. sinubarū sebesten aū. numero. rrv. Decoquātur cū facilitate cū āttnoz lb. aque vsīgs ad lb. ii. Et profice sug ipsum cassicistikule. 3, 1, colate z mundate a sto spris, i. singstutatīb? Et pice desuper rob. 3, iii. penorum lb. s. Coque donec ipsinguetur. Deinde misce cum cis farine fabarum. 3, ii.

Mő eftá víu: nec pparatú regitur

Looth alund ad ide. D. cunside timentionis eius
R. seminis papaucris, z.,
radicis liquiricie, z., vi,
sebesten, c., numero
psilin
ieminis citoniozum añ, z., v.
Loquant in lo. in, aque vses ad consum
ptionem medictatis coletur z. piiciatur
inperillud,

penidrum afi. 3. si si,
Iterum coque donec impinguet. Deins
de misce cum eis
de magagan
gumuni arabici afi. 3. v.
papaneris albi
granozum citri afi. 3. si.

Zooth procedicis columptis montiviante republicis melic.

Tk.papaueris albi **Ipodn** feminis lini torrefacti croci amigdalarum bulcium añ,3.ii). amıgdi bragagañ gummi arabici feminis atoniozum feminis citrulianis,vi. granozum nasturcij. amigdalarum amarum fabarum añ.z.i.f. pentorum.3.lex. Diffoluantur pento in aqua fontiser co quantur t conficiantur cu eis cetera. Zoothadasma

A. squille affe, 3, tif, radicis lift celestis, 3, tif, ysopi prassif aff, 3, timirre croctañ, 3, s. Confice cum melle Zooth de amigo

D.D.

Reamigdalarum bulcium amigdalarum amarum femunis lini tozrefacti granozum pini amidi bzagagañ gummi arabici fucci liquiricie rab liquiricie añ.z.i.f. zuccare

pentòrum añ, 5, iñ, Conficecă melle z fucco feniculi bulitis quantitate f ufficienti Zooth de caulibus

D.Bordony.
R.fucci caulum rubeori lb.t.
croci.3.fi,
3uccare
mellis afi.lb.f.
misce fimul videcet t fiat looth

Sinit particula duodecima,

Thổ eft í víu nec

pparati regitir

Mô cất í víu: nơ. Pparată repitir

Zooth d'anhb? eft i vin: 1 prepa m reputur,

Quodecima parti

cula scoi libri Incipit.

Equitur in bac buodecia par ticula be lia OD, que ad littes ram Limmediate subsecturi ordine minoris alphabeti.

Erunt afit in bacpticula Tete fequentes Octridatum, D. II.

Oufa enca: cuius due ponuntur Tete, mua fimpler. D. O.

mina aromatica, b.m.

Wina acetofa, o, m, cuius due ponuntur

mua acetola be fuccis fructun cuis bue ponuntur Rete mclrof.o.m. melanthofatum melbuglofatum

mel alalal Ifte tres species mellis supradicte vitie ocfcributur in margine de intetoc melue sup melle rosato.

mel anacardi, D. 38, in fernitoze. mel paffulatum

mel mirtinum. D.galien. mel emblicozum

Octridatum D.II.

Spparatirepit R. Storacis calamite, 3, i, 3 i gariofilozum

nardi pilobalfami ozobonis lentici mafticis bragagañ galbant gummi cedri

Dicospoi bdel: caftozci habe metha aut offei falte bdellin fics bdellin

Alberridatii opf

ata famofa vbis

grofualis è tobi

mano melle.

afpalti terrefigillate melliloti lapdani oppoponaci amoniaci fulphuris viui liquiricie mitri y poquiftidos acaffie

camedreos

ppcricon

abrotani

pionie

rofarum

ylopi origani elempni rami cedri dampnidis epithimi pencedami rozis marini centauree yzingozum ballauftie pfidie romei fquille carpobalfamí anıfi iufquiami fentculi cimini cardamomi fizelei telapei, amei cinont leuistici feminis ruthe

miconis dauci 1

osimi amomtañ.z.t. acozi ylafeos caffami 3uccozarie

cinamomi croci costi fquinanti .

agarici celtice

yzet azari

aristologie longe tymarum mírtí

famí giro mi

ominum delle

catbanenfis afi, 3.4, balfami

singiberis
foli
terebentine
mirre
olibani caffie the colonial to the minor war

reupontici

Dieagara debet

fubtilifime pul/ diptami uerifari ve masif fit puocatum o praffij folutimi,

praffi interiozis coloquintide fticados. arthemefie calamenti *fcozdei* filpbi camepiteos melanopiperis leucopiperis 031mini seminis petroselini anagodam malabaftri cardami pantafilon añ. 3.i. daneti tertiam partem. 3.19 vini fortiffimi z vetuftiffimi, 3.6. mellis quod sufficit

Eldufa enea no eftin viumec pre parata regif om Grundbara des teriptiona

Wusa cnea D. II.

Repiperis albi gra, pvije thuris masculini gentiane mure insquiami añ. z.vi.

opi, z.tiń

croci z.ń, minus gra, vije eusorbi mandragore

aristologie longe añ. z.i. J.i.

mellis quod sufficit

Alia, D. O.

Recaftozei
mirre
oph
piperis
macropiperis
galbani
cofti
cinamoni
fu
meu
bauci
azari
croci afi partes equales.
Confice cum melle despumato

Wicleta

carm an. 3, i.f.

Zisidem eft vius lis: a vbigs ppas rata reperitur,

D.N.
Remirabolanozum citrinozum indozum lzebulozū mūdatop τ affatop añ, 3.ή, s.
cimini
antsi
maratri
amcos

bellericozum
emblicozum affatozum affaziñ,
nafturcii tozrefacti,ziñ,
nafturcii tozrefacti,ziñ,f.
Infula in aceto die ac nocte, postea affa
ta puluerisentur, tunc adde
spodii
ballaustie
masticis
gummi arabici
sumach affazi, gra, po,
Fricentur oia cum oleo rof z bistempes
rentur cum sirupo mirtino
Blosa notanda,

Dicty of a non distribuit pro generibus singulor sed pro singulis generus: ita co folum distribuit pro mirabolanis, nastur cio.cino, maratro, aniso, zearui. Ila ei dit cum oleo rof fricari. cetera vero debent p se puluerisari z omnia postea sinul confici cum sirupo mirtino, platearius

Dina fimple:

Bucci citoniozum lb. E.

Bonātur i vafe lapideo'mundo z buliāt cum facilitate auferendo oi boza fpumā cius vice ad confumptionem medietat] iplius. Deide colet z dimitiatur refidere p bozas, iiņ, z pheiatur fuper iplium vini antiqui lb. lp. Deinde coquatur fuper pzu nas donec infpilletur. Quidam faciūt cū fpeciebus z quidā fine, z quidā cū melle z quidam fine, z aromatifa fi vis vt dice tur in mua aromatica.

Dina aromatica

Resucci citoniorum acetosorum loge, vini antiqui loge,
Coque că facilitate donec etus tertia ps consumatur spumam semper auserendo.
Deinde colet z dimittat residere vi clas rescat, zpice sup illud mellis despumati logici puliat auserendo spumă ei zpiciant desup spēs elepdăsine ligate în păno suspēso sup illud. Et sunt, pprie cinamomi electi beyl añ.3.ii, gariofilorum.3,ii, şaniofilorum.3,ii, şinziberis masticis añ,3.i.s.

macisañ,3.1,f.
Decoia pter croch terantur contritione groffa t suspedant in pano sicut oscumul oi bora fricado illo supra medicamé bor nec fiat ei spissitudo, Deide aromatisetur cum musci,3.1.

crocks.n.

ligni aloes

Morat bicplates arius puffa non bebet infundi in copia acen: 6 for lum bebet afper gi vt/bumettens

Al fina fimpler & fin vincer voice p parata region,

Mő eft i vín: net Pparatű repint

ABina ncetofa no eft in viu: nec pparata regitur m deng harus beferiptionu.

gallie.3. n. Et aliqui faciut fine fpeciebus Et funt q loco mellis ponut succara, z ppzie qui os, Et faciut cum speciebus t fine illis.

Odina acetofa D.W.

R. fucci citoniozum lb.lr. Decoque vlasad confumptione medic tatis. Deinde funde fuper cum aceti boni z albi lb. lr. Et fiat ficut in alijs victum eft

Aliter ficer D.ciuldem. O.

R. Incci citoniorum acetoforum lb.lr. Pronce super ipsum menteficce foliozum citriafi, 3.vin. filiozum rof. 3.in. 2Buliant ad mediti. beinde colentur z fu de super ipsim vini antiqui albi lb. prv. Deinde copleatur decoctio eius ficut in alis fupradictu efticu fpeciebus aut finc Etfunt qui faciunt cum vino, z quida cu

acetost quidam cum vtrifes Moeft ipfunce Dina acetofa be fuccis pparati repitur fructuum,D,m,

Belincci citoniozum qui ia decoctus fit vfc ad medium lb.n. fucci malozum montanozum fucci pirozum agreftiñ decoctozum via ad medium an lb.t. vini antiqui lb.fi. Loque ficut dictum eft i aligs supra des

fcriptis cum speciebus aut fine Welrope

D.III. R.rof rubearum preparatarum vti coe. ferua ipfarum inferius dicetur i littera 3 Et funt eins partes,ij.

mellis boni partes,vi. Coquantur cum facilitate ficut ops, Et funt qui ponunt mellis & fucci rof ptes equales. T no ponut exfolis aliquid of no, t funt qui ponunt foli, rof partem,f, fucci partemilif. mellis partes.in.

Obel anacardi. D.azarani ili bro fuo be preparatione medi cinarum fine in fernitoze

Accipe anacardos v aufer pede coustes ctiones:al's non id qo adberet ramo con:zpone iolla mu da cu aqua t buli quonfos fup facie vide ashatare ficut mel:qo colliges cii coclea. ri paulatim quouse mbil remaneat de co sup aqua quod repone reustodi.
Oel passulatum. D. Jo.ma,

in confilio fuo de lepra

Accipe passulas mudas quas infunde p fectiones, et bac Die Tnocte in aqua calida. deide fiat de decapparafale coctio cap sufficies vai bona expressioe raro, coletur, z colatura iteru ponaturad igne lentum tantum buliat q ventat ad fpif fitudinem mellis.

Wel mirtinum. D. Bal, in antidotario minori Accipe mellis partes.ij. fucci mirti pte.i. Loque cu facilitate ficut opostet+

mel emblicozum Eft mel illud vbi conditi fuerunt emblici zreferuati.

finit particula bnodecima

Del mirtinti co demmő befcríbi tur a nicolao in byacodion:enas ingreditur alias copofitiones.

and emblicati diturahas comf positiones.

Decimatertia parti

cula fecundilibri Incipit Equitur in bac decimatertia par ticula de lfa II. q ad lfam m. imes diate sublequitur in ordine mino ris alphabeti. Erit autein bacg

ticula receptavnica. Tlefron cataron. D.n.

Tlefron cataron D.II.

Relapidis lincis.3.n.gra.rv. crocionientalis, 3, i. gra, poin, 311131beris enforbig

mirre olibani vefice apri lapidis in epate vel in vefica pozci inuenti ,...

cimint infquiami macedonici feminis citri afi.3.i.gra.vi. nardi **fquinanti**

píretri costi caffielignee reupontici praffi elempni fanfucci gliccomis rozis marini

genciane facifragic gummi edere pullularum cypreffi baccarum bampnidis piperismgri piperisalbi

faninisruthe

pparatu repitur

Mo eft i viu: nec

Albel paffulacus eft in viu p oto

Albel anacardi é

inviu p quanto

in: rat alias cofe

pparatur.

Bodem mo fint

mel bugloffatti t

mel alquilal id é

melle aldizil füt

d ponüt species elephägine,meb

in littera.

bn

feminis tuniperijan, 3. f. gra, tij, balfamí storacis calamite fanguinis yeci ftruch acozi. asani fu MICH arifto logic longe ariftoliro. bethonice fifalidos' dauci pctro feminis eruce afi.gra. i. feminis vetice. 3.f.gra,if.f. fucci fperagi z beulcian.gra.v.f. mellis quod fufficit

Sinit particula becimatertia.

Quartadecima par

Equitur de littera Oque ad litte F ram Nimmediate subsequitur in ordine minoris alphabeti. Erunt

autem in bac particula Ree ses quentes

Opium. cuius due ponuntur Ree.

Oppopira, d.n.

Orinel simpler, d.n.

Orimel aromaticum, d.n.

Orimel aromaticum, d.n.

opisacra simpler, d.n.

Olicum de amugdal dulcido, cuione ponuntur Ree

Olicum de amugdalis amaris.

Oleum de crifomilis
oleum de perficis
oleum nucum
oleum de auclanis
oleum de ben
oleum de lerna
oleum de carramo
oleum de muce indica
oleum de feralis
oleum amaleb
oleum de granis citri
oleum de fificis
oleum de pigneis

Dec quattuordecis olea ex beforiptionio bus melue feripta funt in margine fuper oleo rofarum,

Oleum laurinuzicuius due ponunturre

cepte, vna textualis valia in margine Oleum balf, cuius tres ponuntur Rete. Oleum defizamo. cuius due ponuntur recepte

Oleum de femine lini
Oleum de granis papaneris
Oleum de femine lactuce

Istorum trium oleozum yltimozum rece pte ponumt in margine super prima rece pta olei de sisamo.

pta olei de fisamo.

O leum de femine cucurbite, cuius reces
ptam vide fuper secunda recepta olei de
fisamo

Olcum nardinum cuius quattuoz ponti

Oleum de costo cuius due ponunturres cepte Oleum de fansucco, d.m. cuius recepta è

Oleum desansico.d.m.cuius recepta è cadem cum oleo de costo:ideo notata est in margine super R.olei de costo

Oleum de cinamomo, d.n. Oleum de auro Oleum de argento

Et alia olea que fuit ex lapidit? vt crifta lo z ex lignis iltoprecepte funt notate in margine fuper recepta olei de cinamos mo.

Oleum de piperibus, d.m. Oleum puleginum.d.n.

Oleum oc ciula.cui? recepta notata est in margine sup recepta olci pulegini.o. n. Aliam tamen postea immediate vides as in textu

Olcum rutaccum: cuius tres ponunt re cepte: quarum one funt textuales z alia notatur in margine

Oleum deancto, cuius due ponuntur re cepte, ona cft textualis z alia notatur in margine,

Oleum de camomilla, cuius due ponun tur recepte, una tertualis valia notaf in margine,

Qieum de lepsicant recepta notaf i mar ginesip recepta olei de camomilla; aut faltem in quadă glosula notanda q quas fi videtur esfetectualis

Oleum de melluloto ibidem Oleum mirtinum, cutus due ponuntur recepte, una tertualis: z alía notatur in

margine, Olcum delilio, cut? due ponuntur Ate, Olcum yeinum, d.m.

Olcum rof, cums quattuoz ponunt res

Oleum viola

Oleum fambacinum, in alto fambucinus Oleum be flozibus papaneris Oleu de lactuca Oleum de menuffare Oleum de cucurbita: quozum fer oleozu recepte notata funt in margine fupirece pta olei rof. Oleum de citonins, d.m. Dleum de fanfuccoscui recepta notatur fuper oleo be atonns Oleum mandragozatum cui?oue ponun turrecepte. Oleum de maftice, cui?tres ponutur res Cleum de ftorace.cui due ponunt Tre. Dleum de lapdano.d,n. Dleum picis, D. Aufcen. Dleum mufcelmum. d.n., Dleum de caftozco.d.n. Oleum de enforbio, cui due ponuntres cepte. Oleum vulpinum.d.m. Oleum de lateribus.ex descriptionibus Nicolar 2 Obefue Dleum de croco,d.m. Oleum de tartaro.d.n? Oleum de cucumer cafinino, cuivoue po nuntur recepte Oleum de mezereon.d.n. Olcum olcandri. o. n. Oleum de afe quod eft oleum fericinum cuius due ponuntur Rtc. Oleumocallzanna, b.m. Oleum de pomis citrangulozum, b, m, Oleum oconis: cuio due ponuntur Tete, Oleumfinapinum.D.n.

Ucnias ad papauera nigra q funt cople te maturitat | polto deficcata funt a roze que cecidit supra ca in mane v scindatur cutis con parum cufacilitate: ita q no profundetur nec traffigatur cutis cozus fed inperficies tantum infrindatur; qm lac ingrederetur concaultate z no poffet prione addasm postea colligi. Deiderade papauera ciri scoas, prima til e cunquare exomni parte ei Etincipe ab rafionem tua a fummitate capitis papas ueris t extrabe vice ad fine fciffure quas fecilti directe, z cancatrafoz ne radat de cute cioci lacte: r collige lac cum, orgito Et pone in vasculo vitreo. Deinde expes cta per tempus aliquod Et reuertere ite rum ad papanera prima: qm innemes p sciffuras quas fecifti itez lac egreffum quod iterum collige modo supzadicto, et

tadiu facias odin aliquid de lacte egre

Oleum de iuniperio.d.m.

Dlen scorpionn.curoue ponunt The.

dicitur ferutoz.

Opium, D. Brant in libro qui

dictur, Etfi vides aliqd egredi fcba bie r tertia collige. Et deide misce fimul to tum quod collegifti, reconde in loco mit do donec coaguletur vt poffis er co face retrocifcos: Tfac z viui referua,

Aliter ficer D.einfdem

Accipe capita papaneris nigri z folia co rum T tere bil, T extrabe fuccum cop cum Arictorio aut alit. z tere fuccus illus affis due:donec coaguletur taliter of poffint indeficri trocilci: Tfac Tferua.

Oppopira D.II. R.oph thebaici, 3. n. 3. i.gra, iin.

cozali

cinamomi gariofilozum mardí croci gallange colti

3edoarn sinsiberia rilobalfami reupontici piretri

bragagañ murre castorei

орроронасі piperis nigri piperisalbi

piperis longi añ, 3. f. gra, vi. rafurc ebons

tilifagi berbe paralifis an, 3.i. gra, piñ.

balfami musci

ligni alocs **Equinanti** cafficlign ftozacis calamite masticis confite rubee galbani

ferapini laffari melliloti

vtriul@ariftologie draguntee azari

elebozimigri meu pionie rafani pencedant

Mo eft i plu: nee pparatu regitur

In alio caffief. fg os exponisicassis elig.vt fept? nos mus I acarifton,

Dicasarii beben tanto pulucrifa : ri or repat ad put 88 Princ.

Dpius eft in viu tp:epaf imons tepeflulano: fed credo of fit bos nü:cligendus/eft opin tebaich pro pter latione coz/ pop fuperior ibi re.et alid pparat Emprima deferi: conenientios.

OTT

ant

数的

COOK S

titi d

girl D

t vido

1311

Children of the last

1200

1101

this is

Opi

D.II.

nec pparatū repi tur:qz vrim oyas mit chort in pirs pontinoria;

Salsonlan.Et D5poni fuce ifte fuerit: 'q2 feruari pla,i ifto paffu,

Drino eft i viu: A. prumon damascenon ficcon lb.fi.coq in lb.v.aquevica ad medietate postea ab prunis qu'conne aqua extrabant z apponatur in cribzo. Z cathuio supposito tadiu manib fricetur eaderecepta ois de de cocta funt prima buliat. 3. s. violarum. aprun.ponifreu Boftea er bac becoctione fiat firup' no barbarn qo non ad plenum coct cum lb, ij. f. succare z ad dita pulpa primoz buliat ad spissitudine Et postea addant thamaridon, 3. un, caf ficfistule mundate z offolute cum aqua rofarumipel cum predicta occoctioneret p caffiam colate, 3, n. Et colatura ifta caf ficfiffule ponatur cum predicto firupo, z cum ceperit inspissari ponantur succi granatozum. 3.vin. Et decoque quonfos puentat ad pfectas decoctionem agitando femp cus fpatula Toepofito ab igne adde pulmerem barus [pecierus Br.fandali albi fandali rubet spody anis.iin. femmis pozrulace, 5, vi.

rop dragagantian,3,ij. Si lagarium facerevoluer in vnaquacs lb.ponede scamonea puluerifata. 3, vi, the f.quabigne deponitur. Bodes modo faciendum eftert de dyapunus

Blofa notanda TEredo of fufficeret apponere de feas monea. 3.f. pro lb. cofectiois: vt ipe fecit in dyactonitem z fic intrabit in, 3,1.cofes ctionis, 3.12, oyagredi, Oximel fimplex

D.II. R.mellis despumatilbi. aceti fortifimilbille In quo buliant rad,feñ,3.ff.

rad rafant. 3.1.f. Buliat vlogad tertiam ptes, Deinde co lentur:z colature addatur fupzadictum mel in ftagnato'vale, Et iten buliant len to igne: semp cum spatula agitando vsos ad aceti consumptionem

Blofa notanda

T Istud oximel quitic vescribit nicola? debet dia oximel compositum,imo fi vis facere fimplicem: ops vt ab co remoueas radicem feniculi z rafani. Et fit tantus in eo mel aqua y acetum: r tra preparat cò muniter z vbics terrarum. De proportio ne th con in medicamme dicit anice,i.v. can. pos ppomonari expreaceti z mell Fin guftum vrentis:ita op plus aut min? debes ponere de aceto aut de melle fin govieti aut pacieti videbit ad guffus de lectabilio Dodus tame comunis 83 que preparatur comuniter de intentoe Och E Auce. vbi fupza eft quaccipiantur mel lis boni partes. n. aceti pars vna aque fo tis partes,iii. Et debent primo fimul de coqui mel zaqua belpumari,ita q no py mittatur crescere spuma desup. Bostea ponaturacetum z decoquatur ad pfecto nem. Et dicit auice, & tantum debet des coqui & bectria: fcz acetum mel zaqua bene fint permitta, 7 non remancat aces tum crudum: quato mel magis fpumat tanto eft deterins: tanto longiozi z per fection indiget decoctioe

Ormel diureticum fine compositum, D. 11.

R. radicum apn petro corticis radicis fambuci rafami enule

Scom pfine del feriptione non p parafis fm qua beferiptione ppa raf videas i glo fa noranda infil ne recepte,

Mo eft i viu: net pparatti regitur

preosan.lb.i. Feniculi brusci Speragi grammis an.lb.in.

Coficefic, radicefi aceto albo fortiffino tribus diebus ifunde.poltea pay fimibu lire befine vice ad factam spissitudinem.

Aluterfic ex D,O

Accipe corners radicis aph feniculian. 3.1.

Quindet cortices & conterat & phiciatur fup eas i vafe lapideo aceti boni atiqui z albilb.r.aquelb,pr.z dimittetur per die r nocte, deinde coquantur donec euis ter tia pars confumatur. Deinde coletur z pronciatur super ipsus mellis medictas ems:z coquat cum facilitateviq ad per Fectam Decoctonem strupucontinue aufe rendo spumam.

Alit fic, z eft descriptio famosa q coiter prep aratur.

Tk.corticu radicum aph femenli lb.i.

petroselmi bzulci speragian, 3.11.

Löiter luenitur pparatű bin pze

lente bescriptios

tmagis coius 63

fequence.

feminis aph femunis femigreci an.3.1.

Decoquat predicteradices rfeminailb, rin, aque, z in lb.i. aceti vfoquo redeat ad medietatem aut modicti plus, Deinde cu melle quatum sufficit fiat sirupus qui de coquat tadui bonec fuam perfectam ba beat occoctionem.

Blosa notanda.

Tlotat rpoforus georgius o iftee co munis modus coffruendi bunc firupum Quida tā vicit ipe loco feminā fipzaferi ptop ponāt. 3.1,1 radicis rafani. 13 fie ra-rifime pparat. Alfi nec ponāt femia nec rafanu, tifte modus e coioz, t alijaddut aut miniunt fm qo putant meli?. quocu ti modoyocat oximel copolitu. Quod adbucoupliciter folet coffrui,f, cum aces to Tfine aceto.qu coffruit cui aceto voca tur oximel composituled qui costruturs neaceto vocatur firupus de radicib? Et p totā ytaliā vocatur firupus de radicio bus fine aceto. Et vtroco mo penes apos tecarios coiter pparatum repentur

Drimel aromaticum, D.T.

Moeffivlumee Reradaph Sparatii regitur

petro fquinantian, 3.11. femunis anifi

feniculi aph an. 3. ie **fpice** malticis caffie azari calamenti agreftis calamenti domestici feminis petro dancian.s.vi. gariofilozum cardamomi zingiberis andiin.

Ifta omnia in r.lb.ag z.vi.aceti becogne via ad mediciater totidemellapponat

Oximel Iquiliticum Diw.

R.mellis despumatilb,in, accti fquilitici lb.ij.

Coquatur t despumet t pficiatur decor

Drinel fquiliticum compositum. D. eiusdem fit ficut opimel copolitum: led p aceto, coi ponitur acetum fquiliticum

Orimel fquiliticum democris tis quod scribit mes.

R.ozigani propificee albasce keyfim cordument

fticados an.s.v. Coquatur in lb,iff,aq vlogquo beneniat ad lb.1, z profice befuper mellis lb.n.

mellis paffulati lb.f. fucci alfeffera, 3.v. aceti fquilitici lb.i.f.

Huferatur fpuma eius omni bo:a, z cod quatur ficut dirimus in orimelle,

Blofa notanda Oulte funt alte descriptioes opinel lis quasvide in lia S. vbi fecaniabin no minantur. ticet itafimiliter zifte: quia no est cois vius ita appellarida comunio on noie appellantur orimel, ideo bic ile las inferm

Orisacra fimpler D.T.

R.succarelb.u fucci malor granator acctofor. 3.vin.

Bone in stagnato vale sup ignem Ttam diu buliat cu spatula agitando semp do abelius ad mo necad quantitatem suc.redeat. 7 in pirte dumfirupi. de positi deportari ad modum electuarin

Boceft vfinale: 0 pparatu repitur.

Moeft i vin: nec

pparatii reginir

Orisacra fim s pler eft in viu: er vbios pipata repé tur 6m pitem de feriptionei

Drisacra copofi ta eft in vin: Tge neraliter vbice p parata repif pin fequente beforis ptionem.

Drisacra composita D.M. Tr. capillozum veneris recentium **fcolopendrie**

ceterac pollitrici epatice violarum fentculi . bzulci **fperagi**

grammis an.lb.i.

Conficefic in fucco malon granatorum acetofor berbas z radices ifunde p tres dies,quarta die modicum bulire definet cola cum depressione fortiffima. Bostea adde suc quod fufficit, coque ad pfectas

fpiffitudinem,

Dicum deamig dalis dulcib? eft multi i via z vbi os pparati repif et ddå facilit fin pitté descriptões z qda Pm feque te. Etflir oleum Deamigdalis as mario eft m viu: gr vbich pparată repuur.

Iftis modis hin

plead amigdalif

amaria de crifo: milio, de oficio, nucil d anelanis

De ben.de herua

ceindica.oe cera

Oleum de amigdalis dulcibus.D.O.

Receamigdalis mudis abotracis cortice parte aliqua r tere contritione vitima r fac pastones excis. z dimitte in loco cali do per spacium quinco bozaru. Iten tes re z pone in sapbaliai. in rozculari z cros me T manabit oleum. Si aut in vafcous plici o spacium coreris. beinde expresses ris in torculari manabit abundanti?, aut fiamigdalis tritis faccellos ipleneris T fub cinere calido autarena calida intoa nos fepelias.postea exprimas abundat emanabit

Aliter fic D.cmfdem

Odalarent manib! in tina ficut malarat paftart fit dom? in qua malaratur calida tinfundatur ochip aqua calida pay. Et Decarramo. on fit pilla Declinis vt ibi maneat oleus, tof fic exprefferis abundabit

Blofa notanda

graniscitri. 8fi/ Micis. depigneis ADch.in Ira. Decomnia olea que bic fupza nominan tur in margine raro babetur i viu ptero oleum de amigdalisamaristranifimen reperiuntur preparata.

Oleum laurinum D.O.

A.baccarum lauri electarum z maturan T contritar in aqua din coquanturz cole tur. Luncy infrigidatu fuert illud pique quod supernatat colligatur.

Dicum de balfamo, D. O. fit explanta logitudinis cubiti vni? aut Duopad plus fimilis ruthe agreftis, coz tici cuius fi acciderit facrificatio aut fcar pelatio ex parte ortus folis fluunt ficut lacrime pinguedinis,

Aliterficer. D. einsdem.

Accipe palmites plante in pricipio veri tere in pila t coque in aqua t exprime. in tozculari.

Aliter fic

er. D.eiusdem Zere palmites: t funde sup cos olen an tiquium t pone in sole dieb? quadragita Deinde coque in duplici vase: t iteruzin nouentur in co alimpalmites, tita tertio Demde coletur & repone

Oleum de fisamo

D.OJ.

Oundetur fizamab oibus immundichf Demderozetur fup ipfum aqua cum fale pauco z confricctur manibus, Iteriopro retur bonec madefiat; Poltea expandat Abenin, vi exficcetur. Deinde affetur affatoc mo dica z ponaturin facculo panni afperuz fricetur multu donec excorticetur. Dems de mundetur a corticibus z molat z tra batur olen ficut oleum de amigdalis.

Blofa notanda. Decomnia olea tam notata in margie Q olcum defizamo raro babentur in viu p tero oleum de fizamo quod preparatur: quia ingredituralias cofectiones. Ellias

raro primur co

Bliter ex D.einsdem

Quandoch trabit oleum pretero ercor bic. Abolin, treetur. z eius operatio est vt affetur pri mo fizamus, deinde molatur z trabatur oleum pt dictum est

Olcumnardinum

D.T. Tk.olehifpanici.3. lpv. aspalti murre migelle viridia

fpice an. 3.vi. rilobalfami gariofilozum cyperi

fgumanti aristologic longe enule campancani, 3,11% balfami

cinamomi calami aromatici folin

carpobalfami caffami cardamomian, 3.n.

mucis mufcat e ftoza cis costi

cafficlignec

Doc modo fint olea desemie lis ni.de grantspaf paneris oclem ne lactuce ptero no opter vt ercos

Docmofit ola

elen nardină ê multă i viu trbe B patti rour B patti rour Bo th bin piten beferiptione fed bin fequencique est and

Codem mo fere befribit mes. io Rea.et eft in viu The mode finue olea destinco de grania viridiba

alsepinira,

In alio cassiesi. S. lapdani bedseponende fu cassiesies ve sepi? noraum?rezps; azari

nán

fim? in acarifto. thamarifci mafticis fragini fructus immiperi

fyziace ficce an, 3.1. Confice fic.alpaltu.mirram.enulam, fu. azarum, carpobalfamum, pilobalfamu, ta marifcus.particulariter contufa in aqua vel vino bicet nocte infula in oleo imifce z tadiu coque donccaqua plumat z cus puo igne vi oleum no ardeat. Eunq ine frigidatum fuerit bie vnaftudiofecola z feces piice. deinde cyper fquinantus ari stologiam, casiamum.costum. galbanum cardamomum,folium,thus.mgella,cala mum.cassiam.scmotum ptula. z in vino tribus dichus infusa ve alia po decocta è fimiliter decoque e olco bii colato feces pace. tuncipicam, gartofilos, cutamos mum.nucem muscatam,ftozace.z costum trita z in pulucre fubtiliffimum redacta in vini optimi mina.i.per biduu infunde z fuperiozi disciplina cu olco ad vini cos fumptionem occoque, t colatum abigne Depone. Et in pte ipfinis olei lapdanum z maftice contufa cum balfamo:medicas mini fupmifee, tad lenes prunasaliqua tulum bulire befine: teum fpatula fineis termifione agitando oia commifce. t fic ab igne bepolitum obtura ne iocundiffia mus odor foris cuaporet

Editer pparat риовень,

D.ciuldem. R. spice aromatice, 3.in. pint

Ellind

aquean.3.h.f. olci fizamıni lb.i.f.

Decoquat in vale duplici leto igne qua fi p.bozas quattuozet frequenter mouca tur omni boza

Aluter fic ex D.cinfdem mef.

Moiter no ppat boc olch fin pres fente descriptios ne fed fin preces denreis.

R. spice inde, 3. in. fanfucci.3. 19. riloaloes enulc foli indi calami aromatici foliozum lauri cyperi **Iquinanti** cordument an. 3.1.1. Proficiant fup ca pulo fuerit comipa aque fontisan, quod fufficit olci fizamini lb.vi, Deundefacficut pinus z coque bozis fer z agitetur omni boza,

Aliter fic ce D.ciufdes mef R.spice inde. 3.1111.

Rozacis gariofilozum an, 3,in, nucis muscate. 3.v. olcibalfamılb.nip.

Frat ficur illud z coquatur quincs boris

Olcum de costo D.II. Refucciolcandrilb.i. cofti.3.1.

piperis piretri cufozbfi afi.3.fif. oler de lilio lb,i+ vini odoziferi quartiis Loque omnia timul.

Allind D,ciuldem

The coffi. 3. K. caffic. 3. vi. Outrein vino bie vna olei fizamini lbij.,f.

Giat inde oleum coquedo fupple omnia fim'in acarifto. timul ad vini confumptionen

Alind, D.O. Be.coftiamari.3.9.

caffic.3.i. extremitatum fanfucci. 3.vin. vim odoziferi qo infficit ad infundendus

noctibus duabus oleifizamini lb.ii.

Decoqueficut oleum nardumm Oleum de anamomo D.TL.

Ponatur cinamomum in vale lubtus p forato & superiobtusorprius tamen cum oleo afpergat zaltudyas fub co ponaf. Doc mo pt fieri deide ifta buovafa fub terra pofitaz aliq terra tenaci bii coglutinetur z fiat ignis Defup:tüc vapoz iupen elenabitur, 7, q2 enffallo. Ilie ozificii eft claufum inferius descendere usin littera. cogetur zifte vapoz oleum dicitur,

Oleum oc piperibus D.O.

R.trum piperum an. 3.in. lzebulozum bellericozum emblicozum indozum an.s.v. rao apn feniculi anisin, f.

Doc oleus coiter pparaf fin pma descriptoes met. Supradicia

ter no ppat fim befenptos nicos

prione Alber.

Mofic pparatu

In alio caffiefi. ochs exponitid é caffichg. et fept? notaum? t expl

Docoleus coiter pparaf fin phiê ocicriptionem,

Dleu d cinamos mo no citim vin nec ppaturepit,

gento:lignist la pidib?: pterф ex criffallo. Ilicola

Dlen de piperis bus no est inviu neeppatit regif.

oppoponací iufquiami albi an.3.in,f. turbith albus ni. 3m3iberis.3.in. caulis recentis basce bumide foliozum ruthebumide añ. O.i. Decoquantur omnia post contritione co rum cuz aque lb, prin. vfc ad tertia par tem beinde coletur z pice defup olei de herna emine due t coquevia ad colums ptionem aque, raliqui addunt y2008.3.vi. raphe.3.n. anıfi cordument añ.z.i.f. calami aromatici 3. n.S. fpice inde 3.1. expressionis albasce.i.tbi fertaria. ifi. Et aliq loco olei de lerna ponunt oleus yanum aut oleum de lzeyzi, aut oleus de amigdalisamaris, t ex oibus partes co/ uenientes

Defue facit fle tñ nullā barā de fariptionā ē i víu nec pparatti regi

D.N. R. flop pulegn lb.iin. In vafe ouplici cu oleo raqua tantu vt olcum non ardeat fatts buliant. Cuncy incipiet dunittere bumozes:ponant fub prefforio z fortiter expressi gequid er se dimiterint i vafe vitreato collige z vini referua, Oleum de enula

Oleum puleginus

Docmodo fiunt olea de cinamos mo: de fautna: d pulegio.mefue q oia receffer at ab vin:necmmenin/ tur pparata,

D.O. B. radicis enule contufe fucci cius oleifizamini añ.partes equales vini odoziferi partem.f. Sac ficut dicet inferms i oleo de citoniff Alind er D. emidem. O.

Addepmirtioni predicte foliozum lauri cordument fpice inde calami aromatici an.vi.partem 19, Et decoque ficut in alto Oleum rutaceum, D. II.

Dlen rutaceum R.olei. 3. lrr. facit meb.ficoles uy de citonija Er conter ppaf boc olen by ocferiptis one q est meb, et no fin illa IR.

foliozum ruthe, 3. prin. fanfucci cimuntañ.3.vi.f.

Docolen e mul:

Louficefic.berbe z ciminum contufa fel motum in oleo diebus quing infundatz in vafe ouplier coquatur z vint referuet Oleum anetinum. D.N.

R.olei communis, 3. provi. florum aneti.3.rn. flos aneti triboichus infundat i oleo. quartavero die lento igne modicii coqua oleum decumo tur viligeter Textrabat. Et uen decoctio milla. m addant flozum anctu 3.in. r ad fole fu fpendaf, zwim biligenter referuetur

Dleum de camomilla

D.11. K.olei dulcis. 3. prvi. Nop camomille i menfeinly collecte lb.i. Conficefic flos olco immilius in dichus camcularibus in vafevitreo ad foles po natur z vim refernetur

Biofa notanda T Och fact ficut olcurof, pretero ops of frat cii oleo be olinis copletis ant cus oleo de fizamo cum illis modis prepas rationii quas diximus. Et fimiliter oleus de melhloto, z fili olen de lzeyzi. z de fan fucco que no funt i viu preparatur tame also fadt fice comuniter olei de camomilla fin deferis oleus de citonias ptionem micolai Oleum mirtimum

D.n. Proteilb.v. vini fextarium foliozum mirte tenerrime crociozientalis menteañ.s.r. mafticis acaffie an. 3. vin.

Confice fic folia mirte in pilla fine inter miffione contondantizi vino die ac nos cte infundantur. Alia do dicoleo imiffa ad leues prunas vice ad afumptoem vie ni coquantur. The fortier colentur. Ad vitimum vero pulms croci z aliozum fue permittaturaterug lento igne tadiu bu liant eragitando donec comisceant opti me, z conditum viui referna,

Oleum de liho D.n.

Rrolei.lb.v. liliozum lb,1, rof lb.f. mafticis, 3.11. croci.3.f.

Erocus & maltir pulucrifatifimt cuolco quats no fuffices infundantur invale vitreo: vasfit obtu rer pranta qual fum noue diebo in fole fuspefus. decimo mateola Die coquantur. z colatum vfiureferuetur

Alind.D.O. florum liliozum. 3. rij. malticis calanni aromatici costi

tu invin: rediter ppar om defens prione mes. Pas cir aur mes. flow

Fin qua descriper one conterppat,

Köiternő ppal 63 pfité delcripti oné: In alto mas fficia.3.n. fed cre do op debuitois re. 3. n. et tta feripfi in terru. Eredo etiá co de buit oiccre croci 3.f.et tu vide

behlio go babel croci.3.ill in viu t qo gene Dia prete raliter regitur p/

Olen yzinn gene raliter habet in

res yeeos ad fas

menfe apalis:les

fact meb.oleum

violatus excepto

lmo aut fisamio

asfir olen fam=

bite et floaib? es?

et olco.

fieri olen.

Alicerfacit mef. carpobalfamiani3.1. ficut olen camo: gariofilozum rois faciedi olen cinamomian. 3.f.

> Dia preter folia liliorus infundantur in aqua fufficienti: Tounittantur die ac nos cte. postea buliant ebulitõe una aut duas bus.deinde pice deluper olei fizamini: aut olei de oliuis copletis lb n. t pone i vafe vitreo cum folis liliozus z dimitte in fole per dies quadraginta,

Oleum yzinu3 D.W.

ram reptiur. Et bicit fala. of flos R. radicis yzis quantitatem aliquam Florum eins tantudes aut duplum eins aque decoctionis radicis et quod fuffir nedn olen yann cit, funde fup ea oleum fizaminus: aut de olius maturis quantum ops, z decoğ in illo mente ocher vale duplici. beide pinuta rade folia yais T fac vi dicetur de oleo rof.

Oleum rof. D.W. Similibomodis Accipe oleum de olius aut olefi de fisas minurcces, lauct cum aqua fontium la posficrica oleo nationibus piuribus, beide accipe folia rudiautamigda rofaprub recentium contulap quantitas tem fufficienter sepchas in oleo qo lana Erfili modo ett: fti: z reconde in vale vitreo z obtura ozifi bacina. Thiroles clum cius: t expone foli per dies feptem us de papauerer deide coque invale duplicip bozas tref beinde fac permutatione foliop rofarus z vtere alis recentib9 z bimitte per alios go est iviu 2 90 dies septe, deinde exerce coctiones in co ficut feculti pus. t fac denno permutatio nem foliop rofap: z profice fup illud aq demenuffare tinfuhonis rolay descripte in ifa 3.ficut quantitas oleir ftringe orificium valis tomitte per dies.pl.

Blofa notanda Ifte primomodul eft ille qui coiter babet in viu. 7 Pm que coiter muenitur prepas ratum. Dicit in ian. q oes concordant q ops fieri exolco olinan no maturan ant loco ciºerolco amigdalan oulcius. vius th cois tenet prium forte propter carens tiam et' in regione ifta:z forte ppter mi titudine egritudinu curretiu que no indi gent flipricitate fanta, T Dicit poforus gcorgius fup isto passu o adam antiqui oleum lauant cum aqua frigida vel cum alis aquis frigidis diftillat] vt plus rea ducat ipm ad coplepione frigida. Et vt bene intelligat apotecarius attendat de mente arnaldi de villa noua in fuo fpecu to q vbi corpus inunguendu aut emplas ftrendum effet aridu aut acutis abundas fumofitatibot contingit in ethicis t acus te febrieribus etta gono exprimatur in

recepta fame femp bebent ablui oleus z cera vi ptalem abintione acuitas cere et olei remoneat: z vbi olen de nono confis ceret non solum beberet ablui fed etiam decoqui că aq oulciffima:qz no bene tolo luntur partes acute olci pfolam ablutio nem propter fortitudine mixtionis pare tium in olco. De cera fecus est quia debis liter funt colligate in ceranpa nach ablu ta cu'aq frigida albefeit: tinfrigidatur.

Eliterfic ex D,emfdem.

R. fuccirofarum aque infusiones rof.pdicte an. partemit, olci loti z preparati partes,iii. Reconde in vale vitreo t expone foli fic diximus, beinde opare de decoctione et? z pmutatoe fucu rolaz z aque infutionif rolan respone in fole fin qo dirimus. T poc fiatbis, vitiovero oleu folus cu fucco rof zaqua infutiois car recodaturi vale z exponat foli p.rl.dies.

Aliteradbucer D.cuidem mcf.

R. amigdal, dulcum purgatar quantita tem aliqua etere in pila cotritione vitia. deinde quantitate can cum folns roiaru per fetritis.iten fimultere Tfac paftoes z dimitte in loco calido p diem vnum, de mde itez tere z malara cum pila malario one vltima fine intermissione: zfundatur fuper illud aque infufionis rofax calide pay t indefinenter malagando manebit em olcum vitio vero expine in saccali. i. tozculari,cum aute expresieris totus po ne in vale vitri z stringe os eius z cepos ne folizvtere qui opoztet

Alund er D.ciufdem.

Siat quarto mo cum fizamo excorticato pr pus victu eft oc amigdalis Attede til of amigdale funt melioz materia ad oleft rof, rude t figamum ad oleum rofatus co pletum. Och, in littera,

Oleum de citomis

Recarmium citonion triton cum cortice reperior. fuo quibus media accidit maturatio. Succi cozum an partes equales Dleum de oliuis incompletes qo fufficit Hone ivalevitreo poies, rv.ad fole, beid coq i valeduplici p boras, tin, p'illo frat pinutatio citomor T fucci cor T feat he bictii est bis vel ter. beide cola t reconde

Dien madragozatu.D.O. Refucci expressionis pomor mandrago goze completozum

Dochoo mo no pparafolet rop,

Doc tertio mos do no pparatur oleŭ rofatŭ

Ifto modo non pparatur ena

Mota

Dlen be aronnis mirtmä. z filros len rutacen mes. tfilr olen de fan fucco.

Dlen madragos ram raro babet in viu om quins Bharn odarpa

ppere exfloribuf er? r capitib? pa: paueris. reillud pparati repitur Et filrolen de la cruca. z filrolcus olen de cucurbis ta excepto exfuc/ corafure cucurs

613

5H

當高

ond: vbi theovei Olei fizamini an partes equales mur foter prepar Decoque in vale duplici vich ad fucci co fumptione, beinde cola r reconde in val fe cumicius de succi expressione sicut quar ta parte z vtere

Alund D.17.

Rolei communis lb.ij. fucci malor mandragore. 3.11fi. fucci infquiami albi. 3. n. fucci capitum papaneris nigri z oztenfis.3.in. fucci violarum tenerrimarum Succificute an. 3.1

орп

ftoracisan.3.f. Confice fic, omnes fucci predicti in oleo mittantur: t p.r.dies ftent ad fole t bene comifceantur, rivero die ad confumptio nem fuccorum coquantur. Cuncy coctus fuerit ab igne beponatur. Et cum infrigi datum fuerit coleturet in parte ipfi? olei opiumz storay soluta agitando supermit tentur medicamini t bene committa in vase recondatur. t vini reserva

Dlei be maftice conterno prepas tur f3 bāc beferið ptionem. TR

Dleum de mastice D.n.

Rroleilbin. vini odonferilb.i. oleinardini. 3.vi. celtice carnium battilozum mafticisan. 3.4, abfinchi mellilotian. 3.i.

Confice fic, dattili z species semotim co tuse in vino z oleo trib? dieb? infundant tur, quarto die lento igne tadiu coquatur Donec confumaturez cum omni diligeria exficcetur. Ad vltimum adde oleum nar dinum.reconde t ferna.

Mon prepat 6m

Hlud cr.D.O. bacoelmptione. R.mafticis.3.in. oleifizamini kift.is Loquem vafe ouplici

Aliter ex

Prepat fin hac Descriptos tertia

D.einsdem Broleirof. 3. ch. malticis.3.in. vini boni. 3. vin.

Decog ficut pinus ad vini columptione.

Mo eft i vlumec

D. Auicen. in. can, pparam regitur Bicfit, cum decogtur diftilletur efus bus midum in cucurbita aut alebico. Bel fic ful pendatur fupza ipm lana ve madefiat er vapoze ems, z cum madefacta fuerit

exprimatur in vale alio. Attende of fi pof fibile eft vt diffiletur in vale alebico mes lius eft z meh?feruatur.aucenna.

Dleum de storace

D.n. R. vini odoziferi.lb.fj. olei nardını lb.i. celtice ariftologic longean, 3,in. aloes mafficis nucis indice añ.3.fi.

ftoracis melliloti abfinchi an.3.i.

Confice fic.oes species cotusas in vino ptriduum infulas ad tertiam partem be coque. T nardino oleo supermisso iterum ad vun cofumptoem becoque: t vno bie infrigidare permitte. Eunes infrigidati fuerit cola. z cum omni diligentia recons der ferua

Blind D.W. Reolei fizamini. 3. prij.

ftoracis, 3.in. Sac fient oleum mafticinum, beinde cole tur T referuetur vlui

Oleum de lapdano

Decoquat, 3.1.lapdani puluerifati in. 3. in-olei ad cofumptoes medietat] poftea coletur.

Oleum muscelinum

D.TI. Theolei puri lb.vin. aque fextaria ouo foli fpice nardi coffi mafticis ah, 3, in, ftoracis. croci

mure trocliten. caffielanis.i.f. gariofilozum carpobals bdellian.3.i. musci.z.vi.

nucis indice numero quattuoz

Confice fic, tere fohum mirra caffias car pobalf. t bdellium t contusa in aqua bi duo infula oleo coq quouso ad cosum site no videt con prione aque. Et post infrigidatoem vin? uenire. Diei ftudiofe cola.poftea adde gariofilos spica costum v nucem indicam subtiliffie me pulucrifata z in parte olei storacem malticem t muscum cotusa supermittes

Hote

Mö.eft i vin:nee pparati repitus

Ziliqui libri blit cicidi indice t be bet exponi ciadi i.galle vel mas

In alio caffiel.fy 03 expons.i.caffo elig. yt fepe nota th e. et yide op in aliqb? libzis ha bet caffiefif. zfel quit rilonio cafe fie. T Debuit dice re.i.rilocaffie:fed ignozātia feripa top omiffi ely .t

iterug define bulire modicum, t infrigio data cum omni viligentia reconde z viui referua.

Blofa notanda Dleum mufcellinum dupliciter poteft i telligi:vel mufcellina qo in fut receptios nerecipit muscu vibic, vel qo fitoe ben qo arab vocatur muscelina, tale oleufis militer vocatur ballaminus de quo fupea fup fcoa recepta olei amigdal. oulcius in margine. Scom neutra barum descriptio num pecparatur.

Oleum de caftozco

D.TI.

pparatureptur Decoquatur, 3, i.castozei in lb.i, olei vics ad confumptione tertie partis: z coferue tur olcum cum puluere caftorci

Oleum de cufozb, Dleff o cuforbio

D.O. eft in viu fm pre Tk.cuforbn.3.f. lesté desemptoes

Dlei o caftorco

no eft i viu nogs

rici i

oleidelzeyzh.z.v.

vini odoriferi tantudem Log vice ad vini columptione z vtere.

Mo eft i viu fin Alind ex D, einsdem

ité descriptios: Restaphisagrie fed Pm priozem, condifi afi.3,111/4

piretri.3.vi. calamenti montani ficci, 3, rij.

caltoreis.v.

Zere z decoque invalevitreo cu vini odo riferillo,in, f. postip infusa fuerint i co die bus ouobusvich ad medinvini, beide fri ca manibus fricatione vehementi z cola Tfunde fup ipm olei De lzeyzi aut olei fie samini lb.1,1,2 coq via ad commptiones vint. beide pince inpra iom enforbit rece tis talbisiin.triti contritione vitima t coquatur cum eo z vtere

Oleum vulpinum.D.O. Dlen vulpini e whale multh er fk. vulpem integra:cmus interiora fint vbigsparatum cuulfa:t ponein vale,t ponelup iplum

aquetonns aque marinean.luft.i. Attende ovuls oler antiqui clari lust, f.

eoqui donec per Decoque lento igne cu falis 3, ili, vicad decocione onis aque confumptione, dende pone in vale

anus et lareur z pronce super ipsum zoistolnant, me berbe anen

berbe albaffean.lb.i.

Etfunde fuper ca aque bulcis vbi coctu fuert et cilde berbis an. W. L. Decoque fi cut prius vice ad aque confumption en Dieum phôn fine oleum

delateribus D.O.

Cande deferipti Recklateribus antiquis multe antiqua one possit nicos tis t propriefactis exterra nibea t com minue cas i frusta caccende desup igne lausi soma. Le carbonium sine sumo vigo dum inflamme credo ophancers carbonium desenta de la la con cerpsit acros iste tur Trubeant, beide fubmerge eas in con cha plea oleo allullul aut oleo antiq da ro vice dum unbibantur imbibitione viti ma z pone in caffola z pmitte exiccari p fe, post illud iterum communue illas com minutionevitima z pone i caffola z figi La orificum caffole cu orificio alembici et figila cum luto allumistarii z pone in foz nace cmaignis fit prune, e coquat vlos bum diftillet oleum. Ertu ordiabis vas fub roftro alebicim quo fluat oleum, de/ inde reconde illud t figilla onficium vas fis in quo recondis . z administra vot os postet,

Dicum de croco D.W.

K.croci.zi. mire pures.un. corduments.tr.

calamini aromatici.3.vin.

Infunde medicinas in aceto bieb? quins B preter cordume.i die ferta proniciatur Super ca coedumemer dimittatur die ona demdefundaturfuper ea olei lb.i.l,ct co que lento igne vios ad acetí confumptio

Olcum de tartaro D.TI. R. tartari vini albilb. n. vel quantum vo pparam raro m lucris. Bulucrifet z inuoluatur in pane no lineo vel in stuppis .ocide madefrati accto albo forti vetotum fit madidii. de inde coquatur lub cineribus optime cali dis quoufc bene nigrefeat, tune iterum pulucrifetur z ponatur in cathino iclina to in loco frigido titethe per octobies quous refoluatur in oleo tfluat, tfi no

Auxerit exprimat i vale vitreo treferuct Oleum de cucumere afinino.D.O.

Be fucci cucumerum ci? completozu olci fisaminian.partes equal. Loque via adfucci confumptionem,

Aliter fic ex D, ciuldem

R. Succi rab.cius rad etus contritarum ah,lb,f. olci fizamini lb. 1. Loque ficut dirimus

Olcum de mezercon D.OJ.

Be foliozum almezercon. 3.1111. Bronce super ca aque oulcis lb.i. ounitre die ac nocte, deide fundat fuper ipfum. Lactis oulcis & recentis, 3.Vi.

a nicolao: 92 ides bient formaliter lboc aŭr oleŭ ra/ ro babet in viuz interdii th' aprid alige apotecaris e repit ppatit olen o ours mes

Docolcii no efti vainec pparatu

Elliqui loco aceri vinu ponut, inch

Dlei de tartaro

Dlen be rucume reafinino no eft in viu necpparii repitur end Pin фeng bams be fcriptioni

Mon regiturps paratum.

Mo est i vinimee pparam repitur.

In ca. demesere on dicit meb. aq dulcis lb.in.

Docoleano efti vlunec ppararu reputut.

Expone titulum

Hero: pende.

Mo eft i plumec

ra odaiptiona.

Mon repinir 64

eins fiat cu fol. z

enymodico vino

Mo efti viu: nec

pparatt repitur

in viu cua fin a compară odens

ptionum.

mef.inlfa.

maracum.

olcifizamini. 3. vili. Coquevic adlactis taque cofumptio nem, beinde coletur z repone

Dlcum olcandri D.IL.

B. fucci olcandri lb.i. olcirofib.f.

misce r buliat lento igne i cassia vicequo remaneat o leum.cola z referna. Efficit autesfortior fi imponatur. 3.1. fulphuris pulucrifati.

Olcumbeaffer eft olcum fericina.d.m.

recepte ol. o affe téoleñ ferecinñ id éol.qo eft co: postă erol. asse tereno,i. sisio Raffe. 3.iii. zinziberis. Z.i.f. funde super cain vasc vitreato fucci extremitatum albafce. 3. iifi. oleifizamini. 3. piin. pparam repinur. Fin quacues bas aque dulcis quod fufficit. z becoque ad aque confumptionem,

Allind er D.cinsdem

R. oler fizamini fucci albafce lactis vaccini recentis an.lb.n. penidiarum albarum.3.v. zinziberis albi.z.rn. Coque vigs ad lactis Tfucci confumpto nem z administretur.

Oleum de alleanna

D.W. R. flozum allzanne. 3.fin, olei antiqui. 3. r.

In befeett forif fiat ficut olcum rofatum Olcum de pomis citranguli.D.O. B. poma citrangulozum, ch.

Et fint proprie antiquat pone ea ftegra in vale figuli vitreato. Et funde fup ea olcideolinisant olcifizamini. 3. prvi. But plus om magnitudine 7 parm tates citrangulozum aque fontis

aquemaris an.lb.i.

Loque ad cofumptione aque. beide fund de sup ipsum aque oulcis clare lb.i.f.e pronce defuper

pemdiarum albarum. 3.vin. Decog vice ad aque columptionet vtere Dleff ouor no &

Oleum onozum. D.O. Re.oua eliza que bene mudentur a cortis cert pone vitella in vale ferreo fup pen nas lentas monendo cum ferro cotinue plaguo affentur bene: t impone calida i panno forti inolutar pone in comprello rio olei amigdalini z emanabit oleus que conferua.

Alind ex D.O.

Codum supradictum tetigit mesue ad litzcra: fed pterea ofcit qui cafola z ales bico diffiletur ficut dictus eft de oleo phi lophozum

Olcum finapinum D.W.

K. semints finap, lb.iiff. Bulucrifa z pone in olcop, ri.bies, cola z referna.

Oleum de imiperio D.m.

Reck lignis uniperi quantitate fufficie tem T feinde in frusta T imple ex cis bolis modo fir ola um magnum vitrcatū interius:cuius ozi frapinūqono de ficium fit arctum t fac foncam in terra t prepara parietes ereminiterra figuli. del de pone ollam vitreatam epotrecto i fun do fouce babentes orificio amplima co operiatur lamia ferrea fubtili pforata fo raminibus multifficut cribratorii trutici ta q laminavndico olle orificium coope riat. ocinde sup lamma preparetur ozifia cium doli crimucio z preparetur cutere ra figuliant mibil ex veriles oufices refpi ret.poft illud accende igne fup totus coz pus doln z dunitte ardere fie p boras du as.manabit enim ex bacarre oleum t re condencceffitati.

Oleum scozpionum D.m.

R. scorpiones. gr. velplus vel min fm R. Corptones, ex vel plus vel min Pm descriptionem a ochip oleramigdalan aman ib.n. t firi ge caput valis z dunute i fole dieb? pr. ocuide cola z vtere.

Alind cr. D.ciuldem.in. B. ariftologierotunde

gendane cyperi corneum rad cappis an. 3.6. Sunde sup ca olci amigdalan amararu laift.i. z pone in fole.gr.oicbus.beinde p fice being ex fcorpionibo a.r. vfog ad. rv. Titer fringe orficii vafis tomutte fo le poies pre ocinde cola z prere

Sinit particula quartadecima.

Dlen feozpions coiter pparatur fin hanc primas rer ppanifim des feriprione feque re q maions et efficacie. T Fsbac primă deferiptio nébocrate oleus attinet frigidita ti ppter foepios nes:13 fin ocici attinet coliditati rome aromam

Dleum finaplus

Dlen de innipes

ro no Ei viunec

pparati repitur aut rare. Eodes

us viu.

no chin plu

"Blo pparaf cois ter oleŭ feotpios nŭ penesbat de feriptione z mas te vinotarŭ e in recepta predenti

Quindecima parti

cula secundilibri Incipit Equitoclittera Pa qad Ifam O immediate subsequitur in ordine minoris alphabeti. Erimt autem inhac particula Arte sequentes.

Potio fancti pauli.D.II. Daulinum antidotum, b,n, Man rpm.d.n. potio muscata, o, n. Pouluis contra pestem Bulmis electuarit de bolo pulnis contra lumbricos Benidie. D. B.in fernitore Dignolatum fimpler Dignolatu copolitu qo pot fieri infoza electuari, tuc appellat a mes electua rin quo viunt regesicuroue funt Ate, Doma z pira condita prifia cois ad facilitandum partum prifia cois contra peftem Billulefine quibus effe nolo.o,n, pilluleauree,o.n. pillule cochie cuius due ponuntur Rete, pillule descastoreo.d.n. pillule de octo rebusio.n. pillule de quinco generibo mirabolano rum.d.n. Billile elephangine, d, m. pillule agregative. o.m. pillule agregatue maiozes, b.m. pillule agregative minores, b.m. pillule de cupatorio maiores,d.m. pillule de cupatorio minores,d,m, pillule de renbarbaro, cui? due, ponutur Millule De allzelzāgi.d. Tinuetionis.m. pillule ad febres atiquas, o, Filagni qs pomt meluc pillule inde qs lcripfit bayl abbas quas ponit mefue Millule albandal bermet] qs ponit mef cuius due ponuntur Rte Billule de farcocola,d.m. pillulefetide maiores, b,m. pillule fetide minores.o.m. pillule de ferapino, cui due ponut Ate. pillule de enforbio, b, m, pillule de mefercon.d,m. pillule lucis maiozes, cui oue ponuntut recepte Billule lucis minozes.b.m. pillule ad febres colericas, b, m, pillule byarodon, b.m. pullule de turbith, cuius due ponuntur recepte Billule de lapide lazuli, d.m. pillule de lapide armeno.d,m. pillule debdellio.d.m. pillule debdellio maiozes,b,m, pillule de bdellio minores, d, m, pilluledeoppoponaco,d,m.

pillule debermodatilis, o, m,

13.00

min

Billule de bermodatilis maiores, d. m. Miliule artetice.d.m. Miliule que no valentes furgere faciuti cedere, d. Rafis. pillule de coloquintida,d.m. pillule febellie.o.m. pilluleftomatice.cui ques ponunt Tete pillule ante cibum, d. m. pillule ante cibus clariffimi doctoris ma giftri pantalcon, de verfelis Willuledeagarico.d.n. dillule de fumo terre, d, anicen. Billulerufi fine pillule comunes Billule de affeyeret quas notanit anice na terth pma ca. de cura vniuerfali dolo ris capitis quas redegit in forma pelas rus ille poctor gentilis defuligenco Billule ad omnes morbos catarri, b,m. Dillule bichie, o, m, Willulealbe.o.m. Botio fancti pauli D.M. R.nitri, z.in, 3.i. castozci antimonti cinoni foli danocoti fileris apa petrofelini maratri bauci staphisagricanis, i.3.i. falis armoniaci epithimi añ.z.i.).f. calamí aromatici mírabolanozum liquiricie bragagan ti pionie piretri an. 3.1. costi colloquintide agarici mafticis aristologie longer rotunde rofarum mabathematicon azari lilifagi garoms diptami bafilicoms

brance vrfine

balfamtte

Mo eft i vlu:nec pparatu regitur

Die azarū debet tantū pulucritas ri grepat ad vis asveinere fit ma gis puocarnus glapatuti, pulegij camedrei plopi faturegie trium piperum feminis ruthean. 3. i.gra, rvin. cardamomi thurisan, Jigra, iii. balfami nardi croci fquinanti caffie oppoponaci fulphuris mandragoze genciane bractei euforbij amomi fanguinis merguli an. 3,i. cinamomi, gariofilozum zinziberis anacardi pilobalfamí renpontici pencedami carpobalfami ftozacis calamite ferapmi affari fanguinis draconis coaguliagm coaguli leporis coaguli capzioli coaguli vituli fellis wifi, fanguints anatis petrolet afi.) ...minus.gra.tifi, berbe paralıf.z.vii.z gra.tifi, mellis quod fufficit

Mő efti víu: nec pparatű regitur

mellis quod lumcit

Baulinum antidotum

D.II.

Realoes, 3, pi, gra, pve
croci
cofti
anacardi
agarici
cozali
mirre
armoniaci
terebentine
galbani
Icrapuni
oppoponaci
confiterubee

ftozacis calamite
yzet añ.5,úñ,í,
olibani
mafticis
opñ
bdellñ
cozumbze añ.5.ñ,gra,pv,
balfami
folnañ.5.i,í,

melific.3.n. Confice fic, galbanum & ferapinu oppos ponacum rarmoniacum aliquantulii te rantur. tin albovino odorifero fufficient per vna nocte ponant, mane vero fuper ignem mittantur donec liquefiat ficut in cauftum, Toeinde colentur, Titerus fup ignem ponantur z buliant, postea adde mellis despumati, 3, un, z bimitte bulire donec incipiant inipiffari:tunc paulatis ponatur stozar calamita cofita rubea co rimbatun cu pistello calido bii cotufa pos nant in caldario femp agitado cu fpatu la donecliquefiant, postea addat terebe tina. Et figni decoctionis eft fi ponatur aliquantulum fupra marmor: ti colliga tur ad modumellisimor caldario i terra pofito addatur mirra cii bdellio, beinde maftir t olibani, postca addat costus as nacardus agaricus coralus yrcos opiū foliu meliffa,ifta omnia fimul piftata in caldario mittant. Et poctotu inpra mar mor olco laurino umctu ponati z cu pul uere aloes malapetur, advltimu cu pulue re croci ozietalis magdalcones ifozmet,

Mő eft i vlainec pparatű reginir.

Man rom D.N. R.oph tebayci.z.v. crocis.n. J.i.f. fizelei,3.n. calami aromatici castorci carpobalfami cardamomi petrofelini añ.3,1.3,4. zinziberis caffic ferapini piperis albi infquiant feminis ruthe agreftis maratrian, 3, fi. nardi pirctri men enforbii antfi trifolijacuti

iDic ponebdelig us indaicum aur faltebd elimmol le. Mő eft i víu: mec pparatű repitur

banci cretici afi. 3.44, mellis quod fufficit

Potio mufcata

D. II.

Respice
foly
piperis longi
sinsiberis
sedoarie
confiterubee
confitemuscate
ganofilozum
pulobalfami
rofarum
violarum
anacardi
acozi
cozali

leuistici

cofti nucis mufcate rafure ebozis

margaritarii integrarum z perforatarus

antofilij reubarbari amomi offis de corde ceruf

croci piperis albi offium bartilozum

vmbilici marini fpodij

fandalialbi fandalirubei macis liquiricie cimamonii

alipte anifi bzagaganti blacce bizancie cardamomi

limature auri z argenti an. 3.4.

musci ambre camphore añ,3,1, 3uc,candi,3,1, firup,rosarum,q,1,

Buluis contra peftes viualis penes apotecarios noftros,

 coziandri preparati,3, ij.
rof rubcarum,3,14
femmis portulace,3,ij.
rafure eboxis,3,ij.
cozali rubci añ,5,i,f.
terre figillate, 2, f.
boli armenici, 3, ij.
mifce z fiat puluis.

Bulius electuary debolo,

gallange lignialoes cmamomi cozali rubci rof rubcarum femnius meloñ,añ.3,f.

rad tunici rad tormentile an. 3, iii.

cornu cerui añ.3.s. nucis muscate,numero,i,

macis cubebarum añ.5.4, anifi maratri

sinsiberis affigra, po, feminis acetole feminis citri

feminis uniperfi feminis coti gariofilozum añ. 3. f. boli armenica 3. f).

Fiat puluis Puluis conta lumbricos Releminis contra, Z.i.

lupinozum.3.f. abfinchh.3.h. coznu cerui vsti.3.i.f. mice z fiat pulms.

Bulcinsferutore

Accipe de 3uc, albo t mundo lo.i. vel. fi. vel ad plus. iii, qu no poffunt bene fiert i multa quatitate, t pone in vafe enco stat gnato. vel in vafe terreo interius vitrea to: cuius os sit latu. s vas encu est meli? t liquesac suc, cu tata quatitate a quali qua cooperiat, t si suc, est fortis pone cu eo p qualibet lb. et? 3, i. mellis t oistilla sup ipm de oleo amigdala poulciu si babes, t si no babes mute loco et alio oleu t poevas sup igne ex prunis sine sumo t misce semp equi t coque quos si ppe consumptione aque, t experire protecta gutta ex co sup marmore. T tage cu dissi tist cu incheris q sigis fila inter digitos

Dic puluis émil nu viualis z vbis nu pparaturiub forma puluens,

Quida fadutile alij vero aliter. 2 por quiliber face re fuo modo,

Penidie funt in plu fim plentem bescriptionem. fine adberetia, opoztet q cito auferaf ab igne, a proficiat fupra lapide marmoris extendedo posto vnristi eu olco amigda larum oulciusvelfisamino, z collige par tes cius vindies cu fuo caloze riotu pof funt fuftinere manus operatis pofteatra be rextende intermanus ficuttrabuntur electuaria bulcia rifige claumm curnu ad Superiora i pariete. z pronce super cum z trabei clauo apponedo fuper cum z tra bendo ficut trabif electuaria dulcia quo ufcy bealbet. In fine fue albedinis . 7 ap pone iurta ignem odiu traceris vt caleft at t fiat obedientioz extensioni,t iterum appone dano trabendo ve albefeant qua tum volucris. Deinde meide cum forfici bus ad voluntates tuas. Et fi volueris fa cere formas rotiidas vel oblogas vel ali as diverlas accipe de amido albo, tere T pone sup marmozet extede sup ipm de palta illa penidiarum z plica z inolne z i cide, t fac qualcucy foras volueris, th ci to facias ne ifrigidetur iter manus tuas Deinde pone super cribaum & pone iurta prinse adbora t aufer. Toimitte boeci frigidet thua. Etq vit eas facere er pul ucre ligfactat puluere i ag ficut par oiri. Deide colet ab arena t alis fupfluitatib? z coquat t faciat.ficut bictu e. Et à facit eaf er melle cane caueat ne fit nimis forte rti é poat i co de suc, albo quatitaté dua rus partium ei? z partiaq coler z coquat Tfactat fin disciplina fupdicea, Etfi mel eft fubtile.opts @ ponat medictate eins De succara Timt & ponut exmelle onas T er suc, tertia. r coquunt r faciunt vt diri. Et ctia funt à facilit perdias ballias for mas diucrfas abiltis fez ponentes fupra cas agrofata v para capbozcad equan dum virtutem carum.

Pignolati fimpler t vsuale penes apotecarros nostros fit cum suc, dissolutio i aqua rosata t bi ligenter clarificato. Es coctum fuerit ad perfectione infundat p igueas mudatas t dimittat ifrigidari ad formam confecti

oms solide.

Blofa notanda,

Docpinolatů cft multů i vsu, Attede tamé circa cosectioez ci? Q i grano pini cst mordicatio, t pprici recenti vt notat Auic, sedo cañ. Et ci ppriuz é nocere sto maco, vt idé. Auiceñ, ciñ, terch ca, de red'in quaruz vsu nocetur stomac?, ppter ci? quasdă partes desas t copactas p quas resistut digestioi. Pignec crgo aterigre

diantur aliquam cofectionem debent in

fundi i aqua calida voi paru stent. postea extendantur super linteus e aliqualis ev siccentur. Et tande in vindra perfecte ep siccentur, e cum puluere suc sup asperga tur sic enim tune preparate debent ungrea di confectionem, licet forte die no sit optita facere, quia sufficienter die corrigiunt vi patet intuenti.

Alund pinolatum compositum cx.D.Od.

R.pignearum mundatarum.z.vii), amigdalarum mundatarum.z.v.

zuccari albi lb.iii, aque rob lb.ii..
olet rosatifacti cii oleo amigdalarii dule cum recente.z.ii.
cum recente.z.ii.
cum alocs.z.ii.
ligni alocs.z.iii,
sandalozum.z.iii.
ligni alocs.z.iii,
sandalozum.citrinoz.z.iii,
ambre bouc.z.i.
musci.z.ii. septam.

Aliud pignolatum compositum ex.D.eiusdem.Od.
R.pignearum mundatarum.z.vi.
amigdalarum oulcius mundatar.z.iisi.
zuc.albi lo.iisi.
aquerof lo.i.s.
foliozum rosarum rubearum.z.i.s.
sandalozum citrinozum.z.irs.s.
ambre.z.i.
musc.z.i.
musc.z.i.

Moma t pira condita fin. D. O. Ista conduntur sicut citonia, m. Persia cois ad facis litandum partum.

The corticum cafficfifule, 3.f.

cinamomi crocian. 3.i. Eibibeat cus. 3.ii, vl.iii, aq arthemeffe vel aque ruthe: vel decoction iumipern.

Prilia contra pestem,
R. aquerof, 3, ii,
vini, 3, s,
boli armenici, 3, ii,

Blofa notanda,

Dec pruia confetur effe dem ente ani,
fedo canoñ, ca. de luto armeno vivi ira di
cit ad lutera, Et fi bibitur in fedre peftile
cie necessarium est vi vinum perducat ip
sum ad cor emisceatur vinum illud cum
aqua rof.

Willule fine quibus effe noto. Din.

Dec confectio pi smolati copoliti: t filt feques poe ficri ad formapi smolati et adfor ma electuari fed qu fifici ad forma electuari yound aime decentaria q vumi reges,

libec peiffa pma
centet effedeme
ce aute.fen. rei.
cerrij ca.de mede
cinus facileeffid
entib? parra vbi
oten quarr. tip,
cafficifit. tipple
coeticia facium
frati penarrhan
priffa fix redagie
un forma illefold
nia docere soban
nes mathet eins
ter modinos pra
eticos bodie fios
ret ze coisvalde
appo aporecarios
niros. Expôntir
iañ. qualfidigian
pena debuit due
ren de caljufithul
lam,

Ralocs optimi abluti. 5. pin. quinc generum mirabolanozum renbarbari

masticis abfinchi rofarum

piolarum Tenc

Et pone dyagri dium flue fcamo

nca pparată.

agarici cuscute an.3.1.

Zemperentur cu fucco! feniculi i quo fint fcamonee benetrite 3. vi.f. t fit pmo mir ta scamonea cum feniculo, z postea suco cuo sit expressus simul cu ipsa scamonea in tanta quatitate of fufficiat ad cofectio nem predictor, t formentur pillul ecum manibus munctis cu oleo violato vel cu olco coi abluto.

Willule auree

D.II.

B.alocs dyagridi an.s. v. rofarum feminis apijan. 3. 11, f.

antli Feniculi

mafticisan 3, i.f. croci

unteriozes colquintide an. 3. i. Formentur pillule cum aqua infufionis diagaganti

Blosanotanda

Wide quitepillule q funt viuales mi tum funt fortes numis. Patet em offpens fanti z expiteti illas q in glibet, s. pulue ris can ingreditur oc oyagredio fere.). i. tame. 3.i. cft cois dofis oin pillulant renera effet nimis multu. Ideo dicit plas teariofing ifto paffin qubi de tin pom de byagredio qui exigit receptatet credo q Debuit dicere alocs 3.v. Dyagridi rof. an. J.v.vel. s.n. aut ad plus. s.n.f. r fic in trabunt in.3.adbuc fere gra. c. dyagridh. z mipfe confidera

Billule cochie. D. raf in alme fore capto de cepbalca.

A.pulucris yere.3.K. coloquintide,3.ii), z quarta partem,3,12, fcamonce,3,n,f. turbitb

fticadosan.z.v. Blofanotanda

T Eredit iobanes mathei de gradi, pa pienfis doctor clarifim? int modernos bodie flores o obior in bac recepta fcas monec.3.n.f. o debuit dicerc, 3.n.f.qz in boff ban pillulan qua pomeraf ibide in

trant fere.pr.gra, fcamon, S5 q2 cafdeni pillulas formaliter feripfit mef in fuo de appropriatis ca. de foda de interde raf. filn sacarie bac ratione dubitas fup ifta matia plaudauit pillulas cochias feque tes que fut galien. Thevidetvelle q apo tecari debet dispélare illas galicip bo teca fua z no istas que funtras. Comus nis m vius eft tenere iftas q funt raf, et illas difpenfare: znon illas galieni.

Bullile alle cochie ex deferis ptiocga.quferibit mes in fuo de appropriatis ca, de foda,

R aloes dyagridh coloquintide mafficis

abfinchilan partes equales Confice cu exprellioe endune aut folatri Bullule oyacaftoree

Tr. caftozci piretri oph croct zinziberisi (hierana a tali a tali eta elactern many mornious and talk the state nabathematicum leucopiperis nigelle cpythimi fpice an.s.i.

Confice cum fucco blete. Blofa notanda. Sit fapies apotecari? post vsum ista

rum pillulap.f.post trabinonep nares z purgatoe cerebzifacta vi pespiat infire mo trabicere aqua occoctionis maluan admirtioneferuoris. Oulta cm in purs gando prestant molestiam.

Millule de octo rebus D.II.

R.oloes byagridhan,3.42 interiozis coloquintide dattci cpythumi

agarici mafticis lzebuli

abfinchij,afi.3,f. Zemperent cum fucco ffrigmi,i.folatri. Millile dequines generibus possenções de

mirabolanozum.D. TI. Requince generum mirabolanozus Ifte pillule funt pluales multi.

Dicmulm ochet puluerifari colo: gumrida ne idn s cat exicogratione

eisdictinitay.

pho vere.

vbi ponef defaif agarici byagridñ coloquintide fencañ.z.i.f. epythimi turbitb anufi maratri mafticis lapidis lazulian.z.n.f.gra.v. aloes.3.1. Confice cum incco abfineby.

Blofa notan da. TIte pullule funt vivales multi repe! runtura preparate vbia. Et qui coficia untur 03 multi puluerifari coloquintida ne inducat exceptatione. Et licet in cofes ctione ear no ponatur susiber: credo tin poc fut obmissim cuerroze scriptozis Thon de intentione auctoris, Thoc dico ppter turbith z agaricii: que ibi ingredi! untur quibus ambobus 3m3iber mirabi lem figilat proprietate: vt mes captis,ps pris de agarico e d turbith, e pone fivis de zinzibere.z.i.vel.z.i.f. aut faltem pone agaricti trocifcatii z turbith trocifcatii. facetia q anteq lapis lazuli banc tua ingrediatur compositione q beneabluat Pm arte pnotatam in libro primo z cap. be ablutionibus of in bac recepta non fiat expressa mentio

Millule elephangine, b, m, M.cinamomi cubebe lignialoes calami aromatici macis
nucls mufcate
cardamomi
spariofilozum afari mafticis carpobalfamiañ,3,i, abinchi ficci

Zerantur cotritione groffa:t fundat fup ca aque lb,xij,7 coquantur vios ad cons fumptionem duaru partiu, Deinde frice tur manibus t colentur: terpzimat agfi tas eins. Zuc recipe aloes fuccotrini bo mi,lb.i. z lauetur in scutella lapidea vis ribus. Deinde exficcef z fundatur super ifm expflioms pdicte arater lb.n. tera tur: tin fole ficcent, Deide mifce chi aloc

mafticis ali.3.v. croci3.iii.

Zere contritione bona, beide pdicte expf fionis refiduum sug ca fundatur t conte rantur donec ficcentur

Blofa notanda I 3fte pillule funt multa viuales z vbi B pparate reperiunt. Attende o in cofe ctione bay pillulay circa modii abintois oz of fundat vefup ağ lb.rij. Dicit ti lfa mer ca.ve alve q ifta vebet infundi in fe ptuplo cop aq.Diafcofequenter in bac recepta of fundant ochip expressionis p dicte circit lb. n.z bine corridet lfa mes loco allegato: vbi ofcit q,o qlib3lb, illi? aq ponat aloes. 3. v. q faciit lb.f. z fic in lb, i aloes debet pom expfliones predicte lb.n. Segtur poftea in recepta. Zeraturt exficcent in fole. Dict th med loco fupra dicto q pmo debet ficcari in vmbra: 15 03 copleri exficcatio i fole. Pontt etia mafti as vel bdelin fupple aut oragaganti : vr mef loco supradictor forte meli? Bonit em ibi maltir veremoueat nocumetu qo imprimit in venas:13 dicit merobi fupra o mbil eft tă magnifică ex rectificantibe ficut bdellui rozagagătii. Lõit tii ponit malticiurtalfam Rte. Bomf etia cros loe q debeat dicere, 3,1. Dicit effi ibi q 05 pont de croco ps. i.f. Let de elephaginis ps vna, supra aut positu cft de qualibet specier elephagine, 3.1, quare videt ex illo term qubi debut ponere croci. 3.f.

Mollule agregative D.OJ. Remirabolanozum citrinozum rauendefeni añ.3.tiff, fucci eupatorii fucci ablinchii an.3,ii. dyagredij.3.vi. Izchulozum indozum . coloquintide polipodijañ,3,ij. turbito bom aloes añ,3,vi. alocs añ.z.vi, maftias rofarum falifgemme epythimi anifi sinsiberigafi, s.i. Electuarij rof quantum fufficit ad agre

gationem

Dic 05 poni eles ctuarin rof. des feriptionis mef.

Wic damlen puls merifari coloquis

Scofft met. ref

Descriptiones de

pillulis agregati tus: fed itta pma

coiter habetur i

qo fir in modum opiate vel coler! us rop, aut md

Becudus

Aftepilluleh für in vin:nec ppare regioneur.

Bulule agregative maiores, D.O. R. Abelli mollis mirabolanozum nigrozum bellericozum emblicorum an. z.iin. turbith electus, pin. feminis apn fementi carui amcos ozigani rofarum fetaragi indi armel bermodatilozum falis indi mafticis armoniaci.an.3,1. 3in3iberis cinamomi cardamomi BC021 fpice croat caffie an.3%, Terapini.3.iif). coloquintide,3.11. penidiarum albarum.5.fin, aloes fuccotrini, 5. Fv. tuas cum olco fambacino. Millinle agregatine

minores.D.O. R.mirabolanozum citrinorum migrozum emblicozum añ, 3, in, mafticis anifi lacci eupatorn fucci ablinchin rofarum añ.3.4. rauendeleni.3.v. perc pigre.3.rij. Confice cum fucco api 33illule de cupatorio

Iste pillule coit no sunt i psu alis quith eis magif Bratiter prittir.

R.mirabolanozum citrutozum fucci eupatozij fucci ablinchin an.3.in. rauendeseni, z.in, f, mafticis.3.1. croci.3.f. alocs bom. 3.v. Confice cum fucco endinie.

Ifte pillule coil non func in pfu:

Confice cu fucco caulium zvngemanus

maiores.D,O.

Mollile de cupatozio nunozes, D. O. R.mirabolanozum curinozum

rauendefeni fucci cupatorii aloes an.partes equales Eonfice cum aqua apn.

Dillule de reubarbaro.

R.ranendefent, 3.19. fucci liquiricie fucci ablinchi mafticisañ,z,í, mirabolanozum citrinorum. J. f. f. Teminis aph femculi an. 3, f.

trocisco.dyarodon.3.in.s. yerepigre, 3.r.

Confice cum aqua feniculi
Billule alie de renbarbaro.
D,mef.quas intitulat sub

boctermino de ranedefent R.ranendefentis.vi).

armoniaci ferapint bdellij an.s.r. lacce ablute, 3, vių, орроронасі mezercon gummarabici añ.z,iiÿ, turbith.z.r. **Spice** poli

alocs ah.s.v mafticis, 3.1%

mirabolanozum citrinozum, 3.5.4.
Dissolanozum citrinozum, 3.5.4.
Dissolanozum, 3.5.4.
Dissolanozum, 3.5.4.
Dissolanozum, 3.5.4.
Dissolanozum, 3.5.4.
Dissolano

B.abfinchin, T

fucci cius fucci eupatozn aloes mirabolanorum citrinorum mafticis croci rauendefeni lacce ablute

anifi asart caffielignee semmis fumiterzearle, f.

vere pigre, 3, tip. Confice cu ağ folati. Et alığ ponüt vena ru liğriciend e radicu liğricie medietate ponderis omnium,

Blofa notanda. TIn bac confectoe ingreditur agaring cofectio licet fit lapatina: 03 tii muiti pul uerifari azaru vt repat ad vtas vzine ta Quat illasvias z etia vt iducat viruite mc

The pillule funt m viu Toparace reperititur

Ifte pillule non parateregunst,

piliulis de rens barbaro i pente The pillule non funcip parate regiung

The pillule apud

nos no habetur in viumer ppate repunt

Moloquintida B

deber multii puf

uenfarime indu

cat excortation?

Pilluleiften ffic

in viu:nec ppate repuit.potuiffer ant paus deferis

bi fimul că pillu:

dicinarii folutinarii ad ptes illas, Dicit ctia in fine Rete poscofici cu aqua folastri: tos intelliguid est cu aqua alkeliagi vel fucco q est spesifolatri: t e illa qua cit.

codas rub reclufas in foliculo rubco.

Spillule ad febres antiquas.
D.philagri quas ponit mer

B. trocifcozum oyarodo trocifcozum de reubarbaro a il 3, iiii, lzebulozum.z.in. fucci cupatozn bedegaris afi. 3.1). abfinchin, 5.1,f. mirabolanozum citrinozum feminis cufcute curbith añ.3.iin.

agarici aloes añ.z.vine

falis indizif.

Lonfice cum aqua fenteuli Bollule inde qs fcripfit baly abbas quas ponit mefue

K, mirabolanozum nigrozum eleborimgri pollipodi añ.s.v. muda

epithimi fficados an z.vi, agarici lapid lazuli loti coloquintide

falis indian. zain fucci cupatorij spice an.3.11, gariofilozum.z.ic

yere pigre.s.rn. Siant pullule cum fucco apti Willule albandal bermetis quas ponit mef.

Th.trocifcomm albandal.3.rij. ycrepigre.3.vij.

lapdan: purufimi, 3.1, Dia pter lapdanu z mafticeterant z cris bellent mafter to pulucrifet z cu pauco olco nucu biffoluat: z cu co limant fpes trite, ocide că lapdano oficianf in morta rio terendo ca cum piftello calido, z fiăt pillule groffe,

Billulcaticalbandal, D. CO. Mon funt in you R.trocifcozum albandal.3. r. falifgemme, 3.1.vel, 3.1.

lapdami, 3.ph. oleirof,q.f.

Raro medici viti turifhs pillulis: Billule de farcocola D. Ot

R. farcocole. z.tij. turbith.3.1111. coloquintide, i,fi 3m3iberis tantudem falilgemme.s.i.

Diffolue farcocolam in aqua rofet cofis ce alia cum ca, t fiant pillule

m ca, Thant pillule Brillule gove Billule fettde maiozes; D.m. raiter funt ivia Tk. scrapini armontaci

oppoponaci bdelli mollis coloquintide armel aloes epythimiañ.z.v. bermodatilozum alfebranañ.3.n. fcamonce.3.in. anamomi **spice** croci

caftozciañ.z.i. furbith, s.iin. sinziberisiziif. euforbii.5.19 partesifi.

Diffolue gummi in aqua: id eft in fucco pozri z fiant pillule

Millule fetide minozes, b.m.

Be Serapini amoniaci oppoponaci bdeilin mure an.s.v. turbith3.r. coloquintide.z.vi. Formentur ficut priores
Pillule de ferapino, b.m.

A ferapini amoniaci oppoponaci

bdelly alocs armelañ.z.ñ. coloquintide, 3, in.

Siant pillule cu aqua: id eft fucco porri, Billule de lerapino alicom, R. Serapim

amoniaci oppoponaci bdelly mollisan, 3,10 feminis api amcos armel antfi añ.3.4. acozi

Cetaragi indi

th postereplune ab viu th ipfara eft cauendi.

anpid bigant

no funt bene pla late pr maiores: ideo no füt ficin ain at majores'

Pillule life ppa te replant: lyno multi babeaf in viu v reuen uni us è vius pillula en feridarus mad (iozum,

Ifte pillule fcom bac befeptionen pparant: f folus m pcedentem

calamenti fluuialis centauree poln coffi falifgemmean.3.f. aloes, s.vi coloquintide, 3.v. Fiant pillule.

Billulede cuforbio

pararein raine pararein repint Reenfordi Etnopuluerifet colloquintide multă eufordiă, colloquintide aganci bdelln mollis ferapini an, 3,in. aloes.3.v.

fiant pillule cum aqua.i.fucco pozri Dillinle de mezereon

vbigpparatere R. foliozum mezereon infufozum in ace to z exficcatozum,3,v. mirabolanozum citrinozum.3,iifi lzcbulozum, 3.14, Lonfice cuteremabin t tamarindis bil

folutis in aqua endinie. Millule lucismaiores.

D.O.

Deiftis pfllulis bueponuné des lampudes, fi ista R.rofarum prima é illa q ba bet in viu zvbis @magisppara/ abfinchi ta regitur.

ad partes illas

piolarum coloquintide turbith cubebe calami aromatici nucis mufcate **fpice** epythimi Epithimb t asa m no bic debent tin pulverifari q carpobalfami rilobalfami Teminis ruthe repat ad viasvai ne ve beferat vir fqumanti tutelaratiuozus mafticis azari gariofilozum Chamomi

anifi feniculi. aph caffie aroai macis an. 3.h. mirabolanozum citrinozum lzebulozum indotum

bellericorum emblicozum rauendefenian.5,9. fene an.3.v. eufrafie.3.vn. aloes fuccotrini ad pondus omnium Confice cum fucco fementi Pillule lucis minozes D.O.,

R. rilobalfami carpobalfamian.3,i, celidonie,3,v. rofarum abfinchi piolarum eufraficañ, 3.in. fene epythimt

mirabolanozum citrinozum lzebulozum ındozum bellencozum emblicozum agarici

colloquintide fquinanti lici lapis lazuli loti añ z.i.l.

aloes bont ad pondus omnius Confice cu fucco fentculi aut celidonie.

Billule ad febres collericas. D. D. M.mirabolanozum citrinozum

indozum feminis fumiterre cufcute emblicozum añ.3.ff. foliozum rofarum femmis citrulian.3.19. rauendeseni,3.vi, fcamonee cocte in citonio, 3, i.f. fucci eupatorn

fucci ablinchian.3.ff. agarici.3.n.f. pere pigre.3.vin. mellis agregationis cassiefi. thamarindozum

T fucci endune quod fufficit Billule Dyarodon D.D.

The trocifcozum byarodon abfinchij añ.z.v. ciarum fquinanti malticis añ.3.n. falis induz.i. alocs bont ad pondus omnium Confice cum aqua.Lfucco vel aqua beco ctionis velaqua fublimationis citri; aut cum firupo conferne curi

Willule de turbith, D. O. i un

Ifte pillule co = ter ppantrhate tur in viu: no til fleut pdiere

Ifte pillule non funt in viuence p parate regiunt

Iftepillule aqui bufdå babent m pfu: mā funcoo: meffice & magne fecuritatis

Ifte pillule non

Dı

Ifte pillule raro

Ifte pillule cois ter funt in viu et

tito

funt in viu:nec p R. turbith electi. 3. roi. parateregiunt. aloes, 3.1.f. maftias rofarum añ.3.vn. mirabolanozum citrinozum,3, K, croci.3.11)+

Confice cum fucco abfincbii Billule de turbith. alic,D,D).

Ifte pillule fi füt in viunec ppate R. turbub reginneur

mtrabolanozum citrinozum aloes optimi añ.3.p. mafticis rofarum spiccan.3.n.s. anifi.3.1.f. croci3.1+ Siant pillule pt bictu eft in precedetib.

Iftepillule gene raliter z vbichre giunt pparate

Millule de lapid lazuli D.D. R.lapidis lazuli abluti.z.in. epythimi polipodnañis, viñ. **Scamonee** elebozi migri falis india naij.f. agaricus,vi). gaziofilozum grand, and afi. 3. uij. and and and admid yere pigre,3,kv. Confice cum fucco endinie.

Iftepillule rarife fime babemr in via nec ppareres belap.lasuli.en: cpythimi as lapide arme/ polipodija mi nemo nonit ppagradi z refteraby moy/ fcs.

Ifte pillule coit no pparant: fed pparant majo: res. Et poe bdel ciad refringen da et no molle.

Iftepffluleffirin viu z pparatere perintur,

Biliule de lapid armeno. R.lapidis armeni loti z preparati puntur: qr coue vere pigre añ,5.v. polipodijan zaij. garrofilozum 3. ij. falis indus.i.f. Eonfice cum succo solatri.

30 il iule de bdellio

D. O.

R.mirabolanozum nigrozum hā oemecha aut emblicozum falrēbieliā fice bellericozum añ 3.v. emplicosum, bdellij.z.r. fcorie ferri preparate feminis porrianizin, cozali adulti carabe concule adufte an, 3, i f. margaritarum, s.f. Confice cum succo pozri Billule de bdellio

maiotes, D, Db. R.bdellij.z.rij.

amcos.3.in. Izebulozum indozum bellericozum emblicozum venarum aduftarum

lzarabe añ 3. ú.f. Et confice bdellium in fucco pozri. Blosa notanda.

In bac confectione ponitur bdelliuzz debes itelligere de bdellio de mecha:aut faltem debes ponere bdellium ficenm i et non molle:vt in precedentibus. In eacti amponitur'venarum aduftarum: z dicit actoz pendetap q falfo:fed q debuit dis cere auclanay adultay. Alius actor cut? nomen ignozo inquodam libello fuo q in cipit, fac igitur pie deus tc. bicit q des butt dicere vermit terreftrium aduftozus Ethecopinio videtur magis effe de me te melue, vermes enun terreftres adultiz potiffime cocule terreftres fine limacie q funt de genere vermium funt exficcatme exficcatione forti potiffime quado adurit tur, et debent aduri caro cus testa z subti liffime teri videntur ergo connenire pro pofito. Et videas quite pillule funt fimis les in virtute cu pillulis de bdellio pruis descriptis in recepta pcedentivbi posuit coculas aduftas, of nolis ponere cocus las terreftres.f.limatias:pone aquatiqf zmarias:fed funt debilions virtutis,

Willulc de bdellio minozes.D.W. R.m:rabolanozum izcbulozum

indozum emblicozum bellericozum añ.z.v. bdellij.z.pv.

Fiat vi dictum eft in pillulis de bdellio matoribus, Billule be oppoponaco to in, Dicponebdes

R, oppoponaci bermodatulonum muoldonum ferapini bdelln mollis amoniaci colloquutide an.3.v. croci mirro musomand a uso nalogarena

3in3iberis piperis macropiperis cafficlignee mirabolanozum atrinozum midozum

Iftepile lub hae Dano funt i vin

ans de mochacaut faitem b dellium fico prinaliga

Pilluleifteialis gbus regionib? pparant zin bis Oscoloquintida fubrilalime pur Herifari ne indu cat excorratoem,

bellericozum

fcamonec.3.11.

turbith.3.iin.

emblicorum afi. 3.4.

Ifte pillule babe

reguntur,

3125

KNI

Mil

pparaterepinut Ac.bei Princofectione aloes barn or cologne mirab nda fubriliffime pulucrifari 2 eus fozbiñ no

Pillule ifte etips vbigs reprunt p Pate: Tfunt i vfu

terepintur,

gariofilozum rilobalf

carpobal

3m3tbcris

lar fragie

feminis (peragi

malticis

fentculi

anifi

brufci

rofarum

hum.z frant cum eis pillule Dillule de permodatilis T.bermodattilozum alocs añ.3.v. mirabolanozum citrinozum turbith an.3.iiff. zinziberis. 3.11. Fiant pillule cum electuario rof. Willufe de bermodattilis maiores.D.W. R.bermodattilozum mirabolanozum citrínozum turbitb. colloquintide bdelln mollis ferapini an.3.vi. castorci farcocole cufozbij oppoponaci armel apijañ.z.in. croci.z.n.f. Confice cu fucco canlin. z fiant pillule Bullule de bermodattilis minores.D.W. R.bermodattilozum.3.v fcamonce.3.n.f. mirabolanozum citrinozum, 5.ff. rof.3.1). aloes.3.F. Confice cum catartico rof Bullule artetice. D. The The pillule fune R. bermodatulozum agarici an. 3.iii). caffielignee **spice**

granozum folis falifgemme añ.3.f. alocs ad pondus omnium Confice cum fucco feniculi Billule q no valentes surges Iftepillulen sur refacunt incedere D. Rap. in in vsu zi eispo nuffcamonee ze. nono ad almenfores Realoes.3.1. poortoid'm edi cunarique di cuna di cunarique di cunariqu Formentur pillule. Billule de colloquintida D.D. R.colloquintide.z.v. mirabolanozum nigrozu5 citrinozum ferapini bdclin mollis farcocole añ.3.v, aloesz,vn. migelle cimini carment oziganí perfici nasturch albi faltfgemme ablinchii romani an.3.i. Infunde gumas in aqua pozri.i.in fucco pozri, z fac cum ceteris pillulas Willule sebellie, D. O. spice romane ranendefent agarici epythimi afi 3,116 cofti masticis camedreos amomiañ.z.iff. croci.3.4. mirre cinamomi gariofilop fquinanti an.5.4 aloes.5.ch. Billule stomatice D.O. R.yerepigrez.vij.

trium mirabolanozum añ.5,iff. agarici 3.n. turbith.3.K. epythimi cretenfis.5, n.f. falis indi.3.4. abfinchi fcamoncean.s.iii. penidiarum.3ein.

bitti fi gentilis in libello fuo de pportoibom edi prem feils grana v. vej. vi. et ilta vra cit tutioz.

Afte pillule fi füt in viu net poate regiunf.potuifs-fent aut in medf ate fubiungi ad pillulas beailbă dal d erpontitur be colodnida: fi egobic obfernas m oddine melue in lutera.

Ifte pillule coit no pparant vits mur in cis inter du magaftralr,

Quidă factunt thas pillulas et ddă alias ifterfi no funt q ober pparipper alia lazariua ab aloe q tbi intrat q lies cuacute a froaco aliaderit emă au aliudeth enaat/ trabur: 10 ille or omnibus iftis i

dicuntalin poe! best pont pillule R. vere pigre 3. r. fromance on de trum mirabolanozum feriptione allein digeponit aui. mafticis en. o doloze capis anth tis. toe ipfis in/ bellerici telligitur quado feribit in libris p abfolure qt prof garina in bonita te sup ceteris pil lults fromaticis habent quarare turbith.3.ph. cepta biccii cetes risinlent

megoebetppn fac pillulas cum succo scariole ri eg priedicii Billula alie stomatici tur stomatice, et Millule alie stomatice D, ciusdem D.

abfinchin añ.3.19 encanna R.pilin agartet an. 3.111, laraftomaneara 31131ber18.3.11, agarician, 3.in.f. gariofilozum talifgemme fquinantian,3.i.

Confice cum fucco abfinebii

Modfule stomatice allzindi R.mirabolanorum kebulozu partes. vi. falis indi abfinchii romani agarici lems fcamonce subalbide oium affi, partes, in. affari seminis aphoiman.partes.n. medulle turbith albi partes. pvij. epithimi cretenfisrubei mundi recentis. partes.v. yerapi.partes.vij. gariofilozum partem,i. Commiscantur ite medicine post cribel lationem:ocinde ponat super cas panla tim: rafpergatur aqua inqua bulde funt partes.iii.pciidiarum fabari donec cos nerfatit in substantia succi datillozum: deinde formentur pillitle fimiles piperi.

Ifte pillule fi des bent pparari fed plrime.

Billule alie stomatice Th.trium mirabolanozum añ.3,in. rofarum mafticis añ.z.h. cardamomi lignialoes fandali citrini enbebe gariofilozum Iquinanti mucis muscate an. 3. ij. ranendefem 3.f. turbith.3.vn. aloes ad pondus omnium Confice cum vino odozifero

dofis fit feamdum virtutem.

Theffit q cofter pparate regiunt peligitur thuffe od ille finvolun saté medicopeis

Billute alse ftomatice R.mirabolanozum citrinozum turbith añ.3.k. mafticis, 3.vi. rofarum spice an. 3.n.f. anni s.i.f. falis indi croci añ.z.í.

aloes fuccorrint ad pondus omnium Confice cum fucco abfinchi

Dillule alie stomatice

Raloes. z.vi. mafficis rofarum añ.3.h. Confice cum fucco folatri Pillule ante cibum D.TI,

R. lignialocs gariofilozum foln

mafticis pilobalf carpobalf cafficlignee made nucis muscate cinamomi cubebe

fileris montant fpiccañ.3.n. reubarbari

aloes an ad pondus omnium Confice cu balf vel vino odorifero : vel

olco laurino autrof

Willule alie an cibu clariffimi boctozis magistri pathalcoms deverfellis

crock

Tk.tamaruidozum agarici trocifcati añiz.f. reubarbari electi gra.gv. pillularum elephanginarum. 3.6.f. Siat maffa cum melle.

Billule de agarico D.O.

R.agarici mafticis an.3.in. rad lilin celeftis praffigañ.z.i. turbith.3.v. percpigre,3.iin. colloquintide farcocole añ.3.11. mirre.3.1. Confice cum rob.

Billule & fumoterre. D. ani. Ifte pfflule fune un quarto cañ.ca, de cura fea vons pparatere bici 7 pruritus

R.mirabolano2 citrinozum Izebulozum

wienefum.

Ifte funt pillule a deberppari is reiveritate.

Iftepillule bodi ernis diebus füt pluales in baca utrate turofi.led mira videf q vir tantus poluent tamarindost in ram pua quanta ram pua quanta re reficre funció nobis er poria manu feripte fic formaliter fi mis bu placer forma earu ins fint fasmiliares z dome Stice.

Piliule de agant co generalir funt in plucet voich p parantur,

puntur,

Mo eft i viu:nec

pparatū repitur

nigrozum an.3.4, aloes.3.vij. scamonec.3.v.

Sine cellatoe confice cum fucco fumiter re. t dimitt ant bonec exficcentur timbis bantur vice alia fic imbibendo z exficcan do vios ad tres vices, beinde bimittant donec fpiffum fiat totum, zep boc toto formentur pillule.

Pillule ruffi.

Ralocs election, croci

mirrean.3.i. Confice cum vino aromatico

Blosa notanda, TItepillule funt multuvfnales z vbi B preparate reperiunf,fi ti debeant acci pitpe effatis: laudant boctores vt lauet aloes cui aqua cudinie. Et q etiatpe epp dunie addatur de bolo armeno tatu otta eft aloes, bec notat Apoforus georgius fup mef. A quibufdam antem pocantur pillule arabice,

Billuledeaffeyeret quas notat af uicen.terth pria ca, be curayntuerfa livoloris capitis, reas dofauit ins fignis t clarus, boctoz genlis be ful geneor maku funtvfuales, z ficvbt

th preparate reperiuntur, mafticis mirabolanozum citrinozumañ. 3.fe alogs optimi, 3, i,. Siant pillule cum firupo de fticad.

Willule ad oes morbos catarri.D.O

R.mirre trocliten, 3.vi. olibani, 5, v.

opu iulquiami an.3,iii,

> Willule bicbie ad tuffis, Dum, lib, de appropatis, fumma leda partícula fede, e cap, n.

R. fucci liquiricie suc,tabased an, aureos.vi. amidiaurcos,vi. dragaganti

amigdalaz bulcium añ,aure.iii) Confice cum mufcilagine pfillij aut femi nis citoniomm

Billulcalbe, D, einlde mef lb. z ca, eifdem vt pillule bichie ex aucto, raf.

Re Succi liquiricte amidi dzagaganti gummi arab amigdalay bulcifi ercorticatarii, afi. 5, i. zuc,tabased.s.in. Cofice cu muscilagine seminis citoniou

Sinit particula.gv.

Decimalexta parti

cula fecundi libri incipit. Equitur be littera Q.que ad litte ram 30 immediate fublequit i 024 dine minozis alphabeti, in bac aut particula erit Irta vnica.

Quadrimeron, D.TI.

Quadrimeron D.II. Beelempni. 3.1.3.111. feminis maratri, 3,16 pipcris.s.vi.

cimini.3,in, mellis quod fufficit

finit particula, rvi

Decimaleptima parti

cula Jecundi libri Incipit. Equir delfa R quad fram Q.imes diate subsequitur in ordine mino risalphabeti. In hac aut particus

la crunt Arte, sequentes, Requies, D.N. Rub trocifcata, D.N. Rofara nouella, D.II. Rob deribes.D.O. Rob ocagrefta.D.D. Robbe combus, D. D. Rob de citoniis. D. Wei Robbe points. D. W. Robbepiris.D.D. Rob de prunis, D. D. Robbe granatis acctoffs, D, O. Rob ocperficis, D. O. Rob acetofitatiscitri, D. O. Rob mirtium, D.O. Robbeberberis.D.D. Robbe fumach.D.D. Robbe mozis de fentimaturis, D.Co. Rob defructib, D. D. cuius due ponun

turrecepte. Requies.D. II R.rofarum

violarum afi.3.in.

Dac prectice ras ro vamur: inter: du th vamur: et muenic ppara.

Elias pillulas fe recasdescă ilhis posuit mes.ca. d tosti. de interioe alcrandri que ap : pellar pillulas o amogloffa. Eifte funt, fecuriozes: quibi corrigitur croci.3.i.f. eping bocopos rad lingue canis,3.liii, liitevoci qo no Fiant pillule midige. Ex fut Bullule bido viuales multū: z voiß pparate re

Thepfilule für in wher preparate reperions

infquiami micoms mandragoze feariole lactuce femmis portulace pfilli nucis muscate cinamomi 34Can.3.1.1. trum fandalozum fpodh bragaganti an, J. n. gra.v. mellis quod fufficit. Blofa notanda.

O manh of

I In bac confectoe cout hbribabent mi conis papauerio albitali babent papa ueris nigri:fed ego credo o fut erroz feri ptoris, in antiquis libris babet micois id eft papaueris albi. t ignari fcriptores obmiferiit ly, id eft, z feripseriit poltea pa paucris albi, z alii papaucris nigrinefci entes quid facerent, ponif ena ibi suc.3. i.f.nefcto ad quid'conferret z credo e fal fo:fed.debuit dicere zaccarie. 3.pfilln:fed qo me facitoubitare eige fupra posuitpfil lipet fortefut crroz scripton.

Beccofectio bas Beliquiricie

Bpparata repif cinamomi papaneris albiañ, iii, 3, i, gra.v. croci rofarum iulquiami femmis apij an. 3. n. gra, rv. mardi violarum añ 3,i,gra.vij.f. gariofilozum Itozacis oph thebaycian.3.f. trocifcozum crocomagmatis trocifcozum ydiocri mirre amfi añ gra ro. mellis quod fufficit Rofata nouella

Alid vidturma: giftraliter bacco fectione z ppara ta repitur

D.N. Rarofarum 511C. liquiricican. 3.1.3.1.3. fi.f. cmamonu.3.4.3.ij.gra.ij. gariofilozum nardi 3in3iberis galange ... mucis muscate

sedoarie ftozacis calamite cardamomi aphañ. J.i.gra.viij. Robberibes D.O.

W.fuccinbes.lb.r Coque cum facilitate vicaquo confumat tertia pars ipfius deinde coletur toimit tatur refidere vice oum darefcat, deinde coquatur cum multa facilitate in vafe vi treo vf oum babeat fpiffitudinem. Hut erponatur foli vice oum pinguefcat,i.ba beat fpiffitudinem, Robbeagrefta.D.O. Roboecombus.D.O. Robbecitoning, D.m. Robbe pomis.D.m. Robbe piris, D.m. Robbe prunis.D.m. Rob de granatis acetolis, D.m. Robbeperficis, D.m. Robacetofitatis citri.D.m. Rob mirtinum, D.m. Decommia funtficut robbe ribes, Robbeberberis.D.m.

Robbe berberis fit fient rob deribes. Ex cepto of finon babeal fuceus berberis ac cipe excisficcis lb.in.z pince fup illud fue ci agrefte lb,in, Et dimitte per tres dies donec bumectentur, deinde fricentur mai bus z exprimatur aquolitas tota z coqt ptrobberibes. Rob de fumach, D, m. Robbe mozis be fem immaturis. D.m

Decouo funt ficut rob de berberis

Rob defructibus D.m.

R.fucci granaton acetofon a mufon fuc ci citoniozii acetoforum fucci pirozum ummaturozum fucci pomozum montanozum.id cft filuettrium z acetofozum fucci sasur facci agrefte fucci acetofitatis citri an. partes equales profice in eis berberozum z fumach an. partem,f. Stat ficut durimus in robbe berberis Robalind befructibus, D.m. pparaturepint

R. fucci granatopacetofop z mulop адис рациогии aque tamarindozum affi.partes equales fucci acetofitatis citri partem, f, fiat ve in rob be ribes,

finit particula.pvn.

Mo eft i pfierner брагата герішт

Moeft i vlunet

Decimaoctaua par

ticula secundi libri Incipit.

Equitur cosequeter ve littera S.

que ad l'fam R. immediate subse quitur in ordinelfarum minoris alphabety. Erunt autem in bac particus la Prte sequentes. Suffuf de ligno aloes.b.m. Suffuf oyarodon b,m. Suffuf aromaticum.b.m.

Suffuf impinguatiuf.d.m. Suffuf de granis mirti.d.m. Suffuf ad tuffim antiquam, o,m. Sotira magna.d.n. Stomaticum calidum,b,n,

Stomaticum frigidum.d.n. Stomaticum confortatium,bant Simpus de pomis,d,m.

Girupus de piris.d.m. Strupus de perficis, d.m. Sirupus de citoniis, d.m. Sirupus de fucco acetofe,b.m. Sirupus de granatis acetof.o.m.

Sirupus de granatis dulabus, d.m. Sirupus de corticibus citri.d.m. Sirupus acetofitatis citri,o,m,

Wirupus de agrefta.d.m. Birupus de kelmes.d.m. Sirupus de albela, d.m.

Sirupus dinarn fine de bizanche.b.m. Dirupus coferens catarris calidis tuffi corrie & pleurefican oue ponunt Rte, Birupus de cannis, d.m.

firupus de portulaca, d.m. fecamabi folõe educens fleuma, d.m.

fecaniabi foloe educens melaconia,o,m. fecaniabin belzevfim,o,m. fecantabin de calamento.d.m.

Birupus de menta, d. m, cuius bue pos nuntur Rte firupus de abfinchio, cuius tres ponuns

tur Ktc. firupus de fumoterre, cuius quincs pos

nuntur Bete. firupus de liquiricia,d,m, firupus de ylopo.d.m.

firupus de preffio,d.m. firupus de calamento, d.m. cuius due po

nuntur Ktc. firupus dethimo.d.m. firupus de epythimo.o.m. firupus de cupatorio,d,m, firupus de fticad.d.m.

firupus contra acutas febres, bente firmpus rop, d, n,

Sirupus viola.b.n.

Sirupus menufarinus,b.n. Birupus de papauere,d,m,cui? tresipos

nuntur Kte

Birupus mirtinus:au?due ponut Rte. Birupus cotra oem vetris flurum.o. n. Sirupus acetofus fimpler.o.m. Strupus acetofus compofitus, curoue ponuntur Kte.

Birupacetofus & fuccisherban.b.m. Sirupacetolus de fuccis fructuii. d.m. Birupus acetolus de luccis vaquis fru

ctuum.b.m. Sirupus acetofus de citoniis.b.m. Sirupus acetofus de pomis,d,m,cuius tres ponuntur Trte

Birupus acetolus deprunis.d.m. Sirupus acctofus de teremabi,d.m. firupus acetofus laranuus. o.m. firupuso endima de getilis de fuligenco firupus de artemefid, Johanis mathei de gradt,

Suffufoeligno alocs, d.m. R.lignialocs.3.in.

cardamonn mente ficce Tpice

marmacoz cypeni

cornas atrianisin, gallie fquinanti aff, 3, is

amfi mafticis aph añ.s.n.

succare ad pondus omnium

Suffuf dyarodon,d,n. R. trocifcoum dyarodo mafticis an. 3.11). menteficce

ligni aloes añ, 3. fi, f. Suffuf aromaticum.d.m

Kanifi aureog.rn. feminis feniculi aureos, un,

liquiricie zinziberis affi, aureos, ifi. gariofilozum macis

cinamomi gallange an.aureos.if. gallie mufcate aureum,i. ligni aloes

corticis citrian, aure, i.f. mufci boni. 3.1.

suc, tabased ad pondus omnium Suffuf impinguatinum,oim pparamregiue

Mo eft i viu:nee pparati regitus

Moeft i vlunee pparata regunt

Mo eft inpin te

Refarine cicen ifufon in lacte bulci zer ficcaton tribovicibo: Deide toftop. 3.vi. Riff abluti multotiens 7 exficcati, 3.4. ordei ercorticator ablutor exficcato rum multoticus tinfulop in lacte multo tiens t exficcatop an, 3, in, amigdalarum oulcium.3.v. papaueris tortelarum be feni an, 3,11%. suctabased lb.i. Zerantur

Blosanotanda TIn bac ofectione ponitur farina cices rum infusoum in lactere, Qo notanter ita 05 fieri ve pars nitrofa exaletur : ims mo fi cicera multi decoquentur in lacte: z postea exticcarentur forte effet conueni entius. Et videas quod notauimus fup dyafatirion descriptionis mesue supra in littera D.

Suffuf de granis mirti, D.O.

R. granozum mirti granozum granatozum acetofozum toftozumañ.z.gr. cimini carmeni infufi in aceto per diem z noctem z exficcati coziandri fimiliter preparati poftea tore refacti fautch anabacb carnub de fpinis fumacb glandumañ.z.r. cart carant añ 3.v.

Mon eft in viu,

Suffuf ad tuffim antiquam t bolozem pectozis, D,O. Ramigdalarum dulcium suc.añ.3.h. femmisfentenli.3.f.

Zere By stind the Life

Mon eft in viu.

Sotira magna D.II. R. Storacis. 3. iin. f. apn costi mirre petromacedonici ophañ.z.in. fizelei.z.n.).n. piperis nigri, 3. fi.), i.f. cinamomi nardiañ.3.h.).f,

fyziace

fquinanti

Quida libei bat cinoni:fi falfo.q2 cmonü eft petro macedonicu.

anifi an.3.i). castorei.z.i.s. rempontici3,43.i. crocomagmatis azarı afi. 3.1. piperis albi, 3. ii.l. ydyocri, s.f. amomi piperis longiañ. 3.1. Alij ponunt crocks.n. J.n. meu yzci an.s.i. caffic,3,4. Stomaticum

calidnm, D. II.

Tr. suc. lb. i. aque lb.i. cinamomi sinsiberis an.3.ff. gariofilozum gallangcañ.3.1. fpice nucis mufcate ligni aloes cardamonti macis aña.i.f.

Conficefic, Supradicti suc.pone in flagnato cus aq et tadiu buliat fp cu fpatula agitado dos nec ad aq columptocy veniat, Deide pul ms pdictax specien bene cribrat semp aguado culpatula istagnato vale inga-iggat ebn misceat. Cu ant phare voluce ris otră coctă fit ofnotgutta fup marmo? picat:marmore pus inficto cu oleo rola to vel violato vel oleo cot abluto. T fi bit coagulet coctu cft.fi no.no. Zuc fi coctus eft accipe t sup marmos ponat t cu culs tello de code olco inficto frustati inscida turou eft calidu. Et potes facere ipfum layatinfi addendo ad oem lb.cofectionis 3.1.fcamonce

Blosa notanda. Taideas of lapatiun facere voluer | z apponas ad oes lb. ofectois. 3.1. scaonec in glibs. 3. ofectois intraret. 3. fi, de oya gridio. Erfici dofi bui? afectois qua po nit actor ifte, f, quatitate que nucis q e au re 12. fine. 3. i. f. itrabut de dyagridio gra. vii.f. renera becoofis elt conemestimo i robuftis poffet augeri doffs. factor ifte pltra modu fuu coluctu fic dofim mitigas unt but? farmaci.qz boc farmacii folii oze dianit poelicatiq adeo ftoacii ocdignate bat o fere nullas medicias accige pat. Stomacu frigidu. D. TI.

R. suclb,i.

Diengarii bytin puluerifari pres par adviagvine

Mon eft in viu,

Mon eft in vis

fandali albi z rubei an, 3.4,f. **Ipod**n berberis feminis portulace *scariole* femmis melonű paleftinozű fucci liquiricie rop violarum menufaris an.z.i. Mofice ficut in stomatico calido bictii est Et potest fier lagatium faut illud Biomaticum confortatiuum,

Möefti vfu:mec

D.T. aum reguur R.zuc.lb.iin. gariofilo, 3.11. spice nardi rofarum zedoani) zinziberis catdamomi cinamomi nucis muscate an. 3.1, gallange mafficis añ.3.fa firup,rof,q.f Conficead modum aliozum Birupus de pomis

Ros eft in wir,

D.D. R.fucci pomozum bulcium z acetoforuman.lb.v. Coquatur fuccus victad cofumptiones medictatis: toimittatur poice ouos vis Boum clarescar. Deinde coletur, & cum zuc.lb.in. Frat firupus Et funt qui submergunt in succo seta tie ctam in lærmes an fucci depuratões.vis Bou rubeat & recipiat virtute tincture. Girupi

Binpobecitofi. bonet in viu. 3fte firupus eft

Depiris Deperficis Deatonis D.D. Sunt ficut firupus de punis Birupus de fucco acctofe, D.O.

fit ficut firupus de fuccoviolarii, de quo Bonett inpfu, tufra

Birupus de fucco cucurbite.D.W. Accipe cucurbită magnă vinuolnat pas fta z coquat i furno cums expreffionis, Acapelb.v. Fiat firupus

Mon finnt in whi

Birupus be punis.D.O. fit fitut firupus de fucco violarum

Sirupi Degranatis dulcibus De granatis acctofis Embo descriptionis mef. Funt ficut firupus de ponís Birupus de corticibus

am.D.O.

Accipe coencii pomop citri recentii lb.i Equecia aque foris lb.v.vlopad cofum noranda ofa got ptionem duarum partium, z cum lb. iij. succare fiat firupus t conduntur cum mulci gra.iin.

Et quida phiciunt in firupo ex corticib? citron partes concinentes. Et ppac qui vicinatur coplemeto cocture cuis. Et qui of fubmergitur in aqua decoctionis citri Seta intincta in hermes

Birupusacctofitatis atn.D.O.

Accipe fucci acetolitatis citri lb.rij. Loque in vase vitreato supra prunas cu facilitate donec terria pars columat, de inde coletur colatorio depresso, toimite tatur clarificari.tunc Accepe ex co qo clay eft lb.vi. z infunde

fup ipfum extulep claro depurato lb.tj. Loque donec infpiffet, Bi aut eftas fue rit dimittatur in fole donec cius aquofis tas confumatur

Blofa notanda

Recepta iulep vide supra i littera 3. Et fi op fit addere de succara, adde otti fufficit. Sith debeat ppinari recens pot fieri cu inlep folo abigs suc.q2 fatts cu co oulcorabit finant pot addi oc suc. z deco que ad prectoes firupit vt meh? coferuct aut pone ad folé více quo buiditas aquo fa columat q pollet fieri ca corruptionis z putrefactois ei?. z forte tune polict con Fuarificut cofernat robiant poterit fua-rificut docet mes de mo psuatois inlept z vt bocuim?libro pmo de cofernatoe luc con: biftillado oleu in onficiu vafis ftra en ozificii z claudendo ozificiii valis bii fricte zapponat foli poics.pl

Sirupus de agreffa, D.m. Sit ficut firupus de acetofitate citri Et quidam codifit cum ganofilis Birupus de lecmes, D.m.

Sit ficut fir.iumbinus.de quo mfra Sirupus de

albela.d.m. Sumafalbela z enucleent z coterantur z coquant viqs ad columptione duarus partin. z addito succaro quod fufficit Fiat hrupus vt decet,

Monest in wie

Fiteffrup? e, viu alis: qr ingredif alias pfectiones als raro viimur cra func de cirris fupra in fitra de citris coditis in littera, &

Ifte frupus eins viu t pparat red peritur.

Bite ffruptis eft

Mon eft in which

Monjeft in viti

firupus binarfi fine de bifancijs, D. D.

Br. Succi endinie fucci aphan,lb,ij. fuccilupuli fucci bugloffe bomeftice aut filucitris an.lb.i. Buliant ebulitione vna. t despument, t accipe cins clarificatilb.iif. suc.tabased.lb.n.f. Loquant cufacilitate bonec fiat firup? Er gnes ad omnem'partem fuccibin? be spumatiponitur aceti albi z!clari partem.f. Et quandocs bulunt in fuccis foliozum rop.3.1. liquiricie, 3.9. anifi feniculi femmisaph añ.3.ñ.

Simpus coferens catarris ca.

Mon eft in viu. D.

R, iniubas sebesten an, L, numero violarum manne an, Z, numero violarum manne an, 3, i. liquirecte storm buglosse an, 5, ph. semmis malue semmis etroniozum an, 5, vi. Lum 3116, ii. Lum 3116, ii. Siat sirupus

Mon eft in viu,

Alius ad idem, D. N. quem ap pellat firupă ad pleureticos z pleripleonicos prificosz ethicos.

Maque lbiin.

Infundeibi otolarum.3.fi.f. liquiricie papaucris albi añ. 3.f. feminis citoniozum feminis malue mundate medule feminis bobacis feminum melon citruli cucumeris. T cucurbite mund feminis portulace dragaganti gummi arabici añi3.ifi. Omnia ista bii trita pone in facculo z fac culus in aqua predicta ponatt buliat ad medietate cinidem aque, z facculo extra cto ponat 3uc, lb,n.in aqua 7 fiat firupus clarificams vt becet.

Sirupus de cannis D.O.

R. fucci granatozum dulcium lb.ili. aque, id eft fucci mozozum de feni aque, id eft fucci cannaz

penidiarum añ.lb.i.f. Fiat firupus cuz fuccis supple predictis clarificatis 7 decoctis

Strupus de portulaca

Restrict endine cocit depurati lb. iifffeminis potulace, 3. rii. Zerantur semina, r fundatur desing success t dimittatur in vase lapideo g nocie to des coquatur cu facilitate vsc ad me dium t coletur. t additis

Suc. 16.4).
Siat firupus
Et quidam addunt
acen [lb, j. aut]

fucci malon granaton acetofon lb.i.f.

educens flegma. D.O.

Elecipe fecaniabun de radicibus quatitate circiter ib. n. z fulpede in ipfo qui deco quitur medulam cartami ligată in panno raro fubiții z frica omni bota donec pfici atur decoctio, z que pomturin eo turbit p: z zinziberis

Zigata in panno fubtili z suspensa. Secantabin soloe educens melancoliam. D. O.

Th.thimi calamenti agarici liquiricie bugloffe bomefticere Mon eft in wis

Mon eff in vie.

Bon eft fnyfu.

Mon eft in viu,

filueffris an. 3.i. polipodn.3.in. camedreos camepitcos fticad anifi bedegaris añ.3.v. paffularum enucleatarum lb.f. Sundatur sup ca aceti boni albi fucci bugloffe an, lb. f. f. aquelb.n. Er dimittant poie t noctem. Deinde co quat cu facilitate vias ad medietate, tuc colef: z cum mellis lb.n. fiat fecaniabin. Et in decoctione ipfins ponant in pano epythimi.3.4 elebon nigriaureos.in. Et fulpedant i co z fricent ficut dixim?.

Secamabin de heyfim Hon eft in plu DIO.

R. radicum feniculi . apij petrofelini calamenti baucian.3.4. 31113iberts femmis anti aph tzeyfim eupatozij

Dieazarii bytiii azari pulaerifari op ref abfinchi paradyingyznie caruian.3.f. garrofilozum gallangeañ.3.iij ipicc.3.n.

Loquein aceti lb.iin.vicad medifi. cus mellis lb,n. frat fecaniabin Becaniabin de calamento

keyfim

Mon eft in plus D.W. Reradicum apij femiculi

> fquinanti feminis apii anifi an. 3, vi.

endinicafi. 3.1.

fpice azari malticis caffie

calamenti agreftis calamenti domestici danci

petrofelintan, 3.ulle gariofilozum

3inziberis gallange añ.3.h. In lb,iif, accti r aquelb,ij, buliat bonec ftia pars remaneat: z adde mellis befpu matilb,in.

Birupus de calamento, D.D. R. calamenti domeftici Recalamenti domettici calamenti agreftis afi, 3, fi, bauci

fquinanti an.3.v. paffularum enucleatarum lb.f. mellis lb.f.

Fiat firupus Girupus alius de calamento, D, einfdem

R.fucci calamenti lb.un. fuccimalozum granatozum acetofozum cum pulpa fua interiozi lb,v. vini odoziferi lb, un. Loque vicad medium. Deinde dimitte perduos dies vt refideat, t cum suc.lb.iiij Siat firupus Et aromatizetur cum gallie aromatice.3.ii.

Et pone in vafe vitreo tftringat ozificis um. z bimittatur in fole per dies. pl. Sirupus de menta

D.W. A.fuccimente lb.i. fucci granatozum dulcium z acetofozum qui iam coctifunt ad medium lb.ij, mellis despumatiant 311C, lb,i.

Decoquatur zfiat firupus Alius, D, ciuldem Ifte firupus fin

Refucci citoniozum phem phem defeription one et y quaisa: a voiag pparam regitur.

fucci granatozum dulcium, fucci granatozum dulcium, fucci granatozum acetofozum fucci'granatozum mufozum añ.lb.f. Pozonciatur befuper per biem z noctem mente ficce lb,i,f. foliozum rof.3.4. Deinde coquatur cu facilitatevicad me dui t cu mellis aut zuc.lb. i.fat firupus Et aromatizetur cum gallia.

Sirupus de abfinchio D.001 Rabfinch romani lb.f. fpice, 3.in. vini antiqui boni z odoriferi fucci citoriozum añalbara.

Raro venit i vili t vbi venit i vlu dda fim bac pais mā z ddā 6m fel cundas coponūt receptam,

Mo eft in plu yt norarii eft

Ifteffruponoeft in viu bin phrem. D.B bin fequte.

că melle reă suc ca.coiter th fit cu suc.fola.

Ifte ffrupus ba

Dimittantur per biem e nocte in vale la pideo. Deide coquatur cu facilitate vias ad medium, Et cum mellis lb.n. Stat firupus,

Moeft iviu om hác beferiptione Simprima.

Alius firupus D.ciufdem

Rabfinchi romai 3. C. Decoquaturm aqua lb,in ofch ad tertia partem. Deinde fricetur manibus t cole tur: t cum mellis t vini an.lb.i. fiat firupus

The ffrupus no eft in vin bin phi cem descriptione

Birupus de fumo terre.D.TL. R.omnium mirabolan oznm añ. 5.5%

mirre genciane baccarım tauri an. 3,1. epythimi cufcute

cupatozn abfinchin otriules lapaci **f**cabiofe enulle borraginio radias aph

thimi

fene

feniculi an. 3. rre liquiricie polipodi añar. thamarindozum

cafficfiftule mundate an. 3,iff paffularum mundatarum rofarum manne

violarum añ. 3,it pana.rv. fucci fumterre fucci borraginisani.q.f.

Alms Monchin pfu : D.eufdem

B. pruna bamafcena.pl.numero vuaru paffulan mundatan abarillis. 3,i cafficfiftule tamarindozum aŭ. 3. n. s. omnum mirabolanozus abfinchi epythumi culcute liquiricie flozum bozraginis anifi

maratri añ.3.F. violarum polipodijan.5,rr, succare lb.v.

fucci fumiterre.q.f.

Girupus de fiimo terre maioz. D. O. R.ommium mirabolanozum añ.3.pr. flozum bugloffe vel bozraginis violarum abfinchij

cuscute añ, 3, i, liquiricie rofarum an.3.f. cpythimi polipodn añ.5.vij.

tamarındozum caffiefiftufc an. 3.n.

Dec omnia buliant in.r.lb.aque vict bu deueniant ad lb,in. Et cum fucci fumitre cocti z depurati, z 3ucan, lb, in.

paffularum enucleatarum aff,lb,f,

fiat firupus

prunozum

Girupus de fumo terre minoz, D. O.

R,mirabolanozum cutrinozum, 3. n. violarum cuscute abfinchi aff. 3.1, Coquantur cum lb.vij.aque vlas adterti am parte. Et accipe fucci fimiterre cocti

zbelpumatilb,n. Juc.lb, n.f.

Et quidam suspendunt in eo cum cogtur Scamonee ligate in panno raro.3.f.

Birupus oc liquiricia D.W.

R. liquiricie, 3. in. capillozum veneris, 3,ie ylopificce.3.f. Hozonce veluper aque lb,tin. Et dimute die acnocte, Deide coque ad medium, Et cum mellis 311C.

penidarum aff. 3. vin. aquerof.3.v. Fiat firupus

Sirupus beylopo,b,mij

Tk.yfopificce . radicis apij Peniculi petroselini liquiricie añ 3.2. ozdei mundati, 3.f. feminis malue dzagagāri feminis citoniozus an. 3.tije capillozum veneris, 3, vi,

Ifte firupus 5 in phte defacipides efternalis multa a vbick preparur regitur.

Ifte frupus no eft in viu: nec p: Patus repitur.

Birupus delidi ricia est pinalia

Sirup" & ylope cit viu alis mul: cii im prefenter Deferiptione.

Becüdus LXXIIII Delittera 5

minbas schesten affang.numero paffularum enucleatarum. 3.pc. ficus ficcas dactilos pingues aff.r.numero penidiarum albarum lb, n. Siat firupus

Ifteffrupus ge/ seraliter eft i vfu et vbics pparat? repitur. Et nota bic qo notatu é i eyapzaffioviridi

Sirupus de praffie D.D. R.pzaffi viridis, 3.11. yfopi ficci capillozum venerisan.3.1 calamenti anifi rad aph rad fen.añ.s.v. feminis malue fenugreci yzeos añisiti. feminis line feminis citonionum añ. z.n paffularum enucleatarum. 3.v. ficus ficcas pingues numero evipenidiarum lb.i. mellis bontlb,n, Siat firupus Grupus octhime

Mon eft in plie

D.D. Rectremitatum thimi. 3.4. calamenti mente ficce añ.3,v, amfi feniculi Daucian.3.iin. paffularum enucleatarum, 5. fiff. mellislb,n. fiatfirupus Et aromatisctur cum gallie, 3. n.

Ifteffrup? ë plu elis mulcii

Sirupus de epit himo. D.Di. K.epythimi.z.pr. mirabolanozum citrinozum indozumañ.z.pv. cuscute fumiterrean, s.vin. thimi bugloffe calamenti emblicon bellericozum liquiricie polipodn agarici fticad afi. 5.vi. rofarum feminis feniculi

anifi aff. 3.17. pruna.rr. paffularum enucleatarum. 3.un. thamarindozum. 3.4.1. zuc.lb,in, rob.lb.n. Stat firupus

Sirupus de cupatorio D.O. Tk.radicum apij

Feniculi endinican, 3, fi, liquiricie fquinanti cuscute abfinchi rofarum añ.z.ví. capillozium veneris bedegaris fuccaba flozum bugloffe:aut radicum eins anıfi

fenicult eupatozn añ.3.v. rauendefeni mafticis an.3,in. **fpice** asari

foli an.z.n. Coque in aqua lb, vin, ad tertia pte, ren succare lb,iin, z fucciaph.z fucci endunie quantitate fufficienti

Stat firupus

Birupus desticados R. florum flicad 3 pp. basce calamenti

ozigani afi.5.p. anuti pirctriafi.z.vij. piperis longi.3.in. zuiziberis.z.n. paffularum enucleatarum. 3.úq. Suc.lb.v. Condiantur cum

cinamomi calami aromatici croci zinziberis piperis nigri

piperis longi an.3.1.f. Liga in panno raro. z fuspede in firupo, Itefrupus no

Sirupus contra acutas febres, D. TI. 12 1

Ifteffrup? & vfu alis multū

Ettéde of fuccas ha equipoller be degari in virture ve tañ in erpône but7 noistuccas bacideo eo caréa tes miliplicam? quantitaré ocde gans,

Dicagarii Debet rantii puluenfas as vame.

Afteffrupus fin pfité descriptios est viu alisier se pbig pparatus

eft in viu: necps paratus reguur

R. fucciportulace fucci melon paftina anilbi, curuli cucumeris cucurbite capilli veneris berbe epatice pollitrici adyantos ceterac Tita i aqua velin fuccis predictis facbu lire.z adde liquiricie mundate z trite bragaganti violarum an.3.4, pruna, v.numero icmpervine, 3.1 Deinde colentur, z colature addas 5uc.lb.i. Et frat firup, clarificatus vt ochet, Zunc accipe phillip feminis citoniozum an. 3.1. Dittein facculo, 7 fandali albi fandalı rubci Ipodij berberis rop feminis portulace feminis lactuce femmis fcarrole an.3.f. Dozum pulneres in facculo etia bulire fa clas, Etibidem, reubarbari puluerifati. 3.1. Similiter in facculo fac bulire vich adfl ne decoctiois becpdicta, Deide remone z vimreferna. Sirupi.D.W.

1.rofarum violarum Descripti funt i littera 3 receptis ifufio nisrofarum z violaru z tu ibi videas qo Dirimus.

Sirupus alius de violis Ifteffrupus eft D.O. multă viualis z vbicgppatus re pitur im plente

Reviolarum.3.9. feminis cironiozum femmis malue añ, 3, vin. nuubas febestem an.xx.numero Coque in aqid eft succo cucurbite veli

aqua decoriois et? vel in aqua decoctio nisseminis cius vice ad tertiam t cum 3uc.lb.1.f.

Birupus de papauere D.D.

Tr. papaueris albi papaneris nigrian. 3. k. de coquaturi lb.iin, aque plunialis, vics bum redeant ad lb,i,f, & cum **sucare** penidiarum añ,lb,f, Flat firupus

Blosa notanda T Luca modum confectiois buis firupi attede to debes accipere capita papaues ris albi z nigri fimul cu femie in dbo fit me diocritas iter paruitater magnitudine, z bumiditate z crficcatoes. Et primo debet infudi i aquar ibi bimitti poie z nocte Et fi fint multu ficcata. ocbet plo dimitti Et fi fint bumidiozamin?, Et poteft cos fici ifte firupocii melle aut cii zuc. 63 ofner fas medicop itentões,vt bictu eft be bya codio fup in lia D. Et pro boteca bebes tenere iftu firupu factu cu melle, t fimilit chauc,i diucris vaf. Itareceptati coi ter i libris e defectuofa circa otitate suc. z penidian que confleribit quediat ifte fie rup? cu penidian 7 3uc.an. 3.iii, Et reue rano effet fatis.nifi 03 ppiari reces vbi ponerce ta parua quantaq ipfox foliad oulcozandu. fed vbi coderet pro boteca zoeberet coferuari opozteret plus appo nerede suc, z penidijs.

Birup ali be papanere pparatus repit,

D.ciusdem. R.capitii papaucris albi.capitii papaue ris mgri abox fiml'cu femic fupple an. 3. capillozum ven 3.rv liquiricie, 3, v. ininbas.rrr. feminis lactuce, 3.xl. feminis malue femmis citoniozum añ.3.vi. Coque in in,lb, aque vice adonas. Et cum 3UC penidiarum ah.3. vine Stat firupns.

Sirup? ali? be papauere Moleftiviumec D.T.

R.paucris albi.s.rl. capillozum veneris feminis malue feminis citoniozum feminis cucume, undi an. 3. gvin. iniube, 3.FF. penidiarum. 3.in. suc, alexandrini, id eft conferne Fiat firup? rofarū lb.n.f. Birupus mirtin' q fit de

granis mirti, D, O)

prima cft flia g regituri viu.

Mo eft i vlutnec

ppatus repitur.

Dic plures bane Stat firupus De tiro firupo de Imprioce: filta

Descriptione

Siat firupus be agrefta,

Sirupus alius mirtinus

D.II.

Remittilozum,3,tx, fandali abi fumacb ballauftic berberts afi.5,txx,

mcfpilozum.3.E. aque vel fucci malozum granatozum

acctofozum vel mufozum aque vel fucu malozus agreftiñ afi,lb.ij. Omma in dicus fuccis coquantur.z cus suc.lb.v.

Siat firupus.

Sirupus contra omnem flurum ventris, D. II.

In alio lb, .f. et

Mon eft in viu.

R.suc, lb.i. aquerof, vel plumalis lb.i.f. In bac aqua coquantur ilta R.mertilozum. Z.i. rofarm

refarum fumac acaffie ballauftie ypoquifitidos ipodij afi,3,f, citoniotum

forbarum immaturarum añ.numero.c., mespelorum viridum numero.v. liquiricie oragaganti

gummi arab añ. 3.f.

Que funt terenda terant, ofa ista bultant in supradicta aqua donecad lo, i, redeant postea totii coletur. Etiterii supratignem panatur cii supradicto suc. Et fiat sirup? perfecte coct? t disgenter clarificatus Blosa notanda,

T Zoco aque rof posiuntista bulirei a qua pluniali aut i aqua ertictois calibis aut in aqua acctose aut in aqua platagis Iste aŭt strupus no est vsualis. Sed apo tecarij nostri faciunt quedam alium siru, pum quem appellant sirupum ocrib.com positum qui no parum distert ab isto. sed iste apud me censetur eligibilioz. sed pos sint componere istum vel illus veras bo nus est. t vtrozumas copositio est bona Etpositi ist appellare aut ei imponere noia sim volutate coz, sels sirupti de rib vistrupti restrictiuti aut aliter quomocii as voluerint qzin nullo coz ingreditur ri bes, neces ribes est ibi bas, licz forte aliud qo cum ribes conueniat in virtute.

Moneft in viu.

Sirup' acctofus fimplex

R. suc, albi partes. v.

Funde super illud in vase Lapideo aq fon

Decoque semper abisciendo spuma et? t sit ignis sine sumo t stamma doce clarifi cetur t aque medietatis consumas. Dein de sunde super is aceti vini albi ptes. si, in debiliti foru ptes, si, t i mediocri p tes, si, Etcoq donec psiciatur decocno.

Blofa notanda.

The firupus est multü famosius, zybi es preparat reperit. Sedin quatti ppor tione oebeat coseruari i boteca Eredo qui pportide dupla aceti qr potest fortri caritoties quoties addedo sibi de aceto debetti semp expideri patieti in propor tione magis placida vi notaumus sup i orimelle simplici.

Sirup acetol' copolit's fine firup' acetolus dera dicibus.D.D.

R. aque fontis clarelb.r. Et projec desuper radicum fenculi aph endute aff. 3. új.

feminis anti feniculi

feniculi apij afi.5,vii) feminis endinie . 3. f. Loquatur cum facilitate docc redeat ad

lb, v. funcpzońce superiplum
suc, albi lb, tij,

Clarificetur ficut prim? Et adde de ace to ottitates sufficiente intra modu doctri ne precedentis in firupo acetoso simplica Blosa notanda.

Tounc firupum vocatauiceñ firupum acetofum contatts cu feminibus .aln voe cant iom firupu acetofum cus radicide ve mesuc, z aln aliterios appellant, 3020 q attende quite firupe poste appellat sirue pus acetoses coposite qu componie cus aceto. Sed poste osvocari firupe de radicidus qu copositurine aceto. auicen vo catiom firupu acetolus cottatis cu feminide poter semina qui gredautur.

Strup? acetofus de fuce cisberbarum. D.O.

R. succozum firupi omary partes.in. aceti partem.i. 3uc,quod sufficit

Sirup acetolus besuch

R. succi granatorum musorum fucci granator a cetosorus an partes, in Coque cus facilitate vicuquo sit ei para tertia dimiuta, tinc dimitte pouos dies vice di clarescat, Et accipe ei partes, i,

Mon eft in viu.

Mon eff in viu.

iulep partes.ifi vel plus vel minus r pfice coctiões in co Sirup? acetofus de fuce cis r ags fructuü, D. Qd.

R.fucci citoniozum
z malozum
z pirozum
z granatozum mufozum
z 3azur aŭ.partes eqaeles
aque decoctionis fumach, z
berberozum aŭ.partem.i.f.
3uc.partes.iij.

Monest in viu.

Fiat vt in recepta precedenti.
Strupus acetofus be citonys, D.O.

Accipe fucci citoniozum acetofozum de purati z clarificati partes.p., aceti partem.i.f., 3uc.partes.ii, Fiat firupus,

Mon eft in' viu.

Mon eft in viu.

Sirupus acetosus de pomis. D. D.

Fit sicut sirupus acetosus de citos.

Alius. D. ciusdem.

Accipe succi malozum acetosozum
succis vue agreste

fucci granatozum acctosozum añ, bzi. aque rof aque infusionis tamarindozum. primozum añ. bzi.s. succi endinic cocti z depurati aceti añ. bzi., suc. bzin.

Supercondias cum. z, ñ, camphoze.

Mos eft in viu.

Alius
D.cuidem
D.cuidem
Accipe fueci pomorum acctoforum, lb.i,
fuca acctofitatis citri lb.i.
tulep lb.fi,
Et quandoch fubmergitur in fuccis feta

m tincta in leermes.

Mon eft in viu.

Surupus acctofus de prums.D.O.

Intellige & aqua Decoctionis, Reaqua prunorum acetoforum aqua tamarindorum fucci granatorum acetoforum añ,lb.i. aqua id est fucci acetofitatis cutri lb.f. Coquantur cum facilitate. Etifi rûpātur

cum lb.i.3uc. Sirupus acctofus be teremabin, D.O.

Accipereteremabin. 3.19.
Bone in vase lapide o z sunde vesup succiendinie cocti z depurati lb. 19. buliant ebulatõe vna deide fricamanibus z cola deide accipe

aque rof fucci granatozum mufozum añ.lb,f, fucci vue agrefte fucci acetofitatis citri añ.lb,f, zuc.lb,iñ, Fiat firupus,

Sirupus acctofus laratums, D. Q.

Hon eft in pfu

R. pruna ficca febeftem añ. E. numero tamarindozum lb. f. fucci vue acerbe fucci acetofitatis citri añ. lb. f. 3uc. lb. iñ. Fiat firupus.

Sirupus de endinfa Digentilis de fuligeneo

R. Succi endinie fucciepatice anilbin, Clarificent predicti succi ad ignemyt ex pedit rofarum violarum lenticule aque politriciañ.3.f. ordei mundati feminum comm frigidozum añ.3.6. zuc.quod fufficit. Fiat firupus. Et aromatis etur cun fandalis albist rubeis berberis femme citoniozum ligno aloes cmamomo costice citri

Slofa notada
Thefirupus cft vivalis multi. Et vbi
op preparatus reperitur. Et qr er? deferis
ptio ab auctoribus no reperitur ego aŭt
quia legi a riforo gorgio in addit, fup
mer, of fuit eius inventor gentilis rovi
ditreceptam eius propria maun feriptas
ideo bie ego boe inferui.

Sirupus de arthemefia, D. 10/ hannis mathei in expositione supramons ad almensore ca, de pronocatione menstruox

R. arthemelie, D. ii, pulegii calameti origani melific perficcarie faune fanfucci camedreos

perforate camepiteos matricaric cum flore centauree minozis rutbe betbonice bugloffe radicum feniculi aph petrofelmi **Iperagi** baufer farifrage enule Diptami cyperi rubce tinctozum preos prome an Obi. feminis umpern lenistici petrofili apti anufi migelle carpobalfami cofti

bicazară oz tră azari puluenfari ore: pirctri par ad vias veis caffielu ectlic magis p/ bocatiun offolis: tuă,

Bati

piretri
casselsence
cozdumenti
calami aromatici
fu añ. 3.1.

Conquassantur t infundantur i aqua su
mali sussantur ad medictatis aque cosumps
tionem Et tue deponatur ad igne donec
ağ tepuerit Ettuc cum mambus fricent i
tipia aqua t postea colentur t in colatura
addatur,
mellis t
suc,quod sufficit

Decoque ad perfectionem Et interdu ad ditur de aceto acuto vel fquilitico magis et munus fini voluntatem. Et aromatisef cum cunamomo t fpica.

Sola notanda

[Apotecari nostribabentalium sirupsi
oe arthemes multum in viused cut sit ne
scio si placet componere isti q est bene ma
gistralis poterunt saccre sinautem sacat
quilbet suo modo

Smit particula decima octava

Decimanona parti

cula fecundi libri Incipit

Equitur in bac particula de lit
tera Zique ad littreams imme
diate filbs equitur in ordine lsa
rū minoris alphabeti "Erūt au
tem in hac particula Kite sequentes

Tyriaca Balid. Th.
Tyriaca andromachi. D. Autc, in, v. canoñ
Tyriaca dyatesserco Cums due ponunt
recepte,
Zrifera Bal. D. O.

Trifera magna.D.N.

Trifera mator ep arte funamis.D.O.,

Trifera mufcata,D.O.,

Trifera funcata,D.O.,

Trifera perfica,D.O.,

Triafandali,D.N.

Zricifilon D. II.
Zeodoriton emperifton.D. II.
Zeodoriton emperifton.D. II.
Zeodoriton anacardinum. D. II.
Zrocific dyarodon fine derros. Entr quat
tuor pointinum to effectipationes.
Zrocific dyamifine de violus D. II.
Zrocific ydiocri D. II.
Zrocific rocomagnatis D. II.

Zrocific dyantime de violis II.
Zrocific vacomagmants D II.
Zrocific forcomagmants D II.
Zrocific forcomagmants D II.
Zrocific dyacoral D II.
Zrocific dyacoral D II.
Zocific de camphora, Euris due pontif

tur descriptiones
Zrocisci alkeliangi D ON Euro tres po
tiuntur descriptiones
Zrocisci de mura D'II.

Trocifei de gallia mufeata DO. Trocifei de gallia fedelhe DO. Trocifei de gallia elephangina DO. Trocifei de gallia magna fine de gallia re gali DO.

Trocisci ramich D W.

Trocisci de reubarbaro D W.

Trocisci de spodio D W.

Trocisci de spodio cum semme acetose que dicumin restriction D W.

Trocife de befreris DO Lums duc po nuntur deferquencs Trocife de abfinchio DO; Trocife de cupatorio DO

Trocacio de aniso D D.,
Trocacio de terra figilata D D.,
Trocacio de terra figilata D D.,
Trocacio de carcano D D.,
Trocacio de arienco D D.

Trocisci de agarico, d.m. Trocisci de turbith, d m. Trocisci de scrap, d m.

li üğ

Trocifcialhandal D O. Trocifci de fandalis D O. Timus due ponuntur Arte.

Trocifci damend D O. Trocifci de copero D O. Trocifci de cigno aloes D O. Trocifci de caperidus D O.

Froafa de caperibus D D. Trocifcibeliarabe D D. Lyziaca magnawalich, quam ponit Nicolaus B. trocifeczum iquiliticozum, 5, ii. 3, ii. piperis longiz.n. trocifcozum tyzi trocifcozum oyacozali afi, 3,1, 3,1 pilobalf. 9.11.gra.vij. agarici rofarum fcordeon feminis rape filmatice cinamomi oppobale an. 3 i. gra. riff. **fcordeon** rcubarbari croci ar dele fqumanti 5m3iberis cafficlignee ftoracis calamite fficados poli poli rao pentafdon petro piperis albi añ. 3. i. gra, vii. gummi arab gumini arab calcanti ofti ferancii ferapini terrefigilate ppoquiftidos celtice acezi camedrei genciane men carpobalfami apn amomi maratri carm fizelei nafturcij femmis and

ypericon au. 3.6

mummic castozei

oppoponaci afpalti galbani centaurce minoris ariftologie longe banci filuatici afi. 3.1, mellis quod fufficit.

Blofa notanda C'Deccofectio est multum losualis per nesa potecarios noftros Et pparatur 83 th rei veritatem ista no estrecepta que os offpensari aut pparari Sed illa androma cui proprie est illa que os preparari vinde Auic, in, v. canon fumma prima Ettraco tatu pruno de tyriaci confectionibus ca. pruno Et melior descriptiona bums me dicine est vescripțio radicalis adromachi Et subdens ait Et iă nifi sunt plures me dicorum sicut galienus z aliyot adderet z municrent in ca no poter necessitatemsa ciente necessariu illid eis nego potaliud forte vocans cos ad illudiced queretes vi remoreretur z vi remaneret ab eis in iba veftigium ficut remanfit an dromace Et tterű subdit Et meum quide conlinest vt no remoucant aliquod go experimentus mnatmi muenit fortaffe emm illa compi latio cu illo pondere est fiignificans illud cut umamentii inenit experimentii quod quando ipfa mouet'a fuo pondere no con fequitur illa proprietatem. Do fialiquis eozum dicat o scitillam facietem illa pos dera facere illam proprietatez: time dicet mendacins in co cui contradicatur fuper tllind, sieut si vocat aliquis scaentis ponde ru elemetop in equis t boie t alips. Ende ergo ex bis que en expresse volut que tyriaca adromachi e illa que dobs consici i preparari: i non illa Balien.

Zyziaca andromachi Ex D. Hunc, v, can. Retrocife fquille aurcos printe tracifcozum alidaracaron piperisnigri opnanaur,vi, cmamomi femmis napi scordcon rad hin celeftis agarici fucci liquiricie oppobalf antant üdem murre croci 311131beris rcubarbari contaurce calamenti montani

Doc modo filos faciebar ofipes fari Zhomas de guerbove recita rpoforus georgius fun Liber,

praffin petrofelin iticad piperigalbi macropiperis pulegn flozum fqinanti gummi albotin caffielignee fpice polițiaii, aurcos, iți, itoracis liquide femnis apți fiscless ameos ameos
camedros
camepitos
fuca ypoquifis
fpice celtice
febee montane
foli ameos foli genciane femculi terrefigilate colcotar adulti amonu acozi feminis nafturci albi ella maiothoria carpobalfanu ypericon fu gummiarab cordument and acassie asi, aurėos sije bauci bdelių subalbidi asi, tantundem bezear aspalti oppoponaci oppoponaci centaurec nunozis ariftologie rotunde ferapmian, aureum.i. Wagin simplimas caftorei mellis quod fufficit
vini antiqui laft.i. Liquefiant q de cis liquefiunt r ifundan tur que ifundantur terantur ficca r cribel lentur t conficiantur cum melle, Blofa notanda

and the Contraction

Dec confectio debet feruarim vafe vi treo aut argenteo aut plumbeo Erno de bet implerivas vt respiret Numerus mes dicmarnm fimplicum ingredientium bac compositionem est. lenij-preter mel zvinil pt notaunt Huicent

Zyziaca byatefferon D.O.

R.genciane baccarum lauri excoziteatarum anstologie rotunde an.

Confice cum melle despumato Alia tyziaca dyatefferő

D.M. R.mirre caftozci ariftologic rotunde genciane

baccarum lauri epcorticatarum afi 3.1.5.19 3.h.minus gra.xij.

fenngreci migelle

รcdoarที สที.ร.ที. Э.ที.gra.vıทั้ง gummi cdcre calcanti yfti

calcantiviti eldre magne offis de corde cerui mummie antifarmaciafi.5,i, comu cerni viti. 3.in mellis quod fufficit

Trifera Balieni

DO Rommum mirabolanozum afi 5-15 Fonett in , pfu ar, ominium mirabolanozum añ, 5, F, 5únziberis mafticis cunamomi gariofilotum añ, 5, vú, gallange maratri antí apú ameos ípice azari croci, añ, 5, ún costi

costi

piperisnigri
piperislongi
cafficañi.5.iji.

macis cardamomi maioris 7 minoris

calami aromatici ligni alocs afi,3,4, fandali albi fandali rubei cyperiañ.3.tij.f.

mufci.3.1° partes,iff

Fricentur mirabolant ca oleo amigdalay Dulcium Et confice ofa cum mellevelpu mato Et galien que ques addidificoria

Dec tyziaca non pparatur coiter ftralicer venutur fin hac. D. q eft

Mon eft in pfu.

thy at the malif

Dec cofectio Pm banc.D.coiter e viualis: et ppat cum opio et fine opio.

ferri nutritam fin menfuram medicinaru oim Et qfiq3 8m medictatem carum

Zrifera magna D.II.

B.oph.3.11. cinamonii gariofilozum galange 1pice 3cdoarn 3in3iberis cofti ftoracis calamite calami aromanci cypen yrig pencedami aconi mandragoze celtice rofarum piperis anıfi apij petro fementi tnacedonici macedonici Dauci uniquiami a marca de de per manez e la

mida libelbal bent enont: Fal fo. q: anonti eft macedonicum er thi pontur mas cedoni că

Cimuni

03mm aff.3.i.

mellis quod fufficit

Zrifera maiozer arte funamis D. D. B. mirabolanozum izebulozum indozum bellericozum emblicozum nucis mulcate añ 3.v. mafturch affati ozigani perfici piperis olibani amcos 3in3iberis carmesit **Spice** cyperian. 3. in. fcome ferri nutrite in aceto diebusquings I quinanti z affate 3.12.mirabolani affentur cum bu tiro vaccino r voluantur cetera cum oleo amigdalino bulci t aromatizentur cu mu 10.34. Et confice cum melle despumato z da polifier menfes

Mon off in plu

Zniera minor D.O. B, mirabolanorum lecbulozum

indozum bellericozum emblicozum añ partes equales Innoluantur in butiro vaccino e fricent z conficiantur cum melle emblicorum et aromatizentur cum musco Et in descripti one alia cypen olibani femmis aph nafturch affati an. fextam partem vuins Etapo alios feore ferrinutrite quartliff Mon et is wie

Zrifera muscata

D.D. R.mirabolanozum lzebulozum bellericozumi emblicomm piperis macropiperis 3m3iberis cyperi . cathe spice inde afi-3.ve femmis aneti famms portalis,4. feminis baucic. rofarum cmamomi nucis mulcate' gariofilozum an.z.il macis, bevl gallie Lignialoes crudi mufci añ 3,1. granozum nafturch 3,12ñ, Confice cum melle despumato

Zrifera faraccnica. D.D. R.kcbulorum ındozum bellericozum emblicozum citrinozum añ,3.v. cmamomi trum piperum fecacul foli **Spice** cardamomi maioris t minoris caffie fataragi indi cyperi apn lingueains garrofilozum

Et quandoq3 ponuntur in co

fcoreferri nutrite-3. i.

Bon ch fu shi

been albt bee rubei suisiberis aff. s.ff. frice mucis mufcate macis fizami excorticatian.z.in. amıgdalarım bulcum zamaranan,3,v. ruthe femmis fentauli mafticis añ.3.h. alfelengenusch mente ficce ozigani perfici aff. 5,i.f. Sticentur mirabolani cus butiro vaccino z cetere species cu oleo amigdalino, Et confice cum melle quantum lufficit Zrifera alia faracentea D.17.

Hon eft in viu.

K.zuccara.z.in. mirabolanozum citrinozum cafficfiftule thamarindozum afi. 3.i.f. lzcbulozum mundatozus manneañ.s.vi. 3.n.gra,v. indozum: violarum an-3.f. anufi maratriañ.3.n.gra.v. bellerici emblici añ.3.f.gra.un. Confice fic. In,lb,n,aque ponatur, 3.iin. recentium violar fi poffint inneniri: fin/ autficcap t buliat bonec aqua ad purpu reum colore deucmat & viole fint remiffe poltea bene expressium coletur. Toe cola tura ipsa paro accipiat z cassiasistula et tamarındı ibi foluant z per caffias colen tur. Et in altera aqua lb.1. 7.3. viñ. 3uccas remittantur t fuper igne ponantur. Et ad fpiffitudinebuhat. Et cu infpiffar ine cipiet addatur colature cafficfiffule Tta marundi postea manna. Et cum scire volu eris fi coctus eft. gutta fuper marmoz po natur. Tfi quafi mel coagulatur coctu eft z tunc ab igne deponatur Et chaliquan tulum fucrit infrigidatū.pulueres prediscra speciez semp agitādo cū spatula ap ponant. Ad vlumuvo supradictū succaz bñ puluerifatů, z postea deponantur

Poneft in plu,

Zrifera perfica D.W. Be.fuccozumfolatri apri depuratorum anithin 3020nce dasuper

Biolarum ficcarum aut viridium,3,in. foliculozum senc. 3.11. agarıcı.3.1. pzunozum damascenozum pinguium n:1 mero,pv. murabolanozum citrmozum lzebulozum indozum frictozum in olco violant amigdalino dulciañ.3.n. fpice aromatice, 3,11). Buliating prunas cu facilitate vicajous remancant lb. h. z pzojcjatur ochuper, cpythimi, 3, uil+ Er buliant chulitoc vna T beponant ab igne T colentur Toiffoluantur inyna ptc istus colature thamarindozum.3.in, manne. 3.1.f. pulpe cuffiefiftule, 3, un Buc.viol.lb.L Colent t mundent a granis t kophis, Et in alia parte aque proficiantur suc, tabased lb, in. acctivuilbi. Coquantur cufacilitate: beinde pficiaf fup illud qo biffolutu ett: 7 agregant fil in vnu, Et coquant vice ad mellistpiffis tudiue Eltimo vero puluerient ochip rauend bont 3.14 mirabolanozum citrinozum. 3246 Izebulozum indozum an.z.vin. bellericozum emblicozum añ.z.iin. granozum fumiterre trocifcozum dyarodon macis mafticis cubebe fpodij fandali citrini an. 3. n.f. quattuoz feminum an. 3. n.f. spice,3.n. Inuoluant molco violato, t repone in vale pitreo

Zriafandali D.T. R. Candali albi fandalirubci fandalı cıtrini rop sucan folidos, n. reubarbari [podn fucci liquiricie femmis portulacean. folio, i,fe

Scilicet frigido! maiou

Dec confecto eft multă viualis et phic pparatare Brent,

Zuc.dicit acr.pe de.q no:fed des buit occere sacca mead at phillipt i rei ventate pfills tum.

magie videf co/ amidi £:0218.

ferre ppolito, et gummi arabici trabylia gal'ili. dimidiaru ca.be diaga ganti paffionibus pc/ feminis inclon citruli cucumeris cucurbite feminis fcariolean, folida. camphoze.).i. aln rof pondus quadruplicant firmpirof,q.f.

Zrionfilon

Ifta additio no ví ualis apo apo recarios nros.

eft in piu.

D.M. Repiperis albisis. Trinifiphilo no piperis nigri.3.4. cimimi affi,3,f, 3insiberis mitri piretrian s.n. piperis longi.3.f. amei amei petro patici

annifi alempni fpice . cyperi aph fiselcos cofti añ. 3.f.

gariofilozum, z.i. gra. vý, f. dattilozum mumdatozum numero, pý. foliozum rute virio, 3.f.

mellis,q.f.

Zeodoziton emperiston. D.n.

'Mon pparatur.

R.aloes epatici 3. ij. gra, ij. z tertias par tem.3.12+ cmamomi camedrei acozi afi,3,ifi. croci caffiefiffule

Emoneal caffie higher zwie con noratio ch i acas agarici.3.11, rifton. Dicenim nardi cafficfi.no videt cofti coferre pposito pprer elle ppos tionaram bosim cius ad aliam.

mafticis asari filphi fquille affe amonimi bdellin elebozi nigri ypericon cpythimi polipodn fucci bracifee piperis albi piperis longi añ.3,i.f. fquinanti zinziberis mirabolañ coloquintide mirre ferapini oppoponaci castozei abcbincbij ariftologie longe petro. genciane amomi añ 3, h. mellisig.f.

Zcodoziton anacardinti Moneft in via D.N.

Ralocs epatici, 3.1.f. yzcos caffican 3.vh.minus gra, rvi. 311131beris anacardi carpobalf.añ.z.tin.f. foli **spice** cozticum mirabolañ men epythimian.5.111.3.4 gariofilozum fquinanti reupontici mafticis añ.3.i.gra.ih.f. Coficefic, Accipe corticu radicu feiculi bene ablun z cornti lb.1, z pone î lb. ii. ace ti p.vi, vice, tposteatere ipsam radice, t cu code aceto coquead tertia parte. t cu oi oiligentia cola ppannut ponei lb.ii. mellis despumati. Tsic cod vice ad aceti

confumptoem, z cu tali melle confice, Zrocisci dyarodon Din.

R.rof viridium.3.iin. fpodij.3.n.

fandati rubei.3.i.f.gra.vif. camphoze gra.xn.

Confice fic, cum marmozeo pilozole rece tes fine itermissione terantur. Deinde ce terarum specieruz subtilisim? puluis sup mittatur. teum sufficieti rodostomate id est aqua rof cosiciant. Ed vitimu capbo ra adbibita indetrocifa fozmětur. z fom bra ficcetur. z viui referuentur,

Zrocifci alij oyarodon D.D.

R.foliozum rof.3.K. liquiricie .3.v. fpice aromatice 3. n.f. Mon funt inviu

Bo funt in viu.

Mon funt i pfu,

cere voluerio: adde fcamonce,3.19. Trocifci oyarodon aliq fine de rofis, D.D.

Confice cu vino albo, Qafi laratinos fa

B. foliozum rof rubcarum aurcos.in. fpice aromatice aureos, n. liquiricie aureos.in. ligni aloes aurcos.n. foodin aur.i. croci aureum.f. mafticis,3.h. Confice cu vino albo. That troci ci.3.12.

Mon pparatur.

beradiabus

Istitrocifci ras

robabentin viu

interdu th inue:

tiones magnas

munt ppati.

Trocifci alijoyarodon finederof D.D. R.foliozum rof.3.vin, fpice, 3.in. rauend de fent,3,119 fpodn.5.1.f.

liquiricie, 3, in.f. fucci eupatozij.3.r. Frant trocifci cu teremabin.

Zrocisci alii byarodon finederof, D.O.

Juter haf beferi priones fola ifta eftyfualis q igre R.rop.z.iin. dif copositiones ligni alocs,3in magno# antido mafticis.3,1.f. pocum. abfinchý romaní cinamomi **ipice**

caffielign flozum fquinanti aff.3.f. Factrocifcos.3.n.cu vino atiquo t aqua decoctionis radicum

Zrocisci biani fine Diureticarii fup ocviolis,D.T. ple ve apri petro.

B.flozum violarum viridium, 3.vis amidi.z.in. feminis papaueris albi,3,11,3,i. renbarbari. 3.v. feminis plantaginis,3.1,

balf. 3.i. rodoltomati .id id aquerof.q.f. Confice ad modum trocifcozum de rof. **Troalaydioari**

D.M.

mirre

R.amomi, 3,1, cinamomi Foli Mon pparatur: uifi p quanto in grediunt copost croci

asani

caffie an.3.f. spice. 3.1. oppobalf cofti calami aromatici rilobals

fu an.gra.pv. mafticis maratri añ, gra.p. thamarifci gra,v. vini afcoloni q.f.

Decomma tere, teli vino trofcifcos i foz matcum fumo ftoracis ficce,

Trocifci crocomagmatis fip quanto igre diunt copositios

R. crocisin, rop ameos mirre an. 3. i.f. rilobalf.5.1.

Eum aquarof trocifcos informa, Trocifcifquilitici.

D.TL. Sicfunt, Squillas integra binide, tin fi p quanto igre maffa farine fermentate i furno becoque z abstracta de massa z ciectis corticib? ei us mediti in mortario tere et eiufdes pon deris farine ozobi fubrilifiime trira adde z cum vino vel melle tepera, Si beeft ozo bus tantunde panis affi fubtiliffimetriti pone z crindetrocifcos infoza z i vmbza ticcetur,

Zrocifci de tyro . D.11.

R.tyzum inuenem longitudinis vni? pal mi oculos rubeos babentem liguam mo, bilem z comua in modum grani frumeti caput & candam tribus digitis ablcide,ct media quod remanet enticera t excona roptie in aqua oulci lana, rficcoque do necfpine a carnibus feparet, Boltea fpi Deveneus, nis projectis, carnen i mortano marmo reo nimis tere, z committa eiuldem pons deris farina ozobivel panis affi cu fuo uz re vel brodio in quo occoctus eft tyrus te pera, zfactrocifcos poderis folidi 2. Et in vimbra delicca.

Zrocilci byacozali D. 17. R. cozalirubei

cinamomi mirre amomi papaueris an, z, un, foumanti croctaff.3.ff. calami aromatici pilobalf caffielignee mafticis poli fileneañ.3.1.

De bis oibus puluerifatis fac trocifcos cu vio.poderis folidi 12, t ficca un vinbra

Mo oparant ni nes magnas.

Mo pparant nis nes magnas.

Mo prepant nis fi p quato ingre dunt copoficos nes magnas.in terdő in vinun eis in legra. Et post anna nulli? fune efficacie: vo bene regitar ille doctor anthon? guencin' in luce Int trociscions func in osu son p fence descripcões R. rosarum Trocifcide camphom D. II.

suc, an, 3.vh, cucumcris piloalocs croci camphoze an, 3, 4, liquiricie semins poztulace afi, 3, 6, 6.

Diftempera cum musculagine pfilli z fac trocicos.

Iftitrocifci repi unt ppati fin p: lente descriptios

Trociscialitoe cappora

R. foliozum rof gra, tii, fpodi, 3. ii, fandalozum citrinozum, 3. ii, fandalozum citrinozum, 3. ii, fandalozum citrinozum, 3. ii, feminum quattuoz figidozum ozagaganti gunum fpice añ, 3. i. ligni aloes cardamomi amili camphoze añ, 3. ii partes, ii, 5uc, taba 3 edi teremabin añ, 3. iii,

Ist trocifciffic i viu om pitre des feriptione

Tocifci allzekangi
D.D.

R. granozum allzekangi. 3.iii.
quatuoz feminum frigidozum ali, 5.f.
boli armenici
gummi arabici
thuris
fanguinis dzachonis
papaueris albi
amigdalarum amarum
fucci liquiricie
bzagagāti
amidi
granozum pini ali, 5, vi.
leminis apij

Confice cu mufalagie pfilli zaqua ro F.

Aliquistori būt larabe bulusedoebsois terre figillate aterre figillate. iusquiami opij añ.3.ij.

Mon funt î vfu Îm pîtê deferip tionê:fed îm pre sedentê. Trocifci alij, allzelzangi D.II.

Refeminum melon, aureos, prvi. feminis iulgutami albi feminis apri feminis acetole an aureos, vij. feminis coziandri feminis papaueris albi añ, aur. pvin, feminis fenculi granozum pini torrefactorum croci amigdalarum amararum añ aurcos. r. granozum allzelzangi numero. rl. Dec tere z côfice cum coagulo vue feu ch muscilagine que exiut ex granis allzelză gi. r factrociscos.

Trocifci elij allactangi

R.feminis allzelzangi. 3.i. gummi arabici dzagagañ boli armenici feminis papaueris albi amidt an.3.vi. thuris fanguinis braconis liquiricierof an, 3,6 aph fucci liquiricie iufquiami opn añ.3.n. feminis cucurbite feminis citoniozum mudatozum an. 3.in. amigdalarum. 3.1. mellis.q.f. Siant trocifci, Trocifci de mirra

R.mirre,3,ii). lupinozum optime tritozum.3,v. foliozum ruthe mentaltri

mentaftri pulegii feruini rubee tinctorus ferapini

oppoponaci añ.3.ij. Siatitrocifci poderates,3.ij.ch fucco rute

Zocifer de gallia mufcata, D. O. . R. riloaloes crudi partes, v.

ambre partes.ii, musci partem.i.
Blutinis dragagati cu aqua rof extracte q.s. ad comiscedu ea. Fiant trocisci similes folips mirte t sigiletur t reponantur in vase vitri. Et apud alios disoluit abrain vase vitro cu olco de ben id emuscelino. Et consiciuntur ectera cum eo.

Trocafci de gallía febellie.D.D.

R. foliozum rod recentium, z humidarus que tam incipiunt refare nodos, 3.1.f.
Terátur contratione vituma in moztario lapideo.Deinde profice defuper

Mo funt i viu fig phice descriptions

Ifti rrocifci fine multă vfualese pparant vbic

Isti trocifci ppa rant p quato inc gredint alias co fectiones als ra ro venint i vium

affe fetide

Mo fant in viu.

ligni alocs gariofilozum gummi arabici Spice inde an. 3. i.f. fandali citrini 3.4. ramich.3.in. Zeranturficut alchooletteranturcii rof z bumectentur cum modico aque rof ifu fionis gummi arabici. z iterus teratur.de inde iterum bumectentur z teratur, z boc frat per diem vnum, Eltimo vero aroma kizentur cum mulci,3,19 parti,ii, ambze camphozeañ,anr.f.

Hon funt in vfu

Fiant trocifci tfigilentur. Zroafa de gallia elephangina, D. O.

R. emblicorum abiectis offibus. 3. iin. Conterantur contritioe groffatz pongt in vafe vitreo, Et fundatur deluper aque infutionis rofarum ficcarum: corticum citrorum lb.f,

Et ftringatur os vafis toimittat perbis es tresiDeide fundatur i eis aque predis cre infutionis, 3. un, z in craftinu frat fini liter.vicequo emblicozum vut? in aqua, è prefia fit. Tunc vero

R. ligni aloes, 3. vin. ramich.3.1.f. rop.3. r.

gariofilozum,3.F. spice inde.3.in. fandalı citrini,3,iin gummarabici.3.vi.

nucis mufcate

Terantur of a fieut alcool ficut biri. Tun datur super ca parum succi ifusionis pre dicte emblicorus, Et conterantur cum co vice oum totum paulatim fundat z imbi batur. Eltimo vero aromatizetur cum camphoze.z.i.

mulcis.L. ambre.3.h. Siant trocifci & figilentur & ponant iva le vitreo

Confeccio de gallia man nafine regali, D.O.

B. fucci albelac. lb.i. Buliat chulinoe vna beinde colet zpij ciatur defuper gallarum recentium contritară contritio ne pltima. 3.in. Et buliat bocc fiat ficut mel curres, beide R.rop.3.1. cardamomi lingue ams gariofilozum

light aloes aff. 3, vn,f Darfeni, s.in. fandalimachafir,3.v. crocus.f. gummi arabici, 3.1, Zerantur z cribellentur z mifce cu predi ctis. z expande desuper marmoz inunctu oleo amigdalarn donec ficcet. Deide pul ueriseturicut alcoolit aromatizet cum mufci aureo,f,Deide cu aqua rof. Fiant trocifci fubtiles z ficcentur in vmbza

Zrocifci ramich,

D.D. R. fucci berbe acetole. 3. pvi. Buliat ebulitione vna cum rob. 3.1, granorum mirti, 3. n. Let coletur e misce cum co gallarum rece tium z humidarum tritarum oltima cotri tione.3,111, Loquat adbuc, Deide pulue rifctur ochuper rop.3.1. fandali machafir, 3,1,2 quarta gummi arabici. 3.4.1, carntum fumach spody an.3.vin. fucci agrefte, 3, vij. fucci granozum mirti tritozum cotritione vltima. z.iin, ligni aloes gariofilozum

macis nucis mufcate an.3.iii. Innoluantur ommia finnl r expade i feur tella lapidea vios dum ficcetur, Deide, te reficut alcool. Et cum camphoze aureo .i. aquerof.q.f.

Sactro finbtiles retficca in ombra. Et a pud alios loco fucci acetofe poe fucci cito nion acctofor immaturon tatude. Et q dam aromatizant cum mufci.3.19 quarta

Zrocifci de reubarbaro, D.DJ.

R.rauendbom.z.r. fucci cupatozn, 3, un, rop. 5.11. anifi **fpice** rubce tinctozum faminis apn abfinchi azarı an, z.i. amıgdalarum amararım,3,iifi, Siant trocici aurei ?. Troascio spodio. D. O. necpregatur. Tr. spedija, sin,

Ifti trocifci mul th funt in vin: es vbic pparatire periung.

Effecto ramich

no pparaf nifi p queo ingredifali asi pfectioes ma

gnafral's rarove

Rarovimurgal

lis in antidoto os fumedis:nift

gallis cyprelli.et credo q bic des beat ponit vide tur coferre ppos

fito,

nit in ylum

Die fubriliffine puluerifet aşarı Bita prima reces pra non eft i ylis

Ron eft in plu

Liber

| and all the state of the | -10 |
|--|---|
| | rof rubearum. 3.vij. |
| | feminis portulace |
| | fuscilianidas on a fi |
| | fucciliquiricican, 3. 1/4. |
| | Zonfice cum mufclagine pfillin.z factro |
| | cifcos,3,12 |
| | Trocisci de spodio cu semicace |
| Ifti trocifci fin | tole, z dirreftrictiut, D.O. |
| phrempelcripus | Resrof rubearum, 3.xii. |
| one funt vfualef | fpodij.5.p. |
| mukūz pparan | feminis acetofe.3.vi. |
| tur phigs. | |
| The state of the state of | feminis portulace |
| Eredo op femen | granozum coziandri infufozum in aceto |
| portulace os affa | ztorcfactorum |
| a pper multam | pulpe id eft corticis fumach añis. ij.f. |
| a?humidiratë, | amidi affi |
| | ballanftiarum |
| | berberis añ.3,ñ. |
| A 200 00 00 000 | |
| | gummi arabici affiz, if, |
| the spreading all | Confice cum fucco agrefte |
| Monfantin via | Zrocifciocberberis |
| THE PERSON NAMED IN | D,QJ. |
| | R.berberis aut fucci cius |
| PORTER CONTENTS PORT | fpodij stanova da |
| Cold Tolland | fucci liquiricie |
| | feminis portulacean, 3, iff. |
| | |
| | rop.3,pt. |
| | Ipice crock |
| | amidi to the same to the country of the |
| | dragagantian, 3,ii |
| | feminis citruli. 3.i.f. |
| | campbozc,3.f. |
| | Confice cum teremabin, |
| | Aliterfic ex |
| Monfunt inviu | 20-0 |
| nec pparara repi | |
| unf: aliq tritfis magaftrali, vinf. | Tk.berberis,3.90 |
| anishmen'sene | fpodn and the foods are and the |
| | piloaloes |
| | Teminis acetole |
| | mafticis |
| | gallie |
| | fpicean, s.i. |
| | rof.s.v. |
| | Confice cum aqua rof |
| Lumpayatin | |
| Ifitrocifci apo | Zrocifci de abfinchia |
| nos poant | D,O. |
| The second second | The rop |
| | abfinchi |
| | anifi añ.3.ff. |
| | raucnd |
| Mic aşarii bebet | fucci cupatozij |
| tin pulucrifario | asari asari |
| repatad, viasyzi | |
| nc. | apij |
| The Principle | amigdalarum amarum |
| laxor at the | fpice distribution and the second |
| Mily Tourna Harris | malticis |
| | foln an.3.1. |
| | Sactrocifcos cum fucco endinie |
| | |

| CIBOCE. | MY SUPPLY |
|--|--|
| Zrocisci de enpatozio | Ifti apud nos 5 |
| D.O | paranmr, |
| Reteremabin . | |
| fuccienpatorijanisi, | |
| rof.3.f. | |
| fpice,3.iii, | |
| rauchd | |
| asari | |
| anifi añ 5.h.f. | Die agarii byth |
| fpodit, s.til. f. | puluerilari qre |
| Sac trocifcos cum fucco berbaru fupple | paradyiveyzine |
| banc confectionem ingredientium.f.eus | |
| patoziiaut cum fucco berbay conferens | |
| tium ppolito:vt abfinchi;aut apii:13 nol | |
| loco fuccop accipim? aquas diftillatas. | Mon funt invin |
| Trocifci de | |
| antfo.D.O. | Clea found no 17 |
| R.anifi | |
| eupatoznañ.z.n. | |
| feminis ancti | |
| fpice was a manufacture of the second | |
| mafticis | |
| foli | |
| abfinchi almid a little and a l | |
| aping appoint to the significance of | |
| amigdalarum amarum'añ,3,i. | |
| aloes.3.11. | |
| Confice cum fucco abfinchii Tapije | |
| Zrocifci de lacca | Interocici apo |
| D.D. | nos penes aligs aporecarios pre |
| R.lacce ablute | pant:erpenes as |
| fucci liquiricie | liquosno |
| abfinchi | |
| berberis (in a more debend | |
| fucci enpatozii | |
| rational designation of the control | |
| ariftologie longe | |
| cofti | |
| amigdalarum amarum | Dic aşarā da tiff |
| rubcetunctozum | puluerifari ore pat adviasyzine |
| anth | but and think time |
| aph across | A STATE OF THE PARTY OF THE PAR |
| fquinantian, 5,1, | |
| Factro.3.1%. Zro,beterra | Ifti trocifci funt |
| | multi pinales & |
| R. languinis deachonis | pparant voice |
| gummi arabici affi | |
| ramicb | Dicpone femen |
| rof | illo tanuginofus |
| feminis rof | qo eft in rop, nos |
| amiliaffi | dulo, |
| fpodů | |
| acaffie | |
| vnoomfidos | |
| TAIN WILLIAM TO | |

ppoquiftidos ballauftie boli armenici

terre figilate Sedenegi. cozali margaritarum larabe dragaganti papaueris nigrian. 3.in.f. feminis poztulace affi comu cerui adusti thuris gallarum cypreffian.s.n. Siant trocifci cum aqua arnogloffe Trocifcide croco fine crocomagmatis, D.D.

Möpparaf niff pquato ingredi unfalias ofectio nesmagnas.

R.crociaurcos.vn.f. Lacotar aureos.v. aluminis calcadis añ.3.i.f. gumini arab.5.4. Fiant trocafci cum vino fliptico Trocifci de arfenico

D.D. Rarfenici citrini 3.4 calcis vinc.3.xil. acaffie tartari combusti fecis aceti adusti gummi arab torrefacti aluminis balauftiaruman,3.1). colcotar florum cris anis.v.

Zerantur cum aceto, tfent in fole per. g. dies. z fianttrocife z ponant z in valevi tri bene claufo: qo reponatur inalio vafe vbi fitace tum

Ifti coiter no p= parantur,

Zrocifci be agarico. D. O.G. deagarico de intentione baly

Ragarici partemai. lzeyfim aut dauci fertam partem eius falifgemmequartam partem ipfius Fiant trocifci cum viscolitate polipodi recentis

Mietiam no p: parameur.

Zrocifcialij beagarico.D.D. ca, de agarico de intentoc dya-Bragarici partema.

falifgemme tertum ipfins Santtrocifci cum firupo acetofo Trocifci alij ocagarico, D.D)

Ista coiter z vbi B inneniunt p/ Accipe agarici electi Buluerifef. z cu vino infusionis zinzibe parani. ris formentur trocifci Trocafci de turbith. D.O.

Mon funt in viu debet the elle vio

de intentione bameth lerecères aut cof The turbith electi fanapiol, cuisuc. flozum violarum recentium duplus ipfi? sinsiberis medium ponderis ipfius

Giant trocifci

Trocasciocserapino.D.O. ca, de ferap, de intentocmesir. Accipe coloquida pfora ipfam z abijce grana eus tin z umpleaf aqua cu panca fpica z maftice. z buliant in emere calido coloquineide ad via ad siumptoem tertie partis ipilus. noz. Alser. lira, Deide infunde ferapinu in bac aqua fem per modicii infundendo: vias oum pins guefcat. Deinde fricetur z frant trocifci.

Zrocifci ali de ferapino D.O. vbifupra. B. fucci enule ficut cft.3. rvij. Infundem co **spice**

mafticisan-3-un-Buliant vfc ad confumpioem medieta tis:post illud coletur z mittatur ferapis num, Tfiat vt dictum eft.

Zrocifci albendal.D.D. v Repulpe coloquintide electe mundate a grams.3.r. Incindantur incilione contententicum in Mon funt ia via cifono. T fricetur ai, 3, nolei rof. Deinde R.dzagaganti gummi arabici bdelln mollisan 3.vi. Infundant ifta in aqua rof poice.iin.et conficiatur coloquintida incifa cii glutio cop. t fiat troufci. t exficcentur in ombea

Trocifci de landaits D.00. Retrium fandalogum an . 5. vil). fpodij feminum cucumeris

cucurbite atruli portulaceañ.z.un. rof 3.011. campborc.5.1. berbens velfuccienis, 3.vi. boli armenici.3.un. Confice cum aqua portulace

Hliter fic Ep 1 D.emfdem R.fandalozum citrinozum-3.9: gummi arab. 5.iin. feminum quattuoz frigidozum excortica tozumañ.5.i. Confice cum aqua portulace Lactuce dzagaganti

fucci liquiricie ani.3.f. Siant trocafci Zrocifci bameth D.D.

R. folion viol babentin medictate inter vequibus iupra

Mon funt inviu nec prepara repe Poffunt file f.c.

riuntur. ri printado aco aqua mirabolas

Mo funt in viu: псеррап герійв

Mon funt in pfu

Isti crocisci sunt troaki o turbub

Isticrocifei fune in vin Tptepatt regiung

bumiditatem e ficcitatem aur.pij. turbith electi, aureos, vi. fucci liquiricic aureos,in, teremabin aurcos,iifi, Sac trocifcos

Zrocisci de cypero D.D.

R. zinziberis beyl nucis mufcate cubebe macig gariofilozum gallic añ.aur.i. corticum citri mafticis florum squinanti

Mondanthin via

Mon funt in vfu

cyperi fpice cmamomi emblicozum extremitati mirti affi, anreos, ff.

M. lignialoes mafficis!

froicere beplbas

Quida ouplicat naffurch

cnamomi gariofilozum gallie ontoners nucis mufcate
cubebe
cardamomi costicum citri Aliq libri haber beyl bace an 5.6.
in bac psectione musc. 3.17. sectam.
beyl requis bon frant trocule cum melle passelato Zrocifcidecapcribus D.20. damoni t vide! The corticum rad caparis as obanci no co feminis agni calti an. 3, v. mgelle Isti trocisci non calamenti repiuns prepati, succi cupatorij

amigdalarum amarum amoniaci: ereft aromniaci mel?, meß, i ifa. foliozum rutbe ariftologiero.añ.3.ff. scolopendrie añ.3.i. armoniacum diffoluatur in aceto z alian rerum pulnis conficiatur cum co. Zrocifci de carabe, dimi

R. carabeaureos.vi. comu cerniosti gummi arab.affi cozaliadustí bragaganti acaffie ypoquiftidos ballauftie mafticis lacce ablute. papaueris nigri affi affi.aureos,tij. iburis croci ophañaur.f.i. Sactrocifcos. Defi mufcilagine pfillije Smit particula decimanona,

Wicelima particula

fecundi libri Incipit Equitur de littera El.que ad litte ram Z. immediate fublequitur in ordine litterarum minoris alpha/ bet. Erunt autem in bac particula reces pe sequentes. Enguentum byafinicon,cui? bue ponun tur recepte Enguentum palmeum, D.O. Ung.nobile relath adnicodemi, b.m. Enguentum alud nicodemii D.D. Enguentum arabicum, D.O. Ungue apostolop, D. Huic, in. v. can. Unguentum ceraleos magnii. D. Q. Unguentum cerafeos paruum, D.O. Eng. de artanita, D. Co. ca de artanita Unguentu artanita magnum.D.D. Enguentum artanita paruum, D. 00. Enguentum de lino. D. O. Unguentum aşafir.D. 20. Unguentum rofatum. D.O. Anguentum violatum, D.O. Anguentum de papanere, D. O. Anguentum bafilicon magnum. D. O: Engueutum balilicon minus. D. D) Enguentum de bdellio, D. D. Enguentum fimile in virtutevngueti de bdellio. D. D. Unguentum filageos. D. D. Enguentum aureum. D. Q. Unguentum de cerula, D. D. Unguenta alba.coms one ponunt Rete Unguentum firicinum, D.Q). Unguentum egiptiacum. D. O. Unguentum tria farmacum Alind D. ciusdem Unguentum allzifarine.D.O. Unguentum alfefuricu relatum ad alere

drum.b.m. Unguentum ad vulnera antiqua.b.m. Unguentum citrinum.d.n. Enguentum aureum.a.n. Unguentum populcon.d.n. Enguentum marciaton.o.n. Unguentum arrogon.d.n. Enguentum dyaltea.D.TL. Unguentum contra pediculos. D. 11. Unguentum agripa.D. 71. Unguentum lagatuum. D. Tl. Enguentum ponfiligos. D.N. Enguentum contra scabiem.cui due po nuntur recepte Enguentum enulatum Enguentum deficeatum rubeum Enguentum contra vermes Enguentum refumptuum

Unguentum byafinicon. b. m. Radipis zirbi cerui adipis vituli antiquarum mundatarus & colatarum añ.lb.i.f. colcotar.3.un. litargiri mundi

olei antiqui añ.lb.in. Confice ficterant litargirur colcotar co tritione vitima z cribzentur per pannuni fubtilem.deinde terant cu oleo z elabore tur in permittione cora. Deinde terantur cu olco paulatim, z paulatim addedo olc um.deinde coletur fup illud adepst co. quatur chi facilitate agitando illud fine in termiffione cum ramo palmarum. f. cum extremitate el groffa abiecto cortice el Et fit ramus recenter a palma meilus. z quoties humiditas illus rami erhaurit a medicaminenterum agitetur alio ramo fimiliter ficut dictii est de priorant vertat ab alio latere: ta cotinue agitetur cus utis ramis recentibus: 7 recenter incilis bonce compleatur occoctio. Et fiat occo ctio ad leuce prunas:aut supra igne flas me tennis.

Blofa notanda T Iftud eft vnguetu quod appellat ani cenam v.can.vnguentum de calcadis o quo refert q ipfum nominaut Balien. mutlzin. Auicena th non poliut adipem cerui: led facit cum folo olco z adipe vitu li.iple th polint adipe vituli lb. in. Etoi cat & primo debent miscen calcade litar gurum un moztario cii adipe toleo priule ф ponantur in fripozio.

Enguenta alund ovafunico. D ciulde qu dicit effe D. grab,

R. foliozum tzcyzi falme

trifoli acctofian.lb.f. Zerantur continue bona, vitunde fuper ca in vafe lapideo olei rofati aut mirtini adipiszirbi vituli antique adip cerui antique colatarum an, l. i.f. dimitte per dies octo, deinde Accipemirre aloes fuccorrin an aureos.ir. farcocole aurcos.vii-Zerantur z eribellent z pronice desinper i alio vase lapideo vimalbuaut fucciarnogloffe longe in quo cocte fuerit ex folips can berbaru añ. 3. in. Et fit vint. et trifoin accroff aut fucci q fundit supra species quatitas fufficiens ad diffolucidu cas, 7 dimitte poies fer. dende redeas ad berbas toe coque cii oleo r adipe ebulitionibus dua bus. r colar exprime olen r adipem Et accipe buins expressionisto, un.s.

litargiri pulucrdan lubrilifime lban, calcad.3.nn. Zeranturz coquant ficut fuperius bigin? in pcedenti recepta. Et agitef cus ramo palmeo filrvt occin cft. Er buliarvi cou color medicine alteretur. ocinde bepone ab igne, z fine intermissione agitado vica ou infrigidet pay. Et tuc paulati infuns dant muscilagines specier q suntivino diffolute primuo aguado cum puftello fer reo donec frat con bona printio. deinde pficiaf el'occoctio: vt oiceii est in recepta precedenti. Et additurab aligs amoglof

Unguentum palmeum D.DJ. Rolei veteris lb.in. aringie pozci veteris depurate a fale lb.n

felb.1. zpropuelonge

Confice fic.oleff z agungia mittantur in stagnato supra igne z liquestat, ocide ad daturlitargip z vitreolus. z ducat cotis nue cu triboramis palme. Et accipe vnu ramu palmaru minuti icilus. z intromit tatur. t tadiu buliat fupra igne lentu fa ctum de lignis ficcis donec inspilletur et denfitatem babeat

Einguentum palmeum Blud D.einidem R. litargiri aurei iban. pinguedinis porci recentis lbaij. pitreoli virio, 3.un. extremitatu tenerriman palme ad libitus Sacot in pcedeti lemp agitado cu iparu la palme, t loco epremitatii palme tu po tes ponererad, canne.

Mon eft in vitt,

Mon eft in vit.

Roeffi vin: nec pparatu repitur

Moneft in plu.

Unguentum nobile relatum admicodemum.D.D.

R.mirre aloes farcocole afi. partem.i. mellis despuman oupli ponderis oium. vint albi bom quod fufficit Decoquantur cum facilitate vice ous ba beat fpiffitudmem. Et quando additur inmedicamine

Mon cft in viu.

vitreoli circiter partem.f. Unguentum aliud micodemi.D. De

R.mirre aloes an quantum vis pini albi quantum fufficit Ecrant mura valoes ficutalcobol zph ce defugivini: z tere admifcedo cii co pau latim. z paulatim femper infundendo vio num parum z sepe, z semp terendo donec fiar liquidum ficut mel. Et aliqui addut vurcoli parti? quarti.

Moset in plu.

no vicifim parum de virors poncido Enguentum arabicus, D. D. The folips berbarum carundem lb. i.f. oleimirtun adip.vituli antique añ.3.fr. mure alocs and rh Tarcocole 3. ir. Diffoluantur species in vino berban fic Die prime dirim? berbe quots terant co truide vitimate fundat defup oleum'e as deps t'musclagines reruit cum eis

Coquant omnia cum facilitate: t fiat fic pulmentu. Et gnit diffoluunt fpes i fu co arnogloffe longe aut ample z propriin eftate.

Blo notanda.

Attede bic q oes ifte fpes vngueton Louo modi vngueti dyafinico. Duo mos di onguenti palmen. Et onguenta arab. quan funt cuilde virtutis. t oes receffett ab pfu. Ettede tii circa boc vnguetu arab que eo ponit q accipc folia cartides bers baz. z intellige carudem:fc3 q m fcba. D puguenti dyafinicon ingrediutur. Tfunt berba bevat falutat trifoli acetofus.etts am dicitur bic o mirra aloes z farcocola diffoliantur in vino berbaz ficut bic ppi me duimus.f. in code fcoo vingueto dya! fmicon.f.in vino albo occocnois carides berbaru fupradictaru. f. lzevzi falmez tris foli acctofi aut in fucco arnogloffe longe

Et intellige p arnogloffam longam quin

of nermafen lanceola que eft fpes plans taginis fine arnogloffe q dicit platago mmoz. r parnogloffas ampla itellige ils lam speciem plantaginis q oicitur platas go maioz, cuius folia funt latar ampla fi Anlia oleribus que comeduntur.

Enguentum apitolozum. D. Amicen.in, v. can.

R terebentine cere albe refine an, 3. min. oppopouaci flozis eris an.3.4. armoniaci,3.piii). anstologiclonge thuris mafculintan 3,vi. mirre galbani an 3.iin. bdellij.3,vi licargiri.3.ix.

Infundatur bdelliffin accto vini zibi bif Soluat. Et decoquant ofa icftate cu dua bus lb, olei. 7 in byenie aim tribus,

Enguentum cerafeos magnum,D,O.

Bearmoniaci, 3.1. bdelli thuris malculini ariftologie farcocolcan, 5, v. murre galbani añ.3.iin, litargirt.3.Ev. aloes oppeponaciañ.z.f.f. flozis eris.3.in. reline.3.rlin. cere albe.3.n. olei quantum fufficit,

Armoniaci. z bdellimm diffolnat i aceto Litargiriterat t becoquat cu oleo ooec liquefiat, z runc remoucat ab igne bonce infrigidetur parti, z pronce fup ifz armo macti z bdellium billolura faceto z reduc ad igne voec coagulet. Et post illud pipe ce desuper reliquas medicinas,

Unquentum cerafcos paruum.D.O. Rariftologicrotunde rad yzcos fanguinis deaconis armoniaci farcocole an. 3.f. litargiri triti z pulnerizati, 3.v. oleilb.i. Decoquelitargirum i oleo viabu lique

fiat. Et conficiatur cum alis. Bing.arthanita magnifer inue etia vius co dt tione alexandri of feribit, ODe

Iftud vnguenca eft multa vfuale et ybigs repitur pparatii 65 pfite descriptionen,

Docynguentung fub ifto noie no eft i plu:q: pfoz/ mitate by ca vna guero aprou.D. Huice.iupza de feriptu q vngue enulen in viu,

Mo preparatur

formidandus,

Tk. fucci arthanite lb,in. fucci cucu afinim lb, i+ olei yzmi lb.n. butiri vaccimilb.i. pulpecoloquintide.3.111. polipodis. vi. euforbh.3.1. Que terenda funt terant, T fubmerge in fuccio: ponein vafe vitri ftricti vzificij z ftringe caput er z bimitte pocto dies: beindebulliat bullitione vna z colef, Et pone supra colaturam Terapini aurcos.v. mirre aureosan. Ita o refoluant primu in aceto vini qua trate fufficienti. Agrega oia fimul. Tbuli ent femp agitado cufufte vica ad fuccon fere confumptione: tune ponantur cere. 5. V+ fellis vaccini aurei.v. Et ferucant donce liquefiat cera tuncaccipe **s**camonec aloes mc3creon coloquintidean.aureos. V. cufozbii aurcos.ita falifgemme aurcos, in. turbub aureos,v. piperis longi zinziberis camomille an aureos. fi. Buluerifent z mifce cu eis fimul teredo un mortario donec perficiatur vnguentu. Enguentum artanite paruum, D. D.

Mon eft in viti

R.fucci artanite viscofitatis que extrabitur erras filicis:id est polipodi quercini fucci cameactis an. 3.ix. fucci extremitatum tamarifci, 3.4, olci vzimi lb.ij. plopibumide,3,v. armoniaci bdelin an. 3.i.f. aceti quod fufficit cere citrine, 3.vi. corticis rad caperopistisfe Ipice.34111 Frat ficut fuperius bigin? in precedenti Anguentum belino, D. D. Theoppoponaci partem.i.

Mon eft in pfu,

rafure panni antiqui de lino fubtili zmū di partem.f. pint, mellis olei rof vel mirtini an partes, ve

litargiri alocs farcocole mirrean.part.19 tertiam Siat vugue.ficteredo i moztario núc olefi nucvinu infundedo z admiftret, Er ques addit in co vitrcoli part, i? quarta,

Blofa notanda. T Bbi aligs cyzurgic'vellsvti magiftra liter boc unguero by ita confici. Accipe panus fubrilis de lino albus 7 miidus q radat cu cultello defup tenuiffune, T illa fupfluitas q inde extrabit ad fimiliaidis ne borreaccipiaf: z eft illa q 05 poni i vn gueto r no fila binoi pani appellatavul gari noie charpi q coit apponut supra vol cera: mi in mi coquasient in mortario do nec bose filitudine acciperet: 7 fint fracta z diminuta, z qfi in putuere redacta, Et os lauan aloes paulo bacingrediat col fectione cu vino potico autaqua rof, ct exficari. T postea ponim medicamine

Unguentum azafir, D. D. Ralbariel recentum.3.F arungic porcine.3.klv. Ecrenda terant fimul & bimittant marce feere poice. vii. Demde buliar & colentur z feruetur in vafe vitri.

Unguentum rof.

Rapungic porcine recentis quantitates Rarobabeturin D,00+ quavolueris t lauct in aqua catida nont thipparatur. es. tantude cu aqua frigida lanatioe vl tima.bemde terantur cum ca. rof rub recentiu quatu ipa eft. z bimitta tur macefeere poies, vi Demde coquant cu facilitater colent, Et iten tantide rof terant e dimittant palios.vij.diesimace fcere, Et fundatur Defuper. fuccirof circiter partem, f. olei amigdalarum partes,vi. Etiten coquatcu facilitatevica ad fucci columptocs, z,qñ dirûpit in ağ rof parti oph z phat moccoctocest marabile,

Unguenta Hiolatum.D.D. Depapauere, D.D. Sunt becficut vnguetum rof. Unguentum bafilicum magnum, D, D,

R.cere albe refine cepi vaccini picis glutinis alumbath olibani mirrean, 3, f.

the sir the stolk Mon eft in via

Mon funt in vhi

In bac noffra cit uttare turonenfe pparater babet oleiquod fufficie in alio cere, ,vi, picis, 3.11.

Zaliozum amnium,afi,3,f. Enguentum bafilicon mmus.D.D.

Mon eft in plu

W.refine pices cere añ. olei quod sufficit

Enguentum de bdellio' D.D.

B. bdelly mollisz,vi. enforbn caftorei

ferapini an, 3,119, cere.3.rrv.

olei lambucini autolei de keyri. 3.p. Bdellum t scrapina diffoliant in aqua ruthe agreftis, z cetera liniantur cu aqua calida & frat vinguentum.

Hon eft in plue

Eng. valens fimiliter ErD, emidem

Tr.caftozeus.i. peretri enforbii flaphifagric ... 3m3iberis finap.añ.z.in. fucci affrodilozum fucci ruthe agreftis afi. 3. iifi. Zmiantur omma cum fuccis, beinde cof quantur cum cerc.3.v.

olci, 3. pr. vica ad fuccor confumptionem Flon eft in viu Unguentum filagrios

D.D. Tr.cerc.3.111.

ylopibumide incci ruthe agreftis an 3.4. cuforbij

piperis cmamomi armoniaci croci olci balf. caftozei

olibani

glunnisalmubath oppoponaciañ.z.n.f. ola quod futficit

In aliques locif

Enguentum aurenm, pparafet babet D.LD, invitin algano Recere citrine, 3, vi. oler bont lb.in.f. terebentine.3.ij. refine colophonican, 3,4f.

mafticis an. 3.1. crock3,1,

Unguentum de cerula D.W.

Tr-ceruse merdafengian,3.vi. plumbivita fcone argentian, 3, mij. mashcis olibanian, s, n.f.

oleirop aceti albi an.q. sufficit.

Zerantur in moztario e ponat prius ole um:postea acetum parus infundendo ita Pfine intermissione teratur, nue bocinuc illud infundendo donec infpiffetur. Et aliqui addunt propter pruritum argentivini extinctis.v.

Hin addunt propter necessitatem

5mar.3.4, Anguentum album Becerufe. 3.4. oler rof quantum fufficit Fiatonguêtü i mortario, z dda addüt mo dică aceti, z est conuenicas. Lt ddam add dunt etiă, 3. ultargiri, z est etiă couenies Et qda addut campbore. 3.11. r i fine duo albumma oui. Et eft etta conucniens,

Blofa notanda TIftud vnguentū eft multū vfuale, et obic pparatum reperit, z folet preparas ri fine aceto z fine litargiro, Apotecarij noftri preparant cum campbora Tfine ca phora. Et fingulum refernant ad partes. Et bene, e da lauari cerufa cum aqua rof

pruid ingrediatur compositionem. Enguentum fyzicinus D.OJ.

Super vngnentum be cerufaadde fyzichizat.f. aloes mure afi, 3, iii, Et vtere,

Unguentum egiptiacum D.D.

A. floris eris aureos, v. mellis aurcos, run. acetifornis aurcos.vij. Loque fuper ignem bonec ifpiffetur Blofa notanda,

Taftud vnguentum eft multűvfualett vbic preparatum reperitur. Eft aűt boc vinguentum colozis rubei. t fic non tantu terret infirmos ficut vugueta viridia, Be quiritur auté coloris rubedo: propter de coctionem floris eris.

Ungernafarmacum, D. (1).

Doc vuguêtû be cerufa non eft in vfu: 6 illud vng. qo vulgarirer oz albû ab oib? bas befin vin zybis & pparat

Mon eft in vin.

R. litargiri triti ficut alcohol partes, in. acetivini, 3.f. olerrop quod fufficit.

Siat ficut vnguentum de cerufa, aut coq tur cum facilitate vicaquo babeat fpiffis

Blfanotanda.

Doc vnguentu eft vluale multu, z pze puratur vbic. In quibulda in regionib? appellatur vnguentum de litargiro.

ang.alfeffuricum relatum ad alexandrum, D.W.

Tr.ceruse litargiri alfeffuricum aloes boni

Monieft in viu.

Mou eff in ylu

Doconguenti ê

viuale multus:et

thick preparation regitur,

argenti viui extincti an partes equales olei de oleandro

aceti,an quantum fufficit

Hon eft in plu Eng. alfeffuricum alud,D.O.

R. litargiri albi alcadis an, partem,i, floris crispartem.f.

Zerant cum aceto forti in fole,tempore eltino perdiem vnum, lempermodicii ad dendo acetum. Deide ponatur in pafe vis treo t ftringatur os ci? t fepcliatur in fi mo diebus.rl. Deinde administretur,

Enguentum ad vulnera antiqua, D. D.

Raloes

mirre an. partes equales Zere vehement cu fucco abfinchije fuc co plantaginis, bonce fiar ficut mel. Blosanotanda.

T Ertende of huic vngeto addatur pa rum de fanguine deachonis no crit diffo, nans ab intentione melue, z erit efficaci? Unde idem mef capto de aloe Dixtum vero cum fanguine dzachois z mirra, fas nat vicera putrida mala,

Unguentum citrinum

D.D.

R.borracisz,n. campboze,3.4 cozali albi.3,1, amenti dulcis, 3,1, omblici marini bragaganti albi amidian, 5.111. criftalli dentalis

entalis

olibanialbi mitri añ.3.ij. gerffe ferpentarie. 3,6 cerufe cois 3, viz

Confice fic Zerantur dzagagatum z vm bilici marinian moztario marmozco cui pi ftello ferreo in fimul Cetera figillatim in code moztario tcrantur z cum panno fub tiliffimo cribzentur z cum arungie pozer recentis fine fale, lb.i.f.

cepi capimi, 3,11,

aringic gallmacce, 3.i. pofitis arungus in cacabor cacabo pofi to r pendente in caldario pleno aq fupra ignemità vi buliat aquailla r ci calore aque arungie liquefiant & liquefacte per fubtilem pannum album colentur in cati no t mor totus pulus apponatur preter campbozam t borracem femperagitado cum spatula vt omnum frat bona, icorpo ratio quo facto cli pomo citrino aut duo bus aut pluribus mittatur Tfimul mifcea tur femper cu spatula agitando Et fic cu inceperit totum bulire campboza cu boze race apponanturremoto ab igne toonec incipiat frigescere agitetur tell infrigida Ses ami aceto) til fuerit recondat Et nota pivna lb.pul ficatecius neris ochent effe octo lb.agungie colate,

Unguentum aureum

D.T.

Maradicis eurici meu an lbit.

ptrinfqsariftologie elempni

efule plopi pulegij arthemefie panthafilon

rutbe foliozum lauri

acozi berbe venti

rozifinazini matriffilue

farifrage cyperi

camedrei **Iperagi**

brufa

Temmis apn Temmis yzeos

granozum folis Lemftici

petro

fileris amomi

cardamomi

aneti baccarum lauri

216 aliqbus pres par no thom oe feriptone pittem f fm illam meß gante pofica eff;

umperi l un

lapidis lincis afi,lb,f. bafilice feminis vetice Commis citri finapis nnapis eufozbijlañ, 3. iiij. adipis vzfine vel vulpine olei laurini petrolei añ.3.ih. iquinanti cofti olei lauruni cofti piretri thuris mafticis matrcis mirre añ. 3. ij. mulceleon, 3. i, olei cerean.q.f. Confice fic , Refoluatur piquedines 200 lentur per caffiam, 2 ponatur ibidem cere ib rin Buliat võec cera liquefiat. Deide superponatur pinguedines resolutez co tate, z parum omittant bulire, z superef sundatur oleum laurini. Et ab igne abla to superinducatur olea alia ses musceleo olen coe, Zertto pulneres piretri Iquinanti rc. Quarto pero olibanum mirra Et po per in teruallum frat poftea Toepofito abigne.ponatur eufozbiu3 Elituno vero ponatur petroleum Unguentum populcon

W spinish in

Doc vnguenth è multa in viu: et reputir.

D.71. R.oculozum populi lb.i.f. which paratum foliozus papaueris nigri foliozum mandragoze cimarū rubei tenerrimarum foliozum infqui ann folatri vermicularis Lactuce Tempervine bardane fcatu cellan. 3.in. arungie pozei recentis fine fale lb.iff.
Oculi populi per fe bene piftent z magis dalcoes iforment. per ouos dies dime tant. Zertio vero die omnes berbe fupdi cte colliganturet per febene terantur. Et

iterum cum magdalconibo factis ex o cus lis populi terantur, terendo mifceatur Et formatis iterum magdalconibus per nouem dies referuentur. Poste vero ma gdaleones illi frustatimin caldario i bi Lodoziferi vini ponant, t buliat vs@ ad confumptoes van cu fpatula femper agis tando. Et postea p saccus bene crpzesius cola, z colatu bimirte ifrigidari z recode,

Enguentum marciatum, D.T. K. cere albe lb.ff. olcilb.viff. rozifmarini foliozum lauri añ. 3, vin. ruthe.3.vn. ehamarisci.3.vi. efbzin fauine balfamite
lilifagi
ozimi
polij
calamenti
arrbemelie catament
arthemesic
cnuse
bethonice
brance vesine
spargule
berbe venti
pinpinelle
agrimonie
absinchi
berbe paralis
berbe france marie
cimarum fambuci
berbe crassiule
nulefolis
sempervine
camedrei
centauree
foliozum stragle
quincs folis
berbe tetrabut añ.3.iij.se
ras enisci rad emifet cimini mirrean.3.in. fenigrea.3.i.f. butun.3.1.3.1.

vertice

papaucris rubi

Lapaccoli cardűceli

matriffilue

mente faracenice, alterius mente

viole

S minsugny soci pluslemulum z phic pparature

maturcle fallo maturele Verbe mufcate Luigue cerume cripule campborate ftozaci8 medule ceruine an. 3, 1, adipis valine adipis galimarum mafticis afiliali tburis.3.f. olcinardini.3.hi

Colligantur omnes berbe i menfe mayo zun vno die aut in duodus fi potest ab bo ra tertia viq3 ad meridies Et poftea tere oes berbas fil' infunde octo diebus i vis no odorifero, Octano die coquatur lento igne Et cũ vinû aliquatulu inceperit com fumi addatur fupzadictii oleum z buliant Donec berbe icipiant diminu Deinde ftu diofe cola z proiectis berbis iteru fup igo ne ponatur Et cum bulire ceperint pona tur itozar. Et cummodică bulierintipona tur butiru t arungia aliquantulu contula z olcu nardinu z maftig z olibanu Etpoft ea cera z cu cera liquefacta fuerit bit fep cum fpatula agituudo ab ignedeponatur Et cum coagulatum fuerit reponatur,

Doc vinguenta c solrum in ylu T wie pparatum PROCEETIE LIST

Enguentum arrogon, D.n. B. rozis marmi maiozane rad iarri ferpili rute rad fcicidis an. 3, iin, f. foliozum lauri faluic faume an. 3.in. policarie maioris & minoris an. 3:it. batonic, 3.19. nepte Poliozum fcicidisan. 3,vi. masticis olibani ants,vite piretri enfozbi Etponebic olen de ben : go dicif mulcelinn zinziberis piperisañ. 3, 1, olei museelini, 3, s. petrolei3.f. adipis viline

olei lauriman-3.19 butur.3.un.

olcicois lbive

cerelb.63.iii.

Derbe Tradices colligantur vt in martia tum un menfe tamen umij t fortiter cons tufe in mortario ponantur in olco p vij.oi es Dane vero Die fup igne ponantur z coquant Donec berbe Detrudatur in fudit postea p sacci coletur z iterus sup ignem ponantur Et cum inceperint bulire adda tur butirfi;adeps vefina t cera t cera lige facta ponatur petrolen emufcelina z eus forbin z postca mastir z olibanii Etad vl tunii zinziber.piper, tpiretrum, t.ab igne deponatur et viu referua

Unguentum dyaltea

D.T. The rad aufa lb. He feminis line fenugrecian.lb,i. fquille lb,f, olcilbath. cere lb.i. terebentine gummi edere galbanian.3.11. colopbonie refinean.lb.f.

Radices bin abluantur & terant fimiliter fenugrecă semen lini z squilla. Et cuzbă rita sucrint. postcatotă in. vi. ib. aque p tres dies ponant. Quarto vero die super igne buliat donec incipiat inspisari, dein de postcatori de postcatori per superiori pe de paulatim ponat in facco, z chi expanne re volucris.addat aliquatulu aque ferne tiffune ad extractione illius viscofi succi Eunc accipe de illo fucco lb, q. z cu olco Simul buliant vlog ad fucci cofumptoes Boftea addatur

cera Et cu liquefacta fuerit adde terebentina galbanum, rgunmi edere, Ad vlunum ponatur pulus refine reolophonie Et cu coctu fuerit ab igne deponat, z cus infrigidatii fuerit z coglutinatii viligent colligat. tofur referuet,

Unguentum contra pediculos D.D. fagric

R.Staphulagric piretri calcis vine litargiri auripigmenti mapi gipfi gith tartari priorite fundamentalism brionie abfinchi

Boc vinguenta & multi in viu: et reperitur,

ozigani calamenti laureole an quantum vio olei quod fufficit.

Biofanotanda, Doc unguentii non est in viu, neces pre paratum reperitur, en à vius eus effet pe riculofus. Ged vetule nostre facilit alind vnguetti cotra pediculos chi argeto vino extincto i falma bois iciuni, z ariigia gal linacea qono eft tanti periculi, Et aliqui addunt de sapone gallico, teftmelins,

Enguentum agripa

D.n. A.brionic lb.n. radicis scicidis lb,i. fquulc lb.f. y2008,3.in rat filicis

rad chuli

tribuli marini an.3. n. Radices ter vel quat abluant z teratur i pilla marmozea. Et ilb. iiff, olei lenci po natur pouos dies terriovero die fup ig ne ponat. z tadu buliat bonec icipiat ra dices omnitti. Poftea ponat i facco z er pemendo colent. e cu colatu fuerit. treru super ignes mittant. Et cu bulire iceperit ponat, 3.cv, cerc albiffime, t lique facta cera ab igne ocponatur. zon infrigidatu fuerit, collige in vale referua pfui,

Biolanotanda,

Thoc vinguenta cit multum i vfu. t vbi B preparatum repentur Loiter bicoes libri funt fallificati. Ebi ciñ debs effe olei leuci, feribunt des libri olei leticini, Efale fo.imo debs effe olei leuci.venorat ianid eft albi. Et tale oleum eit olen antiquins quoniam oleum quato antiquius tato al bins, Ettale cit qo ibi ochet poni,vrides tan Ettam in bac confectione igredit ra die filicis, zitellige polipodin quercinii q eft spcies filicis vel poteft poni alia fis ler, fez mafculus que videtur coferre pro pofito.fimiliter etia z femia,qz funt einf dem virtutis, sed femina, est debiliozis.

Moe i viu. viul: Bralifi eft picus lofus mulmm.

Unguentum lagatinum, D.O.ca.be arthanita, R.elebozialbi z nigri bermodattilozum fucci acozi femper vine

buomean.

Confice cum arungia pozcii Blind

Moeft ivfu: nec pparatű repítur vlulig taliű eft pi

D.n. R. fucer cucurbite culoius multum fucci interiozis fquile

fucci ciclaminis fuccianable fuccirad elebozi fucci mediani corticis fambuci lactis tirimali camomille añ. 3. 9. violaric fucci rad cucumeris agreftis fucci pomi emidem fucci mercurialis fucci rad polipodij fucci berbe laureole fuccicapilli veneris catapucie fellis tanri aloes epatician, 3.4, byagridn.3.1. nucle vomice euforbinan. 3.1,

Des supradicte berbe trad i mele mayo colligantur pno die vel duo? Succos ve ro z cathapucia filtere z cutribus lb.olei vi, diebo imufce, O ctano vero die tadiu coque oocc fuccom quaritas cofumat, tüc adde cere albelb.i.cū felle taurmo t fep eūspatula agitādo donec cera t fel ligti āt. Et tādē addet pulsus teredop sēp cū spatula cofinniter agitado, z viui repua

Enguenta pomphiligos

R.oleirof.3.r. cere albe, 3.0, fucci granozum folatri. 3.vifi. cerufe lote.3.111). plumbi viti tuthican. 3.11. thuris.3.4 Buluirifentur q'funt puluerifanda vt al cobol. 30 oft fac coq fuccu folarricu oleo rofato via ad comfumptione fucci cunc adde ceras cu puluerre. Tfac inde vngue tum, Tincorpora in mortario

Enguentum contra Scabies D. 77.

Raloes litargiri arfemci argenti vini tartari masticis cimini pellicule arungie veteris Que funt tereda tere . z tepera cli aceto z olco T fucco lapacio T fucco fuiterre.q.f.

Unguentum englatum Tk.radicis cmule campane cocte cum aceto z piftate vt becet lb,i, arungie pozei.3. 11.

Documquentă ?

pfunfe multusier

phid preparati

repitur,

Mo eft i vfu: nec pparath repitur

Documquentii & mulcum in via z ebic pparatum. reperitur

olci communis. 3.in, cere nouc.3,1. argenti, vim ertincti terebentine lote an. 3.17. falis cois puluenzati, 3.f. In corporentiir vt decet

Enguentum befic catuum rubcum, Tk.lapid calaminaris terretigillate an.3.iin, litargiri auri cerule an.3.117. campboze, 3.1, cere.3.v. olcirop olciviolañ.z.vi. Fiat ynguentum

Blosa notanda, Doc vngucutu cft multu vfuale. zpre paratureperit penes apotecarios nros ad iltantia cumidas cirurgici, fed indicio meo credo quelus effet componere ifis cu folo olco rof z no violato, ppter olcu rof participare ftipticitate. z fi fieret cum olco rof rudi,ide cu olco rof facto o olc o oliuaru no maturan adbuc effet coueni entra . Q q olen rof debeat fieri cu oleo as migdalan aut olco fisamio vt patuit ilita tera D. Epotecari tii nostri bodie faciut ipfuz p infufione rof in olco oliuan Ali qui ex apotecarns noftris facilit b vugue tii p aditiones lapidis calaminaris fiipra vinguentum de cerufa, z eft idem cus ifto. Et alfi fupza vnguentum albū. Et isti eti am benefaciunt.

Enguentii cotra vermes er be feriptőe rpofozi geozgij faddí tionibus viigueton fupra mef.

R.olci de abfinchio olci amigdala.mm amararum afi. 3.6. fuccifoliozum perfici matricaricañ.3.f. rofarum cozalozum farine lupinozum coznu cerni viti aŭ.3.i. aloes fuccotrini,3.n. Quidam addat de felle taurino 3. n. zmo dicum aceti, Et cere otum fufficit, Hlind Demidem qo poteft,

propinari in febrientibus Rolei citomozum Whet facere fuo olei ablinchi feminis plantaginis postulace feminis endinie rop cozalozum

coznu ceruí víti farine lupinozum an. 3.16 aloes fuccotrini,3.9. aceti parum cere otum fufficit,

Auguentum relumptiuum. Rarungie pozci recentis quart,i, arungie gallmace arungie anferis arungie anatis' an. 3.172 ylopibumide.3.f. olei viotati olei camomile olei anetinian, 3.17. buttrirecetis lb,i. cerealbe, 3, vi. mufclaginis dragaganti mufcilaginis feminis citonioznin mufclaginis femmis lini mulcilaginis radicis bilmaluc mufcilaginis gummiarabici afi. 3.1, Wifee Tfac vinguentum

Sinit particula vicefima,

Wicesima prima partis cula feamdilibri Incipit

Equitur confequeter in bacpenul tima pticula tractare de antidotis quox noia incipitit py qad littera

Elimediate subsequir in ordine, ppter no effealiqua antidota viualia:quoz no mina per X.incipiat. Erutante in bac pti cula recepte fequentes, yfopum cerotum Balien, D.Q. yfopum cerotum philagri, D.O. yfopum cerotum, D. pauli, D. O. yera pigra Balten, ciuis plures dantur recepte yera pigra conftantini.D.Tl. pera logandion. D. Th. verarufuni.D.II. yera abbatis, D. 11.

yerabermens.D.W. yera archigenis, D.CO. yera coloquintidos, D. D. yera mer.o. Et inuentionis einsdem Attede q inhac littera no bescribitur vo pum bumdu:licet fit artificiofe factuiqa fupta descriptu est un libro pruno cap. de medicinis fumpus ab animalibus.

ylopum cerotum Ballen, d.m. R.cere citruic.3.111. olci camomille olci yami an, 3, vi

Docunguenti ê pfuale multum z vbics pparature perif, da in alis cer facunt: 8 pot dliber facere luo modo,

Mo eft i sfu: nec paraturepitur.

boconguêtă no hbientibus,

Bligni exapotes targe fic faciunt din aliter.et pot modo .

aloes.s.E.

mafticis. 3.i., fpice. 3.ii.f., croct. 3.i.f., croct. 3.i.f., terebenture. 3.i., refine. 3.f., 5fopt humide. 3.l. xx.

Mon est in plu

giopiū cerotii. D. filagrij quod ponit mefue,

R.croci.z.v. bdellimolis mafticis amoniaci aloes ftoracis liquide an. 3, viij. cere citrine lb.i. terebentine, 3, i.f. medule crucis vacce adipanferis añisto. Viopi bumide lb.i.f. olcinardini quod fufficit. Bdeilium amomacus valoes biffoluat in aqua ifufionis fenugreci z camomille Et cum ceteris fiat vinguentii. Et poft fi lagrium addiderunt aliqui expreficois fql lc.3.11. olibani.3.i. cepi vituli.3.rv.

Monest in viu

Ct est conucnientius,
ysopum cerotu. D. pauli
quod pout mesue,

Reamoniacize.

bdellý, z.v.
figie, z.c. figie, z.c.
figie, z.c. figie, z.c.
aloes
mafticis
olibant añ. z.fi, f.
cere, z. fi, f.
cepe z medule vituliañ. z.fi,
viopt bumide, z.f.
olei yzini quod fufficit

yera pigra Balicii.

R.cinamomi
masticis
azari
spice
carpobals
croci
piloaloes
casse as partes equales
Et quide addidernt flozes squinanti par
tem.i. Aloes vero sit in duplum medicina
rum omnium.

Blofa notanda.

T Dic attede q bec ofcriptio verepigre
qua otet bic mer fuiffe, gal no reperit ia
liquib? librib gal ad nos traffat] 15 Auis

ceñallam affirmet etiam esse gal. Aut sal tem ponat descriptõem vere duic similem in.v. sui cañ. tractatu. z ca. scou e ibi ap pellat descriptõem cognitas costaus. Et ras posiut alias nono ad almesoze. Per peria ti vera pigra gal, est illa gieridicad co settumo terapetice ca, po. Eur? descriptio est talis.

R. cinamomi carpodals afari spice croci masticis añ. 3. vi.

Et videas o ibi ponitur be aloe quafirri

plum ponderis omnium yera pigra Bal, Alia, D. II.

Tr.cinamomi fpice : croci fquinanti glari pilocaffie rilobalf carpobal piolarum abfincht epythumi agarice rofarum turbith colloquintide mafticis an. 3. ij. aloes ad pondus omnium specierum mellis quod fufficit.

Yerapigra constantini D.II.

R.mirabolanozum citrinozum Izebulozum indozum piolarum abfinchi an 3,iin. bellerici emblici cafficlignee epythimi fene agarici culcute foumanti reubarbarin,3,ija. **Spice** anıli masticis Kilocaffie

riloalocs

Elera beferiptio yerepigre Bal.z yfualis. IDec ofectio foler bartin forma pil lulata.et i forma opiata cii melle.

Dec no eft in viu nec repif a Bal, faltem in libris trà flatis ad nos

Monest in plu

dis

In alio caffiefis ttule:fed do expo ni caffielignee vt bedaraumus in acarifton. Hon eft in yfir

falifgemme

mitriafi.s.f.

mellis quod fufficit. Yera logaudion D.11. R.interioris coloquintide polipodijani,3.ii. cuforbij poli contcodi an 3,i,f. gra.vi. ablinchi mirreañ.z,i,gra,rh. centauree agarici amoniaci thimiamatis fquilleaffe byagridh añ.s.í, alocs comarum thimi caffic camedrei aff.3.1. bdeltij mollis praffijan. J. ij. gra. riij, cinamomi орроронасі castorci ariftologiclonge trium piperum croci ferapini petrofelmian.s.f. vtruft clebon an.gra,vi mellis quod fufficit yera ruffini

Hon eft in vis

D.IL Ralocs, 3.1. eleborialbi elebozi nigri añ. 3.f. Dyagridh interiozis coloquintide anis.in. mitri euforbij polipodi querani falis armoniaci an, 3. n. gra, rv. piperis camedrci croci agarici masticis epythimian.3,i.f. caffielignee rilobali орроронасі gith an.3.n.f. murre graire.

mellis quod fufficit yera abbatis, D.O. Bragarici coloquintide turbib epythimi culcuteafi. 3, ff, gra, v. fquinantt. carpobalf ploaloes rilocaffie croci asari cunamomi mafticis violarum rofarum abfinchi reupontici Foli lap, laşuli añ. 3. ffe aloes epaticisin, f.
mellis quod fufficit. yera luf.D.bermetis quay ponit mcF Traloes.3.1. trocifcozum albendal aureos.vija turbuth agarici vieos inf printing ficce [erapini mirabolanozum citrinozum lecontorus Indozum afi. 5, i.f. 3m3iberis cinamomi masticis bdelly mollis elebozinigri eufozbij afari caffielignee falis indi castozei croci apn lzevfin femmis mesercon fticad añ.z.i. fquille affate. 3. f. f. fcamonce preparate, 3. n. fiat ommi trituratio bona Bummi que tem ponantur invino odonfero, zinolua

Mon funt inviu nec pparata regi untur,

Diedebei pulue rifari lubulifis meazarū e fiint hter epythanum

Hon eft in vfts

In ca. de luf feri bit mef. interiod ris coloquintide 3. vin loco trocid tora albendal.

tiate qua bii muoluaturi exficcetur, et

tur pulms i fucco cucumer] afinini i qua

Rerus denno innoluat in predicto fucco t pauco oleo nucum t ttera ficcetur, Et coficiatur tota cu melle defpumato qua titate qua fiat totum ficut pafta.

Stillant & Straite

Teles eft in you

yera archigenis D.O. Tk.pulpe coloquintide. 3. ij. praffin flicat elebozí nigri camedreos soling soling framonee leucopiperis macropiperisan 3, h. cepe muris affate enforbij alocs avai genciane petrofelini. armoniaci oppoponaci añ, 3, i. poin cinamomi attention of ferapini attented Cates any mirre Ammaggania

Monettin vin

yera alia archigenis D.pauli qua ponit mef.

B.praffin agarici camedreos pulpe colloquintide iticadan, aureos, un. oppoponaci ferapini petrofelini aristologicrotunde piperis albi añ, aureos, v cinamomi croci an aureos iii. falis nitri.3.1. Confice cu aqua mellis

Mon cft in win

yera coloquintidos, D.O. R.fticados agarici camedreosañ.z.iin. coloquintide.3,vt ferapini oppoponaci,an, s.vin, petrofelini petrofetini ariftologierotunde

piperis albi enigriafi,3, v. callic,3.vi, cinamomi croci **fpice** mirre poly añ.z.iin. Odirram invino infunder medicinaste rez confice cum melle despumato. yera.D.O. Ralocs.3.rv. epythimi colti añ.3.vi cuforbig croci Spice camedreos an zivi. agarici.3.ir. gariofilozum.3.17. calami aromatice . masticis caffican.3.vin. riloaloes.3.11%. piperisalbi piperisnigri genciane amomiañ.s.in. fcamonee cocte in pomo,5. #,

Sinit particula vicefimapala,

Wicelimalecunda par

mellis quod fufficit

ticula secundi libri incipit, Equitur consequenter in bac viti ma particula buins fecundi libri pertractare de antidotis: quozus nomina incipiunt per. E. que ad lutteram y.immediate subsequitur in ordine lits terarum minozis alphabeti. Erunt aute in bac particula recepte sequentes

Zuccara rof, Emms dinerle dantur Rete Zuc.viola. Zinziber conditum, cuius due ponutur

recepte. Zuccara rof.

tabulata. Zuc.rof interdum fit in forma confectio nis folide fic. Accipe suc, tabased toiffoluatur cii aqua rof z coquatur ad perfectiones. z polica pronciatur supra marmorivt ibi infrigis detur T'congeletur T dunittatur perfrus

Ra magna. Zuc.rof in modum conferue D.D.

Deccofretto eft viualis multă: e void poarat

Dec coleccio el

Sparaf:interdus co melle.fit th co

phialis: er vbic R. folion rof albarus aut rub quaritate qua volueris. Et expandatur fupra tabu las i vmbza vic bum fuperfluuz bumidi munit 63 D. IR, tatis iplarum refoluatur .Et fint rofeba bentes medictatem inter completionem z accrbitate z terant in vafe lapidco.de inde pronciat fuper cas suc tabased tri plu ponderis earus. t reponatur i vafe vi treato t obturetur os eigens pergameno z apponatur foli menfibus tribus omni die, sepe agirando illud , deide remoueat a folet feruetur. Et quidam faciunt illud cum rofis non pabentibus aliquid de co plemento, Et funt à non terunt rofas:13 incidunt cum forficibus tfricat mamb? fricatioe pltima rof t zuc, beide exponut

Eöiter ita ppat

zuc.rob. D.n.

In lb. ij. suc, Mone rof recentium tenerri marum ib.i. Zeratur bintiffime z in vafe vitreo ponat per. rrr, dies. ad folem zin mane t fero bene agitentur transactisve ro.prr.diebus in cathino petrino ponat Et lib,1,3uc, modice tritt suppositar ma nibns bene cofecta i vale ftricto reponat **succarum**

Ifte coferue mul tumfunt in viu,

piolatum bugloffatum

Code modo fiunt ficut zuccarum rofatii 3insiber conditum D.D.

B. zinziberis recentis fi baberi poteft vi faltem bumectati per artem partemi. mellis partes,in.

3uc,partem,i, Coquatur ficut dictu eft'de fecacul in lite tera E, recepta conferue fecacul. Et oda accip, secacul esiziberis bumectati an, parte,i,t fit belicatius. Et quida codifit Superaddendo species elephagine . Et à dam faciunt alia,

Blofa notanda T 3in3iber coditur z preparat vbich fm Pitem D. z eft multum in viu, apotecari tame nostri no ponut secacul. Attede tas me qu bicit i recepta p accip. o zizibere recete fi baberi pot, Er q notat wille q aportato partibo vitra marinise melioz qa recettoz, vbi tame no babe f reces bu mectatur p artes ficut pumectature nutri unf lzebuli, de q bumectatioe fup dictus est i littera R.ca. de lecbulis conditis.

31113iber conditum, Alund, D. T.

Bryringos que babet folia ad modificre tani marini de faraceni fecacul vocăt, be

nerafos cu cultello "Et poftea coquatur un aqua bonec dimittant fe ftringi cu mae nibus, poltca ertrabatur ab aq t a lignis que funt interins mundetur, t cum cultel lo frustatim icindatur z i moztatio mare mozeo bene piftentur, z cum manibus ex primatur.vt aq inde ercat . Bonderen tur inde lb.in, Et ponatur in.r lo, mellis Delpuman r albiffimi. Et coquant donce incipiant rubere, z addatur 3in3iberis frustatim incifilb.f. z bunutatur bulire tadiu o adbereat bigi to.z polica ab igne ocponat, Et impone puluerem istarum specierum 12.3unberis.3.ii). gallange gariohlozii nucis mufcate cardamomiañ.3.f. pignearum mundatarum. 3.iifi. putacearum.3.m. Et cum ommous iftis condiatur.

Libri secundi fimis

Bupplementum ouni mun operis,

No in boc nostro antidotario

fuerunt omiffa:fc3 recepta pil s lularus imperialium. Et oc termi natio fuccozum ficcozium que fuo in loco facile a quoliber a potecurio intel ligente poterunt reponi,

30 illule imperiales

Ifte pillule funt multus in viu:ce Diuntur.

Darnaldi de villa noua vbispreparere B.amomi anıfi mafticis cardamomi 31113lberis cunamomi 3edoarn macis nucis muscate gariofilorum croa cubebe ligni aloes turbitb mannegranate fene agarici quinds generum mirabolanozum mirre abfinchi rofarum rub feniculi an,3.f.

Koiter no codif singiber fim pfite beforiptione :fed fmillas Albefue renbarbari electi ad pondus omnium Alocs fuccorrini ad pond? ton? recepte. Conficc cum firupo rofato aut violato, z hat maffa

De fuccis ficcis Qulti funt noiati fucci ficci fupza in lib. prio ca. de fuccis ficcis, quon aliqui con in fuis locis determinatis funt descripti ficut acaffia opiū. Quia tā aliqui funt o missi de abus ibi postposucra determina revora ad secuda libra; vbi tamen adbuc

mullam fecimus mentione: superest ergo bic pro supplemento operis principalit de viualibus obmiffis pertractare.

Et funt ifti fuccus ablinchin fuccus celidonie fuccus cucumeris afinini fuccus cupatorn

fuccus fumiterre fuccus liquiricie

fuccus memitbe fuccus titimali Succus ablinchi. Dicit mef 05 fic fieri. Exprime fucci cius quantitate quam po lucris, t pone in medio veris. Et expos ne vi ficcetur in fole aut fupea cineres ca lidos ficut ficcatur aloe.

Succus celidonie D.IB, in servitore

Bucecelidome fit fimiliter: fed vult bya, o mifceat cu melle. Et aln accipinnt im lacrimu cius berba existente in plena ma turitate. (c) qui incipiut apparere femina eins infeindendo fimmitates ramonim eins, Et inclinentur rami fuper vas mus dum,ita vt lacrimus cadat in vafe, et ex pone foli T cricca, becomma notat, IB, m fernitoze.

Buccus cucumeris afinimi.D.O.

Accipe fucci eins quantitate qua volue ris, t exficcet ficut exficcatur framoneat aloe. Ged cu exficcatur accipe ex species bus aromaticis z liga in panno z fulpen dein co vict dum incipiat inspissari, et . postca remoue.

Tlota Thic circa fuce cucumerie affinini funt notanda illa q funt notata de cucumere afinino fupza in libro primo capitulo de laratinis.

Succi eupatozij T

funnterre, D.D. Fiunt ficut fuccus abfinchii

Succes liquirice, D. galph fimplicium farmacozum, Lum viridis estradic ligricie concuttat Ecdem modofe bene: tin aqua decoquat fere vict con redescribit a B sumptione. postea exprimatur t desiccet inserviroze. infole, z in rotiida cozpuscula Pm fozmā vafculozum formetur.

Succus memitbe fit ficut fuccus celidonie aut abfinchi

Blofa notanda (Scribifi fuitoze de auctozitate bya. Ego accepi memither trini, r extract fuc cum et?: 7 non exiuit fuccus cius glauci coloris queadmodii digit. z feci trocilcos con toechnamit color con viriditati do nec declinanerut nigredini. Et quefini a mercatoribus qui venifit ab oziente, 7 di perunt mibi q accipiunt fuccus eius t te runt cu amilo Tfaciunt fief. Et feci ficut direrunt. Et declinamit color con glance dunifed non totaliter ficut illi qui apozs tantur de oziente, Et diverüt mibi alin Q conficment substantia ems cum aqua flu minis Tfacunt ficf. thin funt illi qui bed feruntur ad nos de oziente, t fequit item in ferunoze, Deboctoto ignozo veritate

Succus titimali Extrabitur & ficcat ficut fcamonea aut opium. Attende infuper prenotandu effe in duodus vinguentis.f.in vinguento tria farmaconat in puguento de cerufa q pt plurimum ista duo conficiuntur non sub forma vnguenti: fed fub forma emplaftri Et ita communiter funt in viu.

cosmin.

Incipit liber termis

Mquit tanuenf. Memo parus extimet anomomum ignozas tia ocipi. Eld boy ergo cogni tionem non est opus afferto nefacilifed beliberato indi

cio. Eŭ ergo in boc nostro libello: z potis fime mantidotario multa fint peregrina. vocabula, quon queda a greca quedam to ab arabica lingua beducta funt. Hon nulla etia qq latina:qt tamen varietate ydiomatū funt oubia ad boz declaratões in boc tertio li.me subegime de cetero ta ad errozes coluctos : q etia ad emergen tes plabi cotingat apotecarios. In boc aut opere no folu noim pnoia. ven etias prep ocfcriptões quoad potero beclara tione afferre conabor clariffimor etiam antiquor auctoritatib? feu enidentibus rationib? fuffulere quo tegmine incredus lozu valea cutare caluma . Alphabetico femper ordine confernato

De littera A

Haron Haron draguitea minor iarrus pes vituli idem, Sinonima affam velaaram

Abfinchium romanum Abfinchum ponticum Abfinchum bulce

H

ab

af

al

Abfinchui romanu z abfinchiu ponticus feu capadociu ide eft. Et eft abfinchium q cotter vinnur. An meb. Illud quo inte dimonic est abfinchii nostrii romanum, Abfinchin oulce eft anetu tan. Etvidetur Bal. ponere feeba effe quarta fpem abfin chi qua quidefandonicii putat, ide, ian,

ad Adip, id eft lupus ian.

Afronitrum Afros grece spumatinde afronitru grece fpuma nitri.qo arabice de baurac,ian. Et eft baurac fal petre, vii mef.c. baurac

Baurac aliud é naturale. T aliud artifici ale, T subdés au, Artificiale é ficut de spu manitri deftalba leuis t falfa mordicas tina, Et alind eft ficut artificiale quod e flos parietis, refficut flos falis,

Alexandrunum Alipiadios, in dyacastorco, 11, Alphelengenusch

Alcobol Alumen sciffus Almezereon Alumen tament Hillzilzil **Allizanna** Albendal 到lfebran Albelac

Albaricl in vngueto azarir. Ovef. Ellfeffera Albafecb Albaice Allzelzangi Alexandrum macedonicii oliyatrii ypofe linut finirmo ide funtat funt ide o petro

felinü agrefte, z efpes aph, ian, i expofiti one bums termini apius

Alipiados, Lberba catholica, ian, aucto ritate oya. zest catbolica camelea fiue me zereum z no e laurcola. Idez iañ. Alfelementsch vel alfelegenusch al mbil fignificat, felementich vero eft ozimuz ga

riofilatum.tan,

Alcohol,omms puluis ad mededos ocu los, ran. Alin dicut alcofol. Et in aliquib? locis feribit pulnerifet vt alcohol. z ochs exponitifubtilifime:ita o pulnis qui 03 pont infra oculos 03 effe adeo fubrilis @

indicetur impalpabilis. . Alumen feiffum valume iameni,i,de plu

ma ian,

Almezereon,i.mezereo, al em est articul? mibil fignificas:vt almezerco, i. mezerco; allzytra.i.lzytra.allzaly.i.lzaly.Eff antes mezereo lacticini babes folia fimilia oli ue:q alio noie oz camelea jañ, z no eft lau reola vt putaut actor libelli qui mapit,

Sacigitur pie deus,iañ.idem Allanna.i.cyprus arboz.vnde oleum cy prinum,iañ,

Allulul lege antos,

Albendal, al carricul? nibil fignificas ba dal vo arabide e o coloquida, ian. Alfebran, al est articulus nibil fignificas scebzan.id est esula iañ.

Albellaceft fpecies bathlozum.ian. Albariel in vingueto asarur füt catarides Alfestera, al est articulus mbil figmficas feffera eft vitis alba ian. z credit offit lu pulus:vt dicit actorlibelli q incipit, fac igitur pie de?, t no e brionia, vnde gal, vi. fimplicii far, ca, ampeleos melana dicit o vitis nigra pprie dicitur brionia.

Albafech arabice tribulus,ian. Albafce arabicethimus,ian, vndc mefue cap,albafce, Et planta eins ve dicitur eft mater epythimi.

amilum Hmentum dulce Amurca olei amberberi & Amentum bulce eft quidam lapisalb? & de vitro cocto fit: q alio nomine de aruns gia vitrit contertenet ifta expositio sup antidotariovniuerfalibicit thi ian. q aliq outerfit ve theodorus prifcian? q eft alus men faffum feu de pluma.

Amilon.i.anndon,amilon em bicitur ab a quod est fine: t milos mola: qualifine 2111

Liber

KIKKKI

| | mola, Eft eff fuccus frumeti i aqua biu | bums ciclamen. | 1 |
|-----|--|---|-------------|
| | maccratus t exficcatus. | Alipaltum | 到 |
| | Amurca.id eft fepoleisyt dicut fynonima | Afpaltum, petrolen, t napta idem, fed na | |
| | que incipiunt affam velaaram. | pta eft afpaitu ariduz petroleum eft liq | |
| | Humberhoria ad off herberta 1911. | dum, Sunt aut eiuldem generis | |
| | Amberberis.id eft berberis.ian. | | |
| | 2 . 61 | De littera B | |
| In | The state of the s | Bancia Bafilica | |
| | Antos Autiformacum | Balfamita Balauftia | |
| | Emabach Entale | 7Baurach | 35 a |
| | Anagodan.in cofectioe metridat, D. TI | Bancia.i.paftinaca.iañ. | |
| | exponit conter peft fumachian. | | |
| | Andacucha eft ipes trifoli, ian. Et credi | Bahlica l'erpentaria an. Balfamita: li simbili. meta aquatica, men | |
| | tur of fit illa spesiq dicit berba flaura feu | | |
| | fulphurata: q alio noiedicit planta leos | ta faracenica ademian, | |
| | nis. 7 03 feribi andacucha p b. ita vi dica | Ballauftia eft flos caducus maloni gra | |
| | tur bandacuba:idem tan. | natorum lan. | |
| | Antrea, dieit ian. q eft femen rofe, z eft ils | Bauraclegeaffronitum | 35c |
| | tud qo remanet in autumno in fructu ma | Bedereg Besear | 200 |
| | turato r rubefacto pleno lanuguie circa | ABederengesius ABedegar | |
| | femina, Dicht en finonima que incipiunt | ABedereg vel buderegi in cofectione ana | |
| | affam vel aara o funt pipilli illi crocci q | cardina cft cruca agreftis.nos ca.carem? | |
| | apparet in rofa cii expansa est. Et apote | loco bui'erpofuit ppofozus georgi' erus | |
| | cari nostri citramotani bancopinionem | cam fimpliciter. | |
| | imitantur. T ita fecit vir ille bonus ias | ABezeard est omnis medicina cotra vene | |
| | cobus de ptib? parifin plenic locis in | num. In Descriptione th tyriace androma | |
| | expolitionibofins fup marginalibus | chi pro galbano 03 accipi, ppter excelles | |
| | Antofile funt gariofili groffi ttuberofi, z | tiam quam babet contra venenum, | |
| | Dicunt antofili, id eft antenatuficut co | ABederengefiü,i.ozunü flumale.tafi. | |
| | lumbria anteficus. Actor pendetarum, | Bedegar eft fpma alba, Quida credide | |
| | Antos allzilzil ros marinus idem | runt q effet odozisrofe que oz cynobaft? | |
| | Antifarmacii vice toxicii ide, eft plata | accipietes queda globum finulem fpons | |
| | Simultation on the topical alore of parts | gicin ipla fpina alba nafcente intus in q | |
| | a multu inuenitur iucta elebozum, ideo | interdum vermes uncommtur, | |
| | creditur libi foze cotraria. ian, | Et bec fpina gallice dicitur anglentier, fs | |
| | Anabula spestitimali, ian, et bicut finosa | veritas e q bedegar e fpina alba q achas | |
| | quicipuit Affam vel aaran @ elt illa fpe | til leuce dicitiq fimilis eft cameleote, eft | |
| | cies titimali et qua fit scamonea, Et fino habeas tu potes ponere scamo | cm be genere cardonum tan. | |
| | | Biftorta Bitumen indaicum | 361 |
| | Amifructus.t.feme iuniperij:vt di cut fi | Bistorta.i.tormetila.ac.pend.ca, E.in. | |
| | nonma que incipinnt affam vel aaran. | Bitumen indaicum lege alpaltum | |
| | Hnabach für innbelege fantch anabath | Bley lactis | |
| | | Bley lactis in quoda emplaftro de fers | 2 |
| | Antale. lapis elt quidam albus Aqua ardes fine aqua sapois i eplastro | mento, D. D. t bebet expone id eft lact] | |
| | relate ad advantach D O i campallur | boni Trecetis, actor libelli qui meipit. | |
| | relato ad adromach. D. D. i. capitellus. | Sacigit pievens alicubi th feribit incle | |
| 2ir | Armel Ardı | lisbley-i.optimi | |
| | Artanita | Bondaca Bolene | |
| | Armel per a finch, eft cienta, f5 barmel p | Botoz marien | 25 |
| | b.eltspecies rute agrefus quam greci ar | Bondaca-1-auelana-iañ | |
| | molam dicunt, vade muli p moli dicuntz | Bolene exponit quercus nouella, iani | |
| | armelu pro armel ilto caremus, vii to | | |
| | forus georgius voich supra mes exponit | 700 - C - C - C - C - C - C - C - C - C - | |
| | femper pro ruta propter carentiam illins | Beacatei grece, i. fauina latine, iafi. | 18 |
| | speciei rute agrestis | Beaffica eft caulis nondu traplantat | |
| | Arili funt arida grana vue ab ariditate | | |
| | oich,ian. | interdum tamen accepitur pro omini spe | |
| | Artanita ciclamen, panis pozcinus, malu | cius,tant | 28 |
| | terre T cassamum ide, ian in expositione | Muringi Hul | 100 |
| | | | |

Blugloffa

Burungi in confectione anacardina. id eft bozongi actor peno. Et eft ide & bede

reg.lege supra

Abilbus quid fit, et dictis auctorumnon vilum est ian, potuisse scrip tande. Dicit quapud plumi sepevocas bulb? radic dis rotunda similis cepe. Apotecari nostrip bulbo accipiunt cepam parua que ydios mate vulgari eschalote vocatur

Buglossa grece boms lingua latine, iasi. Buglossa vero domestica est borrago: 15 buglossa silvestrio anetoze antenticu faciente capim de viragisced si scribit de vnainon sendit de

De littera-L

Eaffamum
Eafamentum
Earduncelus
Eardamus,
Eafcantum
Eaf adis
Eathariaci
Earabe
Eatarricum
Eameactis
Eamepubeos
Eathuma

#Ea

Earica
Camphorata
Capfia
Labalus marinus
Calcitis
Calcicamenon
Cathanense
Earthoc spinis
Carment
Eartholica

Eassamum, lege arthanita

Easte, aftens siece, actor pendefatü

Calamentum atund est quod viettur mon
tanum, t ilind est pulegiü vsuale, alind e
calamentum fluntale, t ilind viets nepita

Et alto noie viettur calamentum fine pu
legium agreste, actor peno, in veclaratõe

calamenti er auctoritate dya, t ferap.

Lamphora erponitur in finonimis que incipiunt Affam vel agran, qu' el abrota nu re verale spes abrotani. t el abrotami semma que de folia alba minuta t dinisa t stores aurosos i estate nascetes te odo rata cu aliquali grauedie, t cu gustu ama rissimo. those shoces abrotanum sicculum,

Caducelus.i.cardo benedictus.act.ped. qui alio nomine dicitur fenefcio:qu veris tempore fenefcit, r alio nomine dicit fim balaria.iañ.

Capfia ali tapfia dicunt falfo, lege in fee quentibus tapfiam

Cardamus grece nasturcium, ians

Labalus marinus, lege ypotamus Lalcantum, i. vitreolum leu attramentă viride, Lalcantă tă ce dirinatione nomio nus fonat idem of flos cris. Nam baloos grece es laune t ca antos elt flos, ide cal

cantii, i. flos cris. veruntame multa nota apud grecos alud figuificant & id qo fo nat vocabulum. ian.

Calcadisad eft calcitis ian.

Ealcitis:id eattramentum album.actor

Ealcecumeno, in alto calcucceaumenon melius calloofecaumenon, teft es vftű a calcos es. t kaumenű v ftum ide es vftű Ealtariaci, i.coznu cerui adufti, vt expositur in finonimis affam vel aaran Lathanense in metridato falso. s debuit

dicerecathariaci, quid fit dictum eft... Karabe electrum fuccinii. z é learabe gii mi arboris: vt gemma, vnde anuli fiunt... Carnud de spinis: id est piliqua, lege pilo

Cart.i.pumellus p quo fume acastiam, Caraut falforfed debuit dicere taratif, p

quo lege teratif. Eatarticum lege leatarticum

Carmefit semen est tamarisci domestici.

fructus eft ficut galla.iañ. Cameactis.i.infima fambuccus. z e ebu lus.a came quod eft infimuvel deprefius z actis fambucus.inde cameactis infima

fambucus t eft chulus tañ.

Lamedreos, Lamepitheos a came que est insimulinde lamedreos insima quer cus, e camepitheos insima pignus tañ, Lamedreos est germadrea, actor pende tarum. De camepitheos tamen dicit gentilis quest qua:

Eatholica.legealipiados

Eathimia climia tuttaide funt, cathisma tame t climia funt funus qui cleua tur a quolibet metallo quando purificat in fornace, accipiunt tamen ista tvariant fua nomina penes diuerstate metallorita ve dicatur cathimia auri, cathimia ar genti climia auri climia argentifed tustia pprie est funus cleuatus a lapide q dictiur lapis calamiaris, t est tuthia, ide q ponsiligos

Centonicum Centuneruia Centum grana

Centonicum est species absinchi; cuius semen vocatur semen contra

Eentünernia plantago minoz.berba fils nanaidem. Sinonima affam vel aaran, Eentum granasid eft berba caneri, lege erespina

Chimolea Melius cymolea: est ferilla quuentur sub mola acuendi gladios que coficirur er lapide terro aut saltem fer talis potest poni pro catali.

m iiij

Ee

Cb

2iber

| | at a sale of the s | toci | |
|-----|--|---|----|
| E | Eiclamen Linomum Liperus Liperus Liperus Liperus Lipus Lipus Licidon Licidos Licidon Licidon Licidon Licidon Licidon Licidon Licidon Licidon Liminum Liperus Licidon Liminum Liperus Licidon Liminum Liperus Licidon Licidon Liperus L | r terebū, r fac ita decies vel plus, qr ito plus facies tanto melius; quoulipeouer ratur ad colorem croci Eraffula minor vermicularis, iatī, Erifpula, i, berba caneri: fic dicta qr cris fpa b3 folia r minuta vi ablinchium Eufcuta Eucurma Eufcuta rafca lini vel podagra lini: qr li nu necat, planta limilis epythumo, iatī, Eucurma: id est celidoma inmor, iatī, | En |
| Eli | Eiminű carmenű: id est szelcob, nő adbe ret tű ianuens buic expositioni Emoglossa, iligua canis, a cinos vel kir- nos canis z glossa lingua, z est plátago Elimia Elimia, lege cathunia | Dânidis Dânocoti Darfeni Dentali Dânidis melius dafinidi?.i, lauri, Dafinis em grece laurus. Inde dafineleon ole um laurinum, iañ. | Da |
| Eo | Conntitum confita Confita rubea confita aromatica Conumbre colophonia | Dânocoti melto dafnicothi, grece bacca lauri ien. Darfemmiid est cinamonium ian, | |
| | Londiffus colcotar Lotlidon cordumeni De coconidio dicit ian. op à dicit coconidui femé effe laureole no nouit veritaté estant coconidin femé plate dicte a dya, camelea, r femé mesereo, actor pende. Lonfita ois cofectio odorifera pprie vi confita, r est fer storacis líquide r rubee r also noie dicit thimiama, lan, Lorimbre idem. | Dentali lapis est Diptamum Dygridium Diptamü berba est q multü assimilat in fozma tsapoze rafano. Itaset i locis pe trosis, radice vtimur. Sinonima aasam vel aarā alio noie oz pulegiu mart], tasī Dyagridium, i, scamonea que antiquit acridium vocabat, inde dyagriduz. Doc nomē tsī maxime cocte scamonee sue pze parate attribucrunt, tasī, | Di |
| | Eolofoma, pipgreca, iañ, alto nomine of refina friça de qua in libro prio ca, de gummis, e ca, de analogis p fe fumpris, Condifíus plata qua vocat dyastrució e | Durungi, id est dozonici, iañ, De littera E | Du |
| | macer obstrució. Qua que radice elebori putant, eo que seminamenta mouer vi proputant, eo que se se tornamera que se | Elempnium Elacterium Elephangina Electrum Elempnium: id est enula. iañ, Electeriñ succus est cucumers agrestis non soliop autradică: sed frucus ci? qui collectus est prinsp in plenă maturicate beneniat, iañ, Elephangine sunt species coquine Electrum. lege carabe in ca. | E |
| 53 | mentum citrinum Lordumeni.id eft carni agrefte.iañ. Crocus ortenfis Erocus ortentalis | Elvan Efula Efvan dicit iañ, pett faluia, faticit actor pendetan p falfo, sed est fansuccus sine | E |
| Cro | Erocomagma Erocus ferri Eraffula Erifpula Erocus oxtenf eft flos cartamidan. Erocus oxientalis eft crocus coistian. Erocomagma è fecolei de croco, tè ofe | maiorana, Et bec è expositio cosor penes apotecarios nostros, Estala, lege alsebia Empatorium | En |
| | ctio ada lege trociscos crocoagmati.an Ecoc ferri sie describit a Bin libzo a o fuitor. Accipe de limatura ferri quatum vis z pone in lamina ferrea. z exsulfia cu folle quous calestat lamia: postea pone | Eussaltea bismalua idem ian, Eupatorin ida bicut p est lustagus sen saluia agrestis. Obratur tri ianuens qua liter medici nostru temporis non aduers tentes oba oya. Et aucen, creduli sunt berharia saluia agrestis de control | |
| | limaturam in mortario ferreorita calida | perbarys falitiam agrefté dicentib?, Cus nec in odozenec in sapore cu co puenta. | |

Quidfit cupatorium tenet nicola? flore tinus doctor modernus rep diliges rep quifitus perferutator qo est policaria: qo memoriter scripfit interpres cius sidelis tobanes mathei o gradi, papiess doctor claristim? super nono almensoris cap, de dolore epatis

De littera #

Farfara
Faufel inquit iañ, est anclana indica të
fructus simillim? nuci muscate nisi que ve
na pars cus est aliquantulum acutiou alia pars el'est plana: ita que potest erecta
stare ficut calculus qui iludo dicif pedes
in ceteris intus t extra nuci muscate simi
lus sine odore t sapore nascitur inclusus i
quadă lanugine simili foliculo serici mul
to nens defertur inter alias species mari

me cum cinamomo. Saifel.id eft piper. Scrap. Zib.ag.ca, fal fel.idem iañ.

farfara:id est vngula caballina,iast, Selemenusch Sessera Sessure Seruregi

50

510

gra

Sclemenufch.lege alfelengenufch. Seffera, leg alfelfera Seffiref vuis nigra species volubilis, et eft baoma,lege festera.

Seffire, id eft feffera, Seruregi in electuario de gummis deferi prionis mef, i, lapis imaragdus: pr ibi notatum eft.

Fifalidos Finicon indi Fifalidos: id est allielzangi tañ. Funcon indi.finicon, i.oattil? idi.i.de in dia.fiit eñ fruct? palmax filuestriñ i idia z funt thamarindi, mef.c, de thamaridis.

Flos fquinanti Flos firiaci Flos cris

Flos falis Flos foundti de co dicit S, Zi, ag, ca. ad cher, Q in capitibus ramulou funt fince pilofe: villi pili funt flores eius, Flos fyriacus, id eft flos maluauifci, act.

Slos eris: id est viride eris 3 mar. Slos salis: id est afronitum.

Fragula Fragula in martiaton fragaria frerefras na idem, gallice frese,

Suid est valeriana

De littera &

Bariofilata eft plata filis agrimonicias instradic odozem by gariofilozum dicta a quibuldam faua munda iañ, Berfa ferpentaria Belemabin Beleniabin.i.coferua rofaz, auc, in quin to can. 3dem ian. auctoritate eiufdem Berfa ferpetina fit ex radiciboraguntee p cigablutoem, tan, Et fit p buc modum, Colligit radir in verez optime mudatur z puluerifat pus:poftea ad fole ficcat z cribrat p panu, z cu aqua rof, vel pluma li coficit. Deinde ad folein vafe auquo i quo fit aqua rof abijciedo fepi?ila aqua r exficcando.poltea ficvim reiernat. Dis nomma affam vel aaram.

Bub t nigella cinsde generis sunt disserences parüm format ditute multu i odo reideo diversa de cis sunt capitula tañ. Gummi elempni Gummi albotin Gluten alumbat Gluten allianam, Gluten asananam Gliconium Gümi elépniment elimi, ilimoni, iañ, Gümi albotiniid est terebentura, iañ, Gluten allianam il en mes il gum allianam in emplastro dyalquis lon mes i, gluten piccui vi voluit actor li belli qui incipit. Fac igitur pic deus,

Bluten asanamam in empiastro ad duri cie inneturarum qo ponit a mesue de uni tentione filii sacarie mesius allamana, id est piscum y t patuit.

Dafce
Darmel
Dafce.lege albafce
Darmel,lege armel
Derba paralif
Derba venti
Derba fancte marfe
Derba mufcata
Derba firiace
Deyl

Derba paralif, i.pzemula veris. Sinonis ma affem vel aaram Derba venti. de ipfa dicit ian, op quidem

dicut peft scatu celus. Ali dicut peft ia cea mgra fine morsus dyaboli. Dicit tam actor pendetară p berba venti maior est paritaria z minor est cosolida minor. Et e bus spică puă i fumitate er sie stica b, arab. z differt i figura pap ab artetica seu pmulaver, z ista e q accipie i motem

peffulano cu dispefat vnguentus martia

Ba

Øc.

Bi and

Bu Blu

Da

Derba fancte marie est queda berba pars falso exposucrut auripigmentum rubeus ua ad albedine tendens rugolis folis fir Themultipoluerutin confectione athar cut berba que vicit flommos. Act, pend. nafie. fed lempnias eft terra figillata. et Alij ojcunt q estarthemer fine tenacetus ita milla confectione debet ponistant quod nonvidet verum quia in marciatus Zingua auis Zilifagus Zilium celefte Zingua ceruina Zilium celefte Zitodemon Zitosperma Zingua ams est semen fracini ian. ponitur arthemefia z berba fancte marie verum est o berba marie est arthemesia. Derba mufcata id eft meliffa. Jan. Derba fyziaca.id eft malua. Act. peno. Zılıfagus, i. faluia. Apotecari nostri die cüt faluia agrefte. Et accipiüt eupatoziü Dell, Gerap, libro ag. ca. cacola, z beil bi citid cft cardamomum minus. Ego profaluia agrefti accipere faluiam minutam. Tita volebat bonus ille magie Deyl bace idem sterrobertus de leonercu? anima in con spectu dei sirve interdu mbi bacesse sua De littera I 3 lafeos opinionem afferuit Blafcos id e bardana q e lapa maioz,iañ, Zingua ceruina, id eft scolopendria, tañ, Zilium celefte. i.yris. S. Z.ag.ca, anfea. De littera la Litodemon, lapis gagatis, folus inter Ratarticum Rarabe lap, natans supaquas, gallice sayet tan. Ratarticum nos purgatozui dicimo, iaii, Litosperma, Lapideum semen: qo efton Eft omnis medicina folutina, rum vt lapis: z cft milium folis, ian. Rarabe, lege carabe Luyluya Zufplani Kermes Refines Zuyluya.i, panis cuniculi sen trifolium Keyfim Rerfat acetolum Relangi Reyri Zuf.i.serpentaria.tan. plani,i.non crispi Rermes funt grana tunctorii. Wefue fu z eft draguntca minor.legeaaron. perrecepta allermes. Keimes, apaffulcfine nucleis, act, pent, De littera (11) Reyfimud eft lemfticus,iafi, **Wabatematicon** Duturella Rerfat gartofilatu,t,lignu gariofilt, ian, Dalabastrum Dacasir. Reizangi eft fpecies folatri deferes grad Dacropiper D)armacoz nu rubicundu fimile cerafo vefica inclufu Watrifilua **D**atricaria cirrina in colore:quarea multis peficas Danna thuris ria dicitur. Ab alies firignuz ab alies fifa Wabatematicon exponit o elffuce can lidos,ian, liculi agreftis: fed dicit ian. q deus nouit Reyzinota eft. Hullus tii auctorum fag Dalabaftrum eft folium indu:fed no eft cit capitulum de co, illud folium quo nunc vrimur, tañ. Obaturella in martiaton falfo:f3 03 bice De littera 2 re mozella Zaffari Zapaceolum Zapis lincis Odacazir:legefandali macazir. **Z**apis agapis Wacropiper macros longuinde macro Zaffarı grece, i.affa gumus filpbi, ianz piper:id eft piper longum ian, Zapaceoli in vngueto marciaton eft fpe Darmacoznd eft meliffa,ian, cies lapacii. Derba nota. Zapis agapis creditur a quibuldă lapis Datrifilia.plata er qua fit licifi que vo catur capafolium.ian. indaicus: fed non conftat, caloz cius dici Watricaria,id eft arthemefia: aut faltes tur fimilis colori pellis leonis an. species cius nota apud omnes Lapis lincis ex viina lincis congulata i Quanna thuris:id eft minum thus:vel uenif,ian. pulus ipfius thuris, iafi: Zencopiper Zepidos calcu Zepidos fideritis Zempnias Zencos: id est album, inde lencopiper al Delanopiper Delantium Denta faracenica

Demitba

Weltabased

Werdafangi

per nigrum,ian.

Dezereon.

Welan nigrum, inde melanopiper.i.pls

Zu

200a

De

Ra

Re

Za

Ze

bum piper,ian,

fcama fidrion ferrondan.

Lepidos calculepis scama calcu estide

lepidos calcu fcama eris. iañ. Zepidus fideritis:id eft, fcama ferri, lep.

Lempnias in confectione athanafie ada

| Tertius | XCII |
|---|--|
| Obelancium: id est nigella, iast. Timpbea Titrum Timpbea grece neuussar, iast. | Ti |
| Obenuta inquitoya, cap. de glaucio mul ti cirantes menuta pro glaucio viuntur: Ilin vomica Thu vomica cft fructus fecunde spe | ciei Tiu |
| é perba finulimia papaueri comutotiafi. Descreon lege alipiados Octrabased dicit faladin? quest mel als Offici | 10 |
| Det tabased, diete faladin det met ale bum de celo cadens ad moduroris: felt albius z densius of stemel apum: z quasi tedit ad natura suc, aut tu expone mel ta Olimpiados | IQ. |
| apes collight mel, vii ian ancto gal, in li | Cartes |
| folia arboză z plantar a obus recipit na tură z sapoze, z ob boc no sunt terminabi | 111 |
| ab illis florib? tfolis a quis apes ipm Oligatrum lege alegandrumini Onfancium | linis |
| toto orbeccrimat: 90 fit in actica regio! immaturis. Actor penderarums immaturis. Actor penderarums immaturis. | E)3 |
| Oberdalengisid eff itargirum, ian. Obirrifica Obirra troclifen Obirra troclifen Obirra troclifen Obriffica id eff aromaticaside nur miris Obriffica id eff aromaticaside nur miris | ticks |
| fticarid eft nuparomatica nue nipinines enula. Neutrum credit ian. Orionini, papauer. Et grot dictu eft cu | (D5) |
| ideo miconii couer accipitur pro papas uere alborinde opium micous: id est qo | 10.03 |
| Ourra trocliten: id est rotunda minuta Bancedanum, lege artantia | Ma Ma |
| Odora bacci, i, mori mioris. T funt mora Odora bacci, i, mori mioris. T funt mora Demidie fabrictud eff albe | |
| Parmirubi qualcum in locis cumuans, Diganon | 301 |
| exponit q est pinguedo castozci act, libel Blatocinum i latocinui: r esiscleos | STATE OF THE PARTY |
| De littera 1/2 Politica politica farina cuius cuich | |
| Tapta Tabub indepolentatian. Donfiligos, lege cathinia Doligonia gemiculata centum in | odiap |
| Habath coparatur mespilo z 3azur, ian, ferpunata lungua paneruia, identa Bozopoleos Hapta-lege aspaltu Habath i electuario alant est poto das d | 30 is |
| fit ex datilis t ficuld'ficcis coctis i aq vel ex aliq alio fructu fic: ex ex aq talis deco et dis 055uc, diffolui tide electuarii ofici propoleos. Et alio noie u propoleos. Et alio noie u propoleos. Et alio noie u propoleos. | D CO CCC |
| Nepitalege calamentus De littera R | dillette |

Wi

000

Diu

Ma

Mc

Rauendeseni Rapa silvatica,
Rapa silvatica sinerapa agrestis nasci si
locis siccis frutice collecti faciens longi
tudinis vm²cubiti: babés multasvurgas
r grossas in modă orgiti folta lenia r satis lata seme cius in soliculis oclusium
nigră r fragile: qo fractă albă ocuit? bș
colore, sañ, auctoritate oya, apud ytalos

Ros syriacus Rodostoma
Rob Syriacus, i sumach, wide & volcumos
m libris de greco translatio babes rocs

Ro

in lidis de greco translatis dadet ros se riacus in arab cide locis z caside dadet sumach. Nã apud dya. in ca. de origano: whi dadet ros syriacus in. S. codes loco ex verbo dya dadet sumach. Jté i ca. de moris: vidi de trita e sicca ponitur in loco roris syriaci in. S. est sumach. Jté in. vi, bremari, Jo. serap. timent sirve de sumari, Jo. serap. timent sirve de sumari, Jo. serap. timent sirve de sumari, de serap di mach. Ditai vero e dya. in descriptone cuissem sirve dadet spriacium. Actor peno.

Rodostoma: id citaqua rof. Actor pen. Rob arab ince? cuiuscito fruct? coct? ad spisstudine vt fuari positi cu sti simplici ter pomi rob vina coctu os intelligi ian, Romeum in metridatum exponitur rassa numisynoia assam vel aaran,

De littera B

Sandaraca Baltunce Sambacus Scatumceli 1 Baturegia! Sandali macazir Banich ordei Sanfuccus Salindus Sapa Scamonca Scarabei Sandaraca'gummi vernicis. Jani. Saliunca exponit pro spica celtica : aut faltem pro ca poteft poni:poteft em qua tum e spica quis fit infirmor ca.tan, Sambucus eft ieufeminnn, ian. Scatuceliad eft umbilious ventris, 7 fy balaria idem iañ. Saturegia.id eft tymbre ian. Sandalus macazir.ita vocatur a mefue in pluribus locis. t cft fandalus aromas ticus fine mufcacelinus.iañ. Bamich ordei fit qui orden fractu operit aquat bulitviq ad fpiffitudine aque, de inde colaturez quod descendit est fanico. ian, But aliter & meli fanich order eft oz deum mundatum torrefactum.ian, Sanfuccus:id eft maiorana.iañ. Sal induseft in colorefalisiz in bulces

dine mellis, Ame, quarto cafi, fen. pria de

aspitate lingue. Et est suc. as inemit coagulatu sup canna mellus: sicut sali idia.
Loco et ponit candi aut suc. Act. peno.
Sapa est mustum coctu vs sad cosum)
ptionem duarum partium. asi.
Scamonea. lege ovagridium.
Scarabei sunt vermes a ineniunt in tes
ctis antias: vt dictit sinoia assa vel aara
sed dicit Act. peno, op inemiunt i balneis.
Schiesco Semen contra
Schinum Seteragi indi
Secacul Sepa murici

Secacul Sepa muris
Sauina Secaniabin
Seba Sedenegi
Sicunter se differüt senescio z senation
que senescio est cardücelus: z senation est
nastureum Actor pendetarum,

Semen contra lege centonicum Selinum, i apium, unde petrofelinum, id est petro apium, ydrofelinum; id est apis um aquaticum, ian.

Seteyzagi indi.i.capsiarz erponit actoz libelti q incipit, fac igitur pie be? q est nasturcium agreste. No bsi vidit iasi.cers titudine bui?plante:sed Aposonis geozogius vbich exponit supra mes pro seytes ragi indi nasturciam

Becacul inquit tañ. Quò est yringus, S em ponet yringüiter medicinas frigidas, t secacul ins medicinas calidas; diet in llicola? in descriptõe zinziberis politi q secacul est spes yringuita em dietad littera. Accipe yringos q dabet folialad in dieteranimarim quaracem secacul vo cant. Arnal. devilla nona diet q secacul est santa loevilla nona diet qui diet sant

Sceda, lege alfeda, Secaniadun, id est orimel, vii mes secaniadun est illud cur materia sunt tres res sez mel acetum y aqua.

Scha est spēs absinchi, putal q sit sandonicu berba lubricop, lege absinchium. Sedengi, i, lapis emantes, tra 03 pont in trociscis de tra sigilata, mes, tro seme canap, vi aliq salso exposuerut, vez è q sedenegi est seme canap. Silis error babetur i tertio Ani.ca, de supu vetris sanguineo absque exceiatioe in duodo lociscettă in casu no coserve seme canap.

Sizelci Simphiti Simbalaria Siriaca Siscidis Sies Silphium Silene Siracost Sizimbrium Sizemblar Siliqua

Si

Se

Tertius

Sicha Signa Sizelei vel fizeleos filer montanum pla tocinum idem ilan.

Succerti falfo: led debuit dicere finfiti. z eft cololida ma: o. fucciti non nomit au ecii, vi piz er verbis fuis: cii dicit qdo: cii q eft fepuma, zdicii q eft feme madrago re zdicii etia q eft ainid. z vide auc, ca, fuccitii. Siriaca. lege derba fyziaca Simbalaria. lege cardunicelim

Sich arab. ce idé eft peolitiú, t écôfectio ocularis forâta î modů nuclei dattili g fri cat fup coré cu aliq ligre couementaan. Sifeidis; id eft cucumer afininus, tañ. Silphiù eft berba cums lacrimus eft gū mi lapariid eft affa fenda, interdum tamé ponitur pro ipfo gūmo: vt in metridato Silene, in trocifeis dyacorali. D. II. expo mit confirmargine, id eft pedis colübini

Stracoft eft species manne, Sizimbrium lege ballamita,

Sizeblar effusio mirabolano peblico pi lacte. Amc. i sedo caña de mes. ca. o ebher parraso illo Ododus faciedisereblica. Et dicis sedo caraso illo Ododus faciedisereblica. Et dicis sedo caracta grece. arabvero carab qo misti latino pearudia dicist, repilica sine pilo caracta lignii comue arboris tearbor as feres fructii rudea sicut cerasii qo gallice dicis corneille. Sidia grece sides malis granati, vedictii e i pildii apotecarii noi liti dicist que cortep mali granatii tia viii tur s flores ipos mali granati dicist dallaustias. no psidii aut sidia Siguatid e sto rap liquida. ia

Smirna Smirna vel fmirnis, i. mirra buida Jañexponit maci, per, pet gumis vernicis. Smirnon lege alexandrimum.

SII

Sp

Spodium Spermatis Spuma argen Splen pultri Spicainda Sponfa folis Spica aromatica Spergula Spica celtica Spica romana Sperma fporos t gem fm ian,fignant fe me cumf libet rei ta plate q aialis 13 qui p fe pont defemme faxifrageitelligit Spo di cft res cums ongo nos latet restñad ufta videt a Amc. Dicit & funt radices ca nan adultan vicit in S Lag ca. abayfir. gelt fuligo quinemt in domibus vbifun dunt metalla q pofto conderitoicit fpos dum coperes vero dicit pop biligos to addenserauctoritate gal.bicit ficivii gal. fpodiovius fum quia fatis babin Ponphi ligosdiatactor pendetan q nos vimur

offe chans combufto profpodio Splen pultri i efdra cont exponit q e fui pfluitas qua equus picit cu primunate clt. Spuina argeti id est litargirum itali. Sponfafolis folfequium cicorea idem vi dicunt sinomma affa vel aaran Spica inda id est hardi actor pend.

Spergula invigueto marciacon id erub minozañ, est similis rubec non tamé est aspera necsic crescut. Et est berba illa qua gallice muguet appellamus Spica aromanica id est nardi actoz peò.

Spica romana id è celtica, Jan fup expo fittoue buius timini nardus

Stiptera
Stiptera id é alumé apotecari tilufi ex
ponut alumé de pluma qu' marie ftiptich é
Succutum
Succutum
Succutum
Sucaba
Sulphurata

Succetum, i siphiton, ian lege siphiton, Succenum id eit electrum vel barabe lege barabe

Sucapa est spina arab Et est in virtute spine albe sinc bedegaris Sulphurata est bes equissipes enfoliquationore best andacuba ocqua supra

De littera Z

Zarcon Zartarum

Zararacon Zapfia vel capfia lege seyteragi indi Zarcon id est piretrum.iañ. Zaratifid est ypoquistidos.iañ.

Zaplia

Zaratif

Zartarum vel tartar exvino in lateribus vegetis generatur, iaŭ

Zarapacon est species endune z est endiuja amara sine enduna siluestris nasi, ex auctoritate Anices, Et est scarola Teremobist

Zeremabin Zesapei Zerrasigillata Zerrabit Zesche

Zeremabin est species mane arab servit teremabin prece vero tereniabin lafi. Zezapei in consectione metridati exponi

tur femen finap. aft.

Zerra figillata 03 efferubei colonis vt pa
tet per Aucen. S. toya, ca. de lépmas fo
qua vtimur bodic eft albanafi.

Tetrabit id est berba indaica e exponita inceñ, q berba indaica est berbum Et berbum est otobus genus leguminis.iañ, Tezephie exponitur q est guminus rute agrestis synonima assan vel aaran

Zimiama Zimbre
Zribulus marinus Zinfolium acutum
Zrimiama grece of confectio odorifera
ad funugandum facta qo nome moderni
coribro appprianeriis p quo lege confita,
Zymbre lege faturegia.

Si

Su

Za

Zc

14

Ži

Ziber

Tribulus marinus exponüt fynonima afs fam vel aaran qo'eft yringus Zrifoliü acutü id eluyluya de quo fupra

Lortelle de sem

Zo

也c

Ui

Elm

智

玉

Zonelle de fem est pamis azimus dis cos cuis de illa regiõe fem stuche terra bieru fale di enfarades impastant cas cu aqua

Zu Zuthia

Zuthia Zbusmafculinum Zuibia tria figificat vno modo ide3 eft φ ponfilir alio modo idem eft φ fpodii Et ifte fpes tuthicabe fut fuligo exfumo ele nato in fornace in q fit auricalcii q oiffes runt inter se ve dictii est in spodio q2 pon filix oft funnis fubilist fubicuis valde fs Spodifi elt granius ita q ascendere no po tint ad superioza fornacis sed refedit infe rms t cleuaf ille firm? a lapide calamina riquo tingit vifiat auricalca, Zertio mo bicit tuthia ppzins fumus elenatus a di cto lapide calaminari seu a lapide dieto calamina thee mithia arab, vicif cadimia alifelimia,p quo lege cathuma becran. Thus makeulinum dicit thus groffum fci natum vero dicitur thus minutum.ian.

De littera B

Benter merguli exponif q est stomae en instante actice q vulgo dieif pleumon Electocicum Electocicum lege antifarmacum,

Embilici marini

Embilici marini lap, funt. Elifur Elifur id est ciabrium actor peno, Elifica é res collecta fuper arbore glandi um pel pucis pel pun pel olune reun along

um yel nucis yel pini yel oluue thip ahas duierfas arbotest albi colotis odotis bo ni, iafi anctotitate Aujeen.

Lian auctornate Eluicen.

Ellocaffic Xiloalocs Xiloacaracta

Xilopath Xiloacaracta Xilos lignii indepilocaffic.i.cafficlignee Xiloalocs id eft ligniim alocs.

Alobalf id est lignum balf. Hilocaracta id est lignum caracte Attede tamen o interdum fuentur piloaloes eru di z vebet intelligi id estnon positi in vecoctione. De pilocaracta th lege fi liqua.

De littera

yscob yportcon ypoquistidos yposelinum ypotamus

gladiffit vermes terre q ydiomate, mate

* BLEEFELS SEELER

Tertius

no baches vocaf, Synöima affa vel aarā Ite, m. plāte icz yris yreos gladiolus z ipatula fetida affimilant int ie mi ad fo lia cop, differüt til adminee, p cin oiffere tie noticia babent tales verius, yris pura purcum floris gerit yreos albū, Bladiolo crocenm fed ipatula fetida inilium

ypericon id clt perforata
ypoquistidos est sucus sungi quaseit in
radic, rose canine Let no esucus rad edes
re aut speciei es sicut putaunt dya in ca, d
exsess q e edera videas si placet qu nota
int suppoc ille rersi subtilissim indagator
Simo de iasi, sip expoe bus simini barba
byrema Sit aut ypoquistidos boe modo
in radirose canini q est planta also nomic
appellata barba byrema distant a stipite
naleit singus cuis soma est ac si plures
ballaustias insigeres viam in alia t sace
res ad modum baculi longitudinis medit
palimiaste sungus tonsus t expressius suc
cum cinities deinde ad spissitudine coqui
tur t exsecutir t sit ypoquistidos
pposenium lege alexandrinum

ypotamus est equus marinus t é piscis flumalis equo fimilis f. capite uba t 802 fo ur nilo nascens, las,

De littera

Zesumber succara tabased Zmar succesame sasum saccarie

Zezumber id est zedoaria, actor peno. Zuccara tabazed: id est finissa actor libel li qui mapit. Facigitur pie deus. Zinar: id est viride eris, actor peno. Zuccorame, i. slos agni casti, act. pendet.

3a3um, i.fozbe, actoz pendetarum, 3a3ur, id eft mefpilimi, actoz pendetarum 3accarie in cofectione triafandali, i, pfiliñ actoz pendetarum

Dictine duic opusculo apponetes al minuminis auxilio cinenome sittemp bui dictu. In doc aut terrio tractatu sume sauciore terminore expoem odmittedo auctore corronersas. Oratos aut dadeo dimus nostri opusculi lectores vi si qua in cominus di dictu perpiant, ne dente la noso me u progrumpant arguentes. Frustra est laboratresam mortalitas, si quid ad psectoem vi si deduceres perauerit qui soluis diminitatis existit.

Efinit Ticolai prepoliti doctoris medici clarifiimi ylagogarii fine introdus ctionii in arte apotecariatus opulculus.

Hn

ncip it tabulanto opis Lectoris introductio.

Un becuitas dum mildepi prio omnia fit multu placet t pdeft.ccontrario plipitas ficut vincuig noti cit i mul tis nocz. Quinchas ars iffa

apotecariatus qi p ca fi mdebite difpenfa retur multa ta corporis & aie fequerent incomoda maria indiget oiligentia rade uertentia. Qua propteri bacarte practis cantes ficut vi alijs artibus fepuis circa multa vt arte decet occupatifut. Ideo vt eavtentes plicitate entent z vt brem?fa cilius toiligentius oroguas receptas t quar i boc volumine cotenta reperire pof fint vna tabula duos primos libros cotie nentem omiffo tertio:qz caufa bzemtatis fui nulla idiget tabula bievt meli? potui eparare occremi In qua que cu oci anpilio fequar ordine litteran mions alphabeti: oftendedo i quotto folio recepte cofectio nes antidota atq3 cetera oia ta fimplicia ocopolita i pdictis duobo libris descripta fituant. Lt primo de iapiend' ab A.De. mū ab alis litteris per ordinem.

Blutio medicinan. 7 q medicie ındiget ablutoc ptotii primum caplin scoc partis pricipalis pri

milibri. Folins. rvin. rik. z pr Ablutois medicinar modusibide p totu Ablutar medicinar pparatioibio p totil Elcaritti. Folio Acetum fquiliticum trivi. Acctus fquilincü alind trant Acetu rofatii anthofatii t fabufinii.previj.

Actum paffulatum ibidem

Zib

alc.

Ad

All

ZIM.

Elcassia ibidem (Adrianum Adultio medicinant quedicine debent aduri p totii capitulu.ii.fcoc partis panci palis primi libri. Folker pringin. r. prin. Adultionis medicinan mod ibide p total Adultan medicinan electio ibide p totil Eldustan medician repositio ibide p totu Alcancalo. ELLA Alipta muscata KKEPI

Elizermes ibide Ellfessera ibide Almezereon ibidem.

Camidon cuffrumento Amidon er ozdco ibidem Amidou er ozobo ibidem

rrryn

T Analoga medicinalia pfe fumpta p q bus supponunt p tota capfining scot libra Solns ervin par erret erre Analogi descriptio ibidem i pancipio ca pituli. Folio Antimozon ruv Antidotum emagogum kkka Zinfum lapatinum trivi Taquediftillate p totum.vi,capitulum primi libri folis Aquas biftillandi tempus ibi 3220 becla Hquarum diftillatarum repositio ibi Too tandum secundo Aquan diftillaran buratio ibi Deffio vi Houa fructuum Aque mellis due recepte rrrun Hqua order ibidem Aromaticu rof ftoaci pfortatiuu, prvi Aromaticum rof maius Bromaticum rof minus ibidem Aromaticum muscatum ibidem Aromaticum gariofilatum ibidem Hromaticum nardinum ibidem

rrrv (E) Athanafia At Eltbanafia magna ERED Athanafia minoz ibidem Aurea alexandrine rrrun

Enedicta Solio rurvij

C 38 lāca rurun Eram alba faciendi modustir.

Cerota conficiedi modus.li.n. ca.v.ibi Attende fcoo.fol.ppvi Ecrotum galieni Ccrotum stomaticum galieni KERTE Cerotum infrigidatuum galieni pl pl. Ecrotum fandalınım Eitra condita rrun Estoma condita

Cluteria faciedi modus di. n.ca. viabi In decoctione Solio Clifteria exhibendi modus ibi De forma

Elifteria accipiendimodus ibidem Elifteriorum propinandoru quatitas ibi Attende pltra Colaturas comunes faciedi modoli. n.ca.vi.in principio capituli Colatoria tria debshabere apotecarins li n.ca.in.ibi Defecundo Column album raf EL Conditiones tres boni apotecarii per to tum primum capitulu prime partis prime

cipalifprimilibri, folio, 1

23q

Hc

17II

Eli

Eo

Zabula

| | | Eondita fen confernas faciedi modus.li. | Dyaşinşiberis g | lij |
|----------|--------|---|--|-------|
| | | ij.ca.ij.ibi Condita vero folio prinj | | hij |
| | | Confectio differt ab electuario li.ij.ca.ij | | lin |
| | | in principlo kruti | Dravnstimple: K | lin |
| | | Confectionem faciendi modus ibi Jurta | Dyayas falomonis ibide | |
| | | predicta gruh | Dyapenidion ibidem | |
| | | Confectio de viloaloe previt | Dyadragagantum calidum ibidem | |
| | | Confectio demusco dulcis previn | Dyadragagantum frigidum ibidem | |
| | | Confectio de musco amara ibidem | Dyamozon due Kreibidem | |
| | | Confectio nere ibidem | Dyanucum ibidem | |
| | | Confectio de seminibus ibidem | Dyacodion due Rteibidem | |
| | | Confectio anacardina ibide | Dyapapaner ibidein | |
| | | Eonfectio destorace ibidem | | hij |
| | | Confectio hameth ibidem | | uŋ |
| | | Lonfectio alia pameth Freir | Dyamozufion Kl | 山印 |
| 10000 | | Confecciois de reubarbaro due Receptin | Dyacucurma maioz ibidem | |
| | | Confectio alfebran Frei | Dyacucurma minoz ibidem | |
| | 311 | Confectio de enpatorio ibidem | Dyalaca maioz ibidem | |
| | | Confectionis de manna due. Pete, ibide | Dyalaca minozibidem | |
| | | Confernas fen condita faciedi modus, li | Dijacaparısıbidem | |
| | | bro.n.ca, nibi. Condita vero prin | Dyafatyzionibidem | (SID |
| | | Conscrua secacul prese | () 401 41 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | lp. |
| E 4 7 | | Conferna bance Frak | | do |
| 1.1 | | Conferna acort ibidem | Dyacintonitem oue Rte | die |
| | | Conferna anthosibidem | Dyacintonitem lagatui due Rte ibide | CH1 |
| 14.13 | 13 4 | Corrices in inchiams ponendeili.primo | Tarrest and the same of the sa | lpt |
| 150 | | ca.ir. per tomm vh | | lvi |
| 200 | | Lozticii deollectionis tosibi De prio vin | | lvi |
| Sec. Vil | | Lozticum repositio ibi Descoo vin | Dyafuncon ibidem | |
| | | Corticum duratio ibi De tertio vin | Dyaturbith ibidem | |
| | Chief. | | Dyacartamia ibidem | |
| | | (Garage Complete and Million | Dyasene due Rete ibidem | |
| T |)c | Ecoctio simplicium medicinatz | and I manufacture and a second | vij |
| | | 7 que mediane debent decoqui | | tion. |
| | | L Droguan descriptio e q medicine vo | Dyabugloffatione Rite pl | un |
| D | 12 | cat ozogue la prio ca, puñ un princidio pi | 15 | |
| 13 | | Deoguarum electio a pparatio ibidem p | Zectuarium differt a confect | ōe. |
| 94 | | totum capitulum Ki z kij | | m |
| N. C. | | Droguaseligendi regula ibiDe primo in | Electuarium faciendi modu | 181 |
| 7 | | Drognarum durano, ibi Defcoo pi | | uni |
| | | Dyagalangcoue Rete | | 111 |
| - | 1 | Dyanilon due Rte | | OLE |
| 2 | de | Dyacimun due Ric pl | | oun |
| | | Dyantheosibidem | Electuarum farboteng ibidem | |
| | | Dyacmamomi di | | clip |
| | | Dyambre | Electuarin refumptiun fine ad reftaur | an |
| | | Dyamargariton calidum li | dum humiditatem | chy |
| | | Dyamargariton frigidum ibidem | # Electuarium catholicon | dir |
| | | Dyacorati ibidem | Electuarum de grams mirti ibidem | |
| | 933 | Dyacameron (bidem | Electuaritoe fucco rofone Rte ibide | m |
| | | Dyarodon ibidem | Electuary de pfillio due Rteibidem | |
| | | Dyarodonablansibide | Electuarium de citro non lagatium ibi | dē |
| | | Dyarodon min ibidem | Ælectuarium alarif ibidem | 1 |
| | | Dyacoftione The | Ælectuarum alud alarıf | 1. |
| | | Dyacalamenti oue Rete rin | Electuarum indum minus | l. |
| | | Dhatrion piperum duc Rte gin | Electuarum indum maius | h |
| | | Dyapzaffaim ibidem | Electuarium elescoph | 6 |
| | | | | |
| | | | | |

El

Em

EI Er

fi

51

50

| Electuari cofortatiui ftomaci bue Rte L | Cfructus exquibus fiunt medicine.li- | 21 |
|--|--|------|
| Electuarum de fructibus | pamo, ca.vin. per totum vn | |
| Electuarium bulce L. | Fruct' colligeditos ibi Hotadu ergo.vi | |
| Electuari dulcis alie due recepte li- | Fructuu repolitio ibi Tlotandu scoo vn. | |
| Electuarum bulce duplicatum li- | Fruct' exficcade mod' ibi Dod' aut.vi | |
| Electuarum contra peftem li- | Fructun ouratio ibillotanda tertio vi | |
| Elephangmay ocfcriptio-li-prio-ca-pun | // / | |
| in principio folio | The property of the property o | 6 |
| Elephangmarum electio apreparatio ibi | Hriofilatum lo | Ba |
| dem pet totum (1.7.19) | (Bum ad medicandum apt) | Bu |
| Elephagias eligediregla ibi De prio, ch | li.pzimo.ca.r.pertotii.fo .viii. | |
| Elephangman ouratio ibi Descoo pi | Bumos colligendi the ibi Deprimo vin | |
| a Embler conditi | Bumosephecadimod' ibiObod' autvin | |
| Emplastra conficiedi mod? li.fi.ca. v.ibi | Bunmorum durato di Detertio vin | |
| Emplativa pluribus modis | and the state of t | |
| Emplaftri oyaquilon cois oue recepte.u | Bumme que possunt puluerdari.li,i,ca. | |
| Emplatrum oyaquilon magnum u+ | A STATE OF THE PARTY OF THE PAR | |
| Emplastrum ovaquilon parium 11. | | |
| Emplaftrum de musalagimbus ibidem | Same q ochent decoqui v colari ibi Ate | |
| Emplastrum pro stomaco | | |
| Emplastrum de granis lanti | | |
| Emplastrum de gallia ibidem | Erbe ad arté apotecariatus po | De |
| Emplattri de gallia recepta alia | tinetes p toth caplinath price | |
| Emplastri relati ad adroacti oue Reteili | tis pricipalis primi libri.folips.in.in.z.v | |
| Emplaftrum de finapi | Derbas colligeditos bi De paino v. | |
| Emplaftri de fermento quattuoz Rete, li | Derbas exficcadi modusibi De fco v | |
| Emplastrum ad ouritiem meturaru ibio | Derbarum duratio ibi De tertio v- | |
| Emplastrioyafinicon oue recepte ibides | Derbay repolitio ibi Notetur ctiam v. | |
| Emplastrum relatum ad cristraton lin | 23 martining Co. | |
| No. 119 Problem sales a month of the contract | and | 14 |
| to introduce outpour de contraction de la contra | Drocopion olimpiatum lv. | 34 |
| Emplaftrum oc melliloto ibidem Emplaftrum apostolicon ibidem | a 3gia greca lv: | 38 |
| Emplaitrum ceroneum ibidem | I Infutio rop t violarum lv. | 311 |
| Emplastrum oposocroceum ibidem | T Julep oufert aftrupo.li.n, capt.in. in | 311 |
| Emplastrum de tanna lun | principio. prin | |
| Emplastrum gratia dei linj | Julepfaciedi mod ibio ptof. priff. z. rry | |
| Emplastrum contra rupturam luij | Julep clarificatio ibi Qu firupum prin | |
| g-mplastrum ommum lun | Julep colandi modus ibi Defcoo prin | |
| T Efdra magna klvn | Bulep de coctto thi Deterno prv. | |
| Ercorticatio Ceminii p totii, iij, capitu | Julep repolitio ibi De quarto pro | |
| la feoe pris pricipalis primi libri, fo, prin | Julep D. O. | |
| Excorticatio granorum ibidem | Jacobio | |
| Excorticatio radicum ibident | Juice lot out a reaching | |
| 1F | | at d |
| 1) | Julep de fucco violarum lv. Julep de fucco rof ibide in margine lv | |
| 3lo antropos lun. | The state of the s | |
| Filony due recepte lun | 12 | |
| Filonium mains him | Marticum imperiale lo. | Ka |
| Silonium perficum lun | C Kebuli conditi lv. | Re |
| al Closes authus debet ene muint apo | Tributa contains | . MC |
| tecaring. li.pamo.ca.v.pertotum v. | 2 | |
| Flozes colligenditos ibi De primo Vo | Araturas medicinas exhibens | Za |
| flor eniccatois modus ibi De ico v. | di modus ibi De icoo, fo, prv. | 0.7 |
| Slop durano ibi Deterno v. | Laraturas medicinas accipien | |
| Slozum repofino ibi Notandu vitra v. | dimodus litica. n. ibi Et a medito . pro | |
| J Solia ad arte apotecariat apta p totu | Zaratmas medicinas accipieditos ibide | |
| ca,un, priept pheipal prum lifo,in, t,un | n in | |

Zabula

ne

Di

| Zi | CZintotripon [w] | dus ibidem per totum rim |
|------|--|--|
| 4 | Zitinm | Outdiagies super autualizada un 20.1 2 |
| 20 | Looth quomodo debet fiers, lib. fi, ca | |
| | n.ide ti minuter folio trun | 1/2 |
| | Zooth de Pino | Efron catarren lvin |
| | Looth de squilla loi L | 10 |
| | Zooth ad caliduatem? afperitate pecto | |
| 1 | | |
| | Looth princis co fumptis z cipicis, lvi | |
| | Looth ad afma ibidem | Olci de amigdalis dulcibo due Rete le |
| | Zooth ocamigdalis ibidem | Olcii de amigdalis amaris ibid i margie Olcii de crifomilis ibide in margne le |
| | Looth de caulibus ibides | Olemnoe perficis ibidem in margine ly |
| | OIL THE REAL PROPERTY. | Olefi de nucis ibidem in margine |
| | EIII | Lieu de anclants ibidem in marame |
| Die | Edicine vnde fumunturinges | Let of den ididem in maraine |
| | ncralt, li.pzimo, ca. n.pzie parns | Dien de lecrua ibidem in margine |
| | Obedicinarum outilio ibidem | Dien de cartamo ibidem in marame |
| | Dedicina que folent permutrari, li fi, ca. | Dien of nuce indica ibidem in marame |
| | E.per totti folips ELEI EKEN, T. ELEIN | Olci de cerafis ibidem in margine |
| | and the state of t | Oleum he grander in margine |
| | the tree but but totally | Oleum de grams eitn ibidem i margine Oleum de fisticis ibidem in margine |
| | Local charum abananahbua fumprarii | Olcum de pigneis ibidem in margine |
| | Proparatio e repontio ibidem per tota | 27 cum taurmum in fertu le |
| | Odedicine a quibus animalibus debet fu mi ibi Deprino | Diei de balfamo tres recepte le |
| | Obedicinas ab afalibus fumendas colh | Dict delisamo due recepte le |
| | gedi tempus ibi Notandum fecundo p | Olcum de femme lui ibidem in margine |
| | Obedicinarum ab animalibus fumptarii | Olen de granis papaneris ibiti i margie |
| | omano idi Deterno | Olci de femine lactuce ibidem in margie Olci de femine encurbite ibide i margie |
| | Libeatanarum compolitarum in generali | Olei nardini vna receptaabidem in tertu |
| | Omerá moduli á, ca primo prim | Olei nardini tresalie recepte lui |
| | Delrof Dunio ibide ptoti | Olei de colto tres recepte |
| | Oclanthofatum ibidem in margie lyun | Oleum de cinamomo |
| | 20ct bugionatum ibidem in margine | Oleum de auro ibidem in margine |
| | LD cially lize Libidem in margine | Olea de lignis 7 lapidibus ibid i margie |
| | Det anacardubidem in textu | 4 Mellin Ochimerahan and America |
| | Od paffulatum ibidem | Oleum pulcaum kri |
| | Ovel martinum ibidem Ovel emblicorum ibidem | Dlei de cinilla due recepte ibidem |
| | Obeniurarum duterfa genera-li-n,ca,vlti | Oleum rutaceum ibidem |
| | mo per totum kkriji, z. kkriji | Olei anctim due recepte vna,in textu et |
| 201 | Oberridatum | alia in margine |
| | 9 Dicleta Ion | Dlei de caomilla due recepte vna i textu talia in glosa notanda |
| | Dineralia ad medicandum aptadi, prio | Oleum oc keyn ibidem in glofa notanda |
| | cat, pi), per totum | Olen oc melliloto ibide i glofa notanda |
| | Dineralin collectio ibi Lirca micralia, it | Olen de fanfucco ibidem in glofa notada |
| 1.45 | Dinerahii ouratto ibi Notandii feo ik Dina fimplek | Dleum murtinum ibidem in textu lri |
| 275 | Outra aramasias | Oleide lilio tres recepte due in terti et |
| | Dine acctole due recepte loin | tertia in margine |
| | Dima acctofa befuce structum lein | Ole references |
| OUV | 1 Dule ence due recepte in | Olcum violatum ibidem in margine life |
| | Difficulagines radicules mabedi mod? his | Olcum fambacınını ıbidem in margine |
| | Carlly 1000 pile Dalis D totil foll rein | Olci oc flozibus papaucris ibio imargie |
| | | Olcum de lactuca ibidem in margine |
| | | - Bull |

那

| | स्प |
|--|------------|
| Olong Somewiff | m |
| Oleum de menuffare ibidem in margine | |
| Dleum de cucurbita ibidem in margine | ter |
| Oleum occitoniis in textu lxi | 采 |
| L'eum mirtimum ibidem in maraine | 妙 |
| Pleum rutaceum ibidem in margine | 3 |
| Oleum de fanfucco ibidem in margine | 37 |
| Ole midra goart Angress and Six is well | 級 |
| Ole madragoratione recepte ibio i tertu | 手 |
| Dlei de mastice tres recepte ibidem | 30 |
| Olcum picis ibidem | 313 |
| Plei de storace due recepte ibidem | 333 |
| Dleum oclapdano ibidem | 35 |
| Oleum mufcelmum ibidem | 勒 |
| Olcum de caftored buij | |
| OI - C. | 31- |
| Clei oc enforbio one recepte lun | 3371 |
| Oleum vulpdium lein | 30: |
| Oleum phon fine olen de lateribus ibid | 331 |
| Olcum de ouis. D. Di ibidem i margine | 301 |
| Oleum de croco ibidem in textu | 301 |
| Olcum de tartaro ibidem | |
| Olei de cucumere afinmo duc Prteibide. | 金 |
| Oleum be margarent below | 100 |
| bleum de mescreon ibidem | 301 |
| Oleum oleandritbidem | 301 |
| Dlei de affe id éolei fericini due Pete ibid | Hou |
| Oleum de allanna ibide | Soil |
| Oleum de pomis citrágulozum ibidem | 301 |
| · Dlei de ouis one recepte ibidem | 301 |
| Oleum finapmum ibidem | |
| Oleum de umperio ibidem | 新山 |
| Olar ba Campanibus business balance | A al |
| Olei de feorpionibus due recepte ibidem | Mari |
| Dpiata medicina quomodo funt.h.ii | Story. |
| carnabi Lt fimiliter occudum folio, crun | 那川 |
| Oph due recepte lik | 301 |
| Oppo pira lir | 那是 |
| COp. lie | Bill |
| Drimelfimpler ibidem | अन्ता |
| Demel compositum feu dinreticu ibides | 3011 |
| Ormell copolitifen omrette due Tetele | |
| Ormelaromaticum le | 泰山 |
| Ormall a familia a man Resolutions | 那叫 |
| Ormelles squiltnes tres Kteibidem | 那山 |
| Oyisacra fimpleyibidem | 那是 |
| Dyišacra compofița ibidem | 30 ill |
| Surrous och en sand in the | uiced |
| 13 | 那山 |
| An com | HOU! |
| | D. H. |
| | 新山 |
| C Penidic her | 业业 |
| 13 crimutationes medicinarum rque me- | 制制制 |
| d.cinc folent permutari.li .ii, ca.r.per totil | My M |
| folins principal apprin | 30 illi |
| Carignolatum fimpler t pfuale trin | 30 dlu |
| Bignolati compositi one recepte fro | 3 dlu |
| Adula quomodo debent fieri. h. fi. c. un | 32 ulin |
| in principio kro | #Dillin |
| Bollularum repositio ibi Depamo pro | |
| B llulag cripherds made the Dates | 35.17.18 |
| Pillulas croubendi mod' ibi De icoo, pro | 正 舉 |
| Billulas accipiedi modus ibi Obedici pi | 30 ond |
| teres pp. | pertot |
| Pillulas accipiendi tempus ibidem | Botto |
| | - |

151

Ωp

Dr

第a 第c

Pi

| | the state of the s |
|----|--|
| c. | Willulara fumendarum numerfiibi De |
| | TCTLO Proj |
| ŋ | Williale fine quibus efferiolo lev |
| | spillule auree livi |
| | Hillularum cochie due recepte tevi |
| 1 | Billule dyacastoree spillule de octo rebus ibidem |
| | 33 Lo quiqa generib? in rabolanon ibide |
| | asillule eleppangine ibideni |
| | 3 Sillule agregatue ibidem |
| | 30: flute agregature maiores leon |
| | 33 linic agregatine minores from |
| 1 | 33. linle o cupatorio maiores livin |
| 1 | Williale de capatorio minores ibidem |
| H | Billularu de renbarbaro due Brte ibide |
| 4 | Billule allzeliangi ibidem |
| | 30 llule ad febres annquas ibidem |
| | Billule inde ibidem |
| | Abillularum albandal due recepte ibides Beillule de farcocola ibidem |
| | gettitte of factocola foldem |
| | Billule fendeminores ibidem |
| | Billularum oc ferapino oue The ibides |
| | Brilline ocentorbio livin |
| | Hollinte de mesercon |
| | Soullule lucis majores levin |
| | 30 illule lucis minores ibidem |
| | Stillule ad febres colericas ibidem |
| | Billule oyarodon ibidem |
| | Billularum oc turbub oue recepte ibide |
| | Hallule de lapide lazuli ibidem |
| | Mollinle de lapide armeno ibidem |
| | Spillule oc bacilto maiores ibidem |
| | Sillule de bdellio minores ibidem |
| | Herllule de oppoponaco ibides |
| | Beillule de bermodattilis |
| | Billule oc bamodattilis majozea lene |
| | seillule of Dermodattilis minozes leie |
| | Heilinic aretice ibidem |
| | Adule que non valentes furgere facuit |
| | Medlere ibidem Pellule de colloquantida ibidem |
| | Sollinic seventioninitian ibidem |
| | A illularum ftomaticarum fex Bete ibide |
| | 32 illularum ante cibum oue recepte ibis |
| | 312 illule oc agarico ibidem |
| | Sollule de fumoterre ibidem |
| | Holluleruffiscu cocs fre |
| | 30 illule affeyeret lix |
| | Fillule ad omnes morbos cararri la |
| 1 | Dilinle bichie ad tuffim ibidem |
| - | dillulcalbeibidem win |
| - | pil.ipiales.D arnaldi o villa nona lixx |
| | Soondern dineria genera li.ii.ca.vie. |
| - | |
| | and the same of th |
| 3 | भूठेकाक fancti panti पूराम् स प्राप्त |
| | n ud |

Zabula -

Si

| | | 44 |
|---|--|--|
| | Potio mufcata lrv. | ca.vij.pertotum.folis vi.z.vij. |
| | Daffia cois ad facilitadium partu.lev. | Semma colligendi tempus in capitulos |
| 302 | Bonfia contra pettem lev- | be fructibus ibi Notandum ergo vh |
| | Wuluscontrapeften kv | Semmum repositio in capitulo de fructi |
| Hu | | busibi Notandum fecundo vin |
| | Boulus electrary oc bolo ibidem | Semma exficcandi modus i capitulo de |
| | Ponturs contra lumbricos ibidem | |
| | | fructibus ibi Wodus autem vii. |
| | | Semmu duratio in caplo defructibus ibi |
| Qu | Cadrimeron lyx | Notandum tertio vn |
| Bull 13 | Quid p quo quo fit.li.ij ca.p.p | C Sirupus differta inlep-lib-fi,cap un |
| | tota.fol.xxxi.xxxn.T.xxxin. | in principio prim. |
| | 12 | Birupos faciendi modus ibidem prin |
| | n | Sirupop clarificatio ibi Quifirupii prin |
| | Orlina Shon anancard hates | Strupos coladi modo ibi De fcoo, puin |
| Fig. | Adices qb 03 apotecario botco | |
| | ca fua munire p totu, in. ca. pile | |
| | pris pricipalis, pri, li, fo, 11, 7, 11) | Girupon repolitio ibi De quarto pro- |
| | Radicum electio ibidem | Strupos factendi repusibi Dequito pro |
| | Radices colligendi tempus: ibi Deprio | Grupus ocpomis 1441. |
| | notandum in | Simpus de piris |
| | Radicum deficcatois modus ibi , Notans | Strupus de perficis leri |
| | dum fecundo uj | Sirupus de citonins ibidem |
| | Radica repositio infinescoi notandi in- | Sirupus de fucco acetofe ibidem |
| | | Strupus de fucco cucurbite ibidem |
| | Radicum duratio ibi Detertio in | |
| Re | [Requies lix | Sirupus de prunis ibidem |
| Ro | Robolcripto, lin, c.in, ibi, Rob do prin | Surupus de granatis acetofis ibidem |
| *** | Koblaciendimodusibidem | Girupus de granatis dulcibus ibidem |
| | Rob clarificatio ibi Quando firupii-prin | Siripus de corneibus ettr ibidem |
| | Rob colandi modus ibi De fcoo prin, | Surpus acctofitatis citribidem |
| | Rob occoctio ibi De terrio Kry | Sirupus de agresta ibidem. |
| | Rob repositio ibi De quarto pro- | Birnibus de licfines ibidem |
| | Robfaciendi tempus ibi De quinto, pro | Sirupus ocalbela ibidem |
| | Rob deribes lix | Surupus dinary fine de bizancije ibides |
| | Robbeagresta hr | Sirupi conferentis, catarris calidis tuffi |
| | | corrife pleurefi one Arteibidem |
| | Robbe combus | Sirupus de cannis ibidem |
| | Robbe citonia ibidem | Sirupus de pozinlaca ibidem |
| | Rob ocpomisibidem | Sirupi de calamento due Pete lexin |
| | Robbepiris ibidem | |
| | Rob de prunts ibidem | Sirupi de menta due recepte levin. |
| | Rob de granatis acetofis ibidem | Sirupi de ablinchio due recepte ibidem. |
| | Rob de perticis ibidem | Sirupi de fumo terredue recepte ibidem |
| | Robacetolitatis citribidem | Surupus de fumoterre maior ibidem |
| | Rob mirtinum ibrdem | Sirupus de fumoterre minor ibidem |
| | Rob de berderis ibidem | Sirupus de liquiricia ibidem |
| | Robbefumacibidem | Sirupus de ysopo ibidem |
| | Robbe mons de fem minaturatis ibide | Sirupus de praffio lixin. |
| | Rob de fructibus due Rete ibidem | Sirupus de thino lixun. |
| | W 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | Sirupus de epythimo lexun. |
| | | Sirupus de cupatorio ibidem |
| 111111111111111111111111111111111111111 | Rofata nouella lgg. | Sirupus de ficad ibidem |
| Ru | CRub trocascata lpr | Simplis of mean foliage shidem |
| | 30 | Birupus contra acutas febres ibidem |
| | \sim | Strupus rok ibidem |
| 96 | Ecaniabin folome educes fles | Dirupus violarum ibides |
| ~ | guia. lytij. | Strupus alms de violis ibidem |
| | Secaniabin folome educens | Sirupi de papanere tres recepte ibidem |
| | melancoliam lkth. | Strupus miranus ibiden |
| 8/23 | | Sirupi mirtini alia recepta lirve |
| | Sceamabin de l'acylini ligiti, | Sirupus contra cem flurum vetris,lirv. |
| | Secaniabin de calamento lipin | |
| | Semma de quibus fiut medicine .li. prio | Burnbus acciolus umbick fixo. |
| | | |

Zr

| Sirupus acetofus compositus | livo |
|--|-----------|
| Sample sections to fusion boths | vi leans |
| Strup acctofus de fuccis berba | in treve |
| Sirupus acctofus ofuccis fructi | mibide |
| Sirupus acetofus de fuccis z aq | us frui |
| ctuum ibidem | |
| Cititum totalens | Zama |
| Sirupus acetofus de citonins ibi | dent |
| Strupt acctofi de pomis tres îkt | c ibide3 |
| Strupus acctofus de printes ibie | icm |
| Strupus acctofus de teremabin | bidem |
| Sumpus accionas de terenadar | Louis |
| Sirupus acetofus laratinus ibid | ICH |
| Strupus de cudinia ibidem | |
| Sirupus de arthemelia ibidem | |
| C Solutine medicine. li, pimo ca | ro ner |
| Colored Colore | no e mai |
| totumfolijs kij.kin.kun.k | V-t-LVI |
| Soluturan medician electio ibid | e p totu |
| Solutuan medician repofito ibi | o ptota |
| Soluturay medician buratio ibi | Dtotil |
| Caluama anadona cacamanda | moduc |
| Solutinas medicinas accipiendi | moduo |
| prv. T. prvi | |
| Solutuas medicias orfpefadi m | od? ibid |
| Solutinas medicinasaccipiedit | perpide |
| Control of the contro | Conbuffi |
| Soppifficate medicine quomodo | Topput |
| cantur.li.pzimo ca, vltimo pzie pa | rns pa |
| apalis per totum gvi.gv | ा र एएमा |
| Sophilticatasmedicinas cognol | cedimo |
| dus ibidem per totum | |
| | lixi |
| Sotura magna | |
| C Stomaticum calidum | lim |
| Stomaticum frigidum | licit |
| Stomaticum confortarium | lexit |
| Succifica quibus apotecaru | 15 munt |
| and offer by he names on an nor total | i vin |
| tus effe oz.li. primo ca pi. per toti | |
| Succos colligendi tos ibi Dept | uno vaj |
| Succop exticatous modus ibi D | c1000 -1K |
| Succor duratio ibi De tertio | ik |
| Succus abfinchi | legevin |
| Succus celidonie | livevin |
| Succustendonic | lecevin |
| Duccus cucumeris afinini | richant |
| Succus cupatorn ibidem | |
| Succus fumiterre ibidem | |
| Succus liquiricie ibidem | |
| Succus memithe ibidem | |
| | |
| Succus titimali ibidem | |
| Suffuffaciendi modus, li.f. ca.f | ibised |
| fuffuf | kkiid |
| Suffuf biffert a pulucre ibdem | 1000 |
| Buffue a lique along | lpri |
| Suffuf de ligno alocs | |
| Suffufoyarodon | lipci |
| Sufiufaromaticum | lyxi |
| Suffuf impinguatinum ibidem | |
| Suffuf de grams mirti ibidem | |
| Grufful ad suffice automate the | **** |
| Sufful ad tuffim antiquam ibid | CIII |
| Suppolitozioză forma-li ii.ca.v | |
| forma suppositoriorum Folio | kkail |
| Color. | |

50

St

Su

Ze

| ~ 41 | Onth |
|--|--|
| | C Zriafandali levin |
| acetofus compositus luv | - c - 1 |
| cetofus de succis berbaru lixv. | Zrifera galiem lexvij |
| acetofus officers fructual ibide | Zrifera magna lipvij |
| acetofus de fuccis r aquis frui | Zrifera maior exarte funamis liven |
| dem | Zrifera minoz ibidem |
| acetofus de citonins ibidem | Zrifera mufcata ibidem |
| cctofi be pomis tres Tete ibides | Znfera faracentea ibidem |
| acctofus de printis ibidem | Trifere faracenice alsa Teta lecviti |
| acetofus de teremabin ibidem | Zrifera pertica liconi |
| | Zrionfilou levoin |
| acetofus layatums ibidem | Znturatio incdicinarum fimplicium to |
| de cudinia ibidem | |
| de arthemelia ibidem | medicine patuntur triturationem la i,ca |
| tme medicine, li, pino ca, rv. per | vii per totum folis gron, t vin |
| ile til'en''' till'en''' | Trituratioes medicinariis in generali ibi |
| medician electio ibide p totil | 3ftc inpra |
| medician repofito ibio ptota | Trocifcozii dyarodon finederoffs duere |
| medician duratio ibio ptotit | cepte trivin |
| as medicinasaccipiendi modus | Zrocifcozum dyarodon fluederofis alie |
| PAR SUND HOLD BOTH HOLD BOTH AND | tres recepte krak |
| is medicias dispeladi mod ibid | Troctici oyani fine de violis 1 111 |
| is medicinasaccipiedi tpsibide | Zroafti ydiocrinbidem |
| care medicine quomodo fopbifti | Zroc, sci cocomagmatis ibidem |
| primo ca, vitimo pric partis pri | Ztrocifci fquilitici:tbidem |
| | Trocifci de tyzo:ibidem |
| catasmedicinas cognofeedi mo | Zrocifcioyaczocalizibidem |
| | trocifcon de camphora due Tete: ibidem |
| an per totum | Zrocifcon allichangitres Tetenbidem |
| The state of the s | trocifci de mirra:ibidem |
| The state of the s | Zrocifci de gallia mufcata: gbidem |
| Control of Control | trocifci de gallia febellien bidem |
| | And the second s |
| afica quibus apotecarius munt | The state of the s |
| 3.li.primo ca pi.per totu vin | The state of the s |
| colligendi the ibi Deprimo vill | AND THE PARTY OF T |
| exfication modus ibi Defcoo ik | trocife de renbarbaronbiden |
| duratio ibi De tertio | trocalci de l'podio: ididem |
| abfinchi lekevin | trocifci delpodio cum femine acetofe ibi |
| celidonie lixevin | della. |
| cucumeris afinini luxun | Trocilcozum de berberis due Rtesibide |
| eupatozń ibidem | trocilci be abfincbionbidem |
| funiterreibidem | trocilci be enpatozio:ibident |
| liquiricie ibidem | trocifei de anifo, ibidem |
| memitheibidem | trocifci belacca ibidem |
| titimali ibidem | trocifci de terra figilata:ibidem |
| aciendi modus,li.fi,ca.fi.ibiSed | trocifci de croco |
| kknij | trocifci de arfenico lucra |
| offert a pulucre ibdem | trocifcomm be agarico tres Tetenbidem |
| be ligno alocs lpxi | trocifci de turbith: ibide3 |
| oyarodon lipti | trociscomm de serapino due Artenbides |
| iromaticum liga | trocifci albandal:ibidem |
| mpuiguatuum ibidem | trocifcorum de fandalis due Rete:ibibes |
| oegrams mirti ibidem | trocifci bameth:ibidem |
| ad tuffin autonam ibidan | trocifci de cipero:ibidem |
| ad tuffim antiquam ibidem | trocifci de ligno aloes:tbident |
| fitozioză fozma-li il. Ca, vi. ibi De | trocifci de caperibus ibidem |
| ppolitoriorum Solio krvij | trocifci de laraberibidem |
| 1) | Ezyriaca magna galieni hrvi |
| 6 2 | tyztaca andromachi lixvi |
| Eodonton emperation le roifi. | tynace dyatesferon due Rec kryn |
| Zeodoriton anacardina (grou) | tymee cyatemeronous mes |
| | |

Ty

Tabula

Us Ti Afa ad reponenda mediemas apta.li.pimo.ca.pvi Solio.pvi Tamopiboteca ofernador deferiptio.li.i.ca.in.ibi Ami vero prinj. Ama faciend modus ibidem Hinor darificatio ibi Qui firupum arini Una colandi modusibi Descoo Print Amor occoctio ibi Detertio hha-Uma fa iedi tempus: ibi De quito pro. UI Wanguera oficiedi mod'lin, ca.v. ibi Anguera poffunt Solio Unguen dyafuncon one Rete. So. lucin. Unguenti palmei due Rete lycen. Ungue nobile relatu ad nicodemu. ligeni Ungueta alind meodemi:ibidem Unguentum arabicun:ibidem Unguentum apostolozum ibidem Anguentum cerafeos magnum: ibidem Enguentum cerafeos paruum : ibidem Unguentum artbanite magnum, ibides Anguentum arthanite paruum lexefi. Unguentum de lino lerrin. Unguentum azafir leggine Unguentum rofatum:ibidem vnguentum violatum:ibidem Unguentum oc papauerenbidem Unguentum batilicon magnum : ibidem Unguentum bafilicon minus:ibidem Unguentum de bdeilto:ibidem Ungue, alid file ungueto de bdeilto: ibid Unguentum filagrios:ibidem Unguentum aureum ibidem Unguentum de cerulanbidem Unguentum album:ibidem Unguentum fyzicinum:ibidem Unguentum egiptiacum ibidem Unguentum triafarmacum.tbidem Unguentum alfeffuricum relatus adale randrum Unguentum aliud alfeffuricum lerenn. Unguentum ad vulnera antiqua lerrin Unguentum citrinum:ibidem Unguentum aureum. bidem Unguentum populcon:ibidem Enguentum martiatum ibidem Unguentum arrogon lure. Unguentum dyaltea lkkko. Unguentum contra pediculos litte. Unguentum agripa:ibidem Unguenti laratiui due Krenbidem Unguentum pomphiligos.ibidem Ung uentum contra scabiem:ibidem

Unguentum denceataum ruben Irrevi.

Unguentu 5 vermes due Kte krxvi. Unguentum refumptinum krxvi

Erepigre galieni due Tete letroi yera pigra constantini legevi. yera logandion leggon. legevij ycraruffini ycra abbatis leggon. vera luf bermetis, ibidem yere archigenis oue Brenbidem yera coloquintidos:ibidem vera. D. D. ibidem Irrori Lyfopum cerotum galieni ylopum cerotum filagrit legevi lerevi, ylopum cerotum pauli

Insiberis coditi due Kte.krevis.

Zuc.ara rok tabulata krevis.

Zuc.arok i modü əferue krevis.

Zuc.arok obiuerserecepte krevis.


Zuccarum violatum krevis.


Zuccarum buglosiatum krevis.

Sinis tabule

Laus deo

Registrum bui us librid a.b.c.b.c.f.g.b.i.lz.Omnes iste sunt quasterni,l.m.n.funt triterni.





Same after the state of the sta Outroited and anomaly of the second of the s Gerthous (Granish the Cognitive de) Helical Jan Carried Control of the state of Bargelator (xc. 1503) fr green august of the mag quat 4 am Longelata Treposition when d.8mg 20-11-919

