Liber Teisir [etc.] / ['Abd al-Malik ibn Abī al-'Alā' lbn Zuhr].

Contributors

Ibn Zuhr, 'Abd al-Malik ibn Abī al-'Alā', -1162. Surianus, Hieronymus, -1522.

Publication/Creation

Venice: [B. Locatellus for O. Scotus], 1496.

Persistent URL


https://wellcomecollection.org/works/pbrhvq2r


License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.







Abbomeron Abynzobar

Colliget Auerroys

Louis Andrews and August August

Piteronymen finesaus arthum ac medicine doctor Domini Pine Dei Bei acobi furias



(3ncipit liber theiçir babalmodana vabaltadabir.cu ius est iterpretatio rectificatio medicationis regiminis editus in arabico a perfecto viro Abymeron abynçobar. (Incipit phemiumauctoris.

m

25

BZ

丽

IIZ

Hi

E

Tito

205

Diz

1021

aperni/

n lai

0.00

batan

x mi

mat

記場

grit leruns

regl.f.abbomerő abyn cobar veu testoz quo compilaui bûc libzum nifivi z conamine mul taru precu: reaufa for tis a continue impulfa tionis, zeum boc tepe rani rectificani id qo erat de difficultate in quaternis corruptis q crant apud plures ftu dentes in scientus vin

via alia fcientiali. z in rebus medicine ronalis. zoino oi mitto copilatioes scietiales antiquozuverbon gternaliu ano fufficiet mibi in bac opilatioe expriere res necessa rias tantumodo. ficut feci in libro que compilani de deco ratióe tépoze mee pueritie:q2 locutus fui ibidé in itétio nibus proftratis tali modo.quia nucerubefco be gbufda vocabulis ibide locatis quado locutus fui de caufis ma li z cozrupti odozis.vii turbatus fui ex boc befectu. Sed năc în isto libro îcedam via precogitata regaminata ser-uando mediocritate meo posse în bac mea copilatione. z rectificabo intantú o no inceda in pdicto erroze in gbus virero cundo iter vuas vias: z equado inter vuas res. Es oum incepissem boc opus supuenit mibi costabilis qui p positus erat sup boc negocio: eno placuitei id quod precogitauera in boc. Toixit q wilitas iftius opis loge erat ab illo qui no effet multu pronectus in scietia medicine. 2 op no erat fin preceptů miramamolini:nec fin itellectů fue nobilitatis. Tunc fubtrari me ab illo ordine. a pecli naui ad generalitate. a compilani cum coactus excudo a via precogitata: qui si inite bac compilatione feci.ita luci de raperte quibil occultat in ifirmo:negad ftante.

Iritabbomeron abynçobar regis. Laus 2 glozia fit omnipoteti veozuius oia que app bendunt fenfibus testificat fuam potentias z vnitaté. Et eius misericordia sit super oes pphetas inflos. Tofernet Deus bonoze Tho


bilitatem pomini mei miramamolini. Post bec incipiaz cópilare res nobiles aggregado medicinas couenientes finthomatibus a causis iducentibo passiones que leuiter a fine difficultate poteris inenire connenietes fernis dei apuris per viam lenem in perfectione becuitatis. Et boc non faciam veliciofitatis timendo laborem:ficut illi qui intendunt viuere velitiofe. zincipiam cum voluntate vi

uina a rebus conferuantibus fanitatem.

Onuenerut omnes medici:q in babedo ve trem molle conferuat fanitas nutu vei. Qo aut leuius boc facit:est ve visioluat ex tama rindis podus. r. aureozu in aqua calida. a ex reubarbaro receti coquaffato podus pones triu partiu aurei. The dimittes p. rriu. bozas. Deinde co

la zaddeibi. 3.i.firupi facti De cortice citri. z Da bibere. (FRememorati funt medicke g bibet oragmā vnā ty riace alfozet.i.liberatricis.i.magne ante cibu cu aqua ca/ lida in oibus pece viebo tepoze byemis. enadet nutu bei a febzibus putridis. Tab epilepfia za colica. zcofernabit fanitas oium membroz. (Etvicut op tardat canos. zg boc cotinuauerit pannuno ledet a morfu animalius ve nenofozu, nec a veneno nec a medicina pestifera cu adiu

tozio vei. CEt qui bibit tyriacă fecurus est a nocumeto potus male aque. [Et fi bomo recesserit a generatioe. z ipfaz fumpferit fm ozdině pdictů:generabit nutu vei. Et bocide vico ve muliere. Et mulier que fetum pre volore parere no pot: fi receperit auf .femis ex tyriaca pariet nu/ tu vei. (Et fi ve ipia recepit mulier que no ipregnat exagiú femis cú aureo vno limature ebozis cáz babebit im pregnadi. (Et qui bacolica că frigoris: vel ex ventofita te:vel ex retétione fecu a podus vni aurei ex ipfa recepit iciuno ftomaco liberabitur. Et fi biberit ex ea biis fca bié minută zmagnă que vadit z redit cofert ei. Et fi cum ea linieris vel epithimabis victă scabies liberabit oino. Et fi alige fluxu magnu patiet că alicui medicie acu te.vel ex aliquo buore venenoso seu malo curatur ex eo. Et qui babuit pdictum fluxu fi ceperit podus nouem granog ordei ex finaragdo trita e fubtiliter cribellata cu aqua calida iciuno ftomaco curabit er ea. [Et eft neces fariu ei qui recipit tyriacă vel finaragdu vt tardet a potu z cibo vicaquo trafeat boze. 7. vel paru plus vel mino ab iploz receptione. [] Itê li limaragdus lulpêdat vêtri flu rum babêti vel lienteriä liberabit ide. [] Itê nota op ty riaca reces cofert viceribus. a ppziepulmonis. a fi no ba-beres nifi ve veteri vabis ca cua vecoctione vel aqua coz nulară. ([] Et qo pinonitus est ve tyriaca yt no admiscea tur cibo în cospose bumano întelligedus est si necessitat non assurei ex causis nociuis fostibo velut ex mossu ser/ pétis:aut potus alicuius veneni;aut potus alicuius medi cine mortifere:qui in iftis afibi fimilibo neceffitas nos i ducit ad ipias ppinandă. Et caufa monitióis no misce di tyriacă cus cibo est o deus dedit fibi virtute expelle di nocius causas obuiădo: 2 ipia recepta no est obedies membris facietibus vigonem. Et cuziam fit mixta cibo: tunc recipit cibus vilpone ex boc quest vificilis vigonis. piñ accidit bibeti inquietudo a poloz ponec expellat cibo antegeorpus recipiat nutrimetu: ramitti cibus pre vo loze rangultia patientis. Sed tpe necessitatis leuiterpo terit tolerare talé polozé rinquietudiné. ([Lonenerut medici o exercitiii temperatii fine fiat pedibo fine equo adiunat in ofernatioe fanitatis: oumodo tepus non exce dat in caloze. []té fcias quintrare balneum moderate fin o quenit boceft in.x.viebus femel iciuno ftomacho: viimodo no fit famelicus vindigeat cibo vebemeter: va let in ofernatioe fanitatis:oum tepus fit temperatu: ano ercedat in caliditate nimis. (Et vicut iteruz q balneti aque oulcis temperatu inter caliditate a frigiditate iciu no stomacosanitate ofernat. (Et scias o a medicis pro bibet vistillare sine spargere aqua tepidam proie sur ca put imo pcipiunt ve fit calida optumpot fustinere. (Et vicut iterum of fricare ventes cus radice nucis femel in quing viebus mudificat caput: relarificat fenfus: rintel lectuacuit. Et filr vicur: teft verng comedere pane bene fermétatu conenièrer: coptime malagatu: coctus eodé vie post recessis til caliditatis acqsite ab igne innat in sanitatis osernatioe. Et que admodum pane frigidum post vie vna comedere phibeo.ita z calidu:eo o fi calin comederit infundit ipfine calozignene in fromaco:zip3 corrupit: a fromaco pinat : quare vifficilis vigonis valde erillit. zboció o vigo floi no efficit: co modo quo purat ignotates: qui vicut o ois caliditas vigones, pcurat: fed ficutipficrratific talios errare faciut mebra vo cibu oi gerut fuo caloze radicali anali que abepate recipiutacio bus dinidit ab ipio amittit ita ppoztionali cibus oibus mébris. fm q melius videt couenire pcepto vei cuilibet mebro. panis vo qui steterit post decoctionem sui vitra piem vnā: suā teperatā copsones pdit ingstus est panis: z incipit recipe alteratione: z goto magis indurat eiº pigo



ribo totius corpis beo bante. [Et leitus e q fi applicet afa ferida ano fanat apara ipfi oiffoluedo ipa. (Etofit etias quapponere pringos pistatos sup apata vissoluit ca. Et scitu est o piguedo erach.i.anatis cala vel fra con fert volozib? Et pbatu e o suspesso stercozis adipsup locu volozio ba colică remouere. Et vicut et a congul la but folone verrio oftrigere. Et fuffumigatio cu pel le ericu i retetoe vrine viffoluit ea. (Et vic funs regis. oumo illa retetio vrine no peedat ab apatevi lapide via obturatib? fi.n.er aliquo istor no peedat p certo libera bit oeo oate. [Ducusque recordat? sua res ofernates sa nitaté e remouêtes egritudiné fua ppetate: quéadmodú expiméta mibi teftificata funt amodo incipiam loqui in caufis a curis egritudinum breui tractatu a receptionibo

ne me meter meter

ns in xini in

idicis(

ntopia ntares interes n. Exp ntopia n

Tractat pm q é ve egritudib capis r é vines capla (Laplin pmú. Od est ve scabie capita do fagrú noiat. tudo q scabicavi sagru nosat: zpuis ma rime cuenire vi. Magnis aŭt raro acci dererepii: zcā bo egritudia ytplurimu est abudătia statia. Et cura bo est: cu

est pua aflués regere cu regimie vesic

catino.f. vado ei turtures caues puas nemozis affatas veru viin tefto cu aceto zalmuri: zoa ei pane bă fermetată:că oleo apară falia aceto. (Et fuf-ficit i cura bo linire caput patietis că aceto afgere ofup pulueré cartbarú adultaz. (Est fi ifirmº B poterit fulti-nere ppinabis ei octertió i tertiú vié mirabolanú vnus indű tritú zeribellatű ad bibédű eñ ağ mane ieiuno ítő. LE fi scabies fuerit oura: vabis ei fin qo ouenire poterit fuis anis vl'sue etati ve perapigra: in podere putvide bit ouenire oiloo, r.v. viebo scinel: vinuges cu melle: postea ablues ea. s. scabie cu aq vulci tepida: veide aspges super ea buc puluere. B. Euris adusti pre via: veits visit quta ptevnius; ricorpora cu aceto repicca i fole vemu fubrili tere acribella aveing ipge afi ifirm? fuerit buide optor nis amoltablues ipm cu aq mellis, vemu veing epitbir mabis B cerotu. Beolei rofati acere ablute qo inflicit et vissoluat cera i oleo.postea misce cu eo grta pte ipi pul neris caligis fumi: seu furni vl'camini. repithia cu eo ca put i fero.mane vo ablues cu aq mell'a item appones de Cap.II. Ob est ve tinea cutis capitis.

Ecidit qiig capiti tinea: e paffio granioz fi pradicta: cura ci? plirioz eriftit. Lonenit g buic patieti yr abstineat ab oib? g biit fla ge nerare. Et ciba eŭ pane optimo fermetato a turturibo apuis anibo pparatis cu aceto alle muri vl'affatis a va ei comedere et pane cus aceto oleo a falc. Et ablue caput ei? cu aceto a melle calefactis: apõe in nocte fup caput ipfi? pulueris tburis adusti mietu cuz occuplo fui mell'oifpuati. I fi paties fuerit puer oabis ei nd bibedu ve yera in.x.viebofemel podere fue vtuti veta

ti pnenière, et fi innenis fuerit pabis è eadé yera aureos tres cú aureo yno pulueris agarici mixti cú ag in q ifufa fuerit pulpa colognyide tádiu que mutet fapoze a colores. Etablineat a cibo quica purgefer ca. 2 B plics facere de bes donec corp? bit mudef. Demu fup caput afpges buc pulneres prius facta ipfius ablutione. Be. Caliginis fumi feu furni vel camini z vngule equine thuris vsti zalcan ne añ partes equales fiat pulnis qui bic pulnis generat carne vina z facit cutim. (Lap. III. Qó é ve alopicia.

ri: ano ita grofio fic e fla er a tinea gñaf. Er a gde accidir vepillatio cutis capitis a cafus capillo p. et io vi alopicia: qii vulpib bec paf

fio sepe accidere cosucuit. Et sufficit in baccura purgata materia cum medicina laxatina predicta in capitulo ve tinea.vngere locum cus antiquo oleo nucii. vel cus oleo be cherua zeibare eum fieut viximus in tinea.

(Cap. IIII. Quod eft De thiria.

Lias itez o fi fla adbuc in miori cititate in corpe abudanerit ci in pdicta egritudine et fuerit subtilioris suberaccidit ide egritudo ci thiria noiat. Et of thiria eo qo vepilatio au tis fit p viá toztá. zcá ifti toztuofitatis e pau

citas flatis i oritate cu no vitia fubtilitate. Qin fi cet in fubtilitate vitia ficret opilatio p via recta: fic facit aq qu cadit fup terră. [3 q: retinet aligd groffitudio 2 no é e çle. Accidit.n.ei qo accidit ağ:qn aligd luti ei fupfpgii. q: ci cadit i terra facit via tottuofa ano recta: app B ab atigs noiat noie ferpétis.f.tyria.z cura b'est leuioz cura alopicie: qui rectificado en in cibis a potib'e que admodu o ixi mus i pdictis. zinugedo locu cu oleo pe cherua vel oleo nucii vl'oleo olinaz veteri bulito in vafe ereo tadiu Donecad nigredine veneniat: fufficiet in cura iftins.

Cap. V. Quod est de caluicie occipitis.

Ccidit capiti caluicies q fi i innétute puene rit fufficit in cura ipfius inungere caput cus oleo amigdalarus vulcium: qin illud babet

acuitate bumo premouere. Et fi in fenecture acuitate fenetatura cura pfilus cura.

Eap. VI. Quod eft ve fciffura capillozum.

Exp. VI. Quod eft ve fciffura capillozum.

Exp. VI. Quod eft ve fciffura capillozum.


Exp. VI. Quod eft ve fciffura capillozum. tudini pfert oleŭ femis lini; voleŭ amigdala rū vulciū volen olinarū vulcin. Itatri q in

vnoq3 iftoz oleon apponas aligd ve laudar no viilolino cii eis bulliedo: q q fcinduni capilli vealbă tur con extrema q eft rium eius: q ve fi in canicie: in q vealbant radices: cibus illon fit panis bene fermentat cum bodio galline z cii amigdalis vel cuccaro: z carnes castratine elixe cum modico sale zoleo.

Cap. VII. Quod est be sabapbati.

Abaphat é caritudo rubedis q accidit i car ne coloris pulmonis cu puis puffulis: accidit in cute capitis bec egritudo fic in facie: a

non giat nisi er cola mirra cu and go qii si eet subrilis valde no adbereret illi lo co. reura ci? é pino cuare corp giali euone fic flomia fi vius fuerit fortis: rputo ve cefalica postea mudifica cor pus cu medicis educetib colera pre: rno ves folu ifusio ne vl viutes ipar: 15 cu tota suba ipas ppinare vebes: ct medicie q but colera purgare note funt: 2 q ex eis magis laudat é scamoca cu lacte cartarmi vlacte ficui egli podere. Dec.n.medicia optime purgabit bûc bûozê bilozê cedête: qz bûoz ifte coleric exiftit.ió nó ponim aligi pi guedia vactione: fisponêde fût medicie a béant súumere z calitate egritudio remouere: 2 q magio ex iftio comeda tur fut rofe recetes: thi no ineniunt recipies grta pte ipa rů peliccis: a tătudě pe narges: a piltent: a milce cu equa/ li dititate farine ozdei: a fi times ozdeus pp fua vifcofita té. B. rosay 3.4. r floris narges. 3.5. r floris camomille que ta pté. 3. vniº 2 decoque in aq vaceto einsdes cititatista din din decementament colore addedo buic decetiói ex suc co citroloy. 3.1. r si nó sueneris pone loco eiº de succo co nulan:vi ve fucco platagis:vi ve fucco memithe amade facpetiă in Bliquote apone fup locuracă veficcat itera. Caractifica cibú cop pcipiedo cia veno comedat oul ciaria ciba coa lactucia cu aceto: qui groffat búosea inifca do a qui fut aceto (ciaraceto ficia aceto ficia por ficia ficia por proportione de la ciaraceto ficia aceto ficia aceto ficia por por ficia ceto ficia aceto ficia aceto ficia por por por ficial filia con por ficial filia con por filia con p tulacis oino abstinere pebet: ab oi gne lactis: ab oi et



Drimus

lectu vofuetudine. rg er na fua voplone babilis fit buic artizg expertus fit in ea tpe longo.qin no o3 recipi aligs nd boc exercédů nifi lógo tpe fuerit vifcipulus ců magřo optio přecto: z ipe p femet lógo tpe fuerit practicat? Et fa cta icifióe z excoriatóe cráci remoueat os qo fractů cé re pii. Doc fcó exiccare feu abstergere vebes optie sanié re-pră sup păniculu cu coto postea vesup pone corú madesa cru in oleo ro repido, a vulnº carnis oi vie abluere vebes cú ağ mellis ğulqı ab apate ipfi onbiú remoueaf. Et po ftea curabis yuln oò é in carne cú emplo anaclis qo lati ne of De palma 63 optibi videbit f. fi fuerit Delicatozcar ne mollé habuerit misce cu pdicto emplo aligd olei rosa. Tsi no solu pdicto emplo vit pebes. Et si caro cius fuerit dura in yltio túc pdicto emplo addere vebes aliq q fozti ter béant olumere diéelt calcătă i vitriolă. Et cultos cu re iftius ofiderare os viípone ifirmi atps abitudine ipfi zeionam zoplone. [3; fi fractura fuerit er ligno: vl'la pide:res erit piculolios valde:co o fi os fractú elle repit idirecto otufionis ipole é qui circuitu cotulionis feillure minute a parue vel, ppe fiat à feiffure pp cap fubrilitate fenfui funt occulte. Ét ét an pâniculus fub craneo reptus i.ourami cozzuptione cozpis anocumetu beat fortitudi ne pcustionis. Et exillis gb^oboc accidit nocumetus pauci cuadut g cozzuptione apturbatione metis a itelis no pa tiant că tarditate apigritia sensus amot? a vi paut năță a tali penflice liberatur. Et que imeli piculi a terrozis fic victu é: 10 03 te eé follicitu in remouedo os fractu: z ipone do cotú madefactú moleo ro tepido, vín abluedo vuln? cú aq mellis 2B facere oebes quí que videbis gd oe? face re voluerit qui becres isto não tpe granis existit que o vi dimus negrandinim? crrologu alique in boc não tpe q sit pfect'in bacarte.q2 fi alige cet pfect'memo ex fractura cranei foliomoreret. Et licer gra veleë cognoscit illicui pfectus in tali necitate vel fili medic aduenerit ut ips li beret. fic en finia dina ce di :qui alicui fupuenerit impiro a ide moviat. Si fi cu fractura cranci dura mi aliqua rece pir lesione:medicatos aliquitalib poneren itedo.cu moderni i leulozib'i fufficietes e e repiat : ĝito magli graulo-rib' ce piit. Et fi cu B et pia mr lefione babuerit. ipole est ipios liberari ficuta medicis esse pbatur. E Tractatus tertius ve egritudinibus capitis incipit co

tinens capitula fex.

HER

量等是是是過過

distriction of the control of the co

polisi

is almi for dela foreich

ははなる

CONTRACTOR ASSESSED.

D FORM

は世

Captin. I. Quod est De volore capitis ex frigiditate. Legdé accidit egritudo capiti ex fridita te extrifeca fupueniète. Teura bui? è va gere caput cu olco de acauen Teamomil lio:qe cala existut. Et si fritas itésior sucrit.no nocebit pdictis admiscere medie taté poderis eon ex oleo femis finapis. z

er olco feminis nigelle. Tfi olcum balfa

mi baberemus:longe melius laudaret oib' pdictis. Z si voloz capitis ex caliditate.

Z si voloz capitis ex caliditate fuerit. curat cu oleo ro in puteo infridato vistillado ipm ex alto cu vase biite canula subrile a si capital de primera su capital subrile a si capital subrile a si capital subrile a si capital si Capim. II. Quod est de volore capitis ex caliditate. tas fortioz pdicta extiterit: fuerit in citate: ? etas fuerit iunetutis misce pdicto oleo succii

lactucan: a cucurbitan: a cucumen: a pone fuccu cucurbi te in boc cafu pp grofficië futne cito ad pfundii capitl va leat penetrare: imo pmanere faciat medicame in loco ta diu.ut suá possit facere opationé. e cito couertat in ca-liditate mébri casi. quéadmos faceret res subtilis ppca-liditate forté capitis. Et si acetus buic medicami addide ris:erit foztio in Boge. Et pparare bebes cibus ifirmi fm fui oditione.f. vado ei lactucas elixas z cucurbitas zpoz tulacas cu aceto oditas: todozet nenufar receté vel violas vel cucurbitas recetes. Et caucat fibine mancatilo co vbi fit ignis vel fum? vel in acrecalo ponec liberet.

(Caplin III. Obeve volore capitiser bumiditate. grauatină veă eptefione laboziofa v gemitu ifano. Et cura ei^o é pancitas cibi v potus: v in estate remonet bic voloz: că aspsione sanda

log cũ aổ ro. sup caput. a in bienne cũ odosa/ re faciédo fumu ligni aloes vel blacte biçătie vel galbăi: vi sandar idi. vi sandar o septa. Et odosare alkitră i Be optimu. (Cap. IIII. O be de dolore capitle re siccitate. Ed si siccitas cu fritate abudanerit. no babș

polore capitis percare 13 vigilias cu pturba tioe fenfus. fi ficcitas exuberaucrit. Et cura ciº ĉ îtroitº balnei aq oulcis in camera me diana. Et et balneatio et flupba ofert. 2011


nuatio etiă aspsionia aq cale sup caput by bác egritudine remouere. Et comedere amigdalas vulces cus pane asív ne pane bocidem facere pot veo vante.

Caplin. V. Qo est ve apatibus pániculos capitis.

Ste vo egritudios sunt q fiútabs que a extrin

feca.f.apata q fint in paniculis. fa apa qo fit in paniculo q exterius crancu tegit leui? certeris ee indicamus. Et cura ipli? e flomia ce

phalice:abstinedo cu oi sollicitudie ab appo fitioe from il li loco ne faciat redire mas alesione nobilio rimebro.i.cerebro.Et accidere et pot paniculo ouro exi ftère sub cranco q or oura mater apa. 2 boc accidit ex bus mozib acutis. 2 pp boc patiunt sozissimos volozes cu rus bedine oculoz. vigilus: 2 pturbatioc sensus zitells. Islis adé el bere vebes ve sanguie 53 qo ibis videbit expedire. z si fuerit mediocris etatis z tps fuerit tendens ad calita te ciba cos solus ptisana ozdeacea ronabilir fea cu modi ca optitate mice panis frumeti. 2 medulle feis cucumeris faraceni. vel că lactucis eligis vel citrillis filr eligis cum modico aceto. Et purgabis ip3 cu mirabolanis citrinista meridis: cicamonea 65 qo tibi videbit puenire. So fi fue rit iuuenis cmagni corpis c vene ipfi? fuerint large. ctps estatis vel veris floma cu de vena coi deptri baschy. Et ñ cibabis cu víca ad.vy.vice nisi solu prisana ordei rona biliter fcă. vel lactucis elicis vel poztulacis q ceteris lau dabiliores criftit. t bec oia aceto odiani. Et medulle et feminii citrolog t cucumerii faracenog eis viiles valde existit. Et isto regimie vti vebes vonec apata zeopacci détia remoueant. Et et postage essauerit apa cu oibo inio accitibo. no cibabio eu carnibo nec aliquo alio cibo miti nutrimeti. 13, ppia ei lubtilia gradati alcededo ad groffio ra.vonec ip 5 ec cognouer i luo ee näli. Et post cibu ei va bis sp alig stiptica tpate. sie medulle albaosceg. v vue qu icipiut ee varie, z lilia, qz illa būt ltoz ofoztare. z nocume tu pdictor cibor remouere. Et laudat etias iftis fugere fuccu citonion. apiron masticando silr post cibu. así tos no fuerit magni estus cuccan rosatú in B casu oucnies es or. S feire Debes of fi virtus Debilis extirerit. vel fuerit etatis vltra anos adragita:paucifimis talius tale apa ex pura colera znali ce repit. zfi acciderit:ci cura ipoles ce vicim? Et scire vebes o via apata q fiur in cerebro p ma iori pre sur ex cola mixta s'atiant econerso, talib' at pcipim'oio flomiă facere: [3 i modica ofititate. Et post sut purgădică agarico valoe v viol et sprupo violaceo v squ çabin. S3 si apa sucrit î păniclo pdco. s. oura mre iterare bebes minutos spair si cognitu fuerita medico ex pulsu talus fignis fanguine exuberare. Et i beliffim' a meora tioe fignor fanguis.nifi qu'b ni liber numi plogaret. Et fi ea ponerem egrederemur apcepto viti regl. Et faceu abilier a cibo groffo z cititate mita. z fac cu odozar rofas



ifirmi ex acuitate cius:aut fuguenit ei toztura ozis pp ni mia ficcitaté eucnière pp ei° abudătia vigiliaz : fubueni ci cu îmifice i aure exoloco vitell'onoz: qui icotineti re monet voloze.z pperat exitű faniei. Et iá recozdoz cű erá inneis o mifit p me bali fili iofephig mibi fuerat terat inimic?:vt ad cu cozdubă ire:că vni? apatl go ci i aure ac ciderat: ti veípis coadubă pueni: titeni că colore for tiflimo: ta tremore appetete morte: vel q abaliă occide rei pp ocin poloze. TB erat quip apa erat i radice nerui veniet a cerebzo ad fenfu audit? a ia spasmari icipiebat: rticei ipleni fratiz aure ex olco vitellon onon tepido. T cu pmatifict fic p magna boza icepit voloz mitigari. vcu ptrafifient tres boze tota fanies ide emanauit. Et postea icepi abluere aure cu aq mellis facta cu vecoctive coztiv cu fubtilin gladin z caude egne. Et postea pcepi ablutio né fieri cu aq vecociionis limature ferri col ite, z fyrupo Ignçabin filizipas ablutione faciebă cu pena caude galli ne voluedo ea circu vice vna polt alia voce totu cuabar z optime mudificabai: z fic olupta fanie fuit curat pfe. Et (cire obes qu apa aur) p maiozi pte no gnatnii ex puo ribo calis a fubtiliso pp necitaté oplonis auri, app eloga toes ipio a receptio e groffar ren nair, apôt et aliqui reci-pere buoze flaticu aqui sa fubtile. Et oria q e îter B apa a illo qo creat ex buore colico fubtili esq îi fit ex cola e cu polor acutifumo a fortifimo tinitu qo ii accidit qui fit ex fubrili flate possessimi a repuedira podera fite ex fubrili flate ragfo:13 e cu grauedie r poderofitate maio ri:13 pifficulter audire est accis comune in ambobus. (La.II.Quod eft pepolote auris.

Olozabio bumoze et accidit auri exvapoze alia itercluio: are fi i aure isti postieri de pio guedie gruis vi anseris vi sturnelli. a di car cur aut olen camomillinu vl'anetinu qocu, gs con volucie vl'habuerl. credo go libera bit oco vate. Et cu boc rege eu subtili vieta abstinendo a carnibo. Et cura ppria illio qui patit tinità auriù: est remouere eu ab orini cibo multi nutrimeti o supsue bui ditatis. Et ciba eu cibis subtilibo o pesiccarinis.

(Ca.III. Qo eft be grauedine auris. Ec egritudo accidit anri ex bumoze grofio 2 ecegritudo de viscolo ibi exuberáte. Et cura et et parque viscolo ibi exuberáte. Et cura et et parque corp multotiés cú yerapigra, a ponerie in au reoleú de lilio mixtú cú oleo de scauniri. i de reoleú de lilio mixtú cú oleo de scauniri. i de contitutio a liberabis osno-apót in boc

nigella modice quantitatis. z liberabit oino. zpot in boc egritudo accidere eg mita igitate inpfluitat auris q ibi egritudo accidere eg mita igitate inpfluitat auris q ibi egrega e zoglutia en engligetia patierle extrabédo e mui dificado e a a loco, que bác egritudine curare obeo muidificado aure a oca inpfluitate, ponedo ibi oleu amigdala, rú amaraz: qui purgat e abitergit optie victa inpfluitate extrabédo ipas, e e tuti e remotú ab oi picto e nocumto.

Ifficultas auditus auribo et accidit ex peufifice lapidis vififus. Et cura bo e flomare ce falică icotineti. voiftillare itus i aure ex oleo rofaceo tepido. Etfi oca vifficitas audit?fue

rit exantiq peuflide tucin ea vistillabia olcu liliacu vel anetinum vel ve acaué vel ve iascimino vel ve medullis offiti psico p ex gettas goctas bop inenerl. vinde curabit cu adintono vei. So si expensióe sea into i auré sanguis emananerit ipole eé vico vifficultate audit' réonere et fi .S.curare cam ocheret.

Esplin. V. Qo est ve grossitudie aurl.

Z pote é quairis egredit a nali vispone in gittate magnitudinis ex supabudatia cibi z pot? Et cura bus? egritudinis é subtiliare re gine a yngre loci cura elevator. gine. 2 yngere locu cum oleo rofato.

Ca.pmu. Qo est ve puatoe odoratus. Regritudo i naso accidit ex opilatione fcă î fozamie offis:qô a medicis of colar toziu z illud fozame e toztuolu3 z fubtile i vltimo.ita q oculis pcipi no pot. Et cu ra bui e odozare nigella vl'acetu. 13 83 go cognoueris couenire ab etate optone

tpe. Et por ét accidere ab apate fco i paniculo ibi exite Ti illo et păniculo e forame fubrilifimă qo fefui vifus pe nir occultat: f3 ab îtellectu teftificat op ibi oino ee 03. T gnat i B paniculo apa fic in alys paniculis. z efficit B apa ex supfluitate flatica descedente a catarro q ibi retinet ? cogregat: tide vem apa pereat: quare seire vebes o qui puatio odorat' ab apate efficit nibil omo ve sensu odora tus remanere repit. vii tales eget regimie logo subtilia-do com vieta, a viedo medicinis o bit subtiliare a icidere oci buozé fic é oximel positú factú cú pasiulis, ví cú yrcos. z no odoret oino odores acutos: fic fcaunix q nigel la pr:/3 odozare pebet flozes pe iaffemi:vl'oe narcifco.co or be conveniétiones cé par i bac egritudie. Thut pe bafis lica flomadi. ano remouet Begritudo seu opilatio p ma iozipte nisi ex naribo exierit sanies cu sanguie mixta: qui näisti? mebzi est no posse terminare sanie ad albedinem pfectă. Et sic cotinuado oia que dixim liberabit oco oa te. Et boc et nocumetus accidere por ex flegmate qo affi milat flegmati aquofo qo oiftillat ex nuribus. Et eft fine apate z opilatioe foraminis polictioffis: Is tegit foramen pdictu a pdicto bumote: que victa procreat egritudo. Et cura buius leuis existit: quonia sit solum vistillado in na

ribus oleum vulcium amigdalarum.

Capitulu.II. Quod est ve fetore narium.

Ec egritudo naribo pereas ex búore putrido paregato reteto ibidê. Gre spose é fetore re moueri. voce buor pdicto total expellas. Et noueri. Soccono pate total especial. Est financial particular especial. Est financia financia

Ationabili bec egritudo naribo ba fuguenio re:co o funt trăfitus Tuia iupnuman. 2006 boc loco cură ei? ponere no îtendo:itendens cam refernare vonectractabo ve cura excorrationis în vninerfali z feabici.

Capitulum.IIII.Qo eft ve polipo qo multotiens vel qui multiplex nominatur.

Ultoties bec egritudo naribo accidit ex buo remelacolico q pfudat itus in carne nafi z ibide inicat. Et curat becegritudo bibedo affidue ignçabin ve melle plibo viebo. Et ena

cua cop len purga en isto medicamie qo tibi bico.qo B.aloes inccutrini agarici:turbitb:fal zallei.añ. auf.i.collogntide.anigelle receti.epithimicofecti cu fpe bus a violap.an. arta pre aurei vni amigdalap vulcus fi. ppinabis ei gurcu vnú ve codě feruado optime absti/ nentia:ficut couenit in la catinio. Et ciba eu pane optime fermétator turturib's auib' paruis coditis cu aqua s fa le amodico olei zaceti acoziandri. Et propinabis etiam ei acetofa: 2 blete fimiliter occocte cu carne caftratina. 2 fine carne amodico olei taceti fimt ei puenietia. Et na tibus ipones liciniu infuiuz in melle zaceto fimul: zfca






18 mp neidodes neidodes 時間の

qui

wi.Bz

intrit

DIFTO echalt death



causas a radice ergitudinis est res vniuersalis toti corpo ri. Et boc offurus sum cu tractabo de purgatoe toti? cor pozis in capto de diminutide fenfus a relagatoe pli oiuz mebroz. fi ve volucrit. a nobad illo ocefferit veueire.

(Cap. VI.Ωδ eft De cozzofió e labio p. Ozrodúř et labia fičalia mebra aliqñ cozro di ofnenerát. gre ipfiº curá pofipono Donec tractabo o cura vii oius corrolionu toti cor

pozis zoius căru can. Duculos igif breuiter z fufficieter ptrăfiuim? De egritudinib? zeaz curis oius mebroz capitis:remanet nobis folu De pafficib? oculoz otermiare gb? opletis oplebit fruo oius capitl paffionu. Tractatus octanus de egritudinibo oculor que funt

multe. est cotinens capla trigintaria. [Lap. I. Od eft ve balabol ze vtres vna videat one.



临

松

肾目 自

Moi

報告報道

inte

slove

mingi day as

ंद्र व्यक्त

pedag

data

Wine:

を

i fixed jest to onche

rios isol

Lias o oculis accritia mita feu egritur dines mite cuenire prit: ex gb? vna est balabol.cuioue fut spes.vna e i nerno carnolo occito q gnat pp groffas aplo nem patiétis. apôt ét accidere pp grof-faz más ibi fira apgregatá. Lura bur? est post purgatióem si passion of suerit inneterata innecer i oculii ex oleo rosato. Aut ptes ouas

recipias o eode.f.oleo rofato.a tertia ve anetino.a mifce fimul. zoiftilla in oculu vice post vice vonec liberet.

Cap.II.Ωδ eft ve itterfatõe palpebzazz. Ceidit et oculis vt palpebze iferiozes inuer fent; in tri vt rubedo i loco illo no inodicavi deaf. Et l'egritudo gnafer grofitudine ma teriei fi q int'in palpebris orit. Et pt et ex fic citate exuberate in loco eneire: 13 B raro accidere repit. Et cura illi⁹ q ex grossitudie materiei gsaf. est cura quă pscripsim⁹ de balabol. sistillatio în oculă olei rosati. vi rosacei vanetini simi:queadmodă diximus. Sed que ex ficcitate out:vir aut nunch curari potelt.

Cap.III. Obest ve pustulis regituris oculor.

Alpebris ét accidit oculor pultule alique que ex buore pellimo. Quar ipés füt extuor, vna est ex buore q melli afiliat. Alia ex buo reeftg lacti fil sexistit. Tertia ex buoze g

pultib' farie filis effe vr. Et arta ex buoze q lacti congulato affilat. Et igroffant et palpebre fupiozes pter nã5.4 B accidit ex buoze viscoso congulato siti lacti congulato. Et ozif et aliqui into i palpebzis egritudo q bal barda i arabico noiat efut grana q gradini affimilat. Et pot filr cia fcabica fuguenire. 2 2 glutinatio et palpebrazz adiuice. v puricies lapidofa. v cura puftulaz e vt ciber pa tiés subtili. zpurget multotiés cu verapigra. zpone sup pustula pecia vna charobaz recetiu mutado ea oi vie se mel: afic libabit veo vate. ab cura puenietioz ee vi quil la q fit cu incifio ex ferro vi feta feu aliquo pilo. Gz ez bere bac pultula cu pena alicuio anis ficalie pultule exbi ofueuerut a me indicat inconenies. The pultule i oculis grant fic a in alus meduis outri ofueuerum. Sed qui acci dut oculis:granes epiculofas valde eas ce indicamo cus fit mêbr fubtile volicatu p ceteris mêbris. Et cura bar est purgare assidue corpo cu la patinis pueniétibo vnicui ossipéi, a vngere locii cu oleo rosa, facto cu oleo amigdala rus oulciu. Et si sicho liberar cirurgia indiget, qre si pse ctus erit cyrologus optime eas poterit remouere. z cura ingroffatois palpebra peternām eft epithimare ipas cā rebus stipticis subtilib" ofortātib". sīcut sunt rose recen-tes ppter nobilitatē oculi. Et etiā vngere ipas cā oleo ro sato: qo fern sīt cā oleo amigdala poulciā. So si ingrossa tio pdicta fuerit er bumoze colerico acuto:nullo mo túc eas vngere vebes oleo aliquo. phibitu.n.eft in omni me bro vbi colera oñat. Sepithima eas cu folus rofan ree

centibo coquaffatis. efi no poffee bre be recetibus fac cu rofis ficcis mixtis cu aq rofa. Et iffatio fupioz palpebra ruza medicis fearnabe noiari confuenit. z cura cius vlis est purgar corpo cu verapigra a coloquida donecallenie tur egritudo, a rege en regimine subtili a descentino, sed in remoto e cus cu ferro mibivalde timozosus existit. Cap.IIII.Quod est ve scabie oculozum.

Alpebris et intrinsecis oculop accidit granula cicabies. Que granula oura funt vt la pides zetiá icabies aliqui valde oura ee re-

pit. a qda aliqi minuo oura. a veterioz oibo eft illa q corticio ficuii fimilat. a eft inuica ta voglutinata int' in palpebris. v granulosa qde gnata e ex buoze groffo ouro copacto a i palpebais inifcato. Luiº cura e fubtiliare regime ipfi?. z er cibis magis laudatis i boccasu sunt regime par et cu almuri. acceto. aveco cte cuza q oleo a sale a turtures et villes exiter oleribo blete omedani. a vngat loco assidue cu oleo rosato facto cus oleo amigdalaz. Et si egritudo granio facua extiterit pp infenfibilitaté eiº a pricipio:aut ex negligétia curatio nis ciuídê.tűc cirurgicus ícindédo vel apiedo cutis extir pado ipa granula vel ícabié exterius curare 03. Et neca riu est oinove cirurgi pitissimi atq vocti p ceteris existat in anothomia mebroz. zi cognoscedo vilitate scu iuna. metű cuinfa eop. anumerop eop. a suá positőes a situs.
ad boc vt in errozeminime cadere possint. Lura gde scabici c.pmo cozpo purgare totú post vigőné bűozis sactas cũ vigestinis vincissuis. vợ magis a nobis có mêdat est syrup? squinzabi sact? cuz passulis enucleatis v semibus vrterice. ciba eŭ pullis. Et fi idigueris frica fcabié cum succaro ouro valde, a feá fricatoe a abaafióe, pone vefup aquă rofată in qua steterint semina citboioz.quousquab innifcatoe fuerit ilpiffata poster fuerit collata. Et sicage re debes plus a minus fin foztitudine a debilitatem scabici. Bed fi lapidea fuerit.boc est granulosa ad modum grandinis.cu vifficultate visioluit. Et in bac intedereve bes ipm regedo cu regimine inbtiliativo v veliccativo. v purgado cospoci eo qo ouenit. e fi no fufficit cura ista. ad cirugia redi: vt scilicet cum ferro extrabatur.

(Lap. V. Obest ve sunctée seu sigulatée palpebran. Uladocs figillant palpebre v pingunt adini ces. Lura bo é leuis v fit separado palpebras feu binidedo yna ab alia manu: vel inciden do îter ipas cu virga aurea fcă ad modu cul telli. efca incifioe pone fup ipas vel intus al

bume oui coquaffatucii oleo rofa.facto cii oleo amigda/ laz. Et nullus medicoz prer Saloe boc oleo rosa. facto
cu oleo amigdalaz metione alióf facit; se cus sim exprus
ipm cognosco: Tha vrilitate pluries is pbani. Ss qui pab pebra in angulo lacbrymali albugini oculi pingit tuc cu ra vifficilisvalde existit. Et bocaccidit p maiozi pte post incissoné vngule. Et cura b° est ingéiose palpebra anguli lachrymalia da albugine eleuare v's separe, zboc sieri os paulatine suauiter zplane ponédo spacia intervna eleua tioné zalia, z bec eleuatio sieri os cu spatula auri doc est cu instroauri bôte latitudiné zplanicie in sui extremita-te valde posită; 3 B minime facere vebes: nist coap° optime middicatú ateg euacuatú extiterit.ita yt ocim certitudiné indebře poffis ne apa vťaličí collectio in loco fie ripoffit.Æt B facto pefup poncre pebes oleŭ rofap factú cú oleo amigdalap ptinuado ponec fuerit liberatus.

(La. V L. Qió é peplis palpebrap inerfis. Thuerfant qiūg pilit palpebrasitavy videāt renerti ad fuā radicēra intrăt i oclis.yū fegt

magnú nocumtú. Eurab ecospo multotico cu perapigra mudificare. Et fi ifirmo fuerit robusto fortis misce cu verapigra aligd o collogatida. 2



neruos veniétes a cerebzo: a inde ozium a funtambo obniates fe in via. a postea viuidu abinuice. Et custiba ocu lo prendif neruus q tele retine piungii. a est circudas vi treu. Et iste neruus postmodu viuidi a spargii a ettedu tur a subtiba a postmodu viuidi a spargii a ettedu tur a subtiba et peus est retina a texta peepto viuine puidetie. Et gliba nerus existis neruis a si segui a a poudati. Et unice vasis apponunt. a sunt et sustentacula sustinetis sicut tunice vasis apponunt in manubays cultello p. Et tunica quide vuea vue assimi latibas sozamen vuu a quo lux etta cumanat. Et sub ista est buo albugine simul cu spu qui spus tendit ab bumo re gradinoso ad tunica comeas. Et vice tunice a buo es sunt vesendes sprintis et visit se valde subtilia tus spus possit noiari sim siam medico para loquo ve spiritu sim sinia visit ettera. Tuc sequitur tractare ve pro pays egritudinibus oculozum.

是是母有是是是是是是自己是是是 是是是是 是是是是是是是是是

symit

Lap.XV.Qö eft ve pufullis z puis apatibo oculop.

Cifule z pua apata a oculis accidunt p mariozi pte rubea exiftut. Sed pufulle que in alchoznea percant ad albedine tendut. z gnärtur ibi.f. in alchoznea fanics ficut fit in alus

médzis că alicuius pustule. Et pôt etiă cueni reex corrosioe. Et sit diuersificatio în pustulis puis: 53 di uersitaté suap speră. Doc est în duricie a mollicie: qui du ricies seu dura pustula est qui pereat sub păniculo tertio. a mollis qui sub pino oxif. Sed pustula q sub cornea oxif. si no est în directo pupille: no ba visum remouere. Sed si în directo fuerit visur remouere atap duat omnino: a lania

tur comea atos oculus exterius eminet. Cap.XVI. Quod eft de variolis oculoz.

ra ci? ([Et ícias q) víia est iter variola a pustula: qui va riola albedini ptinere ví: is pustula in sui radice nulla al bedines vi bre. Et iten er variola pole est vt pupilla toz-quear a a sua exeat rotuditate. Quare si pua suerit tostu ra:fufficit tibi in cura colliniu rofan:fine fief rofan frica/ tú subtilissime cú albugie oui. aponař in oculo gutta post guttă. Et fubtilia regime epurga cozpo că eo qo couenit. Et qo magis laudaț în purgado caput e verapigra fola fi cozpus fuerit vebile e tps obulauerit: fiue no fuerit aptă purgatói. verapigra cú cologntida vmedulla amigdala rum si corpus fuerit forter the temperatu magis ceteris collaudar: sed attêde quante purgatione incipere vebes a flomia basilice si corp robustu fuerit extrabédo ve san guine in cititate magna. The vebile fuerit: the no fuerit tempatu.minue ex cepbalica trabendo in modica ostita te. Lt menit i boc casu istud sief. qo Besemis rosa y coz ticis subtilis grano y pini ccaude equine. an aur. v. licy c croci. an. 3.1. sarcocolle. 3.5. seminis citonio y. quarta ptez. ponderis toti" pdicte receptois.piftent optime a cribelle tur fubtiliffime ynaquegres figillatim per fe. vemu plu resfil reducant a fub aqua rofata cooperiant a pmaneat in ea fic.iii, boris. a malara optime: a peinde permitte fic quiescere a aqua rosata clara que supnatabit remoueat. neat fic bonec induref et tic informent grana ad modus feminis coriadri: et ii necesse fuerit bissoluant cu albugi ne oni zin oculo pistiller, terrestreitas vo zgrossicies illa


que remăsit a turbido z spisso policto in sundo vasis item pistet. a că aqua rosata misceat. a sup solia vitis extedat z clauso oculo vesup emplastret. Et în summa vico greura isti est subtiliare regime cotinuado vonce sucrit liberatus. Et scias graucliba variola que in vuca ozit curabilis existit preter illă que capiti clauuli similat.

Éap. ŽVII. Ob éve vilatatõe pupille a ci² oftrictiõe.

Ec quidé egritudo, f. vilatatio pupille, a cius
oftrictio maxie pueris ba cuenire, ppter fietua cop: fed pole est op oftrictio ipsi² fitnālis,
a illud tunc est valde bonú: eo op spis visibilis coadunai a sil'oftringii a no i exitu visgre

gat: fed cu fil'mult'inde cu fortitudine exit. Et vilatatio gdem itepaccidit vel accidere potest ex concussione. seu percuffice aut ex multa retetione anbelitus ficut accidit mulicribo in partu. Sed qui vilatatio est innaturalis : cu ratoe indiger. Thos cu fief fibi puenientib? zeuz alchool. Et attède o dinerfificat cura rône etatis a feçusique cura infantiu a mulie p est cu scief. a senibus a bis o sunt in pltima innétute cura fit cus alchool desiccatino. E scief. infantiu a mulie p est B. B. succi costicis granatosum. 3.i. fcedenegi indi.aur.iiu.mädragoze.camomille. feminis li ni.añ.aur.in.croci aur.l.femis citoniop.3.i.pfiln.S.i.Ze rant fpés fubrilifime ecribellent per panus fpifins.veto de misce bunc puluere cus fucco pdicto costicu granato rus. z cus. 3. v. aque rofate. z cus aur. p. fucci memitbe opti me colati: t pone ad letú igne: t vecoque vonec ifpiffent ad modu paste: a facide pillulas ad modu ciceris: exicce turin vmbra: z că necesse suerit vissoluai vna cum lacte mlieris receter mulfo: aponat quottidie gutta post gutta in oculo. Sed si cus bac egritudine apa fuerit: incige per besa siomia a a purgatioe si etas no obuiauerit: a virtus fuerit sotis a tipus pucnies extiterit: a qui sic estroe basili ca extrabere vebes vin Etitate magna. Sed fi vius fue rit ocbilis a tous ineptu fuerit: tuc de cepbalicaminuere vebes: zin modica õtitate. (Colliriu cõpetes illis qui funt in vltima iuuetute zfenib zetiă qui in fenio fut co-fituti. Brantimony abluti-z tbucie ablute lapidis emati tis lapidis laçuli amargaritap: a floris balauftiap.añ.au reos.v.vnuqoqp fe figillati optie terat: reribellet fubti liffime emisceant malaxado ofa cu aq ococtois.iiy.aur. flozis mirtelle r femis citoniop r croci r femis rofe cani-ne.añ.aur.iiu. r femigreci r viole.añ.aur.u. oia pdicta co-quaffeni r bulliant in onab? libris aque lero igne: conec ad ynā libzā veniat: reolent ppānus spissus valde: reus bac pecoctioe miscere pebes malarado puluere pdictar reru poftmodu exiccent atteru cu pdicta vecoctióe mis fecant regiecent a B vecies fierios: a veinde exiccent a terant reribellent inbtiliffimer voe ifto pulnere viftepe rato cu ag rofata in oculo os poni mane a fero vonec fue rato cu aq rolata in oculo os pom mane e tero o onec tuc rit liberat? Et l'puluis no folu ofert illi qui vilatationes pupille patif ab egritudie, vez, etiă qui eă babucrit a nă. So fi cu vilatatioe fuerti apa, pino cuare vebes coap? cu flomia: poltmodă cu laxatiuis: fié pdixim?: emplastran do oculu vesupe u floub? rosaru recetiu vicepost vices; vel cu coto nouo made facto in a q rosata optima vodozi/ fera valdezonec fedati fueritapa. Et postea vteris col-lirio feu puluere fenibo, sief. pueris sicut pdiximo. Et poo certo bre vebes o fi negligeria in cura extiterit p maiozi parte ad vescenia aque in oculu babet veuenire. (Cap.XVIII. Ob est ve vescessu aque ad oculum

Z figna vescensus aque ad oculă sût visgregatiovisse ap apparet as oculos spoz quast musce volătes vicimices, thee vnisoumiter eis appentită iciumo sto grepleto. Et bec as gnat ex fumositatibo zvapoubo ascedetiba



co interfecatiois a vnionis ipfor adinuices fiet perditio vifus in ambobus er toto finul a femel. Et pe bac egritudine vicit Bal.q eft ipoffibile ad fanadu. Ged mibi vi detur o flómia cephalice: a purgatio coapozis totius: a ca pitis: a epithimare caput cu coto madefacto in oleo rofato: alilioz: a aneti mixtio a tepidio optimă faciet opationem în isto casu. Et vistillare etiă pdicta olea calida ex al to fup capitis parté anteriore p fubtiles canula no modicum coferre vider. Sed in pacipio opilatiois coferre Di cimus multu olcu rofatu: quo renonate fuerit rofe rece tes pluribus annis. Et cibi cop fint fubriles: equi babét fromachu einteltina ipfop mollia cofernare: elubtica re tinere. reperceas in ultis toto poffe:qui inuare poteris fi opilatio fuerit vebilis. Et possibile est etia op pdicta opi latio fiat ex apostemate: qre expáictis pissolui pôt: vinde videbis pfectu istins cure si aliga de visu remansit: vopilatio no fuerit ex toto copleta a costrmata. Os si fuer rit opilatio er toto firmata a copleta; a er toto visits ami-scrit: túc vesperatus sus sicut Bal. B3 cú boc toto abstinê dum est a cotrarus. eno folu in ista egritudine, veru etia in oibus totius corporis: qui in egritudinibus pedu ablti nentia feruant?. Quato magis in ista cuius fanitas ta ne ceffaria existit: Et scire vebes quoia acuta babet caput re plere ervaporibus a fumofitatibus:ficut fat cepe:a allea abis fimilia.quare vifui potiffime nocent: a materia oi no existunt cecitatio.

pedia

ereni ereni spen

de de la constitución de de la constitución de la c

Capitulum. XXIII. Quod est pe bumiditatibus oculozus.

Iminutio vifus in oculis multară est speruz que fit in bumiditatibus : feu in bumozibus oculozu. Et vinersificant in groffitudine. 2 subtilitate: vin qualitate v quaritate. qui pos fibile eft vt ingroffent pdicti bumozes vltra

Debitu fue nature. vel fubrilient aut multiplicet in qua titate in eis bumiditas accidentalis: zinde visus pertur-batur turbatione leni. Et cu vico ingrossatio vel subtilia tio:aut excessus in quaritate aut qualitate:no stelligo vt fit elogatio in bis fupflua multu a nati vispone: fed q in/ cipit fieri elongatio. qui qui exitus a nali vifpõe in predictis fuerit copletus ator firmatus: túc cura vifficilis val de efficit: qu vifferétia no modica existit inter re que ici pit ingroffari: 2 eas que iam est igroffata atop firmata. Et medicus p fe cognoscere os signa istaru reru ex accidetiv bus infirmo supuenietibus. t studeat toto posse ut infirmus ad pftina znäle redeat vispones remouedo accide/ tia inalia oino. Et ilta que victa funt fufficiunt illis folis modo:qui viu in pdictis egritudinibo per se pluribo vicio busopari sunt: vel illis qui logo tpe studuerut in logica zin scietia năli. z experti sunt în cognitioe reru gnăbiliu acozruptibiliñ abui^omodizacii pdictis fe iunabitzanon abbzeniani būc tractatii no ponedo pticularia conenie tia in boc:nisi ne multu plongaret sermo in ipo. Et quis opationes manuales oes particulariter integre a precte cognoscă: Quia tri ex sola visioe alicuius vulneris animo me oebilitat in tatu grad imelas fencopim venenio. io buc tractatu abbrenio pdicta particularia omittedo.

Cap.XXIIII.Quod est ve egritudinibus que fiunt in mutina feu albedine oculozum. Zaccidut in albedine apata:fic in alus me brisaccidere ofucuerut: r cura bui'é in pnº flómia. a fubriliatio regimis ponedo in ocu-

luz aquă rofată în qua steterit i mollia liciu a semina cittonio p tădiu vonec aqua colore mutaucrit: apostmodií colet amiscat cu ea aqua albumé oni. a per inde in loculum quotidie vistillet done liberet.

([Capitulum XXV, Quod est pe inflatione coniuctiv

ue ab for apostemate.

Zaccidit bec egritudo piúctine z p maiozi pte fenib pp vebilitate fui calozis inati. z fir etiam ex punctura mufce: vel alterius fibi fimilis. Ét cura buius est ponere cotum vel pecia lini madefactă în bac pecoctibe que

Re. floris camomille a femis lini.ana aur.i.aq.3.4. Deco quatury(quad cofumptione quarte partis: z colet: z i illa colatura apponant ve albumic oui aur. y.optime misce do: t vistillet i oculo quottidie gutta p' gutta ea existete
tepida: veinde cotti made sactu in eade vesup ponat.

(Laplin: XXVI. Quod est ve tassa que é gutta rubea
que sit in albedine oculozum.

It et becegritudo in oinnetina.f.macula ru bea vel gutta rubea ex pcuffice păni vi fibi filis. Et cura bui? est flomia cepbalice si ifir mus poterit fustinere z flebotomare pulluş colubaz sub ala. z illü sanguine calidum ov

Ec et granula in albedine generant: ficut in pupilla zin alug ptibug oculi fieri conuene

stillare in oculum quotidie ponec fuerit liberatus. Caplin-XXVII.Quodest ve granulis generatis in albedine oculoum.

rut. Et cura bui? est flebotomare cepbalicas in pucipio: z purgare corpus ipfius cu y erapi gra. Et post infundere semia citrino pi aqua rolata zipfam tepida quotridie in oculu viftilla. zfi post iiu. Dies in oculo aligd remanserit.in pdicta aqua rosata miscebis aligd licy zeroci. zesto vetustioz fuerit egritu do tato magis addes o licio zeroco. z gito viminuit egri tudo.tanto minus ve croco alicio. Et qo mino ve bis poni vs est vr in 3. pdicre aque ponas ve vnoquogs octana parte auf. vni 3. Et si multu plongaret egritudo. no nocet addere aliad ve mirra. Et postas egritudo icipit veclinar rremanet i oculo ve spissitudie granuli z ve colore ipsi 2 vecre abstersiuis amundificatiuis q fint absq mordica tione.addendo aliqua q babet oculu cofortare. Et fi ine terata fuerit egritudo multu: fiat boc alchool. Be spume maris cris vili ana auf.v.antbere e feminis floz maloz granoz. ana auf.y.ogrđachic.auf.x.piflef vnaqueqsifla rum pie z cribellent fubtiliffime z mifceant cus aceto: 2 postmodů exiccent: ziterů terant z cribellent z miscent cu fusco feniculi. vitep exiccet vterăt guges v misceant cu aqua rofata valde aromaticata terendo z exiccando. zpolimodú cribellent fubtilifime p panus fpififfunu.z coferuent optime i vase vitreo. cu necesse fuerit mane recro de code in oculo ponat donec suerit liberatus.


[Laplin.XXV III. Quod est de sebel.

in supficie piunctine seu albedinis oculozat noiant in arabico vene altbebenano sur ve ne predetes ab epate:nec arterie a corde ve nientes:fed venis affimilant q inolute funt z cotepte fu pra albugine. zaliqu in tin extedunt q nigru coopirere periuni. Et puenit medico in pricipio ilti egritudis ve fit fludiofus in purgado infirmum aflebotomando ipfus a apponendo oculo alchol.abstersiuu sicut illud qo nuper supradirimus: subtiliare regime. z sic liberabit deo da te. Et fi in cura pigricia fuerit autaliqua De că regimen eiº fuerit ineptii.augebit egritudo a ingroffabit. a idura bit vonec vifui iferat nocumetu. Gre cu fic fuerit o neces fitate crit ve p manus cirugu beat ptrafire. Et tales i ara bico collectioes (cebelliu noiant. (Tine apate.

E etiā b egritudo in piūctina euenire repit Imultoties aelt quedā pteptura rubea facta

([Capl3.)COCIOC. Qo é ve pinerina cu apte Ceidit et pinnetine repletio cu apostemate afine regrefione venaru: a repletioe ipfaru: ren rubedie ipfins pinetine rgroffitie pal





ta nardi est cura optima a psecta qui téperate calesacitat est necesse vi nó obliviscaria oino eo p à pdiximo. Lo me bra pricipalia de necessitate regrunt in suis medicaminious ea à subtilia sunt a stiptica. A éguis egritudo oino regrat apitiva poro primime ti dessistere debes ab appone sti pricari a subtiliu medicia p ad dervatione nativim virtu ti ipsus membri. Et medicine etià à sunt aromatice ma pine babét pricipalia membra esfortare, quare ipsis egét pre ceteris in oido suis necessitations. Es si frigiditati bu miditas suerit associata, oleus de spica cu modica quanti tate olei rosati dicimus ei sufficere.

Mil.

(this

rin

thin

ring

ista

(cni

1960

khu

mis

0000

r.Ais

ibudi

(Lap.II. Qo eft ve egritudinib? medie pris cerebii.

I fcias o parsmedia cerebri vere cerebrii cerifiti cillud qo ibi exifiti. eft recte cerebrii cerifiti cillud qo ibi exifiti. eft recte cerebrii cerifiti cillud qo ibi exifiti. eft recte cerebrii cerifiti cerebrii cerifiti coloris. Sed accitia q exifitis cofequii turi fortiora yalde exiftit poribuseqii fi ei fo lumodo acciderit itefa calitas: cogitatina tunc fortifime perturbai. cin oibus fuis cogitationib iftabilis effereperif. coia ei omunia ee yideni. apfeuerabit fic ponec illic

rif. zo ia ei 2munia eë videnf. zpienerabit fic vonec illic pofieris que victă mală qualitate babeăt remonere. Să lcias qp pars ifta media cerebzi minime fuftinere pot virtutes medicinaz foztiu fic pot anterioz zadbuc loge minus gposteriozeo que comistira cranei q in directo istus partis repit reraioz valde z minus comincta feu figiliata alus comissuris gposteriozeo que comissura come medicinaz faci lins postim partis repit reraioz valde z minus comunta feu figiliata alus comissuris gposteriozeo que comissuri partire gi per alias comissura aluaz cellulaz. Et que in boc et cerebrus qo in bac parte media existir magis e bumidus atque molecio ipsius mala glitas cirius z lenius visfoluiez remoue tur. Et cu becpars sit minera z radic atque fons aliaz cel·lulaz ide cu maiozi visilgetia z coi teperatua est medicada, abstinedo ab oi appositoe foztiu medicinaz: z specialiter ab pis que in sins qualitatibus nimiú excedut z maxime in friditate qui bec pars oumino minus potest frigiditar te sustinere alus cellulis.

Capim.III. Quodeft oc mala complexione in media

cellula interiozis cérebri.

Zaccidir cogitatine ep mala complone frigida tarditas cu raritate zems cogitatio ista ibilis oino efficir repoltmodu redit ad pmaz cogitatione cu oi vuritie z tarditate. Et cura buins est teperate bac ptez calefacere. epuis

bec pars magis calitate possit sustinere que friditate cu el tuerit necesse. Et si cu friditate bumiditas preabundane it: que aro cottingat; si ci tibi sussici in cura oleum pe balebaon. Loe cotula fetida; vel oleu corticis citri, vel epi thima ex corticibus citro precetti factis: aut ex macis co quassatis a mixtis cu aqua pulci. Et si siccitas cus fritate affuerit: turbat i tellectus aliqui, valiqui no coperat inov dinata. Et gnaliter picinnus quar siccitatis mespo que si spossibilis ex spaliter vicinnus quar siccitatis mespo que mis sueris curare e u cu humidis absquobuiatio e cu si spri cis timeo quinduces e u ad relaxationes torius corporis. Que su sincipale que policimus, se endo que cerebrus minime por sustinere e a quar pulicimus. Sciendo que cerebrus minime por sustinere e a quar pulicimus.

■ Captin. IIII. Quod eft de paffionibo que fumt in partepofterioù cerebui.

Cias qu'ilta pars melius pôt fustinere a facilius vitutes a potentias medicinaz alus par tibus ipsius cerebzi. Et rô buius chi; quosta q in bac existunt parte ourioza ac besioza valde sunt ossibus aliaz partiú cerebzi. a pozi et


tiftine partie longe penfiores a corpulentiores a puriores ceteris partibus cerebri reperiunta ppterboc virtutes

medicinamintus per illa partes penetrare no possunt:nie fi cu vifficultate. Et cura excessus glitatu in ista parte fit: ficut otrimus in predictis:13 fecurius opari potes in ista og in alus postog cognoscis op facilius potest bec pars vir tutes medicina fullinere alus partibus cerebii. S bec pars in tift differt ab alust qui fi becpars tupffue ifrigida tur:accidit ide ifirmo vificultas memozie. Et fi ifrigida tio in cadéparte in vitimo facta fuerit: prinabit memo ria ifirmus ex toto: îs possibile est victă memoziă recupe rare calefaciedo istá parte cú emplastris a voctionibus a cibis fibi couenietibus. Et cereby gde lepozis in cofozta-tione memozie zipfius repatione maxima pozietate coprobat bre. Et inunctio et facta ex castorco vel ex oleo ipfi?.z ipm filir odozare memozia potifirme babet recupe rare. Et buic parti posteriozi memozia appropriat quem admodu cogitatina medie: z ateriozi imagiatina opiitat.

([Lap. V. Ωο eò egritudinib° zoib° fino accidetib° pue mietibo ex oftructioe feu corruptioe oplonis tottocerebu.

Tpossur que be egritudes raccidería pue nire cu buoris vicio: a fine buoris vicio: a fine buoris vicio: a fine pue que mó fiat segí ide corruptio vel ostructio i vitute regirina toti? corpis. Et ex ustis egritudi nib? é apoplexia: sine corruptio oplexió is fue corruptio oplexió is fue corruptio oplexió is fue corruptio polexió is de tocat

rit ex substătia ipio cerebuifine exalus mebus bei beat puéire. Et iá cognitú é atog feitú o appoplexia é ípaím? z ipaím? é attractio neruo y víus fuá radice. Et qú l'octio é volutaria: túc nális é: z qú iuolútaria existit: illo expluri bus voinerfis caufis by puenire, faut ex fupflua ficcità te mébais adueniète: fic i carne falfa apparet enidèter: qu otrabit exipa ficcitate, zi cozus q foztifime icrifpant:ex eadé. Et pôtetiá ex bumiditate fpaim? euenire. fab buo re bumido a na egrediere qui ex eode vapoz groffus ozitur a foluit : refficit ille vapozer fuba aquofa. rer cade pdictus vapoz efficit quare replet mebzu i tri qo no pot cerebzű pdietű bumozé fustinere yt pa?, sieut apparet in vtribus:qui qui in ede vinu ebullit no possunt vinu sufti nereficut ante ebullitione eo grante ebullitione pres co türcte exiftüt. A ébullitióe i aeritaté a vaporofitaté ouer tunt, quare locu maiozé babere indigét: yñ yter otrabit tumescit: ting no videt posse suftiere. vii ex oib? vict speciebo spasmus efficit a ex ipsio mebra obuntur. Et fit fpafinus in corpe feu in fubitatia nernoz qui a cerebro p grediuf quare i tin é ipaim?inottu ifutio in eisde facta effe reperit. Et fi in radice oius neruop facta cé reperit. tuc fequit vninerfalis spalin' in toto corpe. S3 spalin'ex ficcitate puenies efficifa iciunio vi a fupfina abstinctia: zer labore vi'exercitatioe. Tiupfluis vigilus znimio coi tii. rab of hipfina cuacuatioe deficcate. r ex intela a hipflua calitate que fi ex ficcitateonante folu mo fuerit: cu/ ra ipli? vifficile ee indicam? th fieri pot opino cu vifficul tate rpaulatine r post tépozis longinidinem. Et scias qu buiditas é nomé equinocureo quada buiditas é cur poté tia z substătia est buida: z qda buiditas reperit: q licet fit bumida actualrificca tri potetialiter existitissicut colera z acetuiqui viruque potetialiter ficcu existititi in sui suba z actualitate bumidum afluidu ee reperit. Quare vico q spasmo efficit sine fieri por ex gliber bumiditate actuali fine cio coplerio e potetia fuerit ficca: fine bumida.eo op qu'in fuba nerui aliqua bumiditas infundit:fiue illa fue rit poterialiter ficca vactu buida:fine buida actu vpoten tia:nernus bit a coadunat aigroffatific in rebe extrinfe cis eft videre:qin qi buiditatib? ifundunt:augmetant i groffitudie voiminuit in logitudie vali mo efficit foale mus. Et fit et ipaim'er puctura neruice quibi generatur apa ppter multă ienlibilitate ipli? a ppter ipli babilita te recipiedi apa anocumentu: fit etia attractio piq ad ra




membrus, vií egritudo pcedit post purgationé, incipiendo a fricatione ipsius cu manu ante cibu. a postmo du cu pano aspero ponedo super ipmer medicinis calis a subti libus: si ciulpbur a similia. Et si suerut velicatus valde so-lamodo pone olea anetinia a sibi simile. Et appina ei ad bi bendű er age termarű postés fuerint infrigidate. esi non posses ex ipsis babere va et ex aqua mellis optime vespu mata pseruando a cibis grossis a sic liberabis cu3 auxilio vel. Et est necesse omo vt. phibeas in os spe epilétie vetid in of accrite malo cerebro supueniete allen zeepe z bis fi milia:qin pprietate biit magna cerebu perturbare. tab ftineat a fabis:qin ziple pprietate biit in perturbando z pestruendo cogitatină. Et icire pebes op colligatia maxia existititer sto3 acereby. ab certissime manifestat; qn bu moz acutus ac inflamatus valde in fto effe reperit: qz in tellectus veftruit. zifirmus totaliteralienat. z filr vide re potes op qui in cerebro alicuius colera fupabudat:mul toties colera vomet vin stomaco sentier mozdicationes. Et ipalinus quidem g epilétia noiat poffibile est vt in fi ne perducat vel peneniat ad pturbationez itella . z spali ter cu3 fuerit ex melia.vel ecotrario purbatio itellectus faciat venire epiletiam. Et b erit fm bumozez peccanté a fin preparatione mebri ad recipiendu: qui no ois epile tia ozta ex melancolia facit pturbatione itellecto nec ois pturbatio itellectus ex melancolia babet iducere epilen tiam. S becreperiunt euenire foli qui bumoz est melan colicus. Eter flegmate minime. Et poffibile eft etiam o perturbatio itellectus fiat ex bumoze colerico a acuto g in pacipio adultionis exiltit. zer boc ipolibile est epilen tia percari. Et iftius epiletie tres funt fpes. Quaru pina e que er melancolia out. Scha que fit ex flegmate. Ter tia que peedit a vapoze seu fumo resoluto ab bumoze ali que malo a bozzibili exite in alique mebzo iferiozis coz porisad cerebin afcendete: prurbatio gdem itellectus accidit ex melacolia que pfundata est in venis ipfinace rebzi:zin substătia ciusdes. zpot etia euenire ex bumoze melancolico in stornaco existere. Et istius speciei est alia que est leuis ralia que granis existit. Ila vero prurbatio que est ex melácolia pfundata in venis ipiro cereba posti bile est.vt in ciide solumodo existat. e possibile est cua vt ide bumoz bozzibilis non folü in eifde: verü etiä in ipfis z in substantia ipsins cerebri esse reperiat. Et que in venis tin existit:eius cură leue esse vicimus:cognoscedo quacci dentia iftius egritudinis grania atqs lenia exiftut: fecun dum ppingtate relongatione ipfius materiei ad fubam cerebai. Quare in curatione istins scipere bebes ab ifusio ne capitis cu oteo amigdalaz: otinucodo and poma aromarica. comedat amigdalas que nocte yna fuerint ifu fe in ag. z ciba cos tefticulis gallop innenii. zalis ipfozii. Et fac eos iacere in molli lecto:elongado cos ab oibus ac cidentibus fatigatibus ainz relongado cos ab oibus co-gitationibo malis. Et ppina cis ad bibedu aqua ifuliois liquiritie coquaffate. panis fit albifimus z flozatus val de. e fic liberabit cus aintilio vei. [Et fi feineris op vice" humoz fit "pfundatus in ipfa fuba ipfius cerebzi. e feies ß ex fortitudine accidetin reotinua pturbatione itellect tiic cura difficilioz valde existit. z tps plixius ad curadu; th cu code pscripto regimine est curandus. Et si melacor lia in toto corpore fortifime supabundquerit. qo cognofccs ex colore fanguinis extracti ex bafilica finistri bra cbu qui niger valde existitad si sic fuerit minue de co pout ctas ipsius requirit avius acompso aregio a tempus. Si fi fanguis victus valde rubeus fuerit.no eget túc ali qua minutioc. Et cu cognoueris fanguine nigru in venis abudare:fludeas pmo an flomia corpus burnectare. 2 bu more subtiliare: a fac ei bunc syrupu copositu in quo vir

tus ligritie. vue passe riniube r flos buglosse pabundas re reperiat ponedo cu pdictis id qo totus corpus babeat confortare. a specialiter cereby: ficut mastix. a pone etias cus code que babeant subtiliare absencalesactione: sicut est flamula: reupatozium: rque fint aromatica rconfoztătia îpm aialem ficut funt poma; t no est in pomis id go est in flamula reupatozio de siccitate. Et in bac egritudi ne ficcitate ofiderare vebemus p ceteris rebus:elogado nos ab ipía toto pofíe: fed ve. neceffitate op3 nos vti ea in bac egritudine: aliqn ppter comm subtilitaté: sicut é flas mula z empatozius. (É é bec est compositio syrupi rememozati. B. liquir, paffulaz enucleataru. iuiube:flozio bu/ gloffe.an.i.3.capillis veneris.flamule. cupatozu.an. pare tes.iu.3. vnius. masticis.3.5.que sunt conquassanda conquasia aponant in.rv.lib.aq p nocte vna amane ponantur ad lentu igne a bulliat viga ad ofumptione tertie par tis a colent. Et misceant illi Decoctioni ex fucco pomozu aromaticoz libre.in.cui miscebis cuccari.libras.g., z bulliant víquad decoctione fyrupi. De quo ppinabie infirmo omni mane. 3. y. ců. 3. vi. aq ad bibedů. Et infra die aligd paru ve eode miscebis cuz aqua ad bibenduz qui sitit. Et bec est medicina la catina a opetit buic egritudini. B. polipody recetis in subtilitate agrossitie mediocris: epithic mi:tapidis lazuli.ana aur.ouos.elebozinigri z benefteg. idest viole ana auf.i.Iteriozis cologniide albe amature voiagridu. v foliocologntide. v fal. v.33. vallei. ana quar ta parte auf.vni? Incidat collogntida fubtiliter: t mifce cú ca ouplú cius medullarú amigdala per tiñ quantú eft cologniida ex puluere oragg albon a misce ola pdicta cui electuario facto ex poinis odoziferis ofectis cui succaro. Et de bac ofection recipe debes podus auf. viu. cua aqua calida. Et fi ista vosio no facit opatione sua copleta adde eide aur. I. Et cu optime purgato sucritaciba cum gallina elipa saqua cu modico sale a optime optimo fermeta to. Et si vult poi buglosam i pidoto jure elipare. a pisa sa pane comedere. a fi no repiet buglofa loco eius ponat fi clas.f.bletas codiendo eas cu oleo amigdalap:elongado feaboibo cibis groffis zaboibus fructibo exceptis paffu lis enucleatis. Et si vult masticare lambédo succi pomo ru aromatico p sacerepot. Et bibat syrupu prescriptu in cibo rextra cibum ficut diximus. Et in lebete in quo fun cibaria occoquunt apponat ligatia bizanciozuz vna puriauri bonec becoquuntur.

(Caplin. IX. Qo e o emirach q fit a ptib inferiozib. re:aut ex mirach:aut a caliditate forti pcede te er aliquo mebro pacipali:efto certus quil lud fit că colere ignee aut ex apostemate sco intestino o fundo stomaci e diunctă, vă bu mozes adurunt. Qui gde bumozes colere nigre bemă p

tingere vident: rexinde puenit iflatio ozio stoi propter Debilitate vintis vigestine: rugitus in vetre: ranxictas in boza vigestidis. z aliqu enomit cibu idigestu. Et causa bozu accidentiu est caloz extraneus. Et iam Declaratum eft o caloz extrancus impedit opationes calozis natura lis:co q caloz nalis coquit a vigerit cibu a caloz accide talis adurit ipm: concrtit in fumos malos. tex iftis va pozibus a fumofitatiba accidit file ci qo accidit ex bumo re adulto piùcto cerebro. Et fegtur ex boc pturbatio in tellectus ex melacolia. Et vinerfificant accidetia fm vi nerfitate vapon coifferetia specien vniuscuiusquin grof fitie a fubtilitate. a fm appropinquatione nature ipforus ad natură fumi calidi valdevel ad năm fumi non multu calidi. Et gda infirmi funt q timet id qo nibil pdeft eis.f. morte. agda funt q oi affectu peliderat mortes ipiam. Et quidă funt q conant toto posse iactare scipsos in aquam-



vel mozimit. Et ex isto caloze accertali putrescut corpora mortuoms. voiffoluint continuitates membron ipfon. Et qui peficit caloz nalis a regimine corporis alicuius.ac/ cidit illi id qo enenit corporib mortuo pacalore putrido accidentali pe liquefactione voifiolutione continuitatis membrozum. Sz laus fit altifilmo creatozicqui pofuit ca/ lozenalezad tutelam voefensionem pdictoz.

Captin. X. Qo est ve opilatione.

Ecegritudo multoties accidit că sparsionis seu perinatiols bumon ad aliqua mébra par ua q opilant loca fuar expirationum Tfene ftras ipfog in tin: o caloz nalis ibidem no po test puenire quare de necessitate illicozitur

calozaccidetalis. Qua ppter velociter venigratur membrus illud: z putrescit. z separatur continuitas illius. Et si ipfum tetigeris in pucipio fue penigrationis inuenies id calidum. viftud eft manifeftum go boc eft propter calores accidentalem ex quo membras putrefcit. Er bec opilatio multas babet (pecies.

Captin.XI. Obest ve apopleria.

Ecegritudo qui accidit alicui velociter atas fubito motus ipfius arqs fenfum by auferre, quare fi puatur ex toto fenfus amotus. mozi tur ifirmus oino antegipoffit innari a medi-

co. Tluffocat ppter puatione motus pectorl Sed fi ve mom volutario aligd remaseri ille moms ex pellit suffocatione. Et qu'in bac egritudine frigiditas sup ipfam complone ofiari reperit.ideo minoz ciritas anber litus fibi fufficere poterit: it tpe fue fanitatis facere ofue nerat:eo o frigiditas b3 multu minuere necessitate anbe litus. Etapopleria gdes ozitur ex sparsioe bumozis grof fi:q in vltima fritate existit: rgrofficie ad loca nobilia cel Inlaru cerebzi conec integre repleant aquato bumoz far ciés istă egritudine maiozis fuerit fritatis: tanto tardius accidit apaulatiue efficit. accidetia lentius a tardi?oziŭ tur anon fubito. Ergo ops te studiosum esse in cura istius incipiendo ab vnctione capitis cum oleo rofato in quo fit Decima pars iplius de balfamo poltos fuerir calefactum Toesuper pone peciam vnas lane vnctas er eo que sit ali-quantulu grosia, z fac eum odozare odozes bonos casos: ficut est alkitram emuscu vnugocaper se. Et si cum alkiv tram miscueris aliquid de musco:inuenies illud maximi innameti. vodozare nigellam filr mulcu valz: vetiá odoz figilli fancte marie confert multu. z fi cognoueris qualiquid possit veglutire vistepera aureum semis ve tyriaca alferuç antiqua cu melle. Appina ei. Avnge extremitates eius cu oleo masticino vădo ei et ve code aligd ad biben du. tablue pedes eius terura cu aq cala. Et fi ve anbeli tu fuerit allematus fac en sternutare semel vel bis tifi cu beinio posito in naribo essi videt meliozari no tardes pur gare eŭ cu medicina laxatina q istu buoze beat enacuare. Et que bec egritudo no expectat vigestione buoris vicisio ne ciusde io necesse e tibi ve in sua medicia la parina appo nas ea q foztiter babeat icidere: fic é acetus e finapis. e a ñ Deferat deute medicine ad caputific alleus. Medicina putilis ad bac egritudinė. B. oppoponacis: scis vatice: po lipodu: bdelly: passular enucleatar. salis. a sinapis. a. 33. an aur.i.medulle cartamirfeis feniculi recetis.an. grta; pté.collogntide feie: mature: tertia pté auf. vniº.grana catapucie ouo. Incide collogntida minute a mifce ca cus tantide plucris ozagagă. zmisce oia pdicta ad modu electuary cuz syrupo facto excortice citrop. zmasticis.añ. z volis cius fit qui. v. Et fi no e fufficies purgatio adde auf. i.a visteperetur cu aq vecoctiois masticis in qua sit odoz eins fufficies. Et efto cert'o Bebier lapatinis ifti egri tudini couenientibus. Et caue tibi oino ne misceas aqua-

cu aliqua re qua capiti apponere volueris. Nec potabis eŭ nisi sitim babuerit valida. z spero si egritudo no iterfi cit subito: serpectanerit aliastulus a ipm purganerio cu pdicta medicina: q alleniabunt accidetia: acotinuando băc cură liberabit oino. e scias quille a patit apoplețiă:si magnű spaciú babuerit iter vnú anbelitú zalius zillum fecerit cu puritia a granedine:moss eins est ppinqua. Et ciba eos colubis filuefirib" quon capita a colla fint abfai fa et vecoquant lento igne apolitmodu piftentur carnes ean a colenta a ppinat ius illud cius, qri bec medicina e cis cibus conenies valde. Et fi posuere comedere va eis carnes cop.quest eis medicina appropriata. apasseres et affate vel fubfrige in fartagine cu almari eis vtiles valde existut.cauedo cos ab oi cibo frigido a grosso. Caplin.XII. Qo est ve congetatione.

Ecegricudo ozit ex optone fra q offat fup co plone cerebri. Et cura eins leuior existit cura apoplie picripte. vii inflictibi fricare caput ciomadili. z postmodú vesup spgere pulucre fubtile gariofi.pcipiedo odozare muscu cam


biá cofertet in bacegritudie eis odozare vedro libanus Tlanfucu Tmenta Chalilicon Tlubfumigare cu cu galba no cambra: ciba eŭ pafferibo cpullis colubinis volanti bus filneftrib? reanabir: ranatis affatis vel vecoctis in fartagine cuz almuri.aut in fartagine Decoctis in furno.e frica cozpus totu fricatione comuni interfoztem zlenta. raqua cius ad bibendu litaqua termaru li poteris inue/ nire. Si no posses babere de bac aqua: fac ei sirupu o coz tice citrozu a masticis an.cum succaro.ava ei ad bibedin cu aqua. Spero eni q ilto regimine redibit infirmus ad propriam fauitatem veo vante.

[Laplin. XIII. Quod est be subet.



Ecquidez egritudo ozif qfi bumiditas mala multa abudanerit in substătia cerebzică foz titudie vei aliquid frigiditatis fuerit affocia tu. Sed fi qualitas būiditatis foztiter vomi

naturables onio aliaz qualitatu.f. frigidita tis realiditatis;13 fuerint due tpate regles. aut caliditas parus ab eqlitate fuerit egreffa: tune no ozit fubet. fa generat fommus magnus ates plique e pfundus. Et fcias es fubet no fit fine gemitu vel fterratioe ficut apopleria filt no reperit abica fozti e grani sterratione e gemitu: sed les uis sterratio seu gemito sicut passus fui longo tépoze no é aliqua fignificatio superbis. Et cura bui egritudinis est odorare petafilon vieme bafiliconis vgariofilos. vruta. Et iteri ola predicta piftent fubtilifilme. zipargant fup cutem totius capitis. Le villilla in aures infirmi paz bal fami. vngendo fimiliter nares ipfius cum codem. Et pro pina ei omni mane iciuno stomaco ad bibendum quarta partemaur.i.oe optimo ballamo. Et combure cozam eo De tamarice escala esfacimpastare panem eins cus aqua infusionis maratri. voa ei ad comedendum de dianiso. Et si cognoueris op bumiditas predicta fuerit er abun dantia flegmatis in stomaco.purga eum cum boccatarti co. B. seminis vetice e agarici ana aur iiu polipodu aur. u.colloquintide quartam partemaur i. Incide eam sub tiliter: mifce eam cum granis pini bene pistatis, beinde istam cum omnibus predictis malaxa. a fac magdaleone cum decoctione feniculistoe bac cofectione dabis ad bis bendum infirmo aur.v.cum decoctione feniculi calida. Et fino purgatur fufficienter adde aur.i. Etfac cuftodia ficut connenit laxariuis. a faceus sternutare ponendo in naribus finis licinium coti. extirpando aliquando pilum vnum vel onos ex naribus. Et fac eum subfumigari cum alchitran thure



Dubio videbis intus formas calculorii natantes 7 fi ipaz colqueris per panum tubtilem nullum vestigium illozu feu fignum in pecia poteris inenire. Et fi victam vrinam itep in vzinali repones. z ibidem aligetulus permanferit: veraciter iten videbis cos vt pus. Et super boc libenter cam ponerem si meus intellectus esset sufficiens. Sed si mala complo fuerit in cerebro folum fimplir ficca non fit inde mania: sed solum perturbatio itellectus. reogitatio nes male apestime. Et fit etias perturbatio itellectus ex Diminutione proprie substantie cerebri. ficut accidit illis qui superflue viuntur flomia. Sobocese videtur ex sententia viuine puidetie. (Et si qu virerit respodendo qu senibus viminuitur itellectus ppter ipsop cerebrop vi minutionem.ergo pueri em istam ronem pfectiozem itel lectum z melioze multu babere veberent oibus alus era tibus.cum babeant cereby, pportionaliter plenius. and est ita. An's of sicut senibus diminustur a destruitur in tellectus ppter paucitate substâtie ipsius cerebuita isan tibus vel pueris ipedit voeltruitur eoz itellectus ppter multamadmixtione que fit in fubstantia con cerebrorii ab bumiditatibus preparatis ad applicationem z mutritionem substantie cerebzop ipsop ppter epuberantiam nutrimeti ipsozu, t in boc tempoze, seu etate auget bumiditas naturalis. retia superfluitates, r ppter boc plonga tur formi contetiam superfluitates que excunt ex nari bus con; rex corporibus funt in quaritate multa. Quare fummarie tibi Dico. o puer Donec fuerit in boc effe.non poterit effe perfecti intellectus.Donec fuerit completus. qui ficut membra corum no funt completa in menfura z quantitate.ita eop intellectus non est completus : Donec veniant ad etatem perfectam. Sed quando fenibus accidit perturbatio itellectus ppter oiminutione inbstantie cerebzi.tune cura iposiibilis est. Zamen rege cos ppinan do eis amigdalas oulces ad comededu cu pane bene fer mentato.zcuccaro.qmifta augent fubstantiam cerebai.z etiam vua paffa est eis vtilis quia impinguat epar. Et bic Defectus qui fit in cerebro.fit in parte anteriori. 2 ppter bocumaginatina folum p maiozi parte fenibus pestrui re perit. Tunterdum etia eis pestruit cogitatina quando cofumitur cereby qo in media cellula existit. Tetia memo rialis quado oiminuitur fubstantia ipsius cerebzi, que in posteriozi cellula collocatur. Quare ad restaurandus bac bumiditatem.oa eis amigdalas cum cuccaro ficut vivi. vnge caput eius cum oleo amigdalaz vulcium cui fit ad-mirra vecima ps ipfius ve oleo masticino eo q membra pncipalia non fustinent medicinas in quibus no fintea q babent confortare: quis accidens egritudinis ea non requirat quonia itendere vebes ad confortandum 2 fortifi candum partem illam in qua egritudo reperitur. Sed ex iftis tribus partibus cerebii. posterioz citius exiccari De beret ronabiliter poter fui naturam a complonem cete ris alus Sed quia der leuter ad earn pertingere no pot-propter groffitudinem a foliditate offis cotinentis ipfus. Et quest omnino coclumm absquomni foramine aporo fitate.ideo minozem recipit vesiccationem. Sed parsan/ terioz cerebzi:eo quos eius contines ipium est apertum z pozofum. vaer ad ipfum per anhelitum cito ptingere pot. ideo citius peliccat. vetia citius of cerebrus quod in me dia cellula effe reperitureo quaer ad ipfus no ita cito pot peruenire nec ita leuiter. Et quos cotinens ibm fimili elt obtufum folidum rabigpozofitate ficut eft os posterio ris partis cerebzi.ideo longinquum a ficcitate effe reperitur. Et quado ficcitas cerebai fuperuenit in ifta parte and teriozi.vel in alus oibus partibo fimul. cura erit vifficilis valde innemb?. veria alus qui funt in maiozi etate. quis fit possibilis. Sed vecrepitis est impossibilis omnino. yn/

日日

imn

S PUI

de intendas in curatione illius partis velomnius partiu cum medicinis supradictis. Sed attende o quando os cranei vel vbi os ipfins fuerit venfum folidus z abfap pozofitate tuc vti vebes foztiozibus medicinis: eo a grauiter a Difficulter possunt penetrare . Sed vbi inneneris crancum pozofum a non ita folidum:citius poffunt medi cine intus penetrare. Quare leuiozibus indiges medicinis roebiliozibus.

Caplin XVII Qo est ve bumidirate que, ozif in cel

lula anteriozio cerebzi z circa cerebzum.

Lias go bumiditas fubrilis que ozitur in cellula anteriozis cerebzi z circa ipm est immé fi fetozis: verillo itellectus pturbatur. vnon potest infirmus caput fuum sustentare. 2 non


loquitur nifi cum vifficultate magna. 2 qua do interrogatur ve aliquo tarde z pigre z cum perturba tione responder. pro maiori parte non intelligitur. zest abiquintellectu. Et ego tempoze meo vidi quendam cui imperuenit bec egritudo: anulla medicia ei pdesse potuit amortu? fuit ide. Et bec egritudo multoties accidit ouis bus: zouisilla que babet banc egritudinem a pastozibus Dicit matronia. Et cura buius egritudinis est caput caute ricare. a fine pubio cirugy multum errant, cautericantes omnes in capite quibus accidit perturbatio intelleccus. fequitur inde maximum nocumentum : quoniam fi caw fa egritudinis fuerit caliditas a ficcitas: vel caliditas for lum:aut ficcitas folicant fuerit canfa ex viminutione fub stantie cerebzi:considera quid inde cotingere potest. \$5 in bac egritudine fine oubio cauterizatio est cura vtilioz alus quia deficcat borribilem bumiditatem, ceam extra bit ad partes exteriores. Et si posueris in naribus ipsius fuccum rofe canine, que arabice vicitur fecaicanabamas multus confert. Et etiam alia medicamia que a medicis affueta funt inuci in naribus faciedo caput purgari.ficut est aqua ficle. Laqua cucumeris agrestis. Limilia. Er con tinuando bas medicinas rrectificando regime ipfius po terit liberari. 2 peficcabitur inde bumiditas illa nocina. 2 liberabitur oco vante.

Capitulii. XVIII. Quod est De scothomia que in ara

bico vicitur abscedar.

Zacciditaliquado bomini o flando z fup sedendo apparet ei o omnia circumuoluan tur võec cadat. Et ozitur bec egritudo er va pozibus fubtilibus zacutis colericis afcende ribus fuperius per arterias ad cerebzum re-

plendo ipfum. vaccidit fpiritui naturali motus malus. Et predicti vapores ascendunt superius ppter amplitu dinem arteriarum:que tales a natiuitate existur. Quare predictis confert incidere arterias: que funt post aures. Sed si victi vapotes ascédunt per arterias retis vel reti-ne miraculose modicum inde sequitur innamentum. Et fi puenerit victa egritudo examplitudine aliarum arte riarum tunccofert incisio predicte arterie. Et vebet me, dicus infrigidare coplexionem buius infrigidatione tem perata.f. ppinando ci lactucas eligas ad comedendum. ad potandum aqua ordei cum agrestomisi stomacus fuer rit imenfe fenfibilitatio: apotabis cum etias aqua ordei. aqua frigida cum aqua rofata. Et ab omnibus fructibo abstineat pterqua medullis seminum anguriaru vcitro lozum:que ei exhibere vebes poltas cognoueris qu victi vapozes ab bumozibus colericis fuerint generati. Sed il la que a stomaco pedit ad cerebium potest ex bumoze vno oziri.vel ex pluribus ex quibus generantur vapozes afcendentes ad cerebin. Et cura buins leuis fatis existic .f.purgando stornacú cum aqua infusionis mirabolano rum citrinozum. t fcamonee z piolarum. Et cofert etiam



Primus

eam coquere cu cucurbita:no ponedo gallina cuz cucurbita:nifi post pecoccione cucurbite. Et pot etias pecoqui că fucco granatop: 2 fac eŭ multoties odozare mirtellas cus ligno aloes e fandall e purga eus cus fero lactis coagu laticu lacte fici addedo ei aliquid fcamonee. Et cu fuerit purgatus numera fellas: e quot vicibus affellauerit; tot viebus quiescat post purgatione: postmodus facies eus vomere: post vomituziterii eus purgare bebes. Et iam superius occlaratimus loca que apta sunt recipere bunc poloze guis videat o poloz in ose existat. Et quomodo boc esse posser en opiniones quozadas os omnino carreat sensu. Et ego vico o si aliquid babet os ve sensu: est valde grossus; ppter boc impossibile est quillicooloz p cipiatur tiam inuenim' Balloigiffe queadinuicem funt oppolita:quando virit quola ommino funt abiquilenfu: 2 alibi picit q pentes babent fenfum: zno groffuz:imo val de intenfum. Et opinio magnoz medicozuz est qu sensus no sit in aliquo membzo:nist veniat in codez perneruos fubrilifimos viuifos: a contextos ibides. Quarecu offa no videant babere tales textura neruozus: fenfus baber re no vebent. Et ergo ficut cerebrus mittit virtutes fenfi bilem per neruos oibus membais.ita epar fua virtute na turali mittit nutrimentu per venas omnibus membris. afi offaideo carent fenfuequia nerui in eifdem no funt oi uifi contexti minutiffimi: vt capilli cades ratione oino abiquatrimeto raugmetatione effe veberent:cus vene capillares viuife in eis no reperiant meg virtus natura/ lis fortior effe reperitur in itroitu membrorus quanima lis:imo animalis valde fortior indicar. Et tu vides o of sa cidiu sunt in corpore animato permanent sine putredi ne reorruptioner etias omnes cartilagines . reus prina tur corpus a vita:corrumpuntur omnino. Ergo quid est allud quod ofernat offa in corpore animato a putredine: "No potest negari quin illud sit spiritus vitalis procedes per arterias ad omnia membra que arterie in membris iplis minutifilme oinidimtur. codem modo offa recipiu unt nutrimentu ppter vicinitate venarus no pulfatilins Quare ergo bac eades ratione via no poffunt recipere fenshm offa ppter vicisitatem neruotus. fed naturaliter offa incitus funt offa multe existunt siccitatis. apropter banc funt groffi a pebilis fentus: apparet bocin plan-tis pedum rufticom; quia quis lente a pebiliter recipi ant fenfum:tamen no omnino a fenfu painătur:quoniam vides quado aliquid exiplis inciditur ferro quis non Tentiant polozem: De quo fit curandu: tamé fenfus babe re probantur. Et quia offa buriora e ficciora existit plantis pedum rufticozum: ideo lentius a tardius a groffiozi modo sensim percipiunt. Et si aliquis vicerit scriptu ee o osa carcant sensis, vicinus opillud victuz est eo modo que Dicitur quado aliquis babet collum breue: que careat collore of qualiquis by debilitate vifus of careat vifu. Et ista que vixi vico fm mea existimatione zintellectu: z e veritas oino: e inuestigare boc per vias experimeti in aia libus est vifficile valde:qm quado in aliquo mebro inue fligando peedes:incides pmo carnez: a postmodum nere nos: venni pelliculas à coopitos a feire vebes quoia ista acutifimi funt fentus, ergo cus peruenis ad os incidedo vel rafeado: quó fentire va cu fit vebilistimi fentus: a boc certifime scire bebes auctoritate pocratico qui ouo bos tozes fimul funt:maioz benigrat alterum. zabígy oubio offa babent fenfum quis modicu: aquomodo no vebet occultari polozin offe cu fit pebiliffimi fenfus: post ime diată icifione factă în carne neruis a pelliculis q funt me bza tăti fenfus.certe ficee 03 abfq vlla oubitatione.

脑

protrons to the control of the con

z froi fucto Diogr dicani

insquit matrix cinati cinati

entra color media desir desi desir d

加斯

Capitulu. CC. Quod eft ve emigranea que in arabi

co picitur fecbichia.



Digranca est egritudo capitis in qua voloz comprebendit mediá partem capitis, quare feire vebes in qua parte sit egritudo pdicta Et seire vebes questeno potest in aliqua par

te capitis nisi in paniculo qui cooperit crane um exteri? vel in illo qui est sub ipso:q vicit oura mater: aut in illo g est circudas cerebru: qui pia mater noiaf. Et oifferetia que est inter istă egritudine aprescriptă que oi citur baidda: est quilla est in toto capite, ista vero solum media retinet ptes. Et out becegritudo: aut a vétofitate calida:aut ex repletioe supflua. zque ex vetositate cali da pcedit:fit fubito zcu extensione fozti: z sentit ifirm? acuitate bumozis. vn refoluit vapoz in loco in quo est. 13 fi fuerit ex replone:sentiet ifirm granedine in loco cu ru bedine oculo p rfacici. r pot etia enenire ab bumozibus existentibus in stomaco a quibus vapores r fumositares refoluuntur qui ad caput afcendunte ibi percipit incendium a mozdicatio valida. Et flebotomia gdem confert. quado fuerit ex repletione e infrigidatio corporis etians cum rebus notis prescriptis. Et ciba eus pullis a gallinis Decoctis cum succo granato pacetoso um. Et potet aqua ordei: rabstineat oino ab omnibus percantibus fumos vel vapozes acutos: ficut est vinum coctum a vinu passu larum afimilia. Etabstineat etia a pomis granatibonta cibus;qui cito in coleras pertuntur, a fic eis non modicu nocere videntur. Et quado victa egritudo ex repletione fuerit fola flebotomia aliquado por liberare. Se que can fa fuerit ex superabundantia calidosum bumosú existen tius in stomaco a quibus vapores superius ad caputasce dunt. Lura cius propria existit enacuare illos cum lagati no connenienti:aut cum vomitu leniet fufficit bec purga/ tio. Bemirobalanozum citrinozum zebebulozum zindo rum. violarum. inenufar.añ.aur. r. conquaffentur opti me aponantur in feruentem aquam per noctem ynamain mane colentur exprimedo fortiter a illi colature adv de quartam partemaurei vnius ex fcamonea trita 3.1,14 rupi acetofi.3.i.fyrupi facti ex coz.citroz. z.3.i.fyrupi ma flicinier ppina et ad bibendum. tfi no purgabit fufficien ter:oa ei ad bibendu pe predicta colatura: foluz regendo cum ficut couenit medicamini: Dando ei in cibis fi fuper abundauerit bumiditas in stomaco que babeant ea exice care put tibi videbit couenire o ado ei semp post cibum aliqua Priprica confortătia reouenientia Promaco ve funt pira affata: vel citonia: vel alia fimilia.

Tractatus, c. De egritudinibus colli. zest cotinens capitula pecem zocto.



Lias que collum copositum est exmébris simplicibus reempositis, ripa officialia composita sum collum compositum est excosimilia buseuenium ei egritudies consimiles ringstum collum positus est exossicialis mebris enenius ei egritudies officiales.

Et nos itendimus vicere egritudies a possunt ci cuentre.


Laplin. I. Quod est ve oppilatione.

Ec quidem egritudos, opilatio accidere pot in venis:neruis: z in ipsa nucha. Et cura bui? est manifesta. Leum rebus aperitius z subti liatiuis bumozu. z bec cura est generalis opi.

Lapitulum. II. Quodeftoe relayatione.



Ecquidéegrinudo accidit in collo marime accidétalr.f.ppter apostema qo fit vel orif i nucha: z inde sequif sub apate relaçatio of um mébrop gnäti. z si fuerit apa magnú val de; yel sotte iterimit subito. So si fuerit apa



Maining

frigidis in exceffu:no inde nutrient:imo repudiabunt talia a nă fui cozpiscămis talia canfe egritudinis fint Bria: qin fi tale infirmă nutrire volueris folys mădragoze:no restaurabit:nequutriet aligd ex eis. Sed in lactucis est res laudabilis valde:qz quis ei frigiditas foztis existat eius tii suba no est grossa. Qre cito a cozpoze incipit passionem: to ia que bic orizimus:sint tibi in metnozia in oibus alus egritudinibus tanginecessaria. (Lap. V. Qo est ve egritudinibo spodiliŭ colli.

日子祖母百里百里日日

mişalı pinda

2000

incli

dikt

MINISTER

im ai

1000年 1000年

particular intrinsis intrinsis intrinsis intrinsis

Leidit spondilibus colli ve recipiant bumores viscosos: mucillaginosos qui viuidunt z spargunt interconiuctione ipsop spodiliu. z accidit er boc quipfa spodilia pfundent itri fecus vel extriccus pminear. Et qui exteri? pminet lenis tue cura existit; qui de nucha no recipit lesi

ones. fed qui itrinfecus pfundat: me necem iducut: qz in de sequit squinătia pessima z moztifera, z qui a medico că talis cognita pfecte fuerit:purgare 03 corpus ghalr ab B bumore: 2 boc facere poterit cu collogutida 2 bdellio: qr funt optima in boccafu. Et stude in exiccado illu bumo rem vissoluedo ipius. Et pone super spondilia colli pul nere gariofiloz: macis mixtu cu vino ad modu empla firi: liga velug: 20a ei ad veglutiendu ea que fint lenia oliquatulu grofia: ficut è mica panis optie fermétati: 2 fi milia. Et fac eu fternutare iclinato capite, qui ide recipit innametu. Et in filma vico o cura iftus egritudinis é p tno corpo totu cuacuare gnali ab bumore: thalir feu pti culariter masticado grana catapucie expuedo exterios fía qo ide exierit ab o se e vesicado bumo se seu osumendo. ponedo vefup emplastrú polictú ex macis: a gariofilis vi-teperatis cú vino: a stude paulatine ad redeúdú spódile: vel spódilia ad locu suú nale: cognoscedo o pec egritudo nalir piculosa est valde a sestina. Et apterboc studiosus esse vebes in cura: pstado remedia abseg vilatione.

Cap. VI. Oò est ve vissocatio spodilius colli. tră:vel verfus finistras. Et bec viflocatio est valde granis: zide accidenta fortia z Difficil lima ofequuntur. a fi victa viflocatio vel toz tura fuerit parua modică îde ifirmo sequit

nocumenti. S fi fuerit magna diflocatio: forma cius erit ficut angulus rectus vel landa A zefficii ide relazatio totius cozpis: aut ignătia: z ipăim? z boc accidere pot aut ex calu: vel apate: q faciut exire ipodilia ex locis iuis. Ex villocatioe ipodiliù veniut accidetia bec:qm fi fuerit vil locatio foliables lefione nuche : accidit ex boc paruitas médrop apuatio nutriméti ipfop: a puenit exboc fié ac-cidit arbori impfecte: fracte: in qua nutrimétus tortuofe pcedit. a pôt etiá ex tali diflocatióe infirm? fieri gibboíus. Sz fi diflocatio facta fuerit folii in yna parte:cu bec fuerit partia aduenit ide mébzis paucitas nutrimeti. Is fi fuerit magna fit ide relaxatio medietatis toti? corpis. p pter extesione à fit in alio latere:eo quas spodili accidit extesio:sequit ide spasmo absquoubio:e ablibet istop accidetiu p se pot inducere necesamulto magis si oia simul fuerint ogregata: rego puto go relazatio illa q ca bumoz fit:mozte ifert suffocado ppter puatione anbelit' pectoris. Et oib pdictis egritudinib pfert flomia ppter oubitatione apostematis: refoluere id quod ifusus est ve bur moze: r veriuare ad alia parte illud qo nodu est ifusus: 3 cofortare locu lefum feu pcuffuz. vid in quo ofa pfcripta iunamenta fimul funt coadunata: est oleum rofatum in quo rose recentes vicibus pluribus sunt infuse. 2 sufficit illud ad inungendum locu a fi res fuerit aliquatulu vilar tata ad visfolutione bumo padde oleu ve lilio a ve iafer mino si poteris inuenire. Sed si egritudo fortis extiterit

operatio critinanis. (Et politi locutus fum ve spondilibus: nucloqui inredo ve nucha. Er scias op nucha est sic fonsa qua mittit oibus mebris q funt fub ipfa fenfus z motus: encrui funt ficut rimuli qui oziunt ab ipia. Cap. VII. Obelt oc egritudinibus nuche.

L'accidit in nucha aliquando stupos qui sit a medico ppterappositione frigidaru rerus pesuperaut ppter equitatione s pefuper aut ppter equitationes factamper magnă niue: a fit inde dda îpes egritudinis que in arabico picif alchadar:in qua prinaf

fenfus zmotus měbrop existentiú sub ipsa. Et buic egriv tudini cofert inungere locu cuz oleo nucu cui additu fit in qualibet. 3. ipfius octaua pars aurei vniº ex cuforbio: z fi no baberes oleŭ de nucibº: pone loco cius oleus de li-lio mixtă cu5 oleo oliuară : z oleus de ben etiă mixtă cu5 oleo De iasemino similiter in boc loco ofert valde. Et ad. depredictis olcis ad cofortatione caloris innati ve olco balfami: zalia olea confortant accidentaliter calefacien do ipia ad ignera. eficagendo operabitur tua medicina perfecte. Et scias op id quod patitur nucha ve egritudini bus patiunt etiá nerui qui oziunt ab ipía. Et mibi iá acci dit id qô vică tibi. í. qo cundo precepto regis in abuçacba dria cu frigore vebemeti z fozti plunia z véto. qui qde ve tus mibiadueniebat pte finiftra pede meo ex illa pte exis te discoopto durăte illa tepestate sic p totii die e sic eudo mibi cecidit patitus pe pede: znő potui ip; îtus reducere eo g-nő poterá mouere corá gre ali? mibi poínit ip; î pe de viren cecidit: veiterat? fuit mibi: vertio iren cecidit a mibi ab alio ipolit fuitico op mime cora a crus monere poterá. truc cogui qua pede crure zcopa puato erat moto a fenfue. Et cu veni ad patré meu no potui ire fa oucto fui abalus: gre iuncto fui i cora a spodilibo iferiozibo cu oleo illo qo apportanera că illi ifirmi p quo veneraz q qdem erat palitic? zi quo puat erat fenius z mot? zin illo oleo erat balfamu. Et feci mibi aere rectificari cu fozti igne et magno. adueniete vie fui liberat? et p certo fcias quier ui citi? valde apti nati fut recipe egritudies qui ipa nucha: quis nerui fint ouriores a folidiores ac vefiores ipfa nucha:til qz fut fubtiliozes ipfa:ió citi" z leui" prit recipe paf fices. Eret qua vinina puidetia nucha ba vefenforina ad fuicustodia cofernatione cu sit sicut radir:co q abstru ctione a corruptioe ipfius peltruint omnes nerui g func fub ipfa: a non connertit f.g. a veltructione alicui' nerui; velnernop veltruat nucha vel corrupat.

Caplin. VIII. Quod est de apostemate nuche.

E bec egritudo accidit nuche aut i suba ipsi aut in pellicula que est circundas ipam: apot bocaccidere ab bumozib'oinerfis fed ppter acuitate velocitate egritudis opate ce follicită circa flomiă: etiaș fi virtus vebilis fue

rit. Or fi fuerit Debilisminues De atitate. fi fortis fuerit in maiozi quantitate extrabere bebes. 2 poffmodus pur, gare bumoze illum que videris vel cognoueris abudare cum medicinis fibi appropriatis a postea inunges locum cum oleo rofaceo calefacto ad igné: vel cum oleo rofaceo mixto cu oleo ve lilio aut cum oleo ve iafemini. aut cum oleo de alchachoen. que inuencris magis apreceo quid qui inchi in ipfis no est resde q medicina magnam faciat follicirudine. Et esto certo que i medicinalis non opaturab aliquo pfecte nifi post longă zmultă osuemdi ne. vlonga expientia in ipfa. vnullo mo qua fopbifticatio nibo vi fopbifinis logicalibo. Lo op fi aligs fopbificado fe voluerit intantú fubtiliare in medicinis lavatinis: vt ine niat in ipfis dititate a qualitate purgatiois proportionali ter:ve egritudo e quantitas bumozis vel bumoz exigere videt. Inon excedat in plus yel min' yno pilo, intantum



ita tantam bebes biminuere bonec fuerit liberatus cum

ener réfini imidi ficaci

uloub

CERTIFICATION OF THE PERSON OF

The state of the s


E Cap. XI. Obest de solutión de colli.

E accollú est médeu copositus ideo ei accidere por solutio con initiatis sicur alys médeis accidere describe de collection de coll dere pot folutio communitation de la deservación de la folia del folia de la folia de la folia de la folia del folia de la folia del folia de la folia de la folia de la folia del folia de la folia de la folia de la folia del folia de la folia del folia d

vissolutioe cotinuitatis: maxime in neruo noiato in ara bico neruus retrogradus: qui egritudo ibidé generatur: bestruit vor co quartes epigloti no claudunt bebite a conenieter: nec vilatant: a efficit cius vor rauca ad simi litudine vocio bois fortiter infrigidati: afi victus neru? fractus fuerit: cura cius túc est iposibilis. Sz si fucrit vi cta egritudo ex apostemate: túc curabif curato apostema te. Quare studeas in remouedo ipsis sicut o iximus. Scii enacuatióe: apurgado bumozes: a refoluedo ipfos: a faci-endo ofa policia tpe conenieti. S fi fuerit ex opilatione euacua cozpus că la patinis: a postea studeas în vissoure do opilatione: a în aperiedo că că oleo anetino a silibus: ponec redeat mébră ad stată suă ppriă miscedo că predictis aliqua q funt fliptica varomatica. Sicut recipiedo evoleo rofaceo parte va a in tribus partibo olei anetini: v er eo immge locii. Sed fi victa canfa prefira mala ople rione frigida neruo cueniere que eide fupuenerita niue vel vento: aut plunia: vel aliquo alio frigido aere: autab appositione medicinaru frigidaru anareoticaru: ficut i periti medici facere conucucrut: tunc cura tua effe 03 cu reb° calefacietib°: zingitu causa fuerit frigida acu zpo tentia in tantu ei refistere bebes cu rebus bus calidis.f. actu epotétia. Et quia expdictis caufis coagulatur fan guis ille qui in nerno pdicto existit: ideo sustere debes cu reb° calesaciétib° aperietibus actu apotétia: sicur sunt ista z bis fimilia. f.oleu anetinu: zoleuz benarcisco. zpinguedo de alchozac.i.grue: valiquátulu pinguedinis galli ne:mifceant of fupradicta: realefactifud vnguetu; rin/ unge locu pluries fic faciedo: a madefac cotú in code te pido r suppone. Et scias qo oë mebru existes in pacipali sate anobilitate nerui.minime fustinere pot cotrarieta tes medicinarii existetiii in vltimo abiqi medio:co qi qi uis fuerit mebrus ventus: folidu atqu firmu: cus boc toto vestruit eius vius experdit radnichilat ex appositione taliu medicinaru existetiu in vitima vietate. Et boc co gnoscere vebes ex vicis antiquo y rvera viciit loquedo ve vetibus sid qo cis magis nocere pcipit est quado ex trema eia accidut abiq medio.i.comedere:vel bibere ca lida actu in excessu post frigida actu i excessu: a tri substa tia con est vesa: solida atquoura ad recipieda passiones a in tantă funt oure fubstătie: paliqui antiquop medicorrus crediderăt pessent îpassibiles cabiq sensu: ctă ver raciter funt fenfibiles. (Culato ergo nerui qui funt mol liores a magis pelicati pebet magis recipe passione a po turbatione ab extremis ipfis ventibus; abig vubio qui mediciponut bae coparatione prespaliter in ventibus; no intelligut folu ve ventibus; sed ve oibus alus mebzis corporis. Szcii boc nocumétů pcipit in vétibus: g lut ta oure voese substatie quato magis in alus que sunt mol tions valde a rarious substatie pcipi veberet. regimé er go eius 03 ad caliditaté modică prinere. Et oés alic me dicine fint téperate: vel ad modică caliditaté pertinetes queadmodu fupra vicim': ficut in cibis con ppinare tur tures eminutas ques nemous. verias pafferes in estate eliparaser in byeme affaras in veru: vel vecocras cus al muri vel fuffrictas in fartagine. fed fcias ge ca que funt in vitimo affata magis medicine babent pertinere quad civ bum velad nutriendum.

CLap.XII. Quod est ve inflatione facta in epigloto. Zozitur quidezin epigloto apostema zviri mus cura: fed non nocet fpales buins bicre memozare. Quare pino flebotomare vebes ifirmu ve cepbalica bzachy vertri: z ertra/

bere ve sanguine \$5 9 tibi videbit puenire. Etsi videbis epiglotus fortiter rubere vin tactu calidus Da ei ad bibédus paulatine aquá rofaceá in qua bin stete rint femina cittonion cu cuccaro a modico aceti:ita vino percipiat faporeins.f.aceti . Si fi fuerit abiqu caliditate trubedine manifesta: túc fac eus gargaricare rob de mo ris mixtus cus aqua rosacea: tetiam de illo paulatine t fuccessue ates continue veglutire: vsubtilia cibum cius propinando ei folus ius pulli cus pane optime fermenta/ to. Et si apostema fuerit magnus amulti nocumenti oi no flebotomare en oebes. Et etiä si nocumetti ipsius fue rit oebile:penitus flebotomare oebes:eo g sanguis secu oucit bumores; tépus est breue : enocumétu qo et minutione sanguinis babet prouenire: cito poteris restaura re. Sed fi timuerit infirmus minutiones: purga cum cu purgatione leni: scilicet că bac vecoctioc. que B. mirobo lanoz citrinoz: e violară: esemis cartami: esemis ange/ra.i.vztice e ligritic ana pres e e les. Et o îa ista pone in a que control de la con occoctiois malticoz.cm? quatitas fit ad mutatione colo ris aque. a facoia pdicta mozari in cade p totas noctem o vic.z postca cola ea exprimedo fortiter. Et pone in eades colatura de firupo tamarindo y vel de firupo (gnzibin p ut tibi videbit conenire, a de bac decoctione ppina infir mo put tibi videbit conenire: (eruado custodiam infir mo ficut fit in alus la ratiuis. Et fi no pcipit in loco caloz manifestus vel rubor fac ifirmu gargarizare sirupu fgn 3abin tepidii. 2 rob mozoz: valigd aceti cii attuoz ptibus aque oulcis. Et flude vt ci? oplo pmutet valteret ad fic-citate. Loado ci pane optime fermetatti cii pullis affatis. vetia ex farina ozdei vstulati fit cibus qui vicit alzafu.i. pultes:ceu inscular e factus ex farina victa ozdei vstula ti cu aqua a modico succari: q est valde vtilis in boc casis. Et fi color epigloti fuerit filis colori melangiaru vin epigloto ipio appucrit tumos magnus valde cu Duritic. Dur bitadu est valde de suffocatõe i firmi. Gre pperare debes ad slebotomadu infirmu. sciedo qo ille sanguis g exicrit erit groffus aten niger. Et fic fecurabit a timoze fuffoca) tionis. Et purga infirmu cu lapide lazulli. vl' cu lanatura ipfi" lapidis lazuli: fin qv vius ifirmi poterit fustinere: vl' cu vecoctione facta cu polipodio epithimo: z ellebozo niv gro.ponedo cu pdictis aliq q ficcitate pdictar babe at re-monere: ficut funt viole ligritia z nomifar. Et et ponere bebes q babeat boloze mutigare:qui be cofuetudine bui? loci regritudinis é volere: puetion é sentire: sicut sut flo res flicados a fuccus pomo paqui fo pferunt pupliciter. f. qa fragunt ficcitate a remouet poloze. Et fi cognoueris qu bumoz fit multe magnitudiis: tuc vare vebes predictas medicinas laxatinas cu tota fuba frangedo ficcitate ipa ruz cu oleo amigdalarii vulciii. vel cu firupo fanzabin far cto cu paffulis enucleatis. e maxie fi infirm? fueru qdra genari? recoloris bruni epilofus: a nerui ipfi lacerti fint pleni groffiateg lati. e ve pluetudo infirmi fit e é folitari? cu multis cogitationib eq cu fic repitur p certo talis erit melancolicus. Sed fi infirm? fuerit inuenis: e non fuerit coplonis melacolice.qo (cies que color ei erit albus verit bone ouerfationis contentidinis: tunc feire oebes to ille bumozno erit multe groffitudinis. Quare talibo pare pe bes becoctioné medicinarii folus abfq; fiiba rectificado ipfas cu medicinis fibi ppuis: quenientibus: vt nature amicabiliozes existat put tibi meli? videbit expedire.s. cu firupo de melle aut en firupo citri fi itedis firbtiliare



etiá victa rancedo ex apostemate facto i nerno retrogrado. Et cura eiº est cura pdicta: subtiliado regime. Et si su perius noiaui olea piura a oinerfa: a in vnii collecta buic egritudini conferentia no credas me fecific illud abiqs prentitione countelarqui oes medicine que operant itrin fecus vel extrifecus fi fuerit plures vnius oplonis a vni naer in vno gradu fil mixterrepiunt maioris viutis z ef ficacie in oib? egritudinib?:qua fi vederis vua fola illius oplonis z näe:zilli gradus in vno code podere. vbi gra: qm fi recipies medicină vnă fimplice q fit calida vel fri gida:ficca vel bu.in pn° fcbi gradus. z oecopofita fupferl in eade quaritate q in illo code gradu fuerit optonata. i uenies polită longe maiozis efficacie ce simplice in tantus q.3, yna ve composita plus operatur q.3, l. ve sim-plici: tboc no recipir solu in ventib pmis, yeru etiš in se-cundis a tertus certissime istud idem invenitur. a quis causa bostit manifesta: tri ipsas ad pseus obmitto itedes breuitate servare: steut in precipio buius libri promisi, ni bilomin' b a alia in fequetib' vtilia ero rememozat' oco cocedetert ia supius memorani o opilatio fieri pot iner no retrogrado: ficut in alus neruis fieri contenit. ex qua raucedo ozit zgñat. Et etia in ouob? neruis opticisa g bus lux oculis velegat fit opilatio: vin tatu qo qui claudi tur oculus:vnº nullatenº pupilla alterius oilatat . Et qui fic est medici sut vespati ve cura bui' egritudinis:bociaz veclaratu est i tractatu oculop. So ve boc qo medici vi cunt queura aliqua no pdest in illo casu nullatenº sus cu eis:neceis affentio vllo mo. Et ficut vico ve ifta opilatio netita vico ve opilative facta in neruo retrogrado quenra no est ipolis oino; imo medicine p certo eis oebet valere zeos innare si oebite exhibeant. Quare inungere oebes locă că pdictis oleis fimul mixtis: non omittedo purgatione viem toti corpis. tet particulare capitis: fciedo que ma egritudinie no trabit a capite nifi medicine z virtus iplară illue deferant. vă olulo vt alie a dictis medicinis pparent q veferat vrutes ipfaru ipfi capiti velociter ppi nando cas vistéperatas cu aqua mellis a bácviá a voctri na adinenit pr mens: a fuit valde bona apostas ipe obut ego politi aliŭ nuciu velatore medicinaru ad caput: quis ve boccu eo minime fuille locutus. Et non viffidas oino quado benefició vinuame istaruz medicinaruz no appa ruerit velociter a subito: quonia aliquado excitado ipsas no tra fignu aliquod beneficy vinuaminis apparebit: 13 interdum liberabitur fubito deo dante. (La.XV LQoelt de puftulis i meri feu in yfofago.

量量量量量

知道な

日本日本日

ng bir itogi ni pin i mi ci

nis à 1

merch market

日本の日

NO.

101.00

008

main tusto ikono

man:

DOMEST OF THE PARTY OF THE PART

Zozinně pustule i meri seu in psofago.

Zozinně pustule in meri ex comestióe reru

acutară: ficut est sinapis a filia. vel ex assum
prioessedicinară sozită zocutară a tura medicis ad occidedii fanguifugas exi fletes in gula. Et fiit bac ve caufa ibide pu fulle rubce pa rue aminute. Et cura b'est fuccus reglutie

cu mucillagie feius cittonion cu ad rofacca diffoluton: reter'in oze zpaulatine fuggedo zlábedo deglutire. TLa.XVII. Obé vecorruptioe aputrefactioe in gula america con ptibo adiacetibo in tpecpidimie.


Rit et in iftis mebais zin fuis partiboadia centibus putrefactio tpe magne epidimie z pestime mortalitat): sicin alus mebris fieri ofuenit que ptes gule compunt . Et boc no accidit mili que estepidimia pestifera pessima

amaligna. enó est mirú: qui aliquin tali tpe corripunt nerui pedú qui sunt mébra solida a cadunt. Et qui tractas bo de epidimia: a de egritudinibo que fiut in ipfa: toe fur

is accidentibe tuc cura oium pona cu adiutorio vei. Teap.XVIII. Quod est ve prinatione sensus amotus zrelagatione meri zyfofagi.

Ccidit et aliqui in nerno illo in a ilita e veus vegluriedi ipes relaratiois a puationis fen-fus amor?. apot etia boc nocumetti cuenire in ipfo neruo a quo vict neruus recipit influ

entia vitute fenfus amoto. Et boc ei accide re pot ppter frigiditaté optonis fue. víi parato est recipe victă lesione. Et boc ei cotingere pot aut ex assuptoe narcoticarii medicinarii: aut ex potatioc aque frigide in ma gna cititate: a spaliter illis q no sut assueti bibere ca. a po test aliqui bec egritudo subito cuenire: a iterdu paulatine efficit. Et qui fit ex potatioe aque multe frigide: tic fit fit bito. Et qui cotinue apaulatine vius fuerit frigida: tunc fuccessure apaulatine bo egritudo efficis. a qui sic estimet pit cu polore leui: a cu pissicultate peglutiedi que paulatine a fuccessive augmentat vonec veuenerit ad prinatio onem beglutiedi perfectă. Et boc accidens quaccidit est peffimu valde qin infirmus no pot vllo modo cibus nec medicina; peglutire quare opoztet cu3 omni follicitudi ne pperaread cius fanitate recuperădă: aut în bzeui mo rietur. Et quado ad boc beuenit: curatur pluribo modis. primus modus est ve apponas cănulaz argenti vel stanz ni in gulam. Et fit cănula babens caput go ponitur intus in oze firictum: villud qo remanet in manu a parte exteriozi fit latu valde. Et feias qui appones canula in gulam. monebit stoachus ad subuersione vomitu näliter. gre eastuc fubtrabere bebes:2 ftare bonec ceffet vomitus. 2 iteru că int' ponere: cu subuersio z vomitus vel motus fuguenit subtrabere. The facies done ex est estudine re-moueat subuersio amot? A p sit absquabbominatõe in-furmus ex appositione ipsi? cănule. Et tue sicut dicut de se pone latus strictu itus in gula: tenedo latus amplu i manu: vide lac piice receter mulctu: aut pultes ex farina tri tici.tin exaliquo istop go ide posit infirm' nutriri.stude do semp in remouedo cam egritudis cu qbo tibi videbit cottenire. cognoscedo que tali cura seguir no modicum nocumétu. quinde oebilitant vitutes mebroze gule oés. Secudus modus curatioss bus egritudis é ponere ifir-munudu i cina lactis qo sit tepidu a receter mulciu; aut in tina plena ex pultibofarine tritici q fintligde cocti.qii opinio quozudă medicop e vt illud nutrimetu igrediat per pres inferiozes corporis zet p poros totiocorpis ipio. 13 becopinio vebilifima valde existitatos frinola. Ter tius gde modus est. rest rectus cert?:atq verar.s. q tali modo nutrit ifirmus abiq pubio. reft talis.f.vt recipias lac vel pultes ex farina tritici liquide vecocras: in vefica vna capre: vel ciº fimili. z fit in collo ipfius ligata vna canula argéti ad modú clisteris: a facta múdificatiõe inte ftinoz pfecta cu clisteribus absterfiuis amudificatiuis. pone victă cănulă intus in ano: rexprime victă velicam oiligéter cu manu: conectoru lac vel pultes in intestino recto ab ifirmo recipiar: este de victu itestinu sugendo recipit nutrimetu. zabipfo aliud itellinii fibi etiguu rappiedo fugit: zabillo aliud vonec fic fucceffine ad funduz fromaci victu nutrimetu bz venenire.ide fromacus reciv pit qo fibi quenire vr. rab conutrit. Etiam gda regiune medici g nitunt phare o nutrimetu nullaten recipi pot g clistere in itestinis vtad from possit veuenire. The per victa. S. q vicit o clistere inicctu g inferiora in itestinis no pot vilo mo ad from ptingere averiuare. Et sicarque do assirmant o nec nutrimentu indeiniectu vilo modo ad stomachu poterit peruenire. sed isti tales vecipiunt 2 errăt coparado regparado medicamia iniecta p cliftere nutrimeto predicto iniecto fin modă Determinată; qii certii est op violetia a ipulsio que in clisterino e tata neos ita fortis: op possit medicamina iniecta p ipm ysos ad stomachii pycere z belegare:co o virt? attractina iteltion



Primus

pulmone: tri no fatigat neclaguescit: are ro topinio pdi cta vacua tnulla esse videt: 13 boc no tredo ad piene in B loco foluere e veclarare. Immo redeo ad illud qo ptermi fi: voico qo qui apostema est in pulmone: tuc ifirmus patit cotinue strictură anbelitus validă atqs forte: racutas fe bze a cotinua ppter vicinitate ipfius pulmonis cu cozde: a tuffim violentă: a îpetuofaz: a facies eius est rubea val de: Tipāliter poma maxillan: tanbelitus eius eft frequs velog atgscals valde: 13 cu boc e mediocris iter magni tudine aparuitate: apulfus ipfius est velor a freques: ita go valde subito vna penssio alia sequi videt: sa non en ne-cessitate pulsus our esse repitur in boc apateaguis o e na apatis talis esse oeberet. Sa qapulmo est membra molle: ob boc oa qo pulsus ad mollicie babear oeclinare: a qano est neruoluz etia: z bac ve ca multa talia accritia occultan tur annibilant q apparere veberet qui est ve na aparis q no apparent: The eft ca qre ourities pullus no reperit in B apate que est in carnofitate ipfius pulmonis. S; fi aportema fuerit i pellicula q est circudans ipm: tuc pulíus b; ad puritie ptinere: 13 cft oino abiqu poloze. Et qui febre vi debis acută: r tufiz violentă: r cu tufii aligd no screabit: zoia figna que pscripta funt;in vnú collecta fuerit: p cer to babeas quapostema est in pulmone. Et ia supradictu e opistud apostema no fit expuro flegmate: nece excolera Amplici: 13 gnat ex languie: vel ex languie v cola mixis:v est longinqui et valde qo apa oziat in pulmone ex melia eo op pulmo ea odit zabbominat valde ppter ipfi" groffi tie accetofitate. Et scire vedes qo pulmo non nutrit nisi er sanguie subtili claro rubeo atos lucido. Ergo postquas videris in ifirmo oia suprascripta signa in vnum collecta floma ipm:cofideratis tri coditionibo notis.f.etate:optone:tpe anni: regiõe. Et in fuma vico quoio est minuedus qui fic est. 35 puisto ce 03 in minuedo plus vel minus : p ut melius videbir conenire. So flomia effe os ex bafilica Dextri brachy vel ex faluatella manus q in arabico vicif açiffac.Et fit ftudin tung in cibado en er rebus q no exce dat in fritate fupflue:13 fint ofortatia ouplr.f.cu aromati citate aftipticitate:ficcii rofis aftipitibus myrti bumide. Et subtilia regimé cius vádo ci solá aquá ordei ordinate factă reolată. Et fi fuerit vebilis vintis vel năe no tranfeas vitra panată: a faceti abstinere ab oi spé carnis oino qm fi fic feceris:remouebit apa:z liberabit ifirmus tota liter deo dante. Et ia videre potes manifelte go deus fub limis agliosus ppter B pulmoné creauit cum suba rara: a cánalibus largis a vilatatis: vt supflutates a viscosstates inde valeat facilir ptrassre. Et quipse pulmo vicinus covidi existit. Qo gdé covest méby sic ia scinisti quest pserua tinu vite in oibus corpibus ex fuo spuvitali q in co atidie generat redferuat. Et g feruit buic spui è anbelit. Et coz em victu phi est pricipi rradir oius vittu toti corpiera ab ipso sit esfusio rvelegatio oibe medris. Et gdas sunt g vicut ge cozno è radir e sundametu nisi vitutis vitalis so lu. epar vititis nalis:eo op p ipm totu componitrit rang, mentat reereby filt p scipm solu est preipiu r radix spirir a salis radix spiropecaut vitites sensus r mot?. Sabec opiones no sunt medicie multe villitatis:nec e respective faria oio medico ad fciedii ipaz: co que res vificilis a ob feura valde: a ppter boc fuit bec etêtio a disputatio iá sut mille anni iter quosda. Be id qo neciú est ad sciedu in ar temedicie: a absque cognitiõe cui? no est medic? no iandus è certifsime scire a cognoscere que co est sono a prepiú spiritus vitalis a vite in a ialis? Et quescente motu co dis cestat vita o io. Et que cereba est sindamenta a pricipiú spiritus a ialis. Et si alique ca cereba accideret solutio continuitatis motives a ial in lucru. Et enar simila est o continuitatis motives a ial in lucru. Et enar simila est o continuitatis motives a ial in lucru. Et enar simila est o continuitatis motives a ial in lucru. Et enar simila est o continuitatis motives a ial in lucru. Et enar simila est o continuitatis motives a ial in lucru. Et enar simila est o continuitatis motives a ial in lucru. tinuitatis moziret aial in bzeni. Et epar fimil'r eft ozigo T fons fpue nalistin quo eradix a pacipiunutritionis: zab

是是沒有是是是是是

香行等器等深度量

paleri i us. Bis idepies

ditt

g qiat cefati

DOME

ignop pandit opsicil mini inter inter

CHICAL STATE STATE

曲印

ipfo tanga fonte zozigine b vius oibus mēbzis virigit z velegat. Et fi accideret ei folo cotinuitatis:no viu aial cū vita posser pmanere: quis no ita cito mozirei: sic si in su pzadictis puobus mebzis accideret z eneniret. z că bui? e qz mā vrutis cozdis e spus vitalis. qui adez spus est instr vite in oibo medris: fic victu é. Quare qui vestruit ei operatio cessat vita oio: sicut qui remouet vel cessat lux solis vel lampadis fegtur tenebrofitas robfcuritas fubito z i cotineti. Et boc ide vicimo de cerebro. Sed quis epar fit priceps spus nalis: rab ipso ceteris mebris virigat : ficab alus onobus.f.corde a cerebro fui ppru spiritus virigum tur.tñ ch isto spiritu näli vadit sanguis ad oia mebra nu trieda. Qui quide fanguis idiget puerfione a mutatione: amutat auterat de colore in colore F3 nas vniuscuiusque mébri recipietis: que l's spis grosse substitute existit respectu po dictor. a bec couerso coloris in colore a substitute in sub-Rătia no fit nisi in tpe vetermiato zno subito. Szopatio q fit a ouobo alus picriptis mebris pacipalibo agit ropat er fubtili fuba cozude. Quare fi acciderit alicui istoz fo lutio etimitatis: puatur fubito con operatio e beneficiti abligi moza: ficut claritas vici cessante sole: rétin obscuro cessante splédore lampadis i cotinéti segtur obscuritas e tenebrofitas p fe abiq vilatioe aliqua. Ergo manifestu e expdictis quoia pdicta tria mebra funt pricipalia.f. cere baum:coz. repar:co quon folu bre vident reperiuntur vittté inată tiñ q fe ipfa regut:vez et zifluente bre paro-bant:er qua fit ifluetia oib^o alus mebris corporis, z fine q oin mebra pmanereno poffent:neq vita in corpore. Et quibs ifton eft in fe aperfe pacipale. and eft oria iteripa nifi in tepoze: quis plo aristoteli videat qo solu coz sit pn cipale mebzű. a vna expincipalibo causia ipsio ad boc ofiro mandű e opcoz est pinú mebzű ab generat in cozpoze asa lis a talia astio est philosophica a nalis. Sz medicie nibil coferrevidet. Et ego non itédo bic peclarare nisi ca a me dicie pricipali babeat prinere: que nocumeris corporis poffunt obniare. Et quiá elógat fum bucufcy a ppria intentióe: núc ad pfens ad ipam redire intedo. Et vico q. p pter colligătiă a vicinitate q est pulmonis ad coa febris q fit pp apa pulmonis est pessima valde a acuta a ob B nă conat totopoffe ad expulfione nocumentoz faciendam qua citius pot. Quare eŭo a fit per flebotomiam est neca ria valde in pricipio bui" apatis: t boc secure fieri pot: eo op bec egritudo acuta est a breuis:pp mollicie sube corpo ris pulmonis: t pp caliditatem ipsius qua 153 a vicinitate cordis: t a colligatia ipsius: q busda apatil s'aliqua accidir strictura t coartatio sotis anbelit". Tooc si t vna ouarum caufap:aut ex nimietate putredinis faciet is ftrictura an belitus: ficut sepe cotingit in apatibus epa tisaut er puer sione bumozis in sanie o fit ppter grofftudinë mebziet obedictia bumozis: vtest sepe videri in pleuresi. Sa apostema pulmonis semp sit cu strictura sozti a cum magnitudine sebzis. Et curatio bui leuiter essici a coplete. B ppter raritate membri vlargitate vian. Et qui apostema no resoluit ipossibile est quyna quarum causan eueniat; videlicet folutio cotinuitatio in pulmone. vnde fit febris etbica reofumptina ant exiccatio fubitarialis bumidita tis pulmonis:ex qua fit refectio a proyfis: a in arabico ri citur alcal. Et qui iftis accidit inflatio pedii tune mozs eft vicina. Et fi victu apostema ad sanie venenerit: ti fui eri tu laudabilis apparuerit fanice alba.f. zmediocriter spiffa abseg odore malo: plógabitur egritudo: z siet cronica. Sed fino fuerit albamec fubitatie mediocris: acolor eio ad rubedinem veclinauerit; adbuc longioz efficietur. Et fi ad nigredinė veuenerit: scias p certo p i firmus mozier tur. vėt si post nigrā albā z laudabilė spuerit. no p tanto est ofidendu an ad yltimu moziai. Et scias ap solutio co



regione: riple moztuus fuit in ipfa ex febri acuta. Et iam iuenimus op Balieno precepit dare tyriaca magna in ista egritudine: 2 ofert multu: lac etiă afine receter mictu: ita o icotineti cu exit ab vbere recipiat eum ifirmus nec ab mere ificiat. Et quacafine a carnes cius no est licitu fara cenis comedere:ió pcipimo fumere lac capre : q fit pfecte fanitatis loco eins. Et est nece yt ppines ei ad comededi crura de belo: z medullă de aufeg: z oculos ramoz: z folia ipfoz: Et vua paffa ad comededă laudata e valde in boc casu. A vo quá bibere os sit munda a pura a remota ab os mala a litate. Et ego vico quo és spês carniú sunt male in bac egritudie. Et qui soma cus patietis bác egritudine est vebilis: so es vebes vare vecibo in a titate tali vecus possit vigerere absep vifficultate magna. Et virit et Bali. o cancri fluniales optie abluti ita o eoz bozzibilitas fit ablata z oquaffata vecoquant in aq viu postea colent foz titer exprimedo op illa vecoctio multu valet in boc casu. Etpolto Bali.boc affirmat certiffime crededu est qo fic fit:cu fit talis a tatus in bac arte. S bac no faciut actoes fua oplone fa fui prietate:eo q iter coplonem ipfor a pulmone existit silindo: 192 no sut grosse sube. Thut bar bentes bumiditate in fui optone: a funt mudificatiui bu mozico in fuma funt oferetes in bac egritudine. Et come danit fill Bal. Dare in bac egritudie trocifcos andaracha ron-qii funt innatini valde. Et aliqii fanico ozit in pulmo ne abiqo apate: no iato in arabico varas: q fit qii adunant bumozes in cozpe pulmonis q no possunt vere sanies no marizeo qu sanies va no enist in loco in quo e istatio atqu tumoz. Si fanice q fit abiquapate fit ex bumoziboerina tis in pulmone ab alus medzis q fuifcant ibi. Quare mebbis obiti oebilitat itrh quo potițos a fe expellere; e ppter Boiminutio motogenerat ab anbelitu in loco illo vbi buoz oicto fuerti tuifcatus: cottinet boumozi comifuris fuis 55 pera fanice generat qui tumescit pulmo: z islat ex so lutoc primuitatis: q orta eft i eo er vifpoe alig mala inata ei. Et gnat folo otinuitatis in pulmone fic in alus mebri. Et accitia ppria quecidut ex victi cais est extesso qui tus-sit co qualitringit pectus suppulmone:qui replet aere. Et pole est q bec egritudo in pulmone accidat ex vna cuaz causaru que nue oiximus. Etpot étpulmoni euenire solo otinuitatis no a seipso: sa supfluitatibo malis ibi verina-tis que admodu nue viximus ve apatibo: a pot silr in ipso oziri cozzofio ex bumoze acuto illuc belato z ifufo:q buoz ibi adurit ex caloze accitali; aut ex ira, vel abanguftia a fatigatione fupflua fpius; greab illo cozzodit loco a vice/ rat. Et cura bui' est cura apatis ei' excepto qo bec est gra uioz ad curădu: 19 prcipalir couenit in B calu: e tempare oplones: 1 mitigare mozdicatione cu reb? couenietib? fl. bi:ficcu viscolitate seminu citonion: ecu vecoctioe iniu ban eligritie: ebibat ipsam: est et solo etinuitatie in pul mone ex forti extéfione fcă in ipfo ab impetuofa z valida tuffi; vel a clamore forti, aut a fupfluo onere atop grani vl tra & sua politas erigit a requirit: vel ex casu a loco alto aut ex urtatioe a spulsióe facta cu pectorevalida atos for tivaliti tales enciut pmo sanguine feruete absormarima tussi. Et sanguis ille q encit est lucidus vrube? no grossus s subtilis. Et cu vico ve sanguie feruète; itellige q sit am pulosus v spumosus. Et cura box è pmo siomare i sirmus ex basilica vextri vacche de languine put vrus eius erigit rrequirit: Tubtiliare regime ei multu: rnon exerciter:nec moueat:13 gelcat: zcaneata rifu: za fuper/ flua locutióe: rípăliter ab alta vociferatióe: rcuz videris op tuffis violèter ingetateu: pcipe ei vtoi modo rigenio abstineat ab ipa toto posse: reneat pillulas leuces sub liv gua otinue.quas victurus fum b iferius: veglutiedo eas paulatine: Donec mitiget tuffia; z curado tuffim curabit

200

B

自治

臣员是是是祖母

piz

100

ola j 140

Soji Iomi prior

3000

none

de pa erioxi

troper feaper tendes

instant ms. Bri midde likt? diam'r

Direct Co.

STE

sdp mm

SEE


MEET.

の記事を

12,7200.5

3000

filir că ipfa ă facit ipazegritudine. Oz fi că fuerit tenfio fa cta a fupflua repletioe: cura ei? ppzia e flomia: z fi fueric cafus vel pcufiio inunges locu cu oleo rofaceo tepido. Oz fi tuffis fuerit ex catarro: tuc curadus est pino catarrus fi cut caufa pinitua: zafis bui? egritudinis: z medicie ă co/ ferut in bac egritudie.f.catarro funt medicie ftiptice fub. tiles:qiñ fua fubtilitate ve facili posfunt ad pulmone ve riuare: aftipticitate fua būt ipm apartes fuas oftringere acoadunare atquofostare: ne fupfluitates ad ipm venien tes recipiat: a feruado via bacqua osdinanimo: abfqs ou bio no modicu ifirmo pficies deo dante. Et ia fupra viri mus o flomare vebes bafilică vertri brachy în bac egri-tudine rmibi videt o facta flomia bafilice flomanda fit vna exarterus q eis magis vicinat : r fubtilia regime ei? Dado folu prifana ordei. Tliga coras eiº iftitis vnaquam p fe ligarõe forti: faciedo eu gescere absm labore: z ppina ei oi mane aligd ad bibedu: o babeat ofortare cu ftiptici tate alig:ficut est firupus rosace" cu aqua vulci: así aqua fuerit ex fonte g respiciat vius oziente erit laudabilioz: et extingue in aq illa calibe puriffimu ates mudu tadiu vo. necad minus exag viminnat grtapars ipfi?.fternedo in Domo eiº folia vitis amyrtelle afimiliu: aodozet citonia arofas: rea g babeat cor cofortare a vilatare: ad B vt fan guis vinidat a fpargat ad exteriora corpis: ano phibeas ei fomnûmec exerceas te multú in puocado ipm: fed oi mitte illud näe. Et fi cognoueris o bumoz a capite vistol uat: viferius viftillet ad pect? vad pulmone: vtps fuerit byems: z coplexio eiº bumida z frigida extiterit: túc pre-para ei boc medicamé. B. macis parté vnã. zgariofiloză ptez femis: z piperis nigri parté vecimă: fiat puluis fubti-lifim?: z fparge fup parté anteriozé capitis: qiñ multú co ferti boc cafu: z fpăliter qii pmitiua că buiº egritudis fue riter catarro. Et calefacere pte anterioze capitis tepera te quocuq mo fiat pdest multu i bac egritudie. Si sica bui catarri fuerit ex aere calido: oio abitinedii e ab oib pdictis medicinismes spargere bebes sup caputaliq que fint oplexiois calide a sicce in excessus de sufficist ea que sunt téperate coplexionis cu modica siccitate a aromati, citate:labozado i remonedo tuflis toto posse: cognoscedo ogni totu gequid comedif abibit femel ablepoilatioe veglutif more folitomo peruenit vius illius ad pulmone nifi per via refudatois videlicet co mo quo vider i vafis recentib' rerreis qui iplent aquasqui tuc trapellado a refudado per potos ipiop exteri' ad modii rotis effunditur
atq; manar: a pp bocoadinam' pillulas ad tenedu otinue
fub lingua: ad B vt medicame ipm paulatine veglutiedo
poffit ad pulmone verinare: a vius bap pillulap e e vos
forzatina cu modica flipticitate a ficcitate: ptinena ad all
sua fuiditare risserare. (E confectio pillular conferen qua frigiditate teperatas. [Confectio pillulap coferen tius in bac egritudie. Begüme arabice voragg. viemis ci toniop: vantere añ gria ptê 3.0010 terre figillate aur ye terat vnuqões per ferveribelletur voficiant cu firupo li quiritie v fiant ide pillule ad modu lupini veteneant i ove Die a nocte: Deglutiendo paulatine qo diffoluir excis: thi bat ex bis q fuperius dixim? abstinedo a motib? labotio fis: za vociferatoe forti: za Decubitu in locis Duris: zma rime q no funt affuetizeo o o odiu ifirmus lacet i lecto ou ro: vene varterie copriment: ore fanguis ide enacuatur v spargitur p totum corpus; 2 q2 forma venage tam pulsatio lium con pulsatiliu que sunt in pulmone cotraria existit forme oium aliarum venaru totius corporis: co q vene pulfatiles q funt in pulmone fimiles existunt oibus alus venis no pulfatilibus q funt in toto corpore:in fubtilitate cu fint folumodo vnius tunice. vene non pulfatiles que funt in pulmõe funt ouap tunicap. z ppter Barterie pul monis citius fcindunt alaniaturalys yenis no pulfantis



Deimus

100 zentim. Ille vo tremoz q est în cozde accidit propter multă repletione q est în co: zab ipsa puenit motus ille extrancus z bozzibilis q or altadeg. Et cura bui' est stormia că multa extractioe sanguinis - zpostea prostare coz cu illis que babet ipm ofoztare: ficcu margaritis a ligua boula rauro puro rfilibo. (2Dedicame ad B queniens valde. B. margaritan viete crude: vieis bafilicois gario filati: vicis bozaginis: vligue bouine.añ.auf. y.cozricis civerog: scedes indigariofilo y macl.añ.auf.iiu.pure ambze atos precte ani uterat vnaqos bar medicinarii optime p fe:fed feta pus icidi oz minutim quato plus fieri pot:po ftea teri optime og fil'cu perliser vemu cu alus misceant medicinis: a postmodu puluis oius victar malaret optie cu aq rosacea i parapside q sit psecte vitreata: ad vitimu lamină auri puri aligitulu groffazez frica fup eaz foztiter virgă puri auri pus lamina madefacta cu ad rofacea tandiu ponec vestigiù auri in medicinis appareat manifeste: abluedo victà lamină auri sup medicias că optia ad rosa cea vel că succeptopomo; miscedo victă aură că pdcis medicinis silizaddedo buic recepte podus medictatis ipsi? ve electuario pomo; vulciă, spostea psice cus sirupo sco De lingua bouina bií cocto ofectioe bona: a ppina ifirmo De B medicamie of mane iciuno fto podus aur.v.

des

igno ingli: prifit

dist

ni.Bfr

pipini

100 000

this

STATE OF THE PARTY OF THE PARTY

Ec egritudo euenit in cordertest monis ma gis ipetuolus nälier fit aut ex că extrifeca:ve lut a forti ira:qiñ ab ipfa fit ebullitio valida: raugmetat calor in corde: r bec est pincipalis că ipfius. Et fit etiaz accitaliter a terrore: co

m qui aliquis timet inpflue:no ipargit calor nalis per to tum corpus:13 constringit intus: 2 lagues viminuit: 2 ve bilitatur: reptali offrictione trabit fanguis ad coz fimul cu alus bumozib": ficut appars in reb" extrinsecis.vz.qu sudit in aliq cinitate rumoz terribilis ex quo coiter paue scut boies: gre oes trabunt ad regem tangiad radice ad manutenendu euita v fanguis cu caloze nali v spiritibus a cu alus bumozibus trabitur ad coz: inde fegtur oquaf fatio in core fit chardinca. Et fit fimilir ex follicitudine ni-mia qua aliquis habet ca perducendi aligd ad effectus: 2 b follicitudo oupliciter oinidit:quant vertitur circa vin dictă faciendă: 2B ponitur 2 ptinetur fub ira: vel erit folli citudo causa acgrendi aliqo magnú lucrú: vel causa cose-quédi aligd in quo multú velecter: z tune vilatatur coz z spargitur caloz nális z spusad exterioza:in tantú o vebi litar cozerilla inanitione: riegtur inde chardiaca . Et fit etia a superflua vebilitate virtutis,ita ger quolibet leui motu vel labore chardiaca excitat: qu scitu est certissime a manifeste quois motus excitat caloze:maxime cuz e foz tis t fubitus: t fi patiens eft vebilis quilib; motus g eft in eo est cu maiozi vifficultate z laboze: eo op graue est vebi lem mouere: yn non fit nifi cu vifficultate a labore: quare caloz in co fortis efficit : a fic chardiaca generat. Lura bu/ ins egritudinis é regere en cu cibis apotibus temperate: a odozare aromatica frigida q babet cofoztare membra pncipalia espus:ficut est myrta que cofortat sui na ecom plexione: role: rlandali: rnenufar: r firupus ve fandalis factus că tribus partibus fui ex ağ rofacea: 2 tantă de 3'oe aqua oulci. 2 ppinatus ei ad bibendu fufficit ei: 2 medul la citrulo 2: 2 cucumeris faracenici babet curare băc egri tudinem fui oplone: ofortando fui aromaticitate. Et eft inuenta qualitas in bis ad bac egritudine qualitas in bis ad bac egritas in bis ad bac egritudine qualitas i oino: sed experientia boc certiffime manifestatur. Et generat etitaliqui in corde sanguisadustus; vndestit chardiaca illa victa ex natura ipsius e sui acuitate. Et oritur si militer chardiaca ex mordicatione que fit in ore fromaci: quado in ipio inuenit bumos mosdicatinua pel acutus p

pter vicinitates iplius ad coz. Et bac de causa antiqui no minabat os stomaci coz. Et cu cognoneris in bac egritudi ne melancoliam abundare: conforta cor cus bis que prescripsimus de cofortátibus cor: a margarite maxie boc fa cere nozunt. Et cura illi? q fit ex mozdicatõe ozis stomaci est cuacuare illi bumoze ab eo cu vomitu vel solutiõe. [[Capitulă.III]. Quod est ve aqua que congregatur in

marinpio cordis.

Z generat aliquado in marfupio cozdis bu-miditas aquofa que affimilat vzine: accidit ex boc infirmo ofumptio z oiminutio carnis paulatine: ficut fit in ptbifi. Sed ego nunqua vidi banc egritudinem: nec curaui ipfam: nec

inueni o Balienus De eius cura aliqua fecerit mentione. tame fi aligd og valere in B cafu; valent ca que funt fubti liatina e refolutina e deficcatina cuz aromaticitate: ficut

eft aqua feniculi: 2 boz fimilium.

Capitulu. V. Quod eft ve pelliculis que fiunt in mar

fupio cordia.



marfupio cozdis q funt ad modu cartanga z pellicularu3 adinuice mixte: sed nullus añ nos locut? fuit ve bac cura. Zame si aliq me dicamia possunt valere: er út illa q sunt subti Enerant figdem in quibufdaz additiones in

liatina voiffolutina varomatica cu qda bumiditate. Caplin. VI. Obeft ve ethica cordis.


Ecegrindo otir in corde ex mala optone fic ca que fit in ipior b febris veficcat substâtia lem seu radicalé bumiditaté que est in pozo, fitatibo membro peddefata vt cambiat aps mebri fiat. Et cura buroch fi finerit in preipio ter ficcitate fola cu rebus bumectatinis a olfaciat poma

gromatica: z bibat lac capte medie etatis fic exit ab ybe re. Et prinuet intrare quotidie in tinam aque oulcis tepide plenam vt non fudet. Ged fi cum ficcitate victa calidi tas fuerit: tunc magis confert odozare nenufar: 2 violas es oca poa. Et cu tractabo d etbica: lati? d bac cura logr. Espituluz. VII. Quod e de apostemate q d sit in mar fupio cordis.



Ecegritudo cum accidit in marfupio cordis no fit niffer ca calidated fi medico fuerit ftu diofus a follicitus valde ad banc egritudine remouendas:poterit in breni curari: aboc fit flebotomando eŭ citifime: minuedo de fan-

guine in maxima quantitate. velociter:postea infrigida coplexionem cozdis cofoztando eŭ: 25 fit recipiendo de firupo inyrte:partem vna: 2 de firupo fandalozum partes quatuoz: tempera cu aqua rofacea: toa bibere. Et conti nuo fac eum odozare myrta recentes anenufar. Et fine, gligens fuerit medicus aut tardus in bac cura: moziet in firmus in breui:co qu marfupius est circudans cor: qo est membriitas nobiliffimi aprincipaliffimi ficut fcis. Dec autem que scripfi bucusos de corde sunt fin sententia pre decessoum nostron medicorum. Tuncaut itendimo bi cere a nobia quedas que ab aliquibus non funt scripta de eo. Et Dico op quando infrigidat coz vitra id qo conuente fue coplezioni naturali fequitur ide in cozpoze toto pigritia t tarditas toebilitas in omnibus fuis actionibo tope rationibus. Et fi cu3 boc ficcitas pualuerit plus eo es fus natura exigit a requirit: erit paties follicitus atquadax eno potest aliquid o fibi non placeat fustinere. Et ficus bicta frigiditate:prescripta siccitas in vltimo abundane rit:non folum victa accidentia infirmo patietur:vez etia ei imperueniet egritudo que arabice vicitur vubul: vlati-ne nominatur fintbefis. Et est quando ficcitas pfundata eft tin membris quilla bumiditas radicalis que parata e





Zozitur que în epate apostema. Or si fuerit in suba sue carnositatis: 2 ad samé venenerit: no spero ex i firmus îde în ppetus possit liberari: eo ex epar est membrus proipale 2 fons potetissim": va qu taliter pati i puant ei vitu

tesoés voeftruint viegtur velociter mozs. (E Caplin.III. Quod eft ve opilatione epatis.



manici maica coind coind

Ura buius egritudinis est aperire opilatões ipsius cu occocrione olinarde:panicald a sco lopendrie a similibus: a since feniculi est mar pimi iunamenti in boc casu.

Eap.IIII. Qo est ve voloze epatis.

Lozir aliqui in păniculo epatis extesso sici in alus mebris consucuit eucnire: vă segun vo loz sozissimus qui itolerabilis: rapparet patienti que parsit quod volcat. Etelt sensus buius panniculi acutissimus propter multi-

tudiné paruo p neruo p in iplo côte rto p. Égo autépassius sui bûc volozé reurani me inngêdo locú cú oleo ve vitel· lis ouo p. r nucu egliter mirtis r liberat stu i ipa vie: s fa cr sui ide veterie. Et ve ipa i ser logr vivo côcedête. Teaplin. V. Qvest ve egritudinib splenis.

Lias of splen est meby of by ad se trabere su gsuitates melácolicas: trabédo illas nutri tur ex subtiliozi y pursozi pte ipay. Et generá tur in spso que geritudines sic in alus mebrl fieri osueuerut. Et no est splen ex mebris pa

cipalibus corpis:nec bamultas opationes in corpe eper-cere:nifi qa trabit ad fe fupfluitates grofias: fic renes trabunt subtiles raquosas: rishud meby augmerat r ingros fat multu. Et cura bui? è cura suprascripta in epate. Et sci re vebes qui folen infinere pot fortiores medicias valde ipfo epate. Et no tradas bec oblinioni. f.qn vis vare medi cinas p íplene yt admifceas eis femp ea q babeat aceto fitaté:eo quiftud méby pprie nutrif ilto sapore: a ppter bocattrabit acetositaté a rapit e a violéter: a bac de ca mi fceda funt acetofa medicinis fplenis ve veferat virtutes can citiffume ad ipm: racetus by Dictas medicinas citiffi me ipli ipleni ferre voepoztare. Et ia est noth op qui igrossat iplen intin op no potad se trabere grossities sanguinis atopero feceremanet tuc victa fer cus fanguine a spargit per venas in vninerius cospus zalterat ide oplerio epa-zia z debilitat z er ipia debilitate fequitur vna er ipebus bydropifis vel plures. Et de bydropifi z fuis trib? ipebus inpins breniter ptrafini:nuncant intedo oplere tractatu Lofectio firupi oferetis valde puritiei z magnitudini iplenis. B. camomille a corticis radicis tamarifci: olinare de als.gafec.tbumeni:al.flicados viabade v flaçia: al.ca/ pilli venerl:v fcolopédrie v afarabacbara.añ. 3, i. rubee ti-ctous, 3, 5, radicis ve alçaru. 3, i. conticis radicis feniculi:v corticis:radicus caparis. añ aur. v. masticis aur.iiu.croci anf.i.ligritie mūdate pondus medietatis oius predictage medicinag: coquafient of funt oquafianda p fe: r ifundan turnocte vna in. priin. libzis aque calide: r mane bulliat lento igne vice ad cofumptione medietatis aque: zcolen tur fortiter exprimendo: villi colature adde. viu lib mel lis vispumatira libass y cuccarira bulliät iteru lento igne vonec icipiät spisariratuc adde aceti vini foztisiimi liba y abulliat viggad spissitudine sirupira reponant in vase vitreato: z cu opofuerit; Da De eo patietiab. 3.i. víquad. 11. mane iciuno ftomaco cu ter tato aq pulcis cale: z cu puo pus aur.mellis rofacci: z ciber cibis fubtilibus: z be carni bus dent et pulli parui volubiniva fi vis dare ei gallinas via die dabis valia noverege eu taliter done fuerit libe ratus. Et emplastru istud itex spleni supponar; qui co fert palde. Beradicis tamaricis Tcamomille: T flop nare

cifcie flop de iafemino.añ.partes equales : radicis capar ris quartă parte farine ozdei vel spelte citum est quarta pars omnium medicinaz z icozpozentur cu aceto zaqua equaliter mixtis: apone calin fup fplenem: a liga fuper B emplin folia viridia ficus: 2 comedat ifirmus ante cibus pomitella caparon posto fuerint madefacta in aqua cu fale zacero:qifi funt magni iuuameti in bac egritudine:z teneat vez emplim in nocte: in vie inugat bis cu olco ve lilys trofaceo. Sciedo o aliqui b egritudo certificat per vzinam turbidam quado mingit in atitate magna. Et B ideo qa quado iplen no potest trabere victa superfluitate ad fe:remanet cu fanguie: repellitur inferius per viina. Et aliquado victa superfluitas expellitur a natura ad cu tim exteriores corporis: a fiunt ibi vestigia nigra lata vel colozis violacci: rincontinenti post apparitiones victozii veftigion remouetur purities a groffities fplenis: a B vi dipluries ppaysoculis: ficut multotiens vidi vetericias citrinaz in cute fieri quado colera exterius expellitur ad ipfam: quado iste bumos per secesium emittitur non cu ratur ab omnibus: sed quado in cute apparet: tunc ad me dicos current velociter pre timore.

Caplin.VI.Quodeft ve yetericia citring.



teret acută febre velnore fi patiebat:vide fi post istă expussione remaneat allemat? a febrevel no aut fi erat pus fine febre: fed apparente y cteritia fuit febris: r iteră fi erat că febre ofidera viz victa y cteritia apparuit an feptimă vicz vel post. Or fi în feptima vie euenerit: spe ra bonu ve ifirmo:co q facta est ista expulsio post vigone materiei. De si apparuerit victa yeteritia i pneipio febris: timendu est de istrino ne babeat apostema calidu in epa tervel in snis pelliculis. Et qui sic est des bumozes ad epar de in colera concertint exinde color toti^o corpozis iscis atquintingis ab eadé. Et cu sueris certificat^o qo boc apostema est in epate ofirmatii: factuc oio patietez abstinere ab oi re calida atop oulci : ab olco olinaz zab oi pin guedine a vnctuofitate:qa fi vederis ex iftis aligd interficies infirmu oino. Et fludeas potare eu aqua cucurbite: ciba eu panata oecocta in aqua ipfi cucurbite: no admif cedo ei specie aliqua nisi coziadru vi succu. De si virto fue rit pebilis: pabis ei cucurbitas coctas cu pdicibus: t infri gida eas in puteo velnine. Et fi certo fueris o in epate no fuerit apostema: psidera si oppilatio aliqua fuerit i cana/ li:seu meatu superiozi vel i seriozi cistis fellis vel veruca feu pustula in aliquo ipson generata. On si fuerit tunc co-lera extendic atos spargic y totu corpo cu sanguie: zmem bra sui acuitate namaritudine repudiat ipsam: rexpellur ea ad cutimiq est mebru vebile: vest mebru creatu a veo fublimi ad vefenfione corporis toti": fed expellit in cas a natura ppter meli? Et cu fcineris o no fuerit in epate:fs est in aliquo predictor canalins sellis: regedus est ifirm? sicut virim? addedo e minuedo, put tibi videbis expedir resfaciedo tii curam blanda ator geta vonec victa pustula fuerit vigesta vel visioluta. Et si veruca fuerit ibidem: ipofibile eft goin mozetur gn Diffoluat vi corrodat:cu colera quotidie inde transeat: a fui acuitate babeat ipfam Diffoluererodere Toeficcare. Sed fi yteritia fuerit ex li beratione colere que poter fui multitudine vabundătia spargitur per totu cozpus: que abudantia facta est ex mul ta comestióe reru calidaru ficut mellis a similius. Eune cura eius est leuis:qz non indiget nisi frangere caliditaté corporis totius: t boc cu aq cucurbite: t citruloru tangu riaru: z cu aqua rolata, ppinando ci pdicta ad bibenduna



nis: zpole erit fozfan vt vinat ifirmus: sic in ista vispone. Sicut visuz est ab boib? ve gbusdă aialibus. Et vidi tpe meo boiez a quo stercus p vulnus exibat: q vixt sic ista vispone mala longo tpe: facio facta sua: zacqrebat vii pinebat: quis male ren vifficultate. (Duculge ego ve clarani sub bzenitate acciitia buiº mebzi. Iliic aut intendo peterminare pe accidétibus fromachi.

Tractatus.XV.ve paffionibus fromachi: 2 continet capitula fex.

E Cap. I. Quod est ve etbica stomachi.

70

語音音思音音音

深學是

Nizz

ini ini in

West

drain lecti

bisto füi

posit

norm

W/W perfect

iridfd

pospis detain

áhip

Sidd

glist

colsi

ints C

phr p

Tip

indi

BOS BERT

Ecegritudo quaccidit alicui. poeficcat stomachus paulatine: z subtilia i corpus ei? in tătii: vonecad fubtilitate păni ver ueniat: voebilitat îde fromachus: ita go no potcibii vigerere. Et bac ve caufa pri mo iter egritudines stomachi ve ista vo

lui ptractare: que medicis occulta valde esse phat. Attede gin cura bui egritudis: a caue ne vtavis aliquo mo i boc casu ofortatibo stom cognitis q babe ant stipticitate a siccitate. The forte stomacho ab eis sup Aua recipiat calefactione. Signa que b'egritudis fut bec Labittia vomit": 1 pi fono nulla euci buiditate ex ore: 2 vebilitas vasius appetit? v obilitas maxia vigestine: ita op in stercoze ipstonulla vigestio esferepit: vestabigs ma lo odore: rin tantú pmanet no mutatu quaffimilat cibis comestiomec by paties eructatioes: 7 stalique eructatillo facit vebilifime r fentit nocumētuz a cibis veficcatinis: pulfus voipfius é ourus a paruns : ablig vinerfitate a variatioe. Et cu bec figna in aliq apparmerint: cert'efto geeft macies rethica ftomachire maxime cu vormierit i firmus supinus: si apparuerit ocauitas in loco stomachi túc firmus eé vebes in illa opione oino. Et fi pofueris ma nú tuá opzimédo fup flomachú in illa ocauitate: r ibi gci pies vuricié eé r acuitaté fine voloze patiétis e pilla opf fione: v pcipies pullus fub manu tua v pcufione: tuc cer tiffime rabigs vila vubitatioe bec paffio emacies zetbi ca flomachi: co q preptio sensus pulsus no est nisi ex avteria que est in ozificio stomachi quinime sentiret vilo mo nist coupus stoi magnifice cet extenuatii. Incipe gi enra buius egritudis ab inuctioe stoi ipsi cu oleo amigi dalarů vulciù: toleo grano prividii.i.alçary: finte i. 3.i. olei amigdalarů. auf. y. olei grano praleary: toccima priplo prane vulciu tepide: teibeř cu puliu paruiu vecocti in taffea: tolei cius fitoleŭ amigdala proulciu: properio in taffea: tolei cius fitoleŭ amigdala proulciu: tolei cius fitolei c ebo ptat masticibo bullitis in ferculis suis: a cerotu ad po nendű fup flomachú fit factú er pice nauali mollificata cű olco amigdalarú vulciú: qo fup flóm tenere vs tín per pimidiá bozá parů plus vet minus qui fi oin ibi pmane ret:no modicu infirmo nocumetů baberet inferre. Et remoto emplastro incotineti inugat stomachus oleo amig dalarii vulciii: voleo rofaceo: que ambo fint recétia min? vniº anni: z ppiner ei lac capae ad bibédii: qo fit ta3 recenter mulfus qo nulla ifectione ab aere recepit: cuius quatitas fit ab. 3. i. vfqs ad. iu. z ciba e ii pullis z testiculis gallo z qui testiculi buic infirmo laudabiliozes existir ipsis pul lis: cibet in Die ter. Et studeus preibi eins fint facilis Die gestióis: phibédo ei oia sicca: sine sint calida sine frigida: cognoscedo que calida sut maioris nocumeri: et si fint buir da:co que caliditatis é vissoluere: postos ita é paccis ba ber peliccare: quie bumida fint nă: 2 boc apparet la q ca/ lida:qin quis bumectet: qactu a potetia manifelte:tii p

pter ipfi" actuale caliditate de fuba medzi dabet aliquid disoluere: 2000 debem" in dac egritudine cuitare cu oi sollicitudine que dabet 2 prit disoluere 2 deficcare: imo intétio tua tota ce o 3 in bumectado boc mebrii: r eius vi gestioné ofortado. (Et nota o stomachus é mébru nor bilissimu velut pacipale poter colligatia oris stomachi ad cerebru: rpp multa quatitate neruo z q sunt ibi: rbac De caufa follicite intedere Debes in cofortado ipius 7 ma nutenedo eius vitute:ponedo in oibus fuis medicamini/ bus stiptica: aromatica: asi baberent aliqua amaritudi. nez:ficute amaritudo rofarú no noceret:imo oferret mb tii: tpulle sue testiculi galloz: que comedere vo: vebet e e cocte multi: tpanis eius sit optime fermétatus: paris eius sit optime fermétatus: paris el quafi nibil babens ve fale: tfit ex pfectifimo frumento: qo optime fit mafinatus: t buratatu: z malagatu perfecte că oulci aqua tepida: roleă quo yri veber: fit oleus amigo dalară oulciă: yel oleă fifamină tamê feire vebes go oleo um amigdalarů vulciú est couenietius z magis laudabi le:co qolen fifaminu by mebra pebilitare vtentibus pe eo multu:cu careat omni ftipticitate: 2 b5 fetozes ozis p creare cotinuando illud multus: qui so noceat aliqui re cipiedo ve co bis vel femel i ipía boza qui extrabit. Et no nocet ciabstinere a potu qui comedit. Oleu vero oliuaru fi fueritablutu ter vel quater in bacegritudie ofert etiä. Et aqua ordei conenièter pparata modice exhibitavalet; Jam ergo mibi videt bucula fufficieter veclaraffe q ad cura b'egritudis babet ptinere:volo ti mo addere iftud modicu.f.g op3 te oio enitare ea q funt magne ftipticita/ tis: tamaritudis: quis stomacus inqui est stomacus reg rat stipticitate teperată cu modica amaritudine: tri tă pp egritudine qua ppter natură mebri va euitare oia aceto, fa. Sed vt veferat virtus medicinaru ad villos stomaci. os aliquado et misceas suis medicinis aliqua acetosa. Et citonia assata multú valent in bac egritudine: qui sua bumiditate liti remouet. Tha ftipticitate zaroaticitate bat ventes confortare: viua acetofitate faciunt peruenire vir tutes ad villos stomaci. Et sic copleta est remozatio bui? egritudinis:que occulta est valde pluribo medicis: zpaw cos de co inucnimus tractatiffe.

(Capim. 11. Quod est be apostemate stomaci.

L bec gdez egritudo in sto aliqui euenire pot sicin alus medise euenire osuenire. Es scire vedes quo esqua qo sit in partibo sto i seriori bus est minoris voloris: zeio accatia leuiora valde sunt sigeius qo sit in vaissicio stoscifed

id qo fit i fundo stoacimaiozis est magnitudinis es id qo accidit vel ozitur in ozificio ipsius. Et cura quidem bozu omniu apostematum generalis est. primo ex basilica fle botomare: a frequeter clisterizare: a regime multu subtir liare vtendo narcotici.f.ftipticis frigidis in pacipio multu cum paucis refolutiuis: 2 quato plus perfeueranerit apo-frema tato o iminueda fut narcotica. 2 refolutiua augme tanda. Et narcotica connenietia in bac egritudine funt f cut citonia a pira: a quia ista funt cibue: ideo puenietioza funt oppura medicina. Et que funt narcotica fimul a refor lutina: funt ficut zuccap rofaceu. Et que fut fortis refolu-tionis in bac egritudine funt fic zuccap rofaceu mixtu cu modico flore camomille:qri camomilla ve fui pprierate reperta est ac, phata volozes intrinsecos mirabiliter miti gare. Quare firmiter vico o fi infirmu talir regeris a par cipio apparitiois apostematis seum narcoticis victis vel fimilibo e resolutiuis liberabitur ifirmo absor magno la boze z poloze: si victuz apostema fuerit in fundo stomaci generatu. Sed si oztu fuerit in ozificio eius; puenient in firmo accidentia peffima:ficut cardiaca: q fi perfeuerane rit piu pducet ad fincopi rad ofectuvitti. Sebris quo@



Primus

nec mutatione facit:nisi qui monet: 7 p maiozi parte bec egritudo scurabilis è pp grossicié buozis 7 ipsi? malicià: 7 bac de causa resolui no pot . So si bec egritudo ex lenib? fuerit: rinedic? fuerit studiosus poterit paulatine e a diffoluere: bumectado dubellati situs 7 e p: qui reo grosso possibile è dissoluere nisi pus bumectet: 7 cu bumectata fuerit leui? dissoluere nisi pus bumectet: 7 cu bumectata fuerit leui? dissoluere e ascauterare ipsas diu donec fuerit liberat? Si aut apa dictu ad aptione 7 cruptione deuene rittuc cura ei? erit iposis pp malicià buozis 9 exit ab ea: 7 pp nobilitate ipsi? mebri que e immese necessitatis 7 ma gne opatiosis in corpe. Et prit enà ex bac egritudie alie infirmitates in corpe sierit boc est qua poso epatis ab ipsa alterat boc mo: 93 cib? in sto patietis no bene digerit: 7 si in ipsi no digerit ipose e qui aliga bogranti frumetti stegrus no decocti nec visulati vel atritu deglutierit: 9 stomachus no pot ipsi digerere: 2 si stomachus no pot toc sa cere. ergo quo e par facere poterit: Et sic de alus cibis: 92 quado stomachus no pot tos digerere: nec epar. Et boc alias latius declarabo deconcedente.

50 1

医是登马马登里里哥哥哥哥哥哥哥哥哥哥哥哥哥

ner pér

in point in boar consists

coids

data data man


nata maka

Lap. V. Odelt ve bůozib° vinersis ibibit i flatico sto.

Lin sto gde aliqu ibibit fla mixtů ců cola i tunicis stoi; zin ipit° grossicie; qre sequit istre mo bac ve cá vebilitas vint vigónis; z conatur vomere; z nó encit res ve qb° sit curădů; z b5 cructationes. Oz si eructatio illa fuerit vomere; ve que si propositica se secto op cum illo flate mixta est melia; positica se secto op cum illo flate mixta est melia; positica se secto op cum illo flate mixta est melia; positica se secto op cum illo se secto op c

acetofa: fcias p certo o cum illo flate mirra est melia: p pina gifirmo oi mane ad bibendu De fyrupo ignçabin: 2 De syrupo feniculi ana cu tato aque Decoctiois masticis calide a sufficiet. Si aut Dicta eructatio sucrit fumosa p pter comestione reru sicearu z vissolutinaru: z abstinentia reră bumectatiuarii. scias p certo o colera est îbibi-ta în îpso sto. Et signă buius certisiimă est motus iferioris laby. Etcu boc cognoueris: icipias enacuare coleram cu scamonea z aq lactis coagulati cu semie cartami: vel cu mirabolanis citrinis. Et quis Balloe boc non fecerit mentione.f.g babeant virtute coagulandi lac. experien tia tri nos pocuit: landanit q optimi fut ad coaguladus ipfus. Et fi ista cola no fuerit et illis q pcedunt ab epate: f5 fuerit et spéb colere eruginose vel passine: accident tia tuc erut fortiora z ipetuoliora: gre no fufficiet purga re folu cu fcamonea a lacte victo:imo oz pr mifceas cum pdictis de lapide laçuli:aut ifufiione lapidis laçuli in la cre. Postea vabis ei ad purgadu ea que vucut bumozes grostus:sicut est scamonea cus arta parte ipst? ex bdellio cu aq cucurbite:vel cu aq lactis. Et qe ifte bumor ad fice citare peclinat:ideo no pebes ei pare aliqua medicina:ni fi fit mixta cu re bumida:ficut ağ cucurbite vel ağ lactis Et aloes etia cu fcamonea mixta cu re bumida coferrin boc cafu. Si aut eructatio fuerit acetola: 1 cu boc paties babuerie tremozé laby vt víctů est. scias, p certo o bu enoz ibibitus in ipso sto pmo fuit colericus:postca fuit ibi adultus: 2 ouerfus est ad melancolia. Purgabis gipium quendmodu iferi" peclarabo. Si void o infusus elt a po fundatu in corpe fioi fuerit fla: vabis el pad bibédu fyo rupă fancibin factu ex melle. Oz fi fuerit inuenis: fuffici et tuc ei pare fyrupu fgnçibin fimplice cu fyrupo fenicu. li.viy.vieb vi.c. Regime gde ei sit panis ba fermétat cupullis vi turturib apasserib fact i tassea. Et si colerica fuerit ma vecoquant pdicta cus aceto. sia aut purgabis cu seie vrtice a cartami beloio coppoponaco a sera pino ana partes egles:pulpe collogntide minutis incife: z ifuse i lacte amigdalaru táto opsit vecia po. Misceant oia pdicta cu sprupo sancibi facto ex succaro: 2 va infire mo ad bibédu 63 yturé patiét a attuozaureio i. y. Si aut

fuerit estas: patiés innenis: o la pdicta misceant cu olco amigdalaru vulciu: que é bonn 3. O la certificat fuerl qu buos sit melicus: risto scies ex motu labu: rer motu stoi ad vomedu: r q que stoch e l'é vacuus eueniut e i yma ginatiões terribiles viõnia varia: v p maiori parte fonia ei füt va bec füt ppa figna b' egritudinis. Jgit posta b bumor est melicus no sufficit ad incidedu illu cu syrupo fgnçibin folo:imo oz vt addas amigdalas amaras: cfyru pu de cetaurea: t fyrupu feniculi: cui dabis oi mane ad bi bendű cű ağ tepida vícz ad gndeciz vies. Et postea pur gabis cu ellebozo nigro: quillud ppus e i attrabédo bunç buoze i bac egritudie. sed prectificabis e u B mo.s. pones eñ p p nocté vnă î oleo amigdalarii recetiu: v vecoctione polipody recetis: vad remonedu angultia ellebou nigri addes aligd ve fricados: a cu B et adiunat ad euarioez vi cti buozis: 2 pone fili modicii o lapide laçuli: aut ve aqua in qua fuit abluttis lapis laçuli. Oz fi estas fuerit vabis so luz infusione barú medicinarus. (Aliud medicame ad boc. B. polipody recentis: flozu nenufaris ana. 3. i. ellebo rinigri.epitimi ana aur.v.violarum aliquiritie ana aur. r. 1. 3. Laque ifufionis ex lapide lazuli optime trito: q fut ağılanda ağılent zifundant p nocte vna in ağ fernetiz colent foztiter expinedo zi oiba, x.3.bacolature ponat 3. d.colature oce ifuliois lapidis lazuli z.3.u. firupi ligririe 7.3.i.firupi masticini.Et ppia ad bibedú cú ouobo granis ozdei scamoce no mlin trite. Et fac custodiri ifirmu i bac purgatõe sić fit in alus laratinis. Et qz b büoz cü vissicul tate no modica monet z cradicat ex loco suozió oz ve iteres bac medicina pluries at pluries ponedo spacifi iter vtras que tot viebo que se la secrite y ipsa medicia. (De dicame aliud. B. lapidis lazuli:polipody:epitimi:violaz. añ aur i ellebou nigri ifufi p nocte vna in olco amig oul ciū:z folia collogntide afi. artā ptē aur. vni?: fcamõce põdo ouoz granoz ozdei. Zerař vnaag baz p ferpter folia collogntide: a icidi obet cu fozficib?miutim: addedo pdi. ctis medicis explinere oragagăti ad pod?ipfap: ztătude examigdal oulcib mudatis abn tritis amisceat cu firm po malticio cui vabis ex ipo medicamie aur.iiu. fcă abîti netia a frus: z pparatoe veă cu. 3. i. o cimell'fimplicis: z tri bus 3. ağ cale: regedo eu put menit î la patiuis. Et e pole grille ide buoz g e îbibit în îto fit et î îpa peauitate ipî ?: tii qo purgat vnii purgat v reliquii. Si vo oicti büozesva ry fuerit voiuerfi i spebo v opsonibo oifficulter cogscunt v medicant, vbi gra ponat qo f la ibibitu sit in vill stoi. v i peanitate ipfi? fit colera vl'inclia zifta gde colera q erit i ocauitate:gñata erit er cibis calidis a ficcis: aut berinata erit ibideza kisti fell. z si fuerit melia erit a splene. Signa aŭt qñ colera ĉ in ecanitate t fla ibibitu in luba ipli? Noi funt bec.f.p flomac? etinuemouet ad vomitus: t qñ vomit.rencit coleras. Téables motu labio pat tremoze es es fla ibibit i remouet acuitat é colere. Si et no é loginqua gn fiti patiat validă atm fortexe o colera illă mouet fui nă: t fia p e ibibită în villis fioi obibet (enfibilitate a c aliop potui g bibunt roia q in fio irrant miscent cole ra ipia zincorporant zpp acuitate ipii colere zmordica tione q femp mordicat atq; pungit pullus efficit paruns ates our remi bec apparuerit accritia:fac eu vomere cus aq mellis mirta cu fucco raphani:qrii li faciut vomere co leră. z educunt et aligd ex flate ibibito in flo. Et ppina ei ve strupis pdictis Beve strupo veo qui fla e ibibitu i suba villis stoi: apurga e u cu la patinis supradictis: nec vimi. nnedo aligd nec vecidedo. De melacolia ar q e i cocquita te stói inferius octerminabo. Si vo fuerit ecotrario. Lo cola o oriusta e ab epate ad stó; aut ab ipo stó ginata erit in suba ipsius ibibita. flegma aut reptu in sui cocanitate. Qo gde flegma ibi viscursus fuerit a cerebro: que in ipio



Damus

poma aromatica: vabră vinuică: viilia fotpe i q fuerit, Cofiderado et optone voluctudine patieris: vicedo ei ea q babeat ipius letificare vofoztare: voare ei ipes firmas velocis a cite liberatiois: a fac ei recitare ea q faciut vilatare coz: trifuz foztiter puocare: ita vt mebza moneant fil cui aia: tcaloz nalis tips vilatent ad exterioza tali mo vi vincat a Dominent fup mebra. Et cu vico aia itelligo fom aiale:qm aia no fcit ab aliq nift a oco gloziofo q eas fecit a creanit a me a abillio q fapictiozes füt me ignorrat gd ipfa fit mifi qa fcit ipfa a ee er effectib" a vitutibus ipfi. Et fit que fingult'a vapozibus fubitrătib' in villis ftoi:ita co qui bo supflue comedit pbit stoac zcoadunat verius illa parté vbi vapor existit: vide segt singult? Sz qui obit vecadunat tot? stomac? no sit singult?: sz pueit ide vomit? Lura aut bui? singult? e euacuare stom: v por fica affuescere 03 resolutius a calefacientibo teperate in emplastris a electuarys: sicut sut cortices citri a mastica bop filia. (Etpofti fufficieter bucufg de egritudibo flomachi petermiani:nuc ad egritudines pectozis itedo redire:eas ptraseido sufficieter cu adiutorio altissimi. Eractat? XVI. De egritsidinibus pectozis e diafrago

matis continens capitula feptem.

Cap.I. Do eft ve apate pectoris rouatioe anbelitus.

新華的主義等等等所容易等等等等等的

gipcit

erfets scides

period distribution distrib

nifici Oddi

nirini initial mina

facti facti facti randi

resistant printing

interest action of the second second

rcaro ciº é oura roefa. Et qui fic é: lo i eo fit apa er buoze groffo valde: t fit etia i pectoze vifficultas z puatio moto ipfio .f.qn i nucha ozit egritudo: vl'in neruo g pcedit a nucha ad pect'a q fit motus ei. Etcu hoc et qu fit egritudo b rema


nethő viu obnec studea i cura ipsi opetéter. Et hácett rá méosat suiq betermiant de egritudinib nernoz: z núc scó b ở ipa volo ôtermiare. Incipias g iungere i posteriozi pte capit. si nueba cú puro balfamo. Et si nő iungini nit iunge cú oleo ve carpobalfamo. vi cú aliga dio qò ba beat fuba; fubtile z calefactină: fic e oleu o granis alçary cú olo rosato: qui ptes sint eqles cú aureovno optie abre vissolnte i ipsis. Et si i beres abza:pone o laudano purissi mo varomatico. m abza logemelioz existit. visto e meli? ofiliú a q icipe vebem?.f.inúgere nuchá icipiédo a puppi capitl vescédédo vsa sferi?ad cigulú:qris si curauer! fóté vitutis motine curabit egritudo oino. Et aliqui accidit vt

fura a causis extrisceis. Et qui b accidit absorber que scissiura păniculi e vulno sic sut cetera vul nera. Et ego memorabor de ipsis qui de vul neribo ptractabo, si autodicio pâniculus sue processiure per se superible per catalogue se s rit sciffus:tücpaties no poterit anbelare tadiu vonec illa scissura pmanebit absociantione. St si a medico clausa fuerit: vel ab ipso ifirmo: aut ab aliq alio: tunc subito sibi fuerit: vel ab iplo ifirmo: aut ab aliq alio: tunc subito sibit tussis cueniet: redsbit ei anbelit? qua oiu vuln? prasserit clausus: rpose forsan erit vt liberes: rtotu B ptinet ad caplin de vulnerib?: rego tractabo de bis qui tractaucro de vulnerib?. ([Lap.III.Qdo ed scabusa.i.d pteurest.]

Louit sigde i pectore apa i pre iteriori ipsi? sub paniculo itriseco: qdo arabice de scause. Purib paniculo itriseco: qdo arabice de scause. I plurib? Et cura b? es som are issimilar popular presentation de subito de subito de subito de subito de subito subito de subito subit

lica brachy oppolitiquis quis dus da nouis medicis nri tris videa e pit minuedus exeade pre egritudinis: inducedo sup B voa logicalia e sophystica: qo mibi nullaten v ree ornabile: neg vez: imo credo certifiune,

9 facere illo oino è more ifirmi: tac ifirmi abliere ab oi ipe carnis: ta pane frumeti. To oibo alue rebo o senta-re carnes: teibo eio fint pultes furfurii apultes fic vebet pparari.recipiat furfur aponat i aq oulci: atadin ibi oi mittat ponec aq mutet coloze multu: zpostea colet foz-titer expmedo: zpecoquat ponec siat pultes subtiles val de a ppina ifirmo put tibi videbit expedire : qiñ in pnº eiº egritudis fufficit fatis ifte cibº: a imige locu patietis i pnº cii olo rofaceo: poft ; "bie imigat cii olo ancio a olo pot estito a olo pot estito pnº cii olo rofaceo: poft ; "bie imigat cii olo ancio a oli profaceo qui ptes fint eqles. Et fi videris p tuffis no affu erit:13 recefferit. 2 poloz fill fi remafit i loco: 2 febris gene rit:vel fca fuerit léta;té muta ifirmű ad comedédű chift ordei vecoctű fimpli cű ad vici. B ad min? 4. vieb?. Et postea muta ipm ad comededu mică păis vecoctă î ag: z B ad minº vsa ad octo vies: zpostea cibet păe bii serme tato madesco i iure scicle: z cuius dă berbe a vi arabice ar mol: t sit atriplices: t è nece vt oino absticat a pullo via ad quagesimu vie a procepitudis. t isto è ositiu oucnies atas psectissimu. Et ab ide i antea ciber pullo. t paulatine Doec pduces eu ad fua optone nale. So fi no fueris ad in firmű nifi post gitatős sanici i ipso apate:opare queadmo dű viri i sanic pulmőis:cogscedo opmollities scu lenitas zalbedo sanici é signű laudabile i pleurest; viriditas át z q̃ ad nigredinė pting cū vinerfitate ptiū ipfi°fputi v fanici eft fignu malū v illaudabile. Et fi post reiectõez fanici san guine pos emiferit: scias o té ifirmº i becui moziet. Et qz bas cas sufficieter ötermiaui i egritudibº plinóis: ió ipas b ponere ptermitto attede tri o si i aliq viez creticoz sa nie spuerit alba z o incta sici i vie qrto (qui sistudi i miozi pte fiat) est laudabile signi va fozitudine vitutis b s signi ficarent si successi sont o propriesa de signi ficare:velfi fuerit i gnto:vl'i feptio:feu nono: aut vndeci/ mo:vl'i grtodecio:aut ocimoseptio vl'vicesimo:i oibo istl è signii bonii. 7 gnto in miozi spacio tpie oca sanies lauda bil'i colore a fuba i viebo creticis appuerit: tâto egritudo erit vieuioz a falubzis: a geto tps fuerit, plinio tato ple fir gnificat fup vebilitate vituli cogicedo tri quanti fanies laudabil apparuerit i viebo creticis no e fupflua divilitas vtutis imo ip iperare obes o falute ifirmi. S s fi ocă fani-es fiat illaudabil i colore z inba: aut fuerit oinerioz colo ru Tiube:no folu fignificat fup obilitate vtutl ifirmi: vez et sup malitia buozis va percat sue ozit upfa sanies: scie do certissime or the vetas adimat i logitudine v brenita te egritudis: videls or fi tos fuerit tpatu: vi cals: erit vigo bzenioz.i.velocioz. Et fi tpo fuerit fridu cu ficcitate plon gabit vigo. z fic i estate abbzeniabit egritudo:i bieme at plogat. Et fi fuerit paties inneis. filt vigo erit velocio: z fi fuerit senex: fiet tardioz. Et fi ocrepit ipole e o babeat vigone pfectă. z în puericia filt fit tardioz e în inneture. Sciedo certifime o osto ifirmo fuerit foztiozis nae:tato magis ciº vigo accelera recotrario. Et visis ates cogni-tis signis laudabilibº suprascriptis. sit túc regime patien-tis cu pultibº pdictis. Excepto en no subtilica regime i vl-tia subtiliatõe. Et va ei ad bibédú bác ococtos. Balchar fcaina ze panichald.i.ípes yringoz:z focha-zcarnomille, z ligritie zalgeffeth.i. eupatozy. zcapilli yeneris. ana.p. tes eqles: roccoque viquad olimptioes medietatis ptis aq: vt vtus car optime extrabat: roa ci ad bibédum bac Decoctoes cu firupo (cariole: zin oi potu luo fac vt fit lig-ritia. Sciedo o lacamigdalaz i B cafu multú oferteo o facit leuiter spuere. adimuat ad vigeredu religas egritu dis: remouet mordicardes. a puocat fonus. Er et poltos facta fuerie mudificatio vulneris apostematis:non noces istud regime exercere: quis febris recesserie: a tusse; a volor sit no assucrit no ocipiari que to mo exerceas regime: sicut vixi: qui veraciter credo que saccidens no pot pfecte remoueri i mioni fpacio quel Diebo. Et p tatonon



Brimus

Destruatiplus. Et si posteris ordeu i ağ frigida: velociter attrabit ad se aqua: a aptunt portipsus: aqu sic ponit ad igne ia apti sut portipsus: a constant signis facit i vus aptiocs: sta qualla opilatio remanet i co. Si autor deu fractu fuerit sile è mortuor pel firmo: 2 q2 affilia infirmo: 3 pp ptes ei cui fuerit fracturnon vilatant inc at trabit i le aqua sua vitterqua ve bidict pflitti fibi 2 vo nauit: p si viperim ipsus e mortuu : tucab ipso penitus nulla fit attractio. O gibro incita sal co ordeo sie cis: q2 A occoquat cu cortice e maioris abiterfióis: gmibi y que fic obeat fieri a que considere pebes orden i tegra emilo dus aboi mixtura o us alian ren: pone en i a que o ulci frigida: ita que i vno que podere ipfio ordei fint ou o podera a q: e fic pmaneat in molio p vna vi p ouas bozas: a postea po ne ad igné z bulliat tádiu vonec ağ fiat rubea:z vepofitű ab igne colet :z postea ponat ista colatura in puteo vonec ifrigidet ifrigidatióe yltia:z sic cá vabis ad bibédű. z rege ifirmű isto regimie: vel sili plurib vieb :z postea mű ta ifirmű ad bibédű pultes ozdei pparatos cii ağ vulci v műda: abiqs eo qo fentiat aliqd ve calozeignis. Et poftáj oia accritia fuerit ablata: z fecurus fueris oino ve egritudine; Da cipanlatine ad comeded upane bu fermetatus: nec ofenties ei comedere oua galliage Decocta i taffea cu pane fermétato. Nec facias en redire ad regime fini nã le: Donec trăfeăt, el. Dies a pin egritudis. Deide gradatiz e paulatine reduces eu ad ofnetudine năle. De fi ocin apa ta ad fanie ocueneritico qua pno no fuifti ad ifirmii: vl'qt buoz pp fin inbeilitate de lem recipit paffione: vi'qz vins fuerit fortistita op cito potherit fanie ghareaut pp vicini naté vuon fontili caliditatis. Leozdis repatis: qui gliber istan can est cavelocis giiatiois fanici in apate: sicur acci dit mibicu esses innenis qui passus sui labore maximus a ppings: rabillis q erat vecognative bali pp qodă ver bū victū a pře meo cū ež; inuenis; g voluit vlciíci ve me modis gbus potuit: zob B fuftinui labozě záguftiá mari má veco që në vlucueră agere vel pati: qz neče fuit mibi are pedes ginis illud nungi planific; z cū pofui me ad vecubitu peepi voloze i păniculo pdicto: v tuctufiis v voloz iceperut inalescere valde: zinneni pulsus meŭ valde du vu: restribare patiebar acută zegritudine. Quare missin gran nocte p flomatoze: reci ezidi de sanguie circa quatita se libre vnius: zpmass sic. Cu febre valida: z tust forti: z dolore per tota nocte. Dane vo de necitate opozurit me ire: regtare că ăgultia: reogitatiõe: rmagno tiore roolo re. Et că pueni ad locă vbi crat vict^obaliser volore r fati gatioe: Tvigilus q paffus fuera: pormiui: Titlo fono pit foluta fuit ligatura flómic:2 ide fanguis mlír emananit. Et cú excitat? fui a fóno:remāfi cú maxia vebilitate vui: tis: riueni locu vbi iacebă repletu fanguine totu: 2 pofie to vigito sup flomiă: vocaui e fectine ligari: e pmăsi tali p totă illă vie.s.cu illis accătib e sa no fuere augmentata. Sequeti vo vie cieci fanie cu sputo querat boni coloris t subert venni andini noma qualtiplicanerunt supme tri ftitias 200lozes: Tide amifi fenfus Titellectii: ita qonibil potui postea itelligere: z peurare supnegocus meis z re-mās sie op no potui meipius regere: zno comedebă aligd-mis q; ppinabăs mibi de ağ pdicta: co op anteği egritudo inaluiste: peeperă ministris vt mibi semp de illa ağ dare debere: z ego multă de ipsa bibebă pp magnă siti z quaz-babebă. Et trăsactis dieb? septe sept sentire z cognosce-re: z imaginabar q; mi mea sutebat mibi i bac egritudie de de september de sep ocuni recordato fui querat mortuara fic de oibo alha cepi ouccreadmemozia; and vitimu affuigd factu fuerat o pře meora mibi victuí fuit qu inerat vltra mare: zide cre-nit mibi agustia atqu voloz: z viius fuit mibi qu ees pfoza-tus i pectore: z supnenit mibi volozmax im? i capite ex il-

th

Mi

distr

nición Pades

nitai enaif

CORNE TO TH

rfati


草切

馬祖為於日本教育等等於於日本學者

lo tiorestimui ne meoccideret: riupplicani aftătib" pr me occultaretzita qui o iciret ve me aligd nifi esse viu". Et longo tpe post istă magnă afflictione remote fuerunt iste prurbatioes a me. S5 illud qo passus fui fuit apa qo gnatu fuerat in paniculo vinidere pecto z pulmone i vuo media rexillo apate ascederut vapozes acuti ad cerebu gre tu pp varias cogitatioes a frequetes qs babeba exp dictis:tu pp victos vapores acutos amalignos:q fereba tur circa cereban ortu finit mibi i vno paniculo e cereba apa calidu: t ex oib iftis n remafit qu facere oia necia p dictis egritudib?: 2 Demű icepi expuere fanic: 2 nó foluş ex apate pectosis: vep ét exilla q Descédebat a capite ad pect?: 2 postea cognoui causas meop accidétiú: 2 redy in sensus meu precte: 2 Desectat? fui in illis Dieb? cus fercul. pdictis acibis: acu ex toto fin allemata fanie: icepi affu escere aquazoadei: postea redy ad pultes furfuris: a sic paulatine puerfus fuiad mea ofuetudine nale. Et o bic icripfi ve illa mea egritudie: feci folumo ve fit exepli in oibo alus filibo. C Etia victu e fupio e in boc apate properat fanico velociter: ecu cognoueris que puerfus fit ad fanicifac de regimie que admodú dictú est fupius. Et da ei ad bibendu of die decoctione pringon aliquiritie: qui ptes fint eqles. It illa decoctio filr ofert. B. flariola ps in decima uni ptis de precos recipiat: a fiat decoctiona p piner cu frupo icariole: vel pringoz: fin o tibi videbit zuenire. Et bico o in egritudie mea no recordabaraligd ep effem factur? nec mecu babui alique g feiret mibi ofu lere:necine regere: s in pricipio vocueras ipfos aliter me regere veberet. Sa a volutate viusa, pecsiti illud qo non iredebă în me agere.f. De cuacuatoe multa fangnio: 2 illa fuit că mee liberatois:eo p eră innenie:atos fortis. (Cap. VII. Qo est de passionibus diafragmatis.

Omplete fut cu aduttono di rememoratões de egritudibo accentibus que fiut in pectorera

nic îtedo în B loco rememozator și facere ve pafficilo viafragmatis qo coztina vi. Scire itaqu veles poi a q viriaccidere ve egritudi nib vaccătib î pafficilo pectozis accidere ve tenrie film pătrati B.f.mebzo. Lii acciitată îi ni filo emergit fiit grav uioza apiculofioza acciinbo q fiut in pleurefi a i apate la teris. Et b'accitta füt febris roolor pungitiu? a tuffis. Et polor in ilta paffice extedit ad lat? tartboa q füt offa per ctoris fil sincta:quop loc'e fupra offa q ofir carfuf: t funt offa pectoris q no fut adinice sincta. Et ello cert' q apa ona pectorio que in el mebro: loge sut grauiora a piculosica a pa tib a fiunt in alus mébris a ptib pectoris: eo quin Bapa te sit atinuo pturbatio métis, ac si ect i paniculo cerebri. Et cura but' est cura pdicta.s.cu flomia: a mollificatoeve tris: cu lavatino picripto: toa ei fyrupu o panicald.f. yri gon zoia ilta fiat cu regimie iam victo: t fi placuerit veo gliofo o refoluat apa victu abioseo o viueniat ad fanie: erit firmo pfecto maximo rinuamen. De si duenerit pdi cui apa ad sanie qui in alus. Et cancas tibi ne segrie obes que admodi docui in alus. Et cancas tibi ne segrie appetiu patietis in cibis suis rensolair et ne ministri casta di patietis in cibis suis rensolair et ne ministri casta di patietis in cibis suis rensolair et ne ministri casta di prodictio di companierio casta de casta casta de casta casta de casta tes moneat euryel pmittat facere iconenietia: qm modie cus errozi ista egrirudie ce pot ca magni nocumeti z egri tudinis Etpofic cognoueris qui fit liberatus: reduce und fuu regime ofuctu cibi e pot paulatiue no largiedo ei furbito. (Et nota quin quocuque mebro neruolo fuerit apar pullus in iplo erit ferin eri no apate orto i aliquo mebro. pectoris:vel i fuis păniculis:r în Diafragmate: crit anbeli tus paru? z freques oio: maxime in apate pulmonis. Et bucufg iá locutus fu fufficieter de médias fupiondo nuc aut incipe intédo tractare de médias inferioribus. Explicit liber priunus.



leni fpargitur pmebra: ze absterfina: qz iposiibileegn fur perfluitates viscole adbereat itestinis. Et b facies qui sci ueris o pea egritudo fuerit a debilitate a cozzuptióe virtutis iteltinop facta ab buoze illic existete gnecesse est ti bi feire reognofeere vn peedat begritudo.f. an a bebili tate vittis nälis folumõan ex fupflua bunniditate: vlep fupflua abiidăția biio pillic ogregatop: ex qboiteftia, pbi bent recipe viutes: vel fi pcedar ab ambabus fil. Et B co gnoscere pfecte est valde oifficile. Et iă scripfi tibi supius cură gnale în bacpafilone. ve q pur mibi videt poteris fa tis ce ptetus: agedo fm q victu elt ad fine vebitu pote ris puenire. Et recordor cu effes innenis o b egritudo ac cidit cuidă ruftico: q post mitu labore în tpe calo biberat aquă fram în magna ostitate: qre ocuenit ad b o no pote rat feces encere ab itestinis: e bebat ide voloze ta forte op vir poterat fustinere: qre laborani circa cură illi baben do ofiliti femp a medicis mei tpis:a qbo no audiui aliq ni fi vana: qre ini ad prem meŭ vios ad villa vbi mozabat: z feci eŭ qlitate feire buro egritudinis: z bubitatione meas circa iplas:rogas ipm vt me rectificaret in victa cura:qui mibi poluit libru ynu in manib?: rondit mibi vba Bala iá fugius fuz memozatus: vices mibi: recede a me. z vade via tua: eno logris mibi ampli oe B negocio. Et ego supplicami ci vi mibi aperte vicere vellet cura ista: cipse tuc aperuit liby: rondit mibi cartă vices: pspice b: qin si iue/ neris b cura:bñ gdê. Sin aut fulpicoz q nuig fcies medi cină: z caue ne ampliº in ea studeas: z tandez reuersus fui ab itineremeo: t legi î libro illo tădiu done cognoui illo qo înpadiți: t laboraui în cura illius done c fuit librat. Et poît aliqo t pe redut pr me? ad me: t qui in en de cura illi? rufici: t c û andiuit e ă quă feceră: ganifus fuit: t ve bemeter alleuiat? fuit ide ab illa ira qua collegerat super me. Et l'egritudo qua ia vixi fit raro.

節智斯

獎品官是再於副母母是否因別

môn

fixis

opisi

WE!

pderi

nd tide

Lbacq

pricht.

ाष्ट्र दक्षि

Himt

of acc

rolder

switz

phitte

sains

(E Caplin.III. Quod eft ve vetofitate iteftinop.

Lapin. III. Linoa est de vetoritate stetimo p.

Linintestinis qua retiner vetositas resolu ta ab būozib subtilib rigdis velut ag; pul sus isto p sit toztuosius; vna peussio alteri intricar ppter itricatione reinosucione q fit in tricas p pter itricatione reinosucione q si inclinis; vbac de că retinent seces q no sue niut viă vii eveat. Lura bui e iunctio supradicta că oleo nucă; regignedic q arabice or alga anatis an. Et scias q i retirione sectifue si are regionistate super si proprietate super si per si presidente super si presidente su per per si presidente super super si presidente super super si presidente super super

tate virtutis expulfiue: quando excunt: semper sunt liqui de rabsquancer sanie.

Lap. IIII. Obé de retétione fecu estines feces o lo pp grossité expurities sur subcint sin pefficiunt afit lapides. Et le gritudo qua accidit: non fit subtito; e qui fit; no é nist expusion y su grosse.

rep flipticap, fic e vius freques femina myr feces no fubito exiccant f3 paulatine. Et cura bui? reten tois fecis é vare ifirmo ad bibédu syrupu ve cétaurea cu Decoctioe violaniant sprupu violaceu cu decoctoe cetau ree: celisterica patiete postos fueris certo o dolocest i ste stinis i ferioribo ca alicuio occasionu pdictaru.

(Laplin. V. Quod est de exconiatione i testinon.

Ecouant aliquitestina autab buozibo acmitis mordicătibus ipsa auter veneno ebibito acuto. Et cura bop é ea a brit cosolidare elimine si sunt pites facte ex farina risop e ami

dicqui ilta but mitigare mozdicatione z ofor lidare: reffcus iltoz funt laudabiles. Et fi cliftericabis cu nlig iftop erit maximi innameti. Et ofertet valde clifteri catio cui lacte capre: vel camelan toleo ro. tid qo bo cam remouere: trectificare polone tifridare e syrupus ro. cu

rosis siccis: taq ro.cu se.psilu assati: titegri si că no fuerte ex veneno. De si fuerit: nlla res posset ee nocibilioz: 13 ma gis moztifera sic ista. De si a pn: bo passionis sciueris eă ce er veneno certiflime: túc pare pebes ifirmo exoptio fina raldo podus. vi.granoz ozdei optie trito: visteperato cus aq ad vibedu: videbis in ope bui?: vi effcu re mirabiles accidere: veuenire illi g sumpserit ips: qifi incotineti post affumptione bui'icipit bre angustia; cordis: vrei goia mebra er eradicet ab inice. Et fi post B sudanerit ifirm? bouniedo: postátibeas gerit liberatoio. Et facoille g fumpfit fmaraldii abftineat a cibo oio viquad Decebo ras:vel falti vígad octo. Et quis itetiois ne no fit bic cură de venenia determiare: sic ptransco. Et opoztuit me De bis aligd vicere pp illud accris qo babs. Et ia vidi tpe meo q baly qda bebat cocubina; cui fupuenit vlceratio i itestinis gracilibo cu solone magna. S3 seces cu magno expellebant volore. Et ego laborani viu in cura illio itm o fessus fui i illa. Et ourauit illa egritudo in illa vispone vicad.lr.vies.amirabar ve illa egritudie putas queffet er buoze. Sad pltimu vidi q cu ftercoze eximit interioz pellicula itestini. zpostea vidi alia vice q alia pellicula i-testini. septerioz emanauit exteri? cu stercoze in logitudi ne yni palmi zmirat fui er B cognosces q alige bumoz no posset ce vllo mo tati acuminis q post facere tata ep coziatione vna vice. Et vemu p certo cognoui q vna ex fuis fclanis: venenú ei ppinatierat ad bibedú. Quare pro plati babui q nulla spes eé poterat de su diberat oc: t sic ide mortua fuit ex illa egritudie volutate vina. Et exptu elt o fulpefio imaraldi i viffenteria zin emozoidis exiftit mirabil efficacie: a innameti. Lu at liberatus fui: a enafi a manibo victi baly: r fuon boius: redice fibilias: vidi i via quandam berbam quas putaui esse addion filmestre: enó pubitabam: acceptum pe illa comedi modicus: einde ba bui diffinteriam magnam:cum doloze ventris: 2 cu3 perueni fibiliam adbucourauit oiffinteria:tunc fuspendi fur per vetre meŭ imaraldu vnu: zalud pofui i ozeabios tri turatioe: liberat' fui icotineti. Dolera que venenofa fut inuerabilia. Et pp B gla fibi cauere vane comedataligd nifi cognoscat illud: eneg teptet nifi beat secu smaraldu: vel tyriacă vllo mo. Et ia reperiunt es ples vulgares z pe tule: que ve? veltruat a ofundat que que cognoscut en vircus oleribo venenosis mozuferis que deci faciat vel cognoscătiqui illo qo sciut medici ve pacio no e nisi ve sciat cop accitta remouere a fuis nocumétis obuiare: a no ve feiat ipla in le a fluis effectib alio mo: nisi fuerit ifideles: a suas sides pprias voluerit venegare: app B glamedic tenes observare poepus bypocraris in B casu. Que sunt op gla voctor in medicia no va alique viscipulus vocceremisi pus iurare faciatifa ne vtas medicis mozriferis vi vene nofis vllo mo. Et pr me? cu effem puer: voifcipul?fu?i me dicina:me invare fecit vt nullaten medicis venenolis vt mortiferis vii vebere. Et cu fic innenis cem anou? in me dicina:ba de vna cinitate i alia practicado: Quadas vice fic eudo fociato fui vni pditori: q a me occulte befitabat Discere aliqua medicina mortifera. Et ego ab illo babue ră i feudu petia vna terre qua mibi abstulerat. Qui vigit mibibeas ea de cetero a me libera e fecura: credes o ego esses de illis q pp pecunia pditões facere deberé: 4 meas corrupere legalitate. Et ide adulator que de difruat 2 co fundatillo virit mibi pala.f.q ei vare vebere medicina. a velociter posset occidere:cui iurani p veŭ vez a p certa vitate o nibil ô talibo coĝiceba:vicedo ei o medicoinojo tu medie de taliboscire no os:nisi vi conscat asciat ex cis acciitia remouere. Qui virit mibi. Quo a me vis te occul tare a celare:posto tibi meŭ secretu tale polui pandere a maifestareigre timui yalde voixi ei, Secretu tuu qomi



cii vrticis decoctisant cii anellanis: vel granis pini. Et ci bus q peteris consedat in Bealustut aues pue q noiant albelbes facte in taffea epulli et egallie pparate i taffea filt futbone: eappropate i bac egritudie. Et pastinace et equis sint grosse subse perut buic egritudini sua ppetate. Et lenias itestina ei voado ei sic siccas cu nucib ad come dédu. zpostea purgabis eu cu medicia la ratina q béat.il lu băore grosus eu are. (2Dedicame positiu ad B. R. bdelliŭ oppoponacl: ferapini: t feis vrtice añ aut. i. oauci: t fe.melonis ercorticati: t fe.apu. añ . grt a pt aut. i. collor gntide octaua pt aut. i. 3ncidat collogntida mintifirme. Et misceat cu ea tâtude pulueria oraga. amigd. oulcius excorticatan apistatan pistent oia a oficiant cus syrupo sançabi: avent ex eo ant. v. vistempati cu sero capno in q Diffoluta fit medulla fe.cartami. Et fi no purgar; fufficie/ ter adde aur.i.cu Dimidio De Dicto medicamine. Et custo diar paties fic fit in alus la ratiuis. Et fca purgatoe reges en i cibis fic viri. [Et vabis ei ad bibendu of vie ve bac becoctoc q. B. ligri mudate capilloz vene olinarde: feïs melois: a fe. angurie: a fparagi. a panicald. añ. añ. i. Et ad-de iftis reb aligd qo moueat a excitet renes ad attraben di velociter ex reb būtibus acuitaté cú calitate: a abiqs aromaticitate: is beat aligi boxibilitate: a boxibilitas é Dispo media îter re aromatică z brite maluz odoze: z Bio qz renes ab epe trabût fanguinê aquofuz q no e pfecte vi geft' ibidê ita vt fit vueniês ad nutriêdû cetera mêbza: z illa fupfluitas aquofanoiai vzia: z ifte fanguis mixt' cuz vzina e bûs bozzibilitatê zabbolationê: qzois fupfluitas a pceditab epe fenfibili ba abboiatioes cu bozzibilitate: a quenes ex tali fanguine nutriunt:io velectant in ipfo a files odores appetut: a cu affectuofitate fibi attrabut: a ió pcipim⁹ ponere in medicio renú ea q babeat aliqua bozzi bilitate cu abboiatióe: ríufficiet i B i medicio renú radix apy cũ ípica romana añ aur. 5. Et becognt i.xx. 3. ag bocc redeat ad medietate. Et pone in bac colatura. 3. i. fyrupi li quiritie: 2.3.1. syrupi corticis citri. Et oi nocte circa matu sinú post vescensione cibi a stomaco ppinabis ei ad bibe du ciatu vnuz. Et ipero o fi ita rexeris infirmu o libera bitur ables mictu languinis.

班班

原祭

Indi

异唇唇

ajo risko gin

04

NUMBER

id. miofin

सर्वेद्धाः स्वेद्धाः स्वाद्धाः द्वाद्याः व्याद्धाः

(detta)

and included

pident minis minis

DOM freni

MUNICE PROPERTY.

September 1

自住


ma

Cap.III. Qo est verestrictione sanguis g exit ve vga.

Jaut lapis expulsus suerit a icotineti segunt
sanguis mict tiŭ alt e regedus strim. s. qa iv
cipe vebes a somi a bastice verti vacety: minuedo de fanguie F3 tenoze vitutis patien tis: a postea stude restrigere sanguine: si fluce rit in maria atitate. (** 20) edicame stringes sanguinem. Becaude egne amulchi.f.berbe q inenit inp conices que cus:rolar recettii.qii.que.i.apõe cu iltis aliq q beant mol lificare: fic femé lini: 7 flos camomille: qui fi no feceris: no cebis ifirmo ponedo tris ftiptica:qzide buozes g ibi funt oftrigunt vidurant: gre polor fortiter augmetat: zpp 15 addes pacis medicis flores camomille: r feis lini añ aur. 1. Loquaffent oia r bulliat i. riiu, 3. aq vulcis vonec rede/ ant ad tertia pte. Et Bio quer ftipticis cu vifficultate et bunt vitures cop. zpostea colabis:zin illa colatura adde be syrupo ligri. To syrupo ro. Toe syrupo de mastice añ. 3, 5, 2 bibat ea in mane tépestiue abstinédo a cibo donec de seédat a sto. Et ciba eu pane bo fermétato cu pullis fact in tassea. Et tierdu dabis ei de cuccaro ro. Talique de citra li medulla: a fic pecoquere pullos cu medulla citrulorus magis pmedo que medulla cucurbite. Et cu pfirict fue rit fanguis: Tanies mudificata: volos prinu fuerit: tuc pabis ci ea q fint mudificatina zabsterfina: aliquitu ve ficcatina. (Dedicame ad B pofitu. B. spice:nardi:fq/nati:flanie:ligri.mudate:qm qlib; istar mediciar appro para è i innaméto renur yefice: meri: pulmonis: can

ne ciº añ aur.i. rtertià affare baccare: rfels lini: r bauci: r cétauree mioris añ griá pté aur.i. Conquaffent oia rbul liát in riu. 3. aq bonec redeat ad medietaté r colent rpo nat in eta de fyrupo ro. voe fyrupo endine añ . 3. i. r babis ei ad bibendu mane tepestine abstinedo a cibo ponecoe scédat a sto. Et postea ciber pane bis fermétato cu bletis feu ficlis decoctis: vel cu vrticis pugitiuis. Et fi no babes de ifits da ei de gallina in taffea: vl'pane du fermetati cu oleo olinap dulciù amodico fale: et de cucca. ro. cu ami gdalis excorticatis dulcid?: vel grais pini poteris, ppiare. Et posta cogner a vuln' fuerit mudificatu: a fanies ab-lata fuerit: dois ei ad bibedu de tertio in tertiu die de sy rupo plataginis: vel ve rosaceo: ve inmetide na ad opleda osolidatione: vedo istis medica F3 op tibi videbit oneni re ano pla:qui fi voloz fuerit fortis:pmo vebes volozere mouerere fi fanguis emananerit i agritate mita: yti obes medicis flipticis: addedo aligd o vinreticis yt medicias pancat ad locu: t fi fanies multa flurerit: vabis ei mudifi carina a abstersina: t itede ad illud. Et si fuerit nece tibi i tederecirca lapide pp fortia accitia q ide emergit: stude cu medicis corrodento ipm: r q beant eu total r erradica-re. Or si fuerit tibi nece itedere circa onas yel tres expredictis egritudinibus: facias: dado ei cibaria polita: tme diciss fili politas: pis amin' de vnoqq: 13 qp magis vi debit puenire. Et si vnu tri medicaneris: operare tali vt no obliniscaris alus. Et ia ouri te p via recta: qu si sic opatus fueris: pficies oi mo veo vate. Si at voloz fozt fuerit tunge locum că oleo camomillino ranetino rpiguedine anatis inuenis qui e multă medata: rcă piguedie anatl fili. Et fi mult făguis exierit inuge exteri că ifrigidanti bo r frangetib calitate: fic e ole ro e i tătude a ro. Et fi

b' t frangétib' calitate: sicé ole û ro. e û tât û de a q ro. Et si idiguer î î tê dere circa du o accittia pone medicias sic di tict prete propose pr fica actune (cias o é preipiú gratióis lapidis. Incipe gin curatóe b° paffióis a fubriliatióe b° regimis: bádo i firmo vrticas elicas: toecoque victe vrtice in vecoctoe cicerus rubco: Et spes ei sint cubebe: tarseni: te ciamonii ten des ad nigredine pfectissimii. Et va ei ad bibedii struptis De balasce factu cu succaro cu Decoctoe seminu melonis ofentias ei vt comedat medullas citrullozu i couenieti ostitate: fi fi e qo phibeat. Et fac et hac apone. 18. lapis in daici a gummi cerafo per lapidis (pogie marine: a costicis melonis: a fucci ligritie recetis. a fi. 3. iiu. auellanarus. 3. 5. bauci a vitri vitramarini abufti: a anifi: a albafce a fi. ane. viu.pinear mūdatar ramigdalar ercotticatar.aii.aur.
.iiu.piftet gls mediciar p serviter silmirte pistentrosti
ce cus sirupo ligri. Et in gls libra bo electuary addant ex
optio balsamo aur.y. reponat i vase vitreo: vel optie vitreato: recipiat sirim o e Belectuario o imae iciumo so aur.iiu.cu firupo viol. z qter tato aq cale. Si a pncipio bo egritudio vius fueris B regimic:spero in altissimo glioso op liberabit oio ab istapassioe certissime. Lognoscedo op medicic oco q escrit lapidi renii:eferut sill lapidi vesice



magis altero appropingt. Et bec res est valde necessaria ad sciedi in arte medicie: ccu boc idiget studio magno: z expientia loga. Et sup B est necessarii vt medicus sit bo ni zgsecti ac pspicacis itells. O gi bii vicit ptholomeus: cu vic q scia stellaz ex reb'illisest. Et nota quoia mebra pncipalia idiget medicinis əfortātibo con vitutes:licet co trarient accritibus regritudini. Dedicine aut əfortativ ne funt medicine no multu ftiptice: 2 bac ofortatioe indiv gent cetera mébza:qui qolibs membz ppzias bs medici na elibi puéiere. Et pdicte medicie stiprice cu B fint aromatice:qr aromaticitas necaria est oibus mebris:exceptl bis q exre borribili nutriuni: sic sut itestina: renes. Egri tudini vero cui stipticitas ifert nocumetuz addere vebes tătii ve alus medicinis:vonec illa stipticitas occultet. Et ficia copleui id qo volui in boc loco veclarare. Thicante restat mibi determinare de spe illa diabetis q puenit ex debilitate vittis imutatine. Attende g in B loco gd dictu rus sim.scias itaq q vius imutatina est vna ex viutibus predentibo ab epate. Quaru qtinoz ibi ce reperiunt. vz. attractina:retentina: mutatia: expulfina. Et oes ifte De struum vestructa oplone epatis ipsi? Defectus at a puer nit a vebilitate viut attractiue est op mébra nó attrabut nutrimetu: ide Deneniunt ad Defectu zcolumptione.A Debilitate vitutis retetiue fegtur o fupfluitates q excunt p fudozé vel p flux ű vétris: fint idigefte. Sz a debilitate vtutis mutatine puenit ydropifis: vel diabetes fm fniaz Sa. Et a debilitate vtutis expulfine fegtur op feces exeñr illaudabiles etpe incouenieur quid qo veberet exire cu feciboretinei. Et itep a vebilitate veutis mutatine puenit op vigeflio e iconenies in stort epatert vib alus mebrl qreer B pueniunt fpes ydropifis.vs.ppofarca: afclires:z tipanites:zepoffibile q in vno code infirmo fint one ex iftis ipebus fil' zaliqi tres: za vebilitate bui? vtutis vicit Ba q efficit viabetes. Et p maiozi pte quivna ex iftis vitu tib? vebilitar: vebilitant vreliq fi fuerit in membro pnci pali: i relige vo mebris minime:co o qui no preipalia excunt a fua oplone näli in calitates: fritate: ficcitate: vel bu miditate no vebilitant poter balia mebra: ficer vuab? alus spebus viabetis. Et scias qu'ille qui patit viabete no pot affuefcere coitu nec frequtare. Iftis aut iunge renes cu olco amigdala z vulciu mirro cu ad vulci multoriens in vic: z babeas cotu madefactu in iltis pluries z superpo ne. Et fi vistillaneris ab alto pdictas mixtură existente in ampulla brite os firictu fup renes erit maiozis efficacie z penetrationis cu adiutozio vei. Et regedo ifirmus B regi mine: liberabit "Lin cibo pare ei ona gallinaz z gallinas i taffea: zoleŭ ei" in códimetis fit oleŭ amigdalaz pulciŭ: a comedat amigdalas ercorticatas cua cuccaro. Et edus De lacte é ei pueniés in taffea. Et galline ét occocte in bo no lacte fill oferut multi. Et acciditetia quiq renibo oer bilitas vintis attractine:ita o renes no attrabut fangui. nead fui nutrimetii: gre mifcet cu vzina: a fegtur ide fper cies ydropifis que ypofarca:cur? cură fupius determina ui în curatide speciez ydropifis. Si aute debilitas vitutis attractiue renu fuerit ex supstua buiditate spoz: toe boc fueriscert?:cura tucee os ona fupradicte. va gei bibere fyrupu ve corticibus citricci bona estitate aq. Et cibaria ei°fint turtures:pafferes:epulli affati in veru: eliçi ét cü almuri: vel in fartagie fricti. Et galline affate filr oferut: zocede ei yt mli u cocat cu mulierib". Et fac cu exercita re:qo eft briu eins:cuiº ca fuerit ex ficcitate: quille idiget geterociooio. Et phibeasei ne itrerbalneiir fi vult in trare no ponat fe in lauello. Et ei' îtroit' fit an cibi: ftan/ do ibi ponec fudet: 2 no pozmiat postea: 2 sicin becui liber rabit Deo Date. Et pot et Deuenire qu Dicta Debilitas vitu tis attractiue renii pcedat a veltructive epatisad eft me

景音音音 等 星 星 星 星 星 豆 豆 豆 豆 豆

this plo

ED.

hari

mix

stou ficti

raids

28.00

filtp

lid fr (ment)

ámik

FICES laiss sinic

DAM

野田道

pill nati

moto

rini erille ermil a.chir

bau pricipale:13 B no manifeftat leniter in renib": nifi pp multă attractione iplop. Et lă leis go vius attractina pecdit în nutritione mebrop alias viutes: qui retetiua no retinet: nist reattractă: z mutatiua no alterat nec îmutat ni fi rë retëtă: zexpulfiua no expellit nifi ex re attracta retë ta z imutata in tpe fanitatis:paccis aŭt zer violetia er pulfina aliqi expellit id qo nodu est mutatu. Et B in bac pebilitate renu no pe leui peclarat. Sed qu pplo pncipa lis mebzi pestruit: pestruunt cetere viutes:qu qu epar in frigidat ifrigidatioe certa zmanifesta: Destruit tuc vius attractina rretétina emutatina. De fi fimplir ficcitas bua lucrit in ipio epe: vestruit inde vtus mutatina: tri attracti na:retetina z expulsina no ledunt manifeste: nisi supabu dauerit in excessu. De fi fic fuerit oes ide pestruunt . Et ff bumiditas i modica cititate epatiacgrit: no ledit exilla manifefte:qz e affuet" illa. Sz fi fuerit in exceffu veftrui tur attractiva vretetiva. Mutativa vero verpulfinano mitu ledut exilla. Et i fuma vico go qlibet quitas qui fup abudanerit in excefficeft că vestructiois ceterap viutus. Et ia supius determinaui de precipalitate bui mebri rei nobilitate: r de suis egritudinido: rei curis: r de bis que ipfum babent conferuare.

Capitulus. VII. Quod est ve solutione continuitatio

renum e vesice. "Prenibo quog accidit que solutio cotinui. tatis quéadmodus valus membris accidere comenit. De fi ex ferro vel fili fca fuerit: cura

est îposibilis. Si vero ex apate fuerit coside reposium? De salute ipsi? vetendo bis a bit ipso cosortar re voisiolucre: sicut ole û ro. bon û. Et pot et î collo vesice apa cuenire: sicut in renib? Dis sicri posse: sed istud est mi nus illo. Et quapa otit in collo vefice: vefica iplet vrina: ano pot extre a inde fegi angustia a ingetudo cua poloze fozti. Et cura buiº e flomia minuedo pe sanguie em op vi, debit quentre: ossideratis tii oditoibºscriptis in isto libro: Thubtilia regime ipfi fubtrabedo ei oco carnes. Tpanes et: Tpota filir minere vebes estu potes. Poste fico qui via vzine est oppilata. Et si ex necessitate oz teipsuz cibare va ci talia quoz modica gritas multus nutriar:fic funt oua: va ergo ei vuo elira folumo rinunge exterio colli vefice cu olco ro tepido in quo rofe pluries fint mutate. Et cu B regimine cito liberabit, put credo veo vate: eo qo refoluit qo paratu est resolutoi amitigat id qo aptu é recipe mitis gatione. Et fi no videris ifirmu nifi polici ad fanie vene nerit apa:tuc cura eu ficut victue in apate renu cu fuerit apertii:cognoscedo quitud citi' curat eleui' apate renus ppter sui paruitate. Or si victa eius plus qui i igrossata fuerit:superueniet in loco grossities pter nam: ecostringe tur vzinar foztificabit ooloz: ita opnecesse erit redire ad prnam cură sad mitigadir resoluedur ad minuendum sanguine. Et possibile e opopulet colli vesice că lapidia: vel a fanguine coagulato: aut a groffa fanie: qre Difficult tas vzine fequit inde valida. Et cura bo est itrare balneu: a refupinare ifirmă fup vozfum fuă, a mouere eum mous fortige ex tali motu grania ad iferiora descendut z sie la, pis descedet in vesica, fac eŭ vrinare iacedo supin?con, primedo sua manuez vrinado cessabit dolor. Et postea da ei medicinas fortes frangêtes lapide. Et non suent alique quam cito frageret lapide: sie la oportanit pater me? ex oziente: a vocat olen algicemi. Et cofert et mirabilir para listita op sanat eam eade vie. Etcoloz bui^oolei est viridis: vest subtile in substătia velaru sicuta a caromatici odozis acuti: vestis. Et ego vidi plures boies qui curati fuerunt a lapide in rriin.bozis.f.q iftud olen frangit lapidem in eis in illo spatio. Et nui vidi medicina tepoze meo ta ve locis operationis; tam miraculofe ficut ifta eft. Et volis



buscitri cu aqua termară. Et fi non poffes bre ve illa aq fac bulire ve aq coi in vafe optime vitreato viqua ofum ptione medictatis: 2 cii illa syrupus pistempabis: 2 come dere etià costices citri cofert. Impedit et generatio 2 pe struit a siccitate supsua. On si picta siccitas no fuerit supflua p maiozi pte pereabit mafeulu.tñ oia iusiu creatorl peedunt. Si aut ficcitas exuberauerit in excessu:nullate nus gnabit. Et con cure funt vifficiles tri filogo tpe absti mueritab viu muliez pole erit or generabit. Si aut victe qualitates fuerit copolite.vs. or victa mebra ipmatis fue rint oplonata mala oplone frida z ficca: aut frida z bumi da: scias op ifte one complones modicii bit generare. Cor da:Icias o ite die complones modicii bit generare. Los plerio vero frida a ficca generat sperma in modica o tra terzillud qo generaf est subtile. Frida auté complo abus mida facit subtile magis spma: sed no in ta modica o tra terzisti modicii generata a que generat penaso que faciut femias. Et cura box est rectificare oplones eox cu medi cinis oppositis complonibo: componedo eas sem o coue nit. Qui aut brit complones calas a sicca: babet appetitus mulieru spatu: 15 velociter encur spma. Et posto icipiut spmaticare appetitus est foxtissimus: s soma e arossus val ipmaticare appetitus est fortisimus: 1 fpma e grosius val der p maiori pte isti generat masculos vonec icipiunt se nescere. Et qui bit complone calam a bumidă sunt babe tes appetitu foztifilmu antegi eyciüt foma: 2 no eyciunt illud ta velociter: sič illi q būt complone cal'am 2 siccă. Et foma ipfoz est mediocre iter groffum a subtile: a p maior riparte faciút maículos: a figenerát feminas funt viriles in foztitudie: a i politate patiédi labozes: a totú peedit 63 voluntate vitina: a scie est vitis secretor: st teneor recor dari ve s qo vit medici. Et p certo medici loquunt vsar quo itellectus cor pot attigere. Et abinde vesistut. Et vi-cunt sil medici q babetes tale complones. s. calam z bu mida generat multos filios: z generat gfi viq ad fine fe/ nectutis abig vebilitate vitutis com. Aristoteles vo vicit qua septuagita annis supra nullus por masculu generare: Is expimetu nobis certificate a manifestat o no sic est: qu multos vidimus octuagenarios a supra masculos gñasse Et chuis lint paucitét ex cétu a lupra malculos gnauerut Et laus fit zglia iplig B fecit zvipoluit. Et credunt qua plures altrologi op natiuitas alig no possit ee talis op tra-feat centu. cr. anos. Sz bec verba no sunt concedenda: qz scimus certissime op spere zstelle: zma z forma. tps z loc? funt res create a generate: gre nullu pfectu vel nocume tu possunt agere vel impmere nisi pcepto avolutate vine puidentie. Et volo vicere in boc loco gd mibi fucceffit cu essem in carceribus ve baly. Uroz mea erat pgnane: 1 Bignozabaz: zipsa ifirmata fuit tali passione op necesse fuit mibi vare ei medicină lazatiuă: q fuit talis q nullus pof fet estimare qualiq pregnas et ex assumptioe modice qui tatis fetus in ca posser remanere; tipa recepit ca absorte fione fui z fetus zpoltea veclarata fuit ipregnatio eius:z me penituit valde ve errore que fecera: dre mifericordia que fiui ab altifimo creatore de code a pepit filiú mafen-lú que bodie mecú babeo. O qua comedanda funt verba Ba.cu Dicitiq qui a scissura dure matris vel pie matris li berat veus illu fuscitauit:becaut plones q pscripte funt alie funt a natuutate.i.in ytero materno acqfite: talie fut que post natinitaté acquirant: via aut concnée ad B est vi facias redire eu ad sua optoné nalez. Eboc eu medicis oppositis: sa no in codé gradu sui exitus. e.g. Or si aliquis elogatus fuerta sua optone nali vius calitatem in ono-bus gradibus; no occes ei oare medicinas fridas in onobus gradibus: sed solum in pmo gradu: eo qo continuado Din iftud regime:reduces en p certo ad fuas complones nalezabique lefione a ifirmitate. Et fi fubito itenderisad reductionem fue qualitatis cu medicinis oino oppositis;

星程發音是音音音音音音音音音音音

NACO Hách gard uplan

MAR I ċ pda

mign

Ebitel

(Byen)

dist lacti

1000 ada

i tuti

102730 cibat


360

1700

poterit effe fi erit fortis op fustinebit fe eliberabitur. Sed fi fuerit debilis:aut ratione etatis vel nature dubitandu est op ipsum ad mortem facias venenire. Quare agendus est remissius z magis teperate sicut vici. Et totus qo vici mus bucus pintelligendu est si egritudo fuerit accideta lis. Sed fi egritudo fuerit naturalis: Beft in vtero mater no acquifita:non enadet nisi vno istor duor modor.vz. aut studeas enz taliter regere of facias enz permanere in sua crasi zcomptone naturali:z sic poterit vocari san' in illa complexione; aut vt reducas illus paulatine ad oppofituz fue naturalis complexionis: 2 boc non potest fieri ni fin puero tin mioziparte. Si vero fuerit maiozis etati: nullo mo ipa fua complo naturalis poterit permutari. Et a pueritia etia non potest transmutari:nisi cu magna visti cultate: 7 post longitudine tempozis cum multis expesse: Tomerfis conditionibus:ita ve no facias ipfuz exire telo garia fuis vebitis opationibus nalibus. Et iam bucufqs vectaraui figna ppeia coplecionis bomebzi vniuscuiusqu oplonis gnali. The atremanet mibi vectarare alia figna spalia: Tut ista: ppili in pectine citio vaiunt i oplone cala og in frida: adbuc citi": fi fuerit calida a ficca: fa cu veue neritad senectuteno crescutta velociter. reti opione ca lida rsicca sut pili crispi r grossi r nigri. In frida vono ca unt ita cito r subtileo sutrano ita vuri: s sut blodir te qui fuerit. stesticuli fride r sicce opionio. Lu ant fuerit frida zbumida opterio buiº mebri: erut pili albi: coloris lini z subtiles: cu crescunt tendut aligitulu ad nigredines. Et nó inenies existis oplonibus g sint debiliozes in coitu es qui sunt frigide a sicce oplexionis sed g sunt calide a sicce oplexionis yelocissune erigunt cu forti a acuto appetitu: facito Debilitant: reop vitutes diminuunt.

Zoziunt gdem in B mebro apara queadmo dus in alus mebris: t bec apata una tradicio de la refalía ex nã ppria fui mebri. Stude g fle botomare patieres ex basilica: si fuerit egrit tudo ex abudátia sanguis: ex opposita parte curbante ex positivo emplastrú ex farina ordei factu

egritudis. Et pone velup emplastru ex farina ozdei factis Tiucco memite: voe panicald quon ptes fint equales: ca momille anthere an parte media: que tereda funt terese mitee că aceto 2 aă ro. 2 fac empl3: 2 pone vefup: 2 adbuc fuprapone folia fici. Et îunge locă pmo că oleo ro. 2 fucco fempuine vacetosquor ptes fint eqles: B emplaftră vin-unctio et pprie valet. Si apa fuerit ex colera: aut fi i ipfo colera onatur: vii virtus fortis fuerit: purga cu cum bis q coleră educut: sicut cuz sero capzino coagulato cum lacte fici:ponedo ex framonea intus ártaz parte aur. yni?. voe firupo masticis. 3.4. non ponendo aligd vnctuosum: qifi si fieret puocaret caloz. Et gittas acett q ponit in istis ape tibus colericis no D3 esse mistri qo possit duccrevirtutes medicinan ad locineo pacetii no mitigat pfecte vbicole ra oñatur: sed mitigat pfecte vbi sanguis vel slegma abu dare reperit. ziftud nota, Siaut apa fuerit flegmaticus: qoplurio zoinersis modis eë reperif.s. qapot eë exflar te vitreo zillud est grosius: vel ex flate adusto: a illud est falfus: vl'pôt eé ex flate qo no est in vltia groffitie. Expôt esfe ex flate acetofo: villud fla qo no est in vltia groffitie eft nale. Et pot et effe illud apa aquofum: 2 cus pmit vigi to cedit. In istis itag apatib flaticis vtercemplastro facto ex farina ordeix cinerclentisci: misse cu aceto zagani. partes egles: zpone vesup. Si aŭt istud apa fuerit ex slegmate grosso valde sa cuplastruz qo virimus in apo Remate fanguinco: fed adde ve camomilla: raceto in ma iozi gittate fatis. Si vero victum apostema fuerit mela-colicum: and colozem nigru veuenerit: scias quistud apostema no poterit sie permanere: imo augmentabitur val



cu farina ordei: anucibus cipreffi mixtis cu agrefta. z pci pe alicui cirurgico ve aperiat iferius burfaz testiculi cum aliquo ferro frigido.f.cu lacea fubtili inucta cuz oleo ro. modicii ipfaş intus penetrado: ita op faciat paruŭ fozamê p qo folu ille bumoz posit exirer cuz victo bumoz fuerit bene euacuato: studeas folidare fozame cu vnguedo seu emplastro de alnacii.i.de palma. Et accidit etia quiqui for ramine nerui pdicti in quo peder testiculi que rlaniat ver tedit vollataf ex namintatu goide vescedut intestina; v bec é deterioz oi alia ipé crepature: vifti vir veu difficul-tate maxima liberant. Duic que pcipe vi iaceat co mo q fupra vixi: 2 faceu abstinere ab oi motu 2 labore: 2 reduc îteftină îtus ad locă înă paulatine: t fac emplastră vesup er farina ozdei: z ve andaruçera.i. poquifiidos: z ve eupatras: z ve nucibo cipzeffi quoru ptes fint eğles. pifteni z cribelleni: z icozpozeni cu agrefia vel aceto: z ginis no babeas ex hoc fine intetu oino: ti alleniabi i egritudo re gimine tali. Et scias que con q funt in fine innétutis cura é ipofibilis ppter ficcitaté fue optonis e ppter ouriciépel licule exlaniate. Infantes aût paruuli filt no liberantur alia de causa. La no posiunt abstinere a setu emotu fozi dinato e laboze e ppter boc no ofolidans. Puer obsistiellectii: qui attédit vobservat peepta medici ppter ou bitatione suicredo que cura bui no sit spossibilis equi so de causa de c fernauerit getë tenedo vefup emplaftru fupradictus; ferv uando victă fubtile; cabîtinedo fe a pup: iacedo cotinue

Fin ordine prescriptu poterit liberari.

(Lap. V. Ordé de egritudinido q fiut i bursa testiculo p. Tit in burfa tefticulo z apoftema . Et cura ibuius est sicut cura alio z apoftemat . Et cura ibuius est sicut cura alio z apoftemat . Et fit ibi eti a que folutio cotimuitatis : z cura e sic cura aliaru folutionu cotimuitatis.

Cractalis quartus de egritudinibo vir

gerrest cotinens capitula quattuoz.

Lap. I. Do est ve opilatione que sit in virga causa lapidis vel alicuius alterius rei.

th

ton

是音頁百百百百百日

日君日告

mei cite

pri nfa:

Apple 政党 a telesi 10050 zi pós

been dipop

MOST. (mint)

BEFELD

inida triat nitra

min min

It quadocs in canali virge opilatio: 15 aut a lapide: vel fanguine coagulato: vl' a grossa sanie. Lapide auté effere vebes cu ferro noiato i arabico alchartir. aut accipe virgă fubtile bene polită ad moduffili De ere vel argeto:aut auro: 2

pefup fac icafare puctă vnă pe biamă, terzpone p fozame vge viga attingat lapide : ziplus poterit frăgere că earz în balfamo e ppetas valida et in fră gêdo lapide în B loco. Et rememozat fui îă în peedeti cu ră lapidis fufficieter-zeură etiă opilation e fat a languic vel fante. zpot et fieri opilatio in canali virge a veruca q ozit ibi. Et cura buius est cu voloz fuerit foztis z itolera bilis:co op ifirmo no pot emittere vrina:pforare vga in lo co supiori veruce ita vt vrina possit ide exire: v vrinando gescit voloz. Et postea curaverucă inuciedo oi vie p foza men eins oleu amigdalaru:aut pe fufimano . 215 pluries facto stude opmere verucă că aliquo instro vonecerupa-tur-zpostea pone itus ea ă bst voloze remouere. scut est oleă ro. z oleă amigdalarii equalr mixta: z octaua psaă vecoctiois cetauree minozis-z subtilis cozticis pineop: z caude equine: q tih bulita fint voneca q mutanerit colo res: vin ifta colatura pone aligd mellie: vpone ocifto me dicamine p foramé vge of vie tá vin vonée vestructa fue rit veruca. Et venus cura foramé vulneris vonce fuerit ofolidatů. Poc ců vnguéto de alnacli: z femp ců vrinaue rit firm° ablue vuln° ců ağ mellis pdicta: z defup pone vnguétů anacli done ofolideř. Di vo fener fuerit firm° pp fil fupfluž ficcictaté no ofolidat vuln° in ppetuů. Et p pter boc no e pfozadus nifi fuerit in articulo moztis.

Cap. Π. Ωδ est ve pratione sensibilitatis virge.

Ec egritudo curaf sicut curaf puatlo sensibilitatis alterius mebzi. το zium etiă quigi ca pite vge pustule rubec à in arabico nomină turalobubia: gb° collirii ve memithe pfert multu-reius regime fit lactuca vecocta. ([Lap.III. De ve foramib° à fiût in vga. Ec gde passio accidit in boc mebro ex abun-


dantia acutop bumop reurat cu collirio o memithe regime cius sit lactuca vecocta. (P Lap. IIII. Qo est ve expulsióe spinatis. Ec vo egritudo euenit a vebilitate vitus: sic accidit exeutibo ab egritudie a senibo. 13 qui corpo ofortat a vigorat a redit psecre i suas possibilitate remonet isto accis. a orintare

tefticulos galloz ba iftud accis remouere. z bibere aqua mellis cofere valde. Si vo ex fenectute fue-rit: cura e ipolis: z qo magis ofert i bac passioe si no suerit ex senectute süt testiculi galloz: zcerebza passerü: zcarines pulloz: zcolüboz parnoz. zaccidit et q. mebzü non eycit spma sic sagittă că incissio ebozde q arabice of scebel: zest illa ebozda îter testiculos z vgaz. zbec recozdat strut. B. Et bui zura est spolis. Et tez vic. B. q. q. q. accidit sura est spolis. Et pui zura est spolis. tri pcipe ifirmo vt atidie amultoties inungat mebru cuz oleo amigdalar vulciú mirro cu ağ tepidaita çı illa büi ditas femp ibide pmācar. Si vo exapate vuro rlapideo fuerir; fac fieri immetione exoleo anetino repiguedie anatis: exmedulla cruris vituli: gr ptes fint eğles: mifceatiur filiriungai multoties mebru. videbis immetum manifestissimu. Loplete sunt egritudies virge. Et nuc ici piernus octerminare de egritudinibus vulue.


Caplin L. Obert ve sterilitate petermală pelonem.

Caplin L. Obert ve sterilitate petermală pelonem.

Caplin L. Obert ve sterilitate petermală pelonem. fenfus:ficut ia veclaratum est. aboc pp ernberationeneruoz que e in ca. Et co firigit voctrabit valde vollatat velar gat multu: 2 B pp multas ligaturas tov tuofas que funt in eg. Et no eueniunt b alicui mébzo nifi buic; ? ftó: ? burfe tefti







meliftomo. Bimelamifee cu eo beaq in bona quatita te ponec ferueat: a postea remoue spumă a fac en paulati ne bulire femp remouedo spumă:postea cola z iteră poe ad igner fac bulire donce ofinnet aquar ve ifto cu pdie cta Decoctioe of Die fac cliftere Donec fuerit liberata. Et bec cura est pueniés oib apatib fractis q fiut ex colera mixta cu melia: ant que sut ex melia mixta cu sanguine. zapa ex melia in boc loco raro enemit: z qui accidit no ver leui curat: queadmodu etia nec in alus mebris: tri femp studiosus ce vebes in mitigado volore ei?r qó magis co menies est ad boc est oleuro.cu oleo de vitellis onon: qo fit abiqomni acuitate a fetote. Et fcias quoleuz de vitel lis ouoz magnă z mirabile bz ppzietate in egritudinib? vulue: z etiă în oîbº mebris magni fenfus cu valido polo re z forti: z omni pie clisteriça că cu istis puobº oleis: z fac că servare regime subtile qo tedat ad quadă bumiditate ficut e bzodiu galline cu pane fermetato in modica qua titate:no comededo de carnibo: e tene ca cu isto regimie oonec polozes fucrint alleuiati: cipfa filr. cpostea paula tine pducea ad fui regime affuetii: 2 no tradas oblinioni repercutere a obuiare ne bumozes possint ad locu verina re: a locu q ibi est tumesacto studeas vissoluere toto poss text finis yltimus ad que pot medicus puenire in B aportemate melico est yr plogeë egritudo: riunat cú bac paf sione mulier tpe logo faciedo semp suas actioes nases.

(Lap.III. Obest ve corrosione matricis.

Enerat adébec egritudo in matrice exuber

哥哥哥

100 1000

III)

音音音響響音音音

1393

icat point motor

MEN'S

Servi.

distry distri-s from

approx approx

神神神神

rantia bumozis acuti z cozrofiui : z qñ fit in aliquo alio mebro cuz difficultate curat. er go cu ozit in isto multo vifficilius: z iaz recoz datus suz o cu essez innenis ad me venit q

Z viflocat grige matrix ex fupflua bumidi

dam sener trapeçatorqui vicit mibi quedas via ve que dinem rego viu in curatione cius laborani vonec sui ses fus: 2 qz euz multu viligeba: feci boc scire patre meu qui fener crat: ipfe me desperare fecit de dac curatióe: de de descuratióe: de desc maxima emananit z corrolio vilatabat z in tătu augmé tata e vilatata fuit corrolio que corrolit vina ex magnis ve nis: tinde tantu fanguis exiuit: qo ide moztua fuit. Cap.IIII. Quod est pe dislocatione matricis.

Z vislocat que matrix ex supstua bumidi tate: sta que exit a loco vebito. Et pot etià acci-dere ex saltu: vl'ex casuaut ex eleuatione ma gni poderio e silibo. Et sa recordato sus que vi-di muliere cui matrix existerat extra vulua: e videbat qfi cet fardellus paruus; eremassit sic tpe logo fed fine ipfi ignorami. In pncipio aut qui apparet becegri endo:medicus leniter că poterit curare: 2 reducit oibus iftis modis gbus victurus fum: videlicet manu fi vis: afi no facea fupina iacere: a fac qualiquis fedeat fup pectus fui: a alius fup crura: a facea serrere ponedo circa pedes eine alig reptilia:fichint muren: vel lacerte: aut rane: vel bis filia:ergbomultu terrefiat: velit fugere ab ipfis tra bedo pedes zerura ad fe: zideoia mebra zcorpo totu fi mul bant: bacveca matripitus redibit ad locu fuu: 2 că redierit matrix fac elevari coxas eius in altă: tordina vtiaceat supina: pripe ei vt non se moueat oino aliq de cătes sellet assellare. Et postea clisterica eă boc clisteri. Bebalausti. galle carobe recetis: alignite ana pte vnaz: nucis cipssi pre mediă: sticados a camomille ana gra pte partis vni? oğıla ğılıt oğılanda: a ifunde olctas medici. nas p nocte vna in ağımıltı ferueti: ain mane fac bulire Donec multu ağ mutet coloze: apoftea colet: a ex ifta cor

latura accipe libră.5 cui mifce. 3.5 olei de mirtella facti ex florib ipfi mirte: 2 fco ex iftis clifteri i fude cotti i iftis ripone: postea liga vesup vuluă exteri? petiă lini valde vesa; și sit iplicata plurib? plicio: r sit madefacta în veco-ctioe mirte r balaustiaru: r postea suauiter liga că că istitis añ r retro: r muta eá bis in vic. Sañ ligationes pone fup vuluá: retro popofito retro fup ípina ve puluere fubtiliffimo de fricados ipaftato cu aq zaceto.an.ita vetrafer at de vitute ei ad matrice: zi ag fua pone de fyrupo ro. vt buliat: cu B regie libabit Deo Date. Si at matrix anteg îtus reducta fuerit mutauerit coloze:pone ofup cotă car-minată madefactă i oleo ro. coleo lilu: qui pres fint e gles:2 fint tepida ad modú lactis receter mulcti mutado cotufic madefactu pluries atqs pluries:ponec illa fuper fluitas anigredo remoucat. a omú flude i reducedo matrice itus:queadmodă vixi-nibil penit? obmittedo. Etre cordati fuerăt gda medici o aliqă putrefiut ligamenta matricis ola: z exit matrix olno: z permanet mulier able matrice: viuit fine viminutioe aligru fuaru opationus Et vixit mibi qua amic'me ve quo rei vitare multi ofi do qvidit muliere cui ono matrix exiuerat: remafit vi ua faciedo ces fuas opatices nales integre apfectatic ce os abigs vubio: cui no fit mebau pricipale: nec aligbo me bzis aligs pftet villitates:nec pftataliqo innametu i ofer nado vitamec inuentu fuit ad illud. Et pro certo inuame, turn in muliere est matrix sicut mebru viri in viro:tamen testiculi sunt mebra pricipale:sicut declaratu est: tex ipsis eft vir.i.mafculus vir vinerfificatus a muliere. Sed ma, trix no est alteri? iunameti nisi qa facit appetere coituz:et ad îpregnatione recipiedă. Et facit crescere a tumerevbe ra. Ét greci quado volunt ipinguare ferofas: extrabút eis matrices. Zesticuli auté mulicris minotes funt rexistut illis virotumez tefticuli viroz, funt rotundi;mulierus veroplani. Luz aŭt tefticuli mulieris extrabunt redditaial incognită:qz ex omnibus animalib* funt mafculi z femine: cui ablati funt testiculi no est masculus neg femina: nec pot esse mozis masculi nec femine: quare De necessita

nec pot este motes masculi nec tenune: quare de necestra te est alius a masculo a a semina.


Captin, V. Qo est de fluxu menstruop.

Lurus gdé méstruop accidit mulicrib?: aut p via purgatois supstitutatú: aut a nimia subrilitate saguis: vel quintui fact? é saguis ade situate saguis vel quintui fact? é saguis ade sus unimia calitaté ignea acquita in convel exapto conficion venap pp mordication e a acuitaté saguis: cui aut ex subtilitate saguis B peedit: cura e e? est saguis cui aut ex subtilitate saguis B peedit: cura e e? est saguis cui aut ex subtilitate saguis B peedit: cura e e? est saguis cui aut ex subtilitate saguis B peedit: cura e e? est saguis cui aut ex subtilitate saguis B peedit: cura e e? est saguis cui aut ex subtilitate saguis B peedit: cura e e? est saguis cui aut ex subtilitate saguis est saguis est saguis cui aut ex subtilitate saguis est s

igroffare regime: Deide Da ei lentes Decoctas: verura vpe des bedoz ad comededu. Ili at cui accidir er acuitate et calitate ignea acqlita i faguie ppinabis medullas citrul loz canguriaz. Et fi fuerit innenis repe estatis dabis ci cucurbitas ococtas cu carnibo arietu innenu. Lonio anni. Et que exaptióe oxificion venan pecdit ex mordicatóe a acuitate q e in láguie: vabis ei ad bibédú aquá in q cocta fint ista. Ligritie a viole anenusar. an. anr. u. psilu itegri octa pteaur. vni afunde in. vv. 3. aq vsig ad mane. Et po stea sac bullire lento igne vsig ad cosmiptione medictal aq. z cola. z in bac colatura adde. 3. firupi ro. facti ex rofis ficcis 23.5.0e firupo vactilo p crudo p: yl'loco ei' ve firu po agrefi: zbibat ve ca iciuno ftomaco oi vie. (Laplin. VI. Obeft ve retentione menstruop.

Etinentur gdem mestrua in mulieribus pro pter grossitudinė bumoziaut ppter vebilita tė stutis expulsiue. Et cura ei e subtiliare re gime ci » sicidere viscositatė ei cu strupo ve reos: tirupo ignçibin fimplici tantude cus

tertato ve aq. Si mulier trafferit innetute: aut fuerit fe nex: acaro ipfius fuerit oura: abumoz groffus extiterit:



aio paffibilis:amoze artis: repoelectatione qua babui in ipla volui B exercere . zp ftudui in adifcedo facere fyru pos relectuaria. Et volui ettă p expientiă scire opatioes medicinară: ret îgeniă extractiois viutis medicinară r opónia vniº cú altera. Et volui fill feire loca offiú vopofit tioné cop adinice vola bec feire volui vnő folu feire: fed ppiys manib" exercere: zboccú appetitu mario z pefiz derio: z femp fecut" fuz viá istá: giuis fit vilis z ptempta apó medicu bonozatú: queadmodú labozatozes terre i il lo ope velectant: venatozes i venando: ticve alus filibus. Qó memozat fuz ve bis no feci ca provide alique bonozatů mediců ad exercedů pdicta opa fuis manib? f3 fi fuerit nece in seipso: vl'in aliq vignissima vel carissima psona: qu sciat facere repercere: vet ep mia v pietate vei alicus paupi: sciat facere bec vel aliq lema. Ea aut q sunt turpia vabbolabilia v misera: sic e exbere lapide ve vest ca z filia:no tin facere:veru et videre:non vi puenire bo nesto zpuro viro. Et puto et q bonesto viro no liceat nec meniat F3 lege videre pudeda. Et ias bucufgs oicimo De bis q accidut offib oe viflocatioe a fractura. This aut intedim oeterminare ve bis q accidut ipfis offib in feißis. Lap. II. Qu'eft ve fuperadditione offis.

m/m

MBM Mitte

205300 codes

ir pipe fei fan

Lap. 11. Libert de Inpersadinone onis.

Lingroffant qüqsoffa in fita fupficie ab bu mozi b' mozdicattuis q ifundunt in ipfis of fib': aut a fanie groffa ît răfit fup ipfa: vă causant z corrodunt zigroffant. Et cura bu ins eft reducere offa ad năș fită ppziă: remouiedo câm iducete dicta nocumeta. Nocumetă gde groffitudinis z ocauitatis remouet cu ferro: studedo postea

cu medicinis in reftaurando carne vonec plolidet: 2021 que viscolitas pter nas supossa que in politicolitas pter nas supos carnis fieri supipsa. Et cura bui est cu medicinis oesicca tinis rabiterfinis fortibo vonec remoneat victa viscofi tan tradect mebiti ad oploné znäj ittä ppitä. Et ve babetiv bät ppitatiet est ve recipias mel vispumatii zve coque cuz fucco folioz psici viga ad ipistindine: z vtere; qin itticiet in boc calu. De medicinis vo q babent gnäre carné vică qii ve vulnerib' vniuersaliter ptrabo.

[[Lap. III. Quod é ve scissura osis in longitudine.]

Lap.III. Littod e de l'altura offis in longitudine.

L'accidit qu'ingin offe fit faisura in logitudine. Et cura buius est leuis: e boc fit ofortà do mébzi: et no recipiat buinditates extra neuseque impediit suas operatioses natura les. Et generat aliquado in eadéscissura caro grossa e oura: que cosolidat victà scissuran.

L'ap.III. O est ve fractura offis causa voloris.

Tfit que quin fortibo voloribo offa franguiture rego ia vidi rupta offa exire: vbec fractu turrego iá vidi rupta offa exirer bec fractu ra accidit cá bumozis acuti infiri in loco. Et qü videm? q boc in offib? accidit. qd gfieri oz in carner Et pot ét bec fractura fieri in off fe ex vapoze feu vétofitate iclusa in ipso offe vel in sua co

cauitate:nec boc putadu est ipossibile:qz videmo q vasa terrea qui veto suspedunt: vad aere: qo scindunt ab ipsis zad te gde ptinet cognoscere scissuras factas ab bumoze vel a vento: zboc qa qii videris carne cozzosa; in circuitu offis cu voloze fortir cu Bos fractus fuerit voenigratus scias p certo o estab bumoze mordicatino z acuto forti. Stude ergo in cura buius in reducedo mebañ ad fuá co/ plexione nale oibomodis quis potes. Et B purgado bus more peccante cu medicinis la ratinis refoluedo a funt refoluêda cû refolutiuis: frágédo amitigado com acuita/ tes cú medicinis babétibº illa posietate a bec elt via cer-ta amanifesta. En en que babét purgare búc bumozem sút purpuria: a epitbimúr a alocs miscédo cú istis aliquid ex folys collogatide a framonee: a que be medicine pe pe

prietate ana fui babet corpi inducere angustia a polores: ió studeas in remouedo vrefrenado cu pistacus si potes inuenire: t fino: pone loco con ficados cii amigdalis vul cib' mudatis: misce cu cis: va ve ila medicina sismo fin vune ipsius osideratis etia alus odinicibus assiris. Et faceú bibere fyrupú istú q optim est in frágédo a remo-uédo acuitate victi bumozis. B. ininbe q arabice vicunt aupnep:liquiritie múdate: viole: flog nenusaris; ana. 3.1. pice nardi: masticis ana aur. iiu. cóquassa que sunt aquas fanda: a infunde p vie a nocté in libris. La que vulcis: apo stea bulliát lento igne vsquad o sumptione medietatis: a postea cola. Eui addes librá quecari albi: a tierum coque vsquad sussigni de poi a patiéti conni mane pe ino. 3. pígad ípifitudine: z ppia patieti omni mane ve ipío. 3. 13. vel. iii. cú tríplo ağ frigide: z fi fitiret multú adde plus ve aqua: z pone fup locú cerotú nominatú agrippa qo fa ctu eft cu cera voleo rosacco:ita o cera madefacta sit in aqua frigida multoties. Et posto etia resoluta fuerit cera in oleo rofacco:itera infundi pebet in aqua frigida plus ries bonec acquirat frigiditate z bumiditate: z boc modo mitigabit acuitas egritudinis: remonebunt polozes: z fiquis argueret voiceret:none oleu est nociuu in aposte stematibus colericis: vicimus q preparatio iam victa.s. infufionis cere a peuffiois cere in ag oulci frigida multo tiens: postea cere cii oleo sil pot victii nocumentii tota/ liter remouere. Et vico op quato frigidio: fuerit ağ:tanto magis by victos volores remouere. Et ias pluries phani boc cerotii cu est reces in cobustionibo ignist: qre si ofere in cobultio eignis sequif o longe plus debeat valere in egritudinibo calidis e certe B expiratu e iustú. Et qu boc cerotú sic est mitigatiuú ve den estideo o fortado médiu

babet offa fracta ex vulnere repellere.

(Lap. V. Qo e de igroffatoe offis pter naturam.

ngroffant que offa pter naturam.

Ingroffant que offa pter naturam. dit nasci in vorso suo osad sitirudine vniocoz

dit naterin oozio nuo ostati offis natis. Et ipe pater me' purgauit buozes groffos in ipfort postea posuit medicinas exiccatinas fup os ita execudit victu os: ficut cadút comua cerm in vere. Et mibi etiá fuit ortú os vnú fup porfus:magni mibi inferes polores: r purgani me ab bumozibo groffis apoliti fup ipm refolutiua: ita o refolu tum fuit pro maiozi presallud modicu qo remăfit no ipe dinit me in alığın opationib⁹ nälib⁹ exercédis. Ergo vbi cüçş üneneris file:facias ficut vixi. Et cü purgas iftos. nov li ipfos purgare folucuş vixitib⁹ medicinaz: fed cuş ipfis medicina; ppyss. Et ve meliozib⁹ mineris ad purgaduş bos est lapis lazuli: sed in magnete e abseptutio magnuz innametu in B: sed ego ipsa no suz opato: qz sustici mibi lapis lazuli: zego comedo opa eso. Sed barburia recesset epithimu cretense est omelozibo medicinis z securiozi, bus in bar mosso. bus in bac paffice. Ellebon aut nigru fortio eft pdictis: 13 puis in Dac pallioc. Ellebox aut nigru forti elt pdictis: f3 no ita tutu3. Et cu volueris eu opare fac cu caurela. f. fran gendo ei malitia t ficcitates. Et pe pillulis q coueniut in boc casu sur litte. B. scemeg bdelu polipodu t genscit t op poponacis: qui sta babet trabere buozes grossos ex um, cturis t cocatenationib ossus: tex oib mébris remotis. Et quis interiora collogntide sint bui prietatis: tu est fortior valde pdictis: magis periculosa: eo q ve pprietate t na sur litte t na sur litte exceptive de ci operatione. Et id ob ba ei acume reepati bestruédo ei operatione. Et id qo bo es acumé re, mouere a malitiá ei est guma arabica. Sed nobiles a sa mosi medici g fuerut an nos puisi optime fuerut ve gum ma arabica in remouedo nocumeto collogatide a ei acu me: gtu in vna pte: tii no ofideraucrut nocumetti ipfius in alia,f, in angustia qua corpori prestare cognoscit : et in




en viccia ad buliedu in aq veradice ligritic: 28 fucco ble te: vemu illa vecoctione bullias cu melle viquad fpiffitti diner in illa itinge teta vt victu er cu madefacta fuerit teta in illo ligre: ipge vefup aligd ve thure adulto. Si vo fuerit puer emollis oplonis: lufficit a dulcis oecocta cu melle vice ad ipifitudine itingedo i illa teta: a pone ipas ad pfundu apatis. Si aut oplo eius fuerit tpata z eglis: pcipue ve ponat tatu teta feu tasta itincta in vngueto al nachi.i. De palma; valia Die madefacta in ağ Decoctionis viccie vecocta cu inelle vicad ipiffitudine. Si vo fuerit patica in fenio pititut": vel vure carnia valde pone vefu per tetă intinctă cu alnachi: aligd ve vitriolo pulucrica to : o fi fuerit mollis oplonis in illa etate: fufficiet vngue tu alnachi. Si in vesicis illis qurabice notant bemonis. os ve follicite attedas que bumos estille q onat: qui fi fue rit fanguis fufficit tibi minutio feu flomia . Si aut fuerit cola:purga eŭ cu fero capno coagulato cu lacte fici:ponedo in vnaquam libra ipfi" qrta pte aur. vni oe fcamonea garabice of machamuda: 1.3.i.fyrupi o mastice regedo i firmű cű ista medicia:queadmodű vicim? a alus medicis lagaris aciba en cu pae bif fermétato: acii lactuel pecoct! cu pauco aceto volco De olinis. Et fi vis ponere aligd cu ipfis de carne bedi vel pulli facere potes. Si vo tibi notu fuerit o vict buoz fuerit melicus oib modis studeas ad expelledu ipsus cu medicis q bat illu buoze educere: z iă fupio pocui o medicie q bat victu buoze enacuare zpur gare: füt fic barburia z epitbimű z ellebozus niger: z lapis laculliza feci te feire et o medicie q fut exmineris: fortio res funt valde illis q fut er vegetabilib?: comedani tibi filr lapide laculi in boc cafu: repbededo adamate.f.cala/ mita ppter ipfi violetia z fit cura tua f3 p cogueria ve groffitudine buozis:qin fi fuerit groffus valde: ppina ci victas medicias cu tota (ua fuba: frágêdo coz angustias violetia: z q B bút facere: lá feripsi tibi alias. Si aut vi et' buoz fuerit no multu groffus: fufficiet vare fola aqua calida in q victe medicine fuerint ifuse p nocté vna z vié acolată: aveilla vare paulatine put tibi videbit oueni recofideratis z ofernatis oditionibo notis q für b.f.tpa: anni:oplo:etas:vtus:regio zofuetudo:zmifce cus victis medicinis aligd ve velectabilibo zamicabilibo näe: fic e medicinis aligd ve velectabilibo zamicabilibo näe: fic e medicinis aligd ve velectabili na zamicabilibo näe: fic e reft cibo amedicina: This ronibo acausis ponit in medicinis:qz medicie mutat talterat cozpo:gre na eas abboz ret: z belectat in reb'q mutant zalienant ab ipfa na leui/ ter:ficeft panis vearo:vmel et qui mel no alterat v imu tat corpo ficut facit pip a cucurbita: apfilia a bis filia: a qu mel velectabile est nae:pp boc ab ipsis ponit in medicis laxatius: ri alus quo sur laxatiue. Et sinon repiret mel pone loco ei aligo vulce fic e cuccaru qo est amicu ftoi ? pulmonis: vefice: veft melio melle. v. B. noiauit ipfus. f. succaru mel. Sin egritudinibo in gbus cola supabudat valde.caue ne des dulcia: a fufficiet fyrupus de mastice ficoiri fupi". (Receptio queniés buicpassioni. B. bar burie recetis: epitbimi ligritie : paffularu enucleatarum; violaru ana. 3.i. lapidis laçuli quarta pars. 3.i. elebozi ni grizfoliop collogntide ana aur. u. que fut conquaffanda oquaffa: que funt piftanda piftent: a infundant p nocte vna in ferueti aqua: a poftea manib? fricent a firingant rcolent fortiter expinedortin. 3. viy. iftino aque pone De fyrupo masticino znenufaris zpomoz ana. 3.4. z oc sca/ monea octană parte ani. vnius: z ppina ei ad bibenduz. Si vero inficienter no purgaret adde pe victa aqua. 3.1. 1.5.cu.3.5. Dictor fyrupor: regendo euz ficut victu est in alus la ratiuis. Si vero victus bumoz fuerit grosius i vl tima grofficiemo fufficiet vare infusione victarii medici narů folu:imo couenit exhibere medicinas cu fua totali

tate. (Receptio apra ad boc. Balapidis laculi:barbu rie, repithimi: ricci liquiricie ana aur.u. ellebozi nigri z amigdalan excorticataru ana aur.i. v.5.bdelly v fticados ana partes tres auf.i.folioze collogntide quartă partem auf.i.piftent oia vincidant folia collogntide:emifceant cu amigdalis excorticat | piftat |: z cu qrta pte gume arabi ce q arabice of cathira:madefaciédo oia pdicta cu olo ro faceo zeu fyrupo fgn3abin: zeu fyrupo ligricie fimul mi rtis i formado magdaleone: rrecipiant de isto aur. v.cu aqua calida postogicognoueris patietis vitute ee sufficien tem. Et si no plenarie purgaret vabis ei ve eode medica mine aur.i. a cu fuerit purgat? pfecte cibabis eu cu galliv na decocta in taffea vel carne bedi. Et auis fupius direv rim quite bumos ppter fui groffitudine acuitate a mali cia no sit purgadus i vna vice adbuc tibi reitero o é edu cedus in pluribo vicibo:ponedo spacia iter vna purgatio ne alia ad mino tot Dies quot fellas affellauit infirmus, Si aut vict' bumos groffus fuerit vebemeter qui in grof fitie pltima; eno fueris certo offemelicus oino babis o boc supradicto medicamine cus substătia sicut victu est: addedo o cartamor femine vetice atus feriptu e ve barr buria. Cognoscedo certissime que flegma quado in vitima grofficie repit fegt vestigiú melancolie: regit illo mó. in tanta groffitie purgabis cu cuz cartamo e femie vrtice This filib. Et fi patiens fuerit multu flegmatic adde ali gd De collogntida. [Receptio apta ad 15. 8: feis carta/ mi v vrtice añ aur r. violaz v ligritie añ aur v thumei, aur u vylopi aur mediú oquaffent o la v ifundant p nocte vna in ağ ferneti valde zcolen f fricando z foztiter expri medozz ve ista colatura recipiant . 3.v. z strupi masticis z fançabin.añ.3.i.z grana ozdei.y.be tarafca excorticata ex pistata o si no sufficiéter purgauerit: adde de dicta ifusio ne.3.mediam cu vncia media de dictis firupis: regatur ficut victum est in alus lagatinis.

Cap.II.Qoeft ve pruritu in pticulari. n puritunece etibi vr puideas fi că fit cole rica: o fi fuerit fuffic purgatio cu fero capno: afi maifeftu tibi fuerit o fit ex acuitate fagui nis:fac miutos: rigime ei fit lactuca ococta cu aceto roleo aut caro bedi. Os oico or caro gallie loge est meliozi B casu carne bedi. Os si sciueris certissime op oca passio pecdat abbuoze adusto: villo gde p certo scit qñ loco in q fuit religt vestigiu nigru. Et B scies et er alus accntibo. videls vtp cito digerat vl'inter forti vl'in forti mordicatoe racuitate: ret fi i gratado vi fricado magna fentit dectatões vino. De si magnă sentit dectatões per toz é oibo i ingetudie a tedioraz é ex cola. Et prurito g citio digrif é ex sanguiera maioze in cospe oppimet locu. Et g sitte puore adusto difficilio digrif alub buoribo. Bed si sitte puore adusto difficilio digrif alub buoribo. bicto buoz fuerit ex melia: ppia ei ad bibedu ius galli ve, teris ogifando offa ero z fragedo ipfa añ ococcoes: z pone tertiá pté poderis ipfi? galli o barburia receti: 200 que fil tádiu doce diffolumi offa 2000 poste frica máib°200 let fortiter expinedo: voitto iure va ei ad bibedu. 3. vi. Et cu fuerit purgat rege en fic vem e i alus laxatis. Or fi fue rit ocă passio ex buoze flatico grossovaldere B scies qu sca bies crit maioz oabis et ei disto iure sie ocm e. Si at pur rito victo fubril a ficco fuerit. fufficit ei regime ordinatu: fic é pare ei lactucas ococtas cu aceto: rearnes bedop rgal, linarii z filiuz: z iunge en cuz oleo rofaceo ponedo in vna, quaqu. 3. olei rosacei aur.i. De alchitră subtili.

(Cap. III. Qoe de variol' amozbillis.





cali loco fuperuenire o non poffunt cum operatione ma nuum eradicari.o fi funt in loco apto vouenientiad era dicandum:confuetudo magistrozum est scindere cutim z ipfas extra euellere rextirpare. Et est possibile o be vest ce pino oziuntur parue; vemu pcedente tempoze crefcut zaugmentant valde:znutriuntur ex nutrimento adue niente eis fibi apto afimili: afpecialiter quado infirmus comedit pisces a panem a cimum a frigidum lac a boza fi mile:quoniam talia cibaria percant istam passiones ver pertus fum in paruis ponere emplin de narcif.i.de nara cis pistatis amalaxatis cu aq:quoptime remouent in co z phani etia pare oi vie aur.i.ieiuno stomaco pe medulla Teminii eius ad comedendii qo liberant inde: 2 ofert etia emplastrare ipsas cu charsscasiua, i panicald. Et aligni be vefice generant in incturis a funt abig punctioe: que ab antige noiant puftule iuncturant fiunt ex bumore grof fo iniscato in locis illis: q a frigore exteriori induratur. Et quis a medicis nostris plura medicamina fint rememo rata. Ego tri magis comedo ceteris medicaminibus femi na victa ve nargis comesta remplastrata.

Eaplin. I.C. Quod est pe verucis a poris.

E generant aliqui in corpore veruce seu pori quo pi species sunt multera ex eis sunt que si unt ex sanguie grossor sint pe genere granu lorum paruo p que arabice vicutur alebalis: a pe eis parú supius fecimus métioné. Et en ra eadé existit ratique sunt ficce valde; teminent exterio multir prista generant ex secretar que su se sanguie poris.

multurifte generant ex flegmate groffifimo terreftriz frigido: cura baru est späliter purgare illus bumozem. TEt bocoptime fit cu ilto medicamine, Balocs agari. barburic.i.polipody recetis:medulle cartbami: feis vzti/ ce.fucci ligritie:iteriozis collogatide.an.podus granozuz ordei.13. fucci cucumeris afinini vel fucci folio pe cius pon dus grani vnius voimidy ordei:piftetur alib pe fe preter collogntidă:que icidenda est cu forficibo minuti: 7 incor poza fil ofa cuz oleo ve fereg: reu aur.i. grant fisticoz vel amigdalaz oulciúr tátúdem ve gúma arabicar ofice to tú fimi cú frupo de fançabin: a ppina ifirmo de ista côfe ctióe, pondo ii aur. post custodia ipsius aliquo p dierú: a fino purgaret sufficieter adde aligd ve residuo cu aq cali darregedo en ficut in alus la ratinis: 2 boc medicame con fert regedo eŭ cu regimie ordinato. Leu pane bii fermen tato apullis agallinis in taffea: a pone super verucas ali quid de carobis bumidis pistatis donce cadat: que eis et que faciunt eas cadere est oleum qo remanet seu qo eliq tur a caseo veteri zantig reteto in vegetibus. istud enim Deficcat eas abigo Dubio: Taceas citiffime cadere: 1B et facit oleum ve fruméto: coleu lupinon filr. Et eft adbuc alia species pozon qui pfundati sunt in carne multum. 2 eminent etiam exterius enoiantur pozzi pfundati. Et en ra est eadem pdictop.s.cu regimine apurgatioe: 13 idiget cu boc eradicatione cum manu.

Eaplin.X.Quod est ve tineositate.

Ec adem passio generat in corpore ex bumo re sicco e grosso sic fiut porri e veruce: preter quo siccitas bus' bumoris no est tata apta e sic

citas q facit pozos. Et ofert valde in bac egri tudine la catiuŭ noiatŭ in pozis. z pone defut per babalçabar malakatŭ cŭ aquaz curaŭ ide. Et cofert etiaz inunctio cŭ oleo de frumeto vel cus aliq ek alus di citis in verucis. (Et de de cegritudo etiaz generaŭ ek comeltide lacerta pot une ofert valde fumere de triaca magna a qua pte auŭ.). Viga ad auŭ. Siciumo fid cu aq tepi dar no comedat postea viga trăscant boze. Viu. (Et p petas lacerte ego si ga comederit ea vel biberit ek aq in q fuerit moztua magnu cozpi ifert nocumtu. Et mibi

cũ cém in marestrañ.i. I bospitali accidit B.s.qo in ağ qua bibeba pcipieba bozzibile odozerzos vie mibiyidebat mit tiplicani que ozdinani z seci boses trare puteŭ ad viden, du qd B ee possercedes qo ali que reptilia itus cecidissent zille questroz inenit lacertas mitas moztuas:ps que erat vissoluta z ps no. yi times ne ide possem bre nocumetu: incepi bibere ve tyriaca: z recepi ve ea plurib vicib z sic enasia nocumeto gra vei. Et post logu tre o extentirmibi pustula ad modu granule sup puncta nasi. Et ego vesti per posui ve tyriaca: co qz cognoni qo illud erat ex bumo re venenoso a natura expulso.qui qde 3 bumoz generatus suit ab aqua lacertarum pzedicta.

Lapis. XI. Quod est ve cozzuptõe rercoziatiõe cutis.

Lozif aliqui bec passio in cozpore re bec sit ex abudatta buozis mesici mali multiplicati in cozpore qui a na exteri? expellis ad cute i que virtus nutritina cutl extoto cozzupitur re virtus nutritina cutl extoto cozzupitur.

ió nó nutrif. ¿cú nã conetur ipfum exterius expellere a non pót excessa a cutis a pepilat a bic bumoze est malus valde is th est p bono que exterius est expulsus est cura buius est mundare cospus ab isto bumoze malo melácolico cú reb? pícripti a britisti búoze educere. Los barburia epithimo lapide lasuli ellebozo nigro a sistibus a pe. v.in. v. pichus da es aur. 5, pe tiriaca cum. \$1.00 sirul po pe ligritia a ter tantú pe a que tardet comestiones y siguido galline facta in tassea; pobe pané bene fermétatú i bzo dio galline facta in tassea; pobe podío gallie multú, a epithima cutis cú sembus melonis excoricaris a sio canomille a pres sint e que positatis a malaxatis cus a que pulcia tene pesus gomento in mustado i pm.

Eapitulum.XII.Qò est ve lepra.

Zozi i aliqii bic cacer pessimo in corpibo bominii. f. lepra. a B e manifesti qre maria egri tudo: a p maiori pre accidit pp vicinitate set octione more cu ipsis leprosis: a fit et pp coe.

ftione cibo p peftruetiú oplone; zqu bec egritudo inuale, fcit z fupercedit: e vificil' curatóis valdesta fi spasmonon affuerit vel supuenerit i aliq mebro polis é cura ei?. Qua re itetio pina qua bre bebes in curatoe b'passiois e in ape riedo oppilones iplenis: 2 B cu corticibus radicis tamari. cis: corticibo radicis capparis: pone cu eis ve ligritia a pafful ad fragedu con acuitates. (Receptio apta buic paffioi. B. corticis radicis tamaricis: a fgnati.an. 3.i. poly montani qo or arabice iabada. camomille.an.ptes tres 3.i.metaftri vafare bacbare:méte.añ.3.5. cetauree mino/ ris grtaps. 3.1. q funt ogffanda ogffent z ifundant in. r. lib.aq p nocte vna cu tata ligritia citu ola pdicta: 2 mane bulliat leto igne vies ad ofumptione tertieptis. colent. ad fpiffitudine. voe isto firupobibat paties q13 mane. 3.4. cũ ağ cala: regimê ciº fit panis bû fermétatus: rgalline pparate i taffea: z loco olei olina z ponat olei amigdala z onlcii: z postea purga bijoze melacolicii o ado ei medici. nas cuacuates meliaz cu tota fua fuba: ficia vixi tibi: fice polipodin repitbimi rellebop nigri. rbop filia. ['Re ceptio ad bec. B. agarici polipody recentis lapidis lazuli. añ aur. n ellebozi nigri aur. i. folioz collogntide gra pe aur. i. fcamonee octana pe aur. i. fcidar collogntida cu foz ficibo minutiffime amilceant ofacu puluere oragatop a fisticis ramigdal'pistatis añ aur i. z cu oia fuerit optime pillata icorpent cu firupo de corticibo citroz a fançabin Toofis bomedicamis fit aur. vi.cu aq cala: Tfino fuffice, retaddat ve pdicta aur.i. rege eu ficut vem e in alus la ratinis: telt nece in bac medicia vt ponatipaciñ iter affû ptione vnio medicie talterins p qlibs fella vnos vice: t bieme in oib? octo vieb? fac pparare serpete you pingue



semie nigelle: feniculi. Et si tpo retas cosenserit. Dab ci finapi pistată z visteperată cu ağ ad spissitudine mell'cus lib.fucci feniculi: zlib.iin.mell: zlib.i.cuccari: zitez fiml bulliat více ad oecoctióes firupi; voe isto firupo ppinent ad bibedii oi mane. 3.11.cu.ii11.3. aq cale: 2 politis potatus fuerit oe isto p. vu. dies.purga eŭ cu isto la ratino qo educ apurgat buozes grosos. B. medulle seis kartami: çinç.sa lis cois: seis verice: bdelly: oppoponaci: galbani: sgnçabin vel scrapini.añ.podus.aur.i.collognide gria prez.aur.i. icide collogntidă minuti zpoe citu e collogntida ve pul uere Dzaganto 2: ? auf. 5. De amigdal ercozciatis ? oia ista madefiat cu firupo squçabin facto cu melle: ? ppia De isto patieti podus auf.v.cu ağ cala:vcu fuerit purgat?: Dabis ei pane bii fermetatu cu gallo Decocto un taffea:f3 añ affu ptione medicie post meridie comedat bletas vel veticas occoctas cu gallina: vin mane sequeti bibat medicinam. [3llis at gbo bec paffio euenerit că apatis primet ner mi:aut că otufionis vel peufliois in illo loco:minue cu ex opposita pte lesiois:qm si fuerit egritudo in vextra mine ex finistra: z e prio fi fuerit in finistra minue ex vertra: z fi fuerit in mebris fupioribo minue ex faffenart fi in iferiori bus floma ex cefalica exbendo ve fanguie put tibi vide/ bit puenire:pfideratis pditioib fupraferiptis: vinuge lo cu egritudinis cu oleo rofaceo calefco e fufficiet tibi. S3 ego scio a filircognosco qo ples medico plicigabunt o me De boc Dicto:q2 credit qo puatio fenfus amotus no acciv dat nifi a că frigida z bumida:z ppter boceredut qo im/ poffibilis fit eins curatio nifi cu calis. Si aute picuerane rit victa paffio pluribo viebus:fine fuerit ex apare vel cocustione aut percustione seu vulnere:pone túccii oleo rofaceo de oleo lilu.añ.eqles pres: ti fueritanti q magl adde cú pdictl. pré con de balfamo. p fi no baberes balfamo pone loco cius oleú de fecamin rest nigella: t pficiet cú adiutozio dei. Et feias iten p qui diabit multi discussione de la cultura de la c tas cala valde in fuba cerebii vel in neruo puat filride fenfus amot?. So Baccidit raro ain minozi pteraboc ma nifeste appara go qui alige fortiter calefacit man' fuas ad igne subtilitate sensus amittit:ita op no baipm sić an. Gre fi cognoueris q bec egritudo pueniar a calitate peffuna: rectifica optone mebri moderate: pipiciedo ne ifricidos fupflue. (Si aŭt vifficultas pdicta fenfus vel moto fue riter ifusione facta in neruis amusculis ab bumoze flati co z viscoso: subtilia cius regime valde: z va ci firupă pre/ scriptu queadmodu virimus: 2 medicina et paicras: 2 va/ bis filr: vzcaz z fuccu feniculi cu ouplo ipfi? aq. z purga et bumoze illu cu aq ifufiois medulle kartami: z feis vetice. (Receptio apta buic paffioni. B. Kartami: 7 fe. vatice: 7 ligritie.an.3.i.pulpe collogntide.aur.i.Infundant in fer uéti ağ p nocté vná: z i mane expmédo z pus fricado ma-nibus collent: z pe ista colatura pent patiéti ad bibédű. 3. pin.ců.n.3. firupi d citris: tboc bibere oz fernato regimie recepto vigeftino picripto plibo viebns. Oz fi fufficieter no fuerit purgatus: Dabis ei De residuo Dicte colature: 3.1. 2.5.cu.3.5. victi firupi: 2 fac eu cuftodire fic fit in alus laga tiuis. (Qñ aut ficcitas fupflua onatur in neruo plus De/ bito novidi bucufq q fubito inde accidat ifirmo vifficul tasvel puatio fenfus velmotus:aut relagatio opleta i me dietate corporis totio vel in toto corpe. Sapot ex bacca B fieri fuccessine a paulatic post logitudine tpis: sic vide trus in senescetib? valde:qri bac de că ingrosfant sensus eop:2grauat audit?:70iminuit visus:20do2at?:7gul?. Et bec ficcitas puenit in eis ppter vebilitate fube cerebai 2 ppterpaucitate fpus nalis valalis q funt in cis: 2 q2 pp fenectute viminuitur ve fuba cerebu . 3 bi vefectus no accidunt cis nisi quanon bi custodiunt a regunt in cibis a portiboratin a parci funt a teati in cibis a portiboratus a romaniliter a ordiate inoibo regunt: enadut competeter ab

istis vefectibus regritudinib": necetia in talib" vestruit itelle comer itellige is p vestructos itelle vestructios ima ginatine: Diferetine: remeozatine: qz iftis q bñ cuftodiut regut no supuenit vestructio baz vtutu. Saccidit eis tin oblinio:13 imaginatina 2 discretina 2 mediatina feu re miniscibilis pmanet i ipsis i sua nalitate: spigritat i mer mozia rep: qui recordat eis faciut oes fuas oparioes na liter: queadmodu i cozpibo fenu nair accidit festibilitas a labor pp vebilitate mebron eon ita filr cuenit in itellis ipop. Et fie vides manifeste op qui sener exercitat corpus hui facit opatiões de itédit rectas a nüles fic por fa fiam politate fic a i itellu ipop accidit que fi recedar eis q fut ex erceda:faciút opatioes fuas nair tá in imagiatina es in oi fcretina remiscibili. Eŭ at i istis accidit lesio atqu passio no etin ex senectute: 13 et ex ifirmitate: t illi et g fint i fe nio officuti viimo fuerit i regimie recto vordiato fic vixi mº exercităt bas viutes recte z ordiate: nifi qr pigritant in bis. 3 B no faciut ftulti g imaginat res q no funt. Dic fecit gda ftult' g cu cet i tecto vni" Dom": Dixerut ei gda: eycete iferius zicótinéti feč. Ducufq locuti fum? Deca-delchadar: a é difficitas fenfus yl'mot? yl'ambop fil'a fit ialiq mebro finglari i plib? Et olfeleg. q e puatio fefus pl mot? vl'abox ilil'a fit i yna medieratu toti? corpis.

(Lap. XIIII. Obe ve feleg.i.ve paralifi in particulari. Eaccidit aliqui boibus lefio in nucha aut pp penflione vel ex vulnere : aut pp apa qo ozit ibi Q fi fuerit i medietate nuche erit felleg feu palifis i illa pre i q fuerit lefio. Si vo fue

rit lesio in tota nucha puat ex bose vel ex asa li vel qo fuerit vicinu optoni bose sensus a moto otus me bzop eristetiu sub ea pre lesiose qo si icisto aliq sacta sue rit inerno: puabit fenfus fi fuerit ex nernis fenfus: vi'mo tus: fi fuerir ex neruis motinis i illo mébzo yl'i illis mem bzis ad q̃ tédit ille neru". Et b" cura e ipolis, fi át ocă lefio vel icifio fuerit i neruis anbelit" q venifit ad pect" mozie tur paties in breui fuffocat". Et fi fuerit i neruo vi in neruis anel q fut fub neruis anbelit' mouetib' pect' poterit vinere: s cu difficultate: and plogabit vita et? multu: 3 i fine moziet ide. This aut itendo de spasmo tractare. Capitulum.XV.Quod eft De fpaimo.

Z fit aliqui spasmus in aliquo mebro qui ner unspugitur acu vel clauovel bis filib? Qua re medicus pmptus effe oz icotineti cum oi follicitudie cii alige in neruo pungit vefuper

ponere fulfur tritu mixtu cum oleo oliuaru. of fineglegerit istud poterit ad spasmu leuiter ocuenire. Etpotetiam spassinus puenire et buozibus supfluis ibi-bitis in neruo:vii obitur zabbzeniai. Et cura boest corpo Deficcare apurgare ipm cu bis q bit educere illu buozes. zboc fieri pot cu ağ ifufionis femis chartami zpan pulpe collogntide: oado ei ex bac ifufione. 3. v.cu. 3.4. firupi corticis citri. Et pot etia spasmo euenire ex siccitate super flua ficut post nimia a supflua enacuatione nalemanter affumptioe medicie acute valde. Er cura bui'est iungere posterioza capitis cu oibus spondilibus reliquu cozpus etiá cu oleo receti amigdala poulciú: ccida cu gallina de cocta i aqua simplici. Et si vis poere amigdalas rlacerit bonu r ppina ei ad comededu testiculos gallop inneni: om füt optimi. Et in fürna vice oppulle gallina z zgalline funcei optime ad comededü. Et accidit fül i pafm'aliqu ex vapozibus verinatis in mufculis vl'in neruis güatis ex ebrietate nimia aut ex mita coeftice pomoz vel potatio ne fupflua vini ipfop:aut expotatoe agrefte crude: exolbus iftis căis pot ista spes spasmi puenire; q or busea. Et cura bo e vt facias ifirmu custodire aboibo q prit talesva pores gnare a fufficiet ei comedere pafferes vel turtures pecoctas in aq volco pecoctoe multa:aut affatas inveru,



Secundus

De ocă finapi o fufficeret ad occidendu vermes. Et fcias p be res et occidunt sanguisuga ebibită. z ego expuli san, guifugă vădo patienti per tres vies femen nigelle in ieiu nio. viunit me in bac etas ifirmi v tepus ani: qm iceperat fenefcere e tepus erat biemis. Etabstineatab oibus reb? oulcibus maximeab bumidis voulcibus. Et continuet comedere acetum valmuri vonec fuerit liberatus.

(La. XXIII. Oò e ve cucurbitinis. Z griant aliqui in itellis magnis vines pui fi miles feibo cucurbitap. So ifti nita cito occi dunt sic pdci:ti otiuadu éregim pdcin: toe

ficifto. B. farie lupioz z cetauree miozis z folioz pfici z peaffy:pifter voikepenr củ ağ olci v.r.ps ipi°aceti vadiu natad necadu iftos veduce®.cliftere fcin củ ağ feu fucco marubų rfuis filib?: roib? mõis otinuado bas medicias eos occidir reradicăr oio. Logicedo o g vines bir i corpore cii fi famelici ăgultiăi valo: rafi ftoac ipoz e ianit? vomutez fentiút i iteltis z i ltó agitatões z mot encos:z bit fridoze vetin i fonis ita q andit repoze ipfop efali ua e bûiditas tê repcită a fono cu tiore. Îs qu cucurbitini fiût i îtestis magnis io ît pcipiût volore. Ea. XXIII. Que ve vinib miut e puis q oriu ît îtestiou pte îtestiop.

I vines q giant î fundameto îtestiop fiût ep flate putresco cu sercore. Et cura e regim putresco cu sercore. Et cura e regim putresco cu sercore. Et cura e regim putresco cu sercore.

dem emedicie pace cu clisteri paco addedo i ipo o ruta: Tlibabit cu adintozio di: Trimes et uig fuit i aure occidut cu fucco rute vistilla to Taure. Cogicedo o Teura olus spez vimin e necini subti-liare regim. (Lap. XXV. Obe varicib).

liare regim. Ecegritudo q or varices ozif i cruribo q effimilis varicibo arbox afic vilatat vene ain groffant verterio pminet. Et gnat er melia veroffa vetofitate: cipe i cura iltioa purgatio

ne corpis ab buore melico: 7 B cu lapiò la culi z barburia.i.polipodio z filib?: 7 B medicarii feriptu e fu pio. Et fac ei fieri firupu viffolutinu t fubtiliatinu. B.coz ticis citri: zmacl.añ. 3.i. spice: sgnāti: camóille: seia melois assocaañ. ptes tres. 3.i. pqua que pagranda: z ifundăt in .x. lib.aq oulcl p nocté vnă: i mãe vo bulliát léto igne y squad psiptios medietat! pemú collét: z i ista colatura addă tur lib.i.fucci fenicli: tlib.viy.mellis: tfil bulliat viquad spisstudiez: z exbibeat o isto oi mae. 3. y. cu. 3. v. aq: z poe fup crura farinaz ozdei z camoilla z rofas.an.ptes egles: milcear cu aq ofci tepida a ofup poc. Sciedo o b' pafilo e oificil curatois: tu cu magna a otiua atq loga follicitu die z cura poteritad meliozatos zalleniatios oneire: zpp

fittidie. Et cab'é exuberatia buoz groffoz g ft vltimi in gffitudie g bícedűt ibi pp pode rofitaté ipozű. Et curab e gft ipolis. S j latv

dabilioz via in curatoe ipiº e eŭare cozpº cu medicamibº educetibº istu buoze posteg [btiliauer] ip3 vicider] cu me dicio pcio fupi".f.cu firupo fco er radice lily Tiucco féicli Talus oib" picripti fupi".Et fac épis fupi" refolutiuu Too supriun-z cu reoneb epl3 ca alleniatois crurl innges locu cu olo camoillio a ro. aromaticato fil egir mixtlan mire ris o plogatoe alleuiatois bo:qui et cui optia cura vir pcipit melioratio i tpe logo. (La XXVII. Qo e o cacro, Loui aliqui i corpibo aliqua pa noiatu cacer

qo arabice orcătă re difficil curvalor noiar cnacer ab illo aiali fic noiato qo e biis crura loga amtra: reccidit p maiozi pte i cruribue

pp largitate vear ipor app abudatia buor meliciagra uedies apoderofitate ipi": taffilant ifti" vene venis vari tia a cacer. If ex buose groffo a melico a terreftri valde tri bi buoses vinerfificat adinice i gifitudie: que vue gifios é al tero: a illo fligf i vifereto e medici. Durga g bue buose cu fuba vea p medicia p fic cu lapide laçuli a fuis filibo veis: rciba eŭ pull'puis puenierer ococri: rpae o frumto optie fermetato: faceu abitiere ab oibo cibis giffis: zab oibus fructibo pteres ab quellais ramigdal'a fifticis: a potes et

ei sentire poma granata a pira optime matura.

(La.XXVIII. Qo eo voloibo incturar.

E fint align i cozpibo a ruda volozeo incturar. rug pcedut er abudatia gifop buonvi visco for g ifudut i incturis: tpole e quiti buozes īgbuidā idurāt incturis admodu lapidis.z

cura boy é ipolis. Szcura boy os cé añ talé iduratées. v té i ipis opebit villitas: vicipe i curatée boy oado firupa opolituca aq écoctéis radicis lilu: vincci feniculi pouas feptianas. zpostea eŭa iĝa ab isto buoze ĝsto cu B medicai ne. B. bdely oppopoació z scibmeg: sterioa collogntide p pata sic ocz e supi neo op b trabut buoze ab ist lock z sumge locu cu oto o lilyo volo camoillio vanetio: vpiquedie anatis volco anigdal. mixtl que ptes sint eqles: v vtat B regie tădin vocc videat effect medicie cu adintorio vei.

Ecgdepaffio ozifi iteltis er buoze aglo ouer fo i vapose ex q fegepaffio graniffima. tilla b că laniăt arterie vene votide ofeg vlcera tio i plimõe. z scias op medicie q osueuert mi

tigare polozes priouet istii: sic sut medicie calefactine z vissolutie rapitiue:qm vissoluedo buc buoze prouet vo binditite tapitule: qui oniotite di pic puote pinote to loze itefu qui itolerabile: co quapor n'imittit volore infifuerit quertius i vetofitate. cogice do quoria e iter vapore que per ofitate: qui vapor of qui gefeit tuo monet: vetofitate qui monet: tei due volore pp motu tertefios. The boies pluenet noiar vapores extrifecos vetu qui monet. (Expop) i tetio tua fit i curato e boiare bue buore aquis abf o ppatoe rreceptoe alicoigestini. rsuffictibi seme karta mi i bac itétoc: tfi vis addere femvatice erit cura vitia. t ba ei oi māc b ifto firupo. 3. y. cū. yi. 3. ağ cale. B. fucci feni cli collati li. iy. feia melois. 3. 5. maftic aur. y. əğfleni zifü dat pnocte vna i aq cala:mane vo bulliat leto igne viquad ofuptoes in ptio:collent: abuic colature adde lib.n. mell. abcoquad ipiffitudine firupi. Et iunge locu voloil pofricatos cu palma manocu olo camoillio canetio cpin guedie anfis mixtleditriviat Bregie võce libetet adiu? E fint aliquoolores i corpe ex forti labore ?

fatigatõe: Típalir i ifuetl: of fi fuerit byes iun, ge eu cu olo anetio vrofaceo tepidis: vielta te sufficiet oleuz rosaceu solu. z cu ist libabif cu adiutozio di. z fcias q laboz e apa vie toti corpis: pp B oia mebra calefiut. rientif volorviis i oibo mebris totto corpis. lic accidit nauigatibo cu reis affidue: g cu gescur volet vir i oib? mebris:13 magl i maib? the fu pflue abulates volét i oid meduis: 15 magl i crurid tpe dib". Et i curreti i dac passione subtiliare vedes regim va do eis pullas decoctas i tassea cu aq taceto: taccidit mito tics effymera febrier talilabore: Thi fto für vene replete alia buoze ppato ad putrefactos fit ide febris putrida Fs nas illi buozie. Et polici expedit fuero pe tractatu illo logr ve febrib" z curis can cu adintorio vei.

Ecegritudo accidit pedibo q or anacras: tell apa qo fiti vno pede: vli ouobo: znali ibide b accidere pt velocius co i alus mebrico que



camomille prigot an . 4.11. seis lini. seis alteciat arabice of chatemian auf in folior vetice:carobe porcine an auf. y.piftent glibet ple zeribza q fut eribellada: z viftepera ea cu aq rofacea:i cuiº vniuscuiusqu lib.fit vistepata.3.5.ti riace alferut.i.libatrias. Etilto emplapoe fup locu pone/ do pefup eplastru folia vitis recetia: z cu fuerint exiccata mutabis illa. Si vo ocin apa fuerit ex buote flatico grof fo: p maiozi pte curat. Et mibi eucit cu ces inneis: 2 paf fus fui miltos a iteíos polores antegrapire: a politir aptu fuit: libar? fui oplete. Ou fi bec pafio cuenerit alicui feni g fit ficce oplonie fubtilia regime ei qui potes:ita qui no comedat aliqo babes graffitudine: a fuffic ei pare pullas puas a feás i taffea cua aceto a pane bú fermétato: to a ei bibere élibet vie. 3. 5. syrupi sençabin cü. 3. v. ad vecoctionis yrigoz. Et sit vecoctio talis. s. i. vi. aur. yrigoz ponat 2. g. ag: a bulliat yses ad a súptione medietat : a cu illis. v. 3. vecoctió is viste talis. s. vi. aur. yrigoz ponat 3. g. ag: a bulliat yses ad a súptione medietat : a cu illis. v. 3. vecoctió is viste talis. vi. a vi. a vi. a cu illis. v. 3. vecoctió is viste talis. mane:vt ociñ é. Et poe velup éplastrú factú cú farina ov dei zyrigis: acamoilla añ eqles pres pister a vistéperét cu aq ttertia pte fui aceti: toefup eplaftru pone folia vi tis vel ficle. of fiapa ad maturatione benenerit: flude vt os feu aptura fiat iferi? z vbi vis o rupat pone illic fter cus colubinu micru cu butiro 63 aptură quă itedis face re: ccu aptu fuerit cuacua fanie: cit pone liciniu feu tetă madefactă î melle vifpuato z vecocto cu aq viquad ipilit tudiné retinédo illó liciniú nocte tota: emãe réoue illud zpone alio madefactii i emplo alnacli mixto cu olo rofacco egir v bullit ad spissitudine mellis: zpmaeat sicp to ta nocte: 2 83 go paties fuerit velicato vi no olicato: pone De vitriolo i alnachi pla vi'min'. Et fi vi tibi vifficile egi re ocanitate vulneris oci apatl carni bii. accipe fulligine fornacis vbi fudit es atere ea: ablue illa cuaq multoti enera de illo pulhere (p.ge (np liciniu: trădin pôe i vulne-re donec optie figillet . Si at deni apa fuerit ex buoze (an guineo febzie erit fortiozi (5 citi? libabit . Et cura ipfi? est ñomare pº: zpoltea velup ponere mitigatina volor! znar coticha. Bº. apta valde ad lö. B. farie faban: yringon ca moille: fpuina: folia vitl. añ. eqles ptes, pister zvisteperé tur că agresto: poe o sinp: ring epis poe folia viti recetia:
vă agresto: poe o sinp: ring epis poe folia viti recetia:
vă î cipit epicari madefac ips că ağ rosacea. Si atad sa
nie ouenerit: fac ei cură pacăz in statica: excepto op in isto
magl follicit ee cură pacăz in statica en aglite dere vebes î subtiliare: icidere: voisolure e. Si at pactură apa ex
colica sucrit si nsiciet ei varantită abactii in magia fort colica fuerit ii pficiet ei vnguetu alnacli:imo magis ifert nocumeru:nec et acuta vi acetola:led lufficiet ei luppone re cortices cucurbite vl'angurie vl'bop filia. Sciedo qui ifta regiõe oia apata q nascunt i pdictis locis noiant alta/ balep. z greci ipia noiant babui. q at fiut ex buozibadu ftis no recipiút vigoné queadmodú vicim? rpp B no en rant recipiút vigoné du prime? coglecdo o B apa é corrofiuu: r corrodit in circuitu fui ptes vicinas que nece iducit quis fit i ptibo ignobilibo corpis:nedu i nobilibus. vel ppe nobilia mebra: 2 pp boc moriunt p maiori parte

babentes banc paffioné.

Cap.XXXVII. Dé est de apatib ° q vicunt doggas.

Runt aliqui extreitatib ° digitor manuus vipedu apata q vicunt dogga: qo latic pana riciú noiat: a facilior cura a magis laudata e desir ponere cerumé seu soditices illas q reperiunt i aurib vi panémasticatú: a si sue periunt i aurib vi panémasticatú: a si sue rit delicat sufficiet el faria masticata ad maturationé b apatis: vi passule pistate; aurib vi passule passule cura a sine tiore. Es b egritudis repit qua se passule cura a corrodédu carné viua man vi pedis conce de cuentat a docrosed carné viua man vi pedis conce de cuentat a de corrose maioris pista pista. Et bec spesarabice noiat egritudo spie. Bal. vo no noiat passule bác po noie: sed possule cará a cura ipsi , Et possag cogueris bác spēs quipsa

crescit attidie rangmetat : stude i enacuado corpo forti-ter ponedo i laratis ipsio res a trabat huores adustos ro pueniento ad Best B medicame. R. corticis mirabolano ru z kebulop: z idop: z epitbimi barburie, i.polipodu.an. auf.r.fene kartami. feis vetice.an.auf.v. piltent optie ? addat iftis qitu egnta psoius oca z mediciaru ve violis Tflorib nenufaris: Tifude oia i ağ calida tata vt coopiat exipla: 2 colet i mane fortifilme expinedo: 2 i.vi. 3. ift? colature ponat. 3.i. 2.5. fyrupi de ligr. 7.3.i. 2.5. fyrupi de cottu ce citri: 2 adde buic octaua pré aut. de framonea: 2 octaua pré aut. de maftice. Et fi n purgaret sufficiérer cu istis adde de de residuo aq. 3.y. 2.3.5. fyrupi squabin: 2 ciba cu 3 por ste a gallina elizata i tassea: 2 i de añ assuprione medicine Dabis ei ficlas elicato i vefpis a fi no fueris fudiofus i li beratioe boante o beneniat ad maturation e reruption e par pficiet ei cura a medicatio poltea: p fi penigrat i cir cuitu apatis vidurat queadmodit benenit inimico meo g noiabat çacharu q milit p me poltigerini ve carceribo bali fily Joseph: Tiueni o coză eo erat ples medici z cum ees ppe eu ipe excit pede suu: z fere o no posuit ip i sinu meo:ficaffuet'erat facer alus medicl: tuc elogat'fui ab iplo: 3 oliderani qo corruptio erat in circuitu apatl. gre pi rici q ipolis erat cura ciº oio nisi cyrologº icidat carné il la tota cu rasorio q e i circuitu apatis: q cu audisset Bice, pit surere valde zangustiari: zmedici i ceperut ei blandi ri tradedo oblinioni pcepta antiqui q pceperut q no obe mus bladiri i sirmo in egritudib?. Quare pmiserunt i sir, mo remouere că bii cu medicis moztificatinis: gbus viri ono cogicebanec videba vllo mo quillo facere possent: co quantificata fit illa caro mala: onigrabit altera q fuccedit: tic ocordati fuerut oes remouere ea cu medi cinis acutis: abus vici op no poterar istud facere aliq roe: picere gono poteră inimicitiă coopire quă béo erga eus; tri căui e er inimic esses p certo picebă vitate, vri ista be că imagiaucrat nocere mibi: 13 ós abstulit ci potetiă: nece fui medici aligd fibi pfecert: 13 potioci itulerut granamê a validu nocumtu. Et accidit que in bac passiõe es corru picos a onigrat: qre spole é es sup illo os possit caro guari: nec odefari, vii necesse e radere illud fortiter: acii rasorio icidere carne illa tota q est ifecta a corrupta: asbtiliar regime cio: r fup locu pone farina ozdei cu idico quoz pres fint eğles: z cü vuln fanie eiecerit:pone tüc farinaş ozobi mixta cu melle: tiunge ptes vicinas q fut in circuitu apa tis cu oleo rosaceo aromatizato: qui pose est que i B regi-mine: videb re laudabile cu adintozio pei: qui posopatie tis suerit siccavalde: reuerit senepadde farine ordei zin

dico fitum est fra pe con ve thure adusto.


(Explicit liber (cos theyfir. (Incipit liber tertion of the structure) of the structure of the str

Caplin pmum. Qo eft ve febribus effyrneris.



Teit ferins anézoar pechie, moiare ynuqueas caloreereutea corpe pter nazifebre. Sciedo prex febriba qua di fiuri fipiritiba coi poi si telligo fubam fubtile q ei corde q que fuba i telli un fo breuse è ad i tellige a y uni.

m° võec ipas vem ?: a mozimur qu õs ipasa nobvlt réoue re: a da febres oziut i bioxiv?: valia griant i fubaliv me bris. Et nüc icipio ab ca a ozru bs a ipiritiv. Et vico o b febris pte grat a căis extrilecis lic a forti ira va fupfluis vigilus: aut ab itenfo z forti laboze. z exercitio exics a nă vel ex peto e inglue more i fole: aut ab itefa friditate aut ex balnearõe in gbuldă ags stipticis sic in aq vitrioli vel alumis a fuis silib. Ira at pereat febre: co q ab ipfa sha mant spus cordis a toti" corpis; zinde sequit estymera: a



Terting

tiozis vigonis ipfa attidiana z p maiozi pte no curat niff iestate. zporismi ipsi fiut de grto i grtu die zouoboie bus eigete: porifini h' plogant viuti' à porifini flati-ce: rhec febris nait miti plogat: qui plies vidi ca icipe i estate: rno vimittere vigi ad alta estate: rqui q plongat vigs ad vuos anos: riterdu plus. rhec p maiori pte non vigs ad vuos anos: riterdu plus. rhec p maiori pte non accidit nifi fenib? zilling vtiit carnen groffan valde zca feu falitu aten vet? zg vtiit comedere carnen arietuma gnon: Thircon Tcaffraton: Tet q affuefcut comedere pir fces magnos Tveteres valde: Tcarnes falitas grucugge neru fint: voliuas: melogenas. Et i fuma vico o bec fe bzis accidit illis i gb'melia pdňať: fine a oplone fna radicali: aut a cibis malis gnäntib' illú búozé: c c ű icipit pozif mus b? vř ifirmo o grado cadat fup vozíus ei?: z incipie ců tufi: z ců recedit porifm? remanet můdus oino longe plus qui detidiana; qui attidiana no vepurat patico precinifi post viez libatione; rbucus remeovar? sus remeovar? est estivatione rate rove istis simplicib? febrib? pticus; vep simplices itelligas opofitas:cogicedo tri op praciozi pte vir repitit febres er bitore vno fimplici: ita op poffis dicere op er pu ra cola fiat febris:cii fit calida e fic. valde e fubtilis fube: o fi accidit B e i miozi pre:f5 Denoiatio fit a maiozi: ita o qui cola onat in aliq febre: of colica: q cu putrescit îtra ve nas fac febre abigs rigore: 13 cu estuatión a calore valido atos forti: a cu multa siti. Cu aut putrescit ex venas sit cu rigoze forti: riudat ifirm' i veclinatioe: remanet getus: Touc be febres.f.terriana cotinua vel iterpolata creticat p maiozi pte a ciiq.vie víquad cvy.vie nifi erroz fupue nerit ab ifirmo vel ab alya. Sciedo tñ o fin mixtionem colere remittunt accidetia: plogat febrisplus vimin?. (Lap.VI. Od e de febre q fit ex colera vitellina praf.

fina aut eruginosa.

Z pôt ét fieri febzis er cola q i vltia calidita
te a ficcitate eristit cui suba spissa atap grossa.
fic é cola vitellina a prassina aut eruginosa
Et pôt e é p bec cola sit admirta stati : sa pe

noiat collea a viio: e 5 q elógant a limplicitate a purita tecole: F3 illó plógant porifini a accitta fút getiora. e illa febris tertiana qui fit ex cola vitellina q e mixta flati fac porifinos lógiores q q fit ex fimplicicolera atq; pura.

Cap. VII. Qo eft ve cura febzis tertiane no pure q fit ex colera mixta flegmati.
Ura bui' épotare ifirmu cu rebo tépate fri

gidis zabstersinis: zbis q bit puocare vri

nă Thidoze: fic fut ifta. B. fcia melois Tcucu meris: Thop camomille and aur. r.feis lini. a fenugreci: a ozobi ana auf.in. ignāti iparagi: ipice nardi: masticis r seis feniculi ana aur. v. ogstent q sut ogstanda r ponant in onabo lib. aq oulcis: r bulliat v segad osuptio ne medietatis: rcolent: rin baccolatura ponant libre.n. çuccari: tibre.y.mellis: tlib.i.aceti: tbulliat iterii fimul vigad ipiflitudine fyrupic ve ifto bent ifirmo oi mane 3.4.cu.vi.3.aq. z ciba eu pullis puis Decocti in agresto vi ci aceto. S; febris illa q fit ex colla praffina vi eruginofa é frauduleta z oeceptibilis multur ei accritia fut difficil lima a pniciofioza atop frauduletioza valde accinibo pdis ctis q fiut in illa: q fit excola vitellina: z p maiozi pte non cuadut ifirmi ab iplis qu moziant : z q cuadut libant cu Diffictare: 7 post logi tps. Et cu inadit porismo bo febris agustiar paries mitu: 7 b3 ingetudine magna cu siti vali da atqs forti: 2 b3 alienatões varias atqs magnas: 2 iactat fe plectů buc villuciců istátia vigiliarů: v pulíus patiét) i febre é our pur ates oucrfus: a p maiori pre finis bui e malus: a in miori pre liberant: a q euadút cú oifficultate euadút a post lógú éps. Et accitia a supeciút i bac febre fut pessima a frauduleta:atqp Deceptoria:qa yrina taliu e

ptinés ad viriditaté vel nigrediné. Typostasse et ci² et al a ci pédet ypostasse talis i medio: mozif patiés in breuir qui é i sudo adbucciti? Le si in vie cretica icipiat apparer e vrina nigra absq ypostasse si signu fortitudinis vititis expulsiue. Que bonu é a signu salutis. Sy ypostasse nigra est mala: que significat lassitudiné vitut i vigerédo buc but mozéreo que qui na é sortis a bonieé: puertit ypostasse na mozif patiés velociter: si sucrit vipostasse a sucrit patiés velociter: si sucrit vipostasse a sucrit patiés velociter: si sucrit vipostasse si fundo vasse; a si sucrit pédés in medio tardat mozs. Et est elógatione cis su logarione insues pessons insues velociters sucrit sucrit paties velociters si sucrit paties velociters sucrit vipostasse sucrit paties velociters si sucrit paties velociters sucrit paties velociters si sucrit paties velociters sucrit paties sucrit paties sucrit paties velociters sucrit paties velociters sucrit paties sucrit sucrit paties sucrit sucrit sucrit sucrit sucrit sucr

fimplices.ex ipsis sciet recognoscet copositas.

(Lap.IX. Qo est ve signis sebris tertiane. Ebris aut tertiane signa su calor estucsus r sortiane signa su calor estucsus r sortiane si sissi a si tesa cui istatia vigiliaru: r vigila tioes qui estra vasa: extinua rabsig rigore. So ci est est vasa: fit cui forti rigore. r B io qr

Si cui est est vasas fict cui forti rigore. This que cola spgië exterio ad mébra sensibilia: a mordicat ea: a ac cidit ei sic illicui spgif subito a quala supe a. q buit a patif rigore: a sic accidit vulnerato qui petiti sup side vulnus: a porismi sisto suit breues a suadunt de tertio in tertium.

(La.X. Obest ve signis sebzis sanguiee. Odus vo sanguiee sebzis è quotinue affligit: apatif siti a vigiliase abapturbatões mens. Sa vapor qui peedit ab bac sebze no e in timmorday sie ille qui exit a tertiana.

(Lap.XI. Obe o signis sebzis atidiane.

Jana auté atidiane lutique à ablas rigoreis be frigo a spalle extrema i frigidant valdere babe alices a oscitatoces: a lacbrymant oculi eozu. a trerdu patient sincopi ppter renocatoces e trictione caloris na lis ad iteriora corporis. Et por simi funt logiores pdictis febribos corporis les por simi

phrictione calozis nalis ad iterioza cozpozis. Et popiini bo funt lógiozes páictis febribo recorrupi f seu defirmit ap petitus flomaci cozú r funt abigs forti fiti: a pulfus nó est duro negs multu diuerfus vel variabilis negs tante velo citatis ficut pulfus colerice: a vzina coz est spissa a nó de puratur precedinter vnum paroxismum valium.


[[Cap.XII. Que de fignis febris granc.]

Eap.XII. Obé ve fignis febris grane.

3gna at grane für bec. f. frigus magnücü ori
pilatióe: videf patiéti op grado cadat fup en
vndig: reparoximi ifti funt lögiores or quoti
ding fed penyan not

diancifed oepurant pfecte magis quin quidia na toes isti buotes omersificant a variant smomersina tem suar speruzo quelures sint spes colere uplures silv sunt spes sum banis a melacolie et a saguinis. Et no reme motatus sum binis signa simpliciu febriu in gbonulla est admixtio alterio buotes quinis vix repiant oino simplices atap pure sine aliq admixtioe in reivitate: sintellectus solo appbedunt. Lu at pfecte cognoneris simplices sebres a signa capter ipsis bebis noticia apositar a suor accide tiu. Et ia supi comemotani a sufficiere occlarani curam vninscuns su suor solo sub suoris con medicina smilla amixtione: agendo pla absorba pominate. Et es sis sectiones e egritudines. Cap. XIII. Qui est oe sebre e esprendies a cura ei.

E est adbuc alia spes a vicir etbyca. The p maiori parte non accidit niss post alias sebres cronicas a vebilitant corpora repiccăt būidi, tates x inde corpus acquirit siccitate realidi, tatem: rista sebris proprie, sit in radicalibus



Tertius



Une incipio rememozari de dicho creticis: a dico que crifis est moto fortis vitutus corpis ad expelledú bumozes q mã egritudinú existit cú adiutorio dei . Or si bumoz calidus vacuto fuerit; vregio siste calida del téperata: vips suerit esti uú; v pariés suuenis extiterit; leuiter di-

etus bumoz recipiet vigestione in veui:sicut in grto vie: vel viga ad septimu:vumo erroz no affuerit. Et est spole op ante vie creticu no fit aliqua vies q indicet ipfus: i qua vitutes mouent foztioti motu folito: a apparebit ypofta/ fis alba pedes in medio valis: q no fuerat ante: que si inci piet apparere in scoa vie egritudinis; crisis fiet in grta: 2 fi in grto:crifis erit in feptimo: tfi in gnto crifis fict i no na die: 2 fi in nona: expecta crifim in. ri. 22 fi in vndecia icipiat apparere: expecta crifi; in grtadecia: vel in decia a feptima. afi in grtadecia: vel in pecima a feptima: expe cta crifiz in vigefima vel in vigefimapma. Or fino appa rnerint figna Digeftionis nift in vigefima Die:expecta criv limin. prv. vel in. prvy. Sciedo op post bos vies vebilità tur vitutes cozpis sup bumozé faciété egritudiné:in tátuz opposibile erit op no expellet egritudo p crisis:sed vissol net paulatine vonce liberet. Et si erit crisis siet vebilis z plongabit vicad. ploie r posti trasterint. ploies visti fuit byppocrati o no possit fieri criss vicad d. p. oies p pter debilitatem virtutis. Et rememoratus fuit byppocrus quin oibus egritudinibus cronicis crifes no fiut nifi in menfibus vel in annis.

Lap. II. Ob est de signis raccidétibus ipsius criss.

Une autrestat videre rememorari accidé tia q veniut remergunt in dieb creticis. Et dico que crisses et pugna q accidit iter vitutes corpis rememorage că egritudinis existit. The bris q sit in die idicatiua est fortior q q fit in

alus vieb". Et infirm" veteri" videt fe bre: quin bac bota patit caloze maximu: valienat: vb3 pturbatione metie: v imaginat videre que non vider:qin querit paleas vel fer Aucas colligere De pariete: vel ex alus locis: t forfan ante bocenenitei fingultus: 200lozcolli zcapitis zpanrit'in nariborcii videris in vie indicatina figna anitatis que p diri.vz.postasim alba zeglepedente in medio:vel substătiă vrine spissore solito cu postasi tendete ad rubedi nes in fundo: fignificat enafione e liberatione cu crifi i fe quenti die cretica que fuccedit oino. Et elt poffibile quit die indicatina apparebut figna attestatia fup enacuatio nez mac egritudinis cu liberatioe patietis. Sicut fi i vie indicatina exibit vna gutta fanguis ve narib?:aut ples cu pauritu nariu e fricatioe pnosticabis fluxu sanguis ex na rib^o i pma vie cretica q fuccedit enenire. 7 B no accidit ni fi post grania accitita q pcesserunt cu forti febre e calore. Orfici Bi vie idicatina figna landabilia vifa fuerit qui rim' enafione ifirmi ex illo fluxu venuciabis. Si vo ifir mus trăsierit inuetute raro creticat p fluxu sanguis nari us. Et fi i vie idicatina flux? yetr appuerit: expecta falus te in fequeti vie cretica q fuccedit pende. efi i vie idicati tia paties fudabit aliğitulü cü ypoftafi laudabili zalıps fiz gnis vigönis enadet ifirm? Fequeti vie cretico cü fudote forti vi cü fluçu vetri:aut cü abob? fil. Ce fi in vea vie idi catina figna vomit' appuerint: sice tremoz laby iferior cu pdictis fignis bonis:i sequeti vie cretica falute patieti cu vomitu venuciabis. Excepto o buores no fint ibibiti i fuba ftoi. Si aut in vie idicatiua cu fignis laudabilibo p dictis paties patiet voloze post aure veli alia alia pte ponosticabis crisia futură papa i cade pte. Oz si victo voloz fuerit in locis vilib? corpis relique en oino näe. De fi fuer ritin nobiliozibo mebria oforta mebri cu bia q bat ipius

ofortare: ficcu olorofacco t fuis filib": o fi timeres ouer fione apatl ad interiores pres.pone befup maturatia bornec loco rubeat a ingroffet and fanie conertat. Lognofce do op glibet mot g fit a nä: z glibet pugna g emergit iter mozbu z näz: vl ecotrario q n fit i pdictis vieb cu fignis Digonis laudabilis Determiatis Denuciabis operifis erit laudabilis apfecta. Et fp qui vie idicatina figna bona vi gestióis a laudabilia apparuerit pnostica saluté i sequett Die cretica q succedit. Si vo pdieta pugna vel signa i alua vieb appuerit: q no fut idicatiui pl' cretici: fic e fext vies vel.vin.vl.g.vl.gnant.gvin.vl.grn.vl.grin.ant.grvin. in oibo iftie pnoftica crifts mala futura. Or fi vto patierie obil'existit moziet: zsi è fozt erit ipfecta z cu recidinatio ne. tfinis ad vltimu erit fic placuerit altifimo creatozi. e i oib? pdict | vieb parib no fit crifis pfca. Et ia nobiles & fapietes viri repti fut vicere fup bis vieb creticl: on no fi unt nisi că stella p: r marie lune: r sat lustic mediclerede re p ita sit postă vidicerut B a tăt l r talib? sapietib? g B phanerit tpe logo. Et expirit i ét nos ip certificat lic el le. g lecure pit vicere medici. Il a vies cretica el bona. e il la no e bona: e fil roe idicatis. Si a ut febris no fuerit ex fimplici colera:15 erit opofita:aut paties trafferit iuuetu te:vl fuerit byes tips frigidu tardabit crifis i talibo. Et p maiori pte fi febris extiterit ex colera no puramorece det ad minus nisi viosad.rr.viem. Et febris sanguis pro maiori parte no separat nist post multa enacuatione sanguinis nariuz: vel ex flomia ozdinata a medico fieri vice ad fincopim aut mozier infirmus. Et est necesse in bac fe bze fanguis z in colerica yt pcipias ifirmo bibere aquam bulcë ifrigidată fuper ninez yel in putco: aut aquă ozdei tali mo infrigidată. Si paties fuerit iunenis z tepus cali dum: rfecure ciba eum cucurbitis rad potandú etiá oa/ bis ei ve ağ ipfaz. Et be vue fpes febrium p maiori par te in breui recedut. Et boccii forti rigore: qii in receffu ea rus buoz spargit ad exterioza sup sensibilia mebra. Scie do o no pulfatiles vene: no funt fenfibiles. Et fi quarque ret vices. Jam videtur o Ba.fentiat o fint fenfibiles qui vicit q oxificiavenară aperiunt ppter mozdicatione fan guinis. Quibus vico q bec qo est friuola fatis atq; vana: que cum vico sensibiles intelligo ve sensibilitatevirali que peedita neruis ad musculos. Uene vero no pulsatiles a alia mébra corporis q vicunt carere fenfu: bût quada fen fibilitate nälem:ficut videmus bre vegetabilia que fen, tiunt folem cu aduenit super ca. a mouent versus euz. Et videmus etia aliquos flores qui aperiuntur de die aclan dunt ve nocte. reft ifteti fenfus vnus nälis. (3n febre vero flegmatica non apparent figna vigeftionis:nec vies indicatina vel cretica: nifi poft.yx. vies: vel prope:fm q erit natura flegmatis. Et pot fill effe talis nature flegma op no apparebunt figna vigeflionis etia post victú tepus. In febre aut grtana no eueniut figna vigeftois nili in mefibo. voice indicatini in ca no funt manifesti. vsi appa rent no pcipiunt nisi in mesibo. s.oc mese in mesem. Et p maiozi parte be febres non recedut per enacuatione manifelta. Sper viffolutione volumptione paulatine colu munt recedut. Quare necesse e medico ve ppinet istis ea q babeat buectare treftaurare. Si aut figna vigeftio nis apparuerint manifeste:nó tardes ipsuz enacuare:zét fi a natura euacuaret mo cessabio protanto ipsus euacua reab buoze peccăte. Et caue citu potes ne des in pricipio bui febris tyriacă magnă. Qin fi feceris reduplicabitur febzis:vel fiet cotinua. Si aut pfeuerauerit febzis vevna estate ad alia:tic varepoteris: fed in modica quantitate: fcilicet a quarta parte aurei: vicad aureu. 5. cuz aqua ca/ lida. Et queadmodii conenit in bac egritudine ve fis ftu diofus in oigeredo a fubtiliando bumoze qui e caufa bu-



Tertius

aloes fuccotrini:agarici feminini polipody recentis:radi/ cis lily celestis.an. pondus aur. vnius thomeni.aur.i.mi nus quarta: falis vellebozi nigri.añ.aur. S.fucci abfeinthu alcodearathal că foliop collogntide.añ.octanas partem aur.i. Incide collogntida minutin: amifce ca cu tantude amigdalarum oulcins: apostea coiunge ca cu pdictis me dicinis pulnericatis:incorpotado eas cu butiro vaccino: afirupo afquinçabin: a babis ei ad bibendu cu fero lactis podus.vaur. Et fi no purgat fufficierer: adde ve ifto aur. 5.cu fero captino: rege en ficut in alus medicinis: p q liber fella mozetur ouobus viebus a receptioe ipfius. Et postea iterabis bando plus vel minus be isto medicamio ne: fin tenozem virtutis a naturam patientis fin ordines medicie: aprecipe ei vi ponat in cameris a domibus fuis aromatica frigida: ficut mirtha a rofe a con fimilia: a fuf/ fumiget Domusa longe cu alkitră. Et fac rorare Domum multotiens cu forti aceto:obturando vomum oino a par te meridici: a aperiedo e a a septetrione: qui aperire vel te nere eas apertas ianuis vel feneftris a meridie: nocet val de: mozari in folario.f.in pomibo altis: melius est valde ipinplanor fubtiliadu e regime valde.f. cu pane frume tibene fermentato: a malagato cus aqua vaceto: vcome dat fichlas feu bletas vecoctas abiqs aliö ipecie:is folum cu aceto: t nó comedat t pe illo carnes vllo mó. (Logno fcendo qo no corrumpitur aer folumodo ex caufis predictis: vernetia exputredine aeris: que fit a corporibus bominuz:qui moztui funt in bello in magna quatitate: qua do vin mozanturin loco. Et cozumpitur etias qui aer in Pnoloco quicícit abiqualiquo motu. Et cozzumpi fimilir aer qui aque congregantur in aliqua parte civitatis: ita qo non mouentur olno: e tune putre i cunt e fetent: e cozzum pitur aer inde. Et ab antiquis etias confiliù babenus: vt oino mozas minime contrabere vebeanus, ppe sepultu ras corpoz mortuozerbor ppter vapores qui refolunti tur a corpozibus ipfoz. Et ficias ofrimus cura epidimia rum que est cum frigidis a siccis: a cu bis etiá que babeat aperire: tabstergere: trabere malos bumozes: 13 anteg fiat purgatio aliq pcipiat vt fiat euo vlis: 1 B cuz flómia: zíubtiliado regime ostus fieripot: 2 ptendo fridis: z abliti nedo ofo a fupflua repletióe. Et possibile erat op sic facies do: mici fozifitan o mozirent libabut: bac o ca. Et ab aere ficco realo i excessu fint er passioes: sic obtalmie: rtusis multarů fpěrů:zasperitas gutturis:z sputů sanguis:z flu rus fanguinis emozoidan. Et be egritudies fint ple vel minus \$3 exceffus calitatis a ficcitat | ipfiomaiozis vel mi nozis. Ergo couenit vt rectifices aere paulatine: abstinen do oino in tali tpe ab exhibitione acutarú medicinarus: z etiā in oi epidimia:qrī no laudant tales medicine in arte medicine. Sciedo qo bec caliditas fupflua que fit in aere no ozitur pro maiozi partenifi ex pefectu z abfentia plu miarum. Et tunc generantur predicte egritudines; this fe miles plures numero. Sed non moztifere.

Caplin.II.Quod est ve epidimia que puenit exaqua

putrida a fetida.

Que vo mortue que no mouent: replent fe cibus: rin fe bulliút: rpurrefcút: r fetet: funt că cozupționis acris: r pestiletie: r epidimie: r faciur oziri febres acutas: r apata mortifer ra: radbuc peius faciut: qr sunt că pestrucțio

nis epis ropilonis linar viar ra pere ir lpés y dropilis o és em paratione recipieris riducut et à opilone in splene: rin renib re sunt că gnationis lapidis în renib re vesica ra gnationis lapidis în renib re vesica ra gnatier vico qu bec epidimia a fit excoruptione reputre dine male agrofb alus epidimus veterior existit. Est etia alia species epidimie: que subito iterficire o quado cor di euenit aligd ex acre putres que so recompto qui su come

plerioi enature obuict a tota fua fubitătia enatura: fubito mozit. Et boc ppter nobilitate ipfins cozdis:cu fit pzin cipium z finis vite vniuscuius gaialis. Et vicit Bal. o no mozifaial: Donec coz ceffet a motu. Et philosopho magno aristoteli vider: p coz sit ozigo z pncipiù osum membzoz rceteris pricipali? Sed Sal. vicit qo coz i vnoquoqualali est pacipiù moto naturalis localis: 2 cerebzu motus loca/ lis volutary. Sin fuma Dico q cor in vita magna bane, cessitaté. Quia videmº op qui alige bomo intrat in putcus in quo aer aliquo mo no mouet : vel in aliqua grotta: syncopisat: amittit fenfusoio icotineti. a fi viu mozat ibide mozif fubito. Et bec res est manifesta quado in epidi mus boics aliqui moziunt subito: quillud e ex corruptoe a malitia aeris ar bri pot aligs vinere aligbus o ieb abfes cibo a potu fed fi auferi ei anbelitus non poterit vinere vna boza. Et verum virit ille qui vicit que cibus zpot'e nu trimentă cozpis. Et aer nutrimetă spus vitalis existit:co op ipse attrabit fumositates a profundo cordis: creces.s. acr subintrat per anbelitu. Et sic itrando z exeudo:purifi catura malis fumofitatib": probibs cor a putredine. Et becres peeditabilloquie filme avltime fcientie.f.a Deo vero abenedicto: cabaere g inspirat: qui puenit vsquad mirabile panniculu: que veus sub cerebro creauit: ainde pcedut spiritus potentia e voluntate binina.

Laplin.III. Quod est de squinantia a dislocatióe spodilium colli eneniente ex quada corruptione acris.

Ter qua corriptio aeris pot eucnire quas spes squinatie: qui officatione spondisii colti ba percare: sicut memorat fuit by pocras. Et bec évereiroz spés quosit inueniri: co qua bea aligs non cuadit: accidit cu acuta egritu dine: taliqua fuit cu tali squatra sceloice: apurir: appara periculosa: quacidétia aliqua possiti eucnire absquatuta egritudie. Et că victe squinătie q facit vislocare spodulia

egritudie. Et că victe îquinătie q facit viflocare îpodilia colli abinuice: est burniditas mala: que ponit vocrinatur feu figit inter ipfare facit ea abinuice separari. voislocari. tillud os qo separat comprimit violèter cănă pulmon is în tring suffocatione iducit. Et vicit bypocras qo ille cui bec accidit paffio nui i liberat. On fi quis quesfierit vices que est causa quare spondilia colli vistocant in tali epidi, mia potussi alia spondilia nuce: vico op spodilia nuce co-primunt ex viragi parte a costis va fortib? v plurib? mu sculis:que no permittut ipsa vistocari vel separari. Colli aut spodilia minime babet talia befensozia: quare citius villocant. De bac fpe fquinatie pnitiofe nuch vicit bypo cras q possit liberari. Et ego simil roico q est incurabilis oino. Es ante oissocatione posset cura pdesse aboc subti liando regime: a vicco desiccations sicur dici. Et inunge locum patientis cum iftis oleis fubtilibus exiccatiuis.fi. cut cu oleo rofaceo: voe iafemino: veu fucco coriadri viri dis fimul mixtis: i inunctione facta cum iftis: fiat pulnis exterra figillata: misceat cu succo conandri viridis ad modu emplastri: pone sup locu ifirmu. s. vbi videris ali, quá foucă paruŭculă parteris. C Er possit etia aliquando spodilia nuce vislocaria boc ex casu vel forti peussice: zinde stut gibbosi. z bec e causa.nota quu i iberăt. Sz reperiunt alig pfumptuofi qui conant tales curare 13 po tius iplos ad morte perducut queos curare poffint. Lum aut gibbolitas paruo infanti fupuenerit monter careo o cu crescit indiget multo anbelitu: acu nó possit ipsus susti nere sussocia amozi. Si vero magno acciderit: possibile erit o vinet. Sa vita ciº crit triftis cangultiola. Et oiflo cant etiá alig spodilia vozsi exteriozis z ateriozis ca fozt? mora pcedit a multa a groffa vetofitate: que i corpe eri fit a generat: que a tinue mouer ponec viflocet victa (pó diliazerteri expellet: tinde gibbolitas generat innoiat



Untidotarium

tate dina:co o bo fm Ba gnatus eft ex fomate pris zma tris: volutate vei Et nutrimetu embrionis est ex fanquie q vescedit ad vulua. Et quipse. S. noiauit victis sanguines sanguine mestruale: putauer ut alig sapietes co nurriatur embrio a sanguie mestruali: sa no e ita. En Sa. seguir ve ftigiti: z coluetudinė grecop: qui vocat ocin languinė per fcendėrė advulua; meltrualė: quemadmodu ipli noiant oe apa qo accidit gutturi fine fit ex fanguie: vel ex colera: aut ex flegmate: feu melia: fgnantia. Et golib; apa go ozi tur in pectoze; fiue fit in paniculo: feu in pulmone: vel fub coltis noiant pleurefim: De glibs tumoze g fit in pedib? cu poloze:affireti funt vocare anacrasifipodagra: ita oem fanguine veniete ad vulua:picur effe fanguine mestrua le. Sciedo p certo p fi embrio er tali fanguie mestruali nutriret ficestille qui expellitur apurgat a mulierib":no viueret vllo modo. Jimmo nutrit embrio ex fanguie val de landabili. Sed qu'fanguis qui nalliter or veft mestrua lis:positus est a situs in corpore ipsio matricis: io embrio ab illo inficit : a accidit ei tinea: que tinea vulgariter a lati nie of fagro: in facie a capite: a peftruit appetit ei a cost rumpit : a fit in co appetitus comededi lutus: vel carbões a filia. Et ille embaio qui recipit banc ifectione rectificat ea incitu pot: tid qo no pot rectificari remanet in corpor re: mozat ibi: Demű na ipfins per tépus fil'ertra eycit a erpellit. Adulieres vo post parm fi non bii fuerint purifi cate: e euacuate ab isto sanguie mestruali multe spes egri tudinu cis possunt supuenire: fm pparatione a nam vniv uscuiusquer gous deficere possunt; a deficient aliqualiquer you de periode aut pertodico pourrit ex bono sanguine puro a laudabili. Se que pertodicus sanguis mestruus in matrice infundit; un corpore ipsius sanguis mestruus in matrice infundit; un corpore ipsius ibibitur:fic pala a liquozibus ipolitis ibibutur eis ereludando exterius bumectant. Et quis vafa inuitreata ton ginqua fint ab ifufione v ibibitioe liquozofo p:tñ videm?
go ex logitudine tempozis recipiür ifectione v ibibitiones a fermeto:poste ibi factu fuerit e cotunuatu tpe logo: ita op post multă ablutione si posueris ibi pastă açimă ferme tabitur abiqu fermeto aliquo:qo no fiet in vale nouo: 18 fcemate mifcetur aligd modicii ex victo fangule in embaione: 13 fortitudine matricis: 2 ex alio multo 2 bono nu trimeto qo recepit; no ledit ou pmanet in matrice. Post exitu aut ipfio ab vtero nutrit ifans a coadunat caloz naturalis in co raugmetat: 20 fortat na: 2 conat Digerere 2 fubtiliare pdictų bumozė malū anocinu: aipm exterius expellereraboc fit cü laboze fozti: a angustia magna: a ferbie valida: atggrati. Se ex suba pd. oz grosoz bumorü fiüt variote amozbili ğ excut cü febre valida ipetuosa amaligna: quonia video q illi qui extrabunt butiruz a la ctemo faciut illud nisi cü laboze magno atg fozti valdez motu laboziolo atq; graui. Quare crededu est q in motu verpulfice variolar v mozbilli illud ide accidere obeat. Et ia in peedenti cor cura rememozatuo fum p posse. Et caufa que de bis bic fecimentione fuit quauci cuadunt ab cis. Et qu'iemp cuenire cofucuerur tépoze epidimie fa cte ex cozzuptione aeris: vel causa aque putride vel cozzu pte:vel excibis malis reorduptis fumptis reomestis. Et etia ad remouendu boies a mala opinione: qu credebant diplures es embrio nutriretur in viero matris a fanguie menftruo:quod falfum eft:ficut beterminaui: equcuram De cis superio ordiani: ideo bic scribere ptermitto: nibilo minus monitione; facio bis in boc loco.v3. 9 abstineant oino a rebus pulcibus vialfis: v bibant aqua frigida v pur ra:aut aqua ordei: telongetur ab oi lagatino penitus: 00/ nec egritudo fuerit in occlinatione: vocclinata multum: anis aliquimedici boc facere affuefcant. Si aut post al leu iatione a Declinatione 3 egritudinis reliquie alique re-

mancre videant in variolis vel mozbillis: non erit mala ipías enacuare cum medicinis lenitinis babétibus potie tates remouendi acuitate materiei: ficut funt tamarindi oissoluti in aqua:qi ipsas reliquas babent expellere a re-mouere,tame p maiori parte no idiges laborare cu istis. Et qu'iam copleui go veterminare itendo in boc loco: ve fifto in quiete confidens in borninus.

Completus e liber theyfcir almudanar cu faude veis editus in arabito a viscreto viro Abymeron i practica t operation medicine excellentimo fideli regis Aynçoar traflatus Uenetus in cofinio fancti Saltiatoris de be-braico in latinu a magistro Pathanino physico ipto sibo vulgaricate magistro Jacobo bebreo in medicia zalus scierus plurimum erudito. Eurrente anno osi nostri Ye fu Lbzisti millessimo oucentesimo octuagesimoprimo Die ionis que fuit vigelimaprima augusti i meridie Du cate viro egregio r pelaro Dño Joane vandulo fui ouca tus anno fecundo. Annis arabum. 679. menfis quarti viebus quinque.

CIncipit Antidotaria Abumeronis Auezoar politi.



Ec est particula antidota ronis auenzoar libzi fui tbeyçir coueni, ens illis quo vidicerut fciaz medicine Demratinas: 29 in practica medicie mi nime füt istructiet colligunt in boc loco vircure egritudinus cum firupis rele-

ctuarys z vnctionibus.

Simpus Quenice fanis. Tofuat fanitaté că adiul tozio dei. Tofuat fanitaté că adiul tozio dei. Tofuat fanitaté că adiul tozio dei. Tofuat fanitate că Bemirabolano petrio pido pe capillo pe vene. ligritie mudate violape an. 3.1. costicie fubril citrí-feedegidi. fan dali rofap feis cucurbita p mudati. añ. 3.1. Iniube. p. nuevro fanati. 3.5. agarici aur. i. Quel 3 medicia poffet p fe. 1700 Rea oce fil ponant i.v.li. feructie aq:pter mirabolanos ragaricu: z bulliat vige ad oluptões medietatie: z colent. Et in illa colatura ponat lib.5. fucci feniculi: Demus beas mirabolanos zagarica z pone cos i aqua. z fac bullire viasad ofumptoes medietatis. cola. caggrega postea bas colaturas obus addes lib. vi. zuccari: z fac bullire vicad fpifitudine firupi: reponat i vafe vitreo: vi optie vitrea to. Sirup' eni iste ofert volozibo capitis q fiut ex fumositatibo malisia ascendut a stomaco ad caput: a mollificat corpus: puocat viină: tapit oppilatoes corpis: tofert et venenis malis: remouet nocumetu male aque.

Sirupus aferes oppilonib epis afplenis a velolit tati epis affoi vifoluit vetofitate abfes calefactioe optonis. Bafemia melois citrulli tencurbite mūdata vicis fcariole. vicis fpagi:mafticl:cozticliubtil'ci tri:fcedeg.i.folu idi.añ. 3.1.fådali.rofan: vicis ipi'añ.ptes tres. 3.i.femis cufcute aur.iq.al'ebefdra.i.ciente velabfin thy parui. Juiube. g.nuero: q fit o offiada o offient : zpona tur in. xx.lib.aq feruetis p nocte vna. amane bulliat vlos ad Mumprione medietatio: colenf: ain illa colatura addant aur.u.renbarb. zauccari lib.iv. zlib.i.mell: zirez fit ad ignez ponant: bulliant vice ad ipiffitudineifirupi. Et bibat de isto oi die cu fitit cum aqua tepida,

Electuarium ad sfert flo. addinat vigonem: corticis citri elizati in ağımafticis: rofc, ana. 3.1. macis. 3.5. parsceni vest cinamomu nigru vodoziferu valde. aur.v. terat gols p fe. z cribellet fubtiliffime: z piungant fil: zco ficiant cu firupo ve citoque repomis vulcib quor partes fint egles: r fiat electuarius: r reponat in vale vitred to:De quo comedere D3 post cibii:qin confert valde. Et fi stomacus pparatus est ad yomedu ca mali bumozis rete



cii çuccaro:ita vr fuper cuccap:eni addai:mafticis: v varfeeni.f.ciamomi nigri odoziferi:vpfci f3 cititate receptio nis:c? vof fint aur.liu.i oi boza f3 qo cocduni fructus.

ptiói appetie?: fanitati impfecte. R. fg.
năti: a fpice nardi: feis macedonici: a fpice romane: a radir
cis pe fficaò. Leipi: paffulaz enucleataz: ligritie múdate
mafti: dicioluiarde. i policarie: citragi. tapficañ aur. r. reubarbari recetis: crociañ aur. y. quant poffanda paffent: a
ponant in. più, lib. a feruet p nocte vna. Mane vo bub
liat viquad plumptioe; medietatis: a colent a in illa cola
tura ponant cuccari lib. vi. a mell'lib. i. zitez bulliat viquad
ad ipifitudiez leto igne: ò q bibat q libs pie. a. y. z. viquad
in. cii ter tato a q cale: a pert cu adintozio pei.

Electuarum vile valde pdictis căis. %. lacte lignop mudate: spice nardi: squi năti:malticis:pariceni:macis:gariofil.añ. 3.i. renbarbari recetis: acroci an aur.iiu.rofap ad podus oins:piftent qu libs p fe: acribellent: a oficiant cu firupo rofaceo: a firupo pomop: que ptes fint eqles: reponat i vafe vitreato: 20a bis oi mae de ifto ad comededu a.iiq.aur.viqad.v. Et ia sciser bis q pairig qui epar fuerit curatu: a sanatu sanat tioe itegra: Digo fiet: verit copleta. Et cu Digo fuerit oples ta:liberabit paties ab ydropifi z yctericia cu adiutozio di Etnofti et q pebilitas epis aut peedit a mala complone ipi episvla mala oplonealion membron. Et feisiten q male oplones simplices vel oposite sint a accidere possit a a causis strinsecis a extrisecis. Et scis silr op qui boies vi uunt lordinate in cibis apotibo: peltruit epar: ainde pue niutad ydropisim ppter vefectu calozis inati. Et satis est et manifestuig ille g est affuetus celebrare minutione: 2 vimittit illa:ide pot ad ydropifim puenire. Et filr accidit mlieribo ex retetide meltruoz: z viris ex retetde emozzoi dară. Quare vico o firupus pdictus: a iftud electuariă pi feriptu cofert multu oibus ipebus ydropifis. 35 qa itetio mea est abbreuiare Emoné:ió pono curas vies: qr pticula riter tractado no posses brenitate sernare: qua itedo: gre pticularia discretioi medici ptermitto. En cu tu medica ris ppofarcă:iuge in firupis vel electuargs; ea q beant p nocare vina: pliderado femp in iftis a alus egritudinib? a funt ofiderada. prouocantia aut vrina funt bec: feia cu cumeris farraceni: a melois: a citroli: a fenicli: a fucco etias iftog:radir apq: rei fucc radir petrofellini: rei fuccus: charcaff al'acafcaf.l.cameleonta aipfio radir. Dia autez ista possunt ppinari cruda: vel cocta: s cocta no inducunt polozem stomacorz psunt cuz adiutozio bei.

Electuarium vilepdeis căis. Refu men:radio cis tarffe.tamariel:acreuă: enpartorupafular enucleatar:cro.añ. 3.1. rubee tictoris:mafti cis.añ. 3.5. radicis caparis aur.iu.piftent a cribellent fub tilt alibar fera oficiant că firupo igneabi ve cuccaro. Et Sirupus oficiant că firupo igneabi ve cuccaro. Et Sirupus oficiant că firupo igneabi ve cuccaro. Et Sirupus oficiant că firu oloribar aur. viga ad. v. ofice că opilatioi; a voloribar procădrior.

B. karfcaina lib.i.ligritie mūdate. 3. vių. camõille vreos an 3. iių. nanocha: z ė ameos pauci. an 3. ių. a firmt co glianda paualientur. z i inndant p nocte in prelib. a a fermentis: mane vo bulliant leto igne vigs ad piumptios; medie tatis: z colent z in illa colatura addant ilb. vų. cuccari: z mellis tātūdė: z lib. ių. pecoctio is camo mille: z itep bulliant fimul lento igne vigs ad fpisitudie; posis ei? sit ab. 3. ų. vigs ad. ių. cū quater tāto aque tepide.

Electuarium oferes paictis causis: reomedi, tur idriterssic comeduni fructo Bemareaçus: remaiozana: nabana.i.méte.as., siu, costi cis citri: basce ratan.as., su, masticl: reamonnille. as., siucci ligritie. 3, 5, gariofilo z. grta pté. 3, i. pistenti: reribellé tur glib z pse. Quibo addat aur., puri roptimi bassani: a psiciant cu firupo de costicibus citri reponat in vase vi treator qui posse site si pus use ad v.

treato:cui? dosse sit ab auf.iin. vsgad.v.

Sirupus este eduste lib.i. succi buglosser ligritie midate.añ. lib. 5. mête e gariofilop: e basiliconis: e maior rane.añ. 3. i. masticis: e corticis citri.añ. 3. 5. Que sunt e granda e giste rir: asimadar sin. x y lib. fernetis a granda e die a lib. e libre sin e vsgad e sumptiones mez dietatis: e colent i cui? colatura ponant lib. e. succi pomo ru dulciu. e lib. e. succariz i tez simul bulliát vsgad spiss situdine: cui o sos situdines dietatis: e colent i cui? colatura ponant libre. succi pomo ru dulciu. e lib. e. succariz i tez simul bulliát vsgad spiss situdine: cui o sos situdines cui o sos situdines cui e dua ter tanto a galide: psiciet cú adiutorio dei.

Electuarin valde vtile pacis căis. Re. ligni alor ces aur.in.cozticis citri. 3. i.piñent et cribellent fubtilira oficiant cu firupo pomo zoulciu fco cu succaro: z. ppia ad comededu: p fi paties babuerit tre mozé cozdis causa flebotomic: erir perfectum.

SIPUDUS oferés valde sputo saguis a puenit a pe da é mintio basilice pertri brachy: postea pet ó sito siru po oi pie ab. 3, in. vs sagui, ci bis tanto aq. 8. corticis quel lanar à circulant nucleos acacie caude egne. as 3, in. rosa riv. r seis stor à sur anto ci sur a sur



- Antidotarinm

patienti quolibet mane iciuno aur.iiu.

Sirupus optim'oferes volorib pine: 2 bis filib va:eupatozu; qo arabice or geffetb panicald, camomille: acbil; amalecb.i.melliloti.añ. 3.i.acbaro: 2 fodegbédi; 2 ca/ peltres.añ.3,5,2 é poliñ motanú 2 căpestre: ligricie muda te.ad podus oiuz.masticis z croci.an. grta pte. 3.i. pister q füt piltada: zifudat i.pi.lib.feruet) ağ. zlib.y.aceti. 2Da/ ne vo ponat ad letu igner bulliat vice ad piuptione mer dietatis: rcolent: riilla colatura addant lib.viu. melt. r cuccarilib. riter bulliant fil vig ad fpiffitudine syrupir ver als māc.a. 4.3. vigad. 4.2.5.cū ter tāto ağ calide.

Electuarius optimu oferes valde i B cafu. R. camomille.añ.3.i.fucci ligricie:gariofoli:amigdalaz mu dataru:et pinearu mundataru.añ.3.5.terant aliba p fe: v cribellent: 2 ficiant cu firupo (ançabin: 2 q no pût pistari vissoluant cu isto code sirupo: 5 siciant: 2 ppinet o isto patieti ab aut. 4. viga ad. 4. 2. 5. quolibet mane.

Sirupus seres valde volozibo pocudrior q ve niuter fiate subtilica sut a fis itollerabi

les: redit eei fine nodu fut i pno. Et pp Benece mer dicu ee valde follicitu i puidedo circa B:qzii folii fit exp dictis biiotib?:verii et ex vapozib? feu vetofitate:gre re folutina füt poneda i boccafu. Şiat g firupus ifteg ofert palde i bac paffice. B. flop camomillealchikalmelechi. melliloti:zcorticiscitri:feniculi.añ.3.5.fgnati:cbefcutba an. 3. ing. feis melőis excorticati.ad podus oiuz: ogfientur oia aponant i.xx.lib.aque feruetis p nocte vna.mane ve ro bulliat víquad ofuptione medietath reolet riilla co latura addatur libre. x.mellis mundi fpumati: z bulliant victad alumptione occoctionis: 7 ppinent omni mane íciuno fromacho. 3. y.cú ter táto aque tepide. Et regat cu turturibus tambus paruis nemozis in taffea.

Abayon coferens buic cause. B. granoz pini midatoz. 3. v. auellanaz mudataz 3.4. fueci ligricie:mafticis:gariofolop:a feniculi.añ.aur. iiu.terăt gliba p ferteribelletra oficiat cu firupo de costi cibo citri optio: 2 vent oi mane aurei. v.cu aqua calida.

Sirupus optimo oferes colericis febribus. B. car pillop veneris feis melonis or cucumer ris fandalit reupatozu, añ. 3. i. flop nenufaris; o violarus. an.3.5.mafticis aur. u. q fur ogffanda ogffent : tifudant in lib.pr.fernetis aque p nocte vna. Mane ant bulliat le to igne vice ad ofuptione medietatie: zcolentizin illa co latura ponant libre. y. cuccari: z lib. i. aceti: z mane: z tama rindian 3.in. roccoquant vicad fpiffitudine fyrupi: De quo oi mane vent. 3. y.cú. viy. 3. aq. Et regimé eius lit aq ordei ifrigidata: rabítineat fea rebº vulcibº. Et fi varet paties de fiti:infrigidet aqua ordei cu nine. vel ponendo

eas in puteo: 2 propinet ad bibendus.

Sirupus oferes finoche, fiat p flomia euacuado pe fanguie gfi ad fincopis; postea ppine tur ve isto sirupo. B. flop nenusario viola pe fandali. añ. 3.i.piftent fandali: ponant oia in.vi.libzis feructis aq p nocte vna. Mane vo bulliat viggad ofuptione medieta tis. zcolent:zi illa colatura addaf lib.i.aq cucumer! far/ racenicie of arabice oulla: tlibre. y. quecari q bulliat fil ad spissitudine sirupi: De q Det patieti oi mane. 3.5.cu qui quies tăto aq: 2.7.i.agrefti. Et iste sirup valet: no soluz siv ordei ifrigidata in puteo: mica panis plies abluta cu aq Decoctiois cucumeris farracenici: z citroli.addedo aligd aceti: tifrigidet i putco: t De ista mica sic ppara. Dent. 3.4. Logicedo qui vederis vi ppianeris patieti finocha aliq calida actu: ide no modicu recipier nocumetu: qz nungs

erit get? Gre ei ola ifrigidata i putco vel in nine exhiben da fuz. De febzib'aut positis log ad pis ptermitto:eo que no puenit buic tractatui de singulis pticuli determiare. S3 poné sirupo p facere poteris put cognoueris pueni re ipsarum copositionibus.

Strupus vtilis febrib' flaticis. Beyreos: a radicl añ.aur.x.cetauree minozis:z cabada:añ. aur.iiu. oaffent q fut oqffanda: ponant in ry.libris feruetis aq p nocte vna. 2Dane vo bulliat leto igne viquad ofuptione medie tatis: colent: an illa colatura ponant mellis a cuccari. an lib.in. a occogi viquad fpiffitudine: oe g oet patienti oi mane.3.5.cu.3.ir.aque tepide.Et regime cius fit panis optime fermétatus infufus in iure pullop vel pdicu: auc turturu pfecte Decoctop. Et qui fitit Det ei De firupo.3.5.

cii. 3. vi. ağad bibédür terit getus viio cocedéte.

Electuarin aptú buic itétioni z các. 18. corticú
ta fit amaritudo ab eis; zpistent optie vonec vissolnant. ad modu electuary addedo paulatine De cuccaro albo z ouro: semp pistado e incorporando simul: ita op sit plus of in ouplo de cuccaro: De isto electuario indiffereter reciv piant omni boza aur.iiu.ad modii fructus.

Sirupus aferes febrib' melacolicis. B. floz lin le. radicis tomaricl. añ. 3. i. iiulbe. 3. iiu. femis melois 3. 5. radicis cappar | gria pte.3.5. mastic aur.u. Logstent ofa becerifundant i.cvin.lib.aq feruetio.mane vo bulliat le to igne vice ad offiptione medietatis: z colent: zin illa colatura ponant mellis:succari:fucci pomoz:z fucci grana, toum oulcin an. lib.iiu. reponant ad ignelentu. abulliát vígsad ípinítudiné ve quo ppinent of mane.3.4.cus aqua tepida. Et regimé ciº fit panis bií fermétatus cu taf fea alba vel viridi: oimittedo oia acetofa.

Electuarium aptu z oferês valde i B cafu. qo electuary pomon lib.i.cui addes flon camoille. a maftic an.exagia.iiy.fucci ligritie.3.y.terant qlz p fe: vicozpent cu electuario peco: ce a ppinet ad modu fructo oi mane a.iiy.viq3 ad.vi.aur. (L'ognoscendo qo febzis colica qui ē ež vala: fit cū rigoze magno: z itélo caloze: võec enapoze tnr: recedit calor: apost recessive remanere sic sano: a sic i circuitu vadit: recedit: De tertio in tertiu Die: Doec cofis mit: refoluit buor: fan? inde efficit. ([Szilla q e îtra vafa o îo efficit fine rigore: fz e cu inqetudie: rangultia va lida: ritélo labore al calore vfq3 ad fine. Sebrio at q fit extinella năli. videl3 ex fece făguio: cu e îtravafa: êbio poxif mos:tñ fine rigoze: a nó remaet múdus: neq3 fic fano: nec recedit p maiozi preabigs bifficio e ofilio pfecti medici.

C Lurationes podagricozum. Lire Debes graliqua podagra est q fit exbuo

re acutissimo. zaliğ q fit ex buoze nö ta acu, to zağda q fit ex flate, zaliğ q fit ex melia. Et flomia est cura gial' ofcres oib' suis spebus, spal'r qi paties fuerit super replet'. Attacke q si fiverit ex acuitate hüop ponere pebes suppedes epithima fem er flore camoille trosap a farine ordei an gres egles: pitte tur q sutpistada: a cribellent: a cossiciant cu aq rosacearet supponant pedibo. Si vo oca podagra fuerit ex flate por ne vefup empl's fem ex farina ordei: cinere cipffi: grum ptes fint eqles madefactu cu aq tepida: Tiupponat qui ofert valde: ano folu pedib even et qui tumos fit in cruri b manib expedib exu mollicie ita quedit pigito qui premittit. Lu aut podagra fit ex melia ponant fup pedes eo ru.bec. Decogni oua cu corticibo fuis in ag víqs ad ouri cié pfcas, zaccipe vitella con: ztatude flon camoille, zfa



Tabula

ermotu zlabozego acciditer malo regie facto in maiozi pte boins. Et scitu est or moto no sut coles: az alig sut gra ues: raly fortes: rada existut oebiles. Moto ant granis est ille quo fortier anbelico pmutat cuanxictate: rille q fortior Beriftit noiat laboriofus atoggrauis valde vebi lis vo no iducit pinutatione vel alterationes in corpe. Et optimu gde è in ofernatioe fanitatis exercere atos agere fi facta 2 opleta vigone. Et post expulsione supfluitatu p me elcoe olgonia.vz. eftercozia: vzine.neg oz fieri mo tus i forti calore: vel in supfluo frigore. ADoto puenictes fut in mane post exitu a sono zopleta vigone: z facta expl fione victaru fupfluitatu.f.ftercozis z vrine. Dirit Ballin regie fanitatia. o quéadmodu exercitiu est ouenies ante cibu:ita nociuu eft valdepost cibu: r spälr post supfluă fartietate. Sciedo qu mot? supfluus zcoit? zbalneu post cirbu funt oia magni nocumeti: r spälr illis q but venas stri ctas naling illi füt g recipiut vrecipepit ex talib? multa nocumeta. Z fi fine nocumeto pt gliber fe mouere:ambu lando tatú quatú fua vom? in lógitudine extedit ad boc v cibus vefcedere posit facili? ad fúdústoi: y bi vigestio natr celebrat. Et fon eft er rebus q multu adiunat vige stionezamarie in illio qualicti sunt dozmire in die. Et de meliozibo e vissiozibo redo in regimie e deruatioe sanita tis est:no addere cibu cibo ponec pmofit pigestus: 2 no co medere nifi post nale appetituineq bibere oz nifi ronabi liter fitiat:qin multoties giplures boies patiuni fitir fa me medofaz z ináleig fames spálr erit ez bumoze malo: z mozdicarinoz mozdicat ozificiú stói : z inde pereat fa mes cui nullaten est sauffaciedu. Et scias op bibere aqua post cibú est vna ex reb quintu vestruunt vigôné: anist suerit affuer i mésa anteg comedat: aifra cibú no bibat aqua simplice sine aliq admixto. Et ve modis vordini bus ofernatiois fanitatis eft: expellere supfluitates in of boza t tpe ingitu pot abig retetione ipiaru: ano piumat ge comedere:nec balnen intrare:nec coire : aut pozmire: feu aliqo iter icipe: vel alique motu grane facere: nisi pus victas supfluitates toto posse conet expellere. Et posses fecerit aut copleuerit aliqua ex victis gang actionib. sith agere studeat illud ide: boc e réptare victas supfluitates expellere. Et ve ordinibo sit recoueniétibo rebo in serva tione fanitatioseft yt glibet sciat a cognoscat nãs vniuscu info fper cibor. Et ve bis thup bis oplures medici of uerfos atas varios ediderut libros: co quelter reboma gne neceffitatis in arte medicine.

C Explicit liber Abynmeron abycobar. Registru tractatun z caplop einsdem.

'Ractat' prius de egritudinibus capitis; t est cotines capitula duodecis. Ebarta 3 Lapis p'. De scabie capitigo sagunosat. 3. Capia secudu. De tinea cutis capitis. Capitulu tertiu. De alopicia. Capitulum quartus. De tbiria. Capitulus quintu. De calutie occipitu. Capitulum fertus. De feiflura capillorum. Capitulum fertinus. De fabapbati.

Caplin octanii. De canitie capillop \$3 vinerfa loca. Capi's nonu. De mala Dispone a figura capillop capitl.4. Capitulă vecimă. De furfuribus capitis.

Lapitulum yndecimus Depediculis.
4.
Lapitulus ouodecimus De lendibus.

Lapitulus occurdus est continens capitulus ynicum quodeft. De egritudinibus capitis accidetibus ab er trinfeco:ficuta percuffione.

Tactar?,3°. De egritudib' capitle otines ca. lex. 4. Lopl's pinii. De voloze capitis ex frigiditate, 4.

Capitulus fcom. De volote capitie ex caliditate. Lapitulus tertin. De volore capitis ex bumiditate. Capitulus quartu. De volore capitis ex ficcitate. Capitulu gntu. De apostematibo paniculor capitis. Lapitulu fertus. De apostematibus cerebzi.

[Tractat⁹, 4⁹. De apostematibus cerebzi.

[Tractat⁹, 4⁹. De apostematibus auriū otines ca.gnes.

Lapitulum pinus. De apostematibus auriū.

Lapitulum fecundū. De postematibus auris.

Lapitulum quartū. De percussione auris.

Lapitulum quartū. De percussione auris. Capitulus quintú. De groffitudine auris. (Tractato 5.5. De egritudie nafiez é ptinés ca. quot. Capitulus pmú. De puatione odosatus. Lapitulum secundu. De fetore nariuz. Lapituluz tertiu. De excoriatioe a scabie q fit i narib?. Capitulum quartus. De polipo quod multotiens vel qui multiplex nominatur. Tractar fextus. De egritudibo ozis otines cap.8. 6. Capitulum primu. De viminutione a corruptione fenfus z sapozis lingue. Lapitulus secudu. De apostemate seu inflatõe lingue. 6. Lapitu tertiu. De puritie a vissicultate motus lingue. 6. Capitulus quartu. Deapostematibo amigdalap gule. Capitulum quintum. De botboz. Capitulum fextum. De conquaffatione bentium. Capitulum feptimum. De perforatione ventium. Capitulum octamis Deflupore velalligatione velcon. gelatione Dentium. 6. Tractatus feptimus. De egritudinibus labioză coiis continens capitula fex. Lapitulum primum. De scissuris labiorum. 6. Capitulum fecundum. De alcola. Lapitulum tertium. De nigredine lingue. Lapitulum quartum. De fetoze ozis. 6. Lapitulum quintum. De tortura oris. 6. Capitulum fertus. De corrofione labiozum. Tractatus octanus. De egritudinibus oculozum que funt multe a ch continens capitula trigintatria.

Laplin pmi. De balabol a est vi res vna videat pue.

Lapitulum secundu. De inucrsatione palpebzarum.

Lapitulum tertiuz. De pustulis a exituris oculozum.

Lapitulum quartus. De scabie oculozum. Laplin gntu. De piunctioe feu figillatioe palpebraru. Lapinulum fertus. De pilis palpebrarum inuerfis.

Lapinulum fertus. De pilis palpebrarum palpebrarum.

Lapinulum fertinus. De cafu pilozum palpebrarum.

Lapinulum nonus. De generatõe platularu in palpebris.

Lapitulum nonus. De ordeolo in palpebris. Capitulum Decimum. De fistula lacbrimalium. Lapi's vndecimi. De carne addita i agulo lachrimali. 7. Capl's ouodecimi. De vimiutioe carnis i lacbrimali. 7. Lapitulum tredecimus, De egritudinibus accidentibus in ipio oculo. Capitulum Decimiquartii. De copositione oculozus. Capitulum vecimumquintus. De puftulis aparuis apor ftematibus oculozum. Capitulum vecimumiertus. De variolis oculozum. Lapitulum decimumseptimu. De vilatatione pupille ? eius constrictione. Caplin Decimioctani. De Descensuaque ad oculus. apitulum pecimumnonus. De extractione cataracta

Capitulum vigefimi. De constrictione vene seu pupille

Laplin vigefimű pmű. De vebilitate vífus ex penuria ? pauptate spirituű visibiliű procedente.

Capitulă vigefimulecudă. De oltrictoe nerui optici

rum ab oculis.

naturalis anon naturalis.



		I
	Capitulus fecudus. De apostemate resticulorus.	28,
	Lapis tertin. De mala oplone ficca testiculor.	29.
	Eapitulus quartus. De crepatura.	29.
	Capitulum quintum. De egritudinibus que fiunt ir fa testiculozus.	
	CZractatus quartus. De egritudinibo pirge: zelt	Z9.
	nens capitula quatruoz.	
	Capitulu pmu. De opilatioe que fit in pirga caufa la	Z9.
	ver aucumo altermorei.	29.
	Lapitulu fecuduz. De puatione fenfibilitat! virae.	29.
	Lapitulu tertiu. De foraminibo que fint in vaa.	29.
	Lapitulu quartu. De expulsióe spermatis.	29.
	CEractatus quint? De egritudinibo vulue z mat	ricis:
	zest cotines capitula octo. Lapla pmu. De sterilitate pptermala opione.	29.
	Capitulu fecudus. De apostemate matricis.	29.
	Capitulu tertiu. De corrolione matricis.	30.
	Lapitulus quartu. De piflocatione matricia.	30.
	Lapitulus quintu. De fluru mestruozus.	30.
	Lapitulu iertu. De retetione mestruozuz.	20.
	Capitulus septimu. De opilatione e sigillatione que	acci
	dit collo matricis.	31.
	Lapitulus octanui. De laniatioe matricis.	31.
	■ Zractatus fextus. De egritudinibus offius: reft onens capitula quings.	
	Capitulii primu. De mala coplerioe a fractura offis,	31.
	Capitulii feciidii. De fupadditione offis.	31.
	Lapitulu tertin. De scissura offis in longitudine.	31.
	Lapitulu quartu. De fractura offis caufa polozis.	31.
	Lapitulu gntu. De igroffatioe offis pter natura.	31.
	La ractatus leptimus: veltotinės capla. 27.	32.
	Capitulu pmi . De egritudibus que accidut virine	arne
	Teute toti corpis ficut fut vefice aprurit tos. Lapitulu fecudu. De punitu in particulari.	
	Lapitula tertia. De variolis amorbilis.	3Z.
	Capitulii quartii. Demosphea alba queno rubefcit	32.
	pter fricatione nec aliqua alia caufa.	33+
	Lapitulu gntum. De mozphea alba que rubescit ex f	rica/
	tione.	33.
	Lapitulu fertu. De mozphea nigra.	22.
	Lapitulum septimum. De granulis paruis que accio	lunt
	in toto corpore.	-33.
	Lapitulum octauus. De vesicis ouris que arabice vi tur alcella:idest petrose.	
1	Lapitulu nonu. De verucis apozis.	33.
1	Lapitulu vecimu. De tineofitate.	33.
ı	Laplin vndecimu. De corruptioe z ercoriatioe cutl.	33.
į	Laplin buodecimus. De lepra.	33.
1	Laplin vecimiteriii. Decadar voe feleg.	24.
4	Caplin vecimi quarti. De felegidest ve paralissin	par,
	ticulari. Laplim occimügntü. De spasmo.	34.
	Laplin occimilertu. De pulfatione,	34.
	Lapitulu occimileptimi. De faltu.	35.
	Laplin Decimioctauii. De tremoze.	35.
1	Capis.io De affoab; a latine picuni pedoscelli.	25.
-	Laplin vigefimu. De vena que vicit mediana: zefte	egri
	tudo que p maiozi parte accidit nigris.	35.
		100

onla	
Lapinulum vigefimuprimu. De verme qui oritur int	+
tirtoe combustione ipfins.	
Lapitulus vigefimű fecundű. De vermibus qui oziur	35.
in intelluris.	35.
Lapitulus vigefimutertin. De cucurbitinis.	25.
Lapitulu vigefimuqrtu. De vermibus minutis apar	ruis
qui ozume in iferiozi parte intellinoz.	35.
Lapitulu vigelimugutu. De varicibus.	35.
Laplm vigefiműfextű. De elefantia.	35.
Laplin vigefimuleptimii. De cancro.	35.
Laply vigefimuoctanu. Devoloziboinneturaru.	35.
Lapis vigefiminonii. De voloze q fit i fuba itestini. Lapitulii 30". De voloze q firer labore a fatigatioe.	35.
Caplin.31th. De podagra que arabice or anancras.	35.
Laplintrigesimusecudus. De scissurisque accidut m	35.
bus rpedibus ralys membris.	36.
Laplin trigefimutertin. De egritudinibusynguin.	36.
Laplin trigefimuquartu. De sciatica.	36.
Laplin.350. De volozibus pocundrioz.	36.
Lapim trigefimulertu. De apatibus que fiunt fub fp	atu
la begtra vel finistra; est iter pfundu apa.	36.
Lapitulum trigelimumseptimum. De apostematibo	que
Dicuntur Doggam.	36.
L'Liber tertius continet tractatus tres; quozum tra	
tuum primus cotiner capitula tredecim.	36.
Capitulum pinum est. De febribus effymeris.	36.
Eapitulum fecudum. De febre colerica feu tertiana. Eapitulum tertius. De febre quotidiana flegmatica.	37.
Lapitulum quartum. De fanguinea febre.	37.
Lapitulum quintum. Demelancolica febre.	37.
Lapitulum fextum eft. De febre que fit ex colera vite	llia
praffina aut eruginofa.	37.
Lapitulum septimum est. De cura febris tertianeno	DU
re que fit ex colera mixta flegmati.	37.
Lapitulum octanum est. De febribus compositis.	37.
Lapun nonum elt. De fignis febris tertiane.	37.
Lapitulum occimum est. De signis febris saguince.	37.
Laplin vndecimum est. De fignis febris quotidiane.	37.
Lapinilum Duodecimus eft. De fignis febris artane.	37.
Lapitulum vecimumtertius eft, De febre etbyca a fig	
(Tractatue fecundus. Decriff t eft continens capi	37.
tula ouo.	
Lapitulum pmum eft. De viebus creticis.	38.
Lapitulus (com eft. De fignis vaccitibo ipfins crifis.	38.
(Eractatus tertius eft. De epidimia z continet capi	till/
la quatuoz.	20.
Lapitulum primum elt. De epidimia que prouenit ex	coz
ruption cacris.	20.
Lapitulum fecudum. De epidimia que prouenit ex ac	na
putrida e fetida.	30.
Capitulum tertium. De squinantia voissocatione spoi	
lium colli eneniente ex quadam corruptioe acris.	39.
Lapitulum quartum est. De cura seu preservatione a	
riculo male aque.	10.

Şinis Zabulc.



"Deologus

Tacipit liber de medicina Auerroys: q dicir colliget: a totalis liber ifte atinet libros septepartiales.

Ther primus dividitur in plogua tractation.

Prologus the etiner ouo capitula. Capim pinum bur tus prologi:quod eft phemium.



Clando ven

tilata fuit fup me vor litas p nobile peeptus exptenobilis offi Aur delach Semple a mir relmomini o marocho p cofilio fuom phop Austait a Auenchalut a peepti mibi copilare vnú librů in quo o tine vnú librů in quo tine vnú librů in quo tine vní librů librů in quo tine vní librů in quo tine vní librů in quo tine vní librů libr

nes pou auctou:que eau effent retinede: zq vimittende: ruc veclinaui viutes meas ad fini preceptus: raugmetani eas ad fuu feruitiu: z copilani istu libzu ylem: z vocani no me fun colligeneo o icepi in eo ordine voctrie a rebo vniv ucrialibo: cab illis pceda quoniquo ocuenia ad particula ria: ficut fit in poctrina triù iperum ppolitionii: Pm qo est pectararii fupta pimo porficozzita feci in illo libzo ep ego pimo ofiderani coprebedere vles regulas buius feier po-fica itendi ire ab illis ad mébra fuarzad pres fuas in vno alio libro: que copona fi placebit veo: ideo vocant ipm col liget. [Adbuc elegi in ordie bui? libri aliu ordine ce ele gerint aly auctores in fuis libris: tifte eft ille ordo qui eft magis puenies in voctrina buivicie. Et icias qualiquis no poterit stare sup fine buius librimec itelligere maiore par tem einemist ille qui legerit tri in logica o ipse possit ad min cognoscere modos tri i vemostrationi. Adduc ne cesse est o ipse sit ve illis q vsi sucritt aligd scire in radici bus nasius sciarus. Et si no erit ve aligbus istop no solus erit puatus a certitudine itetionis buius libri cab vtilita te ci?:f3 eueniet ei ab co magnú nocumetu:co q eu abbo minabit voespicier. Et qfi abbominabit istuz: scias q abv bominabit veritate buius feie. Et vinifi cu in feptez par teer cilibs eius partepoliti p yno libro. Et no expectes a me go ego vinidas partes finas ad numez caploz meg go approprié vnicuigs reicaplin p fe.qr in illa revanaglozia/ ti funt fapieres by fpanie andaluxu: z maioz pars pterito ru aucton. Sed pater phie no vanagliatus fuit in facien, do boci maiori parte libron mon. Et forte qo idurit cos ad faciedus bec fuir vebilitas viscretine scholariu. Sil le qui babebit virtuté discretinas sanà: cognoscet in vno quoquibro vifferetias rerum pinas a fecudas: a vinidet vnam reabalia fm g videbiť ci magiscoueniens in bo ra legedi: tqui voluerit viuidere cos ad paruas partes vl ad capla faciat enominer ea ficut vult.

Caplin. II. Quod est ve vistinctióe librop.

Rimus liber tractat o anotomia: ano mitiplicado i eo:co quo pmie to vicere renoua i eo qui sit vea palios aucto resigo in pmitto facere i alus libris:qui ne cis renouabo viba quo sense fratig medici a qui

me trăsserut: z pbabunt a radicibus sciaiz nătiuz.

Secundus liber nomiatur liber lanitatis: in isto pissinită potent z prones ofun membro z costimiliă z officialiă z narrabit ces opationes con z per quă viă bar bent agere coz opatioce; z pati suas passoes. Et narrabit ree spes sanitatis cuinliba mebri poes causas ătuoz. Et

arrabit oés spés vituits corpis bumani z qd sint a quot sur farrabit oés spés vituits corpis bumani z qd sint a quot so cadet memoria visputatóis super duo spermataçã é o rum est pars embrionis: a qô nói cutius loco ipa stant em brioni an p mam an p sorma. Et narrabit de virtute pui motoris q est in corpore motu volutario: qd é zvoi est sit tus ei? an in neruo an in lacerto. Et narrabit de motu per ctoris a pulmonis: a duisson que cecidit inter auctores spores sup snias. Exaremouebit dubia. Et narrabit breui per mam aeris téperati. Et de na dituor tempo y anni: a que se impantia est illa que dicituri u vere.

Tertins liber of liber egritudinur ibi diffinietur egritudor narrat spês egritudinu simpli ciù. Et membra osimilia z officialia: z ponit in vnoquog eop oés ättnor cás vlest et de pticularib? Epostea narrat oes spés egritudinu opositap à sunt in mebris. Et ponit causas eap similia eadé viá pdictă. Et narrat oia acci détia que supueniunt sup eop opatioes in diminutoe aut in debilitate. Et ponit câs istap rez pliper in istoloco ca dit dissinito bolozie: z si sunt cae ce z quot: z baddimus vba sup sinia; S. in B multu necessaria. Et narrat oia accidetia sensus z virtutum: z ponit causas sim siniam Aristo.

Duartus liber nominatur liber fignop: anarrat nitate cuiufly membri per fe in mebris ofimilib? cofficia libus ex parte operation i con. Et narrat fup oes species fignor fignificatio supoes egritudies cuinflibs membri per fe. Et figna accidentifi con ex parte operationi ipon fm fentetia Aristo. Et bic cadit vissinitio signi. Et narrat figna bominy cuiufly bumozis in corpore bois fm oplos nem ppzia nale tali corporire narrat figna cuiufla egritu dinis reminflibgaccidetis q superneniur corpori ex causa aeris circudatis Pri ocii. Y. Et narrat via fignor fignifi cantiu fug egritudines magnas ex pte paruaz anticipan tiu;auter pre accidetiu: anarrat figna fignificantia super fanitate a fup egritudine vies apticulare ex pte pullus a vaine anarrat figna fignificatia fup egritudines a otinet totii corpus:fic febris a filliana pat causas cama capita fer bre vieira narrat ves modos crifis a veros a falfos:bonos a malos rtépora cap a causas cap cé avice cap certeap pnatois. Et bic reddit că gre medici vicut: o fi et veniat crifis in viebo querfiois ipfa cft va apud cos oumoveniat in vie cretico puenteti illi egritudini: abic cadit inglitio fi ftelle funtcae in opatioibacorpop iferiop aut no: afi funt ca ven fut ca ppinq vel remota. [Adbucingrit fiaftro nomia est necessaria scie medician an no. Et narrat signa crifin ex pre rei exentis a corpore:aut ab eo govidenirab opatióibo corporis egri. Et narrat figna fignificatia super quals egritudine mebro piterio p. Et narrat figna fignifi cătia sup egritudine ex parte rei exeuntis a corpore exitu accetaliznali. Erponit ofias q funt iter fluxu quecidit p egritudine male q supuenit vni mebro aut plus qu vnicet fluxu g accidit p egritudines vlem q fuguenit mebris. Et narrat opione plurimoz o trafibant de una medicina ad alia in una medicatióe alicui egritudio. Et que phát bi nersas medicinas sup cadé egritudiné: Thiceréplificabo exempla queniétia: Tentétiabo sup snias cui? éalias sup securiozé vias. Et narrat o sa signa p q certificat nobis in egritudie cuius mébaix q carú é mális: 24 no: Tista res é mitu veclarada:co que mitu necia ad cogicedu medico.

Quintus liber noiat liber medicinam aciborus.
In pinis viffiniet i eo qo gd éciboragd eft medicia fin iniam Arifto. a.B. anarrabo nam cuinfis istomacom viem opatione in corpe busano act pticulare aper que modu operant in corpe anumem suam pneipalium vitutu a que pocam operat g se aque accuse a quirus



Drimus

causie fanitatie regritudinie: maxime a causie multus remotis:fic funt eleméta: v filia. Et abarte medicie expi metali visces cognoscere virtutes pluriu medicinap : qo est que equa oprebedimina per via expiniciale é patica valde oparatione eius que necius est nobis in boc. S5 via artismedicialis récinatia est ad vadú causas reg. que no bis inenit are medicinalis experimetalis: 2 bec are abare teanotomie recipit multas partiu fui fubiecti. Et quarti fer artis incomo est artifer illius artis no pot cognoscere pncipia recepta in illa arte guis sciat illa:nescit eni ea ni fi ingituz est artisez alterius artis:10 opz eŭ recipe illa pn cipia artis fue ab illo loco in quo funt magi nota. Et mari me pacipia quop oés partes fciri no possunt facertitudi. ne ficest expientia medicinam: Et ideo de parte buius are tis dixit. Y. qu vita bois é breuis: qu dixit: vita breuis ars vo loga. Qz pare que est per via expinierale no est in ipia breuitas: tita e in bocnostro tpe in plibus membris que apparet p viazanotomicico o becarsiam est amissa. Et bebes feire gratifer feie nalis coicat medico:eo group' bumanu est yna partiu locop subjecti nälis. Sz vinersi ficantur adinuicem in boc:qz ifte ofiderat fanitate zegritudine incetum funt entia nalia: emedicus ofiderat ea i intus appetit pieruare vnu tremouere alind. Etideo ne cestarius est medico posta sciuerit summas que aggrega-te sunt in bac arte studiu longu: postea poterit in ipsa in uenire accitta in materys que funt impossibilia scribi. Et medic'qui fuerit follicime in opationib' illius artis erut. firmata in ipio pacipia expimentalia p que poterie ineni re in materys illas fummas: ficeft in artibus mechanicis acogitatiuis. Et Aristo. appropriat bac arte iter artes me chanicas in virtute. Et ex boc manifest u est o res victa i Diffinitioe medicine que est cognitio fanitatio regritudi nis trez prottionata z eisto no est diffinitio vera: co o dinistitu ea driam p qua cognoscit differre speculatione artificis buius artis a speculatione artificis nalis scie. Et ad boeno attendas ei ve quo virerit ep no est sanitas nec egritudo:qui no est iter nocumentu opationu fensibiliu z innocumetu cariide medii:nec est variatio nisi fm pl's 2 minus: znonest mediú inter ouo contraria ita go sit aligo illop in parte abigs parte in qua est aliud nec in tpe abigs compose in quo est aliud rest manifest i fra poictus est in scientia speculatina. Et posto narraumus intentionez istins arris apartes suas a vias speculationis in ipsa neces se est nobis loqui super vnacon partem cius. Eapis, H. Qo est ve anotomia membrop in vii.

Articule que testificat sup ca sensus in corpo rebumano funt spes oue:vna est membrozz confimilia. Uerbi gra bec viffinitio ifti" par. ticule: viffinitio totius ifti" è viffinitio vna: ficut funt offa caro: teo gralibet pars carnis

De neceffitate eft caro:quelibet pars offis eft os. Et fecun da est mebrop positor quor partes non asilantur par, tibus:sic manus que coposita est ex carne coste musculo achorda. Et mebra fimplicia fut offare muiclire chorde: a nernica ligamenta: a caro a affungia: feu pinguedo: a cutis avilli: a fanguis: a flegma: a melia: a colera: a fpus: a ifte e vapor perceptus in corde vin cerebro. Et nos incipinus nunc in rememozatione mébroz ofimiliá feu fimplicius apostea in rememozatione copositozum.

Caplin.III. Quod est ve offibus capitis.

Sía capitis abigs ventibo funt offa. xxiy. sex quop appropriata craneo-r loca in gbus con iungunt offa in craneo vocata funt in lingua arabica afoan: toffa ix in mādibulis fupiozi bus tin auribus t puo in mādibulis iferiozi bus: 4 pnii qo noiai gesbent Be os go eft fub cranco go

Diuidit iterija e lupiozes mādibulas. Et ola becona piū gunt fil'oiuctioe feratili q noiat in arabico Derarafi: pter ouo osta sferiozis mādibule: a siungui sinetioe nodatili. Capts. III. Ob est oc octib a costo ostib ostib toti cozpis

Entes funt in vnaggamadibula. rvi. gr ouo anteriozes nomiati funt onales: zin arabico noiant thomam. Et ouo alu ex vtrog latere fuperiori viferiori noiantur quadruales: vin arabico rabiatban. Et ouo fupiozes viferio

res ex verog latere vicunt caniculares. Et gnos ex vero glatere.f. Dextro Tiniftro nominatur molares. Sed ali quibus de numero molarium deficit ynus: a funt tantuz quattuoz: radices molarius superiozis mandibule sunt tres valiquibus quattuoz: vadices molarium mandibu le inferiozio funt due: 2 vnaque en radix aliozus dentiù ele cuiuflibs vna ergo ias ineniemus en offa capitis funt offa .55. Et coniunguntur in capite apud fozamé qo est in ipso in posteriozi parte spodilis colli: a sunt spodilia. vy. a sunt perforata ex vtrog latere: z spondilia nuce coiunguntur cus ipfises funt. rvy. voicitur de. ry. ipfor que funt front dilia anteriozis pectozis:co q ibi finit cozum termino:t gnes con funt spondilia notata in lingua greca adinisos: Tin arabico alktban.ergo inuentum eft o numer'oium spondiliù cranco a capite viquad os nominatu bagit sunt fpondilia.rxiin. Salig funt g babetvnú plus boce.rxv. Etaliqui funt qui babent vnum minus fcilicet.rriy. Et buic ípondili inferiozi cóungit os nominatum bagit: et iftud cópofită é exparticulis tribus q funt filia ípódilib": rin boc adbuc coungit. Lin offe bagit in iferiori pre ipfi' oa nominatú cauda. Et ipm copolitú e ex trib pecus line partibus. Et tertia pars illius e vera cauda: relt quafi os cartilaginolum. Et bec ola spondilia coungunt coiúctoe nodatili pter spondilia puo colli pma : sed spondile pmus qo coungit cu ipio ligat ouabus ad adeptioib? veladdis tamentie excutibue a cranco: tintrant in ouob fozamini bus fpondilis pmi. Et coiugunt ex vtrog latere offis fpo. dilis bagit offa duo er vtrom latere vnu: in ipfis est pla ta cosseque in arabico nominat atbaluozat: z ibi pendet testiculi: zbec sunt ofa offa partis posteriozis. So offa an terioza veliterioza exiferiozi parte occipitu fut offa buo i arabico noiata charcobatan. Et offa fpatularum: coffa pe ctorier offa manutir toffa ombilicalia: q nofata fut in ara bico benina cossapedu. Sed sbartboa e os gibbosus ex-terius cocauú interius cui" vnus ex ouob" suis capitib" iungit cum bumero a cu capite brachy nomiati bafebt: a alia extremitas coiungit in latitudine vel in altitudines pectoris in loco foraminis colli: rideo qe fpatula e pofita fupra porfum est ampla t in ipfa coiunctuz é caput qo est cartilaginofum: quato plus appropinquat charcoe tato magis rotundat: velt in ipio cocautas ada in qua fubin. trat caput brachy noiati afeth. Sed offa pectoris opofita funt ex offibus quoz: vin extremitatibo iferiozibus funt carrilagines. Offa vero coftarii funt. ru.in vnoquog late re gibbolitates quop longiozes funt medic ter iftis funt ,vy.cofte quar extremitas vniuscuiusque contungit poste rius in spodilibus nuche:et in anteriozi in offibo pectozis cum capitibus carrilaginofis agnesiftaz no communi pectozi a nominani cofte posteriores: a io quado primini cedunt preffioni; in parte iferiozi pectorio no e aligo os nifi foli os ymbilicale:qo mozat inferius. Offa mano fut exx.offa.f.os brachy nominatú afeth; ziftud é vnú exterius gibbofus; iterius vo concatu: z bs caput vnú go in co canitate fpatule intrat: et alia extremitas ipfins intrat in marpecerbabet nifi spondile ynu simile rode qo in arabi co nominatur bachar: vin ifto fubintrat extremitas offis noiati in arabico genad superioz. Etosia genad funt ouo:



Primise

Ene nonpulfatiles funt vnins tunice preter vnä istaz. Et inente funt per viä sensus op ra mificant ab epate: vid quod germinat ab eis in prais sunt vene oue: vna quaruz est vitra concanitate; villa nominatur porta: vbec est

concanitate villa nominatur porta: Theceft ad trabendu nutrimentu epati. Alia est vel exit a gibbost tate epatise tifta eft facta ad Deferendus nutrimentum t viuidendu nutrimetu: 2 nomiatur cocaua. Sed pozta vi uiditur in corpore epatis in quincy partes a ramificantur bequing partes in ramis paruis : Donec iungătur gibbo fitati epatis. Et quado exeunt ab epate viuiduntur in par tes octo:quarus one illarus parue func: vna ipfarus fun! gitur intestino nominato puodeno. Et secuda ramificat ad funduz stomaci in poztanario. Sed vna exfex tendit ad superficies porsi partis deptre stomaciad nutriedum ipfum. Sed pars iterior nutritur inquatum obniatur sto macho. Et fecuda jungitur ipleni z tandem feparatur ab ipfa vena vna a latere finistro stomaci. Et illud go rema net biniditur in partes buas: vna quay iungitur medieta ti superiozi stomaci z spleni ad nutriedum ca. Et secunda iungitur gibbolitati stomaci: tibi viuiditur in partes ou as. Una ipfaruz Diniditur a Dozfo finistro stomaci: 2 fecu da profundatur vice ad orificium stomacieo op pucit ad ozificium stomaci superflunz siccitatis a acetositatis me lanconice:quonia fludet splenad expelledus ipsum cu su perfluo ad pronocadus appetită flornaci fua titillatione. Particula pero fecuda piniditur în partes puas yna iparus tendit ad liferioza medietatis (plenis. Et lecuda pars ifluit ad miraco z biuiditur in iplo. Tertia vero ex lex va dit ad latus finistrii: zad itestinu rectu ad boc vt sugat ab tpfo. Et quarta tédit ad gibbofitaté stomaci zad mirach. Ét quinta tendit ad mesaraicas que funt circa itestinum nominatum colon. Et fexta afficirca iteftinu iciunus 202 buz. Ged cocane scilicet vene:radir eine separatur er feipfa ad trabendů nutrimětů a ramis pozte. Et post ascendit ab ipia vena vna magna in gibbolitate epatis. Et qii afcenditifta vena no vadit nec elogatur multum Donec Dinidatur in onas partes. Et yna istarus est maioz aten/ dit ad partes iferiozes corporis: a fecuda ad superiora cor pozis: t bec pare supioz tedit vigs ou iugatur oyafragma/ ti. Et ibi biuidit in buas venas que biuidunt in byafrage mate: polt compainant oyafragma. Et polt compressio nem viniduntur ab eifdem vene minute: et viniduntur in panniculo viuidente pectus in partes vuas zin panniculo cordia: vin glandula nominata chota : viuiduntur in ipfa.Demuz ramificatur ab ipfa ramus vnus:qui iugitur in auricula begtra ex auriculis cordis. Et b ramus bi siiditur in partes tres: yna quarum itrat in cocanitatem Degtram ocanitatis cordis viungitur pulmoni vbabet tu hicas onas: tob boc noiatur vena arterialis: tbeceft ma iozoium aliarum. Et fecuda circudatur circa dozfum coz dis rectéditur in ipius totum. Et tertia coungitur in par te iferiozi pectozis: a nutrit pectoza ibi existeria. Et quando traffit cortendit per viagrectas bonec peruenit ad oppolitione buoy tharcotan: fic.n.noiantur in arabico: Toi uidum ab ea in boc suo itinere rami parui ad ambas sua rum partiug: z exeunt ab eifdem rami ad lacertos exilten tes ex opposito membrous iteriop. Et quado funt ex op polito affelle:exit ab eis ramus vnus extrifecus magnus veniens ad manus er latere affeller eft vena nominata bafilica. Et quado est in opposito in medio tracbee in los co fui itineris piniditur in partes onas: vna istarum ten/ ditad parte pertras valia ad partem finistra. Et quelibs istan ouan oiniditur in partes ouas: a tandé equitat vna expartibus spatulam a venit ad manu ex latere vextro: a bec est yena nominata cepbalica. Et adbuc secuda pinidi

ditur in partes ouas in vnoquoch latere: vna quarum va. dit appofundatur a afcendit in fua profunditate bonec in trat craneum in suo itinere per collus vsegquo itrat in cerebum. Et ramificatur ab eadem rami parui coniungen tes se membris sterioribus ppinquis colli. Et bec pars no minatur vena pfundata. Sed secuda tedit in superficies porficonec diniditur per faciér caput: roculos: rperna-res feu per nafum. Et bec est vena apparés r ramificatur a vena spatularis in suo itinere per brachium nominatum ufcet: viniditur in nodo marpecb. Et post sua vinisione vena spatularis commiscetur cum parte vene assellaris: a Descendunt: a tadem exit ex istis Duabus in latere mar pech vena: reft vena media feu comunis: roicitur in arabico bacbal. Et para fecăda ex pte vene spatularia trabif ad Dozsum bracbu nominati schabat: idest adiutorius. Et Demum equitat fupsa cenad fuperioses: villa nominatur chosda bsachy. Et pars vene affellaris que mosatur infe-rius vadit per latus itrinfecus bsachy ad cabat Donec iugatur capiti cenad fupiozicz est aliquid rami vene existen tisiter vigitum minozem vänularez: vnominatur balar/ cia. Sed pare tendes ad iferioza corporis equitat spodili bus nuche. Et postea vescédit iferius a ramificatur in pri mis ab ipfa rami venientes ad ligaturas renum : t nominatur i arabico lafint alcoliethe cozi villis e cozpozibus ppinquis eis. Et postea ramificantur ab eisdem rami ma gni ono itrantes in concanitatibus renuz. Et postea rami ouo tendetes ad testículos. Et vemu ramificant ab ipsis in latere vninschinst spondilis vene due tendetes duobus lateribus; a iungunt membris iterioribus propiquis ei ficut vulue avefice: aetiam illis existentibus extrinfe cus:ficut miracb:ventris: z lumbis. Et quando iungif ad finem spondilium viniditur ad partes vuas. Una ipfarů tenditad pedem vertrum: alia tenditad finiftrum. Et tandem ramificantur ab eis rami jungetes lacertis telticulozum. Et aliqui istozii sunt profundi zaliqui sunt appa entes. Et quado iungunt genu viuidunt in partes tres, Una partiu vadit in medio ziungit ramis gfunt in pnoquoq lacerto cruris interiozis: rexteriozis. Et alia pars in parte interiozi cruris Donec apparet prope calcaneuret illa est nominata sapbena. Et pare secuida vadit vitra apparitiones cruries: illa profundat ad latue exterioris cal canci. Et illa elt fcia qua.f. nominatur fciatica. Et ramifi cantur ab vnoquocs istor quado iungunt pedi rami oi nifi in pede. Et rami qui funt pedis exparte vigiti mioris rannularis funt ex ramis sciatice. Et rami pollicius funt er fapbenarnominant in arabico alfcafen.

Eaplin. VII. Quod est ve anotomia neruozum.

Apita istorum corpora videntur coniungi in cerebro vel in nucha: ideo imaginas seu extimatur o omnia ista exeant ab eis. Et vides o caput nuche coiungatur post in posteriori parte cerebri: a pellicula ipsius resistit nocu-

mento illius a durat yfg ad os nominatu dafeeth.f.cau. da. Et ideo imaginatur feu extimatur q ipfa oziatur a ce. rebzo. Et iunguntur in nucha in latere vniuscuiusqu pon dilis in vnaquag parte duo nerui vnus eoz vadit in partem destră zalter in finistră donec iungantur in fine dascet. Et coniungitur in fundo ipsius caput vnu vnius ner. ui: s sic coniungitur in cerebzo paria septem capită ner. ucum. Par primu sunt nerui duo zapparent quasi oziă, tur vel exeant a cerebzo prope exopposito duaz caracularum similium capitibus mamiliants in quibus sit odoratus z ipsi coniunguntur in oculis. Et ist duo nerui sunt concaui: quando elongantur a cerebzo tune coniungun tur. Et fozamen vniuscuiusquistorum tangit fozamen alterius: co yt spiritus aducnientes duadus pupillis oculo.



Daming

Capim. 3C. Quodeft be carne.

Arnis tres funt species: vna è caro mixta cuis nerno reborda villa nominat lacertus fine mufculus; tilla est maior pars carnis totius corporiste becero memoratus in capio me bron officialius. @ Secuda species est spes

carnis pure: vin bac funt multa ligameta: v bec est minoz species corporis. [Terria species est carnis glandulose: zcaro pura estilla que estin capite mebri.f. veretri: villa que est in loco occulto vorsi: e e illa est caro existens iter bentes. Es caro nominata gladulofa écaro tefticulon a mamillaprepilla efterin radice linguerepilla eft caro exis in hibalcellis vin onob emuctorus noiatis in arabi co orbitas: que est post aures a in colloraistins speciei est

caro que est iter intestina eneruos. Capim.XI. Quod eft be villis.

Ed de villis ero memozanis cum ero remer mozatus membra composita existetia itus in corporcieo quia ille est locus couenies re memorationis ipiop ibi.

Caplin XII. Quod eft ve bumozibus.

L bumozes apparentes in corpore bumano fur quattuoricilicet fanguis: flegma colera zmelancolia.

Capts.XIII. Qo éve fimplicibo mébris. I fimplicia membra funticutis: yngues zca pilli abocest manifestum.

Caplin.XIIII.Quod eft ve ipir itu. Piritus ouo funt.f. spiritus apparens in coz/ de a spiritus apparens in cerebzo: (5 spiritus in cpe non apparet p vias fenfus. Et bec funt verba victa fupza fimplicia membra q fuffi

ciétia esse videntur in boc loco: 2 q volutam plius addere addat. Et núc redibo ad loquedu supra officialia membra: r icipias a mebro fimpliciori oium ipfozz: tiftud eft lacertus fine mufculus.

(Laplin XV . Quod est pe lacerto.

Acertus est cospus copositi ex carne rubea: a ligamétis: ancruo ascendetibus supra ipm: Etiple eltidues offa ligatus ligaturis nafce tibus ab offibus: riftud eft quado neruus co/ iungitur iupzeme extremitati ipfina lacerti.

Zandez viniditur in partes: amifcetur exiture carnis la certus: qerminat in offe pofito fub lacerto ligatură: mi fcetur cus neruo a carne a demum ex omnibus iftis exit corpus ynus nominatus lacertus. Et quado partes nerui veniunt ad extremitate inferiozem lacerti:tunc adimate funt partes nerui ad partes ligamento: folum abiqualia ammixtiõe carnis: rtande exit ab iftis corpus nominată chorda: 2 b chorda tendit bonec jungatur extremitati ife riozi illius membri. Et omnes lacerti fm intentione Bat. existentes in corpus sunt. 529. Et victus est q bec corpora varianturin forma in quatitate: vin compositioe: vqua/ do virtus ab iftis germinat: chozde in forma compolitio nis ipioz:tade variant in cititate: qui aliqui fut magni z alig parii. 2Dagn'e fic lacertus pofitus fupra cora zpar unseft fic lacertus positus supra oculus. Et variatio ipsorum est in forma que tales sunt ex lacertis quoy caro ipsorum est in coma que tales sunt ex lacertis quoy caro ipsorum est in care i rum no miscetur cu neruo: a variatio ipsoza est in chordis ozietibus ab ipfis:quonia tales ex ipfis fiit qo chorda ozie tur ex buobus lacertis; tales funt a quibo ambobus ab vnoquogeop ozinur chorde, z.vel.3. zboceft fm gron menit eis. Sed variationes ipfozus exparte oppositionis ipiop funt maliqui ipiop oppositio suaest in virecto me bei caliqui non. Et si vebenus loqui in vuoquom lacerto lacerton boc:yerba effent plina yaldemec effent buic ar

ti multu necessaria: boc est ad medicinandu pcibos zme dicias. Szcirugicis.i.opantibus cu ferro magnu cer inua mentu. Et vico adbuc q post terminatione istan ren par un lucru cofequeremur. Et ego narrabo de neruis que ero locutus iunamenti ipfoz in libro fanitatis.

Caplin.XVI.Quod eft ve forma capitis.

Oma capitis naturalis est rounda babens aliquă planicie în vtroq; latere:ac fi ymagina tus fueris formaz cereaz rotunda effe coprefe fam in vtrogs latere. Dabens intrinfecus co/

canitates coungétes se adinuices; a nomina/ tur cellule cerebzica sunt oue existentes in parte anterio/ ri cerebzi z yna in medio: zalia in posteriozi parte: z ppe commctione istan cellularii.s.partis vnius cu altera: funt corpora formata formis talibus yt fint puenientes in ali quo repoze ad clandenda vel ad aperienda. Et ifunt cere bro oue additioes germinate a ouabus cellulis anteriori bus fimilibus puobus capitibus mamillarus perinantes yíce ad os nominatú colatoziú: z iftud eft os pfozatú foza minibus multis: sed no per viá rectá sed obliqua: v locus istius in craneo est locus cui confungitur extremitas nafi. Et expaniculis onobus cerebri vnus existis est fortis groffus: talius eft fubrilis. Subtilis comnetus eft cere bro rnoiatus est capitis fecudina vel fecunda: affimila tur fecudine:co o in ipfo funt nerui a vene: ex gbo nutrif cereba: a ipfe otinuat cerebao i aligbo locis. Et paniculus groffus oiungit craneo: a etia cerebao coiungit in aligbo locis. Et bic paniculus foztis perforatus exilit foramini, bus multis in locis buobus. Unus loc eft in latere fora minis extremitatis nafi: nominams est colatozius : tal. ter est prope offe existente in palato. Et istud similiter est perforatu a fub cerebro. Et fub panniculo groffo est retis q in arabico noiat alagema q è ex arterus afcendetibo ca put. S; nuche spodilia ipsa; coopiunt sicut os cranei coo perit cerebp: ripsa circudat a vuab pelliculis exeutib a ouob° păniculis cerebzi: τex ipfa ozi i neru° q ei siungit.
(Eaplim. XVII. Quod eft ve fozma oculozum.

Ozma oculi composita est ex septé tunicis et tribus buozib". Prima ipiaz eq ppe craneu mozat reft tunica pannola: rei ortus est eg paniculo grofio existente in cerebro: anosat tunica foztis: z in arabico noiata est aluocha

alfalba. Et post ipiaz versus parte exterioze est altera tu nica panofa. Et ei oztus è ex panniculo subtili existete in cerebro. Et noiatur fecunda vel fecudina: tarabice almif fima. Et post istaz é tunica retina: toztus eius é ex anima musculi ercuntis a cerebro: Técocanus. Et post istà in me dio istius păniculi e corponi molle Thuidus noiatu bu-mor vitreus: in arabico alcegia. Et in medio isti ocrpo-ris e corpus viu spericu babens aliquă latinudine simile grandini in claritate valbedine: vbec buiditas nomiatur grandinofa: récorpus pfundatú in búiditate vitrea vígs ad medietaté. Et post alias medietaté existentem versus parté exteriozé. Lacris ab buiditate grandinosa évnú coz ous fimile telegrance: villud ein vitimo claritatis vter fionis:anoiatur tela aranea:a in arabico baantebutbia. Et post istas versus pré exteriores existit buiditas yna fi milis albugini oni: tnoiatur bumoz albugineus: tafcēdit supra istă biiditate versus parte exterioze corpus vuum fubtile afperu:noiatu in arabico macinaru:verfus albugi ne ex parte exteriozi. Et coloz cine variat in cozpozibo:co o alicui é valde nigrum: ralicui minus: ralicui é coloris calcedony. Er in medio verfus gradinofas é foramé vnu qo que vilatatur a quadom oftringit: vice vna poft alia: ces:quonia oftringit in magna luce: vollatatur in partia.



Drimus

ingar colli alion fic itelliges forma ftoi merinifi o fto macbus existir a latere versus vozsus aliquătulus logus z vni ex vuolus capitibus spsius stomachi superius est meri: z inferius e presipius intestinoz: z nosatur poztana riu: z in arabico albeb: zipse.s.stomachi e ligat? spodslib? zetiacii aligbus intestinop fortib ligaturis sustinetibus iphiz. Et corp 1 ftomachi copolitu e ex tribo tunicis: tex tura vnius tedit in logitudine: talia vadit p oyametrii: t illa eft itrinfecus: eft illa tunica ideft nernofa.al.mufcu lofarzenterioz é carnofarz tentura ipfio tédit i latitudiné. (Eap. XXVI. Quod est de forma intestinozus.

"Untellina copolita funt ex ouabus tunicis: T babent texturas tendete in latitudines folus Thip tunică interiorez adest viscolitas noia ta in arabico lafuen.inueftita er ipfa inuifca/ tioefine viscolitatea na. Et ofa iteltina funt

fer:tria minuta: t fut fupioza: tria groffa z fut iferioza. z pacipin minutoz estitestinu coiuctu fundo stomachi no minatű onodenű. Et post ipíng é intestinű nosatű teiunű aifta ouo fut crecta in logitudine corporis: a orificia iftoruz commgutur in epate plus alus intellinis: tpoft iciunu est intestină nominată gracile: cipius renolnie renolniti onibus pluribus. Et latitudo istop triă intestinop est ad modă vi ad quatitate latitudinis poztanary. Etpoliila est intestinu noiatuzorbuz: ristud intestinu e latus no ba bens trăsituz neciter:sed simile e fisculo vel marsupio: 2 gano babetnifi ynii osadeo per ipius intrata erit gegd intrat regit: zipin e in parte vertrapolită: zpost istud est intestină noiatuz colon: zincipit a parte vertra tendes p latitudine ventris ad parte sinistră. Et post istud e intesti num rectă: zistudintestinus rectă babet cocanitate anv plam in qua coadunătur feces: ficut vrina in vefica coa/ dunatur: z fupozificiu z istins é lacertus vrine. (Eap.XXVII.Quod é ve forma epatis.

parpolituzein latere vertro coftaru fupe riozus ex costis superiozib?: 2 sozma ipsius é forma lune: 2 é babés cocanitate in parte la teris stomachi zadditameta: zaligbus isunt quattuoz: valiquib? gnq: vipfuz é cooperies

fupra latus vertru flomachus: zgibbofitas ipfius e vert fus opafragma; réligatú ligaméris cóiungérib° se pelli-cule existéri supra ipsus; rozu a ocauitate ipsus eparis ca nale vnú notatú ianua eparis; r sozna ipso e soznavene; nist que nó babés sanguine; r illud canale é oiussus inpar tes: ville partes füt partes multe in quatitate multa: vo niüt er ipfis.f.partib" ptes multe ad füdü ftomacbi v ad inteltinu noiatu vuodenu: multe etiä ptesad iteltinus veniut iciunu: vemu ad refiduu alioz iteltinoz vonec iungant inteltino recto. Et iltud canale qo e in pozta epa tis viuidif etiā in partibo interiozibo ipfio epatis ad ptes minutas. Lad venas capillares files capillis. Eta parte gibbofitatis epatis appet vena vna magna a qua oès vene totius cozgis volat fine excutificut pirimus in anotomia venaru: radicipis vene dinidit ab epate ad gres minutas siles capillis robuiaturin pres dinisas a canali noiaro porta raturimetu edimosu tratin epate per sus iannar in illis venis vecogt vonec redeat ad fanguine: bemű erit pillá vená magná ernté in fua gibbolitate. Cap.XXVIII. Obelt ve forma fplenis.

Ozmafpienis eft lóga: apofitú eft in parte fi-niftra ligatuz ligamétis cóiungentibus pelli-cule existentibus supra ipsuz: a est cótinuatu stomacho er vna partertexalia parte costis posteriozibus: toziunt ab ipso conducta Duo

vnum exiplis comingitur ou fromachi a alind conjungit in epate perfus concanitatem.

Cap. CCIC. Qo eft ve forma fellis.) El positi est in epate: Thabet vias ouas: vna confungitur in concauitate epatis: valia ra/ mificatur a confungitur inferiozibus inteltinis zin fundo stomachi.

Cap.XXX.Qoeltoe forma vanotomia renum.

Corenes politi füt in latere onop lateru foo dilinnice ppe epar z ren verrer e in altiozi loco rene finistro: z vnuquodqy b3 colla buo: vniliplon piligit in vena magna afcédéte a gibbolitate epatis: calind pefcédit inferins

bonec coiungat in vesica coiunctione mirabili: ziste pue vie.f.ifta συο colla nominant in arabico alalbin.

Cap. XXXII. Ωό eft σε forma vefice.

Deus vefice e iteranii z vmbilicii: g loc'eft noiatº in arabico ana: 2 polita é ex ouabotu. niciser in orificio ini e lacerto vnor vrina ve nita renib? ad ipfaz p vias noiatas albalbin:

tifte one vie tedut p byametru: vadutetia p longu bor nec trăscăt înfra în vesică: voțif ab ipsis corp vnu simile pellicule que aperit vesicam relaudit că exparte renu: v istud e sine pubio vtaligd no redeat De vrina ad renes. Lap. XXXXII. Qo est ve anotomia mirac z çirbi.

Brach qo et i arabico noiai mirach.b3 fub la certo exite i vestito sub vetre pellicula vna: réplana: post istà é cooptouin: 2 post sunt i testina: timamétű isti pellicule est ad obui andű ne itestina sil pmisceatur: sič sit i egri

tudine i arabico noiata facbot, viunametti cooptory ead calefaciedu iteftian ve iftis ero locur largi"i lib. fanitatl. (Lap. XXXXIII. Qò é ve anotóia veretri a tefticuloz.

Ritur ex offe ymbilicali cozp? neruofuzmu fculofus amplii: multan cocanitatus: funt fub ipfo arterie multe a late yltra co que coue, niret fue magnitudini:ziftud cozp?é veretrů toriunt a pelliculavie one noiate in arabico

albarbachi: voemu ramificat v gñat exiplie pellicula.f. buria tefticulor vettefticuli: veniut a latere iterion ex pte venam inferior rami babentes innolutiões a ligame ta multa: reircundant carne glandulofa alba: rbabette/ fticuli vias onas venientes ab ipfis ad veretruz.


Caplin XXXIIII. Qo e o canotomia mamillaz.

Amilla ecopofita exarterys: venis zmuscus lisze repleta carne glandulofa albazt ifte ar terie avene viuise sunt in mamillis in partes multas minutas: revoluunt reorguent renolutionibo a tostionibo multie.

Chap.XXXV.Qôé ve anotomia value. Tha polita e iter velică a iteftină rectă led est superana vesica ex pte supiozi: a ligata est ligaturis lenib":zipie füt musculose: vt De fa cilipoffint extedi voilatari v coadunari v co

ftringi: 1 by cameras buas imgétes i vno oxificio: zqliby iftan camerarubs loca concana: anoiata funt in arabico aluech tifta funt oxificia venap: vñ fanguis mestru tră, fit in vuluă. Et post illas sonas cameras sut additiões q testiculi duo mulieris dicunt a sut minozes testiculis vi rozu. Etid qo fuperat ex vulua ourat viquad ozificin ipfi? go nominatu e in arabico fereg babet additamenta probibentia ipium a frigoze. Et ozificiù vulue virginis è crife puz: cep crifpitudie illa oziunt vene miutebites pellicus la vna oterra onabo terturis: vna tedit in logitudine: z il la emior: caltera vadit i latitudine. Et optitas bui "anoto mie mebron fufficiat bic:tfi aliqvolut pl'addere addat. (Explicit liber pmus. Colliget querroys qui fuit liber peanotomia.







colia:colera: e flegma funt elemeta mediconiz confimilia per viaz fm qua est fanguis. Ideo opres que generantur pluique vna re no completur:nisi quando miscentur ille res adinuicez: r faciut vnuz corpus: ficut est fangibin: qo fit ex comixtione mellis cuz aceto zaqua:quozus quodlis bet stabat per se in actu. Et in vulua no inueniunt melan colia nec colera in actu que misceant cu sanguine ad boc yt sint postea pars membai. Sed colera e melácolia sunt in corpore bominis ex certis innametis:que nos festina mus declarare. Sed flegma est materia remota: ideo o exipiono generant membra nifi quando fir fanguis. Et bue colere no funt materie mebri nec ppinque nec remo recideo quia est impossibile ipsas couerti in sanguinez: sed appe funt in eo in potentia: quado corrumpir multories Some concretiturad cas. Et no fecit cos errare in bocnifi locus consequentis:ideo qo viderut o elemeta no inueniunt in copolito exeis nili in potentia: cus vicerut boc. Sed 2 non couertitur o res que inuenitur in alia re in potentia fit eius elementu: sed sanguis est ple transibile vel muta-bile ad alia remper accides no sicut est ple cibus istorus per accidens: sed sicut vita est ple mortis. Et ideo no oscitur o fex afpuma fit elementů vini: fed vicitur o vinum est completus existentibus separatis istis ab eo ideo quia funt eius superfluitates separate ab eo quado vigeritur; ita funt pere pue colere cum fanguine:eo quodlibet ge nerabile baber aliqua superfluitates que separat ab ipso

(Lapitulu. II. Quod eft De complexionibus membro

rum confimilium.

tempore vigeltionis.

E postog est veclaratus istud:revertemur ad ozdines nostrum ad enarrandus complexio nem quozulibet mebrorus confimiliu: zabil lo procedemus ad cognitioné co pactionum

a paffionti a vicemus e offa apparent ex fuo effe e frigiditas a ficcitas bominat fiper ea a fimiliter cartilagines: apili: acborde: aligamenta: anerui: avene: zpaniculi:co o calor ca corit: z frigiditas cogelanit: zió mollificatea calozant viffolnit. Et ista qualitas e in vno corns pluici in alio. Et videt q ficcior omnibus fit pilus: post illus os: 2 post illud carrilago: 2 post illud paniculus: 2 post illud paniculus: 2 post illud paniculus: 2 post illud paniculus: 2 post illus neruus vel musculus: Sed superfluitas frigiditatis cop eft ifta: op pilus eft frigidiozomnib': z post illus osa: z post illa cartilago: z post illam ligamentum: z post illud păniculus: z post illus lacertus: z post illu vene pulfatiles: tno pulfatiles. Et ifta mebra.f. z.s.no ap propriant frigiditati nisi ppter boc o frigiditas estilla que complet ca: cominatur in eis:no q ipfa fint prinata caloze: ficut ipfa funt appropriata ficcitati: ideo qo ficcitas estilla que completea: Toominatur in eis: no qu fint pri tiata bumiditate:quia mixtio a vigestio stant super bumi ditarez: realoz qui est in istis est in specie specieruz accide tis. Sed mebra fuper que vominatur calor a bumor funt caro:fanguis: típiritus. Sed calidius omnibo est spiritus tpoft illus eft fanguis: tpoft illus caro. Etper iftas cande Pias incedunt bumiditates:ideo qo fpiritus eft ve genere gerie; z ger est bumidioz aqua sicur peclaratii est in natu-rali philosophia. Sed inter mebra frigida z bumida in pmis est adeps: 2 post illu est piguedo: 2 post illa cerebiu.s. fabitatia medullaris: z bumiditates icedur fin bac vias. Ethiceftpelagus: in quo aliquis multu baberet naniga re si tempus adesset. Et in alus nostris libzis iam locuti sumus prolice. Sz multuz recordarere caue ne obliniscar ris quod victus elt fupra.f. q ve neceffitate elt q fint gra due virtutum actinarum fuper vnam reandes comple kionem fin comparationes graduu girtutum paffmarus a non intendas post confilius ignoratum in boc: a conue niens est medico recipere complexionem istorum mem gothem Porna lada brozum a naturali.

Capitulum.III. Quod eft ve complexionibus mem de aplex: ef Phi brozum officialium.

Tunc cipiemus a complexione membro
rus officialius posta oriximus ve coplexione
cosimilius. Et vicimus op cot posta est copo
strus ex păniculis z ligametis z neruis est ve
necessitate calidă ppter multă spirită existe
tem în cort ppter sanguines existente în cort etias, ppter
partes carnosas qua babet; z stat în cospoze ad simuliandi

nem vnius clibantignis in pomo. Sed fi eft ficcu ficut pi cut medici: aut teperatu: aut peclinas ad bumiditate: boc elt speculadus: Bed mibi videt greft veclinas ad bumi ditatem ppter spiritus existentes in co. Sed illud quod videtur ex epate ex fua effentia eft op fit calidum abumi/ dum.-propterea quia maior pare fuarum partius est carnofa:fanguinea: a ctiam ad ipfum transmittuntur multe arterie. Ét bic multa funt ingrenda: 2 q2 medico nó pertí-nent: ideo vimittamus. Et cerebzú eft frigidú: ideo ga ma-ioz pars fuarú partium eft fuba medullaris 2 neruofa: 2 fi milis buic. Et natura medulle que est in ipso est oinersa a natura medulle que est in offibus:qz tu vides go no est in eo para pinguofa:aut vnctuofa: quado coquit ad ignem ingroffatur: a peficcaf: ideo q pars aquofa que é in eo re foluit poter calozer remanet pars terreftris. (Et que admodum piximus de cerebro: codes modo diximus de nucha. Sed iplen rrenes ipfa etia funt de mebris calidis t bumidis: quis renes fint in boc fub splene in gradu pro pter groffitiem fanguinis q ftat in fplene: ficut fplen eft in boc gradu fatis inferioz epate.

Capitulus. IIII. Quod est De complexione teperata &

De Distemperatis totius corporis.

E postagest veclaratus in coplexione mem brozum officialius z confimilius ab ifto poly fumus cognoscere quid est temperata cople rio totius corporis. Or fi innenuntur ista me

bra proportionata fuper istas complexiões; ipium est temperate complexionis penitus: zinueniunt in eo iste proprietates a illa signa que vicit Sa. qui nueniu tur in temperata complexione. (Et manifestum est qui ista temperantia no vicitur nisi in comparatione omnius. partius totius corporis:ideo quia impossibile est istis me, bais confimilibus exeuntibus eisa fua complexione na/ turalizant in yna qualitate:aut in pluribus o no superue niat permutatio aut corruptio per iftuz exituz. Et ifte exitus babs multas causas aut propter clima aut pprer yles aut propter agens aut propter musationem quatuoz eta/ tum:co o puer est calidus: a bumidus : a innenis calidus Thecus: Tener eft frigidus Thecus. Thoc manifeltus eft ex cotum operationibus; ver propinquitate v longitudi-ne generationis. Et etiam mafculi complexio est calidioz et ficcioz complexione femine. Et boc manifestum est ex operationibus comm. (Et aliquando permutantur complexiones propter exercitia. Et propter cibos: 2 propter omnia extrinfeca. Et ficut potest esse illa permutatio in consimilibus: ita potest esse in officialibus. Et post, boc in totalitate totius corporis concordantibus nobis ipia omnia adinuicem. (Etpostquam est possibile esie boc. Eteltiam oftenfum gregitus complexionum exe unt ad octo species apud medicos: tuncres propter quas operatur membzú fuas actiones: apatitur fuas paffiones aut totus corpus.funt none species apud medicus:vna te perata: villa est naturalis: vocto funt distemperate: co q corpus cui cominat caliditas in mebris a ficcitas appror:



formam: propter boccollectum ex materia et forma.f. ens naturale no est nisi propter operationes suas pprias in ipio. Ideo vicit Arifto. quatura non facit aliquid in nanus. Et fimiliter inuenit istud in rebus artificialibus: verbi gratia:q2 ligna nanis no funt inuéta nisi ppter fou mas namiser figura maer est innetu collectu er bis ambo bus ppter opatione nauis. f. nauigare in aqua. ergo pe ne ceffitate est inenire in mébris bois rem que sit etiam boc modo.f.p fit in cis res stans loco materie: res stás loco formere res tertia. Lactio e paffició res ipfa erit finis col· lecti cop. (Etbic elt neceffe inquirere in pris que fit il la res in mebris que ftat loco formeraque loco materiera postea veniennis ad occlaradu actione a passione cuins tibet eop. Et vicimus gemébra pfilla apparéte ve in pluri buseon o fint loco materie copoliti. O colla manuii ali/ gameta: achorde: anerui: a caro: a cutis apparet ex-eous esse po si sintiuetamisi ppter forma manus: c forma ma mus que é coposita ex illis no est inuenta nisi ppter actio nes epaffiones: que ipía appropat. Les manns no poffet extédinec obimec colligeremec facere alias fuas opatios nes mili ppter boc: greft ppolita. (Et quis mebra ofir milia no fint inéta nifi pp opolita: tri babét ddibet cours p se opatione ppilá manifestat plus in opolito. Lo ma-nus no baberet findicada sustetadu resnisi ppossa eno baberet posse plicare se nisi ppter carnere ppter ner tios: ralia filia. Ergo politi vicinus quebra ofilia non tion time ta nift pprer copolita meceffe est nobis videre si bicest aliqua res pprer qua sit inuctu copolitu a collectu epecu qua copleas opatio ppositi. Expicimo pactio mes a passices nales mébros no situnis pp calore inatu appse prer caloré optionale q est i mébris ossibus. Expocito est per caloré optionale q est i mébris ossibus. Expocito est per caloré optionale q est i mébris ossibus. Expocito est per caloré optionale q est i mébris ossibus. Expocito est per caloré optionale q est i mébris ossibus. perietia anotomic.qp.f.inuenit in cozde vnu cozp" vapor rofuz calidă în fine qo mitrif ab eo ad oia mebra per viă arteriaruz ita opinar op fit în cerebro. (Et polită fic e: Tolunctu buico oés actiões e passiones no fiut nist per calore intrinsecus: sicut est veclaratu in nälipbia: e vecla rabit adbucin isto libro. ĝ mebra no faciut suas opatioes mili cui formis cop copolitionalibo; a cui co qo accidit cis De isto calozera commerci in mébro De istis Duobus calozi/ bus supradictis istud est sua forma:cu qua agit a patitur. (Etab bine potes cognoscere onatione cordis sup ofa aliamebra:que tu vides o unius inficies el extera alia indigéreo. Et filir cerebra ell in bac moda ing mébra in que bus onat gmebra simplicia no fuerut inueta nisi ppter copolita: z copolita funt inuéta ppter ilhi calozeg emil fus a corder rifte calor flat in eis loco former pifta coller ctione fiunt actioes apassioes que sunt przie in quoliber mebro. (Sofi fufficit ifte cator in faciedo boc: aut fine boc estalia vitus stás isti calozi loco forme : ista no est res: qua medicus babeat ingrere: 15 vimissa nobis. (Et vice mus becuiter o hiefitalie vitutes pter formas optona les que vocant ale. Et istud est pueniés anticipare in pau cis vois antegs tractem ocactioib rpaffionib cuiufli bet mébzon: anarrare quot fit ille spes: 2 postes reuerta, murad ingrendures cui appropar quibet membron: 2 istuderie qui cognouerimo in pinis stutes a gbus veniut opationes. Et l'cias qui genera opationi funt notioza quo ad nos qui virtutes: virtutes apud nam notiores. a ió bie cim? opbici emedici qui speculant in opatioibus: vicut q virtutes que fut in boie funt tres:aut vius nalis:aut vi talistaut afalis. Uirtutes nales apud cos funt cu qbus fit mitrimetú augmétú z generatio. Et vitutes vitales apud cos funt vintes pulfatiles que funtin corde: babet vila tare a coftringere infpirado a respirado: a virro motiva q est in corde que vocaf electinaper qua monef afat ad apr

petedus rem vel fugiedu ab ea. C Et vitutes afalcs apud cos funt quings virtutes fenfinas. f. tactus e guiltus: codo rat?: raudit?: t vifus: tet virt? motina in loco: t virt? ima ginatina: r extimatina: r cogitatina: r ofernatina: r remini fcibilis: tifta eft q vfi füt medici in viundedo viutes aie: t quis no fit couenies parû tibi pot nocere in bac arte. 53 conuenies oino estilla que fit P3 moti naturale. Ideo que manifelti est quite operationes no possint appropriari quattuor qualitatibus folum: sed etiam virtutibus additis sup eas que vocantur anime. Et postos inuestigati sut superistas operationes que vocant anime : vicunt of das funt operationes que appropriant plante; que babet tres virtutes supradictas. f.nutritiua: 2 post illas crescitiv uam: zista est finis nutritiue: zpost illă generatiuă: z ista est quasi finis crescitiue. Et est oeclaratuz ibi q ipse sunt anime: ideo quia sut ozganice: z quia no sunt virtutes naturales: qo si ipsi no appellauerunt eas naturales nisi lar go modo:istud effet veritas: si ipsi crederent q ipsa effet aia farelatione:aut fa opatione. Sa fi ipfi credut go ipfa in sui centia sit vt? ppa soli: istud cerroz esignificat sup opionecoz q ita e: qenos videm? q. Bal. in vno suoz li-beoz assimilat ipsa adamanti: e venit ad ouiidendu ca. Si vius pulfatina est ve necessitate cibatina vi?: voinifi na: t puceps: qz cii ipfa coz vat calozes alys mebzis : te fic fermés venti pneipali cibatine: que cuz ipla cofermat. Et io no est puenies ponere illas vna vinte per se ab alus vinti bus:ideo questista vinsaie nutritine ficutalie vintes. v. fue virtutes:ficut attractina:reterina:z vigestina:z exput fina: voiscretina: guis vins pulsatilis appropriet plus vi-te poter multu calore qui est cu ca. Et quidă sut q appellant plantă în ista virtute bayguam.f. vegetatiuă. Et fozfitan medici no vocanerunt istam vitute enetationis vita leminifi pprerboe op appropriat plus vite : quăuis fit ve genere nutritine ficut virim?. ([Sedeox vinifio p quă vinidut virtutes afales ad fenfuz: rad virtute motină in locorrimaginatiua: ronaler ofernatiua: rremiffibilem estolo vera: saluo qui virtus motina in loco no e alind plis Gelenofoia.f.virtus motina voluntarie: qui cocordat cu ea imaginatio e ofimiliu: e ita e veclaratu in libro ve aia. Et ipfi numerăt virtutez motină voluntarie in numero vitalin. Et ponut motiva in loco alia specie: vistud no est pueniens:qu nó est nisi pirtus nutritina: crescitina: csen fitina: q generatina: timaginatina: t appetitina: trationa lista motivata lactativa existis ficut est extimatio; aut co gitatina; coscruatina: reminiscibilis. Etia estbicoe claratu vel victum q virto rationalis est magis spiritua, lis of imaginatina: querfectio virtutis rationalis estap prebenfio rerum vniuerfalius: ficut pot intelligi a plo in tertia particula prime fume phyficorum: tin pmo pofte, riozum:quauis intelligatur cotrarium circa finem primi libri phylicorum. Et qui babebit necesse soluere ista our bia requirat in locis illis. Et quees vninerfales que funt apprebenfiones virtutis rationalis babent particularia. neceffe est inuenire in bomine virtutem que apprebédat effentiam illozum particularium cotentozus fub vniner/ falibus: virtutem aliam recordantem iltaparticularia que sunt comprebensa a virtute ppria corum apprebens fionem. Etideo quia ista virtus apprebessua particula, rium non apprebendit ca nisi babitudinibus imaginatis: fuerut pe neceffitate tres virtutes feiliez extimatina: que apprebendit effentiam particulariu: areminifeibilis im prefionis extimate. Et unaginatiua a qua apprebendit extimatiua fuam imprefionez: ficut feruientes virtuti ra tionalizadeo quia feruiena preparat feruito ea que funt fi-bi necessaria: aut studet in aliqua reru appropriatarus ser uito. (Et manifestum est o pirtus imaginatina proper



Secundus

Con antiche evena cerebii: i lunameta con fut cade a adbuc expona priam q est iter ea qui narrabo umameta mebrop officialiu. (Socarnis que fut ipes ficut victus eft: Arift. vicit iup bas vuas:qu fur inftra fenfus tact?: p/ prie státia cú eo: sicut stat oculus cú visu: t vemostrat boc qu'enfus fimpler no inenit nifi a corpe fimplici: a genere tius est servitor carnis in bac appbessõe ad teperadu spin sensus: q mittir a corder tista sudameta nece e ve medic a nobis recipiat : Thos vicimo ve fenfu Tmotu : q vna ex reb°a qua est eoz pmanetia sut cerebzu enerui. Ø5 vna spēscarnia qua Ball vocat musculosas est vnú ex mebzis officialibo : in illo e vius pini motoris. Propierea o ilto est illud qo mouet ex se p bac virtute : ano mouet palio mebru qo ipm moneatar fi p alind moneret iboc induce ret nos ad ineniedus corpo alind qo monebit er fe. Alias res onceret in ifinitii qu nullu corpo monet nisi moneat. Et est necesse op res gescatapud pinus qo mouet a moto re imobili: z boc, pbatu est in näli pbia. Et bec species can nis apud Sal. eft inftrm mot' localis: 2 logmur De ca qui loginur ve mebris officialibus. Sz caro (pogiola iguinuz z fubalcellarű elt facta opter expullione fupfluitatű. Et nő elt multű lóginguű ad credédű: 9 multa ez carne nő fit facta nili ad ipledű loca vacua: 2 ad vefendéduz. Et in fuma istud est simplex mébru in quo co cant o ia aialia: si/ ent cor est mébru officiale in a co cant o ia aialia: r ságuis manifestu est qu no fuit fact'nist ppter vna buaru rerus out ppter badu nutrimetu ficut fanguis g e in cpate: zin venis quopinant medici ve nascant ab epate: aut ve fie vebiculu spiis-realozis-riste e saguis arterialis. Elegma est sanguis idigestus-repterea os vici supstuitas sanguis nea: boc e supstuitas viminuta ve sit sanguis : no supstui tas: cuius feparatioc a fanguine remaneat fanguis oplet? ficut a cola z mella. gli ita est:ee flatis fuit in corpe de ne cessitate:boce op ipole est cibu puerti:nisi ex eo generent supfluitates flatice. Etpot ce cu boc quit in ipio alia inv traméta:q2 brunectat méb2a: 2 adaptat ea ad cibadu: 2 qui eft fleut cib' pparat'eis:qui cib' tardaf eis. Sed melia z colera sut papse in corpe pp necessitate: qr cibo chilosus q vadit pe sto ad epar no posset digerinec ce sanguis:niss separent ab eo iste due supstuitates: sic mustu no pot esse vinu:nifi feparent ab co due fuperfinitates: vna groffa ? terrestriseralia subtilis: a ppterea ordinaute na cis ppa mebra: ano fecit sic flati: qriste pue suprintates non pira aptitudines vi possi esse esse esse alia po mebrialia mo: qo si sate bin pos est. Et appare est cu boc qua no pparaute sono possibilitationes est. istas: vt cent infirm feruies vtuti nutritiue p via electioe nis boni:qz burfa fellis by vnu meatu ramificatu:gadne nit iteftinis fupiotib? a ptib? infirmis ftői : a in aligb? boi. bus ftringit al'. tágit ftóm: a facit idé op? gó facit in itefti. nis:q2 buría fellis madat p buc meatu intestinis pte cole reig moueat ea ad expelledus supfluitates: t facit qui abe steriione. Et filt splen by you meating tagit on stoi: tmite tit ei preparua melie ad pugedu illud: rad mouedu appe titu cibi:qzifta opatio puenita reboacetofis: multa ver bapicta funt in alys libris: fano expectes ex me vr labore ad narradu ea. [Sepi utilitas in corpe fuit: vt caleface ret: ficut girbus oyafragma. Et fepñ é fupfluitas fanguis cocti a quo cibata funt mebra. Et ppter boc qui e in corpe teperate fignificat magna fanitate qu fignificat fup boni tate nutrimeti. 2 qñ no iuenit in cozpe fignificat co no est bona vigestio:qz no e iugstuitas a venit a bona vigose:B ecalida z binaida. Et necessariu illud e ad ipledu vacui-tates et mebrop: 15 qñ multiplicat in cozpe fignificat sup mala vifpone:qz multitudo mae nutritine q e fanguis cft puerfain sepürztűe ifrigidant mébra zmoziunt gzi bac Impfluitate no é fenius a pount mebra fenfibilia qui mul-

tiplicatur super ca. C pilon capitis: supcilion: apalper bzarů innametů e vr vefendant: a boc e manifeltů. Oz vi dem? op pili capitis vefendůť cerebzů a frigoze: a caloze: a fupcilioz apalpebrară adinuat ad pefendendă oculos a rebus extrinfecis. Sed pili fubafcellară: apedus a multi aly qui funt fup fupficie corpis: qo appet ex eis plus e ex necessitate maereo or general pilus ab vno vapore sumo so adusto sm Bal. Bidiget speculatioe quidet or pilus sit corp extedibile sicculatale est supstatas cibi sicci qui nimis excoquif:ourate in illo admixtioe pinguedinis. nő eft ille vapoz cui? sit aggregatio ptis supra parté. Sz é cozp? cótinuú foztis etinuatióis: extéliuú: crescés in lógi/ tudine. Et mibi videt o nã adducit istú vapozé: vt sit ma teria pili:ad boc yt pilus trabat illä mala mäs ex corpore ad mudificandu ipiuz p bocificut tu vides op filir artificiv aliter faciut laboratores terre: qui qui volut vt ipia fructi ficet:feminat femina q babét attrabere parte terrestrem adultă. zp buc modu pot ee vt fit unumetu cozpi. (55 cutis videt effe ppter vefendere: abscodere: that fozis ficut funt cooperture membris intrinsecis. Et spirit funt ppinqua inftruméta virtutis regitiue cozpozis, a fic vicê dus est geministrat a quattuoz virtutibus: aut gngs: B est attractiva: retétiva: oigestiva: z expulsiva: z oiscretiva. Et adbuc est inueta alia vitus: a comunicat toti cosposi: a regitiva nucupat: z a sitra vnde sit multa oicenda sunt: z po stea oisputationus: z quicad sit ab a a a est: poterea puatio eius est subita mozs necessario.

Capitim IX. Qó est de innamétis médzop officialin, (que sunt instruméta virtutis nutritine.

T postá narranimo innaméta médzop sim-

pliciumarradu e innamentu mebrop officia

litiz vnicuius partis ipsop. Et boc faciem? breuiter exceptis casib? in gb? plogandi suc smones illis q nobis sut siles. Et eligem? ex bis qo manu festu ex qo opinat esse magis necessariu in bac artera ici piemus a medzis q fut inffra vtutis nutritiue.qz bec e vir tus necessaria pina nfo eère poterea finit corruptio suaru opationu mors. (Et vicim? fin qu testificant sensus me bra visposita ad faciedas opatões isti? vitutis sur stoac?:z fui ministri: sic os: tinstra ei : tylofagus: tpost Bitestina: reparavener renestafplen rfacul' fellig vefica. [pri tnii imametu ozis est masticatio cibi : z ppterea fuerunt politi ventes:vt faciat ad boc puenies pparametu: vetes gdemanteriozes:vt icidat:maxillares: vt frangat:mola res:vt molant. Et fcias quin oze est aliquatula vigo. a bo que tu fcis appellatea alio noie. [Yfofagus est meatus per que transit cibus ab oze ad os stomaci: a operatio sua non est nisi in ouab? pirtutib?: q funt lactantes virtutem nutritinas:boc est attractinare expulsinares est necesse ate trabere ab oze: repellere ad ftomacu: z quando ista operatio perdit: mozif bomo fame. (Et infrumetum servuicno nature in bis ouab" operationib": necesse est vt va rietur: tapparet per anotomiaz o yfofagus est copolitus ex ouabo tunicis: vna q est fecudu latitudinem: taliaque est scom longitudinë: zista que pcedit sen longitudinem quado colligit: zcostringit: zascedit ad epiglotu: tune sie attractio: zilla que vadit in latitudine facit expulsionem quado aggregat : camplectif cibü:ficut vola manº aggre gat fe fuper res bumidas : constringendo cas expellit. Manifeltum eft o ftomacus eft locus Digeftionis miffi cibi cidem ab oze:couertendo illuz in kilum: qa no poteft couertere ipfum in fanguinem. Et bocapparet ab eo:qo ministri sui in boc opere sunt quattuot virtutes particulares supradicte. Sed vigestio est magis manifesta in tunica carnofa:propter calorem qui est in ca plus: 2 propter illud quod ei aduenit er arterus; t venis; que ei adducut



Secundus

Bacpatis ad mebra alia. Ergo cor exnecessitate erit pn ceps super epar in bacvirtute: quia epar non est sufficiens in faciendo per se suam operationem niss propter calores transmissima acorde temperatus in quantitate a qualitate. Et est refirmatus iste sermo ve cor sit de necessitate pnceps virtutis nutritine. qo Ba.nec aly exanontomicis direrunt nec crediderunt: o cordi veniret calor ab alio membro: sed est sufficiens per se sicut conveniens est prin cipi. Et ego iam probani tibi virtutem z calorez alias a ca/ loze per viam Doctrine Diffolutine. (Etfitu videris o indiget cor epate propter preparationem nutrimenti non est proprerea epar bignim vocari princeps; ficut non est conneniene stomacho propter preparationem cibi ve vor cerm princeps epatismec eriam bubulcus qui preparanit cibum alus bubulcis vocabitur princeps. Politipoeda ratus est op coz est pucepo virtutio nutritine; z appars per anotomiam qo non eft in corporevnum membrum ad qo non veniat arterie a corde.ergo cor est paror virtutis nu tritiue omnibus alus membris per viam quam ego fupe rius Diri tibierfi ita non effet arterie effent in vanum. Et adbuenon fuit vifus vnopper anotomias ve transiret fan guis ab eo per venas ad cozadbucíanguis qui é in venis est sanguis imperfectus: a non est creatus in vehiculă spir ritus:nifi fanguis arterialis. Et fi viceret aliquis bomo o medicus non babeat necessariam bane inquisitione: vico o babet multum necessaria aboc in futuro melius expla nabo. (Et quando Sa. vituperauit archigenem: qz cura bat virtutez memoziale cuz medicinis cozdialibus crede do queffet transmissa a corde: voicebat si credis que virtus memozialis fit in cozde:quare non apponis ventofaz fup ipfum: a fit intentio tua in medicando ipfum. Et ego vico g beceft vna reprebensio que est magis vituperabilio di verba archigenia secudi o veclarani bucus ve veclara, bo veincepa: quia coz est princepa omniu; membro z: ve si it locus eius in medio: qz bic est locus regia: ad boc ve si s regimen butus, ppoztionatuz equaliter oibus fuis circun ferentye: 2 etiam vt melius custodiatur. Et propterea fur it circumpolitus panniculus groffus yt circundaret liga-mentus fius. ([Sed nutrimentu cozdis est ex yena que contuncta est inter epar ciplus. Looperimentum qo fuit positus super auriculas cordio fuit positum ve aperiatur interius ad boc vt fanguis posset igredi ad ipsus: 2 postea clauderetur perfecte. [Sed auricula que est inalio late re boc estauricula vene que puenit ab ista camera ad pul monem: Frn opi-quozundam fert fanguine ad nutriendu pulmones:quia non funt vene continuitate cu illo. (Et cooperimenta que funt super bancauricula ordinata fue runt vt aperirentur extra enon intus: ad boc vt fanguis poffet exire per eas ad pulmonem. (Ged vni ouarum auricularu: videlicet que est in camera finistra: boc est os arterie magne non fuerunt ordinata tria coopertoria ve aperirentur ab iteriozi parte ad extra nifi vtiret fanguis a fpirit' ad arterias ano redirete alia auricula que est in boc latere est os arterie vene que venit ad pulmonez. Et ab bac arteria fit cuentatio cozdis. Et propterea fuerunt ordinata cooperimenta istius auricule vt aperirentur oe fozis ab intus. (Sed quia iplen no babanifi ouos mea/ tuo: vnus qui continuus est epati valter cuz stomaco: vin splene stat spissimo sanguinis. Opinatur o sit sactus ad trabendus superfluitatem melancolică epatis: z videtur longinquum vt fint duo epata quia non apparet in co ver ne mificad aliud membru. L'Burfa fellis ordinata fuit ad trabendus superfluitatem colerica ab epate. (Et re nes etiam funt membra feruientia epati quia attrabunt aquositate que est in sanguine per venam magna que ve nit a gibbositate epatis. Sed yesica fuit ordinata ad trabendus superfluitate aquosama renibus: recopertura q est interipsama renes similis cortici quando bumiditas trabiturad eam aperitura quado remanet clauditur: ad boc ne recuertatur ipa superfluitas ad renes. (Est scias a non tradas oblinioni qua numquodos istema rembrora que ordinata suntad trabendus superfluitate sanguinis non trabunt nist quia sint sibi conuenientes in ciboratia cu boc faciunt innamenta que sunt necessaria. (Est propere a in cis sunt de necessaria que sunt necessaria. (Est propere a in cis sunt de necessaria con cis sunt de necessaria con cis sunt de necessaria con contra contra con contra con contra con contra con contra con contra con contra contra contra con contra contra con contra co

(Lapls. X. Quod est ve innametis membroz officialin que funt instra virtutis generative.

Epoffo veclarati est que sint instrumenta virtutis nutritiue: volumus veclarare istrumenta virtutis generatiue. Uirtus naugme tatiua no ba ppria membra sibi: sed eadem mebra que sunt vitutis nutritiue sunt vissus mebra que sunt vitutis nutritiue sunt vissus

Membron generatois quedă funt que fut ppria femine ficut pulua a mamille: gdam fut ppria mari fic testiculi a virga. Ded testiculi fuerut ordinati ad faciedum (per martio fuit caro eog alba t fpongiofa ficut caro mamilla rum: video quádo convertit fanguis covertit ad filitudi nem coper faciút ipm albú: ficut epar ouertir chilum po fuá rubediné ad ruborez, qu via est agentia assimilare sibi patiena suuz. Et debea scire qu istud mebrú nó é sicut par ceps virtutis generatiue: guis ipia virtus fit in co ficopie natur. B.quillud no pot agere fua opatione per fe nifi per fpum miffum eide a corde teperatu in quatitate z qualita te. Ideo apparet op virtus cordis q bunc calore menfurat vepositi facere suas operaciões sit pucipalir generacina; e veus que est in boc mebro e cius services; e si b5 aliqua pre dominatione illa est particularis. (Sztefticuli quos oi cit.B.femina babere apparet o no babeat effectus in ge neratione:q2 sperma mulieru qo generar in mulieribo in generatione inentiões no babet. Thaliquis vellet oicere ammirado.ergo facti funt in vanu. Respodemo quecin bominib? mamille babet aliqua inventione in generatio nert tamé babet eastergo pebes feire op aliqo invamétus est in ytrisco. Et si tu vices ynde apparet o sperma mulie ris no babet aliqua inventione in generatioe vicendus op manifestat sensu zcognoscii perargumentii : per sensus. arbomo videt o mulier ipregnat absasso o spinatiset. Etposto legi libros Ar. ergo questini a multis mulieribo pehoc responderut opplures impregnate sucrunt absorbermatisatione retia si visplicuisset eis coitus. (Et et vidi gipures existis impregnatas que fuerant a mascu-lis violate. (Et vicina queda mea ve cuius sacramento confidere multum bene poteramus iurauit in anima fua o impregnata fuerat fubito in balneo lanelli aque calide in quo spermatizanerunt mali boice cum essent balneati in illo balneo. Et ego perscrutatus fui vnum libzii quem fecitane cladis de spermate: vinueni eus qui dicito boc possibile est esfert reddit de bocrationem plurimus mibi placentem:quia vulna trabit sperma ppter vnam pptia virtutem qua babet cum co a tota specie: rad boc non est necessaria pelectatio.o qua bene placet mibi. (S; illud qo cognoscitur argumento naturali est o sisperma mu lieris posset facere banc operationé: qua facit bomis sper ma.ergo generaret per se femina: a bomo non esset neces farius:in quo necesset opinandum: g bec operatio viuli



fecudu que conenit vnictich fenfui ex fenfibus cerebri. Re spodemus o rone vebita est o no cu oi caloze fit quilibs feníus:q2 caloz cu3 quo operatur virtus nutritiua non est ille caloz cú quo operatur virtus sensibilis. Et boc apparz in vormiéte à vigilate:quos videnus quo operatio virtu-tis nutritiue est fortior cum nos vorminus: u une no est fenfus in actu. Ergo caloz cum quo operatur virtus fenfi bilis non est in sensibus in actu cuz bomo pozmit. Etboc apparet quado bomo pozmit tenendo oculos apertos non videt: z fi no effet que enertitur calor in quo eft vifus perneruus opticu ad partes itrinfecas vilus no effet pais matus. Et fcias qu vna zeadem virtus non poteft inue miri in potentia zin actu fimul z femel. ergo postig mani festum est op virtus visibilis vadit cum spiritu visibili: 2 fpiritus visibilis cum caloze naturali:quando pozmit bor monon eft virtus vifibilis in actu:quia fi effet in actu vi deret in actu: t non elt ita.ergo calot naturalis qui viuificat virtutem fensibile non est calot virtutes mutritiue: qui Dozmies nutritur: a non videt: a quado tufcies vbi reuer titur vynde transmittitur tunc scies ve necessitate locus pirrutis sensus comunis. Sed mibi videtur pma fronte go a corde transmittitur ifte calor and illud revertitur. Ét ppterea funt partes extrinsece quando bomo vigilat coperatio virtutis nutritiue est fortioz cus bomo Dozmit ecorpus est frigidus veforis. (Et nemo vebet vicere qu oztus iftius calozis cum quo ftant fenfus z vigilia genere/ tur pmo in cerebro quia cerebrus est membre frigidum ? membra nerui frigida: tin maiori parte com apparet manifeste frigus ergo incredibile est ve calesaciant corpus. Et adbuc ve rone apparet o calor qui est materia anime nutriciue e calor qui est materia anime sensibilis est vnu loco subjecti: vel vnu in situ: zno est vuo loco subjecti nec in ouobus oinersis membris etia ono. Quia anima nutri tiua que est in embrione est preparata recipere aiam senfibile: That cuz ea loco forme Tfinis T nutritina eft ei lo comaterie: ideo fuit receptio in illo loco ve neceffitate q preparatus est recipere. Et manifestu est quanima no est preparata recipere nifi in loco fui fubiecti a fui fitus qui è caloz naturalis. Ergo receptio anime ad fozma fentibilez est veneceffitate in boc loco. Ideo ergo res vnita ab bis Duabus est vnuz loco subiecti vel situs: quis no sint vnu in aliqua ouaru figuraru. Unus fimpir boc est vnum nu mero: 2 poù diffinitione. Et bec est nobilis sententia qua de dinus. Et posta ita est zetta apparet qua caloz cuz quo reguntur sensus est caloz cozdis. ergo virtus que regut sen sum comunem est ibi: 2 cereb p est seruies issus virtus ja. Bed ipfum coz eft pnceps iftius virtutis veraciter:q2 00/ minatur fuper bis in bac perfecta ofiatioe. Et nos potuit femus phaffe bas res magis per vias pemonstratina: fed nostra intentio est abbreulare. Etposto veclaratu est o cereby est serviens cordis vando ei virtutes sensibiles p modu que dat camerarius regi ve ipleat volutates suas muis rer vet eilla virtute ppter qua agit:neceffe eft ve incepe feire que est via per quas fernit cereban coadi:qa ia pectarata est via per quam sernit epar cordi:boc é qu pre-paratei suum nutrimentus. Et vicinus on no in qualibet mensura calozis completur operatio cuiuslibs sensus. Et adbuc apparet ad sensum op no indiget fozti caloze quia fortis calor phibet cos apprebendere fenfata extrinieca zipedit cos: sicut videmus o boies q visteperati sunt soz ti caloze in cerebzis cop in egritudinibus acutis credunt audire z videre ea que no sunt: zmapine apparet boc in sensu tactus: quia funt tetio in co apprebedere quattuoz qualitates: tuit impossibile vt instrim illius effet yacuus

exeis: quia ipfum est complexionatuz exeis. vnde fuit fa

ctus in fine temperantie yt babeat fenfus fortioze, Et pe

pter becomnia que cor est in fine caloris fuit ordinanis co tra ipius cereba ex opposito ad temperandus caloze suu vt sensus possit apprenedere perfecte. Thee fuit possibile ponere banc frigiditaté candemin corde a pacipio creationis quellent viminute operationes nutrimeti viminu tione manifesta. (Et qo ous voluerit natura facere bas ouas operationes in aialibus perfectis in vitimitate perfectionis fuit polită cerebz cotra coz. Sed animalia que vicunt spogia marina a multa aialia bauta no vident idi gere cerebzo: a spăliter neruo magno qui ozif a cerebzo: a ppterea fi incideretur aliqua pars illius animalis poffet viuere anutriri acrescere ponec rediretad id quod erat. Et ppter baccam videmus multa aialia que vinunt cus fint incifa vicead mediu fui. Et ilhud eft fernitius go vicit Aritto. r sequaces sui, r secta circuentius que vicié emen-sam.i. viator: p cerebra facit cordi. (Et fuit ordinatum os capitis ad vefendenda cerebra. (Et fuit rotunda qr figura rotunda est magis remota a lesione sicut faciune castellani qui faciut turres rotudas vt machina no possit eis nocere. Et adbuc que figura rotuda plura ptinet in fe z

etiam est magis apta ad motum continuus.

(Laplin, XII. Qó é de iunaméto fili spine, Li iunamétú fili spine é de gñe iunamentice rebai zest disclauns ligas spódilia. Et postás delarata é ex boc smoe apositio al aparatio diatióis cerebai z sist postás discordis. Zócla

ratus est itez ques ema imamético em de marrandus est imamenti médioz vniuscuius que data sunt dis quin que virtutibus.

Lapim. XIII. Obé de pozio il trumeto fenfus tactus.

Loicim o caro e pozio infrumeto fenfus:
tactus. poterea quillo emedo qo omunicat
oidus afalido efictacto e fenfus cois oido afali
dus. Et in carnido pfecto a afalia funt sparsi
multi nerui ad teperadu oplevione carnis.

quia nemi funt fimiles coplexiói cerebzi elt iunametum com de genere funameti cerebzi: apprerea médica ad que nó veniut multinerui fut duri fenius. Et illius viutis que das é que coicato ibus ptibo carnis: a b elt fenius quos qui tatus etraria peficut caliditas frigiditas ficcitas: a bu-a que das é quelt positi vni médico: ficest quado os stomaci feniti refolutione factas in co: a ilte fenius appellat fames a fitis. (Sed fames é fenius refolutiois substante grosse calide a ficce: a fitis est fenius refolutiois substatte frigide calide a ficce: a fitis posi e ouplep. (Et fenius capitis médica e titilatione qua ba in boas coitus isti duo sunt conumerati in genere fensus tactus.

Caplin. XIIII. Oò é ve innamé to lingue.

L lingue innamé to é manifest à quilla encreui sui sui no fuer it facti niss pp opation é gustus diungar alia res pp electionem meliozé boc est ad pferendu litteras locutio

nus (I Et in radice lingue funt ouo ozificia q tangut car, nem glandulofam q appellar generatric faliue a iuu ame tum ilius faliue est yt faciat manifestare gustum rerum sapozatarum,

cristallina vel glacialis aut reticula aranea posita super bacbu. Quia veclarată est în naturali phia q. bec apprebesso no potest perfici nisi în corpore peruio boc est aere caqua:qr. ppter claritatez aperuietate que est în cis fuit



pedum: 2 bigitoz pedum. Isti sunt motus qui vicunt vo luntary. Eteft neceffe perferutari res a gbus veniunt ifti motus. Et vicimus q manifestu est per vispositione istor ru motuuz o fiunt a pluribus vno motore. Uerbi gratia motus manus fit a chorda: emoto chorde est a musculo: e motus musculi est per se: musculus est primă mobile : 2 no est B corpus qu'inoue at ifim. I deo qu'omne corpus qu'imonet corpus mobile é a necessitate mobile: cideo est coneniens go corpora quon vnum mouetalteru veniant in fine ad vnuz cozpus qo inoueatur per vna virtutez motiv tiam missas eidem: anon ppteralind corpus sed propter aliud pacipiu qo est in co sicut phatu est in naturali plija of sitanon esseres ptenderemrin isinitus. Ergo de nez cestitate debemus dicere op preipius è in musculo. Est quado opinatur medici op motus musculi sit a nervo opizante fallomento esseres de la companione de la nantur faliumadeo qui ita effet neruus moueretur aut p fe ant per aliud bocest ppter aliud prcipiu qo esset in eo: rideo que de la ratus est in nali plia quodliber mobile babet motozes: quille fi est cozpus non moueat nifi mo meatur: a fi motus effet a corpore res procederet in infinitum:ideo necesse est bic esse motore qui moueat ano moneatur: qui fit non corpus. Dec est pna ratio per qua vi detur qui mouet pmo animal non est corpus sed virt? estanimer op boc sit de necitate in musculo. Et bec virt? est virtus voluntaria quam pcedit ymaginatina: vel estimatiua: confirmatio confilu. Et ideo quifte motou non est coupus: necesse est ve primus mobile qo monetur per ipsim sit coupus ad boc ve boc mobile sit sicut materia 2 ipfum erit ei ficut forma: quia impossibile est pmu motor rem in animali yt fit fine materia. Ergo necesse est specur lari quid fit boc primus corpus: rapparet qui fit calor natu ralis qui est in nobis. Et tu vides quado infrigidantur membrazeouis motus prinantur. Ereft res nota per fe o vna rerum receptarum in viffinitione istarum operation nu eft caloz naturalis. Sed ifte caloz naturalis oiffert pe pujs vifferentys in quolibet membro fm opationes qui bus appropriat istud maxime in operationibus nutrime ti. Toe boc nullus vifcordat. Sed Sa. fentit o origo fitus calozis ilius fit cerebrum: ad totum corpus per neruos ab co mittitur. Sed Arifto. sentit o cerebrum fit seruitoz cordis in bac operatione per via qua seruit ei in sensibus Fm go victum eft fupius: t go ozigo iftius calozis eft in cozi de. Et hoc potelt videri manifelte quita eft ve verum eft: quia tu vides quascitur in corpore iter agentis quando vadit qo no fuerat; viftud membrus a quo nafcitur caloz a paditad totus corpus eft cor. (Et propterea quado ac eidit bomini aliquid qo ipfuz terreat redit caloz ad coz z tremunt crura: z potelt effe qo cadit bomo: autno poterit moueri. ergo pma virtus regitiua in boc motu: villud qo menfurat calozem in quantitate eft be necessitate in cozi de. [Etadbuc qo Bal romnes aly medici ofitenturo virtus voluntaria eft in corde: Tita eft rapparet granie malia non mouentur nisi voluntarie. ergo virtus becest in corder cerebum eins feruiens in vando ei temperan tiam. Et comune erit cus viceretur ve bac temperatia ve fiat per neruum aut fiat cum spiritu animali cunte in ibs anon est differetia in boc excepto quin neruis spiritus ani malis fin Sal.non estappares nifi in puobus neruis opti cis. (S5 primus mobile a calorenaturali est musculus: ideo quia coneniens est que calornaturalis operetur in pri mo : boc est pe pino moueatur istud corpus cus quo babs fimilitudinem propinquiore exparte caloris:boc est mus sculus propter compositionem suas: quia est compositus ex prima carne fimplici ancruis a quibus nascutur chorde. Sed neruus solus frigidus est multum ano ba partes fimilem cum calozenaturali. Et penaper feno eft pigna

ve fit principius istius motus:ideo quascitura membro non pino. Et de ratione non est quinstrumentu qo dat nu trimentum fit instrumentum motus:quia magis est con/ neniens yt nutrimentum fiat per instrumentus quietis. "Nec etiam arteria conneniens erit buic motui: qz eft ope ratrir operationus pulfationus que visfimiles anon connenientes funt motui voluntario:imo est fimile ve fit cótraria eie fit quafi vilpofita ficut res que vellet a nollet aliquid fimul. Ergo remanet ve fit musculus pmu inftru mentus qo mouetura caloze naturali. Sed in membzis quibus non funt offa z non funt ramificata: 2 funt parua: musculi ipsi mouent ipsa sine medio: ramificata mouet ea mediátibus chordis que nafcütur ab extremitatibus eorum: ideoqs cum contrabitur trabit illam chordá: 2 qz alligatus est cum extremitate offis: mouetur os suo motu. Et quando membrum babet ouos motus contrarios adinnice: tūc by ono offa vi onos musculos in onobolocis Sius adinice quoz glibs trabit p fe fuo tpe a phibs alteri fuo strario ne faciat operationes fuas illa boza: a fi oper rati estent ambo yna bota: tunc stat equaliter membum ztrabitur scömynum statum. Uerbi gratia quando mu sculus qui est in siluestri parte manus trabit ipsam: verti. tur verfus partem filmeltrez z quado mufculus qui est in parte bomestica trabit ipfam verfus partem bomesticas vertitur verfus illam: aquado trabunt ambo fimul exi-ftit equalis: anullus est ípfozus per fe vetractu suo faciat iplam verti intus cextra. (Et numerus mulculozu fm. Bal.cft.529.quozum in facie funt.45.quozus.24.funt ve moucant oculos apalpebras. z.iz. vr moucant mandibus lam inferiozez. 2.9.vt moueant alia membra faciei q mov nentur voluntarie: in iftis funt musculi occulti sub cute frontis appoiunt fortitudini apertionis oculozus. Et ouo musculi qui mouent extremitate nasi: 2 musculi ouo qui mouent labium superius sursus: 20110 qui mouent labiu inferius Deozhim: z Duo qui mouent maxillă. Et mufculi qui mouent caput a collum funt, priin, quida 3 corum trabunt caput verfus illaz parte folu: verfus qua pofiti funt. Etaly funt qui trabunt caput a collus: cozu quidam funt qui trabunt caput superius; quidas sunt qui trabunt ad partem anteriozes: quidă trabunt ad partes posteriozes. superiozes: quidas trabunt ad pextras: quidas ad fini, ftram. Et.ix.mufculi mouent linguaz. 2.xxxy.mufculi für ppter motum colli zepiglotis zfeptem mufculi vnicuios ipatule.z.rij.vnicuios lateri quibus mouetur bzachium: equatuoz musculi positi super cubitum: e ono sunt intus qui faciunt ipium verti verius partes Domesticas: 20110 ftant extra vt faciant ipium verti ad partem filueftrem. z.rrrvy.fut in quol3 brachio.r.extra.z.vy.itus.z. rrrvi. politi funt fuper manus. rviu. fuper vnaquaq:qui mouet manus ad partem bomesticam apartem filmestrem: add motus policis aparui vigiti a volaz manus. (Et mufcu li pectozis funt.io7.eozu3 quida3 vilatant: 2 quidă oftrin gunt. Et musculi spondilium sunt. rlviy. z.viy. extendune tur fuper ventrem fub offibus pectozis vice advimbilicu: aquidas extenduntur fcom longitudines: aquidas fcom latitudinem: quidaz fcom transuersum qui faciunt mo, tum ventris constringendi zlayandi: zinuant oes alios motus: quatuoz mulculos babent ouo testiculi: z atuoz mufculi mouent virile membau3:7 vnus mufculus tenet os vzinene indebite fundatur: t quatuoz mufculi tenene ozificium intestinozus ne stercus ante tépus egrediatur. Et. rlyi.mufculi ad motum coparum zeruriuz. z. pryin. ad motum pedum raliquozus vigitozum pedum: r.xxu. alus moribus vigitozum pedus apoliti funt fuper pedes. Isti omnes musculi sunt prima res que mouetur a calore naturali comunicaut caloze proprio cuiuflibet muiculi.



Secundus

ficut notus elt picacub toto no est volutarius. Et fivel let vicere of fit totus voluntarius: adbuc nibil bic lucrat eo pelt in musculo no in nerno. (Etposto veclaranis est pinnamentus sit in banelini: tque sit cius virtus ne cesse est narrare innamera pozici vniuscuinsquiebzi pzo pru buic opationi. (Et vicimus qu mebrii qo manifestu Dat innametu in bacopatione est pulmo: fic videmus o quado vilatar attrabit aere inus equado oftrigit expellit foras. Et no est vubiú quillud est ppriu instrum in opatioe illa. (S5 qo necesse est speculari subtilr in boc est illud verus ille motus cu quo sit sipiratio v respiratio sequatur motu pectozismec p le b3 aliqué motus an fit motus pe/ crozis in banelitu;inde cotinuii femp cu motu pulmonis vt fit eine adintoz. (53 Sa.vicit q pulmo millu bapzo prin moth in fer op mothe illine fegtur mothes pectorier motus banclitus qui fegtur motus nalem: fit pre mu sculosam magnă que of oyafragma qo separat inferioza membraa superioribus: voicit op magis ppria resituia meti iltius mebri eft bec operatio : az nos videmus quin cotinentică pectus vilatatur replet pulmo acre: ficut vi demus în follibus fabroz. Et testificat sup bec op qui vul nus factus fuerit ibi: tirret aer pectus: tunc ceffat motus pulmonis amozitur. Et poffeteffe q ceffatio motus pul monis qui vulneratu est pectus est ppterea qui frigidatur pulmo. Et in tepozibus Hristo. no cognosceba caliud iuna mentú buius mebzi mfi ppter separationé membzo p pn cipaliu a nutritiuis ad boc ve no accideret tempore vige. ftionis eis aliud ex caloreillo. Et no vebeat iputari Arift. B in defection is it is appreciated for anotomia eft fivent res que appreciamentum numero motuus circulopinec illa erat plene scia copleta tepore Hristo. Et si tepore Bal. erat are medicie plene copletatti vicit Sa.no eft ipoffibi le post me venire qui inenit in arte medicie qo per me no est inenti. Et ppierea in maiozi parte rez ve gous opină tur boles o Sal. contradicat Aristo. no est vera contradi ctio: f3 ficut additiones 2 coplemeta: q2 nullus repitalino Deperit Brift, De eo qo vicit in iunameto vyafragmatis z motuneruop: Pm q vicit in tractatib vlibus ve effe mo. tus esensus e inuamentis cordis ecerebri: est le cel sic vicendi: en cel vicendi qu'illud qu'vicit Ga.in rebo par-ticularibus cotradicat in viibus Aristo. Et mo volumus revertiad illud a quo feparati fumo: voicimus quillud qo Diximus ex ínia Sa.q motus pulmonis fegtur motus pe ctoris: Thocidiget (peculatione: qz Ba.no verificat bocni fi paterea qu'videt qu'ceffante motu pectoris ceffat mot? pulmonis: r tunc mozitur aïal. Et ego vico q non est boc ita absolute vicédu q motus pectozis sit cá pricipalis mo tus pulmonis: q2 pose est vt gliber istop.i. pulmo zpect? beat bunc motu ex sessed babeant vnaz ppzietatez vim ctionis: ppter qua nullus con mouet fine alio: c ppterea cu ceffat motus ynius ceffat motus alterius : 2 no eft qui libet con ca motus alterius. Et fi nos poneremus o qui pulmo no mouetur boc moturtuc cessaret motus pectorl ficut vicit Ba effemus arbitrati per boc fm eu 'q pulmo effet id qo moueret pectus vicedo qo fi no moueret qo no moueremr pecto no viceremus. Ecce bic videtur o Bal. perdiderit in opione fua o no est impossibile este motus pectozia apulmonia ve moueaf fil fic in globo vno: vt fi van no moueret qualind non moueret; quis vans no fit motor alterius fin modif qui victus eft. Tre no eft impof fibile supueniente pectozi mala coplexione per incisione nerui que ei aduenit quilla malitia no penetret ad pulmo ne pilla colligantia.qz vna rez er qua egrotat mebra est colligatia z Ba boc cocedit. Etia per baceande via oebe mus dicere o motus pectozis adimuet motu pulmonis: 3 maxime qui idiget forti anbelitu. Et melior via qua elige

re postumo in fine nostre pponia ébec:qaméby qo tedfe cu ceffat ifpiratio e respiratio e coefic manifestu e: efi coe e illud qo recipit bac leftone pp bac cessatione a no solus leftone sa morte goe necitate e illud meby in q est pnci più istus innamen. Et motus pulmonis sm Sa. erat vio lentus vel p violetia p via q mouent corpora artificialia. Etnobis est vicendu quillud preipiu mot ein ipio p via q est in corporibo nalibo. Et adbuc que coplet biemoto per ouos mot?.v3.nāle zvolutarii. Ergo meli?qo vicere poffumus ex bis evt fint fic ouo pmi mobiles.f. op mufculus fit pm? in motu volutario zcoz zpulmo pmi in motu na li. Et Batenuit i boctractatu via qua in alus regulis fiiis g purat ve ifte fit mot? volutari? eputat q no fit voluta rius nist p neruŭ zno appara p anotomia vt neru? veniat ad pulmone p que possit sentire z maxie p que possit mo-uere: z pt e e ga nia pna no sut sufficieria veniedi ad verita te pluriu baz inglitionu: 13 til puenies e ve logimur o bis Ba aptitudine botpis: qa no e ipoliibile ve cadant bec vba p q possumus certificare De veritate ban ren tpe futuro: cu ad pris spaciu no babcanne. Et no fuerur ordiate par tes ouplices plinois nisi, ppter B v si supueniret vni par ti mala vispositio v talia staret in innameto loco ipsi?: sic contingit in vulneribo que laniant vna camera3 pectozis quatar para pulmonis q est in camera non vulnerata loco innamenti anbelitus: fed quando vulnerant ambe tunc statim morif paties. Et muametus căne pulmonis est ppter ispiratione respiratione residente poces innametu vo cis. Et ppter boc fuit positu in extremitate bo mébri vous qo bs poffibilitates generadivoce: zaffimilar vni pue lingue. Et miffe funt eidem a mufculo res q vant ei vinerfas Dispones vt possit guare vinersas voces. Et boc innamen tus est tantu pp bene esferano ppter necessitate: ppterea o vorno eft necessaria in esfento. Et in maiozi prefacit na poc que facit in vno membro ono inuameta aut tria qui os effe boc ficut videm in nariboq funt ordinate ad odo randurad boc vt fint ppter mundificatione superfluita tum cerebzi:zin yna parte fernit vtuti expulfine; zin alia parte fernit vinti fenfibili. (Et et innamentu vunle eft ve defendat ne puluis aut fumus aut files res nociue ve niatad guttur. (Etcu boc Defendit ne ner frid igredia turad mebra anbelit?: 216 qñ multus incidit ab ea forti ficat frigiditas ad pectus apulmone: apparet probeat inucntione in elle vocis. Et teltificat nobis q epiglotis e infrumetti qo appropat voci qo elt q e cu fufflamus forti. ter in camera vel canna; pulmonis alicui aialis egredit vor extra ex ca q affimilat voci illius gialis. Et fuit posttum îup bûc meatû cooperimentû vnû ad pefendendû a rebus q vadunt ad plofagû ne îgrediat in ipm: qz mozire tur bomo. Et propterea quando intrataliquid etias modice quantitatis amouet tuffis. Ista funt que funt possibil lia vici ve innamento banelitus.

Lapis. XX. Od é de innamétis cerebzi a ptin eins.

L virtutes cerebzi. Limaginatina a cogitati, ua a reminiscibilis a dernatina quis no sint mébra vel instra ipsa tri babét, ppria loca in cerebzo in quis manifestant opatioes earü: a ppterea de eis dom est. Et dicim? o virt?

reporte de cis dom est. Et dicimo o virro imaginatina statin prota cerebri: villa est o retinet figura rei posto separata est a sensu coi. Sed cognatina ple ma nifestat in media camera: per da vinte cogitat: domo i rebus gous pertinet cogitatio velectio quonso apprebe derit o concienti est. Proptere a no intensi d'una nisi in boie: vaiali dunto cocessa fini extimatina loco isti? Et locus vintes reminiscibilis voscruatine est pupis sine ps posterioz capitis. Et iter cosernatina verniniscibile no e dria nisi que o servatina est cosernatina verniniscibile no e dria nisi que o servatina est cosernatina verniniscibile no e de de cosernatina est cosernatina verniniscibile no e de de cosernatina est cosernatina verniniscibile no e de cosernatina est cosernatina e



etă în caloze năli que est augmetă coplețiois frigide chu mide:tă veraciter esticies bacest ve? regitina q est în cov der caloz qui est in corde boc mo est sui instra Et pp boc est bic nato locus ingsitionis: boc est cui vituti ale 05 attri bui becopation videt q vebeat attribui vituti fenfibili: ió que refeit a fortificat pp bane operatione: anó pebeat attribui mutritiue ingitu est nutritiua: ppea que getabi liano dominitico o no bit fenfuz. Et ifta vius eft ex virtutib? fenfibilib? appropati fenfui coi. Et nos no attribui mus bac opatione virtuti fenfibili:nifi qz eft vna reru p pter quas ofernat effe fint; quis tuc ceffet. Ifte funt ille res que poffunt vici in opationibus vibo quas ba fanitas Et de innaméto isto perit declarata res que énecessaria in esse asaliúne illa que nó est necessaria.

Lap.XXII. Do est de optonibus temporum.

Z etia mebra vituel nutritine z opatioes illiv to fut necessaria in esse atalise o no e gnatina rectia sensia tacte est necessarie poprerea su it puario isti vitutio moro en necessarie ba nelit'est etia opatio necessaria: cer boc appa

ret o res q ftant corpori bois loco piernatiois futaer: aq cibi:q no pleruat nifi qui funt fup fui curfus nales. Et ga aer no est sup forma sua nale nist apterna nale 3. 21 que corpo celestivica e o sue rit canse s sa corpo de corpo celestivica e o sue rit canse s sa corpo de bumano loco o sernatio in psa cadé corpo. Et no coplet bec opatio are mis pp opatione solis in eo in attuor teporiba que funt vereftas:autun": byems: boce er inceffii ipft'in circulo obliquo: ppterca pucnico est medico cognosce re nãs boz áttuot tépoz: que peter ipla flat fanitas plusõs palias causas. Et vicimo que ver est testin quo opationes nutritue su peter peter por accidit uni peter multi plicatione calotis nalis in corpe; ppterea que calor nalis e calidus a bumidus: tor oposibiliti teis est pp caliditate r bumiditatë:ppea qa speculatio in optione bui'apis est i oparatioe ad coapus bumanu: a opatioes itutenu in B to poze sunt psectiores: appea pot vici quest tips teperatu co paratu optioni bois. Es si tu viceres quest reperatu pp.p. poztione glitatuer gbus est vna cu alia:boc eet falfus:qz vnages reru q appropriat oploni appropriat ve necessita te vnationi vni' qlitatis actine q stat loco forme: v vnationi vni' qlitatis passine q stat loco mäe: v si ita no cet co plexionatii: no eet vuii in forma: uno effent ouo: nec etiaz ect recepta vna opatio in fuo termino: fi oue glitates orie Dominates cent sup ipsis ambe equales in potetia vel in actuate ex bush rebo in actu bus no pot fieri vast actu retia de duabo no oups ficut no fir ex duabo lineis i actu yna linea in actu: t boc no ofenferut multi exeis g appropaiat fibi phias boctpe:nedu medici: toe B babebut ma nifeltà occlaratione: qu'nungi inuenit téperata oploin ppostioc.4. quitatu: bocest téperatia q est sa extremita-tea:sicut no pot ineniri téperata oplio appropata vni que testicut no pot ineniritéperata oplio appropata vni que tati actine: poterea qua flibet actina ba gradu îne opationis, opter vna flitate passiud popula ei quat el locomãe. Et postave caratues est postave getabilibus agialibus: ppterea vicedue o frigiditas a fic. vominent fup ipfus q fut bile caliditati abu. acquie no fit frigidu multu pdominat ci ficcitas a plroico q co fufus est in fuis partibo a foi in illo est medius nobis iter ppingtate tlogitudine t quie beceade ppatio fit i vere

til é magna ofia iter istas ouas opatioes expte pparatio nis nalis:ppea qu'étutes fut i autuno i fine vecliationis:2 ficcitas ia onata e sup ofa afalia. z ppea no inenir aliqo ut tamétű í tépantia calozis ipfi⁹ tpis in reb⁹ gnättőis. Sect tépantia ő é in verc é pueniés gnättőis fedet fitp näz ő é pueniés gnätionisz bec eft bumiditas. Et bec tpanó büt terministabile gialr in brenitate a logitudine is omer-fificat in regionibo: a becomersificant in latitudinibus ipfaru. etéperatioz regio estilla que babet répusantuni breuer repus veris longuer tales regiones funt in quito climate a pprie que funt propinque mari. Et autúnus in terris noftris bispanie babet quasi ou os meses: a sedet in pricipio quinti climatis, a sub lance o cei no est tempus te peratum Pm goopinant multi bominu: 2 boc veclararus eft alias:nec etiá verus eft qo vicunt quida quartu clic ma fit melius gnto. Toal fentit qo teperatioz regio eft ten ra grecozii: titer alias téperatios est terra bispanicis vois cit qo totá tépus illará terrará est sicut tépus veris. Dein ceps declaratu eft existis locis fanitas eninflibet mebais oibus quattuozcaufis.f.mali:effi.fozmali: cfinali: cbec fuit nostra intentio a pacipio libri.

Explicit liber fecundus colliget querroys g liber fuit De fanitate.

(Incipit terti liber qui est ve egritudinibus a continet capitula quadraginta a vinum.
(Capitula Lauodest ve egritudine a cius viffinitione

in generali.



Iffinitio egritudis è manifesta poiffo, ne famitatis: co p egritudo est oppositar fanitati. Et quanitas é una bona oifo in médeo cii qua agit actiones qua bsa b stronto quamina fua agere: cilir patif paffione qua bs pari per fui nam: fuit necessaria vi egris

tudo firmala vispolitio i mebro pp qua agit apatit snam. Et necessaria est yt faciam i cognitoe sperit egritudis do fecimoin cognitió esperi simitatis. Be otnarromo in pinis quot a finit el spesa o finit sue caca poste a occlarabimo quantactió es a passiones non nales o medicivocant passione accis. Et qui nos boc fecerim? tuc cognouerim egritudine poés mascas q funt finis cogni tiois reruin boc totu poterim cognoscere a cognito fanitatis quandis pus oca é. Qui nuer sper egritudis est sic Tot sum sambuto nuerus spez sanitatis ca cognitive fanitatis cognoscitur quet eg numes et co egritudo: guis opinatu fit op notiozes fint spes egritudi nu spebne fanitatie: pprerea quintre egritudies but noia e fanitates opposite illis no bit noia: tti ipole est cogno Teere egritudies pfecte nisi pp cognitione snop opposito, ru. Et pprerea vein elt qu'orion cadem eft visciplina. Re uertamur igit voicam op ppterea op oifpones fanitatis mebri brit onas spés: vna est bonitas coplonis mébri qui mebris inuenit ossilibus: valia est bonitas oplonis q e in mebris officialibus: fuit necessariu vinidere sitregritudi nes fm bas ouas ípés. In pmis narrabim egritudics mo brop conting roicem carus causas efficietes a mates ef polica narrabim' egritudines mebrop officialius: voico inus ean caufas. Et vicim? ppterca quebra conila non agunt nec pariunt em curius nac: nili que meniure ca. frie fic. Thu crunt in illie că pportione couement în oibo (pe, bus oplezionie fanitarie: ficut narranimus în libzo fanita tis. Silreft necesse ve sint egritudies illog médrog ipsis egredictib abipsis mésuris proctionatis in una glitato vel ouad ex illis quit cobinari. gipes egritudinis istam egritudinii.at.iftop mebrozus funt octo:videls ca.fri.buvel fic. velca z bu zca z fic. aut fri. z fic. Et no foli eft itel ligedu ve prinis qualitatibo ficut vicir. B. fed criaz ve qua liber qualitate cii qua operatur mebaŭ finas operationes



claratu ein arto metbau. p că effi. putredine flat ouobo modis:vn? elt caloz extrifecus:ppea quifte caloz fpargit a exalare facit caloze itrinfecu: amaxie que cu fozti glitate a qui spargit calor itrisecus ficut quenit tpe magni calorl q regit mas guata in illa ma calor egne sa marie fi sit bu mida: q2 buiditas ve facili pmutat a reb° extrinsecis: q2 vifficile ect estici p seipsas. Alius că e esti. p acciis: boc est frigiditas:qz qii onat fup caloze itrinfecu extinguit ipfuz: ttuc gnat fup mas loco istius calozis nalis aliu caloze ez nen. Et ibi veclaratu eg ens nale no pmanet in fuo ce ni fi qui viutes agetes viiant sup patietes. Et qui vebilitant iste viutes regitiue: 2 viiant viutes extrinsece: tuc tendit ens ad via ipfectiois als corruptiois. Et cae que adiunat ad grandu calore erneu ille cede fut cu illis que adiunat ad extinguedu caloze nälez: z boc fit qui fubm est pparatu ad recipiedu. al. extinguédu istă gnatione exnea: sicut san guis er quo guat cola q egredit a nă în quatitate:aut țili tate:aut ppter multitudine fanguis:aut ppter ipsi? grob ficie aut viscostate:q2pboc refrigerat caloz intrinsecus zertinguit sicut facut multa ligna bumida qui ponunt fup igné. Et ét opilatio pozo padimuat ad B:qu refistit ené tationi calozis intrinseci. z accidit boc sic accidit igni qui nó be enétatione quito extinguir vel vebilitar fietu vides que carbonary tegut carbones cu terra ve ignis no tra feat poés pres carbonur faciat ex els cinere.

Lap. IIII. Ob éve gratio febus colere fefrarie.

Epolto veclaratu e virgd fit febris t vies cae fue gnatiois vom e quo gnat febris cole rica:q or fefraria. Et vicamus q fortioz ca in gnatione isti febzis: e qu'onat oplo sanguis in caliditate a sic. Et ba pparatione vt genere tur in eo talis caloz: aut pp pparatione supfluitatu tertie oigonis que e in mebzis: 13 grossities a viscositas a opilatio venaru no imaginari in opatioe issus febzis: nissoi vonaru no imaginari in opatioe issus febzis: nissoi ceret in colera vitellina fin illos q vicut 5 Ballaut ppter quatitate fina. Et vebes scire quo est in boie cola absolu tarita vt sit ps mebu hois excepta colera q stat in sacculo fellis 83 quosda: sana expellit ea a mebus sanguincis qu feparar ab co: zppea é ipole opinari qu lubm febziú fefra riaru fie cola abfoluta:13 est fanguis aut bumiditas i qua viiat cola. Et ppea pot recipe vigone a renerti ad fină năs qui venudat a fina forma specifica. Es qui separat ab eo cola absoluta icotineti expellit a năra si separat ab eo res q beat possibilitate recipied i vigone nutrient ex comem bra. Ec no est pote et cola recipiat aliqua vigone: qr no e pole illi rei que trăfiuit terminii Decoctiois vt redeat ad termină decoctiois:ficut no est pole vt asiuz renertaf ad elicu:necetiea estalia para en a possint mebra alia mo nutriri: z vico boc ve nali. is si sic ve nali asto plus ve non nāli. Et illig foli füt medicig vicut ge cola eft cib alicm mebri fitt g vicut go attuor buores funt elemeta mebroz pfiliu. Et ego nolo labotare plus in qónibo cus cis: quego peclarani B pfecte i libro fanitatis. Et ppea que alor et neus gñaf in bumiditate q est en nas cú pebilitate calor intrinsectivico que est cu excessiva ficut opi nat Sallin multis locis. Sz ppea o bumiditas est velop ad putrefactione: ppea qualot intrinsecus plus labotat ad ipsi corruptione: quilla no ba a serea qua osumat. Et fi pfiteret Bal. pois calozefine est purredialis caderet piculu magnu in victis Ar. ppea qualibre calozefine fit sm ipius pa iubali pp caloze aut frigiditate : aqfi vebili tat caloznālis pp frigiditate tuc viiat bumiditas a fati gat calor itrinfecus in offando fup ipfus: a fit putrefactio pp calozeernen fupueniete. So qui ca calozis ernei fit a caloze: tuc fupuenit mebris affatio: vel cobustio: fo no pu trefactio ppea gno eft ex necitate vt ois calor eine aut

ois febris fit putredinalis z maxie caufon; zetia qui caloz erne gnat i locis i gb' fit vigor i locis i gb' fit pa mebro (cusou no a fur cha perate files colere in glitate aut vistéperate in quatitate etiá erunt ille bumiditates q funt in cozpe occasione co-lere: z inuéte loco vigónis. Et manifestu é o locus maio ris vigonis est loc' vigonis sche q est epar avene: a alter é loc' vigonis tertie: a illa est i médzis: appea spés barú se brin funt oue vna q est in venis; valtera que é in mébris boc est in locis vigonis tertie. zin libro pnosticop veclar rata est oria istaru ouaru febriu. Et funt etia alie febres que sut appropriate pure colerer tales etiá appropate sut colere no pure: vibi veclarabo viias vnius ab alia.

Cap. V. Od est ve egritudinibo colericis localibus. Z poltogoeclaranimus vir quo finnt febres colerice. Deinceps volumus loqui znarrare quố fiút egritudines colerice locales q nomi nant alguale: in latio vicunt apata colerica:

ringreco erifipile a vicimus o becapata generant in mébais vuob modis vuo que expellit ad aliud mébais buoz coleric? a tue pp el gattaté fit vilatatio i me bzo fm oce viméliocs. Expeavé o elmare: fine crifipil la viilla fut opolita exmorbis colifibo vofficialibo. Er că expulsióis isti buoris épp fortitudiné vintis expulsiue i mébro mádáte: pp debilitaté cius dé vint i mébro rectipière. Et no sit sicoicit grossi q sir pp fortitudiné retétique mébri recipiéris. Llegad B mitu adinuat largitas via ru cu suppone patietis mebri. Et maxie qui mebre expel lens é lupi^o a recipiés iferi^o: a maxie qui bu. é grofius a ter restris: a qui fuerit icinerat^o a fuerit i mébao : túc pp illius cătitate calor îtrifec" în co suffocabii r gnabii calor e îne" in mebro e înco salvo si buor no e e î r vitimitate siccitatl. Et si apa istud gnar în aliq mebro pucipali aut ppe îps, p cedetabeo calorad cor r gnabii febris sotis : r si no erit ppe mebr pacipale a faciet febre: pole erit ve tedat ad mozte. Et alio mo gñat qui mebru no pot vigerere cibu q ei mittif nec ips pmutare in Gtitate aut Glitatenec ipm pôt expellere: túc mã augmetat in mébro illo talr vt reci piat vilatatione in oés tres vinefiões. z extignit ei caloz nalis eide méiurat z gijat in eo caloz putredinalis pp ne ceffitate mae extrance. Et iste egritudies q our erifipille funt buaz fperu:vna eft q prerifipilla rubozis zappetab bacípé, pe sie mirta cu multo sanguie pp rubedinem qua baranó sacit in mébro magnú tumoré ran est polor euro acut? Alia spés prerisipilla formicularios rin ea ple por competencia de la competencia del competencia del competencia de la competencia de la competencia del minatur colera: a ppterea inducit puftulas acorrofices. Et aliqui ifta no apparet nifi in cutera aliquado est fixa in substantia mebri villa peior estra pot esse ve fiat in concar uitate alicnius mébri ficut in stomaco aut in itestinis ale

det ipfius operatiões fine apostemate manifesto.

(Lapitulum. VI. Quod est de egritudinibus frigidis 2 bumidis materialibus.

Steegritudies fiut ppter flegma qo efter tra natură în quătitate a qualitatera caufe ge

nis calozis intrinfeci: ficut extinguit ignis a suppositione lignozu viridiü: zeum extinguitur intrinsecus augmenta tur extrancus in materia extranca: illa febris fiter boc bumore in venis: in tertia Digone mebroru. Et illi buor ris epeutis a na fut attuor spes: yna elt falliza e siccior na lèppea qualingo ciaduenit a fuba terreftriadufta mixta



Tertius

tate mefure quatitatie ant clitatie vel loci buotie fic cau fonz ficut febris q fit ex flate vitreo q vat caloze a frigus fil'in ptib' extrifecis: tficut febris q by fortifimi calore in partib' intrinfecis z i partib' exteriorib' fut ecotrario: apoteft ee vt pres exteriozes fint multus frigide a vocat febris îclusa. Et qlib îstară egritudină bă qtruor tpa:pn-tipiă: augmetă: stată: z peclinatione. Et pneipiă e tps î q appet egritudo în actu: z nă nibil maniseste opas. z qii bu mozicipit vigerina icipit opari abumozer illud tos e te pus augméti- zor augmétů : qz túc funt foztia accidétia: q qñ ceffat vigeftio ceffat tps augméti: z icipit ftat? . z illud tpe in q appet certame iter nas t buoze. zqñ na e fortifi. cata sup buozer ipsus vincit or tucee tos veclinatiois. 2 qua egritudines sut q babet vissolutione buozu sine cua cuatióe manifesta e sanant: e odá sút o bit o issolutiones vitutu paulatis ponec moziunt. e odá sút o babét euones manifestă ad fanitate vel ad mozte: vista noiat vera criv fis. Et crifis falubris füt one spes: vna eq oucit p sua ena cuatione ad precta fanitate; alia e q relingt egritudinis religas q paulatis vifioluuni aliberani: atpe logiozi falu të pitat. Et illud idë eft in crifi mala: a maioz pe crifi ii re perit i febzib? acutis.i.q finiunt tpe bzeui: qqz crifis acci ditpost vigone si illa vigo e stegra z pfecta crit crifis pfer cta. a fi vigo é ipfecta erit crifis lógioz. a vigo oplet pp lo gitudine tpis \$5 coparatione agetis ad paties: quo in oi tpe qó aduenit patié patiés ab agéte: qa poliba ba tpe pó aduenit patié patiés ab agéte: qa póliba ba tpe pó ta patióc quá ba agés cú patiéte: a b pot cognosci i rebo artificialibo: qa méture tpopa occortióis in rebo artificialibos oiuerificant. Et ppea qa ita é: a sut lógo tpe cognite a fentiunt egritudies a vintes a búoses: túc certú é p experiétiá a rones não vi sciant tpa i gbo sit bona oigo aut mala.vz. Dies cretici: qu Digo bona e pfecta opatio nãe: io tps illo fuit p maiozi parte laudabile. fed oigo ipfecta qz b3 latitudinė no verificat bonitatė fuarū crifiū:fic pfe cta. Et gda vicut quinétio criffu Bordie éluna. Sa tu ve bes scire o e că remota q medico no e necia: z că ppin q e illa quă vicim? z ifra in libzo nro mostrabim? rone in boc z Dabim' erepla. Et aliqui accidit mote in pu'egritudis z B fit ppea qz buozes ofiant multu fup caloze nale z exti gunt ipius pp quatitate aut glitate aut pp vtrug. Et aliv qui accidit in augmeto aut in statu: aut i occlinatioe: « De clinatio in egritudinio mortiferio fit a debilitate vittio eno a pebilitate egritudinis fic éin falubzibo egritudini/ bus Declinatio ppter onatione vtutis. Et fufficit qo Dixi mus buculos de egritudinibomalibor caru caufis. Et núc volumº facere tractată brene ve egritudinibº î mâlibº. ([Lap. Χ. Ωδ é ve căis egritudină no mâliă în ghali.

Z vicim' o be egritudies qui fut ablogca bu mon est loc' subicaru venecuate mebra vel ípus. Et efficies ipfarú fut oue resautres ex teriozes: aut alic egritudies males. z volumo vicere ve maifestiozibo ipsan: Bé ve ca. z sic.

Cap.XI Ob eve căis egritudină îmalia calar zfic. dis foli. zbec éfebris viei z B fit pp res extri fecas:रहेक्क वृंसााठर दंबड:वृंग्यं भाव प्रांगवीं में वृंग्य माठर क्रांटड:वृंग्यं वृंवेंब füt क्ष fe:र वृंवेंब क्ष acciss:र ca

ru q p fe fut oda fut in potetia : a oda in actu. Et q fut in actu fut fic caloz folis z ignis: z vir res extrinfe te calide in actu. z q füt in potetia füt fle balnen in aq ful phuris q calida e in potetia : efilt q fut paccis fut fic ille q claudut pozos:ob qua re accenditur calor i ptib'intrife cis fic elt baineu aque aluminofe tfilia. Scoa ca fut res fupte i corp? fic cibi zpot? calidi potetia zactu. Zertia ca est corporea aut niata corporea: fic imoderat? mot? zimo deratu exercitui aiata fic ira : triftitia: z pigilia z fimilia.

Quarta e pp egritudies males ficapata inguis e titillico ru aradicii aurii. Et iten e ilti bei egritudis febris etbis ca: abec febris e calor ene fix in fuba mebron a phibs ficri opatione ipfoz: 20 fumit eop fubale buiditate: 2 bs tree ipes: leuior ipfaru e qaccesa e a caloze e e neo i buiditatib nalibo a radicalibo q e ristut in suba paruaru yena ru. Et scoa e q e i bumiditate exite i carne ipla: q q n villo luta est por a cibis restaurari adbuc. Et terria é oibo pete rioz: zë illa cuiº caloz eëneº pfundatus cft in mëbzis foli/ dis:qz ipole ë in cis qo ab cis refolutu ë reftaurari:qz më/ fura vite nalis eft fa mefura buiditatis radicalis in glibs idiniduo pportionato pportióe ouplici f3 q victif est in libro cáp brenitat? logitudinis vite. Et pma spes sistus febris viplurimű sit ab essimera. S3 alie vue spes siur p maioziparte pp febzes materiales buozofas peedêtes.

La.XII. Obé vecăis egritudină îmăliă fridan a fic.

Legritudină frigidan a ficcan adă fut a appellant egritudies fenectutis: B é viiatio fri

giditatie: e ficcitatie fup mebra. Et ppea quil lud qo vat vită e caloz cu buiditate:ob B bec

egritudo nifi que fit in no fenib? Sa egritudine:ca. a bu. fri. a bu. est visficile imaginari. Sed calida simplex fri. a bu. a sic. prit imaginari. Et nos vebemus enumerare qui tractabimus De rebus que ledunt actiones a passiones.

Lapi. XIII. Qô é de egritudinib' méddon officialiú.

Looltág den é de equitudinib' méddon officialiú.

Looltág den é de equitudinib' ne cáis ipfaruz:

dom é de equitudib' officialib'. Et dicim' qu

iá den é in propinica fanitas méddon officialiú.

liú é q elt in égritate élitate: a positióe a colli-gatia: que bec spes colligatic é sepabilis a non reuertis ad alias spēs de dicerut medici: itrat pdicamētu babit is pāniculi zeutis itrāt pdicamētu bre, a tria genera egritudinu strant gnos pdicamēta: boc ē in ditate aftitate coti mia zoiscreta: z babitu z pbi: z bre, z postea inenit b resi qñ B est in pozitate aposteritate. So ozdinatio mebzozus offi. pozitas aposteritas ple poneda e in ser sequenibus pdicametis. Et vebes seire que egritudo non supuenit vniv enica generifanitatis fic nos videmo i ordie tunicapocu log vin maiozi pte mebzog offi.qz i illis no fuguenit egri tudo ordinatois:boc est vt pus fiat posterius. Caplin XIIII.Qo eft ve etinuitate a folutione conti

nuitatis z fuis caufis aliqualiter. Ed otinuitas ríolo reacillap finaliqua pte aliqui pit igredi in geno egritudinu officialiu. Sigen colligatie no itrat in egritudib eius

depfe. Segritudies mebrop funt be q faci unt accidere mebris egritudies: qb° altera coicat cu alte ra: meniéti" é vi colligatia enűeret poti" i cáis egritudi nű őp in gne egritudinű. Sz gen egritudinű qo é priű pti muitati nali q noiat otinuitatis folo e onobo modis. Un? eft folo atinuitatis veracisve atinuitatis priscu pre in co firmilibato geno a magis attribui afimiliba go officia libus mebris: ppterea qa bec folutio accidit membro offi ciali expte qua copolitu est exmembris ofimilibus: 2no ex parte qua est officiale. Altera est separatio otiquitatis termini a termino est bec continuitatis al. cotiquitatis so lutionoveraciter appellatique becotinuitas.aliotiguitas fit per modum contigui: et per modum penetrationia et per modu focietatis mébri cu mébro: aut ligaméti. aboc genº folutióis politimº in genºegritudina officialia: zboc genº coicat oiúctioni z sepationi. Et ppterea no é folutio otinuitatis ve viceru e medici vicetes:querat egritudo q toicat mébus ofilibo tofficialibo:qu folutio é vistincta in bis puobo modis que Diximo. Et ppterea que fpes fanitaris



in sto eca vt gram? mala optone frigida vifficile ad cura dus i fuba ftói: tí oin ourquerit ob bac cam adueniet boi cidetalis q fubali fira fili: zaccitalira prio:ficut in pluri bus pscrutari pot rineniria ppterea subtiliter medicus bas res os pscrutari vr cognoscar psecte. Et bumo z g generant in sto gdá eo z ibibunt in ipsor gdas spargunt in occurrate ipsor. Et et accidit sto pp viminutiones vigonis vetolitas: ¿ omis B accis coicet vebilitati vint retetine: ppea qu fto qui colligit supra cibu bona collectioe adue nit túc bona vigestio: z qñ nó bñ colligit: té caloz nális nó bi ofiat ibi: true natateib i ptib fupiosib true refrige rat agriant vetofitates ico: ppterea que supios eneruo. fa ficut victu ê. Et fcias quealor vebilis é că generădi ven tofitates: ppterea quealor fortis terminat vel carminat e dissoluir ipsius mās dissolutide no manifestamec etiam fortis frigiditas gnat vētositatēreo op no bs a su nā ve ge neret vētositatē. Et ab bac mala opatide acciditer neces fitate pmutatio in cibo ad mala glitate fumofaz vel bus morofas. Et manifestu e q boc accides fit a caloze erneo géplus ce nãs cicalor geibu resoluir in fumu: 2 puertir in fumositate. Ta ab isto guar bumor putresact? 2 sapor corrupt? setidus silis odori rapbanica ille puertir in sto ad mala optone. gegritudines que fint ab bis fiut a mala pplone catida mali velno mali. Et q fiut a no mali finnt vel puenint a cibis calidis za reb'extriniecis. 2Dalis fie bec sut on a accitia q veniut vituti vigestiue, vitus viscretiua e q cognoscit ves spes cibi v nutrimeti: v cognoscit sa guine a supstiuitatibo vt nutriat mebru ex puenietiori: v mittat vnicuicy mebro qo e ci file: tifti vtuti no fuit me mor Bal. repatina de q logi no é brzemagna dia inter fegatina e diferencia e in e e e tree. So hac habeo ab ono fati q e a afferit fortiter e de dubiú qui ipfa fit in corper e necessaria q admenist corpe qui pediuni o procide in illo libro dia accitita q admenist corpe qui pediuni o patides illius de libro d Ptutis: voicit o qui vebilitant in fto:necessarius est ve ger nerent mali bu.in toto corpereo op no e facta fepatio icon nenict la puenicti. vii aliqii puenict morphea. Et erit bic etia ppterea qe vebilitata erit vius bec in iplene: qe nom erit attracta collanigra ad ipius. Se no manifestat Albumasar p qua optone ista vi opatinec o sitei istimissio pit in alua qttuoz. Et b e magno vefecto qq qi volumore mouere accidetia q supueniut eide: 2 fi no cognouerimo plone q laborat nó cogicemº modos curatióis ipfi. Et nos oño ocedere vebemº fini es veclarare: q ca labores ifert: qui puat ei' opatio aut minuit: post becer necessi tate fequet vebilitas in vitte flutrituia qua baftomach? in feipfo:aut ab ca puat:quia victue quitomachus nutri tur ex chilo aliq mo nutrimeti: z fi no nutriret a chilo no amplecteret ipium: z q no bilitat virto nutririua in sto sequit exnecessitate egritudo que of idigestio stomachi. z caufa iftius für oue res aut mala poto ca. z fic.figa i fub stantia radicali stomachi:que si plogar inducir etbicam aut mala poto fri. clic q inducit senecture.

T vittel rététine qu'oiminuit opatio fegt inflatio 2 vétofitas; ralique exit cib idigel? Et
că bui e mala oplo fri. 2 bu. 2 alique folu frig.
no mălis 2 mălis 2 qu bec opatio appropină
bit puatioi fui fiet egritudo lubricitat i testiv
no p. S5 qui bec vi retiebit cibi mala retetio aduniet

fto vt fit tremulofus:co o vt? retetina pinget cu fece ci bi. Et boc acciñs appet in sto plus tpe satictat supflue: qui iplet stomachus: necepot regere cibu: z boc accidit ppter vna mala opsoné malé aut no malem.

(Lapitulu. XVIII. Quod est de accidentibus virtuti

expulfine supernenientibus. Irtutis expulliue opatio: aut diminuit aut p uat. Id diminutione vo iph? accidit vt rema

neat a retinear cibo in sto mala retétione: ita vi putrefiat. Sa a puatióe ipsio accidit egritudo q or colica al colerica. i.calida Et buio ca é opso ma la frigida mālis vel no mālis: zbec ē fubalis ca puariois ipfi?. Et alique puat pp opilatione afit in intestinio:ficut accidit in colica: the puatio est accidetalio. Sed supflua expulsio que supuenit opationi istius vitutis facit vna ex spebus lubricitatis intestinoză. Et bec est fortior illa que fit pp puatione retetine que boc fit pp alia req monet bac vente ad expelledu nimis: sie sunt bumozes vlceratini: ve colera aut fla falfuzermelia acetofa. Et et pot fieri ppter apa generată în ozificio vel pozta îlői: aut pp cibos corru-ptos priutatos ad tales buozes: fic accidit i foztifiimo flu xu. Er aliqui remotis bis oibº caufis veº expulfiua mouebif B malo motur er pp aliqua leue cam cide adueniete thoc pp erroze viutis illi mebzi: ppterea qz becmala vi fpositio è reuersa in babitudine stabile: a poterea curant medici bac egritudine cu medicio cu gbo curat vertigine amelacolia: aremoueat errozifte afenfibilitae mala. Et adbuc peclarabo meli in libzo pe igenio fanitati z pôt ce v thoc fiat pp apa factu in supficie stoi. Adbuc etiam isti vinti attribuit malu accidés qo of fingulto qo accidit pp rem q ledit pp qualitare calida aut frigida: zādā ípēs fiz pp mala oplone calida z ficcā fixā in fuba ítôi: ita opgene rat in iplo vna spēs spasmicus sanatio aut e difficilis aut ipossibilis raliqu sit spasmo pp multā burniditate q ein suba neruosa stomaci e ap victu e in causis spasmi. Et vo mitus appropriat male opationi istins vintis fed no eita fubstătialis ipfisicut expulsio q fit p iferiozes ptes. Etca and e romet)
vomitus est pptercăm natante în oze stoi : ex multa buie
ditate colerica aut flegmatica: qz qñ isti bumozes erut in partibo fuperiozibo fomaci monent vomitů: 2 qii erût in partibus iferiozibo fomaci monet fluxu. Etaliqii ipargu tur ad stomacu ab alus mebris sient ab epate: vt videmo in multis gbo aduenit febrile friguera cu vomut curant z boc accidit ppiic ab bu.colericie raliqua a flegmaticis: et opfita melacolicis fignificat maius malu.

(Capitulu XIX. Od est de accidentibus superueniene

tibus virtuti attractine nomaci.

Aufa ipedimeti attractine ftői eadé é cuscă ă ß fač in yfofago. Szoiminutőes appetir? augmetű ipfius in ftő vicem? qñ tractabim? ve accitib? ā adueniút vituti fenfibili. tibus virtuti attractine stomaci.

Capin.XX. Quod est de accidetibus q superuenine virtuti nutritiue intestinozum.

Ucufqpoirim' ve accritib' q fiunt in opatoi bus q manifestant in sto: Deinceps volumus vitus q eft in cis é vitus expulfina: apoli illa retetina. Accie

dentia q fugueniut ipfis funt fin corruptione iftan ouan virturus. Et qui puat operatio vitutis expulfine aut vimie



prinant oes: effe accidit epati poter fel. Et accis qo vicit petericia fit ex necitate poter vnam ouax rex:aut poter puatione opatióis fellis: aut ppter vinintatione qui tucre manet amaritudo pmixta fanguini: vitus expulfiua mittit e a do oib? médis: verpellit e a d fupficie corpis p mo du curatióis fie expellune alie fupfiluitates: vece fies no é timovo fa: aut q e par: aut q e médis a exquierut mala co propose a fullum de accidir ai grante a parte calla in ciente. plone califfimă: fic accidit qui guant apata cala in eis: aut ppter venena cala ebibita:qz tüc oñat multa gititas cole rein corpe afpargit ad cutis. Et B manifeltat ppter eti tate supsilia z mala glitate: z no p via mudificatiois: z pr pterea bec spes e piculosa. (On oebilita vius oiscreti-ua in epe tuc oebilitant opatioes ipsilis z spargur p totu corpo buores bi cu fanguier fiur ppter B multe egritudiones fic ydrops q of afelites qualit bec vius cognofeat aut feparet aquofitate q'é in chilo: túc spargit in sanguie: 2 na pellit ipsa 3 ad > cauitaté vêtris: 2 gdå vicut o no expellit ad búc locú nist p venas ymbilici: ppterea q: istevene > ti nuant cú epe: 2 p istas exit supstuitas agsa q'é in embride quelt in corpe matris. Et alique fit Baccus poter vebilita te viutis attractine q ein renibo: aut ppter opilonez: aut ppter frictură illio meato. Et qui vebilitat vius retetina. al attractina in B mébro est ca vt exeat sanguis ex eo cru dus aut no coct? al aut coct?. Et qui vtus expulsina erit p mutata ad malu in B mebto tuc revertif fanguis ad itefti na pmeat? pquos cib? trafit a fiet fluxus fanguis: a B eft aut pprer acumé fanguis: aut pprer multi aplonis. Del bebilitat aut puar opatio vitutis attractiue et ex bac pue nit malus flux? Et ca vils lesióis bax vituté pprer egri tudies appropatas médis lesióis bax vituté prer egri tudies appropatas médis escificialib aut psilibus. Es officialis é ca paccis: qu'mediate egritudio los difficialis et a paccis: qu'mediate egritudio los difficialis et a paccis qu'mediate egritudio los difficialis et a projeta officialis. ppriata offibus. Et iste oue spes egritudis ledut mebre ouobomodis: aut in eo pest in ipso mebro: aut in eo pest in mêbro cóicate cu co. Et ppterea fi aliga greret a nobia in buc modu postos vna ren p qua ledunt opatióes mem bron é p cóicatione vel colligatian cor é illud qo dat calo re epi p que facit suas opationes ledent opationes epis p pter passioes cordis aut no. Ridemus quostos core por minas meby sup osa extoto spole evt in eo gisent egritu dies sensibiles tales qpossint ledere epar aut alia mebra Rate boie vino: Ti Baccidit accidet p via efineitatis q fit in rebo nalibo to B fit yalde raro. So maior paro egritudio nu q fiut in corde remanête boie viuo p oparatione fit ad mebra ifenfibilia: qui no fit ipole vecordi adueniat egri tudies occulte opter mală oplone. Et qu lunt lensibiles lesiones opationuz epis tuc lunt foztissime: sie tu vides o ppter paruŭ motŭ vel ppter paruŭ remu adueniente gu bernatozi magne nauis fit magn? mot? in pte pozi nauis, fic et b3 fe qub3 vilpositio cozdis ad oia mebza pneipalia, propterea qu medicabinur eparanon oebem? negligere p cordis vilpone: mo an oculos pferedu vel preponedu. Et

adbuc melius veclarabimus in igenio fanitatis.

[Caplin XXII Quod est ve accidentibus superuenie

tibus virtuti vigestine venarum.

Ecntia q veniut vigoni venap fequuntur p

misor pre egritudies epis: s bût egritudinê ppriâ cis B ê fluru sanguis. Et in egritudinê ppriâ cis B ê fluru sanguis. Et in egritudinê bus sit B ppter sortiudinê ventis expulsiue absolută sit ppter sanguinê mordicatiun racutur ppter rea vistoluit retinitate orisicio earrant ppter substitut tê sit videnus in egritudie q or candul presentation receide sin president processis peter sanguine mordicatiun racutur. maccidit in otribo olei aut accidit opter mititudine fan guinis qua vene otinere no pat: taliga accidit opter obi titate fube venap q poparate funt feifionisaut qu'int fube tiles nimis aut nimis oure. Et res que scindut penas cito

funt multitudo fanguis a res extrifece fic cafus apenfio. Propter passiones boy mebroy repis multa accidit accidetia in vys vzinalib. Et in libro signoy B veclarabo. Caplin.XXIII. Quod est ve accritibus superuenien tibus virtuti nutritiue membroz.

Ed accritia q accidut vitte vigoni q eft in me bris füt tria fic i alus. Aut qr puat opatio vir tutis nutritiue in ipla fic fit i etbicis. Aut qr Diminuit ficaccidit i macie appellata alcha ulaut pmutat ficin lepra emosphea. Et ca

box accritiue aut ppter mala oplone ipfox mebrox aut ppter coicationes alion:sic in lepra q fit pp duas resaut ppter debilitate vitutis digestine q e in medico: aut ppter mala mas eidead alio trainissas. Et malitia mae e aut p pter feipfas: aut ppter vebilitate epis t venap. Etca moz ex ichisart dy creme phece p maiori pre ppter vebilitate vtut viscretiue epa tis aut ppter vebilitate attractive in splene. Et aliqui acci dit ppter mala optone acquită in suba membrop: t aliqui propter cibos. Et tu vebes scire o quando enumeramus causas stop accidentiu: o tucno vicimo res otrarias ad intices: aut gripia etias accidentia aliqui non posiunt esse fimul: sed pluries bec accidentia funt per plures cas yna zpoffet etiam effe yt omnes adeffent.

La.XXIIII. Obédaccitib ipediétib vigos cerebri, Lopatio vitutis vigestiue in cerebro : aut vi minuet aut corrupet. Et ab boc puenit flux? vel curius fupfluitatu no coctaza a cerebro p nares apalatu. Et boc accis appellat nasia.

Etaccidita rebo frigidio extrifecio. Etaliqui fit pp rescalidas a volumus vicere o fiat a calis. Er vici mus oppea o bec fupfluitas éno cocta: vicimo o ca effi ciens bac egritudiné o ebilitas viutis vigeflue q e in ce rebzo pp mala plone vnanteer frigiditate. Et B bri pot affignari in renmatib' er ca frida extrifeca. Se reumata q fiunt a căis calis extrifecis recipiut pscrutatione: quali fiar p via vebilitatis viuris vigeftiue.ppea vicimo o obilitas viuris vigeftiue B facir p accis: boc e pp multa citi. tatémãe z iphofluxuippea quealor facit fluereres ogela-tas bifloluedo eas. Infup attrabit cereby a toto corpore ad caput: 1pp ifta multa mala mam q in cerebro colligit puenit accis pnarratus:q2 refrigerabit 2 virt? vigeftuia ipedier e fatigabit circa cereby. al. 3 co. pp reparationes tâte âtitatis înplue. Ina est că âtitatina pp quă vebilitat vius vigestiua cerebzi pp căs extrinsecas. Lă vo âlitatina e p calor exneries exprinsec bs p sur năs refrigerare ca loreș îtriscăi: să fol refrigeratigne. Et calic căs sut ă no âdică refrigeratigne. idiget plogatioe Fmonis. Et bec vbabnt locuin oibotri bus vigonib' fi vis cas poere tik tres: fié feé. B. aut quoz Fm vem bois que tu feis. Bed mibimeli' videt vein ve nis nó ponať tertia vigó:ppea qz fáguis in eis nó tráfit ad aliá fozmá fič fit in flo epate: calus mebzis:qz floaco ouer tit cibu ad chiluxpar ad fanguine mebra alia puertut ad fperma albu. Sy vene no facilit transire ad alia formam

omie nutriant execulique mo ex necessitate. (Laplin XXV. Quod est ve accidentibus supuenien tibus virtuti nutritiue cozdis.

Eincepe volumo enarrare de accritibo fupue nietibo mebro pacipi vitutis vigeftiue z Beft coz. Et postea narrabim accritia q supuenint mébis spermatis a vile: a postea erit copleta

Fmo accetting fuguenint deuti nutritine. Et vicimo grace cidetia q fupuenint cordi funt fic fincopis cardiaca etremorrylingi ereunt vintes pullatiles a fuana. Et boz ca aut est intriseca aut extriseca. Extrinsece cause sunt acciv detia aie q calefaciut optone cordis ficira e furoz. Et cae ppter ge occultat iterius caloz ficexira zbis filibo quaff ypoon ancion morphish

extranous calur refrigan pringet some sol

Hodar worka degetho



bron totius corporis:co o bec egritudo fit in boc mebro ex bumoze fili veneno: t facit fumu q refiftit ppter mala fua formă calozi năli:fic faciunt venenar fit ab B puatio oius opationu vite: r fere cospulsatione puat. Propterea qz boc accidens accidit vtplurimii mulicribus que remo te funt a coitu:opatur ad bocputrefactio q boc accidens mouet collectain eis: 2 fit ppter cozzuptione (pmatis: p pterea quilla z íperma preparatum est illi corruptioni. Et ego bico quo é ipossibile vt generet in malis vel alus cor pozibus; reog fuba vnus est bumoz filis veneno: rmarie in B mebro.co go loc'é receptaculu supfluitatu corpis q pparate funt recipe comptione aliqui icarcerant ita o no recipiunt correptioner fanationer fi ceciderit ad mar nus pfecti medici recipiet fanationes. Et buic mebro acci dunt egritudies politiois.ita quipuant ab co ocs lue opar tiones:qz paraliticat aut egredit De loco fino z fufpendit: valique eft că iftius egritudis faltus:aut pcuffio valiqueft buiditas lubricativa. Et er rebus q reliftut micies não ve no cocipiat est egritudo noiata mola-tista egritudo fit pp Defectu virtutis informatine in ipmate: thocaccidit aut ppter cozuptione mébrisut ppter cozuptione mae. Et tunc gnat in vulua quodda fruftu fimile frufto carnis: 1 véter mulieris fimilat vétri panantis vonceabortit: zali quado accidit vt na ipfaz vigerat zonertat ipfaz in bumi ditate aut vétolitate. Sa accritia quaduemut fanguinime ftruo fut eade accittia q accidut vigoni venan: a ppterea fupfluitas fluxus fanguis fit ppter vna ouaz rez:aut pp Debilitate virtutis retetine in venis aut pp ausmentu ex pulfine aut pp ambo fil \$3 Defectus vittis retetine pue nut ab vna ex spébus malis optonis raugmétů vtutis ex pulsiue fit aut pp mordicationé bůo z aut pp cititaté co ru. Er cae offrictions fanguis funt opposite causis supradi ctis saluo que rebus vna que obilitat vitute expulsina aut tpas puat funt opilones q fiút in venis poter grofficié fan guinis:aut poter fuá vifcofitaté. Et tépus nalis purgatio mis méstrui bæue est vniº viei. a lógu est fepté viez. Et té pus breue interpolations menstrualisest viginti vierum longum est triginta vierum.

C Laplin. XXX. Qõ est ve expulsiua pluriü mebroz.

L'aliqua dueniunt accritia vitutis expulfine pnimebro foli ralign toti corpori: za adue/ niút toti cozpi fút fié tremoz. rigoz: ralices v filia. Et accidetia q aducniút vni mebzo foli funt sic tussis pulmonies sternutatio cerebro: mus câm vniuscuius gistop: znos no appropriamus bec accătia aie nutritiue nifi ppterea o no funt volutaria: di uis volutas beat in aligib eap aliquă iuentione. (Et toi cimus o tremoz rigoz funt moto viutis expulfiue in mu feulo pp expulfione buozis ledetis calitate fua vel fridi tate. Et quita fit nobis onditur:qz tales tremozes adueni unt corpori pp res extrifecas fic fi fubito fup corpus fpar, gara calidifima: que bac puenit rigoz. Et aliqua ccidit bozzipilo aut tremoz e Baccidit ppaere frm raqua fraz. reu ifte cause erut pebiles tue siet rigoz: e in maiozi parte túc accidit i febrib?rqñ erut fortes túc accidet tremor? thino pot fieri tremoznifi pcedatrigoz: maxieg fint pp bu calos in febrib. S3 g fit ex buorib fridis flaticis aliquado accidit fic vicit tremorablos putredine: a baccidit folü in spéb vitrei flatis. Et medici vicunt quille g fit ab bu calis é fortion qu'hu é magis mordicatiuns : q fit a fri gore é minº mordicatiu. Et nos videm qu'fit brii hui in rebectrifecis quaer fridus Dat Baccis vebemeter: quer cal's nibil. \$5 bozzipilone bñ facit, ppterea or o fozt tre mozis că est oclo calozis nălis în ptibus îtrinsecis: zifrigi datio mebrop exterior que mouet na ad expellendus

illud qo eft fung prin fine calin fine frm f frm eft plus co trariu. Stremoz g fit in boza moztie e mot" vitut exput fine pp ipotetia fustetadi mebra: rppea extinguir calor in trinfecotex toto refoluit: taffimilat ille motomotui g no b3 pncipium nec fine nec cam f3 folu vefectu: sic videt in motu flame candele: in casu folioz arboz pp osumptione. Et ppea qui aduenit aligd não ab extriseco qo sit moze tifen ipfa expellittuc corporis fupfluitates poter terrore fic accidit illis qui vecapitantur. Sed tuffis est motus virtutis expulsiue in pulmone, ppter expulsiones rerum que ledunt instrumenta anbelitus cum acre qui egreditur fecum a propter adiutorium pectoris. Et ob boc patet go vitus volutaria beat aliqua inuentione in bacre: quis na ipia violetia iferat. Et effi.ca tuffise vna er fpeb oplo nis male malis vel no malis. Samalis fit pp bug ftillat accrebto fic accidit a reumatibo aut are q puenit a pecto. re ad pulmone aut a spondilibus ficur pp apata q funt in iplo pectoze:aut pp red generat in iplo pulmone: ficapa ta aut vlcerationes aut pp fanguine q egredifab eo verit fanguis ab eo ppter venas fixa in eo. Et boc est periculo fum: a liquado exit fanguis a pulmone per via resudatio nis: eo quista mébzu est vaporosium: a liquando currit fanguis ad pulmone aparietib pectoris. Et medicioixe runt q cuidam bomini accidit fortifima tuffis: vcu tuffi piecit vnu lapide: ricontineti fuit ide liberat?. Et adbuc vicunt o est vna spes tussis à fit ppter mucillagines que nascunt in pulmone. Et alique res extrinsece mouet tussis ficurpuluis a fumo a lana spinap q vicit lana canina bar licalcalbus. Et etiá pleviões no materiales mouent boc accides. Saluo o virto expulfina no est nata laborare p illis ficut peo malibus: fed mouet boc motu per accides. Et ppterea quillud que querit a pulmõe est vt moucaturad expellendu illud qui psi nocet: escs fa fuit ei a natura bona virtus sentiendi. Et quado sentit rez ledente tan gendo iputune moucat virto expulsiva q est in illo. Et si cut mouer pulmo ad boc ppter oplexione materiales fie etiam mouer ppter coplexione no malem: q2 no b3 a fui natura facere nifi bocique res que fiuta natura fiunt ouo bus modis:aut neceffitate:aut iunameto. Sed accidit tff raro yt boc accidés fiat a rebus extriníccis que nó fequi tur vias nature ficut victu est pynus bomo babebat foz tiffimas tufim: vnº medic'ex experimentalibus peepit ei veclanderet os: vincotineti fuit liberato: vin alio prece pityt ftringeretur colli: 2 fecit: Liberatus fuit. Et quado en accidit tuffio ppter preffione que fit pulmoni ab alus membris: ficut fit in apoftemate epatis aut ppter nimiă vel inperflua fatietates. [Et sternutatio est motus vir tutis expulsine in cerebro ppter mundificationem super fluitatum q funt in co. ppter bocaliqui mundificant fu-perfluitates corporis a pectoris a pulmõis: a aliquado ex iternutatiõe expellunt alique ex superfluitatib q sunt in ozestomaci. z ppterea foztis sternutatio aliqui mouet voi mitum: z bune motii aliqui do facit virto expulsiua quan do bumoz fui qualitate mozdet meat narium, ppter boc res apposite naribus acute puocant sternutatione. [Et fi tu quereres, fibec supfluitas puenit a cellulis cerebzi ad nares amouet sternutatione. Ridemus que erro cottingere pot. Et ructus pp expulsione sit vétositatis q ein sto a viute expulsius. Et alices siút poter motif viutis expulsius in membris, poter expulsionem supsluitatis su mose que est in membris. Similrostatio est extesso mus feuloz mandibulaz, ppter expulsionem superfluitatum fumosaru. (3sta sunt accidentia que supueniunt operationibus vintis nutritine villis que approprianturei. (Lapitulu.XXXI.Quod est de accidetibus supuenie tibus pirtuti fenfibili.



Tertius

mach. Et box gdam funt qui pfeuerant logo tépoze ficut colozoni: z funt paroxifinal: z boc fit ppter malos bu.g generantur in cerebzo fucceffine: The pmutatur fua com plexio ad maluz ad generandú bune bumozé femp: 2 per cande via currunt oés egritudines cronice: quille permu tant optonem in membriseracgrunt vilponem generadi maios bu. Unde ean curatio e vifficilis aut impofibilis ficut est polor emigrance. Et materia er qua fiunt alíque bo egritudinis species: aliqui est in fanguine arteriali: 200 uenit boc.qa curatur egritudo qui iciditur arteria. Et bec egritudo fit ppter onas malas complones. vz.calaz z fri. fed non est malis:qu'illa que no est malis longo tépoze ou rat. Et membra officta polozofa funt frestina a stomacus: a bocaccidit, ppter pigonem que est in eis manifesta mul aŭ qa errant sepe. Et cause q saciút poloze in ipsis aut sint cibi ventofi: aut bumores groffi aut melancolici: 200loz qui puenit ab cis est multu fortis 2 cronicus: 2 aliqui fiut polozes fortes ppter humoré colericus. Sed humores a gbus pcedunt polores cronici in itestinis funt aut bumo res groffi frigidi:ficut flegma vitreus: 2002 fimiles 2 bucalidi. Sed polozes qui otinent totus corpus funt illi qui Dicunt labores: that triu fperum Emmedicos: vnus of viceratiuns:alter extéfinus: calter apostemosus. Et qui da iftop funt a rebus itrinfecis: qdam ab extrinfecis: 2 plcerations fit penitus ppter bumozes: 19 fit ppter mul tu motu fit ppterea qu viffoluunt er corpore buiditates pprer ipm motu: zillud accidit pprer cam bumozis mai lis:qui est in corpoze male qualitatis. Saalie oue spes la ritudinis funt vna:nifi qz oiuerfificant fm magis z min?, quado superfluit volor extensions fit apostemosus. Et caufa que fimilir fac bos ouos polozes est bumoz aut mov tus magne laxitudinis: zille qui fit ppter bumozes fit ne cessario ppter multitudines bumoz:si fint vistempati in qualitate aut no. Et multitudo bumo pattribuir ouabue rebus aut vi lit multitudo pacciis:boc est pprer vefectu pirtutis:aut yt fit multitudo p fe aut ppter ambo. Et mul titudo humon gititatina cu fanitate virtutis nominatur repletio fin locuia multitudo que est cu vno malo pacci dentifi nomina f repletio 63 virtute que est qualitate fin pediunt p maiozi parte ppter atitate a qualitate f3 cum illo spedimeto necessario communi malitia qualitatis e rib li plus appropriat. Et align fiunt ifti volores poter mala oplonem calam aut frigida fine ma. Et general'r accidut polozes in cozpoze caufa apatú accittiú caufa groffoz bumop. Et ppterea qu'enfus q of desidential est ppuius oris stividéda sunt accidétia que cidé supueniunt.

(L'aplin. XXII. Quod est de accidentibus superuenie

tibus virtuti appetitiue.

Z vicinus quaccritia supueniut buic opera tioni fin o acciditalus: aut qz pmutat: aut viminuit aut cozumpit. Et accitia viminu tionis funt fic accidetia cozzuptionis: villud qo cozzumpit appetitu aut vimiuit elt ve ner

ceffirate yna ex speciebus male optonis no malis aut ma terialis: que fit pmo in membro patiente aut per comunitate qua bo cu aliquo mebro. Et oplexio que fit in mebro glis or opatio ista est calor extra nam. Sed gda opinant o frigiditas est că magis ppinqua vandi appetitu că au-ferendi; ppterea az bec operatio que est in boc mebzo iu-uatur a complet per frigiditate zacetositate que ei transmittit a fplene. Sz quado bec frigiditas pltimat eft cau fa puationia iftius opationis. Teceftoicendu quacetofi tas inqui eft frigida adminiculet buicopationi: sed inqui tu estacetosicas est că stimulans ad bonu. Et silr quando Dominabunt bumiditas eficcitas impediét banc ogatio négo éganullumembra agit apatit naliter nist ppter con

plexione tempată in quattuoz qualitatibus. Szlefio que fit ppter colligatia cu alio membro est sic mala complo q puenita cerebro ppter nerun colligate vtrug. Et aliqui accidit boc propter repletione corporis ex multis supflui tatibus: ppter boc no indiget mebra cibo: qo e:qr appe titus non fit nisi quando disfoluentur ex nostris corpori bus res que ocbent restaurari per simile; a non est contra Bart fit yna caufa fenfue iftius membri qu membra qui carent nutriméto:trabut ab epate: repar ab oze ftomaci: ztunc fit vesiderin in os stomaci:znititur restaurare illo quod vissoluru estab co ralus membris. Et motus attra ctionis in stomaco per modu apperitus v sensus est Stius motui attractionis qui fit per modu nutrimenti folus: qo est quille qui fit per modum nutrimenti est attractio oris al epare ad os sur mano stomaciab epate. Sed attractio a qua puenit motus De fidery in ftoaco é attractio epatis ab oze ftomaci. Et nos no fumus locuti de boc: nifi qu vnicuiqu membro necesse eft ve restauret per simile:qo ab co Dissoluit: e tamen nul lum ex alus mebris fentit enacuationes rei que visfolnit ab co.z fi ita est nullu mebruz sentit enacuatione bac nisi per boc membri. Et est eon serviens in boc. Aut pot vici go diffolutio que fit in ipfo quafi colligata diffolutioi alio rum médzog in eo quest médzum cozuz: zipfa babent tra bere ab co. Sed ppierea qu foztificat desiderin buio me bzi quado viffoluunt a membzis būozes: z vebilitat qua do non viffoluunt:apparet o boc fit : ppterea quia inter ipium valia membra fit fimilitudo viocietas fubitantia, liter: and per accidens. Et est boc meban qualifit species omnin membron:qua ipia vebent fentire banc refolutio nem. Sicut nos videmus o membra ientiút per neruuz etiá in locis que no fant neruofa: a fié viscernit lingua cibos conuenientes ab incoueniétibus toti corpori. Et pro pterea quia fenfus illius mebri evelideriuz illius est iub stantie calide esicce: sie est cibo: vel frigide ebu sie est aq: fuit necessariu ve venirent accidetia istis duabus spebus: ziam pirim? causas corruptiois z piminutionis appetit? calidia ficci. Ged caufa corruptiois appetitus fri. zbu.fit ppterbanc coplexionem in eo exuberantez: ppterea oi cunt medici o corruptio appetitus cibi fit per calidum a ficcă (uperflués în membro. Et corruptio appetit" potus est per frigidu abuteruberans in ipsocavniuersala boc no fitnifi pptermalaz complexione frigidaz zbu. aut frigidam folus: quia difficile est imaginari q boc fiat propter mala complexiones cara fic. Saluo o opinato ab boc et venire positi in fine sebzium ardentius quado appropin quant morti. Sed corruptio istius opationis aut cius exi tus a curfu naturali fit ppter qualitate aut quantitatem. Et go fit ppter quatitatem fic appetitus augmétatus co medendi multuseft ppter vnam onarus ren. Aut propte rea quia corpus est nimis diffoluti fic in connalescentibo qui babent foztiozem appetitu vigestive. Zur propter fri giditatem multă oris flomaci:qo eft:qz ifte operatioes Fz op victum est a medicis innant a complent frigiditate të perata: a quado fortificat tamen no sit yltima: quia time quidam appetit' falfus fit. Et aliquado accidit ve bec ma La complexio fit non materialis: zaliquelt materialis fic propter bu acetofum aut melancolias. Et qu fit ppterma lam complexione materialem vicit caninus appetitus. Sed caufa fupfluitatis appetitus fri. zbu.eft De neceffita te ppter malas optone ca. tic. malem vel no malem. Et malis que facit B accis in boc mebro est colera aut flegma falfum. Er bec mala opto que fit in boc mebro aliqua do est pmo porie in corraliqui poter cottate alterius me bri: sic est epar apulmo valia sic virinus supius o fensus mebrop ppter Diffolone cali z ficciab eis ca eft attractio nis con:code mo accidit in appetitu frigidi z bumidi. Et

Comra Galin de astructione nut me is



nednidiuidua odotabilin ceteris alus aialib? ginis que da aialia babeant foztioze fenfuz odozatus a remotis. (Caplin XXXV. Quod elt De fenfu guftus TDe acciv

détibus ei superneniétibus.

Einceps volum?vicere ve fenfu guftus. Ifte fenfus no idiget medio extrifeco: queadmo du idigent tres alu: ppterea quelt quidas ta/ ctus vientis ppter bumiditate que est in oze. Et ppterea facte fuerut due vene in lingua

vt cotinue generet bac bumiditate: quado cozzumpitur bec buiditas in oze fic in ifirmis no posiunt tunc sapozes peracitur oprebendi. Deinceps volumus picere acciitia que veniur buic fenfui. Et vicimus qu accidur illis tribus modis quis accidunt alus: boc est quaut cozzumpir iste sensus aut diminuir aut ductiturad malu sensus. Cozzu ptio fit, ppter vna ex spebus male optonis in code inftru meto iftino fenfus: e iftud est in lingua que mebro coican. te cu co:ficut in cerebro aneruo mifio a cerebro eidez. Et Diminutio fit ppter cafdé canfas qui funt Debiles. S3 acci des qo facitiplus fentire malo fenfu fit ouobomodis: aut que sentir alique sapore no viscernedo que sapor sit: aut quia fentit sapoze briu eissieut si fentiat pulce illud qo est ama/ ru: tic bealus. Stifentitalique fapozes nullo fapozato pite: B fit pptermalas opione males: quelt que os vidermus que fentit sapore illius bumiditatis: ita qui fi sit colera fentit amaritudine: til fit acetofitas fentit acetofitate: til est oulcis oulcozé. Et qui fortificat bec mala oplerio tunc fentit ola fin illuz fapozert iaz veclaratu est in näli pisia: goia instrumeta sensui sunt vacua a sensibilitate suaru apprebenfionu:qu fi ita no effet ipa no apprebederet eas: go est:qu si pare visibilis oculi ester colozata no reciperet omnes colozes:qz in rebus nālibus recipiens non recipit fuu fimile: ficut vicemus: Theut eft in ifto fenfu fill eft in alus. Et ppterea quado aduenir el bocaccides sentitoes fapores ficur vnú. Et aliquado accidit quando iste sapor no eritmultu fortis vt fentiat fapores quafi tempatos p pter bue malu sapore que bor a boc ides accidit etia ppter res extrifecas ficut accidit comedeti res amaras: apoftea bibit aquă z tunc fentit eaz quafi vulce.

Capim. CCCVI. Quod est Desenstrodoratus voe

accidétibus ei superueniétibus.

Ste fenfus recipit res odozabiles p medius aererin multi afalibus reperit fortior quin boie ficut in aquilis:apibus z filibus:z ppin/ qua funt idiuidua odozabilia idiuiduis fapo ribus. Saluo o nos non coprebendimus ita

bă vifferentias odozu fic vrias fapop:qo eft:qzifte fenfus pebilioz est in nobis rgustus est fortior; quest quida tace? Tfenfus tactus eft fortior in bomie dinceteris afalibus; queadmodu quidă aliop sensus sunt fortiores in aliqui bus aliop aialium. Sed opatio aeris in sensu odoratus e per buc modu quaer fert illud quod refoluitur ex fubfta tia acrea ex rebus babentibo odoze per filitudine qua b3 cu eo quousque perducit ibm ad sensus per se aperadiutor riupartis ignee. Etifte fenfus inenitur etia in aialibus ca rentibus languine lic in formicis rapibus: villis que ber guntin aqua. Et vinerfificat bomo ab alus aialibus in B qz bomo no potest odozare nisi cu olfatione: s multa alia mialia odozant fine olfatione ficut aialia que caret fangui ne. So quo traffet odor per media aereant igne núc vice re volumus. Et vicimus quapparatio est in acre vt acci piat vapozosus odozabile vel odozosus: zenă vapoze qui fit in ağ ppter năm:quă babet elemeta: vt vnû ab alio re cipiat vapores qui generant in cis ppter filitudine que è in cis. g fit p bunc modu que terra mittievapore inui aque e aqua recipit ipm ppter filitudine qua by cu terra i frigidi

tate: thumectatur in aqua: taq mittit vapoze fung bumi dű aeri: zaer recipit ipm ppter filitudine quá b3 cű ea in bumiditate: zaer mittit igni ppter filitudine quá b3 cum aere: zignis recipit ipm: zper bűc modű vifiolutű al, vifi folutionis puenttad noftros fenius. (propterea vicendu eft op fenius vijus eft appropatus aq: 2 odoratus parti ignee fumose: rauditus aeri. Et ppterea fuit maioz pars odozabiliu sanatio egritudinu fridaruz cerebzi: pe odoze vero ren fridaru bie tractare volumus. Et Deiceps volumus vicere o accritia buic fenfui venietia funt fic alion: quant corrumpunt aut viminuunt aut pmutant. Et core ruptio fit ppter ynā ouaz rez aut ppter oominationem male complonis aut ppter opilone factā in istrumēto B. Et diminutio fit qu'ifte cae funt vebiles. Et pmutatio fit quando accidit fuo inftrumento mala putrefactio: e tunc fentit omnes res odozatas fetidas.

Capim.XXXVII. Quod est ve sensu auditus ve ei

concurrentibus.

Onus fit ppter iactatione corpor folidous z gito illa iactatio crit foztioz: tato crit fonus fortior a acutior: a pdest ad sonus faciedu for

ma iftrop recipieiti vt fint ocqua aut pforata aut rara: rapprebedit ifte fenfus mediate acre aut ag. Item or o fonus est pulfatio aeris refracti in talibus in ftrumentis. Et ficut aer ducit coloze ad instrumentus vi fins ppter permietatem corporis: fic adducir fonus ad au, ditum ppter velocitaté receptionis mot liftius reixe acr recipit ipium velociter a format in ipio a remanet bec im prefito motus. Et ia posto separar est motor a similiter fozma q fit ab illo z fimiliter remanet in sere fonus tepo/ re fufficienti Donecpossit venire ad aurem: ppterea q2 fo nus est motus vela motu: comnis motus est in tépoze: et boc est cotrarius rei visus. Et ppterea audimus tonitrus post visionem corruscationis et videt bomo ictus lotricis vitra aqua antega audiat sonii guis causa ambozusit eav dem. Et bec est causa quare audiuim? vitra murum; tho videnus vitra muri. Et crias figura infrumetozum eft causa istius: a queliber iactatio aut pulsatio facit reuerbe rationem: thoc ppteraccidit yt bomo audiatius, pptia vocem. Et vor fit per infrumenta anbelitus. Et ppterea no pot bomo facere vocem zanbelare fimul:qetuffis nec por no fit mili ppter aliqua imaginatione. Et instrumen tum cu quo operatur fenfus auditus est aer recept' in au re: Thm graer eft quietioz Tinbtilioz eft operatio eius per fections simil'r est in odore. Et becoperatio puat propter malas copleriones aut ppter oppilatione factă in inftru-mentie iftius fenfus boc eft in aure. Et ab bis eifde caufis fir diminutio qui funt debiles. Sauditus fantalticus fit ppter vna onaz rerusaut ppter acumen andims qo é in instrumeto audit?:qe sentit etia paruu motu g fit in aure: ant ppter ventofitate que fit in ipfo extra naturas. (Eapitulum. XXXVIII. Quod eft ve fenfu vifus et

pe ciaccidentibus.

Roprietas vifus est quecipit colores no be nudatos a materia: 2 propterea babet conue nientiam ppziam cu materia: apropterillas conuenientia est factum poritum abstractus a ratione vab intellectu: vii non estet sic ipse

intellectus effer. Et becreceptio fit mediatibus aere vel aqua. Et ifta ouo elementa funt quafi media intermalia a formaliara poterea funt cominantia fup bocinftrume to aqua taer: quie bic cadataliquid ouby:quiam victus eft pignie eft veraciomedia qo eft iter found amateria: abanc folutione volumus reliquere alteritépori. Et ad. ductio coloris qua facit aer ad vifum fit p corpo peruius cus adiutorio lucis. Et fi tu quefieris quid fit lur. Respo

Audiannus



bene ppinqui ano videt remotii:eom oculi indigent foz ti motu: 2 boc maxime accidit illis qui babet oculos eminentes: quoculi istop für princtes con visus est vebilis tiparius:vii indiget forti motu ppinquo: t ppterea q babet oculos pfundos remotus videt: qt ipus viibilis in eis est magis aggregat?:t virt? viiibilis tuc est fortioz vetia lupin maiori quatitate recipit ficut accidit in riuis ftrictis curretib?. z ppter boc ftringit fagitatoz oculu qui vult recte emittere fagittă a carpétari?:vt rectius videat linea. a ppter bac pebilitaté accidit pecrepitis vt no pof fint legere subtiles litteras nisi in sole: 2 videt res remortas 2 no ppinquas. 2 apparet vi veniat bec debilitas i vi fu ppter mala oploné ficcă acciderale zno năle: aut propter bumiditaté tenebrofas: ppterea que ficcitas fié victu est vifficile patif; ebec egritudo est que obscuritas oculorus: ppterea quifte patice videt in vie ano in nocte : quei no fufficit lur lune: a cadelaru: a boc puenit a tenebiofitate aut ouritie receptiois. Ifte caufe fur que veneceffita te possunt vici sup ista accidetia fin nalez pisiam. Sz can fe quas pant medici in iftis accidetib funt fundate fupra fudaméta corrupta: qz tu fcis q no é inoculo aligó corpo De quo possitant possibile sit opinari: vi extra ipsus mirta tur sicut opinari sunt illi qui vocabant de societate assabel faat. Et Sal'. 13 eop viä:qano eft aligd in oculo nifi ca lor nalis g aduenit et a cerebro p buos neruos pforatos: nec caloz pot separari a cozpe in mometo etia 3 remanete caloze intrifeco ipio a boie vinete. Et ipossibilis est vt extendat vice ad fellasiquanteci veniret illuc effet corru pta sua optore este puata sua forma specifica in eo qo e că intrinscus. Necetiă în eo e corpus celestemec igneu ba-bes spledore: vel qo sit spledidu qo illuminet ipsus p năz. Sed spledorest pmi appares p sere îpossibile est ve sit recipiés aligd ve na suscepti inorth vnú est recipiés a alind receptus boc phatú est in nali phía. Se est sicut victué fupius:qz vifio pp ipzeffione colox in cozpe peruio boc e in aere zin aqua; zifta cozpoza var oculo fin qo victu eft: zimpmunt in feipfuz: zpostea appzebedit spis vifibilis ee oculox:z ppterea suit coposit? oculus ex cozpib? per uus: 2 q2 iste sensus no pt appbedere situadine oculon ni si posta sut ipressi i corpe medio. Saccatia q ponut en neitaté in vifu fut multa: riba fut veclarata i arte radiope a noiar almédabar a q vicer b funt creata ab egritudib. Dec fut q veniut a mala oplone vl politioe:q appebit go vnu fit onore bec că attributa est poctrina radiop. Iteru accidit vt videat oculus videre oes colores fm vnu mor du. vz. rubeos: aut citrinos: aut aliter dispositos a ca buis für vapozes qui enenint ad bumiditate peruia in q est vi fus:qo est:qz quilli vapores puenieta citrinitate oes res vise tales ostendent: este valus. Et aligbo apparet sicut cimices aut musce volare ante oculos: Thoc puenit propter vapozes mictos g afcedut fupi?. Et aliqui videt res visibiles quasi fenestratas: aboc accidit ppter quedam vapozez nigrű qui accidit vel qui trăfit p criftallinuz: fed ipiuz no cooperit totů. Ité accidit babéri cogitatioes cov ruptas ppteraliquă caufaș intrinfecă vel extrinfecaș ve fentiat malo fenfu;qo eft;qz quis fenfatoz motus ad fen/ fum veniat ab extra:no est ipossibile ve fiat simile etias p cotrariu:qz ppter baccozruptione cogitabit vnu zcofir mabitur:ita o forma illius mouebit a latere interiozi (pi ritus iffine fentus: etunc videbil oculo ve iffud fit veforis. Et eft iffud in vigilando fimul vni fono:qe veclaratus est in tractatu ve somno e vigilia: o fomnia attributa sut pirtuti imaginatiue: fed ipla facit in fono bein eius qo fac in vigilia:qui vigilia p mouet fenfatu fenfus omune: t por fica illud mouet imaginatione: 7 Fm qo victus eft ordina tim superius. Sed in somno fit modo cotrario:qz motus

incipit a virtute imaginatina ppter formă receptas pe fo ris în vigilia quoquo tepoze: z illa e remota: z ideo p mouet sensus comune: a comunis monet particulares sensus tunc fentient res quali ficut effent extra: theut boc fit in somno sic fit in vigilia ppter multa sollicitudine circa aliqua rem. Et ppter boc costrinant virtutes ase: ant p pter aliquă egritudinem firaș în cospose aut ppter timo remaut ppter triftită : quia tune foluitur quidas vapos vascendit cerebans: vimpaimi în ipius forma rei excegi tate: zascendedo supius mouet spiritu animale z reducitur ifte mot vice ad virtutes imaginatiuas: vipfa fpiritu mediantemonet sensus comune: ville monet pticulares: esentif res ficur effer extra: populi credit o boc fiat ab refere of the males angelis: aut a demonibus: 2 de funt ordinatim ibi. Ista funt accidentia que superueniat omnibus quing fenfibus.

(Lap.XXXIX.Qo é ve accidéribus anbelitus.

Einceps volum? log ve accritib? anbelitus a ab illis trafibim? ad accritia vitutis imagina/ tine reogitatine rméoratine: racentia foni r vigiliaru. Et postea lognur breniter de egri-tudinib" i qb" apparet masor para bor acci-

tiuz:aut oia accidetia q veniunt sup bane vitute: v cum co pleuerimus beccopleta erit itentio nostra. Et exacciden tibus supueniétibus buic virtuti sunt ex genere augméti zoiminutióis illius. Sed puatio buius operatóis é mozs étuis pina fróte appareat puatio anbelit? in multis egri-tudinibus: sicut in suffocatione matricis z similibus: non tamé est puatus: sed solum occultatus. Et pperera quoc operatio fit a buobus motibus inspirando respirando: inter quélibet ouor motui est vna quies sicut phatu est necessarium fuit vi augmentuz voiminutio esent in bis quatuoz rebus bocest in buobus motibus a buabo quieti bus. Et vimiutio vuaz quietu nominat thoaar: raugme, tatio nominal thephanes. Et augmentu voimintio adue niunt istis duob motibus for duos modos. Unus e velo citas atarditas: aalter é fortitudo in tribo diméfionibus q̃ funt:lógitudo:latitudo:r pfunditas: r vebilitas in ipfis vt in vilatatione r oftrictióe: r augmentatio in boc appel lat fortitudo aut magnitudo: 2 Diminutio appellat parui tas aut vebilitas. Ile funt spès simplices mali anbelit?. Sed coposite sunt multer is bie volumus tractare nisi ve causis facietibo bas simplices spes:q2bomo viscreto sciet copolitas per l'implices. Et vicim' que a fortitudis est for tis necessitas anbelandi: r boc fit cu sanitate virtutis esticientis: t ppter bona vispositione istrumentop. Et spira-tio aeris est ppter forte necessitate refrigerandi: trespira tio e ppter forte necessitate expelledi corpus sumosus: p pterea fortificat aliqui vnu istor: tramen no e necesse ve aliud fortificet: velocitas e similiter ppter forte necessi tatem and elandi. Sed no est necessariu penitus ve sieve locitas cu sanitate virtutis v bona dispositióe instrumento rum:qo eft:qe virtus innat fe cum velocitate quando De ficit fortitudo:q forte facit boc verestauret p boc q vefi cit a fortitudine: a ppterca accidit boc quado virt' est for tis vinftrumetanon funt conenietia. Sed thoar etias fic ppter paucam necessitaté anbelandi: sed non est necessa rium:vtfit cum fanitate virtutis abona vispolitioe iftru métozum qa pao maiozi parte cu natura innatur in boc fa cit illud quando perdidit foztitudine: zaccidit qo natura inneturen boc quado perdidit velocitate ppterpenuria pirtutis. Et fi ita eft ficut virimus.ergo quado erit conue nies pefit anbelitus velocioz a fortior thoar: tucerit ma gis necessaria fanitas virtutis abona dispositio instrumé tomm. (Et cause diminutionis sunt opposite in bis rebus caufis augmetationis. Sed paruitas fit aut peopter

vulger mper soler



no est necesse ve moneant ad con fernitia. e vigilia e ouii bui? boc eafceius iftius fenfus ad cerebzu in locu fuus: 2 ppea tuc viffolume oes fenfus pticulares in com inferis: propent actioes iploz. 3 velcriptio foni è puatio mottus; a vigilie velcriptio è otinuatio mot? a pot vici o b mot? ifti" fenfus é formaliscă foni a vigilie: a fubra foni a vigilie é fenfus cois: 2 coz est radig: 2 cerebzű é ipsi? pinű ist z cű quo opař. Et accitta q supueniút sono est foztis ipsi? psiuditas: 2 boc sit pp oñatione multe frigiditatis cű bu miditate supcerebzű aut sup mébzű coicas secü. eg accidentibo q fupuenifit buicopationi.p oziti est vigilia.a ca eins opposita est canse frigiditatis:boc est qu fit pp ofiing talozis e siccitatis. Et alique é becres oposita a onabo can siste cegritudo e egritudo vocata nabur: que tuciacet sic Pormies a oculos es aptos: qu vormire est pp frigiditate: a tenere oculos aptos est pp siccitate. Et aliqu fiunt egritudines in cerebro in glo fit pars box accideti i autoia, zilli qui fcier p virino vabut causas vnicuigs accideti i aut fi fint pientes aut prerite. Et volumo vicere ve gloudas eop q sunt manifestiva: z pfectio scier p bec q vicent postea alia q no vicent. Et vicimo qo qda eop vocant el daar z qda noiant elgabo, i icubo, z qdas noiant elgara. i epilia. z qda noiani lecta,i.apoplexia. S3 pmu eft fup bu moze fup que onat fumo: cifte fumo afcedet ad cerebrus a monebit a túc fentier patiés búc motu ficut effet extra: que quis fenfata babeat o moneat fenfus de foris ias dixi mus quo est ipole yt moueant ab itrinfecis bumozib?. z li cereban acgrit multă mală optone pp pfeuerătiă baru reru:tuc cadet paties in terra ficut cadit epilétic'. Et ifte fum' aliqu fier in ipsomet cerebro: ppc in suis arterys: a aliqu accedet a sto vel ab alus mebris. (Solcab.i.cu) bus equi entit bocu documit acsi pmeret a aggranaret a re qua abycere no por. Et manifestu e; q B no e nist provincialistica de suis provincialistica de sui provincialistica de suis provincialistica de sui provincialistica de suis provincialistica de sui provincialistica de suis pro pter aliqua puatione vitutis motiue pp aliqua mala oplo nezmalez. Et queito viffoluunt opinant vt fiat ab bumo ribus fumofis qui ascedut cerebru a ledut ipius fua glita te. (Epiletia est egritudo a facit cadere in terra patiete in pmia tuc mouene o la mebra motu malo e inco o ceide fic mouent bonec bo cadit: 2 puant oes fui fenfus 2 virtu tes giales: aut viminumt e bunt e colligunt oia ipfius mébra: ¿Bunt ficut spasmata. Et boc é signú manifestú: p passo es collectio: ¿ctio mébroz pp mo-tus ejneú significat q bec spès est vna ex specieb ¿ctio-nis que sit a vtute expulsiva: q colligunt ¿Bunt mébra in sepsis ppter expulsiva: q colligunt ¿Bunt mébra in sepsis ppter expulsiva: q colligunt ¿Bunt mébra bro. appea ifte bumor eft brius in fine optoni cerebrira B facit:aut fua quitate:aut fua forma: eillo qo fignificat no bis q, no fit, ppter bumiditaté nerui nec ppteripfi? infu fione est pp subită ipfi? oissolutione: ve necitate e q bumor facies bec fit subtilis: co q, parocism? ipsi? cito trăste sicut fit in egritudinib? acutis. S; q; nos videm? p maiori parte q; ili qui banc patiunt egritudine; s sunt frigidi v bus sicut pueri; aut frigidi v sicut senes : v v r q; bec accide ia appare fi un frigida e meiori puer sicut sicut senes : v v r q; bec accidetta apparet fup frigidos p maiozi parte fignificat p causa bui? egritudinis e bumoz grossus. Sz Edicit no-bis boc q bumoz grossus no cito dissoluit sine discurrat p firictos meat' fine p latos: ficut vicir Bal. q vifolutio no est aliud quo viatio na e sup bumoze ipsus vecoquedo: viretineat qo est conenies nutrimento: raliud expellat: abocno fit in bumore grosso in eo pest grossus nisi in lo go tepore: sicut testificat experietia in egritudinibus. Et nos videnus p cito visolus in bumor. Et ob boc vice dum eft o bec egritudo no fit nifi poter fumu qui gene ratur in ipfomet cerebro vi in alio mebro:qo ipfuz ei trafi mittit: ficut vicit Bal. ve innene qui fentiebat op quafi quam fiumus frigidus alcederet ab yno mebro ad cerebris

a qui pueniebat illuc cadebat epiléticus. Et bocaccidés e fufficies ad phandu que causa buius egritudinis est vétosi tas fumosa: is ista vétositas necessario cóicat bumoubus frigidis abumidis:aut frigidis a ficcis: aisti bumozes sur isti veto vemă. Et poterea curat bec egritudo enacuado illos bumozes. Et quis vicat p nome alicui? bois: ve boc accides fiat a colera: no vico boc ipossibile: sed cadit in B ămiratio.nă bzeuitas paroxifini boc adiunat: e veniente amiratio. na decutas paroculmi boc adiunat: e veniente accidéte boc aligh? ppter l'om videm? 9 boc fit eis viplurimi ppter famé aut ppter irà: z boc oftédit vt fiata de l'element de colera. Et Ball curat băc egritudine cu verapigra in qua onat aloes. Et manifesti est paloes no purgat nist vnas de l'element qual onat a retire aut colera aut büozé colericii. Et qua oicunt per qual est est a roma remotiva de est bec egritudo viplurimi b 3 par roxismos: cadouc si fieret ppter mala optione no males no fieret nist a reb extrinsceis est est qual applo no mala più no mala optione no mala optione no mala policie prificilia curatione ca tare lis creata a mala optone mali e difficilis curatiois: za tar li caufa qualis becest impossibile est fieri paroxismu epiv lenticii: fim boc no fieret bec species nisi ppter resertri secas: boc est ab acre frigido: qo est: qu mala oplo q fit a talib" reb" extrinsecis est facilis dissolutioss. Sed remotu est op res extrisece boe est aer frigid possit iducere ma lam oplone cerebro fufficieté iducere epilias; sed si experientia boc testificat tarde boc esse no 03. Et tu vebes sci req ppter bac scias no pot final scire ronabili De oibus egritudinib q fint possibiles: 2q no: quegritudines certifi commun Bos ha campra cant per sensus: poste aduenius testimonia experientic
pp plurimos sentire: post boc sit cognitio causaru. Et ca explanera sub balas nust
bus oata est in loco alio nobiliozi isto: 2 nos et ipaz narra su sensus sub sum in alus libris. (E et apopleria e q fi bo cadit ad terra
a cesta tes vor: puant o es opatio es a motus toti corpo
si e recevo anheliumos increambeliumos in perios est ris excepto anbelituma; puato anbelitu mozir paties. Et ppter boc anbelit? est manifestu fignu sup foztitudine vi Debilitate istius viutis:qo e:qz qui anbelito fuerit groffus a malus fignificat fup fortitudine: a fi fiserit quiet' figni ficat pebilitate. Et. Y. vicit qu qui apople ria e vebilis non curat ve facili: sed qui e fortis cura no recipit. Et ca b'egri tudinis est ve necessitate puatio mot' vis aparticularis. Et quocclaratus est o motus viis by ouo pacipia:pmum quor est in corderatind e in cerebro: cerebra no facinas opationes nisi pp coz. gest necesse yt cerebzo veniat yna egritudo ylis comunicas toti cozpozi. Et boc siet necessario ppter oppilatione yiaz spusag puenit a cozde ad cerebzum: tiste sut arterie; aut ppter foztes oppilatione yen triculor cerebri:propterea quanilli claudunt ipedit via fpiritui aiali q vat mebris oibus fenfus amotu: fi ita e ve vicit.B.q vic q mittif a cerebro fpus animalis fiemittie a corde fpus vitalis intrinfecus:aut fit que corrumpie ple rio cerebzi:qò est:qz quilla cozrumpit :cozrupit teperantia cum qua reperit caloz itrinsec cozdis:ad boc vt posit opari fenfus amotu: fic veclaratu eft in näli plia. Sed in cameris cordis nó pôt enenire hoc accides: qô bác egritu diné faciat: qô est; qr pus pernenire ad mortes. Et post gr phatú est gr cansa egritudinis in bis duob? locis est. ergo cansa quá dat. Y est vera : r ét illa quá dat Ba. Et. Y. dicit o quado bomo fubito fine voce fit a cadit in terraz:tune facte funt oppilatioes in vus que funt inter cor recrebu: boc eft in arterys. Et. B.B confitet in libro De accidentiz morbo: in libro de membris dolorofis die o becegritudo fit ppter oppilationem in ventriculis cerebri. ergo intendit. B. vt fiat a duabus causis. Et signum est vt siat ex oppilatione arteriaru cu apparent signa dominatios san guinis fup patientem: Thee curat cum flebotomia. Et fir gnű oppilatióis foztis ventriculoz cerebzi elt quado apparent figna Diatióis bumoz frigidoz in cozpe. Et cura

for to the ab opelar no common porter or according to the ab opelar we have to be the to be the total opelar to briefly to the total opelar to be to be the total opelar to be to be



riu:vt qui ista ono mebra funt tepata lit com tepantia pp formă iplomatepantia fuam formame necessario ppter temperatia vatozis istaru fozmaru: tistud est coz. Et non elt vicedu ge poffibile fit gecalor cordis qui mittir mittat eis caliditate superflua: 20 fit opto ifton ouon mebron venies ad ea a ptibo ofitibo epati reerebro resistat calori g pueniret a téperatia cordis vt pilta Brietate refultet in cerebio repate teperatia oplonisiqualis teperatia glis est bec or equocerano veraciter vt faciat opatioes. 3te fi gnificat sup oplone cordis tactor carnostras pectoris na si teperata e significat reperati oplonis cordis. Steperantia carnis p maiori pte sequit repantias oplonis cordis: ppa caro existes i Bloco: app boc caro bis tempa tă optone cordis no erit macileta nec piguis fupflue. Ite fignificat fup tépantiá cordis tépátia vitutú aie:fič ira pla nicies:manifelta ea ofideria apulillanimiras; alilia bis. Ité sup répantia cordis significat positio ipsiº: B é in po-fitioe sua: rsua mésura r sigura: qo é: qa qui sua opso erit té perata sut res poicte: vipturimu é s via nales. Tis r qui sue opatioes fut pueniètes fue oploni fignificat fup fua tèpe rantia:qo est.qz no e ipole ce alique puliuz veloce pp stri ctură fuaru arteriaru:cu no fit boc pp caloze ipli?: fic acci dit boib? pinguib?. Et vir vificile e vare figna fignifican/ tia înp opone mebrop îtrinfecop: rîup îpes cop: rîup col ligantia cop:ppea religrut medici bac îpes fantatis: a no fut locuti de east preferut folu de fignis optonalib? . 93 medico no fur b mino necia illisa ppea volumo loqui pe bac spe breuiter sie sum? ofuetier vicim? o ex reb? fignifi cătib? sup tépată oplone cordis regle e tépantia opônie mebrop extriccop: marie pector | rmebrop pojquop eider boa pportio cuiuslibet istop mebrop ad aliar bec vocai pichitudo: qrpichitudo maglatoribuii opôni: sic ve afortitudo maglattribuit oploni. Et nos noicimo téperátia 2pónia illop mébrop fignificet (up tépátiá coz) dia nifi ppea:q2 vt? ifozmatina no fozmat alia mébra nifi mediate calore cordis: sic vt? nutritiua no fac suas opatio nes nist mediate optone sua. Et tu pebes scire qo bec signi ficatio no puertit:q2 pole cet co2 ce teperate pplonis 2 bo ne oponis: tri opolitio aligra mebroz eet lela: 18 pue nita ma: Braro otigit ficraro otingit exalus rebonoci uis q pueniunt ab alus médzis: tille puertif reorripif pplone cordis pp aliquă colligătiă. Se figna fignificătia fing distrerată cordis î.4. Țlitatib săr dra istis. Doc est qui pulsus fignificat excessi calous nifi otingeret pp ftrictură năles in vus arteriaru aguis boc raro accidat in optone ca ppea:qt nă catotis est apire textedere ptes nisi fotet sicce:eo q resistit egresso ni: the fice fice fuerit ouricles tact? Agnificat virinita tes fice tatis: this banelit? Sti nall fignificat fup ide: ou modo no fint pect "pulmo: aut con vie miores petetib". Iteort pillon atact calidus but fup cade oplone figni ficare. Et vir ícias quad calozé cordis fegt calozoius me bromercepto o no fit refiftetia accitalis a mebris babe tibus ofiantia in corpesii ciut epar acerebru: qapole è go opio ilto pouo prebrop exptemebro politius ex gb? iut opolita fint frigidiora vebito: atuce erit cor calidu: ace rebru vicet frigidu. Sin bole babete tale opione refri gerabit in fine cor: maxie qui onat frigiditas: qu boc me brû no é vatú nisi ad tepandú caliditate cordis. Jte signi ficat fup caliditate efic.cordis accidentia ale ficut ira:ita g g cito irafcit by oplone calida cordie: t fi fernanerit by etia ficcă. Et filir fignificat ficcitate cordis macies pector ris v ficcitas corpis. Sed oplo cordis ofians in calitate v bu.fignificat a fortitudine cordis amollicie pulfus. Et fi babuerit mollicié cu sua foztitudine fignificat solă bumi diraté. Et fill figna caliditat! zbu.cozdisfüt magnitudo

pectoris ralion mebronirio afalia que funt calida e bu. funt maiozis cozdis cetérop: velut aialia naícétia in locis búidis. Es figna friditatis e fic. cozdis fút opolita ex op-polítis fignop caliditatis e fi fernát figna ficcitatis. Et p pterea pullus talium est paruns:rarus; tardus; ourus; banelit'eop efilis ttact'pectop eop eft frigidus. Et filir est in optone alion médron ipsoprins sit in eis resistèria accitalis. Et pecto iston é nudu pilis. Et isti sunt in obtia timiditate. Et obripsoprinués assissé 5 plus senecturis fi pueniet ad fenectute:fenecto cop affiliat morti. (Lap. III. Qo est ve signis cerebai a ipsius coplexioni

fanarum vegrarum. I poste locuti sum' sup sanitaté cordia ap propată mebris ofilibo, r fup fanitate appro-priată mebris officialibo, veinceps volumus

loqui ve fignis fignificatibo fup teperantia ? sanitaté cerebzi. Et vicemo o téperátia v z recipi in cere-bzo: sicut in alus mébzis: boc é vt sit appzopata suis mem bais ofilibo aut fue oponi. Et icipiemo a teperatia a vicer mus o fignor o fignificat fur tepata optones cerebri o das fumunt ab opatiois ropatioes ipfius aut appropar te fut sensui coi: aut imagiatioi: aut cogitatioi: aut memo-ric aut virtuti nutritiue boc e q appet ex supfluitatib? egrediunt a narib? palato oculis : filib? Et qda fumunt abalys fic a tactu zoztu capillon zab con fozma z fuper fluitatib" q ab iplo egrediunt ita qo fi fint tpate in qitita te ralitate fignificat fup teperatia ipfi". Et fill qui opatio nes foni zvigiliaz funt téperate; zo fit mediocritas iter pigritiam zvelocitaté ziudicia fua fint recta z fenfus fint clari aboni. a tact' fit teperat' ita ve no fit calid' vel frigi dus. Et capilli goziunt no fint oio extefi feu plani vel toz tuofi feu crifpi albi vel nigri: voemfatio fue forme e vt fit figura eins filis figure cerebri reperati, a tuc fignificatur fup réperantia cóplonis e fignificatio téperatie fue figu-re est licut vicit Ba. o sit ficut figura sperica cerea leuiter ab ytracg pte preffa: vt no fit magnú vel paruu: vo fup, fluitates discurretes a cerebro fint pauce topeteter dige fte. Et fi fuerit cus boc aliq spissitudo signu est siccitatis: a fi fuerint multe a vigethe fignificant fup caliditate a bu miditate. a fi cu boc fuerint crude a in attitate mita figni ficat sup frigiditaté. Et si cu boc fuerint aquose significat sup frigiditate abuiditate. Et vic. y.ve bac copione quei fanitas est ppingoz egritudini @fanitati. Ged opatioes complexes carebri e cerebu calidi fut vigilie abrenitas foni. 35 fi calitati affo magui fang andm ciabir aliquatula buiditas: túc tales in fono aliquatulum augmentabunt efificcitas onabit onabunt vigilie. Et q 5 samlate banc bit coplone veloces erit ad actioes: Et actoes fuas faciunt fine discretioe: zaccipiut ex mebris folu filitudi ne and divisione rerrozes con funt multi-regitationes com male. Et g bitt figna bria iftis füt vormitores apigri rtardi itellectus: rno possunt recipere divisiones rep: ne cessario tales frigide optonis sunt: tri e ipsi assumbredi ctas res cosuse. Se copto cerebei frigida rsicca abundat min' in sono m frigida sola. Et frida sola minosis est sono de composito e in sola minosis est sola minosis est sono de composito e in sola minosis est ci frigida a bumida: tactus ctia fignificat fup iltas ople riones. Et capilli etia bit fignificatioes eo q capilli funt ex supfluitate fumosa gre capilli nigri significat supadu/ ftione co quigneitas balbu venigrare. Et fi cus boc funt tortuofi fignificat fup boc ficcitates fic accidit eis qui tan gunt abigne. Et capilli albi fignificat fuper mam crudas zindigestä:zfi cu boc fuerint extest zplani significat sup fupfluitate buiditatis. Et code mo capilli q cito oziunt fi gnificat fup caliditates: 29 tarde e3. Et g funt mediocres in colore a tortuofitate ain planicie ain ortu veloci atara do fignificant sup coplexione teperatas a forma tortuosa et ba fignificare sup mala coplexiones. Et etia caput ma

brana accidena que sequent ab compton uni



nibus filreo o copto teperata ve neceffitate by copoliti ones teperata. Linter paruitate amagnitudine: aiter amv plitudine aftrictură viap: a qui erit calida erut vie large. Et latitudo pectozis fignificat fup latitudine viaru: ficut victu est in alus: quo icimus o fortinudo vocis sequitur largitate viaru: clargitas significat caliditate optonis: c că est:q: foztitudo vocio necio significat caliditate. Sed oplo frigida significat strictură viaru zoebilitate:zmazi me fi buic piungat ficcitas. Celocitas vo banelit' fignifi cat puitaté pulmois a strictură suaru viaru nisi opto coze disfit in ca. pect? aut sputosus significat mala pulmois positione: a ppea vicit medici o plurimi taliii venisit ad viceratione pulmonis: ad etbicam.

([Lap. VI. Qo est ve stomacho.

Einceps volumus loqui ve fignis fignificăti bus fup oplone flot. Et vicim? op ipla cogno-fett a fuis opationib?:eo op flot tepato ouenit maioz cibop pare: nifi nimis modu ercedat nae: z no accidut cide accidetia q eueniut flo pistepato: z suus appetir? est naiis. Et in sto calido subti-

les cibi puertunt in fumu veide groffi puenint viuus ap petit' é viminut'. Sz in ftő frigido figna füt bila pdictis: eo quei oueniut cibaria fubtilia a groffa in acetofitate co/ uertunt in correis appetits é excedés. Et flomachus fices cognoscit pp multa sitize eides paucus sufficit potses qui nimia recipit potses tacin eo sint fluctuations. Es bumi dus significat a pauca siti : « Desiderat talis stos bumida ficut sto ficcus vesiderat res siccas: The qui bumiditas ? fic.ineft p näz: is fi ieft accrital'r boc fit p buiceo go qui ba from ficcu appetit burnida: 2g bz buidu appetit ficca. Sz eqlis fro in paruitate 2 magnitudine cognoscit : co gr to-terat quatitate cibi ouenictis: 2 si paruns fuerit noscit ex toleratia panci cibi: 2 si partit cib' in pancas ptes melius tolerat. Et stomachus magnus tolerat cotrariuz. Ca.VII. Oò é de coplexionibus testiculozus.

Igna téperátie a fanitatis tefliculoz fumun tur ab opatióib° ipfoz a abaccátib°. Et vici-mus og q é tépat° in coitu nälr ba téperátias oplonis testiculop. Et fi multu affectat nälr ba calida optone telticulop. Et fi cu boc befi

derio piungii fufficietta in faciedo fignificat buiditates piùctă ifti caliditati. 19dă vicut p qu pplo testiculo p est calida p tüc e gnătrix malculo p plus fi femina p. 19 qu co plerio isto p e frigida tuc opat zitu. 1. qepiger erit in coitta 19 pas plus fi filas: si cu frigiditate ziugat siccitas: q fi puatur ab bac opatioe. Si q appeticu b magnu 10 ebilis existit in tali opatioe: ci 20 od siccitate princre videt. Sed su gnificatio opionis bon mebron ex preaccidetii apparetii in ipmate estratin teperata opione ipione est ipma teperatu in quatitate a glitate. Sed si testiculi sint calidio res oebito erit spma plus in quatitate a spisso esti opisso color esta punto esta propositione esta peratu in quatitate a spisso esta color esta punto esta peratu in quatitate a spisso esta peratu in peratu in peratu in spisso esta peratu in peratu in spisso esta peratu in spisso esta peratu in quatitate a spisso esta Et quí oplo con crit frigida crit oxiú bui? boc est quípma crit paucu uno coctú. Et buiditas magi oucnit buic opa tioni di ficcitas. Et pili et fignificat fup oplone bop me bzop 65 op fignificat fup alias oplones vt dictu e supra.

Cap. VIII. Qo est de signis oplonis totius corporis.

Sta sunt signa significatia sup oplone vnim

cuiulamebrop pucipaliu elernieiiu eis. Et cognoscedo ista z paratione vnio ad alterus

faciedo cognofeem? toti? corpis optone tepe rata zoifteperata:eo de corp? cuins opto erit teperata erit de neceffitate mediocre iter macie agrafiv ciera color erit albus mixt? rubedini: acapilli con fut fla ui tédétes ad rubedine in tpe sue puericie : qui funt facti funenes erut capilli con nigri: tacto teperatointer calidi tates a frigiditate a inter afpitate a lemitate. Et fenfus cor

rum erit in vltimo teperatient intellectus eop mediocris inter veloce rtardu: rbec est via cognoscedi copione te perată. S5 coplone que exit a reperatia indicabimus fm multitudine fignozu; q2 illa indicabunt ex aggregatione iston signon: boc e ab accidetibus v opationibus: sicut a crassicie: a macie: v a calore pilis valys similib. Set sci endu qui fignificatio colozio pilozano verificat pro maio-ri parte nifi in temperatio climatibo dinio in quolibet cli mate possit aliquid compbendi coparando boice illius climatis fibupfis: perbi gratia in theotonicis z ethiopib? quado etbiopes funt nigrira con capilli funt in tortuofita te vitimamo ppter boc com complexio erit calida imo melius est attribuere bec signa calozi extrinseco: 2 vices quafi o fint frigidi. Et theotonici a sclaui qui stant in terris frigidis sunt albira con capilli sunt flaui aplanimec p pter hoc dicendu est in istis ve con complexio sit frigida; quod est: quia complexio est in vitima caliditate; quia calor clauditur in partibus intrinsecis como rum: ficut accidit in byeme: a boc fufficit in fignis fanita/ tis fm intentione nostram.

Cap.IX.Quod est ve fignis significantibus super egri tudines in generali.

Eincepo volumo log de fignis fignificătibus fupegritudies. Et rememozeris fempeop q fupio dicimo i boc equitetio mea in boc libro

fupi virim hoc equitetio mea in poc nota no e virim la liber college no e virim la lib ineniat vna margaritam. (Dicem' o figna fignificatio ine nat vna margariam. O Estem o nga ngameath ing egritudinë innt gia quoy qdå inmunë ab accitib q accidut post diminutionë buoy in corpe: qdå fumunë a optone corpis ab ci paratioe denti. O Et quor tpa anni vada fumunë a regimie ancedenti. O Et quor tpa anni bant pnosticationë in egritudib futuris sistemarie per mutationes q fiut in cie pter nam. Et ilta figna owerlift cant fin fortitudine robilitate: rego volo ipia narrare p ordine. []a viri in bis q pcefferunt q qui chtitas faguis crescit in corpe ita ganocet i ottitate solu in co q ottitas e fin vimeliones. becenoiata repletio fin vala zqu crelcit cu malitia glitatis vi acuar : aut vi pmuter ad glitatem illius.f.vni alion buon aut plium: bec notat repletio fin vtute: co q bec repletio ba eu are vel eu apozare z visiolue biege casus appetit? voissicultas mot? Et ylrpp B oebi litasis zledunt oes operatioes siales a naturales quon litasi zledunt oes operatioes siales a naturales quon figna oominn sanguinis soli z signa fore repletionis sunt ligna vominn sanguinis soli z signa scor repletionis sunt ligna vominn sanguinis soli z signa scor repletionis sunt ligna vominn sanguinis soli z signa scor repletionis sunt ligna vominn sanguinis soli z signa scor repletionis sunt ligna vominn sanguinis soli z signa scor repletionis sunt ligna vominn sanguinis soli z signa soli signa so figna dominy vni⁹trium bumozú aut plurium. ([Et p. pterea debem⁹enumerare figna fignificatia fuper excel· fum vniuscuiusa bumoză istozum: r cognoscendo simpli cia cognoscemus composita.

Caplin. X. Quod eft de fignis abudantie fanguinis. L'incipiemus a fignis fignificantibus multi tudinem fanguinis a abaccidentibus q eue, niunt corpori ppter illud. Et vicemus q boc fignificat fortitudo pulfus: a repletio vafor: fine fint vene fine arterie: a granitas capitis

Toculonum: Timpedimenta virtutum anime Tenfuum. Et vninerfaliter mala vispositio que aduenit corpozi bec patienti affimilatur male Dispositioi lassitudinis que pronenit ex labore extrinfeco cum rubedine oculorum z caloze actuali in toto corpore nisi bomo babuerit exercitium in aere calido a fomnum profundum ra fomnia ter ribilia: pidentia res rubeas. Bicutoicit Balienus De

sugna comofordi



ditatem vebilitaf. Et vixit. Y.qui estas erit parum plunio fa cautumus calidus mitu meridionalis ephuniofus tuc erut byeme fortes polores capitis: tuffes a raucedines in aligbus fiet ptilis reaufa buius est manifesta: co quin tar li autuno replent capita multis fupfluitatibus: z cu fupue nerit byeme coprimet cerebra a stillabat ab co supfluita tes nec poterut vigeri: tob bocifte egritudines fient.na fi remanebût in capite faciét polozé pdictú: t fi fluxerint ab co faciét egritudines supradictas: ts sluverint ad pulmo né fient tusses al proprés. Adduc virit es si fuerit autún? feptetrionalis e ficcus fiet in copionibus ficcis obtalmia ficca: febres acute: cardiaca melica: qr manifeftus eft q qui istud tépus in siccitate fortificat faciet egritudies melancolicas: e febres be victe funt ex bumore melico: guis bumorille nó fit velocis motus. He vixit que gritudines que funt tpe multu plunioso p maiori pte sunt sebres lo gera fluxus ventris aepiletiarapopliara fquinatia. (Et vigit. Y.g. pancitas plunie falubaios est cosposibo. Et cau fa eft qz fupfluis humiditaribus caloz nälis nő bene oña/ tur. Et nő eft itelligéduz ab. Y. vt laudet acrez ficcu ex to/ to quaer nimis ficcus iducit egritudines eifde fimiles. Et pprerea vicitalibi: quali est puatio plunie fiut febres acu te:quer téperatus fm. y.est mediocris iter multă apaucă pluniaz. Et tu vebes feire quaer visteperatus in vna qu litatu vistempantia supflua generat egritudines eisdes si miles. Sa aer pestilétialis sit corruptione sue sube. Et boc accidit sepe popter multa plunia tpe estino: sic vic. Y. q. accidit in cinitate acaron: qz tota estate fuit foztis plunia: z pprerea accidit bitantibus malus pauritus; a puftule ma liciofe ita qualiquibus cadebat brachia rpedes. Itez coz rumpit fuba acris ex vapozibus cozzuptis mixtis cu co fi ent a vapozibus refolutis a cadaneribus va flagnis quib? Hinum macerat. Et fimir fiunt egritudines peftilentiales a comuptione aque veibon ficut accidit the famis. Item egritudines pestilétiales que fiunt a cozzuptione aeris citius funt egritudines moztifere: quia aer putrefactus vel corruptus velocius attingit corre ppterea accidentia illa-sum febrius funt mala ppter malitias anbelitus que boc operationo apparet in illis febribus fortitudo:nec fentit in cis magna lesio manifeste:co q mala opto cominatur in illis cotter in oldus virtutibus corporis. Sz illud qo fa cit lesione manifestam sensibilem est mala oplexio parti cularis vel omería: a scias op non ois bomo egrotat ppter permutatione aeris:13 illi qui ad boc apti funt. Et quado tempoza áni fequétur eozú nã3 quafi nó erunt caufe egri/ tudinu činis nos videamus žriuz:qr egritudines quedaz funt magie pprie vni tempori qualteri fic funt egritudies que fiunt ex bumoze fimili illi tépozi : qz fanguinee in ver re:colerice in estate: melancolice in autuno: segmatice in byeme: quis in vere paccis fiant egritudines melancoli se a poc accidit ppter motu bumon a eozu vissolutiones e chullitione:qu'in bis tépozibus aduenint pribus oius fi milia accritia que adueniut bumiditatibus terre nascen, tiú. [Oò victú est ve signis significantibus egritudines exparte aeris sufficiat opendiose fm nostra intétione los quendo. (Sinenunt egritudines parue velut accide tia fignificantia fup egrittidines magnas futuras: Thos vicenus de aliquibus carus bic. Et postea vicenus de si gnis fignificantibus fup cafde egritudines zeaz caufas: quinulti necessarii est in bacarte. Et no expectes yt bică tibi rea nouas que no sunt bicte abantiquis. Caplin.XV.Qo est ve signis pnosticis egritudinu fu

turară per egritudines paruas. Toixerut gda q volozcapitis fixus q in ara

bico noiatur foda: z emigranea q in arabico noiatur fetbica gfeuerans Denunciar Decure

fum aque ad oculu in fine:ant vilatatione pupille que in arabico noiatur açabar. (Et faltus facici noiatur bacha la:toztura vo noiatur lachoza z spasinus noiatur tasnec: puatio motus noiatur cadar:paralifis vero felee. [Sal tus faciei pfeuerans multu venunciat tortură oris. Gal tus vero totius corporis fignificat (palmii bumidii prina tio motus fignificat paralifis. (["Rubedo faciei oculoză Tvenap q fut î eis cu flupu lacbzymap Tfuga a lumie că forti polore capitis penunciat apa calin in cerebro. Incu bus thebus of a vertigo babasta noiai pseucrans cenun ciat epiliam.epilia vero vocat chission:tristitia pseucras fine că venuciat melia. Apparitio corpufculo p velut mu-fea p e capillozu ante oculos venuciat vecuriu a aqud ocu los:nist Baccisa sto pueniat. 'Reumata otinua fine in-terpolatioe facius timozeptysis. Sudozmult' pseueras fignificat repletioné. Soztis fincopis crebza fine manife, sta occasiõe pseuerás viu morte subită núciat, reptone su pflua brites timemus ne ad fputus veneniat fanguis q in arabico noiat vestadă; ret e signu apoplie r subite mozt Thupefactio feiun Trelagatio motun fignificat apoplia. Stauitas later octericirca pocodria egritudine cois fir gnificat. Stere' mltu tietu tioze egritudis veteritie figni ficat. faliditas facici e tuozpalpebran e vigiton mannu a pedu futură polarcă fignificăt. Setoz ltercozis fignificat luper naufcă q în arabico nomiat tacura. Uzine fetoz putrefactione a febreanuciat. Laffitas a mebroz cofra ctio fine că manifesta cu casu appetit? febre venuciat.vri na vítina pienerásviceratões in velica a virga fignificat. Prinatio appetitus cu fincopi colericas fignificat. Brani-tas a extéfio à est sub vêtre a in renibo fignificat sup egri tudinez renu. Sterc'adustu in oxificio ani vlcerationem intestino pi significat. Pauritus in ano pseueras emozroy das venunciat nisi in intestinis fint vermes nati. Multe pustule in corpore apa magnii fignificant. Multa noda apparentia faciumt timere de nodo magno noiato dubel let. Morfea a fortis rubedo faciei a strictura anbelitus a vocis lesto lepra fignificat. Et via vico o qui pmutat aligdepoluetis lignificat futură egritudine: lic eappetitus lupflu' aut vimiut' aut augmetů vel vimiutio in lupflui tatib' vel mult' fon vel pauc'vel alia accitta pterifta.

Capim.XVI.Qo est de pulsu a vaina in generali. fufficieter: volumo núc log ve fignis ipfarus egritudinii q fignificant necessario vna triiz rep videlics:aut fup gditate egritudinu:aut

fup cao ipfap;ant fup mebru in quo e egritudo. Et multoties fignificat fup bec tria quemadmodu ve fignis egritudinu q fut in medzis iteriozibo. Sz egritudi nes apparentes in supficie corporis no idigent signis nisi fignificatib' cas ipap ob bociquille patet fenfui vifus. Et vir ícias o fignanó fútaliud nifi illud qó appet in actiói bus vpafítóib° afalib? vnälibus cú accidétib? á pueniút ab eis. Propterea quinucniumi ouo gna fignor comunit gue gnad comfort fulset cantin pluribo egritudinibo. (Et oebemo pino tractare oc eis. a postea narrabimus signa vniuscuius egritudis ppria. Et illa vuo genera fignop funt pulfus a vrina: afignificatio pulfus fumit a coicantia oius mebroz cus coz de. (Sz vzina fumit a méfura vigónia in epate z venia: z ppterea fignificatio ipfi? no epauca in fignificado egri tudines médio prirtutis nutritine. Et incipiendum eft a pulfu:qz eins eft cognitio melioz.

CLa.XVII. Quode Depulluz De generibo z fpêbo ei?. Z vicimus op pulfus est copositus ex vuobo motibus boc est motu vilatatiois a motu co Arictionis zer ouab? quietibus a funt inter oues motus fic oclaratu e. Qz iter gfla oues

is suy good significes Unine

Significano Pilsus Sighone



femp variatur.qualiqui variat ab augmeto ad viminutio ne: raliquado a ouminutióe ad augmentu: riftud augme/ tu voiminutio aliquado funt pportionata aliquado non. Et gdam vicit vndofue ville est qui variatur in magnitu dine aparuitate partiu organi in eminétia a pfunditate in firictura a largitate cu mollicie substâtie organica oclinat partiad partitate is non multir vir fuus motus affi milatur vndie marie zab eifdez nome fufcepit. Et gdam Dicit vermiculosus qui vndoso assimilat: resteo minor ? spissioz. Et gdam vicit formicans vest minozistis puobo fed eft spissioz. Et gdaz vicit ferrinus qui vndoso in viner fitate partiu fimilar tamé eis rigidios eft. Etgdam vicit bis pullans: 2 pot effe vtifte le venominet per vinerfita te qua i vna babz pulfatione:qz in eade iterpolat z reuer/ titur: pot effe vt vicatur & oue pulfationes funt vna.q2 quies que est iter eas no b3 tempus o mercatur vici tem pus quietis. Et quidam vicit tremulus: agdam vicit toz/ tuofus q percipitur talis ficut flozganu tozqueret. Et qui das vicit arcuatus qu'est est eminens in mediore in ex tremitatibus pfundus. (1) Iste sunt omnes simplices spe cies a manifestiores que sunt in compositis. Caplin XVIII. Quod eft ve causis pulsuum.

Einceps icipiemus narrare causas omnius. Et vicim? o causa magnitudinis pulsus est fanitas virtutis vetiā fanitas instrumenti: v multa necessitas pulsationis: 2 propterea est istepulsus signu dominationis sanguinis in

toto corpore: amaxie fi cui boc jungantur velocitas afre queria.qz bec funt testimonia multe necessitatis cu fanita te virtutis tinftrumeti. Et cause parui pulsus sut istis co trarie:boc est fi fint ppter vebilitatem folii aut inobedie tiam inftrumenti; aut ppter necessitatis paruitatem: 7 p/ pterea quando erit iftius pullus caula vebilitas virtutis necessario significabit complonem malam malem pomi nantéfuper virtuté ipfam debilitanté:aut fignificat eua/ cuatione superfluă poter quă itrinseca virtus e vissoluta. Et quado sucrit causa ex inobedieția organi necessario si gnificat malam optones ficca malem: ficut accidit qui vo minat colera:aut melia:aut bominat in toto corpore co/ plerio mala ficca non malis ficut est febris etbica: aut fi gnificat super congelatione que fit poter frigiditate mul tam:aut poter extensione arteriarum que fit poter apa. @39 fit pp pauca necessitate significat pancitate calo ris: talique aggregant bec oia tria: thignificat fup ifta tria: z caufa mediocritatis e temperatia reru fupradictaru. Et caufa longi pulsus est paucitas virtutis co o no potest ex tendere arteriam in latitudine a pfunditate proportio nem extensionis longitudinis: a boc est p maiori parte p pter ineptitudinem instrumeti; sicut est ppter rigiditate a obturationem cutis. Et cause curti pulsus sunt opposite causis longi: thoc fit ppter virtutis debilitate: tpot esse vt fit ppter inftrumenti rigiditates:aut ppter becambo. (Sed largi pulfus caufa fortitudo virtutis e cu aptitudine inftrumenti: caufe fricti funt iftis oppofite. (S; caufe eminentis funt pping caufis longi: excepto go vir tue fortior eft quin illo velalio:aut quiftrumentu eft ma/ gis obedies. Et cause pfundi istis funt opposite. Et causa velocis est multa pulsatióis necessitas: tamé no est necessariu ye cu bocadiungat fortitudo: eo op pluries na labo rat cu velocitate loco foztitudinis quado foztitudine no babet: 2 boc fit ppter vebilitate virtutis: aut ieptitudine iftrumenti. Et caufe tardi iftis funt Szie i.non neceffitas anbelitus aut vebilitas virtutis aut ambo: 2 ppterea est boc genus pulfus fignum male complexionis frigide ma terialis vel imaterialis pprie vel comunis: aut vebilitas pirtutis ppter enacuatione preambulam; aut ppter mul

tos malos bumozes qui visfoluunt virtute ppter malaz con opione vel quitater cae generis receptia vitute funt manifelte. Et caufe pullus fortis zoebilis q funt fumpte a vitute manifeste sunt. Et cae spissitudio ecde cu cais velocitatis: ană illu opat qui no pot facere forte vel veloce. Sa caula rari est poter paucă necessitate cu abudătia fri giditatis. (53 genus fumptu a ppoztioc.4. tepop pul fus eft queop a via nali exitus eft ve motoilatationis fit maiozis parationis ad motu offrictionis di pebeat:zeft pt maioz fit neceffitas ifpirationis oreipirationis. Et qui motus offrictiois erit maiozis coparatiois:ad motu vila tatióis pebito: túc crit fortis necitas ad enapozadú vapo re fumofus. Et qui ges erit maiozis coparatiois vebito ad motistucerit B pp oebilitate virtutis cu multa inspiradi necessitate. Et silr prnutatio oparatiois ouap adinuices quietu e fic pmutatio paratiois onon mothu: B eft motus vilatations antrictions. Sagen fuptu a filitudie avi ucritate pullus e manifeltu: qualfilatio non fit mili boni tate virtutis zozdinatione ipfius vt caufa permutatiois est enapozatio virturis z ipsius vebilitas. Et causa talis permutatiois é vna ouap repaut pp aliqua res q virtutem vebilitauit zaggrauauit ficut viius buop maloum: aut pp aliqua cas caloze irrinfecti cozdio ledente:qz vifte/ dit ficut polozoris fioi: 2 pot effe q fit boc pp pebilitate; vtutis ipfius ve motu iffi: ficut cotingit in fine egritudi nu nocentin. 3deo que billitas femp of in pparatione:qu ficut otingit pp cam multon bumon: fic no est impole vt fit ca motus iffri ipfins. Et qui vinerfificat in multis pul fationibus minº malus é: fic est ordinatus in pinerfitate pulíus. Bilir est malus minus nó ordinato: ppterea quor dinatus cófernat fung circuitú in bac vinersitate: a cófer uatio no fit nifi onio vtutis ppter alique motus. Et caufe spēru in dinersitate copositaru be sunt: qiñ cae caprizatio pullus aliqui pueniuni ex ineptitudine iltrumenti ciilis că est pullus sozicinu excepto o qui permutat ab augmé to ad viminutione elt fignu viminutiois viutis: Thi redit ad fuum pucipiu fignat vigore virtutis: aff a viminutiõe ad augmetu venenit fortiore vitutes fignificat. (\$5 vn. dofi pulfus că est virtutis vebilitas cu organi mollicie et frequetia fua est sic si virtus parte mebri super alia aggre gatita vtifte motus motui vndaru maris affimilet q ex multis copolitus est motibus. Et vermiculosi pulsus cae istis siles sunt: to funt debiliozes: a sile formicas: to a ipse vndoso vebiliozest:z ppterea victu est: op no fit formicas nifi vermiculofus precedat. [Laufe vebilitatis virtutis funt manifeste:aut ppter enacuatione superfluas ex qua enenit fincopis aut pestructiones caloris intrinfeci: eo go caufe q faciunt egritudine funt orie ei anocent illi. Sed ferrini pullus cause funt virtutis pebilitas zest positus ex pebili aparuo; ain ipio funt ptes anticipates apolipo nentes ficut in vndoforercepto quin isto ficcitas magna e manifestara quificcitas fit eria ab extensioe est ferrino pul fus fignus calidi apostematis e maxime quado est in me bzis neruofis:qo eft:qz rigiditas plus fit ibi ppternerui.
@Sed bis pullantis caufa boceft martellini: eft ozgani ouricies:qz agit ficut malle? fup incudem pcutiens bis pcutit 2 scha pulsatio p se est boc e pp rigiditate nerni. Et că tremuli pebilitas e vitutis: 2 toztuofus fignificat fuper spasmu. Et arcuati că silr vebilitas est virtutis: quegliter organi ptes ferre no postut. Iste funt cae fepte genen pul fun breuiter victe. Sz ve pullibo apatuz vicemus cu loqimur ve fignis cuiuflibet egritudinu. Sed cae triu gen ex pulsus istis commetaru manifeste suta rebo andictis: boc esta cansis male complexióis. Et quiste spes pulsum no posiunt oppendi in aliquo idiniduo inis coparato ad pul fum fani q in corpe teperate optonis inenitur: aut ad ali



puenit viriditas aut fusitas precedit a vniversaliter alu colozes frigiditates fignificates. Et aliquado fit vzina ni gra ppter admixtiones colere nigre propter expulsiones colere nigre que a natura fit fic in spleneticis fit: zomnis piriditas fignificat frigiditatem excepta illa que cinaria nominatur a pozzina:namille foztem adultiones fignifi cant: 2 no est oubium quin fisticina 2 idica seu celestis fi gnificet super caliditate: quia videmus viinas colerico p mirtas viriditati cus citrinitate: quia viriditas est prin cipius nigredinis ob boc cause que faciut nigredine eede funt cuz caufis que viriditatez operatur: excepto quia in piriditate funt Debiliozes. Et vzia alba z clara ficut aqua fignificat digestionis defectu z virtutis nutritine debili tatem aut opilationem aut vtrungs. Et vzina q spermati affimilatur fignificat bumozum flegmaticozum frigido rum crudozum abundantiam. Et viplurimu apoplexias aut fimilem egritudinez fignificat: z pueri bác babét vziv nas quado epilentici fiunt. Et possibile est ve bec veina sit fignum crifis in egritudinibus flegmaticis: 2 poffibile eft vi fit coloz albus in egritudinibus acutis. Sed est pluri mus perditionis fignus: qz fignificat ascensum colere ad superiores partes qibi facit apostema. Et aliquado vrina erit rubea zegritudo erit frigida: zbocaccidit ppter foztem polozem vt in colica: aut ppter opilationem viarum que currunt a felle ad iteltina: quia tunc est necesse vt ille bumoz exeat per vzinam. valie caufe affignantur: fed ifte fufficiat. Sed colores compositi sicut lotura carnis significat vebilitatem virtutis epatis aut renuz. Et vzina que olco affimilatur folus in colore offins febres fignificat: co o pinguedines liquefieri in membzis fignificat excepto go banc nigredo no precedat go fi boc effet cafum virtutis fignificaret: 2 quidă vicut o bec viina in acutis febribus apparet: 7 fm illos materierum pinguius fignum est creticum: fed becaccidit raro.

Capitulus.XXIII. Quodeft De fignificationibus vei

ne fumptis ex fubstantia cius.

Ubtilis viina vefectum vigestionis fignificat eo qo bigeftio necessario materiaz igrossa re Debet: T Defectus Digellionis fit ppterbu mon cruditate:aut propter defectus virtutu

aut pptercibi zpotus multitudinė. Eterre bus multuz adimiantibus subtilitate vzine est viaru opilatio: z ppterea vzine calculofozum fubtiles funt: z fi post fubtilitate apparet groffa fubfiantia fignum est op natura icipit vigerere. Sed fi ab ipfo principio apparuit groffa z in cade groffitic măferit fignificat multă bumop ebullie tiones a caloze extraneo factam: 2 ppter boc est malus siv gnuz. Sed vzina groffa que post subtiliatur e itez ingrofe fatur quis becoperatio a natura peedat pigritias nature fignificat post incepti operis principius. Et fi grofficies pe pter motus bumon fuerit boc est bonu signu: qo est:quia fignificat quatura vigerere icepit. Et quida boc reprebe dere voletes vixerut quo funt aliq figna tenenda in vzi na nisi ex ope nature iterious: sed si ab acre extriseco fue rint teneda no erut. Sifti ignozat op aer no opat in vzi na res dinerías nifi, ppter preparatione qua ab iteriori na tura capit. Et vzina que in pricipio egritudinis a parte na ture apparet groffa a postea subtiliat longitudine egritutudinie fignificat. Et iam victu eft. pueroz vzina natu ralitereft groffa z innenuz fubrilis.

Captin. XXIIII. Quodest ve ypostasi viine voeei?

fignificationibus.

Ppostasis sanitate venuncians vebet esse in fundo recalba leuis requalis rin forma pi neata in fundo:co co eft fupfluitas terricoi geltionis. Et ve na supfluitaru est pt fint gra

uce:alba qa mêbranô nutriune ca fanguine nisi postegest Dealbatus reis affimilat?: 7 ppterea crit color fupfinita tis ficut color nutrimeti quando vrus nutritia fegtur fuu curium nălem:leuis veqlis pprer oigonis teperiez: vqz b tepies eglis est in oibus suis partibus os esse pineata propterea o bec figura postionis equitate oium fuaru partius in leuitate a granitate ofidit; a quactio calozis in bac gre mpog an forma onatur: vetia corpora grania naliter exteduntur v bilatant: f3 leuia in feipfis aggregantur a petut afcenfum quoufgs acuantur ficut accidit flame ignis. S3 fignifica-tio que a loco fumitur est bec. v5. q2 illud q6 stat in pte superiozi qo nebula appellat fignificat pucipiu apitionis ol gestiois bumodo sit alba. Et pp boc vicit. y. o si vina nu bem alba quarta vie fecerit crifis in.vy.indicabit. Sed q stat in medio significat vigônio cremetu: vá est in fundo precta vigône significat absolute: vumo in boc perseurs conuenietibus viebus. Sed si modo apparet: modo vero non: fignificat nature vebilitatem villius impedimentu: Etelt sciendum qualiquado in vzina apparet byposta fis alba quando materia est flegmatica no coctarebec oif fert a naturali eo q ipfius partes funt outerfe. Sed coloz citrinus bypoltalis fignificat citrine colere bominius qo virtutem impedit vigestinas: 20b boc fignum est malus. Sed rubea folum fignificat materias multam z pigritia nature que ipías propter fui multitudines permutare no poteft:propter boc bec bypostasis longitudines egritudi, nis significat, Bed est salubris nis malum aliqo apparue rit fignum:qo fi apparuerit fignificat moztem longo tem poze precedente:qo est:quia boc malum signuz adiunctu fignificat o bec materie multitudo virtutibus in fine po minabitur: tipías vltimo profternet. Et ficidem bonum. fignum copulabitur cotrarium fignificabit. Sed malum qo bec bypoltalis lignificat no elt nill ex parte quatitatis zobboc pro maiori parte est fignum falutis. (Bed co lozniger in febribus acutis est vitionis fignum: apropter boc mortes fignificat. [53 vifferentia que est inter bac bypostasim abumozem nigrum quez expellit natura per viam crifis eft o bec bypoltafis eft in valis fundo. Sed bumot expulsus in yaina est oispersusce, ppter boc oiners fitas loci oinersam ponit intentionem boc est quia quando bypostasis nigra est suspensa mino est mala bypostasi. in fundo pecumbere: qo est squia significar alicums pigeftionis principium: quanis fit mala: 7 minoris est granitatis. Sed que est in fundo malas vigestiones complete si gnificat. Et quado bypostasis est obscura frigiditates na ture vel calozis naturalis extinctionem fignificat. Erby postasis albaginaria multitudinė motus bumozu; et ber fectum bigestionis significat. Sed cozpoza bypostasium extra natură multarum manerierum funt:quia quedam funt que trítico fracto affimilantur: z quedam que ozobo offimilanture fignificant be membrozus liquefactione: aut bumozus vitionem: propterea in egritudinibus acu tis funt male: tfi babuerint colozem rubeus bumoze fan, guineum vítum fignificat:aut partius epatis aut lumbo. rum fignificat adultiones. Et vicit qu citrinus in lumbis magis fit proprins. Ged laminofuz eft peffirmi : qo eft:qz membro pradicaliù lique factione ricifionem lignificat. Sed furfureus aliquado fit ppter scabies vesice: raliqui fit ppter liquefactiones membrorum: rad differre facit illud qo er scabie vesice aut ab alio: est qui nipo prurir'in partibus virge sentitur. Et vninersaliter quandocunque pecaccidentia paffioni vefice adiunguntur. (Et areno/ fum fignificat aut lapides coagulaturant icipiente coagus lari. (Et fi fuerit rubeum lapides in renibus fignificat: afi fuerit album lapidem in vefica bemonstrat. (Etla niofum apostematis rupturam significat in yzine mem-

promotest from

Assendenda & vrine alsonano eria acro exeripco fache ga nor no alavar misi sugar F paranosne fat lam



bozas prelongătur: r circuitus buius febris est tertianus: fed tamen non convertitur quia non est necessarium o omnes febres que babent circuitum bunc fint De colera. S5 poffibile eft vt fint oue grtane aut oue gntane: thoc non accidit nifi in principio egritudinum. Iña funt fignis ppria buius feb. a aliquado fignificationes ifte rebus comunibus fortificantur.boceft qr coplexio:aer:etas: ralid regimé buic bumozi comparantur. Et aer cu3 boc bumo-re comparation é babet modis puobus vnu3 est fin suu3 tempus naturale: vt eft eftas que eft calida eficca: alius est quado egreditur sima cursus naturalem ad caliditate z ficcitatem: quauis tempus per fui naturam vebeat effe frigidus. (Sed febres que paroximos non babét illis comunicant exceptis circuitibus thypo. Et in boc genere igreditur febris que causon núcupatur cuius materia îtra venas est: a maxime circa os stomaci: a epar posita é: ppterea in bac feb.no est rigoz. Et fitis foztis buius feb. pprium fignus eft. Et peior i pecierus caufonis eft illa que fit a colera cinaria aut praffina. Et illius paropiimus longus est propter inobedientias bumoris illius ad oigestio nem recipiendam.

([Capt3.XXIX.Quod eft ve fignis febris flegmatice. Ccidentia magis propria buius febris fut qu in principio extrema infrigidantur velt tem pue frigozie longus: sed paulatim inualescit Et quado incipit caloz apparere redit frigus

z foztificatur fuper eu. Et tempus paroxilmi istins fe.is.occupat bozas: caloz istins febris no est mozdicatiuus nec furiosus: z ppterea primitus tactui no ma-nifestatur. Et buius febris pulsus rarioz z minoz est pul-su febris tertiane in quolibet. 4. suorum tempozu. Et vrina in bac febre e fubrilis z alba aut fpiffa z obicura z fi ca/ los putredinalis é fortis a flegma puru no estruc pole est vi vzina sit rubea a palpebre patientis tumide erunt. Et in pluribus bozum patientium os stomachi est frigiduz: a fi vomitus eueniet flegmaticum cuoment. Et aduetus ipfius paroxifmi omni die fignum proprium non est quia due tertiane bunc eundem faciunt paroxifmum. parox gifmus longus est propter ipsius bumoris tarditatem: 2 paroxismi ipsius plus continuantur & colere paroxismi: quia iste bumor putrefactioni magis est appropriatus. Et adbuc propter longitudinem paroxiimi aduenit bumozi non cozzupto preparatio putrefactionis propter longam mozaz calozia extranei in cozpoze viu permanentia: 2 boc propterea accidit quia calor febris buius est temperatus Tfubiectus babet bumiditatis. Sed in feb.colerica quia caloz extrancus cum ca accenfus cito tranfit non eft tem pus preparans ad putredinem in parte non putrefacta ? vnitterfaliter in bac febre calor itrinfectus est valde fepul tus:bec enim est causa ad plus côtinuandos in bac febre paroxifmos. Et peterioz barum febrium e illa que ex fleg mate fit vitreo. Et similiter etiam aliquado cognoscitur bec febris:aere:etate: rconfuetudie rcomplexione.quia bec comparationem babent cum bumore banc faciente

Captin.XXX.Quod eft ve fignis febris quartane. Ec incipit cum frigote grani: ita o tunc accia dit patienti ftridoz ventius. Et patiens tunc fentit membrozum confractionem z boc fit

propter frigiditatem ipfius bumoris a graniv

tatem. Et pulius iftius febzis eft tardus:ra/ rus: paruus:pluico fit in flegmatica: boc vico in pacipio paroxifini: et vicitur qu'in augmento maioz est qu'in flege matica: quia caloz in bac febre manifestatur a febris for tioz existit. Et colozes vzine in bac feb. variantur:nam ali quando est alba z subtilis ad viriditatem peclinans: zalis

quando nigra z groffa ad rubedinem beclinans: z viplu rimum bec febris alias fequitur febres. Et tempus buius febris eft longum: tempus revolutionis ipfius eft vimit tens duos dies: a inualefcit tertius. Et quartane circuitus est quasi sicut proprium signu in bac febre:propterea quia non invenitur talis circuitus in aliqua alia febre fimplici vel composita. Et maioz para banc patientius sunt splene tici. Et fortificatur fignificatio in bac a rebus communi. bus fin quin alus victum eft:vt ab aere zab etatibus: za complexione: a fignis fignificantibus Dominium iltozu

Capim.XXXI.Quodeft De fignis fe. que in arabico nominatur michabecha: telt fanguinea.

Ec febris typus non babet; co co fanguis eas faciens eft in venis:excepto fi fieret proprer faciens eft in venistexcepto fi fieret propter quare sigumen no apostema nominatum flegmon:qo in aliquo habeat ferreda

aponema novamentalium effet generalium e in bac febre effent paroxifmi tertianary fimiles colere pa roxilmis:quia fanguis quado supercalescit ad natura De/ clinat colere: a propterea in bac febre non est differentia inter feb.colerică que babet materiam intra penas tiftă comuen cha inf jungue nisi in magis aminus:quia non potest in corpore fieri fernan colonia bais de colera pura folu:quia talis febais de colera de ne cessitate moztifera esset: qó est: quia colera non est apta re cipere aliquam vigeftionem :nifi in boc qo cum fanguine est admigra:aut cum materia qua nutriutur membra ra, dicalia:boc est sanguis vealbatus. Et signa que signific cant banc febrem funt figna bominium fanguinis fignifis cantia: viam nos narrauimus ipia. (Et pulíus banc par tientis est in yltimo magnitudinis v fortitudinis. Urina est rubea agrossa a suspiria: a inquietudies sunt propria in bac egritudine vin colerica. Excepto op in egritudi ne illa fortiora existunt. Et alienatio mentis propria est in febribus acutis. Et verba Balieni varia funt in bac febre:quia aliquando vícit qo est colerica cótinua. raliquã do vicit queltalind a colerica: 2 quon vebet attribui co lerice:nifi quia non babet putrefactione perfectam:quia vorus o Gol & de natura istine febrie est media inter febrem vici a febrem putridam: a fententiam mea tu iam nouisti. Item febris ifta non babet nifi ynum periodum: zin illo aut foluitur aut occidit. Et aliquado incipit lenta e femperad vitima fortitudinis crescit. aliquando est contrarium: aliqua do in yno permanet statu. zcausa bui? paroxismi als per alios multotiens victa eft. [] Ista funt figna cognitionis febrium fimplicium: qui fimplices cognouerit compost tas cognoscere poterit: cista exempla no fuerunt oata ni fi per modum fimilitudinis:quia raro inueniunt. Et ad, buc quia maioz para accidentiuz que in bis febribus tibi narrani non verificatur nifi in febzibus que funt De mar teria bumozum naturalibus propinquozu. Clerbi gratia. quia paropiim? febris colerice maioz.iz. occupat bozas. quado colera naturalis est putrefacta. Sed quado vitel, lina aut zinaria putrescit:tunc longioz erit paroxismus. 2 accidentia erunt peffima. a panci enadut a maxime ex 31/ nariazeo quaptitudine vigeltionis no babet:qo elt:quai docung bumozadeo contrarius est ve coplexio corpoxis no possit agere vigerendo super eum: tunc febris veterio rem exitum babet: quandocung potentie propinquioz estaunc febris falubrioz est.

Captim.XXXII.Quod eft De copofitione febrium. I fcias o copolitio febris eft a ca locali: ant a caufa materiali. Ité caufe materiales tres babent modos. vnus est quado ouo miscent bumozes: tunc ma sebris sit iter illos ouos buotes simplices qui singulas possur facere

bann Febris ex (oliva Jum

Fibre sime mes,

Quar maine in close





dinis aut ipfins brenitate: qo eft:qr crifes non fiunt manifeste nifi in egritudiniboque breui tepore finunt. Et lo gitudo egritudinis atqs bzenitas a na centic egritudinis cognoscit: esimiliter a rebus extrinsecis que illis similes aut diffimiles indicant: ficut aer: clima: dieta: exercitiu a fili pplo a etas. Et aliqfi brevitate a logitudine egritudine cognoscimus a na mebri patietis ficut apata que in mebris pricipalibus generant. Et multotiens ab accide tibus cognoscimus:qo est:qz queda accidetia bzenitate:r queda logitudine fignificat. (Itemaioz para accidetia que in supfluitatibus corpoz apparet ex signis vigestióis a puationis ciusde simili modo significat sup egritudina tepoza in longitudine a bzenitate: ano folii ex parte qua/ litatis:veru etia ex parte quatitatis:ita go qui erunt mul ta cită columptione egritudinu lignificabunt: 2 qii erunt pauca Szium venotabut. Et egritudines que naliter funt breues fut colerice aut fanguinee: fine cu apostemate mé bzozuz pncipaliuz fiunt aut nozgo est:qz tertiana pura ter minii attuordecim vieru no excedit: raliqui per spacium septimane vnius cosumit : est fuerit intra venas acutioz erit; z fm istus modu est in sanguinis febre: eo quest in vi timo acuitatie. [Et fcias quantiqui no vicerut ifta nifit egritudinibus acutis que terminant in áttuordecis vier bus vel ifra: zbocno inuenit nifi in iftis buob generib? febrius: z in apostematib fanguineis zcolericis. S 3 flege maticaru febriu tepus est logus: voigestionis signa in cis ante tres septimanas no apparet. valiquado ad sparium plurius mesius extendunt. Et que excopositione ex fleg, mate volera suntiter bas medie existunt. Et melácoli, ce spacio septe mensius extenduntur. 2 qui res extrinsece egritudini ppoztionant: vt coplerio:etas: regime: t be funt cause logitudinis a brenitatis egritudinis. (Et ad buc funt egritudines babétes prietaté ex fui na longitu dinis a breuitatis, verbi gratia vi iunenis babés colerica febréer pura colera: zin regione calida: repe calido: reus regimine calido: 2 optone calida: vico qo bec egritudo fi niet oino ante septimu vie. Et ecotrario in sene babete fe brem ex melácolia: vin byeme: vregióe frigida: v meláco/ lice oplonia: vregime ei fimile. oico op bec febria no eradí cabitur piquad fex menfes. Et quado no coueniut bec cu egritudine crit logitudo a breuitas fin pportione multiendinis a pancitatis ab eadé. Sed accidetia fignificantia breuitate egritudinis funt fortitudo caloris a pulfus:ma gnitudo z velocitas: z vir ois fort egritudis moto a forti puenit caloze: z calozis cozpis subita pmutatio ad citrini tates: vel ad rubedine subito vel ad macies. Sed accide tia fignificătia fup longitudine funt bis 32ia: 7 mediocria fignificat mediocritate inter logitudine a brenitate. Ss figna fignificatia super attuor egritudinu tepora que po ueniunt ad crisim aut no: bec sunt. Scias op signa pneipu egritudinis funt qui accidetia fm vnu modu inueniunt & no foztia. verbi gra: tepoza affliction u tunc erunt equalia queadmodu tepoza tunc getis talia erut: De buius tepo-ris ppzietate est venullu bigestionis signu in vrina osten datur:vel in sputo nist egritudo pranioz efficiat. Et fignu augmeti est que egritudinis accidetia accrescut: a tuc tous afflictionis plogat ttepus getis breuiat. Santicipatio porifini augmetu egritudis ii fignificat fi cu B logitudo epis aut foztitudo no adiugeret qo est : qu qui anticipatio porifmi a fortitudine avelocitate egritudinis caufat:tuc necessario sequit logitudo porismi a fortitudo. Sogni ca anticipatiois est vigestionis aptitudo abumop subtilia tio:tucparoxifmus fortior non erittergo anticipatio fola augmett fignu no eft. Et fignu paugmeto ppiù exiftit est vigestionis manifestatio: boc est venebula suspensa in medio prine videaf:aut in supficie ipfius. Et signa stat?

funt qualifimilia principy fignis fm tepus: quis fm par tientis vires dinerfificent: tune in digeredo complet fu am actiones natura: cus in vrina completa digeftio reperitur. [Et scias o no est necessariu ve in boc tpe accide tia fortia finter fi quesieris que sit causa quare tépore status natura vebilitata vigestione oftedat: zin tepoze pincir quare dues no harpy virtus fortis digestiones occultet: This corrariii sequi m som no m prespio pebet:qz foztitudo nature oz opponi inobedientie materie. (Respondemus qzest semp vna coparatio tepozis inter agens apatiens; a ficut forma a efficiens, pprium a ordinatus tempus babet fibi ad agendus: fimiliter mater ria babet fibi propring a peterminatus tempus ad patie dum: quaus forme veraciter tempus non attribuatur: fed materie: tamen boc est victum in formis abstractis; verumetlam in formis relativis boc potest vici quod vi ctumelt. (Et occlinationis tempozis figna funt quando accidentia alleuiantur: a natura egritudini pominat. aparoxiimi abinuicem elongantur a baenioaes efficiunt. Et ficanticipatio folaparoxifini non est fignum augmen ti. sic postpositio sola non est signum peclinationis:quod est:quia postpositio a paucitate materie fieri potest vana ture ocbilitate.

Captin.XXXIX.Quod est ve speciebus enacuario

num que fiunt in crifi.

Z species enacuation que in crisi finnt fm buncmodus funt videlics per flurus vetris, per vomitu: fudozem: vzinas: z fanguinis per nares flurum: z fluru emozroydaz z in mulierib per mestrua, z aliquando crisis fit per apostemata: camen illa crisis laudabilis non est nis fiant bunemodus funt videlics per flurus vetris, quot modus fint engis

apostemata in ignobilibus mebris: caliquado fit per pu stulas iuncturarus. Et vnaqueos species istarii cuacuatio que sitmala suis num in aliqua egritudine, ppria est vt plus amaxime qui crifis laudabilis eft. (Erifis febrius colericarii per voi mitumaut fluxus ventrisaut fudozesaut per vainas fit. Et sanguinearum per modu alicuius exitus sanguis fiet, retiam aliquado a comunicatione de membrum paties cum alio babet inuat enacuatio. Sicut apostema cerebai creticat pluries per flucu fanguis narium qua per emozroydaru fluxu: 200 in gibbofitate epatis: creticat p vzina a qo in cocaultate est per fluru ventris terminat. Saluo pegritudo languinea no fitzaut per emozroydas aut per meltrua fi fanguinea fit. S crifes que funt per apostema ta aut per pultulas viplurimu in egritudinibo logis fiut: quide moztifere crifes in fine funt poter apoltemata q in mebzis principalibus funt: z ppterea pcipit. Y, in alig bus istarum egritudinu euacuatione in pncipus ficrisce non oigestionem expectare.

(Laplin XL Quod è ve viebus creticis.

Z vies manifesti laudabilis criss: sunt vies qui a pricipio egritudis per quaternaria enu, merani coputationes, boz puinus est quar, tus 2 scos est. vu. eo qui in bic vtrisquomni cat: 2 post būc. ri. no comunicans 2 post būc. riu, 2, 2 post būc. rvu, 2, comunicas e : 2 post būc. rv. 2, coica: Z vies manifesti laudabilis crisis: funt vies

apost bos exily? ervy? excily? excily? except? a except. entra except. state and entra experient crises manifelte a une vigesimu funt per quartana riam coputationes: boc fit qu fiunt in quartis. in grtis ancedetibus indicant ficut crifis que fit in feptimo q in dicat in quarto bono figno in greo apparete fic nebula ale ba infpefare vndecim greudecimu idicatre becimulquar tus pecimifeptimii idicat: z pecimuffeptimus vigefimii idicat: f5 post vigesimi non fit idicatio nisi p septimanas.
zisti pice omnee pro maior parte laudabiles sint: zin eis
maior pare crissing fit. Sed sunt alu qui in bonitate istis

Augumetum in febre.



tudinibus acutis: taliquado a fortitudie egritudinis. Et aliquado accidur bec figna in egritudibus cronicis: vt in etbica: zetiá post multá cuacuatione a fluxu vétris: vel a pigilia imoderata:qo eft:qz viffolutus eft caloznális z bu miditas: caloz extrancus est fortificatus excepto veno ocesserit verris fluxus imoderatus aut imoderata vigilia:qz tūc in malo leuius fignū cet. Et qñ albū oculi rube um fuerit: ziphus vene obscure: aut nigre fuerint signus moetis est pculdubio: z maxime in egritudib acutis: qo elt:qz nigredo extinctionez nalis calozis fignificat: z albi rubedo repletione cerebai ex bumoab inflat fignificat. (Emineria oculi in egritudinib? acutts malú est nist fo ret ppter oculi obtalmiå:aut ppter vomiti. Quado fup-ciliu:aut labin:aut nafus colore luten babet 2 obscurum: morté prima fignificat. Grigiditas extremitatu in acutl fignu malu est valde:co o fusiocationes caloris nalis in partib" intrinfecio:aut pp apoftema fignificat: aut ppter bumoz frigidoz abundatiá: z pptiú fignú est extinctióis calozio nálio: z eode mó qú búo fe cospuo intrinfecuo fue rit calidă restrifecus frigidă:morte fignificat: co o apa calidă venuciati îteriorib ecreticalor estrinfecus vertitur itus. Et vir qui caloz eglus no est in toto corpore ma lum est:qo est qa significat in mébais pacipalibus apa sic in cerebao:stomacho:a epate. Quado lingua pustula boto ralia by cũ extremitatů frigiditate mozo prima est: 90 é: 92 fignificat in cerebro: aut in vetre calidů apa 2 malů. Il bigiti a yngues ad obscuritate funt veclines: and viridita tem state pulsu pebili more vicina est. a fi nigredo adsit cu fortitudine pulsus in vie cretico falute fignificat. Et fi militer quado fantes in illis locis fuerit aut apa falutem fignificat. Et quado in carne pmo apparuerit pultula rubea: veinde ad viriditates vel nigredine couertif fignus est malu: qm iaz extinctione calozis innati vider fignifiv care. Et fi in egritudinibus acutis apparet in fugficie car nis minute pultule ad fimilitudine granoz milų fignum cit. Y. yetericia venies ante: 7.0ié in acutis febrib? malū ē:reprobatū ē expietia in oib? nřis terris. 7 fi veniat in gn to die landabile multi e vina rone: amarie in tpib? cali dis zcozpibo calidis. Et bec e fentetia collegio pinedico rum omniŭ perfarus: z indie maiozis: z pro maiozi parte illozus de antalizpossibile est quistud qo dixit locu in gre cia babuit:qz terra illa bac frigidioz existit. Et istud qo oi rit. y. o erat fignu malu: eftideo: qz beceft vna er rebus er qua puenit crifis zois crifis veniés ante vigeftione eft malú. apostibile é o viderit in terris suis crises veniétes p yctericiă ante septimă esse malas a sine vigestione. Et fignificatio que sumit a rebus executibus a corpore boc é ficut stercus nigrus a viride a fetens: a cus pinguedine in febribus acutis: qz bec morté fignificăt: qo est: qz nigrum adultioné: pingue mébroz liquefactioné: fetés corruptio nembumoz fignificat. Er in acutis ftercus albus e liqui dus malu esteco o significat orgestionis vebilitates : 2 q2 colera ad partes supiozes ascendit; est in vrinis i bac febte. Ite albu ftercus futură vetericiă fignificat. Sigfter cus babés colores varios: fup longitudiné egritudinis by fignificare thip abudantia vinerlog bumog: t fi ca medicine fuerit falute pruciatin qubet egritudie: t fi in procipio exierit colera nigra: fine fupins vel inferins moztes fignificatico co cii talis bumoz apparuerita pincipio egritudinie fignificat aut fup abundantia ipfiue bumozis aut sup vebilitate virtutis:aut vtrug. Et visynteria puenies a melacolia aut acetofitate morte venuciat:quado fterco colere pure affimilat malu eft cu appenir oefecm.filt ca fus appetitus cuz fanguinis fluxumalu. Migra ypoltafis in acutis febribus morte fignificat.code modo yrina aq.

fa a fubtilis perfeueras in pueris mala efteçõ efteça eozuș nălis vrina os effe groffa. Urina aquofa in egritudinibus acutis mozte venuciar: z vrina turbida que non clarefeit mala estreo op fignificat supra fortitudinë extranei calor? aut vigiliaru. Urina furfurea z laminofa in acutis febribus mala eft fi viciu renu aut vesice no affuerit: que ment dre vima Turboa bioz liquefactione significar. Et signum viscretiuu inter vtring eft renti aut vefice voloz: 2 vomitus niger: 2 icrea/ tus existit malus: ticus boc fucrit feres mortes ba figni, meth Signi ficare. Budoz in vie no cretico apparens er q febris alle-uiatione no be malu est: Tsi cu boc est frigidus in ceruice Teapite maluz est: Tsi in capite solo peioz: qz logitudines egritudis fignification leta ti acuta fignificat morte. Sa guis guttatim exiens ve naribus paucus e niger in caufone mortem fignificat; qo eft:qr magnitudine apostema/ tis vicit effe in cerebro. Dec funt figna accepta ab operatione. Quado oculi lumen effugient zinuolutarie lacbrimauerint fignus malú erit. Et fi veloces fuerint a rubicú dir vnus altero minoz apparuerit: fignü est moztis. Et ru bedo oculoză iterus fuper spasmum cerebzi babs signifi. care. Et eodé modo quado labia aftringunt: quado ifir mus a capite ad pedes fe iactauerit mostis eft fignus:quo niam intolerātiā virtutis benūciat: t vir quādocūgs i ir mus non fleterit ad modū fani fignum eft maluz: t fimilir quando vult federe faltado feder. Et eodem modo quando se adberet capiedo seu sustentando se vbiq; signus est mortis. Et quando ifirmus non audit nec videt: cus ocbi litate virturis fignus est mortis, pxime: 2 quado anbelit? Trerdus fortis:2 quadoqs occultus fuerit malú est:quonia perturbationé mentis fignificat:q2 eozum cofuetudo est: cum fuerit anbelitus eius intercifus: e fignu malu: quo nias spasmus in musculis pectoris esse venunciat. Et son? quando lefione vel voloze iducit fignu est malu. Et figna que ab egritudinibo pcedentibus fumunt funt fic fumen da:q: quado nona egritudo pcedete fortio: erit: aut i me-bro nobilio:i fignu est malu: ficut si in squinatia in quarto bie bumoz ad pulmoné vescédat:patiés in septimo mozie tur. Et fimiliter ois egritudo fignificans egritudines vel fortitudiné cause efficientis egritudiné mala est: sicut repletio reumatis in capitibus prificozu mala est a fingult? in egritudinibacutis:qz fpafmuş fignificat:zaliqfi acciis superuenies opponit egritudini precedenti: sicut ydropia fis festimantibus post fe acutas.

Caplin. XLIIII. Quod eft ve fignis yniuerfalibad

cognoscendum mébra intrinseca egra.

Eincepe volum loqui ve fignis egritudinus membrop intrinfecozu. Et vicemo qo ias vi ctus est superius op bie tria requirunt: vt me brum egri: quiditas egritudis: 7 caufa egri

tudinis: e caufa bic itelligitur viffereria egri tudinis: bec est ipsi proprietas: r ea q istas r es significant pro maiori parte sunt accideria que actionib ? r passob inébrop superueniúr: r bec apparet aut in corpore aut i str perfluitatibus corporis. Sed accidétia que victa sunt pro maiozi parte super egrum mébzuz significăt:soluz quado illa actio aut passio mébzo cui supueniunt est illi propria. Sicut cafus appetitus egritudine ozis ftoaci fignificat. Sed fi illa accideria illi mebro no funt propria;quia illud meben egri no fignificat : ficut prinatio moto vigiti no fi gnificat ppzie egritudine folii in vigito ce:qo e:qo poteffe pp egritudine nerui ad aliud mebzu venietis. Jte poffibi le est ve accidens actioni mebri superuenies mebru egru regritudine fignificat: r boc accidit: qz boc accides ppziú ambobus existitificut boloz acutus pungitiuus paniculo fum mebru egrotare fignification bunc voloze efficit bu moz colericus. Et ogiremia q cus magna vetofitate egres



Quartus

flomaco puenerit ab accidétibus flomaco supueniétib? qo manifestat stomacho babète optoné malá malez aut no maléz cu boc penit? coungit moracibi in stomacho pauca:qo eft: q2 q a ftomacbo puenit est ppter vnā vua-rus reru:aut ppter virtutis expulsue sestinationē vtetitius expellat: aut poter retétine debilitate ve no retineat. Equodeign boy fuerit necesse est ve pauca cibi in stoma-cho fiat moza. Et aliqua accidit ve flucus ab itestinis puemiat ficut victu eft: Thocab accidetibo intestinis supuenio entibo cognoscii: quin stomacho causa festinantie supra dicte no est in ipso cibus tepoze nali mozar. Et qui ab epa te aut venis puenitaut ab aligbus alus medzis puenit: vt a capite: This filib" cognoscit si malis e silr a signis si/ gnificatibo oñius bumosis in mébso: rab accidentibo illi mebro ppruscaut ab ipsiº opationibº. Aueçoar eni testi-ficat de illo qui fluru cronicu patiebat q flurus iste i bo ra soni fortificabat: zin bora vigiliaru alleniabat: z p boc arguebat q bumoz boc facies cet in cerebro: thia inteti ones in curado cerebra adbibuir: t curatus est. Et ego cades res isti similé feci in quoda fluxu vetris patiete:q me/ dicarus a multis medicis: za me logo tpe fuir z nibil pficui babebat: ita qo e ipfius falure befpaui: fed ipfus vific tabă ficut amicu: t qz magnuserat: tande percepi vnu ex finis brachus alio frigidine z macrins: z antumani ob boc of fluxus ab illo brachio ortu babuit: co op virtutes ipfio mebriattractina voigestina vepdite essent ppter malaz pplone frigida no male sup ipsis vominarez. Et ego inte-tione mea ad illud mebru calesaciedu apposiu cu fricati-onibo: balneis: v similibo localibo reducere bona v nasem bumiditaté conatus fui: rpostea mété apposui: vt calozé nales ares bumiditaté bác cu reb° pueniétib° pleruares bonec ipius ad oés fuas virtutes nales reduxi. The medi cină ppiiă aliquă flurui ppiiă facere curani: 2 ppter băc rem bieni tpe curat" cit. Sed flurus q fit ppter opilatio nes que fit in mesaraicis venietibo ab epate ad itestina fi gnificat pebili exeunte cu egeftione : quis tardet in fto a intellinia tpe nali: aut ppinquo cide: qii boc accidit ali cui fit ci macies tpe becui: ita qo becuiori qi alua fluvibua accidat. Sed qii egritudinea ilte coponun i vificile e cas cognoscere. Et scias opmaioz pare istop signop coiectura bilis est: 2 ppterea voles ista cognoscere idiget acuto ige nio cu pseuerătia pserutationis: z qñ extimabis vnű inci/ pe eleuare cu medicina leui fm egritudine qua opinatus fueris: a filucratus fueris ex boc etinua medicina; qu tuc fcies qo opinat? es veru: a fi no: oimitte. Sicut qu credide ris qo caufa fluxus fit opilatio oabis res apitiuss: a fi luv cratus fueris teneas bac medicina: reredas o bec opinio est vera: zsi no icipies cito restaurare illud qo fecisti cum medicina illa. Et opinant quida medicop q becopilatio lit de genere impolito egritudiniboz caulis egritudinus, esi credideris o caula egritudinis lit caliditas studebis curare cu rebo paru frigidis: e fi videris op pacut credas p certo tua opinione: rincipe egritudine lenare. Dec füt illa ppter que cognosces mébra lesa Et queda cognosces p accidetia mebrop coicantia cu mebro lefo ficut tuffis q accidit că pleurefis:aut caufa apatis epatis:aut tractione offis trachea tracti caufa apatis epatis: fed bec figna non funt ppe figna leftonis membri nifi piungant alia ligna cus eis ficut tuffis a rafcatio que no fignificat fup pleure fimenifi fit ibi voloz pungitiuus lateris z fe. cótinua. Adbucicias qui ngbulda mébrop egrop est egritudo p se pomoran gbusda ppter aliop mébrop cóteatione fit: z cognitio egritudinis que ppter colligatia fit mébrop est que mebri copaties poter augmetti vel viminutione egrituv dinis mebri per fe egri aggranat aut alleniat, verbi grav tia:qu vertigo valie capit) egritudines q augmentant qui

stomachus nauseat: aut qui corruptos in se cotinet bumo restant quado a cibis vacuus no estrunc vicere vebemo g boc no accidit capiti nifi ppter cerebzi ad stomachum colligantias. Et adbuc boc indiget perferutatione: q2 pof fibile est vt alicuius membri egritudo ppter alterius me bri egritudines accrescat: aut esse potest: vt in vno mebro fint egritudines plures:quaru vna est sibi ppila apiima zaltera poter alterius membei colligatiam. Et aliquan do egritudo que propter colligantiam fit proprie egritudinis augmentus recipict a crementus: a autumabit for te quis op ppter colligantia folam boc prouenire possit. Itemadbuc esse potest yt oue egritudines ppter colligatiam esse possitudines ppter solligatiam esse possitudine egritudo cerebri ppter stomachus. egritudo stomachi ppter aliud membaus. Et ne in bunc errozes pecidat (peculatoz:opoztet yt circa boc pluries pe ferutetur: quado cius opinio superaliqua istarus fuerit firmata:tunc remotione ipfius cum medicina equalitati ppinqua attendet.boc est cu3 medicina ad aliqua extremitatu no multuz veclinante. Et si experieria boc ipsum inuenerit a perpendat in ipfo perfeueret: afi non:ad alias opinionem se connertat.

(Laplin XLVI.Quod est pe signie egritudinus veats farum ipsarum in generali.

Z postas nos de rebus vibus fuimus locuri p quas mébra egra cognoscere posium? de ceps loqui volum? de reb per quas egritudi nes e ipsas egritudinia cas cognoscamus. Et de cognoscamus es resultant mata explexió mális aut no materialis. Et signa que masa coplexióne mális fignificar: yt dictus

eft füt illa q bominatione bu.fignificat: aut in toto corpore:aut in vno mébro egro. (Et adbuc fill vt victu est ca que ex corpore egrediunt bumoré faciété mala coplexio nes malem fignificant ficut vomitus a egestionaut sputus thec funt figna concnictia fup gen? caufe operative: 20e bis famlocuti fuim?. ([Et rafcatio fignificat et fup cam a spem operante. sicut rascatio rubea significat fortitudi nes fanguiniser viridis fortitudine bumoris cobuftirio fignificat in egritudinib' pectoris mortes. Et rafcatio borna estalba plana equalis: que cu facilitate expuir. (Es apara fignificat pemostratione sup buozes operantes ca per figna fignificatia sup foztitudine bumozum. Et poloz fignificat fup cam que operar ideo o poloz acut' fignificat o bu. fut calidi: f3 poloz martilino 2 poloz filis puction in acus groffe no fut nifi ex bu. frigidis ficut poloz colice: aut că bumozis lapideati:ficut accidit în renibo că arenu laru. Et apata fimili exfignis carum facietius manifelta tur. q q pullus in reapatu fignu b5 pprints ob boc be ipfo nunc loqui viípoluim? ([Et vicim? q) apatu calidozum pullus teníus est paruus: velor: spissus vari? varietate ser rina. Et tenfio vero fit ppter materia organii extedente: paruitas vero ppter buricië vorgani asperitaté sit: velovitas v spissitudo ppter recopensatione sortis magnitudi nis siút qua amilitiscrinitas vero sit: quvirto raganú exte dit:qz zno eft ozganu obedies zipfins pres no eqliter er tendunt: tob boc vna alteri refiltit: t pp: erea ille motus ferre motui affimilat. ([Sed apatus colericous pulfus spission languineou pulsu est: poter ipsou fortitudine ca lozis amagis ad ferrinitates peclinat eo o colere ficcitas indurat mebru. [S apostematu flegmaticozu pulsus paruns trarus trardus e. ppter fortitudine frigiditatis tvirtutis pebilitate tin boc bispositio serrina oso no exi flit propter bumozis facietis bumiditates. (Szbumo, rum melacolicop apostematum pulsus ourus est: tasper ppter bumoz ficcitate: zeft tard?: zrarus: zad ferrinita tem manifeste occlinate cu bisoib est occultus trarus.



tione:aut pp malas coplone fine apate vel opilatione. Et figna male optonio cu apate i oculio fur manifesta. fic pul fatio:rubedo a caloa: a figua opilatióis fut fola granitas. Et signa male optionis oculor manifestăt 65 p ois mala optio manifestăt. Et opilatioes și eo sut fiut sicegritudo și noiat abiasale e opilatio sacta îter comeă a bumore cri stallină: 2 bec opilatio appares est. băc vo egritudine pce dit vapor elcuatio ad partes fupiozes. Et pot effe vtifti vapozes ppter colligatia stomachi ascendat quos stoma chus trăfinittit cerebio: retiă possura solo cerebio elena ri. Et oifferetia inter illos eft: qu vapores a ftomacho ve nietes crescut a vecrescut pp bonitate vigonis stoi a may licia ipfius. Sed qui a cerebro fiut in fina fixione firmant tame vin eis qui a cerebro fiut aliqua addit malicia propter stői malicia. Et vicut quapozesa stomacho ascede tes ambos oculos equaliter turbant. \$5 opilatio que pe pter occurfuz aque fuperiozis aduenit viplurimu vni for li oculo accidir.

CLap.XLVIII. Od eft ve fignis egritudină auriă. Z auribo etia fit egritudo ppter ouas specio es male optionis: vt male: a no male: a fiunti ipfis apata: topilatioes: toologes: tgfialiter egritudines que fut oibus alus mébris ma

les:bolozum: tapatu: t puftularu: t fimiliu: t bec figna für figna ppa egritudinii ipiarii. Et figna calidi apatis auricularum funt voloz infigiuus grauis:qz mem bus est neruosus a cartiloginosus; apulsus serrino. Et sci as quimaioz pars bumo p facietius talia apata est bumo p înbriliu poter obtufitate vel ouricie înbe ipioz mebzoz zalique di bis apatibus fit fe cotinua: amaxime on apa é in radice loci noiati fumac. Et maioz pare egritudinii que fiunt in aure est exufflatio: tinitus poter intus ventosi/ tatis expulsione tinclusione: toicit q bocesie pot acuita te fentiendi: voemoftratio fuper boceft quibi no eft fignu superabundătic bumozus.

Cap.XLIX.Ωö e ve fignis egritudinii nafi.

Afo supueniut opilatioes: rapata cu opione mala mali: rnon mali: 2 ppria apata in ipso funt que ocriuata funt a noie illius vermis q ramifenoiat.biceillequimultos by pedes z figna iftius egritudinis ab eifdem quibus z

alie egritudines cognoscunt fignis. Britudines vero ozis oculis manifestant. 2 ob boc pscrutatione fignoz ipsop no indige

> (Cap. LI. Obe de fignisegritudini gule. L gule fiunt apara regritudines que etia el daucha vicunt istrangulator: perfes appel lantaicheas. Et cognoicunt a volore ibi eri ftente: z cu coffrictione veglutionis: z quado crescit offrictione fac anbelitus; tpot fieri vt

b ertiguat spiritu. Et causa bui'a signie bumop ibi bomi natiu cognoscit. Et pulsus in bocapate est vindosus: rest qz boc apa in mebzo est musculoso: voinersificat boc apa fm magnitudine aparuitate: a fm boceon termiatioes al particularia indicant. Et boc ex fignis bonis è vt apa i partibus exteriozibus manifester aut, poter tumoze aut alind fignicant poter volore per tactu. Et ipforus species fin Ballfunt quinquyna eft que fit in meatugule que ep tremitatem epigloris attingit. Secunda eft que nec fozis manifestature in gula non apparetted ex boc patiens que si strangulationes percipit. L'ertia est quando gula exten rioz eft inflata. Quarta quado intus vextra tumet. Quin ta quando lacerti colli appodiantur: ita op fpondilia ine tue contrabuntur.

Ta.LII. Oò é ve fignis egritudinii pulmonis. E pulmoni multe egritudines fiut quaru qu das funt coes: 2 quedas porie coes funt ficur apata:vlceratiões reofinuitatis folutio: prof prie vo ficut tuffis regritudo que vicit beth pora.i.vifficultasanbelitus.Etapa pulmo

niscognoscii a fozti anbelitus strictura: ca cocussione fu ra cu ipío ppter istins mébriad cor ppinquitates apecto rie granitate: za fozti tinetura pomo pi marillaru: zab ole bus lignie onationie languinie cognolcit: ppterea: qz vr plurimu in boc mebro apostema a sanguine concreas: qo est:q2 colere spsio in eo ppter sue substatie mollicie ce no potractia poter multa bumiditate ad ipfus transmissass a tamen nec etias, ppter boc apostema flegmaticum nist raro in ipio conficitur. Et polozin apostemate istins me bei fignum non est: quia boc membeum intensibile est. Et pulsus necessario est talis glis apatu calidop:excepto: qz in co vndolitas est manifesta poter mollicie mebri. Et so lutionis primuitatis isti mebri signu erqz sil'a sel' sanguis egredit multus rube?arenofus: 2cu tuffi : 2bec fiunt aut ppter causas extrinsecas: aut ppter reuma vescedes: aut ppter percussiones in pectoze factas. (E et sputus simili, apa pulmonis manifestat vumo coiungat cu signis predi ctis:qoest:qzposset sieri et in apatibus q fiunt in panicu-lis al pelliculis costaru. Et ex signis laudabilibo in apate pulmois eft sputu albu requale: 2 qo suamiter egreditur: queadmodu illandabile e fignu in quo onius aliquozus bumozu manifestat z maxime sputu nigruz:zpost illud e citrinu apost illud ruben. (Et sputu rotudu qo. V. vicit elle filmu malu in pulmõis egritudine é: qa lignificat pdi. tione lup buiditate nale: led tuflio no e lignu nifi cae effu cientis. Et caufas ipfiº tu cralus libris nouiffi. (Capim. LIII. Ob est de fignis egritudinu pectoris.

Legritudines q manifestiores sunt in pecto re: funt apata coppilatioes. (Et apostema ta viplurina fiunt in pellicula steriori tegé te costas q egritudo nomina casibera: q in

lingua nostra pleuresia noiat. Et in bia apo.

lingua nostra pleuresia noiat. Et in bia apo.

ppua signa sut volos sixua extensiuus se. acu

i sputo: zpulsus serrin? Et aliquado becapor

nt in musculia qui sub paniculo sunt: a tue bec

cuna lateria vicit: a tue bec signa sut posterio

plemess

similia tame ipsi? accidetia sunt vebilio stematibus ppriasigna sut volor fixus extensions fe.acu ta tuffis cu fputo: tpulfus ferrin? Et aliquado becapo ftemata fiunt in musculis qui sub paniculo sunt: a tuc bec passio apostema lateris vicit: a tuc bec signa sut posterio ra victis fignis. Similia tamé ipfio accidetia funt vebilio ra minus timozofamec volozadeo figus eft :qano eft in mebropaniculofonecin pulfu ferrinitas fie manifestat. Etaliqua apostema fit in paniculo pectus dividete. (Et aliquando dy afragma apostema infequir bic sensus alie natio zinquietudo magna.

(Lap. LIIII. Quod est ve signis egritudinii stoi-

I ftomaco adueniút fpecies cóptexióis ma le ve materialis : ano materialis aduenint apata viceratões. (Sed species male co plexiois no materialis qui remifia esta reb?

extrinfecis eft creata: tille funt illi? figna be monstratina sicut aduetus acrisvel cibi frigidi. Si fine rit intensa erit aut mala coplexio calida a sicca q etdicaz iducit aut erit frigida a sic. a senectutis erit etdica. (Et fignu ambaz egritudinu eg in boc mebro illa figna manifestant q in ambabus egritudinibo bis manifestari so lent:qo eft:qa meban boc fortiter bemacraf. Et quado pa tiens supino iacet: tuc percipit stomaci vispositione souce alicui fimilez effe. Et ftercus molle egredit aindigefti: a viripfi? virtutes omnes vebilitant. Sed mala ipfiº mai lis coplexio bo effe pot: aut vt ipfa fit ibibita vel in cocanitate ipfio fixa aut abalio mebro transmissa: pot esse ve res ambe adinuice coponant: thec poteft: autab yna aug.



spositiones consungantur difficile cognoscuntur a medico: quare quiete vebet medicinare confiderando primas intentionem: Ti ex illa Incratus fuerit fequaturilla 27ff non: vimittat. Et fi puftula aut vlceratio eft in vefica: qo ab ea egreditur furfuribus aut laminibus assimilar. S3 fi be egritudies fiunt in renibus : qo ab eis exierit frustis carnium affimilabitur.

(Lapitulum. LIX. Quod est ve signis egritudinum intestinozum.

Z intestinis viplurimus fit egritudo que vi citur colon:apostemata: vicerationes: Tsan guinis fluxus. Sed fanguinis fluxus vlcera/ tionem concomitatur: zifte fanguis cum fer

cibus egreditur a principio mixtus taliqua do ex substantia intestinozum egreditur. Et fignum bu ius est poloz quando enacuantur bumozes a feces:a qua do apostema est in intestinia grossia boc mo cognoscitur: quia cum patiens mozdicationes sentit cogitur affellare: fed qo ab apostemate exit cum fecibus non est admirtus Tif fuerit in subtilibus propter polore affellare non coge-tur: 1 quod ab eis egredictur cus stercoze erit admignis propter vie longitudinem. Similiter fi apostema in fub. tilibus fuerit voloz circa ymbilicuz fentietur: z cuz in in/ teftinis fuerit groffis volozem fentiet inferius. Et figna colice calide manifesta sunt a vniuersaliter ea que signifi cant Dominium bumozum in omné patientem z que propter ventolitatem funt funt volozertenfinus a toztio in tellinozum. Et fi toztio fuerit cum rugitu groffam vento/ fitatem fignificat: 2 que fit propter apollema cognoscitur a fortitudine polorista feb. a fiti: vab accidentibus often dentibus pominationes bumozis apostema facientis. Et egritudo foztissima que yliaca nominatur foztioza babet accidentia amala ita q patiens cogitur vomere sterens.

Et viplurimum boc accidens est propter apostema in fubtilibus inteltinis factus : apoteft fieri propter flercus putrefactum in eis:aut propter bumozem groffum viscofum:aut propter berniam factam ex vescensu itestinozu aut propter venenum receptus. Et vniuerfaliter bec egri tudo in intestinio subtilibus est propria: thec egritudo at tribuitur virtuti expulfine:cum fuum naturalem motus non babeat:aut vebet attribui yninerfaliter opilationi. Et aliquando propter prinationem colere que ad intestiv na confueuerat transmitti quia per modum abstersionis adimust ad fecum bebitam expulsionem. Et opilation nes fiunt in illis propter bumozes aut apostemata:aut p pter mală optone frigidă v ficcă que vias oftringitaut p preralias res politione con conupetes ficut vétolitas q

ca facit toztuofa: tbernia. Capts. L.X. Quod eft ve fignis egritudinu vulue.

L vulue egritudies fiut : quibus omnes spe cies male coplonis comunicat sicut ab bis a precesserut tibi manifestus est r sepe ipsi acci dunt apostemata. Et berras servicios dunt apostemata. Et bozum signu est voloz fixus epulfus ferrinus;co o mebus eft ner

nofus Tfeb.accidit eidé:eo o fit mébzu principale aliquo modo pricipalitatis. Et exegritudinibo que magis in iba pprie funt: é egritudo q mola núcupat: q vifficile a pgna tione cognoscit:co quablatio mestrui agrofficies ventris comunicat ambabus. Et fignum viferetiung eft qu trafit terminii motus embziois abiq motu: boc accidit mult)
annis:qzpoztari pot vonec ab ea moziaf aut abioluaf: 2 B fin virtutis tenote. Et alique i accidit ve ea ferat pluribo anis: vemu parit frusti carnis: raliq moziunt . Irem p pria e egritudo vulue illa q fuffocatio of matricis que fit ppter meltrui fanguinis cozzuptione in vulua: renenit ei fincopis voifficultas in anbelicu: vpuatio fenfus v motus

zobiliter fentit pulsus eins :zaccidit eide ourities:zipfi? ozis opilo. Et bocaccidit ex relige apatis viu iduratis in ozificio matricis. Et spes male optonis matricis si males fint ab bis q ab ipfa egrediunt cognofcuntur: tfi non fint materiales a ficcitate ipfins percipiuntur. Et generaliter figna que fignificant complexiones funt figna fignificantia complexiones matricis: voe cetero inftabimus fuper causas que operantur putredine. Et completus est tracta tus incta nostraz intentionez.

Explicit liber quartus; qui fuit ve fignis. Tancipit liber quintus:qui est ve cibis amedicinis rest babens capitula quinquaginta znoues.

[Lapitulum. I. Quod elt breuiter complectens intério/ ne buius quinti libri.



Th primis sciendus estadsiteis bus a quid medicia: aquot fint eozum operationes aqualiter operantur a proprie medicine:eo op babent multas operatiões quas media tian a pprietates; a cum boc pabimo coci appellant virtutes primas fcoas ater

gnitionem baruz istaruz medicinaruz que operant quali bet istarum operationum. Et postea speculabimur in ope rationibus earuz:boc est ytrumvia qua apprebendimus est per via syllogimi soluz dut per viaz experientie solu: aut per viam continente vtrumq:2 boc totus erit policis receperimus a naturalibus qo erit recipiendii. Et quado compleuerimus boc recordabimur ppriozum ciborus a medicinarum quorus multiplicata eft fcientia a experie, tia in terminis naturalibus: testificata funt a comunita te medicosum aut a maiozi parte. Et postea narrabimus modos compositionis recordabimur comm que manifestiora funt secre coponentius. a narrabimus nãs optonis f3 via qua nobis oftendent reguleille: q qi copleueri mus bec:tuc opleta erit nostra itetio in bac particula. Capis.II.Quod eft ve quiditate cibi amedicine.



Icamus o cibus é illud qo ponit naturales partes cibatirz bec pars é in specie partis Dis folute. Bed medicina vinerlificaturab boc. ideo quia quauis ipia fit ex rebus:que ponút naturales partes cibaticilla pars no est in spe

cie partis viffolute: fed babet in fe rem actinam valterati uam. Et propterea quado superuenit bec vispositio super Dispositionem egritudinalez:que est contraria vocat illa operatio curatio. Et becest intentio viffinitionis:qua. 5. Diffiniuit cibum et medicinam : vicens q cibus est illud quod patitura corpore. Et medicina est illuda quo patit corpus. Sed fi nos non intelligeremus ex verbis boc qo Dictum eft:non effet intellecta certitudo cibi amedicine. Et iazopinatus est vnus ex nostris focus qui nominatur abuberti auenfufu: pillud qo virimus in bac viffinitioe effet quafi priu verbis. B. Tiuper boc eidem multas traf, miss eplas quous boc plene intellexit.

(Lapitulum. III. Quod est de operationibus primis

quas operatur medicine in corpore bumano que funt



Z operationus quas operantur medicine in corporibus humanis quedam funt prime. fiveut est caliditas. fri. fic. a bu. a quedas earum funt fecunde: ficut maturatio: orgenicationi ficatio: refolutio: rapertio: ramita alia firmi ficatio: refolutio: apertio: amaturatio: orgenicationi ficatio: refolutio: rapertio: amaturatio: orgenicationi ficationi fi

lia iftis que enarrare Debennus : quado Declarabimo nas que car Porma medicinan que faciut Bre fuerut vocate fecudarie:q2 fer qual su- segdaticq fut ppe i certis mebris: rfut qfi ontes fcoap. Et eco tieniens in primis narrare quomo be babet agere in coa

Per quel defert Blus



milian locus subjecti in quo manifestant iste operatioes circa quodeung membaum fiindeterminatus fuerit ape pellant ifte virtutes fecide. Et qui operabunt in ppaium méby: tue vicent virtutes tertie fic funt medicine q puocant vzină z que mudificăt pulmoné z que generăt îpma z que frangut lapide z fimiles iftis. (Expost poictuest de virtutibus scois atertus dom est de na operationum istap medicinap manifestiop z incipiamus a scois. Et oi camus quistam medicinam queda funt maturatine: boc é que faciut faniere quedă ean funt mollificative:quedă i duratine: quedă aperitine: quedă opilatine: quedam enapozatine: a qua petrificatine: a quedas friptice: a que da lenitine tilles bis. Et vebes feire op medicina que eft appropriata alicui operatiói no olcit babere illa pprieta te nisi comparatione ad corpus tempatu vel ad ppinqui tempantie: medicus exptus in bacarte qui cadit ad mas nus ipfius alind corpus vistempatu vebz arbitrari medi cină fra melură qua vider ci elle magis iultas z magis co menibile in virtute medicine q by facere operatione istay in tali corporere experiette babet bic locu magnu. Ulerbi gra.poste sciuerimus o medicia maturativa est illa cui calor est equalis calor corporis; vebernus itelligere banc ppoztione ppzia vnicuio cozpozi p le a facere coparatio ne ppriaz tali corpori. Et boc no fuit folii in optone ppria vnius idiuidui: 15 etia in vnoquoqu mebzo p fe: ppterca qz medicina que facit faniem in testiculis non facit fanic in aure. 2no 03 go medico bas res tradatobliuioni: zerpieno tia by in illie vys tarbitrys magnu polic.

(Eaplin. V. Quod est ve medicinis maturatinis Eincepanarrada est natura illius medicine g operat operatioes supradictas: r icipiedus esta maturatiuis. Et vicamus o maturatio est opatio calozis nälis in suba mäe sicut vic ctu est in alio loco. Et maturatio est ordinara

F3 o2dine que b3 vigeftio in cibo:boc est in tribus vigeftio nibus. Et qui fpargit ad aliud meby mag egredit a na in quantitate:aut quitate aut in viriles fil'a putrefit illa ma: tuc generat in illo mebro De necessitate vous calor mixt er näli vertranea: tii mäilla eft apta recipere vigones fit ibi fanies ematurat. Ideo qualba fanies est media inter Digones pfectă e viminută: eo questalba: quinge no funt apte ad recipiendu vigónes p maiosi partessili que egredi unt a fua na in optitate So que egrediunta na etia in qua litate: tuc est in eis vigestio vifficilis: boc est qui redunt ad mala glitate ficad bumozes adultos a files illis. gara co menies in fili re e ofortarevirtute mebriga caloz nalis eft afi sepultus in mebro sup qo est sparsa bec ma: z ppterea est necesse ve medicia babeat ex sui na ve faciat bigones; ficut medicia q affimilat calozi itrinfeco q vebet effe tem perata in caliditate abuniditate: vel fit peclinas aliqua. tulu ad calozer ppterea quealoz itrinfeco q est in mebro pot effe refrigeratus poter multă mâm sparsaş in eo:aut poter glitate. Et qu oparam? taleş medicină glisest bec corpori bumano vicimus ipfaz effe teperata: a qui oparat partionanti in ipia ex ptibus elop vicim' queft talis aut talis. Et ve medicinis tempatis eltağ cala tempati calor ria zoleŭ vulce oline qu gittatis cadit fup apa z fic cata, plafina factu ve farina tritici coctucu aŭ zoleo vulci. Et Debes scire que medicina q facit sanié in vna optoneno far cit in alia: t fill in quoliby mebro corporis fic victu eft fur perius: pprerea medicus exprus oz ex fe ponere gradus istis medicinis. verbi gra. qamedicia q iducit sanie qsi in pmo gradu est casa ve cataplasma supradicin: a supra illa in gra est que facta est ex pane opter salé q ibi est a super bac illa: q facta est ex fermeto. Et gdaz vicut op medicine opilatine funt maturatine: fed boc eft paccine ficut cero-

tum factum excera voleo rofato:propterea quia quando pozi clauduntur calefit membann a materia maturatur. Et quidam vicunt o medicine maturative maturant; p pterea quia faciunt in materia rem propter quam est faci le nature viuidere ipfam materiam temperando qualita/ tem matericant subtiliado ipsam. Et potest esse ve in vna medicinarum inueniatur maturatio cum omnibus istis modis: terit in composito per artificium: in simplici vero pernaturam. Etetiam vicitur o medicina maturat pro pterea quia rectificat in qualitate calozis naturalis illud quod permutatum est per calotem extrancus: t per banc viam Dicitur g. pfilium maturat apostemata calidar fin bunc modum o res frigide maturant apostemata calida Et diffinitio qua diffiniuit. 5. maturationem no verificar tur nisi in apostematibus que sunt difficilia ad maturan/ dum ppter nimiamoebilitatem calozis naturalis:aut p pter etitate aut ppter frigiditatem.

(Capitulum. VI. Quod est ve medicinis mollificatiuis.

Ste medicine appropriantur multus in bac arte medicinis que diffoluunt apostemata oura pempiata lapidea quafi biitia infenfibi

litatem. Et ista apostemata generaliter finnt ab bumozi bus groffis qui funt aut melancolici aut flegmatici groffi: aut copositi ex ambobo. Et qu bec aposternata sunt indu-rata ppter frigiditates: necesse e vt res que ea mollificat fint calide:q2 res que funt cogelate per frigiditates visfol nunt per caliditates fi funt refolubiles ficut plumbum ? Stannum: quia ista apostemata cu maturantur bumectan tur. Toe neceffitate eft vt medicine que babent permutar re:quanis fint calide:ve babeant aliqua ficcitatem vevin cant illam bumiditatem frigidam. Et medicine que probate funt per experientiam in boc opere funt calide in fe, cundo vel tertio gradu: a ficce in pmo funt ficutarmonia cum bdeliuz:flozar: medulla cruris vituli: r fepus bircinum abouinum. Et est necesse vt fint mensure barus me dicinarum fcommenfuram qua babent calozis a ficcitae tis:ideo quia medicine que funt fortes in calore a ficcita te nimis babent visioluere: 2 posset remanere pars grosse exmateria que converteretur in naturam lapidia. Et ell necesse sicut viximus; vt per te ponas gradum in foztitudine barum medicinarum:propterea quia pinguedo cft pebiliozarmoniaco ebdelio. Et pinguedo galline pebilioz existir pinguedine anseris a anatis: quia res iste viner fificantur fecundum aliquam complexionem: aut ad aliquod membrum.

(Caplin. VII. Qó é de medicinis induratinis.

Enecessitate est ve medicine idurate sint fri gide:propterea quia induratio cum groffitu, dine non eft nifi congelatio: rcongelatio non fit nifi a frigiditate. Sed illud qo vicit Sal. pe bumiditate in bis medicinis nibil est pro

pterea quia bumiditas non babet nisi solum bumectare; anon indurare. amelius effet vt poneret ficcitatem cum frigiditate:quia ve illa frigiditate fit vuricies cruditatis, Sed ifte pue qualitates funt viplurimu paffine and acti ne:qzone actine funt caliditas a frigiditas : quanis carus operationes oinerfificentur fcom bumiditatem eficcita tem: 2 boc beclaratus est in quarto methaurozum. Et iste medicine babent latitudinem: et ifte medicine funt ficut semperuina psilium aportulaca: asi infrigidant aincrus dant no faciunt boc nisi per frigiditates.

Capi. VIII. Qo é ve medicis oppilatinis.

Stemedicine funter bis que claudunt por ros: anatura funt terreftres fine mozdicatio ne: quia mordicatio est yna ex rebus que ci-





Capis.XV.Quod est ve medicinis cicatricătibus.

Ste medicine vebent effe fliptice ? foztiter ficce; ppterea quentis eft illud quod fita na post generatione carnis: z cutis est ficcioz car ne: pptereaneceffe eft vt exiccatio iftan me dicinar fit fortis:ficut galle abalauftie.

Ste medicine vebenteffe in fine caliditatis cum grofficie substantie: tunc facient opus

quod facit pma.i.carbo.

Caplin.XVII. Qo est ve medicinis cov rosinis a facieribus carne cadere.

Ste medicine columut carnem:no tri faciut quod facifit caustice: 2 boc accidit q2 babent caliditatis mino a fubtilioze fubftatia: aque faciut cadere carné funt debiliozis putrefa ctiois: ano dicutur putrefactine nifi ppterea

qz cozzofio z cafus carnis:non funt nifi ppter caloze extra nen; vin calore extraneo est aliq putrefactio de necessita-te: amedicie putrefactine sunt sic auripigmetú rubeú vel citrinii. Et vtimur medicinio facietibuo cadere carnez in vulneribus qui volumus que caro bona in eis nascat: sicut putrefactinis in locis corrofinis.

Capim XVIII. Quod est pe medicinis attractinis.

Ueda cap operatur pma qualitate: aqueda ppzietate. Que operatur per pma qualitate trabut quodlib3 aduenies. Sed que trabut ppzietate trabut re ppzia: ficadamas ferru

et gnāliter of attractio quocuas mo fiat no fiet nifi per calozes. Et ego bebeo beclarare opatiões que a prietate fiur complete. Et medicie que trabut poter pina qualitate in co o est qualitas absolute: boc est illud qo facit calidiras incitus calitas funt onan specien. Una est que trabit per caloze nalez qui est in ea ficut radir que vocat moschecalmelia.i.putredo facta circa oxificia busfox apu: alia trabit per calose putredinale fic fermetu z ftercus columbon. Samedicie que vocant beçabar que curăta venenis: quedă faciut boca tota fubîtăția z que da facius ppter pma qualitaté que est in cis:boc est quan dorefiftit qualitati generate a veneno: ppterea qz vene nu igreditur bac viuisione. Docest qu venenon quoddas est venenu p pma qualitate: quodda éa tota fuba: zbac Dinifione poftea Declarabo. (Et medicie pferuatine Di cunt medicine que refistat putrefactioni: aut poterea que tenétaperta loca que parata sunt opilari: aut que refissant

putrediniaut ppter vtrug. (Eaplin XIX. Quod est ve medicinis cofortătibus. Ste medicine funt que affimilant coplexio ni mébri in tota fubitatia. Et ppterea vicut quidă ge quodlibet mebru comestus ofortat fimile meby comedetis. S; medicie que co-

foztant ingitus funt medicie cofoztatine ne ceffario caloz can bebet effe fortioz parumper caloze me bzi: a similiter siccioz: ppterea qu mebza no terretur: nego pebilitani: nisi ppter glitate frigida a bumida. Et boc si plurimu accidit ppe in mebris pncipalibus: 2 gnäliter no pebilitatur operatio mebzi vtplurimu nifi ppter fridita té que est pueniétiozad iducéda lesioné:boc est quassimir latur virtutibus offantibus super ipsuz ex virtutibus ele menton ficeft cerebniquideo qu fuper ipius onatur frigir ditas abumiditas lefio que fuperuenit ei poter bas ouas qualitates est maioz. Et ppterea est necesse quatura mer dicine que cofortat mebru resistat parti a qua puenit le fio mebzi.verbi gra.qz medicie que ofoztat epar necesta/ rio Debet babere manifeltă ficcitate: ecotrario in medici nie cozdialibue; z quedă funt que cofoztant a tota fuba:fie

cutaurum z margarita coz. Et quedam funt que ofoztat ppter glitates pmas rfecudas; ficut flipticitas amari. tudo que funt in rosa. Et medicie odozifere sunt supreme oibus medicinis que ofortat pricipalia mébrara maxime in rebus testificatis ab experietia a ppaie coadi. Et ppterea muscus plus cofoatat iter cetera odozifera: nam etus aromaticitas prenalet oibus aromaticis.

Capitulum.XX.Quod eft be operationibus tertian virtutum.

Am viximus natură medicinan a quibus p ueniunt operatioes scote. Desceps vebemus narrare natură medicinarii que faciunt tertia operatione. Et vicamus quistarus medici

naru quedă funt que frăgunt lapide: z quedă que puocat mestrua: queda que generat lac: aqda que generat fpma: queda que viminuut lac esperma: eque da mudificat pectus. [Bed medicine que fragunt lapio de no funt multu calide fin que medici vicunt. pprerea que caloz qui idurat apetrificat est fortifimus: a ppter banc viam caloz extrancus induranit lapides: zpropterea est neceffarius in earum fractione caloz fuantis ano fortis in quo fit aliquantula bumiditas comparado calozi qui indurabit lapides: teum inbtilitate: co q feis: quia res que idurate funt propter caloze a ficcitates no viffoluunt nifi per frigiditatem abumiditates. Et cum vico frigiditates intelligo Diminutú calozem a caloze qui coagulanit lapis dem: fic intelligo cum vico bumiditates: ideo quia non operant iste medicine in lapidibus nisi per operatione similem operationi alicuius occoctionis: z per via istam vi uidit euz caloz naturalis zeppellit. Et tales medicine füt ficut sparagus:cicer rubeum:zamigdale que tendunt ad amaritudines. Et no est remotus ve bec operatio non fiat a tota substantia. Bed medicine que prouocant vrina vebent necessario babere caliditatem cum subtilitate: quia caliditas cum subrilitate adiunaryirtutes attractină que eft in renibus. videlicet ad trabendum illaz aquofitates: epiferetinam que est in epate etiam adiunat in cognitio ne iftius aquolitatis calozis: voicif q medicine q faciunt boc babent conuenientia cum membris vrine a tota fub, frantia: ficut funt apium: feniculus: Daucus: timiles illis. Sed medicine que lac generant funt que babent calefa, cere bumozes flegmaticos: t babent innare virtute vige. fliuaz:que est in membro pt conuertatur ad fanguinem. Et ex generantibus lacfunt qdas que funt cibi: tilla funt contientioza in boc opere. Et funt cibi er quibus funt bumozes réperati in caliditate e bumiditate equalibo bu miditati z caliditati fanguinio. Et medicine que puocant menstrua per os sumpte sunt de genere medicinarus que generant lac.fed neceffe eft vt fint calidiozes eis: eo gr ba bent aperire ozificia venarum z fubtiliare fanguinem. Et quado boc accidens est parun: tuc sufficiunt solum medicine que generat lacifed fi ex toto ceffaret méstrui no suf ficiunt illerfed funt necessaria ea q funt similia pulegio:et métaftro: toppoponaco: tcofto: tignanto: tcaffie lignee: a ariftologie: a fimilia bis. Sed medicine acibi quige-nerat sperma sunt calidiz băidi: avetosi: sie fascoli rubei: cepe a nuclei pineap. Sed medicine que mudificant pe, ctus apulmone adiunant ad excreandu materias ichifas in ipfis funt q babet virtute digeftiois zincifiois fine forti caloze ve no induret. Et quadoquadinuat ad excreadum fputa medicine que babent lenitatem e viscofitate: quando vifficultas ípuendi erit, ppter fubrilitates mate, riciquia fpargit a circuftuit ante aerem aeduci non pot-Et medicine vigeftine abuins materie absterfine funt fi cut nuclei pinearum recentes a butirum cum melle canne zamigdalis. Et femper fis memoz cozum que vixi.



in corpoze est vispõ venenosa: funt sicut venenu er vna pte a medicie ex alia: no op sint medicie ex pte ex q sur ve nenu. qua o é cincu va vicat op vinersisticant actioes vni? agétis vinersisticat vispõib? subti locox: boc é qo pot vici bono arbitrio ve opationib? medicina p aliter opant. (L' Capts. XXIIII. In quo inestigat modu cognoscendi

pirtutes medicinarum zcibop.

Einceps babemus pierutari fi possunt opter bendi argumeto opatões medicia pă no sur expresant sicognitio incitos cap p expientia ant si in bac incitoc cadit res a princatar gumen rexpientia resiceciderint vez suffi-

ciant modi q victi funta medicis. S vicamo q opatioes medicinan fin quocin est funt quituos pine: a scoe atertie: pprie. Socibono bonifi vna opatione: boc eft qu nutrit. Et cibi nales no conentut nobis nifi in tota fuba: ppterea qui pferutati erimus de hoc fi poterit oprebendi p modus arguméti vemostratiui in bac vemostratioe.al. perseruta rice. cadet pscrutatio inglitois ppzietatis fi pot afficarari aliq ro vel no. Et vicamus quias victu eft in pmo pofterio ru p cognitio rep est ouobus modis. Unus yt babeat co gnitio fui effe folurt bec vocat bemonstratio effe. Et scos Dat nobis cognitione cause illius esse: thec vocat vernon Aratio caufe. Et qui funt in vna Teadem scia oifferunt fm bunc moduxq qo pat cam no ftat nifi per pma cam ppin qua fine medio. Clerbi gra fi tu quereres q fit ca vieire spodemus:qzeft ppter lume folis. Sz qo oat effe rei folii no flat per pma cas:13 flat per pncipia mediata: ti no fint mediata no funt ipfa zeadem că:f3 boc feitur p ouerfione equaleant per res magis notas apud nos. Clerbigra po namus ve velimus rones affignare o luna fit rotuda: co o ipfius lumé paulatis augmentat in figura rotunda fié arcus: q2 boc pacipiú: boc est augmétatio sui luminis pau latim no est mediatu: ppterea bocide no est că rotudita-tis lune: ppterea protuditas lune no est ppter B p augmentat paulatiz in bac figura rotunda: fed augmentat in bacfigura quertuda: reft puerfine: ppterea quenirei lu me augmentat paulatiz in bac figura est eius forma rotu darzomnis res rotuda luminofa augmentat lume fuum in bac figura. Et etià inenimus pneipia q vant effe rei folu in boc onota funt per fere no ppterea vt fint pma ca in re:ficue vicitur o ftelle que no fintillat funt nobis prov pinquiozes: Thoe pincipiù elt notù apud nos per fenfus: p/ pterea pdest vicere o stelle errates sunt ppinquiozes fivris. Et vebes scire o bec pacipia que nos innantad scien du effe rei folu funt posterioza a coplone in effe.al. cogni tione caufe. e funt pora ei in cognitione oparatioe ad nos. Propterea que puatio fintillationis erratiu est ppter caru ppinquitate ad nos exppingtas eap ad nos eft por in natura e cognitione. Et pincipiu conuerfiuns poe nobis pare cognitione cause rei quado phat per medius termini qu fit in vero fillo quin boc phatur terminus maioz uninoz pirtute medy. Oz quado inuenitur terminus maioz in to to medio a medius in toto minozi tune probatum est esse maiozis in miozi: z bec vemostratio potest vare cas esie z nominatur Demoftratio caufe. Sed qo par folum effe eft iductio:boc est qu'scitur ex inquisitée partiu que sunt sub illo vli.qz quado fuerit quelitu predicatu cuius elle volu mus babere certitudine virituc queruntoes partes viis. Et fi inueniant tunc conflituet q boc predicatu eft in to to vierbecipecies noiatur peclaratio effe maiozis in me dio virtute minozis:qz quado itienit maioz in toto mino ri:bocelt in oibus pribus: trotus minoz est rotus medius tune argumentatur maioze effe in toto medio. Ergo qua do queruntur multa exparticularibo in vna specie: vine niatur ynu predicatu in oibus non opinado yt fit aliqua

pare in subjecto in quano ineniai hocpdicatii. zest certificatu: 9 no videbitur per boc qo videtur a partibus per bune modu veclarationis cognoscitur esse vnius pdicati in totailla specie a pte expientie in oibus suis partib?. Et per bac vias babemus cognitione maioris partis specieza pncipioz artis medicine. Et pncipiu qo nobis oat effe rei folu eft post coclusione: ve no sit conersimi super medius terminu: vin boc modo cadit vemostratio ese.verbigia. ficut volumus occlarare effe virtute nutritina bomini p vnu pncipius qo vicet omne aial est nutribile: a fier argumetu boc fic.omnis bomo estafal:oe afal est nutribile.ere go ois bomo est nutribilis: ppterea qui boc pneipium non pdest nobis nisi ad tribuendu virtute nutritina bomini: fed no ve virtus nutritiua fit că, ppinqua bomini. Et qua re no inuat nos in bando caufam rei: quia non conuertif maior super mediuz:qzoe nutribileno estaial. Et in sum ma vico q vemonstratioes que nascunt a causis remotis vel sint affirmatine vel negatine sunt ocmostratioes esse znő bemöltratócs cáe: qz bemöltratio các est pma zpropinqua. Et oes iste res faciles sunt ei qui studuit in logica per aliqo tempus: 2 pfectius cognoscet innamentu qo faciut in boc loco e etia necessitate. Et postegita est sicut bis crum est bebem? perserutari be pprietarib?: voicam?:vi dendu est si possit incuiri via q possimo cognoscere op peo prictates fint p oparatione aliculus alteriorei: ficut eft ad. coparatione corporis bois. Etoicim? qo boc non pot fciri nifi yno buoz modoz. Unus eft yt fit na ppter qua pue nit becopatio manifelta apud nos pfecte:aut per paimos itellectus aut per demfatione. Alter est ve inueniant res pprieposterio illinac. Et ad bec ve fint illeres a pprieta tes egles in vno pdicato. Et etiave fint ille cede res poste riozes magis note apud nos approprietates : 2 vt fintille res pprer quas possint sciri pprietates absquedio. Om species bar ocmostrationu quis sint ex rebor quasi per accidens: funt tri veraces. Et nos vellemº fipoffet ed inuenire boc quesitii virtute illaz vemostrationii. Sed videt quamfit fententiatu quatura qua operat ppzie tas no possit sciri perfecte: qz ppzietas no est nisi vna ope ratio existens per se transies ab vno ente ad aliud poter ppoztione mefuran elementozu qua ba vnu ens cu alio. Et becmenfura coprebendi no pot p modu arbitry: neq etiam pot feiri boc plus of fit bec cognitio: q no eft pfecta. Negetta inuenit bicalind accidens posterius co fignifi cat fup banc natură veraci fignificatioe. Etiaz negeftali qua nifi pprictas cade quado fentit:qui tue fignificat fup banenatură:eft eft impossibile boc scire:code mo est impoffibile inuenire in co q babet pprietate vnu accidens equale przietatiad boc vt fignificet fup pperatere fit ma nifelti" apud nos quipfa:qu no é conenies inenire boc nifi qui ineniret vnu accis magis notu qo fignificaret pfecta fignificatoe: fup nam pp qua fit bec pprieras. Et pprerea que porietas sequit positione mestirar entium pole fuit ineniri in vnare pprietates di ifinitas: res delt ppind ifinitono pot sciriperfecte parbitriumen et possumo ine signa significatia subaliter super bac nam. Et posto ita est vebemo perscrutari si possibile est apprebedere pei mas operatioes per via oemostratina aut no. Etoicam? q via q perferutari fumº fup preietates erit cade cu via o bic erim ferutatisq fi poffet apprebendi arbitrio medi cina téperata aut vissemperata in fine equalitatis boc no effet nisi cu cognoscerem? natura que boc opat pfecta cognitioe. Quia qui nos tractamo de medicina fi é calida aut frigida:aut temperata: nos no intelligimus bocnifi quia babet per fui natură zpeeparatione permutando fea cov poze bumano vi vt permutet a cospoze bumano: 2 cosp? postmodii ab carecipit yna qualitate pmutata oparatas



pnictiga qualitati rei coplexionate: ppterea queoplexio natu est corpus cosimile in partibor ista supucnieria sunt bifferetie que adueniut ei a mefurl mixtionu illaru. Et q daz istaru vifferetiaru funt que cotinet ofa corpora ofilia z funt oes enumerate in grto methaurop:quaru quedas für que congclant: a quedă no: a quedă bisfoluunt a qua norqueda funt lenes rqueda afperrqueda funt que fut ertefibiles addano. Etada funta füt pprie abuida corporibus ofilib ficurodores rapores a colores. Et que dam quib' est ofiatio manifesta vnius elemento; per fe qui sentiunt per tactu calide:fri.bu.aut fic. aboc no ineni tur nifi in reb'in quibus est caliditas: frigiditas: bumidi tas aut ficcitas in actu. Sed cu nos pferutati fuerimoci bos amedicinas:nos teptabimus cos in co o funt partes rei copolite: 2 boc est ppriu in medicinis 2 cibis que funt partes terre nafcentiù a aialiu. Et quedă illaru funt q iudicant per caru opationes a loca. a fi funt partes aialium indicant a regimeto illop afaliúza specie illop cibop: z gnaliter necesse est yti in afalibus coparatis rebus quibo vii fumo in cognitioe optonis bois in opatione:regione z loco: 7 cii vico bic opatione: intedo opatione aie: boc e nu trimetii fensibilitate z cocupiscibilitate: zalias opatioes aie que victe funt. Iste sunt vie quib' possumus per banc arté indicare: a quis no sint fortes sine eis no possum' ce nec ipfas viminuere. Sed vicedu eft ve vnaquag iftaru Fm quelius eé poterit; nec petédu est vitra illud quod Dictu elt ficut vicit Arift . qeno vebemo querere a tranlo fermocinari:neca muto loqui:rin bis no est aliud nifi ve recipiant a naturalizab eo qo videmo qo facit natura: qz Demoftratio no by verace viam in bacarte.

(Eap.XXV Lin quo docet cognoscere coplexione civ

bozum a medicinaru per generales vifferentias corpo

rum mixtozum.

T vicamus geres que funt manifestiozes a quib?poflum?babere certitudine oplepiois corpor ofimiliii ecogelatio a fpiffitudo : bu mectatio:refolutio:biffolutio:facilitas: vifco litas:fubtilitas:grofficies:mollificatio: Duri

cies:cobultibilitas: 2no cobultibilitas:opilatio: 2 apertio zquedă ogelatio a calido: zquedă a frigido. Eop que co/ gelant a frigoze; queda funt que inspiffant pmo a calore; zquedă q no funt inspissata pmo a calore: z quedă q ispis fant ab viroq: Et con que viffolum fiquedă viffolum f a calido : a gdă a frigido. Et con que bumectan fiquedă bumectan f a calido a quedă a frigido. Sed a ngelate fut a caloze caloz a ficcitas fup cas pominat: vt eft fal a fpecies cius. Sed que ogclata funt a frigoze fi in pinis effet inspissa a caloze: tista spisstudo e et ppinqua spisstudini que sita na acrea aut aquea si spisstudo butiri bec erit necessario calida: tide est de oleis gumis tsisbus: t q cogelate funt a frigoze; a na terrestrio sup cao oñat : si caloz pus eas inspissauerit:ergo frigiditas a siccitas onabunt i eis:ficut funt offa:coznua:păniculi z filia. Sz que funt cor gelatea frigoze:nec funt pus ispissate a calido naliter bec spissitudo erit frigida abumida: sicut est argetu viuu asi milia. Et que res funt ispissate a caloze a coagulate a frigo re funt ppinque equalitati:ficut e cacbimia: res que vif folume a caloze femp coagulant a frigoze: que coagula tura frigoze viffolumi a caloze. Ideo cu nos videm? res que fue diffolute a caloze Debennus inspicere si coagulate funt a frigoze: nec inspissate sunt a caloze indicamo ipsae esse frigidas a bu. Et si sint inspissate a caloze cii onio parting terreftiu:indicamo ipías ce frigidas a ficcas:ficut fer rus a multa metalla. Et fi cus bac ípiffitudine bominan é partes aerectúc eas indicam? bumidas beclinátes ad ca lidicate: ficut est pinguedo intestinop: 2 funt res que vil

folunnt a frigiditate zbu.vt funt fpes falis. Stres a fut inspissare a caloze p maiozi pte sut calide effece: excepto gilla spissitudo no sit fundata in suba aerea sie spma: qz túc illa fuba erit bumida aut tépata fié lac coctú. Sz res q fut inspissate a frigiditate a bu.fi calozest in pmis opa tus aliqua coaglatione os vici o fint calide z bu. vt e ius pingue. The fint ifpiffate:ita que caloz in pmis nullas fecerit coagulatione vebet vici ve fint frigide a bu.fic lac qo coa gulat multa frigiditate. Et vebes scire q pot ee q opati ones que facilit caliditas e frigiditas in rebus iftis prit ce nales aut accidetales:ió bebem' indicare fup generato il larufi eft näleg oplo pp qua medicina B facit erit nälis ficut est spission de la ficut est possible de la ficut est suit de la ficultat de la ficultat de la final de la f coquit. Sz resq ifpiffanta caloze z frigoze egir fut aeree zaquee: zeară pres făr oglutinate fimul ficui oleă oline: zalia olea ă possăt recipe bas opatioes: qu oleă îspisat z ogelat a frigiditate. poterea quetes aeree q fut i ipio co uertunt ad aqua: titeru ifpiffant a calore, ppea qu refoluunt ptes aquee tremanet aerce cu terreftribo in co Do minatib. Etres quo ispissant a calore vela frigore sunt aquee cu pauca terreftreitate: a caloz cas ofumit antecisi spissent. Hec et frigus pot cas ispissare poter pauca terre ftreitates que est in eis:co quo inspissat frigus: nisi qua do extrabit caliditaté existenté in eis a spargit bumidita tegratuc aduenit ficcitas: tilla pe caufa erit coagulatio: 2 inspissatio: 2 qñ oue res recipiüt congelationem 2 inspissa tione equali tempore aut ppter ynu motore equalem in fubtilitate a groffitudine funt in vno gradu egles in caliditate a frigiditate. Sed fi vna caru plus infpiffar coaqu latio ipfius est velocioz. Et eŭ motor ipfi? est foztioz babs inequalitate em boc. Sed res lenes z viscose babent pominiu aque rterre: z ppterea funt frigide r groffe: fed le nes but dominiu aereitatis cu pauca terrestreitate: 1 propter boc De facili Dinidunt: eo quaereitas que admirta é ci est elemera bu. video leniter ab alio pinidif : zmodica ficcitas q est admixta en leuiter recipit passione. Et res bu mide recipiut extensione pprer prez bumidă aqueă q est in iplis: 2 ppter dominatione pris terrestris cu aquosa sut Difficiles dividi in duas partes: pptereares lenes vel fa-ciles funt ppinque ve pmutent digeftioni ppter facile di misione carii:qa calozin cis plus pominat:qa bec e yna ex rebus q adiunat ad velocitate o igeftiois:q2 oifficultas oi uisionis partiu fatigat nam. Et scias op viscositas a spissiv tudo fignificat ficcitates ppter pominatione partius ter-restriu: fi est medicinalis: ti est cibalis est pifficilis pige-Monis:ideo que forma corporis vifficile fua veferit nãs. Et fubrilis fubftătia fi est acrea fignificat caliditate a bumir ditaterali ignea fignificat calore aficcitate. Et mollicies fignificat corpus buidu: z ppterea res molles facile per, mutant ficut fruct' recetes abumidi: a pure fignificat co erariu. Etipifitudo emollicies e fubrilitas e Duricies no fignificat nisi super viutes patiétes in re:bocest bumidi, tates a ficcitate ano fup agentes. Et oppilatio a euapora tio vicit fra ouos modos:vn'qui os fic veraciter appella ri: test talis operatio: boc é augmétů vel víminutio quăti tatis:ficut nos videmo mustu facere en scipso enaporatio nem in vere claufo:z crescit quatitas sua vitra mensuraz pmamno existente additione sube in ipso: raliqui frangit vtre. Et ficut videm' in nebulis q coftringunt toppilant in scipsis redeunt ad pauca mensura nibilo exeis excuterrelargantur a creicut nullă additione recipietib?: a că in boce: quaere maiozaqua aterra: aqui resappropings nature aeria cius cittas plus crefcit: 2 quando appropin quat plus nature terre zaque oiminuitur plus:z ppterca res paporabiles funt acree: riunt calide abumide: aq fus



preceffit ficut alibi victu eft. Stalbedo qui puenit a vo minatioe mirtionis partiu terrestriu cu aereis fignificat caloze aut teperatia: sic tu vides boics babetes pulchzaz albedine. S3 que fit ppreradmirtione partin aquearus cu terrestrib" qu'est in reb" bumidis significabit optoné fri. z bu. Et iaz victu eft in libzo nostro qualbedo fit er ad mirtione partis ignee clare cu corpe puio. Et nigredo fit a parte ignea tenebrofa cu corpono puio. Sed colores ru bei oés fignificat fup caloze ppter parte ignea que in cis manifestat: zcitrinus est medius inter cos. S; viriditas beclinat magis ad nigredinez: ficut citrinus magis ad aliv nd extrema. Sed na colon medion est coposita en na en tremoz. Doc est qo pot vici sup significatioe vtutu medi cinaru er parte colozus fuguenietiu corporibus ofilibus. Cap XXX. Quod est de cognitione cibora a medicinarusper priietates con put funt partes terre nafce ting vanimaling: vinnt bec quattuor. f.locus: tempus: regio: roperatio.

Eincepe narrăde funt, ppzie fignificatioes in illie:in co op funt pres terre nascettii vel partes aialiu. Tlă terre nascetiu cognoscit ăttuoz rebus:vna a loco:alia a regione:alia a tpe: quarta ab opatioibus:z no foztificant b ope-

rationes nifi pp fignificatioes reru pteritaru: Toutis nos cognofcam? ab iffis optone medicine nos pebemº cogno feere etia per via opatiois onaru medicinaru q fut in vna specie sicut victu elt. Et vicim' q terre nascetiu qua funt pfecta a quedă funt viminuta. Et viminută est illud în q manifestat onius vniº elemeti solu:aut elemeti aque sic terre nascetia que nascunt ex aqua aut elementi terre sic terre nascetia que nascunt in locio petrosio a foztiba: a po pterca ista terre nascetia funt viminuta:boc est quio bit flores a folia: amanifestu est op pominas sup optone istorus est aut frigiditas aut bumiditas: sicut foliú berbe que stat sug facié aque que of tbaboleb: aut frigiditas e bumi ditas ficut fungi. Et terre nascetia pfecta funt illa que na/ fount in motibo:qrappetabeminetia montiu: vr vebeat gnare plura terre nafcetia qualia loca: oumodo fint tepe/ rati cu bona enaporatioe: z cu bona mirtioe caloris cu bu miditate: 203 effe bocin eis:qz babet afcefuz in aere: 2 füt ppinquiozes influérie cozpoz fupioz: zilla terre nascéria babet coplement fructini flon a foliop. Et funt terre na fcentia que nascunt in veferto: funt que nascunt in viri darys. Ta illa babet plus frigiditatis a bumiditat | pene ceffitate: vt funt ficle nascetes in ocsertis a viridarys. Et fignificatio que puenit a regiõe é o queda terre nascêtia funt q nascunt plus in terris calidis: queda funt que na fcunt plus in terris frigidis; a quafcunt in calidis p ma iozi parte funt calida: ficut que veniut ab idia: zque nascu tur in frigidis:vt plus funt frigida. Et pot ce alique pacci dens venascant calida in terris frigidis : ficut pince que nascunt in sclauonia: rfrigide in terris calidis: ficut sut ta marindi quinascunt in terra arabu. Et boc accidit, ppter Duas res:aut ppterca que cortex illog terre nascétin é for tis a Depfus:aut vt fint fubmerfa fub terra. Quia ifte oue res possunt pare coloze a frigus in oi regiõe: eo go caloz na turalis existes in cis obit intus poter frigiditate: similir accidit de rebo frigidis in terris calidis. Et significatio te pozis accipit fim ozdine regionis:qz tu videbis multa ter re nafceria calida nafci in byeme ficrapa znapoes: zqñq medicina frigida nascit in tpibo calidis: 2 boc accidit pp pancitate fui calozis:qz ppter panca frigiditate aeris ofiv mit: ficut funt olera multa tpe caloris. Et vemostratiocs vegetabilin füt magne valde be eo:qm qda er vegetabis libo fut q cito mouent ad angmetu: z qda tardio crefcunt Bo veloces ghal' fignificat caliditate vel inbrilitate: vel

fup vtruq: vq tardi crefcut fignificat fup Diiu. Et fut et alie fignificatioco fignificates fup vegetabilia i velocita te starditate fructificadi. Et vebes feire q velocitas na tiuitat terre nascetiu significat aut caloze magnu aut fri giditate. Et qda fut ex terre nascetib" q but folia flores e fruct?: rada füt a n bnt fruct? al.folia:nec flozes: villa füt groffa terreftria:aut aga: 2 qo bo floze 2 folia e pfce tepa tus. Et terre nascetia q fut spinosa a globosa vir fut terre ftria: 2 q bec no bat funt ecouerfo. Et orie fignificates fu per nazaialiú funt multe:qzadá crefcut in aqua adá i ve ferto. Que in ag crefcut funt frigida abu. q vo in veferto funt calida e ficca: e qua funt volatilia: e qua veambulan tia: volatilia funt magis aerea ambulatinis. Et qda funt fanguinea: ¿ qdaz exanguiar que no babet fanguine funt frigida v ficca: zā babet fanguine fut calida v bu. zādam funt ouatilia e queda no: e q funt ouatilia fut calida e bu. ağ nö frigida aficca ağda anbelat ağda nö ağ anbelat fiint calida; aque nö anbelant fiint frigida. Et quedaş na fcuntur in locis calidis a quedam non: a que nascuntur in locis calidis pro maiori parte funt calida a ficca: ficut car meli z capreoli. Er vinerlificantur complexiones aialing in vna specie pprerpascua; z pprer aqua; qz pisces qui na scunt in loco petroso sunt subriliozio sube z minozio supe fluitatis alus: tales funt qui velociter mouent amultu labozát z cóplegio istop est miozis humiditatis: z qui par rum labozát sunt frigidiozis z buidiozis cóplegionis. Et qdamaialia funt q incedut ficut nafcunt: z quedam no:z qdam funt facientia multos filios: villa funt calida v bui da: rquedă que no faciunt nisi vnu. Et vinersificant etia afalia fm vinerfitatez cibox: qm afalia comedentia car nes funt calida eficca. Et coplerio aialiñ comedentiñ ter renascentia sunt téperate coplexióis: vt sunt pecades bor uco: t bis fimilia: t vt funt de volatilibus galline t colum be. Ité viner lificant alalia fm magnitudiné aparnitaté fuop corpop:qr que funt magni corporio funt terreftria: za funt parui corporis funt ecouerfo: thoc eft in aialibus que nascunt in terra. Sed cop que nascunt in aq magni tudo corporis fignificat multa bumiditate: a pptera lan dat in piscibus puitas: tin alus aialibo puricies offinin: t multitudo corporis terrestriú: sicut vngues: claui: r squa me:zfimilia bis:qz bec fignificat go multa eft in eis terreftreitas: 2 ppterca mite fquame londant in pifcibo: qu fi gnificat rem cotraria con coplexioibon etia multe ipine. Et fimiliter audacia cordis apulillanimitas fignificat fu percoplezione aialia:quaialia andacia funt calida: quail lanima funt frigida. Et vifferétie per quas cognofcuntur complexioes aialiu funt multer nostra itentio no fuit nifi rememozari com breuiter ad monedu illu qui viligit te ptare ad bocyt perserutetoes alias bifferetias: 2 sciat cau fas illap in libris nälib? Et fcias quoia bec figna funt acci dentia q adueniut corporibo cofimilibus: fuper ea figni ficant: no funt figna illis q no funt cofimilia nisi quando aggregant ola efit yna copolitio inter cotraria e indicat ppter cominăs e illud pot esse veru indiciu. Dec sunt ge nera rem quue nos possumo cognoscere operatioes medi cinan rcibop. Et vicimus o possibile est cognoscere ope rationes febas medicinan: tue qui cognoscemus coplexio nem medicinamin caliditate eficcitate equis boc no verificet in oib? eq inuenit in quibuida medicinis que carus opatioes scoeno seguint pinas boc est coplexione medi cinamiverbi gratia. Inbtilitas vincifio no funt attribueda nisi corpori multi caloris. Et nos inchimo medicinas tem peratas cu fuis coplexionibus:th funt fubtiliatine zincifi ne:ficut capillus veneris fquinătu:e fimilia bis : e acetă ê in pltimitate lubtilitatis zincifionis: telttame frigidus: abocaccidit:qacoloaquiin eo eft fuftentat frigiditateq



Toicint tidones: tin lingua arabica alchamari funt fice ciores pdictis a groffiozis substatic: a babet aliquatulam aromaticitate. Passeres sunt oes calidia ficci in fine caloris. Coturnices teperate sunt aliquatulu declinates ad calore; sunt subtilis subs generantes donos bumores: a boni sut sanis a qualescente de sunt sucuri acuri sunt calidia sicci: a granes ad digeredu: a groffe nature.

Cap.XXXXIII. Que est de piscibus.

Eliores con funt pifces qui pegăt în locis per trofis: a qui multas babet fquamas: a quon corpus est mediu îter magnu a paruu: a giut velocis motus: a pauce viscofitatis. Et melio or apud nos est piscis q pre cubrina: a post illu

ille qui vicit trilia: quidă vicut ipius refulus. Et piicis a capt eti in fluminib? remotis a mari necessario bon? est apauce supstitutatis; ppterea qu bic piscis ppter sui năm b3 vt petat aquă vulce a frigidă; a ad boc multu laborat. Cap. XXXIIII. Qu est ve lacte.

T meliº lac é femineü: 7 post illó lac asine: 7 post illud lac capre 2 iste spés lactis sunt subtilis substantie. Sed lac ouis est grossius: 7 ppterea citius in stomacho caseat. Sy vac cinú grosso estac B butiroso 2 pinguius.

Lap.XXXV. Qó est de casco.

Ascus recens est frigidus a bumidus: gross
se substantic. Uletus est calidus a ficcus prospeter sal: a tenditad ustiones. Et aliquis case?
est bonus medius internoun aveter est bonus modo sit fact? ronabila ex bono lacte.

Lap. XXXVI. Quod est ve ouis.

Ula gallinară sunt melioza ceteris : 2 vitellă est melius albomec albă est nimis mală; nisi nimis sit coagulată. Et ppterea que coquasta tur cuz oleo α aceto α fiar tremulă est valde bonă: que res que coquie că oleo est multă nu

tritina: Dúmodo oleŭ nouŭ fit a dulce zoleŭ oline: qa nă il lius est teperata: Declinas parti ad caloze: a ipinguat epar: a augmetat ipit? Subam. Et gifast dico quest conenes doi multu sm tota sui subam. Et gifast dico quest nostris no coquimus cames nist cu co: qa melioz modus a teperati di cocomededi carnes est ille q dicit atdesendos est visto si comededi carnes est ille q dicit atdesendos est visto si ne o addedo paulatim aqua calida donec sintecote. Sed panis qui decoquit cu oleo est malus. Lipastatus cu oleo: qi tep decococtios coburit oleus atenditad sulfurem.

E Lap.XXXVII. Onod eff de fructibus.
Eliores corum funt ficus quie.
Et cóplexio ficuñ est calida a bumida; mundificant stomachú: lagant yentrem.

V ue calide funt expanco calore: t bumide téperate: t lubito ipinguat corpus: led inducût vétoli/ taté in ormibus vigeltionibus: t ficus no vant ventofitaté nist in stomacho t intestinis.

V ue passe calide sur abumide: a pigestibiles: psuntepa ti a tota substătia. Et operationes vini ipsară sunt oebiliozes operationib aliozu; vinozum; sed pot poni lo co alterius vini.

(FEap.XXXVIII.Quod eff beaquis.

Eliozaquaru fm. V.est aqua fontiu ozientaliu que scaturiter terra que no b3 nimis gros sam substatianec nimis mollé: vel lutea: sed sit mediocris inter bas: a poterea bec aqua é stauioz e leuioz: a citus pinuta f a calido e fri gido. Sed Rasis sentir o melioza d sit siuminu magno-

gido. Sed Rafis fentit p meltot af fit fluminu magnorus ouctuu. al. vulciu. Et. V. vicit p ilte aque funt viuerla rus fubaru: co p trafeut p viuerlas terras: 2 ppterea qui grediunt eas multi riul. Et mibi videt of 'Rasis no lau dauit flumia magis grossansii ppterea: qu solopat in eis vaă opatione pp quă separant ptes grosse a subtilib". Et ppterea coquut medici aquă illis q babet vebilez stom z epar. Ergo opus qo sit in aqua é vinersuz ab aq. Sz qo est ispiciedii in aqua est vinersuz at no pot ee vt in chate no vestu at plumia aque multitudo z aque plumie. Et ppea nostri stumie alia o extu est verius. Et ppea nostri stumie meli est no cortu est verius. Et ppea nostri stumie meli est in corduba gi in sibiliar est veteri'in sibilia pperemeni zvecremeni: zppter admixtione aque salse in eccăpuis illud no sentiat. Et impossibile est va que magnoz stuniu no sint turbide: z popterea inneniemus in fundo pitarioz qui ponimus in cia aquă flumini multi ve sabulo z terrarts sic accidit in terranostra: qò no accidit ve aquis fontius.

(Lap. COCCIO. Oto eve granis q su cibi mediciales.

Eincepe volumus vicere ve civis mediciales.

Eincepe volumus vicere ve civis medicinalibus:q1 quidă e02 funt terre nascentia: 191
da3 aialia: 1 quidă supfluitates aialius. Et ep
terrenascetibus quedă sunt grana: 1 qdă fru
ctus:1 quedam berbe.

Faba est tempata îter frigiditate a bu. aut pară veclinat ad calozem: appea ba vissoluere apata pp suă abstersione: a maturat: a cst multe bumiditatis: ppterea accidit ci multa instatio a vetositas: a ipsas no pdit ppter aliquă vecoctione. Et vicit qo babet mală ppzierate că virtute cogitatiua: a qui ca vintur multa babent suspiria. al Jonnia boaribilia: a falsa.

Cicera temperate calida a bumida a babent inflatione:

a poter terria eozum operationem bent generare iper
ma a puocare vzina a fanguinem meltruum a frangut
lapide is boc faciut plus nigra galba. Et fi comedunt
recetta gnant in floaco a iterlis mitas fupfluitates: a
fici et fabe būt mino ex fupfluitatib si fupfluitates ad oigeredu nifi p effent ifusa a būt popietate faciedi
bonu colores: a boc faciut za acuut calores: ita vt gnet
fpus ventosus: a per bāc viam valent coitus.

Lentes funt temperate in calore a funt ficce agenerant fanguinem melancolicum: a extinguum inflammatio nem fanguinis amagis quado coquum in aceto. Et ea rú virtutes tertie funt; quado coitú a obfuscant visus: a qui coquum in aqua pluries stringunt ventrez.

Lupini fint fici terreftres ramari: rquando coquuntur in aqua vonec auferatur ipfozum amaritudo efi cibus tñ vurus: rqñ comedunt amari occidunt pueros: roccidunt vermes g funt in floaco riteftis r puocant vzi nam: raperiuntozificia emozroidarum.

Lengbi ideft fafeoli veclinant ad calozé z humiditatem z ipinguát cozp^oz puocát vziná z fanguinem menftru, um:z lagant ventré:z proprie rubei:z inducunt fomnia z faciunt vertiginem.

Milium frigidum eft aficcum: ventres coffipat aeft pau

Et bocidem facit panicum. Et ipleta est propinqua buic.

R isi funt groffe fubshantic in caliditate a frigiditatepro pe temperantiam: ventrem stringunt; a funt boni nutrimenti quado coquunt cum lacte.

Caplin. CL. Quod est pe fructibus arbozum,

Omi pulce é temperate bumiditatis: acetofumest frigidu a sic. a babet posietaté con
foztandi mébza pucipalia si sint pistemperata in caloze a marie coz cofoztat cerebau odo
rando propter sua aromaticitatez a general

rando propter fuă aromaticitate; 2 generăt groffam vétolitate în secuda digestione 2 tertia. Jia qu di ctuz est a sapientib qu pot generare ptisim 2 etbica 3:00 qu



ftri cu panca igneitate: e manifestat boc que infipidus cum modico fripticitatis racuitatis: f3 berba eio eft for lu infipida: ppterea ipfius pma virt' est frigida eficca z operat ficcitate. Et scoa est solidare vulnera sozdida bzeni tepoze. Ettertia est vt fragat lapides: z signii b?

est:quascit in vallibus alocis bumidis.

E luegar i.pes colubin eft quor specien : aparus viuer, fificat vna abalia. a Bal.non posuit ipm in gradu: aqo nobis videt ve er complexióe est: quest frigida in pai, mo vicca in secudo: vbocest quonat supparte ipsius fubîtătia terrestris cu suba adusta: 2 poterca est sapoz cius stipticus cu modica amaritudine: 2 si amaritudo cet eglis cu fripticitate vicerem' ipfus teperatu in fice citate. 35 q2 videm? q2 viat amaritudo parú cú ftipti citate: udicam? q2 ficcu é in 1000 gradu: 2ppea val3 vo lozibo renú: z polozibo íplenie:pp ipíto amaritudines: z létiginib? faciei: morphee qui piffatu mifcet cu aceto. A garicu nec bac radice posuit gat. in gradu: qo nobie

vider ex eo ve eius coplone est:quest calidus in pmo:t terrestribus: realidis: rigneis: realidis: rbumidis. Et fignificat fuper bociqe cu3 nos guftamo pmo inuenimo in co oulcedine: e post bac amaritudine: e post illa acui taté cu pauca ftipricitate: roés isti sapores significat su per caliditaté: excepta parte que superata viepulta est a stipticitate: sicut significant sup siccitate: excepta par te que fupara r fepulta est a onicedine poter teperani tiam qua ci tribuit: excepto q plus fuperat flipticitas cum frigiditate: g vulcedo cus bumiditate: q ppterea ponunº ficcitate maiore caliditate. Et ppterea q e bec plata affimilat radici arbozis: apparet o terrestreitas Dominet fup că. Et ginis fit lene a pozofuz: frangibile a albuz que o la fignificant yt babeat parté multa acrea ppterea positimus ipsus calidus in pmosiguis babeat tres saposes significates sup ipsus calozeposuimo ipsu calida in priocige no funt fortes:neg manifesti in ipio: a que conceniés est in fiducia suoz gradus est experien-tia. Sed ipsius operations que no sunt pine sunt ad dis foluédű z incidédű bumozes groffos: z exopilandű ve nas íplenis: epatis z renű. Et babet fua ppzietate vale re cotra mozing venenofoz aialiu. Et nos vicimo o B no fit nifi qui apparet ex illo veneno accidetia frigida. Dolis ipli e.s. 1. 7 B ii pot fic nocere fic nocer alie medi cine q attrabut ab extremitatibo corpiere by magna , prietaté in mudificado cerebru: z ppterea curat epilé fiar, pdeft curini noue aque ad oculu. Et quaritas que De eo os fumi ad boce a.s.i. piggad ouas: neceneceffe iplus refrenare nisi pp siccitate. Et no credas qubtiv liatio bumo p groffo p vicifio fignificet fup multu calo rem ficut crediderut errates multi nonoz medicozii.

Cuftaralbr.i.capillus veneris: vicit Bat. o bic teperatus é i fuis vittibo pmis: quis béat multas opatioes fecudas a tertias:quaru quedă funt cofortatiue a repercuf fine: quedă viffolutine: quedă faciunt nafci capillos: aqueda que dissoluunt scropbulas: aqueda que frangunt lapides: 2 queda que adinuat ad trabédu fputum groffuz er pectoze apulmõe. Et Balloicit of firingit ve tre a noui vicut op purgat: a talis medicina glis e bec g babet tot operationes fecudas atertias eft retinenda;

que de la comperata poter en que adbuc vicam. Caylem.i.fempuina:beceft multaru ipérus:20es in tertio gradu frigide funt:q? füt ifipide cu multa aquofita te:zq: nafcunt in locis frigidis z tepoze frigido.

A cacia est fuccus arboxis ípinose qui abluit est frigida in fecudo gradu afficca in tertiora cu no lamat eft frigida in pmort boc accidit: qr fuu vominas est suba terrestri

z frigida: z ppterea eft fliptica: teuz eo toto e in ea ali gd ex partibus fubrilibus que remouent qui abluitur. Carinchi.vetica. Dicit Ball of fruents al fuccus buius plante e folia calefaciunt calozeno forti. Er bamultas operationes fecudas rtertias. Diffolnit apostemata q funt in radicibus auriu: cadiunat sup sputus: qo fit ce bumoribus groffis in pectore a pulmõe : a curat cácrii: a in fuma valet oibus vulneribus que indigent exicea tione vierucatioe fine fubriliatione. Et boceft magnit fignu fup vebilitate fui calozis. Sed cu boc toto prouo cat vrina: a mouet coitu: a boc fignificat per ventofita tem. Et ppzietas fui feminis est purgare flegma: ti bac fimilitudine est virtue ficcitatie: fed fozime est aliqua tulu femé vrtice: voofie eius eft a.z.iu. vfca ad quattu

ipfam fricatione: 2 maxime ppter lotionem. Elbadudarmel elfaray:ifte one plate funt frigide a ficce: fed ficcitas plus vominatur of frigiditas a maxime in elfaray: 2 valet 3 fluxu ventris poter cap ftipticitate: 25 paffionem vulue: contra emotroydas: capoftema tibus que fiut in ano : valbadudarmel operatur radic

ozal.a.z.v.viqad.y. Et qui opinant qo fit igneus proper acumen fue punctionis errat; quia bec pars ignea

que est in cius folus est subtilis : remouetur propter

zalfaray fructus zradir.

Ligoz.i.acozus:qo accipiter bac planta eftradir: reftca. tlic.in tertio gradu: ppterea quoominas in ea elt fiiba ignea subtilis: apot esse vt sit cu ea admixta pars vna terrestris adusta: a significat boc o sapor suns é acur' cu aliquatula amaritudine. Opatiões et sobe sur set be: quabstergit: scidit: subtiliar: raperit oppilones. Tertic sut que puocat viină: a valet ad ouricie splenis: a subti-

liat groffitica puenit in comea: pprie fucco radicis. Canar i aloe: caliditas fua extedit a pmo gradu yfogad fcom: vattingit parii ex fcbo: vfice in ficcitate: vboc eft que copolitum ex luba terrestriadusta mixta cu terre ftri fridazillud oimiuit aliqitulii ve caloze ei zambe fube ocordat i ficcitatera fignificat B o fapor ei eama riffim cu flipticitatera fupra fua caliditate fignificat o nafcit i terris calis : aut in terra arabii vel in idia: 1 9 nascif in terris no calidis est vebile. Secude sue virtu tes sut que flipticu repcussium nabstersum pec é me, dicina innatina ad generada carne. Zertie vintes funt ad curandas fistulas: maxie q funt in virga z in ano: z ad repercutiedu apata q generant in oze naribo zocu lis apurgat coleră a subaz subtile a grossam. Et est ex medicinis și nullă brit periculăreo o no ledit os stoma ci ppter sua stipticitate. Et virto sua purgatina est ppin qua virtuti agarici: excepto que vebiliozis attracriois: eo coagaricu attrabit ab extremitatibo coapozis. Sed aloe no attrabit nisi qo ein extremitate stoaci: 2 venis epatis: zin illo b5 pprietate: 2 vostsei ea.z.i. via ad.z.

E luorat:caloz Ticcitas ipfi exteditur a pmo gradu viqu ad fcomet fignificat boc que facit aligitula absterfione amudificat renes: aufert lentiginem. Et manifeltioz ei" ppzietas eft:qz valer 5 mozfus canis rabidi,

Nauoca.i.carrui.al.ameos: gp plus querit in boc éfemen eins:fua pma virt" in caloze a ficcitate e i gradu tertio. aboceft que copofitue ex luba ignea terreftri aduffa:et fignificat boc qu by iapore acutu mixtu cuz aliquatula amaritudine: coa vius ei est apertio voisfolutio; vier tia est protocatio vrine.

A migdale amare funt calide a ficce in fcoo gradu: exce pto eo:qz plus oeclinat ad caloze: z minus ad ficcitate: zin boc funt quaft in pmo gradu:qz earus vnctuofitas manifestat bumiditate. Et scias qu oplegio que bac far cit operatione que est oplexio calida babet aliqua ters



me tflores t fructus oino funt fri. tfic. t folia funt bui dioza pdictis ppter aquolitates existentes in ipsis:2pp B by pprietate ad curada egritudine alchole: afiliralias egritudines ozis. Sed fructus ems cu eft imaturus fri giditas eficcitas in co ofiatur ppter ftipticitate inentas in ipfo:f5 qñ victus fructus b3 completà vigone3:túc eft ppinquus calitati ppter oulcedine ineta in ipfo. Et flor ru virtus existit ipsius fructus: toia predicta oferunt.

yaacbilic:vtimur folys afloribus a fructib?: guis folia fint bumidioza valent multuz egritudinibus ozis z vul neribus itestinoz: z flugui ventris: z vebilitati stomaci; a sputo sanguinis. Sed radir eine ba subam calas a subtilem: zideo fragit lapidez qui est in renibus.

B delling buas by fpes fortiter mollificat qo in arabico of mocle. Exeo funt ípes oue: vna cicilie: villa est fine bdel ling illud est magnú: valia ípes fine alind bdelliñ inenif bic: teft arabicii. Ulirtus illius pma fine fecuda eft mol lificare: telt fortiffima vius illius in B: tB potes cogno. scere per pma sua vinte. Et alia. s. arabicii est suamioza e clarius alio: 1 B vocat bdelliñ arabică zest siccius alio: f3 reces b3 vtute ficiliani bdelliù arabicu. Et B arabicu fragit lapides qui fint in renibus: qui bibit puocat vzi na: z puocat ventofitates groffas z crudas: z valet 500 lores laten a pocondrion: in fuma est ex medicinis q purgăt slegma grosius. Et bs. pprietates trabendia ner/ uis a inneturis: ripfum est melius inter medicinas lara Gentiana ponit bec medicia i gradu tertio cali. efic. eboc ciuas:200ffs eius eft.3.i.

Elgarçaria qó byípani vocát panicald: z in arabico alchar tama: raly fecacul: rin latino pringi onr. B. fentit qo eft opolitus ex oinerlis naturis ficut na role:excepto quo baftipticitate: a fignificat boc qu ba infipiditate cu alique tula oulcedine a modico acumine: a boc ba plus in costi cere videt o fit tempatu aut paru veclinas od frigidita tera que est talis optonis est multi innaméticoperationes fue funt repercuffue z visfolutiue. S eius manifesta p prietas est vt visfoluat apata superpositu: z etiă si suspen dat fup ipm. Et noui medici vicut qo ba bac pprietates in omnibus apostematibus: z etiaz vicut q vtútur co in potuaq occoctionis eius.ipfa ministrat vt oefendat ne generetur apostema in partibus interiozibus.

B alfamus calidus est r ficcus in fcoo gradu: r oleu fuu est multú subtile:nech y vilú calozé: qz ab hoibus credif q vident qo est subtile penetratinú. Et virt? z fruct? istius estiftus generis:13 minus est subrilis suo olco. Et istud eleu be multas prietates amirabiles opationes. Sue fece opationes funt que diffoluit des egritudines flegma ticas que funt atarde ad diffoluedura eradicat polores g funt ex bumozibus groffis zvetofis.al.viscofis.Et tue tertie opationes funt qu'fragit lapides: a mulier ipre gnat q vefert ibm fup fe q no poterat impregnari poter opilone matricis. Et ei? ppzietas est: qz est magna tyria ca venenis: z valet 3 opius bibitu: z valet 3 oiamantes, al.viabetes bibitu: 25 fungos venenolos: 25 aqua ferri viftillati: vofisei efta trib ptib 2.3.vicad.i.3

uniper cals est esce in tertio gradu: est multu subti lis:qe qo magis oñat sup ipm est suba ignea: epost ipsas fuba terreftris adufta: taligitulus fuba terreftris frida. Et significat B sapor que b3 cu fortiacumine camaritu dine raligitula stipticitate. Opationes sue scoe sunt ve ofumat putrefactione q est in vulneribus apatibus: o loc' in quo no est putrefactio no fustinet tale medicinas 13 qui ponit sup putrefactione t sanie cu melle mundifiv cat iplas. Opationes fue tertie funt qz bz puocare vzina 2 puocat mestrua fortus alia re Donec faciat mingere fanguine. Et facit abozíus: z extrabit fetű moztuű: z pp fuă fubtilitate t aromaticitate ponit que loco cuiufdă

speciei cinamomi dorfini: test etia cinamomuz cu mlta olcedie a fozti acumie: a oz poni ouplii illi loco oozfini.

Albabac:bee planta babet flozem qui affimilatur rofe:et est fortior rosa babanach: r propter boc magis vissolnic illa ponec liberet puriffima apostemata quando misce tur cum cera zoleo.

O sía vuaz pasiarum funt sicca in tertio.al.secudo gradu: vel accedime paris ad fecundu: ideo que composita func ex substătia terrestri frigida: a significat boc stipticitas zbz pltunu innamé in fluxu ventris.

Alufne in lingua byfpanie of mulfa. B nafcitur fup querc? anuces: a est in tertio gradu frida: a boc significat stiptio citas qua bz: z cu boc bz virtute vissoluendi z mollifica dirmagis valet q inuenif in quercu ppter calitate que eft in ipia arbore:co o ex fupfinitate ipfine nutrit.

agtares videtur o fit calm in pmo gradu: vel accedit pa rumad fecundu:iccirco o politu elt ex substătia terres striadusta cu suba terrestri frida: a fignificat boc stiptiv citas fua cú amaritudie. Prime opationes fue a fecude funtad fubtiliadú:aperiedú a puocádú vrina a fimilia. Et alig vicut qó by vtuté purgádi: zé vltima medicina ftomaci ppter stipticitaté sua: z etiá műdificat pp suas amaritudine: talis medicina qualis est bec: est magis ppria stomaco es alia medicina: a longe plus qui associa tur fecu aromaticitas ficut in abfintbio.

manifeltat ex fortitudie fue amaritudis: rradix ipfius fortiffima est ad subtilianduz taperiendu oppilones.

Memite.ponim' ipiam in pmo gradu frigiditatis eo go cul rat multotiens oculop rubedines: qui non funt fortes:2 eius fuba copolita est ex fuba aquosa a terrestri: que oia frigida funtiercepto qu frigiditas fm. B. no eft fortis:13 eft eins frigiditas filis aque paludum.

Alfoceg.i.mentaltru calidu est a sic.in tertio gradu: ppte/ reaquonat fup ipm fuba ignea cu fuba terreftri adufta: z babetis tale coplexione opationes funt manifeste.

iquiritia est bumida in pino gradu vexcedit parti in ca/ loze teperată oplone. B. virit quaffimilat coplerioi bua ne: a fignificat boc oulcedo fui fapozio cu aliquatula ftipricitate:co quoulcedo réperata fignificat caliditaté et bumiditate aftipticitas fua petruncat aligd ex fuo calo re Tiua buiditate:excepto q ex buiditate remonet pla: Tlenit asperitate q e in trachea arteria: Tvesica Talious mebron q recipiut aspitate. Tertie opatioes ipsi sur puluerizata Tposita sup ocula velet maculă q e in oclo: rearre supflus q e in radicib? vngniu3: 2 boc significat q radic e calidios succo: 2 poleciões q s vicim? pino suc in succo: 2 q i radic est vet? est amara: sicut e illa q nobis apportat general'r fuccus ei bumidior e fua radice.

conia.i.rofa afinop eft radir calida in pmo gradu: tic. in tertio:quelt copolita ex luba terreltri frigida a terre ftri adufta: t fuba ignea zali@tulu aerea : z fignificat B: qz qi masticam' ipaz pmo sentim' stipticitate cu vulce dine: zqi viu masticam' ipaz sentim' acume cu amari. tudie: scoe sue opatioes a coplexióe ipsio sciunt: a terrie sciunt 63 exoppilones epatis arenuaboc accidit poter acume a amaritudine: sed ppter stipticitate qua ba stri git vetres: ppzietos sua testificata est a. B. qz suspesa ad collu curat episiam in pueris: sed ab aligbus or qo no sit reparbocia expertii est ano sicinuenit

aftinaca Duas ba ípés. filucítres Domefticas. filueftris fortios é Domeftica in oibo: a in ambabo est virtus cale. faciendi z fubtiliadi: zin radice eft virt' q monet coitu: aboc eria by feme Domeftice. Ged feme filueftris e cali dius aficci": a io puocat meftrua a vzina: a filueftris of Daucus: veft calidus viccum in tertio gradu.



Tomos.i.lupini:qii elizantur in aqua tadiu qo ipfozus remoueatur amaritudo funt medicina nutritina: e qfi funt amari faciunt qo ofueuerut facere medicine amare ex abstersione rericcatione resolone repapertioe opito nu epatis riplenis: 2 puocatione menstruop: 2 interfe ctione lumbricon: tin extractioe fetus t remouet moz pbeă: apurgăt coleră: a remouet offuscationes mebron: a dissolution service de la composition della co

Lactuca.vicit. B. o fua frigiditas est similis friditati riuu loz: z fignificat boc quo curat forté erifipilam fed cu rat pebilé:ideo pebemus ipiam ponere frigida in pmo vel i pacipio secudi gradus: 2 vius fui seis ofumit spma.

Alasce: qo quida vocat cozzutba: calefacit z pesiccat in ter tio gradu: topationes cius puocant menstrua tyzinas: regrabunt fetus a corpore: raperiut opilationes: rmu

dificant pectus a pulmonem.

Hele.i.viscus operationes eedem funt cu tapsia in opera tionibus pmis r fecudis: rest calidissimus cu superflua buiditate: extrabita pfunditate corporis: 1B agit cus multa tarditate ppter fupfluă bumiditate in ipo exite.

uaméta fua man ifesta funt apud vulgares.

C enapalcail.i.cauda equina: tin latino of centinodia: vir tus ipfius eft ftiptica cu amaritudine: video veficcat in pltimo abig pforatioe: a ppter boc figillat vulnera ma gna: a ofert vlceribus inteltinoru ac iputo fanguis: a flu gui menstruog: a maxime illa q est rubea: a tenasmoni: voicut alig boice o curanerut cu ea vicera vefice.

Caltratus: buius vegetabilis flozes a folia deficcat defic catione forti abiq mordicatioe: est manifeste plurimi innamenti quoniam figillat vulnera. Et quando aduri tur cortex istius arboris cinis eius vesiccat vesiccatione vebementi: a propter boc confert porris feu verrucis: a magime babentibus capita clanozum qui figi funt in cu te:quia quando recipitur cinis eius amiscetur cum fozti acetor inperponitur eis eradicat eos. Et gumma ifti? arbozis remouet omnia que funt vel fiut fupza pupillaz oculi ynde obicuratur vifus:co qzifta gumma fubtiliat

z mundificat.

Indicum cum quo tingitur multum vesiccat sine subtili tate:qramarum eft a ftipticum: reft ouarum maneriez filueftre Tomefticum: Tilueftre eft fozius Domefti co. Opationes fue funt vt ofolidet vulnera q funt in ou ris membris: etia fi funt in extremitatibus mufculou: zabscindit fluxum sanguinis: z valet multum vulneri bus fiftulatis:fed filueftre eft fortius in vulneribus pur tridie propter fortitudines fue peficcationis: vomeffic cum est villius in apostematibus vomesticis vel in me dela apostemată que vicerat east siluestre valet multum contra opilationem íplenis:ideo bebennus ipíum pone re calidum in fecundo: t ficcum in tertio: t Domefticum calidum in primo: r ficcum in fecundo.

P ulegium riunlog ca eft the in terrio gradu: quia eft co. positum er substantia ignea cum aliquantula parte ter/ reftri adulta: t fignificat boc acumen ipfius cum aliquă tula amaritudine. Operationes ipfins fecunde funt oiff folutine: fubtiliatine: to efficatine. Zertie ad prouocandum vziná: voictum est o valet multuz leprofis: vmoz fis ab animalibus venenofis: maxime quado fuperpo nitur: coccidit vermes qui nascutur in auriculis: emon

tanum foztius eft: plus valet.
Canella vel cinamomum.i. Recapaldereca.ca.eft efic.in fecundo gradura in ficcitate plus extenditurra boc est qu composition est ex substantia terrestri cum substantia acrea equaliter: t boc testificatur. 5. tcu boc babet sub-

stantiam subtilem igneam a qua babet suam aromatici tatem: ? Stipticitas sua cum modico acumine significat terrestrem substantia. Et canellositas sua significat sub ftantiam aeream super ipsam bominantemet boc scitur propter naturam cannarum. Junamenta fua manifesta funt in stomaco repate:qz illa est er medicinis in quibo iueniuntur aromaticitas aftipticitas, acume ap babs tam nobilem complexionem robozat omnia membra. Et vicit. B.g. pare subtilioz que est in eo est minoz alue:

z vafeni est fortior in innamento.

apparis calidus est in secudo: a sic.in tertio: quia compofitus eft ex substantia terrestri z frigida: z terrestri adul fla:ignea a fubrili: a fignificat boc amaritudo pominão: post boc by presente cotra vicia splenia, ppterea quia illud qo facerire cu ftercore est fanguineu: tuc remonet voloze iplenis. Et boc idez facit in alus bumozibus groffis:qz educit eos p vzinā:z puocat menstrua:z attra bit flegma excapite quado masticatur: 4 vals 3 sciaticu poloze: zcotra poloze pentiú quádo masticatur.

Alcharf.i.nafturtiű eft ca. z fic.in grto gradu: z virtus fua é filis finapis virtuti: vest medicina q vat loco cibi. Viola frida est a bumida: riccirco 03 poní in scoo gradu: u Cardamomum calidum est a fic.in tertio gradu: anó est mibi necesse manifestare operationes ipst?.qz bz simile coplecione nec febas nec tertias. Sed couentes emibi vicere posietates comm manifestiones, Thoc vebuisse, mue fecife ab ipio pacipio. Sed est accomodatio inua menti in bis que victa funtez est in boc fructu cu amari-

> Carui in caliditate a fice. est in tertio gradu. a propter boc expellit ventofitates apronocat vainam: anon folus fer

men fed totum.

tudine aliquantulum calozis.

C lalicha.i.caffia lignea ca.est efic.in terrio gradu. qecom polita est ex pauca lubitantia terrestri. t lubitatia ignea ailla est vominano. a significat boc acumen qo ba cu ali quantula fripticitate, vest ex bonis specieb aromaticis. rideireo confortat mébra principalia: recopilat oppila, tiones epatis: pronocat mestrua: 2 babs alias operatio nes quas vebet facere talis complexio.

Arbornucum est frigida e sicca in secundo gradu: e folia e rami babent aliqua stipticitate: ideo ppter stipticitate fue complexionis pfundat pars eius fubtilis in fubită/ tia ftiptica que est în ipa: video facit qo possent facere q effent maiozis ftipricitatis ipfa. rideo vecoctio eius bo na medicina est vulue apostemate: 20e fructu ipsius ia

rememozati fuimus alibi.

Cubebe funt substantie ignee aterrestris: acum boc funt aromatice. Et tu scis operationes quas faciunt tales

medicine.

ince calide funt afic.in tertio gradu: agumi ppinquum in quarto: fua fecunda virtus est putrefacere carne mol les liquefaciendo. Et ppterea funt in pmo gradu medicinarus putrefactinar za ppterea coferuant carne moz tuozum a putrefactione ppter fua veficcationes: ralias eoz corrupunt ppter virtutes fuaz naturaz: no ppter bumiditate fupflua: ano conferuat nifi buramembra. Et funt optima medicina in aere pellilentiali: 2 foztifi ma medicina ad refistendă ipregnatoi: 2 qui mulier fert al.ftat fuper fe: z quado inungitur virga ex eis faciunt aboring: roccidunt vermes g funt in ventre rierpètes Deglutitos: The fuperponant vetri volozofo poter corro fiones in cotineti voloz mitigat. Et pinguedo q general tur in alchiterra.i.pars vnctuofa q adunat in mutata q est ei supra in pacipio Decoctionis subtilis: cu est cocta efficie spiffa villa aperit vulnera voiscooperit neruos. Sed illud go eft liquidum poffibile eft ve curet vulne, ra: 1 b3 fimile3 virtute3 picis z curat fcabiem.



quia natura calidarum medicinarum a ficcarum quis babeant naturam remouendi: Zittrabunt tamen ad lo cum alios bumozes. Et propter boc bec res cofert omni bus maculis a veftigus carnis: a caliditas que est in ipso

eft lator virturis stiptice.

S coadiadeft ciperi: id qo operatur ex bac berba eft eins radir a ponimusipfam in caliditate a ficcitate in fecundo gradu. co quia in fuo fapoze non inuenitur acuitas ni fi modicum fripticitatis. Et eius opationes fecude funt quia coferut mirabiliter vulneribus vifficilis confolida A tionis caufa multară bumiditatum: retiam conferunt viceribus oziset frangunt lapideset pronocant vzinas t

Alchana:que operantur ex ista sunt folia a rami: a virtus eius composita est ex substătia frigida a calida: a poter boc Deliccat abique mordicatioer confert viceribus que veniunt in oze ex genere alchole: valet etiam alchole: z Decoctio illius valet adultioni z etiam apostematibus

E lsoc.i.iusquiamus manifeshum est quest maxime frigidi

tatis.al.multe bumiditatis.

Magdeene.i.catapucia. Ipfius grana purgant colera qua do vigluriuntur a vecem vig ad quindecim: 2 qui bar bent ventres fortem masticent ista grana z qui babent vebilem veglutiant integra.

Acctofa: virtus ipfius est composita:eo quia semé cius ba bet stipticitatem cus acetofitate: apropter boc valet cor tra fluxum ventris cum vlceratione intestinozum.

Alguraç est in quarto gradu caliditatis:odoz eius : 2 sapoz z virtus:affimilantur odozi nafturcu:z (no fapozi : exce-

pro quia est maiozis vesiccationis nasturtio.

Alcheiri.i.viola de romania: funt enim in fecundo gradu caliditatis: 2 boc fignificatur ex amaritudine fui fapozis a extrabunt secundină a faciunt aborsum: a semen eius est fortius flore: aperiunt opilationes cerebri quando odozantur: z propter boc quado fuspenduntur ad colla epilenticozum liberantur.

Halaníaz:ideft licium : boc eft compositum ex substantia groffa a refolutina a pertinet ficcitati a eft ex medicinis appropriatis oculis z auribus: z babet multas operatio nes fm modus medicinarum que funt illius coptonis.

Laufcemacanium:boc est manifestum nobis: eius pprie tas eft fanguinem ftringere vndecung exeat: teft com plexionis frigide a ficce: zoutur in ripis fluminum val

de currentium

Thus calidum est in secundo gradu z siccum in primo: qz babet amaritudinem cum fripticitate: a facit nafci car nem in corporibus bumidie. Et babet aliquantulas vir tutem maturatinas: fed cortex ipfius babet manifestion rem ftipticitatem:ita op ponitur in quarto gradu in me dicinis exiccatinis:nec babet superfluum calozem: vel acumen:ideo ponitur in medicinis que valent cotra flu cum a fanguinis sputum a pleerationem intestinozum.

B efbefe.i. macis: vicitur qo fit cortex cuiufdam fructus qui appoztatur de india:compositus est ex dinersis subftantus magis bominans eft fubftantia terreftris:2 mi nus eft lubitatia lubrilis calida: telt multe flipticitatis cuz aromaticitate. Sua prima virtus est ficca in primo gradu. Ged caliditas vel frigiditas non funt manifesta in co. Sua fecuda virtus est confortare aretinere: a va let contra paffionem coadis: a contra fluxus ventris. Et bene testificabitur per. B.g. valet propter fuam stiptici tatem contra vicerationem intellinozum.

S cedes.i.poling virtus eius fimilatur virtuti fpice. Albecci virtutes babet viffoluendi z maturandi.

etiam est babens aliquantulă caliditate: 2 poma ipfins babet bumiditates: 2 ppter boc puocant fomnú: 2 coz/ tices fuap radicu funt ficce:f3 eio radir Debilioz exiftit.

Talcasmegidest feniculum calidum est in tertio gradu z ficcum in fecundo: 2 propter boc prouocat lac: 2 vrinam amenstrua: aconfert bescensus aque ad oculum: asunt Duarum specierum: Domesticus a filuestre: a Domesticu est bumidins siluestri: ¿quía baber aliquam bozzibilita tem babet ppzietate confortandi mebra vzine.

lastix calidus est in secudo gradu a secus in tertio: et b5 stipticitatez et vissolutionez:et manifestatio sui innamé ti specialrest in stomaco:et generaliter in alus mébzis.

S caunixideft nigella calida eft et ficca in terrio gradu:et fignificat boc quia est in vitimitate amaritudinis cum fubtilitate:et ligata in pano lineo valet odozata ad reuma frigidum:et occidit vermes:et Diffolnit inflationes et eradicat verrucas et producit cum posse menstrua et facit erigere membrum.

Alchelilamelecidest mellilotum: vel cozona regia. babet virtutem vissoluendi vigerendi vrepercutiendi: io der

bet poni calida z ficca in primo gradu.

Alces ideft mel calidu eft z fic.in fecudo gradu z eft mul te abstersiois vest cibus medicinalis v ppzie in semb?: qui cibus est in ipso multum innatinus; quia in cis coner titur in sanguinem bonuz. Sed mel căne opetiă est mel est minozio calozio alio melle: a minozio abstersioio: nec babet illam mozdicationem qua babet mel:idcirco eft maioris innamenti alio melle mébris que nocent a niv mia abstersione. sicut stomacus pulmo: 2 vesica. Et iste due medicine facte funt a medicis materie electuario, rum e syrupozuzo quia natura amplectitur eas e in eis Delectatur: 2 quando lauatur est cius operatio ppinqua operationi mellis canne.

afcafi.i.papauer.frigiduz eft a bumidum:albuz eft frigi dum in tertio gradu: z nigrum in quarto: albuz valet co tra tuffim que fit a materys calidis: voefendit pulmor nemab plcerationibus ipfaru: r facit fuaniter bounire: anigrum est maluza facit somnus stupidus.

Teltrog.i.pomuz citrinuz. Cortex ipfius babet maximuz innamentum flomaco zepati: zest temperatus aut cali dus in primo gradu: r ficcus in fecundo: fed acumen qo babet non fignificat multum calozem: quia paucus car loz quando est cum stipticitate inducit acumen z mozdicationem. Et Dicit. B. quando Dominatur ficcitas terrea adipifcitur acumen. Sed femen eft calidum cus foz ti ficcitate: teft supremum bezaarys venenis que occidunt a tota specie: sed pulpa ipsius est frigida a bumida agenerat groffos bu.

lcarfar.i.tamarifcus compositus est ex substantus opo fitis:quia babet flipticitate cus visiolutione: ppter qua multu valet iplenizideo vicit q qui bibit cu vale facto ex co no incurrit passione splenis. Et sims fructus by this pticitate fortem propinqua stipricitati galle.

Hes idelt mirtilla multu imperipia pominatur fubitătia terrestris a frigida: a significat super boc stipticitas qua

babet a constrictio quas facit.

Halmu.qo operatur ex ifta eft radix zeft calida in tertio: aficin scoowina puocat amestrua: abs supflua buidi taté:19 De ea comederit multu voloze capitis pereat.

Jarlarmel.i.cicuta calida est a fic. in tertio gradu incidit bumozes groffos a prouocat vzinas a menstrua: a valet

polozi ipatularum z purgat flegma.

obolideft spica: a funt ex ca multe species a meliozearu estea que venit ex india:cali. est in primo gradu: a sic.in fecundo: t boc est ex eo quia est composita ex substantia L ephaa: ideft mandragoza: frigida eft in tertio gradu: ? terreftri a frigida multus: taliquantula ignea taliquae



nera facta proprer percuffionem.

S atirion i testiculi vulpis zin arabico baldaalcabalep.ca lidum est cum multa bumiditate: 2 propterea mouet co itum: anomina sapientuz enilsalic: a enosalic inranerut in comm animabus quia curat spasimum postreme par tis quando bibitur eius fuccus cuz vino nigro ftiptico.

Alcarifas.i.apium: est tante caliditatis op prouocat men ftrua a viinama viffolnit ventofitatem ainflationem. aproprie femen eius: buiufmodi est multarum specien: a fortior omnium est que nominatur becarcation.

E tendinia quedam eft filueftris a queda pomeftica. Sil nestris est frigida a sicca in pmo gradu: vomestica est fri gidio a bumidio a significat boc ei^o stipticitas cu ama ritudine:2 ftipticitas maiozest amaritudine. Junamen S ipfins maximus est:quia confert epati a tota substantia quoictus eft q fanat epar calidum a frigidus equaliter. Sed mibi videtur o plus conferat calido of frigido qu amaritudo que est in ea abstergit z aperit fine multa ca lefactione.

Halanchat.i.cepa fquilla:calida é in fecundo gradu: z vir tutem babet incifinas: fed non minus calefacit: ano vti

mur ea nistasfata z cocta.

Halícia,i.abzotanum:eft berba multe amaritudinis ano cet stomaco vinterficit vermes sua amaritudine vealer facit in fine fecundi gradus a vesiceat in tertio.

Alfcicelios.i.fifeleos:bec berba zipfina femen babet pro prietatem calefaciendi tantum Donec prouocat vrinam valida pronocatione: a cum boc fubtiliat: a propter boc confert epilenticis a cuidam egritudini noiate oztomie. S centeani i.filiminum al.fiffamum calefacit in fine pmi

gradus: vin principio fecudi v bumectat in tertio: v eius

oleuz einfdem proprietatis existit. Halgaçar,i.pastinaca ipsiuo sunt oue species.s. Domestica a filueftris. Bilueftris fortior existit in prouocando me ftrua a vzinam. Et folia barum ipfarum piftata a fuper/

pofita yulneribus cozzofinis fanant ipfa.

Harcaf.i.cardus:alchieft calidum in fecundo a fic. in ter tio mundificat putredinem per vzinas fi in corpore ad/ fit quando coquitur in vino toatur ad bibendus. Et remouet fetozem subascellaru: t op vissoluitur ex toto coz poze. Et generaliter babet refistere a tota substătia qua si putrefaction rest medicina cibalis que vat sapore car Hupuephatabalep.idest vua vulpis que in latino nomi, nibus. Et iccirco viuntur eo nobiles loco melongiaruz.

Allium calidum est esiccum in tertio gradu. E Imaar.ca.est estic.in tertio gradu:occidit lubricos in pue Haltuclep.i.mulfa:in lingua byspana est viriditas inuéris ebabet abstersionem:epropterea ponitur in colirus ta super aqua:frigida ebumida é in gradu terrio. que babent remouere yngulam amifcetur cum medici nis que pantur contra antiquas tuffim tafma: teft me dicina manifesta in maturado. Et potest esse ponitas sue maturationis est ideo quia subtiliat materia eo modo quo non relinquit ficcitatem grofficiem nec puricies parti remanenti. Et bec maturatio est laudabilioz cete/ ris omnibus:quia in bac medicina no potest vici qua turet opilando pozos:co quia abstergit. Tec potest vici o boc faciat per fimilitudines complexionis cus corpor re bumano.quealidum est a siccus in terrio gradu.

S ticados copolitú est ex stipticitate cú amaritudine varo maticitate video debet poni in pino gradu rerum que calesaciunt. Et in secundo earum que desiccant. Opera tiones fue fecunde a tertie funt aperitiue abolterfine a confortatine omnium membrorum interiorum z exter riozum:zideo ptilioz medicina est bec contra lassitudio ne omnibus alus medicinis. Jecirco quia laffitudo non est nisi defectus virtutis propter onus bumozum.

Condifi.i.elleboms albus calidus eft in grto gradu: a fic cus in codem: rcomouct sternutationem: rest yenenus quare non bebet poni in corpore.

S tozar calamita calida est in secundo gradu. a sicca in pai mo: tlignum buius eft quia mollificat t curat tuffim t valet reumati zasperitati gutturis z pectozis:z puocat menstrua quando bibitur aut ex ea fit pessarium.

icus nos fumus locuti de cis in co quint cibus. Sed nunc vicemus in co o funt medicine; virtutem babent maturatină quado fit ex eis emplastru a proprie ficce. Et ficce virides babent lagare ventrem. Et occoctio ipfarum quando multum coquuntur affimilatur melli: fed complexio fue arboris est calida a fubtilis: aproprie lacitideo Dirit queuellit verrucas a larat ventres:a fil uestres sunt fortiozes in bacre vomesticis.

elec.i.bleta babet virtutem baurachiam: 2 Decoctio caz remouet:zestabstersina z mollificatina: zeins succus suppositus in naribus vissoluit superfluitates cerebzi:z in albis plus manifestatur bec virtus din nigris : quia nigre babent aliquantulam flipticitatem.

Halcubasideft fennigrecum: veft calidum in fecundo vice cum in primo. Et propterea babet propriam virtutem

mollificandi onriticm vulue.

Fitimallus est in fine caloris a pprie cius lac: apost illud femen.apost illud folia.apost illud radir. Radir cocta in aceto remouet incontinenti polozem pentium: ma/ rime fi eft bens corrofus: quando cadit in aliqua par, te ozis comburit illam. Et propterea necesse est quendo volumus ipfam ponere fuper ventes alu ventes circuz tegantur quia facit cadere bentem corruptus. Lacin, cidit pilos quando inperponitur: a fi multotiens inperponatur euclit appinat. Calet etias contra omnes ver rucas comnes fiftulas: thoc totum faciunt femina cfo lia:fed pebilius.

Cathira ideft pragagantum: virtutem babet congluting tiuam:frangit acumen rerum acutarum:negs peficcat:

A lebace.i.lactuca: bec berba substantic est bumide cum modica frigiditate a substantie sicce est siluestris: 13 00/ mestica babet substantiam aquosas: a ppter boc matu-rat apostemata calida: sed non frangit lapides existetes in renibus: 2 ob boc ponimus ipfam in primo gradu.fri giditatis r temperată inter bumiditatez r ficcitatem.

natur vua canina vel marnella frigida est a sic, in secun

do gradu.

Halduchal i Dactilariii: oes partes ipfins Dactilary ftipti citates babent manifestà : sed fructus cius cum est ma/ turus aliqua babet caliditate:coztices vero arbozis ma iozem babent ftipticitatez alus partibus ipfius.

Teufericon idest ypericon nelifricon.al.mellisicon:zqui dam appellant banc berbam cozdialem:co quia affimi. latur cordi.calida est cum subrili substantia:ideo puo, cat vzinam : fed vebemus vei folys z non femine: facto emplastro super combustionem ignis sanat. Siccatave ro apuluerizataposita super sordiciem sanat: aquidam Dant ipfaz contra fciaticam.

Halcufa.i.yfopus calida eft affeca in tertio gradu: cu fub, tili fubstantia: test ex rebus magis iumatinis ad aperie, das oppilationes rad fubtiliandus bumores.

ene by frigiditates no fortes: a est teperata intercalidi. tate a frigiditate: a est sicca in scho gradu: Decoctio ipsi? lapar a medulla iplius firingit: videirco quivult firinge re ventré ochet coquere lentes pluries in aqua: a proies cta ca postmodii ponere aliaz a stringunt.

V aleriana. vel fu. que bene aromatica est:equalis é vitti



tis alteriaturipigmeti:co o by virtute mollificandi. Alfeep.i.alumen: bec medicina est maxime stipticitatis:2 ppter boc benominata est in lingua greca ab boc: timt ipfius multe species: tomnes funt multe groffitudinis:

z quod subtilius est: est illud ve turchia. C alcucecaumenon.i.es ystus babet intensus acumen cus stipticitate:io quatur per remotione partis fumose: tune frunt medicine cicatricatine in corporibus amem

bais ouris:non est necessaria lotio.

Tubel.i.lamen eris subtilis. est subtiliozis substantie ere víto: z ppter boc ipíus in colirus ponimus: qz babet ma

iozem abstersiones a ficcitate of galla.

Lacacalaap.i.cofolidatura aurizin arabico vicif cubar: ziunt vuaru iperu:vna est ipsi vene:vel minere: zalia fit in moztario eris: z pistello eris cu vrina pueri: tpe ca lozis teredo vel cóquaffando: tillud est melins qo fit in moztario eris rubei: reius virtus est viffolutina abfque graui mordicatione: voeliccat: vqo factuz est maioris e beficcationis illo:qoeft er venari minozis mozdic atio nis: t qui comburitur qo eft ex minera eft fubrilius.

Zimar.i.viride eris magnu b3 acumen:2 corrodit carnes: ppterea no vebemo vii conifi in indigetia viminutiois carnis. Sed in vulneribus fimplicibus non eft vrendu eo:quía nó confolidat:nec carnem generat. [Ducufcp Diximus De mineris compediofe . Sed Deinceps volu

mus vicere ve carne zeins bumiditate.

Cap.XLIIII.Qo est De Diuersis operationibus lactis

fm eius dinerfitatem: voe eis.

Ac oulce qu'est boni sapozis inqui est medici na valet cotra vifcurfuz bumon acuton mov dentiu: qz lauado mebza z adberedo eis phi/ bet malop bumop cotagiu:ficut facit etia al

receter trabat ex mamillis fi ce pot. 36 que viximo nifi immutatione oib alus rebus ab acre. All pmutat in ob fteperatis cozpibus ex malis bumozibo: cacefcit vel car feat i ftomacho frigido:aut fit fumofuz in ftomacho ca lido a replet cerebin. Sed fi copus est mudu nibil est conenierius eo ad restauradu: qo visiolutu e er mebils radicalib?: z pprie lac mulieru. Scho lacafinaru: z post laccapearum: video est lac magis innatiuns ofbus alus rebus etbicis: 2 boc est ppter ea: qt est ma similis pme materie ex qua est bumiditas radicalis: 2 ideo nutrime tuz bonu cospozi existit: 2 melius est illud qo e ppe par tum.i.post ouos meses: 2 no babet in se operationes nu triendi:bumectadi: abstergedi:nisi quest copositus ex omerfis fubitatus:boc eft fuba terreftri cafeata: 2 ppter bác stat: z suba aerea ppter quá bumectat z nutrit. z sub stantia aquea veclinate aliquatulu ad subtilitate ppter qua abstergit natura: eno solu abstergit. veru etia lazat vetre bona la catione: que mundificat lauando superfluitates putridas: apostemata interiora que funt faniosa Et quado extinguitur ferrus candens mundus ab eru gine: vel lapídes marmorei in ipius multoties, valet cotra fluxum ventris. sed ferruz e melius ppter sua stipti citatem. Et in filma oes spes lactis valent obtalmie ocu lozus que accidit ex reumate calidore ofert etiá aposte matibus matricis cani que generant ab bumozibo cali dis mozdetibus. Et qui miscemo ipsus cu medicinis mi tigatinis: sicut è medicina que recepta é a fornace vbi ef fundit es.cofert ylceribus cancrofis. Et nocet lac ylce rationi vel cancerationi ozis. Et gargaricatu a retetum in oze cofert: a mirigat volozes ibi exiftetes: quo olozem mitigat: a valet pafioni amigdalaru a vulue. al. vuule: que eius fubstătia est munda ab omni acumine a mozdi catioer e supremu innametu ei qui bibit cantarideo,



Cap.XLV. Quod eft De opationibocafei. amultu valet cotra voloze iuncturaru. Et em plastrů ex eo factů mirabilé babet pirtuté ma turandi apostemata oura.

Cap.XLVI.Quod eft oe virtutibus butiri.



Utiru by vtute maturadi: 190 écoctu by ma iozé vtuté P3 maturitaté a caliditaté in corpor ribo ouris: The ppter sale qui ponit in co qui coquit. Et qo no est coctu plus maturat apata que funt in radicibus auriu zin locis mollib?

Et quado miscer cu melle fit inde loboc: 2 cofert screati

bus existétibus in pectore apulmone.

Cap.XLVII.Quod est ve operationibus coaguli.

ne apiguedine q coagulata fut in fto: a bibitu oftipat vetre: 2050ari fluxu ppter fua ppzie tatem cui funt occulte fue caufe:ideo qubec p prietas est certificata si superponat coagulus


calidus fuper ventre puerous fanat: rpoteft effe op bec operatio fit opterea:qz coagulat bumozes z indurat. (Σαρίπ. ΧΙν ΙΙΙ. Ωδ έ σε operationibus ουσιμπ.



Uia locuti fumus De bis inquantuz funt cibi. log volumus modo ve cis inquatus funt me dicine. Et vicimus qualbugo oui galline e ma gis mitigas alia re in mordicatioib?: rideovti

mur ca in polozibus oculop: in apatibo ani:in apatibus inguinu: radmifcet cu medicis q abfcindunt fanguine g fupfluit a păniculis cerebzi. Et vitellu e fub, ftătic albuginis file. Et ideo facim? ex toto ouo medici nă postej admiscer oleu rosatu ad medicatione rerum fupzadictaru: z maxime in medicatõe mebzon neruofo rum amufculofon ficut cubiton: inneturan: Digiton: manuuz apedu apatibanurii. Et noni ponunt in bac medicatoe vitelli fine albugine: qa no intendit mitiga re volozez mili cu aliquatula maturatioe. Et olcu vitel li eft fupmu inname fup pinguedine anferis zgalline in mitigatiõe polozu nerrioz a fimiliu. Et qui coquit ouus Fm fui totalitate cofert multu cotra materias putridas q vicurrut ad ftomacu zad inteftina Et fi coqui ouus cu alus medicinis coltrictinis ventris multu fortificat eas. Et ou u politi fup locu abultu ab ağ feruéti multu valer. Et oua recetia cocta in aq valent afperitati pecto ris q pulmonis. Et cozter oui trit? q obuftus fubtili pul ucrisatus q fup fparfus valet o albuginem oculi.

CLapitulum.XLIX.Quod eft ve fellibus.



la aialium que non funt infirma. Et fella marium 290 Capitulum. L. Quod eft De viinis. Rincomnes babent acumen baurachiuzen

abiterfióe: vió folutt fordicies antiquas. [Cap. LI. Qo e ve prietatibus fercon. Tercus album canis by pretate in ignatia. S tercus muris intrat in suppositorys amor

uent ventrem pueroum. S terc'bouinu ofert ydropicis in modu epti.

S tercus gallinaceu valet ad fuffocationem a puenit a malia fungia comestiació que facit con cuomica bebet ppinari viltemperatu cu aceto zaqua. tercus lupi valet zeofert passioni colice bibitu autem

plastratum: yel suspensum testiculis,



finum existi: resoluit grossas vētositates: 20 fert moz/ sui aialius venenosop: 2 eius ppzietas est resoluere vētositates matricis: 2 abscindir vomitu: 2 folia ipsiº aro/ matica existunt: 2 ponir loco vedarseni.

Sebeste calidu est in pmo gradu a bumidu in scoo; purgat fuauiter supfluitates colericas: a mitigat acume sanguinis lenit asperitate pulmonis: cofert stricture anbelitus a que coquit done cispisse a qua decoctios fiat embiocatio super traia a alopicia facit nasci pilos.

biocatio super tyria valopicia facit nasci pilos.

Sarudotes:ca. v sic. est in scoo gradu recepto sumo suo visto solut supstuitates cerebri: v valet ptra reumata fra. apposită sup obtalmiă:oculă abstergit mirabili abstersione: v valet poloze ventiu: v pocorosione gingiuară.

Sene calidii est rsiccii in secudo gradu:cius vius è purgatiua:purgat eni bumozes adustos retia bumidos suaui ter: ano è potes trabere bumozes viscosos: reius virto è ppinqua viuti agarici: boc è in attractione. Sed agaricum ba ppzietate trabendi bumozes grossos rsene buadustos, posis eius est a.z.i. ysgad. y. in pecoctione a.v. vigad.vy.

S cealmefe.i.gallia mufcata calida e rficca ftipticare ofov

tat mébza: a ftringit ventré: a curat vomiti.
S ecacul.i.iringicalidi funt a bumidi: augent sperma: a pi uocant coitum.

Sandali qõ e frigidioris coplexionis oius ibecieră estrubeus:eo qo frigidă e în tertio gradu a siccă în secundo: s maioris aromaticitatis e citrină: a est frigidă în secudo gradu a siccă în pmo: a cofert bibită magne caliditati a cardiace calide: a prodest emplastrată stomaco calido: a apostematibus calidis.

Tabaifis.i.ípodiú:carbo est nodoz arundinú adustarus indie frigidú é a siccú in tercio gradu: a eius pozietas é remouere caliditaté a inflamation é colere: a confostat

ftomachú: a confert cardiace calide.

Lignú aloes calidú é a fic.in fecúdo gradu. Bal'. Digir in libats exptis. quas virtuté varíenică: fed aliquătulu plus quas papietaté exiccădi bumiditaté ftomachi: a papiet amaritudine a flipticitaté cu ipfius magna aromaticut te valet fup oés medicinas alias médsis pricipalibare mouet triftită: a cardiacă bumidă: a valet cotra ofa venena: eo que confortat oés vitutes: a valet contra omnia reumata frigida.

A mbra é vna ex speciebus canfore que orif in fontibus maris: a natat sup aquá maris: a melioz osus est illa que in arabico vicif ascap, calida é a sicca in secundo gradu, cofortat cerebra stomacha acorro es sensus: valet sens bus a in frigiditatibo: valet arra vétositaté intestinoza: supposita neruis cos fortificat; resistit magne pestilétie aeris bibita: a etiam odorata.

I ninbe z in arabico noiaf anep.bác medicină noiat Sal, th de ea nullă scinit ppzietatê:sed medici de baldacoi.

cuit que reprint acuitate sanguinis z colere: 2 derut aspitati pectozis z pulmonis a tota substătia:coplețio ipsație est frigida in pino z bumida in scoo; 2 ppter boc reprintunt acuitatem.

Cauffer cius virtus é virtus fandalozus; excepto quia qui oceo potatur ab.i.aureo vicad. q.lagat.

Gariofili calidi füt a ficci in fcoo gradu: attingüt tertiü: a ifti cofoztat ola mebra pricipalia: valet opafiones frigingidas: a coftipant ventre. Et vicit Ball op eop aprictas eft confortare virtuté vigeftină.

H albabat.i.bafilicon gariofilatus: ca.e 4 fic.i fcbo gradu: aperit opilatione cerebsi: valet cotra cardiacă bumidă zcotra melăcoliă: zcotra emozroydas,

Cardamomii ca.eft afic.in fcoo gradu: valet otra opilationes epatis: plapides renú: alafitudine inébaon: acon tra frigidos bolozes: 2 cofoztat from multū: 2 remouet fincopim 2 vomitū qrī bibit cū vino maloz granatoz. C ampboza frigida est 2 sicca in tertio gradu: 2 est subtilis substâtie: 2 resistit putrefactioni que fit ex materia calida: stringit fluxū colericū: puat coitū potenter; ledit stormachum no calidu; multū.

Lacca ca.eft z fic.in prcipio fecudi gradus: valde est manifesta ipsius innameta in ofoztatioe epatis: z in aptione suară opilationă: z valet cotra voloze renă z vesice: z augmetat coită. vosis ei e vzagma media vsquad vnă.

Muscus ca.est a sic.in fine securidi gradus mirabile bappoor prietate in costatado corra valet atra surditate auriñ a stupesactione corporis a arra o es egritudines sincopies a afert grosse ventositati intestinop: a susfectioni martricis: a arra melacolia; a auget costus.

Licebalafoz.i.lingua auis ofert cardiace a mouet coitii. Gefemini.i.viola vltramarina calida est a sicca in fine ser cudi: pdest seniba a refrigeratis: valet otra poloze capi tis qui sit ex bumozibus fricidis a grossis.

Cap. LVII. Quod est ve mó cópositióis medicinarú.
Ucusque locuti sumo breuster ve cibis a medicinarú.
cinis simpliciter manifestis. Desceps yolumo narrare modos cópositionis. Et vicimo que, cessitas que nos inducitad cópositione medicinas que nos inducitad cópositione medicinarios.

cinarus fimplicius puenita tribus reb. Una est quia multotiens no inenitiur in pna medicina fimplici omnia que nobis funt necessaria a virtutibo ppter quas copletur medicina aut vieta al cosernatio. Secu-da est quia con un nuenir cmus ipsas forte no idige. mus ea scoz eandé virtutez:sedscoz plus aut min? Ter tia est querunt in illa simplici virtutes q no sunt nobis necessarie scom intentione nostră: necesper medicinam negs per vietaz alias confernatione: vel forte erunt vir tutes q no intrantaliqua medicinas vel cofernationes. Prima iftaru triu cofideranda est in illis locis qui non possent curari nisi qualitatibus cotrarus vel vinersis: boc accidit aut ppter omerfitates canfe ab egritudine: aut pp vinerfitaté nature egritudinis ab accidente:aut ppter vinersitates egritudini inter se:aut ppter viner fitates coplerionis carú copofitar aut ppier oinerfita tem egritudinis a na mebri ppter fuam coplerionem: aut ppter fun pncipatu:aut ppter fun locus :aut ppter fuas colligantia. Exemplu omerfitatis caufe ab egritui dine eft ficut fe.putrida ex buotib' groffis quilla ex par te male qualitatis calide: efic.indiget medicina infrigidatina z bumectatina: z ex pte bumozis putridi groffi i/ diget re subtiliate vt exiccet a maturet. Et in boc eodes genere ingredit repercuffio voifolutio q necessaria est tempore augméti in apatibus; z poterea idiget medic in talib? locis; vt fciat vti iftis medicinis mixtis a reper cuffinis, a refolutinis. Et cadit oubiú in operatioib? me dicinaru politar exvinerfis vintibus:boc elt quomo possunt inueniri iste oue operatioes contrarie simul in corpore bumano:qr fi ifte vtutes fint in eis equales:tuc no vincet vna altera: fed eqliter erunt teperate: ano far cient actione quefită in corpore bumano. Et fi vna erit fortior altera fortior faciet actiones vactio: illi va attri bui ralia erit frustra. Et boc oubiú no senserút medici nist in scois pirtumbono in prois quipsi opinant o si mifceatur.3.i.camomille cú.3.i.rofarus: o medicina q erit copofita ex bis erit teperata in pinis glitatibus: 2 cú eo toto opinant o beat vitte repcuffina voifolutinas. Et no opinant veru arneceffe eft vt vittes ambarum fint vna ficut ocin est. qu si viceret q medicina eet teperata in priis qualitatib?:boc est qu facit in corpore vnii calorez téperatu qui erit medius îter caloze a frigiditate pui



eates of illa q est minus colida.ergo erit frigiditas in am babus per contrariu:boc est quin calidiozi erit frigiditas minozis coparationis: vin frigidiozi crit maiozis comparationis.verbi gratia:q2 oparatio calozis ad frigus in.3.i. piperis e maioz q; in.3.i.spice. e si in.3.i.piperis fint. p.par/ tes caliditatis a yna frigiditatis. ain. 3. yna spice fint one partes caliditatis: a vna frigiditatis mixtis onabo. 3. fimi erit oparatio caliditatis ad frigiditate in boc mixto may ioz & effet in pipere folo. Et qui eris bene fpeculato in boc videbis boc fieri per bac via. Et iste partes medicine gs Diximus calidas aut frigidas: quis no fint in actu no no cent in boc bocumeto:q2 funt qff medie inter illa rez que eft interactă apotetiă. Et ideo est posibile in multis coz pozibus cosimulib?: ve visioluant artificiale pres ex gb? coponunt ficut est lac. Et fortificat bec opinio: co que dicina que baplures partes calidas in fe fine pubio est p parata vtinflamet a caloze naliplus que medicina que tifs no bs. Sed acciditaliques corpibus poter fortitudines calozis illop: a ppter pparatione corpoz ipioz vt couers tant oia que eis aduenint ad fubam ignea:etia fi effet mi nozis caliditatis es illa. 7 pot ee es bec est occasio lesionis mellis in causone: 2 quo no vebs boc facere: qz videmus graqua etia cucumerum connertitur in bis febribus ad coleră. Iste est modus vebilitădi vitutes medicinară per coparatione. Bed qui volum' foztificare no fiet bocnifi vna via:boc est vt misceat cu camedicia sue speciei z sit fortiorea: radbuc loquemur de bis: r de reboque intrant in secuda particula partiu pman funt qui volumo fillo for tificare scoas vintes a tertias medicinarii simplicina:aut pebilitare: 7 boc etiá fit ouobo modis. Uno est ve miscea tur cu fozti medicina vna que babeat Briá virtuté. verbigratia:qfi babebimo medicimă aperitină z incifină i tere tio gradu: volumo veclinare ab illo miscebimus cu ista medicină opilatiuă ingroffatiuă in pmo gradu: a tuc redi bit pma ad aperiedu in scoo gradu. Alter modus é vt mi sceam? cu ea similé:sed minoris virtutis:qz etiá ex ea De meniet pine Diminutio actionis ficut Dictu eft in pinis gli tatib":q2 coparatio opilatiois ad fubtilitate in bocest ma toz gin pma. Bed ícoa via fozrificadi vitures ícoas a territias est vi misceat cuea filis a fit fozrioz. Er quida vicunt q virtutes scoe fortificătur miscedo medicină cu medici na alia fimili in codé gradu:ita ve no fit fortior: voicue o expientia testificat o oue medicine egles in virtute più cte babebunt foztiozem operatione qua illaru fingu-laris aper fe:aboc accidit:qui erit quatitas vnius equalis quatitatialterius. Et poteft effe que caufa buins eft ideo qu be oue medicine councte: quis videatur abeis vt fint equales in virtutibus fecundis a terrus no potest effe pe fint equales penitus veraciter:nifi largo arbitrio:co qui possibile est venó vinersificent in subtilitate substâtie et grofficie: a spissitudine a raritate: a similib?: ergo nec erit difficile cas inequaliter permutare poter ifertione earli fubstătiaru:quia ipsa în quibus recipient pmutatione no erunt equalia; z ppterea manisestabitur permutatio cas rum cozpozi plus on manifestetur permutatio cozpozis in eis:boc est quia cozpus erit ab eis magis permutatu: vid. circo istud qo tardat permutari extre a corpore retinet il· lud qo est velor ad excundu:vnde fortius operant in cor pozer per banc vias potest esse o similia adinuice fortifi cantur: timiliter vicimus in pinis virmitibus. Et ppte rea vides quantiqui ponut in eozus cofectioibus medicis nas equales oibus virturibus tribus. Ifti ouo funt modi pmarů partiú que fuerunt cause copositionis. Et in scoa particula igreditur adbucalia res: boceft qapoteft ce vt no idigeamus olbus virtutibus medicine numero:fed ge buidam t boc eft ouobus modis. Unus eft quia no indi-

gebimus oibus qualitatibus primis medicinenifi vnq. verbi gratia:babebimus vnaz medicina calidaz z bumi dam fimplices: 2 no indigemus canifi ppter bumiditaté quare tüc vebemus miscere cü ea medicină frigidă v bu midă:tamen necesse est vt sit frigiditas illius equalis in comparatione calozis alterius:ad boc vt fint temperate in caliditate a frigiditate: a pt bumiditas fola pominet: z sic vebes intelligere ynaquaqs istaru qualitatus. Alter est veponamus quindigeamus ex vna medicina secudis virtutibus aut tertus znon primis. verbi gratia:ficut ne ceffarium est semen apy in febribus que fiunt ppter opie lationem folum: yt aperiant opilationes 2 yt fubtilietur bumozes groffi a prouocetur vrina: a non eft necessarius funs caloz:nec fua ficcitas.quare tunc cu3 co Debem" mie fcere rez frigidaz z bumidă que remittat fuu caloze z fuă ficcitates femper confiderando: vt fecunda virtus ipfius non refistat secunde virtuti prime:qua idigemus:boc est apertione:verbi gratia: si necesse est nobis miscere nenue far cum semine apy: aut sung simile vebennus ponere la co nenufaria femen melonia aut citrulozuz: ad boc vt fer cunda virtus illozum foztificet fecundă virtutes apu;qz entis ista duo semina sint frigida babent tamé virtutem Diuretica: Guis. B. vicat of fi misceatur res vebiliozis vir tutis cum re que est fortis virtutis z est vnius generis:0 ipia caz vebilitatmec est impossibile ve quado coiungum tur oue res que funt vnius virtutis: quanis vna fit ochilioz altera: o coiunctuz istarum non sie foztius fingulari. Sicut tu vides genos milcem' medicinis calidis acetus ppter inummentu apertionis činis videat effe frigidus: qz fi nos feparamus partem calidam ab aceto no faceres id qo facit in frangendo lapides: zest remotus vt faceret boc ppter partes frigidam folum: fed facit boc ppter ca lidam partem que est in tali substantia. Et ideo miscemo ipfum cum medicinis calidis: quis fit vebiliozis calozis istis. Sed cu boc toto estaliquid in aceto: qo banc opera tionem adiunat: ficut ftipticitas fua. Et ideirco vicimo co medicina bebilis mixta cus fozti pdest foztificationi foz tiozis:quia operationes medicinarus in corporibus bua. nis non funt nisi per viam coparationis rassimilationis corporibo bumanis; eno funt nifi ex parte ipfiufinet me dicine:qz tu vides multas medicinas in quibus est paus ca caliditas: z coparate bumanis corporibus inueniutur calidiozes illis quevidentur illis calidiozes. Et fic potest effe femen apy confunctu cum femine melonis: 2 fit foztius in operatione di apium folum in corpore bumano: 2 quando medicus subtiliter cossiderauerit boc non medicabitur cum fimplici medicina. Et bec pparatio inuenit in compositionibus antiquozum: sicut in oximelle semi num:q2 confiderauerunt cu aceto foztificare fcoamope, ratione mellis:idcirco laudanerunt illas medicinas fimplices:quarum fecunde virtutes adiquant fe adinuices: quantis in pinis funt pric ficut pe yrcos: Toe alus fimpli cibus medicinis. Et in fuma innamentum istins prepara tionis:no est nisi in secundis virtutibus a tertus. Et qua, uis inueniat feriptum in victis antiquop: no tamen ofte derunt rationem. Ged nobiles viri fily Auenzoarteftiff cati funt boc: villi funt quibus Debet attribui fcia medici ne. Lertianecessitas copositiois est ve ponat in medicis purgatinis aliquid ad refrenadu: ve no ledant mebra pa cipalia. Bed aliquado ponuntur medicine ad oulcozandum medicinam que babet malu fapozes: rad boc ve fic amicabilioz nature: ficut funt cofectiones que fiunt cum melle a quecaro: quis in multis locis fint cotrarie nostre intentioni:ficut in medicina a qua querimus frigiditate Thipticitate. [Ducula vigimus modos necessitaris co pofitionis fimplicia medicinarum.



est calida in scoo gradu. Et frigiditas q est in medicia q e calida in tertio gradu est minozio oparatiois suo calozi di frigiditas q ein calida in scoo gradu.ergo medicina tepe rata in medicinis que funt in vnogne vitutu est ppingoz ad remittedu că que est frigidiozea. ppterea qu opositio otrarietată în ea est ppinquior compositioni reperătie: z post illă illa que est în pino gradu: deo qr vnu orioruz est pebilius în illa z post illă illa que est în scooco q vnu cotrariop est vebili eo qo e in illa que e in proo gradu: e mi nozis politiois. a politilă illa que est in tertio gradu. p. pterca qu'ain qu'elt in illa est minozis copositiois ceteris alus. verbi gřasli miscuerim? vná mediciná téperatá cuz alia que sit calida in scôo gradu. nó by vtuté sm veruz. al. Fm nãz reducedi ipíaz ad pmű gradű:ideo qz illa que boc og facere necessario erit frigida in pmo gradu: sed boc re/ ducit ea ad re que no attigit buc gradu. Et fi milcuerim? cũ illa que é calida in ícoo gradu medicina calida in pmo gradu.remittet etia ipías: ís minus etia es téperata, ppte rea que copolitio frigiditatis ad caliditate calide in primo gradu est minoz copositioe que est ad téperatá: sicut est, in téperata minoz copolitio que il frigida in pino gradu, ppterea îposibile est medicine téperate vt remit tat ex ca que est calida in scoo gradu tatu que remittit il la que est frigida in pino gradu. Et etia est ipossibile cali de in pmo gradu:vt remittat ex calida in fcoo tătu cut remittit tepata. Et fic eft ipole vt remittat calida i z? gra du ex cala i 3º gradu tătu cătu calida i p. Et adbuc plus te pata aut frigida în pino gradu. S q medici no viderunt necp coliderauerut in bis vicut: gran nos milcemo vnaz medicină calidă în pmo gradu că alia calida în tertio gra du ipfa reducit ipfaz ad caliditate in fcoo. (O vtina ego fcire ve ista que est calida in tertio gradu vna que eet fri gida in pino:ad que gradu reducerer . Si viceret o redu car ad ícom gradu: Respode, ergo calida in pmo: t frigida in pmo reducet calida in tertio ad vnu gradu: t boce vanu. Et si vicerint o frigida in pino gradu reducet cali-daz in tertio ad calida in pino ergo respodem o frigida in scoo reducet calida in tertio ad teperata, aboc est ita ipossibile ficut aliud. z iste erroz puenit a puatióe sciètie. Et posuit bunc erroz é bó qui vicit alkindus : qz ipse secit vna copilatione tractatuii:zin illis credidit bare cognofci natură medicinară copolitarii. Et voluit boc Demonstrare per parte alaachi vel algorismi: a musice: sicut fecit ille qui specular res p accides. Et vicit que copositio quat-tuoz graduu medicinarus est copositio vuplexita que gra gradus veneniet adruplicatus, poterca:qzponit pzimus gradu vuplu temperantie: viecūdus vuplus: pzimu v ter tius ouplus fecudi: equartú ouplus terty. Et erat ei fuffi riens vicere o fecudus effet vuplu pmi: tertius tripluz: aquartus quadruplu. Et sic intellexerut medici in ozdi-ne graduu ad boc vt essent equales:qz caliditate sensibile corpori posucrut in pmo gradu: zab bac beuenerunt a medicina que est remota abilla tantu quatu fuit remota illa a temperata: a pofuerunt illă în fecundo gradu. Et istud sine publo est puplus primi. Et post buc deuenerut a medicina que est remota a secunda tantu quatu est remota secuda a pma: z bac posuerut in tertio gradu.qz triv plicata est: a fic fecerut in quarto gradu: fed \$5 Elleradru est necesse ve ponat secuduş graduin excessu super pmu ouplus excessus qua babet pinus super temperatus: ter tius fuper fecundus ouplu excessus quem babet fecudus fuper primum.ergo medicine que erunt in tertio gradu caliditatis necessario interficiente magis que erut in que to. Et quo possunt tolerare corpora medicinas que sunt in.rvi.gradn. Et adbuc ponamus quita fit latitudo quar tiad tertium non est proportionalis latitudini secudi ad

temperantia: etales latitudines beberent poni in gradu Et similiter latitudo que est a secudo ad tertis: secundu illos ordines graduu no funt equales. Et non posset esse maioz erroz in bac arte quifte.ideo quia res in qua intelle runus in primis confernare ordinem excessium virtutis vnius super alteram eset occulta nobis:nec ipsam cogno sceremus. Et erroz alchindi fuit quado posuit rem que est in pmo gradu ouplam temperata in qualitate calida aut frigida: t bec fuit caufa: quia fecutus fuit comparatio nem oupli. Et est vicendus op illud quod intellerit Salie nus in primo gradu est op babet ercessus super tempera mento in vna parte vltra ipium. 2 Fm boc quado componetur compositio oupli in excession graduus non erit ne ceffarium op medicina que est in quarto gradu sit oupla fuper medicinas que est temperata sexdecim ouplis vici bus . Et o victum Salieni fignificat boc quando virit: ? mea intentio est in primo gradu. illa res que manifesta tur fenfui apermutatione corporis: quia effet intétio Ba lieni o primus gradus effet puplum temperati:permuta tio que manifestatur in corpore a medicina non effet pn/ cipium permutationis. Et contemplare bene bec verba fi funt peracia: tnon confequeris confuetudinem populoum g fequent confuctudines medicon nouon. Duc ulce virimo pparatioes quus bo pot cognoscere natura medicina proposita proponere cas per via cognitióis pragrum virtutu:qua etiam fedas retetias gradaumus gono fecerunt alu medici: est querendu.

[Laplin.LIX.Quod est De cognitione medicinarum.

compositarim per experientiam.
Ostácopositio medicinarú est inuenta sm rationem: virtus sma scóa a tertia medicine coposite sci scóz ratione. Querimus si expe rientia babet aliqua inuentione in virtutibo

medicinarum copolitaz: ficut babet invirta tibus medicinarus simpliciii. Et vicimus geprime virtu tes secunde a tertie no indigét experientia in composito: eo qu'unt inuente ratione demostratiua. Sed si possibi. le est in medicina composita facere aliquaz, pozietatem: ppter comixtionem in boc babet experientia magná ina tientionem: ppterea quia quedam ppzietas est que bar bet contenientiam cum copositione medicine: quedas non: zilla que non habet conuenientiaz inuenitur in ma iozi parte in complexione naturali non artificiali:quauis non fit remotum inuenire pptietates in medicinis:qua rum complexio facta fuit tempore longo:propterea quia complexio magis est in illis confirmata. Ét ideo picit bo mo ques tu scis quantos para operationia tyriace proue nit a proprietate cofequente totam fubstantias: voicit go nos non Debemus mutare aliquid ex receptione qua fa cit andromachus. Sed nolo ei credere : fed volo addere ad tyriacam multas medicinas : que non erant note illo tempore: De vnaquar faciam probationes: quare ipfas addidero ficut e lignu aloes z ambza z gariofili. Et post of bene veclaranimus preparationes copolitionis:loque dum erit de manifestionibus medicinis compositis: por nenda est causa illarum copositionus, a boc saciemus in libro futuro. Et quanis boc no fit nobis multum necessa rium: nascif m inde aliqua pfectio: z queadmodu musici qui vederit pricipia vocum tonon: tipecies compolitio nis illoum: loquuni postea de instrumentis musice ma gis manifestiscad boc vt comm scientia sit magis manifesta:ita z nos faciemus. Et veus nobis consentiat perue nire ad perfectionem yltimam: que beatitudo fempitere na appellatur.

CErplicit liber gntus g fuit Decibis & medicinis.



cieb exercity reins innameris raliop. Et postea rener temur a dicemus qualir vnaquecomaneries oplevionus Debeat coleruari. Et fatis in co qo pteryt De vtutibocibor rum fum locuti. Sed in boc libro vicemus quali cu eis Debemus vii: qualiter cum eis vebet fanitas coferuari. Et fimiliter etiam de virtutibus medicinaruz fumus locuti. Et veinceps vicemus qualiter cum ipfis fanitas Debeat effici z conseruari.

Cap.II. qo est ve exercitio a modis cius.

9. 64. Lab exercitio icipiemus voicemo exerci tineft vir mebroz motus aliqua volutate:2 boc fit ppzic in mébzis motti volutariu buv tibus: 1 scoario in mebris aialibo britibo mo tum:ficut funt vene vinstrumeta nutrimeti.

Et qz exercitiü est mebroz motus. g exercitiü qodă ê ppziù:qòda eft coe. Comune qde eft illud qo totti otinet corpus: z ifte eft motus vlis abstractionis, cui oia comu nicăt aialia. Et exercitiii ppriii est qo certis appropriatur mebzis:queadmoduvor q exercitin est pulmonis:z sede re Tiup pedes ftare est possi exercitiu. (Et pocefin mo tu mebron nouiter o exercitiu fit ppriu omni membro. Dec est viuisso q fit a pte membron. Sed alia fit viuisso exercitiu in eo q exercitiu est: q e.q q q da e exercitius for te: 2 qodă vebile: 2 qodă est teperatu. Cortevero 2 vebile goda aduenit ppter abstractione illius g solu sua mébra fatigat: z in boc igredit exercitiu velox z tardu. Et aliqui ex repugnătia: q îter ipm valiu motore fit: vt vnus pma tur ab aliocant ficut cet in elenatione magni poderis lapi dei: in boc exercitio velocitas vel tarditas non itrat. Et aliqui in vno exercitio velocitas a foztitudo coiunguntur ficut in iocătibus cum spatis. Et iunametu exercitu tepe rati vie est.qz spum itrinsecum augmetat: z supflutates mebro z nutrimeti expellit aut resoluit: z subaz mebro z mollificat. Et io in oibus alus rebo corporis est magis in natinni: qo est. qa caloa a spine angmetati per ipa funt silen nali calozi extrinfeco. Sed caloz augmetatus ab alus extrinsecis reb":queadmodu p medicinas aut palias res q calefaciut actu:ficut caloz paccidens. (Et qui fit exerci tium post vigone innameta facit supradicta. Sed si ante vigestione ichoet a fiat:crededus est yt mebra trabat ad fe cibu idigeftu: co ifte motus ledet retetină mebrorus virtute: repellit cibo idigeltus. Et viropatio vitutis ob gestine no coplet nist p gete sicut opatio expulsiue no ni Amotu coplet. Et ideirco boc qo ocin est tepus exercitio attribuimo. Et buio tépozis fignu est qui vrina colozata é colore citrino vel fubcitrino. Quatitas vero exercity est quousqu bo sudare icipiat: zanbelitus augeat: z coloz coz pozis icipiat rubificari vene igroffari. v qui ad bunc pue nerit terminii: tuc vebet fedari, qo eft:qa foate exercitius corpus nimis enacuat: 2 Debilitatem iducit: 2 boc manife ftatur in fozti exercitio exercitantis. Exercitiu vo pebile que euacuadu est no euacuat: nec pipm pot cosumi quod ab ipio est visiolutu. Sed teperatu pportionabilir visiol uit a cofumit: a ob boc fubam mebron augmetat: corpus ipinguat. Et vir téperatű exercitium cőfernáde fanitatis mirabilis cá existit. Et malitia que poter puationé exer city accidit in carceratis manifestat quillop facies cases tice fiunt: reozum coloz est impurus. roes ipfius opatio, nes funt lefe: thoc no folu bomini accidit, pen etias alus aialibocalcătibus contingit: ficut volucribus in cauernis petentiser boc fufficiat de exercitio.

Caplin.III. Qó est ve fricatione a modis eius.

'Ricatio fill' by inentione in fupfluitatu ena cuatioe tertie vigeftiois. Et illio fpes fimpli ces funt fex. v3.3. fm qualitate. 2.3. fm quativ taté.fm älitaté pt fit alpera lenis aut tépera

ta:aut fi vis vicere fortis vebilis aut media. Fm vo atita tem vt multa:pauca aut media. Sed opatio fortis in cor pozibus est obturatio pozo z vurities cozpoz. Sed ver bilis opatio e pozon aptio: a mollicies corpon. Et opatio media îter bas ouas mediu obtinet. Opatio vo multa e causa maciei corporis: teperate opario est teperate care nem augmetare. Sed pauca in augmeto opatione no b3: nifi q2 aliquatulu calefacit. (3fte funt operationes fpe cierú fricationio simpliciú: 2 p scietia simpliciú scientiam compositarú cognoscem?. (Eépoza vo fricationi cone-nietia sunt cade cú tépozib exercity. Et ego in co qo futu ru est spés exercity cu spébus frications ordinabo. Caplin.IIII.Quod eft De innamentis balnei.

Z qz balneu eft ynu ex bis filir que fupfluita tes cuacuat. vebenne log ve vitutib parting balnei. [Et vicim' q balneu i nobis viner fas iptimit opatioes.pmas.vz.fectidas ater tias. Haipm bumectat regiccat:ifridat rea

lefacit supfluitates q funt in porris, a sub cute enacuat; et align opilat: vetofitate viffoluit. iflatione remonet: 2002/ poza nutriméto pparat: ralique comouet appetitu: rmas De vno mebro ad alind spargit: 2 buozes fluxibiles facit; tetia volozes mitigat: taliqui ipios remouet. (Etbaru prietatu ca vna ex tribus rebo existit. Una est oinersitas partiu balnei. Alia é vinerfitas corporu patiétiu. Tertia est vinersitas more in balneo. Partes vo balnei funt aq frida:calida:oomus balnei:zaer ipfi?.zifte eede büt gra dus:qo est:qz aq calida iter calin z frm teperata cozpo re frigerat a buecrat: a panca visiolutione opat: a i bac patt ca diffolutioe abstergit sordicie que in cuti retinet.et aer qui nam boaque retinet ad paucu fudozé corpus inducit. ppter que euant a corpore superfluitates subtiles. [Et beceft na pme vonus: aguis aer buidioz fit ag ficutali bi veclaratu eft:ti no buectat cozpo ficut agieo qo no apo plicat corpori ficut aq imo peliccat corpora: t fm q cali diozeft plus veficcat. [Aquavo z aer calidiffima calefa ciut corpora; raliqui veficcant: r fupfluitates euant: rbas supfluitates cuando vétositates vissoluut: zaer cumbis Deficcat: queadmodu victu est. (Et be actioes no funt nifi in corporabomudis: fed in corporabo fupfluitatibo ples nis pozos cutis opilat:qo e:qz ppter malitia fupfluitatus amultitudine poziclaudunt: Tob boc fupfluitates egredi no postunt. e tuc fiunt patieti ozipilatioes: e viscurrunt buores:2 mouet de vno mebro ad aliud mebru. Et ppte rea no é vtile balneu hntibo repletiões corporis aut vnio mêbri. Tertia că mediana in bis rebus adbuc fortior exi ftit. (Et balneus volozes no remouer:nifi illos qui funt alplione materie caulati: licut apata zbis filia. Et infrigie datio er balneo aliqui fit p fe:aliqui p acciis. Sed que per acciis fit eft cu balneu pozos apit: z cu fupfluitatibo calor re z fpiù cuacuat: z q ple ifrigidatio fit upfa, ppter aquas fridă que in balneo est friditate opar. Et apponit aq coz pozi vi caliditate calide aque reprimat: a mollificatione 3 měbrop rectificet: calore naté corripiat \$3 modu corre ctionis fabron reoquoniq viunt friditate in fine ppter intetione fun (Sed feias ono vebernus cu ag frigida balneare nifi post superfluitatu cuacuatione. (Et scias comnes partes balnei in corporibus puris bonas action nes operant yna alterinon relistète, quoissoluit supflui tates: renacuat fine lesione virtutu: rmebza mollificant fine neruoz relagatione: 2 bumectant fine calefactione: fine oppilatione refrigerant abique innifcatione. Et bec omnia no nifi cu partibus calidi a frigidi complentur: a fi aliquid in cis dani percipitur iltud elt in cosposibo impu ris.qzin puris nullu vamnu enenire poteft. (Captin. V. Obelt ve operationib' formi z vigilie.



feralia eft vt corpus folideture vapores boni retineant pt'ab bis q ab exercitio accidut:no alterent. 3fte quidez opationes que circa corpus exercent iterpolatione requi runt a getem. Sed fricatio fimulae velociter fieri vebet ficut vicit Sal. qa fi totu coapomādilibo fimul a femel fri cari poffet vtilius eet vt fupfluitates fimul a femela coz poze exalarêt: t bec fricatio vt veiñ est cu oleo vulci veb; fieri. [] unenes aut q bac babet coplexione; qu puene, rint ad quartă feptimană anop in aq frigida balneari ve bent ppter folidatione raritatis in commebris ab exerci tio verelicte:vt caloz ppter exercitiu iparius aggreget: t ad fuii ppziii tenoze reuertar opatioes fuas itegre adim-plendo: z eodez modo bic aqua querir frigida queadmodu in excutib?a balneo postular.aq vo ista nimia frigidi tatem no babeat:nec etia in ipfa teperantia adeffe oz: qo esta frigida vt nir mébra ledit; e remisse frigida nostras itentione no bz: ebec balneatio fubita oz ee. Sed in bali neatione vel ablutione capitis aq frigida indigemus spe culatioe. Et qui Ba.fuit De ca locut' no posuit sufficientes coditiones:nec ve ca ego pubito:nist que caput est mébrus frigidu per näz: tin itumma ytru bebeat balneari aut no: vico quo. Et post becoia cibari va landabili cibo sic car nibus galline: pane pfecto yt ocin est pparato: carnib edinis: ranualis agni r vituli lactetis. (Doza vo ciban) di crit cu oes vigones fuerint celebrate. Et fm miaz vice tis o bomo bis in die cibet.erit necessariu: yt bis exerci tura bis balneet. Et Balloicit o quidas medici vicut o bec vebet ter in vie celebrari. Thoc eideplacere videt ve quo no modicii ammiroz qo est.quil boc fiat ter: 2 boze ci bi terria fectione la bebut, que est corpus innenis B regimine vientis sit sortis naera bone vigonis no indiget pt ipfine cibo tertia vigone vinidat: thec partitio non co menit nifi fenibus voebilibus nă:vtidezipfe Ballrefert. Erfi alige diceret q buine partitionis neceffitas ppriaz neceffirate sequerer: inde error puenit; qz contrarius bs peru; qo est. qz neceffitas partitiois bozaru exercity z bal neon lequit necessitate pritionis borarus cibon. En no ni medici fentint o conenietia tepoza comededi tepatis optonibo funt vt tribo vicibo onobus celebret viebus. Et filr exercitiu zbalneu ochet fieri tribovicibouoboieb? tifti mibi vident veritati magis appropinquare: z ét mis rabilis Auézoar buic affentire videtur.

(Lapituluz. VII. Quod est ve regimine corporis tems

perati per coitum.

Z coitus buic moderato viu quenies existit ita ve per boc eide nibilaccidat ex eis que pe ternam funt: vboc no ocedimus:nifi qu fper ma est vna supfluitas pparata a nä.vt expel-lat ficut alie supfluitates:excepto o in se bo

na est: zideo propter parui erroze enacuationis ipsius fit magnú nocumetú: zplurimi fapietú phibent víuz coitus in cofernatione fanitatis. Ité fi exercitium est aliquo mo dop conuenies post coitu illud est nocumetum coitui repugnans. Et que coitus deficcar corpora a virtutes debili tat: Tenapozat corpus:necesse est vt fricatio que post coi tum fit bec nocuméta coitus recopenset. Et necesse é: vt bec fricatio babeat asperitatem vt pozos constipet a mé bra confortet: a fiat cum oleo multo.

Cap. VIII. Qo é ve regimine ei p fomnú v vigiliam.

Tomno ipho necefic eft etias ve fit téperat? Pm exigétia nace vitra boc in fomno vel vi gilia no cogat nam. Et bec ola observari Der

alind extrinsecus ei no supuenerit. Sed si in lofio regimento peccanerit idiget correctioe pt repugnet buic per puis.vbigra.fi comedat aliq ftipticar er boc ve

bet nisi in ipsi? regimeto comiserit petificant

trem babeat coffipatii:necesse est vt rebopinguibovat. Et si bocaccidat cibi pancitate: t tepozis longitudine per Szium cozrigat. qz plurimu et ca coftrictois fupfluitatuz est ppter reru extrinsecaru mala oplone:boc est calidira tis a frigiditatis. ob boc.qu pieruariab iftis vifficile efta că vico bic supfluitată offrictione no solu stercoria e vziv ne itendo: f3 totius corporis fupfluitates q ex co manant ficut ex meating iter epar afel exiftit: aiter epar afplene: ag puenit ad palatu analus: a vir qui bec mebra regime bimittut idiger medicinis bas fupfluitates enacuantib? Et scias o exercitius est vna ex rebo q indiget correctioe fi in ipio velingtur: a peccatú qo maxime in exercitio co-mittif est illud qo noiaf labagi.i.sicut pigriria aut lassitu do que post exercitiu accidit. Et iam viximus in bis q pae terierunt o labaget qo puenit a rebus extriníccis funt.3. spes simplices. vna est viceratina. scoa est extesina. tertia eft apostemosa: viceratina est illa que fitab buoze cali dort fit etia ppter reteras superfluitates non vissolutas. per exercitiu ant ppter buiditates liquefactas ex pigue dine rearne poter imoderatu exercitiu. Unde necesse e yt medicine adbibeant: yt bas superfluitates enacuent voissoluant: v boc fiat fricatioe leui v multa: qu bec frica tio ppter fui leuitates no opilat.imo Diffolnit: 2 q: multa enacuar: voebs etiá fieri cu oleo calido veteri ftipticitate caréte. Ex balneo vo magis necessariu est aereus: peinde tepidă aqueă: reibent cibis fubriliozibus: bumidiozibus ato frigidiozibo folito: apanciozibo optitare. Et correctio extéfine pebet ficri mollification: a ideirco peb a ficri fricatio lenis cuz oleo calefacto in fole:cu oleo anetino: ccia oleo camomellino inutile no estre est necesse mozari i bal neo téperato: a mozaz in ipfo trabere. (Correctio apofe que cu extelione fit: t lesionis sensibilitate: t oritatis me bei augmétatioe tribus efficir modis. Euone. v3. repeut fione: ifridatione a mollificatioe: ppterea idiget fricatoe fubrili leui amulta: abebet multa attrabere moză in ağ cala pl'tepida : tinugi multo oleo tepido: (3 in estate oleu Debefasceg.i.violacen vtilius existit. Et cibus paucitatis istius spei paucior veber esse cibo aliaru sperum paucita, tis a frigidioz. Doc est regime temperate complexióis in etate inventutis vice ad. xxxv.annum. Caplin.IX.Quod eft ve viminutione cibi.

Off bec vo exerciti o o o iminutione cibi.

ri est necesse: cibi sint bumidi alia subo subtilia fiat eqle ficut itineris fuanis: realidis et bu midis idigét cibis: 2 boc regime latitudines

babet fm magis aminus in pluralitate a viminutioeans non: tales in vnoquogs vie cibent: tinpradictii exerciv tin cifde pcipiat: a balnen a fricatio. Et qu in corporibo fe nu viplurimu fupfluitates generant: ano fufficit exerciv tatio illas supfluitates euare poteter.necessario 03 in co/ fernatioe fanitatie vtcibis medicinalibo aut medicis por tiant. Et ppter boc in prcipio fuară comestionă 03 vt re bus buidis reficiant: vt bletis clivis paratis cu3 almuri: oleo z sale; aut in alus silr pparatis. Clistere volenitium pltimu eis existit: vri vebet ficubus cum semie vrtice z croco: tilibus ante cibu: taqua mellis existit vtilis mar rime iftis qui neg vinu neg certifia bibut: fed vinu vti lius pot existere iter alios potus . ceruifiarii que fiunt ex passulisemeliores ille existit que expassulis carétib nu cleis siunt. Et boc ideo que es q nobiliores sunt senib? sut ille in gbus vus stus siuto no reperit seo que resistanbar bus suis qualitatib? ei qo querit in cise o peterse ver cerussia vsigs ad siné sue prectioner color suus sicun color vini. Et ceruifia que in noltra fit terra vetus no appellat nifi fpacio fer mefin trafcedat. Et in minozi tpe no eft cor



tida a bumida:eo o caliditas a bumiditas plus pominatur in ipfa o frigiditas a ficcitas; ano picimus bic coplepionem temperată băc pe qua logmur bic op fit calida a bumida nifi coparatione ad naturale.ergo cu picimo cali dam a bu.este teperată nifi equoce picit. La Bal. met pic op nalis prespectu extremo presidad a bu.comparatio ne teperatic pici i relico pubitat fimboc tempus op bec temperata complepio non iueniatur.

Cap.XII.Qò est ve enacuatione corpoze calidorum.

Eiceps renertamur ad id a quo separati sui
mus: vicamo op no op appropriare consernatione sanitatis solu sup exercitius balneationem veibos būtibus bae complexiones:

verű opz cú boc enacuare supfluitates cum medicinis la patinis a capite per via sternutationis: gar garizando oze mastice a grana stafisagrie: a ét puocando vzinamez medicine concniètes ad purgadu habetes bac coplepione funt medicine leues ficut agaricus turbith: 2 cartamii. Et opz qo isti multuz ab opilonibus sibi cauere Debeant: a iter ceteras causas putrefactionis buic refiste re Debêt enacuado bumozé qui putrefieri confucuerat: 2 cu medicinis relistentibo putrefactioni suis qualitatibus a suis ppzietatibo quana putrefactionis stat per extra neum calore cum bumiditate supflua fetida sicut sunt ei medicine odozifere in vltimo cotrarietatis. Et fi tu fece ris vna copolitione in qua oes ifte vtutes aggregent erit vltima medicina ad coleruatione fanitatis iplo v viimo do represe sint in illis cius viutes quus no idiget. So co plerio frigida vebet cofernari cu rebo calidis fine bumer ctatione.vs.exercitio balneis ficcis cibis a bis fimilibus. Sed coplexio frigida a bu. 03 regi cu regimine calefacie te z exiccăte:zeum multiplicatione exercity:zidiget eua cuatione ppter superfluitates que a tali oplepione gener rantur. Sed coplexiones frigide aficce ceteris funt octe riozes: vidigent in carú regimine calefacietibus v bume crantibus: vleni fricatione: voulcis aque balneo: vererci tio teperato Tomno logo. Et vninerialir coplezionis bu mide idigent iter refectione refectione moza loga:que admodificce idigent breui. r coplexiones frigide r ficce idigent supfluitatu euacuatione vt humozis melacolici, Et medicine ad boc valetes funt mirab.idi. apolipodin. Et vina aromatica funt conuenietia valde buic complet rioni. Et coitus nocet plus ceteris oibus complexionibo maxime frigidis afic. Et inter complexiones calida abu mida superfluum tolerare pot leuius; z que peiozes sunt frigide z sic. existut. bumidevero medio modo se babent circa illud. Ifta funt regimina complexionu vistempera tarum in qualitatibo activis apaffinis. Sed coplexiones visteperate foli in passiuis tantam non recipiut lesione: quatam villemperate invtrift aut in activis.

Eaplin. XIII. Oò est ve resumptione extenuator.

Ed regime corpor extenuator va ce per co
traria causarii extenuatiois: yt si fuerit bur?
causa caliditas cum siccitate membrozus ya
lebit frigida abiida victare membrozus ya
tionis fuerit ppter vebilitate attractuse que

est in medzisi inunctio olei oliucasser imametus; dummodo solu ster sup medza donec trabat cidum ano plus; asi moza contraperit nimiù dissoluct, a alterabit; asi causa exiccationis erit super virtuté digestina frigiditas administrent ea que cosotent digestinam, sicut vinum a ca que scis: a vnimersal extenuatio siccitati associat. (55 siccitas alios puenit apter dissolutiones multa, a alios apter paucitaté digestionis; a alios apter vsum cidous siccon. Et rectificatio isto a facilis: a extenuatio corporum pinguiù sit per cotrarium; su qua sicis. (Lapitulum XIIII. Qu' est ve conservatione corporis cuius membrum est vistemperatum.

Ucusa narrauimus regimen vistēperate co plexionis vir. Deinceps narrare volum's re gimine vistēperate in singulis mēbzis. Et vicim' op regimē istarū optonis plus igrediš ge nus pieruatiojs or regimē optonis pillēnate

nus pfernatiois de regime optonis viftepate cois. Et itetio noftra in tali optone glis eft ifta: e vt vtus illi mebri fortificet sua optone repando renacuado sup/ fluitates q in eo generant: remonere cam que illa gene rat fupfluitaté ofiderado vtrum fit lefum in fe aut p alte rus mébei copaffioné quéadmodu fromaco in aligbobo. minib°êlefus p ferzin alus p copaffione cerebrira mebra q'magl pănificant alus fut mebra pricipalia:cu oplo crit alteri oria.vbi gra,cu epar est calm:z stous frigidus:zcoz pus est extenuată: tlubi în arenis abudăt: vi vr in corpe ertenuato resticuli multu generat spma: talibo idigemo regimine mixto: aplus istare vistepantie piculosiori. ita qualiud oblinioni no tradat: t boc igredit voctrina ve in genio fanitatis: 2 ob boc no plura bis vicem? S3 regime plernatini est ve genere curatini ficut vicemo postea. Et ícias o veterios bay oplonti é illa q é in cerebro veclina te multií ad caliditaté aut frigiditates, ió o que copleçio cerebzi est ad malitiaz conersa est ca aduetus mali multi z magni:quéadmodu funt apata colli; z fquinantia: z ozis pultulationes: rapara vulue: raucedo: rptifis: r tufis: r offinteria: alia iftis filia: aliqñ currút fupfinitates ifte ad flóm: ceorrúpút ipm:ita go fi flucus fuerit fridus con: nertet ipm ad friditate: t coplo totius corporis corrupei: z cu boc paties eructuatioes emittet acetofas:vt mibi te pore inuetutis accidit:qr meus fromacus, ppter malitias regimis mală acqlinit coploner medicus meus ignorăs că vițit or talt fuit ofirmata o iplă remouere no potuit. z ego ignozás oino erá scie medicine: z ab bac o és vistépe rătie mee oztum biit. Et qii visteperatia fuerit calida flu rus buozu in aligbus erit calidus, rememozatio vo oium bară in capto ve igenio fanitatis cotinet. (Sed confer natio coptonis cerebai yt no viferafiet eft yt fieft friduz supponant ei res exiccatine bites caliditate cu aromatis citate:ficut mac. z gariofoli puluerizati.postos cum vino fuerit ablutu; zeuent fupfluitates q in ipo ptinue giant cu sternutatioe africatioe q fiunt cu radice nucio: a etiazginginarii fricatio ofert. Et crebza masticatio masticis:2 pri medicis q cuant buozes in co abudantes tpibus congruis: amaxime in vere autuno. [Sed cerebuis vifte peratu in caliditate in quo fupfluitates cale giant p con trariu bo pieruat: bocfit inugedo caput eius oleo rofet enacuado buoze cotriltate fin quielins videt concuire. Et vir cerebzu magis alterat friditate de calidirate: 2, p. pter boc os ibm a frigoze ofernare ofernatió evitima . És regime illoza quo profibile e regere ipfos illo regimie: neceffe e cofernare con glitates:qin ficut eft eglis copto nisa fua nativitate videt mibi vt egritudies cifde fupue nietes fint ex repletioe: tob bocidigent chone vli. vs. flo botomia: marime fi in eo apparuerit figna repletióis. os cu boc vrabftineata cibio multi nutrimeti. Sed q no babet coplone teperată maior pars fuaru egritudinus a malis buotibus by puenire: tob boc os ipios abilinere: t feire illos enacuare coniderando femp astitate enonis ve no fit fupfina nec piminuta:eo quales funt qbo vna eño fufficereno videt inverer tales funt q idiger puabo; vna Lin vere: talia in autuno. Et ego vico grilli g vtuni por tioniboin feprimania annomant in medietatibo coru rectius facint dilli qoi anno purgatioes exercenque nos vi demus pegritudies viplurimi no accidut boibonificir cuitibo termiatis aut circa ipos. Etio circa yningog indi



feulos funt quatitaté vebes fumere a regimine antecede te a complexione a tempore a etate; a alus rebus in libro fignozum victie.

Capitulum.XVII.Qoelt ve remotione & pferuatio ne corpora labore apostemoso a extensino.

Ed laborapostemosis regtensiu ve necessi tate pueniunt a fanguine multo:ideo conue niene eft patiétez pinitus flobotomare: zau tumado quatitates em tépus zetatéz com/ plegione ficut in libro de igenio fanitatis do

cetur. Et funt villingueda mebra in cuatione iftius labor ris.ita op fi in capite granitas affuerit cepbalică floboto mare bebes: a fi in mébris medys bafilica: a cum ambas continuerit partes mediana erit flobotomanda.

(Lapitulum XVIII. Of eft De confernatione corpor

rum tempore peftilentic geris.
"Il bac particula adbue narrare remăfit cov pozu pfernatione ab egritudinibo ab acre po ternam. (Etvicimus breuiter gaer vtali bi bicituzeft permutat aliqui in glitate: vali-quado in fuba fua: facu fit i vno autalio: tuc

pparata funt corpora recipere egritudines files illi oplo/ ni:tñ oia corpora ab iftis oispositionibo no tedunt:13 folu nocent corpora pparata:nă si cet boc oiboco egrotarent oes in aere supradicto. Ideirco confidere Debem' in regi mine vii oes has cotineti pmutatioes:boc e in apertione opilationu: in reliftendo causis putrefactionis extoto: z cu vico quoés bas printationes cotineat, itendo printav tiones que in fuba funt. Sed pmutatio q in alitate existit in vna. vz.aut in pluribo regime ipfis qlitatibo otrariu ce Debet: 7 boc regime particulare est. vbi gra. si è vistepera tue in caliditate efic.cus frigidie eburegi oze vegere in feptétrionalib°locis in glus adducaer reprimat rozatio ne aque z folys aromaticis buidis fic oib° alys glitatib° excedetibo brium apponat. Et firmagna caliditas no obstaret leniter euacuade cent supfluitates q in tépozibe il· lis cent generate. Sa acri corrupto in suba filt resistendu est enationibo plibo: a cu resistetibo epidimica tota spe: a vtant cibis frigidis a fic.a putrefactioe remotis ficut ace to a letib?: a aromatisare acre cu reb? refutetib? putrefa/ etioni ficut cui costo: estorace e galbano. Et terbetine iest ppzietas i boc cafu. z tyriaca maioz ifti tepozi epidimiali multu refistit sumedo ab vno characte viquad.z.i. zpost no os comedere nifi celebrata in oibo mebris Digone: 7 B fit fpacio. 6. boraru. Bolus armenus e terra figillata i ae re pestiletiali magnu pitat iunametu. 2 p nome Zluezoar odoz prineircom ofert multina or or er aloce ouas pres crocia mirre parté.i. De quo fumat oi die podus, ru, cara torum:cu.z.i.vini ağ mirti imat multum: 2 no eft inetus adbucalige g bac medicina fit vius ga peftilétia no fecu retur. Sin cozuptione tépozis calidi vebet eligi loca al ta in gb" regnet vetus feptetrionalis aere mudificas. \$3 fi fit corruptio i fuba tota:babitada é i pomib? terrancis: reauernosis rloca alta vitare: rvitare oes fruct'buidos: boc:q: languis ex istis reb' generat' est cite corruptionis Et fill o es carnes exceptis volucribo montanis: sicut pdi ces a similes istis, a volucrist' res ventre lenificates boc tempoze optime funt:queadmodus tamarindi:viole:caf fia amana: ago victum est in bac particula secundum no fram itentionem fufficiens eft.

(Explicit liber fextus colliget. Incipit liber feptunus qui est occuration egritudinu fine de igenio fanitaris: 2 è otines capita trigintanone. Capitulu. L. Quodest pe modo enacuationis male coplexionis materialis anon materialis.



Ther medications qui be igenio fa nitatis littulat coicim? go ob boc op reru cotra natură funt due spes vo.egritudines vaccidetia consequetia egritudies.ziterű egritudinű funtoue fpes.vz.egritudines ppzie zpine confi-miles z copofite fernatio:vt funt a ma-

litia octo specieru male coplexionis materialis z no ma, terialis:a funt egrirudinos ppaie membais officialib?. Uli detur nobis vi narremus icipiendo paius a via ve igenio fanitatis a remotione egritudinum ppriarum mebroră côfimilium fi fint materiales aut no materiales: 2 postea igenium remotionis egritudinu medzozum officialiuz: z pltimo curatione accidentius pcurremus:quis in medicatione egritudimi otineatur. q per remotione egritudi nis accidetia remouent. (Let volum pimo narrare egri tudinu mebrop, cofimiliu curatione materialium anon materialiu: postea vnāquāgs spēm intendimus pertractare: Thee nobis videt ordinata viffictio. Et vicimus o intétio in mala coplone no mali est vnica sola:boc est ve ad fuă reuertai naturas? Doc non fit pino Tiubalt nifi p orium:per qo male coplonis remouent (pes: I funt cibi z medicie fin plus male copioni egritudinali fua pina vitu te refistetes. vbi gra. si mala copto sit calida a sic. remone turp cibos fridos bumidos amedicinas. Et gaviximus gremotio male coplonis non malis pino a inbalra prio remouet. Dicimus queonuenitalique veafili paccie filr remoucat: sicut aqua frida mală remouet coplone frigir dă:co que claudit pozos:etiă îlpiffat cutim: a fic caloze îtrin fecu fortificat; a bec medicia multu est timeda; a nó pebs fierinifi in necessitatis tpe; amaioz para medico; qui ea ptunt errat vapostea ostèdenus. Sed itétio remotionis male coplonis malis ouab rebus existit; vna e vt malus bumozenet alia est vt mala copto mebri rectificet q reli cta esta mala materie sparsione in mebris. Euo Duobosie modis:vnº fit cu flobotomia: ralius fit p farmacia fecel finamautvomitina aut vrine puocatina: 2 p clifteria 2 fin doze:quas oes opatiões opane medicine cuz fuis vittib? fecundis a tertus a pozietatib aucadmodu mala coplo pma remouet vitutibus pmis: a aliqui fit euo p iciunium exercitiu:balneure fricatione. Sed enone p flobotomias rone rergimeto cognoscere possumus; r inuamenum ab expictia cognitu manifeltu eft. Sz innametu rone cogni tu vuob'erifit modis:yn' modiseft:q2 offis eft o me dicus femp feg v3 via nature:f3 vicinus o natura fanat p fluru fanguis egritudies fanguineas multas: cade ro ne inenim' innametu medicinaru lapatinaru. Scos moz dus eg ipoffibile e vtalique cibus tpot fupflue no fuma tur:ita o i corpe fanguis fupfluus aggreget:aut alter bu/ mor: a fupflua indiget enone: g necessaria flomia aut far/ macia aut eno alia. Sed iciunin z exercitium in boc cafu fufficietia no but quaimis minuut paulatine coparatioe babita ad bacrepletione que est fin vafa. Tam accidere posset sicut accidit illi qui sonmiabat i balneo sanguineo balneari: vi victu est sinpine in libro signoz sicut vicit. B. vii cognouit fanguine in fina coplepione abundare: tideo flobotomia fibi fier impanit: 20 filiu bisabalus medi cis sequento viam crassifratis ei phibuerat minutionera iniuxerut sibi abstineria: zabstinedo sacta suit vissolutio bumop: zide vuplicat suit calor zextinet suit sigut exti guit lampas er multitudine olei qui fupabudat. Sed qui Debet quelibet istaru euonu fieri aut vnaplus altera boc volumus petermiare in pimis: poftea redibimus ad cur rationem vniuscuiusq speciei fingulariter maie complerionis post narrationem rerum fignificatium manifeste faciedi yel no faciedi em quatitate enonis rectification



Septimus

pletio vninerfalis nisi in vno membro folu. Et impregna tio in mulierib' est ex reb' significatibus euone vel ipsi puacoez: z bec funt q fignificant in prietate faciedi medi cina vel no: tfi purgatio fieri oz vel no. Et nunc vicenda est fignificatio q fumit a vuabus rebus supra victis. Lab euone reuratoe sue attractoe p orius gliter vebet sieri. Et scipiamus a curatoeper oriu: rvicamus q a medicis octh eft o qui oplo ger tos anni: a fimilia cum egritudine exitu. Voi gra. funcio calida eples a natura propria nimio exitu. Voi gra. funcio calida eplexionio in regiõe calida: etpe anni calido e vieta calida cui fuguenerit caufon: no erit ifte a fuo naturali ordine multu pmutatus: curadus tñ erit cu reb" in friditate remissis. Et qui buins cotrariu accidit:tune multa facta est elogatio: video buic refisten/ du erit maiozi otrarictate, verbi gra, sit homo sener, frigi de opsonis in regione frigida cui superueniat causon: sm illos idigebit re multu in friditate vilteperata. Et ego vi co o maxime apparet o no ven vicunt: do manifeste videnus p sensibile argumentu: qu'unenis supradictus q caufone patif curari no poterit nifi cu rebus babentibus in fine vel intefam frigiditate ficut cum aqua cucumeru a canfore. Et feni supradicto si talia ppinetur calornatu ralis ipsius extinguer a mozier. La vico op illud quod ad buc erroze veducir cos est vna regula generalis qua por fuerunt sine viscreto e precisa in gradu elogatios senis a fuo caloze naturali ad extranen calozé cu equalez poztio nem posuerunt cu elongatõe caloxis innenis a suo coloze naturali ad extraneum. Et maxime qui vixerut qui maioz est elogatio na boc impole est nas tu scio que caloz exneuo a nali ramificatus efter fi pole effet yt equalis effet elon gatio:tunc vere necessario fm via curatois per optonem effent refrigerantia multu fortiora in corpore fenis qua fi ad tertiu gradu: sed boc in se ipso veritatem no b5. Ob boc ponamus innenë colericu calide optonis in pimo gra du z supueniatei febris q ipsum transferat ad zm gradus caloris: tunc ifte no eft elogatus a pprio calore vel optor ne: nifi ad vnú gradú: tñ cum rebo in fecudo gradu fridis curari no poterit: aboce ppter forte pmutatoes qua mer dicie pcipiuti corpore innioris ad fubam ignea:eo quelo, gatus est a suo teperameto ppter fortitudine caloris er tranei. S a si seni supradicto frido in pmo gradu superue, nerit egritudo ipm pducens ad z gradu caloris: ia a clo gatus est a sua optone naturali magis qui innenis pnomi natus:quimenis eft elogatus p vnu gradu: fed fenis elo gatio est ouo p graduii aut pluriii. Et ppter boc si posiibi le esfet cocederemus fm elongatoez fieri otrariii nociuii respectu ofideratois finis 63 dinerfitate subi: ppterca q2 quafi impole est fene ad illu gradus puenire: fi perueni. re ichoaret antequad terminu illu attingeret moziretur: afi fanat fin elogatoes fupra victa bonu fine no vieque ref quis aliquuli vinere possit; que medicie eide menie tes optone mebron fuon radicalius, poter ipfan frigidi taté lederét: afica temperátia magis előgaren : a multa elogatio teperatie caula moztis e aut egritudis, preterea fin cop ocifi medicine iunenis z fenis fride vebeteffe in eode qui vnú corpo calin est supercalefactus vsos ad z" gradu vcopo frigidu est supcalefactu vsquad zm gradus vnu copo calidius alio no est. So scire vebes qo si innenimedicie fride adbibeant vitra fuă oplone naturales: qz ei nő nocet:imo plunt:eo q ipli? viri? foztis existit ad cas pmutadas:ob boc ad gradu cozrupedi namnó pue niunt: sed ipsamad teperantia reducunt: qo seni non acci dit ppter ipsi mebrop radicalii frigiditates: ppter boc fufficit feni qui febre calidiffimă babet medicina frigida in fecudo gradu per rones fupzadictas: vetias que corpus fenis potentia non babet couertendi medicings ad fubi

frantiam igneă queadmodă innenis corpus. Et si quera tur quomo poffit seni tata febris caliditas aduenire. 'Re spodemus o fieripot ppter viete sue inordinatoes. Nã fi vieta conenienti vteret impossibile esfet vt tale incide ret febrecob boc quegritudines vt victuz est in libro egri tudinu:non nisi buabus fiunt causis:aut a ppria optone membri mala:aut a rebus aduenietibus ab extrifeco. Et qui oplerio a aer a regio a etas oria erut egritudini fenis: tuc no remaebit eiº causa nisi regime voieta: qo ex par te tpis anni cofiderat itelligit a natura partiu tpis anni. Et vir qui aer brius eft egritudini tuc bonu eft infirmo ? gandiu medico: til ser p fe talis no existit: tunc medicus arrificiale facere 03. Et modus medicatiois qui fumitur a concerndine in re veru fieri vebeat aut no aut quatum fieri os eft ficut potus aque frigide in igne ardeti.nam ft infirmus affueuerat potus aque frigide in tpe fue fanita/ tis fine lefice fecure posumus vare tpe egritudinis qua-tis epar 208 stomaci babeat frigidu: 2 si bac assuetus no fuerir aqua frigida eide nullo mo ppinet: o fi necessitas nos ad boc cogeret ad bac banda: tune minozé babimus atitate aminus fridazeo que cofuetudo coplezione in fi mile ouertit paulatis: 2 logo tpe banc ofuetudine acgren do. Sed qui otrariu subito fit a fin multu natura corrupit. Et Belt qu'vna ve? ppter qua natura itellexit grada, tim per tpa anni ve vno brio ad briú transire: qu's subito ve calido ad frigidu ve frigido ad calidú trassret natura: tolerare non posser; pprer osuctudine victu est a qbust dam op gdå paulatim simpserut venenus ac gradatim: z couersum fuit in eis ad cibu zin babitu sine nocumeto; quis ita vicăt:tri ego no ocedo: imo argumeto vemostra tiuo: vi epla tyriace vueneni reprobami qua ad glaucone trasmis. Sed qo vicit ocedo o medicus ve vna medici na ad alia proutare pebet qe fi folu vna uteret medicina pole cet quatura in babitu ouerteret; zin corpe Debita no faceret opatione: fed vitus ofiderada eft in eo qo fieri vebet in enone zin medicatione:que per briti fit. Sed in euone manifestu est que tenoz virtutis Debet attedi.fed in alteratione est ficut balneatio aq frigide in etbicis q podest. Sed fi binaffuefiat mebra ledet pricipalia umorte inducer:ficut vicit. B. o vni accidit inneni mala coplerio ne non male biti in fromaco cui medici aqua vitabant: ipfe ppter nimia aque aniditaté magis elegit morté que vi tă:zmultă aquă frigidă bibes lubito a mala coplone sto-maci enasit:sed ppter aque frigiditate remăsit ei sensibi litas quedă ips i trăfglutiedo ipedies: z fic mortuus fuit. (Sed male coplerioni que est cum materia necesse est Duas spés medications aggregare: aliqui significatio su mit ab alteratione male coplecionis oria significationi que sumit a materia: vbi gra, febres putride: a marime d De materia cruda egroffa in citus funt De mala copione calida a ficca indiget bumectatione arefrigeratione. Sz pfideratione coctionis malú nocumetú ipoztaburabie bona medici viscretio necessaria existit:circa qua plus in fiftere vebet. vbi gratia. qm illo qo plus necessarius febzi flematice existireft euo materieir in febribus colericis estaccidetibus obuiare: qui ami o equales in cubitatio ne existunt tucambo equaliter curare bebes. Sed quan do accidens nontimer tune studeas causam totaliter re-moure: qui taliter ipsam curabis complete simili ratio ne in egritudine: zaccidentibus egritudini contrarus: fie cut elt febris a fincopis:gatu fcis qualiter curari vebet: co p in febre necefie est infrigidare a in fincopi caleface re: Tincopie indiget nutritione Tfebrie enacuatione indiget ficut victuri furnus. Et bic feire vebes quaccidens quod egritudini contrariatur non fequitur nifi egritudi nem que contraria est prime egritudini ut est fincopio ex



cine fortis p membra ipa nec gule apata per gargarifma. Ites nobilitas membri ripfins innametum fimiliter ad coleruanda fua naturaz nos iducit: ppterea quale mem brum cu corde maiore colligatias babet, verbi gratia, qui epatis apa in statu fuerit: tunc de iure resolutine effent ppinade iquantu apa existit: (3 inquatu est in mebro tali medicia a rebus babétibus aromaticitates no pebet pe nudari; poterea qamébaŭ multe fenfibilitatis foztes no fustinet medicias. Sed ve mala optone in feipfa a gbuf dam credit qo z ipfaneget enacuatioes materiei facien/ tis ipfaz. 7 boc no est nisi in cuone que fit p medicinas la catiuă folü: eo op facit mală complețione; abundare. Et iterum vicut medici op nó vebemus eŭare cũ medicia la ratina in pricipio febria, ppter puritié bumor in illo tpe rego peclarabo boc inferi^o, picit Typo mulier pregnas no vebet flobotomari:nisi quado embriois virtus fuerit fortis:boc eft a grto mefe viquad feptimu: nifi bumozes fuerit furiofi: a farmacia ocedit tunc. Ego aut vico go flo botomia qui adest repletio qua embzio no indiget no est mala:fed farmaciam no credo ad bonus puenire fine:im mo necessario ledit embrionereo quin se substatia babet venenofă z fortaffe faciet malos bumores fluere ad embzione vt ipiuz ledant; ppterea medicine purgătes funt medicine puocates vrina: qo prouocat vrina eft De ge nere puocantiu mestrua: 2 qó menstrua puocat abostire facit. vifte regule vles medicationis male optonis mate rialis anon materialis füt ficut pacipia a elta ad illud qo breuiter vicere volumus in glibet istay speciex. Et nuc incipiă în curisvniuscuius peru istaz: zoinidă boc mo do:quis isto mo non preferim in libro egritudinii:co q bec via bic vtilis eriftit. Et vicamus o mala oplo mate rialis aut no materialis aut è vlis toto corpori z q magis est manifesta e febris: aut existit pticularis vni mebro so lus. Et q malis existit sunt oue species: qui aut in ocauita te mebri erns aut in ipfius fuba imbibita reperiet abfor aliqua groffitudine vel tumoze in nali mebzo cuenienti: ant accidet mebro grofficies mala q apa nominat zinci piemus in mala coptexione vli. rpost boc de mala copte gione loquemur particulari in quolib; membro: rpoft il lud ve apostematibus que illa sequunt: aprincipius in fe bribus ab effirmera facientus.

(Lap. V. Qo est ve cura febris effimere in generali. Z vicimus quintetio medicativis in illa vue res existit: yna ad remouedum calida afic. mala oplone delt in ipli? fuba: abocfieri oz infrigidado a bumectando. Et alia ve caufe

extrifece febre facieti refiltat: ob boc qu bec fe.nibil aliud eft: nifi mala oplo no materialis q vt plus a causis extrinsecis causar. Et mesura infrigidatois abu mectatois in bac fe.eft fm menfură rez particularius:fi cut est complexio aer:etas:osuetudo: rregio:r cause ipaz facientes. Eticias o refrigeratio in febubus per fe aper accidens fit.per fe ficut p medicinas a cibos frigidos per accidens vero ficut balneari in aqua calida aut tepida: amazime in bac feb.fit:co op per ipfam in spiritualibus vapozes bisfoluuntur qui nisi resolueren i corpus nimis inflamaretur: 2 fortaffe ad putrida converteretur: 2 propter bocbalnen eft omnibus cura vniuerfalis. Sed iter aqua existir pinersificatio secundu vinersitate causarus facientium feb. a bec fe. secudum plurimu accidit ppter cutis vensationem qo pluries accidit propter frigus: aut propter in aquis Ripticis balneationez:aut propter necel fariam balnei negligentiam: aut propter totius corporis ficcitates: ficut illis accidit qui in aere calidifiimo begut. Et vere plurimum bec feb. accidit babentibus comples gionem calidam et ficcam.

Cap. VI. Quod eft be cura febris effirmere in ipali. Z ve bacpiima loqui volumus. apostea ve

complexióe ca. zbu. z vltimo ve cal. foli. Et vicinus o quado accidit ppter cutis infpil/ fationes:aut ppter aquan ftiptican balneatione medicatio per contrariu illio erit bal-

neatio in cala aut tepida aqua post veclinatioes porismis a fricatio vtilis existit i exitu balnei cu oleo tepido i quo nulla stepticitas repiat:no est necessaria balneus reitera re pltra femel ficut. B. faciebat ; qui infirmu faciebat in trare bis a ter:co q boc regime no conuenit:nisi bomini bus affueris multă balneari: sed embzocatio post balneă cũ aqua frigida vi mibi videtur iterata conclusione face ret pozoz: nifi pozi nimi u fozent aperti aut cozpus eét ni/ mis calefactum. Et melioz cibus qui post balneu est ppi nandus si erit complecionis calide a sica tempus fuerit ca.est ptisana ordei: eo grinfrigidat a buectat; a adiunat ad expelledus superfluitates per onines suas vias: 2post buius pigeftionem pandi funt pifces petrofi;carnes perdicus e fimiliü. Et fi aliü fecerit paropifinü balneü e vie-tam băc reiterare vebes. Et aliquădo, ppter nimiă tristi tians a multă iră fit: apropter multamin fole moram. Et que ppter fram accidit maiori indiget refrigeratione que illa que poter vigilias aut poter triftitiam pueni: 2 nul la istarus indiget fricatione: sed balneo solus. Et que proptervigilias a triftitiam fit maiori indiget bumcetatione fomno egaudio. Et que ppter moram plurimă in fole ac cidit indiget refrigeratione: 2 vt longa in aqua calida co/ trabat moză: a facta fricatione cum oleis frigidis zinune gat cum olco viol. e similibus. Et quando ppter multas accidit frigiditatem balneum intret calidus: e balnei ca lidus aer vtilioz existit balneo aque. Et cibi temperati eë pebent aut ad caliditatem peclinantes vt turtures cotur nices a fimiles; aqua mellis valde vrilis eft:caput vo ta lium oleo ro.inungatur: zalye actu calidie: queadmoduz alus frigidis in actu inungi vebent. (Et fcias qu vniner falis medicina omnibus patientibus effirmera existit bat neum exceptis patientibus renma propter frigus. Et in effimera ab apostematibus inquinum aut subascellarus caufarmet fi caufa reumatis calida fuerit. Dicir. B.o bal neum intrare vebet: thoc non vicit nifi quia iufficiés eft in burnozum fubtilium vigestione: sed grossos visperget per totum corpus:nec balneari vebet nifi post vigestiois complements. Et vina aquofa alba aromatica omnibus iftis vrilia funt fi bibere affueri fuerit:ita q post vigestio nem bibantur:nam plura babent innamenta eg aqua.na vinum natationem cibi in stomaco vetat: ventofitate re foluit: vrinam prouocat a fudorem:anima; letificat and inuat naturam ad expellendus fuperfluitates quado par tientes banc feb. Debilitatem incurrut Digeftionis: tmar rime babetes ipfam er vigilia vel triftitia. (Ged que a fessitudine est tantu in sua curatioe indiget vieta versus frigiditatem tendente: e vt cibetur quantitate tali q nau feam non inducat. [Sed illi qui banc feb.patitur ex faime propinanda funt cibaria valde zcito digeftibilia tene dentia ad frigiditatem abumiditatem: a ppter boc fi cio baueris tales in principio paroxifmi non febricitabunt. Ged fi ppter cutis fuerit coffrictione in primis tribo viebo erit fufficies fricatio: ficut cu femine melonu.mily aut ordei farina:aut fabe vel orobi: rque appropriant p vina ficut fquinzibi cu aqua ircos. z capill. venez violiet fi bec fufficere no vident: t fe. tertiu transferit vie: aut tu arbitratus fueris a pucipiovt tata fuerit in corpore reple tio vt ppter fricatione captione fine vlienone egrum le dere posses ob boc quale medicamen in corporibus ple nis plus opilat es operiar: tunc medicatio talium media



bus. Sed er naufea acetofa bec fe.non fit ob boc: quer il lis fitba fumofa no general que spum inflamet. Et fcias o in coplexioibus frigidis abumidis raro bec febris ac, cidit. fimilir nech in fridis Ticcis. Bed calida Tic.oibus paratiozad boc eriftit. zpropter boc illud qo plus nocet corporibus fic vifpofitis eft fames, reperciting temperamentum excedes a negligentia balnei. Sed qui febrici tant feb. que fit propter bubonicum apostema quod fit in fubafcellis ringuinibus yltimu medicame illius apostematis est curatio. Et si ppter reuma boc accidit medi cine purgantes necessarie existunt. Et si fuerit ppter san guinis abundantiam minutiõe indiget:qz bec preferuat ne in vlteriozes egritudines cadat. Et. B. precipit yt bas febres patientes ponantur in balneum: fed mibi non placet vt fiat nifi in peclinatioc. Et boc fufficit in medicatio ne effimerarum:coniuncto tamen boc caulis extermina tis in libro egritudinum.

Eap. VIII. Ωό est de curatõe febziú acutaz arsinaz.

Einceps volumus log de febzió arsinis vel
acutis q dicunt arsine. ideo quiste febzes sur
medie iter putridas a estimeras. Et dicimus
quiam de est in libro egritudinu: q dec febzis sit er multo sanguiera sunt species due:

yna eft où fanguis no est putrefactus: valia est: oum fanguis iaz putrefieri incipit. Et vnaquem istaz trino dispo neturmodo. Unus est yt bomotenus cotinue affligatur a pricipio vigad fine equaliter. thoc fit ppterea : quide qo viffoluit eft equale ei qo refoluit. Secudus modus e ve a pricipio augmetetur viquad finem. aboc accidit propterca:qz illud qo viffoluit eft plus eo qo refoluitur. Ter tius modus eft vt a pripio vigad fines pecreicate boc fit ideo quillud qo viffoluitur minus eft eo qo refoluit. Et que bec febris fit propter oppilationem fin vafa:medi catio ipfius erit per flobotomias: amaxime cu no est fan guis putrefactus. Et. B. bic vicit o quando natura fortis eft extrabamus victad fincopis. voicit op ppterboc cov pus refrigeratione babebit. aposibile erit ve colera abu ciat per partem superioze aut inferioze. Et vicit banc me dicatione in bac fe.ee necessaria. Et ego vico q bec qua, titas enacuationis artificialiter no existit: imo valde est erronea:co q becars imitat natură: anna fit crifis lau dabilis penacuatões fanguinis viquad fincopis pducentem:imo bec puenita crifib malis in que virtus expul fina plus conueniens est expellit. Adbue no est intétio enacuationis inquatu est cuacuatio:nisi ad remotionem fupflui fanguinis peccătis quătitate: rad coferuationem quatitatis naturalis.ergo quomodo pot fanguis euacua ri vice ad fincopimenifi cum vetrimeto fanguinis natura lis-boc impofibile effevidet. Et. B. no intellecit perboc niss subită corporis refrigeratoem ergo bec medicina ac cidétalis est piculosa. vnde melius est vt aliquatulum ex caloze remaneat extraneo: qualoz naturalis viminua etur. Adbuc no est crededu vt in tali cozpoze quale e istud non sit putrefactiois alicuius bumozis preparatio, ergo fi piminuis calozenaturalez corrumpet bumoz avirtus viminuet: uno erit qui buius errozis faciat correctione, Signa ergo p que cognoscimus sebre esse a putrefactioe exempta:funt figna comutativa ano fixa. Cofidera ergo quot in boc loco eminet picula. Et cum in bac febre appa rent figna putrefactiois per vrină aut pulfus flobotomia non fiat vicad fincopin pducens : quimpofibile eft ve post minutões no remaneat putrefactio ysquad septimu Diez: a ppter boc est necesse ve remaneat virtus sufficies oigeftioni. Etoicit. B. op qui medicabis bac febre funguis cus putredine: tuc no est expectadu vigo ad oigones materie. Et er boc intelligere Debennus qu'in principio flobo

tomare bebemus. Toemum potare aqua frigidam in ni ne frigidată tădin vonec corpus ipfins ad friditate vene mat. Et boc fieri 03 ofideratis certis ofideratoibus. Pai ma est vt egritudo sit Digesta. 2 vt i visceribono sit aposte ma: tyt in oze fromaci non fit vebilitas nece friditas:nec quado infirmus no est assuetus aqua frigida bibere: esse beber: qui illud qo bic inducit ad malam complexio nem contrariu existit einsde rei que cansam babet remouere:qin aqua frigida bumozez incrudat z impedit bige/ ftionem. Et impossibile est bac febrez integre remouere Donec causa ipias faciés in corpore repiatur: ergo quomô potabit aqua frigida babés stomacu debilé a frigida qu ei accidat timoz aftupefactio acofimiles egritudines exmala coptone frigida. Et ias iuenti funt bomines q bibe runt aqua frigida femel in quatitate multa: tide ad constrictioneanbelitus veuenerat ppter friditates musculi vel nerui a dyafragmatis. a taliter op no potnerut aligd Deglutire: 19 ipfam bibut iam facta vigone; tunc natura optime adimant:co quituncibi iam aliud no remanfit:ni Amala complexio calida: villa tune remouetur ab aque frigide bibitione: a fic natura mellozem facit operatioes in bumoze sali.f. perficiendo vigestionem a malam materia expelledo:qin ipfa mala coplexio boc facere, phibe bat: Thic est tractatus B. in potatione aque frigide in bac egritudine. (Et bebes feire o bec febris latitudine ba bet magna in fuo caloze fm magis et minus: 7, ppter boc que fortioris caloris est of arfina.i.canion. (Et bec lati tudo viuerlificat fin climata. Et quo ia particularia con cordant cum febre que est arfina. Tifirmus multus veliderat aquá fridá:non in bac est vigo expectanda:qz eger ante vigestione commetur: Thi feceris ipium pati vigrad Digeftionis apitiones:tunc erit ipfius Digeftio mala:que admodum eft nebulanigra aut bypostasis nigra propter nimictatem combustiois: z tucaque frigide exhibitio no valebit. Et propterea melius est in principio fine etia vigeltionis fignous apparitioe exhibere a no curare:ex victis aliquozum:quoniam bec reselt veraciffime probata.nam materia que talem facit febrem qualis ista est cui fit in yltimo caliditatis non est prinata vigestione nifi pe pter malam qualitaté acutam: nó propter groffitiem nec propter viscosstatem: quado banc infrigidabis: tunc sta tim erit materia vigella: melius elt vt conertas tales fe brem ad febrem lentam et longam que curari poteftique eger fubito moziatur.nam erroz qui fit in alteratione coplexionis febrium faciliozest amors. Et ego credo quil li quibus vigestio veb3 expectari si veturaqua frigida ci tius curareturfi eius virtus extitit foztis:quis egritudo fuerit longa. Dicit enim 'Rafis qo ouo inuenes in viebus canicularibus iteragebant:quotus vnus erat pominus t alter feruns: ambo banc inciderunt febrem: medicus pomino aquas prebuit frigidam a feruo non propinauit. pomin'enafit: zferme mortune fuit. Et terre ifte noftre medie funt iter terras. B. 2 Rafis in teperameto. 2 egref fi fum ex co qo nostre intetois erat. appterea queractat? curatois isti febris evna priù tractat feb.putridan: 2pp Bonú fuit narrare medicametu qo vtrifacoc existat. Eapitulum.IX. Quod est occura febrium putridaru: zprimo de eis in generali.

Edvico o febriu quintermala coplone ma teriali:pma illaru intétio vuas ofideratres: boc é vi mala remoueat oplonés; mala euacuer materiam. Et quia ma est cus calore pu tredinali accidit bic tertia intentio, boc est

pt remoneantur caufe innantes ad faciendum putrefar ctionem: et est superflui viminutio a pozozum apertio oppilatióis. Et pozorú oppilatio accidit ppter res stipticas



Septimus

cumeris faracenici: a citruloum a melonum: a funt exter rius colozis citrini:et interius funt cotinui et albi ; fed qo fortins existit est bibere succus predictorum abser succa ro. a maxime fuccu anguine. f. cucumeris faraceici: eo qu otrariatur colere a tota fuba fua. Sed tempus in quo De necessitate vebemus purgare materia peccantem cu me dicia attractura est boza in qua exuberat malicia buozis exeuntis in qualitate. a iam occlaranimus inperio. aboc facere vebemus forti existente virtute a tunc est certum quado figna vigestionis apparet; quonta co tempore collaudat enacuatio facta a natura: eo q virtus expulfina no moueturad expelledum superfluitates per viam na turalemnifi facta vigestione: vin bacarte imitari vebe mus opera nature toto posse. Et scire vebes qo facta vige stione fit vescesso respulsio abigo aliquo impedimento groffitudinis vel viscofitatis vel oppilationis. Sed qua do non apparet vigeftio.tuc viffenfio inter medicos repi tur: eo q.5.2 maior pare medicop vicut q minime pur gare vebemus nili materia lit vigelta: nili egritudo fue rit in vltimo acuitatis. Et boc intelligere possumus ex vi ctis bypocratis: quonia quado egritudo est i vitimo acui taris: tuc bumores funt in vitima furiofitate; a non est fe-curitas quin descedant ad quedam membra principalia a ledant ipfa nifi fint enacuati in pncipio egritudinis: co que bumozes qui acutifimi exiftunt funt fubriles: qui ibi no est grossicies nec viscositas que phibeat operationes medicine laxatiue. Et no potest inde puenire nis vnú so lum nocumentus: qo est: que medicine laxatiue suis quali tatibus pmis augmerant febrez. villud potest remoueri miscedo cu eis frigida abumida fm q couenit. Sed qui egritudo no est peracuta valdesfed est quiera: tunc expeetanda est vigestio. Et scire vebes que gritudines que acu te funt in terris 'Dypo.in terris nris peracute funt: Thoc manifestaf:q2 byp.non curabat egritudines acutas nisi cu aqua ordei amelicrate, apolită ira est; egritudies acu tenostre regiois a alian calidan terran medicande sunt cus medicinis attractiuis vel lavatinis in pacipio egritudinis. Et in egritudinibus peracutis p maiozi parte buo res corrumputur circa ozificium flomaci. apprer boc qfi apparet abundăția fanguinis.l3 no fit fuperflua euacua? re bebemus:quoniam inde magnú puenir innamétum: rin contineti quiescitvalitudo egritudinis;nisi sit qo pro bibeat ex rebus lupra victis. Sed quado egritudines no funt acute: fed funt ex bumozibus mucillaginofis z vifco fis tindigeftis ipfas cuacuare tpurgare vebemus post Inbtiliatoes vincisiones: vbecest vigestio eop: aliogn no ops cu medicina purgari. Sed egritudines que non funt acute a funt ex bumozib fubtilib ificut est vera tertiana que no transit vitra. 7. peryodos: vicit Auice. que expecta re Debemus Digeftiones:co q Digeftio biozis fubtilis eft eius ingroffatio Tgroffi eft ei fubtiliatio : Theut Difficile est virtuti expulsiue expellere bumozes grossos propter fui grofficie:fic vifficile e virtuti expulfine expellere fub tile qui oifrapit a oifpergitur poter fui fubtilitate. quare oifficile egiftit nature expellere buozes groffos: co q oppilant meatus a trafitus: a fubtiles: qu difruputur a fpar guntur timbibunt tamé medicine la ratine citus expel lunt t facilius bumores lubtiles digrollos. Et poterea quidam medici vixerut q nung vederuntaliqua medi rina lagatinam ad purgadum aliquem bumozé quin co/ lera pus purgaret propter fui leuitatem z fubtilitatem:z adbuc magis op quando vantur medicine la ratine q tra bere a purgare vebet melacoliam: aut flegma grofium a viscofus a proprietate a fui natura prius ille eede trabut coleram reppellunt. Et boc idem manifestar intellectus o fubriles bumores babiliores funt ad purgadum very

pellendum groffis:quanuis boenon fit ex opere nature: quonias fi fic faceret natura:illud qo prius exiret in egritudinibus acutis effet colera:co q tales egritudines pro maiori parte fiut ex bumoribus fubtilibus: 2 quato funt fubriliozes tanto vifficilius a natura expelluntur. Et pro pter boc vicimus o minime tardare vebemus in peracu tis exhibere purgationes:neep expectare ad perfecta bigeftione:qz no eft tutuz quin mala qualitas predominet nature: tune crit mala vigeftio expectanda cum viffidu cia liberationis. Et poltos ita est op purgare vebes non fa cias illud nifi primo frangas fuaz caliditatem a ficcitate. Sed in febribus flegmaticis amelacolicis 'Rafis in pn cipio carum purgabat: t bec erat cius opinio oino.f. purgare in principio febris.tamen. B. vicit contrarium mani feste. s. o minime vebemus in principio febrium melăco licarum. villud idem vicit in epistola ad glaucones. Et il lud eft quia finis barus egritudinum eft fecurus: nec ex-pectat vigeftio mala:fed flegmatica eft male veterminationis. propter boc necessarium existit vt infirmus ena cuetur preter di expecter vigeftio perfecta: 2 ppter boc medicus prius incipere vebet a medicinis fubriliatiuis c incifiuis per bebdomadam vnam:quia non timemus ca lozem buius febris cum fit vebilis ve magnum inferat nocumentum: et cum boc fecerit tunc medicus purgare incipere veber. Et vemonstratio buius est illud qo vides fieri in apopleria: tetia in filibus egritudinibo timozofis fridis:quicip mus in talibus ab cuatióe ponedo in medi cinis la patinis incifina a fubtiliarina. (Et mibi videtur impossibile recipiedo syrupu squinzibim p bebdomadaz vná factů er occocnoc radiců lily celeftis: r femis apy: r liquiritie quin pparet biiozeo: voigerat: v leuiozem faciat exitu acorporer éguis tot' bumor non euer a corporerti natura ide allematione suscipiet oino. Et inde redire vebes ad icidedus v fubriliadum per aliam bebdomadam: queadmodum virimus: postea purgare: qualiter opan do buozes babiles reperiunt ad expelledu. Et fimile boc eft bomini fereti graue podus:qin qi ferre non potip3:t vinidit ipm in partes facilius tolerat ipfas: zpolici natu ra fuerit allemata:tuc vigeftio laudabilis apparebit:zre ctificabitur ono cocedente. [Et boc melius existit val de ginfirmuz vimittere egritudini enature.f.fi videbis natură egritudini pualere: tunc vietă rregimen infirmo jubebis: toci artemime collaudaf: qin nifi nature vio lentia fecerio vel adiunando ipfam nibil bontei feceris: nifi q verba ei Dederis retinedo ipfum. Et iftud idem re gimen facere poteris in febribus melancolicis: e fic faci mus bominibus fanis quando volumus ipfospurgare.f. quipfis vigestium; ppinamus pmo ad subtiliandu bumo res vvias aperiedo: sie vin egritudinibo oz facere: tamen in egritudinibus maioz viligetia eft adhibeda:co quearu bumores difficilius recipiut digones. Et boc manifestat in opere B.in labore spontaneo sebii propinquo:quonia ipfe purgabat omnes bumozes facientes bunc laborem preter bumores viscosos mucillaginosos:co quomnes co cordare videntur quales non funt purgandi. B.ante vi detur queuacuare vebemus babentes banc febrem per fricationem folum. Ego autem affirmo quelimata in boc multus funt confideranda:propter boc non est banda re-gula generalis:quoniam mibividetur qoetiam bumores viscofi et mucillaginosi purgari possint in bis nostris regionibus:facta tamen incifione z fubtiliatione per longii tepus: tunc tepus vigeltionis abbieniabis: t natura ide alleniabit: reg runc videbis vigettione landabile. (Et te ops bas res multotiens expeririquexperiena in bis re bus non modică virtutes babere videtur. qo feripfimus De boc in boc loco fufficiat.



quid o polipodio quarabice or belbeg: eo qu purgat cole raz aduftă zgroffaz zmelancolia.poltaz fregeris ficcita te eiº cu oleo amigdalan oulciu. rapire opillatioes i bac febre pprin existit nisi fuerit excedetis calitatl:qo si fuerit tic intedere vebes soli ad ifrigidadi a buectadus. Caplin.XII.Quod eft ve cura caufonidis.

Ec febris est intest caloris a pranoz accide, tiu. vor incensiua: vimpossibile est q becer colera naturali generet. Et in ista pueniens existit purgare cu medicina attractiua a priv cipio ipfi?. rminuere ex fanguine fi figna fan

guinis apparebut vado ei omni vie vecem aureos tama rindon infusor in aq fimplici absq fyrupo z aliqua aliq re pulci: post pabis ei bibere aqua ordei: postea p totu vie potabis cu aqua angurie, a boc regimen ppui exiltit omnibus febribo que funt i vltima caliditate: anó vimit tas aqua angurie vaqua sup niue infrigidata:qm si ouer teris banc febre in lenta z cronica melius longe existit qu ve eger moziat. Et boc etias vixit Abumeron Auenzoar De quodas puero que ipfe medicauit: cui Dabat omni Die aqua angurie: 2 quottidie colera vomebat. 2 tamé taliter fuit opatus vonecilla febris conversa fuitad cronica3:2 inde liberatus fuit. Et mibi videt o aqua angurie longe melioz existit o aqua in niue ifrigidata in boc casu: eo op aqua in niue ifrigidata quis litin vitima frigiditate ver lociter tri recipit caliditate z adbuc magis:qz aqua cu fit fimpler nibil restaurat neqs pstat corpori nifi frigidă qli taté folum: fa ac angurie restaurat zaddit i sanguine fa ciedo frigida fubam aqualitate. Sa quado febres erunt lente zlőgi erűt poxismi:z certus eris op nő ex colera pura erunt:sed erit ex vitellina que náli frigidioz existit:tűc studere pebes plus in aperiedo oppilationes os in infrigidado contrarium cius qo fieri o 3 in illa q fuerit ex co/ lera pura: quis raro tales ineniant. Et landabiles medi cine in bac pte funt q but virtute apitiua abiqa fozti cali ditate ficut capillus veneris. 2 radiz apy. 2 feme feniculi frangedo ficcitate con cui radice ligricie. vcaliditate cus violis. Those nenufaris. Temibo coibus. Et fludeas po-nere in medicis res q but mebra procipalia cofortare. Iic est mastir espica nardi oponedo ista cu sprupo sgnaibin. Et esto studiosus ponere in medicis solutiuis q brit cole ram cuacuare cu optitate flegmatis ficut e femen benti.i. femen chartami.frangêdo tamé caliditatem eficcitates eop. Et bec est cura omniu febrium colericap.

(Cap. XIII. Qo est ve cura febris flegmatice. Ec febris cum fuerit ex flegmate fimplici z naturaliz de boc fueris certus:tune ftudio fus effe bebes in icidedo bumozes: zi fubtiliando coppilationes apiedo plufej infrigidando a bumectado: a fufficit tibi in bac ité

tione squinzibin cu inrecicerá occultado siccitatem eo pe cu radice liquiricie. Et adde buiccoponi aligd ex spica e maftice qui in bac febre fromacus vebilis repit. rconue nientioz opatio in pricipio bo febris e lenire nam cu femi ne cartai efemie barulis fracta ficcitate com pus cu teres niabin. Et fernato boc regimine p bebdomada vna ppi nabis ei medicină layatină q beat illu buozez enacuare. ameliozillaru medicinaru eft turbit.qza pozietate babs trabere z expellere bumiditates que in oze stomaci est:z agaricus etia cu co:q eradicat bumoze groffus z apit op pilationes. a fraddideris aliud ex ierapigrano est malus confidedo magis in agarico rturbite aliquo contrado ? fragedo ficcitate cop cu oleo amigdal oulcium. [Lolo quintida aut in tuis medicinis enitabis ponere citu plus poteris. Et fi appuerit tibi q bumoz fit tante ouriciei q no poffit enacuari abiquea: adde exea aliquid in pdicta

copone occultado malitia cius cuchachina: ceredo o fit Dzagatu z cum amigdalis. Et Dofis eins eft.f.pars aureiz tales purgadi funt bis qui in vna vice no possunt purgari ppter grofficiem bumoris: 7 boc non facias nist virtofue rit foztis ofideratis alus oditionibus fupza victis:medi. cinavo facta ex turbit in pricipio buius febzis non est ma la. (Libus vo in pricipio buius febzis sir pulla parua se curc:eo co status cius non est minoz triu septimanarus:z eft poffibile vtipfa ouretufcad. 40.0ics z vltra. Rafis aut vicit o trafacta feptimana quarta non est malu infir mo exhibere trociscos de rosse copletos cua aqua cicerúa eo qua febrempatietes in fine leuiter deueniút ad de bilitatem fromaci repatis: readut ve facili in ydropifim (Et ego meo tempore vidi quoidam babentes febres cronicas quibus medici noîtri propinabăteis (yrupum fquinzibin folu: receiderunt in ydropifim: 2 moztui funt. Et ab vico ve trocifcis ve rofis in boc loco no vico nifi ca exepti a filitudinis: tri tu vebes varcex filibo medicinis fmplus aminus put tibi meliovidebif ouenire:ctiam q file buicintetioni repit est zucharu rosatu pterci frigidi tatimagis videt ptmere atrocifci victi. Et fi videbit tiv bi puenies miscere că iure ciceră sprupă squinzibin facit illud: că islatio în pedibus aut în palpebzis apparebit tibi:caucas a fyrupo fquinzibin: qui ba pducere ad bidro-pifim que admodu o vimus. [] In febribus vo flegmati cis no recipietib o igestione que facies a veter tumescut: z colozes cozus plubei videbunt: Bal. videt q tales funt euandi per fricatione voncevigilat viuidedo tos con ita go vimidiu tps cop fit fricado: vimidiu fit vozmiendo. Et vabimoci bibere aqua mellis cu yfopo z ligritia. Ged B.potabat cos aq ordei: sed ca ego no laudo in B casu:co quocet ftomacora facit orripilationemili cu ea fuerit pa rummasticis et piperis v radicu feniculi: vno vebemus eos viu vimittere absqueibo.qz ide recipiut nocumetus: quanis leniter pati famé poffint.qui quado ifte buor mu cillaginofus multiplicat in corpore:talis bumor cuz viffi cultate maxima pot ad fanguine couerti-z ppter boc vir tutes eoz vebilitant vonecad fincopimbit, puenire, et ideo eis bare vebemo mică panis lotam cu aq mellis:vel cum vino aromatico. Et bic est modus fricationis qui pe ceptus est a Balie.in boccafu.f.q babere vebes gaufapia aliquatulu groffa z vetufta: zin pimis icipere vebes a fu periozi crurius Descededo iferius ad pedes: zpostea frica genna: 2 postea superioza coxarum pescededo ad genna. Expostea icipies fricationes ab bumeris vel spatulis Descedendo per brachia ad man? Deinde fricabis Dossis icipiedo a fumitate eius veniedo viquad pedes:et fic fiat per totu viem. Et fi ifirmus fenferit lazitudines inunge cum olco no babete stipticitate, ficut oleum camomellis num canetinuicam est bonum. Et vicit Bal. op postea abr stergere vebesoleum: eo op angustia prestat: et boc est qo Bal'videt vicere ve buins egritudinis regimine. Et quia in bac febre accidens fincopis confueuit peruenire. ideo memozatus crocius curam vbi tractabo de curis accidê tium obmittendo eozum caufas

Cap.XIIII.Qo eft De cura febris quartane. Llud aut quo plus idigemus in bac febre è aperire icidere et fubtiliare et modicu i ipfa idigemus fricatioe:ifrigidatioe et bumecta tione gfi nibil:et cura bui' febris gfi Dria exi ftir cure caufonidis co quin caufoniboattedi

musad febrem folicet in bac caufe. Et ppter boc eligere Debem? medicinas icifinas: fubtiliatinas et fpleni appro priatas ficut radix capparis:et scolopedria et tamariscus eo quiftud meb potes eft ferre medicinas fortes et ape ritinas abiquinocumeto. Et potes pficere bas medicinas



detur o nos cos in tina aque tepide foli ponere vebemo abigsitratione ftupbe; zin exitu tine ppinadu eft eis lac: z cum vigeftu fuerit iterum ponedi funt in tina: z postca Dabis eis aquaz ordeire facta vigestione ipsius vabis eis mica panis lota cu rebus pdictis. (Bed errebo que er terius fiût funt balneû: v balneatio fin op viximus; v etia aer: go fi fuerit calidus; v ebemus euz îfrigidare absterge, do pomú: a fubsternedo in ipía folia frigida: ficut funt ro fe: ? folia falicis: ? flozes nenufaris: ? folia vitis cu fuis flo ribus:ftudedo vel igeniando; vt aq frigida a fupionibad iferioza vescedat. Et ve vomus septetrionalis existat. Et pille feneftre fint apte vnde fol mime poffit penetrare: zille claudant vnde pot itrare. Et qui aer fuerit frigidus non idigebunt pdictis:nifi yt ipm trabat ficut elt: a maxi me qu principiu male coplexionis fuerit a fromaco yel a pectoze vel ab iteftino leiuno vel a renibus: tab iftis ipfa mala oplerio veinde verinatur: aposibile est etia quilla mala coplexio icipiat a corde; ride ad pdicta rad totum corpus verinetur. Quare fludere vebesad fciendu vnde babeat puenire febris ipfart cum scineris mebrus a quo pmo pcedir bec mala qualitas febrilis fludeas ipm infri gidare v bumectare abigo trabedo ipm a fua näli optone v specialr si mebuum fuerit maximi innameti. Et empla ftra quenietia bis membris funt emplastra facta cu rofis fandalis a berbis frigidis aromaticis: vel cus cera ficut vicit Bal. Et cum infrigidare volueris principalia addas aromatica Thiptica. Et istud est regimen etbice cum fue rit in vitimo: fed quando fuerit in principio cum leniozi/ bus curari poterit.

Capitulum. XVI. Quod est de fincopi e suis particulis: et omnibus accidentibus impedientibus cura /

tionem sebzis.

E polici locuti fumus de febribus abfegaccidentibus phibentibus curationes earum núc tractare volumus de febribus fecus babentibus accidétia. Dicamus ergo quifta accidentia general reponeniunt ex omni re dif

foluente virtutem: t bec refolutio fincopis nominatur: 2 pronenie necessario a mala coplegione cordis calida yel frigida. Complexio autemmala calida aut prouenit ex rebus extrinfecis:ficut ex aere calido: vt fepe contingit Din mozanti in balneo calido: aut ex rebus intrinfecis ficut ex mala complexione totius calida corporis vt con tingit in catifone. Erigida vo cotingit aut ex rebus extrin fecis:ficut accidit ambulătibus per loca frigidiffima:aut er complexione frigida membrop intrinfeca plurimi in tiamenti; ficut accidit ex oze ftomaci ver fuffocatioe ma tricis. Aut ex mala complexione totius corporis frigida vt contingit in febribus putridis que fiunt ex bumozibo groffis a viscofis a mucillaginolis a bec coplexio frigida quadomacgriturer supflua enacuatione viminuete car lorem naturalem.qm quando caloz naturalis fupflue oirninuif:impossibile est vt possit regere cozpus: z oes ope rationes frigidiores ocbito existant quare puenit sinco pis. Hon vico tri q ipfamet viminutio quaritatis iducat fincopin fed ineglitas glitatuzeo o cuiufliber genera bilis z corruptibilis causa est pportio qualitati:sci licet calitatis friditatis buiditatis z siccitatis:queadmo dum in libris naturalibus veclarauimus. Spes aut ena cuationii que aliquado pabudare consenerunt funt ficut fupflune flurus vetrie a vomitue: a fupflune flurus fan / guinis narium zemoroydaru zalioz membroz:zin mn Lieribus superfluus fluxus mestruozet etiam quando in partu superflue eguberant. Et pot etiam sincopis promenire ex ruptura feu crepatura:ul'exaptura magni apo-Thematis subitort vigilie similiter boc facere possunt. Et

etiam accidentia anime ficut excedens gaudium atriffi tia:quoniam bec faciut spiritus exalare superflue vilata do r constringendo: rinde in substantia membron anbe litus fpiritus malam acgrit complexionem. Et etiam foz tis polozest yna ex rebus que pucunt ad fincopim: thoc accidit aut ex mala complexione acglita ex poloreaut fis perfluitate motus vitutis expulfine facientis volozem:fi cut dicit B. Decautem que dicta funt: funt omnia accide tia que babent sincopim facere apromouere. Et summa ric scire vebes op quado fincopis fuerit cum febre:stude dum est tunc in removedo z rectificando seu curado sin/ copin:quauis contrarium fe.videatur. [Et nos oicturi fumus modum eius cum ipfius curá tractabimus. (Et nuncincipere intédimus tractare de fincopi pcedéte ex caufa crudorum bumorum. Dicimus itaquo curatio bus ius est regimen predictum in curatione barum febrium. quare fi ex negligentia: vel vefectu ipfius in fincopim in ciderint:itmabimus eos in primis propinando cibi:etiaz fi in medio fuerint paroxifmi: quaus nostre intentioni contrarium videatur:cum intendamus q natura egritu dini vebeat prenalere: tin boc cafu nibil vino melius re/ peritur.quare vico o quanis vinum farracenis bibere lis citum non fit:tamen in boc loco ita licitum effe videt vi num bibere:queadmodum eis licitum est comedere care nes morticinas scilicet que per se moriuntur vel suffoca/ tur babentibus necessitatem: quare icipere vebennus eis Dare micam panis infusam vino. Et vintum qo melius re peritur est aromaticum: cuius caliditas penetrare potest per totum corpus: qo fit fine amaritudine aftipticitate: a est illud vinum qo est vinosum pungitiuum in pacipio:z post velectabile fine aliqua amaritudine a poticitate. Et mibi non placet vina in noftris partiboaffueta ficut func vina picio:ideo quia funt vina medicinalia anon nutribi lia: a nocent principalibus membris fua ficcitate a acuita te. Diamufaum autem in talibus propinatum cum vino non nocetez in principio fincopis rorare faciera zasperge re cum aqua rouel faltem conveniens eft cus frigidareff fincopizans babuerit apostema epatis vi stomacivi simi lium membzorum:non speres eum curare cuz exhibitio necibi:quia cibo plus multiplicat apostema of fortificet virtutem. a fricare extrema in bora fincopis conueniens erifit. Illis vo quibus prouenit fincopis excaliditate vl acumine renuz:qo fcire poteris ex fignis victis ab. y.que funt narce acute:oculi concani: timpoza plana: a fimilia: cura illozum est contraria supradicte: quia ad cosernatio nem illorum non indigemus abstinentia cibi nec respice re viem creticam negistatum egritudinis aliquo modo. Eter cibis conuenientiozibus omnibus est mica panis vel kist ordei cus granis granatorum:quia in granis grav natozum proprietas reperitur refistendi putrefactionize vt cibus in fumofitatibus malis couerti minime poffit. Ter cibis etiam qui ipios babent confortare funt vitella ouozum: tefticuli gallozum: tpulle parue. (Etfifinco pis fuerit ex errore cibi cibandus est ex pane infuso in vi no: t fit vinum aquofum lene:odoziferum: albuz ficut vi cit. y.a linfatus fit cum aqua frigida: q fi fincopis proue niter bumozibus viscosis mucillaginosis vinum linfatum effe vebet cum aqua calida:quoniam aqua frigida illis magnum infert nocumentum. [Et tu scis o fyru pus pomozum z citoniozum cum medicinis mufcatis co ferunt fincopi:fed non innamento vini : quia natura ne ceffario pominari vebet super ipsas ad ipsarum conner-fionem. Usum autem vigestioni citius preparat omnibus alus cibis et medicinis: ita q Dicitur q in stomaco non mozatur ad vigerendum nifi in epate folum: a in ta/ libus tantu idigennis restauratione aputritione: ofi in

morhama farmeent no



Septimus

Ura fanguinis nariufi fuerit ex nare vextra ponende funt vetofe pocundrio Dertro fup epar: thi fueriter finistra ponede fut sup sple ner filt fi exmeftruis fupflue fluxerit poni movetofas fup mamillis: zcu B ppinada fut

ftiptica q bite oftringere ozificia venarum.

(Lapituluz. XXI. Quod eft ve fincopi proueniente ex

superflua vigilia.

Igilya fubuenim? cũ cibia grữ pộctates füt iducere fomnű: z cũ vnctionib? puocătibus fomnů: ûč é ol'3 nenufarinű z viol', z oleű ve feibo cucurbitan: cuz odoratiuis iducetibo

forunu: vet vebem" vare eis vinu linfatu fi fuerit fine fe bre. (Decătoia supradcă vigimo ad rectificatione seu curatione prauoz apiculofoz accittu febrib" fupuenien tiú. Lura at remotois cae rememozatus ero qui tractabo De curis accritiu a malozu apostematum.

Caplin.XXII.Quod eft De curatione male comples gionis spiritualium membrorum.




Epoltognarrauim breuiter curatione ma le optonis vlis:narrada e curatio nome nis pticularis. S3 qñ mala opto é imális cu nis pticularis mala opto é imális cura si fuerit mális cura effe os

nis pricularis. 95 qui mata opto e imatis cur ra ee 03 p otiur qui fuerit malis cura effe 05 p eu one a potiu fil. 95 i cuone a in reliftédo potiu ofide rada è etas: 2 oplore ofuetudore tosse étattendere vebes oplone mebri a formă ipli a politione era colligățiă luă a fenfibilitate a fuu immamerii: B e qualicui mebro fupue nit folo fine apate: a postea de apatid lognur. Et dicarra op modus: vel vius medicamis male coplonis pticularis e vnº. 55 vinerfificat i aliq ppetate queadmodu cofua tio ppe oplonis illiº mebri z figure ipfiº zpofitionis z co-paffionis vel colligantie subtilitatis z sui innameti: zboc Dictum est in his que precesserunt: sed est necesse ve banc confiderationem semper babeamus propter illa que bic narrare intendimus.

Captin.XXIII.Quod eft ve cura male complexiois

ficce ftomaci fine materia.



rione totius corporis. Ergo incipere pebenus ponendo ipm in balneo tepato: r post balneŭ lac bibat tepatu asiv ne:aut capre cu aliquatulo quecaro. Et qui cognoscemno că vigefiffe lacp figna ructo tuotis flointeru ipfus i bal neo ponemo. spacio tri iterueniete iter vna zatia balnea tione atmor boraru aut gnq: r femp in exitu balnei 03 i/ ungi cu olco viol. vel coi:co q ipius bumectabit: z caue bit eia multa vissolutioe: rin quolibet eritu balnei ppi net lac supradictusi ipsuz affectauerit. Sin aute ag ov dei ppinet: vboza pzādu pet panis mudus bii coctus: et bii fermetatus cu pullis galinarii: v caponibo ipinguatis cu lacte amigdalino: pifces petrofi ad boc fut vtiles:car nes pdică a fafanară; coturnică etia vtiles funt: acibo conenietiozest ille q velocis vigonis est z multi nutrimeti: quis tales cibi aliqu videant ozu:z vinu talin va ee aromaticu cu ağ mixtu: tralis quatitas ve cibu in fto natare no faciar:nec extelione aut grauedine iferat: 2 cu becpale fio fuerit fedata paulati ad illi ofueta partip veducemo. Cap. XXIIII. Qo evecura calitati a fic. ftomachi.

Ed qui cu ficcitate piùget caliditas: tuc cu B regimine res frigide funt admiscede: fic aqua ozdei:firupus De nenufare:z firupus De viol. z vinű magis téperet ců ağ frigida: z iftis ağ frigida puentes existit. Et fi siccitas multum

fozt | fuerit:tucaqua frigida est timozofa ne os stoi ledar. a vngédus est cu olco amigdalino: a inquatu egritudo in caliditate eficcitate excedit;in tantu indiget rebo infrigiv dantibus thumectantibus: 15 in eo que ftomatica idiget rebus babentibus aliquid caliditatis cu stipticitate varo maticitatera ppterea no est maluz cu bis addere aliqua, tulum mafticis.

[Cap.XXV. Qo é ve cura friditatis a fic. stomachi.

lacte aliquatulu mellis est ponendu cu boni fit odozis atqs fapozis: z aqua ozdei pimittat fi foztis frigiditas affuerit: z tali fto fuppona tur puluis maftic cu olo rofato extelus fup

lană: t oleü amigdalinü ê cû iftis iuuatiuü valô: templa ftru picis iter cetera iunatinu existit qui ronabilir fit: B est pt ponat fup mebzu: zno ibi viutiº imozet: nisi vt pozos apiat: z postea auferat. Et scias o siccitas vificilioz e ad bumectadu q buiditas ad exiccaduz: queadmodu fride vifficiliozes funt ad recipiendum caliditatem : of calide ad recipiendu frigiditates ob boc quoifficilius qo in bis effe positi est curare frigiditatem esiccitatem: quest egri tudo fimilis.calida namos corpora vebet custodiri ne ad babitum veniant senectutis.

(Laplin. XXVI. Quod est ve cura male complexion

nis calide fromaci.



Ala aŭt oplerio calida fola videt: vt curari pebeat cu rebo frigidis folu. S3 tamen boc membans infrigidari no veber ex toto: ppre rea qu'fuper boc mébaum pominatur frigidi tas:q2 fcom plurimu vnaquegres que alte

ratione recipit potius illa recipit ad qua fua coplexio Declinat naturaliter: video egritudines istius mebria frigi ditate causantur viplurimu. Et experimetatores nostri temporis in passionibus stomaci multu errant:co o non intendunt calida fromaca alterare:nifi cuz frigidifimis rebus: tamen cu medicus percipit go aqua fit vanda:et boc vetat erit magnus erroz ficut recitat. B. De quodam qui in fromaco ino babebar coplexione mala calida foztem amedic eide aqua frigidas bibere ibibebat: 5.ei aqua frigida prebuit acuafit. Et apter aliam cam infri gidationemillius membri vitare Debemus: eo o babet operationem toti corpori comunicante: vnde pncepa co municana appellatur: e mebra que tale officium babent infrigidari nimis non bebet:vt virtutes cozu non ledan tur. Et ppter boc pceptu babemus, vt supra stomacu oleum no ponamo actu frigidu: aff fit frigidu in potétia. Thoc eft fimile ei qo facimo in euone:que a celeriter pur-gantibus miscemus flipticas medicinas: alr peessus coueniens no effet. Et quado B. vicit q in lefione operatio nie mebri maior cadir timor in euacnando di in alteran domo fane loquif :fed errat:q2 ficut timenda est euacua, tio ve virtute non ledamus fic in alteratione: a maxie in alteratione frigiditatis.na3 ille modus est maioris pant in membris nutritinis. (Et regula medicatiois in pn. cipalibus membris no accipitur nifi a colligantia cordis cu ipfis. Et quare vituperat. Barchigene cu vicit qu viri tus regitiua in corde existit cum ipse medicer cor: r licer egrotet cerebru: r ppterea quarchigenes cordi no subue niebat. B.ipmvituperabat.ergo fm archigenes in medi. cando pcedebat z canfam medicationis ignozabat, (Lapitulum XXVII. Quod est pe cura frigiditatis

z bumidiratis stomaci.



Ed mala coplexio frigida abumida est cale lefacieda exiccanda: ficur cum electuario triú piperú. Ét go vicimo in medicatóe male coplexionis no materialis in flomacho: illo



ad oppolită partem. Eŭo vero q fit er mebro apolicina to corpore exite pleno est exrebus ledetibus multu. vn. de fi boc petiti effugere voluerim? 03 nos totú eñare coz pus: zpoltea redire babemus ad pinú měbzů eňandů. Et qz vniiqog mebrii p maiori pte reperit bre pprias viase p quas ciiatione recipere potrideo per calde vniiqog cii idiguerit pebemus cuacuare: sicut cerebrii qo potest cua cuari per sternutatione a gargarisma. Et si feceris ista coz poze ernte pletozico leftone inde babebit ifirmus. Et aliv quando buic intentioni euacuandi mam ante victas alia adiungitur itentio scoz quante victu est vt est foztificare memby cu ftipticis a frigidisyt fupfluitates no recipiat: Thoc fiat corpore vacuo existente. Tsi boc no feceris non erit tutu gn mä no redeat de mebro ignobili ad nobile: a bec est yna ex rebus ex quibus apara curantur in pncipio. Et si causa ifusionis membri fuit ipsius caliditas ite. dendus est ruic vi remoueat mala opto ipsius:remota ve ro oplepione mala membana os cofortaria fi remota no fuerit caufa: queadmodus illa que poter mozfură alicui? animalis venenofi fit tunc pus cuacuandu est illud vene nú cú medicinis attractiuis aut vétolis:2 fi bumoz affue rit euacuetur. Etaliqi fignificatio fumpta ab iftis eft fe cunde itentioni bria:boc est apatis cuatio: quadoquanon est cotraria. Exemplum cotrarie est. vs. qui remotio opto nis calide fit cii medicinis frigidis:qt enacuatio no fit ni fi cu medicinis refolutiuis. Exemplu no otrarie est vt qui causa fuerit bumoz grossus in mébzo: tune oue itétiones fient yna:co o fient folu cu medicinis refolutinis. Sed medicatio polozis sco3 go pictú est aut fit ppter remotio né fue caufe aut pando mébro complonem cotraria polo rofe: bec fiunt cuz medicinis q pprie funt in mitigando boloze ficut est pinguedo anatis zgalline zoleum vitelli ouoz afimilia. Et align remoueret voloz p membri ftu pefactione. Dec est regula istap triu itetionu supine nar ratan. Sa fit fm ordines tempon apatus:qr fm plurimu medicatio apatis in pmis fit etione a repercuffione suppo nendo fridas Thipticas medicias inpapa. Tillud qo ma gis necesse est ve causa efficies remoueat est in apatibus citi aduetus:fic in apatibus acutis que ex colera z fangui. ne pueniut. Sz fecuda itentio eft q ipfius apatis poft fta tu cuatio fieri vz:z pacipiu vz effe cu medicinis maturati uis. Et fi cuatio no est sufficiens cu rebus resolutiuis tuc aperial cu medicinis cozzofiuis aut cuz ferro. Et manife frum est o si enacuatio fiet cu medicinis dissolutinis duz materia est in cursu:plus ad memby apatus traberet que posset cuari. ppterea necesse est vt post cuones apponan tur medicine repercussiue mixte cu paucis resolutiuis.eo o ftiptice mittent polote. Et qui fuerit in fatu tune me dicari vebz cu medicinis refolutiuis folu: tintra ista vuo tepoza vtendu est medicinis ex bis onobus mixtis: a iste medicine scientur in libro simplicis medicine. Regimen vo in apate calido male oplonis in pinis est refrigeratio: eo o cu ifrigidatione estetias repercussio: tetia qu ppter mitigationem calozis curfus mae pestruitur. Apostema ta vero frigida curari no vebet cu reb? frigidis nifi tranfo acto tpe augmeti.qz caliditas non refifit refoloni bec est intentio medicationis apostemată ingită sunt apata. De inceps loquemur de apatibus fm qo funt alicui membro appropriata a ab apatibus calidis pacipius faciemus que in membris fiunt itrinfecis rextrinfecis. rcu vico calida intelligo eria illa que ad fanie veducuntur. Et qui fiunt in pncipalibus membris febris cu ipfis oritur: fine apa fue rit fanguincü vel colericü vel flegmaticü vel melicü. Sz flegmatica qad fanié nő pueniüt funt ficut tumozes qui Dicunt nafcetie. Et melancolica q ad fanie no peruenint Dicuntur felirotica reancrofa rraro fiunt in membris ine

trinfecis aquado fiunt icurabilia funteo o idigent forti bus medicinis quas intrinfeca membra tolerare no poli funt:co q bozum cura non fit nifi cum ferro:quonia talia apostemata non resoluuntur nisi post longitudinė tempo ris: tune virtus infirmi iam defecta effe reperitur: 2020 pter boc be curationes non fiunt nisi cu fuerint in membris extrinfecis. Et vicamus quapostemata ingitum sunt apostemata requirunt cu suis medelis itentiones tres sis pradictas. Sed omerfificantur in bis tribus fuis spebus F3 magis aminus. Ta apata colerica in pmis egent refri geratione multa cu viola cus viriditate illa q fupta ago reperitur: z cum yua canina: z cum cera infusa z malaxa ta cum frigidis ficcis a bumidis a bis fimilibus. Sed fan guinea cus refrigeratione ftipticio egent nisi adsit voloz. Thi poloz adelt funt mifceda mitigatia. Sa flatica e melli ca modica idiget refrigeratioe a repcuffioe qu vebile mo tu bit. Intentiones commete in apatibo gra membron in quibus funt: funt bic narrade:co qui in bis maxime cadie puisto. Et maxie si fuerit in mebro pucipali. Et vicimus que cuacuatio quer flobotomias sit poter apostema alic? mebri intrinfeci os recipi a colligatia mebri z a loco fuo: eo quado no poterit fieri cuacuatio in mebro lefo:tuc Debet fieri per mébrú cómunicas ei amagis ppinqui: a fint meatus de vno ad aliud recti: aut rectioni ppinqui: ficut in mebzis iferiozibus flobotomia bafilice valz. zin apatibo capitis pectozis e pulmonis cefalice valet flobo tomia mediane oib^oyalet mébais. Et fi idiget flomia pp epatis apa in apertõe bafilice peptre cadit ofideratio qa .B. vicit in libro ve igenio fanitatis o vertra i apate epa tis flobotomet: timifra in apate (plenis. a in fermonib fuis prinerfalibo orinm ponit. Et tu fcis quin enacuatio ne apatu oue res intendunt. vna est enacuatio materies mébron cu iplo comunicatius:alia est ve fiat veclinatio buozu ad parté oppositá sicut na facit qui creticat aposte ma epatis per fluru faguis ex nare vextra:co quilla cua. cuatio coprebedit oppositione a coicatione. Sin flobo tomia bafilice in apate epatis ex pertro latere no enifi pnaintentio:boc est comunicatiu enacuatio. ppterea qz est fm dimesione corporis que fin latitudines existitico go vimefiones opposite funt sex: videlicet oue latitudina les: reft fin vertru afinistru: voue logitudiales ve supe rius vinferius. zoue pfunditatis vt ante vretro. Et boc idé faciendu est in apostematibus splenis a pectoris:quis qu'apostema fuerit in parte vertra flobotomamo basili cas ex pte finistra. 2 fi fuerit in finistra flobotomameco, trario. Epar vero cu fit in vna vimefione vel extremitas te vimefionis latitudinalis ergo necessariu effetyt flobo tomia fieret per alia ptez. Thic bafilice lateris finiffri:q2 in ea cotinuet coicatio coppolitio: zqui nos itendimo facere enacuatione:coicatione:zoppositione cotinente:tue innati'eft poppolitu trabere mãs de qui vou intédimus foli.ergo cu fuerit necesse totus enacuare corpus: ppter buins neceffitate:tuc eft neceffe babere ambas itétioes. Bed quado nobis fufficiet folu mebru apatu enacuares tuc nobis yna fola fufficiet intetio.ideo in maiozi pte:qñ intentione babuim? in talibus locis faciem? attractione fine enacuatione removente: truc poterit fieri cu mem, bzű cuacuatione idiget:znő totű cozpus. Et pőt aliquan. do effe:vt pma intentio fufficiens fit filr in aliquo loco: fier boc folus rpe status apostematis ficut minuit ex ver na lingue in fquinătia facta. nas fi possenus mebru proprium flobotomare couenies effet:eo gono fit timendus materie curfus. Sed tempus augmenti aggregat res am bas:quia fi no curaremus nifi omunicatione a no oppofie tione plus trabemus ad apata queucucret ficut in co g medicinis ytitur viffolutinis aperitinis ante enacuatios



dinem medicationis plceru. Propterea fcias vnu o propriù est mebris npatis subtile cute babetib?: grab ipsorus pncipio penito fanies refudat ex cisto poterea puenies e ab ipion pncipio in fuis medicationibo adbibere abstersi ua vemudificent meat?: thin fanie ipfa grofficies fuerit miscède sunt res icissue: a talia média sunt sicut pectus: a pulmo:epar:ftomacbus.ppea necefie est vt ista abstersi/ ua ab oi mordicatione fint exeptare ifte res funt ficut aq ordei: pultes furfuru codita cu amigdalis amaris : 16/ mine melonis: telm atriplicis cú oxigacara in apate epa tis ,ppxiú existis.scariole ades loco atriplicis poni pāt. In aparib? vo pectoris apulmonis res in gbus ponit acetu funt fugiède:vt multu nociue. Et medicine q eis puenié tes existunt sunt capilli veneris a ligritie: a sprupus viol. z etiá femina melonis funt optima in isto castis medica tio apatu q in istis funt mebris estalia ingitu funt in tali bus mebris quincitu apata existut: ppter boc:quet pecli natiois tpe cop medicine ab aliqua flipticitate no penu-dante ain pricipio abstersiuis. Et qui apata fiunt in inferiozibus intestinis fin nostră itentione clisteria sunt melioza:queadmodifi inpartibo fupiozibus fuerint exbibite resper os pucnières elle vident : Thec fignificatio fu mitur ab intétione loci. Sed in apatib'quile oino vtimur medicinis resolutiuis 20 glutinatiuis vtadbereat locis i fuo trăfitur etiă poneda funt narcotica tranfglutiedo ea paulatine: pt Diu in trafitu babeat gmanere. In apatibus pero cerebzi in Declinatioe necessarie sunt fortes medici neramaxime qui funt de na declinantes ad frigiditatem. queadmodu funt flegmatica: tales medicine funt ficut oleŭ pe castoreo afilia: aboc no requirit nisi ppter regimen mébai:quest p se bumidu apastinu: agdas enacuant mas buins apatis cu vetolis politis in parte cerebzi pofte riozi.fed talis cuacuatio est rimeda:co qo fozfită in cozpor re existit supfluitas que p ventosas ad mebru apatu pote rit puenire, ppter boctalis cura no est faciéda nisi cus fe curitate babebimo o bumozen ullateno ad locu viscur-rere poffint inde. Sed bec medicatio in pricipalibo mem brise piculofa. Ducufcy vocui breuiter medicationes mebron apaton ingitu apata funt in talibus mebris adi tuncta cu medicatioe ingitu fut apata: ob boc qr medica tio apatu incitu in mebris officialib existit:no nisi istis modis coplet : que medicatio que in carne simplici existit no eft neceffarie vr agat:nifi incitu funt apata. Si in mul tis istor apatu no idigemus conderatione in causis esti cietibus ipfa:ficut füt apata facta in carne molli caufa re-rus extrinfecaru: 2 cospus mudu extiterit: fufficit in cura ipfoz apostematú oleŭ calidum foluz.

(Lap.XXXI.Quod eft ve cura apostematus frigido)

rum: valioum apostemati specialium.

Z peinceps volum loqui pe apostematib frigidis que sanie no faciut; voe formica per ambulatina: 2De carbuculis que fiunt in ace re pestiletiali. Et vicamus quapata mollia q fint oc flegmate no multu groffo multoties

exepatis errore fint: ficut illa q fint in extremis in ypofar ca. Et bon medicatio pcedit \$5 modu medicatiois eius a quo generant: r fufficit vt vngant oleo rofato cu aceto z fale. Et fi multa illic fpgat mā pdeft enacuare mebzu ab illa ma. z vti rebo calefactinis z Deficeatinis: z cuacuatio ne cu expllide mebri:box medicationo facilis est. Et sufficit spogia infusa in aceto raqua falsa:qa spogia ba siccar re: a ftipticitate facere:eo q fapit nam maria: a acetu De ficcatinu z incifinu existit. Que vo sunt de grosso flegma, te embrocari vebet cu ipogia in aceto ifufa:mixto cu altumine:cinere: a fale: 203 ipogia ligari fup meba: queadmo dus fint ligature fup mebru fractu. Sed apata oura que

er bumoze fiunt groffo bebet emplastrari cli medicinis mollificătibus:ficut cu medulla cruris arietă : aut vimit cu modico armoníaco: rifta r fimilia vtilia funt: qr medicine multu refolutiue refoluunt fubtile:2 groffuz petrificant: a querif b copolitio in qua funt resolutina apparati na ad refoluendu:co co oes partes apatis no recipiut refo lutione equaliter fm vnu modu. zaligii cu istis medicis miscent medicine fortis resolutiois: a melioning eft ace tum:qu cuz iftis medicinis miscetur: 2 boc fit raro : qzindurant apostemata. Et Bal. bic laudat fumigatione lapiv dismarcafite vel molaris supsparso aceto: maxime in apatibus q fiut p neruos rebordas ad mébra preipalia. Ego vero vico o B.bác mediciná no laudat nifi qui vitus aceti equalir perdat caloze in iping mebru:co q eft in fub. stantia acrea: amébra recipiut ab ea: queadmodu recipi unt res que maturăt i medio acre; que equalé babet maturatione. Si auté querat a B. vapoz ifte fit a caloze im presso in lapidibo istiera presentam lapidis eide con-uertas ergo quare lapides no terunt aponunt cus aceto calido fup apostema iduratu. Et que fuerit in splene ace tus suppositu in oibo suis medicinis semp laudabile exifit, ppterea qu'boc membru eft raru: anon accidit ei ou ricies nifi gra groffi nutriméti ex quo nutrit. Et acetum affimilat buic mebro in tota fui fubftatia:eo o fui nutri merii oplerioi aceti affimilat. zbec eft melacolia. zideo potiones qui purgatio ciplenis vant no vebet abaceto puari, quipm est el cibus a medicina. Et no sufficit l'apar tibus ouris q fiunt in iplene emplastrare De fozis folus. fed indiget et per ob recipere q babet refoluere puricies eius vipfius oppilatione aperire : fient e radir capparis a scolopedria cu aligbus spebus aromaticis. Sapatibus in epate buris acetu ppinari non 03:00 go paratus e ouriclé magna recipere: 13 cura eius é cum reubarbaro. spica nardi. affara bacara costo. a squinato. a similibus. Ét pura apostemata epatis ad curadum multú vifficilia funt. 2 maxie fi fuerit multu inneterata. 2 vir in ydropi. fim iducunt. Sed scrofule sutapata oura in carne molli generata: q ex eis hut ex flegmate fubtili curari vebet cu medicie diffolutiuis a mollificatinie, a finnt ex flegma te groffo cu medicis purgatinis: teu aperitinis teu ferro icidi.fed boc fieri va magna pmeditatoe a timoze. Et file veruce anodofitates tribo curant modis; aut viffolutio ne aut putrefactioe aut icifio e a gbuidă necessarie sunt o e e tres: a gbuidă vna: a quibusdă o uc. S a fintus in coa poze o ziun fi cură fi cu și medicis a romaticis mixtis cu a pe ritiuis amollificatiuis: a fut oio difficilis curatiois. Sozi mice do one fut spes ambulatine, yna cuté corrodit vice dit interi?: valia veficulas ba puas q milio affimilant: z ppterea miliaris appellar. Sambulatina q fit ex buo. re colerico fubtili oz curari cu medicis illu buoze cuanti bus fic scamonea că sero captino a supponede sut superio medicine a pesiccet sine mordicatioe a refrigeratioe sic solutrii a memite a similia. Sed miliaris eo q sit exad. mixtione flatis cu colera-z pptera cius ma veberet cuari cu medicis illos buores purgatib? Larbuculus vo eo op p maiozipte fit in aere peltiletiali ebulit fanguis 2 putrefit: 1 ppterea ve necessitate iducit febres pestilétia les. ADedicatio vo illaz fieri vo cu ambabo spéboenonis ve flobotomia a farmacia. Et in bac febre no fufficit me dicina vnú tantum purgans bumorez: sed medicina oés purgans bumozes ficut pillule chochie rafis in gho itrac fticados: 2 mastir: 2 scamonea pparata: 2 collognida ét pparata effe vebet eo que corpora taliu recipiunt putredis ne in oib buorib : r talia in bac egritudine multu valla erittir. Et supponede sunt oés res que sine mordicatioe ericcet a procorosioni resistat; queadmodu é emplastru



absterfina pp rubedine vulneris labion ripfio pfundita tes. Et aliqii medicia corrolina anget in vulnere fordicië tin boc errare pot medic?: qr fi pp medicina 5 bec accidit rubedo v caliditas in labus vulneris existit; vin vulnere pfunditas; z fi 15 a loco puenit boc é manifest fi. n.á fi vul-nera fuerint in mébro exposito otactui mediciarú; aut in fupficie politu:ita q in trăfitu mutatione no recipiat me dicine:tuc necie fut vebiles fic i vlceratioib fufficit ftoi: 2 fi in groffis iteltinis vicera fuerit vebet cliftericari. tfi in fubtilib" farmacari. In médzis vo pfundis medicine exi gunt foztiozes: ficut in vicerib" pulmõis: z in médzis mu sculosis q pfunditate corpis sut remota: 2 ppter bac loci conderatione bati filt i gutture viceratione in pone ine-dicine ipfus stare pcipimo erectus: paulatis medicina 03 folutină trăsglutire: e babetib passione meri medicină la bitina vari pripimus: rei admifremus vifcofaz medicină tpfaş in meatib? mozari faciété, ppea vulnerti oinerfa eft medicatio nă ădă ozeten? curanf: a ădă că localib? medi canf: a ădă că ambob?. Adbuc ozdinata funt pp locă a fiv gură puenietia iffra:vt medicamia in ipfis pebite puciă/ tur:fic fyringa:peffara: a filia: qo vo a fenfibilitate fumit mebri manifeltů é.na mebruz valde fenfibile medicinas fortifunas fustinere non pot. filt z měbrů multi innamě ti. 3 yulnerib q in supficie corpie fint:in acauitatib q ruz carnis gnatio existit necia: zin gbus cicatrix filis cuti fieri oz nečie bis fut medicine veficcatine finali:fic galla balaustia z silia. z est neće vr earu exiccatio oglutinatiua opatione excedat. in gluis caro fupflua ghai ne čie funt medicine corrofine: q fortiores gnantilo existat: a sur ve colcotar a viride es afilia. Et ppea no e ipole ve in aliqui bus corpibo viride es ia fit carnis gnatini. Et fcias q cor rofio carnis fupflue opatioibo não appropata no eficut e carnis gnatio: 13 è res q appropata est opationibus artis. Sufficit qo breniter victue ve vulneribo que itus ver in carne fiur cu gbus mala opto no é affociata. Sed fi mala aplo é appropata est sic ca vulneri a curari no pot : nisi ve remouear:ficut accidit qui euenit apati. Et quimedicatio nemale optonis ia nonifficu boc etia bic reiterare exper dit. Et vicam? o mala oplo q in vulnerib? fit è pp fangui ne q illuc curring in qlitate aut dititate vistepat? existit: aut in abob? The aut a toto corpe puenit: aut a mébro vul nerato:aut ab ábob?:est a toto puenit corpe:aut a mébro vulnerato:aut ábob?:pscrutadú é vtrú p ástitaté aut álitaté puenia. si pp ástitaté solumo opetit flomia. esi solu pp álitaté:túc necia é farmacia. si aut ab vtrisa puenit: e virug faciedu e. Et fi fuerit i fingulari mebro ex mebris cozpis:tucipiuzozeuare. Et fi fueritipiuz mebru vulne ratu fic renes e filia:te totu corpo e undu e. Et fi a toto po uenit corpe repcussiva necia sut o ibus repcussió is modis F3 go viximo. 2 veide mebru ofortare vebes: 2 trabere ma teria toto posse ad opposita. Et si mala oplo fuerit in me bro vicerato: tuc puidedu erit in sus quitatibo malis: qui fi vuln' fuerit ficcu ipm bumectare oches cu ağ cala:2fi fuerit bumidă ipm vebes exiccare că fortib exiccatiuis. Et fill facere vebes i vistepantia calitati a friditati. Thi vulnere caro addita fuerit z idurata valde icideda est cu ferro: postea appoere Debes ea q bite gnare a pfolidare. Et fi ibi fuerit apa no è via fanatiois mebri:nifi apate re moto: quis medicie q curat apata bie vulnerib existat. z fi oue aggregăt res în mêbro velut mala oplo pha mê bri z corruptio fanguis illuc aduenietis i bis ofiderădu e. Et scias qui vicera no fanant ppadbibitas medicias il lud fit yna triú rep: yna ê pp medicias q optoni mêbri có ueniètes no existút: aut q: mã trásmista no ê ouenibilis: aut qu'in mébro oplo lefa é p nas:co q ibi vna fpes male optionis:aut ples fit. gicire vebes quianatio vulneris fit

aut pp corpio choné: voit répant la phonio: voit plage vo ficcation: valique vrimur tyriaca v filib?. Sufficit qu voit est in cura folutions stinuitatio simply malio v no malio. ([Lap.XXXIII. Quod est ve folution cottinuitatio ve

narum varteriară. Eince pevolum log de cura folutăis atinui, tatis i venis varterus. Et dicimus o foluțio

otinuitat] i venis facilis e ofolidatiois:13 q e farterus illa e vifficilis except) cozpib" pue rop. r ppea o folutio primuitatis istop nos adduciti alia remultu timeda: Be fanguis fluxu: necc e vt in B fmone faciam? . Slux? vo fanguis mlt) fit modis; aliqui fit pp ve ne icilione vi vicerationer B fit aut pp cas itrinfeca: aut extrifecă, fi pp extrifecă: aut icifioe: aut extefioe: aut pcufe Bone.pp itrinfeca:aut pp buozes acutos corrofinos:aut ertefiuos:ita vt apiat venas: zaliqu currit fanguis er ozi ficus venaru: raliqui ftillat. Et icipiem? a fanguine vecur rete pp vear laceratione:co op piculofioz existit. Et vice mº q qñ vilacerat vena i cozpis fupficie fanguis ouobus mõis pt restrigi:vno vt subtrabat illi mebrima: qn pp multa fit aftitate alio? et vigito oppiler fi fuerit pua nas pp B coagulabir in ozificio faguio: c stabit aut pp ligame tu:aut pp cauteriu:eo q cauteriu crustas pparat sup plas gas:aut pp medicias ftipticas corrugatinas:ficut medici na facta De visco cocto atritici farina: a filib? Et. S. ome dato fluxu fanguis artericaloenthus ralbume ouin pi los lepotis: thec medicia retinet fanguine t generat car ne. Sz conteriu fufficies no eft.qu crufta cadere pot a fa guis itez fluet:pterea cauterius minuit de fiba mebri e nobis no est necesse minuere pe suba mebri: sed potio laborare ve crescat; eno laudat cauteriu nisi qui fluxus fue rit pp vene corrofione: qr tuc cauteriu suppositu est loco rei a remonet cas faciete corrolione. Et aligh ponimo fri gida repcussiua sup mébru: qui fluxº fuerit ex caliditate. Sa align paca osa pebilia cé pur a susficientia: gre tunc necarin existit venă vel arteria finali icidere: babita tri bic cantela, yt pus liges strigedo fortiter caput ipsi? ye ne gest ssus cor apostea icide. Sed subtractio saguis ex locoillo fit vt pparet mebri zoziat vt ozificiú aptu lupe rins adaptet. So obes túc mas trabere ad oppolitá ptez vii fanguis tuc fluebat: aut ad primiozes locu fic De oze ad nafus: to vefica ad mrice: zattractio ad pte oppolită fir:fic qui pp fluxu făguis nariu vetofas fupepar poni iu bemoant sup splene fi fuerit ex pte finistra. Et vetofe et pofite fup occipitiu frigut faguine nariu trabedo ad oppolita:aut fup mamillaz radices pp meltrung. Et aliqui fit attractio ad pre opposită:pp ligationes mebricaut pp mediciae mestruop săguine puocantes. Sed flomia in fanguis mestrui fluxu est medicia pacciio: ppterea quia bec medicatio in fuo gife foli existit. vi timeda est. vali. quado enalis qui flux pp multitudine fanguis fuerit.

(Lapituluz. XXXIIII. Quod eft ve fluxu fanguinis

qui a médzia prouenit intrinfecia.
Ed fangula flur'q in partid' îtrifecia existit
no de viave retineat nist a medicia stipticia:
aut cibia grossa. Et medicine stiptice i doc
funt sic dalausie a succ' rudi: agalla a silia.

funt fic balaussie a succ' rubi: a galla a silia. Et que sunt nimis stipcica sut sicut bolus armeno: a tegul la pistata a plătago a solatru. Et. S. multu succu plătagis smedat în passicib' vulne: pp corrosione ibi sientem. Et ex sozib lacerationibus venare și în mebris siunt sui lle și în pectore siur: a fortiores illis sunt que în venis sint pulmonis: a tra praig oiverunt op nungă cosolidant: sed qua d sanie veducunt psecte no curant: sed cu3 bono re, gimine si inueniri pot eorum plongabitur vita. Et sunt aliqui g ex bac infirmitate mime moziuntur: a boc vico



mana viderepon farcoydereft illud qo vicimus in la tino supraosio:qui si nimis fuerit grossus superponende funt medicie multi veficcatiue: a fafcia bii oftringat. Et li nimis fuerit fubtilis embrocet fpongia a ağ ca. a fafcia elarget. Et li fuerit repletio medicet flomia a farmacia: a iplio cibo fubtilict multura qu traffuit pma feptimanam os cibari cibis funilib? illi fube qua volumus gnare:vt ci bis groffis z viscolis: z fi fractura cuz vulnere carnis exi Ait nece est ve orificia vulnerio remancat apta. Le fi os i logitudie scissură patiat ligatura sola cu bono regimie sa nat. Til fractura fit i offe cranci vt penetret vigg ad telas: túc nece est vt circa scissura os remoueat : vt mudificari possita sanie tela ne telă corrupat; a si sic nó fieret sanari no posset; B in loco nro no inenit g boc sacere sciat. Et fufficiat B in oibus spebus male optonis violutois coti nuitatis z pzimo in membris confimilibus.

(Lap. XXXVII. Qo é ve cura officialin egritudinu. Z vicamus o egritudies mébris officialib? appropriate qua funt q futegritudies fm nu men magis amin?. a qda funt q funt egritu dines creatiois fic figura oppilatio z aptio:
afpitas z lenitas. z oda funt egritudies politiois. S5 egritudies nueri oda funt nales fic ofgit? fext?:

a gfi are medicine B no pliderat: a qda funt no nales fic lapis q nascit in vesica: tlubzici q in cozpe nascunt: ve ruce: vağ in oculu vefcedes: vngula: vaicedes că istozz est măvistepata in gittate v flitate: vsi iste egritudines fint i fieri causa esticies remoueri os cu euone pli apost modu měbza fupflua crůt remoueda. Et fi facta fuerint oð fein é erit remouendú. Et medicinas ppuas vniusent iusgillar ren tu seis í multis picularibo libus. Sa a la-pide expellút varena simt medicine appropriate illi oga-tiói sic virimo. Lubrici vo vascarides occidunt cu medicinis amaris fice abfintbiú z centonicu. Szcucurbitini fortiorib"idiget medicinis.verrucas vo eradicam"cu fer ro vel cus pena ponedo verruca in cocauitate pene: z circugirando violeter extirpare: que buic opationi vtiles eriftunt funt pene aquilar egallorum. (Laplin XXXV III. Qo eft ve cura aquar efanier

in oculis generatarum.

E age Tianiebus q in oculis aggregant: vicit Bal de gbufda medicisoculor q ifirmu po nebat fup fcamau z caput iferio fquaffabant

onec videbat fanie ab octo percedente: B qui ipas pescedere facimus reuertit supi"; ppterea no va let aliter:nifi iferiocu inftro trabat. Et colliria fellin feni bus valet zags qad oculu vescedut. Et alig funt q curăt eas apiedo. Ungula aut que magna curar cus ferro: est pua fuerit curar cu medicis. So molla remouemo cu me dicinis, puocatibo mestrua. ecu aboossum facietibo. Sed egritudice viminutois nueri fut fic caluicii pp alopicia. Et tu fcis qo pilop gnatio ex fupfluitatibo fit laudabilibo z ilaudabilib". Ergo cafus con epp vefect" illan fupflui tatu aut ex corruptoe victaz fupfluitatu q egreffe funt a fui năi glitatibo malizpe B nece evt expellamo iplas fu pfluitates p farmacias. Diminitio vo carnis ocin e gliter pebeat restaurari. Segritudies i creatoe ex gbo vna in figura existitotplurimu funt nales. Etio i curatoe medi cina igreffus no bs. Et flet tpe part viquad fine augmeti ad bonas ouertant founas rectificaripht. Et et lenitas c afpitas egritudies fozme existut. Et afpitarisca est buoz coleric' acutum: aut flegmatic' falfus vianatio isti' est su pfluitatis isti' euo: vmebro postatio curreb' stipticis. Tle boma viteri' spgat. Et postmodu cu medicis leniti uis afgitas remoncat. S; lenitas ab bumoze fit leui z la

bricatiuo: thuius fanatio est illu b umore remouere: 2 Fz op ocin est in alio boc erit faciedu. Et sub boc genere op pilatőis egritudines otinétur; z fi in fieri fuerit humozé faciétem euacuamus cu víu medicinaz apitinaru que il las apiant oppilatões. Et si facte fuerint: 2 no adsit repletio apitiue medicine sufficiétia bit. Et aptoi via p q clan fe funt medicatio erit p otrariu: ficut funt medicie ftiptis ce vofortatine. Et alique curat bec passio cu medicinis sti pticis v stupe factinis: v B sit qui virto supat expulsina. (Laplin. XXXIX. Qò est ve cura positionis v situs. Laplinis egritudo bernia manifestio exi

flit:ficq i vetre refliculis fit:q in vetre fir fanaf vi egerfup ceruicé ponaf :2 9 egreffus, fuerat reducaf. ([Et fractura ftipticis fana-tur fic cu nucib epfifi: 2 guma gladiu 2 filib 2

a fituoz fuerit greductioi refiftit remouere illu bebem? cu reb'remonetib' vetofitate. Dernie vo q in iteftis De fcédit curatio est vt qo egressu fuerit reducar : revercitin ibibeat. Et bec egritudo vissicilis estad sanadu. Ex egritudinib ponis gibbolitas existit. Et bui curatio e buoze groffus viscofum cuare verbibere medicinas vapozabi les quetofitate viminuit groffam. Et bui'egritudini eft villocatio: B preductione mebriad pprin locu curet an tegapemet. Et op golibet mebra do villocat ei politio lefiones recipit excepta brachy espatule visiocatione tri bui scie artifices cognoscut ea. Sufficit tibi e illis qui ti bi affiliant qo breuiter ve gnib egritudinu vem eft. Quia bucliby no copoluinili pillong tibi in pfectioe affilant: quilli copbedet qo victu est ab eo qo est victu pp funda, méta zpincipia q bebut. Tla tu fcis quoes fcie pincipiu fu munt ouobomodis aut a reboper se notis aut ab alia scia. nas rprincipia. Et ícias quille q a te elógabit búc liba vir tabit. Sed oebuillem copletifle finone men in fanatioe acciderin vnicuique mebro fupuenieting. Proprerea quet accătia fin alique modă egritudines vicunt. Et melio în veclaratioe reră vniuerialia existit ve îpa vniuerialia ad pricularia reducant. Sed ad pña mibi comoditaa no re podet;quin alia re vel arte bac nobilioze studere itédo. Unicuios voléti ad bo pelaritatio seias puenire;bonú est vt libros Abumero Auesoar fludiose legat. Tha illieme dicine thefaurus patet manifeste. Et veus nosab errore exnat: zex ipfi" lumine nfos oculos illuminare vignet.

Explicit coliget Auerroys correctus atque emendatus perercellete artin amedicine poctore magrin Dierony mum Surianu filiu oni magri Jacobi Suriani ve arimi no phyfici omnium bac erat pelariffimi. Impefis nobilis Ulrioni Octaniani fcoti cinis Modoetienfis. Arte aut Boneti Locatelli Bergomefis Uenetus pucate felicif. fimo pricipe Augustino barbadico.14.96. Ultimo May.





4.z. De fignis pnosticătib falute.73 43. De fignis pnosticis malis. 73.
44. De rebo vibo ad cognoscendus 30. mébra itrinfeca egra. Debis q egrediunt a corpore q egritudines fignificant. 74. De fignis egri ziplan can. De fignis egritudinii octop. 75. Designisegritudinū auriū. 76. De fignis egritudinu nafi. 76. De signis egritudină ozis. 76. De fignis egritudină gule. De fignis egritudinu pimõis.76 De fignis egritudinu pectorl.76 De fignis egritudinu ftoi. 76. De fignis egritudinu epatis. 76. De fignis egritudinu fplenis.76. De fignis egritudinu renu. 76. De fignis egri. velice. 76. De fign | egritudio iteftion. 77. De fignis egritudinu vulue. 77. (Dec funt capl'a gnti tractat'g De ci bis amedicisifcribit: afunt. 50. nem buius gnti libri. Begditate cibi amedicine. 77. De opatoib'qu opani medicie i corpe buano q fut pine. 4 De vitutibus medicinaruz fecun dis a tertus. 77. De medicis maturatinis. 78. De medicinis mollificatiuis.78 6. De medicinis iduratinis. 78. De medicinis opilarinis. S. 78. De medicinis aperitiuis. 78. De medicinia enapozatinia. 78. to. ii. De medicinis aperientibus oza venarum. 78. De medicinis stipticis. iz. 78. De medicinis mitigatiuis. 13. 78. De medicis gnäntib carne. 78. De medicinis cicatrizantib?.79. De medicinis caufficis. 16. De medicinis corrolluis afacie tibus carnem cadere. is. De medicinis attractiuis. De medicinis ofortantibus. 79. 10. De opatioibo tertiaru vtutu.79. 20. De medicinis que opantur a foz ma specifica. 9. De venenis. 79. 10. De bezebaridis. 23. De modo cognofcedí vintes me dicinarum veibozum. 80. iz. Deinestigatioe gir füt vificata 13. figna ronabilia cibop z medi i4. cinarum. 80. zó. De mó cognoscédi optonécibon per generales Differetias coz pozum mixtozum. 27. De cognitioe medician cibon p rone fumpta a spali oria mix i7. tique est sapor. Si zs. De cognitoe medician reibon p rone fumptă a spăli oria mix ti que est odozum. Si. zo. De cognitoe medician reibon p

Tabula ronefumptaaspalioria mir, ti que est colozum. 81. Decognitioe cibor amediciarii put funt ptes terre nascétiu: z. fut loc'tps rregio ropo. 8z. De optonibo cibon r mediciaru ipalir 83 gecertificat fuit B.82 De carnibus. Depiscib". 83. 34. Delacte. 83. De caseo. 83. 36. De ouis.83. 6. De fructib.83. 83. De ags. 83. 7. 76. 39. Degranis q ffcibi mediciales. 83 40. De fructibus arbozum. De berbis voleribus. De variatione virtutum medici 9. narum fimplicium. 83. De medicis q ex mieris fint.88. De vinerlis opatoibo lact | 63 ei? Diuersitate: 2 De eis. 89. De opationibus cafei. 89. iz. De virtutibus butiri. De virtutibo coaguli. 4.6. 89. 13. 89. 14. 89. 15. 48. De opationibus ouop. 49. Defellibus. 89. 16. 80. De pprietatibus stercon. 89. De carne Ziri. 89. Depinguedine. 53. is. 89. 19. Demedulis. De brodys a vepluribalys me dicinis. 80. De rebus marinis. 89. De mo oponiemedicinarii. 90. De mesura aproportione medizi, cinarum simplicium ingrediz entium compositas. De cognitione medicinarii com politaru per experietiam. 92. Dec funt capia ferti tractat' q est De regimine fanitatis. 7 funt. is. (Lap.pm. Defineart medicie. 92. De exercitio amodis cius. 93. 25. Defricatione amodis ci?. 93. 26. De innamétis balnei. De opationibo foni avigilie. 93. 27. De regimie cozpis teperati. 93. De regimie einsde p coitu. 94 De regimine einfdez per fomnu z vigiliam. 94. 30. Deviminutionecibi 31. De regimie corpor bittin viste perătia compositam. 94. 32. De regimie corpor caloru. 94. 33. Decuone corpor calidor. 95. De refumptioe extenuatozu. 95. De ofernatioe corpop: cuio me brumest visteperatu. De ofernatioe corporu q ppara ta funt i egritudies cadere. 95. De remotione a pfernatione coa popa labore viceratino. 95-De remotoez pferuatoe corpoz a labore apofo regrefino. 96. pore pestilentie. Dec funt capila feptimi tractatog est de curatione morbon: fine de in

genio fanitatis: 2 funt.39. (Lap.pmu. Que e itetio in mala co plexione mäli znon mäli. Quomodo aqui vebeat fieri eno zcuratio. De spebus cuacuationis. soe flo botomia z farmacia. 97. De farmacia. De cura fe.effi.in generali. De cura fe.effi.in ípáli. 98. De cura febris effimere que est cum fluxu ventris. Decuratione febrium arfinară acutarum. De curatione febrium putridaz in generali. Decibatione & fricatione & bal neatione febricitantiu. ioo. De cura fe.tertiane. ioo. De cura canfonidis. tot. De cura febris flegmatice. ioi. De cura febris quartane. De cura febris éthice. De fincopie viuis priculis voib? accidetib°impedientib°cura/ tionem febris. De fincopi pueniéte că ftői.ioz. De fincopi accrite ca volorl.ioz. De fincopi pueniente ex supfina enacuatione. De fincopi fugueniète ex fuper fluo fluru fanguinis nariū vi alion membron. 103. De fincopi pueniète ex fupflua vigilia. De curatione male optonis sper cialium membrozum-De cura male complexionis fice ce stomaci fine materia. ioz. De cura caliditatis a ficcitatis ftomaci. Defriditate eficcitatestoi. ioz. De cura male complexionis car lide stomaci. De cura fridi. zbuidi. stoi. 103. De egritudinibus stomaci talio rum membrozum. De iflatoe inbron zapatibo.ioz. De enone inbrozz pacipaliti.io4. De cura apostemanum frigidoz zalion apatű ípálium. De folutione continuitatis. io5. De folutione continuitatis ve narum zarteriarum. De fluxu fanguinis: ga mébris prouenit intrinfecis. De cura folutionio cotinuitatio in venis a lacertis. De cura fracture offum. o cura officialiù egritudinu.io7. De cura aquarum e fanierum in oculis generatarum. De cura ponis a fitus. De confernatione corporus tem (Explic tabula colligeri Auerroys. Registrum. 44444433444444 a b c b e f g b i R l m n o



