

Veterinary embrocation for the field, farm, kennel and stable.

Publication/Creation

[S.l. : s.n., 189-?]

Persistent URL

<https://wellcomecollection.org/works/w6ce8n7k>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

For
Rheumatism in
Horses,
Sprains, Over-
Reaches,
Broken Knees,
Sore Throats and
Influenza,
Sore Shoulders and
Backs.

Foot Rot in Sheep.
Cuts, Bruises and
Sprains in Dogs.

Sore Throats.

Cramp, Lameness
and Rheumatism
in Birds.



VETERINARY



EMBROCATION

For the Field, Farm,
Kennel and Stable.



DIRECTIONS.

For Sprains, Curbs, &c. in Horses.

Foment well with hot water and rub the Embrocation in with the hand, twice a day, for four or five days.

For Fresh Cuts, Sore Shoulders, Raw Backs, &c.

Wash with luke-warm water, and apply the Embrocation to the effected part on a piece of clean linen, repeat twice a day. In some cases the Embrocation should be diluted with one or more parts of cold water, according to the nature of the wound.

For Blistering.

Rub in well with the hand, then apply on a piece of rag, and bind with cold wet bandage. Repeat night and morning till a scurf is raised.

For Sore Throats and Influenza.

Rub in all down the throat and over the chest with the hand night & morning

In all cases of broken Knees and Sores, well clean the part before applying the Embrocation.

**The Bottle to be Shaken
before using.**

:: :: FOR :: ::
 Rheumatism in Horses,
 Sprains, Over-Reachs,
 Broken Knees,
 Sore Throats and
 Influenza, Sore Shoulders
 and Backs,
 Foot-Rot in Sheep.
 Cuts Bruises & Sprains
 in Dogs, Sore Udders
 Cramp, Lameness and
 Rheumatism in Birds

VETERINARY EMBROCATION

For the
 Field,
 Kennel,



Farm,
 and
 Stable.

DIRECTIONS.

FOR SPRAINS, CURBS, Etc., IN HORSES. Foment well with hot water and rub the Embrocation in with the hand, twice a day for four or five days.

FOR FRESH CUTS, SORE SHOULDERS, RAW BACKS, Etc. Wash with luke-warm water, and apply the Embrocation to the affected parts on a piece of clean linen repeat twice a day. In some cases the Embrocation should be diluted with one or more parts of cold water according to the nature of the wound.

FOR BLISTERING--Rub in well with the hand, then apply on a piece of rag, and bind with cold wet bandages. Repeat night and morning till a scurf is raised.

FOR SORE THROATS AND INFLUENZA---Rub in all down the throat and over the Chest with the hand night and morning.

In all cases of Broken Knees and Sores well clean the part before applying the Embrocation.

The Bottle to be shaken before use.