Gape powder: for poultry and fowls: directions for use...

Publication/Creation

[S.l.: s.n., 189-?]

Persistent URL

https://wellcomecollection.org/works/j2vtwjff

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org Fowl Specific, Egg Producer, Poultry Pills. and Gape Powder.

are preparations no breeder of Poultry and Fowls can afford to be without, if the best results are to be obtained

Gape Powder.

For

Poultry



and

Fowls

DIRECTIONS FOR USE

Place the bird or birds requiring treatment under a box with a saucer half full of the gape powder. Blow on the Powder with a pair of bellows so that the atmosphere inside the box is full of it and the birds are obliged to inhale it After doing this keep the box down for about ten minutes. In the case of birds at the point of death two minutes will suffice at a time but-the process may be repeated frequently. Care must be taken to burn the parasites coughed out and the bodies of any birds which may succumb to the disease.

Especially valuable for dispelling gapes in young Turkeys as well as Chickens

A very good preventive is to sprinkle a small quantity in their nests

The powder should be used as directed directly gapes makes its appearance.

It is important to keep the lid of the tin on when Inot actually in use and storeina dry place exposure to the air will cause evaporation.