

Fabahistin : mebhydrolin napadisylate : when hayfever becomes a nightmare / Bayer UK Limited.

Contributors

Bayer UK Limited.

Publication/Creation

Haywards Heath : Bayer UK, [1979]

Persistent URL

<https://wellcomecollection.org/works/a9vu7m2g>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).

**wellcome
collection**

Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

Fabahistin

mebhydrolin napadisylate

When hayfever becomes a nightmare.



Fabahistin®

mebhydrolin napadisylate

The wide-awake antihistamine for wide-awake people.

Fabahistin relieves hayfever,
itchy skins and other allergic disorders
without impairing reaction time.

"The findings of the study which show that no significant lengthening of reaction time occurred... suggest that this form of antihistamine therapy is suitable for ambulatory patients, particularly those who may be driving motor vehicles or operating high-speed machinery."
Roberts, C.J. (1972) Clin. Trials 1,9,3-6

Composition: Each tablet or 5 ml spoonful of suspension contains 50mg mebhydrolin base as mebhydrolin napadisylate.

Indications: Hayfever, allergic rhinitis, urticaria, drug rashes, dermatitis, pruritus.

Dosage: Adults 2-6 tablets daily.

Children: up to 2 years 1-2 spoonfuls of suspension daily.

2-5 years 1-3 spoonfuls of suspension daily.

5-10 years 2-4 spoonfuls of suspension daily. Over 10 years as for adults.

Cost and pack sizes: Available in strip packs of 20x50mg tablets, 0.47p in bottles of 250x50mg tablets, £5.45 also Fabahistin Suspension 100ml bottles, 0.68p.

Contraindications: None known. Side effects: Very occasionally mild sedation may occur.

Precautions: The substance may cause drowsiness. If affected, do not drive or operate machinery. Avoid alcoholic drinks.

Product Licence Number: Tablets 0010/5010, Suspension 0010/5011.

Bayer UK Limited, Pharmaceutical Division, Haywards Heath, West Sussex RH16 1TP. Telephone: Haywards Heath (0444) 57911.

®Registered Trade Mark of Bayer Germany.

Distributed in the Republic of Ireland by Bayer (Ireland) Limited, Dun Laoghaire, Co. Dublin.

Bayer 

BPL 005/729

15-5-79

287-31

