Wampole's Preparation : tonic and stimulant for all ages / Leon P. DuPlessis.

Contributors

DuPlessis, Leon P. Henry K. Wampole & Co.

Publication/Creation

Dover Plains : Leon P. DuPlessis, [between 1930 and 1939?]

Persistent URL

https://wellcomecollection.org/works/fmvhyt82

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org The responsible Head of every Family will admit that it is nothing less than criminal to, at any time, neglect those plain and simple measures of domestic sanitation necessary to the preservation of health and the saving of life.

HORMERD S'MITRAH

VITA A CTARTON

The deaths in a single year, from preventible diseases are more than 160,000, caused principally by inattention to sanitary operations within our dwellings. It is easy to understand that impure air in a house is a danger of the gravest kind :--

HARTIN'S CRIMSON SALT

THE OXYGEN-GIVING DISINFECTANT,

Is the **SAFEGUARD OF THE HOME**, an easily applied means of purifying a tainted atmosphere, an economical agent, whose insidious chemistry will destroy infectious exhalations, and unfailingly protect us from the perils of

SMALL POX, CHOLERA TYPHUS FEVER, DIPHTHERIA, and all other CONTAGIOUS DISEASES.

See Directions for Use with each Bottle.⁴

Sold by Chemists everywhere. If your chemist is out of stock, a Shilling Bottle will be sent free for Twelve Stamps by Hartin's Crimson Salt Company, Limited, Worcester.

Baylis, Lewis & Co., Staam Printers, 5, New Street, Worcester,





THOMAS HARTLEY, Pharmacist, CHEMIST AND (By Examinations.) 97 Westminster Road, LIVERPOOL.



THOMAS HARTLEY, Pharmacist, CHEMIST AND Of Westminster Road, LIVERPOOL.



THOMAS HARTLEY, Pharmacist, CHEMIST AND Compounder of Medicines, 97 Westminster Road, LIVERPOOL.



THOMAS HARTLEY, Pharmacist, CHEMIST AND Of Westminster Road, LIVERPOOL.

Harlshorn's No.18 Geure for Sprains, Bruises, Neuralgia, Rheumatism &c.

DR. HARTSHORN'S



<u>THOUSANDS</u> of families always keep it as a <u>MEDICINE CHEST</u> for NUMBERLESS ills.

<u>MILLIONS</u> of bottles have been sold in <u>FORTY</u> years, and <u>WAR-</u> <u>RANTED</u>; NOT ONE has been returned. You are earnestly invited to <u>TEST IT</u> under the same *GUARANTEE*.

Try it for Sprains, Bruises, Swellings, Numbness, Lameness, Pain anywhere, Stings, Poisons, Neuralgia, Rheumatism, Cramp, Burns, Sore Throat, Diphtheria, Toothache and every case allowing external application, and internally largely reduced.

TESTIMONIALS IN EVERY FAMILY.

Sold where this card is found.

E. HARTSHORN & SONS,

Niamide brand of nialamide

shown to be particularly effective and safe in depression associated with a setback or a change in environmental circumstances.

marketed in the United Kingdom by

HARVEY PHARMACEUTICALS

a department of Pfizer Ltd Sandwich Kent

[†]Trade Mark

HM142/11280







Into the blood and tissues faster than penicillin V

Reaches the site of infection in greater and more active concentrations than penicillin V²

REFERENCES: 1. Arzneimittel-Forsch., 1962, 12, 751. 2. Arzneimittel-Forsch., 1962, 12, 776.

Ultrapen* Syrup 125 mg./5 ml. In bottles of 60 ml. Ultrapen is also available as pleasant tasting 125 mg. and 250 mg. press-coated tablets. In packs of 20 and 100.

Ultrapen is marketed in the U.K. by HARVEY PHARMACEUTICALS a department of Pfizer Ltd. Sandwich · Kent

13288







Low-back Smoking or Library Chair, 12s. Superior ditto, 18s. 6d., 25s., 28s.

Handsome Chippendale Bracket, with Four bevelled plates, 32-in. high, 20-in. wide, £2 4s. 6d

Orders per Post receive prompt and faithful attention. Illustrated and Descriptive Catalogue Post Free.

RELIEF FROM COUGH IN TEN MINUTES.

Relieves the Breathing and gives Refreshing Sleep. HAS A .MOST PLEASANT TASTE.

HUREH 0 The most certain and speedy remedy for DISORDERS of the CHEST and LUNGS.

In Asthma and Consumption, Bronchitis, Coughs, Influenza, Difficult Breathing, Spitting of Blood, Hooping Cough, Hoarse-ness, Loss of Voice, "&c., this Balsam gives instantaneous and perfect relief, and, if properly persevered with, scarcely ever fails to effect a rapid and lasting cure.

IMPORTANT TESTIMONIALS.

MR. HORREX, Chemist, Mildenhall, writes :---** One of my customers says your Balsam is worth Sixpence a drop."

Amport Firs, Andover, May 27th, 1809. Sir,—I have for some years had your Balsam of Horehound for Mrs. H. B. Webster, and intended writing to tell you how much benefit she has de-rived. She was considered consumptive, but the Balsam has quite restored her, and she is now quite strong. I have recommended you dozens of cus-tomers, and all have been pleased with it.—I am, yours, &c., Mr. Hayman, Chemist. H. B. WEBSTER.

Mr. Hayman, Chemist. Whitefield, Chapeltown, Sheffield, October, 11th, 1976. Sir,--I have given your Balsam a personal trial, and having found al-most instant relief, I have recommended it to several others with the same results. I shall have pleasure in spreading the name and reputation of such a valuable household remedy.--I am, yours, &c., Mr. A. Havman, Neuth. GEORGE CIVIL. Mr. A. Hayman, Neath.

GEORGE CIVIL

CAUTION-The public are requested to observe that the words "Hayman's Balsam of Horehonnd" are stamped on the bottles, without which none are genuine. N.B.-Ask for "Hayman's Balsam of Horehound" and do not be personaded to take any other. If children are troublesome or restless at night, one dose of the Balsam gives immediate relief and refresh-ing sleep. PREPARED ONLY BY



And Sold in Bottles, at 1s. 1¹d. and 2s. 9d. each, by all respectable Chemists and Patent Medicine Vendors in the United Kingdom.

WHOLESALE AGENTS : GOODALL, BACKHOUSE, & Co., Leeds,







Keeps the Skin Soft.

Our Camphorated Extract of Honey

is a Toilet Luxury. By its use, Chapped Hands and Roughness of the Skin are prevented.

A bottle should be on every dressing table; is there one on yours? In Sprinkler Top bottles,

6d. and 10d. each.

HEDGES & SON,

Cash Chemists and Toilet Specialists,

Dale End and Branches, BIRMINGHAM.

178



OUR Windows are now filled with a display of an entirely new stock of Seasonable Goods and choicest Perfumes suitable for Christmas Gifts. We invite your inspection. You will find a dainty selection in wide variety of articles at attractive prices. As an inducement to you to purchase from us, we are making a special offer for 10 days (from December 15th to December 24th) of a



We urge you to take advantage of this offer to secure free a tin of this scientific Tooth Powder, which in use liberates Oxygen, and keeps the teeth free from decay and germs, and whilst being delicately scented is most pleasant to use.





























EAR DOCTOR:

Dents DOCTOR: For some time past we have been endeavoring to obtain and place before the Medical Profession, authentic portraits of the men who, from the incep-tion of our Federal Government to the present time, have occupied such promuner executive or official positions as Pre-ident. Vice-President, Chief Justice, Secretary of State, Treasury, War, Navy, etc.

6

dent, Vice-President, Chief Justice, Secretary of Stare, Treasury, War, Navy, ecc. Wishing at this time, but without breaking the orderly continuity of our Blotter Series, to place before the Profession the Surgeons General of the Army and Navy, and, moreover, withing to present all the portraits in a single grouping, which would require more space than an ordinary blotter would afford, we have designed this card which we place before you with the season's Greeting. While at the outset our thought was merely to furnish an attractive blotter which might serve to remind, and again remind, you of several of our leading Pharmaceutical Specialities, whick perhaps, you have found useful in your practice : Preparation of Cod Liver Estract (Wampole) Piospho-Leadinin (Wampole) Bismuth Hydrate Compound (Wampole) and others the interest in these portrain has seemed so great and far reaching that our purpose has bookened into an aim to collect and present, as a matter of general historical interest, all of these portrain Sourable. Yours for helpful service,

Yours for helpful service,

HENRY K. WAMPOLE & CO., Inc.

Philadelphia, January 10th, 1912.





"Henning" Präparate

Patienten-Preise



1935

Dr. GEORG HENNING

Chemisch pharmazeutisches Werk G. m. b. H.

> BERLIN-TEMPELHOF Komturstraße 19-20.

Fernsprecher: Sammelnummer G5 Südring 6131

Telegramm-Adresse: Peraquin Berlin
		Verkaufspreis obne Um-1 mit Um- satustesser satzstener	
Acifugan (gegen Hyperaeldität, Ulens) 20 Tabletten	53	55	
50 g Pulver	1.57	1.61	
Adrenalin (1:1000) 12 Ampullen zu je 1 ecm	2.71 1.91	2.77	
1 Flasche zu 10 ccm	4.15	4.24	
Androl (D. R.P.) 2 Ampulien zu je 1 ccm (minnl. Sexuhlormon) 5 Suppositorien	6.40	6.54	
Antepan (Hypophysenworderlappensersalhormon) 6 Doppelampullen zu je 100 R.E 40 Dragées	6.64 4.60	6.78 4.70	
Corous luteum: siehe Luteogan			
Cort. gland. suprarenal.: sinhe Pancortex	1	1.1	
Dinitrophenol Dragées (nur für klinische Zwecks)	2.40	2.45	
40 Dragées	5.25	5.36	
Dinitrokresol Dragées (aus für klinische Zwecke)			
40 Dragées	2.40 5.25	2,45 5.36	
	5125	0.00	
Ephedrin naturale 20 Ephedra Tabletten (1 Tablette enthalt 0,025 g Ephedrin hydrochloric.)	1.57	1.61	
Ephedrin hydrochloric.) . 5 Ephedra Ampullen zu je 1 cem (1 Ampulle att 2005 – Extended bedrarbbergin)	94	96	
enthält 0,025 g Ephedrin hydrochlorie.) 12 Ephedra Ampullen zu je 1 ccm (1 Ampulle	LUNDER.		
enthalt 0.025 g Ephedrin hydrochloric.)	2.01	2.06	
10 g Ephedra Salbe 1,5 % 2 g Ephedra Schnupfpulver (1%) Ephedra Sirop 1 Flasche zu 30 ccm (K-P.)	63	65	
Ephedra Sirop 1 Flasche zu 30 cem (KP.)	84	86	
Ephedra Sirop I Flasche zu 100 ccm	2.01 2.01	2.06	
12 Amp. Ephedrin-Adrenalin naturale zu je 1 ccm	3.30	3.37	
Hypophysis cerebri 40 Tabletten	4.29	4.38	
masc. oder fem. 3 Ampullen zu je 1 cem	1.81 6.64	1.85 6.78	
Henenhuris completi 40 Tabletten	4.50	4.60	
Hypophysis cerebri 40 Tabletten	2.01	2.06	
12 _ zu jo 1 ccm	7.03	7.18	
Hypophysia cerebri pars posterior: siehe Pituigan			
Hypophysenvorderlappensexualhormon Injektionen: siehe Antepan Intestilax (gegen kebituelle Obstipation)		1.1	
30 Dragees (Kassenpackung)	1.81	1.85	
Intestinol 40 Dragees (Kassenpackung)	94	96	
(gegen Vardauungs 60 Drag ees (Kleinpackung) albrangen) 120	2.56	2.62	
Intramin nervesikal" (Sintraskastrastmittal sur nervesikalan Pusinerashis)			
3 Ampullen zu je 5 ccm 1 Flasche zu 50 ccm Lipolysin masc. oder fem. (plurigiondulärss Entiettungsmittel)	1.91 4.79	1.95 4.89	
Lipolyain mase, oder fem, (oluriglandulires Entfettungsmittel)	4.17	4.07	
40 Dragées	4.60	4.70	
100 m la 1 com	11.33 6.84	11.57 6.98	
Linducia sine I hyrooides mase, oder fem	0.03		
40 Dragées	4.60	4.70	
100	11.33	11.57	
40 Dragées 100 12 Ampulles zu je 1 ccm Lipo-Aktivator 30 Cashets	2.40	2.45	
Lateogran 3 Ampullen zu je 1 ccm (1 ccm = 1 K.E.). Corpus lateum Hormon 3 Ampullen zu je 2 ccm (2 ccm = 2 K.E.).	6.93	7.08	
Gepus tatmin Hormon 3 Ampullen zu je 2 ccm (2 ccm = 2 K.E.).	12	12.25	
40 Dragées	1.70	1.74	
Lavasyli Autopolepticum) (O Tabletten 25 n Lygal D. R. P. 20 Dregées . (gepen Rhouma a. Gidt) 10 Suppositorien 5 Ampullen zu je 2 ccm MAP D. P. P. Outobel 3 Ampullen zu je 2 ccm	3.86	3.94	
Lygal D. R. P. 20 Dragées	1.53	1,57	
5 Ampullen zu is 2 ccm	2.46	2.52 3.61	
BEAL N. W.L. Company 2 brubbings In le 1 ccm Xn 10 mX	2.63	2.69	
adenosinphosphorakure) 3 " zu je 2 ccm zu 20 mg	4.16	4.25	
Myoston 3 Ampullen zu je 1 ccm	1.91 5.96	1.95	
1 Tropffissche zu 20 ccm	3.81	3.89	
Myo-Pituigan: siehe Pituigan.			
Novurit (Quecksilberdiurations) 5 Ampullen zu je 1 ccm	1.89	1.93	
10 zu je 1 ccm	3.28	3.35	
5 _ zu je 2 ccm	2.71 4.96	2.77	
10 zu je 2 ccm	4.96	3.11	
10	5,60	5.72	
Ovarium Panhormon 20 Dragées zu je 50 M.E	1.91	1.95	
D. R. P. 50 zu e 50 M. E	4.30 2.96	4.39	
weibliches 50 zu je 100 M.E	6.35	7.04	
Brunathermonpriloarat 20 zu je 300 M.E	3.92 9.16	4	
10 1000 11 2	2.96	3.03	
10 20 je 1000 M. L		14.08	

		Verkaufspreis ohne Um-1 mit Um- estasteuer setasteuer
Ovarium Panhorm Standardisiertes	3 Ampullen zu je 1 ccm zu 50 M.E.	9496
weibliches	12 zu je 1 cem zu 50 M.E.	2.71 2.77
Brunsthormonpräpars	t 3 zu je 1 ccm zu 100 M.E	9799
	12 ., zu je 1 cem zu 100 M.E	3.43 3.50 2.14 2.19
	3 zu je 1 ccm zu 1000 M.E	2.14 2.19 6.82 6.96
	12 ,, zu je 1 cem zu 1000 M.E	3.66 3.74
	1 Amp. zu 1 ccm zu 50000 M.E.(ölige Lösung)	4.90 5
	1 zu 1 ccm zu 100000 M.E. (ölige Lösung)	9.30 9.49
ancortex	3 Ampullen zu je 1 cem	4.80 4.90
(Nebennierunrinden-	1 Flasche zu 10 ccm	13.50 13.77
extrakt)	20 Dragées	9.60 9.80
aninkent (abrieland	uläres Organpräparat gegen Iskret-Störungen)	a second a second second
annine for the states	90 Dragées	8 8.17
aniner (standardisle	rter Iperacuanha Sirop)	and the second
ampee transmission	1 Flasche zu 60 ccm	8486
anipec c. Codein		1.04 1.07
ankreas	25 Dragées	1.08 1.11
	50	1.89 1.93
arathyreoidea	40 Dragées	14.64 14.93
	3 Ampullen zu je 1 cem	3.20 3.27
100	12 " zu je 1 ccm	11.12 11.35
'erinkret (Peristallik	hormon nach Prof. Zoslaze)	3.06 3.13
literana (faither a	3 Ampullen zu je 2 cem	5.00 5.13
itteno (nuner Al	thmosan) (gegen Asthma) 40 Dragées	3.81 3.89
	12 Ampullen zu je 1 ccm	6.64 6.78
Pituigan	3 Ampullen zu je ¹ / ² ccm	1.04 1.07
tandardisierter	12 zu je 1/s com	3.61 3.69
lypophysenhinterlappe	- 3 zu je 1 ccm	1.57 1.61
strakt)	12 " zu je 1 ccm	5.76 5.88
'ituigan "forte"	3 Ampullen zu je 1 cem	2.30 2.35
	12 " zu je 1 ccm	8.88 9.07
ituigan-Schnupfp	alver (gegen Diabetes insipidus)	Star Vinas
	1g	4.40 4.49
A Dist.	20	8.— 8.17 1.35 1.38
Myo-Pituigan		
futeruswirksame Kom ponente des Pituigas	12 ., zu]e 1 ccm	4.79 4.89
Strychno-Pituigan	3 " zu je 1 ccm	1.57 1.61
	12 " zu je 1 ccm	5.76 5.88
Vaso-Pituigan (dan	ntonisierende u. blutdruckstsigernde Komponente des Pituigan)	
	3 Ampullen zu je 1 ccm	3.81 3.89
	12 " zu je 1 ccm	12.54 12.80
Pleon D. R. P.	15 Dragées	7577
(gegen Grippe und Neuralgien)	30	1.28 1.31 1.96 2
	10 Suppositorien	3.55 3.63
Pneumostagnin	5 Ampullen zu je 2 ccm	2.05 2.10
(sur Prophylane	12	4.10 4.19
(sur Prophylaze und Therapie der	6	3.28 3.35
Lungenentzündung)	12	6.40 6.54
Sensibamin	3 Ampullen zu 3/s mg (3/4 ccm)	1.19 1.22
(Sekale-Alkaloid)	6 zu 3/s mg (3/4 ccm)	2.05 2.10
	3 zu ³ /4 mg (1 ³ /2 ccm)	1.53 1.57
	6 ,, zu ³ /s mg (l ¹ /s cem)	2.79 2.85
	15 Dragées zu 1 mg	2.63 2.69
Strychno-Pituigan	: siehe Pituigan	
l'ardospermin (reg	en Ejaculatio praecox)	100 100
	Packung mit 40 Dragées und 10 g Salbe	4.50 4.60
l'esticulum	40 Tabletten	3.01 3.08
"Henning"		7.12 7.27 1.57 1.61
	3 Ampullen zu je 1 ccm	5.17 5.28
P	12 " zu je 1 ccm	2.40 2.45
Festogan	20 Dragées	4.60 4.70
(pluriglanduläres Organ-Präparst gege	- 100	11.33 11.57
sexuelle insuffizient	12 Ampullen zu je 1 cem	6.84 6.98
bei Männern)	12 " zu je 2 ccm	11.33 11.57
	10 Suppositorien	4.60 4.70
l'helygan	20 Dragées	2.40 2.45
		4.60 4.70
pluriglanduläres Organ-Präparat gegen Menstruationsstörunge	100	11.33 11.57
and klimakterische	* 12 Ampullen zu je 1 ccm	6.84 6.98
Baschwarden)	12 " zu je 2 ccm · · · · · ·	11.33 11.57
	10 Suppositorien	4.60 4.70
Thelygan-Antepar	9 Amp. zu 1 ecm + 3 Amp. H.V.H. Substanz	7.20 7.35
Thymus	40 Tabletten	2.71 2.77
	100	6.32 6.45
	3 Ampullen zu je 1 ccm	1.36 1.39 4.88 4.98
and the second second second	12 , zu je 1 cem	4.90
Invregative Gent	and antivierte ochingerussessestens)	3.01 3.08
Thyreoaktiv (durch	50 Tabletten	2101 2100

		ohne Um-	ufspreis mit Um- satzsteuer
Thyreoidea	20 Tabletten	1.62	1.66
	40 "	3.01	3.08
	12 " zu je 1 cem	5.17	5.28
Thyroxin "Henn	ing" (Synthetisches Thyroxin nach Harington und Barger), das	1.45	1.40
Hormon der Schilde	40 di zu je 1/s Milligramm (für Säuglinge) 40 zu je 1/4 (für Kinder)	1.45 2.30	1.48 2.35
	40 zu je 1/s	3.51	3.59 6.09
	40 zu je 1	5.96	76
	12 zu je ¹ / ³	2.40	2.45
	3 zuje 1	3.61	3.69
Vaso-Pituigan:		1.70	1.00
Vibeta (Vitamin	E) 60 Dragées	1.76	1.80
Festes Wasserste	Hyperrehn "Henning" offsuperoxyd in konzentrierter Form für medizinischen	1	1000
	tischen Gebrauch.		
	25 Tabletten ohne Aroma	74	76
	100 " mit Aroma	1.81	1.85
	Klinikpackungen		- Contract
Dinitrophenol	250 Dragées	9,84 17.71	10.04
Dinitrokresol	250 Dragées	9.84	10.04
Intestinol	500 "	17.71 14.88	18.06
Lipolysin masc. od		20.32	20.73
	500 " 100 Ampullen zu je 1 ccm .	39.69 39	40.48
Lipolysin sine Thy	regidea mase, oder fem.		
	290 Dragées 500 100 Ampullen zu je 1 ccm	20.32 39.69	20.73 40.48
Luteogan	30 Ampullen zu je 1 ccm	39 51.96	39.78 53
Luvasyl	30 " zu je Z ccm	94.08 12	95.96
MAP D.R.P.	12 Ampullen zu je 1 ccm zu 10 mg	8,-	12.24 8.16
Novurit	12 " zu je 2 ccm zu 20 mg . 100 Ampollev zu je 1 ccm	13.33	13.60
Ovarium Panhorm	100 zu je 2 com	36	36.72
	100 Dragées zu je 50 M.E. 500 zu je 50 M.E.	6.83 25.89	6.97 26.41
	100 . zu je 100 M.E	10.93 39.08	11.15 39.86
	100 zu je 300 M.E. 500 zu je 300 M.E.	15.93 74.73	16.25 76.22
	500 ,, zu je 1000 M.E	96 7.91	97.92 8.07
	100 ,, zu 1 ccm zu je 50 M.E	15.04 12.95	15.34 13.21
Pancortex "Henni	100 " zu 1 ccm zu je 100 M.E	18.67	19.04 32.64
Parathyreoidea	50 Dragées	18	18.36
Perinkret	30 Ampullen zu je 1 ccm.	20	20,40 22,77
Pituigan	50 Ampullen zu je 1/4 ccm	10.85	11.07
	50 su je 1 com	16.67 17.05	17,
Pituigan "forte"	50 zu je 1 ccm	24.— 25.59	24.48 26.10
Myo-Pituigan	100 " zu je 1 ccm	42.67	43.52
Strychno-Pituigan	100 " zu je 1 ccm	27.14	27.68
	100 " zu je 1 ccm	17.05 32.56	17.39 33.21
Vaso-Pituigan	50 Ampullen zu je 1 ccm	40.08 77.53	40,88 79,08
Pleon "Henning"	D. R. P. 1000 Dragées	27	27.54
Sensibamin	100 Ampullen zu ³ / ₈ mg (³ / ₄ ccm)	24	24.48 35,36
Testogan	100 Dragées au I mg	11.33	11.56
12.5	250 Dragées 500 100 Ampullen zu je 1 ccm .	20.32 39.69 39	20,73 40,48 39,78
USA COL	100 " zu je 2 ccm	64.97	66.27
Thelygan	250 Dragées	20.32 39.69	20.73 40.48
	100 Ampullen zu je 1 ccm	39 64.97	39.78 66.27
Thyreoidea Thyroxin "Hennir	100 Tabletten	5,93	6.05
Saytonin pricenti	250 " su je 1/4 "	4.48 10.08 6.92	4.57 10.28 7.06
		0.92 15.55 11.88	15,86
	250 " zu je 1 "	27.33	27.88
	100 " su je 1 " 30 " u je 1 "	14.64 6.59	14.93 6.72
		22.08	22.52









BLOTTER.

CREAM OF MAGNESIA-WAMPOLE An Effective Antacid.

Corrects hyperacidity in the stomach and intestinal digestive tract.

Very useful in the treatment of dyspepsia, heartburn, indigestion, nausea and the flatulent colic of infants.

Does not liberate carbon dioxide, and is more convenient to administer than the solid forms of Magnesia.

SAMPLES and literature on application to NEWBERYS' DISTRIBUTING DEPOT, (Sole British Distributors), 31-33, Banner Street, LONDON, E.C.1

HENRY K. WAMPOLE & CO., Ltd., Manufacturing Chemists, PERTH, Ontario, CANADA



BLOTTER.

CREAM OF MAGNESIA-WAMPOLE An Effective Antacid.

Corrects hyperacidity in the stomach and intestinal digestive tract.

Very useful in the treatment of dyspepsia, heartburn, indigestion, nausea and the flatulent colic of infants.

Does not liberate carbon dioxide, and is more convenient to administer than the solid forms of Magnesia.

SAMPLES and literature on application to NEWBERYS' DISTRIBUTING DEPOT, (Sole British Distributors), 31-33, Banner Street, LONDON, E.C.1

HENRY K. WAMPOLE & CO., Ltd., Manufacturing Chemists, PERTH, Ontario, CANADA







WAMPOLE'S BLOTTERGRAM

THE MASTER BUILDER-AFTER INFLUENZA

When vitality is low, as after influenza, the first therapeutic need is a body builder. Extract of Cod Liver —Wampole, "the master builder," has been the choice of physicians since 1880.

A preparation of the extractive obtained from fresh Newfoundland cod livers—therapeutically potent but free from the unpalatable oil—combined with compound syrup of hypophosphites and fluid extract of wild cherry. It is palatable and an aid to appetite. The adult dose is a tablespoonful with plenty of water, preferably before meals; for children, from one-half to one teaspoonful.

MANUFACTURED BY- EXTRACT OF COD LIVER-WAMPOLE Henry K. Wampole & Co., Limited Manufacturing Perth, Ontario, Canada Samples for clinical trial on application to NEWBERY'S DISTRIBUTING DEPOT, 31-33, Banner Street, London, E.C.1

BLOTTER

MAGNOLAX (Wampole) .- An Effective Mechanical Laxative.

It replaces forceful laxatives and restores natural bowel action. A pleasant tasting, cream-like emulsion of Liquid Paraffin and Hydrate of Magnesia only.

SHEFFIELD.

LONDON, W.1. Wimpole Street. An excellent preparation, not only for constipation, but for acid dyspepsia.

____M.R.C.P.

BELFAST. Excellent. Always prescribe it in private practice. -M.D.

Highly satisfactory at Am using Magnolax Magnolax is a splendid preparation, much superior to anything all times. ____M.D.

results. ____M.D.

CARDIFF.

superior to anything else of the kind.

GLASGOW.

____M.D.

Write for SAMPLES to the British Distributors, NEWBERYS' WHOLESALE, 31/33, Banner St., London, E.C.1

Henry K. Wampole & Co., Limited, Manufacturing Pharmacists, Perth, Ontario, Canada.

COUNSEL'S OPINION.



MRLAMPLOUGH _ "Well Sir, in your opinion, have I said more for my PYRETIC SALINE than its merits deserve?"

LEADING Q.C. _"No Sir you have not. _ It is my deliberate opinion, after many years experience, that for keeping the body in health, the head cool, and the mind clear, there is nothing to be compared with

LAMPLOUGH'S PYRETIC SALINE."

THIS INVALUABLE PREPARATION OF OVER FIFTY YEARS STANDING MAY BE HAD OF ALL CHEMISTS EVERYWHERE.

A FEW TESTIMONIALS OUT OF MANY THOUSANDS.

GRAND HOTEL, MANCHESTER, March 7th, 1888

Dear Sirs,

1891

MADAME MARIE ROZE desires me to say that she recognises in your preparation the precious Saline that she found so valuable when she visited New Orleans during the last Yellow Fever epidemic. Madame Roze was advised by Dr. BARNES, of London, to take your Saline with her, and we took several dozen bottles, and I really believe IT SAVED OUR LIVES! Having forgotten the name "LAMPLOUGH," we have frequently asked for effervescing magnesia and similar preparations, but failed to obtain anything equal to your preparation, and we are very pleased to be again provided with the very article we have been anxious to obtain for years. Yours faithfully,

H. MAPLESON, COLONEL.

Dr. W. STEVENS says :--- "Since its introduction the fatal West India fevers are deprived of their terror."

Dr. ALEX. MILNE:--" Its utility as a remedy in fevers, and as a cooling drink in diseases of children, such as Scarlet Fever, Measles, &c., has been testified to by the leading members of the profession. I prescribe it frequently, &c."

Captain STEWART STEPHENS, Gold Coast Houssa Force :- "I have used your Saline with undoubtedly good effect in India, Natal, and Zulnland, where I have found its constant use as nearly as possible the only preventive against the malarious fever, which probably is the worst in the world."

Rev. D. EVANS writes, December, 1887 :--- "My second daughter has been suffering for a long time from GENERAL DEBILITY, LANGUOR, AND LOSS OF APPETITE; but since she has been taking your Pyretic Saline she has improved wonderfully."

Mr. YOUNG writes under date October 12th, 1886: "For something like fifteen years I have constantly taken your Pyretic Saline, that is to say, every morning. During the whole of that time I have NEVER TAKEN ANY OTHER MEDICINE, nor have I had a doctor. I have also given it to my children, and to it I attribute the fact that I have never had to call in a doctor for them since they were born."

THE MISSING ODE OF ANACREON !!!

The earth was in gloom and the sky was o'ercast; The storm and the rain cloud were gathering fast; The gods in Olympus were heavy with wine Till Jupiter called for "Pyretic Saline."

The bright flashing goblet the Thunderer quaffed, And glad shone the sun on the earth as he laughed, "Ho sunshine and youth shall for ever be mine, "For the essence of life is 'Pyretic Saline.'"

He gazed on the myriads toiling below, And prophetic he spake, "This Celestial flow "Shall some day be known, now a secret divine, "To mortals as 'Lamplough's Pyretic Saline.'"

May be had of ALL CHEMISTS throughout the world, or of the Manufacturers

HENRY LAMPLOUGH, Limited, 113, HOLBORN; 9a, OLD BROAD STREET; and 42. FENCHURCH STREET, LONDON, E.C.



Hermes

PURINOL

caters for young, old, rich or poor.



250

PURINOL

PURINOL

1,

hypouricaemic tablets ALLOPURINOL

Hermes







Hermes

PURINOL

caters for young, old, rich or poor.







The facts on PURINOL



allopurinol (PURINOL) is 4 hydroxy — I H — pyrazolo 3, 4-d- pyrimidine

allopurinol (PURINOL) lowers the concentration of uric acid in the plasma and urine by decreasing the serum urate levels and the output of water in the urine

allopurinol (PURINOL) promotes the disappearance of tophaceous deposits in the body

allopurinol (PURINOL) prevents hyperuricaemia with the accompanying complications of urolithiasis and renal insufficiency *



The benefits of PURINOL

ermes

allopurinol (PURINOL) does not over-load kidneys with excess urine

allopurinol (PURINOL) can be used on patients with damaged renal function and uratic calculus

allopurinol (PURINOL) works by reducing formation of uric acid rather than by increasing its excretion as is found with uricosuric drugs

allopurinol (PURINOL) will not cause growth of uratic calculus or gravel

SIDE EFFECTS

Diarrhoea, intermittent abdominal pain, nausea, vomiting, pruritis, mild fever, skin rashes and colic

DOSAGE

Average dose is 2 to 4 tablets daily in divided doses for mild cases. Up to 6 tablets a day in severe tophaceous gout. Maximum recommended dose is 8 tablets daily. Serum uric acid levels are reduced to normal in 1 to 3 weeks when dosage may be reduced to as little as required to maintain normal uric acid levels









HILTON'S TIC AND TOOTH-ACHE POWDER.

HILTON'S TOOTH AND TIC AND TOOTH-ACHE POWDER.

This Powder, besides preserving the Teeth white and sound, and imparting a particularly pleasant taste to the palate, is an almost infallible cure for

TIC AND TOOTH-ACHE.

To be used as ordinary Tooth Powder, and the best time for doing so is when going to bed.

VERY OPEN BRUSHES ARE THE BEST.

Dieses Pulver conservirt nicht allein die Zähne weiss und gesund sondern verleiht einen ausserordentlich angenehmen Geschmack, und bewährt sich als eine fast unfehlbare Cur für

TIC UND ZAHNSCHMERZEN,

Es wird am Besten vor dem zu bett gehen angewandt und eben so wie anderes gewöhnliches

Offene Bürsten sind die besten.

Outre l'avantage de conserver les dents blanches et en bon état, et de laisser un goût agriable au palais, cette poudre est un rémède presque infallible contre

Le Tic Douloureux et le mal aux dents.

Doit être employée comme les poudres ordinaires. Le meilleur moment pour son emploi est le soir avant de se coucher.

Se servis de brosses douces et peu serrees.

In Toilet Boxes, exquisitely Scented, 1s. each, by Post 1s. 11d.

By order through any respectable Chemist or Perfumer, or Wholesale and Retail from

J. WOOLLEY, SONS, & CO., Market St., Manchester, And the Inventor and Manufacturer,

WM. HILTON, 206, Middleton Road, Oldham.

MR. WM. HILTON.

URMSTON GRANGE. STRETFORD, Nov. 18th, 1875.

My Dear Sir, I duly received the box of Tooth Powder which you forwarded to me, but not being in the habit of using such an article, I have delayed my reply until I had tried it. It is very pleasant to use, and will, I think, meet with general approval. Believe mc,

Yours truly, JOHN T. HIBBERT. MR. WM. HILTON, 17. CANNON STREET, MANCHESTER,

JUNE 15th, 1875.

Dear Sir, Having used your Tooth-ache Powder in my family for some time, I can speak to its pleasant taste and good effect, and may say that during its use we have been free from pain in the teeth or gums.

Yours truly, HARTWIG.

57, LEE STREET, WERNETH, MR. HILTON, OLDHAM, JUNE 28th, 1875, Sir,

I have pleasure in saying that your Tooth-ache Powder has completely cured my two daughters of Tic, and they think there is nothing like it, having tried many things previous to yours, and are constantly recommending it to their friends. Yours respectfully,

SAMUEL ELSON.

20, DEVONSHIRE STREET, HIGHER BROUGHTON, NOV. 4th, 1875. MR. HILTON,

Dear Sir, I have pleasure in saying your Tooth Powder has acted upon my teeth in a very satisfactory manner, and can confidently recommend it to the public. dy recommendation of the second secon

NORTH ROAD, KIRKMANSHULME,

WEST GORTON, OCTOBER 7th, 1875.

Dear Sir, Your Tooth Powder, or Tic and Tooth-ache Powder, as your boxes state, I find to be the most pleasant and effective I ever tried, both in imparting a nice taste to my mouth and preserving my old teeth white and sound. I am,

Yours most respectfully, SAM. MELLOR.

MR. WM. HILTON. P.S.-Another important matter I will mention is, that after a few days all canker is removed by its use.

AND NUMEROUS OTHER REFERENCES.

I, John Heywood, the Printer, have pleasure in stating that the above testimonials were copied by me from the original letters

and the second s

1



Para alívio temporário de dores de músculos e articulações resultantes de artrites, luxações, entorses ou equimoses.

Para além do efeito analgésico e anti-inflamatório o **AIR SALONPAS** possue acentuado efeito de arrefecimento.

Devido à reduzida evaporação o efeito de arrefecimento mantém-se cerca de 8 minutos depois da aplicação, após o que o AIR SALONPAS

começa a aliviar as dores por absorção pela pele das substâncias activas nele contidas.

COMPOSIÇÃO:

LPG (amigo do ozono)



À venda nas farmácias



Outros produtos Hisamitsu:

- Salonpas 6,5 cm x 4,2 cm
- Salonpas Hot 18 cm x 13 cm
- Salonsip Aqua-Patch



Amigo

do ozono

APLICAÇÕES

- Dores musculares
 - Artrite Entorses
- Dores das articulações

 - Luxações
 Equimoses

CARACTERÍSTICAS

- Cheiro suave
 - Não é necessário friccionar
- Prático e manejável
 - Agradável
 Refrescante
- Efeito imediato
 - 70 aplicações de 3 seg.
 - Inflamável





Distribuidores:

farga representações, Ida.

R. Cidade Manchester, 32-B - 1100 LISBOA Telefs.: (01) 815 30 44 Fax: (01) 815 30 46

AGENTES:

Centro e Norte - Acefarma, Lda. - Coimbra Madeira - Freitas & Brites, Lda. - Funchal Açores - Proconfar - Ponta Delgada



SAFE, EFFECTIVE AND SIMPLE CONTROL OF HAY-FEVER

Daneral

is indicated when a potent and reliable Antihistamine is required



Daneral tablets contain 10 or 50 mg. pheniramine p-aminosalicylate

HOECHST PHARMACEUTICALS LIMITED PORTLAND HOUSE, STAG PLACE, LONDON S.W.1







libenclamide



Hoechst Pharmaceuticals A Division of Hoechst UK Limited Hoechst House Salisbury Road Hounslow Middlesex Tel 01-570-7712 ® registered trade mark

170 1971

What was said at the International Symposium on Clobazam. University of York, April 1981.



A discussion on the use of counselling and anxiolytics, stimulated by the International Symposium on clobazam.



anxiolysis with performance.

Free Cassette

Entitled "Anxiety and the Benzodiazepines in General Practice," this free cassette is a discussion of anxiety and its management – one of the commonest problems facing the General Practitioner today. A General Practitioner, specialising in clinical research, and a Psychopharmacologist, discuss the most effective and efficient ways of dealing with the clinical problems of treating anxiety. The discussion ranges from the use

of counselling to the judicious use of anti-anxiety medicines and the application of recent research presented at The International Clobazam Symposium.

For your free copy of this medical cassette please complete the Reply Paid Card below.

4-11-1

What was said at the International Symposium on Clobazam. University of York, April 1981.



A discussion on the use of counselling and anxiolytics, stimulated by the International Symposium on clobazam.



Free Cassette

Entitled "Anxiety and the Benzodiazepines in General Practice," this free cassette is a discussion of anxiety and its management – one of the commonest problems facing the General Practitioner today. A General Practitioner, specialising in clinical research, and a Psychopharmacologist, discuss the most effective and efficient ways of dealing with the clinical problems of treating anxiety. The discussion ranges from the use of counselling to the judicious use of anti-anxiety medicines and the application of recent research presented at The International Clobazam Symposium.

For your free copy of this medical cassette please complete the Reply Paid Card below.
What was said at the International Symposium on Clobazam. University of York, April 1981.

More than fifty speakers from around the world took part in this Symposium on the 1,5-benzodiazepine clobazam (Frisium). Their highly informative lectures on the use of Frisium in anxiety were the results of extensive clinical trials. The many papers presented confirmed that Frisium is now widely accepted as an effective anxiolytic. Additionally, it was demonstrated that Frisium has minimal effect on mental or physical performance, making it particularly useful for anxious patients who need to remain active and alert – the majority of patients seen in general practice.

Some of the conclusions reached at the Symposium about Frisium:

Effectively treats anxiety...

...with minimal effect on physical performance...

Unlike diazepam 44 clobazam improved performance on almost all tests whether primarily cognitive or psychomotor 37 a

> Anxiety and the Benzodiazepines

> General Practice

and anxiolytics,

66 Clobazam may therefore represent the first of a distinctly different group of anxiolytics 39²

...orshort-term memory.

44 The memory test demonstrated that clobazam has no effect on the ability for short-term recall but that lorazepam has distinct sedative and amnesic effects ??



Free Cassette

Entitled "Anxiety and the Benzodiazepines in General Practice," this free cassette is a discussion of anxiety and its management - one of the commonest problems facing the General Practitioner today. A General Practitioner, specialising in clinical research, and a Psychopharmacologist, discuss the most effective and efficient ways of dealing with the clinical problems of treating anxiety. The discussion ranges from the use of counselling to the judicious use of anti-anxiety medicines and the application of recent research presented at The International Clobazam Symposium.

For your free copy of this medical cassette please complete the Reply Paid Card below

Please send me a copy of the free medical cassette "Anxiety and the Benzodiazepines in General Practice." Name

Address

Signature

Prisium Prescribing Information Presentation Pristum capsules contain tong clobszam 0.5 benzodiazepinel. Uses Minor tranquillizer for use in acute or chronic anxiety tension and agitation with or without underlying organic disease. Dosage & Administration Adult dose 20 to 30mg daily in divided doses or as a single dose given at night. The lower dose applies particularly to the elderly. Children over 3 years: up to half the recommended adult dose. Unsuitable for

children under 3 years: Maximum dosage 60 mg dsaly Contra-indications, warnings etc. Use in pregnancy only if there are compelling reasons. Fristum should not be used in patients hypersensitive to benzodiaze-pines. Fristum may potentiate the effects of central nervous system depressant drugs. The ability to operate machinery or drive a car may be impaired in patients sensitive to Fristum or in patients taking high doses. Use in reduced doses in

Hoechst

patients with renal or hepatic impair-ment. Adverse effects include drowniness, dizziness or dry mouth, which tend to be mild and transient. PLO960-0065. Basic NHS price C5.75 per 100 capsules. Date of preparation October 1961. Purther information is available on request from Hoechst UK Ltd. Pharmaceutical Division, Hoechst House, Salisbury Road, Hounslow, Middlesex TW4 dJH.

References 1. Roy. Soc. Med. Int. Cong. Sym. Sec. (1981) No. 43, 180. 2. Roy. Soc. Med. Int. Cong. Sym. Sec. (1981) No. 43, 23. 3. Roy. Soc. Med. Int. Cong. Sym. Sec. (1981) No. 43, 128.

PRAN/CYS/RIDKNER

Postage will be paul by licenses

BUSINESS REPLY SERVICE Licence No. 5W 2007

Hoechst U.K. Ltd, Pharmaceutical Division, Hoechst House. Salisbury Road, Hounslow, Middlesex TW4 6JH





For your free copy of this medical cassette please complete the Reply Paid Card below.

Frisium Prescribing Information

Presentation Frisium capsules contain 10mg clobazam (1,5 benzodiazepine). Uses Minor tranquillizer for use in acute or chronic anxiety, tension and agitation with or without underlying organic disease. Dosage & Administration Adult dose 20 to 30mg daily in divided doses or as a single dose given at night. The lower dose applies particularly to the elderly. Children over 3 years: up to half the recommended adult dose. Unsuitable for children under 3 years: Maximum dosage 60 mg daily.

Contra-indications, warnings etc. Use in pregnancy only if there are compelling reasons. Frisium should not be used in patients hypersensitive to benzodiazepines. Frisium may potentiate the effects of central nervous system depressant drugs. The ability to operate machinery or drive a car may be impaired in patients sensitive to Frisium or in patients taking high doses. Use in reduced doses in



patients with renal or hepatic impairment. Adverse effects include drowsiness, dizziness or dry mouth, which tend to be mild and transient. PL0086/0065.

Basic NHS price £5.75 per 100 capsules. Date of preparation October 1981. Further information is available on request from:

Hoechst UK Ltd, Pharmaceutical Division, Hoechst House, Salisbury Road, Hounslow, Middlesex TW4 6JH.

References

1. Roy. Soc. Med. Int. Cong. Sym. Ser. (1981) No. 43, 193. 2. Roy. Soc. Med. Int. Cong. Sym. Ser. (1981)

No. 43, 23. 3. Roy. Soc. Med. Int. Cong. Sym. Ser. (1981) No. 43, 119.







Merital 25

Two distinct actions in depression

1. Improves depressed mood 2. Restores drive

UPDATE

Scrambled print and the unscrambler are designed by Update Educational Projects to make your reading more useful and more enjoyable.

HOLD THE WINDOW CLOSE TO THE PAGE

Basic NHS price: £8.33/100 capsules Further information is available on request

Hoechst

Hoechst Pharmaceuticals, A Division of Hoechst UK Ltd, Hoechst House, Salisbury Road, Hounslow, Middlesex TW4 6JH

JTACHU

Securitated print and the unsceneration was beligned by Update Educational Projectic to million was classing more units and more enjoyrable.

MOLD THE WINDOW CLOSE TO THE PAGE

Bases with actors 12.237100 (1999) Typica balantics is available as balantic

1-12-77

Wield actions in depression of the sections in depression of the sections in depression of the sections of the

Merital 25

Two distinct actions in depression

1. Improves depressed mood 2. Restores drive

UPDATE

Scrambled print and the unscrambler are designed by Update Educational Projects to make your reading more useful and more enjoyable.

HOLD THE WINDOW CLOSE TO THE PAGE

Basic NHS price: £8.33/100 capsules Further information is available on request

Hoechst

Hoechst Pharmaceuticals, A Division of Hoechst UK Ltd, Hoechst House, Salisbury Road, Hounslow, Middlesex TW4 6JH

DATA SHEET

Merital 25 Capsules -

PRESENTATION

Merital 25 is available in capsules, coloured medium orange opaque, each containing 25 mg nomifensine hydrogen maleate.

USES

Merital 25 is an anti-depressant, indicated for the treatment of a wide range of depressive illness, including patients in whom anxiety is an accompanying feature.

Initial studies have indicated that Merital 25 is particularly suitable for patients who exhibit symptoms and signs of retardation, and in these patients may be expected to produce a rapid beneficial effect.

Where depression is a component of schizophrenic illness, Merital 25 should be used in conjunction with a neuroleptic (e.g. a phenothiazine). In some cases, Merital 25 has been shown to ameliorate the extrapyramidal side effects of this group of drugs.

DOSAGE AND ADMINISTRATION

The majority of patients respond to daily doses of 50-200 mg of Merital 25. The recommended initial dose is 25 mg twice or three times a day and this may be increased to the optimum dosage over the course of 7-10 days.

Treatment should be continued until a remission has been achieved when it should be possible either to discontinue treatment or to continue with a lower maintenance dose.

In elderly patients, it is recommended that a lower initial dose should be used, not exceeding 25 mg of Merital 25 twice a day.

At the present time there is insufficient experience of the use of Merital 25 in children to enable any dosage recommendation to be made.

CONTRA-INDICATIONS, WARNINGS, ETC.

At the present time, there are no known specific contra-indications to the use of Merital 25.

Teratogenic studies in animals have not revealed any adverse effects due to Merital 25, but, in common with all other drugs, Merital 25 should not be used in pregnancy unless there are compelling reasons for doing so. Merital 25 may antagonise the hypotensive effects of adrenergic neurone-blocking drugs (e.g. bethanidine, guanethidine and debrisoquine), and patients taking these drugs may require restabilisation on a higher dose of their anti-hypertensive therapy. Merital 25 may potentiate both the therapeutic and adverse effects of levodopa and other dopamine agonists used in the treatment of Parkinson's disease. All available evidence has indicated that Merital 25 is exceptionally well tolerated, and there has been a notable lack of cardiovascular effects other than mild palpitations. However, until more specific information is obtained, Merital 25 should be used with caution in patients with ischaemic heart disease.

Merital 25 has not been used in conjunction with electroconvulsive therapy but there is no reason to believe that such a combination will lead to any adverse effects.

Merital 25 has been given to patients immediately following treatment with monoamine oxidase inhibitors, without ill-effects. However, caution should be observed in the use of Merital 25 in conjunction with monoamine oxidase inhibitors since Merital 25 inhibits the synaptic re-uptake of the biogenic amines noradrenaline, dopamine and, to a lesser extent, serotonin.

The treatment of overdosage with Merital 25 is symptomatic. The stomach should be emptied as soon as possible by gastric lavage and the patient admitted to hospital. General supportive measures should be undertaken where indicated.

Adverse effects, if they occur, tend to be mild and transient. Reported adverse effects have included palpitations, nausea, headache, dryness of the mouth and dizziness.

PHARMACEUTICAL PRECAUTIONS

Merital 25 capsules should be stored in a cool, dark place in the original containers.

LEGAL CATEGORY Available on prescription only.

PACKAGE QUANTITIES Merital 25 is available in blister strips packed in cartons of 100 capsules.

PRODUCT LICENCE NUMBER 0086/0052



NAME AND ADDRESS HOECHST PHARMACEUTICALS A Division of Hoechst UK Limited Hoechst House Salisbury Road Hounslow Middlesex TW4 6JH

DATE OF PREPARATION June 1977.

HP-P 032/77/RS 60K

ARE WE MAKING PROGRESS IN THE TREATMENT OF MENTAL ILLNESS? Hear what was said at the 13th C.I.N.P. Congress in Jerusalem, 1982

Free cassette

Merita

This free cassette entitled "Psychopharmacology–Its Role in the Treatment of Mental Illness," offers you an opportunity to hear some of the important issues raised at the 13th C.I.N.P. Congress.



For your free copy of this medical cassette please complete the Reply Paid Card below.

ARE WE MAKING PROGRESS IN THE TREATMENT OF MENTAL ILLNESS?

Hear what was said at the 13th C.I.N.P. Congress in Jerusalem, 1982



For your free copy of this medical cassette please complete the Reply Paid Card below.

Merital 50 nomifensine

Prescribing Information Presentation Merital 50 capsules contain 50mg nomifensine hydrogen maleate. Merital 25 capsules contain 25mg nomifensine hydrogen maleate. Uses Antidepressant for use in depressive illness with or without accompanying anxiety

Dosage & administration Many depressed patients will benefit from an initial dose of 50mg twice or three times a day, and this may be adjusted according to response after 7-10 days. For some patients, particularly the elderly, who are known to be sensitive to the effects of psychotropic drugs the recommended initial dose is 25mg three times a day. The normal dose range is 75-200mg Merital daily. At the present time there is insufficient experience of the use of Merital in children to enable any dosage recommendation to be made. Contra-indications, warnings etc. Use in pregnancy only if there are compelling reasons. Merital may antagonise the hypotensive effects of adrenergic neurone-blocking drugs and may potentiate therapeutic and adverse

effects of levodopa and other dopamine agonists. Use with caution in patients with ischaemic heart disease. Do not use in conjunction with monoamine oxidase inhibitors. Adverse effects include sleep disturbance, restlessness, palpitations nausea, headache, dryness of the mouth and dizziness.

PL0086/0053 (50mg capsules). PL0086/0052 (25mg capsules). Basic NHS cost of Merital 50 £15.85 per 100 capsules. Merital 25 £9.95 per 100 capsules

Date of preparation July 1982

13th C.I.N.P. Congress, Jerusalem, 20-25 June 1982.

References 1. J. Bremner and R. J. Nash, 13th C.I.N.P. Congress, Jerusalem, 20-25 June, 1982. 2. A. Khan, 13th C.I.N.P. Congress, Jerusalem, 20-25 June, 1982.

Hoechst

Frisium clohazam

Prescribing Information

Presentation Frisium capsules contain 10mg clobazam (1,5-benzodiazepine). Uses Minor tranquillizer for use in acute or chronic anxiety, tension and agitation with or without underlying organic disease

Dosage & Administration Adult dose 20 to 30mg daily in divided doses or as a single dose given at night. The lower dose applies particularly to the elderly. Children over 3 years: up to half the recommended adult dose. Unsuitable

for children under 3 years. Maximum dosage 60mg daily.

Contra-indications, warnings etc. Use in pregnancy only if there are compelling reasons. Frisium should not be used in

patients hypersensitive to benzodiazepines. Frisium may potentiate the effects of central nervous system depressant drugs. The ability to operate machinery or drive a car may be impaired in patients sensitive to Frisium or in patients taking high doses.

Use in reduced doses in patients with renal or hepatic impairment. Adverse effects include drowsiness, dizziness or dry mouth, which tend to be mild and

J. Grunberger et al, 13th C.I.N.P. Congress, Jerusalem, 20-25 June, 1982.
M. Paes de Sousa and I. Hindmarch,

transient. PL0086/0065. Basic NHS price £5.75 per 100 capsules. Date of preparation July 1982. Further information, including product Data Sheet, is available on request from:-Hoechst UK Limited, Pharmaceutical Division, Hoechst House, Salisbury Road, Hounslow, Middlesex TW4 6JH.

ARE WE MAKING PROGRESS IN THE TREATMENT OF MENTAL ILLNESS? Hear what was said at the 13th C.I.N.P. Congress in Jerusalem, 1982

The 13th Congress of the Collegium Internationale Neuro-Psychopharmacologicum took the form of eight full day symposia. It brought together psychiatrists, neurochemists, psychopharmacologists, and members of other disciplines critical to progress in the treatment of mental illness.

Merital and Frisium featured in a number of the papers presented. Their efficacy was demonstrated together with confirmation that Merital relieves depression without causing sedation and that Frisium provides anxiolysis without impairing performance.

Some of the conclusions reached at the Congress about Merital 50 and Frisium



Restores drive-renews interest in life. **66**Both Merital and impramine were found to be effective in relieving symptoms of depression...The Merital group had a lower incidence of side-effects, particularly anticholinergic side-effects and sedation.**9**¹

the Treatment of Mental Illness

at the 13th C.I.N.P. Congress.

offers you an opportunity to hear

some of the important issues raised

Frisiom

A significantly different benzodiazepine.

64 After 3mg lorazepam a significant deterioration of attention, concentration, psychomotor activity..., and cognitive function, as well as a decrease in CFF (sedation) was seen as compared with 30mg clobazam.99

(Clobazam (30mg) had significantly different activity when compared with lorazepam and did not produce retrograde or anterograde amnesia.)



The cassette covers a selection of those topics most relevant to General Practice, and should prove highly informative and useful to all who are interested in and concerned with the treatment of mental illness.

For your free copy of this medical cassette please complete the Reply Paid Card below

Please send me a copy of the free medical cassette "Psychopharmacology – Its Bole in the Treatment of Mental Illness"

Name

Address

Signature

Merital 50

Prescribing Information

Prescribing Information Presentation Merital 30 capsules contain 300m consideration bydrogen maleate. Merital 25 capsules contain 28mg nomiferation hydrogen maleate. Uses Antidepressant for use in depressive tilness with or without accompanying anxiety. Desage & administration Many depressed patients will benefit from an initial dose of 50mg twice or three times a day, and this may be adjusted according to response after 7–10 days. For some patients, particularly

the elderly, who are known to be sensitive the elderly, who are known to be sensitive to the effects of psychotropic drugs the recommended initial dose is giving three times a day. The normal dose range is 75-200mg Merital daily. At the present time there is insufficient experience of the use of Merital in children to enable any dosage recommendation to be made. Contra-indications, warnings etc. Use in pregnancy only if there are compelling reasons. Merital may antiaponise the hypotensive effects of adrenergic neurone-blocking drugs and may neurone-blocking drags and may potentiate therapeutic and adverse



for children under 3 years. Maximum dosage 60mg daily. Contra-indications, warnings etc. Use in prognance only if there are compelling reasons. Fristum should not be used in reationth bergenenesting to be

reasons. Fracus anound not be used in patients hypersensitive to benzodiazepienes. Fraisum may potentiale the effects of central nervous system depressant drugs. The ability to operate machinery or drive a car may be impaired in patients sensitive to Frisium or in patients taking high doses.

effects of levodopa and other dopamine agonists. Use with caution in patients with ischaemic heart disease. Do not use in conjunction with moneamine oxidase inhibitors. Adverse effects include sleep disturbance. restlessness, palpitations, nausea, headache, dryness of the mouth and dizziness. PLO08-0053 (Song capsules). PLO08-0053 (Song capsules). Basic NHS cost of Merital 30 (25.85 per 100 capsules. Merital 35 (5.85 per 100 capsules.

Date of preparation July 1982.

References 1.J. Brommer and R. J. Nauh. 13th CLN F. Congress, Jerusalom, 30-23 June, 1982 J. A. Khan, Jith CLN P. Congress, Jerusalem, 39-25 June, 1982 J. Granberger et al. 15th CLN P. Congress, Jerusalem, 20-25 June, 1982 M. Spase the Srussa and I. Bandmarch, 15th CLN P. Congress, Jerusalem, 20-25 June 1982

Use in reduced doses in patients with renal or hepatic impairment. Adverse effects include drowsiness, dizziness or dry mouth, which tend to be mild and transient. PL0006:0005. Booto NIRS and a US preside computer transient. PL0086/0085. Basic NIES price E5.75 per 100 capsules. Date of preparation. July 1982. Further information, including product Data Sheet, is available on request from-tioechst UK Limited. Pharmacevatical Division, Hoechet House, Salasbury Road, Hounslow, Middlesex TW4 6JH.

Frisium

Closezam Prescribing Information Presentation Fristum capsules contain thug clobazam it.5-benzodiazepine). Uses Minor tranquillizer for use in acute or chronic anxiety, tension and agitation with or without underlying remute in disease.

rganic disease organic disease. Dosage & Administration Adult dose 20 to 30mg daily in divided doses or as a single dose given at night. The lower dose applies particularly to the elderly. Children over 3 years: up to half the recommended adult dose. Unsuitable

Do not affix Postage Stamps of posted in Gi. Britain, Charnel Islands or N. Irstan

will be past by



Hoechst U.K. Ltd. Pharmaceutical Division, Hoechst House, Salisbury Road, Hounslow. Middlesex TW4 6JH



ARE WE MAKING PROGRESS IN THE TREATMENT OF MENTAL ILLNESS? Hear what was said at the 13th C.I.N.P. Congress in Jerusalem, 1982

The 13th Congress of the Collegium Internationale Neuro-Psychopharmacologicum took the form of eight full day symposia. It brought together psychiatrists, neurochemists, psychopharmacologists, and members of other disciplines critical to progress in the treatment of mental illness.

Merital and Frisium featured in a number of the papers presented. Their efficacy was demonstrated together with confirmation that Merital relieves depression without causing sedation and that Frisium provides anxiolysis without impairing performance.

Some of the conclusions reached at the Congress about Merital 50 and Frisium

Merital

Restores drive-renews interest in life. **46** Both Merital and imipramine were found to be effective in relieving symptoms of depression...The Merital group had a lower incidence of side-effects, particularly anticholinergic side-effects and sedation.**9**

Merital treatment led to a significant improvement **66**...in psychomotor retardation, indifference, self-confidence and work and interests...**9**²

1 คารับเทก.

A significantly different benzodiazepine. **6**After 3mg lorazepam a significant deterioration of attention, concentration, psychomotor activity..., and cognitive function, as well as a decrease in CFF (sedation) was seen as compared with 30mg clobazam.**39**

66 Clobazam (30mg) had significantly different activity when compared with lorazepam and did not produce retrograde or anterograde amnesia.99*



For your free copy of this medical cassette please complete the Reply Paid Card below

Hoechst introduce an anti-hypertensive diuretic

METERIX 5 Metolazone

0

8(

Why?

Extremely effective in lowering blood pressure.

Reduction in blood pressure may be achieved in patients unresponsive to a thiazide diuretic.'

24 hour control from a once-daily dose.123

METENIX 5

The anti-hypertensive diuretic from Hoechst

METENIX 5

Prescribing information

Metenix 5 tablets Presentation

Metenix 5 tablets contain 5 mg metolazone.

Uses

Metenix 5 is a diuretic for use in the treatment of mild and moderate hypertension. Metenix 5 may be used in conjunction with non-diuretic antihypertensive agents and in these circumstances it is usually possible to achieve satisfactory control of blood pressure with a reduced dose of the non-diuretic agent. Patients who have become resistant to therapy with these agents may respond to the addition of Metenix 5 to their antihypertensive regimen.

Dosage and administration

The recommended initial dose in mild and moderate hypertension is 5 mg daily. After three to four weeks, the dose may be reduced if necessary to 5 mg on alternate days as maintenance therapy.

Contra-indications

Metenix 5 is contra-indicated in electrolyte deficiency states, anuria, coma or precomatose states associated with liver cirrhosis; also in patients with known allergy or hypersensitivity to metolazone.

Warnings

The dosage of concurrently administered cardiac glycosides may require adjustment. Metenix 5 may aggravate the increased potassium excretion associated with steroid therapy or diseases such as cirrhosis or severe ischaemic heart disease.

Latent diabetes may become manifest or the insulin requirements of diabetic patients may increase.

Precautions

Because of the antihypertensive effects of metolazone it may be possible to reduce the dosage of concurrently administered nondiuretic antihypertensive agents.

The use of Metenix 5 during the first trimester of pregnancy should be subject to the normal precautions which apply to any drug given at this time. If Metenix 5 is given to nursing mothers metolazone will be present in the breast milk.

Caution should be exercised during Metenix 5 therapy in patients liable to electrolyte deficiency. Fluid and electrolyte balance should be carefully monitored during therapy, particularly if Metenix 5 is used concurrently with other diuretics; prolonged therapy with Metenix 5 may result in hypokalaemia. Serum potassium levels should be determined at regular intervals and, if necessary, potassium supplementation should be instituted. Choloride deficit, hyponatraemia and a low salt syndrome may also occur, particularly when the patient is also on a diet with restricted salt intake. Hypomagnesaemia has been reported as a consequence of prolonged diuretic therapy.

Side-effects

Metenix 5 is generally well tolerated. There have been occasional reports of headache, anorexia, vomiting, abdominal discomfort, muscle cramps and dizziness. There have been isolated reports of urticaria, leucopenia, tachycardia, chills and chest pain. Hyperuricaemia or azotaemia may occur during treatment with Metenix 5, particularly in patients with impaired renal function. On rare occasions clinical gout has been reported.

References

1 Curr. ther. Res. (1975). **18** 527 2 Curr. ther. Res. (1974). **16** 890 3 In: Systemic Effects of Antihypertensive Agents (1976) (ed. M P Sambhi) Symposia Specialists, Stratton Intercontinental Medical Book Corporation, p. 221.

Product licence number 0086/0056

Basic NHS price: £4.65/100 tablets. Further information is available on request.



Hoechst Pharmaceuticals, A Division of Hoechst U.K. Ltd., Hoechst House, Salisbury Road, Hounslow, Middlesex, TW4 6JH.