

**List of symptoms of HIV infection that lead to AIDS from fever to red or purplish spots on the body; sixth of sixteen advertisement posters by the American Red Cross promoting education about AIDS. Colour lithograph, 1990.**

### **Publication/Creation**

Baltimore : American Red Cross, January 1990.

### **Persistent URL**

<https://wellcomecollection.org/works/b8xuu6h9>

### **License and attribution**

You have permission to make copies of this work under a Creative Commons, Attribution, Non-commercial license.

Non-commercial use includes private study, academic research, teaching, and other activities that are not primarily intended for, or directed towards, commercial advantage or private monetary compensation. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>

# Infection

---

If HIV-infected, at first you may have—

- ▶ No symptoms

Later, you may have—

- ▶ Fever
- ▶ Fatigue
- ▶ Diarrhea
- ▶ Skin rashes
- ▶ Night sweats
- ▶ Loss of appetite
- ▶ Swollen lymph glands
- ▶ Significant weight loss
- ▶ Lack of resistance to infection
- ▶ Furry white spots in the mouth
- ▶ Dry cough or shortness of breath
- ▶ Memory or movement difficulties
- ▶ Red or purplish spots on the body

*Having any of these signs or symptoms may indicate symptomatic HIV infection or AIDS. Only a doctor can tell you what your signs or symptoms mean.*