Two blurred figures with a warning about the risk of drug abuse and AIDS; a poster from the America responds to Aids advertising campaign. Lithograph.

Contributors

United States. Department of Health and Human Services.

Publication/Creation

[Washington (D.C.)]: [Department of Health and Human Services], [between 1990 and 1999]

Persistent URL

https://wellcomecollection.org/works/ahmghryr

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution, Non-commercial license.

Non-commercial use includes private study, academic research, teaching, and other activities that are not primarily intended for, or directed towards, commercial advantage or private monetary compensation. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Why alcohol, crack and other drugs can put you at risk for the AIDS virus.

They cloud your thinking.

You already know that shooting up drugs and sharing needles put you at risk for AIDS. But actually, other drugs such as crack, alcohol and marijuana can put you at risk because they cloud your thinking.

And when your thinking is clouded, you take foolish chances.

When you're high, you may have sex.

That's risky stuff.

So think clearly. Don't risk AIDS.

If you'd like more information on the relationship between AIDS and sexually transmitted diseases, call

the National AIDS hotline. 1-800-342-AIDS. The hotline for the hearing impaired is 1-800-AIDS-TTY.

AMERICA
RESPONDS
TO AIDS