A naked man lies on a bed with two further smaller photographs of two men having anal sex representing a warning about the dangers of HIV infection to the gay male community from the AIDS Council of New South Wales. Colour lithograph.

Publication/Creation

New South Wales [Australia] : AIDS Council of New South Wales, [between 1990 and 1999]

Persistent URL

https://wellcomecollection.org/works/p64cqwcv

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org FUCKING then before cumming...can transmit





During Anal Sex HIV infects before cumming because HIV is found in small amounts of pre-cum, in tiny cuts too small to see, in sores and in the mucaus from the arse lining. HIV can get in through skin breaks on your dick or down your piss hole. HIV can infect you through your arse. Avoiding the cum doesn't mean you've avoided the virus.



Sydney Office (02) 206 2000 TTY for Deaf (02) 206 2088 Western Sydney Branch (02) 204 2400 Honter Branch (049) 293 464 Hawarra Branch (042) 261 163 Mid Worth Coast Branch (066) 514 056 Northern Rivers Branch (066) 221 555