Incipit clarificatoriu[m] ioha[n]nis de tornamira super nono alma[n]soris cu[m] textu ipsius Rasis.

Contributors

Jean, de Tournemire, approximately 1330-approximately 1396.
Rāzī, Abū Bakr Muḥammad ibn Zakarīyā, 865?-925? Kitāb al-Manṣūrī. Book 9.
Trechsel, Johannes, active 15th century.
Stubbes, Phillip
Eckersall, Peter
Sloane, Hans, Sir, 1660-1753
British Library
Medical Society of London

Publication/Creation

[Lyon] : [Johannes Trechsel], [17 June 1490]

Persistent URL

https://wellcomecollection.org/works/f2qsxsy3

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.

wellcome collection

Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
https://wellcomecollection.org

I/5
XVIII
INC 5. e. 18

The Library of the
Wellcome Institute for
the History of Medicine

MEDICAL SOCIETY
OF
LONDON
DEPOSIT

Accession Number

Press Mark

TORNAMIRA, J. de

XVIII 7

Tornamira

Incipit clarificatoriũ iohãniſ de tornamira ſuper nono almãſoris cũ textu ipſius Raſis.

Petri ~~[illegible]~~ Eckersalli liber

~~1601~~

C.1301.

~~[illegible]~~ / prix iiij s.

¶ Incipit clarificatoriū Jobis ḋ tornamira de cano p̄celari studij mōtispessulaī i speclatōe cura tōis morboꝝ cū cura breui ⁊ electa eorūdē stādo mag̃ sup remedijs raſ posit̃ i toto ꝯtinēte. Cū p⁹ ypo. ⁊ Ga. teneat p̄ncipatū: a capite vsqꝫ ad pedes p ordinē ꝓcedē⁹ ⁊ capitulando, put ipe Raſ capitulat in .ix. almāsoris cū textu ipi⁹ noni cū ibi sua spālia posuerit vt mḡr ille bon⁹ Guido de caulia co i c⁰. singulari sui collectorij. addā tn̄ .xx. capiª. in q̄b9 fm diuersas ptes corpis cū laude dei. Qui virtutem mihi largiri dignatus est: hoc opusculum cōponendi anno. xx. mei ordinarij.

Eus me puuliū ab errore eximat ⁊ ipius luie ocl'os ibecilles mihi illuminare dignet' volenti clarificare ea q̄ sunt maiora ⁊ mag̃ ꝓpria ymo necessaria i speculatōe curatōis morboꝝ ⁊ i cura electa eorūde vt cognoscere cuius ꝑticle do lor capit̃ l pectorali ū sit pa⁰ p̄ncipalr' descptie loquēdo ⁊ sic de alijs doloribus et passionib⁹ mēbroꝝ iuestigādo ⁊ si ē p se puta. de cā puata vl' p colligatiā: l' c⁹ mē¹ colligāª. ⁊ q̄s morb⁹ ē i gn̄e ⁊ i spē ⁊ cui⁹ vtutis sit nocumētu p̄ncipalr'. Et cui⁹ vtut̃ sit passio p̄ncipalr'. Et sic cura gn̄alis ⁊ ꝓpa cognoscit'. vt dicit Ga⁹. 3⁰. de iterioꝝ⁹. c⁰. p⁹. circa finē. Et subdit in lr̃a: q̄ q̄ recte ⁊ artificialr' agere vult in morbis curam exercēdo talia p̄scire oꝫ. Idē dicit in ꝓcessu tot⁹ libri de iterioꝝ⁹ improbādo p̄lres archigenē. q: ad talia nō aduertebat ꝓpter qd̄ in cura morboꝝ artificialr' nō ꝓcedebat. q: ꝑticle mādāti p̄mo ē succurrēdū. 2⁰ ꝑticle egre ⁊ vtutib⁹ p̄ncipalr' lesis. vt declarat Ga⁹. in to⁰ ꝓcessu ipi⁹ libri, ꝓpt qd̄ nō merebat' dici curator egritudinū: s tribulator corpoꝝ hūanoꝝ. quapropter summū deū oīpotētē huilr' implorem⁹ vt menti mee dat has q̄ncqꝫ res in cura morborū necessarias bn̄ clarificare ⁊ ipius scie curatie breuis ⁊ electe magnitudinēqꝫ solidā ⁊ ꝑfectā eius notitiā. q: ipe est rerū magister trinus ⁊ vnus in seculoꝝ secula bn̄dictus. amen.

¶ Capitulū primū de cephalea ⁊ emigranea et de eorū cura.

Uando rubedo ⁊ tēsio ⁊ grauedo in facie ⁊ oculis cuꝫ istis affuerit ⁊ tactus calidus sētit' Et pls⁹ fuerit magnus ex cephalica faciēda est flobothomia i pte in q̄ est dolor vl' i q̄ dolor magis infestat. Deinde aq̄ rosata ⁊ oleū rosatū ⁊ acetū sumant' ⁊ sil' mixta agitētur donec ispissent' ⁊ sup niuē ifrigidata sup caput fundant'. Eger vo a carne abstineat ⁊ a vino ⁊ comedat adessiā citrinaꝫ ⁊ tapsil ⁊ olera frigida ac fruct⁹ frigidos. Uēter aūt soluat' ex mirabolanis citrinis ⁊ prunis ac tamaridis ⁊ zuccaro albissimo. Qd̄ si ista non suffecerit scia maluauisci i aceto posita agitētur quousqꝫ ad spissitudinē ꝑueniāt ex q̄bus empl'm capiti supponat' ex psillio quoqꝫ et aceto empl'm fieri vtile ē. Si aūt cū istis fuerit ipulsu velocitas ⁊ i tactu sentit' calitas sꝫ neqꝫ i facie neqꝫ i oculis fuerit rubedo neqꝫ tēsio i pricipio soluat' vēter. Deīn fiāt ea q̄ diximus. narib⁹ aūt iniciat' oleū violaceū aut oleū cucurbite dulcis aut oleū nenufaris aut oleū de florib⁹ salicis quoꝝ q̄dlibet sup niuē ifratū capiti sup fundat' ⁊ nutriat' vt prediximꝰ. Eger vo odoret cāphorā ⁊ aquā rosatā ⁊ salices ⁊ violas ⁊ his silia. Qd̄ si egritudo multū iualescat sumat' opij ⁊ cāphore vniuscuiusqꝫ q̄tū pōderāt duo gn̄a ordei q̄ dissoluta i oleo de salicib⁹ mittātur i nares ⁊ aures. Qd̄ si cū febda nō fuerit aliq̄d eoꝝ q̄ diximꝰ de rubedine i facie fueritqꝫ egritudo antiqua i p̄ncipio vēter cū pillulis co

MVSEVM BRITANNICVM

MEDICAL SOCIETY OF LONDON

chūs ſoluaṫ q̄s ego feci. Pillᷓe co-
chie. ℞. pulueris pigre. ʒ. io. colo-
q̇ntide. ʒ. iii. ⁊ tertiaȝ ſcamonee. ʒ.
ii. ⁊ ſemis turbith ſticados. ana. ʒ.
v. fiāt pillule ex iſtis et ſꝫ doſes. io.
Poſtq̄ vᵒ vēter ſolutꝰ fuerit īfū-
daṫ caput ex oleo ſambacino ⁊ olᷓo
de been ⁊ mittaṫ in aures Eger q̇ꝫ
odoꝛet algariā ⁊ īſuffleṫ muſcus in
naribꝰ Qđ ſi egritudo mlᷓtū īfeſta
uerit ſumaṫ euforbiū ⁊ caſtoꝛei am
boꝝ ana ſexta ps. ʒ. i. Et diſſoluta
in pauco ſambacino mittaṫ in na-
res ⁊ aurē. In cephalea vᵒ calᷓa em
plaſtrū hoc fronti ⁊ tipoꝛibꝰ ē ipo-
nēdū. Emplᷓꝫ ī cephalea calᷓa. ℞.
ſemis lactucaꝝ ſcieṫ memithe ſan-
dalū albū ⁊ rubeū ſanfel roſaſ opiū
fiat ex eis emplᷓm poſtq̄ aceto ⁊ aq̄
roſata cōſpſa fuerit et frōti iponaṫ
ſup qđ mittaṫ pānus aceto ⁊ aqua
roſata īfuſus. Qui cū tepefactꝰ fu
erit iterū īfundaṫ ⁊ deſup ponatur
linimētū vᵒ cephalice frigide: ℞.
caſtoꝛeū euforbiū piper ſinapiſ ſto
racem rutā narubiū q̄ ſiccata ⁊ pul
uerizata ⁊ tricocinta miſceanṫ ⁊ cō-
ſperganṫ vino veteri ex q̇bꝰ fiāt tro
ciſci ⁊ deſiccēṫ. Cūq̇ꝫ neceſſe fuerit
ex vno ī vino veteri aut oleo coſti-
no aut camomelio diſſoluto frōs
multotiens liniatur. Hoc em̄ lini-
mētū omniantiq̄ cephalee cōfert
nō ſolū ſuppoſitū ſed etiā auri inie
ctū q̄ſequiṫ illud tipus poſtq̄ ī ali
quo de p̄dictꝭ oleis reſolutū fuerit.
Egro vᵒ vinū vetus ⁊ forte dandū
eſt. Cū aūt cephalea p̱ ebdomadā
vnā pſeuerauerint eger in balneū
mittēdus eſt atq̇ꝫ ſup̱ caput ipſius
aqua in qua camomilla ⁊ ſamſucꝰ
⁊ ſticados arabicus et nemē cocta
fuerit ſilᷓ aut ſigillatim fundēda ē.
qđ ſi cephalice ⁊ quotidie an̄ cōeſti
onē iuadat et pꝰ cōeſtionē recedat
ſuccurrēdum eſt īfirmo an̄ hoꝛā q̄
venire cōſueuit dādo ei buccellas
panis ī ſucco g̃nati aut vue acerbe
aut hoꝝ ſiliū īfuſaſ. Si āt cepha
lea cōtingat ppṫ multā ī ſole moꝛā
ſufficiēter ex oleo roſato ⁊ aceto in
frigidatꝭ curari poterit. Que tn̄ ſi
ex hoc nō q̇euerit ex aliis īfrigidā-
tibꝰ curāda erit. ſi aūt adhuc ſoda
pſeuerauerit ⁊ foꝛtioꝛ fiat neq̇ꝫ vllo
modo remoueaṫ ⁊ timeaṫ: ne eger
viſum amittat ⁊ aqua ad oclᷓos de-
ſcendat tipoꝛū arterie ſunt īſcidē-
de et extrahēde Hoc tn̄ qđ nūc loq̄
mur eſt p̄ter noſtrā intentioneꝫ
in hoc libꝛo.

E cephalea gloſa. i. de doloꝛe in
toto capite. de emigranea. i. de dolo
re in media p̱te capitis. ⁊ ſic moꝛbꝰ
intellectꝰ deſcribiṫ nomie mēbꝛi ⁊ accidentꝭ ipſiꝰ
moꝛbi. q: cephas grece ideꝫ ē q̄ caput latie. ⁊ lea
qđ ē doloꝛ. ſic p̱ caput ⁊ eius doloꝛē deſcribiṫ paᵒ
intellecta. ¶ Silᷓr emig̃nea ab emi qđ eſt dimidi
um ⁊ granea qđ ē doloꝛ capitis. ſic a medio capi
tis ⁊ eius doloꝛe deſcribiṫ paſſio intellecta. Naꝫ
mos fuit helenoꝝ̄ noiare ⁊ deſcribere moꝛbos
q̇nq̇ꝫ mōis vt recitat Gꝰ. 2ᵒ de ingenio. in. 2ᵒ cᵒ.
Interdū noie mēbꝛi ⁊ accidētꝭ ipſiꝰ moꝛbi: puta
doloꝛꝭ vt dictū ē. Interdū noie ipſiꝰ mēbꝛi tm̄: vt
ſciatica a ſcia. Podagra a pedos grece qđ ē pes
latine ⁊ ſic de aliꝭ. Interdū noie accidētꝭ deſcri
biṫ ipſiꝰ moꝛbi vt ſpaſmos grece ē ꝯctio latine, te

BRITISH MUSEUM
SALE DUPLICATE
1787

naſinon ↄſtipatio. Interdū noīe ſue cāe, vt melēā
morb⁹ a melēa hūore. intēdū a ſilitudīe rei extriſe
ce in aliq̄ ↄditōe: vt in elephan[a] ab elephāte. q̄
eſt aīal groſſum ⁊ male formatū ⁊ inoportunum
Et ſpēs ipi⁹ lepre ſilr noīe rei ſilīs in cōditiōe vt
leonina a leone. ⁊ ſic de alijs ſpēbus. ¶ Dicēdū
ꝙ ē ꝺ dolore capiꝝ q̄ galea ouū ⁊ clau⁹ dr̄ q̄ deſcri
būtur ad ſilitudinē rerū extrinſece vt ſtatim ꝺcla
rabiꝝ. ¶ Alteri⁹ nota ꝙ 4[or] ſunt noīa paſſionē
totius capiꝝ ſigntia puta cephalea: galea. ſoda ⁊
ouū. Et ſunt tria noīa paſſiōem ptis capiꝝ ſign[a]:
vt emigñea monopogya clau⁹: 3° de inti. in c°. 1
Ga⁹ vtitur hoc noīe cephalea ⁊ galea. dicit gale
am. q: cōprehēdit totū caput ad modū galee. ſic
noīat ad ſilitudinē rei extrinſece eſt paſſio totius
capiꝝ multū intenſa. vr̄ eis ꝙ malleo ꝑcutiantur
in capite. nō pñt ſuſtinere clamores nec voces: vt
recitat Ga⁹ ibidē. Rab vtiꝝ hoc noīe cephalea:
Aui. 3° cañ. vtiꝝ h̄ noīe: ſoda ⁊ ouū ab ouo armorꝝ
ſic deſcribunt paſſiones iſtas ad ſilitudinem rei
extrinſece. ¶ Emigranea eſt paſſio medietaꝝ ca
pitis vt dictū eſt. Monopogia eſt paſſio 4[e] ptis
capitis Clau⁹ eſt paſſio in ꝑua parte capiꝝ. cōit ē
talꝭ paſſio ſupra oculū in ſupcilio. vr̄ eis ꝙ clauo
ſeu terebello ꝑforanꝝ. fit a ma[a] acuta cū portiōe
ventoſitaꝝ intercluſa in pellicula extiori ſup cra
neū dicta ꝑicraneū l' interiori infra craneū vt de
clarabitur. ¶ Alteri⁹ magl nota ꝙ iſte paſſiōes
doloroſe capiꝝ dicte ſunt ꝑoxiſmales 3° de interi
oribus ca° 1°. Et durat ꝑoxiſm⁹ cōiꝝ duobus aut
trib⁹ dieb⁹. ⁊ poſt aliqñ cōcomitante effimera vt
plimū tanꝙ accñs. ⁊ fiūt ꝑoxiſmalr̄ aliꝗ ꝑ ſeptia
nas ſeptimanarꝝ vel menſiū: vt declarat Ga⁹ 2°.
de creticis dieb⁹ circa finē: ⁊ mouetur ꝑ dies pa-
res vel īpares forti⁹ ⁊ ſm ꝙ ma[a] ē flatica vl' co-
lerica mouetur. q: flatica mouetur per dies pa-
res ⁊ colica ꝑ impares ex natura hūorꝝ ⁊ ex ↄue
niētia mouētis puta nature cū motor: vt pōit auer
rois. 3° collectorij.

Primo tu queres cui⁹ ꝑticule capitis ce
phalea ⁊ emigñea ſit paſſio ꝑn-
cipalr̄. Et ſic q̄riꝝ de alijs paſſionib⁹ capiꝝ ſupra
dictis. ¶ Soluit Ga⁹ 3° de interiorib⁹ circa finē
libri ca° ꝓprio: vbi dic̄ ꝙ nō eſt incertū imo certū
⁊ verū ꝙ nō patiūtur niſi pellicule cere[i] dura, mr̄
pia mater vel ambe l' pellicule circūdantes cra-
neū. ⁊ ſignū diſtinctiuū eſt ꝙ ſi pellicula coopiēſ
cerebrū patiaꝝ: tūc dolor tendit vſq ad oculos.
Si aūt pelliclā coopiēs craneū patiaꝝ ꝑncipalr̄
tūc oculi ñ dolēt. Et addit Ga⁹ ibidē. Et dicit ꝙ
ipi in tāgendo pilos maxime dolent

Secūdo tu q̄res an cephalea: ⁊ ſic de
alijs paſſionib⁹ dictis ſit pa°
illarꝝ pellicularꝝ ꝑ ſe vel per colligantiā ⁊ cui⁹ mē
bri colligātia. ¶ Dicendū ꝙ pōt eſſe ꝑ ſe vicio ce
rebri ⁊ pellicularꝝ. vel ꝑ mēbri aut mēbrorꝝ colli-
gantiā: qꝺ eſt vt plimū. Signū diſtinctiuū ad h̄ ē
ꝓceſſus vniformis ⁊ difformis ꝑoxiſmorꝝ ſm na
turā tporꝝ ꝑoxiſmi. nā qñ eſt per ſe in pelliculꝭ. tē
ꝑoxiſm⁹ ꝓcedit vniformiꝝ ſm naturā ꝑoxiſmi au
gmentando vſq ad ſtatū. Poſtea ↄtinue minui-
tur. Qñ eſt per colligantiā eſt econtra. q: ꝓcedit
difformiter ⁊ ñ ſm naturā temporꝝ ꝑoxiſmi. nam
vſq ad ſtatum non continue procedit augmen-
tādo. imo aliqñ ī augmēto vel ſtatu aliqualiꝝ mi
nuiꝝ cōtra naturā tēporꝝ ꝑoxiſ[i]. Et hoc ē ex diuer
ſo motu maꝭie rōne ptis mandātis. hoc declarat
ga. 2. de inꝝ. c°. vltio ¶ Aliud ſignū ē. querela ali-
cui⁹ mēbri ab illo añ ꝑoxi[m]. ⁊ ī hoc notificaꝝ cu
ius mēbri colligātia: vt ſi venit a ſto° patiēs hꝫ q̄
relas de dolore ſtoma[i] ante vel poſt vel ī ꝑoxiſ°.
Vñ dicit ga⁹. 3. de inꝝ. circa finē libri ſic. Hij vero
q̄ patiūꝝ ſchotomiā ⁊ vtiginē ꝓpꝝ os ſto[i]: prius
incipiūt pati titillatōem in corde ⁊ circa os ſto[i]
⁊ abhoiatōem ⁊ ſic de alijs mēbris puta epatis
ſplenis matricꝭ renuꝫ diafragmaꝝ. ⁊ ſi nō veniat
ab aliquo mēbro tūc nō erit q̄rela manifeſta al-
teri⁹ mēbri a cerebro. Et ſup hoc nota ꝑ euidētia
dicēdorꝝ in toto ꝓceſſu ꝙ oīs morb⁹ aut ſꝑ ē ꝑ ſe
in mēbro. i. vitio ꝓpo mēbri. aut ē ꝑ colligātiam
id ē vitio alteri⁹ mēbri. Si ſit vitio alteri⁹ mēbri
ſeu ꝑ colligātiā fiet duplr̄. ꝑ°. 2°. ⁊. 3°. de interio. ī
plurib⁹ locis. q: aut venit qꝺ venire nō ꝺꝫ ad ip-
ſum mēbrū ſm ſui naturā: vt mal⁹ fum⁹ capnoſ⁹
ſtomachi ad cerebrū vel ad oculos vel hūor: q̄t⁹
vel q̄lis ad oculos vel ad aliud mēbruꝫ vltra ſui
naturā. aut q: non venit qꝺ venire debet ad ipm
mēbrū ſcꝺm ſui naturā vt ſpūs viſibilis ad ocu-
los vel ſpūs ſenſitiui ad digitos vel ſpūs vitales
ꝑ regenerationē vel fluxum ab arterijs ī corde ex
dolore ⁊ compaſſione alicuius mēbri in ſincopi.
Hoc bene declarat galien⁹ in. 3°. de interio. c. ꝑ°.
de piſcina aque ſi veniat turbida. vel ſi non veiat
in q̄titate ſufficiēti ⁊ bñ mūda ⁊ clara piſcina e-
grotabit ꝑ colligantiam.

Tertio Tu queres. cephalea ⁊ emigñea
que paſſiones ſīt ī ſe in genere et ī
ſpecie. Soluit littera Rab in caplō. idem dic̄ ga
lien⁹ in paſſionario ſuo ꝙ pōt eſſe calida fria hu.
ſic. ſic in ſpecie calꝭa ſanguinea calꝭa colerica fria
flātica fria melꝭca. verū cum tali materia cōmu-
niter cōmunicat vent⁹ in pelliculis ⁊ cōcauitati-

bus cerebri ꝓpter quod eſt ibi maioꝛ doloꝛ. quia
tūc fit ſolutio cōtinui ꝓpter tēſionē pelliculaꝝ
⁊ aliqualis diuerſitas ⁊ inequalis diuerſitas in
ꝓceſſu Nota ꝙ cephalea ſeu doloꝛ capitis aliqñ
eſt ſupueniēs in fe. uł coicās ipſā fe. Aliqñ fit ex
mafia apoſtemoſa in pelliculis cerebri. iſta ꝓce-
dit ſemꝑ augmētādo ſm tꝑa moꝛbi ſeu fe. nō ob
ſtātib⁹ flōmijs ⁊ alijs remedijs cōiter moꝛiunt.
quia cōcurrūt duo moꝛbi peſtiferi. vide hic de fa-
cto pl'imos. Et ſuꝑ hec nota ꝓ euidētia dicēdoꝝ
in toto ꝓceſſu ꝙ raſis docꝫ cognoſcere iſtas paſ-
ſiōes in genere ex ſignis ſubaliter inherentibus
que ſunt ſigna neceſſaria verificationis ut ponit
Ga. ⁊ cōmētatoꝛ haly 2° tegni ca° p°. puta ex p-
mis qualitatib⁹ potiſſime ꝑ ſenſū tactus in fron-
te ⁊ in alijs partibus doloꝛoſis. Ideꝫ intelligas
in alijs paſſionibus alioꝛum membroꝝ. nam qꝛ
tales qualitates intrant diffinitionē coꝛpoꝛis ta-
lis lapſi ⁊ incontemꝑati in calido frigido humi-
do ſicco dicunt ſigna ſubſtantialia. i. eſſentialia
illi propter quod ſunt neceſſarie verificatiōis. ſi-
militer docet eas cognoſcere per ſigna ducta a
caſib⁹. i. ex qualitatib⁹ ſecūdis cadētib⁹ a primis
ut ex coloꝛe tali uel tali. nā rubedo obſcura in fa-
cie ⁊ in oculis ſignificat paſſionē calidā ſangui-
neā rubedo clara eſt ſubcitrina ⁊c̄. in ꝑtib⁹ ill' ſi-
gnat paſſionē cal'am colicā. Oppoᵐ. tu dices d
paſſiuis ſi patiēs fuerit pallid⁹ ⁊ in frōte frigid⁹
Iſta ſigna vt pl'imū ſunt veridica vt ponit ga⁹. ⁊
haly in loco ſtati allegato.

Quarto tu qres. cui⁹ vtutis cephalea ſit nocumētū pncipal'r. Idem
qritur de emigranea: vel de monopogia ⁊ clauo
Dicendū ꝙ ꝑ iſtas aut intelligim⁹ doloꝛē aut paſ-
ſionē cōſilē m doloꝛoſam. Si pmū tūc ē nocume-
tū pncipal'r virtutis ſenſitiue. qꝛ ois doloꝛ ē no-
cumētū ſeu actio coꝛrupta ſenſus tact⁹. 3. d moꝛ.
qꝛ ois fit ex ſenſu rei cōtrarie cū coꝛruptela oꝛgāi
ſenſus tact⁹: vt ibi declaratū ē. Si intelligamus
paſſionē doloꝛoſam dictā puta cōſilem cū mafia
Tūc dico ꝙ eſt nocumētū regitiue natural' potiſ-
ſime digeſtiue ⁊ expulſiue mēbri mādant ⁊ reci-
pientis vel ipi⁹ mēbri tm̄ ſi ſit vitio ꝓpo. Sil'r eſt
nocumētū virtutis regitiue vitalis expulſiue per
cōſtrictiōem arteriaꝝ ⁊ pectoꝛaliū: vt declarat g⁹
11° de inge. c. 2. ⁊. 8. Et hoc ē cōe oi moꝛbo cōſili
mafiali ꝙ ſit ex nocumēto. i. ex mala actōe earū.
nam qñ digeſtiua nō digerit digerēda vt debet:
nec expulſiua naturalis ⁊ vitalis expellāt expel-
lenda ꝑ vias deſtinatas a natura tūc generatur
cauſa moꝛbi conſimilis neceſſario: vt eſt ibidem
declaratum.

Quinto tu qres. cuius virtutis cepha⁹ eſt paſſio principalit. i. cui vtu-
ti infert nocumētū. Idē de monopogia emigñea
⁊ clauo. ¶ Dicendū ꝙ iſte paſſiōes dicte cōſide-
rant dupl'r. vno mō vt ſūt paſſiōes cōſiles ca. fri.
ſic. hu. tunc ſunt paſſiōes pncipalit vtutum na-
turaliū regitiuaꝝ ꝑticule leſe ⁊ ꝑtiū vicinaꝝ. vñ
cānt ab ipis regitiuis naturalib⁹ leſis mēbroꝝ
mādantiū qñ ſūt ꝑ colligantiā ⁊ ab ipis ꝓprijs
regitiuis naturalib⁹ ꝑticule leſe qñ fiunt ꝓꝓvi-
tio mēbri ⁊ iſtis ꝓprijs regitiuis naturalib⁹ pri-
cipaliter inferūt nocumētū coꝛrūpēdo magi eas
in actōib⁹ ꝓprijs coꝛrūpēdo magis inſtrm ꝓpri-
um actionis eoꝝ puta cōplionē naturalē ꝓpter
qđ ſūt paſſiōes eaꝝ. Alio mō ꝯſiderāt tales paſ-
ſiones vt ſunt doloꝛoſe tūc ſunt paſſiōes regitie
aiate potiſſime ſenſus cōis. qꝛ ab eo doloꝛ appre-
hendit cū coꝛruptela oꝛgani. qꝛ cū reſolōne ſpūū
Similit ſunt paſſiōes aliaꝝ vtutū aiataꝝ. nā nō
bene valent in actionib⁹ ꝓprijs ſtāte doloꝛe i ca-
pite. qꝛ inſtrm ſuarū actionū deficit: puta ſpirit⁹
aiati. nā reſoluūtur ⁊ alterāt ad qlitateꝫ exceden-
tem nō negādo qn ſil'r ſint paſſiōes ꝯñter regiti-
uarū naturaliū. qꝛ eis talis doloꝛ infert nocumē-
tū ꝑ reſol'oem ſpūum. nā doloꝛes ꝓſternūt virtu-
tes pmo ꝓnoſtic. qꝛ inſtrumentū actōis vtutū re-
ſoluitur: puta ipi ſpūs.

Sexto Tu qres ſi doloꝛ pōt tm̄ ineſſe in vno ventriculo abſqꝫ ꝙ alt dole-
at. Videt ꝙ nō. qꝛ doloꝛ ineſt membri ꝓpt vicini-
tatē vt dicit ga⁹. 2. ꝓnoſti. ꝯ° pmo. ergo videt: ꝙ
vno dolēte alter circūſtans doleat. In cōtrariū ē
raſis. Dicēdū ꝙ vn⁹ ſol⁹ vētricul⁹ pōt dolere. qa
ſibi ſoli ineſt cauſa doloꝛi puta mala cōpl'o ⁊ ſo-
lutio cōtinui rōne vētoſitatis tendent vel rōe ipi-
us male compl'onis. nā foꝛtis mala cal'a cāt do-
loꝛem alterādo ⁊ ſoluendo ꝯtinuū. Idem de fria
4. de moꝛbo. Idem dicit in libello de mala ꝯple-
xione diuerſa. c. 5. ¶ Tūc ad rōes patꝫ ſolutio ꝙ
ꝑs aliq vicina ꝑti egre de poſſibili incipit altari
ꝓpter vicinitatē. hoc intēdit ga⁹ i toto illo. 2ᵗ. ꝓ-
noſticoꝝ. vt patet.

Septimo Tu queres. qre i iſtis paſ-ſionib⁹ eſt tāt⁹ doloꝛ: ⁊ ita
acutus. Dicendū eſt ꝙ materia eſt multū calida
aduſta pūgitiua vel fria moꝛdens pelliculas ce-
rebri cū ventoſitate intermixta rōne vapoꝛis ele-
uati. qꝛ vent⁹ nihil aliud eſt ꝙ vapoꝛ mot⁹. ideo
rōne pūctōis ⁊ acuitat ⁊ rōne tētōis ſeu ſoluti-
onis ꝯtinui ē tātus doloꝛ ⁊ ē infix⁹. qꝛ claudit cā

tāſī in aliq̄ vētriculo ⁊ pellicule alterāt̄ ⁊ ſoluūt̄ i
cōtinuo ꝑpter tētionē ⁊ pūctōem. iō h̄t tātū do
lorē vrpiuū in pte dextra magꝭ q: maᵃ illa calīa
magꝭ fluit ibi ab epate ꝑ viā effumatōis ⁊ a par
tibus vicinis.

Octauo tu q̄res vtrū in iſtis paſſiōibꝰ capitis dictis cōpetat meᵃ la-
xatiua in pncipio nō p̄cedēte ſirupo. videt̄ ꝙ nō
ex textu ypo. Digeſta medicari. pmo amph̄o. idē
vult gaꝰ. in ꝯᵒ. ¶ Alterꝰ arguit̄ rōe eoꝝ fūdata
ibidē qꝺ augmētat diſcraſiā ⁊ cām diſcraſie pu-
ta materiā peccantem multiplicat. id tale nō cō-
petit: ſꝫ medicina laxatiua fortis exhibita in pnci
pio non p̄cedēte ſyrupo eſt hmōi. igit̄. maioꝛ eſt
nota q: medicꝰ debet iuuare naturā ⁊ nō nocere
2ᵒ regimēti acutoꝝ. Si eñ ſagaci. minoꝛ patꝫ q:
oīe laxatiuū eſt calīn: ⁊ ſic augmentat diſcraſiā
ſaltem i calīs ⁊ attrahēdo ꝑ forte laxatiuū ſic in
pncipio nō p̄cedente ſirupo malignuꝫ ꝑmiſcet̄
magis cuꝫ benigno: ſic maliguū augmentatur:
⁊ ptes ꝑ quas tranſit iviolāt̄ ꝑpter maliciā ma-
terie. ¶ Ulterius ꝓbat̄ intentiōne viatici caᵒ. de
cura cephalee colerice. vbi iubet dare ſirupū vio-
laceū ⁊ acetoſum ⁊ malag̃nata. ¶ In cōtrariū
hoꝝ eſt Raſ̄ in. c. vbi docet dare medicinā ſtatiꝫ
in pnciᵒ non p̄cedēte ſirupo. Rō ſua: q: matie
aſſiſtētes pncipalibꝰ membris h̄t quādam fu-
rioſitateꝫ ꝑpter infeſtatōem illatā eis rōne vici-
nitatis ⁊ ꝑpinq̄tatis. ideo multū errāt illi q̄ ſpe-
ctant magnā maturatōem in bubonibꝰ pncipa
liū mēbroꝝ retro aures ⁊ in ſubaſcell̄ ⁊ in ingui
nibꝰ. q: ꝑ viā effumatōis pncipale multū leditur
Un̄ galienꝰ in paſſionaᵒ ſuo fuit de opione raſ̄
⁊ auic. 3. cañ. c. ꝓprio. ¶ Dicendū breuit̄ ad q̄ſtio
nē ꝙ iſte paſſiones euenientes non p̄cedēte fe.
ſunt paſſiōes pncipales mēbri pncipal̄. ⁊ fe. ē
acc̄ns eoꝝ ꝑpter qꝺ ſtatim in principio ſunt far-
macādi. Iſta eſt intētio raſ̄. Si aūt fe. ſtante per
tps ſupueniat cephalea vel emig̃nea ſignum eſt
raptꝰ matie ad cerebrū ⁊ duᵐ de apate tunc ma
gis feſtinamꝰ flōiam.

Cōcluſio Ergo ſequitur ꝙ in iſtis paſ ſionibus febre non p̄cedēte
ſed ſimul euadente vel ſubſequente cōpetit meᵃ
laxatiua ⁊ attractiua in pncipio ſtatim. ꝓbatur:
ſicut eſt in obtalmia multū doloroſa ita eſt i iſtis
paſſionibus in cephalea ⁊ emigranea. pꝫ q: vici
nitatem habent cuꝫ principali membro ſed i do-
lore obtalmico forti cōpetit medicina attractiua
in principio ſtatim non p̄cedente ſirupo. patet ꝑ
gaᵐ. 13. de ingenio. c. vi. Idem intelligit in forti-
bus doloribus alioꝝ ſenſuū vicinoꝝ ipi principa
li mēbro puta cerebro. ⁊ ſic ſunt curati in ſecūdo
die: vt ipe dicit ibidē. ⁊ ſic ibi ꝯcludit̄ ꝙ morbus
ſalubris pōt curari a bono medico abſq3 hoc ꝙ
veniat ad augmentū. ¶ Ulteriꝰ arguitur ſic. A
cauſa forti vt a cauſa nobil̄ doloris potiſſime ꝑ̄ꝗ
nobilis eſt incipiendū in cura materiā illā eijcie
do. igit̄ farmacia cōpetit in principio harū paſſi
onū. añs eſt galieni. iiᵒ. de ingenio ſanitatis. ca-
pitul̄ pmis ⁊ vltīs. ꝯſequētia patet. Item ille pro
ceſſus eſt bonus ⁊ artificialis ē quo ſtatim acq̄
ritur ſanitas. ſꝫ ꝑ medicinā attractiuā in pnci
nō p̄cedente ſirupo ſanitas ſtatim acq̄ritur. igit̄
maioꝛ. ē nō minoꝛ pꝫ ꝑ raſiꝫ hic. ⁊ ꝑ gaᵐ. 13. de in
genio. vbi ponit hoc in obtalmia. quia ſi in prin
cipio ſtatim farmacent̄: ſunt curati in craſtinuꝫ.

Alia cōcluſio Eſt ꝙ in cephalea ⁊ alijs dictis paſ-
ſionibꝰ q̄ cōſequūt̄ ad febrē quibuſdā diebus cōi
ter ſtatim farmacamꝰ cū tamarindis ⁊ caſſiaſ̄.
q: natura digeſſit materiā ꝑ tempꝰ. Et eſt dubi-
um de raptu materie ⁊ de apate. illud eſt facien
dū qꝺ eſt meliꝰ ⁊ ſecurius. maioꝛ nota. mioꝛ pꝫ
ex declaratis.

Ad ratōnes reſtat r̄ndere. Ad ypo cratē dicenꝺ: ꝙ ypo.
intellexit ꝙ oīs maᵃ q̄ exiſtit in aliq̄ principaliuꝫ
hꝫ furioſitatem. Ad rōeꝫ dicendū ꝙ verū ē ſi nō
ſeq̄ret̄ maiꝰ bonū quod tñ fit vt eſt declaratum.
¶ Ad aliud dicendū ꝙ ipe intelligit ꝯſiderando
febreꝫ tāꝙ morbū principaleꝫ. ¶ Ad aliud dicē
dū ꝙ male opinati ſunt ꝑpter cās ſtatim dictas
Sic patet raſis intentio declarata.

Nono tu q̄res. ſi in iſtis paſſiōibꝰ ꝯpetit flōia. ⁊ ſi cōpetit: q̄ tpe competit.
Dicēᵐ ex itētōe raſ̄ h̄ ⁊ ga i paſſioᵘ ſuo ⁊ auic. ⁊
viaᶜ. oēs ꝯuenerūt i h̄ ꝙ i iſtis paſſiōibꝰ ꝺ cā ca.
ꝯpetit fort̄ flōia i pnᵒ l̄ meᵃ attractia. veꝝ q̄dā illoꝝ
p̄eligūt farmaciā ⁊ q̄dā illoꝝ flōiaꝫ. Sciaſ ꝙ ego
iuenio maxiᵐ remeᵈ i flōijs fortibꝰ i pnᵒ i mltū
venenoſ̄. iō i talibꝰ ē flōia feſtinād a. i nō mltū ve
noſ̄ farmacia: ⁊ ſic ſunt ꝯcordati. ⁊ ꝯpetit de ce-
phaᶜᵃ eiuſdē ꝑ r̄. ⁊ ſi nō iueniat: capiat mediaᵃ.
ꝯſiliū ē gaˡ. 3. ⁊. 4. de int̄. ſup cura mlīce paſſiōis
Et niſi bñ reparet̄ reiteret̄ 3ᵃ vel 4ᵃ die ſequēti.
vel ſ̄ de vena front̄ ⁊ tipoꝝ vt dicet̄. Si cā ſu fra
tūc nō ꝯpetit flōia ſꝫ farmacia. veruꝫ in cā fria ſi
patiens ſit multū venoſus ꝙ habeat venas ml-
tū latas potiſſime in ptibꝰ ſupioribꝰ tūc cōpetit
flōia. Uenēſū n̄ dubites flōare. xi. de inge. i crōi
ca ⁊ lōga cephalea vl̄ emig̃nea potiſſiᵉ flāᶜᵃ. raſ̄

⁊ Gaꝰ vtebantur: ⁊ recurrebāt ad cauteria actua
lia: ⁊ ſic termínetur queſtio bona.

Iſtis clarificatis ſcura cepha
lee tibi pate
ſcit: verū ꝙ clauis ſanatōis ſtat in pauc̄ bene ap
propriāt paſſioni in alterādo ⁊ ꝑticule in ſubſtra
hēdo vt vult Gaꝰ in paſſioº ſuo. Jdō pauca ⁊ ele
cta tibi ponā in curatōe huiꝰ ⁊ aliaꝝ mihi ꝓbata
tꝑibus a Raſi h ⁊ in ꝯtinēte ſuo: ⁊ a Hº i paſſioº
ſuo. Jn cephalea q̄ de calida cā īrinſeca ſine fe.
vel fe. ſubſeq̄nte ſeu comitāte cū q̄ eſt rubor aliq̄
lis in facie ⁊ in oclīs calor frontꝭ vrina tēdēs ad a
liq̄lē rubozē. Si ꝯſtipatus fuerit fiat ſibi cliſtere.
℞. q̄nqꝫ herbaꝝ cōium añ. m. i. anſi marat' añ. ʒ.
ij. furfuris groſſi. p. i. fiat decoctio in qua diſſolua
tur caſſiefꝭ mūd. ℥. i. yerapigre Ga'. ʒ. ß. olei viol.
q̄rt. ß. ſal' cōis. ʒ. ij. fiat cliſtere capiat ipm iacēdo
ſupra latꝰ: ſi dubitet inclinatōeꝫ capitꝭ in loco cli
ſterīſ capiat caſſiāfꝭ ſeq̄ntē in ortu ſol' ⁊ in lecto ꝑ
tres horas. ¶ ℞. prunoꝝ damaſcenoꝝ vuaꝝ paſ
ſulaꝝ mūd ab arill' caricaꝝ pinguiū iuiube ſebe
ſten. añ. p. ß. fiat decoctio in duabꝰ. lī. aq̄ donec re
deat ad. lī. ß. in q̄ diſſoluaꝛ caſſiefꝭ bñ mūd a toto
℥. i. ⁊ ß. fiat potus vt dictū in craſtino fiat flōia de
cephalica vena ad lī. i. qua nō inuēta. fiat de me
diana: q: illa ſatis euacuat a capite. 4º. de inſio.
¶ Applicetꝛ frōti pānus lineꝰ īfuſus et ꝯpreſſus
in olō ro. vnfancino: vbi ſit 3ª. vel 4ª. pars aceti
boni ſil' bñ agitatꝭ: q̄ nō inuēto capias de cōi cuꝫ
magna ꝑte aceti ſiml' bñ agitatis. valet etiā pan
nus lineus īfuſus in aq̄ endiuie: vel plātagis vel
ro. cū portōe aceti ſil' bñ agitatꝭ. ymo i defectu ho
rū aq̄ fontꝭ cū tertia ꝑte aceti vꝫ. pānus lineꝰ ibidē
infundaꝛ. Sacculus de roſ puluerizatꝭ fronti ap
plicatꝰ vꝫ. ¶ Tertia vel 4ª. die ſi opus fuerit rei
tera flōiam de cephalica alteriꝰ ꝑtis. Raſ in ꝯti
nēte ſuo dicit: cū ꝓlōgatꝛ ſoda cal'a accipiatꝛ vena
frontꝭ vel timpoꝝ vel naſi: vel loci vbi eſt ſi ſit poſ
ſibile. Jdō vult Gaꝰ in paſſioº ſuo. ¶ Jn cepha
lea de cā cal'a magꝭ colica cum q̄ nō cōicat rubor
in facie nec i oclīs: ſꝫ calor magnꝰ in frōte cū citri
nitate colorꝭ i facie ⁊ vrīa fiat ſibi ſtati cliſtere dēꝫ
vel tal' medicina. ℞. prunoꝝ damaſc̄ vuaꝝ paſſu
laꝝ mūd ab arill'. añ. ʒ. x. tamarind electoꝝ. ℥. ij. ſꝫ
decoctio modica in q̄ diſſoluatꝛ caſſiefꝭ mund. ℥. i.
fiat potus detꝛ in aurora: ſi ñ placet ſibi potare da
ſibi. ʒ. ij. pill'aꝝ aureaꝝ nō ꝑcedēte ſirupo: vt ē di
ctū ſupius clarificādo ſpeculatōeꝫ curatōeꝫ ipiꝰ
cephalee. Si iſta ñ placēt ⁊ ſit ꝯpetēter venoſus
⁊ aſſuetꝰ flōias fiat flōia ꝓut dictū eſt. Applicetꝛ
fronti muſcillago pſillij agitata cū portōe valde

medica aceti vel de chimolea bis vl' ter i vna ho
ra q: ſtatim exſiccatꝛ. ꝯciliū eſt Ga'. in paſſioº re
ſeruetꝛ in vaſe cū aq̄ vt nō exſiccetꝛ: naribus q̄ꝫ inij
ciatꝛ cū pluma: oleū viol' vel nenufꝭ vel cucur. pa
tiens q̄ꝫ odoret cāphorā ⁊ aquā roſ. Optimū eſt
talibꝰ potare parū aceti bñ limphati. Jſtis ⁊ alijs
bonū eſt ſtringere caput forti ſtrictōne. ne tñ ſol
uantꝛ in ꝯtiº pellicule cerebri. Jn emigranea d' cā
cal'a q̄ cōiter fit i ꝑte dextra videas ſi ſanguis cōi
cat vel co. facias vt dictū eſt ⁊ melior q̄ pōt fieri i
tali emigranea vel ſoda de cā multū cal'a eſt dare
in mane patiēti panē madefactū i aceto limpha
to ⁊ euacuare col'am. vba ſunt Raſ in toto ꝯtinē
te in rōne ſtat hoc. Tondantꝛ iſti vl' radantꝛ vt me
lius remedia applicentꝛ ⁊ materia velociꝰ effumet
¶ Jn cephalea ſeu ſoda de cā frigida ꝯtiª ⁊ for
ti ⁊ emigrānea cū q̄ nō cōicat rubor nec calor exce
denſ in frōte nec in capite nec latitudo venaꝝ nec
vrina colorata. ⁊ iuuatꝛ a calis ⁊ ecōtra fiatꝭ ſibi cli
ſtere cū q̄buſdā herbis cōibus ⁊ cētaurea minori
⁊ abrotano cū. ℥. i. yerapigre ⁊ caſſiefꝭ ⁊ olō camo
mille ſeu viol'. vel detꝛ ſibi. ʒ. ij. ⁊ ß. pill'aꝝ cochia
rū nō antiquaꝝ. Si venoſus aliqual' fuerit ⁊ aſ
ſuetus facere flōias. facta purgatōe flōetur de ce
phalica: q: flōia multitudinē huōꝝ euacuat. Ra
ſis vult i ſuo ꝯtinēte ꝙ caput ſtatim ſibi radatꝛ et
inungatꝛ cū oleo de lilio vel ſābucino vbi ſit mo
dicū de euforbio ſubtiliſſime puluerizato. ¶ Ad
uertēdū tñ ꝙ ante raſurā abluatꝛ cū vino albo de
coctōis floꝝ camomille mellilori āthos ſticad fo
lioꝝ ſene ⁊ betonice. añ. m. i. Raſ dicit ꝙ q̄ñ eſt a
tali cā humida eſt magꝭ pōderoſitas i capite ⁊ ma
ior ꝙ q̄ñ eſt a cā cal'a: q: tūc hꝫ quādā lenitatem
capitꝭ. ¶ Fronti timporibꝰ ⁊ ꝯmiſſure applicent
cubebe puluerizate diſtemꝑate cū aq̄ roſ ⁊ vino
albo ſuper pāno lineo poſito q̄ñ ſunt optime ce
phalee frigide i additōibꝰ Raſ. Vel frōti ſuo ap
plicētꝛ ⁊ capiti folia abſin' ⁊ marrubij bullita in
aq̄ ⁊ bñ ꝯpreſſa reiterādo pluries: vel applicētur
capiti ſuꝑ ꝯmiſſura ⁊ fronti ⁊ timporibꝰ cū pāno
lineo de attramēto ſcꝑtoꝝ mūd a galis. de fecibꝰ
tincte de pauſa i pauſam renouādo q: ſtati exſic
catur. Vel ponatꝛ de iſto ceroto ſuꝑ caput ſuum.
¶ ℞. olei ſābuci vl' olei de lilio. ℥. 4. euforbij pul
uerizati. ʒ. i. cere. ℥. iij. fiat cerotum extendatꝛ ſupra
pānū lineū l' alutā ſubtilē ⁊ capiti applicetꝛ Si do
lor excedēs multū fuerit infundatꝛ infra aureꝫ. v.
vel. vi. gutte calide iſtiꝰ olei bis vel ter in die ⁊ no
cte. ¶ ℞. olei de lilio vel olei ſambuci. ℥. i. ⁊ ß. eu
forbij ſubtiliſſime puluerizati. ʒ. ß. miſceantꝛ ea q̄
dicta ſunt in vtraqꝫ cauſa. ¶ Jntelligūtur q̄d nō

venerit ſoda ex reumate tūc non debēt applicari actu humida: ſufficit eis purgatio ꝯueniēs ⁊ fricatio extremitatū: ⁊ ſaccul⁹ de milio paꝝ ꝯq̄ſſato ⁊ calefacto vſq; reuma minoratū fuerit de modico reumate non eſt cura. Si autem ſoda ex mora in ſole fuerit applicent̄ illa q̄ dicta ſunt in cauſa calā: q2 ꝯtingit in hn̄tib⁹ caput calīn. Si autē ex ꝑcuſſione venerit ꝯfeſtim flōetur de cephalica ⁊ in bona q̄titate inūguēdo cū olō roſ. ⁊ nenuf̄ ꝑ alios dies patiētes cephaleā ſeu ſodā de q̄cunq; abſtineāt a potu ⁊ cibo duob⁹ diebus. Si durauerit in cā frigida p̄t vti vino ⁊ carnib⁹ q̄plures hoꝝ nolūt purgari. Sed habēt vomitū infra diē naturalē cū modico adiutorio interponūt pennā infuſam in oleo in gutture euomūt ⁊ ſunt curati Patiētes cephaleā a q̄cūq; Cā odiūt lucē ꝓpter dolorē oculoꝝ. ideo iaceant in obſcuro Et hec de cephalea dicta ſufficiant.

¶ Capitulū. 2m de vertigine ⁊ ſcothomia.

Um aliquis illđ quod ante eū eſt circulariter moueri viderit ⁊ oculi tenebreſcunt ⁊ cadere voluerit ⁊ facies ⁊ oculi rubuerit ī eadem hora vene q; que ſunt poſt aures groſſe apparuerit ex ipſis venis facienda eſt flōia ⁊ ventoſe in collo ⁊ tibijs ſunt ponēde. Qđ ſi predicte non apparuerint vene et facies fuerit rubea ſanguis ex baſilica erit minuendus ⁊ ventoſe in tibijs erūt ponēde In hac ꝑterea ſcothomie ſpecie ⁊ in ea quā an̄ diximus caput ex oleo roſato ⁊ aceto eſt infundendū Eger q; calida cibaria vitare debet: venter vero ex apozimate mirabolanoꝝ citrinoruz quod in capitulo de cephalea diximus ſoluendus eſt. Cum aūt neq; in facie rubedo: neq; febris cum ſcothomia fuerit attendēduz eſt an ſit ſtomachi ſubuerſio ⁊ nauſea. Que ſi affuerint prius vomere cogendus eſt: deinde de pillulis cochijs doſim vnam ſumat ⁊ a frigidis abſtineat cibis. Si aūt neq; anime ſubuerſio neq; nauſea affuerint neq; caliditatis ſigna apparuerit vent̄ ex pillulis cochijs multotiens ſoluatur. Cibaria q; frigida omnino vitet ⁊ gargariſm⁹ fiat quo flegma deponatur. In naribus quoq; poſt illud ponatur aliquid de his q̄ nominauimus quo caput calefiat.

E vertigine ⁊ ſcothoīa ⁊ eoꝝ cura

Rubrica v̄tigo a vertice: q2 paſſio verticis vt q̄dam dicūt. Aliter ⁊ meli⁹ vertigo a vertendo: q2 videt̄ eis q̄ omnia v̄tant̄ in gyrū in tenebroſitate ocloꝝ: ⁊ ſi curuent caput ⁊ eleuent: vix vident ⁊ viſa iterdū apparēt ſubrubea: interdū viridia: interdū nigra: interdū ſubalbida ſm naturā humoꝝ a q̄ talis decidit̄ fumus ſm q̄ talis humor decliat ad naturā ſanguinis vel colere aduſte. vel flātis: vel mlie. Ille fumus eſt diuerſi coloris. Scotos grece qđ eſt videre latine ⁊ mia qđ eſt muſca. q. videre muſcas volantes coram oculis ſuis. ¶ Ulterius nota: q̄ iſte paſſiones deſcribunt̄ noie accn̄tis vt interdū eſt mos antiquoꝝ vt eſt ſupius dictū: q2 deſcribūtur noie actōis leſe. Nam v̄tigo a vertigine q̄ eſt actio fortiter leſa q̄ſi corrupta ſenſus cōis q̄ iudicat oīa volui in gyrū qđ nō fit. Deſcpta ē actio leſa a ſilitudine rei extrinſece vt interdū mos eſt helenoꝝ: vt dr 2°. de ingenio. ca°. 2°. Que actio leſa deſcribit mihi talē vel talē paſſionē in ꝑra cerebri: vt dicetur ſtatim. ſilr ſcothomia eſt nomen actōis leſe ſeu corrupte virtut̄ viſiue videnti cū tenebroſitate rem intrinſecā tanq; extrinſecaz: ⁊ eſt nomen actionis leſe ſenſus ꝯmunis iudicantis muſcas apprehendiſſe per oculos qđ non eſt. iō ſcothomia importat nomen actionis leſe oculoꝝ ⁊ ſēſus cōmunis que actio leſa amboꝝ deſcribit mihi paſſionē talez vel talem in partibus illis vt dicetur ſtatim.

Primo tu queres quare Raſ nec Ga⁹. 3°. de int. ⁊ Aui. 3°. cān. ſimul ⁊ in vno caplo tractauerūt de iſtis duabus paſſiōib⁹: ſolut littera bene intellecta in locis allegatis cā multiplici. Una: q: cauſa materialiſ in radice eſt eadem ⁊ in vno loco. puta ⁊ in ꝓra capitis ꝓpter quod de cura inſimul tractauerūt. Siliṙ ad vertiginem ſeqtur ſcothomia tanꝗ̄ eiuſ accidens ꝯcomitans. ¶ Cauſa dicti eſt: q: ille vapor ventoſus ⁊ motus in ꝓra cerebri non poteſt eſſe indicta ꝓra: nec in eius venis ⁊ arterijs q̄n ſubintret ꝓpter vicinitatem vias ſpūs viſibilis: ꝓpter qȯ multiplicat ibidem ſpecies ſuas: ꝓpter quod ad vertiginē ſeqtur ſcothomia: neceſſario ſi durauerit et non ecōtra. vt ſtatim declarabiṫ: nō ſine cauſa igitur antiqui inſimul tractauerunt. ¶ Et ſup h̄ nō: ꝙ ſcothomia duplex eſt: q̄dam eſt que ꝯſequitur ad vertiginē: tanꝗ̄ eius accidens cōcomitans ꝓpter cauſam forte dictā in ꝓra capitis. Cura hu⁹ ⁊ vertiginis Raſis ponit inſimul. ¶ Alia eſt ſcothomia q̄ non cōſequitur ad vertiginem: quia nō eſt cauſa ſufficiens in ꝓra capitis ad vertiginem firmā ⁊ permanentē. ymo v̄tigo incipiens firmari conſeqtur ad tales ſcothomias: vt declarabiṫ q̄ſtione. 6ª. Cura huius ſubintelligitur ꝑ curam alterius: lꝫ debiliora remedia huic competāt applicanda pre ⁊ membro mandanti.

Secundo tu queres cuius ꝑticle vertigo eſt paſſio p̄ncipaliter. Dicendū ꝙ pancipaliṙ eſt paſſio ſubſtātie ꝓre cerebri: ⁊ ventriculoꝝ eius ⁊ partium circunſtantiū puta venarum ⁊ arteriarum ⁊ viaꝝ ſpūs viſibilis vſqꝫ ad extremū cornee: ex quo ē ibi tenebroſitaſ oculorum ⁊ ſcothomia ꝓpter quod eſt ibi paſſio ſenſus ꝯmunis ⁊ hee particule ſcḋm prius ⁊ poſterius patiūtur.

Tertio tu queres cuius particule ſcothomia eſt paſſio p̄ncipaliṙ. Dicendū ꝙ p̄ncipaliter eſt paſſio viaꝝ ſpiritus viſibil': puta a loco cancellatōnis ydolorum ⁊ cruciſignatione vſqꝫ ad extremū cornee q: illi vapores ventoſi ⁊ moti cauſantes illā ſcothomiā diſꝑgunṫ ꝑ illas vias viſibiles ⁊ cauſant ſpeciē ſuam in humore criſtallio multiplicādo illaꝫ vſqꝫ ad locū cācellationis ydolorum: puta in cruciſignatōne ꝓpter quod ſenſus cōmunis iudicat cum nocumēto ſue actionis.

Quarto tu quereſ in quo differt iſta ſcothomia ab ymaginibus oculorum ſicut habent illi qui cadunt in catharactas. nam tales extimant ſe videre muſcas volare corām oculis ſuis: ſicut habentes ſcothomiā vt dicetur infra. caplo de catharacta. Dicendū ꝙ in ꝑticula patiēte non differunt: quia in vtraqꝫ vie ſpiritus viſibilis a loco cancellatōnis ydoloꝝ puta a cruciſignatione vſqꝫ ad extremū cornee patiuntur illum vaporem malū: nec differunt in paſſione quia in vtroqꝫ eſt morbus officialis in via repleṫ a re innaturali vltra debitum. Sed differūt i cauſa materiali ⁊ efficiente. q: in ſcothomia vapor ille eſt ventoſus ⁊ magis ſiccus ⁊ mobilis: iō tarde aut raro coagulatur in ymaginibus oculoꝝ. ¶ Ad catharactas eſt per oppoᵐ q: in al'. vt i principio aque ⁊ in catharacta vapor eſt magis humidus ⁊ quietus ꝓpter qȯ citius coagulatur. Differunt etiam in efficiente: quia in ſcothomia ꝓra capitis cōiter eſt magis calida generans illū vaporem: ꝓpter qȯ ꝯmuniter tales a cauſa cal'a citius leduntur cum nocumento q̇nqꝫ ſenſuum. 3° de interioribuſ ca°. 6°. Ideo cōmuniter ſequitur ad vertiginem: ⁊ vt plurimū ineſt habentib⁹ proram cerebri calidam: vt caluis ⁊ colericis ⁊ q̇buſdam ſanguineis vtraqꝫ ſit vitio cerebri ⁊ vitio ſtomachi: ⁊ membroꝝ ſubiacentiū. Et aduerte plures medicoꝝ ſunt decepti: in hoc credentes plures infirmos habere ymaginatōnes ⁊ habēt ſcothomias in quoꝝ cura decepti ſunt: quia proceſſus non eſt vnus: ideo cum magna inueſtigatōe eſt ꝓcedēdū conſiderando ſi ſint colerici: nec calui: nec ſint habentes ꝓram cerebri calidam: nec ſi de facili ledūtur a calidis in capite ex ira ex aſtro ex vino puro: vel ex alia re calida exteri⁹ applicata.

Quinto tu q̄res ſi vertigo eſt paſſio ꝓre cerebri ꝑ ſe vel ꝑ colligātiā. Dicendū eſt ex intentōe Ga'. 3°. de int. ca°. 6°. ꝙ interdū eſt paſſio ꝑ ſe ipſius ſube ꝓre cerebri ⁊ ventriculoꝝ ⁊ arteriaꝝ venaꝝ circūſtantiū quia mala ꝯplexio calida in ſuba ꝓre cerebri generat vaporem illum cal'm mobile. Ideo dꝛ 3°. de int. ca°. 6° ꝙ talis vapor eſt vētus q̄ diffundiṫ ꝑ partes illaſ ⁊ interdū ꝑ colligantiā ſtomachi qȯ eſt vt pl'imū ⁊ aliq̄n eſt ꝑ colligantiā ꝑtiū ſub ypocūdrijs: puta ſplenis: epatis: matricꝫ. vt recitat Ga⁹. in loco alle°. in 3°. de int. Et interdū venit a cā ꝑuata ⁊ a cā ꝑ colligantiā illud tn̄ raro eſt ¶ Et aduerte ꝙ iſta v̄tigo plures euenit iſtis potatoribuſ h̄ntib⁹ ſtomachū cal'm ⁊ ꝓram cal'am: vt caluis q: ex cā modica ⁊ facili potiſſime ex vino puro: q: ad eoꝝ ꝓram fumi calidi cito a cā dicta facili eleuantur ⁊ ſic vie ſpūs viſibilis puta locus cācellatōis ydoloꝝ patiṫ ꝑ colligantiā ⁊ venit qȯ venire nō dꝫ

ad eas ſm̄ eoꝝ naturam:vt ſtatim dicetur Et h̄ a
cauſa duplici dicta ⁊c̄.

Sexto tu q̄res ſi ſcothomia ē paſſio p̲ ſe
dictaꝝ viaꝝ vl' p̲ colligantiā. Dicē
dum ex intentōe Ga'.4°.de.int̄.ca°.2°. Idē ſen
tit in p° li°.capl'is .ppriis:q̄ ſcothomia ⁊ ois paſ
ſio materialiſ ocl'oꝝ q̄cunq̄ ſit ſp̲ ē paſſio p̲ colli
gantiā:q: venit vl' a capite vel ab aliis mēbri q̄
venire nō dȝ ſm̄ eoꝝ naturā:puta ille mal⁹ fumuſ
ventoſus. Iſta ſcothomia vēit tota die mulierib⁹
p̄uatis mēſtruis. ⁊ in l'tis ſanguineis dimittētib⁹
ſlōias ⁊ coitū. Et credit̄ a mediciſ q̄ ſint ymagina
tiones oculoꝝ ⁊ nō h̄nt:.ppter q̄ ſunt decepti in
ope. Sil'r venit a cauſa facili plurib⁹ colicis cal
nis:puta a vino puro. Cū iſta ſcothomia ē v̄tigo
incipiens firmari:nam non videt̄ eis multum q̄
v̄tant̄ in gyrū niſi reuoluātur vna reuolutione q̄
aliis ↄtingit ex plibus.nam ab vna eis facta vi
detur eis q̄ v̄tantur in gyruȝ. tales non eſſent bo
ni lapicide nec carpentatores:ſic pȝ tibi q̄ ſemp̲
eſt p̲ colligantiam.verū de locutione cōi ⁊ larga:
Raſ interdū loq̄tur in iſto nono: puta in ca°. de
catharacta. ¶ Dicit q̄ fit vitio oculi .pre cerebri
⁊ ſic de cauſa p̄uata ⁊ per ſe.q: ad ſeinuicē habēt
tantā vicinitatē ⁊ colligantiā ille partes .pre ce-
rebri.nam q̄nq̄ ſenſus ſunt colligati cum neruiſ
ſuis cum ſuba .pre cerebri ⁊ ſenſu cōmuni:vt pȝ
4°.de int̄.capl'is .ppriis ſup̲ iueſtigatōe p̲ticla'm
pricipaliū in quolibet ſenſu:puta viſus odorat⁹
⁊ ſic de aliis.

Septimo tu q̄res v̄tigo q̄ paſſio eſt
in ſe. Dicendū ex intentōe
Ga'.3°.de int̄.ca°.6°. ⁊ Raſis in ca°. q̄ v̄tigo de
cauſa p̄uata eſt morb⁹ ↄſil'is ⁊ officialis q: mala
complexio cal'a in ſuba .pre cerebri vaporem ven
toſum generans q̄ vapor diſp̲gitur p̲ p̲tes circun
vicinas replens ⁊ turbans ſpm̄ animatū: vt n̄ ſit
inſtrumentū ſufficiens ad actionē ſenſus cōmu
nis:q̄n aūt fit per colligantiā tunc eſt morbus of
ficialis in receptaculo ⁊ in via:q: ille fumus ve-
niens a ſtomacho vel a matrice ad .pram cerebri
replet receptacl'a ſp̄uum animaliū ¶ Et ſup̲ hoc
nō:q̄ q̄ q̄ aliquādo talis fumus eleuetur a mate
ria fl'a^{ca} ↄmixta ſtomachali. .ppter q̄ Raſis iu-
bet dare pill'as ⁊ euacuare fl'a: fumus tamen ille
qui eleuatur p̲ quandā ebullitionē occultam illi
us fl'atis ↄmixti.eſt calidus aliq̄liter.ppter quod
mobilis ſiccus ventus. Ideo dicit Ga⁹.3°.d int̄.
ca°.6°. q̄ cā hui⁹ eſt vētus forſan in paſſiuis n̄ ex
cedit.ppter q̄ ideo de facili nō coagulat̄ nec in
catharactā ↄuertitur: q̄ q̄ decidatur a ma^{a} fl'a^{ca}

ↄmixta cum colera:

Octauo tu q̄res ſcotho^{a} q̄s morb⁹ ſit ie
in gn̄e ⁊ in ſpē. Dicēdū q̄ offi-
cialis in via fumus ille aliūde veniēs replet viaſ
ſp̄us viſibilis a loco cācellatōnis:puta a crucisi
gnatōe vſq̄ ad extremū corncee ⁊ ſenſat̄ talis fu
mus cū ſuis ſpēbus ab intra multiplicat̄ in h̄uo
re criſtallio ¶ Tu dices q̄l'r talis fum⁹ ab int̄ eūis
cū ſuis ſpēbus pōt ſenſari.nā Ariſto.2°. d aia di
cit:q̄ lux exterior forma ē viſionis:q: illuiat ſpēm
ſēſatoꝝ eleuatā ab exteriorib⁹ anteq̄ ſubitret co:
neā. ¶ Itē ſenſibile poſitū ſupra ſenſum n̄ imu-
tat ſenſum Ariſto.ibidē:ḡ videt̄ q̄ talis vapor ab
intra nō poſſit app̄hendi. Dicendū: q̄ ille vapor
multiplicās ſpēs ſuas ab itra in h̄uore criſtallio
vſq̄ in crucisignatōne app̄hendit̄ cū luie iteriori
nā ſp̄us viſibiles ſunt lucidi ⁊ clari ⁊ veniūt illi
ſp̄us lumioſi vſq̄ ad extremū corncee.p° .pnoſtic.
.ppt̄ q̄ dictū m'lti opinati ſūt Ga.dixiſſe q̄ viſio
fit ex̄ mittēdo:q̄ nō dicit. Et lux exterior ſubitrat
p̲ dyapp̄ana^{e} corncee ⁊ aliaꝝ pelliculaꝝ ⁊ humoꝝ
oculi.ppt̄ q̄ ſpēs ille ſat̄ illuiant̄ .p app̄henſiōe
eaꝝ. ¶ Ad 2^{m}.dicēdū q̄ Ariſto.dicit: q̄ h̄ q: poſi
tū ſupra .ph̄ibet luie extern⁹ igredi. Iō ſpēs n̄ vēit
illumiata in oi ſēſu.ſ; req̄rit̄ mediū ad ſui ſēſatio
nē:modo vapor ab itra m'ltiplicat ſuā ſpem in hu
more criſtallino illuiatā:vt ſtati dictū eſt a luie in
teriori ⁊ exteriori.

Nono tu q̄res vertigo cuius virtutis ē no
cumentū.i.ex cuius virtutis actōe
leſa cauſat̄. Idē q̄rit̄ de ſcotho^{a}. Dicendū ex intē
tione Ga'.11°.de inge°.ca°.2°. Idē ca°.8°. q̄ ver
tigo ⁊ ſcothomia ⁊ oīnis morbus materialis eſt
nocumentū regitiue naturalis puta digeſtiue et
expulſiue. Et vitalis expellent̄ p̲ ↄſtrictōeȝ ⁊ dila
tationē arteriaꝝ in p̲tibus mandantibus ⁊ leſis.
nam ſi digeſtiua vigeret digerenda.put deberet
⁊ expulſiua naturalis:et vitalis expelleret expel
lenda non cauſarentur paſſiones materiales in
corpore noſtro.

Decimo tu queres v̄tigo cuius virtutis
eſt paſſio p̄ncipal'r .i. cui v̄tuti
p̄ncipal'r iſert nocu^{m}. Dicēdū ex itētōe Raſ i ca°
⁊ Aui.in 3°.cañ.in ca°. .ppo. Idē vult Gordo⁹ in
i pſalterio ſuo. v̄tigo ē paſſio p̄ncipal'r ſēſus cōis
⁊ ymaginatiue.nam paſſio illa ↄſil'is ⁊ officialis
exiſtens in prora cerebri corrumpit pncipaliter
actionē ſenſus cōis ⁊ ymaginatiue.ppter reuolu
tionē ⁊ turbatōneȝ ſp̄uum aialiū exiſtium in ipa
.pra cerebri. a vaporibus vētoſis ibidem ḡnatis:
vel fluxis.aliunde vt eſt dictum ſupius cōnter eſt

paſſiovirtutis viſiue ꝓpter cām ſuperius dictam
¶ Cōſeqnť virtutū motiue in ꝓceſſu recte ſic epiª
q̄ prio eſt paſſio ſenſitiue cōſeqnť motiue:verum
motiua nō lediť cū ſpaſmo in vertigine ſm ꝙ le
ditur in epilenª.vt ponit Auicē.3°.cañ.ca° ꝓprio
¶ Tu dices.ſenſus cōis ñ iudicat niſi ſup ſenſa
tis q̄nq3 ſenſuū exterioꝝ. Iſta eſt ſua ꝓpria actio
4° de moꝛ°i fine:ſicut ei⁹ q̄es ē q̄es coꝝ. igiť nō
iudicabit ex ſolo vapoꝛe moto i dicta ꝑra agitāte
⁊ turbāte ſpiritū aīatū i dicta proꝛa cerebri.¶ Di
cendū ꝙ actio ꝓpria ipi⁹ ſenſus cōis eſt iudica-
re ſuper ſenſatis ipoꝝ q̄nq3 ſenſuum exteriorum.
ß actio ſua pōt ledi ad leſionē ipoꝝ q̄nq3 ſenſuū
vel ad leſionē ꝓprij organi ꝓpter cām dictam:vt
p3 in ebrioſis clauſis ocul' ⁊ volētib⁹ dormire foꝛ
ti⁹ videť eis ꝙ v̄tanť i girū. q2 illi vapores min⁹
exalanť oculis clauſis ⁊ illud malū eis ineſt pro
pter ꝯtinuū malū motū dictoꝝ vapoꝛū ventoſoꝝ
turbantiū ⁊ mouētur malo motu ſpūs aīati in di
cta proꝛa imaginatiua imagināť ex hoc ꝙ omīa
mouenť.ſic ⁊ ſenſuſ cōis iudicat omia extioꝛa ſic
moueri.

Vndecimo

tu q̄res ſcothoª cui⁹ vir
tutū eſt paſſio ꝑncipaliť
¶ Dicendū.Goꝛdoni⁹ dicit ꝙ ſenſus cōis.ß non
placet mihi. Aliter dicendū ꝙ ſcothoª eſt paſſio
principaliť virtutis viſiue : ꝯſequēter ſenſus cōis
⁊ imaginatiue. Ratio dicti eſt:q2 p̄mo leditur vir
tus viſiua a vapoꝛibus dictis ſparſis in vijs ſpi
ritus viſibil'.cōſeqnter ſenſus cōis iudicās ſuper
appꝛehenſis ꝑ virtutē viſiuā neceſſario errat. ſic
ambe errant ſm prius ⁊ poſterius a paſſione de
ſcripta per ſcothomiā : vt ē ſupius declaratum ß
bene notat ſcothoª q̄ eſt actio leſa ambaꝝ ꝑ priuſ
⁊ poſterius deſcribens dictā paſſiōem modo ſu-
perius declarato.

Iſtis declaratis

cura ſcothoe
⁊ vertiginis
tibi pateſcit:q̄ſtione p̄ma dictū eſt ꝙ ſcothoª eſt
duplex.quedam q̄ cōſeq̄tur ad vertiginē ꝑfecta3
poxiſmalē q̄ poxiſmat ꝑ quadras ⁊ innouatiōes
lune:⁊ cadūt velut eplici.l3 nō toꝛq̄antur n°ſpaſ
menť:nec ſpument.raro videm⁹ iſtam in practi-
ca:paucas vidi tpe meo.¶ Curā haꝝ duarū Ra
ſis ponit ſil' cōiter in ca°.Et cōſeqnť alij actoꝛes
flōando de pulſatilib⁹ q̄ ſunt retro aures in vn-
guēdo caput cū oleis roſ.rō eſt.q2 ē cauſa eadē.
¶ Alia eſt ſcothomia q̄ nō ꝯſeq̄tur ad vertiginē
firmā ⁊ ꝑfectā.imo v̄tigo incipiēs firmari ꝯſeq̄ť
ad illā.q2 ſi reuoluātur duab⁹ l' trib⁹ reuolutioni
b⁹ cadūt nec pñt ſe mouere de pauſa. Iſta occur

rit nobis in practica q̄tidie.iſta ñ indiget tantū n°
talib⁹ flōijs nec tantū alijs remedijs.¶ Et adūte
ꝙ i ſcothoª ſubſeq̄nte ad v̄tiginē poxiſmalē ß ſi
milr ꝯtingit trāſacto poxi°.ꝙ ſi reuoluāť vna vel
duab⁹ reuolutiōib⁹ ocul' clauſ ſtatim cadunt:et
magi ꝙ alij.¶ Vlteri⁹ nota ex intētōne Raſ in
ſuo ꝯtinēte.⁊ Ga¹.3° de inti.in fine ꝙ oīs ſcotho
mia ſubſeq̄ns vel nō ſubſeq̄ns ad v̄tiginē fit ex
cā materiali triplici.q2 aut fit ex maª exñte in ce-
re° aut in vēis coꝛpis ꝯtiguis magi epatī l' ſplēis
vel ꝯtiguis renib⁹ ⁊ matrici.aut in ſto°.¶ Si āt
fiat a maª exñte in cere°:tūc nō interpollat in ali
quo q̄n appeant q̄ſi ꝯſili mō.bñ dico quaſi.quia
flante aliq̄ vento potiſſime auſtrali ꝑles videtur
de ill' vapoꝛib⁹ coꝛā ocul': ⁊ p̄cedūt ⁊ ꝯcomitanť
tinnit⁹ auriū ⁊ gūedo ſenſus olfact⁹:⁊ ſenſus gu
ſtus peſſime diſcernūt inť odoꝛes ⁊ nō bñ diſcer
nūt ſapida a ſapidis ⁊ vina avinis ſoda aliq̄l' cō
comitať gūedo frontī ſil'.¶ Iſtis exñtibus ſi fa
cies ⁊ oculi rubeſcūt ⁊ ſi vene q̄ ſūt in frōte i tym
poꝛib⁹ ⁊ retro aures groſſe ⁊ plene fuerint. Et ſi
appitiones tēdāt ad aliquē ruboꝛē ſi oculis clau
ſis reuoluātur duab⁹ aut trib⁹ reuolutiōib⁹ ⁊ ap
tis ocul' ille appeant.tūc ſcias talia fiūt a maª ſā-
guinea multū calā in cere° exñte.q2 illi fumi agi-
tāť in ꝑra cerebri ſubintrātes vias viſibiles cau
ſant ſpēm ſil'em in criſtallina ⁊ in crucē ſignatōe
ſic ſenſus cōis iudicat ſup ill'.¶ Aduerte tñ ſi tal'
ſcothomia cōſeq̄tur vertiginē poxiſmalē:tūc ſūt
in vltiata malitia.Deť ſibi caſſiaꝼ in oꝛtu ſol' ⁊ ia
ceat in lecto duab⁹ horis ⁊ vltra.⁊ ñ cōedat niſi
poſt ťtias.¶ R̷ prunoꝝ damaſq̄:vuaꝝ paſſaꝝ mū
daꝼ.ab ariſſ' cancaꝝ pinguiū iuiube ſebeſten añ.
p.ß.ſ decoc° in duab⁹ libris aq̄ donec redeat ad
lb ß.in qua diſſoluaꝼ caſſiek mūdate a ḡnulis.ʒ.i.
⁊ ß.deť vt dictū eſt in craſtinū.flōmeť de veª me
diana l' epatica vl' cephalica ſm ꝙ plectoª fuerit
3ª l' 4ª die apeꝛiantur vene pulſatiles q̄ ſunt ret°
aures ſm Raſim hic ⁊ ſm Gaᵐ 3° ð interioꝛib⁹
ꝓpe finē veꝝ illā dubitam⁹ facere ꝓpter ſaltum
ſanguinis arterial'. q2 cu3 difficultate quadā ſan
guis arterialis reſtringitur. Ideo facim⁹ de cōſi
lio Galieni in ſuo paſſionario de vena frontis ⁊
extrahimus lb.ß. Illa nō inuenta facimuſ ð groſ
ſioꝛi vena in tympoꝛibus cōſequenť ventoſam⁹
infine colli in initio ſpatularum. ⁊ in tibijs fri-
cando bene verum . Ga⁹ vult in ſuo paſſionario
ꝙ facta flobothomia de vena frontis vel tympo
rum ꝙ ventoſetur ⁊ ſcarificetur in ſummitate ca
pitis:vt ſanguis calidus vapoꝛoſus capitis eua
poꝛetur ⁊ euacuetur:radatur caput ⁊ iungatur

cũ oleo roſaceo vmphancino: vbi ſit modica por tio aceti ſimul agitat. Iſta fiũt in ſcothomia ſub ſeq̃nte v̓tiginē paroxiſmalē q: ſunt in vltimata ma licia. ¶ In cura ſcotho[c] alteri⁹ q̃ non ꝯſequitur vertiginē paroxiſmalē damus caſſiam dictā flōādo de mediana. ꝯſeq̃nt de cephalea mvnguēdo ꝑut dictū eſt. Et vitando ꝑut ⁊ alij dicti cibaria calā ⁊ vina calida q: vinoſi de facili incurrũt talē ſco thomiā de cā ꝑuata q: hñt in eoꝝ natura cerebrũ multū calidū. Uitabunt etiā magnā morā i ſole capite diſcoopto. Uitabunt etiā vina ſubti[a]: et al ba potiſſime in ꝑncipio prādij ꝑpter eoꝝ citā pe netratōez ꝑcutiũt capita lapſa ad calitatē. Vult Ga⁹. in paſſio° ſuo ad Glauconē. ¶ Si aũt faci es rubea fuerit vene aũt dicte groſſe nō videant. Et ſigna alia ꝑmitus dicta nō affuerint ſignū eſt ꝙ fit ꝑ colligāciā venaꝝ corꝑis epatis magꝭ vl̓ ſple nis vel renū vel matricꝭ. Ideo inueſtiga ſuꝑ que relā mēbroꝝ q: cōit ſētit formidatio illaꝝ. Raſ i ſuo ꝯtinēte dicit: potiſſime qñ ſubſeq̃tur ad v̓tigi nē paroxiſmalē videas ſi mulier ꝑdidit mēſtrua: vl̓ ſi eſt ꝯtinēs ipe vel ipa a magnis tꝑibus citra vl tra ſolitū. Uel ſi poſt poſuit flōias aſſuetas i cu ra huius ſic ꝑcedas da ſibi iſtā caſſiam in aurora ℞. ꝑunoꝝ damaſcꝰnaꝝ paſſularum mundꝰ ab a rill'. añ. x. tamaridoꝝ electoꝝ. ʒ. ij. ſi decoc° cũ mo dica ebulli[oe] in q̃ diſſoluat caſſieſ mund. ʒ. i. ſi po tus in craſtinū vel die tertia flōmet de epatica vl̓ mediana de groſſiori ⁊ extrahat. lb. i. vel quaſi ꝯſe quēter die tertia reiteretur de alio latere. vel apia tur cepha[ca] ꝯſequēter vētoſetur in tibijs cũ ſcari ficatione radas ſibi caput ⁊ inungatur cuꝫ oleo roſ vt dictū eſt: q: iſti ſilr̓ hñt cerebrū calidū: ꝫ nō tm̄ ſicut alij. iſti dieteñt ſicut dictū eſt de alijs. Et vitent illa q̃ dicta ſunt ſtatim: q: cōicant in lapſu ¶ Si āt facies v̓geret ad q̄ndā citrinitatē, ſignis ꝑmitus dictis nō appentib⁹: ⁊ co. videat abūda re in corꝑe ponas i colatura ſtatim dicta. ʒ. i. et. ß. corꝭ mirabo. ⁊ infuſoꝝ ꝑnoctē in decoctōe ꝑdi ctoꝝ: fricent de mane fortiter: ⁊ colētur ⁊ colatu re addat caſſieſ mūd. ʒ. ß. ſi vis dimittas caſſiam ſi ſcotho[a] nō ceſſet ꝑ iſta nec illa ꝑus dicta reite rentur flōie de alio latere q: in talib⁹ cura nō pōt ꝯpleri niſi pl'ies reiterādo flōiaſ. Si aũt i facie ru bor aliq̃lis nō apparuerit: imo pallor i facie videt tūc ꝯſidera ſi ſigna ꝑmitus dicta aſſint ⁊ appent vl̓ nō: nam ſi appent puta ꝙ nullo° interpollet cũ tinitu aurū: ⁊ grauedine aliorum ſenſuum cum ſoda ⁊ grauitate capitis potiſſime frontis tūc ſci as ꝙ fit de materia frigida. in cerebro exiſtēte po tiſſime ſi nauſea nec ſubuerſio ſtomachi nec q̃re la eius affuerit talis ſcothomia poteſt ſeq̃ vertigi nem paroxiſmalē ſm ꝙ alie rōne ventoſitatis groſ ſe in capite generate ⁊ note interdū magis ⁊ mi nus paroxiſmalr̓ in ſenibus talis ſcothomia ſeq̃ns ad vertiginē dictam nūciat epilentiā dicit Ga⁹. i paſſiona° ſuo. Iſti debent pluries lapari cũ pill'. luꝗ Mebe[c] i doſi media dent. ʒ. ij. ⁊ ß. de. xx. i. xx. die bus: vel circa ꝑmittendo oximel diureticū in ter tia parte. ⁊ in duab⁹ ꝑtibus aquā cicerū: rub. vbi ſit modicū ſaluie maiorane meliſſe tales tonden tur in capite: vt materia meli⁹ euaporet facta pur gatōe abluat caput ſemel in ſeptimana cũ aqua decoctiōis floꝝ camomille melliloti vtriuſqꝫ ſti cados fo. ſene. ⁊ betonice. ⁊ aſit inclinet caput ſu per illo vapore: q: ſic ille vapor ventoſus groſſus a capite expellit ſuꝑ ꝯmiſſura capitis ponat mo dicū de puluere floꝝ camo. melliloti anthos puri ſubtiliſſime pulueriſatoꝝ vitēt ſomnū de die ⁊ cō feſtim poſt cenā. ⁊ vtant cibo ⁊ carnibus ⁊ alijs calidis. ¶ Si talis pallor in facie appeat ſignis ꝑdictis nō appentib⁹. ymo iterpollat ꝑ tꝑa ſine ti nitu aurū. ⁊ ſine ḡuedine alioꝝ ſenſuum ⁊ cũ q̄ dam ſubuerſione ſtomachi ⁊ nauſea vel grauedi ne ſignū ē ꝙ fit a materia ſtomachali. ¶ Aduer te tm̄ ꝙ qñ fit a ſtomacho ſilr̓. nūciat epi[am] in ſeni bus potiſſime ſi ſubſeq̃tur talis ſcothomia v̓tigi neꝫ paroxiſmalē ꝑuocet vomitus ſic vna die come dat de raphano cum ſale tres vel q̄tuor bolos in ꝑncipio prādij ⁊ cene Et comedat de diuerſis ca mbus ⁊ pinguibus ⁊ differat potuꝫ q̄tū poterit vſqꝫ in fine menſe. in craſtinū p⁹ prandiū. ꝑ. i. ho ram ſumat iſtā medicinā vomicā tepidam. ¶ ℞. aque decoctōnis radiꝗ apij raphani folioꝝ attri pliꝗ. folioꝝ lauri. ſquille ſe. attripliꝗ ſe. aneti q̄rī. i. ⁊ ß. ſirupi acetoſi ꝯpoſiti q̄rī. ß. cioci ſiluestris. ℈. ß. miſceātur ⁊ fiat potus. ¶ Si tu velles fortifica re iſtam medicinā infunde de elleboro albo in de coctione tepida dicta in q̄ntitate vnius amig[c] ꝑ quattuor horas vel circa colētur ⁊ adminiſtretur loco horum Raſ et Ga. in paſſionario faciũt ſic ¶ ℞. yerapigre. ʒ. ij. pulpe coloq̃ntide groſſomo do puluerizate. ℈. i. bdellij. grana q̄nqꝫ miſceātur ⁊ fermentetur ſumat tertiaꝫ parte huius vna vice ⁊ diſſoluatur cũ aqua decoctionis abſin'recēt cō q̄ſſati ſumat de. xv. i. xv. reſiduū ꝑcedente oximel le vel ſirupo acetoſo loco horuꝫ ipi dabant aquā decoctionis abſinthij dicti in qua infundebatur per noctem aloes cicotrini. ʒ. iij. coletur de mane ⁊ adminiſtretur detur ſemel in ſeptimana,

¶ Capitulum tertium de Freneſi.

Q Uando aliquem febris concluſa cõtinua inuaſerit cum forti capitis ⁊ oculoꝝ grauedine ⁊ i facie atq; oculis vehemens fuerit rubedo ⁊ capitis doloꝛ ⁊ hoꝛroꝛ luminis affuerint et in pulſu velocitas ⁊ frequẽtie ſupfluitas inueniẽtur. ſigna freneſis certiſſima iudicabũtur. Qð ſi ligua nigra aut citrina fiat ⁊ pmiſceatur intellect⁹ ⁊ mľtuz fuerit alienatus ⁊ vigilauerit multuz iam freneſis pfecta erit. Egro igiť anteq̃ predicta cõpleanť accidẽtia eſt ſubueniendũ: ex ſanguinis detractione ⁊ ventris ſolutione cũ ſucco fructuũ. Nutrimentũ vo e⁹ ſit aqua oꝛdei ſemel aut bis in die ſumpta ſm conſuetudinẽ quã i tẽpoꝛe ſanitatis habuit Caput autẽ oxirodino infundẽdũ erit. Eodẽ mõ q̃ ſi mľte affuerint vigilie ſumatur violaꝝ ſiccarũ corticũ papaue. al. oꝛdei excoꝛticati ſemis lactucarum radicũ mandragoꝛe oĩm. añ. m. i. Que omnia in cucuma plena aqua tamdiu coquanť donec aqua rubea fiat. Deinde aqua illa dum eſt tepida ab alto ſup caput fundatur: ⁊ ſic caput ſup ciminile in quo aqua colligatur q̃ in cucuma poſita iterũ ſup caput fundať. Hoc autem omĩ die multotiens fieri cõuenit. Caput preterea ex oleo violato muliebri lacti ãmixto inunguẽdum erit qð etiã in coto poſitũ eſt ſupponendũ. Cum aũt eger in pͥncipio huius egritudinis in virium fortitudine pmanere inuẽtus fuerit flobothomãdus erit: niſi ſup infirmũ timueris. Poſtq̃ vero eius egritudo minui cepit nequaq̃ flobothomeť qð ſi eius iam diſſoluta eſt virt⁹ ex alio preſeruetur regimine donec euadat.

signa frenesis

cura frenesis

E freneſi id eſt de apoſtemate calido pꝛoꝛe cerebꝛi: puta de eius cura ſuper rubꝛica.

nõ q̃ iſtud apa cõiter nomiatur freneſis. i. alienatio ſic dicit Ga⁹ i paſſionario ſuo: qꝛ fren grece. i. alienatio latie freneſis ſm ſymo. Januenſez idẽ ẽ q̃ rabies ſic talis paſſio deſcribiť nomie accñtis ꝯcomitãtis ipm apa. ꝯ mos eſt helenoꝝ interdũ vt dictum eſt ſuperius. ¶ Et nõ q̃ iſti heleni erant antiqui inter grecos in ſciẽtijs ſicut eſſent pienſes inter nos: viaticus ⁊ Gilbertus dicũt freneſim a frenibus. i. a pelliculis cerebꝛi frenãtibus ⁊ reuoluentibus ſubam cerebꝛi ne reſoluať ⁊ diſſoluatur ſic deſcribiť iſtð apa noie pellicule paciẽtis: vt mos eſt helenoꝝ vt pluries dictũ eſt. Appellať alio noie a q̇buſdã karabitus. i. alienatio: alij dicũt karabitus mẽtis paſſio. Auic. vtitur hoc noie. ⁊ ſic deſcribitur iſta paſſio noie accidentis. Alio⁹ appellať ſirſen a ſir qð eſt caput ⁊ ſen qð eſt apa: qꝛ apa capitꝭ ⁊ ſic dſcribitur noie pticule patiẽtiſ. Raſ in ſuis diuiſionibus dicit byrſen a bir qð ẽ caput. Auic. h̃ iпꝓbat in 3°. cañ. fen. pͣ trac. 3°. ca°. p°. dicit qð bir idem eſt q̃ pect⁹. ſen. idẽ eſt q̃ apa: qꝛ apa pectoꝛiſ. Ulterius nota q̃ freneſis eſt duplex: vera ⁊ nõ vera. ðꝛ vera qñ fit de ſanguine ſolũ. h̃ videť Raſ ſentire. hic G⁹ in paſſio°. ⁊ in. 13°. de inge° c°. de flegmone. Aui. ⁊ viaticus dicũt: q̃ freneſis vera non ſolũ fit de ſanguine: ymo fit de colera ru. incenſa ſeu aduſta cerebꝛũ aſcendente: ſicut fumus aſcẽdit ex ſanguie in coꝛde ebulliente. nõ vera freneſis de ſan. vel de co. rubea mixta cũ poꝛtione flãtis vł colere inaturalis: vel cum poꝛtõe flãtis ſalſi ſicut eſt i ſenibus. ¶ Parafreneſis eſt collectio fumoſa in ꝑra cerebꝛi: ſi cõfreneſis eſt collectio apoſa.

Pꝛimo tu q̃res cui⁹ pticle cerebꝛi freneſis ẽ pa° pͥncipalr. Dicẽð q̃ pellicle groſſe: puta dure m artis ⁊ hoc eſt vt pl'imũ vł pie

matris ⁊ h̄ eſt raro. Uel ipſius ſube cerebri ⁊ h̄ ē
rarius. cauſa dicti eſt q: in ſuba magꝭ groſſa hu-
mor fluens ⁊ effumās meli⁹ retinet. h̄ vult Ga⁹.
⁊ Aui. auctoritate Ga¹: ꝙ ſuba cerebri poſſit apā
ri: q: omne qđ nutrit ⁊ augmētat extendit et qđ
extendit ⁊ augmētat cū ſupfluitate illud eſt apa
rōne nutrimēti vel alterius ibidē fluētis. Iſta eſt
ratio Aui. ꝯ Serap. ⁊ alios dicētes ⁊ opinantes
ꝙ ſuba cerebri ꝓpter ei⁹ lenitatē nō pōt extendi
extētione apoſtemoſa. ¶ Et tu dices in q̄ pte ma
gis ille pellicule apoſtemāt. Dicendū ꝙ cōiter in
ꝯra: q: ps magꝭ cal'a ꝓpter qđ ymaginatiua ita
libus p̄mo ledit de poſſibili aūt circa mediū pn̄t
apāri ꝓpter qđ in q̄buſdā diſcretiua p̄mo videt
ledi. h̄ vidim⁹ plies i freneticꝭ vbi fit coll'o fumoſa

Secundo tu q̄res in q̄ illaꝝ ptiū eſt
deterior illa collectio apo
ſtemoſa. Soluit Ga⁹ in libello de mala ꝯplexiōe
diūſa ca°. 3°. ꝙ q̄to talis collectio apoſtemoſa ē
in loco vicinior exitus p poros ordinatos p natu
rā vt ſunt nares: tūc ē minus mala ⁊ min⁹ piculo
ſa ꝓpter qđ q̄to magꝭ eſt in ꝯra talis collectio tā
to min⁹ mala: lꝫ ſit ſemp mala ⁊ mortal'. Sꝫ Ga⁹
loquit ſi nā poſſet expectare ꝯuerſionē ei⁹ inſaniē
⁊ ſm ꝙ eſt in pte magꝭ elōgata a cerebro ⁊ min⁹
nobili. talis collectio ē min⁹ mala ꝓpter qđ ſi ſit
in dura matre eſt min⁹ mala q̄ ſi ſit in pia mr̄e ⁊
in pia matre minus mala q̄ ſi ſit in ſuba cerebri.

Tertio tu q̄res ex q̄ hoꝝ apātū ſit maior
dolor an ex illo qđ eſt in⁹ pelliculiſ
an ex illo qđ eſt in ſuba cerebri q: cerebrū ē p̄mū
ſenſitiuū: g̃ forti⁹ ſentiēt rē ſibi ꝯriā: ſic fortior do
lor gn̄abitur. Ulterius ꝓbat: q: ꝓpter vnūqđq̄
tale: ⁊ illud magꝭ p̄° poſterior. Omia ſentiūt ꝓpt
cerebrū: g̃ cerebrū forti⁹ ſentiet rem ꝯriā: igit for
tius dolebit ꝯn̄a tenet. q: dolor cauſat ex ſenſibi-
litate rei ꝯrie. 3°. de morbo. ¶ In opp^m videt eē
Ariſto. in de hyſtoriꝭs. cerebrū nō eſt ſenſibile eo
ꝙ ſentiat: ſꝫ vt det ſenſuꝫ q: nō ē organizatū ad h̄
excluſis pelliculis. Item pellicl'a neruoſa ⁊ nerui
ſunt organa ſenſus: g̃ forti⁹ apprehēdēt rem ꝯriā
cū corruptela ꝓpter qđ neceſſario forti⁹ dolebūt
Soluit Ga⁹ 3°. de inť. ca°. 4°. loq̄ndo de epi^a dic
ꝙ humor ibibit⁹ in ſuba cerebri facit mľias et a-
lienatiōes ſine dolore: ſi aūt fuerit ibibitus in pel
liculis facit paſſiones doloroſas. ſilr dicit in eodē
3°. ca°. đ galea: ꝙ in galea ē dolor in vltimata ma
lina: q: pellicule cerebri patiūtur p̄ncipalr ꝓpter
qđ ꝯcludit ꝙ maior dolor ſeq̄t ex apāte exnte in
pelliculis q̄ ex illo qđ eſt in ſuba cerebri ſic patꝫ
ſolutio ad rationes. ¶ Ad p̄mā cerebrū eſt p̄mū
ſenſitiuū, Dicendū ꝙ cerebrū eſt primū ſenſitiuū

puta tributiuū: q: tribuit ſpūs ſēſitiuos p neruos
p quos intrāt ſubaliter: q: ſpūs aiales ſunt in vē
triculis cerebri ſicut in fonte: ⁊ ſunt ſicut fumoſi-
tas vaporoſa. 4°. de inť. ca°. 3°. circa finē. Ad ali-
ud ꝓpter vnūqđq̄ tale ⁊ illud magꝭ ita tributiue
⁊ nō formalr ſenſitiuū: q: nō hꝫ organizatōeꝫ

Quarto tu q̄res ſi ipa freneſis ē paſſio
p ſe vel p colligantiā in dictis
pelliculꝭ ⁊ in ſuba cerebri. Soluit Rab hic ⁊ Ga⁹
3°. de inť. Idem vult viatic⁹. ⁊ Aui. capitul' ꝓpis
Nam oms̄ videnť ſentire ꝙ ſemp fiat p colligan
tiā: q: venit ad cerebrū qđ venire non dꝫ ſm na-
turā: puta humor vel ei⁹ fumus. Tu dices nunq̄
pōt generari dictuꝫ apa p viam ꝯgeſtionis abſq̄
alio fluxu. Dico ꝙ non q2ad h̄ ſunt ordinata col-
latoria plura ad purgandū ſupfluitates puta au
res ad purgandū ſupfluitates colericas decīſas
a ſan. calido arteriaꝝ q̄ ꝯtexūt dictas pelliculas
hn̄t aures ad purgandū ſupfluitates ſanguineas
hn̄t paulatim ad purgandū ſupfluitates fl'āticas
ꝓpter qđ ſupfluitas que gn̄atur ibi p viam cōge
ſtionis nō pōt facere collectionē apoſtemoſam
de curſu ꝯmuni. Et ſup h̄ nota: ꝙ noticia gn̄atio-
nis talis morbi p colligantiā multū ꝓficit medi-
co in cura. vt declarat Ga⁹ in toto ꝓceſſu de inte-
riorib⁹. q: pti mādāti dꝫ p̄° remediū applicari. 2°
pticl'e, egre. vt ma^a fluxa reſoluatur ⁊ euacuetur ⁊
hoc fuit ꝓpoſitum in caplō primo.

Quinto tu queres que paſſio ſit in ſe in
ſpecie ⁊ i genere. Soluit Rab
in ca°. Idem vult Ga⁹ in paſſionario. Idē Aui.
3°. can. in fen. pa. tract. 3°. de apātibus cerebri qđ
eſt apa cal'in p eſſentiā: q: de materia calida i ſui
natura in q̄ ſunt tria genera morboꝝ mala ꝯplo:
mala ꝯpoſitio: ⁊ ſolutio ꝯtinui. Tu dices q̄t hoꝝ
trium plus ledit. Dicendū ꝙ quilibet hoꝝ eſt cau
ſa imediata nocumēti ꝓprie actōnis: ſic mala cō
poſitio eſt maior cauſa nocumenti actōnis aiate
ſenſitiue ⁊ regitiue in cerebro. Tu dices que vtili
tas inde ſeq̄tur medico ex noti^a tali ſoluit lra. E.
de ige° c°. vl°. Iđ vult i. 19°. c°. vl°. ꝙ tal' noti^a ꝓfic
in cura in exhibitione medicinaꝝ potiſſime eua-
cuātiū p vtroq̄ gn̄e morbi: ⁊ alterātiū p vno gn̄e
ipi⁹ nā exhibitio haꝝ ex ſpē morbi limitat ⁊ eligit

Sexto tu q̄res cui⁹ vtut frenes ſit nocu
mētū p̄ncipalr. Dicēdū vt ē dictū
i aliꝭs paſſiōib⁹ matialib⁹ ꝙ regitiue nal' puta dige
ſtiue ⁊ expulſiue ⁊ vital' expulſiue poti^{us} mēbri mā
dāt. vt ē dēm. xi. đ ige. c°. 2°. ⁊. 8. noti^a cāe tal' mor
bi ſiue nocumēti ꝓfic mltū in pſuatōe. Ideo p p̄
ſeruatione euacuamus cū flobothomiꝭs ⁊ farma
ciꝭs iuuando iſtas virtutes in actōibus propriꝭs

Septimo tu q̄res cui⁹ virtutis frene ſis ſit pa° ꝑncipaliter. Dicendū ꝙ ꝓut eſt mala cōplexio infert ꝑncipalius nocumētū regitis naturalib⁹ ipi⁹ cerebri ꝓut eſt mala cōpō ꝛ ſolutio fort̄ ꝯtinui infert ꝑncipaliuſ nocumētū regitiue aīate ſenſitiue ꝛ imagiātie et diſcretiue q꞉ iſte ꝑ cōpōem ꝑncipali⁹ opant̄. ſicut naturales ꝑ cōplxōem ꝛ ecōtra. vt eſt declaratum in expōe ꝑmi de morbo. verū q꞉ nocumentū ipa rū regitiuaꝝ aīataꝝ ē magꝭ notū cuiꝗ Ideo Raſis in c°. ꝛ Ga⁹ in paſſiona°. ꝛ Aui. in. 3° can. fē. 3°. c°. ꝑ°. attribuūt nocumētū iſti⁹ paſſiōis magiſ euenire aīate regitiue ꝙ̄ naturali actioni. ꝓpter qȯ dicūt freneſim eſſe paſſionē aīate ṽtutis. puta ſenſitiue ꝛ regitiue imaginatiue ꝛ diſcretiue ꝑn cipalius.

Octauo tu q̄res q̄re frenetici ſūt fortes inmotu ꝛ debiles in ſenſu. naꝫ rūpunt ligamēta velut maniaci. Soluit Ga⁹ ii°. de ingenio ca°. penul°. Idē dicit 5° de morbo. ꝙ ſiccitas neruoꝝ rōne talis morbi calī in origine coꝝ eſt cauſa magni ꝛ fort̄ motuſ. ſicut nimia hu miditaſ ē cā q̄eṫ. ꝓpt̄ qȯ dic̄ in 5° ꝺ mor° ꝙ nerui ꝙ̄to ſicciores tāto abiliores ad motū niſi veniant ad tantā ſiccitatē ꝙ rūpantur. ꝛ q꞉ ſenſus fit per neruos mediocres in hūiditate ſiccitate ꝛ molli cie Ideo amittunt ſenſum in pte. ꝓpter quod pa rū dolent.

Nono tu queres quō tale apoſtema gn̄a tur. Soluit Raſ in ca°. Ideꝫ vo lunt Aui. viatic⁹ cū Gerardo ꝙ gn̄atur ex ebulli tōe ſanguis ꝛ co. in corde l' epate ꝛ ꝑtib⁹ vicinis puta venis magnis ꝓpt̄ quā magnā ebullitōeꝫ ꝑs ſubtilior aſcendit ad cere^m. Et ibidem facit cellectiōem apoſtemoſā: niſi repcutiat̄: ꝛ altere tur ꝛ diuertat̄: vt ꝺꝫ. ꝛ euacuet̄ a ꝑticula mādāte. q꞉ intētio fortior ē ſuccurrere ꝑti mādāti: vt pōit Ga⁹ ꝯ archigenē in omi morbo materiali ꝑmo ꝛ ſecūdo de interiorib⁹ in plib⁹ locis.

Decimo tu q̄res cū q̄b⁹ nec quō tal' col lectio apoſtemoſa preceteri ꝑ electionē ꝯſeruat̄. ¶ Dicendū ꝙ ꝯſiderata in in tētōe Ga ꝑ° ꝛ 2° de itēio. in plib⁹ locꝭ ꝯ Archi. ꝙ ꝑti mādāti ꝑncipali⁹ eſt ſuccurrēdū ꝙ cā ꝺꝫ for titer ſubſtrahi ab epate: ꝛ a corde cū ſ̄oīſs forti bus ꝛ reiterat̄ epithimando epar ꝛ cor inſuꝑ pro ut in omi valde acuta ꝺꝫ fieri cū aq̄s frigidis vbi ſit. ꝫ. ꝭ. vel. i. camphore. q꞉ forti morbo fort̄ ꝺꝫ cor rn̄dere medicina. ¶ 3° ponēdo repcuſſiua in ꝓra capitis. puta oleū roſ. vinfacinū: vbi ſit 5ª vl' ſep ta pars aceti de hora in horā ſuꝑ applicādo cum

panno lineo duplo ibidē infuſo. qȯ repcuſſiuum. ¶ Silr ponim⁹ in ꝑafreneſi epithimādo mēbra ſupradicta. extinguēdo feruorē ſanguinis ꝛ cole ex principali intēto.

Iſtis clarificatis cura frene ſis ibi pa teſcit. Freneſis eſt collectio hūoꝝ apoſtemoſa in pellicul' cerebri de ſan. vel de co. in toto l' in pte q̄ incipit cū dolore capitis ad quē ſeq̄tur feb. tanꝗ̄ eius accidens. ꝛ i hoc differt a ꝑafreneſi q̄ ē col lectio fumoſa vaporoſa in dictis pelliculis rōne ebullitionis hūoꝝ potiſſime ſanguis ꝛ co in feb. putrida cōiter ſupueniens circa finē augmēti ꝑ ſi⁹ fe. Ad qȯ facit por⁹ vini poſtpoſitio ſ̄ōie ꝛ la xatiōis ventris cū caſſiaſ̄ ſimplici q̄ multū miti gat feruorē ſanguis ꝛ colere euacuando colās a ſto° ꝛ a meſeraiꝗ ſine veſtigio calefactiōis q̄buſ neglect̄ ꝛ poſtpoſitis nō ſolū fit collectio fumoſa imo ꝛ hūoral' interdū ꝛ apoſtemoſa. ꝛ tūc vrina dealbat̄ ꝓpter raptū mat̄ie ad ipm cerebrū. quia vrine colorātur ꝑ viā itētiōis magꝭ ꝑ°. ꝛ 2° de cri ſi. ¶ Ex quo patet qn̄ ꝑafreneſ in verā freneſim cadit tūc fugias. Curam ꝑafreneſ dicem⁹ ſtatim ¶ Dictū eſt ꝙ freneſis duplex eſt: vera ꝛ non va Nam qn̄ iſti hūores caleſcunt vltra debitū ꝛ ſub tiliant̄ in arterijs ꝛ venis rapiūtur ꝛ mouētur ad ſupiora. ꝛ tales humores fluxi ad partes ſupio res rōe acuitat̄ apiunt ora venaꝝ ꝛ arteriaꝝ ꝛ ex eunt ꝛ replent poroſitates pelliculaꝝ ꝛ faciūt apa ꝛ nō ſolum fumoſitas vt pl'es moderni dicūt. nā alit̄ vrine non remutterētur nec dealbarētur ſi hu mores in coꝝ ſuba n̄ rapent̄ ad ſupiora ꝓpt̄ cāꝫ dictā nec diſtinguerētur freneſ a ꝑafreneſi.

Signa freneſ duplicia ſūt. Quedā ſūt ſigna ꝓnoſtica future freneſ: fir me ꝛ ꝑmanētis. ꝛ alia ſunt demōſtratia freneſ in cipient̄ firmat. q꞉ accn̄s morbi ſeq̄tur morbū ſic vmbra corp⁹. 3° de morbo. tal' freneſis eſt in ꝑnc° ꝑncipij. ¶ Iſta ſigna Raſ ponit ꝓprio ca°. pu ta dolor ꝛ grauitas capit̄: rubedo magna in facie ꝛ in ocul'. diſplicen^a luminis. velocitas ꝛ ſpiſſitudo i pulſu. Iſtis appentib⁹ fe. ꝯtinua ꝯcomitante ꝯ ſiliū eſt Raſ ꝛ Ga¹ in paſſiona° ſuo: ꝙ iſti ſtatī ſ̄ōmētur. ex quo tant⁹ rubor in facie de baſilica: vel mediana ꝟm ꝙ vene ſunt magis plene ꝛ late Vn̄. ii°. de ingenio. Interdū n̄ poſſum⁹ recte iu dicare ſuꝑ ſ̄ōiam niſi inſpecta cōpōne venaꝝ. in terdū ſoluat̄ vēter cū caſſiaſ̄ ſimplici. R̄ prunor damaſc̄ vuaꝝ paſſ. mund. ab arill' caricaꝝ pin guium iuiube ſebeſten. ana. p. ꝭ. fiat decoctio in duabus libris aque donec redeat ad libram. ꝭ. in

Signa frenesis

q̄ diſſoluat̄ caſſief. bn̄ mūd. ℥.i.ſ. pot⁹. ſi patiens
nullo modo vult potare: da ſibi cliſtere. ℂ ℞.
q̄nq; herbaꝝ cōium an̄.m.i.ſ. decoctio in qua diſ
ſoluatur mell. ℥.ß. caſſief. mūde. ℥.i. olei viol. q̄rt.
ß. ſal cōis. ʒ.ij. fiat cliſtere. ℂ Facta ſolutiōe ven
tris. in. 2ª die radat̄ ſibi caput p⁹ veſpos de ſero:
pus ablue̅do cū decoctione violaꝝ florū nenuf. ⁊
corticis papaueris albi. facta raſura ꝯſeſtim ca-
put inungat̄ cū oleo roſ. vm̄fancio vbi ſit 5ª vel
6ª ps boni aceti ſimul agitaꝝ. ⁊ inungatur de q̄t
tuor in q̄ttuoꝛ horis. infundas ibidē bombacem
⁊ capiti applica. in defectu illi⁹ olei hēas de roſis
cōi vbi miſceas tertiā ptē aceti ſil' bn̄ agitaꝝ. l' in
fundas bombacē in ſucco lactuce moꝛelle aq ro.
⁊ aceto. ⁊ ſit parū tepida nō cal'a i craſtinū ⁊ erit
3ª dies l' 4ª ſue egritudinis: appebūt aliq̄l'r ſig
demōſtratia freneſ firme pfecte ꝯfirmate q̄ ſunt
alienatio mētis aliqualis citrinitas ⁊ nigredo li
gue inſtātia vigiliaꝝ. mot⁹ inoꝛdiatus manuū et
pedū. hoc vult Raſ in. c.i. pdices ꝙ oīs freneſ i
ſuo gn̄e ē moꝛtalis. pmo ꝓnoſtic. cān. illo. Ma-
nuū mobilitatis ſig. Et ꝙ oꝫ iterū ⁊ iterū flōma
re. ⁊ plura alia facere. Flōmabis eū de cephaᶜᵃ
vſq; ad. ℞. i. q̄ ſic expedit ꝯtinuādo illam mūc-
tiōem dictā: ⁊ vtat̄ ſolo oꝛdeato claro ⁊ aq̄ oꝛdei
vl' aqua ſimplici cum vino maloꝝ granatoꝝ. naꝫ
erit i augmēto vſq; ad ſeptimā excluſiue: vl' vſq;
ad. ix. vel forte. xi. nō obſtātibus ſubtrectōib⁹ vel
cū flōmijs ⁊ repercuſſiuis adhᶜ maᵃ fluet aliqua
liter ad caput i plus ꝙ reſoluat̄: tu cognoſcas h'
ſm ꝙ accidētia dicta augmētabūt̄ i malicia: tūc
venit q̄ntus dies nō pōt doꝛmire. An̄ꝙ inungas
caput ſibi: lauet̄ ſibi caput ab alto cū decoctiōe
ſequēti parū tepida. ℞. floꝝ viol. cortic papa. al.
oꝛdei excoꝛticati rad' mādragoꝛe an̄. m. i. ſ. decoc
tio bona vſq;quo rubea fiat aq̄. ⁊ illa ab alto ſu-
per caput fūdatur parū tepida renouando eam.
Cōſequēter apponas capiti ea q̄ dicta ſunt. Ad-
ueniēte ſexta die ſi vrina alba fuerit fugias: ſigⁿᵐ
eſt ꝙ maᵃ rapitur ad caput: ⁊ apā multū augmē
tatur: ꝓpter qd' fugias. Idem ſi vna vice ridet: ⁊
alia flet. vl' ſi i ſiniſtro pollice veſica citrina dura
appuerit ſimil' fabe. Si talia nō apparēt: fac flo
bothomiam de vena frontis ſatis bonam in de-
fectu illius de vēa naſi: vel ꝓuoca ſibi fluxū ſāgui
nis nariū. In defectu hoꝝ fac de cephalica alte-
rius ptis: tūc venit ſeptima dies nil agas: niſi ꝙ
fiat ſibi cliſtere: ⁊ q̄ cōiter maᵃ eſt fluxa ex toto:
qd' cognoſcas: q̄ accidētia illa mala nō augmē-
tātur in malicia. embrocam⁹ cum embrocatiōe di
cta. cōſequēter inūgam⁹ cuꝫ oleo viol. vbi ſit ter-
tia vel quarta pars lactis mulieris puellam lac-
tātis. ℂ Si videris accidētia augmētari: adhuc
ponas illa frigida ꝑus dicta: ſi nō: redeas ad ole
um viol. cum lacte mulieris: tūc venit octaua di-
es continua inunctiōnem iſtam vel illam ſcd'm
ꝙ accidētia ſtant i ſui malicia vel augmētantur
ſignū eſt ꝙ eſt in ſtatu. applica reſolutiua: miſce
as lac equis ptibus cum oleo viol. ℂ Adueniē-
te nona die: iſta cōſidera. Si videris ſtare acci-
dētia i eoꝝ malicia nil addēdo: ſignuꝫ eſt ꝙ apo
ſtema eſt in ſtatu: applica mag̃ reſolutiua: vt ca-
tulū viuū: ſcindatur ꝑ doꝛſum ⁊ capiti applicetur
ꝯ incipit infrigidari: alr̄ applicet̄. ⁊ ſi tot n̄ hēas gal
lū hēas ⁊ applica eodē mō. l' hēas pulmonē muto
nis nō caſtrati ⁊ per doꝛſū ꝑ medium exhat̄: ⁊ capi
ti ſubito applicetur. Iſta cōtinuētur vſq; q̄ deci-
maquarta dies ſit trāſacta. Loco iſtoꝝ quia dant
magnā fatigā: poteſt ill' diebus etiam caput fo-
mētari ab alto de quattuoꝛ i quattuoꝛ horis cuꝫ
aqua tepida decoctiōis floꝛum camomille melli
loti: floꝝ cene vtriuſq; ſticad. ſe. fenugre. ℂ Adū
te ꝙ aer camere cōtinue infrigidet̄ cum folijs ſa
licis ⁊ cāne vitis roꝛando dictam cameram cuꝫ
aqua ⁊ aceto in tertia pte vitet carnes ⁊ vinū oī-
no. Cibus ſibi electus ſit oꝛdeatum clarū cū gra
nis maligranati. loco illius auenatū: lac amigda
larum: ſꝫ in aqua prius bulliātur. ſemia frigida
maioꝛa. ℂ Sirupetur vt tibi placebit: ſꝫ ptiſana
⁊ aqua ſimplex cum vino maloꝝ granatoꝝ i mo
dica pte tenēt vim ſyrupi. Iſte ꝓceſſus fiat i fre-
neſi vera ⁊ nō vera: oīa non poſſūt ſcribi. mul-
ta opoꝛtet cōmittere tue prudetie.

Cura paſſ. fre. ſupuenien̄ i cōtinuis ⁊ acut. fe
bribus cōſuml' ē in q̄buſdam: licꝫ nō
indigeat tātis flobothomijs nec repercuſſiuis. dū
videbis ruboꝛē i facie ⁊ male doꝛmire: da ſibi cli
ſtere: ꝯſequēter flobothoma ipm̄ de baſilica vel
de mediana. ꝯſequēter da ſibi caſſiā ſt. ſimpliceꝫ
modo dicto. Et nō des febricitāti medicinam at
tractiuam ꝓ aliquo: niſi thamarind'. ſi neceſſe fu
erit. Ga⁹. vbicūq; loq̄tur de cura feb. intelligenti
prohibet: quia talia ſunt calida: ſic malificāt diſ-
craſiaꝫ ⁊ cām diſcraſie: ⁊ attrahēdo attrahūt qd'
ſubtilius eſt ſic. fe. ꝓlongant. Et attrahēdo pmi
ſcent malignū cū benigno: ſic augmētant malig
nū: quibus de cauſis feb. ꝓlōgant. ℂ Caueas er
go a tanto malo ſi vis i mūdo proſperari ⁊ gra
tus eſſe deo ⁊ hominib⁹. Fac ergo tali flobotho
miam: ⁊ da ſibi caſſiā fiſtulam dictam: q̄a tales
male doꝛmiūt: fac eis embrocatōnem capit. cuꝫ
decoctōe floꝛum viol. corticis papaueris: radic

mādragore ⁊c. fac raſuram: inūgatur ſibi caput
cum oleo roſ. vbi ſit aliqua pars aceti. Et ſi tibi
videatur reitera flōiam fac de cephalica: in bona
quātitate poſtponēdo vinū ⁊ carnes ordeatū pͥn
cipatū tenet in acutis potiſſime cū talib⁹ accidē
tibus. ptiſana aqua. cū portōne vini malorūgra
natorꝫ valet multuꝫ: ⁊ tenet vīn ſirupi in tali ca-
ſu ⁊c.

Capitulum quartum de apoplexia.

A diseas wh depriveth man of feeling, speaking or moving.

Um aliq̄s q̄ſi dormiēs
iacet et ſine ſōno ſtertit
et cū pūgiť n̄ ſētit tūc iā
patiť appľiaʒ Eſt auteʒ
huius egritudinis quātitas ſcđm
ꝙ fortiter aut debiliter ſtertit Si
tamē ſpuma ab ore exierit non eſt
ei medicandū. Cū autem parum
ſtertit egritudo ē leuior. Hec q̄dē
paſſio aut cito interficit: aut ī pa-
raliſim tranſit. Cum autem iſta
viſa fuerint: attēdendum erit an
patiētis facies multū rubere: aut
denigrari: aut viridis fieri videať
queādmodū cōtingit cum ſāguis
in aliquo mēbro ex coartatōne re
tineť. Tūc enim ſanguis illico ex
duabus guidei extrahēdus ē: aut
ex duabus cephalicis. Qđ ſi ita n̄
fuerit: imo cum aerem attrahit au
ditur in pectore oregmō ex hoc cli
ſteri erit cliſterizand⁹. Quod Rx.
coloq̄ntide bothor marien cētau-
ree minoris arthanite ellebori albi
oīm an̄. m. i. coquātur oīa in. iij. lī
aque donec ad vnam redeant. de-
inde colentur ⁊ ex media. lī. huiuſ
apozimatis fiat emena. qđ ſi cito
exierit: fiat iterum donec humorꝫ
multitudo ſimul cum eo exeat. na
rib⁹ q̄ꝫ cōdiſi ⁊ ellebor⁹ alb⁹ ſuauiť
inſufflentur. Et ē ingeniandū vt
anacardinū cū ydro melle ꝑ oſ ad
ſtomachū multotiens deſcendere
cogatur quaqꝫ die ſemel ex quo v-
nius aurei pōdus in potu ſumen
dū eſt. Cui⁹ deſcriptio eſt in capľo
de paliſi Sartago preterea ferrea
calefaciēda ē ⁊ capiti multotiens
adeo vicināda vt patientis capil-
li adurātur. Qđ ſi hoc modo non
ſanātur in medicādo: pl⁹ laborabi
mus. caput nāqꝫ rademus ⁊ ex ſi-
napi trito ⁊ caſtoreo: ⁊ fortiſſimo
aceto liniemus. Jn pͥma autē hu-
ius paſſiōis ſpē poſt flōiam ſtrin-
gem⁹ fortiter adiutoria ligādo ſu-
perius parū ſub ꝯiunctōe ipſorum
cū ſpatulis ⁊ ſtringem⁹ tibias ſili-
ter. Capiti q̄ꝫ ſupfundendū ē ole
um roſeū ⁊ acetū vini ⁊ flobotho-
mia faciēda pͥus in pedibus: ⁊ po
ſtea in naſi extremitate.

Eapoplexia Et eius cura

Apoplexia ē deſtructio ſenſus ⁊ mot⁹ i
toto corpe ꝑpter opilatōnem ⁊ reple
tionē vētriculorū nobiliū cerebri. vt dicit ga⁹. 3º.
de interi. c. pͥmo. Et differt a ſubeth. i. a ſomno ꝓ
fundo. ⁊ a litargia: quia licet in iſtis ſenſus ⁊ mo
tus deſtruať: tn̄ anhelitus in eis nō corrumpiť:
nec deſtruiť ſicut in ſpēbus apoplie fit. Simliť
apoplexia fiť ſubito: alia aūt paulatim: ⁊ ipaꝫ a-
poplexiā cōiter antecedūt vertigo ⁊ ſcothomia:
grauitas capitis ſꝑ an̄cedūt ꝑ diē vľ ꝑ dies cū pi
gricia mēbrorꝫ paſſiones dictas nequaq̄. Siľť
differt a ſincopi. q: facies apoᶜᵉ aſſilatur i color
faciei hoīs ſani ꝑpter multitudinē ſpūū. ſꝫ i ſin-
copi facies aſſilať faciei hoīs mortui. Secūdo
nota ꝙ apoplia hꝫ tres ſpēs ſeu tres gradus: vt
vult raſ hic. Jdē vult ga⁹. 2. ampho. ſup canon̄.
illo, Soluere apopľiaʒ fortem ⁊c. Et intelligas

iſtas ſpẽs ſiue gradus rõe diuerſoꝝ accidentiuꝫ
in q̃titate tali vel tali materie: ſic vel ſic opilãr.
¶ Prima ſpẽs eſt q̃ñ ſuſpirãt cũ maxia difficul-
tate ꝛ anguſtia ſtertẽdo ſeu roncãdo fortiſſime ꝛ
ſpuma in oꝛe. ꝛ vox eoꝝ eſt ſicut vox ſtrãgulatoꝝ
cũ inoꝛdinato anhelitu valde. Iſta ſpẽs eſt i vl-
timata malicia int̃ illas in q̃bus remãſit anheli
tus aliqual' ſenſibil'. q2 ſi nullꝰ anhelitus remãſe
rit peioꝛ eſt. Iſte ambe ſunt moꝛtales ꝛ ſub vna
ſpẽ reponũtur. q2 in ipĩs ẽ totalis repletio ſcd̃m
plus ꝛ minꝰ ventriculoꝝ cerebri: ꝛ meatuũ ſpuũ
ab arterijs ad cerebrũ: ꝛ meatuũ ſpũuꝫ cerebⁱ ad
neruos. ꝓpter qd̃ iſti duo non curãtur. ymo moꝛi
unt̃. ideo dicit ypo. moꝛtale. q2 vt plimũ moꝛiũt̃.
¶ Quidã tñ hoꝝ euadũt ab inopinato. propter
qd̃ dicũt actoꝛes q̃ dato q̃ videãt moꝛtui q̃ tene
ant̃ p tres dies. nam multi ſepeliũtur viui. q2 au
diũtur in tumulo ꝛ in craſtinũ inueniunt̃ reuolu
ti ꝛ moꝛtui. hoc cõtingit tota die. ¶ Secũda ſpe
cies differt a dicta q2 cũ minoꝛi difficultate ſuſpi
rãt ꝛ anhelãt ſtertẽdo ſine ſpuma: ꝛ nõ cõuniꝰ oꝛ
dine in malicia: q2 aliq̃ñ q̇eſcũt in illa maliᵃ ſter
tendi ſeu roncãdi. ¶ Tertia ſpẽs eſt in qua an-
helãt ꝛ ſuſpirãt cõpetẽter ꝛ ſatis oꝛdinate ꝛ non
ſtertũt in iſta vẽtriculi: nec alij meatꝰ ſic replent̃
nec opilant̃. q2 materia non ẽ tanta ꝓpter quas
cauſas iſta eſt ſatis curabilis a bono medico: vt
vult gaꝰ. ſup cañ 1º. Soluere apoplẽiaꝫ ꝛc̃. ¶ Et
curat̃ ſanguinea cum flõinijs reiteratis in diuẽ
ptibus. ꝛ fleũatica cum cliſterībꝰ. vbi ſit. m. i. colo
q̃ntide. ſternutatoᵃ nõ cõpetũt: ꝓpter diſſol'oem
materie niſi facta magna ſubſtractõne maťie cũ
cliſteribus foꝛtiſſimis. vbi ſit de colоq̃ntida ſatiſ
ꝛ cũ flõijs diuſis aliť ſternutatoꝛia eſſent nociua

Primo Tu queres. Cuius ꝑticule apo-
plexia ẽ paſſio ꝑncipal'r. Soluit
lr̃a. 3. de int̃. c. 5. de apoplẽa. q̃ eſt paſſio oim ven
triculoꝝ cerebri ſpãliter nobiliũ q̃ ſunt in medio
capit̃ ꝛ meatuũ arteriarũ aſſiſtentiũ ſpuẽtiuꝫ di
ctos ſpũs aiatos ad ipm̃ cerebrũ tãq̃ fumũ. 4. ď
int̃. c. 3. ꝛ meatuũ cerebri ad ipos neruos p quoſ
trãſit dicta fumoſitas ſubaliter. dicit gaꝰ. in loco
allegato. ¶ Ideꝫ de iuuamẽtis anhelitꝰ ꝛ ſuba
ceⁱ patit̃ puta malã cõpl'oem humidã. a tali maᵃ
humida ſanguinea vel fleũatica: vt pꝫ. 4. de int̃. cº
3º. ꝛ: 4º. cõſequẽt̃ patiũt̃ p colligãtiã oẽs nerui
ſẽſitiui ꝛ motiᶦ. ꝓpť qd̃ ceſſat ſẽſꝰ ꝛ motꝰ i toº coꝛᵉ

Secũdo tu q̃res ex quo p talẽ paſſiõeꝫ
ceſſat trãſitꝰ ſpuũ aialium ad
mẽbra ꝛ ẽ deſtructio motꝰ in oibꝰ mẽbris: qualiť
ꝑtes pectoꝛales foꝛtiꝰ mouẽt̃ ſolito in ãhelitu ip-
ſoꝝ. Soluit lr̃a 3º de int̃. c. ꝓpo. Idem dic̃ 2º. am
phoꝛ. cañ. illo. Soluere apoplẽiam foꝛtẽ ꝛc̃. q̃ il
le motꝰ ſit foꝛtis a v̈tute naturali motiua coadiu
uãte v̈tutẽ aiatam debilitatã ꝓpter deſideriũ aerĩ
extrinſeci. q2 aiata motiua non põt ſufficient̃ at-
trahere aerẽ extrinſecũ ꝓpť ſui debilitatẽ. ¶ Ar
guit ſic gaꝰ. in. c. ꝓpo 3º. de int̃. ſicut ẽ i doꝛmiẽti-
bꝰ ꝓtũc voluntarie motiua debili exñte. ſic ẽ in a-
popl'ia. Iſtã ponit in lr̃a. ſic ẽ in doꝛmiẽtibꝰ in q̃
bꝰ aiata volũtarie q̇eſcit in ꝑte lꝫ nõ ex toto ꝓpť
opil'oem aliq̃lẽ in ſomno ꝓpť cereⁱ ꝛ nõ puppis.
q2 doꝛmiẽdo de pauſa in pauſam pectoꝛaᵃ foꝛtiꝰ
mouẽt̃ ſolito rõe motiue ñlis ꝓpť deſideriũ aerĩ
extrinſeci ꝑ refrigeratõe coꝛdis ꝛ nõ rõe aiate de-
bilitate ꝓpter cãm dictã. g̃ ſic erit in apoplia: q̃
pectoꝛalia intẽdũ foꝛtiꝰ mouebũt̃ a v̈tute ñli moti
ua ꝓpter cãm dictam. Idẽ intẽdũ ꝯtingit vigilãᵉ
q̃ hõ ſuſpirat: q2 tũc natural' ſupplet vices aiate
motiue debilitate a frigoꝛe. Vel alioº. iſtud ideꝫ
ꝯtingit febricitãtibꝰ intẽdũ ꝓpť neceſſitatẽ attra-
hẽdi aerẽ friũ foꝛtiter. Illud idẽ ꝯtingit in moꝛiẽ
tibꝰ. q2 aiata citꝰ moꝛit̃ ꝛ debilitat̃ ꝓpť qd̃ ñ ſen
tiũt nec mouẽt̃: tñ pectoꝛalia foꝛtiꝰ mouẽt̃. q2 ñal'
motiua ex nccĩtate attrahẽdi anhelitũ coadiu-
uat q̃tũ põt motiuã aiatã mouẽre pectoꝛalia cũ
neruis veniẽtibꝰ a ſpondilibꝰ colli ꝛ doꝛſi ꝛc̃.

Tertio tu q̃res ſi ẽ dare motiuã naturalẽ
i lacertis pectoꝛĩ nᶜ alioꝝ mẽbroꝝ
q̃ moueat pectꝰ i nccĩtaᵗ i apopᵃ ꝛ i alijs caſibꝰ di
ctis. Vr̃ q̃ ñ. q2 aui. nullã fec̃ mẽtõꝫ g̃ ñ ẽ dare ꝯᵒ
tꝫ q2 ipẽ fuit ꝑfectꝰ artifex. Itẽ ois motꝰ ꝟ mediᵉ
neruoꝛ lacto. 5. ď moꝛ. ꝛ ſic ois motꝰ ẽ aial'. ꝯᵃ tꝫ
q2 illa ſt̃ iſtra motꝰ aial'. i eod̃. 5. ď moꝛ. Soluit lr̃a
gaⁱ. 2. ãpħ. ꝯº illiꝰ cañ. ſoluere apo. ꝛ. 5. ď moꝛ. c. i.
Idẽ pꝫ. 2. ď ꝯpl'oni. c. 4. ois v̈tꝰ ñal' ẽ motia ñlis.
ħ dic̃ aui. doc̃. ď v̈tutibꝰ. q2 ois v̈tꝰ ñlis opat̃ ꝑ mo-
tũ. attractia expl'ſia ñlis opat̃ ꝑ ꝓpriũ motũ. q̇ a
ꝑ ꝓpoſ villos q̃ motũ nᶜ oꝛtũ recipiũt a ceº vt dic̃
gꝰ. 2. de ꝯpl'o. c. 4. ſẽſũ ãt bñ recipiũt ꝑ colligãtiã
q̃ndã pellicl'aꝝ ide oꝛtaꝝ ñ negãº q̇n tales v̈tuteſ
coaduneť i actõe ſua aꝗ motu aiato vt pꝫ i expel-
leᵃ ſupfluitates veſice ꝛ iteſtioꝝ ꝛ aliaꝝ ſupfluita
tũ ſic motia ñal' coadiuuat aiatã motiuã i actõne
anhelitꝰ i q̃ actõe ñli ẽ illa coadiuuans in nccĩta
te vt pꝫ in propoſito.

Ad rões pꝫ ſol'o. Ad aui. dico q̃ ipẽ itel
lexit i ħ q̃ dic̃: q̃ ois v̈tꝰ ñlis ꝑ
motũ opat̃. Ad aliã. motꝰ ois ꝟ mediᶜ lactoꝛ ner
uo. veꝝ ẽ aial': ñal' ãt ꝟ mediãtibꝰ vill' q̃ nᶜ motũ nᶜ
oꝛtũ hñt a ceºꝫ fueřt creati cũ v̈tutibꝰ ñlibꝰ talibꝰ vt
ẽ ď claratũ pºď iter. c. vl'º. ꝛ dc̃m ſilr. 2. ď ꝯpl'o. c. 4

Quarto tu q̄res. cum pulmo moueaṫ ſcd̄m ſeip̄m vt dicit ga⁹. in li-
bello de iuuamētis anhelitus circa mediū ⁊ mo-
ueatur cum diafragmate rōne colligātie: cui⁹ dy-
afragmatis motus ē in pte naturalis ⁊ in parte
aīatus vt dicit Ga⁹. ibidem. Et idē dicit auerro.
2°. coll'. c. de iuuamētis pulmōis nūc queriṫ qua-
re ceſſat motus pulmonis: nec actio anhelitus
propter paſſionem cerebri. ¶ Soluit galien⁹ in
libello de motu thoracis ⁊ pulmonis. ⁊. 4°. de i-
terioꝛib⁹. c°. de malo anhelitu. ꝙ pulmo nō habꝫ
motum niſi ad motū thoracis. Idē dicit auerro.
2°. collectoꝛij. c. de iuuamētis pulmonis autoꝛitͤ
Ga¹. ꝙ pulmo nullū motum habet in ſe: ⁊ ꝙ pl'-
mo moueṫ ad motū thoracis ſicut cōtentū com-
preſſum ad motū continētis ⁊ comp̄mētis: ſicut
ſpōgia contēta in manu dilataṫ ⁊ conſtringitur
ad dilatatōem ⁊ conſtrictōem manus: vt diċ g⁹.
5°. de inte. c. 2. in fine. Ideo ꝙ thorax nō moueṫ:
interdū i apopl'ia ꝓpter ꝑuatōem ſpūum moti-
uoꝝ nō deſcēdētiū a cerebro ꝑ ipos neruos ſpō-
dilium colli ⁊ doꝛſi ad ip̄m pectus. Ideo pulmo
non moueṫ. ⁊ quia nullo modo mouetur thorax
ſaltem ſenſibiliter in aliqua apopl'ia. ſil'r nͨ pul-
mo mouebiṫ ſenſibiliṫ. Nō eſt ergo mirum ſi i ta-
li apoplexia ceſſet anhelit⁹. ¶ Tūc ad gaᵐ. q̇ di-
cit ꝙ moueṫ ſcd̄m ſeip̄m: ita q̄n thorax mouetur
ip̄ſe ex ſui natura dilataṫ ſicut ſpongia. Similiṫ
diafragma moueṫ eius motu naturali ad motuꝫ
thoracis. aliter nō poſſet ſil'iter moueri: niſi ꝑce-
dat dilatio ipſius. ¶ Ad auerroym ꝑ ideꝫ. ¶ Ad
aliud. v̄tutes hꝫ naturales: ergo mouebitur ſcd̄ꝫ
ſeip̄m. Verū eſt niſi ſit ꝓhibēs. thorax comp̄mit
ipſum: ideo opoꝛtet ꝙ an̄ꝙ pulmo moueatur: ꝙ
thorax dilateṫ. tūc ip̄o dilatato: pulmo ex ſui na-
tura dilatatur ⁊ mouetur: ſicut dictum eſt de ſpō-
gia.

Quinto Cuꝛ arterie moueanṫ motu ꝓ-
prio mediantibus vil'l' ꝓprijs
q̇ ortum nec motū habēt a cerebro. 2° de comple-
xionib⁹. c. 4°. quare ceſſat mot⁹ ipſaꝝ arteriarū i
apopl'ia ꝓpter opilatiōem vētriculoꝝ ⁊ meatuū
cerebri ꝑ quos ſpūs aīati intrāt ⁊ exeūt dictos vē-
triculos. ¶ Soluit auerroys. 3°. ſui collectoꝛij. c.
de apopl'ia. dicit ꝙ cerebrū non facit ſuas opa-
tiones motiuas nec alias niſi ꝓpter hoc vt tem-
ꝑeries coꝛdis i caloꝛe naturali ex toto conſueṫ.
Ideo ſi cerebrū ceſſat ab actionib⁹ ſuis temperi-
es coꝛdis in caloꝛe naturali ex toto aufertur. pro-
pter qđ ceſſabit motus coꝛdis ⁊ arteriarum: ex q̄
inſtrumētū ſue actionis puta caloꝛis naturalis
ex toto aufertur ⁊ ānullabitur. Ceſſante ergo ac-
tione ip̄ius cerebri: ceſſabit ⁊ actio coꝛdis ⁊ arte-
riaꝝ. q: pl'mo ⁊ dyafragma ceſſabūt a motu ſuo
quia pect⁹ non mouebitur: nec illa mouebūtur.
ſic caloꝛ naturalis qui ē inſtrumētū actōnis coꝛ-
dis ⁊ arteriaꝝ ex toto ānullabiṫ, ſic actio coꝝ ceſ-
ſabit ⁊ ex toto deficiet.

Sexto tu queres. ſi apopl'ia ē paſſio di-
ctoꝝ vētriculoꝝ ⁊ meatuū per ſe
vel ꝑ colligātiam. ¶ Dicēdum ꝙ ſꝑ ē ꝑ colligā-
tiam: q: aliūde venit ſanguis ſeu flegma replēs
dictos vētriculos ⁊ meatus. 3°. de interioꝛib⁹. c°.
ꝓpꝛio. Idē in. c. 3°. ⁊. 4°. Tu dices. cui⁹ membri
colligantia ſit talis apopl'ia. Dicēduꝫ ꝙ ꝑ colli-
gantiā venaꝝ cerebri vene ex plectoꝛea vel ex ꝑ-
cuſſiōe: vel ex ſole diſſoluēte: vel ex frigiditate cō-
p̄mēte: vel ex motu foꝛti: puta ex coitu foꝛti: ⁊ ma-
gno potu. ſpuūt materiam ꝑ viam plectoꝛie vel
diſſolutionis ad dictos vētriculos.

Septimo tu q̄res⁹. apoplexia q̄ pa⁹
eſt, in ſe in genere: vel in
ſpecie. ¶ Dicēdū ꝙ officialis in receptaculo ⁊ i
via: verū in ſuba cerebri pōt eſſe moꝛbus cōſil'is
puta mala humida rōne materie fluxe ſanguīee
vel flegm atice pōt eſſe humoꝛal' apoſtēoſa in q̄
erit triplex gen⁹ moꝛbi tūc ꝓprie erit paſſio me-
atuū ſpūum ab arterijs ad cerebrū vel cerebˡ ad
neruos. Vn̄ quecūq; apopl'ia cōiter ē incurabil'
ꝓpter nobilitatē membri ⁊ multitudinē mat'ie.
nam mēbrū nobile nō pōt toll'are longitudinē
moꝛbi nec maliciaꝫ accidētiū. 2°. ampho. cān̄. 1°.
Acute egritudines ⁊c̄. ¶ Si aūt aliq̄ apoplexia
cureṫ: non pōt perfecte curari ꝓpter multitudīeꝫ
mat'ie. Sed aliq̄n natura vigoꝛata ⁊ iuta per ar-
tem: mittit ad meat⁹ neruoꝝ ⁊ arteriarū. ideo in-
fūditur materia i oꝛigine neruoꝝ: ⁊ materia hū-
da ſic imbibita cauſat mollicīē in ip̄is ⁊ hoc eſt
paraliſis. hoc vult Raſis hic. Idē auiċ. in. 3°. ca-
no. vn̄ ſicut res pūgēs. ibidē. In oꝛigīe neruoꝝ
vel alibi cāt ɔtractionē in neruo ex ſui natura: vt
videm⁹ i coꝛrigia pūcta i capite ꝙ ɔtrahiṫ. vel ſi
hūiditas imbibita relaxabiṫ. ita ē i neruis: vt diċ
ga⁹. 2° . de inte. ɔtra archigenē. Et talis imbibi°
maͤ ſ'i pte mag' ad quā declinat: lꝫ vt pl'imuꝫ ſi
at i pte dextra. q: vie ſūt latioꝛes: iō citi⁹ ibidem
maᵃ fluit. h̄ vult ga⁹. 3°. ampho. ɔ°. illi⁹. Si vero
hy ēs auſtrina ⁊c̄. Propt̄ cām ex reumate l'aſ
cōiter cātur paliſis in pte dextra.

Octauo tu q̄res. apopl'ia cui⁹ v̄tutis ē
nocumētū ꝑncipali'r. Dicēᵐ vt
ſupꝛa: apopl'ia ⁊ ōis moꝛb⁹ mat'ial' ē nocuᵐ ꝑncͬ

regitiue natural' digeſtiue ꝛ expulſiue ꝛ vital' ex
pulſiue vt eſt dictū ex intētōe ga¹.xi.de inge.c.2.
ꝛ.8.nā ſi nō erraſſent in actōe:cā talis morbi nō
fuiſſet generata in corpe tali.

Nono Tu q̄res: Apopl'ia cui⁹ vtutis ē pa⁰ pncipal'r. Dicendū ꝙ pncipal'r re-
gitiue aiate motiue ꝛ ſenſitiue ꝯñter vital' ꝛ na-
tural' vt eſt ſatis declaratū in p̄cedētib⁹.nā talis
paſſio ē in receptaculo ꝛ in via ꝓhibēdo trāſitū
ſpūū ad dicta mēbra corrūpit ꝛ cāt nocu^m pnci^r
in dictis vtutibus: ꝯñter in aliꝭs.

Decimo Tu q̄res.q̄re pl⁹ ineſt talis pa⁰ ſemb⁹ ꝙ puerꝭ:cū pueri ſint i
fine hūiditaꝭ.2.de cōpl'oib⁹.c.i.Et eis magꝭ acci
dat epil'ia q̄ eſt paſſio ſilr vētriculoꝝ cereb¹ vt di
cit ga⁹.3.de inter.c.4. Soluit aui.3.cañ.dicēs:ꝙ
pl⁹ ſemb⁹ ineſt.q: eoꝝ etas ē fria. iō magꝭ abun
dat in hūiditate ſupflua accidētali ꝛ ſm naturā
vētriculi eoꝝ ſtricti ſunt ex etate ꝛ ex ꝯplōe.iō ci-
tius opilāt ꝛ replent rōe ma^e potiſſime cā pimi
ua coadiuuāte: vt magn⁹ potus: coit⁹ ſup magno
potu: exercitia alia cū calore ꝛ frigora indebita
faciēna ad diſſolōem ma^e in ptibus vicis ꝛ i to⁰
corpe. In puerꝭ ē p oppoſitū. humiditas eoꝝ eſt
cōnatural' eis.ideo non excedit in q̄tito acidētali
ſic ꝛ epil'ia fit rōe q̄lis ꝛ nō quāti.3.de inte.ꝛ illō
quale ē in eis rōe lacticinioꝝ q̄ de facili corrūpi-
tur ꝛ effumat fumo malo horribili pūgēte pelli-
culas cerebri ꝓpter quam pūctōem cōtrahunt
ꝛ ſpaſmant: ꝛ vie ꝛ meat⁹ opilent vt declarabit
infen⁹.c.ꝓpo.ſic cadūt ſubito ꝓpter priuatōem
ſenſus ꝛ motus.

Undecimo tu queres.qui ſunt iſti qui citius cadūt i pīcu
lo hūdi apopl'iā. ¶ Dicē^m ex intētōe aui.ꝛ Ga¹.
ꝛ Raſ.ꝙ hn̄tes potiſſimal'r cephaleā vl' emigra
neā vel alias paſſiones capitis dictas vidi ꝙ plu
res de talib⁹ icurrere apo.ſilr ſenes.ſan. ꝛ pota-
tores potiſſime ꝯhētes cū vgibus ꝛ hn̄tes caput
hūidū ꝛ magnū cū vena magꝭ i frōte poti^me ſi hi
tent i regiōe hūida caueāt tales a ſubita morte.
vitēt hūida vt offas ꝛ nimiā cenā ꝛ coitū mag^m
ꝛ feſtinū poti^me poſt cibū ꝛ potū.ex noti^a horū
oīm ſupradictoꝝ nō ſolū cura artificial' pficit.y⁰
p̄ſerua⁰ ipſi⁹ apop^e q̄ ē paſſio i vltiata malicia ꝓ
pter quod cito interficit.

Iſtis clarificatis cura apop^e tibi pateſcit
¶ Añꝙ i cura ꝓcedas p̄us ꝯſidera quā ſpeciem
apo.patit.nam ſi iaceat ſic dormiēs ſine ſenſu ꝛ
motu ꝛ ſtertit ſeu roncat cū ſpūa i ore ē malo ꝛ i
ordinato anhelitu: fugias.medicād⁹ nō ē. h̄ vul^t
raſ.i.c.5.vult ypo.2.āpho.cañ.illo. Strāgl'ato:ū
q̄buſcūꝗ ſpūa fuerit circa os n̄ curāt ꝛc.cāꝫ dat
ga⁹.i ꝯme⁰. q: ſpūa venit i ore ex fūo eleuato ab
hūidit^e viſcoſa plīnōis n̄ cito diſſoluēda cū agita
tione vētoſa i eo rōe fortꝭ ebullitōis calorꝭ i cor-
de ꝓpt āguſtiā pulmōis ꝛ duriciē āhelit⁹. q: nō
euētat ꝓut dꝫ.vn̄ n̄ n̄ pt h̄ diu tollare.q: iſtis ſtāti
b⁹ cor cito pdit ex toto tpiem ſibi debitā.iō morit
5.de inte.c.p⁰.circa pn^m.ꝓpt qd tales fugiēdi ſt
ꝛ nō medicādi: multo forti⁹ ſi ſine ſenſu: motu: et
anhelitu manifeſto fuerint iſti faciūt p̄mā ſpēm
apop^e. Uerū q: ab inopinato aliq̄ eoꝝ euadūt ꝛ
viuūt p aliq̄s dies ſine āhelitu māifeſto. Cōſiliū
ē actorꝭ ꝙ nō ſepeliant de trib⁹ dieb⁹.iō p̄miſſa ꝓ
noſticatōe ſi ille q̄ caret ſenſu: ꝛ motu ꝛ āhelitu
manifeſto: rubeſcit ꝛ nigreſcit i facie.flōet devt-
ꝗ cepha^ca exhēdo de q̄libet brachio.℥.ij.ad mi
nus.cepha^ca nō inuēta apiat mediana in vtroꝗ
brachio.ꝯñr inſufflet cū pēna pforata īfra nares
de pul' ſequēti. ¶ ℞.ꝯdiſi elli.al.añ.ʒ.i.ꝭ pliuiſ
ſubtiliſſim⁹.loco hoꝝ ℞ de eufor⁰ piret⁰ ꝛ caſt⁰.
ſubtiliſſime pulueriʒatꝭ inſufflet īfra nares plun
es in vna hora.cōſequēter habeas vgulas ḡci-
les.flagella ipm p nates: hancas ꝛ coxas vt ſen
ſitiua vt⁹ icitet ſi vixerit.hoc facto raſo capite cū
ablutōe vini albi decoctōis ſaluie ꝛ maiorāe an
thos epithiet cū bōbacē iſuſo i h̄. ¶ ℞.aceti for
tiſſimi.℥.6.ſe.ſinap.caſto¹.ſubti^me plueriʒatoꝝ
añ.ʒ.ij. miſceātur: epithimetur. Iſtis factis per
diem ꝛ vltra: ſi aliud tibi nō appareat renouādo
de ſex i ſex horꝭ: remittas eū p̄ſ ꝯrās. ¶ Alium cui
ſpūa ē in ore dimittas: q: diu h̄ nō potit tollare.
ꝛ adminiſtrādo cliſteria vel flōias: pderet ex toto
anhelitū ꝛ pei⁹ hr̄et: ꝛ eſſes vitupat⁹. ¶ Si vero
tal' apople^c⁹ patiat ſcōam aut tertiā ſpēm apo^e:
ſi facies rubeſcat: aut nigreſcat: ꝯfeſtim flōma
ipm de ambab⁹ cephaliꝗ ꝛ i bona q̄tit^e a talib⁹
ē ſaug.exhēd⁹ in q̄titate triū.℥. illa non inuēta
fac de mediana vtriuſꝗ brachij. Si vō ei⁹ facies
non rubeſcat nec nigreſcat: h̄ anhelādo audit ſo-
n⁹ in pectore velut oregmō. ¶ Cliſterizet ſic ℞
pl'pe coloq̄n^e bor: marien cētaurec miorꝭ artha
nire.elli al.añ.m.i.coquant oia in.iij.℥.aq̄ dōec
redeāt ad.℥.i.colent ꝛ ex media.℥.ꝭ cliſtere qd
dū exient fiat iteꝝ ꝛ iteꝝ vſꝗ q̄ multitudo hūoꝝ ſil'
exeat cliſtere.ē raſ.q: vt forti mor⁰ fortꝭ me^a cor-
reſpondeat. Uel ſic. ¶ ℞.cētauree miorꝭ.m.ij.
abrotani.m.i.ſe.naſtur¹.ʒ.ij. pulpe coloq̄n^e.m.i.
elli al.m.ꝭ.fiat deco⁰ i trib⁹.℥.aq̄ dō redeat ad.ij.
℥.Ex vna.℥.decoctionis fiat cliſtere cum.ʒ.i.ye

niſi ex textu gal. 5. de morbo. c. i. dicit ad litteram ralogodio. reiterat ſepe vſq quo humores exeant cō ſequēt ſi cū iſtis vene groſſe appuerit: flōma ipm de vtroq brachio de cephalica vel media. q flōmia multitudinē hu. euat: reiterādo cliſteria dicta: vt tibi videbit. poſt puoca ſternutatōes vt ſtati ē dēz ablue et radē caput et epithiam put dēm ē ſtati

¶ Capl'm. 5. de graui dormitatione

Cum aliqs qſi dormiens iacet et tñ ſētit et mouet: ſz ocl'os ſcōm plrm hz clauſos quos tñ dū vocat cū clāore apit lz iterū ſtati claudat: iā patit ſubet q cū cliſterib acuit q paulo āte nominaui curādus ē. i os q ipi mittē idromel et laborabi vt deſcēdat. ipſū eī nutrimētuz exiſtit ei. Caput ſterea vſq ad diatriū pmū extrodino ifūdem. Poſt tertiū vo diē ſternutatōez puocabi ex hijs q noiauim et radem caput et linimus ex ſinapi et caſtoreo et aceto.

E ſubeth Nota q raſis vnā paſſionē pōit i rubrica et aliā exſeqt i lra capl'i: dādo illi cura puta ipi litargie. nā ſubeth ē ſomn pfūd ppt paſſionē pre cerebri. litargia q exſei. c. p cura ē ſon ſatis pfūd ppt paſſionē puppis. Sz q cānt ab eadē cā coīt ex toto l ſm ptē. q a mala fria et ſe cōſequūt i nocumēto Jō raſ rubricauit de vna et exſeqt aliā i cura. nā cura ē qſi eadē niſi q i ſubet reme applicat i pra et in litargia i puppi. Alteri nō. nos habem ſubet ſonū pfūdū ſonū inaturalē: et ſonū grauez Iſte ſūt paſſiōes pre cerebri et ſunt paſſiōes frie et hu. ſm pl et min. i ſubeth ē maior lapſus: poſt in graui ſeu i inaturali ſeu i pfūdo ſōno. poſt ē minor lapſus i ſtupore. Iſte ſtupor vt ſs interdū ē cū ſōno. iterdū ē i vigilijs. Paſſiōes dicte deſcribūt noie accñtiū iſtoꝝ litargia et ogelao ſūt paſſiōes frie puppis cer. litargia ē paſſio fri. et hu. nō poſuit i iſto. c. i cura. q nō differt niſi. q iſta ē i puppi. ſubeth ē i pra. ogelatio ē paſſio fri. et ſic. i puppi vt dicet ſtati. c. ſequti. ¶ Alteri nō: q ſtricte loqndo ſubeth ē apa flāticū i pra cer in q ē aliq portio co. nō p viā mixtiōis vicinitat. iō ſūt accidētia cū qdā pziet cāntē ſomnū pfūdū. Raſ ſic intelligit. Idē ſerap. Idē ſymō ianuēſis i ſuis ſynonimis ¶ Litargia q ē obliuio ſōnolēta ſi ſtricte capiat ē apa flāticū in puppi cere: tūc dr vera litar. ſic itelligit raſ h. ¶ Vel ē a flāte cū aliq li portōe colē cōmixte p viā vicinitat; magi q p viā mixtiōis. iō ſūt accña cū qdā pzietate ſic dr litargia nō vera: cū litargia apoſtēoſa ē fe. valde lēta occulta i q medici ſūt plies decepti: nō credētes illū febricitare. ¶ Si āv iſte dicte paſſiōes puta ſubeth et litargia ſint hūorales vel apoſtēoſa eadē ē cura. ſolū diuerſificat. q i ſubeth applicāt reme in pra. in litargia. i puppi. vtraq harū apoſtemoſa pōt fieri de ſolo flāte vel de flāte cū portōe colē vel mlie: tūc ſūt accñ pmixta. et dr nō vera litargia vel nō ver ſubeth. quāq tñ ma ē mixta.

Primo tu qres. ſubeth cui ptic'e ē paſſio pncipal. Dicēdū q pre cere puta ventriculoꝝ et pelliculaꝝ et ipi ſube ſi ſit hūoral et ſi ē apoſtēoſa pelliculaꝝ. pmunit idē qritur de litar. Dicendū ē ſi ſit hūoral: ē pa ſube cer et pelliculaꝝ ei et ventriculoꝝ i puppi: ſi ſit apōſa: ē paſſio pncipaliter pelliculaꝝ cui apoſtemant q ſuba cer: lz rōe groſſiciei materie pellicle tarde aut raro apoſtemant.

Secūdo Tu qres. ſi iſte paſſiōes iſūt pellicul et alijs ptib dici p ſe vel p colligātiā. Dicen q p colligātiā: q vēit humor q venire non dz ſm naturā p venas circulātes ab alijs ptibus corporis.

Tertio tu qres. ſubet q pa ē i ſe i gñe et ſpē. Dicē q ſubeth ē pſilis qñ ē hūoral. qñ ē apōſa: ē official. Idē dicen dē litar ſic vel ſic pſiderādo.

Quarto tu qres. ſubet et litar cui vtui ē nocu. Dicē vt. s. q regitiue aīlis digeſtiue et expl'ſiue et vital expl'ſiue cereb.

Quinto Tu qres. ſubeth cui vtui eſt pa pncipal'r. Dicen q regitiue aīate pre cer. q ſenſus cōis. nā ſenſus ligat vltra debitū a tali ma fria hūorali vel apoſtēoſa Idē qrit de litargia. Dicendū q ē pa regitiue aīate puta memorie pncipal'r. poſt ſenſus cōis. naz mala fria hūoral vel apōſa i puppi corrūpūt actiōnē vtui collocate in puppi et rōe colligātie ipius ſenſ cōis. ppt qd litar dr obliuio ſōnolenta.

Sexto tu qres. qliter dormiēdo aliq ſurgūt de nocte et vadūt p domū: yo ſcio quoſdam q vadūt ad ſtabulū et pant equū: vix exigilant et non recordant feciſſe illa. Dicē q in talib eſt fortiſſima opilao in pra cere rōne

ſumi groſſi eleuati a ſto° vel a ſanguine ꝑte. q̃a
tales ſunt ſanguinei in ꝑte vel i to° ⁊ ſũt ſat̃ cali
di i media cellula ⁊ i puppi. ꝑpter qꝺ imagĩatia
ſtat in ſua actõe ⁊ ꝑcipit mẽoratiue aĩate q̃ hꝫ ſe
dere i puppi: q: a puppi oriũt̃ neruĩ moti. 3. ⁊. 4.
ꝺ int̃. in q̃ puppi ẽ modica opila° in ſomno: ꝓpt̃
qꝺ motiua venit in actũ ſuũ. nã ſõnꝰ ẽ pa° ꝓnciꝑ
ꝑte. ⁊ ꝯñs rõne colligãtie eſt aliq̃lis pa° pup-
pis ꝓpter qꝺ dormiẽdo lꝫ non poſſumꝰ ſtare pe-
de mouemur. in brachijs ⁊ tibijs ꝓpter ſp̃s mo
tiuos venientes a puppi ſufficiẽtes ad iſtũ mo-
tũ. ⁊ in q̃buſdã veniũt in magna q̃tit̃e ſufficiẽtes
ad motũ ꝑfectũ. q̃n talibꝰ pupis q: cal'a in ña ñ
forũt̃ opilat̃ rõe illiꝰ colligãtie i ſõno. iõ aliq̃ dor-
miẽdo ſurgũt ⁊ vadũt yꝰ loquũt̃ q: neruꝰ motiuꝰ
lingue hꝫ ortũ a puppi 4. ꝺ int̃. ꝓpt̃ cãs q̃ſi ꝯſiles

Iſtis clarificatis cura ſubet ⁊ litargie ti
bi pateſcit. patiẽs tal' iacet q̃ſi dormiens cũ ocul'
clauſis. ⁊ ſi ꝓclamet̃: ſentit ⁊ mouet̃ ⁊ apit ocu-
los ⁊ ſtatim claudit ⁊ reuerit̃ ad ſomnũ. ¶ Cli
ſterizet̃ cũ cliſterijs ſtatim in cura apopl'ie. ꝯñr
ſi venoſus fuerit flõmetur de cepha^{ca}. q̃ non mẽ
ta: de mediana. q: flõia multitudinẽ hu. euãt. fri-
cent̃ extremitates potiꝰ inferiores vſqꝫ ad fati-
gã. In ꝑmis tribꝰ diebus reitera cliſte^{ia}: ⁊ da ſibi
ydromel i q̃ ſit. 12^a ꝑs mell'. ſufficiat tibi ꝑ nutri-
mẽto. h vult raſ q̃ñ iſte paſſiões ſũt apoſtemo^e
ſe. lenta cõcomitat̃ q̃ cũ difficultate cognoſcit̃. mlti
medici ſunt decepti. ꝯſideret̃ ſi lingua ẽ ſicca. vl'
aliqual'r arida. ⁊ ſi hñt ꝑmixtionẽ rõis q̃ñ muta
tur. ⁊ ſi iraſcitur q̃ñ incitat̃: tũc co. ẽ ꝑmix̃ ẽ ſtãte.
⁊ tũc tꝫ ocl'os magĩ aptos. q̃ñ mł'ia eſt ꝯmixta tꝫ
oculos magĩ fixos q̃ñ incitat̃. Iſta accña dc̃a cõ
comitãtur ipam ſe. dietet̃ tũc tenuiter cũ auena
to ⁊ ordeato ⁊ ptiſana. trãſact̃. 4. diebꝰ ꝓuocent̃
ſternutatões ⁊ nõ añ. q: ma^a apoſtẽoſa magĩ flu
eret: cũ tũc ſit i fluxu: q: talia ſunt cal'a ⁊ ꝯmouẽt
ꝑtes illas. Conſeq̃nt̃ radat̃ caput ablucꝰ ẽ deco
ctione iſta. ¶ ℞ ſaluie maiorane betho^{ce} ſiccoꝝ
añ. m. i. vtriuſqꝫ ſticaꝺ folioꝝ ſene añ. m. i. ſ. deco
ctio i aq̃ ⁊ vi° al° eq̃s ꝑtibꝰ ꝓpt̃ aq̃a ſimbi ſit. Con
ſequent̃ epithiet̃ caput cũ epithiate iſto interpo
nendo bõbacẽ. ¶ ℞ aceti forti^{m} ℔. 5. ſe. ſinapi.
caſto^r ſubti^{me} pulueriʒat̃ añ. ʒ. i. miſceãt̃ ⁊ epity
met̃: reiterãdo cliſteria dicta ⁊ dictãdo tenuiter:
vt ẽ dictum. Et hec de ſubeth.

¶ Capitulum. 6^{m}. de congelatione.

Um aliq̃s quaſi dormiẽs
iacet ⁊ non mouetur: ⁊ li-
cet oculi ſint apti: palpebras tñ ñ
mouet cõgelatus ẽ ſiue rigidꝰ Cu
randꝰ võ eſt ex medicinis ſubeth:
hoc tamẽ addito vt oleũ ſambuci
nũ ſuper caput fundat̃ in omi li-
bra cuꝰ ſit vncia euforbij. Ipſum
quoqꝫ caput ex caſtoreo ⁊ euforbio
⁊ oleo ſambucino liniatur.

E congelatione

id eſt de diminutione ſenſus ⁊ mo-
tꝰ ꝓpt̃ opil'oꝫ puppis a malafria et
ſicca hũorali. ſ. col'a nig̃ vel ſlãte vitreo igroſſãte
⁊ imobilitãte ſp̃us motiuos. ꝓpt̃ qꝺ raſ i rubca
vocat eos ſtupidos: q: ſꝑ hñt ocl'os aptos ꝓpt̃ i
mobilitatẽ ſpũũ dictã. ⁊ remanet corpꝰ ſm diſpo
ſitionẽ i q̃ eſt q̃ñ ſibi ſupuenit tal' pa° ſi rectꝰ ẽ q̃ñ
ſupuenit ſibi remanet rectꝰ. ſi curuꝰ eſt: remanet
curuꝰ. ſi ſupueniat ipo dormiente remanent ocl'i
clauſi: q̃ꝙ vt pl'rm ſtent cũ ocul' aptis: illud to^{m}
eſt ratione immobilitatis ſpũum ⁊ anhelãt aliq̃
lit̃ ⁊ debiliſſime. q: opila° in puppi non eſt iulti°
Uulgares dicũt ꝙ ſunt rapti vſqꝫ ad celos quia
ſtãt ſine loq̃la ocul' aptiſ. vidi viũ minorẽ. xxv. an
noꝝ vel circa cui ſupueniebat bis ⁊ ter i ãno. po-
xiſmꝰ ille durabat tribꝰ ⁊ quattuor diebꝰ appõe
bamꝰ calefacto^a i puppi ſic curabat̃. ſ dicebat̃ q:
ſat̃ erat deuotꝰ ꝙ rapiebat̃ vſqꝫ ad celos. ipo cu-
rato non recordabatur ꝓ dicebat nihil vidiſſe nec
habuiſſe.

Primo tu q̃res cuꝰ ꝑticle ẽ pa° ꝓnciꝑ ipa
ꝯgela° Dice^{m} ꝙ puppis a cẽreo
vſqꝫ ad medullã. h ſẽtit lr̃a 3. ꝺ ite. c. 3. cc̃a me^{m}. c.

Secũdo tu q̃res. ſi eſt pa° ꝑ ſe l'ꝑ colli
gantiã. dicendũ ꝙ q̃ñ eſt ima
teria l' qꝺ raro accidit tũc eſt ꝑ ſe. ſi ãt ſit matialis
qꝺ ẽ vt pl'rm tũc eſt ꝑ colligãtiã: lꝫ de poſſibili illa
ma^a poſſit ibi gñari a mala fria ſic. caſꝰ ẽ poſſibil'

Tertio tu q̃res ꝯgelatio q̃ paſſio eſt in ſe
in gñe ⁊ in ſpecie. Dicendũ ꝙ eſt
paſſio ꝯſilis in ſe fri⁊ ſic. cũ materia vel ſine ꝯco
mitãs ſecũ morbũ officialẽ puta opilatõem. veꝝ
illa opilatio nõ eſt in vlti° ꝓpt̃ qꝺ cõiter anhelãt
lꝫ occulte ⁊ debili modo.

Quarto tu q̃res. ꝯgela° cuius virtutis
eſt nocumentũ. Dicendũ vt ſu
pra ꝙ regitiue ñlis digeſtiue ⁊ expl'ſi^{e} auc^{e} ga' vt
dc̃m eſt ſupiꝰ i mlt̃ loc̃. ¶ Cõ l'ram tu argues for-

ꝙ ſpaſm⁹ tremor ⁊ ꝯgela⁹ ſūt nocu[m] i volūtaria actōe motia. Dice[m] ad h̄ ⁊ ſup h̄ nō ꝓ oīni qd̄ di ceƭ i toto ꝓceſſu hui⁹. 9. almāꝰ. ꝙ refert dicere cu ius vtuƭ ſit nocumētū paſſiue. i. a q̄ vtute leſa i ac tione fiat ⁊ gñeƭ. Et refert dicere cui⁹ vtuƭ ſit no cume[m] actiue. i. cui vtuti noceat p̄ncipaliƭ ꝑ alia vba cui⁹ vtuƭ ſit paſſio p̄ncipaliƭ. Iſte locutōes ſt ga[l] in de mor⁹. 3. ⁊. 5. li⁹ poti[me] etiā in de int. pli- bus loq̄. nā ꝯgela⁹ ē nocu[m] paſſiue regitiē n̄lis et vital: vt ē declaratū pl'ies ſupi⁹. actiue tñ eſt no- cumētū i volūtaria actōe. i. paſſio volūta[e] actōis Si loqƭ in. 5⁹. de mor⁹. in loco allegato. Ex hoc pl'es text⁹ ga[l]. in de mor⁹ ⁊ de interi. ſūt declarati Semino margaritas inter cecos.

Quinto tu q̄res. cuius vtuƭ ē paſſio ſeu cui⁹ vtuƭ ē nocu[m] actiue. i. cui⁹ v tuti p̄nci[r] infert nocu[m] ſeu actōem corruptā. Sol uit ga⁹. 5. de mor⁹. c. i. ꝙ eſt paſſio p̄ncipaliƭ aiate volūtarie motiue: ⁊ ſibi infert nocumētū p̄nci[r].

Sexto Tu q̄res q̄re ꝯgelati vtplīm te nēt oculos aptoſ. dictū ē itelligē ti ꝙ ꝓpƭ imobilitatē ⁊ groſſiciē palpebraꝝ ⁊ lac toꝝ ocloꝝ nā motū h̄nt a ſcd̄o pi neruoꝝ capiƭ. 4 d̄ ite. c. 5. q̄ lacti patiūƭ per colligātiā puppis ꝓ pter vicinitatem.

Iſtis clarificatiſ cura ꝯgela tiōiſ tibi pa teſcit cognita h̄ñ cā matiali exn̄te i cer⁹ fraꝝ ſic. ētrea m'lica l' flā[ca] vitrea ⁊ ētrea faciēte ꝑori[m]. 4. ⁊. 5. dieꝝ i reuolutōe ānoꝝ imobilitāte ſp̄s moti uos ⁊ ſenſitios ꝓpƭ qd̄ fiūt ſtupidi q̄ſi rigidi cuꝫ ocul' apƭ ſtati cliſterizēƭ ſic ℞. cētau[e] mi. m. ij. bo thoꝛ marien. m. i. ell'i al. cologn̄[e] an̄. m. ß. ſe. naſt[i] ʒ. ij. ß. decoc⁹ i. iij. lī. aq̄. d̄oec redeat ad. lī. i. cū illa lī. decoctōis cliſterizeƭ i q̄ diſſoluaƭ yeralogodiō ʒ. i. reitereƭ iſtō cliſt[e] donec m'titu⁹ h̄uoꝝ expellaƭ ꝯñr fiāt ſibi ligatōes doloroſe. radaƭ caput ꝑus abluēdo cū vi⁹ iſti⁹ decoctōis. ℞ vtriuſqꝫ ſaluie. calamē[t] mēte maiorāe an̄. m. i. anthos vtuſqꝫ ſti cad̄ ſene an̄. m. ß. ß. decoc⁹ i vi⁹ al. vl' clare⁹ fctā ra ſura iteꝝ abluaƭ cū portōe illi⁹ decoctōis. ꝯñr in vngaƭ caput ſic. ℞ olei ſam[ci]. lī. i. eufor[i] ſubti[me] pluerizat[i]. ʒ. i. miſceaƭ. h̄ fctō ꝑ diē ß tale ep ithia. ℞. olei ſābu[i]. lī. ij. olei d̄ lilio lī. i. caſto' eufor' ſb- tiliſſi[e] puluīzat an̄. ʒ. ß. miſceaƭ bōbace ibidem i- uoluaƭ. ⁊ paꝝ ꝯpſſ⁹ capiti appliceƭ. h̄ ß ſepe an̄q̄ epithieƭ q̄cūqꝫ hora ꝑus abluaƭ c̄ decoc[e] ſeq̄nti ℞ folioꝝ malue biſmalue fūitre boraḡ an̄. m. ij. floꝝ camo. melli[t] folioꝝ ſene vtuſqꝫ ſticad̄ an̄. m. i oia decoq̄nƭ i vi⁹ al. i duab⁹ ꝑtib⁹ ⁊ tria ꝑte aq̄. iſta decoc⁹ reſerueƭ ⁊ capiti ſuo loco appliceƭ. iſta ß. vt dictū eſt cliſteria reiterando,

Paralisis.

Cum aliq̄s ſe mouere n̄ valet aut vnum vl' plura ex mēbris mouere n̄ pōt atqꝫ coꝝ ſēſū amiſit ipꝫ paliſim illi⁹ mēbri aut mēbroꝝ in curriſſe ꝓnūtiam⁹. Cui⁹ curā icipi em⁹ pillas fetidas quas ego cōpo ſui dādo que. ℞. pul. pigre. ʒ. x. co loq̄n. iterioriſ. ʒ. v. euforbij. ʒ. ij. et ß. caſtorei piper aſſe ſar apini opo pona. ſetaragi idi ſinapi oīm. vij. an̄. ʒ. i. cētauree mioriſ elacterij a- boꝝ an̄. ʒ. v. gūme i ſucco rute diſ- ſoluāƭ ⁊ alia ex eiſ cōficiāƭ ⁊ fiant pill'e ⁊ fiūt ex eis decē potōes: q̄ꝝ vnā poſtq̄ eger ſumpſerit ꝑ tres dies q̄eſcat ⁊ nutriaƭ tūc cū aq̄ ci- ceriſ ⁊ oleo ⁊ ſinapi: ⁊ deinde bibat aliam. Qd̄ poſtq̄ ter fecerit ꝑ ali quot dieſ q̄eſcat. et nutriaƭ carne fruſtrati iciſa ⁊ i ſartagie frixa ⁊ mu tagenat i q̄b⁹ ſint ſpēſ cal'e vt pip ⁊ hijſ ſilia. in potu vo ſumat idro mel. Mēbra qꝫ ei⁹ ex oleo coſtino iungāƭ. Qd̄. ℞. coſti. ʒ. i. pipiſ pi retri euforbij oīm triū an̄. ētiā. ʒ. i caſtorei. ʒ. ß. diſſoluāƭ oīa i media libra olei de keiri aut de narciſco: ⁊ vtere eo. Dieb⁹ vo q̄b⁹ q̄eſcit q̄ qꝫ die dande ſūt due. ʒ. de anacar dino. qd̄. ℞. ʒiʒib. piretri: nigelle coſti melano pipiſ macro pipiſ og gi oīꝫ an̄ ʒ. io. mirre rute ſicce aſſe ariſtol'. baccarū lauri caſtorei ſeta ragi indi ſinap̄ gētiane oīm an̄. ʒ. v. mell' anacardi. ʒ. v. vngaƭ ex oleo

nucū ⁊ cū melle cocto ꝯficiat̃. Hoc
em̄ medicamē valde cōfert paliſi
apoplexie torture, ⁊ cremori alba-
ras morſib' ſcorpiōiſ ⁊ oib' paſſio
nib' friſ ⁊ ſpaſmo hūido. Cū aūt
ſumit̃ ilico ꝓuocat ſudorē ⁊ infert
febrē. Qđ ſi ſūptū n̄ affert ſanitatē
eger ab oī medicamīe p.x. dies ab
ſtineat excepta dieta. deīde ad ipi'
curā redeūdū ē. Qđ ſi paliſ ex p-
cuſſiōe aut caſu euenerit et accide
rit ſubito talit̃ ꝑmanebit. Nūq̄ em̄
ſanabit̃. qđ ſi n̄ repēte ex ꝓdictiſ ſ3
paulatim ⁊ mollit̃ inuaſerit loco p
cuſſiōiſ ēpl'm hoc apponēdū erit.
qđ. ℞. farinā fenugreci ſemis beē
ſe. mahaleb: ſe. reſin bdelliū aōni
acū adipē anatiſ cerā oleū đ lilio ex
his fiat empl'm ⁊ ſupponat̃.

Eparaliſi

gnu. i. fortit̃ pfecte mollitie ner
uoꝝ ⁊ mēbroꝝ neruoſoꝝ. ſ. lactoꝝ cū a
blatōe ſēſ' ⁊ mot' i to° cor^c l' imedia^c
corpis i lōgū. vn̄ paliſ duplr̄ ē vl'is ⁊ pticl'ari. vl'is
đ: qn̄ ab initio colli p to^m corp' l' ꝑ mediū corpis
dēpto capite paliticat̃. nā ſi obtineret caput eēt ap
po^{ia}. de q̄ dictū ē cā tal' paliſ. vl'is imedi^a ē igroſ-
ſa°: idura°: ⁊ obnubila° ſube ipi' nuche ſpōdiliū
colli ſm ſe totā: vl' ſm ptē q: media^{cm} h3 vt đcla
rabit̃ n^c nō igroſſa° idura° ⁊ ꝯpſſio neruoꝝ i coꝝ
origie ide deſcēdētiū. vt đclarat ga'. 4. de morbo
c°. 5. de aq̄ t̃bida ⁊ de aere turbido ⁊ igroſſato ra
dij ſol' n̄ pn̄t trāſire: ſic nec ſpūs q̄ꝝ igroſſa° ⁊ ob
nubila° ſm coꝝ ſbā3 h3 cām mltiplicē vt vult ga'
4°. đ morbo c°. p°. vna cā ⁊ magis cōis ma^a ē flā^{ca}
deſcēdēs a capite ꝑ vias puppis igroſſās ꝑ viā i-
bibitōis ⁊ appōnis tal' fit ſubito. Cā extriſeca in
citāte cal'itas excedēs diſſoluēs fritas ꝯpmēſ pel
licl'as faciēs fluxū. ira diſſoluēs gaudiū plecto^a
capitiſ debilitās ꝯtētiuā pellicl'aꝝ cerebri. Alia eſt
ſup fluitaſ nutrimti poti^{me} q̄ſi appoſiti ſbā3 coꝝ
igroſſat vt fit i crapl'oſ ⁊ ocioſ eccl'iaſtiq̄ in iſtis
fit paulati tale nocu^m ꝓpt̄ qđ talib' ſtuphe ſic^c ſt
bis l' ter in āno ꝯcedēde in q̄ n̄ aduītūt debiles fi-
nal't q̄buſcū q3 regimē ipinguātiū: loco hoꝝ bal-
nea ⁊ ſtuphe n̄ales ſemel in āno cōcedim': nā ſic
ꝓſuat̃ a tali dāno. Alia cā friſ penetrās p ptes il
las ꝯpmēdo ꝯſtrigēdo ingroſſat coꝝ ſubā3 ⁊ cō-
primēdo clauditvias i origie neruoꝝ ⁊ in furculiſ
ſubiacētib' vt fit i trāſeūtib' p mōtes ⁊ iſedētib'
ſup lapidē ſm in ꝯſili piclitāt̃: q: furcl'e neruoꝝ
coꝝ indurāt̃ in coꝝ ſuba ſic ceſſet trāſit' cal'oꝝ ſpi
rituū motioꝝ ⁊ ſēſitioꝝ: iō nerui mortificāt̃ ⁊ laxā
tur. ¶ Alia cā eſt diſloca° ſpōdiliū l' apa aſſiſtēs
vl' caſus pcuſſio attritio ſup ſpōdi^a. h̄ vult Ga'.
in lo° alle°. nā iſta ex coꝝ n̄a igroſſant ſubam nu-
che ⁊ neruoꝝ ⁊ cū h̄ necio fluūt aliq̄ hūores q̄ ap
poſiti ⁊ ibibiti faciūt illā ingroſſatōe3 ⁊ viaꝝ ꝯpſ
ſionē tal' paliſ vl'is n̄ piclitat niſi rōne ſtuporiſ cō
comitātiſ q̄ vicinat̃ apo^{ie}. Jō ſi ſint cū ſtupore ſi-
gnū ē magne replectōis capitiſ. iō ſi venoſ' fuerit
nō dubites ip3 flōare de vtraq3 cepha^{ca} ꝓceden
te cliſtere forti vt dicet̃. ¶ Alit̃ facili' ma^a nō pōt
exhi a mēbro mādāte qn̄ flōia hūoꝝ mltitudinē
euacuat pticl'ariſ paliſ fit i vno mēbro tm̄ vt i bra
chio l' in pede. raro tm̄ q: furcl'e neruoꝝ veniētiū a
ſpōdilib' ramificāt̃ p diuſas ptes: fit iterdū in di
gitiſ q̄buſdā. p°. de intiſ. in digitiſ pedūm mricei i lin
gua i meri cōedūt ⁊ n̄ pn̄t potare. n^c rē liq̄dā trāſ
glutire. vidi duos tpe meo. ¶ Cā hoꝝ ſt̄ cāe dicte
ꝑtales ⁊ pticl'ares poti^{me} diſloca° vl' caſ' ⁊ pcuſ
ſio l' modicū apa i origie neruoꝝ l' in ei' furcl'a q:
ſi cā ſit hūoral' vix ledit̃ vnū mēbꝝ. l' friſ forti ex
triſeca dicta. max^c ſi i furcul' ſubſeq̄ntib' iſta fiāt
vt i brachio l' tibia. nā ſi furcl'e nerui idurāt̃. a tali
frō l' ex ꝯcuſſiōe attritōe l' apate ſpūs deſcēdētes
nō pn̄t trāſire iſta đ cā pl'ies videm' i q̄buſđ digitiſ.
¶ Alteri' nō: q paliſ ⁊ ſpaſm' ſt̄ paſſiōes ner-
uoꝝ. 3°. đ intiſ. differēt tm̄ q: paliſ fit magis a mate^a
hūida, ꝓpt̄ qđ mēbꝝ molleſcit ⁊ t̄hit̃a pte ſana q:
magis dura. ſpaſm' fit magis a ma^a ſicca mordica^a
iō indurat̃ ꝓpt̄ qđ t̄hit ad ſe ptē ſanā. h̄ vult ga'
4°. de intiſ. c°. 5°. ⁊ 2°. de morbo. c°. 6°.

Primo

tu q̄res cui' pticl'e paliſ vl'is dē-
pto capite ē pa° ꝓncipalit̃. ſoluit
l̄ra. 3°. đ intiſ. c. 3°. ⁊. 8. dicēs. q ꝓn^m neruꝫ nuche
veriū q̄dē inde orti: ⁊ ſi fuerit tm̄ paliſ i pte dext:
tūc nucha i pte illa ⁊ nerui ide orti. Jdē ſi i pte ſi
niſtra ē dicēdū. vn̄ nerui ide orti furculāt̃ p corp'
v° ad pedes aliq̄ furcl'e tēdūt. recitat G' p°. ⁊. 4°
de intiſ. ¶ Quidā eq̄tās mulā p romā cecidit feri
ens i dorſū habuit digitos mollificatos ⁊ pedem
Si ſoli digiti ſint palitici tūc furcl'e aliq̄ ꝓpreſſe ſu
peri' l' nucha i 1^a. ſpōdili patit̃ ꝓncipalit̃ Si digi
ti pedis tūc furcl'a aliq̄ nerui ꝓpreſſa ſupi' i coxa vel
nucha i aliq̄ ſpōdili in alkatin patit̃ ꝓncipaliter.

Secūdo tu q̄res q̄l'r ꝓs dex̄ l' ſiniſtra nu
che p̄t ſola r̄moliri ⁊ ledi aª ꝓ
te exiſte ſalua. ⁊ aui. 3º. cañ fen. pª. ponēs anatho
miá cerebri: dic̄ ꝙ cerebꝝ exiſ iſra piá mr̄ez didit
i ſubāz medularē ⁊ vētriclōs plēos ſpiritib⁹ ⁊ ab
vno vētriclo ad aliū ē canale ꝓ qd̄ trāſeūt ſpūs ⁊
ſpēs rex ꝑceptax ſ̄bdit ꝙ cerebꝝ mediatōz h̄z ex
nucha cū tela ſbtiliſſima interpoſita: ꝑpt̄ qd̄ vna ꝑs
ledit̄ alia remanēte ſalua: h̄ videmus tota die.

Tertio tu q̄res palif ē ne paº ꝑ ſe l' ꝑ col
gātiá. Dicēm ꝙ ꝑ colligātiá venit
ad mēbꝝ qd̄ vēire n̄ dz ſm n̄am: puta maª l' mala
q̄litas. ⁊ n̄ vēit qd̄ vēire dz: puta ſps ſēſitiui ⁊ mo

Quarto tu q̄res tiui lucidi a cerebro
palif q̄ paº ē in gn̄e ⁊ i ſpē. Di
cēd̄ ꝙ officiū: q: opilaº viax neruox ⁊ i ſupfi^c igroſ
ſaº nuche i ei⁹ ſb̄a ⁊ ei⁹ iduraº dz eē leuis ⁊ ſubtil'
clara ⁊ pura ⁊ ſitu n̄ elongat̄ nec mouet̄ ſm dya
metros ꝯcomitādo ſecū morbū ꝯſilem.

Quinto tu q̄res palif p̄t ne fieri a ḡſſo
fleg^c n̄ pūgitio Dicēm ꝙ ſic q:
ſiā aliq̄l'r groſſum poteſt flui ⁊ fluxū ſil'r igroſſat̄
⁊ ſubintrās ſubſtātiá nuche ip̄am ingſſat ⁊ appo
ſitū origini neruí claudit vias ei⁹ in l'ia ō poſſibili
idē p̄t facere ē actu hūida fluida caſ⁹ ē poſſibl'is

Sexto tu q̄res palif c⁹ vtuꝝ nocum paſ
ſiue. Dicēm vt ē plies dc̄m ꝙ regi
tie n̄al' digeſtie ⁊ expl'ſiue ⁊ vital' expulſiue itētōe
gal. iiº. de igeº. c. 2º. ℂ ꝯ h̄ argues itētōe gal. 5. ō
morbo. cº. pº. vbi dic̄ ꝙ ſpaſm⁹ palif ⁊ tremor ſūt
nocum i motia volūtarie Dicēm vt dc̄z ē cº. ō ꝯge
latōe ꝙ i^c ſt̄ nocum actie i motia volūtarie q: illi
p̄ncipal'r iſert nocum ꝑ aªvba ōr: paſſiōes iſeretes
nocum i motia aiata p̄ns perit c⁹ vtuꝝ ſit nocum
paſſiue ille text⁹ ga. loq̄t̄ actie cui iſert nocum ⁊ lo

Septimo tu q̄ q̄t̄ ꝑ morº ō ſcpto
res palif c⁹ vtuꝝ ē paº ſeu
nocum actie: dc̄m ē ſtati ex itē^c gal. 5. ō morº. c. pº

Octauo tu q̄res i q̄ ꝑte corpis plies ac
cidit. ſoluit ga⁹. 3º. āph. ꝯº illi⁹
Si hyēs auſtria ꝙ vt plimū i dex̄ ꝑpt̄ maiorē ap
tōz viax rōe maiorī calorī lz ꝑpt̄ maiorē ōbilitatē

Nono tu q̄res q̄ ſt̄ plies accāt i ꝑte ſiniſt̄
paſſiōes q̄ magī t̄minát i paliſim.
Dicēm: ꝙ oēs ꝯueniūt ꝙ apoªª yº vix curat̄ q̄n ter
miet̄ i paliſim ⁊ fe. cronica cū q̄ cōicat iml'ta maª i
cerebro ⁊ i terrī hūidis q: ſt̄ magī reumatice coli
ca ꝑpt̄ fortē diſſolutōem rōne fortis doloris.

Decimo tu q̄res vtrū i mēbro pal^c vt⁹
nutritia r̄maneat ſalua Dicēm
ꝙ remnet ſ̄ debil': q: iſt̄ in ſue actōis puta ꝯº mē
bri ē alt̄ata iſrata ꝑpt̄ ꝑuatōez ſpūuz calox mo

tiuox ⁊ ſēſitiox ⁊ vie nutrimītales ſtringūt̄ ex h̄ ꝑ
uificāt̄: iō nutrim nō p̄t attrahi a vtute attractiua

Undecimo tu q̄res vie nutrimitales
ꝑ q̄s attrahit̄ nutrim ſt̄ ne
i lōgū ꝑ neruū l' in lat⁹. Dicēm ꝙ i lat⁹ nā venē ali
que ꝑue t̄minát̄ i lat⁹ neruox ⁊ artēia neruí attra
hit ꝑ ꝑoſitates ꝯtiguas capitib⁹ venax ſpuentiū
ſcdās hūiditates ip̄is neruis. Iſtis de cauſis mē
brum paraliticatum demacerat̄.

Duodecimo tu q̄res ꝯpetit ne vi
nū i cura palif. Ui
det̄ ꝙ nō itētōe oiz dat̄. ydromel: q: vinū eſt maxi
mus penetrator ex q̄ ledit ⁊ fac̄ penetrare maťias idi
geſtas. In ꝯriū ē raſ i ſuo ꝯt^c. Rō ſua: q: qd̄ cō
fortat calorē n̄alē ⁊ digerit maªm h̄eat vi ſir¹. Di
cēd̄ ꝙ i p̄nº n̄ ꝯpetit i ꝑceſſu ꝯpetit ſaꝝ ḡſſu i me
dio cōceſtiōis ⁊ i fine ⁊ i modica q̄nt^c ⁊^c h̄z vi ſir¹
digerendo materias ⁊ ꝯfortando calorē natura
lem: ⁊ iſta ſiunt intentione Raſ in ſuo ꝯtinente.

Iſtis clarificatis cura paliſis
tibi pateſcit.
clauis ſanatōis cuiuſcūq; palif ſtat i notiªcāe im
mediate nocu¹ actōis motie ⁊ ei⁹ remotōe. Si g¹
cā imeª tal' nocu¹ fuerit ḡſſities ⁊ durities ⁊ ꝯpſ
ſio ip̄i⁹ nuche ⁊ i ei⁹ ſb̄a ⁊ i ſuba neruox i cox ori
gie in ꝑcedētiū l' in furcl'a cox aliq̄ veniēs ex cāu
ſeu ꝑcuſſiōe l' attritōe ſi ſbito tal' palif ſupueniet̄
ſit ex h̄ vix aut nūq̄ curát̄ q: vr̄ fortꝭ leſio i nucha ⁊
neruis ide orꝭ. Si paulati acciderit curat̄ cito. in
vtroq; cāu ſꝭ ſic. ℂ Rx. maluax ſicle mercurial' cē
tauree m. añ. m. i. pulpe colloq̄n^c. m. ß. ſꝭ decoctio
i q̄ diſſoluat̄ geralogedū vl' yerapig^c gal. ℥. i. olei
cōis q̄rt. ß. mell'. ℥. ß. ſal' cōis. ʒ. ij. ſꝭ cliſtere detur ⁊
iaceat ſ̄ lat⁹. ℂ Pōſt ſꝭ ſ̄tōia ō vea ad h̄ l' vētoſet̄ ō
cū ſcarificatōe ſubt⁹ ꝯn̄r applica ſibi deſuꝑ iºem
plaſtra. Rx. farie fenu^cl. ℥. iij. bdellij. ℥. ß. armo^cl. ℥.
ij. axūgie anaꝭ gallie añ. ℥. i. olei ō lilio q̄rt. ß. cere
qd̄ ſuffic̄. Fiat cerotū de q̄ capiat̄ vna ꝑs ⁊ appli
cet̄ h̄ facto ꝑ duos l' tres dies q̄n inouabr̄ empl'z
abluas ꝑtē illá ꝯcuſſācū aq̄ cal'a ōcoctōis titima
li maiorī ⁊ folia ēpl'a deſuꝑ loº alri⁹ ēpl'i dictiná
vidi cū ablutōe dc̄a ⁊ fol' ēpl'atōe nō ꝯq̄ſſāº folia
carabát̄. Tal' ōcoctio ſb̄tiliat apit ꝯſumit maťias
ibiō fluxas teneº dietá tenuē potáº ydromel ſi po
tet vinū p⁹ p̄mos dies ſit ḡſſū: ⁊ i modica q̄nti^c in
meº cōceſtiōis ⁊ i fine ℂ Pōſt circa 5m. l' 6m. die ſi n̄
curet̄ da ſibi. ʒ. ij. pill' ax cochiax. l' de pill' ō agaº
ʒ. i. ⁊ ß. vl' ʒ. ij. Si āt tal' groſſities ⁊ durities ſb̄e nu
che ⁊ neruox ide ꝑcedētiū i cox origie l' in furcl'a
cox a re aª ꝯp̄mēte puta a diſlocaᶜ ſpōdil' vel im
cture aſſiſteꝭ l' ab apate aſſiſtēte. Curet̄ diſlocaº ⁊
applicet̄ ō ēpl'o dc̄o ⁊ abluº dc̄a. Si fuerit ex apa

te curet̃ ap̃a vt dꝫ. Si ãt cãcret̃ tal' ingroſſaᵒ ſube ce
rebri ⁊ nuche ⁊ nervoꝝ dictoꝝ in eoꝝ origine vel
in trũco ſeu furcl'a eoꝝ a ſᵗᵒ extrinᶜᵒ penetrãte: vt
fit i traſeũtibꝰ vel iſedẽtibꝰ ſup lapidẽ ſrĩn muſcl'i
ani paliticãt ꝑpt̃ igroſſatõez ⁊ iduratõez furcl'aꝝ
nervoꝝ. Jdõ remanet remolliti mortificati laxati
ex ꝑuatõe ſpũuz motioꝝ caloꝝ tũc iũgãt cũ olᵒ
cucumerĳ aſinini vbi ſit modicũ caſtorei ſubtiˡᵐᶜ
pl'uerizati ad. ℔.i.ʒ.ß. vl' ꝗ̃ ſic. ℭ ℞. ſucci rute re.
℔.ĳ. olei de lilio. ℔.ĳ. caſtorei piret' coſti. ãñ. ʒ.ĳ.
euforbĳ. ʒ.i. coq̃t olm cũ ſucco vſqꝫ ad ꝯſũptõez
ſucci ꝯñr dũ deponet̃ ab igne: apponãt̃ res ſubti
liᵐᵉ pl'uerizate ⁊ addat̃ balſa'. ʒ.i. ꝗ̃ iñũctio ⁊ po
tes al'n abluere cũ aq̃ cal'a decoctõis titũnali ma
torꝫ: vt ſupꝰ ẽ dcm. Si ãt tal' ꝗ̃ſſities ⁊ durities nu
che ⁊ nervoꝝ ide deſcẽdẽᵐ ⁊ ꝯpſſio ⁊ clauſio via
rũ ſpũuz in eis cãcret̃ a mlto ⁊ ꝗ̃ſſo nutriᵒ appoſiᵒ
ꝑ capita ꝑuaꝝ venaꝝ ꝯtiguataꝝ qͦd raro ꝯtingit
lꝫ h̃ ſit de poſſibli 4ᵒ. de morbo cᵒ. ꝟ. vt fit i crapu
loſ ociof q̃ paulati tẽdũt ad tale nutriᵐ ſẽſus et
motus i mẽbꝛ ñ ſbito: Cliſterizet̃ pᵒ. ℭ ℞. mal
uaꝝ cicle mercurial' cẽtauree. m. ãñ. m.i. an' ma
rat' aneos ãñ ſe. naſturcĳ. ʒ.i. ꝗ̃ decoctio in q̃ diſ
ſoluat̃ yeralogodiõ. ʒ.i. loᵒ illꝰ yerapigᶜ ga'. ʒ.i.
mell'. ʒ.ß. olei cõis q̃rt. ß. caſſiet̃ mũd. ʒ.i. ſal' cõis
ʒ.ß. ꝗ̃ cliſtere. h̃ facto ſi venoſus ⁊ vrina fuerit colo
rata ꝗ̃bõet̃ de mediana i bõa q̃tiᶜ. ꝯñr purget̃ ſic
℞. floꝝ viol' boragi. ãñ. ʒ.ß. ſene epithˡ ãñ. ʒ.ß. poli
poˡ q̃rc. ʒ.i. an' marat'. ãñ. ʒ.ß. ʒʒ'. ʒ.i. agaᶜˡ electi,
ʒ.ß. ꝗ̃ decoctio in q̃ diſſoluat̃ caſſiet̃ mũd. ʒ.i. dya
cartami. ʒ.i. ꝗ̃ potꝰ l' fiat decoctio ſine agaᶜᵒ ⁊ diſ
ſoluat̃ ibi. ʒ.i. yeralogodiũ ℭ ꝯñr iũgat̃ ſpina i
collo ⁊ i dorſo ꝑmis diebꝰ cũ olᵒ laurino cũ aliq̃
pte olei d̃ lilio l' coſtino ꝯpoſito fricatões abſtinẽ
tie ſit ſibi medicine electe. Diebꝰ ſeq̃ntibꝰ ſtuphet̃
in ſtupha ſicca facta cũ lapidibꝰ fluuialibꝰ cãdẽ
tibus ſupſꝑſo vino al. vl' clareto. Si ãt tal' ꝗ̃ſſities
⁊ durities nuche ⁊ nervoꝝ cauſans paliſiꝫ. vl' em
fuerit ab humore flãᶜᵒ fluxu a capite ꝑ vias pup
pis ad ipam nuchã qͦd eſt vt plimũ. lꝫ de poſſibli
cõicet ſanguis: vel mlia in aliq̃ pte ingroſſante
ſubam hoꝝ ꝑ appõem ⁊ aliq̃lẽ ſubintratõez clau
dẽdo vias dictas nervoꝝ cãns ſubito dictã paliſiꝫ
vl' em ꝑ ceterĳ cauſiſ. Sup h̃ advũtendo ex ꝯciᵒ raſ
in ꝑnᵒ ſui ꝯtinẽtis ſi cũ tali paliſi vl' eveniat laſ
ſitudo in facie in illo latere. puta in lingua in ocu
lo in lacertis maxille ꝙ iſta mẽbra ſunt mollifica
ta ⁊ palitica cũ ſtupore aliqualit: tũc ſcias ꝙ leſio
nõ ſolũ erit in nucha in initio colli: ymo ẽ in cere
bro ⁊ ꝙ maᵃ multa eſt in cerebro ⁊ a cerebro diſ
ſoluta ꝓpter qͦd tales ꝑiclitant ⁊ vt plimũ moriũ

tur infra quartã diẽ potiſſime ſi noviluniũ vl' ple
niluniũ ſupueniat. Si aũt cũ tali mẽbra faciei re
manent ſana nec ſtupor ꝯcomitat̃ tunc cerebrũ
nõ patit̃ ⁊ ꝙ materia eſt pauca ⁊ facilꝰ curantur
Jn cura ꝗ̃ tenendo ꝯſiliũ raſ in ꝑnᵒ ſui ꝯtinent̃
vitabimus fortes medicinas ꝑ aliq̃s dies. Raſ
dicit vſqꝫ ad q̃tuor vel q̃nqꝫ dies ⁊ fortes iñũctio
nes ⁊ ſternutatoᵃ oĩa. nã iſta diſſoluẽdo mate
rias augmẽtant paliſiꝫ. Jn paliſi ꝗ̃ vl' i ſi cerebꝝ
cõicet in nocuᵒ vt eſt dcm ꝗ̃ i ꝑnᵒ illud cliſtere. ℞
maluarũ cicle mercurialis ãñ. m.i. centauree. mi.
m.ĳ. ſe. naſturcĳ ʒ.ĳ. vtriuſqꝫ ſticad. ana. m.i. fiat
decoctio in qua diſſoluatur geralogodion. ʒ.i. vl'
loco illius yerapigre galieni. ʒ.i. olei ꝯmunis q̃rt̃
ß. ſalis cõmunis. ʒ.ĳ. fiat cliſtere tranſactis q̃tu
or vel quinqꝫ diebus pene in decoctione athana
ſie botor marien. ana. m.i. colloq̃ntide. m. ß. ⁊. ʒ.ß.
de opiatis dictis: non comedat aliquid detur ſibi
ydromel de quo nutriatur ſit ſibi loco cibi ⁊ potꝰ
⁊ non dormiat niſi parum: conſiliũ eſt Raſis in
ſuo cõtinente. ℭ Cõſeq̃nt̃ ſi venoſus fuerit flo
bothomet̃ de vtraqꝫ cephalica i bona q̃titate ad
tres vl' quatuor libras: quia eſt morbus valde a
cutus fiat i occaſu ſolis ſi neceſſe fuerit quia flo
bothomia multitudinẽ humoꝝ evacuat. ℭ Cõſe
q̃nt̃ ꝗ̃betur in craſtinum de vena lingue ſcdꝫ Ra
ſim in ſuo continente. fricentur ſibi extremitates
vſqꝫ ad fatigam. Raſis vult ꝙ poſtea ventoſetur
in ſpatulis cum ſcarificatione inungatur in pri
mis diebus: vt dictum eſt cum oleis competen
ter calidis ⁊ non in exceſſu in ſpondilibus colli.
ℭ Recipe. olei de lilio. ℔.i. caſtorei piret' coſti.
ana. ʒ.ĳ. pulverizentur ſubtiliſſime ⁊ miſceantur
poteꝭ addere ſerapini armoniaci oppoponaꝗ̃ ãñ
ʒ.i. et ß. vel. ĳ. Aliqui faciunt cuꝫ oleo de balſamo
⁊ bene: ſed quia carum eſt habent tres partes
olei de lilio ⁊ quartam partem vel terciam de bal
ſamo poſt primos dies materia miorata per flo
bothomias per cliſteria per abſtinentiam proce
demus ad fortiora ſi pt eſt capere ſumatur de ye
ralogodion. ʒ.i. diſſoluto eodem modo vel de pil
lulis cochijs vel de aſſa fetida: quo facto prono
cẽt̃ ſternutatões. ℞. piret' caſtorei ſe. nigelle: ſe.
ſtaphizagrie ſubtilᵐᵉ pl'uerizatoꝝ ãñ. ʒ.i. vel. ℞.
ꝯdiſi ellebori albi. ãñ. ʒ.i. ꝗ̃ pul' ſubtil' pt pꝰ h̃ iñũ
gi cũ vnguẽto ſtatim dicto in paraliſi a frigido ex
trinſeco penetrante quod eſt bene calidum et ſic
cum conſumptiuũ materie quaſi attingit princi
piũ quarti gradus ſi ẽ neceſſariũ de maᵃ miorata
ꝑfacta abſtinẽᵃ in ꝑmis diebꝰ pt cape de pulla vl'
de perdice d̃ riſi d̃ avenato. ⁊ d̃ vino groſſo modi

cũ ſm raſim i ſuo ↄti^c.in me^o cõeſtionis ⁊ i fine ↄfortat calor ẽnalē⁊ digerit maťias crudaſ tenet vim ſir^l ⁊c. Si i tali paraliſi vl'i cerebꝝ n̄ cõicet i leſiõe vt dictũ ē ⁊ declaratũ ar^t.ma^a modica i capite fluēs ē.iõ non ē tm̄ ꝑiclin vel ꝺ poſſibl'i fit a mlto nutri^o appoſito vt dcm̄ ē. Cliſterizeť vt dcm̄ ē ⁊ inũguať i pmis dieb^9 nõ cũ fortiorib^9 laxetur tñ cũ.ʒ.i.⁊ ℞.colloqn^c duplata ipi^9 yerapig^c G^l. diſſolute cũ aq̄ ciceꝝ.vľ.ʒ.i.geralogodiõ ſic diſſoluti ⁊ inũgas eũ cũ balſa^o in pn̄^o vľ olo de balſa^o in vna pte olo ꝺ lilio i duab^9 ꝑtib^9:vt dictũ eſt. ꝓcedēdo ad fortiora ſtati dicta ⁊ ad ſternutatõẽs. nā in iſt̃ fortib^9 vnguēt̃ ⁊ medicis ⁊ cliſterib^9 errāt moderni nr̄i ap.ꝓximātes ſtati in pn̄^o qꝺ eſt ꝯ intētõez raſ i ſuo ↄti^c. In iſt̃ ⁊ i alijs ſi tps ħ tolleraret vz mltũ ſtupha dicta facta ꝺ lapidib^9 candētib^9 ſupſpſo vino albo vel claro vel ſtuphe naturales potiſſime ſulphuree ſi eſſet poſſibile.

Capitulũ octauũ de ſtupore ⁊ tremore.

Cum aliquis ſētit aliqꝺ ſuoꝝ membroꝝ ſicut eſt diſpoſitio pedis cum ſit ſtupidus dicimuſ nullo membro ſtuporem eſſe. Quapropter eiuſ cura non eſt differenda Quādo enĩ ꝓlongatur tẽpus huius egritudinis ꝑducit ad paraliſim. Curatur autē hec paſſio ex aliqua parte medicinarũ paraliſis et cũ dieta ⁊ vnctõe ex oleo coſtio.qꝺ ſi iueťauerit paſſio eger ex pillulis fetidis purgãdus erit ⁊ complexio equanda cum anacardino et dieta Tremor autē ex eiſdem curať ex q̄bus ſanať ſtupor ſed ſi ex ſuperflui vini potu euenerit eger ab ipo erit abſtinendus. Similr̃ ſi aquã q̄ ex niue diſſoluitur bibendo hanc incurrerit paſſionẽ ab ipa abſtineat ⁊ balneũ calidiſſimũ ingrediatur i quo tãdiu morã faciat dõec ſudet et in ſole aſſidue moretur.

De ſtupore ⁊ tremore ⁊ minore pali^l dicit ꝺ minore paliſi q: mēbra tremlo ſa q̄ſi itrāt paliſiz icipiēte firmari: vt ꝺclarabiť i c^o. Tu dices q̄re raſ ſil' t̄ctat de ſtupore ⁊ tremore. Dicẽ^m: ꝙ q: ſt̃ eedē paſſiões i gñe: vt declarabiť:⁊ ſt̃ paſſiões eiuſdē ꝑticľe.puta nuche ⁊ ipſoꝝ neruoꝝ.iõ ſil' raſ t̄ctauit ꝺ ipis. Nõ: ꝙ ſtupor capiť mlt̃ modis.vno^o capiť ꝓ ſtupore ment̃ ſeu pigri^a ment̃ cũ ocul' ſemiclauſ l' apt̃ fixis nõ mouētib^9 ꝓut ↄtigit q̄buſꝺ mliq ſtāt rapti ac ſi ymaginareť ⁊ nihil ymaginãť. Iſtꝺ etiā plies ↄtigit ſenib^9 ſe.⁊ n̄ febricitãtib^9 cõit moriunť ſic ē actio diminuta ſeſus cõis ⁊ ymagiatie ⁊ motie ꝓpť malã fram i ꝓra po^me ⁊ alĩi in puppi opilãte vias illas ꝓpť colligãtiã. ꝓpť qꝺ ga^9.2^o.ꝺ int̃.circ̃ pn̄^m ⁊ fine.ꝑ ſtuporē itelligit ↄgelatiõez inferri iteꝛ dũ ſubeth ⁊ litargiã i fieri. Iſte ſtupor ē via ad ſubet poti^me ſi cũ tali mala fr̃a cõicat hũoꝛ raſ n̄ cõſiderat iſto^o i iſto c^o. Alio^o capiť ſtupor ꝓut ē diminutio ſeſus ⁊ mot^9 i aliq mēbro vulgares vocant tale mēbꝝ obdormitũ manib^9 ⁊ pedib^9 plicať et ligať. Iſto^o raſ ħ ↄſiđat i c^o:q: vt ſic ē pa^o neruorũ ⁊ via ad paliſim.imo tale mēbꝝ iã hʒ paliſiz incipiētē firmari lʒ adhuc n̄ ſit firmata. Alteri^9 nõ ex dict̃ G^l.4^o.de morbo.c^o.2^o.⁊.5^o.ꝙ duplex eſt tremor maťial' ⁊ imaťial'.imaterial' fit ꝓpť ianitõez ſpũuz motioꝝ i mēbro q̄ fit' int̃dũ ex recluſione eaꝝ ad interiora ex tiore l' ex eoꝝ reſolutõe vt iſtiſ febricitãtib^9 ⁊ ꝓpinq̄s morti nā tãgēdo pulſũ eaꝝ brachia tremēt ſi eis ħ eueniat i aug^o ſe.cõiter moriũť. De iſto tali tre^re raſ nõ itelligit ħ. Alter ē tremor maťial':⁊ iſte ē dupl'x:q̄dã fit de ma^a mota vt fit i febricitãtib^9 poti^me ꝑoxiſmalib^9:iſte ſubſeq̄ť rigorē i fine ꝓpť qꝺ ē vt'us motia magi debiliſ q̄ i rigore ꝑcedēti. Iſte tremor ē pa^o lacẽtoꝝ ꝓpter qꝺ raſ n̄ itelligit ꝺ tali tre^re i iſto c^o. Alť ē tremor maťial' q̄ fit de ma^a q̄eta: vt ptʒ i brachijs ſenũ:⁊ i capite ⁊ i collo eoꝝ.ꝺ iſto tali tremore raſ itelligit in iſto caplo.

Primo tu q̄res ſtupor ⁊ tre^or ꝓut capiť itelligit raſ i c^o.c^9 ꝑticľe ſt̃ paſſiones. Dicẽ^m ꝙ nuche ⁊ ipoꝝ neruoꝝ ꝑncipal'r ↄſiſtũ ꝑtiũ colligataꝝ tremor āt de ma^a mota ē pa^o lacẽtoꝝ cũ tali nõ eſt ꝑua paliſ:puta incipiēs:firmari.ꝓpť qꝺ raſ nõ intelligit ꝺ tali loq̄ in caplo.

Secũdo tu q̄reſ ſt̃ ne paſſiões ipoꝝ neruoꝝ ꝑ ſe l' ꝑ colligãtiã. Dicẽꝺ ꝙ ꝑ colligãtiã: q: venit ad nuchã ⁊ ad neruos qꝺ venire nõ dʒ ſm naturã: q: materia ingroſſans ⁊ opilans ⁊ claudens vias ſpũum motiuoꝝ ⁊ ſen-

ſitiuoꝝ ⁊ ingroſſans ſubam nuche ⁊ neruoꝝ per imbibitionem ⁊ impoſitōem.

Tertio tu q̄res q̄ paº ē deſcꝑtiue loq̄ndo put h̄ itelligit̄ a Raſi. Dicēdū: ꝙ de tremore ſoluit Gaº. 5. de morbo cº. 2º. i fine qđ officialr̄ puta opilaº viaꝝ ſpūum motiuoꝝ in ipis neruis a groſſo viſcoſo ad quē ſeq̄t̄ morbꝰ in receptaclo: puta ianitio ſpūuꝫ in ipis receptaclr̄ neruoꝝ ¶ Cōtra h̄ argues intētōe gaꝰ. 4º. de morbo cº. 5º. dic̄ ꝙ ſoli nerui obtici pn̄t opilari opilatōe hūorali: q꞉ illi ſoli ſt̄ ꝯcauitalij aūt nō. Jō nō pn̄t opilari opilatōe hūorali: q꞉ hūores nō pn̄t ꝑ eos tranſire: vt ipe ponit. Jdē in de iuuamēt̄ hanelitꝰ ſ coartatoª ab itra l̄ ab ex̄. rōne apātis aſſiſtentiſ Dicēdū ꝙ ab itra dicti nerui motiui ⁊ ſenſitiui nō pn̄t opilari opilatōe hūorali: vt dictū ē. ſ puta i origie puta i aliq̄bꝰ ſpōdilibꝰ ⁊ i nucha. ⁊ ſic rōes nō valēt. h̄ vult Gaº. 5. de morbo caº ꝓprio.

Quarto tu queres ſtupor. i. dimº. ſenſus q̄ paº ē deſcꝑtiue loquēdo Soluit Gaº. 4º. ð morbo caº. 5º. ꝙ officialr̄ i ſuꝑficie. puta groſſities ⁊ durities nuche i ſpōdilibꝰ ⁊ neruoꝝ inde deſcēdētiū naꝫ ipis idurat̄ in ſubā ⁊ igroſſat̄ vtus aiata cū ſuis ſpiritibꝰ irradiat̄ nō pn̄t trāſire ꝑ ipos vt declarat ibidē exēplo exteriꝰ de aere turbido ⁊ groſſo: ⁊ aq̄. nā ſol nō p̄t trāſire ¶ Et tu q̄res a q̄bꝰ cauſis fit opilaº igroſſaº ⁊ induraº Dicēð ꝙ a ſuꝑfluo ibibito i nucha ⁊ neruiſ in origine ꝑ viā nutrimēti l̄ reumatiſmi vel a re cōꝑmēte ⁊ coartāte: vt a caſu ꝑcuſſiōe diſlocatione apate aſſiſtēte ¶ Tu dices nūq̄d p̄t h̄ fieri ab opilatōe illaꝝ ꝑtiū dictaꝝ ſicut tremor. Dicēdū ꝙ ſic ab opilatōe coartatoª ſupius dicta i origie neruorū ſenſitiuoꝝ vl̄ furcul̄is ſic̄ tremore fuerit talia i origine vl̄ furcul̄ neruo. Et ſuꝑ h̄ adūte vt ē tibi explicatū ſuꝑ expōe. 4ⁱ. de morbo caº. 5º. ꝙ nerui ſt̄ mltiplices: aliq̄ ſunt bn̄ molles tales ſt̄ ſolū iſtr̄m ipiꝰ ſenſus tales vadūt magꝭ ꝑ ſuꝑficiē mēbri: vt mēbꝝ ſenſiat nocumētū eiꝰ. ¶ Aliq̄ ſt̄ q̄ bn̄ duri tales ſūt iſtr̄m ipiꝰ motus ſolū: tales tēdūt magꝭ ꝑ centrū mēbri vt mēbrū habeat fixionē ⁊ mobilitatē talia fiūt ex inſtictu n̄e ⁊ eiꝰ ſagacitate n̄e informatiue vt ab orbe liniāte ⁊ figurante. Aliq̄ ſt̄ nerui mediocres i ſb̄a puta i duritie, ⁊ mollitie tales ſūt iſtr̄m ſenſus ⁊ motꝰ: puta ſenſitiui ⁊ motiui h̄ eſt tibi bn̄ explicatū in loº dicto iſti intēdūt ꝑ totū mēbꝝ. ¶ Et ſi tu q̄ras an oēs ſpūs iſtorū ſūt homogenee n̄e ꝙ omēs ſint ſenſitiui ⁊ motiui dictū ē in expōne libri ⁊ caˡ dictoꝝ: ꝙ q̄dā etherogeneitatē hn̄t naturā q꞉ magꝭ ſicci ⁊ ſubtiles ſūt motiui magꝭ hūidi ⁊ groſſi ſunt ſēſitiui ſeu iſtr̄m ſenſus ꝓpter iſtaꝫ groſſitiē citius ꝑdit̄ ſenſus q̄ꝫ motꝰ in his alr̄ ex opilatōe lꝫ pautiores ſpūs ſufficiant ad ſenſū: q꞉ ſentire ē quoddā pati. ſic mouere ē agere. ꝙ h̄ ſit verū pꝫ. q꞉ alr̄ vtus ſenſitiua ⁊ motiua n̄ diſtiguerēt̄ in gn̄e ex q̄ hn̄t idē iſtr̄m puta eoſdē ſpūs ⁊ organū puta neruū ⁊ ē paſſus Jn q̄ ē adūtēdū ⁊ ſuꝑ h̄ nōndū ꝙ iſte paſſiōes deſcribūt̄ noīe accn̄tis: vt mos ē antiq̄ꝝ interdū ſic deſcribere vt dictū eſt in p̄nº huius.

Quinto tu q̄res ſtupor ⁊ tremor cuiꝰ vtutis ſt̄ nocumētū paſſiue itelligēdo a q̄ nocum̄to vtut̄ cāt̄ tales paſſiōes ðſcripte noīe accn̄tiū. Dicēð ꝙ iſte paſſiōes ⁊ oēs aliematiales ſt̄ nocum̄tū paſſiue itelligēº vtut̄ n̄alis regitie n̄alis. n̄alis digeſtie ⁊ vitalr̄ expulſiue: vt dicit Gaº. iiº. ð igeº. cº. 2º. ⁊. 8º. Rō dicti ē: q꞉ ſi iſte nō erraſſent in actōibus ſuis nō cauſaretur cauſa morbi in corpore: vt dictum eſt pluries.

Sexto tu q̄res cuiꝰ vtut̄ ſtupor eſt nocumētū ⁊ tremor cuiꝰ vtut̄ ē paº ſeu nocuᵐ actie loq̄ndo. Et q̄ro ð his, put tales paſſiōes itelligūt̄ h̄ a raſi. Soluit gaº. 5º. de morbo. caº. pº. ⁊ 5º. ꝙ ſtupor ⁊ tremor de maª q̄eta ſunt paſſiōes ſēſitiue ⁊ motie aiate. ſtupor ipiꝰ ſēſitiue ⁊ tremor ipiꝰ motie aiate p̄ncipalr̄. nā ill̄ p̄ncipalr̄ ifert nocuᵐ. vt vult Gaº. i lr̄a allegata. Cōtra h̄ arguit̄ fortr̄ ꝙ cātur a motia aiata ⁊ ſēſitia leſa neruoꝝ ⁊ mēbri nō potēti mēbra leuare nᶜ ſuſtiere ſurſuꝫ nec ꝑfecte reſiſtere motui deorſum a ſui n̄ali ꝗuitate nō bn̄ ſētire, cāt nocuᵐ in ill̄ nᶜ ē paº illaꝝ pꝫ. q꞉ idē eēt añq̄ꝫ eēt. ⁊ idē eſſet cā ⁊ effectꝰ ⁊ idē p̄cederet ſeipm: ſ tremor de maª q̄eta. ⁊ in n̄ali cātur a motiua aiata leſa neruoꝝ ⁊ mēbrorū Jſtā ponit Gaº. 5º. de morbo cº. 2º. ad lr̄am ⁊ ſtupor a ſēſitiua leſa ꝯcludo igr̄ ꝙ tremor de maª q̄eta nō erit paº aiate motie: nec ſtupor ipiꝰ ſenſitiue Jſta ē rō fortr̄ ⁊ vr̄ ꝯcludere ꝯ illū textū. Dicēð ꝙ tremorē talē de maª q̄eta ſtuporē poſſumꝰ ꝯſiderare duplr̄. vnoº ꝓ motu illo tremuloſo q̄ ē accn̄s morbi ⁊ ꝓ illo ſtupore ⁊ ſic bn̄ fit a motia aiata ⁊ ſenſitiua leſa ſeu debilitata ⁊ vt ſic nō ē paº nᶜ nocumētū actiue aiate nec ſēſitiue q꞉ rō ſic ꝯcludit Alioº poſſumꝰ cōſiderare tremorē ⁊ ſtuporē pro paſſiōe ſic ðſcꝑta ⁊ ſic itelligit Gaº. 5º. ð morbo. q̄n̄ dic̄ ꝙ tremor ē paº motie aiate. i. ifert nocuᵐ p̄ncipalr̄ ipi motie aiate ⁊ ſtupor ſēſitie. ⁊ ſic ego itelligo i ſolutōe ſeu clarificatōe q̄ſiti dicti ꝙ pro paſſionibus deſcriptis ſunt paſſiones illaꝝ.

Septimo tu q̄res tremor imatialis ē ne paº ꝑ morbo deſcripto motie aiate. Dicēdū vt dc̄m ē de tremore de maª

quieta. p morbo deſcripto eſt paſſio motiue aiate
p illo malo motu ē paſſiue nocu[m] ip̄i' motie aia-
te. ¶ Tu dices cui' ṽtut̄ ē pa° tremor. p illo motu
Dicēdū q̄ vt ſic ē accn̄s morbi verū actio morbi
p̄t eē cā morbi ⁊ vt ſic p̄t iferre nocu[m] ſeu paſſio-
nē mediate tn̄ q: mediāte morbo deſc̄pto appeti
tui ꝯcupiſcibili volunta° i actōib' aſſuet̄ p natu-
rā nō p̄it leuare manū ad os nec ad caput.

Octauo tu queres mot' q̄ ē tremor q̄s
mot' eſt. Dicēdū q̄ mot' tremu
loſus de ma^a q̄eta ⁊ tremor imaterial' fit a duab'
natur̄. q̄nto ð morbo cap'lis p̄inis fit a motia aia
ta mouēte debilit' ad ſupi' ⁊ ſic ē accn̄s morbi et
eſt p̄ter naturā ⁊ ē mot' nature q̄ ē ḡuitas n̄alis
mēbr: puta a ḡuitate matic' ad iferi'. ⁊ᶜ ē motus
n̄alis p̄p̄t q̄ð dicit Ga°. ſ. de morbo cap'lis p̄inis
q̄ tremor nō ē mot' ex toto p̄ter naturā. Tremor
aūt q̄ fit de ma^a mota ē duplex. ſ. mal' mot' expul
ſiue n̄alis lacertoꝝ expellent̄ ipetuoſe ⁊ violente
Et motic aiate lacertoꝝ iuuāt̄ expulſiuā ꝓdictā. q̄a
icitata a tali pūgitio materiali ⁊ ē ad iferi' a ḡui-
tate n̄ali p p̄inis duob' ē malus mot': p iſto nō.
Et ſic p3 q̄ tremor tal' ð ma^a mota vt ē i poxiſmis
fit attriplici n̄a. Et tal' tremor q̄ fit de ma^a mota i
fine rigori i fe. attriplici n̄a dicta ē pa° ſeu nocu[m]
actic alioꝝ mēbroꝝ a lacert̄. nā dētes ſtridēt ⁊ mē
bra plura patiūtur p colligantiā ptiū q̄ principa
liter patiūtur vt ponit Ga°. ſ. de morbo cap'lo. ſ°

Iſtis clarificatis cura ſtupo-
ris ⁊ tremo
ris tibi pateſcit: maxie q: cāe hoꝝ ⁊ paliſ eedē ſt
in gn̄e: q: paliſi icipiēs firmari ꝯcomitat' iſta no
cumēta. vt vult raſ in ca°. Iō dic' in rubrica de ſtu
pore ⁊ tremore ⁊ miore paliſi. Iō vult ga°. 4°. de
morbo c°. ſ°. Iō. ſ. ð morbo c°. 2°: q: ſtātib' iſtis
nō ē victo^a morbi ſup ṽtutē motiuā volūtarie ſic
in paliſi p̄fecta: q: nō ē tāta groſſities mucḫe i ei'
ſubā ex ſordido appoſito ſubitrāte ei' ſubaz aliq̄
lit' nᶜ tāta neruoꝝ opila° ⁊ viaꝝ clauſio i origie eo
rū p dictā appōnē ſordidi ſeu ſupflui. p̄p̄t q̄ð ſp̄s
ſenſitiui ⁊ motiui nō ex toto ceſſāt trāſire. ad ipos
neruos nō ḡ tant̄ indigēt eūatōib' nᶜ vnctiōibuſ
ita fortib' ſeu calis. Si q̄s ḡ tremorē i capite vl' i
brachijs vel tibijs vl' ſtuporē ſeu diminutōez ſen
ſus habuerit vtat' per. xx. dies ⁊ vltra ſero ⁊ mane
mellic̄to ſeq̄nti tepido ſine a^a mixtura. Vel ſan̄ de
mane i aurora de ſero an̄ cenā: l' in itroitu lecti ſu
mat duos boloſ de radice achoꝝ ꝯfecta cū melle
ſine potu tn̄. Et i fine mēſe cōedat ſine potu ranu
lū ſaluie bullite vni ca ebulitōe i brodio carniū vl'
de ḡnis pineaꝝ ſumat i fine cene. cerebꝝ leporis

aſſum multū laudat' in cena talibus colūbi aſſi ē
vinū groſſuz eis ꝯfert q: vinū albū p̄p̄t ei' pene-
tratōez nocet ⁊ vina diuſa ſumere valde nocet nō
potare ſubito in p̄n° prādij talib' cōpetit ivia cu-
ratōis ⁊ reſuatiōis mellicratū. ¶ R̄. rad' achori
m. i. cētauree. m. i. eupat̄. an̄. m. i. vtriuſq̄ ſticad' an
thos an̄. m. ß. ſe. baſilicōis ſe. maiorane ſe. peonie
rōne. an̄. ʒ. i. mell' albi deſpūati. q̄rt̄. i. ⁊ ß. f̄ melli
cratō bn̄ clarificatū ad. lb'. ij. renouet' q̄lib3 ſeptia
na ſumēdo de iſto mellic̄to vngat ſe i ſpōdilibuſ
colli vl' alkatim cum vnguēto ſeq̄nti ⁊ ptes leſas
ſeu obdormitas ⁊ tremuloſas. ¶ R̄. olei baccaꝝ
lauri. lb'. ß. olei de lilio. q̄rt̄. i. piret' caſtorei ſubtiliſ
ſime puluerifatoꝝ an̄. ʒ. i. miſceāt' ⁊ incorpēt' ſ̄ ci
neres calos ſumpta mellic̄to p. iſ. dies ſumat co-
laturā ſeq̄ntē. R̄. pru. da. vuaꝝ paſ. mund. an̄. ʒ. ß
thi epithimi polipo' q̄rcini. an̄. ʒ. ß. ꝫ' aniſi. an̄. ʒ.
i. ⁊ ß. agarici. ʒ. ij. ⁊ ß. turbith gūmoſ ⁊ albi. ʒ. iij. f̄
decoctio in q̄ diſſoluat' caſſie f̄. ʒ. i. f̄ pot'. Si n̄ pla
ceat ſibi colaturā recipe: da ſibi. ʒ. i. turbith pulue
rizati cū. ℈. i. ꝫ' albi cū brodio carniū. Vel da ſi-
bi de diaturbith. vel da ſibi. ʒ. ij. pill' aꝝ ð agarico
Hoc fctō ꝯtinuet adhuc mellic̄tō p. x. dies l' circa
Facta purgatōe vngat ſe i ſpōdilib' dict̄ ⁊ i pti
bus leſis cū iſto vnguēto fortiori. ¶ R̄. ſucci rute
recēt̄. lb'. ij. olei de lilio. lb'. ij. caſto. piret' coſti. ana
ʒ. iij. euforbij. ʒ. i. coq̄tur oleū cū ſucco p̄dictoꝝ vſq̄
ad ꝯſumptiōez ſucci. ⁊ cū deponet' ab igne a^a pul
uerizata ſubtiliſſime miſceāt' ⁊ addat' olei balſa'
ʒ. ß. facta vnctōne ſpōdiliū colli p. x. dies: ſi fatiga
ret' ponat ð empl'o ſeq̄nti ſ̄ ſpōdileſ extēſo ſ̄ alti
tā i lōgitudine medij palmi: ⁊ i latitudie duorum
aut triū digitoꝝ. ¶ R̄. olei de lilio q̄rt̄. i. ⁊ ß. olei ð
iunipo q̄rt̄. ß. fecis olei ð lilio. ʒ. ij. ſtorac liq̄de. ʒ.
ij. mirre. ʒ. i. galbāi. ʒ. ß. armo^{ci}. ʒ. i. piret' caſtorei
ſubtiliſſime pluerizatoꝝ. ʒ. ij. euforbij. ʒ. ß. cere q̄ð
ſufficit Fiat cerotū addat' malaxādo terebētine. ʒ.
ß. vt meli' adhereat capiat vna ps ⁊ extēdat': vt
dictū ē interdū. teneat iſtō empl'z potiſſime ð die
iterdū vngat ſe cū vnguēto ſtati dicto: i ſpōdilib'
⁊ i ptib' leſis ad ignē fricādo: vt bn̄ ibibat' in pte
leſa. Vel f̄ iſtud empl'm ſ̄ ſpōdilia ⁊ ptes dormi
tas q̄ð ē forti' ſm raſim. ¶ R̄. piret' baccaꝝ lau
ri ſtaphiſagrie ſambuci borac̄ ſe. ſinapis. pipis.
caſtorei euforbij an̄. ʒ. i. terant' ⁊ ꝯficiant' cum ſuc
co cucu. aſinini cū modico reſine fiat empl'z de q̄
applicet' vna ps vt dictū eſt. ¶ Paupes curo de
ſtupore ⁊ tremore mēbroꝝ cū ablutiōe aq̄ calide
decoctōis folioꝝ tintimalli maior̄ vſq̄ ad ꝯſum-
ptōez duaꝝ partiū empl'ando deſup ſpondilia fo
lia eius ⁊ ſup humerū ⁊ ptes leſas cum modico

cōquaſſatione eoꝝ deſup. nā hʒ vim ſubtiliatiuā
ſup fluitaꝝ. Uel ꝙ vnguatꝛ cū ſucco ebuli vel cu-
cumeris aſinini ⁊ felle bouis: aut bulliꝛ aū vſq₃
ad conſumptionē medietatis.

❡ Capitulū nonū de tortura oris.

Um homīs os cōtorq̄-
tur ⁊ vnum de oculis ſu
is claudere non valet et
ſi precipitur ei vt ſufflet
flatus ab vna tm̄ parte exire vide-
tur ipm̄ tunc contorſionē pati dici
mus. Cuius curam incipiemus cū
ſolutione vētris ex pillulis fetidis
Nutrimentū vero eius atq₃ ipſius
potū ponimus vt in caplo de para
liſi diximuſ. Egrum preterea quo
tidie ī mane anteq̄ȝ comedet ſina-
pim cum ſirupo acetoſo gargariza
re faciemus: Et mittemus eum in
domū obſcuraȝ: et precipiemus vt
vnā nucem muſcatā in parte oris
que torta ē teneat. Naribus q̄ȝ in
ſufflabimus cōdiſi: vt ſternutatio
ꝓuocetur. Spōdiles q̄ȝ colli eius
⁊ faciem eius ⁊ frontē ex oleo coſti
no inungere cōuenit. Et ē quoti-
die de anacardino vnius aurei pō
dus ſumendū. Et ſi paſſio hoc mo
do ſoluta non fuerit ad ventris ſo
lutionē ⁊ egri preſeruationē redeū
dum eſt. De tortura vero q̄ nō re-
pente ſed paulatim accidit nō loq̄
mur. ipa nāq₃ non contigit niſi in
freneſi ꝑnitioſa morte iam iminē-
te eſt ex ſiccitate.

E tortura oris. i. de tortiōe oris ⁊ faciei. nō
ꝙ cā torture oris ⁊ faciei in gn̄ali ē pa
raliſis aut ſpaſm⁹ a q̄ hāꝝ cauſaꝝ plu
ries accidit h̄ diceꝛ ſtatim in ſeq̄ntib⁹

Ulterius nota ex intentione Ga¹. 4°. de inꝛ. ca°.
5°. ⁊ 2°. de morbo c°. 6°. ꝙ ī paliſi trahiꝛ ꝑs egra
a ſana rōne mollicici in ſpaſmo ꝑ oppoᵐ ꝑs ſana
trahiꝛ ab egra. nam magꝭ dura attrahit ad ſe mi-
nus durā ſeu magꝭ mollē. Signū ad h̄ ꝙ talis to-
tura fiat a ſpaſmo vel paliſi ſunt tria. ❡ Primuȝ
ſumiꝛ a duritie ⁊ malitie ꝑtis egre. nam ī ſpaſmo
ꝑs egra eſt dura. in paliſi eſt molꝉ. ❡ 2ᵐ. ē ſaliua
oris q: in ſpaſmo nō occurrit mlꝉta ſaliua. In pa
liſi eſt mlꝉta ſaliua q̄ſi inuolūtarie exiens per os.
❡ 3ᵐ ſignū ſumiꝛ ex labijs ex clauſione oris ⁊ ex
palpebra īferiori oculi in clauſione oculi. nam in
tortura ex paliſi ꝑs ſana bene claudiꝛ ⁊ cū figura
⁊ forma. ꝑs egra ſilꝛ ſaꝝ claudiꝛ: q: trahiꝛ in aliq̄
a ꝑte ſana vt eſt dictū verū claudiꝛ cū mala figu-
ra: q: labium ſupius cadit vltra debitū cū abūdā
ti ſaliua. ❡ In tortura ex ſpaſmo ꝑs ſana claudi
tur ex ſe. ⁊ q: trahiꝛ ab eḡ ſpaſmata rōne ei⁹ duri
cie vt ſtatim dictū eſt. ꝑs aūt egra nō clauditur.
ymo remanet diſcoopta ſine ſaliua notabili. Idē
dicendū de palpebra īferiori oculi q: in paliſi ca-
dit palpebra īferius notabilꝛ in ſpaſmo magꝭ ca-
dit in tranſuerſo. Et ſuper hoc aduerte ꝙ tortura
oris ab intriſeca cauſa ſi fiat ſi tranſeat duos mē-
ſes ſine manifeſta repatione cōiter non curatur.
q: illa mala ꝯplexio frigida cū materia fit q̄ſi ha-
bituata in membris illis. Ideo non poteſt cura-
ri a medicoꝛ: ſed ſi remoueatur ſiue curetur eſt ca-
ſus ſingulariſſimus. ꝓpter quod aduerte ſup fal
ſis ꝓmiſſionibus q̄bus ꝯmuniter vtimur auarⁱᵃ
mori nobis ꝯnaturali. Et ſuper hoc nota ꝙ talis
tortura oris ex ſpaſmo aut paraliſi fit interdum
a cauſa extrinſeca puta ex punctione vel punctu
ra ſagitte vel gladij vel conſimiliū in facie. vel in
lacertis capitis nunc contrahuntur per modum
ſpaſmi ⁊ nerui ⁊ lacerti trahunꝛ ad ꝑtem illaȝ in
terdum fit illa tortura ex concuſſione ſup capitis
parte tunc cātur paraliſis ⁊ relaxatio ⁊ caſus la-
certorum in parte illa. ⁊ ꝑ ꝯn̄s fit tortura oris et
iſtos caſus plurics vidi ⁊ curantur poſt annos et
menſes.

Primo tu queres Cuius particule tortu
ra oris eſt paſſio ꝑncipalꝛ. Sol-
uit littera Ga¹. 3°. de inꝛ. c°. 5°. ꝙ nerui vēiētes ad
lacertos timpoꝝ ⁊ ad lacertos q̄b⁹ fit maſticatio
qui nerui timporū et genarum ꝯmuniter veniūt
a 3°. pari neruorum capitis qui a prora procedūt
Et dicit Galienus 4°. de interioribus. caplō. 5°.
⁊ 3°. ad lacertos aūt genaꝝ īferiores q̄ culciꝛ vo-
canꝛ quibus fit maſticatio ⁊ trāſglutio etiā veni
unt nerui a ꝑmis ſpōdilib⁹ colli: vt dicit Ga⁹ ꝑ°
de inꝛ. ca°. 5. in fine. ꝓpꝛ qō ꝯclude ꝙ ꝑticlꝰa ꝑn-

cipalr̄ patiēs in tortura oris ſunt nerui venientes a pimis ſpōdilib⁹ colli: vt dicit Ga⁹. ⁊ h̄ ē vt pl'im ꝓpt̄ materiā ibidē venientē ꝑ viā reumatiſmi: ꝓpt̄ qđ actores mag̃ ꝯſulūt ⁊ iubēt inungere carnaſ colli ⁊ ipm occipitiū: q: vt plūmū nerui pncipalr̄ patiētes ꝓcedūt inde lʒ nō ſemꝑ ſ̄m al'n dicti.

Secūdo tu q̄res an tal' tortura vt ē pa° dictoꝝ neruoꝝ ſit ꝑ ſe vel ꝑ colligātiā dicēdum: ꝙ ſemꝑ ꝑ colligantiam q: venit ad neruos illos qđ venire nō dʒ ſ̄m naturam.

Tertio tu q̄res tortura oris q̄ pa° ē in ſe i gn̄e ⁊ i ſpē. Dicēdū ꝙ official' i genere: i ſpē eſt mltiplex i figura cū tortū ⁊ in ſitu ꝑ lo° ⁊ colligā^a potiſſime ſi fiat ex paliſi q: mala humida cauſat morbū in pōne. 2°. de morbo ca°. pe nultio. ſꝑ ꝯcomitat̄ opila° ⁊ morb⁹ ꝯſilis: q: mala ꝯ° fra cū ma^a aq̄ſa vel groſſa. ⁊ ſic ptʒ tibi q̄lit̄ iſta paſſio d̄ſcribit̄ noie ꝓpo q: a tali mala figura

Quarto tu q̄res cui⁹ v̄tuti tortura ē nocumētū paſſiue itelligēdo. Dicendū vt ſ̄ pl'ies ē dc̄m ꝙ tortura ⁊ ois morbus materialis ē nocumētū digeſtiue ⁊ expulſiue n̄alis ⁊ vitalis expulſiue. ii°. de inge°. ca°. 2°. ⁊. 8°.

Quinto tu q̄res cui⁹ v̄tuti tortura ē paſſio pncipalr̄ ⁊ cui v̄tuti pncipalit̄ infert nocumētū Soluit Ga. 5°. de morbo ca° p°. ꝙ motiue aiate genaꝝ ⁊ labioꝝ. nā ſpaſmus ⁊ paliſis ſr̄ paſſiōes pncipalr̄ ipoꝝ neruoꝝ in membris in q̄bus ſiunt.

Sexto tu q̄reſ ex q̄ duaꝝ cāꝝ dictaꝝ mag̃ ꝯtigit ipa tortura oris ex ſpaſmo vel ex paliſi. Dicēdū ꝙ i regionib⁹ fr̄is l' ſeptētrionalib⁹ mag̃ ꝯtigit ex paliſi: q: ma^e aq̄ſe flā^ce magis multiplicant̄: ſ̄ i cal'is regiōib⁹ fit a ſpaſmo. ꝓpter qđ Aui. q̄ erat in fine tertij climat̄ vl' in pncipio q̄rti dicebat: ꝙ mag̃ fiebat a ſpaſmo quia i tali t̄ra ma^e ſicce acute mag̃ mltiplicant̄ q̄ ſi fluxerit ad ptes neruoſas pūgēdo ipos ꝯ̄hūt ipos ex eoꝝ n̄a v̄ſus ſuā originē: vt declarat Ga⁹. ꝯ̄ archigenē. Tertio de ꝯplexiōib⁹ declarādo hoc in cordis lire: q: ſi pūgant̄ in capite ꝯ̄hūt̄ verſus ad caput ſicut nerui ꝯ̄hunt̄ v̄ſus ſuā originē ſi pūgātur a tali ma^a ſicca pūgitiua dicta ex q̄bus rebus dictis ſic clarificatis pateſcūt tibi vie curatiue potiores ⁊ notitia rerum applicandaꝝ in gn̄e et in ſpē: vt ꝓmiſſum eſt in pncipio.

Septimo tu q̄res in q̄ latere tortura ſupueniēs ē deterior. Soluit rab̄ i ſuo ꝯtinē^e ꝙ ſupueniēs i ſiniſtro ꝓpt̄ debilitatem ꝑticule.

Octauo tu q̄res h̄ntes torturā i q̄to tpe debēt curari. Soluit Rab̄ i ſuo ꝯtinēte ꝙ niſi curaret̄ infra mēſem l' repant̄ manifeſte n̄ curāt̄: oēs t̄n antiq̄ ꝯuenerūt ꝙ ſi trāſeat duos menſes facta eſt incurabilis, niſi veniāt ex punctura aut cōcuſſione

Nono tu q̄reſ q̄ ē cā mag̃ ꝓuocās torturā faciei. Soluit Rab̄ i ſuo ꝯtinēte ꝙ ois res ꝓuocās fluxū ma^e ad pimas ſpōdiles colli. iō ē innat̄ale ⁊ malū coopire ſe i collo in ſōno ſcarificare ſe in iitio colli cū vētoſ̄: lʒ euacuet ibi materiā: ideo debilitat memoriā: h̄ volunt omnes

Decimo tu q̄res ſi patiēteſ torturā piclitāt d̄ morte Soluit rab̄ i ſuo ꝯtinēte. c. ꝓpo. ꝙ ſi opatōes cerebri pncipales ſīt leſe. puta itellect⁹: rō: meō^a. t^c ſig^m ē ꝙ m^a mlta ē i cerebro diſſoluta ⁊ ab ipo cerebro fluēs: ꝓpt̄ qđ q: cerebrū mltū cōicat i paſſiōe mlti moriūt̄ ifra 4^m diē q: paſſiōes fortes cerebri ſr̄ valde acute: vt ſr̄ palib̄ tal' appople^a ⁊ palib̄ ꝟl'is. ⁊ ſi tal' ꝓlōgat̄ euadūt ſignū tollerantie nature cerebri.

Undecimo tu q̄res q̄ ſig̃ ſeu acci^a mag̃ ſignificāt torturā futurā. Soluit rab̄ in ſuo ꝯti^e. c. ꝓpo. q: 3^a. ſr̄ q̄ ſignificāt torturā oris futurā ſalt⁹ faciei. muſcli faciei mouet̄. ac ſi h̄ret iectigatōeʒ aliq̄ vapes incipiūt iā fluere a capite. ¶ 2^m. ſig^m ē dolor oſſiū faciei. ¶ 3^m. ſig^m ē ſtupor cuti faciei. naʒ icipit ma^a fluere ⁊ opi^te p° ſtāte ſtupore i cute faciei: potes dicere qđ ē tortura icipiēs firmari: vt ē dc̄m i cꝓcedēti d̄ ſtupore ⁊ tre^re mēbroꝝ. tc̄ pa. dʒ cauere a frigore ⁊ a vētoſ̄ i collo potiſſime cū ſcarificatōe: q: faciūt euenire Rab̄ in ſuo ꝯtinente.

Iſtis clarificatis cura torture oriſ tibi pateſcit. an̄ꝙ̄ i cura ꝓcedas ſcire oʒ: an tal' tort̄a ſit ex paliſi l' ex ſpaſmo illoꝝ lactoꝝ q: medica^a i aliq̄ diuiſificāt̄. q: i paliſi oʒ mag̃ d̄ſiccare ⁊ ma^am aq̄ſā mag̃ ſb̄tiliare. i ſpaſmo ꝑ opp^m min⁹ exſiccare cū vnguēt̄: ⁊ alijs ⁊ ma^am mag̃ groſſā ſb̄ſtrahere Silr̄ oʒ ſcire an ſit ex pūct̄a l' ꝯcuſſiōe tal' tort̄a d̄ cui⁹ cura dicem⁹ i fine ca^i. Eſt ſciēd̄ ꝙ i tali tort̄a cerebꝝ cōicat al'n fortit̄ in leſiōe: q: mlta ma^a ab eo ⁊ i eo diſſoluit̄. iō piclitāt ⁊ aliq̄ ifra 4^m diē moriūt̄: qđ cog̃ſcit̄ i opatōib⁹ ei⁹ pncipalib⁹ ſi ſalue āt n̄ ſalue fuerit. nā ſi itellect⁹: rō: ⁊ meō^a i tali tortura corrūpāt̄ ſig^m ē ꝙ cerebꝝ mltum patit̄ i tali tort̄a cōit̄ moriūt̄ ifra 4^m diē ⁊ eꝯ̄. In cura g^a ſic ꝓcedam⁹ i pimis pa. pōat̄ i camera obſcura r̄clu ſa clauſa ꝑ totū ne aer frigid⁹ n^e vētoſ⁹ ꝑcutiat ſibi ptes illas infriatas a ma^a illa fluxa alias aūt lapſus augmētaretur ⁊ teneat nucem muſcatam in parte oris in qua eſt tortura vt figura membro remaneat aſſueta, Et in primis diebus nil detur

ſibi niſi idromel ipō ſolo nutriat̄ vt dicet̄ p̄aliticꝰ
purget̄. ¶ Stati aliqualit̄ ⁊ non multū fortiter
nec p̄ viā diſſolutōis matie paſſio augmētet̄: vt
ē dictū in.c.de paliſi intētōne Raſ i ſuo ꝯtinēte
¶ ℞.radiq̄ achori.m.i.fiat decoctio in q̄ diſſol-
uat̄ yerapi^c ga^l.ℨ.i.⁊ ħ fiat potꝰdet̄ in aurora.ſi
nō velit cape iſtā da caſſiaꝶ ſimplicē in ortu ſol:
cuiꝰ receptā poſui in p̄mis capl̄is de cephalea ꝺ
ſcothomia de freneſi.¶ Uel da ſibi.ℨ.i.de turbit
gūmoſi albi pulueriʒati cū.℈.i.ʒʒ^l.det̄ cū aq̄ aco
ri ⁊ cicerū ru.¶ Stati ꝶ ſibi mellicrū de quo ſu-
mat i die ter.ſcʒ in aurora invespis in p̄mo ſom-
no mediū gobellū cal in ſine alia mixtura ¶ ℞
radiq̄ achori.m.i.maiorane ſaluie añ.m.ħ vtriuſ
q̄ ſticad̄ añ.m.ħ.ʒʒ^l.nuq̄ muſcate. granoꝝ iuni-
peri añ.ℨ.ħ.mell̄ deſpumati q̄rt.i.ħ.fiat mellicrū
ad.℔.ij.⁊ ħ.bn̄ clarificatū.Cōſeq̄nt̄ flōmet̄ deve
na q̄ ē ſub lingua intētōne Raſ in ſuo cōtinēte
potiſſime ſi venoſus fuerit.⁊ ſi ꝓlōgat̄ reiteret̄.
In ꝓceſſu ꝯñr gargarizet añq̄ ſumat de mellic
to p̄ vnā horā de iſto gargariſmate. ℞ ſe.ſinap̄.
ℨ.i.ſyrupi acetoſi cōpoſiti qd̄ ſufficit diſtēp̄andū
vt fiat gargariſma. vel diſtēpet̄ ſe. ſinap̄ cū mo-
dico vi^l ⁊ fiat gargariſma quolibet mane ¶ Cō
ſequēter poſtq̄ fecerit gargariſma p̄ aliq̄s vices
ꝓuocet̄ ſternutatio cū ſucco auricule muris ſeu
maiorane. iniiciat̄ infra nares media teſta nuq̄
reſupine.pluries i die multū approbat̄ in cura p̄
oēs. Loco huiꝰ ponimꝰ de ꝯdiſo puluerizaᵒ ſub-
tiliſſime.aliq̄ admiſcēt de caſtoreo ē cōdiſi et po
nūt infra nares. ¶ Raſ dic̄ in toto cōtinente q̄
capiat̄ de radice ſupiori catapucie maioris i q̄ti
tate gram pipis.terat̄ ⁊ ponat̄ in naſum p̄ tres
dies q̄libet die ſemel. Oino curātur faciꝫ ꝓcedē-
tibꝰ. ¶ Moderni nr̄i faciūt ſic ⁊ curāt paſſionē
℞ auricularuꝫ muris ciclaminis nuq̄ indice cu
cu. aʒimi nuq̄ muſcate achori piretˡ añ.ℨ.ħ.omia
ꝯquaſſent̄ ⁊ bulliāt in vino ⁊ colent̄ ⁊ inuoluat̄
bōbax in dicto vino ⁊ patiēs reſupinet̄ ⁊ comp̄
mat̄ bōbax.⁊.vi.aut.vij. gutte tepide naribꝰ di-
ſtillēt̄.hoc fiat multis diebꝰ ⁊ multis vicibꝰ āte
p̄rādiū ⁊ añ cenā. Iſta purgāt caput mirabilit̄.
⁊ cōfortāt neruos. ¶ Iſtud multis ꝓficit curaꝫ
p̄fumare caput poſt p̄mos dies ſero ⁊ mane cuꝫ
decoctōe camomille.multū valet ſpālit̄ qñ eſt ex
ſpaſmo.hoc vult Raſ in ſuo cōtinēte . poſtea in
ungere qñ eſt ex paraliſi.addas vtriuſq̄ ſticad̄.
¶ Poſtq̄ facta ē purgatio aliqualˡ ⁊ gargariſ-
ma ⁊ ſternutatio aliq̄lis .inungant̄ carine colli
⁊ facies ⁊ ſpōdiles p̄ine pluries in die cuꝫ oleo
nardino vel coſti cōpoſito cuiꝰ receptā raſ pōit

c.de paliſi. ¶ Si ex ſpaſmo fuerit potes miſcere
cū vno iſtoꝝ olim de lilio in vna p̄te potiſſime in
p̄nᵒ p̄ aliquos dies ⁊ dent̄.ℨ.ij.pill̄aꝝ fetidaruꝫ
cū.℈.ħ.colloq̄n^c⁊.ℨ.i.ſerap̄ vel cochiaꝝ loco illaꝝ
¶ Raſ laudat ablutiōem faciei cū aqua achori
vl̄ cum aceto tepido facta purgatione potiſſime
qñ fit tortura ex paliſi. Laudat etiā balneū ſiccū
puta ſtufam naturalē vel de lapidibꝰ ignitiſ ſup-
ſperſo vino albo l̄ claro.corpꝰ ⁊ caput ſtufetur i
p̄nᵒ ⁊ in toto ꝓceſſu. ¶ Raſ multū laudat rad̄.
achori ꝯfectā cū melle ſupſp̄ ſo.ʒʒ^c vel ſirupo vel
mellicrato vel electuaᵒ. ¶ In proceſſu cure lau-
dat etiā tubicinare in die p̄ vices vt figura mēb^r
rectificet̄ in aliquo ⁊ reſpicere ſe i ſpeculo vt la-
bia cōiungat ⁊ figurā rectificet bonū ē in ꝓceſ-
ſu cure.oia ſt̄ ꝯſiderāda ⁊ ꝯtinuāda ꝑut ē ſupiꝰ
dictū.mellicratū cōtiet̄ garga^ma ſternutatōnes
inūctōes vt ē dictū.⁊ ſic ꝯtinuādo iſta cura ꝯple
bit̄ infra.xx. dies ſi deo oīpotēti placuerit ¶ Si
v̄o aliq̄s torturā oris habuerit ex pūctura facta
in ill̄ p̄tibus ꝯ̄hente lacertos ⁊ neruos tal̄ cura
tur cū cura vulneriꝭ.curato vulnere remanet aliq̄
lis tortura quā natura reparat i annis inunguē
do ꝑut dicemꝰ in.c.ſequēti. ¶ Et ſi q̄s torturam
oris habuerit ex cōcuſſione mollificāte neruoſ ⁊
muſculos per ībibitionē ma^c per viā paliſis cōi
ter fiāt empl̄a ⁊ alia dicta in.c.de cura paliſis ex
ꝯcuſſione,nā paulati p̄ plures menſes comple-
bitur cura.

¶ Capitulum.io.de ſpaſmo.

c

Um aliq̄d mēbrū alicu
ius cōtrahit̄ et ad ſuaꝫ
redit originē aut plera-
q̄ ex mēbriſ ſic diſponū
tur ipſa ſpaſmata eē ꝓnūciamus.
Spaſmꝰ aūt ſubito aut paulati in
uadit.ſꝫ ſpaſmo ſubito euenienti:
eadē p̄p̄anda ē cura quā paliſi cō-
ferre diximꝰ. In eo tā fricatōe ma
nuū ⁊ vnctōe ex oleo coſtino plus
vtimur. Spaſmꝰ v̄o q̄ nō repēte ſꝫ
ſuauit̄ accidit poſt febrē aut ml̄tā
vētris ſolutōeꝫ aut multū vomitū
aut ſāguīs fluxū malꝰ ē ⁊ vix cura-
bil̄,q̄cq̄d tm̄ accidit ei mederi inci-

c

piem⁹. Egro nāq₃ ordei aquā ⁊ iu
ra vnctuoſa ⁊ mollia admiſtrabi⁹:
⁊ i aquā dulcē tepidā ipm̄ mittē⁹ ⁊
vngē⁹ ex ol̄o violato tepido ⁊ ol̄o ð
ſe. cucur. ⁊ p̄cipue neruoꝝ i q̄b⁹ ſpa
ſm⁹ ē radices h̄ n̄s. in tia ꝙ diu mo
ret̄ ⁊ ex ol̄. violato inūgat̄. de vino
bibāt paꝝ qð tā̄ml̄tū h̄eat aq̄ ad-
mixtū: ⁊ ex cibis nutriat̄ humidis

E ſpaſmo

id ē ð ꝯtractōe mēbroꝝ. nā tal̄ morb⁹ deſcribit̄ noīe accn̄tis. Si deſcribat̄ a ꝯctōne dū fit: q: tūc ē mal⁹ mot⁹ vt dicet̄ i. c. ⁊ deſcribit̄ noīe ꝓpo ꝯſiderādo ſpaſmū i ꝯtractōe facta ſic figurata. q: ſpaſmus dū fact⁹ ē. ē mala figura vt ſtati ðclarabit̄. ¶ Nō ꝙ ſpaſm⁹ diſtinguit̄ multipl̄r. vno° ex p̄te cāe in ḡnali. q: q̄dā ē mat̄ial̄: q̄dā imat̄ial̄. nā ois ſpaſ⁹ ē de repl̄oe aut de inanitōe ypo. vi. āpho. ¶ Idē ga⁹. 3. de int̄. c. 3. ꝓpt̄ hūorē ſubitrātē mē^m abbreuiat̄. q: nerui ingroſſāt̄ i ſpaſ° de repl̄one. abbreuiant̄ nerui ⁊ ingroſſant̄: ⁊ ꝑ ꝯn̄s mēb^m. c. dicto ꝑ3 hūorē ſubintrātē ⁊ replentē hoc tm̄ verū eſt ꝑ aliqð t̄ps in p̄n°: q: t̄pe ſubſeq̄nti mē^m demacerat̄ ꝓpt̄ defectū nutrimēti i ſpaſ° de inanitōe ꝯ-hit̄ lōgitudo ⁊ latitu° minorat̄ ſ̄m illā. 3. ð int̄. c. 3°. Probat idē ga⁹ iſta ſic i extionib⁹ puta i corrigia vl̄ corrigijs ꝙ q̄n replēt̄ abbreuiant̄ ⁊ igroſſant̄ ip̄is ianit̄ abbreuiāt̄ ⁊ ꝯſtringūt̄: vt ꝑ3 de facto. ⁊ videm⁹ i chordis lire ꝙ regnante auſtro ſeu vēto humido replēte dictas chordas lire: ꝙ chorde rūpūt̄. Idē fit regnāte vēto boreali exiccāte ⁊ inaniēte ꝙ ſil̄r rūpūt̄ niſi p̄us laxent̄: q̄a abbreuiāt̄. ¶ Cā āt mat̄ial̄ faciens ſpa^m ē hūor aliq̄lit̄ groſſ⁹ h̄n̄s malā q̄litatē pūgitiuā friaʒ vl̄ aliā rōe portōis ma^e acute colice vl̄ alt̄i⁹ aduſte ꝯmixte pūgēte ip̄3 ⁊ ꝯhēte ipm̄ ex ſui n̄. ¶ Dicūt actores ꝙ coīt̄ cōicat vēr⁹ fit int̄dū ex ma^a vēto ſa ex toto ꝯpetēt̄ ḡſſa potiſſi^e i tibijs ſeniū q̄ a laicis ð: crāpa q̄ ſtati curat̄ cū aq̄ decoctōis tunici ſi tibie cū ei⁹ decoctōe bn̄ abluāt̄ cal̄e ſero ⁊ mane ꝑ duos dies tal̄ cā mat̄ial̄ aut ē ꝯp̄hēdēs to^m mē^m. ſ. neruū ⁊ lacrtū. ⁊ h̄ ē q̄n fit ſine ap̄ate. aut ē ꝯp̄hēdēs vnū tm̄ lo^m q̄ reliq̄ p̄tes ſequūt̄: h̄ ḱ i ſpaſ° ꝓpt̄ ap̄a. ¶ 2° diſtiguit̄ ſpaſm⁹ ex p̄te ſinthomatū puta ex mō ꝯctionis. q̄dā ē ſpaſm⁹ ſeu ꝯctio q̄ fit v̄ſus p̄tē domeſticā ⁊ ð: ātroſton⁹. ⁊ ḱ h̄ q: illa ma^a ſubintrat neruos p̄tē dōeſtice, ⁊ q̄a pūgitiua pūgit ip̄os neruos: ꝓpt̄ quā ꝯpūctōe ip̄i nerui ꝯhunt̄ ex coꝝ n̄ v̄ſus ſuā originē ut dicit gali. 2° de intio. ca°. 4° ꝯ archigenem declarādo h̄ i chordis lire. ¶ Alia ē ꝯctio ſeu ſpaſm⁹ q̄ ḱ v̄ſus p̄tē ſilueſtrē. q: illa ma^a pūgitiua ſubintrat neruos p̄t̄ mē^i ſilueſtrī. ⁊ ſic ꝯhūt̄ v̄ſus ſuā originē ⁊ vocat̄ ꝓthoſton⁹. Iſte due ſpēs ſūt ꝓp̄e dicte ſpaſm⁹. ¶ Alt̄ ē ſpaſm⁹ q̄ t3 totū mē^m nō ꝯhēdo ipm̄ v̄ſus aliquā p̄tē. q: ma^a ſubintrat vniformit̄ p̄tē dōeſticā ⁊ ſilueſtrē. ⁊ vocat̄ tethanus q: t3 vtrāq₃ p̄tē. ¶ Iſta ſpēs ſpaſmi n̄ ē ver⁹ ſpaſm⁹ ḱ largo mō dict⁹ q̄lit̄ ꝯtigit nec q̄b⁹ cōtigit: h̄ dicet̄ ſtatim in ſeq̄ntibus.

Primo

tu q̄res. ſpaſm⁹ cui⁹ p̄ticule ē pa° p̄nci^r. ¶ Soluit l̄ra. 2. ð int̄. c. 4° ⁊. 3. de int̄. c. 3. ꝙ ſpaſm⁹ ſp̄ ē pa° neruoꝝ p̄ncipa^r ⁊ lactoꝝ ꝑ colligātiā ip̄oꝝ. vn̄ ma^a occupās p̄te3 neruoſā igroſſat eā ⁊ ſic abbreuiat ⁊ ꝯhit ip̄3 ex ſui n̄ v̄ſus ſui originē. ¶ Arguit̄ ꝯ h̄ aucte ga^l. 2 de int̄. c. 4. ꝯtra archigenē. dic̄ ꝙ tethan⁹ ē paſſio p̄ncipa^r vēāꝝ ⁊ arteriaꝝ digiti vel alteri⁹ mē^i ap̄ati. q: ille p̄° replēt̄ ⁊ tēdūt̄. Idē við: dicere. ix. ð ingenio. c. i. ⁊. 2. nā i ſynocha ē tethan⁹. nā mē^a ſūt ſic tēſa: q: nō p̄nt applicari ꝓpt̄ plectoriā mat̄iā vēaꝝ ⁊ art̄iaꝝ ab ip̄o ſan. ḡ ſpaſm⁹ n̄ erit pa° p̄ncipal̄r ip̄oꝝ neruoꝝ. ¶ Dicēdū ꝙ ſpaſm⁹ ſeu ꝯctio duplex ē. ſ. vera ſeu ꝓp̄e dicta: ⁊ ſic eſt duplex ſpēs ātroſton⁹ ⁊ ꝓthoſton⁹. Iſte ſpēs ſunt paſſiōes ip̄oꝝ neruoꝝ ſolū p̄nci^r. ¶ Ali⁹ ē ſpaſ⁹ n̄ ver⁹ ſeu largo mō dict⁹. tal̄ ē tethan⁹ i q̄ nō ē vāꝯctio ḱ tētio: ⁊ iſta ē pa° int̄dū vēāꝝ ⁊ art̄iaꝝ ⁊ int̄dū ip̄oꝝ neruoꝝ vt i tethano vl̄i ⁊ i alijs ſpēb⁹ dicr̄ vlib⁹: vt ſtati dicet̄. nā i iſto nerui replēt̄ ⁊ ingroſſāt̄ ⁊ vix plicāt̄ ⁊ vl̄r ⁊ rigidāt̄. fuit dicta vna ſpēs ſpaſmi.

Secūdo

tu q̄res. ex q̄ i tetha° vl̄i ⁊ alijs ſpēb⁹ dicr̄ vlib⁹ neru⁹ patitur p̄nci^r vt tu pōis: q̄rit̄ q̄ ſt̄ illi nerui. ¶ Dicē^m bn̄ i telligēti ex itētōe ga^l. 3. ð int̄. c. 3. ⁊. 5. ſui paſſiōa^l ponē° ſig̃ tetha^l vl̄is ⁊ aliaꝝ duaꝝ ſpēꝝ: ꝙ i tethano vl̄i ⁊ i alijs ſpēb⁹ dicr̄ vlib⁹ patit̄ p̄nci^r ſextū par neruoꝝ capit̄ ꝯtēſū ſup̄ ſpōdiles colli vnitū ⁊ ligatū cū eis i modū chordis mediātib⁹ q̄bus pellicul̄ ⁊ pānicul̄ q̄ꝝ furcule aliq̄ tēdūt ad viſcera iteriora: vt ad pect⁹ ⁊ ei⁹ muſcl̄os ad cor: pulmonē dyafragma vēas ⁊ art̄ias ⁊ ad p̄l̄a alia: vt dent eis ſenſū quedā. alie. furcule potiſſi^e q̄ panſ tēdūt ad gulā ⁊ epiglotū. nā ſ̄m ꝙ ma^a ibibit̄ i iſtis neruis fac̄ iſtā vel illā ſpēm ſpaſmi. i ſpaſ° p̄ticulari aliq̄ꝝ mēbroꝝ nerui orti a nucha ⁊ ſpōdilib⁹ correſ̄detib⁹ vt i ſpaſmo brachioꝝ nerui ſpōdiliū p̄moꝝ colli tibiaꝝ nerui alliati, ⁊ q: aliq̄ fur

cule ſpōdiliū colli tēdūt ad pedes.p°.ꝛ.4°.ď ite. iō ad paſſionē illoꝝ pt ſpaſinꝰ fariꝫ vl'is fieri ſcōꝫ eiꝰ ſpēm aliquā ẜm ꝙ fit paliſis ſatis vl'is.

Tertio tu q̄res.vtrū ſpaſinꝰ ſit pa°ꝑ ſevł ꝑ colligātiaꝫ.¶Dicēm ꝙ oīs ē ꝑ colligātiā.venit qd̄ venire nō dꝫ ad eos ẜm naturā puta maª mala hūoral' ſubintrās ipm nervū ꝛ venas ꝛ arterias i tethano.

Quarto tu q̄res.Spaſinꝰ q̄ paſſio ē in gn̄e ꝛ in ſpē.¶Dicendū ꝙ in ſpaſmo poſſumꝰ ꝯſiderare pl'a.p° ꝯctōem dū fit: ꝛ ſic ē accn̄s morbi.q: mal'motꝰ.5.ď mor°.c.p° Et vt ſic deſcribit i morbū ꝯſil'em cū maª vl' ſine maª plures morbi deſcribūt noīe accn̄ꝫ vt mos ē heleno.3.de inge.c.3.¶Alio° poſſumꝰ ꝯſiderare ꝯctōem factā.ꝛ ſic dico ꝙ ē official' puta mala figura cōcomitās ſecū aliū morbū officialem puta opil'oem ꝛ morbū cōſil'em q̄ ē cā tal' ꝯctionis.vn̄ tal' mala figura cāt imediate nocuᵐ i motiua aiata ꝓpt qd̄ eſt morbꝰ p̄ncipalis.

Quinto tu q̄res.cuiꝰ vtuꝫ ſpaſinꝰ ē nocumētū paſſiue intelligendo: ¶Uidēdū vt ſupra i aliꝭ capitul' ꝙ digeſtiue natural' ꝛ expulſiue vital'.ii°.de ige.c.2.ꝛ.8.

Sexto tu q̄res.Cuiꝰ vtuꝫ ſpaſinꝰ ē pa° ſeu nocuᵐ actiue loq̄ndo¶Soluit gaꝰ.5.de mor°.c.p̄mo.ꝙ ſpaſinꝰ ꝓ ꝯctōe fctā puta ꝓ mala figura ē paſſio p̄ncipal'r motiue aiate.ꝛ ſic loq̄t gaꝰ.loco dicto ſi ꝯſideret ſpaſinꝰ dū ē i fieri ꝓ illa ꝯctōe tūc nō ē paſſio ſeu morbꝰ iferēs paſſiōeꝫ.ẜ accn̄s morbi puta mal'motꝰ ꝓpt qd̄ n̄ ifert paſſionē imediate ẜ mediate.q: accn̄s morbi pt eē cā morbi.¶Aliꝭ cōicātes illā malaꝫ figurā:puta ꝯſil'is ꝛ official'.vt puta opila°.ſil'r ſūt paſſiōes ipiꝰ motiue aiate ꝑ p̄us.q: official' ꝑ p̄us:ꝯſil'is vt ē declaratū p̄mo de morbo capl'is p̄mis ꝛ vltimis.

Septimo tu q̄res.Spaſinꝰ dū fit eſt mal'motꝰ ꝛ accn̄s morꝰ q: fit a morbo ſic iectiga°.5.de mor°.c.i.ſup ẜ tu q̄ris.ſub q̄ gn̄e accn̄tis cōtinet.nō ē actio leſa.q̄a ē actio morꝰ:q: actio leſa attribuit vtuti.actio leſa talis vel talis vtuꝫ.vt pꝫ infra.5.ꝛ.6.de mor° Idē dic.vi.de int.¶In oppoᵐ nō ē q̄litas mutata q: tūc cōphenderet ſub rōe ꝓpꝛij obiecti alicuiꝰ ſenſꝰ de q̄ttuoꝛ ſēſibꝰ vt ē dictū.4.ď mor°.c.2.nec exiēs a coꝛpe mutatū notū ē¶Dicēm ꝙ oīs mal'motꝰ ſupueniēs coꝛpi nr̄o ē accn̄s morꝰ q̄ ſub actōe leſa cōtineret.q: ē mala actio vtutis motiue aiate vt tremoꝛ mēbroꝝ.vl' ē mala actio motiue natural' vt i ſingultu ſtoꝰ.dꝫ.2.de morbo c.vi.Uel eſt malꝰ motus morbi vt ē ſpaſinꝰ iectigatio.nā q: talia ſūt repugnātia actōi naturali iō ſub actōe leſa cōtinet ꝛ exponit.ꝓpt iſtā cāꝫ dicit ga.3.de mor°.c.3.ꝙ q̄dā ſūt repugnātia actioni bone.iō ſub actōe leſa cōtinet.ẜ q: vt pl'rim tale genꝰ accidēꝫ ē actio nat'e ſeu vtuꝫ leſe.idō cōiter dꝫ actio leſa vtutis alicuius.Alia autē dꝫ vt ſpaſinꝰ ꝛ iectiga°.actio leſa.i.mala actio morbi.ꝛ ſic patet tibi clarificatio queſiti ignoꝛati a modernis noſtris.

Octauo tu q̄res.a q̄ cā hūorali fit pluries ſpaſinꝰ.Dicēdū ꝙ cōiter dꝫ ab autoꝛibꝰ ꝙ magꝭ ẜ a ſāguie acuto.Poſtea a flāte acuto.3° a melācolia.ab iſtis ſi ad neruos fluxerit vl' ſi apauerint.melia aūt aduſta q: moꝛdax ꝛ acuta credo ꝙ ſit vna cā potiſſima.et aliq̄n col'a moꝛdēs.5.amphoꝛꝭ ꝯmēto p̄mo.

Nono tu q̄res.q̄l'r tal' maª ſpaſinās mēbrū rōe ſue moꝛdicatiōis ſubitrat mēᵐ.ſ.ꝑtē illā neruoſā ẜm lōgū aut ẜm latum: ¶Dicēdū ꝙ i paliſi ſubintrat ẜm lōgū.q: maª tal' liq̄da ſubintrat remolliēdo ꝛ opilādo i ſpaſ° pōt ſubinferre ꝛ fluere i oꝛigine coꝝ ẜm lōgum ſil'r ꝑ viā reumatiſmi ꝛ ẜm latū ꝓpt capita vēarū ibidē.cōtiguataꝝ ſpuētium talē materiam ad dictos neruos.

Decimo tu q̄res q̄bus magꝭ accit ſpaſ'mus:pueꝛꝭ aut iuuenibus:vl' ſenibꝰ.Sol'uit aui.3.can̄.c.ꝓpo.dic ꝙ pueꝛꝭ ꝓpt debil'itatē ipoꝝ neruoꝝ:lꝫ cinꝰ curet i eis ꝓpt foꝛtitudinē p̄ncipaliū epaꝫ ꝛ coꝛdis.Sꝫ iuuenibꝰ ꝛ ſenibꝰ magꝭ cōtingit rōe cāe.q: tal' cā acuta ē ꝛ moꝛdax magꝭ abundat in eis.

Undecimo an ſpaſinꝰ a frio extriſeco ſit matial' vel imaterial'.ꝑ alia vba dꝫ an ſit de repl'oe vel ď inanitōe.ꝓbat ꝙ ſit matial' ſubito.ḡ ē matial'.ꝯn̄a tꝫ.3.de int.c.4.Itē ẜ cū vitio hūoꝛꝭ.q: tale frigꝰ moꝛtificat hūoꝛes ꝯtētos i mē°ꝛ neruos ꝛ deuiat eoſ a nat'a.ḡ erit matial'.Itē tale mēᵐ igroſſat.4.de mor°.c.5.ḡ ē matial'.ꝯn̄a tꝫ 3° de int.c.3.In opᵐ eſt gaꝰ p° de moꝛ.c.3.6.Et rō ſua eſt.ille ſpaſinꝰ i q̄ ꝯhit lōgitudo ꝛ latitudo ē imatial'.3.de int.c.3°.minoꝛeꝫ ponit.5.amph.ꝯmēto illiꝰ.friḿ vero ſpaſmos ꝛc.vbi dic ꝙ friḿ tale penetrās cōſtringit memᵐ ꝛ ꝯſtrigenᵒ exalat hūiditateꝫ ſubtileꝫ magꝭ aereā ꝛ cū ẜ pūgit.q: moꝛdax ſic neruꝰ ꝯhit ex ſui natura vt pluries eſt dictū.

Ad rōes pꝫ ſolutio.Ad p̄mā ẜ ſubito ꝯcedo ḡ ē matial' nego ꝯn̄aꝫ nā gaꝰ itelligit:ꝙ ſi fiat ſubito a cā intrinſeca ꝙ

Causa efficiens spasmi i. crampe

tũc ē material̄.ſi ab extriſeca fiat ſubito nõ ē ne
ceſſariũ φ ſit maťial̄.¶ Ad ſecũdã dico φ illud
vitiũ hũoꝝ nõ ē cã ſpaſmi.¶ Ad tertiũ a frio ex
trinſeco ingroſſať ⁊ indurať in ſuba vt ē dictuȝ
autoritate ſupra in.c.de paliſi ⁊ i.c.de ſtupore ⁊
tremore.⁊ diminuũť ſcd̃m latera:⁊ ſic nõ valēt
argumenta.

Duodecimo tu q̃res. Spaſinꝰ ex vulnere an ſit mate
rial̄ vel imaťial̄.ſeu de replõe l'ð.ianitõe ¶ Sol
uit gaꝰ.v.ampho.ſupra cañ.ij.φ ē maťial̄.q̃a ex
ap̃ate cauſato ſupueniēte i vulnere ⁊ ē mortaliſ
q: a tali cã forti patiť multũ initiũ neruoꝝ:puta
cerebrũ:vt dicit gaꝰ in cõmēto.

Decimotertio tu q̃res an ſpaſ
mus a punctura
nerui a clauo vel ab alio acuto ſit.ſpaſinꝰ maťia
lis aut imaťial̄.aut de replõe aut de inanitione.
¶ Soluit lr̃a.3º.regˡcañ.120.ibi.Nerui ṽo ⁊ the
thanũ qð ē ſpaſinꝰ maťial̄ ſeu de replõne.q: p
pter cõtinui ſolõnē doloroſam hũor acutꝰ currit
interdũ ad ipm locũ pũgēs ipm neruũ:⁊ p ↄ̃ns
ipm ↄ̃hit v̓ſus ſuã originē ex ſui natura:ſicutvi
demꝰ i chordis lire vel alterꝰ inſtr̃i muſicivt de
clarat ga.2.de inť io.c.4.ↄ̃ archigenē.ppť quaȝ
cãm gaꝰ iubet dilatare foramē pũcture vt poſſit
meliꝰ iponi oleũ calidiſſimũ terebētine vel lũbri
coꝝ vel euforbij vt tal'h ũor q̃ ↄtinue ibidē fluit
ↄſeruať:⁊ ſic cãbit ↄtractõem ipoꝝ neruoꝝ ſpaſ
mꝰ ex pũctura ipiꝰ ſcorpiõis vel alterꝰ aĩalis p
eãdē rõem ē maťial̄ ſil'r q: ipõiť ab aĩali pũgēte

Decimoquarto tu queres an
ſpaſinꝰ ex me
dicia forti ellebo^ca vel alia ſit ſpaſinꝰ de replõe vl'
de inanitõe.vel maťial̄ vel imaťial̄.¶ Soluit gꝰ
v.ãpho.ↄº.p̃º.φ meª laxatiua põt cãre ſpaſinuȝ
tripl'r.vnoº diſſoluēdo ⁊ ↄmouēdo hũoreſ acutoſ
pũgētes neruos orificij ſto¹ deſcēdētes a cerebº
vna ē dicta meª:vt recitat gaꝰ de q̃dã iuuene qui
fuit ſpaſinatꝰ a colera acuta erugioſa mordēdo
orificiũ ſto¹ q̃ euomitata fuit curatus a ſpaſino.
Idem gaꝰ.v.de inť.c.v.nã expulſa illa col'a ſpã
liť p vomitũ fuit curatꝰ ab ipo ſpaſino.Idē gaꝰ
v.de interioribꝰ.c.v.nã expulſa illa col'a ſpãliť p
vomitũ fuit curatꝰ ab ipo ſpaſº tal'ſpaſꝰ fit i pñº
euõnis vel circa cõiť.¶ Scd̃o mõ mediª ſupra
cãt ſpaſinũ euacuãdo vltra debitũ rõe nimie ina
nitõnis ⁊ exſiccatiõis nerui abbreuiãť ⁊ ↄ̃hũtur
ex eoꝝ naťa vt vidēꝰ i chordis lire vel borea re
gnãte niſi p̃us laxenť rũpũtur ⁊ cõtrahũť talis
ſpaſinꝰ ē incurabil' ⁊ mortal'⁊ fit i fine purgati
onis aut i fine magni fluxꝰ vētris ¶ Tertio cau
ſatur ſpaſinꝰ a medicina violenta calida ⁊ acu
ta non euacuãdo nec diſſoluendo ſ ſolũ ſubam
neruoꝝ exſiccãdo ⁊ ↄſumēdo.q: ois res medici
nal' purgatiua ē exiccatiua ⁊ ↄſũptiua.5.ãpho.
ↄº.i.tal'ſpaſinꝰ ē de inanitõe ⁊ mortal'⁊ incura
bil':tal'ſpaſinꝰ venit poſt ſumptõem meᶜ vnovl'
duobꝰ mēſibꝰ.Ipo.de iſto nõ facit mētionem:ſ
tacuit vt diť gaꝰ.in ↄº.q: erat de inanitõe dedit
eũ intelligere p dictũ ſecũdũ.Ex iſtis patet cura
in genere ⁊ in ſpecie.

Iſtis clarificatis cura ſpaſ
tibi pateſ
cit.Cõcluſuȝ ē in p̃cedētibꝰ ſpeculãdo ea q̃ ſunt
nccia i cura cuiuſq; ſpaſini.φ ſpaſinꝰ q̃cũq; vl'is
aut pticularis ſm quãlibet eiꝰ ſpēm ē paſſio neruo
rũ pncipal'r ⁊ nõ mi che i q̃ differt a paliſi.q̃um
aũt neruoꝝ dictũ ē q̃one.2ª Et q: p pte cõicãt in
pticula.q: vterq; ē paſſio neruoꝝ pncipal'r ⁊ cõi
cantis i cã q̃ pluries accidit puta ex hũidita ᶜgroſ
ſa replēte neruos in ſuis poroſitatibꝰ vltra debi
tũ p viã ſup fluitatis nutrimental'.Iſtud p̃cedunt
ociũ q̃uitas crapula corpiſ fluēte ad neruoſ ↄ̃it
p lõgũ:lȝ de poſſibili p latꝰ p viã catarri ⁊ diſſo
lutõis maťiei cã extriſeca incitãte.vt calor:frigꝰ
ira repl'o excedēs multa talia.Iſte ſpaſinꝰ f ſu
bito.iõ Rabꝰ remittit nos p cura ſpaſini q̃ pluri
es accidit.q: cura ē eadē:vt ipſe ponit.ſil'r põit
ſuis dionibꝰ.¶ Aduerte tñ ſup h φ ſpaſinꝰ pti
cularis factꝰ ⁊ pfectꝰ i aliq̃ mēbro ē toll'abil' a ñ
⁊ coĝſcabil' a q̃cũq; ppť rectitudinē vl' curuitatē
mēbri.¶ Spaſinꝰ aũt vl'is ⁊ perfectꝰ nõ ē toll'a
bil' a naťa:q: tũc ceſſaret anhelitꝰ.q: pectoralia
ceſſarēt a motu.¶ Spaſinꝰ aũt vl'is ſm qualibȝ
eiꝰ ſpēm incipiēs firmari ille ē toll'abil' a naťa:
ſ cũ difficultate coĝſciť.iõ ſigna data a Gaº.5º
ſui paſſiõarij.hic recitabo:cũ a pauc̃ cognoſcať
¶ Signa thetani vl'is incipiētis ſũt q̃ttuorde
cim tales vix ceruicē mouēt ⁊ nõ pñt eã flectere
nec tenere rectã ⁊ ceruice recta nerui colli dolēt.
⁊ ſi loq̃ť:tremuloſe loq̃ť ⁊ iraſciť maxie loq̃nti
bꝰ tales vix aliq̃d trãſglutiũt ⁊ cũ difficultaᶜ au
ditꝰ ipediť i eis.facies cõiť rubeſcit.ſudãt aliq̃ñ
manꝰ eiꝰ frigeſcũt.pulſũ hñt tenuē.q̃dã coꝝ ſũt
ſemi alienati.¶ Hñtes antroſtonũ cuȝ iſtis ſig
nis dictis i pte hñt q̃dã alia iã inclinãt caput in p
nũ ſeu ceruicē ad anteriꝰ.Iã pectori iũgũt ⁊ pre
cordia tēdũť.digitos i pug̃ ↄcludũt.vrina coꝝ li
pida ē cõiť.¶ Hñtes ꝓtoſtonũ vl'em cũ ſignis
dictis hñt q̃dã alia.retrahũt ceruicē retrorſum cũ
mag̃ dolore dorſi crura non pñt extēdere digitoſ

flectere nō pñt vt plⁱmū oēs iſti moriūꝛ. ſe. āt ſup
ueniēte aliq̄ liberāꝛ aucte ypo. ¶ Cura thetani
vl'is ſēſibilis ul' antroſtoni ul' ꝑthoſtoni ſi de cā
hūorali flātica ꝛ magis coi ul' nutrumētali fuerit
replēte neruū groſſū extēſū ſupra ꝑmas ſpōdi-
les colli ꝛ alias ſubiacētes ꝑ viā ſup fluitaꝛ nu-
trimētalis ul' reumatice matie qḋ cog̃ſciꝛ ex ha-
bitudie corpis vrina etate ad hoc ꝛ aliȷ̄s ſignis
ſignificātib⁹ repletōēꝫ flātis ul' reumatice maᶜ
qḋ cognoſciꝛ ex habitudie corpis ut dictū ē ꝑce
daꝛ ſic. Primo abſtineat ꝑ dies tres intētiōe ga.
in paſſionaᵒ ſuo ſtati cliſterizeꝛ. ℞. maluarū ſi-
cle mercurial' añ. m. i. cētaurce mioris. m. ij. pulpe
coloq̄ntide nō cōq̄ſſate. m. ß. aniſi maratri. ame-
os añ. ʒ. ß. fiat decoctio in q̄ diſſoluaꝛ yeralogoḋ.
l' yerapigre. ga. ʒ. i. olei cois q̄rt. ß. ſalis cois. ʒ. ß.
fiat cliſtere. potes ponere ſi vis caſſieꝛ. ʒ. i. ꝑma
die ꝛ 2ª deꝛ cliſtere iſtud. Et ſi videꝛ tibi ponere
de coloq̄ntida plus: m. i. nō teraꝛ ne ledat inteſti
na ꝑ ſui adherētiā. Vtaꝛ iſto mellicrato ſtati ſe-
ro ꝛ mane mediū gobellū ſine alia mixtura. ℞.
radiċ achori yreos. añ. m. i. ſaluie. maiorane. ca-
meḋ. añ. m. ß. ameos. ʒ. ß. ʒʒ¹. nucis muſ. granorū
iuniperi añ. ʒ. i. mell' albi deſpūati q̄rt. i. ꝛ ß. fiat
mellicratū bñ clarificatū ad lb. ij. vtaꝛ iſto melli
crato in toto ꝑceſſu poſt q̄n cꝫ dies pōt addi 3ª
ul' q̄rta ps vini albi ſimpliċ in decoctiōe. vinum
nō cōpetit ſibi ꝑ aliquos dies ꝑmos vſqꝫ matia
ſit miorata. Poſtea cōpetit ꝑ raſim in ſuo cōtiᶜ
dū tñ ſit aliq̄liꝛ groſſū ꝛ in modica q̄titate in me
dio refectiōis ꝛ in fine valet. nā digerit matias
crudas: purgat ꝑ vrinas: fortificat calorē natu-
ralē. Poſtea ꝑ aliquos dies pōt vti vino ſubtili
ut matia expellaꝛ ꝑ vrinas. ß ꝑ ꝑmos dies vſqꝫ
ad ſextū uel ſeptimū diē. vtaꝛ iſto ydromelle loco
vini. ℞ mellis lb. i. aq̄ fonꝛ lb. xij. ʒʒ¹ albi. nuċ mu
ſcate añ. ʒ. ß. incipiēte ebullitiōe exꝑmaꝛ ꝛ coleꝛ
ꝛ vtaꝛ eo. ſtati iniūgat ſibi illos neruos groſſos
exñtes in collō ꝛ ꝑtib⁹ ſubiacētib⁹ ut dictū ē que
ſtiōe ꝑma cū vnguēto ſequēti. ℞. olei de lilio lb.
i. ꝛ ß. ſtoracis liq̄de. ʒ. ij. caſtorei ſubtiliſſime pul
uerizati. ʒ. i. cere modicū. fiat vnguētū liq̄dū quo
vngat ſe mō dicto p⁹ ꝑmos dies dcōs. Et poſtq̄
ſūpſerit medicinā ſequētē addas iſtis vnguētis
galbani. ʒ. ß. axūgie leonis. ʒ. i. ß. fiat vnguētum
cū ꝑdictis. Tertia aut 4ª die ſeruāt iſtā collatu-
rā. ℞. vuarū paſſ. iuiube ſebeſtē. añ. m. ß. vtri⁹ cꝫ
ſticaḋ. añ. m. ß. ſe. iuniꝑi. ʒ. ß. fiat decoctio in q̄ diſ
ſoluaꝛ yerapigre gal'. ʒ. i. ꝛ ß. incorꝑeꝛ ꝑ diē ante
yerapigre. ℈. i. coloq̄ntide groſſo mō pulueriʒate
diſſoluaꝛ: fiat pot⁹ deꝛ in aurora: quo ſūpto poterit

vngi cū ʒ° vnguēto ꝛ poterit potare vinū groſſū
q̄buſdā dieb⁹. poſtea ſubtiliꝛ faciꝛ iſtis ſtupheꝛ i
ſtupha ſicca facta cū lapidib⁹ cādētib⁹ ſup aſp-
ſo vino albo uel clareto. Si hēas in ꝑmptū bal-
neū naturale ꝛ ſtuphā naturalē ꝑualet. nā eradi
cāt morbū ſm raſim in ſuo ꝯtiᶜ. nā ſubdit q̄ ſtu-
pha ſicca ē ſibi melior medicina p⁹ exitū ſtuphe
uel balnei iniūgaꝛ cū vnguētis dictis ul' cū oleo
ſambucino ul' cū caſtoreo ſubtiliſſime pulueriza
to in lb. i. olei. ſit. ʒ. i. caſtorei. iſta eſt cura ſpaſmi
tethani ꝑthoſtoni antroſtoni vl'is cū repletiōe
corporis ꝛ ſignis repletionis corpis. Et ſi tales
ſpaſmi ꝑticulares fuerint vel aliq̄n tethan⁹ ꝛ a-
lie ſpēs ꝑdicte ſūt a ſola vētoſitate inflatia extē-
dēte ipſū mēbrū ꝑ tēpus ꝑut ſepe fit maxie in ti
biȷ̄s. laici vocāt crāpa talē cōtractionē ſeu ſpaſ-
mationē tibiarū. Talis ſpaſmus curaꝛ cū ablu-
tione aq̄ bñ calide decoctiōis herbe tunici ul' tin
timalli maioris abluanꝛ ſero ꝛ mane ꝑ duos di-
es curanꝛ ad tēpus eſt remediū de facto. Spaſ-
mus fact⁹ a frō extrinſeco q: imatialis ut ſupius
ē ꝯcluſū curaꝛ cū ſolis calefaciētib⁹ ſiue ſint vn-
gēta vnctiōes l' alia abluas locū cū aq̄ bñ calida
decoctiōis tintimalli maioris. ꝛ ꝯñr empl'eꝛ loc⁹
cū foliȷ̄s eiuſdē. ul' vngas locū cū hoc vnguēto.
℞. olei cucu. aſini lb. ß. olei de lilio q̄r. i. olei eufor
biȷ̄ q̄r. ß. caſtorei. piretri. coſti. añ. ʒ. iij. miſceanꝛ
ſupra cineres calidos. Vel ſic. ℞. olei laurini lb
ß. olei de lilio q̄r. i. axungie leonis q̄r. i. ß. galbani
ʒ. i. cere modicū: fiat vngētū liq̄dū. ¶ Sup cura
ſpaſmi incipiētis ex pūctura claui ul' alterius rei.
Dicēdū q̄ foramē dilateꝛ ꝛ iponaꝛ int⁹ oleū ḋ eu
forbio bñ calidū ul' olin lūbricor. ul' olin terebē-
tine. ꝯñr empl'eꝛ loc⁹ ſic. ℞. oppopōacis q̄r. i. eu
forbiȷ̄ caſtorei piretri caſtorei añ. ʒ. ß. malexemur
ſil' ꝛ fiat empl'in. Purgeꝛ cū caſſiaꝛ. ſimplici plu
ries dicta in cap'lis ꝑmis. ul' q̄ deꝛ ſibi. ʒ. i. ß. yera
pigre diſſolute cū aq̄ decoctiōis ciceris ꝛ pruno
rū ꝑpꝛ qḋ q: pūctura claui ē doloroſa mltū. ē val
de ſuſpecta de ſpaſmo ꝑpꝛ fluxū hūoris ad locū
rōne doloris pūgētis ipſū neruū rōne cuius ipſe
neruus ex ſui natura contrahiꝛ verſus ſuā origi
nē. Eſt cōſiliū q̄ ſtati locus talis dilateꝛ ꝛ aliqḋ
ol'in de dictis int⁹ ponaꝛ ut maª iā fluxa in mo-
mēto rōne doloris ꝯſumaꝛ ꝛ mēbrū a ſpaſmo ꝑ
ſerueꝛ. ¶ In cura ſpaſmi ex pūctura ſcorpionis
ul' alti⁹ aial' venenoſi deꝛ tyriaca metridatū ḋ ma
ne ꝛ de ſero ꝑ q̄tuor aut duos dies i q̄titate fabe
diſſolute cū vino diſſoluto de metridato deꝛ i ma
iori q̄titate ꝛ loc⁹ empl'eꝛ cū ſatis de tyriaca. vl'
fiat empl'in de ariſtol'. ro. gētiana ꝛ baccis lauri

ſil' piſtat; in cura ſpaſmi icipiẽt; ex vulnere ſi tale mẽbrũ fuerit ſingulare vt digit⁹ abſcidat᷑. Aliter curet᷑ ſic mẽbrũ vulneratũ apatũ in cura ſpaſmi ex medicia laxatia ſi in pn° exhibitiõis venerit ꝑ uocet᷑ vomit⁹ ut dictũ ẽ i cura ſcotho⁹ ⁊ vertigis ꝯſilio ga. ẏ° āpho. cõ° p°. ſi i ꝓceſſu venerit moꝛ tale q: de ianitiõe balneet᷑ patiẽs i aq̄ cali^a ⁊ olõ vngat᷑ cũ medulla ⁊ oleis hũectãtib⁹ vt violarũ nenuf. amigd. dulciũ ⁊ ſil'iũ dietet᷑ vt cõſũptus ⁊ eticatus. Iſta tibi ſufficiant ꝓ cura ſpaſmi ſm quãlibꝫ eius ſpeciem. ⁊c̄.

Capitulum. vndecimũ de epilẽtia.

Um aliq̄s cadet in terrã ⁊ torquet᷑ ⁊ cõmouet᷑ ⁊ intellectũ amittit dicim⁹ ipſũ epilẽticũ eẽ. qd̄ ſi ſpuma exit ꝑ os aut ſecũ mingit aut ſpma egredit᷑ aut egeſtio paſſio tũc ẽ ꝑuioꝛ ⁊ vehemẽtioꝛ. Si āt eger añ acceſſionẽ ſẽtit q̄ſi aliquid ex aliquo ſuoꝝ mẽbroꝝ eleuari et aſcẽdẽdo caput petere ⁊ deide ſincopizat᷑ ⁊ cadit: tũc oꝫ i hoꝛa q̄ ſentit illud ãteq̄ iſtud accidet mẽbꝝ a quo ꝓcedit quod ꝑdiximus foꝛtiter ligare ꝓhibebit nãqꝫ hoc acceſſionẽ venire: in tp̄e v° q̄et; coꝛpus ml'totiẽs erit euacuãdũ cũ pillul' cochiis ⁊ loc⁹ a quo exoꝛit᷑ paſſio ex ſinapi ⁊ pipe ⁊ eufoꝛbio ac melle anacardi erit epithiand⁹ vbi epithia dimittẽdũ erit donec loc⁹ veſicet᷑ ⁊ veſicerũpũt᷑: ⁊ aq̄ q̄ in eis collecta ẽ effluat. Ipe q̄ꝫ nõ cito ſit cõſolidãde: q̄nimo dimittẽde: ut qd̄ i eis colligit᷑ emanet: deiñ ꝯſolidet᷑. hoc eni oĩno hui⁹ egṫudis certa ſal⁹ exiſtit. Ad vltimũ etiã vẽtoſe cũ pauca ſcarificatiõe ſuppo nere vtile ẽ. Egri v° ſi añ acceſſiõeꝫ nauſeã aut triſticiã aut coꝛdis tremoꝛẽ ſentit ⁊ deide egritudinis acceſſio ſequit᷑ cogẽdus eſt multotiens vomere ex aliquo vomitu deide pigrã in potu ſepe accipere cõuenit ſtomacho q̄ꝫ ẽplaſtrũ ex ſpica ⁊ roſis ⁊ maſtice ⁊ coꝛtice thuriſ cũ vino odoꝛifero imponẽdũ ẽ nutrimẽtũ ꝑterea ei⁹ totũ talit᷑ ſtatuendũ eſt vt paucarũ ſit ſupfluitatũ ſicut caro frixa in ſartagine ⁊ caro cocta in cazolis ⁊ cibus q̄ fit de aue quadã que habet in palato dẽtes ⁊ vocat᷑ taguid ⁊ caro de volatilib⁹ ⁊ hedina. Qd̄ ſi cum epilentia ſenſuũ affuerit tenebroſitas et debilitas neqꝫ aliqua de predictis ſignificatiõib⁹ inueniat᷑. ergo pillule cochie multotiẽs ſũt tribuende ⁊ ei⁹ cõſeruatio ſubtiliãda ⁊ cibaria q̄ diximus dãda. gargariſmuſ quoqꝫ fieri debet ⁊ ſternutatio ex his q̄ diximus ꝓuocãda ac naribus peonie puluis ſubtiliſſim⁹ q̄ ſil'r alcohol inſufflãd⁹. Si q̄s aũt cũ epilẽtia i facie ⁊ oculis rubedinẽ habuerit ⁊ venaruꝫ groſſiciem flobothomãd⁹ ex vena ſophena erit. ſãguis etiã ex carnoſitate tibiarũ cũ vẽtoſis erit extrahẽd⁹. Capiti ꝑterea oleum ro. ⁊ acetũ ſupfundantur: ⁊ abſtineat a vino ⁊ a cepis ⁊ alliis ac ſinapi ⁊ poꝛris ⁊ apio ⁊ fabis ⁊ canauit ⁊ poſtremo ab oib⁹ fumũ caput aſcẽdẽtẽ ⁊ replẽtẽ generãtib⁹. Electuariũ qd̄ oĩ epilen

The falling sickness is an infirmity of the brain and of the [illegible] standing [illegible] is a total [illegible]. Galen sayth it is [illegible] humors [illegible] the cells of the brain, [illegible] state [illegible] fill natural [illegible] fume. Constantinus affirmeth it cometh of a fleg[matic] humor [illegible] in the [illegible] of the brain or of a [illegible] gross and cold oppressing the brain, or of humors too much abounding in the stomach, the fume whereof ascending to the brain, by grossness of which fume the ways and passage of the vital spirite are stopped.

tie ſpẽi remediũ affert. ℞. piretri: ſiſeleos: ſticados oĩuʒ añ. ʒ. x. agarici. ʒ. v. cordumeni recẽtis ⁊ acuti aſſe optie ariſtol'. ro. oĩuʒ añ. ʒ. i. et ß. deĩde extrahat' ſucc⁹ ex ſquilla ⁊ mixt⁹ cũ pari q̃titate mell' coquat' ⁊ cõficiant' ex eo ſpẽs ⁊ fiat electuariũ ex quo patiẽſ quotidie ſumat ⁊ caueat ſibi a groſſis cibis. Electuariũ hoc oĩb⁹ epilẽtie ſpẽb⁹ excepta vna ſãguinea quã ga. noiauit ⁊ nos etiã ei⁹ fecim⁹ mẽtionez opitulat' cui vidi cõferre flobothomiã ex ſophena pri⁹ ⁊ poſtea ex baſilica. Deĩde ei⁹ regimẽ ſit ex his q̃ ſanguinẽ in corpe minuũt ⁊ ipʒ infrigidãt. A carne p̃terea ⁊ vino abſtineat ⁊ bibat rob acetoſorum fructuũ: capiti q̃ʒ ſupponant' ea q̃ ipſum infrigidant.

e

Pilentia greco. i. ſenſus captus latine dic̃ ille ſimõ ianuẽſis. Alij dicũt epilẽtia. i. caſus. ⁊ inde pedicon a pueris q: pueris pluries accidit. ⁊ ſic iſta paſſio deſcribit' noie accidentis ſicut ẽ mos helenoꝝ 2° de inge°. ca°. 2° Ga. recitat in paſſiona° ſuo q̃lit' democrit⁹ ⁊ alij ãtiq̃ ariſto. appellabãt epilẽtiã alijs ſeptẽ noib⁹ diuerſis ꝓpt' diuerſaſ ꝯditões. Analãptia pa° catalãptia cõiſalis: ſacra: diuina: puerĩ caduca paſſio. analeptia q: ſacras ptes capit̃ ſẽſu ꝑuabat. cataleptia q: ſpumã int' os ⁊ nares expellebat. cõiſalis ſacra diuina paſſio: q: tẽplũ aie q̃ ſacra ẽ occupabat. pueril' q: pueris pl'ies accidit caduca q: cadũt. ¶ Nota q̧ epilẽa diſtiguit' multipl'r vno° rõne ſue malicie: ſic ſũt due ſpẽs vt dic̃ ga. in pa° ſuo. c. 2° i fine. Una ſpẽs i q̃ patiẽtes ſtertunt fort' ⁊ ſpumãt ⁊ agitãt ſe mlt'r cũ tremore forti ⁊ ocul'oꝝ ⁊ ſtridore dẽtiũ. imo aliq̃ ſpmatiʒãt: talis eſt peſſima ⁊ icurabil' potiſſime ſi cadat cũ clamore. Raſ i ꝯti° auc̃te filij hebe°: nã arguitur cã forꝭ ⁊ ꝑuata q: fortiſſima opilatio viaꝝ ⁊ meatuũ i proꝛa cerebri a groſſo multo horrib ili acuto ⁊ venenoſo pʒ q̧ ſpũs nõ pñt bñ deſcẽder' ad mẽbra q̃ helit⁹ ex q̃ viſcoſe hũiditates caleſcũt ⁊ diſſoluũt' ⁊ ſpuma gñat'. Alia ẽ ſpẽs i q̃ paruʒ tremẽt ⁊ nõ agitãt ſe nec ſtertũt nec ſpumãt: tal' epilẽa ẽ min⁹ mala t'lis ẽ curabil' q: arguit' minoꝛ cã ⁊ ꝑ colligãtiã opilãs parũ meat⁹ ſpũuʒ in vẽtricul' ꝑre cerebri. Ga. 3° de intio. c. 4° dicit q̧ aliqñ ẽ ita modica q̧ ſufficit eis appoditatio ſic in ſternutatiõe q̃ ſternutatio ẽ modica epilẽa. auic. 3° cañ. c. ꝑ° talis fit ꝑ colligãtiã vt dicet'. Alio° diſtiguit' epilẽa rõne ſue cauſe. ⁊c ſunt due ſpẽs vt dicit ga. 3° de intio. c. 4°. q̃dã ẽ de cã ꝑuata. cã priuata d': q: alia mẽbra a cerebro ꝑuãt a gñatõne t'lis cãe. talis epilẽa ꝑncipl'r ⁊ ꝑmo ẽ opilatio meatuũ i vẽtricul' ꝑre cerebri q̃ meat⁹ ſint pellicl'oſi ꝯñr ẽ ſpaſm⁹ dictaꝝ pellicl'aꝝ de intio. c. 4. Alia ẽ epilẽa de cã coicata ſeu ꝑ colligãtiã alicui⁹ mẽbri vl' rei extrĩſece vt a ſtõ. qð ẽ vt pl'imũ vl' a mirach vl' a matrice vl' a digito vl' a coxa. t'lis fit q: vapoꝛ mal⁹ horribil' tãq̧ vẽt⁹ aſcẽdit vt dicit ga. 3° de intio. c. 4. ꝓpterea ariſto. ⁊ alij antiq̃ oppinati ſũt q̧ fieret a vẽto q̃ vent⁹ eleuat⁹ ad ꝑram cerebri rõne ſue male q̃litat̃ pũgẽs pellicl'as ꝑre cerebri. Primo ꝯtrahit ⁊ ſpaſmat ipſas ex earuʒ natura: q: neruoſe vt declaratũ ẽ. Secũdo oppilat dictas vias ⁊ meat⁹ ſpũum cõtrahẽdo ipſas pellicl'as cerebri ꝓpt' qð nõ pñt deſcendere ſpũs ad mẽbra ſenſuũ rei extrinſece: vt a frõ excellenti penetrãte talis ẽ imat'ialis. ꝑ° de morbo. c. 6°. q: fit a mala cõpl'one t'li ſine ma°. ⁊ ꝑmo ẽ ſpaſm⁹: ꝯñr opila°. q: res neruoſa ex ſui natura ſi pũgat' ꝯtrahit' verſus ſuã originẽ ca° 4°. mõ frm mordax potiſſime ſi ſit excedẽs ⁊ penetrãs ⁊ ſic ſpaſmãdo dictas pellicl'as claudit vias ⁊ meat⁹ ipſorum: ⁊c ois epilẽa ꝑ colligãtiã ꝑmo ẽ ſpaſm⁹ ꝯñr opila°. ⁊ ſic alia q̃ ẽ de cã ꝑuata ꝑmo opilatio 2° ſpaſm⁹ vt dictũ ẽ ſtati ⁊ dicet' i q̃ſit. Raſis in ſuo ꝯti° dicit auc̃tez ga. i libro de doloꝛe mẽbroꝝ ſpecies epilẽe ſ' tres a capite a ſtõ ⁊ ab alijs mẽbriſ ⁊ ñ fac̃ mẽtionẽ ð illa q̃ ẽ a cã extriſeca. q: rariſſime fit citius galiticãt' q: pellicule neruoſe ⁊ ſube cerebri ⁊ neruoꝝ idurãt' iõ galiticãt' vt ẽ dcm i, c° vl' pũgũt' ⁊ ſpaſmãt' vl'r.

Primo tu q̃res epilẽa cui⁹ pti° cerebri ẽ pa° ꝑn'. Soluit l'ra 3° de intio. c. 4° i ꝑn° q̧ epilẽa q̃cũq̧ ẽ pa° ꝑn' viaꝝ ⁊ meatuum pelliculaꝝ ipſoꝝ vẽtricl'oꝝ ꝑre cerebri per q̃s ſpũs hñt deſcẽder' ad ipſos ſẽſus qð pʒ q: acci° ꝓpa ⁊ imediate ſeq̃n° ẽ caſus viſus audit⁹ ⁊ alioꝝ ſ'm ꝓpt' qð oʒ q̧ ſit pa° ipi⁹ ꝑ re, ideẽ dic̃ i li. ð

iuuamētis.c.4°. dic̄ ꝙ ſomnꝰ ⁊ epilētia fiūt ī eodē loco mō ſomnꝰ ē paſſio ꝑte cerebri qꝛ ipſius ſenſus cōis q̄ in ꝑꝛa exiſtit.4.de mor°.c.vltimo. Idē auic̄.iij.cañ.fen.p̄ª.c.ꝓpo vbi dic̄ ꝙ epilenª ē opilatio ī ꝑte āteriori cerebri adducēdo ꝓbatio nē ſtati dictā:quā fac̄ Gaꝰ de caſu q̄nq3 ſenſuū. Cōſequēter epilētia ē paº alioꝝ vētriculoꝝ ratōe colligātie:alit̄ nō lederet̄ itellectꝰ nec mēoria nᶜ ſenſus nec motꝰ totiꝰ corꝑis.

Secūdo

tu q̄res:an epilētia ē paº ipſius ꝑte cerebri ꝑ ſe vl̄ ꝑ colligātiā. ¶ Soluit Ga.3°.de interioribꝰ.c.4. Idem vult ī paſſionaº ſuo. Idē auic̄.3°.cañ.c.ꝓpo.ꝙ interdū ē ꝑ ſe:qꝛ de cā ḡnata vicio ꝓpo ipiꝰ cerebri ſignū potiſſimū:qꝛ nō ꝑſentit̄ euēt' ipiꝰ porˡ.nᶜ ē q̄rela alicuiꝰ alteriꝰ mēbri a cerebro añ porᵢᵐ: nec pꝰ porᵐ ſ; ſolū cōq̄rūtur de capite cōiter ſternūt: ⁊ vtplurimū ſpumāt. Ypo.dic̄. 2°.ampho.ꝙ ꝑmutatio ad iuuētutē curat ipaꝫ qꝛ etas calida ⁊ ſicca ⁊ dieta c̄ h̄ faciūt ad curā pauci curāt̄ :q̄n ē de cā ꝑuata ſeu vicio ipiꝰ cerebri:⁊ inťdū ꝑ colligātiā altius mēbri vt vult Ga.3°.de interioribꝰ: vtputa ſtoˡ.5.de intioribꝰ.c.v.vbi recitat h̄ ꝺ illo grāmaᶜᵒ cadebat velut epilēticꝰ vicio ſtoˡ quem curauit cū yerapigª ex q̄ textu curaui quā pl'es ꝺ epilētia cāta a vicio ſtoˡ cū potu yerapigᶜ q̄ꝝ qui dā erāt q̄dragenarij. Interdū fit vicio mirachis mīrā coxe digiti vt dicet̄ inferius.

Tertio

tu q̄res epileª q̄ paº ē in ḡne ⁊ in ſpē. ¶ Soluit gaꝰ.3°.de interioribꝰ.c.4.in ꝑnº caˡ ⁊ ī fine. Idē dic̄ ī libello ꝺ iuuamēto anhelitꝰ.c.4. Idē auic̄.3°.cañ.c.ꝓpo in ꝑnº ꝙ epilētia de cā ꝑuata ꝑncipal'r ē opilatio a groſſo dictarū viarū ⁊ meatuū in ꝑꝛa:ꝯñr ⁊ ſpaſmus dictarū pelliculaꝝ:⁊ ſic ſpaſmꝰ eſt accñs ꝯñs ipaꝫ epilētiā de cā ꝑuata. ¶ Cauſa dicti eſt qꝛ matia ꝯiūcta tal' epiletie de cā ꝑuata ē groſſa de aliq̄li mala q̄litate mordēte ꝓpt̄ qꝺ pꝛiꝰ ledit ſua groſſiᶜ opilāte meatꝰ ꝑꝛe cerebri ꝙ ſua q̄litate mordēte ⁊ ꝑ ꝯñs cōtrahēte dictas pelliculas ꝓpt̄ qꝺ p̄° ⁊ ꝑncipal'r ē opilaº ꝯñr ē ſpaſmꝰ hoc vult Gaꝰ loco allegato. ¶ Epilētia autē de cā cōicata ſeu q̄ ē ꝑ colligātiā ꝑmo ē ſpaſmꝰ dictarū pelliculaꝝ ꝑꝛe cerebri.ꝯñr ē opilatio illaꝝ pelliculaꝝ ꝑꝛe cerebri. Cā dicti ē qꝛ tal' vapoꝛ ſic eleuatus ꝑus ledit mordacitate ſua ſeu acuitate ſeu fritate ꝙ aliter:hoc ponit.3°.⁊.4.de interioribus.c.dicto:nā vt ſic pūgendo dictas pelliculas cōtrahit ipas ex earū naťa qꝛ neruoſe vt dictū ē a gaº.3°.ꝺ inť.c.4.iō attrhēdo ipaſ claudit vias ⁊ meatꝰ ꝑ q̄s ſpūs deſcēdūt ad q̄nq3 ſenſus eodē mō dicēdū ē ſi fiat a frio extriſeco ꝙ erit ꝑncipaliter ſpaſmꝰ imaterial'r tñ ꝯñr erit opilatio.

Quarto

tu q̄res. Cuiꝰ virtutꝭ epilentia ꝑ morbo deſcripto ē nocumētū paſſiue intelligēdo. Soluit Ga.3°. de interioribus.c.4.ꝙ digeſtiue ⁊ expulſiue cerebri vel mēbri mādātꝭ. Idē dic̄ Gaꝰ.iiº.de mgeº.c.2°.⁊.8.vt plures dictū ē epileª ꝑ illo caſu ſenſus ⁊ motus ē nocumētū ſeu accidēs morbi dicti.

Quinto

tu q̄res. Cuiꝰ v'tutꝭ epilentia ꝑ morbo deſcripto eſt paſſio ꝑncipal'r. Soluit Gaꝰ.3°.de interioribꝰ.c.4.in ꝑnº ꝙ ſenſitiue ꝑꝛe cerebri viſiue auditiue ⁊ aliaꝝ v'tutū ſenſitiuarū puta guſtatiue odoratiue.ꝯñr motiue lacertoꝝ ꝑꝛe ⁊ puppis. Idē vult auic̄.3°. cañ.c.ꝓpo,circa duas colūnas nā epilētia put ē opilatio ⁊ ſpaſmꝰ dictarū pelliculaꝝ infert nocumētū ⁊ paſſionē ꝑncipal'r dicte ſenſitiue ꝑꝛe cerebri viſiue.auditiue ⁊c̄.ꝓpt̄ qꝺ eſt paſſio illaꝝ ꝑncipal'r:⁊ ille caſus ſenſitiue q̄nq3 ſenſuum et motiue ē accñs ipiꝰ morbi.i. Ideo non debet dici ꝓpe nocumētū virtutꝭ ſ; nocumētū ſeu accñs morˡ

Sexto

tu q̄res ex q̄ epilētia ē ſpaſmus ꝑncipal'r vel ex ꝯñti vt dictū eſt. ¶ Tu dices quis ſpaſmꝰ ē ne ſpaſmꝰ pelliculaꝝ.ſoluit Gaꝰ.3°.de inť.c.4:ī ꝑnº capl'i ꝑte.3ª.⁊ ī fine capl'i ꝑtibꝰ vltimis ꝙ vtplurimū ē ſpaſmus ad modū ſingultꝰ in q̄ ē malꝰ motꝰ expl'ſiue mēbri.ſ.pelliculaꝝ icitati expellere ꝓpt̄ nocumētū illaꝝ.v.de morbo.c.p̄°.⁊ nō ē verꝰ ſpaſmꝰ q̄ fit a ſolo morbo ⁊ nō a v'tute aliq̄.5.de morbo.c.ꝑmo Interdū aūt caſu fortuito inde cā cōicata ē epiª verꝰ ſpaſmꝰ vt dic̄ Gaꝰ in.c.14°.in ꝑnº ⁊ in fine rōe horribilitatꝭ illiꝰ vaporꝭ qꝺ ꝓbat ī fine caˡ dicti.ſic̄ ē ꝺ ſūo ſtōachali horribili ita ꝺ iº ſūo horribili veniēte ad ꝑꝛā ⁊ ad pellicl'as cerˡ ſic ē ꝺ ſūo ſtomachali ꝙ vtpl'r3 cāt ſpaſmū q̄ eſt ſingultꝰ q̄ eſt malus motus virtutis expulſiue ipiꝰ ſtomaˡ qꝛ illa expulſiua expellit cū violētia.5.de morbo ⁊.6. Interdū cāt ibi verū ſpaſmū q̄ eſt motus tātum ipius morbi. Iſtam ponit in.c.ꝑmo ſimilit̄ minorē rōnis ponit.5.de interioribꝰ.c.de illo iuuene q̄ habebat colerā praſſinā in ſtoº ſuo. Idem v.ampho.ꝯmēto p̄°.q̄.ſic erit in epilētia de cauſa ꝑ colligātiā.q̄ ⁊c̄.

Septimo

tu q̄res q̄re paroxiſmꝰ epilētie eſt ita breuis cū fiat a groſſo opilāte illos meatus in ꝑꝛa cerebri.vt dictū ē ex tentiōe Gaˡ.nam rōne groſſitiei matie: ⁊ rōne viarū ſtrictarum deberet eſſe longꝰ h̄ videmus in fe,vt vult auic̄.ꝺ.4.cañ.in plurībꝰ locꝭ.

Idem vult Ga. in p̄mo ad glauconē. Soluit ga. 5. de morbo. c. vltio dic̄ ꝙ accn̄a que fiūt in epilētia fiūt ex frigida groſſa maťia in pelliculis cerebri exñte nam talis materia nō pōt multū ſubintrare dictas pelliculas ꝓpť earū denſitatē. Hoc idem vult. 3º. de interiorib⁹. c. 4. vbi ꝙ quia talis maťia multū groſſa ē facit breuem peroxiſmū. Ideo quādo ipa eſt de cauſa p̄uata licet paroxiſmus ſit moleſtior ꝓpter fortiorem opilatiōem maťie aſſiſtētis in p̄ncipali mēbro eſt tamē breuior ꝓpť ea: quia talis maťia groſſa nō pōt ſubintrare ſubam pellicl'arum rōne denſitatꝫ hoc idem ipe declarat. 6. ampho. cōmēto illi⁹ amphꝫ Acide eructuationes. Similiter ſit breuis peroxiſm⁹ ipius epilentie: q: ille pellicule laborāt cōtinue ſe agitādo ꝛ expulſiua earuꝫ laborat ſic̄ laborat expulſio ſtomachi i ſingultu patet ergo ꝓ duas cauſas quare peroxiſm⁹ epilentie ē ita breuis. Tu dices patet bene cā breuitaťꝫ peroxiſmi i epilentia de cauſa p̄uata. ¶ Sed q̄d dicem⁹ de epilentia de cauſa cōicata ſeu ꝑ colligantiā que ſit a fumis eleuatis que ſunt ſatis ſubtiles ꝓpť quā ſubam poterūt ſubintrare pelliculaꝝ dictarū ꝛ ſic faciēt longū paroxiſmū. Dicendū ꝙ licet talis maťia vaporoſa ſit magꝫ ſubtil' ꝙ̄ maťia epilentie de cauſa p̄uata ſunt ſatis groſſi fumi et frigidi ꝓpť qd̄ parū ſubintrāt ſimil'r ſtatim pellicule ſentiētes illam mordicatiōem contrahūtur ex earum natura vt pluries dictū eſt aucte Ga'. iō parū ſubintrāt ꝛ q: cōtinue agitātur ſto⁹ vt in ſingultu: ideo peroxiſm⁹ eſt breuis licet nō tantū ſicut in epilentia de cauſa p̄uata pl'es ex noſtris cōcurrētibus locuti ſunt in hac maťia abortiue ꝛ tanꝙ̄ fugitiui.

Octauo tu queres epilentia eſt ne materialis ¶ Soluit l'ra. 3º. de interiorib⁹. c. 4. ꝙ oīs epilentia ð cauſa intrinſeca eſt maťialis. ſi aūt ſit a cauſa extrīſeca puta a frigido excedēti tūc eſt immaťial' vt ponit Galien⁹ p̄mo de morbo. c. 6.

Nono tu queres qualiter cauſa materialis epilentie cōgregatur in cereb° vel in ſtomacho vel aliquo digitoꝝ vel aliorum mēbroꝝ. ¶ Dicēdum ꝙ cōgregatur in cerebro: puta in aliquo ventriculoꝝ anteriori medio vel poſteriori ex debili digeſtiua ꝛ expulſiua cerebri ꝛ illarum parciū hoc vult Ga⁹. 3º. de interiorib⁹ ca°. 4°. circa p̄ncipiū. Idem Auic̄. 3°. can̄. c. ꝓpo dicit ꝙ tal' materia ibidem congregata eſt p̄ncipiū epilentie. Idem vult Ga⁹ de quocūꝙ mor° materiali dicens. xi. de inge°. c. 2. ꝛ. 6°. ꝙ cauſantur ex nocumēto digeſtiue ꝛ expulſiue vt pluries dictū eſt ꝛ congregať paulatim donec ſit quantitas ſufficiēs generās particulā ꝛ incitans expulſiuam expellere a loco illo non hꝫ alias vias exitus niſi illas ꝛ nō poteſt expellere niſi inducendo illud nocumētū in iſto vl' in alijs mēbris congregat q: horribil' ꝛ venenoſa nō mouetur a natura ſicut diximus de colera eruginoſa vſꝙ quo grauat naturā rōne quantitatis eius vt natura incitata expellere nō poteſt niſi effumando ꝛ ſic ille fum⁹ aſcēdit ꝛ inducit illa nocumēta: ꝛ ſic patet ſolutio queſiti taciti quare epilētia nō ſepi⁹ affligit paroxiſmal'r ſꝫ de tempe in temp⁹ cauſatur dicta eſt intelligēti.

Decimo tu queres ſi muta°etatum eſt cauſa ſufficiens curationum epilētie videtur ꝙ ſic ꝑ ypo. ꝛ Ga. 2°. ampho. dicit ꝙ facit ad curatiōem. In contrariū eſt Raſ. in ſuo ꝯti° dicit ꝙ optet ꝙ iuuētur cū medicinis nō obſtante etatis mutatiōe facientis ad curam

Vndecimo tu queres q̄ eſt res magis abbreuians peroxiſmū ſoluit Raſ ꝙ ſternutatio q: cauſa cōiūcta citius ꝛ melius expellitur.

Duodecimo tu queres quare paroxiſm⁹ epilentie fit cōiter in vltima quadra lune. ¶ Dicendū ꝙ materia talis ē groſſa ꝛ terreſtris ac multū f'ria attinēs maťie ml'ice interdū aduſta de maťia groſſa frigida: ꝛ q: mot⁹ debeť hūorib⁹ rōne orbꝫ ſeu aſpectus vt dicit l'ra p̄mo. diamidiarū iō mouetur maťia in quadra lune ꝯueniēti q: groſſum terreum frigidū ꝓportionať vltime q̄dre ꝛ q̄to magꝫ elongať maťia a tali naťa tāto magꝫ elōgať a quadra illa vltima. iō ſi maťia ē magꝫ hūida attinēs magꝫ nature flātis tūc talis maťia mouebiť ex aſpectu orbꝫ ꝛ paroxiſmabit magis circa plenilunium. ꝛ ſi maťia aliq̄liter cū ſua groſſi° ſit aduſta mouebiť ex aſpectu orbꝫ ꝛ paroxiſmabit magis in nouilunio in die innouatiōis lune vel circa. Et iſta multū ꝯſideram⁹ in inq̄ſitiōe cauſe materialis ipius epilētie. Et termineť clarificatio nc̄cia in ſpeculatiōe curatiōis epilentie.

Iſtis clarificatis cura epilentie tibi pateſcit: anteꝙ̄ in cura ꝓcedas oꝫ ſcire ſi tal' epilentia eſt de cauſa p̄uata vl' cōicata. ꝛ ſi eſt de cā cōicata an ſit a ſto° vel ab alio: q: hꝫ curam diuerſificāt qd̄ potis ſic cognoſcere nam ſi a cerebro veniat paroxiſm⁹ nō preſentiť ꝛ ſemper p̄cedit ꝛ ſubſeq̄tur dolor vl' g̃uitas capitis ꝛ conturbatio q̄nꝙ ſenſuū. groſſitudo tumor ꝛ paſſio

oculoꝝ potiſſime tinitꝰ auriū: cōturbatio viſus odo
ratꝰ ⁊ guſtus ⁊ cōiter ſpumāt ꝓpt̄ fortem opila
tiōem cerebri ⁊ ſtertūt fortiter qn̄ eſt ab alio mēbro
ſeu ꝑ colligātiā preſentit̄ paroxiſmꝰ ⁊ aliqual' que
rela an̄ ⁊ poſt paroxiſmū vt ſi a ſtō dolor aliqual' ⁊
grauitas ſtō' nauſea. Si ab epate grauitas in late
re dextro: ⁊ ſic de ſingulis membris ¶ Si puero
lactāti ſeu incunabili ſuꝑueniat epilētia oppinā
dū eſt ꝙ hoc ē ꝑ colligātiam ſtō' puta ex corru
ptiōe lactis in ſtō eiꝰ: q2 lac nutricꝭ eſt male q̄li
tatis q2 ſalſum aut ſemi acetoſum vel male ſapi
dū q2 ipa eſt cachochimica: vel h3 ſtōm immūdum
vl' puer ſuggit lac ſupra lac nimis feſtine. vl' ſug
git lac d iuſſum puta matris ⁊ baiule. Iſta oīa
faciūt ad corruptiōem lactꝭ i ſtō eiꝰ. ⁊ ſic cauſāt
epilentiā. ¶ Ex cōſilio Raſ in ſuo ꝯtinente re
ctificet̄ lac nutricꝭ: nā cū hoc ⁊ ex mutatiōe etatiſ
regimie decēti. ⁊ modico adiutorio curet̄ baiula
ergo ſumat iſtā caſſiaſt. in ortu ſol' ⁊ q̄eſcat in le
cto ſine ſomno ꝑ duas aut tres horas nō come
dat niſi pꝰ tertias. ℞. prunoꝝ damaſcꝭ vuaꝝ paſ
ſarū mūdata. caricaꝝ pinguiū iuiube ſebeſtē. an̄
p. ß. ſt. decoctio ad. lb. ß. i q̄ diſſoluat̄ caſſieſt. mūd
ʒ. i. ⁊ ß. fiat potꝰ. ¶ Scōa aut tertia die poſt bal
neet ſe. in aq̄ calā ad placitū. Cōſequēter ſi ſcabi
oſa aut nimis rubea fuerit flōmet̄ parū. Vtatur
vino limphato ⁊ moderato vſu. vitet allia cepas
porros nuces nō lactet puerū niſi an̄ fleuerit ꝑ
modicā pauſam. Portet puer i collo d radice pe
onie romane q̄diu portabit ſecurꝰ eſt dic̄ Galꝰ:
aliꝗ actoꝝ eodē mō ponūt viſcum q̄rcinum ⁊ co
rallū ſuſpēſum in collo ⁊ ſubfumiget̄ ſero ⁊ ma
ne cū modico ipiꝰ peonie vt ſubintret nares ſuaſ
eſt ſibi maximi iuuamēti ⁊ naribꝰ ſuis inſufflet̄
cū pluuia ſemel aut biſ in die pluis radicꝭ peonie
ſubtiliſſimꝰ vt alkoh. Et vitet lac diuerſarū mu
lierū: ſumat ꝑ aliq̄s dies ꝑ interualla potiſſime pꝰ
peroxiſmū modicū de lacte capre cū modico mel
lis ꝑmixti vt ſtomachꝰ mūdet̄ a ſuo ſordido hoc
eſt ſibi valde vtile laudat̄ a pluribꝰ ꝙ ſemel in ſe
ptimana. Det̄ ſibi vnū coclear oximell' ſquillitici
ꝑ ſe: vel cū vno cocleari decoctiōis ciceꝝ rub. et
ꝙ ꝑ pauſam modicā poſt iponat̄ ſibi digitꝰ in o
re vel pluuia infuſa in oleo tepido talit̄ ꝙ ꝓuoce
tur ſibi aliqual' vomitus expellet de flāte qd̄ erit
valde vtile. vel ꝯſeruet̄ ſquilla cū melle vt decet:
⁊ cu3 digito imponat̄ i ore ⁊ gutture ⁊ trāſgluti
at poſt paululū vt ꝓuocet̄ ſibi nauſea impone in
eius gutture pēnā infuſam in oleo tepido vl' di
gitū vt dictū eſt vt incitet̄ vomitꝰ. puer talis nō
balneet̄ poſt cibū ſ poſt lactis ſuccionē vngatur

ſibi corpꝰ cū oleo roſ. cū quo miſceat̄ peonia ſub
tiliſſime pluerſata. Si q̄s puer nō lactās vbera
infra. 7. ānos epilētiā habuerit opinādū ē ꝙ ſit
a ſtō ꝓut in cunabilis rōne guloſitatꝭ niſi q̄da3
ex ſignis dictis appareret. ¶ Intētio ergo cura
tiua duplex erit vna erit ꝑncipal' ſc3 mūdificare
ſtōm ⁊ ipm ꝯfortare vt ipm bn̄ digerat. ¶ Secū
da itētio minꝰ ꝑncipal' erit ꝯfortare cerebꝝ quia
oīs epilēticꝰ hab3 cerebꝝ debile ſ nō ꝯuertitur
dicit Raſ in ſuo ꝯtinēte. ¶ Pro ꝑma intētione
⁊ ꝑncipali exequēda notare o3 i talibꝰ dic̄ pero
xiſmi ꝑteriti vt an̄ paroxiſmū vētuꝝ ſumat aliq̄d ad
mūdificādū ipm ſumat ꝑ. xv. dies quolibet mēſe
duo coclearia ſirupi acetoſi ſi macillentus fuerit
cū tribꝰ aq̄ ciceꝝ rub. ſit potꝰ bn̄ calidꝰ anq̄ ſur
gat ꝑ horā ſumat. Si cū ciceribꝰ poneres modi
cū de abſinthio nil tēptare nocet. multi pueri liberā
tur ab epilētia ſtomachali cū tali potu hoc vult
Raſ in ſuo cōtinēte: ⁊ ego ꝓbaui hoc. ꝯſr die. 6
aut. 7a ꝓuocat ſibi vomitū. ℞. duo coclearia de
coctiōis ſquille ⁊ atriplicꝭ duo coclearia olei oli
uarū q̄tuor pilos croci: q̄tuor guttas aceti duo co
clearia oximell' ſquillitici miſceant̄ ꝙ tepefiant
poſt comeſtionē ꝑ horā ⁊ vltra admiſtret̄ vt vo
mitꝰ ꝓuocet̄ ꝯſr ꝯtra ſibi potū ꝑdictū. ⁊ poſt ali
os q̄nq; aut ſex dies: iteꝝ recipiat medicinā vo
micā dictā qua ſumpta ſi poſt modicā pauſa3 nō
euomeret iponas ſibi i gutture plumā infuſam i
oleo oliuarū tepido die ſequēti. Poſt da ſibi de
mane de bono metridato i q̄titate fabe: da ſibi ꝑ
ſe vel diſſolutꝭ ſemel i ſeptimana cū modico vini
limphati nō comedat de. 4. horis trāſacto ꝑoxiſ
mo: ſi ſuꝑueniat da ſibi illā medicinā vomicam
Iſta oīa fiāt. xv. diebꝰ q̄libet mēſe. Vngat̄ ſibi
ſtōꝰ q̄libet ſero ⁊ mās cū oleo de maſtice. regu
letur in potu vini comedat carnes bn̄ coctas mu
tonis: pulloꝝ gallinarū colūboꝝ auicularū ꝑua
rū al's euitādo vitādo etiā allia cepas porros pi
ſces ſtāgnales offas potiſſime remollitas ſom
nū diurnū in fine mēſe ſumat de puluere ſequēti
cū toſta ſine potu vini. ℞. 33' albi iterioꝝ cinamomi
an̄. ʒ. ß. galāge piꝑis lōgi. an̄. ʒ. ij. ⁊ ß. granoꝝ para
diſi. ℈. ij. cubebarum gariofſ: an̄. ʒ. ij. nucꝭ muſca.
radicꝭ peonie an̄. ʒ. ß. panis zucri. lb. i. fiat puluis:
ponat̄ i ſacculo quo vtatur potādo ſubfumigan
do iſufflādo in nares radices peonie modo dctō
¶ Lapides repti in ſtomacho irundinū ſuſpen
ſi in collo epilētiam ſanāt ſanatiōe cōpleta vba
ſunt raſ in ſuo contie. Si talis puer eſſet epilen
ticus vicio cerebri vl' alterius membri de hoc in
formari ꝑfecte ab eiſdem nō poſſumus rōne eiꝰ

ignorātie niſi tempore ſequēti ſi curati nō fuerit ¶ Si puer qui eſt infra ſeptimū vſqz ad.xxv.annū epilenticus fuerit quia etatez habet notandi q̄relas ſuperius dictas inueſtiga ſi non preſentit caſum ⁊ ſi dolor ⁊ grauitas ⁊ capitis antecedit peroxiſmū ⁊ ſubſequitur:⁊ ſi quiqz ſenſus ſunt aliquādo turbati nec pot⁹ nec guſt⁹ mutat⁹ ⁊ ſi nō bene ſapit cibum:⁊ ſi nō verecūdetur ſi ſpumāt i peroxiſmo:nec fortiter ſtertunt cum tremore fort:⁊ ocul' tortis ⁊ ſtridore dentiū. Iſta ſciuntur ꝑ aſſiſtētes tūc ſcias ꝙ eſt a capite ex hūore flā^{co} groſſo horribili. Ul' ex col'a nigra groſſa venenoſa fetida horribili iſta ſpecies deterior ē īter oēs quia cerebrꝫ magis leditur. Ideo ſunt accidenᵃ dicta que ſunt deteriora in caſu ⁊ nō curantur vltra.xxv.ānuz intētiōe Ga' ⁊ ypo.2. amphorī.quia cerebrū extunc nō pōt bene exſiccari quia etas contradicit ſiħ ante facit ad exſiccationem ſic curātur i etate dicta cām ſubtrahendo que ꝯtiᵉ in talibus generātur cum medicis gargariſantib⁹ ſine ſternutatiōibus ſubfumigationibus ꝑ nares cerebrū exſiccādo ⁊ confortando cum aere ⁊ pulueribus inſufflādo ſubfumigando odorādo ⁊ admiſtrādo calida que faciūt hoc a ꝯ^{oe} ⁊ qualitate ſpecifica vt diximus ⁊ dicem⁹ de peonia ſizeleos ariſtolol' rotūda ⁊ ſimilibus

Cura huius talis eſt. ℞.quolibet menſe ante tēpus poxiſini ꝑ .x.dies ſumat ſero ⁊ mane de oximelle diuretico vl' ſquillitico tria coclearia cum ſex aque ciceris vbi ſit modicum ſaluie ⁊ maiorane. Ul' loco horum ⁊ meli⁹ ſumat de iſto mellicrato ſero ⁊ mane mediū gobellū tepidū ſine aᵃ mixta.' ℞.rad fen' rad acho ri.añ.m. ß. maiorane. baſiliconis vtriuſqz ſaluie añ.m.ß.granoruz lauri.ʒ.ß.ſe.peonie ſiſeleos.añ ʒ.ß.nuc̄ muſcate.ʒ.ß.vtriuſqz ſticados añ.ʒ.ij.aceti ſquilliticum.ʒ.ß.mell' albi deſpūati quart.i.⁊ ß.fiat mellicratum bene clarificatū ad lb.i.ß.remouet de q̄nqz in q̄nqz diebus:quo ſumpto per 8.vl'.ix.dies ſumat ð bono gerologoð diſſoluto cū aqua cicerum rub.vbi ſit modicum de ſticað. Uel detur in pill'is ſumat.3.5.aut.6.taliter ꝙ aſſellet ter aut quater vltra ſolitum .hoc facto die illa de ſero faciat ter aut quater garga^{ma} ſumet in craſtinum de mane.' ℞.ſe.ſinap.ʒ.ß.ſirupi acetoſi compoſiti quod ſufficit ad diſſoluendum vt fiat gargariſma tepidum vſqzquo flā de capite per os notabilit' expellatur quo facto prouocet bis in die ſternutatōem ante peroxiſmuz ⁊ poſt in peroxiſmo duobus diebus ⁊ multis abbreuiabit peroxiſmū. ℞.euforbij caſtorei pulpe coloquintide ſticað.añ.ʒ.ß.fiat puluis ſubtilis.de q̄ ponatur cōpluma vel cauna infra nares in modica quantitate tamen:vel cum ill' que dicta ſūt in cura torture oris que valent bene in ꝓpoſito. ¶ Et aduerte ꝙ qualibet ſeptimana vtatur ſemel aut bis iſto gargaᶜ.cōſequēter poſt horam modicam prouocentur ſternutatiōes tranſacto peroxiſino vſqzquo incipiat recipere ð dicto mellicrato vel ſirupo quaqz die de ſero ⁊ de mane recipiat fumigationē rað peonie taliter ꝙ intret ꝑ nares ⁊ puluis eius ſubtiliſſim⁹ in nares inſuffletur cum pluma ⁊ capiat de mane aucte alexādri qui expertus eſt de piret⁹ confecto cum melle per interualla ſemel in.xv.diebus diſtemperatus vel in for' pill'ari ſumat.ij.aut.iij. pill'as vel diſtemperet eas ad placitum:nam iſtud bene exſiccat cerebrum. Ideo facit ad curam.' ℞.piretri ſubtiliſſime puluerīſati.ʒ.i.mell' roſ.ʒ.ij.miſceātur eligat ſibi aerem ſiccum:ideo elongetur ab aquis. Portet rutham in manu ⁊ pollium montanū ſizeleos ⁊ teneat iuxta ſe vigilando ⁊ dormiendo quia vapor eius attractus mirabiliter exſiccat cerebrum. ¶ Aliqui vtuntur iſto puluere ð conſilio geraldi cremonienꝭ ⁊ exſiccat ⁊ curat ⁊ confortat caput a tota' natura ſpecifica ad qð facit eius qualitas ſimiliter. ¶ ℞.oſſium capitis humani combuſt' iuxta commiſſuram.ʒ.i.radicis peonie ariſtol'.añ.ʒ.ij.ſe.ſiſeleos.ʒ.ij.iteriorū cinamomi.ʒʒ'.añ.ʒ.i.panis zucri qrt.ß.fiat puluis ſubtil' reſeruet' in ſacculo de aluta capiat de iſto puluere cū modico vini in q̄titate auellane p⁹ veſpas añ cenā ꝑ horā vnā ſemel in ſeptimana.ꝓprietas rei eſt multū ꝯſiderāda in actiōib⁹ noſtris. Si q̄s infra.xxv.ānos exñs epilētiā habuerit vitio ſtoᶦ:etiā ſi.xxx.vel.xl.ānos habuerit Curet' mō ſequēti.nā lꝫ illa q̄ ē de cā ꝑuata non poſſit curari poſt.25^{m} ānū vt dictū ē itētiōe ypo.⁊ Ga.illa q̄ ē ꝑ colligātiā poti^{me} ſtoᶦ q̄cūqz tpe ⁊ q̄cūqz etate pōt curari ⁊ ego curaui q̄pl'es q̄dragenarios cuz potu yerapigᵉ date a gaᵒ.5.de interiorib⁹.c.5.de ingeᵒ curādo illū grāmaticuz. Idē ponit rað in pl'ib⁹ locꝭ.

Cura hui⁹ ē ꝑmis ſi tal' epiᵃ vicio ſtoᶦ euenit q̄ ꝑntit' euēt⁹ por' cū q̄ntitate ⁊ dolore ſtoᶦ ꝑcedēte ⁊ ſōſeq̄nte por^{m} nᶜ ñ nauſea ⁊ idigūtio ſtoᶦ q̄ trēor ſtoᶦ appellat'.2ᵒ.ð morᵒ in fine ꝑcedētib⁹ ⁊ ſubſeq̄ntib⁹ por^{m} poret q̄libet mēſe ꝑ.x.dies añ por^{m} vētuꝫ ð ſiruᵒ acetoſo ſq̄llitico ſi flāticus multum fuerit cum aqua ciceris vbi ſit modicum deſticados. Uel due partes alicuius de iſtis ſirupis Et tertia pars ſirupi

ſticād.mane ⁊ ſero.ꝯn̄t 1° aut 8° die ſumat ð iſta
yerapigra ℥.vi.ul'plus aut min⁹ talit̄ ꝙ accellet
q̄ter aut q̄nq̄es vltra ſolitū. ℞.yerapigre.℥.vi.
pulpe coloq̄nti^e g̃ſſo mō puluerizate.ʒ.i.miſceat̄
icorpent̄ ⁊ fermētet̄ multū i ſil'.⁊ i pixide reſuet̄
accipias doſim dictā ⁊ diſtēꝑa cū aq̄ decoctiōis
cicerū rub.vbi ſit modicū abſintij. Aliq̄ volētes
dictā cām forti⁹ eradicare ſūpto ſyru° dicto ꝑ.4.
dies dāt medicinā vomicā.ꝑoſtea dāt magis de
ſyru° ꝑ q̄nq̄ dies ⁊ dāt yerapigrā dictā. Iſtud eſt
de ꝯſilio raſis. Det̄ g̃ q̄buſdā hōīb⁹ fortē ꝑoxīm
quocūq̄ mēſe p⁹ ꝙ yerapigra medicina vomica
vſq̄ ceſſet ꝑox⁹. ℞.oximell' ſquilitici.℥.i.aq̄ deco
ctiōis attriplicq̄ qr.i.ß.ell'i albi nō ꝯq̄ſſati iuoluti
in pāno lineo raro ⁊ remoliti ꝑ 3.aut.4.horas.3.
ß.colet̄ ⁊ admiſtret̄. Aliq̄ faciūt alit̄ accipiūt ra-
dicē raphani ⁊ ꝑforāt ⁊ itromittūt modicū ð cor-
tice ell'i ꝑ mediū diē ul'ꝑ diē reponēdo ſubt⁹ ter
rā:poſtea auferūt ell'm ⁊ bulliūt̄ radices cū.m.i
attriplicq̄. ℞.aq̄ decoctiōis attriplicq̄ ⁊ raphani in
quo ſtetit ꝑ.mediū diē ⁊ vltra modicū de ell'o al
bo ſubt⁹ trā q̄r.i.ß.oximell' ſq̄litici.℥.i.olei oliuaꝝ
℥.ß.4.pilos croci.x.guttas aceti fiat pot⁹:quo ſū
pto redeāt ad p̄mū ſyru^m ꝑ q̄nq̄ aut vi.dies:⁊ p⁹
ea dāt yerapigrā dictā. Iſtū ꝓceſſū tenent donec
ſint curati:⁊ ipſis curatꝭ faciūt ꝓceſſū dictū bis
aut ter i āno ut cura ꝑficiat. Vez ego curaui q̄
plēs cū ſyru° dicto ⁊ potu yerapi.mō dcō ſine mē
dicina vomica ſūpta pig̃ ⁊ trāſacto ꝑox° ſi ſuꝑ-
uenerit bonū ē ꝙ capiat de mellicto de abſintio
abſtergit ſtōm optime. ℞.radicq̄ feñ.petro.apij.
añ.m.ß.abſintij.re.m.ij.mell' albi deſpūati q̄r.i.ß
Ga.facit mellictū de radicib⁹ cū abſintio 1° de i
ge°.c.8.i ma^a iuiſcata i pellicul' ⁊ vill' ſtōi. ꝑſer-
uet̄ p̄° pa.cū radice peonie q̄ ſubitrat nares:⁊ in
ſufflet̄ īfra nares puluis radicis peonie ſubtilis
ꝯfortat cerebꝝ a tota natura ſpe^ca. ul' incorpet̄
peonia puluerizata cū ſtorace liq̄do ⁊ iuoluat̄ to
tū inſil' in ſerico fiat pomū qð ꝯtinue portet i ma
nu ut odoret ipſum.vngat ſibi ſero ⁊ mane ſtōm
cū ol'o maſticq̄.pōt ſumere i fine mēſe ꝑ ſtō ð pul-
uere ſupi⁹ dicto in p̄n° cure epilē^e. ¶Cuiuſcūq̄
etatis vo ſi aliq̄s epilēciā habuerit ꝑ colligātiaꝫ
alicui⁹ mēbri ex ꝯſilio filij hebe^e ſumat quolibꝫ
mane ꝑ ſeptē dies de coagulo leporis in q̄titate
fabe diſſolutꝭ cū aceto añ ꝑox^m vēturū. ⁊ ē ꝯſiliū
ga.3° de intio.c.4°.in fine ꝙ liget̄ in pte ſupiori
⁊ forti⁹ q̄n incipit fumoſitas eleuari ſi poſſibile
ē ligat̄a ꝑhibꝫ aſcēſū vaporis ut dicit ibidē ð pu
ero 14.ānoꝝ q̄ habuit epilēciā a crure ⁊ ligabat
corā fortiſſime cū vapor eleuabat̄ ⁊ tpe q̄etꝭ po-
nebat ſupra locū de ſinapi cū affrodillis ut veſi-
caret ⁊ corroderet ⁊ vapor haberet aliū exitū.raſ
faciebat empl'm tpe q̄etꝭ de ſinapi pipe euforbio
melle anacardio ut veſicaret ⁊ faceret āpullā cre
pabat eā ⁊^c ille vapor diuertebat̄ ⁊ euacuebat̄.
Si mēbrū tale a quo ꝓuenit epi^a eēt ꝑtial' ut di-
git⁹ eo abſciſſo eēt curat⁹ ut recitat ga.in loco di
cto de illo quē momordit draco in digito ſuo:ab-
ſciſſo digito p̄us ſupi⁹ ligato fuit curat⁹ ſine alio
medicamie. Cōcludit ꝙ a ſili epilētic⁹ curaretur
nō negādo tñ curā ſupi⁹ dictā de ligatura. ſi aūt
loc⁹ ligari nō pōt ut q̄n patit̄ epilēciā a mirach:
a matrice ul' a renib⁹. Dico ꝙ adueniēte p̄n° ꝑox^i
ꝙ ponat̄ vētoſa cū modica ſcarificatiōe. tpibus
aūt q̄etis fiāt empl'a dicta ut loc⁹ āpulet̄ ut fumo
ſitas expellat̄:purgādo tpe q̄etis cū oppo^co ſera
pino diſſoluto ⁊ cū yerapig̃ duplata coloq̄ntide ⁊
iſta ꝯtinuet̄ cū ſyrupis dictꝭ mō ſupi⁹ dicto quoli
bet mēſe vſq̄ quo ſint curati. Dico tibi ꝙ curaui
nobiles ml'ieres ſteriles epilēticas ꝑ colligātiā
matricq̄ cū iſtis gūmis datꝭ i mēſe quolibꝫ i ponꝫ
i vna doſi habuerūt pl'es filios ⁊ filias extūc iſti
tenēt p̄ncipatū i ꝓuocatōe mēſtruoꝝ ut dicetur
Epiletic⁹ ſi q̄s ruborē i facie ⁊ i ocul' hūerit:raſ.
videt̄ dicere ꝙ fiat a malo ſāguie de cā ꝑuata ex
ſuo mō loq̄ndi q̄n dicit i diuiſiōib⁹ ꝙ iplet̄ ⁊ in-
flāt̄ vene alguidegi q̄ ſūt vene colli ⁊ facies ⁊ o-
culi rubeſcūt:pōt fieri ꝙ fiāt iſta ꝑ colligātiā ꝑa
tis ⁊ ꝑtiū vicinaꝝ ꝓpt̄ qð vult ꝙ ad maiorē diui-
ſionē flōmet̄ p̄° de ſophena.ꝯn̄t vētoſent̄ tibie ⁊
ſcarificent̄ faciēdo q̄dā de p̄dictꝭ ut tibi videbit̄.
Mulieri p̄gnāti epilēcia ſi ſuꝑuenerit poſſibile
ē ꝙ duret ꝑ totā impgnationē ⁊ curet̄ p⁹ ꝑtū q̄n
ꝑox⁹ ē lōg⁹ i tl'ib⁹ velocit̄ interficit. verba ſūt ipſi⁹
raſ.i ſuo ꝯti^e. Et finiet̄ ca^m de cura epilēcie.⁊c.

¶Capitulum.12.de incubo

c

Um q̄s i ſōno q̄ſi rē gra
uē aliq̄d ſuꝑ ſe cadere ſē
ſerit:icubū pati denūciā
d⁹ ē. In ipſi⁹ itaq̄ cura
nō ē tardādū:ipe eni epilēſie ꝑam
bul⁹ ē ipſaꝫ quoq̄ p̄cedit. Eger er
go ſi i colore rube⁹ fuerit ⁊ venas
hūerit plēas ex ſophēa erit minuē
dus ⁊ vētoſe in carnoſitate tibiarū
ponēde ſūt. Eger preterea a potu
vini ⁊ rerū dulciū comeſtione ab-

ſtinēdus erit: ⁊ precipue ab oī re q̄ multū generat ſanguinē. Q̄ ſi huic ꝯtrū acciderit vēter ex pillulis cochiis multotiēs erit ſoluēdus: ⁊ ei⁹ regimē ſubtiliādū: exercitio q̄z vtēdū erit: ⁊ mēbra inferiora erūt fricanda.

i **Incubus** deſcriptiue loq̄n do ē paſſio i q̄ ſē tit fantaſma graue cōprimēdo corp̄ ꝑturbās motū ⁊ loq̄lā. Paſſio iſta dr̄ ab incubatiōe mētis ⁊ ſenſuū. iō noie accidētis dicit̄ ut dic̄ Ga. 5° ſui paſſionarij. ⁊ denoiat̄ etiā a ſilr̄itudie rei extrinſece. q: incub⁹ ē nomē diabo li dicūt theologi qui cōprimit corpa de nocte dor miēdo. Laici dicūt q̄ ē vetula cōprimēs gētes d̄ nocte. S; nos medici ſcim⁹ ⁊ dicim⁹ alit̄. Ga. in libello de iuuamētis anhelit⁹ c°. 2° dicit: Epial des. i. incub⁹ ē q̄dā epilen^a in ſōno. ¶ Differt tn̄ a vera epilen^a in trib⁹. p° in ꝑticl'a patiente q: in iſta ē puppis ſicut in vera ē ꝑra. iō nō venit ni ſi dormiēdo vice verſa. ¶ 2° differt in matia: q: i icubo peccat magis matia in quanto q̄ in q̄li. nec in ſuba. oppo^m ē in vera epilē^a. ¶ 3° q: i icu bo nō eſt ſpaſm⁹: ut dictū eſt in p̄cedētib⁹ cā dcā ē intelligēti: ex qua talis matialis cā peccat ma gis in q̄to q̄ in q̄li. nā ē mult⁹ vapor grauās et opilās rōne q̄ti. Et q: nō ē multū frigid⁹ nō pū git pelliculas cerebri. nec ꝑ ꝯns ſpaſmat ſ; ſoluz opilat mea⁹ puppis ut dcm̄ ē. ¶ Oēs auctores ꝯuenīūt q̄ ſi lōgo tpe ut pluries in mēſe ꝯtinua uerint: ē via ⁊ ꝑambulū ad epilē^am ul' ad aliquā paſſionē capit̄: ex quo tāt⁹ fum⁹ ē eleuat⁹ ad par tes illas.

Primo tu queres cur⁹ ꝑticu le incub⁹ ſeu epialdes ē paſſio p̄ncipal'r. Dicēdū q̄ pup pis: ꝯūr aliarū ꝑtiū corpis: ꝑpt̄ q̄d p̄ncipalit̄ le dit̄ mot⁹ corpis ⁊ lingue. nā ipſi aliq̄lr̄ ſentiunt grauitatē: ⁊ nō pn̄t moueri nec loq. q: nerui moti ui lingue hn̄t ortū a puppi. 3° de intioꝛib⁹ c° 5° nerui ſenſitui ⁊ mouētes ꝑtes ⁊ muſculos faci ei a ꝑra ut ē ibi declaratū.

Secūdo tu queres ſi talis i cub⁹ eſt paſſio ꝑ ſe ul' ꝑ colligātiā. ¶ Dicēdū q̄ coit̄ ꝑ col ligātiā venit ad cerebrū. q̄d venire nō debet ſm̄ naturā. q: mult⁹ ⁊ malus fum⁹ eleuat⁹ a ſanguie colera: aut mel'ia innaturali. ⁊ vēnit ut p̄limū a pedib⁹ ⁊ a tibijs in hn̄tib⁹ ſatis magnas in ꝑti bus illis venas. de poſſibili venit a fumo indige ſto ſtōi. Ideo dicit Ga. in 5° ſui paſſionarij q̄ ve nit ille fum⁹ ex repletiōe ſtōi ul' exinanitiōe ipſi⁹ q: tūc calor incitat̄ ⁊ mouet hūores corpis in ve nis. ut in multū ieiunātib⁹: nō q̄ ſit inmatialis moꝛb⁹ ut q̄dā putāt. q: moꝛb⁹ īmatialis nūq̄ fit ſubito a cā intīſeca. 3° de intioꝛib⁹ ca° 4°. Inani tio ḡ ſtōi nō pōt cāre imediate talē moꝛbū incitā do calorē naturalē in corpe. Iō fum⁹ eleuat̄ ma gis veniēs ad puppim. quod patz. q: nō contin git talis opila° niſi q̄n iacet vice verſa. Ideo eſt paſſio p̄ncipal'r ipſi⁹ puppis: ut dictū eſt.

Tertio tu q̄res. Incub⁹ q̄ paſſio ē in ge nere ul' in ſpē. ¶ Dicēdū q̄ offici alis. q: opilatio meatuū puppis ab illo vapore multo ⁊ q̄to malo ⁊ in ſuba eleuato a ſanguie uel a co. alterat̄ in cor natura. ⁊ ut plurimū ele uat̄ a pedib⁹ ꝑpt̄ q̄d pa. p° icipiūt ſentire ḡuita tē in pedib⁹ ut ipſi aſſerūt.

Quarto tu q̄res. Incub⁹ cuius virtut̄ eſt nocumētū paſſiue intelli gēdo. ¶ Dicēdū ut pluries ſup⁹ eſt dictū q̄ regi tiue naturalis ⁊ vitalis. ſi aūt iſte virtutes nō er raſſent in actiōe cā talis nō fuiſſet ḡnata in cor pore: ut dic̄ Ga. ca° 2° ⁊ octauo.

Quinto tu q̄res. Cui⁹ virtutis incub⁹ ꝑ paſſiōe deſcripta eſt pa° ſeu nocumētū actiue p̄ncipalit̄. ¶ Dicēdū q̄ motie aiate p̄ncipal'r. ꝯter ſēſitie ꝑ vicinitatē ⁊ colligā tiā. Iō aliq̄lr̄ ſentiūt ḡuitates ꝑpt̄ q̄d vellet lo qui ⁊ nō pn̄t. Cā hui⁹ dicti ē q: ē paſſio puppis cerebri q̄ ē ſedes virtutis motie aiate p̄ncipalit̄. ſicut ꝑra eſt ſedes ſenſitie aiate ut dictū eſt 3° de intioꝛib⁹ ca° 3° ⁊ 4°. ⁊ oppo^m ſequeret̄ ſi eēt pa° prore virt⁹ ſenſitia eēt magis ligata.

Sexto tu q̄res. Quib⁹ magis accidit. ¶ Dicēdū q̄ hn̄tib⁹ cachochi^am ſanguis ⁊ colere ſp̄ālit̄ in ꝑtib⁹ inferioꝛib⁹. q: illi magis effumāt. licz q̄buſdā melācolicis ſeu hn̄ti bus varices in tibijs hoc pluries ꝯtigit ꝑpt̄ ſan guinē melācolicū in tibijs recluſū a quo multus vapoꝛ malus eleuat̄ grauās corp⁹: ſp̄āl'r partes ſuperiores.

Iſtis clarificatis cura incubi tibi pateſcit raſis in ſuo ꝯti°. nō p̄termittat̄ cura incubi. q: q̄n multiplicat̄ tīiat̄ ad epilen^am uel paraliſim. Incipias a fl'omatiōe ⁊ purgatiōe. ḡ ſi talē venoſū videris flōma ipſū ſi nō ꝑſumēdū q̄ fiat vicio ſtōi humoꝛꝫ ⁊ aliarū ꝯcauitatū ſple

nis:renū:epatis. ¶ Da ſibi caſſiaſ̃.ſimplicē ſupi
tis poſitā in ortu ſolis:⁊ iaceat i lecto duab⁹ aut
trib⁹ horis:nō comedat vſq3 in tertijs. Uel da ſi
bi ꝑ ſeptē uel octo dies de iſto mellicrato:abſter-
git ſtōm:expellit maſ̃ias ō ꝯcauitatib⁹ ꝑ vrinas
℞.radic̄ feñ. petro.apij.achor.añ.m.ß.abſintij
m.i.ciceꝝ rub.m.i.mell' albi deſpūati qrt.i.ß.fi-
at mellicratū bñ clarificatū ad ℔.ij. ꝯñter da ſi-
bi.ʒ.i.uel.ʒ.4.yerapig̃ ga.diſſolute cū aqua ci-
cerū rub.vbi ſit modicū de abſintio. Uel da ſibi
ʒ.vi.uel plus de geralogodō.diſſoluaſ̃ ut yerapig̃
reficiaſ̃ cibis bone digeſtiōis ⁊ bone nutritiōis
potiſſime ſi ex ieiunio inanit⁹ fuerit ꝓpt cām di-
ctā.vitet fruct⁹.ſubam leguminū ⁊ ſilia. Ut ſtō⁹
ꝯfortef̃ vtaſ̃ puluere ſequēti cū toſta vini in fine
mēſe ſine potu ſi delicat⁹ fuerit. ℞.ʒʒ'.albi intio
ris añ.ʒ.ß.galāge pipis longi.añ.ʒ.i.g̃noꝝ ꝑadiſi
℈.ij.cubebaꝝ gariof̃.añ.ʒ.ß.nuc̄ muſcate macis
añ.℈.i.panis zuccri ℔.i.fiat puluis ⁊ de veſpere
in introitu lecti ſine potu.iſta tibi ſufficiāt.

¶ Capitulū.13.de melancolia.

CUm alicui cogitatiōes male ſine cā manifeſta acciderit ⁊ timoꝛ triſticia in eo ꝑualuerit melācolie ꝑncipiū in eo erit. Cū autē res ad hoc deuenerit ut ⁊ ea q̄ cogitare cepit ore ꝓmat verba ſua atq3 act⁹ ꝑmiſceat iā melācolia ꝑfecta ē. Cui ergo he male cogitationes ⁊ triſticia ⁊ tribulatio accidūt āteq̄3 ꝑualere incipiāt ſuccurrēdū ē:q2 ſi ꝑualuerint cura erit difficiſ̃. Qō ſi cū melancolia fuerit doloꝛ vētris ⁊ iflatio ⁊ mal⁹ coloꝛ ⁊ digeſtiōis corruptioꝛ vomit⁹ acetoſus ⁊ excreationū multitudo icipiēda ē cura cū flōmia ex baſilica aut ſel uatella ſiniſtre man⁹ ⁊ ſi ſāguiſ viſus fuerit niger dimittaſ̃ egredi i quātitate multa. ſubtilis aūt ⁊ rube⁹ ſi fuerit ille reſtringend⁹ erit,

Eger vō ex reb⁹ lenietib⁹ ē nutriēdus:ut ſſ̃ aleſ fida legi q̄ fiūt,ex carne hedina ⁊ arietina: ⁊ mittēd⁹ eſt in balneū i quo nō diu moref̃ ſꝑ⁹ hec autem decoctōe ō epithio quā ego cōpoſui vtaſ̃: ⁊ hec ē decoctio ō epithio. ℞.mirabolāoꝝ idoꝝ.ʒ x.polipodij.ʒ.v.ſene.ʒ.ix. turbith ʒ.iiii.ſticados.ʒ.x. paſſulaꝝ enucleataꝝ.ʒ.x.epithimi cretēſis.ʒ.x. oīa excepto epithio in trib⁹ libꝛis aq̄ coq̄nda ſſ̃ donec ad vnā libꝛaȝ ⁊ mediā redeāt.cūq3 hoc factū fuerit addaſ̃ epithimū ⁊ illico ab igne remoueāſ̃ ⁊ dimittāſ̃ donec ifrigidari ceperit.cūq3 ifrigidata fuerit māib⁹ fricata coleſ̃:deide ſumāſ̃ agarici duc ſ̃tie.ʒ.vnī⁹.aloes.ʒ.i.ſalis indi.ʒ.v.ellebori nigri q̄rta vnius.ʒ.cōficiāſ̃ cū melle aut cū iulep ⁊ fiāt ex eis pillule q̄ ꝑ tres horas āte decoctiōis acceptiōeȝ ſumēde erūt.poſtea ſumat decoctōeȝ.deinde trib⁹ dieb⁹ q̄eſcat. Jn his autē dieb⁹ q̄b⁹ q̄eſcit nutriaſ̃ ex his q̄ ꝑ diximꝰ ⁊ i potu ſumat vinū ſubtile ⁊ clarū ⁊ bñ odoꝛiferū.p⁹ hec q̄3 iterū ſoluēd⁹ ē ut pri⁹,hoc vō ita ut ꝑ diximꝰ ſ̃tio iterādū ē. Quarta q̄3 potio ei dāda ē. Eger vō ab oib⁹ q̄ colerā generāt nigrā abſtinēd⁹ ē:ut ſſ̃ carnes ſilueſtres oēs ⁊ caro vaccina ⁊ poꝛcina ⁊ magnaꝝ capraꝝ ⁊ fabe ⁊ caro ſalita ⁊ caſe⁹ vetus ⁊ ꝓpe lētes ⁊ oīa holera niſi humefaciētia, Uitet ꝑterea vinū groſſū

ꝛ laborē ꝛ vigilias: neqꝫ patiat̃ fa
mē neqꝫ ſiti: vino v̓o ſubtili ĩ potu
vtat̃: ꝛ p̃cipiēdū ei ut dormiat ꝛ ſtu
dēdū ĩ ſplenis curatõe ex his q̄ ĩ ſe
q̄ntibꝰ ĩ caplõ d̓ ſplenis curatõe q̄
augmētat̃ dicturi ſumꝰ. os q̄ꝫ ſtõi
cōfortādū ē ꝛ ꝓpe ex medicis q̄rū
mētionē ĩ ſeq̄ntibꝰ facturi ſumꝰ cū
egritudīes ſtõi noĩabimꝰ. Si autē
cū melācolia ea q̄ noĩauimꝰ nō fu
erit accīderit q̄ pꝰ frenesim aut lō
gā morā ſub ſole aut p̄cuſſionē ĩ ca
pite ĩ p̃ncipio ex cephalica flõmia
ē faciēda ꝛ capiti ſtudiū adhibēdū
ꝛ reliquo regīe qđ dixīmꝰ ꝓpe. aq̄
p̄terea tepida ab alto loco ſup̄ ca
put fūdēda ē. deiñ olꝫ roſaceū cuꝫ
aceto vini capiti ĩfūdat̃ ꝛ lac muli
ebre deſup̄ mulgeat̃. Naribꝰ etiaꝫ
oleū d̓ ſemīe cucurbite dulcis ꝛ lac
muliebre iniciat̃ In balneū q̄ꝫ ſe
pe mittēdꝰ ē: ꝛ multū ex aq̄ tepida
capiti ē ſup̄fūdēdū. Eger etiā oīa
odorifera q̄ frigida ſĩt odoret. Si
aūt cū mľia nihil fuerit eoꝝ q̄ dixi
mꝰ in p̃ncipio matrix venā dextri
brachii apiēda erit ꝛ ſāguis erit cō
ſiderādꝰ: ꝛ ut p̄dixímꝰ faciēdū ꝛ re
gēdū ut diximꝰ. Et poſtq̄ hoc re
gimē ĩfirmo adhibueris p̄ aliquot
dies q̄eſcere dimittēdꝰ ē: deide ut
pꝰ ĩ cura eiꝰ ĩcipiēdū donec ſani
tas fiat reſtitutio. Studiū v̓o totū
qđ erga mľicos ē obſ̃uādū ē ut im
pinguēt̃ ꝛ carnoſi fiāt. ex quo eniꝫ
pigues ꝛ carnoſi fuerint illico ſani
erūt. Cibi aūt q̄ illis cōgruūt ſĩt ca
ro arietina ꝛ hedina ꝛ gallinacea
ꝛ panis de ſimula. Opirꝰ aūt pa
nis nullo mõ ē eis cōgruꝰ. Vinū
q̄ꝫ ſubtile ꝛ clarū eis cōueniēs eſt
vinuꝫ v̓o groſſū ñ ē eis bonū neqꝫ
nigrū. lac aūt recens ab vberibꝰ
extractū dū adhuc calet eis cōfert
ꝛ piſces recentes et ſiſami de ʒucc.
facti et olꝫ amigda. preſ̃ea audire
cātilenas et gaudeř et hr̃e añ ſe q̄s
dormire plimū cōfert eis. Ecōtra
rio v̓o cogitare ꝛ ſolꝰ morari ꝛ vi
gilare maxie nocet eis. Pille que
colerā nigrā expellūt ex q̄bꝰ datur
his q̄ decoctõeꝫ ſumere neq̄ūt. ℞
epithĩ cretēſis. ʒ. xx. polipodii: aga
rici āboꝝ añ. ʒ. x. ellebori nigri. ſal
ĩdi āboꝝ añ. ʒ. v. ſticados. ʒ. x. pul
ueris yerapigre. ʒ. xv. bibat ex eis
ʒ. iii. in diebꝰ v̓o q̄bꝰ q̄eſcit eger dꝫ
ſumere ꝛ ex electuario qđ vocat̃ le
tificāſ qđ. ℞. melliſſe corticū citri
gariof. galie muſ. maſ̃ croci oriēt̃
cinamomi. nucis mꝰ. cardamomi
neheremiſch beē albi ꝛ rubei ʒedo
arie doronici ſemis oʒimi maioris
ſeisoʒimi gariofilati oĩuꝫ añ. p̃tes
eq̄les muſci q̄tū ē decia p̄s viiꝰ.
deide ſumāt̃ kebuli. xx. ꝛ embľ. xx
ꝛ terāt̃ ꝛ ĩ tribꝰ lľ. aq̄ coq̄nt̃ donec
ad vnā redeāt ꝛ colēt̃. ĩ colaťa v̓o
mittat̃ mellľ lľ. i. deide bulliāt do
nec aq̄ cōſūpta ſit. pꝰ ex hoc melle
ꝯficiāt̃ p̄dcē ſpēs qđ tñ in pōdere
ſit triplū ad ſpēs deꝫ quo cū nece

fuerit ad magnitudinē auelane ſumēdū ē. Hoc eni medicamē leticiam ⁊ coloris pulchritudinē ⁊ digeſtiōis bonitatē operaꝛ ⁊ retardat canos,

Emelācolia .i. ꝺ alienatiōe ⁊ corruptōe mēꝛ ⁊ rōis ſine fe. ⁊ a tpe. Di° notāter a tpe ⁊ ſine fe. qꝛ ille ſūt alterius ꝯſideratiōis. ¶ Nota ꝙ alienatio mētis ſiue corruptio duplex ē. qdā ē a gñatione. talis dr̄ ſtoliditas mētis q̄ ē diſpō ſilis fatuitati: infātie. talis fit ut plimū a maª hūida flāca. de iſta non loquiꝛ raſis hic in iſto ca°. ſ; de iſta loquiꝛ i toto ꝯtic libro p° ca° 1° de mēoria ⁊ intellectu intitulato. Alia eſt alienatio mētis ſeu eiꝰ corruptio ſine febre a tpe. iſta vocaꝛ mlīca paſſio. ꝺ iſta raſ intelligit in iſto ca°. ⁊ intitulat eā noīe ſue cauſe: puta mlie ut ē mos helenoꝝ: ut recitat Ga. 2° de inge° ca° 2°. ¶ Alteriꝰ nota ꝙ iſta paſſio dicta mlīa a tpe ſine fe. fit aliqñ de hūore mlīco innaturali multiplicato in cerebro: ut in hñtibꝰ cōplexionē frām ⁊ ſiccā in cerebro: ut ſūt plures macilēti hñtes a gñatōe pilos ſbalbidos. qñ maª talis in ſuba cerebri imbibiꝛ. Aliqñ fit a fumo melācolico multiplicato in venis ⁊ in arterijs corpoꝝ p viā aduſtiōis rōne excellētis caliditaꝛ fit hec in brunis piloſis venoſis criſpis cum labijs groſſis. hoc dicꝛ raſ in ſuo ꝯtic. nā fumꝰ inde eleuatꝰ inficit ſubam cerebri ꝟm eiꝰ diuerſas ptes: ꝑpꝛ qꝺ corrūpit eiꝰ actiōes regitiuas ꝟm plus ⁊ minꝰ Aliqñ fit ⁊ eleuaꝛ tlis fumꝰ a ſāguie mlīco multiplicato ꝟm eiꝰ corpis naturā non euacuati nec expulſi ſ; eiꝰ naturā mō aſſueto p emorroiꝺ. p mēſtrua: p flōmā. talis ſanguis caleſit in venis illis ⁊ circūſtātibꝰ: ⁊ ſic fumꝰ multꝰ ſemiaduſtus eleuaꝛ ad cerebrū. qꝛ oīs fumꝰ aduſtionem acqrit rōne ſubtilitaꝛ in eiꝰ ſuba. ut declarat ga. de pilis capitꝭ 3° de cōplexiōibꝰ. Aliqñ eleuaꝛ talis fumus mlīcus a melancolia multiplicata in ſplene ratione debilitatis eiꝰ expulſiue. Iſti ſunt ſplenetici cū duricie ſplenis. Aliqñ mittiꝛ maxia qtitas talis ſordidi melācolici a ſplene ad ipſuz ſtōm p poꝝ occultū q̄ ꝟmiaꝛ in orificio ſtōi: ⁊ inde fumꝰ horribilꝛ eleuaꝛ ad ipſūcerebrū a maxia groſſa t̄rea ſordida ſemimlīca ⁊ tēta in ſtō in ypocūdrijs in meſaicis ſine apate qꝛ tūc febricitarꝫ ¶ Raſis appellat mlīam mirachiam qñ cāꝛ ab vno iſtoꝝ locoꝝ ut dici t auctē filij hebec qtres ſūt ſpēs mlīe. illa q̄ fit a capite. ⁊ illa q̄ a toto corpore modis dictis. ⁊ illa q̄ fit a ſtō ypocūdrijs ⁊ meſaicis quā mirachiā vocauit ut dictū eſt. Vñ fumꝰ ex his locis eleuatꝰ. qꝛ a maª diuerſa ⁊ partes diuerſas cerebri ꝟm plus ⁊ minꝰ inficit. Iō ſūt decē mille ſpēs mlīe ⁊ vltra. ut dicꝛ Ga. 3° de interioribꝰ ca° 4° nō videbis duos eiuſdē ꝯditiōis vnus eſtimat ꝙ celū cadat. alꝛ ꝙ ſit gallus. ⁊ ſic de ſingulis. ¶ Et ſup hoc aduerte ꝙ maª q̄ i venis: in arterijs: uel in ꝯcauitatibꝰ aduriꝛ diuerſa eſt in ſe ⁊ in ſui aduſtiōe. nā ſi ſit in vltio aduſtionis diceret mania. potiſſime ſi talis maª ſit ſāguinea: colerica: aut coca ſolū. Si nō ſit in vltio aduſtiōis diceꝛ mlīa. nā ſp retinet aliqd de naꝛa ꝑmi hūoris: ut qñ ſāguis ſolū aduriꝛ diceꝛ mlīa canina. vbi eſt rixa rōne aduſtiōis tripudiū rōne ſanguis. Qñ co. aduriꝛ diceꝛ lupina ul' demoniaca. Iſte oēs paſſiōes dicūt paſſionē ſiccā in cerebro ⁊ in corc. ⁊ iō intentio ꝑncipalꝛ curatiua erit humectare ut dicetur.

Primo tu queres. mlīca paſſio cuiꝰ pticule ē pa°. Soluit Ga. 3° de interioribꝰ ca° 4° ⁊ 4° de intioribꝰ c° 3° ꝙ ē paſſio ſubē cerebri. nā eiꝰ ſuba ē alꝛata a mala cōplexione fra ⁊ ſicca cū maª ul' ſine ꝟm ptē. ꝑpꝛ qꝺ non pōt in actiōes ſibi debitas p naturā. naz ſuba ⁊ ſpūs eiꝰ ſūt obūbrati ⁊ obſcurati ꝑpꝛ qꝺ nō pōt in eiꝰ actiōes. qꝛ virtutes nō ſeneſcūt niſi rōe obiecti ul' organi in erroribꝰ de aīa. ꝑpꝛ qꝺ hñtes ſubam cerebri ⁊ ipſoꝝ ſpirituū clarā hñt opportunū iudiciū. ſicꝛ multi nobiles ſūt q̄ ſunt gñati ꝺ ſanguie claro bono ⁊ inde nutriti. vñ Hebec dicꝛ ꝙ cibaria tēpata velut galline ⁊ ſilia augmētāt rōnē rectā. ꝑpꝛ qꝺ agētes penitētias ⁊ male viuētes ⁊ magni potatores ſūt mali iudicij. ut ruſtici ⁊ ꝙplures bequini. Vñ btūs paulꝰ loquēs de talibꝰ ⁊ ad tales dicꝛ ꝙ obſequiū cuiuſlibꝫ debet eē rōnale: ꝙ bono mō natura poſſit tollerare cū ſanitate virtutū regitiuarū.

Secūdo tu qres. Iſta paſſio mlīca ē ne paſſio p ſe uel p colligātiā Soluit Auic. 3° can. ca° ꝑpo. ꝙ interdū ē p ſe: ut qñ cerebrū ē lapſū ad frm ⁊ ſiccū naturalꝛ ex q̄ lapſu multiplicaꝛ maª fra ⁊ ſicca obumbrās eiꝰ ſubam ⁊ ipſoꝝ ſpirituū. hoc ꝯtingit multis mlīcis ⁊ macilētis naturalꝛ. Vel pōt eē p colligātiā. et hoc ē ut plimū qꝛ venit a venis: a ſtō: ab ypocūdrijs: a meſaicis: ſplene: matrice: ⁊ a mirach ad ipſū cerebrū qꝺ venire nō debꝫ ꝟm naturā: puta fumꝰ ſemiaduſtꝰ niger eleuatꝰ a colera nigra ſ; plus ⁊ minꝰ in mēbris ꝯdictis 3° de interioribus

ca°.3°. Idē auic.3°.cañ.c.ꝑpo.

Tertio tu q̄res cuiꝰ mēbri colligātia plu
ries fit. Soluit Raſ in ſuo ꝯtinᶜ
ꝙ nō in venoſis ꝛ guloſis fit magꝭ ꝑ colligantiā
ſtoˡ. ypo.duaꝝ meſeraicarū cuiꝰ rei ꝓbatio quia
tales remediātur ꝑpter vētris remollitiōem ꝛ ex
itum vētoſitatū in bꝛumis ꝛ venoſis fit magꝭ per
colligātiā venaꝝ ꝛ arteriarū in q̄bus fit aduſtio
rōne excedētis caliditatꝭ cordis ꝛ epatꝭ. vł q꞉ mł
tiplicātur tales maťie in ipſis ꝑpter nocumētum
expulſiue venarū matricꝭ ꝛ ani.

Quarto tu q̄res mł'ia q̄ paſſio ē in ſe i
genere ꝛ in ſpē. Soluit lr̄a.3°
de intioꝛibꝰ.c.4. Idē auic.c.ꝑpo ꝙ eſt mala ꝯ°
fria ꝛ ſicca cū maᵃ vel ſine. totū cerebꝝ alterans
ꝛ offuſcās aut aliquā ſui ꝑtem puta anterioꝛē꞉ ꝑ
pter qđ imagiatiua ē leſa interdū vt recitat gaꝰ.
de ſeipo febꝛicitāte.3°.de interioꝛibꝰ.c.2°. Inter
dū mediā ꝑtem ꝑpter qđ diſcretio errat alijs vir
tutibꝰ aiatis ſatis ſaluis vt ipē vult loco dicto꞉ ꝛ
2°.de moꝛ°.c.2°. Interdū puppi ſeu ꝑtē poſteri
oꝛē꞉ꝑ3 ꝙ aliq̄ñ errat v̄tus memoꝛatiua. Et de h̄
dat exēplum in illis duobꝰ locꝭ allegatꝭ q̄liter qui
dam noīa ꝓpa dederūt obliuioni alijs regitiuis
ſaluis. Hoc tm̄ raro accidit q꞉ cōiter ad leſionem
vniꝰ partis ꝑs vicina ledit̄ in ꝑte ꝑpter vicinita
tē ꝛ colligātiam ꝑpt̄ qđ vna ſola regitiua aiata
de raro ſola leditur ꝛ ꝑpter iſtā diuerſitatē parti
cularium ꝛ cārū maťialiū dictarū ſunt q̄ſi infinite
ſpēs mł'ie vt recitat Gaꝰ.3°.de interioꝛibꝰ.ca°.4
ſubdit Gaꝰ ꝙ oēs pn̄tem vitā vituperāt ꝛ odire
hoīes oīmbꝰ mł'icis ꝑtinet. amare v̄o moꝛtē nō ē
oīmbꝰ mł'icꝭ ꝯᶜ. nā q̄dem ſemꝑ timēt moꝛtē. Alij
mōſtrāt ſe nō timere eā ꝫ deſiderāt put dicūt Io
ypo. dicit mł'iam eſſe timoꝛē mētis꞉ nā ꝑpter coꝛ
ruptiōem mētꝭ q̄cq̄d vident odio hn̄t ꝛ ſemꝑ tri
ſtes ſunt ꝛ timoꝛoſi ꝑpt̄ tenebꝛoſitatē ſube cere
bꝛi ꝛ ipoꝝ ſpirituū v̄ba ſunt Gaˡ in loco allega°

Quinto tu q̄res cuiꝰ v̄tutꝭ mł'ia eſt no
cumētū paſſiue intelligēdo ꝑ
moꝛbo deſcripto. ¶ Dicēdū vt ſupra ꝙ regitiue
natꝭalis ꝛ vitalis expulſiue ꝯīr mēbꝛi mādantis
puta ſtoˡ meſeraicaꝝ ꝛc̄. vt eſt declaratū.3°.ꝛ.6°
de interioꝛibus.

Sexto tu q̄res quibus magis accidit.
Soluit Raſ in ſuo ꝯtiᶜ. ꝛ auic.
3°.cañ.c.ꝑpo ꝙ viris q꞉ lapſi ſunt ad calidum ꝛ
ſiccū ꝛ ſtant in malo regimie꞉ ꝛ ſi mł'ieribꝰ acci
dat tanto deteriꝰ eſt꞉ q꞉ eſt cū diſcōueniētia parti
cularium maioꝛi ꝑpt̄ qđ arguit̄ maioꝛ cā. Et ſi tu
q̄ras quibꝰ hoīmbꝰ magꝭ accidit, ſoluit raſ i ſuo
ꝯtiᶜ.li°.ꝑ°.c.vi. de mł'ia ꝙ pluries accidit ꝛ ma
gis cito bꝛunis calidis ꝛ ſiccꝭ clamoſis ꝛ iracun
dis ꝛ leuis lingue. Potiᵐᵉ his q̄ ſunt ſubtiles i
genio ꝛ multe ꝑſpicacitatꝭ tales de facili incurꝛ̄t
mł'iam꞉ ꝑ colligātiā venarū ꝛ arteriarū in q̄bus
ſanguis aduri̇t꞉ q꞉ ſunt veloces moꝛꝰ ꝛ mł'te per
meditatiōis ꝛ imagiatiōis ꝑpt̄ qđ tales p̄ſerua
mus cū balneo aq̄ tepide ꝛ flōmijs pluries reite
ratis. ꝛ iō vinoſis accidit magꝭ vicio ſtoˡ ypocū
dꝛioꝝ ꝛ meſeraicarū vt vult Raſ. iſti tales cōit̄
habēt mł'iam mirachiā

Septimo tu q̄res cuiꝰ virtutꝭ mł'ia ꝑ
moꝛ° deſcripto ē paſſio ac
tiue. Dicēdū ꝙ regitiuarū aiatarū p̄ncipaliū oc
culte cōpꝛehēdunt puta imaginatiue diſcretiue
ꝛ mēoꝛatiue. vel aliq̄rū harū ꝫm ꝙ ſedes earum
alterat̄ vt dic̄ gaꝰ.3° de interioꝛibꝰ.c.4.idē.c.2°.

Octauo tu q̄res q̄bus tēpoꝛibus ma
gis accidit mł'ia. Soluit ypo.
2°.ampħ.cañ.illo. vere ſiq̄dē ꝛ cañ.illo. Autūno
v̄o ꝙ in vere fiūt ꝑpter diſſolutiōem hūoꝝ in au
tūno ꝑpt̄ mł'titudinē mł'ie nigᶜ꞉ tꝑe eſtiuo caľo p̄
cedēte ꝑ viā aduſtiōis. hec dic̄ ypo.vi.āpħ.cañ.il
lo podagra ꝛ mania ꝛc̄.

Nono tu q̄res q̄ ē res magꝭ p̄ſeruās. ſol
uit ypo.vi.āpħ. ꝙ emoꝛroide fluē
tes tꝑe ſuo ꝛ flōie frequētate꞉ ſi ex colligāᵃ dicta
rū venaꝝ ꝛ artiaꝝ fiat. Si āt colligāᵃ ſtoˡ vł ypo
cūdꝛioꝝ vł meſeraicaꝝ fiat. Raſ dic̄ ꝙ vſꝰ abſinᵗ
magꝭ p̄ſuat i decocᵉ ꝛ porꝰ yerapᵉ. diſſolute ē illa

Decimo tu q̄res i plibꝰ abundat coľa
aduſta h̄ videmꝰ i flōmijs po
tiſſime i fine iuuētutꝭ.2°. tegni i fine ꝑ augmaſti
ce etatꝭ nō fiūt q̄rtanarij in fine illiꝰ etatꝭ de facili
q̄ ē cā q̄re nō patiūt̄ iſtā paᶜᵐ. Dicēdū ꝙ ex boni
tate regitiaꝝ natꝭaliū v̄tutꝭ talꝭ mł'ia ñ ſic ꝑmiſce
tur cū ſanguie ꝙ turbet ip3꞉ yᵒ reſidet in fūdo꞉ ſic
d3 ꝑpt̄ qđ nō ſeq̄t̄ talꝭ idebita eſtūaᵒ ad cerebꝝ iō
dictū ē pluries ꝙ oēs moꝛˡ maťiales cānt̄ ex no
cumēto regitiaꝝ digeſtiē ꝛ expl'ſiue ꝛ aliaꝝ natu
raliū virtutū.

Undecimo tu q̄res q̄re patientes
iſtā paſſionē p̄dicāt fu
tura meliꝰ ceťis. ſoluit raſ i ſuo ꝯtiᶜ q꞉ aia i tali
bꝰ toll̄r ceſſat a regie coꝛꝑm ꝛ mł'tū abſtinēt a ci
bo. iō q꞉ aia exuta a mola cañſ ē ſpūal'. iō videt
ſpūalia i iferno ꝛ in ꝑadiſo narrādo đ his aliq̄t̄
q̄n ſunt excitati a ſomno.

Duodecimo tu q̄res vbi nᶜ q̄lit
nec quō talꝭ maťia
adurit̄ nec i mł'iam ꝯuertit̄꞉ ſic aui.3°.cañ.c.ꝑpo.

ꝙ i epate ⁊ i venis:nā calor epatꝭ excedēs ↄuitē-
do chilū aduritꝗ ipm niſi ſint ꝺ frīs ⁊ groſſis cib
ꝙ ſit ꝓpor° agētꝭ ad paſſuꝫ q̄ ꝓpor° ſtat i debita
reſiſtētia:ꝓpt qꝺ mlt̄u calidi vt ruffi ⁊ nimiū la-
borātes vt ruſtici hn̄t dolorē capitꝭ i die q̄n ſumūt
pullos ⁊ vitella ouoꝝ ⁊ ſilīa.Adurūt̄ ēt i artijs
cordis mltum calidi velud i hn̄tib⁹ pectoralia ⁊
māmillas piloſas.vn̄ q: ſplē creat⁹ ad attrahēꝺ
feculētiā ſan.a venis ⁊ arterijs ſi dicta attractiā
⁊ expulſiua ei⁹ errauerit mltiplicat̄ vltra debitū
tal'mlia i corpe ꝓpt qꝺ q: ipa nccio effūat ad ſu
perioꝛa iſiciēdo cerebꝝ cāt dictā mlīaꝫ poti^me^ cer
tis horꝭ ⁊ q̄dris lūe:q: mot⁹ debet̄ hūorib⁹ ex eo
rū nat̄a ⁊ ab orbe vt ꝺ: p̄° diamidiarū.Idē ↄtin
git q̄n regitia nat̄al' poti^me^ expulſiue alioꝝ mē-
broꝝ nō vꝫ i actū ꝓpuꝫ puta matricꝭ vapoꝝ ſper
maticoꝝ vt ſatꝭ pōit Ga.vi.ꝺ int̄.in fine.

Iſtis clarificatis.Cura mlīe tibi pateſcit
añq̄ in cura ꝓcedas oꝫ ſcire quam
ſpēm mlie patit̄ q: i h̄ cura diuſificat̄:nā ſi talis
mlīa fuerit ex hūore melāco^co^ ſp ſo ⁊ mltiplicato
i venis ⁊ ſub̄a cer^i^ ex nat̄a ipi⁹ q: fric ⁊ ſicce ↄ°-
nis digeſtiue ⁊ expulſiue ⁊ alie virtutes nat̄ales
deficiēt nō bn̄ decoq̄rēt nec depurarēt nutrimētū
appoſitū i venis ⁊ ſub̄a cerebri exſiccās ⁊ ꝑ ↄn̄s
corrūpēs ei⁹ regitiuas q: v̄tutes nō ſeneſcūt nec
iuueneſcūt niſi rōne inſtri vl' organi vt i erroꝛib⁹
ꝺ aīa.¶ Ad qꝺ cōit̄ fac ↄ° eadē i ꝑncipalib⁹ pro
uidēs ipi cer° ꝺ tali nutrimēto tales ſunt q̄dem
macilēti male barbati male colorati g̃ciles cum
venis ſtrictꝭ:itētio g̃ ꝑncipal' erit bn̄ hūectare cō
petēter calefacere mti⁹ ⁊ ext̄i⁹ vt pōit Ga.3°.de
int̄.c.4.iō ipe curabat cū aſſidua balneatōe ⁊ bo
nis cib bonū chimū ſeu hūorē ⁊ vio claro.Ideꝫ
pōit ad lraꝫ raſ i ſuo ↄti^e^.mutat̄ g̃ tal' gallinis ꝑ
dieb⁹ edulo capto.Raſ laudat talib⁹ carnes e-
duli:q: hūide auicule vitella ouoꝝ ⁊ ſilīa eis con
ferūt teneat̄ ſolacioſe i camera pulc̄ clara cū vio
bono claro limphato vt docꝫ.In ꝑmis g̃ det̄ ſi-
bi caſſiaſ.ſupi⁹ dicta ⁊ cōit̄ hn̄t ſordiciē aliq̄lem
in ſto° ↄn̄r fiat ſibi ſirup⁹.℞.radicꝭ bruſci ſparagi
an̄.m.ß.cū toto fumiterre ſcabioſe lupuli mellis
an̄.m.i.ſe.peonie.ʒ.ij.mediani corticꝭ fraxi gene-
ſte tamariſci.an̄.m.i.aceti paſſulati.ʒ.ß.panis
zuc̄.lt̄.i.fiat ſirup⁹ bn̄ coct⁹ ⁊ clarificat⁹ ad q̄rt̄.
v^e^.dent̄.4.coclearia cū.8.ciceꝝ rub.Vl' cū aq̄
ſimplici bullita ſit tepidū ſi vis fac mellicr̄m cuꝫ
q̄r.i.⁊.ß.mell':ß oꝫ renouare ipm de q̄nꝫ i q̄nꝫ
dieb⁹ ꝑualebit ꝙ ſumat mediū gobellū ſine alia
mixtura:dū vtet̄ iſto balneet ſe pluries.vi.horis
p⁹ cibū in aq̄ tepida dū erit in balneo in exitu vl'

añ parū abluat̄ ſibi caput cū aq̄ decoctiōis iſti⁹
℞.floꝝ viol' camo.mellıloti.an̄.p.ij.folioꝝ ſene.
p.iiij.corticꝭ papauerꝭ albi.m.ij.miſceātur capiāt̄
duo pugilli ⁊ bulliāt i aq̄ vna ebullitiōe ↄtinet h̄
cū balneo dicto.vtat̄ iſto elect° an̄ introitū balnei
⁊ an̄ cibū illa hora.℞.pul' leti^e^ gal'.ʒ.i.elct^i^ re-
ſumptꝭ.ʒ.ij.puluis diapapauerꝭ.ʒ.ij.ſerici crudi.ʒ
ß.ābre griſe.ʒ.i.auri ātiq̄ pulueriſati.ʒ.i.panis zu
cari.lt̄.ij.aq̄ roſ.aq̄ melliſſe qꝺ ſuf̄.f̄.elct^m^ i bol'
¶ Alteri⁹ da ſibi loco mellicti ꝺ māe ſel' aut bis
in ſeptiana.de ſero capꝛino ſic.℞.ſene polipodij
epithimi q̄rt̄.an̄.ʒ.ß.fiat decoc° in ſero capꝛino qꝺ
ſufficꝭ fiat pot⁹.Vel da ſibi in.xv.dieb⁹ vl' tribus
ſeptianis.iſtā colaturā in q̄ infundāt̄.ʒ.4.bōi ge
ralogodion ſufficiāt iſta ꝓ iſta ſpē mlīe.Si iſta
talis mlīa fuerit ex fumis mlīcꝭ eleuatꝭ a ſangui
ne ⁊ co.aduſtis in venis ⁊ arterijs rōne calidita
tis excedētꝭ in epate ⁊ in corde vt ſit in q̄buſdaꝫ
brunis venoſ barbatꝭ criſpis.Piloſis i pectorali
bus ⁊ alijs ꝑtib⁹ cum labijs ſatis coloratꝭ.Paſ-
ſio ſicca ē ſicut ⁊ alioꝝ oīm hn̄tiū paſſionē iſtam
ſm pl⁹ ⁊ min⁹ rōne calorꝭ Vl' tal' aduſtiōis.itē-
tio g̃ curatiua in his ꝑncipal' erit hūectāre ipum
cū ſomno cibo ⁊ potu vini clari bn̄ liphati ⁊ exte
rius cū aſſiduatiōe balneoꝝ euacuādo materiaꝫ
talē ſiccā ꝙ ꝑ ſui ꝑn̄tiā purgat̄ g̃ ſic.℞.floꝝ vio
larū boragꝭ.ſene polipodij epithimi q̄rcini.an̄.ʒ
ß.tamarinꝺ electoꝝ.ʒ.iij.fiat decoctio in ſero ca-
ꝑno in q̄ diſſoluātur.mānegnate ʒ.i.ß.vel caſſiet̄
mūꝺ.ʒ.i.ß.Qn̄ col'a ſine flāte abūdat in ſtoma-
chis eoꝝ tc̄ cōpetit māna.Si cū flāte tūc caſſiaſ
fiat pot⁹ vel yeralogoꝺ.ʒ.iij.vel lapiꝺ armenici.
ʒ.iij.fiat pot⁹.vtat̄ triaſandal' vel papauerꝭ.ʒ.iij.
fiat pot⁹ pul' triaſandal'.ʒ.ij.4.ſe.frioꝝ.an̄.ʒ.i.aq̄
cirꝺ aq̄ ſcolopēꝺ.an̄.qꝺ ſuffic̄ panis zuc̄.q̄rt̄.i.f̄.
elct^m^ in bolis.Si vis adde auri fini.ʒ.ß.v̄m mi-
neralia nō hn̄t locū in paſſionib⁹ ſicꝭ in q̄ pauci
adūtūt.⁊ ſic de iſta ſpē mlīe ſufficiat.¶ Si me-
lācolia fuerit ex fumis mlīcꝭ ad cerebꝝ eleuat̄ ex
ſanguie melācolico turbido mltiplicato in cor^e^
nr̄o.Poti^me^ in regiōe ſplenis ꝓpt retētiōem.m.
aut emorroydarū:q: feculē^a^ ꝑ ipm ſplenē nat̄alr
attracta ꝑ dictas venas cōiter expellit̄ ⁊ ab eo ꝑ
tp̄s corp⁹ ⁊ ſplen in mag̃ ꝑte depuratur ꝙ ſi nō
ſplē indurat̄ ⁊ magnificat̄ ꝓpt qꝺ medic⁹ ↄcul-
cat⁹ in ꝑmis inueſtigat talia vt diſtiguat int̄ ſpe
cies ſpāliſſimas ⁊ ꝑ ↄn̄s in earū cura raſ in ſuo
ↄti^e^ ipi⁹ mlīe dicit ꝙ in tali mlīa nō ē melioꝛ cu-
ra q̄ flōia in ꝑmis ⁊ aſſidua purga° hūoꝝ mlīci
infrigidare epar ↄfortare ſplenē aperire orificia
emorroiꝺ aſſueſacere balneū flōia.de ſaluatella

nō eſt negligēda vt ipe pōit in p̄mis. q̄ deꝫ caſſi
aſiſt. cōis tibi poſita ſupiꝰ. ꝯn̄r flōctur de ſophe⸗
nis ⁊ die tertia: pꝰ de epatica vtriuſq; brachij vl'
de mediana ſi groſſioꝛ fuerit. vel d̄ ſaluatella ma
nus ſiniſtre ſi mulr̄ ſplenetiq̄ fuerit non dubites
ſatis euacuare de tali ſanguine feculēto. vtaꝫ cū
hoc iſto mellicto. ℞. radiq̄ bruſci ſpagi. an̄. m. ß.
enō ſcolopēdrie citrac politrici fumiterre bugloſ
ſe cū toto ſūmitar̄ lupuli. an̄. m. i. aniſi marat' a⸗
meoſ. an̄. ℥. ß. ſe. cucuſte. ʒ. ij. aceti. ℥. ß. mell' albi de
ſpūati q̄rt. i. ß. fiat mellictū bene clarificatuꝫ ad
lb. ij. Vtaꝫ mane ⁊ ſero ſine alia mixtura renoue
tur de. vᶜ. in. vᶜ. diebꝰ. Poſtq̄ vſus fuerit iſto mel
licrato q̄buſdā diebꝰ ſumat colaturā ſequētē ℞
floꝝ viol' boragi. an̄. ℥. ß. ſene epithimi polipodij
q̄rcini. an̄. ℥. ß. agarici electi. ʒ. iij. ℈ᶦ. aniſi. an̄. ʒ. i.
fiat decocº in ſero capno i q̄ diſſoluaꝫ geralogo⸗
dion. ℥. ß. lapid' armeᶜᶦ. ʒ. ij. fiat potꝰ. Vel da ſibi
ʒ. vi. de geralogod' diſſolur̄ in decoctiōe cicerum
rub. liq̄riᶜ ſene epithimi. an̄. ℥. ß. Vel da ſibi. ℥. i.
yerapigre duplata coloq̄ntida diſſoluta. ʒ i. lap̄.
armeᶜᶦ multū appropatur huic paſſioni vt vult
raſ in ſuo cōtinēte. Anq̄ des ſibi iſtā medicinaꝫ
⁊ pꝰ medicinā q̄buſdā diebꝰ balneeꝫ ſepe in aq̄
tepida: ⁊ ſi neceſſe fuerit reiterenꝫ flōie dicte. Et
raſo capite abluat caput q̄libet die potiᵐᵉ in exi
tu balnei cū decoctiōe ſtati dicta in cura mſie cā
te a ſanguine ⁊ co. aduſta in venis ⁊ arterijs po
teſt vti iſto electuario. ℞. ꝯſerue bugloſſe. ℥. i. cō⸗
ſerue roſ. ℥. ß. pul' letiᶜ. gl. ℥. ß. pul'. diamargi. ʒ. ij.
ſe. triti crudi. ℈. ij. 4. ſe. frioꝝ maioꝝ. an̄. ʒ. ß. panis
zuc̄. qd' ſufficit fiat electuaᵐ in bol' cum aq̄ roſ ⁊
ſcolopēdrie. Si tal' mſia fuerit ex fumis mſicis
eleuatis ad cerebrū ab hūoꝛe ſordido ⁊ feculēto
ſtoᶦ ibidē gn̄ato vel miſſo ab ipo ſplene ingroſſa
to ꝑ poꝝ occultū aſſiſtentē circa eiꝰ orificium: de
natura eruginoſa vel ypocūdrioꝝ vel meſeraica
rū vel venarū vētris q̄ oēs iſte mſie dicuntur
mirachie ꝓpt̄ colligantiā ⁊ vicinitatē cū ipo mi⸗
rac. Verū raſ vult q̄ interdū fumꝰ eleueꝫ ab a⸗
poſtemate calido venarū vētris tardāte ſuā ru⸗
pturā faciēs mſiam mirachiā cū ſe. ¶ Sig̃ me⸗
lācolie mirachie ſtomachal' ſm raſim in ſuo cō⸗
tinēte ſunt eructuaº acetoſa in p̄n̄ti ⁊ in p̄terito
hūidantia ſputi humidi ardoꝛ ſub ypocūdrijs
rugitus. Hec ſig̃ pꝰ horā comeſtiōis apparēt: nā
aliqual'r ceſſant: poſt horā comeſtiōis q: non fit
talis effumaº. ¶ Cōiter ſunt guloſi voꝛaces ſub
dit raſis q̄ tales alleuiāꝫ poſt laxatiōem vētris
⁊ exitū ventoſitar̄ ⁊ poſt cōpletā digōem. ¶ Si
gna iſta dicta cōicāt cōiter mſiam mirachiā ipo

cūdrioꝝ ⁊ nō apparēt ſig̃ ſupiꝰ ꝯſiderata i alijs
ſpēbꝰ mſie: cōiter iſte ſpēs i regiōibꝰ friis q: gu⸗
loſi ⁊ in calidis q: comedūt fructꝰ. ¶ Sig̃ mira⸗
chie meſeraicaꝝ cōcomitāꝫ illā opilatiōem ⁊ re⸗
pletiōꝫ earū: caliditas manuū vrina ſubtil' radio
ſa citria modꝰ viuēdi guloſus. ¶ Sig̃ mirachie
venarū vētris nob ſunt occulta: ſꝫ ꝑ abſentiā ali⸗
oꝝ ſignoꝝ ⁊ per aliquales q̄relas patiētes in p̄⸗
ſenti ⁊ in p̄terito venimus in aliqualem cogni⸗
tionem.

Cura mſie mirachie ſm q̄libet eiꝰ ſpeciē
ꝓuoceꝫ vomitꝰ de cōciº raſ. ⁊ ſꝫ. eua
cuatio hūoꝝ mſici cū. ℥. ß. epithimi. ⁊. ℥. i. polipo⸗
dij bullir̄ in aquis caſei: deꝫ de mane ꝯtinuetur
tribꝰ aut. 4. diebꝰ. ꝯn̄r ꝓuoceꝫ vomitꝰ. ℞. aq̄ de⸗
coctiōis attriplic̄ q̄rt. i. ß. cortic̄ elli albi nō ꝯq̄ſ⸗
ſati. ʒ. ß. inuoluaꝫ in pāno lineo raſo ⁊ remolliaꝫ i
dicta decoctiōe tepida ꝑ. 4. horas coleꝫ ⁊ adda⸗
tur oximell' ſquillitici. ℥. i. olei oliuarū. ℥. ß. fiat po
tus adminiſtreꝫ de mane. Si nō eſt ꝓmptꝰ ad vo⸗
mitū deꝫ ꝑ horā pꝰ prādiū: ꝯſiter deneꝫ ſibi in au⸗
rora q̄libet mane q̄tuoꝛ coclearia ſiruᶦ acetoſi cō
poſiti cū aq̄ ciceri rub. vbi ſit modicū folioꝝ ab⸗
ſinthij ꝯtinuādo iſtū ſirupū ⁊ deꝫ ſibi ꝑ duos di
es in ſeptiana potꝰ ſtati dictꝰ cū aq̄ caſei cū epi⸗
thimo. ℥. ß. ⁊. ʒ. i. polipodij ſꝫ. decocº. Si videaꝫ
talis mſia ꝓcedere a meſeraicis vel a venis ven
tris da ſyrupū acetoſum ⁊ ſit tertia ꝑs ſirupi de
abſinthio ꝯtinuādo iſtū ꝓceſſum fac fieri iſtam
maſſaꝫ pill'aꝝ ⁊ da ſibi de ꝯciº raſ. ℞. cortic̄ mi
rabol' indoꝝ epithi. an̄. ʒ. iiij. elli nigri. ʒ. ß. ſal' in⸗
di. ʒ. ß. polipodij lapid' armeᶜᶦ. an̄. ʒ. ß. conficiaꝫ
maſſa cū ſirº acetoſo de q̄ fiāt pill'e deneꝫ. ʒ. ij. po
tes addere vel diminuere da p̄ma vice. ix. pill'as
vel. x. hoc remittiꝫ diſcretiōi tue. Hoc facto reuta⸗
tur ad ſiruᵐ ſtati dictū aliq̄n in ſeptiana da ſibi
decoctiōem dictā aqua caſei ⁊ ſemel in. xx. diebꝰ
de pill'is dictis. Si ſplenē durū habuerit catha⸗
plaſmeꝫ ter aut quater de mane cuꝫ ſpongia vel
pāno lineo infuſo in aceto decoctionis floꝝ ta
mariſci ſint ibi q̄diu durabit caloꝛ poſtea vnga⸗
tur cū iſto vngento. ℞. armoᶜᶦ diſſoluti in aceto
℥. i. vnguen̄. dialtee. ʒ. iij. miſceantur fiat vnguētū.
Libentur carnibus elec̄ cum bono vino claro
vel albo limphetur competenter cum aqua cle⸗
cta ⁊ balneent ſepe poſt cibum per. vi. horas ſal
tim vna die ⁊ alia non in exitu balnei abluatur
ſibi caput cum floꝛibus ſuperius dictis: in cura
melancolie ex humoꝛe melancolico ſperſo ⁊ mul
tiplicato in venis ⁊ ſubſtantia cerebꝛi de conſi⸗
lio Raſis in ſuo continēte inſuffleꝫ in naribus

mľici modicū de puluere ſeq̄nti cū lacte mľieris
puellā lactātis. ℞.croci muſci aloes añ.℈.i.cāpho
re.℈.ß.panis zuc.ʒ.i.ß.ℛ.puluis capiat̄ de pľuere
modicū miſceāt̄ cū dicto lacte ⁊ ĩ nares ei inſuf-
flet̄.Si tal' patiens maniā habuerit cura parū
diuſificat̄.verū oꝫ patiētē magꝭ infriare in dieta.
⁊ in ſirupis ⁊ ĩ vnctiōib' ⁊ ablutiōib' capitis ad-
dēdo olea magꝭ fria vngō dicto ⁊ radic̄ mādra-
gore ꝯcoctiōib' dictꝭ p ablutiōem capitis:⁊ ſic ter
minet̄ cura mľie.

E amore

heroos. Et nota
ꝙ amor hereos
cū ſit vna ſpēs mľie ex q̄ ē ibi alienaᵒ
⁊ corruptio rōnis⁊ apd̄ q̄ſdā antiq̄s
dr̄ ſollicitudo mľica q: vltra rōem ſūt ſolliciti v-
ſus mľierē ꝓpt̄ ꝯcupiſcētiā carnalē ꝯceptaꝫ ab
eis ⁊ vltiate delicioſaꝫ habēdā ꝯſidētes.⁋ No-
ta iſtud.caᵐ.cᵒ.dicto nūc ꝯtinuarevolui qm̄ d̄ ea
dē mat̄ia peccāte ꝑtractāt.⁋Et nō ꝙ amor he-
reos ē amor mľtū excedēs ſine rōne:iō dr̄ amor
cū iſania mētꝭ ꝓpt̄ multū delectabile ab eis ꝯce
ptū iā hn̄dū.nā hereos grece ē multū delectabi-
le latine:⁊ lꝫ tal' amor excedēs ſeu cū iſania mētꝭ
ſe extēdat apd̄ plures hoīes ad pľes res vt ad fi
liū ad equū ad pecunias ad diuitias ⁊ ad pľes
alias res eſtimātes illā eē vltiᵐ deliciei ⁊ felicita
tis mūdane.iō ribaldi aliq̄ hn̄t talē amorē ad lu
dū ⁊ amorē ĩ tabna eſtimātes h̄ eē vltimū delici-
ei ⁊ cōplacētie tollerātes tales miſerias ꝓpt̄ ta-
lem cōplacētiā hn̄dā.ꝓpe tn̄ amor hereos vertit
ſe ad mľierē ꝓpt̄ deliciā carnalē vltiate eis deli-
cioſam habēdam.Nam q̄buſdā iuuenib' libidi
noſis videt̄ ꝙ ꝑticipatio carnal' cū q̄buſdā muli
erib' ē vltiᵐ deliciei ⁊ felicitatꝭ mūdane:nam iſti
ex ſpē mūdana ſenſata alicui' mľierꝭ in fixa ime-
moratiua p mēoriā freq̄ntatā ymaginādo ꝯditi
ones ſubiacētes:puta delicias vltiatas carnales
cū q̄b' mľierib' capti ĩ amore tali ex ꝯcupia car-
nali dicta vltiate ei delicioſa formāt ſpēm imagi
natiuā tāq̄ ſenſatā ꝙ illa melior ⁊ pulcrior hone
ſtior ⁊ delectabilior q̄cūqꝫ alia mľiere q̄ pluries ⁊
pluries pn̄tata diſcretiue ipſe iudicat ipam fore
amādā ſup oēs res ꝓpt̄ illā cōplacētiā vltimatā
ꝯceptā:iō amāt eā vltra rōnē ⁊ cū inſania mētis
⁋Ex q̄b' pꝫ tibi ꝙ tal' paᵒ cāt̄ a re ꝑmitiua ex-
triſeca cū ſollicitudie imagiatiue ꝯtinuata dctā
exſiccāte cereᵐ q: ē paᵒ cere' ſicca ꝓpt̄ qd̄ forti'
infigit̄ ydolū in ipo ⁊ ē paᵒ cere' poriᵐᵉ i media
⁊ anterior cellula q: p actiōe illa leſa ē nocumē
tū ꝑncipal' ipi' diſcretiue p colligātiā imagiati-
ue q̄ habitat in ill' cellul' ⁊ illud nocumētū diſcre
tiue ⁊ imagiatiue ē paᵒ ſeu nocumētū actiue ſē-
ſus cōis mediāte morbo dicto ſicco:q̄a dormire
nō pn̄t:nā accñs pt eē cā morbi.3ᵒ.de morbo.cō
ſequēter ē paᵒ regitiuarū naturaliū male digerūt
⁊ male appetūt ⁊ male nutriūt̄:iō demacerātur
yᵒ pľes moriūt̄ niſi eis ſuccurrat̄.

Cura

iſtꝭ bn̄ clarificatꝭ amorꝭ hereos t'pa
teſcit poriᵐᵉ ex dictꝭ.Raſi in diomb'
ſuis balneent̄ ⁊ hūectētur ab extra q̄a paᵒ ſicca
mediocrit̄ dietet̄ vt maᵃ mľta in teſticul' nō mul
tiplicet̄ mutet̄ de regiōe i regionē ⁊ ab ea elōge
tur cū alia coeat vt amor ex talib' ab ea mutet̄.
Raſ vult ꝙ fortit̄ inebrietur q̄buſdā dieb' vt ce-
rebrū hūectet̄ ⁊ ipam̄ obliuiſcat̄:q: ſic modica i
ebriatio inſitat luxuriā ita mag̃ obfuſcat ꝓpt̄ ex-
ceſſiuā hūiditatē obliuiſcūt̄ talē actū dormiunt
velud ſtupidi:de q̄ ſomno multū indigent.Et ſic
termietur cura amoris hereos.

⁋Caplm̄:xv.de catarro.

Uꝫ caput alic' i egreſſiōe
balnei diſcoopꝫtuꝫ fuerit
aut p' exercitiū aut p' ali
ud fueritqꝫ aer frigid' ⁊ vēt' ſeptē
trional' ⁊ acciderit ide narib' ⁊ pa
lato prurit' ⁊ cōmotio ⁊ ſternuta-
tio pān' tūc calefaciēd' erit ⁊ ca
piti ſupponēdus in quo tā diu mo
ret̄ donec eger calorē in capitis ꝓ
funditatē penetraſſe ſentiat. Dei
de nigellā odorare incipiat ⁊ ꝓuo
cet̄ ſternutatio ⁊ caueat ne ſupin'
iaceat ⁊ cōedat parū a vino q̄ꝫ om
nino abſtineat Qd̄ ſi paſſio ex ap
poſitiōe pāni calidi alleuiata non
fuerit neqꝫ minuit̄ p ipꝫ fiat flōia
ex cephalica ⁊ ſoluat̄ nat̄a ex reb'
q̄ nō exaſperāt ſicut hec decoctio
quā i potu ſumere debet q̄ tuſſim
patit̄ ⁊ in pectore aſperitatē habet
⁊ indiget vētris ſolutōe que.℞ iu
iubas.xx.ſebeſtē.xxx.paſſ enucle-
atarū.ʒ.x violarum ſiccarū.ʒ.iiii.

rad. ligri.fricate.ʒ.v.fic⁹ citrinas coquãt̃ i.iij.ll.aq̃ donec redeat ad vnã ⁊ colẽt ⁊ ĩ colat̃a diſſoluat̃ caſſiefi.ʒ.vij.tramabi.ʒ.x. q̇d ſi neq̃z flõmia ꝓfuerit neq̃z vẽtris ſolo et matia ad pect⁹ deſcẽderit ⁊ cõmoueat̃ tuſſis ⁊ febris illico fiat flõia ⁊ patiens a carne abſtineat ⁊ vino ⁊ ĩ potu ſumat aquam ordei ⁊ muraba violatũ q̃ diu calor fixuſ pſeuerauerit ⁊ tuſſ fuerit ſicca ⁊ aſpera ſʒ p⁹ q̃ calor q̇euerit ⁊ tuſſiſ mollificata fuerit ⁊ ſcreare ĩcepit hec decoctõ q̃q̃z die cũ muraba violata dãda erit donec pect⁹ mũdificet̃ ⁊ tuſſ ſedet̃ ⁊ vox clara reddat̃ q̃. ℞. fic⁹ citri.v.iuiub.x. ſebeſtẽ.xx.paſſ.alba.⁊ enuclea.ʒ.x.liq̇ri.excorticato.ʒ.v.coquãt̃ vſq̃z ad diſſolõnẽ ⁊ colẽt ⁊ dent̃ ex hoc oĩ die.℥.iij.ĩ potu cũ murab.viol.ʒ.v ſi v̊o tuſſ iueterauerit ac diu ꝑmãſerit tũc oñdem⁹ q̃lr curãda ſit cũ ꝺ tuſſ cura tractabim⁹. q̇ ſi curſuſ ĩ narib⁹ diu pſeuerauerit ⁊ ñ fuerit calor flux⁹ erit reſtrĩgẽd⁹ ſuffumigãdo nares p traiectoriũ. ⁊ ſi q̇d p nareſ effluit ſõtile ac acutũ ac citrinũ fuerit ſuffumigatõ fiat ex ſulfure ĩfuſo pri⁹ ĩ aceto ⁊ p⁹ea ſiccato aut ex fabis aut ordeo excorticat ⁊ ĩ aceto pri⁹ ĩfuſ ⁊ p⁹ ſiccatis aut ex ʒucc.al. ⁊ ſãdal.al. q̇ ſi neq̃z color neq̃z rubedo ĩ facie fuerit ſuffumi.fiat ex coſto aut thure. Hec nãq̃z ſuffumigatõ fluxũ reſtrĩgit.

d

De catarro ⁊ de eius cura.

De catarro id eſt de humore cadente ad inferius ad partes ſubiacentes vel de reumate ꝑut intitulatur a quibuſdam modernis.i. de hũore ruente ad ptes vicinas ⁊ ſubiacẽtes q: ꝺ rõne grauis ẽ deſcẽdere ⁊ ruere ad ptes ſubiacẽtes ⁊ baſſas.ve; ĩmẽdũ ruit ad ptẽ q̃ſi latalẽ ⁊ ad h̃ facit natura expulſiua irregulata vt pʒ in obtalmia q̃ fit cõit̃ p viã catarri ⁊ reumatiſmi maͤ cerebri.⁊ iſta noĩa ſũt ſinonima idẽ ſignificã͞t.lʒ reuma ſit nomẽ gñale ad quẽcũq̃z hũorẽ cadẽtẽ.iõ dicũt auctores q̇ reuma ẽ mat̃ oĩu; egritudinũ q: ruit ⁊ cadit ad mẽb; q̇d venire nõ dʒ ſm naturã ꝑpt̃ q̇d fac̃ morbũ p colligãtiã. Sumẽdo ꝑꝑe ẽ humor ruẽs a capite ad alia mẽbra.vñ v̇. Si fluat ad pect⁹ dicat̃ reuma catarr⁹. Ad fauces branc⁹ ad nares dico coriſam. Si fluat ad ſtõm fac̃ dolorẽ ſtõi. Agnoſcim⁹ q̇ dolor ſtõi fit a tali cã q̃n venit poſt ſõnũ diurnũ vl̃ tpe auſtrali. Aliq̃n fluit ad lat⁹ fac̃ pleureſim.⁊ q: hũor ruẽs ⁊ cadẽs ad ptes ſubiacẽtes ẽ ſubtilis ĩ ſuba alit̃ nõ caderet nec rueret.iõ in oĩ ma͞a reumatica cũ febre et ſine fe.ꝓhibem⁹ ſyru͞m niſi in ꝑn͞o ⁊ aug͞o ⁊ oia ſubtiliãtia ⁊ apiẽtia q: maior flux⁹ ⁊ caſus hũorũ ꝓuocaret̃. Si ſit ſine fe. t̃lis reuma ⁊ hu. ſint calidi frõs in tactu erit calid⁹ ⁊ erit aliq̃lr ſitibũdus ⁊ ecõtra. ❡ Ulti⁹ nõ. q̇ oĩs catarr⁹ vl̃ reuma ruit vl̃ cadit vno de trib⁹ modis. Uno͞ p viã diſſolutõis a calido:t̃le calidũ cõit̃ ẽ extinſecũ vt calor ſol̃ potiſſime capite diſcoopto nimia coopertura capit̃ vl̃ foderatura ꝺ varijs g̃ſſis de die et nocte facit hoiẽ; reumaticũ p viã diſſolutiõis nimi⁹ mot⁹ balneũ odores fortes lilij.mẽtaſtri. q: vapores calidi deſciſi ab illis reb⁹ ſubĩtrãtes p nares ocl̃os ⁊ aures q: calidi diſſoluũt hũiditatẽ cerebri.auſter h̃ idẽ facit q: ẽ ibi vapor marin⁹ calid⁹ mot⁹ ſubĩtrãs p nares ⁊ alijs modis diſſoluit hũiditates capit̃ ⁊ alio; mẽbro; ĩmẽdũ t̃le calĩn ẽ extĩſecũ vt fum⁹ eleuatus a cibis calidis ad caput puta ab allijs cepis porris potagio cũ far̃ ſpẽb⁹:a vino puro.multa reumata ſũt ꝺ pintalpho ſeu de pinta a crapula cibi ⁊ pot⁹ ab ebrietate ſeu potu magno vini puri ſeu male liphati Flomia ſilr ẽ cã t̃lis eleuatiõis fũoſitat̃ p viam diſſolutõis:nec nõ ipſa diſſoluit hũores ex ſe ſic̃ fac̃ ruere ⁊ currere hũores p corp⁹ in nõ ſuo loco potiſſime facta ĩ modica q̃ntitate ẽ caſus quẽ dubito in magnatib⁹ flõmãdo eos q: ex hoc peius ſentiũt fcã flõmia p.3.vel.4.dies. ſ nos palliam⁹ dicẽtes eis q̇ nõ bñ ſe cuſtodierũt a frigo

re vl' paꝝ̄ extraxīmꝰ ꝺ̄ ſanguie. Silr ſōnꝰ diuꝰ cito factꝰ pꝰ cibū replet caput ꝓpt̄ magnā̄ effumationē ad caput. qꝛ cibꝰ nōdū deſcēderat ad locū bone digōnis puta ad fūdū ſtōi. nā fūdi ē digerere ſic̄ orificij appetere. 4° ꝺ̄ morbo. ¶ 2° ruit ⁊ cadit tlis hūoꝛ ꝑ viā cōpſſiōis pelliclaꝝ ⁊ nuꝛigaꝝ cerebri a f̄ro extnͨº. nā frigꝰ extͥnſecū pōt pº ledere caput vl' ꝯñr ꝑ colligātiā pedū. nā pedes ifrati infrant p̄tē pꝰ partē ſupiorē ſic ꝙ venit talis f̄ritas ſi foꝛt̄ fuerit ad ſtōm ⁊ cerebꝝ. ⁊ iſte caſus ſepiꝰ ꝯtigit qꝛ plēs ſūt catarrizati ⁊ hn̄t leſionē ſtōi a frigore pedū mirātes ꝺ̄ h̄ cū teneāt caput ſat̄ coopꝛtū. ſilr ſi tlis cōpſſio pelliclaꝝ̄ cerebri ab aere vaporoſo gſſo reumatico attracto per nares ꝑut ꝯtigit dormiētibꝰ in cameris t̄reis et baſſis. nā tlis aer ē groſſus ꝓpt̄ vapores gſſos t̄reos nō depuratus nec euētatꝰ ab illis. iō attractus ꝑ nares mordicat pelliclas cerebri ꝓpt̄ quā mordicationē ꝯſtrigūt̄ i ſe ꝓpt̄ eaꝝ naturā. vt declarat ga. ꝯ̄ archigenē 2° ꝺ̄ int̄io. ad quā ꝯ̄ctionē nccio ſeqt̄ exalatio ſuaꝝ hūiditatū. ⁊c tales hūiditates fluūt ⁊ ruūt ad p̄tes ſubiacētes. iō dicimꝰ tlibꝰ accubātibꝰ i talibꝰ cameris teneat̄ ibi ꝺ̄ paleis ⁊c nō eleuāt̄ illi vapores t̄rei reumatici ⁊ ſint feneſtre apte ꝺ̄ die potiſſime oppoſite vt vapoꝛ melꝰ colet̄. Quibuſdā delicat̄ ꝯtigit tle reuma ꝑ viā ꝯpſſiōis ſi exeāt camerā t̄pe vētoſo nec eqtet nā verꝰ ē vapoꝛ motꝰ q̄ ſubitrās per nares mordicās dcās pelliculas cerebri ē cā ꝯ̄ctiōis earū ex natura eaꝝ. ꝓpt̄ quā ꝯſtrictionē ruit ⁊ fluit ab ipīs hūiditas i ipſis ꝯtinue ꝯgregata ꝑ viam effumatōis. ¶ 3° mō ruit ⁊ cadit hūoꝛ pelliclaꝝ cerebri ex ſui multitudie q̄uāte ꝯtētiuā ipſaꝝ ꝓpt̄ qꝺ̄ ipſa debilitata a ꝯ̄tto deſinit abire dictas hūiditates. iſte caſus ꝯtigit in p̄nº veris qꝛ hūores incipiūt rarificari. ¶ Et notādū ꝙ hn̄tes caput rarū cal'in: catarrizāt a cā extnͨᵃ ſic hn̄tes caput f̄rm catarrizāt a cā intnͨᵃ cal'a a cibo ⁊ potu calīꝺ̄. vt ab alliata pipata. imo forti pigmēto ⁊ ſimilibꝰ diſſoluētibꝰ hūiditates ſupfluas gn̄atas ⁊ multiplicatas i capitibꝰ coꝝ ꝓpt̄ debilē digōnē rōne cal' natural' claudicāt̄ qdē hoꝛꝝ ꝯtiͨ vl' q̄ ſi ſūt catarrizati loqntes cū naribꝰ ꝓpt̄ ꝯtiᵐ deſcēſū hūoꝝ a modica cā intnſeca qꝛ multi.

Primo tu q̄res cauꝰ p̄ticle capit̄ catarrꝰ ꝓpē dictꝰ ē paº p̄nʳ. Dicēdū ꝙ i reumate vl' catarro a cā extnͨᵃ pellicl'a coopiens craneū patit̄ p̄nʳ vna cū lacert̄ illis aſſiſtētibꝰ nā declaratū ē ſupiꝰ. c. ꝺ̄ cephalea q̄l'r in dolore capitis talis pelliclā patit̄ p̄nʳ. ⁊ ſi tl'is cā extnͨᵃ fuerit fortꝰ coicāt pelliclē coopiētes ⁊ frenātes ipm cerebrū vna cū ipſo cerebro. ꝓpt̄ qꝺ̄ i reumate a cā extnͨᵃ f̄ra valēt pāni linei calefacti plīes applicati i itroitu lecti ſup caput vt vult raſ. ⁊ ē cura ꝑlatoꝝ in reumate qn̄ fecerūt offm̄ ſuū in miſſis t̄pe f̄ro. Et ſi vltiꝰ pāniꝰ vltio applicatꝰ ſuffumiget̄ cū thure erit meliꝰ in reumate. A cā intnſeca p̄ticl'a p̄nʳ patiēs ſūt pelliclē coopiētes cerebꝝ vna cū eo in q̄ catarro valēt ſacculi poſiti ſup cōmiſſurā capit̄ ꝺ̄ milio ꝯſſato paꝝ ⁊ paꝝ exiccato ſup tegulā calidā in tribꝰ p̄tibꝰ ⁊ 4ᵃ p̄te ſalis ꝯtriti fiūt duo vl' tres ſacculi ſucceſſiue vnꝰ pꝰ aliū ſepe ⁊ ſepiꝰ applicēt̄. fiāt ſacculi inbaſtati i lōgitudie digiti ⁊ in latitudie triū digitoꝝ. ga. xij. de ingeº. c. vltio dic̄ ꝙ miliū gn̄ū ē leue ⁊ reſoluit ⁊ exiccat ſine pūctiōe. Auēzoar in p̄nº ſui libri ꝑ ꝑſuatiōe ⁊ cura reumatiſmi ⁊ catarri veniēt̄ a debilitate v̄tut̄ nutritie cerebri ꝑut ꝯtigit hn̄tibꝰ cerebꝝ f̄rm a gn̄atōe ⁊ a t̄pe iubet potiſſime t̄pe f̄ro ſpgere ſup anteriorē capit̄ puta ſup cōiſſurā oī nocte in itroitu lecti gariofilos puluerizatos. et ābo gn̄a mētaſtri ⁊ alijs t̄pibꝰ anni puta vere ⁊ autūno iubet ſpgere maci pluerizati ſupra cōiſſurā dictā ⁊ cortīd citri. pluerizati qꝛ cortex citri. nō ē tāte cal'itat̄ ſic̄ maci. ⁊ mētaſtra ſūt minoris caliditat̄ ꝙ gariofili. Iſtis remedijs ſilr ego vtoꝛ cura ⁊ ꝑſuatiōe catarri antiq̄ti in magnatibꝰ: quia ē remediū gtū ⁊ vtile. loco huiꝰ facio puluerē de anthos. ⁊ pono ſupra cōiſſurā ſilr.

Secūdo tu q̄res ſi catarrꝰ ē paſſio per ſe vl' ꝑ colligātiā. Dicēdū ꝙ ſi tlis catarrꝰ cāret̄ a mlta maª q̄uante ꝯtētiuā in pellicul' cerebri cā eīm extnͨᵃ ceſſāte qꝺ̄ raro ꝯtigit tūc ē paſſio ꝑ ſe qꝛ ex nocumēto ꝓpo ꝯtētiue pelliculaꝝ cerebri ꝑut ꝯtigit q̄buſdā ⁊ pauci i medio veris. Si aūt fiat a p̄mis duabꝰ cāis dict̄ puta a calido diſſoluēte vl' f̄ro cōpimēte pelliculas cerebri extnͨº vl' a vapore calido vl' f̄ro ſubitrāte ꝑ nares cū vēto vl' iacēte in camera t̄rea. Dico ꝙ tūc ē ꝑ colligātiā rei extnſece qꝛ tūc venit ad caput ſeu ad pelliclas dictas qꝺ̄ venire non dꝫ ſm naturā puta calitas excedēs diſſoluens vl' f̄ritas excedēs cōpimēs dcās pelliclas vl' vapoꝛ gſſus t̄reꝰ vl' vētoſus nā tl'ia venire nō dēnt ad ipſum cerebꝝ ſm naturam in ſuo conſeruari

Tertio tu q̄res catarrꝰ q̄ paº ē in gn̄e ⁊ i ſpē. Dicēdū ꝙ official' in via quia oppilatio viaꝝ a maª fluēte ⁊ morbꝰ i receptaculo qꝛ replet̄ a tli maª fluēte ꝯcomitādo ſecū morbū ꝯſil'em calidū vl' fri. tāq̄ cām ⁊ h̄ vult ga. viº. de morbo. c. penulº. ꝙ ſit ꝯſil'is ⁊ official' ad lr̄aꝫ ⁊ ꝯcomitat̄ morbꝰ in ſupficie qꝛ gutt̄ ⁊ cāna pulmō: ſcraſpant̄. iō damꝰ penidias aq̄m tepidā cū ſat̄ de zucco vitella ouoꝝ tremuloſa i itroitu lecti

Quarto tu q̄res cuiꝰ ṽtutꝭ catarrꝰ ē nocumētū p̄nʳ paſſiue intelligēdo. Dicēdū ꝙ ꝑ cā gn̄ata matiali ē nocumētū regitiue naturalꝭ digeſtiue ⁊ nutritiue cerebri ⁊ ipſius expulſiue naturalꝭ ⁊ vitalis: nā ſi iſte nō errasset tlis maª nō fuiſſet gn̄ata. h̄ vult ga. 6º de morbo c. vltio. Idē vltio de īgenio. c. 2º. in cā veniēte per colligātiā lediť ſilr digeſtiua ⁊ expulſiua naturalꝭ. mēbri mādātꝭ vt vult ga. in loc allegatꝭ. ſꝫ ꝑ caſu ⁊ fluxu hūoꝛis ē nocumētū p̄ncipalr ⁊ imediate ipſiꝰ ꝯtētie pelliculaꝝ cerebri q̄ debilitas ē ſibi ꝑ colligātiā vt plimūvt ē bn̄ declaratū in q̄dā q̄ōne ꝯtētia a q̄rto gu̅aťr ⁊ icitať ſic expulſiua a q̄li. vi. ð morbo i plibꝰ loc. Idē. vi. ð inītio. c. p̄mo.

Quinto tu q̄res. catarrꝰ cuiꝰ ṽtutꝭ ē nocumētū ſeu paſſio p̄nʳ actiue id eſt cui p̄nʳ tlis catarrꝰ infert nocumētū. Dico ꝙ ē nocmētū p̄nʳ regitiuaꝝ naturaliū mēbroꝝ ad q̄ fluit maª puta digeſtiue retētiue attractiue ⁊ expulſiue nam talis maª male q̄litatꝭ alťat mēbra ad q̄ fluit cōiť ad malā frām ⁊ hūidā cōplōnē: ⁊ ſic cōplexionē ꝓpriā corrūpēdo. ⁊ ꝑ ꝯn̄s actiōes eius naturales: q: ṽtutes nō ſeneſcūt niſi rōne inſtrumēti vl organi in erroꝛibꝰ de aīa. ⁊ ꝯn̄r ē paº ſeu nocumētū actiue officialiū ṽtutū. nā cadēdo ⁊ ruēdo tlis maª oppilat replet ⁊ exaſpat vias ꝯcōitātes ſupficies mēbroꝝ ad q̄ fluit ⁊ opilādo pōt inducere malā cōplōnē calidā vt videmꝰ in matia fluēte ad ſtōm ꝙ cābūt malā frām ⁊ hūidā i ſtō. ⁊ malā calidā in epate venas meſaicas opilādo ꝓpť q̄ð in catarro frō appēt vrine inťdū rubee.

Sexto tu q̄res q̄bꝰ hōibꝰ catarrꝰ plies accidit. Dicendū ꝙ coleric̄ raris caluis ⁊ nō caluis de facili a cā calida ⁊ frā cito accidit. nā rōne rare ꝯtexture ſtati patiūť a cā extrinſeca. ffl'atici aūt cito catarrizāt a cā intrinſeca vaporoſa diſſoluēte. nā q: tales hn̄t debilē digeſtiuā ⁊ nutritiuā in capitibꝰ eoꝝ in cerebro ⁊ pelliclis nutrimētū eueniēs ꝑ venas in ſup fluitatē ꝯuertiť. h̄ vult ga. 6º de morbo. c. vltio. ad quam matiaꝫ multiplicādā i cerebro ⁊ pelliculꝭ facit debilitas ſtōi ⁊ epatꝭ ꝓpť calorē naturalē claudicātē in eis i q̄buſdā hoꝛis ruit matia a cerebro ꝓximaliť ter aut q̄ter. ad pecꝰ ad ſtōm a cā modica extrīſeca vt ab auſtro vl a ſōno diurno vl ſine cā extrīſeca māifeſta rōne mltitudis maᵉ fluit et ruit a debili ꝯtētia. ⁊ iſte caſꝰ ē i q̄buſdā dn̄is cardinalibꝰ ⁊ alijs dn̄is. In iſtis multū ꝓficit ꝯſiliū auēzoar ponere ſup cōiſſurā puluerē garioſi. vtriuſq; mētaſtri. ⁊ alio maq ⁊ coꝛtic citri. ⁊ anthos nā tlēs plēs exiccāt ⁊ ꝯfoꝛtāt digeſtiuā cerebri ⁊ pelliclaꝝ calefaciēº ⁊ alťādo malā cōplōnē coꝝ.

Septimo tu q̄res a quibꝰ cāis plies hodie ꝯtigit catarrꝰ. Dicēdū ꝙ a cooptura capitꝭ idebita de nocte ⁊ de die capita rarefiūt ⁊ debilitāť ſic catarrizāt cā dupli ci. nā tlis cooptura rarificat cōpoſitionē capitis ſic debilitāt eiꝰ actōes naťales ⁊ aīales. auic. 3º. canꝭ. c. ꝓpo. q: ꝯpō fac̄ ad vtrāq; actionē lꝫ p̄ncipaliꝰ ad officialē. ¶ 2º mō q: tlis cooptura excedēs diſſoluit hūiditates cerebri. ⁊ fac̄ ruere ⁊ cadere hūores ad ſtōm: mlti hn̄t debilē ſtōm ex h̄ ⁊ malā ꝯplōnē frām ⁊ hūidā cū maª in ſtō. ex hoc etiā mlti diſponūť ad ptiſim ex tli exceſſiua cooptura capitꝭ ꝓpť talē diſſolutionē hūiditatū cerebri. Silr ꝯtigit tlis catarrꝰ cōiť hodie plus ex potu vini exceſſiuo. nā ex tli potu i cerebro magꝭ mlťtiplicať per viā effumatōis. ſilr ex tli fumoſitate mltiplicata calor naturalꝭ cerebri ⁊ pelliclaꝝ debilitať ⁊ hebetať. ſic cā duplici ex tli potu catarrꝰ multiplicatur.

Octauo tu q̄res ſi maª catarriſās ⁊ fluens a capite ad ptes iferioꝛes fluit ꝑ venas ⁊ artias aut ꝑ poros capitꝭ aut alꝭ. Dicēdū ꝙ ſi maª catarrizās ⁊ fluēs a capite ad ptes iferioꝛes fuerit ſāguinea i toto vl in pte vel coᶜᵃ tc̄ ruit ⁊ cadit iferiꝰ ꝑ vēas ⁊ artias q̄ð pꝫ in obtalª coᶜᵃ ⁊ ſan. q̄ð demōſtrat ēt fluxꝰ vētrꝭ hūoralꝭ ⁊ coleric̄ ſpūoſꝰ ⁊ foꝛſā aliq̄ pleureť. nā talis maª ðcidiť a vēis ⁊ artijs cerebri ⁊ pelliclaꝝ eiꝰ ⁊ ptiū ſupioꝝ i q̄bꝰ pauci medici adūtūt ꝓpť q̄ð i iſtis cāibꝰ rab ⁊ alij auctoꝛes faciūt flōmias tāſactꝭ tribꝰ diebꝰ. ſi āt tlis maª catarrizās fuerit flātica tc̄ ē ex vēas q: ibibita i pelliculꝭ cerebri ⁊ ſuiſ ꝯcauitatibꝰ: tc̄ fluit ꝑ poros ⁊ meatꝰ diuiſos puta ad oclꝭos ad nares ad palatū ad ſtōm ad pectus ad collū ꝑ ꝯcauitates lacertoꝝ. iō q: lacti colli ⁊ nerui colli reuſiui ⁊ īuuēiles hūectāť nimis faciētes aduocē. iō catarrici ſť rauci. fluit aliq̄n ad latꝰ ad doꝛſū i mltꝭ ē q̄rela ptiū ðcāꝝ ſtōi colli doꝛſi lateri ꝓpť maᵃᵐ ruētē catarrizātē. ⁊ ſi venerit pꝰ ſōnū vl tpe pluuioſo vl auſtrali tc̄ cogſcimꝰ ꝙ h̄ eſt ꝑ viā catarri ⁊ reumaꝭ vt declarat ga. 2º ð ꝯplōibꝰ.

Nono tu q̄res vtꝝ flōia cōpetat i catarro. vr ꝙ non expieᵃ vulgi male ſe hn̄t ⁊ fiūt rauci i tota vita coꝝ ꝓpť q̄ð abhoꝛrēt facere i catarro. itē augn̄tat cāꝫ ⁊ catar. pꝫ q: flōia ex ſe fac̄ currere ⁊ ruere hūores. itē ꝑ ſubſtratiōe maᵉ trahit matias magnas ifra vēas q̄ priꝰ erāt ex. ¶ In ꝯtriū ē rab ⁊ alij i iſta maª i. c. ð pleureſi ⁊ ð ſq̄nātia ⁊ i mltꝭ cāibꝰ reuatiq. Dicēdū ē ꝙ ſolutū ē itelligēti ꝑ dcā i q̄ōe p̄cedēti ꝙ i catarro de maª ſāguinea colꝭ vl ſalſoza ꝯpetit tāſactꝭ p̄mis diebus. h̄ vult rab ⁊ alij auctoꝛes ⁊ interdū 2ª die

aut 3ª vt in pleureſi i catarro de maª fria flãtica
in toto vel i parte nõ cõpetit flõia ꝓpt̃ rõnes di/
ctas niſi faceret apã in pte nobili vt in gula ⁊ in
pectoꝛalibꝰ vt ꝑipleumõia vl'pl'eſi ⁊ nõ cõpetit
poti^{me} in ꝑnᵒ nã ſi talis catarrꝰ ꝓlongaretur ⁊
maturaret̃ ⁊ pa.haberet venas latas ⁊ eẽt aſſue
tus facere flõiam tũc poſſet cõpetere nã oẽs cõ/
ueniũt ꝙ in catarro antiq̃to ⁊ digeſto cuiuſcũq₃
maᵉ fuerit nõ ẽ melioꝛ medicia q̃͞ flõia ⁊ ſtupha
q₂ mat̃ia tũc nc̃cio ẽ venal'⁊ fit ꝑ flõiam ⁊ ꝑ ſtu
pham maª optime repellit̃.

Undecimo tu q̃res q̃re pl'es flõa
ti in ꝑnᵒ catarri ⁊ reu/
matis facti ſunt i tota vita coꝝ rauci: Soluit lr̃a.
ꝑmo de int̃.c.vij.⁊.4.de int̃.c.de nocumẽto voc̃:
vbi dicit ꝙ q̃n nerui iuueniles ⁊ nerui reũſiui q̃
ſunt nerui ꝓꝑij voc̃ ⁊ ſũt in faucibꝰ q̃n iſti nerui
vna cũ lacertꝫ ⁊ pelliculis gutturꝫ ⁊ colli patiun/
tur: q̃cũq₃ mõ patiãtur poti^{me} ſi patiãtur malaꝫ
ꝯᵒnem hũidã ⁊ friam tũc vox amputat̃: ⁊ q₂ i ca
tarro frio dicte ꝑtes patiũtur dictã malã ꝯpl'oeꝫ
friam ⁊ hũidã ꝓpt̃ ma^{am} cadentẽ in ꝑtibus ill'
ꝑ vias ⁊ cõcauitates lacertoꝝ: iõ catarrici rauci
ſunt ⁊ q̇a in flõia fit maioꝛ fluxꝰ ⁊ curſus hũorꝫ
ad loca dicta: iõ fit ita forꝫ mala cõpl'o fria ⁊ hu
mida in ꝑtibꝰ ill' q̇a bñ curari nõ põt. ¶ Et ſi cu
rat̃ nõ curat̃ de mag̃ tempe forſan de anno. Et
aliq̃n auctores dicũt ꝙ hũores capitꝫ ita habili/
tantur in fluxu illo ex hoc ꝙ ſemꝑ ruũt ⁊ fluũt ꝑ
ꝑtes illas: iõ ſemꝑ ſunt rauci qđ nõ ꝯtingit i ca/
tarro calido de ſanguine vl'de col'a q̇a mat̃ia eſt
intra venas ⁊ arterias cerebri ⁊ eiꝰ pelliculaꝝ
nec forſan fit i catarro frio antiq̃to ⁊ maturo q̇a
mat̃ia intrauit venas poti^{me} in venoſis in habẽ
tibꝰ venas latas q̇a vie ſunt ꝓ͞ꝑpte ⁊ aperte: q̃
vie ꝯtinguãtur cũ dicta mat̃ia cerebri ꝓpt̃ qđ ta
lis mat̃ia in ꝓceſſu ſubitrat venas illas ⁊ h̃ fit đ
poſſibili in cõcauitate pectorꝫ ꝙ mat̃ia in conca
uo pectorꝫ detẽta aliq̃n ſubintrat vt declarat ga.
vi.de interioribꝰ.c.iij.in fine capl'i.

Duodecimo tu q̃res: q̃ ſunt illa
q̃ magꝫ pṡeruãt a
reumate poti^{me} in hoibꝰ q̇buſdã diſpoſitꝫ ⁊ pa/
ratis ad reuma. Dicẽdũ ꝙ cooptura capitꝫ mode
rata: nã excedẽs cooptura capitis cõtinuata de
die ⁊ đ nocte rarificãdo caput diſpõit ad reuma
Simil'r ire ad ſtuphas ſiccas bis vel ter in ãno
ſtoᵒ ieiuno pſeruãt. Simil'r ſumere đ metridato
bis in ſeptimana vel ter ſi tp̃s pluuioſum vl'fri/
gidũ fuerit in q̃͞titate duarũ fabarũ groſſarũ cũ
vino modico claro diſſoluto det̃ in auroꝛa vel pꝰ
cenã.4.aut.vᵉ.horis. ¶ Aduerte tñ ꝙ vina alba
⁊ ſubtilia ⁊ petrociliũ ſunt multũ vitãda q₂ reu/
ma ꝓuocat vias aperiẽdo hũoꝛẽ ſubtilẽ generã
do: tales ergo ſuſpecti vtant̃ riſo bis in ſeptima
na cocto cũ brodio carniũ vl' al's vtãtur coctanĩſ
piris cocꝫ in fine mẽſe in modica q̃͞titate tñ vta
tur vino groſſo vitãdo potũ int̃ duas comeſtio/
nes. vitẽt etiã ꝯſoꝛtiũ mulierũ potiſſime pꝰ cibũ.

Cura catarri. Iſtis clarificatꝫ cura catarri
cũ fe.⁊ ſine fe. tibi pateſcit. Nã ꝯclu
ſum eſt in p̃cedẽtibꝰ ꝙ mat̃ia q̃ fluit in catarro a
capite ad ꝑtes ſubiacẽtes ẽ ſubtilis: alit̃ nõ flue
ret ingroſſetur ergo in partibꝰ ſupioꝛibꝰ in ꝑmiſ
diebꝰ ne fluat̃ ad dicta mẽbra ⁊ ledat ea naꝫ ca/
dens ad oꝛgana ſenſuũ ledit ea ⁊ ꝑ ꝯñs ſenſus
cadens ad fauces cauſat raucedinẽ remolliẽdo
neruos iuueniles reũſiuos q̃ ſunt neruivoc̃ mo/
uẽtes lacertos gutturꝫ in formã cãpane infoꝛmã
do vocẽ.ꝑᵒ ⁊.4ᵒ.đ intio. ⁊ q₂ motiui debẽt eẽ ſic
ci in eoꝝ natura cadẽs in gutture: vl'in cãna pul/
monis facit apã ſquinãticũ: vel aſꝑitatẽ gutturꝫ
⁊ cãne; q₂ mat̃ia moꝛdax ex q̃ eſt fria ſalſa acuta
vl' col'ica: vl' q̇a ineq̃l'r inheret in ꝑtibꝰ ill': iõ exa/
ſperat: cadẽs ad pulmonẽ ⁊ pectꝰ cãt tuſſim vel
apã ꝑipl'onicũ: nã ſenſitiua illarũ partiuꝫ ſentiẽs
nocumẽtũ incitat expulſiuã naturalẽ vt expellat
foꝛtiter cũ conatu motiue aiate. Illud nocumen
tũ talis morꝰ đ: tuſſis vt declarabit̃ in ſequẽtibꝰ
cadẽs ad ſtomachũ facit doloꝛẽ ſtomachi. cadẽſ
ad latꝰ facit pleureſim: nc̃cium eſt ergo talẽ ma/
teriã ingroſſare vt talis fluxus nociuꝰ ſedetur in
p̃ncipio g̃ cuiuſcũq₃ catarri cal'i vl'fri frigida cũ
ſubſtãtia mediocri vel groſſa adminiſtrẽtur vt ma
teria cadẽs in catarro igroſſet̃ ⁊ caſus eiꝰ p̃hue/
tur. ¶ Si q̇s catarrũ de mat̃ia cal'a vel fria ſine
fe. habuerit in ꝑmis diebꝰ vtat̃ riſi oꝛdeato inte/
gro bñ cocto cũ aq̃ pulle vl' cũ lacte amigđ. vtat̃
pull' ꝑdicibꝰ auicul' ꝑuis edulo bullitꝫ vl' aſſatis
⁊ meliꝰ. vtat̃ piris ⁊ coctanis cocꝫ in modica tñ
q̃͞titate: vino groſſo limphato cũ aq̃ ꝯfracta ſe/
mi tepida. vl' ꝙ in tacea ponat̃ toſta panis cal'a
q̃n voluerit potare qđ facimꝰ p̃ncipalibꝰ poti^{me}
tp̃e frio poſtponãt ſomnũ ⁊ offas. Si mlꝫ tal'ca
tarriſatꝰ g̃uaret̃ da ſibi 3ª vl'.4ª die caſſiãſ. ℞.
prunoꝝ damaſc̃ vuarũ paſſ̃. mũdatꝫ ab arill' ca/
ricaꝝ piguiũ iniube ſebeſtẽ. añ. p. h̃. ſ̃. decocᵒ i du
abꝰ ll'. aq̃ donec redeat ad ll'. h̃. in q̃ diſſoluat̃ me
dulle caſſief̃. bñ mũdate a g̃nul'. ℥. i. h̃. vl'. ℥. ij. in q̃
buſdã cõpactꝫ dure eductiõis ſ̃. potꝰ det̃ i oꝛtu ſo
lis iaceat i lecto ꝑ tres hoꝛas capite baſſo ſũpta
caſſiaſ̃. abluãt os cũ caſſiaſ̃. poſtq̃͞ iacuerit in le

ro p tres horas ſurgat vadat p domū ad vnā
horam ⁊ vltra. Poſtea dato ꝙ parum aſſellaue
rint: potent de brodio pulle macriori ⁊ pran-
deāt q: magꝭ aſſellabūt pꝰ prādiū ſi nō placeret
ſibi da ei cliſtere cōe. ℞. maluaꝝ ſicle mercurialꝭ
ān. m. i. anꝭ marat. ān. ʒ. ß. furfurꝭ groſſi. m. ß. ff. de
cocº i q̄ diſſoluatꝭ yerapigᶜ galꝭ. ʒ. ß. caſſiefꝭ. mūđ
ʒ. i. olei cōis q̄rt. ß. ſalꝭ cōis ff. cliſtere. plꝰ vz iª caſ
ſiaff. ꝙ. x. cliſteria i ħ caſu. ¶ Cōſeq̄nt ſi maª ca
tarri fuerit calꝭa qđ pateſcit q: vrine coloᶜ facies
aliq̄lꝭ rubea calor i frōte ſi ſit venoſus ⁊ aſſuetus
flōia fac ſibi flōiaz. 6º die đ epatica vlꝭ mediana
ſi groſſior fuerit vtatꝭ diadrag. frio lꝭ diapapauerꝭ
i pnº catarri vſq ad mediū augm̄ti. poſtea pote
ris pmiſcere vnā ptē diairis ſalomōis: q: t̄ciā vel
q̄rtā ptē vt maŧia fluxa ſatꝭ ingroſſata p ſputum
expellatꝭ trāſacto medio augm̄ti ipiꝰ catarri faci
es viceūſa. Pōe eq̄lꝭr đ iſtꝭ elcijs vlꝭ plꝰ đ diarrijs
facies ſic. ℞. ɔſerue capilli venerꝭ. ʒ. ß. ɔſerue iſo
pi. ʒ. ß. diairis ſalomōis. q̄rt. i. ß. diadragꝭ. fri q̄rt. i.
pānoꝝ auri puri ff. ɔditū i modū zuc. roſ. vlꝭ da ſi
bi de diayſopo. ¶ Tu dices i q̄ cognoſcā pnciᵐ
augmēti ipiꝰ catarri. Dicēdū ꝙ pnᵐ catarri du-
rat ꝙdiu maŧia ē ſubtilꝭ aq̄ſa intelligas pnᵐ ca
tarri q̄ ad digōez mō exponitꝭ pnᵐ augm̄ti ē qñ
maŧia q̄ icipit igroſſari ⁊ qñ cōpetētꝭ ingroſſatur
ē i fine augmētī vlꝭ i pnº ſtatꝰ qñ bñ ⁊ fortꝭ ē in-
groſſata tūc ē ſtatꝰ catarri q̄ ad digōez mᶜ puta
ꝙdiu maŧia ſpuitꝭ ſubtilꝭr debemꝰ dare igroſſati
ua vt tibi pdixi. ¶ Nota tñ ꝙ tpa catarri q̄ ad ca
ſum ſeu deſcēſuz maŧie nō diſtiguūtꝭ penes illa
q̄ dicta ſūt ſꝫ q̄ ad maiorē q̄ntitatē ptiū ſubiacētiū
⁊ abūdātiā talꝭ maŧie in ore ⁊ i gutture cōitꝭ mate
ria currit ⁊ fluit p maiori pte i tribꝰ ⁊ q̄tuor die-
bꝰ pptꝭ qđ ē ɔſiliū ꝙ 3ª vlꝭ 4ª die des ſibi caſſiā-
fiſtu. dictā vt maŧia fluxa i pectoralibꝰ ⁊ ſtoº eua
cuetꝭ poſtꝙ trāſiuerit. 6. dies ⁊ catarꝰ q̄ ad dige
ſtionē maŧie fuerit i ſtatu facta flōia ſi pdicta fu
erit faciēª ad ħ. Stuphetꝭ ſibi caput i introitu le-
cti pudetꝭ ⁊ ſudabit ⁊ dormiet ſtatī tota materia
ſpuēdo ⁊ ſudādo erit euacuata. ℞. floꝝ cāomil-
le mellꝭ. ān. p. i. yſopi. p. ij. vuaꝝ paſſ. p. ij. ff. decocº
i aq̄ cū aq̄ ſtuphetꝭ i facie ⁊ i frōte ⁊ i introitu le-
cti vt dictū ē. ¶ Sup ħ nō ꝙ ad catarrū cōitꝭ ſub
ſeq̄tur tuſſis aliq̄lꝭ q: portio aliq̄lꝭ deſcēdit ad pec
toralia: q: patiens a tali modica tuſſi nō mltū
q̄uatꝭ nō ſtamꝰ i remedijs ſup tali tuſſi qđ ſi eſſet
fortꝭ adminiſtramꝰ de pillis q̄s teneat vnaz in ore
ɔtiᶜ. Et lꝫ infra in. c. de tuſſi hēat locū magꝭ inter
dū pillꝭe hñt locū i iſto caſu q: maŧia mlta i pnº
catarri icipit fluere ad pectꝰ teneat đ illꝭ pillis q̄

ſūnt ſatis placide ⁊ phibēt caſū maŧie ad pecto
ralia maª igroſſando i pnº catarri añꝙ maª ſpu
atꝭ groſſa ſpiſſa đ q̄cūq maª fuerit ſiue calꝭa ſiue
fria q: ꝙcūq maŧiaz igſſāt. ℞. ſe. pap. al. ſe. portu
lace caude pendiarū dragagāꝭ iſuſi. ān. ʒ. i. opij.
℈. i. ɔficiātur cū ſirº mirtino vlꝭ de papaᶜ fiāt pil-
lule ad modū lupini vlꝭ medie fabe. Velᶜ de q̄bꝰ
vtimur i curia romana. ℞. gūi arab. ʒ. ß. gūi albi
dragꝭ. ʒ. i. amidi. ʒ. ij. zuc. cādi q̄r. ß. panis zuc. q̄r.
i. gūi i aq̄ roſ. diſſoluātꝭ p duos dies ⁊ ſilꝭ icorpen
tur fiāt pillꝭe pue ad modū lupini vlꝭ pue fabe q̄
exſiccētꝭ p duos dies: Iſte pillꝭe igroſſant maŧiaz
iō ſedāt tuſſim ħ vult ſerapio pº ſuoꝝ ſimpliciuz
c. de medicis ſedātibꝰ tuſſiz: verū magꝭ approp̄i
antꝭ i maŧia calꝭa lꝫ i vtraq valeat q: quecūq i
groſſant: poſtꝙ maŧia ſpuitꝭ bñ igroſſata nō de-
bes vti iſtis pillis ſꝫ vtarꝭ de diairis ſalomōis. vlꝭ
de carnibꝰ iris ɔſeruatꝭ cū melle faciūt ad expl'ſi
onē mᶜ ptiū pectoraliū cōpetēter teneat i ore loº
pillꝭaꝝ: ⁊ pꝰ pauſaz trāſglutiat ſi nō ſit curatꝰ a
tali reumate ifra. x. vel. xij. dies da ſibi caſſiaff. ite
rū dictā mō dicto. ¶ Poſtea vadas ad ſtuphas
nā maŧia digeſta i catarro flōie ⁊ ſtuphe ſūt vlti
me medicie pptꝭ qđ reiterāda ē ſilꝭ flōia: ſi pucu
laª req̄rāt añꝙ vadat ad ſtuphas. Si q̄s aūt ca-
tarrū de maŧia calꝭa vlꝭ fria cū febre effimera ha-
buerit qđ pluries ɔtigit tūc apparēt vrine aliq̄lꝭr
inflāmate ⁊ nō multū ⁊ ypoſtaſis appetꝭ hñt ca
lorē pter naturā ſꝫ nō multū intēſuz. Vlꝭ putridā
habuit vbi vria ē ɔfuſa icolꝭ eleuata ſine reſidēª
multū calidꝰ ⁊ ſatꝭ ſitibūdꝰ cū dolꝭ. cap. tali cōpe
tit dieta igroſſatia i pnº p. 4. vel. 5. dies vt dictū
ē ſupꝰ vt ſedetꝭ fluxꝰ maŧie ⁊ caſus ad ptes ſub
iacētes: i pmis ꝗ vtatꝭ aduenato riſi cocꝭ cū lac-
te amigđ. dulciū. Vitet carnes ſi pt alitꝭ capiat đ
brodio pue pulle vtatꝭ pirꝭ ⁊ coctanis cocꝭ in pu
nis p tres ⁊ p. 4. dies i pnº dūtaxat poſtponant
vinū. verū ſi patiatꝭ effimerā tūcꝰ pt ſibi ɔcedi vi
nū ⁊ pulla ⁊ pdices ⁊ auicule pue ſi alꝭr non pōt
tranſire: vtatꝭ ptiſana potiᵒⁿᵉ p ſe vel cū ſeie papꝭ.
in pmis diebꝰ. Si putridā habuerit. ℞. ordei cū
cortice. ʒ. iij. ſe. papa. al. ʒ. i. iuoluātꝭ i pāno lineo ⁊
bulliātur i aq̄ fontꝭ electa. vlꝭ potet de aq̄ ſimᶜ bul
lita cū iulep. roſ. cū. i. cocleari iulep. vlꝭ ſirꝭ roſ. po
tes facere vnā taceā plenā aq̄ bñ mixtis. Trāſa
ctis pmis diebꝰ puta. 4. vlꝭ. 5. poſt ponas pira: ⁊
coctana ⁊ ſufficꝭ tibi aq̄ ordei ſimplex ſine ſe. pa-
pauerꝭ. 2ª vlꝭ. 3ª die da ſibi cliſtere cōe. ℞. quinq
herbarū cōiuz. ān. m. i. aniſi maratꝭ. ān. ʒ. ß. ff. de-
cocº in q̄ diſſoluatꝭ olei cōis q̄r. i. caſſiefꝭ. mūđ. ʒ. i.
ſalꝭ cōis. ʒ. iij. fiāt cliſtere. Cōſiliū ē vt nō ponas

opiatas in febricitātib⁹: qꝛ exſiccāt īteſtina ꝛ calefaciūt, ꝑpt̄ qđ poſtponas q̄tū potis đ ꝯci° Ga¹. ad glauconē. 4° die da ſibi caſſiaſ̄. cōez ſtatī dictā ī cura catarri ſine fe. mō dicto. Et ſi ꝑticulaª ꝯcurrāt φ ſit ſanſ̄ coloꝛat⁹ ī facie cū vꝛinis ſanſ̄ coloratī ꝛ ſit venoſus aſſuetus flōias flōeſ̄ in. 6°. die. ¶ Cōſeqnt̄ qꝛ matia q̄ exponeſ̄ erit cōpetēt ingroſſata ponas loco ſe. papaueris cuz ꝑtiſana de capillꝰ ve. aut qꝛ ſubtiliāt matias ꝟ qꝛ matia inſpiſſaſ̄ ꝛ deopilat ꝑtes pectoꝛales pōs ꝛ cū hoc modicū đ iſopo ī ꝑtiſana iſta. ꝑtiſana hēbit locū ſirū¹. Aduīte tñ φ ī catarro cū fe. ꝛ ſine fe. non cures ſiruppare qꝛ ſi ſint ſtiptica nocebūt fe. opilādo ſi ſint apitia erūt ſubtiliātia matiā ſic ꝯriabūtur ītētiōi curatīe ī q̄ errāt moderni. elcᵗᵃ eis cōpetētia dicta ſūt ī cura catarri ſine fe. ¶ Cura tñ đ ꝯci° ga. ad glauconē ꝛ đ inge°. ꝛ ē ꝯtra modernos ſeqntes auic. φ ī aliq̄ fe. mūdīfi des medicinā attractiuā qꝛ illa ē calīa ꝛ augmētat diſcraſiā ꝛ attrahēdo ꝑmiſcet nccīo malignū cū benigno: iō ex nccītate augmētaſ̄ malignū ꝛ ꝓlōgaſ̄ moꝛbꝰ qꝛ trahiſ̄ ꝑs ſubtilꝰ ꝛ rēanet groſſa: ꝛᶜ ꝓlōgat ꝛ nō ſolū ꝓlōgat: īmo ēt ex talib⁹ ꝑiclitaſ̄ ꝛ multi nō dubito moꝛiūſ̄. vtinā tenuiſſez iſtud ꝯciᵐ tꝑib⁹ ꝑterīſ̄ qđ nō feci ībut⁹ ī erroꝛib⁹ modernoꝝ ex q̄buſdā dicīſ̄ auic. male ītellecīſ̄ vt tᵘ explicaui ī expoſitiōe. xi đ īge° ſanitaſ̄. caſſiaſ̄. māna cliſteria cōīa ſūt medicie btē ī febꝛicitātib⁹ ꝛ potes reiterare ī. 4. dieb⁹ cliſteria ſi op⁹ fuerit ꝛ ſelꝰ in q̄tuoꝛ dieb⁹ caſſiaſ̄. ꝛ māna ſine ꝑiclo. Et qꝛ tales cōīt hñt doloꝛē capiſ̄ rōne catarri cū fe. ꝛ ſine fe. ego facio eis ſacculos đ roſ̄. ex ītētiōe galteri q̄bus mirabilꝛ ſedaſ̄ doloꝛ. ℞. roſ̄. rub. nō ꝯcaſſatarū qđ ſufficꝰ ſ. ſacculi ꝑ frōtē ꝛ īterbaſtati ī pāno lineo raro īterbaſtati cū duab⁹ baſīſ̄ in me° duo ex illꝰ ponāſ̄ ī aq̄ vſqꝫ q̄ īcipiat ebullire. poſtea capiaſ̄ vn⁹ ꝛ cōpſſus cū ſciſſoꝛijs poſtea cū manib⁹ frōti applicetꝰ ſtet ibi q̄diu durabit caloꝛ. poſtea capiaſ̄ alſ̄ de olla ꝛ ſic cōpſſus frōti applicetꝰ ꝛ ille reitromittaſ̄ ī olla q̄libet applicetꝰ bis vꝰl ter ꝟ fiat māe ꝛ ſero. q̄b⁹ factīſ̄ terti⁹ ſaccul⁹ ſicc⁹ capiatur ꝛ frōti applicetꝰ ligeſ̄ cū bend ī vtroqꝫ capᶜ ꝛ doꝛmiāt cū iſto ſicco. Et ſic termieſ̄ cura catarri.

¶ Caplm. 15. de obtalmia.

Uz ea q̄ ī oculꝰ alba ſūt ī rubedinē mutata fuerit fluxeritqꝫ lacrime ī āgulis oculoꝝ lacrimalib⁹ lippitudo collecta fuerit. dicem⁹ tūc egꝝ pati obtalmiā ꝛ q̄nto pl⁹ ſintomatuz vehemētia aut ipoꝝ affuerit maioꝛ ratio tāto erit obtalmie foꝛtitudo aut ei⁹ debilitas. Deterioꝛ āt obtalmia ē cū alba oculoꝝ videſ̄ iſlata ꝛ adeo eleuata vt oculoꝝ coopeꝛiāt nigredinē ꝛ palpebꝛe īuerſentur. In ꝑncipio v° curationis obtalmie cephalica ē flōmāda ex manu vꝰl bꝛachio ꝑtis ꝯtrarie ī q̄ ē ocul⁹ infirm⁹ niſi leuis fuerit obtalmia. Et q̄nto foꝛtioꝛ fuerit obtalmia tāto pl⁹ ē minuēdū ex ſanguine: deīde vēter ex mirabolanis citrinis ꝛ terraniabī ꝛ ſucco fructuum ſoluēd⁹ ē ꝛ eger a carne ꝛ vino ꝛ a reb⁹ dulcib⁹ abſtinere dꝫ ꝛ cibū minuere. Qđ ſi iſta nō ſuffecerīt ſieſ̄ albū ī lacte puellā lactātis fricādū ꝛ ī oclo diſtillādum. Et ſi lippitudis multitudo ī oleo collecta fuerit radi⁹ coto īuoluaſ̄ ꝛ madefiat ī aq̄ ꝛ cū eo ocul⁹ ab illa lippa mūdeſ̄. Deīde puluis alb⁹ aſꝑgaſ̄ ꝛ ſupponendo oculꝰ aliq̄d ſuauiter ſuſtēteſ̄ ꝛ ligeſ̄. ꝛ eger in domū tenebꝛoſaz mittaſ̄ ꝛ īgeniādū ē q̄ntū poſſibile ē vt ſomn⁹ ꝓuocetur. Caueat tñ ne ſuꝑ oculū īfirmū doꝛmiat ꝛ ne caput deꝑſſum ſit ſꝫ ſuperi⁹ eleuatū neqꝫ veſtimētoꝝ caputia ſint ſtricta neqꝫ ī faciez ſediu ꝓiciat. Si āt oculus leuioꝛ fiat ꝛ doloꝛ ſedeſ̄ ac lacrie minuāſ̄ flōia iā facta ꝛ vētre ſoluto balneum multotiēs ꝛ freq̄nter īgrediatur. Ex hoc eñ paſſiōis reliq̄e diſſolueſ̄. Qđ ſi ī aulo hūeroſitas et

A blody impostu me in ye eyes

grauedo remãſerit puluis citrinꝰ erit imittēdꝰ. Ex his ãt q̄ habẽti obtalmiã multũ ꝯferũt ẽ vt frons ⁊ palpebre ex hoc liniãt epithimate qd ℞. ſief memithe roſaꝝ aloes licij ſandali rubei ſauſel croci oriẽ tal' oim ãn. ptes eq̃les fiãt ex his pille Cũq3 neceſſe fuerit reſoluat vna ex eiſ i ſucco coriãdri aut i ſucco ẽdiuie aut cũ aq̃ roſata ⁊ liat cũ eo ⁊ liberabit ſi ds voluerit. ꝯfectõ ſief albi ℞. ceruſe ablute. ʒ. x. ſarcocolle groſſe. ʒ. iiij. dragaga. ʒ. i. opij ʒ. ß. fiãt ex his forme lẽti ſiles. puluis citrinꝰ. ℞ ſarcocolle. ʒ. x. aloes ʒ. ij. croci. ʒ. ij. mirre. ʒ. i. licij. ʒ. ij. ex eis optĩe tritis imittat puluis cũ opꝰ fuerit. Puluis albus ℞ ſarcocollã albã ⁊ piguẽ q̃ mittat i lac mulieris qd melꝰ erit cũ alicuius iuuẽcule fuerit ⁊ dimittatur in vmbra donec ſiccet ⁊ terat optĩe ⁊ oibꝰ. ʒ. x. ipſius addãt de ſief memithe. ʒ. ij. q̃ iterũ optĩe trita reponantur ⁊ cum opus fuerit in oculum mittantur.

Eobtalmia

.i. de apa te ſanguineo ca. cũ portiõe cole vl' flãt vcpl'im vl'ic tunice ocl'i puta ipiꝰ ꝯiũctie. Nõ p° ꝙ obtalmia duplex ẽ vera ⁊ nõ va. nõ va fit p diſſolutionẽ ⁊ rarificatiões hũor̃ i ocl'o a cã aliq̃ extriſeca puta a fũo a puluere cãnte dol'. ſiui q̃lita te pũgẽte vl' mordicãte. iſta d facili curat remota illa cã pmitia, ppt qd dic gaꝰ. 5 archigine p° de int. c. ij. ꝙ tal' paſſio nõ ẽ i eẽn° oculi q: nõ remanet cã fluẽte ceſſante. Locu° ẽ ppa i arte naz Ga. vult ꝙ morbꝰ nõ dicat eẽ in eẽn° mẽbri niſi remaneat cã fluẽte remota. B declarat ibidẽ ⁊ in c. 5. de in digeſtiõibꝰ ſto' a radicibus vl' ab ouis friꝗa mal' ⁊ i ſilibꝰ ꝙ q: ill' cib euomit ⁊ expulſis ſtoꝰ ẽ curatꝰ a tali nocumẽto ⁊ idigõnẽ ꝙ ſtoꝰ egrotabat ß nõ in eẽn°. Iſta tal' obtalmia pt venire i verã q: tal' cã extriſeca pt eẽ ita fort ꝙ erit cã notabil' fluxꝰ hũoꝝ ad oculos ⁊ tũc q: tal' obtalmia remanebit i ocl'o cã illa pmitia ſiue extriſeca remota ⁊ ceſſante necnõ illo fluxu hũorali ceſſante tũc bñ dicet tal' obtalmia eẽ i eẽn° oculi Iſte ſũt locutiões ppe ⁊ i q̃bꝰ n adũrũt moderni nr̃i rũpẽtes ⁊ excoriãtes pncipẽ art̃ i locutiõibꝰ ſuis. va obtalmia ẽ apa calĩn ſãguineũ ex to° vl' i pte cõit cũ portiõe colere vl' flãt qd flã p putrefactões ⁊ motũ caleſit i ocl'o: tal' cãt p fluxũ hũorũ dictoꝝ ad ipm ocl'm ppt qd tal' pa° ocl'oꝝ p dz eẽ p colligãtiã vt dicet hũores fluẽtes ad dcz ocl'm replẽt vẽas ⁊ poroſitates ipiꝰ ꝯiũctie. ⁊ c ꝙ ꝙ imedic iſit ipi ꝯiũctie erit ppꝰ ⁊ pncipal' morbꝰ ocl'i vt declarabit p° ⁊ 3° q̃ſito. ¶ Vltꝰ nõ: vt videas bñ paſſiões diuſas ocl'oꝝ nc n pticl'as q̃bꝰ imedic iſũt paſſiões tl'es ꝙ i ocl'o ſunt duo nui q̃ obtici dñr ß hũores ⁊. 7. tũice. iſti duo nerui q̃ obtici dicũt ſũt pm par neruoꝝ capit. 4. d it. c. 5. idẽ dic ſat i. c. p°. iſti ſolũ ſũt ſenſibil'r ꝯcaui. 4. d mor° i. c. 3. vt portẽt ſpũs viſibiles ꝙ plures ad ipos ocl'os ppt ꝯti am actões eoꝝ circa obiecta ppiq̃ ⁊ remota q̃ ſpũs diffũdũt ad ocl'z p totũ ocl'm ipz illũinãdo pnr vſq3 ad criſtallinã ꝯtr vſq3 ad corneã vltimã pelliculã q: exeũt pupillã vſq3 ad corneã vt dic ga. 4. d mor°. c. p°. idẽ dic. i. ꝯnoſti. ꝯ° illꝰ mobilitat ſig manuũ ex q̃ mlti dicũt ga. opinaſſe ⁊ fuiſſe itẽtiõis ꝙ viſio fieret extmittẽdo qd n ẽ vm q: ſi vult ꝙ exeãt corneã. iſti tl'es nui obtici pcedũt a capite a dex° ad ſiniſtm crucisignãdo vt tm ſit ibi vnũ foramẽ i q̃ cãcellẽtur ydola rerũ viſibiliũ ⁊ tãꝙ vnũ a q̃cũq3 re ſenſui cõi pntet: ne vna iudicet dupl'x q̃ nerui obtici va ẽ pãnicul' q̃buſd ſũt i orbita ocl'i ⁊ extrẽitates ipoꝝ obticoꝝ i q̃libet ocl'o dilatãt ⁊ extendũtur ⁊ ãpliãt ⁊ cõphẽdũt tres hũores q̃ ſũt i q̃lib3 ocl'o ⁊ iſti nerui obtici ſtãt tẽſi vt ꝯcauitas eoꝝ rẽaneret i ſuo eẽ ⁊ tẽdũt cũ q̃buſdã lacert puis q̃ d facili i ſenibꝰ palticãt rõe exceder hũiditat cerel: eoꝝ ppt qd n ẽ i ipis dicta ꝯcauitas libera ppt qd ceſſat trãſitꝰ ſpũuz viſibiliũ p eos ⁊ c pdũt viſuz ẽ pulcritudĩe ocl'oꝝ. 4. d intio. c. p°. q̃ caſꝰ ſilr ꝯtigit q̃buſdã ãn ſeniũ ⁊ ego vidi ſic nerui illi patiũt p colligãtiã illoꝝ lacertoꝝ nõ tẽdẽtiũ dictos neruos. Tũice ſũt. vij. pa tũica imedic aſſiſtẽs ipſis obticꝗ eſt tunica ſcliroticа. i. dura que oritur a dura mr̃e puta a pellicula ſupiori ipſius cerebri natura creauit ipſam duram ne oculꝰ a duricie cranei lederet. Secũda tunica ſtati adherẽs eſt ſecũdina q̃ orit a ſecũda pellicl'a cerebri puta a

pia matre. Tertia tunica ſequēs imediate ē reti
na q̄ ꝯphēdit ocl'z mag' ſic rethe ꝯphēdit vēatō
nē q̄ orit̄ a rethe mirabili q̄ orit̄ a pelli^a ſbtilima
cere' ꝯphēdēte cerebꝝ ad mo^m reti. ꝯñt vēit pri⸗
m⁹ hūoꝝ ab itra q̄ dicit̄ vitre⁹ q̄ ē ſemirubeus ad
modū vitri liq̄facti ex q̄ nutrit̄ hūoꝝ criſtallinus
ꝓpt̄ qđ nō ſūt in eo v̄tutes naturales ex quo eſt
ſuba nutrīmētal' tm̄. Cōſeq̄nt̄ venit imediate hu⸗
moꝝ criſtallin⁹ q̄ nutrit̄ ex illo ꝓpt̄ qđ adheret
ſibi imediate ⁊ ē clari⁹ ad modū vt meli⁹ recipe
ret ſpēs reꝝ viſibiliū tāq̄ ſpeculū rē in medio cir
culi ſic rex in regno: q̄ ē ps ꝑncipalioꝝ oculi. ta⸗
lis hūoꝝ in ſe ē mēbꝝ ꝯſilē ꝓpt̄ qđ pōt ſibi ineſ
ſe mala cōplō. 4° de morbo. c. p°. rōne officij eſt
official' ꝓpt̄ qđ pt ſibi ineē ꝑmo morb⁹ official'
puta tortio. Idē ē intelligēdū de alijs ptib⁹ ocli
⁊ alteri⁹ organi. Cōſeq̄nt̄ venit 4^a tunica q̄ dici
tur aranea q̄ naſcit̄ ex extremitate rethine: ⁊ iſte
due tunice ſe ꝯiūgūt ſic due ſcutelle cōtinentes
duos liq̄res ꝯdiuiſos ⁊ diuerſos ſatꝭ inſpiſſatos.
Cōſeq̄nt̄ venit hūoꝝ albugine⁹ q̄ ē tāq̄ ſupflui⸗
tas hūoꝝ criſtallini q̄ in creatiōe ocli ſeq̄ſtrat̄ ⁊
ꝯti^e augmētat̄ p nutritionē criſtalline. iō nō hñt
v̄tutes naturales ꝓut dictū ē de hūore vitreo lꝫ
ſit ps ſpīatica coadiuuās in orga^co puta actōe
viſiua ocloꝝ nā poſit⁹ ē añ vt defēdat criſtallinā
a reb⁹ extrīſecꝭ potiſſime a ſiccatōe ſupflua ex ca
lore ſolis ⁊ aeris vl' ignis. ꝓpt̄ qđ medici ꝓhi⸗
bēt ne ꝑlati vl' ꝑncipes qñ caleſiūt teneāt faciē
apud ignē ſ₃ voluūt dorſū: nā in ſenectute hu. o⸗
culoꝝ minorāt̄ ⁊ exiccāt̄ in ꝓceſſu etatū: ꝓpt̄ qđ
oculi ꝑuificāt̄ in eis. ⁊ ita intelligas de oī hūidi
tate ſpīatica. ꝓpt̄ qđ ſi cā extrīn^ca coadiuuet for
ti⁹ ⁊ de facili mag' miorabūt̄ ⁊ ꝯſūmēt̄. Cōſeq̄n
ter venit 5^a tunica q̄ dicit̄ vuea colorꝭ medij int̄
nigrū ⁊ viridē vt virt⁹ viſiua fortificet̄ p vnionē
ſpirituū q̄ tunica vuea orit̄ a ſecūdina ⁊ ſūt ſicut
due ſcutelle mediocres ꝯphēdētes illos tres hu
mores dictos vt dcm̄ ē cui⁹ foramē đr pupilla.
Cōſeq̄nt̄ venit 6^a tunica q̄ đr cornea coloris ad
modū cornu lucidi ꝯtexta ex q̄ttuoꝝ pelliclis ē la
tis fortꝭ cōpacta lucida vt ꝑñtet ſpēs viſibiliū et
defēdet criſtallinā a nocumētꝭ extrīſecꝭ. 7^a tūica
đr ꝯiūctina q̄ ē alba piguis cū venul' ꝯtexta oc⸗
culꝭ ꝑma frōte ⁊ ē ps tunice coopiētꝭ c̄ncū vt di
cit raſ in ſuo ꝯti^e. c. đ paſſiōib⁹ ocloꝝ in ꝑn° ꝓpt̄
qđ citi⁹ apat̄ ⁊ in ea fit obtalmia.

Primo tu q̄res cui⁹ pti^e oculi obtalmia
ē paſſio ꝑn^r. Dicēdū obtalmia ſi
ꝑua fuerit ē pa° ꝑn^r ipſi⁹ ꝯiūctie vt ē ps cōſilis.
q₃ tc̄ tlis obtalmia ē morb⁹ ꝯſilis ꝓpt̄ qđ tm̄ ieſt
ſibi p° ⁊ ꝑn^r ⁊ imediate ⁊ ſecūda° ipſi toti ocl'o
q₃ ħ ē de rōne morbi ꝯſilis q̄ p° iſit pti ꝯſili ꝯñr
ipſi toti ſeu ꝯpoſito toti. ħ declarat ga. p° de mor
bo i duob⁹ capl'is vltimis. Si aūt obtalmia ma
gna fuerit q̄ ledit rōne tūoris motiuā ⁊ viſiuā o
culi ſil'r tūc tlis obtalmia mag' imediate ieſt ipſi
ꝯiūctie vt ē ps official' ꝑn^r ⁊ ꝑmo ierit in toto o⸗
culo ⁊ erit p° ⁊ ꝑn^r pa° ocl'i. rōnē dat ga. p° đ mor
bo. c. vltio q₃ actō toti⁹ ledit̄ ꝑn^r ⁊ morb⁹ đr re⸗
ſpectu actōis leſe imediate. p° đ mor° i ꝑmis ca
pitul' ⁊ vltis ⁊ in. c. 8°. 7°. ⁊ ꝯiūctina nō hꝫ actio
nē i organico. Sꝫ iuuamētū ꝓpt̄ qđ lꝫ imediate
ſibi iſit ꝑn^r ⁊ p° ierit toti ocl'o. ħ tibi explicaui in
expōne p' de mor° in. c. vltio. ¶ Et tu argues ꝯ
ħ tl'is obtalmia ieſt ſibi imediate. ꝙ ꝑmo ſibi in
erit. añs ē p me ſtati. ꝯña tꝫ ex v̄tute vocabuli ex
q̄ ſibi imediate ierit. Itē text⁹ dic̄ p° de mor. c. vl
timo ſi vuln⁹ magnū ſit i cornea q̄ vuea egredi⸗
at̄ tc̄ ocul⁹ lederet̄ in actiōe viſiua ⁊ tl'e vuln⁹ ſo
li cornee ptinꝫ. ¶ 3° arguit̄ ſic: qđ ſoli ieſt ꝑn^r ⁊
illi p° ieſt tl'e vuln⁹ ſoli cornee ꝑtinet vt dic̄ ga⁹.
¶ 4° qđ ieſt toti rōne ptꝭ nō ieſt ꝑn^r ipſi toti: ſed
accn̄^r. pꝫ p ga. in. c. vltio p'. de mor° nā ex ħ ꝑua
obtalmia q₃ ē morb⁹ ꝯſilis ⁊ ieſt p° ipſ pti vt đē
ad l'ram in caplo vltio ꝑmi đ mor° q̄ ē accn̄^r in
toto. mioꝝ ē ponit q₃ rōne cornee vulnerate. Itē
ocul⁹ ledit̄ in actōe ad leſionē ptꝭ igit̄ nō leditur
ꝑn^r nec ꝑmo. Itē ps coadiuuās in orgāico pōt
eē cā imediata ſubiectia morbi official'. igit̄ pri⸗
ma ⁊ ꝑncipal'. añs ē ga. p° de morbo. c. 7°. ⁊ 8°.
⁊ morb⁹ i nūero diminuto ē i loco in q̄ fuit facta
abſciſio ptꝭ ⁊ nō i toto ꝑn^r nec ꝑmo. Dicēdū ad
ħ rōnes iſte fortes ſūt ꝑma frōte ſ₃ q̄ bn̄ videt di
cta ga. p° de morbo nulli⁹ ſūt valoris. ¶ Et ſciē
dū q̄ qlibꝫ ſcia hꝫ ꝓpas locutiōes ⁊ ꝓpos tmi⸗
nos. vn̄ ſ₃m locutione ariſto. ꝑma rō ꝯcluderet. ſ₃
locutōes aꝝ. ſi aliq̄n obſuet̄ in medicia vt ariſt.
ponit faciūt errare medicū vt vult hali 2° tegni.
nā qđ imediate ineſt alicui nō ieſt ꝑmo nec ꝑn^r
apud medicū. Cā dicti ē q₃ morb⁹ đr reſpcū acti
onis leſe imediate nā actio leſa ſeq̄t̄ morbū ime
diate velut vmbra corp⁹. 3° đ mor°. mō ps coad⸗
iuuās i orga^co ſic ꝯiūctia nō hꝫ actōez i ocl'o ſ₃ iu
uamētū nō ꝑmo nec ꝑn^r. ꝙ pt e ĝtrare actio toti⁹
ocl'i puta viſiua ꝑmo ⁊ ꝑn^r ledit̄. igit̄ tl'is morb⁹
ꝑmo ⁊ ꝑn^r ſibi ierit: imediate tm̄ ierit ipa ꝯiūctie
vt ē ps official' vt vult ga. p° đ mor°. c. 7°. dic̄ q̄
ps coadiuuās ⁊ ꝑncipal' ꝯueniūt q̄ vtraq̄ pōt
eē cā imediata ſubiectia morbi ſic in paſſiōibus
oculoꝝ eſt explicatū in propoſito in obtalmia et
in vulneribus cornee quando cornea exit lꝫ im⸗
mediate inſint talia coniūctiue ⁊ cornee ꝑn^r ⁊ ꝑ
mo inerunt toti oculo. Ex quo actio totius ocu

li puta viſiua ꝛ motia ledit̄ p̄mo ꝛ p̄nci͛. Ad idē loquit̄ ga. 4° de morbo. c. p̄° dicit ꝙ ſi ꝯiūctia obtalmiā hūerit magnā ꝑ ſe ꝛ p̄mo viſui nocebit ꝛ p̄nci͛ lꝫ imediate inſit ipſi ꝯiūctie. ſic pꝫ tibi rō p̄ma. que prima fronte eſt apparens ꝙ eſt nulla. ¶ Ad 2m dicendum ꝙ tale vuln⁹ ſoli cornee ꝑtinet q₂ ſibi ineſt imediate: lꝫ p̄mo ꝛ p̄n͛ inſit toti ocl'o: q₂ actio toti⁹ ledit̄ puta viſiua ꝛ motia oculi ꝛ cornea nō habet actionē in ocl'o. ſ₃ iuuamentū ut ē dictū in anatho^a ocl'i. ¶ Ad 3m qꝺ ſoli ineſt. dicēdū ꝙ ſoli cornee ꝛ imediate ineſt tl'e vulnus. p̄mo ꝛ p̄n͛ ineſt toti ocl'o in nocumēto actōnis viſiue. ¶ Ad 4m ꝙ ineſt toti verū ē ſi ieſſet ꝑti ei⁹ actionē corrūpēdo: ſ₃ nō ieſt ſibi niſi corrūpēdo iuuamētū, ꝓpt̄ qꝺ ñ pōt ſibi p̄mo nec p̄ncipalit̄ in eē ſ₃ toti ex q̄ actio toti⁹ p̄oꝛ p̄n͛ leditur ¶ Ad aliud verū ē ſi lederet̄ ad leſionē ꝑtis in actōe ſ₃ nō ledit̄ niſi ad leſionē ei⁹ in iuuamēto. ꝛ reſpectu iuuamēti leſi nō dicit̄ morb⁹ ſ₃ cā morbi ut ē declaratū p̄° de morbo c°. 7° ꝛ 8° ꝛ vltimo ¶ Ad vltimū ꝯcedē° añs: nego ꝯñam ꝓpt̄ cām dictā pl'ies q₂ nō habet actionē i organico ſ₃ iuuamēti. Iſta verba ꝛ iſta deciſio nō intrabūt caput aſini nec medici abortiui. ¶ Cōtra aliud verbū ꝙ obtalmia ꝑua q₂ ē morb⁹ ꝯſil'is nō iſit p̄° nec p̄n͛ in ꝯiūctiua. Tu argues fortit̄ q₂ ſi hoc eſſet tūc morb⁹ ꝯſil'is p̄mo ineēt ꝑti officiali. conſequēs ē falſū in p̄mo de morbo q₂ tūc nō eēt cōſimilis. q₂ morb⁹ cōſil'is dicit̄ ꝯſilis q₂ p̄mo ineſt mēbro ꝯſili ꝛ p̄mo ledit actiōes mēbri ꝯſil'is q₂ differētie ꝓpe morboꝝ ſumūt̄ a mēbro cui p̄mo inſūt vt vult ga. p̄° de morbo in capl'is p̄mis ꝓbat̄ ꝯña q₂ ꝯiūctia ꝑs officialis ab offō in oculo vt defēdat criſtallinā. ꝛ ē ꝯtexta mollis rara cum venul'inlis. Dicēdū ꝙ ꝯiūctia pōt ꝯſiderari 2r. vno° rōne officij ꝛ ſic ē officialis q₂ ꝑs ñ ſaluat rōnē toti⁹ i recto. ſic nō ineſt ſibi ꝑua obtalmia ſ₃ mag̃ vt dictū ē ſtati. Alio° pōt ꝯſiderari i ſe ſecludēdo offm̄ ſic ē ꝑs ꝯſil'is ꝛ ſic pōt ſibi p̄mo ineē morb⁹ ꝯſilis vt ꝑua obtalmia declarat ga. p̄° de morbo capl'is duob⁹ vltimis. nā lꝫ veridice cōponat̄ ex diuerſis ꝑtib⁹ q₂ tl'is p̄ma frōte ſēſibil' nō ꝯſiderat̄ a medico i locutiōib⁹ coib⁹. ꝛ nō ꝯſideram⁹ illā niſi velim⁹ deuenire ad vltimā inq̇ſitionē veritat̄ nō alit̄ vt dic̄ ga. p̄° de morbo. c. 4°. et c. 3° ꝛ de cōpl'onib⁹ in. c. 4°. Tunc ad rōes nego ꝯñam q₂ ipſa ꝯiūctiua in ſe ē ꝑs ꝯſilis p̄ma frōte ex q̄ p̄ma frōte nō ꝯficit̄ ex diuerſis iō pōt fieri ſibi ineſſe morbus puta obtalmia parua.

Secūdo tu q̄res q̄re obtalmia melius ineſt ipſi ꝯiūctiue ꝙ cornee. Dicēdū ꝙ cornea ē mag̃ dēſa ꝛ dura min⁹ venoſa. ꝯiūctia ē magis mollis poroſa venoſa: iō de facili fluit ſan. in poroſitatib⁹ ei⁹ inducēdo tumorē apoſtemoſū. ſil't q₂ ē ꝑs tunice coopiētis 'craneū magis ſil't approꝛiat̄ venis lacertoꝝ capitis iō reſtringim⁹ fluxū hūoꝝ ad cā per applicata in tēporib⁹ qñ venerit a ſāguie venarū extra craneū qñ venit a pellicul' intrīſecꝫ nō reſtrīgūt̄.

Tertio tu q̄res obtalmia eſt paſſio ꝑ ſe vel ꝑ colligātiā. Soluit l'ra 4° de ītio. c. p̄mo ꝙ oīs paſſio oculoꝝ potiſſime maꝫ alis ē ꝑ colligātiā q₂ venit a venis pelliculaꝝ cerebri vel a venis pellicule coopiētis craneū ſan. coleric⁹ vel flātic⁹ ꝑ viā catarri qꝺ venire nō debet ſ₃m naturā. veꝝ aliqñ auctores dicūt ꝙ fit de cā p̄uata q₂ venit a pellicul' cerebri ꝓpt̄ vicinitatē: ꝛ q₂ pellicl'e oculi decidūt̄ a pellicul' cerebri vt dictum eſt ſtatim.

Quarto tu q̄res. obtalmia q̄s morbus eſt in ſe i gñe ꝛ i ſpe. Dicēduꝫ ꝙ ꝑua obtalmia ē morb⁹ cōſil'is q₂ mala cōpl'oca. cū ma^a q̄ p̄mo ineſt ꝑti puta ꝯiūctie vt eſt ꝑs ꝯſil'is vt dictū ē. ꝯñr ipſi toti vt ē bñ declaratum in p̄cedētib⁹. ¶ Magna v̄o obtalmia ē triplex gen⁹ morbi mala cōpl'o dicta mala cōpoſitō: q₂ mala figura ꝛ ſolutio ꝯtinui q̄lit̄ mala cōpl'o primo ineſt ꝑti ꝯſili puta ipſi ꝯiūctie mala cōpoſitio ipſi ꝯiūctie imediate vt ē ꝑs officialis lꝫ p̄° ꝛ p̄ncipalit̄ inſit ipſi toti. hoc ē bñ declaratū ſtatim queſtione prima.

Quinto tu q̄res. cui⁹ v̄tutis obtalmia ē paſſio p̄nci͛ ſeu nocumētum paſſiue intelligēdo. Dicēdū ꝓut ē ſupi⁹ pl'ies dictū ꝙ regitiue natural'. ꝛ vital' mēbri mādātis puta digeſtiue ꝛ expulſiue natural' ꝛ vital' vt pꝫ. p̄° de igē°. c. 2° ꝛ 8°.

Sexto tu q̄res. cui⁹ v̄tutis obtalmia eſt paſſio p̄n͛ ſeu nocumētū actiue Dicēdū ꝙ ꝑua obtalmia ē paſſio regitiue natural' ꝛ vital' ꝯiūctie ꝛ toti⁹ oculi. Mag̃ aūt eſt paſſio aiate motiue ꝛ viſiue ocl'i ꝯñr regitiuaꝝ nālūi ocꝫꝝ

Septimo tu q̄res. q̄b⁹ ocl'is obtalmia mag̃ ieſt ſeu accidit Soluit ga. 3° āpho. cōmēto illi⁹. de tꝛib⁹ v̄o ſi q̇dē ꝙ ocl'i calidi ꝛ mobiles p̄ cctis patiūt̄ obtalmiā. nā tunice ocl'oꝝ ortū hñt a pellicul' cerebri vt ē dictū i anatho^a. ꝛ tl'es ocl'i mobiles arguūt caliditatē in pellicul' cerebri ꝛ i cerebro i q̄ ncčio abūdat hūoꝛ ca. ſubtilis q̇ modica occaſiōe cāe p̄ntiue puta cal'. vl' frigoris fluit ꝛ cadit ad oculos potiſſime a pellicl'a coopiēte c̄ncū vt pl'imū.

Octauo tū q̄res. in obtalmia debꝫ nē dari medicina fortꝭ ꝛ attractia in p̄ncipio morbi nō p̄cedēte ſyru°. Soluit littera.xiij°. de inge°.c.6° ꝙ obtalmia ꝛ ſi fortꝭ ꝛ mag̃ fuerit curatꝭ in pricipio cū forti medicina laxatia ſcꝫ cū pillꝭ.cochijs ſi maª fuerit in p̄te flātica.vel cū aureis ſi fuerit colerica in craſtinū ſūt curati dicꝭ ga.ibidē ꝛ de facto videm⁹.idē vult raſ in toto cōti°. Hoc idē dicit de paſſiōib⁹ iūcturaꝝ dicꝭ ꝙ cū forti medicia q̄plꝭs curati ſūt in craſtinū a tali por°. Ex qb⁹ verbis ↄcluditꝭ ꝙ tales morbi curantꝭ a bono medico in p̄ncipio vlꝭ augmēto vlꝭ abſqꝫ hoc ↄueniat ad ſtatū nec ad declinationē ſūt verba notāda. Si arguas ex dictis ga.p̄mo ꝛ 2° de criſi ꝙ oīs morb⁹ ſalubris habꝫ q̄tuor tp̄a Dicēdū ꝙ verū ē ex ſe nō aūt ſi bon⁹ medic⁹ apponat manū.nā plꝭs curantꝭ ↄfeſti vt pꝫ in ſinocha nō putrida nono de inge°.vexꝭ ſe.putride forſan nō curātꝭ qn̄ hēant q̄tuor tp̄a de alijs morbiſ loq̄bātꝭ text⁹ allegati

Iſtis clarificatis cura obtalmie tibi pateſcit q: ↄcluſū ē intelligēti ꝙ oīs obtalmia venit p vīā catarri cū hūo: cadat ꝛ ruat a venis pellicularū coopiētiū cerebrū vel a venis pellicule coopiētꝭ craneū qd̄ ē vt plimū q: q̄t⁹ vlꝭ q: q̄lis vel vtrūqꝫ. Ad qd̄ facit incidū diſpō toti⁹ corporis coadiuuāte calꝭa extrīſeca p̄mitia caliditate vel frāte aeris vel fumo vel puluere pūgētib⁹ ꝛ ſtimulātib⁹ pelliculas dictas ꝛ cōmouētib⁹ humorē in orbita oculi ꝛ ptiū vicinaꝝ. Regēdi ſūt tlꝭs i p̄mis dieb⁹ aūt catarri quetādo hūorē ꝛ aliq̄litꝭ ingroſſādo hūores ne fluat. In p̄mis g̃ ſit i loco ſemiobſcuro ꝛ ligādo caput cū bēda vt humores nō fluāt ad eos lucē effugiēſ q: hu.cōmouēt ꝛ ſubtiliāt.dormiāt ſupra p̄tē ſanā capite eleuato raſo vlꝭ tōſo.pili retinēt fumos.ꝛ ſupponatꝭ tiporib⁹ ꝛ oculis emplꝭm factū de folijs populi i aceto piſtatꝭ ꝛ applicatꝭ ab intra.ponatꝭ colliriuꝫ factū de ſelo ſumac cū aq̄ ei⁹. Iſta valēt multuꝫ in p̄n° obtalmie q: repcutiūt matiaꝫ.cōitꝭ valꝫ in obtalmia cū rubore notabili in p̄mis dieb⁹ puta p q̄tuor dies ponēdo tuthia ſeq̄nti duas vlꝭ tres. hoc vult raſ in ſuo cōti°.ponat in tiporib⁹ de hoc p modū emplꝭi i forma digiti groſſi. ℞. fariē thuris myrrha aā.ʒ.ß.albuminis oui qd̄ ſufficit:fiat emplꝭm vt dictū ē vlꝭ fiāt emplꝭā ſupra frōtē ꝛ ſup duob⁹ tiporib⁹ ex ↄſilio raſ in ſuo cōti° diminuatꝭ cib⁹.vitet vinū potiſſime clarū ꝛ bn̄ potet aquā: cib⁹ ſit auenatū ordeatū riſi amidū. Et infra oculū iponatꝭ albugo oui agita cū aq̄ roſ, vel plātaginis vlꝭ decoctōis ſe.fenugreci abluti pri⁹ cū aq̄ calida plꝭies i die ꝛ nocte vlꝭ hēas lanā mollē iſūde in albumē oui cū aq̄ roſ. vlꝭ cū modico lactis vlꝭ aq̄ endꝭ.vlꝭ plātagꝭ. vlꝭ decoctiōs ſumach vel ſe. fenugreci ſm qd̄ maª ē calꝭa poſita ſupra oclꝭos de nocte bis vlꝭ ter q: ſedat dolorē. ſi aūt ifra triduū cū iſtis repatione notabilē nō hūerit ſumat cliſtere cōe vlꝭ ſumat caſſiā.coēm poſitā in ca° p̄cedēti i cura catarri i p̄n.ꝛ faciat i craſtinū flōmiā de vena cephalica ꝛ i bona q̄titate de p̄te oppoſita q: i plectoª nō ſufficꝭ vn⁹ diametꝭ. ß vult raſ in ca°.de ↄſilio aūt ga.xiij° d̄ inge°.c.6° ꝛ meli⁹ ſumat ſyru° nō p̄cedēte medicinā fortē in forma pillꝭ. Si flꝭa coīcat cū ſanguie ſumat.ʒ.ij. ꝛ ß. pillꝭ.cochiaꝝ ꝛ vltra.i.pillꝭ.ſi coª coīcat repantur bn̄,imo curātꝭ aliqn̄. Poſtea 2ª die ſeq̄nti ſi opus fuerit flōmetꝭ de cephalica eiuſdē p̄tꝭ i bona q̄titate.tn̄ raſ dicꝭ in cōti° ꝙ flōmia de vena frōtꝭ multū valꝫ ad curā obtalmie i ābob⁹ oculꝭ ſicꝫ flōmie āgulorꝭ ſeu tiporꝭ q̄libꝫ in cura obtalmie oculi illi⁹ p̄tis.cōr ſi op⁹ fuerit ponat retro aures i fine augmēti vlꝭ i ſtatu in fōtinella colli cauteriū iſtd̄ ℞.cantaridaꝝ remotꝭ capitib⁹ ꝛ alis pluerizatarū fermēti aā.ʒ.ß.miſceātꝭ cū aceto ꝛ modico ſaliue qd̄ ſufficit:fiat pācilla ſatꝭ liq̄da: applicetꝭ cū pāno pforato vt decet i craſtinū crepetꝭ āpulla et apponatꝭ foliū caulis rubei plꝭies i die renouādo foliū 3ª die cutꝭ erit renouata. Iſtud aūt colliriū nō dꝫ applicari vſqꝫ q̄ ē i fine augmēti vlꝭ i ſtatu nā p̄nᵐ obtalmie dicitꝭ q̄diu lippa ē ſubtilꝭ aq̄ſa. tūc nec colliriū niſi albumē oui dictū.nec cauteriū applicādū. Augmētū obtalmie ē cū lippa notabilitꝭ igroſſatꝭ ſtat⁹ qn̄ lippa ē groſſa claudens palpebras.raſ dicꝭ in cōti° ꝙ palpebre nō adherēt niſi obtalmia fuerit de ſāguie vlꝭ de flāte. In augmē° obtalmie calide ponim⁹ tlꝭe colliriū cōitꝭ factū de muſcilagib⁹ ꝛ lacte.m. ℞.muſcilagꝭ.ſe. pſilij ſe.citōiorꝭ fcē in aq̄ roſ vlꝭ i decoctōe papaueris albi ſi maª mlꝭtū coᶜª fuerit aā.ʒ.ij.exp̄mātur fortꝭ ꝛ cū modico albuminis oui bn̄ deſpūati bn̄ agitetꝭ ꝛ addito modico lactꝭ.m. fiat colliriū ß eni ſedat dolorē ꝛ repcutit maᵃᵐ poſſet eē tātus dolor ꝙ oporteret addere.℈.ß.opij i fine aug¹ aliqn̄ addim⁹ modicū d̄ muſcilagꝭ.ſe.fenugre¹. qm̄ maturat tlꝭe apa obtalmicū.vlꝭ ſic. ℞.ceruſe plūbi.ʒ.ij.piſtetꝭ cū aq̄ roſ.ꝛ deſiccetꝭ ter:addatꝭ camphore.℈.ß.fiat puluis vlꝭ miſceatꝭ cū aq̄ roſa fiat colliriū ſeu ſieſ. In ſtatu aūt fiet tale colliriū. ℞. muſcilꝭ.draḡgāti gūi arab.ſe.fenug¹.aā.ʒ.ij.exp̄matꝭ fortꝭ ꝛ cū lacte mulieꝝ icorpentꝭ fiat colliriū,oīa q̄ ifra oclꝫ admiſtrātꝭ dēnt applicari actu

ꝭra.xiiij. de inge° in.c.6° īfra aures cal'a: ꝯñt i ꝓ
ceſſu ſtat' aliqñ lac.m.puellā lactāṫ in ocul'inij-
ciaṫ qm̄ maturat abſtergit ⁊ mūdificat ⁊ dol'.ſe-
dat. Lippa mūdificeṫ cū pāno lineo āti͞q itincto
lacte.m. In declinatōe aūt vtaṫ collirīū ſarcocol'
℞.ſarcocoll'nutrite i lacte.m.aq̄ roſ.qđ ſuffic̄ fi
at collirīū.oēs āti͞q ꝯueniūt ꝙ ſarcocoll'.nō cōpe
tit i obtalmijs niſi i decliatōe ſpōgia īfuſa i deco
ctiōe ſe.feng' pl'ies applicata valꝫ ⁊ i declinatōe
obtal^ca qñ flā i ꝗ̄tita͂ notabili cōicat applicam'
i fine ſtat' ⁊ i declinatiōe pl'ies ſpōgiā īfuſā i aq̄
vbi ſit ʒ^a ps vini albi floꝝ camo.melil'.⁊ facim'
collirīū de ſarcocol'.nutrita ⁊ diſtēpata cū lacte
m.vl' aſine cū.ʒ.i.aloē vl' myrrhe l' cīnamōi ſubti
liſſime puluerizato vt alchool. Iſta ſufficiāt tibi
ꝓ cura obtalmie.

Capl'm.16^m de vlcerib' oculoꝝ.

c Um in ocl'o forṫ doloꝛ
⁊ pūctio nociua ac pulſ'
ſētiūṫ ⁊ lachꝛimaꝝ fluit
ml'titudo ⁊ palpebꝛe ele
uāṫ ⁊ ocl'i apiūṫ loca q̄ ſūt i albis
ipſoꝝ īueniūṫ rubea ⁊ ſi totū fue-
rit rubeū ⁊ vn' loc' magis ꝛubere
īueniṫ aut i nigredīe loc' aliquis
alb' apparet puſtula iā in oculo
exoꝛta ē ad hāc v̄o curādaꝫ paſſio
nē neceſſari' ē medicus in curis
oculoꝝ valde īſtruct' nos tñ cu-
ratiōis ipius ſūmas ⁊ aggregatō
nes dicem'. Dicim' itaq꜠ ꝙ vlce
ra q̄ in cōiūctina naſciṫ hoc ē in
albis oculoꝝ ñ adeo ſūt timēda
vt ea q̄ i coꝛnea hoc ē i ocl'i nigrdi
ne ſūt. Deteri' v̄o vlceꝝ eſt illud
qđ i nigredīe ſb̄ pupilla exiſtit emi
nētia naq꜠ ad iſtud ē velocioꝛ.ho
rū āt vlceꝝ curā cū flōmia īcipe de
bem' ⁊ ſāguīs extrahere ml'titudi-
nē ſm qđ poſſibile fuerit.ꝯñr aūt
vēṫ ſoluēd' ⁊ eger ſibi cauere dꝫ a
carne ⁊ vino dulci ⁊ eē ꝯtēt' herbis
frigidis ⁊ in potu ſola aq̄ vti. In
oculi v̄o initio ſieṫ albū cum lacte
mulieris mittēdū ⁊ ſi pulſ' iā alle-
uiari ⁊ ſedari videṫ ſperādū eſt ꝙ
egritudo ſolueṫ ſñ ſaniei collectōe
Quo ſi pulſus poſt ſanguinis ex-
tractōeꝫ ⁊ vētris ſolutōeꝫ ac ſieṫ
albi īmiſſiōeꝫ q̄eſcere nō videtur
ꝑua fidutia i hoc qđ dixim' ē ha-
bēda. Eſt itaq꜠ tūc ſieṫ đ olibano
mittēdū i ocreū ⁊ pila aliq̄ oculos
ſupponēda ⁊ cū ligaṫa ſtringēda.
āte v̄o ꝙ̄ hoc eueniat ocul' ſuaui-
ter ē ligād' ⁊ ſine ſuppoſitiōe pi-
le et nō ceſſes i oculū de ſieṫ de thu
re ſepe diſtillare donec ſanies in
pila videaṫ. Ex quo eī ꝓhoc viſū
fuerit ſieṫ đ plūbo vti erit neceſſe
vſq꜠quo ꝓfunditas fiat plana et
tota caro genereṫ. Ea tñ que dixi-
m' tūc ſūt faciēda cū puſtula ñ eſt
magna qm̄ cū magna fuerit fue-
ritq꜠ iuxͣ pupillā: aut īferi' ea erit
tūc neceſſe vt cū elieſcit medicetur
ne ocul' emineat. Ad pile ꝙ̄ ſup-
poſitionē ⁊ ligaturā erit redeūduꝫ
Eger ꝑterea ſꝑ ſupin' iacere debꝫ
⁊ a foꝛti motu abſtinere. cū aūt ca
ro in loco vlcerū ꝑfecte gñata fue
rit vl' vlc' apatis carne replet' fue
rit remanebit ibi i ocl'o albedo.ꝙ
ſi vlc' fuerit ꝓfūdum albedo erit
groſſa ⁊ ſi i ſuꝑficie tm̄ coꝛnea fue
rit ſubtil' vlc' ꝙ̄ ſi a pupilla fuerit
īmotūr ſteterit ſeꝑatī ꝑ ſe veſtigiū

illud quod remanet nihil mali fa
ciet ſi autem iuxta pupillam fue-
rit quandoqꝫ poſt vlceris curatio
nem veſtigium remanēs prohibe
bit viſionē. Qua ppť tūc ē vtēdū
medicis qbus veſtigiū qđ diximꝰ
abſtergi ⁊ deleri poſſit. Sief đ
thure. ℞. armōiaci ſarcocolle ābo
rū ana .ʒ.v. thur. ʒ.x. croci. ʒ.ij. cō-
ficiať ex muſcillagīe fenugreci ⁊ fi
āt ex eis ſief. Sief đ plūbo. ℞. plū
bi aduſti āthimonij tuthie ablute
calcuce caumenō gummi arabici
dragagātis oīuȝ aň. ʒ. viii. opii. ʒ.
v. teranť ⁊ cuȝ panno ſericino qui
ſit ſubtiliſſimus cribelleňť ⁊ con-
ſpergaňť ex pluuiali ⁊ fiāt ex eis ſi
ef Sief ex quo caro in vlceribꝰ
oculoꝝ generať ⁊ vuee egreſſio ꝓ-
hibeť ⁊ veſtigiū ſubtilieť. ℞. cli
mie ablute tuthie ablute ceruſe an
timonii thuris oīuȝ aň. ʒ.ii. myr-
rhe. ʒ.i. ſarcocolle groſſe. ʒ.i. ⁊ ß. ſā
guinis draconis aloes apii oīum
aň. ʒ.i. fiat ex eis ſief. Eleſcir
quo eſt vtēdū cōtineť ne ex vlcere
vuee ſequať egreſſio. ℞. antimo-
nii ematiſtis āboꝝ aň. ʒ.x. acha-
chie. ʒ.iii. aloes. ʒ.i. teranť ⁊ fiant
ex eis ſief. ⁊ adminiſtreňť apud
neceſſitatem.

d **E vlceribus** oclo꜒ puta coniūctiue vel corneę qꝛ vlcera oculoꝝ ſūt in aliq̄ iſtarū tunicarū vt vult raſis ⁊ alij auctores. veꝝ alij auctores q̄plures faciūt duo capitula de vlceribꝰ iſtarū tunicaꝝ. Raſ qꝛ breuiloquꝰ tñ facit vnū caplm. ⁊ qꝛ cura lȝ ſit magis difficilr in cornea. ❡ Nō. q̄ vlcera iſtarū tunicaꝝ ſūt duplicia. q̄dā ſūt ꝓpe dicta: in talibꝰ eſt deꝑditio ſanioſa ſubē tunice. Alia ſūt vlcera iſtaꝝ tunicarū largo mō dicta que dicūť ſolutō ɔtinui ſimplex iſtarū tunicaꝝ ſine deꝑditiōe ſubē ⁊ ſine ſanie manifeſta: q̄ vlcera ꝓpe vel iproprie dicta cāňť interdū ab aliqua cā extriſeca vt trāſcundo ꝑ nemora vel ab ictu. Alioꝰ intdū ⁊ pluries cāňť a cā intriſeca puta ab hūoribꝰ acutis ſalſis fluētibꝰ ꝑ modū catarri ad oculos ſoluētes vlcerantes ⁊ corrodētes vnā de dictis tunicis oculoꝝ et tale vlcꝰ cū deꝑditiōe lȝ imediate īſit iſti vel illi tunice vt tibi demōſtrat ſenſus viſus puta ipſi corneę vel ɔiūctię p̄mo tñ ineſt toti oculo qꝛ actō totiꝰ oculi p̄nr ⁊ p̄mo lediť. Vlcus largo modo dictū puta ſolutio modica ſimplex ē paſſio p̄ncipaliť ⁊ p̄mo ipſiꝰ tunice ⁊ illi imediate p̄mo ⁊ p̄ncipalr ineſt vt eſt ꝑs cōſilis qꝛ talis ſolutio ē morbꝰ ɔſilis ⁊ ē ad modū capitis formice quādo ē i cornea ⁊ ſꝑ ē ꝑ colligātiā venit ab itra ad oculos quod venire nō debȝ ſm naturā a venis ⁊ arterijs pelliculaꝝ cerebri vel coopiētū ēneuȝ cā extriſeca coadiuuāte talis ſolutio cū deꝑditōe ſubē ſanioſa ē morbꝰ officialis puta i figura lȝ imediate inſit ipſi tunice p̄mo ⁊ p̄ncipalr inerit ipſi toti oculo: qꝛ actio totiꝰ puta motiua ⁊ forſan viſiua lediť p̄mo ⁊ p̄ncipalr vlcus iſtaꝝ tunicaꝝ largo mō dictū put ē ſimplex ſolutio ɔtiⁱ ē morbꝰ cois conſilis. ❡ Nota ex intētōe ga. ſup illo caᵒ. xiᵒ. p̄mi de morᵒ vt maª tibi clareſcat q̄ ſpēs imediate ſequētes tertiū genꝰ morbi puta ſolutionē ɔtiⁱ ſūt morbꝰ cois cōſilis vt modica ſolutio ɔtinui in vena vel alia pte ex q̄ nō lediť actio officialis ß naturalis digeſtiua illius ꝑtis. Alia ſpecies ē morbꝰ cois officialis oculi vel alteriꝰ mēbri lȝ vtraqꝫ eaꝝ imediate inſit ipſi ꝑti. p̄ma ſolutio puta ſimplex ⁊ modica p̄mo ⁊ p̄nr ineſt ipſi ꝑti: quia illa p̄mo egrotat ſecūdario ineſt ipſi toti qꝛ morbꝰ ɔſilis p̄mo ineſt ꝑti ɔſnr ipſi toti p̄mo de morbo caplis p̄mis ⁊ duobus vltimis in. ca. xiᵒ. Magͣ ſolutio ɔtiⁱ q̄ diciť morbꝰ cois officialis lȝ imediate inſit ipſi ꝑti p̄mo ⁊ p̄ncipalr ierit ipſi toti: qꝛ p̄mo totꝰ oculꝰ egrotat. qꝛ actio eiꝰ p̄mo ⁊ p̄ncipalr lediť ⁊ nō ꝑtis qꝛ ꝑs in organico non habet actionē ß iuuamētū vt pl'ies eſt dictū. ⁊ ſic pȝ tibi maª clara. verū iſta maª nō itrabit caput aſini. Et ē nocumētū paſſiue regitie naturalꝭ mēbri mādātis vt ē pl'ies dictū ex intētiōe ga. xiᵒ. de ingeᵒ. caᵒ. iiᵒ. ⁊ 8ᵒ. nā ſi iſte nō erraſſēt cā tlis nō fuiſſet gñata. ⁊ eſt paſſio p̄ncipalr ſeu nocumentū actiue aiate motiue oculi ⁊ viſiue ɔſnť ipſoꝝ

naturaliū ip̄ius oculi ⁊ ſepius inſūt ocul' cal'is:
⁊ hn̄tibus caput reumaticū ⁊ hn̄tib⁹ oculos de-
biles paſſibiles rōne cōtexture rare cōiter inſūt
colericis raris ⁊ rare cōtexture.

Iſtis clarificatis in cura horū
pcedas ante
ne ſis deceptus ꝑut plures decipiūtur eſtiman-
tes ꝙ ſit modica obtalmia ⁊ nō eſt. Si doloꝛ cū
multitudine ⁊ punctura lachꝛymaꝝ in oculo fu-
erit ⁊ loca aliqua cōiunctiue rub. inueniātur aut
cū tota paꝝ rubeſcit vn⁹ locus mag' rub. inueniť
aut nigreſcere cum q̄dam cōcauitate occl'ta pa
rū ſanioſa ad modū capitis vnius muſce vl' foꝛ-
mice: ſcias ꝙ vlcus iam factū ē in illa pte. ⁊ nō ē
modica obtalmia vt plures credūt bene cogni-
ta da ſibi caſſiamꝭ cōem datā ter in recepta plu-
ries ſpāliter in cura catarri in p̄ncipio. Cōſeq̄nť
flōma ip̄m de cephalica eiuſdem ptis. Cōſeq̄nť
pone ſibi cauteriū de cātaridib⁹: ꝑut oꝛdinaui in
cura obtalmie ⁊ in fine augmēti vel ſtat⁹. Infra
oculū tu pones p̄mis diebus de al būie oui agi-
tato cum modico aque plātagi ⁊ ex ſpumato po
ne de hoꝛa in hoꝛā vnam guttā p duos aut tres
dies. Cōſequēter pone ibi de lacte mulieris pu-
ellā lactātis pluries in die: abſtergit Uel fac ſi-
ef de olibano ſeu de coꝛtice thuris puluerizato:
vt alcohol cū lacte mulierꝭ diſſolue cū lacte. poſt
q̄꜠ erit exiccatū ⁊ pulueres pone deſup. Et ſi cuꝫ
iſtis non curetꝭ ⁊ talia vlcera augmētātꝭ ꝑpť flu
xum matie multe reumatice ad ip̄os oculos. vel
q: cōſequūtur obtalmias malas vel aliā ſolōnē
cōtinui malā: remitte curā alicui ſyrurgico bn̄ in-
ſtructo ⁊ expto in curis oculoꝝ: ⁊ ipſe vtatꝭ ſiefꝭ
vel collirio de thure vel de plūbo datis tibi a ra-
ſi in capl'o ⁊c̄.

Capl'm. 17m. de hijs que in oculo cadūt.

Umatur reſina id ē gū-
ma pini ⁊ per oculuꝫ tra-
hatur: ⁊ extrahit illud qđ
in oculo cecidit.

E his Que ī oculo cadūt vt ſtra
mina vel areſte bladi ⁊ ſi-
milia. Nota ꝙ talia raſis iubet re
mouere cum reſina liquefiat ⁊ gutta
in oculis ponatur cum pluma ratōne gūmoſita
tis attrahit. Loco huius nos ponimus lac ab v-
bere mulieris cum capite coꝛrigiole vel panni li
nei extrahatur ⁊c̄.

Capitulum .18. de albugine oculoꝛum.

Albugo q̄ in oculo cōtin-
git ē veſtigiū poſt vlceꝝ
curationē remanens q̄n
cōſolidatur. Que cū in ocul' pue-
roꝝ ſit: leuioꝛ ē ad curandū q̄꜠ cuꝫ
accidit annoſis. Cū em̄ in ānoſis
fit foꝛtis ad ſanādū: foꝛtaſſis ipoſ
ſibilis exiſtit: niſi ſubtiliſſima fue-
rit. Hec aūt paſſio ex hijs medica
minib⁹ curāda eſt poſtq̄꜠ eger bal
neū egreſſus fuerit: aut faciē ſuper
vapoꝛē aq̄ calide vſqꝫ quo rubea ſit
tenuerit. Si tn̄ ex hoc medicamine
in venis oculi rubedo ⁊ doloꝛ pro
uenerint: p aliquot dies ab eo qui
eſcēdū eſt donec ocul⁹ quieſcat. et
poſt ad id redeundum. Medi
camē valde vtile ad albuginē rēo
uēdā ⁊ cito eradicādā. Ego q̄꜠ nō
vidi qđ eo meli⁹ aut eq̄le eēt ad al
buginē delēdā. Rx maſſacume ſpu
me maris ſtercoris magni lacerti
baurach zuccari higeri oīum ptes
equales. Deinde ſumātur achoꝛi
celidonie ſeni āboꝝ añ. 3. x. coq̄nť
in libꝛa vna aque donec ad q̄rtaꝫ
redeat ⁊ colētur. ⁊ ex hac aq̄ imbi
bātur ſpēs q̄s p̄diximꝰ ita ꝙ con
ficiātꝭ ex ea ſiccētur ī vmbꝛa. deide
interī terātꝭ ⁊ cōſpergātꝭ vt p̄us et
ſiccētur. Qđ poſtq̄꜠ quater factū
fuerit ſiccētꝭ ⁊ terātꝭ ⁊ ī ocl'o mittātꝭ
Hoc em̄ medicamē nulli vt p̄dixi
mus cōpar exiſtit in remotōne al
bugis. Remouet em̄ hoc medica
mē groſſā albugieꝫ ex ocul' aīaliū

E albugine Oculoꝝ .i. de macula
alba vel ſubalbida oculoꝝ ſeu de cica
trice remanēte in cōiūctiua vl' cornea
poſt vlcerū curōnem. ¶ Nota albugo duplex eſt
Una ē cicatrix macl'oſa remanēs poſt vlcerū cu
rationē in obtalmijs ⁊ variol'. R. aꝫ curā hoꝝ po
nit in puericia .in ſenectute repant' ſꝫ non curāt'.
¶ Alia ē albugo ſine cicatrice in cōiūctiua l' cor
nea ex fluxu humorꝫ flātici gñata p viaꝫ coagu-
latōnis ⁊ nō eſt ibi cicatrix. ⁊ medici curſores cu
rāt interdū cum ſit cicatrix magna ⁊ ſunt decep
ti: ⁊ fugiūt habita pecunia. Eſt ꝯſiliū ꝙ in āntiqꝫ
nec i ſenib' ñ pōas manū vt breuit' pcedā i iſtis
paſſiōib' ocl'oꝝ: vt ñ pcedā qſtionādo. dico ꝙ tal'
albugo ineſt imedi' ꝯiūctiue vel cornee p° ⁊ pri
cipal'r tñ ineſt: ⁊ ē paſſio toti' oculi motiua eſt: et
forſan viſiua p̄mo ⁊ principaliter leditur. Ideo
totus oculus egrotat ⁊ eſt p colligātiam venarū
venit ad oculos quod venire nō debet ſcdm na-
turam: puta humores flegmatici q̄ coagulantur
Et eſt paſſio officialis in genere. in ſpecie ē mor
bus in nūero. quia ibi eſt res addita numeral'b'
pter naturam: ⁊ ē nocumētuꝫ paſſiue regitiue mē
bri mandātis: vt pluries eſt dictum ex intentōne
galieni .xi. de ingenio in. c. 2. ⁊ .8°. ⁊ eſt paſſio no-
cumētū actiue ⁊ viſiue. q: ſi ocul' male mouet' nō
pōt bene videre ad vtrāqꝫ differentiā poſitōnis

Iſtis Clarificatis ⁊ bñ declarat' multi me
dici decepti ſunt ex dictis raſis i cu-
ra iſtius ⁊ illi' albugīs ⁊ poſt vlcerū curōeꝫ pu-
ta variolarū vel ſimiliū in cornea pueroꝝ. nā ac-
cidit q: nulla cicatrix curatur: lꝫ aliqualit' in pue
ris nouelle etatis ſi antiq̄ta nō fuerit ſubtilietur
¶ Alia aūt albugo q̄ nō conſeq̄tur curatōem vl
cerū ſꝫ fit ex flāte groſſo coagulato in poroſitati-
b' cornee. illa magꝫ de rōne eſt curabil' cū abſter
ſiuis. ¶ Si q̄s ḡ puer infra .x. ānū ſue etat' fuerit l'
circa maculā i ſua cornea poſt curatōꝫ variolaꝝ l'
alioꝝ vlceꝝ habuit ⁊ antiq̄ta nō fuerit: ꝙ infra me
diū ānū fuerit: ſubtiliet' lꝫ nō curet'. p hūc modū
ponat' ð lacte mulierꝫ maſculū lactātis. q: hꝫ ma
iorē abſterſionē p'lies i die abſtergēdo ſubtilia-
bit infra duos aut tres mēſes. Uel alit'. mollifica
dictā cicatricē p aliquos dies: imponēdo vnam
guttā iſti' ſir' p'lies. l' aquā decoctōis. ℞. folioꝝ
maluaꝝ biſmal. añ. m. ß. ſe. lini. ℥. ß. ſuc' q̄ri. i. ß. ſi
rup' bñ coct'. Iſte ſiru' multū mollificat ſi p'lies
ponat'. poſtea ponat' de oſſe ſipie ſubti^me pulue-
rizaº: vt alcohol. Uel pone deſup de ſtercore la-
certe. Aliq̄ dubitāt ꝙ talia vlceratia: q: augmētāt
cicatricē. iō applicāt de lacte mulierꝫ p'lies i die
⁊ melius. Uel applicare de puluere anabori ſic
de pane zuccari ⁊ de zucc° cādi. mollificat et ab-
ſtergit ⁊ mollificādo p aliquos dies cū ſiru° di-
cto ⁊ abſtergēdo cū dicto puluere bonū raſcare
dictā cicatricē ꝯfero ad hoc. ¶ Si q̄s autē puer
maculā i cornea habuerit ⁊ antiq̄ta nō fuerit ex
fluxu hūorꝫ flāci: i ipa cornea ibidē coagulati q̄ō
tibi pꝫ: q: nō ꝯſeq̄t' curationē variol'. vel alioꝝ
vlceꝝ: vtarꝫ lacte mulierꝫ vt dictū ē i alia albugie:
⁊ de oſſe ſipie vel de ſtercore lacerte nigre vel de
ſpūa maris. vel ſic ⁊ forti' ¶ ℞. ſucci papa. rub.
ſucci cētau^e mi. añ. ℥. ß. miſceāt' cū melle. applica
vnā vl'. ij. guttas ſepe. iſtud reme^m pculdubio cu
rat albugies ⁊ macl'as i puerꝫ nouelle etat' ſi āti
q̄te nō fuerint. ¶ Idē fac ſucc' ligue paſſerine q̄
appellat' poligonia apud diaſcoridē aſſilat' mira
bilit' cētinodie. Iſta eñ ē herba quā hyrūdines
portāt pull' ſuis cū pforat' ocul' eoꝝ cū acu: ⁊ re
cuperāt viſū. ¶ Si aūt herba nō iueniat': pforēt
oculi pulloꝝ hyrūdinū: ⁊ poſt mdiū accipiāt q̄
recupauerūt viſū: ⁊ ſi pulu̇s q̄ i ocul' hñtib' ma-
culas iniſciat'. Si aūt macula fuerit idurata: vix
curat': mollificet' cū ſyr° ſupi' dicto. ¶ vel ē aq̄ de
coctōis maluaꝝ biſmalue ⁊ modico zuc°. Poſt
ea applica vnū de dict' remedijs vt. ſ. capi^m' cē-
tinodiā p lingua paſſerina ſuccū de itib' in tri
b' dieb' pmiſce' aliq̄s guttas mell' ⁊ iponi^m' .ij.
guttas bis l' ter i die nli ꝯſūt albugies ⁊ telaꝫ ē
¶ Capitulum .19^m. de ſcabie ⁊ de ſebel.

Uz palpebra inuerſat' ⁊
iteri' appet rubea ⁊ aſpa
ſcabies adeſt. ⁊ cū ſup al
ba oculoꝝ ac ſup' nigredine vide-
tur ſilitudo pānıculi ex venis ru-
beis ⁊ groſſis texti: adeſt paſſio q̄
vocat' ſebel. Hec vō due paſſiones
graues ſūt ⁊ cronice ⁊ vix curabi-
les. patiēs tñ dū ſan' ē flōia ex bra
chio ⁊ frōte ⁊ vētris ſol'one vti dꝫ:
vitare dactilos ⁊ ſiſamos de melle
⁊ i comeſtione vitet ebrietatē. Et
qñ nō ē plen' ſepe ingredi balne-
um ē ei vtile: et frequēter imittere
ocl'o ſief rubeū fili' cōfert. Sief
rubeū. ℞. mathicīſ colcothar cōbu

ſti ãboꝝ añ.ʒ.iij.eris vſti.ʒ.ij. mir re croci ãboꝝ añ.ʒ.i.piperis lõgi.ʒ ß.cõſpgant̃ ex vino veteri ⁊ fiãt ex eis ſief.Hijs p̃terea egritudib⁹ vi ride cõfert ſief:cui⁹ deſcriptio i ca pitulo de vngula contineť. Qȝ ſi paſſiões iſte vetuſte fiãt ſcabieſ fri catiõe ĩdigebit ⁊ ſebel collectione: nõ tñ tõſure huius libri cõgruit vt de hijs tractemus.

Eſebel .i.devenis rubeiſ dilataꝝ vlť debitũ s̃ ꝯiũctiuã ad mo^m^ pãnicli.iõ gord⁹ i titulat ȯ pãnicul' i ꝯiũcti^a^ ⁊ ȯ ſcabie ocl'oꝝ.i.ȯ groſſi^c^ prurigioſa c̃ rubore a ſpĩtate aliq̃li i labijs palpebraꝝ q̃ ſcabi es p̃cedit inuerſatõnẽ palpebraꝝ ⁊ vlcera ip̃oꝝ. nã tal' ſcabies ẽ i ocul' caliginoſ ⁊ obtalmiq ru bicũdis p magnũ tp̃s. Raſ ponit curã haꝝ paſ ſionũ ſil'in iſto cap'o. q: cura hoꝝ ꝭ cũ abſterſi uis ⁊ exiccatiuis ⁊ ꝯſũptiuis.ſebel ẽ paſſio vẽa rũ ꝯiũctiue.ſcabies oculi ẽ paſſio venaꝝ oculi p colligãtiã.venit qȝ venire nõ dȝ puta ſan.ca. di latãs ⁊ replẽs venas vltra debitũ. Scabies ſilĩ ẽ p colligãtiã venit ſan.colic⁹ vel ſalſus ad pal pebras qȝ venire nõ dȝ ſcd̃m naturaȝ. Sebel et prurit⁹ palpebraꝝ ſũt paſſiões officiales.ſebel ãt i ſui p̃n^o^ ẽ morb⁹ i via.q: dilata^o^ venaꝝ ꝯiũctiue. ⁊ repletio ⁊ i p̄ceſſu ſebel ẽ morb⁹ i nũero q: pan nicul⁹ q̃ manu cirurgici ẽ remouẽd⁹ tãq̃ res nũe ral' diſtincta.ħ vult raſ i.c. Prurit⁹ aũt i ſpecie eſt mala figura:q: mal⁹ tumor palpebraꝝ: ⁊ in p̃n^o^ ſui ẽ morb⁹ i ſupficie.⁊ forſan i p̄ceſſu.q: p̄ſperi tas labioꝝ palpeb^c^. Sebel ⁊ prurit⁹ ſunt nocu^m^ paſſiue intelligẽdo regitiẽ ñlis me^e^ mãdanti⁊ re cipiẽns digtie ⁊ expulſiue. nã ſi nõ erraſſent cau ſa tal' mor^t^ nõ fuiſſȝ. Et ſebel ẽ paſſio vtuť moti ue oculi ⁊ viſiue.ſcabies aũt ẽ paſſio motie aĩate palpebraꝝ oculi. Iſte paſſiões mag̃ inſũt calis ⁊ venoſis hñtib⁹ ocl'os caligioſos.

Iſtiſ clariſſ. cura ſebel ⁊ ſcabiei palpebraꝝ tibi pateſcit.pl'es patiẽteſ ſebel ſlõati de vtraq; cepha^c^ ⁊ de vena frõtis vel tipoꝝ cura ti ſũt.ħ vult raſ i ſuo ꝯtinẽte:eo ꝙ ml'ritu^o^ ſan.ca. ẽ i cã flux⁹ ip̃i⁹ ad vẽas p̄r ẽ qȝ ſola ⁊ bõa ci⁹ ab ſtrac^c^ libat eos.qȝ ſi ñ leuẽť aliq̃ ſebel c̃ iſtr̃o fer reo ⁊ icidaĩ ſb̃dit ꝙ eaꝝ iciſio ẽ melior vt ꝭ eleua^o^ veue c̃ dctõ iſtr̃o poſita ſb vẽa acu c̃ filo:⁊ remo ueať iſtr̃ȝ vt ligeť vẽa:⁊ ħ fiati oib⁹ alijs vẽis q̃s icidere voluer̄.⁊ caute ť has fila ip̃i⁹ ve^c^ ⁊ icidẽ ſu bito:⁊ ẽ valde leuis opatõis.vba ſt ip̃i⁹ raſ i ſuo ꝯt^c^. Si q̃ſ g̃ ſebel i ꝯiũctia hũent:ſũat p^o^ caſſiaſ cõeȝ i ortu ſol' poſitã ter l' pl'ies i p̄mis capl'is ⁊ i cura catarri i p̃n^o^. ꝯñr flõeť de vtraq; cepha^ca^ i ea dẽ hora ſucceſſiue tñ p̄us ñ de p̄te oppoſita ex q̃ ml'itu^o^ ſan.col'ici ẽ i cã. ꝯñr p⁹ q̃ſdã dies flõmeť de vẽa frõti l' tipoꝝ de p̄te eadẽ. Si iſtud ñ ſuffic da.ʒ.ij.pill'aꝝ aureaꝝ i itroitu lecti ſine ſir^o^: i ma terijs reumatiq̃ ñ ꝯpetit ſir⁹ vt ſupi⁹ dictũ ẽ i cura catarri. q: p̄uocať cõit flux⁹ hu.ad me^m^ p̄pť ap tionẽ vẽaꝝ ⁊ ſubtiliatõȝ ma^c^. Si iſta tibi ñ ſuffi ciãt: hẽas cyrurgicũ ⁊ iſcide mõ dicto. vl' põe de ſup ȯ iſto pul'. ℞.teſtaꝝ ouoꝝ receť. poſtoꝝ tp̄ť i ace^o^ forti^m^ ^o^ p.ix.dies inoua^o^ ace^m^ bis l' ter in illˀ dieb⁹ deſicceť in vmbra.poſtea pl'ueriȝeť. ℞ pl' teſtaꝝ ouoꝝ patoꝝ.ʒ.i.aloẽ.ʒ.ß.miſceãt ⁊ ꝭ .pul'. ſubtil' vt alcohol c̃ ſindõe. Si vis facere collirũ adde aq̃ eufra^c^ qȝ ſuffˀ.colli^m^ mag̃ approbo in pul'.vl' facies ſic. ℞ thutie ablute.ʒ.ij.gũmi ara. ʒ.i.eris vſti.ʒ.ß.pulũiȝeť c̃ ſindo^c^ vt alcohol ⁊ miſce ať c̃ aq̃ pluuiali.ꝭ colli^m^.iſta valẽt i p̃n^o^ ſebel. q̃a reſtrigũt vẽas illas. l' fctã mag̃ ſubſtractõe ſã.iã dicta. ſil'r vȝ colli^m^ c̃ ſolo ſumach fctũ cũ aq̃ ȯco ctiõis ei⁹ q: reſtrigit ⁊ repcutit Si q̃ſ pruritũ ſeu ſcabiẽ palpebraꝝ hũent ſirupeť. ℞.ſir^i^ ſtica.ſir^i^ acetoſi ꝯpoſiti añ. ℔.i.capiat ſero ⁊ mãe.4 clocle^a^ c̃.vi.aq̃ cice.ru.vbi ſit modi^m^ maiora^c^ yſo^i^.q̃ facto ſũat.ʒ.ij.pill'aꝝ cochiaꝝ i itroitu lecti.aſſidua di ſtilla^o^ lactiˀ ml'ier maſclin lactãť i ocul' ſeu i palpe brĩ ml'ťũ vȝ abſtergit ⁊ ſoluit.ablu^o^ ocl'oꝝ p ouiſſi^c^ palpebraꝝ aſſidua l' pl'ies reiťata c̃ aq̃ ȯcoctõis ſe.fen^i^ multũ vȝ.l' ꝙ ſpõ^a^ ibiȯ iſuſa tepida appõť ⁊ deťeťa ⁊ reiťata pl'ies q̃ dũ tepida fuerit.vl' la ueť palpe^c^ it⁹ ⁊ ex c̃ vi^o^ al.⁊ claro roſ guano in q̃ iſuſũ ⁊ diſſolutũ fuerit aloẽ pulũiza^m^ ȯ.ſſolut qȝ occl'tũ ẽ reſoluit ⁊ abſťgit.iõ reiťeť ȯ hora i horã Adũte tñ ꝙ itẽ dũ tal' g̃ſſicies ⁊ duricies palpebraꝝ ẽ ita ãtiq̃ra ꝙ ñ p̄t c̃ iſtiſ r̃mouer i⁹ oȝ r̃currere ad ſief viride qȝ põit raſ ℞ flori eri.ʒ.i.calcãti vſti.ʒ. ij.arſe^c^ nit^i^ ſpũe mari añ.ʒ.ß.ſal' armo^i^ ʒ.ij.ſal ar mo^m^. i ſucco rute diſſoluať ⁊ ſpẽs eo diſpgãť.ꝭ ex his ſief cũ q̃b⁹ palpe^c^ friceť. pl'eſ hu.hũidi i ãti q̃ra ſca^c^ ſeu duri^c^ cũ rub i ip̃is pal. Adũte tñ ꝙ fctã purgatõe vadãt ad ſtufaſ ſt^o^ ieiu^o^ bis i ſepti^a^ i fine vȝ ablu^o^ palpebraꝝ c̃ aq̃ celid^c^ l' femcli l' ube ne ⁊ põere ſup palpebrã iniũſatã ȯ pul' ſbtili gala rũ vt alcohol.nã r̃mouet radicẽ ſcabiei palpebra rũ ſtipticã^o^ ⁊ reſtrigẽ^o^ p̄teſ ne vlt^i^ ma^am^ recipiãt ħ ſufficiãt tibi p cura ſcabiei palpebraꝝ ocl'oꝝ ⁊c̃

℄ Capitulū.20. de lachrymalib⁹ cū prurit̄.

Adiuīa tenera ſumat̄ et
cōterat̄: et fiāt ex eo mag
daliones pui ꝛ ex oleo vi
olato inungat̄: ꝛ oculis ſupponat̄
ꝛ in hora dormiēdi ligētur roſatū
tamē meli⁹ eſt ꝛ citius cōfert. Et ſi
hoc nō ſuffecerit: lētes abſq₃ corti
cib⁹ ꝛ ſumach ꝛ roſe rubee ꝛ granati
cai noſitas ſumat̄. ꝛ contrita ex ca-
reno cōſpergant̄ ꝛ more emplaſtri
ſupponātur. Qḋ ſi nō ſuffecerit:
ex cephalica ṗus flobothomet̄ pa-
tiens. Deinde ex vena frōtis ꝛ ex
venis que ſunt in angul' lachrima
lib⁹ Venter q₃ frequēter ſoluatur
ꝛ balneū multotiens ingrediatur.

E lacrimalibus

cū prurit̄. i. de pruritu lacrimaliū.
nā lacrimale ē duplex. mai⁹ ꝛ min⁹
Mai⁹ in angulo maiori q̇ ē iuxta naſum. minuſ
lachrymale ē i angulo oculi v̄ſus tipora. Et ꝙꝙ
prurit⁹ de poſſibili fiat in vtroq₃ angulo vt pl'imū
fit in maiori. q: vie ſunt magꝭ late ꝑ q̄s fit flux⁹ ꝑ
viā effumatōis colere ꝛ flegmat̄ ſalſi ꝓſequēdo
clarificationē. 4. c. ſine qōnib⁹ dicas ꝙ prurit⁹ ꝓ
morbo deſcripto ē paſſio ṗncipaliter lacertoꝝ la
chrymal' oculi ꝛ coniūctiue. nā ibi ſūt lacti clau
dētes ꝛ apientes oculū: ꝛ ab intra ſūt lacerti reti
nētes lachrymas oculi. q̇ lacerti vna cū alijs ꝑti
bus oculi hn̄t motum a ſecūdo pari neruoꝝ capi
tis. 4. de int̄. c. 5. orto a prora cere¹. vt dicit. 4° de
inte. c. 3. ℄ Ad l'ram ponit. ꝛ ē paſſio ꝓ mor° de-
ſcripto ꝑ colligātiam venarū intrinſecarū retine
venit ad eos qḋ venire non debet ſcḋm naturaꝫ
puta maᵃ colerica vel ſalſa. ꝛ ꝓ morbo deſcripto
ē morbus official' in receptaculo. ꝛ in via: q: ve-
ne ꝛ poroſitates replent̄ vltra debitū illaꝝ ꝑtiū
concomitādo ſecū morbū ꝯſil'em. i ſe aūt ē mal⁹
mot⁹ expulſiue. natural' ipoꝝ lacertoꝝ magꝭ debi
lis inter alios malos motus. 5. de mor°. c. vltio.
Et eſt nocumētum paſſiue ꝓ morbo deſcripto re
gitiue natural' digeſtiue ꝛ expulſiue mēbri man
dantis vt pluries ē dictū. ꝛ ꝓ ipo malo motu eſt
nocumētum paſſiue v̄tutis expulſiue natural' ip
ſoꝝ lacertoꝝ lacrymal' oculi. q: ē ei⁹ mal⁹ motus
puta impetuoſus ꝛ innatural'. ꝛ ē paſſio ṗncipa
lit̄ ꝓ morbo deſcṗto motiue aiate oculi. ꝛ ꝓ ipſo
malo motu puta ꝓ ipo prurītu ē paſſio ſeu nocu
mētum actiue vna cū morbo deſcripto ipſi⁹ mo-
tiue aiate oculi ſil'r q: īpedit ei⁹ motū voluntariū.

Iſtis clarificatis Et bn̄ intel
lectis: cura
prurit⁹ lacrymaliū oculi tibi pateſcit. ℄ Aduerte
tn̄ nō negligas talē pruritū. q: cōiter ſi durauc-
rit rubeſcit lacrymale ꝛ fiſtulat̄. ſtufet̄ ġ bis i ſe-
ptimana ꝛ lacrymale lauet̄ cū aceto tepido lim-
phato. Et emplaſtret̄ loc⁹ cū folijs populi recēti
bus bullitis cū aceto piſtatis deſuꝑ applicatis.
Si cū hijs prurit⁹ nō ceſſauerit: purget̄ cum. ʒ. ij.
pill'aꝝ aureaꝝ. iſta tibi ſufficiant.

℄ Capitulum. 21. de vngula oculi.

Vm aliq̇d pāniculo ſil'e
ex angulo que ē a parte
naris oriri videt̄ ꝛ albuꝫ
oculi coopire ꝛ ꝑuenit vſq₃ ad ni-
gredinē: generatur paſſio q̄ vngu-
la dicit̄. Cui⁹ nocumētū tūc ſoluꝫ
ē peius cū ꝑuenit ad nigredinis ꝑ-
tem q̄ eſt iuxta pupillam. Hec igi
tur paſſio dū ſubtil' ē cū ſief viridi
ſief da calcātho ē medicāda Si āt
vetuſta fiat ꝛ groſſa: cū ferro ē ex-
poliāda. Sief viride qḋ cōfert ſe-
bel ꝛ ſcabiei: ꝛ angule ꝛ albedini.
℞ ſimar. ʒ. iij. colcothar vſti. ʒ. vi.
arſenici ru. baurach ſpūe maris oiꝫ
aā. ʒ. i. ſal' armōiaci. ʒ. v. armōiaci.
ʒ. ij. armōiacō i ſucco rute diſſolua
tur ꝛ ſpēs ex eo cōſꝑgāt̄: ꝛ fiant ex
eis ſief. ē eīn mirabile. Sief de cal
cātho qḋ cōfert vngule ℞ eris vſti
calcāti āboꝝ aā. ʒ. v. ſimar. ʒ. ij. ſal'
armōiaci baurach arſēici ſublima
ti oīm aā. ʒ. i. terāt̄ ꝛ ꝑ ebdomadā

vnã dimittat᷑. deinde fiant ex eiſ ſi
ef ⁊ fricetur vngula cum eis.

E vngula oculi ⁊ ei⁹ cura

¶ Nota ꝙ vngula ocl'i ē excreſcētia modica carnoſa in ꝯiūctiua ad modū vngule pueri noui᷑ geniti: vt pl'rm fit i maiori āgulo ꝓpter latitudinē venaꝝ. ⁊ lȝ inſit imedi͛ᵉ i ꝯiūctiua: vt ē ꝑs officialꝰ ē paᵒ ꝑncipal'r oculi. q꞉ morb⁹ officialꝰ pmo ineſt toti: ꝯſr pti. lȝ imediati⁹ ſit ipi parti h̄ ē bn̄ declaratū auctē gaˡ. in capl'is p̄cedētibus de obtalmia ⁊ vlcerib⁹. q꞉ actiō official' p̄ᵒ ⁊ p̄ncipal'r ledi᷑ motiua oculi. ⁊ ꝑs coadiuuās i organico non h̄z actōem ſ; iuuamētū i orgāico. morb⁹ dici᷑ r͛ſpectu actōiſ leſe. cā mor' reſpectu iuuamēti. p̄ᵒ ō morᵒ i pl'ib⁹ locī potiᵐᵉ i. c. 8. ⁊ ē paſſio ꝑ colligātiā venaꝝ intriſecaꝝ rethine. venit ꝑ eas m̄ltitu° hu. puta ſāguis q̇ venire nō ð; ſm naturā i tanta abūdātia. ⁊ ē morb⁹ official' i gn̄e: ⁊ in ſpē ē morb⁹ i nūero. q꞉ dic̄ vnū ſuppoᵐⁱ nūerale cāns malā ꝯpoſitōꝫ i re addita nūerali. iō vngl'a n̄ ē morbus. q꞉ ē ſuba. ſ; deſcribit morbū dictū tāq̄ cā. nā rōe cāe interdū deſcribun⁹ morᵐ. 2. de inge. c. 2°. Et ē nocuᵐ paſſiue regitiē n̄l'is digtiē ⁊ expulſiᵉ mēbri mādanꝶ ⁊ recipiētꝶ. Et ē nocumᵐ actiē ſeu paſſiō vtuꝶ motiē oculi ⁊ al'n ſi multū excreſcat vi ſiue ſil'r ipſi⁹ oculi.

Iſtis clarificatis cura vngule q̄l'r ē poſſibil' tibi pateſcit. nā nō p̄ōt curari niſi cū corroſiuis puta cū ſief viridi fricādo dictā vngulā cū ſief dicto ſtati i cura ſcabiei āntiq̄te ipaꝝ palpebraꝝ vl' cū ſief ð calcāto qð ponit raſ i. c. de cura vngule. ꝑus tn̄ purgādo cū. ʒ. ij. pil'laꝝ coch. ⁊ ſtufando ſtoᵒ ieiuno ⁊ vngulā remolliēdo q̇buſdā dieb⁹ cū aq̄ decoctōis folioꝝ malue biſmalue ſƀ fumigādo oculū ⁊ ab intra ponēdo. veꝝ magi cōſulere ꝙ remoueret᷑ cū manu cirurgici bn̄ expti i talib⁹: ⁊ ſic termine᷑ cura eius.

Capitulū. 22ᵐ de macula ru. ex ꝑcuſſiōe l' alia re

Cum in oculo ex ꝑcuſſione aut ex re alia pūctū rubeū fieri cōtingit: ſāguis q̇ ibi ē diſſolued⁹ ē poſt ꝙ eſtuatio q̇euerit. Sumā᷑ igi᷑ arſēici rubei olibani mirre armōiaci oīm ꝑtes eq̄les et fiāt ex eiſ ſief. q̇ i ſucco coriādri fricen᷑ et i oculū diſtillē᷑ tādiu ꝙ dolor ꝑſeuerat. albugo oui ſumēda ē et oleo roſeo miſcēda et cotū ex eis inuolutū ocl'o ē ſuperponendum.

E macula rubea oculi. i. ð ſang. aggregato ⁊ coagulato ad modū gutte ſan. in ꝯiūctiua iā ð: macula rubea ꝯiūctiue. ⁊ lȝ imediate inſit ꝯiūctiue ē paſſio p̄mo ⁊ p̄nciʳ oculi. q꞉ ipedit ⁊ corrūpit ei⁹ actōeȝ motiuā: ⁊ eſt ꝑ colligātiā venaꝝ intriſecaꝝ retine. venit q̄titaſ ſan. ex ictu vel alias. q꞉ multū acui⁹ q̇ inſpiſſa᷑ ⁊ coagula᷑ ſupra ꝯiūctiuā. ⁊ ē morb⁹ official' i gn̄e in ſpē eſt in nūero. q꞉ res addita nūeral' corrūpēſ actōem naturalē: ⁊ ꝑ ꝯn̄s actōem motiuā ei⁹ oculi. ⁊ ē nocuᵐ paſſiue regitiē n̄l'is digtiē ⁊ expl'ſiᵉ mēˡ mādanꝶ ⁊ recipiētis ꝯiūctiue ⁊ retine. nā ſi nō craſſȝ. tal' maᵃ nō fuiſſet gn̄ata nec fluxa nec ibidē coagulata. Et ē nocuᵐ actiē ſeu paᵒ motiē aiate oculi. nā illa res cāns malā ꝯpl'oem nūeralē ledit mediate motū ꝯolūtariū oculi.

Iſtis clarificatis cura macule rubᵉ in ꝯiūctiua tibi pateſcit. in p̄nᵒ ei⁹ flōe᷑ ð cephaᶜᵃ eiuſdē ꝑt. teneat dietā tenuē ne ocul⁹ apoſteme᷑ Agite᷑ albumē oui ⁊ ſpume᷑ ⁊ cū modico aque roſ. ⁊ boliarˡ ſubtiᵐᵉ pulueriȝati incorpe᷑ ⁊ i oculo diſtille᷑. h̄ fꝫ cū de nouo tal' macula euenerit Vel pone guttati de h̄. ¶ ℞. ſucci coriandri. ʒ. ij albuminis oui agitati ⁊ expumati. ʒ. ß. miſceant᷑ i modū collirij ⁊ ſuꝑ locū ꝑcuſſū ⁊ maculatū pōatur. In ꝓceſſu lac. m. cal'in ſepe i oclō diſtille᷑: et ſi nō cure᷑ cū hijs: infudant᷑. ij. vel. iij. gutte ſan. cal'i de ala potiᵐᵉ deꝶ colūbi extect⁹ dū exhiur in oculū diſtille᷑ calid⁹. h̄ fꝫ freq̄nt. Vel diſtille᷑ aq̄ ra fani diſtillata vbi ſit modicū mirre ⁊ aloē ſubtiliſſime pulueriȝat᷑. ſi cū iſtis nō cure᷑ recurre ad ſief raſ qð ponit in. c. tal' macule rubee.

¶ Capitulū. 23ᵐ. de lachrymis oculoꝝ.

Cuꝫ lacrimales oclo͛ꝝ anguli ſꝑ hūidi videt᷑ patiens quotidie ieiun⁹ balneū igredia᷑ ⁊ i oculū alcohol iſtō imittat. Iſtō āt alcohol ℞ thutie. ʒ. x. coralli rub, mirabol. citrini

fricati aloes oīz añ. ℥. ij. piperiſ. ℥. ß. fiat ex hiſ pul. q̄ aſſidue imittaꝛ

De lacrimiſ oculoꝝ

¶ Nō q̄ lacrime venıētes i angul' oculoꝝ veniūt īterdū a cāis ꝑmitiis extriſeq̄: ſicut a caſu ꝑcuſſiōe. nā rōe ꝯcuſſiōis ꝛ dol' fluūt hūoꝛes ad oculos ibi ponim⁹ albumē oui cū ſan. dra. Interdū fiunt a calore ſol' ꝛ a cal' febrili: tūc fluūt hu. ad oculos ꝑ viā diſſolōis hūoꝝ i pellicul' cere'. interdū fiūt a frigore penetrāte ꝑ viā ꝯpſſiōis pellicl'aꝝ cer' fluūt hūiditates ad oculos. interdū fiūt ex accidētib⁹ aīe ex gaudio ꝑ viā rarefactōis pellicl'aꝝ cere' exalanꝛ hūiditates ad oculos. De iſtis lacrimis raſ nō loqꝛ hic. nā tales lacrime n̄ fiūt i eēntia oculi. q: cāis ill' ꝑmitiis remotis remouētur lacrime. ꝓpṫ q̄ tales lacrime nō dicūt paſſiones i eēntia oculi. vt declarat ga⁹ ꝯ arcigenē ꝑ°. de inṫ. c. 2. ¶ Idē declarat i nocumēto actōis ſto' i eodē ꝑ°. c. 4. Et h̄ al'n fiūt ab alia cā ꝑmitiua extrinſeca puta a cyrurgico ꝯſumēte carnē muſcli in lacrimali i cura fiſtule cū cauterio actuali. De iſta raſ nō loqꝛ hic ſil'r: q: tal' ē incurabil'. ¶ Interdū fiūt lacrime a cāis intriſeq̄ puta a ṽtute debili retētiua ꝛ digeſtiua oculi vt qn̄ ocul⁹ ē moll' ſbalbid⁹. ¶ Interdū etiā fiūt ab alia cā intriſeca puta a fluxu hūoꝝ a cer° ꝓpṫ mltitudinē hūoꝝ mltiplicatoꝝ i ip̄o cer°. a debili digtia ip̄i⁹ taleſ lacrime lȝ immedi^c inſint ip̄i cōñetie diſtribuūt paſſionē eē ꝑ° ꝛ ꝑncipal'r toti oculo. q: actio totius puta motia ꝛ viſiua lediꝛ ſit accñs imediatū ip̄i moꝛ°. ȝ. de moꝛ. ꝛ inſūt tales lacryme ꝑ colligātiā cere' ꝛ ei⁹ pelliculaꝝ ꝛ venaꝝ. venit ab eis qd̄ venire nō debet ſcd̄m naturā. ꝛ ē moꝛb⁹ official' loquēdo i ſpētiā ē moꝛb⁹ i receptacl'o. replenꝛ poroſitates ꝛ lacrimale oculi. ex q̄ repl'oe cāꝛ mala actio motia ꝛ viſiua oculi. ꝛ ē nocu^m paſſi^c regitiue n̄lis ꝯgtie ꝛ expl'ſiue me' mandanꝭ ꝛ recipiēꝭ ꝛ ē nocu^m actie motie ꝛ viſiue ocl'i ꝛ palpebraꝝ oculi ē aliq̄li ardoꝛe illaꝝ ptium.

Iſtis clarificatis

cura lacrimaꝝ ocl'oꝝ tibi pateſcit. ¶ Anq̄ in cura ꝓcedas ſcire oꝫ diſpōnē oculoꝝ quoꝝ q̄ de cā patiūꝛ. nā q̄daȝ oculi lacrimanꝛ ex eoꝝ debilit^c n̄li a gn̄atōe: lȝ i ꝑmis etatib⁹ parū. ¶ Sūt eñ creati rari laxi rare ꝯtexture cū debili caloꝛe n̄li cū ṽtutib⁹ n̄lib⁹ debilib⁹ potiſſi^c cū debili digtia ꝛ retētiua: vt ſūt q̄dā mel'ici aduſti ꝛ macilēti q̄ hn̄t ocl'os molles hūidos ſubalbidos ſaꝭ ꝑuos, tales eñ ocl'i recipiūt maṫias ꝛ hūiditates aliq̄s a cer° d̄ facili: dato q̄ exceſſū nō fecerit: ꝛ illas n̄ digerūt n^c reſoluūt inſenſibil'r ꝑut aliꝭ q̄ nō bn̄ digerūt nutri^m appo^m tales curari nō p̄nt: lȝ i aliq̄ poſſint reparari. ¶ Si oculi lacrimanꝛ ꝓpṫ fluxū hūoꝝ ſupfluoꝝ a ca^c ſeu pellicul' ei⁹ ꝛ vēis interdū a vēis q̄ ſt ex̄ cneum qd̄ ꝑcipiꝛ ꝑ tēſionē ſeu plectoꝛaȝ vēaꝝ frontꝭ ꝛ tipoꝝ i tali caſu applicam⁹ ſtiptica ꝛ ſicca tipoꝛib⁹ vt farinā thuꝭ mirre cū albūie oui mixꝭ ꝛ ſup pāno extēſis ꝭ empl'm i forma digiti gſſi. Vel ſcindanꝛ ve^c in tipoꝛib⁹. Interdū recipiūt maṫiaȝ a venis itra craneū: qd̄ ꝑcipiꝛ qn̄ ſig̃ ꝑdicta deficiūt ꝛ flux⁹ antiqꝛ cū ſternutatōib⁹. ṽba ſūt raſ i ſuo ꝯtinēte. Iſti tales diuſificanꝛ. q̄daȝ coꝝ n̄ habēt ocl'os multū gṅatos nec plenos hūoꝛib⁹ ꝭ ſoluȝ lacrimanꝛ lacrima ſaꝭ clara modicū ca. ſine caligine ꝛ ruboꝛe nōbili oculoꝝ ꝛ palpeb. Quidā lacrianꝛ ꝛ hn̄t ocl'os caligioſoſ ru. i ſe l'i pal. plēos hūiditatib⁹ ca. vt ſt q̄daȝ vetl'e flētes ꝑtā ſua potātes interdū bonos hauſt⁹: ꝓpṫ qd̄ ocl'i repleti ſt hūiditatib⁹ ſalſ ꝛ calis ſupfluis ꝛ excedētib⁹. ¶ Si q̄s lacrimas i ocul' hūerit q: debiles i eoꝝ ꝯpōne ꝛ ꝯpl'oe ſeu caloꝛe n̄li ꝛ ꝑ ꝯñs ṽtutib⁹ n̄lib⁹ vt ē declaratū ꝓpṫ qd̄ i ꝑma ſenectute icipiūt mag' abluāt caput ſemel i. xv. dieb⁹ cū aq̄ decoctiōis betho^c ericcate i vmbra, vl' floꝝ camo. melli' ſene vtriuſq; ſticad̄. ſero ꝛ mane ocl'os ſuos cū vi° al. roſ gnano vel alio clare°. vl' cū aq̄ fenicl' vl' celido^c iſtis abſterſiſ pōat modicū d̄ iſto pul': ꝭ oliba' ſeu thuꝭ ē coꝛtic̄ ſubti^me puluiza': vt alcohol. ℥. ß. infūdaꝛ i lacte ml'ieꝭ maſculū lactāꝭ qd̄ ſuffꝭ vt diſſoluaꝛ ſtet i vit° vſq; q̄ totū ſit bn̄ exſiccatū teraꝛ iteꝝ ꝛ coleꝛ ē ſindo^c talꝛ q̄ ſit pul' ſbtil' vt alcohol ꝛ i pixide diligēt' ꝛ ſeruēꝛ. d̄ iſto pul' ſepe pōas i ocl'o modicū cū pluā. l' q̄ bōbar ibid̄ appodieꝛ. ꝛ ē h̄ ocl'i apti abſtergāꝛ vt pul' ſpgaꝛ ſup totū ocl'm. Vl' vtaꝛ iſto colli° mirabili i h̄ cāu Accipiaꝛ vn⁹ mirabol' kebul⁹ l' duo ipaſteꝛ ē paſta ꝛ aſſeꝛ i tegula ſupꝛa ignē do^c rubeſcat paſta ꝛ exinde ſumaꝛ coꝛtex illi⁹ mirabol'. ꝛ teraꝛ ꝛ puluerizetur ſubti^me vt alcohol cū ſindōe ꝛ cū valde modico croci. cum. 6. granis croci fiat colliriuȝ. ſi ſūt duo mirabo'. pone. ℈. ß. croci ꝛ vltra modicuȝ ſi necēe fuerit eſt mirabile in hoc caſu. ¶ Si quiſ lacrimas, multas in ocul' hūerit ſine caligie mag' ſeu ruboꝛe oculoꝝ nec palpebraꝝ: vt ē dictū ſtati de q̄buſdaȝ. Cōſidera ſi lacryme veniūt a venis exterioꝛib⁹ vl' intioꝛib⁹ ꝑ ſig̃ tibi data ſupi⁹ q̄ mō veniat. vadat ſepe ad ſtufas ſto° ieiuno. Et purgeꝛ cū pill'is cochijs. ℥. ij. ꝛ ß. Naȝ q̄buſcūq; hūtib⁹ lacrias, ſtufa ꝯpetit: q: ꝯſumit ſupfluitates

tere'. ¶ Si maª venit a venis ex̄ c̄neū pōe i tim-
poribꝰ ex̄ ſtati dictū ē de farina thurī mirre cū al
bumie oui. vel ſcindant vene in tipibꝰ h̄ntibꝰ ſic
lacrimas ſine caligie ⁊ rubore mag̃ i ocul' ⁊ pal-
pebrī a vēis ex̄ c̄neū vel iſta pōe iſra oclos ꝺ pul'
tali. hēas. 4. mirabo. citrios. ſtēt p tres dies i aq̄
tepida. deīn colet aq̄ illa ⁊ i illa ibibat āthiom ablu
tū p alios tres dies. ʒ. i. poſtea exſiccēt ⁊ ſubtime
terātur ⁊ cribellētur c̄ ſindoe ⁊ ſ pul' vt alcohol q̄
vtarī: collim ſtati dictū factū ꝺ cortice aduſto mi-
rabol' ⁊ croco. ſiſr vz i h̄ caſu pul'. raſ quē ponit i
c. bonū ē accipe mediā doſim ⁊ fac p̄cedēre pur-
gatōe cuz. ʒ. ij. ⁊ ß. cochiaꝝ ⁊ ſtufis frequētat. Si
qs lacrimas habuerit a venis ex̄ vl' itra c̄neū cuz
caligie ſeu rubore oculoꝝ vel palpebraꝝ pleīſ mī'
tis hūiditatibꝰ calis ⁊ ſalſis: vt ſunt q̄daz vetule
vt ē tibi dictū ſtati purget p̄mo cū. ʒ. ij. ⁊ ß. pill'a
rū coch. p̄cedēte oxielle cū aq̄ ciceꝝ. 4. vel. 5. die-
bꝰ. oīr ſtufet ſe ſemel i ſeptiana: ⁊ abluat caput
ſuū cū aq̄ decoctōis bethoe ⁊ ſticadꝰ ⁊ ſene addi
ta modica lexiuia: ⁊ vtat iſto collio. ℞. thutie bñ
p̄pate. ʒ. ij. calamine. ʒ. i. coralli ru. vſti. ʒ. ß. oia ſb-
tilit puluizentur vt alcohol: ⁊ adde axūgie porci
ne ſine ſale. ʒ. ij. ſ colliriū. reſeruetur vt decet ⁊ vta
ris. habui amorē vetulaꝝ ex hoc collirio. vel vtarī
iſto pul'. ℞ oſſiū mirabo. nigroꝝ be'lericoꝝ cōbu
ſtoꝝ añ. ʒ. iij. gallaꝝ cōbuſtaꝝ. ʒ. ij. oia ſubtime pl'-
uerizent ⁊ colētur bis vel ter cū ſindone ſ pul' vt
alcohol q̄ vtaris. ponas ſero ⁊ mane in ocul' Si
videas in talibꝰ venas tīpoꝝ magnas ⁊ infla
tas: ſignum ē q̄ talis materia fluit a venis ex̄
craneū ſcindantur ibi vene in tīporibꝰ vel portet
ibi empl'm ſtatim dictū factū ꝺ farina thuri mirre
ſi vis addere farinā fabaꝝ cū albūie oui. Iſta ti-
bi ſuff' p cura lacriaꝝ q̄cūq mō venerit ⁊c.

¶ Caplm. 24m de debilitate viſus.

I cū ꝺbilitate viſꝰ hūidi
tat ſig appuerit maīfe-
ſta q̄ i tpe famiſ exercitij
parū diſſoluat. Pille cochie mī'
totiēs erūt aſſidue tribuēde. Nu-
trimētū q̄ patiēt deſiccatū eē dz ⁊
eger ſepe vomere cogēdꝰ ē. pulue-
res etiā deſiccatiui ocul' ſt imittē-
di. Qꝺ ſi cū p̄dicta egritudie affu
erit ſiccitas ⁊ corpis obfuſcatio:
nutrimētū erit augmētādū ⁊ vinū
i potu tribuēdū: ac ſup caput ipſiꝰ
aq̄ tepida fundēda ⁊ icuruatio ſu
per eā faciēda. Balneū p̄terea in
grediat: i quo tñ ñ multū ſudet na
ribꝰ q̄ oleū de amigdal' dulcibꝰ at-
q̄ auribꝰ ē imittēdū. Ocul' vō lac
mulieris adoleſcēt quolibet die ē
imjciēdū qꝺ etiā freq̄nt fieri cōue
nit. hec q̄ debilitat viſꝰ ſpēs for-
tior fit i tpe famis ⁊ dū vēt vacuꝰ
fuerit. Cōfectio alcohol quod
valde acuit viſum qui cauſa humo
ris debilitatur. ℞. thutie ablute
⁊ exiccate. ʒ. xx. deīde extrahat ſuc
cꝰ ſāſuci viridis ⁊ p noctē vnā reſi
dere dimittat ⁊ colet: ex quo thu-
tia cōſpſa dimittat quouſq ſiccet
poſtea terāt. deīde ſumāt zizib. pi
peris ni. macro pipis celidōie oiz
añ. ʒ. ij. ſal' armōiaci. ʒ. i. cuz thutia
fuerit. ʒ. xx. pꝰ hec oia terāt ⁊ ex ſuc
co teneri feniculi cōſpergāt ⁊ ſic-
cata iteꝝ terāt ⁊ reponāt. ⁊ cū ne-
ceſſe fuerit ocul' imittat ad hoc p̄-
terea valde cōfert ſicf de fellibus

E debilitate viſus ⁊ eiꝰ cu
ra. Adūte de
bilitas viſꝰ tpe pleſ q̄dꝰ hz i ſui malia:
⁊ plures cās ⁊ diūſas in ſpē. ⁊ lz ſps mutati i q̄
to ⁊ in q̄li puta in clarue ⁊ obſcurite ⁊ in mltitue
eorum faciant ad diuerſitatem actōnis viſiue vt
vult galienꝰ. 4°. de morbo. in. c°. p̄mo. Hic tamē
in iſta materia p̄iacēte volumꝰ loqui de itētiōe
raſis de debilitate viſꝰ rōne humiditatis materie
vel non groſſe ſupuenientis in vijs viſibilibus ⁊
tunicis maxime cornee ⁊ alijs exterioribꝰ ingroſ
ſantibus ipas. Qua de cauſa Raſis in iſto. ij°.
Almanſ ⁊ in libro diuiſionū multuz procedit in
cura talis debilitatis: euacuando cerebrum cum
yerapia ⁊ gargariſmis ⁊ a ſto° ⁊ imponē° collina
ſtilāa hūiditates, ibi flu. ⁊ ipas tūicas extriſecal

Si aliq̃ ſupuenit alicui a tp̃e debilitas viſus pau
latine φ vix iudicat̃ int̃ hoies de ꝓpe ꝓpt̃ hũidi
tates fluẽteſ ab ipo cere°. q: augmẽtãtur poſt co
meſtionẽ ⁊ ſomnũ ꝑ capita venarũ ſpuẽtium il-
las hũmiditates ſupfluas in vijs viſibilib⁹ ⁊ ſu
ꝑ tũicas potiſſime exteriores eas ĩgroſſantes ꝓ-
pter qḋ ſpẽs viſibiliũ non pñt ſubintrare in earũ
ꝑfectõne ꝓut dependet a re viſibili obiectia nec
nõ obſcurãtes ⁊ obfuſcantes dictas ſpẽs viſibi
les ſubĩntrãtes q̇bus de cauſis non bñ appꝛehẽ
dunt̃ a ṽtute. nec viſiua iudicari a ſenſu cõi quia
lux interioꝛ ⁊ exterioꝛ forma ẽ viſionis .4. ḋ moꝛ.
⁊ .2° de aia. Aliq̃ñ talis humiditas fluens a cere
bꝛo ⁊ eius venis eſt ita groſſa terrea nigra φ ita
obfuſcat ⁊ denigrat dictas ſpẽs ſubintrãtes ⁊ in
ſpiſſat dictas tunicas potiſſime exterioꝛes φ nil
appꝛehẽdunt niſi ſtantib⁹ radijs ſolaribus. ideo
non videt̃ poſt occaſum ſolis. hoc cõtingit qua-
dꝛagenarijs cauſis iam dictis ⁊ in fine ſenij qui
ſunt quaſi cẽtenarij ſilr̃ contingit. ¶ Aliqui ad-
dũt ⁊ bñ φ ex talibus ſpũs viſibilis in eis igroſ-
ſantur ⁊ obfuſcãtur ⁊ denigrãtur faciẽtes ad ma
ioꝛem debilitatẽ viſus. Ex q̇bus pateſcit tibi cla
rificatio capl̃i de noctilupa: ⁊ ſic nõ reiterabo i. c.
de noctilupa. ¶ Interdum venit talis debilitas
viſus a fumis eleuatis ab ipo ſto° puta a mãtia
ɔtẽta flãtica ad oculos tũc oculi nil mali habẽt
in coꝝ eẽn^a ſaltim ꝑ tẽpus aliqḋ. dic̃ Raſ in di-
uiſionibus. Idẽ dicit ga⁹. contra archigenez p̃°.
de inter. quia cã fluẽte ceſſante curati ſunt. vnde
talis fumoſitas eueniẽs ad oculos: puta in vijs
viſibilibus obfuſcat ⁊ obumbꝛat ſpẽs viſibiluꝫ
ſubintrãtes ꝓpter qḋ non bñ appꝛehendũtur a ṽ-
tute viſiua nec ꝑ ɔſequẽs iudicãtur a ſenſu com
muni niſi ſpẽs ſubintrãtes viſibiles. ⁊ ſi durauerint
ingroſſant tunicas oculi ꝓpter quod debili
ter vident ⁊ appꝛhẽdunt res medioeres in cõpe-
tenti diſtãtia niſi multũ appꝛoximet̃. In iſto ca
ſu Raſ vult φ ſepe purget̃ cũ pill̃is coc̃ ⁊ ſepe
cogant̃ vomere et imponãtur pulueres deſiccati
ui in oculis. ¶ Aliq̃ñ talis cã ſtomachal̃ non eſt
fortis nec magna ꝓpter qḋ effumãs ad oculos
debilitans eos in actiõe viſiua dũtaxat in reb⁹ mi
nutis in litteris legẽdis ⁊ ſilibus. Iſta cã cõtin
git cuiq; in p̃ncipio ſenij ꝓpt̃ quod indigẽt beri
cul̃: vt ſpẽs viſibi^m ſubitrãtes ꝑ cornẽã iſpiſſet̃ ꝑ
reflexionẽ ⁊ melius appꝛhẽdat̃ a ṽtute viſiua. ſi-
milit̃ debilitata in eſſentia rõe paucitatis ſpũuꝫ
aduenientis in ſenio.

Sed tu queres p̃mo q̃re iſta de
bilitas viſ⁹ eue
nit oibus in p̃ncipio ſenij dũtaxat ⁊ nõ añ: cum i
p̃ma ſenectute flegma ɔgreget̃ i ſtomachis eoꝝ
q: caloꝛ ñalis incipit claudicare. ideo dicit ypocꝛ.
Senes facilime ferũt ieiuniũ. Dicẽdũ φ veꝝ ẽ φ
cõiter talis debilitas viſus ineſt. q: indigent be-
ricul̃ in p̃n° ſenij in. lv. ãno vel circa. q: licet fleg
ma ɔgreget̃ in ſtõachis eoꝝ in p̃ma ſenectute: n̄
tãtũ nec ita groſſum melãcũ. q: ṽtus digeſtia foꝛ
tioꝛ. ſilr̃ ẽ ibi poꝛtio colere cõiter cũ tali flãte. ⁊ ſic
tal̃ fum⁹ inde eleuat⁹ non ſic obfuſcat ſpũs ſub-
intrãtes nec denigrat: nec ṽtus viſiua ẽ ita debil̃
adhuc in radice. ꝓpter quod vidẽt ſatis ɔpetẽt
res minutas nec indigẽt ita bericulis.

Secũdo Tu q̃res. quare in p̃nci° ſenij
magis indigẽt bericul̃ φ̃ i me
dio ſenij. nam de facto videm⁹ multos i medio ſe
nij legere ſine bericul̃ poſtq̃ attingũt. lxv. annũ
⁊ vltra: qḋ videt̃ eſſe ɔtra rõem: q: maioꝛ debꝫ eẽ
debilitas ṽtutis in medio ſenij φ̃ in p̃nci°: ⁊ ma
ioꝛ copia flãtis in oꝛificio ſtõach⁹. Dicẽdũ φ verũ
ẽ qḋ tu ponis ⁊ de facto videm⁹ in aliq̇b⁹ ⁊ i plu
ribus. cã eſt: q: in p̃n° ſenij flã groſſũ acetoſũ a-
bũdat in ſto° potiſſime i eius oꝛificio. in proceſſu
aũt oꝛificiũ ſtoma^i manet̃ flãte ꝑ viam cõpſſiõis
ipi⁹ oꝛificij ſtõachi a mala complõne fria excedẽ
te ipi⁹ oꝛificij. ſic flã deſcẽdit ad fũdũ ſto^i: ſic ceſ-
ſat effuma° directa ad ocl̃os ⁊ vias ei⁹ viſibiles.
iõ q: ſpẽs ſubintrãtes ñ ſũt ſic obſcurate a dicto
fumo. iõ ꝑcipiũt̃ meli⁹ ſolito. φ p̃dicta ſint vera:
φ tũc oꝛificiũ ſto^i ſit inanitũ: patꝫ. q: tũc tp̃e illo
pl̃a appetũt ⁊ pl̃a comedũt ꝓpter illã ɔtinuã ia-
nitionẽ oꝛificij q: fames ẽ inani° ſẽſata. 4. ḋ moꝛ.
ꝓpt̃ iſtã cãm. frigid⁹ vouent̃ bon⁹ ẽ appetere: ma
l⁹ vo digerere. 2. teg^i. In h̃ ſenes decepti ſunt cre
dẽtes φ ṽt⁹ viſiua i eis foꝛtificet̃ qḋ nõ ẽ. ſilr̃ q: tẽ
poꝛe illo coꝛnea aliq̃lit̃ igroſſat̃ ɔpetẽt̃ ⁊ nõ i ex-
ceſſu ꝓpt̃ hũiditates fluẽtes a cer° ad ipos ocu-
los: q̃ ſic igroſſata tꝫ locũ bericlis ꝓpter qḋ vidẽt
ſine bericlis. Oppo^m ẽ i fine ſenij: tãtũ igroſſat̃
φ ꝑdũt viſũ. ex h̃ q: ſpẽs viſibiles ñ pñt ſubitrare
ſic ꝑdũt viſũ i ſenio i fine. ¶ Int̃dũ venit debili-
tas viſ⁹ alicui a tp̃e rõe ianitõis ſpũũ ⁊ exiccatõiſ
⁊ ɔſumptõis hũiditatꝭ oculi ⁊ ſiccitatꝭ coꝛnee rõe
fe. ardẽtiſſi^e. vel ex appꝛoxiatõe lõgeua igni ma
gno ſic ṽt⁹ deficit rõe inſtri ⁊ oꝛgani. h̃ vult raſ. i
c. q: ſpẽs nõ bñ pñt ſubitrare. ⁊ ſi intrẽt ñ bñ ap
p̃hẽdũt̃: ex q̃ ṽt⁹ defic̃. Ex q̇b⁹ pꝫ tibi φ pa° deſcp-
ta i debilit^e vt pl̃r̃n ẽ pa° p̃ncipal̃r ſpũs viſibil̃ a
crucifixiõe ad extremũ coꝛnee. Aliq̃ñ ẽ pa° p̃nci^r
ipi⁹ coꝛnee: ⁊ ẽ ꝑ colligãtiã cer^i ſto^i vel rei ext^{ee}:
⁊ ẽ moꝛb⁹ official̃ in g̃ñe in receptaculo eſt in ſpẽ

vel ꝯſiſtis cornee ⁊ totius oculi q: mala ſiccã vl' of ficialis in ſupficie: ſi ſit groſſities cornee ⁊ eſt no cu^m paſſiue digeſtiue mẽbri mandantiſ ⁊ recipiẽ tis ⁊ eſt paſſio virtutis viſiue.

Iſtis clarificatis. Cura debilitatꝫ viſus ti bi pateſcit. pus tñ ꝙ in cura pcedas optet te ſcire ⁊ cogſcere cãm talis debilitatꝫ puta an ſit fumoſitas a capite veniẽs. vel a ſto° vel ſit marritio ⁊ exſiccatio ocl'i ⁊ ptiũ ei⁹ vel igroſſa° cor nee ipi⁹ ⁊ ſcire optet gdũ in mali^a tal' debilitatiſ ipius viſus. In pmis g ſi qs debilitatẽ viſus no tabil' ⁊ magnã patiaꝛ ex humiditatib⁹ fluẽtib⁹ a capite ad ipos ocl'os obſcurãtib⁹ dictas ſpẽs viſi biles ⁊ ingroſſantib⁹ corneã. ⁊ ſi gſſa nõ fuerit vl' groſſa terrea qd demr̃at q: nõ videt poſt occaſuꝫ ſolis qd demõſtrat plectoria capitꝫ ⁊ tẽſio venaꝝ ei⁹ et nõ decreſcit nec augmẽtaꝛ tpe famis. Pur geꝛ cũ yerapig ga' vel cũ pill'is cochijs paulati ne: ⁊ ſepe flõetur ex duab⁹ cephalicꝫ q nõ inuẽta de mediana ꝯñr ex frõte ſi neceſſe fuerit dãdo ſi bi dietã ſenũ abluaꝛ cap. i ſeptia^a cũ decoctiõe floꝝ camo. melli^t fol' ſene. vtriuſqꝫ ſticad bethonice. Si qs debilitatẽ viſus notabil' habuerit ex fumo ſitatib⁹ a ſto° eleuatꝫ qd demr̃at q: fit forꝫ cũ ẽ ſa cietas nauſeatiũ ⁊ tpe famis deſtruiꝛ. vel parum diſſolui ⁊ minorari videꝛ. De xci° rab purgeꝛ cũ pill'is cochijs. ʒ. ij. ⁊ ß. Cõſeqnt ſiruper pl⁹ ⁊ p uoceꝛ ſibi vomit⁹ talis. ℞. aq decoctõis attripli cis q̃rꝫ. i. elli al. ꝯq̃ſſati in pãno lineo raro remol liti ibidem p. 4. horas. ʒ. i. coleꝛ ⁊ addaꝛ oximell' ſquilli^ci. ʒ. i. croci pilos. v. aceti. ʒ. i. ß. pot⁹ ſi tal' de facili euomat deꝛ de mane: ſi nõ detur poſt prãdi um p duas horas vl' circa iſta paulati exequeꝛ ⁊c̃.

¶ Si qs tñ debilitatẽ viſus a cerebro vl' ſto° for tẽ nõ habuerit q ſo^m attẽdiꝛ penes ꝯphẽtoẽm rerũ puaꝝ puta lraꝝ ⁊ ſilũ. q: nõ apprehẽdũt ni ſi cum bericlis: vt dcm eſt. vt purgeꝛ cuꝫ yerapig bis in anno pmittẽ° tale mellicratum. ℞. ſaluie mẽte maiorane abſin^t melliſſe yſopi añ. m. i. rad herbe tunice. m. ß. an^i marat^i ameos añ. ʒ. ij. mell' albi deſpũati q̃rꝫ. ß. ſ mellicratũ bñ clarificatum ad. lb. ij. large. Si eſt eñ multũ delicat⁹ põe her bas q: mag placidaſ remoue abſin^m potet q̃libꝫ mane ſine mixta alia q facto potet illã yerapigrã.

¶ ℞ yerapigre ga^t. ʒ. i. pulpe coloqn^c. ℈. ß. miſce anꝛ incorporenꝛ ⁊ fermenteꝛ p duos dies poſtea diſtẽpeꝛ cũ aq decoctõis cicerũ ru. vbi ſit liqri^c qd ſuffic ſ. pot⁹ ex talib⁹ nõ curabiꝛ ß repabiꝛ ⁊ pſer uabiꝛ a peiori. Si qs ſit patiens debilitatẽ viſus fortẽ ſupius dictã vel debilẽ iſtã ſtati dictã vtatur metridato bis i ſeptimana tpe frio: ⁊ ſemel i tpe calo de mane ieiuno ſto°: vel poſt cenã q̃ttuor vel q̃nqꝫ horis i q̃ntit^e vni⁹ amig^e gſſe depilate: cum modico vini. vel p ſe ſi mag ſibi placuerit: lꝫ ñ tm̃ valeat ſi i illo vino bulliaꝛ ſaluia maiorana meli⁹ erit. Vtanꝛ ſilr de mirabolanis kebulis ꝯfectꝫ p⁹ cenã q̃ttuor horis vel in aurora ⁊ vtanꝛ iſto pul. cũ toſta panis in fine mẽſe ſine potu. ℞. eufraſie ſaluie mẽte exiccatoꝝ i vmbra añ. ʒ. ij. an^i marat^i ſilerꝫ mõtani añ. ʒ. ß. ꝫꝫ^t gariofꝫ pipis longi. añ. ʒ. i. interiori cynamo^i. ʒ. i. nuc muſcate. ʒ. ß. pãis zu can q̃rꝫ. i. ſ. pul' ꝯfuceꝛ in ſacculo dealuta aliq ad dũt cortic mirabol'. kebul'. ʒ. ij. in pdicto pul' non placet eis potes facere in q̃buſdã. Quilꝫ horum abluat ocl'os ſuos cũ aq ſeqnti ſero ⁊ mane ppꝛ hũiditates fluxas ad dictoſ ocl'os mgſſantes cor neã. ⁊ aliã tunicã. ℞. celidonie fen. rute ſylerꝫ mõ tani eufrab vbene añ. lb. ß. roſaꝝ ru. ʒ. i. gariofꝫ pi perꝫ lõgi añ. ʒ. ij. cõquaſſenꝛ ⁊ ponãꝛ in alẽbico d vitro ⁊ fiat lenis ignis ⁊ ſ aq diſtillata. Vel po nanꝛ de collirio ſeqnti d q magri mõtiſpeſſulani habuerꝛ mltos honores. ¶ ℞. ſilerꝫ mõtani ma iorane eufrab rute celido^e ſummitatũ fenicl'i ana ʒ. iij. ꝫꝫ^t ſpicenardi pipis lõgi gariofꝫ thucie extin cte ⁊ nutrite ſarcocoli nutrite in lacte azine ligni aloes añ. ʒ. i. fel aqle ⁊ ancipitris yrci incolãtꝫ mõ tana vnũ de qlꝫ balſami. ʒ. ß. mell' roſacei. ʒ. i. cõ q̃ſſanda ꝯq̃ſſenꝛ in vlti° ſicut decꝫ colina liq̃faci enda liq̃fiãt. ſi fuerit eſtas miſceãꝛ in ſole calꝫ p dies. xl. cõti^e ſp agitãdo. ⁊ ſi fuerit hyẽs ꝯficianꝛ i cinerib⁹ vbi ſit cal'. ad modũ galline cubãtꝫ: ⁊ agi tenꝛ ⁊ ſueniꝛ in vaſe vitreo ⁊ ocl'is inſtilleꝛ. ẽ tan te vtutis ꝙ decrepitũ facit lraſ minutas leger e ſine bericlis. Tales vitent piſces offas potiſſime remollitas. poma: pira: magnã cenã: ſomnũ ſubi tũ poſt cibũ: potũ inter duas comeſtiones vorace comeſtionẽ vtaꝛ vino rubeo groſſo: carnib⁹ e ꝯe ctis bene coctis. Iſta tibi ſufficiant p cura.

¶ Capl'm. 25^m. de tumore palpebrarum.

Pithimẽtur ex epithi mate quod in capitulo de obtalmia nominaui mus.

De tumore palpebrarum.

¶ Nõ: ꝙ pal pebre inflanꝛ a cauſa extrinſeca vt a ranee punctura ⁊ ſiſium: vel ab odo ratione ruthe ⁊ ſimilibus in puncturis tu appo nes tiriacam. In odoratione rerum calidarũ. tu appones oleum roſ vnfancinum; aliquando in

groſſatur a cauſa intrinſeca ab humore aquoſo coquat̃ mentaſtrũ in aceto ↄprimat̃: ⁊ applicet̃ ſupra palpebras vel teratur ciminũ: ⁊ diſtempe- tur cum vino albo ꝑ empl'm. Uel pann⁹ line⁹ vel ſpongia infundat̃ in aqua ardenti vel celidonie: vel achori ⁊ applicetur tepidum ⁊c̃.

Capitulum. 26m. de pilis palpebrarũ qui cur uati intrant oculum ⁊ pungunt eum.

Si pilus fuerit vnus aut duo alijs palpebrarũ pi lis cũ maſtice aut oleo ſceni ſũt ãnectẽdi aut radicit⁹ euel lãt̃ ⁊ in loca a q̃b⁹ euulſi ſũt cũ fer ro acuto vt ac⁹ adurant̃. Si autẽ multi fuerĩt neceſſe ẽ vt caro pal- pebre incidatur: loq̃ tñ de hoc nr̃i libri mẽſurã pretergredit̃.

De pilis palpebrarum qui cur uati intrant oculũ. te remitto. Pro cura pili euellãtur ⁊ lo- cus inunguatur cum ſanguine rane: aut catuli canis.

Capitulum. 27m. de cataracta. i. de aqua deſcẽ dente in oculum.

Quandoq̃ alicui videt̃ quod ãte ſe habeat ci- mices aut alia pua cor- pora ſubtilia et radioſa Quod aliquãdo cũ ſtomacho ali quãdo ex ꝓprio nocumento ipſius oculi contigit. ideoq̃ differentia inter hec duo cõſideranda eſt ne- q̃ ꝑ paruo eſt habendũ. cum hoc accidens euenerit Ex eo nãq̃ q̃ð cauſa tam ſtomachi accidit nõ eſt multum timendũ quod oculo no cumentũ inferat. Ex eo vero hoc eñ aque principium exiſtit quod ex ꝓprio vitio oculi contingit val de timenduꝫ eſt. hec autem paſſio dum recens eſt vt in principio cuꝫ medicinis curabilis eſt ſed cũ iam ad perfectionẽ deuenerit ſanari ñ poteſt niſi cum inciſione ⁊ fortaſſe etiã ĩciſio ꝓdeſſe nõ poterit. Qua ꝓpter differentia inter hec duo p̃- dicta diligenter eſt inueſtigãdum que ẽ ꝑut dicemus. Quãdo yma ginationes q̃ videntur vtriq̃ ap- parent oculo extimandũ eſt cõtin gere hoc ex vitio ſtomachi ⁊ econ- uerſo. Et cum ymaginatões in ho ra faſtidij ⁊ in hora male digeſtio nis plura ſolito videntur in hora aũt famis ⁊ laboris pautiora ap- parent extimanduꝫ eſt etiã hoc ex ſtomacho eſſe. Et ſi ex quo iſte y- maginatões acciderũt duo prete- rierũt menſes aut plures ⁊ in pu- pilla non fuerit viſa cõturbatio ex timandũ eſt etiam hoc eſſe ex ſto- macho. Qñ aũt iſte extimatões tibi aggregate fuerint pillulas co chias in potu tribue ⁊ ſi paſſio oĩ- no remouet̃ iam extimatões p̃di cte certificate fuerunt. Si aũt vni tñ oculo apparuerit ⁊ vno modo in oĩb⁹ horis ꝑmanſerit extimã dũ eſt vitiũ aque adeſſe: p̃cipue cũ in pupilla non fuerit obfuſcatio. Obfuſcatio nãq̃ ſi fuerit ĩ pupil la dubitatio iã tũc erit ſublata. Cũ aũt paſſio hec in ocl'o ꝓp̃a fuerit: ꝓhibẽdũ eſt ĩfirmo ne cũ vẽtoſis minuat ſanguĩeꝫ neq̃ ex brachio: neq̃ comedat piſces nec oĩa q̃ hu- mectare pñt. Uẽter vero freq̃nter ſoluendus ẽ ex pillulis cochijs: et

eger et calefactiuis et deſiccatiuis
nutriēdus eſt . ydromel p̄terea in
potu ei tribuendū ⁊ in oclis ſief de
fellibus mittendū. Sief de fellib⁹
qđ ꝑficit aque a p̄ncipio ⁊ dilata-
tioni pupille ⁊ eis q̄ poſt occaſum
ſolis nō vident ⁊ tenebroſitati vi-
ſus q̄ ē ex hūore. ℞. fellis gruis fel
lis ſaboth fellis yrcini fellis anci-
pitris fellis aq̄le fellis ꝑdicis oīm
ſiccoꝝ vnū aut plura. Sumat̄ q̄ꝫ ꝓ
oībus. ℥. x. iſtoꝝ ſiccoꝝ euforbij
coloq̄ntide ſerapini oīm ān. ℥. i. tri
ta aggregentur ex ſucco feniculi te
neri ⁊ mittantur in oculo.

Ecataracta

id ē de aq̄ in oclo deſcendēte. Nō: ꝙ aqua nō deſcendit ſ
fumus q̄ ꝑ coagulatōem a frio in ipiſ
oculis in aquā cōuertit̄ ſicut vapores qui a terra
eleuant̄ ad mediū inteſtitiū aeris in aquā ꝯuer
tūtur a frio inteſtitij congelante talis fumus q̄ in
aquam ꝯuertit̄ eſt groſſus humidus ſatis q̄ et uſ
in ſcothomia fumus eſt magis ſiccus. mobil' vē
toſus ꝓpter qđ non coagulatur nec in cataractā
ꝯuertit̄ que cōiter euenit colicis: vel in iuuētute
vel poſt egritudines acutas vel aliqualr̄ caluis:
⁊ de facili hn̄tibus vertiginē: q: ē vna vl' duab⁹ re
volutioib⁹ ⁊ durat ꝑ menſes ⁊ annos ſine nocu°
oculi in eēntia: oculi oppo^m^ eſt de p̄n° cataracte
vt dicetur. In cura iſta ſunt notāda Ga⁹ vult. 4°
de morbo c°. p̄°. circa mediū capli: ꝙ talis fum⁹
diſꝑgitur in humore albugineo q: groſſior ꝙ̄ di
ctus humor albugine⁹ cauſat ſpēm ſuam in hu-
more criſtallino ⁊ ſic venit ſe multiplicando vſq̄
ad crucisignationē: ⁊ ꝑ ꝯn̄s p̄ntatur ſenſui ꝯmu
ni q̄ hȝ iudicare ſup tali p̄ſentatōe. Ideo iudicāt
ſe videre muſcas ⁊ muſculas ⁊ cimices tūc cata
racta: non eſt firma ſ incipiens firmari dicit raſ
in diuiſionib⁹ ſuis ca° ꝓpo. ſ qn̄ talis fumus eſt
in aquā ꝯuerſus qđ ꝑȝ q: tunc ceſſat apitio mu
ſcaꝝ cum obfuſcatione pupille tūc eſt firma ⁊ ꝑ-
manens ⁊ firmata: ⁊ hȝ ſua tp̄a p̄n^m^ ꝙ̄diu nō cō
gelatur augmentū qn̄ ꝯgelatur ſtatum qn̄ eſt cō
gelata. Tūc dicim⁹ cataracta ē ꝑfecta ad deponē

dū iſta clari⁹ dicet̄ i executōe cure. Alii i febribuſ
ꝑnicioſ tales ſbi aliq̄lr̄ oblōgi ad oclos ab hūo-
rib⁹ q̄ diſꝑſi i hūore albugi^co^ q: groſſiores ipo ⁊ in
foramie vuee cāntes ſpēz ſilēz i hūore criſtallio ⁊
ꝑ ꝯn̄s i crucisignatōe ⁊ ſeſ⁹ cōis iudicat ſe videre
paleas filos. Et recitat ga⁹ de ſeſpo. 4. đ inī. c. 2°
Iđ vult ypo. p̄° ꝓnoſtic. manuū mobilitat̄ ſignū
ē caſus mortalis al'n appent q̄buſđ mliq̄ fumi ta
les groſſi terrei hn̄tes figuras diuſas ancez vel al-
teri⁹ aialis vt dyaboli alati ⁊ iudicāt tales mlici
ſeu inſēſati ſe videre dyabolos alatos ⁊ alias res
ꝑnitioſas ⁊ timoroſas vt recitat ga⁹. 4. đ inī. c. 2.
Iſti tales mlici ſt̄ cōit̄ cū oculis eminētib⁹ ⁊ ro-
tūdis ⁊ diſtātib⁹ ſeu elōgat̄ a naſo ē ꝯpō mala in
phiſono^a^ ꝯn̄r ſūt demētes an̄q̄ ſint i. xl. āno. Al
teri⁹ nō: ꝙ vlt̄ iſtos duos caſus plēs hn̄t apitōes
tales muſcaꝝ ⁊ cunicū i. 4. caſib⁹: vt vult ga⁹. 4°
de mor°. c. p̄°. i cataractādiſ. De q̄b⁹ ē p̄ns ca^m^ i ſco
to^a^. ⁊ eſt ſupi⁹ dc̄m i c°. p̄°. in hn̄tib⁹ vlcera ⁊ cica
trices i cornea i opp° pupil^e^ nā talis cicatrix cāt
ſpēz ſuā ab itra i criſtalinā ꝓcedē° ꝑut ⁊ alie ſpēſ
viſibiliū ⁊ hn̄tib⁹ hūorē albugineū ſbtiliſſi^m^ ⁊ ſē
ſuȝ viſ⁹ acutiſſi^m^. iō q: vapes ꝯti^e^ ſubitrātes ocu
los q̄ ꝯti^e^ exalāt̄ ꝙ̄tūcūq̄ȝ fuerit ſubtiles cābunt
ſpēz aliq̄lē i criſtalia ⁊ q: cū ſ i talib⁹ ſēſus viſus
ē acutiſſim⁹. iō iudicāt ſe videre muſcas ꝑuulas ⁊
ñ cadūt i aliō nocu^m^. Iſta đclarat ga⁹. 4. đ mor°
c°. p̄°. Iđ dic̄ ſatis. p̄°. đ inī. c. 2. cataracta ime^e^ i
eſt ipi vuee puta forami ei⁹. p̄° đ mor°. c. vlti. ⁊. 4.
de mor°. c. p̄°. ſ q: ipa vuea ñ hȝ actōez ſ iuua^m^ in
orga^co^. iō ñ dȝ dici morb vuee: ſ dȝ dici morb⁹ et
pa° ocli q: actio ocli pri° ⁊ p̄nci^r^ ledit̄. ꝓpter ⁊ ſtri
cte loq̄ndo ſp ē ꝑ colligātiā q: vēit a ſto° l' a capi
te q̄ vēire ñ dȝ p̄m ñam. 4. đ inī. c. 2°. Verū raſ
vult: ſi vēiat a capite ꝙ ſi pa° ocloꝝ ꝑ ſe cāē dupl'r
vna ē: q: hn̄t vicinitatē ⁊ colligantiā ⁊ ortū ꝓpin
quū a cerebro q̄ſi ſint vnū. Alia cā ē. q: ſtati ſt ſi-
bi ꝓpria ⁊ eēntialis qn̄ fit a cerebro ꝓpt̄ qđ cauē
da ē vt vult raſ i c°. ē morb⁹ offiq̄. i gn̄e. pri° đ mor-
bo. c. vlti°. In ſpē āt ē opila°. 4. đ. mor°. c. pri°. lȝ
tal' fum⁹ ſpgat̄ ſup albugi^co^ ipȝ ingſſan° vt dicit
ibiđ. nō ledit actōez i orga^co^ puta viſuā niſi inter
po° ſe i foramie caue° ſpēz ſibi ſilēz: vt opilan° et
ꝓhibē° īnſitū ſpēruȝ viſibiliū ꝑ albugineū ad cri
ſtalinā ⁊ ad crucisignatōez ꝓpt̄ qđ cataracta fir
mata ⁊ ꝑmanēs ē ꝓprie opila° foraminis vuee eſt
nocu^m^ vt pluries ē dc̄m regitie ñalis ⁊ vitalis mē
bri mandant̄ ⁊ recipiēt̄. naȝ ſi digeſtie ⁊ expulſi-
ue nō erraret nō adeſſet talis vapor i mēbro man
dante ⁊ recipiente ⁊ eſt paſſio principaliter virtut̄
viſiue, nā in ipa leditur: vt dictum eſt,

Iſtis clarificatis

Cura cataracte ti-
bi pateſcit pus tm̄ q̄ i cura pcedas ſcire oȝ an tal'
cataracta ſit icipiēs firmari. vel ſit firma ⁊ pma-
nēs ſeu ꝯfirmata: ⁊ ſi tūc eſt in pn° vel augmēto
vel i ſtatu. 2°. aūt optet ſcire an talis cataracta ici
piēs a ſtomacho vel a capite: q: cura in h̄ diuſiſi
caꝰ Adūte tn̄ ſup h̄ nā talis cataracta incipiēs a
ſto° cōiter euenit flegmaticiſ vel in pª ſenectute vl'
hn̄tibꝰ emigneā ⁊ nō venit caluis nec colericiſ nec
diſpoſitiſ ad ỽtiginē in q̄bꝰ euenit ſcothªq̄ ſūt tibi
plimū ꝯſiderāda. ❡ Si q̄s cataractā icipiētē fir
mari ſeu ymagines ⁊ aptōes corā ocl'is muſcl'aꝝ
⁊ cinucū ⁊ ſilia. ipis abſentibꝰ habuerit ⁊ ab ipo
ſto° habuerit: q: i ābobꝰ ocl'is ⁊ alleuiāt tpe vno
⁊ aggrauant alio ſm aliā diſpōeȝ ſto' hora reple
ctōis ⁊ indigōis pl'a hoꝝ apparēt ⁊ vnū vl' duos
mēſes trāſiuerint q̄ ocl's nō fiat aliṫ obfuſcatus
tūc certū ē q̄ tales apitōes dicunt mihi. Catara-
ctā incipientē firmari ab ipo ſto° de q̄ nō ē mltū
timēdū q̄ venit in cataractā firmā ſeu ꝯfirmataȝ
vt dic̄ Gaꝰ. 4. de inſ. in. ca. 2°. Verū ipe curabat
hn̄tes tales ymagies ſeu apitōes cū potu yerapi
gre vt ipe recitat ibidē. deṫ g̃ ſibi ſemel i mēſe. ʒ.
i. yerapigᵉ diſſolute cū aq̄ citrinū ru. l' cū ꝺcoctōe
abſin' q̄ð ſuffic. ꝶ potꝰ detur i aurora. Deṫ de me
tridato ſemel i ſeptimana i q̄tiᵉ amigð cū modi
co vini i introitu lecti vel q̄tuor hor̄ poſt cibū Vi
tet piſces ſalti in mag̃ q̄titᵉ fructꝰ ſpāl'r pira po-
ma offas ſpāliter ī mollitas cenā niſi modicā ml'
ti ſunt libati cū abſtineª cene q̄ paꝝ ſaltim tenēt
q̄ tibi ſufficiūt p cura illiꝰ ❡ Si q̄s cataractā in
cipientē firmari ſeu ymagines apitōes corā ocu
liſ muſcaꝝ ⁊ cinicū ⁊ ſil'iū habuerit ⁊ ab ipo cere
bro q: in vno ocl'o ſine aliq̄ interpolatōe ſeu alle-
uiatōe: p° ꝯtiᵉ vniformiṫ appent ē etiā pauci tpis
q̄ incipit h̄ valde timēdū eſt: q: niſi cito ei ſuccur
raṫ: venit breuiṫ in cataractā firmā ⁊ cōfirmataȝ
Iſte vitare dȝ piſces offas ⁊ oīno oia q̄ hūectant
⁊ nutriaṫ cū cibis aliq̄l'r calidis ⁊ ſiccis. ⁊ ſumat
bis in ſeptimana de metridato in q̄tiᵉ amigᵉ cū
modico vini ſumat de mane i aurora vel an̄ ortuȝ
ſolis minor et cenā: vitet ſomnū feſtinū poſt cenā
vigi'et ad minꝰ tribus hor̄ poſt cenā capiat ſepe
de pill'is cochijs ⁊ in modica doſi ſuffic. ʒ. i. ß. vel
capiaṫ ⁊ meliꝰ de yerapigª duplata coloq̄nª fiat
ſic. ❡ ℞. yerapigᵉ gaˡ. ʒ. iij. pulpe colloq̄nᵉ groſ-
ſo modo pulueriȝate. ʒ. i. miſceanṫ ⁊ incorporentur
ſil' vt totū fermētetur fac pill'as de iſta maſſa. Ca
piat de. 15. in. 15. vel. 20. diebus. vel. xi. vel. xiij. in i-
troitu lecti taliter q̄ aſſellet bis vel ter vltra ſolitū

augmētando vel diminuendo numerū: vt tibi vi-
debitur loco ſirupi. non cenabit illa nocte. Et q̄li
bet die ſumet duos vel tres bolos herbaꝝ iſtaruȝ
in brodio carniū. ℞. faluie mente maiorane baſi
lico. meliſſe ana folia. 6. vel. 5. ligentur cum filo ⁊
decoquanṫ vna ebulitione. Si eſſet hyems ⁊ āti
quus puta in prima vel ſecunda ſenectute ſumat
duos bolos de mane de rutha in vino madefacto
Abluat caput ſuum ſtomacho ieiuno ſemel in ſe
ptimana cum aqua decoctōnis betonice abſinˡ
ſit tertia vel quarta pars vini albi vel clareti vl' le
xiuij. & caueat illa die potiᵐᵉ avēto Si q̄s catara
ctā firmatā l' ꝯpletā hūerit: q: tales apitōes ceſ
ſāt cū obfuſcatiōe pupille. ſcire optet an talis ca
taracta confirmata ſit in ſui pncipio q̄ aqua ſoᵐ
ſit congregata ⁊ in aliquo nō congelata: quia co
gnoſcitur q: ymagines p̄dicte iam ceſſant: & vi-
det nebulā magnā: ⁊ hoīes non tm̄ diſtingūt in-
ter hominē ⁊ hoīem vident digitū eleuatum: ſed
non diſtingūt digitū a digito vel ſit in ſui augmē
to q̄ aqua incipiat cōgelari tunc minus vident ⁊
peius diſtingūt rem a re ⁊ pupilla magꝭ obfuſca
tur vl' dealbaṫ vel ſit in ſui ſtatu q̄ nihil videāt ni
ſi vmbrā ⁊ in ſui pceſſu nil vident niſi radicē ſol'
nam q̄n eſt in ſui pncipio ⁊ mediū augmenti nō
tranſiuerit adhuc cū medicinis ⁊ collirijs cura-
bilis eſt. Dieteṫ g̃ ⁊ purgeṫ ſicut dictū eſt de hn̄ti
bus cataractā incipientē firmari vitio cerebri. Et
vtatur collirijs de fellibus. raꝰ. fel auſtarde auis
curat cataractā p modū collirij: fel ācipitris mi-
xtū cū modico mell' ⁊ modico ſucci feniˡ p moduȝ
collirij multū vȝ diſſoluit illam aquā ne cōgleṫ:
⁊ conſumit eam. Idem facit balſamū. ❡ Si q̄s
medium augmenti tranſiuerit vel in ſtatu fuerit:
q̄ non videt niſi quandam vmbram: vel nihil vi
det niſi radium ſolis: tunc ſignuȝ eſt q̄ illa aqua
congelatur ibi multum: vel eſt congelata. talis
non poteſt curarari niſi cum acu p cyrurgicū ex-
pertum in hoc. Nam oportet anteq̄ deponaṫ: q̄
ſit bene inſpiſſata cōmuniter tardat per annū ad
bene ſpiſſandum poſtq̄ ex toto perdiderūt viſuȝ
dempto radio ſolari ⁊ cognoſcimus talem inſpiſ
ſatam congelatam quando eſt bene deponibilis
quando eſt col' aeris: vel fungi non alba nec nig̃
nec citrina: nec gipſea tūc nimis ſunt antiquate
vel indurate non poſſunt capi ab acu ⁊ quādo al
ter oculus clauditur ⁊ pupilla illius cum pollice
fricatur ⁊ ſubito aperitur ſi pupilla per fricatio-
nem dilataret: ſignū eſt cure. 4°. de morbo in c°.
p°. q: opticus nō videṫ opilatus ex q̄ ſpūs dilatā
tes trāſeūt ad pupillā ⁊ q̄ cataracta tenet mediū

in ſubſtantia purget̃ ergo modicũ c̃ pillis ſupi⁹
dict̃:⁊ poſt p̃ tres dies deponat̃ p̃ cyrurgicũ exp-
tum et emplet̃ locus:ſcʒ oculus cum vitellis ouo
rum ⁊ modico albuminis ⁊ ſtupis canabinis et
ſtet in ſilentio ⁊ in obſcuro decem diebus cũ die-
ta tenui. Iſta ſufficiant tibi pro cura.

Capitulũ.28^m^.de victolopis:id eſt qui poſt ſo
lis occaſum non vident.

Ad hoc vtile exiſtit epar
caprinũ ſcidere ⁊ pone
re ſup̃ vnã ſectõnez pip̃
longũ ⁊ coopire ipaʒ ex
alia ſectõe pipe lõgo i medio exñte
Deinde ponere ipm in furno ⁊ di
mittere ſibi donec aſſet̃ ⁊ nõ deſic
cet̃. Qð pfecto piper longũ quod
in medio erat ſumat̃ ⁊ bñ terat̃ cũ
q̃ pauco muſco. deinde ex liquore
ex epate aſſato exp̃ſſus fuerit cõſp̃
gat̃ ⁊ ſiccet̃ ⁊ in oclm mittat̃. Aut
fel caprinũ cũ melle mixtũ in cucu
ma ſup̃ ignẽ miſceat̃: deĩde radius
eo illinit⁹ imittat̃ oculo. Qð aũt
ad magis valet eſt vt ſiet̃ de fellib⁹
in oculo mittat̃. Si aũt hoc nõ ſuf
fecerit vẽter ſoluatur ⁊ ſanguis ex
duabus cephalicis ⁊ ex fronte mi-
nuatur ⁊ regimen ſubtiliet̃.

De his qui poſt occaſuʒ ſolis ni hil vidẽt.

Materia hu⁹
capli tractata eſt in ſpeculatõe ⁊ i cu-
ra ſupius in ca^o^. de debilitate viſus ex
plicando cãm diuſitatis cauſe hu⁹ paſſiõis ⁊ de
bilitatis intellecte in illo ca^o^. Ideo remitto te ibi.

¶ Capitulũ.29^m^. de dilatatione pupille.

Cum pupilla hoc ẽ fora
mẽ qð eſt in nigredine
oculi adeo dilatari vide
tur vt vndiq; ptĩgat ad
albedinẽ fueritq; poſt vehementẽ
cephalice dolorẽ p̃ua habẽda ẽ fi-
ducia in ei⁹ cura: ſʒ ſi dilatatio p̃ua
fuerit tũc aſſidua ſolutõe vẽtris ex
cochijs multotiẽs ⁊ ſiet̃ de fellib⁹
in oculo mittendũ. Qð ſi pupillã
poſt p̃cuſſionẽ dilatari cõtingat ñ
eſt inde timẽdũ q: remouebit̃: fiat
itaq; empl'm ex farina fabaꝝ ⁊ ca-
momilla ⁊ euiſco cuʒ vino ⁊ aqua.

De dilatatione pupille ſup^e^ accñtali: q: ñalis eſt icurabil'.

Tu di-
ces q̃re rubrica tacet de ɔſtrictõe pu-
pille. Dicẽ^m^: q intelligẽti non tacuit: q: ɔſtrictio
pupille hʒ tres cauſas q̃ꝝ due ſũt incurabiles ex
vna cã facta curat̃ ſic̃ ⁊ dilatatio cũ ſiet̃ de fellib⁹
vt patebit. p̃p̃ qð apud ſcientẽ nõ tacuit. ¶ No
ta: q dilata^o^ pupille accñtal': q: de illa eſt p̃ñs ſer
mo fit cauſa duplici: vt dic̃ Ga^9^.4^o^. de morbo. c^o^
p^o^. vna cã pon^ma^ ſũt hu. mlti fluẽtes p̃ viaʒ catar
ri vl' ex ictu vel al's ĩfra vueaʒ extẽdẽtes ipam. Iõ
extendit̃ foramẽ ſic̃ videm⁹ in vtre ⁊ veſica plenis
dilata^o^ accñtalis fit ex iſta cã hũoral' flura ſic̃ nã
turalis ex magnitudine albuginei: qñ talis acci-
dental' dilata^o^ magna ẽ: q q̃ſi ptingat ɔtinuaʒ:
tũc incurabil' eſt q: arguit̃ magn⁹ fluxus hũoris
a capite dilata^o^ p̃ua ſubito facta: q: fit a p̃uo hũo
re. flura ipa eſt curabil': q: nõ arguit̃ tãtus fluxus
hũoris: q intelligit Rab in ca^o^. ¶ 2^a^. cauſa dila-
tatõis pupille eſt aliqual' ſiccitas excedẽs i vuea
q: mag̃ ⁊ fort̃ ɔſtringit pupillã corrugando ipaʒ
vueam. vt dicet̃ ſtatim: modica aũt dilatat pupil-
lam: q: trahũt̃ p̃tes cẽtrales circa ɔferẽtiam: iſta
fit paulatim iſta ẽ incurabil'. q: nõ poſſum⁹ medi
camen bñ hũectans ipaʒ vueaʒ approximare. iõ
Rab tacuit de ei⁹ cura. ¶ Cõſtrictio aũt pupille
fit cauſa triplici: vt dic̃ Ga^9^.4^o^. de morbo ca^o^. p^o^
¶ Una cauſa ẽ fortis exſicca^o^ vuee corrigãs ip-
ſaʒ ſic̃ coria fort̃ exſiccata corrugant̃ ⁊ foramia
corrugan^o^ claudũt̃ ⁊ p̃uificãt̃. h̃ demõſtrat ſens⁹
⁊ expiẽ^a^ ſenſus ⁊ facti ¶ 2^a^. cã ẽ nimia hũiditas
remolliẽs ipaʒ vueã ⁊ ipaʒ molificãt: tũc p̃tes ei⁹
extẽdũt̃ ſic̃ foramẽ ei⁹ diminuit̃: vt pʒ in crebro p̃
forato remollito ¶ 3^a^. cã eſt ſi albugine⁹ minoret̃
mltũ: q: tũc vuea cadit ſup̃ criſtallinã ſic corrigat̃
⁊ ei⁹ foramẽ p̃uificat̃: ſic p̃utas pupille peſſimos
morbos ɔcomitat̃. iõ mala. Ga. in lo^o^ alle^o^ ex ſe.

aūt nō: q: magꝭ replet̄ ſpiritib⁹ facta apa cā ⁊ vl
tima ē incurabil'. a ſecūda cā eſt curabil'is: lꝫ cum
difficultate cū fiet de fellib⁹ ſicut diſtillatio facta
cū aliq̄li fluxu hūoris: ſic pꝫ tibi ꝙ in rubrica nō
tacuit intelligēti de ↄſtrictōe pupille ꝑut tu cre
debas ¶ Et ſcias ꝙ lꝫ dilatatio ⁊ ↄſtrictio pupil
le imediate inſint ipi vuee ſunt tñ paſſiones ꝑ re
deſcripta ⁊ ꝑmo ⁊ ꝑnci ipius oculi q: actio ocl'i
puta viſiua ⁊ motiua ꝑmo ⁊ ꝑncipal'r ledit̄ ⁊ mor
bus ōr rōne actōis leſe imediate: vt ꝑſies ē dc̄m
ſupi⁹. Et ſ̄t paſſiōes ꝑ colligātiā venit mala ma
vl' q̄litas acq̄rit̄ ab aliq̄ cā ꝑrimitia q̄ venire ñ dꝫ
ſm naturā. Et ē morb⁹ in via ipa dilata⁹ cōcomi
tādo ſm morbū i receptaclō puta ianitōez ſpūuz
ↄſtrictio aūt ex ſe nō ē morb⁹ q: ex h̄ nō fit nocu
actōis viſiue: q: tūc replet̄ magꝭ ſpiritib⁹. Sꝫ bñ
ↄcomitat̄ peſſimos morbos dictos ↄſil'es l' offi
ciales. ⁊ ē nocu regitie ñal' digeſtie ⁊ expulſiue
mēbri mādātiſ ⁊ recipiēt. ſ. ipaꝝ ꝑtiū ocl'i ⁊ ſ̄t paſ
ſiōes ꝟtuꝭ viſiue. ⁊ pꝫ tibi ꝙ dilata⁹ ñal' ē peior
ꝙ accñtal': q: accñtal' ē curabil': vt ē dc̄m Et ↄſtri
pupille fcā a nimia ſiccitae ē deterior ꝙ illa q̄ fit ꝑ
pter hūiditatē ⁊ q: illa icurabil' facta ab hūidie ē
curabil' facili⁹ ē exſiccare ꝙ hūectare. h̄ vult Ga
4. ō mor⁹. c. p⁹. ⁊ tiniet̄ pulc̄ ſpecula⁹ ⁊ ſciētifica

Iſtis clarificatiſ cura dilata
tōis pupille
tibi pateſcit: verū ſi magꝭ fuerit ꝙ q̄ſi ꝑtigat ↄiun
ctiuā q̄ cōiter fit poſt magnū dolorē capiꝭ nō ap
ponas manū: q: icurabil' ē. ar' inſtitu⁹ ma ibiō
fluxe. Si āt modica fuerit ⁊ ſubito euenerit et in
vna hora ſig ē ꝙ modica ma fluxa ē iſra vueā
extēdēs dictā vueā ⁊ ꝑ ↄñs dilatās ei⁹ foramē ſic
videm⁹ i vtre ⁊ veſica repleꝭ. Cōſidera tñ ſi talis
ma ē ibi fluxa ꝑ viā catarri vl' ex ictu nā in h̄ cu
ra diuſificat̄ ⁊c. ¶ Si q̄s aliquē dilatatōez pupil
le ſubito ex ictu habuerit ñ tñ tunēda ē ſtati flōe
tur de cepha eiuſ ꝑtis i ↄpetēti q̄tie. Et ocl's
empl'et. ¶ ℞. farine fabaꝝ. ℥. iij. floꝝ camo. ℥. i.
⁊. ſ. vini ⁊ aq̄ qō ſuffic̄ fiat emplꝫ cui⁹ vna ꝑs ſ̄ o
culū ponat̄ renouā⁹ dc̄m emplꝫ de. 6. in. 6. horis
Cōſeq̄nt̄ eadē die de ſero applicet̄ vētoſa cū ſca
rificatōe i fontinella colli i oppo⁹ ocl'i in craſtinū
flōetur de vena q̄ ē in ang'lo ocl'i. Bonū ē ad cau
telā ſtati in ꝑn⁹ empl'e timpora cū ſan. dra. ꝭra ſi
gillata mixꝭ cū modico albuminis oui extēſi ſ̄ pā
nū lineū vel cū thure mirra ⁊ albumie oui ſubtili
ter pulueriꝫat. Teneat ſꝑ dietā tenuē de aućato
de amido paꝝ de vino liphato. Trāſact̄ tribus vl'
q̄tuor dieb⁹ diſtillet̄ iſra oculū lac. m. calidū ⁊ ap
plicet̄ ſepe ſpōgia deſuꝑ iſuſa in aq̄ calida deco
ctōis ſe. fenu Poſtea diſtillet̄ ab itra ſan. calid⁹
dū exierit ab ala colūbi ⁊ applicet̄ illa q̄ applicat̄
i cura macl'e rubee l' ipi⁹ obtal dū ē in decliatōe
Si q̄s āt dilatatōez pupille ſubita habuerit ꝑ viā
catarri: q: ſine ictu purget̄ ſtati cū pill'is cochijs
det̄. ℥. ij. ⁊ ſ. ñ ꝑcedēte ſir⁹. Cōſeq̄nt̄ reiteret̄ vt. 10.
vel. 12⁹. die. i minori tñ q̄titē ſufficiūt. ℥. ij. ⁊ ſiet. ſeu
colliriū ō fellib⁹ dc̄m i cura catharache ipōat̄ ca
ueas tñ a falſ ꝑmiſſiōib⁹: q: cū maxa difficulte ta
lis ma ſubſtrahit̄ ⁊ ↄſumit̄ dato ꝙ i ꝑn⁹ vocat⁹
fuerꝭ. Si āt macilēt⁹ eticat⁹ dilatatōꝫ pupille pau
latine habuerit: h̄ fit q: vuea aliq̄l'r exſiccat̄ q: tē
trahūt̄ ꝑtes cētrales ꝟſus circūferētiā. iſta icura
bil' ē: q: ñ poſſum⁹ medicinā hūectatiuā bñ apꝑ
xiare ipi vuee ꝑpt̄ qō raſ tacuit ō ei⁹ cura. Veꝝ
vt i aliq̄ ſibi ꝑficiam⁹ ordinam⁹ ſibi dietā hūecta
tiuā ſeu reſūptiuā: viuat i ocio et i q̄ete. Balneet̄
freq̄nt̄ fomētet̄ ocl's cū aliq̄s fris tēpatꝭ cucurbi
te ⁊ ſimiliū. ⁊ ab itra ⁊ ab extra diſtilletur lac. m.
iuuenis puellam lactantis. Et ſic terminetur.

¶ Capitulū. 30. de fiſtula in lacrimali

A running or watering disease called a fistula.

Um angulus lacrima
lis reſudat et cōprimit̄
ſanies ⁊ vir⁹ ab eo egre
dit̄ fiſtulā pati itelligit̄
q̄ cū cauterio curat̄ De hoc tñ loq̄
pluſ ē ꝙ huic noſtro attinet̄ libro
Nos tñ iā ei adiūgim⁹ medicamē
qō ſi adhibitū fuerit ipam ꝑ mul
tos menſes adeo tardare facit. vt
eger ſan⁹ videat̄. Medicamē āt il
lud. ℞. aloes thuris ſarcocolle ſan
guis draconis balauſtie ātimonij
aliūs oim ꝑtes eq̄les ꝫimar q̄tuꝫ
eſt q̄nta ꝑs vni⁹ fiāt ex eis ſiet Cū
ꝙ neceſſe fuerit fiſtula in tñ ꝑma
tur vt q̄cq̄d ſaniei in ea cōtinet̄ e
grediat̄. Deinde infirm⁹ ſuꝑ lat⁹
in quo ñ ē fiſtula iaceat de ꝑdicto
ſief aliq̄d diſſoluat̄ in aqua ō quo
in angulo lacrimali treſ gutte aut
q̄tuor inq̄natiꝫētur magno exi

te iſterſtitio inter ꝓiectionē vnius
gutte ⁊ alteri⁹. Quo facto eger ꝑ
tres ſic iaceat horas. in mane quo
ꝗ ſeq̄nti die ſimilit̄ fiſtula bñ pri
mat̄ ⁊ fiat eadē cura. Nō ꝑ ebdo
madā vnā fieri cōuenit ⁊ etiā taꝫ
diu donec nihil a fiſtula egrediat̄
cōprimit̄. Ex hac naq̄ꝫ cura locus
multis mēſib⁹ ſiccus permanebit
De curis oculorū q̄tū huic loco
neceſſariū eē putauim⁹ iā ſatis di-
ctū eſt credimus. Alia vero qꝛ ſuā
de curis q̄ ꝑ ferrū exercētur dimit
tamus. qꝛ multis indigēt medica
minibus Sūt tamē quedā ex eis:
q̄ in locis in q̄bus de decoratōne
tractauimus ⁊ ſanitatis cuſtodia
cōtinetur.

Ē fiſtula q̄ fit i lacrimali an
gulo ocli. Nō. ꝙ fi
ſtula ñ ē aliō q̄ vlc⁹ in carne ſordidū
cū ꝯpmit̄ ō mane ⁊ de ſero exit pus ⁊
ē vlc⁹ ꝯcauū ⁊ iteri⁹ ⁊ calloſū. i. durū i labijs inte
riorib⁹ exteri⁹ āt nō ē ꝯcauū: yº ſtrictū. Iſte ꝯditi
ones ſt̄ ſꝑ i fiſtula in q̄cū ꝗ ꝑte fuerit rubrica ca¹
de fiſtula oculi. i. de vlcere ſordido ꝯcauo ⁊ callo-
ſo āplo magꝭ iteri⁹ q̄ⁿ exteri⁹ i carne maiori anguli
ocli. ℭ Nō: ꝙ fiſtula cauſat̄ i ꝑdicto āglō ocli et
ꝯīº ⁊ fluxu lōgeuo hūoꝝ acutoꝝ corrodētiū car
nē ibidē. h̄ cōīt ē ꝑviā collectōis trūboſe ⁊ apoſe
ſat̄ occlte pue ſbalbide l' ſbru. aliq̄ fit bothor a ꝑ
ua puſtula i dcō āglō. In alijs āt mēbri cōīt ꝯſe-
q̄t apa magꝭ māifeſtū. tal' fiſtula ocli l' alteri⁹ mē
bri iterdū ꝓfūdat̄ vſq̄ꝫ ad os. Iſtō ē qñ durat per
ānū ⁊ vlt̄. itēº ypo. 6ª. āph. cañ illo. Uulnera q̄cū
ꝗ ānua fuerit l' lōgi tpis os necē ē emitti ⁊ cica-
trices cauas fieri tē ſil' r exit pus magꝭ citrinū tal'
fiſtula nō pt curari ſine cautio actuali: h̄ vult raſ.
Et ſcias ꝙ tal' fiſtula ē paº ꝑnci' lactoꝝ lacrimal'
ocli ꝯñr ꝑtūviciaꝝ: ⁊ ē paº ꝑ colligātiā vēit q̄ōve
nirēt dꝫ fin ñaꝫ. Et ē morb⁹ offiq̄. mala ꝯpoº ⁊ i
figura ⁊ ē nocuᵐ mēbri mādāt̄ ⁊ recipiēt̄ nam ſi
digeſtia ⁊ expliuā hoꝝ mēbroꝝ ñ erraſſet maª tal'
ñ fuiſſet gñata. Et ē paº motie ipoꝝ lactoꝝ ⁊ ocli
Cōſeq̄nt̄ naturaliū vtutū ꝑtiū illaꝝ ⁊ ocli ꝯſil'r pi

pter q̄ō tranſit ⁊ rubeſcit caro vicina.

Iſtis clarificatiſ cura fiſtuͤ ocli ubi pa
teſcit. i cura fiſtule ocl'i q̄ nō ē annual' ſic ꝓcedat̄
Purget̄ pº cū pill'is cochijs dēt̄ ſibi. ʒ. ij. ⁊ ß. pre
cedēte oximelle diureᶜᵒ ꝑ. 5. vel. 6. dies. Cū aq̄ ci
cerū ru. vbi ſit modicū ſaluie maiorane toto tpe
purgatōis ꝯprimat̄ de mane fiſtula ⁊ mūdificet̄
Et fomētet̄ locus cū ſpōgia iſuſa i aq̄ decoctōis
roſ. vbi ſit q̄rta ꝑs vini l' duo coclea ͣ mell' iſta fiāt
tpe ſir' ⁊ medicie. ℭ Ꝯñr ꝓcedam⁹ cū potu ap ꝑ-
ꝑato ad h̄ ⁊ cū pl'ib⁹ ap ꝑ ꝑriat̄; vtat̄ de mane iſto
potu ꝑ tres mēſes. ℞. fol' agrimōie. ʒ. ij. fol' oliue
ſilueſtris cerrac. añ. ʒ. ß. ꝯq̄ſſet̄ ⁊ remoliāt̄ ꝑ noctē
i modico vini al. clari rozeregni. De mane toᵐ te-
peſit colet̄ ⁊ pot⁹ detur de mane añ ortū ſolis. Dū
vtet̄ iſto potu dilatet̄ foramē fiſtule cū modica tē
ta laureole l' gētiane l' briōie ⁊ iponas ab itra ter
i die vel bis l' q̄ter guttas ſucci agrimōie vel ō la
cte titimali. Iſta forīt̄ abſtergūt calloſitatē illaꝫ
q̄ mollificata labia vniūt̄ moll' cū molle facilit̄ v-
nit̄. 6º. ō morº. Iō dic. 13º. de igeº. loº hoꝝ foramie
dilatato iponim⁹ de pul' 1º q̄ forti⁹ opat̄ i mortifi-
cāº fiſtula. ℭ ℞. alūis. ʒ. ij. ſal' armoᶜⁱ. ʒ. i. floꝝ eri
ʒ. ß. ſ. pul' ſubtil', vt alchool iponat̄ de iſto pul' in
foramie l' addat̄ feq̄ oli q. ſ. ſ. vngᵐ cū q̄ vnguat̄
tēta q̄ ponat̄ i foramine Uel ponat̄ de iſto pul' q̄
vtebat̄ Bordo⁹. ℞. viride eris attramēti ſalis ar
moniaci vitreoli calc̄ viue auripigmēti cātarida
rum aluminis añ. ʒ. i. fiat pulius ſubtilis q̄ impo-
natur in foramie fiſtule i ꝑuiſſima q̄ītate: tamē
Uel miſceantur cū vrina pueri non polluti ⁊ fece
olei antiqui fiat vngᵐ de quo tenta intinguatur q̄
foramini fiſtule imponatur. Fiat vnguentū mor
tificata fiſtula ſeu remota illa calloſitate q̄ ꝯmu-
niter fit in. 20. vel. 30. diebus. pone de ſucco pillo
ſelle q̄buſdam diebus intra illam. concauitatem
fiſtule vt raro regnet̄. Uel inūguat̄ tenta cū h̄ vn
guēto vt caro regnet̄. ℞. aloes olibani ſarcocol'
nutrite añ. ʒ. ij. ſ. vngᵐ Aliq̄ ātiq̄ ſcripſerūt q̄ colli
gat̄ ō agriª ⁊ orōe dñica ⁊ portet̄ i collo ⁊ curat̄. ſi
cū iſt̄ ñ curat̄ l' iſra ānū dim aūit recurrēō ē ad ma-
nū cirurgicā vt appōat cautū actuᶜ i q̄ cōīt tal' ē
ꝓceſſ⁹. ℭ pº āpliat̄ foramē cū flōmo ꝯñr appōit
tēta ō medulª ſābuci ſicca bñ ꝯpſſa cū digit̄ bis i
die ꝓcedēº ſic ꝯtiᶜ gſſio: ꝯñr appoʳ tēta gētiāe cō
ꝑſſa cū digit̄ l' laureole l' briōie. Aliq̄ apponūt tē
tulas modicas bñ ꝯpſſas cū digit̄ cū ſpōgia ma
rina qꝛ ē ſalſoſa ⁊ corroſiua veꝝ attēdiāt̄ i h̄ rōe
ſēſibilitat̄ ꝑticl'e loº illo a ꝑte vſq̄ꝫ ad os naſi tūc
cauterizat̄ locus apponitur patula lōga argenti
inter oculū ⁊ foramen factum ne oculus ledatur.

ꝛ applicaṫ tria vl' q̃ttuoꝛ cauteria ꝯpetēter ignea
Hoc ꝯmittiṫ arbitrio opantis coquēdo ꝛ caute
rizādo in latitudine. i. digiti pui: vt nihil remane
at de osse coꝛrupto. Interdū fistula ē antiq̃ta q̃t
tuoꝛ vel q̃nq̧ annoꝝ: ꝙ os nasi est tm̄ coꝛruptum
ꝙ nō pōt cauterizare vndiq̧. Ideo ad cautelam
cū vltimo cauterio pforamus os nasi bn̄ inpin
guēdo vt soꝛdities ibi fluens euacueṫ: ꝛ exeat p
nares ad cautelā facimus si est dubiū: ꝙ os coꝛ
ruptū nō fuerit cauterizatū ſm oēs ptes appo
nimus h̄ facto coꝛrūpentia scarā de vnguēto po
puleō ꝛ silib᷒. Ista tibi sufficiāt ꝓ cura fistule an
nualis vel antiquate in angulo oculi.

Capitulū. 31m. de doloꝛe auris.

Si cū doloꝛe q̇ fit ī aure
fuerit ī facie inflāmatio
ꝛ pulsatio sanguis ex ce
phalica erit minuēd᷒ et
oleū ro. aut ol'm de floꝛib᷒ salicis te
pidū cū pauco aceto īmittēdū: lac
q̧ ita cal'm vt ex mām̄illa egrediṫ
multotiēs distillādū erit vēter pre
terea ex mirabolanis citrinis ꝛ sca
monee ꝛ aloe vehemēter soluatur
Mō hoc mō fiet mirabolanoꝝ ci
trinoꝝ ℥. xx. sumanṫ ꝛ puluerizati
in duab᷒ libris aq̄ coq̄nṫ dōec ad
duas vni᷒ libre tertias redeāt ꝛ co
lēṫ. Post hec sumaṫ aloes ℥. i. sca
monee sexta ps. ℥. i. aggregētur cū
rob de citonijs ꝛ fiāt ex eis pillule
q̄ p duas hoꝛas aā decoctiōem su
manṫ. deīde bibaṫ decoctio. Mō
si doloꝛ nō q̇euerit paꝝ opij ī oleo
ro. resoluti in aurē mittaṫ ꝛ si pul
satio redierit ꝛ trib᷒ dieb᷒ pseuera
uerit ol'm sisaminū ī quo anatꝫ aut
galline adeps fuerit resolut᷒ in au
rē sepe mittaṫ. Ibi nāq̧ est pustu
la q̄ maturatōe indiget. Cū āt do
loꝛ q̇euerit putredo iā tūc collecta
erit: ideoq̧ pus subito extinsupato
de aure egrediṫ Cū aūt doloꝛ ī au
re fit p᷒ fastidiosā satietatē: aut p᷒
vētos frigidos ol'm ī quo ruta aut
sepe cocte fuerint in aure distilleṫ
Aut ol'm de lilio sumanṫ: ꝛ cuiq̧
℥. ex eo misceaṫ eufoꝛbij recentꝫ ℥.
i. castoꝛee ℥. i. sꝫ si hoc nō suffecerit
vēter ex pillulis cochijs soluatur,
patiēs q̧ balneū ingrediaṫ ī quo
etiā sudet vinū q̧ vetus ꝛ foꝛte ei
tribuaṫ. Si āt cū doloꝛe auris fue
rint sonit᷒ ꝛ tinitus atq̧ vētositas
panicū siue miliū ī sartagīe toꝛre
factū cal'm multotiēs supponatur
Et auris q̧ sup vapoꝛē aq̄ ī q̄ sint
cocta mētastrū ꝛ sticad᷒ arabicus ꝛ
sansucus teneaṫ de castoꝛeo pter
ea ꝛ eufoꝛbio in ol'o sambucino dis
solutꝫ quoꝝ vniūq̧dq̧ q̄ttuoꝛ grana
oꝛdei pōderet in aurē mittaṫ

E doloꝛe auris: vt videas
pticulā pncipalē
patientē in doloꝛe auris: in vlcere au
ris: in tinitu ꝛ sonitu auris: in graue
dine audit᷒ ꝛ in his q̄ intrant aurē. ¶ Nō. ꝙ auri
put est oꝛganū audit᷒ ꝯstat ex q̄ttuoꝛ ptib᷒ inter
q̄s est vna pncipal'. cetere sunt sibi coadiuuantes
sicut in oc'lo ꝛ in q̄cūq̧ alio oꝛgano alicui᷒ sēsus
seu vtutꝫ aīate. 4o. de moꝛbo. 2o. c. Id dicit Auic.
3o. can̄. fen. 4a. cao. p̄o. Est ibi neruus dur᷒ veniēs
ab vno pari neruoꝝ capitꝫ hn̄s oꝛtū mag' a puppi
8. ꝛ. 6. de iuuamētꝫ caplis secūdis. Id aui. 3o. can̄
fen. 4a. co. p̄o. cui᷒ extremitas ē ps pncipal' in oꝛ
gano audit᷒ seu in aurib᷒ vt diceṫ. ꝛ est creat᷒ du
rus a n̄a vt cito nō lederet a pcussione aeris extri
seci: vt diē Ga᷒. in loc̄ allegatꝫ ꝛ sunt nerui ꝯcaui
post opticos vt multitudo spūum recipeṫ cā app
hendēdi ꝛ iudicandi obiecta remota ꝓpt q̄d sen
sus audit᷒ est mag' subtilis ꝛ inuestigatiu᷒ post sē
sum visus. 4o. de iuu. cao. 3o. in pn̄o: ꝓpt q̄d moder
ni n̄ri mōtipedēses puta Gilbert᷒ goꝛdo᷒ ī psal
terijs suis vocāt istos obticos ¶ 2o. ē ibi os durū

ꝑforatū tortuoſum qḋ ḋr petroſum ē creatū tor
tuoſum ne exteriora ſubito ſubintrēt ⁊ ledāt viij.
de iuuamētis ⁊.ix.cal.ſcḋis. ¶ Per cuiꝰ foramē
ſubintrat caput illiꝰ nerui dictū cooperiēs ipſuȝ
foramē ⁊ inuoluēs ipm̄ ꝑ modū pellicule āplian
tis ſe ⁊ dilatātis ꝑ modū cuiuſdā cōcauitatis: ⁊
iſta extremitas nerui ſic ſe ampliātis ⁊ extēdenſ
ſup formā oſſis petroſi eſt ps ꝑncipal'in organo
auditꝰ: cetere ſunt ſibi coadiuuātes ſic criſtallia
eſt in oc'lo.4.de morᵒ.c.2. Idē in libello de iuua⸗
mētis anhelitꝰ.c.ij. ¶ Tertio ē ibi aer cōnatura
lis ſtās in illa ↄcauitate pelliculoſa ipſius nerui
dicti rōne cuiꝰ ⁊ inundatiōis ⁊ motꝰ a ꝑcuſſiōe
aeris ſubintrātis exteriꝰ cōprehēdit ſonitꝰ ⁊ vox
in aure ⁊ fit auditꝰ. Et ſi inundat ⁊ moueatur a
vapore fit ſonitus ⁊ tinitꝰ vt dicet: q2 ſitis per pu
pillam ſubintrat ſpēs viſibiles ad criſtallinā: ſic
per aerē illum quietū cōnaturalem in dicta ↄca⸗
uitate pelliculoſa ſubintrat aer percuſſus percu
tiēs ⁊ inundās ꝑdictū aerē pᵒ ↄſir ꝑdictaȝ pelli⸗
culā que plena in ſuo ↄcauo ſpiritibꝰ audibilibꝰ
cōprehēdit ⁊ audit illā inundatiōem ſenſu com
muni iudicāte ſup tali ſenſatiōe ſic. Uel ſic tonā⸗
te vel percutiēte vociferāte ꝓpt qḋ bñ ↄcluditur
ꝙ illa extremitas nerui pelliculoſa cooperiēs il⸗
lud os petroſum cū quadā ↄcauitate eſt ps ꝑnci
palior in dicto organo auditꝰ. ¶ Quarto eſt ibi
in organo auditꝰ cartilago plicabilis tortuoſa ē
plicabil' vt decētius adhereat in latere ſub pilis
Aliter ſtaret auris eleuata ſic auris chati vel al⸗
terius aialis ⁊ tortuoſa eſt vt melius defendat or
ganū a rebꝰ extrinſecis ne ſubito ſubintrēt ⁊ me
lius formaret ſonꝰ: q2 elōgatio organi ⁊ inſtru⸗
mēti facit ad hoc vt vides in cornu ⁊ in tuba hoc
dicit Ga. ⁊ auic. locis allegatis. Et nō eſt in orga⸗
no auditꝰ ꝟmis vt vulgꝰ credit niſi exteriꝰ ſubin
tret vel ibidē per putrefactiōem generet. ¶ Ul⸗
teriꝰ nota ꝙ dolor in aure necio cauſat ab apate
vel a maſa generāte vel pūgēte dictā pelliculaȝ
vel a vētoſitate deſcēdēte illam neruoſam ⁊ ſol⸗
uēte ipam vel ſi. ab vtroqȝ tūc eſt fortis dolor mo
dicꝰ arguit modicā matiam vel modicā ventoſi⸗
tatē. Et licet talis morbꝰ immediate inſit ḋ poſſi
bili ipi pellicule ꝑmo tñ ⁊ ꝑncipal'r ineſt toti or⸗
gano q2 actio totiꝰ ꝑncipal'r ledit puta auditiua
Et morbꝰ ḋr reſpectu actiōis leſe ſic cā morbi re
ſpectu iuuamēti leſi hoc ē bñ declaratū ſupra in
caplo de obtalmia. aucte ga. pᵒ de morbo.c.vlti.
nā maſa illa extis in illo ↄcauo rōne q̄ti ⁊ q̄lis
gñat ⁊ extēdit ipm̄ ⁊ pūgit eam ſoluēdo eam in
ↄtinuo ꝓpt qḋ cauſat dolorē ſatis fortē. Aliqñ
eſt ibi ſola vētoſitas diſtēdēs eā aliqual'r reſol⸗
uēs ꝓpter qḋ cauſat aliqualē dolorē in ipa auri
cula loq: ꝓprie de dolore auris ab intra ⁊ nō de
dolore in parte vicina puta in pelliculis cerebri:
⁊ in trūco nerui illiꝰ veniētis tunc dolor ē magis
ab intra ꝑ colligātiā venit a capite ab intra vl'a⸗
liūde maſa q̄ta ⁊ qualis. vel vapor vētoſus vel
q̄litas mala acq̄rit ibidē. vel aliqua cā ꝑimitiua
vel a maſa ibidē fluēte illū ventū generās q̄ vē
toſitas ſoluit ⁊ diſtēdit dictā pelliculā extēſaȝ ſu
pra ipm̄ os. ¶ Pro morbo aūt deſcripto ē morbꝰ
officialis puta apata vel in receptaculo repleur
vltra debitū a tali maſa hūorali q̄uāte pungēte
diſtēdente ⁊ ſoluēte ↄtinuū in dicta pellicula ve
rū talis morbꝰ in receptac'lo aſſociat ſecum mor
bū ↄſil'em puta cal'in cōit. iō ponimꝰ olm roſ cū
vna gutta aceti mixti vt vult Raſ. Dolor aūt in
ſe eſt accñs morbi puta actio leſa i genere in ſpē
ē actio corrupta: nā oīs dolor cauſat ex ſenſu
rei cōtrarie cū corruptela. 3ᵒ. de morbo.c. 2ᵒ. ⁊.3ᵒ
Uerū in dolore ꝑuo ē ꝑua corruptela talis eſt in
morbo incipiēte firmari q̄ morbꝰ noīe cōi appel
lat neutralitas. 2ᵒ. tegᵗ. Torcō ꝟo in vētre in do
lore magno ē magna corruptela q2 ē accñs mor
bi firmi ⁊ ꝑmanētis dolor in aure. Pro morbo ḋ
ſcripto ē nocumētū paſſiue itelligēdo regitie na⸗
turalis mēbra mandant ⁊ recipiētis nā ſi digeſti
ua ⁊ expulſiua dictoꝝ mēbroꝝ nō erraſſent cau⸗
ſa morbi ibidē nō fuiſſet. hoc vult ga. xi. de ingeᵒ
cᵒ. 2ᵒ. ⁊. 8. vt eſt pluries dictū: nā vene q̄ ibi cent
guant portātes nutrimētū interdū replent a q̄n
to ⁊ a quali. Dolor aūt in ſe ē nocumētū ꝟtut ſeu
ſitiue: q2 dolor fit ex ſenſu rei cōtrarie cū corrup⸗
tela organi in ↄᵒne vel cōpōne ⁊ in vtroqȝ. Do⸗
lor auris ꝑ morbo deſcripto ē paſſio ſeu nocum
tū actiue ꝑncipal'r auditiue ↄſir aliarum natura
liū organi ſeu ꝑtiū organi.

Iſtis clarificatis cura do l'. aurū tibi
pateſcit: ꝑus aūt ꝙ in cura ꝓcedas ſcire oporȝ
cām ꝑncipalē ⁊ imediatā ipius doloris nā tal' cā
multiplex ⁊ diuerſa eſt in genere. aliqñ ē ſola vē
toſitas intercluſa extēdēs pelliculā illaȝ ⁊ alias
partes dilatabiles organi. aliqñ eſt calitas vl' fri
giditas ſine maſa qḋ raro fit aliqñ tñ maſa flu
ente ꝑ illas ↄcauitates in ipo organo ꝑ viam ca
tarri qḋ ē vtplrim fit aliqñ ab ill' q̄litatibus cum
maᵃ apoſtēoſa fluēte ꝑ venas illas q̄ magꝭ imbi
bitur in poroſitatibꝰ pellicule organi ꝓpt qḋ ge
nerat apa alterans dictā pelliculam ꝓpter qḋ ē
maior dolor ꝑ ceteris cauſis potiᵐᵉ qñ maſa eſt

cal'a,imo inducit piculū ex ħ in iuuenib⁹ rōne a
cuitatꝫ matie vt vult ypo.3°.pnoſt.vt dicet̄ i cura
Si quis ergo aliqualem dolorem in auribus ha
buerit rōne vētoſitatis qđ cognoſcit̄ q: tal' dol'.
venit paulati añq̄ ſit bene fortis q: tardāt ꝑ diē
vnā ⁊ vltra ⁊ nō eſt excedēs in malicia:q: cā nō
eſt fortꝫ q̄litatis ſolum extendit pelliculam illam
Jđ eſt dolor extenſiu⁹ ſine magna ponderoſitate
partis:q̄a ſine matia hūorali ſil'r equitauit c̄ ven
to. Uel fuit capite diſcoopto flante vēto fiāt ḡ ſi
bi ſacculi pui q̄drati in pāno lineo raſo antiquo
de milio vel panico cōquaſſatis ſup tegulam ⁊
aurib⁹ pluries bñ cal'i applicet̄ ipos renouādo
đ hora i horā:nā miliū ⁊ ḡna ſui generꝫ reſoluūt
q: fū⁹ eleuat⁹ a milio reſoluit ⁊ ꝯſūit illā matiā
ventoſaꝫ ſine mordicatōe vt dicit̄ ga.xij.de ige°.c.
vlt̄.Et i itroitu lecti euaporet̄ aurꝫ cuꝫ decoctio-
ne ſambuci yſopi maiorane ⁊ origani ⁊ in fi-
ne aliq̄ gutte de illa aq̄ tepida aurib⁹ iſtillet̄.O-
leū amigđ.amararū valet ſil'r ꝙ aliq̄ gutte tepiđ
q̄tuor vel q̄nq̄ in aurib⁹ diſtillētur mane ⁊ ſero.
⁊ claudat̄ auris cū lana ſuccida.Et ſi q̄s dol'.au
ris habuerit ex matia cal'a ⁊ fria ibidem fluxa ꝑ
viā diſſolutiōis a cal'o extriſeco excedēti. Uliper
viā cōpreſſiōis a frio excedēti vel al's qđ cogno-
ſcit̄ q: ſatis ſubito puta i media die talis dol'.for
tis eſt ⁊ eſt dolor ponderoſus ḡuatiu⁹ cū cōitate
cā extriſeca exceſſiua iam dicta. Et ſi matia ē ca
lida erit dolor aliq̄l'r pūgitiu⁹ cū calore in tipori
bus ⁊ cōpl'one colica etate faciente ad hoc.Et ſi
matia ſit fria erit ecōtra.Et ſi q̄s ergo dolorem
habuerit de matia cal'a mō dicta ſtati in primis
dieb⁹ inungat̄ ab extra cū oleo roſ. vnſancino.
cū modico aceto ſiml' agitatis infra aures diſtil-
let̄ ſero ⁊ mane modicū olei roſ.tepidi vbi fuerit
vna pars aceti bene agitati:⁊ niſi ſcđa die ſit re-
paratus ſumat de ſero.ʒ.ij.pill'arū aurearū nō p̄
cedēte ſir° vt cōcluſum eſt ſupi⁹ in paſſionibus
capitis ⁊ ocl'oꝝ intētiōe ga.xiij.de inge°.c.vi.hoc
idem vult raſ in paſſionib⁹ capitis ⁊ mēbrorum
capitis. Uel flōmet̄ tertia die loco medicine ⁊
flōmet̄ de cephalica eiuſdeꝫ partis. Si venoſus
fuerit q̄ nō inuēta fiat de mediana in pua q̄tita^c
Et ſi dol'.habuerit de matia fria mō dicto qđ co
gnoſcit̄ cū ſignis dictis ⁊ loc⁹ nō eſt excedentis
caliditatis ⁊ etas ⁊ ꝯ° faciūt ad hoc inungat̄ au
ris intus ⁊ extra cū oleo camo.tepido:oleū lauri
tepidū poſitū infra aurē ⁊ extra eſt de nobiliori-
bus medicinis in dolore aurꝫ a cauſa fria dicit̄ raſ
in ſuo ꝯti^c ⁊ ſuffumiget̄ auris cū decoctiōe ab-
ſintei abrotani mētaſt'. Poſtea imponat̄ aurī đ
ol'o tepido rađ per°. Uel de oleo muſcatellino vl'
de oleo nardino:ſi nō habeas in ꝓmptu iſta ol'a
de ꝯcilio raſ bulias modicū de allio in oleo ⁊ i̇
pone aliq̄s guttas illi⁹ olei tepidi infra aurē ⁊ i̇
pone aliquas guttas aque decoctiōis abſinthij
poti^me ſicci tepidi infra aurē.hoc vult raſ in ſuo
ꝯtinēte.vñ Ga⁹.xiij.de inge°.c.vi.vult ꝙ tepida
aurib⁹ inſtillētur ⁊ fria actu oculis iponātur ha-
bēdo ꝯſiderationē ad naturā mēbri. ¶ Aduerte
tñ ꝙ niſi ſcđa die cū iſtis dictis repatiōem non
habuerit.da ſibi.ʒ.ij.ß.pill'arū cochiarū non pre
cedēte ſir° vt dictū ē ſtati intētione ga.⁊ raſ .Et
ſi q̄s dolorē magnū in aurib⁹ habuerit ex matia
apoſtemoſa qđ cognoſcit̄ q: talis dolor eſt fortꝫ
⁊ moleſtus in pauq horis ꝓpt̄ ſubitū fluxū mate
rie in tali caſu ⁊ febris cōcomitat̄ faciēs ad ſubi
tū fluxū matie calefaciēdo ⁊ diſſoluēdo ipam ⁊
eſt dolor fortior p̄ ceteris:q: eſt ibi triplex cā do-
loris poti^me ſi cā fuerit ca.imo eſt ita fortis ⁊ a-
cutus ꝙ iuuenes periclitāt rōne magne ſenſibi-
litatis ꝓpt̄ cōpaſſionē cerebri ⁊ moriūtur ante-
q̄ auris ſaniet̄ vt vult ypo.3°.pnoſt. Aurium vo
dolor.idem vult Ga⁹.in cōmēto. Jn tali ḡ dolo-
re ſiue ſit de cauſa cal'a ſiue fria in p̄mis diebus
inſtillet̄ infra aurē oleū roſ tepidū. Uerū ſi ma^a
fuerit cal'a qđ cognoſcit̄ in acuitate dolorꝫ ⁊ i ru-
bore ⁊ dolore faciei ⁊ cal'.pmiſcem⁹ q̄ntā vel.6.
partem aceti boni ſiml' agitatꝫ:qđ nō facimus ſi
matia ſit fria ß ſolum oleū roſ.tepidū duob⁹ die
bus iponim⁹ infra aurē vel extra . Aut iponim⁹
in cā ca.de oleo tepido viol'.vel ſe.iuſquiam.vel
de aq̄ diſtillata folioꝝ ſalic̄ vel decoctiōis foliorū
¶ Scđa die vel 3^a ad longi⁹ flōmetur in cā cali
da ſi plen⁹ fuerit de cephalica ꝑtis cōtrarie qua
nō inuēta de mediana eadem die de ſero ſi dolor
crudelis fuerit flōmet̄ de cephalica eiuſdē ꝑtis
q̄ nō inuēta de mediana cōciliū eſt ga.4.de int.
Uel purget̄ cū pill'is aureis puta cū.ʒ.ij. ⁊ i cā
fria purget̄ cū cochijs.ʒ.ij.⁊ ß.large.Sed ſi fue
rit in cā ca.ꝯtinuētur inunctiōes frie dicte q̄buſ-
dam dieb⁹ in cā fria ꝯtinuet̄ inunctio ca^c cōti-
nuet̄ inunctio cū oleo camo.quo facto inſtillet̄ i
vtraq̄ cā duob⁹ dieb⁹ lac M.duꝫ exit ab vbere
in cauſa multū cal'a miſceat̄ modicū opij. Jn cā
fria ꝯñr valet axūgia anatꝫ ⁊ galline guttati iſtil
latꝫ infra aurē ⁊ eꝫ đū fuerit in augmēto cū q̄ cō-
comitat̄ pulſa° fortꝫ:nā iſte axūgie maturāt ac ſe
dant dolorē reſoluēdo. Hoc vult Raſ in ſuo cō-
ti^c ⁊ ſic ꝓcedēdo cābit̄ ſanies. Uerū in plib⁹ iu
uenib⁹ de cā cal'a natura nō pōt expectare gña-
tionē cōpletā ſaniei p̄ nimio dolore ⁊ cōpactiōe
cerebri moriūtur vt vult ypo.in loco allegato.iđ
oꝫ ponere opiū cum ol'o roſ.in vtraq̄ cā viceꝫ i au

gmēto ⁊ circa ſtatū ⁊ in declinatiōe ſacellatio-
nes facte cū decoctōe camo. ⁊ ꝯñr cū olō eiuſdē
īungere in augmēto ⁊ in ſtatu int⁹ ⁊ ex: ꝯñr ab
extra dūtaxat: q: ab intra ponem⁹ ea q̄ dicentur
in cura ſaniei exeūtis ab aurib⁹. Et ſic terminetur
cura doloꝝ auriū.

Caplm. 32. de vlcere ⁊ ſanie auris.

Um pus ab aure egreditur idromel tepidū multotiēs ī vna die ī aure ē diſtillādū. Deīde hoc medicamē optīe faciēs ad hoc ē imittēdū qđ ℞. ſarcocollā aloē ⁊ ſanguinē draconis th⁹ ſquamā ferri ſimar. Ex eo ī aceto diſſoluat̄ ⁊ ī aurē mittat̄ ⁊ liciniū melle illinitū ī p̄dict̄ imigat̄ ⁊ ſic imittatur patiēs itaq3 ex hoc medicamīe ⁊ idromelle medicetur donec ſan⁹ ſit.

E vlcere ⁊ ſanie auris

Nota ꝙ vlcera fiūt in aurib⁹ puta in illa pellicula inuoluēte illud, os petroſum cā duplici vno mō ꝑpt̄ apa dictum qđ interdū gñat̄ in aurib⁹ vt fuit dictū crepat̄ ⁊ ſoluitur in ꝯtı⁰ illa pellicula ⁊ ꝑ ꝯñs vlcerat̄ ab illa materia acuta corroſiua tūc exit ſanies q̄buſdā diebus in mag̃ q̄ntitate p̄cedēte dol'. ſatis forti. Aliqñ fiūt vlcera in aure puta in dicta pellicula ꝑpt̄ acutos hūores q̄ fluūt ꝑ capita illarū venarū cōtiguatarū tūc eſt ſanies in modica q̄ntitate precedēti aliq̄lı dolore in aure: interdū exit ſanies feculēta ſine vlcere aliqñ ī mag̃ q̄ntitate dieb⁹ aliq̄b⁹ interdū mult̄ ⁊ poſtea iterpolati tūc venit a cerebro poſt magnū ⁊ cronicū dolorē capit̄ ⁊ ſorditi es talis exit ꝑ capita venarū ꝑ viā criſis ⁊ mūdificatiuis nature. ¶ Ulteri⁹ eſt ſciēdu3 ꝙ ī iſto caplo poſſum⁹ itelligere de ſanguie exeūte ꝑ aures. verū cōiter exit ꝑ aures ꝑpt̄ cās p̄mitiuas ꝓpter caſum vel ꝑcuſſionez de poſſibili: aliqñ exit ꝑ viā criſis in magno dolore capit̄: nā vene ibi apenūtur rōne q̄ntitatis vel q̄litat̄ ſan. iō fluit ad ꝯcauū auriū. vñ pellicula illa coopiēs illud, os petroſum patit̄ īmediate. verū totū organū audit⁹ patit̄ p̄⁰ ⁊ p̄ncipalr̄ q: ſua actio puta auditia p̄mo ⁊ p̄nr̄ ledit̄ vt dictū eſt ſup⁹ pluries ⁊ ī paſſi

ōnib⁹ ocloꝝ auctate. ga. ꝙ morb⁹ đr reſpectu actiōis leſe īmediate ſic cā đr reſpctū iuuamēti ⁊ ē pa⁰ ꝑ colligātiā illaꝝ vēarū ꝯtiguatarū ſpuētiu3 illud ſordidū ī dicta pellicl'a auris ⁊ eſt morb⁹ official' mala figura q: ꝯcauitas cū aliq̄lı deꝑditione ſube ſanies āt ñ ē morb⁹ ī ſe. bñ dic̄ morbū in receptaclo receptaculū replet̄ vltra debitu3 ſue nat̄e đ ſordido inat̄ali. Et vlc⁹ ⁊ ſanies ſunt ex nocumēto regitie nat̄alis expulſiue mēbri mādātis ⁊ recipiēt̄ vt pluries ē dictū ⁊ ē nocumētū regitie natal' actie ſeu paſſio aiate auditiue

Iſtis clarificat̄ cura vlcerꝭ ⁊ ſaniei auris tibi pateſcit. p⁹ āt ꝙ in cura ꝓcedas ꝯſiderare o3 q̄ntitatē ⁊ modū exit⁹ ſaniei: q: ſanies veniēs ab aurib⁹ p⁹ dolorē capit̄ vl' ei⁹ ꝯcuſſionē vēit ꝑ viā mūdificatiōis ⁊ aptiōis venaꝝ cōtiguataꝝ ī cōcauo aurꝭ ⁊ nō ī vlcere: ſanies āt veniēs p⁹ dolorē aurꝭ ex mat̄ia apoſtemoſa vel aliis fluxa potiſſime q̄ nō q̄eſcit nec int̄polat bñ arguit vlc⁹ ī ꝯcauo aurꝭ vt dicet̄. Si q̄s ſaniē ī aurib⁹ habuerit ī mag̃ q̄ntitate ⁊ ſic aq̄ fetens tenuis ſeu ſanioſa p⁹ ꝯcuſſionē vl' laborē ſeu q̄litatē capit̄ q̄ tpe ſubſeq̄nti int̄polāt ⁊ paroxiſmāt ⁊ ī modica q̄ntitate notū ē rctō artifici ꝙ tal' venit ꝑ via3 mūdificatiōis cerebri ⁊ nō ex vlcere aurꝭ ꝑpt̄ qđ tal' nō d3 ꝓhiberi vt dic̄ Raſ ī ſuo ꝯtı^c s3 d3 diuti ⁊ ꝓhiberi ne gñet̄ ⁊ ꝑ aliā ptē euacuari ꝯfortando ꝑticulā recipiētē ⁊ mādātē. In p̄mis ſuccurram⁹ mēb⁰ mādāti abluēdo caput đ trib⁹ ī trib⁹ dieb⁹ ſto⁰ ieiūo cū aq̄ decoctiōis floꝝ camomille mellilotı folioꝝ ſene vtriuſq3 ſticađ añ. m. i. miſceat̄ ⁊ decoquāt̄ ī aq̄ vna ebullitione vadat ad ſtuphas ſto⁰ ieiūo ſel' ī. xv. dieb⁹ teneat patiēs ī manu rađ yreos ꝯq̄ſſat̄ ⁊ odoret vt ſepe ſternutet ⁊ ſupfluitates cereb^r expellat ꝑ nares ⁊ maſticet maſticē cū pipe ꝛ^c attrahat ſupfluitates per palatū ⁊ gargarizet đ māe bis l' ter đ moſtardo diſſoluto ē aq̄ citrini vl' ē brodio carniū vl' cū aq̄ ſim^ci tepida: iſta ſūt ꝑ euacuādo ⁊ diūtēdo ⁊ minorādo mat̄ia3 ne ad aures fluat ꝓut erat aſſueta fluere patiēs tñ ſꝑ dormiat ſupra aurē leſa3 nē ꝯfortem⁹ ⁊ ſtipticē⁹ ⁊ alterē⁹ ꝑticl'a3 leſā q: ē caleſcā ⁊ debilitata rōe tal' ſupfluitat̄ currēt̄ cal'e ⁊ mordicāt̄ rōe cui⁹ int̄dū ſit̄ vlcerat̄ qđ ꝯgſcit̄ q: ñ it̄polat ſanies y⁰ ꝯti^e exit tc̄ ē ꝓcedēdū ſic ī vlcere vt dicet̄ iſtillet̄ ifra aurē ſero ⁊ mane. 4. . 5. gutte ſucci tepidi folioꝝ ſalic̄ clarificati ꝑ r̄ſidētiā nō eſt vltimatū remediū in h̄ caſu altera3 confortat ꝯſtrigēdo vias ſine violētia vl' ſufflet̄ in aure cū camilla đ gall' vl' đ aluīe vſto puluerīſat̄.

¶ Si q̄s veram ſaniem in auribus cum vlcere

habuerit ſub ſequētē ad dolorē fortē auriū rōne
materie fluxe ⁊ fluentis acute vel apoſtemoſe ab
ipſo cerebro vel nō ſubſequētis ad dolorē aurium
ſ; veniēs a cerebro ꝑ viā mūdificatiōis ꝑ ꝯtinua
tionē vlcerauerit pelliculā ab intra q: mordax et
acuta qḋ cognoſcit q: ex toto nō interpollat nec
q̄eſcit. Et ſic bis vel ter in die inſtillet̄ infra aurē
lac.m.dū exit ab vbere renouādo lac ⁊ eijciendo
bis vel ter: ⁊ iniſciat̄ infra aurē de hoc ydromel-
le tepido ad abſtergēdū ⁊ mūdificādū vlcus. ℞
aque fontis in q̄titate vniꝰ vitꝰ mell. ℥.ß. vel duo
coclearia bulliat̄ ſit modica ebulitiōe īmo dū in
cipiet ebulire deponat̄ ab igne vel iniſciat̄ ḋ vi-
no albo. ¶ Conſeq̄nter imponat̄ de hoc medi-
camine nullū habēs par in deſiccādo vlcꝰ in au-
re. ℞. ſquamā ferri ſubtiliſſime pulueriſatam vt a
chool ⁊ colatā cū ſerico. ℥.ij. aceti fortiſſimi. ℥.8.
decoq̄tur vſq; ꝙ cōſumat̄ ꝑ mediū ⁊ tūc impo-
nat̄ in aure cū tenta ſero ⁊ mane poſt inſtillatio
nē ⁊ ablutiōem cū lacte dicto vel cū ydromelle di
cto. Uel ſic. ℞. aluis vſti. ℥.ij. mirre. ℥.i. pulueriʒē
tur ſubtiliſſime incorpet̄ cū melle liciū inuoluat̄
⁊ intromittat̄. verū ꝓpter antiq̄tatem vlceris ali-
q̄n labia fiūt calloſa ſemidura. iō ḋ: ꝙ locꝰ fiſtu
latur qḋ demōſtrat citrinitas ⁊ virulentia ſaniei
tūc facta mūdificatiōe cū ſupius dict̄ imponā-
mꝰ de hoc medicamie ℞. thurꝭ ſarcocolle arſeni
ci ruffi. aā. ℥.i.ß. puluis ſubtiliſſimꝰ vt alchool co
latus cū ſindone habeat̄ liciū ſeu tēta de panno
lineo inuoluātur modicū ⁊ intingat̄ cū melle de
inde inuoluat̄ in puluere ⁊ infra aurē imponat̄:
hoc ꝯtinuet̄ vſq; ſit curatꝰ. vel loco iſtius pulue
ris capiat̄ ſolū arcenicū ruffū vel vitriolū pul-
uerſet̄ ⁊ cribelletur vt dictū eſt ⁊ tenta illa dctā
aſpgat̄ intromittat̄. ¶ Aduerte interdū exit ſan
guis in q̄titate ſufficiēti ꝓpter cām ⁊ percuſſio
nē vel q: multꝰ ⁊ acutꝰ in iſtis caſibꝰ facimꝰ flō
miam de cephalica ptis cōtrarie iterū in craſti-
nū ſi nō ſit repatus de cephalica eiuſdē partis q̄
non inuenta de mediana ⁊ iponimꝰ infra aurē
de ſucco v̄ge paſtoris vel plātaginis clarificatis
per reſidentiā. vel habeat̄ aqua decoctionis ſu-
mach ⁊ iponat̄ modicū ḋ ſan. draco. ſubtiliſſime
pulueriſato ⁊ collato cum ſindone qḋ.ſ. vt ſit ad
modū mell clari iſtillet̄ infra aurē tres vel quat-
tuor gutte.

¶ Caplm. xxxiij. de ſonitu ⁊ tinnitu auriū.

Ortaſſe q̄nq; ꝯtingunt
ex ſubtilitate ſenſus au-
ditus ⁊ eiꝰ claritate. Cuiꝰ ſignum
ē ꝙ in tpe famis auget̄ ⁊ in hora
ebrietat̄ ⁊ ſacietat̄ minuit̄. Qui
ꝓpa nō indigēt cura niſi ſupflui-
tatē obtineāt. Tūc em̄ de opio diſ
ſoluto in oleo imittēdum ē in au-
re q̄tū duo ordei grana pōderāt.
Si aūt hec cū grauedine capitis ⁊
auditꝰ debilitate affuerīt oleū de
ſemīe raphani ⁊ oleū de amigdal̄
amaris ⁊ oleū roſa. in quo caſtore
um fuit reſolutū ſunt remittenda
auris q̄s ſup vaporē aq̄ in q̄ ſanſu
cus ſticados arabicū abſinthium
mētaſtrū origanū cocta ſūt ponē
da. Et venter multotiēs ex pillis
cochijs eſt ſoluēdus ⁊ cibaria mi-
nuēda ⁊ vinū dimittēdū.

Ota ꝙ ſonus ⁊ vox fit ⁊ perci-
pitur in aure ex ꝑcuſſione
pellicule cooperiētis os petroſum q̄
pellicula eſt extremitas nerui venien
tis a q̄nto pari neruoꝝ capit̄ aures vt ſuit ſupꝰ
dictū: nā percutit̄ ab inundatiōe aerꝭ cōnatural̄
ibidē exiſtis cū modica innouatiōe: iō dicit̄ ꝯna
tural̄: nā dictꝰ aer inundat̄ ⁊ mouet̄ ab inundati
one ⁊ motu aeris extriſeci ſubintrantes ꝑ aures
nā vox ⁊ ſonus ſeu ꝑcuſſio facta ab extra in aere
⁊ in rebꝰ cōmouēt aerē aſſiſtentē ⁊ ille aer motꝰ
mouet aerē vicinū ſic ꝓcedēdo ꝑ modū aliq̄lis i-
undatiōis motꝰ ſubintrāt aures ⁊ tunc ſubitrā-
do mouet illū aerē cōnaturalē ibidē ſtātē contᵉ
q̄ eſt bñ calidꝰ: q: pax in pte ſolū innouat̄ ꝓpter
qḋ illa ꝑcuſſio apphēdit̄ a v̄tute auditiua mediā
tibꝰ ſpiritibꝰ audibilibꝰ in illa ꝯcauitate exiſtibꝰ
in illa ꝯcauitate pelliculoſa dicta ⁊ iudicat̄ talis
vel talis vox a ſenſu cōi interdū inundat̄ ⁊ mo-
uet̄ ille aer cōnaturalis dictus a vēto interclufo
ſeu a vapore groſſo moto interiꝰ: q: vētus eſt va
por motꝰ ⁊ percutit dictā pelliculā ꝓpt qḋ facit
modicū ſonū: ideo facit tinitū ⁊ modicū ſonituʒ
nā per caput illarū ꝑuarū venarū ꝯtiguatarum
aliquādo fluit aliqual̄ materia licet modica ad cō
cauitatē auriū q̄ materia mota a natura. i. ab expl-
ſiua mediāte cal̄. naturali effumat ⁊ euaporat q̄

vapor groſſus mot⁹ mouet dictū aerē cōnatura
lē ꝛ ꝑ ꝯñs ꝑcutit dictā pelliculā ꝛ facit ſonū groſ
ſum vel ſubtilē ſm quod fum⁹ eſt groſſus vel ſub
tilis in quo cognoſcim⁹ naturā hūoris qui fluit
ad aures. ſilr̄ eleuaṫ a ſto° rōne guloſitatꝫ ꝛ indi-
geſtiōis: vt in ꝯualeſcētib⁹ in crapula: in ebrieta
te: in multiplicatiōe ciboꝝ nō bñ digeſtoꝝ intēdū
eleuaṫ vapor a toto corpe ſicut in criſi. intēdū inūda
tur aer cōnaturalꝭ auriū a re violēta ꝑmitia a vo-
mitu: a curſu forti: a circūuolutōe cōmouēte hūo
res capitꝭ ꝛ corꝑis ꝛ faciēte effumationē illā va-
poroſā groſſā mobilē mouētē inūdatōe dictū ae-
rem cōnaturalē in ipſis aurib⁹ tlis inūdatio ꝛ ꝑ
cuſſio dicte pellicle curaṫ illa cā ꝑmitia ceſſante
p⁹ea curaṫ cū remedijs raſis poſitꝭ in c°. Tu di-
ces cōīt fit aliq̄lis expulſio aliq̄lis ſupfluitatꝭ co
lerice ꝑ capita artiaꝝ in oīb⁹ vt pꝫ tibi in ſordicie
exeūte ꝑ aures. ḡ fit ꝯtinua euaporatio ꝛ inūda-
tio illi⁹ aeris cōnaturalꝭ in oīb⁹ ꝛ ꝑ ꝯñs ꝑcuſſio il
li⁹ aeris cōnaturalꝭ in oīb⁹. ꝛ ꝑ ꝯñs ꝑcuſſio illius
pellicle q: corꝑa nr̄a ꝯtīc effumāt. 2° de cōplōni
b⁹. ḡ ꝯtinue ꝑcipieṫ ſonit⁹ ꝛ tinnit⁹ aliq̄l in oīb⁹
ꝛ tinnit⁹ aliq̄l in oīb⁹. tꝫ ꝯñā ex ſupi⁹ dictꝭ. Dicen
dū ꝙ tu bñ arguis. Jō raſ vult ꝙ illud ꝑcipiṫ ex
ſubtilitate ſenſus audit⁹: puta qñ illa pellicula q̄
ē ps ꝑncipalꝭ eſt multū ſubtilꝭ ꝛ ſpūs audiuui ſūt
bñ ſubtiles. hoc fit in q̄buſdā ꝑut ē dcm̄ de aptō
nib⁹ imaginū in hn̄tib⁹ ſubtiles ſpūs in ſuba et
q̄litate q: ſicci ꝛ nō fit in oīb⁹: q: ille vapor nō ſꝑ
eleuaṫ a chimis malis in naturalib⁹: nec ſꝑ ē bñ
groſſus nec mot⁹: iō nō ꝑcutit nec inundat vltra
naturā ꝑpaꝫ illū aerē cōnaturalē vltra ſui natu-
rā ꝑpt qd̄ nō bñ compꝑhēdiṫ.

Sed quereret aliq̄s q̄d ē ſonus. Quidā dixerūt ꝙ
ē mot⁹ aeris nō valꝫ q: mot⁹ ē de nūero cōiuꝫ ſē
ſibiliū 2° de aīa. ſon⁹ aūt eſt ꝓpꝛium obiectū ſēſ⁹
audit⁹ 2° d̄ aīa ꝫ° de mor°. c°. 2°. Alij dixerunt ꝙ
ē aer. nō valet q: ſingulū coꝝ q̄ ſūt ſm paſſioneꝫ
ſenſuū paſſibiliū q̄litas d̄r. ꝫ°. de mor°. c. 2°. Jdeꝫ
ariſto. in ꝑdicamētꝭ. ḡ ſon⁹ ē q̄litas. ꝯñā tꝫ. q: ſo-
nus ē paſſio audit⁹. ibidē. Dicēdū ḡ ex itētōe ga.
de iuuamētꝭ. c. 2°. ꝙ vox ꝛ ſon⁹ ē aer ꝑcuſſus ſeu
collectio in aere ſeu q̄dā q̄litas ex ꝑcuſſiōe aeris
gn̄ata in organo ꝛ apphēſa ab eo. Tu dices ſi ſo
nus ē ꝑcuſſio in aere ſeu collectio in aere. ḡ ſon⁹
erit in aere. Dicēdū ꝙ ſic: ꝫ nō apphēdiṫ niſi ille
q̄ ſubintrat organū audit⁹. ḡ ꝛc̄.

Secūdo tu q̄res aer cōnaturalꝭ auriuꝫ inouaṫ ne vl ꝯſuaṫ ſine ino-
uatōe durāte ſenſu audit⁹ in organo. Dicēdū ꝙ
q: aer ſi mot⁹ exterior ſubītrat mouēs ipſū ꝙ in ali
quo inouaṫ nō tm̄ ex toto: imo diu remanēs fit in
organo cōnaturalꝭ ꝛ calid⁹. q: organū audit⁹ eſt
bñ calidū in ſui natura qd̄ demōſtrat ſordicies
citrina colerica q̄ diſcidiṫ a dcō organo ꝛ qd̄ de
cidiṫ ab alio atteſtaṫ ei a q̄ deſcidiṫ. ga. p° amph
Et ſi tu dicas cū cerebꝝ ſit multū frigidū vñ po
teſt venire tlis ſupfluitas multū colerica. Dicen
dū ꝙ natura ordinauit ꝑ dci organi ꝯſuatiōe in
ſui natura vt aliq̄ arteria cū dcō organo ꝯtiguaṫ
op⁹ nature ē op⁹ intelligētie ꝫ° de cretiq̄ diebus

Tertio tu q̄res q̄re obiectū audit⁹ eſt ſic accītale ꝛ ſucceſſiuū obiectuꝫ tm̄
alioꝝ ſenſuū ē magꝭ actuale ꝛ ꝑmāſiuū. Dicēduꝫ
ꝙ q: cā ei⁹ ē ſucceſſiua ꝛ impmanēs puta mot⁹

Quarto tu q̄res. cur⁹ ꝑticule auris tin nit⁹ ꝛ ſonit⁹ ꝑ mor° deſcripto
ē paſſio ꝑncipalit̄. Dicēdū ꝙ nō ē paſſio ꝑncipa-
lit̄ alicui⁹ partꝭ. nā actio toti⁹ organi ꝑncipalꝭr le-
diṫ ē paſſio ꝑmo ꝛ ꝑncipalꝭr toti⁹ organi. nā mor
bus d̄r reſpectu actōis leſe imediate ꝛ ꝑncipalꝭr
vt ē declaratū ſupi⁹ in paſſiōib⁹ oculoꝝ. c. de ob-
talmia. auctē ga. ꝑmo de morbo. c. 8°. Silr̄ quia
eſt morb⁹ officialꝭ vt diceṫ ſtati ꝑmo inerit ipſi to
ti. ꝯñr ipſi ꝑti vt ē dcm̄ ꝑmo de morbo. c. vltio. ꝛ lꝫ
inſit ꝑmo ꝛ ꝑncipalꝭr ipi toti ieſt tm̄ immediate il
li pellicle q̄ ē ps ꝑncipalꝭ ipius organi q̄liṫ hoc ē
ſupi⁹ tibi explicatū eſt in. c. de obtalª. Vel poſſe-
mus dicere ꝙ immediaci⁹ ineſt ipſi aeri cōnatu-
rali. nam ille aer cōnaturalꝭ ē ps coadiuuās in or
ganico vt eſt dcm̄ in anatho° ꝑcutiēs dcām pel
liclam. ꝫ q: tlis aer nō ē ps ſꝑmatica nec ſāgui-
nea ꝛ ꝯtinue inouaṫ in aliq̄: veri⁹ ē ꝙ attribuam⁹
ipſū ineſſe imediate ipi pellicule dicte.

Quinto tu q̄res. tinnit⁹ ꝛ ſonit⁹ in auri bus ꝑ morbo deſcripto eſt ne
pa° ꝑ ſe vel ꝑ colligātiā. Dicēdū vt pl̄ies ē dcm̄
intētōe ga. ꝙ ſemꝑ ē ꝑ colligātiā. venit qd̄ veni-
re nō dꝫ ſm naturā ad ipſas aures niſi tinnitus
fiat rōne ſubtilitatꝭ audit⁹ vt ē declaratū ſupra.

Sexto tu q̄res. tinnit⁹ ꝛ ſibil⁹ auriū q̄s ē morb⁹. Dicēdū ꝙ in ſe non eſt
morb⁹ ꝫ ē actio leſa. immo eſt actio corrupta ſꝑ
ſi modic⁹ aut fortꝭ fuerit. lꝫ aliq̄ dicant ꝙ ſit actio
diminuta. quod eſt cōtra ga. in locis dictis. ꝫ°. de
morbo. capit°. 2°. idē. 2°. teg¹. in fine cañ. illo. ſm
auditū vo iō eſt accñs morbi deſcriptiue tm̄ ē mor
bus in receptaculo in organo audit⁹ quod non
debet recipi ſm naturā.

Septimo tu q̄res. tinnit⁹ ꝛ ſibil⁹ cu ius virtutꝭ ē nocumētum

paſſiue intelligēdo. Dicēdū ꝙ in ſe ꝯſiderādo eſt nocumētū paſſiue itelligēdo v̄tutꝫ auditiue: q: eſt actio corrupta ipſius ꝑ morbo deſcripto ē nocumētū regitiue natural' digeſtiue ⁊ expulſiue mēbri mandantis ⁊ recipientis vt eſt pluries dictum in tentione galieni. xi°. de ingenio capitulo ſecūdo ⁊ octauo.

Octauo tu q̄res. tinit⁹ ⁊ ſibilus cui⁹ virtutꝫ ē nocumētū actiē. Dicēduꝫ ꝙ itelligēdo tinitū ⁊ ſibilū i ſe ē nocumētū itellectiue. nā accñs morbi pōt eē cā morbi. 3°. de morbo pl'ies declaratū. hoc itelligēdo morbū deſcriptū eſt nocumētū v̄tutis auditiue. q: ſibi īfert paſſionē ⁊ nocumētū. q: actōnē corruptā.

Iſtiſ clarificatis cura ſonit⁹ ⁊ tinnitus tibi pateſcit. Pri⁹ aūt ꝙ i cura ꝓcedas ſcire oꝫ cām tinnit⁹ ⁊ diuerſitatē cāꝝ cognoſcere. q: i hoc cura diuerſificat̄. nā tinit⁹ ⁊ ſonit⁹ fit aliqñ ex debilitate ſenſus audit⁹: vt in ꝯualeſcētib⁹. ⁊ aliñ fit ex acuitate ⁊ claritate ſenſus audit⁹: vt fit i q̄buſdaꝫ colericꝫ delicatꝫ. Et aliqñ fit ex ma^a vaporoſa incluſa in aurib⁹. hoc vult raſiſ i diuiſionib⁹ ſuis.

Curatio tinnitus et ſibilus aurium

¶ Tu obijcies ꝯtra hoc. ois tinnit⁹ fit ex vapore agitāte ⁊ inūdāte aerē cōnaturalē in aurib⁹. ⁊ ꝑ ꝯñs pelliculā extēſā ſuꝑ os petroſū. igit̄ erit vna ſola cā tinitus. Dicēdū ad hoc ꝙ verū ē ꝙ ois fit mediāte vapore agitāte ⁊ inūdāte illū aerē cōnaturalē ⁊ illā ḋcām pelliculā. ⁊ ē verū ꝙ corꝑa noſtra ꝯtinue effumāt. 2°. de cōpl'onib⁹. ex actōe caloris natural' in hūores. ⁊ illa effumatio vadit ad ext̄ ꝑ poroſitates ⁊ ſꝑgit̄ ꝑ organa ſēſuū ad oculos ⁊ aures ⁊ alios ſēſus. verū t'lis vapor eleuat⁹ aut ē nat̄al' ⁊ modic⁹ q: ex calore nat̄ali agēte in hūorib⁹ nat̄alib⁹ illi corꝑi t'lis veniēs nō ꝑcipit̄ a ſenſu auditus. ſēſus audit⁹ ſit ſubtiliſſim⁹ i ſe ꝙ aer cōnat̄al' ⁊ pellicl'a illa intrinſeca ſint ſubtiles i ſe ⁊ clare: ⁊ ſpūs auditiui ſint ſubtiles i ſe ⁊ mltū clari: vt fuit ḋcm̄ in ſēſu viſus ꝙ rōne ei⁹ ſubtilitatꝫ apꝑhēdit t'les vapores nat̄alit̄ eleuatos vl' t'lis ſēſus audit⁹ ſit i ſe debil': vt i ꝯualeſcētib⁹. nā in t'lib⁹ ſēſus ſūt debilitati ꝓpt̄ reſolutōnē ꝑtiuꝫ organi in eaꝝ ſubā ⁊ ꝓpt̄ reſolutionē ſpirituū. et q: po^a patit̄ ab obiecto. 4°. de mor°. ⁊ 2°. de aīa. q: in apꝑhendēdo ipſū po^a laborat ⁊ fatigat̄. q: nccīo aliq̄d de organo reſoluit̄. Jdō ipē ſēſus debilitat⁹ a re obiecta impmēdo patit̄. cū apꝑhēſione eiuſdē. ſic pꝫ q̄lit̄ in ꝯualeſcētib⁹ fit tinit⁹ aurū. Aliqñ t'lis vapor q̄ eleuat̄ ē inat̄alis excedēs in q̄tō ⁊ q̄li. q: groſſus ⁊ mult⁹. q̄ eleuat̄ a malis chimis: t'lis vapor aut eleuat̄ a ma^a i organo tūc ꝑſeuerat t'lis tinit⁹ vno° aut eleuat̄ t'lis fum⁹ a materia cerebri vl' ſto^i: lꝫ nō duret niſi q̄tū durat ebrietās vl' crapula vl' alt'⁹ ꝑtis corꝑis ꝑ capita venaꝝ vel alias poroſitates: tūc t'lis tinnitus ḋr a raſi i ſuo ꝯti^c mag' vētoſus: t'lis int̄pollati incitatur ⁊ mitigat̄. verba ſūt raſ in ſuo ꝯti^c ⁊ ſūt v̄ba notāda in cura. q: qñ ma^a eſt fluxa in organo oꝫ mag' ꝓcedere cū iſciſiuis ⁊ ſubtiliatiſ infra aures cū ſtuphis ſeu vaporoſitatib⁹ aurū ⁊ alijſ vt dicet̄. Sic pꝫ ſolu° tue obiectōi. q: ꝯcedē° ꝙ ois tinnit⁹ fiat mediāte vapore agitāte: ſ; ille vapor interdū ē modic⁹. debilit̄ agitat⁹ ꝑ ꝑtes illas. igit̄ ñ apꝑhēdit̄ niſi vl' a ſenſu acutiſſimo ⁊ claro vl' debilitato: vt ē tibi bñ declaratū. ¶ Sꝫ tu dices qñ t'les vapores apꝑhēdunt̄ ex debilitate ſēſus audit⁹ vt in ꝯualeſcētibus notū ē. Sed tu queres q̄lit̄ cognoſcā qñ apꝑhēdūt̄ t'les vapores ex ſubtilitate ⁊ acuitate ſēſus auditus. Soluit raſ hoc i ſuo ꝯti^c ꝙ in t'lib⁹ in t̄ꝑe famis tinnit⁹ augmētatur. q: ſēſus remanet mag' clarus t̄ꝑe ſaturitatis mioratꝫ: q: ei⁹ claritas ꝯturbat̄. ſil'r t'les patiētes ſūt velocis ſēſibilitatꝫ ⁊ teneritatꝫ i alijs mēbris: vt ſūt colerici delicati. Sil'r augmētat̄ tinnit⁹ in t'libus poſt ſternutationē frequentatā ꝙ non fit in alijs ꝓpter diuerſionē ⁊ euacuationē materie.

¶ Si q̄s tinnitū habuerit ex ſubtilitate ⁊ claritate ipſius ſenſus auditus, nō indiget cura niſi multū magnificet̄. ꝙ ſi ſic iſtillet̄ i aure duo g̃na opij diſſoluti cū ol'o roſaceo qd̄ ſuffic̄ retineret̄ iſta q̄titas poſt quoſdā dies. Vel fiat ſic. ℞. caſtorei iuſq̄ami añ. ℨ. ꝫ. terant̄ ⁊ diſſoluant̄ cum aceto tepido guttatim ꝑ vices in auribus imponat̄ tepide quattuor vel quinqꝫ gutte. Et ſi q̄s tinnitū habuerit ex debilitate ſenſus auditus vt cōtingit ꝯualeſcētibus impone in aure guttatim. ꝑmo de decoctōe abſintij tepidi ⁊ lauet̄ tota auris ⁊ caleſiat cū illa decoctōe tepida: deide imponat̄ ifra aurem oleū roſaceū tepiduꝫ vbi ſit. 7^a. vel. 8^a. pars aceti ſimul bñ agitatis. ¶ Si q̄s tinnitū i aurib⁹ habuerit a vapore groſſo innaturali in ipſis auribus agitāte ⁊ inundāte violent̄ aerē illum ⁊ dictam pellicl'am. oꝫ conſiderare ſi talis vapor veniat a mat̄ia incluſa in organo auditus. qd̄ fit vt plurimū ⁊ cognoſcit̄ in duobus. ꝑmo q: ꝑſeuerat ⁊ ꝓcedit vniformit̄ in ſuo ſono. q: ma^a ē ibi vniformit̄ aſſiſtēs ⁊ ſonat groſſo ſono: quia t'lis materia groſſa flātica: ideo fum⁹ groſſus humidus eleuat̄ q̄ facit ſonum groſſū coiter ad modū aque cadentꝫ in molendino. verū de poſſibili pōt eſſe colera groſſa: ideo ſonus erit mlt⁹ groſſus.

vel ſi veniãt a vaporibᵘ capitꝭ vel alteriᵘ membri
conſiderare opꝫ ꝙ cognoſciẗ. qꝛ cõicat grauedo ca
pitis ⁊ auditus debilitas: ⁊ nõ perſeuerat nec p̲
cedit vno modo: qꝛ interpolatim incitaẗ ⁊ miti
gatur. hoc vult raſ in ſuo ↄtiᵉ. talia ſunt ex inten
to conſiderãda. qꝛ quãdo venit p̃mo indigemus
plus medicinis inciſiuis ⁊ ſubtiliatiuis interius
infra aurẽ applicandũ p̲ modum liquoris ⁊ va
poratõis cum decoctõe herbarum. Sed qꝛ talia
remedia ⁊ quecũqꝫ alia valẽt in vtroqꝫ caſu licet
ſm plus ⁊ minᵘ. ideo raſis execuᵗᵘ eſt curam ſiƚ
amborum ⁊ nos idem facienᵘ. Et illa modica
uerſitas in remedijs applicãdis tue diſcretõi cõ
mittaẗ cum conſideratõe predictoꝝ. ⸿ In p̃mis
igiẗ purgetur cuꝫ yerapigra duplata. ga. ʒ. ij. pul
pe coloquintidi de groſſo modo puluerizate. ℈. i. ß
bdellij. ℈. ß. incorporeẗ ſimul ⁊ fermenteẗ. capiat
ʒ. 6. p̃mo precedẽte iſto ſyrupo duobus aut tribᵘ
diebus. ℞. oximellis ſq̃litici q̃r. i. aque cicerũ ru
beoꝝ vbi ſit modicũ ſaluie maiorane. lƀ. i. miſceã
tur. talis ſumat mediũ gobellũ ſero ⁊ mane. pᵒ ea
capiat pilƚ. ſuas: ⁊ de. xv. in. xv. diebus ſumat. ix.
vel. xi. de illis pilƚ. taliẗ ꝙ aſcellet ter vel quater
vltra ſolitũ. Et loco ſyrupi ſumat in fine cene du
os vel tres bolos ſaluie maiorane ⁊ baſiliconis
yſopi ligati cum filo ⁊ bulito in brodio carnium
vna ebullitõe. quolibꝫ mane gargarizet bis aut
ter de ſynap̃. ſeu moſtarda diſſoluto cum aqua ci
cerũ rub̃. vel maſticet de maſtice mixto cum pipe
euacuat flã a capite: vadat ad ſtuphã hoc ſemel i
x. diebus ſtomacho ieiuno. ↄñr prouocet ſternu
tatões conſtringẽdo ⁊ claudendo nares ſternu
tando vt vẽtoſitas cõtenta in auribus cõmouea
tur ⁊ expellaẗ. teneat in manu de maiorana vel
de radice yreos ↄquaſſata ⁊ odoretꝫ vt p̲uocetur
ſternutatio. vel ponat infra nares de illis ƚ põaẗ
ĩfra nares d̃ iᵒ p̲ puluere c̃ cãnula. ℞. ↄdiſi. ʒ. ij. ß. pul
uis ſubtilis. vel de iſto. ℞. piretri ſtafiſagrie. aã.
ʒ. i. caſtorei. ʒ. ß. fiat puluis ſubtilis. Uel d̃ iſto. ℞
elƚi. albi. ʒ. ß. condiſi. ʒ. i. fiat puluis ſubtilis. Cõ
ſequenter euaporeẗ a longe: non ſit nimis calid̃.
auris quolibet ſero ante cenam cum iſta decocti
one. ℞. origani. yſopi. maiorane. aã. m. ij. vtriuſ
qꝫ ſticad̃. florum camomille. mellilioti. aã. m. ß. a
niſi. cimini. maratre. decoquanẗ vt decet ⁊ perfu
metur auris cum emboto. Iſtud conſumit vento
ſitates ⁊ commouet materiã infra aurem. Ideo
peius ſe ſentiunt per aliquos dies. Sed continu
entur omnia ſupradicta cum dieta tenui ⁊ modi
ca cena. Iſta decoctio valet tribus vel quattuor
diebus. Conſequenter in fine euaporationis in
funde in aurem. v. vel. vi. guttas tepidas huius.
℞. nitri puluerizati. ʒ. ij. diſſoluatur cum aceto te
pido ⁊ auri inſtilletur. Uel loco huius poſt ali
quos dies facta euaporatione inſtillentur in au
re. v. gutte vel. vi. decoctionis ellebori nigri. Uel
teratur elleborus niger vel albus ſi niger non in
ueniatur conficiatur puluis cum melle deſpuma
to: liniatur ſupra lichiniũ ſeu tentam ⁊ ponatur
infra aurem. Uel inſtillentur in aure ſero ⁊ ma
ne. vi. aut octo gutte aque decoctionis coloquin
tide tepide. ⸿ Raſis dicit in ſuo continente ꝙ
parum caſtorei ad modum lenticule miſceatur
cum oleo nardino ⁊ in aure inijciatur. nam plus
confert ventoſitati aurium alijs rebus ſi gutta
tim ponatur in aure ſicut oleum roſaceum va
let contra tinnitum cauſatũ ex calƚ. quando inij
citur. ⸿ Aduerte ſuper hoc quando p̲ pueres inij
ciuntur cum oleo ſeu alio liquore propter reſidẽ
tiam aliquando opilant meatus ⁊ inde cauſant
ſurditatem: propter quod non bene placet mihi.

⸿ Capitulum. 34ᵐ. de grauedine auditus.

Cum in auditu cõtingit
grauitas cõſiderãdũ ẽ
an ſit ibi ſordities q̃ vo
caẗ cera q̃ fit in aure: q̃
ſi in exrauerit mũdeẗ aut cũ medi
cinis ſm quod diximᵘ aut cũ cura
manᵘ. Si aũt ſordes non affuerit
⁊ euenerit hoc poſt ſacietatẽ faſti
dioſam que eam p̃ceſſit aut egri
tudinẽ acutã auris ponẽda eſt ſu
per vaporẽ aque in qua ea que p̃
diximus cocta fuerit traiectorio iẗ
poſito quouſqꝫ fumᵘ aſcẽdat. Mõ
hoc mõ fieri cõuẽit res iſte in cu
cuma habente os acutũ coquanẗ
Deide traiectoriũ ori cucume ſu
perponaẗ ⁊ ne vapor egredi poſ
ſit pannᵘ obuoluatur: ⁊ auris ſu
per os traiectorij ponatur Iſtud
p̃terea ſieẗ in aurẽ mittatur. Mõ

℞.coloq̄ntide.ʒ.i. baurach terti-
aʒ.ʒ.i.caſtorei ariſtologie rotūd
ſucci abſintij oīm.añ.ʒ.ß.coſti q̄r-
tā.ʒ.i.euforbij ſertā.ʒ.i.fellis vac
cini q̄ntū ſufficit ad p̄dicta ſufficiē
da fiāt ex eis ſief.Cūq3 neceſſe fu
erit vnū ī oleo de amigdal' amaris
reſolutū auri īmittat᷑.Hoc em̄ val
de vtile exiſtit dolori flegmatico ⁊
vētoſitati ac ſonitui ⁊ tinitui q̄ ex
groſſo vēto fuerit ⁊ ſorditati q̄ ē ex
groſſis hūorib⁹.Si aūt debilitas
audit⁹ ɔtigit p⁹ ieiuniū aut vigili
as:fueritq3 facies extenuata ⁊ ocu
li cōcaui:eger balneū ſepe īgredia
tur ⁊ largiori cibo ac potu vtat᷑:et
ī ſomno fiat ꝑfūdior ſup caput q̄3
aquā tepidā cū oleo fūdat donec
ſanet᷑.Qđ ſi p⁹ freneſiʒ cōtingat
ex medicis ꝑmis curet᷑.

E grauedine

audit⁹:
⁊ đ acti
one diminuta audit⁹ q̄ñ diminute au
dit:puta q̄ñ nō audit niſi cū clamore
magno vt videm⁹ ī plurib⁹ ī ꝑma ſenectute ⁊ de
ei⁹ cura:nā de actiōe corrupta ipi⁹ auditus puta
de ſibilo ⁊ ſonitu obiecto extriſeco abſente dēm
ē i.c.p̄cedēti.De actiōe ablata ipi⁹ puta de ipſa
ſurditate q̄ eſt nihil audire rat͡ᵒ nō fac̄ mētiōez ħ
q2 illa cōiter ē a gn̄atōe ⁊ illa ē incurabil'.¶ Ul-
teri⁹ nota ꝙ ɔſiderata anathomia ipi⁹ orgāi au
dit⁹ ⁊ alijs ɔſideratꝭ q̄ dicta ſunt i caplis p̄cedēti
bus ſatꝭ de facili p̄t cognoſci ꝑticl'a ſeu imediate
patiēs i g̃uedie audit⁹ ſeu i actiōe diminuta au-
dit⁹ q̄ñ nō audit niſi cū mag̃ clamore ⁊ in actōe
ablata ipi⁹ puta in ħ ꝙ ē nihil audire ⁊ pōt cito
cognoſci cauſa q̄ pluries accidit a tempore ⁊ a
generatione.nam ſurditas a generatione perfe
cta que ē nihil audire illa fit ex errore informa-
tiue ꝑpt̄ qđ ē incurabil':nā illi nerui q̄ ſunt q̄ntū
par neruoꝝ capitꝭ.4.de intio.ſūt de poſſibili idu
rati nō bñ ꝑforati calloſi potiſſime i extremitate
pelliculoſa i oſſe petroſo qđ nō ſentiēt iundatio-
nē nec ꝑcuſſionē aerꝭ.iſtā credo eſſe cām potiſſi-
mā ſurditatꝭ a gn̄atiōe:ſurditas āt aliq̄l' a tp̄e q̄
ē male audire:ſi nō alleuiet᷑ ex ſe q̄buſdā tp̄ibus
potiſſime flāte vēto aliq̄.vel tp̄e claro illa curati-
onem nō h3 arguit᷑ cā fortꝭ valde ⁊ ecōtra qđ eſt
valde ɔſiderādū añq̄ manū apponas.Iſta tal'
a tp̄e q2 fit cā triplici.aliq̄ñ fit a ſordido feculēto
ad modū cere nigre fluxe ꝑ capita venarū ⁊ ex-
pulſo ab ipis venis i radio ſol' videt᷑ tal' ſorditi-
es.Iſtēdū fit a groſſo fluxo ⁊ expulſo per capita
venarū ibi ɔtiguata2 q2 plene vl' q2 cōpſſe a fri-
gido vel dilatate vl' rarificate a calo:nā iſta duo
adherēdo pellicule i ɔcauo aurꝭ opilāt meatū ner
ui ꝑ quē veniūt ſpūs ⁊ ꝓhibēt ꝑceptiōez iunda
tiōis ⁊ ꝑcuſſiōis veniētꝭ ab aere extriſeco mediā
te illo aere cū nat᷑ali ſic diminuūt auditū.Tertia
cā ē vētoſitas groſſa fria igroſſans illū aerē con
naturalē ⁊ indurās ſubam illi⁹ pellicule ꝑpt̄ qđ
nō recipit nec ꝑcipit iundatiōez aerꝭ cōez.niſi ſit
valde fortis ⁊ clamoſa ad modū tube fcā.Iſta
diſtiguit᷑ a 2ª:q2 cū iſta ſtat tinit⁹ groſſ⁹ ad mo-
dū aq̄ cadētꝭ in molēdino fit etiā ex carne addita
que eſt incurabilis:fit etiam ex apate cauſato in
ꝑticula iſta curat᷑ curādo apa ⁊ ei⁹ reliq̄as.Ex q̄
bus iā dictꝭ via curatia erit tibi apta.

Primo tu q̄res cui⁹ ꝑticl'e aurꝭ g̃uedo audit⁹ ē paᵒ p̄ncipal'r.Dicēduz
ꝙ g̃uedo audit⁹ ē accñs i ſe q2 actio leſa puta di
minuta vt ſtati dictū ē ꝑ morbo deſcripto ē paſ-
ſio p̄ᵒ ⁊ p̄nʳ toti⁹ organi ꝑ qđ toti⁹ actio p̄ncipa
liter ⁊ p̄ᵒ ledit᷑ ⁊ morb⁹ đ2 reſpectu actionis leſe
p̄ᵒđ morbo ⁊.3ᵒ.imediᵉ tm̄ ieſt ⁊ p̄nʳ ipi pellicule
ɔcaue.vl' neruo illi opilato ab hūore a tp̄e vel in
durato ⁊ opilato opilatiōe coartatoria a gn̄atōe

Secūdo tu q̄res g̃uedo audit⁹ ꝑ mor bo deſcripto ē ne ꝑ ſe vl' per
colligātiā.Dicēdū ꝙ ſꝑ ꝑ colligātiā venit qđ ve
nire nō đ2:ablaᵒ aūt ipi⁹ audit⁹ a gn̄atiōe p̄t in-
cē ipi organo ꝑ ſe a creatione:q2 a creatione illa
pellicl'a erit multū idurata:vl' ille neru⁹ ē opilat⁹
opilatiōe coartatoria:q2 idurat⁹ multū.

Tertio g̃uedo audit⁹ q̄ morb⁹ in gn̄e ⁊ i ſpē.Dicēdū ꝙ in ſe nō ē morbus
ſ3 accñs morbi q2 actio dīnuta ſenſus audit⁹ pro
morbo āt deſcripto ē official' i gn̄e i ſpē aūt ē vt
pl'rm morb⁹ in receptaculo replet᷑ illa ɔcauitas
pelliculoſa ſordiᵒ feculento flāᶜᵒ vel ventoſitate
groſſa ⁊ frigida vel cū portiōe flātis vitrei vl' al-
teri⁹ ſpeciei.Iđ nō p̄t bñ ꝑcuti ab inūdatiōe ae
ris cōnatural' inundātꝭ ⁊ agitātꝭ ⁊ ꝑcutiētꝭ ipſaz
aliq̄ñ ē in ſpē ipa opilaᵒ i neruo illo veniēti a vᵒ

pari neruoꝝ capiꝭ ná opilaꝭ a maťia fluēte ꝑ ca
nalē nerui. vľ a maťia adherēte in ꝯcauo pellicu
le claudēte viá ibi ſpuū deſcēdētiū a cerebꝛo.

Quarto tu q̄res q̄uedo audit⁹ cui⁹ vir
tuꝭ eſt nocumētū paſſiue itel-
ligēdo. Dicēdū vt pluries ē dictū ꝙ regitiē natu
raľ puta digeſtiue ⁊ expulſiue mēbꝛi mādāꝭ ⁊ re
cipiēns. Idē pt dici de ſurditate a re tpali q᷑ ſur-
ditas a gn̄atiōe ē nocumētū īformatiē vtuꝭ errā
tis in figuratiōe mēbꝛi.

Quinto tu q̄res: q̄uedo audit⁹ cui⁹ v-
tuꝭ ē nocumētū actiē ſeu pa°.
Dicēdū ꝙ ipi⁹ intellectiē idē intelligas de ſurdi
tate ⁊ de actiōe coꝛrupta ipi⁹ vt de tinitu ⁊ ſibi-
lo vt fuit dictū: ná audit⁹ poꝛta ē itellect⁹ in h᷑ cō
uenerūt oēs átiq̄ ꝓpť qꝺ ſurd⁹ a natiuitate ē mu
t⁹: ná accn̄s moꝛbi. 3°. de moꝛ° i pľib⁹ locꝭ pt eē cā
moꝛbi. Si itelligam⁹ moꝛbū deſcriptū tūc ē pa°
ſeu nocumētū actiē vtuꝭ auditiē: q᷑ ſibi īfert p̄n̄ʳ
nocumētum: q̄re q̄dā ſunt ſurdi naturaľr ſeu a
natiuitate dictū ē ad hoc ſtati in p̄n°.

Sexto tu q̄res q̄re ſurd⁹ naturaľr ē mu
tus. Dicēdū ꝙ audit⁹ poꝛta ē in
tellect⁹ ⁊ itellect⁹ ē cā locutiōis q̄ ceſſante ceſſat
locutio. Iō ceſſante illo ceſſat actio intellect⁹ in-
exterioꝛib⁹ ⁊ ꝑ ꝯn̄s in iterioꝛib⁹: q᷑ nihil ē in itel
lectu q̄n p̄° fuerit in ſenſu. 3°. de aīa.

Iſtis clarificaꝭ. Cura ſurditaꝭ tibi pate-
ſcit. Priuſq̄ aūt in cura ꝓcedas ſci
re ⁊ inueſtigare oꝫ ſi eſt antiq̄ta q᷑ ex q̄ ānū tran
ſiuerit male curaꝭ cā eſt habituata ſiľr q̄cūq̄ꝫ in-
ueſtigare oꝫ ſi ex q̄ accidit alleuiaꝭ aliq̄n vel nō:
ꝙ ſi nō incurabiľ ē fugias manū nō iponas naꝫ
cauſa taľ nocumēti videꝭ eē foꝛꝭ ⁊ fixa ſi alleuia
tionē aliq̄n habuerit ſcire ⁊ iueſtigare oꝫ cāꝫ ei⁹
q᷑ i hoc cura diuiſificaꝭ vt diceꝭ. ¶ Si q̄s ĝ ſur-
ditatē aliq̄lē a tpe habuerit q̄ alleuiatiōeꝫ aliq̄n
hꝫ aliq̄lē reſpicias aurē ab itra i radio ſoľ: an ſit
ibi ſoꝛdities ſetulēta ad modū cere ſub citrine ⁊
ſubnigꝛe adherētis infra aurē ⁊ ꝓhibētis ſenſa-
tiōem ꝑcuſſiōis aerꝭ rōne adherētiē ꝙ ſi ſic r̄mol
liaꝭ cū oleo cōi tepido iſtillādo bis vel ter in die.
q̄nq̄ꝫ vľ. 6. guttꝭ cū oleo fenugreci vľ cū oľo vmbᵉ
piſcꝭ ē. Vel cū pinguediē āguille cadēte dū aſſa
ta vľ cū aq̄ ranꝭoꝝ viꝭ albe recollecte dū cōburi
tur. Multi paupes curāꝭ cū vno ſolo hoꝝ reme-
dioꝝ. Et euapoꝛeꝭ de ſero ipa aurꝭ cū aq̄ decoctio
nis folioꝛum malue biſmalue: q̄ ſoꝛdiciē rēollita
remoueaꝭ ꝯtēta. Vel alio inſtrō vt erit poſſibile
⁊ ꝓuoceꝭ ſternutatio ſtrigēdo os ⁊ nares vt me
lᵉ expellaꝭ ē puluere cōdiſi vel cū puluere piretᵉ

⁊ ſtafizaᵉ. caſtoꝛei elľi al. añ. ℈. i. vel ß. Vel faciat
puluerē de vno ſolo inſuffleꝭ infra nares cū can
nula ⁊ ipone cānuľ in aure ⁊ ſugge foꝛtꝭ ⁊ ſepe
iſta ꝯtinueꝭ donec iſta extrahaꝭ. Et ſi q̄s q̄uē au
ditū vľ ſurditatē aliq̄lē habuerit rōne ſupfluitaꝭ
flāᶜᶜ groſſe fluxe a capite ꝑ capita venarū quoq̄
mō rōne plectoꝛiē venarū capiꝭ ⁊ coꝛpis. Vľ ra
tiōe catarri vľ ꝯcuſſiōis vľ frigiditaꝭ vľ calidita
tis excedēꝭ extriſece. vľ habuit ſurditatē rōne vē
toſitaꝭ vapoꝛoſe multū friē ibidē gn̄ate. a modi-
ca poꝛtiōe maťiē ſoꝛdide multuꝫ ⁊ magꝭ friē ſiľi
mō fluxe a qua vapoꝛ multū actu frigid⁹ ꝑ actio
nē caľi eleuaꝭ: q̄ mot⁹ a caľ. debili dicit mihi vētū
Vel de poſſibili fluit taľ vapoꝛ frigid⁹ a cerebꝛo
q᷑ a maťia multū fria i venis ei⁹ recōdita ⁊ ꝑ eo
rū capita expulſa ad ꝯcauū aurꝭ. ná iſtis duabus
de cauſꝭ fit cōiꝭ maliᵃ audit⁹ ꝓpť qꝺ cuꝫ vtraq̄ꝫ
cōiꝭ ſtat tinit⁹ groſſus debiľ cū p̄ma foꝛꝭ ad modū aq̄ cadētis de molēdino cū ſcōa. Et fit maliᵃ
audit⁹ cauſꝭ iā dicꝭ ꝓpť pľa. p̄mo q᷑ talia alterāt
⁊ imutāt ꝯ°nē naťalē pellicłe ⁊ toti⁹ oꝛgani cuꝫ
q̄ fiebat ſenſa° rei obiecte debita q̄ alterata n̄ pt
cū ipa fieri. ¶ Scōo q᷑ tales maᶜ adheret cū ip
ſa pellicula ꝓpť qꝺ ꝓhibēt ꝯtactū inundatiōis
⁊ ꝑcuſſiōis aerꝭ cōnaturaľ. ¶ 3° q᷑ ſic adherēdo
claudūt vias ſpuum audituoꝝ. ¶ 4°. q᷑ iſta ta
lia ingroſſant illū aerē cōnaturalē q̄ ingroſſato
⁊ ſenſu dicte pellicule dimuto nō appꝛhēdiꝭ inun
datio aerꝭ connaturaľ: nec ei⁹ ꝑcuſſio a pellicula
niſi ſit valde foꝛtis ⁊ clamoſa ad modū tube ve-
rū aliq̄n de poſſibili lꝫ talia raro fiunt a mala cō
plexiōe multū fria aerꝭ ſubintrāte cui⁹ cura fit ſb-
intrādo faciľr inſtillādo in aureꝫ olea caľa: ⁊ fit
ſiľr a mala ꝯ°ne ſicca acq̄ſita in oꝛgano aurꝭ ꝓ-
pter vigilias ⁊ abſtinētias cui⁹ cura fit humectā
do cū ſōno ⁊ balneo aq̄ tepide ⁊ pľimo nutrimēto
¶ Si q̄s ĝ hn̄s ſurditatē a cauſꝭ duab⁹ iā dictis
ſic purgeꝭ cū yerapigᵃ duplata cuꝫ coloq̄ntida.
℞. yerapigᵉ ga. ℥. i. pulpe coloq̄ntide groſſo mō
pluerizate. ℈. i. bdelliȷ. ğ. 5. incoꝛpenꝭ ſiľ capiat. ℥.
ß. i pilľis. ꝓcedēte oxiľᵉ ſquillitico ꝑ. 3. vľ. 4. dies
gargariſet q̄cūq̄ꝫ māe bis vel ter de ſinapi vľ de
moſtarda diſſoluta cū aq̄ cicerū rub. maſticet po
ſtea ꝺ maſtice mixto cum pipe vt flā a capite ex
pellaꝭ: euapoꝛeꝭ aurꝭ cū aq̄ decoctiōis calaᵗ ab-
ſintiȷ folioꝝ lauri oꝛigani. fiat aliq̄ľr a lōge vt va
poꝛ nō ſit nis calid⁹. q̄ facto iſtilleꝭ in aure duę vľ
tres aq̄ tepide decoctiōis elľi nigri vľ de oľo ra-
dicū ⁊ ſaxifrage. ℞. coꝛtiq̄ radic̄ ſen. petroſi raſa
ni. petroſi exſiccati ꝑ duos dies i vmbꝛa. an̄. m. i.
ſaxifrage ꝯq̄ſſate. ℥. ij. baccaꝝ lauri. ℥. i. olei cōis

qd̄ ſuffic̄ ad cooperiēdū recōdat̄ i amphora bñ
coopta ⁊ ponat̄ ad ſolē.xl.dieb⁹ p⁹ feſtū bti Jo.
baptiſte. Jn defectu hui⁹ ponas ſup cineres ca-
lidos p duos ⁊ tres dies. Uel iponat̄ i aure de ħ
qd̄ ē valde bonū. ℞.coloq̄ntide.ʒ.i.nit⁹.ǝ.i: ca-
ſtoree ariſtol̄.rotūde ſucci abſin⁹.añ.ʒ.ß.coſti.ǝ.
i.euforbij g̃na.vi.fell̄ vaccini qd̄ ſcʒ fiat ex eis ſi
ef cū neċe fuerit vnū d̄ ill̄ in ol̄o amigd̄.amararū
reſoluat̄ ⁊ auri.4.vl̄.5.gutte immittant̄ iſtud re
mediū ē forte ⁊ bonū:q̄libet die añ prādiū ⁊ an-
te cenā ꝓuocet̄ ſternutatio reſtrigendo os ⁊ na-
res cū iā dicī ſtati ⁊ i ꝓceſſu ꝓclamēt̄ i aure pa,
magne voces ⁊ clamoſe vt tube.

Caplm̄.35.de vermib⁹ auriū alijs aialib⁹ ipſam
ingrediētib⁹.

Um i aure fuerit titilla-
tio ⁊ prurit⁹ ⁊ dolor:dei-
de ceciderit v̄mes ab au
re ĩmittat̄ auri ſucc⁹ mētaſtri:aut
de folijs ꝑſicoꝝ:aut oleū de nucle
is ipoꝝ.aut aloes i aq̄ diſſoluāt̄ ⁊
ĩmittat̄.hec em̄ v̄mes auris ꝑua
aialiū igrediētia ipaʒ qñ erūt ĩ au
re ⁊ i vlcerib⁹ naſcūtur interficiūt.

E vermibus auri
um ⁊ alijs aialib⁹ ipas ingrediētibus
vt ſūt pulices ⁊ ſilia. ¶ Nota ꝙ v̄mili
⁊ alia aialia aliq̄ñ ſubitrāt dormiēdo i terra ſeu i
vmbra arborū ⁊ pulices tp̄e eſtiuo. aliq̄ñ gñāt̄ v-
mes i aurib⁹ p putrefactiōeʒ ſic̄ i pl̄ib⁹ flāti q̄ pu
trefiūt ſupfluitates apoſtemoſe.vl̄ nō apoſtemo
ſe ⁊ v̄tute orb forā i mat̄ia diſpoſita itroducit̄ ſic
fit i mēbris. ¶ Notū ē cuiqʒ ꝙ morb⁹ deſcriptus
ē ṗor ꝑncipal̄r i toto organo q: official̄ vt ſtati di
cet̄.ꝑ⁹ ineſt toti ↄñr ꝑti lʒ imedi⁹ inſit ipi ↄcaui-
tati auriū ⁊ ē p colligātiā venit qd̄ venire nō dʒ:
⁊ ē morb⁹ official̄ i gñe i ſpē morb⁹ i nūero q̄ res
ē ſuba ħ dicit malā cōpōnē ex re addita nūerali:
⁊ ē nocumētū paſſiue regitiue aiate puta diſcre-
tiue:q: ſi nō erraſſent tl̄ia nō ſubintraſſent. Et ē
pa⁹ v̄tutū auditiue:q: illi nocet ⁊ illi infert nocumē
tū raſis curat tales iponēdo ſuccū mētaſt⁹ vel
folioꝝ ꝑſici vel ſuccū abſin⁹ vl̄ cucumerū aſi⁹ vl̄ d̄
aceto ⁊ baurach ſil̄ mixtis.

Caplm̄.36.de his q̄ cadūt i aurē extrīſec⁹ vl̄ que
eam impediūt.

Um aliq̄d figitur ĩ aure
oleū tepidū ē ĩmittēdu ʒ
⁊ patiēs balneū igrediēſ
ibi morā faciat donec corp⁹ eius
mollificet̄.deide narib⁹ iſufflet̄ cō
diſi ⁊ teneat̄ āhelit⁹ donec ſternu
tatio ſeq̄t̄.forſitā em̄ ſic egrediet̄.
Sin āt fuerit difficile ⁊ nō exierit
erit neceſſe vt cū ferro auri ĩmiſſo
extrahat̄. Qd̄ etiā i narib⁹ ē faciē
dū:ſi q̄d eas igreſſum fuerit qd̄ ex
trahi nō poſſit. Qd̄ ſi aq̄ itrauerit
capite ad ꝑtē auris illi⁹ iclīatio ſa
liat eger ⁊ ſi nō exierit ꝓuocet̄ ſter
nutatio vt diximꝰ.deide tepidum
multotiēs ĩmittat̄ neqʒ hoc ꝓ par
uo ē habēdū:⁊ ꝓcipue ſi res malā
hñs q̄litatem igreſſa fuerit. Ex ea
nāqʒ grauis ſequetur dolor.

E his que cadunt in aure extrinſecus vel
que eam impediūt. Rubrica clara
i paſſioneʒ i ꝑticl̄a ⁊ i colligā⁹ ⁊ i no
cumētū v̄tutū ita ē itelligēdū vt ē dictū i.c.ꝓcedē-
ti.⁊ pʒ ma⁹ auriū clarificata. Raſ vult ꝙ cū ſter
nutatiōib⁹ retinēdo āhelitū ⁊ claudēdo os ⁊ na
res expellāt̄ ⁊ nō debeat tardari i cura q: ei⁹ mo
ra lōga iduceret ꝑiculū ⁊ dānū audit⁹ mltū vtit̄
cōdiſi herba ē q̄ aſſilat̄ ſpatule:flos ei⁹ aſſilatur
viol̄.⁊ q̄dā ſūt citri⁹ ⁊ glauci ħ.plius,⁊ narib⁹ in
ſufflet̄ loco cōdiſi facim⁹ puluerē de piret⁹ caſto
reo ſtaphiſag⁹ ell̄o vel de vno eoꝝ termiet̄.

¶ Caplm̄.37.de ſanguie ex narib⁹ fluēte

E his q̄ ſanguis ex nari
b⁹ fluxū retinēt ē ſuccus
albeduragi cū cāphora
fuerit i eo diſſoluta narib⁹ imiſſus
Cōfert em̄ ei q̄ hāc paſſionē icur-
rere ſolit⁹ ē añ eā iiect⁹. Aut ĩ ho-
ra egeſtiōis aut ſumat̄ gipſum: ci-

nis carte ꝺ pāno galle ſāguis ꝺra conis calx ſegi ⁊ pulueriſata nari b⁹ iſufflet Aut liciniū i eis intictū mittat i nares: aut alumē iameni pulueriſatū vt alcohol cum amilo eiuſdē q̄titatis narib⁹ iſufflet. qꝺ ſi adhuc vehemēter manauerit ſu periores adiutoriū ptes apud aſ cellas cū iſtitita ⁊ coxe apud igui na ligēt ⁊ teſticuli ſilr ſūt ligandi. Si vo paſſio inualuerit flōmet ce phalica eiuſdē ptis de q̄ fluit ſan guis. Si āt nec hoc mō ſtrict⁹ fue rit: magne vētoſe cū igne ſuperpo nant vētri ab ea pte de q̄ fluit ſan guis. Medicamē qꝺ vehemē ter valet ad ſanguinē ꝯſtrigēdum Sumat calx alba ⁊ leuis q̄ vtūtur aurifices ⁊ ſepe narib⁹ iſufflet ſi ne interpolatiōe ⁊ liciniū albumi ne oui illinitū ea īuoluat ⁊ narib⁹ īmittatur

E ſanguine a naribus fluēte. No ta ꝙ ſāguis fluit a narib⁹ q: vēa i na rib⁹ ſeu i frōte apit. 3°. ꝺ mor°. c. penl timo. Idē vult ga. 6. ꝺ mor°. c. 5. Uā vena apitur i frōte ſeu i narib⁹ cā triplici ſi a cā itriſeca apiat vt dic ga. i loq allegat. vno° apit vena i fronte a forti expulſiua expellēte put ꝺꝫ i bōa criſi ſignis digōis pcedētib⁹ vt in pireſi in ſinocha in tertia naſſi freneſi piplo° ⁊ ſilib⁹ ⁊ ꝯſilr ꝯtigit h in q̄dā neutralitate decidētie i etate ſanguis ⁊ ivenoſis talis nō ē reſtrigēd⁹ niſi q̄titate excedat. q̄ autē ſit illa q̄titas hoc dicet ſtatim. alio° apit vena a ſanguie mutato a ſui nat a i q̄ti° excedēti: naꝫ q̄titas excedēs appit venā: h vult ga. 6. de mor° c. 5. Alio° apit vena i frōte a ſang° mutato a ſui nat a i q̄l: q: acut⁹ pūgitiu⁹ rōne cui⁹ apit caput vene rōne cui⁹ q̄litat icitat expulſiua ad expellē dū i de bi te. 6. de mor° . capi. de excūtib⁹ p veſicā ſic rōne q̄titat dicte excedet ꝯtētiua debilitat ⁊ q̄uat. 6. de intio. c. p° in fine. Iſtis duob⁹ dict modis ſilr ſi venaſapiat nō ꝺꝫ ſubito reſtrigi niſi tal' ſanguis q̄titate excedat: q̄ aūt ſit illa q̄titas ſtati dicet. Si autē exeat p venas matriq vel ani aperiūtur vene iſtis de cauſ dictis. ⁊ aliq̄n ſimili ter aperiūtur vene in ill' duobus locis rōne deſe ctiōis venarū: q: rara tenuis moll' a gn̄atōne vl' tēpore, ppt hūiditates fluētes ad ptes illas. Ex iſto caſu multe mē. flātice vel rare ꝯtexture hn̄t fluxum mē. in exceſſu quas curam⁹ cū ablutiōe decoctionis aluis ruppe ⁊ pluuie ⁊ galarū ⁊ cū ſtuphis p embotū cū cortice thur. hoc dicet in fra ſuo loco crepātur aliq̄n in pectore: alib⁹ tuſſien do ppt iſtā defenſionē vel ppt vltimā duriciē ibi nō apiūtur cōit h crepāt: h dicet in ſequētibus. Ulterius nota ꝙ ſanguis exiens p nares vel aliunde eſt accidēs morbi dictū exiēs a corpore mutatū q: eſt acciñs morbi vt exies: quia exit ex nocumēto contentiue vel expulſiue vel vtriuſq. Uel eſt acciñs morbi vt tale exiēſ puta, q: mutat⁹ in q̄to vel in quali vel vtroq modo vt ſtati dicet

Primo tu q̄res ſanguis exiēs p venas narū cui⁹ vtut ē nocumētū ſiue ptic'e ē pa° pn' loq̄ndo p mor° deſcpto. Dicēꝺ ꝙ orificioꝝ venarū nariū: q: ſāguis exit a narib⁹ q: vene illarū ptiū apiūt. 3°. de mor°. c. penultio. Idem. 6. de morbo, c. 5.

Secūdo tu q̄res flux⁹ ſang. narū eſt ne paſſio p ſe vl' p colligātiā loq̄ndo p mor° deſcripto. Dicēdum ꝙ ſi aperia tur a vtute expulſiua forti expellēte ⁊ curāte mor bū tūc nō erit pa° i capitib⁹ venaꝝ q: illa dilata tio orificij venarū fit a natura ⁊ ñ ē cā imediata nocumēti actiōis venaꝝ. iō ē cā ſanitat corpis ⁊ venarū q: ſanitas acq̄rit: iō ē actio nat'e ñ mor' h vult ga. 3°. de mor°. c. penul. auc̄te theophili. ſi aūt venit illa aptio venarū illarū rōne ſāguinis mutati i q̄to vl' i q̄li vl' i vtroq mō tc̄ ē p colligā tiā q: vēit ad venas frōt qꝺ venire ñ ꝺꝫ h'm natu rā: q: ſan. mutat⁹ ſiue vene apiāt i mr̄ice. l'i ano rōne raritat dicte ⁊ mollicici a ſup fluitatib⁹ aq̄ ſis q̄liter ē declarabit infra ſuo loco puta in. c. de menſtruis, ⁊ emorroiꝺ. ⁊c.

Tertio tu q̄res flux⁹ ſan. narū q̄s mor b⁹ ē. Dicēdū ꝙ flux⁹ ſan. naruꝫ ⁊ vniuſcuiuſq alt⁹ pt i ſe ē acciñs mor': dc̄m exi ens a corpe mutatū: nā erit acciñs vt exiēs ſi nō ſeq̄t iuuamtū q: exit a nocumēto vtut ꝯtētiue ſi peccet tm̄ ſui q̄titate: nam expulſiua excitatur a q̄l: ſicut cōtētiua a q̄to. 6. de intio. c. pmo in fine Idē dicit Ga. 6. ꝺ morbo, c. de excūtibus perye

ſicaꝫ. Tu dices ꝙ ſi fluxꝰ ſanguis ⁊ q̄cunq; alia
res exiēs ſit accidēs vt exiēs. qꝛ exit ex nocumēto
ꝯtentiue vl' expulſiue. ḡ tale exiens erit actio leſa
⁊ nō erit accn̄s diſtinctū in gn̄e ꝯtra actionē leſā
Cōtrariū tu ponis ⁊ ponit ga. 3°. de morbo. c. 2°
Dicēdū ꝙ adhuc ē accn̄s morbi diſtinctū ab acti
one leſa. aliud eſt illud qd̄ exit ꝓut idebite exit ⁊
aliud ē actio alicuiꝰ virtutꝭ dcē expulſiue vl' reten
tiue indebite agēns. Uel iſtud exiēs nocumēto
actōis ptinet. 6°. de morbo. c. 5°. qꝛ cōſequit̄ ad
illā actionē malā ⁊ nō eſt actio mala ſ; cōſeq̇tur
ad illā. Jdō ga. in locis allegatꝭ dic̄ ꝙ interdū non
eſt accn̄s morbi vt exiēs qꝛ conſequit̄ ſanitas. ⁊
ſic pꝫ rō ad rōnē apparētē q̄ facit muſare debiles
in arte. idē dicemꝰ infra. c. de retētiōe mēſtruoꝝ d̄
eo qd̄ eſt clauſū ⁊ detētū vltra naturā qd̄ eſt acci
dēs morbi vt detētū ⁊ vt mutatū ꝓ morbo deſcri
pto. tl'is ſanguis exiēs ē official' mala cōpoſitio
in via: in ſpē dilatatio viaꝝ ſanguis. nā vene di-
latant̄ vltra debitū in capite aptio ē capitꝭ dilata-
tio. ad quā ſequit̄ in receptacl'o: qꝛ inanitio ſit̄.
nā vene ſunt vie ꝑ q̄s portat̄ ſanguis ad mēbra.
⁊ ſunt receptacl'a ſan. nā locꝰ ſanguis ſunt vene
Uel ſi apiat̄ a forti virtute expulſiua ſic̄ in criſi:
vel alit̄ in cura diſcraſie: talis dilatatio capitꝭ ve-
ne nō eſt morbꝰ. qꝛ nō ē cā nocumēti actōis ſ; ſa
nitatꝭ. hoc vult ga. 3°. de morbo. c. penultio. Tu di
ces ſi apiat̄ vena cū flōmijs in cura q̄ morbꝰ eſt
Dicēdū ꝙ qꝛ actio officij ꝙ ē ꝯtinere ſan. ſm na
turā corpis nō ledit̄. immo iuuat̄ corpus ⁊ acq̇-
rit̄ ſanitas in toto corpe nō erit morbꝰ officialis
ſ; erit illa ſolutio vene morbꝰ ꝯſil'iter. qꝛ digeſtia
illiꝰ pticule vene ⁊ carnis ſolute ſolū. idō modicuꝫ
rubeſcit ⁊ puſtulat̄ in craſtinū. Utilius eſt in na
tura ꝙ totū corpꝰ iuuet̄ cum modico nocumēto
alicuius pue pticule: cum nihil iueniat̄ i curatōe
alicuius q̄n ſit alicuiꝰ leſiōis. xi°. de ige°. m. c. 6°.
in fine. ſ; qꝛ iuuamētū maiꝰ eſt idō eo vtēdum eſt.
Si aūt tl'is flōia ſeu apertura vene fuerit tpe in-
debito vel in q̄titate idebita ꝙ ſequat̄ nocumen
tum corpi vt tota die ꝯtigit tl'is ſolutio vene erit
morbꝰ cois official'. qꝛ officiū vene ſibi debitū le-
dit̄ immediate puta ꝯtinere ſan. debitū ac ꝯueni
entē nature corpis. ⁊ erit morbꝰ cois cōſil'is ⁊ of
ficial' vt dictū eſt. Tu dices: videt̄ ꝙ flōmia facta
ſemꝑ dato ꝙ ſequat̄ iuuamētum corpis qd̄ ne-
ceſſario fit morbus official' ⁊ conſil'is: tl'is ſolutō
idiget cura puta clauſiōe reſtrictōe. ḡ neceſſario
erit morbus official' ꝯn̄a t3 3° tegⁱ. cura debetur
morbo cāe p̄ſuatio. Dicēdū ꝙ illa clauſio ⁊ reſtri
ctio nō fit ꝓ cura ſolutōis dcē. ſ; ꝓ p̄ſeruatōe exi
tus ſan, ne idebite ⁊ vltra modum exeat: Jdō de-
bet dici p̄ſuatio non curaꝰ. imo pōt dici ꝙ talis
aptio vene non ē morbus official' ſ; cā morbi: q̄ſi
tpe ꝯuenienti nō claudat̄ erit morbꝰ official' qꝛ cā
imediata nocumēti actōis ipſius vene puta con-
tentiue ſanguinis.

Quarto in q̄res. fluxus ſan. nariū cuiꝰ
virtutꝭ ē nocumētū paſſiue itel
ligēdo. ꝑ alia verba querit̄ vtraq; ſubſequēs per
ora venarū nariū cuiꝰ virtutꝭ eſt nocumētū. dicit̄
vtraq; ſubſequēs 3°. de morbo. qꝛ ꝯſeq̇t̄ actōem
leſā alicuiꝰ virtutꝭ ⁊ q̄litatē mutatā comphēſā ꝑ
aliquē de ſenſibꝰ qꝛ cōiter ſunt mutati in p̄mis:
vl' i ſecūdis vt i colore. ꝑ alia verba pōt queri de
ſanguie exeūte ꝑ nares: ꝑ matricē: ꝑ emorroyd̄.
ſi exeat in modica q̄titate minꝰ debite. 3°. de mor
bo. c. 5°. ſanguis exiēs: ⁊ qd̄ clauſū ē ſeu retētū ꝑ
ora venarū nariū cuiꝰ virtutꝭ ē nocumētū paſſiue
itelligēdo. expone exiēs ipfecte vt i criſi diminu-
ta. vel alias vt i plectoria magna ⁊ in etate 2ª. ⁊
qd̄ clauſū ē ſeu retētū de ſanguie q̄ deberēt expel
li cuiꝰ virtutꝭ ē nocumētū vt ibidē dicet̄ ifra i paſ-
ſiōibꝰ matricꝭ ⁊ ani i emorroyd̄. Multos feci mu
ſare i examie publico. Dicēdū ꝙ i fluxu ſanguis
nariū a forti v̄tute expulſiua non eſt nocumētuꝫ
v̄tutꝭ niſi excederet qꝛ ſeq̇tur ſanitas. nec illa ap-
tura vene ē morbꝰ. qꝛ nō eſt cā nocumēti actōis i
vena nec i corpe ex q̄ ſanitas acq̇rit̄ niſi tūc exce
deret fluxꝰ tl'is. tūc ē nocumētū ꝯtētiue qꝛ conten-
tiua debilitat̄ ex orificijs venarū apertis ⁊ dila-
tatis non poteſt in actōne ſua ꝓpria ⁊ naturali. idō
deſunt humores abire orificijs venaruꝫ apertis
ꝓpter quod male continet ⁊ ſequit̄ actōnis ſue
leſio. Si autem talis ſanguis imperfecte ⁊ dimi-
nute exiret vt in criſi imperfecta exit non eſt acci
dens morbi vt exiens ſ; vt mutatū. Sed quod ē
retentum ⁊ clauſum in corpore vltra debitum eſt
nocumentum expulſiue. quia ſibi ineſt ex ſui na-
tura expellere ſuperflua. vi°. de morbo. Uerū eſt
ꝙ eſt virtus fatua nec bene expellit niſi incitata
a quali. p̄mo de interioribus. caplo p̄mo. ⁊ expul
ſiua non valet in actione ex clauſione viarum et
orificiorum venarum: propter quod ſequitur ma
la actio ipſiꝰ expulſiue. ſ. ꝙ nō bn̄ expellit cū tl'i o-
pilatōe orificioꝝ ſic̄ ꝯtētia venit i malā actiōeꝫ ex
vijs dilatatꝭ vt dcm̄ ē. ſi aūt tl'is ſan. exeat rōne q̄
titatꝭ ſan. excedētꝭ apiētꝭ venā tūc ē nocumētū ꝯtē
tiue. nā ꝯtētia ḡuat̄ a q̄to. 6°. d̄ initio. c. p°. idē. 6°
de mor°. ꝓpt̄ qd̄ venit i malā actōeꝫ ſuā ſic ꝙ ma
le retinet. ſi aūt ſāguis exit ⁊ exeat ſui qualitate
puta acuitate pungēte ⁊ aperiēte venam ⁊ inci
tante expulſiuam talis fluxus ſanguinis eſt no-
cumētū expulſiue p̄ncipalit̄. qꝛ expulſiua incitat̄

a q̄li vt dictū ē:⁊ a q̄litate forti excedēti icitaꝛ vl-
tra debitū:⁊ ſic venit i actionē ſuā indebitā ſic ꝙ
vltra debitū expellit.

Quarto tu queres flux⁹ ſanguis exce-
dēs cui⁹ vtuꝫ ē nocumētū acti
ue ſeu paſſio. Dicēdū ꝙ naꝛalis mēbꝛoꝝ puta di
geſtie ⁊ aliaꝝ naꝛaliū. q: inſtrumētū ipſoꝝ puta
ſpūs ⁊ hūores expellūt ⁊ defic. iō veniūt in ydro
piſim ⁊ ad alias egritudies.

Quinto tu q̄res cū ſāguis exeat inēdū
in bona criſi ⁊ a bona vtute ex
pulſiuā q̄lr tl'is flux⁹ faciet exceſſū. Dicēdū ꝓut
ſtati dictū ē in q̄ōne ṗcedēti ꝙ in tl'i cāu nō fit ex
ceſſus a vtute expulſiua ſ ab ip̄a vtute ꝯtētia. nā
expulſo ſupfluo ꝓut dꝫ q: oꝛificia venarū rema-
nēt inēdū mltū apta. ꝯtētia nō valꝫ in actōe debi
ta ꝑ naturā. iō ē nocumētū ꝯtētie nō expulſiue. iō
ſuccurrim⁹ tali exceſſui cū ſtiptic̄ appoſitis in frō
te ⁊ int̄ ſupcilia in radice narū vt dicet̄.

Sexto tu q̄res q̄ ē q̄titas ſāguis exeūꝫ
tollerabil' ꝑ nāꝫ i q̄ nō ē reſtrigē
dus. ⁊ vltra quē ē reſtrigēd⁹. Soluit ga. li. ſuo de
flōmia doc. 2ª ſūma pª. c. 3º de flōie q̄titate cir-
ca finē capl'i q̄nti dic̄ neq̄ꝙ. igit̄ poſſibile ē pſcri
ptionē i vnoq̄q; vnā detmiare euacuatōis mēſu
rā. q: q̄ſdā vidit a q̄b⁹ ſufficient̄ auferebat. vi. lib.
ſan. ⁊ nulla ſeq̄baꝛ malignatio vtuꝫ. in q̄buſdam
vnā ⁊ mediā ⁊ in aliq̄ ledebāꝛ in q̄buſdā ſi duas
euacuaſſet nocuiſſet vtiq; vltime. ꝓpt̄ qḋ noui ⁊
vnā auferre. lib. q̄nq; ꝓficit:⁊ q̄nq; ex ſ min⁹. nā
etas ⁊ habitudo coꝛpis eſt multū ꝯſiderāda ſi ē
venoſus vel alb⁹. mollis. parū venoſus. ꝓpt̄ qḋ
huic q̄ōni nō pōt vni⁹ vbo rīderi. vñ auic. viati-
cus. gilbert⁹. goꝛdoni⁹ oēs ꝯueniūt ꝙ pōt exire i
q̄titate q̄tuoꝛ. lib. ſine nocumēto. Credo ſ in mul
tū venoſis vt vult ga. lꝫ nō in oib⁹. Scio ꝙ ego
habui ter fluxū ſan. in q̄libꝫ fluxu ꝑdebā pluſq̄
vij. lib. vl'. viij. in duob⁹ dieb⁹:⁊ nō poťat reſtringi
donec faciebā flōmiā ꝺ mediana vtriuſq; brachij
tāta erat caliditas ſan. q̄ incitabat expulſiuā ve-
naꝝ quā ſentiebā i ſpatuꝛ. nā venoſi ⁊ mollis car
nis. nec tolleraſſēt tātā euacuatōnē ſine dāno ſuf
feciſſet eis vna. lib. vel vna cū dimidia. Cōit̄ nos
reſtrigim⁹ poſtq̄ exiuerit in q̄titate duaꝝ. lib. eſti
matiōe coi. Auic recitat in 3º cañ. ꝙ aliq̄ tollerāt
fluxū ſāguis narium vſq; ad. xx. lib. ⁊ alij vſq; ad
xxv. ſ poſtea moꝛiūꝛ.

Octauo tu q̄res cū ſan. arterial' ſit ma
gis calid⁹ ⁊ acut⁹ pūgēs ꝑcu
tiēs ⁊ pfoꝛās oꝛa artiaꝝ q̄re min⁹ fluit ꝑ capita
artiaꝝ frōtis q̄ ſan. q̄ ē in venis cū ſit min⁹ cali-
dus ⁊ min⁹ ꝑcutiēs oꝛa venaꝝ. Soluit Auic. 3º.
cañ. fen. 5ª. c. de fluxu ſāguis. q: vena ꝯtexta eſt
ex vna tunica ꝓpt̄ qḋ cit⁹ ſoluit̄ i ꝯtinuo ſeu api
tur in capitib⁹ a modica ipulſiōe. iō in pulmone
creauit natura mirabilit̄ venā artialē cū duabus
tunic̄ ꝯtinētē ſāguinē epaticū vt i motu pectoꝛa-
liū cito nō rūpet̄. Inēdū aūt artie in ꝑra cerebri
apiunt̄ ita ꝙ ſan. tl'is nō reſtrigit̄ ē ſalt⁹ ꝯtinuus
ꝓpt̄ qḋ q: remedia ſup artias nō poſſum⁹ appli
care. nō bñ curāt̄ imo aliq̄ moꝛiūt̄ caſus ē rarus
lꝫ aliquando inſit.

Iſtis clarificaꝛ. Cura ſanguis fluētꝫ a na-
rib⁹ tibi pateſcit. Pri⁹ aūt q̄ in cura
ꝓcedas ſcire ⁊ cog̊ſcere oꝫ cōplōnē etatē ⁊ ꝯſue
tudinē. q: ex his cura aliq̄lr diuſificaꝛ ſaltē i die-
ta ⁊ flōmijs ⁊ vētoſis. Cōplōnē: vt ſi ē co. potiſſi
me de colera rub. q̄ fuerit ſꝑ coloꝛat⁹. q: tl'es pau
cū nocumētū patiūꝛ ex fluxu ſan. narū inteſo vt
dicit raſ aucte ga. in ſuo ꝯtı́c. vel ſi eſt ſanguine⁹
cū tl'es ſilr ſaꝛ tollerāt magnū fluxū ſine nocum̄
to. hñt venas latas cū mltitudie ſāguis ⁊ hūoꝝ
ꝯtrū ē de flātic̄ ⁊ fri. q: necio hñt venas ſtrictas.
3º de cōplōnib⁹ parū abūdāt in ſanguie ⁊ hūoꝛi
bus in venis. Et etatē oꝫ ꝯſiderare ſiue i etate ſā
guica vl' circa. Et ꝯſuetudinē ꝯſiderare oꝫ ſi ē aſ
ſuet⁹ habere fluxū in puericia vl' al's. nec ſi ē aſ-
ſuet⁹ facere flōias. nec ſi diſtulit. iſta plura indi-
cant medico in cura. ⁊ in ṗnoſtico. ¶ Si q̄s cole
ric⁹ de colera rub. vl' al's venoſus vl' ſanguine⁹ ⁊
venoſus magnū fluxū de narib⁹ habuerit. puta
in q̄titate duaꝝ. lib. vel circa aſſuet⁹ habere ⁊ fa-
cere flōias. q: in ſ arguit̄ maioꝛ abūdātia ſāgui
nis potiſſime ſi fuerit in etate ſanguica vl' circa.
vl' nō aſſuet⁹ reſtrigaꝛ. ſic tl'es vitēt vinū oino ni
ſi coloꝛē mutauerint ⁊ debilitati fuerit. q: vinū in
citat fluxū. dic̄ raſis in ſuo ꝯtı́c. Et ſi ſint mutati i
coloꝛe vel debilitati potēt vinū rubeū g̊ſſū bñ lim
phatū. teneat in oꝛe aq̄m vinoſaꝫ frigidam puta
vbi ſit q̄rta pars vini remouendo ſep e eam. non
mūdificēt nares de ſanguine coagulato. odoꝛēt
camphoꝛam vel cimīnū tritū cum aceto modico
diſſoluto. ligēt̄ aures ⁊ alie extremitates ligatio
ne doloꝛoſa. ⁊ diindimū teſticuloꝝ. ⁊ teſticuli in
aceto ponant. vētoſēt̄ cum vētoſis magnis ⁊ ſi-
ne ſcarificatōe in ypocūdrijs eiuſdē parꝛ. ⁊ in vē
tre ſepe eas remouēdo. ⁊ frontu in radice narium
applicēt̄ v̓tice aſꝑe conquaſſate. Dyaſcoꝛides
⁊ macer hoc poſuerunt ⁊ eſt remedium expꝫtū.
Vez de facto videm⁹ ꝙ mag̊ valēt in flātic̄ purꝛ
Vel iſtud applicēt̄ frōti in radice narū quo vte
baꝛ goꝛdoni⁹ in paupib⁹. R. argille. ʒ. ij. piſtē-

Remediū ad ... ſanguinis ꝑ nares emittentibus

tur cū aqua roſ. ⁊ albu. oui ⁊ extēdat̄ ſupra pan
nū ⁊ frōti in radice nariū applicet̄: ⁊ in collo pā
nus lineꝰ infuſus in aqua frā cum modico aceti
applicet̄ ſepe. Uel ſic i diuitibꝰ. ℞. boli armeꝭ
ʒ. ß. ſan. dra. ʒ. i. argille. ʒ. i. acacie ypoq̄ſ. an̄. ʒ. ij.
aque roſ. albu. oui cū modico aceti qđ ſufficit. fi
at ꝑ modū empl̄i liquidi ⁊ ab intra ponat̄: tenta
de bōbace facta ſupra frōdē fenꝭ. vl̄ ſupra aliā rē
duram: ⁊ intingat̄ in ſucco plātag̃. vel in aq̄ roſ
đ ſtipitibꝰ: ⁊ tēta poſtea iuoluat̄ in puluere iſto.
℞. aluis iamēi pulueriʒati. ʒ. ij. amidi. ʒ. ij. miſce
ant̄. iſte puluis bn̄ valet ⁊ reſtrigit poſitꝰ ⁊ appli
catꝰ ꝑut dictū eſt. Uel ꝙ inſufflet̄ cū cānula in-
fra aures ⁊ ſit īfra aurē modicū. cū iſtis in tl̄ibꝰ
ſāguis nō reſtringat̄: flōmet̄ de mediana vtri-
uſq ꝑtis: extrahat̄ vna bona ſcultella barbiton-
ſoris potiſſime aſſueti facere flōia ꝫ vl̄ habere flu
xum ſanguis ꝑ nares. Raſis recitat i ſuo ꝯtiᶜ ꝙ
ipſe vtebat̄ flōmia in tl̄ibꝰ vſq ad ſincopim fcā
in ꝑncipio: nō valet niſi ſit bn̄ magna fcā in po-
ſterū ſufficit aliq̄s vt dcm̄ ē. nā intdū ⁊ pluries
⁊ ſāguis ē ita calidꝰ ex ſe at ex eiꝰ motu. ⁊ q: pꝰ
poſuerit flōiam ⁊ laborauerit fortit̄ in caloribꝰ
ꝙ neccio oꝫ euentare ⁊ infrigidare ſanguinē cuꝫ
flōmia ⁊ ego ſū exptus pluries i me ⁊ plibꝰ aliiſ
colericis laborioſis. Et ſi q̄s flāticꝰ vel puer coleri
cus infra. xvᵐ fluxū ſan. habuerit puta in q̄titā-
te vniꝰ. lib. fiāt q̄ dicta ſūt ꝙ vētoſet̄ in ypocūdriiſ
eiuſdē ꝑtis ſine ſcarif. ⁊ vertice aſꝑe ꝯq̄ſſate frō-
ti applicet̄ ⁊ liget̄ ibidē extremitates ligatōe do
loroſa. Pn̄t vētoſari in vltiā necitate in ſpatulis
cū q̄dā ſcarificatōe. Dieta hoꝝ ſūt lētes bn̄ cocte
expulſa ꝑma aq. niſi. oua dura. pira. pruna. guido
la ſi occurrāt. caſeꝰ recēs ſine ſale. lac fortit̄ bulli
tū. breuit̄ valēt oīa q̄ ſanguinē ingꝛſſant. ⁊ ſi mu
lier fluxū ſanguis nariū habuerit ſtati flōmet̄ i
bona q̄titate de ſophenis. ſūt pl̄es mulieres in
q̄bꝰ ſunt abſciſſa mēſtrua in toto vl̄ in ꝑte q̄ hn̄t
bis vel ter in āno fluxū ſanguis nariū exceſſiuū
tl̄es debēt quolibꝫ mēſe flōmari de venis in q̄-
dra lune eis ꝯuenēte in bona q̄titate ſi ſūt mē-
ſtrua eis abſciſſa in toto. Et ſi nō ſūt eis abſciſſa
ex toto: fiat modica flōia an̄ mēſtruū vna die de
vna. alio die de alia: ⁊ q̄libꝫ die extrahāt̄. ʒ. ij. Et
ſi natura facit ꝑ venas matricis qđ ieſt ſibi ſm̄ na
turā. nā iſta ſit tibi regula ꝙ tl̄es flōmie ꝑceden
tes mēſtrua debēt eē in modica q̄titate vt natu-
ra ex tl̄i curſu ⁊ fluxu ſan. ad inferiora habilitet̄
ad magnū mēſtruū. ⁊ flōie ſtati fcē pꝰ menſtruū
diminutū dēnt eē i mag̃ q̄titᵉ. īfra. c. đ mēſtru. tcta
bimꝰ ex itēto iſta ſi deo placuerit, iſta tꝭ ſufficiāt,

Ca.ᵐ 38ᵐ đ vulneribꝰ q̄ ſūt i interioribꝰ nariū

c

Um in naribꝰ fuerint
eſcare: cera ⁊ oleū ac a-
deps gallinaceꝰ eis im
mittant̄ ⁊ aquā calidaꝫ
naribꝰ in mane multotiēs per ali
quot dies odoret. Cūq pustule
egredi ceperint licinīū aceto for-
ti infuſū in quo ſal poſitū ſit nari-
bus imittat̄: ac ſuꝑ eas ſil̄r ponat̄
Siccabūt̄ enī ex hoc ⁊ nō ꝓlōga-
bit̄ eoꝝ mora. Qđ ſi vlcera ibi af
fuerit ex vnguēto de ceruſa curēt̄

d

E vulneribus q̄ ſūt i interioribꝰ

ꝑtibꝰ nariū. Nō. ꝙ vlcera ſūt i naribꝰ
per viā reumatiſmi qn̄ cruſta ē tenuis
ſubtil̄ modica videt̄ eē đ colera qn̄ cruſta ē mag̃
ſpiſſa g̃ſſa videt̄ de flāte ſalſo. iſtud eſt vt pl̄imū.
Notū ē ꝙ ē paſſio cartilagis lacertoſe ⁊ ē ꝑ col-
ligātiā venit qđ venire nō dꝫ ſm̄ naturā ⁊ ē offi-
cial̄ q: mala figura. ⁊ ē nocumētū regitiē natu-
ral̄ mēbri mādātꝭ ⁊ recipiētꝭ. ⁊ ē paſſio expulſiue
ſuꝑfluitatū veniēs a cerebro ⁊ attractiē aeris ꝑ
nares ad cerebꝝ vt ſpūs aialis gn̄et̄ ſeu ꝯſuet̄ i
eoꝝ tꝑe in cerebro. 8ᵒ. de iuuamētꝭ. c. 3ᵒ. Raſ cu-
rādo docet priorē remouere cruſtā cū remollitis
cū oleo ⁊ cera vl̄ axūgia galline vl̄ cū butiro ſine
ſale. ꝯſīr exiccare cū aq̄ ſalſa: vl̄ cū vnguēto de ce
ruſa qđ ē bonū. Et ego feci curā pl̄ies cū eo, naꝫ
exiccat ⁊ conſolidat.

Capl̄m. 39 de polipo nariū ⁊ emoroy. ipſarū,

c

Um interꝰ in naribꝰ ca-
ro ſuꝑflua mollis ⁊ qua
ſi diſſoluta rubea aut al
ba exorta fuerit: ⁊ na-
res ingroſſari ceperint: ac ex car-
ne ꝑdicta repleri: cephalica prius
erit flōmāda. deinde licinīū ex vn
guēto viridi qđ in capl̄o de corro
dētibꝰ carnē noīauimꝰ liniendꝫ
⁊ naribꝰ erit immittendū. Si ve-

ro iſtud non ſuffecerit: medicamē
acutū qđ ibi deſcripſimꝰ apponaꝛ
donec ex toto mūdificeꝛ. Hec pre
terea paſſio qñqꝫ cū ferro curatur
radicitꝰ oīno incidendo. Medici
tñ qñqꝫ in hoc errāt: nam ex eoꝝ
cura eger maximū incurrit nocu-
mētum. In hoc nāqꝫ loco cancer
plerūqꝫ exoriꝛ. Verū cancer quā-
do in hoc naſciꝛ loco neqꝫ acutas
tollerat medicinas neqꝫ inciſionē
que fit cum ferro: imo indiget vt
ſuauiꝛ tracteꝛ ⁊ medicamībꝰ leniē
tibꝰ ⁊ flōmia ⁊ vētris ſolutiōe cu-
reꝛ. Cognoſciꝛ aūt an illud accīns
ſic cācer: qꝛ eſt durꝰ ꝑtingēs qñqꝫ
vſqꝫ ad palatū. Sꝫ cuꝫ nares ſicce
ſint ⁊ dure nec ſit in eis humiditaſ
aliq̄ ſūope cauendū ē ne hec egri-
tudo aut ei ſimil ferro aut acuto
medicamine tāgaꝛ. Si naūt qđ in
naribꝰ exoriꝛ caro mollis ē: fluxe-
rintqꝫ ex eis hūores ⁊ cum nares
ſtringūꝛ inueniūꝛ molles: ⁊ cū tā
ganꝛ tractꝰ nō ſentiꝛ ſolidꝰ: nō eſt
timēdū q̄n ex medicaminibꝰ acu-
tis ⁊ ferro mederi poſſint.

b **De polipo** narium ⁊ de emor
royđ. ipſarū. i. de
excreſcētia carnis moll' vt ē emorroyſ
vel medie. i. polippꝰ. ¶ Nō. ꝙ in nari-
bus fiūt cōiꝛ q̄ttuoꝛ paſſiōes vulnera vlcera dcā
polipꝰ emoroys ⁊ cancer. Polipꝰ ē excreſcētia
carnis medie i mollicie ⁊ duricie ⁊ medie q̄tita
tis. Emorroyſ ē excreſcētia carnis bñ moll' ⁊ ma
ioris quātitaꝝ. Cācer ē excreſcētia ꝑua dura cali
da actu ad modū grani frumēti groſſi. fit cōiꝛ in
labijs narū quia ſunt partes ſicce cartilaginoſe
tales nō tāgunꝛ ferro nec medicina dicit raſ: qꝛ
fieret cancer vlceratꝰ. vm cācer nō vlceratꝰ cōiꝛ ē
nodoſitas oblōga ad modū amigdale cū radici
bꝰ groſſis venoſis. iſte ē in q̄ntitate ꝑue veruce: ſꝫ
forma nō ē eadē eſt paꝰ ꝑtis in q̄ eſt ⁊ ē ꝑ colligā
tiā venit qđ venire nō debꝫ. ⁊ ē morbꝰ grauās in
nūero vt res addita nūeralis ⁊ opilās ⁊ ē nocu-
mētū regitie naturaꝛ mēbri mādāꝝ ⁊ recipiētis:
⁊ ē paſſio expulſiue ſup fluitatū illarū ꝑtiū ⁊ at-
tractiue aeris extinſeci ad cerebꝝ vt ex eo ſpiritꝰ
aīalis nutriaꝛ ⁊ ꝯfueꝛ. 8°. de iuuamēꝝ. c. 2°. 3°. 8°
Pꝫ raſ ponit curā polipi ꝑmittēdo floiam de ce
phalica. ꝯñr cū lichinio ex ceroto viridi aliꝛ cuꝫ
ferro curaꝛ. dic ꝙ qñqꝫ ex errore pa. vēit i mag^m
nocumētū ꝺ facili gñaꝛ cancer vlceratꝰ in tꝫibꝰ
curis ⁊ ego vidi. iō fugias tꝫes curas.

¶ Capl'm. 40^m. de amiſſione odoratus,

c Cum ſēſus quo odorā-
da ꝑcipiūꝛ amiſſus fue
rit: in naribꝰ caro ſuper
flua creuerit ⁊ aer ita le
uiter vt priꝰ attrahiꝛ: ⁊ ocl'i ac ſen
ſus naturaliꝛ exiſtūt: naribꝰ erit ī
ſufflandꝰ puluis adeo ſubtilis vt
alchool: q̄ fiat ex cōdiſi ⁊ arthani
ta ⁊ ſale armoniaco. Egro q̄ꝫ ꝑci-
piaꝛ vt nares vapori ex aceto cali-
do ꝓcedēti multotiens apponat.
Si aūt hoc nō ſuffecerit qđ noīa-
bimꝰ naribꝰ īſuffleꝛ. Cuiꝰ deſcri-
ptio hec ē. ℞. nigelle fellis gruis:
coloq̄ntide: ellebori albi: oīuꝫ aā.
ꝑtes eq̄les: pulueriꝫēꝛ ⁊ ponāꝛ in
vrina cameli arabici q̄ntitate tāta
q̄ ea coopire poſſit: ⁊ ponāꝛ ad ſo
lē donec ſiccēꝛ deīde fiāt ex eis ſieſ
Cūqꝫ neceſſe fuerit vnū ex eis lēꝛ
hñs magnitudinē i ol'o ſāſucio in
tinctum naribꝰ immittatur: opti-
mum enim ad hoc exiſtit: Si autē
ex hoc quod naribus immittitur

fortis ſequat᷑ dolor oleū de ſemīe cucurbite eis īmittat᷑ ⁊ aqua calida ſup caput fundat᷑: ⁊ ſorbeat calida ea q̄ humectant: vt ptiſana et qđ fit đ aq̄ furfuris ⁊ đ farina ⁊ ſimilia. ⁊ hoc q̇dē ē medicamē ⁊ ad miſſionē odorat⁹ ꝓbatiſſimū: qđ ſic cōficit᷑: nigella puluerisat᷑ donec fiat vt puluis: ⁊ miſceat᷑ cū ol. veteri: deīde eger implēs os ſuū aqua reclinet caput retro q̄ꝫto pl⁹ poterit: ⁊ tūc ex p̄dicto medicamine aliquātē gutte narib⁹ diſtillentur. Egro q̇ꝫ ꝑcipiat᷑ vt quantū ei poſſibile ē aerē extrinſecū interi⁹ attrahere nitat᷑. Qđ in trib⁹ diebus trib⁹ vicibus fieri ꝯuenit. Si aūt mordicatio ſuperuenerit: fiat hoc quod noīauimus.

d **Eamiſſione** odoratus. ſupple a tēpore. ¶ Nota ꝙ amiſſio odoratus duplex ē. a gn̄atiōe ⁊ a tp̄e. Illa que eſt a gn̄atōe ē icurabil᷑: q: fit vitio naturali alicui⁹ ꝑti organi ꝑncipal᷑ vel coadiuuant̄: vt dicet᷑. Alia eſt a tp̄e: t'lis fit ex oppilatiōe carnoſa vl' ſeuulēta qđ eſt vt plimū in vētricul' antiorib⁹ cerebri vl' in oſſe colatorij: vl' ex corruptōe cōpl'onis eoꝝ ꝓpter q̄ cōit᷑ cum t'li nocumēto cōicat fetor anhelit⁹ rōne ma̅tie ſeuulēte ſordide retētē ibi diu ⁊ aliq̄lit̄ putrefacte. iō in pl'ib⁹ h̄ntib⁹ meat⁹ nariū ſupiores ſtrictos de facili opilatos ꝯtingit malicia ſeu fetor ipſi⁹ anhelit⁹ ⁊ oris de q̄ faciem⁹ vnū capl'ꝫ infra. q: ē de pane lucrando. ¶ Ulti⁹ nota ꝙ inſtrumētū ſeu organū odorat⁹ ꝯſtat ex pl'ib⁹ ptibus q̄rū vna ē ꝑncipal' cete̅e ſūt adiuuātes ſic dictū ē de illis organis ſenſuū. h̄ vult ga. 4° đ morbo. c. 4°. q̄rū p̄ma eſt vētricl'i antioris cerebri inuoluti q̄dā pellicula orta ⁊ deciſa a 3° pari neruorū capitis. h̄ vult ga. 4°. de intio. Idē vult nono de iuuamēt̄ mēbroꝝ. idē auic. p̄mo can̄. fen. p̄ma do. 5ª. c. de anatħ. neruoꝝ capit̄. nam iſti vētriculi īuoluti dicta pellicl'a ſūt ſic̄ nerui obtici in ocul' nam ꝑ dictos vētriculos deſcēdūt ſpēs odorabiles ad dcm̄ organū. iō dicit᷑ p̄mū inſtrm̄ odoris a ga. 2° venit os colatorij inuolutū dcā pellicl'a. 3° venit carūcl'a ſilis capitib⁹ mamillaꝝ ſpōgioſa ꝯcaua modicū vt meli⁹ vapores recipiat ⁊ retineat coopta dcā pellicula. oēs moderni dicūt iſtā carūcl'am ſic ꝯcauam ⁊ cooptā dicta pellicula eſſe ptē ꝑncipalē in dcō organo. nam ibi fit app̄hēſio. ¶ 4° venit cartilago naſi cōſuans ⁊ colligās ipſū vaporē. ¶ 5° veniūt lacerti nariuꝫ q̄ ſēſum ⁊ motū h̄nt a 3° pari neruoꝝ capit̄. 3° de intiorib⁹. c. 5°. circa mediū ca'. mouentes nares in expellēdo ſupfluitates ⁊ in attrahēdo aereꝫ. ¶ Ulteri⁹ nō. ꝙ iſta pellicl'a veniēs ad os colatorij ⁊ ad carūculā illam ſpōgioſam diuidit᷑ et bifurcat᷑. pars groſſior tēdit ad organū guſtus ad linguam q̄ eſt ps ꝑncipalior in ſenſu guſtus ps ſubtilior remanet ⁊ extēdit᷑ ꝑ dcm̄ organum odorat⁹. hoc vult ga. in de iuuamētis mēbroꝝ m. ix. ⁊. 4°. de morbo. c. 6°. circa mediuꝫ ca'. vbi dicit ꝙ ſenſus odorat⁹ ⁊ guſtus non differūt int̄ ſe. ſupple rōne ꝑticule ꝑncipal' nec rōne obiecti niſi q: ſenſus guſtus eſt groſſioris ſub̄e ꝓpt̄ cāꝫ dictam: ⁊ quod ſapit guſtui ſapit odoratui: ⁊ ecōtra in comeſtibilib⁹. Fumus nō eſt aliud q̄ꝫ humiditas ſubtiliata vt dic̄ ibidē. ꝓpt̄ quod i odore ſentiens cibū cōplacibilē ſentiet delitioſum. ⁊ ecōtra. Ulteri⁹ nota ꝙ triplex eſt actio leſa ſēſus odorat⁹. 4° de morbo. c. 4°. actio diminuta corrupta ⁊ ablata. Dicit᷑ actō diminuta ſenſus odoratus qn̄ ꝑcipit odores ſic̄ ſunt in gn̄e diminute tamē. vt roſas parū aromaticas. Iſta actō eſt diminuta in hoībus reſpectu alioꝝ aīalium: ꝓpt̄ magnā humiditatē cerebri. 2° collectorij. c. de iuuamēt̄ organoꝝ odorat⁹. đr actio ablata odorat⁹ qn̄ nihil ſentit. Iſte actōes leſe eaſdē cāſ h̄nt in gn̄e. q: opilatōes 4° de morbo. differentes tn̄ ſm̄ fortitudinē ⁊ debilitatē. ſm̄ qđ dcm̄ ē in ſenſu. audit⁹ đr actō corrupta ſēſus odoratus tripl'r. Uno° qn̄ app̄hēdit rē alit̄ q̄ꝫ ſit: vt ſi aliqs dicat roſas fetidas. 2° mō qn̄ app̄hēdit odores malos nat̄ales nullo obiecto ext̄in° p̄ñte. q: h̄ ē rōne mali humoris incluſi i dcō organo vl' i loco vicino. vt dic̄ ga. 4° de mor°. c. 4°. idē dic̄ 2° teg' ca°. vltio. 3° mō corrūpit᷑ actio qn̄ app̄hēdit obiectū eo mō q̄ ē in latitudie cū q̄dā tn̄ corruptela organi vt i ma̅rio fetore ꝯtigit illi mali fumi corrūpūt illā pellicl'aꝫ dictā in ꝯpl'one vl' ſoluūt ꝯtinuū in ea. ¶ Ulti⁹ nō ꝙ iſte ſēſus tꝫ mediuꝫ in groſſitie ⁊ ſubtilit̄e in ſe ⁊ rōne obiecti. vt dicit gal. 4° de intio. c. 3°. in p̄n°. qđ pꝫ etiā ex iā dictis,

Primo tu q̄res ſenſus olfactus leſus vł ablatꝰ cuiꝰ ꝑticule organi eſt nocumētū ſeu paº p̄nˢ: Dicēdū ꝓut ſupiꝰ fuit dictū ſuꝑ obtalmia ⁊ nocumēto auditꝰ ꝙ q: ē morbꝰ officialˡ vt diceť ē paº pº ⁊ p̄nˢ ipiꝰ organi q̄a tā ineſt toti ꝙ ꝑti loquēdo ꝑ morº deſcripto imediate aūt ⁊ p̄nˢ ineſt ꝑti: q: ipi pellicule vł ipi carūcule vł ipis meatibꝰ ſeu ventriculˡ ꝑꝛ: q: ſunt opilati ⁊ dicit ga. 4. de morº: ⁊ ē paº ꝑ colligātiā: q: vēit qđ venire nō dꝫ ſm naturā: ⁊ ē morbꝰ officialˡ: q: opilatio vt pl'im vt dic̄ ga. 4. de morº c. 4. Vel morbꝰ i receptaclō q: mali h̄uores claudūť ⁊ recipiūť ibi ꝓpť qđ raſ fac̄ iſtos pulueres vt mať̄ia illa euacueť q̄ ē cā mali ⁊ fetidi ābelitꝰ vt diceť infra p̄t eē ſiłr morbꝰ i ſuꝑficie: q: iª pellicula cooperiēs illā carūculā p̄t eē idurata n̄ ap ꝑhēdēs illos vapores. Et ē nocumētū ꝑ morbo deſcripto regitie nať al'mēbri mādātis vł recipientis. Et ē nocumētū actie ſeu paº v̄tuť odorabilis. ꝯñr ſenſus cōis q̄re ſolꝰ ſenſus odoratꝰ cōp̄hēdit vapores. ſoluit lr̄a. 8. de iuuamēť. c. pº. Idē dicit. 4. de morº. c. 6. q: ſenſus odoratꝰ ē vaporoſus ſic̄ ſenſus viſus ē lūinoſus. ⁊ ſic̄ ſenſus auditus ē aereꝰ. Et q: nullꝰ ſenſus ap̄p̄hēdit niſi ſuū ſile i naťa vt dic̄ ibidē. Idō ſolꝰ holfactꝰ ap̄p̄hendit vapores ſic̄ ſenſus viſus colores: ⁊ ſenſus auditꝰ voces: q: aereꝰ vt dic̄ ibidē q̄re iſte ſenſus delectať ⁊ triſtatꝰ in extremis vt i forti aromatico fetido ⁊ non delectantur in medijs ſenſibilibus ꝓut delectanť alij ſenſus. Soluit lr̄a. 8. de iuuamētis. c. ij. quia iſte ſenſus magis eſt poſitꝰ ab intra inter teſtā ꝓpter qđ nō ſic immutať a medijs obiectis ſicut alij ſenſus q: req̄rit fortiorem immutatiōem ꝓpter elongatiōem organi. Iſte ſenſus delectať ⁊ triſtatur in cauſis extrinſecis: ſic̄ alij ſenſus. in cauſis āt intriſecis nō delectať ſicut alij ſenſus. viſus auditꝰ. 4. de morº. c. 6. q̄a nō imp̄mit fortiter in ſenſu. q̄nqꝫ tamē triſtať in cauſis intrinſecis. 4. de morº. c. vi. ſic̄ ſenſus auditus qđ de facto videmꝰ in tinitu.

Iſtis clarificatis Cura amiſſionis odoratus a tempe tibi pateſcit. ¶ Prius autem ꝙ in cura ꝓcedas ſcire ⁊ ꝯgnoſcere oportet cauſam ꝑticulam imediate patiētem q̄a in hoc cura aut qualiter diuerſificať. verū actio diminuta ⁊ ablata ſenſus odoratus cōiter fiūt ex opilatione modica vel magna illius oſſis: q̄a ſimile eſt colatorio vel vētriculoꝝ antioꝝ cerebri. 4. de morº. cº 3º. ⁊. 4. Vel fiūt talia nocumēta ex mala cōplexione potiᵐᵉ frigida. vel illoꝝ ventriculorum ex intētiōe ga. in loco allegato. Idē vult raſ in ſuo ꝯtiᶜ. Corruptio aūt actiōis ipius ſenſus odoratus fit ex mať̄ia fetida ⁊ ſordida recōdita in illis receptaculis magꝭ ꝙ ꝑ viā opilatiōis effumante illo fumo fedo ⁊ putrido in dicto organo ꝓpter qđ raſ euacuat mať̄iam in q̄libet hoꝝ nocumentoꝝ ab ill'meatibus cū ſternutatiōibꝰ. Si quis actiōem diminutā vel ablatā ſenſus odoratꝰ habuerit aut corruptiōem ipius ſenſus abſente obiecto: abluat caput ſuū ſemel in decē diebꝰ cum aqua decoctiōis bethonice ⁊ abſintij exſiccatoꝝ in vmbra addita 3ª ꝑte lexiuie ⁊ ꝙ bethonica exſiccata in vmbra recōdať in illa lexiuia ſeu infūdať ligata cum filo. ¶ Coñr de mane ante prandiū ⁊ ante cenā gargariſet bis vel ter de ſinapi ſeu moſtarda diſſoluta cū modico ſirupi acetoſi ⁊ modico aq̄ cicerū rub. purgat ꝓpriam cerebri de ſtāte groſſo q̄ facto ꝓuocet ſternutatiōem cū puluere ſequēti. ℞. cōdiſi. ʒ. ij. fiat puluis ſubtilis inſuffleť ifra nares cū canulla ꝑforata. ł de iſto. ℞ piretri ſtaphizagrie. añ. ʒ. i. caſtorei nigelle. añ. ʒ. ß. fiat puluis ſubtilˡ vt alcool. Vel pulueriſa de elleboro albo inſuffleť infra nares ł miſceas. ℈. i. ell'i albi in recepta ſtati dicta. Et ſi in naribꝰ ſequereť dolor ⁊ calefactio ꝓpť iſtos pulueres imponať infra nares cū pluma de aliq̄ frio oleo de olˀo cucurbite vel nenuf. vel violˀ. vł mād ragore. Vel de oleo iuſq̄ami abluas os cū aq̄ ordei vel cū aq̄ vbi ſit viª ꝑs aceti loco ſternutatiōis poſt gargariſma dictū maſticet de maſtice mixto cū pipe de mane ⁊ añ cenā ſufficiāt iſta ꝑ cura paſſionis narū ſuper fetore narū loq̄mur infra in cº. de fetore oris ſi deo placuerit.

Egutta roſacea in pectore in facie ſeu in naſo. Vel de rubore faciei ⁊ naſi. nā a q̄buſdā intitulať đ gutta roſacea faciei. a q̄buſdā puta a raſi in vº almāſoris. ⁊ in diuiſiōibꝰ ſuis in fine intitulať đ rubore faciei. Rubor in iſtis ꝑtibꝰ diuerſificať. q̄dā vergit ad ruborē clarū q̄ atteſtať ſuꝑ portiōe colere tał fit in naſo magꝭ p̄nˢ ⁊ aliq̄łr in ꝑtibꝰ faciei: q̄dā fit ecōtra cū rubore obſcuro: ⁊ fit de ſanguie magis p̄nˢ in facie ⁊ aliq̄łr in naſo. Intētio curatiua in his in gn̄e erit vna: in ſpē erit diuerſa euacuare a ꝑticula ⁊ ipam infrigidare. In rubore faciei magꝭ ē intēdēdū ad euacuādū illam mať̄iā ꝙ ad infrigidādū in rubore claro magꝭ intēdere debemꝰ ad infrigidādū vt diceť. Iſta tał paſſio fit de ſanguie innaturali aliq̄łr ſalſo. vel de colera ſimpłr vel cōmixti apud laicos indicat lepraꝫ

futurã. Uel incipiẽtez firmari qđ nõ ẽ neceſſariũ
licet aliquãdo aſſimulatiua carnis in facie aliq̃⸗
liter erret: quia nõ dealbet magis nutrimentum:
nõ cõcluditur ex hoc φ caro faciei leproſetur: ſꝫ
declarabitur iſta paſſio ꝓ morbo deſcripto ⁊ pro
illo colore eſt in carne lacertoſa faciei ⁊ naſi q̃dẽ
opinãtur φ ſolum ſit in cuti ⁊ ſit morphea: falſũ
eſt qꝛ ꝓfundat̃ ille rubor in carne ⁊ per ꝯñs illa
mala cõplõ cal̃a ⁊ eſt in carne dicta ꝑ colliganti
am: venit a venis ſuꝑioribus puta capit̃: ſic ros
cadẽs deſuꝑ ad carnẽ faciei ⁊ naſi qđ venire nõ
debet ſm naturã: qꝛ ſan. inatural̃ ſalſus. vel col̃a
innaturalis in q̃ntitate excedẽti ⁊ in q̃litate acuta
Ideo ſubtrahun̄ in cura. Et eſt paᵒ conſimil̃ ꝓ
morbo deſcripto: quia mala cõplõ cal̃a cũ materia
ria dicta cauſans nocumẽtum in ꝓpa digeſtiua
ſeu aſſimulatiua carnis: qꝛ nõ aſſimulat̃ bene in
q̃litatibꝰ ꝯñtibꝰ ꝑmas: quia i colore nõ dealbat
nutrimẽtũ dũ aſſil̃atur mõ cõueniẽti nec natura
li: quia caro debet eſſe ſubrub. ⁊ aliqualis calor
ſeu caliditatis iſta excedit in his. ideo errat in ac
tione nec ꝓpter hoc cõcluditur φ ibi ſit lepra vt
ſtatim dicet̃ ⁊c̃. Rubor aũt tal̃ in ſe ẽ accñs mor
qui đ: qualitas mutata apphẽnſa ꝑ ſenſum vi⸗
ſus: talis rubor pro morbo deſcripto eſt nocumẽ
tũ digeſtiue ⁊ expulſiue natural̃ ⁊ vitalis mẽbri
mãdantis intentiõe Ga. xi. de ingeᵒ in. c. ij. ⁊. viij.
vt eſt pluries dictũ. nã ſi ille nõ erraſſent non ve⸗
niſſet matia cal̃a talis alterãs complõnẽ natura
lẽ ipſius carnis faciei: nec per ꝯñs corrũperet eiꝰ
actionẽ naturalez puta aſſil̃atiua in qualibet ſꝫ
ſequẽtibus ad ꝑmas ꝓpter qđ ẽ nocumẽtũ illa
rũ ⁊ eſt paſſio actiue ṽtutis aſſil̃atiue carnis: q̃a
cauſat nocumẽtũ puta rubor. Rubor aũt tal̃ ex⸗
cedẽs i facie in ſe ẽ nocumẽtũ ſeu mala actio aſ⸗
ſimulatiue ipſius carnis non aſſil̃at nutrimẽtum
i colore. nec calori nat̃ali ipiꝰ carnis puta in ſub
rubore: nec i calore debito: q̃a caro hũana nat̃al̃
eſt ſubrubea ⁊ cal̃itat̃ aliqual̃r excedẽtis quia i
ſcđo g̃du. 2ᵒ. de cõplõnibꝰ. ¶ Tu argues cõtra
hoc fortit̃ g̃ opio laycoꝝ ṽa eſt φ tal̃ rub. excedẽſ
indicabit leprã incipiẽtẽ: qꝛ lepra fit ex errore aſſi
milatiue carnis. vi. de morᵒ. in. c. v. g̃ erit ibi lepra
ꝑticl̃aris ⁊ erit leproſus i facie. Dicẽdũ ꝓut dixi
in expõne. 6. de morᵒ ſuꝑ. c. 5. φ aſſimulatiua car
nis poteſt errare in aſſimilando nutrimẽtũ mul
tipliciter. Uno mõ in ſuba ⁊ in qualitatibꝰ ſe te⸗
nẽtibus ex parte ſubſtãtie vt qꝛ nõ aſſimulat nu
trimẽtũ in verã carnẽ ſꝫ cõuertit nutrimẽtum in
carnẽ corruptam: puta granuloſam exanguez ⁊
ſubalbidã: tunc talis caro eſt leproſa ⁊ corrupta
Similiter tũc errat in qualitatibus ſequẽtibus
ſubſtantiam carnis: quia talis caro corrupta ⁊
granuloſa nõ eſt plana imo eſt trũboſa error in
his ergo eſt lepra in illo mẽbro: quia lepra ẽ par
ticularis morbus ꝑ tempꝰ: ꝯña tenet. Alio modo
aſſimulatiua carnis põt errare in qualitatibꝰ ꝑ⸗
mis ⁊ ſequẽtibus ꝑncipal̃r illas vt in cal̃. fri. h.
⁊ ſic. vl̃ in cal̃. tali vel tali tũc nõ eſt lepra. ſꝫ vult
Ga. in. c. 5. 6. de morbo: quia in yposarcha errat
aſſimilatiua carnis quia g̃ñatur caro nimis hu⸗
mida ⁊ moll̃. Idem dicit in. 3ᵒ. de morbo in fine
Idcirco generatur malus color in carne puta ci
trinus ex errore aſſimilatiue carnis. nam in qui⸗
buſdam eſt ſanguis totus corruptꝰ puta in habi
tantibus in inſulis: ⁊ aſſimilatiua carnis nõ põt
ipm aſſil̃are in colore debito: ideo errat ⁊ non eſt
lepra. Idem poteſt dici in permutatiõe cõplexio
nis ſi clima remotũ habitauerit per tempus ſuf
ficiens mutabitur cõplexio carnis ⁊ aſſimulati⸗
ua carnis errabit a ſui natura g̃ pꝫ.

Iſtis clarificatis cura talis ruboris tibi
pateſcit. Prius aũt φ̃ in cura ꝓcedas ſcire opor
tet an talis rub. ſit clarus vel obſcurꝰ: quia mate
ria in hoc eſt magis ſanguinea vl̃ colerica ⁊ cu
ra in hoc diuerſificatur. Si quidẽ g̃ rub. de ſan⸗
guine habuerit quod tibi pateſcit: quia eſt rub.
obſcuri ⁊ cum pruritu ſatis delectabili cũ puſtu
lis trahentibus ad ſaniem de facili purgetur cũ
geralogi. ℥. ß. nouiter facto diſſoluto. vel in pillu⸗
lis precedente ſirupo de fumo terre. Uel det ſibi
caſſiãſ. cõmunẽ dictam in ꝑmis caplis. ⁊ in caᵒ.
de catarro. Quo facto poſt biduum flõmetur de
vtraq; cephalica extrahatur vna ſcutella barbi⸗
tonſoris de quolibet brachio. conſequẽter poſt
quoſdam dies ventoſetur in ſpatulis cum ſcarifi
catione. ¶ Iſtis premiſſis ad localia accedamꝰ:
apponantur ſanguiſuge ſuper eminentia maio⸗
ri vt decet. Conſequẽter liniatur facies cum ſa⸗
pone per noctem. Deinde de mane abluatur cuꝫ
aqua calida decoctionis furfuris: intret balneũ
cõmune loco huius teneat faciem ſupra vapo⸗
rem aque calide decoctionis foliorum malue pa
learum ordei ⁊ auene. poſt apponat ſaponem ſa
racenicum de mane abluat vt dictum eſt ⁊ poſt
illam faciat illã que ſequitur per pauſam caue⸗
at a vento ⁊ frigore potiᵐᵉ. ℞. aq̃ arnagloſ. ℥.
ij. aceti albi. q̃rtenũ. i. litargiri ſubtiliſſime pulue
riſati vt alcool. ℥. i. ceruſe ſubtiliſſime pulueriſa⸗
te. ℥. ij. agitentur bene in mortario. Poſtea colen
tur cum filtro albo ⁊ fiat lac virginale. Uel ab⸗

luat cum hoc. ℞. aque ſerpentarie diſtillate de
radice ⁊ colo albo. lb. ij. cāphore. ℨ. iij. ſarcoco.
thuris. añ. ℨ. i. boraq. ℨ. ß. miſceatur ⁊ ſtet in ſole
in dieb⁹ canicularibus ille ablutiões corrigunt
calorē carnis: qb⁹ vtimur cōiter ſiue in vnctioni
bus ſiliter loco ſaponis ſaracenī vtimur iſto vn
guēto. ℞. cortic̄ rad̄ lapacij acuti bene lauate ⁊
mūd̄. ℥. ij. terātur in mortario ſubti^me ac ſi fient
ſalſamētū ſubtile arg' viui. ℥. i. ß. incorporat̄ bn̄ cū
piſtello: poſtea ponat̄ axūgia porcina antiq̄ ſine
ſale liq̄facta ⁊ colet̄ p̄ pānū c̄ modico cere ⁊ fiat
vnguētū q̄ inungat̄ ſero p̄cedēte ſtupha cōtinu
etur q̄uſq; ſit curat⁹. Et ſi q̇s rub. in naſo ⁊ facie
habuerit de colera qd̄ pateſcit q̇a ruborē magis
clarus cū pruritu maiori ⁊ puſtul' q̄ nō trahunt
ad ſaniē purget̄ ⁊ flōmet̄ vt dictū eſt in cura ru
boris obſcuri. Verū nō indiget tātis flōmijs nec
ſanguiſugis purgatio dicta ſat̄ ē ſibi ſufficiens
cū geralogodio vel c̄ caſſiaf. vtat̄ balneis cōib⁹
ſepe vel euaporatiōibus dictis. ¶ Conſequēter
inungat̄ cū ſapone ſaracenico de ſero de mane
abluendo vt dictum eſt: poſtea cū vna de abluti-
onibus dictis inungatur cū iſto vnguento. ℞.
camphore. ℨ. ij. farine cicerū rubeoꝝ. ℥. ij. ⁊ ß. con
ficiātur cum ſucco lapacij acuti ⁊ mell' albi deſ-
pumati q̄r. ß. ⁊ fiat vnguētū. Vel fiat ſic: ⁊ eſt ex
pertū ſatis. ℞. gariof. ℨ. ij. ſe. cartami mūdi. ℨ. ß.
argēti viui. ℨ. ij. ambre griſie. ℨ. i. axungie porcine
antique ablute q̄rt. i. ß. incorporētur ſimul ⁊ fiat
vnguentū. vel ſic. ℞. rad̄ vtriuſq; lilij. añ. ℨ. ij. de-
coquātur in oleo cōmuni vſq; ad ꝯſumptionem
medietatis coletur: adde ſulphuris. ℨ. i. cere quod
ſufficit fiat vnguentum.

¶ Capitulum. xli. de dolore dentiū.

I gigiua cū dolore dēti
um fuerit ſanguinolēta
⁊ apoſtemoſa ⁊ rubea fu
eritq;, apoſtematio cū pulſatione
extrahat̄ ſāguis cum vētoſis flōia
ex cephalica p⁹ facta. Deīde hora
aliq̄ diu acetū ⁊ oleū roſeū teneat
qd̄ poſtq̄ eiecerit: idē iterū faciat
P⁹ hoc oleū roſeū ī ore teneat ⁊
ſi ex hoc nō euaſerit: fueritq; pul-
ſatio vehemēs ⁊ cū inflāmatiōe cā
phora ⁊ piretrū terāt̄ ⁊ ī radicib⁹
dētiū ponāt̄. Cumq; diſſoluta fue
rit iterū mittāt̄. Cotū q̄; oleo ro-
ſeo illinitum deſup ponat̄. Qd̄ ſi
dolor aliq̄n augmētat̄ ⁊ vehemēti
or fiat: opij ſexta ps. ℨ. i. in oleo ro
ſeo diſſoluat̄. Ex quo cotū illinitū
radici dolētꝭ dētꝭ adhibeat̄. Si aūt
necdū ſedet̄: loc⁹ ſcalpellād⁹ eſt: ⁊
ſanguiſuge ſupponēde ſunt. Gin
giua vo ſi nō fuerit ſanguinolēta
neq; apoſtemoſa neq; dolorē cū
pulſatiōe: neq; ī facie fuerit inflā-
matio: aut dolor acciderit poſt fa
ſtidiū ⁊ ſatietatē ⁊ poſt cenā come
ditq; ex cibo frigido multū: vēter
egri ex pillis cochijs ſoluēd⁹ erit:
⁊ dolētiū dentium radices ex hoc
medicamīe fricāde: qd̄ ſic fit Sūa-
tur piretrū ſināp. ſceiteragi indi.
baurach pip. zinziber: ⁊ ex eis pul
ueriſatis dentiū fricētur radices.
Cotū q̄; eis illinitū ſup dētiū ra-
dices ponat̄. Poſtq̄ eger os ex a
ceto in quo piretrū ⁊ mētaſtrū at-
q; origanū cocta fuerit colluerit.
A foris p̄terea panicū ſiue milliū
in ſartagine torrefactū ſuper ma
xillam eſt ponēdum: aut ex pipis
puluere melli cōmixto: dens ⁊ ei⁹
radix fricētur. Et ſi ex hoc nō ſuf-
fecerit in dētiū radicibus hec tiria
ca ponatur que ℞ caſtorei aſſe pi
peris zinſiberis ſtoracis opij om-
niū partes equales. Cōficiat̄ ⁊ ad
miniſtret̄. Eger p̄terea per aliq̄n
tulū tēporis a comeſtiōe abſtine-

at mane atq; famelic⁹ ingrediaꝶ balneū ꝛ vtaꝶ motu. Si āt nec ſic ꝗeſcat: ferrū ignitū radices denti multotiēs apponaꝶ aut eradiceꝶ. Si vero dens corroſus fuerit: repleaꝶ ex medicaminib⁹ q̄ noīabimus: ꝛ quia ſunt corroſiua; aut extrahatur.

E dolore dentiū.

Nota ꝙ dētes ſūt oſſa diſtiguūꝶ tamē ab alijs oſſib⁹ in duob⁹. Primo i coꝝ maᵃ gñatiōis: q: alia oſſa ſunt ex ſpermate cū mēſtruo dealbato ab ipō ſpermate: q: ſpma nō ſufficeret ad gñatiōem mēbroꝝ ſpmaticoꝝ ꝫ qa ibi intrat aliq̄ portio ſpermatū ſm Gal. Et alia matia ē dealbata ab ipis ſpmatib⁹: iō dicūtur gñata a ſpermate. Et dꝫ ſpmata hūiditas illius matie ſic ꝯfecte. vocaꝶ hūidū radicale q̄ ē acqſita in maſſa illa añꝙ fet⁹ nutriaꝶ: cui⁹ vna ps eſt reſtaurabil' puta illa q̄ fluit a ſanguie mēſtruoſo. alia ps q̄ fluit a ſpmatib⁹ illa ē irreſtaurabil' 2ᵒ tegᵗ. medie vō regiōes: ſm illā enūerati ſunt dies vite q̄tū illa durabit ꝑ pabulo calorꝭ naturalis vna cū alio hūido qð fuit ibidē fluxū poſt actū coit⁹. Dauid in ps. enūeraſti dies meos ꝛc. imaginerꝭ ꝙ. ꝫ. i. olei i lāpade ſuabit flamā in licinio certis horꝭ ſi cuſtodiatur a vēto ꝛ vltro non ꝑteribit. Dentes aūt gñanꝶ ex ſanguie i q̄ remāſit vtus ſpmatꝭ vt dic̄ auic̄. pᵒ cañ. fen. pᵃ doctria ſᵃ. ca. ſingulari de mēbrꝭ: q: ex ſupfluitate nutrimētali in q̄to os ſui capitꝭ puta cranei in qb⁹ ad huc remāſit puta in pmis etatib⁹ vt⁹ ſpmatꝭ nō renaſcūtur vt dicit auic̄. in loco allegato. Scdo diſtinguūtur dentes ab alijs oſſib⁹ in ſenſibilitate q̄a alia oſſa ſunt de ſe inſenſibilia ꝛ nō ſentiūt niſi rōne colligāᶜ ꝛ pāniculi. iō debiliter ſentiūt dētes aūt ſentiūt de ſe ꝛ rōne colligātie ꝓpt qð fortiꝶ ſentiūt ꝛ dolēt fortiꝶ: vt docet experieᵃ hec ponit auic̄. doct. de mēbris. c. de anathoᵃ dētiuꝫ aucte ga. ꝛ pꝫ rōne: q: in cōcauitate ipoꝝ intrant nerui ſubtiliſſimi portātes ſpūs ſenſitiuos: ppter qð de ſe ſentiūt. Silr de ſe ſentiūt rōne colliᶜ lacertoꝝ ſeu gingiuarū ꝛ natura fuit ſollicita i his cauſis ꝓpt nccitatē vt dic̄ auic̄. c. pᵒ de anathoᵃ dētiū ꝛ diſcernūt bñ int̄ calīn ꝛ frim. Et ſup hoc adūte qñ dētes dolēt ꝓpt malā ꝯᵒnē calīaꝫ frigidā cū matia ꝛ ſine matia dolēt mediocriꝶ qñ cū tali cā ineſt ſolu⁹ ꝯtiᵗ tūc ē forꝭ dolor: q: ſunt ibi due cāe dol'. nā matia fria calīa ſoluit ꝯtiᵐ qñ eſt forꝭ q̄litatꝭ rarificādo ꝛ cōpmēdo gingiuā. Intēdū gingiua apatur tūc dolet fortiꝶ q: ē triplex genᵘ morbi ꝛ due cāe fortes ipi⁹ dolorꝭ gingiua eſt ꝯtexta ex filis neruoꝝ ſubtiliſſimis aliꝶ nō eſſet ita ſenſibil' ꝛ ex venis aliꝶ nō ſanguiarēt: q: iſta cōpō eſt pma frōte occulta. iō dꝫ caro ſimplex a q̄buſdā actorib⁹. ¶ Alteri⁹ nota ꝙ dentes ſunt xxxij. cōiter q̄tuor ſunt in vtraq; maxilla q̄ dicūꝶ iciſiui: q: cū illꝭ incidim⁹ panē ꝛ carnes. ꝛ ſunt duo ab vtraq; pte q̄ dicūꝶ canini q: ſūt acuti ad modū dētꝭ canis. ꝯñr ſunt q̄tuor ab vtraq; parte q̄ dicūtur molares: q: cū illꝭ hō molit ꝛ terit cibū ſic ſūt. xvi. i q̄libet maxilla. verū citra mortalitatē plures nō hñt niſi. xxviij. inciſiui naſcūꝶ. pᵒ nam gñantur a ſupfluitate nutrimentali magꝭ ſubtili in q̄ eſt vt⁹ ſpmatꝭ: ꝛ ſunt magni ſm q̄titatē illi⁹ ſupfluitatꝭ: ꝓpt qð dētes magni arguūt hoieꝫ lōgeuū: q: arguūꝶ vt⁹ forꝭ i cerebᵒ. Dētes canini ſiunt ex mediocri ſupfluitate hñt radicē ſatꝭ lataꝫ Dētes molares fiūt ex ſupfluitate nutrimentali groſſa ꝓpt qð tardi⁹ naſcunꝶ. Iſti molares hñt duas radices oblōgas. Illi q̄ ſunt i maxilla ſuperiori hñt tres radices bñ lōgas q: pēdēt ꝛ qui ſunt magꝭ vlti hñt pl⁹ vnū radicē ꝓpt qð molares iferiores hñt tres radices ꝛ ſupiores q̄tuor in q̄buſdā. iō cū maiori difficultate extrahūꝶ. vñ ꝯcludiꝶ ꝙ dētes eē mēbra ſanguiea ꝛ ſūt i ſe mēbra ꝯſilia ex officio loq̄ndi ꝛ maſticādi ſūt officialia: q: ps ñ ſaluat rōnē toti⁹ i recto ſupple i oſſō

Primo tu q̄res cū tal' ſupfluitas nutrimētal' in q̄ ē vt⁹ ſpmatꝭ abūdet multū in puerꝭ infra duos vl' tres mēſes: q: q̄libꝫ hora ſuggūt lac: q̄re ꝙ nō ꝓijciūt dētes in pmis mēſib⁹. Dicēdū ꝙ op⁹ nature ē op⁹ itelligētie tūc natura nō indiget cū nutriaꝶ lacte ꝛ cibo liq̄do ꝛ pe ꝫ aūt ſeq̄nti p⁹ mediū ānū natā incipit ꝓijcere dētes: q: tūc natura icipit petere cibū groſſuꝫ ꝛ vſq; q̄ natura ꝓiecit dētes molares debēt ſuggere lac. ex q̄ natura nō ꝓuidet in terēdo cibum groſſuꝫ. iō cōiter dꝫ ſuggere lac vſq; ad q̄tuor vl' q̄nq; ānos antiq̄ ⁹ faciebāt: nūc aūt ſuggūt lac tm̄ ꝑ duos ānos aut parū pl⁹. Et pꝫ ꝙ dolor dentiū ꝑ morᵒ deſcripto ē paᵒ pncipalr gingiue vna cū radice dentꝭ ꝓpt neruos ſubtiles ſubintrantes dētē. dātes ſenſuꝫ ei. talis paᵒ ē doloroſa mltū ꝛ eſt paᵒ ꝓpt matiaꝫ ibidē fluxā talē vl' taleꝫ puta calīaꝫ ꝛ friam. Et eſt morb⁹ ꝯſilis cū materia imēdū ꝯſilis ꝛ cōis: tūc eſt forꝭ dolor ꝓpt caꝫ duplicē dol'. nā matia mltū fria ꝛ matia multum

calida ſoluerit ↄtim in gingiua.xij.de ingeº in fi⸗
ne. Idē dicit libello de mala ↄºne diuerſa puta
cal̄a ſubintrādo ⁊ frigida condēſando ꝑs ſepar̄
a pte ⁊ eſt nocumētū paſſiue regitiue naturalis
mēbri mādanſ ⁊ recipiēſ vt pluries dictū eſt:et
ē nocumētū actiue ſeu paº deſcriptiue loquēdo
ſenſitiue gingiue ⁊ radicis dētis ꝑ dol̄.illo ē paº
ſenſus cōis:q2 dolor apphēdit a ſenſu cōi ⁊ non
a vtute ſenſitiua q2 eſt actꝰ ſenſitiue ⁊ nulla vtꝰ
reflectit ſupra actū ꝓpꝛiū niſi intellectiua.3º.de
anima.ergo ⁊c̄.

Iſtis clarificatis.Cura dol̄.dentiū tibi pa
teſcit. Prius aūt ꝙ in cura ꝓcedas
ſcire oꝫ ⁊ cognoſcere diuerſitatē cāꝛum tal̄ dolo⸗
ris an ſit de maꝛ̄ia fri.vl̄ cal̄a in toto vl̄ in maiori
pte apoſtemoſa l̄ nō apoſtemoſa veniēte ꝑ viā
catarri:⁊ ſi fuerit tal̄ dēs ꝑforatꝰ putridꝰ ſeu cor⸗
roſus vl̄ nō.vel fuerit ibi vmis q2 cura in talibꝰ
diuerſificat vt pꝫ in ſequētibꝰ.¶Si aūt tal̄ hu⸗
mor veniēs a capite ad radicē denſ.puta ad gi⸗
giuā eius ꝑ viā catarri venit ne ꝑ venas vel per
alios meatꝰ.Dicēdū ꝙ maꝛ̄ia cal̄a puta ſangui⸗
nea.vel colica in tota vel in minori pte q2 portio
maꝛ̄ie flāatice pt eē cōmixta:q2 talis ſꝑ habitat cū
ſanguie:q2 fluit per furculas venarū vel arteria⸗
rū ad gingiuā dictā:q̄ maꝛ̄ia rōne acuitaſ pūgit
⁊ aperit ora venarū illꝰ gingiue ad quā fluit:et
ſi illa portio interponit ſe inter lacertos ſeu ↄca⸗
uitates gingiue ſic facit tūorē ruborem ⁊ apa in
gingiua.⁊ q2 eſt ibi triplex genꝰ morbi:ē ibi forti
or ⁊ maior dolor ꝙ in alia cā dol̄.Si aūt tal̄ ma
teria ſit frigida in toto vel ſalti in maiori pte: q̄a
talis recōdit in cōcauitatibꝰ cerebri talis fluit ꝑ
poros ⁊ meatꝰ ſanſ occultos ⁊ aſſiſtētes furculis
neruoꝝ dētiū ad gingiuā denſ:⁊ alterat ⁊ infri⸗
gidat dictā gingiuā:⁊ dētē cōiter corrūpit in tali
bus iō cōiter cātur dolor ſ nō tantꝰ:⁊ q2 materia
licet ſit ſubtilis in ſuba:aliter nō flueret eſt groſ
ſa in actiōe:q̄a fria nō pōt ſic intrare in ꝓfunduꝫ
ꝑ poroſitates nec cōcauitates lacertoꝝ gingiue
nec ptiū vicinarū. Iō nō cauſat verū apoſtema
nec ꝑ ↄñs tantū dolorē ſicut in cā dicta .bñ cau⸗
ſat aliqñ quēdā inflatiōem in maxilla rōne mae
fluxe in dicꝫ poroſitatibꝰ illarū partiū ſuꝑficia⸗
libꝰ ⁊ de facili exſpuit cū ſputo appoſitꝫ ⁊ appro
ximaſ q̄buſdā calis ſic̄ patet tibi quare in cauſa
ca.eſt modica ſaliua.in cauſa fria eſt multū ſpu⸗
tū ⁊ multa ſaliua.¶Si q̄s dol̄.a cā ca.habue⸗
rit in toto ⁊ in maiori pte i dētibꝰ:qꝺ pateſcit ex
fortitudine ⁊ malicia dol̄.⁊ ex rub.⁊ tūore ipſius
gingiue cū aliq̄li pulſatiōe ad qꝺ facit etas ↄº ⁊
paucitas ſaliue ⁊ calor maxillarū ⁊ ardor dolor
⁊ quies aliq̄lis ex frigida aqua detēta in ore:tal̄
teneat in ore de diamoron diſſoluto cū aq̄ roſaꝝ
vel aquā friaꝫ cū aliq̄li portiōe aceti ſepe eijcien
do ⁊ renouādo faciat flōiam de mane vel ꝺ ſero
ante cenā.de cephalica q̄ nō inuēta de mediana
Et ſi neceſſe fuerit poſtea tranſactiſ.x.vl̄.xij.horſ
vētoſet in initio ſpatularū in fine colli bñ ſcariſi
cando.vel faciat flōiam de venis q̄ ſunt ſub lin⸗
gua. Illa ſtati curat:iſta ſunt de cōcilio Raſ.in
ſuo cōtinēte lauet os cū aceto frio detēto decoc⸗
tiōis radiꝗ iuſquiami ⁊ plātagi acetoſe.vl̄ cornu
cerui pulueriſati:vel puluis capparis vl̄ folioꝝ
mirte.vel cotū albū ibi infundat ⁊ gīgiue ⁊ den
ti applicet trāſactiſ duobꝰ diebꝰ teneat in ore ole⸗
um roſaꝗ.cū vna gutta aceti.vel ſine aceto:q2 re
ſoluit ⁊ infrigidat aq̄ decoctiōis raꝺ plātagi detē
ta in ore bñ valet alijs diebꝰ ⁊ ſcarificare gingi⸗
uā ſtati tollit dolorē dentiū. Ab ex vꝫ oleū roſaꝗ.
cū portiōe aceti cū bombace ibidē infuſo .vl̄ ole
uꝫ roſ.vbi ſit.ʒ.ſ.opij tebaiꝗ diſſoluti i dicto olꝺ
⁊ ponat ſupra maxillā totū albū ſeu bōbax ibi⸗
dē infuſuꝫ talis maꝛ̄ia cal̄a q̄ fluit per venas ad
radiꝗ denſ cōiter nō ē cā corruptiōis:nec putre⸗
factiōis nec ꝑforatiōis dentiū:ſic̄ eſt maꝛ̄ia frigi
da fluēs ꝑ viā catarri ꝑ poroſitates.al̄s hoc vult
raſ in ſuo.ix.⁊ i dionibꝰ ſuis circa finē.Credo ꝙ
cā ſit q2 frequētatur magꝭ tal̄ fluxus ⁊ ꝓpt illaꝫ
ↄtiam frequētatiōem maꝛ̄ie fluētis cōiter ſit cor
roſio dētiū in ill̄.⁊ iſti tales ſunt ſatis flāatici ⁊ in
pte ſanguinei:nā ꝓpt qꝺ in ſola mutatiōe tēpo
ris ad hūiditatē patiūtur modicū dolorē plures
magnates patiūtur iſtū caſuꝫ.¶Et ſi q̄s dolo⸗
rē de cā fria habuerit in dētibꝰ qꝺ pateſcit ex ſi⸗
gnis cōtrarijs ſupradictis:ex dol̄.cōpetēti nō vl
timate maliciei:q2 patiēs nō multuꝫ moleſtat ⁊
ſine rubore gingiue ⁊ tūore ⁊ calore ſeu ardore
cū multitudine ſaliue ad qꝺ facit ↄº hūida vl̄ fri
gida teneat in ore de tiriaca vel metridato fricā⸗
do radiꝗ dētꝫ ⁊ gingiuā ⁊ extra ſupra maxillā ſilr̄
apponas in pāno.fricet ēt dēs ⁊ gigiua cū mel⸗
le ⁊ ʒʒc.pulueriſato donec caleſcat gingiua. vel
maſticet de bono cinamoº.vel teneat ſupra gin⸗
giuā vitellū oui calidū coctū in patella vſq3 ꝙ fue
rit induratū:vl̄ totū infuſuꝫ in aq̄ ardēti. vel fri⸗
cet dētē ⁊ gingiuā cū allio. Vel teneat in ore de
aceto tepido decoctiōis allioꝝ thuriſ vel piretꝰ vl̄
pipis vel mētaſtri potes plura de his ſimul bul⸗
lire vel vna per ſe acetū decoctiōis coloquintide
detētū in ore multū valet ſ eſt magne amaritu⸗
dinis. Vꝫ oleū calidū detētū in ore decoctionis

radicis biſmalue ⁊ camo. multū valet cera liq̄ſa
cta poſita int⁹ ⁊ extra valet in vtraqꝫ cā. Simili
ter acetū decoctiōis mirabol' citrinoꝝ detētū in
ore aut accipiat̄ cōdiſi terat̄ ⁊ conficiat̄ cū vino
⁊ denti applicet̄ ē de vltiatis remedijs. dic̄ Raſ
Et ſi q̄s dolorē in dēte corroſo vl' pforato ex mo-
dica cā flura cal'a vel fria q̄d vt pl'rm eſt habue-
rit. Raſ vult q̄ cauterizet̄ igniat̄ ferrū ſubtile
⁊ ſepe intromittat̄ nō bene pōt fieri. Raſ dicit:
q̄ melior cura in dēte corroſo ſeu putrefacto eſt
dentē eradicare aliq̄n eſt magn⁹ cū magna ra-
dice nō ſum⁹ auſi facere dubitātes de leſiōe ma
xillarū ⁊ dolore fortiori ꝓtūc ponat̄ infra dentē
modicū de pipe cōtrito: vl' de mirra: vl' de ſale vl'
de maſtice vl' de nigella pulueriſata ꝯfecta cum
aceto vl' vna gutta terebētine. vl' olei amigdala-
rū dulciū ⁊ maſticet de cinamo° electo ⁊ ſupra
gingiuā ⁊ dentē applicet. Vitellū oui coctum in
patella induratū cal'm ⁊ teneat ſupra. vel habea
tur radix ʒʒ¹. coquat̄ in aceto teneat ⁊ maſticet ⁊
ſi de eo pulueriſato poneret̄ infra dentē m'tū vʒ.
¶ Et ſi q̄s dol'. in dēte pforato ex v̄me ibi gene-
rato in ei⁹ cōcauo habuerit q̄d pateſcit: q: dolor
eſt aliqualis nō fort̄ ⁊ eſt cōti͗ cū q̄dā titillatiōe
⁊ prurigine ⁊ durauit interpolatiue mult̄ dieb⁹:
⁊ eſt ſine notabili ſaliua ⁊ ſine rubore calore ⁊ ar
dore gigiue tūc ſignū eſt q̄ v̄mis ē ibi generat⁹.
Ponat̄ infra dentē de aloe in duab⁹ ptibus ⁊ i
tertia pte de mirra ſubtiliſſime pulueriſata ⁊ ſb-
fumiget̄ dens cū coloq̄ntida. Vl' teneat̄ in ore d̄
aceto tepido decoctōis coloq̄ntide rōne magne
amaritudinis morieſ. Et ſi q̄s dētes ſuos a dolo
re ⁊ ab eoꝝ corroſiōe ſeu putredine ꝯſeruare vo-
luerit vitet mūdificatiōem eoꝝ cū aliq̄ inſtrumē
to duro: nā tale gingiuas ⁊ dētes moleſtat ꝓpt̄
fluxū hūoꝝ: ſ; mūdificet dētes de reſiduo cibi cū
ablutiōe vini limphati ſine moleſtia ⁊ tepido fri
cet dentes ſemel aut bis i ſeptimana ⁊ gigiuas
lenta fricatiōe cū modico mell'. vl' decoq̄tur mel
in aq̄ ⁊ aceto ⁊ fricētur cū illo illa die ter vl' q̄ter
in. xv. dieb⁹ m'tū pſeruat dētes ⁊ gigiuas. Vitet
cibos ⁊ pot⁹ actu itēſe caliditat̄ ⁊ frigiditat̄ vuā
acerbā ⁊ alia acetoſa. vitet frāgere nuces auella
nas oſſa: q: rad̄ dentes cōmouēt ⁊ fluxū hūorū
in eiſdē ꝓuocant. ¶ Si quis pueros in cunabu
lis dentes ſine dolore ꝓijcere voluerit. liniat̄ gin
giue cū butiro cocto: vel cū cerebro leporis co-
cto vl' cū butiro ⁊ tertia parte mell' gingiue fri-
centur pluries in die. Iſta tibi ſufficiāt in caſib⁹
predictis.
¶ Caplm. 42m. de extractione dētiū putridoꝝ.

Edicamē q̄d i dēte cor-
roſo ponit̄: ipſius ſedat
dolorē: ac ipm cōfringit
Sumātur lꝛebilꝛegi ⁊ pip: ⁊ trita
ex alcatrino ꝯſpergantur ⁊ ipleat̄
ex eo. Medicamē q̄d dētes de
biles ac dolētes q̄ ſunt extrahēdi
eradicat. Cortices radicū mori: ⁊
radicū capparis: ⁊ piretrū ⁊ lacti-
timali: atqꝫ lac ana bule ⁊ arſeni-
cū rubeum ⁊ radix colloq̄ntide ſu
mātur: ⁊ trita ex tāto aceto q̄d eis
ſufficiat ꝯſpergātur. Acetū q̄ꝫ per
ebdomadā vnā ſemel in die vt p̄-
us addat̄ p⁹ hoc dētes in circuitu
ſcapellētur ⁊ ex pdict̄ decies i die
epithimētur donec ad mouēdum
ſint faciles ⁊ ſic extrahāt̄: aut fiat
epithima ex fece aceti acutiſſimi p
multos dies ⁊ poſtea extrahātur:
aut rane fluuiales in oleo coquāt̄
donec diſſoluāt̄. Cūqꝫ neceſſe fue
rit dētiū radices ſcapellentur ⁊ ex
oleo multotiēs inungāt̄ donec fa
cile moueri poſſint: poſtea cum in
ſtrumēto extrahendi dentes euel
lantur.

Extractiōe den

tiū putridoꝝ. ¶ Nota q̄ dētes putri-
di vl' corroſi in pte vl' in toto cōit̄ ex-
trahūtur. aliq̄n nō: nā aer frigid⁹ ſubintrās ꝯca-
uitatē l' matia reuma^{ca} alterās ſoluēs ꝯti^{m} in
gigiua cauſat fortē dol'. ꝓpt̄ magnā ſenſibilitatē
dētiū in cētro eoꝝ rōne neruoꝝ ſubtiliū ſubintrā
tiū vt ē dictū ſupi⁹. ¶ Alteri⁹ nota q̄ in ſubtrac-
tiōe dētiū ē piculū cauſa duplici. vno mō ratione
ſenſibilitat̄ ⁊ dolor̄ potiſſime in delicat̄ interdū
inflant̄ maxille. iſtud ē toll'abile. Alio° cadit pe-

riculũ q: in q̃buſdã eſt arteria ſituata in rad᷒ dẽt̃
⁊ ſan. bñ rſtringi nõ põt ꝓpt̃ q̃ð ſi in tali dolore
patiẽs ſentit ꝑcuſſionẽ in radic̨ dẽt̃. ñ apoſtema
ta dimittas: q: hoc ẽ rõne ſanguis art̃ial̃. veruz
dolo: pulſatiu᷒ põt eẽ in a͞pate q̃ñ mat̃ia eſt ve
nalis vt dic̃ ga. cõtra archigenẽ. 2°. ð intio. ꝓpt̃
q̃ð ſi ſit dolo: pulſatiu᷒ in tali dẽte inueſtiga ſi ſit
ibi apoſtema vl̃ nõ: ſi ſit adhuc habes dubitare
de arteria verũ q̃ñ art̃ia eſt ibi fort̃ pulſa°. ⁊ illð
inueſtigam᷒. Un᷒ doctor in legib᷒ fuit mortu᷒ i
mõte peſſu. fuit tant᷒ flux᷒ ſan. rõne art̃ie aperte
q̃ð nõ potuit reſtrigi. Felix quã faciũt aliena pe
ricula cautũ. g̃ extract° dẽt̃ cõitt̃ cirurgico h̃ ẽ
ex officio. verũ q̃de dicũt ꝙ cera malapata cũ la
cte titimali ſuꝑ empl̃ata eradicat dentẽ. Jdẽ fac̃
ſucc᷒ laureole appoſit᷒ denti intus ⁊ extra ſi per
horã apponat̃ eradicat dẽtẽ.

¶ Capl̃m. 43^m. de dẽtiũ cõgelatiõe ⁊ ſtupore ⁊
mollicie corum.

P Ortulaca ⁊ amigdale a-
mare maſticẽtur aut his
ſimilia aut fiat fricatio
cũ ſale ⁊ maſticetur cera

D E congelatione

dentiũ. ¶ Nota ꝙ cõgelatio ſeu ſtu-
por ſeu ſopor dentiũ ⁊ ginguiarũ cã-
tur a re multũ frigida diuti᷒ applicata ⁊ a rebus
ponticis ſtipticis ⁊ acetoſis exterius applicatis
necnõ intriſec᷒ cũ ſtringentibus fila neruorum
tendentiũ ad gingiuas. ideo q: opilatur opilati-
one coartato: ia ceſſat tñ tranſitus ſpũum moti-
uor ⁊ ſenſitiuor ad illas: necnõ talia ſoluũt cõ-
tinuũ ſtiptica ⁊ põtica ꝯſtrigendo acetoſa pene
trãdo vt videm᷒ in prunis in maturi̧ ⁊ ſilib᷒ ⁊ in
aceto ⁊ in flãte acetoſo vemẽti ꝑ viaz catarri ꝙ
talia cã nt ſtuporẽ in dẽtib᷒ ⁊ gingiuis: necnõ vi
demus in potu aque multũ frigide: vel in abluti
one oris longeua cum illa ꝓpter q̃ð cal̃a ⁊ gluti
nantia curãt: ⁊ ſi in vna re cõcurrãt illa duo me-
liuſ curat ſtupo: talis in ſe eſt accñs morbi deſcri
ptie. tñ ẽ morb᷒ official̃ puta opila° ad quã ſeq̃t̃
ianitio ſpirituuz ſenſitiuor. ⁊ aliquando morb᷒
cõmunis cuz hoc ⁊ eſt paſſio illor neruor dicto
rũ ⁊ ẽ ꝑ colligãtiã ⁊ eſt nocumẽtũ regitiue aiate
⁊ ẽ paſſio deſcriptiue loquẽdo ipi᷒ motiue ⁊ ma
ſticatiue dentium. Et patet.

Iſtis clarificatis Cura ti-
bi patet-

cit ꝙ calida maſticata curant ⁊ conglutinatiua
Ueruz aliqua ſunt glutinatiua tm̃; vt portulaca
que valet. aliqua ſunt cal̃a tm̃ que valent vt ſal
maſticatũ. aliqua ſunt cal̃a ⁊ conglutinatiua vt
zucc̃. maſticata cera nuces torrefacte maſticate
pãis ca. maſticat᷒. Et ſic t̃miet̃ cura ſtupor dẽtiũ

¶ Capl̃m. 44^m. de dentibus qui dolent cum a
re frigida tangũtur.

O Leũ calefactũ in panno
deſuꝑ eſt ponẽdũ: aut vi
tellus oui aſſatus calid᷒
multotiẽs maſticet̃: aut calidum
panẽ multotiẽs mordeat: aut fiat
fricatio ex balſamo: aut ex oleo de
lilio ſiluestri.

D E dẽtibus qui dolẽt ex ta
ctu rei frigide vt ex vento frigido et
aqua frigida vel vino frigido in hye
me ⁊ ex maſticatione fructuum in hyeme frior̃ũ
⁊ ex tactu alicui᷒ gladij multũ violentat ipos dẽ
tes. Et quia talia infrigidãtia cãnt dolorem ⁊ ta
lia cõſtringũt gingiuã modo ſtatim dicto in ca°
precedenti. Jdeo ad talem dolorem cõmunit̃ ſe-
quitur aliqualis ſtupor dentium: ideo ſtupor con
comitatur. ſi cauſa talis doloris fortis fuerit iſtð
capl̃m differt a precedenti quia hic intelligit de
cauſa communi tali frigida cauſante dolore p̃n-
cipaliter concomitatiue ſtupente ipſos notum ẽ
ꝙ deſcriptiue loquendo dolor dentium eſt paſ-
ſio dentis ⁊ gingiue ⁊ eſt per colligantiam: ⁊ eſt
morbus conſimilis primo ⁊ p̃ncipaliter cõcomi
tatiue officialis: quia opilatio dicta illor neruor
Et eſt nocumẽtum ꝓ morbo deſcripto regitiue
animate puta diſcretiue male ſe regẽtis: ⁊ ẽ paſ
ſio motiue puta maſticatiue cibi ⁊ loquendi pro
ipſo dolore eſt paſſio ſenſus cõis: ⁊ ſic patet de
paſſionibus dentium.

Cura talis dol̃. a cauſa frigida exterius ap
plicata tibi pateſcit. Applicẽtur pãn
ni calidi: aut vitella ouor aſſata calida dura: ma-
ſticentur: aut panis calidus maſticetur: ⁊ ſic ter-
minet̃ cura talis dol̃. a cauſa fria ext̃i᷒ applicata

¶ Capl̃m. 45^m. de vlceribus or̃ ⁊ puſtulis ei᷒.

S I puſtule fuerit rubee
ſumãt̃ antere amili ſpo
dij lentiuz excorticata-

rū ſemis poꝛtulace coꝛiādri ſicci ſe
minis ſene de mecha oīm ana ꝑ-
tes equales cāphoꝛe parū. Ex hiſ
pulueriſatis fiat fricatio cū aceto
mixta ⁊ oleo roſeo ⁊ aqua roſata
in oꝛe teneātur ⁊ ſanguis minutio
cū vētoſiſ fiat. albe vbi ſi fuerit pu
ſtule cū ſale ⁊ melle fricētur ⁊ ſirup
acetoſ in oꝛe teneatur aut almuri

De vlceribus oꝛis

⁊ puſtulis eius. ¶ Nota ꝙ vlcera ⁊
puſtule in oꝛe q̄to magis ſe ꝓfūdāt
ad interi9 tanto ſunt deterioꝛa. Et ſi tales puſtu-
le vgāt ad nigredinē ſunt deterioꝛes: q2 ſignant
maioꝛē putrefactiōem ⁊ matie aduſtionē. ¶ Ul
terius nota ꝙ vlcera ⁊ puſtule in oꝛe ſemꝑ fiunt
ꝑ colligātiaȝ ſto¹ vel cerebꝛi. ſto¹ qn̄ fumi coꝛru-
pti calī a ſto° ſupius eleuātur vt in ſumētib9 lac
⁊ cibos fumoſos coꝛruptibiles de facili. vel fiūt
ꝑ colligātiā cerebꝛi puta ꝑ viā reumatiſmi qꝺ̄ ē
vt plꝛ̄m ꝓpter qꝺ̄ artificiale ē ſtatim mūdificare
ſtomachū vt dicētur ſtati de matia flātica coleri
ca vel ſalſa. ¶ Notū eſt ꝙ vlcera ⁊ puſtule ſunt
paſſiōes earū partiū in q̄bus fiūt ⁊ ſunt ꝑ colli-
gantiā ſto¹ l' cerebꝛi vt dictū eſt: ⁊ ſunt paſſiōes
communes puta ſolutio ꝯti¹. vel mala figura ſic
ſunt officiales q2 cū deperditiōe ſube ⁊ eſt nocu
mētū regitiue naturalis mēbꝛi mādātis ⁊ recipi
entis: ⁊ eſt pa° motiue gule motiue maſticandi:
⁊ loquēdi: q2 cauſat paſſionē in actiōe illa q̄ de-
pēdet a vtute motiua: ꝓpter qꝺ̄ eſt paſſio motia
illarū partiū ⁊ patet.

Iſtis clarificatis. Cura vlceꝝ oꝛis tibi pa
teſcit mūdificeť ſtomach9 cū caſſiaꝶ
⁊ ſene ⁊ epithio cū polipoꝺ̄ q̄r. abluatur os cum
decoctiōe folioꝝ oliue balauſtiarū ⁊ plantag. vbi
ſit modicū mell' roſaꝶ mediū coclear. ⁊ medium
coclear vini al. in. ℥. iij. ſucci. ablu° cū vino albo:
⁊ modico mell' roſate valet ꝙ fiat ante alias ab
lutiones ad ꝑus mūdificandū illa vlcera abſter
gēdo ſoꝛdiē illam. ⁊c̄.

¶ Capl'm. 46m. de fluoꝛe ſanguis a gingiuis.

Um ex gigiuis ſanguis
ſubtilis aſſidue manaue
rit ⁊ vtriuſqꝫ arſenici ſcȝ
rubei ⁊ citrini calcis gallarū aluis
oīm ꝑtes ſumāť eq̄les ex q̄b9 pul
ueriſatis ⁊ cuȝ aceto mixtis parui
foꝛmētur trociſci. Cūqꝫ neceſſe fu
erit ex eis pulueriſatis ſumať q̄n-
tū ē ſexta ps. ℨ. vnī9 ⁊ fricētur gin
giue ex eo optie ⁊ ꝑmaneat ſic pa
rū. Deide teneat oleū roſeū i oꝛe.
Eſt em̄ hoc mirabile ad hāc egri-
tudinē curandā ⁊ putredinem et
herpetē eſtiomenū q̄ ē in oꝛe

De fluoꝛe ſāguis a gigiuis.

¶ Nō ꝙ gingiua
ꝑ̄a frōte ē caro ſimpl'r. vidice āt eſt ca
ro lacertoſa rara ⁊ tenuis cito paſſi-
bil' rōne ꝯtexture rare ⁊ laxe ꝓpť qꝺ̄ cito patiť a
cā hūoꝛali catarſante ⁊ mollificāte putrefaciēte
ipaȝ ꝓpť quā mollicië ⁊ relaxatiōeȝ de facili flu
it ſāguis ab eis cā extriſeca ⁊ itriſeca ſupueniēte
modica. ſi exceſſiua nō fuerit vt videm9 de facto:
¶ Ult̄r9 nō: ꝙ ſan. fluit a gigiuis ⁊ a q̄libet alio
mēb°: q2 vene apiūť. 3°. de moꝛ°. c. penltio. ⁊. 6. de
moꝛ°. c. 5. Et lȝ vene apiāť q̄ttuoꝛ de cauꝭ cōiter
vt pōit ga. ibidē. et ē dictū. c. ꝺ̄ fluxu ſan. narium
vene āt gigiuaꝝ apiūť a cā ı̄ᵃ poti^me a mollicie
teneritate ⁊ relaxatiōe eaꝝ rōne matie reuma^ce
a cereb° vl' rōne fūoſitaꝶ ſtomachal' eleuate qꝺ̄
pȝ in q̄buſdā coli'ci gulоſ nā q2 ſūt laxe ⁊ molles
a cā facili puta a ſanguie parū mutato i q̄to l'i
q̄li: q2 parū acuto ꝺ̄ facili capita illaꝝ venarū ci-
to ⁊ ꝺ̄ facili apiūť. vt dic̄ ga9. ꝺ̄ venis m̄ſtd. 6°. ꝺ̄
moꝛ°. nā ex iſto capite mľ'e mľieres hn̄t fluxum
mē. ioꝛdiatū: dato ꝙ i eis exceſſuȝ magnū nō fa
ciāt i q̄to vl' i q̄li vt diceť ifra ſuo loco ꝓpť qꝺ̄ in-
tētio cōcuratia ꝑncipalioꝛ ē gigiuā firmare ſoli-
dare ⁊ indurare cū certꝶ ablutiōib9 de rebus ſti-
ptič vt ipſe gingiue ⁊ earū vene bene ſolidentur
idureť exſicceť vt ſtati diceť ꝓhibēdo fluxū ſill'
ma^e ad eas. ¶ Ult̄r9 nō ꝙ i talib9 gigiuis laxis
⁊ hūidis ⁊ ſāguiolēꝶ vēit i q̄buſdā excreſcēᵃ car
nis ⁊ diminutio ⁊ coꝛroſio in quibuſdam de il-
lis gingiuis ⁊ fetoꝛ anhelitus. ⁊ per ꝯñs dicen-
dum ꝙ talis fluxus ſanguinis pꝛo moꝛbo deſcri
pto eſt paſſio ꝑncipaliter oꝛificij venarū gigiua
rū ⁊ ē per colligantiam vēit materia reumatica
ſalſa ⁊ hūida actu a capite vel fumoſa calida a

ſto⁹. vel ab vtroq; puta in guloſis i colericꝭ ſan.ra
ris ⁊ eſt paſſio official' puta in via dilatanť ca-
pita illarū venarū ⁊ laxanť ⁊ nō bn̄ ſtringuntur
vt debent reſtringi cōcomitādo ſecū malā cōplo
nem calidā humidā relaxantē dictā gingiuā et
venas ⁊ eſt nocumētū virtutꝭ regitiue natural' mē
bri mandātꝭ ⁊ recipientꝭ vt pluries eſt dcm̄ ſupi⁹
⁊ eſt paſſio dentiū ſeu nocumētū actiue eoꝝ. nam
dentes citrinanť ⁊ corrūpūť ⁊ tremēt ⁊ citi⁹ ca-
dūt. Et nota ad iſtas paſſiōes ſequunť alie: ma-
la figura. q: ſupuenit cōiter excreſcētia carnis vl'
ei⁹ corroſio ⁊ putrefactio ⁊ ſequiť qualitas mu-
tata apphēſa p ſenſū odorat⁹. q: fetor anhelitus
rōne putrefactōis earū. Iſta declarabunť in ca°
ſequenti vbi ponem⁹ curā hoꝝ.

Iſtis clarificatis

cura mol-
liciei ⁊ flu-
xus ſan. a gingiuis tibi pateſcit. ¶ Aduerte tn̄
ꝙ in pmis etatib⁹ curet̄ tlis mollicies ⁊ flux⁹ ſā
guinis a gingiuis, aliť gingiue venirēt in excre-
ſcentiā ⁊ corroſionē ⁊ malā figurā. ⁊ p ꝯn̄s in fe
torē oris ⁊ anhelit⁹. nam iſta neceſſario ꝯſequū
tur niſi tlia in pmis etatib⁹ curenť. In pmis la-
uet os ſuū ſemp poſt cibū cū aqua fra vbi ſit mo
dica portio aceti in eſtate ⁊ tepida i hyeme: vt ni-
hil remaneat de cibo inť dentes fricādo aliqliter
gingiuas ⁊ nō dētes vt gingiue indurenť ⁊ ſoli-
denť. In pmis flōmenť vene q̄ ſunt infra labia:
ablutio oris cum ſucco plantagis: ⁊ detētio eius
in ore eſt remediū efficax in reſtringēdo fluxū ſā.
a gingiuis. Ablutio oris cum aceto idem facit: ſ;
caue ne ibi ſit corroſio ⁊ ablutio oris cū aceto et
aqua decoctōis aluis idē facit. Alumē ſciſſū pul
uerizatū ſubtiliſſi^e appoſitū ſupra gingiuā idem
facit. ⁊ termineť cura mollicieí ⁊ fluxus ſan. a gi
giuis ſi ſine corruptōe talia fuerint. ⁊c̄.

¶ Ca^m de fetore oris ⁊ anhelitus.

E fetore

oris ⁊ anhelit⁹. No-
ta ꝙ fetor oris ⁊ an-
helitus fit q̄nq; de cāis. Aliquādo fit a
materia ſordida diu retēta in pra in co
latorio naſi que interdū corrūpiť vel aufert ſēſuz
odorat⁹. Iſtud nocumentū ꝯtingit in habētibus
illos meat⁹ ſtrictos vt ſunt illi aq̄lini cū naſo ḡ-
cili. Interdū fit a gingiuis tumefactꝭ replētꝭ ma-
lo ſanguie effumāte malos vapores corrūpētes
anhelitū. vel a gingiuis tumefactꝭ ⁊ aliqliť corro
ſis. tlia non indigēt alia inq̄ſitōe ad ſenſū videť
Interdum fit a dente putrido ⁊ corrupto vt con-
tingit plurib⁹ i p^a ſenectute. ⁊ q̄buſdā licz paucꝭ
in pmis etatib⁹. Interdū fit ab humorib⁹ corru-
ptis in ſpiritualibus potiſſime in pulmone. Inť
dum fit ab humorib⁹ corruptꝭ in ſtomacho qn̄ fit
in febribus flāticis ꝯtinuis vel quotidianis ē ſi-
gnū mortale q: vt pl'imū moriunť. arguiť etiam
magna putrefactio humoꝝ in ſto°. notū eſt ꝙ fe-
tor oris ⁊ anhelitus ꝑ morbo deſcripto eſt paſ-
ſio alicui⁹ de illis pticulis dicꝭ. ⁊ eſt paſſio p col-
ligantiam. venit ibi humor q̄ venire nō debz ſm
naturā. puta expulſio ⁊ mūdificatio illius ſordi-
di a virtute expulſiua vt quando maťia ſupflua
ſordida natural' venit ad colatoriū naſi ⁊ nō ex-
pelliť vt dz. ibi nō venit qđ venire debet ſm natu
ram. Et ꝑ morbo deſcripto eſt morbus in recep-
taculo: receptacl'a illa replenť vltra debitū. pōt eē
morb⁹ in via q: opilatio qn̄ os colatorij naſi clau
diť ⁊ nō mūdificať ꝑpť malā ſiccā cōcomitantē
vel ſtricturā viarū cōiter ipſius colatorij. fetor ta
lis in ſe eſt accn̄s morbi q: q̄litas mutata apphē
ſa p ſenſū odoratus ꝑ morbo deſcripto eſt nocu
mentū regitiue natural' pncipal'r illi⁹ vel illius pti
cule recipientꝭ. nam ſi expulſiua mēbri talis ſit re
cipientꝭ non erraſſent. nam gn̄areť in pticula illa
morbus dictus ꝑ illo fetore eſt nocumētū virtutꝭ
expulſiue illi⁹ pticule ſi expulſiua dcē pticule pa
tientꝭ illum morbū bene expelleret ſupfluū vt na
turaliť debet non ſequereť talis fetor in pticula
nec in partib⁹ vicinis ꝑ morbo deſcripto eſt pa°
pncipal'r ſeu inferēs paſſionē ⁊ nocumentū in p
tibus anhelitus ⁊ odoratus ipſius patientꝭ ⁊ aſ-
ſiſtentiū in ſenſu odorat⁹ q: corrūpūt ipſū in pa-
tiēte ⁊ in aſſiſtētibus vt notū eſt. ¶ Et ſi q̄s feto
rem oris ⁊ anhelitus habuerit ex maťia ſordida
fetida diu retenta in colatorio naſi. qđ cognoſci
tur quia a lōge magꝭ ſentiť ⁊ ore clauſo fortiť ſen
titur qđ nō erit in alijs cauſis. Purgeť tlis cum
yerapigra vl' cum pill'. cochijs vel aureis pcedē
te oximelle p quattuor vel q̄nq; dies. quo facto
gargarizet bis vel ter de mane ⁊ ante cenam de
moſtarda dulci: diſtempeť cum aq̄ cicerū rub. et
ſit totū tepidū. Vel fiat ſic. ℞. ſe. ſinapis. ℥. ij. ſe.
ſtaphiſag^e. ℥. ß. conq̄ſſenť ⁊ pulueriʒenť ⁊ diſtē-
perenť cum ſyrupo acetoſo quod ſufficit. fiat gar
gariſina ad modū aque cicerū rub. Loco huius
maſticet de maſtice cum pipere đ mane per pau
ſam. quo facto prouocet ſtatim ſternutationē. o-
dore de rađ. yreos bn̄ pl'uerizat^a. faciat vnū pomū
in panno rariſſimo. ⁊ ſi vis adde modicū de pul
uere mentaſtri quod portet in manu de mane et
ante cenam. Vel ſi vis fortius ꝑuocare inſuffla
in nares vel odora de puluere condūi vel ellebo-
ri albi. poſt iſtas ſternutatōes impone infra na-

tes cum pluma de oleo viol̄.vel diſtilla de eo īfra
nares:qꝛ partes illas exiccatas mirabil̄r confoꝛ
tat ⁊ contempat.ideo ſine ſternutatōibus potes
eo vti in q̄buſdam colericis. Uel fac iſtud remedi
um quod mirabilr̄ ⁊ potētiſſime valet in deopi-
lando os colatoꝛij. ℞.ſe.nigelle.ʒ.ij.pulueriʒent̄
ſubtiliſſime:diſtempet̄ cum oleo veteri q̄d̄ ſuffic.
patiens impleat os ſuū de aqua. declinet caput
ſuum retro ⁊ diſtilla de hoc in eius nares.patiēs
attrahat anhelitum.ꝙ talis liquoꝛ aſcendet ma
gis. Fac hoc ſemel vl̄ bis in die potiſſime de ma
ne. Raſ vult ꝙ inſtillet̄ infra ſucc⁹ mētaſtri vel
ſuccus hedere clarificati per reſidentiā. Aliq̄ vo
lunt foꝛtius facere ⁊ cōtemperant nigellam per
vnam diē in aceto poſtea diſſoluūt cum dc̄ō ol̄o
⁊ inſtillant infra nares dc̄ō modo. Aliqui diſtil-
lant infra nares mediā teſtam nucꝗ vini albi deco
ctiōis hedere vel abſinthij bis vel ter in die. Ui-
di bonum effectū de vino abſinthij.q̄a materias
malas colericas educit. Et ſi ſit ex vlceribus vel
ex opilatōne ex polipo.vl̄ alia excreſcētia carnis
ſuperi⁹ dedimus curā.ad hoc ſufficiant. ¶ Et ſi
q̄s fetoꝛem oris ⁊ anhelit⁹ habuerit ex dente pu-
trido extrahatur ⁊ eradicet̄.vel interim impone i
cōcauitate illa putrida ⁊ coꝛroſa dentis granum
piperis paru cōtriti vel modicum de myrrha vel
vnū granū maſticis:vel vnam guttā mellis cocti
cum alumine ⁊ ſit gutta tepida.laudat̄ hoc a ra-
ſi in ſuo ꝯtinēte. ¶ Et ſi q̄s fetoꝛem oris ⁊ anhe-
litus habuerit ex gingiuis putrefactis multū re
pletis ſanguie flātico fetido effumāte fumo hoꝛ
ribili ꝓut cōtingit q̄buſdā flegmatic̄ perviam ca
tarri.ſil̄iter tales vitent ſomnū feſtinū poſt cibū
⁊ euitent doꝛmire in loco ventoſo potiſſime fene
ſtris apertis ⁊ euitent voracem comeſtionē: maſti
cent bene cibum:⁊ euitent potagia actu calida:
carnes ſalſas:⁊ caſeū ſiccum:⁊ ſemp abluāt os
ſuum ſumpto cibo vt dc̄m̄ ē in cura molliciei gin
giuarum ⁊ fluxus ſan.ab eiſdem. Conſeq̄nt̄ pur
gentur flegmatici cum.ʒ.iij.yerapigre ga.addito
℈.ß.colloq̄ntide ⁊ grana.iij.bdellij in pil̄l.illis vl̄
cum.ʒ.ij.⁊.ß.pil̄laꝝ cochiarū. ¶ Purgent̄ cole-
rici cum caſſiafi.ſimplici dc̄ā in p̄mis caplis ⁊ in
caplo de catarro.flōmet̄ de cephalica modicum
vel de venis ſub lingua.ꝯn̄r de venis que ſunt i-
fra labia.ꝯn̄ter ſcarificētur gingiue. ⁊ poſtea de
conſilio raſ fricentur cum vitriolo:poſtea lauen-
tur cum aceto. Loco huius. ℞.aluminis mellis
an̄.ʒ.i.decoquant̄ in aqua ⁊ aceto quod ſufficit.
lauentur ⁊ fricentur mane ⁊ ſero.vel frica gingi
uas putridas lenta fricatōne cum iſto puluere.
aluminis pu̇ſi.ʒ.ß.myrre.ʒ.ij. coꝛnu cerui vſti.ʒ.i.
miſceātur fiatꝗ puluis ſubtilis quo fricent̄ gingi-
ue.ſi vis adde modicum mellis ad incoꝛpoꝛādū
bonum eſt ⁊ gingiue abſtergant̄. Et ſi gingiue
ſunt multum coꝛroſe ⁊ dentes diſcalciati ſperge
tur deſuper de iſto puluere ad regenerandū car-
nem ⁊ ad moꝛtificandū coꝛroſionē illam. ℞.co-
ralli rubei.ʒ.i.aluminis ciſi.ʒ.ß. thuris cum coꝛti
ce.ʒ.ß. radicis yreos pulueriʒati.ʒ.ß. ariſtologie
rotunde.℈.i.fiat puluis ſubtilis que ſpergatur ſu
pra gingiuā vel loco eius frica gingiuas cū hoc.
℞.thuris cum coꝛtice ſua. ariſtologie rotunde.
ſanguinis dꝛaconis. yreos. farine oꝛobi. an̄.ʒ.i.
iſta ſubtiliſſime pulueriʒent̄ ⁊ diſtemperent̄ in
aceto ſquillitico ⁊ melle quod ſufficit.liniātur gi
giue mane ⁊ ſero dulciter ſi vis.ꝓcedat aliquā
do ablutio ſtatim dcā aque ⁊ aceti decoctōis alu
minis mellis in hyeme ſaltim ſit tepidū. ¶ Et ſi
quis fetoꝛem oris ⁊ anhelitus habuerit ex hūoꝛ-
ribus putridis in pectoꝛalibus.quod pateſcit qꝛ
vnifoꝛmiter apparet poſt cibū ſicut ante cibum
tales curari non poſſunt vtantur dyarrijs ſalōis
⁊ teneant in oꝛe de radice yris vel conſerua. vel
vnam de iſtis pil̄l.ad palliandū. ℞.macis.ligni
aloes.an̄.ʒ.i.nuci.ʒ.ß.camū yris.ʒ.ß.amidi.ʒ.ß.
miſceant̄ ſtatim pil̄l. quarū vna teneatur in oꝛe
ad palliandum fetoꝛē aſſiſtendo perſonis hone-
ſtis. Credo ꝙ ſi ſunt venoſi ꝙ competeret flebo-
thomia de mediana vel de baſilica. ⁊ vſus aceti
in ſalſamentis. ¶ Et ſi quis fetoꝛē oris ⁊ anhe-
litus habuerit ex coꝛruptōne humoꝛū in ſtoma-
cho eoꝛum.quod cognoſcitur quia ante cibū ma
ioꝛ eſt.⁊ ſumpto cibo talis fetoꝛ notabiliter mino
ratur alijs querel̄.victis abeuntibus ſumat de
ſyrupo acetoſo compoſito cum aqua cicerū rub.
ſi videtur tibi miſceas vnā partem ſyrupi de ab-
ſinthio poſtea da ſibi.ʒ.ß.yerapigre ga.addito:℈
ß.pulpe coloq̄ntide.grana.iij. bdellij. diſſoluant̄
cum aqua cicerū rubeoꝝ. fiat potus. hoc fiat de
tribus in tribus ſeptimanis vſq̄ quo fuerit cura
tus.vitet piſces ⁊ offas remollitas. Iſta tibi ſuf-
ficiant:

¶ Cam̄ 47m̄.de caſu vuule.

c Um eger ſenſerit ali-
quid radici lingue ſue i
ſiſtere aut gutturi: ⁊ cū
iubetur aperire os ⁊ ex-

trahere linguam vuula eius iã eẽ fluxa ⁊ elõgata ramech ⁊ ſal armoniacus ſumantur ⁊ bene puluerizata cum inſtrumento inſufflandi ſuper vuulam inſuffletˀ ⁊ ex eis in ſũmitate predicti inſtrumenti aliquid ponatur: ⁊ radici vuule cũ eo dirigatur: ⁊ ipſa cum inſtrumẽto parum exterius extrahatˀ. Aut granatum acetoſũ cum pulpa ſua teratur ⁊ fiat ex eo gargariſmus. Q̃d ſi diu permanſerit taliter et elongata fuerit: eiuſq; pars ſuperior ſubtiliata ⁊ caput eius rotundum fuerit tunc radicitus erit incidenda. Cauendũ tamẽ eſt ne anteq̃ ita vt diximus ſit diſpoſita incidatur. Ex hoc enim ſequitur q̃n q; ſanguinis fluxus qui conſtringi non poteſt.

d E caſu vuule

i. de relaxatõe ⁊ paliſi ipſiꝰ. ꝓpter quod cadit quodãmõ ſup epiglotũ ⁊ meri ĩpediẽs loquelã ⁊ trãſglutionẽ cibi. naꝫ vuula ẽ pellicula parũ carnoſa ſeu rotũda ſeu oblõga ſituata in palato ſupra caput cannule pulmonis ⁊ ſupra meri ſeu yſofago ſimilis parue vngule ſeu granovue maioris. ¶ Nota ꝙ vuula habꝫ actionẽ ⁊ iuuamẽtũ vnũ ꝑncipale vt dĩc ga. 4°. de morbo. ca°. 8°. iuuamẽtum habet ſeu facit ipſi pulmoni qꝛ ꝑſeruat ipm̃ a materia reumatica ne diſtillet ſupra ipſum et ne ledat ⁊ percutiat ⁊ tranſglutiendo cibum cadat ſupra yſophagum ſeu caput canne pulmonis ne aliquid de cibo ſubintret in cãnã pulmonis. ⁊ habet actionem q̃a ex intento nature loquendo ⁊ vociferãdo claudit ſcđm plus ⁊ minꝰ ipſum epiglotũ ſeu caput canne pulmonis. ⁊ ſe habet ſicut digitus in foramine fiſtule. nam voluntarie cum ea ⁊ lacertis epigloti facimus vocem acutam ⁊ groſſam ſcđm plus ⁊ minus ad placitum vna cum palato. dentibus. naribus. labijs. quia iſte ſunt partes coadiuuantes in voce ⁊ in loquela. Lingua eſt pars ꝑncipalis. quarto de interioribus. caplo de nocumẽto vocis. ꝓpter quod dicit Gal. ꝑmo de morbo caplo. vijᵒ. ꝙ ſi membrũ aliquod habens actionẽ ⁊ iuuamentũ vt vuula abſcindatur. erit morbꝰ in numero diminuto ꝓ eo ꝙ habet actionẽ. ⁊ erit cauſa morbi ꝓ eo ꝙ habet iuuamẽtum. nam erit cauſa infrigidatõnis pulmõis ⁊ ipſius leſiõis eſt paſſus male intellectus a pluribꝰ. ¶ Tu argues cõtra hoc fortiter pars coadiuuãs in actõne organi nõ habet actionẽ ſed iuuamẽtum. patet ꝑmo de morbo caplo. vijᵒ. dicit ꝙ in vnoquoq; organico eſt dare vnam partẽ ꝑncipalẽ actõnis. cetere autẽ ſunt ſibi in adiutoriũ. propter quod morbus officialis non poteſt ꝑmo ineſſe alicui parti. q̃a actio totius ꝑmo ⁊ ꝑncipaliter leditˀ. neceſſario primo ineſt toti. hoc declarat Gal. ꝑmo de morbo in capitlo vltimo. ſed vuula eſt pars coadiuuãs in actione que eſt loquela ⁊ cantꝰ vt ſtatim eſt dcm̃. ergo non poteſt habere actionẽ ſed iuuamentũ. ꝓpter quod non poterit ſibi ꝑmo ineſſe morbus ſi abſcindatˀ vel paraliticetˀ. cuius oppoſitũ ſtatim eſt dcm̃. obiectio: fortis eſt. ¶ Dicendũ ꝙ refert dicere ꝙ pars in organico habeat iuuamẽtũ in actõe organici. ⁊ refert dicere ꝙ aliquod mẽbrum faciat ad aliquã actionẽ cum qua concurrunt plura mẽbra habẽtia actionẽ in ſe q̃ facit ad actionẽ vnã cõmunẽ ſicˀ ⁊ actio aliorꝫ membrorũ nam vuula habet actionẽ dcãm in ſe. puta clauſionẽ talẽ vel talẽ ipſius epigloti cantando ⁊ vociferando vt dcm̃ eſt. Ex qua actõne ſequitˀ iuuamentũ in actõne dicta. ſ. in voce ⁊ loquela. ꝓpter qđ quia abſciſio eius vel eiꝰ paliſis q̃ eſt morbꝰ in ſitu eſt cauſa imediata nocumẽti talis actõis puta tlis clauſiõis vel tlis ipĩus epigloti ſeu capitis canne ipĩus pulmõis erit morbꝰ in numero ſi abſcindatˀ vel eſt morbus in ſitu ſi paraliticetur qꝛ claudet ⁊ ſituabitˀ modo indebito. ⁊ tlis morbus erit cauſa morbi in pulmone vt dcm̃ eſt. ¶ Nota ꝙ relaxatio vuule ẽ paſſio ipĩus ⁊ ineſt ſibi ꝑ colligantiã. venit quod venire nõ debꝫ ſm naturã. puta illa humiditas reumatica relaxans eſt paſſio officialis in genere. in ſpecie eſt paſſio in ſitu. qꝛ paraliticata extenditur indebite ſuper parte vicina poteſt etiam apoſtemari tũc erit triplex genꝰ morbi põt abſcidi tunc erit morbus in numero rõne ſue actõnis: ſed erit cã morbi rõne alteratiõis pulmõis a maᵃ ſupueniẽte ad ipm̃ ⁊

eſt nocumētū̄ regitiue natural' membri mādanū̄ ⁊ recipientū̄. ⁊ eſt paſſio ſeu nocumētum actiõe lo-quele ⁊ vociferatõis ⁊ trāſglutitõis.

Tu dices q̄bus magis accidit. Dicēdū̄ ꝙ pueris lactātibus ꝓpter quod non ſugūt lac ab vbere. Siliṫ accidit q̄buſ-dam flegmaticis ⁊ ſanguineis.

Iſtis clarificatis Cura ca-ſus vuule tibi pateſcit. Pri⁹ aūt ꝙ in cura ꝓcedas ſcire oz an ṫſis vuula ſit ingroſſata ⁊ apāata vel ſit relaxa-ta ⁊ paliticata: ⁊ ſit cum vehemētia caliditatis ruborꝭ ⁊ ſignis atteſtātib⁹ ſup dn̄io ſan. an ſit ſi-ne caliditaᵗᵉ ⁊ rubore excedēti. ⁊ ſi ſit decliuis ad albedinē cum alijs ſignis atteſtātibus ſup dn̄io flātis ⁊ aquoſitatū̄ cum tumore quod eſt vt pluri-mū̄ q꞉ in hoc cura diuerſificaṫ. Iſti om̄es vix ali-q̄d trāſglutiūt ⁊ cum difficultate loquunṫ ⁊ an-helant. ¶ Si q̄s ergo vuulā relaxatam ⁊ longā cadentē ſup epiglotū̄ ⁊ eſophagū̄ modo indebi-to habuerit: vel ingroſſatā tumefactā ⁊ apāatam cum vehemētia caliditatis ⁊ eius rub. ⁊ alijs ſi-gnis atteſtātibus ſup dn̄io ſan. flōmeṫ ſtatim de cephalica in cōpetēti q̄titate ⁊ gargarizet acetū̄ cum aqua roſ. ſil' mixtū̄ ⁊ pone ſupra vuulam de puluere iſto cum coclear vel ſpatula modica cō-pmēdo vuulam leui compreſſiōe releuando ipām aliq̄liṫ. ℞. ro. ⁊ ſe. cius. añ. ʒ. ß. ſandal'. coral'. rub añ. ʒ. ß. balauſtie. ʒ. i. camphore. ℈. ß. fiat puluis ſubtil' apponaṫ vt dcm̄ eſt. Aliq̄ faciūt gargariſ-ma de dyamaron diſtēpato cum aqua roſ. de ſti-pitibus decoctõis ſumat cum modica portiōe a-ceti. Et ſi iſta tibi nō ſufficiāt ⁊ vides atteſtantia ſup dn̄io ſan. ventoſeṫ in initio ſpatularū̄ ſcarifi-cando vel fiat flōmia de venis ſub lingua in pro-ceſſu ſuffumigeṫ cum ramul' aneti q꞉ talis ꝯſtrin-git vuulā. Aliq̄ i ꝓceſſu faciūt iſtud gargariſma conteraṫ malū̄ granatū̄ cum toto ⁊ ſuccus colli-gatur addita 6ᵃ. pte mellis miſcenṫ. accipiatur portio modica. addiṫ modica aqua. fiat gargariſ-ma. Et ſi a caſu vuula apāata apāate calō ꝓpṫ gar-gariſmata ſtiptica eēt nimis indurata inungaṫ in occipitio ⁊ in partib⁹ vicinis cum muſcilagi-nibus draga¹. ⁊ gūmi arabici addito modicum olei amigd. dulciū̄ ⁊ cum pluma ptes ille ab in-tus illinianṫ dulciṫ ⁊ frequenṫ. Aliq̄ tendūt ad i-ſcidendū̄. Ypo. aūt in ꝓnoſticis dicit ꝙ timendū̄ eſt vuulā tumidā incēdere ꝓpṫ fluxū̄ ſan. in̄ du꞉ non pōt reſtringi. Et ſi apāa fuerit maturū̄ ſequi-tur magn⁹ dolor. ſiliṫ iuuamēta q̄ facit perdunṫ. Et ſi q̄s caſu꞉ vuule habuerit ſine rub. ⁊ calidita-te. imo declinet ad albedinē cōiṫ ſine tumore ſu-mat cliſtere cum ſatis de yerapigra gargarizet de iſto. ℞. ſe. ſinap. ʒ. i. oximellis. diuretici quod ſufficit ad diſtēperādū̄ capiat vnū̄ coclear tepi-dum gargarizet. Conſequenṫ gargarizet de aq̄ decoctõis myrrhe. thuris gallarū̄ conq̄ſſatarum añ. ʒ. ij. fiat decoctio in aqua quod ſufficit. aliqui addūt aluis. ʒ. ß. vl' de puluere hor꞉ bn̄ ſubtili cū꞉ coclear appōaṫ ſupra vuulā ipſā eleuādo aliq̄l' in ſitu ſuo. vn̄ a cā ṫlī hūida fa aq̄ſa cōi nō apāaṫ ß elōgaṫ. Rab vult ꝙ ſiſtēte ṫlī cā in radice ſub-tilieṫ ⁊ bn̄ nō cureṫ ꝙ incidaṫ. q꞉ in cāu iſto nō ē dubiū̄ de fluxu ſan. ⁊ fcā inſciſiōe ꝙ gargarizet de aceto ⁊ aq̄ roſ. vl' de aq̄ decoctõis roſ. tepida꞉ Et ſi īfantes cā꞉ vuule ⁊ relaxationē a maᵃ aq̄ſa q̄ð ſit vt plūmū̄ hūerit q̄ð tibi pateſcit q꞉ nō pn̄t ſine difficultate lac trāſglutire. Rab vult i ſuo cō-ṫᶜ ꝙ galle pulu erizenṫ. aduſtē. ⁊ diſſoluaṫ cū̄ mo-dico aceti. ⁊ p modū̄ empl'i vl' vnguēti ponaṫ ſu-pra cōmiſſurā capitī ⁊ fōtinellā ⁊ ptib⁹ vicinis ⁊ ꝙ potēt de melle cū̄ aq̄. Vl' fiat ſibi empl'm ſup cōmiſſurā de modico myrrhe thuri vl' galbani vl' ſe. naſturtij. agreſtis cū̄ modico galbani ⁊ galla-rū̄ cōbuſtarū̄ ſubtiliſſime puluerizata꞉ ⁊ incor-porata꞉. Interdū̄ i pueris lactātib⁹ iſta vuula re-laxaṫ q꞉ claudit epiglotū̄ ſeu viā anhelit⁹ ⁊ ſuffo-caṫ in die naturali potiſſime q꞉ gūati ſūt ⁊ dicta vuula magis relaxāt ⁊ cadēdo claudit vias dcās ā-helit⁹. ⁊ ſic termineṫ cura.

¶ Caᵐ. 48ᵐ. de ſāguiſugis q̄ īgrediunṫ guttur.

Cum aliq̄s i gutture ſuo titillationē ſēſerit ⁊ ſan-guis ſubtil' īde manaue-rit extimādū̄ ē tūc ſāgui-ſugā ī ore eē ⁊ p̄cipue ſi aq̄m loci ī quo ſāguiſuge fuerit biberit. Os igiṫ egri ē apiendū̄ ⁊ lingua exhē-da ⁊ inferius p̄mēda ⁊ guttur ī ſo-le eſt inſpiciēdū̄: ⁊ ſi ſanguiſuga in loco ꝓpiquo pēdere viſa fuerit cū̄ forpicib⁹ q̄b⁹ ſagitte educūṫ exhē-da erit. ꝙ hoc mō fiet caput a quo pēdet ē ſtrīgēdū̄ ⁊ ſic exhaṫ. ꝙ ſi n̄ fuerit māifeſta eger mlṫotiēs gar-garizet ſinapi꞉. cū̄ aceto q꞉ ð loco

in quo eſt mouebit᷑. Aut fiat gargariſmus ex aceto ⁊ aſſa aut ex aceto ⁊ ſale. Nigella preterea ⁊ ſinapi̅ trita inſufflentur gutturi. fiat etiã gargariſmus ex ſucco cepe. Si autem poſt eius caſum remãſerit egro ſanguinis ĩſudatio fiat gargariſmus ex apozimate in quo cortices granati ⁊ balauſtie ⁊ ſumach. cocta fuerint: ⁊ gutturi inſuffle᷑ puluis de balauſtijs ⁊ thure ⁊ ſãguine draconis ⁊ amido. Si autẽ ſanguiſuga ſtomacho annexa fuerit medicamina quibꝰ vermes expelluntur ſumantur in potu. Ex his etiam que ſanguiſugã exire faciunt eſt vt eger balneũ ingrediat᷑ ⁊ moretur in eo donec magnã patiatur ſitim: ⁊ tunc aquam in niue infrigidatam frigidiſſimaꝫ ſcꝫ in ore aliꝙ̃ diu teneat. Cũqꝫ ceperit tepefieri eam expellat ⁊ aliam ſumat. ſanguiſuga enim qñqꝫ venit ad os frigiditatem querẽdo.

d Ẽ ſanguiſugis que intrãt guttur. Cuiqꝫ notũ ẽ ꝙ ſanguiſuge ſũt aialia parua oblonga nigra ſemiuiridia habitãtia in aquis quodãmõ turbidis q̃ tpe calido apparẽt dũtaxat ⁊ tpe fro ſubmergunt᷑ in luto. Si quis ꝗ̃ titillationeꝫ in gutture hũerit ⁊ ſanguis ſubtilis inde emanauerit poſt potũ aq̃ aliqualit᷑ turbide fontꝭ vbi ſanguiſuge nutriri ꝯſueuerũt extimãdũ ẽ ſanguiſugã in ore ſuo eẽ. Os igit᷑ illiꝰ apiendũ ẽ: ⁊ guttur eius in radio ſol' inſpiciat᷑ linguã extrahẽdo ⁊ iferiꝰ cõprimẽdo: ⁊ ſi ſanguiſuga i loco ꝓpinquo pẽdere viſa fuerit capiat᷑ in capite cũ tenacul' cũ q̇bꝰ ſagitte extrahãtur. Qđ ſi videri nõ põt q: eſt in ꝓfũdo gutturis vel in meri exq̃ ſan. ſubtilis ab ore exit patiẽs ſepe gargarizet de ſynapi diſtẽpato cũ aceto tepido. vl' diſtẽpa modicũ aſſe fetide ⁊ ſalis cũ aceto tepido ⁊ gargarizet ſepe. vl' de ſucco cepe gargarizet. vl' de cimibꝰ diſtẽpatis cum aceto. hoc vult raſ in ſuo ꝯtie. dicit ꝙ illud aial cũ aceto multuꝫ valet in expulſiõe ſãguiſugaꝝ infixarũ in gutture. de iſtis ſepe ⁊ frequent᷑ gargarizet ⁊ ſiti magnam tolleret. ⁊ pꝰ iſta reiterata gargariſmata ſitim magnã tollerando teneat in ore aquã frãm vl' ſpõgiã infuſã in aq̃ fra: ⁊ cũ ceperit tepefieri illam expellet ⁊ aliam bene frãm ſumat. q: ſãguiſuga veniet ad os querẽdo aquam frãm. Et ſititalem magnã tollerãdo inſuffle᷑ in gutture eius de nigella ⁊ ſynapi ⁊ abſinth. pulueriſato. ⁊ ꝯñr aquam frãm vel ſpongiã infuſã in aq̃ fra in die teneat eã ſepe renouãdo cum ceperit tepefieri: ſic ſanguiſuga exibit querẽdo illã aquã frãm. Aliq̃ volũt ꝙ cum illa aqua fra teneant᷑ folia ſaliq̃ recentia in ore ea renouãdo cum aqua. Raſ bene laudat in ſuo ꝯtinẽte aucte vadigeri antiq̃ medici valet a ꝓpetate. Et ſi quis ſanguiſugam magis in ꝓfundo habuerit q: in ſtomacho qđ patꝫ q: ſanguis nõ exit ab ore eiꝰ da ſibi de pulueribus qui vermes expellũt de ſemine cẽtonice ⁊ đ ſũmitatibꝰ abrotani ⁊ abſinth. groſſo mõ puluerizat᷑. vt ſuba eoꝝ magꝭ diu tolleret actionẽ caloris ſtoi ante eoꝝ diſſolutionẽ. ga. dicit ſe pluries extraxiſſe ſanguiſugas cũ comeſtiõe allioꝝ vt recitat raſ in ſuo ꝯtie. ⁊. ix. almãſoris ꝙ patiẽs ponat᷑ in aq̃ bñ calida vſqꝫ ad gulã: ⁊ moret᷑ ĩfra vſqꝫ magnã patiat᷑ ſitim: tũc teneat i ore aquã frãꝫ dcãm vl' ſpõgiã infuſã ſepe illã aquã renouãdo. nã ſanguiſuga ſiue ſit in gutture ſiue in ſtoo egredie᷑ ad illã aquã frãm ⁊ exponet᷑ extra ⁊ patiẽs eſt curatus.

¶ Cam. 49. de his que guttur ingrediunt᷑ ſiue ſint ſpine ſiue alia.

c Um illud quod guttur ingredit᷑ ⁊ infigitur ĩ eo aut meri fuerit bolꝰ magnus aut eius ſimile de his que non habẽt fruſtra ſciſſa cõtenta in eis aut acuta confert plerũqꝫ percutere egrum in collo. poſterius multotiẽs ⁊ aquã ſepe traijcere: fortaſſe enim deſcendet ĩferius. Eger quoqꝫ balneũ ingrediatur ⁊ oleum multotiẽs traijciat.

Quod poſtq̄ factum fuerit magnos deglutiat bolos. Q̄ꝺ ſi non deſcēderit inſtrumentū quo huic ſimile inferiꝰ duci conſueuit in os mittatur. Eſt autē inſtrumentū illud de plumbo: quod cum ſit rethi ſimile eſt longū gibboſitatem in ſe habens.

d Ethisque guttur ingrediūt. ¶ Nō. ꝙ guttur ē ſpatiū qꝺ videt̃ poſt linguā qn̄ os apitur ꝛ lingua p̄mit̃. 3°. ꝓnoſticoꝝ cōmēto illiꝰ cap̄. Squinātia peſſima ē ꝛ cito mortifera in tali ꝛ cito mortificant̃ in tl̄i ſpacio ſeu gutture ſūt vlcera ſeu puſtule quoꝝ curā diximꝰ in p̄cedētibꝰ. c° p̄mo. in ipſo gutture ſubitrāt ſanguiſuge interdū: ſiue interdū fruſtra oſſiū. cū tenaculis debēt extrahi vt vult raſ. ꝛ ſi nō vident̃ aliter debēt extrahi vt dicet̃ ſtati in tali ſpacio poſt liguā vident̃ duo meatꝰ: vt dicit ga. 3° ꝓnoſticoꝝ cōmēto allegato quoꝝ vnꝰ eſt caput canne pulmōis q̄ dicit̃ epiglotꝰ. q̄ epiglotus coopit̃ ſeu clipeat̃ ab ipſa vuula potiſſi{e} comedēdo ꝛ potādo ꝛ ne reuma deſcēdat ſupra pulmonē. iō abſciſa ē cā morbi rōne iſtiꝰ iuuamēti vt dcm̄ eſt ſupiꝰ quia infrigidatōis ꝛ ſolutōis ꝯti{e} ipſiꝰ pl̄onis. Alt̃ ē meatus q̄ eſt via cibi. ariſto. ꝛ greci vocāt yſophagū. arabes vocāt meri. nos latini vocamꝰ os ſto{i}. vt legit̃. v. de intio. c. 4°. ꝺ paſſiōibꝰ gule. Iſtud meri hꝫ iuuamētū ꝛ actōem. c°. illo facit iuuamētū vt ē via trāſglutiēdi ꝛ via exeūtiū ꝑ vomitū: ꝛ hꝫ actionē in vtraqꝫ penetratōe. nā ſūt ibi tunice diuerſe ꝛ villi cū q̄bus attrahit ꝛ expellit ꝑ vomitū. Notū eſt ꝙ tūc ē paſſio meri in via in q̄ adheret illud. nā actio deficit ipſiꝰ in attrahēdo tūc ē pa{o} ꝑ colligātiā ꝛ eſt morbꝰ in nūero addito: ꝛ ē nocumētū regitie aīate puta diſcretie. ꝛ ē paſſio regitiue puta attractie meri ꝛ partiū vicinaruꝫ. ¶ Si aliquid durū ſolidū os alicuꝰ intrauit. Raſ ponit curā ꝑcutiēdo i collo retro in occipitio: ꝛ aq̄ꝫ ſepe vl̄ vinū trāſglutiat. Si aūt acutū vl̄ angulare fuerit vt ſpina vl̄ os gracile ꝛ tl̄ia viſa fuerint in gutture extrahat̃ cū tenacul̄ delicatis cū q̄buſ ſagitte extrahunt̃. Et ſi tl̄ia viſa nō fuerint raſis vult in ſuo ꝯti{e} ꝙ liget̃ caro mollis cū filo firmo ꝛ patiēs trāſglutiat carnē: deīde extrahat̃ cū filo ꝛ hoc ſepe reiteret̃ donec qꝺ viſū ē egrediat̃. Aliqui dicūt ꝙ hoc fiat cū ſpōgia. ꝑiculū ē ſi remaneret infra. Raſ dicit in ſuo ꝯti{e} ꝙ ſtercus fureti illinitꝰ in gutture gargarizādo diſſoluat̃ cū aqua decoctiōis carnis bullite ad extra in gula trahit oſſa infixa ꝛ ſpinas in gutture a tota nat̃a ſpe{a}{e}.

¶ Capitulū. 50. de grauedine lingue.

c Um lingua abſq̄ꝫ alijs membris grauedinem paſſa fuerit ꝛ eger neq̄ꝫ febrem neq̄ꝫ acutam incurrerit egritudinē ſal armoniacꝰ ꝛ piper ꝛ zinziber ꝛ ſinap̄. alba ac piretrū ꝛ ſtaphizagria ꝛ baurach atq̄ꝫ origanum ꝛ ſal indum ꝛ nigella ꝛ ſāſucus ſiccus ſumantur ꝛ in aqua coquant̃ ꝛ fiat ex eis gargariſmus Caueat tamē patiēs ne ex eo aliq̄d trāſglutiat: aut eger ieiunus multis diebus gargarizet et almuri nabati. Aut fiat gargariſmus ex aceto ꝛ piretro. poſtq̄ v̄o gargarizare ceſſauerit ſumant̃ ſalis armoniaci piretri piperis ſinapis oīum partes equales: ꝛ ex eis bene pulueriſatis lingua diutius fricetur. Q̄ꝺ ſi cum lingue grauedine auditꝰ ac reliquorum ſenſuū grauitas fort̃ affuerit fiat egri curatio ſm̄ doctrinaꝫ qua paraliſis curatur. Si autē loquela in acutiſ febribus aggrauata fuerit ꝛ videris ipſā cum grauitate in loquela extenuatū ꝛ abbreuiatā ꝛ ſpaſmatam aqua calida ab alto ſup ſpondiles colli ꝛ auris p̄ncipia fundat̃ ꝛ cum oleo fricent̃. Eger q̄ꝫ oleuꝫ tepidū in ore tenere debet: ꝛ ſi diu eſt ex quo loquela minui non ceſ-

ſauerit: vel etiam ſemꝑ conſiderādum eſt an ligamentū quo inferius lingua cōnectitur maius ſit ꝙ debeat. Q̄d ſi ita fuerit ex eo parum eſt incidendū ⁊ zegi puluerizatū immittendum.

b Egrauedine lingue puta in motu eius ⁊ loquela a tēpoꝛe ⁊ a generatōe ſine apoſtemate. quia de hoc loq̄mur in capitlo ſequēti. ¶ Nota ꝙ grauedo lingue vt ſit in ſuo motu fit ꝓpter eius aliqualē paraliſim quādo paraliſis eſt incipiens firmari. nam ſi paraliſ eſſet firma ⁊ permanens non poſſet in aliquo moueri. Raſ ponit curam paraliſis incipienꝶ firmari cū gargariſmis ⁊ alijs vt patebit. Poteſt etiam fieri grauedo ex ſpaſmo de repletōne: vt quādo apoſtemaꝶ tunc remanet tenſa ad modū tethani. de hoc loq̄mur in capitulo ſequēti. Aliquando fit ex ſpaſmo de inanitōe in fine acutoꝝ. Aliquando fit ex mag̃ inanitōne ſpirituū motiuoꝝ: vt in ꝓpinquis moꝛti. Aliquando fit ex grauedine lingue ꝓpter eius ligamenta inferioꝛa cum q̇bus lingua nectitur. vnde iſte caſus ineſt multis pueris. ꝓpter quod quia non poſſunt bene plicare linguam non bene ſugunt lac. Jdeo demacerantꝶ: patiunꝶ ethicam ſenilem niſi adhibeaꝶ remediū raſ. q̇a pluries in die ſugunt lac non cōſolidanꝶ illa ligamēta ſciſſa quando inſcinduntꝶ poſt ſtatim conſolidanꝶ ⁊ vniunꝶ. q: pluries in die non plicant linguā. Caſus quottidie occurrit in practica. ¶ Ulteri⁹ nota ꝙ in lingua ſunt duo nerui mouentes ipſam linguaꝫ qui deſcendūt a ſeptimo pari neruorum capitis puta a puppi. 4°. de interioꝛibus caplo. 1°. in ṗncipio. ꝓpter quod in malo motu lingue ex tali mollicie inungimus carinas colli retro aures ⁊ eſt vna pellicula in ipſa neruoſa q̄ eſt pars ṗncipalis in ſenſu guſtus ⁊ tactus que pellicula decidiꝶ a tertio pari neruoꝝ capiꝶ. 4°. de interioꝛib⁹. ca°. 3°. in ṗncipio. que pellicula eſt vna ⁊ non diuiſa ibidē. Sed quare videmus pati ſenſum guſtus ⁊ non ſenſuꝫ tactus in lingua. Soluit littera ibidē ꝙ ſenſus guſt⁹ eſt magꝭ ſubtilis ⁊ inueſtigatiuus plures ſpūs reqͥrit. ⁊ licet ſpūs ſint ibidē ſatis homogenee nature: ſubtilioꝛes inter eos faciūt magis ad guſtū groſſioꝛes ad tactū. ꝓpter qd̄ ſenſus tact⁹ eſt magꝭ groſſus ⁊ materialꝭ dicit ibidē. Jdē dicit ariſto. 2°. de aia. patꝫ igiꝶ quare ſenſus guſtus magꝭ patiꝶ in febꝛibus ꝓpꝶ cām fumoſā alterātē oꝛganū ⁊ coꝛrumpentē ſpūs ſubtiles magis. ¶ Ulteri⁹ nota ꝙ ſub lingua ſūt duo oꝛificia ad modū ſtilꝭ: ⁊ ſūt duo fontes ſaliue: q̄ oꝛificia veniūt ad carnē glandulosā in radice lingue q̄ caro noiaꝶ ḡnatiua ſaliue. Jſta duo oꝛificia noiantꝶ fontes ꝯſuātes rorem lingue q̄ multū exiccanꝶ in diſcraſia febꝛili. ideo lingua nimis exiccata non bene ſapit ſaporem cibi in flāticis ⁊ reumaticis vltra debitū humectanꝶ. Notū eſt ꝙ in debilitate mot⁹ lingue a tp̄e paſſio ē in neruis motiuis dicꝶ. Dico bene a tp̄e quia ſi eſſet a ḡnatōe paſſio erit in ligamenꝶ inferioꝛib⁹. ⁊ eſt paſſio tūc ꝑ colligātiā venit qd̄ venire nō dꝫ ſm naturā ſi ſit debilitas mot⁹ lingue a ḡnatōe tūc ē paſſio ꝑ ſe. q: vitio iformatie ⁊ ē moꝛb⁹ in ſitu quoq̄mō ſit. ⁊ ē nocumētū regitie naturalꝭ mēbꝛi mādāꝶ ⁊ recipieꝶ ſi ſit a tp̄e. ſi a generatōe ē nocumētū iformatie ⁊ ē pa° ſeu nocuᵐ actie ipſi⁹ motie volūtarie puta loq̄le.

Jſtis clarificaꝶ. cura ḡuis ⁊ debilꝭ motus ligue in ſe ⁊ i loq̄la a tp̄e ⁊ ſine apate tibi pateſcit. Pri⁹ aūt ꝙ in cura ꝓcedas ſcire oꝫ an cā hui⁹ ſit mollicies vlꝭ ſiccitas neruoꝝ ei⁹ vlꝭ ei⁹ ligamēta ſūt maioꝛa debito: q: in hoc cura diuerſificaꝶ. Si q̇s grauē ⁊ debilē motū in ligua habuerit ex mollicie q̄dā neruoꝝ ſuoꝝ q: incipit paraliticari ⁊ incurrit paraliſim icipiētē firmari qd̄ pateſcit q: a tp̄e ⁊ ſine apate ⁊ febꝛe nō ṗcedēte. Cōſidera ſi cū hoc ſit grauedo audit⁹ ⁊ alioꝝ ſenſuū. qd̄ ſi ſic ſcias ꝙ tūc lingua nō ſolū incurrit paliſim incipiētē firmari. imo ⁊ cerebꝝ ꝓpter qd̄ remittit te raſis ad curā paliſis ſepe dictā. Si aūt cū tlꝭ grauedie mot⁹ ligue nō ſit grauedo dicta ſenſuū ſufficit ꝙ lingua exicceꝶ cum gargariſmis ⁊ puluerib⁹. ℞. ʒꝫ. piperis lōgi. piretri. ſe. ſinap. añ. ʒ. ij. fiat puluis ſubtilꝭ. Et ſi q̇s grauem motum lingue in loquela habuerit ex ſiccitate neruorum vt in acutis puta in ſpaſmo de inanitione incipiente firmari ſuper carinas colli aquam calidam de alto infunde ⁊ oleum violaceum ⁊ aquam tepidam in oꝛe teneat. Et ſi quis grauem motū lingue ⁊ loquele habuerit ex paucitate ſpirituum ⁊ quadaꝫ ſiccitate neruoꝝ decōꝝ vt in ꝓpinquis moꝛti infūdimus in oꝛe ei⁹ aquā frām vel aquam roſaceam vel bꝛodium galline: vel modicū vini limphati de hoꝛa i hoꝛā cū cocleari imponim⁹ in oꝛe ei⁹. Et ſi q̇s grauē motū lingue in ſe ⁊ in loq̄la habuerit ꝓpꝶ ligamēta magꝭ que ſūt ſub lingua ei⁹ incidanꝶ aliqlꝭ ⁊ modicū.

de calcãto ſeu vitreolo ſubtiliſſi[e] pulueriзato de ſup ponat̃. dico bñ modicũ ne ſit occaſio ſubitrã di infra in gutture ⁊c̃.

¶ Capitulũ. 51. de magnitudine lingue ſup flua: ita vt os egrediatur.

c Um contingit linguã adeo inflari vt pre magnitudine os egrediatur: fricanda eſt ex cepis aut ex citri acetoſitate. aut cum ribes aut ex granato acetoſo donec ſaliua multa ab ea profluat. Hoc nãq modo detumeſcet ⁊ ad primam redibit menſuram. Si autẽ non ſufficit fiat fricatio ex ſale et aceto. Si necdum ſufficit fiat minutio ex vtriſq cephalicis prius: ⁊ poſtea ex venis q̃ ſunt ſub ligua

d E magnitudine lingue ita vt os egrediat̃. ¶ Nota. ꝙ talis magnitudo lingue ẽ apoſtemoſa aliqñ a flãte groſſo viſcoſo vt vult raſ ⁊ ẽ ſañ ſubalbida. Aliqñ fit a flãte ſubtili cũ portõe ſan. tũc ẽ coloris rubicũdi vl̃ ſubrubicũdi vt eſt ſpẽs tethani. lingua tẽdit̃ multũ ꝓpt̃ plectoriã venaꝝ ⁊ arteriaꝝ. Jõ tendit̃ ad modũ tethani. ſemel vidi iſtũ caſũ: cũ flõmijs feci curã: ligua exibat ex̃ ꝑ duos digitos. Uel aliqñ ẽ magna ⁊ groſſa vltra debitũ a gñatõe. iõ ſunt muti dicit raſ in ſuo ↄti[e]: q: nõ circũfert̃ nec circũflectit̃ ifra os ad formãdũ vocẽ: q: nerui audit⁹ hñt colligãtiã cũ neruis lingue. ideo ſi natura errauit in creatiõe lingue errauit in creatõe neruoꝝ audit⁹. iõ ſunt ſurdi a gñatõe. Silr̃ quia audit⁹ porta ẽ intellect⁹: ⁊ intellectus porta eſt loquele. iõ iſtis duabus d̃ cauſis ſũt magĩ muti. nam lingua deb3 eẽ magĩ ſubtil̃ vel gracil̃. verba ſũt raſ in ſuo ↄti[e]. eſt pa[o] ꝑncipal̃r neruoꝝ ⁊ arteriaꝝ ille fuerũt ꝑmo replecte ⁊ tẽſe. ↄñr nerui ⁊ ↄcauitates lacertoꝝ. ⁊ eſt ꝑ colligãtiã venit qd̃ venire nõ d3 ſm naturã. Et eſt paſſio official̃ in gñe. in ſpẽ eſt morb⁹: in q̃titate augmẽtata ↄcomitãdo malã figurã ⁊ morbũ in ſitũ ꝑ loco ꝙ nõ põt ſe mouere. ⁊ ẽ nocumẽtũ regitiue natural̃ mẽbri mãdanẽ ⁊ recipienẽ. Et ẽ paſſio motiue volũtarie i anhelitu. 3[o] d̃ inferiorib⁹

Jſtis clarificaẽ. cura magnitudis lingue a tpe tibi pateſcit. Pri⁹ aũt ꝙ in cura ꝓcedas ſcire o3 an iſtis lingua ſit magnificata ex flãte viſcoſo in ea imbibito. vl̃ ex flãte ſubtili cũ portõne ſan. q: in hoc cura diuerſificat̃. Si q̇s g̃ linguã magnificatã habuerit ex imbibitõe flãtis viſcoſi in ea qd̃ pateſcit q: eſt ſubalbũ cu3 alijs ſignis atteſtãtib⁹ ſup abũdãtia flãtis viſcoſi fricet̃ cũ cepis vl̃ cũ malo granato acetoſo. ⁊ ſi cum iſtis flã inde fluxerit fricet̃ cu3 ſale ⁊ aceto. Si q̇s aũt liguã magnificatã hũerit ex flãte ſubtili cũ portõe ſan: qd̃ pateſcit: q: ligua ẽ cũ q̇da3 rubore: flõmet̃ de ambab⁹ cephalicis i bona q̃titate. ↄñr de venis duab⁹ vl̃ trib⁹ q̃ ſũt ſub lingua fricãdo ꝑ interualla liguã cũ ſale ⁊ aceto. ⁊ ſic terminetur cura.

¶ Ca[m]. 52. d̃ nodo q̃ ẽ ſub ligua. ⁊ vocat̃ ranula

c Um ſub lingua glãdula nociua fuerit: in principio ex ſale armoniaco ⁊ gallis fricanda eſt. Si autem vetuſta fiat ex medicamie gingiue ſanguinolente fricanda eſt: quod eſt medicamen acutum Eger autem acetu3 ⁊ ſalem in ore teneat.

d E nodo q̃ ẽ ſub ligua. i. de glãdula gñata. nã ẽ collectio flãtis g̃ſſi gipſei. ꝓpt̃ qd̃ raſ curat cũ ſtiptic̃: Raſ dic̃ i toto ↄti[e] ꝙ illud ap̃a durũ ſub ligua ⁊ vocat̃ ranula: ⁊ ẽ pa[o] ꝑ tis cui ieſt ⁊ ẽ ꝑ colligãtiã: ⁊ ẽ morb⁹ i nũero addito. p[e] de mor[o]. c. 8[o]. ⁊ ẽ nocumẽtũ regitiue natal̃ ipſi⁹ ligue potiſſime digeſtie ⁊ expulſiue. ⁊ ẽ pa[o] ꝑ uiate motie ligue puta loq̇le ⁊ maſticatõis. Raſ curat fricãdo cũ ſale armo[co] ⁊ gall̃ pulueriзaẽ ⁊ ex medicamie cũ q̃ gingiua ſãguinolẽta curatur vt ẽ dcm̃ ſupi⁹ q: cũ deſiccatiuis.

¶ Ca[m]. 53. de puſtulis lingue.

i Sta eiſdem ſunt curanda. ex quibus cola quaſ ſupra nominauimus: ⁊ ſq̇nantia ſanantur.

d E puſtulis ligue. i iſto ca[o] remittit nos raſis ad vlcera ⁊ puſtulas oris. p3 ca[m].

℄ Capl'm.54^m. de ſquinantia.

Um in glutiẽdo ſentit' ãguſtia: adeſt paſſio q̄ ſq̄nantia vocat'. Cuiuſ gravitas vel levitas ſcd̄m anguſtie q̄titatẽ dep̄hẽdi poteſt. Cũq3 cum traijciendi anguſtia fuerit in facie ⁊ oculis rubedo ⁊ repletio: ĩ principio curatõis cephalica flobothomet' ⁊ gargariſm⁹ ex ſucco granati muzi cum carnoſitate ſua fiat. aut ex rob mori de ſeni ⁊ poſt hoc fiat gargariſm⁹ cu3 aqua roſata ĩ qua ſumach fuerit infuſum. Qđ poſtq̄ per tres dies ſic factũ fuerit ⁊ vẽter ex ſucco fructuũ ſicut prunorũ tamarindi caſſia fiſtule ⁊ terrania bin ſolutuſ fuerit: fiat gargariſm⁹ ex apozimate ficuũ citrinarũ ⁊ paſſular3: aut ex medula fiſtule: cum idromelle. Qđ ſi paſſio inveteraverit: ex gargariſmis ⁊ inſufflatione fortiũ medicaminũ que dicturi ſumus curãda erit. Si autẽ in facie nõ fuerit rubedo: fluxeritq3 ab ore ſalive multitudo: ⁊ eger fuerit humect⁹: in p̄ncipio ſoluat' vẽter ex cochijs: ⁊ fiat enema ex cliſteri acuto qđ in capitulo de apoplexia noiavimus. Cum tamẽ paſſio inceperit: fiat gargariſmus ex ſirupo acetoſo: aut cum idromelle ⁊ pipe ⁊ oximelle: ⁊ deinde ex almuri nabati. Fiat etiã gargariſm⁹ ex idromelle ⁊ ſinapi De hijs p̄terea que male ſq̄nãtie cõferũt: ẽ vt ex veis q̄ ſunt ſub lingua fiat minutio: et vt ventoſe abſq3 ſcarificatõe in collo ponant'. ⁊ epithimet' collũ ex melle anacardino donec veſice in eo generẽtur: ⁊ fiat gargariſmus cu3 ſinapi: ⁊ gutturi fiat ĩſufflatio ex h⁹ medicam̄ie qđ ſic fit. Sinapis ſal ammoniacũ piret3: nitrũ: aſſa: piper: mẽtaſtrũ ſumat' ⁊ ex eis cum idromelle fiat gargariſmus.

Eſquinantia Id eſt đ apoſtẽate gutturis ſquinãte ſeu ſuffocante. Nam fuit denominatum tale apoſtema ab actõne leſa anhelitus ſeu ab accidẽte ipius. ℄ Nota q̄ guttur p̄prie ẽ ſpaciũ qđ videtur poſt linguã quãdo os apitur ⁊ lingua p̄mitur. 3°. p̄noſticoꝝ cõmẽto ill⁹. Sq̄nãtia peſſima ẽ. In tali ſpacio vidẽtur duo meat⁹ vt dicit galien⁹ ibidẽ. quoꝝ vn⁹ eſt caput cãne pulmonis: q̄ dicit' epiglotus. Alterẽ meatus q̄ vocat' a q̄buſdam puta a grecis yſofag⁹ ab arabiq̄ meri a latinis os ſtomachi: vt dicit ga⁹. 5°. de interio. c°. x. đ paſſionibus gule. Actores interdũ vocãt gulam p̄tem anteriorem: ceruice p̄tem poſteriorẽ: gutt' comp̄hendit totũ. ⁊ ſũt ibi lacerti ſeu muſculi cũ ſuis pelliculis q̄ interdum apoſtemãtur iſto tali ap̄ate qđ dicit' ſq̄nãtia. Propt̄ qđ p̄mo cõquerũtur de mala trãſglutõe q̄ de malo anhelitu. 4. de inter. c. de nocumẽto voc. ⁊ tale ap̄a gñat' ibide3 ex col'a ⁊ ex ſanguine p̄mixt'. 3° p̄noſtic. cõmento ill⁹ cañ. Tertia vo ſpẽs. Aliq̄ñ autẽ fit ex hijs cũ aliquali parte flegmat' ſubtilis ⁊ ſemiviſcoſi p̄pter qđ ſubĩntrat: ⁊ talis humoꝛ in cõcavitatib⁹ lacertoꝝ dictoꝝ. ℄ Alteri⁹ nota q̄ tres ſunt ſpecies ſeu modi ipius ſquinãtie diſtincti rõe p̄ticule principaliter patiẽtis: vt vult ypo. ⁊ ga⁹. 3°. p̄noſticoꝝ c. illo. Sq̄nãtia peſſima ẽ. ⁊ in duobus cañ. ſequẽtibus. Idẽ vult Galien⁹ in cõmentis. Prima ẽ quãdo ẽ doloꝛ ĩ gutture acutiſſim⁹ cu3 oꝛthomia anhelit⁹ ruboꝛe nec tũoꝛe interi⁹ p̄mẽdo linguã nec exterius appente. iſta ẽ moꝛtalis valde. nullus evadit: cauſa ẽ. quia in talibus apoſtema eſt in lacertis medijs inter duos meat⁹ cõprimẽtes dictos meat⁹. p̄pter qđ neceſſario ceſſat anhelitus ⁊ cibi trãſglutio: p̄pter quod neceſ

ſario cito moriuntur: et hoc infra tertiā vel q̄rtā
diē. ¶ Secunda ſpēs ē in qua rubor ⁊ tumor in
gutture appent. vel in quibuſdam apto ore ſolū
appet in q̄buſdā nō appet ore aperto niſi ligua
fortiter cōprimatur. Gordoni⁹ ⁊ quidā alij diui-
dūt iſtā in duas ſpēs. q: ſi rubor appet ſine com
p̄ſſiōe ligue ē vna ſpēs: ſi ē ɔpreſſiōe: ē alia ſpēs
non placet mihi locutio iſta. eſt ſimilr̄ mortalis
quia vtplrīnū moriūtur: ſed magis illa in qua ru-
bor et tumor magis ꝓfundat̄. quia tūc magiſ fit
apoſtema int̄ duos meatus dictos ꝓhibēs ālhe-
litum ⁊ trāſglutionē. ¶ Tertia ſpēs eſt in q̄ gut
tur ⁊ collū ſeu ceruix rubēt ⁊ aliqualiter tument:
iſta ſatis ſalubris ē niſi tumor ad interiora redie
rit ſeu ꝙ materia magī declinet ad interi⁹. verba
ſunt ypo. in cañ. dicto. Ga⁹. aūt. 4. de int̄. c°. 1. ad
dit quartam ſpēm in qua tumor ⁊ rubor ſolū eſt
exteri⁹ in ceruice iſta ſalubris ē tūc vexatur i an-
helitu ⁊ trāſglutiendo ſ; non vltima vexatōne. ⁊
ſubdit Ga⁹ in fine capl̄i dicti: ꝙ ſi ſpōdiles colli
diſlocētur potiſſime ab intra tūc moriunt̄ ad mo
dum ſquinātie. q: tunc anhelit⁹ fit cū difficulta-
te et orthomia: ⁊ ſimilr̄ trāſglutio cibi. quia vie
ſeu meatus dicti ſtringūtur ⁊ ceſſat actio q̄libet
illarū ⁊ ꝑ ɔſequēs patiens: neceſſario moritur
Notū eſt ex dict̄ ypo. in locis allegat̄. dicit ga⁹ in
4°. de interio. c°. de nocumētovocis ꝙ ſquinātia
eſt paſſio p̄ncipalr̄ lacertoꝝ interioꝝ guttur̄. et ē
paſſio per colligātiam. venit ad eos qd̄ venire ñ
debet ſcd̄m naturā: ⁊ eſt morbus officialis mala
cōpoſitio in qua eſt mala figura ⁊ triplex genus
morbi ⁊ opilatio cōcomitās: illa interficit propt̄
p̄uationē anhelitus. Et ē nocumētum regitiōna
tural' digeſtiue ⁊ expulſiue mēbri mandant̄ ⁊ re
cipiētis: ⁊ eſt paſſio motiue natural' ⁊ vital' cor-
dis ⁊ aīa'is motiue ptiū pectoraliū ⁊ oīm v̄tutū
naturaliū mēbroꝝ ſubiacentiū cōſequēter.

Iſtis clarificatis cura ſqui nātie tibi
pateſcat. Prius autē ꝙ̄ in cura ꝓcedas ſcire op-
tet ⁊ inueſtigare quā ſpēm ſquinātie patit̄ ⁊ cau
ſam diuerſitatis talis apoſtemat̄. ſi ſit ex ſangui
ne vel ex colla vel ex flāte ex toto vel in maiori p-
te. q: cognita ei⁹ ſpē ꝓnoſticatio diuerſificat̄: et
cognita ei⁹ cā ſilr̄ necnō ⁊ cura. q: ſi ſit ex ſan. et
co. magī piclitant̄ ſ̄m ei⁹ ſpēm dictā. q: tal' maťia
rōe eius acuitat̄ ⁊ ſubtilitat̄ magī extivenulas ⁊
magī ſubintrat cōcauitates lacertoꝝ gule ⁊ poro
ſitates pelliculaꝝ guttur̄. ꝓpter qd̄ vie anhelit⁹
⁊ cibi magī claudūt̄ a tali materia tumētes ꝑteſ
vicinas dictaſ. ſi ſit maťia flātica nō ſit: q: portio

aliqua flātis extra venas licet aliqual' portio ve-
nas ſilr̄ dictas exeat in dictis pellicul' in lacertis
Et ſi q̄s p̄mā ſpēm ſquinātie habuerit de ſan. vl'
de co. in toto vel in maiori pte q: dolorē acutiſſi^m
ſentit in gutture. vel de flāte: q: dolorē aliqualē
tumore nec rubore in gutture nec extra apparēte
fugias: q: morieť infra tertiā vel quartam diē. ſ;
q: ſ̄m charitatē dei hō dꝫ iuuare ꝑrimū p̄miſſa
ꝓnoſticatōe facias ea que ſtatim ſequeť ⁊ diceť
Et ſi q̄s ſpēm ſecūdā ſq̄nātie habuerit vt plrimū
moriūtur. p̄mittas ꝓnoſticatōem anq̄ꝫ vlteri⁹ p-
cedas. q̄ p̄miſſa in iſta ⁊ i alijs ſpēbus dict̄ de q-
cūqꝫ cā fuerit ſic ꝓcedas. Scias tñ ⁊ in mēte te
neas ex intētiōe raſis i ſuo ɔtinēte: ꝙ clauis ſa-
natōnis cuiuſcūqꝫ ſpēi ſq̄nātie ď cā q̄cūqꝫ fuerit
⁊ p̄ſeruatōis ꝑiculi ſuffocatōis ⁊ mort̄ ſtat i du-
obus. Primo ꝙ in p̄n° repcutiť ma^a ne ad guť
fluat q̄ꝫtuꝫ erit poſſibile. Scd̄o ꝙ ꝑ flōias diuer-
ſas fortiter cā ſubſtrahať: diuertať ⁊ euacuetur:
meli⁹ eſt ip̄m cum flōmijs debilitare ⁊ a morte p̄
ſeruare ꝙ̄ ip̄m ꝑdere ⁊ penitus dimittere de tali
ſubſtractōne forti vſqꝫ ad defectōem in oīni apo
ſtemate ꝑnicioſo ex ſe vel rōne ꝑticule facieť. ga⁹
ſilr̄ hoc intēdit vt ip̄e ponit. xiij. de inge°. in cura
flegmonis. ⁊. xiiij. de inge°. in cura apatum ātro
foꝝ. vbi ponit ꝙ tales flōmie ſūt vehemētiores i
cura. In primis ḡ ſtatim ⁊ ɔtinue gargarizet a-
quā friam cū aceto in q̄cūqꝫ ſpē ⁊ de q̄cūqꝫ cā fu
erit. l' gargarizet ď ſucco cortiq̄ nucū r̄cētū ꝑ ſe l'
ē modica aq̄ fria nā iſta gargariſmata repcutiūt
materiā ne ad guttur fluat. vel decoq̄s mirtā gla
des ⁊ ſumach i aq̄ añ. m. ß. ⁊ de illa decoctōe fra
vel mixta cū ſucco cortiq̄ nuq̄ gargarizet Et ſi q̄ſ
fuerit multū colic⁹: ſucc⁹ v̄ge paſtor̄ ⁊ ſolatri ra
moꝝ vit̄ cū decoctōe dicta. talia gargariſmata ſt̄
vehemēt̄ iuuamēti i p̄ma die ⁊ ſcd̄a ꝑ pte ¶ Si
milr̄ gargariſma factū cuꝫ aq̄ decoctōnis gall̄.
⁊ alūis i p̄n° puta in p̄mis dieb⁹ multū vꝫ. Caue
as tñ ne tal' pa. dormiat. paꝝ ſumat de cibo. vinū
nō potet. Iſta exequēdo in p̄n° ſtatim i p̄ma die
flōmeť de vtraqꝫ cephalica. q̄ nō inuēta ď media
na vtriuſqꝫ ptis: exhendo magnā q̄ꝫtitatē ſan. p⁹
vij. vel. vi. horas diſliga brachia ⁊ flōiam reitera
⁊ poſt. vi. vel. vij. horas flōeť. de venis ligue ap-
ant̄ due vel tres ⁊ extrahať ſan. q̄ꝫtū potit exire.
¶ Si velles ꝓponere vētoſas i collo cū ſcarifi-
catōe bonū eet. dic̄ raſ i ſuo ɔti°. ꝓpt̄ ꝑiculū ſuf-
focatōis. nā nulla vehemētior me^a ē in tali cura
ꝙ̄ tales magne flōie. Idē dicit ga⁹. 13. ⁊. 14. de i
genio: vt tibi reſiſtā ɔtinuādo dicta gargariſma^a
duob⁹ dieb⁹. vel q̄ſi ſint actu fria. 12. de inge. c. 6°.

⁊ teneat vētrē laxū ē cliſterib⁹ ⁊ caſſief. ſimplici
ſcripta ꝑlies tibi i ꝓmis capl'is ⁊ ꝙ capiat i ortu
ſol. ⁊ nō comedat de q̄ttuoꝛ hoꝛ. In ꝓmis ḡ die
b⁹ duob⁹ inungat ſibi collū duab⁹ ꝑtib⁹ olei roſ.
⁊ tertia ꝑte olei mirtilloꝝ mixt. dieteť ill' ꝓmiſ di
eb⁹ ſubtiliſſime aliȷs cū modico oꝛdeati clari vel
auenati trāſact. duob⁹ dieb⁹: q2 fact⁹ eſt flux⁹ maͤ
ex toto vl' q̄ſi a vēis capit: ⁊ tale apā ē i augmēto
Quo ad digōem maͤ aliť ē ꝓcedēdū. q2 i ſeq̄nda
ē intētio in h̄ ad reſol'oem ⁊ euōnē maͤ fluxe: pro
pter qd̄ pꝫ tibi ꝙ gargariſmata dicta nec iunctio
nō h̄nt bn̄ locū: extūc trāſact. ḡ duob⁹ dieb⁹ inun
gať collū cū oleo camo. vel aneti in duab⁹ ꝑtib⁹:
⁊ tertia ꝑte olei roſ. h̄ fiat 3ª ⁊ 4ª die. ⁊ ꝼ garga
riſma de diamorō de duab⁹ ꝑtibus ⁊ 3ª oximell'
diuretici. ſi videť tibi addas parū de aceto. ⁊ i fi
ne q̄rte diei reitera vētoſas cū ſcarificatōe i collo
⁊ in ꝑn° ſpatulaꝝ. Cōſeq̄nť poſt aliq̄s horas rei
tera flōias venaꝝ q̄ ſunt ſub lingua vt maª q̄ flura
ē i venis aſſiſtētib⁹ gutturi expellať. q̄ lꝫ nō ſit cō
ūcta ꝓpꝛe: ē q̄ſi ꝯūcta facta ipi apati ⁊ collū tē
empl'eť ſic. ℞. farine fenugre' farine oꝛdei. aā. ꝑ.
i. oximell' diure^ci qd̄ ſuff ad incoꝛpandū ⁊ ꝼ ēpl'm
Rab vult in ſuo ꝯtinēte ꝙ in ꝓceſſu ſq̄nātie fiat
ēmpl'm de cinere yrūd cū q̄rta ꝑte mirre ⁊ modi-
co mell' ⁊ fiat empl'm: deſiccat ⁊ reſoluit vꝫ a to
ta n̄a. ſilr reſoluit cinis yrūd ꝯbuſtarū inſuffleť
in gutture deſiccat vꝫ a tota n̄a. Jō valēt q̄cunq3
tꝑe ſpālit poſt duos dies. rab dič i ſuo ꝯti^c ꝙ mi-
tigāt ſq̄nātiā cāis iam dict. vel i coꝛpe cū modi°
vel diſſoluať cū aq̄ cicerū vel roſ ꝼ garga^ma vꝫ a
tota naťa ⁊ a q̄lita^e: lꝫ magi i ſq̄nātia fla^ca: vt di-
cūt q̄dā aduenīēte. vi. die applica int⁹ ⁊ ex ex toto
maturatia garganzet lac calin vel oximel diure
ticū vel ſq̄llit^m diſſoluať cū decoctōe ficuū: ⁊ fiat
empl'm ab extra cū faria fenug' ⁊ ficub⁹ bullit. ꝼ
empl'm cū modico butiri vel aq̄ decoctōis coꝛū.
¶ Si aūt i ſtatu vl'io tal' apat. cū difficult^e anhe
lādi ⁊ mag̃ oꝛthomia āhelit⁹ ſ. ſpūa appet moꝛs
ē de ꝓpe. inungant ſpatule cū oleo fenug' vt ꝑ-
tes ille dilateť. Et q2 ipe ſuꝑ oīa idiget reꝑatura
illi⁹ apat: aliť moꝛť: niſi cā ꝯūcta apat. expellať
ꝑ ei⁹ apturā ⁊ crepaturā q̄ ꝑ naturā nequit fieri
teneat cōſiliū aliquoꝝ maxie platariȷ crepeť cuꝫ
inſtr̄o ligneo acuto: aliť niſi fiat moꝛiať h̄eať fur-
cula ligni bn̄ acuti ⁊ politi iponať i gutture bene
frigēdo vt: rūpať ⁊ apiať apa ⁊ maª fluat ⁊ ſic cu
rabūť. Dico tibi ꝙ ſemel vidi caſum tꝑe meo. v-
nus mercatoꝛ h̄ns ſq̄nātiā de ſan. cū poꝛtōne co.
veniēs ad ſtatū talis apat. ⁊ ad difficultatē āhe-
lit⁹ q̄ſi ſuffocabať nō potať loq̄ h̄ns adhuc bo^m

intellectū intellexit ꝙ optebat ipm moꝛi: niſi cre
pareť apa: ⁊ fuit ſibi mōſtratū inſtr̄m ligneū: ipe
accepit timēs moꝛtē: infixit ita foꝛtiter i gutture
vbi ſentiebat doloꝛē ꝙ crepauit dictū apa: fluxit
ſan. ⁊ virulētia in magna q̄titate garganzando:
poſtea oximel diureticū diſſolutū cū aqua cicerū
rub. fuit curat⁹: aliter moꝛtu⁹ fuiſſet. Eſt caſ⁹ no-
tand⁹ i ꝑe. multi moꝛiūtur: qui euaderēt iſto mō

Enocumento vocꝭ
⁊ rau
cedine. nā huic actōni tria ſupueniūt
nocumēta, ꝓut aliȷſ actōib⁹ ſilib⁹ diceť
Dicit ga⁹. ꝓmo de interio. in. c. vi. ⁊ in. 4. de inte.
c. de nocumēto vocꝭ. ꝙ vox in gutture ſicut in oꝛ-
gano ꝓpꝛio i quo ē vna ꝑs ꝓncipal'. cetere ſūt ſi-
bi in adiutoriū: vt ponit ga⁹ i locis allegat. ⁊ hoc
eſt de rōe cuiuſlibet oꝛgani: vt dič g⁹. ꝓmo d̄ moꝛ
bo. in. c. vij. ¶ Nota ꝙ guttur ꝓut ē: ē inſtr̄m ⁊ oꝛ
ganū vocꝭ q̄ eſt actio volūtaria continet i ſe tres
cartilagines cū ſuis ligamētis ⁊ q̄ſdā lacto ſmo
uētes illas cartilagies i faciēdo vocē ⁊ duos ner
uos q̄ vocantur reuerſiui. quia extēſi in collo re-
uertūtur ad gulam. vij° de iuuamētis. c°. ꝓmo. iō
iſti vocātur ꝓpꝛie nerui vocis. ꝓmo de interioꝝ.
ca°. vi°. vbi ipſe recitat: ꝙ ipſe inuenit eos ꝑ ana
thomiā quos magiſtri ſui nō cognouerāt. ſimiliť
cōtinet duos neruos qui dicūtur iuuenıles. Jſti
ſunt nerui vocis ſimiliť: ſed nō ita ꝓpꝛiȷ: quia ex-
tēduntur magis inferi⁹. iſti ⁊ illi dāt motuꝫ lacert.
mouētib⁹ dictas cartilagines: ⁊ ſunt de compoſi
tione gutturis in concauitate gutturis ſtant iſte
tres cartilagines: que conſtituūt vnuꝫ coꝛp⁹: qd̄
a grecis vocať epiglotus: quod lingue fiſtule aſ
ſimilať in actōne ꝑ° de interio. ca°. vi. q2 ſicut lin-
gua fiſtule eſt pars pꝛincipalioꝛ i voce fiſtule: ita
iſte epiglot⁹ q̄ ꝯſtat ex trib⁹ cartilaginib⁹ diſſil'ib⁹
q̄2 interioꝛ eſt maioꝛ due exterioꝛes ſūt mioꝛes ſub
intrātes ſe adinuicē mediantib⁹ ſuis ligamentis
⁊ habētes motū a lacertis ⁊ a neruis iam dictis
volūtariū ſtāt ſub figura tube. v̄ba ſunt Ga'. in
libꝛo de voce ⁊ anhelitu in ca° pꝛimo. Jſte epiglo
tus eſt ꝑs pꝛincipalioꝛ in vociferādo lacerti dicti
⁊ nerui iam dicti ſunt ptes coadiuuātes: q̄ nerui
dicti habēt oꝛtum a dicto. vi. pari neruoꝝ capitis
4°. de interio. c. de nocumētovocis cum iſtis fit
vox in gutture cum magna q̄titas aeris cuꝫ fla
tu ⁊ ictu ad gutturvenerit: ⁊ dictum epiglotū ꝑ-
cuſſerit potiſſi^e i capite ſuperioꝛi dilatato ad mo
dum tube. Jſte flat⁹ aeris venit a pulmone medi
antib⁹ lacertis: q̄ ſunt intra coſtas pectoꝛis im-
pellentib⁹ cum impetu aerem ad ſuꝑi⁹. pꝛimo d̄

interio.c.6.¶ Alteri⁹ nota: ꝙ in omni nocumēto
voc̄ t ūn.muta ablata vel corrupta puta i raucedi
ne ſp guttur patit̄ tāq̄ inſtrumētū voc̄: vt vult g⁹
ꝑmo de int̄.m.c.6. Verū aliqñ patit̄ ꝑ ſe ⁊ i eſſe
aliqñ ꝑ colligātiam: vt vult ga⁹.m.c.dicto vbi dic̄
ꝙ ſi guttur patit̄ ſ̄m aliquā ſui ꝑtē ꝙ lacerti mo
uētes epiglotū ſcindant̄ vel nerui dātes motuʒ
ill̄ vel ſi alteret̄ a frio extrīn⁹ vel ſi alterētur a ma^a
hūida fluēte ꝑ viam catarri tūc guttur patit̄ i ſui
eſſentia q: paſſio remanet in ea cā ꝑmitua vl̄ cā
ꝑ colligantiā ceſſante fluēte.⁊ h̄ vult ga⁹.in ca°.
⁊ cā eſt q: nerui illi nec lacerti nō dant motū de-
bitū epigloto infigurādo ip̄m in figura tube. Jō
non bñ vociferat. Silr̄ q: epiglot⁹ cū ꝑtibus vi-
cinis eſt ꝯ debitū humectat⁹ ꝓpter qd̄ rauce ſo-
nat. q: humidū ꝑcuſſum nō clare ſonat non ſine
cā. ḡ catarrizati rauci facti ſunt ex morbo i eſſen
tia guttur̄. h̄ vult ga⁹.in.c.ꝑdicto.¶ Aliqñ autē
patit̄ in mala voce ꝑ colligantiā q: non venit ad
eū qd̄ venire debet ſcd̄m naturā puta flatus aer̄
cū impetu ⁊ ictu: ⁊ hoc eſt interdū vitio lacrtoꝝ
intra coſtas pectoris exiſtentiū q: ḡuati a ma̅tia
vt in pl̄reſi. vel q: ḡuati a frio extrinſeco vt i ma-
le cooptis. vel q: ḡuāt̄ i neruis ꝓpꝛijs venientib⁹
a medulla ⁊ ſpōdilib⁹ dorſi vt fuit ille q̇ cadens
in terrā ferijt i dorſo ⁊ ideo ꝑdidit vocē vt dicit g⁹
in l̄ra.¶ Aliqñ iſte flat⁹ aeris venit vitio pulmo
nis. q: leſus in ſubā vt in ptiſiċ. ꝓpter qd̄ ptiſici
rauce ⁊ debiliter loquunt̄. vl̄ quia pulmo multū
ledit̄ i ꝯpl̄one ad hūiditatē vt i antiq̄to reumate.
Vel ad ſiccitatē vt in leproſis. ꝓpter qd̄ leproſi
rauci facti ſūt. ꝓpter qd̄ guttur in talibus ꝑ col-
ligantiā hoꝝ ſil̄r non venit flat⁹ aer̄ vitio pector̄
vulnere ꝑenetrāte. Patet ḡ tibi qualit̄ i nocumē
to vocis guttur ſemꝑ patit̄. aliqñ in eēntia: inter
dū ꝑ colligātiā ¶ Notū ē ergo ꝙ raucedo ꝑ mor
bo deſcꝑto ē vox diminuta ⁊ ablata ſunt paſſio-
nes ꝑncipalr̄ gutturis ſeu toti⁹ organi dicti ipſi⁹
voc̄. q: actio toti⁹ ꝑmo ⁊ ꝑncipalr̄ ledit̄ puta vox
lʒ imediate inſit talis morb⁹ ꝑti ꝑncipali vel ali-
cui ꝑti coadiuuāti i organo vel extra organuʒ: vt
pulmōi. nam q: ꝑtes tales coadiuuātes nō hñt
actōeʒ ſ; iuuamētū in actōe non eis ꝑt ꝑmo ieſſe
morb⁹ nec principalr̄: lʒ imediate eis inſit de poſ
ſibili vt ē bñ explicatū in.c. de obtal^a q̄ſtiōe ꝑma
ex intētōne ga¹. ꝑri° de mor° in cap̄lis vltimis. Et
ē ꝑ colligātiā qñ venit qd̄ venire nō dʒ ſ̄m natu
rā q: mala ꝯpl̄o ē ma^a l̄ ſine m^a. vl̄ ñ vēit qd̄ vēire
dʒ ſ̄m naturā puta flat⁹ aer̄ cū ictu a lacꝝ int̄ co-
ſtas. ⁊ eſt morbus conſimil̄ cōmunit̄ pro morbo
deſcripto cū materia vel ſine materia poteſt eſſe

cōmunis. quia ſolutio cōtinui cū deperditōe vel
ſine poteſt eſſe morbus officialis q: opilatio. vel
in receptaculo inanitōnis puta ſpūum. vel ſi fla
tus aeris non venit vel repletōnes ſi ꝑteſ ille m̄t
tum repleātur a materia fluxa ꝑ viam catarri vel
al̄s. Jn ſe autem raucedo ē accidēs morbi dicti.
Jdem intelligas de actione diminuta ⁊ ablata
Et ꝑ morbo deſcripto ē nocumentum ſeu mala
actio regitiue natural̄ mēbꝛi mādonꝝ: puta dige
ſtiue ⁊ expulſiue ⁊ vitalis expulſiue cerebri: vt ē
dictum intētōne ga¹.6. de morbo m.c. penultio.
Pro nocumēto vocis ē nocumētū motiue aial̄
ꝑtium organi vocis vel ꝑtium facientiū ad vocē
nā vox ⁊ loquela eſt actio volūtaria. ideo fit per
motiuā aiatam ꝑtium dictaꝝ. Et eſt paſſio actiē
loquēdo ꝑ morbo deſcripto motiue aiate orga-
ni ⁊ ꝑtium eius: ⁊ ſic in ſe malicia vocis ē nocu-
mentū motiue animate ꝑtium organi dictarum
facientiū vocem ⁊c̄.

Cura raucedinis et a-

Iſtis clarificatis

lioꝝ nocumētoꝝ vocis tibi pateſcit.¶ Prius au
tem q̄ȝ in cura ꝓcedas ſcire ⁊ cognoſcere dʒ mo-
dum ⁊ nocumētum vocis. Si ſit actio diminuta
quia clara in forma debita licet modica vl̄ ſit ab
lata vl̄ ſit corrupta q: rauca l̄ aſꝑa vel tremuloſa
ſimilit̄ cōſiderare opoꝛ; ſi ē ātiquata. quia ſi an
nū trāſiuit nō curatur. Et ꝯſiderare oportet cām
diuerſitatis talis nocumēti Si ſit ex mala frig^a
humida veniēte a capite ꝑ viam catarri extraue-
nas ex frigore l̄ ex cantu: vel alio motu exceſſiuo
ad guttur et pulmonē vel ad fauces: quod eſt vt
plurimū in raucedine vocis. Vel ſit a materia ca
lida humida ſanguinea veniēte ſimiliter a capi-
te ꝑuēas ꝑ viā catarri ibidē. q̇ cauſa pluries cōti
git ſanguineis ⁊ habētibus venas latas in col-
lo ⁊ in ꝑtibus ſupioꝛibus. vel ſit ex caliditate vl̄
ſiccitate ſine materia quaſi. quia modica in car-
tilaginibus ⁊ in epigloto ſeu in capite cāne pul
monis veniēte ꝑ viam effumatōnis a portōe co
lere aduſte in regione epatis vel ſtomachi. prop
ter quod p⁹ſomnū ſentiūt ardorē aſperitatem ⁊
ſiccitatem quaſi ſine ſputo vel cum valde modi-
co ſputo aliqualiter ſubnigro in gutture. Nam
iſta cauſa raro ē: licet q̇buſdam colericā aliqualit̄
aduſtis inſit. Similit̄ ſi habeat tale nocumētuʒ
vocis ex re facta appoſita gutturi. Vel ſi habet
nocumētum vt recitat galien⁹ ꝑmo de interio. in
ca°.7°. Jſta oīa oportet primit⁹ ꝯſiderare. q̇a
cura ex hijs diuerſificat̄: vt patebit in proceſſu.
¶ Exequamur ꝑmo curam raucedinis ſup cau

ſa que pluries cōtingit. Si q̄s raucedinē habue
rit ex ma̅ria fria hūida veniēte a cerebro ꝑ viam
catarri ꝑ poroſitates extra venas ad guttur ⁊ ad
ꝑtes ei⁹ facientes ad vocē ſupius explicatas q̄
ꝑtes vltra debitū humectate ſi ꝑcutiāt a flatu ae
ris cum ictu venientis ꝑ impulſionē pulmonis la
certoꝝ intra coſtas exiſtentiū vt ē dictū ⁊ clari⁹
dicet in clarificādo cās tuſſis in. c. ſequēti nō pñt
bñ ſonare: ideo rauce cum ſurditate ſonāt. Hoc
vides in ꝑcuſſiōe terre ⁊ lapidis. rauce ſonāt cū
q̄dam aſpitate vocis rōne inequalis inherentie
medi⁹ in gutture. Silr̄ eſt ibi modica portio cole
vel flātis ſalſi que ſunt cā talis aſpitatis. ſilr̄ ꝙ
ſit ex tali cauſa ipa raucedo: patꝫ q: hūidat i ſpu
to ⁊ tuſſi ⁊ fuit infrigidatus in capite vel in pedi
bus vel in alijs ꝑtibus que ſītas attingēs pelli
culas cerebri ꝑ viam cōpreſſionis dictaꝝ pellicu
larū fuit fact⁹ caſus ſeu catarrus illarū humidi
tatū ibidem ꝯgregatarū ꝑ viam effumatōnis et
indigeſtiōis cerebri ⁊ ꝑtium eius. vel fuit factus
fluxus: quia ꝑtes gutturis vltra debitū labora
uerūt. ideo quia fatigate et vltra debitum mote
⁊ calefacte fuit fact⁹ mot⁹ ⁊ diſſolutio ma̅ ꝑtiuꝫ
viciarū ad eas. ¶ Et ſi q̄s talē raucedinē ꝑ aliq̄s
dies ⁊ mēſes hūerit: parū cōedat paꝝ dormiat mi
nus bibat. cena ſua ſit modica aut nulla. quia ta
lia reuma curāt. ad quod ex intētōe eſt intelligē
dum. quia raucedo nō curat niſi pus curet reu
ma. Raſ in ſuo ꝯtinēte. Cena ſua ſit de ficubus
ſicc̄ calefact̄ vſq; incipiāt ſudare. vel de vitellis
ouoꝝ de feſtucis l' pineis vel de riſi cum zucc̄. po
ma bene dulcia cocta cū ſatis de zucc̄ ſat̄ ſibi cō
petūt. Vel cenet de lacte bullito vel de pedibus
capri. vel ſalſa viridi vbi ſint ſpēs ⁊ parum aceti
Potet vinū groſſum limphatū de aqua tepida.
vel ꝙ ponat toſtam panis calidi in tacea dū vo
luerit potare. vitet offas ⁊ piſces. Inſup in p̄mis
dieb⁹ ſufficiet ſibi dieta dicta ⁊ caſſiafiſtula ſim
plex pluries tibi ſcripta in capitulis p̄mis ⁊ i. c°
de catarro. ⁊ vitet ſirup̄. quia reuma ⁊ fluxum ꝓ
uocāt: apiendo ⁊ ſubtiliādo materiam. ⁊ cōtinue
teneat in ore interdum maſticādo de cubeb. naꝫ
ꝯſumūt materiā fluxam ad guttur. Silr̄ granuꝫ
mirre vel thuris albi. nam detēta in ore valēt. cō
ſumūt ma̅riam exſiccādo ꝑtes vocem clarificāt.
mirra amara eſt. alliū coctū in aqua vel aſſatum
ſi teneat in gutture valet: cōſumit materiam ibi
fluxam: ⁊ exſiccādo clarificat vocem faciet iſtud
gargariſma calin pluries in die. ℞. de ſapa vini
ſeu de vino cocto vel ṽnacula vel alio vino bo°
⁊ dulci vt de ripa mell' añ. ʒ. iiij. coquāt ⁊ expu

mentur. gargarizet d̄ hoc diſſoluto cum modico
aque calide decoctionis faluie yſopi cicerum ru
beoꝝ. ⁊ facto gargariſmo potet in hac ſapa vini
bullita cū melle infundat lana ſuccida: vl' toſta
panis ⁊ parum cōpreſſa cal'a apponat in fauci
bus de nocte. vel infundat lana dicta in oleo be
ne calido ⁊ faucib⁹ applicet. In ꝓceſſu rauccedi
nis ſi bñ non repetur cū hijs ſumat. ʒ. ij. ⁊ ß. pil
lulaꝝ cochiarū vel de aga°. poſtea ſumat in fa
cie ⁊ capite euaporatōem vſq; ad ſudorē decoc
tionis aneti ⁊ ſe. ei⁹ yſopi vtriuſq; ſticad. poſtea
inuoluat caput ⁊ frontē cum pānis lineis bñ ca
lidis fricādo. vel teneat de pane zuccari i ore ma
ſticādo ⁊ trāſglutiēdo. aliqui vtūtur iſtis pill'is:
tenēdo in ore. ℞. mirre. ʒ. ß. thuris albi. ʒ. i. ſucci
liq̄ri°. ʒ. ß. carniū duoꝝ dactil. vini cocti vel ṽna
ce quod ſuf. f. pill'e ad modū fabe. oēs etiā con
ueniūt ꝙ ſucc⁹ cauliū rube. exſiccat ꝑtes illas ſi
gargarizet. Ideo multi approbāt ꝙ maſticetur
trūcus caul'. rub. teneris paulatie ⁊ ſugatur ¶ Et
ſi q̄s raucedinē habuerit de ma̅ cal'a humida:
puta ſanguinea fluēte a ꝑtibus ſupiorib⁹ per ve
nas ad fauces ⁊ ad pulmonē. quod pateſcit q̄a
ſatis coloratus ⁊ in cōplōne ſanguineus cūꝫ ve
nis latis in capite ⁊ in collo cum dulcedine o
ris aliquādo purgetur talis cū caſſiafiſtu. com
muni tibi data ſupius. vel cū pill'is de agarico l'
cochijs ſi plectora habuerit parū comedat: pa
rum dormiat: parū potet: cena ſua ſit modica. fi
naliter dieta ſua exiccatiua. vtatur riſi cū brodio
carniū. inſup vtatur carnib⁹ cōmunibus cōiter
aſſatis: ⁊ vtatur eis cū ſucco citrāguli: vel agre
ſta vel ſalſa viridi. trāſactis tribus vel quattuor
diebus ⁊ poſt illos dies flobothomet de vtraq;
cephalica reiterādo ſi neceſſe fuerit. qua nō iuē
ta: de mediana. ſi non vult: vētoſetur ſcarificando
in ſpatulis ⁊ extrahat de quolibet brachio vnaꝫ
ſcutellā barbitōſoris ſatis magnā: ita ꝙ extrahat
quaſi librā vnam de ambobus brachijs. naꝫ cū
tali magna pl'ies reiterata ſubſtrac° ſāguis ꝑfi
citur cura talis: ex quo eſt ma̅ria venalis abun
dans in quanto. quod pateſcit ex latitudine vēa
rum in ꝑtibus ſupioribus cū alijs ſignis dictis.
¶ Cōſequēter vtat pluries in die ma'o granato
non dulci cocto inter prunas. vel decoquat ⁊ re
moto cortice cōprimat coletur ⁊ addat modicū
mell' roſ. agitent ſimul gargarizet de hoc tepi°:
tenēdo in ore: addēdo modicū aque decoctionis
faluie yſopi. vel faciat gargariſma ſupius dictuꝫ
de ſapa vini cū melle cocto: diſſoluēdo cum iſta
decoctōne dicta. ſi velles addere in declinatōne

modicum de thure eſſet melius.teneat diu in ore
gargarizãdo interdũ poteſt trãſglutire aliq̃d. vl'
gargarizet de ſucco cauliũ rub.tepido lingam ꝛ
ptes illas exſiccat:vt ponũt antiqui.vel maſticet
trũcuz cauliũ ru.ſepe ꝛ ſepi⁹ ſuggẽdo ſpacioſe ꝛ
morã faciat in gutture. Teneat in ore de iſtis
pill'is vſq; ſint diſſolute. ℂ ℞ thurꝭ al.ʒ.i.ꝛ ß.a-
midi.ʒ.ß.ſe.bombacis.ſe.cauliũ rub.añ.ʒ.ß.mu-
ſcillg'.ſe.citonioꝝ.ʒ.ij.formentur pill'e cum ſiru⁰
acetoſo quod ſuff.gargarizet ſepe de ſyru⁰ ace-
toſo cõpoſito diſſoluto cum aqua decoctõis ſal-
uie maiorane tepide apponat' ſibi in faucib⁹ ab
extra de ſapa vini bulliti cum melle vel d' oleo be
nedicto:vt eſt dictũ in raucedine de cã frigiª. nã
iſta lz ſint cal'a multũ exſiccãt illam malã cõple-
xionẽ humidã fauciũ ꝛ mẽbroꝝ faciẽtiũ ad vocẽ
ℂ Et ſi q̃s raucedinẽ habuerit ex mala cõpl'oe
cal'a ꝛ ſicca ſine materia qd' rariſſime contingit ĩ
pulmone vel in epigloto ꝛ in cartilagibus clau
dentibus ipm cauſata a fumo cal'o eleuato a co
lera multũ cal'a ſtomachi vel epatis vel ciſtifell'
vt cõtingit q̃buſdã colericis ſemiaduſtis qd' ptz
q: non habet ſputũ:ꝛ ſi habẽt:ẽ valde modicuz
ꝛ ſubcitrinũ vel ſubnigrũ.ꝛ ſenſiũt ardorem cuz
aſpitate notabili in gutture:potiſſime poſt ſom-
nũ in quo talis fumoſitas min⁹ exalat' per alioſ
poros corpis ab extra.ꝛ habẽt vocẽ ad modum
gruis cum tuſſi ꝛ auiũ habẽtiũ lõgum colluz:vt
dicit Raſis in ſuo ɔtinẽte.nã tal' fum⁹ eleuatur
in q̃buſdam aciſtif: vel a colera alia per poros
nobis occultos exſiccãs ptes illas:ꝛ p cõſeq̃ns
corrũpens vocez.talis indiget dieta ꝛ remedijs
cõtrarijs ſupradictis. ℂ Iſte vitabit inſup ſalſa
oia ꝛ acuta.moſtardã.allia.ſpẽs oĩs cepas .lo
co ſalſamẽti vtat' agreſta vel ſucco citrãguli.vi-
tabit aſſata.vtat' potagijs in prãdio ꝛ in ſero: v-
tetur vino bene limphato.capiat caſſiamf.cõez
vel ſumat ſic. ℞.ſirupi acetoſi cõpoſiti.lb'.ß.ſiru'
de papa.q̃r.i.miſceat':detur cũ aqua cicerũ ru.
in duabus ptibus .ſi nõ placet ſibi ſumere ſiru'ᵐ
ſumat de aqua end'.de mane.4.vel.5. coclearia
vel p ſe.vel cum modico aque cicerũ rub.quo fa-
cto p aliquos dies ſumat iſtã colaturã. ℞. pru-
noꝝ vuarũ paſſarũ iuiuba.añ.nũero.x.thimi epi
thimi ſene polipodij q̃r.añ.ʒ.ß.fiat decoctio in
qua diſſoluat' caſſief mũd.ʒ.i.reuba.infuſi in a-
qua end'.p pauſam.ʒ.i.ꝛ ß.ſpicenardi.ʒ.ß.vi' cla
ri.ʒ.ij.fiat pot⁹. ℂ Uel facias ſic:et eſt medicina
magnatũ ꝛ pncipum . ℞. reubarbari electi.ʒ.ij.
diſſoluat' p noctem in quart.ß.ſirupi viol'. ſi nõ
habes:in ſyrupo acetoſo diſſoluat' de mane cum
aqua decoctõis prunoꝝ quod ſuff. aſſellabit.6.
vel ſeptẽ vicib⁹.ꝛ reub.pdit ſaporẽ ſuũ i magna
pte.vtat' triaſand'.ſtomacho ieiuno nouiter fctõ:
ꝛ in clarificatõe zucc' ponat' aqua roſ.aq̃ endi'
añ.quart.ß.ꝛ ſi eſt tẽpus cal'm :poteſt capere p⁹
vnũ coclear aque end'.vel duo gargarizet ſepe d'
aqua end'.vel de ſirupo viol' limphato cũ aq ſim
plici limphet p mediũ ꝛ vltra tepidũ in hyeme.ĩ
eſtate teneat ſub lingua vnam de iſtis pill'is ℞
dragagã' amigd'.dulciũ añ.ʒ.i.dactill' amigda.
amaraꝝ añ.ʒ.ß.ſemis papa.al.ʒ.i.gummi arabi.
ʒ.ij.opij.℈.ß.terant' bene ꝛ diſtempent' cum mu
ſcillagi'ᶜ ſe.citõioꝝ f pill'e ſat groſſe aliq̃lẽ ama
ritudinẽ hñt rõne opij. Sed habẽt efficaciam in
caſu oĩs iſti rauci ex tribus cauſis dictis. vitẽt
raſurã ꝛ ablutõnem capitis :niſi ſtatim exſiccẽt
cum pãnis lineis calidis. Et ſup hoc nota : ꝙ ex
cauſis tribus iam dictis vox corrumpit' ꝛ rauce
do generat'. Poſſunt tñ tales cãe intãtũ excedere
ꝙ vox quaſi amputaret' ꝛ quaſi auſe. ret.ꝛ tales
cauſe poſſunt eſſe cã corrupte ꝛ ablate tal' actio-
nis q̃ eſt vox ꝛ nõ pñt eſſe cã diminute tal' actio-
nis q̃ ẽ vox.q: actio tol' diminuta ſaluat formaz
actõis ſicut fit in q̃cũq; alia cã diminuta. iõ ſi ſit
pauca ſeu modica vox nõ in aliquo corrupta:ne
ceſſario erit clara.qd' nõ põt fieri a cãis iam dicꝭ
ꝓpter corruptõem tpamẽti organi vocis ſupius
tibi explicati.fiat autẽ tal' actio dĩuta ꝛ clara ex
debilitate lacertoꝝ intra coſtas exiſtentuz. quia
labũtur in ſe vel rõne ptis colligate:puta lacto:
dyafragmatis vel pulmonis cordis vel epatis l'
ſtomachi vel lacertoruz extra coſtas qui debent
primo moueri in anhelitu:ad quorum motuz ſe-
quitur motus fortis ꝛ inſufflatio aeris cum ictu
ipſorum:vt clarius dicet' in.c.ſequẽti de tuſſi. Ad
quarũ ptium colligatarũ leſionẽ poteſt vox ſim
liter auferri:ſtante anhelitu ſufficienti. quia di-
cti lacerti exiſtentes extra coſtas quib⁹ ineſt fa-
cere flatum aeris i gutture nullo modo poterũt
ſe mouere. Iſta tu vides in caſu in cõcuſſionib⁹
vel ex materia pũgente grauãte fortiter aliquaz
de ptibus vicinis ꝛ colligatis.ideo in talibus ca
ſibus ſi venoſus fuerit flõinamus : ꝛ pectoralia
inungimus cũ oleo aneti ꝛ fenugre'.ꝛ damus d'
tiriaca diſſoluta cũ modico vini albi: ſeu ſucci ci
trãguli ſi tẽpus cal'm fuerit. Põt etiã vox aufer-
ri ꝛ corrũpi ex ſol'one ɔtinuitatis cõmuni neruo
rũ dictoꝝ gutturis in curando ſcrofulas vel alia
apoſtemata gutturis vel ex coꝝ infrigidatiõe ex
medicina exterius appoſita:vt recitat ga⁹.pᵒ de
interio.c.1º,ꝛc.

ℂ Capitulum.55ᵐ.de tuſſi.

Cum tuſſis acciderit fue
ritq; aſpa ⁊ ſicca ⁊ cū ru
bedine ⁊ calore egro mu
roba violatū ⁊ ptiſana tribuēda e-
rūt. fabas q̄ʒ excorticatas ⁊ ſpina-
chia cū oleo de amigdal' dulcib⁹ in
comeſtione accipiat. in ore v̄o ſep
tenere debet pillas bichicaſ. aq̄ āt
quā bibit ſirup⁹ violat⁹ ē admiſcē
dus. Cōfectio pillaꝝ bichicha
rū. ℞ ſucci liq̄ritie zuncti albi ābo
rū añ .ʒ.x. amidi dragagāti amigd
dulciū excorticataꝝ oīm añ ʒ. v. ex
eis cū muſcillagie ſe. citonij cōſpſ
iformenť pille. Qd ſi cū tuſſi mul
tū affuerit ſputū qd cū expuendo
expelli nō pōt. nocumētū infert ſʒ
neq; febris neq; vehemēs ventriſ
ſolutio ipam cōmitať ex hijs tro
ciſcis dandū erit infirmo. Qui. ℞
ſemis feniculi ſemis apij ſucci liq̄
ritie capilliſue. amigdal'. oīm ptes
eq̄les. Ex hijs cū muſcillagie ſe.
lini cōſpſis informēť trociſci ex q̄
bus. ʒ. iij. tribuāť. Decoctōeʒ aūt
quā i hac egritudie vtēdū ē i caplo
de catarro iā deſcpſim⁹: cui tñ. ʒ. v
capilliſue. ſūt addēde Qd ſi tuſſiſ
ātiq̄ ⁊ nociua fuerit adeo vt egrū i
nocte dormire nō pmittat: pillule
ſtoracine ſūt dāde: q. ℞. mirre ſto
racis opij oīm ptes eq̄les iformēť
ex eis pille ad lupinoꝝ ſilitudieʒ
ex q̄b⁹ vna aut due patiēti tribuať
In potu v̄o ſumat ſirupū d papa.
⁊ comedat ſemē albi papa. cū zuc-
caro. Qui hāc pt̄ea patiť egritudi
nē: vitet i cōeſtiōe acetoſa ſalſa pō
tica acria atʒ amara Suffumigiū
ad antiquā tuſſim ⁊ ſputū fetidū.
qd. ℞. ariſto. mirre ſtoracis galbāi
oīm ptes eq̄les. arſenici rubei ad
pond⁹ oīum. Oīa puluerizata ex
butiro vaccino cōſpgāť. Ex q̄bus
magdaleōes ad pile pue ſilitudi-
nē informenť. ⁊ cū neceſſe fuerit i
ieiunio ex vno eoꝝ p traiectoriuʒ
ſuffumigetur.

E tuſſi .i. de anhelitu cū ſuffla
tōe fortiſſi⁹ aeri exeūť, ē
inſtris āhelit⁹ h̄ ē qd tuſſim vocamuſ
5°. de mor°. c. 5. circa mediuʒ. ppť qd
ɔcludiť ibidē q tuſſis ē mal⁹ mot⁹ expulſiue ṽtuſ
pulmōis ⁊ ptiū vicinaꝝ coadiute a motia aiata
lacertoꝝ interioꝝ pectoris vt rē nociuā ḡuantē pl'mo
nē ⁊ ptes vicias expellat. vñ q: expl'ſiua ṽtus pul
monis de ſe ē ipotēs rē illā nociuaʒ grauātē vias
anhelit⁹ expell'e q: canales eius ſūt duri cartila
ginoſi nō pñt p ſe cōprimēdo expell'e. iō fuit ne-
ceſſariū in naťa: vt motia aiata lacertoꝝ inter co
ſtas adiuuaret expulſiuaʒ naturalē pulmonis ⁊
ptiū vicinaꝝ cū valido ipetu ⁊ flatu illoꝝ lacerto
rū: q̄ flatus validus ⁊ forť ipſius aeris exeūtis dr
tuſſis. v̄ba ſunt ga¹. in loco allegato. Tu dices.
pulmo ⁊ canna eius de ſe ſunt ptes inſenſibiles
hoc vult galie. 7. de iuuamētis. ⁊. 4° de inte. q̄liť
ergo illa res grauans ipm ⁊ ptes pulmonis ſe
ſabiť ab eiſdē. Dicēdū qualiť pulmo ſentit illam
rem nociuaʒ. Soluit ga. 4°. de interio. c. de exitu
ſan. a pl'mone. Idē dicit. c. vltio. q pl'mo coopiť
vna pellicula neruoſa ad quē duo nerui ex ſubti
libus veniūt a. vi. pari neruoꝝ capiť; q̄ diuiduť
p ſupficiē dicte pellicl'e iteri⁹ intus penetrātes.
q̄liter canna pulmōis ſentit illaʒ rem nociuam
Soluit ſra. 7°. de iuuamētis. c°. primo circa pri-
cipiū: q canna pulmonis coopiť q̄daʒ pellicula
neruoſa q̄ fit ſenſus: ⁊ iſte due pellicule ortuʒ ha
bent a pellicula interiori tegente coſtas: vt dicit
Auicēna primo cano. fen. prima: doct. de mem-
bris caplo ſingulari circa finem. Ex quibus pa
tet ſenſatio rei nocentis ⁊ grauantis partes il
las. ⁊ tunc virtus ſenſibilis ſentiens rem illam

nociuam:incitat expulſiuā naturalem pulmonis
⁊ ꝑtium vicinarū:vt expellant illud.quia expulſi
ua naturalis non expellit niſi incitata.p̄mo de i-
terio.cᵒ.p̄mo.tunc expulſiua naturał incitata ꝑ
ſenſitiuam ſentientē illam rem grauantē venit i
actum expellēdi: coadiuta tamē a motiua aiata
lacertorū interioꝝ pectoris.¶ Ulterius tu dices
quid mouet aiatam motiuā lacertorum interioꝝ
pectoris ꝙ adiuuet expulſiuam naturalē pulmo
nis:⁊ ꝑtiumvicinarū cū ſint virtutes diſtincte in
genere.nam ex hocvideret̃ talem motiuā anima
tam pectoraliū habere memoriam ⁊ intellectū
¶ Soluit Gaꝰ intelligēti.5.de morbo.c.4.Idē
dicit viaticꝰ ad lr̃am libro .3ᵒ.cano.ꝓꝓo de tuſſi.
Nam v̄tus naturalis fortiter incitata ab ip̄a ſen
ſitiua pectoraliū dicta a nociuo pungēte ⁊ gra-
uāte non potēs ex ſe expellere expellit: ⁊ reqꝛit
ex inſtinctu nature motiuam animatā lacertoꝝ
pectorꝝ:vt ip̄am adiuuet cumvalido impetu⁊ fla
tu aeris quē tuſſim vocamus.qui flatus aeris ⁊
impetus fit cū motiua animata lacertoꝝ intra co
ſtas exiſtentiū.4ᵒ.de interioribꝰ.c.de nocumēto
vocis ¶ Ulterius nota ⁊ aduerte quia non itra
bit caput aſini:quinqꝫ ſunt actōnes in ꝑtibꝰ pe-
ctoralibus:quarum vna ſeqtur aliā:⁊ ſubſeqns
ſupponit p̄cedentem ⁊ nō ecōtra:⁊ leditur ad le-
ſionē ip̄ius ⁊ nō econtra:vt ponit gaꝰ.4ᵒ.de int̃.
caᵒ.de nocumēto vocis. ¶ Prima actio in pec-
toralibus ē anhelitus naturalis q̄ fit per plures
ꝑtes quarum vna eſt p̄ncipalis:cetere ſunt coad
iuuantes.4ᵒ.⁊.5ᵒ.de interioribꝰ in pluribꝰlocis
Iſta actio ſeu anhelitꝰ naturalis fit p̄ncipaliter
ꝑ ipſum pulmonem. nā pulmo ē principalis ꝑs
in anhelitu:vt ponit galienꝰ.4ᵒ de interio.caplō
vltio. Idem dicit.vi.de iuuamētis anhelitus.caᵒ
5ᵒ. Idē dicit in libello de malo anhelitu. Idē di-
cit auerroys.2ᵒ.collectorij.caᵒ. de iuuamētiſ pul
monis in anhelitu.ergo tu dices .Gaꝰ in.vi.in fi
ne dic̃ ꝙ pulmo cōtinet̃ a thorace ſic̃ ſpōgia a māu
⁊ ſic̃ ſpōgia cōſtrigit̃ ⁊ dilatat̃ ad dilatatōē ⁊ cō
ſtrictōnem manus:ita pulmo cōſtringit̃ ⁊ dila-
tatur ad ꝯſtrictōem ⁊ dilatationē ⁊ cōſtrictionē
thoracis ſeu pectoris:vt dicit ibidem.ergovidet̃
ꝙ pulmo non ſit ꝑs principalis in anhelitu:imo
thorax ſeu lacerti comp̄hendētes ⁊ mouētes pe
ctus dilatādo ⁊ conſtringēdo:exquo p̄mo ⁊ p̄n-
cipaliꝰ mouētur in anhelitu magꝭ ꝙ pulmo. Di-
cēdum ꝙ bene volo ꝙ lacerti comp̄hēdētes pe
ctus dilatātes ⁊ ꝯſtringētes ip̄m p̄mo mouean
tur in anhelitu.hocvult galienꝰ.4ᵒ.de interiori.
caᵒ.de nocumēto vocis. Sed ꝓpter hoc non cō-

cluditur ꝙ ſit pars p̄ncipalis in anhelitu: qꝛ ꝑs
coadiuuās iterdū pᵒ mouet̃:⁊ poteſt p̄poni i iu
uamēto actōnis ꝑti p̄ncipali.hocvult Galienus
in loco allegato.¶ Secūdo fit anhelitus natu-
ralis ꝑ ip̄m dyafragma.p̄mo de interio.cᵒ.3.idē
dicit.4ᵒ.de interio.cᵒ.6. Idem in libello de iuua
mētis anhelitus.cᵒ.3ᵒ.qꝛ ē origo reſpiratōis.idē
dicit Auerroys.2ᵒ.collectorij. cᵒ. de iuuamentis
organoꝝ anhelitꝰ ⁊ pulmonis.Cām dat auicen.
pᵒ cañ.fen pᵃ doc̃.5.cᵒ. de anathōia muſculorū
pectorꝝ.qꝛ muſculi dyafragmatꝭ q̄n mouent̃ dila
tāt pectꝰ.ꝓpt̃ qđ dic̃ gaꝰ.4.de inte.c.6.ꝙ anheli
tꝰ ſine anguſtia exn̄te ſcimus ſolū cū dyafragma
te fieri tāꝗ̄ ꝑ ꝑtem p̄ncipalr̄ coadiuuātē: ⁊ motꝰ
dyafragmatꝭ ꝑtim eſt naturał: ⁊ ꝑtim aiatus:vt
dicit gaꝰ.in libello de iuuamētis anhelitꝰ.c.3.q̄a
a q̄rta ⁊ a q̄nta ſpondili colli recipit neruū ſenſiti
uum ⁊ motiuū:vt pꝫ.4.de interio.c.6.¶ Tertio
fit anhelitꝰ naturalis ꝑ lacertos comp̄hendētes
pectꝰ:qꝛ ip̄am dilatāt⁊ cōſtringūt:vt dicit gaꝰ 4
de interio.c.de nocumētovocꝭ.i fine.vbi dicit:ꝙ ꝑ
ꝓrie moueret̃.i.p̄mo in anhelitu:lꝫ ſit ꝑs coadiu
uās in ip̄o anhelitu naturali:⁊ tales lacerti com
p̄hendētes pectus ⁊ vnū par lacertoꝝ:hn̄ exten-
ſum ſub radicibꝰ coſtarū ſuꝑioꝝ:quoꝝ oꝑatio eſt
ſꝑ ꝯſtringere⁊ dilatare pectꝰ in anhelitu:vt dicit
aui.c.illo allegᵒ.đ anathoᵃ muſculoꝝ pectorꝝ.cāꝫ
huiꝰ dilatatōis ⁊ ꝯſtrictōiſ pectorꝝ ſꝑ i āhelitu dat
gaꝰ 5.đ int̃.c.2.i fine.qꝛ pl'mo ꝯtinet̃ a thorace vt
ſtati dc̄m ē ſic̃ ſpōgia ꝯtinet̃ a manu. ⁊ ſic̃ ſpōgia
dilatat̃ ⁊ ꝯſtrigit̃ ad dilatōē ⁊ ꝯſtrictōē manꝰ:ſic
pl'mo fac̃ actōes ſuas.nā dilatāᵒ qꝛ ſpōgioſꝰ at-
hit aerē v̄tute ꝓp̄a.h̄ dicet̃ i.c.ſeq̄nti đ aſmate.et
ꝯſtrigēᵒ expellit aerē v̄tute ꝓp:ia expl'ti:lꝫ ꝯſtri-
ctio thoracꝭ ⁊ dilataᵒ ſit nccia ad h̄:vt dc̄m ē. h̄ fit
ꝑ modū folliū fabroꝝ:vt dic̃ auer.2.collectᶦ.c.de
iuuam̄tꝭ pl'mōis i āhelitū.ſic pꝫ tibi ꝙ actio āheli
tꝰ fit a duplici v̄tute n̄li pl'mōis⁊ n̄li aiata thoracꝭ
⁊ ꝑtiū eiꝰ:nā torax ſeu eiꝰ muſcli motū h̄nt aiatū
a neruis q̄buſdā venientibꝰ a cerᵒ:potiᵐᵉ a puppi
⁊ ſpōdilibꝰ pris colli ⁊ a.4ᵒ.⁊ 5 ſpōdili.4.de in
te.c.6.8.⁊.11ᵒ.q̄ nerui i ſomno n̄ opilāt̃ nec quie
ſcūt ab actōe ſua:qꝛ ſōnꝰ n̄ q̄es oīs aiate v̄tut.ꝓp
ter nc̄citatē motꝰ āhelitꝰ.nā opꝰ nat̃e ē opꝰ itelli-
gētie:vt inuit gaꝰ.4.de int̃.i pl'ibꝰ locꝭ. Iđ dic̃.3ᵒ
de creticꝭ.pꝫ ḡ tibi ex q̄bꝰ ſtat āhelitꝰ n̄lis i nob̄ q̄ ē
pꝛᵃ actio i n̄libꝰ ¶ Scđa actio i pectoralibꝰ ē fla
tꝰ aerꝭ aliq̄lis maioꝛ ſolito āhelitu. iſta actio cōp
hēdit primā dictā puta anhelitū n̄alē.qꝛ fit cū oī
bꝰ ꝑtibꝰ dictis pꝛᵉ actōis puta āhelitꝰ n̄lis dicti
rōe flatꝰ fit principꝛ cū lactis q̄ ſunt itra coſtas:vt

dicit Ga⁹.4.de inṫ.c.de nocumēto vocis. Idē di
cit.7.de iuuamēṫ mēbroꝝ.c.pᵒ. Iſti lacerti intra
coſtaſ ſunt coopiētes coſtas ab itra aliq̄ eſtimāt
ꝙ ſint lacerti capiṫ dyafragmaṫ adherētes ꝯ co
ſtas ab itra q: pellicl'oſi ⁊ lati bn̄ flanṫ ⁊ faciliter
modus p̄ma frōte ⁊ ꝓbabil' ſm̄ Ga^m.4.de inṫ.
caᵒ penultᵒ. ⁊ nō eſt verus q: vltra illos ſūt aliȷ̄.
Iſte flatus aeris exeūṫ ꝑ anhelitū fit interdū vi
gilādo iterdū: ⁊ ſepi⁹ dormiēdo ꝓpṫ neceſſitatez
anhelit⁹ in expellēdo vapes ꝯcaui pectoꝝ ⁊ in at
trahendo aerē ꝯſtrigendo ⁊ dilatādo h̄ fit q: n̄al'
expulſiua pulmonis expedit ⁊ req̄rit ꝓpṫ neceſſi
tatē ipam aiatam motiuā dictoꝝ lacertoꝝ vt adiu
uet ipam in expellendo vapores ⁊ in attrahendo
aerem frigidū vt eſt dictum in p̄nᵒ ca¹.

Tertia actio eſt flat⁹ cū ictu aliq̄li aeris ⁊
exeūti cū āhelitu. Iſta tertia actio
ꝯp̄hendit duas dictas q: anhelitū ⁊ flatū ⁊ cū h̄
plus q: flatū maiorē illoꝝ lacertoꝝ vt itra coſtas
exn̄tiū cū ictu aeris in gutture ⁊ poti^me in tribus
cartilaginib⁹ gutturꝭ cū lacertꝭ exn̄tib⁹ in gutture

Quarta actio i pectoralib⁹ ē vox iſta a
ctio ꝯp̄hēdit tres p̄cedētes q̄a
fit cū ꝑtib⁹ ipaꝝ ⁊ ſupponit eas: ⁊ ſupponit pl⁹.
q: flatū aeris cū maiori ictu ſupple ipi⁹ gutturꝭ.
nā lacerti gutturꝭ mouenṫ ſtrigēdo ſe et dilatādo
vna cū trib⁹ cartilagib⁹ ad modū cāpāe aduenie
te flatu aeris miori cū ictu maiori. iō vociferat et
cauſaṫ vox q̄ nō fiebat cū flatu ⁊ ictu maiori lac
toꝝ gule dicto in 3ª. actōe: nec ſine ꝯſtrictōe ipoꝝ
lacertoꝝ gutturꝭ cū trib⁹ cartilagibus ſupi⁹ dicṫ
in nocumento vocis.

Quinta actio i pectoralib⁹ ē loq̄la Iſta
ꝯp̄hēdit q̄tuor dictaſ ⁊ adhuc
pl⁹ q: motū ligue vt variet ⁊ diuidat vocē ⁊ flatū
illū magnū cum magᵒ ictu lacertoꝝ gule poti^me
gutturꝭ ⁊ ꝯpleat loq̄lā cū ꝑtib⁹ q̄buſdā coadiuuā
tib⁹: vt ſunt dētes labia palatū nares. vt dic ga⁹.
4.de inṫ.c.illo.de nocuᵒ voc̄ q̄ motuſ lingue fit ꝑ
neruos veniētes a.7ᵒ.pari neruoꝝ orto a puppi:
vt dictū ē ſupi⁹ itētōe ga¹.4.de iṫ.c.3ᵒ.circa pn̄ᵘ
⁊ ſic pꝫ tibi ꝙ iſte actōes ꝑtim ſunt n̄ales. partiꝫ
aiate. in p̄mis trib⁹ actōib⁹ v̄tus natural' pulmo
nis ⁊ ꝑtiū vicinaꝝ ſupat motiuā aiatam. i. mag̃
fiūt a v̄tute n̄ali: expulſiua pulmonis ⁊ attractia
⁊ ꝑtiū vicinaꝝ ⁊ cāne ipi⁹ ꝙ ab aiata motia lacer
toꝝ dictoꝝ in 4ª. actōe pectoraliū aiata motia in
terdū ſupat n̄alē pulmonis ⁊ ꝑtiū vicinaꝝ: q: ma
gis fit ab ipa vt videm⁹ i tuſſi volūtaª interdum
n̄alis ſupat aiataꝫ motiuā ⁊ volūtaª: vt pꝫ i tuſſi
nuolūtaª ⁊ violenta i hac actōe motiua aiata ſu
perat naturalē pulmonis ⁊ partiū vicinaꝝ dicta
rū ⁊ mag̃ fit ab ipa q̄ꝺ pꝫ q: ſiſtimus a loquela
quando volumus: ꝗ ⁊c̄.

Primo tu q̄res q̄t actōes dictoꝝ ꝯcurrūt
in tuſſi. Dicēdū ꝙ notū ē ex decla
raṫ q: q̄tuor actōes dicte de p̄mis ꝯcurrūt i tuſſi
nam in flatu cū ictu aliquali lacertoꝝ gule nō eſt
vox. in tuſſi eſt ictus fortis lacertoꝝ gutturis mo
uentiū ⁊ ſtringentiū cartilagineſ tres gutturꝭ ad
modū campane. Ideo fit vox ꝗ ⁊c̄.

Secūdo tu q̄res cui⁹ ꝑticule pectorali
um tuſſis ē paᵒ p̄nci^r. Dicēdū
ꝙ pulmonis nā pulmo ꝗuat⁹ coactus ē expelle
re nociuū ⁊ naturalis expulſiua pulmōis expetit
⁊ req̄rit motiuā aiatam lacertoꝝ vt adiuuet ipam
vt declaratū eſt in p̄nᵒ ca¹. opus n̄c eſt opus itel
ligētie 3ᵒ. de creti̇d. naꝫ illis lacertꝭ ieſt facere fla
tuꝫ aeris ſimplicē aliquoꝝ lacertoꝝ gule ⁊ nōdū
eſt vox ⁊ cū ictu forti lacertoꝝ gutturꝭ vt eſt dc̄m
ſtatim in p̄cedentib⁹ t̄ūc eſt vox q: illi lacerti mo
uent cartilagines gutturis ſtringēdo ad modū
campane.

Tertio tu q̄res tuſſis ē paᵒ ꝑ ſe vl' ꝑ colli
gantiā loq̄ndo ꝑ morbo deſcpto
Dicendū eſt ꝑ colligantiā venit q̄ꝺ venit nō ꝺꝫ
ſm̄ naturā ad pulmonē ⁊ ꝑtes eius puta mala q̄
litas cū maª vel ſine interdū eſt paᵒ ꝑ ſe q: lapiſ
ꝗnatus in ſubā pulmonis ꝑviam ꝯgeſtiōis a ca
lido reſoluente ⁊ exſiccante ideo cauſaṫ res nu
meralis p̄ter n̄am faciens malam ꝯpōnem: vt di
cit Ga⁹.4ᵒ.de inṫ.c.vltimo.

Quarto tu q̄res tuſſis q̄s morb⁹ eſt in
ꝗn̄e ⁊ in ſpē. Dicēdū ꝙ tuſſis i
ſe eſt malus motus ⁊ actio leſa expulſiue natura
lis pulmonis p̄nci^r q: expellit ꝗuata ⁊ coacta et
expellit cū malo ⁊ violēto motu coadiuta a moti
ua aiata lacertoꝝ vt dc̄m eſt ⁊ ad iſtā actiōem le
ſam expulſiue naturalis pulmonis q̄ ꝯſeq̄ṫ mor
bū deſcriptū imediate ꝯn̄r alia duo ꝺ poſſibili ac
cidēª i ꝗn̄e diſticta q̄ ꝯſequūṫ morbū mediate. q:
mediāte actōe leſa dicta puta q̄litas maª appꝑhē
ſa ꝑ ſēſū odorat⁹ ipi⁹ ⁊ aſſiſtēṫ puta fetor āhelit⁹
ipi⁹ tuſſiēṫ. 3ᵒ.de morᵒ.cᵒ.4ᵒ. Silr de poſſibili ē
accn̄s morbi dc̄m exiens mutatū ꝓ morᵒ deſcpto
tuſſis cōīṫ ē morb⁹ ꝯſilis ca.hu.f.⁊ ſicc⁹: cū maª
vel ſine maª poti^me qn̄ ē a cā extriſeca vl' a fumo
vel puluere ⁊ cōiter ꝯcomitatur morb⁹ in recep
taculo in ꝯcauo pectoris qn̄ eſt cū materia rōne
hu. fluxi ꝑ viam catarri.

Quinto tu q̄res ſi tuſſis ivolūtaª ſemꝑ ē
mal⁹ mot⁹ n̄c mala actio expul

ſiue naturalis pulmonis ⁊ ꝑtium vicinaꝝ. ⁊ videtur ꝙ non illud ex quo acquirit̃ ſanitas: non eſt malus motus ſeu accñs morbi: pꝫ q: iſtud pertinet actioni naturali: vt dicit Gaꝰ. 3°. de mor°. c. 5. circa finem. minor pꝫ in catarro facto fluxu aliq̄circa finem. minor pꝫ in catarro facto fluxu aliq̄ſi. q: tuſſiendo expellitur maª fluxa ſic curant̃ tuſſiendo ⁊ exſcreando ⁊ aliter ñ pñt curari. Item ille motus ſeu illa actio que fit a forti virtute non eſt malus motus nec eſt accñs morbi. maior: nõ eſt de ſermino: ptꝫ in bona criſi maͤ in pectoralibus i catarro ⁊ alijs paſſionibꝰ. tunc fit expulſio per naturã expulſiuã q: illi ineſt facere criſim. 3°. de creticis. In ꝯtrium eſt Raſ in ca°. aliter nõ daret curã. In ꝯtrium eſt Ga. 5. de morbo in capl'is ꝑmis. nã ponit tuſſim malũ motũ expulſiue naturalis pulmonis ⁊ partium vicinarum. Dicẽdũ ꝙ tuſſis inuoluntaª duplex eſt: q̄dam cuꝫ qua fit magna expulſio maͤ cũ alleuiatõne patientis ex q̇bus ſeq̇tur ſanitas ⁊ alleuiatio manifeſta talis tuſſis lꝫ ſit inuoluntaª non eſt malus motus expulſiue naturalis pulmonis nec motus talis dꝫ dici violentus ex quo ſeq̇tur alleuiatio ⁊ ſanitas q: h̄ fit ab expulſiua forti ⁊ ꝓ tũc ſana expellenti fortiter q: ſine flatu cũ ictu forti ⁊ voce nõ põt expellere: ⁊ ideo fortiter expellit q: eſt fortiter icitata: vt dictũ eſt ſupius. nõ tñ poſſumus negare q̇n i pectoralibꝰ ſit morbꝰ eiꝰ leſio aliq̄ꝝ virtutũ. h̄ ꝓ tunc expulſiua non eſt leſa quia aliter nullꝰ morbus curaretur ꝑ naturã ſil'r tunc exiẽs a pectoribus ſemꝑ eſſet accñs morbi vt expiens ꝯñs ⁊ falſũ 3°. ⁊ 6°. de morbo in pl'ibus locis ſpãliter in ca°. 5°. ⁊ eſt bene declaratum ſupius in ca°. de fluxu ſan. a naribus. ¶ Alia eſt tuſſis violenta cũ qua fit modica expulſio vel magna: nõ tñ eſt aliqual' alleuiatio ꝓpter q̇d talis ſemꝑ eſt malus motus ⁊ accñs morbi: ſic patet tibi ſolutio ad rõnes.

Sexto tu queres tuſſis quis malꝰ motꝰ eſt naturalis vel aiatus vl' vterq̄. Dicendũ ꝙ naturalis ⁊ aiatus: vt eſt declaratum ſupius ꝓpter q̇d non deſiſtimus q̄ñ volumus: ꝙ naturalis ſupat motũ animatũ in prioritate ⁊ ꝑncipalitate lꝫ aial ſuperet in maioritate: ꝓpter q̇d diuerſimode actores locuti ſũt de malo motu tuſſis quid magis attribuũt aiali: quid naturali malo motui ꝓpter intentiones dictas ſtatim.

Septimo tu queres cuiꝰ ꝟtut̃ tuſſis eſt nocuᵐ ſi tu petas d̄ tuſſi: vt eſt malus motus d̄cm eſt ꝙ ꝟtut̃ natural' expulſiue ⁊ motiue aiate. Si tu q̄ras de tuſſi ꝓ morbo deſcripto. Dicendũ: ꝙ regitiue naturalis puta digeſtiue ⁊ expulſiue mẽbri mandant̃ ⁊ recipientis: vt pl'ies dictum eſt intentione Gal'. iiͥ°. de ingenio. ca°. 2°. ⁊ 8°.

Octauo tu q̄res tuſſis cuius virtut̃ eſt paº ꝓ morbo deſcripto. Dicendũ: ꝙ expulſiue natural' pulmõis ⁊ ꝑtiũ vicinaꝝ ⁊ motiue aiate l lacertoꝝ īt'ra coſtas ꝓ malo motu eſt paº ſeu cã paſſiõis: q: accñs morbi põt eſſe cã morbi. 3°. de morbo ꝟtutũ ñaliũ cerebri ⁊ gule et venaꝝ pulmonis: interduꝫ crepant̃ final'r cauſat leſionẽ in partibus vicinis naturalibꝰ ⁊ motiuis animat̃ nõ bñ loquũt̃ nec bñ cantant.

Nono tu q̄res ſordities h̄uoꝛal' exñs i cõcauo pectoꝛ vl' in pellicl'a interiori coſtaꝝ ſicut in reumate fluxo ⁊ in pl'reſi ꝓuocant tuſſim q̄lit̃ ſubitrat cãnas pulmõis. Ga. 5. de int̃. c. 2°. i fine arguẽs ꝯ archigenẽ: videlꝫ ꝙ tal' maª ſubitrabat cãnas pulmõis attrahẽdo aerẽ ꝑ modũ dilatatõis pectoꝛ. vl' dũ q̇eſcit ab iſtiſ motibꝰ ſoluit Ga. i c°. 2°. dicto i fine: ꝙ maª ꝯcaui pectoris ſubitrat cãnas pulmõis dũ pectꝰ ꝯſtringit̃ q: ꝯſtrigẽdo ſe iponit ſordidũ expellẽdo a ſe i anul' pulmonis. nã q: ſunt duri ⁊ cartilaginoſi ad modũ circuli: iõ nõ claudũt̃ nͤ ꝯſtringũt̃ a capitibꝰ: ſic vene ꝯſtringũt̃ ⁊ expulſiua expellit ſm ꝯſtrictionẽ lateralẽ mẽbri. vt declarat gaꝰ. 6. de int̃. c° vlti°. declarãdo i gomorrea: ⁊ maª ſordida pectorali ſubintrãs cãnas pulmonis ꝑ ꝯſtrictõꝫ pectoris ḡuãs ipm pulmonẽ cogit ⁊ cohibet ipm pulmonẽ expellere cuꝫ forti conatu ⁊ flatu.

Iſtis clarificatis Cura tuſſis tibi pateſcat Prius aũt ꝙ in cura ꝓcedas ſcire ⁊ ꝯſiderare oꝫ cãꝫ talis tuſſis an ſit mala ꝯ° cũ maª vl' ſine i ipo pulmone ⁊ ꝑtibꝰ vicis. ⁊ ꝯſiderare oꝫ an tal' maª tuſſis veniat ꝑ viã catarri a ſupioribꝰ: vel ḡñet̃ ibi tuſſis ꝓ ꝑte: vt in ſenibꝰ aliꝗ̄ invenit a lapide ḡñato in pulmõe: vt dicit Gaꝰ. 5. de int̃. in c°. vlti°. aliq̄ñ venit ⁊ ꝯcomitat̃ piploᵃᵐ pl'reſ ptiſim iſra dicemus ſuo lo°: q: h̄ ſolũ ꝑnciꝑ intendimꝰ d̄ cura tuſſis q̄ ſit a mala ꝯͤ pulmõis ſine maª vel cũ maª veniẽte ꝑ viam catarri. ¶ Sil'r ſcire ⁊ ꝯſiderare oꝫ ꝙ talia tuſſim ḡñant q: pungũt ⁊ mordẽt pulmonẽ ⁊ ꝑtes eiꝰ ex q̇bus icitat̃ expulſiua eiꝰ ⁊ cũ motu forti cãm eiꝰ expellat. Intẽtio ḡ curatiã duplex eſt circa q̄litatẽ ⁊ materiã fluxã vt ſedet̃ coꝝ pũctio ⁊ mordicatio. ⁊ ꝑ ꝯñs reducat̃ ad mediũ ſic ceſſabit tuſſis: vt dicit Serap. ꝑmo ſuoꝝ ſimplicium q: ceſſabit illa punctio ⁊ incitatio expulſiue natural': iſtud facimꝰ cum dieta cibi ⁊ potus ſm ꝙ materia eſt ⁊ cum pil'l'is de gũmi dragaganti ⁊ alijs detentis in ore: vt dicetur. ¶ Alia intentio

curatiua erit talem fluxū materie ſiſtere ipſam in-
groſſando: q: rōne ſubtilitatis magꝭ fluit ⁊ vias
illas ſtringēdo quodāº qᵭ facimus cū dieta ad h
vel cū gargariſmis ⁊ pill'is q̄dāº ſtipticꝭ: vt diceꝰ
¶ Si quis tuſſim ex mala ꝯplone cal'a p'lmōis
ſine maª habuerit qᵭ pateſcit: q: ſitibūdꝰ cū ma
gnitudine anhelitꝰ ⁊ pulſus tuſſis aſpa ⁊ ſicca ni
hil ſpuendo ⁊ rubore ⁊ calore facier: vt ꝯtingit q̄
buſdam colericis macilentꝭ habentibus tuſſim ⁊
vocē aſperā ad modū gruis ⁊ auiū hn̄tiū longū
collū. vt eſt dictū intentōe Raſ in caº p̄cedēte in
ſuo ꝯtiᵉ. Iō ponit aui. 3º. cañ. in tractatu de voce
dieteꝰ ē friis ⁊ hūidis: puta ē ſpinargijs ⁊ lactucꝭ
⁊ potet de ptiſana ſimplici. vel ſe. papa. albi vl' a-
quā bn̄ friam: vl' potet de iulep vel de ſirº viol': vel
ſirº roſ cū vno cocleari. p̄t facere vnā taceā aque
plenam pulis vtatur ⁊ extremitatibꝰ porcoꝝ ⁊ fru
mēto in potagijs ⁊ cucurbitꝭ teneat in ore de iſtiſ
pill'is. ℞. ſucci liq̄r. ℥. iiij. ſe. cucurbite citrulli por
tulace añ. ℥. i. ß. ꝯfice cū muſcilagine pſilij ⁊ mo-
dico albuminis oui fiāt pill'e teneāt i ore p pauſaꝫ
in fine tranſglutiat ⁊ inūgat pectꝰ ⁊ collū ē h vn
guēto. ℞. olei viol'. lb. ß. iuiubar. ſeu infundaꝰ p
pauſam in muſcilagine pſilij: vel in aqua lactu-
ce addatur cere quod ſufficit: fiat vnguētū liq̄dū
¶ Et ſi q̄s tuſſim ex mala ꝯᵉ ſicca pulmōis ſine
maª habuerit: qᵭ pateſcit. q: ſine ſputo ⁊ ſine ru
bore ⁊ calore faciei ⁊ ſiti magꝭ: ⁊ ſine vehemēª ⁊
magnitudine anhelitus: yº ē cū q̄dam paritate ⁊
ꝯſtrictōe ⁊ alleuiaꝰ ex ſorbitōe amidi clari bn̄ co
cti ⁊ apud comeſtionē ⁊ potū vini mltū liphati ⁊
apud ſomnū ⁊ tuſſis fit fortiꝰ tp̄e famis: vtaꝰ ol'o
amigᵭ dulciū cuꝫ oleribꝰ. vtaꝰ iulep ſtati dicto et
pill'is ſtati dictꝭ. iſtaſ teneat in ore ſepe reficiatur
cū cibo ⁊ potu vini mltū limphati ⁊ alijs iā dictꝭ
¶ Et ſi q̄s tuſſiꝫ ex cauſa duplici iam dicta i pul
mone habuerit: vtaꝰ iam dictꝭ arbitrio tuo cōttaꝰ
¶ Et ſi q̄s tuſſim habuerit ex maª acuta colerica
vel ſalſa deſcēdēte a capite p viam catarri ad ip̄ꝫ
pulmonē: qᵭ pateſcit. q: ᵭ nocte poſt ſomnū ma
gis gͣuat ip̄m ⁊ qᵭ exſpuiꝰ q̄ñq; ſentiꝰ ſalſuꝫ q̄ñ
q; acutū. ⁊ ſi in p̄nº tal' tuſſis fuerit ꝯſiderāº p̄nᵐ
reſpectu digōis maᵉ qᵭ expuiꝰ paucū: ⁊ ſubtile
quia cum materia adhuc ſit ſubtil': nō pōt capi a
ṽtute expulſiua pulmōis donec fuerit inſpiſſata
⁊ ad mediū reducta in ſuba. Iſti tales ex labore
tuſſiendi ⁊ ex acuitate maᵉ ſunt in p'icl'o ptiſicādi
ꝓpꝰ qᵭ talis tuſſis nō eſt p'uipēdēda nᵉ p modi
co ē hn̄da cū q̄ples ſic ptiſiceꝰ. Intētio ḡ duplꝭ
curatiua ſupius dicta mēti eſt mltū tenēda. Pri
mo circa materiā fluxā vt igroſſeꝰ in ſuba ⁊ i q̄li-

tate ⁊ q: ſic ceſſabit pūctio ⁊ inſultatio tuſſis hoc
vult Serapio p̄mo ſuoꝝ ſimpliciū in caº de medi
cinis ſedātibꝰ tuſſim. Iō ſaꝭ ponit ga. 12º. de igeº
caº p̄º in fine. vbi adminiſtrabat fria ⁊ ſomnifera i
fortiſſima tuſſi: vt maª ingroſſareꝰ ⁊ tuſſis ſeda-
reꝰ. ¶ 2º. circa materiā fluentē ne fluat qᵭ fiet ip
ſam igroſſando q: igroſſaº reſiſtit fluxui vias ali
qualꝭ claudēdo oia iſta fiūt cū cibo ⁊ potu pill'is
deteñꝭ in ore ⁊ gargariſmis. vt ſtati patebit. ¶ Si
quis ḡ talē tuſſim habuerit: in p̄mis diebꝰ dieteꝰ
cū carnibꝰ electꝭ riſi: ordeato: amido: ⁊ auēato ſpi
nargijs cū lactucꝭ bn̄ coctꝭ: ⁊ vino groſſo liphato
cū aq̄ tepida tp̄e frio. coctanis coctꝭ: piris coctis:
paꝝ dormiat: ⁊ cena ſua ſit modica de ordeato vel
amido vel riſi cum modico zuccari ⁊ modico co
ctani vel piri ſine zuccari. Et q: talis maª eſt cal'a
⁊ fluit a capite p viam catarri calidi purgeꝰ priº
cū caſſiaꝭ ꝯmuni quaꝫ recipiat in ortu ſolis ⁊ q̄e
ſcat in lecto p tres horas an̄q̄ comedat. ℞. pru-
noꝝ damaſcenoꝝ paſſ mūᵭ ab arill' caricaꝝ pin
guiū iniube ſebeſten. añ. p. ß. fiat decoctio in dua
bus. lb. aque vſq; ad. lb. i. in q̄ diſſoluatur caſſieꝭ
℥. i. ⁊ ß. fiat potus. Conſeq̄nter die ſequēti fleōtur
de cephaᶜª q̄ non inuēta de mediana in bona q̄n-
titate ⁊ ſumat ſirupū de papa. limphatū cum aq̄
decoctōis roſaꝝ: ⁊ potādo gargarizet in fine per
pauſam: ⁊ ſumat de dyadragāto frio: vl' de diapa
pauere pluries in die ⁊ nocte ⁊ teneat in ore ᵭ pil
lulis albis ſm̄ intētionē Mebeᶜ q̄s tenēt apotheᶜ
ꝯmuniter factis de amido ⁊ gūmi dragagāᵗ ⁊ a-
rab. cum zuccaº diſſoluaꝰ in ore ⁊ ingroſſant ali
qualꝭ materiā fluxam ⁊ reprimūt eius acuitateꝫ
⁊ claudunt vias rōe amidi: ⁊ ſic ſedant tuſſim ali
qualꝭ. ¶ Recepta cōis eſt iſta. ℞. muſcill'. gūi
dragagāᵗ. ℥. i. muſcilagꝭ. gūmi arab. ℥. ß. gūme diſ
ſoluaꝰ in aqua roſ p duos dies ⁊ inde muſcilagꝭ
extrahanꝰ. amidi. ℥. ij. zuccari candidi q̄rꝭ. i. paniſ
zuccᵗ q̄rꝭ. ß. ꝯquaſſenꝰ omīa in mortario: et fiant
pill'e que exſiccenꝰ in ſole vel ꝓpe ignē. Iſte pil
lule ꝯpetenter valent in p̄ncipio tuſſis de cā cal'a
⁊ de fria cauſis iā dictis. Vel teneat in ore de pil
lulis bichijs que ſunt magis fortes quas ponit
Raſis 9. almanſoris. ¶ ℞. ſucci liquirꝭ zuccari
albi añ. ℥. x. amidi: dragaganti amigᵭ dulcium ex
corticꝭ añ. ℥. vi. formentur pillule cuꝫ muſcilagine
pſilij: et ſeminis citoniorum. Iſte pillule magis
ingroſſāt materiā fluxaꝫ ⁊ magis reprimūt eius
acuitatem et punctionem ⁊ claudunt vias ratio-
ne amidi in bona q̄ntitate ⁊ muſcilagꝭ. ſe. citonio
ruꝫ. Vel teneat in ore de iſtis pill'is que ſunt for
tiores in iſto caſu poſitis a Raſi in ſuo cōtinēte.

¶ ℞. amidi dragaganti amigd᷒ dulciũ excortic̄ꝫ fabaꝝ excortic̄ ſe. papa. albi ꝛ cortic̄ ei᷒. gũmi a-rabici boli armeᶜⁱ añ. ʒ. ij. ꝯficiãtur cũ muſcillagi ſe. pſillij ꝛ ſe. citõioꝝ qd᷒. ſ. formẽtur pill'e ad mo dum lupini. Iſte pill'e ingroſſant maᵃᵐ fluxam ꝛ ſtringũt magis vias gutturis: ꝛ ſic preſeruant caſum ꝛ fluxũ materie ad pulmonẽ. ¶ Advltimuꝫ ſi cũ iſtis non curent̃ reiterent̃ caſſiaꝝ ſupius d̄ca ꝛ vadat ad balnea Raſ vult ꝙ ſumat de iſtis pil lulis ꝛ tranſglutiat in introitu lecti: mihi nõ pla-cent. ℞. thurꝭ maſtic̄ ſucci liquiꝛ añ. ʒ. ij. mirre o-pij croci. añ. ℈. ij. fiant pill'e de quibus tranſglu-tiat duas aut tres qñ intrabit lectuꝫ Raſ vult ꝙ ſi iſtud reuma acutum colericũ ledens pulmonẽ cũ talib᷒ non ceſſet ꝙ cauteriſet ſup ꝯmiſſura ca pitꝭ cũ cauterio actuali ꝛ cutellari vt maᵃ tal' con ſumat̃ q̄ ꝯtinue fluebat ꝛ gñabat̃ in capite ꝑ ti-more ptiſis ¶ Si q̇s tuſſim habuerit ex maᵃ fria hũida deſcendẽte a capite ꝑviam catarri ad ipm pulmonẽ qd᷒ pateſcit q: de nocte poſt ſomnũ ma nifeſtat cum ꝛ qd᷒ exſpuit̃ in prin᷒ eſt paucũ aq̄-ſum ſine aliquo ſapore eueniens poſt coriſaꝫ vl' catarrũ. In cura huius intentões curatiue ſupi᷒ dicte ſunt ex intento ꝯſiderand᷒ primo vt maᵃ flu-xa ingroſſet̃ in ſuba: vt facilius expellatur ꝛ vt re primatur in eius qualitatib᷒ vt pulmonẽ nõ mor deat nec pungat nec incitet ad expellenduꝫ cum illo motu violento q̄ d᷒ tuſſis. ¶ 2°. vt mateᵃ nõ fluat ad pulmonẽ a ſupioribus qd᷒ fit ip̄am ma-teriã ingroſſando ꝛ vias ad inferius claudendo Iſta fiunt cuꝫ cibo ꝛ potu dictis in cura tuſſis de materia calida ꝛ pill'is ꝛ electuarijs dictis in cu ra illius ¶ Finaliter oĩa que dicta ſunt in cura illius valẽt in cura tuſſis de maᵃ frigida dempta ſtõia q̄diu ſputum eſt ſubtile ꝛ paucũ. nam ad-ueniente ſputo groſſo vel viſcoſo iſta oĩa medi cinalia q̄ dicta ſunt in cura tuſſis de maᵃ cal'a no cerent notabil'r. naꝫ tunc indigemus inciſiuis ꝛ ſubtiliatiuis vt maᵃ illa fluxa in cõcauo ꝑectoris expellat̃. Sumat ḡ tunc caſſiãꝝ dictam: vel ſi ne ceſſe fuerit. ʒ. ij. ꝛ ß. maſſe. pill'aꝝ cochiaruꝫ talia poteſt ſumere incipiẽte ſputo aliqual'r ingroſſa-ri ꝑcedente ſirupo de papauere: vel nõ ꝑcedente Et ſi tuſſis minoratur cũ ſereatu ꝯpetẽti ꝛ igroſ ſato vtatur ſero ꝛ mane de decoctione ficuũ iuiu-be ſebeſꝭ cum yſopo ꝛ capilli ve. vel ſumat de de coctione calida yſopi cum ſaꝭ de zuccara vel fiat ſibi mellicraton de yſopo ſic. ¶ ℞. yſopi recenti m. ij. mell' albi deſpumati. ʒ. iiij. fiat mellicraton bene clarificatum ad. lb. i. ꝛ ß. nam iſte potus ab ſtergit cum quadã inciſione maᵉ partes pecto-rales. Ga. 13°. de ingenio. ca. 4°. in maᵃ igroſſata ꝛ fluxa i pectoralib᷒ vtebat̃ mellicrato cũ modi-co cala' yſopi rad᷒ yreos: ꝛ qñ maᵃ erat multũ in groſſata cũ quadã viſcoſitate ponebat de pulue-re radic̄ yreos in tali mellicrato. Electuaria q̄ va lent ad h̄ ſunt dyayſop. dyapraſſiuꝫ. Aliq̄ faciunt pill'as capiunt duas partes zuccari ꝛ tertiã par tem carnium rad᷒ yris tenent in ore. ¶ Si q̇s tuſ-ſim habuerit ſine catarro manifeſto ex mlta ma teria ſbtili flãᶜᵃ in pectoralibus ibidẽ fluxa ꝑviã reſudatõis ꝛ catarri a ꝑtibus vicinis ꝛ ſupiorib᷒ ꝛ ibidẽ gñata ex debili digeſtiua pulmonis et ꝑ-tiũ aliaꝝ: vt ꝯtingit in ſenibus a ſenio ꝛ mlt̄ꝭ alijs ſtãtiq̄ in ꝑma ꝛ 2ᵃ. ſenectute. talis vtat̃ yſopo recẽ ti cocto cũ carnib᷒ cũ mag̃ q̄tiᵉ ꝛ ſumãt de deco-ctõe bñ cal'a cũ ſaꝭ de zuccaro. vel vtat̃ de melli-crato facto cũ yſopo ꝛ modico cala' purgent̃ cũ caſſiaꝝ cõi dicta. vel cũ yeraruſini capiãt d᷒ metri dato cũ modico vini tepidi i aurora l' ꝙ comedãt ꝑ ſe in q̄tiᵉ caſtanee ſumat de duob᷒ dieb᷒ i duo bus dieb᷒ tpe frio maxie pluuioſo. vtat̃ dyatrion pipeon tyriaca ſeniũ eſt. vt dic̄ ga᷒. 4. ꝛ. 6. de regi mie ſanitaꝭ. dyaiſopo dyapraſſio dyayrꝭ ſalomõiſ Raſ laudat ꝙ potẽt in introitu lecti mediũ vitrũ hui᷒ decoctõis. ℞. rad᷒ lilij rad᷒ yreos añ. p. i. yſo-pi ſicci. m. ij. ficuũ albaꝝ ſe. fen' ſe. apij ſe. rapha-ni ſe. vrtice ſe. naſturcij piperis longi añ. ʒ. i. con-quaſſentur ꝛ inuoluant̃ in panno lineo ꝛ cũ alijſ decoquant̃ vl' facias de iſtis mellicratõ cũ q̄reᵒ i. lb. mell' deſpumati quo vtantur ſero ꝛ mane te-pido. Potes facere vnã ꝯfectionẽ cũ melle d᷒ iſtiſ ſeminib᷒ cũ pipere. ℞. ʒ. ß. de quolꝫ mell' deſpu-mati qd᷒ ſufficit. ¶ Nota tñ: ꝙ in ꝑma ſenectute cõiter incipit multiplicari ſubtile in concauo pe ctoris ꝛ in canalibus pulmonis cauſis iam dicꝭ faciens ſonitum gurgulationẽ al'n dormiendo ꝛ iacẽdo quo in poſterũ multiplicato: puta i ſenio ꝑvices facit tuſſim ꝭ ſiccam cuius curam diximus ¶ Curam talis gurgulationis tu facies vitando potum inter duas comeſtiones: ſpãliter poſt ce-nã: ꝛ ꝯvtãt̃ ꝑ īteruálla brodio galline vel capõis farcitoꝝ ꝛ allijs ꝛ vuis ꝛ yſopo ꝛ vtantur quibuſ dam diebus ꝑ interualla de decoctione ſtatim di cta de radic̄ lilij yreos ꝛ yſopi ꝛ alijs dictis. Uel de confectione illoruꝫ ſe. dictorum cum melle ca-piatur de mane ꝛ ſero in quãtitate caſtanee ſine potu vel ꝙ ſumant de metridato poſt cenam per quattuor horas et de mane per ſe in quãtitate a-migdale. vel cum modico vini. Et non des aurẽ dicentib᷒ ꝙ metridatũ non debet capi niſi ſemel in ſeptimana: quia pueriliter locuti ſũt, ꝛ contra

Hebē͛ in paſ.fri.capitis ⁊ in tremore qui ꝯſulit ꝙ capiant quolibet die:⁊ in metridato nihil intrat niſi alteratiuū diſcraſie frie:in capite ⁊ i ꝑtibus ſupiorib⁹ ⁊ ꝑncipalib⁹:⁊ nō excedit ſm gradū caliditaꝫ ſicut ⁊ tyriaca:vt ponit Aui. in de viribus cordis in fine. Et iſta tibi ſufficiant ꝓ cura hoꝝ in ſeq̄ntibus dabim⁹ curam tuſſis in ptiſis.

Capitulum.56m.de aſinate.

Uꝫ aliq̄s aſſidue patiṫ tuſſim ⁊ aerem attrahit queādmodū fit p⁹ curſū aut poſt vehementē motū ⁊ cum iacet ſupinus eſt ei deterius ſed cū ſedet eſt ei melius. De coctio ei danda eſt que. ℞.ficuū citrinaꝝ.ʒ.io.dactiloꝝ maiorē hūiditatē habētiū ſe.apij ſe. feniculi capilliſue.liq̄ritie yſopi praſſij oiꝫ an̄.ʒ.v.coquātur in trib⁹ libris aq̄ dulcis donec redeāt ad vnā ⁊ coletur de hac vō decoctiōe tribus diebus egro in potu tribuaṫ cum pōdere duoꝝ aureoꝝ huius cōfectionis que.℞.ſucci liq̄ritie yſopi capilliſue.oīm an̄.ʒ.io. cordumēi piperis amigdalaꝝ amaraꝝ ariſtologie ro.ſeminis vꝛtice oīm an̄ .ʒ. v.mellis deſpūati qꝺ ſufficit. Hec em̄ cōfectio ſupfluitates que ſunt in pectore mirabiliter expellit et ē optima dāda eſt itaqꜫ ꝑ ebdomadā vnā cōtinuo.deinde eger poſt ꝙ̄ comederit ſinapim ⁊ mel vomere cogendus eſt:⁊ vēter ex his pillulis ſoluēdus que recipiūt agarici grana ordei.xviij.coloq̄ntide interioris grana ordei.vi.elacterij g̅na.iiij.ſucci liq̄ritie.ʒ.ß.fiāt ex eis pillule ⁊ ſufficiūt ad doſim vnam. Poſtq̄ hoc qꜫ iterū redeat ad bibendā confectionē ſumendā ⁊ poſtremo ad vomitū ⁊ ventris ſolutionē vt ꝑus.hoc faciendū eſt donec eger ſanitati reſtituaṫ. Interī tamen a cibis groſſis ⁊ ſtipticis ⁊ acetoſis abſtineat.

Caſmate id eſt de egritudine pulmonari ex q̄ fit offēſio duritics āguſtia anhelitus cū cantu ſeu ſonitu pauco l'multo nā aſma grece:idē eſt ꝙ cant⁹ latine.Dicit ſymon ianuēſis in ſuis ſynonimis. Un̄ Ga⁹ in ſuo paſſio° ca° ꝓꝓo dicit reſpirātes velut currentes ab aduentu.q꞉ cū cantu anhelant vocant aſinaticos.ſic iſta paſſio deſcribiṫ ab actiōe leſa ꝯditionata:quia a malo anhelitu cum cātu ⁊ ſonitu aliq̄li. Ergo nō:ꝙ iſta paſſio deſcꝑta que aſma vocaṫ duplex ē ꝓprie dicte ⁊ largo mō dc̄a. Qꝺ diſnia vocaṫ.aſma,ꝓꝑe dc̄m ꝓ mor° deſcꝑo ē pa° pulmōis ſm q̄libꜫ ei⁹ ꝑtē ꝑnci͛ cū duri͛ et anguſtia ⁊ freq̄ntia anhelit⁹ attrahēdo anhelitū vel expellēdo vl'vtroꝝꜫ modo cū cātu ſonitu ⁊ tuſſi aliq̄li:ꝑpter qꝺ actores dixēt tres eē ſpecies aſmaꝫ:⁊ i ħ curā diuiſificauerūt in aliq̄ vi dicetur verū talis pa° ſeu maliͣ anhelit⁹ cōter mag̃ fit i attrahēdo anhelitū ꝙ̄ in expellēdo vt vult Raſ in ca°.q꞉ canne ſeu pēne ſpi͛⁹ pulmōis nō pn̄t bn̄ libere dilatari cā mltiplici vt diceṫ. ¶ Ulteri⁹ nō ꝙ cā anhelitus mali ſeu aſmaꝫ cōplēs ſūt ponit Ga⁹.4.de int̄.caplīs vltīs. Jꝺ ponit Aui.i.ʒ.can̄ Una cauſa ⁊ mag̃ cōis ſunt hūores groſſi viſcoſi in canalib⁹ ⁊ pennis pulmonis ꝓhibētes eaꝝ dilatōeꝫ rōne viſcoſitaꝫ:⁊ ſic anhelit⁹ offenditur in attrahēdo aerē:⁊ eaꝝ ꝯſtrictōeꝫ rōe q̄ſitiei humoris īterpoſiti.cum q̄ cōcomitatur q̄lis ventoſitas ex natura humoꝛiſ:⁊ ſic anhelit⁹ offenditur i expellendo aerē vtroqꜫ modo:ſ magi ſm ꝙ maͣ mag̃ peccat in viſcoſitate vel groſſitie ad qꝺ bn̄ intendimus in cura. Alia cauſa q̄ rarius accidit ſunt humores q̄ imbibunṫ exteri⁹ in ſupficie poroſa pulmonis ⁊ rara rōe cui⁹ mollicīei ⁊ ꝯpſſionis pulmo libere:⁊ bn̄ nō pōt dilatari ſic anhelit⁹ offendiṫ i attrahēdo aerē.oēs iſti hūores veniūt ꝑ viā catarri ꝑ ꝯcauitatē ⁊ cānas pulmonis:vl'ꝑ ſupficiē extremitatū. Interdū tn̄ aliq̄ portio ma͛

cadit ſup capita lacertoſa dyafragmatꝭ q̇ lacerti
faciũt ad dilatatõez pectoris.4°.de inꝭ.c.penul
ti°.de mali[a] anhelit⁹ q̇bus leſis ledit̃ ip̃a dilata°
⁊ ꝑ ꝯñs attractio anhelit⁹. Uel veniũt hũores a
ꝑtib⁹ vicinis.nã deterior anhelit⁹ fit iſtis duob⁹
modis:qñ ſpaciũ pulmõis replet̃ catarro a capi-
te deſcẽdẽte:vl' a ꝑtib⁹ vicinis fluẽte.vt ga⁹ i eod̃
ca°. ¶ Alia cã ſũt hũores colici vl' ſanguinei i ar
terijs pulmõis cũ portõe vẽtoſitatꝭ tẽdentꝭ ⁊ ſpaſ
mantꝭ arterias ⁊ pẽnas pulmõis ꝑ modũ thetam
ꝓpt̃ qd̃ pẽne ei⁹ libere nõ p̃nt dilatari nec ꝯſtrin
gi.iõ anhelit⁹ vexat̃ vtroq̈ modo. Neq̈ magiſ in
attrahẽdo iſtã cãm ꝯcomitat̃ tremor cordis in ꝓ
ceſſu por[l]:vt recitat ga⁹.4°.de inꝭ.i ca°.vlti°. i fi
ne narrãdo cãm:ãth̃ numerõ me[c1] paciẽtꝭ caſu veri
vẽtoſitas ꝯmixta ẽ maior cã offẽſiõis anhelit⁹ ꝙ̃
ma[a] ꝓpt̃ tẽtionẽ dictã:h̃ magiſ explicat Aui. Iſta
talis cã venit ſil'r ꝑ viã catarri ab arterijs cerebri
cũ iſtaſtat ſputũ modicũ i fine vez cũ iſta p̃t ꝯcur
rere alia cã dicta hñt al'n h̃m plus ⁊ min⁹ de ſpu
to qñ liberãt̃ a ꝑoxiſmo:nã q: cãe iſte veniũt cõi
ter ꝑ viã catarri ⁊ flux⁹ Iõ aſma cõit̃ ꝑoxiſmat in
q̃rtale ãni:vl' i mutatõe tp̃is mag̃:q: ma[a] ꝯgrega
tur ꝑ tp̃s i cerebro ⁊ fluit ꝑ tp̃s ad ꝑtes pulmõis
iſte cãe digſcũt̃ in ſe ex mltor ꝑuo ſputo:⁊ ex tre
more cordis ꝯcomitãte. ¶ Alia cã p̃t eẽ frĩas ac-
q̇ſita i pulmõe ab aere extriſeco:ſic fit i trãſeũtib⁹
ꝑ mõtaneas frĩas ⁊ niueas.nã pl'mo ita ifriat̃:ꝙ
dilatari nõ p̃t ſufficiẽt̃ ex ſe n[c] rõne ꝑuũ[l] pectora
liũ q̇ ſil'r reducũt̃ in ſuo motu ꝓpt̃ eãdẽ cãm ḱap̃
c°.de niue fac̃ magnã mẽtõez d̃ h̃. Raſ i ſuo ꝯti[c]
addit vnã aliã cãm quã ſil'r põit aui.i 3°.cañ. dic̃:
ꝙ p̃t fieri ex ſola vẽtoſi[c] i pulmõe ⁊ ꝑub⁹ ãhelit⁹
ꝓpt̃ quã pl'mo nõ p̃t bñ dilatari n[c] ꝯſtrigi. Iõ of
fẽdit ãhelit⁹ vtroq̈ mõ:nã põt ſubito gñari:ſic vi
dem⁹ i tibia qñ hñt rampã ſeu ſpaſmũ ventoſum
Dicit̃ aſma ꝓpe ſeu diſnia qñ eſt mali[a] ãhelit⁹ ſi
ne cãtu ⁊ ſonitu ex nocu° lacertoꝝ ex̃ coſtas vl' in
fra mouẽtium pect⁹ i anhelitu. vel ex ſolo nocu°
in lacertꝭ velamis:puta dyafragmatꝭ q̇ faciunt ad
dilatatõez pectorꝭ vt ẽ dc̃m: q̇ interdũ ledũt̃ ⁊ re-
lapãt̃:vt fuit i ſeſido medico rõno. Idõ nõ poterat
bñ ãhelare niſi ſtrigeret ſe: ⁊ ſonaret ſe fortiter ſ̃
dyafrag̃:vt recitat 4°.d̃ inꝭ.c.8. Uel fit tal' mali[a]
ãhelit⁹ a replectõe ſtomachali pon[mc] motu forti
ſupueniẽte opp̃mente dc̃m dyafrag̃.⁊ ꝑ ꝯñs pul
monẽ ſine ma[a] i cãnis pulmõis vl' pẽnis:vl' fit a
fumo frio eleuato a m̃rice rõe ſꝑmatꝭ retẽti nã ſꝑ
ma recẽs acceptat ⁊ h̃z ñam veneni fri.6.de inꝭ.
nã tal' fum⁹ frigid⁹ eleuatus ꝯp̃mit ⁊ opp̃mit ſeu
ſpaſmat ſeu tẽdit ip̃m in dyafragma ⁊ ꝓhibet eius

motũ.⁊ ꝑ ꝯñs motũ pectorꝭ ⁊ ãhelit⁹:ymo videt̃
mortue.6.de inꝭ. Uel p̃t eſſe talis mali[a] anhelit⁹
ex apãte ⁊ vlcere pulmõis:vel ex lapidibus gñatꝭ
in pulmone.4.de inꝭ.c.vltimo circa finem.

Primo tu q̃res cui⁹ ꝑticl'e aſma ẽ pa° ꝑn
cipal'r. Soluit lr̃a.4.d̃ inꝭ.ca.vl-
timis:ꝙ i vo aſmate cãne pulmõis cõit̃ ꝑnci' pa
tiũt̃:vt ẽ declaratũ in p̃n° capl'i.q̃lit̃ nec quõ h̃ fit
in nõ vo qd̃ diſnia vocat̃ patit̃ pulmo ſil'r h̃ nõ ex
ma[a] in ei⁹ cãnis.nec ſuba:n[c] venis exñte h̃ patit̃
ad paſſionẽ mẽbroꝝ faciẽtiũ ad ei⁹ motũ l' ipediẽ
tiũ ei⁹ motũ Iõ,ẽ ſine ſonitu vocatur diſnia cõiter

Secundo tu q̃res cũ pl'mo attrahat
aerẽ ꝑ ãhelitũ ⁊ expellat q̃
lit̃ h̃ fit. Soluit lr̃a ga.tacite tñ. 7.de iuuamẽ.ca°
p̃°.nã lz exteri⁹ pl'mo ⁊ cãne ei⁹ iuoluãt̃ qd̃ pelli
cula ad modũ camiſie q̃ fit ſenſus nũc i tuſſi dc̃m
ẽ:interi⁹ tñ h̃z coopto:iũ villoſũ ligamẽtoſũ cũ fil'
lõgis ⁊ latꝭ cũ q̇bus fit melior attractio anhelit⁹:
⁊ expulſio ⁊ vltra h̃ h̃z raritatẽ in ſui ſuba:ſic ſpõ
gia rõe cui⁹ attrahit ⁊ reſpicit aerẽ ab exterio:ib⁹
ſic ſpõgia ſuggit aquã rõe ſpõgioſitatꝭ. iõ pl'mo
ſuggit aerẽ extrinſecũ. Et ſup h̃ nõ:ꝙ illd̃ coopto
riũ villoſũ qd̃ dc̃m ẽ ip̃i⁹ pulmõis ⁊ cãnaꝝ ei⁹ nõ
h̃z motũ:n[c] ortũ a cerebro.h̃ ẽ in pl'mõe a ſui cre-
atõe ꝓpt̃ qd̃ mot⁹ illoꝝ i ãhelitu ẽ ñal' nõ aĩatus:
Ita dicẽdũ de villis ſto[l] iteſtinoꝝ m̃ricq̇ veſice epa
tis ſplenis ⁊ mltoꝝ alioꝝ mẽbroꝝ: vt dic̃ ga.2.de
ꝯpl'õib⁹.ca°.4.q̇b⁹ attractia ⁊ expulſiua ñal' ip̃o
rũ opat̃ meli⁹:⁊ fac̃ motũ ſuũ ñalẽ ſecluſa motiua
aĩato ſp̃us cerebri ꝓpter qd̃ ois v̇tus naturalis
d̃: motiua naturalis.5°.de morbo.c.p̃°. circa p̃n[m]

Tertio tu q̃res aſma ꝓpe dc̃m ẽ pa° pul-
monis ꝑ ſe vl' ꝑ colligantiã. ſoluit
raſ i ſuo ꝯti[c].ꝙ aſma qd̃ vẽit paulati ẽ vitio ꝓpo
pl'mõis:q: a mala ꝯ[c] frĩa nõ p̃t bñ digerere nutri
mentũ ⁊ i pauc̃ dieb⁹ puta i duob⁹ vl' trib⁹ mẽſib⁹
pulmo iplebit̃ hũiditatib⁹:qd̃ ſepe accidit decre
pitꝭ qñ accit ſubito vt i pauc̃ dieb⁹ fit ꝑ colligãtiã
cerebri vl' ꝑtiũ vicinaꝝ totũ fit ꝑ viã catarri. Ideo
cõit̃ aſma ꝓprie dc̃m: lz ſit pa° cronica q: ſꝑ rẽma
net aliq̇d de veſtigio.eſt tñ ꝑoxiſmal' ꝓpt̃ cãm di
ctã in p̃n° ca[l]:q: vno tp̃e ꝯgregat̃ in mẽbro mã
dãte alio tp̃e expellit̃ fortit̃ ꝑ modũ catarri ad ip
ſum pl'monẽ:lz ꝯti[c] fiat aliq̃lis fluxus ad ipſum.

Quarto tu q̃res q̃re aſma eſt pa° ꝑoxiſ
mal'. Solutũ ẽ intelligẽti q: cõ
muniter fit ꝑ viam catarri: vt eſt bñ declaratũ ꝙ
ꝯgregatur vno tp̃e: ⁊ alio expellitur.

Quinto tu q̃res q̃re g̃ in oi reumate q̇s
nõ patit̃ aſma. Dicẽdũ ꝙ cata

tilati:q: maᵃ nõ ſp̄ h̄z viſcoſitatẽ nᶜ groſſitiẽ ꝓpt̃ qđ nõ remanet in cãnis ⁊ pẽnis pulmonis: ſ; cadit ſui ſubtilitate ad ↄcauũ pectorꝭ. iõ i reumate cõit̃ maᵃ eſt ſubtilis in pinᵒ:aliter nõ caderet ex cauſa facili ⁊ modica. Jdeo ꝓhibet̃ ſirupatio in q̃ errant moderni medici.cõiter om̄es.

Sexto tu q̄res aſma ꝑ morᵒ deſc̄pto q̄s morbᵒ ẽ p̄ncī. Dicẽdũ ꝙ officiq.q: in receptaclo ⁊ i via ↄcomitatie ẽ cõſilis:q: mala h̄ũida cũ maᵃ i ſe ãt eſt mala actio motiue ñalis pulmonis. aſma aũt largo mõ dictũ põt eſſe multiplex morbus in ꝑtibus diuiſis:vt ſtatim dictũ ẽ.

Septimo tu q̄res aſma ꝓpe dc̄m cuius v̄tut̃ ẽ nocᵐ p̄cipalr̃ Dicẽdũ ꝙ ꝑ morᵒ d̄ſc̄pto ẽ nocuᵐ paſſiue regitie ñal' mẽbri mádãt̃ ⁊ recipiẽt̃. vt vult gaᵒ. iiᵒ. đ igeᵒ vt p̄ſes ẽ dc̄m. aſma ãt i ſe ꝑ actõe leſa eſt nocᵐ attractiue ⁊ expulſiue naturalis pulmonis.

Octauo tu q̄res cuiᵒ v̄tut̃ ẽ nocᵐ actie ſeu paᵒ. Dicẽđ ꝙ ꝑ morᵒ deſcripto ẽ paᵒ p̄ncī v̄tut̃ ñal' pulmõis attractie ⁊ expl' ſiue ↄñr vital' cordis ꝑ actõe leſa ẽ paᵒ oim̄ v̄tutũ regitie ñaliũ ⁊ vitaliũ ⁊ aialiũ. ná oẽs v̄tutes cõſ uãt̃ mediᶜ tẽꝑie v̄tut̃ cordᵒ ⁊ cor cũ ãhelitu ↄſuat̃

Nono tu q̄res maᵃ aſmaᶜᵃ i ↄcauo pectoris ⁊ pulmõis exñs p̄t ne ꝑ ſeceſſũ cũ mediᵃ laxatia expelli. videt̃ ꝙ ſic itẽtõe Raſ i ſuo ↄtiᶜ. Jđ vult aui. i. 3ᵒ. cañ. ná dát agaricũ cum pulpa colloq̄nᶜ i pillis:vt maᵃ q̄ ẽ in pectoralibᵒ expellat̃. Jtẽ ꝓbo h̄ textu gaᵃ. 6. de inṫ. c. 3ᵒ. i fine caᵃ. Vbi ad lr̃az põit ꝙ maᵃ ibi exñs p̄t ꝑ egeſtionẽ ⁊ ꝓ vrinã expelli:h̄ fac̄ ña ꝑ ſe in q̄buſdá q: ibi ↄtiguat̃:q̄dá vena ꝑ quá ſanies i ↄcauo pectorꝭ ⁊ ſan. exiẽs a pulmone expellit̃ ꝑ ñam. alr̃ q̄ ꝑ artẽ p̄t fieri q: ars imitat̃ ñam inq̄tũ p̄t. Jn ↄriũ eſt ypo. pᵒ amph. cañ. illo. Que oȝ ducere ⁊c̃. Jdem vult gaᵒ. i. 3ᵒ. Rõ eſt: q: ibi nõ ſt̃ vie ꝑ q̄s maᵃ p̄t venire ad ſtoᵐ. Dicẽdũ ad dubitatõȝ de maᵃ q̄ ẽ ĩfra venas pulmõis:⁊ aliaꝝ ꝑtiũ nõ eſt dubiᵒ illa p̄t trahi ad ↄcauũ epat̃: ⁊ ꝑ ↄñs ad pᵃ iteſtina. ſ; de illa q̄ eſt dubiᵒ ẽ nõdũ ꝙ ↄpõnes ꝑtiũ corpiſ nõ ſunt vniformes. ná tu vides ꝙ arteria q̄ cõiter eſt i ꝑte domeſtica brachij: ẽ in q̄buſdá i ꝑte ſilueſtri. Gaᵒ dic̃ in loᵒ alleᶜ ꝙ i q̄buſdá arteria ⁊ vena t̄miat̃ in ↄcauo pectorꝭ ꝑ q̄s p̄t ſubitrare ſanies ⁊ ſan. ⁊ ꝑ egõnẽ ⁊ ꝓ vrinã expelli h̄ tñ raro ↄtingit q: ẽ paſſiõ q̄ raro ↄtigit ſequit̃ acciñᵃ q̄ raro cõtigũt vt dic̃ ibiđ ¶ Pono ↄcluſionẽ ꝙ i q̄buſdaȝ maᵃ tal' ſic p̄t expelli: i q̄buſdá p̄t venas ſubitrare ꝑ ñam: igr̃ poterit ꝑ artẽ ⁊ ꝑ ſeceſſũ ⁊ ꝑ artẽ deduci. Añs ẽ gaᵃ. ↄñs ẽ nõ de ſe: ſic ↄcludo ꝙ fit in q̄buſdá ⁊ nõ i oibᵒ. Sic pono ſecũdá ↄcluſionẽ: ꝙ in oibᵒ maᵃ ſubtil' p̄t ꝑ poroſitates mẽbroꝝ ſubſtrahi nõ tráſeũdo ꝑ venas igr̃ poterit ꝑ ſeceſſuȝ educi. ↄñs nõ ꝓbato añte. ꝓbat̃ añs nũq̄ 2ᶜ. humiditates tráſeũt ꝑ poroſitates mẽbroꝝ. ſicr̃ colera flã. ſalſũ. dũ faciũt ſcabiẽ exeũt venas ſub forma h̄ũorꝭ inatural' ⁊ ſꝑgũt̃ innaturalr̃ ⁊ ſꝑgũt̃ ſ carnẽ: ⁊ ꝑ poroſitates carnis fluũt ⁊ expellũt̃ ad cuti. ⁊ h̄ ẽ bñ explicatũ i expõe q̄nti đ morᵒ i fine ſup illo malo motu q̄ đr prurit⁹: ſic p̄z tibi ꝙ cõit̃ mateᵃ p̄t per ſeceſſũ cũ medicina attrahi ⁊ expelli q̄ſſa ãt nõ đ curſu cõi. ná dic̃ ypo. Que ducere oȝ ⁊c̃. Sic ſolute ſt̃ ↄrietates ãtiq̄ꝝ q̄ appẽrpᵃ frõte

Jſtis clarificatis cura aſmatis tibi pateſcit. ꝑus aũt ꝙ in cura ꝓcedas ſcire oȝ an ſit ex maᵃ groſſa viſcoſa deſcẽdẽte a cerebro ꝑ viá catarri ad canulas ⁊ pẽnas pulmõis: vl' fluit ab ex̄ in ſpaᵒ illo per eiᵒ ſupficiẽ ⁊ ꝑ venas eiᵒ cũ portõe vẽtoſitat̃. Et ſi talis maᵃ iſtis modis deſcendẽs ꝑoxiſmet̃ tñ mag̃ ⁊ fortiᵒ alr̃ ↄtiguat capita lacertoꝝ dyafragmat̃ q̄ faciũt ñalr̃ ad dilatatõeȝ pectorꝭ tũc q̄uati nõ faciẽtes ad dilatatõeȝ eiᵒ ꝓut debẽt. talis patiẽs coactᵒ ẽ pectᵒ ⁊ h̄ũeros eleuare in anhelitu cũ mag̃ ⁊ forti violẽtia: vt ponit Gaᵒ. 4. de inṫ. c. de malo ãhelitu Cõſiderare etiá ⁊ ſcire oȝ ſi talis maᵃ fluat ad ip̄m pulmonẽ a ꝑtibᵒ vicinis: l; nõ tñ ꝑoxiſmalr̃. ná ſi cã tal' aſmatis ſit vẽtoſitas q̄ñata i partibᵒ faciẽtibᵒ ad ãhelitũ ⁊ ſi ẽ ex mala ↄpl'õne fria pulmõis a q̄ñatõe vl' a tꝑe q: cura i hoc diuiſificat̃. Et ſi q̄s aſma habuerit ex maᶜ deſcẽdẽte ꝑ cãnas pl'mõis ꝑoxialr̃ tñ mag̃: qđ p̄z q: fit ſbito đ maᵃ q̄ſſa rõe cuiᵒ pulmo ñ bñ p̄t ↄp̄mi. Et viſcoſa rõe cuiᵒ pl'mo ñ bñ p̄t dilatari: ⁊ cũ cãtu ſic ipedit̃ ãhelitᵒ i expellẽdo ⁊ attrahẽdo aerẽ ad qđ bñ itẽdimᵒ vt i noticiá cãe veniamᵒ. vel ſi aſma habuerit ex tali maᵃ d̄ſcẽdẽte a capite q: ſubito ⁊ ꝑoxiſmat̃: tñ mag̃ ꝑ ſupficiẽ extriſecá ⁊ ſpaᵐ i p̄ſes poroſitates ipiᵒ rõe cuius pl'mo ↄp̄mit̃ ex q̄ libere nõ dilatat̃ deſcẽdẽs etiá a capite aliq̄ portio maᶜ venal' colerice l' ſanguinee in parte cũ portõe vẽtoſitat̃. ꝓpt̃ qđ taleȝ difficultatẽ ãhelitᵒ ↄcomitat̃ alr̃ tremor cordis vt põit gaᵒ. 4. de inṫ. c. vltio. circa finẽ narrãdo q̄lr̃ ↄtingit anthimerõ medico romano Et ↄſiderare oȝ ſi portio aliq̄ual' medicine ſit ſubito cadẽt̃ attigat capita lacertoꝝ diafragmat̃. ꝓpt̃ qđ ſeq̄t̃ malitia ãhelitᵒ iá dicta. Jn q̄l; hoꝝ fit fluxᵒ ꝑoxiſmal' ⁊ ſubito: ſ; cũ paᵒ eſt maior tuſſis ⁊ mior difficultas expellendi aerẽ ad ex̄ rõne maᶜ q̄ſſe int̃poſite, ꝓhibẽt̃ in aliq̄ ↄſtrictiõe pulmonis ad qđ

pulmo potest
purgari p
secessum

adiuuat alīi aliq̄ ventoſitas ꝯcomitans ipm̄ hūo
rē ex eius natura rōne eius groſſitiei ꝛ iſtū caſū
nō ꝯcomitatˀ tremor cordis: ſʒ bene ſ(m) vt ē dictū
Uel ſi q̄s aſma habuerit ex maᵃ veniente a ṗti
bus vicinis. qḋ pateſcit: q: fit paulatim in q̄buſ
dā diebus ꝛ nō in paucꝭ horꝭ vt fit a capite: vt dicˀ
Rasˀ in ſuo ꝯtinēte. nec fit ſic paroxˀ cum paroxˀ ſu
bito ꝛ violēte: nec cū tanta tuſſi lʒ ṗ tp̄a aliq̄ plus
vel minus aggrauatˀ ex natura tp̄is ꝛ diete. In
cura aūt hoꝝ trium ſic ṗcedatˀ teneat mediā dietaʒ
vt humores nō augmētentˀ. vtatˀ pane bn̄ cocto
ꝛ facto cū ſe. an(iſi) fen(iculi). ꝛ modico cimi(ni): ꝛ ſṗ vtatˀ co
parū calefacto ad ignē cena ſua ſit modica. vitet
offas q: ſibi multū cōtrariantˀ ꝛ ſil(ia). ꝛ fructˀ fri.
hu. velut pruna: poma: pira: ceſara: pſica. nam die
ta hoꝝ dʒ eſſe aliq(ualite)r deſiccatiua. Intentio aūt cu
ratiua erit vt talē materiā reconditā g̃ſſam ſubti
liemus viſcoſam incidamus ꝛ ipām ṗ ſputū ꝛ ṗ
ſeceſſum euacuemꝰ. nam iſta intētio cōuenit cui
libʒ triū ſpecierū dictaꝝ ꝛ vni imediate ſeq̄nti pu
ta q̄n fit ex mala ꝯpl(exi)one fri(gid)a pulmonis ṗpter q̄
non pōt bene digerere. Cōſeq̄ntˀ ne ipa g̃netˀ ꝛ vt
g̃nata in capite vel in ṗtibus vicinis ne fluat ad
pulmonē groſſa ſubtilietˀ cū aqua mell(is). vel cum
aqua ordei viſcoſa inſcidatˀ cū ſirupo acetoſo cō
poſito vel cum aceto ſquillitico: vt dicit Rasˀ in
ſuo ꝯti(nent)e: aq̄ mell(is) fiat ſic. ℂ ℞. mell(is) albi deſpūa
ti. lb. ß. aque fōtis electe. lb. ij. fiat ſic ꝛ melrꝰ. ℞.
aque decoctōis yſopi. lb. ij. aceti ſquill(itic)i. lb. ß. vel. i.
mell(is) al. deſpumati q̄rt. i. ß. fiat mellicratō ſumat
de iſto ſine aliqua ꝯmixtura: ſero ꝛ mane. Uel ſu
mat de aqua ordei vbi ſit modicū in fine decoctio
nis vtendo de iſtis potibꝰ ſumat ſemel in. i5. die
buſ modicū de iure ſeu brodio galli antiq̄ in quo
bullient. ℥. i. polipodij q̄rcini ꝛ. ℥. i. ſe. vrtice pulpe
colloq̄n(tid)e non puluerizate. ℈. ß. addēdo ꝛ diminuē
do ṗut tibi videbitˀ. Iſta ſunt de ꝯciᵒ Rasˀ in ſuo
ꝯti(nent)e loco huius da. ℥. i. pill(ul)aꝝ de agarico ſemel in
menſe: ꝛ q: ſtomachus egrotat in g̃natiōe talis
materie fluxe in pectoralibꝰ: de ꝯciᵒ Rasˀ ṗuoce
turvomitꝰ ṗ interualla ſic. ℞. ſucci ſquille mell(is)
aā q̄rt. i. ſpiſſentˀ ſupra cineres cal(id)os dentur duo
vel tria coclea(ria) cum aliis duobꝰ vel tribus aq̄ de
coctionis atriplic(is) ꝛ raphani ān prandiū ꝛ poſt
prandiū vſq̄ ṗuocetˀ vomitꝰ. Et ſi vis ſatis for
tē medicinā vomicā miniſtrare pone ṗ diē ꝛ no
ctē modicuʒ de ell(ebor)o albo. in radice illiꝰ raphani
poſtea remoueaſ anteq̄ decoq̄s aliqui comedūt
duos vel tres bolos de illo raphano ān prandiū.
ꝛ poſt remoto ell(ebor)o. 2ᵃ die hn̄t vomitū vel īfunde
parū ell(ebor)i albi in q̄ti(tat)e vniꝰ amig(dal)e ṗ duas vel tres
horas de decoctōe rad(icis) raphani apij foliorꝝ atri
plicis ꝛ ſe. eius coletˀ ꝛ adminiſtretˀ cum. ℈. ß. cro
ci ſiluestris. Rasˀ in ſuo ꝯti(nent)e laudat pill(ul)as ſeq̄n
tes. ℞. mentaſt(ri) yſopi yreos pipis an(iſi) aā. ℥. ß te
rantˀ bn̄ ꝛ diſtempentˀ cū melle: ꝛ capiatˀ in q̄ti(tat)e
auellane ꝛ tranſglutiat. Uel detˀ in q̄titate auel
lane de hoc. ℞. ſe. ſinap. ℥. ij: puluerizentˀ ſubtilit(er)
ꝛ incorpentˀ cum carnē qḋ ſufficit. Et ſi paſ. fuerit
multū ſciaticus ſumat vnam de iſtis pill(ul)is l(vel) duaſ
in introitu lecti. ℞. mirre pipis ſe. vrtice. ſe. apij ſe.
ſinap. aā. ℥. ß. terantˀ ꝛ miſceātur ꝛ fiant pill(ul)e. Et
ꝯci(lium) q̄ tales vtantˀ a ṗnᵒ pradij de ficubꝰ ē pului
re yſopi ꝛ tertia parte vel quarta parte puluerꝭ pul
monis vulpis. vel q̄ ſumat ante prandiuʒ: ꝛ ante
cenā duos bolos ſine potu dyayſopi vel dya praſ
ſij. Iſto primo expedito veniamus ad 2m qḋ in
tendimꝰ. ſ. q̄ talis materia in capite nec in parti
bus vicinis g̃natur qḋ fit cum dieta ſupius dicta
capit ꝛ pectoralia ꝯfortādo cū ſtuphis ſiccis ſe
mel in. i5. diebus ſtoᵒ ieiuno ꝛ cū metridato q̄libʒ
ſero ꝛ q̄libet mane tp̄e frio. tp̄e aūt cal(id)o bis in ſe
ptimana ꝛ in numero ꝛ in q̄titate q̄ vtatˀ in po
tagijſ ſaluia menta maiorana melliſſa potiſſime
tp̄e frio. ꝛ q̄ tp̄e frio ponat ſ(uper) cōmiſſurā capitis ꝯ
gariofi ꝛ cubeb(e) puluerizatˀ ſubtil(ite)r vel de vtroq̄
mētaſtro puluerizatˀ ſubtiliter ℂ Iſto ſecūdo ex
pedito veniamus ad tertiū qḋ intendimꝰ. ſ. q̄ ta
lis materia g̃nata in capite vel in ṗtibus vicinis
pulmoni non fluat ad pulmonē qḋ fit ṗ ceteriſ re
bus cum bolo armeᶜᵒ. nam Serap. in caᵒ ṗpo
oīs antiq̄ dixerūt q̄ niſi reuma ṗhibeatˀ ne flu
at cum vſu boli armeᶜⁱ nō ē ſpes q̄ alio remedio
ṗhibeatur capiatˀ cum tribus digitis ꝛ cum mo
dico vini bn̄ lumphati capiatur ante prandiū per
duas horas vel ante cenā. Uerū aliqui ꝯq̄runtur
q̄ trachea arteria multū ex hoc exiccatˀ. ideo mi
ſcemus de zuccara in tertia parte vel ṗ medium
Aliq̄ cum ꝯſuis de roſis faciūt ꝯditū ꝛ capiūt
de mane ſicut zuc(carum) roſ(atum). Et ſi quis hoꝝ paroxiſmū ſubi
to ꝛ violēter habuerit: q̄ ſint coacti pectus ꝛ hu
meros eleuare cum forti ꝛ magna violentiᵃ in tātū
q̄ q̄ſi credūt ſuffocari a cibo ꝛ potu oīo abſtineāt
q̄diu durabit paroxiſmus. ꝛ ſi ṗ diem cuʒ dimidia
vel per duos dies durauerit ꝛ ſint in aere tempa
to ꝛ erecti ſedeant vt facilius pectoralia dilatent
ꝛ da ſibi de hora in horā vnum coclear ſir(upi) aceto
ſi cōpoſiti ſquillitici ſine aliqua mixtura. ꝛ ſumat
vnā de pill(ul)is ſupradictꝭ. de quattuor in quattuor
horis: vel de ſemine ſinapi cum ficubuſ. Et ſi q̄s
aſma habuerit ex mala ꝯpl(exi)oe fri(gid)a vel fri(gid)a ꝛ hu
mida pulmonis a g̃natōe vel a tp̄e vt ꝯtingit qui

buſdã ſenibus a ſenio ⁊ q̇buſdam flãticis alteri
us etatis rõne cuius in q̇buſdã diebus impletur
humiditatibꝰ groſſis ⁊ viſcoſis: ⁊ tardius ꝙ ex q
cũq; alia cã dicta manifeſtat̃: ꝓcedẽs quaſi coe
q̄lit̃ magꝭ pre ceteris ſpẽbus ⁊ non ꝑoriſmaliter.
Intẽtio curatiua ꝑmitus dicta eſt tenẽda ⁊ ſub
tiliare ⁊ incidere materiam ⁊ ipſam euacuare qđ
fiat cũ ſupradictis in alijs ſpẽbus. Et ſecũda in
tẽtio ſil'iter eſt tenẽda nõ diuerſificãdo niſi ratõe
ꝑticule in q̇buſdam. nã oĩa dicta cõpetũt ⁊ adhᶜ
plus: q: calefacere magꝭ pulmonẽ: quod fit cum
fumo calcis viue duz extinguit̃. capiat̃ de mane
vnus lapis calcis viue: extinguat̃ cum aq̄ vt faci
unt lapicide apto ore recipiũt fumũ: ⁊ vtatur re
medijs dictis in cura tuſſis frig. ⁊ hu. rõne male
cõꝑl'onis frie pulmonis. q: ↄueniũt in cã ſpãlit̃
de ſemie vrtice in duabꝰ ꝑtibus: ⁊ i tertia de ſe
mine naſturcij cũ modico mell' cõfect̃ capiat q̄
libet mane in q̃titate caſtanee ⁊ vtat̃ ante cibũ
de puluere pulmonis vulpis cum modico yſopi ⁊
cinamoⁱ ⁊ maċ cum vna ficu. ¶ Et ſi quiſ aſma
habuerit ex ſolvẽtoſitatibꝰ in pectoralibꝰ i alijs
ꝑtibus viciniſ faciẽtibꝰ ad ãhelitũ qđ pateſcit: q:
ſtat cũ maiori leuitate pectoraliũ: ⁊ ſine ſputo: ⁊
cũ minori cã. tñ Raſis dicit in ſuo cõtinẽte ꝙ pe
ctori applicent̃ cal'a deopilatiua ⁊ in lateribꝰ vt
camomilla anetũ maiorana ⁊ ſilia bullita. Loco
hoꝝ vtimur oleis calidis ſat̃ anodinis de camo
milla mltiplicato de aneto de lilio in ꝑtibꝰ ill' ſtu
fe valẽt ⁊ metridatũ ⁊ exercitiũ brachioꝝ ⁊ pec
toraliũ vt cãtare ⁊ ſilia. yſopus pulueriʒatꝰ cum
cinamoº maċ ⁊ modicũ de garioꝶ pulueriʒatis
dent̃ cum ficubus in ꝑnciº comeſtionis. ¶ Et ſi
q̇s aſma habuerit a mala cõpl'õne fria pulmo
nis ſine mat̃ia: vt fit in trãſeũtibus ꝑ loca frigi
diſſima ⁊ niuoſa: ſumãt ſero ⁊ mane de metridaº
diſſoluto cũ vino cal'o decoctiõis ſaluie maiorãe
melliſſe: ⁊ in ꝑncipio mẽſe ſumãt cum duabꝰ fi
cubꝰ de yſopo cynamoº garioꝶ meliſſa pulueri
ʒatis. vadat ad ſtufas ſiccas ⁊c̃.

¶ Capitulum. 51ᵐ. de pleureſi.

Um aliq̇s ſub coſtis ſu
is dolorẽ ſentit pungiti
uum ⁊ ꝓprie qñ ſiccã pa
titur tuſſim ⁊ febriſ expetit vt ſi do
lor ꝑtem coſtaꝝ ⁊ furculã tẽdit: fi
at minutio ex baſilica eius partis
in qua ẽ dolor: niſi totum corpꝰ mlt̃
to ſanguine repletũ fuerit. tũc em̃
ex latere ↄtrario ſanguiſ detractio
facienda ẽ. Egritudo q̃z ſi iaz per
aliquot dies a ſui ꝑncipio infeſta
uerit egrũ: flõmia ſil'iter a ꝑte dolẽ
te facienda ẽ. Melꝰ tñ ẽ vt flobo
thomia fiat: deinde aq̄ ordei cum
zuccaro aſſidue tribuat̃. Et ſi vide
ris tuſſim eius vehemẽtis ſiccitat̃
da ei in diluculo oĩ die iulep: dein
de da ei in potu aquã ordei. Et ſi
eger fuerit debil': nutriat̃ cũ pane
⁊ ex zuccaro. Si aũt fortis fuerit:
aq̄ ordei vſq; ad diem q̄rtũ ſuffice
ret. Cũq; ſcreare cepit: decoctiõez
quã in cap'lo de reumatiſmo noiã
uimꝰ quotidie ſumat anteq̃ aquã
ordei bibat donec ſanet̃. Si autez
febris ⁊ acuitas ꝑſeuerẽt ⁊ eger in
exſcreatõne difficultatẽ patiatur:
det̃ decoctio quam ĩ cap'lo đ aſma
te noiauimꝰ. qđ ſil'iter ẽ faciendũ
cũ ſaniei fit exſcreatio. Qđ ſi ĩ ꝑn
cipio paſſiõis qđ exſcreatur niger
rimũ aut valde citrinũ appet ⁊ ſic
ꝑmãſerit ⁊ febris nõ q̇euerit neq;
calor vſq; ad diẽ ſeptimũ: timoro
ſum ẽ. Et ſi cuz hoc toto aeris ex
traction̄ alleuiet̃: ĩ maxill' rubedo
⁊ in oculis ſtupor: morti ẽ ꝓpiquꝰ
Si aũt exteriꝰ ĩ latere appuerit ru
bedo aut apoſtẽatio ⁊ cũ ꝑmit̃ lo
cus: dolet: ponat̃ deſuꝑ vẽtoſa aut
empl'm ex ſinapi ⁊ ficubꝰ ⁊ dimit
tatur ibi donec locꝰ vlceret̃. de his
vero que ex ore ſtolidorũ ad aug

mētum nocumēti accidūt: hanc e-
gritudinē patiētib⁹ ē: ꝙ cū doloꝛ
in ꝑncipio ſentitur ſub coſtis exti
māt groſſam foꝛe vētoſitatē. iōꝙꝫ
electuariū diamuſcū: aut ei ſilia e-
gro tribuēdū: eūꝙꝫ oīno interfici-
unt. Hec paſſio vocaꝛ birſen: cui⁹
cā eſt apā qḋ oꝛiꝛ interi⁹ in coſtis
ypocundrioꝛum.

Epleureſi

.i. de apāte coſtaꝝ ſeu ꝑtium
ligātiū coſtas: puta pelliculaꝝ ⁊ lace-
toꝝ aſſiſtētiū dilatātiū ⁊ ꝯſtringētiū
pect⁹: q꞉ pleura grece idē ē qḋ coſta latine cū ſu
is ligamēꝛ. dicit ſymō ianuēſis i ſuis ſynonimis
Et inde ē pleureſ et pleuretic⁹. ¶ Nota pleureſ
duplex ē. vera ⁊ nō vera. Vera pl'reſ fit i pānicu
lis exñtib⁹ īra coſtas ligatas ē coſꝛ. 2° ḋ inꝛ. ca.
2°. iſti pāniculi ſunt ipi⁹ dyafragmaꝛ. q꞉ dyafra
gma ē lacē⁹ pelliculoſus: imo capita ſūt ligata ē
coſtis faciētia ad dilatatōem pectoꝝ: vt dicit ga⁹
4. de inꝛ. c. de malo anhelitu. nā ipo exñte i ſani-
tate nō ſunt neceſſarij lacerti ſuꝑioꝛes ad faciē
dū ſufficientē anhelitū i ſanitate: vt dicit ibidem
Vel fit i pellicul' ligātib⁹ coſtas qḋ fit vt plin: vt
dicit ga⁹. 5. de inte. c. 2. circa ꝑn^m. Idē dicit. 6. am
phoꝛ. ſuꝑ illo caꝛ. Acide eructuatōes. Ideo qñ
iſte ꝑtes apoſtemāꝛ: m̄ m⁹ dolēt qñ appodiāt ſu-
pra coſtas eiuſdē lateris. q꞉ min⁹ ſoluūtur in ꝯti
nuo: qḋ ſtatim i ꝑma viſitatōe inueſtigam⁹: ſuꝑ
q̄ ꝑte meli⁹ q̄eſcūt interrogādo: tal' pl'reſ vera fit
cōiter de ſanguie vel de co. in toto vel i maioꝛi ꝑ-
te. nam rōe ſubtilitatis in ſuba ⁊ acuitatis tales
hūoꝛes ſubintrāt ſubam pelliculaꝝ ⁊ pelliculoꝝ
dictoꝝ. ⁊ rariſſime fit de ma^a flātica vel melēca
ꝑpter cām ꝯtrariā: vt dicit ga⁹. 6. amph. ſuꝑ illo
caꝛ. Acide eructuatōes. de poſſibili fit ⁊ rari^me
ꝑpꝛ cōmixtionē alicui⁹ poꝛtōis co. vel ſan. colici
i modica q̄titate. ⁊ fit talis pl'reſis vera in parti
bus dictis qñ vene ⁊ arterie q̄ cōtiguanꝛ cū di-
ctis pellicul' ſunt nimiū replete ⁊ ſpuūt coleram
⁊ ſan. ad ipam pelliculā vel ſpuūt dictū ſan. cole
ricū ad dictas pelliculas ꝑ viā catarri ſeu diſſolu
tionis a motu foꝛti: a cōcuſſiōe foꝛti: a cal'ō vl' frō
excedēti: vt dicit ga⁹. 5. de inꝛ. i. c. 2. ¶ Pleureſis
nō vera fit i lacertis q̄ ſunt intra coſtas ligāti⁹
coſtas i medio: q̄ faciūt flatū in anhelitu ⁊ in la-
certi exñtib⁹ ex coſtas q̄ faciūt ad cōſtrictiōeꝫ pe
ctoꝛis ꝑ modū dictū ſpuiꝛ ma^a a venis ⁊ arterijs
⁊ gñaꝛ de poſſibili ex quolibet hūoꝛe. q꞉ q̄cunꝙꝫ
hūoꝛ pōt ſubam illoꝝ lacertoꝝ ꝑ eoꝝ cōcauitates
ſubintrare: imo ⁊ a vētoſitate a dñio vel in toto.
iō ypo. 2° regimēti docet apponere calefactoꝛia
vt videaꝛ an ſit vētoſitas ſola vel cū alia plecto^a
hūoꝝ. hoc facit qñ dicti lacti grauātur ⁊ dolēt: et
nō facit hoc in vera pleureſi ⁊c.

Primo

tu queres. Cuius ꝑticule pectoralū pl'reſ vera ē paſſio ꝑncip'
Solutū lr̄a: 2. de inte. c. 2. Idē dicit raſ i ſuo ꝯti^e.
ꝙ pelliculaꝝ q̄ ſunt infra coſtas ⁊ q̄ faciunt ad
motū eaꝝ ⁊ ſūt capita diafragmaꝛ. 4. de inꝛ. m. c.
de malo anhelitu. poſt ꝑn^m capli. vel ē paſſio ꝑn
cipaliꝛ pelliculaꝝ ligātiū qḋ ē vt pl'im. vt diē ga⁹
5. de inte. c. 2. Idē vult ga⁹. 6. ampho. ſuꝑ cano^e
illo. Acide eructuatōes. Idem vult Raſis i ſuo
cōtinēte. ¶ Pleureſ non vera ē paſſio ꝑncipali
ter lacertoꝝ q̄ ſūt inter coſtas ⁊ extra: vt ē dēm

Secundo

tu q̄res. pl'reſ vera ⁊ nō va
ē ne pa° ꝑ ſe l' ꝑ colligātiā
Solutū ē ꝙ ē ꝑ colligātiā venaꝝ aſſiſtētiū ſpuē-
tium humoꝛes illos ad ꝑtes illas.

Tertio

tu q̄res. Pl'reſis moꝛb⁹ q̄s ē. Di
cēdū ꝙ moꝛb⁹ official' i q̄ ſūt ma
genera moꝛboꝝ ex q̄ ē apā ex q̄ mag' ledit. Dicēdū
ꝙ interdū a cōpl'ōe mala: vt in fe. interdū a ꝯpo
ſitōe mala: vt in malo anhelitu. interdū a ſolōne
ꝯtinui: vt in accubitu ⁊ tuſſi.

Quarto

tu q̄res. cuius v̄tutis pleureſiſ
ē nocumētū ꝑncipaliꝛ paſſiue
intelligēdo. Dicendū vt pluries eſt dictū ꝙ regi-
tiue natural' digeſtiue ⁊ expulſiue mēbꝛi mādan
tis ⁊ recipienꝛ ꝯſequēter.

Quinto

Tu q̄res. cuius v̄tutis pl'reſ ē
nocumētū vel paſſio ꝑncipaliꝛ
Dicēdū ꝙ motiue aiate lacertoꝝ intra coſtas exi
ſtentiū flatum in anhelitu foꝛti: vt ē dictū in. c. ḋ
tuſſi. ꝯñr eſt paſſio natural' motiue pulmōis. ꝯñr
vitalis coꝛdis ⁊ oīm mēbꝛoꝝ.

Sexto

Tu q̄res. ſi fria q̄dā nō repcuſſi
ua cōpetāt in ꝑn° pl'reſis vere ꝯ
nō vere applicādo ab extra: put in alijs apātib⁹.
Videꝛ ꝙ ſic intētōne hebe^e. c. ꝑpo. rō ſua. tali-
diminuūt fluxū hūoꝝ ad ꝑtē illā. Itē intētōe aui
cēne. 4. caꝛ. ca° illo. Antiq̄ſſimi ātiquoꝝ. vbi dat
curā apātū antroſoꝝ i emūctoꝛijs. vbi docet ap-
plicare in pꝛin° oleū roſ. ⁊ oleū mirtinū. q꞉ talia
fria nō repcutiūt materiā: ſ; q̄etāt eā ⁊ foꝛtificant
ꝑticulā: corrigēdo diſcraſiam ꝑticule. Itē inten-

tione ga^l.14.de inge^o.in fine vbi dicit. hoc idē fa
cit in antracib^9 ⁊ carbūculis i emūctorijs ⁊ i a-
lijs locis applicādo arnagloſſ. In 9riuz ſūt mo
derni Gordoni^9 ⁊ alij ꝓhibēt applicare fri. i pn
cipio.cām dāt. in interiorib^9 vie ſunt late ⁊ apte
rōne caloris.⁊ in momēto fit fluxus ſi medic^9 eēt
p̄ſens dū tale apoſtema incipit ⁊ portaret medi-
cinā in manu poſſent cōferre fria tu nc oppoſita.
Dicendū ꝙ opio hebe^c ⁊ auic.magꝭ placet. quia
poſtꝙ̄ cōfeſtim fiat flux^9 notabil̄: qꝛ vie ſunt ap-
te ab intra: fluxus durat cōiter duob^9 diebus Jō
dolor augmentaꝝ ill^l dieb^9.ſill^r hoc videm^9 in cō
cuſſionib^9 extrinſecis ⁊ in apātibus emūctorioꝝ
vbi ſunt vie late.qꝛ deſtinate ad recipiēdū ſuper
fluitates a principalib^9 mēbrꝭ qd̄ durat flux^9.ꝓ-
pter qd̄ in primis dieb^9 cōpetit oleū roſ.cuz por
tione olei camomille.⁊ illi q̄ ponūt olea calida i
prin^o:augmētant fluxū. ¶ Et ſi dicas.ypo.2^o.re-
gimēti applicabat cal'a ⁊ calefactoria.Dicēdum
ꝙ ip̄e iubet hoc qn̄ paſſio ⁊ dolor ē in lacertiſ ex
coſtas ⁊ e^a.dubiū an ſit ab hūore vel a vētoſita^c
qꝛ qn̄ ē do^r a vētoſitate ex talib^9 applicaꝝ do^r mu
taꝝ in p̄te vicia ⁊ minoraꝝ:⁊ ſic rō gordonij non vꝫ.

Septimo tu q̄res ſi in ꝓceſſu compe
tāt maturatiua ſcd̄m ꝙi a-
lijs apātibus.Dicendū ꝙ oēs ꝯueniūt ꝙ ſanies
in pectoralibus ē periculoſa.qꝛ corroſiua.iō nō
ꝯpeiūt maturatiua nec putrefactiua ꝓut in alijs
apātibus.ſ; debent applicari reſolutiua cum pau
ca maturatione.

Octauo tu q̄res pleureſ in quo^l latere
ē deterior.Soluit auic.3.cano.
c.ꝓprio. Jdē dicit Raſ in ſuo cōtinēte ꝙ pl'reſ i
p̄te ſiniſtra ſupueniēs eſt deterior:pīcl'oſior ⁊ bre
uior.qꝛ magꝭ appropinq̄t cordi. iō ſeq̄ꝝ maior a-
cuitas ⁊ moleſtia.Si fiat in p̄te dextra:non ē ita
pīculoſa:ſ; ē magꝭ lōga ꝓp̄ꝝ cām 9riam. qꝛ magꝭ
elongaꝝ a corde.ideo nō facit tantā moleſtiā nec
acuitatē accidentiū.

Nono tu queres.ſi in pl'reſi ſit ꝓcedēdū
ſubtiliādo in dieta vſq; ad ſtatum
ꝓut in alijs egritudibus.Dicendū ꝙ nō:qꝛ i pri^o
pleureſ q̄ ad digōem ma^e ē ſtat^9 q̄ ad accn̄a ⁊ qꝛ
accn̄tia multū moleſtan naturā. ideo natura nō
eſt occupāda in cibo:niſi valde tenuiꝝ.ideo quā-
do parꝝ ſpuit:parū ē dandū de cibo . qn̄ multum
ſpuit:plus ē dandū de cibo in ꝓceſſu.

Decimo Tu q̄res.q̄bus magiſ accidit
pleureſ vera.nec q̄ facil^9 in-
currūt.Soluit Raſ in ſuo cōtinēte: ꝙ colici ma
gis ⁊ facil^9 incurrūt pl'reſim verā:qꝛ ma^a abun
dans q̄to acutior:tāto citius penetrat ꝑ pellicu-
lam ligantē coſtas ⁊ ꝑ illū pāniculū lacertoſum
ligatū cū coſtis facientē ad eius dilatatōem pu-
ta ꝑ capita diafragmaꝝ ſanguiei flāci:tn̄ citius
incurrūt pl'reſim non verā.nā i talib^9 ſan. calid^9
abūdans exit capita venaꝝ ⁊ ſubintrat cōcauita
tes ⁊ poroſitates lacertoꝝ exiſtentiū intra coſtaſ
⁊ extra.ideo tales ſi tāgātur cū digitis in latere:
dolent:qd̄ nō faciunt in pleureſi vera.

Iſtis declaratis Cura pl'reſ
tibi pateſcit
prius autē ꝙ̄ in cura ꝓcedas ſcire ⁊ cognoſce
re oꝫ in quo latere eſt.Et ſi ē pl'reſis vera:vl' nō
vera.⁊ ſi dolor aſcēdit vſq; ad ſpatulas ſeu furcu
las.vel deſcēdit ad ypocūdria ſubtus coſtas.⁊ i
quo t̄pe morbi ſit.nā ex talib^9 cura ⁊ ꝓnoſticatio
diuerſificaꝝ. Et ſi q̄s pl'reſim verā habuerit cuz
dolore aſcendēte vel deſcendente:qd̄ pateſcit ex
octo ſignis. Primo qꝛ ibi eſt dolor pūgitiuus ⁊
extenſiuus ⁊ nō pulſatiuus.qꝛ illa pellicula ⁊ il-
le pelliculus diafragmaꝝ ꝓuati ſunt arteria:vt di
cit ga^9.2.de int.c.2. Jdem dicit Raſ in ſuo ꝯti^c
¶ Scd̄o eſt ibi malicia anhelitus qꝛ ille pellicu
le q̄ mouētur in anhelitu ḡuate a materia tali:n̄
p̄nt bn̄ moueri.⁊ lacerti q̄ ſunt infra coſtas ꝯpa
tiūtur:qꝛ faciūt flatū in anhelitu. ¶ Tertio ē ibi
tuſſis ꝓpter vapores eleuatos ad pulmonē pun
gētes ⁊ grauātes ip̄m.⁊ fit cōiter tuſſis cū aliq-
li ſputo pauco l' multo ex q̄ ma^a ē i ꝯcauo vt dicit
raſ i ſuo ꝯti^c. ¶ 4^o ē ibi fe. ꝯti^a vtpl'rim:lꝫ qn̄q; i-
terpollet ꝑ modū tiiāc.vt. d.raſ i ſuo ꝯti^c. ¶ 5^o.ē
ibi pulſus ſerrin^9 dur^9 vt dic̄ ga^9.v.de int.in.c.2^o
qꝛ illa pellicula apāta appodiat ſe ſupra diafra-
gma ⁊ diafragma cōp̄ſſum apātū vel nō apātuꝫ
appodiatū ſupra capſulā cordis.iō arteria cordi
ꝯp̄ſſa cū duritie ⁊ violētia moueꝝ ad modū ſerre
hoſtij.vt dicit ga^9 in loco alle^o. ¶ Sex^o tales me
lius cubāt ſupra p̄tē egrā cū minori dolore licet c̄
maior tuſſi.qꝛ ꝑs egra q̄eſcit ſupra coſtas.nō ſic
ſoluꝝ in ꝯti^o ſicut qn̄ pēdēt.iō meli^9 q̄eſcūt: ſed
magꝭ tuſſiūt.qꝛ pulmo magꝭ adheret hūori:vt dic̄
raſ i ſuo ꝯti^c.iō i augmēto pl'reſis ⁊ i ſtatu iace-
at ſupra p̄tē egrā:vt cū tuſſi meli^9 mūdificeꝝ cuz
ſputo. ¶ Septi^m ſignuz ē ꝙ qn̄ tangiꝝ in latere
cū digitis nō dolēt:quia pticula patiēs eſt infra
coſtas. ¶ Octauū ꝙ cū cōcomitaꝝ pafreneſ:ſ;
iſtud accn̄s ſolū cōcomitaꝝ pl'reſim i diafragma
te:vt dicit raſ in ſuo ꝯtinēte.qꝛ neru^9 q̄ ꝯtinuaꝝ c̄
diafragmate ꝓpinquus ē cer^o:vt dicit ibidē.iō o
cerebrū lediꝝ a ma^a eleuata ꝑ illū neruū:iſtis ac
cidētib^9 ꝯcomitātib^9 notū ē ꝙ eſt vera pleureſ.

In ꝑmis igiť diebꝰ fiat flõia de baſilica parť
ꝯrie ſm raſim in ſuo ꝯtinēte dato ꝙ dolor deſcē
derit ab ypocũdria ⁊ i bona ꝗ̄titate ad. lb. i. Et ſi
venoſus ⁊ colericꝰ fuerit: fiat ad. lb. i. cũ dimidia
vel ad duas. lb. reiterãdo bis in die. hoc vult raſ.
i ſuo ꝯtinēte. ⁊ gaꝰ. in libello de flõia. Et ſi tu
arguas ex datis a gaᵒ. 13ᵒ. de ingeᵒ. i. c. 6. ꝙ deb3
fieri de pte eadē. nã dicit ad lrãm ꝙ in apoſtēate
epať pectorū ⁊ pulmonis i ꝑncipio: dũ fit fluxus
maťie d3 fieri flõia de epatica eiuſdē partis dat
cãm: qꝛ melior ſit diuerſio ⁊ euacuatio a ꝑticula
leſa. Dicēdum ꝙ Raſis ſiliter cõcordat hoc: q̄a
vt plurimu3 fit complectoria venaꝝ ꝓpter quam
ſpiriť maᵃ ab ipſis venis ad dictas pelliculas. iõ
d3 fieri de pte oppoſita ſi de poſſibili eēt ſine ple
ctoria de eadē pte. ſic intellexit Gaꝰ i loco alleᵒ.
dieteť cũ ordeato claro ⁊ cum ptiſana: ⁊ ſirupeť
quouſq3 incipiat notabiliter ſpuere cũ ſirupo de
papa. poſtea nõ: qꝛ ſputũ reſtringit vt dicit Raſ
i ſuo ꝯtinēte. vel nenuf. vel viol. dicit ibidē veru3
fatigať cũ ſirup. Aqua ordei h3 vim ſirupi ⁊ ſibi
ſufficiat. ¶ Secũda die ſue egritudis purgeť cũ
caſſiaf. ſimplici: vt ſtomachꝰ denudeť a ſordiᶜ co
lerica ⁊ flãtica: ⁊ natura in hoc releueť. ℞. pruno
rũ damaſc. vuarum paſſ. caricarum albaꝝ. iniu-
be ſebeſtē añ. p. ß. fiat decoctio i duabus. lb. aque
donec redeat ad. lb. ß. in q̄ diſſoluatur caſſiaf. mũ
da. bñ pinguis ⁊ electe. ℥. i. ⁊ ß. ⁊ fiat potus. detur
ante ortũ ſolis. nõ comedat niſi poſt tertias i ꝑn
cipio prãdij ſumat de aq̄ ordei tepida ad mũdifi
candũ ſtomachũ. poſtea comedat de auenato vel
ordeato claro: ⁊ poſt veſpas ſumat cliſtere ablu
tiuũ: dato ꝙ competēter aſcellauerit ¶ ℞. aq̄ or
dei qr. v. mellis viol. ℥. ij. ⁊ ß. olei cõis. ℥. i. caſſief.
mũdē. ℥. i. fiat cliſtere. ¶ Tertio die flõmeť de p-
te eadē: l3 non in tãta ꝗ̄titate: dietãdo ipm vt. s.
ꝑma ⁊ ſecũda die inungať cũ oleo roſ. vel mirti
no. in tertia die fiet emplm iſtud ſedatiuũ dolorū
⁊ correctiuũ maťie ſm intētionē raſis i ſuo cõtiᶜ
¶ ℞. farine ordei. lb. i. ſandal. puluerizatoꝝ. ℥. ij.
floꝝ viol. roſ. rub. groſſoᵒ puluerizatoꝝ. añ. ℥. i. de
coquãtur in aq̄. ¶ Si vis: adde modicũ olei roſ
vel camo. fiat emplm de quo capiať ⁊ lateri ap-
pliceť. Iſta ſufficiãt ꝓ toto ꝑnciᵒ pleureſis ſumen
do ꝑmᵐ vſq3 quo maᵃ incipiat notabiliter digeri
⁊ expelli cum ſputo. Aduenēte ḡ augmēto ipiꝰ
pleureſis in quo appebit ſubrub. ſputum vl' ingroſ
ſatũ aliqualr' digeſtũ ⁊ cũ minori labore nulloᵒ
flõmes: qꝛ impediret maturatõem apatis. diť ra
ſis i ſuo ꝯtinēte. vnde ſi tale ſputũ in q̄rta vel q̄n
ta die appeat: morbũ inchoatũ abbreuiat ⁊ ecõť.

Ipo. ꝑmo ampho.: qꝛ ſigna manifeſte digõnis di
uidũt tpa morbi. 4. ampho. cañ. illo. Quibꝰ egri
tudo ſeptima die terminať ſi ſputũ appeat rube
um: malũ qꝛ ſigt rupturam vene. ſubrubeũ venit
ꝑ reſudatõem. ⁊ ſi nigrũ peius: vt plrīn moriunť
¶ Aduenēte ḡ ſputo ſubrubeo dieta põt aliq̄li
ter ingroſſari: potes dare ſibi de brodio pue pul
le: ⁊ in ꝓceſſu de colaticio ⁊ de vino aquoſo ſim
plici fracto cum aq̄ bullita: qꝛ ſputũ ꝓuocat. hꝰ
vult Raſis. da ſibi de aqua mellis per interual-
la ſputũ mirabiliter ꝓuocat. In materijs groſſis
decoq̄tur aqua pone in fine modicũ mellis ſuffi
cit in amphora. ℥. i. vel ß. mellis: ſm ꝙ amphora
ē. interdũ da ſibi de aqua ordei in ꝓceſſu. ſi vide
res viſcoſitatē materie i ſputo: da ſibi de ſirᵒ ace
toſo vnum coclear de hora i horã ſine alia mixtu
ra. vel miſceas eq̄liter cum aqua bullita. ſi velles
fortiꝰ ꝓuocare ſputũ viſcoſum: adde modicum i
dicto ſiruᵒ aceti ſquillitici. Et ſi vis in aq̄ mellis
potes ponere aceti ſq̄llitici. ℥. ß. vtať ad placi-
tum loco ſirupi. ¶ Si tu dubitas: ſiruᵐ acetoſu3
ponas in aqua mell' modicũ liquirᶜ ⁊ q̄tuor fo
lia praſſij. vtať iſto potu loco ſirupi. na3 iſte potꝰ
mirabilr' maturat maťias in pectoralibꝰ ⁊ line-
facit ſputũ. raſ in ſuo ꝯtinēte. ſilr' tenere faciē ſu
am ſupra aquam calidam exiſtem i olla. multũ fa
cit ad leue ſputũ. dicit Raſ i ſuo continēte. appē
te dicto ſputo facies iſtud emplm maturatiuu3
⁊ ſedatiuũ dol. ¶ ℞. farine ordei. p. iij. foliorum
biſmalue. p. i. furfur. p. i. floꝝ camo. p. ß. ſe. aneſe
lini ſe. fenugᵗ. añ. ℥. ß. decoquať in aqua bñ ⁊ di-
ſtempeť cum modico olei camo. vel ptiſanũ: ⁊ q̄
titas tepida lateri appliceť. Vel i ꝓceſſu inunge
cũ oleo camo. vel aneti vel fenugᵗ vel ſiſamu3 te
pidũ. vel applica ſepe ſpõgiã infuſam i aq̄ deco
ctionis biſmalue ⁊ ſe. fenugreᵗ. poſtea inunge.
Et ſi indiget bñficio ventris: da ſibi cliſtere cõe.
vel da ſibi. ℥. ij. ⁊ ß. mãne granate diſſolute in bro
dio macre pue pulle. vel i decoctõe vuaꝝ liquirᶜ
⁊ prunoꝝ. qꝺ ſc3 caueat ꝙ recidiuet. qꝛ oēs mo-
riunť ex recidiuo. iõ ſit cautꝰ ꝙ nõ infrigidetur.
¶ Et ſi q̄s pleureſim nõ verã habuerit: qꝺ pateſ-
cit qꝛ ibi ē dolor pũgitiuus ⁊ extēſiuꝰ ⁊ pulſati-
uus rõne arteriarũ ⁊ venarũ q̄ pulſant in apati
bus ꝓpter ebullitõem materie. 2ᵒ. de inte. ⁊ ſitã
gať i loco cũ digitū doler tuſſis ſine ſputo maiſe-
ſto i ꝑnᵒ ⁊ i ꝓceſſu cũ maliᵃ anhelitꝰ. qꝛ illi lacti
flant i magno anhelitu. 4. de inte. c. de nocuᵒ vo
cis. ⁊ meliꝰ q̄eſcũt i accubitu pť ꝯrie: qꝛ tũc lacti
apati q̄eſcũt ſupra coſtas ⁊ nõ ſoluũtur i ꝯtinuo
tm: ⁊ ſunt cũ pulſu aliq̄lr' molli. qꝛ capſula cordꝭ

nõ oppꝛimit ſicut i vera pl'reſi ſtõetur: purgetur: inungat i pꝛimis dieb⁹ vt ē dictũ i vera pl'reſi q: dr̃ia ē ſolũ rõe ꝑticule patiẽtis. ⁊ q: pl'reſis nõ va magi fit ex ſtãte ſtãtico: imo in ꝑte vẽtoſo in pͥnci pio cura nõ diuerſificet. In augmẽto tñ aliq̃lit diuerſificat. ⁊ q: ꝑ ſputũ augmẽtũ nõ bñ manifeſtat. q: matia ē ex concauũ pectoꝛis: nõ expellit ꝑ ſputũ ꝙ ſit q̃titas manifeſta: ſ3 oȝ attẽdere ad febꝛẽ ad pulſatõem apãtis ad inq̃etudinẽ. dic ra ſis in ſuo ꝯtinẽte. ¶ Et dicũt pl'es alij: ꝙ factis ſtõmijs in pꝛin° ⁊ alijs ſubſtractõib⁹ maͤ facto fluxu maͤ ꝙ apposi° vẽtoſe ſine ſcarificatõne eſt cura ſũma. q: trahit maª ad extra ⁊ ſic potit api ri qñ ē bñ ab itra nõ apit ab intra: iõ cõiter moꝛi unt. Maturẽt cũ farina oꝛdei cocta in aq̃ cũ mo dico olei roſ ⁊ floꝝ camo. puluerizaͤ in 6ª parte. Raſ dic i ſuo conti°: ꝙ fiat empl'm de cinerib⁹ ra dicis caulũ cũ axũgia poꝛci veteri multuȝ reſol uit. ¶ Et aduertere oȝ ꝙ curet ꝑ reſolõnẽ mate rie vel ꝑ apturã ab extra cõiter moꝛiũt: imo pl'es q̃ de pl'reſi vera. q: tal' maª ab intra reſudãdo ad ꝯcauũ pectoꝛis cũ ſputo expellit. reiterent cliſte ria ⁊ caſſiat. ꝓut fuerit neceſſe ⁊c̃. hec de pleure ſi ſufficiant.

Capitulum. 58ᵐ. de ꝑipleumõia.

Um hoĩ ſupuenerit febꝛis ⁊ in anhelitu tñ patitur ꝯſtrictiõem vt ſe ſufocari putet ⁊ in maxillis ita vehemens fit rubedo vt tincte videat: ⁊ anterioꝛ pectoꝛis ꝑs dolet: tuſſiſ adeſt. ⁊ qđ cũ exſcreatõe emittitur exiſtit ſpumoſum ⁊ in pectoꝛe ſentitur grauitas ſine punctõe ⁊ ſine caloꝛe cui oĩa hec accidũt acutum i pulmõe patit apoſtema. Et vocatur hec paſſio ꝑipleumõia. In pͥncipio igit arrõis ei⁹ baſilica minuenda ē. deinde eger ex eis q̃b⁹ medicat pleureſis curandus ē.

E peripleumõia id ē de apãte pulmonis. 2. de inge. c. 2°. nã ꝑiplon grece idẽ eſt qđ pulmo lati. dicit ſymõ ianuẽſis i ſuis ſynonimis, ſic paᵒ deſcribit noie ꝑticule patiẽtis ex intẽtõe ga' i loco alle°. Idẽ dic ipe i paſſio° ſuo. ¶ Nõ ꝑipleuª fit dupl'r. Uno mõ ex ꝓpꝛia plectoꝛia venaꝝ pulmonis. nã vene ei⁹ replete nõ pñt ſuſtinere ſanguinẽ: ſpuũt ipm i ei⁹ poꝛoſitatib⁹ ⁊ facit tumoꝛẽ ⁊ apã. Alio mõ fit ⁊ vtpl'm ſuccedẽdo catharro vel ſq̃nãtie vel aſmati vel pl'reſi. q: maª extñs infra venas illaꝝ ꝑtiũ fluit ⁊ delegat ad ꝑtes pulmonis ali. q̃ vene replete nõ potentes ſuſtinere ſan. rõe q̃ti vel q̃lis ſpuũt ſan. ad ei⁹ poꝛoſitates ⁊ cãt tumoꝛẽ ſeu apã. ⁊ q: tũc paſſio lõga: nõ dñt ſic ſtõmari ſic ſi fieret nou ſuccedendo ad alium moꝛbũ. qñ nõ ſuccedit: ſtõmet ⁊ ſoluat vẽter. dic raſis i ſuo ꝯtinẽte. vnde tale apã fit cõiter de ſã. ſtãtico. ideo ſeq̃t ſputũ ſtãticũ. q: decidit a ſuba eius rara plena aere ſicut pl'reſis ⁊ vera fit ex co. vel ex ſan. colico: iõ ſeq̃tur ſputũ colicũ q̃ſi citrinũ. vñ ꝑipleumoª ⁊ pl'reſ cõicant i plurib⁹ ſignis ⁊ i magna ꝑte in cura. verũ ſig̃ cõia ſaluꝶ ſumũt i ꝑipleuª ex facilitate ſputi ſicut in pl'reſi ex miti gatione doloꝶ. dicit raſ i ſuo ꝯtiᵉ. nã ꝑipleuª ali curat ⁊c̃ ſtõmijs ⁊ caſſiat. ⁊ q: ibi non ē mag̃ ſolutio: ideo nõ ſeq̃tur ꝑniſis ncc̃io. Sil'r curat: q: maª q̃ ē ifra venas pulmonis ⁊ q̃ſi ꝯiũcta ipſi apoſtemati trãſmittat i ſui augmẽto ad alias ꝑtes a ñra foꝛti retro aures i collo vel i humero. 2. ꝓnoſticõ. vide ſ̃ pl'res. Intẽdũ curat ꝑ ꝯuerſionẽ ei⁹ in ſaniẽ tãtũ crepat ⁊ fit vlc⁹ ⁊ ſanies coꝛroſiua tũc ſequit ꝑtiſ ncc̃io ⁊ ali empima: vt dicet Notũ ē ꝙ ꝑipleuª ē paᵒ pulmõis ⁊ ē ꝑ colligãtiã. vcit qđ venire nõ d3 ſm naturã ad ipas vẽas pulmõis. Et ē triplex moꝛb⁹ i gñe ⁊ i ſpẽ. ⁊ ē nocuᵐ regitiᵉ ñal' mẽ mãdãtꝶ ⁊ recipiẽtꝶ intẽtõe ga. xi. de ingeᵒ i. c. 2. ⁊. 8. Et ē paſſio ꝓ moꝛ° deſcripto vtutꝶ ñlis expulſiue pl'mois ⁊ ei⁹ attractõe ꝯñr motiue coꝛdis ⁊ alioꝝ mẽbꝛoꝝ. Et ē cũ tali ꝑipleumª pulſus moll': q: pulmo eſt moll' ſicut culcitra. iõ capſula non oppmit: ⁊ ꝑ ꝯñs non mouet cũ duricia ſicut fit in pl'reſi.

Iſtis clarificatis cura peripleuᵉ tibi pateſcit. Pꝛi⁹ aũt ꝙ i cura ꝓcedas ſcire ⁊ ꝯſiderare oȝ an tal' ꝑipleuª venerit icipiẽdo vel ſuccedẽdo catarro mãifeſto vl' ſq̃nãᵉ vl' aſmati l' pl'reſi. q: i ſ̃ cura diuſificat. q: qñ fit icipiẽdo: ſtõia ē eis mag̃ ncc̃ia. nã ſi ſuccedat ad aliũ moꝛbũ: euitet ſtõia: q: ſic nõ reiteret. q: paᵒ fuit lõga ⁊ vtus debilitata. dicit raſ i ſuo ꝯtiᵉ. Sil'r ꝯſiderare oȝ i ꝑipleuª ⁊ i pl'reſi ſi vẽter ſoluat ex ſe vltra ſemel aut bis. q: tal' ſolu° ſine cã mãifeſta moꝛtificatõꝫ vtutis ñalis ſig̃t in ſtõ° vl' i epate. vt dic raſ i ſuo

ꝯtinēte. ¶ Et ſi q̄s ꝑipleumoniā incipiētē ⁊ nō ſuccedentē habuerit: qđ pateſcit: qꝫ nō p̄ceſſit aliq̄s de morb̄ dict̄ ⁊ eſt cū dolore i pectore ⁊ i ſpatula ſiniſtra cū tuſſi mag̃ ⁊ mag̃ maliᵃ anhelitꝰ: ímo cū maiori ꝙ̄ i pl'reſi ⁊ fe. ꝯtinua cū ſputo flãtico ſemiſpūoſi cū pulſu molli ⁊ vndoſo cū rubore maxillaꝝ. iſta oīa ſignt ap̄a eſſe i pulmone. Jn primis ḡ flōmet̄ de epatica ꝑtis dextre in craſtinū fiat iterū flōia de baſilica ꝑt̄ ſiniſtre: dietādo ipm̄ cū ordeato auenato caudariſo ⁊ aq̄ ordei ⁊ aq̄ mell' finaliter ſequēda ē cura ſicut i pl'reſi dictū ē. qꝫ multū ꝯueniūt i cura potiᵐᵉ i euacuādo materiā cū ſputo ⁊ reſolutis i ꝑte vel i toto ſm̄ diuerſa tp̄a ipiꝰ ꝑipleuᶜ. vez̄ raſ̄ dic̄ i ſuo ꝯtiᶜ. qꝛ vētoſe cū ſcarificatōe ꝯpetūt ſupra pectꝰ ⁊ coſtas magnas q̄n̄qꝫ: ⁊ ip̄e vtebat̄ q̄n̄ꝙ ipiſ ¶ Et ſi q̄ſ ꝑipleumoniā ſuccedentē ad vnū de morbis dict̄ habuerit qđ pateſcit: qꝫ p̄ceſſit vnꝰ de dict̄ morb̄: purget̄ cū caſſiaſ̄ dicta. ⁊ flōmetur de epaᶜᵃ vel mediaᵃ eiuſdē ꝑtis ⁊ nō reiteret̄ flōia. qꝫ paᵒ fuit lōga ⁊ vtꝰ debilitata: vt dicit raſ̄ in ſuo ꝯtiᶜ ⁊ intendat̄ ad expulſionē cū ꝓuocātibꝰ ſputū ⁊ aliꝭ reſolutis applicādis ab extra: vt ē dictū in. c. p̄ce' de cura pl'reſ̄: h̄ndo oculū ad reliq̄as maᶜ morbi primeui cū cathaplaſmatibꝰ ⁊ aliꝭ reſo'onibuſ cū floribꝰ anodis ⁊ ſe. aneti ⁊ fenugreci ⁊ ſi'ibꝰ.

Ecmpimate

.i. de collectōe ſanioſa in concauo pector̄. ¶ Nota: ꝙ iſta tal' collectio ſanioſa fit in pectore tā multiplici. al'n fit ex reumate antiq̄to fluxo ad ꝯcauū pector̄ qđ ibidē diu retētū ⁊ ꝯculcatū ſemicorrūpit̄ ⁊ inaſcit̄ ſanies. ſil'r fit inēdū ex ruptura vene i pectoralibꝰ. nā i q̄buſdā maᵃ ml'ta flãtica expellit̄ ꝑ rupturā vene: q̄ maᵃ ibidē ꝯculcata ⁊ retēta ſemicorrūpit̄ ⁊ i ſaniē ꝯuertit̄. ¶ Fit etiā alii ex pl'reſi vl' ꝑipleuᵃ. nā ipis ap̄atibꝰ maturat̄ crepāt ⁊ ſanies illa i ꝯcauo detinet̄ ꝑ tp̄s. iđ dicit ypo. 5. aᵒ. cañ. 16ᵒ. Quibuſcūqꝫ vo ex pleuretide empici fiūt ſi purgāt̄ infra. xl. dies a q̄ die ruptura fit curant̄: euadūt. ſi nō: i ptiſim trāſeūt. q̄a in tp̄e lōgo vlcerat̄ pulmo ab illa ſanie corroſiua. Et adūte ꝙ ex tali ſanie dū morā traxerit i concauo pector̄ ꝯficit̄ etiā pulmo abſqꝫ h̄ ꝙ non corrodat̄: ⁊ ſic nutriᵐ ſibi aduenieñs corrūpit̄: ⁊ ſic ſanies ml'tiplicat̄. vñ empici ſūt duplices. impropꝛ ⁊ largo mō dicti. Jſti oēs ſpuētes ſaniē vt pl'retiᶜ ꝑipleuᶜˡ reumaᶜˡ de lōgo tēpe. Empici ꝓprie q̄ñ ſpuūt ſaniē cū iſectione pl'monis ſanioſa. iſti tales macillent̄ ⁊ extenuati fiūt cū collo ḡcili ⁊ cū difficultate ālhelādi cū tuſſi cū facie ſubtūida diſcolorata ⁊ cū tūore ocloꝝ ⁊ al'n febritāt: al'n non qđ dinoſcit̄ ex cal'. vole manuū ⁊ plāte pedū ⁊ ſiti aliq̄li: ⁊ tal' maᵃ putreſcit i diūſa ꝑte ꝯcaui pector̄ q̄n̄z i ꝑte ſiniſtra: q̄n̄z i ꝑte dex̄ mag̃ q̄n̄z i medio thorac̄. q̄n̄qꝫ retᵒ: qđ ex ꝑicl'e dolore diſcenimꝰ ⁊ tuſſiēdo ⁊ ſpuēdo ꝓpt̄ motū ebullitōis mᶜ i loco iſecto ſ̄ dol'. mag̃. vñ ſi ml'ta ſanies fuerit ñ potit ꝑ ſputū mūdificari. iđ dubitādum ē de ſuffocatōe. dic̄ raſ̄ i ſuo ꝯtiᶜ. iđ iubet ipm̄ cū cautio apiri ne ſuffocet̄ qđ tēptare non audemꝰ ꝓpt̄ periculum: ſ̄ eos dimittimus.

Jſtis clarificatis

cura empimat̄ ſibi pateſcit. Prius āt ꝙ̄ in cura ꝓcedas ſcire oꝫ modū ſui euētꝰ: ſi veniat a reumate l' ex rupt̄a vene: l' ſi venerit ex crepat̄a pl'reſ̄ l' ꝑipleuᶜ nec ad quā ꝑtē pector̄ mag̃ declinat. nec ſi ē ibi mag̃ q̄ntitas ſaniei: qꝫ i hac cura ⁊ ꝓnoſticaᵒ diūſificat̄. ¶ Et ſi q̄s vez̄ ēpima habuerit ex catarro l' ex ruptura vene i pectoralibꝰ l' ex ruptura pl'reſ̄ vel ꝑipleumᶜ qđ pateſcit: qꝫ tal' ſpuit multū de ſanie ē tuſſi vel maliᵃ ālhelitꝰ ⁊ fe. q̄ ipm̄ mag̃ affligit ð nocte cū facie diſcolorata aliq̄l'r macilētꝰ ⁊ rubore maxillaꝝ p̄cedēte aliq̄ illoꝝ i qꝫ reliq̄is ocul'ē tenēduſ ꝓuocet̄ maᵃ ꝑ ſputū cū aq̄ mell' ſimᶜˡ ſi ſputū fuerit ḡſſum a moᶜᵒ tp̄e ⁊ ſine fe. l' ꝙ ibi ponat̄ modicū aceti ſq̄lliᶜˡ. ℥. ß. vel minꝰ. ⁊ ꝙ det̄ ſibi aq̄ ordei ē moᶜᵒ mell' l' ʒucᶜ l' aq̄ far̄. ſi fe. aſſuerit illa q̄ dicta ſunt i. c. de raucediᶜ ⁊ de pl'reſi ꝑ ꝓuocatōe ſputi valēt. vel det̄ ſibi de aq̄ decoct̄. liq̄riᶜ vuarū paſſ̄. cū moᶜᵒ yſopi ⁊ liq̄riᶜ. Et ſi mūdificaᵒ fuerit difficil': pone i decoctōe liq̄riᶜ vuaꝝ paſſ̄ modicū praſſij ⁊ modicū orobi vl' fiat aq̄ ordei de aq̄ pluuiali cū moᶜᵒ melle ⁊ modico liq̄riᶜ vuaꝝ paſſ̄ ē modiᵒ p̄ſſij vl' yreos. Jſta valēt ſiruᵐ vtat̄ ꝯtici cibo ⁊ potu de aq̄ pluuiali. raſ̄ dic̄ i ſuo ꝯtiᶜ qꝫ q̄dā ſpuebat ſaniē fetētē pꝰ ſputū ſā. ⁊ curati fuerūt ꝑ lac caprinū ⁊ q̄dā ꝑ lac aſininū. Pꝰ mediā horā ſue ml'ctōis. iđ ꝯpetit vſꝰ eoꝝ. Jnūgat ſibi pectoralia ſo ⁊ māe ē iſto. ℞. olī laurīᶜ q̄rt̄. i. olī ſizaᵃ. q̄rt̄. ß. butiri ſine ſale q̄rt̄. i. ⁊ ß. cere ꝙ ſuf̄. f̄. vngᵐ addat̄ raꝺ lilij coctiꝰ ꝯq̄ſſati. ℥. ij. icorpāᵒ ꝑ moᵐ vnguēti. l' iungat ſe i pectoralibꝰ ē olᵒ lauriᵒ vtatur dyarr̄. ſalomōis. l' vtat̄ elcᵒ. ℞. pl'mōis vulp. ℥. ij. ſe. fe. ℥. i. ſucci liq̄riᶜ. ℥. ij. pāis ʒucᶜ. lᵇ. i. aq̄ capilliſue. lᵇ. ß. terat̄ ſil'r ꝯficiat̄ ē ʒuc̄ ſup ignē. fiet el'ctᵐ de bol'. ſumat caſſiaſ̄ ſimplicē ſe'l i mēſe ꝙ̄ tibi poſui i. capitulo. de cura pleureſis ⁊ ſupius. Vez̄ empici tales ſi maᵃ fuerit ſatis exuberans nō curant̄ niſi materia expellat̄ ꝑ vias vrinales qđ fit i q̄buſdā ⁊ raro. fit tñ de poſſibili; vt pouit

gaꝰ.6.de interioꝛ.in.cap.3.in fine capl'i. vbi dicit
modū introitꝰ ma^e in q̇buſdā iſra venaꝝ q̄ tendit
ad vias vrinales.nā ꝯpōnem q̄ raro cōtingit ſe-
quūtur accidētia que raro cōtingūt:vt dicit gaꝰ
ibidem. Jſta ſufficiāt tibi.

Capitulum.59^m de ſputo ſanguis cū raſcatōe.

Um ſanguis cū raſcati-
one aut puo ſonitu q̄ fit
ſine tuſſi egredit̄ non eſt
egro inde timēdū Poſit em̄ ſana
ri gargarizādo ea q̄ in capl'o de ſq̄
nantia noiauimꝰ ꝛ regimen ſubti
liando.

E ſputo ſanguis cū raſcati
one. ¶ Nota ꝙ oēſ
antiqui cōcordati ſunt ꝙ ſanguis ex
iens cū vomitu nccīo exit de ſtomaͦ
vel de meri ꝛ de ꝑtibus ſubiacētibus.exiēs cum
tuſſi neceſſario exit de ꝑtibꝰ ſpūalibus : puta de
pulmone ꝛ ꝑtibus ſubiacentibus ſcōm ꝙ via di
ſtat a via exitus ſcōm hoc tuſſis ē magna vl' mo
dica.de iſtis duobus tractabimus in.cͦ. ſequen-
ti.Exiens cū ſputo ſimplici exit a gingiuis.exiēſ
cum raſcatione:neceſſario exit de gutture. verba
ſunt ga^l.4.de interio.c.9.de exitu ſanguis ꝑͦ. ꝑ
os.in principio capl'i. ¶ Ulteriꝰ nota ꝙ ſāguis
exit de gutture q: vene ibi apiūtur.3ͦ de moꝛ.cͦ
penultio: ꝛ apiūtur vene in gutture a ſanguine
mutato in quāto vel in quali vel vtroq̄ȝ modo.et
iſtud eſt vtplurimū.nam ſanguis excedēs in q̄li
tate vel in q̄titate q: multꝰ ꝛ acutꝰ in venis gut-
turis apit capita illaꝝ venaꝝ:ideo exit: ꝑpter qd̄
ē nocu^m expulſiue:q: q̄lis: ꝛ ꝯtentiue: quia q̄tus
vt declarat gaꝰ.4ͦde moꝛͦ ꝛ in.6ͦ.de interio.in
cͦ pͥmo.hoc eſt bn̄ declaratū in caͦ fluxu ſanguiſ
ꝑ nares.iō talis ſan.eſt accidēs dictū exiēs a coꝛ
poꝛe mutatū ſequens imediate nocu^m actionis
ꝯtentiue vel expulſiue venaꝝ gutturis. naȝ talis
exiens nocumento actōnis ꝑtinet:vt dicit gaꝰ.6
de moꝛͦ. ¶ Notum eſt ꝙ ſan. exiens cū raſcatōe
ꝑ moꝛbo deſcͥpto ē paſſio pͥncipal'r venaꝝ gut-
turis:vt dicit gaꝰ.in illo capͦ.4ͦde inte. in prinͦ
capl'i.ꝛ ē ꝑ colligātiā moꝛbi. venit qd̄ venire nō
debet ꝑ naturā.q: q̄litas ꝛ q̄titas ſang.indebita
apiens venas.Et eſt moꝛbus in cōpoſitōe puta
in receptaculo:q: capita venarū recipiētū ſan.
vltra debitū replent̄ poſtea dilatant̄ ꝛ aperiunt̄
cū ſan,mutato i quanto vel i quali i gutture, ꝛ ē
nocu^m ꝯtētiue q: q̄tꝰ:vel expulſi^e q: q̄lis.nā ex-
pulſiua incitat̄ a q̄li ſic̄ ꝯtētiua a q̄to.6.de moꝛ.
6.de int̄.c.1. ꝛ tal'moꝛbꝰputa aptio ꝛ dilataͦ ca-
pit̄ venaꝝ eſt paſſio ſeu nocu^m actiue ꝟtut̄ n̄lis
illaꝝ ꝑtium ꝛ ꝑtium vicinarum.

Jſtis clarificatis cura ſpu-
ti ſan.cum
raſcatōe tibi pateſcit. Uiſa paſſiōe duplici puta
plectoꝛia ſan.q̄ti ꝛ q̄lis ꝛ aptōe capitū venaruȝ
guttur̄.intētio curatiā duplex erit ſubtrahēdo ſā
guinē illū de ꝑtibꝰ ill'.alia erit ſtipticare ꝛ clau-
dere capita illaꝝ vēaꝝ. ¶ Si q̄s ſputū ſan.habu
erit cū raſcatōe det ſibi caſſiaꝝ ſimplex tibi plu
ries poſita i.cͦ.de pl'reſi ꝛ i caplis pͥmis.poſtea
flōet̄ d̄ vena media^a vel epa^ca.poſtea i 3ͦ die d̄ ce
pha^ca gargarizet de zucco malig̃nati c̄ eiꝰ camo
ſita^c terat̄ malūg̃natū cuȝ toͦ ſupſpergēͦ modiͦ
aceti ꝛ bn̄ exp̄mat̄ ꝛ gargarizet ſepe: ꝛ gargari
zet de aq̄ roſ̄ de ſtipitibꝰ decoctōis ſumas d̄ rob
citonioꝝ diſſoluto c̄ illa aq̄ dicta.vitabit ſalſa acu
ta vt moſtardū:allia cepas niſi ſint bn̄ repſſe vi
nū purū ſeu male limphatū ꝛ ſi'ia.vitabit cātū ꝛ
lecturā i cathedra.ſil'r oīa alia q̄ faciūt ſā.i guťe
i ꝑtibꝰ ſupioꝛibꝰ. Adūte i q̇buſdā ē tāta abūdās
ſā.ſubtil' colli ꝙ oȝ ꝑ'ies reitare flōiaȝ cepha^ce

¶ Capl'm.60^m.de vomitu ſanguinis.

Um vomitu q̄ȝ ſi exierit
ſanguis: nō magnum af
fert timoꝛē. Curat̄ nāq̄ȝ
hoc flobothomādo egrū. ꝛ ſi come
derit ſtiptica ſicut ſumach ꝛ ſuccꝰ
vue acerbe. Jn potu ꝑterea ſiat
ex boli armenici gūmi arabici ba-
lauſtie ſanguis dra.thuris oim ꝑ-
tibuſ eq̄libꝰ denꝭ ex eo.ȝ.iij.cū rob
ſimplici de citonijs.q̇buſdā autez
ſolet accidere ſanguis exitus cum
interpolatōe:ex quo nullū ſentiūt
nocumētū imo remediū ideoq̄ȝ ſic
ē dimittendū. Qd̄ ſi cū tuſſi ſupue
niat ſanguis egreſſio ē timoꝛoſū.ē
tū icipiēdū in curatiōe egri cū flo-
bothōia ex baſilica: deīde ex trociſ
cis iſtis i potu tribuēd.q̄ ℞ thuriſ

ſanguis draconis amboꝝ añ.ʒ.iij ⁊ tertiaꝫ karabe.ʒ.v.ematiſtis tre ſigillate ãboꝝ añ.ʒ.x.alũis.ʒ.ij.et ꝭ balauſtie.ʒ.iij.opij.ʒ.ij.reuba.ſemi.ʒ.ij.Ex hijs oĩbꝰ fiãt trociſci.x de q̃bus quotidie vnꝰ ĩpotu ſumat̃ cũ ſucco ozimi maioris aut portulace.Et ſi egritudo vehemẽs fuerit:alıꝰ circa noctẽ dãdꝰ ẽ.Adiutoriũ q̃ꝫ ac coxaꝝ ptes ſupiores ſunt ligãde ⁊ extremitates fricãde.Pectus etiã p̃cipue ſi in eo fuerit locꝰ dolẽs ex trociſcis p̃dict̃ cũ aceto ⁊ aq̃ epithimet̃. Eiꝰ p̃terea cibaria ſuccũ vue acerbe ⁊ ſumach ⁊ eis ſimilia admixta habeãt ⁊ patiẽs ſupinꝰ iacẽs:de terra ſigillata aliq̃d poſt aliq̃d paulatim comedet.

Evomitu ſan.⁊ eiꝰ ſputo ⁊ tuſſi.nam rubrica cõis ẽ diminuta.¶ Nõ võitꝰ ẽ malꝰ.4.de morᵒ.c.i.⁊.4.Et ẽ malus motꝰ expulſiᵉ ſtoˡ.6.de morᵒ.i.c.3.i fine.veꝝ ſang. exiẽs cũ vomitu ⁊ q̃cũq̃ alia res lꝫ i ſe ſit ſuba ẽ accñs morbi dictũ exiẽs a corpe mutatũ.nã vt exiens:q: exit ex nocuᵒ ſeu mala actõe expulſiue vl' ꝯtẽtiue ẽ accñs morbi.⁊ vt mutatũ in q̃to ⁊ i q̃li ⁊ vtroq̃ mõ tal' ſan.vomitꝰ venit a ſtoᵒ ⁊ a meri.4.de int̃.c.ix.de exitu ſan.p os.⁊ qñ ẽ in q̃titate mag̃ refocillat a venis epat̃ ⁊ ſplenis.vl' in mẽſtruis retent̃ vel in ocioſis ⁊ replet̃ q̃ dimiſerunt exercitia ⁊ labores.cᵒ penulᵒ.nã expulſiua venarũ fort̃ incitata ⁊ grauata expellit al'n p vomituꝫ al'n p ſeceſſũ.interdũ ⁊ vtpl'in venit p viã mũdificationis ⁊ eſt bonũ.nã tal' ſan.exiẽs nõ ẽ accñs morbi vt exiẽs:ſꝫ vt mutatũ i q̃to vl' i q̃li vl' vtroq̃ mõ.ppt̃ qð al'n tal' vomitꝰ ſan.non ẽ malꝰ yᵒ ẽ ſalubrı̃ ⁊ non dꝫ reſtringi.dic̃ raſ in ſuo ꝯtiᵉ.ppter qð ꝯſideremꝰ ſi ꝯfert ⁊ bñ ferũt ⁊ ecõtra:ſm ħ p noſticamꝰ vt diximꝰ eẽ accñs vel vt mutatũ ſolũ ſiqᵢ ſe.tal' vomitꝰ ſan.ſupuenerit:tũc ꝯſideremꝰ ſi venit poſt ſig̃ digõnis tũc venit ex actõe nature:⁊ non ẽ mal' ſi venit añ ſigna digõnis vl' poſt ſigna digõis corrupte ẽ:tũc malũ mortẽ p̃nũciat.

Interdũ tal' vomitꝰ ſan.venit a venis ſtoˡ apert̃ a ſanguiſuga.vel ab alia re puta ab emorroydis natis ibi tc̃ ẽ i modica q̃titate ⁊ p interualla ⁊ iuuant̃.dicit raſ i ſuo ꝯtiᵉ.ſan.exiẽs i tuſſi cũ ſputo ſp ẽ malꝰ q: arguit rupturã vene i pulmõe vel in pectoralibꝰ.4.de morᵒ.4.de int̃.c.9ᵒ.ppt̃ qð eſt multũ timẽdũ de corroſiõe ſeu vlcere pulmõis q̃ noie cõi ptiſis dr̃.iõ tal' exitꝰ ſan.ſp malꝰ ẽ:ſeu tumoroſus:⁊ ẽ accñs dictũ exiẽs a corpe mutatuꝫ vt exiẽs ⁊ vt mutatũ:q: nũq̃ exit p naſã regl'atã p talẽ locũ:q: vene ibi apiũt̃ a ſan.mutato i q̃to vel i q̃li vel vtroq̃ mõ ⁊ nõ i v̾tute forti vel ſana:q: ñã nõ intẽderet qð melius ẽ.ꝯñs ẽ falſum.3ᵒ.de cretiđ.pbat̃ ꝯña ex q̃ ꝯſeq̃ret̃ corroſio ⁊ vlcus pulmonis.Notũ ẽ φ vomitꝰ ſan.p morᵒ deſcpto eſt paſſio ſtoˡ ⁊ meri.4.de int̃.c.4.de exitu ſan.p os.Idẽ dicit.5.de int̃.in.c.4.i fine.⁊ ẽ paᵒ ſtoˡ ⁊ meri p colligãtiã venaꝝ epat̃ ⁊ ſplenis refocillat ab eis.in ipo tal' ſan.qñ exit ⁊ euomit̃ i mag̃ q̃titate.Qñ i pua q̃titate:ẽ p colligantiã rei extrinſece puta ſãguiſuge vl' alteriꝰ rei extrinſece approximate vlcerãtis vel apient̃ venas ipiꝰ tũc eſt in modica q̃titatᵉ vel ab excreſcẽtia aliq̃ ad modũ emorroið in ſtoᵒ.dicit raſ i ſuo ꝯtiᵉ.a q̃ fit fluxus al'n.Et ẽ morbꝰ in receptaculo.nã ille ſan.maluſ acutꝰ vel ſemicorruptus expellit̃ a natura:puta i v̾tute expulſiua venaꝝ a natura:puta a v̾tute expulſiua venaꝝ p viam mũdificatõnis vtpl'imuꝫ interdũ p viã ſinthomat̃ qð cognoſcit̃ ſi confert ⁊ bñ ferũt.Vomitꝰ aũt in ſe eſt mal'motꝰ ⁊ violẽtus cõiter ⁊ cũ moleſtia ⁊ grauitate.ppter qð ẽ malus motꝰ ⁊ nocuᵐ expulſiue ſtoˡ.6.de morᵒ.i c.3.Idẽ.5.de morᵒ.in.c.5.circa mediũ capli.vbi dicit.oĩs actio ñalis ẽ ſine moleſtia ſicut mala et ĩnatural' cũ moleſtia.verũ vomitus ſan.q̃nq̃ i ſe nõ ẽ malꝰ motꝰ nec mala actio expulſiue ſtoˡ.q̃a acq̃rit̃ ſanitas:⁊ ẽ leuis cũ alleuiatõe:⁊ fiat a bona expulſiua venaruꝫ ad ſtoᵐ vl' ad iteſtina ꝯtra expellit̃ ſine mag̃ moleſtia p vomitũ ſiue p ſeceſſum:imo ẽ bona alleuiatõe:vt declarat gaꝰ.5ᵒ.ð int̃.in.c.penulᵒ.qð pꝫ:q: acq̃rit̃ ſanitas.ppt̃ qð nõ dꝫ dici accñs morbi.ꝯña pꝫ p ipm Gaᵐ.3ᵒ ð morᵒ.c.peᵒ.aucte theophili Vex cum ħ non negat̃ quin ibi ſit morbus i receptaculo q̃ tñ expellit̃ p naturã expulſiuã illoꝝ mẽbroꝝ ⁊ mõ ſan̄ cõ uenıẽti.Et eſt paſſio p illo malo motu naturalium v̾tutũ i ſpũalibꝰ mẽbri.¶ Notũ ẽ φ ſanguis exiẽs in ſputo cũ tuſſi ẽ paſſio pricipalit̃ venarũ pulmonis vel pectoris:vt dic̃ gaꝰ.4.de interio.cᵒ 9ᵒ.vnde qñ ſan.eſt clarus ſpumoſus ſubalbidꝰ cũ tuſſi cõpetẽti ⁊ ſine dolore tũc eſt paᵒ p̃ncipal'

pulmonis qñ ſan. eſt g̃ſſus q̃ſi niger ⁊ aliq̃lr ſpu
moſus ⁊ paꝝ ⁊ cũ tuſſi mag̃ cũ dolore infra pectꝰ
tũc ẽ paᵒ venaꝝ pectorꝭ: ⁊ ẽ paᵒ illaꝝ venaꝝ ꝑ col
ligantiã venit ad illas ſanguis mutatꝰ in q̃tõ vel
ĩn q̃li vel vtroq꜄ mõ q̃venire nõ dꝫ ẽm ñam: ⁊ eſt
morbꝰ cõis: q꜔ ſolutio talꝭ vene vel talis: ꝓ morbo
deſcẽpto in ſe aũt talis ſan. exiẽs: cũ tuſſi ẽ accñs
morbi dc̃m exiẽſ mutatũ a corpe: ſeq̃ns imediate
malã expulſiuã: ⁊ violẽtaꝫ pulmõis ⁊ aliaꝝ ꝑtiũ
pectoraliũ ꝓpẽ qꝺ eſt nocuᵐ expulſiue illaꝝ ꝑtiũ
ꝯñs malã expulſiuã venaꝝ illaꝝ ꝑtiũ ꝓpẽ ruptu-
rã ⁊ ſolutõeꝫ factaꝫ i illꝭ venis: q̃ de cã expellit̃ in
ꝯcauo pectoris ⁊ ẽ paᵒ ſeu nocuᵐ actiẽ inferẽdo
ſube pulmõis talꝭ ſanguis exiẽs cũ tuſſi ꝓ ꝑte re
tẽtus. nã q꜔ ĩpoſſiblꝭ ẽ q̃n aliq̃ portio remaneat i
ꝯcauo pectorꝭ q̃ nc̃cio corrũpit̃ ⁊ corrodit pulmo
nẽ. ⁊ iõ talꝭ exitꝰ ſan. cũ tuſſi eſt timoroſus ꝓ eo ꝙ
neceſſario remaneat: ħ intendũt actores oẽs

Iſtis clarificatis

cura vomi
tus ſibi pa
teſcit ⁊ eiꝰ ſputi cũ tuſſi. Prius ãt ꝙ in cura ꝓce
das ſcire ⁊ ꝯſiderare oꝫ an/alias ſibi ꝑoriſmalit̃
ꝯtigeret ⁊ ſine magno nocuᵒ vel nõ: q꜔ in ħ cura
diuſificat̃. ¶ Et ſi q̃s q̃vomitũ ſan. ꝑoriſmaliter
habuerit ⁊ ſine mag̃ nocuᵒ v̇tutꝭ vitalꝭ ⁊ aliaꝝ vir
tutꝭ. de ꝯſiᵒ raſ i talibꝰ paꝝ ẽ faciendũ. ſ dietamꝰ
⁊ aliq̇d facimᵒ ad regulandũ ñam i ſuis actõibꝰ
cibet̃ q̃ cũ riſi ⁊ lẽtibꝰ: vel ordeato vꝭ auenato det̃
ſibi paꝝ de rob ꝺ citonijs cũ aq̃ ſumach: vel ſiruᵒ
de citonijs vꝭ de iulep roſ: cũ aqua roſ flõet̃ bis
vel ter in anno de epatica: vꝭ mediana ſi groſſior
fuerit vel de ſophenis ⁊ meliꝰ vitabit ſalſa acuta
ſpẽs allia: cepas. ꝓuocent̃ emorroiꝺ: ad p̃ſuãdũ
talẽ vomitũ ꝑoriſmalẽ ſi ẽ poſſiblꝭ flõando ꝺ ſo
phenis ⁊ fricãdo ꝑtes illas cũ cepa ⁊ folijs ficꝰ.
¶ Et ſi q̇s vomitũ ſan. habuerit cũ aliq̃li q̃uita-
te corpis ⁊ alteratiõe pulſus: ſtati flõet̃ de epati-
ca vena: vt maliᵃ. ſan. corrigat̃ aliq̃ ex tali vomitu
moriunt̃ ſubito lꝫ pauci ẽm ꝙ ſan. ẽ niger vꝭ ma-
lus morꝰ facta flõia dietet̃ ⁊ ſirupet̃: vt ſtati dc̃m
eſt. ⁊ vtat̃ iſto puluere. ℞. boli ar. ſan. dra. añ. ℥. ſ.
thurꝭ cũ cortice. ℥. ij. ſ pulu̾is ſubtilꝭ det̃ ꝺ iſto pul
uere modicũ cũ rob de citonijs ⁊ aq̃ decoctõis
ſumat. q̃lꝫ mane: ⁊ añ cenã ꝑ duas horas. ¶ Ad
uerte tñ: ꝙ q꜔ iſta talꝭ euacuaᵒ ẽ horribilꝭ ⁊ ſtupẽ-
da ⁊ aliq̃ ſubito moriunt̃: iõ fortit̃ eſt intẽdẽdũ in
p̃ſuatõe talꝭ vomitꝰ ſan. q̃ p̃ſeruaᵒ ſtat in duobus
in ꝓuocatõe emorroyꝺ ſi ſit poſſibile. in fricatiõe
venaꝝ ani cũ cepa ⁊ aloe ⁊ folijs ficꝰ. ⁊ cũ flõia
ſophenaꝝ q̃ flõia bis vꝭ ter reiterata i anno mul-
tũ p̃ſeruat in ſe euacuãdo ſan. calefactũ ⁊ acutũ

⁊ ꝓuocãdo emorroyꝺ dictas: vt ſan. talꝭ expellat̃.
Inſup vitabis ſalſa ⁊ acuta: vt dc̃m eſt. balneum
aq̃ tepide de duobꝰ i duobꝰ mẽſibꝰ multũ p̃ſuat:
q꜔ ſanguis infriat infriando fumos capnoſos a
ſanguie ⁊ alijs hũoribꝰ: iõ eo ſepe vtendũ eſt de
mane vꝭ añ cenã. ¶ Ad curã ſputi ſan. cũ tuſſi. p̄
us aũt ꝙ in cura ꝓcedas ſcire ⁊ ꝯſiderare oꝫ q̃li
tatẽ ⁊ q̃titatẽ ſan. exeũtis cũ tuſſi. ſi ſit clarus ſub
tilis ſubalbidꝰ ſpumoſus cũ aliq̃li tuſſi ⁊ ſine do
lore: q꜔ tũc venit a venis pulmõis: vel ſi ſit aliq̃lr
g̃ſſus paꝝ ſpumoſus tẽdẽs ad aliqualẽ nigredi-
nẽ c̃ mag̃ tuſſi ⁊ dolore notabili i pectoralibꝰ tũc
eſt a venis pectorꝭ q̃ faciliꝰ ꝯſolidant̃ cũ ille ꝑtes
ſint in maiori q̇ete. A. de inſ. in. c. 9. de exitu ſan. ꝑ
os. iõ talia ſunt ꝯſiderãda. ¶ Si q̇s q̃ ſputũ ſan.
hũerit iſtũ vꝭ illũ hũerit: ſtati flõet̃ de epatica ꝑtꝭ
dextre. ⁊ ĩfra paucos dies flõet̃ de epaᶜᵃ ꝑtis ſin
ſtre freq̃nt̃ iſte flõie ⁊ fiãt in modica q̃tiᵉ. dic̃ raſ
in ſuo ꝯtiᵉ: ⁊ facta flõia potet modicũ de ptiſana
⁊ ſi multũ replerꝰ fuerit ſ de mediana: flõia ꝺ ſo
phenis multũ vꝫ: dicit raſ in ſuo ꝯtiᵉ. ¶ Vtatur
portulaca in p̄nᵒ cõeſtionis cũ modico aceti lim
phati: ⁊ intingat carnes in ſucco eiꝰ loᵒ alterius
agreſte: ⁊ potet de illo ſucco q̃lꝫ mane ꝑ ſe vel cũ
modico terre ſigillate. iſta cõtinuet iſup. ¶ Et ſi
q̇s habuerit ſputũ ſan. v̇gent̃ ad nigredinẽ cum
tuſſi: q꜔ de vena rupta in pectore ſi calẽ ꝯplꝭonis
mltũ fuerit potet paꝝ de aceto limphato ꝑ mul-
tas vices i die fac̃ ceſſare ſputũ ſan. venient̃ a ve
na pectoris ⁊ nõ a vena rupta in pulmone. dicit
raſ i ſuo ꝯtiᵉ q̇q꜄ hoꝝ ſumat quolꝫ mane coclear
puluis maſtiq̇ ſubtilꝭ cũ vino maloꝝ. vel cũ ſucco
v̇ge paſtoris vꝭ cũ ſucco portulace clarificat̃ ꝑ re
ſidẽtiã vꝭ de terra ſigillata de ãbobꝰ p̄ncipatũ te
nẽt i caſu. dic̃ raſ i ſuo ꝯtiᵉ. ꝓpẽ qꝺ i die ꝯtiᵉ q̃tũ
poterit i ore teneat de t̃ra ſigillata ⁊ paulati ꝯtiᵉ
aliq̇d trãſglutiat. Vel ſumat ſepe ꝺ iſto ꝯdito. ℞
ꝯſue roſ. q̃rt̃. i. ꝯſerue ſimphiti q̃rt̃. ſ. boli ar. ℥. i.
t̃re ſigillate. ℥. ſ. panis zuccꝭ q̃rt̃. iij. vꝭ. lꝭ. i. ſ cõdi-
tũ ad modũ zuccꝭ roſ. mĩgat̃ pectꝰ cũ fris icorpe
tur bolꝰ ar. t̃ra ſigillata acatiacũ olꝺ roſ vnfãcio
ꝑ modũ vngꝭ vt ſeruior ſan. i pectoralibꝰ mitiget̃
¶ Si talꝭ pa. macillẽtꝰ fuerit. vtat̃ lacte ⁊ nõ alia
q꜔ nimis replet venas pulmõis. dic̃ raſ i ſuo ꝯtiᵉ
yᵒ raſ curauit mltos c̃ ſolo lacte loᵒ vini potato.
vt ip̃e recitat Silꝭrlac coctũ q꜔ ꝯglutiãt ⁊ adheret
ſilꝭr vꝫ aq̃ lact̃ vaccaꝝ acida extcto butiro mltũ vꝫ
raſ i ſuo ꝯtiᵉ. ¶ Caſeꝰ recẽs ſilꝭr vꝫ. vtat̃ carnibꝰ
volatiliũ. vtat̃ pedibꝰ aialiũ bñ coct̃. amido cãda
riſo auẽato ordeato ſit i ſilẽtio iaceat erectꝰ ne ꝓ
uocet̃ tuſſis: q꜔ tuſſis ꝓhibet ꝯſolidatõeꝫ. vtatur

vino ſtiptico ⁊ coctãis coctis. Uitabũt tales irã
coitũ:vocẽ mltiloquiũ:apiũ al's opiũ:caſeũ vete
rẽ:vinũ ver⁹:ſalem aquã cal'az:cibaria cal'a:nimi
um frigus:repletõem nimiã:reumata mag^m mo
tũ:ne anhelit⁹ fiat frequens. caueat a fumo a pul
uere a dormitione ſuper terrã abſq₃ lecto:q₂ illð
ſputũ ſanguinis ꝓuocat, naz iſti euitando ⁊ alia
faciendo curabuntur.

Capitulum. 61^m. de ptiſi.

Um aliqs carniũ dimi
nutionẽ pati videẽ poſt
tuſſim ex cronica paſſio
ne et ſputo ſanguĩs aut
ſaniei ꝓcedẽte lac aſininũ ĩ potu
tribuaẽ. Qð ſi ĩuenire nõ poterit:
lac caprinũ cũ pauco zuccaro dãdũ
eſt. Cũ quo etiã panẽ ſepe cõedat
ipmq₃ q̃to plus poteſt loco aq̃ in
potu ſumat. Uinũ tñ ſubtile et tẽ
peratũ al'n eſt tribuẽdũ. Nutrimẽ
tũ aũt egri ſit ex carnibus auiuz et
edina. Eger ꝑterea ante comeſtio
nẽ ⁊ poſt balneũ ingrediaẽ:qð nõ
ſit cal'n ſed tepidũ. ⁊ in ſemicupio
morã faciat. Sũmope vͦ cauendũ
eſt ne vẽter ſoluaẽ. Cui tñ ſi ſolu-
tus fuerit ex hui⁹ pulueris bibitio
ne ſuccurrẽdũ ẽ. q ℞. gũmi arabi
ci ſpodij boliarmeni ſemirtini om
niũ añ. ʒ. i. fiat ex eiſ puluis ð quo
in die. ʒ iij. cũ ſirupo de papauere
albo aut rob mirtino deẽ. huius
q̃ꝫ pulueris bibitio oĩbus ventris
ↄſtrictiõe indigentib⁹ q̃ tuſſiz pa
tiãtur remediũ affert. Cui plerun
q₃ addunẽ xilocaracte de ſyria. et
bdelliũ de mecha. Qð ſi lac egro
febrẽ generauerit auferendũ ẽ ei
lac ⁊ ptiſana quouſq₃ febris rece
dit dada Deinde lac inde denuo
tribuendũ. Et ſi febris iterũ redi
erit rẽoto lacte ptiſana eſt danda.
Poſt cui⁹ receſſionẽ vt prius ad
lac ẽ redeũdũ. Hoc aũt ſp ẽ facien
dũ cũ neceſſitas vrget ⁊ vẽter ſũ
mope cuſtodiendus ne ſoluatur.

Eptiſi id eſt de vlcere pulmo
nis cũ ſputo ſanguieo
vt dicit Ga⁹. i paſſiona⁹. aliẽ dr capl'z
de ptiſi. i. de ſputis malis ſanguineis
⁊ ſanioſis:q₂ ptiſis grece idẽ eſt q ſputũ latine
dicit ſymõ ianuenẽ i ſuis ſinonimis. Idẽ ptiſic⁹
idẽ eſt q ſpuẽs latie. Moderni:vt Gordo⁹ ⁊ alij
dicũt q ptiſis ẽ vlcus pulmõis cũ ↄſumptõe cor
poris. Gilbert⁹ dicit ecõtra. Ptiſis eſt ↄſumptio
corpis ꝓpter vlc⁹ pulmõis ꝓpẽ qð vulgares vo
cant oẽm ↄſumptũ ptiſicum cum vlcere pulmo
nis ⁊ ſine vlcere. lz ſit ꝓpe ↄſũptio cũ vlcere pul
mõis. Aui. i3ͦ. cañ. dic q ptiẽ ẽ paͦ mala vlceroſa
pulmõis quã ↄcomitaẽ ſputũ ſanguineũ ⁊ ſanio
ſuz:q₂ i tali vlcere cum tãgiẽ caput alicui⁹ venule
pulmõis ⁊ poſterũ forti⁹ ⁊ plies. ꝓpẽ qð p interual
la ſpuũt q̃titatẽ manifeſtã ſanguĩs ꝓpẽ corroſio
nẽ ꝓfũdataz. ¶ 2ͦ. ↄcomitaẽ tuſſis ꝓpẽ nocu^m
pulmõis ſenſatũ petẽtẽ illð expellere cũ conatu ⁊
flatu. ¶ 3ͦ. ↄcomitaẽ duricia ãhelit⁹ aliqual'. q₂
pulmo g̃uat⁹ libe non pt in actiones debitas per
ñam:vt dilatare ſe nͨ ↄſtrigere. ¶ 4ͦ. ↄcomitaẽ
rubor aliqual' maxillaz ꝓpẽ fumũ ab vlcẽ eleuatũ
¶ 5ͦ. ↄcomitaẽ dolor aliq̃lis i ſpatula maxͤ ſini
ſtra vſq₃ ad hũerũ ꝓpẽ pelliculã pulmõis colliga
tã in ill' ptib⁹. vt dicit Ga⁹. 4. de inẽ. in caͦ vltio.
¶ 6ͦ. ↄcomitaẽ ethica fe. ſeu ↄſumptio corpis vñ
mala acciª dicta ſũt ſtati ↄcomitãª ptiſim fe. aũt
dicta nõ niſi in ꝓceſſu tpis p tp̃s ſtat ſine fe. ethi
ca ⁊ cauſaẽ talis vlceraͦ in pulmõe plib⁹ ð cãis
al'n ex catarro colerico acuto vl' ſalſo cadẽte ſ̃ ip
ſum ⁊ p ↄñs vlcerãte vel ex maª tali veniẽte aliũ
de ſi durauit. 4. de inẽ. in. c. vltiͦ. aut a pipleumoª
vel plireſi lõga ⁊ ſanioſa aut aptura vene i pecto
ralib⁹:q₂ portio ſanguis ibidẽ remanẽs ſaniaẽ ⁊
corrũpiẽ. ⁊ ſic corrodit ipm ⁊ vlcerat. ¶ Ulteri⁹
nõ ex intẽtõe Gaͥ. 4. de inẽ. c. 9. ⁊. c. vltio. pulmo
interdũ patiẽ apturã vene:vt dictũ eſt in caͦ illo.
interdũ pl'mo vulneraẽ vulnere ſimplici abſq₃ ſa
nie:vt in pnͦ ex vna de cauſis dictis quibuſdã me

dic̄ antiq̄s viſum ē talia vlcera ſimplr̄ ſine ſanie
eſſe incurabilia ꝑpter ꝯtinuū motū pulmonis ⁊
q2 ꝯſolidanᷓ bn̄ approximari nō pn̄t Ga⁹ aūt in
fine illi⁹ ca¹ dicit: ꝙ talia vlcera ſanioſa: puta qn̄
ſunt in pn̄ᵒ diuturna a bono medico efficiūt̄ ⁊ q̄
buſdā tp̄ib⁹ ſanāt̄: nō ꝓlōgant̄ q2 a bono medico
tale vuln⁹ cruſtat̄ cū exſiccantibus ſicut ſcabies
ab extra in brachijs vel alibi. vt dicit ibidē. veruʒ
talis patiēs ꝑua occaſione cū forti anhelitu cum
do vel tuſſiēdo vel alta voce ꝓclamāte corticem il
lum exſpuūt ⁊ cū tuſſicula eijciūt cuʒ duabus vel
tribus guttis ſanguis ꝓpter qd̄ talia in ſummū
vitāda ſunt ne tuſſicl'a illa añ tp̄s extra vſq3 q̄ ſub
t⁹ cruſta illa fuerit fc̄tā ꝯſolidatio. q2 iterū ⁊ iterū
oportebit illā cruſtā regn̄are cū exſiccatiuis ſi cu
rare intēdit. ¶ Notū eſt: ꝙ ptiſis ē paᵒ pn̄cipalit̄
pulmonis ſm̄ aliquā ꝑtē eius. 4. de inṫ. in. c. vlti
mo. Idē dicit. 5. de ingeᵒ. c. 9ᵒ. ⁊. 11ᵒ. ⁊ ē ꝑ colligā
tiā venit qd̄ venire nō dʒ ſm̄ naturā puta illa ma
teria acuta corrodēs ⁊ eſt ibi triplex gen⁹ morbi
mala ꝯᵒ: mala ꝯpoſiᵒ: q2 mala figura cū ꝯ ꝑditio
ne ⁊ ſolutio ꝯtinuitat̄. ⁊ eſt nocumentū regitiue.
naturalis mēbra mandant̄ ipſius pulmōis nō bn̄
expellent̄ nec digerent̄ vt deberet veꝝ diſpoſitio
ꝑticule bn̄ facit ad h̄ in q̄buſdā diſpoſitis ad pti
ſim cū pectore ſtricto ⁊ humerꝭ eleuat̄ vocant̄ ala
ti collo longo cū eminētia gutturꝭ. nā talis mala
ꝯpoſitio ex errore informatiue facit ad facilem re
ceptionē materie. i. ad debilē expulſionē materie
⁊ ptiſis eſt paᵒ naturalis pulmōis pn̄cipalr̄ ꝯn̄r
vitalis cordis ⁊ alioꝝ membroꝝ.

Iſtis clarificatis cura ptiſis ꝑut ē poſſi
bilis tibi pateſcit. nam in cura hui⁹ via ē intētio
curatiua pn̄cipalis. ſ. exſiccare tale vlcus cū exſic
catiuis ⁊ abſterſiuis: q2 vulnera non ſanant̄ niſi
ꝑus exſiccent̄. 6ᵒ. amph. ⁊ ꝑ ꝯn̄s cōſolidare ⁊ ip
ſum cruſtare ꝑut eſt poſſibile. ꝓpter qd̄ om̄s pti
ſici habeāt in collatū ſuū ſeu māſionē ſuā in aere
ſicco dicit Raſ in ſuo ꝯtiᶜ. q2 aer ſiccus attract⁹
ꝑ anhelitū exſiccat tale vlcus. h̄ idē dic̄ Ga. 5. de
ingeᵒ. in. c. 10. ⁊. 11ᵒ. vbi ipē recitat ꝙ ipē exiſtēs ro
me eligebat ipīs ptiſicis montes calidos ſiccos
ꝑcuſſos a ſole: ⁊ elongatos a paludibus a locis
baſſis. Et mittebat eos ad montē altū in cecilia
vbi eſt continuus ignis. Propter eandē cauſam
⁊ iūgebat eis nareſ cū oleo ſicco vt ē oleo roſ on
fancino vt aer attractus magis exſiccaret vlcus
⁊ dabat eis metridatū ⁊ tiriacā vt ipē recitat. 4ᵒ
de inṫ. in. c. vltimo. in talibus eis ꝓlongabat vi
tam, in finalibus moriebantur non obſtantib⁹ re
medijs ſuis attributis nullus eorum euaſit. vt ip
ſe recitat in eodem loco. Vtant̄ ḡ tales ptiſici de
bolo armeᶜᵒ puluerizato cum modico vino bn̄ lim
phati ante cenā ꝑ vnā vel ꝑ duas horas ⁊ ſumat
de eo ꝑ modum pulueris in modica q̄titate ſepe
de die ⁊ de nocte ſepe: h̄ q2 bol⁹ ex ſe exaſpat gut
tur miſceat̄ cū pane zuccari in eq̄li q̄titate vel in
maiori vel i minori ſm̄ ꝙ tp̄s eſt lapſum ad iſtaʒ
vel illā q̄litatē. Idē dico tibi de terra ſigillata. nā
iſta duo tenēt pn̄cipatū in exſiccādo ⁊ in cruſtan
do vlcus. 5. de ingeᵒ Idē dicit raſ in ſuo cōtinēte
Vtant̄ lacte dicit raſ in ſuo cōtiᶜ. Id̄ dicit Ga⁹
5ᵒ. de ingeᵒ. nam lac abſtergit ſua aq̄ſitate ⁊ mū
dificat ⁊ cōglutinat ⁊ conſolidat ſua caſeitate ve
rum rōne butiroſitat̄ humectat ꝓpter qd̄ nō cō
petit. Ideo dicit raſ in ſuo cōtinēte extrahat̄ bu
tirū deinde coq̄tur cum ferro calido vel cū lapidi
bus fluuialib⁹ ignit̄: vel ſaltim decoquat̄: q2 tūc
melius cōglutinat ⁊ adminiſtrat̄. ꝓpter iſtā buti
roſitatē modicā laudat̄ magꝭ lac aſine. poſtea lac
capre cū modica zuccara vt magꝭ abſtergat cū q̄
etiam panē comedat. ⁊ in potu ſumat niſi conco
mitaret̄ fe. putrida: q2 tūc cōpetit aq̄ ordei cuʒ ſe.
papa. vl' cancris fluuialib⁹ nutriat̄ auicul' pull'.
ꝑdicibus auēato ordeato riſi cādaruſ o vino ſub
tili ⁊ claro bn̄ liphato ſummope cauendū eſt ne
venter ſoluatur: quia fluxus ventris talibus eſt
periculoſus: ꝙ ſi ſuperuenit vtatur magis bolo
armeᶜᵒ cum ſirupo mirtino: vel de ſumac. vel aq̄
decoctionis: vel vtatur ſirupo de ribes ⁊ cetera.

Capitulum. 62ᵐ. de pulſu tremore cordis.

Si cum cordis tremore fuerit pulſus velocitas ⁊ febris eger ex baſilica eſt minuēdus ⁊ trociſci cāphorati cum ſucco maloꝝ aceto ſoꝝ in potu ſunt tribuēdi que. R. ſpodij ſemis cucumeris citroli endiuie lactuce portulace roſaꝝ ſandali albi oīm ꝑteſ equales ⁊ ꝑ vno quoq3 pondere auri vni⁹ ex eis ſumat̄ cāphore triū gr̄noꝝ ordei pondus ex q̄b⁹ cū ſucco macianoꝝ cōfectis fiant trociſci de q̄bus in potu quotidie vni⁹ aurei pōdus qua

ꝙ die tribuatur. Quod per duas ebdo-
madas fieri conuenit. ſi aũt hec non
ſuffecerint: lac de quo butirũ ſit ex
tractũ ad bibendũ detur. Ipſe vero nu
triatur ex pullis cũ aceto ꝛ ſucco vue
acerbe ꝛ ex acetoſo. Sirupũ preter-
ea acetoſuꝫ de zuccaro factũ bibat
Si aũt cũ cordis tremore n̄ fuerit fe
bris trociſci muſcati in potu ſu-
mantur q. ℞. maſticis ſpice xiloaloes
cynamomi gariofi. gallie muſcate
nucis muſcate cubebe cardamomi
maioris ꝛ helbaq̄ corticis citri oĩm
ana pondus vnius aurei muſci ſexta
ʒ.i. ex his om̄ibus cũ vino redolen
te cõſperſis fiant trociſci: hi aũt tro
ciſci cõferũt ſincopi ꝛ tremori cord
Electuariũ dyamuſcũ preciosũ
Dyamuſcũ preciosum quod ad ſin
copim ꝛ triſtitiã ꝛ cordis tremorẽ
ꝛ tediũ faciẽs. ℞. maſticis cinamo
mi ſe. ozimi maioris ſe. ozimi ga-
riofilati ſe. melliſſe ſe. ſinſimbri ſe
mis ſanſuci macropipis oĩm par-
tes eq̄les ex q̇bus oĩbus pulueri-
zatis. ʒ. x. ſumãtur margaritaꝝ minu-
taꝝ coralli rubei carabe ſete crude
been albi et rubei. folij oĩꝫ añ. ʒ. x.
muſci tubatia corconijs' puri. ʒ. ß.
conficiantur cũ melle de mirabolãis
kebulorũ. Hoc em̄ electuariuꝫ ad
frigiditatem ſtomachi ꝛ digeſtiue
egritudinẽ optimũ exiſtit.

Epulſu ſiue tremore cord. iſta
ẽ rubrica raſ i iſto. c.
i cti. Rubrica d ſaltu cord ꝛ iectiga
tõe ei⁹, ga. 5. d int. c. p°, rubricat d titil
latõe cordis ꝛ paſſionẽ deſcriptã vocat cardiacã.
Aui. 3°. cañ. rubricat d tremore cord. Iſti ãtiq̇ va
rie rubricauerũt iſtũ malũ motũ ſeu ſaltũ cord ꝑpt
varias cditões tal' mali mot⁹ cordis: vt declarabit
moderni i pſalterijs ſuis diuſimode rubricãt ab
ipis ãtiq̇s. ¶ Nõ. ꝙ tremor ꝑpe n̄ pt inẽe ipi cordi
q: tremor ꝑpe dict⁹ ẽ noc^m ſeu mala actio motie
aiate. 5°. de mor° i. c. 2°. mõ i corde n̄ ẽ tal' motiua
aiata: ſ ñal' motia puta vital' dilatãs ꝛ cſtringẽs
ipm ꝛ artias: ſ bñ ieſt ſibi pulſa° ſeu dilata° ꝛ cõ
ſtrictio tremlõſa: nã q: oppimit a capſula ſeu pel
licul' circũſtãtib⁹ rõe male cpl'ois cal'e vel frie cũ
ma^a mltipli^a i ea libe n̄ pt dilatari n^c cſtrigi. ſ ad
vtrũꝫ feſtiat ꝛ neut^m bñ pagit ſic̃ feſtiat ãhelit⁹ i
hoie volẽte ſuffoca^t. nã feſtiat ad attrahẽd ꝛ ad ex
pellẽd aerẽ ꝛ neut^m bñ pagit. Ideo tal' ãhelit⁹ ẽ tre
muloſus. Ita ẽ in pl'ſu cord pulſat dilatat ſe ꝛ cõ
ſtrigit ẽ vic lẽ^a: iõ tremuloſe mouetur. Et q: cor cpſ
ſũ ẽ a p̄dict̃ pellicul' ſeu capſula rõe male cpl'ois
ꝟl' frie ẽ ma^a hũorali vl' vẽtoſa ꝛ ſufficient̃ put ſi
bi cueĩt n̄ dilatatur: iõ caleſcit i ſe ex h. ꝛ q: vt pl'im
cã eſt cal'a, put dic̃ raſ i ſuo cti^c. Ideo dic̃ i diuiſiõi-
bus ſuis. c. ꝑpo i fine. Ideo ẽ q̇dã ſaltu ꝛ auiditate
dilatatur ꝑpt neceſſitatẽ attrahẽdi aerẽ extriſecũ frz
vt refrigeret ipm. iõ raſ ex iſto iẽto rubricat i ſuo
cti^c vt ẽ dcm de ſaltu cord. ẽt rubricat ibid de ie
ctigatõe cordis: q: ſic̃ iectiga° ꝑpe dicta ẽ ſola di
lata° mẽbri poter̃ ſe dilatare rõe vẽtoſitat̃ inclu
ſe: vt fit tota dic i ſpatul' ꝛ i ocul': vt dic̃ ga^a. 6°. de
mor°. c°. 3°. ꝛ appet iſirmo ꝙ cor ſolũ dilatatur ꝑpt
auiditatẽ dictã attrahẽdi aerẽ extriſecũ rõe nc̃citat̃
rõe puta iſſrãtõis iõ ex tali ſilitudie raſ rubaſica
uit d iectiga^c cord. ſili^r q: de poſſibl' vĩa iectiga° pt
ieſſe ipi capſule cp̄mit ꝑpt vẽtoſitatẽ iterclusã
ꝛ ibi gñatã ſm ꝙ ineſt alijs mẽbris potẽtibus ſe
dilatare et talis dilatatio ſeu iectigatio in capſu-
la comprimit cor ꝛ ꝓhibet eius dilatationẽ natu
ralẽ ꝛ ſibi debitã. Et q: ex talibus cauſis titubat
ꝛ titillat in motu ſuo naturali: vt apparet iſirmo
vt dicit Ga. 5°. de interiorib⁹. c. p°. Vocat iſtum
malũ motũ titillicũ cordis morbũ ſubſcriptũ ſeu
intellectũ q̇ eſt cauſa talis mali motus vocat car
diacã paſſionẽ: vt ipe recitat in ca° i°. ꝛ in ca° pre
cedenti vltimo 4^i. li^i circa finẽ ca^i. quia cardian
grece idẽ eſt ꝙ cor latie cardiaca paſſio cordis: l
ſue pellicule pncipal'r dicit Symon ianuenſ in
ſuis ſinonimis. Auic̃. aũt. 3°. cañ. vocat talem ma
lum motum tremorem cordis ſeu motũ tremulo
ſum cauſis et modis iam dictis. quidam autem
modernorũ in pſalterijs ſuis ſequũtur iſtum mo
dũ, quidã illũ cũ dictionib⁹ diuerſis cſideratis ſic

pꝫ rubꝛica diuͤſoꝝ antiqꝝ clarificata bñ itelligēti.
¶ Ulterius nota: ꝙ cauſa talis motꝰ mali ⁊ ſal
tus cordis duplex ē i gñe: vt dic̄ raſ i ſuo ꝯtinēte.
Jd̄ dicit in diuiſiōibꝰ ſuis. c. ꝓpo i fine. vna ē ma
la ꝯº cal'a cordis cū maª ſeu i ſuis pellicul' mltiª
rōne ociȷ̄ vl' crapule exceſſiue: puta i venis eiꝰ ⁊ ex
in poſitatibꝰ eiꝰ ꝑ viā reſudatōis ꝑviā plectoͤ ip
ſius capſule. ¶ Alia ē mala ꝯº fria cū maª apoſa
aqſa l' dura l' hūoꝛali l' vētoſa i capſula cordiſ ſeu
in ſuis pellicul' multiª ſil'r rōne ociȷ̄ iaſſueti vel
crapule ciboꝝ maloꝝ ⁊ male ꝑatoꝝ. Jſta tal' maª
ſtat ibibita in ꝑoſitatibꝰ ſic̄ in tumid oclꝛoꝝ caligi
noſoꝝ: verū talis capſula de poſſibili apāꝛ ap̄ate
aqſo. eſt vna veſica plena aqſitate: vt recitat Gaꝰ
5. de mīt. i. c. pº de ſimia ſua qd̄ ē ita poſſibl'e i hoi
bus ſicut in ſimia. Et de poſſibili apāꝛ qd̄ ḡſſitie
dura ac ſi pellicl'a ſuꝑ pellicl'a eēt vnita: vt r̄citat
Gaꝰ de gallo ſuo in eodē loco qd̄ eſt ita poſſibl'e
in hoibus. Jn veritate vidi nō eſt diu in corde cu
iuſdā comit̄ q̄ fuit ap̄atus q̄ndā groſſitiē carno-
ſam ⁊ villoſam ſemipellicl'oſaꝫ ad q̄titatē nucis
iuxta coꝛ iter coꝛ ⁊ capſulā iherentē cordi pluſq̄
capſule ⁊ ꝑ vnū annū fuit demaceratꝰ mltū vltra
ſuā naturā coꝛpulētā ꝓpter quā demaceratōeꝫ ſi
ne cā mīta multi dubitabāt ipm̄ fuiſſe potōnatū
ꝓpter qd̄ pꝫ tibi difficultas artis: opꝫt nos loq̄
ſuꝑ cā nō ſenſata niſi ex q̄buſdā ſignis extriſeciſ
opinaꝛ. ¶ Ulteriꝰ nota cardiaca paº que ē cā tal'
mali motꝰ ⁊ saltꝰ cordis ⁊ iectigatōis duplex eſt
q̄dā fit a mala ꝯplx̄one cū maª hūoꝛali vel apoſa
vel vētoſa cal'a vl' fria in capſula cordis mltipli
cata: vt eſt dc̄m rōne ociȷ̄ iaſſueti vel crapule ma
gne vel ꝑ viā catarri ſ capſulā cadenꝛ ꝑ vēaſ pul
monis: vt ꝯtigit anthimeron medico rōno q̄ pꝛiº
paſſus eſt materiā ḡſſam invenis pulmonis faci
entē ſibi duritiē anhelitꝰ et pulſus poſtea maꝛia
illa fuit expanſa in capſula cordis ⁊ fuit factꝰ car
diacuſ: vt recitat Gaꝰ. 4. de inte. in. c. vltº in fine
caˡ. Jd̄ dicit. 5. de inte. in caº pº in p̄nº. Jſta talis
paſſio cū maꝛia cal'a vel fria hūoꝛali vl' apoſtemo
ſa dicta in capſula mltiplicata d̄ꝛ cardiaca vera
a modernis nr̄is. qꝛ cā eſt in ip̄a capſula magicō
iūcta. ¶ Alia eſt cardiaca paſſio q̄ eſt cauſa tal'
mali motꝰ ⁊ ſaltus cordis ⁊ iectigatōiſ q̄ fit a ſan
guine: vl' colera aduſtis venientibꝰ ꝑ viā fluxus ab
epate ſplene: vl' vēis advenas dyafragmatꝛ ⁊ ad
receptacl'a cordis ⁊ venas capſule faciēdo ſaltū
⁊ malū motū in dyafragmate ⁊ corde ⁊ partibuſ
cordis cauſ iā dicꝛ: vt dic̄ raſ in ſuo ꝯtiͤ. Jſta eſt
nocibilioꝛ ⁊ detioꝛ: vt dic̄ raſ i ſuis diuiſiōibꝰ. yº
iſta pl'es iſſic̄ i ꝑoxº ꝓpt̄ ſuā hoꝛribilitatē ⁊ vene-
noſitatē maͤ mlice aduſte. Unꝰ mgr̄ fuit moꝛtuꝰ
in mōtepeſſulāo tpe meo. Jſta cā ineſt mulꝛ ſā
guineis ⁊ epatiq̄ ſpleneticq̄ venoſ ſemiaduſtis q̄
curāꝛ ⁊ p̄ſeruāꝛ cito flōijs reiteraꝛ mltiplicaꝛ et
ꝯtinuaꝛ regimie attenuatio: dic̄ raſ ibid̄. Uel fit
a fumis eleuaꝛ a maª ſtoˡ pūgitia pūgēte ⁊ moꝛ
dēte oꝛifiᵐ ſtoˡ ⁊ effumāte ad ſuꝑiꝰ ꝓpt̄ quā ef-
fumatōeꝫ ⁊ ꝯpaſſionē oꝛificiȷ̄ rōne vicinitatis et
colligāͤ cū corde coꝛ titillat ⁊ titubat .ſ. i ſuo mo
tu: vl' fit a fumis eleuaꝛ rōe v̄inū moꝛdētū oꝛifi-
ciū ſtoˡ ꝓpt̄ quā effumatōeꝫ ⁊ cōpaſſioneꝫ cord̄
ꝯſilr patiꝛ: vt ē dc̄m ⁊ ꝑ eūdē modum fit a moꝛſu
aialiū venenoſoꝝ vl' fit a diſcraſia ⁊ fumoſitate to
tius coꝛꝑis ꝓut ꝯtigit febribꝰ q̄buſd̄. cū iſta c ā
ſtat ſudoꝛ frigidꝰ dyafroꝛeticꝰ ⁊ iſte occurrit plu
ries i febribꝰ peſtilētialibꝰ ⁊ i ꝓpinq̄s moꝛti taliſ
cardiaca facta iſtis modis d̄ꝛ cardiaca nōvera a
modernis: qꝛ cā nō eſt ꝯiūcta cordi. Notū eſt bñ
itelligēti ex declaraꝛ ꝙ tal' malꝰ motꝰ cordis tre-
muloſus vl' iectigatiuꝰ vl' ſaltus eiꝰ ꝓ moꝛbo de-
ſcripto ē paº p̄nciᵗ capſule cordis: ⁊ ꝯſir cord̄ per
colligātiā eiꝰ. Et h̄ vult Gaꝰ. 5. de inte. c. pº. verū
Aui. intēdit in 3º. ⁊ Raſ in ſuo ꝯtiͤ. ꝙ alia ē paº
cord̄ p̄nciᵗ q̄ñ ē mala ꝯº cal'a febꝛil' cū maª. vel ſi
ne maª reſoluēs ſpūs cū ſudoꝛe frio dyafoꝛeᶜº vt
in aliq̄bus ꝓpinq̄s moꝛti a mala cal'a cordis in
aere calidiſſimo l' in ethica vl' ptiſi. Et ē ſꝑ ꝑ colli
gantiā iſtiꝰ mēbꝛi vl' illiꝰ. vt ē dc̄m in ſe ꝓ moꝛbo
deſc̄pto ē mala ꝯº cal'a cū maª ⁊ ē ibi moꝛbꝰ i re
ceptacl'o i ſe aut tal' ſaltꝰ ſeu motꝰ malꝰ titilicꝰ ſeu
iectigatiuꝰ ē nocuᵐ ſeu malꝰ motꝰ vital' cordis ⁊
ꝓ moꝛbo deſcripto ē paº p̄nciᵗ nocēs v̄tuti vitali
cordis ꝯſir alioꝝ mēbꝛoꝝ: vñ tal' paº via ē ad ſin-
copi ſic̄ ſincopis via ē ad moꝛtē vt ē dc̄m nec ſit ti
bi mirū ꝙ oīs maª mala venit ad ꝑtes illas ꝑ viā
fluxꝰ ſeu catarri vl' ꝑ viā effumatōis: vt i p̄nº ꝑo-
xiſinoꝝ nō faciat ſaltū cordis ſeu tremoꝛē qꝛ ma
teria q̄cūq̧ effumās nō eſt ſufficiēs ad h̄ rōe tā-
te maliciei nͨ q̄titaꝛ facieꝛ illā oppꝛeſſiōeꝫ cord̄
in ſe. q̄buſd̄ peſtilētialibꝰ vl' aliȷ̄s l' in fumo eleua
to a co. pꝛaſſina vl' eruginoſa icipiēte ebulire pu-
treſcere poſſet h̄ ꝯtigere: ⁊ ꝯtingit de facto ꝙ fu-
mus ide eleuatꝰ ad coꝛ fac̄ ſaltū cordis ⁊ eiꝰ mo-
tū iectigatiuū ſeu titillicū in q̄buſdā tertianariȷ̄s
in q̄buſdā colericq̄ aduſtis: in q̄buſdā rōne diſcra
ſie moueꝛ aliq̄ poꝛtio colere eruginoſe ⁊ fac̄ ꝑo-
xiſinū: q̄ſi ſincopalē yº cū pulſu tremuloſo h̄ vidi
in tribꝰ colericq̄ aduſtis diſcraſie tpe meo q̄ moꝛie
bantur de tertiana ratiōe motus colere pꝛaſſine
⁊ eruginoſe. de quo quidam ignoꝛantes cauſam
mirabantur: ꝙ non eſt mirabile.

Iſtis clarificatis cura trē/ ris cordis
ſeu iectigatōis ſeu ſalt' cordis ⁊ titillatio cordis
tibi pateſcit. Prius aūt ꝙ in cura ꝓcedas ſcire ⁊
ↄſiderare oꝫ quā ſpēm cardiace paſſionis cor pa
tiť ſiverā l' nō verā. ⁊ ſiverā quā patiť ⁊ colligātiā
q̄ capſula cordis ⁊ patiť modū ḡnatōis ſue paſ/
ſionis: q: in h̄ cura diuiſificať. ❡ Si q̇s ḡ motum
tremuloſū l' ſaltū cordis patiť de ma^a aq̄ſa i āpla
ḡnata i cordis capſula vl' de ma^a ḡſſa villoſa l' pel
liculoſa trumboſa ⁊ indurata ꝑ moduꝫ apať q̄ḋ
pateſcit: q: tal' mot' tremuloſus ⁊ ſalt' cordis ſeu
mot' titillicus iiectigatiu' ē q̄ſi ↄtīan': q: cā vni
formis ſꝑ approxiať cū pulſu duro ꝓpť oppreſſio
nē cordis ⁊ arterie et patiēs ex h̄. q: ↄtinue lediť
in actōe cordis ↄtinue demacerať ꝓpť actōꝫ cor
dis ńalē debilitatā. Cura hu' tal' impoſſibil' eſt: ſ
iuuabim' cor ⁊ pectoralia cū inūctōe pectoraliū
cū anodinis ⁊ exerci° moderato ptiū pectoraliū
inungātur ḡ ſibi pectoralia cū olō ciſamio i dua
bus ptib'. ⁊ tertia pte olī camo^c. vl' aneti l' amigḋ
dulciū: ſero ⁊ mane ⁊ faciet exercitiū debitū i pe/
ctoralib'. Dentur ſibi vitella ouoꝝ tremula ē mo
dico zuccaro in itroitu lecti loco electuarij. vel dē
tur ſibi de dyābra duo boli de māe ⁊ ſero ſine po
tu. Vtať lacte cap° in q̄ lapides fluuial'. ſint extī
cti: vl' ꝙ paꝝ decoquať. Vtať ordeato auēato cū
ſaꝛ de zucc° i cena: vl' in fine' p̄rādij carnib' volati
liū eduli: ⁊ mutōis ſi tp̄s tēꝑatū fuerit balneeť i
aq̄ tepida ſemel in q̇ndena aň cenā ꝑ vnā horaꝫ
vel de mane. ❡ Si q̇s motū tremuloſuꝫ ſeu titil
licū vl' ſaltū cordis habuerit ex ma^a aliq̄l'r cal'a i
capſula corḋ ml'tiplicata ex ocio corꝑali ⁊ ex cra
pula exceſſiua: q̄ḋ pateſcit. q: tal' eſt corpulēt' ſā/
guine' fuit ſaꝛ colorat' cū velocitate pulſus cū vri
nis coloraꝛ i pectoralib' ḋ facili icurrere difficl'ta
tē āhelit' viuens i ocio corꝑali ⁊ i crapl'a ⁊ lediť
ꝑ oxiſmal'r ⁊ freq̄nť ex tali malo motu ⁊ ſaltu corḋ
eūdo fortiť poti^me aſcēdē° i altū. de ↄſi° raſ i ſuo
ↄti^c. ⁊ ga°. ſ. ḋ inꝛ. i c°. p̄°. circa finē. ⁊ aui. in 3^a:
caň. flōeť tal' ḋ baſi^ca brachij ſiniſtri pl'ies ⁊ tene
at regimē attenuati^m ſumat dūtaxat ḋ vno fercl'o
i mēſa ⁊ paꝝ cenet pl'es curati ſūt cū ſolo h̄ ⁊ p̄ſ/
uati. ⁊ ſi tal' flōia fieret ḋ vēa iferiori pedū. al'n ml'
tū laudat raſ i ſuo ↄti^c: ⁊ mutet ſe de regiōe cal'a
ad friaꝫ faciē° exercitiū ↄuemēs ſꝑ aň cibū: q̄nꝗ
icipiat paꝝ ſudare ex h̄ māifeſte iuuabiť ńa. Et ſu
mat aň tales flōias bis l' ter ē aq̄ ⁊ 3^a. p̄te vini cla
ri. ʒ. ij. aloes citri' mirre. ʒ. ß. croci ſilueſtri. ℈. ß. ꝶ pl'
uis: ſi nō p̄t potare ſumat in pill'is Et q: i talib'
ſť ſupfluitates aliq̄les fl'a^cc i pectoralib': ⁊ i ſto°
eēt ſaꝛ ſibi ↄueniēs ſumere caſſiaꝛ: vl' mānā l' de
pill'is de aga^co. ʒ. ij. verū q: agaric' ↄmouet ma/
teriā i pectoralib' iduc̄ tremorē cordis aſſellā°: iō
ē piclin. Iō da. ʒ. iij. yeraꝑ ga^l diſſolute cū aq̄ ḋco
ctōis abſin' recēť. Iſta yeraꝑ. laudať ml'tū a raſi
ē pl'eť ⁊ epithieť cor. Si cor ſit ml'tū cal'm q̄ḋ pꝫ
ex pl'ſu ⁊ vrīa' h̄itudie corpoꝝ: ⁊ ponať ſ̄ māml
lā ſiniſtrā ē ſanḋ pulueriẓaꝛ ⁊ roſ ⁊ ſpodio ⁊ aq̄
roſ. ℞. ſanḋ al. ⁊ ru. aň. ʒ. ß. roſ ru. ʒ. ij. cāfore. ℈.
i. ſpo^l. ʒ. i. aq̄ roſ. ℔. ij. aq̄ plātag̃ vel portu^cc aceti
ʒ. i. miſceať ꝶ epithia ſ̄ cor de mane in aurora ap
pliceť bis l' ter: vl' ꝶ vng^m tale ſi multū cor ſit ca.
℞. olei roſ vnfācini. ℔. i. olei nenuꝛ. ℔. ß. ſanḋ al.
⁊ ru. ſubti^me pulueriẓatoꝝ aň. ʒ. iij. cāfore. ℈. i. co/
ralli ru. ʒ. ij. ſpo^l. ʒ. i. cere ꝙ ſuffic̄. ꝶ vng^m liq̄ḋ de q̄
inūgat ſe alñ de mane vl' de ſero i pectore remol
liať ꝑ pauſaꝫ bugloſ. i vino ſuo vel i aq̄ cum qua
liphat vinū l' lipheť vi^m ḋ aq̄ diſtillata bugloſſe
⁊ da ſibi iſup in itroitu lecti duo coclea^a ſucci bu
gloſſe ⁊ ſꝑ vtať boragib' ⁊ bugloſſa i potagijs ⁊
vtať iſto electua° de mane ſto° iciu°. ℞. bugloſſe
ſicce exſiccate i vmbra ⁊ ſubtil'r puluiẓate. ʒ. ß. ba
ſilicōis gariofilate de rōici roſ. aň. ʒ. ß. limaťe au
ri ⁊ argēti aň. ʒ. i. ceriſi crudi. ʒ. ß. coralli ru. ʒ. i. ſpo
dij ſe. lactuce enḋ portu^cc aň. ʒ. ß. muſci fini. ℈. ß. ſi
videť pone de cāfora. ℈. i. panis zucc^l. ℔. i. ⁊ ß. aq̄
bugloſſe l' ſucci q̄rť. i. ꝶ elect^m i bolus paupib' fa
cim' pl'uerē de bugloſſa exſiccata i vmbra cū 4^a
pte coralli ru. l' 3^a. pte deť cū mo^co vini clari lipha
ti cū aq̄ roſ de mane vl' de ſero aň cenā in itroitu
lecti. vitabit ſpēs allia: cepas: vinū purū. lac ace
toſū exčto butiro. vꝫ ſibi i potu ſup die loco vini l'
aq̄ ordei: vel ſir' viol' vel roſace'. cū. i. coclear ſu
vna tacca plēa aq̄. Vel deť ſibi. i. coclear pulūis
ſeq̄nť cū mo^co vini ḋ mane. ℞. ſe. lactuce. ſe. enḋ
ſe. portu^cc ſpo^l ſāḋ coriādri ſicci ⁊ p̄pati bugloſſe
baſilicōis coralli cacab margaꝛ. aň. ʒ. ij. ꝶ pulūis
deť vt dēꝫ ē: ⁊ vtať regimie frio. Raſ vult i 9° ꝙ
ſumat de trociſq̄ de cāfora de māe ē ſucco ḡnato l'
cū aliq̄ aq̄. ❡ Et ſi q̇s talē motū tremuloſū titili/
cū habuerit a ma^a aliq̄l'r fria i capſula corḋ ml'ti/
plicata ex ocio corꝑali vl' ex crapula excedēti per
viā indigōis q̄ḋ rari' ↄtigit ex tali diſcraſia fria.
q̄ḋ pateſcit ex ſignis ↄrijs ſ̄ dicꝛ q: talis ē corpu
lēt' flāticus de facili. ⁊ ē mo^co forti motu icurrit
difficultatē āhelit' viuēs i ocio corꝑali ⁊ i crapl'a
vl' ſolitū cū vrinis remiſſis ⁊ lediť ꝑ oxiſmal'r ex
tali malo motu ⁊ ſaltu corḋ eūdo fortiť ⁊ laborā°
De ↄſi° raſ i ſuo ↄti^c teneat regimē extenuati^m.
cōedat ḋ vno fercl'o dūtaxat paꝝ iſup n̄ potet int̄
duas cōeſtiōes. vtať exerci° bono aň p̄rādiū ⁊ aň

cenã vtaꝛ ſtuphis ſiccis. Sumat bis in anno. ʒ.i.
ß.caſſieꝫ diſſolute i decoctõe prunoꝝ vuaꝝ paſſ:
caricaꝝ iuiube ſebeſten ,put pl'ies poſui i c° ꝺ ca
tarroꝝ de pl'reſi.vel ſumat.ʒ.x.bone yerap.ga'diſ
ſolute cũ decoctõe abſin'. Et etiã raſ multũ lau⸗
dat i ma° ſtã^{ca} ꝛ co.groſſa pill'de aga^{co} bñ valẽt
i doſi.ʒ.ij.ß ꝯmouẽdo ma^{am} i capſula aſſellã° ſin
copizãt al'nvidi ß de facto. iõ libẽt effugio ſi mo
rereꝛ i tali por° eẽt horrẽd. Sũat de mirab.nigꝛ
l'kebul'ꝯdiꝫ bis i ſeptia° ꝺ mãe i aurora:potet.ʒ.
i.garioꝫ maſculioꝝ tritoꝝ ꝛ diſtempatoꝝ c̃ lacte
vaccio:l'ouio faciat ß pl'ies ꝛ ſũat vnũ coclear pl'
uerꝫ ſeq̃nꝫ c̃ vino liphato ꝺ mane. ℞.bugloſſe ex
ſiccate i vmbra ozimi gariofilate nuc̃ muſcate ꝛ
indice derõici rob.'añ.ʒ.ß.pãis zucc'.ʒ.i.ß.ꝫ pul⸗
uis de q̃ vtaꝛ vt ẽ dc̃ꝫ:vtaꝛ meliſſa bugloſſa bora
gib' i potagijs ſuis. Vtaꝛ dyãbra dyamuſco me
tridato vno:vl'alio q̃lꝫ die. Raſ vult i.9.almãſorꝫ
ꝙ vtaꝛ q̃lꝫ mãe ꝺ trociſc̃ muſcat.receptã põit ibi
ſũt bñ ad ,ppo^{m}. Vel faciãt puluerẽ de ill' ꝛ vtaꝛ
q: bñ ſt oia ad ,ppo^{m}. Vtaꝛ bugloſſa remollita i
vino vel i aq̃ cũ qua liphabit vinũ:vl' liphet vinũ
cũ aq̃ diſtillata ei':eodẽ mõ vtaꝛ baſilicõe ſpãliꝫ
fol'latoꝝ. Vel iſto elect° tali.℞.pl'uerꝫ leticie ga.
puluerꝫ dyacaparꝫ. añ.ʒ.i.cardamõi ʒʒ' al. raſure
eborꝫ raſure cornu maroſcoroſ ſeuvnicorni añ ʒ.
ß.garioꝫ galãge zedoarij yſo'añ.ʒ.i. nuc̃ ambre
añ.ʒ.ß.limature argẽti.ʒ.ß.limature auri.ʒ.i.ſeri⸗
ci crudi.ʒ.ß.floꝝ boragꝫ ꝛ bugloſſe añ.ʒ.ß.aq̃ me
liſſe q̃r.i.ꝛ.ß.pãis zucc'.lb.ij.ꝫ elect^{m} ¶ Et ſi q̃s
talẽ motũ tremuloſũ ꝛ titillicũ hũit in corde ex vẽ
toſitate i capſula l'circa gñata.qꝺ pateſcit ex ve
locitate reſolutõis ei'.nã i ſpa° vni' l'duoꝝ pꝛ nꝛ
euaneſcit ꝛ pateſcit ex leuitate laborꝫ ꝛ ex paucita
te diuſitaꝫ i pulſu.vtaꝛ electuarijs dicꝫ ſtati in cu
ra tremorꝫ ꝛ titillatõis ꝺ cã fria ꝛ pl'uerib' final'r
oia'q̃ ,dicta ſũt i cã illa ſt:q: tal'cã vẽtoſa cãꝛ a ca⸗
lore claudicãte. Jõ vna erit intẽ° curatia ¶ Et ſi
q̃s talẽ malũ motũ tremuloſũ vt titillicũ hũit in
corde ex ſup fluo ſan.cal'oꝛ aduſto veniẽte ab e⸗
pate l'ſplene ad coꝛ ,p venas dyafragmaꝫ.vt dicit
raſ i ſuo ꝯti^{e} ,ppẽ qꝺ icipit ſalt' ꝛ mal'mot' i dia
fragmate fieri. Qꝺ pateſcit ex ſignis caliraꝫ ꝛ i⸗
flãmatõis i eis ſt epatica:ſplene^{ci}.colici i exceſſu
ſemiaduſti c̃ veloci ꝛ mag̃ pulſu i alia hora. Jſta
cã tremorꝫ peioꝛ ẽ ꝛ magꝫ mortal':q: ſanguis adu
ſtus inf'ic' hꝫ rõez veneni. ß itẽdit raſ i diuiſioni
bus ſuis in fine ca' Jſti cureꝛ ,p flõias reiteratas
ſiẽ in tremore ꝛ titillatõe a'cã cal'a mſ'tipli° in ca
pſula cordis ꝛ pl' regio cal'a ẽ eis nociua ꝛ muta
no ad regionẽ friam,eis mſ'tũ ꝯpetit: ſi nãt regi

men illoꝝ ſuppleat illud ſi transferri non pñt ad
aliã regionẽ teneãt regimẽ infriatiuũ ꝛ hũectati⸗
uũ cũ dieta hũectatia ꝛ attenuatia ꝛ exerci° ꝯue
niẽti ex balneo aq̃ tepide ſemel in q̃rta ſẽ ãni: vta
tur ſero caprino c̃ ſene ꝛ epithio ꝛ vtaꝛ mira b ol'ni
griſ vl' mõ ꝯdiꝫ ꝛ alijs remedijs dicꝫ i cura mſ'ie
paſſiõis. ꝛ vtanꝛ bugloſſa vt ẽ dc̃m in alia cauſa.
¶ Et ſi q̃s tremorẽ vl'titillatõez cordis habuerit
ex hũore colerico pũgẽte ꝛ mordẽte orificiũ ſto'.
multũ ſenſibilis ex ꝯpaſſiõe cui' ꝛ ex effumatõe
coꝛ patiꝛ. qꝺ pateſcit ex diſpõne corpis colerica
ſitibũda iraſcibili venoſa vrinis tincꝫ ſirupeꝛ cũ
ſirupo acetoſo ꝯpoſito i duab' ptib':ꝛ in 3^{a}. par
te ſirupi abſin'.ꝯñr purgeꝛ cũ caſſiaꝫ cõi.ꝛ reub.
vel cũ yerapig̃ diſſoluta:vt dc̃m eſt.ꝛ poſt purga
tionẽ ſirupeꝛ ſilr ,p tps vtendo bugloſſa:vt ẽ dc̃m
ſupius:q: ex ſui natura valet quoq̃modo admi⸗
ſtrata. ꝛ ,pmuteꝛ in aerẽ frigidũ:ꝛ vtatur acetoſis
ꝛ aceto ꝛ non obliuiſcans epithiata frigida nec
vnguẽta frigida nec alia dicta ſupius in cã cal'a
multiplicata in capſula cordis:nec alia tibi expli
cata. ¶ Et ſi quis talez motũ cordis habuerit ex
materia frigida in ſto° puta ex flẽ vitreo.qꝺ pate
ſcit ex diſpõibus ꝛ ſignificatõibus ꝛ appetitu ſi
gnificãtib' ſup tali diſpõe ſto' ſirupeꝛ cũ oxielle
diuretico l'ſquilltico ꝛ cũ potu yerapig^{e} ꝛ alijs re
medijs dicꝫ in cura tremorꝫ de cã fria mſ'tiplicata
in capſula cordis.nam oia ibidẽ poſita ſunt ꝯue
niẽtia i iſta cã.iõ ibi recurre ex intẽtõne ,pncipali
¶ Et ſi quis tremorẽ ſeu malum motũ in corde
habuerit ex lũbricis accedentib' ad ſtomachũ ꝛ
mordentib' ipm.qꝺ pateſcit ex dolore pungitiuo
in orificio ſtomachi ꝛ ex diſpõibus alijs ſignifi
cantib' ſup vermes:vt q: puer guloſus vtẽs fru
ctibus. Deñꝛ ea que faciũt cõtra vermes ſe. lum
bricoꝝ non cõquaſſatũ:nec remollitũ in aceto: ß
,p ſe detur cum ficu vel modico mellis ꝛ nõ come
dat de duabus horis in craſtinũ detur.ʒ.i. aloe ci
cotrini cum decoctõe abſin':dando ꝛ exequẽdo
illa q̃ dicta ſunt in cura tremorꝫ de cã fria in ſto° i
capſula. ¶ Et ſi q̃s talẽ motũ cordis tremuloſũ
ex punctura ſcorpionis vl'alterius aĩalis habue
rit:qꝺ pateſcit deꝛ ſibi tiriaca q̃lꝫ mane ,p.x.dies:
ꝛ deñꝛ ſibi pulueres ꝛ alia que dicta ſunt in cura
tremoris cordis de cauſa frigida. nam ſimilr ta⸗
lia venena frigida ſt. Jdeo vtaꝛ tyriaca metrida
to et dyambra. ¶ Et ſi quis tremorem cordis
habuerit ex diſcraſia calida : form et fumoſitate
totius corporis et quibuſdam febribus peſtilen
tialibus:dietetur prout in acutis fe. eſt facien dũ
ꝛ ſirupetur cum rob de pomis ; ꝛ cum ſirupo de:

acetoſitate cicer ⁊ oriza^a ſimplici ⁊ ſir^o limonū
ná tal' ſalt⁹ cor̄d cōit fit ex diſcraſia cor̄d ignea: ē.
ná tal' ſalt⁹ ... aliq̄li fumoſitate horribili ſemivenenoſa ⁊ pōat
iſtud emplin ſ̄ pectus poti^me ſ̄ mámillá ſiniſtrá
℞. farine ordei. p. ij. farie fabar. p. i. ſand̄ al. ⁊ ru.
ōn. ℥. ij. cáphore. ʒ. ß. aceti q̄rt̄. aq̄ roſ q̄d ſuffic mi
ſceat' i mod̄ empl'i liq̄di de q̄ ponat' vna portio ſ̄
mámillá ſiniſtrá ſepe r̄nouādo poſtq̄ fuerit exſic
catū: verū cor patit' interdū malá ꝯplōnē q̄ lz nō
ſit ſufficiēs ad ſaltū ⁊ tremorē cordis ē via tñ ad
h̄ ſic tremor: ⁊ ſalt⁹ cordis ē via ad ſincopi: vt dic
Raſ i ſuis diuiſiōib⁹. Id̄ curet' ex intēto tal' ma^a
ꝯ^o anq̄ veniat ad illá malitiá. Signa tal' male cō
pl'onis Raſ ponit ibi in loco alle^o.

Capitulū de cura faſtidij.

E cura faſtidij abhoiatōis et nauſee ſto^i. Nō: q̄ iſta tria dicūt anguſtiá ⁊ ꝯuitatē ſtoma^i ⁊ hñt ꝯuenientiá: q: oia dicūt mihi malū motū expulſiue orificij ſto^i: q: tremorē ipi⁹: vt di-
cet'. et hñt dr̄iam iter ſe: q: faſtidiū ⁊ abhoiatio
dicūt maiorē ꝯuitatē ⁊ minorē malū motū ſto^i q̄
nauſea. Alteri⁹ nō: q̄ iſta tria dicūt malū mo
tū: q: tremorē orificij ſtomachi. 3^o. de mor^o. i cap^o.
6^o. naz ſtantib⁹ iſtis ſto⁹ eq̄lit' tremet ⁊ mouetur
in ſeip̄m ſm plus ⁊ min⁹ ad expellēdū nociuum
q: i nauſea plus verū ſūt pui mot⁹ in ñales ſto^i. et
ſunt debiles mali motiue expulſiue reſpectu vo-
mit⁹ p̄pt' nocu^m ꝯtētiue ⁊ p ꝯñs digeſtiue. 6^o. de
mor^o in. c. 3^o. ná qñ ꝯtētiua nō apphēdit ſm vtrū
q̄ angulū digtia nō bñ digerit q: obiectū nō bñ
cōtangit' a v̄tute digtia ſto^i. Alteri⁹ nō: q̄ iſti
tremores ſto^i ſeu d̄biles mali mot⁹ expulſiue ſm
plus ⁊ min⁹: vt dc̄m fuit p̄pter materiá ꝯtētá ⁊ in
viſcatá invillis ſto^i in p̄ma tunica: vl' inter duas
tunicas: ⁊ iſta talis ma^a aut ē cal'a a dñio q̄d eſt
vt pl'imū. tūc ꝯcomitat' ſitis aliqual' rubor faciei
ꝯ^o colica vl' ſanguiea: vel ē fria tūc cal'a nō cōco-
mitant'. Notū ē q̄ tales mali mot⁹ p morbo de-
ſcpto ſt' paſſiōes. orificij ſto^i: ⁊ ē p colligātiá vēit
p indigōnem vl' p fluxū ma^e aliūde poti^me p viá
catarri ⁊ ē morb⁹ i receptacl'o i ſe aūt ſunt mali
mot⁹ expulſiue: lz debiles i reſpectu vomit⁹ q: ſt'
q̄ſi vomit⁹ icipiēs. Iſti mali mot⁹ ſt' nocu^m expul
ſiue ſto^i: q: mala actio ipi⁹ p morbo deſcripto eſt
nocu^m regitie ñalis: puta digtie ſto^i ⁊ mēbri má
dant' ſi ma^a aliūde venerit ⁊ p morbo d̄ſcripto ē
paſſio expulſiue orificij ſtomachi p̄ncipal'r.

Iſtis clarificatis Cura hor tibi pateſcit. Prius aūt q̄ in cura p̄cedas ſcire ⁊ ꝯſidera-
re oportet cām talis ꝯuitat' ⁊ mali motus ſto^i ſi
eſt cal'a ul' fria a dñio. Et ſi q̄s faſtidiū ſeu ab-
hominatōez ſeu nauſeá ex cá cal'a habuerit q̄d pa
teſcit. q: aliqual'r ē ſitibūd⁹: ⁊ ē ſat' cole^ce ꝯpl'ois
⁊ cal'e cū aliq̄li amaritudie oris. al'n de ꝯſi^o Ga.
7. de igenio ca^o penulti^o vtat' mellicrato d̄ abſin^o
cū radicib⁹. ℞. cortic̄ rad̄ ſen^i petro infuſor i ace
to p horá vná añ. ℥. ij. abſin^i re. m. ij. mell' albi de-
ſpumati q̄rt̄. i. ⁊ ß. ſ. mellicratū bñ clarificatū ad
℔. i. ß. large ſumat q̄lib; mane mediū gobellū te
pidū ſine alia mixtura renouādo dc̄m mellicratū
de. 5. in. 5. dieb⁹. Loco hui⁹ ſumat de iſto ſir^o. ℞
ſir^i acetoſi ꝯpoſiti. ℔. ß. ſir^i de abſin^o q̄rt̄. i. miſceá
tur vtat' ſero ⁊ mane cū aqua ciceru̅ loco hui⁹ ſu
mat de mane de colatur' ciceru̅ rub. vbi ſit modi-
cū abſin^i. Iſtis fact' p aliq̄s dies ſumat caſſiáſ.
ſimplicē in ortu ſol'. Poſtea q̄eſcat in lecto anq̄
cōedat p. 3. horas. ℞. pruñor damaſ vuarū paſſ.
mūd̄. ab arill' caric̄ pinḡ iuiub. ſebeſt' añ. p. ß. ſ.
decoctio in duab⁹. ℔. aq̄ donec redeat ad. ℔. ß. in
q̄ diſſoluat' medull' caſſief. ℥. i. ß. ſ. potus Lo^o hu
ius ſumat i ortu ſol'. ʒ. ij. puluis pig. Ga. cū aqua
ciceru̅ put Ga. in iſto caſu vtebat'. vt d̄r. 7. de ige
nio in c^o penulti^o. Utat' tal' patiēs ſalſa viridi ace
toſa vl' citrágul' ⁊ extremitatib⁹ porci: pedib⁹ ca-
preti cū aceto poti^me i cena. fabe cū cortic̄ bñ co-
ctis: vbi ponat' modicū aceti laudāt' m'lti a Raſ
in ſuo ꝯti^e i faſtidio nauſea ⁊ abſtinē^a talib⁹ ſiſt'
ꝯpetit. Et ſi q̄s talia patiat' de cá fria q̄d pate-
ſcit ex ſignis ꝯrijs dict'. vtat' oximelle diure^co vel
ſquilli^co cū aq̄ ciceru̅ rub. poſtea vtat' caſſiaſ ſim
plici dicta. vel puluere pig. addēdo i q̄lz ſumptōe
3. ß. turbith al. ⁊ gūmoſi pulverizati ʒʒ^i an^i añ. ʒ.
ß. Iſtis addit' dab. ʒ. i. ⁊ ß. pulueri pig^e cū iſto tur
bith ſtuphe ſto^o ieiuno ſat' eis ꝯpetit ⁊ exercitiū
añ comeſtionē. Loco horū in q̄cū q̄ cá aliq̄ dant
medicinā ſimplicē vomicā. ℞. aque decoctōis ra
phani ſquille. ſe. atriplic̄ q̄rt̄. i. oximell' ſquilli-
ci. ℥. i. aceti. ʒ. ß. pilor croci quattuor olei cōis. ℥. i.
ß. miſceātur detur poſt prandium p horam.

Capitulum de cura vomitus.

E cura vomit⁹. Nō: q̄ vomitus ē malus mot⁹ expl'ſiue natural' ſto^i. 6. ⁊ 5^o. de mor^o. c. 3^o ⁊ cātur tal' mala ⁊ violēta actio expul
ſiue ñal' ſto^i p̄pter rem malá exiſtem i ꝯcauo ſto^i
Uerum talis materia hz diuſos gradus in mali
tia. vñ vomit⁹ q: fit ex cibo ſordido: vel ex matia
humorali mala non eſt ſtatim reſtringend⁹: niſi
facta expulſione competēti talis materie nociue
tunc confortatur ſtomachus vt dicetur. Notū

eſt ꝙ vomitus ꝑ morbo deſcꝑto ē paſſio ſtoi ꝯca
ui ⁊ orificij. ⁊ ē ꝑ colligātiā rei extriſece puta ma
loꝝ ciboꝝ vel maloꝝ potuū. vel pōt eſſe tātū exce
dēs vt i colica paſſiōe dicet̄ qꝺ eſt ꝑ colligātiam
epaꝶ mittētis malā materiā colicā ad fundū ſtoi
ꝓpter qꝺ fit vomitꝰ excedēs ⁊ ſeceſſus talꝭ mate
male colice. ¶ Et ē morbus i receptacl'o ꝑ mor
bo deſcripto. in ſe aūt ē malꝰ motꝰ ⁊ violentꝰ ex-
pulſiue ſtoi ꝓpter qꝺ nocum ſeu mala actio ipiꝰ
Verū vomitꝰ eſt aliqn̄ ſine magna grauitate ⁊ ſi
ne magna violētia nature ⁊ ꝑ eū acqrit̄ ſanitas
ꝓpter qꝺ nō dꝫ dici accñs morbi ſed bona actꝰ
vtutis expulſiue naturalꝭ ſtoi. hoc cōcludit gaꝰ 3o
de morꝰ. aucte theofili in. c. penlo. ⁊ ꝑ morbo de
ſcripto ē nocumētū regitiue naturalꝭ puta digtie
ipius mēbri mādanꝶ. Et ē paſſio ꝑ morbo deſcri
pto expulſiue naturalꝭ ſtoi qꝛ illi infert paſſionez
ꝓpter qꝺ facit motū violētū: tū puta ipm vomi-
tū ꝑ illo malo motu ē paꝰ natꝭ aliū pectoraliuꝫ ⁊
capitis. nam caput ⁊ oculi patiūtur ⁊ organa ſē
ſuū: vt notū eſt.

Iſtis clarificatis

cura vomitus tibi pateſcit. Prius autē ꝙ in cura ꝓcedas: ſcire ⁊ cōſi-
derare oꝫ maliciā matie ⁊ gradū in ſui malicia ⁊
ſi materia talis eſt cōpetēter euacuata. ⁊ ſi fe. cō
comitat̄ vel nō. qꝛ i hoc cura diuerſificat̄ ¶ Et ſi
q̇s vōitū ſine fe. ꝺ q̄cꝫ maa hūorali colica vitelli
na ⁊ citrina eruginoſa vel nigra hūerit tolerādꝰ
eſt vomitꝰ ꝑ aliqs horas: vt matia aliqualit̄ ex-
pellat̄. ꝯñr ſtoꝰ ꝯfortet̄ exteriꝰ ⁊ interiꝰ ſumat de
ſiro de ribes vel de ſiro citonioꝝ vel mirtilloꝝ vꝭ de
ſumach vel pomoꝝ acetoſoꝝ: vbi ſit modicū ſpo
dij i clarificatōe. ʒ. ij. Vel ſumat de ſiro mēte cuꝫ
aliq̄ hoꝝ ꝙ ſit vna portio capiat de iſtis cū aqua
pluuiali cocta. vel ſumat duo coclea alꝭn de hoc.
¶ ℞ ſucci maloꝝ ūgnatoꝝ muſoꝝ. ana. ℔. ſ. ſucci mē
te qrt. i. decoquat̄ ſilꝭ vſqꝫ incipiāt inſpiſſari da ꝑ
ſe vel adde tertiā ꝑtem vel q̄rtā aq̄ pluuialꝭ bulli
te ſumat bis vel ter in die. vel de ſucco citrāgulo
rū. ¶ Paupibꝰ facimꝰ. ℞. mēte re. ʒ. i. diſtēꝑent̄
cū vino maloꝝ ūgnatoꝝ qꝺ ſufficit. vel cū citran-
guloꝝ ſucco ſ. potꝰ vel cū aq̄ ciſterne bullite cuꝫ
modico aceti. ¶ Raſis dicit i ſuo ꝯtinēte ꝙ ponā
tur extrēitates i aq̄ fria: multū ſedat vomitū. por
tulace valēt ad vōitū ⁊ fabe c̄ corticibꝰ cocte vbi
ſit modicū aceti valēt ad nauſeā ⁊ vomitū. Raſ
i ſuo ꝯtie. ſilr ponit poma acetoſa cruda ⁊ aſſata
cū paſta laudant̄ a raſi ⁊ rob coꝝ. Vtat̄ pri co-
ctanis meſpulꝭ ſorbꝭ: ordeato ꝑus tñ exſiccato q̄ſi
torrefacto. vtat̄ carnibꝰ volatiliū, capto aſſatꝶ cū

aq̄ roſ ⁊ vino maloꝝ i modico aceti in modū ſal
ſamēti. ¶ Mirabolani ꝯfecti ſibi valēt: dū tamē
ſint citrini i maa calꝭa vel kebuli. ſi flā cōicant: ſu
mat de mane añ die duos vel tres. ℔ cōtinuet duo
bꝰ diebꝰ. ab extra ꝯfortet̄ ſtoꝰ infūdat̄ toſta pāis
in ſucco mēte: poſtea ſupſꝑgat̄ pulꝭ. maſtiq̇ deſu-
per ⁊ ſtoꝰ ſupponat̄ renouādo de tribꝰ in tribus
horis. vel decoquat̄ mēta cocta nō cōq̄ſſata i vi
no groſſo cū. ʒ. ij. maſtiq̇ cubebaꝝ ſpice. an. ʒ. ſ. plꝭ
uerizent̄ groſſo mō ⁊ decoquāt̄ ſilꝭ in dicto vino:
⁊ ſpōgia plꝭies ibi infuſa calꝭa ſtoꝰ applicet̄ ꝑ ali
quas horas. poſtea pōt apponi de emplꝭis ſtati
dicꝶ. vel applicet̄ in cā calꝭa iſtud emplꝭin ſupra
ſtom. ¶ ℞. pſidie balauſtie ſumach an. m. ſ. de-
coquāt̄ in aceto vel aq̄ cōquaſſatꝶ ⁊ ſ. emplꝭin ſu-
pra ſtom. in vomitu colico nigro valēt ſpōgia vel
lana iſuſa i aceto fortificato. Raſ i ꝯtie. i q̇cūqꝫ
vomitu excedēti laudat vētoſas i ſpatulꝭ vꝭ ſupra
ſtom ſine ſcarificatōe ligatio extrēitatū iferioꝝ
forꝶ doloroſa ſilr valet. Raſis in ſuo continente
¶ Et ſi q̇s vomitū ſine fe. de maa flāca hūerit: vt
pueri ⁊ ſilꝭes ēplet̄ ſtoꝰ ⁊ inungat̄ cū oleo nardi
no ⁊ ſupſꝑgat̄ maſtiq̇ ſubtiliter pulꝭerizatꝶ. Vel ſic
℞ gariofꝭ ſubtilit̄ puluerizatꝶ. ʒ. ij. tꝑent̄ ꝑ nocte
i. ʒ. i. aq̄ colet̄ de mane ⁊ addat̄ maſtiq̇. ʒ. i. ſ. pulꝭ
q̇ aſꝑgat̄ ſupra ſtom ꝓcedēte inūctōe c̄ oleo ma-
ſtiq̇. ſilr valēt iſta iſuſa i ſucco mēte i q̄ ſupſꝑgat̄
pulꝭ maſtiq̇ ⁊ ſtoꝰ applicet̄. vꝭ decoq̄t̄ mēte. m. ij.
roſ. m. i. i vino pāis aſſi. iſuſi i vino. ʒ. ij. ꝯq̄ſſent̄ ſilꝭ
⁊ ſupſꝑgat̄ maſtiq̇ ſubtilꝭ pulūizat. ʒ. ij. applicet̄
vna ps ſupra ſtom dū voluerit cibare ipm. i cā ca.
valēt iſta ſi decoq̄rēt̄ i aceꝰ ⁊ toſta iſūderet̄ i aceꝰ
vꝭ det̄ vnū coclear ſucci mēte c̄ duobꝰ gariofꝭ pulūi
zatꝶ ſ. ſero ⁊ mane añ cibū ꝑ duas horas. vꝭ det̄ ſi
bi mediū coclear rute ſicce pulūiſe c̄ modico vini vꝭ
det̄ ſibi ꝺ coriādꝰ ꝑparato c̄ ruta ſicca pulūiza. Vel
det̄ ſibi ꝺ iſto pulꝭ. ℞. gariofꝭ. ʒ. ij. ligni aloes. ʒ. i.
ſ. pulꝭ det̄ ſibi mediū coclear c̄ modico vini añ cibū
ꝑ duas horas. ¶ Et ſi q̇s vomitū habuerit c̄ fe.
ſi i pnꝰ poꝝ fuerit bonū. iō nō ē reſtringēdꝰ yꝰ ꝑ
uocādꝰ. qꝛ ex ℔ fe. cito curat̄. qꝛ cā ante minorata
ña ē potētior ſupra materiā ꝯūctā. iō fit poꝝ bre
uioꝝ. ⁊ ſi i fine poꝝiſ vel i eiꝰ ſtatu vomitū hūerit:
nō ē reſtrigēdꝰ. qꝛ pꝰ de diebꝰ fe. dic̄ gaꝰ. ꝙ cā ma
terialꝭ ꝯūcta poꝝ imēdiū expellit̄ ꝑ ſeceſſ. i: imēdiū
ꝑ vomitū: qꝛ groſſa ñ bñ pt expelli ꝑ capita ꝑuaꝝ
vēaꝝ. ña fac̄ qꝺ meliꝰ ē. iō remittit eā ad ꝯcauum
epaꝶ: ⁊ ꝑ ꝯñs euacuat ea ꝑ inferiꝰ vꝭ ſupiꝰ. iō bo
nū ē. ¶ Et ſi q̇s vomitū hūerit cū fe. ꝯua ſi i pnꝰ
fuerit bonū ē ſibi nō ē reſtringēdus niſi multuꝫ
excederet: qꝛ talꝭ vomitꝰ fit ex tali replꝭōe ſtōacha

li. ¶ Si i augmēto venerit vel ſtatu aliq̄l' ⁊ n̄ ex-
cedēs nō reſtrīngat̄ niſi multū excederet: ſ; ꝯfor
teī ſto' vt dictū ē i cā calīa ſtati. ⁊ ſic t̄minet̄ cura

¶ Caplm. 63m. de colerica paſſione.

Um puus dolor pūctio
⁊ triſticia alicui ſupuene
rit: affuerintq; cū ea vel
poſt ipam vomit' ⁊ vētris ſolutio
aq̄ calīa multotiēs cōtinue i potu
tribuat̄. ⁊ ſi adhuc pſeuerauerit vo
mitus ⁊ vētris flux': aq̄ calīa iterū
det̄. ſedabit̄ eīm paſſio. Cū autem
egritudo q̄euerit: eger balneū in-
grediat̄ i quo p vni' hore ſpacium
moret̄. Egreſſus aūt de balneo le
ui alat̄ nutrimēto: deinde dormi-
at. Sȝ lȝ vomit' ⁊ vētris flux' vehe
mētes fuerit ⁊ ſinthomata t̄refa-
ciētia ſupuenerint: nō tn̄ ē timēd:
imo cū medicamib' q̄ ego noiabo
ſuccurrendū. In pncipio itaq; tro
ciſci de olibano cū aq̄ ⁊ niue ⁊ rob
granatoꝝ dent̄ ſel' q̄ itē etiā ſūt dā
di ſi vomit' n̄ ceſſauerit. duoq; ad-
iutoria ⁊ coxe i ſupmis ptib' ligēt̄
⁊ aq̄ in niue infrigidata ſup crura
⁊ pedes fundat̄ ⁊ in ipam etiā mit
tant̄. Uent̄ q; ex ſandal' roſ cāfo-
ra gallia aq̄ roſacea ꝯſpſis epithi-
met̄ ⁊ pān' aq̄ roſata i niue infri-
gidata iſuſus deſup ponat̄ q̄ poſt
q̄ tepefact' fuerit ē remouend' et
alt' vt pus deſup mittend'. Ad po
tandū aūt paulatim tribuat̄ vinū
vetus tpatum cū rob granatoꝝ. et
qn̄ vomuerit iteꝝ tribuat̄. Panē
q; in ſucco granatoꝝ infuſū cogē-
dus ē ſumere cū vino ⁊ comedere

Quē ſi vomuerit: iteꝝ dand' ē do
nec q̄eſcat. Qd̄ ſi ſincopis ſupue-
nerit: muſc' cū vino dare ꝯueniēs
ē inde inferēdo ⁊ ſucc' carnis edi
ne ⁊ pulline cū pauco citoniorum
ſucco i vino mixt' i potu ē tribuen
dus. Pulli pterea ſūt aſſandi ⁊ an
nares ipi' diſcerpēdi. thus etiam
dand' ē vt ipm maſticet ⁊ paulatī
traijciat. Et poſtremo bolū cora-
ſcenū cū cāphora ꝯditū tribuatur.
Quicq̄d aūt de hui' paſſiōis cura
nūc vſq; dixim' donec vomit' ſe-
det̄ ⁊ ſtomach' cibū recipiat fieri
ꝯuenit. Poſtq̄ vo ſtomach' ipſi'
cibū recipe poterit: nutriend' ē e-
ger ⁊ parū vini veteris bn̄ redolē
tis i potu ſumat ⁊ dormire icipiat.

Trociſc' de olibano ad vomi
tū dicti. ℞. boli coraſceni thuriſ ā-
boꝝ an̄ ʒ. x. cubebe cardamomi ā-
boꝝ an̄. ʒ. xi. ⁊ ſ. cāfore gallie gario
fi. oiȝ. an̄. ſextā ʒ. i. fiāt trociſci pō-
der̄ aurei vni'. Hij ei vōitui mſtū
ꝯferūt. rob de granat; ſucc' gnato
rū acetoſoꝝ ſumat̄ ⁊ p noctē vnā
aut ampli' dimittat̄ dōec qd̄ groſ
ſum ē i fundo reſideat. deinde co-
quat̄ ⁊ deſpūet̄ donec iulep ſilitu-
dinē habeat in quo ab igne depo-
ſito adhuc tn̄ calido mēte viridis
ſtipites mittant̄ ⁊ in ipſo manere
dimittāt̄ quouſq; ifriet̄. Cūq; ifri
gidatū fuerit exhat̄. ad cui' ſilitu-
dinē ſir' de citonijs ⁊ ſirup' d̄ mal̄
macianis fieri ꝯuenit. Si āt vomi
t' hora aliq̄ nimis iualuerit ⁊ ſup-

fluerit magꝰ vētoſa ſtōaco ſuppōat

E cura colice paſſiōis.i. de im-
moderato vomitu ⁊ ſe-
ceſſu ſeu ſolōne vētrꝭ ſil' euenietibus
vn̄ colica paº nō dic̄ ꝙ cola ꝑ ſupius
effūdit: ſ; qꝛ maª hūoral' corrupta ſubito ꝑ ſupiꝰ
⁊ inferiꝰ infūdit.nā greci dicūt coli qđ nos dici-
mꝰ vētrē ⁊ inteſtina. ⁊ inde cole paſſio a calidoſ
ſm grecos đ: qñ maª ꝑ ſupiꝰ ⁊ inferiꝰ infundit
ſimul ⁊ nos dicimꝰ immoderatꝰ vomitꝰ ⁊ ſeceſ-
ſus vētris. Iſta tal' paº acutiſſima ē ⁊ breuis.qa
multū moleſta ſincopim cito inducēs ꝓpt mali-
ciā maᵉ flatus ⁊ ledenꝭ orificiū ſtoⁱ. ⁊ lʒ ſincopi
cito inducat: curant cōiter ꝯfortādo ſtoᵐ interiꝰ
⁊ exteriꝰ cū ſtipticꝭ: vt dicet.interdū āt exit ſtercꝰ
ſeu maª fetidiᵐᵃ ꝑ ſupiꝰ qꝛ ꝑ os q̄ pſentit i por-
ta camere tales nō curant.nā īfra qrtā diē cōiter
moriunt.nā expulſiua venaꝝ epatꝭ ſtoⁱ nō pt plꝰ
eſſe irregulata nec inordinata.iō ſis auiſatꝰ i p-
noſtico.prudētes medici dimittūt eos ordinatis
ꝗbuſdā q̄ dicent ſtati. ¶ Notū ē ꝙ iſta paſſio de-
ſcripta ē paſſio fundi ſtoⁱ ⁊ eiꝰ orificij.ꝭ vult via-
ticꝰ c̄ ſuo expoſitore.nā ex debilitate fundi ⁊ pri-
moꝝ inteſtinoꝝ a tali paſſiōe puta a tali maªco-
lerica pūgitiua aduſta i pte veniēte ab epate ⁊ a
venis cordis ſeqt fluxꝰ vētrꝭ ⁊ ex debilitate orifi-
cij ſtoⁱ a tali maria vapoſa mordicatia malicio-
ſa eleuata ad ſupiꝰ mordicādo cāut tremorē; in
ipo orifiº qꝛ nauſeam pº ⁊ faſtidiū vt dictū ē i.cº
ſupiꝰdcō. Cōir vomitꝰ ꝓpt ꝯtinuatiōem cāe tal'
vt de facto videmꝰ in ſubintrātibꝰ mare: ꝙ vapo-
res marini ſubintrātes per ipm meri mordicādo
cāut tremorē i ipo orificio ſtoⁱ puta nauſeā ⁊ per
ꝯñs ꝑ ꝯtinuatōem cāut fetorē malū motū expul-
ſiue ñlis ꝑ vomitū vt de facto videmꝰ. veꝝ ad ta-
lē debilitatē orificij facit debilitas orificij a gñā-
tione qꝛ rare ꝯtexture ⁊ multū ſenſibil'.nā eiꝰ ma-
gna ſenſibilitas ē cā multaꝝ paſſionū: qꝛ ſincop
⁊ ꝯpaſſiōis cordis vt ē dictū i cāis tremorꝭ cord.
Et tal' paº fundi ⁊ orificij ſtoⁱ ē eiꝰ ꝑ colligātiā
epatꝭ ⁊ venaꝝ. ⁊ ē paſſio ſeu morbꝰ i receptaculo
qꝛ mala maªcolica cal'a calefaciēs fundū ⁊ orifi-
ciū ⁊ ꝭ ē vtpl'rm.qꝛ qñ maª n̄ ē cal'a mlta a dñio
nō ſeqt vomitꝰ ſ; fluxꝰ vētꝭ: qꝛ vapes acuti mor-
dicatiui cāntes cōit trēorē ⁊ titillatiōem i orifiº
ſtoⁱ nō eleuat.tal' vomitꝰ ⁊ ſeceſſus in ſeñ ē mor-
bus: ſ; actio morbi dictū exiēs mutatū vt exiens.
qꝛ exit ex mala ⁊ violēta actōne expulſiue fundi
ſtoⁱ ⁊ orificij.ꝓpt qđ dicit gaꝰ.in.vi.de morº. i.c.
6º.ꝙ iſtud accñs actōi leſe alicuiꝰ vtutꝭ ptinet qꝛ
ꝯſeqt ad illā actōem leſā ⁊ ē morbi vt mutatū, qꝛ

etiā mutat tale exiēs i malas q̄litates. ⁊ ē nocᵐ
paſſiue itelligēdo ſeu mala acº tal' morbꝰ deſcri-
ptus regitiue natural' meª mādātꝭ pncīʳ. ꝯīr regi-
tiue ñalis meⁱ recipiētꝭ. nā ſi dgtie hoꝝ mēbroꝝ
nec expulſiᵉ nō erraſſet: nō fuiſſent tales cāe mor-
bi gñate: vt declarat ga.xi.đ ingeº.i.c.ij.ꝑ illo ex-
eunte ⁊ malo motu: puta ipiꝰ vomitꝰ ⁊ ſeceſſꝰ eit
nocuᵐ ſeu mala actio expulſiue ñal' fūdi ⁊ orificij
ſtoⁱ.qꝛ expulſiua a q̄li ic itat. 6º de morº. ⁊.6.de i-
teri.i.c.i.i fine.ſicut ꝯtētiua a q̄to. ⁊ ꝑ morºdeſcꝑ-
to ē paº pncipʳ expulſiᵉ ñlis ipiꝰ ſtoⁱ.qꝛ ill' infert
paſſione pncīʳ ꝑ ill' mal' motibꝰ.ſ.ꝑ vomitu ⁊ ſe-
ceſſu imoderatꝭ ē paº pncīʳ regitiaꝝ ñliū ⁊ aiato-
rū cerʳ ⁊ alioꝝ mēbroꝝ pncipaliū ⁊ n̄ pncipaliū
qꝛ tal' vomitꝰ ⁊ ſeceſſꝰ oibꝰ vtutibꝰ ifert nocᵐ. nā
accñs morʳ pt eē cā morʳ vt dic ga.3 đ morº. ⁊ i.xi
đ igeº.c.2.nā mala actio ſeu actio leſa ñal' dgtia
epatꝭ vēaꝝ cāut iſtā paſſionē deſcriptā colicā paſ-
ſionē: vt ē declaratū intelligenti.

Iſtis clarificatis cura coliᵉ paſſiōis ti-
bi pateſcit.pus āt ꝙ i cura ꝓcedas ſcire ⁊ ꝯſiʳᵉ
oʒ ſi maª q̄ euōit ē hūoral' colica cōis.l' ſi ē mltū fe-
tida ħñs ad naturā ⁊ fetorē ſtercoꝝ q̄ fetor pſen-
tit ſtati i porta camere.nā pª ē curabil'. iſta āt ex
toº ē icurabil'.nā expulſiª ſtoⁱ n̄ pt plꝰ corrūpi in
actōe: iō fugias: ſ; ex caritate dei iuuāda ē ña cū
potibus ⁊ alijs q̄ ſtati dicet. ¶ Si qs colicā paſ-
ſionē patit đ maª mltū coᶜᵃ qđ pateſcit ex exeūti-
bus. ⁊ qꝛ tales ſt mltū colici a gñatōe cōit ⁊ a tᵉ
ē pl'ſu debili ſubmiſſo ⁊ amarituᵉ orꝭ ⁊ ſiti ē mag
eſtuatōe ⁊ gūitᵉ q̄ſi ſicopali.regat i cibo ⁊ potu vt
ē dcm ⁊ ſirup.i.c.đ voitu exceſſiª curāº ipʒ vomitū
potet đ ſirº đ ribeſ l'đ ſirº citōioꝝ l' mirtilloꝝ de ſu-
mach l'đ rob pomoꝝ acetoſoꝝ.l ſūat đ acetoſiᵉ ci-
tʳ vtat iſtꝭ c̄ aq̄ pluuiaʳ cocta ⁊ ferrata.aliq̄ ponūt
moᵐ đ cāfoᵃ vnū g̃.l'.ij.qñ admiſtrāt ipos potꝰ.l'
decoquūt i iª aq̄ đ ſumach qꝛ n̄ imutat ſaporē bo-
nū.cōedat đ carnibꝰ volatil' aſſatꝭ c̄ ſalſaº acetoſo
vidi l' c̄ aq̄ rob ⁊ aceº.vtat pirꝭ coctāis pirꝭ neſpul
ſorb ordeaºpus exſiccaº lētibꝰ pª aq̄ expliª.vtat
portulaq̄ c̄ aceº ⁊ pomis acetoſ crudis ⁊ coctꝭ. et
vtat đ ꝯſua rob.ſic.l'đ diacitoniitō ſine ſpēbꝰ et
ſꝑ teneat extrēitates i aq̄ fri: aquā illā fri.ꝯtiᵉ ino-
uādo.nā ex itēiōe rat i ſuo ꝯtiᵉ ꝭ mltū ſedat vōi-
tū ⁊ ſtoº applicet iſtđ ēpl'm ℞ corticꝭ maloꝝ gno-
rū ⁊ folioꝝ eiꝰ añ.m.ij. ſūach.m.i.acaſᵉ.m.ſ; đco-
qūt oia i aq̄ ⁊ aceº ꝯq̄ſſet. ⁊ ſi tibi vr: ſnpaſpgat
maſtiq̄ ſubtilꝭ ꝑ fuerīʳ.ʒ.ij.ſſ; ꝑ mođ ēpl'i de q̄rna
ꝑs ſtoº applicet. Aliq̄ bulliūt mētā in aceto cū
cortice ⁊ de floribꝰ maloꝝ granatoꝝ cōi noie di-
cūt pſidie balauſtie ⁊ iponūt ſpōgiā i tali aceto

⁊ tepidoꝝ vel quaſi friam ⁊ nõ calidam applicant
ſtõ°pl'ies inouãdo. Vel fiat iſtud empl'm ſupra ſto
machũ ⁊ ſupra vẽtrẽ vſqꝫ ad virilia. ℞. farine ordꝫ
lb' i. ſpodij ſubtiliſſime puluerizati. ℥. ij. diſtẽpent
cũ albũie oui ⁊ ſucco plãtag' qđ ſuffic̃ fiat empl'm
applicanđ totũ vẽtrẽ ⁊ ſup anchas. Silr' i cã fria
facim⁹ cũ farina tritici ⁊ diſtẽpa cũ ſucco mente.
loco ſucci plãtag'. qñ talis vomit⁹ ⁊ ſeceſſus ven
tris multũ excedũt aliq̇ faciũt pill'as ꝓuocãtiaſ
ſomni ⁊ reſtrigẽtes ſilr' ℞. ſe. iuſq̄ami al. ℥. ß. an
tere ſumach cappis añ. ℥. i. ⁊ ß. pluerizent ⁊ icoꝛ
poꝛẽt cũ ſucco citonioꝝ. fiãt pill'e dent tres vl' q̃t
tuoꝛ l' quiqꝫ hoꝛa doꝛmiẽdi de ſero qualibꝫ nocte
vel añ diẽ. nã ſõn⁹ multuꝫ reſtringit: ⁊ iſta talia
ſilr' ex coꝝ natura reſtringũt. Et ſic terminet̃ cu
ra colerice paſſiõis q̄ oĩa iſta pñt applicari i ſolo
vomitu: non i ſ(o)lo fluxu vẽtris. ideo talia ſũt no
tanda in ope: cũ caſus plures occurrũt.

¶ Caplm. 64m. de hijs q̄ ꝯfoꝛtãt ſtomachum ⁊
⁊ ciboꝝ ꝑficiunt digeſtionem.

Cum ſtomachi debilitas
cũ pauca ſiti ⁊ tarda cibi
de ſtomacho deſcẽſione ⁊
acido rutu fuerit fueritqꝫ oĩa acci
dẽtia hec ꝑua neqꝫ fuerint vetuſta
ſtomach⁹ cũ trociſcis de roſis erit
curãdus. De q̇bus eger quotidie
i mane pond⁹ aurei vnius ⁊ ß. cuꝫ
℥. i. decoctõis de ſemĩb⁹ ſumat. de
coctio aũt de ſemĩb⁹ hec ẽ: ſumat̃
cimini nabati ⁊ ameos ⁊ bulliant i
mina donec aq̄ fiat rubea: de q̄ ꝑ
terea cũ trociſcis de roſis vt predi
ctum eſt in potu tribuat̃. Trociſci
v̊o de roſ ſunt. q̇. ℞. pul' roſaꝝ ru.
℥. iij. xiloaloes ſpice maſticiſ. xilo
caſſie ſq̇nanti cinamomi abſintij.
oĩm añ. ℥. i. ꝯſpergant̃ ex vino vete
ri ⁊ infoꝛment̃ trociſci. Nutriatur
v̊o ex hijs q̄ cito digerunt̃ ⁊ pauco
rum ſunt hũoꝝ ac paucaꝝ ſupflui
tatũ q̄ etiam ex redolẽtib⁹ ⁊ ſemi
bus ſint ꝯdita: ſicut ſũt calagie et
mutagenat. Ipſe qꝫ añ comeſtiõeꝫ
multo vtat̃ exercitio: ⁊ aquã min⁹
ſolito bibat: ⁊ poſt comeſtionẽ mł
tum doꝛmiat. De vino qꝫ veteri ⁊
puro parũ bibat: totãqꝫ nutricati
onẽ minuat. Qđ ſi hec accidẽtia
vetuſta fuerint: electuariũ diacimi
ni electuariũ diaolibani ãboꝝ añ.
vni⁹ aurei pond⁹ cũ. ℥. i. veteris vi
ni puri in potu ſumat̃. Regimẽ ãt
ei⁹ ſit vt ꝑdiximꝰ. Electuariũ diaci
minũ. ℞. cimini carmeni. ℥. c. ẓinẓi
beris. ℥. xx. pipis. ℥. x. folioꝛuꝫ rute
baurach panis amboꝝ añ. ℥. x. hec
oĩa cũ melle deſpumato ꝯficiãtur
⁊ det̃ de hoc electuario ſi vẽter ſtri
ctus fuerit. Qđ ſi ſolut⁹ fuerit vẽ
ter: electuariũ diaolibanũ ẽ dãdũ.
Cuius deſcriptio in caplo de ven
tris ſolõne ꝯtinet̃. Si aũt nõ ſuffe
cerit: ſquama ferri cũ vino tribua
tur. Scoꝛia aũt ferri hec ẽ. ℞.
ſe. apij ſe. fenicli aniſi. cimini ame
os amidẽ origãi lzeiſim carui ſe.
coꝛiãdri melanopipis macropipis
cinamomi thuris ſpice gariof. nu
cis muſ cipi ẓiẓiberis oim añ. põ
dus aurei vni⁹ ſcoꝛie aureos. x. oĩ
bus ſextuplũ vini addat̃ ⁊ coq̄tur
donec ad medietatẽ redeat ⁊ cole
tur. deinde eger de hoc ſiru po poſt
q̄ colabit̃ pond⁹. ℥. xxx. quotidie
bibat ⁊ nutricatõem alleuiet. Qđ
ꝑ tres ebdomadas faciẽs: caueat
ſibi ab acetoſis ⁊ a fructib⁹ recen

tib⁹ ⁊ ab aqua fria. vinū vͦo menſurate bibat Emplm̄ ſtomachū confortās ⁊ calefaciēs. ℞. ſtoracē ſpicā ſq̄nātū abſinthiū calamū arōaticū maſticē. Ex hijs cū vino veteri ⁊ ſucco citōioꝝ cōſpſis empl̄z ſuper ſtomachū ponat͛. ad hoc p̄t͛ea ꝯfert vt ſtomach⁹ fricādo iūgatur ex ol̄o qd̄ fit de ſpicanardi ⁊ cipo ⁊ vt lana carmiata ī p̄dicto ol̄o calefacto iuoluta ſup ſtōachū ponat͛ ⁊ cū panno liget͛. Eger ꝙ̄ vinū vet⁹ bibat aut miuā aut ydromel.

Miua aūt hoc mō fiat. Succus citonioꝝ muzoꝝ ſumat͛ ⁊ p di em ⁊ noctē vt reſidere poſſit dimittat͛ ⁊ colet͛. deinde ei⁹ qd̄ claꝝ ē p tes due ſumāt͛ zuccari ꝑ ſyna vini veteris vna ⁊ incipiat coq̄ ſuauit͛ ⁊ deſpumari donec ī iulep ſilitudīe z trāſeat. poſtea p vnaq̄z libra ex to to ſumant͛ ziziberis ſpice cinamomi garioſ. oīm aā. ʒ. i. maſticiſ. ʒ. ij oīa hec pl̄uerizata ī pāno ligent͛ ⁊ int⁹ dū calīn ē mittāt͛ ⁊ cū īfrigidari cepit pān⁹ eīhat͛ ⁊ exp̄mat͛. dein de ſirup⁹ recōdat͛. Qd̄ ſi digeſtiue debilitas fuerit cū m̄lta cibi ⁊ pau coꝝ ciboꝝ appetitu ⁊ fetido ructu ſirup⁹ acetoſus d̄ citonijs bibatur

Sirup⁹ acetoſus de citonijs.

℞. ſucci citōioꝝ acetoſoꝝ ptē vnaz zuccari al. ptē vnā aceti clari q̄rtā ptē vni⁹. coq̄nt͛ oīa ſil͛ donec īſpiſſent͛. Eſt āt ſirup⁹ iſte ſtōachi cōfortatiu⁹: ⁊ ad ſuas pagēdas actiones iuuatiu⁹ ⁊ vehemētiā īflammationis ⁊ incēſiōiſ q̄ ī eo ē ſedat Egri vͦo nutricatio ſit reſ ī q̄ ſil͛ cōgregāt͛ acetoſitas ⁊ ſtipticitas: vt ē caro cū ſucco vue acerbe cocta et cū mal͛ macianis ſimiliter cocta et cū ribes ⁊ fria ex albulē ⁊ amoſoſi. ⁊ ill͛ ſilia ex cib. De iſto p̄terea det͛ pl̄uere plies vt trāſglutiat q̄ ℞. roſarū ru. ʒ. x. ſpodij. ʒ. iij. ſemis cori andri. ʒ. v. doſ͛ ei⁹. ʒ. ij. cū ſucco ḡnati muzi ⁊ cū ſirupo acetoſo de citonijs Si aūt cū hoc qd̄ diximus fuerit ī corpe extenuatio ⁊ īflāmatio: egro lac ⁊ aq̄ ordei dāda ſūt. ipſe ꝙ̄ ex herb̄ hūectātib⁹ ē nutriend⁹: vt ſūt lactuce malue cucurbite. citrulli carnes hedoꝝ ⁊ agnoꝝ lactantiū ⁊ piſces recētes. balneū p̄terea añꝙ̄ cōedat ⁊ poſtꝙ̄ cōederit tinā quotidie igrediat͛ ⁊ vinuz claꝝ valde tpatū bibat ⁊ aſſidue vtat͛ q̄ete: ⁊ motū ⁊ exercitiuz vitet: ſitq̄z totū ei⁹ regimē vt ei⁹ q̄ corpiſ groſſiciē adipiſci deſiderat. ⁊ ſi cū hac diſpōne iſlāmatio fuerit ⁊ icēſio vehemētiſſima: ſto⁹ ex reb⁹ fris erit linīēd⁹ ⁊ aq̄ ordei danda. ſitq̄z ei⁹ regimē vt ei hicā habentis.

E cura debilitatis digtie ſto¹ vn̄ q2 mor⁹ debet͛ cura p ſe: accn̄tib⁹ morboꝝ p accn̄s: q2 ad curōnē morboꝝ 3ͦ teg¹. c. 11ͦ. c. 12. de igenio. ppt͛ qd̄ morbi curāt͛ ⁊ accn̄a ſedāt͛ ſeu remedāt͛: adeo iſta rubrica itelligit͛ p morͦ d̄ſcpto d̄ cura morbi debilitāt͛ ⁊ corrūpēt͛ digtiam ſto¹. Et ſup h̄ nō ꝙ ſtoͦ inſūt de poſſibil. iz. paſſiōes q̄ deſcribūt͛ noie ſuoꝝ accidētiū vt vult raſ͛ i ſuis diui b⁹. ¶ Pri⁹ ē faſtidiū ⁊ nauſea ¶ 2ͣ ēvōit⁹ ei⁹

qꝺ cõcedit ⁊ hũoꝝ de iſtꝭ tractabiꝰ. 3ª ē debilitas
digõnis ſtoˡ q̄ hꝫ plꝛes cãs vt dicet̃ ſtati: qꝛ ē pñꝭ
ſpeclãtõis. 4ª ē dolˀ ſtoˡ q̄ hꝫ plꝛes cãs vt dicet̃. 5ª
ē debilitas appetitꝰ ⁊ eiꝰ corrupᵒ. 6ª ē ſinglᵗꝰ. 7ª ē
eructuaᵒ. 8ª ē tēſio ⁊ iſlaᵒ ſtoˡ. 9ª eſt innataᵒ cibi i
ore ſtoˡ. 10ª ē apa ſtoˡ. 11ª ē vlcꝰ in pelle intrīſeca
ſtomacˡ. 12ª ē diarria ſtoˡ. 13ª ē lienteria ſtoˡ. de q̄
bꝰ loq̄mur i ſeq̄ntibꝰ. ¶ Ulteriꝰ adũte digõ cibi i
ſtoᵒ nihil aliud ē ꝙ̃ ꝯũſio cibi ſeu mutaᵒ i q̄litatē
ſubalē ⁊ ꝯplõnalē ꝯũtibilē ad aſſiſãndã mẽbris
totiꝰ corpis. gaꝰ. i. 6ᵒ ꝺ moꝛ. c. i. i priᵒ. nã ibi acq̄-
rit nouã formã ſubalē qꝛ formã chili ſilis ptiſaᵉ
mltē decoctõis in liq̄re ⁊ ſpiſſitudie ⁊ ſilis i colo
re ipi ſtoᵒ ex q̄ ſibi i aliq̄ aſſiſãuent. iõ ē ſui colorꝭ
ſubalbidi qꝺ pꝫ i egeſtis in fluxu ſtõachali vt di
cet̃ infra. ꝓpt̃ qꝺ ꝺꝛ p̄ma digõ fit i ſtoᵒ. Et iſta ta
lis digõ i ſtoᵒ fit inſtralit̃ ꝑ ꝯplõem ⁊ ꝯpõnē. 6ᵒ
de moꝛᵒ. in. c. i. eq̄ p̄ᵒ lꝫ p̄ncipalr̃ fiat fortiꝰ ꝑ ꝯplõ
nem. qꝛ ꝯplõ eſt magꝭ de eſſenª ſtoˡ vt vult ibi. qꝛ ꝑ
eã fit altãtio ⁊ decocᵒ cibi. Sꝫ qꝛ talˀ digtia ſtoˡ ẽ
ñalit̃ officialˀ ꝑ toto ⁊ corpe ⁊ forma officialiū ē
ꝯpõ. p̄ᵒ de moꝛᵒ i. c. 7. ⁊. 8ᵒ. ⁊ actio depēdet a forª
vt vult gaᵒ ibidē. ⁊ ariſto. i. 9. methaᶜᵉ. nccĩu ē ꝙ
ꝯpoᵒ eiꝰ faciat ad actõem eq̄ p̄mo ſic ꝯplõ: lꝫ nõ
ita fortit̃ nec ita princiˡ. ꝓpt̃ qꝺ dicͭ gaᵒ. 6. ꝺ moꝛ.
c. i. i p̄ncᵒ ꝙ ꝯplõ ē magꝭ de eẽntia vtutꝭ digtie ſtoˡ
q ꝛ ꝑ ꝯplõem altãt ⁊ aſſiſãt ⁊ ꝯũtit i q̄litatē ñlē
⁊ aſſiſãnda mẽbri. Et ſup ꝭ adũte ꝙ lꝫ ſtoᵒ dige
rat ⁊ cibũ mutet ꝑ ꝯplõeꝫ ⁊ ꝯpõem lꝫ ineq̄lit̃ vt
dcm eſt ad ꝭ pricipaliꝰ aſſiſãt i q̄litate ſeu forma
ſubali ex forma ſpecifica ꝙ̃ ex ꝯplõe ⁊ ꝯpõne qꝛ
illa dirigit decoctõeꝫ iponenᵒ formã ſubaˡem vt
dicͭ gaᵒ. 4. de ꝯplõibꝰ. c. 2. ꝙ corpꝰ nõ imutat nec
reſoluit corpꝰ niſi ꝑ ſeip̄m princiˡ. i. ꝑ naturã ſpe
cificã. nã iſta iponit formã chili i aliq̄ ſilˀ i ipi ſtoᵒ
ſalti in colore. Et qꝛ talˀ forma ſpecifica ſubalˀ eſt
ꝯñs talē ⁊ taleꝫ mixtiõis mẽſurã elemtoꝝ in mi
xto vt vult gaᵒ ibideꝫ. Ideꝫ vult auerrois. 4ᵒ ſui
collectorij. Iõ cibi q̄ magꝭ ꝯuenũt in tali forma
ſpecifica cũ forma ſpecᶦᵃ ſtoˡ ⁊ membroꝝ citius
digerũt̃ ⁊ imutãt̃ ⁊ i chilũ ꝯũtũt̃ ⁊ i ſubāꝫ mem
broꝝ. iſta de cã equꝰ cito digerit ⁊ ſibi aſſiſãt in oi
bꝰ digtis fenũ qꝺ ñ faceret leo nͨ canis nec alia
aialia magꝭ calã. ꝭ tibi latiꝰ explicaui. 6. ꝺ moꝛ. i
c. i. Iſta talˀ cibi digõ i ſtoᵒ ledit̃ ꝓut alie actiões
eiꝰ ñales ⁊ alioꝝ membroꝝ: qꝛ aut diminuit̃ ⁊ vo
cat̃ tarda digõ quã ꝯcomitat̃ eructuaᵒ cibalˀ aut
aufert̃ aut corrũpit̃ ⁊ cibꝰ mutat̃ i malas q̄litateſ
q̄ nõ patiunt̃ cibũ corpi aſſiſãri ꝑfecte: vt dicͭ gaᵒ
6ᵒ de moꝛ. in. c. i. in p̄nᵒ. Et ſubdit ibi ꝙ ꝭ fit qꝛ ci
bꝰ eſt male q̄litatꝭ i ſe vel excedentꝭ q̄titatꝭ. vel qꝛ
ſuit̃ tpe icõueiētiˀ ex mala maliᵃ exñte i ſtoᵒ ex q̄
corruptõe digõis aſcēdit fumꝰ capnoſus calidꝰ
ſemifetidꝰ ſi corrũpat̃ a cã calˀa. vel acetoſꝰ ſi cor
rũpat̃ a cã fria: qꝛ talˀ vētoſitas ꝓhibet ip̄m aſſiſã
ri corpi ꝑfecte. Et ſup ꝭ adũte ex dictꝭ Gaˡ. vi. de
moꝛᵒ in. c. i. in p̄nᵒ. ⁊ i priᵒ de intio. i. c. 5. ꝙ iſta di-
geſtiua ſtoˡ ⁊ alioꝝ mẽbroꝝ ledit̃ vno de duobuſ
mõis in gñe. qꝛ ledit̃ ex moꝛᵒ q̄ ē i eẽntia ſtoˡ. vel
ledit̃ ex morbo q̄ nõ ē in eſſenª ſtomachi. Appel
latur morbus in eſſentia ſtomachi qñ gñat̃ i eo
vitio ꝓprio ſeu cã p̄uata vt ſi mala ꝯplõ calˀ fria
gñet̃ in eo ex mala ꝯplõe ꝓpa calˀa vel fria vel ſi
gñaret̃ talˀ morbꝰ cãns debilitatē digtie ꝑ colligã
tiã alicuiᵒ mẽˡ vel cãe extrīſece ſi remaneat mor-
bꝰ firmꝰ ⁊ ꝑmanēs cã eiꝰ fluēte ceſſante. vlˀ ſꝭ plu
ries i mala maĩa multiplicata i ſtoᵒ i lõgo tpe ꝑ
colligãtiã. nã mala ꝯplõ remaneat i ſtoᵒ cũ maª
hũorali vel apõſa cã fluēte ſeu ꝑ colligãtiã altiᵒ
mẽˡ ſeu cã extrīſece ceſſante talˀ morbꝰ ꝺꝛ eē i eẽn
tia ſtoˡ de locutõe cõi medicoꝝ. vt declarat gᵃ. i. ꝺ
int̃. i. c. 2. ꝯ archigenē de paſſiõe capitꝭ oculoꝝ ꝓp
ter fumũ eleuatũ ad caput ⁊ oculos. Idē decla-
rat i 2ᵒ. de int̃. in. c. vltiᵒ in fine. ⁊ in. 4. de int̃. i. cᵒ
2. Et appellat̃ morbꝰ q̄ nõ ē in eẽntia ñali qñ fit
ꝑ colligantiã alicuiᵒ mẽˡ vel cãe extrīſece q̄ nõ re
manet in mẽbro vel ab extrīſeco cãnte. qꝛ tũc tale
nocuᵐ ē leue ⁊ facile. vt declarat gaᵒ. in locꝭ alle
gatꝭ. potiᵐᵉ. 2. de intꝭ. c. 2. ⁊. 5. i q̄ errauit archig. d.
ꝙ tũc nõ erat morbꝰ ſꝫ vmbra morbi qꝺ ē falſum
qꝛ actõe leſa vniuſcuiꝰ qꝫ mẽˡ mẽᵐ nccĩo egrotat
vt ip̄e ponit i eodē p̄mo ⁊ 2ᵒ. Idē ponit. 3. ꝺ moꝛ.
caplˀis p̄mis. qꝛ actio leſa ſeq̄t̃ moꝛᵐ imediᵉ ſicut
vmbra corpꝰ. ꝭ declarat gaᵒ. in p̄mo ꝺ int̃. in. c. 5.
multiplici exēplo dandũ. vnũ exēplũ q̄lit̃ digeſti
ua diminuit̃ ꝑ colligãtiã. ⁊ tria exēpla q̄lit̃ corrũ-
pit̃ ꝑ colligãtiam. ⁊ dãdo vnũ exemplũ q̄lit̃ aufer
tur ꝑ colligãtiã ſine nocuᵒ in eiꝰ eẽnª. Quidã ce
nauit de ouis frixis i nimia q̄titate: de mane ſēſit
ructuariũ coꝝ. talˀ digtiua fuit diminuta ⁊ tarda
ta nõ ex morbo in ſui eſſenª: qꝛ fuit ex errore extrī
ſeco cibi: qꝛ i excedēti q̄titate: q̄ euomito vlˀ expul
ſo ꝑ abſtinētiã vel alio mõ ſtomaticꝰ fuit curatꝰ.
Iõ pꝫ ꝙ ſtomaticꝰ egrotauit ex moꝛᵒ nõ i ſui eẽn
tia. Subdit. q̄dã cenauit de radicibꝰ malˀ. de ma
ne fetide eructuauit ecce digtia in tali fuit corru
pta ex morbo q̄ nõ erat in eiꝰ eẽntia qꝛ ex morbo
puta i receptaculo ex errore extrīſeco. q̄ euomito
⁊ expulſo ſtõachꝰ fuit curatꝰ. ¶ Idē q̄dã cenauit
de ouis frixis putridis fetide eructuauit de mane
digtia ſtoˡ fuit corrupta nõ ex moꝛᵒ i ſui eẽnª. qa
erat ex errore cãe extrīſece, q̄ euomito vel expſſo

ꝑ abſtinentiā vel alio quouis modo ſtomachus
curatus eſt. ideo talis morbꝰ non erat in eſſentia
Itē q̄dā aſſumpſit arillos cū vuis ⁊ oſſa prunoꝝ
cū prunis. ita eſt dicēm de ceraꝝ pſicꝗ. oſſa exiuerūt
ꝓut ingreſſa fuerūt ⁊ talia fuerūt indigeſta: que
indigō ſubē nucleoꝝ ꝑtinet in talibꝰ digō ſto¹ fu
it ablata. ſꝫ qꝛ talia ſunt indigeſtibilia: ſubā ſto¹
nō ē iculpanda. Iō bonū eſt ꝙ dicamꝰ ſubſtātiā
ſto¹ eſſe ſanā: ex q̄ de eoꝝ natura nō ſunt digeſtibi-
lia. imo ſupfluū eſt q̄rere: an illꝰ ſic egredientibꝰ
ſtoꝰ ſit ſanꝰ vel infirmꝰ in ſui ſubā. nam dicimꝰ eiꝰ
ſubam ſanā dato ꝙ ſint indigeſta ex q̄ erāt idige
ſtibilia. peccatū ḡ ſue actōis non ē ex mor° in eiꝰ
eſſenª exn̄te. ſꝫ ꝑ colligātiā venit qđ venire non dꝫ
⁊ egrotabat mor° in receptaculo: nō in eiꝰ eēna. ita
ē dicendū ſi talis capet carnes crudas: q̄ nō ſūt
digeſtibiles in sto° hoīs. ideo qꝛ non digeruntur
ſubā ſto¹ nō eſt inculpāda. pctm̄ ḡ ſue actōis ſeu
indigeſtibilitas non ē ex mor° in ſui eēntia ſed ꝑ
colligantiā rei extrinſece: qꝛ venit qđ venire non
dꝫ ſcđm naturā: ⁊ talis erro: rei extrīſece venit ex
nocumēto aiāti deſiderij ſeu volūtario reficiendi
cognitōne poſito i executōne cuiꝰ ſedes ē in ꝓra
capit̄. ⁊ ē quintꝰ actꝰ in fame: regulās appetitū
ſeu famē i approximatōe rerū extrīſecaꝝ ꝯuenien-
tiū. 4. de mor°. in. c. 1°. in brut̄ qꝛ non hn̄t anima
tum deſiderium cū intellectu. ad hoc regulatur
ex olfactu vt videmus. Sic pꝫ tibi declaratum ꝙ
ſtoꝰ egrotat interdū in ſui eēntia. interdū egrotat
ſeu hꝫ actōem leſam ſine nocu° ſeu mor° in eius
eēntia exn̄te.

Contra iſta Tu argues fortit̄ ꝓbā
do ꝙ in oi nocu° digtie
ſto¹. ſtoꝰ egrotet i ſui eſſenª ⁊ morbꝰ cāns tale no
cumētū in digtia ſto¹ neccio ſit ſp in eſſenª ſtoma¹
Ois bona ꝯplo ſto¹ ⁊ ois ꝯpoſi° ſtoma¹ ſunt de
eſſentia digeſtiue ſto¹: patꝫ. qꝛ ſunt cā inſtrāl' ipi
us actōis digtiue ſto¹ vt dictū ē ⁊ ſunt in eſſenª
ſto¹. qꝛ ſunt forma natural' ⁊ ꝓpria ipiꝰ vt mēbrū
ōale ⁊ organicū hn̄s actionē naturalē officialē:
qꝛ digeſtiua pro toto corpore. iſtud an̄s notum ē
ḡ ois mala ꝯplo ⁊ ois mala cōpoſitio ſupueni
ens ipi ſtomacho quocūq; mō veniat ſiue ex er-
rore extrīſeco vel al's erūt in eſſenª ſto¹. ꝯn̄a tenet
ꝑ regulam thopicā. ſi oppom in oppoſito ⁊ ꝓpo
ſitū in ꝓpoſito. Silr etiā ꝑuatio ⁊ habitus circa
idē in erroribꝰ de aia. Silr ꝯrīa viciſſim inſunt i
p̄dicamētis. ⁊. ii°. de ingē°. igit̄ mala ꝯplo ſuper
ueniēs sto° ex mala colica veniēte ab epate vl' ab
aliquo. ⁊ mala cōpo° veniēs ex tali mat̄ia l' alio
cibo rōe eiuſdem q̄titatis vel qualitat̄ facienti-
bus morbū in receptaculo erūt neceſſario in eſ-
ſentia ſtomachi: ⁊ ſtomachꝰ ſp egrotabit i quo-
cūq; nocumēto ſue actōnis in ſui eēntia. rō iſta
fortis eſt. ¶ Secūdo ſic. ois morbus ē in ſubſtā
tia mēbri. pꝫ primo de morbo in multis locis. q̄a
morbus eſt paſſio mēbri actōnes eiꝰ corrūpens°.
ideo ois erit in eſſentia morbi. ꝯſeq̄ntia tenet: q̄a
ſubſtātia mēbri eſt eius eſſentia. Concludo igit̄:
ꝙ locutio Galieni non poteſt ſtare ſaluādo dic-
ta ſua alibi. ¶ Dicendū ad hoc ꝓut eſt dictum ex
intentōne galieni ꝑ colligantiam nō eſt in eſſen
tia ſtomachi nec alterius membri niſi remaneat
cā illa fluente ⁊ veniente ad mēbrū ceſſante: i-
mo Archigen̄. ⁊ plures alij opinati ſunt ꝙ talis
lapſus non ſit morbus ſed vmbra morbi: vt reci-
tāt primo de interioribꝰ. ca°. 2° In fumoſitate ca
pitis ⁊ oculoꝝ aſcendēte a ſtomacho. ⁊ q̄q̄ bōa
complexio naturalis ſtomachi ſit de eſſentia vtu
tis digeſtiue ſtomachi ⁊ ſit in eſſentia ſtomachi
quia ē eius forma naturalis inſtrumētalis actio
nis digeſtiue: vt dictum ē. ſi ꝑ poſſibili depdat̄
ſeu corrūpatur ex ſe vel ex errore extrinſeco quia
reformatur ꝑ colligantiam cū alijs ⁊ reformatur
cum emplaſtris: vnguētis: ⁊ dieta: remedijs: niſi
ſit firmata ⁊ ꝑmanens. quia remanet illis reme-
dijs remot̄. Ita par dicetur eēntialis vtuti dige
ſtiue. nec dicetur ꝙ ſit in eſſentia ſtomachi. quia
nondū eſt firmata. nec ꝑmanens: illis auxilijs re
motis. ꝓpter quod patet tibi ꝙ p̄ma ps rationis
ſeu antecedent̄ dicti non tenet vniuerſaliter: qꝛ
bona ꝯplo ſtomachi vel alterius mēbri ſi re-
formet̄ non erit de eſſentia mēbri de locutōe ga
lieni. nec remaneat firma. ⁊ ꝑmanēs in membro
illo remedijs oibus curatiuis ceſſantibꝰ: ex quo
nondū perfecta ⁊ ꝑmanēs quocūq; extrinſeco re
moto. Ita dicendū de eius compoſitōe naturali
que eſt debita ordinatio ꝑtium eius puta tunni-
carū eiꝰ i eo. nam ipa ē in eſſentia mēbri ⁊ de eēn
tia ipiꝰ. qꝛ ipa ē cā inſtrālis actōis. ⁊ ē forma eiꝰ
ꝓut ſtoꝰ ē mēm officiale ſi depdat̄ ⁊ diſſoluat̄ ex
ꝯtinuo ex re vlcerāte vl' ex ꝯpate. qꝛ tal' ſolo rema
net cū illa faciēte illā ſolutōem ceſſante. ideo dic-
tū eſt bn̄ ꝙ tal' morbꝰ ſit in eius eſſentia: ⁊ ſi re-
ſtauret̄ illa ſolutio quaſi ex to° ⁊ remedijs remo
tis illa reformatio non tenet. iſta talis conſolida
tio non dicetur de eſſentia vtutis nec in eēnª mē
bri. qꝛ nondū eſt firma ⁊ ꝑmanēs cauſa inducen
te ceſſante. verū gaꝰ. p̄mo de int̄. in exemplis di-
ctis loquit̄ de compoſitōe ſto¹ q̄ ſe tꝫ ex debita
approxiatōe ciboꝝ extrīſecoꝝ ⁊ ex ſui receptaclo
⁊ q̄q̄ tal' ꝯpō debita q̄ ſe tenet rōne receptaculi

ordinati ex aiato deſiderio regulāte ꝙtitatē ⁊ qli
tatē offerēdoꝝ ipi ſto° ſit cā actōis bōe ſeu eius
digōnis. talʼ ɔpo° nō ē de eēntia vtutis nec ē i eſ-
ſentia ſto¹. q: nō durat niſi ſm p̄ſentiā talʼcāe Iō
q: nō ē firma nec ꝑmanēs q̄cūq; extinſeco remo
to nō dꝫ dici de eſſenᵃ vtutꝫ. nec i eſſenᵃ mē¹: lꝫ ſit
i mē°. nec ꝑ ɔn̄s ei⁹ mala ɔpō veniēs ex errore ex
triſeco vel alicui⁹ mē¹ qđ dic̄ morbū i receptaclo:
dic̄ morbū i eſſenᵃ ſto¹. ſic pꝫ tibi rō ſoluta q̄ fecit
muſare mltos i arte. ¶ Ad ſecūdū. ois morb⁹ in
ſuba mē¹ ɔſiderā°. igr̄ i ei⁹ eēntia. nō tꝫ ɔn̄a: q: a-
lit capit̄ eēntia ꝙ ſuba apud medicū. nā nō dicit̄
eēntialʼ morb⁹ niſi ſit ꝑmanēs firmat⁹ i mē° cā ip
ſum iducēte ceſſāte. ¶ Alteri⁹ nō ꝙ ſto⁹ ɔtext⁹ ē
ex duplici tūica vt dic̄ aui. 3. cañ. fen. 13. c. i. idē vult
raſ. lꝫ auerroys dicat i pᵃ p̄te ſui collectorij ꝙ cō
text̄ ex triplici tūica qđ nō credo. ꝑma tūica ē vil
loſa ē vill' lōgitudialib⁹ ad attrhēdū cibū ⁊ ē traſ
uerſalib⁹ ad retinēdū cibū. ⁊ iſti villi inſunt ſibi a
creatōe ⁊ ñ a cer° vt dic̄ ga⁹. 2. de ɔplo. c. 4. Vez
ſenſū recipit a cer° ꝑ vnū neruū q̄ veit ad oriſi^m
cū q̄dā reuolrōne vt pōit aui. i lo° dicto. h̄ fec̄ ña vt
ſentiret viā motionē orificij ⁊ ſucceſſionē fūdi ab o-
rificio. 4. de mor. i. c. 7. ¶ 2ᵃ tūica ē villoſa ē vill' i
latitudialib⁹ faciētib⁹ ad expl'ſiōꝫ vt dic̄ aui. ibiđ
q̄ ſt ſibi a creatōe ſil'r ⁊ ñ ex cer°. nā iſte due ñ hñt
motū a cer°. q: ſolū hñt motū ñalē q̄ ieſt eiſ ex ca
rū creatōe. q: vtutes ñales cōicant̄ ē mē°. p°đ in
ter. i. c. vl°. aiate aūt ñ: q⁹ veniūt a cer°. Iſta tūica
ſcđa ē mag̃ ſpiſſa carnoſa, put ei debet̄. caro iſta
ē p̄ncipalʼ i digerē° cibū ⁊ i gñan° chilū vt pōit a-
uicē. fen illa. 13ᵃ. in. ca°. 1. Idē dic̄ p° cañ. đ mēbrij
i. c. ſingl'. i fine ca¹. Iſta iponit formā chili i cibo
aſſil'ans ſibi i aliq̄ ſalti i colore aliq̄li ⁊ ipm mu-
tat i q̄litatē ɔueniētē ⁊ aſſil'andū cib⁹ ꝑtib⁹ cor-
poris cū maiori imutatōe ⁊ alt'atōe corūdē i po-
ſterū ¶ Notū ē ex p̄cedētib⁹ ꝙ tal' debilitas dgtie
loq̄ndo ꝑ mor° deſcp̄to ē pa° ſto¹. Et ſi ſit morb⁹
ꝑ colligātiā puta i receptacl'o qđ ē vt pl'rm: erit
pa° toti⁹ ſto¹ p° ⁊ p̄ncī ʳ: lꝫ p̄mit⁹ iſit p̄me tūice. q:
morb⁹ officialʼ p° ieſt toti lꝫ imediati⁹ ꝑti iſit q: i
mediati⁹: ē tāgit tūicā iteriorē. Si āt ſit officialiſ
morb⁹ puta apa p̄t ieſſe imediati⁹ ſcđe tūice lꝫ p°
iſit toti ſil'r. Si aūt ſit morb⁹ i eēnᵃ ſto¹ q: cōit̄ ē
ɔſil'is p° ⁊ p̄ncī ʳ ieſt ꝑti: ɔn̄r toti. h̄ ē đ rōe morbi
ɔſil'is: vt ē dictū ſ. c. đ obtalᵃ auc̄te ga¹. p° đ mor.
i capl'is vl'is. Et ſi ſit ꝑ colligātiā: ɔn̄r ē morbus
officialʼ i receptacl'o. ſi ſit i eēnᵃ ē morb⁹ ɔſil'is ꝑ
illa debilitate ē accñs mor¹. Et ē nocu^m princip ʳ
dgtie ſto¹ ꝑpt̄ noc^m ⁊ expl'ſiue epaꝶ ſi ab ipo ve
niat maᵃ vel cerebri ſi ab ipo veniat materia per

viam catharri. ¶ Et ſi veniat ex errore ratiōe ci-
bi in quāto vel in quali vel aliter quouis modo ē
nocu^m p̄ncipalʼ dgtie ſto¹ ꝑpt̄ nocu^m aiati deſi
derij ſeu volūtaꝶ poſita executōi ſiñ debita ɔione
iō cū errore exeq̄tur actū ſuū cui⁹ ſedes ē in pro-
ra cer¹: ⁊ ei⁹ ɔcu° ē q̄nt⁹ act⁹ ⁊ vltim⁹ in famere
gulās ipam famē i exhibitōe cibi. 4. đ. morbo. in
c°. 7. Et ē nocu^m a ttie ꝑ mor° deſcp̄to dgtie ſto¹.
ꝑ illa mala actōe ſto¹ ē pa° ſeu cā paſſiōis vtutū
ñliū ⁊ vitaliū ⁊ aialiū oim mēbroꝝ corpis: vt dic̄
g⁹ i eođ. c. q: accñs mor¹ p̄t eē cā mor¹. 3° de mor°
vt i ꝑpoſito: q: ē cā mor¹ i receptaclo q: iā motōis
ſpaſmi ⁊ hūoꝝ i mēbrij.

Iſtis clarificatis cura debilitatis ſeu

male dgtie tibi pateſcit. Pri⁹ āt ꝙ i cura ꝑcedaſ
ſcire ⁊ ɔſiderare eꝫ an talʼ cā ſit mala ɔplo ca. vl'
fria. hu. vel ſicca. ⁊ ſi talʼ cā ſit i eſſenᵃ ſto¹. vel iſit
ſibi ꝑ colligātiā: q: cura i h̄ ⁊ ꝑnoſticū diuſificat̄
Et ſi q̄s malā dgōꝫ hūit ex maᵃ ɔ°ᵉ fri. i eēna ſto¹
l'fri. ⁊ ſicca. vt ɔtingit q̄buſdaꝫ inliđ vel ex mala
ɔpl'oe fria ⁊ aliq̄lit̄ hūida i eēntia ſto¹: vt ɔtingit
q̄buſdaꝫ flātiđ qđ pateſcit: q: dato ꝙ nō ſit error
manifeſt⁹ i ꝙtitᵉ vel q̄litᵉ cibi vel i alia cā extrin
ſeca reumaᶜᵃ vel eructuatōe acetoſa cuꝫ lenitaᵉ
vētrij ⁊ inflatōe ſto¹ ⁊ multitudine vētoſitaꝶ ⁊ lō
ga mora i ore ſto¹ vel natatōem cibi i orifi° ſto¹ ē
pauca ſiti ⁊ pauco ſputo rōe lenitaꝶ vētrij niſi ex
cedat humiditas i orifi° ꝑ viaꝫ magne indigōis
rōe cui⁹ ⁊ calorij claudicāꝶ oia illa ſupuenerūt: q°
⁊ maᵃ cū vētoſitate aliq̄li in ei⁹ ɔcauo: rōne cui⁹
vētoſitaꝶ ſi eleuet̄ i orifi° ſto¹: q: ꝑs ſenſibilʼ ɔco
mitat̄ intēdū dolor rōe ei⁹ itētōis ⁊ mordacitatis
illi⁹ vapis vētoſi: lꝫ intēdū talʼ dolor fiat a tali ſup
fluitate flāᶜᵃ mordāte ⁊ pūgēte dictū orifi^m ſto¹.
Iſti tales repant̄ ad tp̄us nūꝙ ꝑfecte curāt̄. q: ē
lapſ⁹ firmat⁹ a tp̄e l' gñatōe: ex q̄ ſiñ error̄ nōbl'r
extriſeco puta cibi i ꝙto vel i q̄li vel al's ſupuēit
eis illa acetoſitas ⁊ alia dicta acciᵃ. Iſti tales co
medāt ſpacioſe: maſticēt bñ cibū ⁊ comedāt car
nes bñ coctas electas puta mutōis iuuēis edu-
li ſiue capri volatiliū: vitādo carnes porci ⁊ bo-
uis. vtant̄ ꝑuo potu ⁊ vtant̄ vino ru. bñ maturo
vitādo iſup oēs fruct⁹ dep̄ꝶ vuis ⁊ ficub⁹. potū it
duas comeſtiōes ſumāt đ melle deſpūato duoſ
vel tres bolos cū pane i p̄n°. Iſte tal' dormiēᵈ te
neat manū ſupra ſto^m. vel aſſiſtat ſibi in lo° puer
dū tñ nō ſudat. vel teneat ſupra ſtoma^m ſacculū
de garch anceruꝫ ſeu đ pluma minutiſſiᵃ ſ ſto^m
empl'm de maſtice. vel empl'm de lapdā° in dua
b⁹ ꝑtib⁹ ⁊ vna p̄te maſtiq̄. vel teneat iſtud cerotū

℞.olei nardi. ℥.ß. cere.℥.i.maſticis.℥.ß. aloes
ʒ.ß.ꝭ cerotū extēſū ſ͠ alutā ꝑ modū ſcuti.vl'ſic.℞
lapdani maſtiq̄ añ.℥.i.mēte abſin' ſiccoꝝ añ.ʒ.ß.
corallí ru.ro.ru.añ.℈.ß.terebētine.ʒ.i.ꝛ.ß.l'ꝙ ſuf
ficit ꝭ empl'm ꝑ ſto°.vl'ꝭ vng^m de iſtis. ℞.olí nar
dini q̄rt.i.olei maſtiq̄ q̄rt.ß.maſtiq̄ al.ſubti^me pul
uerizati.ʒ.ij.cere modicū ꝭ vng^m liq̄d:vl'vnguas
ſto^m cū ſolo olo nardi o vl'cipi maſtiq̄ vel abſin'vl'
ꝯpōas de iſtis capias.2.l'.3^a.inūgat ſto^9: poſtea
ſinapizet c̄ pl'ue maſtiq̄ꝛ 4^a pte pul. abſin' l'ma
ſtiq̄ l'ſpice celtice Vl'ꝭ ēpl'ꝫ.℞.mēte abſin' recē.
añ.m.ij.decoq̄nt i vinoꝛ ꝯq̄ſſenꝭꝛ addat maſtiq̄
ſubtil'r puluizati.℥.i. ſpice celtice.ʒ.ij.miſceat.ꝭ ꝑ
modū ēpl'i de q̄ ſumat modicūꝛ ſtomacho ſuper
ponat. Vtat ꝫꝫ^e ꝯdito diacimīō diarodō abbis.
dyatriō pipeō diacitonitē c̄ ſpēb^9.nā dic̄ rab i ſuo
ꝯti^e:ꝙ q: c̄ iſta cā ſtat hūiditas i ꝯcauo ſto':ꝑ in
digōnē relaxās ꝙ ſtiptica c̄ calīs ꝑmixta debent
adminiſtrari. vtat ſto° ꝯfortatiuo. vtat galagāga
pulūzato ꝑ ſe:l'c̄ mo^co mell' deſpūat:q: calefac̄
ꝛ ꝯſumit vētoſitates ſto'.iō ſedat dolorē ſto' ex cā
fra ꝛ vētoſa.dic̄ rab i ſuo ꝯti^e. ſil'r cubebe ſumpte
an' marat' ſto° ieiūoꝛ i fine mēſe.ꝛ vtat puluē re
gine cū toſta pāis īfuſa.℞.ꝫꝫ' an' interiorī cina-
momi.añ.℥.ß.galāge pipis lōgi.añ.ʒ.ij g̃noꝝ pa
diſi.nuq̄ muſcate.añ.ʒ.ß.cubebaꝝ gariof.añ.ʒ.ß
ſe.baſiliq̄.℈.ß.pāis zucc'.lt.i.ꝭ pl'uis de q̄ ſumat
vt dēm ē:pt etiā cape ſto° ieiūoꝛ in introitu lecti ſi
ne potu n̄ excedit i caliditate credo ſit calid^9 in p̄n°
2' g̃d^9 ꝯſiderata q̄ttit^e zucc' ꝛ ſabitrātū q̄n i ta-
lib^9 ē mag̃ idigō d ꝯſi°rab.ſumat in introitu lecti
tria l'q̄ttuor g̃na maſtiq̄:l'thurī al.integ' vl'ꝭ pul
ue vl'potet c̄ mo^co vini.vi pa i vino cocto:l'in v̄na
chia bñ valēt in p̄n° p̄radīj.dū t̄n nō potet i fine
mēſeꝛ etiā pt potare parꝝ. ¶ Et ſi q̄s malā dige-
ſtiuā ſto' hūit ex mala fria ſto' l'fria ꝛ hūida non
exñte:ꝭ ex errore cibi i q̄ttovl'in q̄li: vl'q: comedit
voracit vel q: ſit fric ñe vt oſſe.poti^me remollitē vt
fruct^9 fri.vl'q: infriat^9 poti^me i capiteꝛ flā deſcen
dit a capite ad ſto^m.vl'q: infrat^9 i pedib^9ꝛ ꝑ coꝝ
colligātiā in ſto°.q̄d pateſcit:q: eructua° acetoſa
cū lenitate vētrisꝛ inflatōe ſto'ꝛ natatōe cibi in
ore ſto' ꝑpt vētoſitates ꝯcomitātes rōe idigōnis
occurrūt tali patiēti circa modicū t̄ps:q: q̄buſdā
illoꝝ māifeſte p̄cedētib^9 l'ex muta^e etat̄ poti^me i
p̄^a.ꝛ 2^a.ſenectute dato ꝙ ſto^m calꝫ hūit a g̃natōē
Iſte tal'curet vt dēm ē i cura male ꝯpl'ois fric in
cēna ſto'.ꝭ iſti idigēt mag̃ mūdificatōe ſto' c̄ ci
bisꝛ potib^9.iō vtain' mellevt dēm ēꝛ pipata bil
i ſeptia^a facta c̄ carnib^9 mutōis.abſtineāt a cena
bis i ſeptimana bis ſumat in āno caſſiāꝭ ſun^cem
ſup̄^9 poſitā pl'ies mō dicto.l'ſumat da iſto mellic̄

to ca.de māe ſine alia mixta.℞.mēte pulegīj ori
gāi meliſſe.añ.m.i.rad acho'.rad cipi.añ.℥.i.bac
carū lauri.℥.ß.an' marat' ameos.añ.ʒ.ij.mell' al.
d ſpūati.q̄rt.i.ß.ꝭ mellicratū clariſi^m ad.lt.ij.ꝯſīr
da ſibi i potuꝛ recurre ad alia remedia poſita ſta
ti in p̄cedētibus. ¶ Et ſi q̄s malā dig̃tiaꝫ hūit ex
mala ꝯpl'ōe cal'aꝛ hūida ſto' i cēna ſto' exñte q̄d
raro ē.l'ex errore cāe extri^ce q̄d ē vt pl'm.q̄d pate
ſcit:q: i tali ſto° ē paucitas appetit^9 c̄ mltitu^e ſa-
liueꝛ c̄ q̄d nauſea ſeu volūtate vomēdi.vtat mira
bol'.ꝯdit̄ poti^me kebul'q̄ cog̃ſcūt q: ſūt maiores
alijs ſumat vno die.ʒ.x.yerap.ga.diſſolute c̄ deco
ctōe cicerū ru.ꝛ abſin'.ꝛ vtat coriā° ꝯfecto i fine
mēſe.trifera mior ſar̄ceis ꝯpetit.ꝛ rad cipi vitādo
vuas:offas poti^me remollitas potū exceſſiuū ſom
nū diurnū:ꝛ omia q̄ humectāt nimis. Et ſi quis
malā digōnē ſto' habuerit ex mala ma^a cal'a ꝛ ſic
ca in cēna ſto':vel non in cēna ſto' exñte c̄ matia
cal'a mltipli^a i eo d vel flura ab epate ad ip̄m.q̄d
pateſcit:q: ip̄a mala dig̃tia ſtat c̄ ſitiꝛ ſiccitate orī
nauſea ꝛ vōitu.ꝛ c̄ eructua^e ciboꝝ leuiūꝛ ouoꝝ ꝛ
carniū leuiūꝛ pulloꝝ.nā ſumēdo talia ꝯcomitat
dolor capitꝛ eructua° fumoſaꝛ ſtat c̄ bonitate di
gōiſ ciboꝝ g̃ſſoꝝꝛ carniū vaccaꝝꝛ leguminū ꝛ ſi
miliū. Iſte curet d ꝯſi° rab i ſuo ꝯti^e c̄ ſir° aceto°
potu yerap.ꝛ aq̄ infuſiōis aloes ſumat q̄buſdaꝫ
dieb^9 de māe q̄ttuor coclea^a ſir' acetoſi c̄.vii. aq̄
cicerū ru.ꝯſīr ſumat yerapig^e.ga.ʒ:4. diſſolute c̄
aq̄ decoctōis abſin'.l'ſumat aquā īfuſiōis.ʒ.ij. et
ß.aloes.vl'ſumat iſtas pill'as in introitu lecti.℞.
aloes cicotrini.ʒ.i.mirabol'.nigroꝝ.ʒ.ß.ro.ru.℈.ß
incorꝑent c̄ ſucco end fiat maſſa de q̄ fiant pill'e
vtāt aceto ꝭ i ſalſamēt̄ aceto ſucco citrāguli ſalſa
viridiꝛ ſilib^9.vtat vino bñ liphatoꝛ intēdū potet
de aq̄ fra fōtis in veſpisꝛ i introitu lecti tpe cal'o
ſi ſitibūd^9 fuit mltū vitabit.vinū forteꝛ male lim
phatū ſpēs.allia.cepas.moſtard. carnes ſalſas
fruct^9 fri ꝛ hūidi.vt pruna.ceraſa.pſica.pira.po
ma talibus ꝯpetūt ¶ Et ſi q̄s malā digōem ſto'
hūit ex mlīa aduſta flura a ſplene ad ip̄ꝫ ſto^m q̄d
pateſcit q: ē c̄ icēdio añ cōeſtiōeꝫ ꝛ comeſtio mi
nuit.ꝛ ē c̄ magnitu^e ſplēisꝛ ſi ſit vōit^9 ē acetoſ^9:
faciēs ꝯgelatōeꝫ i dētib^9:iſte curet cū aqua caſei
decoctionis epithimi pluribus diebus miniſtre
tur.ꝛ terminet cura male digeſtiue ſtomachi.

Ca^m pl'm.64^m.de dolore ꝛ apāte ſtomachi.

I cū dolore ſtomachi ad
ſūt tribulatio ꝛ nauſea e-
gro aq̄ tepida i potu ē tri-
buēdaꝛ vt vomat p̄cipiē

dū: ⁊ ſi hoc nō ſuffecerit vent̃ ex ve
rapigͣ ſoluat̃ q̄. ℞. pul. roſaꝝ rube
arū ſpice maſticis xilobalſami car
pobalſami cinamomi xilocaſſie a=
zari oīm. an̄. ʒ. ß. aloes cicotrenſis
duplū oīm qđ bn̄ tritū cū alijs mi=
ſceat̃ medicīſ trit̃ ⁊ cū pāno ſericio
ſubtiliſſimo cribellat̃ q̄ꝝ trituratō
cū aloe ſecūdo iteret̃. Cuiꝰ doſ ſit
a pōdere duoꝝ aureoꝝ vſqꝫ ad. ʒ.
ij. Egro qꝫ quotidie det̃ pāis ī vi=
no ⁊ ſucco malig̃nati īfuſus ⁊ in ſi
rupo acetoſo de citonijſ. Qđ ſi cū
dolore fuerit ructuū mlr̃itudo ⁊ ex
tēſio atqꝫ ſingulꝰ egro electuariuꝫ
dyaciminū ⁊ đ calamēto ⁊ alie ꝯfe
ctōes q̄ vētoſitatē diſſoluere ꝯſue=
ueīt q̄ in caplo đ colica noīabimꝰ
dāda erūt. Cibaria vo eiꝰ ſunt cala
gie ⁊ mutagenat cū ſemībꝰ vini ve=
teris puri paꝝ bibet ⁊ vtat̃ motu ⁊
īgrediat̃ balneū. Stomachꝰ qꝫ ex
oleo de neridē vt diximꝰ in pāno ī
uoluto vapet̃. Si aūt cū dolore ſto
machi fuerit febris ⁊ apa manife=
ſtū: ⁊ cū tāgit̃ ſentit̃ calidꝰ eger pri
us ex baſilica flōmet̃: ⁊ loco dolēti
duo ſupponant̃ ſandali ⁊ roſe ⁊ cā
phora cū aq̄ roſata ⁊ ſucco citonio
rū. Nutrimētū vo eiꝰ nō ſit niſi ſo
la ordei aq̄ ⁊ cuſtodiat̃ a carne ⁊ vi
no ⁊ ꝯfectōibꝰ q̄ đ melle fiūt ⁊ bi
bat ſuccū g̃natoꝝ muſoꝝ ⁊ rob de
fructibꝰ frigidis. Cūqꝫ caloris ve=
hemētia ſedata fuerit egro caſſia=
fi. in ſucco endiuie diſſoluta ⁊ bul
lita ac deſpumata ad bibendū det̃
Cū aūt egritudis dies elōgati fue
rit ⁊ calor oīno q̄euerit: ſi remanſe
rit apa cuꝫ duritie. Ex hoc emplo
epithiet̃ locꝰ qđ. ℞. violaꝝ ſicca. ʒ.
x. roſ ru. ʒ. ß. ſpice odorifere maſti
ciſ āboꝝ an̄. ʒ. v. ſpice odorifere ma
ſticiſ āboꝝ an̄. ʒ. iij. cipi ſq̄nāti cala
mi aromatici oīm an̄. ʒ. ij. farie fe
nugreci. ʒ. xx. floꝝ cāomille ſe. mal
uauiſci albi farine ordei oīm. ana
ʒ. x. ꝯſpgant̃ oīa ex muſcillagie ſe.
lini. Deide locꝰ ex olo đ neridē te
pefacto inunctꝰ emplet̃ ex p̄dict̃ p
q̄ttuor horas an̄q̄ ꝯmedat ⁊ poſt
q̄ cibꝰ fuerit digeſtꝰ ⁊ ſtomachus
fuerit euacuatꝰ ex olo de neriden
cū lana vt diximꝰ vapet̃. Confe
ctio olei nardini ſimplicis. ℞. olei
de been. lr̃. i. ſpice. ℥. ß. maſticis co
ſti cipi ſq̄nāti calami arōatici oīm
an̄ octauā. ℥. vnīꝰ oīa hec pluerizа
ta ī p̄dicto olo poſita ad ſolē p eb
domadam vnā vaſis ore clauſo di
mittēt̃. Deide colēt̃ ⁊ exp̄māt̃ fe=
ces ⁊ ſcophe q̄ in manibꝰ remāſe=
rit emplis admiſceant̃. Optie eēn
erūt. Cū aūt apa in ſtomacho in=
ueterauerit: trociſci de ſpica erunt
dādi q̄. ℞. floꝝ ſquināti xilocaſſie
rauetd ſeni calāi arōatici ſpiciſ oīꝫ
an̄. ʒ. iij. croci mirre aniſi coſti pipe
ris oīꝫ. an̄. ʒ. i. bdellij varij ʒ. iij. ma
ſticis. ʒ. ij. amoniati. ʒ. i. informēt̃
trociſci quoꝝ vnuſquiſqꝫ vnū pon
deret aureū ex q̄bꝰ vnꝰ quottidie c̄

vino cocto detur. Empl'm q̃z iſtõ
fiat qd. ℞. bdellij moll'. ʒ. x. armo-
niaci. ʒ. v. ſe. been ſe. apij. amborũ
añ. ʒ. x. ſpice maſticis nigri amboꝝ
añ. ʒ. v. cere olei de neridẽ. ʒ. xv. gũ
me in vino diſſoluãt'. Deinde oĩa
ꝯiungãtur ⁊ fiat ex eis empl'z. Ad
dolorẽ tamẽ ſtomachi ⁊ epatis cu-
randũ medicus valde eruditus eſt
neceſſarius q̇ ipoꝝ diligenter attẽ
dat diſpõnes. Nos tamen aggre
gationes ⁊ ſummas ad hoc ꝯferẽ-
tes iam diximus: lʒ incq̃tuʒ potui
mꝰ in hoc abbreuiauerimꝰ ſmõeʒ

E dolore ⁊ de apate ſtoi qꝛ
de coꝛ cura itelli-
gẽdo ꝓ morbo deſcp̃to cãtre doloreʒ
qꝛ ibi debet' cura p̃nci' ẽ ſibi iſit ꝯrũ
formale ꝑ qd fit cura oĩs imediate: lʒ mediate
fiat ꝑ ꝯrũ effectiue. 4. de mor°. in. c. 6. Idẽ dic̃ 3°
tegni. u°. de inge°. c. 1. ad cuiꝰ curationẽ curãt' ac-
cidẽtia ſeu ſedant' ipa accidẽtia: vt declarat Gaꝰ
12. de inge°. ℂ Nota q̄ doloꝛ ſtomai cãtur multi
plici de cã: vt vult Raſ in. c. Idẽ in ſuo ꝯtic. Idẽ
vult gaꝰ. 4. de morbo in. c. penulti°. Interdũ cãt'
a maa cãſa colerica pũgitiua pungẽte ⁊ mordẽte
pelliculas ſtoi. ideo dr̃ doloꝛ pũgitiuus qꝛ pũgit
talis doloꝛ ꝯtingit alh q̇buſdã iuuenibꝰ circa. 25.
annũ cõiter' potiſſime ſi poſtponãt flõiam qꝛ co-
lera acuta refocillat ab epate ad ſtom. ideo Raſ
i p̃n° dabat potũ yerap̃. ⁊ potũ aloes. Interduʒ
ꝯtingit tal' doloꝛ a tali maa in q̇buſdã febribꝰ coll'
cis. Id dom' ſirm acetoſuʒ aquã fonſ curã dice-
mus: al'n fit a co. eruginoſa vl' praſſina tũc eſt do
loꝛ fortiſſimꝰ: qꝛ mordet ⁊ pũgit fortime. ideo cãt
ſpaſinũ. 5. amph. 2°. p̃°. ⁊. 5. de inte. c. 5°. q̃ euomi
ta curati ſunt. Alh cãtur tal' doloꝛ ſtoi a vẽtoſitate
interpolata iter pellic'las diſtẽdẽte pelliculas id
eſt doloꝛ extẽſiuus ⁊ g̃uis: lʒ nõ ſit inultimata ma
litia. h̃ vult raſ i 2a. p̃te cai. talis doloꝛ ieſt vt plin
⁊ euenit multis ce'licis macilentis. qꝛ p̃tes aſſi
ſtẽtes ſto° ſunt denudate pinguedine q̃ fac̃ ad au
gmentũ cal'. naturalis. 2°. amph. cañ. illo. Om
nibus morbis q̃ circa vmbelicũ ⁊ pectinẽ. ⁊ euẽit
eis cũ cibus ẽ ſemicoctꝰ in ſto°. qꝛ tũc vẽtoſitas
eleuatur. id damus dyagalanga. dyaniſũ vt dicet'

verũ al'n talis vẽtoſitas eſt multũ f̃ria ꝑpt' f̃ritatẽ
mordet ⁊ pũgit q̃ſi ſoluit ꝯtinuũ. id eſt doloꝛ g̃ua
tiuꝰ. extẽſiuus. pũgitiuus. id eſt doloꝛ m'ũ fortis
id q̃ſi ſincopalis. 4. de morbo i. c. penulti°. nã rõe
colligãtie cũ p̃tibus vicinis ipi cordi coꝛ ꝯpatit'.
vt ꝓbat gaꝰ. ibid. qꝛ cõpatit' articulo dolẽti cum
colligantia remota. id merito cũ tali vbi eſt colli
gãtia ꝓpinqua. Iſtam tñ vẽtoſam debilẽ: vel for-
tẽ ꝯmuniter ꝯcomitat' eructuatio vel ſingultꝰ: vt
dicet' in cura. Al'n cãtur talis doloꝛ ſtoi a maa f̃ra
pũgente ⁊ g̃uante cũ iſta cã ñali f̃ra cõicat de cõi
curſu ventoſitas. id facit magi dol'. talis cã dolori
ſtoi b̃n ineſt pl'ibus. flãticis ⁊ q̇buſdã alijs ⁊ i fe.
flãticis. vel de colera g̃ſſa flãtica ſpãl'r qñ reuma
ꝯmunicat in t'li fe. verũ al'n talis maa eſt multuʒ
frigida: qꝛ flã acetoſum vel vitreum. 4. de morbo
in ca° penulti°. tũc eſt fortis doloꝛ ymo quaſi ſin
copalis. nam qꝛ cã fortis ⁊ ſenſibilitas orificij eſt
fortis p̃tes cordis ⁊ anhelitus ꝯpatiunt'. id anhe
litus g̃uatur interdũ aufert'. vt dicit gaꝰ. ibid. eod
modo cãt' doloꝛ al'n in eo ex cibo vel potu frigidiſ
ſimo. vel medicina frigidiſſima. vt dicit gaꝰ. ibid.
Al'n cãt' doloꝛ ſtoi ex apate in orifi° g̃nato. qd vt
plimũ eſt colericũ: vel ſanguineũ. vt dicit Raſ in
diuiſionibus ſuis. in c° ꝓprio. Alh cauſat' doloꝛ
ſtomachi ex ſolo vlcere cauſato ⁊ g̃nato dãdo cu
ram totum explicabitur. ℂ Notũ eſt q̄ doloꝛ ſtoi
loquẽdo ꝓ morbo deſcripto eſt paſſio p̃ncipalit'
pellicule interioris: niſi cauſa talis dol'. ſit apoſte
ma tunc 2a. pellicula eſt patiẽs ſil'r eque p̃ncip'
⁊ eſt ꝑ colligantiã rei extrinſece: puta cibi vel po-
tus: vel aeris frigidis corꝑe: vel in pedibus venit
qd venire non debet ſcdm ñam illa cauſa vel illa
ℂ Et p' morbo deſcp̃to ẽ morbꝰ in receptaclo cõ
comitando ſecũ morbũ ꝯſilem. niſi cauſa tal' fue
rit apoſtemoſa. tunc eſt triplex genus morbi. do-
loꝛ aũt in ſe eſt actio leſa. ymo omnis doloꝛ eſt a
ctio corrupta. 3°. de morbo in ca°. 2°. bene intelli
genti. hoc vult Galienꝰ. explicite. 2°: tegni. in c°
5°. ⁊ vltimo. de ſignis corꝑis neutri. nũc qd cam
incipit. Egrotãtiũ qd ⁊c̃. vbi dic̃. q̄ agrediamur
p̃ora ⁊ i m'tis cañ. ſeq̃nibꝰ exẽplificãdo. puta in
q̃tuoꝛ canonibꝰ. q̄ accidẽtis morboꝝ firmoꝝ ⁊ ꝑ
manẽtiũ ⁊ p̃ntis neut'luat; nũc ſeu morbi icipiẽt;
firmari q̇dã ſunt q̃ ſunt preter naturã ſolũ rõe q̃-
titatis excedẽtis. vel tꝑis mutati: vt ẽ appetitꝰ ex
cedens vel mutatus in tpe aſſueto. vel ſomnus ⁊
vigilia. ⁊ fluxus ventris. fluxꝰ menſtruoꝝ. ⁊ ſic de
alijs. Iſta talia qñ ſunt pua ſunt accia neut'litat;
ſeu morbi incipientis firmari. hoc vult Gaꝰ. 2°.
tegni capl'o vltimo cañ. illo. Tonovo invẽtre ⁊c̃.
⁊ in q̇buſdã cañ. ſeq̃ntibus: ſi aũt accidentia iſta

mag̃ fuerit tūc dicitur̃: ſūt actio multū corrupta ꝛ
ſunt acciᵃ morbi firmi ꝛ ꝑmanēt: ꝙ aūt dolor puꝰ
ꝛ magnꝰ ſꝑ ſit actio corruᵃ: paꝫ corrupta vł' mltū
corruᵃ ꝓbaẗ iteꝛ ga. 4. de morᵒ. ca. 6. qꝛ ois dolor
ē cū corruptela qꝛ ois ſeſꝰ rei ꝯrie ē corruptela or
ganī i ꝯpl'one l'm ꝯpōne: l' inſtrī. puta ſpūuꝫ ſeſi
bilīū ibi ꝺ qꝛ reſoluūẗ. Itē in dolore aliqͥ n̄ ſaluaẗ
forma actōis ill' mēbri ꝓbaẗ: qꝛ ſēſaᵒ rei n̄al' ſtat
cū delitia: ſic ſēſaᵒ in n̄al' ē triſtiᵃ ꝛ dolore igr̃. Itē
talis ſēſaᵒ fit a n̄a mēbri corruᵃ: qꝛ a v̄tute mēbri
mediāte ꝯpl'one l' ꝯpōne mēbri corruᵃ ex q̄ eſt ſꝑ
ē corruptela orgāi vł' inſtrī v̄tuꝫ igr̃ illa ſēſaᵒ erit
corruᵃ. Itē ois dolor puꝰ ꝛ magnꝰ ex eiꝰ n̄a ꝛ eē
ſꝑ ē pꝛet n̄aꝫ. igr̃ ſꝑ erit actio corruᵃ. aūs ꝛ ꝯūs ſt
ga. 2. tegⁱ i. c. vłᵒ. de ſignis neutri. vt nūc. Et dolor
ſtoⁱ ꝑ morᵒ deſcꝑto ē nocᵐ regitie n̄al' digtie ꝛ ex
pulſiue ipiꝰ ſtoⁱ ꝑ dolore ipo ē nocᵐ ſeu mala ex-
ctiō v̄tuꝫ ſēſitie: qꝛ apphēdit ē corruptela vt ē dcm
ipiꝰ orgāi l' inſtrī: puta ſpūū ſenſibiliū qꝛ corrūpū
tur ꝛ anullāẗ. 3ᵒ. de mor. ca. 2. Et dolor i ſe eſt paᵒ
ſeſꝰ cōis: qꝛ dolor n̄ apphēdiẗ a ſēſu ꝑticl'ari cꝰ eſt
actꝰ: ē nl'la v̄tꝰ reflectaẗ ſ̄ actū ꝓpriū niſi itellecti
ua. 3ᵒ. de aia: ſꝫ a ſēſu cōi. Iō leſi i ꝓra cerebri nō
ſētiūt dolorē. Cōſeqn̄t ē paᵒ oīm v̄tutū nr̄i corꝑiſ
qꝛ dol'. nr̄i corꝑis ꝓſternūt v̄tutes ypo. 2ᵒ. ꝓno. ꝑ
pꝛ reſol'oꝫ ſpūuꝫ i mēbrīſ rōe colligāᶜ pꝛ doloroſe

Iſtis clarificatꝫ. Cura dol'. ſtoⁱ tibi pateſcit
ꝑus aūt ꝙ̄ i cura ꝓcedas ſcire ꝛ ꝯſidera
re oꝫ cām tal' dol'. an ſit maᵃ cal'a. l' fr̄a l' vētoſitas
vel aꝑa ꝛ ē fe. ꝛ ſi ſine fe. qꝛ i h̄ cura diūſificatur.
¶ Si qͥs ḡ dol'. ſtoⁱ ex hūore cal'o ꝛ ſine feb. hūit
qꝺ pateſcit qꝛ hꝫ eſtuatōeꝫ ꝛ nauſeā aliql'e ē aliq̄
li ſiti l' ſiccitate oris aliql'i gaudēs in fris ꝛ eꝫ ad
qꝺ faẗ ꝯᵒ etas ꝛ alia. Precipiēdū ē egro vt i potu
ſumat aquā cal'aꝫ decoctōis raꝺ raphāi apij fol'.
attriplicꝫ ē ſcᵉ. eiꝰ deẗ cū mocᵒ olei ꝛ croci l' ē q̄rt. ꝭ.
ſirⁱ acetoſi ꝯpoⁱ de q̄ ſūpto ꝑ modicū ſpaciū: ipo
nat plumā i ol'o itinctā iſra guttur vt ſtoꝰ ꝓuoceẗ
ad expellēdū ſordidū illo ꝛ ſi h̄ n̄ ſufficꝫ: da ſibi po
tū yeraꝑ. Diſſoluaẗ. ʒ. i. yerapigᶜ ga. ē aq̄ decoctio
nis abſinⁱ qꝺ ſufficꝫ h̄ porꝰ vel diſſoluāẗ. ʒ. ij. ꝭ. alo
es cicotrini cū aq̄ ſimᶜⁱ l' cū aq̄ decoctōis abſinⁱ.
ꝛ meliꝰ mltū appꝑaẗ decoctio abſintⁱ i nocᵒ ſtoⁱ
ſuccꝰ aūt eiꝰ mal' ē ſtoᵒ ꝛ faẗ dolorē capitꝫ raſ i ſuo
ꝯtiᶜ. ꝛ ga. 7. de igeᵒ. i. c. penulᵒ. loco hoꝫ da ſibi ꝺ
manc mediū gobellū mellicti de abſinᵒ tepido ſi
ue alia mixtura. ℞. abſinⁱ reẗ. m. ij. mell' al. ꝺſpu
mati q̄rt. i. h̄ mellictū bn̄ clarificatū ad. lb. i. ꝛ. ꝭ.
vel da ſibi. ʒ. i. ꝭ. caſſiꝫ ſumplicꝫ ē decoctōe cōi pli-
es tibi poᵃ i ortu ſol'. ꝛ ꝙ qͤſcat ſ̄ lectū vſqꝫ i ſcijs
¶ Et ſi cū venis laꝫ epatꝫ ſloreẗ devena epati pau
perib̄ damus ꝑ duas l' tres dies mediū gobellū

aq̄ enꝺ poſtea ſlōmamꝰ coſ. ¶ Et ſi ē tali dol'. fue
rit fe. ſicut ꝯtingit qͥbuſdā colericꝫ. qꝺ pateſcit ex
ſignis dictꝫ ꝛ ex maᵃ q̄ euomiẗ al'ꝫ ſine adiutorio
medici deẗ ſibi de malo ḡnato. de ſirᵒ acetoſo cō
poᵒ: vel de ſirᵒ de citonijs cū aqua ſimᶜⁱ cocta: et
deẗ ſibi caſſieꝫ. ʒ. i. ꝭ. cū decoctōe cōi ſupꝛꝰ poſita
vel deẗ ſibi decoctio ſtati dicta ad vomendū ꝛ ab
exꝫ h̄ tal' ſaccul' ꝑ ſtoᵒ. ℞. ro. ru. ʒ. i. ꝛ. ꝭ. pſidie ba
lauſtie aū. ʒ. ꝭ. ſanꝺ al. ꝛ ru. coralli ru. coriādri pre
pati. aū. ʒ. ij. panis aſſi infuſi in aceto. ʒ. ꝭ. puluē-
rizenẗ oīa: ꝛ h̄ ſacculus in pāno lineo. raro an-
tiquo ad modū ſcuti. Ponaẗ iſte ſacculus ſupra
tegulā calidā ſupra quā ſꝑgaẗ modicū aceti ꝛ a-
qua ro. ꝛ appliceẗ. ¶ Et ſi qͥs dolorē ſtoⁱ habue-
rit ꝛ ſine fe. ex ventoſitate interclusa ipm ſtoᵐ di
ſtendēte. Et al'ꝫ interpoſita inter illas pelliculaſ
ſtoⁱ qꝺ pateſcit qꝛ ꝯcomitaẗ cōiter aliqualis eru
ctuatio: vel ſingultꝰ ꝛ incitaᵒ cibi in orifiᵒ ſtoⁱ rōe
illiꝰ ventoſitatꝫ ꝛ talis dolor pūniẗ aū comeſtionē
ꝛ poſt qͥbuſdā horis digeſtio ē ſemifacta: qꝛ tē vē
toſitas maior eleuaẗ ex actōe debili ipius caloris
naturalis in cibū. Vel dolorē habuerit a ſtoma-
cho a maᵃ frigida de ſe: vel cōcomitāte dicta vē-
toſitate magna. de ꝯciᵒ Raſ vtaẗ de galāga pul
uerizato ꝑ ſe: vel cū modico mell': vel vini calidi ꝛ
vtaẗ dyacimiō ꝛ dyagalāga dyatriō pipeō. Vtaẗ
de pipata facta cū piꝑe lōgo ꝛ cū carnibꝰ mutōis
ꝛ de remedijs poſitꝫ ex intētōe Raſ in cura debi
litatꝫ digtie ſtoⁱ a mala ꝯᶜ frigida ſtoⁱ cū maᵃ vl'i
ne maᵃ. nā illa remedia hn̄t locū i hoc cāu. veruꝫ
in ſedatione talis dol' indigemꝰ fortioribꝰ remedi
is ꝛ magꝭ cal'is: qꝛ cā fortior eſt ex q̄ dolorē induꝫ
ideo infūdaẗ lana in oleo ruthe calido vel in olꝺ
nardino: vel in oleo de abſinᵒ cū tertia ꝑte olei de
caſtoreo: ꝛ friceẗ orificiū ſtoⁱ. ꝛ ſupra applicetur
renouando de hora in horā. metridatū ſil'r vꝫ in
tali dolore. Ventoſa ſine ſcarificatōe: puta ſupra
vmbelicū laudaẗ a Raſi: qꝛ ꝯmouet materiā. iꝺ
cadit ad inferius ꝛ ſubtrahit vētoſitatē. Pauꝑi-
bus dicimus bulias ruthā ꝛ abſinᵐ ꝛ mētā qͥbuſ
bullitis ꝯꝑmas ꝛ inuoluas in panno lineo raro.
ꝛ totū cal'm applica. ſ̄ orificiū ſtoⁱ. vł' torrefacias
ſ̄ tegulā abſinᵐ ꝛ ruthā ꝛ applica ipſi ſtomacho.
¶ Et ſi quis iſtū dolorē habuerit in qͥbuſdaꝫ fe
bribus flāticis in parte vel in toto potiᵘˢ ex maᵃ
reumatica ibidē fluxa. vel in ſtoᵒ ḡnata. qꝺ pate
ſcit: qꝛ nō eſt multū ſitibūdꝰ: nec cū vrinis multū
colericꝫ qꝺ faẗ etas ꝯᵒ ſeu modꝰ viuēdi apponas
ſpongiā calidā infuſam in aq̄ decoctōis roſ ab-
ſinⁱ ꝛ ſpice celtice ſepe renouādo tal'r ꝙ ibi nō te
neaẗ niſi dū erit cal'a ꝛ poſtq̄ plies fuerit explica.
ta inungatur ſtoꝰ cum lana infuſa in oleis dictis

¶ Et ſi q̄s dolorē ſto' hūerit ex apate calō i orifi°
ſto' qđ ſp fit de coleā vel de ſan. i toto vel i maiori
pte. dic̄ raſ i ſuo ɔti^c. ⁊ in diuiſiōib⁹ ſuis. qđ pateſcit
ex fe. ardente ɔcōitāte ⁊ ex dol. ſto' ſi tāgat̄: ⁊ ex
modica ſaliua: ſiti itēſa: ſiccitate oris: ex đbilitate
iſpirādi ⁊ deglutiēdi ſtōet̄ ſtati de epa^{ca}: ɔūr det̄
ſibi caſſiaſ. c̄ decoc^c endō ⁊ ſcariole applicet̄ ſtati
in p̄n° oliū roſ ɔnfāciuū. vl' ſibi tale vng^m. ℞.
olei roſ q̄rt. i. ß. roſ. ru. ſanđ al. ⁊ ru. ſpāl'r pulueri
zatoꝝ. an̄. ʒ. ij. cere modicū. fiat vng^m liqđ inungat̄
ordeato auenato. potet de ptiſana. dū pſeq̄t̄ ⁊ fue
rit i aug° tale apa faciēs vng^m min⁹ frm ⁊ maſa
tiuū. Gilbert⁹ vidit bū i caſu iſto ⁊ pmiſcebat ter
tiā ptē olī camo. ⁊ altee i ſtatu pl⁹ reiterā° caſſiaſ
⁊ ſtōiam i aug° ſi nec̄e fuit. Si tal' dol. fuit ex apa
te frio ⁊ hūido. qđ pateſcit ex multitudie ſaliue ⁊
fe. mag lēta ſine duri^c i tactu qđ rari^{me} ɔtigit de
tur tali aq̄ infuſiōis: aloes cicotrini colata abhor
reat vomitū ep̄l'z ſic. ℞. ciner viṫ. ʒ. ij. apis ſq̄nā
ti. an̄. ʒ. ij. aceti qđ ſuffic̄ p modū vng^l liqđi ad
dēdo modicū olei roſati: vt tn̄ n̄ exſiccet̄. ¶ Et ſi
q̄s dol. ex ſto' hūit ex vlc̄e i pte iterior ſto'. qđ pa
teſcit: q: pl⁹ dolet. lʒ ɔſumit res acetoſas ⁊ acutaſ
⁊ appet i vōitu aut i egeſtōne ſanguis: aut ſanies c̄
dolore loci: aut int̄ vtraſq; ſpatulas: vt ſub collo:
aut ſ^r vmbelicū: det̄ ei i potu aq̄ ordei: ſi ibi fuerit
calitas. deīn det̄ ei p⁹ duas horas de iſto puluere
℞. thuri ſan. dra. an̄. ʒ. ʒ. ro. balauſtie cacabre. an̄
ʒ. ij. boli ar^{ci}. ʒ. iij. det̄ de iſto pulūe cū ſir° de cito
nijs lipħato: vl' c̄ aq̄ portu^{ce} l' plātag. nō vidi iſtū
caſum niſi bis toto tpe vite mee. ⁊ c. h̄ ſufficiant.

¶ Capitulum de eructuatione ſtomachi

Eructuatiōe ſto' et er⁹ cura. ¶ Nō: q̄ eructua° ē mal⁹ mot⁹ ex
pulſiue ſto'. expellēt vētoſitates ſto'. c̄
malo violēto. ⁊ iordinato motu. ʒ. de mor°. c. p°. ⁊
4. q: deberet expellere p iferiora c̄ peditu ⁊ trul
la: ß ē debil' mal⁹ mot⁹ ipi⁹ expulſiue reſpectu ſin
gulr⁹ q̄ fit ſil'r ali ad expellēđ vētoſitates g̱ſſas
extēdētes ⁊ mordētes ipm ſto^m. ¶ Vlteri⁹ nō q̄
ois eructua° ē vapoſa vētoſa tūc tal' vapor vētoſ⁹
aut eleuat̄ a ma^a colica cal'a ex ſe: tunc ē fumoſa
cal'a. ſine ſapore aut eleuat̄ a ma^a cal'a p putre
factionē: tūc ē fūoſa fetida cal'a: aut eleuat̄ a ma
teria flā^{ca} i ñali exñte i ſto°: vt cōit̄ a flāte ponti
co: vl' acetoſo tūc ē acetoſa. aut eleuat̄ a cibo par
cocto ⁊ dīnute cocto. tal' ē cibal' tenēs ſaporē cibi
aut eleuat̄ a cibo q̄ſi cocto: lʒ n̄ pfecte tūc ē ſemi
uētoſa iſipida: aut eleuat̄ cocto ⁊ mutat̄ i malas
q̄litates frias acetoſas rōe debil' ⁊ idebite ſeu in
ñlis ⁊ corrupte decoctōis: tūc ē acetoſa eructua°:
⁊ digō q̄dā° corrupta: q: talis cib⁹ ſic mutat⁹: nō
p̄t corrūpi pfecte aſſil'ari. vñ tal' eructua° a calore
dīnuto ex ſe: l' p reſolutōez vapoꝝ a cal': excedēti:
vt fit i vino q̄n̄ acetat. ¶ Et ſup h̄ nō: q̄ eructua°
q: vētoſa ſubleuat cibū i ſto°: iō fac̄ natare cibū
i orifi° ſto'. ppt̄ qđ corrūpit̄ cib⁹ ⁊ digtia ſto' cor
rūpit̄ ſi mltiplicet̄. vba ſt raſ i ſuo ɔti^c: ⁊ in diui
ſiōibus ſuis. ⁊ ſi n̄ fiat tal' vētoſitas iflat ſto^m: ⁊ ſub
leuat ſil'r cibū: ⁊ fac̄ eū natare ſeu ſtare i orifi° ve
naꝝ: h̄ mag durat q̄ aliđ. Jō excitāda ē tunc eru
ctua° ſi ſto⁹ repleat̄ vētoſitatib⁹ niſi fuit mltū de
bil'. h̄ vult raſ i ſuo ɔti^c. ¶ Notū ē q̄ eructuatio p
mor° đſcpto ē pa° p̄nci^r ſto': lʒ imediati⁹ iſit ite
rior pellicle ⁊ ē p colligātiā rei extriſece cōit̄ q: ci
bi rōe er⁹ q̄ntitat excedēt l' q̄litat: q: frigid⁹ in ñā:
vl' male digōis ⁊ ē morb⁹ p morbo deſcpto i rece
ptaclō: q: ma^a tal' fria: vel cibal' male cocta i ſe āt
ē mal⁹ mot⁹ expulſiue ñlis ſto': vt ē dc̄m autori^c.
ga' p°. p mor° deſcpto ē noc^m digtie p̄nci^r ſto' ⁊
expulſiue: q: n̄ digerit n^c expellit ſordidū tale: ſed
tale nocu^m digtie ſto' venit iterdū ex noc° digtie
⁊ expulſiue epat vel cerebri: ſi vēiat p viā catarri.
vel ex nocu° aiati deſiderij: nō bū regulāt ſto^m in
fame i q̄li^c ⁊ q̄nti^c cibi: 4. đ mor°. i. c. 7. in ſe aūt ē
nocu^m expulſiue ſto': q: er⁹ malus mot⁹ idebite ⁊
violēter expellit p morbo ē pa° digtie ⁊ expulſiue
p illo malo motu ē pa° v̄tutū naturaliū orgāi ſen
ſus guſtus: ſpāliter fetida: ⁊ fumoſa calida.

Iſtis clarificatis cura eru ctuatōis
tibi pateſcit. p̄us āt q̄ in cura pcedas ſcire ⁊ cōſi
derare oʒ cāin eructuatōis ſi ē fumoſa cal'a vl' feti
da: vel iſipida: vel cibal' acetoſa: q: i h̄ cura diuſi
ficat̄. ¶ Et ſi q̄s fumoſaʒ cal'aʒ eructuatōeʒ hūit
q̄ cōit̄ euenit de māe ſto° ieiuno. purget̄ ſto⁹ đ il
la ma^a mala cal'a c̄ mellicro de abſin°: vel ſir° ace
toſo ɔpo°. ɔūr capiat. ʒ. i. yerapig^e ga' diſſolute c̄
decoctōe abſin'. vel. ʒ. ij. ⁊. ß. aloes cicotrini diſſo
luti i eađ decoctōe: vel c̄ vino bū lipħato. l' ſumat
ſemel i ſeptia^a iſtas pill'as ℞. aloes cicot. ʒ. i. m
rabo. ß. ʒ indoꝝ roſ. ℈. ß. icorpent c̄ ſucco endō ⁊ fiāt
pill'e. raſ mltū appbat i ma^a cal'a ſto' iſta reite
rēt̄ ſe ſāt bis ifra. 15. ʒ l'. 20. dies tenēdo dietā friaʒ
⁊ hūidā. ¶ Et ſi q̄s eruct. fetidā hūit. purget̄ cuʒ
ſir° acetoſo ⁊ caſſiaſ. ⁊ ſi fe. n̄ fuit ɔcomitās: pur
get̄ ſto⁹ cū ſtati dict. Et ſi q̄s eruct. cibalē vl' vēto
ſaʒ iſipidā hūit. dietet̄ cū cibis cal'is in p°. ⁊. 2°.
g̱du pdictis i q̄nto ⁊ i q̄li. ſumat tria vl' q̄ttuor g̱na
thuri in introitu lecti ⁊ de ciminō ⁊ de dyamō pip cō
facias illa q̄ dicta ſt in debili digeſtia ex mala ɔ^c

friã ñ oȝ ħ reiterare. ¶ Et ſi q̃s eructuatõȝ aceto ſã hũit. recurre ab illa q̃ dicta ſt i.c. de cura male ⁊ debil' digeſtiue: ratione male cõplexionis frigide cum materia frigida ⁊ humida. in ipo ſto° ⁊c.

¶ Capitulum. 66m. de ſingultu ſtomachi.

Um ſingult⁹ poſt groſſi cibi comeſtionẽ aut vini valde tẽpati bibitõeȝ ſuperuenerit aq̃ cal'a i qua ciminũ ⁊ mẽta ⁊ mẽtaſtrũ ⁊ paruȝ thuris bullierint multotiẽs in potu erit ſumẽda ⁊ egro vt dormiat ẽ p̃cipiendũ ⁊ vẽter vaporãdus ⁊ ieiunãdũ eſt ei. Cũ aũt p m'ltos dieſ a comeſtione abſtinuerit iubẽduſ eſt balneũ ſepe ingredi. deĩde paucis cibis deſiccãtib⁹ tñ ẽ alẽdus ſicut ſunt calagie ⁊ mutagenat cum ſcibus: ⁊ vini puri parũ in potu tribuẽdũ. Et ſi hec nõ ſuffecerit trociſci iſti dãdi ſunt q̃ dicunt trociſci de thure ⁊ ℞. thuris. ʒ. ß. emble. ʒ. iij. mẽtaſtri folioꝝ ruthe ſicce amboꝝ. añ. ʒ. ij. ſe. nemẽ. ʒ. iij. ⁊. ß. informẽt ex his trociſci põdere vni⁹ aurei ex q̃bus vn⁹ in die cũ apoziate cimini tribuat. Qð ſi ſingult⁹ poſt febrẽ acciderit fueritq; cũ eo tribulatio aut nauſea aut ſitis: aut in ore ſiccitas aq̃ cal'a egro multotiẽs dãda erit nõ tñ repẽte ſȝ paulatim ⁊ ſi ſedatuſ non fuerit aqua ordei cũ oleo de amigdalis dulcibus dẽt ſpõdiles q̃; colli ⁊ dorſi ex oleo tepido inũgãt ⁊ fricent ⁊ muſcillago pſillij cum iulep ⁊ ſucco g̃nati in potu tribuat. Singultui p̃terea ⁊ ſternutationi conferũt retinere anhelitum.

E ſingultu ſto' Nõ: q; ſingult⁹ eſt malus mot⁹ expulſiue ñalis ſto': potiſſime orificij ⁊ meri: lȝ poſſet ieſſe i toto corpore ei⁹ deſiderant deſiderio ñali, nocituũ ſenſatũ expellere de ſto°. 6. de morbo i.c. 3°. Uñ q: expulſiua ñalis ẽ vtus fatua ñ expellit niſi icitata a re nociua. p°. de inť. in. c. p°. Jð dič. 6°. de inť. Jð incitať vẽire in actũ ppť ſenſationẽ rei nocentis a ſenſitiua orificij: ⁊ in ħ aſſil'ať tuſſi: q: ſič in pectoralib⁹ ſenſitiua aiata ſentiẽs nocituũ incitat expulſiuã naturalẽ pulmonis: vt nocituũ expellat: iſta fit in ſto° ħ q: ſenſitiua aiata in tali motu coadiuuet ñalẽ expulſiuã ſič fit in tuſſi: ħ nõ ẽ credendũ in q̃ male dicũt q̃dã modernoꝝ dicẽtes ſingultũ eſſe motũ ↄpoſitũ ſič tuſſis: q: ſingult⁹ ẽ ſol⁹ malus mot⁹ expulſiue ñalis. Uerũ bñ ẽ ↄpoſit⁹ ſeu dupl'x: mot⁹ inť q̃s cadit q̃es vñ curuať ⁊ rectificať ſtomachus: vt nocituũ meli⁹ expellat: ſič ſaltans curuet ſe vt meli⁹ ſaltet: ita ẽ in ña expl'iua ſto'. vt meli⁹ expellat ⁊ forti⁹ mẽbꝝ ex inſtictu ñe curuat ſe vt meli⁹ expellat rẽ nocẽtẽ ſenſatã. Alteri⁹ nõ: q; q: i ſingultu fit curuatio ſeu ↄtctio ptium orificij ſto': vt nocituũ expellat ↄueniť cũ ſpaſmo: ħ differt ab eo: q: in ſingultu nõ eſt ver⁹ ſpaſmus. 3°. de inte. c. 4. q: tũc nõ rectificareť ħ remaneret curuat⁹ ſp: ⁊ ſpaſm⁹ ſp fit i neruis ⁊ lacert' tñ ſto° ⁊ meri ñ hñt lacertũ: ⁊ ſpaſm⁹ ẽ actio morbi: ⁊ ſingult⁹ ẽ mala actio vtuť expulſiue ñalis vt eſt dčm de intẽtõe ga. 6. de morbo in. c. 3°. ¶ Alteri⁹ nõ: q; ſingult⁹ hȝ cãm duplicẽ in gñe ſič ſpaſmus: vt vult ypo. ⁊ ga. 5. ⁊. 6. amph. Jð dič. 3°. ð inť. vna ẽ reple° orificij a re q̃ntã vel q̃li ſenſata ⁊ nocitiua incitãs expulſiuã naturalẽ expellere eã: Alia ẽ manitio ſẽſata vt q̃lis: q: acuta q: ſiccitaſ ↄcomitãs eſt q̃litas pũgitiua g̃uãs: ideo ſenſitiua ſentiẽs rem talẽ nocituã icitat expulſiuã expellere: ⁊ venire in actũ cũ violẽtia. tñ q: rõe nocumẽti ſenſati iſta tal' cã ſubſeq̃tur ſp euacuatões excedẽtes ſič fit in fine febriũ acutaꝝ ⁊ euatões excedẽtiũ. iõ ſingult⁹ a frio extrinſeco ẽ de repl'õe ppť cãſ tres q̃ diceť: ⁊ q: ibi nll'a ẽ euatio ¶ Prima aũt cã hȝ duas ſ; ẽs ſub ſe imediatas. nã tal' repl'o orificij nocet: q: q̃ntã excedẽs pelliclãs ſto' vel q: q̃liſ pũgẽs: vt dič raſ i ſuis diuiſionib⁹. cã tal' extẽdẽs orificiũ ſto' cũ violẽtia ẽ vẽtoſitas g̃ſſa. Sig^m h⁹ eſt q: fit p⁹ ſatietatẽ nauſeatiuã: vt accit pueri p⁹ m'ť tã ſucciõȝ mãmill' ⁊ iuuẽib⁹ guloſ: q: i talib⁹ g̃ñatur ⁊ m'ltiplicať vẽtoſitas. Cã aũt m'al' nocẽs q: q̃lis pũgẽs m'ltiplex ẽ: vna ẽ cib⁹ corrupť⁹ m'

tat⁹ i ſto° i q̄litateſ mordicataſ ꝓpᵗ īmūdicieᷓ ſto¹ ꝛ
q꞉ cib⁹ ē liq̄d⁹ ꝺ̄ facili corruptibilis ad qꝺ̄ fac̄ fre
q̄nſ ꝛ idebita cibi rfocilla° ꝓut ꝯtigit q̄buſꝺ̄ pūiſ
lactātib⁹ c⁹ ſigᵐ ē q꞉ fuerīt q̄buſꝺ̄ dieb⁹ i qꝺ̄ neutᵉ
ꝛ ꝯtigit q̄buſꝺ̄ febrib⁹ fe. putrida. c⁹ ſigᵐ ē q꞉ h̄nt
cōit̄ egōnes chiloſas liq̄ꝺ̄ q̄b⁹ euenietib⁹ ſine cā
māifeſta mōſtrat̄ mortifica° vtuꝝ n̄l in ſto°. rab̄ i
ſuo ꝯtᵉ. ꝓpᵗ qꝺ̄ ſinglt̄ū ſupueniēte c̄ talib⁹. nos
etiā ꝓnoſtica⁹ ad mortē q꞉ arʳ cā ꝺ̄c̄a fortꝫ. nā maᵃ
cibal̄ corruᵃ ꝛ mutata i q̄litates mordicatas mor
dēſ ꝯtāgēſ orifiᵐ ſto¹ q꞉ q̄ꝺta l̄ ex accubitu talí l̄
vapor vētoſ⁹ calid⁹: ide eleuat⁹ ſeſat⁹. vt nociu⁹ ici
tat c̄ violēᵃ expl'ſiuā n̄l c̄. q̄uis orifi¹ veniēte i actū
ſuū: iō expellit cū q̄dā ꝯctōe ꝛ violēᵃ vt citi⁹ expel
lat rē illā nocituā ſeſatā. l̄ cā tal̄ ē cib⁹ acut⁹ vt pi
ꝑ pl'ūizatū ſoᵐ l̄ ꝯmixᵐ: marᵉ ſi ꝙ poſtea ſūpſerit
vinū bn̄ liphatū c̄ aq̄ tepiᵃ. i. pip tūc iuiſcat̄. ꝛ ibi
bit̄ i ſba ſto¹ pūgēs ipꝫ orifiᵐ icitat ipꝫ ſinglt̄ū vt
dic̄. 6. āph. ꝯ° illi⁹ cau̅. ſpaſm⁹ fit ex ſpleneticq̄ ſigᵐ
h⁹: q꞉ ſubſcribr̄ ſūptōe rei tal̄ calē pūgitie. Aᵃ cā i
ſpē ipi⁹ ſinglt⁹ ē h̄uor colic⁹ r manēſ i orifi° ſto¹ p⁹
vōitū col'e tu. āt vidiſ āt ni. pūgēſ magi ipꝫ orifiᵐ
ſto¹ ꝛ icitās ſinglt̄ū. Aᵃ cā i ḡn̄e ipi⁹ ſinglt⁹ faciēs
ſingultū: q꞉ q̄lis mordax ē frās extriᶜᵃ aeri ſubin
trās p meri c̄ āhelitu ꝛ penetrās ꝑ pos vt pueri cō
tigit ꝺ̄licat ꝑotᵐᶜ i cunabil' vl ci. c̄ i tpe fro. nā cū
h̄ nō c̄ abūdēt i h̄ūiditatib⁹ fris i ſtomachis eoꝝ.
ꝛ ſe n̄ cuſtodiāt frigorib⁹ cito ledūt̄ ab eo ꝛ cito
cadūt i ſinglt̄ū. vt dic̄ ga. 6. āph. ꝯ° illi⁹ cau̅. Sin
gultu h̄ito. vn̄ tal̄ frās mordēs orifiᵐ ſto¹ fac̄ ſin-
gultū q꞉ mordet ꝛ reddit h̄ūiditatē illā i orifi° ſto¹
q̄ſi iſeꝑabilē ipaꝫ coagulā° ꝛ i frando ꝛ ꝑ ꝯn̄s pū
gēdo orifiᵐ ſto¹ ꝛ ꝑos ipi⁹ iſpiſſādo. vt dic̄ aui. 3°.
cau̅. i. c. ꝓpo. Aliⁱ tal̄ cā fra c̄ vaꝑoſa. q꞉ vaꝑ actu
fri⁹ eleuat̄ ad os ſto¹ i tpo febriū ꝺ̄ maᵃ fra mor
dēs ꝺ̄c̄ꝫ orifiᵐ cāns ibi nocuᵐ mō triplici ꝺ̄c̄o: vt
dic̄ aui. lo° alle°. bn̄ ḡ ꝯcluʳ itelligēti ꝙ ſinglt⁹ fit
ex ſex cāis iā dict ꝛ q꞉ pueri in cunabul' ſanis exn̄
tib⁹ fit cōit̄ ex vētoſiᵉ ḡn̄ata i ſto° rōe guloſitat vl'
fit i eis rōe fritat penetrāt mō ꝺ̄c̄o q꞉ ſe nō bn̄ cu
ſtodiūt. Et ſi tales pūi n̄ fuerit i neutliᵉ l̄ egrituᵉ
cōit̄ fit ſing. i eis ex lacte corrupto i ſto. coꝝ i mu-
tato i q̄litates mordicatas ꝯtigēte ꝛ mordēte ori
fiᵐ ſto¹ i ſba l̄ i vaꝑe eleuato ꝛ ſili vt ꝑlin fit iuue-
nib⁹ ſanis adult ex vētoſiᵉ ſili' exceᵉ ſtoᵐ ḡn̄ato i
eis rōe guloſitat ꝛ iordiᵉ vite. Si āt ſint ifirmi ſeu
febricitātes fit i eis vt ꝑlin rōe corruptiōis cibi ꝛ
mutati i q̄litates mordicatas ledētes ꝛ mordēteſ
ex ſe l̄ ex vaꝑe eleuato: ex ide n̄ negādo q̄n aliⁱ h̄
i eis ex cāis alijs iā dict. Notū ē itelligēti ex intēᵉ
ga. 6. ꝺ̄ mor°. i. c. 3°. ꝛ. 6. āph. ꝯ° illi⁹ cau̅. Spaſm⁹
fit aut ex pleniᵉ. ꝛ aui. 3°. cau̅. i. c. ꝓpo: ꝙ ſinglt⁹

ꝓ mor° deſcēpto ē pa° p̄nciʳ tūice iṫriori ſto¹ in ei⁹
orifi° ꝛ meri ꝯn̄r aliaꝝ ptiū. Et ē ꝑ colligantiā rei
extricᵉ puta cibi l̄ aeri l̄ maᵉ ſordide veniēt. qꝺ̄ vēi
re n̄ ꝺꝫ ꝭm n̄aꝫ. ꝛ ē morb⁹ i receptaclō cōit̄ ꝓ mor
bo ꝺ̄ſcēpto ꝯcomitā° morbū ꝯſil'eꝫ q꞉ malā calidā
l̄ fraꝫ verū ſi h̄ a fro aere penetrāte viceuſa ē mor
bus ꝯſil'is p̄nciʳ ꝯcomitātes ſecū morbū officia
lē i receptaclo cā duᶜ¹ ꝺ̄c̄a ſupi⁹. Sigult⁹ āt i ma
tial' ſꝑ ē morb⁹ ꝯſil'is dūtaxat. ſingult⁹ āt i ſe ſꝑ ē
mal⁹ mot⁹ expulſiue n̄l ſto¹: q꞉ ē mot⁹ violēt⁹ ipiuſ
ꝛ ꝑ ptē idebitā puta ꝑ portā ſupiorē ꝑ quā nō ꝺꝫ
fieri expulſio h̄ attētio ꝛ receptio fit expulſio ineſt
ipi⁹ ſingult⁹. Et dato ꝙ acq̄rat̄ ſanitas ꝑ talē ex-
pl'ſione cāe c̄ tali motu violēto n̄ ꝺꝫ dici actio n̄e h̄
mala actio vtuꝝ leſe ex q̄ c̄ violēᵃ fit. nā actōes leſe
vtuꝝ expl'ſiue faciūt ad curā morbi: mēdū ꝓpᵗ ex
pulſiōeꝫ cāe c̄ tali motu. violēto n̄ ꝺꝫ dici mala a-
ctio h̄ bōa ꝛ actio n̄e. vt dic̄ ga. 3°. ꝺ̄ mor°. i. c. 5. i fi
ne. r citā° ꝺ̄c̄a theofili ſr̄ ſudore q̄ expellit̄ ſine noc°
actōiſ expulſiᵉ. Si āt h̄ c̄ violēᵃ ꝛ malo motu ꝛ no
cu° actōis erit mala. Et ꝓ morbo ꝺ̄ſcēpto ē nocᵐ
digtie ſto¹. nā ex ei⁹ mala actiōe ḡn̄at̄ tal̄ cā mor¹
ꝓ illo malo motu ē nocᵐ p̄nciʳ expulſiue n̄al ſto¹
vt ē ꝺ̄c̄ꝫ ex mala actōe retētie. 6. ꝺ̄ mor° in. c. 3°. q꞉
r tētia retiet ꝛ ꝯp̄hēdit c̄ tıllatōe ꝛ tremore. 3°. ꝺ̄
mor°. c. penul. ꝛ ſingult⁹ ꝓ mor° ꝺ̄ſcēpto ē pa° p̄n
ciʳ expulſiue n̄l ſto¹: q꞉ i illaꝫ cēt nocᵐ p̄nciʳ. h̄ ꝓ il°
malo motu ē pa° ſeu nocᵐ actie vtutū n̄alū attra
ctiue ſto¹ ꝛ animate motiue partiū viciuaꝝ. nā nō
bn̄ loq̄tur nec bn̄ cōcedit nᶜ bn̄ facit alias actōes
naturales ſeu animales in membris ſp̄ualibus.

Iſtis claſificat cura ſinglt⁹ tibi pateſcit.
p⁹ āt q̄ꝫ i cura ꝓcedas ſcire ꝛ ꝯſiꝺ̄are
oꝫ cāꝫ tal̄ ſing. q꞉ cura i h̄ diuiſificat̄ vt patebit. et
q꞉ itē° curatia h⁹ ē cām illā matialē ꝛ vētoſā eiīce
eūando diūtēdo ꝛ ꝯſumēdo. iō illa q̄ valēt ad iſtā
cāꝫ duplicē: lꝫ valeāt ꝭm pl⁹ ꝛ min⁹ valēt i cura cu
iuſcꝫ ſinglt⁹ Iſta āt ſr̄. 8. remeᵈ ꝭm itētōeꝫ ātiq̄ꝝ
¶ Pr̄iᵐ ē ſternu° vētoſa ꝯ̄ ſtoᵐ ſine ſcarificatiōe
aq̄ cal'a paulati ſūpta. ſꝑgere aquā fraꝫ ꝯ̄ faciē. li
gare ꝛ fricare extrema ligatōe ꝛ fricatōe doloroſa
torrefacē hoieꝫ c̄ vbis adiurādo ꝛ ſtupēdo. clamar̄
ꝛ loq̄ alta voce. ſōn⁹ ꝓ fūd⁹. iō iſta ꝓuocēt. vn̄ ypo.
6. āph. cau̅. 1°. A ſinglt̄u h̄ito. h̄ etiā itēdit ga. i ꝯ°
Iꝺ̄ dic̄. 5. ꝺ̄ mor°. i. c. 4. q꞉ i tali motu forti ſupflui
tates pᶜtoraliū ꝛ ptiū viciaꝝ expellūt̄: q꞉ expl'ſiuā
i ill' ex ſternutatōe fortificat̄. i cā āt h̄uorali l̄ ciba
li i ſpeciali valet vomitus ꝛ ſir⁹ acetoſus. Rab̄ in
diuiſiōib⁹ ꝛ in ſuo cōtinēte. In cauſa ventoſa de-
ciſa a maᵃ indigeſta vl' fra vꝫ in ſpeciali galanga
pulueriꝫatū datum cū vino calido. vel coctū cum
melle ꝛ adminiſtratū ꝛ cinamomū pulūizatū datū

cū aq̄ cal'a.ſil'r carui ameos maſtix gariofi mēta
thuſ pulūzatū datū i modico aceti.raſ i ſuo ɔti^c
Jn ſingultu ex frigore ꝓut ɔtigit pueri inūgim^9
gulā collū ſpatulaſ de ɔſi^o raſ ē olo cal'o aneti ca
ſtorei ꝛ ſil'ib^9 ꝓpt̄ qđ pȝ ex itē^c ei^9:ꝙ ē ſingult^9 đ
repl'oe ꝛ ñ de ianitōe.ꝓut ē ſupi^9 dcm.verū cōit̄
ꝑmittim^9 remedia cōia tibi recitata. De ſingultu
ex apate epati ꝛ cerebri q̄ fit rōe vapis:ſemiuēto
ſi cal'i nō loq̄r:q: curat̄ ad curatōeȝ illoꝝ. De cu
ra ſiglt^9 ex ianitōe ñ loquor ē dieta hūectatia ꝛ re
ſumptiua:ꝛ oleis calidis ꝛ humidis iuuant̄:licet
non curent̄. Jſta tibi ſufficiant iſta ma^a ꝓ nunc.

Capitulum.67^m.de appetitu canino.

Um aliq̄s famē aſſidue patit̄ ꝛ cib^9 poſt cōeſtiōnē adeo ḡuat eū vt autvomere aut ꝑ iferiorē regionē ipm̄ eijcere cogat̄ niſi dādū ē ei qđ dū coq̄tur ex liquore q̄ fluit ab agno q̄ in furno aſſat̄ ipinguat̄ ꝛ cauda ꝛ ei ſilia ex oi cibo q̄vnctuoſus ē ꝛ vinū vet^9 purū dādū eſt de quo q̄tū poterit bibat. Deinde ꝑcipiēdū ē ei vt euomat:ꝛ hoc regie ɔſeruādus ē donec ſanet̄. Qđ ſi neq̧ cibus eū ḡuat neq̧ ipm̄ euomit neq̧ ꝑ ſeceſſuȝ expellit carnes vaccine ſūt dāde ꝛ frumētū coctuȝ vt puls ꝛ riſi cū lacte ꝛ aquā friam in potu ſumat:ꝛ i aere frigido moret̄. Hac aūt egritudie laborās nil acetoſuȝ ꝛ ſtipticū neq̧ acutū cōedet ſȝ dulcib^9 ꝛ vnctuoſ ſolū vtat̄

E appetitu canino ſeu đ fame canina itēſa ad mođ canis.nā iſta pa^o deſcribit̄ ſm ſilitudieȝ rei extriſece:mos fuit helenoꝝ alij ſic đſcriber̄ vt r̄ecitat ga.2.đ ige^o.c.2^o. Tu dices q̄ fuer̄t iſti heleni. Dicēđ ex itē^c ei^9 i ꝑmis librij đ ige^o:ꝙ hebrei fuer̄t i ſtudio magan tiq̄ grecoꝝ ſic dicem^9 h i mōtepl'o:piſieſes:ſalernitāi aſſueti ſt̄ ſic noiare ꝛc̄. Et videas ſubſeq̄n^a q̄ ſt̄ magi electa ſan̄ i ſpeculatōe ꝛ ꝓuatōe ꝑ hītuſ

cog̃ſcūt̄ i errorib^9 đ aia n̄ō ex itē^c ga^l.4.đ mor^e in.c.7.ꝙ appetitus cibi ꝛ potus duplex eſt.q̄daȝ eſt q̄ fit in mēbris rōe manitōis tal'r fit ſine cognitōe ſenſitiua manitōis in ipis:ſȝ aial in cognitōe ex inſtinctu ñe:tal' appetit^9 ē in oib^9 mēbris i coꝛcreatōe:nā vtus appetitia ñlis ɔcreat̄ cū mēbris ꝛ ē vtus miſtrās alijs vtutib^9 ñalib^9 appetēs cōueniēs in ncēitate:puta ſtāte manitōe i alijs mēbriſ.q: ex inſtinctu ñe ꝛ ñ cognitōe ſenſitiua cui^9 obie^m ē futurū in q̄ differt ab alijs vtutib^9 miſtrātib^9 ſe tenēs ex toto in actōe ex forma ſpe^ca mēbri ꝓpt̄ qđ cog̃ſcit a ña ſpe^ca mēbri ꝛ illā appetit vt vr̄ dicere ga.3^o.de ɔpl'onib^9 in.c.2.in q̄ differt ab alijs vtutib^9 miſtrātib^9 q̄:obie^m ꝑñs ē:ꝛ q̄: actio ſe tenet ꝑ ꝑte aliq̄ miſtral'r ex ꝑte ɔpl'oiſ ꝓpt̄ quā cām Aui.fec̄ maiorē mētōeȝ de alijs vtutib^9 miniſtrātib^9 ꝛ paucā đ iſta:q: ei^9 inſtrm̄ ñ cadit ſb correctōe medici:vt declarabit̄ q̄ſtiōe ꝑ^a. ¶ Alter ē appetit^9 cibi ꝛ pot^9 q̄ fit in ſto^o cū ſenſatiōe manitōis:tal' ē pa^o orificij ſto^l.4.de morbo.c.7^o. Jſte talis appetit^9 cibi in orifi^o ſto^l dupl'x ē:q̄dā eſt ñl' alter ē iñalis.ñalis ē ille q̄ vſat̄ circa cibū aſſuetū.vl' ɔueniētū in mō ꝛ meſura:ꝛ tp̄e ɔueniēti: iñal' ē ille q̄ ñ vſat̄ circa cibū ɔueniētē in mō n^c meſura:n^c tp̄e ɔueniēti.vt ē appetit^9 canin^9 ꝛ boliſin^9 ꝛ fames ſincopal'. Vn̄ in appetitu ñali ɔſeſatōe dicta in ipo orifi^o.v.mot^9 ɔcurrūt ncēiovn^9 ſeq̄ns aliū.vt dic̄ ga^9.4.đ.mor.c.7^o. ¶ Pam^9 eſt ianitio mēbroꝝ.nā mēbra manitūt̄ a cal'o ɔſumēte ꝛ ab aere circūſtāte ꝛ vtute ſtellaꝝ.vt dic̄ ga.in loco a'le^o. Jđ dicit aui.2^c.fen.ꝑ^l.do.2^a. ¶ 2^9.mot^9 eſt ñale deſideriū qđ eſt in ipis manit̄.nā mēbra manita ñal'r deſiderāt ꝛ appetūt cognita ianitōe ex inſtinctu ñe. ¶ 3^9.mot^9 ē attractio ꝛ ſuccio mēbroꝝ a venis venaꝝ ab epate ſto^o. ¶ 4^9.motus ē ſenſus orificij ſentiēs talē ſuccionē ꝛ ianitōeȝ ipius orificij talē vl' talē:vt dictū eſt talis ſenſus orificij ſentiens manitionē ꝛ ſuccionē fames appellat̄.vt dicit Ga^9.in 1^o.c.7. Propter qđ dicūt aliq̄ in locutōib^9 cōib^9. fames eſt manitio ſenſata talis locutio nō eſt formalis:ſȝ effectiua.ꝓpter talē ſenſatione ſto^l eſt ad determiatū ꝓuatū:q: ad cal'ȝ ꝛ ſiccū.iō dic̄ aui.ꝑ^o.cañ.fen.ꝑ^a.c.vlti^o.đ vtutib^9 ꝙ cibi deſideriū ſeu appetit^9 ipi^9 i orifi^o ɔplet̄ a du^ci vtute:q: a vtute ñli attēctia mēbroꝝ ſugēte ꝛ attrhēte ab ipo orifi^o iducēte ianitōȝ ꝛ a vtute ſēſitia q̄ ē in ore ſto^l ſēſitie illā ianitōeȝ talē vl' talē. ¶ 5^9.act^9 ē mot^9 q̄ fit i ſto^o ꝯ ſēſatōe ianitōis i ipo ꝛ vlteri^9 i fame ē aiatū deſideriū c^9 ſedes ē ꝑ̄a cere^l ſeu volūtas aiata reficiendi regulas refectōȝ ſto^l in cibo ɔueniēti.nam ſi aiatum deſideriū ſeu

volūtas reficiēdi veniēdo in actū errauerit in ad
miniſtratiōe cibi cōuenietis in ſuba vl' qualitate
q: crud⁹ l' corrupt⁹ vl' venenoſus vl' in q̄titate ex
cedēti tūc ſtomach⁹ patit' ex errore extrinſeco' ex
nocumēto iſti⁹ aiati deſiderij ſine nocumēto i ei⁹
eēntia vt eſt ſupi⁹ declaratū in.c.de debili digeſti
ue ſto' intētiōe ga.p° de intīo.in.c.6.q̄ caſus q̄ti
die ɔtigit. Iſte talis appetit⁹ natural' fit innatu⸗
ralis. Et ledit' in actiōe tripl'r.nā diminuit' i acti⸗
one:q: ſuccio mēbro⁊ a ſto° ē modica: q: hūidi⸗
tates parū ɔſumūt' rōne ocij vl' al's:l' q: ſenſus
orificij ſto' modic⁹ ē ꝑpt' reſolōem ſpirituū ſen⸗
ſibiliū vt plures ɔtigit in multī ɔualeſcētib⁹ l' ē
modic⁹ ꝑpt' ingroſſatiōem ⁊ induratiōez neruo
rū in ip̄o orificio a frīo extrinſeco ſubintrāte per
ip̄m meri āhelādo ⁊ loquēdo ⁊ aperiendo os vt
ɔtingit pluries in trāſeūtib⁹ p loca fria: ꝑpt' qd
p̄mo cātur inanitio fortis ſenſata ⁊ ſtati ceſſat 'il
la ſenſatio: ꝑpt' qd ſtati ceſſat appetitus vt vide
mus in boliſino vt ſtati dicem⁹. Et auferť, aliq̄n
talis appetit⁹ in actiōne q̄n talis ſuccio mēbro⁊
⁊ attractio co⁊ ex toto ceſſat :l' q: ſenſus nō eſt i
ip̄o orificio aut corrūpit' q: vltimate appetit vt i
canino appetitu in boliſino ⁊ in fame ſincopali:
vt dicet':vl' q̄a extranea cibaria appetit ⁊ deſide⸗
rat vt fit in pregnātibus vt dicit ga.4.de morbo
c.1. ¶ Cā aūt corrupti deſiderij ſi fuerit vltima⸗
te q̄titatē vt in canino appetitu duplex eſt vt ɔdicit
ga.in loco allegato.vna cā eſt hūor acetoſus fri⸗
gidus pūgēs ſtomachū cāns inanitiōem i ipſo
rōne frigiditatē eius comprimētis ip̄m:iō frigid⁹
ꝓ vēter bon⁹ ē appetere.2°.reg'. Alia cā tal' ma
gne inanitiōis orificij ſto' ē magna diſſolutio ⁊
ɔſumptio mēbro⁊ a cal'o excedēti: ꝑpt' qd fit ma
gna ſuccio ⁊ attractio ab ip̄o ſto° ⁊ p ɔñs mag̃ ina
nitio in ea:q̄ ſenſata facit magnū ⁊ ɔtinuū appe
titū.vñ cib⁹ eſt ɔti^e neceſſari⁹. Verū ſi in talib⁹
fuerit raritas ⁊ paſſibilitas in orificio ſto' cābit'
dolor cor cōpatiet' dicet' fames ſincopalis q: ſin
copiſant. ¶ Cā āt corrupti deſiderij q: extranea
cibaria deſiderat ſunt mali hūores incluſi in
pelliculis ſto':ſic ſunt p̄gnātes q̄ p̄mo ⁊ 2° men
ſe diligūt ⁊ appetūt acetoſa pōtica.aliq̄n carbo
nes teſtas olle chimoleā ⁊ ſilia.iā q: iſti hūores
ſunt aq̄ſi hūidi in ſto° p viā refocillatiōis:q: nō
hñt menſtrua nec ɔſumuntur p fetm i p̄mis mē⸗
ſibus appetūt cōtraria ꝑpter deſiderīuz q̄eſcēdi
vt vult Ga.in.c.allegato. Idē dicit 2° regni.cañ.
illo. Et ex egritudinib⁹ cū in vētre vbi dicit ꝙ di
ſtēperātie naturales in ſto° ⁊ in alijs mēbrī faci
unt appetere ſilia vt colici appetūt cal'a ſalſa ⁊
acutā vinū par limphatū:ꝫ diſtēperātie accita
les ſeu a tpe faciūt appetere ɔtraria ꝑpt' deſide
riū quieſcēdi a leſione. Idē vult Serapio.1.ſue
practice. Hoc videm⁹ in febricitātib⁹ oēs appe⸗
tūt aquā frigidā. ¶ Vlteri⁹ nota ꝙ nos hēmus
appetitū caninū boliſinū ſeu famē vaccinā ⁊ fa⸗
mē ſincopalē.vterqꝫ co⁊ dicit appetitum corru⸗
ptū:q: intenſuz.4.de mor°.c.1. Differūt tñ q: ca
nin⁹ ē mag̃ intēſus ꝑpt' maiorē inanitiōem :bo
liſin⁹ eſt appetit⁹ intenſus:ꝫ ſtati ceſſat ꝑpt' de⸗
fectū v̄tutis ſenſitiue oris ſto' nō apphendentis
illam inanitiōem. Sed fames ſincopalis dic' in⸗
tenſum appetitū cū paſſibilitate oris ſto':ꝑpter
quā de facili cū tali intēſo appetitu vexāte dictū
orificium rōne raritatē ⁊ paſſibilitatē ſincopiſant
Iſta om̄ia mag̃ clarificabūtur in q̄ſitī ſeq̄ntibus

Primo tu q̄res cū v̄tus appetitiua na⸗
turalis mēbro⁊ operetur ex forma
ſpe^ca tanq̄ ꝑpo inſtrumēto vt eſt dictū ſupi⁹ ex
intētiōe ga.3°.de ɔ°nibus. ¶ Tu dices que eſt il
la forma ſpe^ca in mēbris nec in cibis. Dicēdū ex
intētione Ga.in loco allegato ⁊ auerrois.v°.ſui
collectorij ꝙ eſt vna forma ſubalis ɔñs mixtōis
mēſurā elemētor⁊ in mixto:iō cibi q̄ mag̃ cōueni⸗
unt in tali mēſura mixtiōis cū mēbris appetunt'
⁊ attrahūt' a mēbris facilius ⁊ citius :ideo nutri
mentum mouetur a tota natura ſpecifica ad mē
brū.vij.phiſico⁊.⁊ mēbrū ip̄m cognoſcit magis
conueniens ex tali natura ſpecifica ex inſtinctu
nature.

Secūdo tu queres an pa
petit⁹
mēbro⁊ ⁊ ſto' poſſit eſſe naturalis ſeu bona ac°
v̄tutis appetitiue l' ſit ſemp ⁊ neceſſario innatu
ralis ſeu mala actio virtutis dicte. ¶ Videtur
ꝙ ſit neceſſario innaturalis et mala actio virtu
tis. Illa actio eſt innaturalis ⁊ mala que eſt in
mēbro infirmo:patet q̄a mēbr⁊ infirmū hꝫ actio
nes leſas ⁊ defectas.p° ⁊.3°.de morbo.c.⁊ locis
multis:ſic eſt q: appetitus nō eſt in mēbris niſi
dū ſunt inanita ⁊ talis inanitio eſt morbus in re
ceptaculo ledēs actiōes naturales:q: non bene
pñt nutriri ad ſufficiētiā. ¶ Vlterius ꝓbo ꝙ ne
ceſſario appetit⁹ in orificio ſto' neceſſario ſit in⸗
naturalis ſeu mala actio intētiōe Ga.4.de mor
bo in.c.1°.dicit ꝙ ſtomach⁹ conatur querere ci⸗
bū vt ſui curetur nocumētū:igit' in fame ſtoma
chus egrotabit ⁊ ſue actiōes erūt leſe.ſimilit' fa⸗
mes eſt paſſio doloroſa grauatiua ⁊ anguſtioſa
orificij ſto':igit' neceſſario erit morb⁹ l' cā morbi
l' accñs:ꝫ quia nocumentum actiōis videt' ꝙ ſit

accidens morbi.

Tertio ſic: in forti fame ē dol'. notabil' ori ficij ſtomachi a mala cõplexiõe humida inaturali ipiuſ orificij: igitur erit morb⁹ vl' accñs morbi. añs eſt Ga. in libello de malicia cõplexionis. in. c. 3°. in fine. Ubi probat φ mala complexio humida ſit cauſa doloris in orificio i fame ,ppter melancoliá venientē a ſplene ad ip ſum orificium vt dicit Auicē. ꝑmo cañ. de hũori bus. capitulo ꝑmo circa finem φ venit ⁊ proml' gendo profluit per vnum poꝝ ad ĩꝰm orificium

℄ In contrarium eſt Ga. in. 4. de morbo in. c. 7 vbi dicit in ꝑncipio capli φ eſt ,ppria paſſio ⁊ na turalis ⁊ ſemper cõcomitatur actiones natura les dum naturalis fuerit. ℄ Ad iſtam dubitatio nē ſciendum φ refert loqui de appetitu mēbroꝝ ⁊ ſtomachi. ⁊ refert loqui de incitante appetituꝫ: nam appetitus naturalis in mēbris ⁊ in ſtoma° verſatur circa cibum debitũ modo ⁊ menſura ⁊ tempore cõueniēti. In naturalis ꝑ oppoſitum ⁊ fit innaturalis quia diminutus vl' corruptus vel ablatus vt dictum eſt in precedentibus. Cauſa ipius appetitus in mēbris eſt inanitio in mem bris apprehēſa ⁊ ſenſata ex inſtinctu nature nõ ex ſenſu animali. Appetitus in ſtomacho fit in ratiõe inanitiõis ſenſate ⁊ apprehenſe per virtu tem ſenſitiuá ipius orificij ſtomachi. vnde talis inanitio aut eſt modica aut magna. modica dic̄ morbũ in receptaculo incipientē firmari qui dic̄ nomine cõmuni neutralitatē decidēte talis ſtat ſub latitudīe ſanitatis. 2°. teg¹. ⁊ tal' oꝫ φ fiat na turaliter in mēbris ,ppter qđ appetitus cum n [illegible] eſt naturalis ſequēs actiones naturales vt dic [illegible] Ga. in. c. vij. in ꝑncipio. ſi ſit mag̃ dic̄ morbũ fir mũ ⁊ permanētem. iſta bene eſt cã; appetit⁹ cor ruptꝰ: qꝛ intenſi vt declaratũ eſt in appetitu cani no ſeu in fame canina ⁊ vaccina. Concluſio φ appetitus in mēbris ⁊ in ſtomacho eſt natural' ſi fiat ,ppter inanitiõem incipientē: qꝛ ille appeti tus eſt naturalis qui eſt regulatus circa cibũ cõ uenientem in modo ⁊ mēſura tempe cõuenienti: ⁊ fit a cauſa naturali cõcomitãdo actiões natu rales nota ē: ꝫ ſic eſt patet ex declaratis. ℄ Re ſtat rñdere ad rõnes. Ad ꝑmá illa actio eſt inna turalis que fit in mēbro infirmo cõcedo. ſed ſic ē quia appetitus fit cauſa inanitiõis ſolutũ eſt φ in fame naturali membroꝝ ⁊ ſtomachi eſt inani tio incipiens firmari que ſtat cũ neutralitate de cidēte ⁊ talis ſtat ſub latitudine ſanitatis vt eſt dictũ. Appetit⁹ aũt excedēs ⁊ corrupt⁹ quia intē ſus ille fit ex inanitiõe firma: ⁊ permanente iſta dicit morbũ ⁊ appetitũ innaturalem corruptum. ℄ Ad alias rõnes ꝑ idē. Iſta bene dicit morbũ rarũ petitũ innaturalē corruptũ. ℄ Ad alias ra tiones ꝑ idem eſt paſſio ſtomachi petit cibum vt ſui curetur nocumētũ incipiēs firmari: quia ina nitio incipiēs. ſi aũt ꝑ poſſibili ſit inanitio exce dēs ⁊ firmata tũc bene egrotat ⁊ appetitus erit innaturalis: quia excedens ⁊ corruptus quia in tenſus. ⁊ iſto mõ patet ſolõ ad alias rõnes.

Tertio tu queres ſi fames que ē paſſio orificij. 4. de morbo i. c. vij. ſit ap petitus calidi ⁊ ſicci. videtur φ nõ. omĩs appeti t⁹ ē ad rē ꝑuatam iſta ,ppõ nõ ē qꝛ hntib⁹ ꝑntib⁹ in mēbris ceſſat mot⁹ appetitus. igit' fames nõ erit appetit⁹ cali ⁊ ſicci. ꝯña patet. vij. amphoꝛi. cañ. illo. Corpib⁹ hũidas carnes hñtib⁹ fames ei corpa nr̃a deſiccat. ℄ In cõtrariũ eſt Ariſto. 2°. de aĩa ad lr̃am ponit. fames eſt appetitus ca lidi ⁊ ſicci. ℄ Dicendũ ad dubitatiõeꝫ φ fames ⁊ ſitis ſunt paſſiones orificij. c. de morbo in. c. 7° Fames eſt appetit⁹ compoſit⁹ q̇a complet' a du plici virtute a naturali attractiua mēbroꝝ cãnte inanitiõem in ipſo orificio ⁊ a ṽtute ſenſibili ſen tiente illam inanitiõem tũc ꝯſurgit ⁊ incitat' ap petitiua illis duobus precedētibus ,ppter qđ di cit Auic̄. ꝑ° fen. ꝑ. cañ. in. c. vltio. φ appetitiua ci bi in orificio ſtomachi cõplet' duplici ṽtute dicta ⁊ in ſe eſt appetitiua ſola natural'. ℄ Alteri⁹ no ta φ ad ipm orificiũ ſto¹ ꝓfluit ,pmulgēdo aliq̃ lis portio melãc. lie ab ipo ſplene ꝑ vnũ poꝝ oc cltũ: vt dic̄ Aui. ꝑ° cañ. doc̄. de hũorib⁹. c. ꝑ° circa finē. hoc fecit natura vt corroboraret ipm orifici um ſua acredine ⁊ inanitiõem in eo cauſaret q̇a frigida cõprimēdo. Et qꝛ acetoſa vna cũ attracti ua mēbroꝝ. iſta de cã. frigid⁹ ṽo vēter bonus eſt appetere. 2°. teg¹. cãndo talem inanitiõem ⁊ iſta talis inanitio ſenſata incitat appetitiuá natura lem eius. Iſta talis portio melãcolie: qꝛ actu hũi da ⁊ fria in reſpectu dimittit malã cõpl'oem friaꝫ ⁊ hũidã ſine ma^a^ in ipo orificio: iõ ē appent⁹ ad rē ꝑuatá q̇a ad calidũ ⁊ ſiccũ vt tu arguebas: iõ ſtomach⁹ appetit hoc ,ppt' ſe vt ſui curet' nocum tũ. 4. de mor° in. c. vij. Et in lapſib⁹ a tpe ſꝑ ē ap petit⁹ ad cõtraria ,ppt' deſideriũ q̇eſcēdi a leſiõe ſupueniēte ⁊ accñtali. h vlt Ga. 4. đ mor° in. c. 1°. 7°. declarãdo de appetitu i° corrupto in ꝑgnã tibus. ad teſtas olle ad ſtiptica acetoſa ,ppt' ma lam cõpl'oem hũidã cũ maria hũida in ipis pri mis duobus mēſibus. Idē dicit. 2°. teg¹. cañ. illo Ex egritudinib⁹ ṽo in ventre: vbi hoc ponit ad lr̃am. Idē dicit Serapio. 5. ſue practice ⁊ in. vij°

vnde corpus noſtrū conficitur ex tribus .vt dicit Ga.xi.de inge°.in.c.p̄mo circa mediū capl'i puta ex hūoꝛib⁹ cū ſpiritibus ⁊ ex carne:⁊ ex ſpermatici:ideo in regimie conſeruatiuo ⁊ curatiuo optet attēdere ad om̄ia iſta ꝑ ꝯſeruatiōe eoꝝ in eoꝝ natura cū cibis diuerſis ſubtilibus medijs ⁊ groſſis in quo nō aduertūt debiles in arte poſtponētes in cōſeruatiōe cibaria groſſa ⁊ carnes groſſas ⁊ ſubam leguminū ⁊ ſilia. Et quia ſtomachus miniſter eſt omnium mēbroꝝ omibus ꝓuidet vt dicit Ga.4.de moꝛbo.c.6°. Licet ex maiori intētione nature ſit miniſter mēbroꝝ ſpmaticoꝝ:q̄a plura ⁊ p̄ncipalia ꝯn̄ter alioꝝ Et licet ip̄a ſpermatica ſint frigida ⁊ ſicca reſpectu tēperamēti ad iuſticiā vt viuētia tamen in ſe ſunt calida a dn̄o aliter nō viuerent quia vita ſtat ꝑ calidū.2°.de complōnib⁹.Et quādo maniūtur primo acquiritur in eis mala cōplo calida ⁊ ſicca i materialis que curatur ⁊ ip̄a mēbra cōſeruātur in eoꝝ natura ꝑ nutrimētū cal'in ⁊ ſiccū .Merito ergo ſtomachus p̄ncipal'r appetit illa ꝓpter ſe ⁊ ꝓpt̄ mēbª ſpmaca ꝯn̄r appetit alia propter alia mēbra vt tu vides in refectōnibus ꝙ ſtomachus in diuerſis delectatur:quia qđ ſapit oꝛi ⁊ ſibi delicioſum ſapit ſtomacho.2°.amphoꝛi,pro ſe ⁊ alijs mēbris.❡Concluſio ꝙ fames eſt appetitus ſtomachi ad calidū ⁊ ſiccum ꝓpter ſe ⁊ ꝓpter alia mēbra ad deperditū in natura eſt appetitus ꝓ conſeruatiōe vt illud reſtauretur. igit̄ ad illud erit appetitus .Itē appetitus ſemper ē ad contraria lapſui ſuperuenienti patet ex declarat̄ ⁊ probatis:igitur erit ad calidū ⁊ ſiccū:ꝯn̄a patet ex dictis.❡Ad rōnes om̄is appetitus eſt ad rē ꝓuatam. ꝯcedo an̄s.nego ꝯn̄am:q̄a calidū et ſiccū cū maª eſt ꝓuatū in ſtomacho.licet ca. ⁊ ſic ē ſine maª ſit i mēbris ⁊ ad illō n̄ ē appetit⁹ ⁊ pꝫ

Quarto tu queres: appetitus canin⁹ cuius particule ſtomachi eſt paſſio p̄ncipal'r:ſoluit lr̄a.4°.de moꝛbo.in.c.7°. ꝙ oꝛificij ſtomachi.nam oꝛificij eſt appetere ſiē fundi eſt digerere.

Quinto tu queres ſi appetitus canin⁹ ineſt ſtomacho per ſe vel per colligantiā.Dicendū ꝙ moꝛbus deſcriptus venit ꝑ colligātiā:q: venit mal⁹ hūoꝛ acetoſus vel alter q̄ venire nō dꝫ ſm naturā cāns ibi manitionē excedētē ⁊ venit ꝑ indigeſtionē ex erroꝛe extrinſeco.vl' venit ꝑ viā catarri.vl' venit inanitio i debita in oꝛificio ſto¹ q̄ venire nō debet ex indebita attractiōe membroꝝ ꝓpter indebitā cōſumptiōem hūoꝝ illoꝝ,

Sexto tu queres appetitus canin⁹ q̄s moꝛb⁹ eſt pro moꝛbo deſcripto. Dicendū ꝙ offil'.quia fortis imo maxia inanitō oꝛificio ſtomachi qui moꝛbus cauſatur cauſa duplici ſuperius dicta:quia ab hūoꝛe frigido acetoſo vl' alio vl' a forti diſſolutiōe ⁊ conſumptōe mēbroꝝ ratione caloꝛis excedētis in membris.in ſe aūt eſt actio corrupta vt eſt dictuꝫ ſuperi⁹ q: itē l⁹

Septimo tu queres appetitus caninus pro moꝛbo deſcripto cuius virtutis eſt nocumentum.Dicēdū ꝙ regitiue naturalis ip̄i⁹ digeſtiue ⁊ expulſiue ſi talis inanitio cauſet̄ a flāte acetoſo vl' alio. Si autem cauſetur a forti diſſolutiōe mēbroꝝ tūc eſt nocumētū regitiue naturalis membroꝝ p̄ncipal'r.ſ.digeſtiue ⁊ retētiue ⁊ expulſiue ⁊ hoc erit per colligantiā rei extrinſece cōiter in ſe aūt eſt nocumētum ſeu mala actio virtutis appetitie ſtomachi

Octauo tu queres appetit⁹ canin⁹ cuius virtutis eſt paſſio.Dicendū ꝙ ꝑ moꝛbo ē paſſio ſenſitiue oꝛificij ſtomachi p̄ncipal'r:ꝯn̄r virtutis appetitiue ꝓ ip̄a actiōe leſa ē paſſio actiue loquēdo q: infert paſſionē vitali coꝛdis ⁊ virtutū aliarū naturalū ſto¹ ⁊ epatis venarū rōne cibi excedentis q̄ aſſumitur.❡Reſtat loqui in ſpeciali đ appetitu ſtomachi qui dicitur boliſmus a Ga.ab Auic.dicitur fames vaccina.Dicitur boliſmus:quia vno bolo ſatiat̄: ſic iſta paſſio deſcribit̄ a cōditiōe cōcomitāte extrinſeca.mos fuit helenoꝝ vt eſt pluries dictū.Nota ꝙ boliſmus eſt appetitus ſtomachi magn⁹ ⁊ intenſus ideo eſt appetitus corruptus.4°.de moꝛbo in.c.7°.vt eſt dictū ſupra.Vex nō durat ſicut incipit ita deſinit ꝓpter moꝛtificatiōem virtutis ſenſitiue ip̄ius oꝛificij ſtomachi ꝓpter qđ ſūpto cibo pauco vl' nō ſumpto ſtatim ceſſat .Uerum boliſm⁹ ⁊ q̄cū ꝗꝫ appetit⁹ ſto¹ n̄al' l' in̄al' l' rōe ianitōis ſenſate ſm qđ ē ianitio i oꝛifi° ſto¹ ſi ē mag̃ vel parua ſm hoc ē appetit⁹ cōnatural' ⁊ tēperat⁹ innaturalis ⁊ intēſus.vn̄ in boliſmo cāt̄ manitio i oꝛificio ſto¹ ab ill' duab⁹ cauſ dict̄ a q̄b⁹ cāt̄ in appetitu canino.vt dic̄ Ga.i fine capl'i.7ª.puta a forti ſucciōe venarū ab ip̄o ſto° rōne mag̃ᵉ diſſolutiōis a cal'o excedēti.ſil'r cāt̄ a flāte acetoſo vel alio per viam cōpreſſionis:vt eſt ſuperius dictum.ideo dicit auic̄.ꝙ ip̄m boliſmū vt pl'imū antecedit fames canina. Ultra iſtas duas cauſas cauſatur ab aere frigido pluries :vt patet in itinerantibus per viaꝫ cōpreſſionis.ſil'r vt volūt omnes.Et ſi in talibus ſit raritas ⁊ paſſibilitas oꝛificij ſtomachi : erit doloꝛ in ip̄ſo oꝛificio in

pncipio talis inanitiōis et ex tali forti ſuccīoe vel
ex alteratiōe cū qua cōpatietur cor rōne colligātie
et vicinitatis de poſſibili ſincopiſabūt vel quaſi h
pluries videmus in pueris circa.x.annū et infra et
hoc intēdit auic.in.c.ppo:qn dicit q ſanies ſin-
copalis ſubſequitur ad boliſmū. Ideo nō elōga
tur a cura eius. Senſitiua aūt orificij ſtomachi
mortificatur cauſa multiplici in talibus de poſſibili
nam nerui illi infrigidātur in exceſſu rōne reſo-
lutiōis in forti ſuctione.vel infrigidātur rōne flām
acetoſi aſſistentis.vel rōne aeris frigidi ſubintran
tis per os:quibus infrigidatis deficiūt in actione
ppria:puta in ſenſitiua ſic ceſſabit appetitus ex
quo ceſſabit ſenſatio talis inanitiōis:et hoc ē qd
intendūt actores in breuiarijs ſuis. Verū auic.
addit aliam cām mortificatiōis ſenſitiue ipſius
orificij:nam de poſſibili ſunt ibi hūores frigidi
adherētes qſi muſcati rōne frigiditatis ſubſequētes
i poſterū cooperiētes dictos neruos orificij ppter
qd nō poterūt apphēdere illam inanitiōem ad-
ueniēte ergo bolo panis cū tali debili ſenſitiua.
apprehendetur tanq̄ replēs et remouēs dictam
inanitiōem. Hoc erit in pncipio mortificationis
ipſius ſenſitiue orificij:et in poſterū nam aduení-
ente aliquo bolo cibi:ſimiliter ceſſabit ppter cāz
dictam puta ppter mortificatiōem ipſius ſenſiti-
ue. Super particula et paſſione et nocumētis nō
eſt aliud inueſtigandū niſi put eſt inueſtigatuz
in canino appetitu. ¶ Reſtat adhuc loqui i ſpe
ciali de fame intenſa et ſincopali:nam ex dictis in
precedētibus pateſcit q quādo cū dictis cauſis
ipſius inanitionis fortis in appetitu in orificio ſto-
machi potiſſime cum forti ſuccione mēbrorum ab
orificio rōne caliditatis excedentis diſſoluentis
membra. Vel cum alia cā humorali frigida di-
cta ſtat raritas debilitas paſſibilitas neruorum
in orificio ſtomachi vt ptingit pueris delicatis et
delicato modo nutritis cum vitellis ouorum et p
diculis tunc orificiū ſtomachi de facili patitur a ta
li ſuccione et a dicta alteratiōe:et dolet cum quo
dolet cor de facili cōpatitur:et ſic cor deficit et cadit
et hoc eſt ſincopis. Ideo dicit Auic. q talis fa-
mes ſincopalis curatur cura boliſmi. ſup parti-
cula nec paſſione nec nocumētis nō eſt aliud in
ueſtigādum niſi prout eſt dictum in alijs iā dictis.

Iſtis clarificatis

Cura ap-
petitus ca
nini et aliorum malorum appetituū ſtomachi ubi pate
ſcit. Prius aūt q in cura procedas ſcire et cogno
ſcere oportet ſpēm talis mali appetitus et cauſā
diuerſitatis ipſorum. Si quis ergo appetituz ca

ninum habuerit ppter magnā diſſolutiōem cor-
poris rōne magne caliditatis excedētis in mem
bris qd pateſcit:quia egeſta ſunt pauca et appa
rent alia ſigna caliditatis:quia audax:piloſus:
muſculoſus cibetur cū cibis dure digeſtiōis:pu
ta de frumēto.de riſi de leguminibus.de carnibus
groſſis.de bouinis de mutoninis nō multū coctis
de extrēitatibus porci cum aceto.de lactucis et por
tulacis cum aceto et cum vino claro debili vel al-
bo bene limphato.vitādo ſpecies ſalſa.allia ce-
pas et oīa ſalſamēta dempta agreſta et citran-
gulis. Vitabit etiā carnes leues puta pullorum
capreti perdicū columborum auicularū paruarum
et ſimilia. Et ſi quis appetitū caninū habuerit ex
humore acetoſo pungēte et inaniēte orificiū ſto-
machi. Cuius ſignū eſt q habet egeſta mixta et
apparēt alia ſigna frigiditatis ſtomachi contra
ria ſupradictis cibent per contrariū ſupradictis
puta cū cibis facilis digeſtionis:puta cum carni
bus leuibus et bene coctis et vnctuoſis et vtatur
ſpeciebus potiſſime pipere et cinamomo et vino
rubeo allijs et cepis coctis. Vtatur melle in pn°
comeſtionis.vtatur diatrion pipereon pliris cū
muſco dianthos.33c condito aniſo maratro con
fectis et nō confectis. Vtatur ſaluia mēta ſerpil-
lo melliſſa parū coctis.in fine menſe.purgetur cuz
yerapigra in potu diſſoluātur.x.3.cum aqua de-
coctiōis pulegij origani ſerpilli mente ſaluie ma
iorane et ſiſium precedente oximelle ſquillitico.
Aliquādo autē eſt appetitus aliqliter excedens
et intenſus ppter vermes ad quos oportet intē-
dere cū appropriatis cum abrotano et cento°.vt
dicit Ga.xiiij.de inge° in fine:et cū abſintio et alo
es et ſimilibus:et quia iſta amara interficiūt eos
et faciūt eos vnginoſos vt dicit Ga.ibidē. ¶ Si
quis aūt appetitū corruptū habuerit ad mala ci
baria vt ad carbones terrā teſtas olle vel ad ace-
toſa et pontica vt videmus in multis melancoli-
cis et in mulieribus pregnātibus ſirupetur cum
oximelle diuretico et ſquillitico et ſumat yerapigrā
impetu vt eſt dictū et vtatur electuarijs dictis ſta
tim in cura appetitus canini ab humore frigido
acetoſo in ore ſtomachi. ¶ Et ſi quis boliſmuz
habuerit.i.appetitum magnū et intenſum q ceſ-
ſauerit cū vno bolo vel ſine bolo. Conſidera cau
ſam ipſius ſi eſt magna caliditas mēbrorum diſſol
uens et inaniens mēbra et per conſequēs ipſum
orificium ſtomachi ppter magnā attractiōes ip
ſorum. Vel ſi eſt frigiditas hūorū acetoſorum inani-
ens ipſum orificium per viam conſtrictionis vt
eſt dictum in cura appetitus canini.

Cura ibidem dicta eſt:ideo nõ optet reite-rare. Si aũt ſit cauſa ipiꝰ frigiditas aeris da ſibi odorifera in manu vt fructus odoriferos: quia talia fortificãt appetitus. ⁊ da ſibi panẽ infuſum in vino odorifero ⁊ potẽt de eo. galãga confert ſibi maſticatũ ⁊ datũ in puluere multũ valet in paſſionibꝰ frigidis ſto' ꝓpter qđ iſta valent in cura ipius ſi ab hũore frigido etiã fuerit talis boliſmus cãtus ligẽtur extrema ligatione doloroſa ligãdo ⁊ diſligãdo ⁊ ꝑcutiãtur cum ṽgulis. Iſta valent dũ tñ cauſa nõ fuerit caliditas excedẽs ꝑfumatio cũ ambra valet eis multũ Et emplr̃are ſtomachũ cũ emplr̃o de maſtice cuꝫ modico lapdani vl' cũ ceroto facto cum. ℥. ß. olei nardini. ⁊. ℥. ℥. cere. ⁊. ℥. iij. maſtiq. ⁊. ℥. ij. alces cicotri' ⁊ applicẽtur ĉ aluta ſupra ſtomachũ. Et iſta valẽt. ⁊ ſi ſupueniat ſincopis potme ex dolore a cauſa frigida ſpergẽdo ſup faciẽ aquã frigidam vel ro. ⁊ meliꝰ ⁊ extẽdat' naſus eiꝰ ⁊ capilli ⁊ cũ euadũt a ſincopi cibent' ĉ vipa dicta. Si aũt tal' ſincopis ſubſequat' boliſmũ vl' aliã famẽ imẽſã rõne inanitiõis orificij rõne caliditat' excedẽtis in mẽbris rõne cuiꝰ attrahũt cũ violentia ab ipo orificio ſto'. Vl' ſi fuerit rõe caliditat' colere mordẽns ipm orificiũ ſto' qđ bene ⁊ pluries ꝯtingit In actu ſincopis ſpergunt' aqua frigida vel roſ. ſup faciẽ vt dictũ eſt ⁊ extẽdat' ſimiliter naſus ⁊ capilli ⁊ fricẽtur ligentur ⁊ ligẽtur extrema ligatione doloroſa. Et qñ euadũt a tali ſincopi cibet' cũ frigidis: puta cũ fructibꝰ frigidis ⁊ malogñato ⁊ nõ tardet' ⁊ fiãt illa que dicta ſunt i cura doloris ſto' a cauſa cal'a. ⁊ iſta ſufficiũt ꝓ nũc.

¶ Caplm. 68m. de dolore epatis ⁊ apãte eiꝰ.

The lyuer

Um q̃s male fuerit coloratus ⁊ cũ hoc malam habuerit formaꝫ habueritq; dolorẽ in dextro latere apud coſtas poſteriores ⁊ fuerit eiꝰ malus color citrinꝰ ⁊ fuerit cum hoc in ore ſiccitas ⁊ ſitis vehemẽs aq̃ ordei ⁊ ſucci herbarũ vt endiuie et ſolatri et cuſcute cum ſirupo aceto ſo ex zuccaro albo facto in potu tribuãtur. Emplaſtrum quoq; ex duobus ſandalis ⁊ roſis ⁊ cãphora ⁊ aqua roſata cum pãno lineo loco ſuperponatur. Qđ hoc modo fiat pãnus in predictis inuolutus ſuperponatur. Cumq; tepere ceperit remoueatur ⁊ aliꝰ loco eiꝰ apponatur. In potu preterea ſumat granatoꝝ ſuccũ ⁊ robur qui i frigidare conſueuerunt hic quoq; a vino ⁊ a confectionibus que de melle fiũt ſibi caueat ⁊ a cibis calefaciẽtibus ⁊ ſumat trociſcos de berberis qui ℞. ſucci berberis. ℥. x. ſeminis endiuie citroli ſemis portulace ſemĩs oĩm añ. ℥. iij. roſaruꝫ ℥. ij. rauetd ſeni. ℥. i. ſpice. ℥. ß. informẽtur trociſci põdere aurei vnius ex q̃bus detur vnus cũ ſirupo acetoſo de zuccaro: aut cuꝫ ſucco granati. Venter q̃z ſi neceſſe fuerit cũ ſucco fructuũ ſoluatur vt ſunt pruna ⁊ tamarindi ⁊ zuccaro albo. qđ ſi malus color qui ẽ cũ dolore epatis fuerit albus medius videlicet inter eũ qui eſt cum fluxibilitate ⁊ eum qui ẽ cum tumore fuerintq; cum eo vẽtris ſolutio ⁊ palpebrarũ atq; extremitatũ tumor trociſci de rauetd ſeni cũ ſirupo acetoſo đ melle in potu dandi ſunt q̃ ℞. maſticis ſucci eupatorij ſucci abſintij ſeminis feniculi aniſi omniũ ana ℥. ij. rauetd. ℥. x. informent' trociſci põdere aurei vnius ex quibus vnꝰ in potu oĩni die tribuat': ſumãtur preterea ſpica maſtix ciperũ ſquinãtũ calamus aromaticus crocus mirra. Deinde mirra ⁊ maſtix in

vino diſſoluta cum alijs miſceant̄
⁊ ex eis empl'm epati ſupponatur
Eger vero a cibis groſſis ⁊ frigi-
dis abſtineat. Si aūt hec nō ſuffe
cerint trociſci de lacca cum apoſi-
mate de radicibus ſunt dandi. tro
ciſci autem ꝺ lacca ſunt qui ℞ . lac
ce rauetd ſeni āboꝝ aā. ʒ. iij . ſpice
ſemis apij ameoſ maſticis ſquinā
ti ſe. iuniperi amigdalaꝝ amara-
rū coſti amari rubee ſucci eupato-
rij azari ariſtologie ro. gētiāe om
nium ana. ʒ. i. ⁊ ß . informentur ex
his trociſci pondere vnius aurei.

Apoſima ꝺ radicib⁹. ℞ . corti-
cis radicū apij feniculi āboꝝ ana
ʒ. x. ſemis apij ſemis feniculi flo-
ris ſquināti ameos omniuz aā. ʒ.
v. roſarū rubearū ſpice odorifere
amboꝝ ana. ʒ. iij. coquātur ī libra
vna aque donec ad tertiam rede-
at ⁊ detur in potu cum predictis
trociſcis. Si autē apoſtemata in
epate fiant eoꝝ cura erit vt apo-
ſtematū q̄ in ſtomacho generant̄

E dolore ⁊ apate epatis

Nota ꝙ epa
ti inſunt cōiter. 4. egritudines vt vult
Raſ i ſuo ɔtinēte ⁊ in diuiſionibus
ſuis. Una eſt apoſtema hūorale ſpāliter calidu
puta de ſanguie colerico vt vult Raſ: quia illi⁹
ponit curā pncipaliter in locis dictis. Cauſa eſt:
quia ſanguis flāticus vel melancolic⁹ nō pt ſub
forma ꝓpria penetrare ꝑ ſubam mēbri ſolidi. idē
vult ypo. ⁊ Ga. cañ. illo ⁊ cōmto ipi⁹. acide eru-
ctuātes. 6°. amphoriſ. Alia pa° ſibi eueniēs ē apo
ſtema vētoſum ſeu vētoſitas groſſa congregata
ſub eo faciēs morbū in receptaculo.

Cura hoꝝ eſt pñtis ſpeculatiōis in hoc. c.
Et iſta duo ſunt cauſa potiſſima do-
loris eius ſubam grauādo ⁊ ſoluēdo cōtinuum
poti^me in eius pāniculo q̄a eſt pars magis ſenſi
bilis. Alia paſſio eſt magis cōmunis epati ſup-
ueniēs ē mala ɔ°: iſta nō cauſat dolorē in eo: q: ē
mēbrū ꝺ ſe inſenſibile: ideo niſi cōcomitet̄ vētoſi
tas nō ſentit illā malā cōplōnē ſenſu aiato: ſ; bñ
naturali ex inſtinctu nat̄ali nat̄a ſentit ɔrietatē
⁊ lapſum ſuū: aliter nō lederet̄ in ſuis actionib⁹
naturalibus nec appeteret ɔtrariū ꝓpter deſide
riū q̄eſcēdi a leſione. cui⁹ oppo^m ponit Ga. 2. te-
gni. Alia pa° eſt ictericia cuius cauſa pncipalis
eſt mala ɔ° epat̄ cal'a. v. de interiorib⁹. c. penultio
nō negādo qui aliq̄n cauſet̄ vicio ꝓpo ciſtifell':
puta in eius ſuba vl' in meatib⁹ eius . ⁊ ex q̄buſ-
dam alijs cauſ vt dicit Ga. in loco allegato. alia
paſſio eſt opilatio viarū ei⁹. Alia ē ydropiſis. cu-
ius cauſa pncipalis licet mediata ē opila° vena
rū gibbi epatis. v. de interiorib⁹. c. penultio. nam
ex ipa regurgitat aquoſitas nō potens tranſire
advenas ꝑ vnū porū int̄ ciſach ⁊ mirach: vt dicet̄
in. c. ꝓprio. Ideo opilatio potiſſime gibbi vocat̄
mater ydropiſis: quia illam cauſat ⁊ generat in-
ducendo ſibi malā compl'oem cōiter cal'am licet
aliq̄n frigidā. Alia paſſio ſibi eueniēs pncipalit̄
eſt fluxus ſanguis ad modū loture carnis. Cui⁹
cauſa eſt mala compl'o dic̄ Raſ in ſuo cōtinēte:
⁊ in diuiſionibus ſuis ⁊ cura dicet̄ infra. ¶ Ul-
terius nota ꝙ epar ē mēbrū creatuz a natura in
ſui ſuba carnoſum, rubeū ⁊ quaſi ſit ſanguis cō
gelatus vt chilū, ad eū venientē aſſil'ando ſue na
ture rubificaret: ⁊ in ſanguinē cōuerteret: q̄a intē
tio cuiuſlibet mēbri ex inſtinctu nature eſt aſſil'a
re illam rē quā alterat. Ideo ipm epar eſt pnci-
pale inſtrumētū ḡnationis ſanguinis. 4°. de iu-
uamētis membroꝝ. c. iij. Et ſubdit ꝙ caret villis
neruoꝝ ꝓpter qd ꝺ ſe ē inſenſibile vt pulmo ſplē
renes ꝓpter eandem cām vt ſimil' vult Auic. c.
ſingulari de mēbris ſubdit Ga. ibidē. ꝙ cooperi
tur quodā pāniculo neruoſo extenſo ſupra eum:
immo ſupra originē venarū ꝓpter qd vene in ea
rum protenſione ſunt coopte illo panniculo ſub-
tili. ideo ſentiūt. 2°. de interioribus orto a q̄dam
pari neruo orto ab alijs ſpondilibus colli facien
te ipm epar acquirere ſenſum ⁊ ligare ipm cum
viſcerib⁹ ſtoma° ⁊ dyafrag°: ꝓpter qd ad paſſio
nē ipius ſeq̄tur paſſio colligatarū ptium diuerſi-
mode tamē ſm ſitū cauſe paſſionis. Nā q̄n apo
ſtema eſt in gibbo vel vētoſitas in illo panniclo
tūc plus leditur diafragma. Et quia dyafragma
eſt particula multum coadiuuās in anhelitu. 4.
de interioribus. Ideo leditur anhelitus quia le-
ditur eius motus ⁊ cauſatur tuſſis propter cal-

bein cauſas. Si autē cauſa apoſtemoſa vel ven-
toſa fuerit in concauo verſus ſtomachū: tūc ma-
gis patitur ſtomachus ⁊ tunc ſequitur ſingult⁹
magis. Et ſubdit Ga. in littera ꝙ ipſius epatis
ſubſtantiam ſubintrat vna vena pulſatilis ad cō
temperandū ⁊ viuificandum eius ꝓpriam natu
ram. Et ex tali arteria ſeu vena pulſatili a ſui cre
atione epar eſt calidum ſm plus vł minus reſpe
ctu temperamēti ad iuſticiam: propter qđ quia
talis vena pulſatilis ſeu arteria procedit a corde
⁊ orta atteſtantur a q̄bus oriunt. 2°. teg¹. Et qđ
deciditur ab alio atteſtatur ei a quo deſcinditur.
p̄mo amphorı̄. Ideo habentes cor calidum ha-
bent arterias ſatis magnas: quia de ratione ca-
lidi eſt dilatare. 2°. de complōnibus: ⁊ epar ſatis
calm ⁊ per conſequēs venas ſatis latas licet ħ
ſemper non ſequatur quia informatiua aliquan-
do ꝯ operatur. Patet ergo tibi quare aliqui na-
turaliter habent epar calidum ⁊ econtra accidit
autem ex opilationibus vel alias poteſt, etiaꝫ ac
quirere caliditatem excedentem. Et ſubdit Ga.
in littera: ꝙ epar eſt p̄ncipium venarum q̄ ſunt
radices earum que protendūtur in corpus diſp-
tite quoꝝ villi ſuggunt ⁊ attrahūt hūores a par
uis venis parue a magnis. mag^e ab epate epar
a meſeraicis. meſeraice a ſtomacho ⁊ expellunt
⁊ retinet ſm diuerſitatem villorum. Nam bn̄ de-
claratum eſt. 2°. de complōnibus. in. c. 4. ꝙ villi
venarum pulſatiliū ⁊ nō pulſatilium non habēt
ortum neqꝫ motum a cerebro: ſicut neqꝫ villi ſto
machi inteſtinorum veſice ⁊ matricis ſed inſunt
eis ex eorum creatione: ſubdit ꝙ vene que p̄mo
habent ortum ſunt due. Una eſt que ē porta ſeu
portanaria dicitur. Iſta oritur in concauo epa-
tis ſeu in ſima. Iſti ineſt attrahere chilum a ve-
nis filoſellis ſeu meſeraicis ab ea ortis que filo-
ʒelle ſeu meſerayce de facili opilantur: quia ſtri-
cte ⁊ graciles propter quod attractiua vene p̄nci
palis dicte deficit. Et cum tali opilatione cōmu-
niter cōcomitatur magna egeſtio liquida ⁊ chi-
loſa vt dicetur infra. Alia eſt vena principaliter
ab ipſo epate que oritur a gibbo que vena voca
tur concaua que graciliatur ⁊ ſtringitur natura-
liter. Ideo de facili opilatur Raſis in ſuo conti
nente immo aliqui habent hoc ex vicio parētum
magis ibi ſequeſtratur ⁊ depuratur hoc ab hoc.
Propter quod dicit Gal. in loco allegato ꝙ iſti
ineſt expellere ⁊ ſeminare nutrimentum ad mē-
bra cum aquoſitate neceſſaria in curſu humorū
ꝓpter quod dicit Galienus. 5°. de interioribus.
capl'o penultimo ꝙ ſi iſta opilatio non bene vri
nat. Ideo venit neceſſario ad ydropiſim: nam ſi-
cut alia opilata facit fluxuꝫ ventris eo ꝙ chilus
non poteſt tranſire. ſic iſta facit ydropiſim eo q̄ſ
aquoſitas vrine non potens tranſire regurgitat
ad alios meatus vicinos: qui ſunt inter ciſach
⁊ mirach. puta ad meatum qui tendit ad vmbili
cum per quem veniebat nutrimentum ad epar
pro toto corpore ad membra in vtero materno ⁊
veniendo reſudat per quem veniebat nutrimētū
ad epar ꝓ toto corpore ad membra ī vtero mater
no ⁊ veniendo reſudat per viam ſudoris congre
gatur illa aq̄ſitas inter ciſach ⁊ mirach: ⁊ inteſti
na. Propter quod notum eſt ꝙ non quecunqꝫ
opilatio epatis non eſt cauſa ydropiſis: niſi illa
que fit in gibbo propter cauſam dictam: vt bene
declaratum ⁊ concluſum eſt. 5°. de interioribus.
in capl'o penultimo. Propter quod illa eſt dete-
rior q̄ ſit in alijs venis epatis.

Ulterius nota ꝙ epar interdū apoſtematur in
ſui ſubſtantia puta in gibbo in quo communi-
cat panicul⁹. Tunc ſequitur tuſſis neceſſario ⁊
difficultas anhelitus propter compreſſionem di
afragmatis ligatum cum panniculo ſuo: vt dcm̄
eſt ⁊ eſt figure lunaris ⁊ ſequitur neceſſario idro
piſis. Interdum apoſtematur eius ſubſtantia in
concauo tunc minus dolet quia minus tenditur
panniculus propter quod dolor min⁹ aſcendit
ad ſpatulas ⁊ appodiatur ſupra ſtomachum: et
ſtomachus compatitur ⁊ conatur expellere il-
lam rem grauantem vel fumuꝫ pungentem. idō
ſingultat cum iſto eſt maior egeſtio ꝙ cum alio.
¶ Interdum apoſtematur in venis meſeraicis
tunc dolet aliqualiter propter panniculum extē-
ſum ſuper eas in earum creatione ⁊ protractio-
ne tunc eſt maior egeſtio quia minus tranſit de
chilo ad ipſum epar. ¶ Interdum apoſtematur
in lacerto ſupra ipſum epar tunc eſt figure oblō-
ge vel trāſuerſalis: quia lacerti ſunt diuerſi quo-
rum aliqui tendunt ad longum. aliqui in tranſ-
uerſum. propter quod tumor lacerti apoſtemati
communiter ſequitur figuram lacerti talia apo-
ſtemata communiter ſunt đ ſanguine ſubtili co
lerico vt dictum eſt de intentione Raſis in diui
ſionibus ſuis ⁊ in ſuo continente.

Primo tu queres vtrū
epar ſit membrum ſpermaticum vel ſanguine-
um. ¶ Uidetur ꝙ ſit ſanguineum: quia eſt ve-

lud ſanguis coagulatus. vt dicit littera quarto
de iuuamẽtis membroꝝ in.c.4°. Idẽ dicͭ Auic.
3°.cañ.fen.14ª.in ꝓncipio.igitͭ erit membrũ ſan-
guineũ igitͭ deꝑditũ poterit reſtaurari ꝯñs fal-
ſum eſt. ¶ In cõtrariũ eſt Ga.4.de iuuamẽtis
in.c.4:⁊ auic.p° cañ.doct. ƌ mẽbris.c.ſingulari
oia ꝓncipalia ſunt creata ⁊ cõfecta ex ſpermati-
bus ſm ꝓus ⁊ poſteri⁹:nã cerebrũ ſm ypoc. Cor
ſm phos Ga.aũt in libro ƌ ſentẽtijs dicͭ ꝙ epar
Sed credo illũ librũ nõ eſſe Ga.qui fuit ꝓnceps
artis Rabimoyſes dicit in floribus.g.li°.xxv. ꝙ
duo fuerͭ ga. Ille ſcõs fecit aliq̃s libros Similͭ
dicendũ ad queſitũ ꝙ epar ẽ mẽbꝝ ſpmaticum
ex ſpermatib⁹ cõcreatũ cũ multo ſanguie men-
ſtruali coagulato inſpiſſato in modũ carnis du-
re rubee ex intẽto nature:vt chilũ a ſtomacho at
tractũ alterando ſibi aſſiſãdo :rubificaret ⁊ in
ſanguinẽ conuerteret cum ſit intentio ex inſtinc-
tu nature in quolibet mẽbro aſſimulare rẽ quaꝫ
alterat vt dicͭ Ga.4.de iuuamẽtis in.c.3°. ¶ Ad
rõnem cõcedo ꝙ eſt ſanguis cõgelatus cũ ſper-
matibus ꝓpter qƌ ſpermaticũ:nam oĩa mem
bꝛa ſpermatica ſunt confecta ex ſanguine men-
ſtruali ⁊ ex ſpermatibus ſm plus ⁊ min⁹:ideo i
alijs ſanguis fuit dealbat⁹ ex ſpermatib⁹. ¶ Tu
dices in vnione ſpermatũ q̃ñ occurrit talis ſan-
guis mẽſtruus nec quare occurrit. Dicẽdũ ꝙ ho
ra certa neſcitͭ apud nos ſolus deus ſcit. Dicitur
cõiter ꝙ infra aliq̃s horas vł infra mediã vel cir
ca vt bene declarabitur infra in.c.de ſignis ꝯce-
ptiõis ex intẽtione raſis in ſuo ꝯtinẽte. Et natu-
ra ꝓuidet de ſanguine illo mẽſtruoſo:quia ſper-
mata nõ ſufficeret ad cãndum oĩa mẽbra ſper
matica cũ ſperma poti^{me} viri ſit in modica q̃ti-
tate. Ideo humidũ qƌ acquiritͭ in mẽbris ante
fetus nutritiõem ex ſpermatib⁹ ⁊ ex illo ſanguie
mẽſtruali dicitͭ hũidum radicale.apud nos hũi-
ditas radicalis acquiſita in mẽbris ex ſuba ſper
matũ.illa eſt irreſtaurabilis q꞉ ita pura nõ poteſt
per nutritionẽ acquiri.illa que eſt in mẽbris acq̃
ſita a ſanguie mẽſtruali. Illa ẽ bene reſtaurabiłͭ
hoc vult Ga.2°.reg^{1}.cañ.illo. Medie ỽo regio-
nes ideo dicit pſalmiſta. Enumeraſti dies meos
q̃s preterire nõ potero. Regimie ꝯſeruatiuo ad-
huc ſuppoſito illa hũiditas ſpmatica q̃ ẽ in mẽ-
bris tanq̃ pabulũ ꝓpriũ calidi innati habet tp̃s
limitatum ad ꝯſeruãdum illud calidũ innatum.
ſicͭ.ʒ.i.olei in lampade habet certas horas dura
tionis pro conſeruatione flãme in lampade ſup-
poſito ꝙ conſeruetur a vẽto ⁊ ab alijs. Ideo dicͭ
auic.doc.de cõplõib⁹ in.c.ꝓmo ꝙ dato ꝙ ỽtus
generatiua ſanguinis ⁊ nutritiua infinita foret
ad reſtaurandum corpus adhuc non duraret in
mo limitationem ⁊ finem haberet. Et eſt paſſus
male intellectus a modernis.

Secũdo tu queres apoſtema epatis
cuius particule epatis ẽ paſ
ſio principaliter. ¶ Dicendum ꝙ interdum gib-
bi interdum concaui: interdum lacertorum ſu-
pra epar interdum meſeraicarum ſigna dicẽtur
apoſtema autem in gibbo epatis eſt deterius;
quia citius cauſat ydropiſim propter cauſam di-
ctam:licet quodlibet apoſtema epatis per viam
indigeſtionis ⁊ generatiõis aquoſitatis ſit cau
ſa generatiõis ydropiſis.quinto de interioribus
capitulo penultimo. potiſſime ſi durauerit. Et
talia ſibi inſunt per colligantiam venit quod ve-
nire nõ debet ſm naturaꝫ puta ſanguis excedẽs
in quanto vel in quali vel ventoſitas. Et apoſte-
ma humorale eſt triplex genus morbi vẽtoſitas
intercluſa dicit morbũ in receptaculo. Et apoſte
ma humorale ⁊ ventoſum ſunt ex nocumento di-
geſtiue ⁊ expulſiue epatis ꝓncipaliter dolor au-
tem eſt nocumentũ virtutis ſenſitiue.4°.de mor
bo in.c.vi.quia eſt actio corruptiua ſenſitiue vir
tutis.dolor autem eſt nocumẽtũ actiue ſeu paſ-
ſio ſenſus cõmunis quia dolor a virtute ſenſitia
non apprehenditur ſed a ſenſu cõmuni quia nul
la virtus reflectitur ſuper actũ ꝓpriũ niſi intelle
ctiua.apoſtema autem eſt nocumẽtuꝫ actiue ſeu
paſſio virtutum naturaliũ ipſius epatis ⁊ partiũ
vicinarum puta generatiue ſanguinis ⁊ aliaruꝫ
oĩes cõicant in nocumento vt dicetur caplõ de
ydropiſi. Et fit dolor magis in epate a ſoloe ꝯti⁹
ratione pãniculi quia extenditur rõne tumoris
humoralis vel vẽtoſi.

Ulterius tu queres opila
tione
narum epatis vel meſeraycarum vel aliarum cu
ius virtutis eſt nocumentum principaliter acti-
ue intelligendo ſeu ſit paſſio ꝙ ſit cauſa ſue male
actionis. Uidetur ꝙ non ſit nocumentum alicu
ius virtutis nec cauſa leſionis actionis alicuius
virtutis:⁊ ſic non erit morbus cuius oppoſitum
ſupponitur in queſito. Si opilatio venaruꝫ epa
tis inferret nocumentum actioni alicuius virtu-
tis:aut illa actio eſſet animata aut naturalis pꝫ
ex ſufficiẽti diuiſione:quia non ſunt niſi iſte due
actiones in corpore noſtro.4°.de morbo in ca^{o}
primo.ſed nulli iſtarum infert nocumentũ pꝫ nõ
aiate q꞉ ibi nõ eſt nec naturali quia tunc opila-
tio eſſet morbus conſimilis ⁊ non officialis,

ꝯ̄ñs eſt falſū. ꝓbať ꝯ̄ña. q꞉ om̄is morbus eſt cā̄
immediate nocumēti actōnis eiuſdē generꝭ. pu
ta cōſilis actōis naturaľ. officiaľ actōis officiaľ
⁊ aiate vt ponit ga. ꝑ alphabeto in pᵒ de morbo
⁊ in 3ᵒ. nam morbꝰ ꝯ̄ſilis dr̄ q꞉ pmo ineſt in con
ſilibus eoꝝ imediate actionē corrumpēdo. ſatis
eſt fortis iſta rō illis qui non viderunt expoſitō
nem libri de morbo datam in lecturis ordinariꝭ
Dicendū ꝙ actio noſtri corpis bene eſt duplex i
genere vt eſt dcm̄ intētōne ga. cᵒ. pmo. 4ˡ. ꝺ mor
bo. q꞉ ois eſt naturaľ vľ aiata. ſ; iſta naturaľ du
plex ē. qdam eſt pure naturaľ pticularis. iſta ē in
mēbris pl̄ibus. Alia eſt naturaľ officiaľ. q꞉ ex of
ficio ꝑ neceſſitate corpis debeť membris. vt di
geſtiua ſtoᶦ. epatis attractia. ſanguis retētia. ex
pulſiua ſan. ⁊ aquoſitas venarū. nam ꝑ ſeruitio
cōi totius corpis debenť iſte actōnes ipſis venis
ſic patȝ tibi ſolutio clara ꝙ opilatio que eſt in ve
nis eſt morbus officiaľ ⁊ cauſa imediata nocu
menti actōnis naturaľ officiaľ in vēis. ſ. attracti
ue ⁊ expulſiue ſanguis ⁊ aqſitaŧ ꝑ venas ⁊ pȝ.

Iſtis clarificatis cura apo
ſtematis
epatis tibi pateſcit. Prius aūt ꝙ̄ in cura proce
das ſcire ⁊ cognoſcere oȝ locū ⁊ cā̄m talis apo
ſtematis. ❡ Si qs ergo apoſtema in meſeraicis
vel in ꝯcauo epaŧ quod ſima a quibuſdāˡ dr̄ ha
buerit. quod pateſcit ex dolore ⁊ aggrauatōne ⁊
calore magno ſub dextro ypocūdrio. verum qn̄
eſt in meſeraicis tunc ſe extēdit magꝭ vſqȝ ad vm
bilicū ꝓpter colligantiā cum ſingultu ⁊ fe. conti
nua. aliqn̄ cum nauſea ⁊ vomitu. cum lenitate vē
tris. q꞉ chilus nō bn̄ pt trāſire. ideo creſcūt ege
ſta cum malicia decubitꝰ. magꝭ tm̄ ſupra ptē ſini
ſtram. Et ſi ſit magꝭ ex ſanguie eſt cum aliqli dul
cedine oris ⁊ vrina ſatis rubicunda. vel quaſi in
ops alba oculoꝝ rubeſcūt. Si ſit magꝭ de co. vri
ne ſunt ſubcitrine cum ſpuma quaſi citrina ſeu
crocea cum liuore ſub circulo ⁊ alba oculoꝝ citri
neſcūt. Si ſit de materia flātica fe. eſt magꝭ molľ
⁊ vrina magꝭ remiſſa turbata groſſa cum ꝓuatio
ne ſignoꝝ ſupradictoꝝ. Vez in om̄i apoſtemate
epatis vrina cōiter eſt turbida in ſubſtātia ſi ſit ꝺ
materia flātica fe. eſt magꝭ mitis ⁊ mollis ⁊ vri
na magꝭ remiſſa turbida groſſa. Cōiter in oi apo
ſtemate epaŧ vrine ſunt turbide ſ̄m plus ⁊ minꝰ
ſi ſit de materia melēca fe. magꝭ remittuntur ⁊ eſt
ibi duricies magꝭ. ❡ In pmis ſex vel ſeptem die
bus ſi ſigna atteſtanť ſup dn̄io ſan. vel colere fi
at flōmia de epatica brachij dextri intentōe raſ
in ſuo continēte ⁊ in diuiſionibꝰ ſuis. ⁊ Ha. piijᵒ

de ingenio. caᵒ. 6ᵒ. ꝓcedente cliſteri lenitiuo cuȝ
ſola decoctōne cōmuni caſſieꝭ. ⁊ oleo violaceo. ſi
ne aliqua opiata. nam yerapigra nec benedicta
valent in hoc caſu. Et fiat ſiliter de vena que eſt
inter indicem ⁊ mediū digitū vt vult raſ in ſuo
continēte. Epithimeť epar in pmis tribus diebꝰ
cum ſtuppis canabinis intinctis in ſucco ſolatri
tepido vel quaſi tepido. de ſex in ſex horis reno
uando. vel epithimeť cum ſandalis puluerizaŧ
⁊ aq̄ roſ. vbi ſit. ℥. ß. aceti. ⁊. ℈. i. camphore. Vtať
aqua ordei ⁊ vino maloꝝ granatoꝝ cum aq̄ ſim
plici bullita. vtať auenato ordeato poſtponendo
vinū ex toto. Vez poſt tres dies epar non debet
tantuȝ infrigidari. ſ; ſirupeť poſt illos dies cum
aqua endͦ. vel cum aqua ſolatri vel cum ſirupo
acetoſo ſimplici ⁊ laxeť ſi neceſſe fuerit cum. ℥. ij.
caſſieꝭ. diſſolute in aqua endͦ. vel cum ꝑunis et
℥. ij. thamarindoꝝ. poſtponanť diuretica ne mate
ria ꝓfundeť ad intra. Et poſt illos dies dum erit
in augmēto epithimeť epar cum oleo roſ. vbi ſit
decima ps aceti ſimul agitaŧ ⁊ incorpaŧ. vel ap
plicamꝰ farinā ordei coctā cum aqua ⁊ 3ª pte vľ
quarta ſucci abſinthij. poſtea veniedo ad ſtatuȝ
vel prope loco farine ordei applicamꝰ farinam
tritici coctam cum aqua ⁊ modico olei violacei
vel roſacei. Vez endiuia horteň ⁊ ſilueſtris ſum
pta cum modico aceti in pncipio comeſtionis ē
multū vtilis in om̄i mala complexione epatis ca
lida apoſtemoſa ⁊ nō apoſtemoſa. raſ in ſuo cō
tinente. Verū talia apoſtemata in cōcauo epaŧ
terminanť tribꝰ modis. per ſudorē. per fluxū ven
tris ⁊ per vomitum. ⁊ aliquando tľia apoſtema
ta reſoluunť ſine collectōne ſaniei ⁊ ſequiť ſani
tas. ſignū huius q꞉ alleuiatur infirmus ⁊ ſedať
febris ⁊ quieſcunt om̄ia accidētia. Aliquādo col
ligitur ſanies ⁊ ſequiť vomitus ſaniei ⁊ ſanguis
⁊ egeſtio vtriuſqȝ. Aliquando reſoluitur magna
portio materie ⁊ ſeq̄tur duricies ⁊ ydropiſis: vt
patet ad ſenſum. ❡ Si vͦo tale apoſtema fuerit ꝺ
flegmate vel de melancolia tūc ſi non competūt
flobothomie nec tanta infrigidatio epatis. Cō
ſilium eſt pauca ⁊ cōmunia facere in talibꝰ apo
ſtematibus occultis membroꝝ pncipalium. qa
ad iſta ſeq̄tur cōmuniter ydropiſis licȝ non tātū
ſicut ad apoſtema gibbi epatis ⁊ modicus error
eſt cauſa magni erroris in talibꝰ. Sufficiant ti
bi auxilia cōmunia in talibus quia magis ſecu
ra cum bona dieta in cibo ⁊ potu alteratiua ſ̄m
plus ⁊ minus ſ̄m diuerſitatem cauſe ⁊ temporū
morbi cōmittendo vnam partem cure deo ⁊ na
ture. ❡ Et ſi quis apoſtema epatis in gibbo ha

buerit calidū quod cōiter ſit de ſanguie cum po-
tione co. quod pateſcit ex ſignis dic̄ꝑ p̄terq̄ pau-
cis. q: malicia decubit⁹ eſt maior ſupra latus de-
xtrum ⁊ dolor ſentit̄ iuxta ſpinā ⁊ circa furculas
⁊ vēter cōſtipatus ꝑpter caliditatē epatis et ne
ceſſario cōcomitat̄ tuſſis ſicca loco ſingult⁹ ꝑpt̄
compſſionē dyafragmatꝭ ⁊ ꝓhibitionē aliqualē
eius motus. Cuius figura eſt in forma lunari pu
ta in forma gibbi ſm qd̄ materia eſt magꝭ calida
ſm hoc eſt maior ſitis ⁊ ariditas lingue ⁊ maior
febris. Cura huius non diuerſificat̄ a cura alior
dictorum niſi ꝙ in apoſtemate gibbi competūt
magꝭ diuretica ⁊ materia debet trahi magꝭ ad p-
tes vrinales ſicut in alijs ad ipſa inteſtina. vnde
iſta apoſtemata gibbi magis ſunt pernicioſa. q:
cito ducunt ad ydropiſim ꝑpter opilationē vena
rum gibbi. ideo neceſſario aqua regurgitat int̄
ciſach ⁊ mirach ⁊ in paucis diebus tumeſcūt in
ventre. ⁊ terminant̄ ⁊ curātur talit̄ qualiter vno
de trib⁹ modis. per vias vrinales: per ſudorem ⁊
per fluxū ſanguinis narium. Uitande ergo ſunt
medicine laxatiue attractiue. q: medicine tunc re
plerent ipſum epar ⁊ grauarent. Teneat̄ venter
laxus cum cliſteribus lenitiuis ſine aliqua opia
ta. Poteſt etiam dari caſſiaf. ℥. ij. cum decoctōne
vel aqua endiuie. ⁊ ſi neceſſe fuerit. ℥. ij. thamari
dor cum decoctōne prunorum. In p̄mis diebus
flobothomet̄ ⁊ ſirupet̄ ⁊ dietet̄ vt eſt dc̄m in cu-
ra apoſtematis in cōcauo epatis. Poſtea dum
fuerit in ꝓceſſu augmenti vtat̄ decoctōne filicis
nam raſ multū laudat in ſuo continēte q: aperit
opilatōnes epatis ſine calefactōne ⁊ ſine infri-
gidatōne. ſpica ⁊ ſquinātum conferunt ſilr̄ in
apoſtematibus epatis in potu ⁊ in emplaſtris.
ſimilit̄ yſopus in decoctōne. fiat ſibi talis ſirup⁹
℞. radic̄ ſparagi. ℥. ij. endiuie ſcariole capilli ve-
neris an̄. m. ß. foliorum abſinthij. ℥. ß. yſopi filicis
an̄. ℥. ij. ſpice ſquinanti. an̄. ʒ. ij. ſeminis melonū.
cucur. an̄. ℥. ß. ace¹. ℥. ß. p̄ais zuc¹. lb. ß. f. ſir⁹ ad. lb. i
d̄ q̄ vtat̄ c̄ aq̄ bullita. Sirup⁹ acetoſus ſimilit̄ va
let ſibi cum aqua ſimplici bullita. Utaris cōmu
nibus auxilijs in talibus paſſionib⁹ occultis p̄n
cipaliū vt p̄dictum eſt tibi q: modicus error i ta-
libus eſt cauſa magni erroris. Et ſi cum tali apo
ſtemate apparent ſigna materie flegmatice in ſi
rupis ponas rad̄. magꝭ fortes ⁊ magis calidas.
feni. petro. apij. achori. multa cōmittunt̄ diſcretō
ni operantis. Et ſi q̄s apoſtema flegmaticū ha-
buerit in lacertis ſupra epar ſupra lacertum lon
gum vel tranſuerſalem quod pateſcit ex figura
oblonga vel tranſuerſali ipſius apoſtematis re-
tinentis figuram membri curet̄ prout debet cu-
rari. flōmes cum flobothomijs ⁊ infrigidatōni-
bus dictis in p̄mis diebus. ⁊ dum procedet i au-
gmento diuerſifica ꝓut dc̄m eſt in alijs. Et ſi q̄s
apoſtema in mirach habuerit quod pateſcit ex
dolore ⁊ tumore particule. ⁊ quia febris non cō-
comitatur ꝓcedas ꝓut in cura apoſtematū fle-
gmaticorum eſt ꝓcedendum diuerſificando ſm
tempa ipſius. ¶ Et ſi quis apoſtema ventoſuz
ſeu ventoſitatem groſſam in concauo epatis vel
in alia parte epatis habuerit. quod pateſcit quia
tenditur ⁊ patitur dolorē ⁊ grauitatem ⁊ tentio-
nem in dextro ypocundrio cum ſingultu vel tuſſi
ſm ſitum talis ventoſitatis ⁊ ſine febre cum di-
geritur cibus minorat̄ illa tentio. ⁊ econtra ven-
toſet̄ cum ventoſis magnis ſine ſcarificatōne ⁊
ſaccelletur locus cum milio camomilla ⁊ furfu-
re ⁊ aniſi conquaſſatis ⁊ torrefactis. inungan-
tur cum oleo de ruta. vel fiat ſacculus talis q̄ ca-
lidus applicet̄. ℞. maſticis ſubtilit̄ puluerizati.
℥. ß. ſpice ſquinanti. an̄. ℥. ß. foliorum abſinthij ſic
ci. ʒ. ij. fiat ſacculus paruus quadrat⁹ interbaſta
tus in panno lineo raro vel duplet̄. recepta fiant
duo ſacculi qui calidi applicent̄ alternatis vici-
bus reiterando ventoſas ſero ⁊ mane ante cibū
Iſta ſufficiant.

¶ Capitulum. 69m. de ycictericia.

I cum yctericia fuerit
febris: ſuccus endiuie ⁊
ſolatri ⁊ aqua ordei e-
gro in potu tribuatur.
Ipſe quoqꝫ ex cucurbita ⁊ criſolo
canna ⁊ citrolis ⁊ his ſimilib⁹ her
bis frigiditati attinentib⁹ nutriē-
dus eſt ⁊ ſyrupū acetoſum ex for-
tiſſimo aceto in potu ſumat. Epa
ti preterea emplaſtruz ex duobus
ſandalis eſt ſuperponēdus ⁊ ven
ter ex ſucco prunorū ⁊ zuccaro ſol
uendus. Que ſi non ſuffecerint
trociſci de camphora cū ſucco gra-
natorū dandi ſunt.

Trociſci de camphora.

℞. zuccari ſpodij roſ, rubearū om

niuꝫ ana.ʒ.iij.ſeminis endiuie ſe
minis citrolorū cucurbite lactuce
portulace ſe.ex omnibꝰ ſandali ru
bei omniū ana.ʒ.i. informent̄ ex
his trociſci pondere.ʒ.ij. ex quibꝰ
quotidie vnus cum ſexta.ʒ. vnius
de camphora detur. Si autē eger
venas habuerit plenas: fueritqꝫ
diu ex quo minutus non fuit: flo-
bothomet̄. Poſt ſi ycteritia fuerit
ſine febre eveniet ex his pillulis ſol
uatur que. ℞. aloes.ʒ.i. ſcamonee
quarta.ʒ.i.agarici partes.ij.ʒ.vni
us.ſucci eupatorij tertia.ʒ.i. Ex
his cum ſucco endiuie cōfectis fi-
ant pillule ſufficiēt ad doſim vnā
Deinde dentur trociſci de lacca
cum apozimate de radicibus. Si
autē ycteritia in oculis remanſe-
rit eger fortiſſimū acetum paulati
olfaciet ꝛ balneum ingrediat̄. eiꝰ
quoqꝫ oculis qui ycteriam cum
febre patitur aqua roſata immit-
tenda eſt ycteritie preterea valde
confert vt eger per tres hebdoma
das ſerum bibat.

b **Eictericia** ꝛ eius cura.de
ycteritia. i. de
malo ꝛ fedo colore cutis.nam iſta paº
deſcribit̄ noīe accidētis ꝛ a ſilitudine
cuiuſdam auis crocei coloris incolātis loca ſra
ꝛ deſerta in eſtate que dicit̄ yctaris. a colore vt
dicit ſymon ianuenſis.vnde ycteritia eſt color fe-
dus innaturalis cutis corporis tendens ad ci-
trinitatem vel ad viriditatem vel ad nigredinem
propter ſparſionem humorum citrinorum vel vi
ridium vel nigrorum ad ipſam cutim vt dicit ga
lienus quinto de interioribus.c. penultimo. ꝓpt̄
quod ſūt tres ſpēs ſubalterne ipſiꝰ ycteritie. ci-
trina viridis ꝛ nigra.que ex cā materiali triplici
diuerſa cauſant̄.vt dicit ga.in.c.illo penultio. nā
ycteritia citrina fit de co. rubea vel citrina ſpar-
ſa in membris. Viridis fit de colera praſſina vel
eruginoſa ſeu innaturali colera tendente ad na-
turā illorū.Nigra fit de melācolia ſparſa in mem
bris ꝛ in cuti.quelibet harū ſubdiuidit̄ in duas
ſpecies ſpecialiſſimas diſtinctas rōne cauſe effi-
cientis ꝛ materie in ſui malicia rōne q̄nti vel qua
lis vel rōne vtriuſqꝫ.naꝫ ycteritia citrina duplex
eſt vt dicit ga.in.c.illo penultimo. Quedaꝫ eſt q̄
fit ſubito a virtute expulſiua venarū epate exiſtē
te ſano. Iſta aliquādo fit in criſi acutarū febriū.
Alia eſt que fit paulati.iſta fit vitio ciſtifellis.q̄a
nō attrahit colerā illam rubeam nec citrinaꝫ ab
epate.nec eam expellit ꝑut debꝫ.quia vie ſeu po
ri ſunt opilati.vel ciſtis in ſe deficit q: multū ple
nus non potēs ſe latitudinalit̄ comprimere ſicut
veſica multum repleta.vt declarat ga.in.c.illo pe
nultimo in fine.nec pōt per conſequēs bene at-
trahere. Iſta magis fit a colera naturali q̄ alia.
q: febris fit magis a colera innaturali ex ſe ꝛ rōne
putredinis. Ycteritia viridis duplex eſt ſimiliter
quedā eſt que fit ꝛ eius cauſa materialis multi-
plicat̄ vitio epatis.nam epar ꝓpter innaturaleꝫ
complexionē calidā ipſiꝰ acquiſitā a cibo vene-
noſo ca.vel medicina vl̄ alias in eo ꝛ i ſtomacho
cum opilatōne apoſtemoſa vl̄ non apōſa corrū
pit hūores in eorum generatione. nam aliquan
do color corporis fit ex hoc ſicut color herbarum
inter viriditatem ꝛ albedinem.ꝛ aliquando ſicut
color plumbi.vt dicit Gal̄. in illo.vº.de interiori
bus caplo penultimo. Alia eſt que fit vitio vena
rum ꝛ ſanguinis ipſarum.nam ſanguis aliquā-
do corrumpitur in venis ex morſu ꝛ punctura a-
nimalium venenoſorum.vt declarat Gal̄. in eo-
dem capitulo penultimo. De miniſtro regis cu-
ius officium erat capere tyros. qui morſus a ty-
ro factus eſt ycteritus ad modum coloris praſſi
ni qui curatus fuit cum potu tyriace continuato
per aliquos dies vt ponit Galienus ibidem. Et
ſubdit q̄ idem poteſt fieri ex malis ꝛ venenoſis
medicinis. Ad quod etiam facit caliditas vena-
rum ꝛ ſanguinis totius corporis.vt dicit Auicē-
na in tertio canone in capitulo proprio.acquiſi-
ta ex longa mora in ſole cum laboribus magnis
inaſſuetis tempore multum calido ꝛ in regione
multum calida cum aere multū turbido. ad q̄ḋ
etiam facit aliquādo retentio menſtruorum ꝛ e-
morroidarum. ſilit̄er facit ad hoc refectio ciborū
de facili corruptibili vt piſciū lacuuꝫ vt ſcarpaꝝ

⁊ lactis. nam ſanguis inde generatus modica
occaſione corrumpit̃ ⁊ in colerã innaturalẽ i ſui
ſubſtãtia non per viam mixtiõis cõuertitur. quia
in naturã colere praſſine. ſic patet tibi ꝙ ſunt due
diuerſe ſpecies rõne cauſe efficientis ⁊ materia
lis. imo illa que eſt vitio epat̃ eſt magis aduſta:
ideo eſt magis eruginoſa ⁊ peior. Yctericia ni-
gra ſilr̃ duplex eſt. quedã eſt cuiꝰ materia cõ-
gregat̃ in corpore vitio ſplenis. quia nõ attrahit
nec expellit modo debito feculentiã naturalẽ ſan
guinis ab epate q: porus per quẽ attrahit ẽ opi
latus ⁊ per quem expellit vel ſplen in ſe multuz
plenus non potens ſe latitudinaliter compmere
non poteſt illam feculẽtiam expellere ad inteſti-
na per illum porum. ꝓpter quod gal̃. in groſſicie
ſplenis ipſum docet inungere cum vnguẽtis ſti
pticis vt ipſe recitat. xiº. de ingenio. in caplõ. 8º.
nec poteſt aliter mundificari quia nõ habet viaz
ad renes vt ipſe ponit. xiijº. de ingenio. caº. 6º. in
fine capituli. ¶ Alia eſt yctericia nigra cuius cã
materialis congregat̃ vitio epatis. nam epar ꝓ-
pter innaturalẽ complexionẽ calidam aliquãdo
adurit humores ⁊ generat multum de melanco-
lia innaturali que rõne multitudinis non poteſt
ſufficienter attrahi ab ipſo ſplene: dato ꝙ ſplen
non errauerit in actõne. De poſſibili autem ſplen
poteſt cõmunicare in nocumẽto tl̃i. Patet ergo
tibi duas ſpecies ycterície nigre eſſe diſtinctas
rõne cauſe efficientis dicte ⁊ cauſe material̃. q̊a
vna ſpecies fit magꝭ de melancolia naturali. alia
de innaturali magis. Patet ergo tibi ꝙ tres ſũt
ſpecies ſubalterne ipſiꝰ ycteric͡ie. ⁊ ſex ſpecialiſſi
me. oĩa iſta explicant̃ a gal̃. in 1º. vº. de interio
ribus in caº. penultimo. ¶ Ulteriꝰ nota ꝙ ciſtiſ
fellis creatus eſt a natura ad extrahendũ humo
rem colericum ab ipſo epate ⁊ ad depurandum
ſanguinẽ ab ipſa colera rubea ⁊ citrina vt dicit
Gal̃. vº. de interiorıbꝰ in. caº. penultimo. ⁊ habet
vnũ porum qui adheret ipſi epati per quẽ attra
hit cum villis ipſiꝰ pori longitudinalibus q̊ non
habent ortum nec motum a cerebro ſed a ſeipſo
vt dicit Gal̃. 2º. de complexionibꝰ. caº. q̄rto. In-
terdum opilatio a colera groſſa ꝓpter quod non
poteſt attrahere. ⁊ habet aliũ porũ qui tendit et
adheret p̃mis inteſtinis. ſ. ipſi duodeno per quẽ
expellit ipſam ad ipſa inteſtina vt mundet ea et
incitet ad expellendũ ſupflua. Interdũ opilatur
ꝓpter quod ſequitur colica ex ſuperfluo flegma
tico ⁊ vẽtoſo non bene expulſo. ⁊ ſequit̃ mala ſã
guinis mundificatio ⁊ ꝑ cõſequẽs ycteritia. In
terdum iſtis poris nõ opilatis ipſe ciſtis eſt mul

tum plenus qui nõ valet ſe latitudinalit̃ compri
mere. nec per cõſequẽs illam colerã a ſe expelle-
re vt contingit veſice multũ replete ꝙ quia non
valet ſe latitudinalit̃ comprimere non poteſt vri-
nam expellere interdũ: vt dicit in illo capº penul
timo in fine capl̃i. verũ ille porus qui tẽdit ad ite
ſtina cõmuniter eſt vnus. ſed aliquãdo eſt error
nature in duobꝰ. vt dicit gal̃. 2º de complonibus
in caº. quarto. Uno mõ in ſitu: q: ſituat̃ quaſi in
fundo ſtomachi tũc colera multũ regurgitat ad
ſtomachũ ⁊ euomũt colerã aliquãdo. ideo dicit
gal̃. 2º tegni in caº de ſignis corꝑis egri ſimpli-
citer in cõpoſitõe cañ. illo. Alterũ ẜo vidi flãticũ
totũ vomentẽ quottidie co. ꝙ flãtici aliq̃n abun-
dant in colera in ſtomachis eoꝝ. in quibus viuẽ
tibus de rapina eſt hoc vt cruda ⁊ dura meliꝰ di
gerant. ariſto. in de partibꝰ aialiũ. Alio mõ errat
natura in hoc q: talis porus bifurcat̃ in q̊buſdã
hoibus vt dicit gal̃. in illo 2º de cõplexionibꝰ in
caº. 4º. Una furcula vadit ad fondũ ſtoi ⁊ facit
illa que dicta ſunt. Alia furcula vadit ad p̃ma in
teſtina. vnde q: natura errat in iſto poro in qui-
buſdam hoibus ꝙ eſt paruus ⁊ ſtrictꝰ ⁊ non ſi-
tuatus in inteſtinis vt debet: habẽt ventrẽ ſiccuz
ſeu conſtipatũ ⁊ habent vrinas coloratas. quia
ſanguis nõ mũdificat̃ a co. illa vrina tincturatur
ꝑ viam cõmixtõis illiꝰ colere cuz vrina in ſui ex
pulſiõe. ¶ Ulteriꝰ nõ. ꝙ ſplen creatꝰ eſt a natu-
ra vt feculentiã ſanguis attrahat ⁊ ſanguinẽ mũ
dificet ab illa feculẽtia vt dicit ga. vº. de interiori
bus in fine. Idẽ dicit. 4º. de iuuamẽtis caº vltio
vbi dicit ꝙ ſplen habet duos poros ſeu duo col-
la. vnũ qui ſe extẽdit vſq; ad concauũ epatis. ali
ud qui protendit̃ ad orificiũ ſtomachi. in vtroq;
ſunt vene que ſunt de genere venarum. per pri-
mum attrahit feculẽtiam ſanguinis a cõcauo e-
patis: ⁊ talem feculẽtiam ſtatim nõ eijcit ad ſto-
machũ per porũ ſuperiorem. vt dicit ga. ibidem
Sed illam feculentiã digerit in ipſis venis cum
calore fluẽte a corde ⁊ in ſanguinẽ ſubtilem cõ-
uertit vt inde nutriat̃. ⁊ illud quod cõuerti non
poteſt ſplen eijcit tanq̄ ſuperfluũ ad orificiũ ſto
machi per illum porum ſuperiorem dictum per
quem ꝓmulgendo profluit illa ſuperfluitas ſeu
melancolia vt dictum orificium corroboret ⁊ ap-
petitum ad cibum incitet. vt dicit Auic̃. doct̃. de
humoribus in capitulo primo in fine. Iſta fiunt
a ſplene in ſui naturali exiſtente diſpoſitione.
quia ſi ſplen feculentiam humoralem vel apo-
ſtemoſã haberet per ſe vel cum adiutorio medici
ne expellit per illum porum inferiorem ad ipſa

inteſtina dcām ſuꝑfluitatem vt dicit ga. xiij. de in
genio. in caº. 6º. in fine. nam fit in eo ꝑm quod fit
in epate in plectoria eius ⁊ venarū ꝙ expellit ſuꝑ
fluitates eius ad inteſtina per venas meſerai-
cas per quas attraxerat dcōs humores ſub for-
ma chiloſitatꝫ quod patet in fluxu dyarrico. Idē
fit in ſplenenco in dyarria ſplenetica vel in ſimili
euacuatōne.

Primo tu queres. Cuius particule eſt
paſſio ꝑncipalitˀ ipſa yctericia.
ꝓ morbo deſcripto. Dicendū ꝙ ꝓ ipſo fedo colo
re qui eſt accidēs morbi eſt paſſio cutis vt pȝ ad
ſenſum ⁊ coniūctie oculi. finalitˀ eſt paſſio ſuꝑfi-
ciei totiꝰ corpis ꝓ morbo deſcripto. eſt paſſio ꝑn
cipalitˀ aliquādo ciſtis fellis: aliqñ epatis: aliqñ
venarū ⁊ ſanguis eius. q̄a ſanguis ⁊ humores
ſunt in gñe membroꝝ conſimiliū vt dicit Auerro
is. 2º ſui collectorij. Si yctericia nigra fuerit eſt
paſſio ꝓ morbo deſcripto ꝑncipalitˀ ipſiꝰ ſplenis
⁊ epatꝫ vt eſt dcm̄ ſuperiꝰ. ¶ Tu dices ꝯtra hoc
accidēs morbi ſequitˀ morbū imediate ſicut vm-
bra corpꝰ. hoc vult ga. in. c. ꝑmo ⁊ 2º. ergo ꝑticla
patiēs ycterencie ꝓ morbo deſcripto erit cutis exꝙ
eſt ibi malus color. ¶ Dicēdū ꝙ accidēs morbi
triplex eſt in gñe puta actio leſa. iſtud ineſt ime-
diate ipſi morbo ſicut vmbra corpi. ideo inſūt in
eadē ꝑticula: nam morbꝰ eſt cā immediata corru
pte ⁊ male actōis in mēbro vbi eſt. Aliud eſt ac-
cidēs morbi dcm̄ qualitas mutata. ⁊ aliud ē ac-
cidens morbi dcm̄ exiēs a corpe mutatū. tr̄ia ac
cidētia ſequūtˀ morbū mediāte actōne leſa ⁊ in-
ſunt de poſſibili in ꝑte alia corpis a morbo. vt in
ꝓpoſito ſilr̄ exiēs a corpe mutatū eſt in via exitꝰ
alicuꝰ pori in corpore noſtro. ⁊ morbꝰ erit infra
corpus in aliquo membro vt declaratū eſt in flu
xu ſanguis narium. ⁊ declarabitˀ in caplō de fluxu
ventris. Et ſic patet ſolutio.

Secūdo tu queres ſi ycteritia ē paſſio
ꝑ ſe vlˀ ꝑ colligantiā. Dicēdū
ꝙ ſemꝑ eſt ꝑ colligātiā in ſe vt accn̄s vlˀ loq̄ndo
ſilr̄ de morbo deſcripto vt magis declarabitur in
queſito ſequenti.

Tertio tu queres. ycteritia q̄s morbꝰ eſt
in ſe. Dicēdū ꝙ i ſe ē accn̄s mor-
bi. qꝛ qualitas mutata niſi ſit in pellicułˀ oculorū
qꝛ tunc eſt morbꝰ formalitˀ vt dicetˀ ſtati ꝓ morbo
deſcripto. eſt multiplex morbꝰ officialˀ cōcomitās
ſecū morbū ꝯſilēm. nā ē opilaº ⁊ morbꝰ i recepta
culo i mēbris dictꝫ cū mala cōplōne in ipſis.

Quarto tu queres. ycteritia cuiꝰ virtu
tis eſt nocumentuȝ ſeu mala
actio. Dicēdum ꝙ ꝓ morbo deſcripto ē nocumē-
tum regitiue naturalˀ membroꝝ in quo eſt talis
morbus puta digeſtiue ⁊ expulſiue. vt vult ga. xi
de ingenio in caº. 2º ⁊ 8º. ꝓ ipſo malo colore eſt
dicendū ꝙ ycteritia duplex eſt. quedā eſt que fit
ex materia fluēte ⁊ expulſa ꝑ viam ſuperflui tūc
eſt nocumentū expulſiue niſi expellatˀ per viam
criſis bone. Si autē talis malus color generetˀ
ſine fluxu ⁊ ſine expulſione ſuꝑflui: ſed venit ex
ſanguine nutrimentali alterato aliqualitˀ ad ci-
trinitatē ex natura regionis ⁊ aeris vt in q̄buſdā
inſulis: vt in ſardinia. tunc talis ycteritia eſt ex
nocumēto nutritiue. quia nō bene aſſimilat nu-
trimentū in colore bone carnis. ſic loquitˀ Ga. 3º
de morbo. caº. vltimo parte penultia ⁊ vltima li-
bri. nec ꝑpter hoc debet dici lepra vt declarat ga
lienꝰ. 6º de morbo caº. 4º. ꝑte illa: Multe quoqꝫ
ſpecies. vbi dicˀ ꝙ ſi caro vel cutis mutentˀ in ca-
liditatē vel in frigiditatē vel in aliquā qualitateȝ
preterꝙ̄ in forma ſubſtātiali ex tālī errore non ge-
neratur lepra niſi ſit error in ſubſtātia carnis ⁊ i
qualitatibꝰ ſequētibus formā ſubſtantialē. vt in
planitie ſeu lenitate: ⁊ ſi ſit trumboſa vel granu-
loſa tunc bene eſt lepra.

Quinto tu queres. ycteritia cuius vir-
tutis ſit paſſio. Dicēdum ꝙ ꝓ
morbo deſcripto eſt paſſio virtutū naturaliū regi
tiuarū digeſtiue ⁊ expulſiue membri in quo eſt.
nam cauſatˀ ex mala actione illarū vt eſt dcm̄. et
cauſat maius nocumentū in illis virtutibꝰ. quia
cauſat corruptionē actiōis maiorē in eis in ipſis
mēbris ⁊ in alijs membris ſilr̄ ꝓ illo malo co
lore cutis cum portōne materie inbibite in ipſa
cauſat nocumentū in digeſtiua eius mediate tm̄
quia mediāte vapore imbibito in poroſitatibus
eius qui dicit morbū in receptaculo. De malo co
lore citrino oculoꝝ coniūctiue ⁊ cornee eſt aliter
dicendum. nam quia eſt cauſa immediata nocu-
mēti actiōis virtutꝫ viſiue. quia talis om̄ia que vi
det iudicat citrina. Dico tibi ꝙ eſt paſſio ⁊ morbꝰ
formaliter tunicarū oculorum ⁊ cauſat nocumē
tum dcm̄ in actiōe viſiua immediate. ⁊ eſt morbꝰ
in ſuperficie. quia morbi in ſuꝑficie non fuerunt
expreſſati a ga. ꝑmo de morbo. niſi magis famo-
ſi vt lenitas aſperitas membri manifeſta tamen
veridice. Iſte color citrinꝰ eſt morbus in ſuꝑficie
nam ſuperficies oculi puta tunicarū corrumpitˀ
quia pellicule ⁊ humores oculoꝝ debent eſſe ab
ſcolon dyaphane ⁊ dyaphani. quia alitˀ obiecta
non apprehenderentˀ ſicut ſunt. ſic patet tibi ꝙ
ſuperficies oculi corrupta eſt in ſe. ⁊ cauſa nocu

menti actõnis.hoc eſt bene tibi explicatū ⁊ lati⁹
4ᵒ de morbo ſup caplõ pmo.

Sexto tu queres yctericia ex quo eſt infectio cutis in quo differt a morphea. Soluit Galienus ſexto de morbo.quia morphea eſt infectio cutis maculoſa et particularis ex materia nutrimētali cutis horrida ⁊ mala in ſubſtātia. Yctericia eſt infectio vniuerſal' ex materia ſuperflua ſi fiat per viam expulſionis ſuperflui ⁊ ſi fiat aliter vt eſt dictū fit ex materia nutrimētali mala ⁊ horrida in qualitatibus:qa in colore non in ſubſtātia.quia tunc eſſet lepra cutis quod nõ eſt ꝓpter cām dictam.

Septimo tu queres quare ycteri cia ante ſeptimum diem eſt mala in febrib⁹. Soluit Galienus quarto. amphor; ſuper canone illo. Quibuſcunq; in febrib⁹ in ſeptima aut in nona.⁊c̄.q: cum yctericia fiat de materia aliqualit̃ groſſa nõ poteſt eſſe digeſta in paucis diebus ⁊ quia criſis que fit ante digeſtionē materie ē mala ideo yctericia cretica in febrib⁹ ante ſeptimu; diem mala eſt.

Octauo tu queres ſi ycte ricia viridis nec nigra poſſit venire per viam criſis in febribus. Dicendum ꝙ viridis non.quia materia cum atticat aliqualiter malicie colere praſſine ⁊ eruginoſe natura non poſſet pati nec tollerare ebullitionem eiuſad febrem.cor autem non tolleraret. ¶ Nigra de poſſibili poteſt venire. ſ; qa talis materia eſt multū groſſa ⁊ terrea nõ poteſt ſic bene expelli ad extrema corporis niſi ſit multum ſubtiliata tunc expellit̃ per ſudorem. Quot ſunt ſpēs ycterície.dcm̄ eſt ꝙ ſunt tres in genere ⁊ ſex in ſpecie. Et qualiter epar ſolū patit̃ pncipalit̃ in vna ſpecie ycterície viridis ⁊ in vna ſpecie ycterície nigre. In alijs aliquādo nil mali patitur.aliquādo modicū mali patit̃ per colligantiam potiſſime in illa que fit vitio ciſtifellis in ſe vel in vijs.vt pz.5ᵒ.de intio.c.penultio.

Nono tu queres Quare ycte ricia non cauſatur a flegmate vel a melancolia ſicut a colera. Soluit gordonius quia non poteſt ſic ſpargi per extrema corporis ratione eius groſſiciei ⁊ viſcoſitatis ⁊ terreſtreitatis

Iſtis clarificatis cura ycte ricie tibi pateſcit.prius autē ꝙ in cura procedas ſcire et cognoſcere oportet ſpeciē ⁊ diuerſitatē ycteritie: ⁊ modū ſui euentus.qa in hoc cura diuerſificat̃, nam bene cõcluſum eſt ex precedentib⁹ intētõe ga.in qnto de interiorib⁹ in caplõ illo penultio ꝙ ycteritia citrina fit per viam criſis in febribus acutis vel vitio ciſtifellis. Et ycteritia viridis fit vitio epatis vel vitio venarū ⁊ ſanguinis ipſaru; Et ycteritia nigra fit vitio ſplenis vel vitio epatis adurentis humores ⁊ generantis multū de melancolia innaturali. ¶ Si quis ergo ycteritiā citrinam habuerit ſm criſim in febre acuta ante ſeptimā diem malū eſt:vt plurimū moriunt̃.quia criſis fuit anticipata. quia materia aliqualiter groſſa nõ potuit eſſe digeſta in ita paucis dieb⁹ Premiſſo pronoſtico vtat̃ ſero ⁊ mane ſyrupo acetoſo compoſito ſuper diem potet de aqua ſimplici bullita cum vno cocleari ſyrupi dicti vl' vini malorum granatorū in vna tacea aque bone fontis bullite ſumat vno mane in ortu ſolis.ʒ.i. ⁊ ℔.caſſief̃.cum decoctõne cõmuni plunes tibi data ſuperi⁹. Vtatur de cõſerua ro. violarū cum quattuor ſeminibus frīs maiorib⁹.⁊ pane zuccari quod ſufficit per modū conditi ad modum zuccari roſ.dietetur prout in acutis debent dietari, Si vero talis ycteritia citrina in die ſeptima vel poſt in febre acuta ſuperuenerit:vt plurimū tendunt ad bonū.vnde intentio ſolum debet eſſe ad reſoluendum de cute cum balneo aque calide et regimine attenuatiuo ⁊ humectatiuo. vt dicit raſis in ſuo continēte. Si vero talis ycteritia cretica poſt ſeptimam diem veniēs febre ceſſante:nõ obſtantibus iſtis ablutionib⁹ pluribus diebus permanſerit.tunc de conſilio gal'. in qnto de interioribus.in caplõ penultio circa finem reſpice egeſtionem ⁊ vrinam: que ſi fuerit ſcdm curſum nature ſanitatem epatis oſtendunt. potiſſime ſi ſudor fuerit ſubtilis ⁊ aquoſus tunc eſt credendum ꝙ colera illa que per cutim erat ſparſa ⁊ diuiſa ꝙ eſt groſſiſſima.proptͤ quod cum difficultate erit diſſoluenda. Tunc precipiendū eſt infirmo vt balneet ſe in aqua calida ſurgente a terra in ea que eſt diſſolutiua.quia in aqua ſulphurea puta in balneo naturali ſulphureo. Et ꝙ vtatur rebus humidis ſubtiliatiuis ⁊ diſſoluentib⁹ groſſos humores.verba ſunt,Gal'.in fine capituli penultimi. Raſis autem in ſuo continente. ꝙ loco illius tales balneentur in aqua calida ⁊ vngantur in exitu balnei cum oleo camomille ⁊ aneti. Potent potus prouocatiuos vrine ⁊ inciſiuos: aqua cum aceto confert,vel cum ſyrupo acetoſo vel ꝙ limphetur vinum cum aqua,capilli vene

nis ⁊ radicis rubee tinctoꝛum. ꝙ ponatur vnum
coclear de vna aquaꝗ. ⁊ duo de vna in cipho tenē
do dietam ſubtiliſſimam. Et ſi videris expulſa:
puta egeſtionem ⁊ vꝛinam non ſcđm naturā cuꝫ
ſudoꝛe multum colerico ⁊ citrino febꝛe ceſſante
vel quaſi ceſſante. Galie⁹. dicit in illo caplo pe-
nultimo ꝙ in talibus multa colera generatur. qꝛ
talia non monſtrant epatis temperiem ſed malā
complexionem calidaꝫ. Dietetur ergo cum frigi-
dis ⁊ humidis. ſumat de mane de aqua endiuie
vel de ſyrupo acetoſo. potet ſuper diem de aqua
ſimplici cum modico vini maloꝛum granatoꝛuꝫ
vel aceti. vel ꝙ potet aliquando de aqua oꝛdei.
malum granatum ſibi competit. Si iſta nō ſuf-
ficiant emplaſtretur vel epithimetur vt dicetur
ſtatim in cura yctericie viridis vitio epatis. ⁊ fi-
ant illa in oculis que ſtatim dicetur in cura illi-
us. Et ſi quis ictericiam citrinam ſine febꝛe ha-
buerit: notum eſt ex pꝛecedentibus ꝙ hoc eſt vi-
tio ciſtifellis: quia non attrahit pꝛout debet illaꝫ
coleram rubeam nec citrinam regurgitāt ad ve-
nas cum ſanguine citrinans ipſum coꝛpus. naꝫ
humoꝛes aſſiſtentes cuti coloꝛant ipſam ſcđm
naturam eoꝛum tales ſentiunt grauitatem in de
xtro latere ſub ypocundrio. dicit Gal. in fine ca-
pituli. Et ſi poꝛus inferioꝛ ciſtis per quem ema-
nat colera ad inteſtina fuerit opilatus albeſcit
egeſtio: ⁊ ſunt quaſi conſtipati cum oꝛe amaro ⁊
ſiti vehementi. facies ⁊ oculi citrinantur pꝛopter
effumationem colere ad ſuperioꝛa cito ⁊ foꝛtiter
Et ſi poꝛus ſuperioꝛ per quem attrahit coleram
ab epate fuerit opilatus: vꝛina erit groſſa ruffa:
crocea: ⁊ egeſtio citrina. ⁊ aliquando faciet cole
ricam paſſionem cum in toto coꝛpoꝛe colera ru-
bea manat ad inteſtina per concauum epatis eo
ꝙ ciſtis fellis non attrahat eum. verba ſunt ipſi
us raſis in ſuo continente. Et ſi ciſtis multū ple-
nus illa colera fuerit non expellens dictam cole
ram quia non poteſt ſe compꝛimere latitudinali
ter pꝛout contingit veſice vt eſt dictum intentiōe
gal. in fine capli. ſequuntur iſta ⁊ illa accidentia
dicta in parte aliqua. in fine capituli penultimi
plures dicti. Dicit ꝙ ipſe curabat tales cum ape
rientibus opilationes ⁊ cum cibis ⁊ potibus ad
hoc. Poſtea dabat eis vnam medicinam com-
munē euacuantem coleram. vnde plures cura-
uit in vna die cum tali medicina. Quibus auteꝫ
non pꝛofuit talis medicina cōmunis dabat eis
medicinam euacuatiuam colere multum foꝛtem
ꝙ patiens ſentiebat in fine egeſtionis ardoꝛem
⁊ aſcellabat colerā cōmixtam rubeam ⁊ citrinaꝫ

verba ſunt Gal. in loco allegato: Raſis in ſuo
continente dabat eis loco ſyrupi de ſero capꝛino
per aliquos dies. poſtea dabat de ſcamonea co-
cta puta. ℈. ß. dyagredij cum illo ſero capꝛino. me
dicina eſt bene appꝛopꝛiata. Et ſi bene non cura
bantur dabat illis. ℈. i. dyagredij cū illo ſero cap⁹
malū granatū acetoſū multū eis confert: ⁊ po-
tus aque cum vino maloꝛum. Aloes cum myr-
rha ⁊ croco ſiluestri ſanat yctericiam vitio ciſtis
fellis ⁊ epatis. dicit Raſ. in ſuo conti^c. ℞. aloes
cicotri. ʒ. vnā. myrrhe. ℈. ij. croci ſilueſtris. ℈. vnaꝫ.
fiat puluis: ſumat de quattuoꝛ in quattuoꝛ diebus
vnum magnum coclear argenti cum vino lim-
phato cum aqua achoꝛi vel endiuie vel ſcollopē
drie. ⁊ alijs diebus ſumat medium gobellum ſe
ri capꝛini in quo remollierit per noctem modicū
ſcollopondrie vl' fumiterre. vel rad. apij vel acho
ri. vel omniū. vnde quia materia groſſa eſt ibi in
terclusa in illis poꝛis vel in folliculo ciſtis fellis
talibus non competit epithima infrigidatiuum
nec emplaſtrum ad hoc. hoc eſſet magis concul
care materiam in membꝛo. ⁊ in hoc egritudo pꝛo-
longaretur. ¶ Principalis intentio eſt euacua-
re cum violentia talem materiam. puta cum ſca
monea cocta ſeu cum dyagredio in bona doſi.
puta cum. ℈. vno puluerizato infuſo in aqua ca-
ſei vt dictum eſt pꝛo yctericia oculoꝛum fiant ea
que ſtatim dicentur in cura yctericie viridis.
¶ Et ſi quis yctericiam viridem habuerit vitio
epatis. quia epar habet malam complexionem
calidam apoſtemoſam quod pateſcit ex graui-
tate dextri ſubypocundrij cum febꝛe continua cū
ſiti ⁊ amaritudine oꝛis. vꝛina crocea cum ſpuma
ſimili. Curetur apoſtema: cum potu caſſief. diſ-
ſolute in decoctione communi vel in ſero. ⁊ cum
flobothomijs baſilice in bona quantitate ⁊ alijs
dictis ſupꝛa. Poſtea ſumat de aqua endiuie vel
de aqua ſolatri. De endiuia enim ſumat quolibꝫ
mane. ij. iij. iiij. bolos ſine pane cum aceto bono.
vel de ſyrupo acetoſo cum aqua decoctionis ci-
cerum rubeoꝛum ⁊ cucuſte ⁊ alkekengi. ſimilr̄
malum granatum. Vtatur de mane aqua caſei
in qua remollierit per noctem modicum endiuie
ſcolopendrie capilli veneris ⁊c. Syrupus de ca-
mepitheos ⁊ de camedreos laudatur a raſi in
hoc caſu pꝛemittendo pꝛonoſticum ꝙ commu-
niter hydꝛopizantur. ⁊c. ¶ Et ſi quis yctericiaꝫ
viridem habuerit ex mala complexione epatis
acquiſita ratione cibi venenoſi vel medicine ca-
lide coꝛrumpentis complexionē ſtomachi ⁊ epa
tis. ⁊ per ꝯñs gñationē chili ⁊ humoꝝ in eis qđ

pateſcit qꝫ venit ſubito fortiꝰ cum perceptõe ta-
lis rei extrinſece:vt ex relatu eorũ habetur:ſtatim v-
tatur vomitu ſi poſſibile eſt cum decoctiõe aque
calide decoctõnis attriplicis ⁊ ſemis eius ⁊ olei cõ
munis ⁊ parũ aceti ⁊ croci imponẽdo in guttu-
re ſuo plumã intinctã in oleo.ↄ̃ſter ſtatim ſumat
caſſiaſt.ſimplicẽ pluries ſupius dictã.⁊ ſumat de
mane per duos dies de ſero caprino cum modi-
co mellis.quo non iuento de aqua ordei.ↄ̃ſter
ſumat per.xv.dies de mane ante ortum ſolis mo
dicum de tyriaca vel metridati cum aqua aceto-
ſe vl'ſucco citrãguli:⁊ vtatur ſyrupo acetoſo ⁊ ſuc-
co acetoſo ⁊ ſimilibꝰ. Uel habuerit rõne opila-
tionis ſuarum venarum ex materia nõ apoſtemoſa cor
rumpẽte humorẽ in eorum generatõne que magis et
pluries ↄtingit.quod pateſcit ex grauitate lateris
ſub dextro ypocũdrio ſine febre cum ſiti cõtinua
forti ⁊ magna amaritudine oris ⁊ ſiccitate ⁊ ege
ſtione colerica ⁊ magna citrinitate ⁊ viriditate i
facie ⁊ in oculis.q̃a quãq̃ corrũpantur humores i
epate in eorum generatõe remanet aliq̃ portio ſub
forma colere citrine vel vitelline. Purgetur.cũ reu
barbaro ſic.p̃cedẽte ſero capñno de mane p aliq̃s
dies in qua remollierit p noctẽ endi.⁊ ſolatrũ ⁊ ſu
miterre.℞.reubarb.electi pulueriʒati.ʒ.ij.diſſol-
uatur p noctẽ in aqua endi.vl'in aqua ſolatri.vel
in aqua alkekengi:⁊ diſtemperetur de mane cum
modico ſeri capñi.fiat potꝰ.vel recipe.℈.i.dyagredij
cum ſero capñno de mane. Poſtea vtatur apitiuis
⁊ infrigidatis dictis.vt de aqua endi.ſolatri. alke-
kengi ſumat ſero ⁊ mane mediũ gobellũ vel de
ſyrupo acetoſo compoſito cũ aqua cicerũ rube.
⁊ granorum alkekengi ⁊ ſemis cuſcute.Dum pota
uerit de iſtis p aliquos dies flõmetur de baſilica vl'
de aſſellina que eſt ramulꝰ inferior baſilice. vtatur
de mãe de aqua decoctõis berulle p ſe ⁊ i cibo cũ
vino.eſt herba que naſcitur iuxta naſturtiũ aqua-
ticũ. Facta flõmia detur mediũ coclear lumbri-
corum terreſtriũ exiccatorum ⁊ pulueriʒatorum cum vi-
no albo vel cum aqua alkekẽgi vel ſero caprino
ↄtinuetur hoc per q̃nqꝫ vel ſex dies.ↄtinuet illa a-
peritia. Põt etiã vti ſyrupo de camedreos vel de
camepitheos fiat ſyrupꝰ talis. ℞.corticis rad.fen'.
apij.rad.plantagi.an̄.ʒ.i.endi.nouelle nõ ablute.
ſcolopẽdrie.capilli veneris re.an̄.m.i. foliorum ca-
medreos. foliorum camepitheos foliorum abſinthij
re.an̄.ʒ .i. iiij.ſe.frorum maiorum.an̄.ʒ.ß.ſemis cucuſ-
te aſari.an̄.ʒ.ij .granorum alkekẽgi.ʒ.ß.aceti albi.ʒ
i.panis ʒucca'.lb.i.fiat ſyrupꝰ bene coctꝰ ⁊ bene
clarificatꝰ ad q̃r.v.ſumat ſero ⁊ mane q̃ttuor co-
clearia cum.viij.aque cicerũ ⁊ granorum alkekẽgi.

Poſtea purgetur iterum ſic. ℞.endi.nouelle.m.ij.
agarici electi.ʒ.ij.⁊.ß.ʒʒ'.an'.an̄.ʒ.ß.ſemis cucuſ
te aʒari.an̄.ʒ.ij.fiat decoctio in ſero capñno i quo
diſſoluatur reubarbari infuſi in aqua alkekẽgi.ʒ.i.
⁊.ß.ſpice nardi.℈.ß. vini boni clari vel albi.ʒ.ij.
caſſiefi.munde.ʒ.ß.fiat potꝰ ſi patiẽs ſit ſatis ro-
buſtus addas diagredij pulueriʒati infuſi in co-
latura.g̃.vij.l'.℈ .ß. qꝫ iſta egritudo indiget era-
dicatõe materie cum violẽtia dicit raſ.Hoc ſcõ nõ
dimittas potꝰ aperitiuos ſupiꝰ dcõs.Aduerte qꝫ
talis opilatio ſit a colera multũ groſſa ⁊ viſcoſa.
vel q̧ vtatur de ſero capñno de mane per.xv.dies
⁊ vltra in quo remollierit p noctẽ modicum endi.
nouelle.qꝫ eſt potus cõplacibil'põt vti vel de aq̃
alkekengi.Raſ dicit q̧ ſumere modicũ de vrina i
fantis p aliquos dies velocitꝰ curat ycterciã.quia
multũ deopilat.Iſtud valet in opilatõe ciſtifelle
⁊ epatis a cauſa groſſa ⁊ viſcoſa.Epar epithimetur
facta purgatõne p̃ma ⁊ flõmia. ℞.aque endi.aq̃
ſolatri.an̄.lb.i. aque plãtagi. aque portulace. aq̃
lactuce.an̄.lb.ß.aq̃ ro.q̃r.i.⁊ ß.ſandali albi ⁊ rub.
pluerizatorum ſubtiliſſi.an̄.ʒ.i.ſpodij.ʒ.ij. aceti ʒ.i.
ſit miſceatur fiepithia. Applicetur pãnꝰ lineꝰ triplatꝰ
ibi infuſus bene actu frigidus de hora in horam:
taliter q̧ ſentiat frigiditatẽ interiꝰ penetrare ⁊ vri-
na remittatur.Et aduerte ſuper hoc q̧ in yctericia
q̃to vrina ex ſe erit abũdantior ⁊ in maiori q̃nta
te ⁊ erit magis colorata laudabilior erit ⁊ econtra
qꝫ ex iſta cauſa yctericie q̃plures cadũt in ydro-
piſim ꝓpter opilatões cauſantes indigeſtiones
in epate ⁊ refocillatõe aquoſitatis inter ſifach ⁊ mi
rach ¶ Pauperibus loco epithimatis dicti habe
mus endi.plantagi.ſolatrũ ſpiniuã ſinglariter vl'cõ
iunctim cõquaſſentur ⁊ ſup ſpergantur cum modico
aceti ⁊ ſup epar applicantur actu fria de hora i ho
ram. Talia pſequẽdo bonũ eſt intendamꝰ in p-
ceſſu:p̃miſſis tamẽ euacuatõibus ⁊ q̃buſdã api
tiuis dictis. ¶ Ad remouẽdũ fedũ colorem illum
a toto corpe ⁊ potiſſime a facie ⁊ ab ocul'flõmetur
de venis ſub lingua. balneetur ergo in toto corpe
cum decoctõe capilli veneris aut virge paſtoris.
Aliq̃ laudãt ſtuphã factã cum aqua decoctõnis
linarie vel caprifolij.iſta fiant ad remouẽdũ illum
fedum colorẽ totiꝰ corpis. ¶ Pro yctericia odo
rum acetũ fortiſſimũ tepidum vl friũ olfaciat per
horã pluries in die ⁊ in naribꝰ detineat mirabi-
liter ↄfert. Et in ocul'ponatur modicũ aque roſ.mi-
xte cũ quarta pte aceti ter vel quater in die cum
pluma. Idẽ facit ſuccꝰ blete cũ modica portione
aceti vl'panis porcini cũ modico aceti.verba ſũt
raſ in ſuo ↄti.ſubdit q̧ ſuccus fructꝰ aſinini cu-

cumeris eq̄s partibꝰ cū lacte mulieris vl' capᵉ po
ſitꝰ cū pluma bis vl' ter in die. idē facit. Aliq̄ lau-
dant ꝙ facies ſubfumiget' ter vel q̄ter in die cū
aq̄ decoctiōis carnis bouine antiq̄ ⁊ recētis. Et
due vl' tres gutte inciātur in angulis oculoꝝ vl'
inittātur aliq̄ gutte malig̃nati marciani decocti
ſub cineribꝰ ⁊ inuoluti in ſtuppis madefacti vel
in folijs caul'. ipo cocto remoueat' cortex ⁊ expri
matur succꝰ de q̄ ponātur aliq̄ gutte bis vel ter i
die in angulis ocloꝝ bene vz. Et ſi q̄s yctericiam
viridē habuerit ex corruptiōe ſanguis ⁊ hūoꝝ
in venis puta ꝓpter aliquā cām ꝓmitiuā ſupius
dictā: qđ pateſcit: q̄a nō ꝯq̄rit' de q̄litate nec de-
tentiōe dextri ypocūdrij: nec eſt ibi caliditas nec
ſitis nec ſiccitas lingue: nec vrina ruffa cōit': im-
mo eſt ſatis remiſſa in colore. Verū ſpūa eſt cro
cea viridis aliq̄lit'. Vtat' ſero capno in q̄ remolli-
atur ꝑ noctē modicū enđ nouelle nō ablute fūi-
terre ſcolopēdrie: ſi ſit ex morſu venenoſo vtatur
tyriaca. ꝑ. xx. dies cū vino limphato cū aq̄ alke-
kengi. Et ſi ſit ex alijs cauſis vtat' aqua alkeken
gi. Vtat' iſto ſirupo. ℞. radic̄ bruſci ſpagi g̃minis
añ. m. ß. radicis achori. m. ß. enđ ſcolopēdrie ca-
pilli ve. fumiterre ſcabioſe añ. M. i. folioꝝ came
dreos camepitheos. añ. ʒ. i. 4. ſe. frigidorum ma-
ioꝝ. añ. ʒ. ß. g̃noꝝ alkekēgi. ʒ. i. liq̄ri. raſ. ʒ. ij. aceti
ʒ. i. panis zuc̄. lt. i. fiat ſirupꝰ bñ coctus ad q̄rt'. v.
ꝯñr purget' ſic. ℞. enđ nouelle capilli ve. añ. m.
i. agarici electi. ʒ. ij. ⁊ ß. ʒʒ'. an' añ. ʒ. ß. fiat decocᵒ i
ſero capno in q̄ diſſoluat' caſſief. mūđ. ʒ. i. reubar
bari electi infuſi in aq̄ enđ. ʒ. i. dyagredij g̃. vij. vi
ni boni. ʒ. i. fiat potus. Conſeq̄nt' poſt q̄ſdaꝫ dies
flōmet' de vena mediana ⁊ poſt q̄ſdā dies reite-
ret' ꝯtinuādo ſerū capnū dictū: vl' đ alijs potibꝰ
vl' ſirupis dictis balneet ſe ſemel in ſeptimana i
aq̄ decoctiōis capilli veneris vl' v̄ge paſtoris die-
tando ipm cum frigidis ⁊ humidis aperitiuis ⁊
ſalſa viridi vel aceto. Vtat' extremitatibꝰ porci ⁊
capiti cū aceto ⁊ ponat' in oculis de remedijs di
ens ſtati plura poſſē dicere multa coītūt' diſcre
tioni tue ꝑlegēdo ſupradicta. ſufficiat ꝓnunc de
yctericia viridi. Et ſi q̄s yctericiā nigrā habuerit
vicio epatis multiplicantis melancoliā in corpe ad
urēdo hūores ſeu maſſaꝫ illam in cōcauo epatis
in g̃natione hūoꝝ qđ pateſcit q: talis hꝫ epar a
g̃naiōe mltū lapſū ad caliditatē qđ demōſtrat lati
tudo vēnarū nigredo ⁊ piloſitas corpis ſine tūore
⁊ ſine dolore ſplenis: ⁊ ſine aliq̄ q̄rela notabili i
ſplene: nec in regiōe illa. Et eſt talis yctericia cū
egeſtiōe pauce nigredinis q: co. illa aduſta tota
v̄titur cū ſanguie ꝑ venas: licet aliq̄ portio ⁊ mo

dica in reſpectu eius q̄titatis attrahat' a ſplene ꝓ
eiꝰ officio ⁊ alijs vtilitatibꝰ dictis. ⁊ dicēdis in q̄-
dam. c. ſeq̄nti. Intētio curatiua eſt ꝓmo diſcraſi
am epatis repmere ⁊ illā co. aduſtā rēollire ⁊ hu
mectare ⁊ ad mediū reducere ꝯñter eā euacuat'.
In ꝓmis ergo. ſumat mediū gobellū aq̄ enđ. vel
ſolatri in aurora. ꝯñr ſumat duos vl' tres bolos
enđ nouelle cū modico aceti ſine pane ante pꝛā-
diū ꝑ duas horas. Hoc facto q̄buſdaꝫ diebꝰ ſūat
loco illius aque enđ de ſero capno in aurora in q̄
remollierit ꝑ noctē enđ nouelle. folia. x. Et ſi vult
ſumere de dicta enđ mō dicto placet. Hoc facto
ꝑ. viij. vel. x. dies purget' ſic. ℞. radic̄ capparis. ʒ.
i. ſcolopendrie fumiterre enđ camomille. añ. ʒ. ij.
polipodij q̄rcini epithimi. añ. ʒ. ß. vuarū paſſarū.
ʒ. ß. agarici electi. ʒ. ij. ⁊ ß. ʒʒ' an'. ana. ʒ. ß. f. decocᵒ
in ſero capno in q̄ diſſoluat' caſſief. mūđ. ʒ. i. ge-
ralogodion. ʒ. ß. fiat potus. loco geralogodion
anteꝗ infundas caſſiā f. infunde in decoctiōe di
cta ꝑ noctē corticis ell'i nigri. ʒ. ß. ⁊ de mane re-
moueant' colet' ⁊ adminiſtret'. Hoc facto ſumat
iterū ꝑ aliquos dies de ſero capno vt dictum eſt.
Et faciat flōiam modicā de vena epatica. Et rei
teret ipam ſemel in. xv. diebus de mediana: quia
freq̄ues ⁊ modica flōia depurat ſanguinē a me
lancolia ſm om̄es antiq̄s. ꝯñr epithimet' epar vt
eſt dictū ſupra in yctericia viridi vino epatis.
¶ Cōſeq̄nter ſirupet' cū ſirupo ſeq̄nti ſero ⁊ ma
ne ⁊ iterū balneet' in aq̄ tepida de. 4. in q̄tuoꝛ di
ebus. ℞. radic̄ bruſci ſpagi g̃minis añ. m. ß. enđ.
ſcolopēdrie ſicoꝛee capilli veneris fumiterre. ana
m. i. pentafilon geneſte bugloſſe cum toto bora
ginis cū toto ſūmitatū lupuli. añ. m. ij. cortic̄ cap
paris. ʒ. ij. mediani corticis fraxini geneſte tama
riſci. añ. ʒ. ij. polipodij q̄cini. ʒ. ij. an'. maratri cu-
ſcute. añ. ʒ. ij. floꝝ violarū borag̃ ⁊ bugloſſe liq̄ri.
mundi. añ. ʒ. ij. iiij. ſe. frigidoꝝ maioꝝ. añ. ʒ. i. aceti
paſſulati. ʒ. ij. ſucci pomoꝝ dulciū. q̄r. ß. mell' roſ
lt. ß. panis zuc̄. lt. i. fiat ſirupꝰ ad. lt. ij. ſumat de
iſto ſirupo per tres ſeptimanas ⁊ renouet' ſirupꝰ
quacūꝗ ſeptimana. ⁊ de q̄tuoꝛ in q̄tuoꝛ diebus
ſumēdo ſirupū balneet ſe Et in ꝓceſſu ſirupi ite
rū ſumat medicinā ſupius dictam vel de dyaſe-
ne ſi nō poteſt potare colaturā. vel de diacatolicō
nouiter factis ⁊ in magna doſi. ʒ. i. vel. ʒ. x. reite-
rando flōiam de mediana pluries in modica q̄n
titate tamē. ¶ Et ſi quis yctericiam nigram ha-
buerit vicio ſplenis quia opilatus repletus non
attrahit bene feculentiam ſanguinis prout debꝫ
multiplicatur melancolia in venis cū ſanguine:
⁊ quia eſt nigra: nigrificat ſanguinē: qđ patet q:

habet ſplenem durū groſſum cum dolore aliquali ratione extentiōis indebite ſui pāniculi. Et cū tali yctericia eſt egeſtio nigra valde: q2 qꝫ ſplē deficiat de poſſibili in actione ꝓpria puta in attrahendo illam feculentiam ſanguinis ab epate ratione illius pori qui adheret epati tamē cōmuniter deficit in actione tali: quia ſplen repletꝰ eſt vltra debitum qđ demōſtrat eius groſſities ꝛ duricies: ꝛ quia ſe nō poteſt cōprimere latitudinalit̄ nō poteſt expellere illam matiam ſufficienter vt eſt dictū de ciſtifellꝰ: ꝛ de veſica: ideo nō valet attrahere verum expellit aliq̄ꝑ portionē ad inteſtia que nigrificat egeſtionē multum quia ipſa eſt nigra ſic tincta. Ideo dicit Raſ ꝙ in tali yctericia egeſtio eſt nigra valde. Talis purget̄ ꝛ ſirupet̄ vt eſt dictum. ſed plus ponatur de cortice capparis ꝛ de ſcolopēdrie ꝛ ꝙ ſepe flōmetur. De saluatella ꝛ applicet ſero ꝛ mane ſuper ſplenem ter vl̄ quater reiterando ꝛ durabat de filtro infuſo in aceto forti calido. Conſequēter inungat ſplenem cū vnguento dyaltea. hoc faciet tribus vel quattuor diebus. Conſequēter applicet per aliquos dies. Iſtud emplm̄. ℞. ammoniaci diſſoluti ī aceto. ℥. ij. extendatur ſupra alutam fiat emplaſtrum applicetur ſupra dum tenuerit q̄ttuor vel quīqꝫ diebus remoueatur emplm̄ ꝛ redeat ad filtrū in aceto infuſum ꝛ ad vnguētum de dyaltea. iſta ſic cōtinuet cum ſirupo ꝛ laxatiuo dicto ꝛ flōijs reiteratis adminus q̄rū queqꝫ lūatiōe iſta tibi ſufficiūt pro cura yctericie citrine viridis, ꝛ nigre, ꝛ ſic eſt finis yctericie.

Capl̄m 10. de ydropiſi.

CUm venter poſt epatis dolorē ꝛ febres augmētari ceperit ꝛ qđ ē ab vmbilico vſqꝫ ad femur exterius prominuerit ꝛ cutis que ibi eſt ſubtiliari ꝛ albere viſa fuerit ꝛ cū ventre vometur auditur ſonus quaſi aque in vaſe non pleno mote. Et ſi cum his vrina fuerit rubea parua habenda ē fiducia ꝛ proprie ſi virtutis nō affuerit fortitudo his tamen ſi virtus fuerit fortis ꝛ vēter vehemēter ſiccus pillule de rauetd q̄ recipiūt ſꝫ dād̄e. pillule āt đ rauetd ſūt q̄. ℞. rauetd ſeni ſucci eupatorij ſeminis ēdiuie omniū ana. ʒ. iij. agarici. ʒ. v. meſereon. ʒ. x. fiant ex eis pillule quarum doſ ſit. ʒ. ij. ꝛ ß. ex q̄bꝰ q̄qꝫ ebđadoſis vna ſumatur. Quod ſi virtus debilis fuerit trociſci de meſereō ſūt dandi qui ℞. ſeminis endiuie. ʒ. x. meſereon. ʒ. i. ꝛ duas tertias agarici ſucci eupatorij ſimiliter tantūdē roſarum ſeminis citrolorū amborum ana. ʒ. ij. ꝛ ß. Ex his oīibus fiant trociſci decē đ quibus vnus in die cum ſirupo acetoſo de zuccaro dandus eſt. Si autem vēter fuerit ſolutus dentur trociſci de berberis cū ſirupo acetoſo. Eger q̄ꝫ nutriatur ex cibregi ꝛ bibat ſirupū acetoſum de citonijs. Et ſi vētris ſolutio vehemens fuerit citoniorū rob ſolum dandum eſt. Si autem cum hac paſſione nō fuerit vrina rubea neqꝫ calor pellule iſte dāde ſunt que ℞. meſerion ſerapini amborum ana. ʒ. ß. ſalis indi. fumi columbini amborum ana ſextam. ʒ. i. Pillule enim iſte aquā vehemēter expellunt ꝛ deſcendere faciunt trociſci: preterea de lacca cū apoſimate de radicibꝰ dādi ſunt. Emplaſtrum aſchliti conueniens. ℞. farine ordei ciperi ſtercoris ouini veteriſ baurach boli armēi omnium partes equales. Ex his omnibus tritis fiat epithima ſup vē-

trem. Huius namq̧ proprietas ē aque magnam partem exſiccare. Quod ſi in palpebris ⁊ extremitatibus fuerit apoſtema molle ⁊ teſticuli apoſtemātur facieſq̧ ac totum corpus mollicie quadam teneantur ⁊ erit tunc ydropiſis ſpecies que yposarcha nominat̄. Egro itaq̧ hac laboranti trociſci de lacca cum apoſimate ꝺ radicibus ſunt tribuendi ⁊ venter quaq̧ ebdomada ex pillulis de reubarbaro eſt ſoluendus ⁊ patiens in arena calida ſepeliendus. Et preterea eſt precipiendum vt exercitio vtatur ⁊ famem ac ſitim ſepe patiatur. Si vero vēter inflatus ac tēſus fuerit ⁊ cum percutitur ſonum reddit vt timpanū ydropiſis ſpecies adeē ſignificabitur que timpanites dicitur. Quaꝫ qui patitur a comeſtione olerum abſtinere debet atq̧ eorum omniū que ventoſitatis ſunt generatiua. Vēter q̄ꝫ omni die ex panico eſt vaporādus ⁊ ventoſe ſuper ventrem ponende, medicamina tumorem diſſoluētia danda ſunt vt diaciminū electuariuꝫ de bacchis lauri quod ī capitulo de yliaca nominabimus Eger preterea exercitio vti aſſueſcat ⁊ famem patiat ex collirijs que ventoſitatem diſſoluunt quorum faciemus mentionem ſibi ſubijciat. Venter quoque cum mandili donec incipiat rubere fricetur Et ex oleo rutaceo cliſteriſetur.

Eidropiſi .i. de aqua tumēte ventrem vel de hūore aquoſo tumente ⁊ inflāte membra corpis. nam ydrops grece idem eſt ꝙ aqua latine. Simon ianuenſis in ſuis ſinonimis. nam ydropiſis eſt tumor vētris vl̄ corporis ex maͣ aq̄ſa aſſa innaturali ⁊ vētoſa generata ex mala generatiua ſanguinis in epate: ratione male cōplōnis calide vel frigide. Ideo ydropiſis eſt duplex in genere de modo loquēdi groſſo q̄rundā medicoꝝ de calā ⁊ de friā. lꝫ apud rectos artifices dicat̄ eſſe triplex in ſpecie ſubalterna. Yposarca alchites timpāiſtes: q: rōe maͤ diuerſitate medici aſſueti ſūt diſtiguere morbos in ſpē q̄libet hoꝝ ſubdiuidit̄: q: aut fit a cā calidā: aut friā. Ydropiſis igit̄ tres ſunt ſpecies Vna dicitur yposarca cuius cauſa maͭial' l' eſt ſanguis flāticus. humidus aquoſus cum vl̄i tumore mēbrorum ſeu corporis. Alia eſt ſpecies que dicit̄ alchites cuius cauſa maͭialis eſt multa aquoſitas ⁊ cum pauca ventoſitate. Alia eſt ſpēs ydropiſis que dicitur timpaniſtes: cuius cauſa materialis eſt multa ventoſitas cum modica aquoſitate. Quelibet harum ſubdiuiditur ratione cauſe inſtrumentalis efficientis q: quelibet harum eſt de calā vel de friā: ſic ſunt tres ſpēs ⁊ ſex ſpecialiſſime. Prima ergo ſpecies ydropiſis ē yposarcha: cuius cauſa maͭialis ē ſanguis flāticus hūidus aquoſus cū vl̄i tumore mēbroꝝ corporꝭ ꝓpt̄ malā vnionē ⁊ aſſilāonē nutrimenti cum nutrito: nam talis ſanguis generat̄ in epate ex debili digeſtiua ip̄ius ratione male complōnis frigide ⁊ hūide vt pl'im: ꝓpter q̄ꝺ cōmunit̄ ineſt hūidis in natura epatis ex malo regimie cibi et potus: potiſſime potus aque frigide vl' ex nimio fluxu ſanguinis per emorroydas vel alias. Vel ex nimia retentione eius in menſtruis vel emoroydibus: tunc fit a cauſa efficiente inſtrumentali calida: vnde talis ſanguis ſparſus per membͣ infrigidat ⁊ humectat ea qui dum exit capita venarum dealbatur ⁊ conuertitur in ſecūdas hūiditates a digeſtiua tertia. Et quia ſcd̄a digeſtia bene non corrigit errorem prime: nec tertia errorꝫ ſcd̄e: nec q̄rta. 3ͤ. 6ᵒ. de morbo. caᵒ. 4ᵒ. ⁊. 5ᵒ. Ideo ille humiditates ſcd̄e neceſſario erunt vltra debitum frigide ⁊ humide que ſperſe in membris infriant ⁊ hūectāt mēbͣ vlt̄ debitū ex ſe ſilr̄ q: male cōuerſe ⁊ aſſilāte ip̄i mēbᵒ vt dicet̄. ſic nutrimētū inmutat nutritū ad ſui naturā, 5ᵒ. de morᵒ. c. 4.

Aliter ypoſarca nec lepra generaretur de nouo.
vnde attractiua ipſorum membroꝝ attrahit ⁊ ap
ponit tales humiditates ꝑ poroſitates vſqꝫ ad
centrũ mẽbri ꝑ nutritiõe ſic̃ virt⁹ miniſtrãs ipſi
nutritiue. ¶ Conſequẽter ipſa retentiua tanq̃m
miniſtrãs ipſi nutritiue que opatur per ſiccũ vel
per minus hũidum.vi.de morbo. Idem dic̃ auic̃.
doc.de virtutib⁹ retinet ⁊ ſtringit ⁊ vnit nutrimẽ
tum cum nutrito in iſto lapſu nõ ſm̃ vtrũqꝫ an-
gulũ rõne excedentis humiditatis nutrimẽti et
ipſius membri ꝓpter qꝺ caro remanet aliqualit̃
tumida ⁊ inflata. Et ipſa nutritiua nõ bene aſſi-
milat tale nutrimẽtũ quia nõ poteſt corrigere be
ne errorẽ 3e digeſtiue. Similiter quia retentiua
nõ approximat nutrimentũ ipſi mẽbro: nec ſtrin-
git modo debito. ꝓpter qꝺ generat̃ caro tumida
laxa frigida ⁊ hũida vltra debitum nõ bene aſſi-
mulata in ꝑmis q̃litatibus. nec ſecũdis cadenti-
bus ex illis vt in duricie ⁊ mollicie. nec ꝓpt̃ hoc
poteſt dici ꝙ in ypoſarca ſit lepra. 6. de morb⁹ in
ca°.4. ꝑte illa. Multe q̃ꝫ ſpẽs vbi dicit Gal̃. ꝙ
nutritiua poteſt errare in q̃litatib⁹ ꝑmis ⁊ ſcðis
⁊ nõ erit lepra niſi ſit error in forma ſubali nutri
mẽti cũ carne: vt quãdo gñatur caro g̃nuloſa cor
rupta. Idẽm declarat. 3°. de morbo. c. vltio in fine
loquẽdo de ycteritia q̃ fit ſine fluxu ſupfluitatis
colerice ad cutim vt fit in q̃buſdã ycteric̃ ratione
ſanguinis eis ꝯnaturalis rõne regiõis: vt in q̃buſ
dam inſulis fit vt in ſardinia: ⁊ tñ ibi nõ ẽ lepra.
Iſta latius tibi explicaui in expõne tertij de mor
bo ſuper eodẽ loco. ¶ Alia eſt ſpẽs ydropiſis q̃
dicit̃ alchites. cuius cauſa mat̃ialis ẽ aquoſitas
multa cũ modica vẽtoſitate rõne hũiditat̃ epat̃
ſubintrãt̃ ꝯcauitates ventris potiſſime duos me
atus vmbilici illum ꝑ quẽ mingebãt: ⁊ illũ ꝑ quẽ
recipiebãt nutrimẽtũ in vtero mat̃no. Et ꝑ viaꝫ
reſudatiõis multiplicat̃ in modũ ſudoris in con
cauitate vẽtris inter ciphach ⁊ mirach. imo reſuda
tiue cadit ſup inteſtina timẽtes partes illas: dic̃
Raſ in ſuo cõtinẽte ꝓpt̃ qꝺ quãdo diu proceſſit
eſt incurabilis: iſta talis aq̃ſitas cũ illa ventoſi-
tate generat̃ in epate vicio epatis: puta ex debi-
li generatiua ſanguinis in eo. v. de interioribus
c. penultio. Iſta tal' debilitas generatiue ſangui
nis in eo interdũ habet originẽ a ſeipſo. aliquan
do a ſplene: aliq̃ñ a renibus a ſeipſo vt q̃ñ a gña
tione eſt rarũ debile in ſui natura vt ſunt haben-
tes longos digitos. vel habet vias gibbi ſat̃ ſtri
ctas vicio informatiue proprie que de facili a cã
modica opilãtur. Dicit Raſ in ſuo cõtinẽte. Iõ
adueniente 3a etate vel circa de facili manifeſtã
tur iſta: quia virtutes incipiunt declinare. ideo a
cauſa modica opilantur in gibbo epatis ⁊ gñã
tiua ſanguinis ⁊ talis aquoſitas multiplicatur
⁊ ſic ydropicantur: ꝓpter qꝺ ſunt plures ⁊ plu-
res qui vicio parentũ ⁊ generis ydropicant̃ cir-
ca. xl. annũ. hoc vult Raſ. in ſuo cõtinẽte ⁊ ꝺ fa
cto videmus. Aliquãdo tale viciũ gñatiue ⁊ mul-
tiplica° talis aq̃ſitatis habet originẽ a ſplene q:
nõ bene attrahit illam feculentiã ſanguinis. Iõ
ipſm epar paulatim grauatur ⁊ debilitatur ⁊ ꝑ
ꝯñs fit generatio talis aquoſitatis cũ portiõe vẽ
toſitatis. Aliquãdo tale vicium generatiue ſan-
guinis ⁊ multiplicatio talis aquoſitatis habet
originẽ a renibus: quia debiles in eoꝝ natura a
generatiõe vel a tempe ꝓpter coytũ vel caſuꝫ nõ
potẽtes bene attrahere aquoſitatẽ a venis ⁊ ab
epate ꝑ illos duos meatus qui cõtinuãtur cũ ve
na cõcaua poſt exitũ eius a gibbo. Dic̃ Raſ in
ſuo continente vel q̃a illi meat⁹ ſunt opilati. Et
ſubdit ꝙ ſi attrahãt ⁊ ſint fortes ⁊ v̉tuoſi expel-
lunt ad veſicã qꝺ ſi nõ. talis aquoſitas regurgi-
tat ꝑ venas ſupius in totum corpus ⁊ epar ne-
ceſſario replet̃ ⁊ debilitatur. ⁊ ſic talis aquoſitas
multiplicata ⁊ nõ retracta ab ipſis neceſſario re
gurgitat ad viã vmbilici ꝑ quã mingebat in vte-
ro materno ⁊ adhuc migeret ſi nõ eẽt ꝯſolidata
dicit Raſ in ſuo ꝯtinẽte. Vidi aliq̃s ydropicos
multũ inflatos q̃ audiẽtes iſta fricabãt ⁊ ſcalpe
bant ſe tñ in vmbilico vſqꝫ q̃ aperiebãt ipſm ⁊ v-
rinabãt ꝑ vmbilicũ viuebãt ꝑ tẽpus ⁊ nõ multũ
q̃a epar erat in eis multũ debilitatũ. Ideo fiebat
cõtinua regeneratio illius aquoſitatis in finali-
bus moriebãtur. Similiter talis aquoſitas mul
tiplicata cum hoc regurgitat ad viam vmbilici
ꝑ quã veniebat nutrimẽtũ ad ipſm epar in vtero
materno. nam ibi ſunt illi duo meatus. Dicit raſ
in ſuo ꝯtinẽte: ⁊ talis aquoſitas exñs in ill' mea
tibus multiplicatur ꝑ viam reſudatiõis in cõca
uitate vẽtris inter ciphach ⁊ mirach. imo cadit ſic
ſuper inteſtina per viam reſudatiõis vt dic̃ Raſ
in ſuo cõtinẽte. Alia eſt ſpẽs ydropiſis que dici
tur timpaniſtes. Cuius cauſa mat̃ial' eſt vento-
ſitas multa cũ pauca aquoſitate rõne ſiccitatis
epatis que originẽ habet cõmunit̃ in ſtomacho
dicit Raſ in ſuo cõtinẽte. verum non perficitur
ydropiſis vſqꝫ q̃ materia generet̃ in epate: ⁊ mul
tiplicetur in illis vijs dictis vmbilici. nam in hoc
cõueniunt oĩes antiqui ꝙ oĩs ſpecies ydropi
ſis cauſatur ⁊ generatur ex nocumento accidẽ-
te in virtute generatiua ſanguis in epate. v. ꝺ in
terioribus. c. penultio. 3°. de mor°. c. 3°. 2°. ꝓpoſi.

cométo ꝑmo. Idē vult Auic. 3°. cañ. in. c. ꝓprio.
bene ergo ↄcluditur ꝙ ydropiſis eſt tumoꝛ ven-
tris vel mēbroꝝ coꝛpis vt eſt dictū in ꝑncipio. c.

Primo tu q̄res que eſt cauſa immedia
ta efficiēs ydropiſis. Videt̃ ꝙ
bonitas digeſtiue epatis ſit cauſa īmediata idro
piſis bonitas digeſtiue epatis cū cal'. tēꝑato eſt
cauſa immediata efficiēs gñatiōis ſanguinis ꝛ
aquoſitatis ex re q̄ bibit̃: igit̃ erit cauſa efficiens
immediata ydropiſis. añs eſt Auic. ꝑ° cañ. doc.
de hūoꝛibus in. c. 2°. ↄña tenet: quia ſi talis aq̄ſi
tas fluat ad meatū vmbilici per quez fluebat in
vtero materno cauſabit̃ ventris tumoꝛ ꝛ ydropi
ſis: ꝛ ſi ad mēbra cauſabit̃ yposarca dicit Rab. i
ſuo cōtinente. ¶ Scđo ꝓbo ꝙ malicia ꝛ erroꝛ di
geſtiue epatis ſit cauſa efficiēs immediata textu
Ga. v. de interioꝛib' in. c. penultimo. Idem dicit
3°. de moꝛbo in. c. 3°. Idē dicit. 2°. ꝓnoſtic̄. cōmēto
ꝑmo. Idem dicit Auic. 3°. cañ. c. ꝓprio. ¶ Tertiō
ꝓbo ꝙ opilatio venarū gibbi epatis ſit cā effici
ens immediata textu Ga. v. de interioꝛib'. c. pe-
nultimo. Ubi videt̃ dicere ꝙ eſt cauſa coniūcta
ꝛ mater ydropiſis quia eſt cauſa talis ſitus aq̄ſi
tatis in vijs vmbilici. Idem ſentit Auic. in loco
allegato. ¶ Ulterius ꝓbo ꝙ malicia ꝛ erroꝛ ex-
pulſiue naturalis epatis ſit cauſa efficiēs imme-
diata ydropiſis: quia talis v̄tus cum malicia ſui
ꝛ erroꝛe actiōis: impellit mãiam aq̄ſam in vijs
vmbilici ꝛ inter ciſach ꝛ mirach ex quo non pōt
expellere ad venas coꝛpis: igitur erit cauſa ime-
diata efficiens ipſius ydropiſis. añs notum ē ꝓ-
pter cauſam dictā: ꝛ ↄña nota q: ydropiſis q̄ ad
eius duas ſpecies eſt tumoꝛ ventris rōne mãie
aquoſe interpoſite. ¶ Ulterius ꝓbo: ꝙ mala at-
tractiua renū ſit cā imediata ipſius intētiōe Ga'.
v. de interioꝛib' in. c. penultio. Dicit ꝙ ſi nō faci-
unt officiū ſuū illa aq̄ſitas remanēs circa epar
regurgitat in vijs vicinis cauſans tūoꝛ: ē. Idē di-
cit Rab in ſuo cōtinēte. ¶ Ulterius ꝓbo ꝙ ma-
la expulſiua venarū ſit cauſa imediata ipi' textu
Rab in ſuo cōtinēte vbi dicit ꝙ qñ renes attra-
hunt ꝛ ſunt v̄tuoſi ꝛ foꝛtes expellunt illam aq̄ſi-
tatem ad veſicā. ꝛ ſi debiles tūc vene expellunt il
lam aquoſitatē ad vētrem ꝛ cauſatur alchites:
aut expellunt per totum coꝛpus tunc cauſat̃ ypo
ſarcha ſeu ydropiſiſ carnoſa. ¶ Dicendū ad pul
chram dubitationē. ꝛ aduerte q: mãia alta eſt.
Quid ſit ydropiſis dictum eſt. Unde loquendo
de cauſa efficiēte immediata ydropiſis: poſſum'
intelligere de cā efficiēte immediata talis mãie
aquoſe, Uel de cauſa efficiente immediata ſitus
talis mãe in vijs ill' vmbilici ꝛ inter ciſach ꝛ mi
rach vel in alijs mēbris inflātis ꝛ tumētis par
tes illas. Unde cauſa immediata ꝛ efficiens ge
nerationis talis materie aquoſe eſt ipſa digeſti-
ua. 2ª i epate. ſcꝫ. generatiua ſanguinis male ge
nerans ꝛ errans in ſui actione puta in tali gñā-
tione: nam deberet generare bonum ſanguinem
ꝛ generat aquoſitatem nitroſaꝫ per viaꝫ indige-
ſtionis ratione alicuius male complexionis pu-
ta calide vel frigide. ꝓpter quod textus intitulāt
cauſam talem nomine accidentis ſeu actiōis le
ſe qm̄ dicunt ꝙ cauſa talis eſt erroꝛ gñatiue ſan
guinis. iſtud eſt actio leſa: ꝛ actio leſa non gene
rat maam: ſed virtus cum actione leſa fuit locu'
transferentium de lingua arabica in latinaꝫ. Et
nō eſt vera locutio nec pꝛopꝛia niſi intelligeret̃
vt dictum eſt. Uerum aquoſitas generata cum
ſanguine naturaliter ex bonitate digeſtiue epa-
ti ſi retineatur ꝓpter opilationes venarum gibbi
epatis. vel pꝛopter debilem attractiuam ꝛ expul
ſiuam renum poterit eſſe cauſa materialis ydro
piſis incipientis firmari vt eſt dictum ſeu illius
qui eſt in neutralitate decidē' ad ydropiſim ꝫ. lo
cutōe cōmuni ſit generatiua ſanguinis non er-
rans erit cauſa efficiens immediata generatiōis
mãie ydropiſis incipientis firmari que multuꝫ
retenta cauſis iaꝫ dictis generatur lapſus ad ca
liditatem in ipō epate rōne opilatiōis firmate ꝛ
regurgitationis ad ipſuꝫ epar talis aquoſitatis
nitroſe: pꝛopter qđ epar ledet̃ in generatiā ſan-
guinis ꝛ dicta ydropiſis firmabitur ꝛ etiā ydro-
piſis erit firmata ꝛ permanēs: quia talis mãia
notabilit̃ fluet ad partes vmbilici. ¶ Scđo dico
ꝙ cauſa efficiens immediata ſit' talis materie
in vijs vmbilici iam dictis inflātis ventreꝫ ꝛ tu
mentis ꝛ per conſequens facientis ydropiſim ē
malicia expulſiue epatis ratione opilationis ve
narum ꝛ viarum gibbi epatis que cauſa eſt vt
plurimū pꝛopter quod dicūt actoꝛes ꝙ illa opila
tio mater eſt ydropiſis: nam talis virtus ſi eēt re
gulata expelleret ad venas coꝛpoꝛis talem aq̄ſi-
tatem ꝛ non facit quia non poteſt ratione illius
opilationis: quia vie non ſunt pꝛompte Uel illa
ſuperfluitas aquoſa ꝙ quia non expellitur ad ve
nas tranſcurrit ex ſui natura: quia liquoꝛ ad me-
atus vicinos potiſſime ad aſſuetos in vtero ma-
terno ad vmbilicum ꝛ ad ſpacioſitatem illā que
eſt inter inteſtina. verba ſunt Rab in ſuo conti-
nente. Illa duo poſſunt cōcurrere naꝫ expulſiua
grauata in epate expellit̃ ꝛ talis ſuperfluitas q:
liquoꝛ currit ad meatus vicinos ꝛ patos. Aliqñ

talia: ſunt ratione multitudinis talis aquoſitatꝭ
ratione regurgitationis ipſius ꝑ venas ad par-
tes epatis ratione debilitatis renum nõ attrahẽ-
tium illam modo debito vel nõ expellentium ad
veſicam. dato ꝙ illam attraxerint: hoc vult Raſ.
in ſuo continente. Iſta duo poſſunt reduci ad v-
nam cauſam in genere: quia ad opilatiõem gib-
bi epatis ratione qualis vel ratione quãti. Iſta
talis opilatio vel talis eſt cauſa potiſſima ⁊ con-
iuncta ſitus talis materie facientis tumorem vẽ-
tris ⁊ per ꝯñs ipſam ydropiſim alchitem ⁊ tim-
paniſtem ꝑpter quod intentio fortior in curatio-
ne harum ſpecierum erit aperire opilatiões gib-
bi epatis ⁊ ꝓuocare vrinam cum alterantibus
⁊ confortantibus ipſum epar vt dicit Raſis in
ſuo continente. Et ſic patet dubitatio.

Secundo tu queres Ex quo
generatiua ſanguinis in epate errans in actio-
ne ſua ratione alicuius male complexionis eſt
cauſa inmediata efficiens talem maťiam dictã
Tu queres ſi mala complexio frigida ſit ſemper
⁊ neceſſario cauſa efficiens inſtrumentalis ime-
diata generationis talis materie aquoſe ipſius
ydropiſis. videtur ꝙ ſic intentione Auic. 3°. can.
ca°. ꝓprio circa ꝑncipium: vbi dicit ꝙ egritudĩes
cõplonales epatis faciunt ydropiſim cũ gdatio-
ne reſolutionis caloris eius naturalis vel ei⁹ ex-
tinctionis. propter qḋ concluditur per omnes ex-
ponentes intentiõem Auic. ꝙ cauſa inmediata
talis erroris digeſtiue epatis mᵉ ipſius ydropiſ.
ſit frigiditas ſeu mala cõplo frigida epatis. Ar-
guunt ſic moderni noſtri credentes demonſtra-
re in maťia: qḋ cauſatur per viam reſolutiõis ca-
loris naturalis vel eius extinctionis. Illud ne-
ceſſario cauſatur a mala complone frigida epaťꝭ
ſed ydropiſis eſt hmõi ergo ⁊c. maior nota eſt ꝺ
ſe. minorẽ declarat littera Auic. per eos: q: mala
complo calida epatis reſoluit calorem naturalẽ
⁊ mala complo frigida extinguit calorem natu-
ralem. Concludunt ex hoc ꝙ neceſſario mala cõ-
plexio frigida epatis erit ſemper cauſa talis er-
roris generatiue ſanguinis ⁊ generatõis talis
materie ydropiſis. Iſta ratio quia apparens et
male intellecta facit errare modernos i materia.
¶ Tertio arguitur ſic intentione Ga. 6°. ꝺ mor-
bo in. c. 4°. vbi dicit ꝙ mala complo calida cali-
dos morbos generat ⁊ coleram. frigida frios ⁊
materiam flãticam vel aquoſam. Sed oĩs ma-
teria ydropiſis eſt frigida cum ſit aqua ⁊ ventus
Concludo igitur ꝙ mala complo frigida ſemꝑ
⁊ neceſſario erit cauſa inmediata inſtrumẽtalis
generationis materie ydropiſis. Gordonius ge-
raldus ſuper viatico ⁊ oĩes moderni cõmuniť
ſunt de iſta opione facientes fundamentũ in te-
xtu Auic. dicto male intellecto vt patebit. ¶ In
contrarium arguitur textu Ga. 6°. ꝺ morbo in. c.
5°. vbi dicit ꝙ caliditas aliqualiter excedẽs cau-
ſat nebulam: ſicut frigiditas aliqualiter excedẽs
Arguitur ratione ſua in textu ſicut eſt in exterio-
ribus ita eſt in interiorib⁹ noſtri corpis. Iſtã po-
nit in littera: ſed ſic eſt in exteriorib⁹ ꝙ caliditas
aliqualiter excedẽs eſt cauſa nebule ⁊ aquoſitaťꝭ
vt patet in medio veris ⁊ autũni multũ excedẽs
nõ vt in eſtate. ergo ſic erit in interiorib⁹ noſtri
corporis ꝙ caliditas aliqualiter excedens erit
cauſa gñationis maťie frigide puta aquoſitatis
in ydropiſi. ratio eſt Ga. in loco allegato. ¶ Se-
cundo arguo ex textu raſis in ſuo ꝯtinente diċ ꝙ
firmũ eſt ⁊ certũ ꝙ aquoſitas ſanguinis in ydro-
piſi eſt cũ calida complone epatis preterea quia
abundanter diſſoluit ex chilo ⁊ eleuat fumũ aq-
ſum de chilo quia humidus. Et ſubdit noli ob-
ſcultare illos qui dicunt ꝙ ydropiſis ſemper in-
diget calefactione ⁊ deſiccatione: quia vidi plꝭs
ydropicos ſanari cũ infrigidatis qḋ nõ fieret ſi
mala complo frigida eſſet cauſa ſemper ⁊ neceſ-
ſario generationis talis aquoſitatis. ¶ Ter⁹ ar-
guitur ſic: intentione Ga. 5. de interioribus in. c.
penultimo. ſtante ſlõne calido in epate generať
ma ydropiſis: igitur mala complo cala erit cã
inmediata generationis talis maťie aquoſe cõ-
ſequẽtia tenet aliter mala calida egritudinalis ⁊
mala fria ſtabunt ſimul qḋ fieri nõ põt: quia tũc
vel eſſet equaliter vel inegliter. Si equaliter tũc
reſultaret temperamẽtũ. Si inegliter ſolũ erit ibi
vnus ſolus lapſus. hoc ẽ bene ipꝛobatũ in ꝑꝛo
de morbo. Dilatatio ⁊ ꝯſtrictio poꝛoꝝ ſimul ſta-
re nõ poſſunt. nec hoc eſt credibile vt dicit. 2°. de
morbo: quia caliditas remiſſa nõ facit morbum
ſed inteſa: ideo ſimul ſtare nõ poſſunt. ¶ Quar-
to arguitur ſic. qḋ eſt cauſa nocumenti contenti-
ue eſt cã diminute actõis digeſtiue ⁊ medie co-
ctionis obi digeſtiue. patet per Ga. 3°. de morbo
ca°. 3°. Sed excedens calitas epatis vias rarifi-
cando ⁊ aperiendo eſt hmõi. cõcludo igiť ꝙ ma-
la calida epatis eſt cauſa ĩmediata inſtrumenta-
lis aliquãdo ipſius ydropiſis. ¶ Dicendũ ad du-
bitationẽ plures modernoꝝ tenent ſe cum ꝑmis
motiuis ꝑpter malum intellectum text⁹ Auicẽ.
nam ipſi intelligunt ꝙ ad reſolutionẽ caloris na-
turalis ſemper ⁊ neceſſario introducatur mala

complexio frigida q̄ñ nō eſt verum: quia tūc om
nis febricitans fe. ethica vel putredinali haberet
malaꝫ complōnem frigidaꝫ in corde. conſequēs
eſt falſum nō eſt dicendū. Unde calor naturalis
interdum extinguitur tunc mala complō frigida
introducitur extinguens ꝛ mortificās ſic cōtra-
rium extinguit ꝛ mortificat contrarium. Interdū
calor naturalis reſoluitur vt in fe. ꝛ diſcraſijs ca
lidꝫ quia ſpūs naturales ꝛ tēpati reſoluūtur pro
magna parte cum iſta reſolutione nō ſtat mala
complō frigida ſed mala calida. Nunqd in fe. eſt
calor. compoſitus ex naturali quaſi reſoluto. ꝛ ex
accītali Auerrois. 3°. collecto. Et ibi eſt pauc⁹ ca
lor naturalis licet ſit aliqualis realiter nō forma
liter quia temperies corrupta eſt: cauſa eſt quia
aliter natura non curaret morbum niſi aliqd re-
maneret de calore naturali ꝛ inſtrumēto nature.
Uerum quia vltimū habet rationem forme. 3°.
de mor°. c. p̄mo. totus formaliter ē preter naturā
quia mutatus in igneum. propter quod dic̄ Ga.
in libello de mala complōne diuerſa in ca°. 3°. ꝙ
hoc eſt cōmune omniū male cōplōni diuerſe ꝙ
in membro vbi eſt non eſt vna cōplō immo ſunt
due realiter: licet ſit vna formalis: ſic patet funda
mentum opionis modernoꝝ eſſe nulluꝫ propter
falſum intellectum dictoꝝ auc̄. quia aliquando
mala complō calida eſt cauſa generationis tal'
aquoſitatis in ydropiſi. immediata inſtrumenta
lis: aliquando mala frigida: licet om̄is cauſa ma
terialis ydropiſis ſit frigida ſm plus ꝛ minus:
quia magis ſalſa vel min⁹. Sic intelligebat ga.
in pronoſti c. Om̄is ydrops ex frigidis cauſ na
ſcitur. Intelligitlquo ad cauſam illam materialē
¶ Ad aliam rōnem mala calā calidos morbos
generat. Uerum eſt de per ſe per accidens debi-
litando contentiuam vel per viam effumationis
exceſſiue eleuat vaporem ꝛ nebulam vt eſt dictū
intentione Raſis ꝛ Ga. in textibus adductis. ꝛ
ſic patet materia declarata.

Tertio tu queres ex

quo ma-
la complexio calida ꝛ frigida epatis ſunt cauſa
generationis diuerſarum ſpecierum puta alchi-
tis ꝛ timpaniſtiſ qualiter aquoſitas ꝛ ventus ſi
mul generantur ab eodem agente ꝛ ab eodem
obiecto. ¶ Soluit Ga⁹. 2°. de complōnibus cir
ca finem. Idem dicit Gilbertus in ca° proprio.
ꝙ hoc eſt ex natura ciborum. nam partes ciboꝝ
etherogeneitatem habent in ſe aliqualem Nam
alique partes cibi ſunt magis frigide humide
groſſe tales euaporant ꝛ cedunt magis in vapo
rem humidum aquoſuꝫ: quia quod deciditur ab
alio atteſtatur ei a quo deciditur p̄mo amphori-
ſmorū. ¶ Et alique partes cibi ſunt magis ae-
ree ꝛ ſicce tales euaporant ꝛ tendunt magis in
vaporem ſiccum per rationem dictam: natura a
gentis puta calor talis vel talis in tali membro
minus. vel magis humido facit ad hoc vt latius
declarabitur in queſito ſequenti.

Quarto tu queres

Quare in qui-
buſdam qui ydropicantur de calida cauſa vł de
frigida plus generatur de aquoſitate ꝛ minus
de ventoſitate in quibuſdam fit econtrario ꝛ ſic
ſiunt diuerſe ſpecies ydropiſis. ¶ Dicendum ꝙ
licet natura ciborum faciat aliquid ad hoc vt eſt
dictum ſtatim ſm ꝙ eſt ſiccus vel humidus. effu
matio tamen eleuata a chilo recepto in conca-
uo epatis principalius limitatur ꝛ diuerſificatur
ex conplexione ꝛ ex diſcraſia epatis: quia calida
ꝛ ſicca magis effumāt in ventum. Calida ꝛ hu-
mida in aquam. Raſis in ſuo continente. Pro-
pter quod corpora calida ꝛ ſicca melancolica cō
muniter incurrunt timpaniſten minus ſiccā. vel
aliqualiter humida alchitem. hoc vult Raſis
in ſuo continente. Et hoc videmus de facto. Et
ratio dicti eſt quia caliditas euaporās ꝛ eleuās
fumuꝫ licet de ſe acuat ꝛ ſubtiliet fumū. magis
tamen vnita cum ſiccitate ſeu in membro ſicco
ex ſui natura: propter quod in talibus plus de
vento generatur ꝙ de aqua. Contrarium fit in
alijs.

Quinto tu queres que

ſpecies ydropiſis ſit deterior: intelligēdo ꝙ par-
ticularia concurrant ꝙ vtraqꝫ ſit cum apoſtema
te vel ſine. Uidetur ꝙ yposarcha ſit deterior. qꝛ
complexio totius corporis in ea magis corrum-
pitur quia epatis venarum ꝛ carnis. Hoc dicit
Raſis in ſuo continente auctoritate Iohānicij
Item fit magis cum diſconuenientia particula
rium: quia communiter fit a cauſa frigida. Alia
communiter a cauſa calida. ¶ Item materia ypo
ſarche magis occupat totum corpus. hoc notuꝫ
eſt. conſequentia nota: quia plura membra le-
duntur. ¶ Poſtea probo ꝙ timpaniſtes ſit de-
terior quia fit a maiori lapſu quia a maiori calorē
quarto amphoriſmorum cōmento illius. Qui-
buſcunqꝫ tortiones circa vmbilicū ꝛ lūbos igit
erit deterior. Itē qñ duo morbi tēdūt ad vnū finē

vltimus eſt deterior quia in eo eſt maior lapſus
et virtus magis debilis alchites ⁊ timpaniſtes
tendunt ad vnum finē in corpore noſtro quia ad
tumorem ⁊ corruptionez corporis ⁊ ex alchite fit
timpaniſtes. hoc vult Raſ in ſuo continēte. Ra
tio dicti eſt: quia calor continue magis augmētatur
⁊ tūc magis de vento generatur hoc ponit Raſ
Idem ponit Ga. 4°. amphor. cōmēto cañ. dicti.
Quibuſcunq; tortiones quia vētus a maiori ca
lido generatur ꝙ aquoſitas. hoc ponit ſimiliter
ille Gilbertus ⁊ oēs moderni. ¶ Ulterius ꝓ
bo hoc intentione Raſ in ſuo continente. c. pro
prio. vbi hoc ponit ex cauſa dicta: quia ventus fit
a maiori lapſu: quia a maiori cal. ⁊ cum maiori
diſconuenientia epatis quia a mala ſicca com
plexione epatis. Et epar in ſui natura eſt humi
dum immo fons humiditatis 2°. tegni. ¶ Ulte
rius probo hoc intentione Auerrois. 3°. collecto
rij. ca° de accidentibus contingentibus digeſti
ue epatis: vbi dicit ꝙ timpaniſtes ē deterior ſpe
cies. ¶ Poſtea probo ꝙ alchites ſit deterior pri
mo intentione Auicē. 3°. cañ. c. proprio qui dicit
ꝙ dignius eſt ꝙ alchites ſit deterior. Idē dicūt
omnes moderni in pſalterijs ſuis. Ratio eorum
quia alchites habet initium ab epate: timpani
ſtes a ſtomacho modo magis leditur natura ex
nocumento epatis ꝙ ſtomachi. ¶ Ulterius ar
guitur ſic: quando duo morbi tendunt ad vnum
finem vltim⁹ eſt deterior quia in eo eſt maior la
pſus ⁊ virtus magis debilis: ſed alchites ⁊ tim
paniſtes tendunt ad vnum finem quia ad tumo
rem ⁊ inflationem ⁊ corruptionez corporis ⁊ al
chites eſt vltimus: quia ex timpaniſte de frigida
fit alchites de frigida. Hoc vult Raſis in ſuo cō
tinente. Gilbertus hoc declarat: quia ſi fiant a
cauſa frigida dum plus procedūt frigiditas ma
gis augmentatur ⁊ ſic plus de aqua generatur.
quia aquoſitas a cauſis frigidioribus ⁊ ventus
a calidioribus generatur. 4°. amphor. cōmēto
illius. Quibuſcunq; tortiones ⁊c. ⁊ ſic in alchi
te eſt maior lapſus. concluditur ergo ꝙ alchites
neceſſario ſit deterior ſpecies. ¶ Dicendum ad
iſtam dubitationem eſt ſciendū ꝙ quelibet ha
rū ſpecierū ydropiſis fit a cauſa calida vel frigi
da q: a mala complexione calida vel frigida epa
tis generāte inſtrumētaliter tamen talem vento
ſitatem ⁊ aquoſitatem. Uerum yposarca fit ſem
per de cauſa frigida ⁊ non fit de cauſa calida ni
ſi fiat ex retentione ſanguinis magna in mēſtru
is ⁊ emorroydibus tunc fit ſubito tūc competit
flō mia, aliter non vt ponit Raſis in ſuo continē
te. ¶ Aliter fit de ſanguine aquoſo flātico quo
quo modo fiat Raſis. Auicenna ⁊ omnes con
ueniunt ꝙ eſt minus mala. quia licet diſcraſia
ſit magis vniuerſalis ⁊ cum quadam diſconue
nientia non eſt ita fortis in epate renibus ⁊ ſple
ne. Alchites ⁊ timpaniſtes fiunt de cauſa calida
⁊ frigida: quia a mala complexione epatis calida
vel frigida que eſt cauſa inſtrumentalis genera
tionis ma° ydropiſis vt eſt dictum ſupra. ſ. aq̄ſi
tatis ⁊ ventoſitatis. ¶ Tu dices: ventoſitas ſem
per generatur a calore claudicante ⁊ modico. hoc
vult Ga⁹. vi. de morbo in. ca°. 5°. in multis locis
ergo non poterit generari a calido excedenti.
¶ Dicendum ꝙ verum dicis ꝙ ventoſitas ſem
per generatur a calore naturali modico ⁊ clau
dicante: ſed calor naturalis claudicat ⁊ fit modi
cus dupliciter. Uno modo per viam extinctiōis
a frigido ſubintrante ſic generatur in alchite ⁊
timpaniſte de cauſa frigida: ſed quia aquoſitas
fit a cauſis frigidioribus ⁊ ventoſitas a calidio
ribus vel a minus frigidis cōmento illius. Qui
buſcunq; tortiones. Ideo timpaniſtes de frigi
da parum durat ſtatim conuertitur in alchitem
de frigida. Alio modo claudicat calor naturalis
⁊ fit modicus per additionem caloris innatura
lis ⁊ per eius reſolutiōem: quia ſpūs qui ſunt cal
naturalis reſoluūtur. nam calor naturalis dicit
concretū ſubm ⁊ accñs. 2°. de complexionib⁹: q: va
porē illū ſeu ſpm̄. Et quanto calor innaturalis plus
augmentatur plus naturalis reſoluitur ⁊ debilitatur:
quia eius forma puta tēperies corrūpitur: nā ca
lor naturalis ē tēperat⁹ ſic vētoſitas a calore mo
dico naturali generatur ꝑ modicā decoctiōem rei
obiecte quia accñtal' nō decoquit ſed corrumpit
Ideo oportet ꝙ in omni diſcraſia ſit calor natu
ralis realiter. aliter nulla fieret digeſtio cibi nec
humoris. Uerum eſt ꝙ vltimū habet rationem
forme totius calor noſtri corporis formaliter ē ꝓ
ter naturam. licet realiter ibi ſint duo calores: hoc
eſt commune in omni mala diuerſa vt ponit ga.
in libro de malicia complexione diuerſa in. c. 3°. iſta
verba nō apprehendunt moderni noſtri debiles
in arte. Cum ergo alchites ⁊ timpaniſte fiat de
cauſa calida ⁊ frigida vt eſt dictum que horū ſit
deterior. ¶ Dicendum ꝙ in cauſa calida timpa
niſtes ē deterior quia ex alchite fit timpaniſtes i
proceſſu: quod patet ex declaratis: quia ventoſi
tas a cauſis fit calidioribus magis ꝙ aq̄ſitas in
cōmēto cañ. allegati. Et dū plus ꝓcedūt lapſus
ille ad caliditatem augmentatur ꝓpter qd plus
de vēto gñatur ⁊ ſic alchites de cal'a mutatur in

timpaniſtez de calida in quo erit maioꝛ lapſus. ideo erit deterioꝛ. Si aũt fiat a cauſa frigida tũc dicemus ecõtra per rõnem cõtrariam. Alchites eſt deterioꝛ quia eſt vltima. Et timpaniſtes de frigida fit alchites frigida. quia in ꝓceſſu lapſus ad frigiditatẽ augmentat̃. ideo plus de aqua generat̃ ꝙ̃ de vento per textum gal̃. ergo timpaniſtes de frigida fiet alchites de frigida. Sic ſolute ſunt rõnes vtriuſq̃ partis ſup hoc. Tu dices: comparemꝰ extremũ extremo que eſt deterioꝛ an alchites de frigida an timpaniſtes de calida. Dicendum ꝙ vtraq̃ in ꝓceſſu eſt moꝛtalis. vez auerroys dicit ⁊ auicẽna. ꝙ alchites in vltimo eſt moꝛs innati caloꝛis.

Sexto tu queres. in ꝑ̃ncipio quelibz earum eſt curabilis: in ꝓceſſu incurabilis: que iſtarũ erit difficilioꝛis cure. Dicendũ ꝙ ſi alchites de calida fuerit in ꝑ̃ncipio ⁊ timpaniſtes ꝙ timpaniſtes eſt deterioꝛis cure. Cauſa duplex eſt: q꞉ quã ꝙ̃ ſit in ꝑ̃ncipio in timpaniſte ẽ lapſus maioꝛ. q꞉ ventoſitas a maioꝛi calido generat̃. ⁊ per cõſequẽs maioꝛ debilitas epatis. ſimilit̃ q꞉ talem cãm materialẽ capere non poſſumus cum medicina attractatiua. oppoſitũ eſt in alchite de calida ſi in ꝑ̃ncipio ſil̃r fuerit. Si autem fiat a cauſa frigida licz in alchite de frigida ſit maioꝛ lapſus per rõnem cõtrariã. q꞉ cã materialis non poteſt capi virtute ſpecifica ab aliqua medicina. Dico ſil̃r ꝙ timpaniſtes eſt deterioꝛis ſic intellexit auerroys loquẽdo de maioꝛi malicia ⁊ plures auctores ſil̃r.

Septimo tu queres. Cuius particule epatis ydropiſis eſt paſſio ꝑ̃ncipalit̃. Dicendũ ꝙ ꝓ generatõne illiꝰ aquoſitatis eſt paſſio ꝑ̃ncipalit̃ concaui. ibi eſt mala complexio calida cõiter ꝓpter opilatõnes gibbi. Si intelligamꝰ ydropiſim ꝓ tumoꝛe tunc eſt paſſio viarũ vmbilici ⁊ partiũ que ſunt inter cifach ⁊ mirach cõcomitando paſſionẽ alioꝝ mẽbroꝛum ſtomachi in timpaniſten. ⁊ renuz vl̃ ſplenis in alchite.

Octauo tu queres. ydropiſis ẽ paſſio ꝑ ſe vel ꝑ colligãtiam. Dicendum ꝙ ꝓ gñatõne cauſe material̃ ⁊ ꝓ tumoꝛe illo ſemꝑ eſt per colligantiã. venit quod venire nõ debet ſm naturã. ſ. diſcraſia ⁊ matia. Vez cã aliqua coadiuuãs poteſt ibi cõcurrere que nõ erit per colligantiã ſ per ſeꝫ debilitas epatis in ſua cõpoſitione. q꞉ eſt rare ꝯtexture in quibuſdaz vt in habẽtibus longos digitos de facili ydropicãtur circa quadrageſimum annum.

Nono tu queres. ydropiſis q̃s moꝛbus eſt in ſe in genere ⁊ in ſpẽ. Dicenduz ꝓ tumoꝛe illo eſt triplex genꝰ moꝛbi mala cõplexio humida de humiditate ſalſoſa ſm plus ⁊ minus: ſm qð eſt diſcraſia calida ⁊ mala cõpoſitio ⁊ ſolutio cõtinui. Ideo aliqui moderni dicũt ꝙ ydropiſis eſt apoſtema aquoſũ ⁊ vẽtoſum. ꝓ cauſa aũt efficiẽte ydropiſis eſt moꝛbꝰ conſimilis mala calida vl̃ frigida.

Decimo tu queres. Dictũ eſt in ꝑ̃cedẽtibus ꝙ opilatio eſt vna cauſa foꝛtis ydropiſis: puta talis ſitꝰ materie in vijs illis. Tu dices cuius ꝑticl̃e epat̃ opilatio epatis eſt paſſio ꝑ̃ncipal̃r. Soluit ga. vᵒ. de interioꝛibꝰ. caᵒ. penultimo ꝙ venarũ gibbi ꝓpter quã aquoſitas regurgitat ⁊ fluit ex ſe vl̃ ab expulſiua regulata ad vias aſſuetas in vtero materno. quia ad vmbilicũ per quem natura expellebat illã aquoſitatem: q꞉ per partẽ illam vrinabãt.

Vndecimo tu queres. Cuiꝰ virtut̃ epatis ydropiſis ẽ nocumentũ paſſiue intelligẽdo. Soluit l̃ra. vᵒ de interioꝛibꝰ in caᵒ penultimo ꝙ gñatiue ſanguinis epat̃ ꝓpter colligantiaz expulſiue ipius ſi ſit ibi opilatio in gibbo vl̃ per colligantiã attractiue renum vl̃ ſplenis ſi tales nõ faciãt officiũ ſuũ.

Duodecimo tu queres. Cuiꝰ virtut̃ ydropiſis ẽ nocumentũ actiue ſeu paſſio ꝑ̃ncipal̃r. Dicẽdum ꝙ ꝓ tumoꝛe eſt paſſio regitiuarũ naturaliũ ventris ⁊ partiũ vicinarũ. ꝓ cã gñatõnis materie eſt paſſio regitiuarũ naturaliũ oĩum membꝛoꝝ. nã non ꝓuidet̃ eis de obiecto ſufficiẽti nutritõnis circa quod agũt miſtrãtes ⁊ miſtrate virtutes. hec ſufficiant de clarificatõne ydropiſis.

Iſtis clarificatis cura cuiuſq̃ ſpeciei ydropiſis tibi pateſcit. Prius tamẽ ꝙ̃ in cura ꝓcedas ſcire ⁊ cognoſcere opoꝛtz quã ſpeciez ydropiſis patit̃ ⁊ cãm immediatã inſtrumẽtalez gñatiõis materie. puta an ſit mala calida aut frigida. ⁊ cõſiderare oꝫ cãm ſitus materie in vẽtre ⁊ in alijs membris. Et cõſiderare opoꝛtz tempꝰ ſui aduentꝰ. nam ſi ſit incipiẽs firmari ſeu in neutralitate decidẽte q̃ cachecia d꞉ ab auic̃. faciliter curat̃ niſi ſit ex febꝛe vel apoſtemate epat̃ vl̃ ſplenis vel renũ. Si aũt firmata fuerit ꝑ mentez cum difficultate curat̃ ſpecial̃r calida potiſſime illa in qua vrine tendũt ad ruboꝛẽ notabilez. Reparant̃ aũt in aliquo ⁊ in vita ꝓlõgant̃ a bono medico. Vez oẽs ꝯuenũt ꝙ̃ yypoꝛarca eſt magꝭ ꝓpinqua

ſanationi.lꝫ quãdo permutat̃ in lẽcofleumanci
am ſit difficilis ſanatõnis.q: tunc vtus eſt mag̃
debilis ꝓpter quod materia eſt mag̃ aquoſa et
ĩnaturalis licꝫ ſit minus ventoſa.q: illa mala cõ
plexio frigida ⁊ humida in membꝛis cõtinue pe
ioꝛatur ⁊ augmentatur ſic magis de aquoſitate
⁊ minus de vento generatur. Ex iſta ratione y-
poſarcha tranſmutat̃ in lẽcofleumãtiã ⁊ timpa
niſtẽ de frigida ⁊ in alchitem de fria vt eſt dictũ

Si quis ergo ipoſar

cham habuerit ex retentione mẽſtruoꝛum vel e-
moꝛroydarum quod pateſcit ex relatis. ⁊ quia
ſubito inflatur in facie ⁊ ſupercilijs ⁊ alijs mẽ-
bꝛis cum plenitudine ⁊ inflatione venarum ta-
les flobothomentur de conſilio raſ in ſuo conti-
nente.pꝛecedente tamen caſſiaſ. Et licꝫ in tali-
b⁹ ſit mala complexio excedens humida ⁊ ali-
qualit̃ calida illa excedens humida hebetando
calidum cauſat in modico tempoꝛe malã frigi-
dam.ꝓpter quod poſt paululum iſta a quacũꝙ
alia yposarcha in cura nõ diuerſificat̃. Intentio
autẽ curatiua cuiuſcunꝙ yposarche in pꝛoceſſu
duplex erit. Una eſt malã cõplexionem frigidã⁊
humidam epatis ⁊ membꝛoꝛũ coꝛrigere ⁊ repa
rare. Secunda erit materiã per ſeceſſum. vomi-
tum.vꝛinam⁊ ſudoꝛẽ euacuare ⁊ conſumere hoc
vult raſ in ſuo cõtinente.q: materia flegmatica
aquoſa multa abundat in ſtomacho⁊ in epate ⁊
in toto coꝛpoꝛe. Uerꝫ in yposarcha non eſt opila
tio in gibbo epatis ſicut eſt in alchite ⁊ in tim-
paniſte quia illa materia aquoſa non trãſiret ad
membꝛa remota ſed flueret ad partes vmbilici:
⁊ vẽter pꝛe ceteris membꝛis inflaret̃.ꝓpter quod
non eſt intendẽdum ad deopilandũ ꝓut in alijs
ſpeciebus ydropiſis:ſed ad educendũ materiaꝫ
per vꝛinas. In pͥmis ergo mundificet̃ ſtomach⁹
cum caſſiaſ.ſic. ℞.pꝛunoꝝ damaſcenoꝛum.vua-
rum paſſarũ mundatarũ ab arill̃. caricarũ pin-
guium.iuiube.ſebeſten.añ.ʒ.ß.fiat decoctio in.ij.
lib.aque donec redeat ad.lib.ß.in qua diſſoluãtur
caſſieſ.bene mundate.ʒ.ij.fiat potus.detur in oꝛ
tu ſolis ⁊ quieſcat in lecto capite baſſo. In ſom-
no per duas hoꝛas ⁊ non comedat niſi poſt ter-
tias.Hoc facto ſi initiũ habeat ex ſanguine retẽ
to in menſtruis vel emoꝛroydibus fiat flobotho
mia de epatica. Conſequẽter poſt aliquos dies
flobothomet̃ de ſophena domeſtica in vno ꝑe-
de.qua non inuenta de ſilueſtri. Poſt aliquos
dies de ſophena alterius pedis. ¶ Patiens iſtã

yposarcham vel quamcunꝙ aliam vtatur melli
crato tepido ſequenti ſine alia mixtura. ℞.coꝛti-
cis radicis feniculi.petrocilij.apij.raphani.ana.
m.ß.coꝛticis radicis yreos.ʒ.vnam.radicis acho
ri.ʒ.duas.maioꝛane.valeriane.centauree mino-
ris.mentaſtri.melliſſ.ana.m.ß.azari.ʒ.vnam.a-
meos.cuſcute.ana.ʒ.ß. aniſi. maratri. dauci. ſe-
minis apij domeſtici ⁊ montani añ.ʒ.duas.mel-
lis albi deſpumati quart̃. vnum ⁊ ß. aceti ſqui-
litici.ʒ.ß. fiat mellicratum bene clarificatum ad
lib.duas.ſumat ſero ⁊ mane. renouetur de quin-
ꝙ in quinꝙ diebus. Quo facto per decem vel
duodecim dies ſumat iterum caſſia infiſtulã di-
ctam vel iſtam colaturam. ℞.vuarum paſſarum
mundatarum ab arill̃.ʒ. vnam.polipodij quer-
cini.ʒ.vnam. ſene epithimij.ana.ʒ.ß. radicis yre-
os.ʒ.ß.azari.ʒ.ß. ſeminis cuſcute.ʒ.duas. agari-
ci electi.ʒ.tres.turbith electi gummoſi.ʒ.ij.ʒʒ'.a-
niſi.añ.ʒ.vnã.ſalis gẽme.ʒ.ß.fiat decoctio in qua
diſſoluat̃ caſſieſ.mundꝰ.ʒ.vna.fiat potus. fiat de
ſero decoctio ⁊ temperent̃ oĩa per noctẽ. Uel ſu-
mat de pill̃.de agarico.ʒ.ij.vel.ʒ.ij.⁊.ß Iſtis expe
ditis ſumat ſero ⁊ mane quibuſdam diebus de
metridato in quantitate amigdale.diſſoluat̃ cuꝫ
modico vini vel ſumat per ſe. Iſta pꝛoſequendo
vtatur exercitio bono ante pꝛandium ⁊ ante ce-
nam.parum comedat ⁊ minus potet.vtatur car-
nibus electis. Et talia pꝛoſequẽdo ſtuphet̃ in ſtu
pha ſicca facta cum lapidibus fluuialibus can-
dentibus ſuperſparſo vino albo vel claro. Stu-
phetur ad placitũ duobus diebus de mane reite
rando ſemel in quidecim dieb⁹. Loco huius ſtu-
pha naturalis ſulphurea ſibi competit ꝙ ſtuphe
tur pͥmo de mane. Conſequẽter balneet ſe in a-
qua illa ſulphurea vel ſalſa loco hoꝛum. De con
ſilio Raſ ſepeliant̃ in arena bene calefacta a ſo
le tempoꝛe calido. ⁊ obumbꝛet̃ ne ledatur a ſole
in capite. Aliqui auctoꝛes volunt ꝙ pꝛius inun-
gantur cum ſtercoꝛe recenti bouis. loco hoꝛum
ponantur in furno pane extracto taliter calido ꝙ
poſſint tollerare.ponant poſtem ab intra ⁊ iace-
ant ibi tenendo caput extra.vel ponant̃ in fouea
bene calida.faciant vnam foueam ad modũ pu-
tei lati pꝛofundam per quattuoꝛ palmos ⁊ cale-
faciunt cum vitibus vel ramulis de iunipero vel
alijs.quo facto extrahunt pꝛunas ponunt ibi po
ſtem ⁊ folia ebuloꝛum ſedent ibi inuoluti. nam
optime tollerant quia attrahunt aerem frigiduꝫ
ſine fatiga eſt optimũ remedium. Et ſi vngeren-
tur cum ſtercoꝛe bouis vt dictum eſt eſſet meliuſ

quia magis exiccarentur in carne ⁊ in alijs mē-
bris.talia proſequendo,redeant ad mellicratū
dictum ⁊ ad metridatum per vices. Loco metri
dati ſumat de iſta dyalacca per ſe vel cum vino
claro vel albo vel in pillulis in quantitate caſta-
nee.℞.coſti ſpice.carpobalſami.xilobalſami caſ
ſielignee.azari. cinamomi. croci. ſquinanti.zin-
ziberi.reubarbari. maſticis. ariſtologie longe.et
rotunde.anā.ʒ.vnam.myrre. gentiane. aniſi. apij
polij gariofilorū.eupatorij.abſinthij. nucis mu
ſcate. ana.ʒ.ß. cubebarum.ʒ. duas.lacce.ʒ. duas
mellis deſpumati quod ſufficit.reſeruentur in pi
xide.¶ Aduerte ꝙ non ſit nimis coctum. capi-
at de ſero vel de mane vt dictum eſt.vtatur pane
duorum dierum vel triūm.quando piſtabitur ſu
peraſpergatur modicum aniſi maratri ⁊ calefa-
ciat ad ignem panem quem comedat dum erit
in mēſa vtatur vino claro ſubtili antiquo in mo
dica quantitate tamen. vtatur carnibus electis
capreti mutonis iuuenis ⁊ bipedalibus potiſſi-
me columbis iuuenibus ⁊ auiculis paruis. aſ-
ſentur.⁊ ſi elixentur pone ibi ſatis de maiorana.

Et ſi quis ipoſarchaꝫ

habuerit ex nimio fluxu emorroydarum vel men
ſtruorum.ſuccurratur illi fluxui ⁊ male humide
ſtomachi et fiant illa que dicta ſunt. ¶ Et ſi
quis yposarcham habuerit ſine iſtis ſuccurra-
tur male humide ſtomachi et membrorum cuꝫ
ſtuphis ſiccis et alijs. Vtatur ſale ſacerdotali.
cuius receptam inuenies in antidotario. Vitet
cibum in magna quantitate ⁊ maxime potum.
vitet offas inſuper potum inter duas comeſtio-
nes. Iſta tibi ſufficiant pro cura cuiuſlibet ypo-
ſarche.

Et ſi quis alchiteꝫ vel

timpaniſteꝫ de cauſa frigida habuerit. quod pa
teſcit quia extenuantur corpora eorum cum tu-
more ventris qui ſonat velud vter plenus aqua
vel ſicut timpanum. ⁊ ſunt cum vrinis remiſſis
in colore.groſſis in ſubſtantia ⁊ modica ſiti. ad
quod faciunt etas ⁊ ſexus. Vterqꝫ horum indi-
get fortiter deopilantibus propter fortem opila
tionem in gibbo epatis.ratione cuius aquoſitas
⁊ venter tendunt ad partes vmbilici. Et quia ta
lis timpaniſtes.cito ⁊ in modico tempore muta
tatur in alchitem. quia cito frigiditas in epate
augmentatur propter quod plus de aqua gene
rabitur cum a frigido potentiori generetur ma-
gis ꝙ ventus.quarto amphoriſmorū.quibuſcū-
qꝫ tortiones ⁊c. Ideo ſimul poſſunt exequi in cu
ra.quilibet horum purgetur cum caſſiafiſt.dicta
ſupra ⁊ fiat mellicratum dictum addendo ſpi-
cam vtramqꝫ ⁊ ſquinantum.ana.ʒ.tres. ad deo-
pilandum gibbum epatis renouando ipſum vt
dictum eſt. Quo facto decem vel duodecim die-
bus ſumant colaturam ſuperius dictam vel pil-
lulas de agarico. Aliqui dant.ʒ.vnam yerapigre
diſſolute cum aqua cicerum rubeorum. ⁊ aliqui
duplicant coloquintidam in yerapigram ⁊ dant
ʒ.ſex. Aliqui dant. ℈.ß. de coloquintida groſſo
modo puluerizata.⁊ grana duo bdellij. cum fi-
cu. Gordonius loco horum laudat succum yre-
os crudum.quattuor vel.ʒ.ſex.mediam cloſcaui
oui per ſe vel cum modico oui ſorbilis ducuntur
ter qualibet ſine violentia de illa aqua citrina.
Gordonius laudat multum in ydropiſi de frigi-
da nec curabat de alio laxatiuo. ¶ Facta purga
tione auctores multum laudant vrinam propri-
am ꝙ ſumant de mane vel vrinam capre cum.ʒ.
ß.ſpice nardi vel,celtice puluerizate vel ſerum ca
prinum cum.ʒ.ß. ſpice nardi puluerizate. vel ꝙ
ʒ.vna vtriuſqꝫ ſpice parum ibi decoquatur. fiat
potus. nam iſta fortiter deopilant gibbum epa-
tis.⁊ faciunt magnum exercitium ante prandi-
um ⁊ ante cenam ⁊ dietentur prout dictum eſt.
de alijs.ſpecialiter cum ſale ſacerdotali. Vtatur
dialacca dicta.repetantur laxatiua per interual-
la prout tibi videbitur.vel prouoca vomitum.
¶ Aduerte tamen ne des medicinas violentas
dyagrediatas nec laureolam nec meſereon.naꝫ
multum debilitant epar propter eorum maliciaꝫ
Non vidi bonum finem cum illis licꝫ auctores
dent in ſuis practicis. Et ſtuphentur in ſtupha
ſicca facta cum lapidibus candentibus vt dictū
eſt vel in ſtupha naturali ſulphurea ⁊ in balneo
iſto poſtea balneentur ibidem. Et ſi tumor ven-
tris non bene recedat cum laxatiuis dictis ⁊ a-
lijs aperitiuis. Applicetur iſtud emplaſtrum. ℞
ſtercoris capre.decoquatur in vrina pueri maſcu
li ⁊ extendatur ſupra ventrem. Vel ſic. ℞.ſterco
rum vaccarum paſcentium deſiccati et ſubtili-
ter puluerizati quod ſufficit. diſtemperetur cum
vino limphato ⁊ oleū addendo quartam partem
ſulphuris non extincti. applicetur per modum
emplaſtri. Gordonius laudat ꝙ in iſto caſu fi-
ant duo vel tria cauteria ſubtus vmbilicum ⁊ in
burſa teſticulorum vt reſudando paulatine ma-
teria aquoſa purgaretur. ¶ Contra inflationeꝫ

burſe teſticulorum. Aliqui faciunt ſic. ℞. aniſi.
marathri cimini. an̄. p. vnum. puluerizentur ſubti-
liter ⁊ incorporentur cum quart. i. olei ſambuci
vel ebuli ⁊ cum ſucco ebuli ⁊ ſambuci addēdo. ℥
vnam chimolee. ⁊ per modū emplaſtri ſupra o-
ceum ⁊ virgam ſi inflata fuerit: ⁊ ſuper tibias.
gilbertus ⁊ rogeri9 ambo laudant cauteria in ti
biis ſic inflatis inferius in baſſo loco non placz
vel ꝙ ſcarificent vt illa aquoſitas paulatine ex-
pellat. iſtud magis placet. ¶ Et ſi quis alchitez
de cauſa calida habuerit quod pateſcit q2 tume-
ſcit venter cum extenuatōne corporis ⁊ cum vri-
nis coloratis ⁊ reſidentia arenoſa in ꝓceſſu ali-
quando rōne aduſtionis humorū in venis. Idez
erit in timpaniſten vel cum vrina ſanguinolenta
ad modum loture carnis clare vel obſcure. vt di-
cetur in capitl'o de mictura ſanguinis ⁊ ſiti ma-
gna. ⁊ ſi venter percutitur auditur ſonus aque.
¶ Aduerte tamē ꝙ ſi vrine fuerint multū colo-
rate ⁊ in magna quātitate arguūt magnum la-
pſum in epate in calore ⁊ magnā opilationez in
gibbo ꝓpter quod ſignant talem non eſſe bene
curabilē. Iſti indigent vt talis diſcraſia calida
epatis ⁊ ſtomachi corrigatur ⁊ vie gibbi aperi-
antur ⁊ deopilet ⁊ materia per ſeceſſum ⁊ vrinaſ
⁊ ſudorem expellat. In p̄mis ergo purget cum
caſſiaſ. ſimplici dicta. vel cum colatura iſta. ℞.
fumiterre. m. vnū. vuarū paſſarum mund. ℥. vnaz
foliorum ſene. epithimi. polipodii quercini. ana.
℥. ß. agarici. ʒ. ii. ⁊ ß. ʒ ziziberis. aniſi. ſal' gēme an̄.
ʒ. ß. fiat decoctio in ſero caprino in qua infundat
per noctem corticu3 mirabolanoꝝ citrinorū pul-
uerizatorum. ℥. vna. fricent de mane fortiter ⁊ co-
lentur ⁊ colature addatur caſſief. munde. ℥. vna.
reubarbari infuſi in aqua endiuie. ʒ. vnam. ſpice
nardi. ℈. ß. vini boni. ʒ. ii. fiat potus. vel da de illo
ſucco yreos vt dictum eſt. Verū gordonius ma-
gis appropriat in cauſa frigida poſtea ſumat p
nouē vel decem dies de mane medium vitrum
vrine ſue. quia fortiter deopilat vias gibbi epat;
Aliqui laudant ⁊ bene poſt ꝙ ante prandiū per
duas horas ſumat tres bolos endiuie cum ace-
to quia corrigit caliditatem inde impreſſā ⁊ con
fortat epar. placet quando vrine ſunt multum ru
bee. vel ſanguis ad modum loture carnis. vel ſu
mat de ſero caprino cum. ℈. ß. ſpicenardi pulueri
ſate. vel ꝙ de vtraq3 celtica ⁊ modicum de abſin
thio bulliat in illa aqua caſei ⁊ potet nouem vel
decem diebus. vel ſumat de ſero caprino cū mo-
dico ſeminis cuſcute ⁊ endiuie puluerizatorum
vel ꝙ miſceas de aqua eius cum illo ſero capri-

no vel ꝙ bullias ibi decem grana alkekengi ſi vri-
na fuerit multum colorata. ¶ Raſis laudat mix-
tum ſirupum acetoſum diſtemperatū cum aqua
cuſcute. Dicit ꝙ non habet par in ydropiſi de ca
lida. nam aperit opilatōnes epatis ⁊ laxat vrinā
⁊ ꝓuocat. vel detur modicum de ſucco fumiterre
cum aqua caſei. Multi approbant ꝙ ſumat ſe-
pe de epate lupi ſubtiliſſime puluerizato cum a-
liquo de iſtis liquoribus faciat vnum iſtorū per
nouē vel decem dies. Poſtea aliud reiterando
caſſiaſ. dictam vel colaturam vel ſuccū yreos vl'
temperet per noctem. ℥. i. ⁊ ß. corticum mirabola
norum citrinorū pl'uerizatorum in modico ſiru-
pi acetoſi calidi. fricent de mane fortiter ⁊ colen
tur ⁊ diſtemperent cum ſero caprino quod ſuffi-
cit fiat potus. Raſis multū laudat iſtam medi-
cinā in iſto caſu. Vel detur cliſtere ſimplex ſine
aliqua opiata ⁊ ſine ſale. q2 conſequent magis
conſtipat. ¶ Aduerte ſuper hoc quod tibi dixi
ꝙ ꝓ aliquo non det pill'as de meſereon nec lau
reole nec medicinas dyagrediatas. q2 licz laxēt
fortiter in modica doſi ⁊ approbent a quibuſdā
nunq̄ vidi bonum finem ꝓpter malum veſtigi-
um quod dimittunt in ſtomacho ⁊ epate. nam
iſta membra multū caleſiunt ex hoc. Et quia al-
chites de calida in proceſſu permutat ad tim-
paniſtē de calida vt eſt declaratum. Ideo poſtq̄
proceſſerit per mēſem ⁊ vltra cōmuniter eſt per-
mutata ⁊ eſt ibi magis de vētoſitate q̄ de aquo
ſitate propter quod ꝓcedatur vt in timpaniſten:
in qua indigemus plus diſſolutiuis ꝓpter ven-
toſitatem. ¶ Et ſi quis timpaniſtē de calida ha
buerit incipiendo. vl' ꝙ alchites in eam eſt per-
mutata in tali eſt minor diſcraſia. quia aliter pl9
de vento q̄ de aqua non generaret. ideo indige-
mus remediis magis frigidis. Ideo aliqui ap-
probant duo vl' tria coclearia ſucci morelle per
nouem dies. Et indigemus aperitiuis opilatō-
num gibbi ſicut in alchite ⁊ eductōne materie
per ſeceſſum ⁊ per vias vrinales cum illis que
dicta ſunt. Et magis indigemus diſſolutiuis ꝓ-
pter plures ventoſitates. ꝓpter quod potus vri-
ne proprie nec ſpicenardi in tanta quantitate ni
ſi reprimant cum. ℈. vno. vel. ʒ. i. ß. ſeminu3 frigi-
dorum minorū. quia mixt cum duplo ſpice vl' cū
vrina propria non habent ſic locum propter diſ-
craſiam calidam maiorem. Et applica emplaſtra
dicta ſupra ventrem de ſtercore capre. ſed cū vri
na pueri pone modicum aceti ſi videas vrinas
multum rubeas. ¶ Et in emplaſtro facto de
ſtercore vaccarum pone acetum limphatum

loco vini ⁊ olei. Gilbertus ⁊ rogeriꝰ laudant in iſtis ſpeciebus ydropiſiꝭ de calida vētoſas cuꝫ ſcarificatōne ſupra epar vt illa opilatio diſſoluatur cum ſanguiſuga ſiliter: dum tamē ibi non ſit febris nec apoſtema. ⁊ ꝙ tibie ſcarificent̄ vt dictum eſt ſupra. Stuphe dcē ſimilit̄ eis competūt ꝓpter conſumptionē materie aquoſe ⁊ ventoſe. Dieta in ꝑmo gradu ⁊ tempata in paſſiuis eis competit: qꝛ epar eſt magis calidum ⁊ ſiccū propter quod plus de vēto ꝙ̄ de fria aq̄ generat̄ vt ē ſuperiꝰ explicatum.

¶ Capitulum. xiᵐ. de dolore ſplenis.

I cuꝫ dolore ſplenis fuerit calor ⁊ vrine rubedo ⁊ febris: eger ex his trociſcis ſumat trociſci de agno caſto. ℞. ſeminis agni caſti. tamariſci. ſeminis amborū an̄. ʒ. x ſeminis endiuie. ſeminis portulace amborū an̄ ʒ. v. ex his fiant trociſci de quibꝰ quotidie det̄ vnus cum ſirupo acetoſo de zuccaro cuius pondus ſit. ʒ. iij. Eger vero ſi repletus fuerit ex ſaluatella que ē in ſiniſtra manu flobothometur. Splen quoq; ex fruſto filtri aceto calido infuſi ēbrocet̄ ⁊ obſeruetur a rebus dulcibꝰ ⁊ cibis groſſis Qō ſi cuꝫ predicta egritudine nō fuerit calor egro trociſci de capparꝛe dandi ſunt. qui. ℞. corticis radicū capparis. ſeminis agni caſti. amborū an̄. ʒ. x. ſcolopendrie. ʒ. vij ariſtologie lōge. foliorū ruthe. ſemis naſturtij. achori. nigelle. oīm an̄. ʒ. iij. amoniaci. ʒ. iij. Armoniacum in aceto diſſoluat̄ ex quo cetera ꝯficiantur ⁊ informentur ex eis trociſci ponderantes. ʒ. ij. ex q̄bus vnus cum ſirupo acetoſo de melle ⁊ apozimate de radicibus in potu ſumatur. Si autē ſplen tenſus fuerit ⁊ comprimit̄ audit̄ ſub eo rugitus ex predictis trociſcis cum apozimate de radicibus eſt dandum ⁊ vinū vetus bibendum ⁊ potus aque minoret̄ quantum plus poſſibile fuerit. Emplaſtruꝫ ad duriciem ⁊ ventoſitatem que ē ſub ſplene. ℞. foliorum ruthe. ʒ. x. baurach mentaſtri ſicci amboruꝫ an̄. ʒ. iij. amoniaci. ʒ. viij. amoniacum in veteri vino diſſoluatur ex quo cetera ꝯficiantur ⁊ fiat ex eis emplaſtrū quod loco ſuperponat̄

d Edolore ⁊ alijs paſſionibꝰ ſplenis. ¶ Nota ꝙ ſplen nō dolet ex ſe: qꝛ eſt membruꝫ inſenſibile cuꝫ careat neruis ⁊ filis eorum. Auicē. tertio can̄. fen. xvª. in caº. 2º. Ideꝫ dicit ꝑmo can̄. fen ꝑma in caº ſingulari de mēbris. Verū ſentit rōne panniculi cooperientis ipſum ⁊ ligantis ipſum cum dyafragmate. qui pānicu lus orit̄ a ciſach: vt dicit Auicena in locis dictis. Ideo ſi talis panniculus extendat̄ vltra debituꝫ qꝛ ſoluit̄ aliqualiter in cōtinuo ⁊ partes ligate offendunt̄: potiſſime dyafragma in ſuo motu faciē te anhelitū. Iſta de cauſa ſplenetici cōiter habēt maliciam anhelitus ſpecialit̄ poſt motū. qꝛ ventoſitas magis generat̄ ⁊ cōmouetur dolor. ergo fortis non cōcomitat̄ oīes paſſiōes ſplenis q̄ dicent̄ ſed grauitas aliqualis. ¶ Vlterius nota ꝙ ſplen eſt membrū oblongum ad modū linguerarum ſpōgioſum vt faciliꝰ ſuperfluitatē feculentam ſanguinis recipiat ab epate per porum ꝓtēſum ad concauū epatis. 4º. de iuuamentis mēbrorum in caplo vltimo. idē dicit auicē. in locis dictis: ⁊ habet duos poros ſeu duo colla. vt dicit gal. ibidem. vnū habet qui protendit̄ ad concauum epatis. alium habet qui ꝓtendit̄ ad orificium ſtomachi. in vtroq; ſunt vie que ſunt de genere venarū: vt dicit Gal. ibidem. per ꝑmum attrahit feculētiam ſanguinis a cōcauo epatis: ⁊ talē feculentiā ſtatim non eijcit ad ſtomachū per porum ꝓtenſum ad ipſum, vt dicit Gal. ibideꝫ: ſed

Nam feculētiam digerit in ipſis venis cum calore fluente ⁊ in ſanguinē aliqualit̃ ſubtilem cōuertit vt inde nutriat̃. ⁊ illud quod cōuerti nō poteſt eijcit tanq̄ ſuperfluū ad orificium ſtomachi per porum dcm̄ per quem ꝓmulgēdo profluit illa ſuperfluitas pontica ⁊ acetoſa vt dcm̄ orificiū ſtomachi corroboret ⁊ inſpiſſet ⁊ appetitū eius ad cibos incitet. vt dicit Aui. p° cañ. doc. de humoribus in caplo pmo in fine. cauſando ibi inanitionem rōne eius ponticitatis ⁊ aliqual' frigiditatē in reſpectu per viam compſſionis. ꝓpter quod dicit Gal'. 2°. tegni. q̄ frigidus vent̃ bonus ē appetere. ⁊ ex tali ſuperfluitate melācolica actu aliqualit̃ humida acquirit̃ in orificio ſtomachi mala complexio humida ſine materia: q: eſt ibi inanitio. ⁊ q: fames eſt paſſio orificij ſtomachi. 4° de morbo. ⁊ om̄is appetit⁹ eſt ad cōtraria ꝑuata ⁊ non ad pſentia. Ideo dicit fames eſt appetit⁹ calidi ⁊ ſicci priuati in orificio ſtomachi. ⁊ eſt ꝓpoſitio ariſto. male intellecta. cum in fame om̄ia mēbra caleſcant ⁊ exiccent̃. quia fames corpora exiccat. vij. amphoꝝ circa finem dempto orificio ſtomachi ꝓpter cām dcām. ⁊ per iſtum porū ſuperiorē fit expulſio illius ſuperfluitatis dcē. Uerum ſi ſplen feculentiā magnam habuerit humoralē vel apoſtemoſam expellit per porū alium inferiorem ad pma inteſtina ⁊ non ad vias vrinales. xiij. de ingenio in ca°. ſexto in fine capl'i. nam per porū per quem attrahit expellit ꝑut fit in epate. vt videmus in fluxibus ventris. hoc videmus in dyarria ſplenetica. licz interdum ſiliter expellat in tali abundātia per poꝝ ſuperiorem dcm̄ ꝓpter quod in quibuſdam fit vomit⁹ colere nigre licz de poſſibili talis vomit⁹ ſimilit̃ poteſt fieri a colera illa veniente ad cōcauum epatis ſeu ad pma inteſtina per illum porū inferiorem. hoc fit in habentibus fundū ſtomachi debilem. rōne cuius de facili recipit talem ſuperfluitatem.

⸿ Ulterius nota q̄ ſpleni de poſſibili inſunt. vi. egritudines in ſpecie. Interdū dolet ⁊ grauat̃ ex ſola ventoſitate. Interdū ex aquoſitate circūſtante cum aliquali ventoſitate. Interdū opilat̃ in poro ſuperiori ꝓpter quod ſtomachus nō bene appetit ꝓpter ꝑuationem colere acetoſe dicte non negando quin talis debilitas appetitus. ſimili iter fiat alijs de cauſis. aliquando puta ex debili ſenſitiua ipſius orificij vt fit pluries in conualeſcētibus ⁊ in quibuſdam delicatis vel ex debili attractiua membroꝝ ꝓpter quod ſtomachuſ non manit̃. Et interdum grauat̃ ⁊ opilatur in poro inferiori dicto ꝓpter quod non bene attrahit feculentiā ſanguinis ab epate. ⁊ ſic melancolia multiplicat̃ in venis toti⁹ corporis ⁊ inde accidunt egritudines melancolice. vt yctericia nigra. cancer. varices. elephantia. impetigo. lentigo nigra. morphea nigra. melancolica in venis totius corporis duplicit̃. vno modo per viam adustionis chiloſitatis in cōcauo epatis. vt fit in iuuentute potiſſime in piloſis brunis. Ideo dicit gal'. 2°. tegni q̄ talis humor abundat in corpore noſtro in fine perauginaſtice etatis. Alio modo multiplicat̃ in corpore noſtro per viā putrefactōnis ſine ebullitōne ꝑut ligna putreſcunt ⁊ incinerent̃. ꝑut fit in quibuſdam in quibus regitiue naturales venarū ſunt debiles vitio ꝓprio vł paterno. ⁊ ex tali cauſa plures ſiunt leproſi in ꝓceſſu etatū vel incurrunt egritudines alias melancolicas. ⸿ Aduerte q̄ cōmuniter in alijs etatib⁹ a iuuentute melancolia multiplicat̃ ex opilatione dicti pori inferioris ꝓpter quod quia talis opilatio fit a groſſo terreo ſplen indiget fortiter aperitiuis magis q̄ ipm epar. vt aceto ſquillitico ⁊ ſimilib⁹ vt dicit Gal. in caplo ſexto in fine. Idē dicit raſis in ſuo continēte. Interdū ipe ſplen tumeſcit ⁊ ingroſſat̃ ratione feculentie indebite in eo. ꝓpter quod panniculus extenditur ⁊ dolet ⁊ grauat̃. interdū ingroſſatur ⁊ tumeſcit ex groſſicie apoſtemoſa. Interdum fluūt humores ab eo vt fit in dyarria ſplenetica. ſic patitur vno de ſex modis de poſſibili. Notum eſt q̄ tales paſſiones ſunt paſſiones ſplenis pncipaliter vel ſui panniculi ⁊ inſunt ſibi per colligantiā. venit quod venire non debet ſm naturam. Puta illa feculentia vel ventoſitas vel aquoſitas. ⁊ ſunt paſſiōes officialis in figura vel in via vel cōmunis. quia ſolutio cōtinui cōmunicando morbum conſimilem cōmunit̃ ⁊ ſiunt nocumentū paſſiue ⁊ deſcriptiue intelligēdo regitiue naturalis eius digeſtiue ⁊ expulſiue cōſequent̃ partis mandantis. Et ſunt paſſiones oium virtutum naturaliū ſplenis ⁊ epatis ⁊ aliorum membrorū. nam om̄ibus inferunt nocumentū per pri⁹ ⁊ poſteri⁹.

Iſtis clarificatis

Cura paſſionū ſplenis tibi pateſcit. Priuſq̄ in cura ꝓcedas oportz ſcire quā ſpeciē morbi patit̃. q: i hoc cura diuerſificat̃. ⸿ Si quis ergo dolorem ſplenis habuerit ex ſola ventoſitate ſoluente cōtinuū in ipſo panniculo. qđ pateſcit q: eſt fort̃ dolor ſine duricie ⁊ groſſicie ⁊ ſine rugitu ⁊ durat ꝑ diem vł circa in ſui malicia ⁊ nō ē dolor cōtinu⁹ immo potiſſime poſt cibos ventoſos illis vitet potū aq̄ ⁊ vitet ca

neos bouinas ⁊ ſiluestres ⁊ ſubſtātiā leguminū
⁊ potū inter duas comeſtiões. fiāt ſacculi de mi-
lio cōquaſſato ⁊ exiccato ſupra tegulā cum̄ mo
dico ſalis puluerizati ⁊ torrefacti. vel fiant de ci-
mino vel ſemine ruthe ⁊ agni caſti exiccatorum
ſupra tegulā ⁊ cōquaſſatoꝝ ponant̄ in forma ꝑ-
pter iuuenes ꝓacticos. ℞. milij parū cōquaſſa-
ti ⁊ exiccati ſr̄ tegulā. p. ij. ſal' cōtriti ⁊ exiccati ſu-
per tegulā p. ß. ft̄ duo ſacculi parui medij palmi i
longitudine iterbaſtiti in pāno lineo raro. Uel
ſic. ℞. cimini parū exiccati ſuper tegulā ⁊ contri
ti groſſo modo. p. ij. ſeminis agni caſti. ſemis ru-
the exiccatorum ſuꝑ tegula ⁊ conquaſſatorum.
an̄. ʒ. i. miſceantur. ft̄ duo ſacculi pui interbaſtati in
panno lineo raro antiquo. Iſti ſacculi applicen
tur calidi ſupra ſplenē ſepe reiterādo vnū poſt a-
lium. ventoſa ſiliter poteſt applicari pluries an-
te cibum ⁊ ſine ſcarificatōne. ⁊ poteſt ſiliter inun
gi regio ſplenis cum oleo thamariſci. Uel fiant
ſacculi de floribus thamariſci puluerizatis. ℞.
florū tamariſci. ʒ. ij. ß. puluerizent̄ ſubtiliter. fiāt
duo ſacculi parui interbaſtati in panno lineo ra
ro. applicent̄ calidi ſepe reiterādo vel fricentur ⁊
ſplen cum vrina ꝓpria vel cum filtro infuſo in a-
ceto decoctōnis floꝝ tamariſci. ¶ Et ſi quis
dolorem ſplenis habuerit ex ventoſitate cōmixta
cum aquoſitate. quod pateſcit q2 ſentit̄ rugitus
⁊ eſt cōtinuus dolor ſm̄ plus ⁊ minus cum gra
uitate toti⁹ lateris ⁊ cōmunit̄ fortificat̄ talis ru-
git⁹ ſm̄ q̄dras lune magi̇ frigidas ⁊ poſt plenilu-
nium ⁊ poſt cibos flegmaticos ⁊ melancolicos
vitet talis carnes bouinas ⁊ porcinas ⁊ ſubſtā-
tiam leguminū potū aque ⁊ potū vini inter duas
comeſtiões. ſacculi ſtatim dicti ⁊ alia ſatis cōpe
tunt ſibi valent ventoſitati. ⁊ aliqualit̄ valēt con
tra illā aquoſitatē cōmixtā. Uel applicet̄ iſtud
℞. radicis achori. p. iiij. coquat̄ in aceto forti bn̄
⁊ fortiter conquaſſent̄ ⁊ ſupra pannū lineū extē
dat̄ ⁊ per modū empl'i applicet̄ vna pars. Ul' ſic
℞. farine ſe. fenugreci. p. ij. ſemis naſturtij pulue
rizati. p. i. aque decoctōnis achori qd̄ ſufficit. fi-
at empl'm. accipiat̄ qd̄ ſufficit ſupra pannū line
um duplicē ⁊ spleni applicet̄. Renouet̄ de ſero
de eo quod remāſit ⁊ ſi neceſſe fuerit addat̄ mo-
dicum de aqua decoctōnis achori. Uer͡ȝ bonum
eſt vt anteq̄ vlterius procedatur ꝙ purgetur ali-
qualiter propter illa que conſtituunt morbum
in receptaculo. ℞. ſcolopendrie. p. duos. corticis
radicis capparis corticis tamariſci ſalicis. an̄. ʒ.
duas. radicis rubee tinctorum. radicis achori
azari. an̄. ʒ. vnam. aceti ſquillitici. ʒ. ß. mellis albi

deſpumati vel mellis antozati. q̄r. i. ⁊ ß. fiat melli
cratū clarificatū ad. lb. ij. vtat̄ ſero ⁊ mane in q̄ti
tate medij gobelli tepidi ſine alia mixtura. Hoc
facto purgetur ſic. ℞. florum tamariſci. florum
boraginis ⁊ bugloſſe. an̄. ʒ. ß. ſene. thi'. epith' po
lipodij q̄r. azari. an̄. ʒ. ß. agni caſti. ſeminis ruthe
an̄. ʒ. ij. agarici electi. ʒ. iij. ⁊ ß. ȝȝ'. an'. an̄. ʒ. i. fiat
decoctio in qua diſſoluatur dyacatolicon facti in
modū opiate. ʒ. i. vel loco ei⁹ medulle caſſi ex̄. ʒ. i.
⁊ ß. fiat potus. Hoc facto poteſt applicari pluri-
es ventoſa magna ſine ſcarificatōne ⁊ reiterate
dicta emplaſtra. vel iſta que ſunt fortiora. ℞. ſe-
minis fenugreci. p. ij. ſeminis naſturtij. p. i. coquā
tur bene ꝗ in aqua cum modico aceti. vel in vino ſi
vrine ſint remiſſe ⁊ inde cōquaſſent̄ ⁊ ſuper ſplē
applicentur in modū emplaſtri. Uel ſic. ℞. rad.
achori cocti in aqua cum modico aceti. lb. ß. cor-
ticis capparis q̄rt. i. armoniaci q̄rt. ß. diſtempe-
rentur oia cum decoctōne achori. applicetur per
modum emplaſtri. vtat̄ etiā conſerua achori fa-
cta cū melle ⁊ capparū confectaꝝ. cuȝ addito mo
dicum aceti ⁊ olei. ¶ Et ſi quis opilationē ſple-
nis in poro inferiori habuerit quod pateſcit. q̄a
grauatus in latere illo cum caſu appetitus ⁊ eſt
coloris liuidi ſubnigri in facie ⁊ in albugine ocu
lorum ac ſi intraret ycterician nigram. ⁊ eſt cum
aliquali triſticia ⁊ ſollicitudine: cum ſomnijs ma
lis: cum vrina tenui remiſſi coloris ⁊ egeſtis ſub
nigris vt plurimū purgetur ⁊ ſirupet̄. vt ſtatim
dictum eſt in dolore ſplenis rōne ventoſitatis cō
mixte cum aquoſitate. conſequent̄ flobothomet̄
de ſaluatella ſiniſtra. cōſequent̄ ventoſet̄ cum vē
toſa magna in regione ſplenis pluries mane et
ſero ſine ſcarificatione. Utatur capparib⁹ cōfe
ctis cum oleo ⁊ aceto incidūt illam feculentiam
terream opilationē. vel ſumat de mane ſtoma-
cho ieiuno duas ficus cum modico pulueris yſo
pi vel piperis vel ȝȝ'. Iſta multū deopilāt ſplenē
Raſ in ſuo continente. Utat̄ etiam aqua pluui-
ali cum vino in potagijs. ſumat de mane. xx. die-
bus modicum vini clari decoctōnis ſcolopēdrie
ſanat ſplenem induratū ⁊ opilatum. Raſ in ſuo
continēte. Et ſi talis haberet vrinas bene tinc-
tas ſignum eſt ꝙ talis feculentia opilans eſt be
ne calida. vtat̄ ergo quocūq3 mane de ſero capri
no in quo remollierit per noctem modicum ſco-
lopendrie vel ibi bulliatur ſola vel cum modico
radicis achori. Uel capiat modicum de ſemine
portulace pl'uerizato cū modico aceti bn̄ liphati.
vl' cū modico ſyru'. acetoſi limphati ⁊ melr⁹. vl' ſu
mat de cortice cucurbite exiccate ſubtil'me codē

modo nam iſta duo valēt etiam ſi febris affuerit
Raſ in ſuo continēte caplo proprio. Poteſt etiā
vti quibuſdā que dicent̃ ſtatim in cura groſſiciei
magnitudinis ⁊ duriciei ſplenis. Et ſi opilatio⸗
nem in poro ſuperiori habuerint. quod pateſcit
quia cōqueritur de grauitate lateris cum appe⸗
titu ꝓſtrato ⁊ colore liuido ⁊ fedo fiant eā que
dicta ſunt in cura opilatōnis facte in poro infe⸗
riori fiant ſtatim ꝑ parte que oīa comittantur
diſcretōni tue. ¶ Et ſi quis groſſitiē magnitudi⸗
nem ⁊ duriciē ſplenis humoralis ⁊ nō apoſtemo
ſam cum aliquali dolore habuerit ⁊ de cauſa ca
lida terrea quod eſt vt plurimū. quod pateſcit q̄
talis ineſt epaticis venoſis calidis ⁊ in regione
calida vt plurimū cum vrinis coloratis q̄nq; ra⸗
dioſis ⁊ quādoq; confuſis in ſubſtātia ⁊ colore.
ad quod facit cōplexio ⁊ etas paugmaſtica. 2°.
tegni que groſſicies ⁊ duricies pateſcit ad ſen⸗
ſum tactus cum grauitate lateris ⁊ ipſi⁹ anheli⸗
tus potiſſime ſuper forti motu. Talis vtat̃ vino
cum aqua potiſſime pluuiali extinctōnis ferri ⁊
vitent̃ ea que dicta ſunt. Et digerat̃ materia cuꝫ
ſubtiliatiuis ⁊ remollitiuis ſine forti calefactiōe
ne humor ingroſſet̃ hoc tamē ſubito fieri nō po⸗
teſt ſed in longo tempe dicit raſ in ſuo continēte
fiat hoc cum tali mellicrato. ℞. rad. bruſci. ſpara
gi. rad. gramis. an̄. ℥. ij. mediāi corticis fraxini. ge
neſte. tamariſci. cortiq̄ capparis. an̄. ℥. i. ⁊ ß. melliſ
ſe. borag̃. cum toto bugloſſe cum toto. ſūmitatuꝫ
lupuli. capilli veneris ꝛc. camedreos. camepithe
os. cicoree. an̄. m. ß. ſcolopendrie. m. ij. quattuor
ſeminū frig̃ maiorū. ſemis cucuſte. an̄. ℨ. ij. aceti
paſſulati q̄rt̃. i. mell̄ roſacei quart̃. i. ⁊ ß. fiat mel
licratū bene clarificatum ad. lb. ij. ſumat de iſto
mellicrato ſero ⁊ mane vnum gobellū ſine alia
mixtura. renouet̃ de quattuor in quattuor diebus
potes facere ſirupū cum. lb. i. zuccari ſi vis. ſꝫ vti⸗
lius eſt mellicratum. continuet iſtud mellicratuꝫ
ꝑ. xv. vel. ꝑ xx. dies q̄ cura eſt. vi. menſiuꝫ. Dū po⸗
tabit de mellicrato inungat ſibi ſplenē ſero ⁊ ma
ne cum iſto vnguento mollificatiuo poſtea cum
diſſolutiuo ⁊ inciſiuo. ℞. radicis lilij. m. ij. mal⸗
ue biſmalue. brance vrſine. an̄. m. i. ſquille. m. ß.
decoquant̃ in vino ⁊ oleo an̄. vſq; ad conſumptō
nem vini. addat̃ agrippe quart̃. vnū. cere quod
ſufficit fiat vnguentū. vtat̃ iſto vnguento dum
continuabit mellicratū dcm̄. loco huius inunga
tur cuꝫ agrippa. Iſtis expeditis per. xx. dies pur
getur ſicut dcm̄ eſt in cura doloris ſplenis ex vē⸗
toſitate ⁊ aquoſitate cōmixta. ſed addatur reuß.
infuſi in aqua ſcolopendrie. ℨ. i. vel. ℨ. i. ⁊ ß. hoc cō
mittat̃ diſcretōni tue. Aliq̄ addūt lapidis armo
nici. ℨ. ß. vel. ℈. i. vel. ß. abluat̃ tn̄ ne ledat ſtoma⸗
chum. potet cum cipho de tamariſco vel de fraxi
no ⁊ teneat vinum in vaſe tamariſci vel de fraxi
no. hoc facto inungat̃ cum tali diſſolutiuo ⁊ inci
ſiuo. ℞. armoniaci diſſoluti in aceto forti quart̃.
vnū ⁊ ß. fiat per modū vnguenti. liniat̃ ſplen et
bombax applicet̃ deſup. Uel ſic. ℞. armoniaci
quart̃. i. ⁊ ß. bdellij myrre ⁊ thuris an̄. ℨ. ß. ſtora⸗
cis liquide. ℨ. ß. fecis olei de lilio. ℨ. ß. axungie por
ci. ℨ. i. cere modicum. fiat vnguentum liquidum
quo inungatur ⁊ bombax ſupra applicetur.
Raſis vult ꝙ puluis corralli miniſtrar⁹ dat⁹ de
mane cum modico aceti bene limphati vel ſiru⸗
pi acetoſi multū valet. Idem vult de ſemine por
tulace ⁊ de cortice exiccato ipſi⁹. cucurbite poſ⸗
ſunt dari per ſe quilibꝫ cuꝫ modico aceti limpha
ti. vel fiat puluis de oībus ꝙ ſint due ptes co⸗
ralli ⁊ tertia pars horum triū. Oēs ſplenetici
poſſunt vti capparibus cōfectis ⁊ ſumāt cum a⸗
ceto ⁊ modico olei. ⁊ oēs poſſūt vti cōſerua a⸗
chori ſero ⁊ mane preterq̄ in groſſitie apoſtemo
ſa. ⁊ poſſunt vti vino vel aqua infuſiōis ſcolopē
drie. ⁊ poſſunt vti vino decoctōnis ſcolopendrie
de mane poteſt vti iſto electuario. ℞. conſerue a⸗
chori. ℨ. iiij. corticis radicis capparis. ℨ. ij. ſemis
portulace. corticis cucurbite exiccate ⁊ ſubtiliter
puluerizate an̄. ℨ. ij. mellis albi deſpumati quod
ſufficit fiat cōditum. Iſta cura ſepius occurrit.
ideo quilibet medicus debet eſſe prouiſus. Anti
qui dant in tali groſſicie trociſcos de roſis cum
ſirupo acetoſo ⁊ laudant multū ⁊ habent pro ex
perto dare in puluere cum vino puriſſimo modi⸗
cum de puluere ſplenis aſini ſilueſtris ⁊ pulli e⸗
quini prius exiccentur ⁊ ſubtiliſſime puluerizen
tur. Et laudant calamētum ⁊ rutham ꝙ coqua⸗
tur in aceto forti conquaſſent̃ ⁊ calida ſupra ſple
nem ſero ⁊ mane per modū emplaſtri applicen
tur. vel filtrum in illo aceto infundat̃ ⁊ compreſ⸗
ſus ſpleni ſepe ⁊ ſepius applicet̃. Similiter lau⸗
dant puluerem corticis capparis dat⁹ de mane
cum modico ſirupi acetoſi limphati cū aqua ſco
lopendrie. vel cum aqua decoctōnis eius. vl̄ cuꝫ
aqua cicerum ⁊ ipſius ſcolopendrie poteſt dari
cum aqua ipſius ſcolopendrie ⁊ in iſto proceſſu
cure oportet ſemper redire ad vnguenta remolli
tiua per ſe vel cōmiſcendo mollitiua cum inciſi⸗
uis dictis continuet vnū de rebus dictis per q̄n⸗
q; vel ſex dies. ¶ Et ſi quis groſſitiē apoſtemo⸗
ſam habuerit quod pateſcit. quia dolor fortis ex
febre concomitat̃ talem duriciē. Purgetur ꝑmo

cum caſſiafiſt. diſſoluta in decoctōne communi
pluries dicta. cōſequent̄ flobothomet̄ de eadem
parte. cōſequent̄ ſirupet̄ cum ſirupo acetoſo lim
pharo cum aqua ſcolopēdrie vel cicerū per ſe. vl̄
ponat̄ de puluere ſemis portulace ⁊ corticis cu-
curbite ⁊ arnagloſſe exiccate ſubtiliſſime pulue-
rizatorū cum trib⁹ digitis. vel capiat̄ de iſto pul-
uere cum aceto paſſulato bene limphato. inun-
gatur ſplen in p̄mis diebus cum oleo roſaceo v-
bi ſit modica portio aceti ſimul bene agitat̄. vel
inungat̄ cum oleo roſaceo vnfancino ſolo. poſt
p̄mos dies puta in quarta vel quinta die inun-
gatur cum oleo roſaceo vbi ſit quarta pars olei
camomille ⁊ poſt aliquos dies pones equis par
tibus dietando ipſos ꝑut febricitantes debēt di
etari cum auenato: ordeato: lacte amigd̄. ſpinar-
gīis: brodio: parue pulle ⁊ ſimilib⁹. Puluis dict⁹
receptus de mane vt dictum eſt habet vim ſiru-
pi. Iſta tibi ſufficiant pro cura paſſionū ſplenis.
Et ſi quis fluxū ſplenis habuerit curetur vt dice
tur infra in ca°. de fluxu ventris a ſplene.

¶ Caplm. 72m. de colica ⁊ yliaca paſſione.

ſ I cum dolore ventris
fuerit ipſius cōſtrictio ⁊
nauſea: ſed neq̄ febris
neq̄ calor affuerit ea er
go danda ſunt que ventrē ſine vo-
mendi deſiderio ſoluant: vt eſt ele
ctuariū de gallia: quod. ℞. maſti-
cis gariofilor̄ zinziberis melano
pipis macro pipis cinamomi nu
cis muſcate gallie omniū ana. ℥. x.
ſcamonee. ℥. decem. poſtea expri-
mantur citonia acetoſa ⁊ recentia
⁊ ſuccus eorum cum eiuſdē quan-
titatis melle miſceatur ⁊ coquat̄
vſq̄ ad ſpiſſitudinē paulatim ⁊ cō
ficiatur ex eo medicamē quod ta-
men eiuſdem ſit quātitatis cuius
ſpecies ſunt. Cuius doſis ſit a du
abus. ℥. vſq̄ ad duas ⁊ ß. Quod ſi
nauſee vehementia non fuerit ne

q̄ eger medicinas vomuerit. Pil
lule yliatice ſunt dande que. ℞. co
loquintide. ſerapini ambor̄ ana.
℥. decem. ſcamonee. ℥. iij. ⁊ tertiaz
informent̄ pillule de quibus vni⁹
aurei pondus eſt dandū velociter
enim paſſionem diſſoluūt yliacam
Si autē paſſio yliaca difficilis fu-
erit neq̄ medicamina ventris ſo-
lutiua ei contulerint. Hoc ſuppo-
ne colliriū quod. ℞. ſalis panis. ℥.
x. coloquintide interioris. ſcamo-
nee amborū ana. ℥. ij. ⁊ ß. fiant ex
eis colliria longa ⁊ ſupponant̄. et
ſi non contulerit ex enemate leui
cliſterizēt̄ quod. ℞. ficus citrinas
v. furfuris quantū manu vna capi
poteſt. maluauiſci. m. vnum. hec ī
panno ligata ⁊ ſiccle folia. x. in du
abus libris aque coquant̄ donec
ad vnam redeant. deinde coletur
⁊ ponatur ſuper eam baurach pō
dus aurei vnius. olei zizamini. ℥.
vnā. ⁊ fiat cliſtere ex eo Si quis au
tem fortius ⁊ acuti⁹ facere volue-
rit pondus aurei vnius de collirio
quod prius diximus admiſceat.
Cliſtere vehementer ſoluēs quo
tunc vtendum eſt cum medicami-
na non cōferunt neq̄ venter ſol-
uitur. ℞. coloq̄ntide interioris. ℥.
x. centauree. ℥. v. bothor marien ar
thanite ambor̄ ana. ℥. ij. mētaſtri
rute origani omniū ana. m. vnum
omnia in trib⁹ libris aque donec
ad duas tertias libre vnius rede-

ant coquanť ꝛ colenť . deinde diſ-
ſoluantur in ea allzitrā mellis am
boꝛum ana.ʒ.tres.caſtoꝛei ſerapi-
ni.oppoponacis.collirij quod pre
diximꝰ omniū ana.ʒ.duas. miſce-
antur oīa ꝛ dum tepidum eſt fiat
ex eo enema ꝛ ſi ſcybale ñ exierit ite
retur cliſtere donec exire videanť
hoc namꝙ cliſtere admīſtrari de-
bet cuz res foꝛtiſſima eſt ꝛ peſſima
ꝛ in colica mala ꝛ eſt illa in qua ſit
nauſea valde vehemens ꝛ inferiꝰ
nihil egrediť. Huic preterea egri-
tudini quandoꝙ fetida ſuperue-
nit eructuatio ꝛ pleruꝙ ſtercus ꝑ
os egreditur quod cum hoc acci-
dit ſepe poꝛtendit moꝛtez. Quod ſi
cum ventris doloꝛe non fuerit ipſi
us ſtrictura ſed inflatio ꝛ rugitus
ac tentio in ventre exiſtūt. Confe
ctio de bacchis lauri danda ē que
℞.folioꝛum rute ſiccoꝛum.ʒ. decē
ameos cimini nigelle kreiſin oꝛiga
ni carui alexandrini ſeminis ami-
gdalarum amararū melano pipe-
ris macro piperis mentaſtri dau-
ci achoꝛi baccaꝝ lauri caſtoꝛei om
niū ana.ʒ.duas.ſerapini.ʒ.iiij.op-
poponacis.ʒ.iij. conficiantur cuz
melle eiuſdem ponderis cuius do
ſis ſit vt auellana vna aut nabac-
ca multis vicibus cum.℥.vna vini
calefacti aut cuz apozimate de ra
dicibus.huic enim confectioni in
remouendā ventoſitatem ꝛ diſſol-
uendam nihil equiparať. Hoc p̄-

terea ſuppoſitoꝛiū ſubijciať quod
ē ventoſitatis diſſolutiuū.℞.cimi
ni folioꝛū rute viridis amboꝝ an̄.
m.vnū.bothoꝛ marien arthanite
amboꝛū ana.ʒ.ij.baurach.ʒ. vnaz
cōficianť ex melle ꝛ supponať cuz
ſpongia vel lana. Hoc enim diſſol
uit ventoſitatē ꝛ inferiꝰ expellit.
Venter quoꝙ aſſidue ex panno
calido vapoꝛandus ē ꝛ eger in ti-
nam mittendus. Si autē hec non
ſuffecerint ventoſa cum igne īpo
nenda ē ꝛ locus donec rubere inci
piat fricandus.poſt.hec vnctio fi
eri cōuenit ex oleo rutaceo ꝛ ex a-
lijs oleis calidis ꝛ ex eis cliſterizā
dus ē eger pꝰꝙ eis admixta fue-
ritˀcaſtoꝛei eufoꝛbij amboꝛuz an̄.
ʒ.ß. Hanc vero ſolitus pati egritu
dinem dum ſanꝰ ē caueat ne vinū
aqua mixtū bibat:nec etiaz ſumat
vinum niſi purū ꝛ foꝛte neꝙ aquā
multam bibat:ꝛ abſtineat ab her
bis ꝛ lacte ꝛ omnibꝰ inflatiuis.fi-
loniū faciēs yliosis cum maximo
cohartātur doloꝛe ꝛ timeť ne ſin-
copis egro ſuperueniat vētoſitatē
carminat ſomnū pꝛouocat.℞. pi-
peris ꝛ ameos folioꝛum rute mē-
taſtri caſtoꝛei baccaruz lauri cimi
ni oīum an̄.℥.i. opij mandragoꝛe
iuſquiāi ſemīs oīum an̄.℥.ß.cōfi-
ciātur cum melle eiuſdem quātita
tis deť ex eo pōdus vniꝰ aurei.hu
ic ꝙ electuario addiť pleruꝙ ſca-
monee.℥.ſtia.ꝛ fit tūc medicamē

vētris ſolutiuū. Si aūt cū dolore
etiam febris affuerit ⁊ caſſiafiſtꝫ. ī
ſucco endiuie bullito ⁊ deſpumato
diſſoluta egro ē dāda ⁊ ſirupꝰ vio-
latꝰ in potu ē tribuēdꝰ ⁊ nutriēdꝰ
ē ex tafea cum oleo de amigđ. dul-
cibꝰ cōdita ⁊ ex leni cliſteri cliſteri
zandꝰ. Cum aūt locꝰ doloris ī vē-
tre apparuerit groſſus ⁊ apoſtema
habēs eger in pricipio flobotho-
metꝫ deīde caſſiafiſtꝫ. cū ſucco her-
barum ſepe dāda. ⁊ ſit cibꝰ eiꝰ cuꝰ
hic dolor ex ꝯſuetudīe accidere ſo
let tafea vnctuoſa cum zuccharo ⁊
cum oleo ſizamio ⁊ abſtineat a re
bus ſtipticis ⁊ acetoſꝭ ⁊ cibis groſ
ſis ⁊ vētrem ſtringētibꝰ. Qui aūt
cum hoc dolore vētoſitatē pati ſo
litꝰ ē cibetur cum calagie ⁊ muta-
genat cōditꝫ cum ſemībꝰ ⁊ abſtine
at ab oleribꝰ ⁊ lacte ⁊ ab oībꝰ que
inflāt. ⁊ bibat vinū forte ⁊ nō viti
atum. aut ydromel cum ſpeciebuſ
que pro ꝯdimēto ponūtur vt pip:
quas dicemꝰ. ydromellis cōfectio
℞. mellis mūdi libram vnā. aque
libras ſex. miſceātur ⁊ coquāꝛ diu
⁊ ſpumētur bene donec fiat ad ſi-
militudinem iulep. Cūqꝫ hoc fa-
ctum fuerit in vnaquaqꝫ libra ex
eo mittātur. ʒ. due piperis pulueri
zati in pāno ligati donec appropī
quet finis decoctiōis eiꝰ ⁊ cum in
frigidatur extrahatur pānus ⁊ ex
primatur ⁊ cum neceſſe fuerit pro
pinetur. Cōfert etiam cui hec paſ
ſio ex vētoſitate ⁊ groſſa ſuperflui
tate accidere ſolet: oleum de ber-
ua recēti cum apoſimate de ſemini
bus ſumptū. Apozima autē de ſe
minibꝰ ē hoc. ℞. ameos cimini be
iſim carui origani nigelle oīm an̄.
p. i. iſtis admiſceanꝛ aque libre. iij
⁊ coquātur donec redeāt ad librā
vnā ⁊ ß. De hoc itaqꝫ apozimate
ſumātur. ℥. due. quibꝰ. ʒ. iij. olei de
berua addanꝛ ⁊ multis diebꝰ bi-
bātur. Sed ſi cui dolor iſte cum ca
lore ſuperuenerit pruna. xx. ⁊ ficꝰ
citrine. v. ⁊ paſſarum enucleat anū
ʒ. v. ſumātur ⁊ coquanꝛ ⁊ colētur
deīde caſſiafiſtꝫ. in eo diſſoluta co-
letur ⁊ cui oleum amigđ. admiſce
atur ⁊ ſumatur ⁊ ex apozimate qđ
in capitulo de reumatiſmo diximꝰ
in potu tribuatur. Venter vero ſi
multum fuerit siccꝰ predicto apo-
zimati addātur polipodij turbith
amborum an̄. ʒ. duas ⁊ coquantur
cum eo ⁊ detur donec venter ſolua
tur. Cum autem ſolutus fuerit re
moueantur polipodium ⁊ turbith
. Electuarium qđ ventrē ſoluens
inflationem ⁊ reſoluit grauedinē
℞. turbith albi fricati ⁊ pulueri-
zati. ʒ. xx. ziziberis. ʒ. decē. zuccari
ʒ. xxx. huius pulueris. ʒ. tres. ad bi
bendum. dentur pillule de quibuſ
cum quis ventrem ſoluere volue-
rit vnā ſumere debet que appetitū
excitāt īflationē reprimunt et gra
uedinē ⁊ cibū digerūt. ℞. maſticiſ

zinziberis cinamomi gariofiloꝝ
neheremiſte melano piperis ma-
cro piperis ſcamonee violarū zuc
chari omniū ana.ʒ.vnam.fiant ex
eis pillule ad magnitudinē ciceriſ
⁊ ſumat̃ vna mouet ei ſel̃.aut bis.

d **E colica** ⁊ yliaca paſſiōe. id
eſt de paſſione mul
tum doloroſa inteſtini dicti colon.vl̃ ḡ-
cilis dicti yleos.nam iſte paſſiones de-
ſcribunt̃ nomine particule patientis vt eſt mos
helenoꝝ.vt dicit littera 2°.de ingenio in ca°.2°

¶ Nota ꝙ lꝫ inteſtina ſint vnū cōtinuū:tamē cō
ſiderādo ipſa ſm eorū cōpoſitionē in groſſicie et
ſubtilitate ⁊ ſm eoꝝ reuolutionē ſex ſunt tria ſub
tilia ſeu gracilia:⁊ tria groſſa ſeu mag̃ ſpiſſa. vt
dicit gal̃.v°.de iuuamētis.in ca°.pmo.Gal̃.autē
in.6°.de interiorib⁹ in caplõ pmo.non ponit niſi
quattuor. q: non ſubdiuidit pmū nec vltimū ſic
loquēdo.pmū eſt caput ſecūdi:⁊ ſecūdū caput pe
nultimi. Primū inteſtinū ſm dicta gal̃.5°.de iu-
uamentis vocat̃ duodenū. q: cōiter eſt.xij. digi-
torū in longitudine vt dicit gal̃.ibidē. verꝫ 2°.de
cōplexionib⁹ in ca°.4°vocat ipſum portanariuꝫ
q: eſt porta aliorum.ꝓpter quod in.6°.de interio
ribus in ca°.pmo non diſtinguit ipm a ſecundo.
puta a ieiuno.q: eſt porta ieiunij ad iſtū duodenū
ſeu portanariū venit porus ciſtis fellis per queꝫ
mandat̃ co.ad ipm ⁊ ad alia inteſtina vt pungē
do incitet expulſiuā ipius ⁊ alioꝝ.vt dicit ga. ibi
dem.ꝓpter quod ſi porus ille opilet̃ ⁊ colera nō
veniat expulſiua inteſtinoꝝ incitat̃. ideo rema-
nent inteſtina repleta fecib⁹ ⁊ flegmate.⁊ ꝑ con
ſequēs opilata per multiplicationē illarū ſuper-
fluitatū ⁊ ſic cauſat̃ yliaca vel colica paſſio ſm
quod illa materia remanet in hoc vel in illo inte
ſtino.vt dicit gal̃.ibidē vt eſt dictū in ca° de ycte
ricia.Et iſta eſt cauſa potiſſima quare aliqui pa
tiunt̃ colicā pluries.Verū aliqñ errat iſte porus
in duob⁹.in forma vel ſitu in quibuſdā hoibus i
ſui creatōne.In forma q: eſt aliquādo multū ḡ-
cilis.ideo venit parū de colera ad inteſtina.ideo
cōiter ſunt cōſtipati naturalit̃ ⁊ habēt inteſtina
frigida ⁊ vrinas colericas ꝓpter diuerſionē cole
re ad vias vrinales.Iſtū lapſū quia fit a datore
medicus non poteſt reparare bene. Et in q̃buſ-
dam errat iſte porus in ſitu quia ſituat̃ mag̃ in
alio loco.q: iuxta fundū ſtomachi.ideo dicit gal̃.
2°.tegni.Vidi iuuenē flegmaticū pluries vomē

tem coleram.In quibuſdam biſurcat̃ iſte porus
vna furcula vadit ad inteſtina ⁊ alia ad fundum
ſtomachi.vt ponit gal̃. in.2°. de cōplexionib⁹ in
caplõ dicto. Secundū inteſtinū dr̃ ieiunū.q: con
tinue ſugit ab ipſo epate ⁊ inanit̃.nam licꝫ que-
dam vene meſerayce terminent̃ ⁊ ꝓtendant̃ ad
duodenū ⁊ ad inteſtina alia inferiora maior ꝑs
illarū ꝓtendit̃ ad ieiunū.vnde medicine laxatie
poſt paululā reductionē de potētia ad actum in
fundo ſtomachi ꝓpter bauracitatē ⁊ punctionē
earū:ſtomach⁹ q: membrū ſenſibile ⁊ nobile in
actōne reſpectu alioꝝ viſcerū expulſiua fūdi ſto
machi incitat̃ ⁊ ſtimulat̃ expellere ⁊ expellit ta-
lem medicinā ad iſtud inteſtinū eo q: iſtud inte
ſtinū non habet tantā ſenſibilitatē vel tantā no-
bilitatē non expellit eam ad inferi⁹:immo ibi re-
tinet̃ per temp⁹.⁊ ibi morā faciens per aliquas
horas attrahit virtute ſpecifica humores per cō
ueniētiam ſpecificā.q: quod ē imperfecte in ma
teria eſt imperfecte in humore ⁊ imperfectū na-
turalit̃ mouet̃ ad perfectū.Medicine autē alte-
ratiue vt ſirupus ⁊ electuaria vadunt ad mem-
bra ⁊ membra attrahūt illa virtute ſpecifica ꝓ-
pter cōuenientiā in natura ⁊ ꝓpter deſiderū q̃e
ſcendi illec eē.nam ex inſtictu nature coguoſcūt
⁊ eligūt illa vt tale conueniens in reparatōne diſ
craſie vel vt nutriēs.Opus nature eſt opus in-
telligentie.iſtud declarat ſerapio in.v°.⁊.vij°.ſue
practice.Tertiū inteſtinū vocat̃ yleos. q: longū
⁊ gracile.inde paſſio ſua aſſumit nomen yliaca
paſſio.Iſta tria inteſtina vocant̃ gracilia.Dein-
de ſequunt̃ tria inteſtina groſſa ⁊ magis carno-
ſa ꝓut caro debet̃ eis.quorū pmum vocatur oro
bus aliquando vocat̃ a gal̃.ſaccus. aliquando
monoculus.quia eſt ad modum ſacci ſeu ſaccu-
li habens vnum foramen.Ideo vermes vel ven
toſitas ſubintrantes diu morātes pungūt ⁊ gra
uant.q: feces ibi ſimilit̃ exiccant̃ ⁊ faciunt ali-
quando colicam non verā. Iſtud inteſtinum ſi-
tuatur verſus partem dextrā magis ꝓpe epar.
Ideo dolent ſolum circa partē illam.Secunduꝫ
inteſtinum groſſum eſt colon ⁊ inde colica paſ-
ſio.Iſtud incipit a regione epatis ſub orobo et
facit reuolutionē ad partem ſiniſtrā verſus ſple-
nem.6°.de interiorib⁹ caplõ pmo ⁊ ſecūdo.ꝓpt
quam cauſam dolor colicus extenditur per totū
ventrem plus ꝙ dolor yliacus nec nefreticus in
hoc diſtinguitur ab illis vt dicit Gal̃.ibidem.In
noticia paſſionum iſtarum multi medici decepti
ſunt.immo Gal̃.fuit deceptus in ſeipſo credens
habere nefreſim ſeu paſſionem renum quia lapi

dem ⁊ habebat colicā a flegmate vitreo vt ipſe recitat 2°. de interiorib⁹ in capl'o. 2°. Tertiū inteſtinum groſſum ⁊ vltimū dicitur longaon claudens anū. Iſtud inteſtinū eſt axungioſum ⁊ caput colon. ¶ Alteri⁹ nota ꝙ colica paſſio ē paſſio colon. ⁊ yliaca eſt paſſio yleos. Verꝫ de poſſibili colica poteſt fieri in orobo: tunc dicetur colica non vera. Iſta non circūdat totum ventrem ſm quod colica ex cauſa dicta. Yliaca fit in yleoſ ⁊ de poſſibili poteſt fieri in ieiuno inteſtino, tūc erit yliaca non vera a quibuſdaꝫ modernis vt a gordonio vocat᷑. talis yliaca tortio inteſtinorum in qua eſt dolor fortis ſtomachi cū punctura ⁊ forti ⁊ anguſtia ⁊ inquietudine vehemēti ⁊ mutatōne decubitus ꝓpter colerā ⁊ humores acutos incluſos in illo inteſtino colligato ⁊ vicino ipſi ſtomacho ꝓpter quod ſtomach⁹ patitur. Cauſa harum duarū paſſionū vna eſt in genere. ſcꝫ opilatio in illis inteſtinis ꝓpter quam opilatiōem ſꝑ ſunt conſtipati cum grauitate ⁊ dolore in ventre ſm plus ⁊ minus ꝓpter quod rōne colligantie ſtomachi ſepe incurrūt vomitum ⁊ nō nocet eis ſi ſuperueniat raſis in ſuo cōtinente. Talis cauſa opilans diuerſificatur in ſpecie ſeptem modis: q: ſeptem reb⁹ de poſſibili opilātur inteſtina q: ex fecibus induratis vl' ex ventoſitate groſſa: vel ex multo flegmate groſſo vitreo vel viſcoſo: vel ex multitudine humorū calidorum inuiſcatorum in ipſis inteſtinis. vel ex deſcenſu ⁊ caſu inteſtini in oceum. vel ex vermib⁹ cumulat̄ ⁊ globatis in ipſis inteſtinis. vel ex apoſtemate generato in ipſis inteſtinis. ¶ Notum eſt ꝙ iſte paſſiones ſunt paſſiones ꝑncipal'r iſtius vel illius inteſtini ſm hoc deſcribunt᷑ ⁊ ſunt paſſiōes per colligantiā: venit quod venire non debet ſm naturam. q: talis cauſa vel talis nō venit quod venire debet. vt colera incitans expulſiuā eorum ⁊ eſt morbus officialis cōcomitando ſecum morbum cōſimilē q: malam complexionē frigidam ⁊ aliquando calidā per quod non diuerſificatur in cura colica ab yliaca. ⁊ eſt nocumentū paſſiue intelligendo pro morbo deſcripto digeſtiue ⁊ expulſiue membri mādantis ⁊ recipiētis. Verum ꝓ illo dolore eſt nocumētū ſenſitiue ⁊ ē paſſio pro morbo deſcripto ſeu nocumētū actiue naturalis expulſiue ipſorum inteſtinorū cōſequēter ipſius ſtomachi ꝓpter quod patitur nauſeam ⁊ vomitum ꝓ illo dolore eſt paſſio ſenſus cōmunis. q̄a ab alio non apprehēditur. verꝫ ꝯñt ē paſſio aliaꝝ v̄tutū q: dolores ꝓſternunt v̄tutes ſecundo pronoſticoꝝ.

Iſtis clarificatis Cura colice ⁊ yliace paſſionis tibi pateſcit. Prius autem ꝙ in cura procedas ſcire ⁊ conſiderare oportet paſſionē in ſe qualis ſit nec que ſit. ⁊ cām talis paſſionis q: cura in hoc diuerſificatur. Si quis ergo dolorem colicum habuerit. puta dolorē ventris ſatis magnum: ſed non in vltimata malicia ab vmbilico inferius ⁊ in pectine per vētrem totū ⁊ latera ꝓpter reuolutionem ipſius colon niſi paſſio ſit in ſacco ſeu orobo. q: tunc eſt magis fixus. Vel dolorem yliacum habuerit puta dolorem vētris ab vmbilico ſuperius. Verꝫ quando eſt in ſuperiori inteſtino patitur ſtomachus vt eſt dictum ex fecibus diu retentis ꝓpter debilitatem expulſiue ipſorum. q: ſufficient᷑ non ſtimulabat᷑ a colera veniente per porum. vel quia deſciſe a rebus ſeu a cibis ſtipticis. vel quia exiccate a calore excedente epatis vl' rōne venti borealis quod pateſcit ex relatis. Diu eſt ꝙ non aſcellauit ⁊ vſus eſt quibuſdam diebus cibis ſtipticis vel duris ⁊ eſt dolor ſatis fortis ſed non in vltimata malicia In tali caſu vitanda ſunt cliſteria acuta ⁊ mordicatiua q: tunc feces magis exiccarētur. Fiant ergo cliſteria lenitiua ⁊ mollificatiua ſine ſale et ſine opiata. ℞. quinqꝫ herbaꝝ cōmuniū. ſcꝫ maluarum. ſicle. mercurialiſ. branche. viſiue ⁊ herbe violarum. añ. m. vnū. ſeminis fenugreci. ℥. vnaꝫ. aniſi. ℥. duas. fiat decoctio vſqꝫ ad cōſumptionem medietatis in qua diſſoluatur caſſie f. munde. ℥. vna ⁊ ß. olei cōmunis vel olei. fenugreci. quart. i. ⁊ ß. mellis quart. ß. Fiat cliſtere: teneat quantuꝫ poterit ⁊ reiteratur ſero ⁊ mane. cōſequent᷑ inungatur circa vmbilicum cum dyaltea vel cum butyro. vel ponatur butyrū in teſta nucis ⁊ ligetur cum bēda ſupra vmbilicum. vel applicētur herbe decoctōis cliſteris ⁊ cōquaſſate applicent᷑ ſupra ventrem per modū emplaſtri. Conſequenter poteſt balneare anchas in dicta decoctione. Iſta oīa reiterentur donec exeant ille feces indurate. poſtꝙ feces fuerint expulſe balneat anchas ſuas ⁊ ventrem in decoctōne herbarum dictarum ꝙ diu ⁊ bene decoquatur. ¶ Et ſi quis dolorem colicum vel yliacum habuerit. quia in partibus iam dictis ex vētoſitate groſſa frigida tendente replente ipſum ⁊ ſoluēte continuum in ipſis inteſtinis. quod pateſcit q: dolor mutat᷑ de loco ad locum cum aliquali rugitu ⁊ vomitu et tortione cum punctura ad moduꝫ acus ⁊ de poſſibili aliqua portio ventoſitatis interponit᷑ inter tunicas inteſtini tunc dolor remanet fixus lꝫ ex-

tendat ſe per latera ꝓpter cauſaȝ dictam. vt dicit
Gal'.xij.de ingenio in caplo vltimo. quando eſt
in colon illa ventoſitas.ꝛ ſi ſit in yleos non ſic ſi-
militer cognoſcitur in expulſione egeſtionū cum cli
ſtere ꝛ cōferentibus applicatis cōtra ventoſita-
tes.vt ex vētoſis applicatis vt dicit Gal'. in loco
dicto.q: vel curat quando eſt ſola vētoſitas.ꝙ ſi
non curet indicat aliqualiter humorē ibi eſſe.ideo
pmiſſo cliſteri cōmuniter applicamus vētoſas
magnas ꝛ plures.

Curetur in pmis colica ꝛ iliaca vētoſa
ffiat tale cliſtere. ℞. maluarū
ſicle mercurialis añ.m.vnū. aniſi cimini. añ.ʒ.ij.
fiat decoctio in qua diſſoluatur. olei ruthe q̄rt.i.
caſſief.mūdate.ʒ.vna.tyriace magne.ʒ.ß. fiat cli
ſtere:teneat quantū poterit. expulſis egeſtiōib⁹
applicētur vētoſe magne ſine ſcarificatōne plu-
ries in ventre circa vmbilicum. nam ſi ſit ex ſola
vētoſitate curatur vel in magna parte.Si nō cu-
ratur arguitur ꝙ ibi ſit humor aliqual'.hoc dicit ga.
xij.de ingenio in caplo vltimo.cōſequenter appli-
cetur filtrū vel ſpongia:infundatur in vino calido
decoctōnis aniſi cimini pluries applicetur cali-
dum.Et ſi videtur tibi fiat conſequenter cliſtere de
oleo decoctōnis aniſi cimini foliorū ruthe pmiſ-
ſis ea que dicta ſunt.vnde regula eſt auctoris ꝙ
in pncipio debēt applicari intra ꝛ extra reſoluti-
ua ꝛ carminātia vētoſitatem debilia.q: diſſoluē-
do ꝛ carminādo aliquādo talia augmētant dolo
rem.Detur ergo ter vl'quater in die ꝛ nocte mo-
dicū de vino decoctōnis carui ſemis ruthe ꝛ ſe.
cimini.bonū eſt tamē ꝙ in colica ꝛ yliaca de cau
ſa vētoſa ꝛ humorali frigida ꝙ abſtineat a cibo
ꝛ potu duobus dieb⁹ vel circa. vl'ſaltim parū ſu-
mat.ffiant ſibi talia ſuppoſitoria ꝛ carminantia
ventoſitatem.℞.ruthe ſubtiliſſime contrite.ʒ.ij.
cimini parū torrefacti ꝛ ſubtiliſſime pl'uerizati.ʒ.i.
mellis deſpumati quod ſufficit.fiant ſuppoſito-
ria cum lana ibi inuoluta ad modum glandis ꝛ
ſupponātur mirabiliter ſedāt dolorē vētoſum.Ali
qui faciūt iſtud emplaſtrū in ꝓceſſu cure.℞.ru-
the ſubtiliſſime cōtrite.p.ij.nigelle myrre cimini
ſubtiliter puluerizatoꝝ añ.ʒ.i.mellis deſpumati q̄d
ſufficit fiat p modū emplaſtri ꝛ applicetur ſupra
ventrē:ſufficit ꝓ ſero ꝛ mane. ¶ Et ſi quis dolo
rem colicū vel yliacū habuerit ex cā frigida hu-
morali.q: ex flegmate frigido innaturali vl' vi-
treo in toto vl'in parte maiori.q: cōiter vētoſitas
aliqualis cōicat ꝛ ꝯcomitatur. nam talis materia
pungit ꝛ mordet inteſtina rōne frigiditatis exce
dentis ꝛ vētoſitatis cōmixte tendētis ipſa inteſti

na ꝛ opilat ea in illa plicatura ſi mlta fuerit ꝛ ſūt
conſtipati.quod pateſcit q: dolor eſt multum for-
tis ac ſi terebello pforaretur cum alijs ſignis atte-
ſtantib⁹ ſuper humore frigido vt eſt etas cōple-
xio dieta ꝛ ſic de alijs. Uerū vrine in iſta colica
ꝛ in vētoſa de natura cauſe debēt eſſe remiſſe. ſʒ
quia inteſtina ſunt opilata. ideo colera a ciſtifel
lis non poteſt ad partes illas deſcēdere. ideo di-
uertitur ad partes vrinales ꝓpter quod vrine ſunt
tincte ꝛ ignite ꝛ colorate dato ꝙ cauſa paſſiōis
ſit frigida.Regula eſt auctorū ꝙ in pncipio hu-
ius cure applicentur intus ꝛ extra calida ſʒ nō for-
tia.q: talia diſſoluēdo augmētant vētoſitatē ꝛ p
conſequēs dolorem. Gal'.xij.de inge.in caplo vl
timo. ffiat ergo cliſtere pmo cum ſolo oleo deco
ctōnis maluarū biſmalue ruthe añ.m.vnū.aniſi
aneti cimini añ.ʒ.duas.in ꝓceſſu fiat cliſtere cū
oleo decoctōnis ruthe ꝛ ſeminū dictorū:vt facie-
bat gal'.in ſeipſo habēte iſtam colicam vt reci-
tat 2° de interiorib⁹ in caplo ſecūdo. naȝ dolebat
tantū videbatur ſibi ꝙ terebello perforaretur. vt
recitat ibi ꝓpter frigiditatē materie flegmatice
vitree.ꝛ ſic emittebat quātitatem magnā illi⁹ fle
gmatis actu frigidi.Cōſequenter ventoſetur cum
igne cum pluribus vētoſis.q: partes ille caleſiūt
ꝛ euacuant ventoſitatem cōmixtam ꝛ ſumat de
brodio pulle vbi decoquatur ſemē cartami ꝛ ci-
cera rubea.potes addere pulpā coloquintide.ʒ.
ß.ſed eſt multū amara.ideo lʒ valeat in cauſa p⁹
ponimus ſi non poteſt potare ſumat iſtas pillu-
las.℞.yerapigre ga.ʒ.vnā.plpe coloq̄n^e.℈.vnū
bdellij.g̃.quinq;.fiant pill'e:ſumat in introitu le
cti.Uel ſumat iſtas.℞.aloes.ʒ.vnam.turbith.ʒ
ß.zinziberis.℈.ß.pulpe coloquītide.℈.i.bdellij.g̃
quinq;.fiant pillule.Alliata eis competit vl' bro
dium gallinē:decoctōnis alliorū.yſopi.maiorane
ſaluie.allium per ſe non competit eis quia diſſol
uendo fortiter generat ventoſitates. ideo deco-
ctio aliorum valet.verba ſunt gal'.xij.de ingenio
caplo vltimo. Idem dicit raſis in ſuo continēte
recitat gal'.in loco dicto ꝙ quidam ruſticus co-
medebat panem cum allijs ꝛ ſanabat ſe fortiter
ꝛ ibat ad opera aſſueta.ꝓpter quod dicebat ga.
ibidem ꝙ allium eſt tyriaca ruſticorum: quia cu-
rat tl'es indigeſtiones.Aliqui faciunt ſuppoſito
ria de melle vel de penidijs cum ſatis de pulpa
coloquintide ꝛ ſtercore muris ꝛ ſatis de ſale gē-
ma ad modum glandis cum filo in medio ob-
longo.Et dat ſero ꝛ mane vinum decoctōnis ci-
mini ꝛ galange calidum in modica quantitate.
Aliqui dant pillulas de euforbio in proceſſu: tū

non in p̄mis diebus sunt experte in hoc casu rab in suo continente. Aliqui applicant desuper spō gias infusas calidas in ista decoctōne eas reno uando. ℞. Absinthij maiorane mente origani calamenti abrotani prassij. ana. m. vnum. radi cis cipi. m. vnum. baccarum lauri sileris monta ni anisi cimini seminis vtriusqꝫ nasturtij. an̄. m. vnum. coquantur in aqua salsa vsqꝫ ad consum ptionem medietatis. hoc facto per pausam ap plicant per modum emplastri de istis herbis cō quassatis. Vel vngatur cum isto vnguento. ℞. olei de lilio. ℞. ℥. euforbij castorei ana. ʒ. duas. ce re modicum: fiat vnguentum liquidum. Aliqui inungunt locū cum arogon marciaton a tota ꝓ prietate valēt in cura colice. immo in eius preser uatione tenere pellem lupi supra ventrem. inun gatur venter cum stercore lupi dissoluto cum olo de lilio per modum vnguenti. Rasis in suo con tinente. Similiter intestinum lupi exiccatum et pulverizatum datū cum modico vini sero ⁊ ma ne curat a tota proprietate ⁊ est fortius omni re scd̄m antiquos in cura colice ⁊ yliace. Abstineat tamen duobus diebus a cibo ⁊ a potu. vel ꝙ pa rum sumat vt est superius dictum.

Et si quis colicam vel yliacam de cau sa calida humorali habue rit quod patescit a manifeste conferentibus ⁊ no centibus. vt ponit Gal. xij°. de ingenio in caplo penultimo vbi ponit casum ad litteram ⁊ curā in genere. nam isti multū leduntur a calidis cli steribus emplastris ⁊ embrocatōnibus ⁊ iuuan tur a frigidis cōplexio etas officium ad noticiā talis cause tali detur clistere de decoctōne quinqꝫ herbarum cōmuniū cum oleo violaceo ⁊ cassief ⁊ modico electuarij de succo roſ. vel fiat clistere sicut in febrib⁹ acutis de ptisana ⁊ oleo violaceo ⁊ cassief. sine sale ⁊ sine melle. Detur vna tacea de mane de decoctōne prunorū ⁊ florum violaꝝ cōmuniter conceditur eis potus aque frigide: ⁊ mirabilr̄ iuuant ⁊ sedant dolorem ventris. cōmu niter purgantur cum scamonea sic ex intentōne gal. in loco allegato. ℞. dyagredij. ℈. ℥. vl. ℈. i. si est grossius compactus dissoluatur in aqua ordei vel in sero caprino quod sufficit fiat pot⁹. Inun gatur vent̄ cum oleo violaceo vel panni linei in fusi in aqua frigida compssi applicētur statim se dat dolor qn̄ cā ē talis maª coca raro occurrit co lica nec yliaca. ⁊ fit ḋ facto possūt poni in aq̄ tepi da nō calida. iuuātur quia dolor sedatur.

Et si quis colicam vel yliacā habue rit ex vermib⁹ cumulatꝫ opi lantib⁹ ⁊ pungētib⁹ ipsa intestina quod patescit ex etate. qꝛ in etate puericie vl' pubertatꝫ cum vsu fructuū accidit talis colica ⁊ dolor satis adheret in vno loco. fiant ea que dicentur contra vermes infra in capitulo proprio.

Et si quis colicam ex ruptura cifach seu ex descēsu intestini vel zirbi in oceū seu in bursam testiculorum habue rit reducatur intestinū cum mollificatiuis ad si tum proprium ⁊ fiant illa que dicentur in caplo de ruptura.

Et si quis colicam vel yliacam habu erit ex materia apostemo sa. quod patescit qꝛ dolor est magis in vno loco cum punctura ⁊ talis loci ⁊ fe. cōtinua anteqꝫ vl terius procedas in cura cōsiderare oportet si ta le apostema sit de materia calida vel frigida. vm qꝛ ibi sunt venule satis stricte cōmuniter causa ē calida bene calida vel aliqualiter calida. flobo thometur ergo p̄mo ḋ parte opposita in qua mi nus declinat. in crastinum vel in tertia die flobo thometur de parte in qua magis declinat. ¶ Si causa est multū calida in p̄ncipio applicētur pā ni linei vl' spōgia infusi in aq̄ frā vbi sit 3ª vel 4ª ps aceti sepe vl' sepi⁹ renouādo ita cito sicut ca lescet. vl' inungatꝫ cū oleo rosaceo vnfancino vel alio rosaceo cōi vbi sit sexta ps aceti simul bene agitatis. In defectu illi⁹ inungas cum oleo mir tillorū vl' citomorꝫ. hoc facies in p̄mis trib⁹ vl' q̄t tuor dieb⁹ p̄mittēdo clisteria lenitiua simplicia si ne sale ⁊ sine melle ⁊ sine opiata. Si aūt sit maª nō tātū calida nō oꝫ tātū infrigidare in p̄n° suffi cit vnū de oleis dictis p se vl' addita octaua parte vl' decima aceti. p̄nter dum fuerit in augmēto ad de p̄dictis oleis modicū de oleo camomille in po sterū facies sputibula de farina frumēti ordei cū vitello oui ad maturandū vel pones de medulla panis būllita in aq̄ cū modico olei roſ. teneat di etam alteratiuā sic febricitās dietetꝫ dādo sibi vi nū lunphatū. por⁹ aq̄ multū incrudat apata inte riora. ideo ꝓhibetur a gal. in. 8°. de ingenio ⁊ in decimo sepe reiterādo illa clisteria lenitiua. Ista tibi sufficiant.

¶ Capitulū. 13m. de fluxu ventris.

C Um cibus i stomacho more solito non mora tur immo citius egredi tur non mutās nisi pa rum fuerit cum hoc mordicatio et

dolor in vētre ⁊ ſitis: cum quo etiā
plerūqꝫ adeſt ventris flux⁹ in quo
ante comeſtionē inuenitur puru-
lentum. Det̃ ergo rob de ſucco v-
ue acerbe. aut de ſucco ribes aut d
ſucco granatorū cum ſpodij roſarꝫ
amborum ana. ʒ. vnā. Trociſci qꝫ
de ſpodio conſtrictiui itidem tri-
buatur. Nutriatur vero ex adeſia
citrina ⁊ pullis cum aceto coctis
⁊ aſſatis ⁊ in ſucco vue acerbe po-
ſitis. In potu ſumat ſumach cum
aqua roſata ⁊ deinde nutriatur ex
cibo cui admiſcetur ſumach quivo
catur ſumachia. Totumqꝫ eius re
gimen ad hoc perducatur vt infri
gidare poſſit ⁊ conſtringere. Qd
ſi non fuerit cum eo mordicatio ī
ventre neqꝫ qꝫ egreditur pus ha-
bet admixtum ſed eſt viſcoſum et
adeſt inflammationis paucitas ⁊
pauca ſitis ⁊ ructus acidus. Egro
ſicla ⁊ ſinapis ⁊ piſces ſaliti tribu
antur. Deinde cogatur ea vome-
re ſumendo ſalem ⁊ mel ⁊ anetuꝫ
coctum. Que ſi nō ſuffecerint me
dicamen quod expellit flegma tri
buatur. quod. ℞. aloes. ʒ. vnaꝫ. co
loquintide interioris. ʒ. quattuor.
ſalis indi. ʒ. quattuor. turbith. ʒ. i.
Ex iſtis fiant pillule ⁊ ſufficiunt
ad doſim vnam. Uomitu prete-
rea ſepe vtatur: ⁊ cibaria quibus
vtitur in almuri ſparſo intingan-
tur: ⁊ comedat ſulcita que ſale cō-
diuntur ⁊ que acrimoniaꝫ habent

que appetitum prouocare conſue-
uerunt. Si autem cum hoc quod
diximus nihil egredit̃ quod ſi ſuper
fluum neqꝫ quod expellitur aliqd
purulentū vel flegmaticum habet
admixtum: egro vinum purū ⁊ for
te tribuendum eſt ⁊ dyaolibanum
dandum. quod. ℞. olibani. ʒ. decē
piperis ameos ſpice keiſim aniſi
nigelle oīum ana. ʒ. duas. balau-
ſtie. ʒ. deceꝫ. mellis deſpumati qd
ſufficit ad conficiendum: detur et
hoc in potu quia ſtomachū calefa
cit ⁊ vehementer deſiccat. Apozi-
ma quoqꝫ de ſeminibus quod in
capitulo colice paſſionis nomina-
uimus detur ⁊ aſſueſcat in potu
ſumere vinum purum. Si vero ci-
bus non egreditur ſed res ſubti-
lis ⁊ alba ⁊ aquoſa cum qua ſūt ea
que epatis ſignificant debilitateꝫ
egro tribuatur id quod fit de ſco-
ria ⁊ diaolibanum ⁊ trociſci cale-
facientes epar quos nominauim⁹
⁊ electuarium dyacalamentū. qd.
℞. foliorꝫ rute foliorum calamē
ti ſiccorum ameos carui keiſim ʒi
ziberis cinamomi macropiperis
omniū partes equales conficiant̃
cum melle cocto ⁊ dentur alia me-
dicamina que nominauimus in
capitulo epatis. Ex his q̄ ipſū ca-
lefaciūt ⁊ ꝯfortāt. Si aūt cū p̄dcā
egritudine non fuerit ſignificatio
debilitatis epat̃: imo qd egredit̃
cū fluxu ſubtile eſt ⁊ albū ⁊ fiat in

ſtomacho grauitas puluis de gra
natis ad tranſglutiendū dandus
eſt q̊. ℞.oſſium granatoꝝ acetoſo
rum aſſatoꝝ tritorum vt alchohol
ʒ.c.carui ſemis coriandri amboꝝ
aceto acerrimo infuſoꝝ ⁊ poſteā
aſſatorum ana.ʒ.xx.xilo caracte ſu
mach balauſtie oīm añ.ʒ.x. Pul-
uerizantur optime ⁊ cōmiſceant̄ ⁊
detur ex eis puluis ad tranſglutiē
dum. Electuariuȝ ꝙ qđ dꝛ carazi
detur qđ. ℞.arilloꝝ paſſarum tri-
torū vt alcohol libꝛam vnā mirtil-
loꝝ ſiccorum pulueriſatoꝝ vt alco
hol libꝛam mediā xilocaracte na-
bati balauſtie ſemīſ tamariſci ame
os oīm añ.ʒ.x.ꝯficiantur cū melle
de cana mellis aut cū melle apum
optime deſpumato ⁊ ex electuario
ſumat̄. Si auteȝ qđ egreditur citri
nū fuerit ⁊ anū mordicat ⁊ eger ſi-
tim patiatur ⁊ febreȝ trociſci ꝯſtri
ctiui de ſpodio ⁊ aqua ſanich ordei
detur. Trociſci ꝯſtrictiui đ ſpodio
℞.roſarum rubeaꝝ ſpodij ambo-
rum añ.ʒ.x. ſemīs acetoſe ſumach
balauſtie gūmi arabici oīm. añ.ʒ.
v.informētur trociſci pōdere.ʒ.ij.
quoꝝ vnus cū.℥.i.de rob citonio
ruȝ ſimplici ſumatur aqua vero ſa-
nich ordei quaȝ diximus ita ſit or
deum fractum in aqua ipſum coo
periente bulliat donec aqua inſpiſ
ſetur deinde coletur ⁊ bibatur ex
ea.℥.iiij.cum tribus.ʒ.ſpodij ⁊ gū
mi arabici eadem quātitate. Qđ
ſi ex fluxu ventris euenerit: exco-
riatio puluis de bolo ad tranſglu-
tiendum detur qui. ℞.pſillij.ʒ.xx.
ſeminis plantaginis.ʒ.x.gūmi ara
bici boliarmeni amboꝝ añ.ʒ.iij.
pſillium aſſetur ⁊ gummi ⁊ bolum
pulueriȝet̄ ⁊ ꝯmiſceantur ⁊ ſuman
tur in potu ex eo in mane.ʒ.iij.cū
rob de citonijs ⁊ circa noctem tan
tūdem. Cibus vero eius ſit pulmē
tum factum cum granis granato
rū et paſſis cuȝ aqua et aceto et ci-
bus factus cuȝ ſucco vue acerbe ⁊
ſinnachia et tafea admiſcetur ſuc-
cus ſumach ⁊ his ſimilia cibaria.
Trociſci de balauſtijs qui ꝯtinue
ꝯferunt dyarrie dandi ſunt cū flu
xus fuerit ſuperfluus: ſiue habeat
ſanguinem admixtuȝ ſiue non. ℞
gallarum ſilliquarū nabatis ſemi
nis tamariſci olibāi balauſtie oīm
partes equales opij gummi arabi
ci amboꝝ ana parteȝ mediā infor
mentur trociſci pondere.ʒ.ij. ex q̊
bus vnus cū vino ſumatur. Si ne
ꝙ calor affuerit neꝙ febris. Sȝ ſi
febris affuerit cuȝ rob de citonijs
acetoſis ſumatur: qui tunc dandi
ſunt cū ventris fluxus ſuperfluus
fuerit. Trociſci ad tenaſmonem.
Qui dandi ſunt cū caloris abſen-
tia fuerit ⁊ ventoſitas erit nociua
⁊ ſonitꝰ. ℞.ſeminis iuſquiami al-
bi.ſeminis aneti.ſeminis feniculi
omniū.ʒ.v. ameos.ʒ.ij.⁊.ß. opij.
ʒ.iij.ſeminis apij.ʒ.x.fiant trociſci

de quibus pondus vnius aurei in
potu ſumatur. Confectio de ſtora
ce que antiquo ventris fluxui con-
ferens ac tenaſmon cum neqꝫ fe-
bris neqꝫ caloꝛ affuerit: ſed erit vē
toſitas nociua danda eſt. ℞. caſto
rei opij azari ſtoꝛacis liquid̄ mirre
ſemis iuſquiami nigri thuris om-
niū ptes equales mellis quod ſuf
ficit ad ſpecieruꝫ confectionē. Cu
ius doſis ſit. ʒ. ij. vſqꝫ ad tres. Si
autem poſtq̄ tenaſmon decē tran
ſierit dieſ non viſa fuerint medica
mina conferre ⁊ eger ſupꝛa pecti-
nem ſentit doloꝛem redeundū eſt
ad cliſtere. Cliſtere conſtrictiuum
℞. panici excoꝛticati lentiuꝫ excoꝛ
ticatarum roſarum ſiccaruꝫ balau
ſtie capullaꝝ glandiū oīꝫ ana. m. i.
oīa in tribus libꝛis aque coq̄n-
tur donec ad libꝛam vnaꝫ ⁊ mediā
redeant ⁊ colentur deinde ſuman
tur ceruſe cineris papiri babiloni
ci aut cineris papiri amboꝝ ana.
ʒ. i. boli armenici. ʒ. ß. vitellus oui
vnius aſſati durus olei roſei. ℥. ß.
Ex his oīibus in pꝛedicto apozi
mate fricando diſſolutis cliſterize
tur eger ſemel aut bis. Quod ſi te
naſmon fuerit longi tēpoꝛis ī quo
non egreditur ſanguis: ſed caſura
alba muſcil lagini ſimilis. Medi-
camē putredinis qd̄ in caplo d̄ cu
ra gingiuarum putridaruꝫ nomi-
nauimus dandū eſt Ex quo ī apo
zimate eoꝛum qd̄ nominauimꝰ fri
cato diſſoluto cliſtere ſemel aut biſ
fiat. Et ſi ex ventris fluxus in ven
tre vehemēſ moꝛdicatio ſecuta fue
rit cliſtere fiat ex olō roſeo tepido
Si auteꝫ nullomodo moꝛdicat cli
ſtere fiat ex illo medicamine mul-
totiens addatur donec ſanet̄ epi-
thima de quo venter cum fluxus ſu
perfluit ⁊ virtus eſt debilitata linīē
duſ eſt. ℞. gallie acaſſie ciperi mir-
re gallarum cipꝛeſſi chiris omniū
partes equales. Ex his omnibus
vino veteri aut ſucco citonioꝝ cō-
ſperſis liniatur venter. Huic quo-
qꝫ quādoqꝫ additur panis biſco-
ctuſ de furia. Si autem cū hac egri
tudine fuerit caloꝛ epithīa fieri cō
uenit ex duobus ſandalis et roſis:
et bolo armeno et ſanſel et gallie ⁊
pane bis cocto cuꝫ ſucco mariano
rum ⁊ citonioꝛum ⁊ mirtino. Od̄
ſi eger vehementer patiatur tenaſ
mon et ſepe vadat ad ſellam et ta-
mē nihil egrediatur collirium iſtd̄
ſubijciatur. Eſt enim mirabile ad
ſedandum tenaſmon quod Reci-
pe thuris litij croci gummi arabi-
ci omniuꝫ. ana. ʒ. i. opij. ʒ. ij. infoꝛ
mentur colliria et ſuperponantur

De fluxu ventris peſtilentia-
li. i. foꝛti verū aliqua
ſpecies dyarrie dicitur peſtilentialis.
vt dicetur. ¶ Aduerte fluxus ventris
in genere triplex eſt lyentericus. inde
dicitur lyenteria. Dyarricus inde dicitur dyarria.
Diſſintericus inde d̄r diſſinteria. de hoc ſunt vſꝰ.
Cruda lyen ſimplexqꝫ dyar. cum ſanguine diſſin.
Lyenteria eſt velox exitus cibi ⁊ potus a ſtoma-

cho in eiſdem q̄ualitatibus vel quaſi quibꝰ come
ſti ſunt. 6°. ampho. cōmento p̄mo. dicit Gaꝰ. ad
litteram. ¶ Cauſa talis velocis exitus cibi a ſto
macho ante eiuſ digeſtionē duplex eſt. Una eſt
mala compl̄o humida lubrica cum materia vel ſi
ne in fundo ſtomachi. verum vt plurimū eſt talis
lubricitas in fundo ſtomachi: rōne materie flāti
ce adherentis ibidem. ¶ Alia cauſa eſt vlceratio
aliqualis in fundo ſtomachi: quia bothor de poſ
ſibili ibi fuit generatū vel materia colerica de poſ
ſibili vlcerauit partem illam: ideo cibo aduenien
te fit mordicatio ⁊ incitatio expulſiue vt inde ex-
pellat caſus ꝯtingit pl̄ies q̄buſdaꝫ aduſtis ꝓpt̄
vnam iſtarum cauſarum: ſtomachus nō poteſt re
tinere tēpore ſufficienti. pro digeſtione eiꝰ q̄d tē-
pus cōmuniter in ſanitate. xij. vel. xv. horarum vl̄
circa ſcd̄m lenitatem vel groſſitiem maiorem vel
minorem cibi. vt dicit Auic̄. 3°. cañ. capl̄o de tar-
ditate decoctōnis cibi a ſtomacho. verum in egri
tudinibus ⁊ in fluxibus ventris eſt breuius tēpꝰ
⁊ in quibuſdam egritudinibus longiuſ: quia di-
geſtiua debilior. Et intelligas talem moram cibi
in ſtomacho. quātum ad eiuſ partem groſſiorem
quia pars eius ſubtiliſ continue tranſcolatur ad
inteſtinum ieiunū. Et inde attrahitur per meſe-
raycas ab ipo epate: ⁊ ſic paulatiꝫ pars ſuperior
ſtomachi ianitur. ideo poſt ſex vel ſeptem horas
appetimus cibum ⁊ fameſcimus. licet in fundo
ſtomachi ſit portō magna cibi preaſſumpti quia
fames eſt inanitio orificij ſtomachi ſenſata. 4°.
de morbo in capl̄o. 1°. ¶ Dyarria eſt fluxus ven-
tris humoraliſ ⁊ iſte eſt multiplex in ſpecie. quia
ſunt nouem ſpecies vel decem ratōne particule
mandantis ⁊ recipientis cum nocumento ⁊ ra-
tione cauſe materialiſ quod eſt in dyarria que fit
a cerebro per viam catarri materia deſcendit a ca
pite ad ſtomachum per poros meatus extra ipaſ
venas. talis fluxus eſt de materia flātica que de-
ſcendens ad ſtomachum commouet chiloſitatē
⁊ humores exiſtentes in concauo ſtomachi ⁊ fa
cit eos fluere ad inferius. Sil̄r talis materia reu
matica deſcendens corrumpit aliqual̄r cibum in
ſtomacho. ex iſta cauſa duplici fluxus vnetris ꝑ
viam catarri a capite durat quibuſdam diebꝰ ter
vel quater in die ⁊ egeſta ſunt aliqual̄r ſpumoſa
cum grauitate capitis. ypo. 1°. ampho. Quibuſ-
cūꝙ ſpumoſis. Alius talis fluxus ventris ꝑ viā ca
tarri a capite fit a materia contenta in capite in-
fra venas ⁊ arterias capitis ⁊ tunc eſt mateᵃ cō-
mixta colica ⁊ flātica ⁊ talis materia venit per ve

nas capitis ad inferius: ⁊ cōmouet humores in
venis ſubiacentibꝰ ⁊ facit eos fluere ad epar. ⁊ ꝑ
ꝯſequēs ad inteſtina talis eſt maior poſt ſomnū
⁊ non poſſunt bene dormire ſomniant mala. In
p̄ncipio egeſta fuerūt quaſi ſpumoſa textu dicto
ypoc. 1°. ampho. Iſte fluxus de poſſibili ſubſeq̄t
ad p̄miū: ⁊ durat. ¶ Alia eſt dyarria que fit a ſto-
macho. Iſta dyarria ſtomachalis eſt multiplex.
Quedam eſt peroxiſmalis durat duobus aut tri
bus diebus. nam materia ſordida congregat̄ in
ſtomacho in quibuſdam potiſſime in guloſis vel
crapuloſis talis materia congregata in cōcauo
ſtomachi. inſultat̄ a natura ſtomachi ab ipa ex-
pulſiua: ſed materia acuta: vel pūgitiua fuerit vl̄
ab ipa ꝯtentiua ſi pungitiua non fuerit nam ipa
deſinit talem materiā non potens eam ſuſtinere
Ideo aſcellat q̄buſdā vicibꝰ duobus aut tribꝰ die
bus. verū talis materia augmentat̄ ⁊ multiplica
tur ex cibo ſupueniēte. q̄ꝛ aliqua portio eiꝰ corrūpi
tur rōne talis maᵉ ꝯmote. Ideo non eſt mirādū
ſi duobꝰ aut tribuſ diebus aſcellēt de tali maᵃ ſto
machali quibuſdam vicibꝰ. ¶ Alia ē dyarria ſto
machalis q̄ ineſt q̄buſdam delicatis macillēt̄ ex
debilitate digeſtiue que durat pl̄ibus diebꝰ. nam
cibꝰ in talibꝰ male digeritur ⁊ quaſi aliquali cor-
ruptione ſemicorrūpitur. Id̄o a ſtomacho expel
litur ad ipa inteſtina. nam ꝯtentiua grauata a ta
li ſordido deſinit abire. 6°. de morbo in capl̄o p̄°
Idem dicit. 6°. de morbo in c°. penultᵒ. Alia iſta
dyarria ſtomachal̄ ex debilitate digeſtiue ⁊ ex ali
quali corruptōe cibi in ſtomacho: vt eſt in die na
turali vſꝙ ad duas vel tres ſellas quibuſdaꝫ fe-
bricitantibꝰ feb. ꝯtinua: vel q̄buſdā pleureticiſ. ⁊
cōiter cōicat in tali fluxu ventoſitas in inteſtinis
Ideo q̄dam eoꝝ habent ſingultum. cōiter oīs
moriuntur: quia virtutes naturales ſtomachi in-
cipiunt mortificari: ymo febricitanteſ in regione
extranea potiſſime ſenes moriuntur cum iſta ſpe
cie dyarrie eſt caſus notandus. ¶ Alia eſt dyar-
ria ſtomachalis ⁊ inteſtinalis: quia primoꝝ inte-
ſtinorum ꝯmuniter ⁊ de poſſibili inferioruꝫ ſimi-
liter que pluries fit in pueris. ⁊ fit a neruibꝰ lon-
gis lubricantibus ipa prima inteſtina fundi ſto-
machi. nam iſti ſunt vermes longi qui lubricant
inteſtina. ideo dicūtur lumbrici a lubricitate quā
inducunt. ¶ Alia eſt dyarria que fit ex opilatio-
ne meſeraycarū venarum que fit cōmuniter a ci-
bis groſſis ⁊ dulcibus: potiſſime in guloſis. fit ſi
militer interdum ex materia humorali apoſtemo
ſa. ſed tunc concomitatur feb. cum notabili dol.

dextri ypocundrij. 5°. de iteriorib⁹ in ca. penulti°.
¶ Alia ē dyarria epatica fellea in qua multa co.
ab epate ⁊ eius venis: ⁊ a cistifellis expellitur de
iſta communiter vlcerātur inteſtina ⁊ venit in diſ
ſinteriam inteſtinalem. ¶ Alia eſt dyarria humo
ralis a toto corpore. Iſta fit interdum per viam
criſis ⁊ mundificatōis. interdum fit per viam ſin
thomatis quod cognoſcitur ſi confert ⁊ bene fe-
rant ex bona tollerantia ⁊ econtra. in iſta euacu-
antur omnes humores. ex iſta veniunt in diſſinte
riam inteſtinalem. ſed non tantū ſicut ex predi-
cta. ¶ Alia eſt dyarria que fit a toto corpore de
materia corrupta ſemiuenenoſa ex ſe vel ratione
veneni preaſſumpti cum cibo vel alias cum qua
communicat ſubmerſio pulſus ⁊ eius debilitas
iſta contingit pluribus poſt comeſtionem funga
rum malarum vel vuarum aranee vel ficuū cum
culo aperto quia ibi intrant aranee ⁊ ſimiles ba
bote talis fluxus dyarricus dicitur peſtilentialis
communiter moriuntur: ⁊ ſi conualeſcunt rema
nent debiles. quidam depilantur in cuti. quidam
perdunt vngues. ¶ Alia eſt dyarria ſplenetica:
cum egeſtione ſubnigra. tunc venit materia a ve
nis ⁊ arterijs regionis ſplenis: vel cum egeſtis
multum nigris. tunc venit materia a ſpongioſita
te ſplenis. ſi tal' veniat in principio mortale. 4°.
ampho. canone illo. Ex egritudinib⁹ quibuſcun-
q₃ incipientibus. ⁊ in. 4. cañ. ſequentibus: q: ma
teria peſſima ⁊ incorrepta expellitur arguens vir
tutem debilem: non potentem expectare tempuſ
correctionis ipſius. ¶ Alia eſt dyarria que fit ꝓ-
pter liquefactionem humiditatum membrorū: vt
fit in ptiſicis ⁊ quibuſdam ꝓpinquis morti in a-
cutis. ¶ Diſſinteria eſt fluxus ventris ſanguine⁹
cum ſanguine multo per interualla vel pauco. 6°
de morbo capl'o penultimo. Idem dicit. 5°. inte-
riorib⁹ in capl'o penulti°. nam diſſinteria nomen
grecum eſt deſcribens fluxum ſanguinis per in
feriora. vt dicit Symon ianuenſis in ſuis ſinoni-
mis. ¶ Unde diſſinteria duplex eſt epatica. alia
eſt inteſtinalis. ⁊ iſta a quibuſdam modernis ap
pellatur diſſinteria vera. alia appellatur nōvera.
Ga⁹ aūt in. 6°. de morbo in capl'o penulti°. vocat
vtrāq₃ veram. Epatica eſt fluxus humoralis cū
portione magna ſanguinis per interualla veni-
ens ſine excoriatione inteſtinorum. 6°. de morbo
in capl'o penultimo. Idem dicit. 5°. de interiori-
bus in capl'o penultimo. Iſta habet tres ſpecieſ
vt dicit Ga⁹ ibidem. Una ſpecies diſſinterie epa
tice eſt in qua expellitur ſanguis ſatis naturalis

per egeſtionem a bonitate virtutis expulſiue ve
narum epatis: vt contingit in pluribus caſibus.
puta in ocioſis crapulan̄ qui dimiſerunt exercitia
⁊ labores. ⁊ quibuſdam emutilatis. ⁊ quibuſdā
qui dimiſerunt flobothomias aſſuetas: vel aliaſ
euacuationes ſanguinis perdiderunt. ⁊ quibuſ-
dam replens ſanguine multo qui ſumpſerūt me
dicinas leues ⁊ nonviolentas. ⁊ in criſi bona ali
quarum febrium ſignis digeſtionis apparenti-
bus. Debiles in arte dubitant in tali egeſtiōe ſā-
guinis: quia ignorant ea que raro contingunt vt
dicit Galienus in locis allegatiſſtatim. ¶ Alia
eſt ſpecies diſſinterie epatice in qua expellit' ſan
guis ad modum loture carnis dum animal inter
ficitur ex debili contentiua epatis. 6°. de morbo
in capl'o penulti°. In proceſſu exit ſanguis groſ
ſior ⁊ exit cum quadam erugine ſanguinis. poſt
ea cum groſſiori quaſi fece vini quia contentiua
epatis fortificatur. ideo digeſtio epatis plus dige
rit. ideo exit plus ſanguinis inſpiſſatus ad mo-
dum fecis vini. Uerba ſunt Galieni in locis di-
ctiſ. ¶ Alia eſt ſpecies diſſinterie epatice in qua
exit ſanguis nigrior naturali ſanguine ⁊ lucid⁹.
quaſi mixtura ſanguinis ⁊ colere nigre. quia ſan
guis nigreſcit in mora aliquali in ipſis inteſtiniſ
quia refrigeratur ⁊ claritas amittitur. vt dicit ga
lienus. 6°. de morbo in capl'o penultimo. Idē di-
cit. 5°. de interioribus i capl'o penultimo. In iſto
leduntur plures virtuteſ naturales epatis ⁊ vena
rum. vt dicetur ſtatim in ſequentibus. ¶ Diſſin-
teria inteſtinalis eſt fluxus colere cum portione
modica ſanguiniſ in proceſſu propter excoriatio
nem inteſtinorum ratione materie acute. Aliq̄n-
do eſt purus ſanguis et interdum ſicut ſanguiſ-
ſuga cum ſanie mixtus. Aliquando cum cortice
ſeu pellicul' inteſtinorum cauſa quorum ſunt vul
nera inteſtinorum. 6°. de morbo in capl'o penul-
timo. Idem quarto ampho. cōmento illi⁹. ¶ Diſ
ſinteria ſi a felle nigro inchoauerit ⁊c̄. Et cōmen
to illius cañ. Si a diſſinteria iam habito. Idem
6°. ampho. cōmento tertio ⁊c̄. Iſta talis diſſinte
ria fit interdum in ſuperioribus ⁊ gracilibus in
teſtinis tunc eſt dolor ſupra vmbelicū ⁊ q̄titas
pinguedinis ⁊ ſanguinis ē valde modica ⁊ cum
hoc ſunt ſatis permixta cum egeſtis ⁊ in ꝓceſſu
exeūt corticeſ ſatis ſubtiles. Interdū fit talis diſ
ſinteria in groſſis ⁊ medijs iteſtinis: tunc eſt dol'.
ſub vmbilico ⁊ q̄titas ſanguis ⁊ piguedis ē ma-
ior ⁊ min⁹ ꝑmixta c̄ egeſtis ⁊ i ꝓceſſu exeūt corti-
ces inteſtinorū magiſ groſſi ⁊ materialeſ, q: illa ſūt

magis groſſa ⁊ carnoſa. vba ſunt Ga¹.6.de inꝛ. in ca°.p°. Interdum fit talis diſſinteria ſeu vulnera ſunt talia in vltimo ⁊ recto inteſtino tunc dicitur talis diſſinteria ꝓprie thenaſmon. 6.d̄ morbo in.c.penulti°. ⁊ in.6.de inte.in.c.p̄mo. Ubi ad literaꝫ diſtinguit ex iſtis quia tunc maioꝛ q̄titas piguedinis ⁊ ſanguinis exit ⁊ minus permixta c̄ egeſtis ⁊ doloꝛ eſt in ano: vel in anchis ſeu in partibus illis. verba ſunt Ga¹ in loq̄ dictis. Iſte ſpecies diſſinterie inteſtinalis: potiſſime prime due habent tres gradus in malitia. 4°. ampho. commento illi⁹ can̄. Si diſſinteria iam habito ⁊c̄.

Primus gradus eſt quando incipit exire cum egeſtis aliqual' piguedo. nam tunc vulnera ſunt in principio.

Secundus grad⁹ eſt quando incipiunt exire cum egeſtis coꝛtices de ſuperficie inteſtinoꝛum quaſi coꝛtices exterioꝛes pellis

Tertius graduſ eſt quando diſſinteria plus procedit ⁊ pars notabil' ſubſtantie inteſtini expellitur: tunc vulnera non ſunt in pꝛincipio nec in augmento. Sed potius facta et completa ſunt tunc moꝛtale: quia impoſſibile eſt carnem notabiliter deperditam in ipis regenerare in pꝛimis duob⁹ gradibus curantur ſcd̄m plus ⁊ min⁹. Uerba ſunt Galieni in loco allegato.

Primo tu queres lyenteria cuiuſ particule eſt paſſio pꝛincipaliter. Soluit Ga.6°.de interioꝛib⁹ in ca°. pꝛimo. in fine capl'i. Idem dicit.6°. ampho. cōmento p̄mo. q̄ eſt paſſio fundi ſtomachi pꝛincipaliter cōſequenter per e⁹ colligantiam eſt paſſio ipſoꝛum inteſtinoꝛum Nam inteſtina non poſſunt modico tempoꝛe cōtinere ea que veniunt inde ad ea. Ideo expellunt ea velut inde grauata: ſicut cōtingit veſice in diſſuria. verba ſunt Galieni.6.de interioꝛib⁹ in ca° p̄mo. ꝓpter iſtam cauſam Ga. in loco ſtatim dicto vocat eam paſſionem ventralem: quia tot⁹ vēter patitur. Et eſt paſſio fundi ſtomachi: per colligantiam: quia venit quod venire non debet ſm̄ naturam: quia materia talis fla̅ca ibidem adherens: vel vlc⁹ ſimiliter venit ipis inteſtinis p colligantiam ſtomachi: vt dictum eſt. Et eſt moꝛb⁹ official' pro moꝛbo deſcripto ipius fundi ſtomachi: quia in receptaculo ⁊ in ſuperficie qui eſt lenitas in ſe autem eſt accidens moꝛbi dictum exiens mutatum. Et ſic eſt nocumentuꝫ contentiue ſtomachi ⁊ inteſtinoꝛum quando fit a tali materia fla̅ca.6°. de interioꝛib⁹ in capl'o p̄mo. ⁊.6°. de moꝛbo in.c.penulti°. Si autem cauſa fuerit vlceratio dicta tunc eſt nocumētuꝫ expulſiue: quia expulſiua a quali acuto incitatur. vt dicit Ga⁹ i loq̄ ſtatim dicꝫ. ⁊ hoc eſt in om̄i exeunte per inferius ⁊ ſuperi⁹. vt dicit Ga⁹ in loq̄ dicꝫ. ⁊ eſt nocumentum actiue ſeu paſſio regitiuaruꝫ virtutum toti⁹ coꝛpoꝛis rōne diminutōis nutrimenti.

Secūdo tu queres dyarria cuius particule eſt paſſio pꝛincipaliter Dicendum: q̄ in dyarria particula pꝛīcipalit' patiens eſt aliquādo cerebꝛū: aliq̄ ſtomach⁹: aliq̄n meſerayce. interdum inteſtina pꝛima. interdum epar. interdum vene toti⁹ coꝛpoꝛis. interdum ſplen vt eſt ſuperi⁹ declaratum. Conſequēter patiunt' ꝓpter colligantiam hoꝝ ipa inteſtina. Nam licꝫ inteſtina debeant naturaliter detinere. x. ⁊. xij. horis feculentiā cibi decidēꝫ a pꝛima digeſtiua ſtomachi. ⁊ ibi ipam putrefieri ⁊ in ſtercus mutari: ex officio eoꝛum. talem ſuperfluitatē humoꝛalem veniētem a membꝛis iſtis vel ill' ad ipa nō p̄nt modico tēpoꝛe cōtinere. Ideo expellunt illa velut inde grauata ⁊ leſa ſicut contingit ipi veſice in diſſuria.6.de interioꝛib⁹ in ca° p̄°. Ideo om̄is dyarria eſt paſſio ventris: quia inteſtinoꝝ ⁊ toti⁹ ventriſ ſi ſit ſtomachal'. Ideo talis bene poteſt dici paſſio ventral': ſicut ipa lyenteria ꝓpter iſtam cauſaꝫ in omni dyarria ex ſecunda intentione curatiua intendimus confoꝛtare contētiuaꝫ inteſtinoꝝ cū ſtiptiq̄ ab intra cum dieta ⁊ ab extra cum vnguētis ⁊ emplaſtris ⁊ ſilib⁹. Et ſic patꝫ: q̄ eſt paſſio ipſoꝛum inteſtinoꝝ per colligantiam cerebꝛi vel ſtomachi vl' alioꝝ membꝛoꝝ dictoꝝ. Et p moꝛbo deſcripto eſt moꝛb⁹ official': quia in receptaculo iſtius vel illi⁹ interdum opilatio autem i ſe eſt accidens moꝛbi dictum exienſ a coꝛpoꝛe mutatum Et eſt nocumentū cōtentiue p illo exeunte ſi materia pungitiua non fuerit. vt eſt pl'ies dictum intentione Ga¹.6.de interioꝛib⁹ in capl'o pꝛ°. in fine capl'i. ⁊ eſt nocumētum actiue ſeu paſſio virtutum naturalium ⁊ animataꝝ oim membꝛoꝝ ꝓpt' diminutionē nutrimenti in ipis.

Tertio tu quereſ diſſinteria cu⁹ membꝛi eſt paſſio pꝛincipaliter Soluit litera.6.de moꝛbo. ⁊.5°. de inte. in capitul' penulti. q̄ diſſinteria epatica eſt paſſio epatis p̄nci' ipoꝛum inteſtinoꝝ: ⁊ ſemper ſunt per colligantiā venit ad ipa res que venire non debet ſm̄ naturam quia humoꝛ tal' ⁊ tal' ⁊ mala qualitas. Et in pꝛima ſpecie ⁊ tertia diſſinterie epatice eſt moꝛbus in receptaculo concomitando ſecum alium officialem: quia opilatōnem in ſecūda ſpecie diſſin-

terie epatice eſt morbus cõſimilis. quia mala cõplexio calida vel frigida in epate corrumpens ipſam contentiuã in actione. Ideo talez morbum cõcomitatur morbus officialis qui eſt ĩ receptaculo puta inanitio. Et licet de poſſibili talis morbus cõſimilis poſſit eſſe mala complexio calida cum aliquali materia infecta corrumpens cõtentiuam in actione. vt plurimũ tamen eſt mala cõplexio frigida epatis corrumpens contentiuam ĩ ſui actione ꝛ per cõſeq̃ns eius digeſtiuam ꝛ ſic expellitur ſãguis ad modum loture carnis. quia contentiua inde grauata deſinit ip̄m abire: ante ſui digeſtionem. quod patet: quia vt plurimũ incipit quibuſdam diebus ſine febre. ꝛ cum bono appetitu ad cibum. vt vult Galienus. 5°. de interioribus in cap̄lo penulti°. quod non fit in mala complexione calida epatis vt inferius in cura declarabitur: ymo incipit cum febre aliquali communiter. ¶ In diſſinteria inteſtinali eſt morbus in receptaculo: quia rep̄lo humorum acutorum in eis cõmunicando ſecum morbum cõmunem: quia ſolutionem continui. ¶ Quelibet harum pro morbo deſcripto eſt nocumentũ digeſtiue ꝛ expulſiue dictorum membrorum. ii°. de ingenio in cap̄lo. 2°. et. 8°. vt ſuperius pluries dictum eſt ¶ Pro illo exeunte in prima ſpecie diſſinterie epatice non eſt ex nocumento expulſiue nec alterius virtutis. ymo ẽ a bonitate expulſiue epatis: ꝛ venarum. Ex quo acquiritur ſanitas: vt declarat Galienus in ſimili. 3°. de morbo in cap̄lo penultimo auctoritate diodij. ¶ Pro illo exeunte ĩ ſpecie ſecunda diſſinterie eſt nocumentũ contentiue epatis. nam ipſa inde grauata deſinit abire illuz chilum ſemicõuerſum in ſanguinem. ideo exit ad modum loture carnis nouiter decollati animalis Conſequenter eſt nocumentum ipſius digeſtiue epatis: quia contentiua epatis non detinet vſq̃ quo ipſa compleuiſſet actionem. ¶ Pro illo exeunte in tertia ſpecie diſſinterie epatice eſt nocumentum expulſiue ꝛ contentiue epatis ꝛ venarum. nam quelibet deficit in actione propria ꝛ ſibi debita per naturam cõmuniter tales moriuntur. ¶ Pro illo exeunte in diſſinteria inteſtinali cõmuniter eſt nocumẽtum ip̄ius expulſiue incitata a materia pũgitiua: quia expulſiua a quali incitatur contentiua a q̃to. quia ab illo grauatur: ideo deſinit ipſum abire. 6°. de interioribus in cap̄lo p̄mo. Idez dicit. 6°. de morbo in ca° penultimo. Talia exeuntia in diſſinteria epatica ꝛ inteſtinali ſunt nocumẽta actiue ſeu paſſio principaliter virtutum naturalium totius corporis ratiõe inanitionis ſpirituuz naturalium ꝛ nutrimenti. ¶ Exiens autem in prima ſpecie diſſinterie epatice non eſt nocumentũ actiue nec paſſio alicu⁹ virtutis: quia non infert nocumentum: ſ iuuamẽtum vt eſt dictum.

Iſtis clarificatis cura cuiuſ q̃ flux⁹ ventris tibi pateſcit. Prius autem q̃ in cura p̄cedas ſcire ꝛ cognoſcere oportet quem ſpeciem fluxus ventris patitur: quia in hoc cura diuerſificatur.

Si quis ergo lyenteriam perfectam vel incipiẽtem firmari habuerit p⁹ diſſinteriam in febre putrida mortale fugias: fingas te non poſſe vacare in cura. quia ſignum eſt q̃ virtutes naturales ſtomachi incipiunt mortificari potiſſime retentiua ꝛ digeſtiua. propter q̃d omnes moriũtur.

Si quis ergo lyenteriam patitur ſine febre ex mala cõplxõne humida cum materia flãtica lubricãte fundum ſtomachi ꝛ ip̄a inteſtina. quod pateſcit ex ſubſtantia exeũtis: quia cum limoſitate ꝛ muſcilagine ꝛ ex habitudine corporis ſumat om̃i mane in auror a vl' ante duos mirabolanos kebulos cõditos quos cognoſcere poteris: quia tales ſunt maiores alijs. ꝛ in ĩtroitu lecti: vel poſt primũ ſomnũ ſumat q̄ndecim grana vel circa piperis integra tranſgluti at: ꝛ ante prandium ꝛ ante cenam per vnam horaz ſumat de dyatrion pipereon duos bolos ſine potu: vel dyacitonitẽ cum ſpeciebus vtatur in cibo piperata facta cum carnibus mutonis iuuenis. Vtatur brodijs galline cum allijs coctis ſaluia maiorana menta. yſopo. ꝛ vtatur carnibus toſtis cuz ſalſa piperis vel c̃ alliata vel moſtarda. et ſimilibus. Et ſi in proceſſu cure cum hoc oxireia id eſt eructuatio acetoſa prius non exiſtens ſuperueniat bonum. arguitur auctoritate ypoc̃. 6° amphoriſ. cañ. p̄mo. Idez dicit Ga⁹ in cõmento ſignũ eſt q̃ contentiua ſtomachi fortificatur. ꝛ per cõſequens eius digeſtiua. Vtatur vino groſſo paruz limphato cuz aqua ferrata in qua remolliat̃ maſtic̃. p. i. ꝛ cum illa aqua coquãtur carnes.

Et ſi quis lyenteriam ex vlcere ſtomachi: puta in fundo habuerit quod pateſcit ex aliquali dol'. ſupra vmbilicum et punctionem in parte illa: ꝛ ex natura exeuntium quia non ſunt multũ viſcoſa: nec cum limoſitate mag̃. Detur mediũ coclear boli ar^ci ſubtiliſſi^e puluerizati cũ modico vini limphati cũ aqua ro. fer

rata vel cū aqua ꝯmuni ferrata bis in die ſ. āte prā
diū ꝛ ante cenam. vel detur ſic modicū de cortice
thuris ſubtiliſſime pulueriȥati vel fiat puluis de
iſtis duobus. vel fiant pillule iſte de quib⁹ ſumat
iij. vel quattuoꝛ ante cenā: ꝛ ante prādiū ꝑ duas
hoꝛas. ℞. boli ar. cortic̄ thuris añ. ʒ. iij. coralli rub.
ʒ. ij. terre ſigillate. ʒ. ij. ꝛ. ß. ſumach mirtilloꝝ. ʒ. i. ſā
guinis dꝛaconis. ʒ. ß. fiāt pillule cū aqua ſumach
viſcoſa eis competūt pedes poꝛci: vituli bene co
cti. loco hoꝛum de mane detur modicū lactiſ capꝛe
vel ouiū cum modico boli ar. ꝛ ſan. dꝛa. ſubtiliſſi
me pulueriȥati vel per ſe. nam lac de ſe abſtergit
ratōne partis ſeroſe: ideo conſolidat. Jdō ſumat
ſero ꝛ mane ante prandiū ꝛ ante cenam duabus
hoꝛis in q̄titate mediȷ gobelli.

Et ſiquis dyarriam habuerit ex mate=
ria flā^ca deſcēdēte de capitē
ad ſtomach ū ꝑ poꝛos extravenas. qḋ pateſcit q:
tal' dyarria ſtat cum grauitate capiṫ ꝛ ſtomachi ꝛ
egeſta ſūt aliqualiter ſpumoſa ꝛ ampulloſa ꝛ aſ
cellant ꝯmuniter magis poſt ſomnū vt dicit ypo.
7°. ampho. cañ. illo. Quibuſcunq; ſpumoſi ege=
ſtiones. ta lis teneat dietam exſiccatiuam. paruȥ
doꝛmiant. Utatur riſi cocto ſero ꝛ mane cū bꝛo=
dio carnium pullis perdicibus auiculis carnib⁹
mutonis iuuenis aſſatis. piris coctis. coctanis
coctis. ¶ Fiāt ſacculi parui de duabus vel trib⁹
partibus miliȷ conquaſſati. ꝛ aliqualiter toꝛrefa=
cti ſuper tegula ꝛ quarta parte ſalis pulueriȥati.
ꝛ toꝛrefacti applicentur calidi ſuper commiſſurā
capitis: pluries innouando bene calidos. Per=
fumetur pluries in naribus ter vel quater in die
et nocte cum olibano ſeu cum coꝛtice thuris. ſic
confoꝛtato cerebꝛo mandante: ceſſabit fluxus.
dum tamen membꝛum recipiens confoꝛtetur: pu
ta ſtomachus cum emplaſtro de ſolo maſtice. vl'
ſic. ¶ Recipe lapdani. ʒ. i. maſticis. ʒ. ß. terebēn=
tine. ʒ. ß. mente ſicce. ℈. i. coralli rubei. ℈. ß. mala=
xentur omnia cuȥ oleo de maſtice fiat emplaſtrū
ad modum ſcuti ſupꝛa alutā pꝛo ſtomacho. Uel
fiat iſtud vnguentum. ¶ Recipe olei maſtic̄ q̄r=
terium. i. olei nardini quarterū. ß. maſticis ſubti
liſſime pulueriȥati. ʒ. i. coꝛalli ru b. ℈. i. mente ſic=
ce. ʒ. ß. aloes cicotrini. ʒ. i. cere modicuȥ. fiat vn=
guētum liquidum cum quo inungat ſibi ſtoma=
chum ſero ꝛ mane.

Et ſiquis dyarriam humoꝛaleȥ habue
rit ex materia deſcendente a
venis cerebꝛi ꝛ partium ſuperioꝛum. quod pate=
ſcit: quia talis fluxus eſt de materia flā^ca ꝛ coleri
ca cum ſpuma in pꝛincipio, ꝛ ali quali grauitate
capitis cum debili ſomno ꝛ malis ſomniȷs. ꝛ eſt
maioꝛ poſt ſomnuȥ. Jn pꝛimis tribus aut quat
tuoꝛ diebus ſufficit ſibi dieta dicta. ¶ Conſeque
nter loco uini groſſi ſi febꝛicitans fuerit detur ſi=
bi de ſyrupo de ribes: vel mirtilloꝛum: vel citonio
rum: vel de papauere cum aqua ferrata. fiat ple=
na caſſea modica cum vno cocleari hoꝛum pare=
tur cibus cum aqua ferrata. ¶ Conſequenter cir
ca ſextum diem ſi vꝛine ſint ſatis coloꝛate. vel pa=
tiēs benevenenoſus fuerit flobothometur de me
diana vel de capitali vena. ſi bene groſſa et appa
rens fuerit. ¶ Conſequenter ſi non conſtringa=
tur circa decimū vel duodecimū diem ſumat quo
libet mane in auroꝛa duos mirabolanos condi=
tos kebulos vel citrinoſ. Uel detur ſibi in duode
cimo die vel' in. 4i. non ante: quia magis pꝛolō=
garetur paſſio in quo eſt erroꝛ cōmunis. De reu
barbaro aſſato ꝛ mirabolanis aſſatis fiat ſic. ℞
reubarb. aſſati ſupeꝛ tegula. ʒ. ij. coꝛticuȥ mirabo=
lanoꝛum kebuloꝛum aſſatoꝛum. ʒ. iij. pulueriȥen=
tur ꝛ incoꝛpoꝛentur cum modico ſyrupi mirtillo
rum fiat maſſa que diſſoluatur cum modico ſyru
pi dicti limphati cum aqua roſ. fiat potus detur
in auroꝛa. Et ſi cum his dictis non reſtringatur:
in. 14°. vel. 17°. die: tunc indiget medicina vomi=
ca ad diuertendum intentione ypo. 6. ampho. ca
none illo. ¶ A dyarria habito diuturna ſponta=
neus vomitus ſuperueniens ſoluit egritudinem
ga. in cōmento dicit. ꝙ in hoc daṫ auctoꝛitas me
dico dandi, medicinam vomicam. vt materia di=
uertatur ꝛ ꝑ ꝯſequens talis fluxus reſtringatur
Fiat ſibi potus de decoctione raphani ꝛ attripli=
cis cum toto cum oleo ꝛ modico croci et aceti. fi
at potus pro vomitu ſumpto cibo poſt vnam ho
ram. Uel comedat tres vel quattuoꝛ bolos de ra
phano in pꝛincipio pꝛandiȷ per duos dies. Con
ſequenter detur iſte ſupꝛadictus potus ad vomē
dum.

Et ſiquis dyarriam ſtomachaleȥ ſine
febꝛe habuerit: puta ex ſoꝛ=
dido ibidem congregato ratione mali regiminiſ
vt quia guloſus ꝛ laboꝛioſus. quod pateſcit ſimi
liter ex natura expulſoꝛum: quia egeſta ſemichi=
loſa ſubalbida cuȥ querela aliquali ipſius ſtoma
chi ꝛ aſcellant poſt ſomnū: quia cibus pꝛeaſſum
ptuſ quodāmodo coꝛrumpitur et materia ſtoma
chalis inſultatur: talis non eſt reſtringendus niſi
cum dieta de duobus aut tribus diebus. Utatur
riſi cocto cum carnibus ꝛ pullis ꝛ auiculis toſtis
Utatur vino groſſo rubeo paꝝ liphato cuȥ aqua
ferrata, cū qua etiā pareṫ cib⁹ ꝛ. xx. ḡna maſticis

remolliantur in ea per diem et noctem. In tertia
vel in quarta die ſi neceſſe fuerit: ſumat in aurora du
os mirabolanos kebulos conditos continuan-
do duobus aut tribus diebus. in principio pran-
dij capiat toſtam infuſam in bona vernacha vel
in vino cocto nil potando deſuper. Vel ſumat de
coriandro confecto. i. coclear ante cibū. Vel ca
piat de puluere ſequenti cum modico vini vel vi-
tello oui: vel cum toſta. ℞. coriandri bene prepa
rati. ʒ. ij. arillorum. ʒ. i. maſt. ʒ. ij. ſumach ſpodij añ
ʒ. ß. panis zuccari ad pondus omnium. fiat puluis ſub-
tilis prouocet ſibi ſomnum ¶ Si hoc durauerit
non obſtantibus iſtis prouocetur ſibi vomitus.
intentione ypocratis. 6°. amphoriſmorum. canone ſtatim di
cto. nam fit diuerſio materie: nec non euacuatio
materie ſordide ſtomachalis que eſt potiſſima cau-
ſa talis fluxus.

Et ſi quis dyarriam ſtomachalem ſine
febre habuerit ex debilitate
digeſtiue ſtomachi. quod pateſcit: quia talis fluxus
venit per interualla ⁊ ſepe cum rugitu ſtomachi
⁊ laterum chiloſus aquoſus per vnam diem vel
duos. talis vitet frigida ⁊ humida vt offas ⁊ brodia
vtatur aqua ferrata in omnibus in qua remollian
tur maſtic. xx. vel. xxx. grana. Et detur ſibi de ma
ne lac ouinū in quo ferrum ignitum ſit extinctū
pluries vtantur zinzibere coriandro confecto: et
cynamomo ⁊ galanga per ſe ante cibum ⁊ cum
cibo. Vtatur puluere ſequenti ante prādiū cum
modico lactis: vel cum vitello oui: vel cum vipa ſin
potu. ⁊ in fine menſe cum vipa in prandio ⁊ in ce
na. ℞. maſt. coriandri preparati añ. ʒ. ij. interioris
cynamomi. ʒ. ß. galange. ʒ. i. gariofilorū. ʒ. ß. ſpo-
dij aſſi arillorum ana. ʒ. ß. panis zuccari. quart.
ß. fiat puluis. Poteſt vti de dyacitonitem cū ſpe
ciebus ante cibum per horam: ⁊ teneat emplaſtrū
ſupra ſtomachū de maſtice ſolo. vel de maſtice in
tertia parte ⁊ duabus partibus lapdani: vel inun
guatur ſtomachus cum oleo maſtic. ſuperſpergē-
do deſuper puluerem maſtic. ¶ Pro preſeruatio
ne vtatur iſto puluere cum toſta vini in fine men
ſe. ¶ ℞. coriandri preparati cubebarum ana. ℈.
ij. zinzibri albi. ʒ. ß. cynamomi. ʒ. ij. piperis longi
gariofilorum nuc. muſca. granorum paradiſi ma
cis ana. ℈. ij. galange. ʒ. i. panis zuccari. ʒ. 4. fiat
puluis regia. ¶ Et ſi alicui febricitanti fe. putri-
da dyarria ſtomachalis ſuperuenerit non in die
cretica nec per viam criſis: ſed ex debilitate dige
ſtiue ſtomachi et aliquali corruptione cibi in ſto
macho cum qua cōmuniter communicāt ſingul
tus, cōmuniter ⁊ vt plurimū moriuntur: quia vir-
tutes naturales ſtomachi incipiunt mortificari.
quod patet: quia in illo expulſo apparet cibus
non perfecte digeſtus. ymo portio aliqualis ipſi
us exeuntis apparet ſub forma cibi preaſſump-
ti. Ideo eſtote cauti in pronoſticando. Ideo vta
tur carnibus toſtis in ſuo colaticio cum puluere
maſt. in duabus partibus. ⁊ tertia parte coriandri
preparati. ⁊ magna per ſe alias ⁊ magna parte.
quia immediate cinamomi electi quo puluere
poteſt vti ſimiliter cum toſta īfuſa in vino in fine
menſe.

Et ſi quis in infantia vel in pueritia dy
arriam ſtomachalē, vel inte
ſtinalem habuerit ex ſordido ſtomachali vel lum
bricis lumbricantibus fundum ſtomachi. ⁊ ipſa
prima inteſtina cōmuniter damus eis per duos di
es ante prandium ⁊ plus. i. coclear ſeminis cēto
tonice non conquaſſati vt eius virtus plus duret in
ſtomacho: ⁊ non infuſi in aceto. quia tunc paruū
valet. ſed ſi fuerint febricitantes damus cum mo
dico aque roſ. vel portulace. ſi non ſint febricitā-
tes damus cum modico mellis vel cum vitello oui
aliqui infundunt per noctem in aceto: vt reprima
tur eius excedens caliditas male faciunt. quia tunc
parum operatur contra vermes cum operetur ra
tione amaritudinis ⁊ odoris cauſantis vertiginē
in eis. vt dicit G°. 4. de ingenio ī fine Et facimus
eis emplaſtrū contra ipſos vermes. ℞. ſucci folio
rum perſici. ſucci craſule minoris. ſucci abſintij.
añ. lib. ß. fellis bouis. ʒ. i. aceti. ʒ. ß. ſe. cōtra lūbricos
ʒ. ij. farine lupinorum. farine ordei quod ſufficit.
fiat emplaſtrum ſatis liquidum applicentur ſe-
ro ⁊ mane renouando ipſum faciendo iſta damus
ſibi dietam reſtrictiuam: ſorbas: coctana: pira co
cta. de riſi de carnibus aſſatis. de carnibus cito-
niorum paratorum cum pane zuccari. talia da-
mus in principio refectionis. ⁊ damus de corian
dro preparato ſubtiliter puluerizato. ¶ Damus
de lacte ouium cocto: vt butyrum conſumatur.
et ſi ponimus modicum de ſumach preualeret.
¶ Aliqui ponunt modicum coralli cum ipſo ſu-
mach bonum eſt: quia cōfortat ſtomachum. ⁊ in
frigidat a tota natura ⁊ īfrigidat aliqualiter. Si
cum iſtis non reſtringuntur. demus de coagulo
leporis: vel pedi in deffectu illius. ℈. ß. vel. ℈. i. vel
ʒ. ß. cum modico aque frigide in eſtate. vel ſi forti
ter febricitat. Vel damus pro modico lactis co-
cti tempore frigido. ī defectu coaguli habeamus
caſeū bonū ātiquū duorum annorum ſi poſſumus ⁊ bullia
mus in aqua dulci: vt ſalſedo bene remoueatur. tunc
exſiccamus. ⁊ ipſum puluerizamus. et damus modicū

cū modico lactis ouiū bene cocti vt butirū bene
extrahat̄:quia laxat relaxando vias.vel dam⁹ cū
modico aque roſa.vel portulace loco hoꝝ dam⁹
modicum de ſemie pſilij aſſi groſſo modo cōq̄ſ-
ſati:ꝛ damus cū modico lactis ouiū cocti ꝟ ferra
ti vel cap̄ ſīliter ſed coquat̄ in eo ferrū vel lapilli
fluuiales igniti extinguātur ꝛ inungam⁹ eis to-
tum vētrē cum oleo maſtič: vbi ſit aliqua portio
olei mirtilloꝝ vel citonioꝝ ſuperſpergēdo de pul
uere maſticis vbi ſit quarta ps pulueri mirtilloꝝ
Iſta vltima remedia ſunt cōia ad iſtam dyarriā
ꝛ ad venalē totius corpis:vt dicet̄ infra. ❡ Et ſi
q̇s dyarriam ex opilatiōe meſeraicaꝝ habūit:qđ
pateſcit:q: eſt fluxus chiloſus ſubalbid⁹.ꝛ ſi fu
erit coloris ſubrubicūdi ſcđm eius ptem:ſignuꝫ
ē φ talis opilatio ē ab intra quaſi i cōcauo epat̄
q: in capitibus illaꝝ venarū q̄ cōtiguātur cū ipo
epate: vbi talis chiloſitas incipit rubifieri ꝛ q̄ſi
in ſanguinē conuerti. Sīlr̄ talis fluxus fit cōmu
nit̄ ſex horis vel octo poſt cibum cū grauitate y-
pocūdrij dextri cum vrinis aliqualiter coloratis
ꝛ ſiti aliquali.ꝛ patiēs vſus ē tpibus p̄teritis ci
barijs groſſis ꝛ dulcibus ꝛ patiēs voraciter co-
medit ꝛ feſtināter. Et talis ledit̄ a cibis ſtipticis
quia cū ill' fluxus talis augmētatur. ❡ Talis er
go in dieta ꝛ alias vitet ſtiptica:ꝛ vtat̄ apitiuis:
ꝛ abſterſiuis vt colaturis cicerū ꝛ piſoꝝ vel len-
tiuꝫ.ꝛ φ ivētre pulle ponātur cicera. ❡ Et ſi fue
rit paup:potet ante prādium p tres horas ꝛ āte
cenam p duas de decoctōe radicis petrocilij ab-
ſinthij re.ꝛ cicerū ru.vel fi̇ ſibi tale mellicratum
℞.corticis rađ.feni.pet°.apij.achori an̄.ʒ.ij.ab-
ſintij re.m.i.azari.ʒ.i.ſe.vtriuſq; apij.an̄.ʒ.ij.ani-
ſi maratri ameos an̄.ʒ.iij.cicerū rub.p.i.mell' al.
deſpumati q̄rt̄.i.fi̇.mellicrātum clarificatū ad.lī.i.
ꝛ.ß.ꝛ in clarificatiōe addat̄ aceti.ʒ.ß.loco iſtius
mellicrati valet aqua achori vel pureta ſimplex
cum petro. Si talis nō curetur i quibuſdā dieb⁹
ꝓuocetur vomitus poſt prādium. ℞.radicis ra
phani.m.i.ſe.attriplicis cōquaſſati.ʒ.i.olei cōis
quart̄.ß.aceti.ʒ.i.croci.℈.ß.fi̇ potus.poſt pauſaꝫ
intingat̄ pēna i oleo ꝛ ponatur infra i gutture.ſi
cum hoc nō euomat:detur ſibi.ʒ.i.ſucci mediani
corticis ſambuci vel cū ouo ſorbili vtatur perdi-
cib⁹ ꝛ auiculis toſtis ꝛ bullitis. Et vtat̄ cū ſalſa
viridi vtat̄ vino albo ꝛ clareto.vtat̄ cinamo° ele-
cto ꝛ aniſo ꝛ marat° de mane ꝛ in introitu lecti.
❡ Et ſi q̇s dyarriam epaticā felleā ꝛ venalē ha-
buerit quod pateſcit:quia multa colera rubea ci
trina ꝛ vitellina flātica paulatim expellit̄ ꝛ iter-
dum viridis per aliquas vices ꝛ i modica quāti

tate.quia ſi i plurib⁹ cell' ſeu aſcellatōibus̄ exeat
ꝛ i quātitate notabili:mortale.quia mat̄ia peſſi-
ma ꝛ venenoſa.ſimilit̄ talis dyarria fellea ē cum
ſiti aliquali ꝛ calore ꝛ inſomnietate ꝛ infra pau
cos dies cōcomitat̄ diſſinteria inteſtinalis ſaltē
in p̄° gradu:q: exit muſcillago ſeu axūgia ſāgui
nolēta i modica q̄ntitate ratōe acuitat̄ mat̄ie. Iō
dicim⁹.patit̄ dyarriam tenaſmonicā aliquādo:ſi
cut dicimus i ſpēbus diſſinterie epatice.tal' ſubi
to nō ē reſtringēdus de decem vel duodecim die
bus:niſi cū dieta alteratiua ꝛ ſtiptica. Et nō cuꝫ
medicis vſq; quo materia ſit ꝓ maiori pte euacu
ata.i quo errāt practici moderni vt plurimū dan
tes nucleā vel reubarb.aſſum ꝛ mirabolanos aſ
ſos i ſeptima die vel circa. Nā talis paſſio ē acu
ta:ideo mat̄ia nō eſt euacuata ꝓ maiori parte i
fra.xij.vel.xiij.dies Iō cōiter dam⁹ tales medici-
nas circa.xij.ꝛ nō āte. Hoc faciēduꝫ ē de cōcilio
medicoꝝ.aliter faciētes ꝓlōgant talem dyarriaꝫ
ꝛ ponūt eum i periculo.tales nō debēt ire ad cel
lam in quacūq; infeſtatōne intētiōe Raſis i ſuo
ꝯtinēte.nec debēt ſumere ea que appetitū ꝓſter
nūt.intētione eiuſd ē.ideo dātes trociſcos in iſta
paſſiōe ꝛ in alijs q̄pl'imū errāt ex iſto capite. q̇a
appetitu ꝓſtracto:vtutes neceſſario debilitātur.
ypo.6.amph.in diſſinteria ꝛ i oī fluxu potiſſime
elōgato ꝑ aliquos dies abſtinētia mala. Dietet̄
ergo in p̄cipio refectōis cum ſorbis vel coctāis
vel piris ꝛ carnib⁹ citonioꝝ paratoꝝ addito cori-
andro.q: facit ad retētionem cibi i ſtoma°. Ra-
ſis i ſuo ꝯtinēte.vel de portulač cum aceto ꝛ riſi
ordeato ꝛ auenato exiccat̄ ſeu torrefact̄ aliqua-
liter vt depdat̄ laxitas eoꝝ ꝛ parētur cuꝫ brodio
carniū pull' ꝑdič:intātum φ repleātur ſemie ſu-
mach.nā ſumach ē frigidū ſtipticū ꝛ nō hꝫ ſapo
rē malū.ſil'r lac amigđ.ē paucis amigđ ꝛ decoc
tione ſumach. Poteſt etiā ſumere de lētib⁹ bene
coctis vel fabis. Si ruſticus fuerit coctis cū bro
dio pulle in cui⁹ vētre ponat̄ ſemis ſumach ꝛ ad
dat̄ in ſcutella modicū aceti.potēt aquā ferrataꝫ
potiſſime ciſterne vel cū modico zuccari roſa.vel
detur iulep roſa.vel de ſyrupo citoniorū.vel de ſy
rupo de ribes: de medio coclearij horum poteſt
impleri aqua p̄dictā vna tacea. Al'q̄ dāt aquam
roſ.ad potādum approbo aduēiēte ſexto vel ſep
timo die.ꝓuocet ſibi vomitum leuē poſt prandi
um per mediā horā.intētione Ipocrat̄ ꝛ Galie'
6°.amphorij.ponēdo digitos ab itra.vel plumaꝫ
infuſam in oleo.vel φ ſumat de decoctōne radič
raphani ꝛ attriplicis.vbi addatur modicum olei
ꝛ croci.fiat pot⁹ per mediā horam poſt cibū.poſt

ea poſt aliam mediā horam incitet naturam ad
vomēdum cum pluma infuſa in oleo ꝙ ponatur
īfra ī gutture. Et poſtq̄ fuerit vomitus ꝓuocatꝰ
ſumat de mane ⁊ ante cenam mediū vitrū aque
roſa. de ſtipitibus: vel aque diſtillate de balauſti-
is: vel aque prunellorū ⁊ ſimiliū: vel fiat ſibi ſy-
rupus talis. ℂ ℞. folioꝝ plātagī. portulace. ana
m. i. ſumach mirtilloꝝ aā. ℥. ij. balauſtioꝝ. ℥. ij. co-
ralli rubei. ℥. ß. roſaꝝ rubeaꝝ. p. ij. panis zuccri. lb.
ß. ſfiat ſirupꝰ cū aq̄ plātagī. ⁊ portulace. ⁊ roſ. ⁊
balauſtiarū. ℂ Si videres venas tinctas ⁊ ve-
nas latas flobothomeť circa ſextū vel ſeptimuꝫ
diem de vena epatis anteq̄ vomitus ꝓuocetur
ſic regať vſqꝫ ad vndecimū vel duodecimuꝫ diē
poſſunt cū illo tempe applicari vētoſe magne ſi-
ne ſcarificatōne ſupra ſtomachum ꝓpe vmbeli-
cum: Cōſequēter i duodeciº vel in tredeciº detur
ſibi medicina reſtrictiua que laxādo reſtringat.
Sumat ante cenam ⁊ de mane in aurora duos
vel tres mirabolanos citrinos cōfectos. hoc fa-
ciat duobus aut tribus diebus. Vel ſumat iſtaꝫ
medicinam fortiorē. ℂ ℞. cortič mirabolanorū
citrinoꝝ torrefactoꝝ ſuper tegula. ℥. iij. ⁊. ß. reuba-
aſſi. ℥. i. ⁊ ß. fiat puluis. incorpetur cum ſiruº mir-
tilloꝝ vel citonioꝝ. fiat maſſa que poſtea diſtēpe-
tur cum aqua roſ. ⁊ modico horum ſirupoꝝ. vel
diſtemperturꝗ cum aqua ferrata decoctionis ſu-
mach. Vel detur micleta ſero ⁊ mane q̇buſdam
diebus in quātitate caſtanee cum aqua pluuiali
decoctōnis ſumach bene valet. Et ſi iſto mō nō
cureť: reſtringatur decimaquarta die ꝓuoceť ite-
rū magꝭ fortiter vomitus de cōcilio ypocrať. 6º.
amphorꝭ. canone illo. A diarria habito diuturna
quia aliter non poſſunt bene curari. Ideo dič gꝰ
in commēto. ꝙ ypo. dat autoritatē medico ꝙ di-
uertat materiā ad diuerſa loca per vomitū Ideo
detur. ℥. i. ſucci mediani corticis ſambuci cū ouo
ſorbili. vel cum modico decoctōnis ſtatim dicte i
cura dyarre ex opilatōne meſeraicaruꝫ. Et detur
poſt prādium per horam. poſtea poſt horam inci-
tetur vomitus cum pēna infuſa in oleo poſita in-
fra in gutture ⁊ ꝯtinue regatur vt ſupra dictuꝫ ē
Et aliqui laudāt poſt oua dura cocta i aceto. Et
lac ouium coctum acetoſum. in quo etiam ferruꝫ
ignitum ſit extinctum pluribus vicibus i quo ſit
modicum choriādri preparati puluerizati cū mo-
dico choralli rubei ⁊ ſpodij ſit quarta vel quinta
pars. Aliqui addūt modicum de cornu cerui ad-
uſti ⁊ de ſquama ferri ſubtiliſſime puluerizata ⁊
de ſemie acetoſe ⁊ portulace. Raſis multuꝫ lau-
dat iſta in ſuo continēte. Et laudat coagulum le-

poris vel hedi vt eſt dictum. Et ꝙ detur de caſeo
antiquo bullito in duabꝰ aq̇s ⁊ puluerizato ⁊ ď
ſemie pſillij aſſi groſſo modo cōquaſſati: damus
iſta cum modico lactis ouiū cocti ⁊ ferrati de vl-
timis remedijs eſt i v̄tute. dicit Raſ i ſuo conti-
nente ⁊ laudat iſtud emplaſtrū. Similr̄ ꝙ linia-
tur venter ⁊ femora retro. ℂ ℞. maſtiq̇. thurꝭ alu-
minis acaſſie ypoquiſtidos balauſtiarū ro. ſan-
dalis aā. ℥. ij. fiat puluis ⁊ diſtempetur cum rob
citoniorum vel cum ſirupo cytoniorū: aut mirtil-
lorum aut ſumach. vel cum aqua decoctōnis ſu-
mach ⁊ modico olei roſa. vel cum oleo roſa. dein
de vēter liniať ⁊ femora. Vel ſic. ℂ ℞. balauſti-
aruꝫ cupule glandiū acaſſie thurꝭ aā. p. i. myrrhe
℥. ß. opij. ℥. i. iuſq̄ami. ℥. ij. diſtempentur oīa cum
aqua decoctōnis papauerꝭ iuſquiami. liniať ven-
ter ⁊ femora retro ꝑ modum emplaſtri ℂ Raſis
etiam multū approbat iſtū puluerem. ℞. ſpodij
℥. ij. camphore gra. 5. fiat puluis ſumat modicū
de iſto pulř ē vitello oui in aurora vel ante. Vel ſu-
mat cum modico de ſyrupis dictis. Raſ recitat i
ſuo continēte: ꝙ multi tales non poſſunt curari
de tali fluxu colerico: niſi i proceſſu circa. xiiij. vř
poſt ſumat de lacte vaccino cocto ⁊ acetoſo cuꝫ
modico ſquame ferri ſubtiliſſime puluerizate ſu-
mant i aurora vel ante. vel ſumant de lacte dicto
vaccino vel ouino acetoſo cocto cum aqua deco-
ctionis ſumach eq̇s patibus: vſqꝫ quo incipiat
bene inſpiſſari. quieſcat ⁊ infrigidetur: ⁊ acetet
aliqualiter ſi poſſibile eſt. ℂ Et ſi quis dyarriaꝫ
flegmaticam magꝭ a dn̄io ⁊ a toto corpore habu-
erit ſine febre vel cum febre: quod ē vt plurimuꝫ
q̇ eſt accidens fluxus quod pateſcit ex natura ex-
euntis. quia humoralis materia flegmaťca ſubal-
bida cum grauitate totius corporis cum ſiti ⁊ ca-
lore aliquali. Iſte talis non idiget potibꝰ ita fri-
ſcdm ꝙ illi q̇ patiūtur dyarriam felleā epaticam
nec emplaſtris ita frigidis. Poſt p̄mos dies ſu-
mat ante cibum duos bolos de carnibus citoni-
orum paratoꝝ cum pane zuccri: vel citonijs coc-
tis i prunis. vel capiat vipam i vino cocto. vel in
vernacha ſi febrꝭ ſit tepida: ⁊ ſitis nō ſit magna.
vel ſorbis vel fiſtuč toſtis cum pane vel ſine pa-
ne. Conſequēter ſumat de riſi cocto cum brodio
pulle in cuius ventre ſit ſumach. Et vtatur pulř
gallinis auiculis perdicibus toſtis. Vtatur vino
groſſo: vtatur i omibus aqua ferrata: i qua ma-
ſtix remolliatur. quia non imutabit ſaporē: ⁊ con-
fortabit ſtomachuꝫ ⁊ iteſtina ſi febrꝭ non ſit mul-
tum valida: da ſibi toſtam iſuſam i vernacha. vel
ypocrate vt dictum eſt. Poteſt capere ante cibum

ꝛ poſt: ſcdm ꝙ magiſ ſibi placuerit. Cōſequēter
euacuata materia ꝑ maiori pte quod pateſcit ex
ꝗtitate materie exeūtis ſeu expulſe ꝛ hoc poſt no
uem vel decē dies tūc capiat de mane vnū mira-
bolanū conditū vel duos: ꝛ ſint kebuli ꝛ illi ſunt
maiores alijs. vel capiat vnū coclear ſemis na-
ſturcij aſſi ꝛ paruum cōquaſſati cum modico lactꝭ
vaccini vel ouium cocti ꝛ ferrati: ꝛ cum modico
oui. vel capiat ď ſemie pſillij ꝯquaſſati eodē mō
Vel ſumat de eodem lacte vaccino vel ouino co
cto ꝛ ferrato. Et ſi i dicta coctōne poneretur mo
dicū aque decoctōnis ſumach rōne febrꝭ eēt bo
nū aduemēte die. xiij° vel. xiiij°. poteſt ſumere iſtā
medicinam ꝛ non ante i quo cōmunit̄ errāt mo-
derni. ℂ ℞. cortiꝗ mirabolanoꝝ kebuloꝝ torre-
factoꝝ ſup tegulam. ʒ. ß. reubarb. aſſi. ʒ. i. ꝛ ß. pul
uerizētur ꝛ incorpent̄ cum ſirupo mirtilloꝝ ꝗď
ſuffic. fiat maſſa que poſtea diſtempetur cū aqua
rob. ferrata ꝗď ſuffic. fiat potus. detur in aurora.
vel detur ſibi ſero ꝛ mane de micleta per duos
dies in ꝗtitate caſtanee cum aqua pluuiali. hoc
facto fiat ſibi emplaſtrū: liniatur venter ꝛ femo-
ra. ℂ. ℞. maſtiꝗ thuris alumis acaſſie ypoꝗſtiď
balauſtiarū rob. ſandal. añ. ʒ. ij. fiat pul. diſtēpe-
retur cum rob vel ſyrupo citoniorum deide lini-
atur venter ꝛ femora retro: bene valet. Vel iſtud
ℂ ℞. balauſtiarū cupule glandiū thurꝭ añ. m. i.
myrre. m. ß. acaſſie. ʒ. i. fiat pul. diſtempet̄ cū aꝗ
decoctōnis rob. balauſtiarū ꝛ modico olei cito-
niorū: liniātur vēter ꝛ femora retro. Poteſt cape
poſtea de ſemie naſturcij aſſi vnū coclear cū la
cte vaccino cocto ꝛ ferrato: vel de ſquama ferri
ſubtiliſſime puluerizata cum lacte dicto. vel ď co
riandro preparato ꝛ puluerizato cum lacte dicto.
ſimr vel de omibus iſtis hoc committit tue liber
tati. Facta euacuatōne valent ſimilr ventoſe ſi-
ne ſcarificatōne poſite ſupra ſtomachū ꝛ ſupra
vmbilicū. Aliqua ſunt dicta in cura dyarrie epa-
tice fellee que ſimilr valent finaliter ſi i decimo-
quarta die non reſtrigatur ꝓuocetur vomitus de
concilio ypocratꝭ ꝛ Galie. 6°. amphoꝝ. ꝓut di-
ctum eſt i cura illa tūc valet ſibi ſimilr bona tyri
aca ꝛ lac vaccinū ꝛ ouium bene coctū: vt dictū
eſt ꝛ ferratum. Aliꝗ addūt vnū granū opij in. ʒ.
vna tyriace: quam dāt vna vice cū modico vini.
ℂ Et ſi quis dyarriam peſtilentialem habuerit
quia de materia infecta i ſe vel ratōne veneni p̄-
aſſumpti vel cibi venenoſi i toto corpore: vt ſunt
fungi vel ficus cum culo aperto vbi ſunt arance
ꝛ ſimilia tempe meo fuit mortuus vnus magiſ-
ter in medicia quia comederat duas ficus albas
cum culo aperto: non vixit niſi ꝑ duos dies. Qď
pateſcit: quia aſcellant materiam ad modum la
ctis corrupti cum magna grauitate corporis: et
magna ſubmiſſione pulſus: ꝛ magna mutatio-
ne coloris faciei verſus nigredinem. Quem ca-
ſum pluries vidi: tempore autūnali cōmunit̄ mo
riuntur circa nonum diem. Illi qui euadunt ſūt
longe cōualeſcentie. Et quidam depilātur in cu
ti corporis. Quidam perdūt vngues. ℂ Valet
iſtis ſyrupus de ribes: quia ſatis cordialis. Vel
ſyrupus mirtilloꝝ vel citoniorum: vt talis mate
ria quodāmodo quietetur: ꝛ paulatim expella-
tur. Valet tyriaca bona data in aurora. Dietetur
prout ſtatim dictum eſt in cura dyarrie fellee vni
uerſalis ꝛ flegmatice ſtatim dicte. Vtatur auro
in decoctōne pullorum et perdicum ꝛ margaritꝭ
ꝛ ſmaragdis ſaphiris. Et vtantur ſepe i die iſto
electuario. ℂ ℞. ꝯſerue roſa. ʒ. i. ꝯß. cortiꝗ citri.
conditi cum pane zuccari. ʒ. vnam. corticis citri.
ʒ. i. ꝛ ß. margaritarum electarum. ʒ. i. iacinctorū
ſmaragdorum añ. ℈. ß. ſerici crudi. ℈. i. ſeminis ci
tri mūdati. ℈. ij. ſemis. acetoſe. ℈. ij. boli armeni-
ci. terre ſigillate. añ. ʒ. ij. limature auri. ʒ. i. panis
zuccri. quart. iiij. pannorum auri puri. x. fiat con-
ditum ad formam zuccari roſa. terendo cum a-
qua roſa ē. muſcata. vtatur cum potagijs ꝛ cola
ticijs factis de perdicula roſta iſto puluere. ℞.
limature auri. ʒ. i. pulueris dyamargariton noui
ter facti. ʒ. ß. nucis muſcate. ʒ. ß. panis zuccri. ʒ. ß.
fiat puluis. Dietetur ſicut dictum eſt. vtatur vino
electo ꝛ aꝗ ferrata in vino ꝛ i potagijs vt dictū ē

Et ſi quis

dyarriam ſpleneticam ha-
buerit quod pateſcit ex ege
ſtis nigris vel ſubnigris cum grauitate in regi-
one ſplenis. Et quia talis eſt ſpleneticus ſemi-
aduſtus ſi egeſta fuerint multum nigra in p̄mis
diebus: mortale. auctoritate Ypocratꝭ i quarto a-
phoriſmoꝝ in duobus canonibus: quia materia
peſſima ꝛ incorrigibilis. Si vero ſubnigra fue-
rit: in p̄mis diebus teneat regimen in cibo ꝛ po
tu dictum in cura dyarrie fellee ꝛ embrocetur re
gio ſplenis cum aceto tepido decoctōnis floꝝ
tamariſci. Infundatur ibi filtrum vel ſpongia:
ꝛ expreſſum applicetur ſepe et ſepius ante prā
dium ꝛ ante cenam i ſexta die vel circa flōmetur
de ſaluatella ſiniſtra ſi venoſus fuerit. Conſe-
quēter in octaua vel. ixa ſumat colaturā ſeqntē.
℞. floꝝ tamariſci ſene epithimi añ. ʒ. ß. fi deco-
ctio i ſero cap̄ no in qua infundātur per noctem

cortices mirabolanoꝝ indoꝝ puluerizatoꝛuꝫ et torrefactoꝝ.ʒ.i.fricētur de mane fortiter ⁊ colent̄ ⁊ colature adminiſtret̄. Poſtea tertia die pꝰ rei teret̄ flobothoᵃ ſi vētus ſtet hoc cōmittat̄ prudē tie tue in caſu quō ſit reſtrictꝰ.xiiij.de cōcāᵒypocō tis.6ᵒ.amphori.ꝓuocetur vomitus.nam Gaꝰ.i commēto illiꝰ.A dyarria habito diuturna dat cō ciliū ⁊ auctoritatē medico ꝓuocandi vomitum: vt materia diuertat̄. Multa ſunt poſita in cura dyarrie fellee ⁊ epatice que habēt locum in cura huius dyarrie ſplenetice. que omnia tue prudentie cōmittātur. ¶ Et ſi quis dyarriam proptē liquefactōem humiditatū ipſorum membroꝝ habuerit:ꝓut fit in quibuſdam ptiſicis ⁊ alijs propinquis morti nutriātur cum colaticijs factis de perdiculis toſtis vel turturibus vel gallinis. Et detur ſibi lac ouiū bene coctum ⁊ ferratū cū hoc ¶ Et ſi in decoctōne poneret̄ modicū ſemis ſumach eſſet melius.detur ſibi farine frumēti cocte cum aqua ferrata: ⁊ in fine addatur modicuꝫ lactiſ capre vel ouium ferrati.de quo lacte poteſt potare loco vini poteſt potare per interualla d̄ vino groſſo vel ſubtili limphato cum aqua ferrata.abluat extremitates cum aqua tepida ſimplici ante cenam ⁊ de mane ante prandiū. Iſta tibi ſufficiāt.

Ad curam Diſſinterie epatice.veniamus Prius autem q̄ꝑ i cura procedas:ſcire ⁊ cognoſcere oportet quaꝫ ſpēm diſſinterie epatice patiatur : quia i hoc cura diuerſificatur.¶ Si quis ergo primā ſpecieꝫ diſſinterie epatice patiat̄. quia fluxum vētris cū multo ſanguie per interualla peccāte ſolum ſui q̄ᵗitate qd̄ pateſcit.quia exit ſanguis ſatis naturalis cito ⁊ cū impetu ⁊ i magna q̄ᵗitate ſine debilitate corpis.verū aliquādo ꝯcomitatur grauitas dextri ypocūdrij.⁊ patiēs eſt ſatis coloratus cū venis inflatis q̄ tenuit regimē multiplicatiᵐ ſanguis in ocio vltra ſolitū non habuit labores aſſuetos nec euacuatōnes ſanguis ꝑ flōmias vl̄ ꝑ emorroyd̄ vel mēſtrua vel alias ſibi aſſuetas.vl̄ qui habet mēbrū mutilatū.vnde natura expulſiᵃ epatis ⁊ venarū eius fortis in ſe vel excitata a colera acuta cōmixta vel ꝑ medicinā expellit a inteſtina illū ſanguinē exeūteꝫ: q̄ interdū coagulatur in inteſtinis ex ſ.itate eorum. Fatui medici ⁊ debiles credūt ſubſtātiā epatis egeri ⁊ expelli.ꝫ de interio.in.c.penultio. ¶ Aliquādo expulſiua inteſtinoꝝ eſt regulata ⁊ fundꝰ ſtomachi ē debil̄ ⁊ de facili recipit illam materiaꝫ :⁊ natura expellit per vomitū. In tali ergo diſſinteria ſtatim fiat flobothoᵃ de epatica in bona quātitate extrahatur vna.lī.⁊ plus :⁊ teneat dietā parum ſanguinis generatiuā ¶ Vtat̄ ergo ſpinargijs atri plicabꝰ riſi piris pomis gundolis ⁊ ſimilibꝰ.vitet carnes multū nutritiās ꝓut ꝑdices capones gallinas antiquas.potet aquam bullitā ferrataꝫ cū modico iulep roſ̄. vel cū modico ſirupi de ribes vel mirtilloꝝ vel citonioꝝ vel cum zuccaro roſac̄. vtatur malogranato. nam iſta q̄etant ſanguiem cōmotū.⁊ ſic natura expulſiua expellet eum magis regulata. Modo iſti tales in ꝯſeruatōne debēt flobothomari bis vel ter i anno:niſi ſupuenīant eis emorroyde ⁊ menſtrua i quātitate bona ¶ Et ſi q̄s ſecūdam ſpeciem diſſinterie epatice habuerit:quia egeſtiōes ſanguis in ꝑncipio ſūt ad modū loture carnis dum aial interficit̄:poſtea i ꝓceſſu exit ſicut fex vini . quia cōtētiua epat̄ fortificatur.ideo digeſtiua eius magꝭ in eo opat̄. Nam talis diſſinteria fit ex nocumēto :ſeu mala actōne ſeu debili cōtētiue epatis ⁊ venarū eius: vt ē ſupius dictum intētōne Galieni.6ᵒ.de mor. ⁊ .5ᵒ.de interi.i capl̄is penultis.ꝓpter quod digeſtiua epatis parū ⁊ diminute digerit ⁊ chilum i ſāguinē cōuertit.verū iſta cōtētiua deficit ⁊ leditur a mala compl̄one calida vel fria quod ēvt plūmū:vt dicit gaꝰ.5ᵒ de inte.i.c.penultimo ¶ Si quis ergo ſpēm diſſinterie epatice habuerit rōe male compl̄onis calide in cōcauo epatis :⁊ i eiꝰ venis.quod pateſcit.quia incipit fluxus cum febre ⁊ ꝓſtratōne appetitus ad cibum ⁊ cum aliq̄li appetitu ad potū.vt ponit gaꝰ:i illo.5ᵒ.de iter. i.c.penultᵒ.⁊ pluries cōcomitat̄ tenaſmon. Offerātur pluries i die cōfortātia cōtētiua epat̄ ⁊ aliqualit̄ infrigidātia ipm. Detur ergo ſibi pluries i die ⁊ nocte de zucco roſ̄.vbi ſit tertia pars maſandali. ⁊ ſepe ſumat de coriādro bene pꝛepato: ⁊ de ꝑticis exſiccat̄. Vtatur aqua ferrata in cibo ⁊ i potu.potet loco vini de ſyrupo roſ̄.vel ribes: vel mirtino vel citonioꝝ de medio coclearij. faciat vnam taccā cum aqua ferrata dicta. Si vis facere fortiorē ſirupū ℞.plātag̃.m.i.roſ̄.rube.m.i. mēte.m.ß.mirtillo.ʒ.ij.ſumach.ʒ.ij. ſandalorum aū.ʒ.ß.balauſtiarū.ʒ.i.zuccari.ro.lī. ß. fiat ſiruꝰ cum aqua ferrata ad.lī.i. Et epar emplaſtret̄ ab extra ſic. ℞.roſ̄.m.ij.balauſtiarum.m. ß.ſpodij. ʒ.iij.puluerizentur ⁊ cōficiātur cum equali q̄ᵗitate farine ordei.conficiatur cum aqua roſacea. ⁊ modico ſucci mente ⁊ aceti.fiat emplaſtruꝫ ſatis liq̄dum:de quo ponatur ſupra epar. Actores vtūtur trociſcis de ſpodio ⁊ lacca cum q̄buſdaꝫ alijs. Sed quia ſunt mali ſaporis:deſtruūt appe

titum ꝑpter quod debilitãtur. q: non poſſunt re
ficí. ideo ego do in forma pillulari. ℞. ſpodij roſ.
cinamomi lacce añ. ʒ. ß. boli arč. amidi ſemis na
ſturcij. añ. ʒ. ß. ſanguis draco. ſemis papauer añ
ʒ. ß. temperentur cũ ſucco mẽte ꝛ plantagis. fiant
pille ad formã ciceris. dent quolibet ſero circa me
diam noctẽ q̄nq; vel ſex. Si vis breuiꝰ operari: fac
pillas de ſpodio ꝛ de lacca ꝛ amido cum ſucco
plãtagi ꝛ adminiſtra eodẽ modo. potes facere iſtõ
emplaſtrũ ſi non vult cape iſtas pillas. ℞. ſpo
dij. ʒ. i. oim trũſãdal. añ. ʒ. ß. roſ. rub. ʒ. i. foliorum
abſinthij. ʒ. ß. aceti. ʒ. ß. ſucci plantagis qd̄ ſuffic
fiat emplaſtrũ liq̄dum aliqualiter. ¶ Et ſi q̄s talẽ
diſſinteriam dictam epaticã ad modũ loture car
nis habuerit ex mala complone fria epatis cor
rumpẽte actõem contẽtiue ipſius quod pateſcit:
quia incipit talis fluxus ſine febre q̄buſdam die
bus: lʒ in proceſſu febricitẽt. ꝛ habẽt ſatis bonuʒ
appetitũ ad cibum: vt ponit Ga°. 5°: de interio. i
ca° penultio. Detur ſibi in p̄mis diebus quia nõ
febricitãt de ſemie naſturcij aſſi conq̄ſſati. Detur
ſibi cum modico lactis cocti vel ferrati vel cu rvi
tello oui inũgatur regio epatis cum oleo maſticis
ꝛ ſuperaſpgatur de iſto puluere. ℞. maſticis. ʒ. iij.
ſtoracis calãite. ʒ. ij. thuris al. ꝛ nigri añ. ʒ. ß. ꝑ pluis
ſubtil. Dent etiam ſibi modicũ de lacte ouium co
cto ꝛ ferrato cũ modico gariof. ſubtiliter pulue
rizator. poteſt epar cathaplaſmari cũ ſpongia i
fuſa in vino tepido decoctõnis maſtiq̄ thuris ſto
racis calamite roſ folior ciprecſſi. De cortice thu
ris cuʒ tertia parte cinamomi. poteſt ſibi dari cũ
modico lactis cocti vel ferrati. Dietet cum riſi et
pull perdicibꝰ ꝛ auiculis aſſis ꝛ ſilibus. Veruʒ
iſti tales i proceſſu incurrũt feb. vt dicit Ga°. 5°.
de intio. in ca° penul° circa mediuʒ capli. ¶ Sʒ
medici talem febrẽ ꝑuipendũt: dicentes ipos nõ
febricitare: niſi ex abſtinẽtia cibi febricitare pura
febre effimera. ideo cibus corrumpitur ꝛ egredi
tur cum epatica egeſtione Verba ſunt Galieni
i loco ſtatim dicto. propter quod oportet i proceſ
ſu cure remedia dicta contempare ꝛ minus cali
da approximare: addendo remedijs dictis modi
cum ſpodij vel ſemis portulace vel coralli rubei
l antere vel arillor. ꝛ cum ſemie naſturcij pona
tur quarta pars ſpodij vel choralli rubei ꝛ i pul
uere q̄ ſpargitur ſupra epar addatur coralli rub.
ʒ. i. ꝛ cum gariof. ꝛ corallo ꝙ ſit tertia pars. vel
ꝙ detur lac coctum ꝛ ferratum vt dictum eſt per
ſe. vel cum. ℈. i. coralli rubei pulueriʒati. Si febris
valida fuerit componãdo corticem thuris vel cõ
municando cum eo vnam partem coralli rubei:

prout eſt dictum in alijs. Nam ex tali febre ſup
ueniente ſimplici illa mala frigida complex° epa
tis deprimitur: licet per ipſam non curetur: quia
ſuperuenit in minori gradu ꝛ cum nocumẽto ac
tionis ꝑut ꝛ alia dicta ſunt.

Et ſiquis Illam ſpecieʒ diſſinterie e
patice habuerit in qua exit
ſanguis niger ſanguine naturali lucidus quaſi
mixtura ſanguis ꝛ colere nigre propter qd̄ ſan
guis nigreſcit ꝛ ex mora aliquali in ipis inteſti
nis. Similiter quia refrigeratur claritas amitti
tur: vt dicit Galienꝰ. 6°. de morbo. in ca°. penul
timo. Idem dicit. 5°. de interiorıbꝰ. in ca°. penul
timo. Unde quãdo globatur in ipis inteſtis ꝑ
pter moram i eis fatui medici dicũt ꝙ ſit ſubſtã
tia epatis. vt dicit Galienꝰ i locis dictis. In iſta
ſpecie peccat ſanguis i quãto ꝛ i quali. Ideo ta
lis fluxus eſt ex nocumẽto expulſiue ꝛ contẽtiue
epatis ꝛ venarum eius. nam expulſiua icitata ali
qualiter expellit ꝛ contẽtiua deſinit abire quãtũ
illorum humorũ grauatur ipis. Iſta ſpecies in
p̄ncipio cum difficultate curatur inueterata: vel
i ſenibus non curatur vt plurimuʒ: talis infra q̄r
tam diem flobothometur de vena epatis: reiteran
do flobothomiã de mediana vel de epatica ſini
ſtra i ſexto die vel circa. Teneant dietam datam
i alijs ſpeciebus diſſinterie epatice de cauſa cal'a
epithimãdo epar ꝛ ſic ponẽdo vt dictuʒ eſt in a
lijs ſpeciebus de cauſa calida. Tamen ſi egeſtio
nigra vel viridis fuerit vel eruginoſa ſuperuene
rit: vt plurimũ moriũtur. hoc videmꝰ de facto. Et
ypo. vult hoc. 4°. ampho.

Ad curam diſſinterie

Inteſtinalis veniamꝰ. Prius autẽ ꝙ in cura ꝑ
cedas: ſcire ꝛ cognoſcere oportet quam ſpecieʒ
diſſinterie inteſtinalis patiatur ſi illam que i gra
cilibus vel groſſis inteſtinis, vel in vltimo inteſti
no qui tenaſmon dicitur patiatur: ꝛ in quo gradu
quia in hoc cura ꝛ ꝑnoſticũ diuerſificatur.

Siquis autem aliquam harũ ſpecierũ
in primo gradu habuerit: non
periclitabit. Si vero ſecundũ graduʒ attingerit
periclitabit: maxime ſi egeſtio viridia vel erugio
ſa vel nigra ſuperuenerit. quia tunc mortale. Et
ſi tertium gradum cum hoc vel ſine hoc attinge
rit. tunc talis ẽ mortalis valde. intentõne ypocr.
4°. amphor. in duobus canonibꝰ. ¶ Si quis er
go diſſinteriam i gracilibus iteſtinis habuerit:
quod pateſcit ex dictis Galiẽi. 6°. de interioribꝰ. in
ca°. p̄mo, quia dolet circa vmbilicum. ꝛ ſanguis

in egeſtis ē valde paucus ⁊ ſatis permixt⁹ cum
ipſis egeſtis: ⁊ cum egeſtis exit modica muſcila-
go axungioſa ſi in pˀmo gradu fuerit. vel quedaȝ
pellicule ſubtiles cum ſicut cortices pellis interi
ores ſi i ſecūdo gradu fuerit. vel cū hoc pellicu-
le magne ſeu pars iteſtini gracilis ⁊ ſatis permi
xta cum egeſtis expellaꝛ ſi in tertio gradu fuerit
¶ Vel ſi quis diſſinteriam inteſtinalem in groſ
ſis vel medijs inteſtinis habuerit quod pateſcit
ex dictis galieni i loco dicto. quia dolet ſub vmbi
lico: ⁊ ſanguis ⁊ pinguedo exeūt in competenti
quātitate fuerit. vel cuȝ hoc puſtule de ſuperficie
inteſtinoꝝ excoriata quaſi cortices pellis ſaꝛ ma
nifeſte exeūt ſi in tali gradu fuerit. Vel cum hoc
pars ſubſtātie inteſtini notabilis exierit ſi talis i
tertio gradu fuerit. Iſti magˀ curātur cum medi-
cinis p partem inferiorem ſicut cum colaturis ⁊
cliſteribus ⁊ pfumatōnibus ſicut alij ſtatim di-
cti cū medicinis per os. vt dicit Galien⁹. 6°. de in
terioꝛib⁹. in ca°. pˀmo. Idem dicit. 13°. de ingenio.
in ca°. 6°. in fine capli. Verum iſti i ſpecie regi-
minis cibi ⁊ potus nec in ſpecie medicinarū nō
differūt: ſed in modo approximandi: vt dictuȝ eſt
De iſtis ergo duabus ſpeciebus diſſinterie ſimlˀ
ꝓcedamus. Et quia iſte diſſinterie inteſtinales
cōmuniter poſt pˀmos dies ad dyarriā felleā epa
ticam vel venalem dictam Regantur in cibo et
potu ⁊ alijs remedijs dictis ꝓut regūtur haben
tes illas: exquo ſemp ſuccedūt ad illas rōne acui
tatis humoꝝum deſcendentium ad ipa. Et quia
iſtas diſſinterias inteſtinales tenaſmōicas cō-
comitatur doloꝛ magnus i ipis ratōne maꝛie ca
lide vlcerātis. Fiat eis cliſtere ſedatiuuȝ doloꝛis
quod non habet par i ſedando doloꝛem ratione
talis materie acute vt dicit Raſ in ſuo continē-
te. ¶ ℞. olei roſa: vmfancini. lb. i. ⁊ ß. quo non i-
uento fiat ꝺ cōmuni muſcillagˀ. ſemis pſillij. ℥. 4
miſcētur. fiat cliſtere. reiteretur bis vel ter in die
naturali p aliquos dies: ⁊ ſupꝛa ventrem vbi eſt
doloꝛ fiat ſibi iſtud emplaſtrum. naȝ cōfoꝛtat ip
ſa inteſtina ne tātum ledantur a materia calida
acuta veniēte ad ea. ¶ ℞ ſanguis dꝛacōis. boli
armenici aā. ℥. iiij. mūmie ℥. ij. ſemis plantagis. ℥.
i. fiat puluis. conficiaꝛ cum albumine ouoꝝum ⁊
modico olei roſa. fiat emplaſtrum. applicetꝛ vna
pars cum pāno lineo ſero ⁊ mane. recurre ſimlˀr
ad pulueres ⁊ emplaſtra poſita in cura dyarrie
fellee epatice ⁊ venalis. Et fiant ſibi colliria que
ſequūtur. teneātvnū de illˀ. multum ſedant appe
titus illos aſcellādi. ſunt ipius Gilberti. ℞ myr
re. ℥. ß. corticis thuris. ʒ. ij. amcos, ʒ. ij. croci, ℈. i.
opij. ʒ. i. conficiātur ſuppoſitoria cū piſtello ⁊ mo
dico mellˀ cum filo in medio. Vel fiāt colliria ra-
ſis. ¶ ℞ corticis thuris licij croci gummi arab.
aā. ʒ. ij. opij. ʒ. i. fiāt colliria ad foꝛmam glādis cū
filo in medio. ¶ Aduerte Raſ ponit de opio. ʒ.
ij. ſic ꝙ opiuȝ eſt i tertia pte nimis ē. quia ſtupeſ-
cit ſenſus ſunt obdoꝛmiti. vidi periculum in hoc

In proceſſu

Iſtius diſſinterie duȝ
intrabit ſecūdum gra-
dum ipſius ſuperius dictum: fiant cliſteria laua-
tiua ⁊ conſolidatiua. quia fluente materia q̄ non
dum eſt euacuata pꝛo maioꝛi parte non poſſint i
teſtina conſolidari ſaltim talia pˀſeruabunt ab vl
terioꝛi ⁊ maioꝛi vlceratōne. ⁊ hoc ad pˀſens ſuffi
cit. ¶ ℞. aque oꝛdei cum coꝛtice bone decoctio-
nis albe ⁊ ſatis ſpiſſe. quarꝛ. ʒ. mellˀ roſ. ℥. iiij. mi
ſceātur fiat cliſtere. Iſtud cliſtere lauat: abſter-
git ⁊ mūdificat ipa inteſtina teneat ꝓut poterit.
Reiteretur bis vel ter donec exeat cliſtere clarū
mūdum ſine ſanguine ⁊ ſanie. ¶ Aliqui ponūt
in iſto cliſteri ablutiuo modicum de ſero capꝛino
quia abſtergit. ¶ Et aliqui faciunt iſtud cliſtere
lauatiuum cum aqua decoctōnis lencium ⁊ fe-
nugreci cum melle roſa. Magis placet pꝛimuȝ.
Iſto cliſteri lauatiuo miſtrato adminiſtretur cli-
ſtere conſolidatiuū tale quod conſolidat ⁊ pˀſer-
uat a maioꝛi vlcere. ¶ ℞. cepi hyrcini de renib⁹
hyrci vel capꝛe liquefacti ptes. ij. olei roſa. parteȝ
vnam ne cepum cito coaguletur. adminiſtretur
tepidū. Nā talis adeps adherebit ſupꝑficiei inte
ſtinoꝝum. ſic conſolidabit ⁊ pˀſeruabit ipſa tanꝗ̄
loꝛica eoꝝum. Aliqui poſt cliſtere lauatiuū dictuȝ
loco huius cliſteris adminiſtratur cliſtere reſtricti
uum tale. ¶ ℞. ſucci plantagis vel coꝛiole vlˀ ca
meleonte. lb. i. ⁊ ß. miclete. ℥. ij. fiat cliſtere admi-
niſtretur. Vel faciūt tale cliſtere cum decoctōne
herbarum dictarum ⁊ balauſtiarū cum. ℥. i. vlˀ. ij.
ipſius miclete infuſe. Pꝛimū pˀualet: quia magˀ
pꝛeſeruat inteſtina ꝓpter adherentiam cepi hyr
cini. Aliquivero non curāt cape tot cliſteria. faci
emus eis talia ſuppoſitoꝛia ad infrigidandum
inteſtina ⁊ ingroſſandum materiā ibi fluxam et
fluētem ex quib⁹ iuuanꝛ in aliquo. ℞. acaſſie y-
poquiſtidō. aā. ℥. ij. licij. ℥. ß. ſucci ſumphiti vel plan
taginis albumis ouoꝝum quod ſufficit. fiāt ſup-
poſitoꝛia cum lana ad foꝛmam glandis magnit:
quādo redibit de cella: ponat alium. ¶ Et ſi ali-
qualis leſio vltimi inteſtini cōcomitetur talē diſ-
ſinteriam quod eſt vt plurimū. propter quod di-
cimus ꝙ tenaſmon concomitatur pluries dyar-
riam felleam epaticam ⁊ venalem; tunc vt tolla-

mus pluralitatem cellarum: ſuffumigamus cuꝫ
emboto ſic. ℞.pineam gūmoſam.ſcindatur in
fruſta modica que inuoluantur in pice nauali li-
quefacta addito modico cimini. capimus duo
vel tria fruſta ſucceſſiue ponimus ſuper vno car-
bone ne ſentiatur magnus calor: ⁊ cum embo-
to imponimus fumū.mirabiliter valet quādo cū
tali diſſinteria cōmunicat querela vltimi inteſti-
ni.propter quam pluries appetūt aſcellare ⁊ te-
naſmon cōcomitatur.nam ratōne picis conſoli-
dat:⁊ ratōne cimini vētoſitas intercluſa in axun
gia ipſius inteſtini cōſumitur que erat cauſa for
tis incitans aſcellam. Vel ſtante iſta querela vl
timi inteſtini cōcomitante diſſinteriam dictam ⁊
dyarriam felleam incitāre ipm longaonē ad plu
res cellas.fiant colliria ſtatim dicta. ¶ Sed q̄a
cōmuniter in proceſſu dyarrie fellee fit vlceratio
aliqualis in capite ipſius longaonis ratōne ma-
terie acute non bene competit myrra nec mel ad
ſedandū illā mordicatōnem. ¶ Fiant ergo iſta.
℞.gūmi arabici.ʒ.ß.licij.ʒ.ij.corticis thuris.ʒ.ij
ſemis ameos.ʒ.ß.croci.ʒ.ß.opij.ʒ.ij.conficiantur
cum albumie oui.fiāt ſuppoſitoria cum filo quā
do ibit ad cellam:remoueat ⁊ abluat ipm cuꝫ vi
no ⁊ reponat ipm vel alium ¶ Poſtꝙ fuerit diſ
ſolutum Raſis dicit i ſuo continēte:ꝙ q̇dam fa-
ciebant ſuppoſitoriū de opio vt ꝓuocaretur ſom
nus ⁊ debilitaretˀ ſenſitiua inteſtinoꝝ: ⁊ morie-
bātur.de facto videmus ꝙ quādo ponimꝰ mul-
tum de opio in talibus ſuppoſitorijs ꝙ patien-
tes fiūt ſtupidi. vidi hoc ordinādo ſuppoſitoria
ſeu colliria Raſis poſita in.9°.almanſorij. Ideo
ſis auiſatus in talibꝰ ꝙ non ſit de opio niſi.x.l'.x.
pars i conſideratōne alioꝝ materialiū. ¶ Adu-
te tamē ꝙ cliſteria lauatiua dicta ⁊ cōſolidatia ⁊
reſtrictiua non curāt ex toto vſqꝫ quo materia ſit
ꝓ maiori parte euacuata lꝫ proficiāt:ꝓpter quod
aduenīēte decima vel vndecia die q: materia eſt
in magna ꝑte euacuata:damꝰ medicinaꝫ ꝺ reu-
barb.⁊ mirabolanis aſſatꝭ ⁊ non ante.q: paſſio ē
acuta cōmuniter vſqꝫ ad.xiiij. ⁊ iterduꝫ vſqꝫ ad
xx.durat. ¶ Poſt iſtā medicinā reiteramꝰ cliſte[a]
lauatiua :⁊ conſolidatiua: ⁊ ſuppoſitoria dicta.
Tūc complerˀ cura. Detur ergo iſta med[a] i mate
ria colerica. ℞.reubarb.aſſi.ʒ.iij.pulueriꝫetˀ ſub-
tiliter ⁊ incorpetur cum ſyrupo mirtilloꝝ vel cito
moꝝ quod ſufficˀ.fiat maſſa que poſtea diſtempe
tur cum aqua roſ.ferrata.vel cuꝫ modico ſyrupi
dicti ⁊ aque roſ.cōi detur in aurora.vel ſic ¶ ℞
reubarb.aſſi.ʒ.i.⁊ ß.vel.ij.corticis mirabolan.citri.
bū aſſatoꝝ.ʒ.iij.l'.ʒ.iij.⁊ ß.pulueriꝫentˀ ſubtiliter.fi

at maſſa modo dicto que diſſoluetˀ ſicut dictū ē.
¶ Si vero materia fuerit flegma[ca] ſalſa in mag
q̄titate loco mirabo.citrioꝝ ſi pōas ꝺ cortice mi
rabolanoꝝ kebuloꝝ aſſatoꝝ modo ſupradicto lo
co medicine ſumat de mirabolanis cōfectꝭ ꝺ ma
ne.ij.vel.iij. ¶ Iſte tales medicie euacuāt reſi-
duū ma̅te.⁊ tūc hoc facto cliſteria lauatia dicta
ꝯſolidatiua habēt locum ⁊ complēt negociuꝫ ⁊
colliria dicta ad alia remedia fortiˀ conſolidati-
ua que ſunt iſta. Quidam dāt pill'as de ſero q̄li-
bet ſero de cera virginea ſeu noua dat quiqꝫ ſex.
vel dāt duo vel tria vitella ouorū cocta bene cum
aceto ꝙ ſint dura.dant ante cenam ⁊ ante prādi
um vel diſtempant cū aceto parū liphato cuꝫ aq̄
roſ.ferrata ⁊ adminiſtrant ꝑ viaꝫ potus vel admi
ſtrāt iſtum cibū fortˀ reſtrictiuū i diſſinteria vtra
qꝫ maxie q̄n eſt i gracilibꝰ inteſtis.capiantˀ ꝑdi-
cule vel turtures aſſentˀ i fine decoctōnis replea
tur cera v̇ginea ⁊ magˀ decoquātur ⁊ ide patiēs
cibetˀ.vel vtatˀ puluere tali i cibo.vel detˀ modicū
rob vel ſyrupo citomoꝝ.vel ſirupꝰ mirtilloꝝ. Capi
atur turtur impleatˀ ſan.dra.boli ar[ci].mūmia qꝺ
poterit recōdi i vētre ⁊ ponatur i olla ⁊ olla cla-
datur cum paſta bene vt decet.ponatˀ i furno: vt
totum cōburatˀ:extrahatˀ ⁊ pulueriꝫetˀ. Iſte pul.
mirabiliter cōſolidat:reſtringit. Multi habent
ꝓ experto p̄miſſis p̄cedentibꝰ euacuatiōibus dare
ꝑ tres dies de mane i aurora.ʒ.i.vel.ʒ.ß.coaguli
leporis vel hedi cū modico lactꝭ ouiū cocti.vl' cū
modico ſucci plantagis clarificati ꝑ reſidentiaꝫ
vel cū modico aque ferrate decoctōnis ſeis por-
tulace plantagis.lac ouiū bene coctū ⁊ ferratuꝫ
acetoſum valet in vtraqꝫ diſſinteria inteſtinali ꝑ
ut dictū ē i cura dyarrie fellee epatice i p̄cedētibꝰ

Et ſi quis

Tertiā ſpēm diſſinterie ite-
ſtinalis p̄ncipal'r habuerit
puta tenaſmonē ſeu difficultatē egerendi cū co-
natu maxio ⁊ volūtate egerēdi cū impotētia ali
quali emittēdi ⁊ cū graui pondere anchaꝝ ⁊ vl-
timi ieſtini.nā videtˀ patiēti ꝙ iceſſantˀ debeat aſ
cellare ⁊ potētiā nō hꝫ aſcellādi Idō ē ꝓpria paſ
ſio lōgaonis. Et qꝺ iſte aſcellat ē albū muſcila-
ginoſum ſāguinolētū cū ma[a] aliq̄li ꝑ carina l'ſe-
mierugioſa cōcomitāte. Iſta pūctio ⁊ incitatio
aſcellādi fit ex acuta ma̅ria colerica vel ſalſa fle
gmatica vel ex ſtāte frio viſcoſo rōne morꝰ corpiſ
vel al's:⁊ imbibitis i parte axungioſa ipſius lon
gaonis. ¶ Ad quorum punctōnem ⁊ incitatio-
neꝫ expulſiua eius epatis ⁊ venarum quodam-
modo incitatur expellere ſuperfluos. Propter
quod concomitantur humores venales in tali

expulſione in ꝓceſſu. ideo aliqñ venit cū maťia longaonis modica materia citrina vel flāťica vľ viridis ſeminigra. Cā autē hūoralis excitās expľ ſiuam lōgaonis qualis ſit in ſe cognoſciť ex pu‑ ctura ex ardore ꝛ egeſtis ꝑ parte ¶ Si vero iſta punctio ꝛ incitatio aſcellādi cum dolore ani fue rit ex maťia colerica ꝛ flegmatica cōmixta: vel fuerit ex flegmatica ſalſa vel flegmatica fria viſ‑ coſa quod cognoſciť ex natura egeſtoꝝ. Que‑ cūqꝫ cauſa fuerit imbibita i ipſo lōgaone icitās eius expulſiuā: ꝛ ꝑ ꝯſequēs ꝑtium ſupiorū fiat encatiſma. ℞. folioꝝ malue biſmalue añ. m. iij. ſe minis aneti fenugreci. ſe. lini añ. ℔. ß. ß. decoctio vſqꝫ ad ꝯſumptōem tertie ꝑtis. infundātur ſpon gie in iſta decoctōne calida vel filtrū ꝛ compſſe applicētur ano ꝛ i anchis pluries reiterādo ꝛ ſe deat deſup. Cōſequēter ſi doleat in anchis inun gim⁹ anchas cū oleo aneti ꝛ lilij eqs ꝑtibus. Et poſtea applicamus pānū lineū deſup. Et ſi taliſ tenaſmon fuerit de cā multū fria: addim⁹ in de‑ coctōne iā dicta de yſopo origano calamento: añ m. ij. Et i dolore magno ipius inteſtini lōgaoniſ a maťia flegmatica fria ꝛ vētoſa poſſet fieri cli‑ ſtere de iſta decoctōe cū ſaľ de oleo aneti et lilij. añ. quarť. i. ꝛ melľ roſ. quarť. ß. ꝛ caſſief. ℥. i. fiat inde cliſtere. Cōſeqnť in tali maª flāťica in toto vel i magna ꝑte facim⁹ ſuffumigatōez cū eboto. habem⁹ pineā gūmoſaz eiecť nucleis diuidim⁹ i paruis fruſtis ꝛ inoluimus ea in modico aniſi maratri ameos ꝛ duos vel tres de illľ pecijs ſuc ceſſiue ponātur ſup vno carbone ne patiēs mul tū caleſcat ꝛ inde ꝑfumeť cū emboto de mane ꝛ ante cenā ꝛ de nocte. Iſta ꝑfumatio bñ valet in tenaſmone de cā frigida. Et de cā calā ꝛ fria ſilr valet multū in cauſis dictis fris ꝛ caľis ſuppoſi toria dicta ſupius i tenaſmone concomitāte diſ‑ ſinteriam inteſtinalē potiſſime colliria dicta gil‑ berti ſupius dicta. ¶ Et ſi tenaſmō fuerit ꝺ cau ſa multum caľa: bulliatur filtrū potiſſime blauū in aceto albo ꝛ exꝑmatur ꝛ ano calidum ſepe ap pliceť: ꝛ abintra inūgatur cū iſto vnguēto ¶ ℞ olei roſ. quarť. i. olei ſalicis vel nenuf. quarť. ß. axūgie porcine. ℥. i. coriandri ſubtiliſſime pulueri zati. ℥. i. cere modicū. fiat vnguentum liquidum. ¶ Si vero cauſa fuerit mixta: calida et frigida: quia colerica ꝛ flegmatica: tunc imponimus fil trum vel ſpongiam in aceto ꝛ aqua. Et facimus ſacculos de furfure groſſo addito interdum mo dicū yſopi ꝛ florum camomille rōne materie fa‑ cte ꝛ bullim⁹ in aceto ꝛ aqua ſimiliter cōpͥmā tur ꝛ ſupſedeant: vel teneāt in a no ſepe renouā do. ¶ Si vo tenaſmon fuerit propter vlcera i ip‑ ſo longaone potiſſime in capite quod pateſcit ex dolore forti: potiſſime ſi tāgatur locus ab extra ꝛ quia multū durauit cū expulſione materie ſāgui nolēte ꝛ eruginoſe. inūgatur cum hoc vnguēto. ¶ ℞. ceruſe plumbi. ℥. i. muſcilagi. gummi ara. ℥. ß. opij. ℥. ij. olei roſ. qꝫ ſuf. ad incorꝑandum per modū vnguēti. vel cū iſto. ℞. muſcillagi. gummi dragagāti gūmi arab. añ. ℥. ß. aloē loti. ℥. ij. maſti cis cortič thuris añ. ℥. ij. olei roſ. qꝺ ſufficiat ad i corporādum cū modico cere. ſi ſit neceſſe fiat vn guētum liqdum ꝑmo aut anteqꝫ inūgatur locus abluať cum vino tepido ꝛ melle roſ. ¶ Si vero talis dolor ꝛ mordicatio fuerit in ano i capite lō gaonis ꝓpter medicinā laxatiuā fiat vnguētum ℞. muſcilagi. gūmi dragagāti gūmi arab. ſemis pſillij añ. ℥. ß. olei roſ. quod ſuffič cere modicū. fi at vnguētum liquidū. ſaccellatio facta cum pā‑ nis lineis vel ſpongia infuſis in aqua tepida va let ꝛ ſedat dolorē. reitereť ſepe inūctio loci cum oleo roſ. ſimiliter valet ꝛ ſedat dolorē illum Iſta ſufficiant.

¶ Capitulū. 14m. de difficultate mingendi.

Um vrina minuitur aut ex toto retineť neqꝫ i fe‑ more apparet tumor ne‑ qꝫ grauitas neqꝫ dolor in renibuſ ſentitur: ſucurrendum eſt ex me dicaminibus vrine prouocatiuis que nominabimus. Unū quorū eſt hoc quod ℞. ſemiſ apij nitri ru bee tinctoꝝ olixatri ſeminis iuni‑ peri ſemis azari ameos ſemiſ feni culi ſpice amigdalarum. ſemiſ me lonis omniū añ. ℥. x. cantaridarū quarum capita ꝛ ale abſciſa fueřt. ℥. i. armoniaci. ℥. iij. armoniacum i vio diſſoluatur ꝛ alie ſpecies ex eo conficiantur. Ex quibus fiūt for‑ me auellanis ſimiles de quib⁹ ſu‑ mātur ab vna. ℥. ad. iij. ℥. hoc enim medicamen valde confert ꝛ cor

cum diſſolutionem patitur et laxi-
tatē ⁊ yposarche: ⁊ ad expellenda
omnia accidentia cauſa quorū cor
pus deſiccari oportet. Quod ſi cō
tingat mingendi difficultas ex ca
ſu aut percuſſione in femore aut
in ano aut in eorum circuitu eger
ex baſilica minuatur. deinde aqua
calida loco ſepe ſuperfundatur et
vſqꝫ ad ſpaciū medij diei exoleis
fricet̄ Egro qꝫ precipiatur vt vri-
nam expellere nitatur. Si aūt mi-
gendi difficultas contingat veſica
exiſtente plena et extenſa ⁊ ſit hoc
pꝰ ſanguis aut ſaniei mictū medi
camina que trombos ſanguis aut
pus quod in veſica generatur ſol-
uere conſueuerunt ⁊ liquare dāda
ſunt. Medicamē quod trombos
ſanguinis aut ſaniei q̄ in veſica fit
diſſoluit. ℞. cordumeni mirre ru-
bee de qua tingitur ſeminis iuni-
peri armoniaci aſſe omniū partes
equales. Armoniacuꝫ diſſoluatur
⁊ informentur pillule ex alijs ſpe
ciebus et eis confectis de quibus
quater in die ſumatur cum apozi
mate de ſeminibus quod nomina
uimus. Sirupus etiam acetoſus
et forti aceto factus multotiens
detur per ſiringam preterea īmit-
tatur in veſicam aqua in qua diſſo
lutꝰ fuit ſal aut aqua cineris ⁊ iſta
eſt confectio aque que fit de cine-
re. ℞. cinerem de ilice: cinerem de
vitibus cali calceꝫ. His omībꝰ ad

miſceatur tantū aque vt ex ea coo
periri poſſit ⁊ dimittātur ſic ꝑ tres
dies: deinde colent̄ ⁊ per ſiringam
in veſicam initiatur Herba qꝫ cro
ci ortulani ⁊ eſula cocta ſupponā-
tur Tinam preterea aſſidue ingre
diatur in qua ſit aqua ī quā cocta
ſint camomilla ſticados arabicus
ſanſucus ſinſibriuꝫ aut in aqua ex
tremitates caulium ⁊ eſula ⁊ fumꝰ
columbinus cocte fuerunt. Eger
in decoctiōe earum ſedeat ⁊ ex her
bis iſtis ſic coctis fiat emplaſtruꝫ
ſuper femur ⁊ partes ei circūadia
centes ⁊ dum in tina moratur ſu-
mat in potu que vrine ꝓuocatiua
exiſtunt. Et ſi hec omnia non pro
fuerint ad inſtrumentuꝫ cum quo
vrina ꝓuocatur eſt recurrendum.
Si aūt mingendi difficultas poſt
lapidis ſigna affuerit eger ſupinꝰ
iaceat ⁊ pedes eius diuerſis mōis
⁊ fortiter quatiendi ſunt. Et ſi vri
na non egreſſa fuerit oportebit vt
cum inſtrumento curetur: per qđ
membro immiſſuꝫ ſit īpulſio. Ca-
uendū tamen eſt ne virge immit-
tatur cum eſt ibi apoſtema. Ad
difficultatem qꝫ valde cōfert ſepe
ingredi tinam ⁊ vngere loca ex o-
leis ⁊ medicamīa vrinā ꝓuocātia
in potu ſumere ⁊ abſtiere a nutriē
tibus acetoſis ⁊ ponticis ⁊ groſſis

E difficultate min-gēdi:
qꝫ de ſtrāguria ſeu de ſtrāgulata et
retēta vrīa vltra velle ī toto: tē actio-

expulſiue veſice ē ablata.ł in pte ꝛ actio ē corrupta
¶ Iſte due male actiones veſice: nec non. ꝛ ſi a-
ctio eius diminuta ſolum fuerit vocatur ꝑpe ſtrā
guria. 6. de morbo in capl'o penulti°. ꝑmo de inte.
in ca° ꝑmo. 6. de inte. in ca°. 3°. Moderni appel
lant in pſalterijs ſuis ſuriam. qn̄ vrina ex to° ſtrā
gulatur ſeu retinetur vltra velle dicētes. Strāgu-
guttatim. ſur. nil. diſſur ꝙ ꝑ horas. ga°. āt in locis
dictis vbi ex intēto tractat de paſſiōib° veſice nū-
q̄ poſuit ſuriam: ſed ſtranguriā ꝛ diſſuriā. Que
diſſuria ꝓprie eſt parua ꝛ ſepiſſima mictura libe-
ra tamen. hoc vult Raſis in ſuo cōtinente. ꝛ ga°
6. de iteriorib° in capl'o 3°. Quia magna ꝛ libera
dicit̄ dyarria vrine: vel dyabetica paſſio. Uerum
aliquādo Ga° in locutiōibus ſuis capit vnum ꝓ
alio ꝛ capit ſtrangu^am ꝓ diſſuria appellat talem
ꝛ liberam ſepiſſimā micturā ſtrangu^am. 5°. am-
pho. ꝯmēto illius can̄. In ano flegmone patien
te: ſicut capit aliquādo diſſuriam ꝓ guttatim ꝛ q̄-
ſi in ſenſibili ꝛ inuoluntaria mictura. ꝑ°. de inte.
in. c. ꝑ°. circa finem. que ꝓprie appellatur diſtilla
tio vrine ex paraliſi lacertoꝝ colli veſice: qui lacer
ti ex officio claudunt collum veſice: quib° remolli
tis ſeu paraliticatis nō poſſunt in illam actionē
Ideo guttatim ꝛ quaſi continue mingūt: qꝛ ſicut
in veſica ꝯgregatur exit inuolunta^e ex nocumēto
ꝯtentiue ipius. Ille ꝯſtantinus monachus q̄ trā
ſtulit librum de morbo. de inte. ꝯmētū ampho. ꝓ
noſtiq. regimenti acutorum de arabica in latino
dedit nobis iſtas labes ꝛ plēs ꝯſilēs ex ſuis locu
tōib°. Ex q̄bus Gor. male ꝛ iproprie locut° ē in
materia. Gilbertus. Rogerius. Galterus. Plo-
teyus. ꝛ plures alij diminute locuti ſunt in pſalte
rijs ſuis in iſta materia. ¶ Tēporibus iſtis oēs
paſſiones veſice in q̄bus offenditur ꝯtentiua vel
expulſiua veſice in ſuis actōibus. ¶ Prima frō
te appellamus ſtrāgu^am. licet ꝯſr veniamus ad
locutōnes tibi dictas ꝓpas. ¶ Ulterius nota: ꝙ
veſica eſt membrū cōtextum ex duabus tuniċ: vt
ſit receptaculum vrine inter virgam ꝛ anū locata
ꝑmo de inte. in. c. ꝑ°. Idem clarius ponit. 5. de iu-
uamentis membroꝝ. in. c. 2°. cuius collū voluitur
ꝛ extenditur ſub oſſibus pectinis ꝛ aſcēdit ad ra
dicem virge. Et eſt figure littere. g. latine: quia ta
lis ꝯtortio ſeu figura facit ad meliorem retentōēz
vrīe. Ad quā ſil'r faciūt lacerti colli ve^ce ſtati dicti
claudantes ꝛ aperientes dictū collum vt dicit ga.
5°. de iuuamentis in. c. 3°. 4. ꝛ. vltimo. et in ꝑ°. de
inte. in. c. ꝑmo in fine Et ſubdit littera in. 5°. de iu
uamentis. Idem dicit. 6. de inte. in. c. 2°. ꝙ fuit ne
ceſſariū ꝙ eſſent due canales: duo colla. duo po-
ri inter veſicam ꝛ renes qui venirent a renib° ad
veſicam a quolibet rene vnus q̄ dicuntur poriv
tides. Raſis vocat colla per quos vrina tranſit a
renis ad veſicam. ꝛ omnis feculentia renalis ſa-
nioſa vel humoralis. a renulis: ꝛ lapilli q̄ deſcen
dentes ſoluūt ꝯtinuū in eis ꝓpter quod cauſant
dolores fortes verſus inginaria quia ibi ꝓtēdū-
tur. dicti pori cōmunit̄ lapilli tardant tranſire ad
veſicam cum dolore ſeptem diebus ꝛ vltra ſm̄ ꝙ
ſūt magni. ¶ Et ſi pro poſſibili ambo pori dicti
clauderentur ꝛ opilarentur opilatione feculenta
viſcoſa vel apoſtemoſa ex toto ceſſaret tranſit° vri
ne a renibus ad veſicam. ꝓut vidi bene quater tē
pore meo non appetebant vrinare: nec cum arga
lia ꝑoterat exire vna gutta vrine a veſica. quia ibi
non erat poſt paucos dies: q̄dam illorum euome
bant vrinam. ꝛ iam erant facti icterici. erāt ſemi-
uirides ſicut color herbaꝝ ſemiviridium. ꝯmuni-
ter viuebant ſic quaſi per viginti dies. Ga° dicit.
6. de morbo in. c. penulti°: ꝙ ſi vrina curſum ſoli-
tum nō habeat ad veſicam: eo quia illi pori ſunt
ex toto clauſi. dato ꝙ vrina retineatur non debet
dici ſtranguria nomine. quoq̄modo volueris y-
doneum nomē nō reperitur tali retentioni vrine.
¶ Nam ſi veſica vrina repleatur ꝛ non poſſit ex-
pellere illam non eſt idem ac ſi veſica ſit vacua ꝛ
non effluat vrina: quia quando veſica plena eſt ꝛ
vrina non valet exire. hoc eſt: quia collū veſice eſt
opilatum. vel veſica in ſui ſubſtantia defecta nō
pōt ſe comꝑmere ꝛ vrinam emittere. ſi veſica vri-
nā nō recipiat hoc nō eſt ex defectu ſuo: ſ; ex opi-
latione illoꝝ poroꝝ vritides. ꝓpter quod ſic retē-
ta nō debet dici ſtranguria. Auerroys. 2°. ſui col-
lectorij in capl'o ꝓprio dicit: ꝙ in foraminib° veſi
ce ꝑ quos ſubintrat vrina veniens ꝑ illos poros ē
copertura ad modū corticꝭ q̄ apitur duꝫ vrina ſub
intrat veſicam ꝛ ſtatim claudit̄ ne vrina reueniat
ad renes in reuolutōne corporis. hoc eſt: qꝛ natura
ſemꝑ operat̄ qḋ melius eſt. 3°. de creticis diebus
Opus nature eſt opus intelligentie nō errantis
quia gubernat̄ ab orbe. 5. de iuuamētis mēbroꝝ
in. c. 2. et in. c. vltimo dicit ꝙ veſica hꝫ duas virtu-
tes officiales naturales ꝓ ſuitio totius corporis. ſ.
retētiuā ꝛ expulſiuā vrine. ꝑter illas q̄ttuor: q̄s hꝫ
ꝑticulares ꝓ ſui nutritiōe ꝛ ꝯſeruatōe. Idē dicit
6. de morbo i. c. penulti°. ꝛ. 6. de inte. in. c. 3°. Auer
roys dicit: 2°. ſui collectorij in. c. ꝓprio: ꝙ ve^ca ha-
bet attractiuā cōem. vt attrahat aq̄ſitatē ꝛ inteſti
naꝝ attrahāt feculentiā ſicut ciſtis fell' hꝫ ad at-
trahendū colerā. ¶ Dicam° ꝙ poſſibile eſt ꝙ ha
beant: ſ; habent valde debilē. Ideo Ga° nō fecit

mentionē. ⁊ ſic ſunt ꝯcordati.

Primo tu q̄res ſtranguria ſeu difficultas mingēdi cuiꝰ ꝑticule veſice] ē paº ꝑncipalr̄. Soluit lr̄a p̄º. de inte. in. c. p̄º. ⁊. 6. d̄ ite. in. c. 3º. et in. 6. de morbo in. c. penultiº. q̄ vt plr̄im ſtrāguria ꝓpe dicta q̄ð eſt nihil expellere vl̄ paꝝ cum offenſione vel guttatim cū difficultate ē paº colli veſice grauati opilati ex toto vl̄ in parte. que fit octo de cauſis vt ſtatim dicet̄. alıȷ aūt ⁊ de poſ ſibili eſt paº ſubē veſice nō potētis ſe latitudialr̄ ꝯp̄mere: q: multū repleta ⁊ extēſa. q: ois expulſi ua n̄alis officialr̄ fit ꝑ ꝯpreſſionē latitudialem. vt vult Gaꝰ in loq̄ dicꝰ. Idē ponit p̄º de inte. in. c. p̄º in fine caˡ. vbi dicit: ſi dubitas in h̄, fac vt collum veſice iaceat inferius appodiendo ſe ac ſi velles egerere ⁊ cū manu tua veſica inflata ex vrina retē ta intus ꝯp̄mat̄. ſcias ꝙ ſi veſica deficiat ex ſe: ꝙ ex hoc vrina egredieť. his aūt factis nl̄l̄o ꝑ ſigno appente ſcias ſtrāguriā eē ꝓpť opilatōꝫ colli ve ſice dictā. ꝓpť q̄ð cā ſtranguire vere duplex erit i gn̄e ꝯſilisvl̄ officialis in ſub̄a vel in collo. ¶ Diſ ſuria āt ꝓpe dc̄a ē paº ꝑncipalr̄ ſb̄e veſice in ſev̄l̄ rōne morbi officialis puta in receptaculo: vt ſta tim dicet̄. Et ambe iſte due ſunt paſſiōes ꝑ mor bo deſcripto ſunt paſſiones ꝑ colligantiā vēit ab alijs membris ad veſicā q̄ð venire nō debet ſ̄m naturam: quia morbi dicti.

Secūdo tu q̄res ſtrāguª ⁊ diſſuria qui morbi ſunt in gn̄e ⁊ in ſpē. Di cēdū ꝙ ſtrāguria in ſe eſt accn̄s morbi dc̄m exiēſ retentū. 6. de morbo in. c. penultiº. ⁊ in. 3º. de mor bo in. c. 5. º quia maª que deberet exire ⁊ expelli a corꝑe retinet̄ ex nocumēto expulſiue: vt ſtati dice tur. ¶ Stranguª loq̄ndo deſcꝑtiue ē morbꝰ offi cialis vt plr̄im: q: opilaº colli veſice q̄ fit octo d̄ cāis vt ponit gaꝰ. 6. de morbo in. c. penltiº. ⁊ p̄º d̄ inť. in. c. p̄º. ⁊. 6. de inte. in. c. 3º. q̄ fit interdū ex fecula tione humorali ꝑut ſepe ꝯtingit nouit nať ex gu loſitate lactis ⁊ plibꝰ alijs pueris ⁊ adultis viuēti bus in ocio ⁊ q̄ete cū cibis groſſis viſcoſos hūo res gn̄antibꝰ. Interdū fit a ſanie groſſa multa ve niente a renibꝰ. Interdū fit a ſanguie coagulato fluxo a renibꝰ vel ab vlcere veſice. Interdū fit ab ap̄ate orto in collo veſice coartāte collū. iō erit o pilatio coartatoª. De h̄ ponit exēplū p̄º de inte. i caº. p̄º. q̄liter q̄ð fuit ꝯcuſſus ⁊ apatꝰ. ⁊ inde vrina fuit retēta. Si aūt oriať in ꝯcauo veſice vl̄ in ꝑte colligata cauſať diſſuriā vt diceť. q̄ eſt ꝑua ⁊ ſepiſ ſima libera mictura q̄ alıȷ appellať ſtranguria. 5. ampho. in ano flegmonē patiēte. Interdū ex la pillū infra collū vel circa. Interdū a carne addi ta ⁊ gn̄ata i collo veſice ꝑ modū verruce. Interdū fit a repl̄ōne ⁊ extenſione veſice comprimente et coartante collū eius tortuoſuꝫ erit opilaº coarta toria vt fit in multū retinētibꝰ vrinā vltra volūtatē ſtantes; in ꝯuiuio vel in alio loco venerabili. Iſta talis opilatio coartatoª. alıȷ fit opilatio colli veſi ce ex ſpaſmo de inanitione lacertorum colli veſi ce reſtringēte collū veſice. talis opilatio dicetur ſil̄r coartatiua ꝑut ꝯtigit in acutiſſime febricitāti bus alıȷ. Patet ḡ tibi: ꝙ ſtranguª vt plr̄im ꝑ mor bo deſcripto eſt morbus in receptaculo q̄n mul tū repletur ⁊ extendiť. ⁊ alıȷ eſt morbus in figu ra colli veſice. vt ponit Raſis in ſuo cōtiᶜ. q̄ a vl ceratio in ip̄o collo que dicit aliqualē deperditio nem in ſubſtantia colli. vnde q̄n veſica nitiť vri nam expellere ſentiens ardorē ip̄ius ipſa veſica coadunať in ſe ⁊ vrina retinetur ⁊ guttatim emit titur cauſa iſta pluries fit in habentibus lapideꝫ in veſica ꝓceſſu tēporis. De poſſibili ſtranguª ſil̄r eſt alıȷ nodoſitas apoſtemoſa in ꝯcauo vl̄ in ſuꝑ ficie extrinſeca veſice ⁊ morbus in figura. ꝓpter q̄ð nō pōt ſe latitudinalr̄ ꝯprimi nec ꝑ ꝯn̄s libe re expellere vrinā. ymo cū difficultate expellit. iō ſtrangulať aliqualr̄. Si aūt ap̄a fit in parte vici na tūc fit parua ⁊ ſepiſſima mictura ꝓpter quod d̄r diſſuria. Aliquando ⁊ pluries ſtranguria pro morbo deſcripto eſt morbus ꝯſimilis in ſubſtan tia veſice quia mala ꝯpl̄ō frigida vel humida: vt plurimū. Et aliquādo calida ⁊ quibus debilita tur in ſe quod nō poteſt ſe latitudinaliter ꝯp̄me re nec per ꝯn̄s expellere. ꝓpter q̄ð cōcludit Gaꝰ 6. de morbo in caº penultiº. ꝙ ſi veſica fuerit ple na ⁊ vrina exire nō poteſt. hoc eſt duabus de cau ſis. aut quia eius collum opilatur vna de. 8º. cau ſis dictiſ. aut ſubſtantia veſice deficit quod nō ꝑo teſt ſe exprimere latitudinaliter. nec per cōſeq̄ns expellere quod fit per conſimiles: vel officiales morbos ſtatim dictos. Diſſuria autem in ſe eſt ac cidens morbi dictum exiens mutatum deſcripti ue tamen eſt morbus. vt plurimū officialis in re ceptaculo: quia vrina multum acuta ratione hu morū calidorū. vel materie ſalſe ſanioſe vel non ſanioſe veniente a renibus incitans expulſiuam veſice. vel eſt morbus officialis in figura: q: ma la ꝯpoſitio apoſtemoſa in ꝑte vicina vt in matrice vel inteſtinis ex quibus grauatur contentiua ve ſice. 5. ampho. ſuper illo cañ. In ano flegmoneꝫ patiente interdum eſt morbus conſilis: quia ma la ꝯpl̄ō frigida vel humida debilitans contētiuā veſice. de Iſta omnia ponit Gaꝰ in ꝯº cañ. allega ti. ⁊. 6º. de inť. in. capº. 3º.

Tertio tu q̄res ſtranguria ⁊ diſſuria cu-
iusvirtutis eſt nocumētum paſſi-
ue itelligēdo ſeu mala actio. Dicēdum: ꝙ iſte paſ
ſiones pro morbo deſcripto ſunt nocumētuȝ paſ
ſiue itelligēdo digeſtiue ⁊ expulſiue membri mā
dantis ⁊ recipientis. iiº. de ingenio in. cº. 2º. ⁊. 8º
Stranguria autem in ſe eſt nocumentum expul-
ſiue veſice ſeu eius mala actio ablata vel corrup-
ta. ¶ Diſſuria autem in ſe eſt nocumentum con-
tentiue pͥcipaliter: quia grauatur veſica ab hoc
vel ab hoc. Veruȝ quando eſt ibi vrina nimis a-
cuta ratione materie ſalſe venientis a renibus vꝉ
aliunde tūc eſt nocumētum expulſiue. naȝ expul
ſiua grauatur ⁊ incitatur a quali ſicut cōtentiua
a q̄rto. 6. de iterioribus in caº pͥmo in fine caꝰ. Et
ſunt paſſiones ſeu nocumētum actiue in ſe prin-
cipaliter ſenſitiue animate ipſius veſice cōſequē-
ter regitiuarū naturaliū veſice ⁊ alioꝝ membroꝝ
Stranguria autem ⁊ diſſuria pro morbis deſcri-
ptis dictis ſunt nocumētum actiue ſeu paſſiones
inferentes nocumētum ſeu malā actōem pͥnci-
paliter expulſiue ⁊ ꝯtentiue naturali officiali ipſi
us veſice. quia aliter morbi nō diſtinguerētur nec
enumerarētur in genere ex diſtinctōe actionū le
ſaruȝ in gn̄e quod eſſet cōtra intentionē Gaꝰ. pº
de morbo in caº. 7º. prout in expōne quā feci ibiō
que nō itrabit caput aſini ſut tibi declaratum

Iſtis clarificatis Cura ſtrā
guriei ⁊ diſ
ſurie tibi pateſcit. Prius autem ꝙ in cura paſſio-
num procedas ſcire ⁊ cognoſcere oportȝ que ſit
cauſa pͥncipalis ſtrangurie: ſi eſt opilatio colli ve
ſice vel ſi eſt morbus cōmunis vel officialis i ſub
ſtantia ipſius veſice. vt eſt dictum ſupius. Idē di-
cēdum eſt de diſſuria. Nam cauſa talis ſtrangu-
rie ⁊ diſſurie pre ceteris atqȝ preſentibꝰ accidēti-
bus cum denotaꝛ. vt dicit Gaꝰ. pº. de inte. in caº
pº. vnde circa cauſam horū multū eſt inſiſtendū:
quia intētio fortior curatiua circa talē cāȝ exiſtit
¶ Si q̄s ergo ſtrāguriam ſeu ſtrāgulatam vrinā
in toto vel in parte habuerit: ꝙ nihil vrinet vꝉ pa
rum. ⁊ guttatim vrinet ex feculentia humorali. vt
plunes accidit nouiter natis ex guloſitate lactis
⁊ ex ꝯſtrictōe poroꝝ ⁊ illꝭ qui ſunt duoꝝ ānoꝝ vel
triū ⁊ maioribꝰ ſilꝛ accidit ꝫ raro rōe ocijꝫ ⁊ ciboꝝ
groſſoꝝ groſſos humores gn̄antiū q̄ talia cogſcū
tur ex notitia preteritoꝝ pſentiū ⁊ priuatōe ſigno
rum lapſus ⁊ aliarum rerum. ¶ Si q̄s ḡ nouiter
natus ħ incurrerit balneeꝛ in anchis ſepe ⁊ ſepi
us in aq̄ decoctōis fol' malue biſmalue. antheme
ſie maiorane pͥtarie ſe, fenuꝰ ſe, aneti. Et anq̄ in

tret balneū p horaȝ ſumat potū frigidū de adipe
pulloꝝ columboꝝ cum vino albo infra poneꝛ. Et
nutrix vtatur rebus attenuātibꝰ lac vt bleꝛ, cimio
aniſi petro. nō lactetur puer niſi paꝝ ne veſica ni
miū repleaꝛ: ⁊ tunc collum veſice plus ꝯpͥmereꝛ
⁊ p ꝯn̄s claudereꝛ opilatōe coartatoria nō obſtā
te illa q̄rat ex feculētia humorali. Et in exitu bal
nei ſuggatur virga ore alicuiꝰ pſone ſeruilis. Ca
thaplaſmādo partes illas cum pānis lineis: vel
ſpōgijs iſuſis i decoctōe ſupradicta inūgueº pe
ctine ſic. ℞. olei petro. olei apij olei raphani ana.
q̄rꝛ. i. ⁊. ß. mirre ſubtiˡᵐᵉ puluerizate. ʒ. ij. cere mo
dicū. ꝭ vngᵗᵐ liq̄dū. vel ſic. ℞. cimices in bona q̄n
titate teranꝛ cū modico allij ⁊ p modū vngꝰ pecti
ni ⁊ capiti virge appliceꝛ. vel habeaꝛ cinerꝛ vꝉ pe
diculꝰ viui foramiˡ capitꝭ virge itromittaꝛ. loº hoꝝ
fila croci itromittaꝛ vꝉ modicū ſal' in ano ſtati min
gūt. Silꝛ paupibꝰ inūgimꝰ pectinē cū axūgia cu
niculi vꝉ petrocilū vꝉ pͥtariā coctā i patella cū mo-
dico ol'i ātiq̄ pectini bn̄ calꝛa applicaº. de poſſibꝭ
ꝯtigit iſte caſꝰ pueri q̄ magiſ pceſſerūt ex guloſita
te eoꝝ. lꝫ raro: q: cōiter ſtrāgulaꝛ in eis vrina ex la
pillo itercluſo in collo veſice. Et ſi puer fuerit. xv.
ānoꝝ vel circa vel vltra ponatur argalia q̄ciꝛ. Iſti
tales abſtineāt a ciboꝝ potu q̄ntū potuerūt ne ve
ſica mltū repleaꝛ. ⁊ p eius extētiōeȝ collū ꝯpͥma
tur ⁊ coarteꝛ ⁊ opileꝛ vltra hoc opilatōne coarta
toria. q: in hoc plies ⁊ plies medici dātes potus
apitiuos in mag̃ q̄ntitate ſunt cauſa pditiōis pa-
pter qꝺ aduīte. ¶ Iſtis ſatis abſtinētibꝰ vt dcȝ
eſt deꝛ modicū aq̄ ruthe cū modico aq̄ decoctōis
radꝰ feniˡ apij ⁊ cicerū nigroꝝ an̄ coclea ͣ tria q̄ter
in die n̄ali potiᵐᵉ an̄ balneū p horā ⁊ pꝰ balneū.
¶ Et ſi q̄s ſtrāgulatā vrinā ex ſanie habuerit qꝺ
pateſcit: q: pceſſit paº doloroſa ⁊ vlceroſa in reni
bus vel i veſica vꝉ in ptibꝰ ſupioribꝰ pſumēdū ē qꝺ
de poſſibili fluxa eſt ſanies multa ⁊ g̃ſſa q̄ opila-
uit collū veſice tortuoſum. ¶ Et ſi nꝉ in hoꝝ eru
terit ⁊ ſubito vrina fuerit ſtrāgulata i toto vꝉ in pte
vt ē ſupius dcm. ⁊ in tpe pcedēti q̄relā aliquā nō
habuerit. Et nō ꝯcomitaꝛ pūctura nꝫ pruritꝰ i ra
dice v̄ge nec erectio aliq̄lis ipſius interroga quā
dietā tenuit in tpe ſi vixerit i ocio ⁊ q̄ete cū cibis
g̃ſſis viſcoſis. g̃ſſos ⁊ viſcoſos humores gn̄anti-
bus q̄ expulſi p vias vrinales ad veſicam de poſ
ſibili opilauerūt collū veſice. put dictū eſt in pue
ris. ¶ Vel ſi q̄s ſtrāgulatā vrinā habuerit in toº
vel in parte ex ſanguine coagulato in collo veſice
quod pateſcit ex dictis Gaꝰ. pͥmo de inte. in pͥnº
⁊ in ſexto libro in cº 3º. q: ſciuit in veſica vulnera
fuiſſe de poſſibili ex illo vulnere fuit exitꝰ ſanguis

qui paulatim coagulatus in collo veſice ipm̄ opi
lauit: vel ſciuit mictū ſanguinis a renibus vel a
ꝑtibus illis habuiſſe. Iſtis duob⁹ de ꝯſi° Ga.
p°. de inte. ponatur argalia in virga q̄ eſt virgula
de argento ſolida n̄ ꝑforata: in q̄ differt a ſiringa
intromittat̃ ꝑ foramen virge dulciter tenendo vir
gā nō nimis oppreſſam nec nimis eleuatā nā ſic
intrabit ſine aliq̄li violentia: ⁊ intromittat̃ ꝑ me⸗
diū palmū ⁊ vltra. Et de ꝯſi° raſ in ſuo ꝯti. flōme
tur de baſilica in pn°. ⁊ de ſero flōet̃ de ſophena
pedis in ꝑte ſiniſtra ¶ Ꝯſeq̄nt̃ ponat ⁊ balneet
modicū ⁊ ſepe anchas ſuas in aq̄ decoctōis her
barꝫ ſtatim dictarꝫ in cura pueri exn̄tis i cunabul'
ꝯtinuando ſepe ⁊ ſepius argaliā. q: ſaltim in mo
dico: q: guttatim vrina expellet̃ Ga. recitat. in. 6.
de inte. in. c. 3°. ꝙ ipe dabat talib⁹ ea q̄ lapidē frā⸗
gunt q̄ pn̄t talia diſſoluere ſic̃ lapides talia dice⸗
mus in ca° ſeq̄nti. ¶ Silr̃ iſtis talib⁹ ꝯpetit po⸗
tus alliate clare. vt vult raſ in ſuo ꝯti. terant̃ al⸗
lia ⁊ diſſoluant̃ cū aqua decoctōis raď petro. ⁊ ci
cerū nigrorꝫ vel cū aqua raphani vel achori vl' ſa
uine. & potus in modica q̄titate ter vel quater in
die n̄ali abſtinēdo a cibo ⁊ alio potu q̄tū poterit
⁊ ꝯtinuando balneū ⁊ argaliā. Uel dent̃ eis pot⁹
ď modo yrūdinū diſſoluat̃ cū modico vini albi cla
ri. Uel cū aq̄ petro. lapij vel achori vl' ſauinē Raſ
miſtū laudat vel ℞. adipis pullorꝫ colūborꝫ diſ
ſoluat̃ ⁊ liq̄fiat i vaſe mūdo addat̃ vini albi ⁊ ſub
tilis in duab⁹ vel trib⁹ partibus & potus Raſ in
ſuo ꝯti laudat iſtū potū in puerꝫ hn̄tib⁹ ſtrangu⸗
riā ex luto humorali vel habeāt̃ cortices ſeminꝫ
melonū pulueriʒent̃ ſubti.me vt alkool diſtēꝑen
tur cum aqua achori vel petro vl' feni vel cū vino
albo claro ſubtili l' cū aqua decoctōis radiq̄ feni
petro ⁊ cicerū nigrorꝫ. Iſti potus ꝑcedāt balneū
ſoluꝫ ꝑ horā ⁊ vltra. ¶ Aduerte tn̄: ꝙ in vrina diu
retēta nō vtaris magnis potib⁹: q: veſica eſt plēa
⁊ magis repletur: ⁊ ſic multuꝫ extenderet̃. ⁊ ꝑ ꝯn̄s
collū ꝯprimeret̃ ⁊ ꝑ ꝯn̄s clauderet̃ ⁊ opilaretur ⁊
patiens citius ꝑderet̃: vt ſupius dixi. ¶ Sed vta
ris in ꝓceſſu pill'is poſit a Raſi in. 9. almanſoris
vel iſtis. ℞. mirre ru. ʒ. ß. amoniaci diſſoluti in vi⸗
no. ʒ. iij. miſcent̃ fiant pill'e ad formam cicerū. ſu
mat ter in die ⁊ nocte ſumat. x. vel. xij. ꝯtinuando
balneū in anchis ter quater in die naturali ⁊ ar⸗
galiā dictam. ſilr̃ abſtinēdo q̄tū poterit a cibo et
potu ꝓpter dictā cauſam ¶ Et ſi q̄s ſtrangulatā
vrinā habuerit ex apāte orto in collo veſice q: cir
ca radicē virge. qď pateſcit ex ꝑcuſſione ⁊ dolore
⁊ tumore i ꝑte illa ſubito euenientib⁹ ⁊ infra pau⸗
cas horas: tūc ex q̄. ē ibi tumor apoſtemoſus cō⸗
primens collū veſice ⁊ ſtrangulās vrinā. ꝓceden
dū eſt reſolutis anodis. ꝓut faciebat Ga⁹. vt ipe
recitat in exemplo p°. de inte. c. p°. in pn° dicit ſic
Quidā fuit ꝑcuſſus in ꝑitoneō: q: inter anū ⁊ vir
gā ⁊ loco tumefacto nō potuit vrinare. veſica aūt
inflata ⁊ extēſa appebat nō ꝑmiſit vt argaliā po⸗
nerēt eo q: apa rōe doloris quē argalia induce⸗
ret augmētare. vidit eſſe meli⁹ aquā tepidā ſup lo
cū infundere. deide locū olo anodino inūgere. vt
oleo camo. ⁊ melli: ex q̄ ma. erat fluxa. q̄tuor ho
ris iſta fuerūt facta tūc tūor fuit diminut⁹ ⁊ dolor
mitigat⁹ teſtāte iſti°. tūc ꝑcepit pa. vt ſe ad migē
dū exꝑmeret ⁊ tumorē colli veſice a ſupiori lo° ad
infer⁹ manu ſua ꝯpmeret: q̄ facto minxit. Et cau
ſa ſtranguirie notificata fuit Sivo in pn° ꝑcuſſio
nis īfra duas modicas horas añq̄ vrina retinea
tur ſeu ſtrāgulet̃ ſic vocat⁹. fiat ꝓut facim⁹ i pn°
apatū inūgat̃ loc⁹ et ꝑtes vicine cū oleis ꝑcu⸗
tientib⁹ vt cū olo ro. vn ſancino q̄ nō inuēto cū olo
roſ cōi. vbi addat̃ modicum boni aceti. ⁊ ſilr̃ bn̄
agitēt ⁊ miſceāt: ⁊ cū ipo inūgat̃ ſepe ⁊ ſepi⁹ olīn
mirtinū vꝫ ſilr̃ ad h. ⁊ facta inūctōe ſꝑgat̃ ſ locū
pulus mirtillorꝫ ⁊ roſ ſubtil' ſtatiꝫ etiā flōet̃ ď ve
na epatica. ꝯn̄r de ſophēa iteriori. Iſte duę flōie
ꝯpetūt ſilr̃ facto ⁊ veniēte ſtrāgulatōe vrine ex cā
dicta. Poſtea hn̄t magis locū embrocatōes ⁊ inū
ctōes q̄s faciebat ga. tibi ſtatim dicte Sivo apa
fuit circa ꝯcauū veſice: l' in ꝑte vicina vt in matri⸗
ce vel circa anū. nō ſtrāgulās vrinā: ſꝫ cāns diſſu⸗
riā vel rā: ſeu ſtrāguriā largo° dictam. & eaď cura.
Facto tumore ⁊ facta embrocatōe ⁊ inūctōe dcā
ſilr̃ vꝫ medulla panis bullita in aq̄ ⁊ olo ro. reſol⸗
uit ⁊ maturat verū nō poſſet expectare tp̄s matu
ratōis: nec vrine cū tāta retētōe vrine. iō ſi applica
tur de hō in horā remoueat̃ ⁊ ēbrocet̃: ꝓut facie⸗
bat ga. ¶ Et ſi q̄s ſtrāgulatā vrinā ex lapillo iter
cluſo i collo veſice hūit: ꝙ nihil vrinet niſi guttati
qď pateſcit ex. 4. ſignis q̄ ponēt̃ in. c. de cura la⸗
pidis veſice. vel ſtrāgulabit vrīa. q: par vrinabit
cū difficul. ⁊ offē. ex lapillo i ꝯcauo veſice. qď pa
teſcit ex. 5. ſig̃s q̄ dicēt̃ infra de ꝯſi° ga. p°. de ite. i
c. p°. facias talē patiētē ſupine iacere ⁊ eleuat̃ pe
dib⁹ ⁊ tibijs magis toto corꝑe moueat̃ tibie bn̄ a⸗
gitā° huc ⁊ illuc fortit̃ vt lapis ď collo veſice egre
diat̃. poſtea pat̃. exꝑmat ſe vt mingat ⁊ ſi non vri
nat pat̃. 2°. ⁊ fortī⁹ moueat̃ ⁊ agitet̃ pedib⁹ magis
eleuatis toto cor. ⁊ agitet̃ radix vḡe ⁊ ꝑcutiat̃ cū
vola manus fortit̃. dic̃ raſ i ſuo ꝯti. poſtea exꝑ⸗
mat ſe vt migat. Et ſi n̄ vrinat adhuc i pone arga
liā ꝑ foramē vḡe vt lapis remoueat̃ ď collo veſice
dū lapis de collo veſice fuit remot⁹ talr̃ ꝙ patiēs

poſſit vrinare.ſ; cura lapidiſ.put diceť i cap°.ppo
de cura lapiđ renū ⁊ veᶜᶜ. ¶ Et ſi q̄s ſtrāgulatā;
vrinā h̄ūit ex carne addita in collo veᶜᶜ ppť aliqđ
vuln⁹ ibiđ gn̄atū qđ pateſcit: q: p̄ceſſit vulnus i
collo veſice vt patuit ex aliq̄li dolore i radice v̄ge
tpibus p̄teritꝭ ⁊ ex moᶜᵃ ſanie ꝉ aliq̄ gutta ſangui
nis exeūtib⁹ tpib⁹ p̄teritꝭ añ exitū vrie ⁊ ē vria exi-
bat cū mordicatiōe forti doloroſa in radice v̄ge
q̄ oia p tp̄s ceſſauerāt i q̄ vrina icepit aliq̄lr ſtrā-
gulari ⁊ guttatī expelli p tp̄s. de ɔſi° ga. p̄° đ inť.
in.c.p̄°. ⁊ intromittať argalia potiᵐᵉ i pte illa vbi
extimabat vulnera fuiſſe. nā ſtatī vrīa egredieť: ⁊
ſi bn̄ iponať fruſtū carnis ibi exorte ē guttatī ſan-
guis mox egredieť: vt ip̄e ponit ⁊ recitat. p̄° đ in-
ten.i.c.p̄°. loco dc̄o. ¶ Et ſi q̄s ſtrāgulatā vrinam
h̄ūit ex replōe ⁊ extēſiōe veᶜᶜ ɔpmēt collū veᶜᶜ to-
tuoſu; ⁊ debilitatē ei⁹ expulſiuā rōe extēſiōis lati-
tudialť: vt vrina i aliq̄ non valeat exire. qđ pateſcit
q: diu fuit ē volūᶜ ⁊ appetitu mīgēdi. ⁊ vrinaſſ; ſi
habuiſſet locū: ſ; exn̄s i loco venerabili i ɔſi°: ꝉ co-
rā p̄ncipe: nō potuit h̄ēre locū: vꝉ q: dormiuit bn̄
potat⁹ p.15. vꝉ.20. horas. ⁊ ſēſitia veſice fuit diu
ta. ppť qđ veᶜᵃ fuit mlťū repleta: ⁊ p ɔn̄s extenſa
ɔpmēs ei⁹ collū tortuoſū claudēs ip̄m opila°ᵉ co
artato ᵃ. vt p̄oīt Ga.6.de mor°.i.c.penltı°. ⁊.6.de
inte.in.c.3°. Iſte talꝭ patꝭ oino vitet pot⁹ apitiuos
⁊ oino abſtineat a cibo ⁊ potu. q: veſica magꝭ iple
reť ⁊ ſic patiēs pdereť. nā debiles in arte ſtatī ad
miniſtrāt aq̄s apitiuas crete. marine. petro. pan
thafilō ⁊ ſiſ̄es aq̄s ⁊ ſine dubio iterficiūt paciēte;
igrātes cām talꝭ ſtrāguᵉ. Medic⁹ ciuitatꝭ caſtrañ
lx. ānorꝝ ē appetitu vrinādi vſq; ppe meridiē i cōſ°
ville veniēs ad domū non potuit vrinare. ſtatī vo
luit ſumere pot⁹ apitiuos poſitos ab actoribus ⁊
inde vrina fuit ex toto retēta cāis iā dictꝭ mortu⁹ ē
i.8°. die Iſte iterfecꝭ ſeip̄m. Iſtū errorē tota die in
currūt medici. Deus miſeať nr̄i. nō ſine cā popu
lares dicūt nos homicidas. Et ſup h̄ nō: q̄ iſta cā
ſtrāguᶜ ſp ɔſeq̄ť alias cās ſtrāguᶜ ex opilatiōib⁹
ſ̄ dictꝭ. Si vltra diē n̄alem vrina ſtrāguleť ⁊ retinea
tur q: tūc nc̄cio veᶜᵃ mlťū repleť ⁊ nc̄cio extendiť
⁊ ſic collū magꝭ ɔſtrigiť ⁊ coartať. ppť qđ i ſtran
gulata vrina i toto q̄ nihil exeat ꝉ in pte. qđ pař ⁊
guttatī exeat ſi h̄ durauit p diē n̄alē vitādi ſūt po
tus apitiui i magꝭ q̄ntıᶜ ⁊ cib⁹ ⁊ pot⁹ oino p dies a-
liq̄s p̄t oti pillꝭis ad h̄ ⁊ balneis ⁊ argalꝭ vt ſtatim
declarabiť. ¶ Iſte ḡ patiēs abſtineat ex toto in
cibo ⁊ in potu ⁊ ab omi potu apitio. ⁊ accubet ſe
vt collū veſice iferi⁹ iaceat ⁊ cū manu ſua int⁹ tu-
mor veſice replete ⁊ tumefacte ex q̄ntıᶜ vrine ɔpri
mať. tūc vrina nc̄cio i aliq̄ paulatī ⁊ guttatī egre

dietur. h̄ ɔtinuet nocte ⁊ die ē abſtinētia dc̄a Et ē
h̄ imponať argaliā in pfundū. q: trahēdo ad ext
aliq̄d ſaltim de vrina expelletur. Et balneet ſe in
anchis pař ⁊ ſepe ne v̄tus debiliteť. Raſ cū de-
coctōe herbe camoᶜ edere cauliū ru. vtriuſq; ſti-
cados fumi colūbini. ¶ Et du; fuerit in balneo
vrinet manu ſua ɔp̄mēdo intus in radice v̄ge. et
ad iferius vt dc̄m eſt. Iſtud faciat pluries ⁊ pꝉies
nā balneū reſoluit. locus balnei embroceť locus
cū pānis lineis iſuſis in aq̄ tepida plib⁹ horis. ⁊
pꝉies accubando ſe ⁊ cū manu ſua ɔp̄mēdo int⁹
⁊ ad inferi⁹ in pitoneō vrinā incitādo vt exeat ſal
tim guttatī ⁊ paulatim minorādo ſi poſſibꝉe ſit: h̄
fiat de ɔſi° gaˡ. Raſ dic̄ i ſuo ɔtiᶜ in c° de renib⁹
⁊ veſica in fine caˡ: q̄ ſi vrina ex toto ſtrāguleť ex
aliq̄ cāꝝ dictaꝝ: q̄ patꝭ nullo° poſſit vriare de.4.
āt trib⁹ dieb⁹ cū remediȷ̄s dictꝭ: ꝉ aliȷ̄s expedit q̄
ſ; fiſſura anteq̄ ſit debilitatus inter cellā ani ⁊ te
ſticulos puo mō. Et ponať cannula i ea ad emit-
tendū vrinā q̄m meli⁹ erit q̄ viuat cu; ea: q̄ q̄ alio
modo moriať. v̄ba ſunt ad lrāꝝ ip̄ius raſ in loco
dicto. ¶ Et ſi q̄s ſtrāgulatā h̄ūit aliq̄lē ex debili-
tate v̄tutis expulſiue veſice: q: veſica nō p̄t ſe lati
tudinalr ɔp̄mere rōne male ɔplōis frie ꝉ h̄ūide.
vel rōne alicui⁹ nodoſitatis gn̄ate in ei⁹ ſupficie
rōne q̄ꝝ veſica nō p̄t ſe pfecte latitudinalr ɔp̄me
re. Ad qđ etiā faciat eius reple° ⁊ extētio in latuſ
vltra debitū. ſi vrina fuit diu retēta vt dic̄ Raſ in
ſuo ɔtiᶜ: ⁊ ga.6.de morbo.in.c.penulti°. ⁊ in.6.de
interiori.in.c.3°. qđ ſilr pateſcit ex puatōe ſigno
rū atteſtantiū ſup alias cās ⁊ ex ɔferētia accubi-
tus. vt collū veſice inferius iaceat vt dc̄m eſt. ⁊ di
ceť ſtatim ex intētōe gaˡ. p̄°. de inte. in.c.p̄°. circa
finē. ⁊.6.de morbo in.c.penulti°. talis accubat ſe
vt collū veſice inferius iaceat ⁊ cū manu ſua int⁹
tumor veſice inflate ⁊ tumefacte ex vrina ɔtenta
ɔp̄matur tūc vrina neceſſario. paulatī; egredieť
h̄ iterādo dū erit neceſſitas. q: p talē ɔpreſſionē
latitudinalē expulſiua veſice fortificať. Et inun-
gat ſibi pitoneō cū oleo nardino maſtiq̄ vel cum
ambob⁹ Vel ſic. ℞. olei nardini q̄rť.i. ⁊.ß. oli ma
ſtiq̄ q̄rť.i. olei antiq̄ nucū. q̄rť.i. olei nuq̄ indice q̄r
teriū. ß. maſtiq̄ ſilr puluizati.ʒ.iij. abſinˡ ſicci.ʒ.ß.
nuq̄ muſcati.ʒ.ß. cynamomi cipi caſſie ligneæ ga
riofiloꝝ an̄.ʒ.i. cere modicū ſ; vngᵐ liq̄dū. ¶ Et
ſi q̄s ſtrangulatā vrinam habuerit ex vlcere i col
lo veſice. vt vult Raſ in ſuo ɔtinēte in ca°. de re-
nibus ⁊ veſica ppe finem caˡ. q: veſica q̄ñ nititur
vrinam acutā expellere ſentiēſ ardorē in ea coa-
dunať ⁊ ɔſtringitur. ⁊ nō ē cauſa ſe latitudinalr
ɔprimere nec p ɔn̄s expellere. ideo vrina retineť

⁊ guttatim cũ dolore intollerabili ⁊ ardore fortiſ
ſimo ac ſi ignis tranſiret expellit̃. maxime q̇buſ
dam hoīs in mutatōe tpis ⁊ diete in q̇bus vrina
eſt mag̃ ardens ⁊ ſaniosa: vlcus eſt magis denu
datũ a ſanie. q: tunc caro magis contangitur. Et
patet ſic: quia tunc exeũt cõmuniter cortices par
ui ⁊ magni cum ſanie multa cum ipa vrina inci
taſ expulſiua veſice ad freq̃nte ⁊ ſepiſſimã micturã
hoc fit pluries in ꝓceſſu tpis in hñtibus lapillũ
vel lapillos triangulares aſperos in ipa veſica ra
tione agitatōis ipoꝝ vna cum feculentia ſalſoſa
calida multum ⁊ aduſta fluxa in veſica a ptibus
vicinis grauatis rōne colligantie ipius. In q̇bꝰ
oĩbꝰ in ꝓceſſu tpis vlceratur veſica ⁊ potiſſime
in collo vel circa. quia pars magis moll' ⁊ carno
ſa ſi lapillum vel lapillos habuerit. ❡ Iſti tales
abſtineant a ſalſis acutis ⁊ acetoſis ⁊ nutriantur
cum parũ frigidis ⁊ cõglutinatiuis aliqualit̃. vt
cum portulac ⁊ extremitatibꝰ porcoꝝ. vinum mul
tum limphatũ ſumant loco vini potẽt inter duas
comeſtiones: ⁊ in introitu lecti de iulep. vel ſiru
po violaceo. i. coclear cum media tacea aque ele
cte vel de lacte amigđ. Iſta fiant tempore multũ
calido: ⁊ in ardore intollerabili vrine ſitim tamẽ
non tollerẽt. quia fit acutior ⁊ ſi talis venoſus cũ
latis veīs venis fuerit flobothometur, in modica
q̃titate bis vel ter in anno de vena epatica. aliq̃
antiqui Raſis ⁊ plures alij laudant in hoc caſu
flōiam de ſophena. ſi ardor vrine durauerit. Sʒ
vidi ex tali flōia vnũ militem magis vexari ex flo
bothomia autẽ baſilice ſemper iuuatur. q: acui
tas ſanguinis ⁊ colere ⁊ aquoſitatis ſanguinis
diuertitur ⁊ euacuatur. In tali vlcere cõpetit po
tare modicum de mane lactis aſine vel capre ℥. l'
4. ℥. vel comedere. i. vel. ij. coclearia ſeminis me
lonum mundatoꝝ. vel facere lac amigđ. cuʒ ſe
mine melonum. balneat anchas i aqua decoctio
nis ſeminis lini ⁊ fenugreci equis partibus. Et
ſi tempus ſit multum calidum ponantur q̃ttuor
ſemina frigida cum amigdal' equis partibus fi
at cum aqua electa ⁊ potet medium vitrũ de ma
ne ⁊ in introitu lecti: quia ardor vrine quo patieſ
multum vexatur remittitur. ❡ Raſis autẽ in ſuo
continente pre ceteris potibus laudat per inter
ualla aquam caſei ſeu ſerum caprinum in vlceri
bus renum ⁊ veſice quia lauat illa loca ⁊ prouo
cat vrinam ⁊ mundificat ſaniem ⁊ corrigit acui
tatem vrine ⁊ declinat coleram ad inteſtina. V̇ba
ſunt Raſis in ſuo continente. opinor autem: ꝙ
ſi fuerit acetoſa magis valeret. Raſis laudat ſi
militer ſumere modicum boli armenici cum aq̃
plantag̃ ⁊ modicum ſanguinis draconis. Et lau
dat puluerem de quattuor ſeminibꝰ frigidis ma
ioribus ⁊ ſe. papaueris ponitur ſic in forma. ℞.
ſe. melonum excorticatoꝝ. ℥. ij. ſe. citrulli. cucurbi
te portulace papa. albi. añ. ℥. ß. ſeminis iuſq̃ami
ʒ. ij. panis zuccari. ℥. iij. fiat puluis ſero ⁊ mãe ca
piat vnum coclear cum ſirupo viol' vel iulep viol'
vel cum modico aque ordei vel lactis amigđ. vl'
aque plantag̃. vel portulace. Raſis in ſuo conti
nente vult: ꝙ in iſto caſu inijciatur ꝑ virgam cuʒ
ſiriga: ſeu cliſterizetur veſica cum lacte capre vbi
ſit modicũ ſarcocolle amidi ⁊ ceruſe ſubti^me^ pul
uerizatoꝝ: quia cõſolidat iſta iniectio. Ideo fiat ter
vl' quater in die. vel fiat iniectio de muſcillagine
ſeminis biſmalue ⁊ citonioꝝ cum lacte mulieris
quia non grauat eos. ❡ Et ſi q̇s ſtrangulatã vri
nam habuerit ex opilatione ⁊ coartatōe colli veſi
ce ratione lacertoꝝ colli ſpaſmatoꝝ ratione ma
le cõplõnis ſicce ꝑut contingit in febribus ardẽ
tiſſimis mũgatur in partibus illis cum oleo viol'
⁊ fiant illa que fiũt in ſpaſmo. de inanitōe. ❡ Et
ſi quis ſtrangulatam vrinam habuerit ex toto: ꝙ
nihil vrinet eo ꝙ veſica eſt vacua. q: nihil de vri
na tranſit a renibus ad veſicã ꝓpter opilatōʒ hu
moralẽ viſcoſam feculẽtã vel apoſtemoſaʒ in ill'
vijs ſeu poris vritideſ ꝑ q̇s trãſit vrina a renibꝰ ad
ipam veſicã q̃ ꝓprie non debet appellari ſtrãgu^a^
nec habet nomẽ ydoneũ. vt eſt ſupius recitatum
intentōne Ga'. in. 6. de morbo in ca°. penul°. qđ
patet: q: tales non appetunt vrinare. nec intromiſ
ſa argalia aliquid poſſunt vrinare nec multũ: q̇a
veſica eſt vacua ⁊ talis vixit in ocio corpali i abũ
dantia cibi ⁊ potꝰ g̃ſſos hũores ⁊ viſcoſos g̃nan
tibꝰ vt ſunt cibi ⁊ potꝰ romani. q: pl'es hñt iſtũ ca
ſum trahẽdo morã in ciuitate romana. vt ẽ certũ
de cardinali Tabrẽſi. q̇ vixit. 11. diebꝰ ſine vrina:
verũ q: pl'ies vomebat vrinã. Idẽ caſꝰ cõtigit dño
Grego° felic̃ recordat̃. pp. ii. Iſti icurrerũt caſuʒ
ex opilatōe hũorali dolebãt i anchis qđ pʒ q: nõ
febricitabãt niſi i fine ap ꝓpinq̃nte morte. Alĩ ẽ
caſus ex opilatōe apoſa ſtati febricitãt c̃ dolore i
ãchis cõtigit q̇buſđ ex cõcuſſiōe l' cãu. Quẽ caſuʒ
vidi i vno nobl'i cõcuſſo forti^me^ i ãchis ab inimic̃ ſu
is q̇ vixit febricitã° ſine aliq̃ vrīa vſq; ad. 14. diẽ ſſu
it tñ factꝰ totꝰ citrinꝰ i colore herbaꝝ ſemivindiuʒ
⁊ fuit mortuꝰ i. 14^a^. die. Iſtis talibꝰ fiat flōia de
epatica vtriuſq; brachij. Cõſeq̃nt̃ de ſiluestra ſo
phena extrahat̃ de ſanguine talit̃. ꝙ poſſit tollera
re pa. Cõſeq̃nt̃ ſi nõ patiat̃ ex apoſtemate balne
entur in anchis i herbis remollitiuis poſit̃ ſupra
in cura ſtrangurie puerorum nouiter natorum.

Et deneꝗ potus ordinati ſupius in cura ſtrāgurie
ex opilatōe colli veſice a ſordido viſcoſo feculento
vel hūorali vel ex ſanie l' ex ſanguie coagulato. ñ
oꝫ b' illa reiterare c̄ q̄bus ſpvtari aq̄ achori q: for
tit̄ ꝓuocat ⁊ apit. ſ̄apio i ſimplicib⁹ i p° t̄c. de me
dicis ꝓuocātib⁹ vrinā. Medicine frāgentes lapi
dē ſilr̄ valēt ex q̄ diſſoluūt lapidē in renib⁹ ⁊ ve^ca
⁊ diſſoluūt ſanguiem coagulatū i collo veſice. vt
recitat ga⁹. 6. de inte. in. c. 3°. ꝓpe finē ca^l. bñ pñt
diſſoluere feculentiā poꝝ vrīdes. Vel ſic ex raſi
i ſuo ꝯti^e ℞. lxx. g̃na pipis fac. 7. trociſcos da ſ̄o
⁊ mane. i. trociſcū in potu cū aliq̄ aq̄ achori l' pe⸗
tro vel cicerū nigroꝝ q: mltū apit diſſoluē°. ⁊ fiat
ſibi vng^m de mirra ⁊ armo^co. ℞. mirre ru. ʒ. ij. ar⸗
moniaci diſſoluti i vino. ʒ. iij. olei ſiſamin l' de lilio
lꝫ. ſ̄. cere modicū ſ̄. vng^m liq̄d inūgāt ptes ille ⁊
lūbi ⁊ renes ſero ⁊ mane vtat̄ pill'is d' ſola mirra
ſero añ cenā ⁊ de mane. ʒ. i. vl' plus. ❡ Et ſi q̄s diſ
ſurriā ſeu ſepiſſimā paucā ⁊ liberā micturā hūit
q: mag̃ mictura attinet diabetice vl' diarrie vrine
⁊ nō diſſurie. vt vult raſ̄ i ſuo ꝯti^e. iſta pauca liba
ſepiſſima mictura. alīi a ga. appellat̄ ſ̄mone cōi
ſtrāgu^a. ſic loq̄t̄. 5°. āpħ. ſup illo cañ. in ano fleg⸗
monē patiētē: lꝫ ꝓpe ñ ſit ſtrāgu^a ex q̄ eſt liba mi⸗
ctura. Et tal' ſepiſſima mictura: ⁊ liba fit cā du^cl.
vt vult ga⁹. in ꝯ°. cañ ſtati dicti. nā fit q: ꝯtētiua ve⸗
ſice deficit i actōe ſua q̄ eſt ꝯtinere vrinā rōe apa
tis ani. vel matric̄: vl' inteſtini vl' in ſeipa. vel defic̄
in illa actōe rōe male ꝯplōnis frie ⁊ hūide. vl' fre
⁊ hūide in ea. vel fit q: expulſiua ei⁹ vltra debitū
incitat̄ expellere ab vrina acuta in ſe ⁊ poti^me rōe
ma^e ſanioſe venientis cū vrina a renib⁹ l' a ptib⁹ ſu
perioꝛib⁹ ⁊ c̄. ❡ Si q̄s g̃ iſtā ſepiſſimā micturam
rōe apāt̄ ani l' matric̄ l' inteſtini l' ipi⁹ veſice hūit.
q̄d pateſcit ex dolore forti in ill' ptib⁹ cū fe. nōbili
ſ̄lōet̄ ſtati d' epa^ca ⁊ capiat. ʒ. ij. medullaꝝ caſſiet̄
cū decoctōe prunoꝝ vuaꝝ ⁊ caricaꝝ. ❡ Cōir ſ̄lōet̄
de ſophenis ptis domeſtice inūguēdo i ill' ꝑmiſ
dieb⁹ oēs illas ptes cū ol'o roſ̄ vnfancino. ⁊ i de
fectu miſceāt̄ cū cōi de aceto modicū bñ agitā° et
incorpando ſil' in morta°. vel inūgāt̄ cū ol'o mir⸗
tilloꝝ tpib⁹ ſeq̄ntib⁹ addat̄ modicū olei camo^e ʒ^a
ps ⁊ ꝯīr medietas vel ponat̄ deſup medulla pāiſ
bullita in aq̄ ⁊ ol'o. ro. ⁊ fiāt alia, put dꝫ fieri i cura
apatū. ❡ Et ſi q̄s ſepiſſimā micturā ⁊ liberā ſat̄
⁊ ſine dolore hūit ex mala ꝯ^e frīa ⁊ hūida debilitā
te ꝯtentiuā ipi⁹ veſice ſic̄ alīi debilitat ei⁹ expulſi
uā. vt eſt dēm ſupi⁹ in vna cauſa ſtrāgu^e. q̄d pate
ſcit. q: fuit iſ̄ratus in āchiſ. ⁊ vrina nō eſt acuta n^e
hꝫ dolorē in ptib⁹ ill': nec alia ſig̃ atteſtā^a apata.
in ptib⁹ ill'. Inūgatur i ptib⁹ ill' cū ꝯpo° de ceſto

vel cū ol'o de caſtoreo. vl' cū ol'o maſtic̄ l' nucū an
tiq̄. Vel ſic. ℞. olei maſtic̄ olei ātiq̄ nucū. añ. q̄rt̄
i. olei nuc̄ idice: olī d' abſin° añ q̄rt̄. ſ̄. nuc̄ muſc. ſ̄
ti^me pulūzate. ʒ. ij. maſtic̄. ʒ. iij. corallī rub. ʒ. ſ̄. ſal
uie ſicce. ʒ. i. caſtorei. ʒ. ſ̄. cere modicū ſ̄. vng^m liq̄⸗
dū. vtat̄ diaciminoꝝ calefaciat ānchaſ ſuas añ ⁊ re
tro p'lies in die ad ignē. ⁊ cū pānis lineis multū
calefact̄. vtat̄ dieta cal'a ⁊ herbis cal'is ſaluia ma
iorana. vino ru. g̃ſſo vitando offas. ❡ Et ſi q̄s diſ
ſurriā hūit ex acuta vrina i ſe vl' cū multa ſanie ve
niēte a renib⁹ pūgēte ⁊ incitāte expulſiuā ve^ce vlt̄
debitū. ꝓpt̄ q̄d ſepe ⁊ ſepi⁹ expulſiua ei⁹ libe vēit
in actū ⁊ vrinat q̄d nō fit q̄ñ cū tali vrina ⁊ ſanie ē
lapis g̃ſſus in ipa ve^ca: q: ē ipediēs aliq̄lr trāſitū
vrine p collū aſſiſtē° q̄ſi iux̄ collū veſice. ſilr̄ nō pt
ſe latitudinalr̄ ꝯpmere ꝓpt̄ q̄d q: ſtrāgl'at̄ vrina
in aliq̄: ⁊ nō exit libere dꝫ dici tūc ſtrāgu^a ⁊ nō diſ
ſuria. lꝫ ſit pua ⁊ ſepiſſima mictura rōe ꝯtētiue ve⸗
ſice debilitate rōe g̃uitat̄ lapilli ⁊ rōe expulſiue ve
ſice vltra debitū icitate ab acuitate vrine ⁊ ſaniei
veniēt̄ a ſupioꝛib⁹: vt ē dēm. Tal' ſumat. ʒ. ij. me⸗
dull' caſſiet̄ diſſo^e cū decoctōe prunoꝝ vuaꝝ ⁊ ca
ricaꝝ ⁊ vtat̄ aq̄ mell' vl' aq̄ ordei vbi ſit modicū
mell'. vtat̄ ſ̄o ⁊ mane i q̄ti^e mediū gobelli vt ptes
ille purgētur a ſanie. Raſ̄ vult i ſuo ꝯti^e. q̄ vtat̄
lacte aſine cū melle ⁊ aq̄ mell' facta cū ſeib⁹ cucu
meris ⁊ melonū ❡ ℞. ſe. cucumeris ⁊ melonū añ. ʒ.
ij. mell' electi. q̄rt̄. i. ſ̄. mellicrū colatū c̄ du^cl pāno
de lana ad. lꝫ. i. ⁊ ſ̄. l' ſ̄. aq̄ mell' cū decoctōe capil
li ve. vl' rad' raphani vl' achori vitā° acuta ſalſa vtē
do ol'o ſiſamiō. Tales potēt lac capre de ſe vl' cū
luto armēo tales balneēt anchas ſuas i aq̄ deco
ctōis ſeis lini ⁊ fenu^cl mltū pſic̄ i ſanie renū ⁊ ve
ſice. raſ̄ in ſuo ꝯti^e. Iſta tibi ſufficiāt in ma^a iſta
tibi ſat̄ delucidata p grām dei.

❡ Capl'm. 15. de lapide renum.

Um eger virgā ſepe fri⸗
cat ⁊ manu tractat ipa q̄ꝫ
q̄ñqꝫ erigit̄ ⁊ areſcit ⁊ vri⸗
na difficulter ⁊ cū dolore
egreditur in q̄ egritudine fortaſſe
etiā longū q̄ñqꝫ exit lapis in veſica
eſſe ſignificat̄. Si aūt eger ſētit cū
difficultate mingēdi vehemētē do
lorē in renib⁹ ⁊ in emūctorijs ⁊ nau
ſeā ⁊ vētris cōſtrictionē in renib⁹

lapis eſſe mõſtraꝛ lapidi v̇o qui ē
in veſica ꝯfectio iſta vtilis exiſtit.
⁊ ē optima ad frãgẽdũ lapidẽ cuz
vetuſtꝰ fuerit. Ego ēꝫ iã fregi cuz
eo magnũ lapidẽ in ſpatio mino-
re q̃draginta dierũ. Cuiꝰ ꝯfectio
℞. carpobalſami ſeminiſ raphani
dauci olixatri ſemis corticis radi-
cũ oppoponacis corticis radicum
capparis amigdalaꝝ amararũ dã
no cocti ſquinãti ciperi ſpice inde
caſſielignee ſaculo fundurĩõ har
mel gẽtiane ariſtologie rotũde a-
zari cordumẽi armoniaci ſerapini
bdellij pipis achori oĩz ꝑtes eq̃leſ
gũme ſufficiẽti balſamo diſſolute
malaxẽꝛ ⁊ ex eis alie ſpẽs ꝯficiãꝛ
Ex q̇bus informẽtur pillule ⁊ ſu-
mãtur ex eis in die. ℥. i. cum apoſi-
mate de ſeminibꝰ. Quãdoꝗ etiã
ſexta ꝑs. ℥. i. de cinere ſcorpionuz
ſimul cũ eis daꝛ cinis v̇o de ſcorpi
onibꝰ hoc mõ fit ſcorpiões ſumã
tur ⁊ in ollã nouã poſiti os habẽ-
tem opilatũ ſuꝑ lacertulũ ĩ furno
mittãtur in quo nõ ſit vehemens
calor ⁊ ſint ibi ſex horarum ſpatio
Deinde extracti pulueriƺenꝛ ⁊ re
ponãtur. Eger v̇o nutriaꝛ ex aq̃
ciceris ⁊ caligie ⁊ mutagenat. Et
abſtineat a lacte ⁊ caſeo ⁊ ab alijs
cibis groſſis ingrediaꝛ tinã ĩ qua
ſit aqua ĩ qua cocta ſint folia cau-
liũꝛ eſulaꝛ berẽgeſif ⁊ mẽtaſtrum
⁊ fimꝰ colũbinꝰ ⁊ medulla ſemĩs
croci ortulani femur etiam ĩunga

tur ex oleo ꝺ̃ ſcorpiõibꝰ ⁊ diſtilleꝛ
ex eo in v̇gam oleũ de ſcorpionibꝰ
℞. ariſtologie rotũde gentiane ci-
peri corticis radicũ capparũ omni
um añ. ℥. i. hec omĩa in libra. i. olei
ꝺ̃ amigdalis amaris poſita ad ſo
lem ꝑ ebdomadam vnã dimittan
tur ⁊ colẽtur ⁊ exprimãtur ⁊ ꝑvna
quaꝗ libra ex eo adiũgãtur ei ſcor
piones decẽ ⁊ totũ in vaſe cuiꝰ os
opilatũ ſit miſſum ad ſolẽ ꝑ duas
ſeptimanas moreꝛ. Deinde coleꝛ
⁊ reponaꝛ. Eſt em̃ optimũ mira-
bile de quo quotidie in virgã gut
tati fundẽdus ē poſtq̃ eger de ti-
na egreditur. Qꝺ̃ ſi lapis magnꝰ
fuerit nõ inueniꝛ aliud remediuz
niſi vt cũ inſciſione extrahatur de
hoc tam̃ loqui cũ libri huiꝰ modũ
excedit. Cũ aũt in renibꝰ fuerit la
pis eger frequẽter tinã ingredia-
tur et renes ⁊ ylia ⁊ ex oleis inun
gãtur ⁊ ex eis que locum calefaci-
unt deſuꝑ cũ panno ponantur vt
ſunt ea q̃ noĩauimꝰ. In potu quo
ꝗ ſumãtur ea q̃ lapidẽ frãgunt. ſi
aũt lapis ceciderit ⁊ ĩ v̇ga ⁊ obſta-
culum fecerit aq̃ calida ab alto di-
ſtillãdo ei ſuꝑfundaꝛ donec rube
re videatur. Deinde oleũ tepiduz
guttati ſupiaceaꝛ ⁊ friceꝛ. ⁊ ſi ne-
ceſſe fuerit ad exteriora ſugaꝛ. Ex
hoc em̃ mouebiꝛ lapis ⁊ exibit ſꝫ
ſi magnꝰ fuerit ⁊ difficilis neceſſe
eſt vt virga inferiꝰ incidatur ⁊ ex-
trahatur.

E lapide renū ⁊ veſice q̄a
de cā ⁊ modo ge
neratiōis ⁊ de coꝝ ꝯſeruatiōe ⁊ cura
Prius aūt loquamꝛ de cā ⁊ mō gn̄a
tionis lapidis ⁊ arenularū in ipſis renibuſ cum
talia magis ⁊ frequētius ꝯtingant ꝑncipibus ⁊
alijs maioꝛibꝰ. Scriptū eſt a ꝑncipe,artis.vᵒ.de
iuuamētis mēbꝛoꝝ.⁊ Raſ in ſuo cōtinēte.⁊ ab
auīc.in.3ᵒ.cañ.ꝙ renes ſunt duo mēbꝛa creata a
natura vt ſanguinē mundificēt a ſupfluitate aq̄⸗
ſa ipam attrahēdo.Et qꝛ talis ſupfluitas ē mul⸗
ta ⁊ plurima in coꝛpe noſtro fuit neceſſariū i natu⸗
ra vt crearetꝛ vnū mēbꝝ magnū aut duo parua
ad attrahendū illam.Si eēt vnū magnū foꝛſan
coartaret partē vicinā ⁊ opp̄meret ipſam.loco ḡ
vnīꝰ creata ſunt duo ⁊ eſt iuuamentum in hoc vt
cū nocumētū acciditvni alter ſtet ꝯcū magna pte
opationis puta attractiōis talis aquoſitatꝭ. Ver
ba ſunt ad litterā.Et ſubdit in lr̄a ꝙ ſunt mēbꝛa
creata dura vt meliꝰ attrahāt ſemirubea cū con
cauitate ſatis magna ⁊ oblonga in q̄ recōdatur
magna ⁊ multa aquoſitas in qua multi lapilli ſi
mul pn̄t generari vt dicetꝛ ſtatī in ſequētibus.Et
poſitus eſt ren dexter ſupꝛa ſiniſtrum in altioꝛi lo
co q̄ſi cum tangat ipm epar vt magꝭ ⁊ melius at⸗
trahat ab eius gibbo in quo abūdat talis aquo⸗
ſitas.quilibet eoꝝ habet duo colla ſeu duos me⸗
atus vnꝰ ꝓtendit a q̄libet ad gibbū epatis cū q̄
fiat cōtractio aquoſitatis dicte que ſi deficiat ex
opilatiōibus vel ex defectiōe eoꝝ vt pluries con⸗
tingit vltra debitū coeūtibꝰ regurgitabit ad ꝯca
uitates ꝓpinquas:puta inter ciſach ⁊ mirach:⁊
ſic vēter tumeſcet ⁊ cābitur ydropiſis. Alter eſt
poꝛꝰin vtroq̄ꝫ q̄ ꝓtēdit ad ipaꝫ veſicā ꝑ quos ip
ſi expellunt dictā aq̄ſitatē ad ipam. Poſtq̄ rece
perūt vnctuoſitatē ſanguinis a dicta aquoſitate
ꝓ eoꝝ nutrimēto. Iſti poꝛi vocātur poꝛi vꝛitides
5ᵒ.de iuuamētis.⁊.6ᵒ.ꝺ interioꝛibꝰ. Si tlēs clau
dantꝛ de poſſibili a feculētia vel ab hūoꝛibꝰ apo⸗
ſtemoſis ceſſabit trāſitꝰ aquoſitatꝭ ex toto ad ip⸗
ſam veſicā.iō nō mingūt in aliq̄ nec migere ap⸗
petūt. Vidi tres tpe meo vt tibi recitaui in caᵒ ꝑ
cedenti de ſtranguria.

Secūdo nota generatiōem lapidū ⁊
arenularū in renibus ex ma⸗
teria ibidē retēta ⁊ multiplicata ⁊ ex caloꝛe renū
exſiccāte illam ⁊ lapidificāte tanq̄ a cā materia⸗
li ⁊ efficiēte cōpletꝛ q̄ caloꝛe renū excedēti nefre⸗
tici cōiter ſunt libidinoſi.Matia vo hoꝝ eſt aliq̄
liter viſcoſa humida.mediocriter groſſa trahens
ad naturā ſanguis flāticā ⁊ coloꝛe flātice:puta vi
telline vel citrine:ꝓpꝫ qꝺ ex natura talis matie
lapilli ⁊ arenule contrahūt ⁊ acq̄rūt aliquez ru⸗
boꝛē ſm plus ⁊ minꝰ ſm ꝙ eſt matia talis vl̄ talꝭ
Verū natura renū ad hoc ſilr̄ adiuuat:qꝛ ſubſtā
tia eoꝝ carnoſa ē cū ruboꝛe aliq̄li fit rōne matie:
⁊ loci ſunt rubicūdi:ꝫ ꝙ gn̄ati in veſica ſuntꝭ ali⸗
qualr̄ albi rōne matie,⁊ loci vt dicetꝛ infra.Et vi⸗
ſcoſitas in tali matia dicta eſt ſatis ſubtilis ⁊ ae
rea in ſubā qꝺ pateſcit ſilr̄ q̄a cito i pauc̄ diebus
reſoluitꝛ ⁊ euapoꝛatꝛ a caloꝛe excedēti ipoꝝ renuꝫ
⁊ arenule generantur.Nam aliq̄n illa viſcoſitas
matie recōdite in cōcauo renali ex toto reſoluitꝛ
⁊ i eiꝰ exiccatōe tūc ⁊ ptes illiꝰ matie exiccate nō
remanēt ligate in aliq̄:imo diuiſe ⁊ ſepate ſic ge
nerātur arenule q̄ cū vꝛina q̄tidie expellūtur.Ali
q̄n illa viſcoſitas nō eſt ita ſubtilis nec aerea ꝓ⸗
pter qꝺ ex toto nō ſic reſoluitꝛ:nec euapoꝛatꝛ a ca
loꝛe renū excedēti exiccante illam matiā ꝫ rema⸗
net aliq̄lis nō tn̄ ſufficiēs ad ligandū totā mate
riā ꝯtentā in toto cōcauo renali oblongo in lon⸗
gitudine digiti ꝑui in ſimul:ꝫ bn̄ ſm ptes.iō plu⸗
res lapilli ſimul generātur in dicto ꝯcauo renali
ꝓpꝫ qꝺ videmꝰ in fine poxiſmi in nefreſi ſucceſ⸗
ſiue expellere cū vꝛina plr̄es lapillos ali̇.3.ali̇ q̄t
tuoꝛ aliq̄n plures:⁊ ſunt magni vel ꝑui ſm plꝰ ⁊
minꝰ ſm ꝙ remāſit de viſcoſitate dicta in matia
q̄n foꝛtitꝛ exiccabatꝛ verū ex arenulis gn̄atis i di⸗
cto ꝯcauo renali pn̄t lapilli ſilr̄ gn̄ari ꝓpter ma⸗
teriā viſcoſam ſupuenientē cuꝫ aquoſitate dicta
ligante ⁊ cumulāte plures arenulas in vnū.ideo
arenule apparentes in vꝛina ꝓnoſticāt futurū la
pidē in renibꝰ ex ſe ꝑ viā cumulatiōis dicte. Vel
qꝛ ſiḡt fluxū matie viſcoſe ad ipos renes venie
tis aut in fine poxiſmi in nefreſi ſiḡt eiꝰ diſſolu
tionē.¶Et ſup h̄.nota ꝙ talis matia gn̄ationis
lapidis ⁊ harenularū in ipis renibꝰ magꝭ multi⸗
plicatꝛ ⁊ ꝑ ꝯn̄s lapidis ⁊ harenulaꝝ gn̄at a.xxv.
anno vſq̄ꝫ ad.xl.vel circa:qꝛ tūc digeſtiue prime
potiſſime incipiūt claudicare.Et ipi volētes foꝛ⸗
tificare eoꝝ digeſtiuas vtūtur cibis ⁊ vinis cali⸗
dis magis ſolito ⁊ q̄buſdam alijs faciētibus ad
feſtinū trāſitū chiloſitatis ad epar ⁊ hūoꝝ aquo
ſitatis ad venas ante ꝑfectā depurationē eoꝝ
⁊ ꝑ ꝯn̄s ad renes vt ſtati declarabitꝛ. In ſenio āt
⁊ in infantia ⁊ pueritia multiplicātur magꝭ mat
groſſe flātice cū viſcoſitate groſſa n̄ ſic adherēte
in concauo renū:potiſſime in mulieribus ⁊ i flā
ticis ꝓpter qꝺ nō generātur in eis lapilli in reni
bus.Similiter quia in talibus nō concurrit cau
ſa efficiens lapillum puta caloꝛ renuꝫ excedens
lapidificans matias tales ⁊ retinēs in ipis reni

bus vt dicetur ſtatim. nec talis mafia in eis ē ſic
lapidificāda quia eſt magne humiditatis ꝓpter
qd nō fit in eis ſic generatio lapidū ⁊ arenularū
ꝑut in alijs iam dictis.

Tertio nota ⁊ aduerte talis mafia lapil-
loꝝ ⁊ arenularum retinetur in re-
nibus vltra debitum tribus de cauſis. vna ſatis
ꝑncipalis eſt caliditas renū excedens que exſic-
cando reddit eam inabilē fluxui ⁊ expulſioni.
¶ Similiter quia talis caliditas excedēs debili-
tat expulſiuā renū: quia oīs expulſiua membri
officialis opatur ſuam bonā actionē cū minori
calido ⁊ nō ē calo excedēti. 6ᵉ. de morbo in. c. pe-
nultimo. Idē dicit Auic. ꝑmo cañ. d. de vtutibus
Propter qd dicūt ꝙ virtus expulſiua opatur in
ſui excellentia ꝑ frigidū ⁊ humidū in reſpectu q:
per minꝰ calidū. Sic talis calo: excedēs eſt cau-
ſa retētionis indebite talis materie in ipis reni-
bus modo duplici dicto. Propter qd dicit Auic.
3ᵒ. cañ. f. xviij. in. c. ꝓprio. quia calo: excedēs re-
nū eſt foꝛtē retentiōis talis mafie in ipis renibꝰ.
¶ Scda cauſa talis retētionis mafie in eis eſt
natura ipius mafie quia viſcoſa viſcoſitate ſub-
tili aerea eſt magis adherēs ⁊ minus obediens
expulſioni. Et quia iſte due cauſe deficiūt in pue-
ris ⁊ in flātiq ⁊ in mulieribus. ideo mafia flāti-
ca que cū vrinis eoꝝ expellit nō cōuertit in lapi-
dem nec in arenul in ipſis renibus ſed bñ in ve-
ſica vt infra dicetur. ¶ Tertia cauſa eſt retētōis
indebite talis mafie in ipis renibꝰ ⁊ magi ꝑnci-
palis eſt ſtrictura ⁊ clauſio viarū ⁊ meatuū ipo-
rū renū ⁊ partiū ſubiacētiū a gñatōe vt vult ga.
.xiiij. de inge° in. c. x. vbi dicit ſic ꝙ balneati pꝰ ci-
bū nō incurrūt lapillos i renibꝰ niſi habētes re-
nes ſpiſſos ⁊ viſcoſos ⁊ vias eoꝝ anguſtas ⁊
ſtrictas. maxie ſi vtant cibis opilatiuis groſſum
ſanguinē gñantibꝰ. ⁊ pꝰ ſaturitatē taliter balne-
ent: ſic pꝫ tibi mafia lapilli q: ſanguis groſſus i
ſe vel ex poꝛtione co. groſſe puta vitelline com-
mixte. Iſta lra allegat ꝓpt iſtā cām lapilli magi
generātur in coꝛpoꝛibus carnoſis ⁊ coꝛpulentis
ad talē ſtricturā viarū facit cōſtipatio ventris co-
artans dictas vias rōne fecis.

Quarto nota ⁊ attēde talis mafia la-
pilloꝝ ⁊ arenularū multipli-
cat in ipis renibꝰ triplici de cauſa in gñe. ⁊ mul-
tiplici in ſpē pluribꝰ cōcurrētibꝰ interduꝫ. Una
cauſa in genere ⁊ magis ꝑncipalis eſt caliditas
renū excedēs per viam attractionis indebite aq-
ſitatis ſanguinis ⁊ non bene depurate: nam qa
renes caleſcunt ⁊ exſiccant vltra debitū magis
ſitiunt ⁊ magis attrahunt auide volentes refici
de vnctuoſitate aqſitatis ſanguinis. ſic illa mul-
tiplicatur. ¶ Scda cauſa in genere multiplicās
materiā talem in ipis renibꝰ eſt abundantia ma-
terie innaturalis flace ⁊ colerice in ꝑmis duabꝰ
digeſtiuis puta ſtomachi ⁊ epatis que mafie ex
quatuoꝛ rebus ꝑmitiuis cōiter multiplicant: pu-
ta ex cibo groſſo viſcoſo ⁊ male digeſtionis. Si-
militer ex aquis turbidis vel limoſis vel multuꝫ
frigidis. Similiter ex ſacietate nauſeatiua potiſ-
ſime diuerſarum carnium ⁊ diuerſoꝝ piſciū. Si-
militer ex voꝛacitate comedēdi ſeu ex mala cibi
maſticatione. Iſte explicabuntur magis infra i
pꝛeſeruatione. ¶ Tertia cauſa in genere multi-
plicans talem materiam in ipis renibus eſt om-
nis res faciens ad feſtinū tranſitū humoꝝ ⁊ aq-
ſitatis ad ipſas venas. Iſte res ſunt ſeptē in ſpe-
cie. ¶ Quarum vna eſt ⁊ magis cōmunis lati-
tudo viarum ⁊ venarū epatis ad ipos renes: ⁊
latitudo oꝛificioꝝ venarum que continguantur
cum ipſis renibus. ⁊ hoc eſt ratione caloꝛis exce-
dentis: nam per venas latas ⁊ meatus feſtinat
tranſitus materie multe non depurate ab expul-
ſiua expellente ⁊ per oꝛificia lata venarum con-
tiguatarū cum ipis renibus ad quod de poſſibi-
li adiuuat ſtrictura concauitatis ipſoꝛum renum
⁊ partium ſubiacentiū ex erroꝛe informatiue v-
tutis ex tali cauſa calculus eſt paſſio hereditaª
calculoſus calculoſum generat. ¶ Alia res feſti-
nans tranſitum eſt cibus multū calidus puta in
ſcdo gradu ⁊ vltra: nam eius chiloſitas ratione
acuitatis feſtinat tranſitum ad epar ⁊ humoꝛes
inde generati ad venas. ¶ Alia res feſtinās trā-
ſitū ē vinū foꝛte ⁊ multū calidū in nafa vt verna-
cha vinū coctū ypo. vinū purū ⁊ male liphatum
ꝓpt eandē cām. Ex iſto capite plēs ſunt nefreti-
ci ⁊ guttoſi credētes ꝯfoꝛtare ꝑmas digeſtiuas
qd nō faciūt nā talia vina ꝓpt citā penetratiōeꝫ
ſunt cā gñatiōis flātis. hoc vult Raſ in ſuo con-
tinēte. Idē dic auic. 3ᵒ. cañ. hoc ponit goꝛdonius
auctē illoꝝ in. 6ᵒ. liᵒ in. c. pᵒ. ¶ Alia res ⁊ 4ª eſt
vinū ſubtile vt vinū albū ⁊ clarū: nā talia ex eoꝝ
natura q: ſubtilis ſube aliqualiter cale nccio pe-
netrāt ad mēbꝛa añ eoꝝ depurationē. Silr talia
apitiua ex ſuba ⁊ ex qlitate nccio poꝛtāt ⁊ ducūt
ſecū aliqd de ſoꝛdido ad partes renū. nam tātuꝫ
⁊ plꝰ apponūt ipis renibꝰ ꝙtū deponūt ab eis ꝓ-
pter qd raſis in ſuo cōtinēte iubet ꝙ talis occaſi-
onatus vtatur cōtinue inciſiuis ⁊ nō ꝓuocan-
tibus vrinam niſi ſemel in ſeptimana. Et in hoc
errat maioꝛ pars medicoꝛum adminiſtrantium

vina alba ⁊ ſubtilia talib⁹ in dieta vt diceť infra
Quita res feſtinās tranſitū ⁊ agilitatē advenas
ante eoꝝ pfectā depuratōem ē feſtin⁹ potus i pn
cipio prādij cuiuſcūq; vini. nā chiloſitas inde ge
nerata nō inueniēs obſtaculū ⁊ quia ſubtilis in
ſuba cū aliquali acuitate cito penetrat ⁊ feſtiat
tranſitū ad epar ⁊ ab epate ad venas. Et cū hoc
addit in cām efficientē lapilli ⁊ arenularū. Alia
res ⁊. 6ª. faciēs ad feſtinū trāſitū hūorum ad ve
nas renuꝫ eſt malicia exercitij port^me in anchis
ante cōplemētum pme ⁊ ſcđe digeſtiōis vt eqta
re equū aſperi por⁹ vel tāgere mulierē de facto:
q; ptes illas rarificāt ⁊ cauſat motū violentū in
hūoribus. Septima res feſtinās tranſitū hūorū
ad venas eſt calefacere anchas ⁊ dorſum adiq-
nē vel iacere ſup plumā potiſſime viceuerſa tlia
calefaciūt ⁊ rarificāt ptes illas ⁊ humores. ⁊ ad
dūt in cām efficientē dictā. patet ergo tibi cauſa
triplici in genere ⁊ multiplici in ſpecie ꝙ maťia
multiplicať in renib⁹ q̄s oportebit euitare ⁊ cor-
rigere in pręſeruatiōe vna cū quattuor cauſis re
tinētibus materā in ipſis vt clarius diceť infra.
¶ Si tu q̄ras lapilli rub. ⁊ arenule ex quo ſunt
paſſiōes renū. cuius particule renū ſunt paſſio-
nes pncipaľr. Sol. gal. 6º. de interiorib⁹ in. c. ſcđo
in pncipio capli. Idem dicit Auic. 3º. can. f. xviij.
in. c. 2º. ꝙ ſunt paſſiōes ꝯcauitatis ipoꝝ renuꝫ
pncipaľr que ſatis eſt oblonga. Ideo plures la-
pilli ſimul poſſunt generari vt dictū ē in pceden
tib⁹. Et aliqñ ſunt paſſiones pncipaľr meatuuꝫ
⁊ viarū que ſunt inter eos ⁊ veſicā. Iſtud cū pa-
rū ſit vt diciť ibidē tūc acqrūt ruborē ſolū a maª
vt eſt ſupi⁹ dictū. ideo nō habēt tm̄ ruborem. Et
ſunt paſſiones illarū partiū p colligātiā q; venit
ad illas ptes qđ venire nō dꝫ ſm naturam. puta
maťia viſcoſa ibidē retenta ⁊ mlťiplicata. ¶ Si
tu queras lapilli pñt ne generari preterq̄ in re-
nib⁹ ⁊ veſica. Sol. lřa in de iťiorib⁹ in plib⁹ locis
alii gñanť in plˀnōe 4º de int. in cº. penultimo
aliqñ in ſtomacho ⁊ in inteſtinis. 6º. de interiori-
bus in. c. pmo. Similř in epate pñt generari ⁊ in
ſplene. videmᵒ hoc in aialib⁹ vt in mutone ⁊ por
co. Et de facto videm⁹ in hoib⁹ cāe ſunt poſſibi-
les: igiť illud erit poſſibile q; ſupfluitates imbi-
bite in poroſitatib⁹ mēbroꝝ ⁊ in concauitatibus
poſſunt exſiccari ⁊ p reſolutiōem parť ſubtiľ la-
pidificaˀ hoc fit ſiľr in iūcturis. ¶ Si tu queras
harenule apparētes in vřis pñt ne generari in a
lijs locis preterq̄ in renibus ⁊ veſica. Dicenduꝫ
ꝙ ſic: q; p adustionē maťie aliqñ generāť in ve-
nis ppinq̄s matrici, iō in muliere harene magᵉ

vel ſubnigᵉ in vrina ſigñt lōgeuā retētionē mē-
ſtruoꝝ: hoc vult auic. 3º. can. Et ſiľr generanť ali
qñ in venis ppe renes in q̄buſdā hoibus ⁊ tales
ſigñt ſuplongeua retētiōe emorroidarū. hoc vult
auic. in 3º. can. interdū generātur in venis epaꝝ
p adustionē maťie flātice. ideo ſūt ſubalbide vt
videm⁹ in vrinis ydropicoꝝ de caľa vt dictū eſt.
ſiľiter generātur in venis alijs vt in q̄rtana potiſ-
ſime flāᶜª, ⁊ colica. Et in q̄buſdā febrib⁹ acutis
⁊ cronicis pluries videm⁹ in vrinis. Similiť vi-
dem⁹ in q̄buſdā leproſis dum ſunt pfecte leproſi
generātur harenule p viā adustionis: imo qñ la
pilli apparētes in vrinis ⁊ in ſanguine qñ pba-
mus eos q; lepra in fieri eſt morb⁹ calid⁹. ffacta
aūt ⁊ pfecta eſt morb⁹ frigid⁹ cū mala figura et
hūores incineranť p putrefactiōem ſine ebulli-
tiōe ſic incinerantur ligna qñ putreſcūt ppť an-
tiquitatē. ¶ Si tu queras lap. in renib⁹ q̄s mor
bus eſt in genere ⁊ in ſpē. Dicēdū ꝙ nō ē morb⁹
in ſe: q; eſt ſuba ꝫ deſcribit ⁊ cōſtituit morbū in
cōpoſitiōe q; cāt malā cōpōem tanq̄ res addita
numeralis. veꝝ arene licet ſint paruuli lapilli q;
nō ſunt lapilli manifeſti cauſant morbū in rece-
ptaculo: nā receptaculū ipoꝝ renum repleť vltra
debitū. ¶ Lapis q̄ expelliť ⁊ arenule q̄ expellūť
ſunt accñª dicta exeūtia a corpore mutata: ſed vt
retēta ſunt accidētia morbi dicta exeūtia clauſa
ſeu retēta deberēt exire talia ⁊ expelli ⁊ retinetur
ex nocumēto expulſiue hoc declarat Ga. in. 3º. ⁊
in. 6º. de morbo. ¶ Si tu q̄ras lapis ⁊ arenule i
renibus p morbo deſcripto: cui⁹ vtutis eſt nocu
mentū paſſiue itelligēdo. Soluit lřa. xi. de ingeº.
in. caº. 2º. ⁊ in. c. 1º. ꝙ eſt nocumētū digeſtiue et
expulſiue renū pncipaľr. Conſequēter mēbrorū
mādāciū ſupioꝝ. ſi iſte vtutes nō erraſſent talia
nō fuiſſent generata ⁊ talia retēta vt retēta ſunt
nocumētū expulſiue renū ⁊ partiū vicinarū.
¶ Si tu queras lapis renū cuius vtutis eſt no-
cumētū ſeu paſſio actiue loquēdo. Dicendum ꝙ
ſenſitiue illarū partiū nam cauſat dolorē mag^m
ſoluēdo continuū in vijs illˀ dilatando vltra de-
bitū partes illas. ¶ Si tu q̄ras in quib⁹ magis
generātur lapilli ⁊ harenule in renibus. Dicen-
dū ꝙ in carnoſis epaticis ⁊ conſtipatis ⁊ ocioſ
⁊ coeūtibus ante cōplementū pme ⁊ ſcđe dige-
ſtiue: nā iſti incurrūt cōiter calorē exceſſiuū ipo-
rum renū a tempe ⁊ renes eoꝝ aliqñ ſunt a gña-
tione cum vijs aliqualiter ſtrictis: ppter qđ ma-
terie retinētur de facili que retēte ⁊ exſiccate cō-
uertuntur in arenulas ⁊ lapillos. ¶ Si tu q̄ras
in qua epate hoꝝ magis generātur in eis. Dicē-

dū ꝙ in ꝑma ſenectute q꞉ due cauſe magis con-
currūt materialis ⁊ efficiēs vt eſt ſuperius decla
ratū ratione regiminis eoꝝ. Iſta tibi ſufficiāt ꝓ
modo generatiōis ⁊ cauſa lapid̄ ⁊ arenulorum
in ipſis renibus.

Nunc reſtat loqui d̄ eoꝝ preſerua
tiōe. Ex q̄ concluſum
eſt in ꝑcedētibus intētiōe Raſis ⁊ alioꝝ ꝙ la
pilli ⁊ arenule generantur in renibus a materia
mediocriter groſſa: aliqualiter viſcoſa. humida
ibidē retenta ⁊ multiplicata tanq̄ a cauſa mate
riali. Et a calore renū excedēti illam exſiccante ⁊
lapidificante tanq̄ a cauſa efficiente. ¶ Notum
eſt recte ſpeculanti ꝙ preſeruatio talis generati
onis ſtabit ſuper iſtis duabus cauſis. ¶ Prio
ſuper tali cauſa efficiēte puta ſuper calore renuꝫ
excedēti vt corrigatur q꞉ nō ſolū talis lapillū ef-
ficit: imo materias in ipſis retinet ⁊ multiplicat
vt eſt ſuperius dictū. ¶ Scd̄o ſup tali cauſa ma-
teriali retenta in renibus vt a renibus expellat̄
anteq̄ in lapillum vel in arenulas conuertat̄ ob
uiando cauſis retētionis dictis ⁊ euitando ⁊ cor
rigendo tres cauſas in genere ⁊ multiplices in
ſpecie multiplicātes talem materiā in ipſis reni
bus ſuperius declaratis. ¶ Exequatur ergo p̄-
ſeruatio ſuper cauſa efficiente dicta puta ſup ca-
lore renū excedēti ipōs refrigerādo ⁊ euitando
ea q̄ ipſos calefaciūt: nā magna pars preſeruati
onis ſtat ſuper correctione talis cauſe efficient̄
quia nō ſolum lapillū efficit: imo materiā retinet
in ipſis renibus ⁊ multiplicat vt eſt dictū. ¶ Si
quis ergo occaſionatus in talibus fuerit inun-
gatur de ſero per interualla in anchis cum oleo
roſ̄ vnfancino vel cum oleo roſ̄. cōmuni vbi ſit
modica portio aceti ſimul agitatis. vel applicet̄
deſuper iſtud cerotū. ℞. olei roſ̄. vnfancini. ſi tē-
pus fuerit calidū. vel olei roſ̄. cōmunis ſi temp⁹
nō ſit nimis cal̄m. ℥. iij. muſcillaginis ſemis pſil
lij. ℥. ij. cere noue. ℥. v. qd̄ ſufficit fiat cerotū exten
ſuꝫ ſupra alutā i forma oblōga q̄drata teneat de
nocte dumtaxat. Et vtat̄ dieta infrigidatiua fru
ctibus infrigidantib⁹ beneficiū ventris in ꝑmo
prandij vel duos bolos de naſturcio aquatico cū
modico lactucarū in ꝑncipio refectionis ſpinar
giis cum aliquali portiōe lactucarū brodijs ſim
plicibus cū agreſta ⁊ vitellis ouoꝝ. auenato or-
deato. puretis in diebus feriatis tempore calido
ſi fuerit ſitibūdus ſtomacho ieiuno poteſt ſume-
re duo vel tria coclearia ſirupi limonū vel ſirupi
acetoſi cum. 6. vel. 7. aque decoctionis cicerum
rub. ⁊ ſemis melonū. vel ſumat. i. coclear ſe. me-
lonū, mūd̄ ſine aliquo potu. ¶ Vtatur vino me-
diocri in ſubſtantia ⁊ in colore bene limphato ⁊ non
albo nec claro niſi rariſſime ⁊ per interualla: vt
dicetur infra. nam in hoc errant q̄plures medi-
coꝝ vt clarius dicetur in ſequētibus. Vitabit eti
am cibos calidos in ſcd̄o gradu ⁊ vltra vt pota
gia cū multis ſpeciebus. porros cepas allia mo
ſtardā. carnes ſalſas. vitabit vina fortia vt vna-
cha vinū coctum muſcatelluꝫ ypo. ⁊ ſimilia. Vi
tabit etiā vinū purū ⁊ male limphatuꝫ. Vitabit
etiā vipā in quocūq̄ vino in ꝑncipio prandij. nā
epar calefaciunt ⁊ renes ſic addunt in cām effi-
cientē ⁊ materialem vt eſt dictum ſitim nō tolle-
ret: quia addit in ſuam cauſam. raſis in ſuo con
tinēte nō calefaciet dorſum nec iacebit i culcitra
molli nec viceuerſa ſeu reſupinus. Et ſic corrigi
tur etiam cauſa ꝑncipalis retētionis materie in
renibus ſi ſupradicta intelligātur. ¶ Secundo
exequatur preſeruatio talis generationis ſup cā
materiali: ⁊ hoc fit tripl̄r. Pri° vt ipſa mat̄ia re-
tenta in renibus expellatur anteq̄ in lapillū vel
arenulas conuertatur. Scd̄o cauſas retentio-
nis eiuſdem ſuperius dictas corrigendo ⁊ remo
uendo. 3° cās multiplicationis ſuperius dictas
reſecando expellendo ⁊ annullando. Primū ex
equitur cum inciſiuis raſis in ſuo continēte: q̄a
talia cotrariantur cauſe forti retentionis ipſius
materie in ipſis renibus puta eius viſcoſitati. et
cum hoc vrinam prouocant aliqualiter. ¶ Se-
cūdo exeq̄tur cū ꝓuocātibus vrinā fortiter ⁊ cuꝫ
violentia ꝙ vtatur talibus per interualla ſemel i
ſeptimana. Raſis in ſuo continēte: nos tū̄ tales
potus facimus vel adminiſtramus in. xv. vel. xx.
diebus cōmuniter in preſeruatiōe generationis
taliū per duos aut tres dies cōtinuos. Vtat̄ er-
go tal̄ occaſionat⁹ in dieta ſalſis acetoſis vt ſal-
ſa viridi ſucco citrāguli: ſucco limonū. agreſta. de
vuis aceto limphato. cruca facta cū bono aceto.
camelia ſimplicifacta cū agreſta ⁊ modico ace-
ti. Poterit duobus aut tribus diebus continuis d̄
mane in. xx. diebus vnū paruū vitrū decoctionis
inciſiue ſequētis. ℞. rad̄ ſpagi. rad̄ rubi parui de
terra culta an̄. m. ß. foliorum betonice. folioꝝ po-
lij montani. an̄. p. i. cicerū nigroꝝ. p. i. ſeminis me
lonū. p. ß. fiat decoctio in aqua pluuiali ſi ſit poſ-
ſibile decoquēdo prius rad̄ per pauſam modicā
⁊ dum potabit ponas in vitro. 5. vel. 6. guttas a-
ceti ſquillitici. Iſta decoctio ſufficiet ꝓ duabus
vel tribus vicibus. Iſte potus incidit lapillū in
terponēdo ſe in poroſitatib⁹ lapilli multo forti⁹
incidet ma^am Ga. 5. de ſimplici medicia. Idem

ponit Serapio in principio ſuarum ſimplicium
Et ſi cum dicta decoctione tu poneres .ʒ.i.tan-
tū quātum caperes cum duobus digitis de pul-
uere iciſiuo puta ſāguinis hyrci vel lapidis ſpō
gie vel iudaici vel miˀ ſubtiliſſime pulueriſatorū
eſſet melius. Iſte potus de ſe vel cū modico pul
ueris dicti tenet pͥncipatum in preſeruatione ge
nerationis lapilli ⁊ arenularum. ⁊ in cura ſimili
ter in principio peroxiſmi quia fortiter incidit: et
cum hoc ſatis prouocat per vrinas materias il-
las incidendo. ¶ Loco huius potus inciſiui ali
qui dant de concilio Raſis in ſuo continente de
tali potu multum prouocatiuo vrine ſine notabi-
li inciſione. ℞. rad achori.m.i.maiorane valeria
ne ana.m.i.betonice polij montani ſauine.ana.
m.ß.ſeminis melonum.m.ß.cicerum nigrorum.
m.ß.ſeminis apij domeſtici ⁊ montani ſeminis
feniculi dauci ſeminis ſizeleos ameos conq̄ſſa
torum ana .ʒ.ij. cinamomi.ʒ.iij.fiat decoctio in
aqua pluuiali ſi ſit poſſibile capiat de mane vnū
vitrum per duos aut tres dies. Et addatur in vi-
tro medium coclear aceti ſquillitici. Iſte potus
ſimiliter valet in cura poſt primos dies. ¶ Loco
horum aliqui dant de ſyrupo limonum vel de ſy-
rupo acetoſo cum aqua cicerum rubeorum mo-
do ſimiliter. Raſis in ſuo continente laudat pre
ceteris potibus auctoritate Galieni in libro ſe-
cretorum ſuorum potum ſequentem pro preſer-
uatione qua vtor communiter ⁊ bene me inue-
nio in opere. ℞. ramorum primorum ſeu nouel-
lorum caulium rub. dum incipiunt apparere .p.i
fiat decoctio cum modico ſale duabus inunda-
tionibus paruis potet vnum paruum vitrum il-
lius decoctionis tepide hoc faciat quocūq; ma-
ne per .ix. vel .x. dies tunc preſeruabitur per plu-
res dies: quia per quartale anni: Nam iſte po-
tus eſt abſterſiuus ⁊ in parte inciſiuus propter
nitroſitatem. Ideo preſeruat inter ceteros potˀ
intentione Raſis. ¶ Contra exequatur ſm̄ ſcꝫ
preſeruatio ſuper cauſa materiali ſuper quatuor
cauſis retentionis materie ſuperius dictis in ip
ſis renibus quarum correctio dicta eſt in duabˀ
cauſis principalibus: puta caloris excedentis in
renibus cuius correctio dicta eſt corrigendo cau
ſam efficientem ⁊ lapillum. Similiter dicta ē cor-
rectio cauſe ſecunde pͥncipalis retentionis ipſi-
us materie in renibus: puta viſcoſitatis ipſius
materie dando potus inciſiuos dictos ſtatim.
¶ Reſtat ſolum loqui de correctione tertie ⁊ q̄r
te cauſe retentionis materie in ipſis renibus pu
ta opilationis coartatorie ratione conſtipatōis
inteſtinorum. Et ocij indebiti illarum partium.
¶ Primū corrigitur cum dicta prouocante be-
neficium ventris ⁊ cum cliſteri mollitio. Scḋm
corrigitur ꝙ equitet equum aſperi portus ante
cibum ſemel in ſeptimana potiſſime in diebˀ in
quibus ſumet de potibus ſupradictis.

Nunc reſtat loqui de

preſeruatione ſuper cauſa materiali .pro cauſis
tribus multiplicantibus talem materiam in reni
bus. ſi fuerit intrinſeca ꝙ corrigatur et extrin-
ſeca ꝙ euitetur. Nam declaratum eſt ſuperius ꝙ
ſunt tres cauſe in genere ⁊ multiplices in ſpecie
multiplicantes materias in ipſis. ¶ Quarū pri
ma eſt ⁊ principalis caliditas renum exceſſiua ꝑ
viam attractionis vt eſt ſuperius declaratū. Cor
rectio huius dicta eſt ſuperius corrigendo talem
calorem prout lapillum efficit ¶ Scḋa cauſa in
genere multiplicans tales materias in ipſis re-
nibus ſuperius dicta eſt abundantia materie in
naturalis in primis digeſtiuis. Iſta cauſa mul-
tiplicans materias dictas corrigitur dupliciter:
vt dicit Raſ in ſuo continēte. vno modo diuertē
do ⁊ euacuando talem materiam per interualla
puta bis vel ter in anno cum medicina lenitiua.
quia nefretici non debent farmacari cum alia me
dicina. Raſis in ſuo continente vel cū medicina
vomica. ¶ Secūdo modo preſeruatur ſuper ta-
li cauſa vt euitentur res primitiue que talem abū
dantiam materie multiplicant in primis digeſti
uis que ſunt quatuor in ſpecie vt eſt ſuperius di
ctum. ¶ Exequantur ergo iſti modi in iſta preſ-
uatione. Primo primus modus eſt ꝙ detur ſibi
ſaltim bis in anno. ʒ.i.⁊ ß.caſſief. cum decoctiōe
prunorum caricarum mollium vuarum paſſarū
mundā ab arillis iniube ſebeſten. anā. p.ß. decoq-
tur in duabus libris aque donec redeat ad. lb.ß.
in qua diſſoluatur caſſiaf. dicta ⁊ ſumat ante or
tum ſolis ⁊ quieſcat in lecto ꝑ duas aut tres ho-
ras vt miſceantur bene cum illo ſordido ſtoma-
chali. ¶ Loco huius prouocetur ſibi vomitˀ bis
vel ter in anno comedat de raphano tres vel q̄t-
tuor bolos per tres dies ſero ⁊ mane i principio
menſe. Et die tertia comedat diuerſas carnes ⁊
ſatis pingues ⁊ potet ſatis de diuerſis vinis.
Conſequenter poſt horam vel quaſi ſumat vnā
taceam aque decoctionis rad raphani ⁊ attripli
cis ⁊ ſeminis eorum conquaſſatorum ⁊ oximel-
lis ſquillitici: poſtea addatur magna pars olei
cum modico croci ſilueſtris ⁊ aceti qua ſump-
ta poſt mediam horam habeat plumā ⁊ infun-

dat in oleo ⁊ intromittat in gutture. Et ſi cū iſta
decoctione non prouocetur vomitus addas in
decoctione predicta mediani corticis ſambuci.
m.i.vel.ij.raſcando dictum corticem ad ſuperiꝰ.
hoc volunt antiqui. Et in refectione ſequenti ſu-
mat iſtum potum. Loco horum aliqui dant cli-
ſteria mollitiua. Iſta tibi ſufficiant pro correctio-
ne talis abundantie materie colerice ⁊ flegma-
tice innaturalis per modum diuerſionis ⁊ eua-
cuationis. ¶ Nunc exequatur ſcḋs modus pre-
ſeruationis ſuper tali abundantia materie in
ſtomacho: ex qua materia multiplicatur in ipſis
renibus. ¶ Et iſte modus preſeruationis ſtat in
preſeruatione q̄ttuor rerum primitiuarum in ſpe-
cie vt dicit Raſis in ſuo continente. Idem dicit
Auicen̄.3°.can̄.in.ca° proprio. quia tales multi-
plicant dictam abundantiam in ipſo ſtomacho.
quarum vna eſt groſſius cibus vel viſcoſus: vel
dure digeſtionis: vt ſunt carnes bouine porcine
niſi de extremitatibus ⁊ cum aceto carnes ſalſe
carnes venatiue vt ceruine aprine leporie piſces
magni beluales. ſubſtantia leguminū potiſſime
fabarū ſimula tritici amidum caſeus pinguis ⁊
recens oua dura vt cocta in ventre galline vl̄ ali-
as. offe remollite fructus dure digeſtionis vt ſūt
poma niſi dl̄cia pira hyemalia. gindola ſeu cera-
ſa acria caſtanee ⁊ ſimilia. verba ſunt Raſis ⁊
Auicen̄. iſta om̄ia ſunt euitanda in bona preſer-
uatione generationis lapilli ⁊ arenularum in ip-
ſis renibus. ¶ Alia res primitiua multiplicans
tales materias in ſtomacho eſt aqua turbida vl̄
frigida vt ſunt aque montane ⁊ aque puteorum ⁊
aqua limoſa vt ſunt aque ā mouentes. Iſta non
ſolum materiam multiplicant in ſtomacho. imo
materiam retinet in renibus ratione limoſitatis
ſeu viſcoſitatis. propter quod talia ſunt in talibꝰ
euitanda ſed vtantur aquis electis de fontibus.
vel de fluuio clarificatis per reſidentiaꝫ. ¶ Alia
res primitiua euitanda multiplicans dictaꝫ ha-
bundantiam in ſtomacho eſt ſatietas nauſeati-
ua potiſſime diuerſarum carnium vel diuerſorū
piſcium. propter quod talis occaſionatꝰ deſiſtat
a cibo cum bono appetitu. ⁊ ſic contentus de du-
abus carnibus ad plus ſeu duobus piſcibus et
ferculis preponendo magis ſubtilem ſi multum
differant in eorum ſubſtantia ratione groſſitiei
in ſubſtantia vel dure ⁊ male ſeu facilis digōis.
¶ Alia res primitiua abundantiaꝫ multiplicās
hūoruꝫ in ſtomacho euitanda eſt voracitas co-
medendi ſeu feſtina ⁊ mala cibi maſticatio quia
ex hoc neceſſario digeſtiua prima claudicat ⁊ ſe-
cūda magna fit iniuria ſtomacho apponitur ſi-
bi inconueniens. patet ergo tibi qualiter in bo-
na preſeruatione talis generationis. Iſte quat-
tuor res primitiue ſunt euitande. ¶ Reſtat loq̄
adhuc de tertia re in genere que multiplicat ma-
terias in ipſis renibus vt intrinſeca corrigatur ⁊
extrinſeca euitetur. Iſta res ē om̄is res feſtinās
trāſitū chiloſitatis ad epar hūoꝝ ⁊ aquoſitatis
ad ipſas venas vt eſt ſupꝛꝰ dictuꝫ. Iſte res ſunt
ſeptē in ſpē que multū ſunt euitāde in dicta p̄ſer-
uatiōe. quarū vna eſt latitudo meatuū ⁊ venarū
epatis ad renes. Iſta corrigi nō p̄nt ex ſe ſ; i eui-
tando res aperitiuas quas ſtatim dicemꝰ. ¶ Alia
res eſt cibus calidꝰ in natura plures ſunt tales
euitādi vt eſt ſupꝛius dictū corrigēdo caloreꝫ re-
num excedentē in p̄ncipio preſeruationis. Alia
res ē vinū calidū in ſui natura vt ṽnacha. ypo.
⁊ ſimilia vt declaratū eſt in p̄ncipio p̄ſeruatōnis
Alia res eſt vinū albū ⁊ ſubtile continuatū vt ē
ſuperius declaratū. Poterit duntaxat in diebꝰ fe-
riatis modicū: quia homo vtit̄ piretis ⁊ alijs p̄-
uocatiuis. Et q̄n ſumet de illis potibus ſuperiꝰ
dictis. Alia res euitāda eſt feſtinꝰ potꝰ cuiuſcum-
q; vini in p̄ncipio prandij cā dicta eſt ſuperius.
Alia res euitāda feſtinās tranſitū chiloſitatis ⁊
hūoꝝ ad venas eſt malicia exercicij potiſſime in
anchis p̄mis digeſtiuis nōdū cōpletis vt eq̄tarꝫ
potiſſime equū aſpꝛi potꝰ tāgere mulierē ꝺ̄ fctō.
Alia res eſt calefacere anchas ad ignē vl̄ p alꝰs
vt dormire in culcitra molli vel reſupinꝰ. Iſta ta-
lia q; feſtināt trāſitū chiloſitatꝫ ⁊ hūoꝝ ad venas
ante perfectam depurationē ſunt multū euitan-
da in preſeruatione gn̄ationis lapidis ⁊ arenula-
rum in ipſis renibus. Tales ergo occaſionati vi-
tent ſupra dicta. ⁊ vtantur inſuper carnibus mu-
tonis iuuenis de extremitatibus porci cum ace-
to carnibus volatilium vſualium demptis aui-
bus degentibus in aquis vel paludibus. Et ſit
contentus de duabus carnibus vel piſcibus ad
plus in vna refectione bene ⁊ ſpacioſe maſtican-
do: ⁊ deſiſtat ſemper a cibo cum bono appetitu.
Uina ſua ſint media in ſubſtātia ⁊ colore ⁊ bn̄
limphata vt vina de nemauſo ⁊ ſilia. Aque ſue
ſint de fontibus electis. vel de fluuio clarificate
per reſidētiā ⁊ nō potabit potiſſime in prādio ni-
ſi ſumpſerit tertiā partē cibi vel quaſi vt dictuꝫ ē
¶ Iſta tibi ſufficiant in preſeruatiōne lapidis ⁊
arenularum.

Iſtis clarificatis cura

lapidis renū ſi ex negligētia preſerua tionis oc-

currerit tibi clarius pateſcit. ¶ Ut cura tibi ma
gis clareſcat. Nota ꝙ paſſio renum ex calculo et
colica paſſio cōicat i. v. accidētibꝰ lꝫ ſint fortiora
⁊ maiora ī colica vt expſſe pōit ga. 6°. de intio. in
caplo pmo. ꝓpter qđ eis competūt eedē medici
ne in genere in pncipio mitigātes dolorē interiꝰ
vt cliſteria mollitiua ⁊ exterius vt inunctiones a
nodine ſedatiue doloꝝ ⁊ cathaplaſmatōes vt pōit
Ga. ibidem. Idem ponit Raſis in ſuo continē
te. Nam colice ⁊ nefreſi inſunt abhomiatōnes ⁊
vomitus malitia appetitus: dolor ventris ⁊ con
ſtipatio vētris. Propter qđ plures medici ſunt
decepti in noticia ⁊ idignotōe harum: vt recitat
Ga. de ſeipſo in. 2°. de interioribꝰ in. c. 2°. vbi dic̄
ꝙ ipſe dolebat multum inter renes ⁊ veſicam
ꝓpter qđ credebat habere paſſionem renuꝫ ſeu
in vijs lapidem renū ⁊ veſice eo ſimilr̄ quia do
lor erat mordicatiuus ⁊ pungitiuus. materia au
tem expulſa cum cliſteri mollificatiuo facto cuꝫ
oleo ⁊ dolore quietato cognouit ipm̄ nō habuiſ
ſe lapidem in vijs vrine nec paſſionē in renibus
nec in aliquo inteſtinoꝝ ſubtiliuꝫ: ſꝫ in vno groſ
ſorum inteſtinoꝝ: ⁊ per ꝯſequēs colicam. non eſt
ergo mirū ſi moderni medici decipiātur. Uerum
accīa dicta ſunt fortiora in colica: nam in colica
magis ⁊ fortius euomūt ⁊ magis de flāte corru
pto ⁊ dolor ventris magis circūdat latera exten
dens ſe magis ad ſuperius ſupra renes ſtoma
chū ⁊ epar ⁊ ſplenem ꝓpter reuolutionē illius
inteſtini groſſi colon qui reuoluitur per ambo la
tera. 6°. đ interioribus in. c. pmo. Similiter ſunt
magis conſtipati ⁊ magis remediantur ex cliſte
ribus mollitiuis ⁊ aſcellant ſtercꝰ inflatū vento
ſum ad modū ſtercoris bouis ſeu vacce. aut for
ſan expellent cū cliſteri flā vitreū ⁊ multā vrinaꝫ
qđ nō fit in paſſione renū. vt ipſe recitat ibidem.
¶ Si quis ergo lapidem in aliquo renū habue
rit qđ pateſcit ex dolore ventris fixo magis ſup
renes circa ſpinā dorſi extendente ſe ad inferius
verſus iguinare cum abhominatione ⁊ vomitu
⁊ conſtipatione ventris ⁊ malicia appetitꝰ. Et
ſi cum hoc adhuc non diſcernas an ſit nefreſis
vel colica. de cōcilio Ga. vi. de interioribꝰ in ca°.
pmo. ⁊ Raſ in ſuo cōtinēte. Inquire ſuper tribꝰ
Primo ſi vrina prius ſuit arenula quia in prin
cipio nefreſis neceſſario vrina erit clara ⁊ aquo
ſa: ſed poſtea fundus in proceſſu erit arenoſus.
propter diſſolutionem lapilli. Et aliquādo c̄ hoc
ineſt ſtupor pedis eiuſdem partis ⁊ dor extēdit
verſus teſticulum magis propinquū. verba ſunt
Raſis in ſuo continente. ¶ Talis patiens con
feſtim cliſteriſetur ſic. ℞. foliorꝫ malue biſmal
ue. añ. m. ij. paritarie crete marine tribuli marini
ana. m. ß. aniſi maratri ameos ſeminis ſizeleos.
ana. ʒ. ß. ſeminis fenugreci. ʒ. ß. fiat decoctio in q̄
diſſoluatur medulle caſſief. ʒ. ij. olei đ lilio. vel ſi
ſamini vel malueuiſci. vel de aneto quart. i. fiat
cliſtere. ¶ Aduerte tamen de concilio Raſis in
ſuo continente non fiat cliſtere in magna quan
titate ſed in modica econtrario in colica ne par
tes renum comprimantur ⁊ patiens magis gra
uetur quantum poterit non fricando ventreꝫ do
nec deſideret ire ad cellam. ¶ Reiteretur iſtud
cliſtere in primis diebus bis vel ter. ⁊ aliquan
do addatur yerapigre vel benedicte. ʒ. i. Uerum
non multum approbo ponere opiatas in cliſte
ribus: quia parum proficiunt quia non trahunt
morā longā nō poſſūt deduci de potentia ad ac
tum ⁊ cum hoc exſiccando inteſtina conſtipant
conſequenter. ¶ Si cum hoc ſuperueniat nau
ſea incitetur vomitus cum pluma infuſa in oleo
intromittēdo in gutture ſepe ⁊ ſepius. Sumpꝫ
duobus cliſteribus in prima die Et facto vomi
tu ſi ſtomachus eius requirat. ſi dolorem magm
quaſi intollerabilem habuerit balneet anchas
ſuas in decoctione ſequenti. ℞. foliorum malue
biſmalue. ana. m. iiij. paritarie herbe camomille.
ana. m. iij. ſeminis fenugreci. vi. i. ſeminis aneti.
m. ſemis fiat bona decoctio vſqꝫ ad conſumptio
nem medietatis aque: ibi balneet anchas ſuas
pluries primis diebus. ſi vexatur ex dolore per
modicum: ſpacium tamen ne virtus debilitetur
relaxando ⁊ reſoluendo vltra debitum. ¶ Et ſi
non placet ſibi balneum quia non vexatur mul
tum ex doloribus. Uel alias infundātur ſpōgie
in dicta decoctione ⁊ ſepe loco dolenti tepide ap
plicentur. In exitu balnei nec alias non des ſi
bi tyriacam nec metridatum: nec aliam opiataꝫ
de concilio Raſis in ſuo continente. Licet plu
res auctores dicant ⁊ conſulant: quia talia lapi
dificant magis materiam ⁊ ſuperfluitates in re
nibus ⁊ veſica: quia ſunt multum calida. Quia
in ſecundo gradu vt ipſe ponit. Idem dicit Aui
cēna in de viribus cordis in caplo vltimo. Idem
ponit Auerrois in tractatu de tyriaca. Sed da
bis ſibi de potibus inciſiuis. Et non dabis de il
lis primis duobus diebus de cōcilio Raſis. po
tus nec aquas fortiter aperitiuas ⁊ cum violen
tia quia violentiam inducunt vſquequoqꝫ vie
ſint relaxate ⁊ lapilli in aliquo remolliti in bal

neo ꝛ inunctõibus quas ſtatim dicemus. Et
ſit in aliquo dimmuti cum aliquo de potibus
inciſiuis quos ſtatim dicemus. ¶ Poſt cliſteria
ꝛ alia iamdicta inungat̃ ſtatim in p̃mis de ſex in
ſex horis vt vie ille bñ dilatent̃ ꝛ relaxent̃: vt la-
pill⁹ remolliat̃ cũ vngẽto dyaltea qd̃ bñ valet in
ꝓpoſito: vel cuꝫ oleo fenugreci vel malueuiſci. vl'
de lilio ſimplici. vel ſic. ℞. olei ſe. fenugᶜⁱ oli mal
ueuiſci a ñ. quart̃. i. olei de lilio olei ſizamiᵗ añ. q̃r.
ß. axũgie anat̃. ℥. ij. butiri ſine ſale. ℥. ij. cere modi
cũ. f̃ vnguẽtum liq̃dũ. iſtud vnguẽtũ ſedat dolo-
rẽ ꝛ vias relaxat ꝛ materias mollificat. loco ho-
rũ facim⁹ tale emplin. ℞. folioꝝ malue biſmalue
añ. m. ij. caricarũ citrinarũ bñ pinguiũ. p. ij. ſe. fe-
nuᶜⁱ ſe. altee añ. ℥. ij. axũgie. anat̃. ℥. ij. butiri ſine
ſale. ℥. iij. decoquẽda decoquãtur ꝛ conquaſſent̃
fiat emplin: applicet̃ vna ꝓs ſero ꝛ mane: dilatat
vias: lapidẽ remollit. ¶ Per p̃mos dies cõtinue
tur iſtud emplin ꝛ inunctões dicte: ymo cõtinue
tur q̃diu dolor erit fort̃ ꝛ fixus in regione renis:
q: lapilli nec ſordidũ arenoſum nõ põt aliter ci-
to expelli a ꝯcauo ip̃ius renis nec vijs ill' dilatat̃
ꝛ relaxat̃. Cõmunit̃ hoc durat. iiij. l'. v. diebus. ꝛ
non inũgas ip̃m ꝓut debiles in arte faciũt ĩ ill'
p̃mis diebus. Quãdiu durabit dolor fix⁹ ꝛ fort̃:
cũ oleis multũ calidis ꝛ ſiccis puta cũ oleo ſcor-
pionũ cõpoſito nec cuꝫ oleo de lilio cõpoſito. q̃a
q̃q̃ ꝯſumat vẽtoſitates cõcomitãtes lapillum ꝛ
ſordiciẽ arenoſam in renibus. ꝛ in hoc ſedat do-
lorẽ aliqualit̃ ꝓut fit aliq̃n in ſenio: ꝓlongant tñ
dolores ꝛ morbum ꝛ retardat feſtinã expulſiõeꝫ
lapidis ꝛ feculẽtiam ab ip̃is renib⁹: ſtringendo
vias illas. Verũ in declinatõe ꝛ facta eradicati-
one lapilli ꝛ feculẽtie dicte cum inũctõib⁹ rela-
xantib⁹ iam dict̃ ꝛ cũ vẽtoſis ꝛ potibus iciſiuis
ꝛ ꝓuocãtibus vrinam cũ violẽtia q̃ dicent̃ ſat̃ cõ
petũt illa. p̃ma tamẽ die ex toto abſtineat a cibo
ꝛ potu vini. ſed potabit in aurora in veſp̃is tertia
vel quarta hora noct̃ mediũ vitrũ aque pluuial'
decoctõnis iſtius. ¶ ℞. radĩ ſpagi radĩ rub. parui
q̃ naſcit̃ in terris cult̃. añ. m. ij. folioꝝ bethonice.
folioꝝ polij mõtani añ. m. ij. ciceꝝ nigroꝝ. m. i. f̃
decoctio i aqua pluuiali p̃us radicẽ ꝑ pauſaꝫ de-
coquẽdo. in fine decoctõnis addat̃ aceti ſq̃llitici
℥. i. coletur dicta decoctõne cũ panno albo de la-
na duplato: vt potus ſit mag̃ clarus: potu illo v-
tatur vt dictum eſt. Iſte potus ẽ multũ inciſiuus
ꝛ icidit lapillũ p̃ ceter̃ reb⁹. 5°. de ſimᶜⁱ meᵃ. Idẽ
ponit ille bonus ſerapio p̃mo ſuoꝝ ſimplicium i
p̃ncipio. nã iſte res ſunt ſubtiles in ſuba ꝛ calidi
tas coꝝ nõ eſt magna. ꝓpter qd̃ coꝝ decoc⁰ ſub-

intrat per poroſitates lapilli ꝛ materie feculente
cumulate in renibus: ꝛ ſic incidũt lapillũ ꝛ mate
riam: ꝛ diuidũt ꝑtem a ꝑte. ꝓpter quod in toto ꝓ
ceſſu vtatur iſto potu quocꝫ die ſemel vl' bis nõ
obſtãtib⁹ q̃buſdã potib⁹ ꝓuocãtib⁹ vrinas cũ violẽ
tia q̃b⁹ ſoluũtet̃ in ꝓceſſu vt dicemus. Et cũ iſto
potu tu addes quãdo voluer̃ miſtrare ſecunda
die ꝛ in toto ꝓceſſu modicum ſanguis hyrci: vel
lapidis ſpõgie val lapidis iudaici vel vitri cõbu
ſti ſubtiliſſime puluerizatoꝝ in quãtitate auella-
ne q̃ntum poteris capere cum duobus digit̃. naꝫ
tal' potus fac̃ miracula i natura in frangendo la
pidẽ renum ꝛ veſice ſi non fuerit antiquat⁹. Se-
cunda die ꝛ tertia continuãdo potum dictuꝫ: de
mane ꝛ ante cenam ꝛ i introitu lecti ſufficit ſibi
brodiũ galline: cuius vẽter repleatur radicibus
ſpagi ꝛ rubi parui ꝛ folijs bethonice ꝛ polij. q̃a
non immutabũt ſaporem. ꝛ vtatur cũ modico pa
nis. ſi non poteſt vti, ſic: pone in vẽtre galline de
ciceribus nigris cum radicib⁹ ſpagi duntaxat.
Tũc i tertia die vtẽdo potu dicto ꝛ emplaſtro di
cto vel vnguent̃ remollitis dict̃: tempus ẽ ſeque
ſtrandi lapillũ a cõcauo renis cũ ventoſis plies
ibi applicet̃. Conſequẽter cum potibus ꝓuocan
tibus vrinas cũ violẽtia ꝛ non ante: vt dic̃ Raſ i
ſuo cõtinente: ne ṽtus renis debilitetur ꝓpter vi
olentiam quã inducũt tales ante viarũ relaxati-
onẽ ꝛ lapilli remollitõnem: ꝛ eius aliqualem mi
noratõnem cum potibus inciſiuis dictis appli
centur ergo vẽtoſe cum paucis ſtupis ſine ſcari
ficatõne. quia lꝫ inducant grauitatem aliqualeꝫ
eradicando lapillum a cõcauo: mirabilr̃ faciunt
ad citam expulſiõnẽ lapilli a vijs ꝛ a concauita-
tibus ill' ad veſicam: ꝛ ꝑ cõſequẽs ad curam.
¶ Applica ergo vitra loco ventoſaꝝ. q: non in-
ducunt tãtam violẽtiam in remouẽdo. ꝛ applica
duo ſuper ip̃o rene vbi ẽ dolor fort̃ ꝛ fixus: ꝛ ſtẽt
ibi per ſpaciũ Miſerere mei. Conſequenter de-
ponãtur ꝛ applicẽtur in partibus ſubiacẽtibus
verſus inguiaria modo ſimili reiterando. Nam
cum iſtis lapillus erit eradicatus a ſuo loco ꝛ tũc
erit tempus dandi potus ꝓuocantes vrinam: et
impellẽtes lapillum cũ violentia: vt vult Raſis
in ſuo continẽte. ¶ Et ſuper hoc nota: q medici
ne frangentes lapidem: ꝛ medicine ꝓuocantes
vrinam cũ violentia multum differũt i eorum na
tura: puta in ſubſtantia ꝛ in complexione: vt di-
cit Galien⁹. 5°. de ſimplici medicia. Idem dicit
ille Serapio p̃mo ſuorum ſimplicium in princi-
pio. quia medicine frangẽtes lapidem ſunt ſub-
tilis ſubſtantie ꝛ pauce caliditat̃. propter quod

ſubintrāt ptes hūoris ⁊ per poroſitatem lapilli.
Ideo diuidūt ptem a pte:⁊ incidūt. ideo dicūtur
inciſiue ⁊ frangentes lapillum:⁊ ſic ſubintrādo
⁊ incidendo ꝓuocant vrinam aliqualiter. Ideo
ſunt ꝓuocatiue vrine parum ⁊ debiliter. Et iſte
medicine que ſunt magi electe ad frangendū la
pidē renū ⁊ veſice ſm Galim. 5° de ſimplici ſunt
ſeptē.rad ſpagi rad.rubi.bethonica:poliū mōta
nū:lapis ſpōgie:vitrū combuſtū:acetū ſquillitm.
Serapio pmo ſuaꝝ ſimpliciū ponit iſtas me. ſ
loco lapidis ſpongie ponit lapidē iudaicū. Ra
ſis in ſuo cōtinēte ponit medicias magi electas
in frāgendo lapidē renū ⁊ veſice.xv. quaꝝ qnqꝫ
ſunt de magi elect a Ga°.ſtati dict. ⁊ ſunt lapis
ſpongie:campithcoſ:poliū maius:cicera nigra
rad ſpagi bdelliū arabicū:cortices cappar rad.
rubi cortex lauri.ſe.raphani:aq diſtillata folioꝝ
ci9 vitrū albū cōbuſtū:ſanguis hyrci:cinis ſcor
pionis.⁊ vtilior oibus iſtis ſcdm iſtū eſt auis p
uula dicta cauda tremula data i puluere. Et ſub
dit ꝙ ſcdm alexandrū non ē medicamen melius
ad frangendū lapidem ſanguine hyrcoꝝ. Pau
lus dic. Recipiatur hyrcus tpe i quo vua floruit
q ante feſtū bti Johannis triū aut quattuor an
norū ⁊ recipiatur ſanguis medius i vaſe mundo
obturato ⁊ bene clauſo cum frōdibus fen.deſic
cato i vmbra in camera occulta:verba ſunt ad lit
teram. Medic aute ꝓuocantes vrinam forti
ter ſunt cale ⁊ ſicce:⁊ habēt calorem acutū in ſe
cūdo gradu ⁊ vltra. 5°. de ſimplici. Idem dic
Serapio pma ſuaꝝ ſimpliciū i pnci°. pter qd
de natura eoꝝ penetrāt:⁊ penetrādo diuidunt ⁊
ſepant groſſum a ſubtili aquoſo:⁊ illud groſſuꝫ
coagulat ⁊ condēſat ⁊ aliqualr lapidificat.⁊ iſta
erit cauſa ꝙ renes attrahant illam ptem ſubtilē
aquoſam i breui tpe. Iſta de cauſa ſunt medicie
fortiter ꝓuocantes vrinā. Et iſte medicie fortiter
ꝓuocantes vrinā ⁊ magi electe apud Serapionē
ſunt decē:vt ipe ponit pmo ſuarum ſimplicium i
pn°.ſemē apij mōtani ⁊ domeſtici.ſe.fen.ſemen
dauci.ſe.ſizeleos.ſe.ameoſ.valeria.maiora.a
ꝫarū ⁊ achor9. Patet tibi ergo dña mediciaꝝ frā
gentiū lapidem ⁊ ꝓuocantium vrinas. Ultra
iſtas medicinas fortiter ꝓuocantes vrinā Raſ
bū ponit.xxx.⁊ vltra i ſuo continēte Et ſunt flos
camomille maior ⁊ aqua ci9:ſqnantū ſauia:pl9
dic Raſ.abſinthiū:agn9caſtus:caro ⁊ ſemē me
lonū ⁊ cucumer.rad.paſtice ſilueſtri.poliū mai9
cynamomū.yſop9.aq cicerū potiſſime nigroruꝫ.
orobus:cyminū.ortēſe.cubebe.camedreos.por
ra.cappis,amigdale amare,dragūtea ſpicanar
di.fortir ſinzibriū.caſſielignea mētaſtrū.origam
calam9 aromatic9.arthemeſia.fumuſterre.ſqlla.
camepitheos. Iſte omes ſilr ꝓuocant:lꝫ non ita
fortiter.qbus vtimur i opilatōibus meſeraica
rū ⁊ venarū matric ⁊ ſplenis:⁊ i mult diſcraſijs
Sed de medicis pmis magi elect vtimur i hoc
caſu. Aduenicte tertia die vel quarta pmiſſis
⁊ continuat inunctōnibus ⁊ emplaſtro dicto di
latātibus vias illas ⁊ relaxantib9:⁊ pmiſſo potu
dicto inciſiuo ſuperius dicto i pſeruatōne vel ſili
frangēte lapidem. Et pmiſſis ventoſ appoſit:vt
dictum eſt eradicātib9 lapillum a ſuo loco conti
nuādo dictum potū inciſiuū ſaltim ſemel in die:
puta i aurora. Tūc competūt medicie ꝓuocātes
vrinā fortiter ⁊ cū violētia vt lapilli ⁊ feculētia a
renoſa renū ⁊ viarum coꝝ expellātur ad veſicam
cōtinuādo adhuc inunctōnes ſupradictas vſqꝫ
quo cognoſcat ꝙ lapis deſcēdit a pectine ex do
lore ibidem.q vbi dolor ibi egritudo.⁊ tūc ingre
diatur tinā.⁊ i exitu inūgatur in pectine ⁊ i femo
re cum oleo ſcorpionū cōpoſito.q tunc penetra
bit ⁊ iuuabit vias illas ad expellendū lapillum:
maxime ſi p vgam iniſciat.⁊ hoc dic Raſ. Mo
derni noſtri ſtatim inūgunt cū iſto oleo ante via
rum relaxatōnem nō intēdentes ad vias artifici
ales curatiuas ſunt de ſecta ariſtarchij q de tali
bus non curabat:vt recitat Ga9 i de ingenio ſa
nitat. Utat ergo iſto mellicrato ſupi9 dicto in p
ſeruatōne ꝓuocatiua vrine fortiter. R. rad acho
ri.m.ij.maiorane valeriane añ.m.ij.polij maior.
ſauine añ.m.ß.ſemis apij mōtani ⁊ domeſtici ſe.
fen ſe.dauci.ſe.ſizeleoſ.ſe.ameos.añ.ʒ.ß.cinamo
mi electi.ʒ.ß.aceti ſqllitici.ʒ.ß.mell albi deſpūati
ʒ.iij.ſ mellicratuꝫ bene clarificatum ad.lb.ij.ſu
mat de iſto mellicrato ter in die.poſtꝙ ſumpſerit
in aurora de potu inciſiuo dicto ad frangēduꝫ la
pidē.ſumat de iſto mellicrato mediū vitrū ante
prandiū p duas vel circa ⁊ ante cenā ⁊ poſt cenā
p tres horas:ita cōtinuet vſqꝫquo cura ſit finita
intrando tinā.aliqn vt vie ille bn dilatētur ⁊ for
didū expellat.ſic pcedendo i ſeptē diebus vl cir
ca lapilli ſunt diſſoluti ⁊ in arenulam cōuerſi. vl
ſunt expulſi ad veſicam tūc ceſſant dolores later
⁊ vētr.⁊ ſentiūt dolorē cōmunit ⁊ punctiōem in
radice vge:pter quod bonū eſt ꝙ vtat adhuc d
potibus ſuis inciſiuis ⁊ frangētibus lapidē di
ctum:⁊ de ꝓuocantibus vrinas fortiter ⁊ cum vi
olētia vt eſt dictū:⁊ nō veniet vſqꝫquo bene ap
petat mingere:⁊ tūc fortiter impellat vrinam vt
cū vria lapilli exeant. Et ſi aduenirēt appetitu
vrinandi magno intraret tinaꝫ:⁊ poſt paululum

ibi vꝛinaret tūc lapilli facilr̄ exirent: quod nō eſt
ꝑ modico habendū. nam lapilli remanētes i veſica ꝯgregādo ſoꝛdidū augmentaꝛ: ꝓut dicem⁹
infra: ⁊ patientes inde veniūt ad magnū nocumētum. Et ſi lapillus tal' intrauerit colluz veſice
ꝙ vꝛinam impediat ⁊ ſtrāgulet ipam ꝙ nō poſſit bene nec libere vꝛinam expell'e: argalia intromittaꝛ: vt remoueaꝛ de collo: ⁊ tibie eleuenꝛ fricando bene ⁊ agitādo radicē vḡe vt eſt ſuperius
dictum in. c. de ſtrāguria vt lapill⁹ deſcēdat ad fūdum veſice. Et bonū eſt ꝙ vtaꝛ potu dicto inciſiuo ⁊ frangēte lapidem adhuc ꝑ aliquos dies: et
abſtineat a potu ꝓuocante vꝛinam cū violentia:
vſqꝫquo lapillus ſit in aliquo innoꝛatus. Si autē lapillus in vḡa foꝛtiter intrauerit ⁊ obſtaculū
fecerit in vꝛinando qui non poſſit impelli: embroceꝛ vḡa ꝑ pauſā c̄ aq̄ decoctōis folioꝝ malue biſmalue ſemis fenugreci conquaſſati donec vḡa rubeſcat. Deinde inūgatur ab extra cū oleo malue
uiſci vel fenugreci vel ſizami⁹ ⁊ viol'. añ. ⁊ d̄ iſtis
oleis cum ſiringa in vḡa iniſciaꝛ. ⁊ poſt ſugatur
vḡa a vili ꝑſona. Si ſic nō exiuerit: tūc neceſſe eſt
vt vḡa incidaꝛ infer⁹ de cōcilio raſis in. ix. almāſoꝛ. ⁊ lapis extrahaꝛ ⁊ poſtea cōſolideꝛ. ¶ Tp̄e
meo vidi tres quos opoꝛtuit ſic incidere iuxta radicē vḡe in pte inferioꝛi erāt lapilli angulares fuerunt ſanati ⁊ in pulue re cōſolidati. Iſta tibi ſufficiant pro pꝛeſeruatōne ⁊ cura lapidis renū.

Nunc veniamus ad cauſam ⁊ modum
lapidis ⁊ arenularꝫ in veſica. ¶ Antiq̄ ⁊ moderni ꝯcoꝛdati ſunt ꝙ renes ⁊ veſica cōmunicāt in
cauſis ⁊ modis gn̄atōnis. qꝛ in vtroqꝫ generanꝛ
a cal'itate excedenti eoꝝ reſoluēte. qd̄ ſubtilius ē
in tali materia retēta: ⁊ per ꝯn̄s lapidificāte ⁊ indurāte reſiduū. veruꝫ lapis in veſica gn̄aꝛ a ma
teria mag' groſſa flegma^ca terrea. ideo fit groſſioꝛ durioꝛ declinās ad albedinē. iō cū maioꝛi difficultate diſſoluitur.

Vlterius nota ꝙ lapis ve^ce duplex ē. Quidaꝫ
ē lapis i veſica q̄ non eſt gn̄atus in ea ꝫ in renib⁹
q̄ expulſus ad veſicam ſi moꝛam ibi traxerit per
dies ⁊ mēſes ꝙ non expellatur adherēdo feculēte ⁊ ſoꝛdiciei veſice facit cruſtā ⁊ augmētatur
ſic ꝓcedendo i tp̄e faciūt duas tres cruſtas vſqꝫ
q̄ ſunt in quātitate ꝑui oui. Et q̄plures nefretici
i q̄bus lapilli ⁊ arenule gn̄anꝛ i renib⁹ eoꝝ incurrūt iſtud dānū circa. l. annū. qꝛ ceſſantib⁹ doloꝛib⁹
lateꝝ i fine ꝑoxiſmi non vtūtur q̄buſdā dieb⁹ balneo aque tepide ⁊ mellicrato icto ſupius ꝓuocatiuo vꝛine foꝛtiter ⁊ cum violētia. ¶ Tu dices. in
quāto tempe retēti in veſica faciūt illam cruſtaꝫ
Dicendum ꝙ punctualr̄ neſciꝛ ſed eſtimatur ꝙ i
quartale anni vel in tertia parte anni. ⁊ ſup hoc
ſint tales auiſati. qꝛ tales in q̄bus lapilli retinentur incurrunt pꝛuritum ⁊ puncturam in radice vḡe cum aliquali impedimēto in expellēdo vꝛinā
⁊ cū quadam erectōne in aſſueta rōne vētoſitaꝝ
ꝯcomitanꝛ. Et ſi hoc incurrūt: vtātur potib⁹ inciſiuis ſupius dictis. Quidam de dn̄is cardinalib⁹
q̄ erat multū calculoſus in renibus ⁊ pluries i āno habebat ꝑoxiſmū. Dum fuit poſt moꝛteꝫ euiſceratus vt moꝛis eſt: habebat q̄ttuoꝛdeciꝫ lapillos in veſica q̄ om̄s erant rubicūdi i cētro ⁊ ocēs
venerāt de renib⁹. quoꝝ q̄dam erant in foꝛma ꝓpꝛia. q̄dam fecerāt vnam tunicam: q̄dam duas. ⁊
q̄ vidit: teſtimoniū perhibuit. ¶ Alter ē lapis in
veſica q̄ eſt gn̄atus in veſica. Iſte generaꝛ a duplici cā materiali in ſpecie. Quidā eſt q̄ gn̄atur
a ma^ia flegmatica groſſa viſcoſa ex acq̄ſito. nā
ipa materia retēta ꝓpter ſtricturam meatus veſice per eius calefactōnem ⁊ quādam putrefactionē ⁊ ptium ſubtilium reſolutōem acq̄rit quādaꝫ
viſcoſitatem ligantē materiam dictam in ei⁹ exſiccatōe ⁊ lapidificatōe: ⁊ ſic lapilli ꝑuuli ad foꝛmā ciceris vel auellane ⁊ maioꝛes q̄plures generanꝛ. Raſ dicit i ſuo cōtinente. ꝙ decē aliquā°
Iſta de cauſa generātur lapilli in veſica infantium ⁊ pueroꝝ: vt vult Raſ i ſuo continēte. Ideꝫ
dicit auic̄. quia ſunt guloſi: ⁊ vtuntur lacticinijs
⁊ offis remollit̄. habent vꝛinas groſſas: turbidaſ
rōne flegmatis multi expulſi ad veſicam: in quibus tal' materia non bene expellitur a veſica ꝓpter ſtricturam meatus virge ⁊ veſice. ꝓpter qd̄
generantur lapilli in eis: potiſſime in pueꝝ macilentis. quia in talibus veſica eſt magis calida.
¶ Uerum iſtud raro ⁊ rariſſime contingit puellis ſeu mulieribus. quia collum veſice earum ē
bꝛeue: latum non ſic toꝛtuoſum ſicut in maſculis
5°. de iuuamentis membꝛoꝝ. Idem dicit Auicēna. 3°. canone. ¶ Alter eſt qui generatur in veſica a materia ſanioſa flu^xa a renibus vel a partibus vicinis: vel a multo ſpermate: puta a materia antecedente ſpermatis expulſa ad veſicam
⁊ ibidem retenta ⁊ male expulſa propter earum
groſſiciem. Raſis in ſuo continente. Idem dicit
auicēna. 3° cāto. ¶ Iſtis de cauſis generantur
lapilli i veſica hominū quadraginta annoꝝ ⁊ circa ⁊ mulierū eiuſdem etaꝛ. Nam quia concuſſi.

vel grauati i anchis :vel qꝫ facti ſunt continētes
vltra ſolutum ꝑ timoꝛe dei ⁊ mūdi. vidi duas mu
lieres habere viduatas. nam ponendo digitum
in oꝛificio vulue ſentiebant lapillū infra mediuꝫ
digitum in parte inferioꝛi. vna illarum fuit ſciſ-
ſa infra collum matricis lapis magn⁹ fuit expul
ſus: fuit curata. ¶ Puelle v͛gines incurrentes
hanc paſſionem ſcandūtur iuxta naturam in pte
ſiniſtra ſicut maſculi. verū raro eis contingit ꝓ-
pter cām dictam.

Viſa cauſa multiplici ⁊ modo generationis
lapidis in infantibus: pueris ⁊ addul
tis: reſtat videre ꝑſeruatōnem talis generatōnis
i ipſis. Unde notum eſt recte ſpeculāti ꝙ ꝑſerua
tio tal' generatōnis ſtabit i duobus. Primo i bn̄
expellendo materias i veſica reconditas ⁊ reten
tas. Secūdo i ꝑſeruando generatōnem ⁊ multi
plicatōnem tal' materie que continue fluit ad ve
ſicam cum vrina. ¶ Primū complet͛ ē duob⁹. ꝑ
mo vtatur diuretiꝗ ⁊ aliqualiter ꝓuocantib⁹ vri-
nas: vt ſunt purete: colature piſcꝝ: cicerum: len-
ciū: lac amigdalaꝝ: vina ſubtilia clara: vina alba
limphata quaſi per medium. ¶ Secundū com-
pletur cū balneo aque tepide ſemel in quindena
vel i menſe. ⁊ ſi ſunt ſuſpecti ex regione vl' ex ge-
nere ꝙ in exitu balnei ſumāt de aqua raphani l'
achoꝛi vel crete marine vel petro. per ſe vel cum
aqua cicerū rub. vel ꝙ ſumāt hauſtū aque deco-
ctionis cicerū nigroꝝ cū petrocilio. hoc ꝓ ꝑmo.
¶ Secundū complet͛ in infantibus: ꝙ vitet ſal-
tim ꝓ pte lac: qꝫ lac declinās ad coleram gene-
rat lapidem in veſica. Raſ i ſuo continēte. ⁊ lac
ticinia. vt caſeum. oua dura. offas remollitas.
pultes: vina groſſa: aquas malas turbidas: li-
moſas ⁊ multū frias. vitabit fructus ⁊ ſubſtātiā
leguminū i magna ꝗtitate. Iſtud ſecundū com
plet͛ in adult̄ i ꝗbus generat͛ ex ſanie ſeu ex ma-
teria ſanioſa fluēte ad veſicā curādo illā saniem:
vt dicet͛ in. c°. quodam ſequēti. Et ſi eſt ꝑiculum
ꝙ generet͛ ex materia ātecedēte ſꝑmatica ꝙ nu
bat i chriſto ſi pōt. vel ꝙ vtatur aceto ⁊ acetoſis
⁊ ieiunet: qꝫ ieiuniū vitia carnalia compꝛimit: qꝫ re
ꝑmit ſupbiam carnis ex abundantia nutrimenti
cōuncti. Iſta tibi ſufficiant ꝓ tali ꝑſeruatōe.

Iſtis cū precedētibus
bn̄ clarificat͛ cura lapidis veſice clare tibi pateſ-
cit. ¶ Aduerte tn̄: lapis gn̄atus i veſica iterdum
ē ꝑuus ſat͛ rotund⁹ iterponēs ſe ifra collū veſice
claudēs meatū vrine ⁊ impediēs ei⁹ exitū: ⁊ ſtrā
glat vrinā ex toto int͛dū ē ꝑu⁹ aliq̄l͛ āgulari ⁊ nō
claudit collū veſice ex toto qꝫ nō ſubitrat. ſ qꝫ aſſi
ſtit meatui n̄ bn̄ adherēdo ſtrāgl'at vrinā in pte.
iō exit vrina guttatim. ⁊ vltra tales lapilli n̄ mul
tū grauāt veſicā rōne pōderi. ſ qꝫ impediūt trāſi
tū vrine ⁊ ei⁹ exitū. Tales lapilli qꝫ nondū ſt bn̄
idurati facil'r curant͛ cū potibus iciſiuis ſupius
dict͛ i cura lapidis renū: q̄ eadē de cā facili͛ fran-
gunt͛ cū ill'. aliq̄n lapis gn̄atus i veſica ē ſat͛ ma
gnus de ſe. vel qꝫ fac cruſtā adherēdo feculentie
ſoꝛdide i fundo veſice ſicut paſta fac adherendo
farine. Iſte tal' lapillus grauat veſicam rōe eius
pōderoſitat͛. iō dolent in pectine ⁊ i peritoneon
in expellēdo vrinā duobus aut trib⁹ de cāis vt ſta
tim dicet͛. Tales ſi duos ānos trāſiuerit: vix cu-
rant͛ ſine inciſione.

Siquis ergo Infans vl' puer la
pillū ꝑuulum vnuꝫ
vel plēs gn̄atū habuerit: qꝺ pateſcit ex ꝗtuoꝛ ſi-
gnis dat͛ a ga°. ꝑmo de int͛. i. c. i. ⁊ a raſi i ſuo ꝯt͛
qꝫ vrina ei⁹ ꝓtūc ē clara aq̄ſa q̄ ꝑus fuit arenoſa
vel turbida. ¶ Scđo qꝫ hꝫ ꝑruritū ⁊ pūcturam i
radice v͛ge ꝓpter qꝺ ſepe ſcalpit pectinē: et fri-
cat v͛gam. ¶ Tertio qꝫ ei⁹ v͛ga ſine cā ſepe erigit͛
⁊ inclinat͛ rōne ꝑrurit⁹ ⁊ vētoſitat͛ ꝯcomitantis.
¶ Quarto qꝫ ei⁹ vrina ꝯſtringit͛ ⁊ ſtrāgulat͛ ex
toto vel i magna pte. Dico ꝙ ex ſignis iſtis aſſer
tiue iudicat͛ ꝙ talis lapidē ꝑuum hꝫ in collo ve͛ᶜ

In cura hui⁹ teneat͛ cōſiliū ga¹. ꝑmo de
int͛. i. c. ꝑmo. facias ipm puerū
ſupine iacere: ⁊ eleuat͛ pedib⁹ magi toto coꝛ͛ huc
⁊ illuc moueat͛ vt lapis ille de collo veſice moue
at͛ ⁊ cadat ad fundū. nā fūd⁹ veᶜᶜ ſituat͛ i lo° ma-
gis alto ꝙ collū ſm anathomizātes. ⁊ collū aliq
lit͛ inclinat͛ ad iferi⁹. ꝓpt͛ qꝺ lapilli cōiter magis
adherēt in collo veᶜᶜ. ex q̄ vrinādo magi coꝛrūdet
doloꝛ i v͛ga rōe colliʒāᶜ vt dicet͛. Poſt hec ꝑcipᶜ
puero vt exꝑmat ſe ſi vrina egrediat͛ bn̄ ſtat. Si
v͛o vria nondū egrediat͛: puer ſcđo ⁊ foꝛti⁹ ſimili
mō moueat͛: ⁊ radix v͛ge agitet͛ ⁊ ꝑcutiat͛ cū vola
man⁹. dic͛ raſ i ſuo ꝯt͛. Et ſi cū h̄ nō poſſit mige
re ⁊ ſtrāguria ꝑmāſerit: intromittas argaliā ifra
v͛gā i ꝓfundū vt lapis de collo veᶜᶜ remoueatur ⁊
vrina egrediat͛. v͛ba ſūt ga¹ in lo° alle°. Coīr ex q̄
poterit vrinare da ſibi pot⁹ inciſiuos frāgētes la
pidē ꝑus dictos iunguēdo inguinaᵃ pectinem ⁊
ꝑitoneū cū dialtea ⁊ alijs vnguent͛ mollificatis
⁊ emplr̄is ⁊ balneis mollificatis vt lapill' molli-
ficet͛: ⁊ poſt quoſdā dies ⁊ ꝑ interualla inūgat͛ ibi-
dē cū oleis frangētib⁹ lapidē vt ē oleo ſcoꝛpionū
ꝯpoſito ⁊ ſilib⁹ ⁊ d͛ eo iniciat͛ ꝑ v͛gā cū ſiringa.
Et ſic fiet cura in. xx. diebus vel circa. Et ego

pluries feci dei gratia. ⁊ tunc videbit in fundo v-
rine reſidentiam arenoſam ⁊ fecalem ſubnigraȝ
⁊ ſubalbidam. Et vtatur vino ſubtili: rubeo: vel
albo bene limphato. Sitim non tolleret. dic̃ Ra
ſis i ſuo continēte. quia veſica caleſcit ⁊ lapillus
magi indurat̃. Similit̃ non potet: niſi vrgeat
magna neceſſitas ne vria magna neceſſitas: ne
vrina ſine cauſa multiplicet̃: q: i expellēdo eam
patiēs grauatur. ¶ Et ſi qs lapidem ſatis mag
nū i veſica habuerit ex ſui generatōne. vel q̇a fec
cruſtā vnā vel plures: vt ē ſupius dictum qđ pa
teſcit ex octo ſignis dat̃ a Raſi i ſuo cōtinente.
Primo q: ē antiqua querela duoꝝ annoꝝ vl' cir
ca. Secūdo q: dolet ⁊ grauat̃ in pectie ⁊ i peri-
toneon rōne ponderis eiˀ. Tertio q: vria i talibˀ
cōmuniter ē turbida lactea propter concurſū ſu
perfluitatū ad veſicam rōe doloris ⁊ grauitat̃ eiˀ.
Quarto q: aliquādo aut ſunt ibi alique pellicu
le ad q̄titatem pui vnguis ſi vria fuerit clara val
de ſignū ē q lapis ē planus non aſper. iō nō gra
uat tātū pter qđ non currūt ibi humores. Raſ
i ſuo cōtinēte. Quito q̇a frequēter vrinat. q: gra
uata a lapillo non poteſt tenere vrinam. Sexto
q: vrinat cum difficultate pter duo. Primo q̇a
veſica non pōt ſe latitudinaliter cōpmere propt̃
quod non pōt vrinam bñ expellere. Scđo q: vri
nādo dolet magi ex ardore ⁊ ex cōmotōne lapilli
Ideo apphēſo illo dolore retrahitur vt vrinā nō
expellat: ⁊ ſic vrina i parte retinet̃ ⁊ male ⁊ cor-
rupte expellit̃. Septio q: vrinādo dolet mlˀtum i
virga maxie i capite. q̇a pars carnoſa magi ſenſi
bil'. Et dolet ex colligātia eius cum veſica dolo-
roſa ⁊ grauata ſicut dolet vnguis ex dolore digi
ti: vt dic̃ Raſ i ſuo continēte. Ex quo dolore ap-
prehēſo aut expellēdo vrinā veſica in ſe magi re-
trahit̃ vt vrinā non expellat. ſic ſtrāgulat̃: ⁊ cor-
rupte ⁊ male expellit̃. ⁊ fortius retraheret̃ ſi con
tinget̃ vlcus i veſica pter fortiorē dolorem i-
tollerabilē. de cura cuius loq̇mur i. c. ſequēti d ar
dore vrine. Octauo q: poſt emiſſionē vrie ſemp
⁊ quaſi cōtinue appetūt mingere ⁊ expell'e illam
rem grauātem. Verba ſunt Raſ i ſuo cōtinente.
¶ Et ſi tu queras. ex quo ē ita magnus ⁊ antiq̄
tus: i quo cognoſcetur ſi ē frangibil' cū medicis
⁊ p ↄñs curabil'. Soluit Raſ i ſuo cōtinēte q ſi
arene appeant i vrina: ſignū eſt q frangibil' eſt:
vel q ibi ſunt duo lapides concurrētes ſe adin-
uicem ⁊ frāgētes. ¶ In cura ergo horum pmit
tēdo cliſteria lenitiua vel caſſiāſ ſimplicem ⁊ vn
guenta mollificatiua ſupradicta eleuādo tibias
contra parietē bis vel ter i die: vt lapis cadat de

collo veſice ad fundum percutiēdo ⁊ agitādo for
titer radicem vge cū vola manus dabis de pul-
uere ſcorpionū: vel leporis combuſti cū aqua de
coctionis ſeminū maioꝝ vel cū modico vini ſim
plicis bene limphati. vel dabis de confectōe da
ta a Raſi i. 9°. almāſoris. vel dabis de medicinis
frangētibus lapidem tibi ſupius recitat̃: puta d
puluere caude tremule. ē auis regia: loco cuiˀ de
puluere hyrūdinū ponātur i parua olla ſine plu
ma: ibi cōburant̃ talit̃ q poſſint puluerizari. Et
dabis de iſtis cū modico vini albi limphati. vl' cū
aqua diſtillata folioꝝ rapham. Raſ laudat illaȝ
aquā. vel dabis quolibet mane. ℥. ſucci radđ rafa-
ni p multos dies de cōcilio Raſ i ſuo cōtinēte.
vel dabis de vitro combuſto. vel de lapide ſpon-
gie. vel iudaico. vel de ſanguie hyrci ſubtiliſſime
puluerizati cum vino ſubtili vel cū aqua diſtilla-
ta folioꝝ rafani. talia poſſunt dari de mane ⁊ añ
cenaȝ p duas horas. vel dabis ſibi potū icſiuuȝ
ſupius dictum i fractōe lapidis renū: q̇ eſt potiꝰ
magi electus a Ga° in. 5°. de ſimplici medicina.
⁊ a Serapiōe pmo ſuarū ſimpliciū i pncipio cō
tinua de iſtis medicis per q̄dragita vel q̇nq̄gita
dies. ¶ Et reſpicias i vrinali ſi arenule ſint ma-
gis ſolito q: ſignū eſt q lapillˀ diſſoluit̃: ſi i tāto
tempe nō curētur: vel manifeſte repentur: ſignū
eſt q nō poteſt curari ſine iciſione pueri. ⁊ puel
le vgines ſcindūtur i parte ſiniſtra i peritoneon
i collo veſice p hominem exptum digito itromiſ
ſo ano: cū quo ſuſtineat lapidem q̇ ſcindit̃ deſu-
per. Et poſt inciſionē cōſolidet̃ cuȝ mūmia pul-
uerizata ſperſa deſup veſicam: vitādo locū a flu
xu humoꝝ pter periculū apoſtemādi locuȝ: q̇a
ex hoc piclitāt. Mulieres aūt corrupte ſcindun
tur eodē modo. A q̇buſdā aūt ſcindūtur ifra col-
lū matricis. q: ibi tāgit̃ lapis de facili itromiſſo di-
gito. verū melius fit alio modo dicto. Raſ i ſuo
continēte dic̃: q infantes q̄plures moriūt̃ d ſci
ſura facta i eis propter lapidem ex debilitate vir
tutis ipoꝝum. Et iuuenes moriūtur de apatibus
calīs q̇ ſequunt̃ illud: ⁊ ↄuenientiores ad ſciſſurā
p lapide ſunt illi q̇ ſunt vltra. x. annos vſq; pꝑe
xx. ⁊ decrepiti de eo ſanātur velocit̃: q: i eis non
accidit apa caꝉm nec ipoꝝ corpa ſūt tātū fria: q
nō poſſint ↄſolidari vlcera i eis. Et ſanabuntur
cū vlcera eoꝝ nō rñdeāt ad ↄſolidatōem. vba ſūt
raſ i ſuo ↄti. Et ſubdit raſ i lr̃a q ſciſſura ñ ↄſo
lidat̃ i maiori pte: vñ accidit fluxˀ vrie. ſbdit q in
dol' pˀ exitū lapiđ pa. ſedeat i decocᶜ malue ⁊ ꝛ
⁊ ſe. lim facta in aq̄ ⁊ oleo tepido. poſtea empla-
ſtretur: ⁊ terminet̃ vt decet.

Capitulum. 76m. de apostemate renum ⁊ veſice.

Poſtema quod fit in re
nibus ⁊ in veſica comi-
tatur febris permixta q̄
nō ē vehemētis caloris cuȝ qua ē
horripilatio ⁊ rigor ⁊ frequēs mi-
ctus ⁊ dolor in inferioribus dorſi
⁊ grauitas. ⁊ cum impellit videtur
ergo qđ aliquid ibi ſuſpenſum ſit
Cum hec itaqȝ ſigna viſa fuerint:
eger ex baſilica flobothometur ei⁹
ptis in q̄ dolorē ſētit ⁊ grauedineȝ
Loco quoqȝ emplaſtra infrigidan
tia ſupponātur. Et ſi egritudo ſic
diſſoluta fuerit: bonū erit. Si aūt
febris ⁊ dolor ⁊ grauitas pſeuera-
uerint ⁊ vrina minutim ⁊ frequen
ter egredit: ſignificat pus ibi colli
gi. Eſt igitur tunc ſupra dorſū em
plaſtrū ex camomilla: ſeīe lini fur
fure oleo ſizamino cōſperſis ponē
dū: ⁊ egro vt in tina ſedeat pcipiē
dū. Si autē eger minxerit pus: ſe-
mina que nomīabim⁹ in caplo de
ardore vrine ſunt dāda dōec pus
minuatur. Deinde dentur trociſci
quos in caplo de mictu ſanguis ⁊
ſaniei noīauimus Apoſtema vero
qđ i veſica fit debet comitar i fe.
cōcluſa ⁊ difficltas migēdi ⁊ diſſu
ria ⁊ femoris ⁊ ỽge dol. ⁊ tūc eger
ex baſilica flobothomandus ē. ⁊ fi
at egritudinis cura queādmoduȝ
prediximus. Eſt autem quādoqȝ
ſanieȝ renuȝ apā qđ non pueīt ad
ymmo trāſit in duriciem: cū graui
tas in renibus ſine febre pſeuerat
Eſt ergo cliſterizandus ex muſcil
lagine fenugreci ⁊ ſe. lini ⁊ apozia
te camōille ⁊ caulīū ⁊ melliloti ⁊
maluauiſci ac furfuris ⁊ vōat freq̄n
ter. Renibus quoqȝ ſuperponat
emplaſtrum ex eis que nomīaui-
mus. Et ſi vrina minui videt cuȝ
illo vrinam ꝓuocantia dent. Hoc
quoqȝ ꝓ paruo non ē habendum
quia ex eo peruenit ad ydropiſim

E apoſtemate re

nū ⁊ veſice. Nota q renes apoſtemā
tur interdū i ſuba gibboſa: tūc q: eius
pāniculus extēditur vltra debitū ⁊ ſoluit i cōtīo
cāt dolor magl q̄ ſi i ꝯcauo eoꝝ apoſtemaret. ve
rū tūc retinet magis vrina. aliqn̄ apoſtemat i lū
bis tūc vie p q̄s trāſit vrina a renib⁹ opp̄imuntur
⁊ coartant ⁊ vrina immorat. veſica aliqn̄ apatur
tūc ē maior fe. ⁊ dol: q: ē mēbrū magl ſenſibile. ⁊
ſi apoſtemet i collo tūc vria ſtrāgulat. ⁊ ex to⁹ re
tinet: q: via reſtringit ⁊ coartat. Si in fundo ve
ſica apatur tūc cauſat diſſuria. i. ſepiſſima mictu
ra. quam ga⁹ vocat aliqn̄ noie gn̄ali ſtrāguriam
ſ⁹ ampho. ſup illo can̄. In ano flegmonem ⁊c.
Sȝ q: tal explīo ꝓprio ē ſuba ꝓpe nō dȝ dici ſtrā
guria ſ diſſuria: vt ē ſupius dictū i. c. de ſtrangu
vrine. Cui⁹ pticule ſit pa⁹ apa in renib⁹ an ſit in
ei⁹ ſuba in eius ſuperficie vel concauo an ſit in
lūbis. hoc ſciri nō pōt niſi cū extimatōne ꝓpinq̄
veritati. ⁊ ex retētiōe vrine magna vel pua. q: qn̄
apatur in ꝯcauo ol' i vijs vrinalib⁹: tūc ceſſat vria
venire ad veſicam: p illū renē ſic diminuit vrina
notabilit qn̄ lūbi apant ꝯmunit vie vrine aliqlr
opprimuntur ⁊ coartantur ſic ceſſat vria aliqlr.
ſilr quādo lūbi apoſtemāt tūc dolor ⁊ rubor ſe ex
tendit i ſupficie exteriori in anchis ſeu i allatum
Cuius pticule veſice ſit paſſio eius apa an ſit
paſſio colli vel fundi p̄ncipaliter. Dicenduȝ q ex
actōne leſa ei⁹ cognoſcit. ſilr ex dolore ⁊ tumore
qn̄ apa eſt i collo veſice tūc vrina ex toto ſtrāgla
tur ⁊ retinet. q: via ipſius colli reſtringit ⁊ nō po
teſt vrina exire. Silr tumor ⁊ dolor tēdit magl ad
radicē ỽge: qn̄ fund⁹ veſice apatur tūc vrina nō

ſtrāgulatᷣ ex toto: imo hꝫ ſepiſſimā micturam ſeu diſſuriā q̄ noīe gn̄ali appellatᷣ ſtrāguria: vt eſt dictum. nam q: fund⁹ veſice grauatur a dicto apa⸗ te non pōt magnā q̄titatē vrīe ꝯtinere. ideo ſepe petit mingere. Sꝫ bn̄ notum ē ꝙ iſta ſūt ꝑ colligātiam. ⁊ ꝙ ē morb⁹ official' in cōpoſitōe: ⁊ ꝙ ē ex nocum̄to expulſi͏ᵉ ⁊ digtie mēbri mādātᷣ. ⁊ ē pa⁹ ſeu nocumētū actiue aīate ſenſitie illaꝝ ptiū: ⁊ ꝑ ꝯñs natᷣ aliū regitiaꝝ mēb¹. Oīa iſta tibi clara ſt

¶ Si quis ergo apoſtema in renib⁹ vel in lūbis habuerit: qd̓ pateſcit ex dolore i dorſo: videtᷣ ſibi: ꝙ aliq̇d ibi ſit ſuſpēſum cū fe. aliquali ⁊ erratica cū qua cōcomitatᷣ horripila⁹ ⁊ tremet: flōmetᷣ ſtatim de baſilica. ⁊ ſi ſit ibi magna plectoria quod pateſcit q: ē cū rubore magno: fiat p̄mo d̓ parte oppoſita p̄cedenti cliſteri ſi cōſtipat⁹ fuerit: ⁊ in⸗ ungatᷣ cū oleis infrigidātibus: puta cū oleo roſ. vnfancino vel cōi. vbi addatᷣ modicū aceti ſimlᷣ bn̄ agitatᷣ. Cōſequēter fiāt alia q̄ ponit Raſ in ca⁹. q: ipſe dat tibi curā i pauc̄ vbis: quare ibi te remitto. ¶ Et ſi q̇s apa i collo veſice vel in fūdo habuerit: incipiēs firmari: q: dolor incipit ⁊ proceſſit pauc̄ horis: flōmetur ſilr ⁊ inungatᷣ cū oleis infrigidātibus repcutiētibus ⁊ oleo roſa. vnfancino. ¶ Si vō apa i collo fuerit firmatuꝫ qd̓ pateſcit: q: collū puta in pte eadē eſt inflatū ⁊ vrina eſt ſtrāgulata non pōt i aliquo vrinare vt ponit ga⁹. p̄mo de inᷣ. in. c⁹. p̄mo. Fac curā quam ipſe ponit quam recitaui in. c. de ſtrāguria ex apa te i collo veſice. ¶ Si vō apa i fundo fuerit firmatū quod pateſcit ex tumore in pitoneon et ex ſepiſſima mictura: inūgas cū oleis anodis ſatᷣ ⁊ patᷣ reſoluētibus ⁊ cū ſmedulla panis bulliti in aqua et oleo roſ. applicata bis vel ter in die. nā maturat reſoluit. Et applica alia maturatiua que omnia cōmitantᷣ bono cyrurgico: ad quē ſpectat tal' executio.

¶ Capitulum ſeptuageſimūſeptimū de ardore qui fit in mictu.

Um eger dum mingit ſētit ardorem ⁊ punctōnē in virgā: ⁊ a ſalſis ⁊ acetoſis ⁊ acutis abſtinendus eſt. et nutriendus eſt ex tafea leuibus ⁊ cibrebegi ⁊ eoruꝫ ſimilibus. hoc quo ꝙ medicamen ei dandum eſt. Rx. ſeminis melonis excorticati. ℥. xxx. ſeminis citroli ſemis cucurbite ſemis portulace ſemis papaueris albi oīm ana. ℥. iij. ſeminis iuſquiami al. ℥. ij. zuccari albiſſimi ad pōdus oīm de puluere horum quottidie in potu. ℥. iij. in mane ⁊ alie iij. ℥. circa noctem cū. ℥. i. ſirupi violati aut iulep ſumatᷣ. Hec quoqꝫ egritudo nō eſt ꝑuipendēda. q: cū ſit māſiua ⁊ pſeuerans proueniūt ex ea i veſica ⁊ in inſtrumentis vrinalib⁹ vlcera.

E ardore vrine ⁊ eius cura. ¶ Nota om nis vrina eſt nitroſa. ſalſoſa acuta ardens ⁊ vrens. ideo deſcribitᷣ nomie ſue actōis. ⁊ hoc ieſt ſibi rōe ꝯmixtōis hūoꝝ acutoꝝ ⁊ colicoꝝ ſalſoꝝ ⁊ aduſtoꝝ ſcd̓ꝫ pl⁹ ⁊ min⁹ ſꝫ diuerſitatē cōplexionū ⁊ diete ꝓpter commixtionē hoꝝ vrina ē multū apitiua ⁊ exiccatiua. Id̓o dicim⁹ paupib⁹ hn̄tib⁹ opil'ones in ſplene vel in epate ex quo ſūt diſpoſiti ad ydropiſim ꝙ potent quolibet mane ꝑ nouē vel decē dies. ſilr in hab ētib⁹ iſlatōꝫ tibiaꝝ ⁊ pedū ꝙ abluāt ſero ⁊ māe illas cum dicta vrina cal'a. Et vētrē tumefactuꝫ ſimiliter abluāt ⁊ fricēt: ⁊ in hoc inueniūt magnū remediū. Aliqn̄ vrine ſunt i ſummo nitroſe ⁊ ardentes: ⁊ hoc ē cā duplici. vno mō fit rōne cō mixtionis multe colere ſemiaduſte vel flegmatᷣ ſalſi vel materie ſanioſe veniētis a renib⁹ ⁊ a pti b⁹ illᷣ. nā ardor ⁊ calor ſūt in vrinis ꝑ viam com mixtionis. p̄⁹ de criſi. ⁊ i. 2. d̓cri. Raſ ponit curā tal' ardoris i ca⁹. Alio⁹ fit vrīa multū ardēs ꝓpter vlcera tōēꝫ veſice vel vgē. videtᷣ eis tunc ꝙ ignis tranſeat dato ꝙ vrina nō excedat in commixtiōe illi⁹ cole aduſte vel flegmatᷣ ſalſi vel alteri⁹ ſupflu itatis calide i exceſſu. nā plures puſtulantᷣ ⁊ vlcerantᷣ in vga ſi vrina ardēs ex cōmixtiōe dicta durauerit qd̓ nō corrigatᷣ ꝑ medicū. ⁊ vlcerātᷣ i collo veſice plēs hn̄tes lapidē. vl' lapides aſperos:

vel angulares in ipa veſica ꝑceſſu tp̄is ex fricati
one ſupficiei itrinſece ipius colli i motu corpor̄
q̄a collū ē pars mag̊ carnoſa veſice. Et q2 i ſitu
ſuo aliqualiter ad iferius. mag̊ ꝓfundus Ideo
lapilli mag̊ cadunt i collo veſice potiſſime ſtādo
ꝛ laborando: nō ſeqtur tūc maior aggrauaᵒ. Et
vrina i maiori pte ſtrāgulatur: qm̄ expellit ratōe
tal' dolor̄ apph̄ēſi: vt ē declaratū i.c. de ſtrangu
ria. ¶ Notum eſt ꝙ ardor vrine ē paſſio vge vel
colli veſice ſi ſit ibi vlceratio. Et ē ꝑ colligātiam
venit quod venire non debet ſcd̄m naturā ¶ Ar
dor vrine i ſe q̄litas mutata. q2 caliditas exce
dens apph̄ēſa ꝑ ſenſum tactus i mēbro vt ē exi-
ens cū vrina ē accidēs dictū exiēs mutatū a cor
pore. ¶ Deſcriptio ē mala cōpl'o cal'a vlcerās mē
brum. Et ē nocumētum regitiue natural' expul-
ſiue mēbri mādātis ꝛ digtie ipiᵘ. ꝛ ē paſſio ſen-
ſitiue ipſius apphendētis illam caliditatem ex
cedētem.

Iſtis clarificatis

cura ardoris vrie pateſcit. Prius autē ꝙ in cura ꝓcedas: cōſiderare
oportet ſi talis vrina ſit ardēs i ſe rōne colere mi
xte multū calide vl' ſemiaduſte tunc tal' ardor ſē
titur ꝑncipaliter i vga i eiᵘ medio ꝛ capite ſi du
rauerit fit ſibi vlceratio: tūc erit vrina ardens in
ſui exitu ſicut ignis: ꝛ poſt exitum: tūc ē ardens
dupl'r: ex ſe ꝛ ex vlcere vge. vel ſic rōne vlcer̄ col
li veſice fit i pluribus hab̄ētibus lapidē vl' lapi-
des i veſica ꝑ eor̄ agitatōem: maxīe ſi ſint aſpe-
ri vel angulares vlcerāt veſicam i collo: tūc ſenti
tur ardor maximᵘ i radice vge ꝛ i vga rōne col-
ligātie maxīe i capite: q2 ps carnoſa mag̊ ſenſibi
lis ꝛ dolet vga ad dolorē veſice ſicut dolet vnguiſ
ad dolorem digiti dolent̄: vt dic̄ raſ i ſuo ꝯtinēte

Siquis ergo

ardorē habuerit ex ſe rōne commixtio
nis colere multū cal'e cū ea vel flaī ſalſi ꝛ nō rō
ne vlcer̄ cōcomitāt̄ quod pateſcit: q̄a non ē anti
quatus: ꝛ tūc ſentitur ardor ſolum i vga puta in
medio ꝛ i capite: ꝛ ē ardor ſat̄ grauās dū expel
litur dūtaxat: ꝛ cōmunit̄ accidit tal' ardor in fine
ꝑaugmaſtice etat̄ ſeu iuuētut̄: q2 tūc abundant
humores aduſti. 2ᵒ teg¹. puta poſt. xxxv. annum.
Iſte tal' euitet ſalſa ꝛ acuta: vt ſpēs allia: cepas:
moſtardam caules. Nutriat̄ ſpinargiis cum la-
ctuc̄ coct̄ ꝛ crudis. vtat̄ vino multū limphato et
fructibus fris ꝛ humidis: puta prunis ꝛ ceraſis
pomis ꝛ pir̄ domeſtic̄. ꝛ anteꝙ̄ itret menſam ſu
mat vnū coclear ſe. melonū mund̄. vtēdo iſtis ſu
mat. ʒ. i. ꝛ ß. reubar. diſſoluti ꝑ noctē in aq̄ ordei
multe decoctōis. potet de mane. vel diſſoluatur
reubarb. ꝑ noctē i. ʒ. ij. ſir¹ violarū cum aq̄ ordei.
vel cū decoctōne prunor̄. hoc facto: flōmetur de
epaᶜᵃ ꝯtinuādo dietam ſupradictam ꝛ ſemē me
lonū dictū. vel ſumat ſero ꝛ mane vnū coclear pl'
uer̄ ſequēt̄ cū modico ſyrupi viol'. cū aqua ordei
ſola vel cū alia. ℞. ſe. mellonū mund̄. a cortice. ʒ
iij. ſemis citrulli cucurbite portulace: papaueris
al. an̄. ʒ. ß ſemis iuſq̄ami al. ʒ. ij. ꝛ ß. panis zucc̄ri
quart̄. i. ß. puluis.

Et ſi quis

Ardorē vrie habuerit cum vlcere i vga quod pateſcit:
q2 dolet ꝯtinue i loco vlcer̄: ꝛ dolet vehemētiſſime
in tota vga i expulſione vrie: ꝛ ꝑcedit vna gutta
ſaniei: ꝛ videt̄ ei ꝙ ignis trāſeat: tal' teneat dietā
ſupradictam. Purgetur ꝛ flobothomet̄ vt dictū
eſt. potet de lacte aſine diebus pluribus vel cap̄
mediū vitrū. ꝛ vtat̄ ſemie̅ melonū vt dictum eſt.
Sumat de aqua caſei de mane aliquādo loco la
ctis. ꝛ ſi ſit acetoſa: preualet: q̄a lauat loca illa ꝛ
mūdificat ſaniē ꝛ corrigit acuitatē vrine ꝛ decli-
nat colāz ad iteſtina. raſ i ſuo cōtinēte. ꝛ ſumat
loco hor̄ de mane de aqua plātag̊ cum modico
boli arineᶜ¹. vel ſan. dra. ſubtiliſſime puluerizati
Laudāt multi ꝙ vga cliſterizet̄ cū lacte cap̄ vbi
ſit modicū ſarcocolle. q2 cōſolida t vlcera veſice ꝛ v
ge: ꝛ pōt reiterari ter quater i die: q2 non grauat
eos. Raſ i ſuo ꝯtinēte vult ꝙ fiat iniectio muſci
lagis ſe. biſmalue ꝛ citonior̄ c̄ lacte mlier̄ ſilr̄ in
ꝑncipio vlcer̄ vel puſtulatōnis. expulſa vrina fi
at iiectio aceti tepidi cum cliſteri. q2 multū miti-
gat dolorē ab extra alteret̄ vga cum ſucco plan-
tagis vel vmbilici vener̄. vel ꝙ herbe trite deſu
per applicētur. Aliq̄ lauāt tale vlcᵘ ſic. ℞. alumi
nis plume panis zucc̄ri an̄. ʒ. i. mell'. ʒ. ß. vini albi
ll'. ß. puluerizāda puluerizent̄ ꝛ bulliant̄ modica
ebullitōne lento igni: iniiciat̄ ifra virgam modi-
cum. de iſta decoctōne abſtergat̄ cum tēta intro
miſſa. Cōſequēter habeat̄ alia tēta: torq̄at̄ vt me
liᵘ ſubintret ꝛ vngat̄ cum vngēto ſequēti ꝛ itro-
mittat̄ infra vgam ſemꝑ poſt emiſſionē vrie. ℞.
cortic̄ thur̄. ʒ. iij. boli ar. ʒ. ij. maſticis. ʒ. i. ꝛ ß. flor
eris. ʒ. ß. olei cōmunis. ʒ. iij. puluerizent̄ oia ſub-
tiliſſime vt alcohol ꝛ addat̄ cere qd̄ ſuffic̄. ß vn-
guentū liq̄dum: quo vtaris vt dictum ē. Aliq̄ cu
rant vlcera vge cum pul'. ſequēti ꝛ imponit̄ cū
ſiringa inſufflādo ꝛ trahēdo paulatine ad extra
vt tal' pul' approximet̄ cuilibet pti ipiᵘ vge ab in
tra vlcerate. ℞. litargiri abluti ceruſe lote cathi
mie lote mirre ſarcocolle thutie extincte. draga-
gāti thur̄ ligni putrefacti an̄. ʒ. ß. ß pul' ſubtil' co-

latus cum ſindone, vidi ꝙ curabantur cum iſto puluere ſolo.

Et ſiquis ardorem vrine habuerit cū vlcere in collo veſice. qđ pateſcit quia dolet in pectine ⁊ in exitu vrine videtur ꝙ ignis trāſeat in radice virge. ⁊ per cōſequēs per totam virgam rōne colligātie vt dcm̄ eſt ſuperius. Et mingūt de ſanie fetida aliquando cum guttis ſanguis. Ypo. quarto amphoriſmorū in fine can̄. antepenultimi. Et vrina in parte ſtrangulatur in exitu ex dolore apprehēſo vt ē dictum ſuperius in capitulo de ſtrāguria. Et magnis temporibus apparuerit ſigna lapidis in veſica ſuperius dcā in caplō. Iſte reparetur ꝑut erit poſſibile. ꝑfecte autem curari nō poſſūt. Vtātur autem in dieta illis quibus vtūtur habētes ardorem cum vlcere in virga. Quedam iiectōes valētes illis valēt iſtis. Fit iſtis talis iniectio. habeatur ſarcocolla ⁊ nutriatur cum lacte mulieris vel aſine. coletur ⁊ addatur amidi ceruſe lote qđ ſufficit: quod poſſit imponi per virgam cum ſiringa. Vel ſic. ℞. muſcillaginis. ſeminis malue viſci muſcillaginis ſeminis citoniorū ꝑ muſcillaginis ſeminis pſillij an̄. ℥. ß. ceruſe gummi arabici. albuminis ouorum. an̄. ℥. lactis mulieris vel aſine quod ſufficit. fiat iniectio aqua. virge paſtoris cū modico boli armenici ⁊ mūmie valet. ſiliter valet ꝙ iniiciatur cum ſiringa ſuccus plantaginis. Raſis multum laudat ꝙ iniiciatur acetū tepidum ſtatim expulſa vrina multum ſedat ardorem illum. potus lactis aſine vel capre albe pluribus diebus quadragita vel quiquaginta diebus ſi detur per ſe vel cum modico dragaganti vl' zuccari multum valet. Raſis in ſuo continente ſubdit ꝙ purgetur aliquādo cum ſero caprino per ſe vl' cum modico reubarbari in vlceribus renum ⁊ veſice inter cetera laudat potum ſeri caprini ſepe ⁊ in ardore vrine q: lauat ⁊ mūdificat illa loca ⁊ corrigit acuitatem materie ⁊ declinat coleram ad inteſtina. Ideo ſumēdo de lacte per aliquos dies poteſt interponere potum ſeri caprini aliquando. Raſis in ſuo antidotario multum approbat trociſcos de alkekēgi in vlceribꝰ renum ⁊ veſice cum ſirupo viola. quia cōſolidāt ⁊ ſedāt ardorem vrine. Siliter poteſt vti iſtis trociſcis cum aqua plātaginis. ℞. luti ar. ſanguis draconis. acachie. kacabre. thuris. ſeminis melonum munda. gūmi dragagāti. amidi. roſa. ana. ℥. tres. fiant trociſci. Iſta talia ſunt pro vlcere ſed non ſunt pro lapide. Si ſit ibi cicera nigra nocēt habētibus vlcera in renibus ⁊ veſica. Raſis in ſuo cōtinēte. Si vtatur ſucco liquiricie dragagāto gūmi ⁊ amido ⁊ inungatur in pectine ⁊ in radice virge ⁊ in peritoneon ſic. ℞. butyri cocti. ℥. quattuor ſtoracis liquide. ℥. vnam. yſopi humide ſeu vnctuoſitatis lane. ℥. ß. axungie anceris. ℥. duas ⁊ ß. incorporentur oīa per modum vnguenti. Si neceſſe fuerit cliſterizetur cum aqua ordei in qua decoquatur ſemē cucumeris ⁊ in qua diſſoluatur butyri. ℥. due. lactis. ℔. ß. aliqui addunt opij. ℥. ß. Conſequēter balneet anchas ſuas i decoctōne ſeminis fenugreci ſeminis lini. Iſta ſufficiant in cura ardoris vrine cum vlcere veſice et virge. ⁊ ſine vlcere.

¶ Capitulum. 78m. de mictu ſanguis ⁊ pus.

c

Um aliq̄s propter caſum aut percuſſionē ſāguinē minxerit ex baſilica flobotomeť ⁊ trociſci q̄ dicunť trociſci de karabe in potu tribuāť. Trociſci de karabe. ℞. karabe gūmi tremule arboris amboꝝ ana. ℥. v. balauſtie ypoquiſtidos amboꝝ ana ℥. duas ⁊ ß. olibani. ℥. duas. ſeminis apij opij amborum an̄. ℥. i. informenť trociſci a pondere aurei vniꝰ. Ex quibꝰ vnꝰ omni die cum apozimate ſumach tribuať. Ad comedendū vero tribuatur caro cocta cum ſumach et caro cocta cum ſucco vue acerbe. Abſtineat a cibis acutis ⁊ ſalſis. Loco vero percuſſiōis ſupponať emplaſtrū ex bolo armeno ⁊ acachia ⁊ aloe ⁊ litio cōfectis cum aceto ⁊ aqua. Si aūt ſanguinis mictꝰ euenerit poſt comeſtionē ciboruꝫ acutorū aut potū vini acuti flobothomeť eger ⁊ trociſcos de karabe in potu ſumat ⁊ eodē quod prediximꝰ guberneť regimine. Pus

vero ſi minxit eger: trociſci iſti dā-
di ſunt qui. ℞. ſeminis melonis ci
troli cucurbite oīum abſq; cortici-
bus añ. ʒ. xx. boli armeni gūmi a-
rabici thuris pinguis ſang. draco-
nis oīum ana. ʒ. decē. opij. ʒ. tres.
ſeminis apij. ʒ. duas. informentur
trociſci pondere. ʒ. ij. ex quibꝰ omi
die vnꝰ cum ſirupo de papauere. ℥
vnā in potu tribuatur. virge ꝙ̄ ex
iſto collirio imittat᷑ Cōfectō colli
rij de ceruſa. ℞. ceruſe ſarcocolle
olibani gūmi arabici opij ſangui-
nis draconis oīm partes equales
fiant ex eis colliria ⁊ p̄ ſiringā fiat
prius iniectio ydromellis ⁊ mīgat
eger ⁊ poſt eius ingreſſionē fiat in
iectio iſtius collirij diſſoluti in la-
cte aſine.

De mictu ſāguinis

⁊ ſaniei ⁊ eoꝝ cura. ¶ Nota ꝙ mictus
ſanguis poteſt ꝓuenire a quinq; locis:
vt declarabitur ex dictis antiquoꝝ. puta a veſica
a venis renū ⁊ earū que ſunt inter renes ⁊ veſi-
cam a renibus a venis aſſiſtentibꝰ vene cōcaue
⁊ earū que ſunt inter epar ⁊ renes a gibbo epa-
tis. ¶ Dico ꝙ mictus ſanguis cum vrina poteſt
ꝓuenire a veſica vt ponit ypo. quarto amphoꝛiſ
in fine in cañ. antepenultio ⁊ ſatis in cañ. p̄cedēti
Idem dic̄ raſ in ſuo cōtinēte qn̄ veſica vlceratur
tunc exit ſanguis. aliquādo modicꝰ cum ſanie fe
tida. q: tres vel quattuoꝛ gutte male p̄mixte cum
vrina. q: veſica eſt membrū exangue cum venis
gracilibꝰ: ⁊ q: vrina vicinat᷑ exitui. ideo ſunt ma-
le permixte. Auic̄. dicit 3°. cañ. fen. xix. in ca°. vlti-
mo ꝙ aliqn̄ exit ſanguis pl'imꝰ hoc eſt quādo g̃-
tioꝛ ramulꝰ vene eiꝰ vlcerat᷑ ⁊ aperit᷑. quod eſt ra
riſſimū. ¶ Dico 2°. ꝙ poteſt ꝓuenire a venis re-
num ⁊ earum que ſunt inter renes ⁊ veſicā mo-
do triplici vt dicit ga. in. 6°. de interioꝛibus. in ca°
2°. poſt p̄n capl'i. p̄mo ex ruptura earū. ex caſu
vl' p̄cuſſiōe. vl' ex plectoꝛia magna. tunc exit ſan-
guis plurimꝰ ⁊ ſubito hoc ſil'iter ponit ypo. q̄rto
amphoꝛiſmoꝝ in fine cañ. illo. Quicūq; ſangui
nem ſponte mingūt. Idem vult raſis in ſuo cōti
nente. idē viaticus cum geraldo. Sil'iter exit ſan
guis ab eis aliqn̄ quādo vlcerāt᷑ a ſanie vl' a ma
teria alia acuta vl' ex lapide trāſiente in ſui expul
ſiōe tunc exit ſanguis per viam reſudatōnis ⁊ in
modica quātitate cum querela in parte illa. Et ſi
ſit vlceratio in renibus tunc exit vrina cum gra-
nulis carnoſis vt dicit gal'. in illo capl'o 2°. Sil'r
exit ſanguis ab illis venis qn̄ capita ſeu oꝛificia
illarū dilatant᷑ ſeu aperiunt᷑ a materia acuta cole
rica vl' ſalſa quod eſt vt plurimū abūdāte in illis
venis maxime ſi cōmota fuerit vt dicit gal'. ibidē
Idem dicit raſis in ſuo cōtinēte. idē dicit Auic̄.
3°. cañ. fen. xix. in ca°. vltimo. idē dicit viaticus cū
geraldo. ⁊ hoc videmꝰ de facto in pl'ibus nefreti
cis ⁊ in alijs repletis in partibus illis ſi laboꝛēt
vl' equitēt ſtatim mingūt vrinā ſanguinolentaꝫ.
eis quieſcētibus ſtatim ceſſat talis mictura ſan
guinis. ¶ Dico ꝙ tertio exit ſanguis cum vrina
a renibus quādo cōtētiua eorum deficit ⁊ p̄ con
ſequēs digeſtiua. quod nō retinet᷑ nec ſequeſtra
tur p̄ eoꝛum nutritione. Illa vnctuoſitas ſangui
nis vt dicit raſis in ſuo ꝯtinente in capl'o de paſ
ſionibꝰ renū ⁊ veſice in p̄ncipio capl'i. Idē dicit
auic̄. 3°. cañ. fen. xix. capl'o vltimo. Idē dicit Gal'.
6°. de interioꝛibus in capl'o 2°. circa mediū capl'i
vbi dicit ꝙ hoc cōtingit in vna ſpecie dyabetice
paſſiōis tunc exit ſanguis eruginoſus ad modū
loture carnis ſilis egeſtiōi epatice in ſecūda ſpe
cie diſſinterie in ſui p̄ncipio lꝫ magis trahat ad
ruboꝛem ꝙ̄ illa egeſtio vt dicit Gal'. ibidē. ¶ Di
co quarto ꝙ exit ſanguis cum vrina de venis p̄
quas excolat᷑ aquoſitas a vena cōcaua. ad ipſos
renes ⁊ a venis que ſunt int᷑ epar ⁊ renes. Si nō
pātur ex caſu vl' percuſſiōe vl' ex plectoꝛia vl' al's
vt dicit auic̄. 3°. cañ. in fen. xix. in capl'o vltimo. itē
expꝛeſſe ponit viaticꝰ cum geraldo. vel exit quā-
do capita venarū per quas aquoſitas excolatur
a vena cōcaua ad dictos renes nimis dilatantur
⁊ larga fiunt a caloꝛe renū excedēti. ꝓpter quod
renes aperiūt illa capita ⁊ vltra debitum attra-
hunt de illa vnctuoſitate cum aquoſitate quam
retinere nec ſequeſtrare poſſunt. quia debilis in
contētiua. ideo mingunt ſanguinē vt cōtingit in
quadā ſpecie dyabetice paſſiōis vt dicit. 6°. de in
terioꝛibus. in capl'o. 2°. circa medium capl'i. Idē
vult raſis in ſuo cōtinēte in p̄ncipio capituli de
paſſionibus renū ⁊ veſice: que ſpecies dyabetice

rariſſime contingit nec Gal. vidit eam tempore
ſuo niſi bis vt recitat ibidem. ¶ Dico quinto ꝙ
exit ſanguis cum vrina a gibbo epatis dicit raſ.
in ſuo continente in caplo de paſſionib⁹ renū et
veſice in pncipio capli. idē dicit auic. tertio cañ.
fen. xix. in caplo vltimo. idem dicit Gal. in ſexto
de interioribus. in caplo. ſecūdo. quando contē-
tiua eius deficit ⁊ per conſequēs digeſtiua. ꝓpt
quod exit ſicut lotura carnis. ſicut egeritur per in
teſtina modo ſimili in ſecunda ſpecie diſſinterie
quando contētiua deficit in concauo epatis vt de
claratur ibidem in locis dictis ⁊ deficit contēti-
ua eius q: vie gibbi ſeu eius vene ſunt nimis di
latate ⁊ aperte a calore epatis multum excedēti
vt fit pluries in ydropiſi de calida vel in paratis
ad hoc. nam ſanguis generatus in cōcauo epa-
tis veniens ad venas gibbi adhuc fermētatur ⁊
decoquitur ⁊ depuratur.. Conſequēter poſt ho-
ras mundatur ab aquoſitate qua non indiget ꝑ
eius tranſitū ad venas ⁊ dicta aquoſitas ſeque-
ſtratur a ſanguine in vena qui deſcēdit ad ipſos
renes ⁊ fert ſecum ſanguinē ad renes nutrien-
dos qui ſua qualitate ⁊ quantitate bonus exiſtit
vt dicit auicenna cañ. pmo doct. de humoribus
in caplo 2°. Verū aliquando ex abundantia ei⁹
venit plus ad ipſos renes de bono ſanguine ꝙ
ipſi indigeant. Auicē. in tertio canone. fen. xix. in
caplo vltimo. ꝓpter quod vrine ſunt rubicunde.
nec ibi contētiua epatis deficit nec eius digeſti-
ua. ſed ſi vene ille ſint nimis late ⁊ aperte puta i
quibus ſanguis fermentatur ⁊ ſequeſtratur ab
ipſa aquoſitate rōne caliditatis epatis multum
excedentis ⁊ dilatantis ⁊ aperientis: tunc talis
aquoſitas non bene ſequeſtratur ⁊ fluit cum ma
gna portōne ſanguinis nō perfecte cocti nec de-
purati ad ipſos renes: quam renes deſinunt ab-
ire grauati ab ipſa. quia eſt eis innaturalis. ideo
veniens ad veſicam expellitur ⁊ mingitur ſan-
guis. Sanies autem que mingitur cum vrina
quandoqꝫ venit ab vlcere veſice quandoqꝫ ab
ipſis renibus vel a partibus vicinis vt dicit ypo.
quarto amphoriſmorū canone illo. ¶ Si ſan-
guinem aut pus mingant. Idem dicit de veſica
in canone quodam ſequenti. Si ſanguinem et
pus mingant. Quandoqꝫ veniunt a venis to-
tius corporis per viam mundificationis, ſexto
de interioribus in capitulo tertio. quia ſicut eſt
de ventre ita eſt de veſica. ita eſt de ventre. ſordi-
cies venarum purgatur interdum per ventrem.
ita ergo erit ꝙ purgabitur per veſicam. Ratio ē
Gal. in textu. Quandoqꝫ talis ſanies que migi-
tur cum vrina venit a concauo pectoris vel a mē
bris circumuicinis. ſexto de interioribus. in ca
pitulo illo tertio. Iſtud tamen raro fit vt dicit ibi
dem propter compoſitionem corporis que rariſ-
ſime contingit.

Notum eſt ex declaratis ꝙ particu
la pncipaliter patiens
in mictu ſanguinis cum vrina eſt aliquando ve-
ſica. aliquando vene illarum partium. aliquādo
ipſi renes. aliquando vene aſſiſtentes. aliquādo
vene. aliquando gibbus epatis. Verum conca
ue in plimis harū cāz renes ⁊ veſica compati-
untur. ſexto de interioribus in caplo ſecūdo. Et
eſt notum ꝙ paſſiones iſte ſunt per colligantiā
in ſe autem eſt accidens morbi dictum exiens a
corpore mutatum pro morbo deſcripto eſt mor-
bus officialis in figura. Quando eſt ex vlcere ⁊
eſt ibi deperditio ſubſtantie membri. interdū eſt
cōmunis; quando exit ex ruptura. interdum ē of-
ficialis in via quando exit ex apertiōne orificio-
rum vene ſeu ex apertione capitis earum. tertio
de morbo in caplo quinto. quia tunc vie dilatan
tur vltra debitum ⁊ non ſoluuntur in continuo ꝑ
ut credunt debiles in arte. Et pro morbo deſcri-
pto eſt nocumentum regitiue naturalis digeſti-
ue ⁊ expulſiue membri ⁊ partium mandantium
materias illas pro illo exeunte nocumentum cō
tentiue illius membri a quo exit. Conſequenter
veſice ⁊ aliorum membrorū vicinorum. ⁊ eſt no-
cumentum actiue ſeu paſſiue in regitiuis natu-
ralibus illius membri principaliter a quo exit.
Conſequenter in alijs membris vicinis. quia il-
lis infert nocumentum per prius ⁊ poſteri⁹. Sa
nies eſt paſſio membri a quo principaliter exit.
⁊ eſt per colligantiam ⁊ eſt morbus in recepta-
culo. ⁊ eſt nocumētū digeſtiue membri ⁊ paſſio
regitiuarum naturalū aliorū.

Iſtis clarificatis Cura mi
ct⁹ ſāgui
nis ⁊ ſaniei tibi pateſcit. Prius autem ꝙ in cu-
ra procedas ſcire ⁊ conſiderare oportet locum ⁊
particulā a qua ꝓcedit talis mict⁹ ſanguis ⁊ ſa
niei. q: in hoc cura diuerſificat.

Si quis ergo mictum ſanguinis
habuerit cum ipſa
vrina ex ipſa veſica. quia vlcerata ⁊ eius vene
aperte ⁊ corroſe. quod pateſcit. quia ſanguis e-
xit in modica quantitate. quia tres vel quattuor
gutte ⁊ male permixte cū vrina. quia vitiantur

exitui cum ſanie fetida ⁊ dolore in pectine ⁊ i vir-
ga ſpecialiṫ in emittendo vrinam fiat cura vlce-
ris prout diximus in capitulo ardoris vrine cum
vlcere veſice.

Et ſiquis mictum ſanguinis habue-
rit cum vrina ex ruptura ali-
cuius vene in renibus vel circa. quod pateſcit.
quia ſatis clarus plurimꝰ ⁊ ſubito exiēs cum ar-
dore ⁊ grauitate aliquali in partibus illis. ⁊ fuit
caſus vel percuſſio vel ſaltus cum plectoria ma-
gna. flobothometur ſtatim de epatica ⁊ in bona
quātitate. Et vtatur carnibus coctis cum ſumach
⁊ riſi lentibus amido ſymila frumēti extremitati-
bus porci piris ſorbis neſpulis coctanis. ſirupo
de ribes rob de citonijs iulep roſato vino groſſo
cum multa aqua de ſumach vitādo ſpecies allia
cepas moſtardam ⁊ omnia acuta ⁊ ſalſa. Et vta-
tur ſero ⁊ mane trociſcis de cacabre cum aqua
decoctōnis ſumach. Vel iſtis. ℞. aluminis ſciſ-
ſi. ʒ. i. ß. dragaganti. ʒ. tres. gūmi. ʒ. ß. fiāt trociſci
ponderātes. ʒ. vnam vel circa. Dentur vt dcm̄ eſt:
ſi non poteſt potare dentur in forma pillulari fiat
ſibi emplaſtrum de ſucco burſe paſtoris cum bo-
lo armeno.

Et ſiquis mictum ſanguinis habue-
rit ex corroſiōe venarum re-
num vel partium vicinarum. quod pateſcit quia
eſt in modica quantitate ⁊ preſentit dolor ⁊ ſani-
es renum. Curetur prout dicetur in cura ſaniei
renum.

Et ſiquis mictum ſanguis habuerit
ex apertōne ⁊ dilatatōne o-
rificiorum venarum renū vel illarū partiū ex ma-
teria acuta colerica vel ſalſa. quod eſt vt plurimū
abundās in illis venis cōmota pungens ⁊ ape-
riens ꝓut cōtingit tota die pluribus nefreticis
⁊ calculoſis quādo equitāt vel fortiter laborant.
quod pateſcit quia ibi non eſt dolor cum ibi non
ſit ſolutio cōtinui ſed viarum ſeu orificiorum di-
latatio. Et ipſis quieſcētibꝰ ſtatim ceſſat ille mi-
ctus: quod non fieret ſi exiret ex ruptura. verum
in pluribus horum cōmuniter cadit aliquid de
feculētia in cōcauo renum perviam reſudatōnis
per capita illarū venarū que eſt cā generatōnis
lapidis ⁊ arenularū in ipis. ¶ Aduertēdum ta-
men ſi talis mictus veniat per viam criſis vel mū-
dificatōnis ꝓut fit in quibuſdam grauatis in an-
chis ⁊ in partibus inferioribꝰ. q: natura illas a-
perit ꝓut in emorroydibus: quod cognoſcitur ex
alleuiatōne ſubſequēte in tali cā. ſufficiat dieta
dicta ne fiat exceſſus vt carnes cocte cū ſumach
⁊ riſi lentes ⁊ alia dicta in cura mictus ex ruptu-
ra vene. Si non veniat perviam criſis vel excedat
vel veniat ex abundātia materie. flobothomet de
epatica in bona quantitate reiterando ſi neceſſe
fuerit de parte oppoſita. Et ſumat de trociſcis di-
ctis de kacabre vel alijs ⁊ teneat regimē extenua-
tiuum de illis que dicta ſunt. Sit cōtentus vno
ferculo in prandio. Cena ſua ſit modica. Iſte ca-
ſus magis contingit plectoricis ⁊ viuētibus in
crapula vt ſunt eccleſiaſtici. Inungatur in reni-
bus ſic. ℞. olei roſ. vnfancini. ℞. ß. olei mirtillo-
rum quartꝰ. vnū. boli armeni. ʒ. vnam. mirullorū
ʒ. ß. gallorum. corticis thuris ana. ʒ. duas. acacie
ʒ. duas. ypoq̄ſtidos. ʒ. vnā. coralli rubei. ʒ. ß. cere
modicum. fiat vnguētum liquidum.

Et ſiquis mictum ſanguis cum vrina
habuerit a renibus puta ꝓ-
pter debilem ꝯtētiuam eorum. quod pateſcit q:
mingit ſanguinem ad modum loture carnis et
eſt per vices multiplicata in magna quantitate.
q: iſte caſus ꝯtingit in vna ſpecie dyabetice paſ-
ſionis. vt dicit gal. vi. de interioribꝰ in caplo 2°.
circa mediū capituli. nam contētiua eorum debi-
litatur a calore renum excedēti dilatāte vias eorū
⁊ attrahēte aquoſitatē in exceſſu ꝓpter quod eſt
multa vrina. quod pateſcit q: cōcomitatur ſitis
fortis cum calore in anchis vt declarabitur i ca-
pitulo ſequenti vbi ex intento loquemur de dya-
betica ⁊ eius ſpeciebus.

Et ſiquis mictum ſanguis habuerit
quia ora venarū per quas
excolatur aquoſitas ſanguis a vena cōcaua ad
ipſos renes nimus dilatātur ⁊ aperiūtur a mala
cōplexione calida ⁊ ignea ipſorū ꝓpter quod at-
trahunt de illa aquoſitate ſanguis cū maiori q̄ti-
tate ſanguis quam retinere per tempus debitū
non poſſunt. q: cōtētiua earum deficit ex eadem
cauſa aperiēte ⁊ dilatāte vias eorum. Qui caſuſ
cōtingit in vna ſimiliṫ ſpecie dyabetice puta in
peiori q̄ gal. nō vidit tempore ſuo niſi bis vt ad
litterā ponit. 6°. de interioribꝰ in caplo 2°. circa
medium capituli. In iſta ſpecie eſt ſiliter multa
vrina ex eadem cauſa quod pateſcit q: habēt ſi-
tim intollerabilem. ꝓpter quod caliditatē igneaꝫ
ſugentem partē poſt partē. ꝓpter quod vocatur
ſiticuloſa paſſio a quibuſdam. a quibuſdam lyē-
teria quia attrahitur aquoſitas que bibitur i mo-
mento ſine digeſtione. ⁊ illa nec aquoſitas ſan-
guinis que cum violentia attrahuntur non reti-
nentur in aliquo in cōcauo renum. ideo vrina eſt
multa ⁊ frequēs ꝓpter illam apertionē ⁊ dilata-

tionem cõcauitatum exceſſiuam eorum. ꝓpter
quod quia exit ſic. Quidam antiquorum dixerũt
iſtam ſpeciem dyabetice paſſiõis aliquãdo lien-
teriam vt recitat Gal. in loco ſtatim dicto. nã iſte
due ſpecies dyabetice non differunt niſi per ma-
gis intẽſum. nam calor renum eſt magis intẽſus
& igneus in iſta ſpecie ſtatim dicta. Propter qđ
iſti duo caſus in quibus mingitur ſanguis cũ vri
na ad modum loture carnis ſcḋm plus & minus
curãtur vno modo quaſi. verum magis infrigidã
tia interius & exterius debent in iſta ſpecie appli
cari. Iſti tales vtantur lactucis coctis & crudis
cum aceto. odorẽt camphoram: folia ſalicũ: mir-
tam: nenufar & ſilia. Potẽt ſirupum de ribes et
rob de citoniis cum aqua frigida vel cum aqua
ſumach. ſumat de ſpodio puluerizato cum aqua
decoctõnis ſumach. vel ſumat trociſcos de ſpo-
dio. ℞. ſpodii. ʒ. quinq;. roſarũ rubearũ. ʒ. ß. ſemis
lactuce acetoſe. ana. ʒ. tres. ſemis portulace. gra-
norum coriandri infuſorũ in aceto & torrefactoꝝ
medulle ſumach añ. ʒ. vnam. balauſtiarum berbe
ris. ana. ʒ. vnã. gũmi arabici aſſi. ʒ. ß. fiant troci-
ſci cum ſucco agreſte vel cum rob de citoniis. de
tur cum aqua ſumach vel in forma pillulari. capi
at ſero & mane quinq;. ſex. vel ſeptẽ pillulas. Vel fi
ant pillule de ſpodio in duabus partibus & in tertia
parte de berberis & adminiſtrentur ſero & mane in
quãtitate vnius. ʒ. Vel ſic. ℞. ſpodii. ʒ. ß. berberis
ʒ. tres. ſeminis lactuce. ʒ. quinq; fiãt trociſci vel pil
lule cum rob de citoniis adminiſtrentur cum aqua
decoctõnis ſumach vel mirtillorũ. Aliqui dant de
mane vitellum oui cum ſemie lactuce pulueriza-
te & bene intẽtio debet eſſe in infrigidãdo ipſos
renes & in cõfortando contẽtiuam eorum. Vel fi-
ant iſti trociſci de ſpodio. ℞. ſpodii ſucci liq̃ricie
añ. ʒ. ß. ſemis lactuce. ʒ. vnã. ſemis portulace. ʒ. v.
coriãdri preparati acacie gũmi ſandali. rubei. len
tiũ excorticatarum balauſtiarũ boli armeni. añ. ʒ
vnã. camphore. ʒ. ß. fiant trociſci ponderantes. ʒ.
vnã. dentur cum aqua roſ. vel dẽtur in forma pil
lularũ. ab extra emplaſtrẽtur renes cum portula
ca ſẽperuiua & ſolatro. Et ingrediatur ter vel quater
in die aquam frigidam per modicam pauſã. poſt
ſunt inungi renes cum muſcilagine pſilii. Vel ſic
℞. ſemis pſilii. m. duos. conquaſſentur & addatur
ſandalorum ſubtiliter puluerizatorum. ʒ. vnam.
diſtemperetur cum aqua roſ. & modico aceti. fi-
at emplaſtrũ ſupra renes. Poteſt etiam vti vn-
guento dicto in mictu ſanguis cum vrina ex ap-
tura vene addẽdo maiorem doſim in acaſſia & y-
poquiſtidos. añ. ʒ. tres. muſcillaginis pſilii. ʒ. ß
opii. ʒ. vnã. fiat vnguẽtũ cum aliis.

Et ſiquis mictum ſanguis cum vrina
habuerit ex debili contenti
ua ipſius gibbi epatis rõne caliditatis excedẽ-
tis dilatantis vias & aperiẽtis. quod pateſcit: quia
ſint aliqualiter cum dolore & grauitate dextri y-
pocundrii. & incurrit ydropiſim de calida firmam
vel incipientem & mingit vrinam in modica q̃n-
titate quia attractiua non excedit. & licet capitaue
narum gibbi ſint aperta alique vie gibbi ſunt o-
pilate. ideo eſt in modica quantitate. Et quia nõ
retinetur per tempus bone digeſtionis & ſeque-
ſtratõnis in gibbo vadit illa aquoſitas cum por
tione ſanguinis ad renes quam renes non reti
nent nec ſequeſtrant quia grauati a quanto & q̃
li innaturali deſinunt ipſam abire ad veſicam &
inde mingitur in modica quantitate & qualitate
dicta. Curetur vt ydropiſis de calida vt ſuperius
eſt dictum. Inter cetera valet ſibi endiuia no-
uella non lota quod ſumant ſine pane & cum aceto
quocumq; mane per quindecim dies & vltra. iii.
bolos bene maſticando. hoc videmus de facto &
ratio dictat. quia frigida & ſicca. Similiter valet ra
ſura eboris cum ſpodio bene puluerizatis. detur
vnum coclear vel circa cum aqua endiuie vel plã
taginis vel portulace & fiant illa que dicta ſũt ſu
perius in cura ydropiſis de calida. Et iſta tibi ſuf-
ficiant in cura mictus ſanguinis ſi veniat cum
ipſa vrina.

Et ſiquis mictum ſaniei cum vrina
habuerit ex ſanie veniẽte
a veſica vlcerata. quod pateſcit quia exit ſatis al-
ba & fetida & in modica quantitate & cum dolo-
re in pectine & in virga ꝓpter colligantiam vt eſt
ſuperius dictum. ¶ Vel ſi quis mictũ ſaniei ha
buerit cum vrina ex vlceribus renum vel partiũ
vicinarum. quod pateſcit ex querela ipſorum re
num in grauitate & dolore cum ſiti & calore ali-
quali in anchis ¶ Curentur iſti cum illis que di
cta ſunt in cura ardoris cum vlcere in collo veſi-
ce. & cum illis que dicta ſunt in ſtranguria vrine
ex vlcere veſice. Specialiter cum potu lactis a-
ſine vel capre continuando de mane per plures
dies per ſe vel cum modico zuccari vt vlcus ma
gis abſtergatur. & per conſequens conſolidetur.
cum modico gũmi vt magis conſolidetur. Ver
ba ſunt raſis in ſuo continente. & cum potu per
interualla ſeri caprini de mane loco lactis. quia
lauat & mundificat loca illa & corrigit acuitatem
materie & declinat colerã ad inteſtina. trociſcis
de alkekengi cum ſirupo roſ. quia multum con

ſolidant illa vlcera. Et vtatur de bolo armeno in puluere cum modico lactis vel cuꝫ modico aque roſacee vel plantaginis. Raſis laudat ſimiliter iſtos trociſcos. ℞. boli armeni. ſanguinis draconis. aq̄tie karabe. corticis thuris. ſeminis melonum mund̄. a cortice. gūmi dragaganti. amidi. roſarū. ana. ʒ. tres. fiant trociſci ponderantes. ʒ. vnam vl' circa. dentur cum aqua plantaginis vel dentur in forma pill'ari de mane ⁊ ante cenam. ſumat quinqꝫ vl' ſex pillulas. balneet anchas ſuas in decoctōne ſeminis fenugreci ⁊ ſeminis lini. ⁊ inungat anchas cum iſto vnguēto. ℞. butyri cocti. ℥. duas. ſtoracis liquide. yſopi humide. ana. ℥. ß. axungie anceris. ℥. vnam. ⁊ ß. icorporent̄ in modum vnguenti ⁊ dupleīur recepta. ¶ Si conſtipatus fuerit cliſterizetur cum aqua ordei in duabus partibus ⁊ in tertia parte lactis ouium vl' vaccarū cum. ℥. vna butyri ⁊ cum. ʒ. ß. opij. ad ſedandum dolorem. ¶ Aduertēdum ſuper opioqꝫ modicum ponas in cliſteribus ⁊ in ſuppoſitorijs qꝛ ſtatim generat ſtuporem ⁊ ſomnū innaturalē ex quibus periclitant.

Et ſi quis mictum ſaniei cuꝫ vrina habuerit ex ſanie veniente a venis magnis vel alijs totius corporis. vt ponit Gal'. 6°. de interioribus in caplō tertio. quod pateſcit quia eſt in magna quantitate cum conſtipatione ventris ⁊ quadam grauitate totius corporis non curetur in p̄mis diebus quia venit per viam mundificatōnis vt ponit Gal'. ibidem. poſt quoſd̄ dies balneetur in aqua tepida ⁊ ſtuphet̄ prius modicum in ſtupha ſimplici. ⁊ flobothometur de mediana vena ſi venoſus fuerit. ⁊ ſtupha ſimplex ⁊ balneum aque tepide reiterentur per interualla. ⁊ qꝛ tales ſunt cōmuniter conſtipati prius ſumant de medulla caſſief̄. ℥. duas. cū decoctōne caricarū vuarum paſſarū mundatarꝫ ab arillis iuiube ſebeſten ⁊ prunorum prout tibi pluries poſui ſuperius. ⁊ ſumat in aurora ⁊ quieſcat in lecto ſine ſomno per duas aut. iij. horas.

Et ſi quis mictum ſaniei cuꝫ vrina habuerit ex ſanie veniēte a cōcauo pectoris vel partium vicinarum. ſed hoc raro contingit vt dicit Gal'. vi°. de interioribus in caplō tertio in fine capituli. quod pateſcit ex ſputo ſanioſo ⁊ querela illarum partium. talis non debet curari: qꝛ fit per viam mundificatōnis illarum partium. imo natura debet iuuari cum mellicrato de radice achori. enule campane. liquiritie. Et cum yſopo capilli veneris. ex iſtis fiat mellicratum clarificatum cum quart̄. vno mellis deſpumati de quo ſumat ſero ⁊ mane vnum vitruꝫ tepidum ſine alia mixtura. Iſta tibi ſufficiant ꝑ cura mictus ſaniei cum vrina a quocūqꝫ loco veniat ⁊ terminetur cura.

¶ Capitulum. 19m. de his qui non poſſunt retinere vrinam.

c Um eger multum vrine emittit: ⁊ in emiſſione ardorem non ſentit aut mīgit in ſomno neqꝫ patitur ſitim neqꝫ corporis extenuationem incurrit. Ea que vrinam conſtringunt danda ſunt medicamen retinens vrinam. Recipe glandium. ʒ. l. olibani. ʒ. triginta. ſeminis coriandri ſicci. gummi arabici. boli armeni. omnium ana. ʒ. decem. fiat ex eis puluis de quo in mane. ʒ. tres. ⁊ circa noctē totidem ad tranſglutiendum dentur. Quod ſi cum hac egritudine ſitis fuerit validiſſima clamoſa: et aqua que bibitur cito egreditur: aqua ordei cum pſillio detur ⁊ nutriatur cum ſucco vue acerbe ⁊ ſumach ⁊ ſimilibus horum nutrientium: ⁊ cum cibo qui fit de ſimmula ordei ⁊ maſal: ⁊ rach acetoſum da ei in potu: ⁊ prohibeatur laborare ⁊ cum muliere concubere: iſti quoqꝫ trociſci in potu ſumantur. qui. ℞. ſpodij. ʒ. decem. lactuce ſeminis. portulace ſeminis amborum ana. ʒ. quindecim. coriandri ſicci. roſarum rubearum. boli ar-

meni omnium ana.ʒ. quinqʒ. ba-
lauſtie.ʒ.duas. camphore.ʒ.ß. ſu-
mantur in potu cum ſucco grana-
ti acetoſi. herbe etiam frigide terã
tur ⁊ ſuper renes ponãtur. Et ca
neat ſibi a cibis calidis ⁊ vino et
ab omnibus que vrinam prouo-
cant. Illud autẽ quod ex magno
ſtolidorum errore prouenit eſt: qꝛ
dant in hac paſſione egro medici-
nas calidas. vnde illico deducunt
ipſum ad ptiſim.

E his qui nõ poſ

ſunt retinere vrinam qui ſepe mingũt
⁊ in magna quantitate. q̃ mictura ma-
gna ⁊ frequens ꝓprie dyabetica appellatur. naʒ
frequens ⁊ modica ſi ſit cum offenſione ⁊ dolo-
re appellatur ſtranguria. Si autem ſit libera ali
quando cum ardore ꝓprie diſſuria appellatur:
vt declaratum eſt ſuperius in capitulo de ſtran-
guria. Si autem vrina guttatim ⁊ inuoluntarie
exeat diſtillando inuoluntarie per virgam prout
in veſica congregatur appellatur largo modo
diſſuria. vt ponit Gal. primo de interioribus in
capitulo primo in fine.. Serapio autem quarto
ſue practice appellat diſtillationem vrine. Simi
liter Raſis in ſuis diuiſionibus ⁊ in ſuo continẽ
te in capitulo de paſſionibus veſice. Iſta talis di
ſtillatio vrine fit ex paraliſi ipſius veſice vel lacer
toꝝ colli veſice. vel ex maxiª defectõe contentiue
ipſius veſice ratione eius male complexionis fri
gide ⁊ humide in ſui ſubſtantia que proceſſu tẽ-
poris fit ſibi adequata ⁊ incurabilis vt contin-
git pluribus in ſenio. Cuius curam prout eſt poſ
ſibilis dicemus in fine capituli. ¶ Unde quia ꝓ
uationes ꝑ habitus cognoſcuntur in erroribus
de anima vt videas nocumenta ſuperuenientia
renibus ⁊ incomoda. Nota quia renes ſunt crea
ti cum virtutibus naturalibus particularibus
prout. ⁊ alia membra vltra hec habent tres vir-
tutes naturales officiales pro ſeruitio totius cor
poris. puta attractiuam aquoſitatis ſanguinis
venarum epatis ⁊ aliarum ⁊ retentiuam illius:
donec ſequeſtrauerit vnctuoſitatem ſanguinis
pro eorum nutritione. Similiter expulſiuam vt
ad veſicam expellant omnes iſtas tam particu-
lares ꝙ officiales agunt cum complexione eoꝝ
que leduntur ſm plus ⁊ minus ad leſionem ⁊ al
terationem ipſius tunc de poſſibili ſi contentiua
eorum ledatur non retinens dictam aquoſitateʒ
prout debet. immo ipſi deſinunt illam abire ad ve
ſicam: ſequitur frequens mictura ⁊ magna vt de
clarabitur. Iſta ergo dyabetica que eſt magna
⁊ ſepiſſima mictura habet duas ſpecies. Quedã
eſt dyabetica de frigida. Alia eſt de calida. hoc
vult Raſis in capitulo proprio. nono almanſo-
ris. Idem ponit in ſuo continente. quia cum vna
eſt ſitis intollerabilis: cum alia eſt modica. Iſtas
ſimiliter ponit Galienus in diuerſis locis. nam
dyabeticam de frigida ponit ſexto de morbo tra-
ctando de exeuntibus per veſicam. in capitulo
penultimo. Dyabeticam de cauſa calida ponit
ſexto de interioribus in capitulo ſecũdo circa me
dium capituli. Quelibet harum habet tres ſpe-
cies ſeu gradus in ſui malicia. Hoc declarat ga
lienus de dyabetica de cauſa calida. ſexto de in-
terioribus in capitulo ſecundo circa medium ca
pituli vbi ponit duos gradus ad litteram ⁊ ter-
tium ſubintelligit. Et quia oppoſitorum eadem
eſt diſciplina. ariſtotil. in thopicis. dyabetica de
frigida ſimiliter habebit tres gradus in ſui ma-
licia. ¶ Dyabetica de cauſa frigida cõmuniter
accidit in prima ſenectute in quibus ſanguis co
rum factus eſt flegmaticus. propter quod aquo
ſitas veniens ad renes ⁊ ad veſicam retinet de
vnctuoſitate ſanguinis. qua de cauſa parum tra
hit ad ruborem. dato ꝙ parum fuerit retenta in
renibus pro ſequeſtratione illius vnctuoſitatis
ſanguinis. Iſta habet tres gradus in ſui mali-
cia. quorum ſubſequens includit precedentem:
Dum incipit eſt in primo gradu ſue malicie. naʒ
contentiua renum notabiliter incipit deficere in
ſua actione naturali. Ideo exit vrina aquoſa lim
pida per vices multiplicata in magna quantita
te. Tu dices in tali dyabetica non excedit attra-
ctiua renum ex quo eſt ibi mala complexio frigi
da debilitans contentiuam ex qua ſequitur fre-
quens mictura. Unde ergo venit frequens et
magna mictura. Soluit Galienus ſexto de mor
bo in capitulo penultimo tractando de exeunti-
bus per veſicam. dicit ꝙ aliquando accidit in ve
nis mala materia. que diſſoluta ſi groſſa fuerit
expellitur ad inteſtina ab expulſiua venarum ſi

ſubtilis ⁊ aquoſa expellitur ad renes ⁊ veſicam
propt̃ quod aquoſitas multiplicatur in renibus
dato ꝙ attractiua renum debiliter attrahat tunc
contẽtiua de poſſibili eſt debilis a mala comple
xione frigida eorum non potens continere tãtã
abundantiã aquoſitatis: ꝓpter quod illa aquo-
ſitas fluit ad veſicam ⁊ ſequitur frequẽs ⁊ ma-
gna mictura. Conſequẽter ſi duret talis mictura
de poſſibili cõtẽtiua magis debilitatur ⁊ plus de
aquoſitate fluit ad ipſos renes tunc incipit appa
rere in vrina aliq̃d de illa vnctuoſitate ſanguinis
⁊ incipit apparere quaſi caropos ad modũ co-
loris pili cameli ſpecialiter in fundo vrine. tunc
eſt in ſecũdo gradu maliciei. Ulteri⁹ ſi plus pro
cedat cõtentiua magis debilitabitur ⁊ magꝭ re-
manebit de illa vnctuoſitate ſanguinis cum vri-
na. qꝛ minus de illa ſequeſtrabitur: ſic vrina ma-
gis denigrabitur ⁊ erit magꝭ cum rubore obſcu-
ro ſicut pilus cameli. ⁊ in fundo magꝭ rõne ꝑgroſ
ſiciei tunc erit terti⁹ gradus maliciei. Talis mi-
ctura frequẽs ⁊ magna appellatur a Gal. diſſo-
lutio corporis: qꝛ corpus diſſoluitur ⁊ appropin
quant diſſolutõni. in. vi°. de morbo. in caplo penl
timo. Raſ autẽ in ſuo cõtinẽte ⁊ in diuiſiõibus
appellat dyabeticam dyarriã vrine: qꝛ fit p modũ
dyarrie vẽtris. ¶ Dyabetica de cã calida ſilr ha-
bet gradus tres in malicia. Primus gradus eſt
quãdo cõtẽtiua renum incipit deficere notabilit̃
a mala cõplexiõe calida dilatãdo vias ⁊ cõcaui-
tates ipſorum renum. ⁊ qꝛ caliditas excedẽs exic-
cat eos facit eos ſitire ⁊ magꝭ ⁊ forti⁹ attrahere.
ſilr calidũ ex ſe facit ad attractio nẽ. Ideo at-
tractiua renum excedit ⁊ attrahit aquoſitates a
vena cõcaua nec nõ ab epate ⁊ ſtomacho. ideo
ſitiunt fortiter ⁊ appetũt aquã frigidam. ideo po
tantꝭ bibitũ cito mingũt ⁊ faciunt vrinam albã
limpidã non obſtãte calore renum qꝛ attrahunt
ſemicrudã licꝫ aliũde ſilr attrahant ⁊ de poſſi-
bili flegma diſſoluatur in partib⁹ illis. vez ſi po-
tarent rem coloratam traheret aliqualit̃ ad illuꝫ
colorem ex quo ſemicrudã attraheret. ⁊ per con-
ſequẽs expelleretur. Secũdus gradus in mali-
cia eſt quãdo contentiua renum magis debilita
tur ⁊ attractiua magis intenditur ⁊ vrina creſcit
per vices ⁊ in quantitate magna cum maiori ſiti
qꝛ calor renum magis incenditur. ⁊ parum de il
la vnctuoſitate ſanguis ſequeſtratur in ipſis. iõ
fluit ad veſicam ⁊ mingitur ad modũ loture car
nis cum rubore ſubalbido vt ponit Gal. ad litte
ram in ſexto de interiorib⁹ in caplo ſecũdo circa
medium capituli. Tertius gradus in malicia eſt
quando diſcraſia calida renum magis intendit̃
⁊ contentiua magis debilitatur ꝓpter maiorem
apertionem ⁊ dilatationẽ concauitatum ⁊ viarũ
ipſorum renum ⁊ attractiua magis intẽditur et
fortificatur. ſic vene per quas excolatur aquoſi-
tas a vena concaua dilatantur ita ꝙ multum de
ſanguine cum aquoſitate attrahitur. Iſtum gra
dum in malicia ſilr ponit Gal. in loco ſtatim
dicto qui rariſſime fit: nec ipſe Gal. vidit in tem-
pore ſuo niſi bis vt dicit ibidem. Tunc vrina erit
ad modum loture carnis cum maiori rubore ꝙ
in gradu precedenti. ¶ Iſtam dyabeticam de cã
calida potiſſime in duobus gradibus vltimis ga
lien⁹ vocat ꝓprie ſiticuloſam. quia non poſſunt
ſatiari potu. vel lyenteriam. quia in aliquo nõ di
geritur aquoſitas nec ſanguis ab ea ſequeſtrat̃
in renibus. ¶ Unde dyabetica p morbo deſcri-
pto eſt paſſio renum. vi°. de interioribus in capi
tulo ſecũdo. Idem dicit raſ in ſuo continente et
in ſexto almanſoris. Idem ſerapio in quarto li-
bro. Et eſt morbus conſimilis ꝑncipaliter mala
complexio calida vel frigida debilitans conten-
tiuam eorum ex ſe ⁊ ſecum aſſociando morbum
officialem in via ⁊ ꝑi receptaculo. qꝛ dilatãtur et
aperiuntur ⁊ replentur vltra debitum illa attra-
cta vel diſſoluta in venis ⁊ fluxa ad eos. Et ẽ no-
cumentũ digeſtiue ⁊ expulſiue ipſorum. quia eſt
morbus materialis. x°. de ingenio in caplo ſecũ
do. Dyabetica pro illa magna mictura ⁊ frequẽ
ti eſt nocumẽtum actõnis: qꝛ mala actio contẽti-
ue ipſorum. vi°. de interioribus in capitulo ſecũ-
do. Idem dicitur a raſi in locis dictis. nam con-
tentiua deficiens renibus deſinit illam aquoſita
tem abire ad veſicam cõuatit̃.

Iſtis clarificatis Cura dyabetice paſ-
ſionis tibi pateſcit. Prius autem ꝙ in cura pro-
cedas ſcire ⁊ conſiderare oportet an ſit de calida
quia in hoc cura diuerſificatur. necnon ſi illa a-
quoſitas veniat per viam attractõnis. vl per viã
diſſolutõnis materie in venis. quia in his ꝓceſ-
ſus nõ eſt vnus in cura nec in regimine.

Siquis ergo dyabeticam ſeu magnaꝫ
micturam ⁊ frequẽtem habue
rit de cauſa frigida. ſcꝫ ꝙ contentiua renum de-
ficiat a mala complexione frigida ⁊ ratione mul
te aquoſitatis diſſolute in venis totius corporis
materie congregate in venis. quod pateſcit quia
eſt cõmuniter in prima ſenectute in quibus mul
ta aquoſitas congregatur in venis eorum. quia
ſanguis eorum factus eſt flegmaticus ratione

mutationis complexionis ad frigidum.nec ſen-
tit ardorem in vrina: ymo quaſi mingit inſenſibi
liter.nec ſitit de quo ſit cura . Et vrina eſt remiſſi
coloris palearis ⁊ in magna quātitate.ſi tal'dya
be^ca ſit in primo gradu ſue malitie vel vrina tra
hit ad modicum ruborem obſcurum maxime cir
ca fundum.ſi in ſecundo gradu fuerit vel magis
trahens obſcurum in fundo.⁊ in parte ſuperiori
⁊ eſt coloris inops ad formam pilli cameli.ſi in
3° gdu ſue malitie fuerit quia talis morbus ē ma
rialis pri⁹ ſūat caſſiāſ ſimplicē vt materie ſtoma
chales purgentur.⁊ meſerayce vene aperiantur
⁊ materia diuertatur ad inteſtina ſaltim pro par
te. ¶ R. prunorū damaſcenoꝝ vuarum paſſaꝝ
mundꝰ ab anil' caricarum pinguiū iuiube ſebe-
ſten ana.p.ß.fiat decoctio in duabus libris aque
donec redeat ad libram.ß.in qua diſſoluatur me
dulla caſſiefiſtul'.ʒ.i.⁊.ß.fiat potus detur ante or
tum ſolis ⁊ quieſcat in lecto ſine ſomno vſqꝫ ad
tertias. ¶ Conſequēter inungat ſibi renes cum
oleo nardino.⁊ tertia parte vel quarta olei maſti
cis ⁊ ruthe. ¶ Conſequēter de cōſilio Raſis in
ſuo continēte ſumat de mane mediū vitrū lactis
ouium.et ante cenam per horaꝫ loco lactis ouiū
ſumat de lacte capre cum modico panis zuccari
de cōſilio raſis iſta oīa cōtinuādo Sumat in in
troitu lecti quattuorvel quiqꝫ de iſtis pillulis. R
cinamomi electi.ʒ.i.fiat puluis ⁊ incorporetur cū
modico galbani quod ſufficit pillulefiāt.Et ſtu-
phetur i ſtupha ſimplici vt ſudor prouocetur mo
derate tamen ſed reiteretur ſemel vel bis in ſepti
mana tenēdo dietā ſiccā ꝗvtatur magis carnibꝰ
aſſatis electis tamen vitādo offas ſaltim pro ma
iori parte et vina ſubtilia⁊ albavtatur vino groſ
ſo ⁊ paruꝫ potet. Vtatur aqua ferrata in oībꝰ
loco vnguēti poteſt facere cerotū in anchis. Re-
cipe olei nardini.ʒ.iij.olei maſticis.ʒ.i.olei ruthe
ʒ.ß.cere quod ſufficit.fiat cerotū extenſum ſupra
alutam in forma quadrata.Si cuꝫ iſtis nō bn̄ cu
retur ſumat de puluere iſto ante potuꝫ lactis per
duas horas de mane. ¶ Recipe glādiū.ʒ.ij.cor-
ticis thuris.ʒ.i.ſemis coriādri preparati boli ar-
me.gūmi arabici.ana.ʒ.ij.fiat puluis ſumat vt di
ctuꝫ eſt cū modicovini rubei ſi eſt debilitatus da
ſibi in forma pillulari.⁊ fiat cuꝫ modicovini vel
rob de citonijs. ¶ Si neceſſe ſit talem cliſteriza-
re fiat cuꝫ decoctione maiorane⁊ ruthe cum oleo
nucū et butyro et caſſiaſ. Et ſi talis ſic abundet i
tanta aquoſitate diſſoluta in venis ⁊ fluxu ad re
nes ꝙ mingat in lecto. Inūgat virgam circa ra
dicē ⁊ peritoneū cum oleo ruthe ⁊ ſumat de hoc.
¶ Recipe mirabolanoꝝ kebuloꝝ bellericorum
emblicoꝝ.ana.ʒ.iij.⁊.ß. cupule glandꝰ infuſe i a-
ceto per dieꝫ et noctē aſſe.ʒ.ij.ciperi thuris enu-
le ſigie ſicce caſſielignee.ana.ʒ.i.⁊ß.mirre.ʒ.ij.di
ſtemperentur cū melle detur in ꝗtitate caſtanee
cumvinovel forma pillulari. Vel fiāt ſibi pillule
de ſemine nigelle ⁊ ſe.ruthe cū melle dētur illi ſe
ro ⁊ mane quiqꝫvel ſex.multuꝫ valet in caſu iſto.
Iſta dico tibi de intentōe Raſ i ſuo cōti^c ⁊ plu
ra hoꝝ pbaui i facto iſto.

Et ſiquis dyabeticā ſeu magnaꝫ⁊ ſe-
piſſimā micturam de cauſa
calida habuerit: quia a mala complexiōe calida
renū quaſi ignea dilatāte cōcauitates ⁊ vias re-
nū propter quod cōtētiua eoꝝ deficit attrahente
humiditates cuꝫviolētia a partibus ſuperioribꝰ
ab epate ⁊ ſtomacho propter quod multiplica-
tur in renibus aquoſitas in quantitate magna.
quod pateſcit:qui ſitit in ſummū ⁊ appetit aquā
frigidā i ſummū qua nō poteſt ſatiari.⁊ bibituꝫ
emittit per vrinā⁊ fuit multū coytiuus ⁊vſus eſt
rebus calidis vel vnctionibus calidis vel empla
ſtris ſuper partes renū.Et habet vrinam albam
tenuē quia parū alteratā ⁊ digeſtam. ¶ Si in p̄-
mo gradu malitie fuerit vel habet ſanguinolētā
ad modū loture carnis cū rubore ſubalbido.Si
in ſecūdo gradu ſue malitie fuerit vel habet ma-
gis ſanguinolentā cū maiori rubore⁊ in magna
quātitate.Si in tertio gradu ſue malitiei fuerit.
vt eſt ſuperius explicatum in capitulo de mictu
ſanguinis.

Cura ſecūdi gradus ⁊ tertij gradus eſt po
ſita in illo capitulo ſtatim dicto. Po-
natur cura primi gradus dietetur cum frigidis⁊
ē portulaq lactucis coctis⁊ crudis ⁊ ſpinargijs
ſirupo de ribes ſirupo mirtillorum ſirupo aceto-
ſo ſimplici cumvno cocleari horuꝫ.fiat taceavna
aque fontis electe vel fiat ſibi ptiſana cū ſemine
pſillij ſemila ordei ordeatū lenteſ auenatū piſceſ
cōpetunt pira coctana poma pruna ⁊ ceſara ⁊ ſi
milia inūgat ſibi renes cum oleo roſ vnfancino
vel cū cōi.vbi ſit vna pars aceti ſimul bn̄ agitaꝝ
vel cū populeōvel ꝙ renes emplaſtrētur cū ſpu
ua ꝯquaſſata ſuperſperſo⁊modico acetivel ß ſibi
iſtud vnguētum. R.olei roſ vnfancini.lī.ß. mir
tillorum.ʒ.ij.ſandꝰ albi ⁊ ru.an̄.ʒ.iij.roſ ru.ʒ.i.bo
li ar.ʒ.ij.cere modicū fiat vnguentū liquidū bal-
neet anchas ſuas bis i die.vel ter in aqua putei
bn̄ frigida⁊ ponat poſtea laminā plūbeā cū fora

minibus minutiſſimis pforatã: vt fumoſitas cali
da poſſit exalari ⁊ applicet ſupra renes. Vtatur
tria ſandali vel dyaſpermatõ factum cum quattu
or ſeminibus maioribus ⁊ minoribus. In ventre
pulle ponãtur ſemina frigida maiora. ⁊ ſumat, vt
ſitis in iſto ſedetur de ↄſilio Raſis in ſuo ↄtinen
te teneat in ore partem vnam poſt aliam tama-
rindorum: ⁊ detur ſibi de aqua lactis acidi ſeu a-
cetoſi. Poſſet ſibi dari lac acetoſum a quo buty-
rum eſt extractum. vel aqua cũ modico aceti epi
thimando epar ⁊ ſtomachum cuꝫ aquis frigidis
endĩ cucumeris ⁊ cucurbite cũ modico aceti. ⁊ cũ
ʒ. i. ſandalorũ ſubtiliſſime puluerizatorũ. Odo-
ret camphorã nenuphar. mirrã ſalices ⁊ ſimilia ſi
non bene reparetur cum iã dictis. da ſibi de ſpo-
dio cũ tertia parte ſeminis lactuce bene pulueri
zatĩ adminiſtretur iſte puluis quolibet mane. i. co-
clear cuꝫ aqua endĩ vel portulace vel plantagĩ. vel
fiant trociſci poſiti in cura dyabe^{te} quando ẽ i ſe
cundo gradu vel tertio ſue malitie. vt eſt dictũ in
capitulo precedenti in cura mictus ſanguinis ex
defectione contẽtiue renũ a mala cõplõe calida
ignea multũ. iſta ſufficiant.

Et ſi quis diſtillationẽ vrine ſine ardo
re habuerit, vel cum modico
ardore rõe ſlãtis ſalſi permixti. vt contingit ſeni
bus a ſenio ex defectiõe contẽtiue veſice ex mala
eius cõplõne frigida vel ex paraliſi lacertoꝝ veſi-
ce inungatur veſica et pitoneõ ⁊ in pectine cum
oleo ruthe vel cum oleo nardino ⁊ caſtoreo. vtatꝰ
metridato ſero ⁊ mane ſaltim ſemel in die tẽpore
frigido in q̃titate amigdale cũ modico boni vi-
ni. vtatur groſſo vino. vtatur oleo nucũ. vtatur de
ficubus in pricipio comeſtionis: quia veſicam fri
gidam confortant. Raſis in ſuo continente. Vi-
tet offas fructus frigidos ſtuphet ſe in ſtupha ſic
ca alĩ tẽpore tẽperato tamẽ ſic in aliquo iuuabitꝰ
Et termineтur iſtud capitulum.

¶ Capitulum. 80. de lumbricis ⁊ vermibus qui
naſcuntur in ano, ⁊ in ventre.

Vi hoc nocumento ſoli
tus eſt ledi a cibis groſ-
ſis ⁊ vnctuoſis ſibi caue
re debet ⁊ quotidie ante
q̃ comedat ſumat buccellas aliq̃s
cum ſinapi. Hoc enim ipõs gene-
rari prohibet. Si vero eos genera
ri contingat non conuenit aliđ ni
ſi vt expellantur. Medicamẽ aſca
rides expellẽs burungi excortica-
ti cum valde famelicus eſt eger. ʒ.
vij. ſumantur. Medicamen ma-
gnos expellens lumbricos. ℞. bu
rungi excorticati turbith ſemĩs ni-
gelle omniũ partes equales lupi-
noꝛuꝫ naſturcij canibil omniũ añ.
partem mediaꝫ ſumantur ex eo in
potu. ʒ. vi. Priꝰ tamen bibat eger
lac mox vt mulctum fuerit per tres
dies. ⁊ deinde quaqꝫ die dietet ſe
de predicto medicamine in lacte
adhuc calido vt multuꝫ eſt diſſolu
to ⁊ aceto dum valde famelicus ẽ
bibat. Vermes vero minuti qui i
ano fiũt pro quibꝰ generatꝰ pruri-
tus: et ideo cum fricatur anus ex-
pelluntur cum coto ex oleo ablu-
to inuolutuꝫ immittitur aut inuo
lutum oleo de criſolimis: aut ſuc-
co mentaſtri Aut inuoluatꝰ ex par
ua quãtitate aloes ⁊ felle vaccino
⁊ ſupponatur.

E lumbricis ⁊ aliis v
mibꝰ q̃a
de eorum generatione ⁊ cura: nota
q̃ vermes ſunt quattuor ſpecierum
ratione forme ſeu figure eorũ. et ratiõe cauſe ma
terialis eorum. et rõne loci generationis eorum.
Nam quidam ſunt longi. graciles. rotundi. Iſti
vocantur lumbrici longi rotundi. iſti magis ge-
nerantur a materia magis calida. quia aduenien-
te calore putredinali in materia, fit maior extẽſio
materie in longum. ⁊ q: materia minus humida
ideo ſunt magis graciles ⁊ minus lati. ¶ Iſti
generantur a flegmate groſſo ſalſo, cõmuniter vt

volunt omnes. ¶ Et aliquando generātur a co. vitellina vel citrina vt vult raſis in ſuo continente. vbi dicit ꝙ non fiunt de vtraq; colera: puta de multum amara non negando. imo innuendo i dictis ſuis ꝙ generantur de colera minus amara ⁊ magis flegmatica. ¶ Idem dicit Auicenna: tertio can̄. capitulo proprio vbi ſolū excipit coleram ru. ratione ſue magne amaritudinis. ⁊ melācoliam ratione eius ſiccitatis. ¶ Idem dicit Galienus. 4. de ſimplici medicina. vbi dicit ꝙ ex multum amaro non generantur nec nutriuntur vermes nec alia animalia quia multū amara eos interficiūt. ¶ In quibus verbis innuitur ꝙ ex modicum amaris poſſunt generari. Et generantur in primis et gracilibus inteſtinis ⁊ non in ſtomacho propter fortem calorē digerentem in eo magis vt vult raſis in ſuo continente: vbi ſatis abūdat materia dicta. puta flegma ſalſum: ⁊ col'a vitellina pungunt illa inteſtina. ideo patiuntur dolorem ſupra vmbilicum fortem. Et inde aſcēdūt ad ſtomachum aliquando. imo ad guttur. ⁊ alij aſcendunt ad palatuz ⁊ exeunt per nares. ¶ Verum cōmentator ſuper viatico videtur ſentire in dictis ſuis ꝙ exeuntes per nares in prora cerebri generantur. Cauſa eſt poſſibilis et effectus erit poſſibilis ¶ Alij ſunt lūbrici qui ſunt ſatis longi ⁊ lati. iſti generantur ſil'r in primis inteſtinis et a materia minus calida ⁊ ſatis humida. ideo fit extenſio in longum: ſed non tanta. ⁊ fit extenſio maior in latus. q: humidum eſt extenſibile in latus magis ꝙ̄ ſiccum. iſti generantur a quibuſdā ſpeciebus flegmaticis a flegmate naturali dulci vel inſipido vel crudo ſi ibi putreſcant.

Alij ſunt vmes q̄ ſunt breues ⁊ lati q̄ vocantur aſcarides ſeu cucurbitini q̄ gn̄ant̄ in medijs ⁊ gſſis inteſtis ⁊ gn̄ant̄ a flāte muſcillaginoſo l'acetoſo. iō maͣ nō pōt trahi i lōgū ex ſe nec rōe agēn̄. Iō ſunt lati breues ad modū ſe. cucurbite. tales mltū pūgūt ſub vmbilico potͫͤ ſi abſtieat a cibo ⁊ ſunt fortiores i ſe. Iō cū maiori difficultaͤ iterficiūt̄. iō fortiora ⁊ mag amara: ꝙ̄ abſinͫ dent̄. vt d: ē ga'. 14°. de igeͦ pte vltia libri

Alij ſūt vmes puuli q̄ naſcūt̄ in vltio iteſtino a maͣ ſtati dc̄a ſi ibi putreſcat ſūt ſic vermes i caſeis gn̄ati q̄ mltū moleſtāt ñam ſi ibi diu durauerit: vt dicet̄. Int̄dū gn̄ant̄ i mr̄ice ex maͣ flāͨͣ putrida muſcillagioſa l'acetoſa moleſtant̄ ⁊ hn̄t ibi pruritū itollerabilē. Vidi vnā nō poterat durare dedi ſibi vnā iiectōez in mr̄ice ad modū cliſteri vbi poſui de yerapig̃ diſſoluta i decoctōe abſin' ſec̄ de vmib' puul' in q̄tiͤ mag̃ q̄ſi media ſcutella fuit libata. ¶ Cōclude ꝙ ex oibus ſpecieb' flātis dēpto flegmate vitreo pōtico ⁊ gipſeo pn̄t vmes gn̄ari ſi ille maͤ putreſcāt vtute orbis itroducit̄ ſpūs vite ex flegmate aūt vitreo cū ſit actu frm ⁊ nō pt bn̄ putrefieri forti putrefactōe. nͤ per ꝯn̄s caleſieri. nō pn̄t gn̄ari in h oēſ ꝯuenerīt nͤ ex flegmate gipſeo nec pōtico: q: ſicce ſunt ꝯp'ois ſic nec ex mlia in h oēs ꝯuenerīt q: nō eſt i talib' hūiditas ſufficiēs gn̄ationi: nͤ ex ſanguie pn̄t ibi gn̄ari. q: ibi nō fluit: ⁊ ſi fluit nō facit morā ad h. Inuenīt aūt pn̄t vmuli puuli ex ſanguͤ innatali gn̄ari. vt dic̄ ga'. in de iuuamēt̄ hanelitus in fine. ¶ Notū eſt ꝙ vmes ſunt paſſiones iteſtinoꝝ i q̄bus gn̄ant̄: ⁊ i q̄b' ſunt ⁊ ſūt paſſiōes p colligantiā ⁊ dicūt paſſiōes i nūo addito rei innalis. ⁊ tal' paſſio ē nocuͫ potͫͤ vtut̄ regitiue mēbri digeſtiue ⁊ expulſiue ⁊ mēbri mādant̄ ⁊ talis paͦ eſt nocuͫ actiue virtutū naturalū regitiuaꝝ ꝯn̄r virtut̄ giate. q: ill' p p̄us ⁊ poſterius inferūt nocuͫ

Siquis g̃ lūbricos iſtos vl' illos in primis iteſtis habuerit vt magi cōtigit pueri ꝑpt̄ guloſitatē ⁊ malā maſticatōez. qd̄ pateſcit: q: hz dolorē ſ vmbilicū cū ſubuſiōe ſtoͦ ⁊ nauſea cū mltitudie ſaliue fame iordiata cū ſōnijs mal' ⁊ terribilib' et dolore capit̄ ſtridore dentiū ⁊ ē pruritu i narib' ꝑpt̄ fumoſitates eleuataſ Vel ſi q̄s aſcarides habuerit i medijs iteſtis ꝑut mag ꝯtigit pueri flegmatic. vl' puulos vermes hn̄t in vltio iteſtioꝝ: qd̄ pateſcit ex dolore ſub vmbilico, ex aſcaridib' cū ꝯſtipatōe vētri ꝑpt̄ opilatōez quā inducūt. lz limādo iteſtia iducūt iterdū fluxū vētri i vltͦ iteſtio ꝑpt̄ vmes puulos ⁊ hn̄tes iſtos vl' illos hn̄t acciͣ. iā dicta p'mit' ⁊ maiora ꝑpter effumatōez eoꝝ ⁊ materie retētē ⁊ commote ab eis ⁊ colligantiā illoꝝ inteſtinoꝝ groſſorū cum cerebro ⁊ muſculoꝝ inferioꝝ. Ideo incurrūt maniā vel epilenͣͫ ⁊ paſſiones ꝯſimiles. puta vertigines mentis ſtuporem. ymo tremorē cordis aliquādo ⁊ plura alia mala. Prouideat̄ ergo vt cito a corpe expellāt̄. nā viui ſūt alligati ⁊ inuiſcati cū inteſtinis ⁊ nō pn̄t bn̄ expelli niſi p̄us cū amarī iterficiāt̄. vel ebrij ⁊ q̄ſi mortui efficiant̄. vt dicit Ga'. 4°. de ingeͦ ſanitat̄ parte vltima libri ꝑpter qd̄ iubet abſintiū ⁊ abrotanū ⁊ ſilia: quia amara eos iterficiūt: vel ebrioſos ſeu vtiginoſos eos reddūt. vt vult Ga' in loco ſtati dicto ¶ Tu dices ex iſtis concluditur ꝙ nō poterūt generari ex aliqua ſpecie co. Cuius oppoͫ eſt ſuperius dictum intentione Raſ ⁊ alioꝝ ꝯſeq̄ntia tenet: q̄a

ex eiſdem ſumus ⁊ nutrimur. ſecūdo de gn̄atōne
dicēdū ꝙ v̾ba ꝓmitus dicta ſtant q꞉ amaritudo
eſt modica in co. citrina ⁊ vitellina. nā m̄ltitudo
flegmatꝭ ꝓmixti obfuſcat eā. ſil̄r ex putrefactōne
obfuſcat̄. ideo modicū amara nō interficiūt. lꝫ v̾ti
ginoſos eos reddāt. Vn̄ m̄ltū amara vt abſinthiūm
aloes lupini ⁊ ſil̄ia eos interficiūt. q꞉ ꝯriāt̄ eorū
naturꝭ. ſil̄r acuta vapoſa. vt allia cīminū torrefa-
ctū mentaſtrū ⁊ ſil̄ia eos interficiūt. q꞉ ꝯriant̄ eo
rum naturꝭ ⁊ eos v̾tiginā̄t. Et q̄dam ſunt q̄ a tota
natura ſpecīa eos iterficiūt. vt aq̄ portulace yſopꝰ
⁊ ꝑl̄a alia. v̾ba ſunt Raſ in ſuo ꝯtīc. Propter q̄ð
medicine in q̄ibꝰ due ꝯditiones ꝯiūgūtur. puta
amaritudo cū acuitate ⁊ vapoſitate ſunt magis
electe ad interficiendū v̾mes vt abſinthiūm abrotanū
ſe. cētonice aloes cicotrini mentaſtrū. ꝓpt̄ q̄ð pꝫ
tibi error illoꝝ qui infundūt ſe. cētonice ſeu alexā
drinū in aceto ꝑ noctē tūc remouēt operatiōeꝫ eiꝰ
q꞉ amaritudinē necnō acuitatē vapoſā. ꝫ debēt
dari ſine infuſiōe i aceto ⁊ ſine ꝯtritōe vt virtꝰ eiꝰ
magꝭ duret in ſtomacho ⁊ in ꝓmis inteſtinis cuꝫ
aqua ſimplici ſi febricitās fuerit. vel cū aqua por
tulace q꞉ illa eos interficit a tota natura ſpecīa. vt
vult Raſ in ſuo ꝯtīc. in. c. ꝓꝓo. Iſte modus dan
di eſt de intentōe Arnaldi de villa noua.

Siquis ergo i infantia vl̄ i pubertate ⁊
vltra lubricos vl̄ aſcarides ha-
buerit. q̄ð pateſcit ex ſignis ſupius dictꝭ. Et febri
citans nō fuerit curet̄ multipl̄r. Cōterat̄ modicū
de abſinthio re. vel de abrotano vel de mētaſtro l̄ de
duobꝰ horis diſtēꝑet̄ cū modico vini ⁊ det̄ in po
tu de mane ꝑ duos dies. vel det̄ de puluere horū
cum modico vini limphati. vel cum vitello oui vel
da ſibi de ſe. cētonice ſeu alexādrino q̄ð tenet ꝓn
cipatum ⁊ nō ꝯteratur nec in aceto infundat̄. ʒ. i.
cum vitello oui. vel cum duabꝰ ficubus. vl̄ cū mo
dico mell̄. da ſibi per duos dies de mane. Aliqui
dant de lacte. i. coclear ꝑ duos dies an̄ q̄lꝫ mane.
Raſis laudat. Vel da ſibi de aloes. ʒ. i. l̄. ij. infun
dat̄ ꝑ noctem. aloes in q̄ cum tertia ꝑte vini clari
vel albi. ⁊ ſepe ducat̄ i craſtinū capiat̄ illa aqua
infuſionis ⁊ potet̄. l̄ fiant pillule cum melle ⁊ ad
miniſtret̄ de mane. aliqui habēt ꝑ ſecreto ⁊ viati
cus. laudat autoritate Ga. dare de cortice mali gr̄a
nati bn̄ cocto in vino contrito ⁊ diſtemꝑato cum
eodem vino dare in potu. Infantes nō febricitā-
tes ſimiliter curamꝰ cum emplaſtris ab extra. ſic
quia ſunt rare contexture et tenuis penetrat va-
por acutus. et amarus ad intra. propter quod fi-
unt ebrioſi vertiginoſi ⁊ a natura expellūtur. R̷

ſucci abſinthij ſucci foliorum perſici. fellis bouis
vel mutōis. ℥. i. ſeminis alexandrini aloes abrota
ni. ana. ʒ. ij. aceti. ʒ. ij. farine lupinorum amaroruꝫ
quod ſufficit fiat emplaſtruꝫ liquidum ponatur
vna pars de nocte ſupra ventreꝫ. alia pars de die
Similiter valent olea horum abſinthij parſico-
rum ⁊ lupinorum per ſe. vel ꝙ infundātur aloes.
℥. ij. cum his ⁊ liniatur venter bene valet. Po-
tes addere ſeminis alexandrini puluerizati. ʒ. ij.
ſimul incorporentur ⁊ applicentur per modū vn
guenti bonum effectum facit ſi applicetur ſupra
ventrem duobus diebus vel tribus. ¶ Si talis
īfans vel puer ſit febricitās damus de ſemine a-
lexandrino non infuſo in aceto nec contrito vt vir
tus eius remaneat in primis inteſtinis cuꝫ aqua
ſimplici: vel cum aqua portulace vt eſt dictum.
Vel de puluere abſinthij ⁊ abrotani ſimili modo
cum aquis dictis. Et facimus emplaſtrum dictū
ſed loco farine lupinorum ponimus farinam or-
dei in toto vel in maiori parte: ⁊ non ponimus de
felle aliquid ſed facimus cum ſuccis dictis. ad-
dendo quarteriū. ß. ſucci craſule minoris. ſeu ver
micularis. loco huis applicamus aloes cum ſe-
mine alexandrino ⁊ oleis prout ſtatim dicemus

Et ſi quis vermulos in vltimo inteſti
no habuerit quod pateſcit
ex accidentibus dictis in magna parte cum pru-
ritu magno in ano capiatur cotuꝫ album ſeu bō
bax inuoluatur cum toſta caul̄. rub. et īfundatur
in felle bouis. vel in ſucco mentaſtri. vel in oleo
perſicorum vel abſinthij. vbi ſit modicum aloes.
puluerizatum infuſum. tunc intromittatur in ano
⁊ teneatur per horas ſic interficientur ⁊ a natu-
ra expellentur. ꝙ ſi non expellantur fiat ſibi iſtud
cliſtere. ¶ Recipe abſinthij abrotani centauree
minoris. ana. m. i. ſeminis centonice. m. ß. fiat de
coctio in qua infundatur yerapigre Galieni. ʒ. vi
cimini aſſi. ʒ. ß. olei perſicoꝝ. ℥. i. fiat cliſtere ad q̄r
teria. iij. vt poſſit eum tenere per duas: aut tres
horas: ⁊ ſic morientur ⁊ a natura expellentur.
¶ Aduerte: ꝙ ex vermibus pronoſticamus in fe
bribus quādo exeunt viui vel mortui et ꝙꝙ ſem
per malum ſignificet: quia rem contra naturam
in corpore additam ex nocumento actionis dige
ſtiue ⁊ expulſiue membri. iio. de ingenio in capi-
tulo. 2o. Interdum aliquid boni ſignt ſuper ſalu
te vel morte ſm̄ ꝙ exeunt in diuerſis temporibus
ipſarum febriū q꞉ ſup malitia morbi ⁊ ſup virtu-
te ſignt ꝯo eſt raſ in ſuo ꝯtinēte. ⁊ Auic. in. 3o cān
⁊ alioꝝ modernorum. Quibus magꝭ credēdū ē:

quia expoſitor viatici ſiniſtre locutus eſt: ꝙ vmes exeūtes a febricitātib⁹. aut exeūt in ꝑn° febrium circa ꝑncipiū augmēti. aut exeūt in augmēto fe. vſqȝ ad ſtatū incluſiue: aut exeūt in declinatōe vł circa. Si āt exeāt ſupius vel inferius i ꝑn° fe. aut ſunt viui aut mortui. ſi ſunt viui: malum ſignū eſt ſignum eſt ꝙ materia fe. eſt peſſima. quā non valent ſuſtinere. ꝓpter qd̓ exeūt ꝑ inferius ł ꝑ ſupi⁹ Si mortui expellātur in ꝑn° nō eſt ꝓſumendū: ꝙ ſint mortui in tam modico tpe ex malitia maᵉ febrilis ꝓpter qd̓ nō eſt malū. nam videntur expelli ꝑ viam mordificationis ꝑut ꝯtingit in ſanis. Si aūt exeāt in fine ſtatus vel in declinatōe dicas ꝑ oppoſitū. Si viui exeāt bonū eſt. nam tunc exeūt ꝑ viam mūdificatōis ⁊ fortificatōis expulſiue ex quo diu viui tollerauerūt. nō arguit̓ tāta nec mł'ta mali⁹ ma'rie morbi. Si mortui eo tūc exeāt mai⁹ malū ſignt: q̄ materiā peſſimā ſignt ex qua mortui ſunt: ideo dubitandū eſt de patiente. Si autē in augmēto fe. exeāt ⁊ ante ſtatum viui ⁊ mortui malum eſt: quia ſi viui arguitur malitia materie quā tollerare nō pñt. ſi mortui deteriorem materiam ſignt. Iſta tibi ſufficiant in materia vermiū hec de iſto capitulo.

¶ Capitulum. 8i. de emorroyidibus ⁊ fiſtulis. ⁊ ragadijs que in ano fiunt.

Cum ſanguiſ recens ſine dolore ꝑ inferiorem fluit regionē īterpolate tamē nō eſt conſtringend⁹: niſi patiens ex eo debilitetur A multis em̄ paſſionibus ex inde liberatur. Si autem debilitetur indiget conſtrictione trociſci de karabe cū ſucco ſumach dētur in comeſtione q̄ſ ſumat ſumachiam ⁊ cibum qui cum ſucco vue acerbe fit ⁊ ſiſ'ia his de illis que nutrientia ſunt. Si vero multum debilitetur nutriat̓ cū ſucco carnis: cui plerumqȝ ammiſcentur ſuccus citoniorum et vinum. Vinū quoqȝ bibat ſtipticū ⁊ ſuper epar ponatur emplaſtrū de ſpica quod in capitulo de epate nominauimus. Et ſi iſta non ſufficerint cōfectio de ſcoria ferri det̓ q. ℞. mirabolanorū nigrorꝫ belliricorum emblicorū omniū an̄ ʒ. v. ſpice ſquināti ciperi zinziberis piperis ameos olibani omniū an̄ ʒ. ij. ſcorie infuſe in aceto per ebdomadaȝ vnam: ⁊ poſtea torrefacte. ʒ. xv. conficiantur omnia cum melle deſpumato quod fuit coctū cū apozimate emblicorū ſicut in capitulo de melancolia nomiauimus: de quo quotidie ad nucis magnitudinē ſumatur. Hoc nāqȝ emorroydarū ſanguinem ⁊ menſtruorꝫ conſtringit fluxui quoqȝ ventris longi temporis remediū affert. Si autem in ano oritur aliquid ꝓminens extra ex quo magnus proueniet dolor nec fluit ab eo aliquid ſuccuſ cepe cum pauca lana aut fel vaccinum ſupponatur Suppoſitoriū quoqȝ longum deciclamine ſubijciatur quod patiens per totam teneat noctē: ⁊ ſi contingat egredi remittat̓ donec findat̓ ⁊ egrediatur ſanguiſ. Cum autem dolor vehementiſſimus fuerit ⁊ apoſtema magnum in ano flobothomet̓ eger ⁊ emplaſtrū hoc ſupponat̓. Sedat enim emorroydarꝫ dolorē cum adeſt apoſtema cū eis quod ℞. mellilotum camomillā que tādiu in aqua coquant̓ donec diſſoluantur. deinde ſumatur ex aq̄ de-

coctionis earum q̄tum manu vna
teneri poteſt vitellus oui aſſati v-
nius croci.ʒ.i.opij.ʒ.ij. ſemis lini
triti fenugreci maluauiſci omniū.
ana.m.i. Conficiantur oīa ex rob
in quo bdellij.ʒ.iij..diſſolute fue-
runt ⁊ folia ſuperpoſita poſtq̄ eo
rum ſuperficies ex oleo ſiſamino ī
quo adepſ gallinaceus fuit reſolu
tus. Aut anatis inuncta fuerit mo
re emplaſtri ſupponatur dum ad-
huc tepida ſunt Alia confectio do
lorem ⁊ apoſtema ſedans cepe al-
bum optime coctum teratur ⁊ cuʒ
butiro vaccino miſceatur vt molle
fiat et tepefactum ano in quo ē a-
poſtema ſuperponat̄ hoc enim do
lorem vehementem ſedat. Cū vͦ
in ano ragadias habuerit patiens
que eum ledunt cum ipſius venter
ſiccus eſt Pillulis de bdellio ſepe
vtat̄ q̄. ℞.mirabolāoꝝ nigroꝝ ke
buloꝝ amboruꝫ ana.ʒ.x.ſerapini
ʒ.iij.naſturcij albi.ʒ.ij.bdellij mol
lis ⁊ pinguis.ʒ.xv.diſſoluat̄ bdel-
lium in ſucco pororum ⁊ ex eo con
ficiantur allia ⁊ informētur ex eis
pillule ⁊ ſumantur ex eis frequen-
ter ab vna.ʒ. ad.iiij. locus vero ſi
aduſtionem patiatur ex vnguento
de ceruſa inungantur. Si autē nō
ſentitur in eo aduſtio vngat̄ ex vn
guēto quod fit ex adipe que ī gib-
bo cameli inuenitur; ⁊ bdellio qđ
ſic fit videlicet vnguētum de ſene.
℞.cere citrine olei ſiſamini adipiſ

anatis medulle cruris vaccini adi-
pis que ē in gibbo camelli bdellij
oīm ptes equales bdelliū pri9 ī mu
ſcillagine ſeminis lini diſſoluatur
deinde oīa miſceant̄ hoc eīn op
timū exiſtit. Si autem eger ragadi
as in ano habuerit pfundas a q̄-
bus fetens vir9 fluxerit medicamē
acutū qđ in caplo de vlceribus de
ſcripſimus eis ſupponat̄: qđ eger
p duos patiat̄ dies. Et ſi in eis a-
liquid remaneat qđ reſudet medi-
camē iterum apponat̄ q̄ eo vſq; fi
at donec locus ſiccet̄ ⁊ nō reſudet
ſi fuerit pfundū. Qđ ſi ea que ibi
ſint eminentia ex̄ ⁊ pendentia fue
rint iterū vt areſcāt ⁊ nigreſcāt bu
tirū tepidū multotiēs ſupponatur
donec nigredo ab eo remoueat̄. ſi
aūt reſudatio reuerſa fuerit medi
camē acutū iterū ibi apponat̄. Et
ſi nō reſudauerit ex vnguēto de ce
ruſa curet̄. Eſt etiā q̄nq; eminētes
emorroydas ex̄ curant̄ cauterizan
do cū ferro loq̄ tam de hoc pl9 ē: q̄
huius nr̄i libri modus req̄rat fiſtu
le vͦ generant̄ ī ano velocit̄ qm̄ figu
ra eius facit illud eſſe neceſſarium
que aūt penetrantes ſunt aut nō
penetrātes vtriq;. Cū aūt pforate
ſunt vtriq; ſtercus egredit̄ ex eis ⁊
ventoſitas. Si aūt nō egredit̄ ne-
q; ſtercus neq; ventoſitas nō ē pe
netrās ab vtraq; pte loq̄ vͦ de ei9
cura pfecte pluſ ē q̄ hic nr̄ liber ex
petat. Sed quia fere oēs homi-

nes ſemp̄ maximū incurrūt errorē in cura huius egritudinis bn̄ maximū ſequit̄ nocumētū nos excitabimus eos ad hoc qđ huic egritudini ꝯgruū erit ⁊ oñdemus q̄lit̄ a p̄dicto errore ſe cuſtodiāt ⁊ dicemuſ qđ fiſtula vtriq̄ꝫ pforata cū ab ano remota fuerit nullo modo ferro ē tangenda ex inciſione em̄ ferri cōtingit ſtercus īuoluntarie egredi: Eſt etiā aliđ quare fiſtula abvtraq̄ꝫ p̄te pforata ferro tangi non dꝫ Quia toto t̄pe vite eger ſic ꝑmanere potuit nō magnū faciens nocumētū nec ꝓueniat ex ea illud niſi reſudatio ⁊ fluxus. Si aūt illud qđ ab ea fluxerit fuerit acutūꝫ mordicatiuū ⁊ fetidū habuerit odorem Cuꝫ etiā q̄ntitas quotidie augeat̄ erit fiſtula putrida ⁊ cum herpete eſtiomeno cui ex medicamine acuto ex eo qđ ꝯplet oīa ſuccurrendū ē anteq̄ dilatet̄ ⁊ magnificet̄. Cū autē nō reſudauerit niſi paꝝ neq̄ꝫ eius q̄ntitas quotidie auget̄: neq̄ꝫ nullus odor ibi augmentatus fuerit non ē in ea aliq̄d qđ ſit timēdū niſi reſudatio ⁊ fluxus. Que medicari pōt donec ſiccet̄ ⁊ detumeſcat ⁊ nō reſudet p̄ longū t̄ps Si autē reſudatio redierit medicamē predictum adhibeat̄. ⁊ hoc modo poterit blandiri p̄ totū t̄ps vite egri ⁊ nō nocebit: moduſ adhibēdi medicamen huic egritudini. Ex collirio quod ī capitulo de fiſtula oculi nominauimus ſumat̄ et optime terat̄ ⁊ fiſtula premat̄ donec q̄cq̄d in ea ꝯtinet̄ egrediat̄. Et ſi radiuſ eam ingredi poſſit inuoluat̄ coto. deīde ex predicto medicamīe poſt q̄ mollificatum fuerit īunctus in fiſtulam mittat̄. Si vō minime ingredi in ea radius poſſit diſſoluat̄ medicamen in aqua ⁊ ſubleuet̄ coxa egri ſuppoſito puluinari ⁊ eo ſupino iacente predictū medicamen diſtillando ſup̄ fiſtulā fundat̄ ⁊ fiat hoc in mane ⁊ circa noctē p̄ treſ dies ⁊ ſedeat in aqua de cucurma ⁊ lauetur ex ea,

Eemorroidibus

⁊ ragadijs ani ⁊ eoꝝ cura. ¶ Nō ex itētōe viatici Gilbti Gordoñ. ⁊ alioꝝ modernoꝝ. Emorroyde ſt̄ vene late i capite lōgaonis. Emittētes ſang. alīh ſatꝫ i nōbili q̄nti ⁊ ſine dolore i q̄ differt a ragadijs a q̄b⁹ paꝝ ſang. emittit̄ ⁊ ē dol. nā ſic vene late i crurib⁹ vocāt̄ varices ⁊ i oclis vocāt̄ ſebel. Ita ſi ſint i capite lōgaonis dicēt̄ emorroyde. Iſta locu⁹ modernoꝝ ñ vr̄ ſufficiēs. nā emorroides ſūt excreſcētie pticlares numerales iteri⁹: vel exteri⁹ in circlo ani. in capitib⁹ venaꝝ lōgaonis cū dilatatōe eaꝝ ⁊ aptōe ⁊ fluxu de facili. vt dicit ypo. 6°. amph. cañ. illo. Emorroydas ſanāti antiq̄s. Iđ dic̄ Ga⁹ i ꝯ°. Iđ dic̄ Rab in ſuis diuiſionib⁹ ad lr̄am pōit q̄ ſūt excreſcētie numerales. Iđ pōit Aui. 3°. cañ. fen. 17. in ca°. p̄° ſic ꝯclude ex intentiōe hoꝝ: q̄ va emorroys dicit mltiplicē morbū officialē bn̄ itelligēn. vn̄ vene q̄ ñalr̄ i capite lōgaonis ſt̄ q̄nq̄ꝫ. vt pōit gilbt⁹. gordo⁹. rogeri⁹ ⁊ alij moderni. Rab āt ⁊ aui. i ſuis anathomijs dicūt q̄ plēs vene ibi t̄minat̄ de mio. tn̄ tacuert̄ q̄ mltū īplere ex fece ſan. nccio dilatāt̄ ⁊ tales excreſcē ꝑuiā reſudatiōis gñant̄ q̄ modica occaſiōe ꝯapiūt ⁊ ſan. emittit̄. ymo dicit G⁹. 6° ampho. ſuper cañ. ypo. dicto q̄ impoſſibile eſt emorroydas eſſe ſine apertione venarum in ano per quas expellatur feculentia ſanguinis epatis aliter dura apoſtemata: in epate generabuntur,

¶ Et ſup hoc nota: ꝙ iſte emorroydeſ diſtinguūᵗ
in ſe tripľr: q: ex pte loci ⁊ cauſe materialis ⁊ ex
fluxu eaꝝ. vt dicit Raſ in ſuis diuiſionibꝰ. ⁊ aui.
in 3°. caň. in illa fen. 17. in. c. pᵒ. ⁊ oēs in h̄ ꝯueniūt
tam antiq̇ ꝙ moderni. ¶ Nam q̄dam ſunt emi-
nētes ⁊ appentes in circulo ani. ⁊ q̄dam ſunt oc
culte ⁊ ſubmerſe nō appentes extra. ab intra aūt
videntᵗ cū inſtrō cirurgici: vel cū magno conatu
ac ſi vellēt aſcellare: q: ſunt infra inteſtinū rectū
¶ 2°. diſtinguūtur ex pte cauſe materialis rōe cu
ius iſte eminētes ſunt q̄ttuor ſpecierū. nam q̄dā
ſunt de ſanguie bn̄ calido tales ſunt rotūde ⁊ la-
te ad modū vue: ideo vocanᵗ vuales. ¶ Alie ſūt
q̄ fiunt de ſang. magꝭ flāᶜᵒ tales ſt̄ molles oblon
ge ad modū apis vel mori. ideo vocanᵗ morales
¶ Alie ſunt q̄ fiūt de materia mlīca tales ſūt ad
modū papillꝰ mamillaꝝ aſpe ⁊ dure ad modū ve
ruce: ideo vocanᵗ verucales. ¶ Alie ſunt q̄ fiunt
de pura materia flāᶜᵃ ⁊ ſunt quaſi veſice vētriuꝫ
piſciū Iſte rariſſime accidūt: ideo Raſ in ſuis di
uiſionibꝰ nec aliȷ̄ moderni nō faciūt mentionē de
iſtis. Auič. aūt q̇ nihil dimiſit facit mentionē in
capᵒ. ꝓprio occulte ⁊ ſubmerſe. Ex pte cāe mate
rialis ſunt duaꝝ ſpecierū dūtaxat. ⁊ lꝫ non recipi
ant formā rerū extrinſecaꝝ dictaꝝ trahunt aūt ad
naturā vualium vel moraliū. h̄ intēdit aui. in caᵒ.
pᵒ. illius fen. 17. qn̄ dicit ꝙ ſubmerſe ac ꝓfunde q̄
dā ſūt ſanguiee pure q̄dͦ ſunt nō pure ſanᶜᵉ. ¶ 3°
diſtinguūᵗ ex fluxu eaꝝ nam q̄daꝫ ſunt fluentes
ac emittētes ſanguinē: q̄dā nō ſunt fluentes. iſte
vocātur ſurde ⁊ cece a modernis in pſalterijs ſu
is. ¶ Scias aūt ꝙ extrinſece: q: calloſe in capiti
bus fluūt raro. Et ſi fluant guttatim ⁊ paulatim
fluūt cōiter fluūt qn̄ ſtant pedes diſtillando ꝑ co
xas niſi intromittāᵗ in h̄ fatigant naturā. ſubmer
ſe ⁊ occulte q̄ ſunt extrinſece in capitibus illaruꝫ
venaꝝ infra inteſtinū. Ille cōiter faciunt exceſſū
in emittēdo ſanguiem maxime qn̄ aſcellāt quia i
conatu illo impelliᵗ inteſtinū ⁊ ora venaꝝ apiun
tur ⁊ fluit ſanguis. ideo dixinꝰ eis non ſteris diu
ſcella ⁊ ꝯp̄matis vos mediocriter qn̄ exiuis i cel-
la ⁊ nō abſtergatis vos violēter qn̄ ſurgūt ꝑ adhe
rentiā partiū ora illaꝝ venaꝝ claudūtur. ⁊ ſic ceſ
ſat talis fluxus. ¶ Vlteriꝰ nota: ꝙ inter appētes
emorroydas in circulo ani verucales ſunt deťio-
res q: magꝭ dure ⁊ aſpe impediūt magꝭ ſedentē ⁊
eq̄tantē. Poſt iſtas vuales quia magis tumide ⁊
tenſe ſeu dure non cedentes tactui: ideo magꝭ im
pediunt in ſedendo ⁊ equitando. ⁊ morales mi-
nus quia magis molles. Et inter iſtas ſunt peio
res ille que magis tendunt verſus virgam, quia
ſi ingroſſentur vel apoſtementur de poſſibili cau
ſabitur ſtranguria. propter compreſſionem colli
veſice a materia illa tumente. Verba ſunt Auič.
3°. caň. in caplō ꝓprio. ¶ Submerſe autem ⁊ oc-
culte quia ſunt infra inteſtinū ille male ſunt quia
in neceſſitate medicamina non poſſunt applica-
ri. Similiter autem aliquādo iſte faciunt exceſſū
in emittēdo ſanguiem propter cauſam ſuperius
dictam. propter quod diſponuntur ad ydropiſim
ſi excedant. ¶ Et ſuper hoc nota: ꝙ in circulo a-
ni de poſſibili naſcunᵗ alie excreſcentie ab emor
roydibus dictis a quibus nō fluit ſanguinis. q̇a
non concomitatur vene late que etiam naſcūtur
aliquando in labijs vulue i quibuſdam mlieribꝰ
ſcꝫ condilomata atrices. ficus. nam condiloma
ſunt creſcentie panniculoſe ad moduꝫ caſtanee
aliqualiter molles rugoſe. atrices ſunt pannicu-
loſe dicte molles quando ſunt minores. ficꝰ ſunt
excreſcentie longe ad modū ficus habentes gra
na ad intra. que curantur ⁊ abſcinduntur ſicut ip
ſe emorroydes apparentes in circulo ani. puta
cum filo de ſerico: vel pilo vel cum cauterio actua
li. prout dicemus ſtatim ¶ Nota magis ꝙ emor
roydes manifeſte ⁊ occulte moleſtant. Et indu-
cunt nocumenta in corporibus noſtris ſex de cau
ſis. quarum alique ſe tenent magis ab interiori-
bus. alie magis ab exterioribus emorroydibus.
Vno modo ſi nimis fluant tūc corpus debilitāᵗ
⁊ ſine dolore ⁊ diſponunt ad ydropiſim. ¶ Se-
cundo modo ſi non fluant prout conſueuerūt tūc
moleſtant cum dolore in ano ⁊ in anchis. nam in
flantur pulſant ⁊ caleſcunt. ¶ Tertio modo ſi a-
poſtementur: tunc pulſant: ⁊ dolent fortiſſime.
¶ Quarto modo affligunt cum dolore ille exte-
riores ratione duriciei earum. nam ſedendo ⁊ eq̄
tando affligunt ⁊ cauſant dolorem. ¶ Quinto
modo affligunt cum aliquali dolore quia ſupca-
leſcūt aliquando ⁊ inflammātur ſine tumore no
tabili ratione temporis vel laboris inaſſueti peri
tando vel alias. ¶ Sexto modo affligunt cū do
lore egerendo ⁊ emittendo feces duras: quia cō
primūtur ⁊ conſtringūtur ſic dolent fortiter ⁊ ali
quando effluūt modicum ſanguinis. ¶ Nūc ad
ragadias veniamus de quibus idem eſt iudiciuꝫ
ſicut ⁊ matricis. Ragadie ſunt fiſſure ſine tumo
re vlceroſe vel non vlceroſe in capite longaonis
per quas emittitur modicum ſanguis ⁊ cum do
lore egerendo feces duras a quibus etiam com-
muniter cauſantur ad quod facit ſiccitas parti-
cule: vel materia acuta ibidem fluens ¶ Notum
eſt ꝙ emorroydes eminentes ſunt paſſiones cir-

culi ani ſubmerſe ⁊ profunde ſunt paſſiones p̄n
cipalit̃ capitis longaonis ꝓ illis excreſcentijs
ꝓ illis venis dilatatis ⁊ apertis ſunt paſſiões
p̄ncipaliter capitis recti inteſtini: quod colon ap-
pellatur. Raſis. ixº. almanſoris ⁊ in diuiſionib⁹
ſuis. ⁊ Auicē. tertio canoñ. dicunt ꝙ emorroydes
poſſunt eſſe ſil'iter in matrice. puta in labijs vul-
ue. Emorroydes ſunt multiplex morbus puta in
numero ⁊ in receptaculo. q: venarum dilatatio.
⁊ cõmuniter ipſarum repletio vel inanitio. vl' in-
ſunt ex nocumento digeſtiue ⁊ expulſiue illaruz
partiũ p̄ncipaliter. cõſequẽter membri mandan-
tis puta epatis. xiº. de ingenio in caplº ſecũdo. ⁊
ſunt paſſiões p̄ncipaliter regitiuarũ naturalium
ſi fluant vltra debitum. vl' ſunt paſſiões p̄ncipa-
liter ſi non fluant animate ſenſitiue illarũ partiuz
quia dolorem fortem inferunt illis modis dictis

Iſtis clarificatiſ cura

emorroydarũ ⁊ ragadiaruz tibi pateſcit. Prius
autem q̃ in cura emorroydarum procedas ſcire
⁊ cõſiderare oportet ſpeciem emorroydarum et
nocumentum quod inducunt. quia in hoc cura
diuerſificatur. Nam in fluxu emorroydarum poſt
quoſdam dies ⁊ horas cõſiderãda eſt quantitaſ
ſanguinis exeuntis ſm cõplexionẽ ⁊ naturaz pa-
tientis. nam colerici de colera rubea ⁊ vergentes
ad illam tollerãt fluxum ſanguis in maiori quã-
titate pre ceteris. q: habẽt epar ſanguificum mul
tum generatiuum ſanguinis. Raſ in ſuo cõtinẽ
te caplº de fluxu ſanguis narium.

Siquis ergo

fluxum emorroy-
darũ imoderatum
⁊ exceſſiuum rõne eius quãtitatis habuerit quia
exiuit ſanguis per horas ⁊ dies paucos in quã-
titate triũ. lb. vel circa. ⁊ ſanguis eſt rube⁹ cla-
rus debilitatur in virtutibus naturalibus ⁊ ani-
malis. ⁊ color faciei mutatur. nam paleſcunt ⁊ tu
meſcunt ex mala complexiõe humida ſtomachi
⁊ epatis que acquiritur. Talis fluxus cõmunit̃
venit ſine dolore ab emorroydibus occultis que
de facili aperiũtur in conatu aſcellãdi ⁊ a fecib⁹
ſiccis. ⁊ q: reſtringẽtia emorroydas ab intra in
dieta ⁊ in medicinalibus cõſtipant aliqualiter: iõ
caute eſt agendum in talib⁹. Tales vitabunt in
dieta acuta ⁊ ſalſa ⁊ dulcia ⁊ toſta. quia acuunt
ſanguinẽ vl' generant ſanguinẽ acutum. allia ce-
pas ſpecies moſtardam vernachã vinũ coctum
aſſaturam carniũ. vitabit cuncta alia inflãman-
tia: vt iram coitum motum ſupfluũ ⁊ exceſſiuum
⁊ ab intra vtetur delectabilibus ſtipticis ⁊ mo-
deratis in fine menſe ⁊ non in p̄ncipio propter
cauſam dcãm ne conſtipẽt. puta piris coctanis
maturis niſi extremitatibus porci. ſi ſit in eſtate
potet de mane de ſirupo roſaceo vel citoniorum
vl' mirtillorum cum duplo aque ferrate. Si eſſet
multum ſitibundus potes addere mediũ cocle-
ar' vini malorum granatorũ vl' ſucci citranguli in
hyeme poſſet ſumere i ieiuno. xxx. vl'. xl. de radicu
lis que dicũtur truffas de roays in vulgari. ⁊ iſta
oĩa ſunt de intẽtõne arnaldi de villa noua qui
ab extra conſulit ſaccellatões ſequẽtes. Si ta-
lis fluxus fuerit in eſtate fiant iſti ſacculi qui te-
pidi in circulo ani applicẽtur ſedendo vl' al's ſe-
ro ⁊ mane iterando pluries calidos non tepidoſ
℞. roſarũ rubearũ partes duas foliorum mirte
partem vnam. mirtillorum cõquaſſatorũ partez
ſ. miſceantur: fiant ſacculi quadrati oblõgi in pã
no lineo raro antiquo. bulliant vnica ebullitõne
⁊ tepidi ano applicentur vl' ſedeat deſuper ſero
⁊ mane pluries reiterãdo renouẽtur ſacculi que-
cũq₃ die. Si talis fluxus excedẽs fiat in hyeme.
℞. ſaluie recẽ. m. tres. cõquaſſentur ⁊ in patella
coquantur cum multo oleo roſ. inuoluantur in
panno lineo raro antiquo ⁊ ſedeat deſuper ape-
riendo circulũ ani ſero ⁊ mane tepefiat in patel-
la. ¶ Iſta eſt cura quam ponit arnaldus de vil-
la noua tractatu ſuo de emorroydibus. Subdit
ꝙ ſi ceſſante fluxu ſanguinis aquoſitas citrina:
vl' viridis exiret ⁊ flueret ꝙ abluantur partes il-
le cum vino decoctõnis ſaluie recentis ⁊ planta
ginis recẽtis conquaſſatorum. ⁊ in defectu horũ
capiantur roſe ⁊ yreos equaliter vl' abſinthiũ cõ
quaſſatorum ⁊ bullitorũ in vino. fiat ablutio ſe-
ro ⁊ mane. quia talis materia interdum vlcera
ac tortiones generat in capite longaonis. Raſiſ
in ſuo continente dicit ꝙ ad reſtringendum ſan
guinẽ emorroydarum patiens ſedeat ſepe in a-
qua calida ferrata diſſolut nis aluminis. vel ꝙ
panni linei delicati vel bombax ibidem infuſi te
pidi partibus illis dilatatis applicent̃ vel linian
tur partes ille interius in capite longaonis cum
hoc vnguento. ℞. aloen cicotrini puluerizati. ℥.
tres. vini cocti vel vernache vel vini dulcis quod
ſufficit. fiant ſicut pancilla in ſpiſſitudine mellis
clari cum quo partes ani ab intra in capite lon-
gaonis liniantur. Et quia vene infra longaonez
cõmuniter faciunt iſtum exceſſum fiant ſuppoſi
toria loco illorum ad reſtringendum talem flu-
xum de intentõne eius. ℞. thuris cum cortice. ℥.
vnam. coralli rubei. ℥. tres. gũmi arabici. ℥. quinq₃.
ſanguinis draconis. ℥. tres. aluminis ſciſſi. acacie

gallarum antimonij opij croci myrre.añ.ʒ.vnam
diſtemperentur omnia cum albumine oui. fiant
glandes quarum vna teneatur infra longaonez
Aliqui faciunt per modum vnguẽti ⁊ imponunt
cum bombace vel cum tuello de toſta caulis ru-
bei inuoluta in eo quod inuoluatur in vnguento
horum vel in alio conſtrictiuo de thuris vl'ſimile
bdellij inſuppoſitum ſuffumigatum. Reſtrigit
ſimiliter perfumatio vel cathaplaſmatio vini ſet
aque fabrorum decoctõnis tapſi barbati. Raſ
in.ix.almãſoris laudat trociſcos de kacabre,cum
aqua ſumach.⁊ electuariũ de ſquama ferri. Et lo
co horum aliqui dant de mirabolanis cõditis in
introitu lecti.ſed quia iſta conſtipant non bene
placet.q: ſtante cõſtipatõne oportet ꝙ ſit cona-
tus magnus aſcellando.⁊ in hoc renouatur ap-
tio venarum ⁊ per cõſequẽs fluxus. Raſ ⁊ aliq̃
ex modernis in pſalterijs ſuis laudant modicaz
flobothomiam ad diuertendũ. ⁊ ad alterandum
diſcraſiam epatis quod eſt membrum mandãs
ſatis eſt approbanda in quibuſdam potiſſime i
ꝑncipio cure.vẽtoſe ſuper vẽtrem poſite ⁊ ſuper
lumbos ſine ſcarificatõne reſtrigunt ſanguinem
emorroydarũ,raſ in ſuo cõtinẽte.

Et ſiquis emorroidaſ

doloroſas calidas non fluentes habuerit cum
inflammatõe aliquali ⁊ pulſatõne earum cum
grauitate ⁊ ponderoſitate in anchis ratione ſan
guinis retenti ⁊ non expulſi prout conſueuerat:
in quibus aliquando ſunt arenule nigre in vrina
Iſte curetur cum euacuatõne ſanguinis per il-
las partes aperiendo ipſas emorroydas. Vl'cũ
reſolutiuis cathaplaſmando embrocando balne
ando. Uerum ꝑma eſt magis breuis ⁊ perfecta:
ſed non eſt ita complacibilis apud omnes. Exe
quatur ergo primo reſolutiuam flobothometur
in ꝑmis de venis epatis in bona quantitate te-
nendo dietam tenuem. Deinde ſtuphetur in an-
chis ꝙ olla cum decoctõne ſub ſella pforata po-
natur vt fumus inde recipiatur. Uel balneet an
chas ſuas in gandali decoctõne ſequẽti vel ſpõ
gie ibidem infuſe tepide ano ⁊ partibus illis ſe-
pe applicentur pluries in die ⁊ nocte. ℞.foliorũ
malue biſmalue añ.m.quattuor. foliorũ lingue
canis.m.tres.violarie.petrocilli.añ.m.vnum. ſe-
minis fenugreci conquaſſati.ℨ.ß.loco huius po
nas flores mellilloti.m. tres: ſticados citrini.m.
duos.conquaſſentur ⁊ inuoluantur in panno li-
neo vt dulcius ſedeat. in gandali bulliantur in
aqua dulci.in qua decoctione balneet anchas
ſuas vel ſpongie ibidem infuſe tepide ſepe ano
applicentur.vel olla cum toto ponatur ſub ſella
perforata ⁊ perfumetur in partibus illis per pau
ſam. Iſta fiant bis vel ter in die. Et mungatur
ante ⁊ poſt anus cum oleo nucleorum perſicorũ
ſedat dolorem mirabiliter. Uel fiat emplaſtrum
cum medulla panis bulliti ⁊ vitello oui bulliti cũ
oleo roſaceo quod ſufficit.applicetur ano ꝑ mo-
dum emplaſtri. Uel fiat talis illinitio. ℞.vitella
ouorum aſſata quot volueris.vini clari. olei roſa
cei quod ſufficit. fiat per modum vnguenti cum
modico cere vel ſine cera.liniatur anus.ſedat do
lorem mirabiliter.vitellum oui modicum elixum
cum.ʒ.vna opij incorporatum ſedat dolorem e-
morroydarum. Inunctio cum oleo roſaceo tepi
do vel cõmuni ipſius ani ſedant dolorem mirabi
liter. Idem facit ſolum vitellum oui elixum cali-
dum applicatum per modum emplaſtri tollit do
lorem ⁊ punctionem. Et ſi tumor creſcit ⁊ dolor
ſignum eſt quod iam incipit apoſtema. fiat ergo
ſic. ℞. muſcillaginis ſeminis fenugreci muſcil-
laginis ſeminis lini.añ.ʒ.tres.cepi renum capra
rum butyri ſine ſale. añ.ʒ.ß. vitellum vnius oui
aſſum olei roſacei.ʒ.tres.cere modicum. fiat vn-
guentum liquidum. Idem faciunt axungie ana-
tis ⁊ galline cum medulla vituli.añ. diſſoluãtur
⁊ anus emplaſtretur.

Si tu facis curam magis breuez

perfectam talis repletõnis ⁊ tentionis doloroſe
ipſarum cum euacuatõne ſanguinis per partez
per quam natura intendit puta per emorroydas
feſtinanter aperiantur emorroyde. quod fit cum
lanceola vel ſanguiſuga appoſita cum canna de
ſuper vel cum medicinis ⁊ melior medicinarum
eſt folium ficulnee.debet prius complicari ꝙ v-
na pars cum alia conteratur quouſqꝫ lac effluat
inde poſtmodum fricentur emorroyde cum ſup-
ficie confricata donec aperiantur. Simili modo
cum cepa fricata.vel diſtemperentur aloes cico-
trinum cum felle bouino cum quibuſdam guttiſ
aceti ⁊ calidum cum bombace vel panno ſuper-
ponatur.oleum amigdalarum amararum vel ꝑ
ſicorum vel lilij ſimiliter aperiunt eas. Si vero
tardaretur earum apertio vel tardari timeretur
flobothomentur vene que apparent ſupra dor-
ſum vtriuſqꝫ pedis ad tres vel quattuor.ʒ. de v-
troqꝫ pede. Uel flobothometur de vena epatis.

Suppoſitorium de radice panis porcini mirabiliter aperit emorroydas vt hebeme dicit in capitulo proprio. Idē dicit raſis ꝙ per totā noctē teneat donec ſanguis exeat.

Et ſiquis emorroidas

habuerit multum ⁊ vehementer calidas et multum tumidas tumore apoſtemoſo: cum dolore pulſatiuo vehementiſſimo ſuccedendo ad querelam ſtatim dictam neceſſarie tanꝗ ad minorem lapſum premiſſis quibuſdam remedijs iam poſitis ſuper illa pulſatione ⁊ inflatione doloroſa aliquali fiat emplaſtrum iſtud. ℞. florum camomille. florum melliloti. añ. m. vnum. ſeminis lini. ſeminis fenugreci. ſeminis malueuiſci conquaſſatorum. añ. m. ß. decoquantur vſqꝫ ad conſumptionem ⁊ piſtentur. ⁊ addatur vitellum vnius oui aſſati. croci. ʒ. vnam. opij. ʒ. vnam. conſpergantur ⁊ diſſoluantur cum oleo camomille. ⁊ fiat emplaſtrum cuius vna pars ano applicetur ſero et alia mane. Vel fiat iſtud quod eſt maxime doloris ſedatiuum. ℞. cepe album elixatum. optime teratur ⁊ cum butyro cocto vaccino miſceantur ⁊ molle fiat ⁊ tepidum per modum emplaſtri ano apoſtemato ſuperponatur. nam dolorem ſedat vehementer.

Et ſi quis emorroidas

eminentes in circulo ani habuerit affligentes patientem cum dolore ſedendo ⁊ equitando propter ſui duriciem maxime verucales. conſequenter vuales. quia magis dure ⁊ aſpere. morales autem minus quia magis molles. In iſtis emorroydibus ſeu excreſcentijs duris in circulo ani poſſumus intendere dupliciter. Vno modo ad remediandum illam duriciem doloroſam cum mollitiuis. Alio modo ad curam perfectam. quia tales excreſcentie auferentur vt equalis remaneat ſuperficies ani. Verucales ⁊ vuales quia magis dure poſſunt remolliri i hyeme cum ſolo oleo viol. Vel ſic ℞. medulle vituli. vel de oſſibus vacce ʒ. duas. butyri ſine ſale. ʒ. vnam. muſcillaginis ſeminis malueuiſci ⁊ ſeminis fenugreci. añ. ʒ. tres olei violacei ſi eſtas fuerit vel amigdalarum dulcium ſi hyems fuerit quart. vnum. cere modicum fiat vnguentum liquidum. inungantur in moralibus quia magis molles aliter agimus quia applicamus exiccatiua ſine mordicatione. ℞. foliorum tapſi barbati ⁊ plantaginis exiccatorum ⁊ puluerizatorum. ana. ʒ. duas. olei roſacei in eſtate vel olei camomille i hyeme. ʒ. quattuor. ceruſſe lote. ʒ. tres. cere modicum fiat vnguentum liquidum. ſuperponatur cum panno raro lineo vel cum modico bombacis. Vel auferantur ꝙ ligentur in radice cum filo de ſerico vel de pilo ⁊ ſtringantur moderate ꝙ poſſint tollerare abſqꝫ dolore graui breuiter abſcindentur. Aliqui faciunt cum raſorio vel cauterio.

Et ſi quis emorroidas

exterius eminentes ſupercalefactas ratione temporis vel laboris maſſueti peditando vel alias: ⁊ ex hoc doloroſas habuerit. abluatur cum aqua decoctionis ſeminis cucurbite. vel cucumeris: vel melonum vel foliorum lactuce vel foliorum portulace. vel foliorum plantaginis. Vel inungatur cum oleo violaceo ⁊ albumine bene ſimul agitatis. vel cum vnguento populeon recenti ſatis. Vel fiat ſibi iſtud vnguentum. ℞. olei violacei quart. vnum. muſcillaginis ſeminis pſilij. ʒ. duas. incorporentur ſimul per modum vnguenti. Vel fiat iſtud. ℞. olei violacei. ʒ. tres. ceruſſe lote. ʒ. vi. cere albe quod ſufficit. fiat vnguentū cū quo fiat inunctio.

Et ſi quis emorroidas

eminentes habuerit doloroſas in egerendo et emittendo egeſtiones duras duntaxat ex oppreſſione illarum in exitu. propter quod dolent ⁊ affligunt ⁊ cruciatum magnum in circulo ani generant. Precauendum eſt ne feces indurentur vtendo cibis mollitiuis: vt ſpinargijs cum boraginibus ⁊ folijs maluarum ⁊ brodijs ſimplicibus prunis bullitis vel recētibus vel ficubus bullitis vel allijs in principio prandij. ⁊ per interualla capere. ʒ. vnam. medulle caſſiefiſtule cum brodio ſimplici carnium. vel cum decoctione caricarum ⁊ vuarum albarum. In actu vero aſcellandi inungatur anus cum oleo violaceo tepido. Vel anus cathaplaſmetur cum aqua tepida decoctionis foliorum malue biſmalue cū panno lineo ibidem ſubmerſo infra anum intromittendo quantū poterit intromitti.

Et ſuper hoc nota ꝙ

patientes emorroydas debent abſtinere a cibis ſanguinem groſſum generantibus. vt ſunt lentes caro vaccina caro ſalita fabe caſeus. ¶ Et debent vitare ea que adurunt ſanguinem. vt ſunt ſpecies fortes. cibi calidi, allia, cepe, mo-

ſtardam ⁊ ſimilia. verba ſunt raſis in ſuis diuiſi
onibus ⁊ in ſuo continente.

Nunc ad curam ragadiarũ veniamus
vnde ragadie cõmuniter ſunt ſanioſe poſt pau-
lulum. propter ſordicies ibidem currentes. Sed
iſte fiſſure ſeu ragadie in ano vel in matrice in-
terdum fiunt cum calore: quia a materia acuta
ibidem fluxa quod eſt vt plurimum. Aliquando
fiunt ſine calore. quia fiunt a mala complexione
ſicca cum materia in capite inteſtini. inungatur
ragadia cum calore ſic. ℞. medulle vaccine. ℥. i.
⁊ ß. ceruſe lote. ℥. vnam. olei roſacei. ℥. quattuor.
cere modicum. fiat vnguentum liquidum. appli-
cetur cum bombace ter vel quater in die ⁊ nocte
vel ſuperſpergatur thucia lota puluerizata. vel in
ungatur cum vnguento de ceruſa cũ quo incor-
poretur modicum thucie lote. Si autem talis fiſ
ſura ſit ſine caliditate. ℞. medulle vaccine tibie
ſtoracis liquide. añ. liquefiant ſimul ⁊ ano appli
centur cum modico bombacis ⁊ abluantur cũ
vino ſtiptico tepido cum modico mellis roſacei
⁊ exiccentur ⁊ poſtea inungatur. Vitellum oui
aſſi diſtemperatum cum lacte vaccino valet.

¶ Capitulum. 82m. de exitu matricis ⁊ ani.

Cum anus extra egredi
tur apoſtemate carens ⁊
ita diſponetur ꝙ ſi im-
pellatur ingreditur: ce-
ruſe balauſtie gallarum aluminis
antimonij: omnium partes ſumã
tur equales ⁊ redigantur in pulue
rem: ⁊ ſuper anum ex oleo roſeo
calefacto inunctũ puluerizentur
⁊ anus intromittatur ⁊ ſtringatur
quod tamen fieri conuenit poſtꝗ̃
eger a ſella reuerſus fuerit ne cũ
cito ſurgere ad ſellam ſit neceſſe.
Sumantur etiam galle balauſtie
cupule glandium folia mirti ⁊ co-
quantur in aqua donec rubea fiat
⁊ ſedeat in ea ⁊ lauetur ex ea. Qđ
ſi anus qui apoſtemoſus eſt ingre
di minime poteſt: eger aquam ca-
lidam frequenter ingrediatur et
in ea ſedeat ⁊ vngat anum ex cera
⁊ oleo camomillino aut anetino
donec ingrediatur. Cumqꝫ intro-
miſſus fuerit ex his que nomina-
uimus curetur. Vulua preterea ſi
egreſſa fuerit ſimiliter erit medi-
canda. Eſt tamen neceſſe vt for-
titer ligetur ⁊ vt egra ſemper ſupi
na iaceat ⁊ coxa ſuperiꝰ eleuet.

De exitu ani ⁊ ma
tricis. quia de eorum cauſa ⁊ cura de
exitu ani. i. capitis longaonis. ¶ No-
ta ꝙ duplex eſt cauſa talis exitꝰ longaonis. vna
eſt apoſtema in capite ipſius longaonis genera
um. nam pars grauata ponderoſa pendet ⁊ exit
nec poteſt introduci cum digitis ratione tumo-
ris. Iſta cauſa rariſſime accidit. Alia cauſa eſt re
laxatio aliqualis per modum paraliſis lacerto-
rum claudentium anum a mala complexione fri
gida ⁊ humida cum materia imbibita in dictis
lacertis qui ſenſum ⁊ motum habent a neruo ve
niente ab vltima ſpondili. vt patet quarto de in-
terioribꝰ in caplo octauo. talis relaxatio ſeu pa-
raliſis dictorum lacertorum eſt duplex. interdũ
eſt modica. quia ano aperto in emittendo feces. quia
aliqualiter relaxati non poſſunt claudere anum
ſeu caput longaonis. niſi adiuuẽtur ꝙ caput lõ-
gaonis cum digitis intromittatur ⁊ lacertꝰ clau
dens circulum ani vniatur ⁊ ſic remanet. quia rela
xatio eſt incipiens firmari ⁊ nondum eſt firma
ſeu firmata nec permanẽs. Alia eſt relaxatio ma
gna firmata fortis in qua ſi longaon intromitta
tur cum digitis ⁊ circulus ani claudatur cum di
cto lacerto non poteſt remanere ſic clauſus. im-
mo ſtatim relaxatur ⁊ anus aperitur in tantum
ꝙ ſtercus exit aliquando inuoluntarie ſi in dicto
inteſtino fuerit. Iſta fit cum maiori lapſu ipſorũ
necnon medulle in ſpondilibus vltimis ratione
materie dicte venientis ex fluxu vel ex caſu ſeu ꝑ
cuſſione in dorſo ⁊ in partibus illis ⁊ tunc ſi ve-
niat ſubito iſte lapſus eſt incurabilis ſicut para-
liſis veniens ſubito ex caſu ⁊ percuſſione. vt eſt
dictum a raſi in capitulo de paraliſi. Idem dicit

in diuiſionibus ſuis in caplo proprio. Iſta cau-
ſa rariſſime accidit non vidi meo tempore.

Exitus matricis fit quādo ligamēta
eius que ſunt de natura ꝓprioꝝ villorum que oꝛ
tum nec motum non habet a cerebro. 2° de com
plexionibus in caplo quarto. q: ab eius creatio-
ne relaxant̄ per viam paraliſis. vl ꝓtrahūtur ſeu
ꝓlōgantur ab humiditatibꝰ mollificantibꝰ cos
⁊ relaxātibus ipos vt pluries cōtingit mulieri-
bus paraliticatis in aliqua pte coꝛporis ad q̄s
humiditates coadiuuat cā extrinſeca p̄mitiua.
vt tenere tibias in aqua frigida tempoꝛe frigido
vt faciunt lotrices pannoꝝ que cōmuniter incur
runt iſtum caſum in p̄ma ſenectute. Siliter ſede
re ſuper lapide frigido vel ſuper terra frigida in
eccleſia vel alibi. Vel ꝓlongant̄ ⁊ relaxantur ab
aliqua cauſa p̄mitiua vt a forti ligatura ſub vm-
bilico ⁊ faciente ipam deſcēdere aut a caſu forti
vel curſu vl clamoꝛe magno. vl foꝛtiſſima ſternu
tatione vel percuſſione in partibus illis cum pe-
de vl alis. vl ꝓpter partum ineptum. vl ꝓpter ob
ſtetricem ineptam extrahendo fetum vl ſecundi
nam. verba ſunt Auicē. 3°. cañ. in caplo ꝓprio. et
matrix que cadit a loco ꝓprio quandoq3 egredi-
tur ⁊ cadit ꝙ extra apparet. aliquādo non exit ſ3
deſcendat ⁊ facit tumboſitatem in collo matric
infra labia vulue. Iſti caſus cum difficultate re-
parant̄. Et ex cauſis iam dictis mulieres alique
ſentiūt ipſam ſituatā in loco baſſo vltra debitu3.

Notum eſt ꝙ exitus lōgaonis ē paſ
ſio ipius lacertoꝛum il-
loꝛum claudentium anum ⁊ eſt moꝛbus official
in ſitu pro loco ⁊ ſocietate cōcomitans ſecū moꝛ
bum in compoſitōne quia in figura. ⁊ cōmunē̄r
cōſimilem ſi fiat ex apoſtemate vel cōcomitādo
ſecum moꝛbum conſimilem quia mala3 comple
xionem frigidam ⁊ humidam. ⁊ talis moꝛbꝰ eſt
nocumentum regitiue naturalis membꝛi mādan
tis. cōſequenter membꝛi recipiētis. puta digeſti-
ue ⁊ expulſiue. xi°. de ingenio in caplo ſecūdo. Et
illarum partium in emittēdo feces ⁊ in retinēdo
conſequēter eſt animate motiue partiu3 colliga
tarum ⁊ aliarum regitiuarum naturalium illa-
rum partium.

Exitus matricis eſt paſſio matricis ꝑ
colligātiam ligamētoꝝ eius. ⁊ eſt moꝛbus offici
alis in ſitu ꝓ loco ⁊ ſocietate cōcomitās ſecum
moꝛbum conſimilem quia malam complexionē
frigidam ⁊ humida3 q: talis materia fluit in p̄n
cipio vel poſt. ⁊ eſt nocumentum paſſiue regiti-
ue naturalis membꝛi ſi ſit ex humiditatibus cur
rentibus ibi. Vel eſt nocumētum paſſiue intelli-
gendo regitiue animate quando venit ab aliqua
de cauſis p̄mitiuis dictis. Et eſt paſſio ſeu nocu-
mentū actiue motiue aiate quia ꝓhibet motum
animatum voluntariū in eundo ⁊ coeundo ⁊ ſi-
milibus. conſequēter eſt nocumētum aliarū vir
tutum regitiuarum naturalium ⁊ animaliū par-
tium vicinarum.

Iſtis clarificatis cura hoꝛum exi-
tus tibi pateſcit. Prius autem ꝙ in cura hoꝛum
ꝓcedas ſcire opoꝛtet cām talis exitus. q: cura in
hoc diuerſificatur

Siquis ergo exitum ani habuerit ex
apoſtemate in capite longa-
onis curetur cura apoſtematis flobothomando
in p̄ncipio de vena epatis. conſequēter de ſophe
nis domeſticis inungendo in p̄ncipio cum oleo
roſaceo. conſequēter addendo modicum olei ca-
momille ⁊ embꝛocādo ſepe ⁊ ſepiꝰ cum aqua te-
pida decoctōnis malue vel ſedēdo in eadē ⁊ ap
plicando medullam panis bulliti in aqua cum
modico olei roſacei ⁊ alia faciēdo ꝓut cōuenit in
cura apoſtematum.

Et ſiquis infans vel puer exitum ani
habuerit ex relaxatōne mo-
dica lacertoꝛum claudentiū circulum ani. quod
pateſcit q: ano aperto in emittendo feces illi la-
certi ſunt ita relaxati ꝙ non ſuſtinet caput lōga-
onis. imo exit ſitum ꝓpꝛium: nec poteſt redire ad
ſitum ꝓpꝛium niſi cum digitis intromittat̄ ⁊ cir
culus ani claudatur. quo facto ſic remana3 in ſitu
ꝓpꝛio. q: relaxatio illa eſt modica ⁊ non eſt in vl
timata ſui malicia. Iſta que dicentur fieri conue
nit. Poſtꝙ puer a ſella reuerſus fuerit ne eum ci
to ſurgere ad ſellam ſit neceſſe inungatur caput
longaonis cum oleo roſaceo tepido ⁊ ſupſperga
tur iſte puluis. ℞. ceruſe balauſtiarū alumis an
timonij. añ. ʒ. ß. fiat puluis ſubtilis de quo ſuper
ſpergatur facta inunctōne vt dictum eſt. Vl iſte
fiat de quo ſuperſpergat̄. ℞. karabꝛe thuris cum
coꝛtice balauſtiarū antimonij acacie alumis. añ.
ʒ. ß. fiat puluis ſubtilis cribellatꝰ cum ſindone d
quo caput longaonis cinapiſet̄. Cōſequēter ſe-
deat in aqua calida decoctōnis hoꝛum. ℞. galla
rum balauſtiarum cupule glandiū folioꝝ mirte
añ. m. quatuoꝛ. fiat decoctio valde longa in aqua
fabꝛoꝛum. Aliqui addunt modicum vini ſtiptici
groſſi, ⁊ patiēs in ea ſedeat bene calida. ¶ Ad-

Nota

uerte ꝙ ſi talis exitus ani durauerit per multos annos oportet confortare neruum uenientez ab vltima ſpondili cum oleis calidis inungatur ergo in vltimis ſpondilibus cum oleo de caſtoreo vel cum axungia vulpis. Vel fiat iſtud. ℞. fecis olei de lilio. ʒ. duas. ſtoracis liquide. ʒ. ß. olei baccarum lauri quart. vnũ. ſerapini opoponacis. añ ʒ. duas. axungie vulpis vel anatis. ʒ. ß. axũgie porci. ʒ. tres. cere modicum. fiat vnguentum liquidum. Vel applicetur iſtud emplaſtrũ poſt ablutionem in aqua decoctõnis dicte. vel ꝙ poſtponatur illud balneum. ℞. emplaſtri ceronei. ʒ. iij. armoniaci. ʒ. vnam. yſopi humide ſeu ſicci. lane quod ſufficit ad incorporandum. fiat emplaſtrũ oblongum quattuor digitorũ in latitudine ⁊ applicetur ab vltima ſpondili ſuperius. Aliqui ex modernis curant exitum ani cum iſto ſolo remedio dum ſurgit a ſella puer fomentant ſibi longaonem cum alliata forti tepida ⁊ clara. Cõſequẽter ſinapizant dictamlongaonem cum puluere cornu ceruí combuſti ⁊ pinee combuſte. addito modicum thuris cum cortice maſticis. añ. ʒ. ß. fiat puluis ſubtilis. cribellet cum ſindone ⁊ applicetur. Et dant de puluere cornu ceruí ſubtiliſſime puluerizati. dant quocũqꝫ mane cũ modico vini premiſſis remedijs dictis ſuffumigatio thuris cum cortice ⁊ picis naualis poſitis ſuper carbone valet ſimiliter.

Et ſi quis exitum ani habuerit ex relaxatione magna lacertorum claudentium circulum ani. quod pateſcit quia ipſo intromiſſo ſtatim exit. imo feces exeunt inuoluntarie aliquando ⁊ pedes interdum paraliticãtur in tali lapſu. tunc illi lacerti multũ ſunt paraliticati. Et eſt ſignum ꝙ neruus vltime ſpondilis ẽ paraliticatus. hoc fit a materia frigida ⁊ humida imbibita in medulla ſpondilium per viam catarri vel ex concuſſione ſeu caſu. tunc fiat proceſſus dictus in caplõ paraliſis ex materia ruente per viam catarri vel ex concuſſione cum emplaſtris ⁊ vnguentis valent ſimiliter illa que ſtatim dicta ſunt in exitu ani antiquato.

Cura exitus matricis fiat cum illis que dicta ſunt in cura exitus ani ⁊ quibuſdam alijs. quia cauſe quaſi ſunt eedem. Prius autem ꝙ in cura procedas inueſtiga cauſam primitiuam talis exitus vt melius ⁊ artificialius procedas.

Si aliqua mulier caſuz matricis habuerit ꝙ extra appareat: ⁊ durauerit per menſes. fugias cõmittas deo et nature. quia incurabilis. verum ſi putreſcat raſis vult in ſuo continente ꝙ pars putrida abſcindatur. Vidi mulierem que vltra conſilium meum fecit ſcindi partem matricis apparentez extra fuit mortua in ſexto die. talia cõmittas deo ⁊ nature. ¶ Si quindecim vel vigiti dies durauerit dũtaxat inunge eam cum oleo tepido baccarũ lauri vel lilij. ⁊ ſpargatur de aliquo puluere dicto in exitu ani. Et poſtea cum digitis matrona intromittat ſuperius ⁊ cum peſſario duro. quod ſtatim dicetur. ꝙ ibidem teneatur conſequenter due vẽtoſe magne ſine ſcarificatione applicentur. vna ſupra vmbilicũ. alia ſubtus de directo. teneat quelibet per pauſam ipſas bis ter reiterando ⁊ emplaſtra que ſtatim dicentur ſint parata que ſupponantur remotis ventoſis. ¶ Aduerte tamen de conſilio Raſis in ſuo continente ꝙ talis mulier ſemper ſupina iaceat ⁊ coxe ſuperius eleuentur matrice eleuata ⁊ intromiſſa in ſitu proprio, vt ſuperius eſt dictum. Et impingendo ad ſuperius cum vola manus fortiter ligetur cum bendis ſuper pectine vt matrix ibi remaneat ⁊ emplaſtruz applicetur ante peſſarium: cum quo eleuetur ſic. ℞. aſſe fetide. myrre. thuris. albi. maſticis. añ. quod ſufficit. malaxentur cum oleo laurino vel de lilio incorporando. ʒ. vnam. ſeminis lauendule ſubtiliter puluerizati. baccarum lauri puluerizatorum ʒ. ß. fiant duo peſſaria ſatis dura groſſa ⁊ oblonga decem digitorum que cooperiantur cum velo de ſerico: teneat vnum de iſtis in matrice vt matrix remaneat in ſuo loco. Emplaſtruz fiat ſic. ℞ galbani. ʒ. vnam ⁊ ß. myrre. thuris albi. ana. ʒ. duas. terebentine. ʒ. ß. ſeminis lauendule. ʒ. vnam. muſci finis. ℈. ß. incorporentur ſimul. fiat emplaſtrum extenſum ſupra alutam in forma rotunda Dupletur recepta. fiant duo. vnum ponatur ſupra vmbilicum matrice eleuata. Aliud ponatur ſupra in ſpina dorſi iuxta renes. Panni linei calidi perfumati cum myrra ⁊ thure applicentur ibidem. firmata matrice balneet anchas ſuas in vino decoctionis lauendule biſtorte. baccaruz lauri ⁊ foliorum eius. ⁊ in introitu balnei infundatur in illo vino decoctiõis myrre. thuris cum cortice maſticis ſubtiliter puluerizatorum. ana. ʒ. ß.

Si aliqua mulier patiatur caſuz matricis minorem ꝙ extra non apparet eadem erit cura in genere. verum ſufficit ꝙ impingatur ad ſuperius cum manu ⁊ ligetur vt dictum eſt cum

bendis.quia reductio eius non eſt ita difficilis
nec fortis. Iſta ſufficiant.

¶ Capitulum octogeſimumtertium, de conſtri-
ctione menſtruorum.

P Ro ſuperfluis menſtru-
is conſtringendis tro-
ciſci de karabe per heb-
domadam vnam ſunt
dandi. Qui ſi non contulerint cõ-
fectio de ſcoria detur ⁊ fiat minu-
tio ex baſilica. Ventoſe quoq; ad
mammillas apponantur: ⁊ in co-
meſtione ſtipticis vtatur cibis. et
hoc medicamen egra ſibi ſubijci-
at.quod. ℞ .olibani balauſtie gal-
larum antimonij acacie aluminis
omnium partes equales. Puluis
horum optime tritorum cum pau-
ca lana ſubijciatur. femur vero et
dorſum ex epithimatibus que in
capitulo de fluxu ventris nomina-
uimus epithimetur ⁊ ſedeat in a-
qua de cucurma. Quod ſi iſta nõ
contulerint ex alio peſſario acuto
fiat immiſſio ⁊ maneat in vulua.

D E mẽſtruis ſuper-
fluis coſtringendis. Quia ꝑuationes
per habitus cognoſcuntur in erroribꝰ
de anima. ¶ Nota ꝙ mulieres habent fluxum
menſtruorum naturalem ex intento nature gene-
ratiue que eſt in membris generatiuis earuz.pu-
ta in matrice ⁊ partibus colligatis. nam matrix
naturaliter petit filios procreare. ſexto de interio-
ribus in capitulo penultimo. Et expulſiua vena-
rum matricis coadiuta ⁊ directa a virtute gene-
ratiua dicta ⁊ ab orbe. quia opus nature eſt opꝰ
intelligentie, quia gubernatur ab orbe, tertio de
creticis. propter finem generationis aperit ve-
nas matricis ⁊ expellit ſanguinem certis tempo-
ribus ⁊ peryodis ex intento. Ideo dicit Galienꝰ
ſexto de morbo in capitulo penultimo ꝙ fluxus
ſanguinis menſtrui ſemꝑ eſt naturalis niſi quã-
titatem excedat ratione virtutis expulſiue natu-
ralis ipſius matricis intendentis ad hoc ⁊ ratio-
ne ſanguinis menſtrui exeuntis qui eſt ſuperflu-
itas naturalis venarum matricis ⁊ partium vici-
narum duntaxat ſcd̃m ꝙ egeſtio naturalis ſu-
perfluitas naturalis inteſtinorum. Verum tem-
pore quietis menſtrui regitiue naturales princi-
palium.puta cordis epatis venarum ⁊ arteria-
rum diſpergunt humores per membra cauſa nu-
tritionis. ⁊ ad matricem cauſa nutritionis ⁊ ge-
nerationis.quia neceſſarium eſt in generatione
vt poſt actuz coitus fluat ſanguis in cellula ma-
tricis iuſſu dei vt fermentetur ⁊ dealbetur a ſper-
matibus.quia materia ſpermatum non ſufficit
ad generationem membrorum ſpermaticorum.
vt clariꝰ dicet in caplo ſequenti.

Vlterius nota ꝙ mulieres habent
iſtum fluxum ſanguinis.
naturalem ſemel in triginta diebus quinq; ſex di-
ebus vl' circa in quantitate. li'.vniꝰ vl' circa. ſi mu-
lier temperate complexionis ⁊ ſana fuerit. Siue-
ro ſanguinea fuerit vel in etate ſanguinis habẽt
plus. Si flegmatica vel melancolica fuerint ha-
bent minus tribus vel quattuor diebus medijs
ſatis fortiter alijs diebus debiliter. talia nõ poſ-
ſunt punctualiter ſciri ſufficit ꝙ ſciantur extima-
tione propinqua veritati. hec ſufficit medico. Et
habent a decimoquarto anno vſq; ad quadrage-
ſimum cõmuniter vel circa. quandoq; tamẽ extẽ-
dunt ſe vſq; ad quinquageſimũ annũ. dicit auic.
tertio cañ. in capitulo ꝓprio. Idem vult raſis et
tunc ſanatiue ſunt caſte habiles ad prolificãdũ
⁊ ecõtra. ꝓpter quod abſciſſis mẽſtruis compe-
tit eis magis flobothomia ꝙ tempore menſtruo-
rum. nam materia retenta in venis matricis ca-
leſcit per modum aliqualis putrefactõis qua de
cauſa magis virum appetunt ⁊ in ſenectute nu-
bunt. Sic patet recte ſpeculanti in opere ꝙ mẽ-
ſtruum erit ſuperfluum ſi quantitatem dictã me-
diocrem excedat. vel ſi vltra.vi. dies vel circa in
quantitate notabili fluat. ⁊ erit inordinatũ men-
ſtruum ſi periodum dictum anticipauerit. cum
qua inordinatione de poſſibili eius ſuperfluitas
concomitatur. que omnia ſunt per rectum ar-
tificem corrigenda et curſum debituz ⁊ natura-

nota

lem reducenda. ¶ Aduerte ſanguis exit ab aliquo membro. quia vene eius aperiuntur. vt dicit Galie. tertio de morbo. in caplo quinto. Et vene matricis aperiuntur dupliciter. aut aperiuntur in menſtruo naturali debito. aut aperiuntur in ſuperfluo menſtruo. Primo modo aperiuntur a virtute forti naturali expulſiua venarum matricis directa a virtute generatiua matricis ⁊ partium colligatarum. ⁊ ab orbe. quia opus nature eſt opus intelligentie quia gubernata ab orbe. tertio de creticis. Iſta talia fiunt propter finem generationis ex intento nature. Aperiūtur autem in mēſtruo ſuperfluo innaturali quattuor de cauſis in genere. vt recte colligitur ex dictis gal. ſexto de morbo in caplo penultimo circa pncipium ⁊ finem capituli. Idem habetur ex dictis raſis in. ix°. almanſoris ⁊ in diuiſionibus ſuis. quarum vna ſe tenet pncipaliter ex parte virtutis expulſiue venarum totius corporis. Alia ſe tenet ex parte ſanguinis mutati in ſui natura. Alia ſe tenet ex parte ſubſtantie venarū matricis quando mutantur in earum natura ſeu compoſitōne naturali ipſarum. Alia ſe tenet ex parte ſubſtātie matricis. quilibet harum ſubdiuiditur in ſuas ſpecies ſpecialiſſimas vt ſtatim declarabitur.

Prima cau. in genere apertōnis indebite venarum matricis ⁊ menſtrui ſuperflui eſt expulſiua venarū totius corporis fortiter expellens ſordiciem ſāguinis ⁊ humorum corruptorum ad venas matricis in cura alicuius diſcraſie vel neutralitatis vel cachochimie. Tu dices ergo non erit menſtruum ſuperfluum nec ſcdm artem conſtringendum. dato q fit in quantitate excedenti menſtruum naturale exquo fit a virtute expulſiua forti ⁊ in cura alicuius diſcraſie in cuius curatōne multa materia neceſſario debet expelli. Dicendum ad hoc q refert dicere expulſiuam fortem venarum totius corporis ⁊ refert dicere expulſiuam fortiter expellētem. quia expulſiua venarum fortiter expellens per venas matricis non debet dici fortis. q: tunc expelleret tales humores corruptos per partes ordinatas a natura puta per inteſtina veſicā poroſitates in ſudorem ⁊ non expelleret per venas matricis: quia tunc matrix eſſet latrina aliorum membrorum quod eſt falſum. immo eſt membrū nobile pro conſeruatōne ſpeciei ⁊ non recipit ſuperfluitates corporis ſcdm naturam ſed ſolum venarum ſuarum ⁊ partium vicinarum. ideo dolēt dumtaxat in anchis in paroxiſmo menſtrui. Et hoc fit a natura regitiua ipſius directa a virtute

nota

nota

nota

generatiua ipſius ab orbe vt eſt dictum. Sed quādo mala materia horribilis eſt in venis de poſſibili quam membra non poſſunt tollerare pre ſui malicia. dicit viaticus in caplo pprio incitat cum violentia expulſiuam venarum corporis vt expellat. ideo feſtinat expellere ⁊ expellit put poteſt ⁊ expellit per venas matricis. q: cum minori labore q: forſan expulſiua matricis incipit aperire illas de poſſibili. ⁊ tunc expulſiua venarum mittit ⁊ magis aperit ⁊ expellit. Etiam ſi talis expulſiua venarum eſſet bene fortis expelleret per partes ordinatas per naturam puta per inteſtina vel alia membra dicta. nō ergo debet dici fortis licet fortiter expellat. quia expellit violenta ⁊ incitata put poteſt. nec cura talis eſt perfecta nec artificialis vt ſtatim declarabitur. ſic patet tibi pma cā in genere menſtrui declarata. ¶ Iſta talis cauſa in genere ſubdiuiditur in ſuas ſpecies ſpecialiſſimas que ſunt due q: talis virtus expulſiua venarum corporis fortiter expellēs menſtruum aut expellit cū pernicie ⁊ morte: aut ſine pernicie ⁊ morte. pmo modo expellit in febre putrida in pncipio vel in augmēto. q: quibus contingit euacuatio fortis cretica ante ſigna digeſtionis complete illi moriuntur. tertio de criſi. Secunda ſpecies eſt quando expellit in ſtatu febris vel in neutralitate vel in cachochimia. tunc expellit ſine pernicie ⁊ morte quanq non ſit debita expulſio vt eſt ſuperius dictum. pter quod concludo q due ſunt ſpecies talis cauſe in genere menſtrui ſuperflui vna eſt mortalis ⁊ pernicioſa. alia eſt ſalubris vt eſt bene declaratum recte ſpeculanti.

Secūda cauſa apertōnis indebite venarum matricis ⁊ menſtrui ſuperflui eſt ſanguis venarum matricis mutatus in ſui natura. Iſta cauſa ſubdiuiditur in duas ſpecies ſpecialiſſimas. aut q: mutatur in quantitate excedenti naturalem ⁊ ſic dilatat ipſas venas matricis ⁊ aperit orificia ipſarum vel mutatur in ſui qualitate naturali ⁊ fit peſſime qualitatis acutus vltra debitum ex ſe. vel ratione humoris peſſimi ſemputridi innaturalis ratione cuius aperit orificia pungendo ipſa. ⁊ ſic exit mēſtruū ſupfluum

Tertia cauſa in genere apertionis indebite venarum matricis et menſtrui ſuperflui eſt mutatio venarum matricis in earum natura. ⁊ iſta ſubdiuiditur in ſuas ſpecies ſpecialiſſimas. ſunt tres. quia aut fiunt nimis tenere ſeu molles ratione humiditatis excedentis fluētis in matrice. vel ſunt tales a generatiōe vel ſunt nimis dure propter nimiam ſiccitatem.

Uel ſunt ſubtiles ⁊ tenues in eaꝝ ꝯpōne ex ꝑui tate nutrimēti om̄ia pn̄t venire a creatōe vl'a tpe 6.de morbo in.c.penulti° in pn° ca¹. nam tenere nec multū dure nequeūt bn̄ extendi in receptiōe ſanguis tpe quieſ menſtrui qn̄ de facili ora ipaꝝ apiant. dato ꝙ multū non excedat ſ videmus in ꝗbuſdam flāmaticis mulieribus ⁊ ſiccis multū. nā de facili hn̄t menſtruū ſupfluū ⁊ iordinatū. vene āt ſubtiles ⁊ tenues in eoꝝ ꝯpōne ex hoc ſilr apiun tur de facili ⁊ a cā exteriori a frigore ⁊ calore ⁊ mo tu aliqualr excedēti. vt dicit G⁹ in illo.c.vl. Uide mus multas mulieres multū delicatas ꝗ de facili a cā dicta extrinſeca hn̄t mēſtruū. Et ex cāis dictꝭ hn̄t mēſtruū ex debili ꝯtentiua ipaꝝ venaꝝ mr̄icꝭ.

Quarta cauſa in gn̄e aptōnis indebite venaꝝ mēſtrui ſupflui eſt pa° matricꝭ in ſui ſubā. Iſta cā in gn̄e ſubdiuidit in ſu as ſpēs ꝗ ſunt tres: qꝛ aut ſunt ragadie aut vlce ra ⁊ corroſiones aut ſunt emorroyde. nam cū ipis ꝯcomitat aptio ipaꝝ venaꝝ in capitibus. iō ſunt cā exitus mēſtrui ſupflui ⁊ inordinati debilitādo ꝯtentiuā ipaꝝ venaꝝ matricꝭ. nam a modica cau ſa exit ſanguis. vt in ꝯcubitu virili. Et tales raga die fiūt in matrice alīi ex ſe rōne ꝯplōnis ſicce in collo matricꝭ. vel ex materia acuta ibidē fluxa. vel ex ptu inepto fit extēſio colli matricꝭ ⁊ ſolu° fiſſu ra. vlcera ⁊ corroſiones fiūt ex maª acuta ꝯcurrē te cū ſanᵉ. Emorroyō ex maª ſordida in venis mr̄ ta delegata ab epate ad venas matricꝭ potiſſime colli dilatante eas vltra debitū faciendo aliꝗs ex creſcentias in capitib⁹ eaꝝ ſicut in ano eſt decla ratū. Patet ḡ tibi ꝙ ꝗtuor ſunt cauſe in gn̄e mē ſtrui ſupflui. Et decem ſunt cauſe in ſpecie ipius ad ꝗs nō bene aduertūt moderni practici

Notum eſt recte ſpeculanti: ꝙ men ſtruū ſupfluū eſt pa° pn̄ cipalr venaꝝ matricꝭ potiſſime colli. qꝛ menſtruū fluit naturalr p illas. 6.de inte. in caplīs vltis po tiſſime i penulti°. nā niſi apirent nō eēt mēſtruū. iō ill' pnci' eſt intēdēdū. Et eſt p colligātiā venit qō venire nō dꝫ ſm nām. mēſtruū in ſe nō eſt mor bus ſ accn̄s dēm exiēs mutatū ex ꝗ eſt ſupfluū ⁊ innaturale. qꝛ de nāli alit dicet in c° ſeqnti. deſcri ptiue tm̄ eſt morb⁹ in receptacl'o puta venaꝝ ma tricꝭ ꝗ ſunt receptacl'a talis ſanguis ꝗ vltra debi tū dilatant in capitib⁹ eaꝝ ꝯcomitādo morbū cō ſimilē. qꝛ malā hu. vl' ſiccā in ipis vēis ſi ſint mol les vel dure. ſi ſunt ſubtiles in ꝯpōne puta in ꝗti tate debita. Silr alii ꝯcomitat morb⁹ in recepta culo inuenis totius corporꝭ qn̄ nimis replet illo ſordido. Et eſt nocumentū ꝓ ipo fluxu diuerſarū

virtutū ſm diuerſitatē cauſaꝝ dictaꝝ in gn̄e. nam veniēs a pma cauſa in gn̄e eſt nocumentū pnci' expulſiue venaꝝ totius corpis ſi fiat a cauſa 2ª. in gn̄e. ſi ſanguis peccat ſui ꝗtitate tm̄ tūc eſt no cumētū pnci' ꝯtētiue venaꝝ matricꝭ: qꝛ ꝯtentiua grauat a ꝗto. ⁊ incitat venire in malā actionē. 6.de inte. in.c.p°. ⁊.6.de morbo in.c.penulti°. Si aūt ſanguis peccet ſui ꝗlitate tūc ꝓ ipo fluxu eſt nocuᵐ expulſiue venaꝝ matricꝭ. qꝛ expulſiua inci tat expellere aliquali. vt dicit Ga⁹ in loꝗ ſtati du ctis ſicut ꝯtētiua a ꝗto. Si aūt tale mēſtruū fue rit ꝓpter paſſiones dictas matricꝭ tūc eſt nocumē tū pncipalr ꝯtētiue venaꝝ ſilr. naꝫ ex ill' ora vena rū ipaꝝ matricꝭ aperiūt ꝓpter qō nō pn̄t ꝯtinere ſanguinē. Et menſtruū ſupfluū eſt pa° regitiuaꝝ naturaliū ⁊ animaliū totius corpis om̄es debili tant ex tali menſtruo ſupfluo. nota

Iſtis clarificatis cura mēſtrui ſupflui tibi pateſcit. Prius aūt ꝙ in cura ꝓcedas ſcire ⁊ ꝯſiderare optet cām in gn̄e ⁊ i ſpē talis mēſtrui ſupflui quā eſt difficile cognoſcere quia in hoc cura diuerſificatur.

Si que mulier ḡ mēſtruū ſupfluū habue rit ex pma cauſa in gn̄e dicta ꝗ ex pulſiua venaꝝ corporis fortit expellit ſordidū cor ruptum ſanguinis ⁊ humoꝝ venaꝝ totius corpo ris p venas matricꝭ. qō pateſcit quia exit multum fetidū cum maiori pte alterius materie a ſangui ne: ideo eſt diuerſoꝝ coloꝝ cum grauitate corporꝭ tūc pus ꝯſidera ſup tali cauſa mēſtrui. puta ſup virtute expulſiua venaꝝ totius corporꝭ fortiter ex pellēte: ⁊ cum quadā violētia. An ſit in pma ſpē ꝗ eſt pnitioſa ⁊ mortalis ꝙ expellat in pn° vel in augmēto. febris aūt ſit in 2ª. ꝗ nō eſt pnitioſa ſic puta ꝙ expellat in ſtatu febris putride: vel i neu tralitate decidētie: vel in cachochiª ſi talis cauſa ſit in pma ſpē: morituri ſignis ꝓnoſticꝭ. ſūt diuit tendi motus cari ᶜ. ¶ Ordina ſibi dietaꝫ ⁊ appli centur ventoſe magne in radice mām̄illaꝝ. ⁊ da ſibi caſſiā ſimplicē: vt materia diūtatur ⁊ in aliꝗ regulet a natura vt expellat per partes debitas ⁊ ordinatas a natura qꝛ p inteſtina ſunt domeſtica ¶ Si in ſecūda ſpecie fuerit. puta in ſtatu febris quia in fine ſtatus vel in neutralitate vel i cacho chiª talem materiā cum maiori diligētia diuertas euacuando per inteſtina. ideo applica prius vē toſas magnas vel duo vitra in radicibus mām̄il laꝝ quas teneat per pauſam ipas renouādo. Et da ſibi in ortu ſolis. ʒ.i.⁊.ſ. vl' ʒ.ij. medulle caſſiefi bene mundate in decoctione caulium rub. vl' pul

[Marginal manuscript notes: nota signa malorum menstruorum; ventose; cassia fistula; euacua; cass.]

le vel caricarum pinguiū ⁊ vuaruꝫ paſſarum bū
molliuꝫ in proceſſu ſtuphe temperate non calide
multum facte cum aqua bulliente cū aqua deco
ctionis camomille ſatisvalent ſibi dando de riſi
de auiculis toſtis. de perdicibus ſi ſit ſitibūda da
ſibi de iulep ro. vel de ribes. Et quia expulſiua ve
narum incitatur cumviolētia a mala materia cor
rupta in venis que non ſeruat formaꝫ ſanguinis
ſed humorū diuerſorum corruptorū Utatur ſero
⁊ mane iſto mellicrato tepido ſine alia mixtione.
in quātitate mediꝫ vitri ℂ ℞. end. ſcolopēdrie ca
pilli ve. ſummitatū lupuli fumiterre ſcabioſe. an̄.
m. i. mell' albi deſpumati quarterium. i. aceti. ℥. ß.
Fiat mellicratū bene clarificatum ad. lb. ij. reno
uetur de quattuor in quattuor diebus. Conſeqn̄t
reiteretur caſſiaſt dicta. vel de dyacatholicon. ℥. i.
De ꝯſilio ypo. ſ. ampho. cañ. illo. Mulieri men-
ſtrua ſine colore. pᵒ i ortu ſolis ⁊ ſtupha modica.
⁊ balneum aque tepide in proceſſu talis mēſtrui
ſuperflui. Et ſi venoſa fuerit non dubites eā flo
bothomare. nam flōia remouet ſordidum vena-
rum regulat virtutes naturales eaꝝ in actionibꝰ
earum.

Et ſi
aliqua mulier mēſtruū ſupfluū ex ſecū
da cā in genere puta ex mutatiōe ſang.
venaꝝ matriꝗ in ſui ñā. Cōſidera i qua ſpecie ſit ta
lis cauſa ſi ſanguis ſit mutatus in ſui ñā in ꝗtiᶜ
vel. in eius qualitate: quia cura in h̄ diuſificatur.
ℂ In mēſtruo ḡ ſupfluo rōe nimie ꝗtitaꝭ ſang:
q: ſan. abundat invenis matriꝗ dilatās eiꝰ venaſ
⁊ per ꝯñs aperiēs eius orificia. qđ pꝫ: q: ē mlr
ſanguinea ſatis corpulēta plecᵗᶜᵃ ⁊ venoſa et eſt
in etate ſanguinea. q: circa. xx. vel. xv. anniū ⁊ mē-
ſtruū eſt cū rubore ſine malo odore. vt pꝫ ex rela
tu mulierū aſſiſtentiū. de ꝯſilio ypo. ſ. amph. cañ.
illo. Mulieri ſi vis mēſtrua ⁊c. apponas vētoſas
ſatis magnas in radice mā̄millaꝝ q̄s ibi teneat:
vſqꝫ ſupfluitates mēſtruoſe ceſſent. ⁊ ſumat đ ſiᵒ
mirtilloꝝ de ribes vel citonioꝝ cū aqua ſumach.
⁊ ponat de ſe. ſumach qñ carnes decoquanꝶ. vta
tur fructibus ſtipticꝭ coctanis piris neſpul' pruñis
ceraſis potiᵐᶜ acerbis. Et pāni linei ſubtiles in
fundanꝶ in aqua tepida diſſolutōis alumis ⁊ im
ponanꝶ infra in collo matricꝭ: q: in mēſtruo ſuper
fluo ⁊ naturali ille vene aperiūtur. 6. de inte. in. c.
penultiᵒ. ℂ ℞. alumis rupe. ℥. iiij. aque fontis.
lb. ß. ſint duo gobelli pleni fiat ebullitio vnica i in
undatione deponatur ab igne ⁊ panni dicti ibiđ
intromittantur tepidi. Si vis fortius reſtringere
addas aluminis Jameni. ℥. ij. ℂ Aduerte tamē
ꝙ vltra debitum non claudas illas venas, q: per
deret forſan menſtruū. ideo ſufficit pannos line-
os infundere in aqua decoctionis aluminis ru-
pe. Et quia talis mulier flobothometur de vena
epatis ſatis in bona quātitate bis in anno vl' ter
⁊ erit melius conſiliū. quia ſuperfluitas ſang. et
humoris debet per rectum artificem corrigi ſeu
euacuari. ⁊ talis ſuperfluitas ſang. in quāto non
poteſt melius corrigi ꝙ per flobothomiam. Ra
ſis vult. ꝙ talis mulier vtatur tro. de karabe cuꝫ
aqua ſumach ſero ⁊ mane. Aliqui moderni loco
impoſitionis pannoꝝ lineoꝝ infuſorum in aqua
decoctionis aluminis iam dicte imponūt de pul-
uere ſequenti cum lana in collo matricis. ℞. oli-
bani thuris cum cortice gallaruꝫ antimonij aca
cie ana. ℥. ij. fiat puluis ſubtilis de quo imponaꝶ
cum pauca lana.

Et ſi aliqua
mulier menſtruū ſuper
fluum habuerit ex mu-
tatione ſan. in ſui natura. puta in acuitatem ma-
gnam in ſe ꝙ ſit factus acutus colericus vl' ratio
ne commixtionis multe colere vel flegmatis. qđ
patet ex habitudine colerica mulieris. ⁊ q: men-
ſtruum ſentitur calidum in ſuo exitu. ⁊ non mul-
tum rubicundum rubore ſaltim obſcuro ⁊ eſt ſiti
bunda mulier ⁊ iraſcibilis ⁊ in iuuentute. vel cir
ca iſta bene ⁊ magis indiget potibus. ⁊ ſirupis
dictis ſtatim. Ideo vtatur ſirupo de ribes vl' mir
tillorum vel citoniorum. ⁊ in prandio loco vini cū
vno cocleari facies mediam taceam aque. Loco
horum ſumat ſero ⁊ mane de aqua endiuie l' por
tulace vel plantaginis. ⁊ vtatur fructibus ſtipticꝭ
frigidis dictis ſtatim ⁊ lactucis crudis ⁊ coctis
lentibus malis granatis ⁊ aceto ⁊ ſumat. ℥. i. ⁊. ß.
boni reubarbari infuſi per noctū in aqua ordei ⁊
cuꝫ aqua orđ quod ſufficit: de mane diſſoluatur
fiat potus hoc ſit de conſilio ypo. ⁊ Ba. ſᵒ. am-
pho. cañ. illo. Mulieri menſtrua ſine colore ⁊c.
Succus arnagloſſe potatus facta reſidentia nō
habet par dicunt aliqui vel impoſitus cuꝫ pānis
lineis ibidē infuſis in collo matricis vel ipa arna
gloſſa piſtata ibidē poſita bñ vꝫ. Idē faciūt radi-
ces acetoſe piſtate ipoſite. Pāni iſuſi in aq̄ deco-
ctōis alūis iameni: vt ē ſupius dcm bñ vꝫ. Uel ꝙ
iponaꝶ cū lana de puluere gallaꝝ bñ ſubtili. l' ſic
℞. gallaruꝫ. ℥. ij. anthimonij acacie coralli ru. an̄
℥. i. fiat puluis bene ſubtilis potes addere in pul
uere cāphore. ℥. i. ſubtilr' pulueriꝫate acetoſitas ci
tri ſi poteꝶ ſero ⁊ māe bñ vꝫ. Silr' epithiare epar
⁊ āchas retro ⁊ an̄ cū aq̄s fris vbi ſit portio mag̃
aceti bñ vꝫ. habeas aquā endꝰ vel plantagis cuꝫ
4ᵃ. parte aceti ⁊ panni ibidem infuſi paruꝫ com-

preſſi applicenť añ ⁊ retro ⁊ ſepe innouẽtur per
modũ epithiaṙ. trociſci de karabre ⁊ elec^m ꝺ ſco
ria ferri poſita ſupꝰ i fluxu emorro, bñ valent cũ
aqua ſumach.

Et ſi aliq̃ mlier mẽſtruũ ſupfluũ hũit ex ꝑcia
cã in gñe dicta puta ex mutatõe venaꝝ
matriq̃ in natura ſua ꝯſidera in q̃ ſpecie ſit talis
cã ſi ſunt mutate in natura ꝙ ſint mľtuꝫ tenere ⁊
molles. vľ ſicce vľ tenues ⁊ ſubtiles ꝑpť ꝑuatõeꝫ
nutrimẽti eaꝝ. q: in h̃ cura diuſificatur.

Si que mulier ꝙ mẽſtruũ ſupfluũ hũit q:
vene eiꝰ ſunt mutate i ña eaꝝ q: ſť
nimis tenere ſeu molles rõe tenentaṙ eaꝝ acq̃ſite
ex ſupfluitatibꝰ hũidis fluẽtibꝰ ad matricẽ ad qꝺ
de poſſibili facit natura eaꝝ ad h̃ a gñatiõe q: ſť
a creatõe nimis hũide. rõne cuiꝰ nõ pñt bñ exten
di recipiẽdo ſanguinẽ dato ꝙ multo non excedat
q̃n ſtatim apianť. qꝺ patet q: mulier ſleg^ca hñs
officiũ ad h̃. q: lotrix pannoꝝ. vel vadit nuda pe-
dibus in terra humida. ⁊ ſemꝑ hñt humiditates
ſupfluas in collo matriq̃. vt habetur ex relatione
earum: ⁊ magis habet menſtruũ ſuperfluuꝫ tali
tempore humido. puta tempore hyemali: ſilr̃ et
vernali imponatur cum lana de puluere olibani
ſeu thuris cũ cortice bene ſubtilis ſolus. vel cuꝫ
aliqua portione gallarũ. ℞. olibani. ℥. iij. gallaꝝ
℥. i. fiat puluis ſubtilis. de quo cum modico lane
ſubijciatur in collo matricis applicando vento-
ſas in radice mãmillarũ licet parũ valeant i hac
cauſa, verũ in aliquo diuertũt. ¶ Vel addatur
portio ſtercoris caprarũ 3^a. vel 4^a. cum olibano
modo ſimili ꝑdicto. ¶ Conchile marine potiſſi^e
que portantur de hyſpania de ſancto Jacobo ꝑ
romipetas ſi ſubtiliſſime pulueriꝫẽtur ⁊ puluis c̃
lana ſubijciatur multũ valẽt in iſta cauſa. ¶ Si
mulier ſi de illo puluere modicũ ſumat per aliq̃ſ
dies cum vitello oui vel cum modico vini bñ va-
let in cauſa iſta ¶ Simiľr kacabre datus in iſto
modo vel ſcoria ferri ſilr̃ ſubtiliſſime pulueriza^a.
¶ Silr̃ cornu cerui vſtũ ⁊ pulueriꝫatũ datum il
lo mõ. balneũ ſulphuris multũ valet in hoc cãu
vel ſtuphare ſe ⁊ recipere fumũ per embotũ cal
cis viue dum extinguitur cũ aqua infra matricẽ
bene valet. vel recipere fumũ lapidũ fluuialium
candẽtiũ ſuperaſperſo vino albo. ſilr̃ vꝫ in tľi cã
q: vene in collo matricis cũ talibꝰ exſiccãtur tpe
caľo. ¶ Silr̃ panni linei infuſi in aq̃ alũis ipoſi
ti infra collũ matriq̃ bñ valẽt. vt eſt dictũ ſupius.
mitte eã ad balnea ſulphurea q: illa aq̃ ſubintrat
ꝑ collũ matriq̃ ⁊ exiccat illas venas multũ hũi-
das tenẽdo regimẽ exiccatiuũ ⁊ calꝫ. potet vinũ
rubeũ groſſum. vtatur carnibus toſtis cum ſalſa
mento aliqualiter calido.

Et ſi aliqua mulier menſtruũ ſupfluũ habu
erit q: vene matricis ſunt mutate i eaꝝ
natura ad ſiccitatem exceſſiuã qꝺ eſt ſumme dif
ficile cognoſcere, an ſit ex acuitate ſan. matricis
vt eſt ſupius dictũ. vel ſit ex ſiccitate venarũ: ꝙ
q: nõ poſſunt bene extendi recipiẽdo ſanguineꝫ
ſtatim aperiũtur ex quo habẽt mẽſtruũ ſupfluũ
¶ Caſus rariſſime accidit de poſſibili tñ cõtigit
mulieribus brunis macillentis aduſtis ⁊ maxillẽ
tis multis q̃ nõ ſunt ſitibunde ⁊ hñt plus in tem
poribus ſiccis, ⁊ menſtruũ eſt nigrũ nõ exceden
tis caľitaṙ. talis mlier vtať lacte ferrato cocto bo
⁊ mãe i bõa ꝯpti^e in q̃ ſit modicũ pul. gũmi arab.
⁊ dragagãꝰ ⁊ ſe. lini pulũzati cũ lacte ľ cũ brodio
carniũ. vtať vino ſim^ci bñ lipħato ⁊ balneo aq̃ te
pide tẽpato. et tpe q̃etis inũgãt collũ mr̃iq̃ ab in
tra cũ medulla vituli ľ cũ dyaltea ſola. vel addita
3^a. aut 4^a. ꝑte medullaꝝ vituli. ¶ Finalr̃ teneat
regimẽ hũectatiuũ iterius ⁊ exteriꝰ tpe q̃etis mẽ
ſtrui maxime. Et teneat glãdes tpe mẽſtrui ⁊ tẽ-
pore eiꝰ q̃etis de albumine ouoꝝ cũ ſtuppis faciꝫ
q: glutinãt ⁊ hũectãt venas i collo mr̃icis potes
addere modicũ oľi roſ ⁊ mũmie applicãdo vẽto-
ſas i radicibꝰ mãmillaꝝ. ⁊ ibi teneať q̃tũ poterũt
q: diuertẽdo in aliq̃ retinẽt dictũ menſtruũ.

Et ſi aliqua mlier menſtruũ ſupfluũ habue
rit: q: vene eiꝰ matriq̃ ſunt mutate i ſub
ſtantia vltra naturã q: facte ſunt ſubtiles tenues
ex ꝑuitate nutrimẽti a generatõe vel a tpe. qꝺ pꝫ
quia talis mulier eſt macillenta rare contexture
⁊ debilis, que tpe q̃etis a cauſa debili extrinſeca
puta a modico motu ⁊ frigore. vel calore. vel ira
diſſoluentibus ſanguinem menſtruoſum in ip̃is
venis contentũ habet talem fluxuꝫ. ꝙ q: ſic tenu
es ⁊ ſubtiles non poſſunt bene extẽdi ex tali ſan
guine multiplicato in eis ex diſſolutione vľ alias
in ip̃is qm̃ ſtatim apiantur. Difficile eſt talem la
pſuꝫ nature corrigere tũc nutriatur cũ lacte cap
no ouino vel vaccino. ferrato vel bullito ⁊ regať
regimine reſumptiuo in cibo ⁊ potu balneando
ante cenam. ⁊ in collo matricis intromittanť pã
ni linei delicati tepidi infuſi in aqua diſſolutõnis
⁊ ebullitionis aluminis rupe. ℞. ℔. diſſoluať in dua
bus libris aque fabrorum ſuper carbones ⁊ ibi-
dem infundãtur illi panni ⁊ tepidi intromittanť
¶ Aduerte tamen ꝙ moderate imponas. q: poſ
ſes intm̃ claudere illas venas ꝙ ex toto ceſſarent
menſtrua. tpe meo non vidi menſtruũ ex tali cau
ſa, niſi in tribus aut quattuor mulieribus.

¶ Et ſi aliqua mulier menſtruū ſupfluū habue-
rit ex quarta cauſa in gn̄e puta ex paſſionib⁹ ma
tricī. ɔſiderandū eſt prius anteq̄ vlteri⁹ ꝓcedas.
quā paſſionē in ſpecie patit̄ ſi patit̄ ragadias. vl̄
vlcera: vel emorroyd̄. quia cura in h̄ diuſificat̄.

Si ergo mulier mēſtruū ſupfluū h̄uit. ex eo q: h̃ ragadias in mr̄ice qd̄ pz ex dolore ibidē poti^me in fluxu illoꝝ ⁊ i ɔcu-
bitu virili q̄s patit̄ rōe ꝑtus inepti. vl̄ al's ratōne
ma^c acute ibidē fluxe curet̄ ꝓut d̄: in cura ragad̄
ani. q: cura ē ead̄. nā ſi calor ⁊ pūctio ibi fuerit ce
rotū de ceruſa būvz applicatū. Si calor ibidē nō
fuerit applicet̄ vng^m factū ex adipe anatis ⁊ me
dulla oſſis vaccino cera ⁊ olō. ℞. axūgie anat̄. ʒ. i.
⁊. ß. ſtorac̄ liq̄de. ʒ. ß. medulle vaccine. ʒ. i. ⁊. ß. oli
yrini vel lilij. ʒ. iij. cere quod ſufficit fiat vng^m liq̄dū
¶ Et ſi aliqua mulier menſtruū ſuperfluum ha-
buerit ex vlceribus putridis in vulua. quod patet
ex exeūtib⁹ fetidis cū dol̄. talia ɔmittas cyrurgico
tn̄ ꝓficit q̄ iniciat̄ de pluere iſto modo melioꝝ ꝓij
ciēdo l̄ cū lana. ℞. aloes cicotrini. ʒ. ß. mirre ſan.
dra. ſarcocolle olibāi thurꝭ cū cortice. an̄. ʒ. ß. fiat pul
uis ſubtilis. Finalr̄ melius eſt q̄ ɔmittas cirurgi
cis qui habent tractare tales curas viles.
¶ Et ſi aliqua mulier menſtruū ſupfluum h̄uit.
ex emorroyd̄ in labijs vulue. qd̄ pz ex creſcentijs
ibidē ⁊ ex fluxu talis ſang. nō tenet̄ ꝑyodū rectū
ymo tardat p mēſes poſtea venit in q̄ntitate exce-
denti fiat ſibi ſicut dictū eſt in cura emorroyd̄ ani
fluentium vltra debitum. Et hec ſufficiant.

¶ Capitulum. 84^m. de prouocatōe mēſtruoꝝ

Um ex retentione menſtruorum magna ſequit̄ paſſio trociſci d̄ mirra dē tur Trociſci de mirra ℞ mirre. ʒ. iij. lupinorum optime tritorum. ʒ. v. foliorum ruthe menta ſtri pulegij cimini rubee de qua ti gif aſſe ſerapini oppoponacis an̄ omniū ana. ʒ. ij. informentur trociſci ponderantes. ʒ. ij. ex quibus detur vnus in die cū aqua in qua ſemen iuniperi coctum fuerit: hoc nāq̄ medicamē adeo vehemēs exi ſtit in prouocādis menſtruis ⁊ vt etiā fetum excutiat ſi qua eo ſepe vtatur. Ventoſe quoq̄ ſub curuatura poplicis ſunt ponande ⁊ flobothomia ex ſophena facienda ē Poſtremo quoq̄ ventoſe femori ſunt ſuperponende.

E prouocatione mēſtruoꝝ Nō q̄ mēſtrua iſunt mľieri ꝓpt̄ finē gn̄atōis a v̄tute expulſiua venaꝝ matricꝭ iuta directa l a v̄tute gn̄atia matricꝭ et
mēbroꝝ colligatoꝝ ad h̄. Et iuta ⁊ directa a regi-
tis n̄alib⁹ p̄ncipaliū mēbroꝝ poti^me cordis cere-
bri ⁊ epat̄ vt matrix ip̄a mūdet̄ a tali ſupfluitate
ſanguis ſibi n̄li. ꝓpt̄ qd̄ ſi tal̄ retineat̄ vlt̄ debitū
nature erit noc^m p̄nci^r ipi⁹ expulſiue venaꝝ ma-
tricꝭ. vt ē bn̄ declaratū in expōe. 6. de mor^o ſup ca^o
penul^o. Ip̄a aūt ſupfluitate mēſtruali venaꝝ ma
tricꝭ expulſa ſemel i mēſe. ꝓut dz ibid̄ ɔgregat̄ a
regitis n̄alib⁹ p̄ncipa^m mēbroꝝ ꝓpt̄ finē gn̄atōis
q: ſpmatib⁹ cōcurrētib⁹ in actu gn̄atōnis ꝓut eſt
necc̄m ſm opinionē ga. ⁊ verā in rōe formet ma^c
diuſi modo tn̄ q: ſpma virile ſe hz i rōe forme i pl⁹
ſpma mľiebre ſe hz i rōe ma^c i pl⁹. ⁊ i aliq̄ portōe
in rōe forme. h̄ dic̄ ga⁹. i li^o d̄ ſpmate qd̄ ꝓbat. q:
alit̄ in aliq̄ mēbro n̄ aſſilaret̄ ipi mr̄i. ɔn̄s ē falſū
ꝓut videm⁹ d̄ facto. ɔn̄a p̄: ex q̄ nihil aſſil̄ans ex
pte matris itraret ſubaz fet⁹ cū de facto videm⁹ q̄
fet⁹ aſſil̄at̄ mr̄i in ocl̄is aut naſo aut aliq̄ alio mē
bro. Ip̄is ſpmatib⁹ ḡ ɔcurrētib⁹ in actu gn̄atōis
eſt necc̄. i tali gn̄atōe ɔcurſus ſan. mēſtruoſi a ve
nis mr̄icꝭ iuſſu dei. i ſra q̄t dies vel horas de⁹ ſcit: vt
tal̄ ſan. vna cū ſpmatib⁹ fermētet̄ ⁊ dealbet̄ cert̄
dieb⁹ p ma^a mēbroꝝ ſpmaticoꝝ q: ſpmata n̄ ſuf
ficerēt ad cēteſimā ptē ſpmaticoꝝ. ꝓpter qd̄ ɔclu
de q̄ in ſub a fetus eſt duplex hūidū radicale. pu-
ta habitū a p̄ncipijs paternis ⁊ maternis. ⁊ tale
hūidū ē ireſtaurabile. ⁊ ē ꝓpe ꝓpriū pabulū ca
lidi inati. ⁊ ſm illud dies vite ſunt nob̄ enumera-
ti. vt i pſal. Enumeraſti dies ⁊c̄. ſm q̄ hore dura
tōis flāme i lāpade i. ʒ. oli t̄min⁹ vite n̄al̄ ē nob̄ i-
poſit⁹. ꝓpt̄ qd̄ dic̄ Aui. p^o. cañ. fen. p^a do. d̄ ɔplōi
bus pte illa. ¶ Si v̄tus iſinita q̄ ſi nutritia cēt in
finita adhuc idiuiduū t̄minaret̄. h̄ dato p ipoſſibl̄
q: pabulū ꝓpe ꝓpriū cal̄ inati deficeret puta hu
midū habitū a ſpmatib⁹ qd̄ nō eſt reſtaurabl̄e h̄
intellexit Ga. 2^o. tegni. cañ. illo. medie vero regio
nes. vbi dicit q̄ ſpermatica nō pre humectantur.

¶ Aliud eſt humidū radicale habitū a ſang. mē-
ſtruoſo fluxo in actu gn̄atōis ꝑ maª mēbroꝝ ſp-
maticoꝝ vt ſtatim dictū eſt. tale aūt ꝑ nutritōez re
ſtaurat̄ in cuꝰ reſtauratōne aliud minus ꝯſumit̄
q: ſunt ꝯmixta vt tu vides ꝙ gutte terebētine cō
miſcet̄ in emplr̄o reddit ipz glutioſum tractabl̄e
⁊ extenſibile. ꝓpter q̄ bonā reſtaurationez ipiꝰ ex
bona nutritōe aliud ꝯſeruat̄. ⁊ ꝑ ꝯn̄s calor n̄alis
⁊ vita ꝯſeruat̄ ⁊ ꝓlongat̄ bn̄ q̄ ꝯcluſum eſt ꝙ mē
ſtruū ineſt mulieri naturalr̄ a v̄tute expulſiua ve-
naꝝ matricꝫ directa: vt eſt dictū ꝓpter finē gn̄atio
nis. ꝙ ſi nō eueniat erit nocumētū ſeu mala actio
expulſiue venaꝝ eius ꝯn̄s aliquē morbū imedia
te. 3º. de morbo caº. 3º. ⁊. 6º. de morbo. c. penultº
tractando exeūtia retēta in matrice. ¶ Iſta talis
cauſa imediata nocumēti expulſiue venaꝝ matri
cis eſt duplex in gn̄e ⁊ mltiplex in ſpē. vt recte po
nit Gaꝰ loco vltimo dicto in fine caˡ. vna ē morbꝰ
ꝯſilis: q: mala ꝯº multū fr̄a matricꝫ a tpe vl̄ a ge
neratōe. nā lz expulſiua membroꝝ operet̄ ꝑ frim
q: ꝑ minus cal̄m. 6. de morbo. c. penultº. nō opa
tur ꝑ exceſſiue frm q: excedēs q̄litas deſtruit pro
priā opationē v̄tutis. nam talis fritas ex toto cō-
tradicit apture venaꝝ orificia ꝯſtrīgēdo. ¶ Alia
cā in gn̄e eſt morbus officialis. ⁊ iſte ē q̄ntuplex
in ſpē. vt dicit gaꝰ ibidē. Vna eſt durities ⁊ ſpiſſi
tudo matricꝫ in eius ſuba tūc expulſiua venaꝝ eiꝰ
nō pōt apire orificia venaꝝ. ꝓut ꝯtigit mulierib'
nigris barbat̄ q̄ de cā nō hn̄t mēſtruū de quo ſit
curandū. ¶ Alia cā eſt anguſtia ⁊ q̄cilitas vena-
rū a generatōe vl̄ a tpe puta ex pinguedie ex ſpa
te vel ꝯtortōe eius vt in p̄cipitatōe. ¶ Alia cā eſt
paucitas ſanguis mēſtruoſi ex dieta ſubtili vel ie
iunio vel laborib' magnis vl̄ lōgis egritudinibꝰ.
¶ Alia cā eſt groſſities ⁊ viſcoſitas ſanguis opi-
lant̄ ipas venas ⁊ nō bn̄ fluxibilis iſta plies cō
tingit. ¶ Alia cā eſt qn̄ ſan. fluit ad alias partes
vt ad mām̄illas ad nares ad emorroy. quā ſpeciē
morbi ꝯſtituūt h̄ declarabit̄ ſtatim in ſequētibꝰ.

Notum eſt intelligēti ꝙ mēſtruū re
tentū ē paº p̄ncīˡ ꝑ mor
bo deſcp̄to venaꝝ matricꝫ potiſſime orificioꝝ ſuo-
rum: q: illꝭ clauſis retinet̄ ⁊ ipis aptis expellitur
vn̄ ſanguis exit a mēbro q: veᵉ eiꝰ aperiūt̄ ⁊ ecō-
tra. 3º. de morbo caº. 5. Et ē talis paº ꝑ colligātiā
in ipis. nō venit q̄d venire dz f̄m n̄am puta aptu
ra orificioꝝ venaꝝ a ſanguie mutato in q̄tō vl̄ in
q̄li vel virtꝰ expulſiua fort̄ expellēs ⁊ apiens ergo
Et ē morbꝰ deſcp̄tiue loq̄ndo interdū ꝯſilis qn̄ ē
ibi mala ꝯº fria fort̄ l̄ officialis q̄d eſt vt plm a p̄-
ma cā dicta in q̄tiᶜ: q: matrix ſpiſſa q̄ſſa cōcomi-
tans ſecum morbū in via. q: vene ille nō pn̄t ape-
riri ꝓpt̄ duritiē ⁊ q̄ſſitiē matricꝫ. in 2ª. cā ſilr̄ ē mor
bus in via: q: vene ille nō pn̄t dilatari ita ſūt coar
tate in cā dicta. Tertia ē morbꝰ in receptaclo: q:
inanit̄ vltra debitū. in 4ª. cā eſt opilatio a q̄ſſo vi
ſcoſo in ipis venis. in vltia cā dicta ē inanitio ve-
naꝝ matricꝫ ⁊ q: ille vene hn̄t recipe ſanguinē ꝓ-
pter finē gn̄atōis: vt eſt ſupiꝰ dc̄m. iō eſt morbus
in receptaclo in dict̄ venis q: ianiunt̄. vltra debi
tū. ⁊ ē morbꝰ replōis aliaꝝ venaꝝ ad q̄s fluit rōe
ſubtilitat̄ l̄ inclinatōis ꝓpt̄ diſpōnes venaꝝ in ta
li muliere. ad q̄d adiuuat mala ꝯº caſa venaꝝ cor
poris corrūpēs expulſiuā n̄alē in actōibꝰ ſuis. q:
dz expellere ad venas matricꝫ ⁊ expellit alibi inde
bite i ſe aūt ipm mēſtruū retētū eſt accn̄s morbi
dc̄m exiēs clauſum ſeu retētū deberet exire ſcd̄m
n̄am. ⁊ retinet̄ ꝓpt̄ malā expulſiuā venaꝝ matricꝫ
rōne alicuꝰ de morbis dict̄. ꝓpt̄ q̄d tale mēſtruū
retentū eſt nocuᵐ expulſiue caꝝ venaꝝ. naꝫ mala
actio ſeq̄t̄ vnū de morbis dict̄ ad quā malā actio
nē ſeq̄tur iſtud exiēs clauſum ⁊ retentū. nā decla
ratū eſt in. 3º. de morbo i mult̄ locꝫ. ꝙ actio leſa ſe-
q̄t̄ morbū imediate ſic̄ vmbra corpꝰ imediate ipa
ſequūt̄ alia duo gn̄a acciᵐ exiens a corpe muta-
tū ⁊ retentū in corpe ⁊ q̄litas mutata. ꝓpt̄ q̄d dic̄
6º. de morbo caº penultº. ꝙ exiens a corpe vl̄ re
tentū in corpe actioni alicuꝰ v̄tut̄ ptinet bn̄ l̄ ma
le. ¶ Morbi aūt dicti ex q̄bus venit mala actio
expulſiue ſeu nocumᵐ digeſtiue ⁊ expulſiue ma-
tric ⁊ mēbri in q̄ talia fiūt. 11º. de ingeº. c. 2º. Et ta
le mēſtruū retētū eſt paº aliaꝝ virtutū regitiuaꝝ
n̄aliū ⁊ aialiū q: illis īfert nocuᵐ ꝓpt̄ ſordidū re
tentum.

Iſtis clarificatis cura men-
ſtrui retēti
tibi pateſcit. Priꝰ āt ꝙ i cura ꝓcedas ſcire ⁊ ꝯſide
rare oz cām talis retētōis mēſtrui in ſpecie: quia
in h̄ cura diuerſificatur.

Si qua mlier mēſtruū retētū hūit a ma-
la ꝯplōne fria mr̄icꝫ. q̄d pz ex rela
tōe ipiꝰ. q: ꝯq̄rit̄ de frio in ꝑtibꝰ illꝭ ⁊ potiᵐᵉ hz in
modica q̄tiᶜ tpe frō. ⁊ hitat i loº reumatico ⁊ frō
⁊ mlier ē hitudīs ad h̄ inūgat ſibi itus ⁊ ex̄ ptes
illas ſero ⁊ mane cū balſamo ſi p̄t hr̄e. vl̄ cū olō de
lilio vl̄ baccaꝝ lauri. vl̄ cū olō nardio l̄ muſcatelli
no. Et vtat̄ magnis tpibꝰ maiorana baſilicōe ar
themeſia ſūmitatibꝰ fenˡ coctis cū carnibꝰ ⁊ vta
tur ſc. feniculi ſero ⁊ māe. Et ꝯtinuet ſtuphas ſic
cas. vitabit offas ⁊ ſedere i terra ⁊ petra. vtat̄ ex-
ercitio forti ſero ⁊ mane aū cibū. nā iſtis ꝯtinuat̄
q̄buſdā tpibꝰ illa mala ꝯº ent repata matricꝫ ⁊ ex

pulſiua venaꝝ matricꝫ veniet in actum debitū ſibi
naturalē. Vtať vino anthoſato mirabilr̄ calefac
matricē ⁊ ſpongie infuſe in vino calido decoctōiſ
ſupradictoꝝ balneat anchas ſero ⁊ mane pluries
reiterando valde confert in tali diſcraſia frigida
matricꝫ iſta ꝯtinuando ꝑ tpa habebit intentū.

Et ſique mulier menſtruū retentū hūit
ex ſpiſſitudine ⁊ duritie matri
cis: q: ſic oꝛa venaꝝ nō poſſunt dilatari nec apiri
quod pꝫ q: mulier bruna muſcloſa barbata que
nō habuit magna ſunt tpa ⁊ ſi habuit paꝝ aut ni
hil. nam piloſitas atteſtať ſup magna retentōne
menſtruoꝝ. vt in libello ꝺ hūana natura. talis ca
ſus eſt male repabilis. fingas te non poſſe vaca
re. q: opoꝛtet aliq̄d dicere balneet āchas ſuas ſe
pe in decoctōe malue biſmalue herbe camo. ⁊ ſi-
milium. ⁊ inūgat partes illas cū dyaltea p̄mit
tendo in modico tpe non poteſt habere intentuꝫ
nec optatum. viuat cum claudicatione ſua.

Et ſique mulier mēſtruū retentum ha
buerit ex anguſtia naturali et
ḡcilitate ipaꝝ venaꝝ matricꝫ. qꝺ pꝫ: q: mulier ḡcil
nō venoſa ſubalbida ⁊ mlīca. q: patitur h̄ a lap-
ſu a gn̄atōne male poteſt remediū adhiberi quia
materia ⁊ inſtrumentū deficiūt in ea verū. in iſtiſ
duabus cauſis iam dictis confert vſus decoctōis
ſauine vel aqua diſtillata ipius cū modico aque
decoctōis cicerū rub. quia ſubtiliāt humoꝛes. ⁊ᶜ
melius penetrabūt. Similr̄ ꝯpetit eis applicare
ventoſas in radicibꝰ coxaꝝ. ⁊ ſub genu ſero ⁊ ma
ne pluries reiterando ꝑ octo dies ante eius aduē
tum. ſilr̄ ꝙ ante ꝑ tres aut quattuoꝛ dies quā de-
beat venire menſtruū aperiatur vna ſophena ⁊
exeat in modica q̄titate. vt ſang. capiat curſuꝫ ſu
um Et in craſtinū alia ſophena de qualꝫ extraha
tur vna. ʒ. larga ſufficit. vtatur croco yſopo ⁊ cina
momo in iſtis duabꝰ cauſis dictis iam. ⁊ in q̄buſ
dam alijs cauſis dicenduꝫ. vinum album ſubtile
eis competit. ideo vtantur eo ante menſtruum et
tempoꝛe menſtrui

Et ſi aliqua mulier menſtruū retentū hūit
vltra debitū ex gracilitate ⁊ coartatōe
p̄aꝝ venaꝝ matricꝫ a tēpoꝛe. quod patet: quia eſt
impinguata mulier vel patitur contoꝛtionē ma-
tricis vel apoſtema in matrice ex q̄bus vene con
ſtringūtur. Raſis dicit in ſuo ꝯtinente: ꝙ ſi vene
matricꝫ ſunt coartate a pinguedine matricꝫ ꝙ illa
que dicta ſunt ſibi ꝓficiūt. melioꝛ tamen eſt vēto
ſatio ⁊ ſcarificatio ſuper tibia quā flōia dicta ſo-
phenaꝝ. nā ꝓpter anguſtiā ipaꝝ venaꝝ non egre
diť de ſang. qꝺ optimū erat. Si aūt ille vene ſūt
cōſtricte ex ap̄ate matricꝫ curetur ap̄a. Et ſi vene
ſunt ꝯſtricte ex contoꝛtōe ipius. q: eſt in latere in-
ungatur latus ⁊ aū ⁊ retro cū dyaltea vel cū me
dulla tibiaꝝ vacce. vel ꝙ miſceāť ⁊ fiant illa que
dicentur infra flōie ſophenaꝝ ⁊ purgatio cū potu
yerapigᶜ continuate ſemel in. 15. diebus in q̄tita
te. ʒ. i. ⁊. ß. Vel circa diſſolute cū aqua cicerū rub.
vbi ſit liquirꝭ. bene valet

Et ſi aliq̄ mulier mēſtruū retētū vltra debitū
hūit ex paucitate ſang. q: ieiunauit la-
boꝛauit magnis laboꝛibꝰ vl lōgis egritudinibus
cū magnis ſudoꝛibꝰ et alijs euacuatōibꝰ vtať re-
gimie reſumptiuo lacte ſucco carniū vino ſubtili
vel albo balneo aque tepide ⁊ ſilibus.

Et ſi aliq̄ mulier menſtruū retentū vltra de-
bitū hūit ex groſſitie ⁊ viſcoſitate ſang.
qꝺ eſt vt ꝑlin. nā talꝭ ſan. opilat oꝛa matricꝫ venaꝝ
nec de ſe ē bn̄ fluxibilꝭ. qꝺ pꝫ ex ꝯplone ⁊ n̄a eaꝝ ⁊
ex modo viuēdi i ocio. ⁊ q: vtunť fructibꝰ ⁊ offis
⁊ alijs rebꝰ facientibus ad h̄. ꝓpť quod cōſť hn̄t do
loꝛes magnos an̄ q̄ veniat eis illud ꝑuū mēſtruū
quod hn̄t. Tales mlieres vtanť decē diebꝰ ⁊ pluſ
an̄ tps mēſtrui tro. de mirra cū aq̄ ſe. iunipi ⁊ q̄a
ſunt mali ſapoꝛis dētur i foꝛma pillꝭari an̄ cenā. ʒ.
vl. 6. de pillꝭis. loco hoꝝ damus pillꝭas de duabꝰ
ꝑtibꝰ mirre. ⁊ 3ª. ꝑte aſſe fetide cū 4ª. cinamomi.
Et vtať loco ſirꝭ ꝑ aliq̄s dies de aq̄ rubee maioꝛꝭ.
vel ſauine. quia ſauina multū ſubtiliat hūoꝛes yᵒ
eſt vltima in attenuatiōe ſan. dicit raſ i ſuo cōtiᶜ.
caſſialignea decoctōe ſilr̄ vꝫ. ⁊ abſinꝭ. aq̄ cepaꝝ ⁊
aniſum aq̄ decoctōis mētaſtri fluuialꝭ. ⁊ pulegij
bn̄ vꝫ ꝯtinueť ꝑ aliq̄s dies ſero ⁊ mane. vl ℞ melli
cratū de iſtis vbi ſit 3ª. ꝑs vini albi clari. ℞. radicꝫ
achori radꝺ petro. radꝺ rubee. maioꝛꝭ. an̄. m. ß. ſauie
calamēti pulegij mōtani mētaſtri coſti an̄. m. i.
ariſto. abſinꝭ. re. an̄. m. ß. caſſielignee. ʒ. ß. iteꝝ oꝛiſ
cinamomi. ʒ. ß. ſe. dauci. ʒ. ij. thiꝭ. ʒ. ß. mellꝭ albi de
ſpūati. ʒ. iiij. ℞ mellicratū cū 3ª. ꝑte vini albi bene
clarificati ad. lꝭ. ij. vl deť iſte potꝰ ga. poſt flōiam
ſophenaꝝ lꝭ pꝰ vētoſatōneꝫ tibiaꝝ. ℞. pulegij re
galꝭ. ʒ. ij. caſtoꝛei puluiꝫati. ʒ. ß. piſteť ⁊ miſceātur
cū melle cū modico vini albi ℞ potꝰ: vl iſte ex inuē
tōe raſ i ſuo ꝯtiᶜ. ℞. polij mōtāi. m. i. cinamomi.
ʒ. ß. ſe. paſtiᶜᶜ ſilueſtris. ʒ. ß. ypicō. ʒ. i. mirre. ʒ. ij. ℞
decoᵒ in vino al. claro. qꝺ ſuffic de q̄ adminiſtreť de
mane radix laureole lꝭ cētauree lꝭ rubee tictoꝝ ſup
poſitꝭ i mr̄ice bn̄ ꝓuocat mēſtruū ſuffumigaᵒ ifra
mr̄icē ꝑ ebotū c̄ fumo colloq̄ᶜ bn̄ ꝓuocat mēſtru
um. Et iſtꝺ. ℞. euſoꝛbij. ℈. ß. inoāť c̄ lana ifra ma
tricē ꝑ hoꝛā dūtaxat q: violētꝭ. vl iſtꝺ ℞. pulegij
regij recēꝭ mētaſtri re. an̄. qꝺ ſuffic ꝯtereť ⁊ fiant

peſſaria cũ velo de ſerico raro. Iſta peſſaria bñ ꝓuocãt ⁊ aq̃ decoctõis eoꝝ put facim⁹ paupib⁹: ꝙ cõtinuẽt potũ ipi⁹ ꝑ dies mltos. ⁊ ꝙ in ꝓceſſu teneat ſuppoſito⁹ dicta. balneare ãchas i aq̃ ⁊ vino decoctõis arthemeſie ⁊ poſtea ẽplare pectinẽ cũ dc̃a herba cal'a bñ ꝓuocat. ſi h̃ fĩ q̃buſdã dieb⁹ in introitu lecti. vl' fiãt glãdes de mirra puluizata c̃ ſucco arthemeſie ⁊ applicent̃ infra mr̃icẽ. galbanũ ſuppoſitũ ſilr ꝓuocat. Silr pot⁹ yerap̃. diſſolute cũ vino al. de mane. q̃buſdã dieb⁹ bis i ſeptiana bñ vz in q̃ti^e. ʒ. ß. vel. ʒ. ʒ. vel. 6. Illa q̃ dc̃a ſunt in alijs cauſis retẽtõis meſtrui bñ valent ſilr in hac cãdeo in oĩbus ꝓuideas. ❡ Mulieres mõtipedẽſes hñt ꝑ exptovſus triſere magne ſine opio q̃libet mane i aurora añ mẽſtruũ ꝑ. 8. dies. ⁊ tẽpore mẽſtrui ſumãt in q̃ti^e caſtanee cũ vino al. ⁊ potant de illo vino.

Et ſique mulier mẽſtruũ retẽtũ vl' debitũ hñit. q: ſan. fluit ad mãmillas nõ ẽ alia cura niſi vt p⁹ ponat lactatõꝫ pũi

Et ſique mlier mẽſtruũ retẽtũ hñit. q̃a ſan. fluit ad nares ⁊ hñt fluxũ ſan. ꝑ nares plies i anno. ſcias ꝙ i talib⁹ ẽ ſang. ſubtil' calid⁹. iõ vtat̃ ingſſantib⁹ ſãguie ꝫ vt ſpinargijs c̃ lactuc̃ lẽtib⁹ vino gſſo bñ lipbato ⁊ añ mẽſtruũ p. 7. dies vtat̃ vẽtoſ i cauill' tibijs coxis ſine ſcarificatõe plies i die. Et faciat flõiam de ſophena añ ꝑ tres dies ⁊ i craſtinũ de alia ⁊ exhat valde modicũ ſuffic. ʒ. i. large de q̃lꝫ ad habilitãd fluxũ ſan. ꝑ illas ptes. Et fiãt aliq̃ ab ex̃ q̃ dc̃a ſũt in mẽſtruo retẽto a gſſo ⁊ viſcoſo ſan. Dico bñ ab extra non tñ capiat ꝑ os aliq̃d de iam dict̃. q: illa magis ſubtiliarent ſanguinẽ.

Et ſi que mlier mẽſtruũ retentũ hñit ꝓpter fluxũ ſan. ꝑ emoꝛ. reſtrige emoꝛroyd ab ex̃ cũ ill' q̃ dc̃a ſt ſupi⁹ i. c. ꝓpo. ⁊ ꝓuoca cũ peſſarijs ⁊ alijs dict̃ ab ex̃. Aduerte tñ ne in cauſis retentõnis decipiaris: q: difficile eſt diſcernere inter cauſas dictas ⁊c̃.

❡ Caplm. 85. de fiſſuri q̃ fiũt i mr̃ice vl' vulua

E curande ſunt ex medicatione ragadiarum ani peſſariuꝫ ꝙꝫ ex adipe anatis ⁊ yſopo ceroto et medulla cruris ceruini mixtis cum cera diſſoluta i oleo de lilio aut narciſino ſubijciat̃ ſi neqꝫ febriſ neqꝫ acuitaſ affuerit Qꝺ ſi illud fuerit cũ caloꝛe ⁊ acuitate ol'ꝫ roſeũ adhibeat̃ Ex vnguẽto q̃ꝫ ꝺ ceruſa ſilr fiat peſſariũ. ſi ãt caloꝛ fiat vehemẽtioꝛ ſũat̃ ſucc⁹ poꝛtulace aut lactuce aut muſcillago ⁊ fiat tabl'a ꝺ plũbo ſilis marmoꝛi i q̃ terũt̃ coloꝛeſ hñs i circuitu labiũ puũ ⁊ põat̃ in ea aliq̃d ꝺ p̃dictiſ ſuccis ⁊ cũ piſtello plũbeo a ꝺo ſriſtã moueat̃ dõec ꝺ plũbo mltũ p̃dicto liquoꝛi miſceat̃ ⁊ iſpiſſet̃ ſucc⁹ ex quo fiat peſſariũ poſtq̃ ol'ꝫ ro. ei admixtũ fuerit ⁊ ſuppõat̃. Hoc. n. medicamẽ cancro vulnerato q̃ eſt in mr̃ice optimũ exiſtit ⁊ alijs ei ſilibus.

Gloſã illius textus. quere in ca°. de ragadijs ani

❡ Capitulũ. 86. de apoſtemate matricis.

I cũ ap̃atib⁹ iſtis adeſt caloꝛ ⁊ febris flõia ex baſilica fiat ⁊ pat̃. ex aq̃ oꝛdei nutriat̃ ⁊ liniãt̃ reneſ ⁊ femur ⁊ ylia ⁊ ſume ex epithiate ap̃at̃ cal'i ⁊ ifriet̃ loc⁹ q̃tũ poſſibl'e ẽ. ſi vo poſtq̃ febres ⁊ acuitas ĩmãſerit ⁊ q̃euerit ex ap̃ate aliq̃d ex iie ctõib⁹ liq̃dis curet̃ ⁊ mlier i hmõi liq̃dis ſedeat dõec moleſcat ⁊ maturet̃. Peſſarium mollificãs dura ap̃ata mr̃icis ⁊ ꝯferẽſ doloꝛib⁹ i ea fact̃ ⁊ paulati eos q̃eſcere faciẽſ. R̃ adipis anat̃ medulle cruris ceruini l' vaccini bdellij moll' croci vitelli oui aſſati fecis olĩ ꝺ ſe. lini fecis olĩ ꝺ lilio omniũ ana partes equales diſſoluãtur in vino aut rob: ⁊ fiat ex his peſſarium. Eſt eniꝫ optimũ ad ſedandũ doloꝛẽ ⁊ mollificãdũ

duritiem matricis. Patiens pter-
ea ſedeat in aqua in qua cocta ſint
fenugrecū ⁊ ſemen lini ⁊ camomil
la ⁊ mellilotum ⁊ caulium extremi
tates ſingulatim aut omnia ſimul

¶ Capitulum. 87m, de vlceribus que fiunt in matrice ⁊ in vulua.

Um a vulua fluxerit ſa-
nies ſpiſſa aut vir⁹ tenue
ſi ex propiquo manat lo
co: neqꝫ fuerit ibi ꝓfun-
ditas fetida neqꝫ putrida ſumēda
ſunt aloes ⁊ mirra ⁊ ſāguinis dra
conis ⁊ ſarcocolla atqꝫ olibanū et
loco ſuperponenda donec conſoli
detur. Si autē ex loco manauerit
remoto ex peſſario quod nomina-
uimus in capitulo de ſanguine et
ſanie fiat pliriua. Si autem quod
fluxerit eſt fetidum odorem habēs
malum ex peſſario ſecundo acuto
fiat iniectio poſtq̄ꝫ locus mundifi
cat⁹ fuerit ex aqua ⁊ melle iniectis
per inſtrumentum ante eaꝫ. Siue
ro cuꝫ hoc quod fluit affuerint pū
ctio ⁊ dolor ⁊ apoſtema duruꝫ qꝺ
tactu diſcernitur ſūmopere cauen
duꝫ eſt ne ex aliquo acuto medica
mie tangatur: ſed fiat iiectio ex cō
fricatione plumbi quam diximus
aut ex vnguento de ceruſa ⁊ flobo-
thometur ex baſilica. Et cuſtodia
tur ab omnib⁹ qui coleram gignūt
nigram ⁊ ſemibus ⁊ ſpeciebus que
pro condimento admiſcētur cibis
Vide in ca° de menſtruis ſuperfluis. in fine ca¹.

¶ Capitulum de precipitatione matricis.

Ex precipitatione

matricis. ¶ Nō: ꝙ ſitus matricꝫ inna
lis eſt triplex. q̄dā eſt inferi⁹ ꝑviā aliq̄
lis ꝑalif. de iſto ⁊ de ei⁹ cā dcm ē i c° de exitu ani
⁊ matricꝫ. Aliud ē ſuperi⁹. ⁊ de iſto dicem⁹ in c. de
ſuffocatōe matricꝫ. Aliud eſt ad lat⁹: nā aliꝗ vertit
ſe ſupvnū inguinare ⁊ dolēt ibiꝺ ⁊ i coxa ⁊ ꝺ iſto
eſt pn̄s ſpecu° Aliq̄ addūt aliū malū motū ⁊ ſitū
⁊ dicūt ꝙ elōgat̄ avulua ⁊ trahit̄ ꝰ renes. ¶ Ul
teri⁹ nō. ꝙ p̄cipita° matricꝫ vocat̄ a q̄buſꝺ ꝯtortio
matricꝫ. q: mlieres viles tāgētes collū vulue cū di
gitꝫ dicūt ipm eſſe tortū ⁊ ꝯſtrictū. vt Ga⁹. recitat
6. de inte. ca°. penulti°. ꝓpter qꝺ ꝯcludit ga. ibiꝺ
ꝙ tal' ꝯtortio matricꝫ ſeu p̄cipita° eſt ſpaſm⁹ mricꝫ
q: ē ꝯctio ad vnā ꝑtē q: ei⁹ ligamēta ⁊ vene replē
tur. ⁊ ꝑ ꝯn̄s ingſſant̄ ex portōe mēſtrui retēti. ⁊ ꝯ
ñcc io abbreuiāt̄. ꝓpter qꝺ merito tal' p̄cipita° ꝺr
ſpaſmus matricꝫ in q̄ꝫ vrinis cōiter videmus are
nulas ſeminigras ex talib⁹ ſupfluitatib⁹ ſemiadu
ſtis ꝑviā corruptōis ⁊ putrefactōis ma° inuenis
aſſiſtētib⁹. ipi matrici.

Notum eſt ꝙ p̄cipita° ē pa° mricꝫ et
eſt ꝑ colligātiā non venit
qꝺ vēire ꝺꝫ ꝭm n̄am q: mēſtruū ſufficiēs ⁊ ē mor
bus official'. q: i figura q: matrix hꝫ malā figurā
ꝯcomitās ſecū malā opilatōeꝫ ⁊ morbū i recepta
culo q: vene ei⁹ vltra debitū replete. Et ē nocu^m
digtie ⁊ expulſiue mricꝫ. ii°. ꝺ ige°. c. 2°. ⁊ ē pa° ge
neratie v̄tuꝫ q: nūq̄ ꝯplificāt ⁊ aliaꝫ aiataꝫ eius

Iſtis clarificat̄. Cura p̄cipitatōis mricꝫ ti-
bi pateſcit. Pri⁹ āt ꝙ i cura ꝓcedas
iueſtiga an ſit mag̅ ꝯtortio. qꝺ pꝫ ex dol'. laterꝫ de
ſcēdēꝫ ad coxā ex dolore i ꝯcubitu virili. nā virga
viril' ſubītrās obuiās illi ꝯtortioni ꝓuocat dol'. in
mo^ca p̄cipitatōe n̄ ē tal' dolor lꝫ ſit i late igunali.

Si qua mlier p̄cipitatōꝫ magnā mricis
hūit qꝺ pꝫ ex dol'. laterꝫ v̄ſuſ igui
na^a ⁊ ex dolore coxe ⁊ ex dol'. ꝯcubit⁹ cū viro. vel ſi
modicū hūit cū q̄ nō ē dolor i ꝑtib⁹ dicꝫ niſi i late
q: ex eiſꝺ cāis fiūt ꝭm plus ⁊ min⁹ vna erit cura.
ꝓuocēt̄ mēſtrua cū illꝫ q̄ dicta ſunt in ſanguie gl
ſoviſcoſo ⁊ inūgatur lar⁹ cū agrippa. ¶ Et ſi vis
adde modicū ſucci lapatij acuti ſup cineres cali
dos. Et vtat̄ mellicrato dicto i ꝓuocatōe mēſtrui
a cauſa dicta. ⁊ in fine da. ʒ. i. benedicte diſſolute
cum vino albo claro detur in matutinis. ꝯn̄r ſiōe
tur de ſophena oppoſita ꝭm Raſim in ꝯtinente
nā ꝓuocando bn̄ mēſtrua fit cura. ꝶ eucatiſina. ē
decoctōne arthe° dc̄e ſupius i ꝓuocatōe mēſtrui
⁊ inunctiones dicte ⁊c̄

¶ Caplin.88m. de ꝑfocatione matricis.

Um mēſtrua ꝑ lōgū tē‑
poris ſpaciū retenta fue
rīt aut mulier a cōmixti
one viri diu abſtinuerit licꝫ valde
affectauerit ⁊ euenerit grauitas ⁊
doloꝛ in inferioꝛi.i.in pectine pte
ſuminis ⁊ ſenſerit q̄ſi aliq̄d ſurſuꝫ
trahi a pte ſuminis. Foꝛtaſſe poſt
iſta ſupueniet ei ſincopis ⁊ quaſi
moꝛtua cadet ꝓpēdi qꝫ vix poterit
qđ ipſa attrahat aereꝫ vel habeat
pulſum ⁊ foꝛſan prefocabit̄ ⁊ moꝛi
etur ⁊ foꝛtaſſe ſanabit̄: laboꝛioſe
tñ hec itaqꝫ paſſio illico vt euene⸗
rit curāda eſt. Cui⁹ curatio eſt vt
pedes foꝛtiter fricent̄ ⁊ ligēt̄ ⁊ vē
toſa magna ſumini ſupponat̄. ob⸗
ſtetrici qꝫ precipiat̄ in digitū oleū
bene redolente inungat ⁊ in circu
itu oꝛis vulue dū eſt int⁹ bene cō⸗
moueat: narib⁹ preterea ꝯdiſi īſuf
flet̄ ⁊ circa aures ipi⁹ voces clamā
do ꝓferant̄ ⁊ nihil qđ bene redo
lent olfaciat īmo bene fedolentia
⁊ algalia remoueāt̄. Et pecten et
eius ſupioꝛa ex eis epithiment̄ et
naribus malū reddētia odoꝛē ap⸗
plicet̄ vt ſterc⁹ ⁊ caſtoꝛeū ⁊ ſulfur
Cū aūt ſanitati reſtituta fuerit ex
hac medicatiōe curet̄ vt egritudo
redeat. Qđ ſi egritudo hec p⁹ mē
ſtruoꝝ euenerit reſtrictionē ea dē
tur q̄ mēſtrua ꝓuocāt. Et in pedi
bus fiat minutio ⁊ vētoſe ī eis ap
ponant̄; Si aūt p⁹ longā viri diſ⸗
ſuetudinē ꝯtingat ex quo etiaꝫ ſe⸗
pius accidit incipiat viri ꝯſuetudi
nē habere aut obſtetrix iteret illđ
ſepe qđ prediximꝰ in omni pauco
tpe aut medicamīa q̄ minuūt ſper
ma dent̄ que ꝓdiximus. Et dent̄
trociſci de mirrha quos in capitu
lo de mēſtruis ꝓuocādis nomīa⸗
uimus.

E ſuffocatōe ma
tricis.i.de matrice ſuffocāte ⁊ auferē
te anhelitū ꝑ modū oppſſionis coꝛdi
aliū ꝓpt̄ qđ antiq̄ dixerūt ſuffocatōem matricis
eſſe ablationē anhelit⁹.vi.de interioꝛib⁹.c. penul
timo.vñ in ſuffocatiōe matricis ip̄a adunata cu⸗
mulata eleuat̄ cū clauſura oꝛis inf̄ioꝛis ad ſupe
ri⁹ vltra ſitū ſibi naturalē ſ; nō vſqꝫ ad diafrag̃ n̄c
vſqꝫ ad epar vt dicebāt antiq̄. Jō Ga. improbat
antiq̄s ſup hoc verū in illa aliq̄li eleuatiōe opp̄⸗
mūtur quedā ptes colligate cū dyafrag̃ ꝓpt̄ qđ
impedit̄ mot⁹ ipi⁹ dyafragmat̄ q̄ eſt neceſſarius
in anhelitu.4.⁊.5.de mt̄. Simil̄r ad ipi⁹ eleuati
onē mat̄ia hoꝛribilis ſp̄matica coꝛrupta effumat
ad dyafragma ⁊ ad ptes coꝛdiales rōne hoꝛribi
litatis ⁊ frigiditatis acq̄ſite:nā ⁊ ſi ſit ſpermati⸗
ca coꝛrupta acetat ⁊ in naturā frigidi veneni cō⸗
uertit̄.vi.de inf̄io.c.penultio.ꝓpt̄ qđ merito op⸗
p̄mit dyafrag̃ ⁊ ptes vicinas:⁊ ſic ceſſante motu
ipi⁹ anhelit⁹ aufert̄ ⁊ ſunt ſicut moꝛtua videtur:
qđ pluries ꝯtingit ip̄is viduis ꝓpt̄ ſp̄ma reten
tū vltra ſolitū magis. Et aliq̄n virginib⁹ aman⸗
tibus quarū natura inuitat ad coitū raſis in ſuo
ꝯtinēte. ¶ Notū eſt ꝙ ſuffocatio matricis ē pa°
matricis principaliter. conſequenter eſt paſſio
coꝛdis ꝑ eius colligātiā. Et eſt moꝛb⁹ officialis:
q: in ſitu ꝑ loco ⁊ ꝑ colligātia ꝯcomitās ſecum
moꝛbū in receptaculo:q: mat̄ia mala in ip̄a ma⸗
trice effumās ad ptes coꝛdiales vt ad dyafrag̃ ⁊
ptes vicinas fumū hoꝛribilē frm habēs naturā
veneni frigidi. ex q̄ ſequit̄ ſincopis ⁊ caſus vtuꝝ
in coꝛde. Et eſt nocumētuꝫ digeſtiue ⁊ expulſiue
matricis.xi.de ingeᵒ.c.2ᵒ. Et eſt paᵒ ſeu nocum̄⸗
tū actiue vital̄ vtuꝝ dilatātis ⁊ ꝯſtrigēt̄ coꝛ ⁊ ar⸗
terias ꝓpt̄ qđ ceſſat pulſus ⁊ āhelit⁹ in ea.

Jſtis clarificat̄. Cura ſuffocationis mt̄ic̄
tibi pateſc̄. P̄ri⁹ āt ꝙ in cura proce

das cōſidera ſi ē corrupta vidua vł maritata. vel ſi ē v̓go vł religioſa: q2 i h̄ cura diuerſificat̄. Si q̄ mlier ſuffocatiōe3 mr̄icꝭ habuerit qđ p3: q2 ſubito ꝑdit ſenſū ꞇ motū ſine aħelitu: ꞇ ſic mortua remanet fricēt̄ pedes fortit̄ ligēt̄ tibie fortit̄ ꞇ diligēter cū corđ ꞇ vētoſe ponāt̄ ſine ſcarificatione i pectine ꞇ i inguibꝰ eleuādo eos pꝰ modicū ſpaciū ꞇ iterū ponēdo. Et fetida ponāt̄ ad nares vł aſſa fetida vł fumꝰ de plumis vł de ſotularibꝰ. et odorifera ponāt̄ iferiꝰ vt muſcꝰ cū modico pāno raro i orificio vulue ſi v̓go fuerit. Et ſi corrupta fuerit ponat̄ ab itra ꞇ matrona iuoluat digitos in oleo đ lilio vł muſcatellino ꞇ itromittat infra vuluā agitādo digitos ꞇ ad aures eiꝰ aliq̄s voci feret clamore mag̃ ꞇ i eiꝰ naribꝰ inſufflet̄ plꝰis incitās ſternutatiōes vł plꝰis cōdiſi. ł ellꝰi albi. vł euforbij vł ſtaphiſagrie vł pipis cum canula plūe vł papiri. ⁋ Trāſacto ꝑoxiſmo ꝯſidera ſupcā ſi ē ex retētiōe mēſtruoꝝ vt q2 tales ſolite erāt tꝑibꝰ ꝑterit̄ bn̄ purgari mō nō bn̄ purgāt̄ tūc ꝓuocēt̄ mēſtrua vt ē dictū ſupꝰ. vel ſi ſit vidua vel v̓go amabilł tūc iſta vtat̄ dieta frīa pauci ſan. generatia. ꞇ vtat̄ aceto i ſalſamēt̄ ꞇ balneo aq̄ tepide đ ꝯciº ga. vi. đ int̄. c. penultio: q2 tłe balneū reſoluit illas mat̄ias mr̄icales ꞇ geitaliū. yº cōtinētes religioſi ꞇ alij nō p̄ñt melius cōſeruari a dāno ex ꝯtinētia illiꝰ coitꝰ q̄ꝫ ex balneo aq̄ tepiđ vt vult ga. i. c. vltis. vi. de int̄. ꝑpt̄ cām dictā: q2 ſic reſoluūtur ille ſupfluitates ꞇc.

⁋ Caplm̄. 89ᵐ. de mola.

Ulieribꝰ plerumq3 accidit paſſio ex q̄ ꝑgnātiu3 diſpōnis ſilitudinē icurrūt vēternāq3 creſcit ꞇ diſcolorate fiūt ꞇ retinēt̄ mēſtrua motū q̄ ē i hac egritudie n̄ ē vt morꝰ ifāt̄ immo q̄nq3 de ſuo mouet̄ loco cū duriter tāgit̄. Ad vltimū v̓o cū āguſtia ꞇ dolore fruſtū carnis i forme ac ſi pareret emittunt. plerūq3 v̓o ſolūmō vētoſitas hūoꝝ mltitudo emittūt̄ ꞇ deide minuit̄ vent̄ ꞇ remouēt̄ accn̄a. Poſt q̄ꝫ ergo tꝑs ꝑterierit i quo ſcit̄ pueꝝ debere moueri ſi adeēt trociſci de mirra dandi ſūt ꞇ apozima đ ſemībꝰ ꞇ oleu3 đ keiſim adhibēdū peſſariū ex ruta ꞇ mētaſtro ꞇ alia peſſaria ꝑdcā i caplo de alleuiatiōe ptꝰ ſūt imitteda. Doſes q̄ꝫ de pillulis fetidis frequēter tribuēde ſunt cum hoc em̄ cito euadent.

Emola mr̄icꝭ. Nota q̄ mola mr̄icꝭ ē dupłx. ſ. carnoſa ꞇ hūoralł cū vētoſitate carnoſa đ2 q2 caro trūboſa ꞇ enormis i mr̄ice gn̄at̄ ex ſꝑmate mlierꝭ cū ſanguie mēſtruoſo ibidē fluxo abſente ſꝑmate viri vt dic̄ Auic. 3º. cañ. ꞇ tał trūboſitas carnoſa creſcit ꝑ ieptā nutritōe3 ꞇ ſi vltra ānū durauerit cōit̄ nō curat̄. Caueas g̃ a mag̃ ꝓmiſſiōe. Inīdū i tali trūboſitate carnoſa itroducit̄ forā enormis aiał qđ layci appellāt arpa q2 h3 arpas ꞇ roſtrū acutū ſic mus. Et đ2 in ytalia frat̄ lōbardoꝝ: q2 i eoꝝ terra mlꞇū gn̄antur cā multiplici: q2 ille mlieres abūdāt in ſꝑmate ꝓprio ꞇ cōedūt fructꝰ ꞇ herbas coctas in patella: tales mlieres icurrētes h̄ hn̄t morꝰ inaiatos dolorē vētris ꝑpt̄ pūctiōem illiꝰ aiał. Alia ē mola mr̄icꝭ hūoralł cū vētoſitate modica: nā feculentia hūoralł mēſtruoſa colligit̄ i mr̄ice ꝑpt̄ debilē expulſiuā iō tumeſcit vēt̄ ꞇ iflat̄ cū q̄dā molliꞇᶜ ꞇ rugitu ꞇ vētoſitate groſſa aliq̄li ꝯcomitāti cōit̄ veniūt ad ydroꝑ. alchitē de frīa. nā epar ꝑpt̄ vicinitatē hñ. e. tat̄ vltra debitū ꞇ ꝑ ꝯñs ifrigidat̄ ebetādo calorē eiꝰ natalē corrūpēdo eiꝰ ꝯºnē natalē. Prio nota q̄ mola mr̄icꝭ ē paº mr̄icꝭ ꞇ ē ꝑ colligātiā q2 venit ad eiꝰ ꝯcauū qđ venire nō đ3 de hūore vł vētoſitate: ꞇ ē paº officiał inīdū i numero ſi ſit caꞇoſa: q2 ſuppoᵐ nūerale ē acq̄ſitū inīdū iſiª ꞇ ē nocumētū regitie n̄ł digeſtie ꞇ explꞇiue. m. ꞇ mēbroꝝ mādātiū: ꞇ ē paº gn̄atie mr̄icꝭ ſi ſit i etate debita ꞇ ſenſitie ꞇ matie aniate mēbroꝝ vicinoꝝ

Iſtis clarificat̄. Cura mole mr̄icꝭ tibi pateſcit. Priꝰ āt q̄ꝫ i cura ꝓcedas ſcire ꞇ ꝯſiderare o3 quā molā patit̄ q2 in h̄ cura diuſificat̄. Si q̄ mlier mola3 mr̄icꝭ habuerit qđ p3: q̄a h3 vētrē iflatū mltū ꞇ durū cū lōga retētōne mēſtruoꝝ: ꞇ nō h3 motū ſic ēbrio: q2 ſolūmō mouet̄ ꞇ cadit ad ꝑtē decubitꝰ ꞇ h3 g̃uitatē mēbroꝝ ꝓpiq̄ꝝ cū extenuatōe totiꝰ corꝑis ē defectu appetitꝰ ꞇ iflatiōe māmillarū ſi annuał fuerit ꞇ vltra nō curat̄. Alia āt curat̄ cū mollificatis ꞇ ꝓuocantibꝰ aborſu3. vn̄ i puerꝑio łi aborſu matrix natałiter dilatat̄ potiſſime in eiꝰ collo: ꞇ fetꝰ petit exitū faciēs ad h̄ iō ſine adiutorio medici meliꝰ ꞇ citꝰ

A swellinge in womens bellies makinge them to seeme as thoughe they were with child. It is a tympanie.

expellit̄ ꝙ mola carnoſa cū adiuto° medici meli⁹
ꝯ citi⁹ expellit̄ ꝙ mola carnoſa ē adiu°. q: in ei⁹
exitu nō cōcurrīt illa. iō ſi mag̃ fuerit ꝛ annualis
erit icurabil' inungat̄ de die vēter añ ꝛ ret° cū vn
guēto de altea. Vl' ſic. ℞. vng¹ dyaltea ℔. i. me
dulle cerui vl' vituli vl' vacce. ℥. iij. axūgie anatis
axūgie porci recent̄. añ ℥. ij. fecl olei de lilio. ℥. ij. in
corporet̄ ſil' i modū vnguēti de ſero i itroitu lecti.
balneet ᾱchas ſuas i aq̄ decoctōis iſti⁹. ℞. folioꝝ
malue biſmalue arthemeſie. añ. m. vi. pulegij ori
gani. añ. m. iij. ſeīs. fenug^{ci} ꝯq̄ſſati. m. ij. ſ. deco
ctio mag̃ ad ꝯſūptiōem 3^{e} pt̄ in q̄ balneet ᾱchas
ſuas renouet̄ iſta decoc° de trib⁹ i trib⁹ dieb⁹ vl'
de duob⁹ i duob⁹ ſi tp̄s ca. fuerit. Cōtr dū intra
bit lectū iungat̄ cū vnguēto dicto añ ꝛ retro. vel
ēplet̄ cū modico iſti⁹ empli. ℞. folioꝝ biſmalue.
m. ij. caricarū citrinarū bñ molliū. ℔. i. decoquāt̄
fortit̄ ſimul' p diē ꝛ cōq̄ſſent̄ medulle vituli. vl' vac
ce. ℔. ß. axūgie anat̄, axūgie porci recent̄. añ. ℥. ij.
butiri ſine ſale. ℥. iij. farine fenug^{ci}. ℥. i. ß. olei amy
gdal'. dul. vl' olei malueuiſci. ℥. i. fecl olei ꝺ lilio. ℥. ij
miſceāt̄ ꝛ icorpent̄ i modū ēpli: cui⁹ vna ps pōat̄
de ſero renouādo ipm ſepiſſime. Iſta ꝯtinuet̄ q̄
buſdā dieb⁹ donec mola deſcēdat bñ iferi⁹ ꝛ ma
nifeſte cadat ad lat⁹ decubit⁹. ꝛ tūc ē tp̄s vt ꝓuo
cet̄ ad exitū p modū pt⁹ ſeu aborſus ꝯtinuando
ſupradicta ſumat. ix. vl' xi. pill'as in introitu lecti
maſſe ſeq̄nt̄. ℞. mirre. ℥. ß. ſtorac̄ calāite. ʒ. iij. ca
ſtor¹. ʒ. ij. cinamo' ſauie. añ. ʒ. ij. ꝛ ß. ꝯficiāt̄ ē mel
le ſ. maſſa de q̄ fiāt pill'e q̄ dēt̄ de ſero vt dictū ē
h faciēdo ſumat de māe potū ſeq̄ntē. ℞. capilli
ve. re. ℥. i. terat̄ fortit̄ diſtēpet̄ cū ſyr° roſ. vl' cum
modico olei amigꝺ. dulciū vl' cōis ſ. pot⁹ det̄ de
mane. Iſta duo fiāt q̄ttuor aut q̄nq3 dieb⁹ ſero ꝛ
mane vt ē dictū: ꝛ iſta ꝯtinuādo ſumat modicum
aq̄ ꝛ vini al. decoctōis botor marīe p⁹ veſpas añ
cenā p vnā horā. ℞. radic̄ botor marien. ℥. i. con
q̄ſſet̄ ꝛ decoq̄t̄ i vino albo claro cū 3^{a} pte aq̄ ſa
uie diſtillate vl' aq̄ decoctiōis ipi⁹ ſ. pot⁹: ſumat
mediū vitrū renouet̄ q̄libet die vl' ſalti ꝺ duob⁹ i
duob⁹ dieb⁹. Cōtinuādo iſtū potū ſic dictū ē ſu
peri⁹ iſta ꝯtinuādo teneat ifra collū mr̄ic̄ ſupp^{m}
raꝺ botor marien vl' vnū de iſtis. ℞. galbani. ℥.
ij. eſt'i al. ʒ. ij. icorpent̄ ſil' fiāt ſuppo^{a} ad modum
glanꝺ cū filo i me° exeq̄ndo oīa iſta ꝓuocet̄ ſter
nutatio bis aut ter i die cū pul. ſeq̄nti. ℞. ſe. ſta
phiſagrie ſe. nigelle. añ. ʒ. ß. eſt'i al. ʒ. ß. 33¹. al. ℈. i.
ſ. puluis ſubtil. de q̄ iſufflet̄ ifra nares. vl' odoret
raꝺ. yreos puluerē. nā q̄buſdā pot⁹ ſuffic̄ in ſter
nutatiōe. Iſta oīa fiāt q̄buſdā dieb⁹ ꝛ niſi expel
lat̄ p modū aborſus ifra. q̄tuor vl' q̄nq3 dies bo
nū ē ceſſare ab iſtis ꝛ recurrere ad illa q̄ dicent̄

i cura extractiōis fet⁹ mortui: q: illa ſūt vtilia in h
caſu. Iſta tibi ſufficiant ꝓ cura mole matric̄ car
noſe. ꝛc. ¶ Et ſi q̄ mlier molā mr̄ic̄ hūoralē ē vē
toſitate habuerit groſſa aliq̄li q̄ꝺ pꝫ ex tūore vē
tris cū molli^{c} ꝛ rugitu aliq̄li. ¶ Cura h⁹ non fit
cū ꝓuocātib⁹ aborſuꝫ h cū calefaciētib⁹ mr̄icē ꝛ
ꝯſumētib⁹ vētoſitatē cōit tal' mola ieſt mlierib⁹
q̄ nat̄ al'r pdiderūt mēſtrua. iō ꝓuoca° mēſtruo
rū nō hꝫ locū i talib⁹ niſi accide^{r} mēſtrua pdide
rit q̄ꝺ rari^{me} ꝯtigit. vtat̄ g̃ tal' mlier dianiſo dya
triō pipcō ſe. ſeu' decoq̄t̄ filix ēto° ꝛ pulegiū ē ci
mino ꝛ ibi balneet ᾱchas ſuas iungat ptes illas
cū agrippa l' cū oleo bñdicto l' cū ol'o muſcatelli
no vl' rute vl' ꝺ lilio. Vtat̄ pāe cū q̄ i paſta cōmi
ſceat̄ ſe. ſen' ꝛ aliq̄s calefaciat ſibi panem ad ꝑ 3u
nas dū erit i mēſa. vitādo offas ꝛ oēs fruct⁹ dem
pt̄ ficub⁹ nucib⁹ ꝛ auelanis toſt̄ ꝛ fiſtuc̄. vtatur
bono vino āthoſato. vtat̄ ſpēb⁹ ſpāl'r cinamomo
vtat̄ exerci° forti ſpāl'r añ cibuꝫ ſtuphe ſicce eis
cōpetūt ſto° ieiūo: ꝛ hēat̄ filtū ſeu filū cruduꝫ in
q̄tu^{c} aliq̄ decoq̄t̄ i aq̄ cū cinerib⁹ ꝓut faciūt mli
eres ruſtice ꝛ totū calin cōpſſu ſupra. m. applice
tur i itroitu lecti. nā iſtꝺ bñ vꝫ i ꝓpoſito ſirupādo
cū oxielle ſq̄llitico purgādo cū. ʒ. i. turbith albi. ꝛ
gūmoſi pliricōſati cū. ℈. ß. 33¹. vl' purget̄ ſepe ē de
coctōe iſta. ℞. vuaꝝ paſſ. mūꝺ. ab arill'. ℥. ij. thi¹
epithi¹ polipodij. q̄rt. añ. ℥. ß. aga^{ci}. ʒ. ij. ꝛ tt'bith
ʒ. i. 33¹. aniſi. añ. ʒ. i. ſ. decoc° i q̄ diſſoluat̄ medul
le caſſie ſ. ℥. i. ſ. pot⁹. Et iſta tibi ſufficiant ꝓ cu
ra mole matricis hūoralis.

Eſterilitate ꝛ de cauſ ipe dietib⁹ ne mu
lier ꝯcipiat. Nō ꝙ iſte cāe imēdū ꝛ vtpl'ꝫ
ſe tenēt ex pte mlieri. aliqñ lꝫ raro ſe tenēt ex pte
viri ꝓpt̄ q̄ꝺ ꝺ iſt̄ poſteri⁹ loq̄mur. Cāe ſe tenētes
ex pte mlieri q̄dā ſe tenēt pn^{r} ex pte mr̄ic̄. q̄dā ex
pte pncipaliū mēbroꝝ ꝛ toti⁹ corpis pnc^{r}. Et q̄a
ꝓuatiōes p hit⁹ ꝯg̃ſcūt̄ i errorib⁹ de aīa vt: tales
cāe ſterilitat̄ ex pte mlieri ꝯg̃ſcāt̄. Nō ꝙ cāe poti
ſſime ꝛ pncipales ꝯceptiōis q̄ ſe tenēt ex pte mlie
ris ſūt due i gñe. vna ē retētio ſpmat̄ viri cū ſuis
ānexis: puta cū ſpmate mlieri ꝛ ſā. mēſtrui ſupue
niēte p⁹ hōs nā ſpma^{a} dꝫt ꝯcurrere i gña^{c} fetus
vt dic̄ raſ i ſuo ꝯti^{c}. idē ga. i libel° ꝺ ſpma^{c} q: al'r
i aliq̄ ñ aſſil'aret̄ ipi mr̄i. ex q̄ nihil aſſil'ans ex pte
ipi⁹ ſbitraret ſbaꝫ fet⁹. l' ſalti ñ ꝯcurreret: c⁹ op^{m}
videm⁹: q: alīn aſſil'at̄ i naſo l' i ocul'. l' i a° mēbro
ipi mr̄i l' alicui ꝺ ſuis philoſof hātes dic̄t il'e ſp^{a}
ñ ꝯcurrit neēio. h bñ ꝯfirmāt aliq̄ mlieres dicen
tes ſe ꝯcipe aliqñ ſine aliq̄ ſpmat̄ emiſſiōe: q: ſi
ne delicia nō bili. ꝛ ſic pħi ꝛ medici ſūt ꝯcordes
q: medici h dicūt ꝛ aſſerūt ad facilem ꝯceptiōeꝫ

Alñ át ꝛ de poſſibili pt fieri ꝯcepᵒ ſine ꝯcurſu ta
lis ſpmaꝫ ipiꝰ mlierꝗ. Sãguis át menſtruꝰ necio
ꝯcurrit pꝰ ꝯcurſuz ſpmatū ꝑ horas q̄ ſoli deo in-
noteſcūt: ná niſi ſan. purꝰ a venis ipiꝰ mřiq̄ ꝯſr
occurreret ſpmaᶜᵃ mẽbᵃ nõ haberet maᵃᵐ ſuffi-
ciẽtẽ ſue gñatiõis vt ē ſupꝛꝰ declaratū. ⁋ Scđa
cá potiᵐᵃ ꝛ pncipal ꝯcepᵒ ſe tenẽs ex pte mlie-
rū ē ꝯſeruatio ipiꝰ ſpmaꝫ retẽti: ne pteꝛ naturam
corrūpaꝫ. bñ ḡ ꝯcludiꝫ recte ſpeculãti ꝙ cáe ma
le eiꝰ retẽtiõis. vl' cáe eiꝰ innaꝫ al' corruptiõis ſũt
cáe potiᵐᵉ ꝛ pncipales ipediẽtes ꝯceptiõem ex
pte ipiꝰ mlierꝗ. Cáe át male retẽtiõis ſpmaꝫ i ma
trice ſunt q̄tuoꝛ i gñe. vna ē magꝭ cõis ꝛ ē lenitas
mřiq̄ ſeu eiꝰ lubricitas ꝛ largitas ꝑpt malá com
plexionẽ eiꝰ hũidá ſine maťia ꝑpt qđ idigẽt ap-
poſitiõe calidoꝝ ſtipticoꝝ i forá ſuppoſitoꝝ. Vl'
vnguẽti cū lana. vl' i modū effuſiõis vt magꝭ i ſe-
quẽtibꝰ explanabimꝰ: ná matrix dꝫ eē naťalr cū
aliq̄li aſpitate vt ſemẽ naťe retineat ꝑpt iſtá cáz
magꝭ ꝯcipiũt i ſine mẽſtruoꝝ q꞉ ſupfluitatibꝰ ex-
pulſis matrix remanet cū aliq̄li aſpitate ſibi na-
turali ꝛ collū mřiq̄ eſt magꝭ caľm. Rab i ſuo ꝯtiᵉ
⁋ Alia cá male retẽtiõis ſpmaꝫ i mřice ē debili
tas ipiꝰ mřiq̄ a gñatiõe vl' a tpe i ſe vl' ꝑ colligã-
tiá villoꝝ ꝛ lacertoꝝ itriſecoꝝ faciẽtiū ad eiꝰ clau
ſionẽ: vt ieſt q̄buſdá mlieribꝰ a gñatiõe q꞉ ſũt ra
re ꝛ debil' ꝯtexture. ⁋ Silr ieſt a tpe q̄buſdá mu
lieribꝰ defloraꝫ añ etatẽ ꝑfectá potiᵐᵉ a viro cõ-
pleto ꝑpt ꝯcuſſiões violẽtas mřiq̄ añq̄ veniant
ad dictá etatẽ debilitaꝫ i ſe ſic oculꝰ ꝯcuſſus i ſe
debilitaꝫ ꝙ nõ pt retinere lacrimas. Alia cá ma
le retẽtiõis ſpmaꝫ i mřice ē durities labioꝝ intri-
ſecoꝝ mřiq̄: ná ipis iduraꝫ nõ pñt bñ vniri nec ꝑ
ꝯñs matrix bñ claudi pꝰ actū coitꝰ: ꝛ ſic remanet
q̄dámõ apta ná dꝫ claudi ꝙ vix acumẽ acꝰ poſ-
ſit tráſire vt diᶜ ga. v. đ morᵒ. Idẽ rab i ſuo ꝯtiñᵉ
ná tlia labia itriſeca đ facili iduraꝫ a frio extriᶜᵒ
penetrãte ꝛ ſubitrãte ſedẽdo ſupra lapidẽ. vl' ſup
terrá vl' a magꝭ frigoꝛe pedū cõpatiꝫ matrix vl' in
duraꝫ a balneo aq̄ parū cale vt ꝯtingit q̄buſdaz
mlieribꝰ i pᵒ puerpio tpe caľo. Intđū iduraꝫ rõ
ne difficil ptꝰ ꝛ violẽt. Intđū iduráꝫ ſilr a ꝯcuſſi
one violẽta i orificio. m. itriſeco vt i defloratiõe. i.
freq̄nti ꝯcuſſiõe añ etatẽ ꝑfectá. Rab põit iſtum
caſuz male retẽtiõis ſpmaꝫ i toto ꝯtiᵉ ꝑpter qđ
docet vti cū lana armoᶜᵒ cū q̄buſdá ab itra alijs
Aᵃ cá male retẽtiõis ſpmaꝫ i mřice ē malꝰ ſitus
mřiq̄ vt ſi declinat v̄ſus latꝰ ſupꝛꝰ vl' iferꝰ vt i ca
ſu mřiq̄. vl' ſi elongaꝫ a vulua ꝙ trahaꝫ ſupra re-
nes vt fit de poſſibili ab eiſdẽ cauſ i gñe pcipita
tiõis. vl' q꞉ mltū elõgaꝫ a coytu. iõ v̄gines q̄ ma-

ritáꝫ vltra. xxiij. vl'. xxiiij. ánū cõiꝫ nõ ꝯcipiũt đ fa
cili. vl' ſi elõgẽt a marito ꝑ lõga tpa q꞉ ꝑ plures
ánoſ: ná ſtãtibꝰ iſtis ꝯtẽtia. m. defiᶜ i fundo. Iõ
nõ retineꝫ ſpma i mřice niſi valde ꝑ modicū ſpa-
ciū: Alie cáe extriſece pñt ſupuenire q̄ ſunt cauſe
male retẽtiõis ſpmaꝫ i mřice vt coitꝰ ſup coituz
Vl' q꞉ violẽt deſcẽdit de lecto pꝰ coitū. vl' violen
ter icedit ꝑ domū aſcẽdẽdo vl' deſcẽdẽdo. Vl' q̄a
i hom... coreat ſaltãdo mõ virili. ⁋ Pꝫ ḡ tibi q̄t
nec q̄ ſint cáe male retẽtiõis ſpmaꝫ i mřice q̄ ſũt
cáe q̄re mlier nõ ꝯcipit. ⁋ Cáe v̄o corruptiõis
ſpmaꝫ i mřice ſe tenẽtes ex pte mlierꝗ ſũt due in
gñe. vna ē mala ꝯᵒ mltū excedẽs ca. fri. hu. Sic
ſimplex vl' cõpoſita cū maťia. vl' ſine: lꝫ vt plim
ſint cū maᵃ i eiꝰ ꝯcauo vl' i venis aſſiſtẽtibꝰ ꝑpt
mẽſtruū i pte retẽtū. ná ex h̄ ipſa matrix caleſcit
cõtter. Lꝫ aliq̄ñ refrigereꝫ ꝛ hũecteꝫ vltra debi-
tū ꝑpt qđ pl'es ex ipis magꝭ appetũt q꞉ dato ꝙ
maᶜ ſint in pte frie: q꞉ caleſcũt pter naturá eleua
tur fumꝰ calidꝰ faciẽs ad h̄ ſic ꝑ exceſſiuum men
ſtruū refrigeraꝫ ꝛ exſiccaꝫ ꝛ ꝑ ꝯñs minꝰ appe-
tũt rab in ſuo ꝯtiᵉ. Verū fortioꝛ cá ꝛ magꝭ occur
rẽs corruptiõis ipiꝰ ē mala cõpl'o hũida ſimplex
vl' cõpoſita ſuffocãs ipm: ſic videmꝰ in terre na-
ſcẽtibꝰ ꝙ ſuffocaꝫ ab excedẽti hũiditate vt decla
rat ga. v. ápho. ſup dictꝗ ypoq̄. i pl'ibꝰ loci. Mala
aũt ꝯᵒ caľa vl' mltū ſicca ipiꝰ mřiᶜ pt eē ſimplici
ter cá corruptõis ſpmatū vt fit i muliere colerica
mltū ruffa vl' nigꝛ. Et maxie q̄ñ mulier ꝯcurrit in
lapſu cū viro: ná ſi ſpma excedat i caloꝛe vl' ſicci
tate citꝰ corrūpeꝫ i mřice mltū caľa. Idẽ erit di-
cẽdū ſi ꝯcurrát i alio lapſu. ꝑpt qđ q̄ſi matrimoni
um ē ſacmẽtū diuinū deꝰ ordinat ꝙ colericus nubat
cū flãtica ꝛ ecõtra. turpis cū pulcᵉ ꝛ ecõtra aqui
linꝰ cū ſima ꝛ ecõtra. ná ꝯrietas i cõpl'one ꝛ cõ
poſitiõe faᶜ ad facilẽ ꝯceptiõez ꝛ ad maioꝛẽ dile
ctionẽ ꝑpt obediẽtiá: ꝛ ſic veniũt i vniformitatẽ
moꝝ: quia mlier pa. ꝛ mař mitigat yracũdiá cole
rici ꝛ ecõtra. iõ magꝭ mutuo ſe diligũt. Verū ad
talẽ corruptiõem ſpmaꝫ i. m. faᶜ ſilr mala ꝯᵒ fria
ꝛ hũida cerebri. aliq̄ñ ꝛ aliū pncipatū ꝛ totiꝰ cor
porꝗ. iõ diᶜ rab i ſuo ꝯtiᵉ ꝙ mlier cū glauq̄ ꝛ ſub-
albiđ ocul' nõ ē apta ad cõcipiẽdū ſic ſunt muli-
eres cū nigris ocul' i q̄bꝰ ē maioꝛ ꝛ melioꝛ calidi
tas i coꝛpe ꝛ i mẽbris. ſubdit ꝙ ex h̄ ebrioſe non
ſunt apte ad ꝯcipiẽdū đ facili. Silr mala ꝯᵒ fri-
gida ꝛ ſicca pncipaᵐ mẽbꝛoꝝ ꝛ totiꝰ coꝛpis i mlie
re faᶜ ad talẽ corruptionẽ ſpmaꝫ i mřice q꞉ ma-
trix nõ ē forꝫ v̄tuꝫ nec tales hñt ſpma v̄tuoſuz ſꝫ
debile cū pauq̄ ſpiritibꝰ: ná ſic in teſticul' bñ com
plexionaꝫ eſt v̄tꝰ gñatiua boni ꝛ v̄tuoſi ſpmatis

ita i ſpma^c bo^o ⁊ v̄tuoſo ē vt^9 gn̄atia fer^9 ē v̄tute
gn̄atia ip̄i^9 mr̄ic̄. Et ſi iſta deficiūt ſp^a de facili cor
rūpit̄ ꝓpt̄ qd̄.d.raſ.i ſuo ɔti^c ꝙ m̄l'r vtēs acetoſ l'
ſi fuerit ɔti^c calātitat̄ ⁊ triſticie nō ɔcipiet. Scd̄a
cā i gn̄e corruptōis ſpmat̄ i mr̄ice eſt mala cōpō
ip̄i^9 mr̄ic̄ i ſua ſuba: puta q: ē denſa ⁊ ſpiſſa ⁊ pi
guis vltra ſui naturā ⁊ cū venul' ꝑuul'. nā cū tali
mala cōpōe ſan. nō p̄t ibidē fluere de venis ip̄ius
mr̄ic̄ p^9 actū coit^9: q: ſunt ſtricte n^c ſecūdina po
terit ibidē colligari. ſ. āpħ. cōmento illi^9. q̄cunq͡ꝫ
frigidas ⁊ denſas ⁊c. vn̄ flux^9 ſan. a venis dictis
ad ip̄aꝫ mr̄icē p^9 actū coit^9 ē de nc̄cite ɔceptiōis
q: alr̄ ſpmatica mēb^a nō haberēt mat̄iaꝫ ſuffici
entē ſue gn̄atiōis vt ē ſup̄i^9 dictū. Et ſic ſilr̄ ſper
mata nō poterūt fermētari nat̄ali' ꝑut debēt: ꝓ-
pter qd̄ nc̄cio corrūpent̄. iō dic̄ ypo. ⁊ ga. v. āpħ.
ꝙ ſup tali cā dubioſa ꝙ mulier ſuffumiget̄ cum
aromatib^9 cū emboto pānis bn̄ inuoluto ne fu-
m^9 exteri^9 effundat̄ ad os ⁊ nares: ⁊ ſi bn̄ inuolu
ta pānis odor ⁊ ſapor trāſierit ad os ⁊ nares ſi-
gnū ē ꝙ ibi nō ē illa cā ſterilitat̄ ⁊ ecōtra vt infe
ri^9 dicet̄. ❡ Tu dices iſte cāe corruptiōis ſpmat̄
coincidūt in idē cū cauſ male retentionis ſper-
mat̄ i mr̄ice: q: ſi ſp^a corrūpat̄ n̄ retinebit̄ ſi mr̄ice
q: ɔtētia deſinet ip̄m abire vl' expulſiua expellet:
⁊ ſic icidet i cauſ male retētiōis ſpmat̄. Dicēdū
ꝙ nō coincidūt i idē: q: i cauſ dict̄ male retētiōis
ſpmat̄ retētia mr̄ic̄ peccat i actōe ſua ⁊ errat: q̄a
nō retinet mat̄iaꝫ talē ꝓ gn̄atiōe fet^9. ſ ſtantib^9
cauſ corruptiōis ſpmat̄ iam dictis tūc ſi in die-
bus aliq̄b^9 ⁊ horis corrūpat̄: nō errabit ɔtētiua
ſi deſinat ip̄m abire: q: ḡuata rōne eius q̄titatis
nec expulſiua errabit in actiōe ſi illud corruptuꝫ
expellat incitata a q̄litate corꝑis corrupti acq̄rit
cōiter malā q̄litatē vt ɔcluſuꝫ ē dicit ga. 6. d̄ int.
ca^o. ꝑ^o. ꝙ ɔtētiua ḡuat̄ ⁊ incitat̄ venire in actū
rōne q̄ti ſicut expulſiua rōne q̄lis. ⁊ ſic pꝫ tibi ꝙ
ſtātib^9 cauſ corruptiōis magi detinet̄: q: corrū-
pit̄ i tp̄e ɔūr expellit̄. ❡ Cāe v̄o ſe tenētes ex p̄te
viri ne m̄lier ɔcipiat ſunt. x. ⁊ vltra vt ponit raſ i
ſuo ɔti^c. Quedā ſe tenēt ex p̄te genitaliū p̄n^r: vt
q: teſticuli multū ꝑui ⁊ frigidi ⁊ ſicci a gn̄atione
vl' a tp̄e ex approxiatiōe intius vel exteri^9 opij vl'
cāphore ⁊ ſil'iū. vl' q: fuit ſibi teſticul^9 maior inci
ſus i cura rupture. vel ei^9 dindim^9 fuit in magna
p̄te ɔſumpt^9 cū cautio i ei^9 cura. vel fuit inciſus i
pitoneon ꝓ cura lapidꝭ. nā lꝫ q̄dē illoꝝ aliq̄l'r eri-
gāt nō ſufficiēter nec debite ſpmatiſant: quia va
ſa ſpmat̄ in p̄te fueī't leſa ⁊ debilitata ſalti in p̄ti
bus colligat̄ vt dic̄ Raſ i ſuo ɔti^c ꝓpt̄ qd̄ ſteri-
liſat. Vel q: caput veretri ē nimis curuū ꝓpt̄ ei^9

magnū ligamētū: nā tūc nō eij̄c ſpma de directo
in agro nature: nā ex h̄ v̄ga viril' ledit̄ in actione
ſua: ſic lingua ledit̄ inēdū in ſua actiōe ex ſuo li-
gamēto vt dic̄ raſ in ſuo ɔti^c. vel q: patit̄ gomor
reā incipiētē vel firmā ſeu feſtinā ſemis emiſſio-
nē in actu coit^9: nā q: n̄ ɔuenit cū muliere i emiſ-
ſione ſpmat̄. iō mat̄ia illa nō p̄t tūc eē bn̄ fermen
tata in teſticul' ex ſua anticipatiōe m̄l'ier nō cōci-
pit: nā emiſſio ſpmat̄ viri dꝫ ſubſeq̄ emiſſionem
ſpmat̄ m̄l'ieꝝ tāq̄ coagulāt̄. Raſ i ſuo ɔti^c. m̄l'ti
iuuenes colici ſanguinei labūt̄ in h̄ ꝓ nimio calo
re genitaliū dilatāte vias illas vaſoꝝ ſpmat̄ ꝓpt̄
qd̄ feſtinat ei^9 exit^9. vel q: v̄ga ei^9 ē mollificata q̄
ſufficiēter nō p̄t erigi nec extēdi ꝓpt̄ qd̄ nō p̄t cā
ɔgnoſcere. vel q: vir ē eiuſdē cōplōnis cū m̄l'ier
q: ſpma cal'm nō gn̄abit i mr̄ice cal'a multū: nec
frigidū in fria: ⁊ ſic de alijs. raſ i ſuo ɔti^c: ⁊ Ga.
v. āpħ. Vel q: ē multū coitu^9 q: tūc ſpma nō eſt
bn̄ ꝑfectū nec ſpumoſuꝫ: ꝓpt̄ qd̄ nō eſt ſufficiēs
gn̄atiōi: imo de facili corrūpit̄. ſilr̄ ē cā exit^9 ſper-
mat̄ a mr̄ice ꝓpt̄ agitōem ⁊ ɔcuſſionē. vl' q: vir-
ga ei^9 ē nimis lōga tāgēs mr̄icē in fundo inēduꝫ
tales cāe ipediētes ɔceptiōeꝫ ſe tenēt ex p̄te p̄n-
cipaliū mēbroꝝ ei^9 vt q: fuit vulnerat^9 in capite
retro aures: ⁊ habuit venas iuueniles iciſas: tē
mat̄ia ſpmatica nec ſp̄us aiales nō p̄nt deſcen-
dere ad teſticl'os. vel q: cerebꝝ ei^9 ē nimis frigi-
dū ⁊ h̄ūidū tūc ſpma ei^9 q: deſcēdit ꝑ p̄te a cere
bro nō ē ſufficiēs ad gn̄atiōem. Iō ebrioſi vel ſe
nes a ſenio vel pocōnati cū opio camphora ⁊ ſi
milib^9 nō gn̄ant raſ in ſuo ɔti^c. ❡ Notū ē recte
ſpeculāti ꝙ in ſterilitate m̄l'ieris p̄tic'a patiēs ē
ip̄a matrix. aliq̄n̄ ꝑ ſe. aliq̄n̄ ꝑ colligātiā: q: venit
qd̄ vēire n̄ dꝫ ſm̄ naturā. vel ab ip̄o viro mala q̄li-
tas cū mat̄ia. vel mal^9 ei^9 ſit^9. vel nō venit qd̄ ve
nire dꝫ ſm̄ naturā. puta ſpma naturale bn̄ cōple
xionatū ⁊ ɔ^o bōa a p̄tib^9 colligat̄. Et ē pa^o cōit
official' in receptaculo vel in ſitu. verū de poſſibi
li eſt pa^o ɔſiſ̄is interdū: ⁊ eſt nocumētū p̄nci^r ge
neratiue mr̄icis talis ſterilitas ex ſe vel vicio p̄ti
um colligatarū ꝑ morbo deſcripto ē pa^o gn̄atiue
matricis quia morb^9 deſcriptus infert p̄ncipali
nocumentū tali generatiue matricis.

Iſtis clarificatis Cura tibi pateſcit.

Prius aūt q̄ꝫ in cura ꝓcedas ſcire ⁊ conſiderare
oportet an talis ſterilitas ſit ex p̄te m̄l'ieꝝ l' ex p̄te
viri ⁊ ſi ſit vicio genitaliū vel p̄ncipaliū. Et ſcire
oportet cām in ſpecie talis ſterilitat̄: q: cura in h̄
diuerſificat̄. Primo aūt ſuccurram^9 cauſis male
retentiōis ſpermatis in mr̄ice ipediētib^9 ɔcepti-

onē.¶ Si aliq̄ mulier ergo n̄ cōcipit eo ꝙ ſperᵃ
nō retinet ex magna lubricitate ⁊ largitate mrī-
cis q̄ caſus plibꝰ ꝯtingit vt pateſcit:q: exit poſt
vnā horā.vel ſtati vel circa incedēdo ꝑ domū. vl'
deſcēdendo per gradariū imo aliis ⁊ pluries de-
ſcēdendo de lecto ⁊ nō hꝫ os matricis hūidū:de
q̄ ſit cura:nec plenū hūiditatibꝰ ꝓut hn̄t i mala
cōplōne fria ⁊ hūida mrīcis de q̄ inferius dicēꝰ
in ſequētibꝰ.nec hꝫ querelas p̄cipitatiōis nᶜ al-
terius mali ſitus mrīcis ⁊ habet mēſtruū ſuffici
ens ⁊ nō ꝓlificauit alias:nec fuit defloꝛata ante
tp̄s.vn̄ q̄a talis lubꝛicitas mrīcis cum largitate
ſui oꝛificij intrinᶜⁱ eſt ſine maᵃ:eo q̄a in tali nō ē
maᵃ:iō nō indigēt rebꝰ euacuātibꝰ:ſ; ſola ꝑmu-
tatiōe ⁊ approximatiōe caloꝛum ſtipticoꝝ ad re
mouēdū illā malā cōplōnē humidā ſine maťia.
vt dicit raſ in ſuo ꝯtiᶜ in fine capli. Suffumige-
tur ſic ꝑ triduū ſero ⁊ mane cū emboto pꝰ mun-
dificatiōem ⁊ ablutiōem de mēſtruis. ℞.boli ar
mēici rub.ʒ.ß.nucis cipreſſi.ʒ.vi.ſtoꝛacis liquide
qd̄ ſufficit ad incoꝛpoꝛādū fiant trociſcis pōde-
rantes.ʒ.i.ß. Vel cū iſtis. ℞.baccarū lauri.ʒ. ß.
nucis cipreſſi.ʒ.i.ſtoꝛacis liq̄de.ʒ.i.miſceantur ⁊
addatur mell'.qd̄ ſuffic̄ ad incoꝛpoꝛādū fiāt troci
ſci vel pill'e pōderātes.ʒ.i.ß. Vel ſic. ℞.mirre.ʒ.
v.aloe.ʒ.i.baccarū lauri.ʒ.ij.miſceanť fiāt ſil'es
trociſci:quo facto fiāt peſſaria iſta ⁊ teneat vnū
renouādo ſero ⁊ mane ꝑ tres vl'.iiij.dies pꝰ mun
dificatiōem dictā de mēſtruis. ℞.croci ſpice.an̄.
ʒ.i.muſci.ʒ.ß.aluis nuc̄ cipſſi.an̄.ʒ.iij. mirre bac-
carū lauri.an̄.ʒ.ij.ſtoꝛacis liq̄de galbani.an̄.ʒ.ß.
gūme diſſoluātur cū vino ⁊ miſceať:⁊ ſil' incoꝛ-
ꝑoꝛeť.fiāt peſſaria cū filo i capite ad foꝛmā glād
in q̄titate pollic̄ inuoluať cū pāno lineo rariᵐᵒ
Vel de ſerico rariᵐᵒ ⁊ ſi nō placet mulieri teneř
peſſaᵃ quia ē comital' vel regal' facias in modū
vnguēti de q̄ iponať facta ſtupha cū lana nō ab-
luta bn̄ in ꝓfundū. ℞.croci ſpice an̄.ʒ.ß. alumi-
nis.ʒ.ß.nuc̄ cipreſſi.ʒ.iij.gallarum.ʒ.ß.baccarū
lauri.ʒ.ij.ſtoꝛac̄ liq̄di.ʒ.i.incoꝛꝑenť oīa in mo-
dū vnguēti cū modico olei nardini.vel anceri ax-
ungie:iſta oīa ſunt de intētiōe raſ in ſuo cōtiᶜ.
Pꝛimi tro.de arſenico bene ſunt ad ꝓpoſitū inť
alia mihi placēt. Paupibꝰ mulieribꝰ i q̄bꝰ ſper
ma labiť infra paucas horas poſt coitū poniᵐᵉ
ſi nō habēt querelā p̄cipitatiōis vel alterꝰ mali
ſitus matricis:nec hn̄t os mrīcis hūiduꝫ de quo
ſit cura iponimꝰ cū melle de pipe lōgo vl' d̄ allijs
vel de cardamoᵒ:q: nō indigēt niſi exiccatiōe cū
aliquali calefactiōe ⁊ nō euacuatiōe facimꝰ ſic.
℞.allioꝝ.ʒ.ij.ꝯterātur ⁊ diſtēperāť cū alijs dua-
bꝰ.ʒ.olei ſiſamij vel ſambuci vel lilij ⁊ addať aq̄
qd̄ ſufficit ad decoquēdū ſupꝛa pꝛunas fiat de-
cocᵒ vſq; ad ꝯſumptiōem ip̄ius aque:⁊ cū hoc
ſupponať de lana nō abluta in ꝓfundum ⁊ inun
gať in pectine cū oleo ſambucino.hoc ř.q̄buſdā
diebꝰ ſpecialiter poſt mūdificatiōem dictā.naꝫ ħ
eſt mirabile in hoc caſu ⁊ in q̄cūq; cā male retē-
tionis ſꝑmatis ⁊ coꝛruptiōis Raſ in ſuo contiᶜ
vel illud facimꝰ. ℞.cardamōi.ʒ.ij. ß.gallarū.ʒ.ß.
fiat puluis ſubtil' vt alcool colatꝰ cū ſindone in-
coꝛpoꝛeť cū modico olei ſambuci vel lilij qd̄ ſuf-
fic̄ ř ꝑ modū ſief.vel vnguēti liq̄di de q̄ imponať
tepidū cū lana nō abluta infra matricē ꝑfumati
onibꝰ dictis ⁊ alijs p̄cedētibꝰ vl' nō p̄cedētibus
l' iponať de hoc. ℞.mell'.ʒ.ij.pipis longi.ʒ.iij.
gallarū.ʒ.ß.pulueriꝫenť ſubtiliter vt alcohol:⁊ d̄
hoc tepidū ponať infra mrīcē ꝑ triduū pꝰ mūdi
ficatiōem dictā.¶ Conſeq̄nť an̄q̄ coeat iponať
ꝯtinue ꝑ duas horas ante i matrice iſtud. ℞.pā
nū lineū ſubtiliſſimū infundať in aq̄ in q̄ ſit diſ-
ſolutū ⁊ bulitū alumen plume:ꝯn̄r ſupſpergatur
⁊ inuoluať in pul.ſeq̄nte ⁊ ifra vuluā itromittať
℞ ciperi caſſielignee.an̄.ʒ.iij.gallaꝝ.ʒ.ij.ř. pul-
uis ſubtilis vt alcohol ⁊ iponať vt dictū ē. Que
dā hoꝝ bene valent in cauſis alijs male retētio-
nis ſꝑmatis ⁊ eius coꝛruptiōis vt inferiꝰ dicetur
Aliq̄ loco hoꝝ iponūt cū lana i mrīce i ꝓfundū
ꝑ duos aut tres dies poſt mūdificatiōem de mē-
ſtruis ⁊ ablutiōem cū vino decoctiōis cardamōi
baccarū lauri.an̄.p.i.de coagulo lepoꝛiſ diſſoluto
cū olo viol' vel ſambuci ſiſamini vel linij vl' lilij:
q: multū ꝯfoꝛtat retētiuā mrīc̄.Et dant illis die-
bus ⁊ alijs in potu in introitu lecti modicū d̄ ra-
ſura eboꝛiſ cū modico vini:eſt eīm magni iuuamē
ti a tota natura ſpeᶜᵃ Raſ in ſuo ꝯtiᶜ.Et aliqui
dant mō ſil'i in potu vel in pill'is de dicto coagu
lo.⁊ aliq̄ ꝓmiſcēt ponūt duas ꝑtes coaguli lepo
ris.⁊ tertiā partē raſure eboꝛiſ faciūt pill'as cū vi
no ⁊ dant ante cenā ꝑ horas.ʒ.aut q̄tuoꝛ.vel cir-
ca tribꝰ aut q̄tuoꝛ diebꝰ.poſt iſtos dies interro-
ga ſi in aliq̄ ſentit melioꝛē retentionē ſꝑmaťꝫ:naꝫ
ſi ſentiat ⁊ nō ꝑfectā reitera illa que dicta ſunt a-
lijs tribus aut q̄tuoꝛ diebꝰ ⁊ poſtea dimittas eā
ex toto ceſſando ab oī medicamīe ꝑ alias q̄tu-
oꝛ dies:⁊ ſtet cū marito ꝓut lex ⁊ deus pꝛecipit.
Quibꝰ diebus tranſactis ſil'i modo iterroga eā:
ſi ſentit aliqualē aut nullā reparatiōem in reti-
nendo ſperma:q: ſi nullā ſentit ſcias ꝙ nō veni
ſti ad cāim impedimēti.volue ergo ſolū ſi aliq̄lē
ſentit licet nō ꝑfectā bonū ſignū eſt. dimittas ve
nire iterū mēſtrua an̄q̄ vlterius agas:q̄a foꝛſan

tu ipedires naturā in ſui actiōe:ſ3 talis mlier te-
neat iterū regimē ſuū ꝙ vtatur vino rubeo bene
maturo:q2 facit ad ipꝛegnatiōem:ſic vinū ſubti-
le ⁊ albū ipedit. Raſ in ſuo ɔtiᶜ vitabis carnes
poꝛcinas ⁊ arūgioſas offas liq̄das remollitas
ſedere ſupꝛa terrā ⁊ lapidez. ¶ Et ſi aliq̄ mulier
nō ɔcipiat eo ꝙ ſpma nō retinet ex debilitate ma
tricis a ḡnatōe:⁊ ɔtigit q̇buſdā mulierib⁹ delica
tis ⁊ rare ⁊ delicate cōtexture. vel ɔtingit hᵒ ex de
bilitate matricꝭ a tpe in ſe ⁊ in villꝭ ſuis ⁊ lacertꝭ
intrinſecis faciētib⁹ ad ei⁹ clauſionē poſt actum
coytus vt ɔtingit puellꝭ defloꝛatꝭ ante pfectā eta
tem:naz ex ɔcuſſionibus violentꝭ ⁊ frequētatꝭ añ
etatē pfectā partes ille debilitant̄. ⁊ ſic bene nō
claudūtur poſt actū coyt⁹: qᵒ patet:q2 parum re
tinet̄ poſt actū coitus. Et ſcitur ꝙ fuit defloꝛata
ante perfectam etatem. verū opinat̄ a q̇buſdaz
⁊ bene ꝙ pluries ɔcurrat cū iſta debilitate reten
tiue duricies labioꝝ intrinſecoꝝ matricis ꝓpt̄ il-
las ɔcuſſiones violentas ꝓpt̄ qᵒ illa q̄ dicentur
in articulo ſequēti in cā male retētiōis ex duricie
labioꝝ intrinſecoꝝ habēt locū in iſta cā debilitatꝭ
matricꝭ. in debilitate ergo matricꝭ a ḡnatiōe in q̇-
buſdā mulierib⁹ a tpe vt ɔtingat q̇buſdā mulie-
ribus defloꝛatis ante tp̄s pfectū ſtupheꝭ matrix
q̇nq3 aut ſex dieb⁹ ſero ⁊ mane cū ſeq̄ntibus. ℞.
mirre ſtoꝛacꝭ liq̄de galbani añ. ʒ. i. terant̄ ⁊ miſce-
ant̄ fiant trociſci pōderātes. ʒ. i. ß. ſuffumiget̄ p
pauſam. ɔīr imponas de oleo balſami cu3 lana
nō abluta infra matricē in pfundū:loco illi⁹ im
ponas de oleo de lilio tepido ⁊ inungat̄ in pecti
ne cū oleo ſambucino vꝉ liliȷ̄ ꝉ oleo muſcatellio
loco hoꝝ ponas de iſto ſief cū lana. ℞. ligni bal-
ſami. ʒ. ij. been muſci. añ. ʒ. ß. blacte biſancie. ʒ. i.
puluerisent̄ ſubtiliter vt alkool ⁊ incoꝛpoꝛēt̄ cū
oleo balſami. ſi nō habes cū oleo ſambuci. vꝉ cū
oꝉo muſcatellio:loco hoꝝ ponas oleū de lilio:et
fiat ſief in modū vnguēti de q̄ imponat̄ cū lana
Loco hoꝝ facta ſuffumigatōne iponas cū lana
de felle colūbi triplata q̄titate olei nardini vꝉ oꝉi
ſambucini ꝉ olei muſcatelliⁱ. vꝉ iponas cū lana
de aliȷ̄s cōtritis ⁊ diſtēperatꝭ cū oleo ſambucino
coctis vt ſtatī dictū ē i debilitate mr̄icꝭ a lubꝛicita
te ei⁹ vꝉ de coagulo. poſtq̄ hoc feceris q̇nq3 vꝉ. 6.
dieb⁹ ceſſa ab oīni medicamie: ⁊ aſſiſtat marito
ſuo p alios. v. vꝉ. vi. dies. ſ3 añ cenā p vnā vꝉ duas
hoꝛas da ſibi modicū de raſura eboꝛis cū modico
vini boni: vel da ſibi tres vꝉ q̄ttuoꝛ pillꝭas factas
de coagulo lepoꝛis i duab⁹ ptib⁹:⁊ i tertia de raſu
ra eboꝛis hᵒ ɔtinuet p illos. v. aut. vi. dies. Et anteq̄
coeat ſp iponat p duas hoꝛas i mr̄ice pānū line
um ſubtiliſſime infuſum i aq̄ aliȷ̄s ⁊ ſinapiſatū

cū puluere dicto vt eſt dictū in reparādo lubꝛici
tates matricꝭ in p̄cedētib⁹. poſt iſtos. v. vel. vi. di-
es interroga ipam ſi ſentit maioꝛē retētionē ſp-
matꝭ: q̄a ſi ſentit ɔtinua ſupꝛadicta p. vij. vel. viij.
dies vltra nō vſq3 q̄ mēſtrua iterū tranſiuerit. Si
nō ſentit in aliq̄ maioꝛē retētiōem ſpermatꝭ tunc
opinandum ē ꝙ cā potiᵐᵉ illi⁹ male retentionis
erit duricies labioꝝ itrinſecoꝝ mr̄icꝭ ꝓhibētiū clau
ſionē ipi⁹. nā durū cū duro nō pt̄ bñ vniri. ⁊ᶜ via
illa nō pt̄ bñ claudi:⁊ iō neccio exit ſpma de mr̄i-
ce:⁊ tūc eſt recurrēdū ad remedia q̄ ſtatī dicent̄:
p illa duricie labioꝝ itrinſecoꝝ mr̄icꝭ. ¶ Et ſi ali
q̄ mlier nō cōcipit eo q2 ſpma nō retinet ꝓpt̄ du
riciē labioꝝ itriſecoꝝ. m. qᵒ p3 q2 p⁹ puerpiū ſp-
ma nō retinet nec p ɔñs ɔcepit:imo ſpma ſtatim
exit:q2 matrix nō claudit̄ ꝓpt̄ duriciē labioꝝ di-
ctā a frio ſubitrāte foꝛti i puerpio et p⁹ incedēdo
p domū. vel balneādo i balneo nō bñ calꝉo añq̄
matrix eēt bñ ɔſolidata. Et nō h3 q̄relā p̄cipitati
onis vꝉ alteri⁹ mali moꝛ⁹ mr̄icꝭ. vꝉ hᵒ ɔtingit ſine
puerpio talis durities illoꝝ labioꝝ illꝭ q̄ fuerūt
defloꝛate añ tp̄s pfectū vt ē ſupꝛ⁹ declaratū ꝓpt̄
ɔcuſſiōes violētas matricꝭ fiat ſuffumigaᵒ cum
trociſcꝭ ſtatī dictꝭ p. x. vꝉ. xij. dies ſero ⁊ mane. ℞.
mirre ſtoꝛacꝭ liq̄de galbani añ. ʒ. ij. ɔterāt̄ ⁊ diſſol
uāt̄ ⁊ fiāt trociſci cū vino pōderāt. ʒ. i. ß. facta ſuf
fumigatiōe iponat̄ cū lana nō abluta. de iſto ſief
p modū vnguēti. ℞. armoᶜⁱ. ʒ. vij. croci. ʒ. ij. ſpice
coꝛoñ. regie. ana. ʒ. i. foliȷ̄ cardamōi. añ. ʒ. i. vitelli
oui cocti. ʒ. iij. adipis anceris. ʒ. i. olei nardini. ʒ. ß.
miſceāt̄ in modū vnguēti ō q̄ ſupponat̄ cū lana
facta pfūatiōe p⁹ mūdificatiōem ⁊ lauatiōem a
mēſtruis lauet̄ cū vino decoctiōis baccaꝝ lauri
⁊ cardamōi. añ. m. ß. vꝉ iponat̄ ō hᵒ vnguēto cum
lana. ℞. ſecꝭ olei de lilio. ſecꝭ olei ō ſemib⁹ bdelliȷ̄
añ. ʒ. ß. ſtoꝛacꝭ liq̄de galbani oppopōcꝭ armoniaci
añ. ʒ. iij. adipis anatꝭ vꝉ galine re. ʒ. ij. gūmi cum
pauco vino diſſoluūt̄ q̇bus nō valde mollificetꝭ
alia admiſceāt̄ i moꝛtario donec p modū vngue-
fiat deinde coitu vtat̄ p. v. vel. vi. dies. Raſ i ſuo
ɔtiᶜ: ſ3 q̄diu fuit cū marito ſumat añ cenā p duas
hoꝛas de raſura eboꝛis cū modico boni vini. vꝉ ſu
mat pillꝭas eodē tpe. 4. vꝉ. v. de duab⁹ ptib⁹ co-
aguli lepoꝛis ⁊ 3ᵃ pte eboꝛis. ⁊ ſi videt̄ tibi anteq̄
coeat imponat per duas hoꝛas i matricem pan-
num lineum ſubtiliſſimuz infuſum in aqua diſ-
ſolutionis aluminis iameni ſeu plume ſuperaſper
ſo puluere ſuperius dicto in cura male retentio
nis ſpermatis ex lubꝛicitate matricis ¶ Et poſt
illos dies interroga ipſam ſi vltra ſolitum reti-
neat ſperma ꝙ ſi ſic bonuz ſignū eſt ⁊ ecōtra mi-

terim ꝓcedas mō ſilr̄ ꝑ aliq̄s dies lōge tm̄ a men
ſtruo ⁊ ex cā. Aliq̄ habēt ꝓ ſecreto ꝙ in om̄i ma
la retēōe ſpmatis ex aliq̄ triū cāraꝝ dictarū ſu-
mát ꝑ. xv. poſt mēſtruū aſſiſtēdo cū marito medi
um coclear matriq̄ lepoꝛ| exſiccate ſpacioſe i fur
no ⁊ ſubtiliter puluerizate cū modico vini odoꝛi
feri credo ꝙ vȝ a tota natura ſpecifica in om̄i cā i-
pediēte cōceptiōem p̄terꝗ̄ in mala ſitu matricis
ipediente ꝯceptiōem multa ſunt remedia dicta i
cauſ alijs male retētiōis q̄ valēt aliq̄lr in h̄ caſu
¶ Et ſi aliqua mulier nō ꝯcipit eo ꝙ ſpma non
retinet ꝓpt̄ malum ſitum matriq̄: q2 ē ꝯtoꝛta ad
vnū latus ⁊ cōiter ad latus ſiniſtrū qd̄ demon-
ſtrat q̄rela mlieris ⁊ nō retinet ꝑ hoꝛas ipm ſper
ma: ⁊ aliq̄lr plangit vel g̃uatur in coitu ꝓpt̄ vio-
lentiā quā fecit v̄ga collo matriq̄ cuȝ toꝛto curet̄
p̄us p̄cipitatio ꝓut eſt ſupi' dictū: verū q2 cuȝ tali
cōtoꝛtiōe cōicat doloꝛ mt̄icis cōiter ſe extēdens
ad lat' ⁊ ad coxā ⁊ fit a cā fria inungāt̄ vole pe-
dū cū oleo actu calīo ſambuci vl' nardio vl' muſca
tellino vel de euforb. vel ꝙ. ʒ. ß. euforbij addat̄ in
q̄rt̄. i. olei ſambuci vel lilij: nā ꝑ colligātiā caleſit
matrix ⁊ genitalia ſic eoꝝ infrigidatio infrigidat
matricē rat̄ in ſuo ꝯtinēte vel fricēt̄ vole pedum
cū h̄ ℞. piret'. ʒ. ß. euforbij. ʒ. ij. pluerizent̄ ſubtil'r
⁊ diſtēpent̄ cū modico vini: ⁊ cū h̄ vole ſeu plan
te pedū fricent̄ de ſero ⁊ ſupponat̄ cū lana infra
mt̄icē aliq̄ñ de hoc. ℞. pulueris ſubtil' cardamōi
ʒ. ij. olei ſambuci. ℥. ij. miſceātur: ⁊ de h̄ cū lana i-
fra matricē iponat̄: nā calefacit mt̄icē valde: ⁊ i-
citat ad coitū. Idē fac̄ mel ſi ſupponat̄ cū lana
cū modico ȝȝ'. aut pipis lōgi vel alti' incitat coi
tū ⁊ calefacit matricē ⁊ ad educēdū illas ſupflu
itates flāticas de mt̄ice q̄ faciūt illam ꝯtoꝛtiōem
ſeu ſpaſmū matriq̄. fiat iſtud ſicut qd̄ iponat̄ cum
lana infra matricem. ℞. pulpe coloquintide. ʒ.
ij. cinamomi. ʒ. i. olei ſambuci. ℥. ij. miſceātur vel
fiant peſſaria in modum glandis in panno de ſe
rico inuoluta quoꝝ vnum teneat ꝑ vnū diē natu-
ralē. ⁊ ſ. cliſtere extꝰ ad h̄. ℞. radicis cipi. ℥. ij.
mirre. ℥. i. ſ. decoc° vſq̄ ad ꝯſumptiōeȝ medieta-
tis. deinde addat̄ pulpa coloq̄ntide nō pulueri-
ſate. ʒ. ij. coquantur bn̄ ⁊ colātur ⁊ accipiat̄. ℥. iiij.
de decoctiōe ſ. cliſtere i mt̄ice. alia portio ꝯſerue
tur: ⁊ ſ. aliud cliſtere 3ª aut 4ª die. ¶ Et ſi aliq̄
mulier nō ꝯcipit eo q2 nō retinet ſpma ꝓpt̄ caſū
mt̄iq̄ ad inferi' qd̄ demōſtrat q̄rela ipi': ⁊ q̄dam
res p̄mitiue: q2 fuit ligata ſub vmbilico. ſimiliter
q̄a nō poteſt coire niſi prius expellat vrinā quā-
do maritus vult eam tangere de facto. iſta q̄rela
male pōt reparari. potiſſime ſi duos vel tres mē-
ſes tranſiuerit: purgetur ⁊ ventoſetur ſub vmbili
co vt eſt ſuperius dictū in ca° ꝓprio. Et ſi aliqua
mulier nō cōcipit quia nō retinet ſperma: q2 ma
trix trahit̄ ſupra renes qd̄ demōſtrat querela an
charū cū modica dilectatiōe in coitu ſ. cura ꝓut
eſt dictū in cura p̄cipitatiōis mt̄icis fiat ſicut de
pulpa coloq̄ntide ſtatim dictū ⁊ cliſteriſet̄ ⁊ tra
hant̄ ad partē anterioꝛē cū ventoſis magnis ſb
vmbilico. ¶ Aduerte ꝙ in om̄i mala cōplōe fria
⁊ hūida M. valet impō cū lana infra mt̄icē olei
balſami ꝑ ſe vel cū puluere ſupi' dicto de ligno
balſami ⁊ alijs ꝓut eſt ſupius dictū in mala retē
tione ſpmatis ex debilitate matricis dictū. Silr̄ i
poſitio fell' colūbi cū oleo nardino vt eſt ſuperi-
us ibidem dictum de oleo lino cū lana. Et inun-
ctio ab extra vt eſt dictū ibidē cuȝ oleis. ¶ Et ſi
aliq̄ mulier nō cōcipit q2 non retinet eo ꝙ habet
coitū poſt coitū ⁊ ſupra coitū ꝓpt̄ qd̄ ſperma ex-
pellit̄ ſilr̄ ſpma tale nō eſt bene ꝑfectū nec dige-
ſtū. iō de facili coꝛrūpit̄ vt inferi' dicem' ꝓpt̄ qd̄
iuuenes. xviij. annoꝝ vel. xx. tardius ꝓlificāt. Id
ceſſet talis iuuenis ne ipaȝ tangat niſi de tribus
in tribus diebus expulſis ſupfluitatib'. ⁊ ſi ſper
ma nō retinet̄ in mt̄ice ꝓpt̄ violentiā mot' poſt
coituȝ euitet talia quia quieſcere remedium eſt
¶ Et ſi aliqua mulier nō concipit quia ſperma
viri coꝛrumpit̄ in matrice a mala cōplōne fri-
gida humida. m. cū mat̄ia ꝯſir expellit̄: qd̄ patet
q̄a talis mulier ſentit frigus in matrice. ⁊ habet
os matricis. ꝯſir humidū ⁊ plenū hūiditatibus
interdū fetidis: ⁊ male purgat̄ de eius mēſtruo:
⁊ illud eſt male coloꝛatū ⁊ parum delectat̄ in co
itu: ⁊ ē habitudis flātice diſcoloꝛata aliqualiter
⁊ habet varias flāticas ⁊ retinet ſperma per diē
cōmuniter: ⁊ vltra: quia per duos aut tres dies
aliquando in quibus dictū ſperma coꝛrūpit̄: po
ſtea expellitur a v̄tute expulſiua excitata: quia i
eius coꝛruptione acquirit malas qualitates: ꝓ-
pter qd̄ nō errat dicta virtus expulſiue in actiōe
ſua: vt eſt ſuperius declaratū. Iſta mulier tene-
at regimē exſiccatiuū vitabit ⁊ ſpāl'r remollitas
fructus frios vt poma pira pruna ceraſa. vina ſb
tilia ſȝ vtatur vino rub. groſſo bene maturo mel-
licrato per. xv. dies de mane tepido ſine alia mi-
xtura. ℞. coꝛticis rad. fen' petro ap ij raphani a-
choꝛi. ana. ℥. ij. radicis ciperi. ℥. i. aniſi marathri a-
meos ſeminis ſizeleos. ana. ʒ. ij. baccarum lauri. ʒ.
ß. abſinthij pulegij oꝛigani calamēti. añ. ʒ. ß. mel
lis albi deſpumati quart̄. i. ß. fiat mellicratum be
ne clarificatum ad. ℔. ij. renouetur de q̄nq̄ in. v.
diebus: dum vtetur iſto mellicrato imponat in

matrice cū lana nō ablata de yſopo hūido ſeu ꝺ
ſucco lane non ablute. vel imponat de oleo ſābu
ci cū modico cardamo. q2 multū calefac vuluā
℞. olei ſambuci. ℥. iij. cardamoⁱ ſubtiliᵐᵉ ꝓuerizati:
vt alcohol. ℥. i. miſceāt. loco iſtiꝰ olei potes pone
re de oleo muſcatellino l' de lilio vel de lino. vel i
ponas cū lana de oleo balſami. q2 calefac mrīcē
⁊ apit opilatōs. ¶ Expedito mellicto ꝑ. xv. dies.
vel circa: purgat. ſ adūte ꝙ nō debes eā purga-
re cū forti nec violēta medicina nec i aliq̄ lapſo mrīcꝫ
purget ꝗ cum. ℥. 6. bn̄dicte diſſolute cū modicoᵒ vi
ni albi ⁊ ſumat i matutis ⁊ dormiat ſi velit aliq̄n
tulū. l' capiāt de agarico electo. ℥. ij. ⁊ ß. ℈ⁱ aniſi.
añ. ℥. i. ſ. modica decoctio cum modico mellicrati
ſ potus det in aurora. vel detur. ℥. i. turbith albi
gūmoſi cum. ℈. i. ℈ⁱ. cū modico brodio cauliū ru
be. vel cicerū rub. ꝯn̄r vadat ad ſtufam ſtoᵒ ieiūᵒ
¶ Et veniamꝰ ad purgatōnes ꝑticulares mrīcis
imponas lanā cū iſto ſief qꝺ eſt multū laudatū
a raſi in ſuo continente ad purgādum aquā de
mrīce ſi iponat bn̄ in ꝓfundū mrīcis. ℞. pulpe
colloq̄ntide groſſo mō puluerizate. ℥. ij. interioris
cynamoⁱ. ℥. iij. ſ. pul. q̄ incorpet cū vino dulci co-
cto vel cum vernacha: vt ſic competeret liquidū
vel cum oleo ſambuci diſtempet illo mō ſuppōa
tur. ¶ Poſſes etiā facere de iſto puluere popias
cū pāno de ſerico rariſſimo i groſſitudie auellāe
ꝗſſe cū filo in capite ⁊ tenere ꝑ noctē ⁊ vlt. poſt-
ea innouare ꝓut videbit diſcretōni tue ſm̄ effec-
tū quā inducet. ¶ Iſtis expedit ſi matrix nō fu-
it bn̄ purgata de tali maᵃ hūida ſordida cū iſtis
cliſterizet ipa cū decoctōe pulpe colloq̄ntide qꝺ
ē de vltimat remedijs in caſu iſto ⁊ ſilr̄ in mrīce
pingui ⁊ ſpiſſa. de cuiꝰ cura ſtatim loq̄mur. Raſ
in ſuo cōtinēte. ¶ ℞ cipi. ℥. ij. mirre. ℥. i. pulpe co
loquintꝺ groſſoᵒ puluerizᵉ. ℥. iij. bdellij. ℥. ß. ſ. deco-
ctio in. lt. i. ⁊ ß. vſq3 ad lt. i. Et de iſta decoctione
fiāt tria cliſteria ſic ꝑ tres dies de. 4. ℥. recipiat ꝑ
mrīcem ⁊ teneat q̄tū poterit tenere. Iſtis expe-
dit q̄eſcas ab om̄i ope quiq3 vel ſex diebꝰ. ꝯn̄ter
fac ꝑfumigatōes ſupius dictas ꝺ trociſcꝭ fact de
mirra ſtorace liq̄da ⁊ galbano equis ptibꝰ. ꝯn̄t
imponas infra matricē de illꝭ q̄ dicta ſūt i mala
retētione ſpmat ex debilitate mrīcꝭ. ſ. de felle colū
bi cū oleo nardino. vel de alijs contrit ⁊ teſtis ē
oleo ſambuci vel de coagulo vel de oleo balſaⁱ.
vel de oleo de lino. ⁊ ſumat añ cenam vel de ma
ne de raſura ebor cū vino vel de coagulo lepor.
ꝑ ſe vel cū vna pte eboris in pillꝭ ante cenā vt ē di
ctum i cura male retētōis ſpmat ex debilitaᶜ ma
triꝗ. poſtq̄ hoc fecerit. vi. vel. vij. diebꝰ: ceſſa ab oi
medicamie. Alijs aūt. v. diebus ⁊ aſſiſtat marito
ſuo illꝭ diebus ⁊ imponat i mrīce ꝑ duas horas
anteq̄ coeat pānū lineū infuſum ſupiꝰ dictū ſi-
napizatū pul' dicto in cura debilitat retētiue ma
triꝗ ex eiꝰ debilitate ⁊ lubricitate. Poſt iſtos dies
interoga ipam ſi ſentit maiorē retētōem ſpmatis
nec in ſe maiorē repatōem illius frigidit ⁊ humor
ipiꝰ mrīcꝭ. nec ſi os mrīcꝭ eſt plenū hūiditatibꝰ ꝑ-
ut ſolebat repaᵒ non videt tibi ꝯpleta ſ. iſtud de
ꝯſilio raſ i ſuo ꝯtinēᶜ. ℞. gallar mirre cipi caſſi
ligᵉ pipis lōg. ſpice. añ. ℥. ß. ſ. pul' ſubtil' vt alco-
hol fiāt popie ad groſſitudinē auellane bn̄ ꝗſſe ē
pāno rariᵐᵒ de ſerico cū filo in cauda teneat de
nocte anq̄ coeat. loco iſtiꝰ pāni dicti ſinapizant
de puluere ſupradicto. nam iſte popie bn̄ valent
ad frigiditatem ⁊ hūiditatē ⁊ largitatē necnō ad fe-
torē matricis. Raſ i ſuo ꝯtᶜ.

Et ſi aliqua

Mulier n̄ ꝯcipit eo q̄a ſpma corrūpit ⁊ ꝯn̄ter
expellit poſt horas ⁊ dies ⁊ corrūpit a mala cō-
plexione cal'a mrīcis vt ꝑ̄ſ̄es ieſt in muliere ruſa
colica: curet cū dieta infrīdatiua ⁊ hūectia ⁊ pur
get cū hijs q̄ educūt colerā. Raſ in ſuo contiᶜ.
vt ſint tamarindi: vitādo res cal'as. Utat vio bn̄
limphato ⁊ rebꝰ bullit ⁊ ſpinargijs cū lactucꝭ po
tet de mane de aqua endꝰ. aliq̄n inūgat pectinē
⁊ genitalia cū oleo roſ potiſſime vnfanciᵒ. h cō-
tinuet ꝑ q̄rtale āni. Repatio iſta ſtat cōit in iſtis
⁊ ſilibus. Et ſi ad corruptōem ſpmat dictam rō-
ne male ꝯplōnis hūide ſimpliꝗ vel ꝯpoſite qꝺ ē
vt pluriꝫ puta frie ⁊ hūide magꝭ facit mala cōplō
fria ⁊ hūida cerⁱ ⁊ alior ꝑ̄ncipalium totiꝰ corpis
ipiꝰ mulier a gn̄aᵒᶜ: vt ē dictū de mliere cū glauꝗ
⁊ ſubalbidis ocul': vt a tpe: vt eſt dictū ꝺ ebrioſa
Iſte caſus male eſt repabil' q2 ē natural' vel ha-
bituatus. regātur regimie cal'o ⁊ ſiccet ⁊ ſtuphe
tur cum vino rubeo ⁊ groſſe vitādo hūida vt ni-
miū potū: offas potiſſime remollitas: ⁊ fructꝰ fri
gidos. ⁊ vtat metridato bis vel ter in ſeptimana
de mane cū vino albo in q̄ntitate amigdale. cō-
tinuet hoc ꝑ tres aut q̄ttuor meſes potiᵐᵉ tempe
frio vel tpato. Si nō placet ſibi potare: comedat
de mane vel i introitu lecti. nam vſus iſtiᵒ metri-
dati corriget iſtos lapſus. Et ſi ad talē corrupti-
onē ſpmat in muliere faciat mala cōplō fria et
ſicca ꝑ̄ncipalium ⁊ totius corpis teneat dictā re
ſumptiuā cal'am. ⁊ ſit in leticia q̄ntum poterit. di-
uitias eam viuere in ſui claudicatōe: q2 talis la
pſus ē naturalis. ¶ Et ſi aliqua mulier non con
cipit: eo q2 ſperma viri corrumpit in mrīce ꝓpē
malam complōnem matricis, vt q2 nimis denſa.

⁊ ſpiſſa ⁊ pinguis cum venulis valde ſtrictis ꝓ-
pter qꝺ ſã.nõ põt ibidem fluere poſt actũ coit⁹
⁊ ꝑ ꝯñs ſpermata vtriuſq; non poterũt bene ibi
dem fermẽtari.nec aliquid de ipĩs poterit alliga
ri cum capitibus venarũ ipĩus ꝙ in futurꝫ veni-
at in ſecundinã ꝓpter earꝫ ꝑuitatẽ:vt vult ga⁹.5°
amph̃o.ſuꝑ illo cañ. Quecũq; frias ⁊ dẽſas ⁊c̃.
ꝓpter qꝺ corrumpit̃ ⁊c̃.quod pꝫ.q: eſt mulier fle
gmatica corpulẽta ⁊ groſſa cum venis corporis
valde ſtrictis cũ paucis mẽſtruis. et nõ delectat̃
multum in coitu ⁊ fuit cum marito q̇buſdã ãnis
non ꝯcipiendo.⁊ retinet ſpmã ꝑ diem ⁊ vltra .et
q̃dam harꝫ ſunt cuꝫ glaucis ⁊ ſubalbidis oculis
parũ delicioſe in coitu.q: habẽt matricẽ friam ⁊
humidã:q̃ glaucedo cõmunit̃ atteſtat̃ ſuꝑ ſterili
tate ipãꝝ.Raſis in ſuo ꝯtinẽte.ꝓpter malam cõ
plexionẽ friam ⁊ humidã ꝑncipaliũ ⁊ toti⁹ cor-
poris vel ꝓpter malã complxonem ipĩus matriq̇.
q: ꝯñter habẽt denſam:pinguẽ ⁊ ſpiſſam mr̃icem
cũ venul' valde ſtrict; vt eſt dictũ. Sꝫ vt intẽtio tua
ſit certa ⁊ nõ veniat in dubiũ ℞.tres groſſos dẽ
tes allij:ꝑfora cum acu cũ filo medij palmi in lõ
gitudine ⁊ ponat in introitu lecti infra matricem
bene in ꝓfundũ de mane interroga ipſam ſi cor
reſpõdet odor nec ſapor in ore.ſi ſentiat odorẽ ⁊
ſaporẽ in ore ꝑcipiat bñ: ⁊ notabilit̃ ſcias ꝙ nõ
ſterilizat ex hoc ⁊ econtra.Sed inueſtiga aliã cãꝫ
ſi eſt mala complxo fria ⁊ hũida dũtaxat vl' lubri
citas mr̃iq̇ vel ei⁹ debilitas vel groſſicies labiorũ
intrinſecorꝫ.ſi non ſentiat ꝑfecte odorẽ in ore de
ſero ꝑfumet̃ de ſero bñ inuoluta pãnis: ne fum⁹
ꝑ extra veniat ad os ⁊ nares.f̃ embotũ per qꝺ f̃
ſuffumigatio ex hoc.℞.myrre ſtoraq̇ cala.añ.ʒ.ß
thurĩ al.lig' aloes añ.ʒ.i.baccarũ lauri.ʒ.ß.muſci
ʒ.ß.ſtoraq̇ liq̇de.ʒ.i.f̃ tro.põderãtes.ʒ.i.ß.põe du-
os aut tres ſucceſſiue ſuꝑ carbones in olla cum
emboto.⁊ ſit olla bñ cooperta ⁊ mulier ſimiliter
ꝓpter cãm intret lectum caute ⁊ imponat i ma-
trice ſuppo[m] ad formam digiti groſſi de iſtis.℞
mirre ſtoracis liquide añ.ʒ.ß.baccarũ lauri. ſeis
ſizeleos añ.ʒ.ß.fiant duo peſſaria inuoluta in ve
lo de ſerico.teneat vnũ de nocte in craſtinũ inter
roga ipſam ſi ſentit bene in ore odorẽ nec ſaporẽ
extraneũ.Si non ſentiat vel parũ ſentiat tũc at-
teſtat̃ ſuꝑ denſitatẽ ⁊ pinguedinẽ matricis q̃ eſt
reꝑabil' ſi aliqualiter ſentiat:al'r non. Si ꝑfecte
⁊ fortiter ſentiat tunc ſtat ſuꝑ alijs cauſis impe-
dimẽti:vt ſtatim tibi dixi.nam ſi parũ ſentiat:re-
ter a ꝑfumatõnes mirre ⁊ vtriuſq; ſtoracis :q: il
a ſunt apitiua.¶ Si ergo aliqua mulier nõ ꝯci
pit q: ſperma corrũpit̃ ex dẽſitate matriq̇:maxi
me quod pꝫ.q: non ſentit in aliq̇ odorẽ nec ſapo
rẽ i ore rexpoſitarũ i trociſc̃.nõ cures talẽ recipe
in cura.fugias te non poſſe vacare.¶ Si v̓o cor
rumpit̃ ſperma in matrice alicui⁹ mulieris ꝓpter
aliq̃lem dẽſitatem matriq̇ ⁊ aliqualẽ ſtricturã ve-
narũ eius ⁊ nõ in vltimo qꝺ patet.q: ſentit i ore
aliqualiter ⁊ parũ ſaporẽ illorꝫ trociſcorũ ⁊ odo
rem tũc impone i matrice cum lana de oleo lilij l'
ſambuci cũ modico ſpice.⁊ vtriuſq; ſtoraq̇ ⁊ car-
damo'.℞.olei de lilio vel ſambuci vel muſcatel
lini.ʒ.iiij.ſtoracis liq̇de ſpice añ.ʒ.ij.cardamomi
ʒ.i.puluериſentur ſubtilit̃ vt alcohol ⁊ miſceant̃ ⁊
de hoc imponat cũ lana infra matricẽ bñ in ꝓfũ
dum.hoc f̃ ꝑ.xv.dies vel.xx.⁊ ꝑfumet ſe cuꝫ em-
boto de duobus in duob⁹ diebus ꝑ illos dies i in
troitu lecti cũ trociſq̇ ſupius dict̃.℞. mirre ſtora
cis liq̇de galbani añ.ʒ.vnã.fiant trociſci põde-
rantes.ʒ.i.⁊ ß.ponat in olla cum prunis ⁊ embo
to duos aut tres ſucceſſiue.nam ꝑfuma⁹ cuꝫ iſto
apit opil'ones matriq̇ ⁊ ora illaꝝ venaꝝ.¶ Iſtis
xv.aut.xx.diebus complet̃ cliſterizet̃ matrix vna
die ⁊ alia die non ꝑ.xij.dies vel circa cum cliſteri
de colloq̇ntida dictuꝫ in corruptõe ſpmat̃ in ma
trice a mala compl'one fria ⁊ hũida mr̃iq̇.¶ Et ẽ
hoc ꝯtinuet de ſe.ſizeleos ꝑ modũ dragete :et in
puluere:imo vꝫ autoritate antiquorꝫ in oib⁹ paſſi
onibus matriq̇:ꝑterq̃ in mala compl'one calida
vt in mulieribus colericis brunis vel ruffis.
¶ Iſtis expedit̃ ꝑ aliq̃ tempa imponat̃ i matri-
ce ꝑ aliquos dies ⁊ potiſſime poſt mẽſtruum de
iſto ſief.℞ ſpice croci.añ.ʒ.ij.maſtiq̇.ʒ.iij. myrre
ʒ.ß.caſtorei.ʒ.i.puluerizẽtur ſubtiliſſime vt alco
hol ⁊ incorꝑentur cũ oleo nardini aut adipe an-
ſeris f̃ ꝑ modum ſief aut collirij de q̃ imponatur
cũ lana non abluta in matrice bene profundum.
Iſtis fact; q̇eſcas ab oĩu medicamine vſq; quo
veniãt mẽſtrua.⁊ interroga eam ſi retinet ſpmã
ꝑut erat ꝯſueta.vel q̃liter.Et ſi tibi videt̃ fac ite-
rum poſt mẽſtrua illas ꝑfumatões ⁊ impoſitões
alliorꝫ i matrice:vt ſupius ẽ dictum.ad certifican
dum ſi matrix ẽ apꝑata nec deopilata:nec ſi vene
ſint dilatate.q: oia iſta impediebãt conceptõem.
vt eſt ſupius dictũ. ¶ Conſequẽter ꝓcedas:cu-
ram ẽ allijs vſq; quo ſentiat ſaporẽ ⁊ odorẽ i odo
re ⁊ ſubſtãtiaꝫ matricis fuerit ſubtiliata ⁊ apta
in ſuis poroſitatib⁹ ⁊ in venis,quia matrix debꝫ
tenere mediũ in compl'one ſui ⁊ compoſitõne:vt
dicit Raſis in ſuo continẽte. Iſtũ ꝓceſſuꝫ tu re-
iterabis bis aut ter. q: ꝓceſſus recuꝑatõnis tal'
nocumẽti eſt longus trium aut q̃tuor menſium
¶ Aduerte ꝙ appropinquãtibus menſtruis ꝑ

tres aut q̄ttuoꝛ dies ſemper debes ceſſare ab om
ni medicamine:ne impedias naturā in ſui actōe
Et iſtud conſiliū eſt in om̄i cā impedimēti cōce-
ptionis.

Reſtat loqui de repatōne nocum̄
toꝛū conceptōis que
ſe tenēt ex pte viri. ¶ Prius autē ꝙ̄ in cura ꝓce
das:ſcire ⁊ ꝯſiderare optet ſpēm illoꝝ nocumen
toꝝ impedientiū conceptōem.q̄ ſe tenēt ex parte
viri.quia q̄dam non recipiūt reparatōem:⁊ q̄dā
ſuſcipiūt vt ſtatim dicetur in ſeq̄ntibus

Si ergo Mulier non cōcipit q꞉ teſticu
li eius mariti ſunt nimis par-
ui ⁊ multū frigidi a gn̄atione vł a tempe vł com
plexio totius coꝛpis multū declinat ad frigidū ⁊
ſiccum.iſte caſus eſt male repabilis :niſi foꝛſan
ꝯplexio mulieris labat̄ notabiliter ad contrariū.
⁊ ſi ſic:vtatur regimine calido⁊ humido bene re
ſumptiuo.vt bonis caponibus:lacte vacciº: po-
tiſſime recurras ad illa q̄ dicemus in caº.ſequēti
de illꝰ quibus augmentatur ſpma:⁊ faciūt ad e-
rectionē virge.⁊c.Et ſi aliqua mulier nō cōcipit
q꞉ fuit maioꝛ teſticulus aboꝛſus ꝑ cura rupture:
quod pꝫ.q꞉ ille qui remanſit ē valde paruꝰ vł eiꝰ
dindimus fuit in magna pte cōſumptꝰ cauterio i
cura rupture. Vel quia fuit inciſus in peritone-
on ꝑ cura lapidis.in talibꝰ non ē remediū quia
facte ſunt ſteriles a tempe. ¶ Et ſi aliqua muli-
er non concipit q꞉ caput veretri eſt nimis curuū
ꝓpter eius ligamētum eſt cauſa ſupius dicta qꝺ
patet ad oculū ipſius habeas cyrurgicū ⁊ ſcidat
eius ligamētum cuꝫ flobothoº ꝑut facimꝰ in ni-
mio ligamento lingue:vt eſt dictum ſupius in.c.
ꝓprio de ligamēto lingue. ¶ Et ſi aliqua nō cō-
cipit quia maritꝰ ſuus patit̄ gomoꝛream ꝑfectā
vel incipientē ⁊ ſic non pōt concipe cauſis ſupe
rius explicatis quod patet ex relatōne mulieris
⁊ viri:recurre ad curam in.c.ꝓpo ſequenti ¶ Et
ſi aliqua mulier non concipit quia virga mariti
ē aliq̄liter rēollita nō potēs bene ⁊ pfecte erigi
recurre ad curam in ſequēti caº.de impotētia co
itus ex mollificatōne vge. ¶ Et ſi aliqua mulier
non concipit.quia vir conuenit in complōne cuꝫ
muliere : quia ambo flegmatici vel colerici ⁊ ſic
de alijs:⁊ ſic non pōt concipe cauſis ſupiꝰ expli-
catis pmuta vnū illoꝝ aliqualiter in complexiōe
ſua cum dieta ⁊ alijs ꝑut ponit gaº.3º tegꝰ ¶ Et
ſi aliqua mulier non cōcipit.q꞉ vir ſuus ē nimis
coitiuus ex cauſis ſupius explicatꝫ:abſtineat:⁊ n̄
tangat ipſam niſi de tertio in tertiū.vel ꝙ plꝰ diſſe
rat mutando lectū ſi aliter non poſſet deſiſtere.
vel vadat alicubi per tres aut q̄ttuoꝛ dies. ¶ Et
ſi aliqua mulier non cōcipit quia vga mariti ſui
ē nimis longa ex cauſa ſupius dicta cogſcēdo e-
am non appodiet ſe ad vltimum circa genitalia.
Vidi vnū q̄ non poterat impgnare vxoꝛem ſuꝫ
donec fecit de bombace vnū circulū quem tene-
bat in radice vge dū volebat ipſam cognoſcere.
erat ſpiſſitudinis maioꝛis: ꝙ̄ ſit pollex. q꞉ virga
erecta non dꝫ eſſe niſi octo digitoꝝ vel circa i lon
gitudine parū plus aut parū minus ſm q̄titatē
hominis. ¶ Et ſi aliqua mulier non ꝯcipit: q̄a vir
ſuus habuit inciſas venas iuueniles q̄ ſūt retro
aures ex vulnere vel alꝰ ibi non ē cura.q꞉ cōclu-
ſum eſt ꝑ antiquos ⁊ ꝑ illas deſcēdit maťia gn̄a
tionis cum magna pte cū ſpiritibus ſenſitis ad
ipſos teſticulos. ¶ Et ſi aliqua mulier nō conci-
pit q꞉ maritus habet malā complōnem friam et
humidā in cerebꝛo ⁊ alijs mēbꝛis vt ē in ebꝛioſ
⁊ ſenibꝰ ⁊ q̄buſdā alijs ex ſe ex potionibꝰ teneat
dietā calīam ⁊ ſiccā : ⁊ vtat̄ metridato q̄libet die.
ſi tps nō fuerit nimis calīn :vel ſaltim vna die et
alia nō i q̄titate amigdale cū vino ſubtili ſero pꝰ
cenā ꝑ q̄ttuoꝛ hoꝛas de mane ſi pocionatꝰ fuerit
cū opio vel cāphoꝛa nō recipit curōnē niſi cum
magna difficultate.Et ſic terminet̄ cura impedi
menti conceptōnis.

Capitulum de ſignis conceptionis.

E ſignis concep
tionis. Nota pmo ne decipiarꝭ i maª
ꝙ mulier modicoꝝ mēſtruoꝝ ⁊ raroꝝ
ē incōuenies ad ꝯcipiendū. Raſ in ſuo ꝯtinēte.
q꞉ h erit aut ex paucitate ſāguis totiꝰ coꝛpꝛis aut
ex ꝯdēſatōe ipiꝰ mr̄icꝭ ⁊ oꝛificioꝝ venaꝝ eiꝰ ꝯcaui
⁊ colli rōe eiꝰ ſpiſſitudis vł eiꝰ pinguedis :maxie
ſui oꝛifiꝰ.ꝓpt qꝺ nō pt bn̄ ſufficient̄ exire ſan. nᵉ
fluere ab extra i mr̄icꝭ ꝯcauū pꝰ coitū ꝑut ē neccū
i ꝯceptōe mr̄icis ꝑut ē ſupiꝰ dictū. ¶ Vlterius
nō ꝙ tps in q̄ mlier velociꝰ impgnat̄ ē tps i fine
emiſſiōis mēſtruoꝝ nutrimēto eiꝰ digeſto. Raſ i
ſuo ꝯtinēte.nec erit i auroꝛa q꞉ tūc os mr̄icꝭ ē ap-
tū ⁊ magꝭ calīn ⁊ ꝑ ꝯn̄s magꝭ ipo viro delicioſuꝫ
⁊ fundꝰ eius magꝭ aſp ſeu magis cū naturali aſ
peritate ꝓpter exitū ſan.⁊ feculētie ꝑ caꝑ itavēa-
rum eius in cōcauo ⁊ in collo ꝓpter qꝺ meliꝰ re
tinet ſemen viri quod ē neceſſariū in cōceptōne
vt eſt ſupius dictū. ¶ 3º nota ꝙ mulier q̄ cōcipit
infra.xi.annū ex pruitate matricis. Sed illa q̄ cō
cipiet ante.xv. annū i pıculo erit moꝛiēdi ē mr̄ic-

ſit pua valde. vnde ſi parit: pariet cũ anguſtia. ra
ſis in ſuo conti^c. ¶ Quarto nota ꝙ ſignoꝝ ꝯce-
ptionis q̄dã atteſtant̄ ſupra ꝯceptione dũtaxat
⁊ q̄dã hoꝝ ſunt in p̄ma die. q̄dã in p̄ma ſeptima^a
q̄dam in primo mēſe. quedã in p̄mis menſibus
Alia ſunt ſig̃ q̄ atteſtant̄ ſup ꝯceptione maſculi
⁊ femelle. Iſta appent coiter ĩ vltimis mēſib⁹ a
4° mēſe incluſiue incipiēdo vſqꝫ ad. 9. Sig̃ que
atteſtant̄ ĩ p̄ma die dũtaxat ꝯceptioni ſt q̄nqꝫ q̄
ſe tenēt ex pte diſpoſitionis mr̄icis. Primũ ē ab
ſtractio orificij ſeu vulue ⁊ eius exſiccatio p⁹ ac-
tum coitus. q: nil hũiditatis remanſit in orificio
vulue. q: ſignũ eſt ꝙ matrix retinuit ſperma viri
cum delicia ſugēdo ſilr̄ mēbrũ ipſius viri. Raſ ĩ
ſuo ꝯtinēte. ¶ Secũdũ ſignũ eſt. q: ipo die poſt
coitũ ſimiliter ſenſierit pulſationē cũ modico do
lore in vētre ⁊ dorſo: ſcias ꝙ iam cōcepit. Raſ ĩ
ſuo ꝯtinēte. q: ſignũ ē: ꝙ aliqual̄r ſanguis fluxit
ad mr̄icē ꝺ vēis aſſiſtētib⁹. m. ꝑpt̄ gn̄atōꝫ ſpma
ticoꝝ ⁊ fermētatōnũ ſpmatũ: vt ē ſupi⁹ declaratũ
¶ Ex iſto textu ⁊ quodã ſequēti a raſi ꝯcludim⁹
ꝙ in die coitus fluit ſan. ad matricem poſt reten
tionē ſpmat̃ ſi fiat ꝯcep° ¶ Tertiũ ſig^m ē. ſi ipo
die p⁹ coitũ mlier ſentiat horripilatōem cũ rigo
re. Raſ in ſuo cōtinēte. nam cōiter habent iſtud
ſignũ vel aliud ſtatim dictũ. nam iſtud ſilr̄ argu
it motum ⁊ fluxũ ſan. ⁊ hũoꝝ ĩ matrice. nam iſta
inſunt ex fumis eleuat̃. ¶ Ex iſtis duobus texti-
bus dicim⁹ ꝙ ſan. fluit ad matricē ipo die recep
tionis ſpmatis: ſi ꝯcep° fiat. ſꝫ ĩfra quot horaſ ſol⁹
de⁹ ſcit. ¶ Quartũ ſignũ ē ꝯſtrictio orificij intri-
ſeci matric̃. nam dꝫ ſtringi ꝙ vix acumē ac⁹ poſ-
ſet ingredi. Raſ in ſuo ꝯtinēte. Idem ga⁹. v. de
mor°. ¶ Quintũ ſignũ. aſcēſus matric̃ aliqualit̄
ad ſupius: q: qñ coadunat̄ ⁊ ꝯſtringit̄ aſcendit
aliqual̄r ad ſupius. Raſ in ſuo ꝯtinēte. Iſta ta-
lia neſcire poſſum⁹ p dictã matricē: ſꝫ ſpectamus
ꝙ mulier matrona facit ꝓbam cũ digit̃. q: mlier
expta ſtatim cognoſcit ⁊ ad maiorē tuitōnem ex
pectam⁹ ꝙ trãſeat tp̄s p̄mi mēſtrui. ¶ Signa q̄
atteſtãt̄ ſupra ꝯceptōeꝫ dũtaxat q̄ appent ĩ p̄ma
ſeptimana ſe tenēt ex pte vrine. ⁊ iſta ſũt tria ſm
aliq̄s modernos q: raſ nõ facit mētionē ĩ ſuo cō
tinēte. ꝑpt̄ qꝺ ꝯcludo ꝙ nõ ſũt nccīe verificatio
nis ꝑpter qꝺ attēdim⁹ ad alia ſigna. Primũ eſt
ꝙ facta vrina ē citrina declinãs ad aliq̄lem albe
dinē. ꝑpt̄ qꝺ dicũt ꝙ ē ſubcitrina. Secũdũ ſig^m
eſt ꝙ vrina hꝫ ĩ medio quaſi totuꝫ carpinatum.
Tertiũ ſig^m vrina cum pura ſuba ⁊ non cōfuſa
habens ſupius modicam nebulam ⁊ habꝫ ḡna

aſcendētia ⁊ deſcēdentia ſi ſtatim aſpiciat̄ vel ſi
agitet̄. ꝑgnans autem de maſculo habet magiſ
coloratum modicũ cum puriori ſuba. ¶ Signa
q̄ atteſtãtur ſup impregnatōne dũtaxat q̄ appa-
rent in p̄mo mēſe ſunt duo. gracilitas vētris cir-
ca vmbelicũ ⁊ retentio mēſtruoꝝ. naꝫ ſi mēſtrua
retinētur ſine febre ⁊ horripilatōne ⁊ dolore iam
concepit mulier. Raſis in ſuo cōtinēte. Mulie-
res bene attendũt ad iſta talia ⁊c̃.

Signa atteſtãtia ſup imp̄gnatōe dũta-
xat duoꝝ aut triũ mēſiũ ſunt. vij
vel circa. ¶ Primũ pōderãtia ĩ coxa dextra vl̄ ſi
niſtra: q̄bus dixim⁹ mag̃ ſup maſculo l̄ femella
atteſtari. ¶ Secũdũ. nauſea modica incipiens.
¶ 3^m. mãmille incipiũt inflari ⁊ augmētari cum
aliquali dolore. ¶ 4^m. q: pãn⁹ al̄n incipit appe
re ĩ facie. ¶ 5^m. q: color citrinat̄ ⁊ facies modi-
cũ. ¶ 6^m. q: oculi modicũ incipiunt concauari.
¶ Septimũ. q: poſt iſtũ p̄mũ mēſem. 2^m ⁊ 3^m.
incipit appetit⁹ mal⁹ ⁊ abhoīatio mag̃ cũ debili
tate ſto^l ⁊ dol̄e capit̃ ⁊ cũ ꝯcauitate notabili ocu
loꝝ. ¶ Si adhuc ſtãtib⁹ iſtis ſignis ĩ toto vel in
pte tu dubitas: fac illa q̄ ſequũtur ex intētōe ypo
cratis ⁊ alioꝝ antiquoꝝ: vt ſit tibi certũ an ſit pre
gnans aut nõ p̄gnãs. accipe. iij. aut. iiij. dētes al
lij: pfora cũ acu ⁊ filo medij palmi ⁊ iponas ĩ ma
trice ĩ itroitu lecti: de mane remoueat: ⁊ interro-
ga ipſam an ſentiat ſaporem vel odorē allij. nam
ſi inuenerint nõ videtur eſſe p̄gnans: q: nõ habet
obſtaculũ ad os ⁊ nares ⁊ ecōtra. Vel fiat hoc i-
tentiōe Ipocrat̃. 5°. amphori. ¶ R. duo coclea^a
mell̄ crudi diſſoluti cum aqua pluuiali ꝙ ſuffic.
fiat potus tepidus ſi tempus frigiduꝫ fuerit: po
tet in introitu lecti. ſi de nocte vel de mane ſenti-
at punctōnes in ventre ſignũ eſt ꝙ eſt pregnans
q: ſignũ eſt opilatōnis illarum ptium rōne fet⁹:
⁊ ecōtra ⁊c̃. ¶ Reſtat loqui de ſignis ꝯceptōnis
atteſtantibus ſup cōceptōne maſculi vel femel-
le. Iſta ſunt q̄pl̄ima vt ponit raſis in ſuo cōtin^e
¶ Primũ ſumit̄a motu ipſius fetus ꝑut ponunt
plures: q: maſculi mouētur poſt tres menſes: fe
melle poſt quattuor. in hoc plures cōuenerunt.
⁊ mulieres q̄ fuerũt pregnãtes pluries in hoc cō
uenerũt: ⁊ ꝯfirmãt p experientiam. ¶ Tu dices. ra
ſis ĩ ſuo ꝯtinēte: in. c. ꝓpo de ꝯceptu in p̄n° capl̄
dicit ꝙ embrio dꝫ moueri in duplici q̄titate dieꝝ
ĩ q̃ ꝯplet̄ for̃a ei⁹ ⁊ egredit̄ ĩ triplici q̄tit^e ipi⁹ q̄ti
tat̃. i. ꝙ tp̄s mot⁹ triplat̄ an̄qꝫ egrediat̄: vt ſi for-
metur in. xxxv. diebus: mouetur in. 70. et pariet ĩ
210. diebus. quia in ſeptem menſibus. Et ſi com

pleta fuerit forma eius in.45.diebus mouebit̃ i
90°.ꝛ parietur in.270.diebus puta in.ix.menſi-
bus cōpletis ſic naſcit̃ ꝑ diem vel dies in.9.mē
ſe vel ſit maſculus vel femella. Et ſi cōpleta fue
rit forma eius in.50.diebus mouebit̃ in.100. na
ſcet̃ in.300.q: cōpletis.x.mēſibus ſic naſcetur in
x°.menſe. Verba ſunt ipius Raſis in.c.de ꝯce-
ptu. Cōcluditur ergo ex ipo Raſi ꝙ ſi duplat̃ tē-
pus formatōnis in motu ꝛ tēpus motus triplat̃
anteꝙ̄ naſcat̃. Et oēs illi qui naſcunt̃ in ſeptem
menſib⁹ formati ſunt in.35.diebus ſiue ſint maſ
culi vel femelle. Et oēs illi qui naſcunt̃ in.9.mē-
ſibus formati ſunt in.45.dieb⁹ maſculi ꝛ femel-
le.ꝛ illi qui naſcunt̃ in.10.mēſibus cōplet̃ forma
ti ſūt in.50.diebus. Cōcludit̃ ꝙ femelle mouebū
tur poſt tres mēſes ſilr̃.q: ex quo tp̄s motus tri-
platur anteꝙ̄ naſcat̃.ꝑ ipm̄ raſim: ergo femelle
naſcent̃ in.12.mēſibus complet̃:ex quo quattuor
menſes triplabunt̃ anteꝙ̄ oriatur. Iſte obiectio
nes cōcludūtur ꝯ ſic loq̄ntes. ¶ Dicendū ꝙ ra-
tiones cōcludūt in materia: ꝙ idē eſt temp⁹ for-
matōnis i maſculo ꝛ femella ſiue naſcant̃ in.7°
vel i.9°.vel in.10°. ipis complet̃ ſic intrāt ꝑ diem
aliū mēſem ſequētem. Sed q: femella ē hō occa
ſionat⁹ debil̃:non pōt ſenſibilr̃ nec fortit̃ moue-
ri.ꝙ mulier notabiliter apphendit eius motum
duplato tp̄e in quo forma complet̃:lz aliqualiter
moueat̃.ideo q: ē fortificata femella in.4.menſi
bus.ideo mouet̃ notabilit̃ poſt q̄tuor mēſes:ſed
maſculus mouet̃ poſt tres mēſes. vñ puer ē na-
ture fortioris notabilr̃ in reſpectu ꝙ̄ ſit femina.iō
ſtat vnitus ꝛ cumulat⁹ in vētre vt dicetur ſtatim
¶ Puella.q: laxa ꝛ debil̃ magis ſtat in longū
ventris nō pōt ſic vnire ſua mēbra ꝑpter qđ mu
lier ꝑgnans habēs vētrem longū: eſt ſignum ꝙ
portat femellā:vt ſtatim dicet̃ aucte Raſ in ca°
ꝑpo. Illud verbum cōmune facit tota die errare
debiles in arte. ¶ Alia ſunt ſigna atteſtātia ſup
ꝯceptōne maſculi ꝛ femelle ſpālia poſita a Ra
ſi i ſuo cōtinēte.ſumpta a diuerſ ptibus corpor
ipius mulier.q: a facie:a mām̄ill:a ventre:a ma
trice:a manibus:ꝛ pedib⁹. Et ſunt decē ſigna vl̃
circa. ¶ Primū ē.mulier portans maſculum: ē
bene colorata i facie.portās femellā eſt male co
lorata vtplimū.poteſt tñ eſſe colorata bñ ratione
boni regiminis ꝛ econtra. Raſ in ſuo continēte.
Idez ypo.5.ampho.ymo portās femellā hz pan
nos in facie cum pūctis rubeis aliqñ. Raſ ibiđ
Portās maſculū non hz pannū in facie.ꝛ ſi ha-
beat pūctos rubeos in facie:habz paucos valde
¶ Secūdū ſignū atteſtās ſup hoc.portās maſ-
culum eſt ſp ſatis leta:portās femellā nō ſic:im-
mo pluries grauat̃:anguſtiat̃ mag ſolito habēſ
aliquādo horripilatōes ꝛ dolores capit. ¶ Ter-
tium ſignuz atteſtans ſup hoc ſumit̃ a mām̄ill
multipliciter.ideo tale ſignū ſumptū a mām̄ill ē
quadruplex. Si portet maſculū pmo nigreſcit ſi
bi caput mām̄ille dextre ꝑpter pmā generatōnē
lactis i ea.cōſequēter caput mām̄ille ſiniſtre.ꝛ ſi
ſedeat mag appet.ꝛ capita mām̄ill.mutātur ad
rub.ſi portet maſculū:ꝛ ad nigredinē ſi portet fe
minā. Et ſi modicū habeat de lacte in dext̃ mā-
milla:mltū i ſiniſtra:pariet maſclz.ꝛ ſi ſit ecōtra
pariet feminā. Et ſi lac fuerit groſſum:viſcoſum
ꝙ poſitū ſupra ſpeculū cōgreget̃ ad modū mar
garite vel argētiviui pariet filiū. Et ſi ſit liq̄dum
ꝛ aquoſum ꝙ expandit̃ ſup ſpeculū:portat femi
nā. ¶ Quartū ſignū ſumit̃ a rotūditate vel lon
gitudine vētris mulier portās maſculū hz vētrē
mag rotūdum.portās femellā hz vētrē ſat lōguz
cū aliquali mollicie. Et ſi cū tali longitudine vē
tris habuit pannos in facie ad punctuz ruffi vel
rubei portat feminā ſine fallo. ¶ Quintū ſignū
ſumitur a matrice.mulier portās maſculū nō de-
lectat̃ in coitu quaſi abhorret ipm: portās femel
lam gaudet in coitu ꝛ appetit coitū ꝑpter vētoſi
tates matric. ¶ Sextū ſignū ſumit̃ a motu pe-
dū.nā ſi erecta fuerit ꝛ leuauerit pmo dextrū ad
ꝑcedendū portat maſculū.ſi ſiniſtrū:portat femi
nā. Raſ in ſuo cōtinēte in.c.ꝑpo. Aliq ex moder
nis noſtris addūt in pſalterijs ſuis aliqua alia:
que nō vidi multū veridica.dicūt ꝙ maſculi mo
uentur cōiter in pte dextra: femella in ſiniſtra.
non ē nccie verificatōnis:q: aliqñ ſe mouet i pe-
de ſiniſtro.ꝛ econtra i matrice.nec raſ poſuit. ſi-
militer dicunt ꝙ portās maſculū hz oculū dextꝝ
leuior motus:ꝛ velocior ꝛ acutioris aſpectus.
Silr̃ ꝙ ſumat̃ ariſtologi.3.i.ꝛ ẜ.terat̃ ꝛ cōficiat̃
cū melle in modū vnguēti.ſupponat̃ cū lana in
matrice a mane vſq ad meridiem ieiuno ſtoma
cho tūc ſi dulceſcit ſaliua ei⁹ ꝯcepit maſculum.ſi
eſt amara cōcepit feminā. Si non alteratur:non
concepit. ¶ Iſta tibi ſufficiant pro ſignis con-
ceptionis.

¶ Capitulum de gomorrea.

Egomorrea.i.de feſtina ꝛ in-
debita expulſione ſemis humāi ſeu
ſpermat in agro nature ꝑpter qđ ſte
rilizat. ¶ Nota ꝙ iſta expulſio ſpermat indebita
duplex eſt.q̄daz eſt i qua expellit̃ ſemē humanū
indebite ꝛ in agro extraneo ꝛ aliēo nature. Iſta

expulſio vľ eſt corrūpēs aerē. ꝛ ꝗꝙ oīs taľ expľ
ſio ſemis hūani indebita ſit nocu^m ſeu mala ac-
tio vtutis expulſiue genitaliū ex quo expellit ide
bite ꝛ in agro alieno nature:nō eſt tn̄ nocumntuʒ
ei⁹ ꝑ ſe:ſ ratōne colligātie diſcretiue nō diſcernē
tis hoc eſſe odioſuʒ deo ꝛ nature. Iſta taľ expul
ſio ſemis indebita habuit ortū ꝛ pncipaliuʒ i ci-
uitate gomorrea. propter quod deſcribiꝛ ab illa
de iſta eſt pſens ſpeculatio. Alia eſt expulſio ſe-
minis hūani in q expelliꝛ ſemē hūanū indebite
ꝛ feſtine i agro nature.tn̄ ꝑ poſſibili ex intēto.de
iſta ē pſens ſpecula° medicoꝝ.ꝛ ga⁹.6.de inť.c.
vlti°.ꝛ in.6.de morbo in.c.penul°.ꝛ i.5.de mor°.
in.c.pmo. Iſta taľ expulſio idebita ꝛ feſtina ſp-
matis fuit denoiata ab illa ciuitate gomorrea ra
tione cuiuſdā ſiľitudinis.q: eſt indebita ꝛ feſtia
expulſio in agro nature.ſ in alia ē in agro inde-
bito ꝛ alieno nature. ¶ Ulterius nota ꝙ iſta paſ
ſio hʒ p. lures gradus in ſui mali^a. ꝗdaʒ polluūt
tāgēdo muliere ꝛ māmiľ ꝛ alijs ptibus ſecretꝭ
non hn̄tes eā ad placitū.q: tales ſunt multū lap
ſi in genitalib⁹ ꝛ mala cōpľone caľa dilatāte vi-
as illas cū materia abūdāti caľa.vidi plures iu-
uenes ruffos q hoc patiebanť. quoꝝ quidā erāt
monachi. Alij ſunt q polluunt veniēdo i actum
ſtatim dum mēbrū ē in agrū nature. q: non hn̄t
mulieres ad placitū ſunt iuuenes ſanguinei co-
lerici q abundāt in materia caľa:tales nubant in
xpo. Aliq ſūt de iſtis q hn̄t mulieres ad placituʒ
puta vxorem q exercēdo actū polluūt cōiter i. 20
ľ circa cōcuſſiōib⁹.ꝛ q: i actu coit⁹ matia deſcēdit
ad teſticulos vbi formā ſpermatꝭ recipit a capite
ꝑ maiori pte cū ſpiritib⁹ ſenſitiuis ꝛ ab alijs pn
cipalib⁹ cū ſpiritib⁹ vitalib⁹ ꝛ naturalib⁹ gigni
tiuis oīm mēbroꝝ totius corpis:aliter lapſus in
vno mēbro non gn̄aret lapſum in illo. ꝛ in dictꝭ
teſticuľ fermētatur taľ matia dū in naturā ſpma
tis cōuertiꝛ in mora ꝛ in tpe ſufficiēti:aliter ma^a
non eſſet ſufficiēs gn̄atōni. ideo de tali indebita
expľſione ē pſens ſpecula°.ex intētōe galiēi.6.d
interi.c.vlti°.ꝛ in.6.de morbo in.c.penul° ¶ Nō
magis ꝙ iſta gomorrea interdū fit a mala actōne
expulſiue.ꝛ iſtud ē vt plm̄ū.ꝛ interdū fit a mala
actōne retētiue vaſoꝝ ſpmatū.hoc vult Ga⁹ i lo
cis dictꝭ.nam illa q fit in iuuenib⁹ ꝛ cum erectōe
manifeſta ſp fit ex nocu° ſeu ex mala actōe expľ
ſiue genitaliū potiſſime vaſoꝝ ſpmatꝭ.ꝛ hoc vult
ga⁹ ſiľr in loq dictꝭ.rō eſt q: in talibus ē materia
caľa ſtimulās expulſiuam cū delicia.nā expulſi-
ua incitaꝛ ꝛ cogiꝛ venire in actū a quali:ſicut cō
tenuua a quāto.6.de inte.c.pmo in fine. Siliteꝛ

erectio facit ad feſtinam expulſionē ſpmatꝭ cau-
ſa duplici.q: lacerti latitudinales q: teſi compri
munt vaſa ſpmatis.ſic incitaꝛ ꝛ cogunt expulſi
uā expelľe.q: ipa agit cū iľľ.6.de morbo.c.penľ
timo. Idem auic.fen pma de vtutibus. Similiť
talis erectio tēdit vaſa ſpmatis :ꝛ ſic apit ipa q-
dāmodo.ꝑpter quod ipa expulſiua cū modica ſti
mulatōne ꝛ incitatōne venit in actū de facili.h°
eſt qd cōcludit Ga⁹. ¶ Si autē taľ expulſio fue
rit ſine erectōe notabili tūc ē nocu^m ſeu mala ac-
tio contētiue:tunc exit ſine notabili delicia quaſi
inuolūtarie:vt eſt in qbuſdā humidis natura i q
bus coadiuuaꝛ matia multa ꝛ multum humida
grauās ɔtentiuā vaſoꝝ ſpmatum rōne quanti et
nō ratōne quali. Et ſic pʒ tibi clauis curōnis go
morree:ex quo ſcitur cui⁹ vtutꝭ ſit nocu^m ſeu mala
actio.q: illi vtuti eſt pncipaľr intēdēdum in cura
Et pʒ tibi qualiter modernoꝝ locutio in pſaltijs
ſuis non ē ſufficiēs qn̄ dicunt ꝙ gomorrea ē ſp-
matis emiſſio inuolūtaria.q: taľ non ɔpetit oib⁹
ɔtentꝭ ſub diffinito ¶ Ex pdictꝭ notum eſt bn̄ ſpe
culāti ꝙ gomorrea ſp eſt paſſio pncipaliť teſticu
loꝝ ꝛ vaſoꝝ ſpmatum.ꝛ ē ꝑ colligātiā mēbroruʒ
ſupioꝝ. Et ē morbus deſcptiue loquēdo conſiliſ
calidus vel humid⁹ ɔcomitās ſecū cām calidaʒ
morbi:ꝛ cum ipa morbum in via.q: dilatationē
viarum ꝛ apitionē eaꝝ.ꝛ ē nocu^m vtutis expulſi^e
quādo ē cuʒ erectione. Et qn̄ eſt ſine erectiōe:eſt
nocu^m vtutis ɔtentiue vaſoꝝ ſpermatū:vt dictuʒ
eſt intētione Ga^i in locis dictꝭ.ſ.ꝑ illo exeunte.ſ
ꝑ morbo deſcripto eſt nocu^m pncipaľr digeſtiue
ꝛ expulſiue membroꝝ mādātiū ꝛ ipoꝝ genitaliū
potiſſime vaſoꝝ ſpmatꝭ:vt diť ga⁹.11°.de ige°.c.2

Iſtis clarificatis Cura go-
morree tibi
patefcit. ¶ Si qs ergo gomorreā firmā vel inci-
pientē de cauſa caľa habuerit ꝑpter qd fact⁹ eſt
ſteriľ.q: ſpma non bn̄ fermētatur in teſticuľ:vt ē
ſupius dict uʒ ex nocumēto vtutis expulſiue va
ſoꝝ ſpermatꝭ inungaꝛ vga ꝛ teſticuli ptoneon:ꝛ
renes de ſero.ꝛ in introitu lecti cum oleo roſ. vn
fancino.nam q: fit de oliuis inmaturꝭ:infriat ꝛ cō
ſtringit ptes illas:ꝛ inūgatur cū vnguēto ſeqnti
¶ R.olei roſ.vnfancini.ľľ.i.ſucci plantagi.ʒ.iij
conſumaꝛ ꝑmiſcēdo ſupra cineres calidos ſand
albi ꝛ rub.an̄.ʒ.i.maſtiq.ʒ.ß.opij.ʒ.ß.cere modi^m
ſ vnguētum liquid inungaꝛ p.20.dies vel circa
poſtea aſſiſtat vxori. Si non ē bene correct⁹ vtaꝛ
plus illa inunctione.ꝛ vtatur lactucā crudis cum
aceto coctꝭ cuʒ ſpinargijs.vtaꝛ vino limphato ꝑ
mediū cū aq bn̄ ferrata decies cū ferro vľ calibe

bene ignito. vtaꝛ̄ bullito cuꝫ dicta aq̄ ferrata. vi-
tabit oīa calīa: vt ſpēs: allia: cepas: vinū puꝝ: mo
ſtardaꝫ. vitabit culcitrā de pluma: ſꝫ iaceat i mata
lacio de bōbace. ¶ Et ſi q̄s gomorreā de cā hūi-
da ſimplici vel ꝯpoſita habuerit: qđ pꝫ. qꝫ ſine e-
rectione ē notabili. ⁊ ē coit⁹ hūid⁹ ⁊ coīt poſt iu-
uentutē ex quo ſterilizat: qꝫ non expellit bn̄ i agꝝ
nature. nec tale ſemē ē bn̄ ꝑfectū. qꝫ expulſis an̄
ꝑfectam fermētationē ex nocumēto v̄tutis cōtē-
tiue vaſoꝝ ſpmatis: vt ē ſupius declaratum inun
gaꝛ̄ in ꝑtibus illꝭ cum oleo nucū bene antiq̄: vel
ē oſo nardino vel cuꝫ oleo nuq̄ radice vel cū oleo
ꝯpoſito de coſto vel cuꝫ oleo maſticꝭ ꝑ ſe vel mi-
xto vel alijs. ⁊ vitet frigida vt fructus frigidos:
pruna pira poma: ceraſa. offas: ⁊ vtaꝛ̄ vino rub.
groſſo ⁊ bn̄ maturo parū limphato. ⁊ ſumat q̄li-
bet mane ⁊ ſero in introitu lecti đ bono metrida
to in q̄titate amigdale cum modico vini clari. pt
etiā cape de mane aliq̄n̄ ſi non pōt cape de ſero
ſi tp̄s eſſꝫ nimis calīn capiat de tribus in tribus
diebus. Vtaꝛ̄ carnibus toſtis. vtaꝛ̄ riſi cocto cū
brodio carniuꝫ. vtaꝛ̄ de bona pipata facta cuꝫ pi
pere longo. ⁊ carnib⁹ mutonis bis in ſeptima[a]
Vtaꝛ̄ ſalua: maiora[a]: melliſſa. Iſta tibi ſufficiāt

¶ Capitulum de impotētia coitus.

E impotētia coi

tus ꝓpter mollicieṁ ⁊ debilitatē mē
bri. qꝫ non p̄t erigi: ꝓpt̄ qđ fact⁹ ē ſte
rilꝭ. ¶ Nota q̄ v̄ga viril' ꝯtexitur ex mult̄ꝭ ꝓut ⁊
alia officialia mēbra. Primo ex neruo veniēte ab
vltimis ſpondilib⁹ all'atim q̄ ē ps p̄ncipalioꝛ in
actōe ſua p̄ncipali puta in erectōe ꝓpter finē ge
nerationis. ſil'r ꝯtexiꝛ̄ ex carne lactoſa ē vēis ma
gnis ⁊ artijs. iſte ꝑtes ſūt ſibi i adiutoriū potiſſi
me vene ⁊ artie. qꝫ ꝑ illas venit vapoꝛ ⁊ vēt⁹: y[o]
⁊ ſā. ad eas ⁊ ad dictū neruū. ꝓpt̄ qđ faciūt ad di
rectiōꝫ ſt ibi vie pellicl'oſe ꝑ q̄s expellꝭ vꝛia ⁊ ſp[a]
lꝫ tēdāt ad vnā viā poſt mediuꝫ mē[l]. iſte ſunt vie
p̄ncipales in expellēdo iſtas ſupfluitates: ſꝫ nō i
erec[oe]. vn̄ i erec[oe] ps p̄nci[r] q̄ tēdiꝛ̄ ē ille neru⁹ qꝫ
poroſus repleꝛ̄ vapib⁹ ⁊ fumis ſemn ētoꝭ veniēti
b⁹ a corde ꝑ illas venas ⁊ artias: lꝫ in ipis ſiliꝛ̄
gn̄etur ex fricatōib⁹ ⁊ inunctōib⁹. 6. de inꝛ̄. c. vl[o]
ꝓpter qđ Raſ i ſuo cōtinente docet inungere vt
dicem⁹ infra ex q̄b⁹ fumis ⁊ vapib⁹ repleꝛ⁹ tendit
⁊ erigiꝛ̄. ¶ Ulteri⁹ nō q̄ i actu coit⁹ tria neccio cō
currūt ꝑ p̄us ⁊ poſteri⁹ vt diꝛ̄ Raſis in ſuo cōti[e]
Pri[o] ē appetit⁹ ad coitū: q̄ appetit⁹ ꝓcedit ab e-
pate ⁊ ꝑtib⁹ vicis Raſ i ſuo cōti[e]. rōne ma[e] añꝭ
mlte: puta ſan. calī inſtigāꝭ ⁊ ſtimulāꝭ naturā ge
nitaliū ⁊ imaginatiuā ad h̄. ꝓpt̄ qđ q̄n̄ volumus
ꝯfortare iſtū appetitū: dam⁹ gn̄atiua ſan. boni vt
carnes caponū ꝑdicū vitella ouoꝝ: vinū rub ⁊ ſi
milia. ⁊ tūc v̄t⁹ gn̄atiua n̄alis incitata ſtimulata
a ſang. cal'o multiplicato i ꝑtib⁹ illꝭ ⁊ ab imagia
tiua dilatat ipas venas ⁊ artias ⁊ ꝯmouet hūo-
res in ꝑtib⁹ genitaliū. ꝓpt̄ qđ diſponit ad erecti-
onē ꝓpt̄ fumoſitatē inde eleuatā neccio ſubintrā
tē neruū illū. Nō ſine q̄ cā đꝛ q̄ epar calīn cogit
amare coitū ē i ſe ſit fōs hūiditaꝭ hūoral' abūdāꝭ
bn̄ q̄ ꝯcludiꝛ̄ q̄ venoſi neccio ſūt coitui ſeu appe
tētes coitū ꝓpt̄ abūdātiā ma[e] añꝭ i ꝑtib⁹ genita
lib⁹ ⁊ vicis ſtimulāꝭ ad h̄ naturā: ⁊ ꝑ ꝯn̄s imagi
natiuā. ¶ Secūdū qđ occurrit i coitu ē erectio q̄
p̄ncipa[r] depēdet a corde Raſ in ſuo ꝯti[e]. nā ſtā-
te illo appetitu ad coitū rōne abūdātie hūoꝝ rōe
epaꝭ ſaꝭ calī i ꝑtib⁹ genitalib⁹ ⁊ ſtāte imagiatia
ſeq̄ꝛ̄ ad h̄ incitata incitaꝛ̄ v̄t⁹ cordis: vt genitalib⁹
mēbrꝭ ꝓuideat ꝓpt̄ ſaluationē ſpēi. iō mittit ſan.
⁊ alios hūores cū vapib⁹ groſſis fumoꝭ ⁊ vētoſiſ
ad genitalia ⁊ venas ⁊ artias ad replendū ipm
neruū ⁊ ipm erigendū ꝓpt̄ finē gn̄atōnis ¶ No
tū ē q̄ intelligēn: q̄ erectio v̄ge p̄ncip[l] depēdet a
corde: ex q̄ tal' vapoꝛ p̄us eleuaꝛ̄ i corde a ſan. et⁹.
⁊ mittiꝛ̄ ꝑ artias ⁊ vias certas ad gēitalia ex itē
to n̄e ꝓpt̄ finē gn̄atōnis. qꝫ op⁹ n̄e eſt op⁹ intel-
ligētie. iō q̄to caloꝛ ē fortioꝛ tāto erectio ē maioꝛ
⁊ eꝰ qđ pꝫ i iuuenib⁹ ⁊ ſenib⁹. nā iuuenes ex h̄ i
currūt p̄apiſmū. 14. đ ige. c. 5. dādo cāſ ⁊ curā p̄a
piſmi. ex q̄b⁹ ꝯcludiꝛ̄ q̄ tal' v̄ctoſitas cāns erectōꝫ
i v̄ga ē n̄al' rōe cāe efficiēꝭ ⁊ ma[e]. cete āt vētoſita-
tes ſſt vt innaꝛ̄ales rōe cāe qꝫ a calore claudicāte
n̄lꝭ a v̄tute itēdēte ad h̄ ⁊ rōe ma[e] iobediēꝭ v̄tuti
dgtie. 4. āp h̄. ⁊. 6. đ moꝛ. ⁊ i mult̄ꝭ alijſ locꝭ. veꝝ ſil'r
tal' fūoſitas vapoſa gn̄aꝛ̄ i ipo neruo ⁊ vēis ⁊ arte
rijs ei⁹ vt poit ga⁹ 6. đ ite. c. u[o]. i fine ē fricatōib⁹ ⁊
inūctōib⁹ calis. Iđ raſ i ſuo ꝯti[e]. ꝓpt̄ qđ pōit in-
unctōes ad h̄ vt ſtati ꝓcitabi⁹. Ad iſtā erectōꝫ nō
ſolū fac⁹ vapoꝛ veniēs ab ipo corde n[e] i ipo gn̄at⁹
y[o] ⁊ bona ꝯpl'o mē[l] poti[me] illi⁹ neru. qꝫ ſi ſit mltū
hūid⁹ tc̄ reſiſtit erectōi n̄ obſtātib⁹ fūoſitatibus
miſſꝭ a corde ⁊ ibidē gn̄aꝭ. ꝓpt̄ qđ diꝛ̄ raſ in ſuo
ꝯti[e] q̄ hūiditas ꝯpl'ois gēitaliū excedēſ diminu
it luxuriā puta erectionē: lꝫ itriſec⁹ bn̄ appetāt ꝓ-
pter cāꝫ ſtati dictā: put faciūt hn̄tes gomorreā đ
cā fra ꝓpt̄ qđ i bōa erectōe oꝫ q̄ iſta tria ꝯcurrāt
⁊ ſi vnū illoꝝ vel duo claudicent: claudicabiꝛ̄ illa
erectio. q̄ ꝓpt̄ ad ꝯfortādū talē erectionē dam⁹ nu
trimēta gſſa iflatiua vt cepā aſſatā ſbaꝫ legūmū
lac vaccinū ⁊ ſilia: ⁊ calefaciūn⁹ genitalia ¶ 3[m] ⁊
vltimū ꝯcurrēs i coitu ē ſperma quod ꝑ maioꝛi

ꝑte deſcēdit a cerebro cū ſpiritib⁹ ſenſitiuis . q̄a a quarta digeſtiua cerebri ſeu ei⁹ ma^a ꝑ meatus ordinatos ꝑ naturā ꝓpt̄ quod dicim⁹ ꝙ ē ſuperfluitas .i q̄rto quarte digtie cerebri ⁊ alioꝝ principaliū:imo oīm mēbroꝝ corꝑis. oīa cōicant ſaltꝫ in vaꝑe ⁊ ſpiritib⁹.ꝓpter qđ dicit ypoc. ꝙ ſꝑma decidit̄ ab oī ꝑte corꝑis . qꝛ aliter lapſus in vno mēbro non ḡnaret lapſum in illo'. ꝓpter qđ qn̄ volumus multiplicare ſꝑma cōfortam⁹ cerebrū cū cibo ⁊ potu ⁊ alia ꝑ̄ncipalia:vt dicet̄. ꝓpt̄ qđ dicit Raſ in ſuo ꝯtinente aucte aaron. ꝙ ſi ſperma minus fuerit hoc erit vitio cerebri ꝑ̄ncipalit̄. ⁊ ſi erectio modica fuerit hoc erit vitio cordis ꝑ̄ncipalr̄ ⁊ epatꝭ ſi appetitus ad coitū fuerit debilis Et ſuꝑ hoc nota ꝙ in quibuſdam in aliquo v̄ga nō erigit̄ ꝙ ille neruus ē paliticatus ꝑ̄ nimia humiditate eius ⁊ ꝑtiū aſſiſtentiū.in iſto non cadit bene reꝑatio.⁊ ſi cadat hoc erit in bona etate verū ſꝑ tales dicūt ſe erigere aliqualiter ꝑ̄ verecundia.inferius dabūtur ſigna ad hoc. in q̄buſdam aliqualr̄ erigit̄ ſed parū.qꝛ ibi venit modica ventoſitas a corde.ideo nō eſt ſufficiēs erectio ad deflorandū v̄ginē.⁊ cū hoc parū durat ſine emiſſione ſꝑmatis in q̄buſdā.qꝛ ē modica vētoſitas q̄ non multiplicat̄ vitio cordis.cito illa ad quā de poſſibili facit magna raritas genitaliū rōne caliditatꝭ excedentꝭ in eis vt pꝫ in q̄buſdam colericꝭ q̄ ſepe incipiūt habere aliqualē erectōem q̄ ſtatī euaneſcit. qꝛ cor eoꝝ debile eſt vel infriatū vl' ex triſticia vel timore vel ſibi factū maleficiū vl' ſortilegiū. Contra omnia iſta vt nō erigat neqꝫ appetat de quo ſit cura ⁊ i q̄buſdā euaneſcit illa modica erectio cū emiſſione ſꝑmatis.qꝛ ſunt humidi in genitalibus ⁊ hn̄t epar hūiduꝫ.ſunt ſatꝭ carnoſi ⁊ colorati.ſicut fit i gomorrea de cauſa fria ⁊ humida ꝙ polluūt ſine notabili erectōne Quidā horū habentiū modicā erectionē poſſunt cognoſcere corruptā cōem.qꝛ multū lata in ꝑtib⁹: ⁊ cū adiutorio mulierꝭ de facili imponit̄ mēbrū cū adiutorio in agro natꝰe ⁊ ibi polluūt tota die:ſꝫ videmus in illis qui laborāt ſuper diuorcio non habendo. ¶ Notū eſt recte ſpeculāti:ꝙ impotētia coitus ꝓ morbo deſcꝑto ſemꝑ ē paſſio ꝑ̄ncipalit̄ v̄ge virilis Et eſt per colligātiā.non venit quod venire debet ſcd̄m naturā:vt materia fumoſa calida ꝓ erectōne.⁊ cal'a ⁊ humida ꝓ ſꝑmate Vel venit qđ venire non dꝫ ſcđm naturā:vt mala ꝯplo fria ⁊ humida ad genitalia.Et ē paſſio cōiter officialꝭ.qꝛ inanitio vētoſitatꝭ ⁊ hūorū ⁊ materie cōicantꝭ ſecū morbū ꝯſilēm.qꝛ malā complōnē friam ⁊ humidā vel ſiccā.Et eſt nocumentū ꝓ morbo deſcripto ꝑ̄ncipalr̄ digeſtiue ⁊ expulſiᵉ mēbroꝝ mādantium principalium.Et eſt paſſio generatiue genitaliū.quia illi infert nocumentū ꝑncipaliter.

Iſtis clarificatis Cura tibi pateſcit.

Prius autē ꝙ in cura ꝓcedas ſcire ⁊ cognoſcere oportet an v̄ga ꝑ̄uetur ex toto erectōe.vel ſi in aliquo erigat̄ lꝫ debilit̄:qꝛ ꝓnoſticū in hoc diuerſificat̄.

Si quis ergo v̄gā in aliquo erigere nō poſſit ſcias ꝙ ipa incurrit ꝑaliſim q̄ non recipit curā cōit̄ ſꝫ qꝛ ipi negāt:videas ſi eſt ꝓlongata v̄ga ⁊ pōatur in aqua fria.qꝛ ſi in aliquo non attrahit̄ nec abbreuiat̄:ſignū eſt ꝙ ſenſitiua eius ē mortificata nō ſentiēs fritatē aque.ꝓpter quod pꝫ ꝙ ē palizata.fiant tn̄ illa q̄ dicent̄ ꝓ cura illa.qm̄ aliqlr̄ erigūt.qꝛ remedia ſunt eadē:lꝫ iſti fortiorib⁹ indigent. Iſti tales nutriātur nutrimentꝭ bonis generātibus bonū ſanguinē vt appetitiua genitaliū incitet̄ ad coitū.⁊ nutriatur nutrimentꝭ groſſꝭ inflatiuis vt vētoſitas cū materia multiplicetur. in genitalibus. ⁊ nutriat̄. rebus q̄ a tota natura ꝯfortāt cerebrū ⁊ alia ꝑ̄ncipalia mēbra:vt ſꝑma cū iſtis ⁊ alia multiplicet̄. Vtat̄ ergo vitell' ouorū caponibus ꝑdicib⁹ gallis:mutone iuuene:colūbis:auicul':frumēto ⁊ riſi coctꝭ cū brodio carnium vel lacte ouino ⁊ vaccino.⁊ vtat̄ bonis ficubus:bono vino rubeo ſatꝭ maturo.nā oīa iſta multiplicando ſanguinē ⁊ hūores in epate inuitant appetitū ad coitū ſtimulādo ſenſitiuā genitaliū ratione quantitatis ſanguinis boni ⁊ humoris et q̄ntitatꝭ abundātis in ill' ⁊ in ꝑtibus vicinis. hoc ꝓ ꝑ̄mo quod concurrit i coitu. ¶ Pro ſcđo quod ꝯcurrit in coitu puta ꝓ erectōe fienda indiget nutrimēto groſſo inflatiuo:vt ſan.⁊ hu. cum vētoſitatib⁹ ⁊ vaporib⁹ multꝭ multiplicet.vt dicit Raſ in ſuo ꝯtinente. Vtat̄ ergo paſtinacꝭ ⁊ rapis:fabis:ciceribus:piſis coctꝭ cū brodio carniū: in q̄bus ſuꝑaddat̄ cepa aſſata in patella comeſta cū carnibus:multū facit ad erectōem.vel decoquātur ſub cineribus ⁊ mūdētur ⁊ terant̄ ⁊ diſtemꝑent̄ cū butiro cocto ⁊ melle.comedāt i die ad q̄ntitatē oui ꝑ̄ualēt albe.vtat̄ lacte vaccino.inſuꝑ ꝑ ſe vel cū carnib⁹ vel ſuꝑ frumēto vel ordeo mūdato ⁊ depilatꝭ vtatur piſcib⁹ multoꝝ pedum ⁊ ſi comedat de allijs:aſſent̄.⁊ ſuꝑaddatur cepa aſſata i patella ſalſa ſua cū carnibus ⁊ piſcibus ſit eruca facta cū vino dulci vel ſal cū tertia parte ſinzi' vel equis ꝑtibus. Vtatur ſinziᵉ puluerī

ſato ſperſo ſup legumia ⁊ ſuper cepã aſſatã co-
quãtur oua in patella cũ cepa ꝑus aſſata ſalſen-
tur cũ ſale ⁊ ʒʒᵉ vt dictũ ē. vtaẽ vuis generãt ſan
guinẽ vẽtoſũ q̃ facit multũ. raƀ in ſuo cõtiᶜ. Iſta
ſunt ꝑncipl'r ꝑ ſecũdo qð ꝯcurrit ꝑncipal'r in coi
tuliçet conſeqͥtur faciãt ad tertiũ q: ſpma multi
plicãt. ¶ Pro 3º qð ꝯcurrit ꝑncipal'r in coitu pu
ta vt ſpma ſuũ ꝑueniat vt dʒ cõpetũt illa q̃ cere-
brũ ⁊ alia ꝑncipalia fortificãt a tota natura: vt de
ſpmate mcli⁹ ꝑuideat illa q̃ dicta ſunt ꝑ incitã-
do appetitũ coit⁹: ⁊ faciẽtia ad erectiõem ꝑ mlti
plicatiõem ſan. vẽtoſi ⁊ vaporoſi bñ valẽt ad ml'
tiplicatiõem ſpmatꝫ: ſ3 non de directo. Denẽ ergo
illa q̃ ꝑn' cerebꝝ ꝯfortant ⁊ alia ꝑncipalia vt ſic
ſpma mltiplicẽt. Denẽ eiſdẽ de cerebro porci mu
tonis galline vituli bulliꝝ: ⁊ galline aſſatꝫ in pa-
tẽlla ſupaſp ſo modico ʒʒᵉ ⁊ cepe aſſate. vtaẽ te-
ſticulis galloꝝ mutonis vituli. ꝑmo bulliãtur bñ
poſtea parũ aſſenẽ in patella addito modico ʒʒᵉ
⁊ cepe aſſate ⁊ vtaẽ aq̃ bñ ferrata i potagijs ſu-
is: ⁊ i vino ferreẽ bñ cũ calibe bñ ignito ibidẽ ex
tinctoꝛ iaceat in culcitra molli vt ꝑtes renales et
genitales calefiãt. ¶ Nũc veniam⁹ ad illa q̃ ad-
miniſtrãẽ in via medicine ṽga tauri vel cerui vel
apri exſiccẽtur bñ in furno pulueriſenẽ dẽtur cũ
modico vini in q̃ntitate. ʒ. iij. in introitu lecti. vl' de-
tur cũ vitello oui potes addere tertiã aut q̃rtam
ꝑtẽ ʒʒ' miſceãtur. ¶ Idẽ dicẽdũ de teſticul' ipoꝝ
q̃ exſiccentur ⁊ pulueriſenẽ ⁊ denẽ illo mõ. Vel
deẽ qñ intrabit lectũ mediũ coclear pulueriſ galã
ge ꝑ ſe vl' cũ q̃rta ꝑte ʒʒ' deẽ cũ modico vini tepi
di. ¶ Nũc veniam⁹ ad inunctiões vole pedũ cũ
iſtis q̃ dicenẽ: q: talis inunctio cũ calidis multũ
calefacit ⁊ ꝯfortat genitalia: ꝑpẽ qð valet ſimili
ter in doloꝛib⁹ ⁊ paſſionib⁹ matriꝗ cũ cõiter fiãt
de cã hũoꝛali fria ⁊ vẽtoſa: ⁊ de facto ſentiũt ma
gnũ remediũ ex tali inunctiõe plãtarũ inunganẽ
ergo plãte pedũ cũ oleo ſambuci. vel cũ oleo nar
dino vl' muſcatellino vel de euforƀ. vl' addaẽ. ʒ. ƀ.
euforbij in. ℥. iij. olei ſambuci. vel lilij: nã ꝑ colligã
tiã iſtarũ ꝑtiũ multũ caleſcũt genitalia: ⁊ ſic au-
gmẽtãt luxuriã ſicut eoꝝ infrigidaᵒ reꝑmit. raƀ i
ſuo ꝯtiᶜ inungãtur plãte pedũ cũ ƀ. ℞. piretri. ℥.
ƀ. euforbij. ʒ. ij. pulueriſenẽ ſubtiliẽ ⁊ diſtẽperenẽ
cũ vino dulci vel cocto vl' vernacha inungatur
virga ⁊ genitalia ⁊ nates ⁊ ſpondiles alcatim
cum iſtis ſimiliter quia valent. ℞. piretri. ʒ. ij. ci-
namomi. ʒ. i. euforb'. ʒ. ƀ. pulueriſentur ſubtiliter
⁊ miſceãtur cũ trib⁹. ℥. olei ſambuci vel cippi in-
unctio cũ oleo ſinapis bñ valet. Simil'r vel cum
oleo cippi q̃ genitalia vel nates inungãtur ꝑ ſe.

vel cũ modico euforƀ. vt eſt dictũ. vel inungãtur
cũ ƀ qð eſt magne efficatie. ℞. euforƀ. piretri añ.
℥. i. coquãtur bñ in duab⁹ lƀ. aq̃ ꝑ magnã pauſaꝫ
ꝯñr coletur ⁊ dicta aqua bulliaẽ cum oleo cõmu
ni vel ſambuci vl' cippi donec aqua ſit q̃ſi ꝯſum
pta vngaẽ ṽga ⁊ genitalia ⁊ ſpondilia vltima ⁊
erectio erit fortis ſi ſit caſus reꝑabilis. Vel iun-
gaẽ cũ iſto. ℞. aſſe fetide. ℥. ij. baurach. ℥. i. teran-
tur bene ⁊ miſceanẽ cũ melle vt ſit ꝑ modũ vngᵗ
liquidi liniãtur genitalia ⁊ pecten ⁊ nates ⁊ ſpõ
diles vltimi ſeu ꝑtes renales. Vel inungaẽ cũ ƀ.
℞. olei ſambuci. ℥. iij. olei cippi. ℥. ij. piretri ſubti
liſſime pulueriſati. ℥. ƀ. miſceãtur ⁊ inungãẽ par-
tes ille dicte. Et ſumat in introitu lecti tres aut q̃t
tuoꝛ pill'as de aſſa fetida multũ ꝑuocãt erectioꝫ
Raƀ in ſuo ꝯtiᶜ. Et vtaẽ de mane ⁊ ante cenã de
dyaſatyrion. Vel ð iſto electuaᵒ. ℞. ꝯſerue acho
ri. ℥. ij. ʒʒ' electi. ℥. i. ſe. raparũ ſe. paſtinace. ſe. eru-
ce. añ. ʒ. ij. lingue auis. ʒ. ƀ. ſe. vꝛtice. ʒ. i. ƀ. aq̃ mel
liſſe aque bugloſſe. añ. ℥. ij. panis zuc. ℥. ij. fiat ele
ctuarũ in bol' parũ coctũ cũ lento igne. Vl' vta-
tur iſto qð mirabiliter libidinẽ deperditã reſtau-
rat. ℞. pinearũ amigð. mũð. añ. ℥. i. ſe. vꝛtice cin-
namõi pipis longi carniũ dactil' ʒʒ' añ. ʒ. ij. mẽte
galange. añ. ʒ. i. ƀ. ſe. ſinaꝑ. cardamõi melano pi-
peris croci. añ. ʒ. ƀ. conſerue ſatyrionis. ℥. ij. panis
zuc. lƀ. i. fiat electuaᵐ in bol'. addaẽ in clarificati-
one aque melliſſe. q̃rẽ. i. ƀ. Si illa erectio modica
fuerit vicio coꝛdis ⁊ cito euaneſcit rõne calidita
tis genitaliũ rarificãtꝫ multũ poꝛos ṽge: ꝑpẽ q̃
ſit ſubita exalaᵒ: ⁊ inungãtur genitalia cuꝫ oleo
roƀ. ꝑ ſe vel cũ tertia ꝑte olei maſticis: ⁊ ſupaſp-
gatur puluis roƀ. ſubtil' deſuper. Iſti tales icur-
rũt ſepe in die naturali: talẽ modicã erectiõeꝫ: q:
coꝛ labitur ad frigidũ rõe ꝑmitiue: puta triſticie
vel alterius: ⁊ genitalia ad calin eſt debilis ⁊ ci-
to cadit. Et ſi illa modica erectio cũ eius reſoluti
one fuerit a maleficᵒ ſeu ſoꝛtilegio: q̃ ligauit diſſi-
get: q: aliud nõ ſcirẽ tibi ſcribere. recurras tñ ad
ꝯſtantinũ ⁊ galbertũ. Iſta tibi ſufficiãt.

Satiriaſi

.i. de contiᵃ et magna erecti
one ṽge q̃ a q̃buſdam ꝑapiſm⁹ diciẽ
deſcribẽdo paſſioneꝫ ab illo hoie cui
ꝑmo euenit ꝑut fuit notũ medicĩ. ¶ Nota q̃ iſta
talis cõtiᵃ erectio fit a multa vẽtoſitate intromiſ
ſa cõtinue ipo mẽbꝛo ꝑpẽ multitudinẽ hũoꝝ ca-
lidoꝝ in venis ⁊ arterijs aſſiſtentiũ ꝯtiᶜ regñaẽ ⁊
eleuaẽ a dictis hũoꝛib⁹ calidis ⁊ in ipo neruo in
tromittiẽ: ꝑ eius poꝛoſitates tẽdẽs ipm ⁊ erigẽs
appetitiua naturali ad coitũ ⁊ imaginatiua inci

ſtantib⁹ ṽtutes cordis ⁊ cerebri vt in talibus ꝓui
deant genitalibus ꝓpt̃ finẽ gñatiõis ꝓut ẽ poſ-
ſibile in eoꝝ natura ꝓpter qd̃ ſtantib⁹ iſtis cor re
pletur multis humoribus calidis in ſuis artijs
⁊ venis inferioribus eleuat tñ de talibus vapo
ribus ꝙ talis erectio fit violenta ⁊ ſpaſmoſa de
natura thetam nõ potens ceſſari nec opprimi: ⁊
ſi aſſiſtant cuȝ duabus aut trib⁹ ml'ierib⁹ ſucceſ
ſiue ſcȝ ſpacio interpoſito polluẽdo cũ q̇buſdam
⁊ nõ cũ om̃ibus ſi iaceant de nocte cũ vna aſcen
dunt ſup eã .xx. aut .xxx. vicibus: ⁊ fatigãt eã vſq;
ad mortẽ ⁊ nõ polluũt de tota nocte niſi bis vel
ter: ꝓpter qd̃ eſt ipis ſil'r grauatiua ⁊ nõ delicio-
ſa ꝓut eſt mediocris ⁊ naturalis: ⁊ q: talis vẽto
ſitas ml'ta vaporoſa ſic eleuata in genitalib⁹ re-
plens neruũ ⁊ erigẽs ipm atteſtat̃ ipm multitu-
dine hũoꝝ calidoꝝ in venis ⁊ arterijs poti^me^ in-
ferioꝛib⁹ bene ꝯcludit̃ a Galie°. vi. de interioꝛib⁹
⁊ .ix. de inge°. c. v. in fine. ⁊ a raſi in ſuo ꝯti^e^ ꝙ p̃n
cipalis cauſa ⁊ vltima curatiua ẽ foꝛt̃ ⁊ magna
flõia potiſſime de vena mediana ⁊ de ſophena.
⁊ euacuare coleram vitando cal'a. ⁊ vtẽdo frigi
dis vt inferius in cura explicabimus. Et patet ti
bi ſil'iter ꝙ talis erectio indebita ⁊ violẽta magis
euenit in iuuenib⁹ calidis aliq̇l'r aduſtis in eoꝛũ
natura viuẽtibus in crapula: vt ſunt plures mo-
nachi ⁊ q̇dẽ alij eccleſiaſtici: ⁊ plurib⁹ alijs iuue
nibus calidis religioſis vtẽtibus ſuba legumi^m^
ſi fuerint aduſti ml't̃ calide nature ꝓpt̃ qd̃ ꝯclu-
dit Ga. bene intelligẽti. vi. de in̄tio. in fine. Idem
dicit Raſ in ſuo ꝯti^e^ ꝙ ꝯtinẽtes ⁊ religioſi dñt
ſepe flõmari in pꝛeſeruatiõe eoꝝ: nam flõmia fre
quẽtata multũ p̃ſeruat a talib⁹ moꝛb⁹ illicitis ⁊
violentis: iõ pꝛeſeruat a cõcupiſcentia carnali ⁊
ab incitatiõe ymaginatiue ad ipm coitũ cũ inci-
tetur a tali cõcupiſcẽtia naturali. ¶ Tu dices ta
lis malus appetitus illicit⁹ violent⁹ ad coytum
nec talis erectio venit in ipis mulierib⁹: videt̃ ꝙ
nõ: q̇a om̃es ſunt fri̇e compl'onis ⁊ nõ hñt inſtru
ad hoc nã collũ matricis eſt cartilaginoſum cũ
q̇buſdam pelliculis. Soluit raſ in ſuo ꝯtinente:
ꝙ natural'r habẽt pãritũ in collo matric̈ ⁊ tenti
onẽ ſeu inflatiõem aliq̇lem: nã fumi vaporoſi q̇ſi
ventoſi veniũt ad dictũ collum matricis ab hũo
ribus calidis arteriarũ ⁊ venarũ aſſiſtẽtium ſicut
dictũ eſt in hũoꝛibus cãtes pãritũ ⁊ tentiõem
⁊ inflatiõeȝ in illa cartilagine cũ ſuis pelliculis
ex q̇ venit in eis natural'r ⁊ modo debito de poſ-
ſibili euenit eis vltra debitũ moduȝ ⁊ in exceſſu
potiſſime illis q̇ ſunt compl'onis cal'e ſeuiadu-
ſte. vt ſunt ruffe vel nigre macilente ſi fuerit cir-

ca .xx. ãnũ ⁊ carẽte viro vt ſunt q̇dã iuuenes non
maritate vel elongate a marito vel religioſe ꝓpt̃
qd̃ nõ dubites tales iuuẽculas elongatas a ma-
rito vel viduatas vl' religioſas fortiter bis ⁊ ter i
anno flõmare: ſicut dictũ eſt ſupius de religioſ:
q̇a lȝ in actu gñatiõis ſint fri̇e ex nutrimẽto i vte
ro matrio ⁊ poſt acq̇rũt caliditatẽ magnã in eis.
¶ Notũ eſt ſpeculãti ꝙ ex q̇ in erectiõe naturali
neruus ṽge p̃ncipal'r erigit̃ ⁊ tẽdit̃ ꝯñr alie par-
tes colligate ꝙ in erectiõe innaturali violenta ⁊
egritudinali particula p̃ncipal'r patiens eſt ille
neru⁹ ṽge rõne poroſitat̃ ſue: ꝯñr alie ptes. Si-
militer notũ eſt recte ſpeculanti ꝙ ex q̇ in erectio
ne naturali in mulieribus illa cartilago colli ma
tricis q: p̃ncipal'r erigit̃ a vapoꝛib⁹ ſubintranti-
bus vt dictũ eſt ꝯñr alie pticule aſſiſtentes ꝙ in
erectione innaturali violẽta ⁊ egritudinali in ip-
ſis mulieribus particula p̃ncipal'r patiens erit il
la cartilago vaporoſa colli matricis: q̇a t'lia ſunt
q̇dãmodo cõtraria cũ illa ſit natural' ⁊ alia egri-
tudinalis. ⁊ talia viciſſim inſunt in tali ſubo: cõ-
ſequẽter ille pellicule ⁊ ſunt in vtroq; ꝑ colligan
tiã q: venit qd̃ venire nõ debet ſm naturã: q: ml't
tus vapoꝛ ⁊ fum⁹ ab hũoꝛib⁹ cal'is venarũ ⁊ ar
teriarũ ꝓpt̃ qd̃ merito tales ſtatim ſunt flõman
di vt dictũ eſt ⁊ dicet̃ ¶ Et moꝛbi deſcripti in eis
ſunt officiales in receptaculo: replet̃ em̃ ille par-
tes in poꝛoſitatib⁹ ſuis vltra debitũ. ꝯ̃ illis vapo
ribus eleuatis ab hũoꝛib⁹ dict̃: ⁊ ſunt nocumẽtuȝ
ꝑ moꝛbo deſcripto digeſtiue ⁊ expulſiue mẽbꝛo-
rũ mãdantiũ ⁊ recipiẽtiũ talis erectio illicita eſt
paſſio ſeu cauſa paſſionis ſenſitiue genitaliũ ⁊ g̃
natiua: nã erectio illa ẽ accñs moꝛbi de gñe mali
motus i ṽga: ⁊ eſt ſpaſm⁹ dũ eſt in fieri. Et eſt ac
cidens moꝛbi: ꝑt eſſe cã moꝛbi. 3°. de mo.°. ſecus
eſt loq̇ de illa replentõe nerui dicta faciente illaȝ
erectiõem ſpaſmoſam de genere thethani: ⁊ ſec⁹
eſt loq̇ de erectione illa illicita.

Iſtis clarificatis. Cura talis erectiõis illi
cite ⁊ violente tibi pateſcit. In cura
cuiuſlibet hoꝝ ⁊ vniuſcuiuſq; ſexus ſiũt licet mu
lieres nõ ſint explicate bene ad plenũ. Sed tu ſi
oculatus fueris ꝯcludẽs ⁊ ma^a^ cũ paucis ṽbis
ꝯſiderata ꝯ°ne ⁊ habitudine ipãrũ icipias a flõ
mia vene mediate ⁊ in bona q̃titate q: coꝛ ẽ cã
p̃ncipalis in tali ⁊ in om̃i erectiõe ṽge: vt eſt con
cluſum a Raſi in p̃cedentib⁹: ꝯñr ſtatim euacua
colerã ſic Rx. p̃ñoꝝ damaſ. xv. mĩo vuaꝝ paſſ. ℥. i.
tamarindi electoꝝ. ℥. ij. fiat decoctio in q̃ diſſoluat̃
medulle caſſief. ℥. i. ⁊ .ß. electu'ꝯ̃ ſucco roſ. ℥. i. ß. ꝯ
pot⁹. ꝯñr detur ſibi q̇lbet mane mediũ vitrũ aq̇

nenuſ̄. diſſolute: vel aq̄ enđ. vl' plantagi vel aque roſ. ħ ꝯtinuet p aliq̄s dies. vtaẽ aceto i oīb⁹ et lentibus cū aceto vtaẽ cibis acetoſis teneat dieꝫ tam tenuē: q̄a ieiuniū reꝑmit ſupbiā carnis ⁊ vicia compꝑimit mentē eleuat. Parū vtaẽ carnibus ⁊ illis vtaẽ cū aceto ⁊ ſalſa viridi ſpecial'r de extremitatib⁹ ꝑdicis vituli capiti potabit vinū multū limphatū balneet ſe ſpāliter anchas ſuas in aqua tepida ⁊ freq̄nter ad euacuandū vapores a genitalibus incitātes genitalia ad erectionē ná bal. ⁊ ſudor diuertūt luxuriā. Raſ in ſuo ꝯti^c Propẽ q̄d ſanct⁹ bñdict⁹ in regula ſua ordiauit ꝙ monachi ſui ſepe balneētur: ſpecial'r ſenes in pma ſenectute: q: illa plus abūdat in talib⁹ vaporibus groſſis incitātibus genitalia. talesſ teneant ſerotii factū cū aqua fria ⁊ oleo roſ. in āchis ſpecial'r de ſero vel teneat ſacculū ſupra dorſum cū denarijs plūbi: ꝑpẽ q̄d tangat ſpinā ⁊ dorſū. Aliq̄ ꝯſulūt ꝙ ponāẽ. p. iiij. folior agni caſti ſubtus linteamina iuxta culcitrā: q̄a reſoluunt illas hūiditates ⁊ ꝯſumūt: ⁊ ſi cū iſtis nō repareẽ illa excitatio illicita: ⁊ ille appetit⁹ ad luxuriā. vtatur iſto pluer. ℞. ſe. pſillij. ʒ. ij. ſe. portulace. ʒ. iij. ſe. lactuce. ʒ. ij. coriandri ſicci bene pꝛepati. ʒ. i. ſ. fiat puluis detur mediū coclear de mane cū modico vini. loco huius ſumat tres vel q̄tuor bolos de lactucis in pncipio prandij cū bono aceto vtinā hoc eſſet pmum ferculum in oībus eccl'iaſticꝭ ⁊ religioſis: ⁊ ex p̄cepto nā valent pul. ⁊ elc^m ad infrigidandū renes ⁊ genitalia ⁊ ad corrigēdū lapſum in ipis. Iſta tibi ſufficiāt.

E difficultate part⁹.

Nota ꝙ partus fit difficilis cauſa triplici: i genere ſi intrinſeca fuīt. vna ſe tenet ex pte fetus. alia ex pte mřicis. alia ex pte ſecundine vt ponit Raſ in ſuo ꝯti^c. Difficultas part⁹ ex pte fetus fit ſex de cauſis vt ponit ibidē: q̄a fetus eſt magn⁹ ⁊ groſſus multū q̄d pꝫ ex magnitudine vētris: ⁊ q: pſ̄ magn⁹: vl' q: magni capitꝭ q̄d pꝫ ad ſenſuꝫ obſtetric: ⁊ q: caput p⁹ exit i partu naturali. iō q: ē nimis groſſuꝫ nō pt exire i cōpetēti dilatatiōe vulue. vel fit diffic'l p⁹ q: venit āñ tps ꝯgruū puta q: nō venit. ix. mēſib⁹ cōpletꝭ q: tūc fet⁹ ñ petit exitū ñal'r: n^c ex iſtīctu nature: iō nō iuuat ſe ad exeūdū. Fit ſil'r diffic'l q: exit i forma nō natali: puta q: p⁹ exit pes vl' man⁹: nā in partu naturali caput exit p⁹ tenēdo faciē v' ſus terrā: q: caput ē ad ſupi⁹ i pmis menſib⁹ octauo mēſe incipit ſuuerti ⁊ declinare ad inferi⁹ non ante: iō. ix. menſibus cōpletis expeditus ē ⁊ ſubuerſus ante nō. iō exit in octauo mēſe ⁊ ante primo cū pedibus Raſ in ſuo cōn^c. Propẽ iſtā ſubuerſionē que incipit fortiter in octauo mēſe. fet⁹ eſt in illo octauo mēſe q̄ſi infirm⁹ ⁊ deterioꝛ diſpoſitiōis ⁊ debilior ꝑpẽ illā ſubuerſionē. ſil'r et ꝑgnātes ſunt deterioris diſpōnis ⁊ pōderoſiores in ipo mēſe pluſq̄ in alijs mēſib⁹. ⁊ fet⁹ ſeq̄t diſpoſitiōem ſue matris. Iō fetus qui naſciẽ non viuit. verba ſunt raſ in ſuo ꝯti^c iii. c. de conceptu Si ergo in conceptu exeat in pmo pes vl' man⁹ partus erit difficilis q̄a nō ſeq̄tur formaꝫ debiti exitus. vel q̄a arguit tēpus incongruū: q̄a antici patū q̄a āñ noue mēſes fit ſil'r diffic'l p⁹. q: fet⁹ in ſe eſt debilis ꝑpter longas egritudines matricis vel rōne tempis nō ſequētis ſuā naturā. ypo. 3°. amphorum. ibi ſi ver ſiccū ⁊ boreale mulieres quibus partus ineſt ad ver: ex omni occaſione abortiūt. ⁊c. Similiter fit partus difficilis: quia fetus eſt mortuus viuus fetus petit exitum quia completus ⁊ aliqualiter generatus. Et ſic patet tibi ꝙ ſex de cauſis ſe tenentibus ex parte fetus partus eſt difficilis que ſe tenet ex parte matricꝭ. Iſta ſubdiuiditur in quinq̧ cauſis in ſpecie. vt ponit Raſis in ſuo continente. Una cauſa difficilis partus quia eſt primus partus non habet partes illas ſufficienter aptas quia nunq̄ peperit. Alia cauſa eſt paruitas matricis quia concepit ante. xv. annum. Alia cauſa eſt debilitas matricis. Alia cauſa eſt pinguedo orificij matricis ⁊ eius clauſio. Alia eſt apa calidū matricis claudens ⁊ prohibens exitū fetus. pꝫ ergo tibi q̄liter quinq̧ de cauſis in ſpecie ſe tenentibus ex parte matricis fit partus difficilis. Alia eſt cauſa in genere partus difficilis que ſe tenet ex parte ſecundine. Iſta ſubdiuiditur in duas cauſas i ſpecie vna eſt quia nō ſcinditur ⁊ crepaẽ ꝑut debet in motu pueri ad exitum quia groſſa ⁊ dura. Iō puer non poteſt exire vuluam: quia prius oportet exire ſecundinam. ¶ Alia cauſa eſt: quia ſcinditur ante tempus puta in principio motus pueri ad exitum propter ſui tenuitatem ⁊ raritatem. Ideo fluit aqua multa a matrice nimis tempeſtiue: ⁊ matrix exſiccatur: ideo non poteſt ſe ſufficienter dilatare. In partu eſt caſus qui ſepe occurrit in mulieribus delicatis. Sic conclude ex intento Raſis in capl'o de conceptu. ⁊ de partu ſuper pronoſtico. difficilis partus tu habes ꝯſiderare ſi aqua multa fluat aut fluxerit de matrice ſtantibus doloribus ſatis fortibus antequaꝫ

puer ſit ꝓpe exitũ qđ p; q: nõ pñtat ſe exitui. Vl' ſi ſan. multꝰ ante eiꝰ exitum exierit: q: ſi ſic partꝰ erit difficil': q: ex talibꝰ matrix exſiccat᷑ vltra debitũ ꝓpt᷑ qđ nõ poteſt bene dilatari niſi ꝑus bene humectet᷑ cũ oleo fenugreci vl' malueuiſci ⁊ ſimilibꝰ. Raẜ addit aliud ſignũ ſup ꝓnoſtico difficil' ptus. ſ. ſi mulier multũ doluerit in ſpina dorſi: ſigt̃ ſup ptu difficili: ſicut ſi dolor in pectine ⁊ i vẽtre ⁊ i inguibus fuerit ſignat ſup ptu facili. raſis ibidẽ. Concludit᷑ ergo ꝙ cauſa triplici in genere: ⁊ mltiplici in ſpẽ intriſeca fit ptus difficilis Alie cauſe ſunt extrinſece ptis difficil': puta caliditas excedẽs relaxans ⁊ debilitãs ỽtutes naturales expulſiuã: ⁊ alias ỽtutes vl' frigiditas excedens ꝯſtringẽs matricẽ. vl' triſticia mlieris ex relatu vl' ex pñtia ingrate mulieris aſſiſtentis i puerperio. ỽba ſunt Raẜ in ſuo contiͤ. c. de partu.

¶ Notũ eſt ꝙ difficultas ptus deſcriptiue loquẽdo eſt paſſio matricis. Et eſt paᵒ ꝯñr ꝑ colligãtiam puta ipſius fetus vel ſecũdine vl' rei extrinſece. Et eſt paſſio cõmunit᷑ official': q: in receptaculo cõcomitãdo ſecũ morbũ ꝯſilem põt eſſe morbꝰ officialis in q̃ eſt triplex genus morbi. in ſe tñ eſt actio leſa ỽtutis expulſiue ex iſta vel ex illa cã

Iſtis clarificatis Cura difficultatis ptꝰ tibi pateſcit. Et q̃ꝙ in omĩ cã difficultat᷑ ptꝰ cõpetãt aperiẽtia relaxãtia ⁊ mollificãᵃ matricẽ ꝓpt᷑ qđ cura vna in genere cõpetit in omĩ cauſa ꝑfecto medico ineſt vt ſciat cãm talis difficultat᷑ partꝰ: q: ex hoc illa ẜm plus ⁊ minꝰ approximabunt᷑ appropinq̃nte tp̃e ptus: puta dũ erit circa mediũ noni meẜ. Vtat᷑ ſpinargijs bñ coct̃ ⁊ brodijs ſimplicibꝰ. l' brodijs c̃ vitell' ouoꝶ ⁊ vino ſbtili bene limphato: ⁊ vitabit ſubãm legumĩnum riſum ⁊ ſilia faciat exercitiũ maius ſolito. vadat ad balnea cõia balneãdo ſe in aq̃ dulci ſimplici. Si vis addatur decocᵒ maluarũ violarũ brance vrſine. vitãdo ſtuphã: q: ſibi nõ cõpetit cũ ꝯtrarietur recte intẽtioni dũ partꝰ erit bene ꝓpinquꝰ: q̃a de die in diẽ ẜm eſtimatiõem ſuã inungat ſibi ventrẽ ab vmbilico inferius ſero ⁊ mane cũ olẽo amigđ. dulciũ. vl' cũ olẽo ſambuci vl' cũ oleo malueuiſci vl' lilij vl' ciſami: ⁊ vtat᷑ coitu aduenientibus doloribꝰ paritura nullo mõ ꝑmat ſe ad expellendũ fetũ: ẜ vadat ꝑ camerã dũ matrix apta fuerit ꝙ aqua incipiat fluere: tũc incipiat ſeipam ꝑmere dulciter augmẽtãdo paulati illã preſſuram qñ os matricis fuerit aptũ ⁊ augmẽtat᷑ paulati in aptione. ſedeat tũc mulier ſup ſcannũ ſeu ſuper cellam ꝑforatã. ⁊ tũc ꝑmat ſe ad expellendũ fetũ. Raẜ in ſuo ꝯtinẽte. vel diſponat᷑ in lecto ꝙ videat᷑ potius ſedere q̃ iacere in culcitra. ſi in ꝓceſſu partus fuerit multũ difficilis cõiter pariunt feminã: q: difficilior eſt ptus femie q̃ maſculi raſis in ſuo cõtinẽte. Vtat᷑ in potu cinamoᵒ ⁊ crocorũ: nã ꝓpetas hoꝶ eſt inducere facilẽ ptũ Raſis in ſuo ꝯtiͤ. comedat de folijs malueuiſci coctis cũ butiro valde faciũt partũ facilez Raẜ. obſtetrix inungat ſibi manꝰ ſuas ⁊ ventrẽ parturient̃ cũ oleo ſambuci lilij vel ſiſami vl' malueuiſci ab vmbilico inferius. Si ptus ſit innaturalis ꝙ ꝑᵒ exeat brachiũ reintroducat᷑ dulciter ꝑus inungẽdo ptes illas vt dictũ eſt. Si pes ꝑmo veniat tũc eſt ſignũ ꝙ nõ eſt in nono mẽſe q: nõ fuit ſubuerſus nam incipit ſuberti in octauo mẽſe vt ẽ dictũ ſuperius auctẽ Raẜ: tũc exeat in nõie domini: ẜ iuuet᷑ natura interius cũ iam dictis. Exterꝰ cũ oleis dictis ⁊ cum ill' que dicẽtur ꝑmo ꝓuocando ſternutatiõem cũ modico ſe. ſtaphiſagrie vel pipis vl' euforbij ſubtiliſſime puluerizatoꝶ l' ꝙ ponat᷑ modicũ de radice yreos infra aures relaxẽtur ptes vulue cũ ſpongia infuſa in aqua decoctiõis ſe. fenugreci ⁊ ſe. lini cũ oleo malueuiſci vel lilij vl' ſambuci quo facto ꝓuocet᷑ magi ſternutatio: inungat᷑ exterius ⁊ interius cũ vnctuoſitate lane imo ſupponat᷑ ab intra q̃tum erit poſſibile odorando fetida vt aſſamfetidã: fumũ plumarũ cõbuſtaꝶ vl' ſotularũ vl' galbani: ⁊ ſimilia nã olfacere fetida facit ad partũ facilẽ ſicut odorare odorifera facit ad difficilẽ Raẜ. ⁊c̃. raẜ dicit ibidẽ ꝙ ſi ſuſpẽdat᷑ in coxa ſtorax crocea nõ patietur dolorem parturiẽs immo pięt ſine difficultate. Aqua decoctionis antheͤ potata facit ſtati; emittere fetum. Raẜ. ibidẽ. Capillus ve. cõtritꝰ diſſolutꝰ cũ ſero roẜ. cũ modico olei alicuꝰ: ſũat᷑ in potu ſtatim pit. Subdit ꝙ idem facit potꝰ aq̃ decoctionis abſinthij ⁊ fumiterre bis vel ter in die facit fetum velociter emittere. Subdit ꝙ ariſtologia cõq̃ſſata ⁊ cũ lana ſuppoſita facit ſtati; parere. Raſis in ſuo cõtinẽte recitat ꝙ mlier pariens ſi ſumat. ʒ. ij. croci in potu ſtatim parit. hoc pluries vidit ⁊ verũ eſt. Et ſic terminetur Auicẽ. dicit ꝙ. ʒ. ẜ. cardamomi. i. carui agreſtis puluerizati datus cũ vino albo ſtatim facit.

Extractiõe fetꝰ mortui ⁊ ſecũdine. ¶ Nota ꝙ licet ptus ſit difficilis ex cauſis iam dictis. Interdum eſt magis difficile ipi matrici expellere ſecundinã: quia ipa matrix eſt multũ debilitata in expellendo fetum: ⁊ quia ipſa ſecundina eſt aliquãdo

vltra debitū alligata cū venis matricis vt ſtatiꝫ
declarabitur ꝓpter qđ fortioribus indigem⁹ in
expellendo ipſam ꝙ indigeamus ī puerperio ꝓ
expellendo fetum: ⁊ adhuc magis fortibus indi
gemus ī expellēdo fetum mortuum: quia ſtante
fetu mortuo ī matrice v̄tutes matricis iam incipi
unt mortificari propter mortificatiōem caloris na
turalis: ⁊ fetus mortuus nō iuuat ſeipm̄ in exitu
ſicut fetus viuus petēs exitum naturalr̄ ex iſtin-
ctu nature. ¶ Ulterius nota iſta ſecundina ē ſe-
cūda pellicula in qua reuoluitur fetus. prima eſt
magis ſubtilis: hoc magis explicabitur in caplō
ſequēti de aborſu. Et gn̄atur ex ſupfluitate ſper-
matum ⁊ ſanguinis menſtrui ibidem fluxi poſt
concurſum ſpermatum: vt eſt declaratum ſuperi
us ⁊ in tempore formatiōis fetus ⁊ membrorꝫ
formatur ipſa ſecundina que alligatur cū venul̄
cōcaui matricis: puta cum capitibus earum. Jō
frigide ⁊ denſe matrices: quia habent venulas il
las valde modicas ⁊ ſtrictas nō pt̄ talis pellicu
la bene alligari cum capitibus illarum. Jdeo q̄a
talis pellicula eſt neceſſaria ī gn̄atiōe fetus. ideo
mulieres habentes frigidas ⁊ dēſas matrices
nō concipiūt vt vult ypo. ⁊ Gal. 5. amph. in qui-
buſdam mulieribus que habent venas latas in
matrice ita fortiter alligatur ꝙ vix natura expul
ſiua matricis pōteſt expellere ⁊ rumpere illa li-
gamenta: ideo cum difficultate expellit ꝙ ſi non
expellat poſt aliquas horas poſt exitum fetus in
ducit multa ⁊ peſſima accidētia ꝓpter vapores
eleuatos ad cor: ad caput rōne ipſius: quia quaſi
derelinquitur a regimine nature: ⁊ ratione ſuper
fluitatum ī ipa ⁊ cum ipa retentarū. Jdeo indu-
cit ſincopim ⁊ mortem: ſi vltra diem aut dies nō
expulſa fuerit interdum eſt ita ſolida gn̄ata ꝙ na
tura expulſiua vix poteſt eam rumpere in puer-
perio. Jdeo facit ad difficilem ptuꝫ vt ſupius eſt
dictum: quoq̄mō ſit talis retētio ⁊ mala eorꝫ ex
pulſio ſemꝑ eſt nocumētū expulſiue matricꝫ pro
pter colligātiam illius vel iſtius rei. Jdeo illi eſt
pncipalr̄ ſuccurrēdum cum apritiuis ⁊ relaxatis
que habent mat̄ias ſordidas de mr̄ice expellere

Jſtis clarificatis Cura retē
tionis ſe-
cundine ⁊ fetus mortui tibi pateſcit. Prius aūt
ꝙ in cura ꝓcedas loq̄mur de extractiōe ſecundi
ne in primis obſtetrix inungat manū ſuam ⁊ di-
gitos cum oleo de lilio vel de ſambuco vl̄ malue
uiſci ⁊ intromittat ī matrice ⁊ paulatine ſine mo-
leſtia aliqualiter ipam attrahat ⁊ ipam eradicet
hoc facto per modicam pauſam prouocetur ſibi

ſternutatio. ℞. ſe. ſtaphiſagrie ſe. nigelle. ana. ʒ.
ß. ell̄i albi. ʒ. ß. ꝫꝫ¹. albi. ℈. i. fiat puluis bene ſubti
lis vt alkool de quo ꝑ vices inſuffletur infra na-
res. Aliqui habēt pulueres de radice yreos ⁊ in
ſufflant eodē modo: ⁊ ſufficit eis: q: cum hoc ſa-
tis ſternutant ꝙ ſi nō expellatur da eis iſtuꝫ po-
tum. ℞. lexiuij. lī. i. malueuiſci. ℥. i. diſtemperent
inſimul: detur illa portio in potu. ꝯīr poſt pauſā
fac ipam vomere: ⁊ tūc prouoca ſternutationem
⁊ hoc reitera infra duas: aut tres horas ſuſpēda
tur iterum in coxa. de croco inuoluto in panno li
neo: in q̄titate medie nucis. vel đ ſtorace calami
ta crocea: ⁊ fiat ſibi peſſarium de galbano cum
modico oppopōacꝫ ⁊ mirre: fac ſic. ℞. galbāi. ℥. i.
oppopōq. ℥. ß. mirre. ʒ. ij. incorporētur ſil̄ cuꝫ mo-
dico lane. fiant duo aut tria peſſaria teneat vnū
ꝑ diem: aliud ꝑ noctē ⁊ poſtꝙ extraxeris vnum de
iſtis ſuffumigetur ꝑ modicam pauſam cū porti
one aliqua iſtoꝝ peſſarioꝝ ꝓuocādo ſepe ſternu
tatiōem. loco iſtoꝝ peſſariorum ⁊ ſuffumigatōis
ſupponat̄ cum lana de ſucco panis porcini violē
tus eſt in ſua actione ⁊ magis violenter attrahit
Aliqui ſupponūt radicem eius ⁊ aliqui ſuppo-
nūt oleum balſami cū lana: quia attrahit ſecun-
dinam fortiter. Aliqui dant. ʒ. v. vel. vi. caſſief. in
potu cum aqua cicerū ⁊ petroci. ſtatim exit ſecū
dina ⁊ fetus ſimilr̄. nam valet ille potus in partu
difficili ⁊ retētione ſecundine. Pauperibus dici
mus balneetis anchas veſtras in aqua decoctꝫ
biſmalue cū toto: ⁊ ſuſpēdatis de croco in coxa
vt eſt dictum ⁊ in potu vtatur ſatis de cinamo° ⁊
croco ⁊ ſumat de ſe. ꝯ lumbricos. nam illa que va-
lent cōtra v̄mes valent ad educēdum ſecūdinaꝫ
ſi potētur Raſ in ſuo ꝯti°. Ego pluries dedi de
galbano cū oppo°° ſtatī emittebant ſecundinā.
fac ſic. ℞. galba¹. ʒ. iij. mirre. ʒ. ß. oppopōq. ʒ. ß. di
ſtēperētur cū decoctiōe radicꝫ apij fiat potus im-
mo multū valet in expellendo fetum mortuū in
eductione ſecūdine. Aliqui faciunt ſecretum ꝙ
ſuffumigetur mulier cum emboto cum portione
aliqua vngule equi vel aſini vel iumenti. Auicē.
laudat. ʒ. ß. cardamoni. i. carui agreſtis pulueri-
ſati ⁊ dati cum vino albo. ¶ Conſeq̄nter loqua-
mur de extractiōe fetus mortui. Si q̄ mulier fetū
mortuū in vtero habuerit qđ patet ſi cadat fet⁹
ad inferius ad modum lapidis dum ſe v̄tit muli
er ad latus. Et ſi partes que ſunt circa vmbilicū
frigeſcant ⁊ ſint frigide Raſ in ſuo continente.
Moderni in pſalterijs ponūt alia ſi dolēt fortiꝫ
circa vmbilicū cum ſe. lenta ⁊ diſcoloratiōe faci-
ei cum fetido ⁊ corrupto ālelitu aſcenſu vapoꝝ

hoꝛribiliū ad coꝛ ⁊ ad caput ꝓpter qđ habēt in/
ſtantiā vigiliarū. ¶ Si qua mulier ꝑgnans ta/
lia habuerit preſumendū eſt ꝙ fetū moꝛtuū ha/
beat. fiant ergo ſibi talia: fiat ſibi ꝓfumatio dctā
de vngula aſini vel equi vł iumēti: nā multū va
lent ad expellendū fetū moꝛtuū. Raſ. in. c. đ ꝑtu
Aduerte q: moꝛtificat fetū. vel iſta. ℞. mirre gal
bani oppoponač fell' tauri vel bouis. añ. ℨ. iij. di
ſtemperētur cū pice liq̄da fiāt trociſci ad modū
parue nuč ſuffumigetur pluries cū vna bis vel
ter i die: ⁊ liniat̄ in pectine cū B. ℞. plſe colōq̄n
tide mirre ruthe. añ. ℨ. iij. fiat puluiſ diſtempet̄ cū
felle tauri vel bouis in modū vnguēti. de q̄ linia/
tur ab vmbilico inferius. Uel fiat iſtud quod ē
de vltimis ℞. aſſe fetide. ℨ. ß. mirre. ℨ. ij. ruthe ſicce
ℨ. i. capiat̄ q̄rta ps diſtēperet̄ cū aq̄ ſauie ꝙ ſuf/
ficit potus detur ſic ſero ⁊ mane p. iiij. vices. Suc
cus panis poꝛcini ſuppoſit' cū lana mirabiliter
ꝓuocat fetum. Simil'r ſuffumigatio cum radice
eius Raſ. ⁊ c. dicit ꝙ iſta medicina nō habet pa
rem. Iſta ſufficiant.

¶ Capl'm de aboꝛſu.

De aboꝛſu Quia đ ei' cau
ſis potiſſime in
trinſecis vt abſcindantur ⁊ aboꝛſus
euitet̄ qui mala eſt actio ꝯtētiue ma
tricis vt ſtatim declarabitur. ¶ Nota ꝙ embꝛio
inuoluit̄ in duplici pellicula vt volūt omēs ana/
thomiſantes. Una eſt ſubtilis ſatis que adherz
ſibi imediate: ⁊ fuit creata a natura vt ſup̄fluita/
tes tertie digeſtiue retineret vſq; q̄ in eius ꝑtu.
Alia eſt magis ſolida que adheret embꝛiōi me/
diate: ideo vocatur ſecūdina cum prima exit em/
bꝛio: cū iſta ſcđa nō eſt ß rumpit̄ ⁊ fetus exit ⁊ p'
eius exitū expellitur a matrice vt dictū eſt in ca°
ꝓcedēti. Iſta interdū nō rūpitur de facili in puer
perio: ideo facit partū difficilē vt eſt dictū. Aliq̄n
nimis cito rūpitur ⁊ fluit aqua mł'ta ⁊ matrix ex
ſiccatur vltra debitū anteq̄ꝫ puer ſit in poꝛtu exi/
tus ꝙ nōdū caput apparet. Ideo indiget ꝙ hu/
mectet̄ ab extra vt part' fiat mag̃ facilis vt ē ſu/
perius dictū. Iſta fuit creata a natura vt ſup̄flu
itas ſcđe digeſtiue retineret̄ vſq; quo in partu pu
ta vꝛinam pueri: nam quia ſuſcipit nutrimentū
per vmbilicū ab epate matris nō indiguit pelli/
cula vt ſuperfluitates prime digeſtiue retineret.
ambe creant̄ tempe foꝛmatiōis embꝛionis a ſu/
perfluitate ſpermatū ⁊ ſan. menſtrui concurren
ꝫ ad iſta poſt actū coitus. ꝑma pellicula nō al/
gatur niſi cum embꝛione. Scđa ſeu ſecundina
alligatur cum venulis matricis: quia cum capi/
tibus earū que ꝯtiguātur in cōcauo matricis in
terdum puta in habentibus illas magnas vēas
⁊ per ꝯſequēs earum capitibus alligatur illa ſe
cūdina foꝛtiter ita ꝙ cum difficultate rumpit̄ illa
alligatio a natura expulſiua matricꝫ. Ideo opoꝛ/
tet ꝙ medicus iuuet naturā ⁊ expulſiuā matricꝫ
vt eſt dictū in. c. ꝓcedēti. interdum alligatur illa
ſecūdina valde paruū: quia vene matricis ſunt
valde ſtricte vt in habentibus frigidas ⁊ dēpſas
matrices. Ideo nō concipiūt: ⁊ ſi concipiāt aboꝛ
ſiunt ex cauſa facili.

Ulterius nota quod ēbꝛio ſuſpēdit̄ in matrice ad modū fruct' in arbo
re mediante illa ſecundina alligata cum matri/
ce: vt vult Ga. ſuper dictis ypo. 4. ⁊ 5. amphoꝛi.
Idem ponit Raſ. in ſuo cōtinēte in. c. de conce
ꝑtu. ſubdit: ꝙ ſicut ligamēta fructus in ꝑncipio
ſunt debilia ⁊ tenua ⁊ cadunt ex modica cauſa:
⁊ in fine quādo maturātur ligamēta fructuū de
facili rumpuntur. Ita fit in pregnantibus: quia
a cauſa facili rumpuntur ligamēta ſecūdine cū
matrice potiſſime in pꝛimis ⁊ vltimis menſibus
⁊ inde fit aboꝛſus.

Ulterius nota magis vt pꝫ tibi cā multiplex aboꝛſus in quo male ad/
uertūt debiles in arte ꝙ aboꝛſus ē accñs dictū ex
iēs a coꝛͤ vt exiēs. q: exit a mala actione ꝯtētiue
matricis ḡuate a quanto ponderoſo ſequēs tan
q̄ꝫ accidēs moꝛbi imediate moꝛbum ꝯſil'ez: quia
malā complōnē humidā cū matia venarū ⁊ liga
mētoꝝ matricis ſpecialiter ipſius ſecundine. Si
in ꝑmis q̄ttuoꝛ menſibus talis aboꝛſus fuerit vt
ponit Ga. ad litterā. vi. de interioꝛibus. c. penul/
timo in fine capl'i. Idem ponit Raſ. ad litteram
in ſuo continente in. c. de conceptu. Si autē fiat
ab alijs menſibus tunc talis mala actio ꝯtentiue
matricis conſequitur immediate tanq̄ꝫ accidēs
moꝛbi immediatū moꝛbū officialem: quia in cō/
poſitione puta laxitatē ⁊ raritatem ligamentoꝝ
ſecūdine matricis: naꝫ talia fuerūt creata ex na/
turali compōne mulierū vt fit in quibuſdam mu
lieribus rare contexture ⁊ gracilis ⁊ cōpōnis de
licate vel de poſſibili talis mala actio contentiue
matricis: ſequitur in illis menſibus vltimis moꝛ
bū officialem puta in ſcitu per colligantiā vt in
quibuſdam mulieribus cōpactꝫ habentib' ſtrās
⁊ dēſas: matrices. quia in talibus ſunt venule pue
in matrice cum capitibus paruis. Ideo ſecūdia

nō bene poteſt alligari cū ipis.iō nō ɔcipiūt ⁊ ſi concipiāt ex cauſa facili ꝓpter pondus grauās dicta ligamēta abortiūt hoc ſatis intendit: Silū in.5°.amph.cūmēto illi⁹ cañ.ſi frigidas ⁊ denſas ⁊c̄.⁊ ſic pȝ tibi aborſus deſcriptiue loq̄ndo q̄s morb⁹ ē. Verū raſ. recitat i ſuo ɔti͞ᶜ recitat i.c. d̄ ɔceptu' auc̄te ynaraſij antiq̄ medici: ꝙ mlieres que abortiūt ex ventoſitate ⁊ ille que abortiunt in tribus vltimis menſibus abortiūt ex frigiditate.Hordonius fuit iſtius opionis ⁊ quidaȝ alij moderni.Sed hec opio nō placet nec videtur vera conſideratis dictis ipius Raſis qui fuit princeps artis.❡Aduerte magis in matia :nam vltra iſtas cauſas dictas intrinſecas matricis ipius aborſus ſunt alie cauſe ſibi extrinſece ⁊ p̄mitiue:puta coytus violentus ⁊ multiplicatus: q̄a aperit,vias illas ⁊ partes ⁊ infeſtat feſtuȝ ⁊ mēſtrua prouocat Raſis in ſuo continente: dolor fortis in aliqua parte corpori ira fortis triſtitia timor fortis:ſatietas nauſeatiua cibi vel pot⁹ fluxus ſan.menſtruoſi.ſi fortis fuerit vel aliunde ī ꝓ ra dictū ypo. Medicina laxatiua fortis caſus: percuſſio longa mora in balneo aque.febris lōga vel acuta ⁊ ſimilia ⁊ medicine educētes vermes date per os cū cliſteri faciunt aborſum raſ ⁊c̄. Nam ex iſtis contētiua matricis debilitatur i actione vicio aliorꝫ mēbrorꝫ ⁊ non vicio proprio: prout in alijs cauſis ipſius aborſus dictum eſt.

Signū pronoſticū ipi⁹ aborſ⁹ ꝓ

piq̄ ex talib⁹ ē extēnuatio ⁊ demaceratio mām̄illarū. Si dextra p̄us aborciet maſculuȝ.ſi ſiniſtra feminā.ypo.v.amph.Raſ.⁊c̄.quia duricies moderata mām̄illarū ſiḡt ſuper ſanitate fetus. ſicut multitudo lactis ſiḡt fetum debilem:ita mām̄illarum demaceratio ⁊ gracilitas potiſſime ſubſequēs ad al'q̄d horum ꝓnoſticat aborſum de prope.Raſ.in caplō de conceptu.

Iſtis clarificatiſ cura

ipius aborſus tibi pateſcit.⁊ h̄ ꝓ morbo deſcripto vel eius preſeruatio. Prius autem ꝙ in talibus procedas ſcire ⁊ inueſtigare oportet ſi icurrit aborſum in tribus primis menſibus aut medijs aut vltimis conſiderare oportet diſpoſitionem illius mulieris ſi ſit ſanguinea vel flegmatica groſſa. Vel ſi eſt gracilis colerica in parte: quia cura in hoc diuerſificatur:⁊ per hoc cauſa ipſius manifeſtatur.❡Si qua mulier aborſum incurrit rōne humiditatis flegmatice fluentis ad venas matricis ⁊ ad ligamenta ſecundine ratio

ne cuius debilitantur ⁊ nō poſſunt ſuſtinere pōdus qui relaxantur ⁊ rumpantur .nec fetus contineri qui labatur ⁊ expellatur extra. quod patet: quia fit in primis tribus menſibus ⁊ ipſa mulier eſt habitudinis ſanguinee ⁊ humide:⁊ dum ē pregnans aliquando incurrit fluxum menſtruorum aliqualem. Similiter dum nō eſt pregnans habet interdum menſtruum in exceſſu. Iſte teneant dietam ſiccam. Vtātur vino rubeo groſſo et vtātur riſo cocto ſolummodo cum brodio carnium. Vtātur carnibus cōmunibus demptis carnibus porcinis.vitabūt omino offas ſpinargias ⁊ omnes fructus flōmet bis vel ter i āno d̄ brachijs.vtāt exercicio non dormiāt de die ſufficiāt ſibi dormire de nocte.vi.vel.vij .horis duntaxat purgētur cum agarico anteꝗ̄ impregnētur quolibet menſe modicum vel circa.' R̄. florꝫ viol.boraginis.ana.ℨ.ß.polipodij quercini.ℨ.i.aniſi.ʒ.ij.agari electi.ʒ.ij.ß.turbith electi.ʒ.ß.ȥȥ'.ʒ.i.fiat decoctio.Conſulo ꝙ vadat ad balnea naturalia antequaȝ impregnētur ſtuphando ſe per pauſam primo:poſtea intrēt balneum poſt aliam pauſaȝ hoc fiat de mane ſtomacho ieiuno duntaxat. Vtātur metridato vna die.alia die non in quantitate amigdale depilate cum modico vini clari vel albi de mane ante ortum ſolis. hoc faciāt in anno demptis tribus menſibus dum tamen nō fuerit pregnans.❡Et ſi a caſu eſſet pregnans poſſet vti de iſto metridato de tribus in trib⁹ diebus modo dicto:dum tamen non fuerit tempus multum calidum continuando riſum coctuȝ cū brodio carnium vitando offas ſpinargia oīnes fructus:⁊ tunc dimittat exercicium forte ſufficit lentum exercicium.❡Et ſi tunc dubites de aborſu non deſcendat nec aſcendat in altum ⁊ habeat de ſumach decoquatur in aqua cum illa limphet vinum ⁊ ponat in olla cum carnibus. vtatur riſi cocto cum brodio carnis piris coctanis: ſorbis carnibus toſtis vel impaſta. vtatur dialāga dyanthos dyacinnon dyateron pipereon. Et ſcias ꝙ plures mulieres que abortiunt in p̄mis menſibus ſunt ita ſanguinee ⁊ abundantes in ſanguine quia habent fluxum menſtruorum aliq̄ñ ex quo non debilitantur : nec mām̄ille graciles fiunt ⁊ mot⁹ pueri ſtat prout ſolebat. Hordonius dicit ꝙ dimittatur fluere quia qui reſtringeret prouocaret aborſuȝ.Ego aliter dico ꝙ ſuppoſitis iam dictis ſi ſit multum ſanguinea ⁊ aſſueta flōmare ꝙ talis mlier dato ꝙ ſit p̄gnās ē flōmāda vſq̄ ad.ʒ.iiij.vl' circa de vena epat.:vel de mediana ſi groſſior fuerit quia in hoc corrige

tur mala cõpl'o humida fluẽs ad matricẽ. Si-
militer corrigetur exceſſus ſan. ac eius flux⁹. Si
dicas mulier flõthomata abortit. Dicendum ꝙ
Ga. loquitur indeſinite quia vt plurimũ aborti-
unt tales ꝓpter ſubſtractionẽ nutrimenti potiſ-
ſime in magna q̃titate. Sed de poſſibili põt eẽ
tanta abundãtia ſan. ꝙ niſi exiret per venas ma-
tricis vel alias faceret ſincopim ex qua eẽt i ma-
iori periculo abortiendi facta flõmia in tali pre-
gnante habẽte fluxum ſan. mẽſtrui poteſt impo
nere modicũ ꝺ pannis lineis multum delicatis
⁊ ſubtilibus infuſis in aqua diſſolutionis alũis
rupe vel plume in collo matricis: quia ſan. men-
ſtruus fluit in pregnantibus ꝑ ora venarum col
li matricis vt ponit Ga. vi. de interiorib⁹. c. penl'
timo in fine capl'i. Sꝫ nõ in pregnãtibus exit ꝑ
venas illas ⁊ ꝑ venas fundi: quia aliter fundus
nõ acquireret aliqualem ⁊ naturalẽ aſperitatẽ
in fundo matricis: ⁊ per ꝯñs citius nec facilius
impregnaretur poſt mẽſtrua: cuius oppoſitũ po
nit Raſis in ſuo cõtinente. in. c. de conceptu vt ẽ
ſuperius declaratũ: nam tales panni infuſi itro-
miſſi claudũt ora ⁊ capita illaꝝ venarũ vt ẽ ſupi⁹
dictũ i. c. de fluxu mẽ. ſupfluo. Et facta flõia i ta
libus vel nõ facta potes applicare emplm ante
int' pectinẽ. ⁊ vmbilicũ ⁊ aliud retro ſup ãchas
factum cum magna quãtitate radiq bistorte: naꝫ
biſtorta habet magnam ꝓprietatem ad confor-
tandum conceptum in vtero materno ⁊ ad con-
fortandum retẽtiuam matricis vt cõmuniter po
nũt tractantes ꝺ ſimplicibus medicinis. ℞. ma-
ſticis lapdani. añ. q̃rt. i. cere rub. q̃rt. ß. colofonie
picis naual'. añ. ℥. ß. terebẽtine. ʒ. ij. radiq biſtorte
℥. ß. gallarũ nucis cypreſſi: añ. ʒ. ß. nuq muſcate. ʒ
i. berberi. ℈. i. ligni aloes ſandal'. muſcatel'. añ. ʒ. ij
raſure eboris. ℈. ß. coralli. rub. ʒ. ß. ãthere. ℈. ß. co-
riandri ꝑparati. ℈. i. caſſielignee. ℈. i. cubebarum
cinamomi. añ. ℈. i. ãbre griſie. ʒ. ß. muſci finis. ʒ. ß.
puluerifanda puluerifent' ſubtiliter vt alcool in-
corporẽtur ſimul cũ oleo maſtiq fiant duo ẽpl'a
ob longa quadrata extenſa ſupra alutam vel ſu
per ſcarlato bruno ⁊ cooperiantur cum ſindone
rariſſimo vitabit coitum inſuper: quia coytus vi
as aperit. menſtrua prouocat: fetum infeſtat: ꝓ
pter qꝺ diſponitur ad exitum: ⁊ ſic ꝓuocat' abor
ſus potiᵐᵉ i ꝑmis ⁊ vltis mẽſib⁹: qꝛ tũc ligamẽta
ſũt magꝭ debilia ꝓut ſũt i fructib⁹ vt ẽ ſupi⁹ dcm
¶ Et ſi aliqua mulier abortit ex debilitate liga-
mentoꝝ matricis puta ipius ſecũdine cum mři-
ce rõne raritatis ⁊ laxitatis ⁊ tenuitatis ex earuꝫ
creatiõe ꝓpter qꝺ nõ valent ſuſtinere pond⁹ ipi-

us fetus: qꝺ patet quia talis mulier eſt gracilis
ſatis delicata: ⁊ incurrit aborſum in. 5. menſib⁹
vltimis: talis mulier nõ tangatur a viro in illis
q̃nqꝫ menſibus: quia coytus fetum g̃uat. ⁊ ꝑ cõ
ſequens ipm infeſtat ⁊ vias aperit: ⁊ ſic cãt ab-
orſum. Et ſi tangatur a viro ſuo: quia oportꝫ red
dere debitum nature raro ⁊ mãſueto modo non
impiguẽdo vſqꝫ ad vltimũ ſi homo ſit talis ꝙ ſi-
bi dicere nõ audeat: q̃a ꝑnceps vl' militaris dica
tur dñe ꝙ cõqueratur ⁊ ſibi explicet dolorem ⁊ g̃-
uitatem ꝓpter impõem totalem ipius membri.
Similiter talis mulier in ill' q̃nqꝫ menſibus nõ
aſcendat nec deſcendat gradarium: nec coreet i-
mo maius ꝯſilium qꝺ poſſit habere eſt ꝙ ñ mo-
ueat ſe de lecto vl' ſaltim de camera ⁊ de aula ia-
cendo pro maiori parte plures feci iacere per. v.
aut ſex menſes: habuerũt optatum ⁊ viuũt iaꝫ il-
li pueri: ⁊ ſunt magni in eccleſia ſancta dei ⁊ be-
neficiati. Iſta mulier quia incurrit debilitatem
ligamentoꝝ matricis a tali rara ⁊ delicata com-
poſitiõe nõ indiget emplis fortibus: nec mltum
calidis ex quo incurrit lapſum cũ maᵃ ſufficiunt
empl'a parũ cala ⁊ aliqual'r ſtiptica: ideo ſuffici
unt empl'a ꝺ ſolo maſtice ꝙ maſtix puluerifetur.
⁊ modicũ caleſcat in caſſa ſuper aſpergendo de
aqua cum tribus digitis: ⁊ ſtatim malaxetur cũ
oleo eiuſdem quia nõ comburit' erit dulce ꝯtiᵐ i
ſe nõ frangibile vel ſibi empl'a de duab⁹ parti-
bus maſticis ⁊ tertia parte lapdani teneat ante
⁊ retro. Uel fiat ſibi empl'm in q̃ intret biſtorta:
qꝛ lꝫ nõ teneat exceſſuꝫ in actiuis vl' paſſiuis q̃li
tatib⁹ hꝫ ꝓprietatẽ ꝯfortãdi ꝯceptũ ⁊ mřicẽ di-
cũt omẽs loquẽtes de ſimplicib⁹. Sic g̃ fiat. ℞.
maſtiq. ℥. iiij. lapdani. ℥. ij. cere. ℥. i. ⁊. ß. picis naual'
℥. ß. terebẽtine. ʒ. i. ß. radiq biſtorte. ʒ. iij. nuq mu-
ſcate. ʒ. i. gallarũ. ʒ. ß. coralli rubei. ʒ. ß. ligni aloes
ʒ. i. ſandali muſcatelli. ʒ. ß. caſſielignee. ʒ. ß. cube
barũ. ℈. i. ambre. ʒ. ß. muſci. ℈. i. puluerifent' ſubti
liter ⁊ ſil'r icorporent' cũ oleo maſtiq fiãt duo empl'a
extẽſa ſupra alutã vl' ſcarlatã teneat vnũ añ ⁊ a-
liud retro. Iſta tal' mlier ſꝑ dꝫ nutriri ſiue ꝑgnãs:
vel nõ ꝑgnãs cũ nutrimẽto ſolido puta cũ carni
bus groſſis ⁊ legumib⁹ cũ frumento bñ cocto ⁊
riſi amido ꝙ parent' cũ brodio carnıũ. Et dꝫ poſt
ponere vitella ouoꝝ pullas ꝑuas ſpinargia cum
boraginib⁹ bñ põt vti bonis gallinis ⁊ caponi
b⁹ ⁊ caproꝝ carnes groſſe puta mutonis bouis
vni⁹ ãni ⁊ vituli magꝭ ſibi ꝯpetũt final'r oia iᵃ q̃
g̃nant nutrimẽtũ ſolidũ preſeruãt aborſum in tali
bus anteq̃ ꝯcipiat ⁊ dũ cõcepit ꝓpt' cãm dictaꝫ
ad q̃ male aduertũt ꝑ eius cauſis diuerſis.

Et ſi qua mulier Aborſuz incurrerit eo ꝙ ligamēta ſecūdine ſūt debiliter alligata cuz ipſa matrice propter qđ ex pōdere ſtatim ſepanť: qđ patet. qa mulier eſt groſſa ⁊ aliqliter compacta: frie compl'onis; ꝓpter qđ vene matricis ſūt graciles ⁊ ſtricte cū paruis earū capitibus vt ē ſupius declaratum auctoritᵉ ga'. ſup cañ. illo. Quecūq; frias. ideo ēt non ꝯcipiūt. ⁊ ſi cōcipiant cōiter abortiūt ex cā facili potiſſime cōit in vltimis mēſibus ꝓpter pōdus. ex qbus pateſcit cā talis aborſus qđ eſt debilis alligatio illoꝝ ligamētoꝝ vt eſt dictuz. Iſte tales mulieres indigent dieta ꝯtraria i cibo ⁊ potu ſupradictis ſtatim. nam indigēt cibis calidis ⁊ ſubtilibꝰ: vt pull' ꝑdiculis: colūbis ⁊ ſilibus anteq̄ cōcipiant. ⁊ dum cōceperint vt vene eaꝝ dilatētur ⁊ ora venaꝝ matriċ ſunt latiora. ⁊ ſic ligamēta ſecūdine poterūt melius alligari cum venis matriċ. Iſte tales mulieres nō aſcendāt nec deſcendāt: ſ ſint i camera ⁊ in aula dūtaxat q̇eſcētes in lecto q̄nq; vel ſex mēſibus: vitādo coitū inſup ex cauſis iā dicť. Et ꝑ ſibi duo empl'a. ℞. lapdani q̄rť. i. ß. maſtiċ. q̄rť. ß cere nu. ℥. i. picis naualis coloſonie. añ. ℥. ß. radiċ biſtorte. ℥. iij. terebētine. ℥. ij. ß. ligni aloes. ſādali muſcatellini caſſieligᵉ añ. ℥. i. nucis muſcate. ℥. i. macis cipi gallaꝝ coralli rub. añ. ℈. i. cubebaruz ℥. ß. ambre. ℥. ß. muſci fini. ℈. i. malexētur omnia cum oleo nardino ⁊ oleo maſticis. fiāt duo emplaſtra extēſa ſupra ſcarlato. teneat vnū ante: et aliud retro: innouādo de tribus in tribus ſeptimanis ⁋ Cauſe extriſece ꝓuocātes aborſum ſūt ſuperius dicte. euitentur ꝓut erit poſſibile. Nam ſi cōcurrant cum aliqua cauſarum intrinſecarū dictarum: de facili fit aborſus. Et iſta tibi ſufficiant.

Capitulum. 90. de ruptura inguinis.

Cum aliquis in mirach ventris habuerit eminētiam que cum ſupinꝰ iacuerit ⁊ locus digitis compſſus fuerit remoueť: et cum ſederit redibit: paſſio eſt que ruptura dicitur. Qui hoc itaq; patiť: ſibi cauere debet ne poſt comeſtionem moueatur: neq; comedet fabas: et hoc precipue neq; faſeolos neq; lētes neq; olera: neq; aliquem cibuz inflatiuum. Studere etiam debet vt eius venter ſemp mollis ſit. Hoc nāq; regimine poſſibile eſt ipſuz euadere dolorez. Loco ꝑterea aliquod ſupponendum eſt obſtaculū ⁊ ſtrīgēdū: ⁊ proprie cū ſe mouere voluerit. Groſſus quoq; ſi fuerit ⁊ ventrem habuerit grauez: nō debz vti motu niſi venť prius ſub vmbilico ampla cingatur faſcia.

Emplaſtrum ad rupturam.

℞. gallaꝝ cipreſſi ptes duas mirre cipi ſamſuci gallaꝝ acaſſie. olibani gummi arabici omniū añ. ꝑtem vnā gūme prius in vino reſoluanť: ⁊ aggregenť cuz eis reliqua ⁊ ſup rupturam egro ſupino iacēte ponať: ⁊ ſtringať locus ⁊ non ſoluať vſq; ad ſex ⁊ ſeptem dies. Poſtea egro ſupino iacente ſoluatur: ⁊ illo reiecto de eo empl'o ſupponať. ex hoc eñ prohibeť ampliari. In ruptura autē teſticulorz pellis augmentať: quod fit aut ꝓpter ventoſitatem: aut ꝓpť aquaz que ibi congreganť. aut quia inteſtina deſcendūt ad locum illū. Si vo propť deſcēſum inteſtinorū cōtingat: erit grauis ⁊ doloroſus: et ſentiet dolorem cū tangenť: Taliter nāq; patiēs ſicut ꝑdiximus regendꝰ eſt: ⁊ emplaſtrū ꝑdictū ſupponendū: ⁊ locꝰ cum ligatura aſſidue ē ſtringendꝰ. Ruptura enim.

cum non ſtringit̃: dilatatur ⁊ aug-
mentat̃ ſemper. Si autem cauſa a
qua fiat locus appet lucidus ⁊ ter
ſus ⁊ tenſus. Huic itaq̃ꝫ confert
epithimari ex epithimate quod in
capitulo de hydropiſi noiauimus
Aqua quoq̃ꝫ in hac egritudīe ple
rūq̃ꝫ petit inferiora ⁊ fluit inde vn̄
eger ꝑ aliquod tempꝰ ſanus efficit̃
ſed p̄terea redit egritudo. Poſtq̄
ergo aqua fluxerit: curandꝰ ē eger
ex cauterio ⁊ medicamine Ex hoc
eñ̄ proſus curabit̃: nec egritudo
redibit: De hoc tamē loqui plus
ē q̄ꝫ hic nr̄ exigat liber. Cuꝫ auteꝫ
hec egritudo vētoſitatis cauſa cō
tingit: locus fricandus ē ⁊ ex oleo
ſambucino in quo caſtoreuꝫ ⁊ eu-
forbiū diſſoluta fuerit inungendꝰ:
⁊ ex eodem intus in virgam gutta
tim diſtillandum.

De crepatura ⁊ eminentia.

expōe de eminētia inguis ⁊ ocei. tales dicū
tur ꝓprie crepati nomīe generali ſeu
cōi dicunt̃ rupti: lꝫ ciſach non rūpat̃ qñ zirbꝰ de-
ſcendit per dindimū ſed eius extremitas dilatat̃
puta dindimus. verū de poſſibili rumpit̃ tunc ca
dit zirbus ⁊ inteſtina in ꝑte ad oceū ſeu ad bur-
ſam teſticuloꝝ inter pellem exteriorē ⁊ dindimū
⁊ hoc cōtingit rariſſime. Raſ in ſuo ꝯtiᵉ. ¶ For
ſan inter cētum crepatos eſt vnus tal'. verū i mu
lieribus crepatis bñ rumpit̃ ciſach interdum ꝓ-
pe inguinaria: interdum ꝓpe vmbilicū. hoc ꝯtin
git eis ex caſu ſeu ꝑcuſſione vel ex nimio cona-
tu in puerperio tunc zirbus facit eminentiam a-
liqualē ad quātitatē pomi groſſi ſubtꝰ mirach i
parte illa que rumpitur: vt tibi clareſcat mat̃ia
iſta. ¶ Nota q̄ꝫ ſupra inteſtina ſunt tres tunice.
p̄ma ⁊ imediate adherēs dicit̃ zirbus qui p̄mo
adheret inteſtinis ⁊ ſtomacho vt calorē natura-
lem cōſeruet. ideo dicit ypo. 2º amphο. ¶ Spiſſi
tudinē hr̄e melius eſt. Secūda tunica ſeq̃t̃ adhe
rēs ip̄is inteſtinis dicitur ciſach q̄ eſt panniculꝰ
villoſus: neruoſus q̄ generat̃ ex pellicula diafra
gmatis neruoſa. ⁊ cōtinuat̃ cum dorſo i iſto pan
niculo ꝓprie ſuſpendūtur inteſtina ⁊ zirbꝰ inter
iſtū ciſach ⁊ mirach ⁊ zirbū ſtat aquoſitas i hy-
dropici. vt eſt dictū ſupius ꝑ viam reſudatōis ca
dit ibi ꝓpter quod non pōt euacuari ꝑ vias nec
cū medicina: ſ; euacuamꝰ cū ſtufis ſacculis exer
citio ablutōnibus cū vrina ſucci calida ⁊ ſilibus
Iſte ciſach dum ꝓtrahitur v̄ſus pectinē ꝓtrahi
tur a v̄tute informatiua ab vtraq̃ꝫ ꝑte v̄ge ⁊ eius
extremitas vnitur ⁊ cumulat̃ in modū nerui vel
corde potiſſime pars ip̄ius ciſach magꝭ villoſa ⁊
neruoſa. Et dicit̃ dindimus q̄ ſimiliter vnitur cū
arterijs ⁊ venis ⁊ vijs: ꝑ quas deſcēdit materia
ſꝑmatica ⁊ in q̄bus ꝑ tempꝰ cōſeruat̃. ideo dicū
tur vaſa ſpermatis interdū ip̄a v̄tus informatia
errat in hoc vitio paterno vel ꝓprio ⁊ nō vnitur:
nec conſtringit bñ illā extremitatē illius ciſach:
q̄ ꝓtendit̃ in oceo in cuius capite pēdet teſticu-
lus ab vtraq̃ꝫ ꝑte. ⁊ remanet illa extremitas lata
ad modū burſe de coreo. hoc videmꝰ in puerꝭ qui
q̃ꝫ aut ſex aut ſeptē annoꝝ vel circa q̄ ſunt crepa
ti qñ ſcindūtur. ꝓ tali cura a curſoribꝰ cyrurgicis
a quibus abſcindit̃ teſticulus. Interdū illa extre
mitas ciſach ē bñ vnita: vt debet in formā dindi
mi. ⁊ eſt dindimus bñ formatus: ſed relaxat̃ ꝓ-
pter hūditates ventris ſeu aquoſitates deſcen-
dētes ad ꝑtes illas: vt fit cōmunit̃ in vētoſis ſeu
corpulent̃. nam pauci ſunt corpulēti ⁊ vētoſi q̄ ſe
excuſant a relaxatōe dindimi ⁊ ab aliq̄li deſcēſu
zirbi per eū. Et aliqñ relaxatur ⁊ dilatat̃ tal' din
dimus a vētoſitate gñata in ꝑtibus ill'. vel dila-
tat̃ ex nimio conatu vel coitu. qđ contingit plies
ſpāliter poſt ſatietatē. vel laxat̃ ex caſu vel ꝑcuſ-
ſione: vt in ill' qui haſtiludiāt. nam cōiter tales i-
currūt caſum iſtū. ⁊ in q̄buſdam ſtat ꝑ tempꝰ ali
qua modica relaxatio ⁊ dilatatio ip̄ius dindimi:
q̄ꝫ parū de zirbo ſubintrat ꝑ ip̄m didimū. ⁊ rema
net tumor in inguine ad moduꝫ nucis. verum ꝓ
pter conatū vel ꝓpter labores vel caſum. vel q̄a
eq̄tant equū aſpi portus illa relaxatio creſcit et
dilatat̃ ip̄e dindimus in plus. ⁊ zirbus deſcēdit
inferius ad oceū: immo aliqñ inteſtina per ipſuꝫ
dindimū tūc dixīmꝰ nō eſt magꝭ relaxatio. ⁊ dici-
mus. iſte ē crepatꝰ. ⁊ non dꝫ dici q̄ꝫ ſit ruptꝰ quia
ibi nō eſt aliqua ruptura. ⁊ i hoc moderni q̄ plu-
res locuti ſunt ignorāter dicētes q̄ꝫ tales interdū
patiūtur relaxatōem qñ deſcēdit paruꝫ de zirbo
ꝑ dindimū ⁊ remanet ibi modica hernia ad mo-

dū ucis. Sed qñ zirbus deſcēdit fortiter ⁊ ſubi-
to ꝑ dindimū inferius ad oceū tūc dicūt ꝙ eſt ru
ptus debiliter locuti ſunt. qꝛ ſi ciſach rumperetur:
ꝓut fit aliqñ ſed rariſſime tūc zirbus nec inteſti
na deſcenderēt ꝑ dindimū: ſꝫ inter pellē ⁊ didimū
Ideo locutio ꝓpria debet eſſe. Iſte ē parū rela-
xatus qñ hernia remanet i inguine ad modū nu
cis. vel iſte ē multū relaxat⁹ qñ hernia ſeu zirb⁹
deſcendit ꝑ dindimum inferius fortiter ⁊ ſubito
qñ ſtant ⁊ tumeſcūt. ❡ Cōſeqūter poſt iſtum cy-
ſach veniūt lacerti aliq̄ facientes ad retentiōem
⁊ expulſionē ſupfluitatū inteſtinalium ⁊ veſice.
Cōſeqūter venit pānicul⁹ q̇daꝫ q̄ dicit̄ mirach q̄
eſt pānicul⁹ lacertoſus: cum extremitas pellicl'o
ſa inferius ꝓtēditur ad coopiendū ⁊ inuoluen-
dū ip̄os dindimos ⁊ teſticulos. ⁊ inde oritur ⁊ fit
oceū. i. burſa teſticuloꝝ. Cōſeqūter venit axūgio
ſa carnoſa duoꝝ aut triū digitorū aut vltra i ſpiſſi
tudine. cōſeqūter venit cutis. Et ſup hoc nota ꝙ
iſta hernia ocei q̄ fit ꝓpter magnā relaxatōnem
dindimi ē duplex dūtaxat: zirbalis ⁊ inteſtinalis
Cū iſtis duabus cōicat hernia inguinalis dūta-
xat: aliquādo tñ fit hernia in ip̄o oceo a vento vl'
ab aquoſitate vel ab humorib⁹ vel ab vlceribus
vel a carne. cū iſtis nō cōmunicat inguinalis.

Notū eſt intelligenti

ꝙ iſte hernie zirbales ⁊ inteſtinales cōiter ſunt
paſſiōes ipi⁹ dindi ꝑnc'. qꝛ cōit' deſcēdūt ꝑ ip̄m
dindimū parū vel multū relaxatum. aliqñ tñ iſte
hernie ſūt paſſiōes ꝑncipal'r ipſi⁹ ciſach qꝛ rūpit̄
⁊ deſcēdūt ad oceū int̄ pellē exteriorē ⁊ dindimū
qḋ ad ſenſum tactus cū digitis faciliter cognoſ-
cit̄. ❡ Alie hernie ſunt paſſiones ꝑncipal'r ipſi⁹
ocei ſeu burſe teſticuloꝝ. ⁊ ſunt oēs ꝑ colligātiā
venit cā aūt ꝑmitiua vel alia intrinſeca: vt hūidi
tas vel vētus relaxans ptes illas. Et qñ fit deſ-
cenſus ꝑ didimū ⁊ morbū in via qꝛ dilatat̄ didi-
mus ſi nō fiat deſcēſus ꝑ dindimū tūc eſt ſolutio
ꝯtinui ipſi⁹ ciſach. Et iſte hernie ſunt nocumen-
tū digeſtiue ⁊ expulſiue dindimi ⁊ ip̄ius ciſach:
⁊ ꝑtium mandātiū. ⁊ ſunt paſſiones ſeu nocumē
tum actiue motiue illaꝝ ꝑtiū. ꝯſr naturaliū v̇tutū
illarū partium.

Cura

Iſtis clarificatis hernie inguinis ⁊
oceī in generali tibi pateſcit. quia cu
ra hernie inguinis cum fiat a modica relaxatiōe
viarum dindimi cōmuniter perficitur in infanti-
bus ⁊ pueris: potiſſime ſi quieuerit a forti motu
⁊ mediū annū vel quaſi non tranſiuerit: quia ſu

perficies itrinſeca adhuc eſt lenis: ⁊ diſponit ad
vnionem partiū in ſe. ❡ Si vero hernia zirba-
lis vel inteſtinalis fuerit in oceo deſcendendo ꝑ
dindimū. aduerte nam zirbalis ſatis eſt mollis:
inteſtinalis eſt dura magis cōmuniter non cura
tur cum emplaſtris ⁊ potibus: niſi fuerit i pue-
rili etate ⁊ in ꝑncipio ſaltim circa mediū annuꝫ:
al's autem indigent manuali opatōne cyrurgici
experti. ❡ Si autē talis hernia zirbalis vel inte
ſtinalis fuerit deſcendēdo iuxta inguinaria per
rupturam ipſius ciphacis inter pellem exterio-
rem ⁊ ipſum dindimū: quod faciliter cognoſcit̄
ad ſenſum tactus digitorum: talis curari non po
teſt cum emplaſtris ⁊ potibus ⁊ puluenbus: ni-
ſi fiat ſtatim infra decem dies vel circa ipſius ru-
pture anteꝙ labia vulneris ſint indurata: aliter
autem oportet committere ipſi cirurgico exper-
to. ❡ Et ſi tales cure fiant per cyrurgicuꝫ diuer
ſimode: ponam tibi tamē curam magis electaꝫ
⁊ magis ſecuram: datam a quibuſdaꝫ ſatis mo-
dernis: qui fuerunt meliores in hoc. ❡ Si quis
ergo in infancia vel in puericia herniaꝫ inguina
lem habuerit dūtaxat ⁊ pauci temporis quia me
dium annū nō tranſiuit vel circa: quod pateſcit
ad ſēſū viſus: qꝛ al's non appuit: nūc apparet in
inguine: puta ratōne zirbi deſcendētis per din-
dimū relaxatum ratōne humiditatis fluxe in ꝑ-
tibus illis cum conatu magno ratōne fletus in-
ordinati ex dolore ventris vel al's: talis infās ſeu
puer vitabit motum fortem fletum: balneuꝫ ſub-
ſtantiam leguminū: omnes fructus. Exequatur
primo cura talis hernie inguinalis infantibus
⁊ pueris ſcd'm intentōnem Raſis i ſuo cōtinen-
te. Conſequēter ſcd'm intentōnem quorundam
modernoruꝫ. ❡ ℞. radicis lilij ſilueſtris. ʒ. ß. vel
circa. teratur fortiter ⁊ diſtemperetur cum modi
co vini. det̄ in potu triginta vel quadraginta di-
ebus. vel loco huius detur ſimili modo de radi-
ce pentaphilon diſſoluta cum vino. vel det̄ iſtud
quod eſt fortioris operatōnis. ❡ ℞. foliorū cau
de equine. ʒ. ß. vel circa. teratur vel diſtemperet̄
cum modico aque calide. fiat potus. Iſta cauda
equina valet ac ſi eſſet hernia deſcendens ad o-
ceum continuata per tempus. Et dum continua
bunt pro tempore: de iſtis potibus ēplaſtrentur
in inguine. ſic facta prius reductōne eius. ❡ ℞
lentiginis aque. p. vnū. teratur fortiter: ⁊ fiat em
plaſtrum ligatum deſuper: renouādo ſero ⁊ ma-
ne. ❡ Loco huius fiat iſtud ℞. bdellij. ʒ. i. terat̄
⁊ diſtēꝑet̄ cū ſaliua ieiuni. ſ. ēplꝫ applicet̄ q̇ ma

ne ligetur ꝑ cirurgicū ⁊ de ſero diſtempetur cū
vino ſtiptico: ⁊ ligeť bn̄ deſuper ꝑ hoīem exptū.
Iſtam curā ponit Raſ in ſuo ꝯtinēte. Alafrāc⁹
recitat ꝙ ipē curabat eos cū puluere valeriāe. da
bat quolibet mane. ʒ. ß. id ē vnū ꝑuū coclear ē vi°
ꝑ tempus aliquot ⁊ curabanť. vel dabat de pul-
uere radicꝗ ſcrophularie eodē modo cum vino. et
pōebat deſuꝑ per modū emplaſtri quoqꝫ ſero ⁊
mane. ℞. rad ſcrophularie. piſtetur bn̄ ⁊ incor-
poretur cū modico axūgie. applica ⁊ liga ꝑ mo-
dum emplaſtri. Gordoni⁹ recitat ꝙ ipē curabat
infantes ⁊ pueros cum ſemie naſturcij ſilueſtrꝭ
torrefacto ⁊ dato cum modico lacť cocti. vel cū
vitello oui de mane pluribus diebus. ⁊ ꝙ pota-
rēt pluribus vicibus de die modicum vini infuſi
onis radicꝗ bruſci minutim inciſi ⁊ temꝑati i eo
ꝑ diem. nam illud vinū ſumptum pluries in die
curat oēm crepaturam in pueris. vt dicit Petrus
hyſpanus. ponit ꝙ epatica trita ⁊ diſſoluta cum
modico vini ⁊ bibita ſingulis diebus per ali-
quod tempus curat rupturā inguinalem non ſo
lum i pueris: immo ⁊ i alijs: dum tamē fuerit ſa-
tis recēs. ⁊ ꝙ deſuꝑ emplaſtrētur folia cicute tri
ta torrefacta ⁊ deſuꝑ poſita ſero ⁊ mane ꝗbuſdā
diebus. q̄r. xx. vlcera. Idem facit rad bene trita ⁊
emplaſtrata cuiuſdā herbe q̄ naſcitur in locꝗ pa-
ludoſis que vulgariter vocatur leſca. ē herba q̄
habet folia longa vt ſpata: ⁊ ſeinuicē ſubintrāt
⁊ in virga portat quādam magnam maſſam: q̄
cōmuniter vocatur pabel in ꝓuincia quam dia-
ſcorides vocat ciperū. mirabiliter replet conca-
uitates. hec ille. ¶ Gilbertus dicit ꝙ detur pul-
uis ariſtologie longe ⁊ rotūde ⁊ arnagloſſe de
mane cum modico vini. Vel detur puluis cōſo-
lide maioris. vel fiant creſpule de pl̄uere cū vitel
looui ⁊ modico farine. ſumat quolibꝫ mane vnā
⁊ applicētur vermes cerei cōquaſſati ꝑ modum
emplaſtri ꝑ ſe vel cū ꝗbuſdam alijs que commi
ſceanť ꝑ viam empl̄i. Dicit etiā in fine capl̄i. ꝙ eſt
vna herba q̄ habet multos teſticulos in radice.
⁊ hꝫ folia ad modū vrticis maioris. ⁊ creſcit i ne
moribus in lōgitudine vnius cubiti vel circa. et
habet curſum quadratū. ⁊ fetet. mūda bn̄ et tēre
multū ad modū ſalſamēti ⁊ diſtempa cum vino
⁊ da bibere quolibet mane. in ieiuno ſtomacho
tertiā ꝑtem vnius vitri per. xx. dies. ⁊ fac empl̄m
de dicta herba ſupra per. xl. dies iaceat ſupinus
renouādo dictum emplaſtrū quolibꝫ die. Miro
modo ꝯſolidat. non ſolū curat inguinalē in pue-
ris. imo et illam quam habent in oceo: niſi dindi
mus fuerit multū latus a generatōne vitio par-
no vel proprio. Nam in formatiua in creatōe inſ
totiens errat in quibuſdam. ¶ Vidi pueros ſex
annorū quando ꝯſcendebātur: ꝙ habebāt ita la-
tum ſicut burſa de coreo. cōmuniter moriūtur. ꝓ
pter quod ſi infans vel puer herniam in oceo ha
buerit: exequatur illam aliā curam: cōmittendo
aliquē de potibus ſupradictis. ⁊ addēdo empla-
ſtrum poſitum in fine capituli. cum quo curabat
antiquatas hernias in oceo ⁊ in antiquis ꝗetā-
do in lecto ꝑ q̄draginta dies: vt ipſe recitat: eui-
tando cibos vētoſos ⁊ cōſtipatōnem aſcellando
⁊ tuſſiendo teneat manū deſuꝑ. hec ille. ¶ Et ſi
quis in fine adoleſcētie ⁊ in alijs etatibus ſeq̄n
tibus iſtam herniam inguinis habuerit: portet
bracale de die. Caueat a riſu ⁊ a conſtipatione.
ab equitatōne equi aſperi portus q̄tum poterit
⁊ teneat manū deſuper tuſſiendo vel aſcellando
Et ſequatur curam dictam in infantibus ⁊ pue-
ris. ⁊ teneat iſtud emplaſtrū quod eſt mirabile
et eſt ſcdm̄ Raſim in ſuo cōtinēte. ¶ ℞. maſticꝗ
corticꝗ thuris nucis cipreſſi myrre ſarcocolle glu
tinis piſciū. an̄. ʒ. i. gluten diſſoluatur cum aceto
⁊ cum eo allia miſceātur: ⁊ fiant emplaſtra extē-
ſa ſupra allutā ad formam ſcuti parui. Loco hu-
ius habeas de cōmuni emplaſtro cōtra rupturā
Cōmuniter tenēt apothecarij ſcdm̄ receptā A-
lāfranchi vel Gilberti vbi intrat ſanguis huma
nus appliceť emplaſtrū facta reductōne. ⁊ deſu
per ponatur bracale. Et ſi tales cum tali hernia
inguinis herniam in oceo incurrerint: ex mag-
na relaxatōne dindimi ⁊ eius dilatatione ⁊ non
ex ruptura ciphacis: ꝓut credunt debiles in arte
quia tūc zirbus nec inteſtinū quod diciť ſaccus
non deſcēdent per ꝑipm̄ dindimū: ſed inter pellē
exteriorem ⁊ ipſum dindimū. ſed per magnā di
latatōnem ipſius dindimi deſcendat ipſe zirbus
⁊ aliqua pars inteſtini dicti potiſſime in proceſ
ſu. quia illud inteſtinū non eſt ligatū cum graci-
libus nec cū venis meſeraicis. ideo facilius ca-
dit. Raſis in ſuo continēte in ca°. ꝓprio. tales cu
rari non pn̄t ſine manu cirurgici ad diminuēdū
damnū illatū ⁊ grauitatē portēt bracale de die ⁊
ponāt deſuꝑ de emplaſtris dictꝗ. Raſis in ſuo cō
tinēte dabat talibus in potu de apozimate nucꝗ
cipſſi addēdo modicū de vino. ⁊ faciebat eis em
plaſtrū de gall' nō maturꝗ. ⁊ nō ſoluebāt empl̄m
niſi ſemel in mēſe. faciebāt ſic. ℞. nucꝗ cipſſi ꝯq̄ſ
ſate. p. ij. ꝃ decoctio ad ꝯſūptōꝫ terne ꝑr. ꝑt dura
re ꝑ. ij. l' ꝑ. iij. dies: dabāt tertiā ꝑtē vit¹ cū modi°
vini additi de mane. ⁊ faciebāt ēpl̄m ſic. ℞ gal-
laꝝ nō maťaꝝ. p. ij. ⁊ decoq̄nť cū vino ſtiptico. et

terant̄ ſubtiliſſime ⁊ diſtemperent̄ cū vino modico
ꝙ ſuff. ſ̄ emplm̄ ſup relaxatōne dindimi bene li-
gatū ⁊ nō diſſoluatur de mēſe. mirabiliter reſtri
git dindimū. mihi placet intētio Raſis. ſi nō ha
beres in ꝓmptu illas gallas fac de nucib⁹ cipſ
ſi illud emplm̄. ſi cū iſtis n̄ pn̄t curari recurre ad
cyrurgicos q: ipi ꝑficiūt curā hernie zirbal' ⁊ in-
teſtinal' facte ꝑ magnam relaxatōem dindimi vl'
factā ꝑ rupturam ipſius ciphac. Iſti cirurgici cu
rāt tales hernias factas per relaxatōem dindimi
diuerſimode cū cauterio potētiali ⁊ actuali ꝯſu-
mēdo carnem ſupra dindimū ⁊ ipm̄ dindimuz i
magna ꝑte vt nō poſſit vlterius dilatare. cure iſte
ſūt fallaces. q: dindim⁹ deuaſtat̄ i magna parte
⁊ ꝑ ꝯñs teſticulus ꝑdit v̄tutem ⁊ patitur maxi
mos dolores. Aliq̄ curāt ſcindēdo cū raſorio car
nē vſq; ad dindimū: ⁊ alij cū raſorio ignito. poſt-
ea trahūt didimū ad ꝑtem clipeādo ipm̄ cuz pa-
tella ferrea ⁊ imponūt ſubtus dindimū cauteria
duo tria ad ꝯſumēdum carnē que ē ſub dindimo
⁊ ꝑtem aliquā ip̄ ius oſſis. quo facto corrumpūt
ſcarā illā qua expulſa compmūt ipm̄ dindimum
vſq; ad os pectoris: ⁊ tūc regenerāt carnē callo-
ſam ſupra didimū. ⁊ ſic didimus nō poteſt ſe di-
latare. ⁊ ſic zirbus nō deſcēdit per euz. Cura iſta
eſt legal' ⁊ tuta inter ceteras ¶ Aliq̄ cirurgici fa
ciūt aliter. nō curāt de cauterizatōne carnis q̄ eſt
ſub didimo nec de aliquo cauterio: ſ; ſcindūt car
nem cū raſorio q̄ eſt ſupra didimū. poſtea ligant
ipm̄ didimū i loco bn̄ alto q̄ntum pn̄t cum filo de
auro ⁊ ꝯſolidāt dictam ſolutiōem factaz cum ra-
ſorio: ⁊ curati ſunt. Verū bn̄ remanet aliqualis
hernia i inguine in ꝑte ſupiori. Si ego indigerē
quod abſit ego diligerē iſtum modū vel aliū ſta
tim dictū. verū iſte eſt mīn⁹ laborioſus ⁊ ſatis ſecu
rus. ¶ De cura hernie facte in oceo ꝑ rupturam
ciphach taceo: q: illa fit ꝑ ſuturam ipi⁹ mirach ē
aliqua ꝑte ciſach. Iſte modus ē mihi ignotus.
⁊ credo hoc nō poſſe bn̄ fieri ſine periculo. Ideo
taceo i iſta materia. ¶ Expedita cura hernie in-
guinis ⁊ ipi⁹ oceī zirbal' ⁊ inteſtinal' deſcēdēs ꝑ
didimū ad ipm̄ oceū vel ꝑ rupturam ipi⁹ ciſach
Reſtat loqui de cura hernie aquoſe vētoſe hūo-
ral' ſeu apoſtemoſe varicoſe carnoſe in ipo oceo.
¶ Aduertēdum ꝙ lz iſte hernie fiāt cōiter i ipo
oceo: puta in pellicul' oceī ſeu burſe teſticulorū:
aliquādo tamē hernia vētoſa ⁊ aquoſa fiunt in
ipo dindimo per totum vſq; ad teſticulum. De-
biles in arte credūt ꝙ ſint crepati ⁊ nō ſunt. ⁊ co
gnoſcitur: quia aquoſa cedit tactui: vētoſa non.
Similiter quia nō reintroducūtur ſicut zirbalis
⁊ inteſtinalis ¶ Hernia aquoſa pluries ineſt pu
eris humidis. nam dum ſunt i cunabulis: credi-
tur ꝙ ſint rupti ⁊ nō ſunt. ⁊ pluries ineſt alchiti-
cis ⁊ yposarthicis. Vidi pluries ꝙ oceum putre
ſcebat ⁊ cadebat ⁊ poſtea regenerabatur ab ex-
tremo mirach. Aliquando ſimiliter ineſt quibuſ
daz hominibus in perfecta etate: potiſſime corpu-
lentis: ⁊ cognoſcitur: quia nō reintroducitur: vt
dictum eſt. ⁊ didimus ſentitur groſſus vſq; ad te
ſticulum.

Siquis ergo puer herniam aq̄
ſam habuerit i pel
liculiſ oceī quod pateſcit ex pōderoſitate oceī cū
aliquali ſplēdore: potiſſime quādo ꝑtes ille opp
mūtur ⁊ talis hernia cedit digito comꝑmenti. qui
dam cyrurgici crepāt cum lāceola ac ſi flobotho
marēt ipm̄ de oceo: ⁊ exit aqua. Et applicāt em-
plaſtra ſua calida cōſumētia aquoſitatem de flo
ribus cum baccis lauri. Ego facio aliter de cōſi-
lio Raſis i ſuo cōtinēte. Prouocatur vrina cum
aqua achori ⁊ cicerum rubeorū. vel cū ſyrupo a-
cetoſo. poſtea fiat iſtud emplaſtruz. ℞. ſtercoris
vaccini recētis ꝑtes tres. boliarmeni ſubtiliſſime
puluerizati ꝑtem vnā. miſceatur ⁊ fiat emplaſtꝝ
⁊ renouetur ſero ⁊ mane. Vel ſic. ℞ cineris rad̄
caulium. ℥. iiij. axūgie antique ſalite ꝙ ſuffi̇ ad in
corporādum. applicetur ſero ⁊ mane ꝑ modum
emplaſtri. vel inūgatur oceum ſero ⁊ mane cum
oleo ſambuci. ⁊ ſinapizetur oceum poſtea cū iſto
puluere. ℞. baccarū lauri. ℥. ij. piperis longi. ℥. ß.
baurach. ℥. ij. fiat puluis ſubtilis. incorꝑetur cuz
carnibus vuarū paſſ. remotis nucleis ꝙ ſuffici-
at. applicetur vna pars ſero ⁊ mane per moduz
emplaſtri. ¶ Et ſi q̇s in alia etate talem herniaz
aq̄ſam habuerit i oceo: put ſt ydropici: fiāt illa q̄
dicta ſunt i cura iſti⁹ hernie in pueris. Sed q̇a
pellis i oceo iſtorum eſt magis dēſa ⁊ ſpiſſa: ap-
plicētur fortiora calida. Verum i quibuſdaz hy-
dropicis ponitur ꝓ tendilis ⁊ euacuatur illa aquo-
ſitas. Vel applicamus iſtud per moduz empla-
ſtri. ℞. nitri ameos ſulf. viuis añ. ℥. i. teratur ſub
tiliter ⁊ fiat puluis qui incorꝑetur cuz carnibus
vuarum paſſ. mūdataꝝ ab arill' applicetur. Vel
iſtud. ℞. nitri. ℥. i. baccarum lauri. ℥. ij. olei quart.
vnū ⁊ ß. cere ꝙ ſufficiat. fiat cerotum. Si vero a-
liqui horum incurrerit iſtam herniam aquoſaz
i didimo ⁊ nō in oceo: quod pateſcit: quia dindi-
mus eſt groſſus cedēs tactui: nō reintroducit ꝑ-
ut zirbalis vel ineſtinalis: talis nō bene curat̄ cū
iſtis. quia didimus eſt ſpiſſus nō cōſumitur illa
aqua de facili: immo oportet ꝙ cyrurgicus appli-

cet ſupra dindimū i loco alto cauterium pūctu-
ale latum aliqualiter. ⁊ aqua ſtatim fluit ab ex-
tra. Quare te remitto cyrurgico experto in tali-
bus. Et ſi q̇s herniam ventoſam in oceo habue
rit: quod pateſcit. quia illa inflatio eſt leuis non
cedēs tactui: ⁊ ſplendet cum claritate ſeu lucidi-
tate. Et venit ſubito ſicut aquoſa venit paulati.
Uerum om̄s ꝯcedūt ꝙ cum vētoſa eſt cōmuni-
ter aliqualis ⁊ modica aquoſitas ⁊ ecōt. raro ſi
⁊ inueniūtur ſingulares iſte hernie: licet ſint de
poſſibili. fiat ſibi iſtud vnguētum diſſolutiuū vē
toſitatis: ℞. olei ſambuci ſtoracis liquide an̄. q̄r
teriū .i. miſceātur in modū vnguenti. vel fiat ſibi
iſtud emplaſtrū: ℞. cimini. ℥. i. ⁊ ß. ſemis ſaxifra
℥. i. fiat puluis ſubtilis. incorpetur cum carnibus
vuarum paſſ. remotis ab arillis ꝙ ſufficiat: ⁊ fi-
at emplaſtrū de quo apponatur ſero ⁊ mane. vl'
incorporetur ciminū cum farina fabarum cū car
nibus vuarum paſſ vt eſt dictū ſine arillis. In
infantibus da modicum pulueris foliorum rute
cum lacte matris de mane per aliquos dies. Ra
ſis in ſuo continente.

Et ſi aliquis herniam humoralē: apoſtemoſam in inte
ſtinis ⁊ in oceo habuerit: quod pateſcit ex duricie
tumoris cum aliquali rubore cū febre effimera
ſcd̄m plus ⁊ minus: ſcd̄m ipſam materiam proce
datur repercutiēdo in p̄ncipio ꝑut in alijs apoſte-
matibus in p̄mis diebus inūgat cum oleo roſaꝝ
vnfancino vel cōmuni. vel cum oleo mirtillorū
cum iſtis ſi materia ſit calida poteſt addi modi-
cum aceti. in defectu horum habeas aquā roſaꝝ
vel aquā ſimplicem cū quarta parte aceti. ⁊ pan
nus ibidem infuſus ſepe ibi applicetur. loco ho
rum ſp̄aliter poſt p̄mam diem ℞. fabas bene co
ctas incorpatas cum carnibus vuarum paſſ. fac
emplaſtrū deſup. ⁊ ſi poſt quoſdam dies videas
duriciem in teſticulo ⁊ in oceo fiat iſtud. ℞. fari
ne fabarū excorticatarū. farine fenugreci an̄. p. ij
bulliantur i aqua ⁊ addat̄ florum camomille pl'
uerizate. p. ß. butiri cocti. ℥. ij. miſceat̄ p modum
emplaſtri. applicetur vna pars i proceſſu. ¶ Si
vis ꝙ om̄ino diſſoluatur de facili illa duricies ℞
cineris ficus foliorū malueuiſci an̄. miſceātur be
ne terendo. ⁊ diſſoluatur cum aceto ꝙ ſufficiat:
applicetur. Raſ i ſuo ꝯt. dicit ꝙ potet talis pa
tiens rubeam tinctorum. multum ꝓdeſt a natu-
ra ſpecifica. Supra cura hernie varicoſe ⁊ car-
noſe remitto te ad cyrurgicos expertos ⁊ appro
batos.

¶ Capitulum. 92m. de podagra ⁊ ſciatica.

Cum in iuncturis fuerit
dolor ⁊ apoſtema ⁊ loc9
cū tangit̄ fuerit tact9 ca
lidus ⁊ color rubeus eger ſi dolet i
dextro pede ex dextra manu. ⁊ ſi i
ſiniſtro ex ſiniſtra ē flobothoman
dus: ⁊ locus ex hoc medicamine li
niendus. Epithima. ℞. roſarū
rubeaꝝ ſandali ſauſel ſief memite
boliarmeni. opij omniū ꝑtes equa
les. Ex iſtis in aceto ⁊ aqua diſſo
lutis fiat epithima. Pſilliū quoqꝫ
aceto infuſum in carta miſſum ſu-
perponat̄: ⁊ cū tepuerit mutet̄ ⁊ lo
co eius aliud ſuperponat̄. Ueter
p̄terea ex apozimate mirabola. et
hermodactil'. ſoluatur. Apozima
mirabolāoꝝ cum hermodactil'. ℞
mirabolāoꝝ citrinoꝝ. ℥. xv. pulue-
ris turbith fricati. polipodij ābo-
rū ana. ℥. iij. ſene. ſe. fumiſtre āboꝝ
an̄. ℥. iiij. heꝛ̄modactili albi. ſe. endi-
uie ſemis apij roſarū omniū an̄.
℥. ij. coquātur i tribus libris aque
donec ad vnā redeant. deinde ma
nibus fricent̄ ⁊ colent̄ ⁊ bibat̄ cū
zuccari tabarzet. ℥. x. Si quis apo
zima faſtidierit: pillulas iſtas ſu-
mat que non valētes incedere ſur
gere faciunt ⁊ pedibus ambulare
Pillule que non valentes incede
re ſurgere faciūt. ℞. aloes. ℥. i. ſca-
monee quartam partē vnius roſa
rum rubearū tritarum ſextam. ℥. i.
hermodactil' alboꝝ. ℥. ß. informen

tur ex eis pillule : que erunt doſis
vna. Eger vero nutriatur ex cibis
frigidis et ſtipticis : ⁊ abſtineat a
vino ⁊ confectionibꝰ que ex melle
fiunt ⁊ carne. Cum autē apoſtēa-
tis caloꝛ quieuerit ⁊ eius inflāma-
tio ex hijs que calidoꝛū apoſtema
tum reliquias reſoluunt curetur.
Quoꝛum vnū. ℞. ceraꝫ in oleo de
lilio reſolutam cui admiſceat̃ mu-
ſcillago fenugreci : ⁊ ſeminis lini.
Deinde terantur ſimul donec vni
antur. ⁊ fiat ex eis epythima. In
tempoꝛe autē ſue incolumitatis et
pꝛopꝛie circa tempus in quo egri-
tudo eū inuadere conſueuit: ⁊ q̄-
maxime in vere. Aſſueſcat flobo-
thomia vti ⁊ ventris ſolutione
ex hijs que coleram expellūt rube
am ⁊ a potu vini abſtineat ⁊ a co-
meſtione eoꝛum que ex melle cōfi
ciūtur et a carne. Sint eis cibaria
acetoſa ⁊ ſtiptica et hijs ſimilia ex
hijs que infrigidāt. Membra au
tem que hanc conſueuerūt incur-
rere paſſionem: minus ſolito labo
rem pati aſſueſcāt ⁊ pꝛecipue cum
tempus inuaſionis timet̃ ⁊ cū coꝛ
pus fuerit plenū ⁊ vene plene Et
fuit diu ex quo neqꝫ minutus neqꝫ
ſolutus fuerit. Cum autē cum do-
loꝛe iuncturaꝝ neqꝫ caloꝛ neqꝫ ru
boꝛ i coloꝛe affuerit: fueritqꝫ eger
frigide complx̄onis ⁊ locꝰ tactu ſē-
tit̃ frigidꝰ: i p̄ncipio curōnis eius
pill'e maioꝛes de hēꝛodactil' dāde
ſūt. pill'e maioꝛes de hermodactil'

℞. hermodactiloꝝ ſatirion meiza
bara oīm añ. ʒ. v. yerapigre. ʒ. x. co
loq̇ntid' cētauree mīoꝛis āboꝝ añ
. ʒ. v. eufoꝛbij. ʒ. ij. turbith. ʒ. x. ſeta
ragi idi ʒiʒib. ſinap̄ pipis caſtoꝛei
oīm añ. ʒ. i. infoꝛment̃ ex eis pill'e
ex q̇bꝰ a duabꝰ. ʒ. i. ⁊. ß. ad tres ſu-
mat̃. Hee nāqꝫ pill'e valde ꝯfeīt qꝛ
nō valētes ſurgere īcedere faciūt

Epithima ad podagrā frām.
℞. ſtoꝛacis liq̇de caſtoꝛei eufoꝛbij
mirꝛe aloeſ acaſſie oīꝫ p̄tes eq̄les.
Ex hijs oībꝰ vino veti admixtꝰ fi
at epithīa. Cūqꝫ iſte doloꝛ q̇eue-
rit ſuccurrat̃ patiēti ex diſtillatōe
ml'te aq̄ calide ab alto ⁊ iñūctio fi
at ex oleo d' lilio ⁊ ēpl'm ex bdellio
molli ⁊ ſtoꝛace ac fenugreco ⁊ ſe. li
ni ⁊ armoniaco ſupponat̃: qd' hoc
modo ꝯficiat̃ armoniacū bdelliuꝫ
i vino veteri reſoluāt̃ ⁊ alia oīa eiſ
admiſceāt̃ ex q̇bꝰ fiat empl'm ⁊ ſu-
pponat̃. Hec nāqꝫ egritudis ſpēs
ē q̄ in lapidis duriciē trāſit ⁊ red-
dit mēbꝛa ⁊ iūcturas fūgis ſilia. q̄
pꝛopter hāc habēs paſſionē: a fa-
ſtidio ⁊ ab aqua frā ⁊ a cibis groſ
ſis ⁊ a frequēti ebꝛietate cuſtodiat̃
eiqꝫ p̄cipiendū vt dū ſanꝰ eſt motu
vtat̃ ⁊ a coitu abſtineat: ⁊ p̄cipue
cū ſat̃ fuerit neqꝫ balneū ingredi-
at̃: neqꝫ excitet̃ poſt cōeſtionē. vi-
nū p̄cꝛea vetꝰ ⁊ puꝝ bibat: eis qꝫ
dū ſanꝰ ē vtat̃ q̄ vrinā ꝓuocare cō
ſueueīt. Doloꝛ v̓o q̇ ſciaticus vo-
cat̃ ē q̇ ab ancha p̄ coxaꝫ totū vſqꝫ
ad genu lōgitudīꝫ ꝓtēdit̃. Quqꝫ

etiam in lõgitudine ad virge ſimi
litudinez extẽſus per crus vſqꝫ ad
pedes deſcendit. ⁊ tũc ſi in cõple=
xione fuerit caloꝛis dominiũ ⁊vri=
ne tinctura ex baſilica manus eiuſ
dẽ partis: priuſ minutio facienda
eſt. deinde ex ſciatica. Si autez e=
gri cõplexio frigida fuerit: ⁊ coloꝛ
fuſcus: ſepe ꝓuocandus ẽ vomit⁹
ex apoꝫimate raphani cum ſirupo
acetoſo. Coxa quoqꝫ ac pes ⁊ crus
ex oleo in quo caſtoꝛeũ eufoꝛbiuz
⁊ ſtoꝛax ſint reſoluta: inungantur
aſſidue. Qđ ſi doloꝛ in coxa mãſi=
uus fiat ⁊ eger ex almuri nabati et
baurach cliſterizetur: ⁊ ex enema=
te acuto quod in capitulo de apo=
plexia nominauim⁹. Colliriũ quo
qꝫ ex ciclamine ⁊ coloq̃ntida fac=
tum supponat᷑. Que eo vſqꝫ fieri
cõuenit donec excoꝛiatõem incur=
rat. Ex ea eñ duz accidit plerũqꝫ
cõſequitur ſanitas. Si autẽ paſſio
inueterauerit: ſinapis ſumatur: et
cũ fimo columbino eiuſdem q̃ti=
tatis terat᷑: ⁊ ex apoꝫimate ficuum
conficiãtur: ex quibus coxe empla
ſtrum ſupponatur. Qđ cũ diu di=
mittatur donec ĩ loco veſice aque
fiant ⁊ fundatur ⁊ effluat aqua q̄
in eis eſt: ⁊ vapoꝛet᷑ locus cũ aqua
calida. deinde eger per aliquot di
es quieſcere dimittatur. Et ſi non
dum ſanitati reſtitutus fuerit: ad
hanc eandem curam redeundum
Qđ ſi egritudo valde manſiua fi=
at ⁊ longi tempis ⁊ timetur ne ver
tebrũ ꝓſiliat aut egreſſum fuerit:
locus ex inſtrumẽto quod rote aſi
ni aſſimilatur cauterizandus eſt ⁊
intẽdatur cũ coctura caput anche
apud caput coxe. Huius tamẽ rei
ſermocionatio iſtius noſtri ope=
ris methas trãſcendit. Taliter p̄=
terea patientes in tempe ſoſpita=
tis vomere conſueuerũt ⁊ ſoluere
ventrem ⁊ regimen ſubtiliare: ⁊ a
cibis groſſis frequẽti ebꝛietate ab
ſtinere.

Epodagra ⁊ ſciatica Expone. de podagra. i. de paſſiõe pedũ ⁊ ſci=
atica. i. de paſſiõe ſcie. Nam iſte paſ
ſiones deſcribũtur nomie ꝑticule pṅcipaliter pa
tiẽtis. Mos fuit antiquoꝝ vt recitat Ga⁹. 2°. de
ige°. c. 2°. vt videatur materia. ¶ Nota poſt. nos
habemus guttam artheticam: ciragram: poda=
gram: ſciaticam. Iſte paſſiões ſunt de eodez ge
nere. Raſis i ſuo cõtinẽte in pͥncipio capl'i. Gut
ta eſt paſſio iũcturaruz ſicut arthetica. & ẽ nomẽ
generale paſſionis deſcripte a ſimilitudie rei ex=
trinſece. Dicit᷑ gutta. qꝛ humoꝛ guttatim cadit et
ruit a venis ꝑ earuz capita lata a generatõne vel
a tempe ad iũcturas ſubiacẽtes laxas. Et qꝛ tal'
eſt crudus i genere ſuo ⁊ ſimilis colere i liquidi
tate. Raſis i pͥcipio capl'i. ideo ex ſui natura eſt
fluxibilis reumatizãs. ⁊ i om̃i podagra ⁊ gutta
cõmunicat reuma humoꝝ a venis ad ip̃as iun=
cturas ex hoc: vt dicit Raſ. i ca° i pluribus loc̃.
ad quod adiuuat mala actio naturalium v̇tutuz
ip̃arum venaꝝ: vt dicetur infra. ideo materia mł'=
tiplicata ⁊ excedẽs i venis fluit tẽpe ꝑoxiſmi ad
ipſas iũcturas in q̃titate notabili per viaz catar
ri ⁊ tempe q̇etis i modica quãtitate. ideo ſũt gra
uide ⁊ nõ doloꝛoſe: niſi violẽter moueãt. ꝓpt̃ iſtã
cauſam Raſis i ꝓſeruatõe conatus eſt ſtringere
illum fluxũ reumaticũ i ip̃is venis i talibus cuz
tyriaca ⁊ metridato ſepius ⁊ ſepius miſtrat̃ tpe
quietis: vt clarius dicet᷑ infra. ¶ Arthetica ſimi=
liter eſt paſſio iũcturaꝝ deſcripta nomie ꝑticule
patiẽtis. ab arthos quod eſt iũctura. ſic iſte due
paſſiones eedem ſunt in genere non differẽtes

niſi ſola deſcriptiõe:iſta artetica habet tres ſpe-
cies ſub ſe diſtinctas ex ꝑte ꝑticule: q: ſi iũcture
pedũ patiãtur dr̃ podagra ſi manuũ dr̃ cyragra:
ſi anche dr̃ ſcia aut ſciatica. ¶ Ulterius nota ꝙ
cauſa podagre ⁊ cuiuſcũq; artetice eſt hũoꝛ cru
dus ⁊ liq̄dus in genere ſuo ſiue ſit ſanguis vel
colera vel flã vel mẽlia ex q̄bus eſt fluxibilis ⁊ ru
ens ꝑ venas ad ↄcauitates ſubiacẽtes ꝑ capita
ĩpaꝝ nimis lata ꝓpt̃ qđ dicit Raſ in ſuo ↄtinẽ-
te ꝙ cũ podagra ⁊ q̄cũq; gutta reuma ↄmũicat
nam fit al's ex ſanguĩe ſolo ⁊ ſinglari puta i ſan
guineis hoc raro eſt :⁊ al'n fit ex ſanguine cum
portiõe colere vt fit in ſanguineis in ꝑmis etati-
bus cõiter.al'n fit ex ſanguĩe cũ portione flãt̃: vt
fit in ſanguineis in vltimis etatib' in q̄buſdam
alh fit ⁊ raro cũ portione mẽlie ⁊ ſic al'n ex colera
ſingu'ari puta in colericis hoc raro eſt.aliquan-
do fit ex colera cũ portiõe ſanguinis vt fit:in illis
qui vergũt ad colerã rubeam ſunt ſatis coloꝛati
dum ſunt in ꝑmis etatibus.⁊ aliquãdo fit ex co-
lera cum portiõe flãtis vt fit in quibuſdam cole-
ricis in vltimis etatibus:raro aũt ↄtingit ꝙ fiat
cum portione mẽlie in iſtis. Et aliq̃n fit ex flãte
ſolo ⁊ ſingulari hoc raro fit. Aliq̃n fit ex flãte cũ
portiõe ſanguinis vel colere ꝙ eſt vt plurimũ in
carnoſis bene coloꝛatis cõicat ſanguis ꝙ pate-
ſcit ex ruboꝛe competẽti particule in macilentis
⁊ parũ carnoſis cõmunicat colera cõmuniter ꝙ
pateſcit ex caloꝛe notabili ipſoꝛum pedꝫ ⁊ ex co-
loꝛe tendente ad q̄ndã ſubrubeõ: ſeu citrinitatẽꝫ
rariſſime aũt fit ex mẽlia niſi ꝑ viaꝫ alicui' portio
nis mixte cum flãte in naturali vt declarabit̃ ſta
tim. ¶ Aduerte ꝙ in cyrag̃ de q̄cũq; hũoꝛe fiat ẽ
maioꝛ portio hũoꝛiſ calidi ↄcurrẽtis ꝓpt̃ qđ cyra
gra ẽ magĩ cal'a in gñe ſuo q̃ podagra. Raſis in
ſuo ↄti°:⁊ cũ dicat̃ ꝙ hũoꝛes calidi ſunt magĩ le
ues. ¶ Ulteri' aduerte ex intẽtiõe Raſ in.c.ibi
dẽ ponit Auic.in.c.ſuo ꝙ vẽtoſitas vt plimũ cõ-
municat cũ talib' hũoꝛib' ruẽtibus ꝑ venas ad
ipſas iũcturas:⁊ iſta eſt vna ei' cauſa ſalt' ⁊ mu
tatiõis ⁊ feſtini ↄcurſ' in alijs locis ⁊ iũcturis
diuiſis:⁊ ad hoc Raſ iubet cape de hermodactil'
cũ maioꝛana ⁊ cũ zucc̃.pulueriſat̃ addito modi-
co aq̃ tepide.hoc clari' dicetur inferi'. Tu dices
notũ eſt ꝙ fit plu̾ries đ flãte ſolo ⁊ maxie cũ poꝛ
tione ſanguis vel colere vl' mẽlie.dices de q̃ ſpe-
cie ipſius flãtis fit videt̃ ꝙ đ flãte naturali:q: illđ
tendit naturalr̃ cũ ſanguĩe ⁊ colera ꝑ venas vt i
ncc̃itate ſ̃.ſanguis:⁊ vt aliq̄d fluat in iũcturis ex
intẽto nature vt hũectent̃ iũcture que ſunt mul-
te motiõis ne deſiccẽt̃:nec ſiccitas indebita eis

accidat ꝓpt̃ caloꝛẽ q̄ ex motu ꝓuenit vt dic̃ auic̃.
ꝑmo can̄.fen ꝑma doctrina de hũoꝛibus in.c°.ꝑ°
Si ergo in ſanitate ꝓ conſeruatiõe iuncturaruꝫ
aliquid de flãte fluat fluit ex intento nature ſi ex
cedat ipſum flã in venis đ facili fluit ad ipſas in q̃
titate excedẽti potiſſime ſi iũcture ſint laxe ⁊ ca-
pita aſſiſtentium lata:quia ipſa faciũt ad hoc.
¶ Ulterius probo ꝙ fiat a flãte muſcillagino-
ſo:q̄a podagra fit a flãte groſſo ⁊ crudo. Raſ in
ſuo continẽte modo crudũ flã ſub muſcilagino-
ſo ↄtinetur. Auic̃.in loco ſtatim dicto in.c.pꝛimo
de hũoꝛibus. ¶ Ulterius ꝓbo ꝙ fit a gipſeo in-
tentiõe auic̃.in doctrina illa de hũoꝛib' in.c°.ꝑ°.
vbi dicit ꝙ flã gipſeuꝫ eſt cui' ſubtile fuit reſolu
tũ:q̄a in foꝛaminibus ⁊ iũcturis diu fuit retentũ
ꝙ omĩbus exiſtit groſſius. ¶ Ulterius probo ꝙ
fiat a flãte vitreo ⁊ acetoſo:quia talia flãta pluri
mũ abũdãt in venis in toto coꝛpe quoꝛundã er-
go ſi abũdãt natura tanq̃ ab iſtis grauata expel
let ad extrema coꝛpoꝛis ⁊ per ↄñs ad iuncturas.
¶ Ulterius probo ꝙ fiat a flãte ſalſo quia iſtud
ſimilr̃ abũdat in venis quoꝛundã:⁊ ſunt multiꝫ
ſitibundi cum caloꝛe membꝛi ſine ruboꝛe ⁊ citri-
nitate imo mẽbꝛũ eſt pallidi coloꝛis. ¶ Conclu-
do igit̃ ꝓpoſitũ. Dicẽdum ad dubitatiõem ꝙ de
poſſibili cyragra ⁊ podagra fiunt de vtroq;:naꝫ
in carnoſis competẽter coloꝛatis ſatis letis fiũt
de flãte naturali cum portiõe modica ſanguinis
vel colere:qđ pateſcit ex ſignis atteſtantibus ſu
per hoc ⁊ in quibuſdã q̄damnõ macilentis in q̄
bus coloꝛ nec ruboꝛ nõ excedunt:⁊ ſunt ſemper
ſatis triſtes:⁊ mẽlici fiunt de flãte muſcillagino-
ſo in quibus ꝓpter moꝛam ma̾ie in iuncturis ma
teria lapidificat̃ ꝑ viã congelatiõis a frigido ex-
trinſeco.⁊ in quibuſdam per viã reſolutiõis par
tis ſubtilis ab vnguẽtis vl' a balneis naturalib'
exceſſiue calidis:⁊ tunc tale flã muſcilaginoſuꝫ
cõuertitur in gipſeum.ideo articuli ⁊ digiti eoꝛũ
veniunt in nodoſitates lapidoſas:⁊ hoc intelle-
xit Auic̃.in loco illo q̃n dicit ꝙ flã gipſeum eſt cu
ius ſubtile eſt reſolutũ q̃n in iuncturis fuit diu retẽ
tum. Et de poſſibili fiunt a flãte vitreo pontico:
⁊ acetoſo vel ſalſo. Silr̃ cõicat portio mẽlie com-
mixte cũctis ex qua acquirit̃ talis ſapoꝛ vel tal'.
¶ Ulterius tu queres ſi tales humoꝛes exeunt
venas ſub foꝛma pꝛopꝛia vel ſub foꝛma ſecunda
rũ hũiditatũ. Dicẽdum ꝙ in ſanitate hũoꝛes ac-
quirũt foꝛmã nouã in capitib' venarũ ⁊ foꝛmaꝫ
ſecũdarũ humiditatũ in egritudinib' nõ quia ex
pellunt̃ ad extrema tanq̃ ſuperfluitas vt fit i ſca
bie:ſimiliter vt eſt declaratũ in expoſitiõe quinti

de morbo. ¶ Ulterius tu queres cū talis mate
ria faciat tumorē apostemosuz in mēbro q̄re tal'
ma̅ria nō ꝯuertit̄ in saniem. Dicēdū ꝙ talis ma-
teria est multū cruda: ⁊ q: ꝯtinue innouat̄ ratiōe
fluxꝰ longeui: nā .xv. vel .xx. diebꝰ fit fluxꝰ ma̅rie
ad mēbrū in alijs apatibus cōiter fit fluxꝰ in tri
duo: q: in tribꝰ q̄ttuor diebꝰ: ideo natura tūc ten-
dit ad gn̄atiōez saniei: ideo natura poxismatvno
tēpore vl' ꝯgregat alio tpe expellit. ¶ Ulterius
tu dices Rasis in suo ꝯti͡ dicit ꝙ in podag̃ semꝑ
cōicat reuma nā hūores ruūt ꝑ venas ad ꝑtes
subiacentes sup hoc tu q̄res si reuma ⁊ catarrus
pōt fieri in materia q̄ est infra venas videt̄ ꝙ nō:
q: videmꝰ catarrū fieri ⁊ reuma in ma̅ria que flu
it ꝑ cōcauitates extra venas: ⁊ hoc videmꝰ ꝺ ca-
pite fluit ad nares ⁊ fauces. Dicēdum ꝙ ma̅ria
reumatica interdū fluit ꝑ ꝯcauitates extra vēas
vt tu ponis interdū fluit ꝑ venas vt ē declaratuz
superiꝰ in .c. de catarro ⁊ de pleuresi: ⁊ in .c. de flu
xu vētris: ⁊ h̄ fit q: humores crudi ⁊ liq̄di ad qꝺ
facit multitudo hūoꝝ ⁊ debilitas seu mala actio
ꝯtētiue ⁊ expulsiue venarū. ¶ Ulterius tu q̄res
cū multi abūdāt in hūoribꝰ crudis ⁊ liq̄dis q̄re
oīes tales nō podagrisant. Dicēdū ꝙ nō habēt
pedes debiles nec laxos nec capita venarū assi-
stētiū sunt lata vltra debitū ꝓpt̄ qꝺ ma̅ria nō sic
fluit ad iūcturas: iō nō podagrisant. ¶ Notū est
ratiōe speculanti ꝙ oīs gutta f̄m eius spēs est
passio p̄ncipal̄r iūcturarū ad q̄s fluit ma̅ria: ꝯtr
ipoꝝ lacertoꝝ assistentiū: ⁊ ē paᵒ ꝑ colligātiā ve-
nit ꝙ venire nō dꝫ f̄m naturā: q: multitudo istiꝰ
vel illiꝰ hūorꝭ ad qꝺ facit laxitas iūcturarū. Dicit
Rasis in suo ꝯti͡. iō est paᵒ hereditaria laxꝰ laxuz
podagricꝰ podagricū gn̄at ⁊ fluit poxismal̄r ꝑ
viā reumaticā ex na̅ra hūoris: q̄a crudꝰ ⁊ liq̄dꝰ ⁊ cō
tinue lꝫ quasi insensibil̄r ꝓpt̄ qꝺ iūcture sunt g̃-
uide lꝫ nō dolorose nisi violent̄ moueāt̄ ꝓpter ca
suz istū reumaticuz hūoris in venis ad venas: ⁊
iūcturas subiacētes. Rasis vult ꝙ tales in p̄ser
uatiōe de quacūqꝫ cā ⁊ in cura de ma̅ria fria vtā-
tur sepe ⁊ sepiꝰ tyriaca ⁊ metridato imo q̄qꝫ dic
tempe frigido ⁊ successiue ⁊ ꝑ interualla tpe ca-
lido hoc ponit ad litterā in .c. ꝓpo podagra. f̄m
eiꝰ spēs dicit triplex genꝰ morbi: q: malā figurā
in malā cōplōz ⁊ soloz ꝯtinui cōcomitādo morbū
in viā: q: latitudinē capitis venarū assistētiū ipis
iuncturis. oīs gutta f̄m eius spēs est nocumē
tum p̄ncipal̄r digestiue ⁊ expulsiue venarū ⁊ ali
oꝝ viscerū. nā si digestiua nō erraret nec expulsi
ua in actionibꝰ suis tal' ma̅ria nō gn̄aret̄ nᶜ mit
teret̄ ad iūcturas: nā ꝯclusum est a Ga. xi. de in-
genio in .c. ij. circa tertiā partē capl'i. ꝙ ab initio
curatiōis natura habet motū naturalē arteriarū
qua sil'r expellit cū pulsu ⁊ anhelitu expellēdo ꝙ
si nō facit cātur egritudo ꝓpter qꝺ oīs morbꝰ
ma̅rialis est ex nocumēto seu mala actiōe dige-
stiue ⁊ expulsiue natural' ⁊ vitalis corꝑis venaꝝ
⁊ arteriarū ⁊ pectoraliū: nā cruditas hūoꝝ mon
strat malā actiōez digtie mēbroꝝ ⁊ casus reuma
ticus hūores ad iuncturas mōstrat retentiuā ve
narū esse lesam in actiōe ⁊ ꝙ expulsiua natural'
⁊ vitalis sit lesa: pꝫ q: hūores expellunt̄ ꝑ poros
⁊ ꝑtes indebitas ꝑ naturā: nā ꝯclusum ē a Gaᵒ.
vi. de morbo in .c. penultio ꝑte illa de exeūtibꝰ ꝑ
vesicā ꝙ expulsiua natural' venaruz regulata ex-
pellit eruginem ⁊ sordinē grossam hūoꝝ ꝑ seces
sum subtilē ꝑ vrinas mediocrē ꝑ sudorē: ⁊ pꝫ ꝙ
oīs gutta ē paᵒ p̄nci' motiue animate quia illi
infert principaliter nocumētū cum nō possint be
ne moueri. Quidā moderni opiati sunt ꝙ gutto
si ⁊ podagrici sunt mag̃ lōgeui: q: sup̄fluū hūoꝝ
q: natural̄r aggregat̄ in venis corꝑis ꝑ naturaz
expellit̄ certis tpibꝰ meliꝰ q̄ ꝑ medicinā puta se
mel bis ter in anno. verū isti a longinq̄ locuti sūt
q: tale sup̄fluū i tanta q̄titate nō generat̄ nisi ex
magno errore digestiuarū puta p̄me scd̄e ⁊ tertie
nec expellit̄ ꝑ naturā expulsiuā naturalem mem
broꝝ nec vitalē arteriarū regulatas in actionibꝰ
suis: q: tūc talis ma̅ria expelleret̄ per secessum ⁊
vrinas ⁊ sudores. ꝑ pulsum ⁊ anhelitū ꝓpter qꝺ
podagrici nec alij guttosi nō p̄nt ex hoc esse ma-
gis longeui: imo minꝰ viuūt: nā guttosi cōmuni-
ter paucissimis exceptis finiūt dies suos circa .lx.
annū pauci attingūt .lxiij. ānuz ⁊ paucissimi .lxv.
annū rōne debilitatis v̄tutū naturaliū in venis ⁊
in alijs visceribus p̄ncipalibꝰ. verū Rasis. dicit in
suo ꝯtinēte in .c. de podagra: ꝙ podagra est icu-
rabilis nō habens sanatiōem perfectam nisi fu-
erit in p̄ncipio ꝙ nō habuerit vltra duos vl' tres
peroxismos. ꝓpter qꝺ standum est ex intento su
per duobus. Primo super preseruatione ipsius
peroxismi podagre ne totiens nec ita fortiter re-
deat ꝙ fit q̄ttuor modis vt statim declarabitur.
Secūdo standum est ex intento super curatione
⁊ abbreuiatione peroxismi. explicentur ergo isti
quattuor modi ⁊ exequātur quibus fit preserua-
tio peroxismi. Primus modus istius preseruati-
onis stat in preseruatione gn̄ationis ipsius ma-
terie cum cibis ⁊ potibus ⁊ alijs rebus nō natu
ralibus. Secūdus stat in quietando ipam mate
riam ne ruat per venas nec ad iuncturas ⁊ ipaz
aliqualiter consumendo quia continue regene-

ratur in talibus lapſis corporibus vicio regiminis
vel vicio ꝑme vel ſcḋe vel tertie digeſtiāꝝ. Terti-
us modus ſtat in confortando ſtringēdo deſiccā-
do ipſas iūcturas debiles ⁊ capita venaꝝ aſſiſtē-
tium ſtringēdo ne talem ma̾iam recipiāt per ca-
pita illarū venarū dilatata: nam cōiter aliq̄d de
materia recipiūt ꝓpter qḋ ſunt grauide. Quar-
tus modus preſeruationis euētus peroxiſini po-
dagre ſtat in diuertēdo tales materias ꝑ vices ſe-
pe ⁊ ſepius tempe quietis vt expellātur per po-
ros ⁊ meatus debitos puta per ſeceſſum ⁊ vrias
vt nō ruat ad iuncturas. nam iſtis q̄ttuor modis
complet̃ tota preſeruatio. Raſ in ſuo ꝯtinēte in
caº ꝓprio. ¶ Exſeq̄tur ergo ꝑmus modus vt tol-
latur ergo gn̄atio ⁊ multiplicatio talis materie
vtatur pane bene fermētato. ⁊ ſi poſſibile eſt cū
fermēto bene antiquo: ⁊ ſit duoꝝ aut triū dieruꝫ
aut plus: ⁊ vtatur eo in cena maxime calefacto
parum dū erit in menſa hoc faciat potiſſime i po-
dagra humida. Hoc aūt nō habeatur pro modi-
co in omī paſſione humida vt in yposarca ⁊ ſili-
bus nō vtatur eo in offis remollitis vitabit pa-
nem azimū ⁊ omneꝫ cibum factum de paſta vt
lagana ⁊ cruſtas paſtilloꝝ ⁊ ſimilium vtat̃ carni-
bus bullitis ⁊ aſſatis volatilium cōmunium dem-
ptis carnibus auium degentium in aq̄s ⁊ in pa-
ludibus vt ſunt anſeres guithe folche ⁊ ſimiles
vtatur carnibus q̄drupedalium cōium demptis
bouinis ⁊ porcinis recentibus ⁊ ſalſis: ⁊ q: car-
nes ſunt excedētis hūiditatis ⁊ abundant̃ nutri-
mēti. Raſ in ſuo ꝯtinēte nocitiue ſunt guttoſis
de cauſa hūida ſi capiant vſq; ad ſatietatem po-
tiſſime in cena: q: cena in talibus debet eſſe cum
pauco cibo ⁊ potu. Raſ in .c. ideo ſolum reficiā-
tur de vnis carnibus vel de duabꝰ ad plus i vna
refectione ⁊ non ad ſatietatem vltimā: immo di-
mittat. ⁊ ceſſet a comeſtione cum bono appeti-
tu. nam Raſis ſubdit in littera ꝙ frequens ⁊ ma-
gna comeſtio carnium generat podagrā: naꝫ ex
hoc crapuloſi ſi i ocio fuerint incurrunt podagrā
de piſcibus parum aut raro comedant ſint tamē
marini vt ſtincti electi: puta rubei vel alij electi vt
ſola nō ſint magni nec beluales nec corticeꝫ du-
rum habentes vt ſunt laguſte ⁊ ſimiles: vl' ſint
ſuauis saporis vel ſint de aqua dulci petroſa cur-
renti ⁊ ſint electi in terra ſq̄moſi nō muſcilagio-
ſi vt ſunt āguille q: tales aquoſi ⁊ crudi flātus ⁊
curſibilis per venas ⁊ ad iuncturas ſunt gn̄ati-
ui: ſalient̃ electi ꝑus per pauſā ⁊ cōꝑmātur cum
ſiſſorijs vt eorum viſcoſitas remoueat̃ aſſant̃ vel
condiant̃ cum ſpeciebus electis ⁊ ſalſa cū modi-

co vini albi verba ſunt Arnaldi in tractatu ſuo ḋ
conſeruanda ſanitate pacientium in iuncturis:
de caſeis ſiccis poteſt vti in fine menſe cum pa-
ne in modica quantitate: quia in duobus vel tri-
bus bolis. caſeum pinguem recentem ⁊ omneꝫ
cibum de genere lactis vt caſeatus ⁊ ſimiles in-
ſuper euitabit. nam tales cibi talibus ſunt mor-
bidi. verba ſunt arnaldi in illo tractatu dicto. fru-
ctus oēs podagricis ſunt mali niſi ſint gutta ḋ co-
lera in maiori parte tunc poteſt eis vti in modi-
ca quantitate ſpecialiter piris eſtiualibꝰ nō hye-
malibus. Raſis in ſuo continente quia generāt
humorem nō fluxibilem immo ſatis quietum: q̄
hyemalia humorem cruduꝫ aquoſum fluxibilē
generant: ideo omībus podagricis ſunt nociti-
ua ⁊ omnes alij fructus potiſſime acres vt ſunt
poma pruna ceraſa ſpecialiter acria quia humo-
rem valde crudum generant ⁊ perſica quia aq̄-
ſum ⁊ fluxibilem generant. Raſis in eodem caº
Olera podagricis ſunt contraria caules come-
dant que habent proprietatem in contrarietate:
huius morbi verba ſunt Raſis in caplo ſpecia-
liter ius eoruꝫ: ideo eis poſſunt vti ſpecialit̃ de
iure eorum. Legumina ſimiliter fugiat podagri-
cus ciceribus tamen aliq̄n poteſt vti raro tamen
⁊ in modica quantitate: ius autem ipſorum ma-
xime nigrorum eis competit ſicut ius cauliū rub
Pulmenta omnia facta de farina ſunt eis con-
traria. De riſo cocto integro cum brodio carniū
poteſt vti aliquando finaliter parum vtatur po-
tagijs iſtis ⁊ alijs minus ⁊ in minori quantita-
te. Uinum eligat de loco petroſo ſiccum ⁊ aliq̄n
ponticum vbi ſit vna pars de preſſura ⁊ ſit rube-
um medio mediocre in ſubſtantia ⁊ virtute: naꝫ
tale bene confractum ſumptum in modica quā-
titate quia bis vel ter in menſa duntaxat cōfert
valde ſi non ſumat̃ ante cibum vel circa niſi ter-
tia pars cibi potiſſime in prandio preaſſumpta
fuerit. Nec ſumat vinum inter duas comeſtiōes
niſi magna neceſſitas fuerit: nā tale taliter ſum-
ptum calorem naturalem viuificat: ⁊ digeſtiuas
in membris confortat ⁊ podagram non prouo-
cat. Raſis in ſuo continente: nam cum vinuꝫ ſit
magnꝰ penetrator: rōne eiꝰ ꝯºnis ⁊ cōmixtionis
elemētalis maxime ſi forte vel ſubtile fuerit vel
abundanter ſumptum quia penetrat ante ſui ꝑ-
fectam digeſtionem ⁊ penetrādo aliquid portat
de ſordido indigeſto talia vina mltas materias
flāticas in venis ⁊ in iuncturis mltiplicāt ex qui-
bus podagriſat. Et qui talibus nihil habunda-
uerit ⁊ copioſe ſumpſerit non conſequentur

vtilitatē in preſeruatiōe cum medicinis :ṽba ſūt Raſ in.c.vidi plures potentes podagricos viuē tos in errore iſto q̄ volūt potare modicū de vino forti puta de vernacha vel de vino cocto vel de ſimili in fine mēſe credētes ꝙ digeſtiua ſtoma⸗chi ex hoc conforteꝛ ꝙ nō fit:imo eſt cā generati onis flātis in venis:q: facit ſic penetrare cibum ante ſui digōem:⁊ iſta eſt ratio Raſ ⁊ Auicē.⁊ Gordoni⁹ hoc tibi recitat libro.vi.in.c.pmo ⁊ 2°
Vtatur ergo vino mediocriꝛ tibi dicto:⁊ ſi vult faciat vippam in fine ⁊ vitabit illa vina fortia ⁊ nectar ⁊ vina ſubtilia:⁊ eſt dictū verū:q̄a om̄es podagrici abutūtur vtplurimū in h̄ vl' i illo dicit Raſ in ſuo ꝯtinēte:ꝙ abſtinētia potus vini ſa⸗nat podagrā ſi abſtineat per totā vitaʒ intelligit qn̄ pa° eſt de cauſa cal'a in toto vel in parte. Et ſubdit in eodē capl'o.vidi plures patiētes relinq̄ re potū vini ⁊ ſanati ſunt de podagra om̄ino aut admin⁹ ē debilitata pa° valde ſubdit ꝙ ſi patiēs poſſit hoc ſuſtinere abſq3 nocumēto euitet vinū om̄i tpe vite ſue vel admin⁹ ꝑ annū vnū cū hoc fiat paulatim ⁊ paulati.⁊ loco vini debēt vti aq̄ decoctiōis aniſi ⁊ ſeminū ꝯfortantiū ſtomachū. ṽba ſunt ad l'ram ipius Raſis in ſuo cōtinēte in ca° ꝓprio.Nos cōiter decoq̄m⁹ aquā cum modi co aniſi ⁊ ʒʒ¹.Aliq̄ faciūt eis mellicratū cū.ʒ.iij. mell' ad q̄titatē anpho^c aq̄.Coyt⁹ intēſus ⁊ ſu⸗ꝑerabūdās q̄cq3 tpe fact⁹ maxime p⁹ cibū eſt eis multū nociu⁹ vel fact⁹ cū appetitu ⁊ cū cogitati one que fit ex mēoria delectatiōis ⁊ nō ꝑ exerci⸗tatiōem:q̄a corp⁹ cogiꝛ emittere illam ſupfluita⸗tē:ſilr nocet multū podagricis ⁊ om̄ib⁹ artethiq̄ imo h3 magnā ṽtutē i ḡnatōe podagre ꝓpꝛ ḡna tōʒma^c crude liq̄de reūatice ad iūcturaſ.ꝓpꝛ qđ pueri ⁊ eunuchi nō podagriſant niſi habeāt iun cturas debiles a ḡnatiōe vicio paterno : Raſ in ſuo ꝯtinēte in.c.ꝓprio.Somn⁹ ſalubri⁹ ē talib⁹ artetiq̄ puta q̄ noctē nō effugit ⁊ diē nō impedit: nam ſomn⁹ factus de die ꝯtrarius eſt om̄ib⁹ ar⸗tethiq̄ maxime patientibus de cā humida verba ſunt Arnaldi in tractatu ſuo i ꝯſeruāda ſanitate iuncturarū debiliū:quia talis ſomnus diurnus eſt cauſa generationis humoris crudi reumatici fluxibilis cū nōdum cibus ꝑfecte deſcenderit ab orificio ſtomachi in quo nō celebraꝛ bona dige ſtio:nā fundi ſtomachi eſt digere ꝑ excellentiam ſicut orificij appetere.4° de mor° in.c.vij.motuſ ⁊ quies ſi debite fiant ſunt de eis que conſeruāt ſanitatem in iuncturis:quia virtutes naturales mēbror oim corroborāt calefaciēdo debite ⁊ ex⸗pellendo ſuperfl uitates:⁊ ſi indebite fiant eſt ꝯ

contrariū qđ pateſcit expiētia facti nam pl'es ec cleſiaſtici ex iſto capite podagriſant viuētes i cra pula ⁊ i ocio n̄ ꝯtinuātes exercitiū pedeſter ante prādiū ⁊ an̄ cenā.ſic p3 tibi p̄ſeruatio ḡnationis matie crude ⁊ liq̄de ⁊ ꝑ ꝯn̄s ipi⁹ podagre cū cib ⁊ potib⁹ ⁊ aliјs.Exequatur 2⁹ mod⁹ p̄ſeruatōis ipi⁹ paroxiſmi podagre ne ita cito ⁊ fortiꝛ veniat ꝙ applicēꝛ illa q̄ ꝯſeruāt ⁊ q̄etāt hūores groſſoſ crudos ⁊ liq̄dos i venis ne ruāt nec reumatiſent nec fluāt indebite ꝑ venas ad ipas iūcturas :q̄a l3 in paroxiſmo podagre matia ruat ⁊ cadat nota biliꝛ in iūcturi tpe q̄eti ſp ruit aliq̄d:ſ3 i modica q̄ titate q:ex h̄ ſūt q̄uide nō doloroſe niſi violenter moueꝛeꝛ.Et l3 tl'es ma^e crude liq̄de digerāꝛ.⁊ in aliq̄ ꝯſumāꝛ ⁊ ꝑ ꝯn̄s in aliq̄ q̄etāꝛ ne ruāt ex quo corrigūꝛ cū dieta tenui ſupi⁹ dicta marie i cena. ⁊ cū motu ⁊ exerci° debito facto an̄ prādiū ⁊ an̄ cenā vt ē ſupi⁹ dictū ⁊ cū ſtuphis natalib⁹ ſemel vel bis ter i āno q: tales matias crudas digerūt ꝯſumūt ⁊ corrigūt ſic q̄etāt ipas ne ruāt ad iun⸗cturas ⁊ cū h̄ iūcturas fortificāt ⁊ ꝯſtrigūt.verū tal' matie crude correctio ⁊ ꝯſumptio ⁊ ei⁹ q̄eta tio ne idebite ruāt ꝑ venas ad ipas iūcturas me li⁹ fit cū tyriaca ⁊ metridato ꝙ freq̄nꝛ adminiſtraꝛ ex h̄ q̄pl'es ſanati ſunt vt ponit raſ i ſuo ꝯti^c.in⸗telligo ꝑ frequenꝛ ꝙ de trib⁹ in trib⁹ vel q̄ttuor i q̄ttuor dieb⁹ de mane in q̄ntitate groſſe fabe cū modico vini clari vl' albi.ſubdit Raſ i q̄dā par⸗te capl'i:ꝙ tyriaca ipatoris ꝑ quā itelligo tyriacā magnā vl' metridatū bibita de mane ſi hyēs fu⸗erit q̄libet māe:⁊ i eſtate nō ſed ſucceſſiue ꝑ ali⸗q̄s dies q: ſemel vl' bis i ſeptiana facit ceſſare et eā tollit.ṽba ſunt Raſ.ſubdit i alia pte capli:ꝙ tyriaca facta ad ceſarē medicū data in potu po⸗dagricis frequēꝛ ⁊ pluries ꝓhibet ſupfluitates deſcēdere ad pedes ⁊ ꝑ ꝯn̄s preſeruat a podag̃ ṽba ſunt Raſ in.c.ꝑ iſtā tyriacā ego itelligo me tridatū q: in l'rū ꝓhibet reuma hūor corrigendo hūores crudos ꝙ deꝛ freq̄nꝛ ſalti bis vl' ter in ſe ptimana niſi tp̄s fuerit mltū calin tūc ſemel ad min⁹ ⁊ cū ſucco citrāgulor vel cū aq̄ endiuie in toto vl' in pte:nā cū tyriaca ⁊ metridatū ſint cali⸗di.In ſcđo ḡdu vt dic Auic.in de virib⁹ cordis i ca° penultio conſumūt matias crudas ⁊ liq̄das ⁊ eas corrigūt ⁊ ꝑ ꝯn̄s ipas q̄etāt ꝓpꝛ qđ ꝓhi⸗bēt fluxū ipi⁹ vel ad iūcturas iō iſta de cā faciūt ceſſare podagrā.Exſeq̄tur terti⁹ mod⁹ p̄ſeruatio nis ipius paroxiſmi podagre ne ita freq̄nter ⁊ for⸗titer accidat vt applicētur illa exteri⁹ q̄ ꝯfortant ꝯſtringūt ⁊ deſiccant iuncturas ⁊ capita venar aſſiſtentiū: q: laxitas et largitas iūcturarū facit

multũ ad aduẽtũ podagre: q2 ad receptõꝫ tal' ma
terie ſupfiue ab ipis venis Raſ. in ſuo ↄti^c ſub-
dit in lr̃a epithimet̃ q̃ pedes ⁊ membra ſuſpecta
ſeu abluãtur frequẽt̃ pedes vſqꝫ ad genu cuꝫ aq̃
⁊ ſale vel cũ aq̃ maris vel cuꝫ aq̃ balnei natural'
nã multũ p̄ſeruat ea a gutta Raſ ibidẽ capi-
mus de ſale p̄tẽ vnã aque p̄tes duas vel tres diſ-
ſoluim⁹ ſupra ignẽ cũ iſta aqua cal'a abluũt pe-
des ſero ⁊ mãe vna die in ſeptimana. ⁊ ſi addas
de alumie. p. i. p̄ualebit Raſ ibidẽ. Silr̃ p̄hibet
podagrã accidere fricatio pedũ cũ ſale trito ⁊ o-
leo ſero ⁊ mane toto tp̄e vite ſue niſi fuerit in co
mala ↄ⁹ fria ⁊ ſicca. Raſ in ſuo conti^c ſubdit ꝙ
ſal tritũ cõmixtũ cũ modico oleo ſuppoſit⁹ de ſe
ro in introitu lecti p̄hibet fieri podagrã in eo q̇a
ↄfortat ↄſtringit ⁊ deſiccat iũcturas p̄pter qđ p̄
hibet ne ſupueniat in eis ſup̄fluitas. v̄ba ſũt ra-
ſis in eodẽ ca°. Exeq̃tur modus q̄rt⁹ p̄ſeruatiõis
ipi⁹ p̄pꝛiſmi q̇ fit diuertẽdo tľes mat̃ias crudas
p̄ vices potiſſime añ tp̄s in q̃ expectet̃ ei⁹ aduẽ-
tus vt expellãt̃ p̄ poꝛos ⁊ vias naturales q2 p̄ ſe
ceſſum ⁊ vrinas vt nõ ruãt ⁊ cadũt ad iũcturas
Raſ in ſuo ↄtinẽte ſubdit vt flõmet̃ ⁊ fermẽten
tur potiſſime cũ ſcamo^a turbith ⁊ hermodactil'
⁊ gumis ẜm ꝙ mat̃ia fuerit diuiſificãda: ⁊ q2 cõ
munit̃ inuadit p̄pꝛiſm⁹ podagre in mẽſe apꝛilis
vel ſeptẽbꝛis potiſſime circa finẽ purget̃ ante et
flõment̃. ¶ Si q̇s q̃ dubitat euẽtũ ipius poda-
gre de mat̃ia ſanguĩea pura ⁊ ſinglari qđ pate-
ſcit q2 ẽ mltũ ſanguine⁹ venoſus in p̄mis etati-
b⁹ cũ ruboꝛe mag̃ i facie ⁊ i pede flõmet̃ illo tp̄e
in q̃ dubitat̃ de p̄pe aduenire ⁊ ẜ. in bõa q̄ntita-
te de vena mediana vel epatica. Si groſſioꝛ fue-
rit purget̃ tã ante l' poſt cũ caſſiaſ. ſim^ci. ℞. pru
noꝝ da. xv. caricarũ bene mollũ. x. iuiube ſebeſtẽ
vuarũ paſſ. ẜ. mũđ. ab arill'. añ. p. i. fiat decoc° i du
ab⁹ ll'. aq̃ donec ad. ll'. ẜ. in qua diſſoluat̃ medul-
le caſſieſ. bñ mũđ. bñ pinguis. ℥. i. ⁊ ẜ. ẜ. pot⁹ det̃
ante oꝛtũ ſolis. ⁊ poſtea q̇eſcat in lecto ſine ſom-
no p̄ duas hoꝛas teneat dietã ſup̄i⁹ dictaꝫ. ¶ Et
ſi q̇s dubitat euẽtũ ipius podagre ſanguinee cũ
poꝛtiõe aliq̃ colere: vt fit in ſanguineis in p̄rimis
etatib⁹ vel cũ poꝛtiõe aliq̃ flãtis vt fit in ipſis in
vltimis etatib⁹ flõmia facta purget̃ cũ ſcamõea
q2 euacuat colerã ⁊ flã ſeu colerã flãticã meli⁹ p̄
ceťis medicinis. Raſ in ſuo ↄti^c in. c. de podag̃.
dent. ʒ. ij. electuarij de ſucco roſ. vel. ʒ. iij. ⁊ ẜ. pa⁹
aũt ſuinat p̄ duas aut tres dies đ ſyr° acetoſo cũ
modico aq̃ cicerũ rub: vel det̃ ſibi. ℈. i. dyagredij
cũ modico zucci roſ. vel cũ modico ſyr^i vel iulep
roſ. ¶ Aduerte tamẽ ꝙ nõ ſit gracilis nec delica

tus: q̇a dyagrediũ in talib⁹ eſt ſuſpect⁹. Et ſi quis
dubitat aduẽtũ ipius podagre de col'a ſola ꝙ ra
riſſime fit qđ pateſcit: q2 mẽbꝛũ eo tũc ẽ cũ maxi
mo caloꝛe fe. notabili ruboꝛe habitudo ſua ẽ tota
colerica: ⁊ eſt in ſcđa etate. Uel dubitat aduẽtuꝫ
podagre de colera cũ poꝛtiõe flãtis. vel de flãte
ſalſo vel de col'a innaturali q2 đ vitellina vl' citri
na qđ pateſcit: q2 tal' eſt multũ colic⁹: ⁊ eſt bñ ve
noſus ⁊ ẽ in p̄ma vl' in ſcđa ſenectute purget̃ cũ
ſcamo^a cocta: q2 cũ dyagredio det̃ ſibi. ʒ. ij. vel. ℥
ẜ. elc^i de ſucco roſ. vel det̃ ſibi. ℈. i. dyagredij cuꝫ
℥. ẜ. zucc̃. roſ. vel cũ modico iulep roſ. vl' modico
aq̃ ſimpliq̃ ⁊ ẜ. pot⁹. vel det̃ ſibi de iſtis pill'is. ix
vel. x. ℞. amomi aniſi maſtiq̃ cardamõi. ꝫꝫ^i. albi
maq̃ nuq̃ mus garioſ. croci optimi cucube ligni
aloes turbith electi mãne granate agarici ſene
q̇nqꝫ generũ mirab. añ. ʒ. ij. reub. optimi ad pon-
dus omniũ ſupꝛadictoꝝ puluerifẽtur ſubtiliter ⁊
miſce. cũ ſyr° roſ ẜ. maſſa de q̃ ẜ. pill'e doſ eſt. ʒ. i
⁊ ẜ. vel. ʒ. ij. q̄lꝫ mẽſe ſemel multũ p̄ſeruãt ⁊ ſine
ſyr°. Conſequẽter tertia die vel circa flõmet̃: q̇a
flõmia eſt multũ bõa ad alleuiãdũ podagrã ven
turã calidã dato ꝙ nõ fuerit de ſanguie. Raſ in
ſuo cõtinẽte in ſuo ca° de podagra: q̇a ſanguis i
tali diſpõne eſt multũ coleric⁹ ⁊ diminuta colera
iſtis modis coꝛp⁹ totũ infriabit̃: ⁊ ſic p̄uabit raſ
in ſuo cõtinẽte multum laudat in talibus ꝙ plu-
ries in menſe ſumãt de mane decoctionis abſin-
thij re. mediũ vitrũ q̄ttuoꝛ aut q̇nqꝫ dieb⁹ multũ
purgat ſtomachũ a ſoꝛdicie colerica: ⁊ ſic p̄ſer
uat. Uel ꝙ det̃ eis loco illi⁹ de vino ſimplici lim-
phato cũ aqua ſimplici vel aqua enduiie remol
liciõis p̄ noctẽ abſinthij cũ medico aq̃ ſimplicis
¶ Et ſi q̇s dubitet aduẽtũ podagre vel cyragre
de mat̃ia flãtica ex toto ꝙ raro fit ꝙ pateſcit: q̇a
ibi ẽ caloꝛ aliqualis p̄p̄t nocumẽtũ hũoꝛ ẜ non
excedẽs ⁊ habitudo ⁊ etas faciũt ad hoc ⁊ alia
expulſa purget̃ cũ turbith vel cũ hermodactilis
fiat ſic ẜm intẽtiõem Raſ. in ſuo ↄtinẽte. ℞. tur
bith electi. ℥. ẜ. ẜ. decoctio in modico lacť vaccini
vel ouini fiat potus: vel fiat ſic hermodactiloꝛuꝫ
ʒ. iij. ⁊. ẜ. cimini. ꝫꝫ^i. añ. ℈. i. terant̃ ⁊ incoꝛpoꝛent̃
cũ melle ⁊ diſtẽperẽtur cũ aqua tepida fiat pot⁹
Uel fiat ſic in flãte innaturali qđ p̄ꝫ: q2 triſtis di
ſcoloꝛat⁹ tũc ℞. ſerapini. ʒ. iij. ⁊ ẜ. ⁊ fiant pillule
vl' ſic. ℞. oppopõacis. ʒ. iij. ſerapini. ʒ. i. ẜ. pillule
adminiſtrent̃. Aliqui faciũt ſic ex intẽtiõe Raſ.
℞. ſarcocolle. ʒ. iij. fiãt pill'e: nam iſte pill'e pro-
p̄ae educũt flã c. uduꝫ de ventre ⁊ de articul' raſ
ibidem. ¶ Et ſi quis dubitet aduentuꝫ podagre
de materia flãtica naturali vel innaturali cũ mo

dica portiõe colere vel ſanguis vl'amboꝝ ꝙ plu
ries ꝯtigit deƀ ſibi medicina ſtati dicta ð hermo-
dactilis vel pill'e ſtati dicte de oppopoco vl'ſera-
pino vel ſarcocolla.cū.ℨ.ß.dyagredij vel cū ğnis
vij.ꝑut videbiƀ diſcretioni tue.¶Aduerte ſuper
hoc ꝙ ſi talis ſit venoſus puta cū venis lat̄ non
dubites ipm flõmare facta purgatiõe:ꝛ ſi facerꝫ
de vena mediana bñ valeret ſibi.ꝛ ſi de vena q̄ ē
ꝓpe digitū puū ipi⁹ manus multū ꝯfert ꝓpt̄ di-
uerſionē matie:nam infra declarabiƀ intētiõe ra
ſis in ſuo ꝯtic in.c.ꝓprio:ꝙ ipe vidit a podagra
ſanari potiſſime in venoſis:nā talis flõmia ē mi
rabilis iuuamēti i preſeruatiõe ꝛ in cura podagᵉ
calide in toto vel in pte:maxie in venoſis ſeu in
habētibus venas latas:verba ſunt ipius in caᵒ
¶Aduerte magi ſuper hoc ꝙ ſi digiti vel articu
li veniāt ad nodoſitatē ꝙ matia lapidificeƀ i iū-
cturis:tūc certū eſt ꝙ talis podagra ſit de flāte i-
naturali vt cōiter ſit de muſcillaginoſo ꝯuerſo in
gipſeum ꝓpt̄ ingroſſatiõem factā a frigido con-
gelante mora longa in iūcturis vel factā ꝓpt̄ re
ſolutiõem partis ſubtilis ab vnguētis exceſſiue
calidis vel empl'is vel balneis naturalib⁹ exceſ-
ſiue calidis de poſſibili poteſt fieri ex flāte vitreo
vel acetoſo tūc ſi ex iſtis vel il'is fiat cōpetūt pil-
lule dicte de gūmis de oppopoco ſerapino ſarco
colla ꝛ hermodactilis:qa bene valēt q: matia ſic
ingroſſata trahit ad naturā ml'ie:ideo dic̄ Raſis
ꝙ nō omittas lapidē armenicū pōt addi de ablu
to.ʒ.i.cū hermodactilis.vel.ʒ.i.folioꝝ ſene vl'a-
zari vel amboꝝ cū modico cimini pipis ꝛ ʒʒ¹ diſ
ſolutis cū melle ꝛ diſtēperatis cū aq̄ tepida vt ſ̄.
potus:iſta valent multū in p̄ſeruatiõe podagre
obſeruata dieta ſupi⁹ dicta ne ita fortis accidat:
nec ita frequēter.¶Et ſi q̇s dubitet aduenrū ſci
atice de matia ſanguinea in maiori pte flõmeƀ
ante tp̄s in q̄ expectaƀ de vena mediana eiuſdeꝫ
partis ꝯñr purgeƀ cū ſcamoᵃ cocta puta cū el'cᵒ
de ſucco roſ.vt eſt dictū in p̄ſeruatiõe artetice pe
dū:vel cū alia medicia recitatis in matia calida.
¶Et ſi q̇s dubitet aduētū ſciatice de matia fria
purgeƀ ante tp̄s in q̄ expectaƀ eius aduētus cuꝫ
vna de medicinis dictis in preſeruatiõe artheti-
ce frigid'e pedū:ꝛ ſi ſit venoſus cōpetēter l'vrie
trahāt ad citrinitatē vl'ſubrubedinē flõmetur ð
mediana brachij dextri vel eiuſdē partis dictan
do ipm ꝑut dictuꝫ eſt ſupius.Patet ergo tibi ex
dictis Raſ q̄liter podagra cyragra ſciatica ꝛ ſi
per annos durauerit poterūt p̄ſeruari ne ita fre-
quēter ꝛ fortiter accidant:verū podagra ſi in ſui
ꝑncipio fuerit ꝙ nō affligit vltra bis vel ter ex to
to eſt curabilis ꝛ p̄ſeruabilis ne vlterius accidat
ſi corpulentus fuerit ꝛ qualibet ſeptimana p an
nū parum laxatus fuerit:verba ſunt Raſis i ſuo
continente:quia tunc nō erit materia que poſſit
manare ꝛ expelli ad iuncturas.Dico notanƀ cor
pulentus:quia delicate contexture nō poſſet tol
lerare talem fatigaꝫ:dicit ꝙ parum laxetur vſqꝫ
q̄tuor vel q̇nqꝫ ſellas.Et ſuper hoc adducit exᵐ
qualiter curauit vnū protūc qui fuit ſatis corpu-
lentus bone habitudinis ſatis venoſus viuens
ſatis in ocio ꝛ in crapula quia erat multe come-
ſtiõis paſſus ē de nouo podagͣm precepi ꝙ de tri
bus in tribus menſibus:quia in nonaginta die-
bus faceret flõmiam puta de mediana vena ꝛ p̄
cepi ſibi ꝙ quaqꝫ ſeptimana ſumeret medicinā
laxatiuam vſqꝫ ad quattuor vel q̇nqꝫ ſellas ꝛ cū
ſumeret medicinā fortiorem de duobus in duo-
bus menſibus ꝛ ꝙ ſumeret pluries aquam de-
coctionis ſeminū prouocantium vrinas vt deco
ctionem abſinthij cicerū rub.aniſi marathri ꝛ ſili
um:hoc continuaret quia ſi materia purgaƀ per
vias ꝛ poros naturales ſic nō manabit nec ruet
ad iuncturas:iſta continuauit p annū:ꝛ ꝙ poſt
annū tēporibus interpolatis bis vl'ter in āno ꝓ
cederet cum flõmia ꝛ ſol'one ventris quib⁹ exe-
cutis paſſio ſanata fuit ex toto vitando balneum
aque dulcis:ex toto verba ſunt ipius Raſis in.c.
ſubdit in.c.ꝙ quia in tali peccauit colera cū por
tiõe flātis purgabat eum cū ſcamoᵃ cocta:quia
cum diagredio eſt medicina valde vtilis in ma-
teria colerica cum portione flātis dabat.ʒ.ij.el'cᵘ
de ſucco roſ.vel.ℨ.ß.diagredij cum modico zuc̄.
roſ.vel iulep roſ.cū modico aque vel dabat ð a-
loen.ʒ.i.cū.ℨ.i.croci ſilueſtris.vel dabat modicū
de decoctione polipodij.vel dabat.ℨ.ij.el'i ingri
cum q̇nqꝫ ğnis ſe.dauci vel aniſi vel cimini.ꝛ.ʒ.
i.zuc̄ roſ.in forma pillulari.Si vero iſte paſſus
fuiſſet illam artheticā de flāte in toto vel in ma-
iori pte tūc purgaret eum cū modico de turbith
cocto in lacte vaccino vel ouino:ꝛ potaſſet illud
lac vel purgaſſet cum pil'is hermodactiloꝝ vel
cum pil'is de oppopoco ꝛ ſerapino vel de ſarco-
colla vt eſt dictum ſequēdo moduꝫ ſuperi⁹ expli
catum in cura ꝯtinuādo potus ꝓuocatios vrine
vt dictum eſt ſe' cura

Iſtis clarificatis

Cura ar-
thetice p̄-
ſentis ꝛ actu porriſinanƀ ſm omnes ei⁹ ſpēs tibi
pateſcit.Prius aūt q̄ in cura ꝓcedas ſcire ꝛ cō
ſiderare optet cām ipius matialem ſi ſit humida
ſanguinea vel flātica a dñijs.vel ſi ſit ſicca coleri-

ca vel mīlica ex toto vl' a dn̄io licet ꝺ melancolia rariſſime accidat:q̄a in hoc cura diuerſificatur. ❡ Aduerte ſup hoc nam arthetica ẜm ei⁹ ſpecies rariſſime fit de vno hūore nam ſemꝑ fit cōmixtio aliqualis pauca vel manifeſta cū hūore predominātī:ideo remedia applicata ab extra nō ꝓficiūt continue:hodie ſedant dolorē cras non:vt habetur ex relatiōe patiētis:⁊ tūc nō dubites q̄a certū eſt podagrā ⁊ ciragrā eſſe ex diūſis hūoribus.verba ſunt Raſ in.c.ꝓprio .ideo expedit ⁊ neccīū ē mutare ab ex̄ ſepe ſalti de duob⁹ i duob⁹ diebus vel de tribus in tribus niſi patiēs inueniret notabilē ſedatiōem doloris. ❡ Si q̄s aūt podagrā in cura de ſanguie i toto vel in maiori ꝑte qꝺ pateſcit ex habitudine totius corpis q̄ ē ſanguifica bene colorata hūida ſatis leta facie ⁊ ẜ pateſcit ex rubore notabili ipſius mēbri Vel erit cum portiōe colere vel flātis modica l' māifeſta colere in ꝑmis etatib⁹ ⁊ flātis in vltimis etatib⁹ vm ex malo regimie:q: potator ꝯtinu⁹ al' coitiu⁹ uel vtēs multis fructibus flā pluries comitaẜ in ꝑmis etatib⁹ in talibus ſanguineis talia diſcernunẜ ex expulſis ⁊ ex colore mēbri ẜm pl⁹ ⁊ minus:q̄a ſi colera comitatur erit maior calor i mēbro.Silr̄ pꝫ ex latitudine magna vel mediocre venarū:nā magna latitudo venarū atteſtaẜ magis ſup colerā q̄ ſuper flā maxime ſi ſit notabil': et in hoc eſt attēdendū in alterādo illā diſcraſiā calidā in mēbro.⁊ in applicando ſedatiua dolorꝫ fria ſtatim incipiēte inſultu ipſius podagre:ſeu dum incipit pungere in pollice vbi cōiter incipit ꝯſr̄ter in calcaneo ſi cal'a fuerit infrigidanda eſt ⁊ ecōuerſo Raſis in ſuo ꝯtinente.⁊ hoc de fctō videm⁹ cōmuniẜ ſtatim abſtineāt a vino ⁊ a carnibus.vtatur ſpinargijs cū lactuc̄.⁊ vtaẜ lactuc̄ ſpecial'r portulacis cū aceto vtaẜ auenato ordeato riſo integro pedib⁹ capreti ⁊ porci bene coctꝫ infuſis in aceto in ſalſa viridi accetoſa vtatur lacte amiꝺ:potet de aqua bullita per ſe vel cū zucc̄ viol'.vel potet de ptiſana vel de iulep roſ.vl' viol' ⁊ ſir⁹ de ribes ſimplici de.i.cocleari hoꝝ pōt facere vnā taſſiā cū aq̄ ſimplici bullita comedēdo vl' nō comedēdo ſtatī flōmeẜ de vēa mediana eiuſdem ꝑtis in bōa q̄titate:ex q̄ hꝫ venas latas hꝫ multū de ſanguine.ꝯſr̄ die ſcd̄a vel tertia faciat flōmiā de vena man⁹ q̄ eſt ꝓpe ꝑuū digitū Raſis recitat in.c.ꝙ ipſe vidit pl'es podagrā calidaꝫ ſanari confeſtī ꝑ flōmiā vene man⁹ dictā naꝫ eſt optima ⁊ mirabil' iuuamētī in cura podagre calide diūtendo ꝓpẜ qꝺ ſi nō placeret ſibi faceret duas faciat ſalti iſtam in craſtinū vel die tertia deẜ ſibi.ʒ.i.caſſieẜ.bn̄ mūꝺ.diſſolute in decoctiōe cōmuni pluries dicta. Et ſi patiēs eēt multū febricitās ⁊ calid⁹ diſſoluaẜ i aq̄ endiuie ſolatri vl' violarū Raſ in ſuo ꝯti^e. ❡ Iſtis expeditꝫ applicanda ſunt defenſiua vt nō fluat tanta ma̅tia ad ꝑticulā in ꝑte tm̄ altiori.Raſ ibidē:⁊ ē ponēda ſuꝑ ꝑticulā ſedatiua dolorꝫ fria ẜ.iſtud de ꝯcilio Raſis.℞.cortic̄ ġnatoꝝ ſumach an̄.p.ij.decoq̄nẜ lōga decoctiōe vt poſſint diſſolui terātur fortiẜ ⁊ incorporenẜ cū.p.iij farine ordei ⁊ ſucco ſemꝑuiue q̄ ſuffic̄ applicēẜ ſupra tibiā ſupra cauillā in ꝑte altiori ⁊ ſana ⁊ applicēẜ ſil'r ſupra pedes :q: hūiditates articuloꝝ ꝯſumit.Raſ ibidē .Et ſi dolor pedū nō bene ſedareẜ tūc innoua remediū cōiẜ de duob⁹ in duob⁹ dieb⁹ :q: ẜ req̄rit pa⁹ ꝓpter eīogeneitatē ma̅tie vt eſt tibi ſuperi⁹ dictum.℞.olei roſ.ʒ.iiij.opij.ʒ.ij.incorporetur ſimul' ⁊ ꝑs dolens inungaẜ loco opij aliq̄ ponūt de mādragora.Vel ſic.℞.origani mētaſtri an̄.p.iij. coquantur in aceto lōga decoctiōe vſq̄ꝙ liq̄fiāt epithietur pes pluries i die cū herbis ⁊ aceto cathaplaſmādo ſit tepidū de duab⁹ in duab⁹ horis eſt mirabile remediū Raſ in eodē ca^o.vel applica iſtō ℞.albuginē triū ouoꝝ agiteẜ bn̄ ⁊ ꝑcutiaẜ cum oleo roſ.vnſa ncio qꝺ ſuffic̄ panni linei ſubtiles ibidē inuoluātur ⁊ ꝑti dolēti de hora in horā applicenẜ. Vel iſtud.℞.butiri vaccini.ʒ.iiij. mandragore ſubtiliſſime puluerizatꝫ.ʒ.ij. icorꝑenẜ ſil' ꝑ modū vnguētī vl' iſtō qꝺ ē bn̄ ſedatiū dolorꝫ in cā cal'a ſola ⁊ ē cōe.℞.medulle panis.p.i. diſſoluatur in lacte vaccino vel ouino calido ⁊ addaẜ opij.ʒ.i.vel.ʒ.i.⁊.ẜ.croci.ʒ.ẜ.incorporentur ſimul ⁊ iſtud renouetur q̄lꝫ die poſtea ſero ⁊ mane applicetur ille qui applicabit inungat manus ſuas cum oleo roſ.Et poſito emplō ſuperponat folium blete vel lactuce deſuper ad conſeruanduꝫ illud.raſ in.c.in fine ma̅tia euacuata facim⁹ cerotū cū oleo camomille.℞.olei camomille.ʒ.iiij. cere qꝺ ſuffic̄ ẜ.cerotū cui⁹ vna ꝑs applicēẜ raſ laudat ventoſas i calcaneo ſine ſcarificatiōe in ꝓceſſu fluxu ma̅tie ad ſedandū dolorem. Raſis in ſuo ꝯtinēte in ca^o ꝓꝓo docet facere plura alia defenſiua in ꝑn^o podag^e calide.℞.glādes cōteranẜ ⁊ decoq̄nẜ lōga decoctiōe ⁊ tibia epithieẜ pluries in die ⁊ nocte.vel ſic.℞.farinā fabarum incorporeẜ cū ouis qꝺ ſuffic̄ fiat empl'm liquiꝺ. applicēẜ in tibia ſuꝑ cauillam aliqui incorporāt cum oleo roſ vel mirtillorum. Vel ſic.℞.boli armenici.ʒ.iij.gallarum ſubtiliſſime puluerizatarū ʒ.i.incorporentur ſimul' cum oleo roſ vl' mirtilloꝝ ⁊ albuminib⁹ ouorum qꝺ ſuffic̄ ꝑt vti aliq̄ iſtoꝝ̄

q̄diu peroxiſmus erit in augmēto: quia ꝓtunc
materia eſt in fluxu: ⁊ hoc eſt cōmuniter in .xij. ⁊
xv. diebus. Et ſi quis cyragraz de ſanguine ſolo
vel cū portione colere vel fl̄atis q̄ eſt vtplurimū
habuit q̄ pateſcit ex rubore manuū cuz calore ⁊
dolore forti ex habitudine corpis ⁊ etate ipi⁹ die
ta ⁊ localia remedia dicta ⁊ alia medicinalia e-
runt eadē verū in cyragra plus occurrit ma̅ia
mag̅ cal̅a q̄ in podagra de eodē genere ꝓpt̄ q̄
cyragra eſt magis calida in eodem genere q̄ po
dagra Rag in ſuo cōtinēte R̄. illa que dicta ſunt
in podagra ſanguinea. Vel ſic: R̄. ceruſe. ʒ. ij. diſ
ſoluatur cū aqua endiuie ⁊ modica portiōe ace-
ti muſ̄c. vt remaneat bene liq̄d̄ vt R̄. illinicio. ē eīn
remedium mirabile in ſedando dolorē in cyrag̅
ſanguinea ⁊ colerica Raſis ibidē. Vel fiat iſtd̄
de cōſilio Raſis. R̄. lact̄ mulieris. ʒ. ij. opij. ʒ. ß.
muſ̄c. R̄. illinitio eſt bene ſedatiua doloris. Iſtis
duobus remedijs vtuntur cōmuniter in cyragra
calida ſi nō habes lac mulieris habeas lac cap̅e
vel ouinū ⁊ epithimetur manus pluries i die cū
aceto decoctiōis origani ⁊ mentaſtri vt ſtati di-
ctū eſt in cura podagre ſanguinee. vel epithimet̄
pluries in die cum aqua tepida decoctiōis rapa
rū: quia reſoluit materiā ſine violentia ⁊ ſine at-
tractione Raſis in. c. ꝓpter qd̄ valet ſimiliter in
ꝓceſſu cure podagre ſanguinee. Et ſi q̄s poda-
grā pātem ⁊ peroxiſmalē de ma̅ia colerica ſola
⁊ ſingulari vel cū portiōe fl̄atis vel ſanguis mo-
dica vel manifeſta qd̄ pateſcit calore mēbri forti
⁊ executiuo ſiccatiuo cū ſub rubedine declinan-
te ad citrinitatē ad qd̄ facit cōpl̄o ⁊ etas dum ta
lis podagra incipiet pungere ſeu eius inſultus
incipiet ſtatim abſtineat a vino ⁊ a carnib⁹ pur-
getur ſtatim tn̄ ſine ſyrupo: quia ſtāte peroxiſmo
podagre vel alterius artethice nō debet ſyrupa-
ri: quia paſſio augmētaretur quia ma̅ia magis
ſubtiliaretur ſic magis rueret ad ipas iūcturas.
Simil̄r niſi ma̅ia ſubito euacuaret flueret i ma
gna q̄ntitate ad ipas iuncturas ꝓpt̄ qd̄ confeſtiz
purget̄ ex intētiōe Rag ⁊ vtilior laxatio fit i iſtis
cū ſcamo⁹ potiſſime cocta ſi ſit delicatus Raſis
ibidē. ideo dam⁹ ʒ. v. ⁊ ß. de el̄cu⁰ de ſucco rog in
matutinis. abluat os cū modico aq̄ ⁊ ipam traſ-
glutiāt ⁊ dormiāt interroga ſi facil̄r laxauerit: ⁊
conſiderare oportet eius cōpoſitionem q: groſſi
corpulenti indigēt forciori. ideo dixit ypo. 2⁰ am-
pherī. ſpiſſitudinē circa vmbilicū habere meli⁹
eſt: quia ita cito nō cadūt in fluxū nec in diſſinte
riam. vel da ſibi. ℈. i. dyagredij cum modico zucc̄.
rog. vel cum modico iulep rog. vel ſir⁰ ⁊ modico
aque. vel da ſibi de dyacitonitē laxatiuo nam de-
bet dari in pncipio medicina laxatiua ſatis fort̄:
nam plures ſanati ſunt ſtati ex forti purgatione
in pncipio Rag in ca⁰. vel da ſibi pil̄as iſtas. ⁊
ſunt ipius Raſis in. ix. almanſorij ſunt bene ap-
propriate faciūt patientē cito incedere ⁊ ſurgere
Dicit Raſis. R̄. aloen. ʒ. i. dyagredij ḡna. xv. rog
rub. ℈. ß. hermodaculor̄. ʒ. ß. vel. ʒ. ij. ſe. apij ſe. fe-
niculi. an̄. ℈. ß. fiant pil̄e que adminiſtrentur de
nocte. ſtatim facta purgatione apponatur deſu-
per iſtud. R̄. lentiginis aque. p. ij. conquaſſent̄
⁊ applicētur deſuper renouet̄ ſero ⁊ mane ⁊ ſup
diem. Loco huius applica portulacā conq̄ſſatā
vel pſilliū vel nenufar vel folia recētia arborij po
puli vel violatiani facta pma applicatiōe ſi nō
ſedatur bene dolor addatur modicū opij. ʒ. i. vel
ʒ. ß. in empl̄o. Et cū hoc applica ſtatim aliq̄d de-
fenſiuū ſupra tibiā in altiori loco cauille: puta e-
pithima dictum ſupius de glandib⁹ ꝯquaſſatis
bene bullitis. vel emplm̄ dictuz de farina fabaz
vel de bolo armeno cū gallis: nā defenſiua poda
gre ſanguinee ⁊ colerice nō differūt: niſi q: i po-
dagra colica mag̅ frigida debēt applicari tertia
die vel q̄rta ad longius flōmia ipm de vena me-
diana vel de illa vena que eſt iuxta puū digitum
in manu: iſta eſt melior: nā dictū eſt ſupius inten
tione rag in ſuo ꝯtinente q̄ podagra cal̄a pluri-
es curatur cū iſta flōia nā pluries vidit q̄ eſt mi
rabilis iuuamēti h̄ facto ſi dolor nō ſedaret̄ bn̄
cū empl̄is dict̄ applica de ill̄ remedijs dictis in
ma̅ia cal̄a ſanguinea innouādo remedia de du-
ob⁹ i duob⁹ dieb⁹. vl̄ de trib⁹ in trib⁹ ꝓpt̄ diūſita
tē hūoꝝ ꝯcurrētiū vt ē ſupi⁹ dictū. Et ſi vis mate
riā ab int⁹ ingroſſare ⁊ infrigidare da ſibi d̄ ſyr⁰
de ribes vl̄ de aq̄ endiuie vl̄ portulace ſero ⁊ ma
ne vel de iulep. verū q: nō potat vinū ſufficit ſibi
potare de ipo cū cibo ⁊ potu ⁊ alias cū vno cocle
ari fac plenā caſtaneā aque bullire. Et ſi q̄s cira
grā de colera ſola ſingl̄ari vel a dūo cū portione
ſanguis vl̄ fl̄at̄ patiāt̄ q̄ pateſcit ex ſignis ſtatiz
dict̄ dieta ⁊ remedia localia interi⁹ ⁊ exteri⁹ ap-
plicata cōpetūt: ſic i podag̅ de colera ſtatiz dicta
verū frigidiora cōpetūt ab extra q̄ in podagra d̄
ipa colera ꝓpt̄ cām dictā. Et ſi q̄s podagrā pātē
⁊ peroxiſmalē de ma̅ia fl̄atica naturali vl̄ inna
turali ſola ſingl̄ari vel cū portiōe ſanguis vel co
lera modica vl̄ manifeſta habuerit q̄ pateſcit ex
ſignis ꝯrijs ſignis ſupradict̄: q: pes ē ſb albid⁹
cū rubore modico q: occulto vl̄ paruz manifeſto
vgente interdū ad q̄ndā citrinitatē cū calore nō-
bili in pn⁰ flux⁹ ma̅ie ꝓpter eius motum ⁊ opi

latiōem inde factā in ipo mēbro ex fluxu ipi⁹ ſu-
bito: nam motus hūoris ex ſe ⁊ ex modica porti-
one colere vel ſanguis hūor flāticus ruens violē
ter per mēbrū p venas ⁊ extra inducit calorē no
tabilem in ipo. Simil'r maťia exīs extra vaſa p
pria caleſcit i ſe: q2 nō regit a natura nec guber-
natur: ideo neceſſario caleſcit dū talis cola inci-
piet pūgere ppe calcaneū v̄ſus partē ſilueſtrez
ꝙ eſt vtplurimū ſicut illa que ē de maťia cal'a in
cipit facere inſultū in pollice. iſte tal' nō dz ſic ab
ſtinere a vino ſicͥ illi qui patiūtur a cā cal'a quia
maťia terrea fria digerat ex ipo ⁊ tenet vini ſyr'
licet ppter penetratiōem facilē in pte noceat p
pter qd dam⁹ de groſſiori ⁊ bñ ꝯfractū ⁊ in mo-
dica q̄titate ſumptū: q2 bis vel ter in mēſa dum-
taxat. Et nō potare niſi poſtq̄ ſumpſerit tertiam
partē cibi incipiēte iſultu ipi⁹ puocet ſibi vomi-
tū cū digito intromiſſo in gutture vl' pēna infuſa
in oleo intromiſſa in pfundū poſt cibū p horam
poteſt puocare domeſtico mō poſt prādiū cū de
coctiōe rad raphani ⁊ atriplicis ⁊ ſemis eorum
addito modico olei croci ⁊ aceti ꝁ. pot⁹ poſt prā
diū p horā q̄ ſumpto p horā incitat vomitū cū di
gito vel pēna intromiſſis vt dictū eſt: nā vomit⁹
dat magnū iuuamētū in tali podagra de cā frigi
da. Rab in ſuo ꝯtinēte in. c. ppo: ꝯñr laxet cū pil
lulis artheticꝗ vel alijs dictis in p̄ſeruatiōe poda
gre de maťia hūida flātica ꝁ i maiori doſi det de
turbith vel de pill'is de oppopo^co ⁊ ſerapino vl'
alijs addēdo aliqñ modicū de lapide armenico
ſene ⁊ polipod. Vel det iſta. ℞. hmod. ʒ. ß. maſti
cis. ʒ. ij. pāis zuc. ʒ. iij. miſceat diſtēpet cū aq̄ cali
da: ⁊ potet poſt p̄mū ſomnū Rab in ſuo ꝯti^e: nā
ſanat podagrā flāticā. Rab ſubdit ꝙ tales in cu
ra ſemp bibāt de tyriaca cū vino: q2 qlz die vel d
duob⁹ i duob⁹ dieb⁹: q2 talis podagra flā^ca venit
cōit in p̄n^o veris tyriaca tollit maliciam talis po
dagre. Rab in ſuo ꝯti^e. Aliq̄ dāt d iſtis pill'is ſe
pe in p̄ſeruatōe q̄cq̄ mēſe. ix. vel. xi. in cura. xv. vel
xvij. ſemp in ipari nūero: q2 meli⁹ laxāt. ℞. aloen
cicotrini. ʒ. iij. turbith albi ⁊ gūoſi. ʒ. v. roſ. rub. ʒ.
i. ⁊ ß. hermodactilor. ʒ. i. zz^i albi. ʒ. i. dyagredij. ʒ. i
mell' roſ. qd ſuffic ad incorporandū fiat maſſa q̄
vſui reſeruet vtat mō dicto. vel de iſtis ℞. aniſi
marathri maſtiq̄ cardamōi zedoarij nuc̄ m^o croci
cubebarū caſſielignee. añ. ʒ. ß. ſene epithimi po-
lipodij q̄rcini añ. ʒ. ij. turbith agarici hermodact
añ. ʒ. iij. aloen cicotrini manne ḡnate. añ. ʒ. ß. zz^i
albi. ʒ. ij. ſalis gēme. ʒ. i. mell' roſ. ʒ. ij. ꝯficiat maſ
ſa cū ſyr^o roſ. ⁊ de abſinthio in p̄mis diebus ap-
plicet defenſiuū in tibia ſupra cauillaz cū modi-

co pāno lineo in latitudine triū digitoꝝ. ℞. boli
armenici. ʒ. ij. gallarū ſubtiliſſime pulueriſatarū
ʒ. ß. hermodactil'. ſubtiliſſime pulueriſatoꝝ. ʒ. ß.
mirtilloꝝ. ʒ. ß. incorporētur oīa cū oleo nucum
⁊ modico vitel'i ⁊ albumie ouoꝝ applicet vt di-
ctū ē. In cā cal'a valeret iſtud defenſiuū ꝁ nō po-
nas hermodactil'. ⁊ diſtēperabit cum oleo roſ. ⁊
albumie ouoꝝ dūtaxat in cyragra fiāt iſta ſimili-
ter. Et ſi q̄s ſciaticā p̄ītē ⁊ poxiſmalez habuerit
de maťia ſanguinea flātica. i. ꝙ cuz portiōe flāt
habuerit qd pateſcit ex habitudine corpis: q2 ſa
tis ſanguine⁹ colorat⁹ cū vrinis ſatis rubicūdiſ
⁊ eſt in p̄ma ſenectute flōmet de pte oppoſita ve
ne mediane vel epatice. ꝯñr flōmet q̄ eſt iux par
uū digitū eiuſdē ptis: q2 multū deſtruūt multum
valēt. Rab in ſuo ꝯti^e p̄miſſo cliſteri tali. ℞. mer
curialis ſicle folioꝝ malue. añ. m. i. abrotani cen-
tauree. añ. m. i. ſe. naſturcij ꝯq̄ſſati aniſi. añ. ʒ. ß. ꝁ.
decoctio in q̄ diſſoluat medulle caſſie ꝁ. ʒ. i. bene-
dicte. ʒ. i. olei amigd. dulciū q̄rt. ß. mellis. ʒ. ß. ſal'
cōis. ʒ. i. ꝁ. cliſtere. Cōñr applicētur vētoſe bis ter
ſupra ſciaz. ꝯñr iterū applicet ⁊ locus ſcarificet
⁊ de ſanguie cū reiteraꝉ vētoſis euacuet vſq̄ ad
tres vel q̄ttuor. ʒ. ꝯñr inungat loc⁹ cum oleo roſ
teneat dietā tenuē ſufficiat ſibi auenatuz pedes
capreti vel porci bene cocti p̄ue pulle ⁊ auicule
p̄ue. vinū groſſum bene limphatū i pceſſu cure
ſtuphet aliq̄l'r ſtomacho ieiuno iſta ſufficiāt. Et
ſi q̄s ſciaticā p̄ītem ⁊ poxiſmalē de maťia flāti-
ca ſola naturali vel innaturali fuerit cuz portiōe
aliq̄li ⁊ modico ſangꝰ. vel colere vel ml'ie ꝙ ē vt
plurimū ſicut pateſcit ex aliq̄li colore ⁊ aliquali
rubore loci. vel ſi talia non affuerint puta qñ eſt
ex puro flāte vel cū portiōe ml'ie p̄mittat cliſte-
re ſtati dictū ꝁ in decoctiōe illa pones de turbith
ʒ. ß. zz^i. ʒ. ij. ſe. naſturcij ꝯquaſſati. ʒ. i. benedicte. ʒ.
i. olei d aneto q̄rt. i. ℞. cliſtere iſtd cliſtere ſumat
ſemel vel bis in p̄ia ſeptiana vel da ſibi de pillu
lis ſup̄⁹ dictis aliq̄ dant pill'as de ſerapino. ʒ. ij
vel pill'as artheticas. ʒ. i. ⁊. ß. vel. ʒ. ij. Conſequēt
applicāt vētoſam bis vel ter deſup ſine ſcarifica
tione. ⁊ poſtea applicant iſtud empl'm. ℞. empl'i
ceronei. ʒ. iij. armoniaci. ʒ. ß. diſſoluat in aceto ⁊
inſimul icorporet ꝁ. empl'm extenſum ſupra alu
tam in forma q̄drata oblōga renouet ſemel in. x.
diebus vel circa ſi ſit venoſus ꝙ habeat venas
apparētes in manib⁹ flōmet in p̄mis dieb⁹ ſum
pto cliſteri vel flōma de vena q̄ eſt iuxta p̄uum
digitū man⁹ iuxta eiuſdē partis multū diuitit ma
teriā. ideo multū pficit Rab in ſuo ꝯtinēte. Vel
inungat in anchis cū iſto vnguēto ꝙ mirabilit

ſedat dolorē ſciaticū. ℞. ſaluie mēte rute maiorane nepite p̄inule ver'vngule caballine camōille bardane pentafilon vtriuſqꝫ cētauree lingue canis ſaxifrag' marrubij albi gariofilate piloſelle ariſtologie longe lauēdule apij petro. macedonici. aū̄. m. i. arthemeſie roris marini. aū̄. m. ij. ꝯq̄ſſentur τ ponātur in vino albo electo poſtea ipaſ p mediū die remollias bulliatur i eodē vino per bonā pauſam colētur τ illi vino colato addatur armoniaci aſſe fetide galbani ſerapini. ana. ℥. ij. poſtea addatur agrippe dialtee aragon marciaton. aū̄. lī'. ß. olei iuniperi olei terebentine aū̄. q̄rt ß. bulliat' ſimul vſqꝫ ad conſumptionez vini aliq̄ addunt axūgie vulpine. lī'. ß. multi nō potentes ſurgere nec ire reparant' cū iſto vnguēto ſi inungant' in dorſo in anchis ad ignez cū iſto vnguēto τ terminatur cura arthetice.

¶ Caplm. 93m de gibboſitate.

Um gibboſitas fieri incipit. pill'e maiores hermodactilor danđe ſunt τ oleū de keyſim cū apoſimate de ſeminib⁹ ſepe ſumēdū locus quoqꝫ ex oleo ſambucino ī quo ſtorax liq̄da τ caſtoreū τ euforbiuz reſoluta ſint frequēter inungēdus τ a cibis frigidis τ groſſis abſtinēdū Aq̄ etiā calida in q̄ cocta ſint mētaſtrū τ ſanſuc⁹ τ ſticados arabicus ab alto ſup locū diſtillāda eſt Deinde frequēs fricatio τ inunctio ex oleis calidis faciēda ē. qđ ſi is q̄ hoc patit' egritudinis puer fuerit balneū ſolūmodo τ inunctiones ex his q̄ prediximꝰ ſufficiūt. Si aūt cū gibboſitas incipit affuerit febris a p̄dicto regimie omnino abſtinēdū: ſed apoſima ex berberis factū cū caſſiafiſt. ī potu tribuendū flobothomia q̄ꝫ ex baſilica faciēda eſt τ ēplaſtra vehemētia loco ſuperponenda.

E gibboſitate in

ſpōdilib⁹ τ cura ei⁹. Et ſciēdū ꝙ ſpōdiles colli ſunt. vij. τ ſpondiles dorſi xij. τ ſpōdiles alcatin ſunt. v. τ ſic ſūt. xxiiij. ſpōdiles. τ ſūt iūcte τ ligate mediocri ligatu'a: q: ſi eēt nimis laxa tūc ſtādi pō τ portādi onera debilitaret'. τ ſi eēt nimis ſtricta iūctura: tūc inclinatio τ curuatio ipediret. verū p⁹ τ vltia ſpōdil' colli laxior ē p̄ alijs ꝓpt' ligamētū mag' latū τ mag' lōgū τ h̄ ē ꝓpt' capiī motū τ colli: τ ſic ſpōdiles ligate τ iūcte faciūt dorſū ꝓpt' qđ dorſuz ē de ſpōdilib⁹ ligatī τ iūctī: τ dorſuz ē in corpe ſic lignū qđ eſt in exordio nauis ꝙ ē p̄ncipiū τ fundamētum illoꝝ oſſiū vt dic̄ auic̄. de mēbris. c. vi. τ ſubdit h̄ in. c. ſeq̄nti. ꝙ dicte ſpōdiles ſūt ꝯcaue vt nucha īuoluta pellicul' q̄ ē ꝑs cerebri extēſa τ ꝓtēſa cū pellicul' eiuſdē cerebri deſcēdēs vt ex ipa nucha vna cū pellicul' dicīt nerui orirēt'. naz ſi oēs nerui a cerebro orirēt' fuiſſet neccīuz caput eē maius ꝙ ſic oriūt'. ǵ nerui duo ab vna ſpōdili excepta vltima τ exeūt p ꝑua foramia lateralia vt dic̄ lr̄a i. 8°. đ iuuamētī. τ. 4°. đ int'. diſlocat' ǵ ſpōdiles triplicit'. vt đ: 4°. de int'. c. 6. infdū ſpōdiles diſlocant' ab iteri⁹: τ ſi vna vl' plēs diſlocat' int'⁹ alijs exiſtētib⁹ ꝯtiguis tūc ꝯcauat' dorſuz i eodē loco vt dic̄ lr̄a. τ ſi int' illas vna ſana remaneat ſeq̄t' gibb⁹ aliq̄l'. cā tal' diſlocatiōis duplex ē: iterior τ exterior. exterior ē caſ⁹ τ ꝑcuſſio iterior m'tiplex. vª cā pt eē apa i pte vicia trahēs ad ſe ſpōdilem ꝓpt' ingroſſatiōez τ abbreuiatiōez ligamēti talē cāz febris ꝯcomitat' τ dolor. aª cā itriſeca eſt h̄ūiditas excedēs cū mat'ia relaxās τ igroſſans ligamētū ſpōdil' ꝓpt' qđ ſpōdil' exit ſitū ꝓpuz. aª cā mag' cōis ē vētoſitas groſſa iterclūſa ipellēs ſpōdile: vel ſpōdiles ꝓpt' qđ ſeq̄t' ꝯcauitas τ gibb⁹. verū al'ħ ſpōdiles diſlocat' p viā ſpaſmi qui đ: antroſton⁹ q: curuat' ad intius τ iſtud ꝯtingit pl'ib⁹ ſenib⁹ lōg' τ ǵcilib⁹ τ aliq̄b⁹ iuuenibus. Et iſta diſlocatio τ curuatio ad interi⁹ fit rōne ſiccitatis lacertoꝝ aſſiſtētiū, iō đ: ſpaſm⁹ de ianitiōe τ icurabil'.

Primo q̄rit' ſi ſpondlis diſlocat' lateral't ſi mēbª ſbſiſtētia ſiuoꝝ ortoꝝ neccio ledāt' i ſenſu τ i motu ſoluit lr̄a 4. de int̄o. c. 6. circa mediū. τ dic̄ ꝙ tūc mēbra ſubſiſtētia neccio ledūtur ꝓpt' cōpſſionez neruoꝝ inde ortoꝝ p q̄s infert' ſenſus τ mot⁹.

Secūdo q̄rit' i q̄b⁹ ſpōdilib⁹ tortura lateral' mag' ꝯtigit ſoluit. ca. allegato ꝙ i ſpōdilib⁹ colli q̄re raro ij pectore τ rari⁹ i femore vt dic̄ i fine capituli.

Tertio q̄rit̄ ſi ſpōdilis mutet̄ ad exteri⁹
vt gibbus fiat. vel ad interius vt
dorſuꝫ ꝯcauet̄ vtrū mēb^a ſub ea exiſtentia inde
exorta rōne neruoꝝ neceſſario cōpatiant̄ in ſēſu
ꝛ in motu. ſoluit capit̄lo dicto ꝛ imedio ꝙ poſſibi
le ē ꝙ noceat in ſenſu ꝛ i motu mēbris ſubiacē-
tibus. ꝛ poſſibile ē ꝙ nō noceat: vt dicit ypo. in ƀ
de iūcturī. nam ſi exeat interius vel exteri⁹ magiſ
angularit̄ ꝛ ſubito aliq̄liter neruus deſcēdēs cō
p̄mit̄. ꝛ ſic ptes ſubiacētes neceſſario leduntur
¶ Si autē rotūde exeat ꝛ paulatim tūc ptes ſub
iacētes nullo modo ledūtur q꞉ nerui inde deſcē
dentes nō comp̄mūtur: nec vie eoꝝ coartantur:
nec opilātur opilatōne coartatoria. ſic ſpūs mo-
tiui ꝛ ſenſitiui trāſeūt ſubaliter ꝑ illas venas m̄t
tum graciles neruoꝝ. vt pꝫ in de iuuamēto anhe
litus ca°. 2°.

Quarto querit̄. Diſlocatio ſpōdil̄ gib-
boſa vel nō gibboſa cui⁹ ꝑticu
le ē paſſio p̄ncipal̄r. Dicēdū ꝙ ligamētoꝝ ſpōdi
liū cōſeq̄nter ipoꝝ ſpōdiliū ꝑ colligātiam ipoꝝ.

Quinto querit̄ ſi diſlocatio ſpōdilium
ē pa° ꝑ ſe vel ꝑ colligātiā q꞉ ve
nit aq̄ſitas vel a p̄a ex̄ns vel veniēs qđ venire nō
debet ſcđm naturam.

Sexto q̄rit̄ q̄s morb⁹ ē. Dicendū ꝙ offi
cial̄ ꝑ ſitu vel ꝑ ſocietate.

Septimo q̄ritur. cui⁹ v̄tutis ē noc^m
Dicēdū ꝙ regitiue ipi⁹ na
turalis ꝛ mēbri mādantis.

Octauo q̄rit̄. cuius v̄tutis ē paſſio p̄n
cipal̄r. Dicēdū ꝙ motiue q꞉ n̄
poſſunt ſe moueri.

Nono q̄ritur. gibboſi i pectoralib⁹ ſūt ne
diſlocati i ſpōdilib⁹. Dicēdum: ꝙ
poſſibile ē: ƀ vt p̄limuꝫ ē error informatiue oſſis
thoracis. q꞉ oſſa illa h̄n̄t malam figuram.

Iſtis clarificatis Cura diſ
locatiōis
ſpondiliū tibi pateſcit. Prius autē ꝙ in cura ꝑ-
cedas ſcire oꝫ cām ꝛ diuerſitatē ipius. q꞉ ſm̄ hoc
cura diuerſificat̄. verū diſlocatio ſpondilium ſeu
gibboſitas eoꝝ q̄n̄ eſt incipiēs pōt curari. firma-
ta ꝛ cōpleta curari non pōt. vt dic̄ Raſ in ſuo cō
tinēte. idē dic̄ in diuiſionib⁹ ſuis ca° p̄po.

Si quis gibboſitateꝫ
curuā habuerit ꝑ modū ſpaſmi antrotoſtomi q꞉
curuat̄ ad ptem anteriorē vt fit in plurib⁹ ſenib⁹
gracilib⁹ ꝛ in q̄buſdā iuuenib⁹ rōne ſiccitat̄ lac-
toꝝ aſſiſtentiū ꝑpter qđ curuatio ꝛ ꝯtractio redu
cit̄ ad ſpaſmū de inanitōne, quapropt̄ ſi tal̄ gib-
boſitas incipiat fieri curua: de cōſilio auēzohar
i practica ſua ca° p̄mo fiat iūctio dicta ſpōdili-
um ꝛ lacertoꝝ aſſiſtentiū cōtinua ſero ꝛ mane c̄
oleo amigđ. dulciū vel cū oleo oliuarū. nā tal̄ in-
unctio reddit ipm ſecurū a tali gibboſitat̄e ſeu cur
uatione dorſi q̄ ſolet accidere ſenib⁹. q̄dam inun
gūt cū oleo ſizami°. verūtn̄ oleū amigd. dulcium
eſt melius ꝛ laudabilius oim. q̄m̄ ē ſubtilius cū
pauca ſtipticitate neceſſaria in curōne taliū. ver-
ba ſunt ipius auēzohar in loco alle°. ¶ Et ſi q̄s
gibboſitatē habuerit rōne apoſtemat̄ aſſiſtentis
qđ pateſcit ex dolore ꝛ febre cōcomitāte: cura fit
purgādo cū caſſiaſ̄ flōmando ꝛ ab extra liniēdo
ꝑut ꝯpetit veris a p̄atibus. ꝛ cliſterizet̄ cū oleo i
quo decocte ſunt radices altee ꝛ ſemē lini ꝛ po-
tus caſſieſ̄ cū oleo amigđ dulciū vel cū oleo cōi.
multū facit ad curā. ¶ Et ſi q̄s gibboſitatē habu
erit ex gibboſitate intercluſa impellēte ſpondilē
vel ex ma^a flātica ruēte ꝑ materiaꝫ catarri ad di
ctas ſpondiles relaxante dicta ligamēta: qđ pa-
teſcit q꞉ fe. nō ꝯcomitat̄ ꝛ catarr⁹ pateſcit ꝛ non
pateſcit ex h̄itudine corpis: purget̄ cū caſſia fiſt.
ꝛ hermodactil̄. vel dent̄ pil̄l̄e hermodactil̄ cum
oleo cōi. ꝛ empl̄et̄ locus cū reb⁹ fortis caliditat̄:
puta cū caſto° maiorana ꝛ yſopo. ꝛ iſta ſufficiāt

¶ Capitulum. 94. de varicibus.

Um vene groſſe ꝛ plene
ꝛ diuerſo mō curuate ꝛ vi
rides i crure appuerit: e-
gritudo q̄ vit̄ vocat̄ adeſſe ſigni fi
cat̄. Hec āt egritudo freq̄nti⁹ accīt
hijs q̄ multū pedibus laborare cō
ſueuerūt ꝛ q̄ cibaria colerā nigraꝫ
generātia freq̄nter ſumūt. In p̄n
cipio itaqꝫ curōnis hui⁹ paſſionis
baſilicā minuere cōuenit ꝛ ventrē
ex hijs q̄ colerā inducunt nigraꝫ
ſoluere. Quoꝝ mentionē fecimuſ
in caplo de melācolia. Hec autem
ſepe faciēda ſunt. Et ab oib⁹ a q̄-
bus melācoliā patiētes cuſtodiun
tur i hac egritudine abſtinēda ſūt
Poſtq̄ v̄o hoc regimen diu adhi
bitū fuerit ex venis q̄s i crure ap-

paruiſſe dixim⁹ minutio fiat a qui
bus ſanguiſ tā diu fluere dimittat
donec q̄cq̄d in eis ē euacuet: dein
de huiuſmōi patiēs colerā nigraꝫ
expellētib⁹ vtat. ⁊ minuat ex baſi
lica. ⁊ caueat ſibi ab oib⁹ q̄ coleraꝫ
generant nigram.

E varicibus

Varices ſunt vene
groſſe multū dilatate in crure vel i in
teſticulis. nā heleni aſſueti ſunt tales
venas in dict̄ locis varices vocare. vt pꝫ. 13°. de i-
genio pte vltia. ⁊ iſte vene dilatātur vt plꝛimū in
trūco ſiniſtro ꝓpt̄ multiplicatōem ſanguis groſ
ſi melācolici deſcēdent̄ a ſplene. ꝓpter qđ tales
inſunt curſoꝛib⁹ ꝑ vias ⁊ poꝛtātib⁹ onera ⁊ pro-
ceſſu tpis talis ſanguis putreſcit. ꝓpter qđ gene
rat coꝛroſiones malas ⁊ peſſimas in tibijs q̄uix
curari pn̄t. Aliq̄n aūt tales varices veniūt i cru-
re dextro ſuccedētes q̄buſdā acutis egritudinib⁹
ꝑ viā criſis. tales nō ſūt ſic male. q2 ma⁹ ē min⁹
mala. ꝓpter qđ iſte citius curant. ⁊ ad iſtas ſilr
ſubſeq̄tur vlcus i tibia mag̃ curabile ſupꝛadicto
ꝓpt̄ minoꝛē maliciā matie. Varices iſte curant
multiplr̄. vno mō coꝛrūpant ꝑ cirurgicū. p° ligā
tur ⁊ frangūtur ⁊ caro ibidē generat. ⁊ iſtud pōt
fieri cū raſoꝛio vl' cū cauterio potētiali. capiūt cal
cē viuā cū tertia pte ſaponis. faciūt empl̄m rotū
dū ad modū argēti. ⁊ ponūt deſup ſupꝛa genu i
furcula vene illi⁹. iſtud empl̄m coꝛrodit carneꝫ ⁊
venam illā et emittūt illa ⁊ expellūt ꝑ viā ſcare.
expellēdo ſanguinem illū coꝛruptū ꝑ venā coꝛro
ſam ⁊ aptā tūc cirurgic⁹ regn̄at carnē ⁊ claudit
via illius vene groſſe varicoſe. ⁊ ſic ceſſat trāſit⁹
illius mali ſan. ad tibiam. Iſti modi curādi ſunt
ꝑiculoſi ꝓpter retētionē tal' male ma^e: q̄ ꝯtinue
gn̄at ex malicia ſplenis ⁊ epatis in v̄tutib⁹ natu
ralib⁹ eoꝝ potiſſime in v̄tute digeſtiua ⁊ expulſi
ua eoꝝ. hoc vult ga⁹. 11. de inge. ca°. 2. pte 3ª. ⁊ 4
Nā tales ſic curati ꝑiclitāt multiplr̄. q2 īfra pau-
cos annos incurrūt febꝛes ꝑniciosas ⁊ moꝛta-
les vel incurrūt maniā vel mlīam ex retētiōe tal'
male ma^e. ⁊ hoc potiſſime ꝯtingit in ill' in q̄bus
inſunt ⁊ fuerūt varices vltra annū. Quapꝛopt̄ d̄
ꝯſilio Raſ in toto ꝯtinēte ē cura alia. flōmet de
baſilica eiuſdē ptis in q̄libet q̄rtali anni ꝑmo e-
uacuādo colerā nigrā cū aq̄ caſei ſeu cū ſero cap
no ⁊ cū decoctiōe epithi¹ ⁊ yerarufini. ponatur i
foꝛma ꝓpt̄ iuuenes. ℞. epithi¹. ℥. i. ß decoctio i ſe
ro capꝛino in q̄ infundat yerarufini. ℥. ß. vel dyaſe-
ne. ℥. i. ꝯn̄r flōetur de epatica eiuſdē ptis. ꝯn̄r pōt
apiri illa varica ⁊ facere minutōem. Raſ in ſuo
ꝯtinēte dicit q̄ ſ̄ flomia ⁊ apiat illa varica a cal
caneo vſq3 ad genu i medio ſm arbitriuꝫ medici
⁊ euacuet q̄ntitas magna. iſta pōt fieri ſemel vel
bis i anno mēſe maij ⁊ octobꝛis. talis patiēs de-
bet euitare res multiplicātes ſanguinē mlīcum
vt ſunt carnes ſalſe cuiuſcūq3 conditōis. carneſ
bouine caſeus ⁊ ſubſtātia legumīnū aq̄ caſei pu
ta ſeri capꝛini cū decoctōne epithimi ſumpta per
octo vel decē dies de mane in q̄libet q̄rtale anni
multū ꝓſeruat a dāno cū flōia baſilice. ⁊ tūc ſuffi
cit apire venā varicoſam ſemel tpe autūni ⁊ i oc
tobꝛi. ⁊ terminat cura.

Caplin. 95. de elephantia.

Ec paſſio poſtq̄ manſi
ua ſit incurabil' eſt. Cum
aūt incipit ſi ei ſubuenia
tur ⁊ vt debꝫ medicata fuerit aut
ſanat aut manet ſic nihil addens.
Cum ergo pedis groſſicies auge-
ri vidꝫ ⁊ coloꝛ obſcurari: vene q̄3
q̄ vites vocant appere cepint eger
aſſidue cogend⁹ ē vomere: ⁊ cuſto-
diend⁹ a deambulatōe nimia ⁊ ſta
tione ⁊ venter vomitu ꝓcedēte ex
pillis maioꝛib⁹ de hermodactil' ſol
uēdus: deinde ad vomitū redeun
dū poſt illđ. Hoc q̄3 mlt'otiens fie
ri optet. Eger ꝑterea a cibis groſ
ſis ē abſtinēd⁹: ⁊ tibia a calcaneo
incipiendo ſurſū vſq3 ad genu ſtri
gēda. an̄ tn̄ ꝯſtrictōem epithiman
da ē ex aloe ⁊ mirra ⁊ acaſſia ⁊ ypo
q̄ſtiđ. ⁊ alumīe cū aceto foꝛti diſſo
lut⁹. Ex baſilica q̄3 man⁹ ꝯ̄rie ptiſ
minutio faciēda ē. neq3 erect⁹ ſtet
niſi pes ꝑus ſtricte ligat⁹ fuerit ne
q3 epithima illo mō dimittat. vo-
mitu q̄3 freq̄nter vtat. Qđ ſi pax
interceſſit ſpatiū a ꝓcedēti vomitu

ꝛ appetit quieſcere vapora ipſum
cū ſemib⁹ cauliū ſticad arabico ci
nere de vitib⁹ ꝛ lupinis ꝛ nitro et
ſtercore capⁿnoꝛ farina fenugreci
ꝛ liniat᷑ etiā ex aq̄ cineris p̱ ſpaciū
vnius diei aut duoꝝ. Ipa em̄ hu-
ius egritudis maximā reſoluit p̱tē
aut leuiorem reddit

Caplm.95. de vulneribus lumboꝝ.

Cum aliq̄s lōgo tp̄e ſupi
nus ſup̱ dorſum iacet lo
ca renū plerūq̄ʒ rubēt: et
mala ibi fiūt vlcera. Cū ergo loca
iſta rubere cum augmēta viſa fue-
rint miliū ſiue panicū aut folia ſa-
licis ſub eo ſternēda ſunt ꝛ ipſe in
die multotiēs eſt ſoluend⁹. Loca
q̄ʒ q̄ rubent aqua roſata ſup̱ niuē
infrigidata rorāda ſunt ꝛ flabellā
da ſunt ipa. Qd ſi caloꝛ p̱ſeuera-
uerit iponat᷑ epithima de alhubra
ti qd in caplo de apatibus nomia
uim⁹. Et ſi veſice ꝛ vlcera ibi exoꝛ
ta fuerit: ex vnguēto de ceruſa cu-
rentur.

Capitulum.96. de doloribus exterioꝝ membroꝝ

Cum doloꝛ ī manu aut ī
pede fit: eger interrogā-
dus ē ſi ex p̱cuſſione hoc
ei accīt aut ſi aliquid ſuper ipſum
membrū cecidit aut ſup̱ ipſum diu
iacuit. aut ſi contingit ex cauſa ex-
trinſeca. Si autē ab exteriori cau-
ſa non contingerit locus dolēs cō
ſiderādus eſt an ſit magis rubeuſ
q̄ reliquū corpus: aut non. Si em̄
toto coꝛpoꝛe rubicūdioꝛ fuerit ex
calidi apoſtemat̄ medicamīe curā
dus erit. Et ſi mēbrū neq̄ʒ fuerit
calm neq̄ʒ rubeum: ſed iam quoti-
die obfuſcat᷑ ꝛ ſiccatur: aqua cala
ab alto ē ſup̱ ipm̄ diſtillanda ꝛ ex
oleo ꝛ cera reſoluta inungendum
ꝛ dimittēdū ſic donec doloꝛ ſedet᷑
Qd ſi locus quaſi groſſioꝛ videat᷑
ꝛ tactu etiā frigid⁹ ſentiat᷑ freq̄nt᷑
erit fricand⁹ ꝛ aqua cala in q̄ iam
ſucus ꝛ camomilla ꝛ ſticad arabi-
cus cocta fuerit ab alto vt diximꝰ
ſuper ipſum erit diſtillāda ꝛ ex olo
de keiri citrino inungend⁹. Regi
men q̄ʒ ei⁹ ſubtiliādū erit. Ipe vo
multo vtat᷑ exercitio ꝛ ī balneo ſu-
det. Si aūt iſta nō ſuffecerit: vent᷑
ex hijs ſoluatur que humiditateʒ
educūt. Mēbrū p̄terea ſi tactu ſen
tit᷑ frm: fricet᷑ prius: ꝛ deinde inun
gat᷑ ꝛ ex oleo coſtino ꝛ ſambucino
ꝛ oleo de been tepidis: ꝛ ex hijs ſi
milib⁹. Qd ſi iſta non ſuffecerint
ex vnguētis que in caplo de para-
liſi noīauimus inungendum erit:
donec ſanetur.

Elephantia .i. d tūoꝛe ma-
nuū vel pedū. nā talis paſſio fuit de-
ſcripta a ſilitudine elephātis haben
tis pedes groſſos tumidos. tal' tumoꝛ duplex ē.
q̄dā eſt a cā extrinſeca ꝛ vocat᷑ elephātia nō vera
nā fit interdū a forti motu pedū ꝛ tibie inflant:
vt i cachochimicis ꝑpt̄ fluxū maloꝝ hūoꝝ. inter
dū fit a forti frigoꝛe cāte doloꝛē fortē ꝛ ſolutōeʒ
ꝯtinui interi⁹ ꝛ exteri⁹ in manib⁹ ꝛ pedib⁹ ꝛ coꝛ
ruptionē humoꝝ in eiſdē. ſic rōe illoꝝ fit flux⁹ ad
idē mēbrū ꝛ tumeſcit, ꝛ ab hūoꝛib⁹ coꝛrupt̄ i eo

dem ꝑpter frigus penetrás ꝛ solués eleuãť fumi
capnosi ventosi inflátes carnē. sicut videmus in
hoibus ꝛ aialibꝰ mortuis infra triduū. ꝛ tal'tūor
ꝛ elephãtia nō vera euenit tpe frio pueris infan
tibꝰ ꝛ mulieribꝰ ꝑpter debilē ꝛ rarā cōpositōem
corūdē. frigus penetrás ꝛ solués inducit tumorē
in mēbꝛis cāis iam dictꝭ. ꝛ fit tumor vlcerosus i fi-
ne ex cā iam dicta soluēte ꝛ hūorē corrūpente: vt
videmꝰ in manibꝰ puerorꝫ ꝛ in calcaneo. habētū
mulas. Alia ē elephãtia q̄ vera dꝛ q̄ fit a cā intri
seca hūorali fluēte seclusis cāis extrisecis: puta
ex hūoribus flegmaticis vel meancolicis qđ est
vt plimū vnde hūores tales fluētes ꝑ venas mē
bri sua q̄titate venaſ exeūt ɔtētiuā earꝫ aggrauādo
ꝛ imbibiť tal'humor sub forma ꝑꝓa innaturali i
carnositate manꝰ vel pedis vel brachij vel crurꝭ
Vñ rasis in suo ɔtiᶜ caᵒ. ꝓpo dicit ꝙ elephantia
ɔfirmata nō curať. vt illa q̄ per annū vel ꝑ ānos
durauit. manifeste aūt pōt reparí a bono medico
ꝛ ħ est cā duplici. vna ē qꝛ est de gñe cācri. Rab
ibidē. Alia cā est. qꝛ illa vena ꝑ quā fluit maᵃ ad
illa mēbra vltra debitū est dilatata ꝑpť quā vari
ca dꝛ ex intētōne helenorꝫ. vt dicit lra. 13ᵒ. de igeᵒ
sanitaꝭ. c. vltiᵒ in fine. ꝛ sic qꝛ vena illa vltra debi
tum ē dilatata nccio magꝭ ē receptiua sugfluita-
tū puta sanguis grossi ꝛ melācolici. ꝛ ipa vēa sic
repleta grauata a quātiᶜ nccio desinit abire illđ
sugfluū ꝑ capita ipius ad mēbrū ɔtiguū. ideo ta
lis maťia sub forma sua innaturali ꝛ nō sub for
ma secūdarū hūiditatū subintrat porositates mē
bri ad qđ fluit augmētans ipm indebite. ꝑpť qđ
dicit auic. ꝙ ē morbꝰ in q̄titate augmētata. Silr
tal'maťia corrūpit eiꝰ mēbri figurā. ꝑpť qđ q̇dā
dicūt ꝙ ē morbꝰ in figura. ꝛ hoc videť dicere rab
ꝛ rōne talis figure corrūpiť eius actio motiuavo-
lūtarie. Si aūt nō fuerit ɔfirmata nec magnifica
ta tal'elephãtia ħ fuerit in pn̄ᵒ sui incipiēs mēᵐ
magnificare nō attigēs annū in magna pte tūc
ē curabil'ꝑ bonū medicū: lꝫ cū difficultate. ħvult
rab in suo ɔtiᶜ. vbi ponit curā applicādo fria sti-
ptica sup illa vena. ꝛ ɔfortādo ꝑticulā tūidā cuꝫ
moderate resolutiuis ꝛ exiccatiuis ꝛ substrahēdo
materialē cām cū euacuatiis euacuātibꝰ flegma
grossum ꝛ colerā nigrā cū medicis appropaťꝭ: vt
diceť statim. ¶ Et sup ħ nota ꝙ elephãtia sꝑ cō
comitať varica. i. vena latā ꝑpinātē maťiaꝫ subi
to ꝛ ɔfesti j meᵒ. nā tal'vena ē lata. i ꝓcessu autē
ꝑpť receptōꝫ plime maťie magꝭ dilatať. ꝑpť qđ
videmꝰ ꝙ freq̄ntaťꝭ flōijs hn̄t venas magꝭ latas
solite i brachijs. iđ qꝛ varica sꝑ ɔcomitať elefan
tiā lꝫ nō ecōtra. Rab silr tractauit de eisdē i. c. ꝓ-
ꝓo i suo ɔtiᶜ. ¶ Vltiꝰ nō ꝙ ois elephãtia cōiť

ꝑoxisinat bis vel ter i ānno. qꝛ hūores ñles aut in
naťales mltiplicāť i corꝑibꝰ nr̄is fm plꝰ ꝛ minꝰ i
diuisis tꝑibꝰ ānni: vt legiť ꝑᵒ dimidiarꝫ i. c. ꝑᵒ vt flā
i hyeme: san. i vere: col'a i estate: mlia i autūno. ꝛ
moueť magꝭ ex eorꝫ ñā i illꝭ tꝑibꝰ ꝑpter qđ qꝛ ele
phãtia fit de san. grosso flātico vel mlico cōiť ꝑo
xisinat i vere. ad qđ iuuat eiꝰ dissoluᵒ rōe tꝑis. si-
miliť ꝑoxisinat i autūno cōiť. qꝛ maᵃ tūc abūdāti
us gñať ꝛ moueť ex sui ñā ꝛ ꝑoxisinat. i. magꝭ af
fligit ꝛ calescit ꝛ tūescit mēᵐ duobꝰ aut tribꝰ die
bꝰ. ꝛ ħ fuit cōiť circa plenilunū vt videmꝰ đ fac-
to. ꝛ rō dictat rōe speculāti. ¶ Tu dices. q̄ ē cā ꝓ-
xima ꝛ potiᵐᵃ sue gñatōis. Soluit raꝫ i suo cō
tiᶜ. ꝙ sꝑ fit freq̄ntē fit ex nauseatia satietate ꝛ cōiť
fit a maᵃ fluēte ab emūctorijs ꝑncipaliū mēbro-
rū. nā fit in manibꝰ subito ꝛ ɔfestim a maᵃ fluēte
ꝛ subasccħ. nā multi ibi apanť apate ꝟo ꝛ ñvoꝛ
ꝛ maᵃ ꝑuiā cñꝫ talr expelliť ꝑ venā illā medianā
cōem ad inferꝰ puta ad manū. ꝛ sic manꝰ rema-
net tumida ꝛ g̃uata ꝑpť difficultatē resol'ois tal'
maᶜ grosse ꝛ ɔtinuū fluxū ipiꝰ maᶜ ad locū ab ip
so emūctorio. ꝛ istū casuꝫ vidi plies i pestilētijs
cātur silr plies ex fluxu maᶜ a cerᵒ ꝛ ab eiꝰ emun
ctorijs ꝑ venā illā g̃ssam ad ipam manuꝫ. qꝛ illa
vena mediana ascēdēs ad cereᵐ bifurcať: ꝛ intē-
dū recipit talē maťiā. ꝛ iste casus ɔtigit plies in
passiōibꝰ cerˡ ꝛ i ꝑua apoplia ꝛ i media ꝛ in stu
pore ꝛ de possibili i alijs passiōibus capiťꝭ. g̃nať
āt i pedibꝰ cōiť ex maᵃ fluēte ab emūctorijs sple
nis ꝛ epaťꝭ. ꝛ ħ plies vidūꝰ i pestilētijs: i ingui-
bus apaťꝭ. nā ñā expellit materiā talē motu creti-
co tali imꝑfecto ad iferꝰ. Et cū medicꝰ teneať se
q̇ intētū naťe regulāťꝭ in pte vel i toto fuit rō me-
dicorꝫ ꝛ motiuū ꝙ i cura apatū i inguinibꝰ debet
fieri flōia de sophena illꝰ ptꝭ. nā in ħ fundant se
moderni medici. saťꝭ hn̄t rōem i agēdo: dū tñ faci
ant i ꝑnciᵒ ꝑ. 8. vel. 9. horas añq̄ maᵃ sit corrupᵃ
nec facta venenosa. nā ɔñr si fiat seq̇ť effumatio
pessima ꝛ pestifera ad ꝑncipalia mēbᵃ: ꝛ iđ cōiť
moriunť. ¶ Notū ē cuilibet speculāti ꝙ elephan
tia ē passio officia. l' i q̄titate augmētata ꝛ i figu-
ra. ꝛ ē ꝑ colligātiā mēbri mādanťꝭ ꝛ vene ɔtigue
ꝛ ē passio lactorꝫ meˡ ꝛ ɔcauitatū. ꝛ ē ex nocuᵒ re
giuie ñalis ꝛ vital' meˡ recipienťꝭ ꝛ mādanťꝭ. ꝛ ē
paᵒ motiue aiate ꝟtuťꝭ. qꝛ illi inferi nocuᵐ i actōe
sua motiua.

Istis clarificatis cura ele-
phãtie ꝑ-
ut sibi ɔuenit tibi patescit. nā ɔclusum ē a rasi in
multꝭ loq̄ maxie i diuisionibꝰ suis ꝙ nō ɔfirmata
nec magnificata curať a bono medico: ħ cū diffi
cultate vel saltē erit nil addēs i malicia rō dicti ē:

q: bene ꝓuidētes i maᵃ q̄ intrauerūt i naturā va
ricaꝝ nō ſūt ad vltimū dilatate. iō pñt ſtrigi ꝛ ad
debitū q̄ſi reduci cū epithiatibꝰ ꝛ ēbrocatōibus
ſtiptič ꝛ ligaturi̇ ſtringētibꝰ fortit̄ ip̄m meᵐ ꝛ ſic
nō recipiēt matiā vltra debitū. nec ꝑ ɔñs mēbra
ſubiacētia nō replebunt̄ vltra ſui naturaȝ de q̄ ſit
cura. māſiua aūt ꝛ magnificata non curatur ꝓ⸗
pter cām ɔ̄riā. ſilr̄ q: maᵃ fluxa ɔtinue ꝛ i plꝰ in⸗
groſſat̄ ꝛ lapidificat̄ eo ꝙ tale mēbrū elōgat̄ a
fonte caloris ꝛ ꝑs eius ſubtilioꝛ cōtinue exalat̄:
dūtaxat reparatōem aūt manifeſte recipit diuertē
do ꝛ eūando materiā fluētē ꝛ fluxā ɔſumēdo ꝛ ꝑ
ticulā egrā ɔfortādo cū q̄buſdā cal'is ſtiptič em
brocādo potiᵐᵉ i fine eūonis ꝛ reſolōnis matie
puta c̄ vrīa ꝓpa cal'a vel cū lexiuia cal'a. ⁋ Si q̄ſ
ḡ elephātiā incipiētē n̄ ɔfirmatā icurrent i mani
bꝰ vl' i pedibꝰ qđ pateſcit q: tuīoꝛ n̄ ē multū mag
nificatꝰ ꝛ n̄ ē māſiua ꝫ ſolū durauit ꝑ mēſeſ ānū
nō attingēs l' paꝝ attigēs. ꝓus ɔſiderare oȝ ſi ſit
de ſan. ḡſſo mlico qđ pateſcit ex rubore aliq̄li ob
ſcuro ipiꝰ meˡ ꝛ ex cal'. eiꝰ i tactu. nā ſētit̄ aliq̄lit̄
cal'in ꝛ ex maioꝛi māifeſtatōe venaꝝ i ptibꝰ vicinis
puta i crure ꝛ in brachio. vel ſi ſit de flāte groſſo
qđ pateſcit ex ḡſſicie meˡ ſine aliq̄ rubore ꝛ ſine
cal'. i tactu: imo ſentit̄ meᵐ q̄ſi frim nō h̄ñs emi⸗
nētiā cōit̄ tātā ſic̄ fctā ex ſā. mlīco. raſ̄ i diomibꝰ ſu
is ꝓpt̄ maiorē ḡſſiciē maᶜ n̄ poterī poroſitates ꝛ
ɔcauitates lactoꝝ manuū ꝛ pedū ſubitrare. ꝓpt̄
ꝫ iſta rariꝰ ſilr̄ ɔtigit vt vult raſ̄ i diomibꝰ ſuis. q̄ ꝓ
pter lȝ ɔueniāt i duabꝰ itētōibꝰ curatis puta i ef⸗
fugiēdo mltiplicatōȝ maᶜ c̄ dieta cibi ꝛ porꝰ. ꝛ ſi
i ſtrigēdo dictū meᵐ egrū ne maᵃᵐ ſordidā ſic re
cipiat ꝛ i ſtrigēᵒ veas illas ꝓuidētes ipis mēbri̇
cū ligaturi̇ ꝛ epithiatibꝰ ſtiptič diſcōueniūt i itē⸗
tiōe curatia q̄ ē eūare maᵃᵐ fluētē ꝛ ipaȝ diuertere
vt ſtati declarabit̄ i ſeq̄ntibꝰ. ⁋ Si q̄s ḡ elefātiā
icipiētē n̄ ɔfirmatā đ ſā. ḡſſo mliᶜᵒ l' đ flāte h̄ūent
qđ pateſcit ex ſignis iā dicti̇ pa. abſtiḡat a cibꝫ ḡſꝫ
ſan. ḡſſū l' flā ḡſſū ḡñantibꝰ: ſic̄ ſūt carnes vaccie
carnes q̄ c̄ venatōe capiūt̄: ſꝫa legūinū pais azi⸗
miꝰ: caules cibꝰ de paſta azima pira marᶜ hyema
lia piſces beluales ꝛ teſtitudiales: vinū ḡſſū po⸗
tiſſiᶜ dulce. ꝛ vtat̄ cibꝫ ſan. ſubtilē ḡñantibꝰ. vt ſ̄t
pulli gallie ꝑdices colūbi iuuenes vitella ouoꝝ ū
tremula caro mutōis vniꝰ āni auicule ꝑue ꝛ ſil'ia
olera ſꝫtiliā vt ſūt ſpiargia c̄ ȝᵃ ꝑte boꝛagi̇ brodia
ſimplicia c̄ pauq̄ ſpēbꝰ: vinū claꝝ talibꝰ vtet̄ i ma
gna ꝑte ſui regis. i ſup vitabit deābulatōȝ ꝛ ſtati
onē lōgā ꝛ brachij ſuſpēſionē. pes vel manꝰ q̄ꝫ
in pane ligēt̄ ꝛ ſtrigāt̄ c̄ faſceola linea a cauilla i
cipiēs bñ ſtrigēdo vſq̄ꝫ ad iguiaria l' a palma ici
piēs bñ ſtrigēᵒ vſq̄ꝫ ad radicē brachij ſeu vſq̄ꝫ ad

ſꝫaſcellas. añ āt talē ligaturā fortit̄ ſtrigētē epiti
maꝫ ꝛ ēbrocaꝫ meᵐ dc̄m mō ſeq̄nti ℞ aloē mir⸗
re acaſſie aluīis vtuſq̄ꝫ añ. ℔. i. miſceāt̄ ꝛ pul' oia
ꝛ ponāt̄ i ſacclo đ aluta. đ māe capiat̄ vnꝰ. p. bo⸗
nꝰ dicti pul' diſſoluat̄ i bōa pita aceˡ cal'i. ſi tal' ele
fātia fuit đ ſā. ḡſſo ſtipᶜᵒ. ꝛ ſi fuit đ flāte ḡſſo ꝛ ab
luāt̄ meᵃ eḡ puta pes ꝛ tibia vſq̄ꝫ ad iguiaria. ma
nꝰ ꝛ brachiū vſq̄ꝫ ad ſꝫaſcellas. ꝫ f̄ q̄ꝫ māe ꝑ. ij.
aut. iij. mēſes vſq̄ꝫ q̄ tibi ſanitas ꝛ repaᵒ appeat.
ꝛ ꝫ f̄ ꝑ aliq̄lē pauſā addēᵒ i duobꝰ ſeq̄ntibꝰ đ di⸗
cto pul' ꝛ aceᵒ ꝛ viᵒ l' in ouādo put diſcretōi tue vi
debit̄. Adūte t̄m ꝙ tale epithiᵃ ſit cal'in ꝛ meᵃ iā di
cta ſi ēbrocēt̄ tpe frō ꝙ aliq̄lr̄ obūbrēt̄ ſeu a lōge
coopiāt̄ c̄ pānis lineis cal'is ɔñr dicta meᵃ ligēt̄
ꝛ ɔſtrigāt̄ c̄ faſceola ſeu cuȝ bēda pāni linei mō
ſtati dc̄o. Et ſi ſit đ ſā. mlīco flōmet đ baſiᶜᵃ vl' đ
cōi ꝑt̄ ɔ̄rie ɔñr purget̄ ꝓuiceſ. q: paulatim bis in
ſeptiaᵃ c̄ aq̄ caſei ꝛ epithiᵒ ex itētōe raſ̄ i ſuo ɔtiᶜ
℞. epithiˡ. ȝ. i. f̄. decocᵒ i aq̄ caſei qđ ſuf̄ f̄ potus
alīi poteri̇ addere ipi colat̄e đ yerapiᵃ gaˡ. ȝ. 6. l' ȝ.
i. raſ̄ i ſuo ɔtᶜ dabat ꝑ. ij. l' ꝑ. iij. dies q̄lȝ māe loᵒ ye
rapiᶜ alīi. ȝ. i. aloē cicotni c̄ ꝫo capno fctā purga⸗
tiōe bis l'ter flōmēt̄. vene ḡſſe ꝫides q̄ appēt cir⸗
ca curuaturā genu ſup̄ l' ſꝫtꝰ vt tibi videbit̄ vena
magi̇ ꝓmpta ꝛ exhat̄ maḡ q̄titaſ ſā. i tali flōmia
Et ſi elefāᵃ eēt i manu eadē rōe apico venā ḡſſi
oꝛē brachij eiuſđ i bōa q̄tiᶜ f̄m modū extꝰ ſan. a
dicta vēa. veꝝ ſi añ iſtā flōiaȝ iteꝝ reitares flōiaȝ
baſiliq̄ ꝑt̄ ɔ̄rie forſā n̄ errareſ potiᵐᵉ ſi tale coꝛpꝰ
viuat i ɔmeſſatōibꝰ ex eq̄nᵒ iſta fctā ſubt̄ctōe maᶜ
i ꝑte c̄ laxatis ꝛ flōijs applica bis ſupra manū ꝛ
pedē đ manu ſubtꝰ ligat̄a dc̄a đ plātagie q̄ eſt đ
arnagloſſa paꝝ ɔq̄ſſata. ꝫ facto q̄buſdā diebꝰ ap
plicaꝫ ꝑ moᵐ ēpl'i đ ꝫ qđ ſeq̄t̄ ℞ cineri̇ rađ cau
liū. ȝ. 4. axūḡ porciᶜ ātiq̄ ꝙ ſuf̄ ad icoꝛpādū mi
ſceāt̄ i moꝛtaᵒ ꝛ r̄maneat i modū mell'. iſtđ miro
mō ɔſuīt i meᵒ maᵃᵐ. ꝛ h̄ēꝫ maḡſ hōꝛeſ ꝛ maxiaſ
vtilitates. veꝝ q: mltū r̄ſoluit mtđū r̄manet poꝛᵒ
maᶜ mltū exiccaᶜ i meᵒ. ꝓpt̄ qđ đ ɔſiᵒ raſ̄ appli⸗
caꝫ pꝰ q̄ſdā dies. vᵃ die l' duabꝰ ꝑ intualla đ aliq̄
r̄mollitio puta đ axūᵃ anaꝝ l' gallie vl' đ medulla
coꝛe cerui l' vituli. l' đ iſtiſ oibꝰ ſil' mixt̄. l' applicaꝫ
iſſđ ex itētōe raſ̄ i ſuo ɔtiᶜ cui n̄ ē par i ꝫ caſu. ℞.
rađ maluēˡ bullite ꝛ bñ ɔtrite q̄rt̄. i. ſepi ouini qđ
ſuf̄ ad icoꝛpandū ꝙ r̄maneat i liq̄re mell' appli⸗
cādo r̄medū dictū de cineribꝰ. intꝑōas ȝᵃ vl' 4ᵃ
die modiᵐ đ iſto remeᵒ ſero ꝛ māe. ɔñr redeaſ ad
remeᵐ ſtati dc̄m. raſ̄ dic̄ ꝙ ſilr̄ potes facere c̄ fo⸗
lijſ maluēˡ ꝛ adipe anaꝝ ꝛ galliᶜ. raſ̄ dic̄ i ſuo ɔtᶜ
ꝙ armōiacū diſſolutū c̄ aceᵒ ꝫ idē fac̄ nā mirabilr̄
ſꝫtiliat maᵃᵐ induratā ꝛ icidit. vñ raſ̄ i ſuo ɔtiᶜ: ꝛ
in 9ᵒ almāſoꝛe ꝛ in diuiſionibꝰ ſuis vult ꝙ talca

cogantur vomere ante applicatõnem hoꝝ ſaltẽ ſemel in ſeptimana ⁊ p̃mittere laxatiua dicta: ſꝫ dit in lr̃a. ſi vtaẗ vomitu ⁊ euacuatõne ſemel i ſeptimana cũ applicaẗ dicẗ curabiẗ vel nõ addet i malicia toto tp̃e vite ſue. verũ cis eſt valde tedioſum ꝓuocare vomitũ ledũtur in capite ⁊ oculis: ⁊ in p̃cordijs. ꝓpter qd̃ magis vtimur laxatiuis Si aũt tuvis magꝭ benigne vomitũ ꝓuocare: vtaẗ in prãdio ⁊ in cena de radice raphani cuꝫ aceto capiat tres vel. 4. bolos in p̃ncipio comeſtionis ⁊ tertia vel quarta die ſumat diuerſas carnes et axũgioſas in magna q̃titate cum diuerſ vinis: ⁊ poſt prãdiũ ꝑ vnam horam vel ꝑ duas ſumat potũ ſequẽtem. ℞. aque decoctõnis atriplicis ⁊ ſe. eius quarẗ. i. olei cõis quarẗ. i. croci ſiluestri. ʒ. ß. aceti ſquillitici. ℥. i. miſceaẗ ⁊ ſꝫ potus ⁊ deẗ calidus. dum tenuerit ꝑ horã vel quaſi imponat in gutture digitũ ſuũ vel plumã galline infuſam in oleo ⁊ incitet vomitũ. iſte vomitꝰ vel ſi ſis dꝫ premitti ⁊ p̃cedere laxatiua ſupius dicta.

Et ſi quis elephantiã

incipientẽ de flegmate groſſo habuerit: qd̃ patet ſcit ex ſignis ſupius dictis: facies ea q̃ ſupius dicta ſunt ex applicatõe ſup mẽbro. verũ applicaº plantagꝭ dicte non hꝫ ſic locũ in materia iſta ſed loco illius vult raſ ꝙ appliceẗ deſup fel porcinũ cũ modico bõbacis purgãdo p̃us cũ pilꝉis maioribꝰ de hermodactilꝭ diſſoluẽdo eas aliqua decoctõne in defectu illaꝝ facies decoctõem d̃ hermodactilꝭ ⁊ de turbith. vel dabis. ʒ. i. turbith alb ⁊ gũmoſi. ʒ. i. cũ. ʒ. ß. zinziberꝭ. ⁊. ʒ. i. panis zuccꝭ. i diſſoluanẗ oĩa in brodio cauliũ rubeoꝝ vel i brodio carnium. ⁊ ſi vis potes addere. ℥. ß. yerapigre gaꝭ. nã iſta medicina ſatis approp̃aẗ i iſta maª. Iſta tibi ſufficiãt ꝓ vtraqꝫ elephãtia incipiente ⁊ nõ mãſiua. nã aut curabiẗ aut nõ oĩno erit addẽs i malicia ſeu nõ augebiẗ in toto tp̃e vite ſue.

Et ſi quis elephantiã

firmã ⁊ mãſiuã hũit q̃ durauĩt ꝑ annũ vlꝭ ꝑ duos ãnos: nõ q̃ras curã q: incurabilꝭ ẽ: cãis iam ſupius dicẗ. repatiõem aũt manifeſtã recipit a bono medico cũ dieta ſupiꝰ dicta ⁊ cũ purgatõibꝰ dicẗ ſm naturã materie peccanẗ. in repatõe tali ſic ꝓcedimꝰ aliq̃liter purgamꝰ cũ ſimplici farmaco: ſm ↄditõem patienẗ. aliquos purgamꝰ ſolũ cuꝫ cliſteribꝰ: aliquos cũ ſola caſſiaſẗ: aliq̃s cũ ſero caprino ⁊ epithio dũtaxat bis in ſeptiãa: aliq̃s cuꝫ yerapigra in potu: aliq̃s cũ turbith pulueriẓato ¶ Aduerte tñ ꝙ q: curari non pñt nõ debẽt fatigari cũ laxatis nec cũ embrocatõibꝰ ⁊ epithimis q: parũ valerẽt. ſufficit in tali repatõe ligare mẽbrũ ⁊ materiã aliq̃lẽ euacuare cũ farmacijs dicẗ ⁊ q̇buſdam ſtõmijs ⁊ remedia ſupiꝰ poſita applicare ſup ꝑticula modo ⁊ forma ſupradicẗ. Uerꝫ Raſ vult ꝙ in tali magnificata cũ maª indurata applicãda de illꝭ que dicta ſunt ſtupheẗ membrũ cuꝫ fumo aceti. capiaẗ marchacita. i. merda ferri ſeu pumex ferri ⁊ igniaẗ fortiẗ ⁊ ſupſꝑgaẗ acetũ ⁊ inde illud mẽbrũ ꝑfumeẗ ꝑ pauſaꝫ. iſta talis ꝑfumatio fiat ꝑ interualla poſt quoſdã dies: applicãdo remedia ſupradicta. ⁊ iſta tibi ſufficiant in cura elephãtie incipienẗ ⁊ manſiue plura remedia poſſem tibi ponere. ꝓmiſi tñ tibi in p̃ncipio clarificatorij dare pauca remedia electa ⁊ ſecura et ſic ꝓmiſſa attẽdi tibi cũ laude dei q̇ vtutem mihi largiri dignatus ẽ hoc opuſculũ dictũ clarificatoriũ complendi. ⁊ ip̃e bñdictꝰ in ſc̃la ſeculoꝝ ⁊ vltra. Amen.

Preclariſſimi opus Johãnis de tornamira doctoris famoſiſſimi atqꝫ decani p̃clari ſtudij montiſpeſſulani impꝛ̃ſſum lugd̃. ꝑ Johãnem trechſel alemanũ artis impreſſorie magrm̃ Anno nr̃e ſalutis Milleſimoquadringẽteſimo nonageſimo die vo decimaſeptima mẽſis Junij finit feliciter.

Epiſtola

Reuerēdo dn̄o ac mgr̄o mgr̄o Cornelio vitrificis de goes artiū ⁊
medicine doctori Johes de lalanda Salutē plurimā dicit.

¶ Scribis te perdocte vir abſentia mea nō mediocriter affici:vnūqꝫ habere ſolatiū φ ꝑ me clarifi
catorīū diui Johānis de tornamira teneas.ſepe eñ inveſtigio me colloces gratū φ hijs fomentis
acqeſcis inuicē ego ep̄l'as tuas lectito atqꝫ idētidē in manus quaſi nouas ſumo ⁊ eo magi ad tui
deſideriū accēdor:ſcio nūc te eſſe ꝓcipuū ſtudiū orādi:ſ non ideo ſēp pugnacē te ⁊ q̄ſi belloꝝ ſti
lum ſuaſerim: vt eñ terre varijs mutatiſqꝫ ſeminibus.ita ingenia nr̄a nūc hac nūc illac meditatōne
recolūtur.volo interdū aliquid ex hiſtoria locū app̄hendas.volo ep̄l'aꝝ diligētius ſcribas.nā ſepe
in orōne q̄ꝫ non hiſtorica modo:ſ ꝓpe poetica deſcriptōne neceſſitas incidit ⁊ p̄ſſus ſmo puriſqꝫ
ex ep̄lis petitur fas eſt:⁊ carmine remitti.nō dico cōtinuo ⁊ lōgo id eē ꝑfici niſi in ocio non pōt:
ſ hoc arguto ⁊ breui q̄ apte quātaſlibet occupatōes curaſqꝫ diſtrigit.luſus vocant̄. ſ hij luſus nō
interdū minorē gl'iaꝫ q̄ꝫ ſeria ꝯſequūtur.verū vt ad ꝓpoſitū redeam ſepe ſepiuſve me eſflagitaſti:vt
q̄d de huius diui clarificatorij iohānis de tornamira ſenſerim fido pectore tibi reſerarē.accipe nūc
q̄d de vniuerſis generaliter iudicem.ē opus pulchrū:validū:acre:varīū:elegās:purꝫ:figuratuꝫ:ſpa
cioſum etiā ⁊ cū magna tua laude diffuſum:quū igenioſus extiterat:acut⁹:acer.⁊ q̄ꝫ plurimū i ſcri
bendo ⁊ ſal'habet ⁊ fell'nec cādoris min⁹.dedit eñ nobis q̄ꝫtū maxime potuit.datur⁹ ampli⁹ ſi ad
deos nō abijſſet q̄ ſe ex ꝑncipijs ꝯtrarijs cōpoſitū nouit.⁊ aliq̄n ex defatigatōne elemētoꝝ in ſua
ꝑncipia reſolui q̄ꝺ phiſicoꝝ eſt vnūquodqꝫ reſolui in hijs ex q̄bus cōponit̄.⁊ ſe tādem oīa relicturꝫ
⁊ nihil habiturꝫ ꝑter famā nois ſempiternā.ſi ṽtuti opam dederit:iuſticiā dei timoreqꝫ coluerit.Eſt
mihi crede hoc opus ꝑhumane vir ſūmis laudib⁹ ac honore celebrandū: q̄ ⁊ ṽtutibus intellectis
quarū finis eſt verū:⁊ moralib⁹ q̄ rectū equūqꝫ ꝑponūt inſignit⁹ ſit:⁊ vim naturāqꝫ rerū non igno
ret.Eſt eñ ſumma ſtulticia ſi tibi opus ſit ꝑua aq̄ mēſura.queras potius de arduo flumie: q̄ꝫ de ꝑ
uo fonte haurire.nā quū de magno flumie cupis ꝑiculū ē ne illud ꝑlapſus fluctib⁹ tractus emar
gans.ſit igit̄ tua res familiaris nō ſita anguſta vt in ſordibus ṽſeris:neqꝫ ita magna vt ſollicitū te
ſemꝑ teneat.Nūc proch deū atqꝫ hoim fidem in ſumma opinionū ꝑuerſitate ṽſamur vt pene cuꝫ
lacte nutricis errorē ſuxiſſe videamur. quū ṽo parētibus mgr̄iſqꝫ redditi ſum⁹ tā ita varijs imbui
mur erroꝛib⁹:vt vanitati veritas ⁊ opinioni ꝯfirmata natura ip̄a cedat.verū diuerſoꝝ medicoꝝ er
rorem quaſi radicem oīm maloꝝ ſtirpit⁹ diui iohānis de tornamira volumē ſe extracturā pollicet̄.
Demus ergo nos excolēdos:patiamurqꝫ nos ſanari:de hoib⁹ loquor:omitto q̄ ꝑferāt q̄qꝫ patiant̄
ambicioſi honoris cā laudis ſtudioſe gl'ia cā amore incēſe cupiditatis.ſ adhibeā ep̄l'e moduꝫ vt re
deam illuc vn̄ deſluxi.Traditū eſt nobis Johem de tornamira noſtris tempꝑibus nr̄oqꝫ ſeculo vi
xiſſe ac eius picturā quo ad eius libri ſublimitatē excellētiāqꝫ videmus.q̄ etiā regio:q̄ ora:q̄ locus
frācie ꝑuincieqꝫ:q̄ ſpēs forme:q̄ practica:q̄ ingenij acies.q̄ꝺ remigiū:q̄ mot⁹ hoim: nō ita expict⁹
ē vt ipe non vi derit.nos vt videremus effecerit.Aſt hic liber oī laude dign⁹.hic ſūmi tonātis ṽba:
iuxta illꝺ Ecclia ſt.38.Diſciplina medici exaltabit caput illius ⁊ in ꝯſpectu magnatoꝝ collaudabit̄
hic via practicātiū:hic corpis ſalus:h̄ quo pacto bt̄ū te ac felicē reddas: h̄ eſt q̄ nōnulla libroꝝ vo
lumina breui ope complectit̄ hēs optimo ⁊ famoſiſſimo caractere imp̄ſſum.nā ex inclit viri offici
na cui merito oēs tenemur ob ſummi viri p̄ſtantiam:ac fructū ab illo hac tempeſtate nobis expo
ſitum.quot ⁊ quāta hic addita fuerūt:q̄ pacto caſtigata ꝑ reuerendū dn̄m ac magiſtrū Jacobū de
Maude artiū mgr̄ꝫ ⁊ i medicia licētiatū pariſiēſē ac ꝑ reuerēdū dn̄m ac mgr̄ꝫ mgr̄ꝫ Johēꝫ de la lā
da aragonen̄ dioce. ceſarauguſtanen̄.artiū ⁊ medicie doctorē.Neqꝫ ṽo effectāda ſūt ꝑdocte vir ſꝑ
elata ⁊ excelſa.nā vt in pictura lumen nō alia res magis q̄ꝫ vmbra cōmēdat̄ ita librū diui Johis ꝺ
tornamira clarificatoriū tā ſubmittere q̄ꝫ extollere decet. Uale virorum decus.

MVSEVM
BRITAN
NICVM


J. DE
TORNAMIRA
SUPER NONO
ALMANSORIS
CUM TEXTU
RASIS.
1490