

Schistosomiasis: how it is transmitted and prevented. Colour lithographs, 1963.

Publication/Creation

Tianjin : [publisher not identified?], 1963-8.

Persistent URL

<https://wellcomecollection.org/works/kymcnm6f>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

避免接触有尾蚴的水

BI MUAN JIE CHU YOU WEI YOU DE SHUI



在河滩上，要按照地势的高低，种成成熟期不同的作物。在收割的时候，先收高处，后收低处，这样可以避免汛期下水捞收，感染血吸虫病。



穿过的河沟、渠道，可搭架桥或渡渡船，湖滩草滩容易积水的地方，可以修筑沟坎。



有血吸虫的地方，不要到河里去游泳、洗澡、洗衣服。

飲用沒有尾蚴的水

YIN YONG

MEI YOU

WEI YOU

DE SHUI



井裏沒有釘螺絲，井水比一般河水、溝水干净，有血吸蟲的地方，在河邊、溝邊挖井，或者完全改用井水，是預防血吸蟲的一個好办法。



選擇居民區附近小河或溝渠的一段，先把釘螺絲，然后在兩邊築壩，壩底設漏網，使漂水通過漏網到壩外，這樣壩里的水就沒有尾蚴了。



漁民船只在船上常備一捆竹筒，船到河心，就可以隨時向河心撈取單水。

把水里的尾蚴消灭掉

BA SHUI LI DE WEI YOU XIAO MIE DIAO



夏天，有尾蚴的水在煎煮时煮三次，或热汤把手伸入水中烫得烫手（约摄氏90度）的时候，尾蚴就可以死亡。在水中加入生石灰，漂白粉，漂白粉药片，都能杀死尾蚴。
 浓度：生石灰0.5%，漂白粉0.5%或漂白粉药片0.5%。漂白粉药片每片含有效成分0.5克，每片溶于1000毫升水中，本图仅供参考，仅供参考。



把粪土倒成生石灰或漂白粉，综合施肥均匀地撒在田里。
 浓度：生石灰0.5%或漂白粉0.5%。漂白粉药片0.5%。漂白粉药片每片含有效成分0.5克，每片溶于1000毫升水中，本图仅供参考，仅供参考。



如果紧急下水的时候，可以用水面撒666药剂，尾蚴就立即死亡，但是在混浊水中灭杀的效果不大。
 浓度：20%666药剂，每平方公尺水面撒0.1-0.2克。