

**Four illustrations demonstrating ways in which you can not get AIDS from (French version); an advertisement for AIDS education from the Ministry of Health AIDS Control Programme. Colour lithograph, ca. 1995 (?).**

**Contributors**

Uganda. Ministry of Health.  
Uganda. Ministry of Education.  
UNICEF Uganda.

**Publication/Creation**

Kampala : Ministère de l'Education : Ministère de la Santé (Programme le Contrôle du SIDA) : UNICEF, [1995?]

**Persistent URL**

<https://wellcomecollection.org/works/hyqxqdwf>

**License and attribution**

You have permission to make copies of this work under a Creative Commons, Attribution, Non-commercial license.

Non-commercial use includes private study, academic research, teaching, and other activities that are not primarily intended for, or directed towards, commercial advantage or private monetary compensation. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>

# Le SIDA NE se transmet PAS quand:

Le SIDA NE se transmet PAS quand on se donne la main, quand on s'enlace ou quand on s'embrasse.



Le SIDA NE se transmet PAS quand on partage les mêmes vêtements, peignes, draps ou serviettes de toilette.



Le SIDA NE se transmet PAS quand on se partage le même calice, les mêmes tasses, la même vaisselle ou quand on mange dans le même plat ou la même casserole.

Le SIDA NE se transmet PAS par des moustiques, des punaises, des poux, ni par d'autres insectes ou animaux.



**PREVENEZ LE SIDA.** Apprenez à reconnaître les cas où il est transmissible et où il ne l'est pas.

**LE SIDA N'EST PAS TRANSMISSIONNEL** dans les cas vus ci-dessus.

**LE SIDA EST TRANSMISSIONNEL** par des relations sexuelles avec une personne infectée, par des instruments contaminés avec du sang, par des femmes enceintes infectées à l'enfant qu'elles portent, et par des transfusions de sang infecté.