

Ovaltine in lactation / A. Wander Ltd.

Contributors

A. Wander Ltd.

Publication/Creation

London : A. Wander, [between 1930 and 1939?]

Persistent URL

<https://wellcomecollection.org/works/e6b6ktbz>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

BLOTTER ON OTHER SIDE.

OVALTINE

IN LACTATION.

The establishment of lactation is actively assisted by giving the mother liberal drinks of "Ovaltine". It is well adapted for this purpose, providing adequate and appropriate nourishment in an easily assimilable form, for the healthy maintenance of the mother and development of the child.

Among the numerous reports received from physicians the following testimony will serve to illustrate the value of "Ovaltine" as a galactagogue.

"I have had noteworthy results from "Ovaltine" in agalactia. One of my patients had been unable to breast feed any of her children until the birth of her last child, when "Ovaltine" was used regularly, with the result that the milk supply was adequate during seven months of lactation."

Many physicians order the use of "Ovaltine" to commence during the sixth or seventh month of gestation and to be continued throughout the nursing period.

RENENET—The Celestial Nurse.



M 188.

A. WANDER LTD., MANUFACTURING CHEMISTS,
LONDON & KING'S LANGLEY, HERTS.