Immunizations covered by Ministry of Health in Kenya: measles, tetanus in infants and polio. Colour lithograph by KEPI, Ministry of Health, ca. 2000.

Publication/Creation

Kenya: Kenya Expanded Programme on Immunization, Ministry of Health, [2000?]

Persistent URL

https://wellcomecollection.org/works/rkkj2kzh

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

ARE YOU AWARE?

History of fever and rash and any of the following:-

- Cough
- Runny Nose and/or
- Red Eyes

COULD BE MEASLES

Any death of a child born normal who stopped sucking and developed stiffness and/or jerking/twitching of muscles and/or who died during the first month of life

COULD BE NEONATAL TETANUS

Sudden weakness or paralysis in the leg(s) and/or arm(s) not caused by injury

COULD BE POLIO (AFP)

Report all these cases to the nearest Health facility for investigation and further management

DALILI ZA MAGONJWA YANAYOSHUGHULIKIWA NA WIZARA YA AFYA

DALILI ZA UKAMBI

Joto mwilini, kuparara na moja kati ya haya:-

- Kukohoa
- · Kamasi na/au
- Macho Mekundu

PEPOPUNDA KWA WATOTO WACHANGA

Mtoto kufariki baada ya kuzaliwa, au mtoto kukosa kunyonya. Mtoto kukauka misuli, au mtoto kufariki katika mda wa mwezi wa kwanza baada ya kuzaliwa.

Dalili za ugonjwa wa kupooza

Kukosa nguvu mguuni au miguuni na mkononi au mikononi pasipo na ajali.

Peleka mgonjwa yeyote kati ya haya kwa kituo cha afya kilicho karibu nawe kwa haraka apate usaidizi