

**'Bronchipax' : 'ionexten' brand oral depot tablets (resin-bonded ephedrine)
: each tablet provides day-long or night-long freedom from bronchospasm
with a single dose / Clinical Products Ltd.**

Contributors

Clinical Products, Ltd.

Publication/Creation

Richmond, Surrey : Clinical Products, [1957?]

Persistent URL

<https://wellcomecollection.org/works/eqvmg97h>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

PHYSICIAN'S SAMPLE

'bronchipax'

'IONEXTEN' BRAND

oral depot tablets

(resin-bonded ephedrine)

each tablet provides
DAY-LONG OR
NIGHT-LONG FREEDOM
FROM BRONCHOSPASM
with a single dose

an 'ionexten' tablet
works 'round-the-clock'

ORAL DEPOT THERAPY

bronchipax 'IONEXTEN' TABLETS (RESIN-BONDED EPHEDRINE HYDROCHLOR. PLUS THEOPHYLLINE AND BROMVALETONE

In **bronchipax** 'ionexten' tablets the prolonged effect does NOT depend on enteric coating; it is inherent in the drug-resinate. Controlled ionic exchange feeds the ephedrine into the blood-stream evenly and at an optimum level for 10-12 hours independent of any variation in physiological factors. The bronchodilatory effect of ephedrine is augmented by the addition of theophylline, while bromvaletone is valuable as a safe sedative and also counter-balances the central stimulating effect of ephedrine.

ADVANTAGES:

1. Day or night-long therapeutic action.
2. optimal blood levels (never dangerously high — never ineffectively low).
3. No forgetting of conventional t.d.s. doses.
4. Economy of drug, time and money.

INDICATIONS:

bronchipax 'ionexten' tablets are indicated in bronchial asthma, chronic bronchitis and hay fever.

DOSAGE:

Adults—one or two tablets on rising and one or two on retiring.

Children—according to age. Tablets are half scored for dosage adjustment.

CONTRA-INDICATIONS:

The rare case of allergy to ephedrine provides the only absolute contra-indication. **bronchipax** should be used with caution in patients with severe cardiac disease and hyperthyroidism.

FORMULA:

50 mg. ephedrine hydrochlor. B.P. (as resinate).

65 mg. theophylline B.P.

200 mg. bromvaletone B.P.C. '49.


PRESENTATION:

Pocket pack of 30 tablets, each sealed in polythene-coated film.



'IONEXTEN' BRAND
oral depot tablets are made only by

CLINICAL PRODUCTS LTD
RICHMOND, SURREY, ENGLAND



Rx for.....

DIRECTIONS

.....

.....

PRINTED IN ENGLAND