Safe counsel, or, Practical eugenics / by B.G. Jefferis and J.L. Nichols ; edited and completely revised by J.L. Nichols.

Contributors

Jefferis, B. G. 1851-
Nichols, J. L. -1895.
Nichols, J. L. 1890-

Publication/Creation

Naperville, Ill. : J.L. Nichols, [1930], ©1930.

Persistent URL

https://wellcomecollection.org/works/dwau7dfn

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution, Non-commercial license.

Non-commercial use includes private study, academic research, teaching, and other activities that are not primarily intended for, or directed towards, commercial advantage or private monetary compensation. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.

wellcome collection

Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
https://wellcomecollection.org

PRACTICAL EUGENICS

QZ 50
1930
J45s


22501625505

1930

25
SH 100



WHICH WILL YOU CHOOSE?

SAFE COUNSEL

OR

Practical Eugenics

By

B. G. JEFFERIS, M.D., PH.D.

and

J. L. NICHOLS, A.M.

THIRTY-NINTH EDITION

Edited and Completely Revised By

J. L. NICHOLS, A.B.

J. L. NICHOLS & CO.

NAPERVILLE, ILLINOIS

U. S. A.

Copyrighted 1930
by
J. L. NICHOLS

More Than One Million Copies Sold

PRINTED IN U. S. A.

WELLCOME
LIBRARY

QZ 50
1930
J45s

OUR SLOGAN

Fight social diseases with facts, not sentiments; study the problems of venereal infection for information, not sensation; combat social evils with science, not mystery. This is the keynote of our campaign to train men, women and children to think straight along the line of social hygiene.

Preface to the 39th Edition

SAFE COUNSEL was originally published in the year 1893 as the first sincere attempt to explain the essential facts of sex life in their relationship to human happiness. In those days of ridiculous false modesty it was a pioneer in the true meaning of the word. Thirty-eight separate and distinct editions have now been printed. More than a million copies have been sold on a positive guarantee of satisfaction. Millions of people have found in this book the information they sought, in terms they could readily understand.

In presenting this latest edition I offer an entirely new book, with new type, new illustrations, and many added features. Old fashioned theories have been replaced by modern scientific facts. An honest effort has been made to deal with the most delicate situations clearly yet cleanly, without cant or hypocrisy, yet without evasion.

Other books dealing with sex subjects may be divided into three distinct classes. In the first place there are the purely scientific works which are of no practical value to the layman. Secondly we find numerous non-technical works whose authors vainly seek to keep the public good and pure, by concealing most of the truth. And finally there are the sensational, catch-penny abominations in which life's most sacred function is desecrated for commercial profit. In this latter class rightfully belongs that extraordinarily clever vulgarity which passes for fiction in some of our popular periodicals.

Many of the wrecks of humanity which fill our public institutions owe their pitiful condition to the terrible exaggerations, the downright falsehoods, and the

shameful sex thrills which pervade the so-called literature of the day.

I can conceive of no more terrible ordeal than the one which the average uninstructed, unassisted, and unprotected youth goes through in his sudden change to manhood. Where will you find a more pathetic picture than that of the average girl approaching matrimony absolutely ignorant of everything her new relationship must mean.

If, therefore, this little book serves to wipe out some medieval bigotry, to disperse some entangling misunderstandings, and to increase to some extent, at least, the happiness of the human race, its purpose shall have been splendidly fulfilled.

THE EDITOR.

PART 1

THE SCIENCE OF EUGENICS

HISTORICAL FACTS

METHODS OF IMPROVING THE RACE

THE EUGENIC MARRIAGE LICENSE

STERILIZATION OF THE UNFIT

BIRTH CONTROL

PROPHYLAXIS

EDUCATIONAL PROPHYLAXIS

VENEREAL PROPHYLAXIS

The Science of Eugenics

Eugenics, to use the definition of Sir Francis Galton, is the science which deals with all the influences that improve the inborn qualities of a race. It has also been called the science of improving the human race by better breeding.

An Old Subject.—The word eugenics was first used by Sir Francis Galton, was promptly forgotten, and it is only in recent years that it is becoming a topic of common conversation, and developing into a science for investigation and study. The life history of certain families is traced through several generations, taking into account heredity, variation, selection, regression, and environment, and arrives or attempts to arrive at a method of improving the mental and physical development of mankind. Notorious among such familes is the famous JUKES FAMILY, a description of which appears in another part of this edition. The principle of selection, the most important from a eugenist's standpoint, was known to the ancient Chinese. Among its earlier advocates were Charles Darwin and Lombroso.

A Common Misunderstanding.—However, the eugenist does not ignore the influence of environment. You will notice that Galton says that eugenics embraces *all the influences* that improve the inborn qualities of a race. He says further that "when nature and nurture compete for supremacy on equal terms, the former proves the stronger." While heredity is important, it is readily seen that it is not ALL IMPORTANT. Without proper environment and training, heredity would count for very little, but proper environment is able to overcome most of the results of bad breeding.

Breeding for Results.—For centuries man has been engaged in the breeding of plants and animals—and has been making innumerable improvements in the quality and size. By careful selection he has been able to produce at will fast horses, or draft horses, cattle for beef or for dairy purposes, poultry for meat or for egg production; he has been able to develop fruits and vegetables for food purposes to an astonishing degree of success. In fact, animals and plants for every conceivable purpose have been hybrid, crossed, grafted, and propagated by scientific methods. Other types, of course, were weeded out.

A Natural Question.—The question then arose, "Why cannot we do the same things and accomplish the same results in the human family?" And the answer is emphatically WE CAN, provided we will tackle it in the right spirit and in the proper manner.

Negative Eugenics means simply preventing the unfit from bringing children into the world, and lets the positive improvement of the race take care of itself. The difficulty of drawing a line definitely between the fit and the unfit is at once apparent. But by common consent there are certain classes who are not fit for parenthood, namely, the feeble minded, the epileptic, the insane, the syphilitic, etc. By one means or another the unfit must be prevented from propagating their kind if we ever hope to improve humanity to any great extent. Two methods of accomplishing the desired result have been advanced by the eugenists, namely, (a) the requirement of a clean bill of health before a marriage license is issued, and (b) the sterilization of the unfit. Both of these subjects are discussed at length in subsequent chapters.

The State Laws.—Some of our states have already passed laws which prohibit marriage in such cases where it is evident that no lasting good to the state or nation will result from the union. They require a physical certificate from those contemplating matrimony, or no marriage license will be issued. A marriage license cannot be issued in Wisconsin without a thorough medical examination. Connecticut, Minnesota and Kansas prohibit the marriage of couples either of whom is feeble minded or epileptic. Delaware, Maine and Vermont forbid the marriage of a pauper. (In such a law the significance of heredity is ignored and the importance placed on environment.) Michigan makes it a felony punishable by fine and imprisonment to contract marriage while suffering with a venereal disease.


The Lack of Enforcement.—It is a sad fact, however, that these laws are not universal. It is equally regrettable that laws for the prevention of socially undesirable marriages have never been, and are not now, systematically enforced. Nothing has been done to prevent persons forbidden to marry from going outside the jurisdiction of the state, and there evading the consequences of the law. Eugenic laws must be enforced and at the same time be supplemented by other laws making null and void all marriages so contracted.

Positive Eugenics.—This phase of our subject is far less advanced. And at the same time it is beset by all kinds of prejudices and difficulties Just for example, can anyone truthfully say how many Edisons, or Marconis, or Lincolns were really endowed with superior mental or physical gifts? How much of their genius was due to heredity, and how much to environment?

Our Inalienable Rights.—And yet it is the right of every child to be well born, both from the standpoint of parentage and from that of environment. The world has been gradually growing better. What student of history, or of the Bible for that matter, can doubt it? And yet when we behold the sin and wickedness around us, when we really look for the imperfections and the unhappiness of our existence, we are led irresistibly to the point where we all want to do something to hasten the millennium. The eugenist has not been backward in proclaiming his remedies, among which, on the positive side of the question, we find two specific panaceas, namely (a) the rational limitation of offspring, and (b) moral, educational and personal prophylaxis, both of which will be taken up later.

The Dangers.—From a eugenist's standpoint all mental or physical weaklings should be prevented from bringing children into the world. We must not forget, however, that the world's history is replete with instances of great men, deep thinkers, energetic, courageous, and self-sacrificing workers for humanity, who have themselves been handicapped by an underdeveloped or deformed physique. John Stuart Mill, Carlyle, even Darwin himself, and countless others from a strict eugenic viewpoint, should have been eliminated. And herein lies the difference between plant and animal propagation and the science of eugenics. A healthy brain unfortunately is no guarantee of a healthy body.

The Survival of the Fittest.—In the early days the struggle for existence was sufficiently severe to eliminate the unfit. But today, with the remarkable advancement of medical science, with our new and improved means for the care and the education of the unfortunate, and with our laws and amendments for the prevention of crime and wickedness, the mental, moral or physical weakling is bolstered up, enabled to live, and is even permitted to transfer his hereditary defects or deformities to future generations.


HE DECIDES to VERIFY SOME of the STORIES HE HAS HEARD
DR. BUNKUM
M. D.
MENS
DISEASES
GUARANTEED
CURED
AFTER THREE WEEKS of TREATMENT and the PAYMENT of $50.00 HE is PRONOUNCED CURED
HE DECIDES to SETTLE DOWN

HIS WIFE BECOMES *the* PITIFUL VICTIM *of* HIS IGNORANCE





HE LEARNS *with* HORROR *that* HE NEVER HAD BEEN CURED



WHO *is to* BLAME *for* THEIR CHILDLESS *and* UNHAPPY MARRIED LIFE

Every Child Has the Right to Be Well Born, but even the ill-born child is entitled to the very best of care, to every chance for survival that science may offer. But from the standpoint of race improvement, such a child has no right to reproduce.

In Conclusion.—Now it is not our purpose to argue for or against these panaceas which have been advocated as cure-alls for the world's ills. It is our desire to present both sides of the question fairly and state the arguments for and against them as clearly and as simply as possible. These are radical ideas and involve a complete revolution in some of our everyday thoughts. And yet when someone offers to empty our jails, asylums, poorfarms and benevolent institutions, easily and quickly, we must sit up and take notice. That, in a word, is what the eugenist agrees to do through the medical marriage license, asexualization of the unfit, rational birth control, and prophylaxis. Let us see how these things may be brought about.

The Eugenic Marriage License

One of the simplest and most effective methods of improving the human race is a law which would require a certificate of freedom from transmissible disease before a marriage license could be issued. This is the first plan suggested for the improvement of the inborn qualities of the race from the standpoint of negative eugenics.

As stated before, many states have passed laws prohibiting certain marriages from taking place, but the proportion is pitifully small, and in no case does the law proceed far enough to accomplish very much.

The Benefits of such laws are self-evident. Veneral disease is attacking the future of the human race through the sacred relations of family life.

The Evidence.—Keys as quoted by Stokes estimated from his own records that the chances taken by a syphilitic husband who used no special precautions to prevent infection in his wife as twelve to one the first year for infection, five to two the second, and one to four the third, after which the chances were negligible.

It is not only in the control of venereal diseases that such laws would be effective. If there is one trait above all others which we know to be transmissible, it is feeble-mindedness. A feeble-minded father or a like constituted

mother will have feeble-minded children, just as surely as the sun rises in the east. The children of parents classed as epileptics, insane, tubercular or alcoholic either inherit the diseases direct or take their birthright in a weakened or deformed physique. The annual toll of death from these causes, particularly in children, is startling. And they could all be avoided.

The Remedy.—Let us have laws in all of our states to put an end to these damnable atrocities. Let us require a clean bill of health, both mental and physical, from every applicant for a marriage license, both male and female—that certificate to be signed by a *reputable physician* who would not dare risk his professional reputation without a rigid, thorough and final examination. And let us make it a felony to go outside the jurisdiction of the state to evade the letter of the law. In all cases of known venereal history, let us adopt the "five-year rule" as recently summarized by Hoffmann: "A syphilitic who has been efficiently treated by modern methods with mercury and salvarsan over a period of from two to three years, and who has remained free from all the signs and symptoms of the disease for two years after all treatment was stopped, including negative blood and spinal fluid tests, may safely marry in five years from the beginning of his infection."

The Sentiment Is Growing.—As an indication of the growth of the health certificate plan, it is interesting to note that in some states without suitable protections certain high-minded preachers refuse to perform the marriage ceremony without the positive proof of a clean bill of health from both parties.

Sterilization of the Unfit

The second means for the improvement of the human race, as advocated by students of the subject, is the sterilization of the feeble-minded, degenerate and criminal.

Congenital Defects.—Present day thinkers are inclined to scoff at the old idea of heredity and its influence. They place more importance on education and environment, and rightly so. Take, for example, the common superstition which attaches a stigma to those unfortunate people born with club feet, cleft palate, harelip and congenital hip disease. Folks usually overlook the fact that all human beings have club feet, cleft palate, harelip and

congenital hip disease before birth. In the natural development of the embryo there is a natural fusion of the various parts of the body, and in rare cases this fusion is not absolute, with the above mentioned defects resulting. There is positively nothing hereditary about them. When we stop to consider what actually takes place in the house we live in for nine months, isn't it a miracle that so many of us are perfect?

We Cannot Ignore Heredity in cases of the mentally and morally insane, the feeble-minded, the degenerates and congenital criminals, and in all such cases authorities agree that sterilization or asexulization is the only solution. These are the unfit and they must be prevented from propagating their kind.

Examples.—The gravity of advocating a plan of this kind cannot be overestimated, and yet our common sense tells us that there are countless instances where such measures are justified. Cases of chronic, long standing, and incurable venereal disease are a terrible menace to society. A child born of epileptic parents is almost sure to inherit that dread disease. I know of one family in which both the grandfather and the father died as a direct result of epilepsy and there are today eleven living children doomed to the same fate. Then there are the men and women of strong hereditary taint who are periodically released from penal institutions and asylums for the insane, only to be returned within a few weeks or months more violent than ever. The children born of such parents are a liability to the state from a mental, moral, physical and economic standpoint. To permit them to grow up and bring other children into the world is a crime, and yet the state must care for them and educate them until they come of age. Here under the present system the duty of the state ends and the defectives are turned out into the world to beget and to bear children, and the vicious circle is complete.

There Are Two Remedies.—In the first place in all such cases of feeble-mindedness, epilepsy, degeneracy, pauperism and congenital criminality, the patients should be freely given information as to the means for the prevention of conception. If they maliciously refuse to make use of contraceptives and continue to propagate their kind, then the state certainly has the right to step in and make it impossible to bring children into the world that they may become a menace to public health and a public burden. For the state to fail in either of these preven-

tive measures is simply to follow the surest road to national degeneracy.

Sterilization Without Mutilation.—It may not be generally known that there are two distinct methods of rendering men and women incapable of begetting children. Formerly a very serious and maiming operation with a profound effect upon the character, looks and voice of the individual was considered necessary. Today it is possible to obtain the desired result without any mutilation, and with absolutely no effect upon the individual's health, character, looks, voice, or mode of life. The operation is a more serious one for women than it is for men.

Voluntary Asexualization.—As an instance of the growth and logic of this idea, many sufferers have submitted to the operation when it was made clear to them what their troubles would lead to in the coming generations. For example, a group of criminals in the Indiana State Penitentiary were recently sterilized *voluntarily* when the matter was presented to them in its true light.

Oh, that we might all see the effects of our own conduct and habits on the coming generations and govern ourselves accordingly.

STERILIZATION OF DEFECTIVES LEGAL

The Virginia State Law providing for the sterilization of mental defectives has recently been upheld by the United States Supreme court in an opinion deemed of much importance because of the agitation for similar legislation in other states.

Better For All World. The majority of the court, in the opinion written by Mr. Justice Holmes, held "that it is better for all the world, if, instead of waiting to execute degenerate offspring for crime, or to let them starve for their imbecility, society can prevent those who are manifestly unfit from continuing their kind."

In the opinion it is pointed out that the Virginia law provides every protection for patients; that sterilization may be effected without danger to life, and that the state is supporting in public institutions defectives who, if discharged now, would become menaces, but who, if sterilized, might be discharged with benefit to themselves and society generally.

Best Citizens Give Lives. "We have seen more than once," the opinion asserts, "that the public welfare may call upon the best citizens for their lives. It would be strange if it could not call upon those who already sap the strength of the state for these lesser sacrifices, often not felt to be such by those concerned, in order to prevent our being swamped with incompetents."

Birth Control

or

The Limitation of Offspring by the Prevention of Conception

A Question of Vital Importance.—Freedom of motherhood is the first glorious goal for the eugenist on the negative side of the question. This emancipation of womanhood, and a consequent improvement in the human race, we are told, is to be brought about by the rational limitation of offspring. The reasons given for so broad a statement are the result of an analytical study of present day conditions and the works of well-known authorities, and they may be summarized as follows:

1. Because countless people are already using contraceptive measures, using unscientific and actually harmful means to the detriment of their health and happiness. In view of the fact that there are only two or three children in the average home instead of fifteen or twenty, it is ridiculous to say that most people are not familiar with SOME means of preventing conception.
2. Because the fear of having too many children keeps countless young men single and thus indirectly increases the extent of venereal infection.
3. Because countless mothers are old, invalided women at thirty-five when they ought to be in the prime of life.
4. Because countless women have been driven to an early grave through abortions and attempted abortions.
5. Because countless children are poorly nurtured, poorly clothed and poorly educated as a result of there being too many.
6. Because countless children are born of feeble-minded, insane, epileptic, syphilitic and tubercular parents, foredoomed to an uphill struggle, a dependent life or an early death.
7. Because human beings ought to have the right to determine when, under what circumstances, and how many children they will bring into the world.
8. Because contraceptive measures are, generally speaking, in themselves preventives against venereal disease in married life.

From Our Common Experience we know that these statements are true. No boy or girl should embark on the perilous course of matrimony without first learning from *parents or physician* the safe and sane methods of limiting conception. In spite of the obvious truth and justice in these statements, there is a large percentage of people who from a moral standpoint, or to be exact, a prejudiced viewpoint, look upon the matter from an altogether different angle. Let us see where their arguments lead us.

Arguments Against Birth Control.— *Argument No. 1.* It is argued that by universal dissemination of the means of prevention that we would regulate by force the number of children in each family. To refute this argument it is only necessary to state that limitation is advised only in the case of those morally, physically, mentally, or financially unfit. Large families would be the rule where the parents were able and willing to care for them.

Argument No. 2. Then there is the statement that contraceptive measures are injurious. It must be admitted frankly that some of them are, but the injury arises from ignorance and improper use. True they are not as convenient as falling off a log, and are considered by some as unesthetic. But millions of people are familiar with sane, harmless means of preventing conception. If you doubt this, ask your physician.

Argument No. 3. "Contraceptive measures are not absolutely safe." Well, what of it? Their failure is usually due to misunderstanding, carelessness, or unintelligent use, and if they are efficient in nine cases out of ten, then they are a real blessing to humanity.

Argument No. 4. "What if the mothers of Shakespeare, Washington and Lincoln had practiced birth control?" In answer to this natural question it is only necessary to ask: "What if the mothers of Alexander the Third, or the notorious Jukes, or Bergdoll *had* used contraceptives?" and here endeth the argument.

Argument No. 5. "Murder is murder."

Argument No. 6. "Prevention renders a woman sterile."

In both the fifth and sixth argument the uninformed wilfully ignore the difference between birth control and abortion. Abortion *is* murder when "brought on," and as such is a severe nervous shock to any woman, sometimes rendering her sterile. But there is as wide a difference between birth control and abortion as there is between night

and day, and any argument which overlooks this difference stands unsupported by any logical premise.

Argument No. 7. "Preventive measures will only be adopted by the best of the working classes, and a larger percentage of the population will be furnished by the lower classes." The truth of the matter is that *no man or woman likes to bring defective children into the world.* Experience shows that no matter how low, fathers are just as grateful for information about birth control as the mothers. Who would wilfully burden himself with one sickly child after another? If safe and simple methods of prevention were put into the hands of everyone, public opinion would no longer consider large poverty-stricken, sickly families as an object of pity and charity, but the parents would be subject to a very righteous popular indignation.

Why Is the Information Taboo?—We have presented the arguments for and against birth control, and we have seen that the evidence is all in favor of the affirmative. The questions then arise: "Why do they put men and women in the penitentiary for telling people what they ought to know? Who is responsible for the air of illegal mysticism which surround this whole subject?

Anthony Comstock was in large measure responsible for the passage of the Federal Obscenity Act in 1873. He was the leader in the Society for the Prevention of Vice, whose efforts were directed against the circulation of obscene literature and pictures among school children. In the closing rush of Congress of that year the bill was hurriedly passed, making the conveying of obscene matter through the United States mail a criminal offense, *and it included contraceptives and information about contraceptives in the class of obscene matter.* This law, like the state laws which followed it, did not make it an offense to practice birth control. The crime lies in the conveying of information as to how conception may be prevented.

Here Is the Law.—The following is a copy of the law as it appears in the United States Criminal Code, Act of March 4, 1909, Chapter 321, Section 211, United States Statutes at Large, Volume 35, Part 1, page 1088:

> "Every obscene, lewd, or lascivious and every filthy book, pamphlet, picture, paper, letter, writing, print or other publication of an indecent character, and every article or thing designated, adapted or intended for preventing conception, or procuring abortion, or for any indecent or immoral use; and every article, instrument, substance, drug, medicine, or thing which is advertised or described in a manner calculated to lead another to use it for preventing conception or producing abor-

tion, or for any indecent or immoral purpose; and every written or printed card, letter, circular, book, pamphlet, advertisement, or notice of any kind giving information directly, or indirectly, where, or how or from whom or by what means any of the hereinbefore mentioned matters, articles or things may be obtained or made or where or by whom any act or operation of any kind for the procuring or producing of abortion will be done or performed, or how or by what means conception may be prevented or abortion produced, whether sealed or unsealed; and every letter, packet or package, or other mailable matter containing any filthy, vile or indecent thing, device or substance; and every paper, writing or advertisement, or representation that any article, instrument, substance, drug, medicine, or thing, may, or can be used or applied for preventing conception or producing abortion, or for any indecent or immoral purpose; and every description calculated to induce or incite a person to so use or apply any such article, instrument, substance, drug, medicine or thing, is hereby declared to be non-mailable matter, and shall not be conveyed in the mails or delivered from any postoffice or by any letter carrier. Whoever shall knowingly deposit or cause to be deposited for mailing or delivery anything declared by this section to be non-mailable, or shall knowingly take, or cause the same to be taken, from the mails for the purpose of circulating or disposing thereof, or of aiding in the circulation or disposition of the same, shall be fined not more than $5,000.00, or imprisoned not more than five years, or both."

The State Laws.—And the laws of the several states are equally as severe, and cover the sending of such information through channels other than the United States mails, and even the giving of the means or information by word of mouth. It is, therefore, an extremely serious and dangerous offense to impart or to attempt to impart any information whatever on the subject of birth control.

The Only Relief.—There is happily a simple way out. Under the New York State laws a *physician has the right* to prescribe contraceptives to cure or prevent disease, a right which has been affirmed by the New York Court of Appeals, and which is broad enough to cover the usual requirements. Few doctors have claimed this right or known that it existed. In many of the states amendments have been proposed to remove information concerning contraceptives from its present position among filthy and lascivious things, where it certainly does not belong, and to permit duly licensed physicians to prescribe such preventive measures as the case may require.

A Woman Jailed.—Margaret Sanger, the well known writer and lecturer, was thrown into prison before she finally convinced the authorities that birth control need not necessarily be an obscenity. Her case in New York was given considerable publicity throughout the newspapers and magazines of this country and Europe. The Court recog-

nized that the prevention of conception may be absolutely vital to a woman's health and happiness—a matter of life and death.

Uniform Laws.—After such a victory it is now only a question of time until popular opinion will demand the repeal of the Federal and State Obscenity Laws, and the passage of uniform statutes with the welfare of humanity at heart.

Quotations from Famous Thinkers.—John Stuart Mill says that "Utility lies at the basis of all Morality." Professor Huxley, one of the greatest thinkers the world has ever known, said, "So long as unlimited reproduction goes on, no social organization which has ever been devised will deliver society from the tendency to be destroyed by the reproduction within itself." H. G. Wells, the popular English writer, says: "Procreation is an avoidable thing . . . . and the procreation of children who, by the circumstances of their parentage *must* be diseased bodily and mentally, is absolutely the most loathesome of all conceivable sins." Dr. A. Jacobi, the conservative president of the American Medical Society, has said: "The advice to the poor to limit the number of children, even the healthy ones, is perhaps more than merely excusable." Sidney Webb said, in an article in Popular Science Monthly: "If a course of conduct is habitually and deliberately pursued by vast multitudes of otherwise well conducted people, forming probably a majority of the whole educated class of the nation, we must assume that it does not conflict with their actual code of morality.

What Has Been Accomplished.—A few short years ago the average citizen used to faint at the mere mention of birth control, just as his puritanic father held up his hands in holy horror at the mere thought of sex instruction or venereal disease. But times have changed. Just as the true facts about self and sex have gradually become common knowledge through the pamphlet campaign of state and nation, so the truth about birth control through the tireless efforts of its advocates has become the subject of a reverent understanding. The trend of public opinion always goes forward. Human happiness demands the clarifying of a situation which muzzles the press, binds the hands and feet of the medical profession in helpless captivity, and makes law-breakers and criminals out of otherwise law abiding and respectable people, in a matter of vital importance to the ultimate achievement of the race. The fact that such laws exist *and that we let them exist*



WHICH WILL YOU CHOOSE?

indicates that as yet public opinion is not fully awake to the dangers of our very real drift towards degeneracy. Any law or series of laws which is a detriment to human happiness and progress must be stricken from the records.

Does Birth Control Work?—Population has always been regulated in one fashion or another. Wars, famines, plagues, religious offerings and abortion have prevented humanity from over-populating the earth. Why is it unreasonable to expect that more satisfactory results may be accomplished by scientific and hygienic methods?

Strength Is Not Always In Numbers.—Startling proof of the change in public opinion on birth control is afforded by the attitude of the German people. Before the war the former kaiser preached the gospel of the large family, and personally acted as godfather to the sixth child in every German family. The people regarded birth control as an invention of the devil and laughed at France, supposed to be slowly failing on account of her lack of large families. Today the subject of birth control is much discussed in Germany. In January of 1922 Dr. Otto Mayer of Munich was charged with performing illegal operations on some eighty girls and women, ranging in age from 17 to 40 years, and the people are following this trial with intense interest. The accused pleaded "not guilty" and maintained that "women are free to deal with their own bodies as they see fit. They agreed to submit to an operation, not because they feared the shame or the indignity of their predicament, but simply because they knew that they would be unable to rear their children to maturity under the existing economic conditions." If this plea represents the truth in every case, then it would be a harsh and unfeeling judge who would insist upon the full penalty of the law.

And so the times change. What was a crime yesterday becomes a physical necessity today. Sooner or later the trend of public opinion swings around to the point where the laws, rules, and regulations represent the best interests of the people.

In Holland.—Birth control has been openly practiced for over forty years. Fifty free clinics are operated for the purpose of giving information on contraceptives to whoever may need it. As a result, with a population of about six million, the death rate among children has dropped from 180 per thousand to 64, an improvement of over 65 per cent in a period of thirty years. *This is the lowest child's mortality rate of any nation in Europe.* As a result, motherhood is glorified, large families prevail

where conditions warrant them, early marriages are the rule, and prostitution is almost unknown.

In China.—Contrast this picture with one from old China where 779 out of every 1,000 babies die before they are two years old. What would happen to this overcrowded, famine swept land if all those babies actually lived? *Is it fair to condemn 779 babies to death in order that 221 may live?* From a humanitarian standpoint the evidence is predominately in favor of rational limitation of offspring. The following figures offer even more conclusive proofs:


	Infant Death Rate	Birth Rate
Amsterdam (before birth control)....	25.1	27.1
Amsterdam (after birth control).....	13.1	23.3
Australia (under birth control).....	10.7	27.3
New Zealand (under birth control)..	9.1	25.3
Germany (before birth control).....	15.0	27.5
United States.....	14.7	24.8

Figures Often Confuse.—Supposedly remedial measures have in recent years been advanced in this country and in Europe, such as free medical and dental attention, schools for the blind, deaf, and tubercular, free dispensaries and sanitariums for the unfortunate, etc. England alone was favored with more of these measures than any other land, and yet the army records show that in 1917 only 36 per cent of the men passing under the army medical board were of normal weight, strength and health. Even the proportion of men examined and called in the United States under the selective service act, and who were accepted for full military service is surprisingly low. But such generalities usually leave the ordinary citizen unconvinced. They are too impersonal for him, too far removed from his daily life. He can only be influenced by actual concrete examples. He must be made to look around him and see what is actually happening among his friends and acquaintances. Let him pick out four families at random with from six to ten children and compare them with the following typical instances with which the writer is familiar.

Case No. 1.—Father a Roumanian, bright yet all but beaten in his unequal struggle against the high cost of living; eight children living under conditions of almost unbelievable squalor and poverty; mother American of low type, and her doctor has told her that another pregnancy will probably mean her life.

INFANT MORTALITY RATES, ACCORDING TO FATHERS' EARNINGS

COMBINED FIGURES FROM SEVEN CITIES STUDIED BY U.S. CHILDREN'S BUREAU.



The baby death rate rises as the fathers earnings fall.

Case No. 2.—Father consumptive; mother hard working and intelligent; eight living children, all mentally defective, deaf or tubercular; mother a physical wreck from the worry and anxiety of the struggle.

Case No. 3.—Husband syphilitic and only able to work occasionally; mother exhausted from child-bearing, abortion, poverty and anxiety; five living out of nine children, all feeble-minded and undersized.

Case No. 4.—Husband epileptic, unable to provide for the family; wife healthy, intelligent and a provider; five living, undersized, weak-minded children.

Who benefits by these large families? It is certainly not the children themselves, who either die in infancy or grow up heavily handicapped and foredoomed to failure. It is not the parents, for what mother or father fails to suffer over the failures, disappointments, and ill health of their children? Nor is it the nation, for such families cost the people millions of dollars in taxes annually, without the prospect of obtaining a single desirable or capable citizen in return. Does not such a state of affairs lead inevitably towards national bankruptcy?



OUT DOOR EXERCISE *is the* ROAD *to* HEALTH

Prophylaxis

Moral — Educational — Personal

The final and certainly one of the most essential checks in our drift towards degeneracy is found in prophylaxis—moral, educational and venereal. Prophylaxis means simply prevention.

Moral Prophylaxis.—By moral prophylaxis we mean simply the prevention of trouble before we come to it. And who can doubt the old saying that "an ounce of prevention is worth a pound of cure"?

Suppression.—The first step in moral prophylaxis is the suppression of the recognized agencies for vice and the spread of disease, such as prostitution and the liquor traffic. In most cities in the United States regulation and zoning have been found highly unsatisfactory in mitigating the evils of prostitution, and have recently given way to suppression. One of the world's greatest victories for moral prophylaxis was the prohibition of the liquor traffic by constitutional amendment in the United States.

Continence is urged for unmarried individuals, not only as the surest means of preventing disease, but also because the best interests of the individual and the race demand a clean life. Clean thinking, care in the selection of associates, active employment, outdoor sports, and wholesome recreation render the control of the sex impulse not only possible but practicable, even for those who previously had not led a continent life.

Reward.—And finally there should be a reward put up for the young man or the young woman who leads a clean life. It is all very well to say "don't do this" and "don't do that," with or without good reasons, or to try to influence right conduct through fear of disease or religious precepts, but statistics show that attempts at reform along these lines have always failed. Some tangible reward such as athletic prowess, business advancement, or an early marriage with legitimate sex life must be offered. Government officials and employers generally should offer *clean* young men the preference in economic advancement. In these days of high living costs, parents should hold out the reward of financial assistance to an early marriage. Let us have some realities mixed up with our ideals and the results will surprise us.



I'VE HAD MY EYE *on* JONES

The Instinct to Reproduce is as fundamental as any of our instincts or emotions and to disregard that fact means the defeat of any plan for the betterment of the human race.

EDUCATIONAL PROPHYLAXIS

Definition.—By educational prophylaxis we mean proper instruction in the mysteries of sex and the formation of life. The United States Government through its Department of Public Health and the various State Departments have recently taken a great forward step in the free dissemination of literature bearing on these subjects. Uncle Sam as an eugenist, and at the same time an enforcer of the Federal Obscenity Act, seems paradoxical indeed, yet such is actually the case. At the time of the late national emergency, government officials saw the danger and launched a vigorous campaign to reduce the prevalency of venereal disease in the army and in civilian life through proper educational methods. The results of this plan of attack have been successful beyond anyone's fondest expectations.

The Root of the Evil.—When parents instruct their children properly in the matters of sex, the dangers of sexual perversions and venereal disease are at once obviated. The age at which such instruction must begin is the very day on which the first inquisitive question is asked. It is a known fact that the average child acquires a knowledge of the sexual function before the age of ten years. This information is gained from playmates and is usually vicious and erroneous in character. The average age at which legitimate sex instruction is given is fifteen years. While such instruction may prove valuable, it comes in many cases far too late in life, after the damage has been done. What a shame and a disgrace to present day parents that they willingly permit a situation like this to arise on account of their own false modesty and their inability to meet the issue squarely.

Preparation for Instruction.—A thorough knowledge of the subject is necessary in order to transmit the facts clearly and cleanly. A request for information along this line addressed to the United States Public Health Service, Washington, D. C., or to the Department of Public Health in any state, will bring valuable printed matter on the subject. In addition there are many books and pamphlets on the market outlining a definite course of instruction which may be secured at moderate rates. Among the latter

THE PARENT'S GUIDE, by Dr. Ozora S. Davis, President of the Chicago Theological Seminary, and Dr. Emma F. A. Drake, author of many books on kindred subjects, is particularly recommended.

Confidence.—A spirit of friendly, confident comradeship between parent and child is the one thing to be treasured above all others. It is the easiest thing in the world to gain a child's confidence, and yet how often it is hopelessly lost through an evasive answer or a disinclination to speak the truth. In thousands of cases that dreaded estrangement between parent and child can be traced back directly to the day when the little one asked, "Where did baby come from?" and the father shifted the blame to the stork.

Self-Control.—It is folly to expect self-control quite suddenly when it is most needed unless the child's training and education has developed it from earliest years. Even though religion teaches self-control, religious precepts need not necessarily enter into the discussion. It is quite possible to tell the story of life clearly and effectively without them. Clean living, sportsmanship, ambition and fairness to women appeal instinctively to boyhood and manhood. A carefully thought out and executed campaign with these considerations in mind will bring results.

The Psychological Time.—The field having been properly prepared, the time for giving information on the formation of life is just before the age of puberty. Venereal disease need not then be discussed. The important things are to see that every girl understands the function and hygiene of menstruation, and that every boy understands nocturnal emissions, and that both are warned against the wiles of quacks and advertising doctors. Instruction in venereal diseases will naturally come later.

VENEREAL PROPHYLAXIS

Historical.—In 1905 Metchnikoff published his experiments demonstrating that syphilis can be prevented. He discovered that a definite percentage of calomel and a certain mixture of fats, if rubbed into the place where the germs had been deposited within an hour or two after exposure, would prevent syphilis by killing the germs. A preventive for syphilis alone, however, left much to be desired, and while this ointment has some effect in the prevention of the other venereal diseases, it has been sup-

plemented by the injection of certain other solutions into the urethra as a protection against gonorrhea and other infections.

Used in the Armies of the World.—This method of preventing venereal infection was adopted by practically all of the armies in the World War. Its efficiency is seen by the fact that before its adoption 200 out of every 1,000 soldiers in the United States army had a venereal disease—after adoption the rate fell to only four per thousand.

Other Discoveries.—There are on the market other preparations for personal use, from which it is claimed excellent results are obtained. Authorities agree, however, that venereal prophylaxis at its best must remain under the direct supervision and control of the medical profession. Even at best it is not infallible, nor does it insure against infection from the mouth or other parts of the body. Still if every person would report to a competent medical man within one hour after exposure, venereal diseases would be practically unknown and the great white plague would be no more.

Arguments for and Against.—Now it is not the purpose of this book to argue for or against the use of venereal prophylaxis. We are all familiar with the terrible ravages of syphilis and gonorrhea, and we know that before we can bring about any substantial improvement in the human race, we must abolish them. But here are the arguments on both sides of the question as we find them in the works of the authorities:

No. 1. Continence.—Those opposed to the practice have only one panacea, namely, complete abstinence from intercourse outside of marriage. This method is absolutely infallible, and yet the medical profession tells us that strict continence beyond a certain age is abnormal and harmful.

No. 2. Fears.—Those opposed to prophylaxis argue that fear of venereal infection actually keeps men from promiscuous relations. They add that to remove this fear would automatically induce many men to commence sexual relations earlier and to continue them more frequently than they otherwise might. This might mean degeneration, and even a possible increase in the disease, due to the great frequency and the resulting carelessness due to a mistaken sense of security. Against these arguments it is claimed that the sexual instinct has been strong enough in the past to overcome all fear or religious scruples, and that undoubtedly a similar state of affairs will continue to exist in the future.

In Conclusion.—The conclusion of the whole matter seems to be that since the treatment is not absolutely sure, and since the fear of the disease *does* act as a strong moral factor in a young man's life, we cannot depend on venereal prophylaxis alone to bring about any marked improvement in human happiness. But venereal prophylaxis, hand in hand with moral and educational prevention, will bring all the results its heartiest advocates claim for it.



TALKING THINGS OVER *before* MARRIAGE

PART 2

LOVE

THE POWERS AND PECULIARITIES OF LOVE
LOVE AND COMMON SENSE
WHAT WOMEN LOVE IN MEN
WHAT MEN LOVE IN WOMEN



ARE YOU AFRAID TO LOVE?

Love

Love Blends Young Hearts.—Love blends young hearts in blissful unity, and, for the time, so ignores past ties and affections, as to make willing separation of the son from his father's house, and the daughter from all the sweet endearments of her childhood's home, to go out together and rear for themselves an altar, around which shall cluster all the cares and delights, the anxieties and sympathies, of the family relationship; this love, if pure, unselfish, and discreet, constitutes the chief usefulness and happiness of human life.

Without Love.—Without love there would be no organized households, and, consequently, none of that earnest endeavor for competence and respectability, which is the mainspring to human effort; none of those sweet, softening, restraining and elevating influences of domestic life, which can alone fill the earth with the glory of the Lord and make glad the city of Zion.

Love Is the Sun of Life.—Most beautiful in morning and evening, but warmest and steadiest at noon. It is the sun of the soul. Life without love is worse than death; a world without a sun. The love which does not lead to labor will soon die out, and the thankfulness which does not embody itself in sacrifices is already changing to gratitude. Love is not ripened in one day, nor in many, nor even in a human lifetime. It is the oneness of soul with soul in appreciation and perfect trust. To be blessed it must rest in that faith in the Divine which underlies every other motion. To be true, it must be eternal as God himself.

Love Is Dependent.—Remember that love is dependent upon forms; courtesy of etiquette guards and protects courtesy of heart. How many hearts have been lost irrevocably, and how many averted eyes and cold looks have been gained from what seemed, perhaps, but a trifling negligence of forms.


Radical Differences.—Men and women should not be judged by the same rules. There are many radical differences in their affectional natures. Man is the creature of interest and ambition. His nature leads him forth into the struggle and bustle of the world. Love is but the embellishment of his early life, or a song piped in the intervals of

the acts. He seeks for fame, for fortune, for space in the world's thoughts, and dominion over his fellow-men. But a woman's whole life is a history of the affections. The heart is her world; it is there her ambition strives for empire; it is there her ambition seeks for hidden treasures. She sends forth her sympathies on adventure; she embarks her whole soul in the traffic of affection; and if shipwrecked her case is hopeless, for it is bankruptcy of the heart.

Woman's Love.—Woman's love is stronger than death; it rises superior to adversity, and towers in sublime beauty above the niggardly selfishness of the world. Misfortune cannot suppress it; enmity cannot alienate it; temptation cannot enslave it. It is the guardian angel of the nursery and the sick bed; it gives an affectionate concord to the partnership of life and interest, circumstances cannot modify it; it ever remains the same to sweeten existence, to purify the cup of life, on the rugged pathway to the grave, and melt to moral pliability the brittle nature of man. It is the ministering spirit of home, hovering in soothing caresses over the cradle, and the death-bed of the household, and filling up the urn of all its sacred memories.

Woman's Complexion.—He who loves a woman's complexion, form and features, loves not her true self, but her soul's old clothes. The love that has nothing but beauty to sustain it, soon withers and dies. The love that is fed with presents always requires feeding. Love, and love only, is the loan for love. Love is of the nature of a burning glass, which, kept still in one place, fireth; changed often, it doth nothing. The purest joy we can experience in one we love, is to see that person a source of happiness to others.

Two Souls Come Together.—When two souls come together, each seeking to magnify the other, each in subordinate sense worshiping the other, each help the other; the two flying together so that each wing-beat of the one helps each wing-beat of the other—when two souls come together thus, they are lovers. They who unitedly move themselves away from grossness and from earth, toward the throne of crystaline and the pavement golden, are, indeed, true lovers.



CUPID'S CAPTURED VICTIM

The Power and Peculiarities of Love

Love Is a Tonic and a Remedy For Disease, Makes People Look Younger, Creates Industry, Etc.

"All thoughts, all passions, all desires,
Whatever stirs this mortal frame,
Are ministers of Love,
And feed his sacred flame."

It is a physiological fact long demonstrated that persons possessing a loving disposition borrow less of the cares of life, and also live much longer than persons with a strong, narrow and selfish nature.

Music.—Persons who love music and are constantly humming or whistling a tune, are persons that need not be feared, they are kind-hearted and with few exceptions possess a loving disposition. Very few good musicians become criminals.

Parents that cultivate a love among their children will find that the same feeling will soon be manifested in their children's disposition. Sunshine in the hearts of the parents will blossom in the lives of the children. The parent who continually cherishes a feeling of dislike and rebellion in his soul, cultivating moral hatred against his fellow-man, will soon find the same things manifested by his son. As the son resembles his father in looks so he will to a certain

extent resemble him in character. Love in the heart of the parent will beget kindness and affection in the heart of a child. Continuous scolding and fretting in the home will soon make love a stranger.

If you desire to cultivate love, create harmony in all your feelings and faculties. Remember that all that is pure, holy and virtuous in love flows from the deepest fountain of the human soul. Poison the fountain and you change virtue to vice, and happiness to misery.

Love strengthens health, and disappointment cultivates disease. A person in love will invariably enjoy the best of health. Ninety-nine per cent. of our strong constitutioned men, now in physical ruin, have wrecked themselves on the breakers of an unnatural love. Nothing but right love and a right marriage will restore them to health.

Nothing tears the life out of man more than lust, vulgar thoughts and immoral conduct. The libertine or harlot has changed love, God's purest gift to man, into lust. They cannot acquire love in its purity again, the sacred flame has vanished forever. Love is pure, and cannot be found in the heart of a seducer.

A woman is never so bright and full of health as when deeply in love. Many sickly and frail women are snatched from the clutches of some deadly disease and restored to health by falling in love.

It is a long established fact that married persons are healthier than unmarried persons; thus it proves that health and happiness belong to the home. Health depends upon mind. Love places the mind into a delightful state and quickens every human function, makes the blood circulate and weaves threads of joy into cables of domestic love.

An old but true proverb: "A true man loving one woman will speak well of all women. A true woman loving one man will speak well of all men. A good wife praises all men, but praises her husband most. A good man praises all women, but praises his wife most."

Persons deeply in love become peculiarly pleasant, winning and tender. It is said that a musician can never excel or an artist do his best until he has been deeply in love. A good orator, a great statesman or great men in general are greater and better for having once been thoroughly in love. A man who truly loves his wife and home is always a safe man to trust.

Love makes people look younger in years. People in unhappy homes look older and more worn and fatigued. A

woman at thirty, well mated, looks five or ten years younger than a woman of the same age unhappily married. Old maids and bachelors always look older than they are. A flirting widow always looks younger than an old maid of like age.

Love renders women industrious and frugal, and a loving husband spends lavishly on a loved wife and children, though miserly towards others.

Love cultivates self-respect and produces beauty. Beauty in walk and beauty in looks; a girl in love is at her best; it brings out the finest traits of her character, she walks more erect and is more generous and forgiving; her voice is sweeter and she makes happy all about her. She works better, sings better and is better.

Now in conclusion, a love marriage is the best life insurance policy; it pays dividends every day, while every other insurance policy merely promises to pay after death. Remember that statistics demonstrate that married people outlive old maids and old bachelors by a goodly number of years and enjoy healthier and happier lives.



THE TURKISH WAY OF MAKING LOVE



CONFIDENCE

Love and Common-Sense

Do you love her because she goes to the altar with her head full of book learning, her hands of no earthly use, save for the piano and brush; because she has no conception of the duties and responsibilities of a wife; because she hates housework, hates its everlasting routine and ever recurring duties; because she hates children and will adopt every means to evade motherhood; because she loves her ease, loves to have her will supreme, loves, oh how well, to be free to go and come, to let the days slip idly by, to be absolved from all responsibility, to live without labor, without care? Will you love her selfish, shirking, calculating nature after twenty years of close companionship?

Do you love him because he is a man, and therefore, no matter how weak mentally, morally or physically he may

be, he has vested in him the power to save you from the ignominy of an old maid's existence? Because you would rather be Mrs. Nobody, than make the effort to be Miss Somebody? because you have a great empty place in your head and heart that nothing but a man can fill? because you feel you cannot live without him? God grant the time may never come when you cannot live with him.

Do you love her because she is a thoroughly womanly woman; for her tender sympathetic nature; for the jewels of her life, which are absolute purity of mind and heart; for the sweet sincerity of her disposition for her loving, charitable thought; for her strength of character? because she is pitiful to the sinful, tender to the sorrowful, capable, self-reliant, modest, true-hearted? in brief, because she is the embodiment of all womanly virtues?

Do you love him because he is a manly man; because the living and operating principle of his life is a tender reverence for all women; because his love is the overflow of the best part of his nature; because he has never soiled his soul with an unholy act; because mentally he is a man among men; because physically he stands head and shoulders above the masses; because morally he is far beyond suspicion, in his thought, word or deed; because his earnest manly consecrated life is a mighty power on God's side?

But there always has been and always will be unhappy marriages until men learn what husbandhood means; how to care for that tenderly nurtured, delicately constituted being, that he takes into his care and keeping. That if her wonderful adjusted organism is overtaxed and overburdened, her happiness, which is largely dependent upon her health, is destroyed.

Until men and women recognize that self-control in a man, and modesty in a woman, will bring a mutual respect that years of wedded life will only strengthen. Until they recognize that love is the purest and holiest of all things known to humanity, will marriage continue to bring unhappiness and discontent, instead of that comfort and restful peace which all loyal souls have a right to expect and enjoy.

Be sensible and marry a sensible, honest and industrious companion, and happiness through life will be your reward.



CONSULT WITH YOUR WIFE



What Women Love in Men

Women naturally love courage, force and firmness in men. The ideal man in a woman's eye must be heroic and brave. Woman naturally despises a coward, and she has little or no respect for a bashful man.

Moral Courage is of even more vital importance. Woman loves a man with backbone enough to stand four square for his beliefs, a man who in the face of temptation has the moral courage to say *no* and stick to it.

Man is naturally the protector of woman; as the male wild animal of the forest protects the female, so it is natural for man to protect his wife and children, and therefore woman admires those qualities in a man which make him a protector.

Large Men.—Women naturally love men of strength, size and fine physique, a tall, large and strong man rather than a short, small and weak man. A woman always pities a weakly man, but rarely ever has any love for him.

Small and Weakly Men.—All men would be of good size in frame and flesh, were it not for the infirmities visited upon them by the indiscretion of parents and ancestors of generations before.

Generosity.—Woman generally loves a generous man. Religion absorbs a great amount of money in temples, churches, ministerial salaries, etc., and ambition and appetite absorb countless millions, yet woman receives more gifts from man than all these combined: she loves a generous giver. *Generosity and Gallantry* are the jewels which she most admires. A woman receiving presents from a man implies that she will pay him back in love, and the woman who accepts a man's presents, and does not respect him, commits an unforgivable wrong.

Intelligence.—Above all other qualities in man, woman admires his intelligence. Intelligence is man's woman-

captivating card. This character in woman is illustrated by an English army officer, as told by O. S. Fowler, betrothed in marriage to a beautiful, loving heiress, summoned to India, who wrote back to her:

"I have lost an eye, a leg, an arm, and been so badly marred and begrimmed besides, that you never could love this poor, maimed soldier. Yet, I love you too well to make your life wretched by requiring you to keep your marriage-vow with me, from which I hereby release you. Find among English peers one physically more perfect, whom you can love better."

She answered, as all genuine women must answer:

"Your noble mind, your splendid talents, your martial prowess which maimed you, are what I love. As long as you retain sufficient body to contain the casket of your soul, which alone is what I admire, I love you all the same, and long to make you mine forever."

Soft Men.—All women despise soft and silly men more than all other defects in their character. Woman never can love a man whose conversation is flat and insipid. Every man seeking woman's appreciation or love should always endeavor to show his intelligence and manifest an interest in the various topics of the day.

Vigor.—Women love strong, vigorous men. And why not? Weak and delicate fathers have puny and sickly children, even though the mother be strong and robust. On the other hand a weak mother often bears strong children if the father is physically vigorous. It is human nature for women to love vigor in men, because it endows their offspring with greater strength.

Homely men are admired by women if they are large, strong, vigorous and intelligent. Looks are trifles compared with the other qualities which man may possess.

Young man, if you desire to win the love and admiration of young ladies, first, be intelligent; remember what you read, so you can talk about it. Second, be generous and do not show a stingy and penurious disposition. Third, be sensible, original, and have opinions of your own and do not agree with everything that someone else says, or agree with everything that a woman may say. Woman despises a man who has no opinion of his own; she hates a trifling disposition and admires leadership, original ideas, and looks up to man as a leader.

Be Self-Supporting.—The young man who gives evidence of thrift is always in demand. Be enthusiastic and

drive with success all that you undertake. A young man, sober, honest and industrious, holding a responsible position or having a business of his own, is a prize that some bright and beautiful young girl would like to draw. Woman admires a certainty.



WOMEN LOVE
"HE" MEN

What Men Love in Women

Female Beauty.—Men love beautiful women, for woman's beauty is the highest type of all beauty. A handsome woman needs no diamonds, no silks nor satins; her face outshines diamonds and her form is beautiful in calico.

False Beautifiers.—Man's love of female beauty surpasses all other love, and whatever artificial means are used to beautify, to a certain extent are falsehoods which lead to distrust or dislike. Artificial beauty is always an imitation, and never can come into competition with the genuine. No art can successfully imitate nature.

True Kind of Beauty.—Facial beauty is only skin-deep. A beautiful form, a graceful figure, graceful movements and a kind heart are the strongest charms in the perfection of female beauty. Good looks and good and pure conduct awaken a man's love for women. A girl must therefore be charming as well as beautiful, for a charming girl will never become a charmless wife.

A Good Female Body.—No weakly, poor-bodied woman can draw a man's love like a strong, well developed body. A round, plump figure with an overflow of animal life is the woman most commonly sought, for nature in man craves for the strong qualities in women, as the health and life of offspring depend upon the physical qualities of wife and mother. A good body and vigorous health, therefore, become indispensable to female beauty.

Broad Hips.—A woman with a large pelvis has a superior and significant appearance, while a narrow pelvis always indicates weak sexuality. The other portions of the body however must be in harmony with the size and breadth of the hips.

Small Feet.—Small feet and small ankles are very attractive, because they are in harmony with a perfect female form, and men admire perfection. Small feet and ankles indicate modesty and reserve, while large feet and ankles indicate coarseness, physical power, authority, predominance. Feet and ankles, however, must be in harmony with the body, as small feet and small ankles on a large woman would be out of proportion and consequently not beautiful.

Beautiful Arms.—As the arm is always in proportion with the other portions of the body, consequently a well-shaped arm, small hands and small wrists, with full muscular development, is a charm and beauty not inferior to the face itself, and those who have well-shaped arms may be proud of them.

Intelligence.—A mother must naturally possess intelligence, in order to rear her children intelligently, consequently it is natural for man to chiefly admire mental qualities in women, for utility and practicability depend upon intelligence. Therefore a man generally loves those charms in women which prepare her for the duties of companionship. If a woman desires to be loved, she must cultivate her intellectual gifts, be interesting and entertaining in society, and practical and helpful in the home, for these are some of the qualifications which make up the highest type of beauty.

Piety and Religion in Women.—Men who love home and the companionship of their wives, love truth, honor and honesty. It is this higher moral development that naturally leads them to admire women of moral and religious natures. It is therefore not strange that immoral men love moral and church-loving wives. Man naturally admires the qualities which tend to the correct government of the home. Men want good and pure children, and it is natural to select women who insures domestic contentment and happiness. A bad man, of course, does not deserve a good wife, yet he will do his utmost to get one.

False Appearance.—Men love reserve and discretion in women much more than they admire some of the more modern of womanly (?) characteristics. Falsehood, cigarette smoking, gambling and masculinity are poor foundations on which to form family ties.





A MEDIEVAL WEDDING CEREMONY

PART 3

MARRIAGE

THE OBJECTS OF MARRIAGE
HISTORY OF MARRIAGE
WOMEN WHO DO NOT BELONG IN THE HOME
FORMER CUSTOMS AND PECULIARITIES AMONG MEN
A WORD TO MAIDENS
THE WEDDING
ADVICE TO NEWLY MARRIED COUPLES

SEXUAL PROPRIETIES AND IMPROPRIETIES
HOW TO PERPETUATE THE HONEY-MOON
HOW TO BE A GOOD WIFE
HOW TO BE A GOOD HUSBAND
DESERTION AND DIVORCE
SMALL FAMILIES AND THE 'IMPROVEMENT OF THE RACE
PRODUCING BOYS AND GIRLS AT WILL
ABORTION OR MISCARRIAGE



HEALTHY, HAPPY CHILDREN

The Objects of Marriage

Definition.—By marriage is meant the union between man and woman for life. The French Minister Portales defined the purpose of marriage as the propagation of children and mutual help. Proudhon defines marriage as "true community of love and an example of personal possession."

The True Objects of Marriage.—Portales' idea of marriage is the common one. Let us overlook the fact that some men and some women marry for convenience, the man to secure an efficient housekeeper, the woman to be kept when she is tired of keeping herself. The primary end of marriage is then (a) to beget and bear children and (b) to rear the offspring until they are able to care for themselves. This end is usually the sole end of mating in the animal kingdom, and even in the lower races of mankind. It has only been in comparatively recent times that the element of love has evolved among European races.

The Secondary Function of married life may be termed the "spiritual object of marriage." The slow but steady growth and development of this function has proceeded to such a marked degree that today it diffuses practically all of our mental and emotional processes. Neither laws nor regulations can create married happiness. A happy home requires love, a deep, abiding sympathy, and understanding.

Birth Control.—In a preceding chapter we discussed fully the pros and cons of birth control. The secondary object of marriage depends for its very existence on the ability to prevent conception, making possible a selection in parentage and a choice in time and circumstances for conception. As such birth control is the chief key to the whole eugenic improvement of mankind. Other effects there are, but chief among them is the conscious liberation of the spiritual object of marriage.

Who May Marry.—It is not our desire or intention to lay undue stress on either the primary or the secondary object of matrimony. It is because of their equal significance that we wish to mention some of the physical, mental, acquired or inherited characteristics which experience has shown to be unfavorable to a happy and successful married life.

Alcoholism.—By alcoholism we mean the habitual drinker, not the temperate drinker who may take a glass of beer or wine with his meals. Temperance means moderation in many things besides drink. The alcoholic man or woman should not marry because of the known harmful effect on his children and the just as certain effect on his own life, not to mention his ability to properly provide for the children.

Arteriosclerosis, or hardening of the arteries, comes normally with increased age, along with higher blood pressure. When this condition develops suddenly at an early age, there is danger of apoplexy, and consequently a person so afflicted should not consider marriage.

Cancer.—While cancer is *not* hereditary, yet a man or a woman suffering with the disease should not marry. Besides cancer there are many other diseases formerly considered transmissible which modern experiments have shown to be not inheritable.

Drug Addiction involves a weakened constitution, and to marry an addict is to take a grave risk.

Epilepsy.—This disease is decidedly hereditary in character, especially if both persons are victims. Such marriages should be prohibited by law.

Feeble-mindedness.—The feeble-minded mother or father is sure to have feeble-minded children, and what we have just said of epilepsy applies even more strongly to this condition. Marriage should be prevented and the radicals insist that the sufferers be unsexed.

Goiter is a disease of the thyroid gland, common to women, which married life seems to make worse. Its effect is likely to be unfavorable on the offspring, and it should therefore prove a bar to matrimony.

Heart Disease, while not hereditary, is still not conducive to a happy married state. Marital relations, and particularly child bearing, have a serious effect on the heart, and a person so affected may die quite suddenly as a result of the shock.

Hemophilia.—A person having frequent and unusual hemorrhages is said to have hemophilia or bleeders' disease. The disease is hereditary, is transmitted to the males through the female side of the house, and as such is a sufficient reason for giving up all idea of marriage.

Insanity.—While much may be done in the way of training and education to counterbalance inherited tendencies towards insanity, yet the disease is handed down from one generation to another and a person so affected should not consider, should not be allowed to consider, matrimony.



If WE HAD ONLY KNOWN

Mumps.—Here is a disease which unthinking people consider as a huge joke. How little do they realize that the percentage of mumps victims who are rendered absolutely sterile is surprisingly high. This is true in women as well as in men—the same inflammation which attacks the parotid glands is likely to attack the male testicles and the female ovaries, rendering them incapable of performing their normal function. It is far easier to discover sterility in men than it is in women, but in either case the facts should be ascertained before matrimony.

Obesity.—The condition of excessive fatness is undoubtedly hereditary. Fatness must therefore be considered an undesirable condition for marriage, because of its common accompanying ills, such as heart disease, apoplexy, gout, etc.

Relationship.—Some states forbid the marriage of close relatives. This is done for the simple reason that family characteristics and defects are more likely to appear in the children when their influence is handed down from both sides of the house. However, there is nothing to prevent first cousins from going over into another state to evade the law.

Tuberculosis is not an hereditary disease, contrary to common belief. It is infectious. Children acquire the disease from parents, not by birth, but by actual infection. Still tubercular people should not marry, because the very nature of their disease renders them incapable of bringing strong, healthy children into the world.

Other Dysgennic Factors.—Naturally there are many other diseases or conditions which should be guarded against when seeking a happy marriage. Prominent among these are the various nervous diseases and sexual disorders, such as excessive libido, frigidity, neurasthenia, homo sexuality, sadism, masochism, etc., which, while not directly transmissible, yet may have a decided effect on the lives of the future generation.

Advice to the Married.—The reasons for most of our marital unhappiness can be grouped under three general heads, namely, (1) lack of understanding, (2) lack of adjustment, and (3) lack of courtship.

Understanding.—In order for marriage to remain a lasting ideal, there must be mutual understanding and sympathy between husband and wife. The wife should understand and assist her husband in his life work. She need not necessarily master the details of his business, but she should learn enough about it to be his comforter and advisor in time of difficulty and uncertainty. Withal she must

retain her individuality, particularly in view of the increasing rights and privileges which are hers under modern political and economic developments. Misunderstandings arise so easily and can be settled simply by a little common sense.

Adjustment.—Family life, to be successful, calls for many fine adjustments. Habits of a lifetime must be broken to harmonize with the new relationships. The delicate adjustment in the realm of sexual things is the one adjustment which must be made if the relationship is to be permanent.

Courtship.—Married life ought to be one long, continuous courtship. Too many women, and men for that matter, forget all about love and love-making within a few months of the wedding ceremonies. They go around in old sloppy clothes, they grow careless of language and conduct while in each other's presence, they let themselves grow fat and even dirty, because they are too ignorant or too lazy to do otherwise. Why shouldn't they follow the example of the redwing blackbird, who each spring puts on gorgeous crimson feathers to make himself more attractive to his mate? Courtship is not a matter of months, it is a life work.

The Dawn of a New Era.—It is hardly necessary to state that woman's economic and political rights are today receiving recognition long past due. Authorities seem to agree that the same is true of woman's erotic rights. The modern man has come to look upon his wife as a partner, entitled to an equal share in the rights, privileges, and pleasures of the firm. Woman is no longer placed upon a pedestal in public and degraded in private life.

The word "home" is taking on a new meaning—the meaning that Nature always intended it to have. There is an attitude of sympathy and frankness toward woman and towards matrimony.





A CAREER, A LIFE OF PLEASURE OR MOTHERHOOD?

The History of Marriage

The history of marriage brings to light many strange customs and peculiarities among men, many of which have been practised from the most remote times. Even today when we hurl an old shoe after the happy couple, shower them with rice or confetti, kiss the bride, come laden with costly gifts, prepare a great wedding feast, and do a number of other ridiculous things, few of us realize that these practises find their origin in the days of long ago. Superstition sets the wedding date, prescribes the most exact ceremonies, and dictates the rules of conduct.

Monogamy (Single Wife).—The Garden of Eden was no harem. Neither was Noah's Ark. Monogamy fulfills the three essential conditions of man, viz.: the development of the individual, the welfare of society, and reproduction. Christian civilization has lifted woman from slavery to liberty where legal marriages, pure homes, and education prevail.

Polygamy has existed in all ages. Egyptian history and old records in China reveal the fact that polygamy and concubinage were in common practise for many centuries. Abraham and Solomon were both polygamists. Is it any wonder that the latter with his thousand wives exclaimed: "All is vanity and vexation of spirit"? Polygamy and concubinage continued until about the fifth century when civilized people recognized the degraded position of woman and proceeded to put an end to the plurality of wives. Even the Mohammedans are slowly departing from the practise.

In Thibet the rule was reversed, and females were provided with two or more husbands. Sometimes a family of four or five brothers contented themselves with but one wife.

Mormonism.—There seems to be a general belief that the Mormon Church permitted polygamy. The fact of the matter is that the Book of Mormon always inveighed against the sin of polygamy. The Utah branch of the Mormon Church did practise polygamy until about 1893 when it was officially abolished.

Trial Marriages were common in Europe in the Middle Ages and persisted in the Isle of Portland (England) even into the 18th Century. During recent years in such countries as Sweden, Germany, Holland, and

Austria, it has not been uncommon to see a public announcement of "free marriage" printed in the newspapers. If any children result, they are considered as true heirs, as if born in wedlock. An old Swedish law (1734) provides: "That when a man impregnates his fiancee, the engagement becomes a marriage."

Free love colonies have been established in various sections of the world, and even in America, but to date we have no evidence of any outstanding successes among them.

Marriage by Capture.—From the most remote times brides have been the prize of the most daring. The Australian aborigine finding an helpmeet to his fancy, watched his chance, and stunning her with a heavy blow, carried her off to her future home. A similar custom, though not quite so impetuous is revealed in the story of the ancient Romans. With the Kalmuch Tartar, certain Indian tribes, and many other odd people of the world, the winning of a bride depended to a great extent on fleetness of foot. Among the Slavonic nations this custom has survived in the common belief that a weeping bride means a happy wife. The more she cries on her wedding day, the greater her happiness will be, and the more she is envied.

The Wedding Feast.—Publicity seems to be the one element which distinguishes a legal marriage from an illicit union. Thus in all ages witnesses have been in necessary attendance on all wedding ceremonies. Further publicity has been afforded by the wedding feast where friends and relatives foregather to become better acquainted, and to give their approval to the covenant.

Wedding Gifts.—The practise of showering the newly married young people with gifts comes down to us from the times when consideration was the essential element in a marriage contract, the groom giving his father-in-law to be a suitable price, and the bride receiving a dowry in return.

The Wedding Ring was used by the ancient Hindus, the engagement ring by the early Romans. It is the only visible sign of bondage which survives from the days when fair maidens were captured and literally chained up to prevent escape.

The Origin of Other Marriage Customs.—The wedding veil is a relic of the bridal canopy which in Eastern countries was held over the heads of the bride and groom, as a symbol of the bride's modesty, and to protect her from the evil eye. In Scotland, England, Den-

mark, and Germany a shoe or slipper was always thrown after the couple to avert evil influence, and is today a common means of wishing them good luck. Again it was part of the ceremony in Scotland for the priest to kiss the bride. This was to insure her happiness, and although it is doubtful whether the modern bride enjoys being embraced by all the guests at her wedding, the practise has persisted down to the present time.

Many things besides rice were formerly thrown upon the bride and groom for good luck. Corn, wheat, barley, seeds, raisins, fruit and coins have been used in this connection in order that the union might prove fruitful and prosperous.

In the following paragraphs we will take up a little more in detail some of the most interesting customs of the various countries as they relate to the marriage ceremonies.

How the Romans Married.—When a man and woman had agreed to marry, there was always a formal meeting at the maiden's house when the marriage agreement was written out on tablets and signed. Only certain days of the calendar were considered auspicious for the occasion (those not marked ater). On the wedding day the bride arrayed herself in a long white robe adorned with ribbons and a purple fringe, yellow veil and shoes to match, and bound herself with a girdle.

The pair walked around the altar, hand in hand, and received the congratulations of their friends. The bride was taken by force from her mother's arms and was conducted to her new home, carrying a distaff and spindle, emblematical of her industry. She was lifted over the threshold, lest her foot should trip, saluted by her husband with fire and water, and presented with the keys of the home. There was no religious ceremony as we understand it.

Greek Marriage.—In Greece marriage is almost always a matter of mere business. A girl's chances depend upon the size of her dowry.

The wedding itself is called a crowning, because two crowns are tied together by a white ribbon and placed, thus united, on the heads of the bride and groom, to signify the honor due to a state of matrimony.

Country weddings are very picturesque. All are mounted on mules, first a musician playing the bagpipes, then the bridegroom and his friends, then the bride, who is taken from her mother by force, and who may not speak or move. Following the bride are her

father, brothers and other male relatives, and last of all comes the dowry packed on a mule or mules with rugs, distaff and spindle. After the ceremony the couple are pelted with comfits, as they walk away, wearing their crowns.

On arriving at home the bride is lifted three or four times across the back of her mule, and led to the closed door, on which she smears some honey and then throws a pomegranate against it. If some of the seeds do not stick it is considered very unlucky. Finally the groom opens the door and offers her bread and salt, which she eats, after which she must touch water and oil before being lifted over the threshold by her husband. She is placed in a corner where she must remain without speaking or moving until all the guests are through with their feasting and have left the house. Even then she dare not speak or raise her eyes until her husband gives his permission.

Turkish Weddings.—In Turkey marriage is likewise a matter of business, the details of which are arranged by the parents. The dowry, however, is given by the groom, all that is required of the bride being a rich trousseau. The woman retains all rights to her own personal property.

The Turkish law permits a husband to send his wife away, bag and baggage, and she is divorced without any process of law. As a matter of fact he may do this three times, and take her back again if he chooses, but unfortunately the same privilege is not accorded to the women.

German Marriage Customs.—The old customs are still popular in Germany. The evening before the wedding is devoted to festivities called "Polterabend" meaning "row" because in ancient times this was an occasion for canvassing the virtues and failings of the contracting parties. If the virtues predominated, the nuptial house was visited and the evil spirits were driven away by uncanny noises, sprinkling water in every corner, and beating the walls with sticks. If the failings overshadowed the virtues, this found expression in boisterous demonstrations in front of the houses of both.

The bridal race, once so common in rural England, is still practised in many sections of Germany. This is all that remains of the ancient theory that to be happy the bride must be carried off on horseback. In Prussia the race was held on the day following the wed-

ding, bride and groom racing to a given point, after which, to signify the end of poetry and the beginning of prose, the bridal wreath was replaced by an ordinary hat.

Wedding festivals are often spread over several days. The story is thus told of one such event at which one cow, seventeen calves, eight pigs, twenty chickens, two hundred loaves of bread, and four hundred gallons of beer were consumed at the wedding of a well-to-do German farmer's daughter.

A Wedding in Lithuania.—Getting a wife in Lithuania is great sport for everybody but the girl's father. He must hand over a hatful of money and smile as though he enjoyed the experience. The young man takes with him a married friend to call on the father, and talks and talks about everything in the world but what is really on his mind. Finally the father makes an offer of dowry, and only then can the young man speak.

The wedding festivities last for five days and five nights, and there is much feasting and drinking. The Lithuanian girl throws herself weeping at her father's feet, and pretends that she is being forced into the marriage.

The New Chinese Wedding takes only fifteen minutes. Since the return of many chinese students from western countries, there has been a decided change in wedding customs. Formerly the principals were not considered. The family was the important consideration, and frequently the couple's acquaintance began only on the wedding day.

The old match-maker who served as a go-between is still on the job, but his duties are now chiefly ornamental. The old-fashioned dinner party which was marked by brutality and license is a thing of the past.

Here is the order of the new ceremony. The wedding march is played. Guests enter. The match-maker enters. The heads of the two families enter. There are a profusion of bows, acknowledgments, offering of wines, burning of incense, and the knot is tied.

A Javanese Wedding.—The bridegroom and his party go to the bride's home in a very solemn and funereal procession. Two women seize the girl and lead her to meet her future husband, who is also led towards the house. They exchange a rolled up sirah leaf, and both sink to the ground. The bride prostrates herself before the man and humbly kisses his foot. Both rise

and seat themselves under a canopy. There are many bows, foot kisses all around, and this ceremony is likewise over. The associated festivities, however, last for many days.

Palestine.—The Mohammedans marry early, and here again the groom's father pays the bill. The ceremony itself is carried on in great secrecy. Each principal appoints a representative who takes the vows, and repeats a certain ritual three times under the supervision of the village teacher. All this secrecy is due to the premonition that if an enemy be present, and either spill flour on the floor or tie knots in a string, a great calamity will surely befall the newly married couple.

The English Wedding.—In Saxon and early Norman times men bought their wives outright, the father's wealth being estimated by the number of his marriageable daughters. When he was satisfied with the bargain he handed the successful suitor a shoe as a symbol of ownership. The young man then tapped his intended lightly over the head with the shoe to indicate his authority, and carried it to the bridal chamber where it was hung up over the pillow. This shoe, and later a stick was in common use in those days as an instrument of chastisement, it being perfectly legal and proper for the husband to beat his wife.

The custom of buying and beating wives fell into disrepute a century or two later and it became usual for friends to betroth their children at a very early age. The ceremony consisted first of the young man giving the girl a ring which she wore on her left hand until the marriage day, when it was transferred to the right. Second, there was the betrothal kiss, given in the presence of witnesses. Finally there followed a pledging in wine or other liquor, hence the origin of the expression "wetting the bargain" which is still the accepted procedure for closing an important business deal in England.

French Courtship.—Courting, in the sense we know it, is unknown in France. In fact up until a few years ago it was distinctly an American custom. The young French suitor never sees the lady of his choice unless her mother or some other female relative acts a chaperone. Marriage, too, is largely a matter of convenience, business details mattering far more than sentiment.

Auction of Wives.—Among the ancient Assyrians wives were auctioned off to the highest bidders. The



AUCTION *of an* ASSYRIAN DAUGHTER *to the* HIGHEST BIDDER.

money thus received for the most beautiful ones was given to the less favored as a dowry, so that all women might secure a husband. A similar custom prevailed in ancient Babylon, and has been practised in modern Russia.

Other Customs.—Among the early Jews the selection of a wife was left to an old and trusted servant of the family, and the same method prevails in some oriental countries today. Hungarians, as well as Mexicans in the last century, were often betrothed while still in their cradles, occasionally even before they were born. Primitive Moravians left the selection of their wives to lottery, the theory being that the matter then rested in the hands of Providence.

The Selection of a Wife.—In this enlightened day and age we sometimes wonder that there were ever any happy marriages. Brute force, fleetness of foot, parental authority, worldly wealth, and mere chance seem to have held the whip hand in the choice of husbands and wives. Love, as we know it, was of no consequence.

And yet we must strike a balance. In the days when the winning of a wife depended upon strength, skill, and speed, it was only the fittest who survived, and multiplied. Secondly, there is such a thing as a father and mother recognizing the right course of procedure for their children when the children themselves fail to see it, especially in matters which concern their future happiness. And finally, marriage is a lottery, always has been, and probably always will be. To prove it we need only to consult the records of the divorce courts during the last few generations.

Our ancestors may have known what they were doing.

Companionate Marriage.—The debate about companionate marriage, in which Judge Lindsey upheld it and Rabbi Wise denounced it, contributed nothing new or convincing to the current discussion. The man who proposes companionate marriage to a woman informs her that he is not sure he loves her, that he is doubtful whether they will be happy together and that he does not care to assume responsibilities beyond a limited period. Any girl who accepts such a man also is in doubt and is fearful that their marriage will have to be dissolved at the time most married persons are establishing their marriage on a firm basis. In reality companionate marriage is an insult to both the bride and the bridegroom but in our search for something different we overlook the fundamentals of human relationships

A Word to Maidens

A Young Woman who is not willing to assume the responsibility of a true wife, and be crowned with the sacred diadem of motherhood, should never think of getting married. We have too many young ladies to-day who despise maternity, who openly vow that they will never be burdened with children, and yet enter matrimony at the first opportunity. What is the result? Unless a young lady believes that motherhood is noble, is honorable, is divine, and is willing to carry out that sacred function of her nature, she had a thousand times better refuse every proposal, and enter some other honorable occupation.

On the Other Hand, Young Lady, never enter into the physical relations of marriage with a man until you have conversed with him freely and fully on these relations. Learn distinctly his views and feelings and expectations in regard to that purest and most ennobling of all the functions of your nature, and the most sacred of all intimacies of conjugal love. Your self-respect, your beauty, your glory, your heaven, as a wife, will be more directly involved in his feelings and views and practices, in regard to that relation, than in all other things. As you would not become a weak, miserable, imbecile, unlovable and degraded wife and mother, in the very prime of your life, come to a perfect understanding with your chosen one, ere you commit your person to his keeping in the sacred intimacies of home. Beware of that man who, under pretense of delicacy, modesty, and propriety, shuns conversation with you on this relation, and on the hallowed function of maternity.

Talk With Your Intended frankly and openly. Remember, concealment and mystery in him, towards you, on all other subjects pertaining to conjugal union might be overlooked, but if he conceals his views here, rest assured it bodes no good to your purity and happiness as a wife and mother. You can have no more certain assurance that you are to be victimized, your soul and body offered up, *slain* on the altar of his sensualism, than his unwillingness to converse with you on subjects so vital to your happiness. Unless he is willing to hold his manhood in abeyance to the calls of your nature and to your conditions, and consecrate its passions and its powers to the elevation and happiness of his wife and children, your maiden soul had better return to God unadorned with the diadem of conjugal and maternal love than that you should become the wife of such a man and the mother of his children.



A LOAFING HONEYMOON

The Wedding

The Proper Time.—Much has been printed in various volumes regarding the time of the year and the influence of the seasons, as determining the proper time to set for the wedding day. Circumstances must govern these things. To be sure, it is best to avoid extremes of heat and cold. Very hot weather is debilitating, and below zero is uncomfortable.

The Lady Should Select the Day.—There is one element in the time that is of great importance, physically, especially to the lady. It is the day of the month, and it is hoped that every lady who contemplates marriage is in-

formed upon the great facts of ovulation. She should select a wedding day about fifteen or eighteen days after the close of menstruation in the month chosen.

The "Bridal Tour" is considered by many newly-married couples as a necessary introduction to a life of connubial joy. There is, in our opinion, nothing in the custom to recommend it. After the excitement and overwork before and accompanying a wedding, the period immediately following should be one of *rest.*

Again, the money expended on the ceremony and a tour of the principal cities, might, in most cases, be applied to a multitude of after-life comforts of far more lasting value and importance. To be sure, it is not pleasant for the bride, should she remain at home, to pass through the ordeal of criticism and vulgar comments of acquaintances and friends, and hence, to escape this, the young couple feel like getting away for a time. Undoubtedly the best plan for the great majority, after this most eventful ceremony, is to enter their future home at once, and there to remain in comparative privacy until the novelty of the situation is worn off.

If the Conventional Tour is taken, the husband should remember that his bride cannot stand the same amount of tramping around and sight-seeing that he can. The female organs of generation are so easily affected by excessive exercise of the limbs which support them, that at this critical period it would be a foolish and costly experience to drag a lady hurriedly around the country on an extensive and protracted round of sight-seeing or visiting, Unless good common-sense is displayed in the manner of spending the "honey-moon," it will prove very untrue to its name.





Advice to Newly Married Couples

"Be Ye Fruitful and Multiply" is a Bible commandment which the children of men habitually obey. However they may disagree on other subjects, all are in accord on this; the barbarous, the civilized, the high, the low, the fierce, the gentle—all unite in the desire which finds its accomplishment in the reproduction of their kind. Who shall quarrel with the Divinely implanted instinct, or declare it to be vulgar or unmentionable?


Consummation of Marriage.—The first time that the husband and wife cohabit together after the ceremony has been performed is called the consummation of marriage. Many grave errors have been committed by people in this,



HOME LOVING HEARTS *are* HAPPIEST

when one or both of the contracting parties were not physically or sexually in a condition to carry out the marriage relation. A marriage, however, is complete without this in the eyes of the law, as it is a maxim taken from the Roman civil statutes that consent, not cohabitation, is the binding element in the ceremony. Yet, in most States of the U. S., and in some other countries marriage is legally declared void and of no effect where it is not possible to consummate the marriage relation. A divorce may be obtained provided the injured party begins the suit.

Let Every Man Remember that the legal right of marriage does not carry with it the moral right to injure for life the loving companion he has chosen. Ignorance may be the cause, but every man before he marries should know something of the physiology and the laws of health, and in this volume we give some information which is of very great importance to every newly married man.



CONTINUE YOUR COURTSHIP

Sensuality.—Lust crucifies love. And it is generally the young sensual husband who is at fault. He forgets the years of sheltered innocence, and the generations of modesty and seclusion which lie behind his bride. He overlooks the weeks of wooing which have been necessary to gain her complete confidence. He runs the risk of los-

ing the love of his wife, his self-respect, and the happiness he has so long sought. Thus is laid the foundation for many difficulties which sooner or later cause serious trouble.

Sexual Excesses.—But there is still another side to the question. Sexual excesses often lead to a rapid development of some dormant disease or ailment. For instance if a man has weak lungs, the exhaustion caused by his intemperance may bring on consumption. Exactly the same thing is true of the tendencies toward other ailments. Sexual excess weakens the vitality, lessens the resistance, and paves the way for many dread diseases. This applies equally to male and female disorders.

Insanity.—"At the present rate of increase in insanity the last sane person will disappear from the United States and Canada in two hundred years."

Startling, isn't it? And yet this statement is from the published reports of two world-famous alienists within the last year. Both agree that ignorance of the laws of sex is responsible for more cases of insanity than any other single factor.

The Inevitable Result.—Thus ignorance of the laws of self and sex always brings a punishment, either in lost love or in impaired health. The sexual question undoubtedly is the underlying cause of more friction, more unhappiness and more ill health than any other one thing.



How to Perpetuate the Honey-Moon

Colossal Ignorance.—It is not only the problems of self and sex that confront the average bride and groom. It is truly astonishing how many young people go to the altar hopelessly ignorant of everything their new relationship must mean. On the one hand they see an example of married happiness that fills them with supreme confidence in the outcome of their own venture. On the other hand they cannot overlook the court dockets and the newspaper scareheads literally cluttered up with the details of the most scandalous divorce cases.

Success or Failure.—And yet how seldom do they seriously consider the reasons why one marriage is a success, another a failure. There are reasons, and good ones for every happy union. There are perhaps more good reasons for every divorce. In the following paragraphs we have tried to put down briefly, yet clearly a few time tested rules for prolonging the honey-moon into a happy and successful married life.

Continue Your Courtship.—Like causes produce like effects.

Neglect of Your Companion.—Do not assume a right to neglect your companion more after marriage than you did before.

Secrets—Have no secrets that you keep from your companion. A third party is always disturbing.

Avoid the Appearance of Evil.—In matrimonial matters it is often that the mere appearance contains all the evil. Love, as soon as it rises above calculation and becomes love, is exacting. It gives all, and demands all.

Once Married, Never Open Your Mind to Any Change.—If you keep the door of your purpose closed, evil or even desirable changes cannot make headway without help.

Keep Step in Mental Development.—A tree that grows for forty years may take all the sunshine from a tree that stops growing at twenty.

Keep a Lively Interest in the Business of the Home.—Two that do not pull together are weaker than either alone.

Gauge Your Expenses by Your Revenues.—Love must eat. The sheriff often levies on Cupid long before he takes away the old furniture.

Start From Where Your Parents Started Rather Than From Where They Now Are.—Hollow and showy apartments often furnish strong temptation, while the quietness of a humble home will cement the hearts beyond risk.

Avoid Debt.—Spend your own money, but earn it first, then it will not be necessary to blame any one for spending other people's.

Do Not Both Get Angry at the Same Time.—Remember, it takes two to quarrel.

Do not Allow Yourself Ever to Come to an Open Rupture.—Things unsaid need less repentance.

Study to Conform Your Tastes and Habits to the Tastes and Habits of Your Companion.—If two walk together, they must agree.

How to Be a Good Wife



Love Him.—A wife loves as naturally as the sun shines. Love is your best weapon. You conquered him with that in the first place. You can reconquer by the same means.

Do Not Conceal Your Love From Him.—If he is crowded with care, and too busy to seem to heed your love, you need to give all the greater attention to securing his knowledge of your love. If you intermit he will settle down into a hard, cold life with increased rapidity. Your example will keep the light on his conviction. The more he neglects the fire on the hearth, the more care-

fully must you feed and guard it. It must not be allowed to go out. Once out you must sit ever in darkness and in the cold.

Cultivate the Modesty and Delicacy of Your Youth.—The relations and familiarity of wedded life may seem to tone down the sensitive and retiring instincts of girlhood, but nothing can compensate for the loss of these. However much men may admire the public performance of gifted women, they do not desire boldness and dash in a wife. The blush of a maiden's modesty is more powerful in hallowing and governing a home than the heaviest armament that ever a warrior bore.



CULTIVATE PERSONAL ATTRACTIVENESS

Cultivate Personal Attractiveness.—This means the storing of your mind with a knowledge of passing events, and with a good idea of the world's general advance. If you read nothing, and make no effort to make yourself attractive, you will soon sink into a dull hack of stupidity. If your husband never hears from you any words of wisdom, or of common information, he will soon hear nothing from you. Dress and gossips soon wear out. If your memory is weak, so that it hardly seems worth while to read, that is additional reason for reading.

Cultivate Physical Attractiveness.—When you were encouraging the attentions of him whom you now call husband, you did not neglect any item of dress or appearance that could help you. Your hair was always in perfect training. You never greeted him with a ragged or untidy dress or soiled hands. It is true that your "market is made," but you cannot afford to have it "broken."

Cleanliness and good taste will attract now as they did formerly. Keep yourself at your best. Make the most of physical endowments. Neatness and order break the power of poverty.



CULTIVATE PHYSICAL ATTRACTIVENESS

Study Your Husband's Character.—He has his peculiarities. He has no right to many of them but you can avoid many hours of friction. The good pilot steers around the sunken rocks that lie in the channel. The engineer may remove them, not the pilot. You are more pilot than engineer. Consult his tastes. It is more important to your home, that you should please him than anybody else.

Practice Economy.—Many families are cast out of peace into discord by being compelled to fight against poverty. When there are no great distresses to be endured or accounted for, complaint and fault-finding are not so often evoked. Keep your husband free from the annoyance of disappointed creditors, and he will be more apt to keep from annoying you. To toil hard for bread, to fight the wolf from the door, to resist impatient creditors, to struggle against complaining pride



EXPLAINING *the* NEED *of a* NEW HAT

at home, is too much to ask of one man. A crust that is your own is a feast, while a feast that is purloined from unwilling creditors is a famine.



How to Be a Good Husband

Show Your Love.—All life manifests itself. As certainly as a live tree will put forth leaves in the spring, so certainly will a living love show itself. Many a noble man toils early and late to earn bread and position for his wife. He hesitates at no weariness for her sake. He just thinks that such industry and providence give a better expression of his love than he could by caressing her and letting the grocery bills go unpaid. He fills the cellar and pantry. He drives and pushes his business. He never dreams that he is actually starving his wife to death. He may have a woman left to superintend his home, but his wife is dying. She must be kept alive by the same process that called her into being. Recall and repeat the little attentions and delicate compliments that once made you so agreeable, and that fanned her love into a consuming flame. It is not be-

neath the dignity of the skillful physician to study all the little symptoms, and order all the little round of attentions that check the waste of strength and brace the staggering constitution. It is good work for a husband to cherish his wife.

Consult With Your Wife.—She is apt to be as right as you are, and frequently able to add much to your stock of wisdom. In any event she appreciates your attentions.

Study to Keep Her Young.—It can be done. It is not work, but worry, that wears. Keep a brave, true heart between her and all harm.

Help to Bear Her Burdens.—Bear one another's burdens, and so fulfill the law of love. Love seeks opportunities to do for the loved object. She has the constant care of your children. She is ordained by the Lord to stand guard over them. Not a disease can appear in the community without her taking the alarm. Not a disease can come over the threshold without her instantly springing into the mortal combat. If there is a deficiency anywhere, it comes out of her pleasure. Her burdens are everywhere. Look for them, that you may lighten them.

Make Yourself Helpful by Thoughtfulness.—Remember to bring into the house your best smile and sunshine. It is good for you, and it cheers up the home. There is hardly a nook in the house that has not been carefully hunted through to drive out everything that might annoy you. The dinner which suits, or ought to suit you, has not come on the table of itself. It represents much thoughtfulness and work. You can do no more manly thing than find some way of expressing, in word or look, your appreciation of it.

Express Your Will, Not by Commands, but by Suggestions.—It is God's order that you should be the head of the family. You are clothed with authority. But this does not authorize you to be stern and harsh, as an officer in the army. Your authority is the dignity of love. When it is not clothed in love it ceases to have the substance of authority. A simple suggestion that may embody a wish, an opinion or an argument, becomes one who reigns over such a kingdom as yours.


Seek to Refine Your Nature.—It is no slander to say that many men have wives much more refined than themselves. This is natural in the inequalities of life. Other qualities may compensate for any defect here. But you need have no defect in refinement. Preserve the gentleness

and refinement of your wife as a rich legacy for your children, and in so doing you will lift yourself to higher levels.

Be a Gentleman as Well as a Husband.—The signs of toil are no indication that you are not a gentleman. The soul of gentlemanliness is a kindly feeling toward others.

Stay at Home.—Habitual absence during the evenings is sure to bring sorrow. If your duty or business calls you all well and good. But if you go out to mingle with other society, and leave your wife at home alone, or with the children and servants, there is no good in store for you. She has claims upon you that you can not afford to allow to go to protest. Reverse the case. You sit down alone after having waited all day for your wife's return, and think of her as reveling in gay society, and see if you can keep out all the doubts as to what takes her away. If your home is not as attractive as you want it, you are a principal partner. Set yourself about the work of making it attractive.

Take Your Wife With You Into Society.—Seclusion begets morbidness. She needs some of the life that comes from contact with society. She must see how other people appear and act. It often requires an exertion for her to go out of her home, but it is good for her and for you.





THE DIVORCE COURT

Desertion and Divorce

The Marriage Ceremony and the Law Governing Marriage are for the protection of the individual, yet a man and woman may be married by law and yet unmarried in spirit. The law may tie together, and no marriage be consummated. Marriage therefore is Divine, and "whom God hath joined together let no man put asunder." A right marriage means a right state of the heart. A careful study of this work will be a great help to both the unmarried and the married.

Divorce in the United States.—There is one divorce for every nine marriages in this country. Can you believe it? And yet we pride ourselves on the fact that America is founded on the sanctity of the home. The following table is compiled from statistics issued by the Bureau of the

Census of Washington, D. C.; and these figures do not include the countless cases where the husband and wife, though still legally married, are living apart, because of religious scruples against divorce.

Year*	Number of Divorces	Ratio of Divorce to 100,000 Population
1890	33,197	53
1900	55,136	73
1906	72,064	84
1916	112,036	112

*Note: These statistics are compiled every ten years.

Divorce An Every Day Affair.—Each state has its own laws varying in most cases. Among them there are some which allow divorce on the thinnest of pretexts. It is a comparatively simple matter to establish legal residence in some such state and to thus obtain a divorce within a very few weeks. How often have you heard a woman say that she is practically engaged to John while she is waiting for her divorce from Jim. Thousands of American women think it an outrage that they cannot secure a divorce simply because they like some one better than they do their husbands. And more than two-thirds of the people who apply for divorce are women, due largely to the fact that women have legal ground for divorce more often than men. When Mr. Croesus divorces Mrs. Croesus, the newspaper features the scandalous details for weeks, but you must remember that for every one of these cases which are in the limelight, there are thousands and thousands of plain, ordinary, every day people filing legal papers for the same purpose.

The Legal Remedy.—A Federal law affecting marriage and divorce is the only real remedy for the far reaching evils of this constantly increasing menace. Without such a law America will soon earn the unenviable reputation of being the most lascivious nation in the world. At present a man and woman may be legally divorced in Indiana, but Michigan or Illinois may not recognize the individual's right to marry again within a certain length of time. The result is confusion and utter lack of law enforcement. A federal law covering this whole problem universally enforced is the only solution.

Bertram N. White says, "The way to deal with the divorce question is from the marriage end. Holy matrimony can be built upon one thing and one thing only, and that is a great love. It is a very real thing too, and a

very beautiful thing, and a very wonderful thing. Love yearns not to be ministered unto but to minister. Every service to the beloved is a delight."


Make Divorce Socially Disreputable unless, of course, there be real grievances. Public opinion is stronger than any court or law, and the proper law to combat any serious menace will never find its way into the statutes unless the public demands it.

Causes For Divorce.—Referring again to the census figures for 1916, we find that 101,388 couples were divorced in that year for desertion, cruelty, adultery, non-support, or intoxication. The remaining cases on which statistics are available were grouped under "all other causes." On the face of these statistics things look bad for the separating parties, but upon further examination we suddenly discover that 93,923 of these cases were uncontested, or in other words desired by both husband and wife. False evidence to prove trumped up charges is so simple when there is no danger of controversy, that the average court has no alternative but to grant the divorce.

It Is Up to the Women.—And so it is woman's next problem to bring about the passage of a national divorce and marriage law by constitutional amendment. This can be accomplished first by national publicity, facing the facts as they appear. Through the organization of the woman's club wonders may be accomplished in the way of influencing public opinion. In your community and in your state make it socially unpardonable for man and woman to separate because of convenience or alleged incompatability. Insist that the grounds be real grounds for divorce, not merely a disguise for a dislike of home duties or cohabitation. It takes propaganda of the right sort to beat propaganda of the wrong sort, and the men and women of today are face to face with an evil which has the power to gnaw away the vitals of our democracy. Let them face the issue squarely.

Small Families and the Improvement of the Race

Married People Must Decide for Themselves.—It is the fashion of those who marry nowadays to have few children, often none. Of course this is a matter which married people must decide for themselves. As is stated in an earlier chapter, sometimes this policy is the wisest that can be pursued.



A POOR EXCUSE *for a* FAMILY

Diseased people who are likely to beget only a sickly offspring, may follow this course, and so may thieves, rascals, vagabonds, insane and drunken persons and all those who are likely to bring into the world beings that ought not to be here. But why so many well-to-do, intelligent folks should pursue a policy adapted only to paupers and criminals, is not so easy to explain. Why marry at all if not to found a family that shall live to bless and make glad the earth after father and mother are gone? What greater proof of immortality can anyone ask? It is not wise to rear too many children, nor is it wise to have too few. Properly brought up, they will make home a delight and parents happy.

Population Limited.—Galton, in his great work on hereditary genius, observes that "the time may hereafter arrive in far distant years, when the population of this

earth shall be kept as strictly within bounds of number and suitability of race, as the sheep of a well--ordered moor, or the plants in an orchard-house; in the meantime let us do what we can to encourage the multiplication of the races best fitted to invent and conform to a high and generous civilization."

Shall Sickly People Raise Children?—The question whether sickly people should marry and propagate their kind, is briefly alluded to in an early chapter of this work. Where father and mother are both consumptive the chances are that the children will inherit physical weakness, which will result in the same disease, unless great pains are taken to give them a good physical education, and even then the probabilities are that they will find life a burden hardly worth living.

No Real Blessing.—Where one parent is consumptive and the other vigorous, the chances are just half as great. If there is a scrofulous or consumptive taint in the blood, beware! Sickly children are no comfort to their parents, no real blessing. If such people marry, they had better in most cases, avoid parentage.

Welfare of Mankind.—The advancement of the welfare of mankind is a most intricate problem: all ought to refrain from marriage who cannot avoid abject poverty for their children; for poverty is not only a great evil, but tends to its own increase by leading to recklessness in marriage. On the other hand, as Mr. Galton has remarked, if the prudent avoid marriage, while the reckless marry, the inferior members will tend to supplant the better members of society.

Preventatives.—Remember that many preventatives are unreliable and dangerous. On the other hand there are reliable and safe contraceptive methods, but the law does not allow of their dissemination. As a result we must look to nature's laws if we would find a guide to health and happiness. But unfortunately even nature has been grossly misrepresented. In almost every book on sex hygiene, we find the statement that during nursing and during a certain portion of each menstrual month, a woman is sterile. Medical science has positively disproved this theory. It has no foundation in fact, and like all similar fallacies has caused endless unhappiness.

Self Denial and Forbearance.—A husband who loves his wife will come to her relief by exercising self-denial and forbearance. But frequently before the



WHEN NATURE'S LAWS *are* VIOLATED

mother has recovered from the effects of bearing, nursing and rearing one child, ere she has regained proper tone and vigor of body and mind, she is unexpectedly overtaken by the symptoms which again indicate pregnancy. Children thus begotten cannot become hardy and long-lived. By the love that parents feel for their posterity, by the wishes for their success, by the hopes for their usefulness, by every consideration for their future well-being, let them exercise caution and forbearance until the wife becomes sufficiently healthy and enduring to bequeath her own rugged, vital stamina to the child she bears in love.

A Wrong to the Mother and Child—Sometimes the mother is diseased; the outlet from the womb, as a result of laceration by a previous child-birth, is frequently enlarged, thus allowing conception to take place very readily, and hence she has children in rapid succession. Besides the wrong to the mother in having children in such rapid succession, it is a great injustice to the babe in the womb and the one at the breast that they should follow each other so quickly that one is conceived while the other is nursing. One takes the vitality of the other; neither has sufficient nourishment, and both are started in life stunted and incomplete.

Sex Determination

or

Producing Boys or Girls at Will

Can the Sexes Be Produced at Will?—This question has been asked in all ages of the world. Many theories have been advanced, but it is only recently that science has replied with some degree of authority.

Professor Julian S. Huxley in a lecture before the Royal Arts Society in London recently said "I am confident that the world will arive at a stage when scientific sex control will be possible, although it is impossible for me to prophesy the time it will require to attain prenatal sex determination. It may take twenty or thirty years but it will come in our time. There is only a slight difference betwen the actual physiological machinery of animals and men, and it seems to me to be merely a question

of applying to man what we already know about animals."

Experiments With Moths.—Professor Huxley explained that most of the hereditary constitution of animals consist of chemical entities lodged in the chromosomes. Among insects and animals the female possesses one more chromosome than the male does. If this is really the basis of sex, then it might be possible to do away with the extra element and thus modify the sex ratio. In his experiments with moths, the Professor obtained an increase in the proportion of males by exposing the eggs to a high temperature during the division process, or by keeping the eggs in the female body for an unusually long time.

The Agricultural Theory.—Many theories have been advanced and advocated for producing males or females in the animal kingdom. They are all based on what is known as the "agricultural theory" that the most male power creates male, and vice versa. Thus the queen bee is known to lay the female eggs first. The same fact holds true with the hen. Consequently, conception right after menstruation is supposed to give females, because at that time the female power is at its height. Later on in the month when the sex ratio is modified we have males.

Dr. David H. Reeder of LaPorte, Indiana, claims in a recent issue of Physical Culture Magazine that experiments in more than two thousand cases show conclusively that "if conception takes place within three days after the menstrual flow has ceased, the offspring will be a girl. If conception occurs between the fourth and seventh day after the period, the offspring is as likely to be male as female. If conception occurs on the eighth day or any time thereafter up to the twentieth day, the offspring will always be a boy. I have never known this law to fail."

The Right and Left Theory.—Some observers hold that the right ovary produces male eggs, the left, female, and that the right ovary is active one month, and the left active the next month, and so on. Close observation, they claim, will determine which ovary is functioning at a given time.

Abortion or Miscarriage

Abortion or Miscarriage is the expulsion of the child from the womb previous to six months; after that it is called premature birth.

Causes.—It may be due to a criminal act of taking medicine for the express purpose of producing miscarriage or it may be caused by certain medicines, severe sickness or nervousness, syphilis, sexual excesses, lack of room in the pelvis and abdomen, lifting, straining, violent cold, sudden mental excitement, dancing, the use of strong purgative medicines, bodily fatigue, late suppers, and fashionable amusements.

Symptoms.—A falling or weakness and uneasiness in the region of the loins, thighs and womb, pain in the small of the back, vomiting and sickness of the stomach, chilliness with a discharge of blood accompanied with pain in the lower portions of the abdomen. These may take place in a single hour, or it may continue for several days. If before the fourth month, there is not so much danger, but the flow of blood is generally greater. If miscarriage is the result of an accident, it generally takes place without much warning, and the services of a physician should at once be secured.

Home Treatment.—A simple application of cold water externally applied will produce relief, or cold cloths of ice, if convenient, applied to the lower portions of the abdomen. Perfect quiet, however, is the most essential thing for the patient. She should lie on her back and take internally a teaspoonful of paregoric every two hours; drink freely of lemonade or other cooling drinks, and for nourishment subsist chiefly on chicken broth, toast, water gruel, fresh fruits, etc. The principal homeopathic remedies for this disease are ergot and cimicifuga, given in drop-doses of the tinctures.


Injurious Effects.—Miscarriage is a very serious difficulty, and the health and the constitution may be permanently impaired. Any one prone to miscarriage should adopt every measure possible to strengthen and build up the system; avoid going up stairs or doing much heavy lifting or hard work.

HER MOTHER REFUSES *to* SATISFY HER NATURAL CURIOSITY ABOUT *the* MYSTERY *of* LIFE





HER EDUCATION *is* THUS DELAYED UNTIL SHE *is* SENT AWAY *to* BOARDING SCHOOL




HER KNOWLEDGE *of* LIFE INCREASES STEP *by* STEP FASTER *than* SHE REALIZES

SHE DISCOVERS *that* THERE *is a* LAW WHICH NO REPUTABLE PHYSICIAN WILL BREAK





In DESPERATION SHE DECIDES *to* RISK HER LIFE, RATHER THAN *to* FACE *the* CONSEQUENCES *of* HER IGNORANCE



HER EDUCATION *is* COMPLETE.

Prevention.—Practice the laws of sexual moderation, take frequent sitz-baths, live on oatmeal, graham bread, and other nourishing diet. Avoid highly seasoned food, rich gravies, late suppers and the like.

Criminal Abortion.—The number of abortions performed (unnaturally) every year in the United States simply staggers the imagination. It is almost an impossibility to estimate the actual number owing to the legal necessity for great secrecy. Max Hirsch, considered an authority, is of the opinion that there are over two millions of abortions annually in this country. Of these he estimates that about 80% or 1,600,000 have a criminal origin. Justice John Proctor Clark states that New York City alone has over 100,000 every year which would probably mean somewhat between two and three millions for the entire country.

The Dangers of Abortion.—An abortion is just as important a matter as confinement and requires as much care as normal childbirth. Unfortunately the woman upon whom an abortion has been performed rarely receives suitable medical aid and attention. As a direct result of this fact abortion becomes a real source of danger to health, and frequently causes death. The following are a few of the after effects: hemorrage, retention of the placenta, blood poisoning, tetanus, perforation of the uterus, sterility, anemia, displacements, neurosis, etc. Figures for the entire country are not available, but as an instance of the terrible toll of human life chargeable to criminal abortions, we cite the official records in Cook County, Illinois, from December 1, 1920, to December 1, 1921. Seventy-two women and girls died in this one county alone during that year as a result of illegal operations. Many of these deaths were definitely established as a result of criminal operations, and the guilty ones held to the Grand Jury for murder. Others went down into the records as "undetermined" which means that in the coroner's opinion, death was probably due to criminal procedure, but that sufficient evidence was lacking to fasten the guilt upon the bungling Doctor or Midwife.

Many Causes.—Many causes have operated to produce a corruption of the public morals so deplorable; prominent among which may be mentioned the facility with which divorces may be obtained in some of the States, the constant promulgation of false ideas of marriage and its duties by means of books, lectures, etc., and the distribu-

tion through the mails of impure publications. But an influence not less powerful than any of these is the growing devotion of fashion and luxury of this age, and the idea which practically obtains to so great an extent that pleasure, instead of the health or morals, is the great object of life.

A Monstrous Crime.—The abiding interest we feel in the preservation of the morals of our country, constrains us to raise our voice against the daily increasing practice of infanticide, especially before birth. The notoriety this monstrous crime has obtained of late, and the hecatombs of infants that are annually sacrificed to Moloch, to gratify an unlawful passion, are a sufficient justification for our alluding to a painful and delicate subject, which should "not even be named," only to correct and admonish the wrong-doers.

Localities in Which It Is Most Prevalent.—We may observe that the crying sin of infanticide is most prevalent in those localities where the system of moral education has been longest neglected. This inhuman crime might be compared to the murder of the innocents, except that the criminals, in this case, exceed in enormity the cruelty of Herod.

Shedding Innocent Blood.—If it is a sin to take away the life even of an enemy; if the crime of shedding innocent blood cries to heaven for vengeance; in what language can we characterize the double guilt of those whose souls are stained with the innocent blood of their own, unborn, unregenerated offspring?

The Greatness of the Crime.—The murder of an infant before its birth, is in the sight of God and the law, as great a crime as the killing of a child after birth.

Legal Responsibility.—Every State of the Union has made this offense one of the most serious crimes. The law has no mercy for the offenders that violate the sacred law of human life. It is murder of the most cowardly character and woe to him who brings this curse upon his head, to haunt him all the days of his life, and to curse him at the day of his death.

The Crime of Abortion.—From the moment of conception a new life commences; a new individual exists; another child is added to the family. The mother who deliberately sets about to destroy this life, either by want of care, or by taking drugs, or using instruments, commits as great a crime, and is just as guilty as if she strangled

her new-born infant or as if she snatched from her own breast her six months' darling and dashed out its brains against the wall. Its blood is upon her head, and as sure as there is a God and a judgment, that blood will be required of her. The crime she commits is murder, child murder—the slaughter of a speechless, helpless being, whom it is her duty, beyond all things else, to cherish and preserve.

Is Abortion Ever Excusable?—Public opinion recognizes the justice of abortion whenever it is necessary to save the Mother's life. Medical textbooks give a number of cases where abortion is justified, among them deformed pelvis, peurperal insanity, tuberculosis, uncontrollable vomiting, heart disease, convulsions, etc. In certain types of criminal cases producing an abortion is justifiable in the sight of God, if not in the eyes of the law.

The Ordinary Cases.—But the vast majority of cases come under the heading of those young and innocent girls who in a reckless moment took just one false step or who were deceived through a promise of matrimony. What becomes of them? The respectable Doctor's cite the legal penalty and send them gently but firmly away. Some of them fall into the hand of conscienceless medical men who make abortions a practice. The midwives and ignorant abortionists claim a large percentage with the chances between health, invalidism and death rather questionable. Some girls decide to go through with it in a maternity hospital, and then send the child to an asylum. And finally there is the only other alternative: suicide. How frequently the unfortunate ones fulfill the threats they made in the Doctor's office, can only be estimated. We cannot always pull aside the blinders and see what went on behind the terse newspaper headline:

BODY OF BEAUTIFUL GIRL FOUND IN RIVER

The Story of Ruby.—"Two years ago I was a coed at the University of Iowa. I loved a member of one of the athletic teams and I thought he loved me. 'Have faith in me' he begged. I did. But marriage seemed slow of realization. My Mother heard of an unmarried girl who became a Mother. 'If ever a daughter of mine gets into such trouble, I hope she kills herself.' This was Mother's statement. In July of last year I faced the choice of two things, either death as my Mother had demanded or



flight from home. The man I loved wanted me to have an operation. I refused, thinking that it was more honorable to pay the full penalty rather than to escape it by murder. I came to Chicago, and found work. Finally I could not work any more and went to Milwaukee where the Baby was born."

Ruby is now in the County Hospital. When she was picked up in an unconscious state, she had the following unfinished letter in her pocket. "Dear Will: No doubt you have heard about me calling you on the phone from

M—— I waited and hoped and prayed, but nothing came. Saturday I wrote a check on my Father for I hadn't had any food for two days and my Baby was starving. I bought the Baby some milk so he could stop crying and left him at the doorstep of a woman who had a kind heart and money—maybe to die—only God knows for I saw another man find him. Then——"

There the letter broke off. Such stories are common in the daily papers.

What Happens to the Married Women.—What about the woman who has had a child regularly every twelve or fourteen months for ten years and whose health is shattered owing to her husband's inability to provide proper medical care? Do the laws of these United States guarantee to her life, liberty and the pursuit of happiness? Just inquire around a little and you will soon learn the answer. The woman in comfortable circumstances naturally can find relief, but for her less fortunate sister submission to nature or the dangers of the ignorant quack or midwife are the only courses open to her.

The Remedy.—Abortion is a disagreeable subject, an abominable business. The law provides a prison term of five years and a fine of $5,000.00 as its minimum penalty. And the pity of it all is that almost every one of these millions of unhappy abortions are absolutely unnecesary. *They could all be prevented by telling people how to prevent conception.* That is the only remedy. Religion and education have failed to correct the evil. A notorious midwife in Chicago stated just the other day that business in her profession was booming. If the real facts of birth control were common knowledge, how could the professional abortionist's business flourish?

PART 4

CHILDBIRTH

IMPREGNATION

SIGNS AND SYMPTOMS OF PREGNANCY

RELATION OF HUSBAND AND WIFE DURING PREGNANCY

PRENATAL CARE

MOTHERHOOD

CHILDBEARING WITHOUT PAIN

A PRIVATE WORD TO THE EXPECTANT MOTHER

HOW TO CALCULATE THE TIME OF EXPECTED LABOR

THE SIGNS AND SYMPTOMS OF LABOR

SPECIAL SAFEGUARDS IN CONFINEMENT

THE HUSBAND AT CHILDBIRTH

TWILIGHT SLEEP—PAINLESS CHILDBIRTH

WHERE DID THE BABY COME FROM?

LIST OF ARTICLES NECESSARY FOR CONFINEMENT

LIST OF ARTICLES TO BE ON HAND FOR THE STRANGER



BABYLAND IS FAIRYLAND

Impregnation

Conception or Impregnation.—Conception or impregnation takes place by the union of the male sperm and female ovum. This may be accomplished in the ovaries, the oviducts or the uterus.

Passing Off the Ovum.—"With many women," says Dr. Stockham in her Tokology, "the ovum passes off within twenty-four or forty-eight hours after menstruation begins. Some, by careful observation, are able to know with certainty, when this takes place. It is often accompanied with malaise, nervousness, headache or actual uterine pain. A minute substance like the white of an egg, with a fleck of blood in it, can frequently be seen upon the clothing. Ladies who have noticed this phenomenon testify to its recurring very regularly upon the same day after menstruation. Some delicate women have observed it as late as the fourteenth day."

Calculations.—Conception is more liable to take place either immediately before or immediately after the period, and, on that account it is usual when calculating the date at which to expect labor, to count from the day of disappearance of the last period. The easiest way to make a calculation is to count back three months from the date of the last period and add seven days, thus we might say that the date was the 18th of July; counting back brings us to the 18th of April, and adding the seven days will bring us to the 25th day of April, the expected time. (See table on page 121.)

Evidence of Conception.—Very many medical authorities, distinguished in this line, have stated their belief that women never pass more than two or three days at the most beyond the forty weeks conceded to pregnancy—that is two hundred and eighty days or ten lunar months, or nine calendar months and a week. About two hundred and eighty days will represent the average duration of pregnancy, counting from the last day of the last period. Now it must be borne in mind, that there are many disturbing elements which might cause the young married woman to miss a time. During the first month of pregnancy there is no sign by which the condition may be positively known. The missing of a period, especially in a person who has been regular for some time, may lead one to suspect it; but

there are many attendant causes in married life, the little annoyances of household duties, embarrassments, and the enforced gayety which naturally surrounds the bride, and these should all be taken into consideration in the discussion as to whether or not she is pregnant. But then, again, there are some rare cases where menstruation has occurred throughout pregnancy, and also cases where menstruation was never established and pregnancy occurred. Nevertheless, the non-appearance of the period, with other signs, may be taken as presumptive evidence.

Signs and Symptoms of Pregnancy

The First Sign.—The first sign that leads a woman to suspect that she is pregnant is her cessation of the menses. This, provided she has just before been in good health, is a strong symptom of pregnancy; but still there must be others to corroborate it.

Abnormal Condition.—Occasionally, women menstruate during the entire time of gestation. This, without doubt, is an abnormal condition, and should be remedied, as disastrous consequences may result. Also, women have been known to bear children who have never menstruated. The cases are rare of pregnancy taking place where menstruation has never occurred, yet it frequently happens that women never menstruate from one pregnancy to another. In these cases this symptom is ruled out for diagnostic purposes.

May Proceed from Other Causes.—But a ceasing-to-be-unwell may proceed from other causes than that of pregnancy such as disease or disorder of the womb or of other organs of the body—especially of the lungs—it is not by itself alone entirely to be depended upon; although, as a single sign, it is, especially if the patient be healthy, one of the most reliable of all the other signs of pregnancy.

Morning Sickness.—If this does not arise from a disordered stomach, it is a trustworthy sign of pregnancy. A woman who has once had morning-sickness can always for the future distinguish it from every other sickness. Moreover, it is emphatically a morning-sickness—the patient being as a rule, for the rest of the day entirely free from sickness or from the feeling of sickness.



Embryo of Twenty Days, Laid Open
b, the Back; *a a a* Covering, and pinned to Back


A Third Symptom.—A third symptom is shooting, throbbing and lancinating pains in, and enlargement of the breasts, with soreness of the nipples, occurring about the second month. In some instances, after the first few months, a small quantity of watery fluid or a little milk, may be squeezed out of them. This latter symptom, in a first pregnancy, is valuable, and can generally be relied on as fairly conclusive of pregnancy.

A Dark Brown Areola or Mark around the nipple is one of the distinguishing signs of pregnancy—more especially of a first pregnancy. Women who have had large families, seldom, even when they are not pregnant, lose this mark entirely; but when they are pregnant it is more intensely dark—especially if they be brunettes.

Quickening.—Quickening is one of the most important signs of pregnancy, and one of the most valuable, as at the moment it occurs, as a rule, the motion of the child is first felt, whilst, at the same time, there is a sudden increase in the size of the abdomen. Quickening is a proof that nearly half the time of pregnancy has passed. If there be a liability to miscarry, quickening makes matters more safe as there is less likelihood of a miscarriage after than before it. A woman at this time frequently feels faint or actually faints away; she is often giddy, or sick, or nervous, and in some instances even hysterical; although, in rare cases, some women do not even know the precise time when they quicken.

Increased Size and Hardness of the Abdomen.—This is very characteristic of pregnancy. When a woman is not pregnant the abdomen is soft and flaccid; when she is preg-

nant, and after she has quickened, the abdomen over the region of the womb, is hard and resisting.



Embryo at Thirty Days

a, the Head; *b*, the Eyes; *d*, the Neck; *e*, the Chest; *f*, the Abdomen

Excitability of Mind.—Excitability of mind is very common in pregnancy, more especially if the patient be delicate; indeed, excitability is a sign of debility, and requires plenty of good nourishment, but few stimulants.

Eruptions on the Skin.—Principally on the face, neck or throat, are tell-tales of pregnancy, and to an experienced matron, publish the fact that an acquaintance thus marked is pregnant.

The Foetal Heart.—In the fifth month there is a sign which, if detected, furnishes indubitable evidence of conception, and that is the sound of the child's heart. If the ear be placed on the abdomen, over the womb, the beating of the fœtal heart can sometimes be heard quite plainly, and by the use of an instrument called the stethoscope, the sounds can be still more plainly heard. This is a very valuable sign, inasmuch as the presence of the child is not only ascertained, but also its position, and whether there are twins or more.

Prenatal Care

By prenatal care we mean the care which both parents should take of themselves before conception occurs and during pregnancy.


Health.—It is hardly necessary to state that the physical and mental condition of the mother during pregnancy has a profound effect upon the unborn child. It is equally true that a man in poor health cannot produce healthy sperms to properly fertilize the egg necessary for conception.

Shall Pregnant Women Work? It is certain that pregnant women should not be foolishly idle, and on the other hand it is equally certain that they should be relieved from the more laborious occupations. Rest and hygiene continue to be the important things. Absolute rest is recommended during the last three months.

Separate Beds.—Many writers have vigorously championed as a reform the practice of separate beds for husband and wife. This would no doubt be very much better for both husband and wife in case the wife is pregnant. It would mean more rest for the mother and added vigor for the unborn child. Where people are reasonably temperate, however, no such precautions are necessary. In all these matters the woman should be the sole judge.

Parental Influence.—The art of having handsome children has been a question that has interested the people of all ages and of all nationalities. There is no longer a question as to the influence that parents may and do exert upon their offspring, and it is shown in other parts of this book that beauty depends largely on the condition of health at the time of conception. It is therefore of no little moment that parents should guard carefully their own health as well as that of their children, that they may develop a vigorous constitution. There cannot be beauty without good health.

Marrying Too Early.—We know that marriage at too early an age, or too late in life, is apt to produce imperfectly developed children, both mentally and physically. The causes are self-evident: A couple marrying too young, lack maturity and consequently will impart weakness to their offspring; while on the other hand persons marrying



FOETUS IN THE WOMB AT THE END OF TWO MONTHS

late in life fail to find that normal condition which is conducive to the health and vigor of offspring.

Crossing of Temperaments and Nationalities.—The crossing of temperaments and nationalities beautifies offspring. If young persons of different nationalities marry, their children under proper hygienic laws are generally handsome and healthy. For instance, an American and German or an Irish and German union, produces better looking children than those marrying in the same nationality. Persons of different temperaments uniting in marriage, always produce a good effect upon offspring.

The Proper Time.—To obtain the best results, conception should take place only when both parties are in the best physical condition. If either parent is in any way indisposed at the time of conception the results will be seen in the health of the child. Many children brought in the world with diseases or other infirmities stamped upon their feeble frames show the indiscretion and ignorance of parents.

During Pregnancy.—During pregnancy the mother should take time for self improvement and cultivate an interest for admiring beautiful pictures or engravings which represent cheerful and beautiful figures. Secure a few good books illustrating art, with some fine representations of statues and other attractive pictures. The purchase of several illustrated art journals might answer the purpose.

What to Avoid.—Pregnant mothers should avoid thinking of ugly people, or those marked by any deformity or disease; avoid injury, fright and disease of any kind. Also avoid ungraceful position and awkward attitude, but cultivate grace and beauty in herself. Avoid difficulty with neighbors or other trouble.

Good Care.—She should keep herself in good physical condition, and the system well nourished, as a want of food always injures the child.

The Improvement of the Mind.—The mother should read suitable articles in newspapers, magazines, or good books, and keep her mind occupied. If she cultivates a desire for intellectual improvement, the same desire will be more or less manifested in the growth and development of the child.

Like Produces Like, everywhere and always—in general forms and in particular features—in mental qualities and in bodily conditions—in tendencies of thought and in habits of action. Let this grand truth be deeply impressed

upon the hearts of all who desire or expect to become parents.

Heredity.—Male children generally inherit the peculiar traits and diseases of the mother and female children those of the father.

Advice.—"Therefore it is urged that during the period of utero-gestation, especial pains should be taken to render the life of the female as harmonious as possible, that her surroundings should all be of a nature calculated to inspire the mind with thoughts of physical and mental beauties and perfections, and that she should be guarded against all influences, of whatever character, having a deteriorating tendency."

Old Ideas Replaced.—And yet the world is full of misery on account of wrong ideas of prenatal care. People over-look the fact that the child has no nervous connection whatever with the mother. It frequently happens that a mother is in a serious accident or is not perfectly healthy, or is worried, or dissatified, or angry during the entire course of her confinement. According to the old teaching such conditions were certain to be reflected in the unborn child.

Violent and Prolonged Shocks.—It is only in the case of very violent and prolonged shock that there is likely to be an injurious effect on the baby. Personally I recall the case of a young woman who was driving a team of horses just a week before her expected labor. There was a runaway, the carriage was overturned, and the woman was dragged about one-quarter of a mile over a rough gravel road with the result that she was severely bruised and badly shaken up. The shock, however, had no apparent effect because the next week she gave birth to two perfectly normal and perfectly healthy baby girls.

Abortion.—Cases are on record where women have carried their children in anger from conception to delivery, where every known means of abortion have been fruitlessly practised, where jealousy and unhappiness and ill health have marred the period of gestation, where women have been in railroad wrecks, fallen down stairs, been run over by automobiles, been battered about, and subjected to every conceivable injury, and yet their children were born healthy, well developed, and perfectly normal, both mentally and physically.

A Drunken Husband and an Insane Child.—Often we hear it stated that because a certain child was con-



THE PRIDE OF PARENTHOOD

ceived when the father was under the influence of liquor, the child was destined to become an insane, epileptic, or feeble minded patient. The habitual drunkard *does* have defective children, but a single glass of wine or brandy on the wedding night can have no possible effect on the sperms already formed. The same thing is true of articles of food that are eaten at the wedding feast.

Motherhood

Speaking against the maternity bill Senator "Jim" Reed, of Missouri, gave utterance a few days ago to this remarkable tribute to mother love:

"Mother love? The golden cord that stretches from the throne of God, uniting all animate creation to divinity. Its light gleams down the path of time from barbarous ages, when savage women held their babes to almost famished breasts and died that they might live. Its holy flame glows as bright in hovels where poverty breaks a meager crust as in palaces where wealth holds Luculian feasts. It is the one great universal passion—the sinless passion of sacrifice. Incomparable in its sublimity, interference is sacrilege, regulation is mockery.

"The wild beasts hear its voice and answer to its call. A tigress finding her cubs slaughtered, pauses to lick their wounds, and then with raging heart seeks out their murderer. A she wolf standing at the mouth of her den, gleaming fangs and blood-red tongue, dies in defense of her whelps. Tiger's cub or wolf's whelp, I would rather feel the rough caresses of the hairy paws of my savage mother, I would rather have her care and protection than that of an official animal trainer.

"I once saw a little timorous mother quail, with marvelous intelligence and still more marvelous courage, protect her brood by exposing herself to the hunter's deadly aim. I then realized that nothing could take the place of mother love.

"If its divine fire so warms and thrills the heart of beast and bird, with what intensity does it consume the bosom, with what ecstasy inspire the soul of a woman for the child of her body. Although she knows that she must risk her own to bring forth a new life, she does not draw back. Her eyes behold only visions of happiness,

of glory, and of power to be realized by her unborn child. With smiling lips and eager heart she enters the vale of shadows. The first cry of the newborn falls on her ear, sweet as the music of paradise. Her trembling hands caress the tender skin, her soul cries out the anxious question, 'Will my baby live?' The torturing days of convalescence fly swiftly upon wings of hope. She nestles the tiny, helpless thing to her bosom; sustains it with the milk of her body, every drop drawn from a fountain of infinite love. Even when her body slumbers her soul keeps vigil and her hands in unison with her spirit will stretch forth to soothe the baby back to sleep. With glowing pride she watches the growing child, shields it from harm, guides it along the paths of rectitude, inspires its soul with lofty sentiments of honor and of faith in the eternal God.

"When time has piled the snows upon her head and turned her brown or raven locks to white, her love will still abide, riper and sweeter with the passing years. Though she may live until her children are themselves old and gray, she yet will see the silken locks of youth; their roughened hands yet have the caressing touch of baby fingers; their voices bear to her the tender and melodious notes of industry. And when at last she approaches the portals of death there is no solace so sweet as the presence of those she bore 'to people and replenish the earth.'

"For mother love there is no substitute, even though it bear an official stamp. If there be truth in religion, then this holy sentiment was planted in woman's heart by the hand of God. It has made life possible. It is in truth the very source of life itself. When all other passions are dead it survives. It will pass through the fiery furnaces of disgrace and yet live. It will endure the scorching breath of contumely with unwavering fidelity.

"A mother will enter prisons of shame and kiss a felon hand thrust through the bars. She will sit beside the accused in courts of law, when the mob jeers and the heartless machinery of justice grinds its grist of agony, and with unwavering faith maintain her child is innocent. She will stand at the foot of the scaffold and when the trap has fallen, cover the condemned body with kisses and with flowers. It is still to her the innocent suckling she once hugged to her breast.

"But if the path of life has led her son to fields of honor, her heart will glow with pride, ineffable, unspeakable. If he is called to war, she will bid him good-by

with dry eyes, although her heart be filled with tears. She will maintain a firm and hopeful mien, that he may gain sublimer courage from her sublime example. When he sleeps upon the tented field her spirit will keep watch. Whilst he is slumbering she will pray. In the agony of waiting she will die a thousand deaths, but will choke back her sobs and hide her torture. She will search for him amongst the slain, and try with kisses to warm the dead and unresponsive lips to life. She will coffin her heart with the beloved body, and her soul will keep the eternal vigil of deathless love.

"Mother love! It has produced, fondled, reared, inspired, and glorified all of the shadowy hosts who have passed across the 'bank of time' since man first raised his eyes toward the heavens. It is, I say again, the golden cord that binds the earth to God."

Child Bearing without Pain

HOW TO DRESS, DIET AND EXERCISE IN PREGNANCY

Ailments.—Those ailments to which pregnant women are liable are mostly inconveniences rather than diseases, although they may be aggravated to a degree of danger. No patent nostrums or prescriptions are necessary. If there is any serious difficulty the family physician should be consulted.

Comfort.—Wealth and luxuries are not a necessity. Comfort will make the surroundings pleasant. Drudgery, overwork and exposure are the three things that tend to make women miserable while in the state of pregnancy, and invariably produce irritable, fretful and feeble children. Dr. Stockham says in her admirable work: "Tokology:" "The woman who indulges in the excessive gayety of fashionable life, as well as the overworked woman, deprives her child of vitality. She attends parties in a dress that is unphysiological in warmth, distribution and adjustment, in rooms badly ventilated; partakes of a supper of indigestible compounds, and remains into the 'wee, sma' hours,' her nervous system taxed to the utmost."

Exercise.—A goodly amount of moderate exercise is a necessity, and a large amount of work may be ac-

complished if prudence is properly exercised. It is overwork, and the want of sufficient rest and sleep that produces serious results.

Dresses.—A pregnant woman should make her dresses of light material and avoid surplus trimmings. Do not wear anything that produces any unnecessary weight. Let the clothing be light but sufficient in quantity to produce comfort in all kinds of weather.

Garments.—It is well understood that the mother must breathe for two, and in order to dress healthily the garments should be worn loose, so as to give plenty of room for respiration. Tight clothes only cause disease, or produce frailty or malformation in the offspring.

Shoes.—Wear a large shoe in pregnancy; the feet may swell and untold discomfort may be the result. Get a good large shoe with a large sole. Give the feet plenty of room. Many women suffer from defects in vision, indigestion, backache, loss of voice, headache, etc., simply as the result of the reflex action of the pressure of tight shoes.

Lacing.—Many women lace themselves in the first period of their gestation in order to meet their society engagements. All of this is vitally wrong and does great injury to the unborn child as well as to inflict many ills and pains upon the mother.

Bathing.—Next to godliness is cleanliness. A pregnant woman should take a sponge or towel-bath two or three times a week. It stimulates and invigorates the entire body. No more than two or three minutes are required. It should be done in a warm room, and the body rubbed thoroughly after each bathing.

The Hot Sitz-Bath.—This bath is one of the most desirable and healthful baths for pregnant women. It will relieve pain or acute inflammation, and will be a general tonic in keeping the system in a good condition. This may be taken in the middle of the forenoon or just before retiring, and if taken just before retiring will produce invigorating sleep, will quiet the nerves, cure headache, weariness, etc. It is a good plan to take this bath every night before retiring in case of any disorders. A woman who keeps this up during the period of gestation will have a very easy labor and a strong, vigorous babe.

Hot Fomentations.—Applying flannel cloths wrung out of simple or medicated hot water is a great relief for acute suffering, such as neuralgia, rheumatic pain, biliousness, constipation, torpid liver, colic, flatulency, etc.


The Hot Water-bag.—The hot water-bag serves the same purpose as hot fomentations, and is much more convenient. No one should go through the period of gestation without a hot water-bag.

The Cold Compress.—This is a very desirable and effectual domestic remedy. Take a towel wrung from cold water and apply it to the affected parts; then cover well with several thicknesses of flannel. This is excellent in cases of sore throat, hoarseness, bronchitis, inflammation of the lungs, croup, etc. It is also excellent for indigestion, constipation or distress of the bowels.

Diet.—The pregnant woman should eat nutritious, but not stimulating or heating food, and eat at the regular time. Avoid drinking much while eating.

Avoid salt, pepper and sweets as much as possible.

Eat all kinds of grains, vegetables and fruits, and avoid salted meat, but eat chicken, steak, fish, oysters, etc.



A

The ribs of large curve; the lungs large and roomy; the liver, stomach and bowels in their normal position; all with abundant room.

B


The ribs bent almost to angles; the lungs contracted; the liver, stomach and intestines forced down into the pelvis, crowding the womb seriously.

Nature Versus Tight Corset Illustrated


The Woman Who Eats Indiscriminately anything and everything the same as any other person, will have a

very painful labor and suffer many ills that could easily be avoided by more attention to the diet. With a little study and observation a woman will soon learn what to eat and what to avoid.

Displacement of the womb, interior irritation and inflammation, miscarriage and sterility, are some of the many injuries of tight lacing. There are many others, in fact their name is legion, and every woman who has habitually worn a tight corset and continues to wear it during the early period of gestation must suffer severely during childbirth.



"The House We Live In" for nine months: showing the ample room provided by Nature when uncontracted by inherited inferiority of form or artificial dressing.



A Contracted Pelvis. Deformity and Insufficient Space.

This is what Dr. Stockham says: "If women had *common sense,* instead of *fashion sense,* the corset would not exist. There are not words in the English language to express my convictions upon this subject. The corset more than any other one thing is responsible for woman's being the victim of disease and doctors. . . .

"What is the effect upon the child? One-half of the children born in this country die before they are five years of age. Who can tell how much this state of things is due to the enervation of maternal life forces by the one instrument of torture?

"I am a temperance woman. No one can realize more than I the devastation and ruin alcohol in its many tempting forms has brought to the human family. Still I solemnly believe that in weakness and deterioration of health, the corset has more to answer for than intoxicating drinks." When asked how far advanced a woman should be in pregnancy before she laid aside her corset, Dr. Stockham said with emphasis: *'The corset should not be worn for two hundred years before pregnancy takes place.* Ladies, it will take that time at least to overcome the ill-effect of tight garments which you think so essential.'"

Painless Pregnancy and Child-Birth.—"Some excellent popular volumes," says Dr. Haff, "have been largely devoted to directions how to secure a comfortable period of pregnancy and painless delivery. After much conning of these worthy efforts to impress a little common sense upon the sisterhood, we are convinced that all may be summed up under the simple heads of: (1) An unconfined and lightly burdened waist; (2) Moderate but persistent outdoor exercise, of which walking is the best form; (3) A plain, unstimulating, chiefly fruit and vegetable diet; (4) Little or no intercourse during the time.

"These are hygienic rules of benefit under any ordinary conditions; yet they are violated by almost every pregnant lady. If they are followed, biliousness, indigestion, constipation, swollen limbs, morning sickness and nausea—all will absent themselves or be much lessened. In pregnancy, more than at any other time, corsets are injurious. The waist and abdomen must be allowed to expand freely with the growth of the child. The great process of *evolution* must have room."

In Addition, we can do no better than quote the following recapitulation by Dr. Stockham in her famous Tokology: "To give a woman the greatest immunity from

suffering during pregnancy, prepare her for a safe and comparatively easy delivery, and insure a speedy recovery, all hygienic conditions must be observed.

"The dress— must give:

"1. Freedom of movement;

"2. No pressure upon any part of the body;

"3. No more weight than is essential for warmth, and both weight and warmth evenly distributed.

"These requirements necessitate looseness, lightness and warmth, which can be obtained from the union underclothes, a princess skirt and dress, with a shoe that allows full development and use of the foot. While decoration and elegance are desirable, they should not sacrifice comfort and convenience.

"**Let the Diet Be Light,** plain and nutritious. Avoid fats and sweets, relying mainly upon fruits and grain that contain little of the mineral salts. By this diet bilious and inflammatory conditions are overcome, the development of bone in the fœtus lessened, and muscles necessary in labor nourished and strengthened.

"**Exercise** should be sufficient and of such a character as will bring into action gently every muscle of the body; but must particularly develop the muscles of the trunk, abdomen and groin, that are specially called into action in labor. Exercise, taken faithfully and systematically, more than any other means assists assimilative processes and stimulates the organs of excretion to healthy action.

"**Bathing Must Be Frequent** and Regular. Unless in special conditions the best results are obtained from tepid or cold bathing, which invigorates the system and overcomes nervousness. The sitz-bath is the best therapeutic and hygienic measure within the reach of the pregnant woman.

"Therefore, to establish conditions which will overcome many previous infractions of law, *dress* naturally and physiologically; *live* much of the time *out of doors;* have *abundance* of *fresh air* in the house; let *exercise* be *sufficient* and *systematic;* pursue a *diet of fruit,* rice and vegetables; *regular rest* must be faithfully taken. To those who will commit themselves to this course of life, patiently and persistently carrying it out through the period of gestation, the possibilities of attaining a healthy, natural, painless parturition will be remarkably increased.

"**If the First Experiment** should not result in a painless labor, it without doubt will prove the beginning of sound health. Persisted in through years of married life,

the ultimate result will be more and more closely approximated, while there will be less danger of diseases after childbirth and better and more vigorous children will be produced.

"Then pregnancy by every true woman will be desired, and instead of being a period of disease, suffering and direful forebodings, will become a period of health, exalted pleasure and holiest anticipations. Motherhood will be deemed the choicest of earth's blessings; women will rejoice in a glad maternity and for any self-denial will be compensated by healthy, happy, buoyant, grateful children."

A Private Word to the Expectant Mother

Elizabeth Cady Stanton, in a lecture to women, thus strongly states her views regarding maternity and painless childbirth.

"We must educate our daughters to think that motherhood is grand, and that God never cursed it. And this curse, if it be a curse, may be rolled off, as man has rolled away the curse of labor; as the curse has been rolled from the descendants of Ham. My mission is to preach this new gospel. If you suffer, it is not because you are cursed of God, but because you violate His laws. What an incubus it would take from woman could she be educated to know that the pains of maternity are no curse upon her kind. We know that among the Indians the squaws do not suffer in childbirth. They will step aside from the ranks, even on the march, and return in a short time to them with the newborn child. What an absurdity then, to suppose that only enlightened Christian women are cursed. But one word of fact is worth a volume of philosophy; let me give you some of my own experience. I am the mother of seven children. My girlhood was spent mostly in the open air. I early imbibed the idea that a girl was just as good as a boy, and I carried it out. I would walk five miles before breakfast or ride ten on horseback. After I was married I wore my clothing sensibly. Their weight hung entirely on my shoulders. I never compressed my body out of its natural shape. When my first four chil-

dren were born, I suffered very little. I then made up my mind that it was totally unnecessary for me to suffer at all; so I dressed lightly, walked every day, lived as much as possible in the open air, ate no condiments or spices, kept quiet, listened to music, looked at pictures, and took proper care of myself. The night before the birth of the child I walked three miles. The child was born without a particle of pain. I bathed it and dressed it, and it weighed ten and one-half pounds. That same day I dined with the family. Everybody said I would surely die, but I never had a relapse or a moment's inconvenience from it. I know this is not being delicate and refined, but if you would be vigorous and healthy, in spite of the diseases of your ancestors, and your own disregard of nature's laws, try it."

Water.—Many physicians recommend the drinking of from six to twelve glasses of hot water daily during the entire pregnancy.

The following table gives the approximate size and weight of the foetus during the ten lunar months of gestation.

Lunar Months	Length in Inches	Weight
1	½	15 grains
2	2	60 grains
3	2½	1 oz.
4	6-7	5 oz.
5	8-11	8-10 oz.
6	11-13	1½ to 2 lbs.
7	13-15	3 lbs.
8	15-17	3 to 5 lbs.
9	16-17	5 to 7 lbs.
10 (birth)	17-19	6 to 12 lbs.



THE EMBRYO IN SIXTY DAYS

How to Calculate the Time of Expected Labor

The table on the opposite page has been very accurately compiled, and will be very helpful to those who desire the exact time.

The duration of pregnancy is from 278 to 280 days, or nearly forty weeks. The count should be made from the beginning of the last menstruation, and add eight days on account of the possibility of it occurring within that period. The heavier the child the longer is the duration; the younger the woman the longer time it often requires. The duration is longer in married than in unmarried women; the duration is liable to be longer if the child is a female.

Movement.—The first movement is generally felt on the 135th day after impregnation.

Growth of the Embryo.—About the twentieth day the embryo resembles the appearance of an ant or lettuce seed; the 30th day the embryo is as large as a common horse fly; the 40th day the form resembles that of a person; in sixty days the limbs begin to form, and in four months the embryo takes the name of fœtus.

Children born after seven or eight months can survive and develop to maturity.

DURATION OF PREGNANCY

DIRECTION.—Find in the upper horizontal line the date on which the last menstruation ceased; the figure beneath gives the date of expected confinement (280 days).

Jan.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
Oct.	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7	Nov.
Feb.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28				
Nov.	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	1	2	3	4	5				Dec.
Mar.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
Dec.	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	Jan.
Apr.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
Jan.	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	Feb.
May	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
Feb.	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	1	2	3	4	5	6	7	Mar.
June	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30		
Mar.	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6		Apr.
July	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30		
Apr.	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	1	2	3	4	5	6		May
Aug.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
May	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7	June
Sept.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30		
Jnne	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	1	2	3	4	5	6	7		July
Oct.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
July	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7	Aug.
Nov.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30		
Aug.	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6		Sep.
Dec.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
Sep.	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	1	2	3	4	5	6	7	Oct.

ILLUSTRATION: If menstruation ceased Oct 11, the confinement will take place July 18.

The Signs and Symptoms of Labor

The Only Safe Rule is for a woman to engage a competent physician as soon as she knows she is pregnant. It is a mistake to wait until the last few months for the simple reason that it may then be too late to remedy certain troubles which might easily have been cured at the beginning. Monthly examinations should be made not only to determine the position of the child, but to catch any abnormalities in the kidneys or other vital organs. Constipation must be guarded against above all other things.

The Fee.—Do not hesitate to ask the doctor about the amount of his fee. This is a matter in which there should be no false modesty, because if the fee is beyond your means, you had better make arrangements with another doctor whose charges are more reasonable. A woman should have absolute confidence in the ability and judgment of her physician at this time. The doctor should be permitted to engage or at least to recommend a competent nurse.

Although the majority of patients, a day or two before the labor comes on, are more bright and cheerful, some few are more anxious, fanciful, fidgety and reckless.

Subsidence.—A few days, sometimes a few hours, before labor commences, the child "falls" as it is called; that is to say, there is a subsidence—a dropping—of the womb lower down in the abdomen. This is the reason why she feels lighter and more comfortable, and more inclined to take exercise, and why she can breathe more freely.

The only inconvenience of the dropping of the womb is, that the womb presses more on the bladder, and sometimes causes an irritability of that organ, inducing a frequent desire to make water. The wearing of an obstetric belt, will greatly mitigate this inconvenience.

The subsidence—the dropping—of the womb may then be considered one of the earliest of the precursory symptoms of child-birth, and as the herald of the coming event.

She has, at this time, an increased moisture of the vagina—the passage leading to the womb—and of the external parts. She has, at length, slight pains, and then she has a "show," as it is called; which is the coming away of

a mucous plug which, during pregnancy, had hermetically sealed up the mouth of the womb. The "show" is generally tinged with a little blood. When a "show" takes place, she may rest assured that labor has actually commenced. One of the early symptoms of labor is a frequent desire to relieve the bladder.

She ought not, on any account, unless it be ordered by the medical man, to take any stimulant as a remedy for the shivering. In case of shivering or chills, a cup either of hot tea or of hot gruel will be the best remedy for the shivering; and an extra blanket or two should be thrown over her, and be well tucked around her, in order to thoroughly exclude the air from the body. The extra clothing, as soon as she is warm and perspiring, should be gradually removed, as she ought not to be kept very hot, or it will weaken her, and will thus retard her labor.

Caution.—She must not, on any account, force down —as her female friends or as a "pottering" old nurse may advise—to "grinding pains"; if she does, it will rather retard than forward her labor.

During this stage, she had better walk about or sit down, and not confine herself to bed; indeed, there is no necessity for her, unless she particularly desire it, to remain in her chamber.

After an uncertain length of time, the pains alter in character. From being "grinding" they become "bearing down," and more regular and frequent, and the skin becomes both hot and perspiring. These may be considered the true labor-pains. The patient ought to bear in mind then that "true labor-pains" are situated in the back, and loins; they come on at regular intervals, rise gradually up to a certain pitch of intensity, and abate as gradually; it is a dull, heavy, deep sort of pain, producing occasionally a low moan from the patient; not sharp or twinging, which would elicit a very different expression of suffering from her.

Labor—and truly it may be called "labor." The fiat has gone forth that in "sorrow thou shalt bring forth children." Young in his "Night Thoughts," beautifully expresses the common lot of women to suffer:

> "'Tis the common lot;
> In this shape, or in that, has fate entailed
> The mother's throes on all of women born,
> Not more the children than sure heirs of pain."

Special Safeguards in Confinement

Before the confinement takes place everything should be carefully arranged and prepared. The physician should be spoken to and be given the time as near as can be calculated. The arrangement of the bed, bed clothing, the dress for the mother and the expected babe should be arranged for convenient and immediate use.

A bottle of sweet oil, or vaseline, or some pure lard should be in readiness. Arrangements should be made for washing all soiled garments, and nothing by way of soiled rags or clothing should be allowed to accumulate.

A rubber blanket, or oil or waterproof cloth should be in readiness to place underneath the bottom sheet to be used during labor. Sheets, pillow cases and other necessary linen must be sterilized. The kitchen oven is convenient for this purpose.

As soon as labor pains have begun a fire should be started and hot water kept ready for immediate use. The room should be kept well ventilated and comfortably warm.

No people should be allowed in or about the room except the nurse, the physician, and probably members of the family when called upon to perform some duty.

During labor no solid food should be taken; a little milk, broth or soup may be given, provided there is an appetite. Malt or spirituous liquors should be carefully avoided. A little wine, however, may be taken in case of great exhaustion. Lemonade, toast, rice water, and tea may be given when desired. Warm tea is considered an excellent drink for the patient at this time.

When the pains become regular and intermittent, it is time that the physician is sent for. On the physician's arrival he will always take charge of the case and give necessary instructions.

In nearly all cases the head of the child is presented first. The first pains are generally grinding and irregular, and felt mostly in the groins and within, but as labor progresses the pains are felt in the abdomen, and as the head advances there is severe pain in the back and hips and a disposition to bear down, but no pressure should be placed upon the abdomen of the patient; it is often the cause of serious accidents. Nature will take care of itself.

Conversation should be of a cheerful character, and all allusions to accidents of other child births should be carefully avoided.

Absence of Physician.—In case the child should be born in the absence of the physician, when the head is born receive it in the hand and support it until the shoulders have been expelled, and steady the whole body until the child is born. Support the child with both hands and lay it as far from the mother as possible without stretching the cord. Remove the mucus from the nostrils and mouth, wrap the babe in warm flannel, make the mother comfortable, give her a drink, and allow the child to remain until the pulsations in the cord have entirely ceased. After the pulsations have entirely ceased then sever the cord. Use a dull pair of scissors, cutting it about two inches from the child's navel. Generally no tying is necessary, and when the physician comes he will give it prompt attention.

If the child does not breathe at its arrival, says Dr. Stockham in her celebrated Tokology, a little slapping on the breast and body will often produce respiration, and if this is not efficient, dash cold water on the face and chest; if this fails then close the nostrils with two fingers, breathe into the mouth and then expel the air from the lungs by gentle pressure upon the chest. Continue this as long as any hope of life remains.

After-Birth—Usually contractions occur and the after-birth is readily expelled; if not, cloths wrung out in hot water laid upon the abdomen will often cause the contraction of the uterus, and the expulsion of the after-birth.

If the cord bleeds severely inject cold water into it. This in many cases removes the after-birth.

After the birth of the child give the patient a bath, if the patient is not too exhausted, change the soiled quilts and clothing, fix up everything neat and clean and let the patient rest.

Let the patient drink weak tea, gruel, cold or hot water, which ever she chooses.

After the birth of the baby, the mother should be kept perfectly quiet for the first 24 hours and not be allowed to talk or see anyone except her nearest relations, however well she may seem. She should not get out of bed for ten days or two weeks, nor sit up in bed for nine days. The more care taken of her at this time, the more rapid will be her recovery when she does get about. She should go up and down stairs slowly, carefully, and as seldom as possible for six weeks. She should not stand more than is unavoid-

able during that time, but sit with her feet up and lie down when she has time to rest. She should not work a sewing machine with a treadle for at least six weeks, and avoid any unusual strain or over-exertion. "An ounce of prevention is worth a pound of cure," and carefulness will be well repaid by a perfect restoration to health.

The Husband at Childbirth.—Should the husband be at the bedside when the baby is being brought into the world? There is only one answer to this question: If the wife desires it there is no better place in all God's earth for the husband to be than at his wife's side, comforting her, and assisting her through life's most painful ordeal. It is good for man to see for himself, to *know* absolutely and forever, just what an insignificant part his really is in the great scheme of life, and to realize how truly, how dearly the woman pays.

Poor Excuses.—How cowardly the man who from an instinctive fear of the sight of blood, permits his wife to face death alone, but for a hired doctor or nurse. How foolish the woman who from a misconception of modesty, is afraid to have her husband with her at this critical time, even though she knows that his strength and his confidence would make her burden lighter. This is no place for squeamishness or ridiculous false modesty. Insofar as it is humanly possibly to share the ordeal, let it be shared equally and openly.

Twilight Sleep.—Some years ago two German Physicians, Kroenig and Grauss, of the University of Baden, startled the world by announcing: "Dammerschlaf" or "Twilight Sleep," a treatment which rendered childbirth almost painless and free from dangerous complications. A woman's clinic was established at Frieburg where a combination of scopolamine and morphine was given. The muscular activity of the pelvic organs was not lessened, the length of labor was shortened, and instruments were rarely necessary.

Abbott's H-M-C is another sedative composed of hyoseine, morphine, and cactoid. It is less dangerous than the other remedy, and accomplishes the same result, hence is greatly preferred.

The Utmost Caution is necessary in the administration of either of these drugs, and the most competent medical supervision is essential to their success.

Cautions.—The patient should not be left a moment without medical supervision. The lying in chamber should be darkened, and kept as quiet as possible.

Why Should a Woman Suffer?—Childbirth is a natural function, as natural as eating, sleeping or walking. If the laws of nature are complied with it loses most, if not all, of its terrors. The facts show that Indian women, and those of other uncivilized races have children without experiencing pain, and with none of the so common modern complications.

What Is the Reason?—They live a natural, out of doors life, free from the evils and restrictions of present day civilization in dress and habits of life.

A Normal Life.—The expectant mother should therefore live a perfectly rational life, keeping the stomach and intestines especially healthy and active, and hence the general physical condition good. An abundance of fresh air, hearty exercise, and childbirth will pass over without any abnormal consequences.

WHERE DID THE BABY COME FROM?

Where did you come from, baby dear?
Out of the everywhere into here.

Where did you get the eyes so blue?
Out of the sky, as I came through.

Where did you get that little tear?
I found it waiting when I got here.

What makes your forehead so smooth and high?
A soft hand stroked it as I went by.

What makes your cheek like a warm, white rose?
I saw something better than anyone knows.

Whence that three-cornered smile of bliss?
Three angels gave me at once a kiss.

Where did you get this pretty ear?
God spoke, and it came out to hear.

Where did you get those arms and hands?
Love made itself into hooks and bands.

Feet, whence did you come, you darling things?
From the same box as the cherub's wings.

How did they all come just to be you?
God thought of me, and so I grew.

But how did you come to us, you dear?
God thought about you, and so I am here.

—GEORGE MACDONALD

List of Articles Necessary for Confinement

2 Bed protectors, one yard square, made with cheese cloth and cotton.
2 Dozen cheese cloth pads.
3 Dozen small cheese cloth pads.
2 Yards cotton cloth for binder. (The above should be sterilized by baking in an oven and tightly wrapped in cotton cloth.)
1 Rubber sheet (or heavy craft wrapping paper,) size 3 feet by 9 feet.
1 Bed pan.
1 Fountain syringe.
1 Package of large safety pins.
1 Package of small safety pins.
1 Bottle of olive oil, 8 oz.
4 oz. 3% solution of boric acid.
1 Package of absorbent cotton.
2 Gallons of sterile water.
1 Bar of white castile soap.
Plenty of boiling water, clean towels, ice, basins, and pitchers.

The Bed.—In preparing the bed place the rubber sheet next to the mattress, (or if no rubber sheet, use three thicknesses of wrapping paper.) Next put the regular undersheet. then place three thicknesses of heavy wrapping paper across the middle of the bed. Over them lay a folded comforter and over all a clean sheet securely fastened by safey pins. The carpet under the bed should be protected by an old rug or a few sheets of wrapping paper.

List of Articles to Be on Hand for the Newcomer

3 Flannel binders 5 inches by 18 inches.
3 Knitted woolen shirts, size 2, double breasted.
4 Petticoats (Gertrude style, buttoning over shoulders.)
3 Plain night gowns.
4 Plain slips, soft crepon or nainsook.
1 Fancy slip, made of soft linen or nainsook.
2 Wrappers, cashmere or flannel.
2 Bonnets—material to vary in weight according to the weather.
2 Shawls, flannel.
4 Pairs of hose, cotton for summer and merino for winter.
2 Pairs of bootees of light knitted material.
1 Teaspoon.
1 Medicine glass.
1 Box of talcum powder.
2 to 4 dozen diapers, cotton, birds eye, or outing flannel is more satisfactory for diapers than linen or canton flannel. Many nurses recommend stockinet.
1 Soft blanket.
1 Soft wash cloth or silk sponge.
1 Hot water bottle with flannel cover.
1 Soft brush and fine comb.
1 Crib—if desired a clothes basket makes a satisfactory bed.



BEFORE THE BABY COMES

PART 5

FAMILY LIFE

THE CARE AND FEEDING OF INFANTS

FUNDAMENTALS IN THE CARE OF THE BABY

TEN HEALTH RULES FOR BABIES

WEIGHT CHARTS

FIRST AID IN THE NURSERY

TEETHING

DISEASES OF CHILDREN

HOW TO FEED OUR CHILDREN

FOOD VALUES AND DIET LISTS



The Care and Feeding of Infants

Bathing.—After the cord has been cared for by the doctor, cleanse the eyes, nose, and throat with a mild solution of boric acid. With the hand rub the entire body well with olive oil and then place the child in a warm bath, temperature about 95 degrees Fahrenheit. Wash carefully with castile soap, dry with soft warm cloth and sprinkle with talcum powder. The doctor will then dress the cord after which the band should be put on and the baby dressed.

The First Sleep.—After the first bath baby is ready to go to bed. Wrap carefully in a blanket and keep the crib warm with hot water bottles. Do not rock.

Food for the Newly Born Child.—The proper and best food for the infant is milk from the mother's breast, unless, of course, there is some very definite reason why this is impossible. Mother's milk is the only natural and adequate food. It contains no harmful bacteria, it is always clean, it never sours, it is ever ready, it is properly balanced in proteins, carbohydrates, fats and vitamines, so essential to proper growth and development, it produces better teeth, and above all these considerations, nursing promotes the mother's love for her child and the baby's love for the mother.

Cow's Milk.—When it is impossible for the mother to suckle her child, cow's milk properly modified is the best substitute. Modification is necessary because cow's milk is intended for the calf's coarser stomach and more rapid growth. The curds are too large.

The Only Safe Rule.—Cow's milk contains too much protein and lime, too little phosphorus and sugar, and the curds are too large for the infant's stomach to handle. The problem of properly modifying this milk must be solved by the physician in attendance. This is not a subject for individual experiment. Too much is at stake to allow any chances to be taken. The table on the following page shows a formula recommended by an able physician and fits the average case. Do not depend upon it, however, unless your doctor consents.

Babies soon learn the regular hours for feeding, and with a little patience on the part of the mother the baby's life can be made to run as evenly as a little machine. Then the mother can count on the hours she will have for other work. The feeding hours on the table given are arranged so that they will not interfere with the naps, morning and afternoon. It is not necessary to begin the day's feeding at just the hour named. Sometimes the baby will waken earlier in the morning. But with a little care the time can be brought to be the same for all feedings each day. The time between two feedings can be lengthened by letting the baby sleep a little longer, or giving the bath, or playing with the child. Babies should not be held up after feeding. They should lie still for a little while. Holding them up often causes them to vomit. Never allow anyone to feed baby fruit, cake or candy. At times when baby's bowels are irregular a little fresh orange juice may prove beneficial.

Many infants' diseases may be traced very largely to their food. Irregular, too frequent, and excessive feeding, unsuitable food, a too early incorporation of adults' food into an infant's dietary, unsanitary bottles and nipples,—these are the chief causes of diseases in infancy.

A mother should always try to nurse her child upon the breast. Even though a mother has but little milk at first, she should not be discouraged. She should be patient, and try and try again. A mother's milk is nature's most perfect food.

If it is necessary to feed the little one upon the bottle, select only bottles and nipples which can be easily washed. This point cannot be overemphasized.

A Table for Feeding a Baby on Modified Milk.

	2d week	3d week	4th to 8th wk.	9th to 12th wk.	4th month	5th to 7th mo.	7th to 9th mo.
Top Milk	1½ oz.	6 oz.	9 oz.	11 oz.	13 oz.	15 oz.	17 oz.
Milk Sugar	4 teaspoons	5½ teaspoons	8 teaspoons	7½ teaspoons	7 teaspoons	6½ teaspoons	6 teaspoons
Barley Gruel	10 oz.	18 oz.	Barley gruel to make a quart	Barley gruel to make a quart	Barley gruel to make a quart	Barley gruel to make a quart	Barley gruel to make a quart
Cream	2¾ oz.						
Lime Water	2 oz.	4 oz.	4 oz.	4 oz.	4 oz.	4 oz.	4 oz.
	1½ oz. at feeding	2 oz. at feeding	3 oz. at feeding	3 oz. at feeding	3 to 4 oz. at feeding	4 to 5 oz. at feeding	6 to 7 oz. at feeding
	10 times a day	10 times a day	8 times a day	8 times a day	7 times a day	6 times a day	6 times a day

Top Milk—Let your quart of milk stand until the cream has risen, then pour off number of ounces required.

Sugar of Milk may be purchased at your local druggist's.

Gruel is prepared by cooking one level tablespoon of any good barley flour in a pint of water with a pinch of salt. When partly cooled add to the milk.

Nursing.

Period	Nursing in 24 hours	Interval by day	Night nursings 10 p. m. to 6 a. m.
1st and 2d day	4	6 hrs.	1
3 days to 4 weeks	10	2 hrs.	1
4 weeks to 2 mo.	8	2½ hrs.	1
2 to 5 mo.	7	3 hrs.	1
5 to 12 mo.	6	3 hrs.	0

Schedule for Feeding Healthy Infants During First Year.

Age	Interval between meals by day	Night feedings 10 p. m. to 7 a. m.	No. of feedings in 24 hours	Quantity for one feeding	Quantity for 24 hours
	Hours			Ounces	Ounces
2d to 7th day	2	1	10	1 to 1½	10 to 15
2d and 3d week	2	1	10	1½ to 3	15 to 30
4th and 5th weeks	2½	1	8	2½ to 4	20 to 32
6th to 9th week	2½	1	8	3 to 5	24 to 40
9th week to 5th mo.	3	1	7	4 to 6	28 to 42
5th to 9th month	3	0	6	5 to 7½	30 to 45
9th to 12th month	4	0	5	7 to 9	35 to 45

Pasteurizing of Milk

If a baby must be fed from the bottle the milk must always be pasteurized. This may be done best by putting the milk in a bottle or glass fruit jar, tightly sealed. Place these receptacles, containing milk, in a pan of cold water and bring to a boil; remove at once from the fire and chill quickly. Keep in a cool place.

Feeding Utensils

As many nursing bottles as there are feedings in one day (short necks, 8 ounce, ounces marked on side.)
Nipple for each bottle. Conical nipple is best; never nipples with long rubber tubes.
A new, clean cork stopper for each bottle.
A bottle brush. After washing with brush fill bottles with cold borax water and let stand.
A graduated measuring glass.
A 2-quart pitcher.
A funnel.
A long-handled spoon for stirring the food.
A pail or kettle for pasteurizing the milk and sterilizing the utensils.
A fork.
A tablespoon.
A double boiler for cooking cereals.

Who Can Nurse?—Only about one mother in every ten is unable to suckle her child. The ability to nurse depends upon conditions of former living. Fresh air, exercise, sunshine, freedom from worry, and proper clothing from girlhood are essential to proper nursing. The natural ability may be greatly increased by a nutritious diet consisting of cereals and milk, proper physical living and regularity in nursing. It is important that one breast be completely emptied at each feeding. An inexpensive breast pump may be obtained for this purpose in case the baby does not require all the milk in the beginning.


Things to Be Remembered.—Constipation in the mother causes similar conditions in the baby. Alcohol in any form is transmitted to the baby unchanged. An indigestible meal means discomfort for the baby. Mother should wash her hands carefully before nursing. The nipple should be washed off with a 3% solution with boric acid before and after feeding. Both the nipples and undergarments should be protected by clean sterilized gauze. This will keep both the nipples and the baby's mouth from possible infection.

Compulsory Nursing.—The mortality of artificially fed infants is usually about double that of the breast fed. In other words a bottle baby has only about half a chance. This fact led Sweden in the eighteenth century to punish a woman if she gave a baby the bottle when she was able to suckle it. Such an act was considered a crime against the child, and as such a crime against society. In France the law forbids a woman to act as a wet nurse until her own child is at least seven months old. Certain German cities provide suitable rooms, free medical aid, and trained nurses in the manufacturing plants employing women, where the mothers can give the breast to the child in the intervals of work.

The Huddersfield Scheme.—High infant death rates are responsible for the adoption of many new preventive methods. Among them perhaps the most important is the one called the Huddersfield Scheme, which was the origin of the British Notification of Birth Act. It provides for (1) compulsory notification of births within 48 hours, (2) free medical advice when the baby fails to thrive, and (3) lady medical officers who visit the homes to advise and assist the mothers. Much has been said against the too close association between the home and the government, but it seems only right that every baby should be legally entitled to medical attention from the very day of his birth, and that all mothers, regardless of their circumstances, should have the free advice and assistance of an educated and properly trained woman.

Schools for Mothers.—In many European countries, notably France, England, and Germany, schools for mothers are the common thing. Infants are weighed weekly, and mothers encouraged and advised to suckle their young. Training is given to young girls between the ages of 14-18. They learn infant anatomy and psychology, receive instructions in weighing infants, preparing diet, and in taking temperatures, and after completing the course of training, are able to earn a livelihood as practical nurses. Such schools have exerted a powerful and far-reaching influence for good.

Ellen Key in her book, "The Century of the Child," advocates a year of compulsory training for all young women, this course to include housekeeping, hygiene, nursing, and the care and training of infants. Compulsory training of this kind would be far more beneficial to humanity, than any compulsory military training could hope to be.



HOW HIGH IS THE WALL IN YOUR TOWN?

The chances are that men trained in the art of war will never be forced to fight, but most women, on the other hand, are called upon at one time or another to keep house or to care for children, either for themselves or for others.

The Children's Bureau.—In 1912 the Congress of the United States authorized a Bureau in the Department of Labor whose duty it should be to inquire into the conditions surrounding infancy. It was known as THE CHILDREN'S BUREAU. Miss Julia Lathrop was its first chief.



WHAT PRICE WEALTH

and she has done some remarkable things in her limited field. Out of her efforts and investigations grew the demand for The Maternity Bill. In its original form this bill would have crystallized the hopes and prayers of the mothers in America. In its final, amended form, it is still a public acknowledgment of the enormous debt we owe to motherhood.

The New Maternity Bill was the first legislative request made upon the Congress by the newly enfranchized women. It is a matter of satisfaction to know that this first demand was one to dignify motherhood. The Sheppard-Towner Bill, commonly called the Maternity Bill, was signed by President Harding on November 24th 1921, the day before Thanksgiving.

A Three Year Struggle.—This bill had been advocated and fought. commended and defamed, pigeon holed and brought to life again for three long years. Its opponents declared that it was socialistic because it linked the individual mother with the government; they quoted the old fallacious argument about the federal assumption of state rights; and they went so far as to assert that the bill was supported only by advocates of free love and birth control.

On the other hand the people in favor of the bill merely pointed to the facts:—so many mothers, so many babies, dead when they lack proper care; so many mothers and so many babies alive and well and happy when they have had this care from private agencies.

It was never a question of radicalism vs conservatism. It was a matt of life and death. 23,000 women died during 1918 in the United States from causes connected with childbirth. The same year witnessed the death of over 250,000 infants. Think what those fearful statistics mean—a yearly casualty list greater than our entire loss in the late war.

Money Spent for Mothers and Babies.—The bill appropriates money—the limit is $4,000,000 a year—to provide advice and medical aid to expectant and actual mothers *who want it.* There is nothing compulsory or arbitrary about the act. The national government is to cooperate with the states in promoting the welfare of maternity and infancy. To the Children's Bureau of the Department of Labor goes the responsibility of properly administering the law, while powers of review and approval are given to a Board of Maternity and Infant Hygiene, consisting of the Chief of the Children's Bureau, the Surgeon General of

the Army, and the United States Commissioner of Education. The appropriation for 1922 is $1,480,000 and $1,240,000 for each of five years thereafter. The money is to be divided among the states accepting the provisions of the act. These several states must submit to the Children's Bureau detailed plans for using the money, and must appropriate from state funds an amount equal to that it receives from the national treasury. The plans for spending the money are subject to the approval of the Federal Board of Maternity and Infant Hygiene. Not more than $5,000 has been allowed for necessary administrative expenses.


How Much Money May a State Receive.—Every state receives $10,000 the first year and $5,000 a year thereafter. An additional $5,000 will be paid providing the state raises a like amount. This makes a total of $15,000 the first year and $10,000 thereafter available to every state in the union regardless of its size or its population. In addition $710,000 a year is provided to be distributed between the states, on the basis of population but each state must match the appropriation from its own funds.

Victory for Motherhood.—The women of America have for years worked long and ardently to secure the rights and benefits due them as mothers and home makers. And now victory is at hand. President Harding has just expressed himself in favor of a Department of Public Welfare. He has even asked Congress to consider legislation for the creation and maintenance of such a Department. This may take time. There are difficulties in the way. But no great humanizing work has ever been accomplished without years of painstaking and patient efforts. And so the fight goes on, and will go on until the victory is ours.




WEIGHT CHARTS

BABY SHOULD WEIGH



Weight Chart for the 1st Year, Curved Line Indicates Average Rate of Gain.



Weight Chart 1 to 14 yrs.; Upper Line Indicates Average for Boys. Lower (Dotted) Line for Girls.

BABY WEIGHED

At Birth _____
1 Week _____
2 Weeks _____
3 " _____
1 Month _____
2 Months _____
3 " _____
4 " _____
5 " _____
6 " _____
7 " _____
8 " _____
9 " _____
10 " _____
11 " _____
1 Year _____
2 Year _____
3 " _____
4 " _____
5 " _____
6 " _____




Fundamental Principles in the Care of the Baby


Regularity is the first great principle in child training. This includes feedings, sleep, and stools. Next in importance come cleanliness, fresh air, exercise, quiet, freedom of movement and self control. Proper care will bring about remarkable results in regularity and self control. Efforts along this line should begin the very day after birth.

Lifting.—Until a baby is six or seven months old he is not able to support his head and the length of his spine, alone. In lifting a baby, then, the left arm should support the head, neck and upper back, the right hand the lower spine. If held upright the head must be supported. The baby should never be lifted by the arms.

Clothing.—Overdressing is far more common than any other mistake mothers are likely to make. If the skin is moist to the touch, this is an indication of overdressing. On the other hand a baby is not underdressed unless his feet are cold, the skin covered with goose pimples, or the lips blue. Common sense alone is necessary to remedy both defects. Stockings are hardly necessary during the first year unless for looks and for protection in severe weather. They tend to make the feet perspire and cause frequent colds. Modern shoes are likely to be unsatisfactory. They are usually tight, uncomfortable and unhealthy. In extremely young children soft soled shoes should be used, and sandals with flexible soles a little later. The legs may be




RAGLAN SLEEVE SLIP




KIMONA COAT

protected by leggins in cool weather. The order of dressing is as follows:—Put on a band, shirt and diapers, then flannel skirt, dress and sacque. (Caution: Never put a baby's dress on over his head—always over his feet.)




GERTRUDE PETTICOAT



KIMONA NIGHTGOWN

Diapers.—A baby can be taught to control the bladder or the bowels within a few months, thus reducing the number of soiled diapers and laying the real foundation for health in later life. Hold the baby on the stool at regular intervals every day until the habit is established. On the other hand do not let a little baby remain for a long time

on the stool for fear of causing irritation, straining and other troubles. Change diapers whenever they are wet or immediately after waking. Never use a diaper the second time without washing it. The acid and salty urine is irritating and causes chafing. Avoid tightness in diapers, as it prevents proper development and may cause irritation. Avoid rubber diapers; they are over heating and cause bad habits. When changing wash the baby clean and dry thoroughly, apply vaseline or zinc oxide ointment to chafed places and put on dry diaper. Wash the hands thoroughly with hot water and soap.



PROPER CLOTHES FOR INFANTS
Knitted Shirt and Band. Shaped diapers. Note the Fastening With Tapes.

Laundry.—Use a mild soap for baby clothes. Avoid laundry soap, bluing, soda, and starch. Ironing is not necessary, although it is a sterilizing process. Rinse carefully, especially diapers.

Bathing.—The baby requires at least one bath every day. Until the cord is healed a sponge bath is preferred. After that the tub should be used. Do not bathe within an hour after feeding or when he is tired. The temperature of the bath should be 95 degrees Fahrenheit up until the seventh month, then reduce the temperature about one degree in every two weeks until 90° F is reached. The warm bath should be followed by a cool dash of water, say 80 to 85 degrees as long as there is a good reaction. This increases the resistance and prevents colds. Rub the baby well with the hand and begin early to develop the muscles by moderate exercise.



Things to Avoid in Bathing the Baby.—

1 Opening of doors or letting in draft.
2 Over heated bath room.
3 Taking baby outdoors too soon after bath.
4 Putting fingers into baby's mouth.
5 Public baths.
6 Getting soap in the eyes.
7 Picking the ears or nose with sharp instrument.

Stools.—One normal bowel movement every day is absolutely necessary. Such stools are yellow, soft, and smooth. Any discoloration, bad odor, or undigested food particles should be reported to the physician. The bowels should be kept loose by proper diet. The use of suppositories, enemas, and laxatives should be avoided.

Sleep.—Baby must sleep alone in his own room if possible. Unless it is cold, damp, foggy, dusty, or windy, he should sleep outdoors. During the early months of his life sleep is practically his sole occupation. This is the period of greatest growth and development, and he requires from 15 to 22 hours of sleep daily. Below is a table showing the amount of sleep required, in addition to information on

Av'rage Weight of Baby in Pounds	Age of Baby	No. of Feedings	Ounces at Each Feeding	Total Ounces in 24 Hours	Intervals in Hours	Hours	Sleep
7½	Birth and 2d day	4	1	4	6		22 hours
7	3d day	6	1	6	3	6, 9, A.M., 12 noon; 3, 6, 10 P.M.	"
	4th "	6	1½	9	3	"	"
	5th "	6	2	12	3	"	"
7¼	7th "	6	2½	15	3	"	"
7½	10th "	6	3	18	3	"	"
	Begin 3d week	6	3½	21	3	"	"
	" 4th "	6	4	24	3	"	21 "
8¾	" 2d month	6	4¼	25½	3	"	20 "
10½	" 3d "	6	4½	27	3	"	19 "
14¼	" 4th "	6	5	30	3	"	18 "
13¾	" 5th "	5	6½	32½	4	6, 10, A.M.; 2, 6, 10 P.M.	16 "
15	" 6th "	5	7	35	4	"	"
16	" 7th "	5	7½	37½	4	"	"
16¾	" 8th "	5	8	40	4	"	15 "
17½	" 9th "	5	8¼	41¼	4	"	"
18	End 9th "	5	8½	42½	4	"	"
21	" 12th "	5			4	"	"

DISCIPLINE - LONG DEFERRED - MAKETH THE HEART SICK!

I just can't make my little girl eat her meals.

That baby just won't let me out of her sight!

My baby won't take naps any more!



If my boy sees a candy box, he makes such a fuss that we just have to give him some!

He's two years old, but he still sucks his thumb; I can't seem to break him of the habit!

My!
I wish my baby would mind like that!

A week-old baby is not too young to train to good habits — but if you wait till he's a year old,, you'll have your hands full!

KATHERINE FIELD WHITE - 1918



The EUGENIC BABY

feeding and weights. This table is taken from "Feeding and Care of Baby" by F. Truby King, M. D.

The baby should be put into bed and left to go to sleep himself. Rocking is unnecessary besides being bad for the nervous system. It does not harm the baby to cry for an hour or so, provided *you are absolutely sure* that he is dry and is not in distress. Disturbed sleep is often caused by bad air, cold, heat, or indigestion.


Crying.—A child cries for one of four reasons; either he is exercising, he is in physical discomfort, he is sick; or he wants something he should not have.

Crying for Exercise.—It is natural for a child to cry loudly before feeding him, and this may last as long as twenty or thirty minutes. There is no pain in connection with this outburst, it is simply nature's way of developing the lungs.

Discomfort.—Of course, a baby often cries because of wet, wrinkled, tight or uncomfortable clothing, or he may be hot, cold, hungry, thirsty; he may be teething, have gas or indigestion, or merely tired of one position. The cry in such cases is sharp, intermittent, and the feet are usually drawn up.

INFANT MORTALITY THERMOMETER

DEATHS UNDER 1 YEAR OF AGE PER 1,000 BIRTHS



Illness.—In case of actual illness the cry becomes more of a moan, there is listlessness and apparent feebleness.

The Wilful Wail.—Frequently babies cry loudly and indefinitely because they want attention or want something forbidden The cause is easily discovered because the crying ceases the minute the desire is granted. If totally ignored the baby will soon stop. Care is unnecessary in the matter because when no attention whatever is paid to such outbursts, the child soon learns a wholesome respect for authority. Proper training is necessary sometime. Why not at the very beginning?

Infant Mortality.—There are four principal causes for the death of infants, namely, (1) digestive diseases such as indigestion, diarrhoea, summer complaint, etc.; (2) respiratory diseases such as pneumonia, colds, and croup; (3) congenital disability or weakness at birth; and (4) contagious diseases like measles, whooping cough, scarlet fever, diphtheria, etc.

Causes.—Ignorance, poor hygiene, and carelessness are the great underlying causes of the high rate of infant mortality. Proper sanitation, hygiene, prenatal care and instruction will prevent a death rate exceding 50 to every 1000 babies. The following table taken from the latest available statistics shows the work necessary to be done before an ideal state of affairs has been reached:

Country	Infant Mortality Rate
Russia	248
Germany	192
Italy	153
United States	124
England	95
France	78
New Zealand	51

Such a condition is unfair to the babies and disgraceful proof of the world's negligence.


Defects.—Bow legs, curved spine, deformed feet, narrow pelvis, and nervousness, are all ailments likely to be acquired in infancy. They are due to carelessness in lifting, handling, dressing, and could all be prevented by proper instruction on the part of every mother. Learn how to properly lift and carry an infant. If you do not your child is liable to all kinds of internal displacements. See that the binder is not too tight and that it is not worn after

the first few weeks. Such a condition may cause rupture. Do not permit a child to wear diapers too thick or too tight. Bow legs and a narrow pelvis are the inevitable consequences. Have your baby examined by a competent physician every week or so during the first few months and at least once a month for the first year. The death rate is high during the first five years, while during the first year still higher, during the first month highest, and at the very maximum during the first week.

MATERNAL MORTALITY RATES

per 1000 births

Latest available figures up to 1917



Ten Health Rules for Babies

The following rules are known to have cut the death rate for babies in Montclair, New Jersey. They were promulgated by the Montclair Day Nursery. This city had a record of only thirty-eight infantile deaths in one year.

1. Give a baby pure milk and watch its feeding very closely.

2. Keep everything connected with a baby absolutely clean. Cleanliness in the house counts for a baby's health. Untidy babies are usually sick babies.

3. Never let a baby get chilled. Keep its hands and feet warm.

4. Regulate a baby's day by the clock. Everything about its wants should be attended to on schedule time.

5. Diminish a baby's food the minute signs of illness appear. Most babies are overfed anyway.

6. Weigh a baby every week until it is a year old. Its weight is an index of its health.

7. Every mother should get daily outdoor exercise. It means better health for her babies.

8. Every baby should be "mothered" more and mauled less. Babies thrive on cuddling but they can get along on a lot less kissing.

9. Don't amuse or play with your baby too much. Its regular daily routine is all the stimulation its little brain needs at first.

10. Don't let too many different people take care of the baby. Even members of the same family make baby nervous if they fuss around him too much.

Items of Interest

Table of Average Weight, Height and Head and Chest Measurements of Boys

*SEE NOTE FOR GIRLS

	Weight	Height	Chest	Head
At Birth	7½ lbs.	20½ in.	13½ in.	14 in.
1 Year	21 lbs.	29 in.	18 in.	18 in.
2 Years	26½ lbs.	32½ in.	19 in.	19 in.
3 Years	31 lbs.	35 in.	20 in.	19¼ in.
4 Years	35 lbs.	38 in.	20¾ in.	19¾ in.
5 Years	41 lbs.	41½ in.	21½ in.	20½ in.
6 Years	45 lbs.	44 in.	23 in.	
7 Years	49½ lbs.	46 in.	23½ in.	
8 Years	54½ lbs.	48 in.	24½ in.	
9 Years	60 lbs.	50 in.	25 in.	
10 Years	66½ lbs.	52 in.	26 in.	

*Girls average one pound less weight than boys.
Measurements the same.
The above weights are with ordinary house clothes.
The weights for the first four years are without clothes.
Charts showing weight curve for the first year, and from one to fourteen years, shown on page six.

Birthstones for Various Months and Their Attributes

January—Garnet; insures power, grace and victory to wearer.
February—Amethyst; deep love.
March—Bloodstone; courage and wisdom.
April—Diamond; purity, constancy, truth and virtue.
May—Emerald; immortality, conquers sin and trial.
June—Pearl; health, wealth and longevity.
July—Ruby; prosperity, soul cheerer.
August—Moonstone; prevents misfortune.
September—Sapphire; gladdens the heart.
October—Opal; Happiness and everlasting youth.
November—Topaz; friendship and fidelity.
December—Turquoise; charity, dignity and divine power.

Flowers

January, Snowdrop
February, Primrose
March, Violet
April, Daisy
May, Hawthorn
June, Honeysuckle
July, Water Lily
August, Poppy
September, Morning Glory
October, Hops
November, Chrysanthemum
December, Holly

WHOOPING COUGH—THAT'S ALL.



HE WAS EXPOSED TO IT SO HE WOULD HAVE IT AND BE THROUGH WITH IT. HE HAS HAD IT AND—

First Aid in the Nursery
or
What to Do in Case of Accidents or Sickness

Every woman should know the principles of first aid in cases of accident or sickness. When a child shows the slightest symptom of illness he should be kept in bed away from the rest of the family and a doctor notified. Among the common symptoms of illness in young children are skin eruptions, cramps, vomiting, cough, loss of appetite, loss of weight, discharge from the nose, sore throat, headache, fever, constipation, stupor or dullness, and profuse sweating.

The Communicable Diseases to which children are very susceptible are chicken pox, diphtheria, infantile paralysis, meningitis, mumps, measles, scarlet fever, tonsilitis, and whooping cough. Some of these diseases have been considered as the necessary ailments of childhood. Parents have even been known to seek exposure for the children in order to have the trouble over with. After a glance at the infant mortality statistics, such an attitude appals one as a shocking display of ignorance. With proper care and hygiene there is every reason why a child should escape the entire list of diseases. The vitality of a healthy child should be sufficient to throw off the disease germs even under exposure.

Colds.—If a child has a tendency to take cold easily, the cause must be located and a remedy found.

Treatment.—To avoid colds increase the resistance by cold morning bath to the entire body if possible, or if not sufficient reaction, to the chest and back. Colds are very catching and a patient should be isolated. In babies apply abilene or liquid vaseline to the nose, and in older children use nasal spray with doctor's prescription. Give a hot bath and wrap well to produce perspiration, but be sure to rub well with alcohol before rising in order to close the pores. Give laxative and plenty of cold water. If the treatment does not bring results in a day or two, call a physician.

Constipation is largely the result of improper mode of life. It is the cause of many other ills and diseases and may be easily prevented.

Treatment.—Eating natural food such as cereals, vegetables, fruits, cooked fruits such as figs, prunes, etc., and bread or biscuits made from whole wheat, or containing a large percentage of bran, will help to regulate the bowels. The system demands a certain amount of roughage or residue in the intestines to provide natural movements. Care should be taken in this respect to avoid an over-supply of such foods which is equally as bad.

Colic.—Babies often suffer severely with colic. It is not considered dangerous, but causes considerable suffering.

Severe colic is usually the result of derangement of the liver in the mother, or of her insufficient or improper nourishment, and it occurs more frequently when the child is from two to five months old.

Let the mother eat chiefly barley, wheat and bread, rolled wheat, graham bread, fish, milk, eggs and fruit. The latter may be freely eaten, avoiding that which is very sour.

A rubber bag or bottle filled with hot water put into a crib, will keep the child, once quieted, asleep for hours. If a child is suffering from colic, it should be thoroughly warmed and kept warm.

Avoid giving opiates of any kind, such as cordials, Mrs. Winslow's Soothing Syrup, "Mother's Friend," and various other patent medicines. They injure the stomach and health of the child, instead of benefiting it.

Remedies.—A few tablespoonfuls of hot water will often allay a severe attack of the colic. Catnip tea is also a good remedy.

A drop of essence of peppermint in 6 or 7 teaspoonfuls of hot water will give relief.

If the stools are green and the child is very restless, give chamomilla.

If the child is suffering from constipation, and undigested curds of milk appear in its faeces, and the child starts suddenly in its sleep, give nux vomica.

An injection of a few spoonsful of hot water into the rectum with a little asafoetida is an effective remedy, and will be good for an adult.

Hold the child in an upright position and pat gently on the back to relieve gas in the stomach. If the gas is in the intestines, massage gently from lower left side towards the end of the colon.

Convulsions.—Give hot tub bath (98 degrees Fahrenheit) for ten minutes. Keep cold cloth on neck and head. Give castor oil and something to make the child vomit. Keep in bed until fully recovered.

Croup is a spasmodic closure of the glottis, which interferes with the breathing. It comes on suddenly and usually at night without much warning. It is a nervous disease caused by undigested food, irritation of the gums, or brain disorders.

Treatment.—Apply hot cloths to the chest followed by cold ones. Give emetic to cause vomiting. Prepare a kettle of boiling water and let the child inhale the steam. This will cut the phlegm in the throat. Care must be used to avoid burning.

Cough.—By all means avoid cough syrups and patent medicines, they are usually dangerous for infants. It is best to consult a physician.

Home Remedies include a cold compress on the throat, vaseline in the nose, and a little fig juice or honey taken for its soothing effect.

Diarrhoea.—Regular food should be stopped. Give babies barley water, and older children special diets. Give laxative immediately and call a physician. Many times serious diseases are brought on by parents too hasty acting in checking this disorder of the bowels. It is nature's first method of removing obstructions and overcoming disorders of the system.

Ear Ache.—A few drops of olive oil on anteseptic cotton will often relieve the pain. Apply a hot water bottle.

Eczema.—Do not wash the affected surface with water or use vaseline. Keep clean with cold cream or olive oil. Consult a physician for remedies and for a proper diet.

Fever is an indication of poison somewhere in the system and should in all cases have the attention of a physician. Keep the patient in bed and reduce the temperature by hourly sponge baths, cold compresses, and in extreme cases, ice packs. Give plenty of water and fruit juices.

Headache may be due to constipation, eye strain, indigestion, excitement, or overheating. Apply cold cloths, hot cloths, or hot and cold cloths alternating regularly every ten minutes to forehead or back of neck. Massage the head and neck downward. Avoid the use of asperin or other stimulants which may affect the action of the heart.

Inflammation of Eyes.—Use a two per cent solution

of boric acid as an eye wash every hour. In extreme cases try argerol as a wash.

Hiccough is very common in infants and is usually caused by indigestion. It may usually be stopped by giving a drink of water or a small quantity of sugar. Older children find relief in holding the breath while they count ten or taking ten swallows of water. In prolonged cases vomiting will remove the cause.

Prickly Heat is common among infants and is due to over-heating. Babies are usually over-dressed. Avoid wool next to the skin and add a small quantity of baking soda to the bath water. Use talcum powder liberally.

Sunburn.—For treatment avoid water on affected parts. Cold cream, almond cream, or zinc ointment will bring relief. To avoid apply cold cream before going out into the sun or wind.

Sore Throat.—Gargle regularly with salt solution, listerine, boric acid, or equal parts alcohol and glycerine. In severe cases consult a physician.

Toothache.—Apply listerine or oil of cloves on cotton to the cavity and use a hot water bottle. If the pain is severe consult a dentist.

Vomiting.—Give soda in a glass of hot water. Ice dissolved in the mouth often cures vomiting when all other remedies fail. The stomach should have perfect rest as long as the tendency to throw up remains. Care in diet is essential.

Worms.—This condition is indicated by restlessness, disturbed sleep, itching about the anus, grinding of the teeth and sometimes convulsions. The worms themselves are sometimes visible in the feces, but a doctor's examination is necessary for proper diagnosis. Treatment should follow the physician's instructions. Plain foods without meats or sweets should be prescribed.

INJURIES

Bites and Stings of Insects.—Wash with a solution of ammonia water.

Bites of Mad Dog.—Apply caustic potash at once to the wound and call a physician. Do not give whisky without the doctor's orders.

Burns.—Exclude the air, apply baking soda, zinc oxide ointment, vaseline or olive oil. For scalds make a paste of cool water and baking soda or boric acid.

Clothing on fire is easily smothered by rolling on the floor or wrapping in rugs or heavy blankets. When there is fire in a room close the doors and windows and try to smother the flames before using water.

Cuts or Scratches.—Cleanse the wound thoroughly in running water, wash with alcohol or other disinfectant and paint with iodine. Dirt should be kept from the wound by applying surgeons tape or court plaster.

Fall or Shock.—Apply cold water to head and heat to the heart, rub arms and legs towards the heart, keep well covered, let patient inhale ammonia or camphor fumes. Give hot tea or coffee as stimulant.

Foreign Body in Ear.—Do not try to remove a foreign body with a sharp instrument. Drop in a little olive oil and call the doctor.

Foreign Body in Throat.—Remove articles such as fish bones with the finger. In extreme cases hold the child by the ankles head down and slap on the back. If the article is swallowed, give a piece of bread immediately. No physic is necessary.

Foreign Body in the Eye.—Do not rub the eye, encourage crying, have patient blow nose vigorously. If the article is visible it can usually be removed with the corner of a clean handkerchief.

Nose Bleed may generally be stopped by putting a plug of lint into the nostril. Apply a cold cloth to the forehead, tip the head back and clasp the hands in the back of the neck. Another easy and simple method is to place a piece of writing paper on the gums of the upper jaw under the upper lip. If this is allowed to remain for a few minutes the bleeding usually ceases.

Nails Mashed.—Plunge the injured member into very hot water. This renders the nail pliable and enables it to adapt itself to the new condition of things, thus alleviating the agony to some extent. A small hole may be bored in the nail with a pointed instrument, so adroitly as not to cause pain, yet successfully enough to relieve the pressure on the sensitive tissues. Free application of arnica or iodine will have an excellent effect.

Slivers.—Do not use a pin for fear of infection. Remove the sliver with a sterilized needle and wash the wound with alcohol or other disinfectant.

Sprains.—Wash the ankle with cold salt and water. Keep the foot as cool as possible to prevent inflammation, and sit with it elevated on a high cushion. Live on a low diet.




Diagram showing what permanent tooth replaces each temporary tooth and also the order of their appearance, with time of ruption. (Order in Roman numerals—months and years in Arabic numerals.)

Infant Teething

Remarkable Instances.—There are instances where babies have been born with teeth, and, on the other hand, there are cases of persons who have never had any teeth at all; and others that had double teeth all around in both upper and lower jaws, but these are rare instances, and may be termed as freaks of nature.

Infant Teething.—The first teeth generally make their appearance after the third month, and during the

period of teething the child is fretful and restless, causing sometimes constitutional disturbances, such as diarrhoea, indigestion, etc. Usually, however, no serious results follow, and no unnecessary anxiety need be felt, unless the weather is extremely warm, then there is some danger of summer complaint setting in and seriously complicating matters.

The Number of Teeth.—Teeth are generally cut in pairs and make their appearance first in the front and going backwards until all are complete. It generally takes about two years for a temporary set of children's teeth. A child two or three years old should have twenty teeth. After the age of seven they generally begin to loosen and fall out and permanent teeth take their place.

Lancing the Gums.—This is very rarely necessary. There are extreme cases when the condition of the mouth and health of the child demand a physician's lance but this should not be resorted to, unless it is absolutely necessary. When the gums are very much swollen and the tooth is nearly through, the pains may be relieved by the mother taking a thimble and pressing it down upon the tooth, the sharp edges of the tooth will cut through the swollen flesh, and instant relief will follow. A child in a few hours or a day will be perfectly happy after a very severe and trying time of sickness.

Permanent Teeth.—The teeth are firmly inserted in sockets of the upper and lower jaw. The permanent teeth which follow the temporary teeth, when complete, are sixteen in each jaw, or thirty-two in all.

Names of Teeth.—There are four incisors (front teeth), four cuspids (eye teeth), four bicuspids (grinders), and four molars (large grinders), in each jaw. Each tooth is divided into the crown, body, and root. The crown is the grinding surface; the body—the part projecting from the jaw—is the seat of sensation and nutrition; the root is that portion of the tooth which is inserted in the alveolus. The teeth are composed of dentine (ivory) and enamel. The ivory forms the greater portion of the body and root, while the enamel covers the exposed surface. The small white cords communicating with the teeth are the nerves.

Examination.—The beginning of both sets of teeth are formed in the jaw before birth. The enamel is formed once and for all during childhood. Hence if the first set of teeth are badly formed or badly taken care of, the permanent teeth will always give trouble. After the first




Diagram showing Baby teeth, both upper and lower, also permanent teeth which replace them.

six months a soft brush should be used with milk of magnesia or common salt. Patent dentifrices are not advised. From one year of age on take the child to the dentist twice a year regularly for a thorough cleaning and have all cavities filled. Decay in the teeth is responsible for a host of other ills, and a little care and trouble in the beginning may save a great deal of suffering and expense later on.

Enuresis

One of the commonest and most annoying of children's diseases is *enuresis* or bed wetting.

Definition.—Enuresis is the involuntary evacuation of the urine in childhood when the urinary organs are otherwise normal. If the trouble occurs at night it is called *nocturnal enuresis;* if during waking hours *diurnal enuresis,* and if both by day and by night, it is called *continual enuresis.* Bed wetting is normal in infancy before the child learns to control his apparatus. By the tenth month, however, proper training should relieve the trouble during the day time. By the end of the third year the child should have complete self control in this respect. Boys and girls seem to suffer in about the same proportion.

Symptoms.—Children with enuresis usually do not wet the bed every night. They often skip a few nights during the week. Sometimes a week or two may pass without any symptoms of the disease appearing, and then the trouble be as bad as ever. Any change in the treatment may effect a speedy cure, but quite frequently the beneficial results disappear after a few weeks.

Causes.—In 90 or 95 percent of the cases, the causes of the condition are unknown. Occasionally the trouble seems to be due to a lack of proper development in the brain, as in cases of the insane. Again there may be a contraction of the bladder, so that it becomes distended very quickly, and the bed wetting results. I have often thought that the conditions of climate and temperature may have a decided effect on this disease. In almost all the cases, however, there seems to be a weakness in the higher control centers of the brain. Among other causes may be mentioned an adherent prepuce (tight foreskin) vaginitis, worms, fissure, kidney or bladder trouble, diabetes, epilepsy, or tuberculosis.

Local Treatment.—This disease requires skilled medical attention. A thorough physical examination should be made, including a urinary test to eliminate the possibilities of any constitutional trouble. When there is no real evidence of that kind, the best physicians prescribe bella donna.* When properly taken this brings quick relief in the day cases, but requires a great deal of patience, and considerable time for the nocturnal troubles.

General Treatment.—It is useless to treat bed wetting with drugs, without proper consideration of diet and other hygienic factors. The child should sleep upon its side. Most children wet the bed while sleeping on their backs. A towel tied around the abdomen, knotted in the back will stop this habit. The hips should be raised slightly during sleep, either by raising the foot of the bed, or by letting the child sleep with a pillow under the pelvis. These measures tend to hold the urine back. Find out at what time the emission usually takes place, and on subsequent nights awaken the child at that particular hour and see that the bladder is emptied. Allow no liquid after 4:00 P. M. The evening meal should be light and dry, possibly a cereal, toast, butter and fruit. In all cases see that the bladder is emptied before retiring and again just before midnight.

The Educational Cure.—Here is a simple method of cure by education which is worth trying. Have the child pass a little water and then stop, pass a little more, and then stop again, and so on until the bladder is completely empty. This procedure had best be started under the supervision of a physician, but can later be conducted by the child alone. If practiced at regular intervals it often brings about complete self control, through exercise of the muscle and nerve forces which control the urinary function.

Epedemic Poliomyelitis

Infantile Paralysis is an acute infectious disease, usually attacking children, ushered in as a rule by symptoms common to other infectious diseases, and resulting in partial paralysis early in its course. It is caused by an invasion of the brain and spinal cord by a minute germ.

Appearance.—This disease appears during certain seasons, annually, over a period of years, usually eight or ten, and then is not seen except in occasional cases. There is no

*This is a very potent drug to be taken only under a physician's direction.

month during the year in which cases are not reported. September seems to be the worst month. January, February, March and April show the lowest reports.

Mortality.—The mortality or death rate is sometimes very low, and again very high, averaging about 15 per cent. In Illinois alone, 2,270 cases have been officially reported during the past five years, with 339 actual deaths. It is estimated, however, that only about one case in three is actually recognized and reported.


Treatment.—In order to avoid severe complications and paralysis, early recognition, isolation, and medical treatment are essential. While no certain preventative methods are known, a greater degree of public and professional alertness would afford considerable protection. Dust and dirt are the most common known carriers of the germs, hence the importance of common sense hygienic measures.

How to Feed Our Children

We Feed the World and Starve Our Children.—This is the title of a recent magazine article contributed by Surgeon General Hugh S. Cumming, Chief of the United States Public Health Service. He said in part: "We know the reasons for famine abroad—war and drought. Moreover the old world is never much ahead of its food supply. To produce a surplus is our normal condition. And yet America has a child feeding problem. Hundreds of thousands of our children have been found short in stature, and weight. Otherwise they are normal. They go to school, and play and act like regular children, as far as the casual observer can tell. But they are stunted in their growth, less vigorous than they should be, somewhat lacking in mental as well as physical strength, subject to little ailments, and to serious diseases, liable to an inferior maturity, and to a permanent physical handicap through life; *all because there is plenty of food, deficient in character or in needed elements.* Just as it is possible to starve to death despite a hoard of gold, so people may perish or at least fall into ill health upon a ration that is plentiful but unsuitable."

Both Farm and City bred children have been found defective in about equal numbers, among the many thousands who have been weighed and measured. Conditions are about the same in different parts of the country. Ex-

tensive surveys have been made by the various bureaus and associations interested in public health and means employed to meet this great national crisis.



PURE WHOLESOME NOURISHMENT

The Remedy lies in education. When the public is fully awakened to the situation, the remedy will be applied automatically. The following facts should be common knowledge, and that knowledge should be put into practice.

Diet.—Our national diet is wrong because it includes too little fresh milk, too few fresh vegetables, and too little fruit, especially of the citrus variety. These foods contain the vitamines which are absolutely essential to growing children, and equally beneficial to adults. Certain diseases are caused by an insufficiency of these foods. In the days of long tedious journeys at sea, oranges and lemons were considered as necessities to keep away scurvy. Tomatoes are an excellent and inexpensive substitute. Among the vegetables greens, turnips, carrots, cabbages and all salads are recommended.

A Quart of Milk a Day.—A growing child, and an adult for that matter, should drink a quart of fresh milk every day. How many of our children use half that

much? Just as an example I recall the case of one little girl, who from the time she was weaned from the bottle, refused absolutely to drink any milk. Today at ten years of age she finds her teeth defective, because her diet has lacked something vital in their proper development. Her parents have spent and will continue to spend considerable money, but the child is likely to go through life with a severe handicap.

The Difficulties.—Flaming advertisements proclaim the glad tidings that with the free eating of yeast and vitamine tablets, we may stick to our old way of living and still grow healthy. They may be right, but that is a rather expensive method of getting certain food properties which can be obtained by a mere regulation of the diet.

Genuine Dairy Products.—The markets abound with substitutes for butter, lard, milk and eggs for cooking purposes. In most cases these lack the vitamines. Let us not forget, however, that if we all quite suddenly demanded the real thing instead of substitutes that never saw the farm, if we all drank a quart of milk every day, and if we all set out to eat more fresh vegetables, there would not be half enough to go around. The demand must come first, the supply will follow.

A Local Experiment.—Here in our own little city the Woman's Club recently conducted a survey of the school children. Among the 446 examined, 33 were found to be undernourished, that is they were under weight. There were scions of our wealthiest aristocrats, as well as children of the poorer classes, and there was not one underfed child who had not at all times had an abundance of good food set before him three times a day. These children, and others who wish it, are now served fresh milk at the morning and afternoon recesses. If the parents are unwilling or unable to pay for it, the Woman's Club is furnishing the money. This illustrates what the right spirit of co-operation will bring about in solving America's undernourished but well fed children.

Relief for the Starving.—It was the effort of the American Relief Forces in Europe to supply the starving children with one good meal a day. This one meal supplied the most acute deficiencies, in diet with milk, sugar and fats. It wrought an amazing change and restored countless undernourished and starving children to normal health. For the present this must be our aim right here in America. One good meal a day is an easy, inexpensive, workable, worthwhile solution of our child feeding prob-

lem. An orange, a cereal, whole wheat or graham bread, and a glass of milk surpass in real value many elaborate and expensive meals.

FOOD VALUES

(The following diet lists are printed with the permission of the Illinois State Department of Public Health.)

Cereals promote growth. Farina is the most easily taken, while oatmeal is the best unless it affects the bowels.

Eggs contain iron and phosphorus.

Fruit juices—orange, prune, apple, pineapple—help to counteract constipation and add ash for growth, neutralizing acids and absorbing the gases of the stomach.

One green vegetable should be included in the daily diet after the first year; given at first in small amounts and gradually increased as the child grows accustomed to it.

Vegetables—spinach, green peas, asparagus, young beets, carrots—well-cooked and strained, are of value because of the iron they contain.

When teeth are developing, stale bread, toast or zwieback should be given to aid in the forming of the habit of mastication, which is so important to easy digestion of food later on.

An infant should NEVER be given tea, coffee or candy.

DIET LIST FOR CHILDREN

(From Twelve to Twenty-four Months)

There should be five feedings in the twenty-four hours given at four-hour intervals during the day, and leaving an eight-hour interval at night. Nothing should be given between feedings except water, and this should be given liberally, especially in hot weather.

6 A. M. Milk, warmed, 8 ounces.

9 A. M. Fruit juice, i. e., juice from half an orange, or two ounces of prune juice.

10 A. M. Cereals and milk. One piece of toast or zwieback. Milk—four to eight ounces. Only well-cooked cereals should be used, and these should be strained.

2 P. M. Vegetables or vegetable soup. Spinach, carrots, fresh peas, string beans, asparagus tips, cauliflower and potatoes. Creamed soups may be made from these vegetables. Fruit or milk. Beef juice, meat broth, egg or scraped meat.

6 P. M. Same as at 10 A. M.

10 P. M. Same as at 6 A. M.

DIET LIST FOR CHILDREN

(From Two to Four Years of Age.)

At least a quart of milk should be taken in twenty-four hours. Four feedings in twenty-four hours.

7 A. M. Cereal, well-cooked with milk and sugar.
9 A. M. Fruit juices—Orange, prune, grape.
11-12 A. M. Vegetables, and soups.
Spinach, carrots, fresh peas, string beans, dried beans, asparagus tips, cauliflower, strained stewed tomatoes, squash and boiled onions.
Meats—rare roast beef, chicken, fish and squab.
4 P. M. Milk, toast and butter.
8 P. M. Cereal with milk and sugar, bread and butter.

DIET LIST FOR CHILDREN

(From Four to Six Years)

At least one quart of milk given in twenty-four hours. Four feedings in twenty-four hours.

7 A. M. Cereal, well-cooked with milk and sugar. Bread and butter.
9 A. M. Fruit juices, orange, prunes, grape, apple and prune pulp.
12 A. M. Soups, Meats—rare roast beef, beefsteak, poultry, fish, lamb chop and squab.
Vegetables—Bread and butter. Custards—cornstarch, cream cheese.
4 P. M. Milk, toast and butter.
7 P. M. Same as 12 A. M. except that an egg should be given instead of meat.

DIET LIST FOR CHILDREN

(From Six to Twelve Years)

At least one quart of milk should be taken in twenty-four hours. Four feedings, in twenty-four hours.

7 A. M. Cereal with milk and sugar. Bread and butter.
9 A. M. Fruits.
12 A. M. Soups. Meats—rare roast beef, beefsteak, chicken, fish, lamb chop. Vegetables. Custards—gelatine, tapioca, cornstarch.
4 P. M. Milk.
7 P. M. Same as at 12 A. M. except that an egg should be substituted for the meat.

Before the sixth year a child should not be given fried foods. Highly seasoned dishes, such as pie, rich puddings, gravies and sauces should be avoided.

Coffee and tea should NEVER be given to children as a beverage.

DIRECTIONS FOR THE PREPARATION OF INFANTS' FOODS

Cereal Gruel.—Any of the following may be used—barley, oatmeal, rice, arrowroot, corn meal, farina, cream of wheat, hominy, wheaten grits, or any other common cereal preparation to be found on the market, and which requires preparation by cooking. When the flour of these various cereals is used, 3 level tablespoonfuls to each pint finished product should be taken, except arrowroot, of which one tablespoon should be taken. For the whole or only partially divided grains use three rounded tablespoons to the pint of finished product. When the flour is used mix with a little cold water to form a paste. Then add to the boiling water and cook in a double boiler for two hours or directly over the flame for 20 to 30 minutes, stirring constantly. When the whole grains are used it is of some help to soak over night. Cooking must be continued until the grains are well broken up, which will be at least one hour directly over the flame or at least 4 to 5 hours in a double boiler. Salt should be added to the water when cooking, ½ level teaspoonful to the pint of finished product. It may be necessary to add water several times to keep up the volume during the prolonged cooking. Whether made from the flour or whole grain the gruel should be strained and water added to make up the intended quantity. For older infants the final dilution may be made with milk. For older infants also ½ the fluid used for farina and all the fluid used for arrowroot may consist of milk.

Cereal Jelly.—Is prepared in the same general manner as is cereal gruel except that it is cooked to twice the strength of gruel. It may be allowed to cool in a mold. This should be given only to older infants able to break up the jelly in the mouth.

Beef Juice.—One-quarter to one-half pound of round steak is broiled slightly and cut into small pieces. Press out the juice with a meat press or potato ricer. Add a small pinch of salt. This may be given as a liquid or mixed with crumbs of dry bread. For feeding do not heat sufficiently to coagulate the albumen. One to two ounces of beef juice usually make a suitable portion.

Meat Broth.—Beef, lamb, mutton, veal or chicken. Take ½ pound lean meat, chopped fine, to one pint of cold

water. Cook slowly two to three hours, replacing the evaporated water from time to time so that when finished there will be one pint of broth. Allow to cool, skim off the fat, strain and salt to taste. If chicken is used, remove the skin and fat from ½ a small chicken, chop into fine pieces, bones included. Cook slowly for one to two hours and have one pint when finished. Four to six ounces of broth usually make a suitable serving. It may be served with zwieback or dried bread. Well cooked cereal preparations may be added or cooked into the broth. Any permitted vegetable or suitable mixture of vegetables may also be added after proper preparation or cooked into the broth.

Scraped Meat.—Fine scrapings of meat, beef, lamb or chicken, free from fat are shaped into a pat and slightly broiled on a hot dry spider. Season with a little salt and butter. A few drops of lemon juice may be added. At first one teaspoonful is given and the quantity increased until one tablespoonful is taken. Late in the second year these same meats may be served finely cut or minced instead of scraped. These should be broiled or boiled, never fried.

Eggs.—Drop in boiling water. Immediately turn out the flame and allow to stand for five minutes.

Fruit Juice.—Orange juice—1 to 3 ounces, may be given, diluted somewhat with water and if necessary slightly sweetened. Prune juice—½ pound of prunes, washed and soaked over night. Cook in the same water, using just enough to cover, until tender. Add a teaspoonful of sugar and strain.

Fruit.—Only well-cooked fruit allowed. Apples, boiled, (Apple Sauce) or baked and strained and the pulp of stewed prunes. A small portion of ripe banana is permitted when well-baked.

Vegetables.—The following vegetables may be permitted: spinach, carrots, fresh peas, string beans, dried beans, asparagus tips, cauliflower and potatoes.

They should be well cooked and pressed through a fine sieve before serving. The water in which the vegetables are cooked contains food material of some value and should be retained so far as is convenient. The vegetables should be cooked in water which has been salted.

One to two tablespoonfuls of vegetable pulp usually make a proper serving. They may be served with a little butter and salt and in the case of some vegetables, such as spinach, it is often suitable to mix in a teaspoonful of fine bread crumbs.

Creamed Vegetable Soup.—The vegetables above named may be served as a creamed soup which may be prepared as follows:

To 2 tablespoonfuls of vegetable pulp prepared as described above add four ounces of water in which the vegetables were cooked, four ounces of milk, ½ teaspoonful of flour, ½ teaspoonful of butter and sufficient salt. Boil sufficiently to cook the flour.

Cornstarch Pudding.—Mix one pint of milk, two tablespoonfuls of cornstarch and one tablespoonful of sugar. Flavor to taste. Boil eight to ten minutes. Allow to cool in a mold.

Custard Pudding.—Mix one egg, six ounces of milk and one teaspoonful of sugar. If a heavier pudding is desired one teaspoonful of flour is also added. Place the mixture in a cup and the covered cup in a saucepan of water. Boil for ten minutes—longer if flour has been added.

"Pap."—To one pint of boiling milk add one level tablespoonful of butter and while stirring constantly, a thoroughly beaten egg. Then add 1½ level tablespoonfuls of flour made into a paste and continue the boiling for ten minutes. Add a pinch of salt before removing from the fire. Serve plain or with milk and a little sugar.

Prune Jelly.—Cover 1¼ pounds of selected, washed prunes with water and cook slowly until thoroughly done. Rub through a sieve. Add sugar to sweeten and make the volume up to one pint with water. To this add ¼ package of gelatine (one level tablespoonful) dissolved in eight ounces of boiling water.

Gelatine with Milk and Starch.—Dissolve one teaspoonful of gelatine in eight ounces of boiling water. While boiling add four ounces of milk and one teaspoonful of arrowroot or cornstarch, made into a paste in cold water. Cook for ten or fifteen minutes. It may be sweetened slightly while cooking or served with milk and sugar.

Junket.—Mix with eight ounces of milk one teaspoonful of sugar and any one of the following: ½ teaspoonful of chymogen or pegnin, one teaspoonful of essence of pepsin or a "junket" tablet. Allow to stand at about 100° F. for 15 minutes or until it comes to a clabber. It may be flavored with vanilla before coagulation.

Barley Water.—Barley flour—one ounce. Boiling water—one quart. Mix flour with little cold water to form smooth paste. Add to boiling water. Cook in double boiler for two hours. Strain. If no double boiler, cook directly over flame for twenty or thirty minutes. Add enough water to bring up to quart.

Barley Gruel.—Barley flour—2 ounces. Boiling water—one quart. Salt. Follow directions for barley water.

Protein Milk (Albumen or Eiweiss).—Whole milk—1 quart. Buttermilk—1 pint. Boiled cold water—1 pint. Rennet—enough to coagulate one quart of milk, or essence of pepsin—½ ounce may be used, or Chymogen (Armour & Co.) one even teaspoonful to one quart of milk.

Heat milk to 100° F. to 120° F., not over. Add pepsin and stir well. Place on ice or in cool place for at least 40 minutes to coagulate milk. Drain through gauze to remove all whey from curds. Then work through hair sieve with potato masher, first using water, then add buttermilk and put through sieve again and again, until mixture is free from lumps.

Buttermilk Mixture.—Buttermilk—1 quart. Wheat flour—3¾ teaspoonfuls. Saccharose—15 teaspoonfuls.


Mix the flour and sugar with a few teaspoonfuls of buttermilk until a smooth paste results (no lumps). Add rest of buttermilk gradually. Heat to boiling point (212° F.), but do not boil. Heat very slowly and stir constantly. Use double boiler.

Percentage of Fats, Protein and Carbohydrates in the following Foods


Food.	Fat.	Protein.	Carbohydrates.	Calories per oz.	Calories per 100 C. C
Mother's Milk	4	1.5	7.	20	70
Cow's Milk	4	3.5	4.5	20	70
Gravity Cream	16	3.2	3.2	54	180
Whey	.32	.36	4.75	5	18
Buttermilk	1.25	4	3.25	10	33
Skimmed Milk	1.	3	4.5	10	33
Protein (Eiweiss Milk) ...	1.5	3	1.5	10	33
Eagle Brand Milk	9.61	8.01	55	120	400
Mellin's Food	.2	11.5	80	120	400
Nestles' Food	5.5	14.3	58.9	116	387
Horlick's Malted Milk	9.	16.5	68.	135	450

NOTE

3 teaspoonfuls=1 tablespoonful.
2 tablespoonfuls=1 ounce.
16 tablespoonfuls=1 cup.
1 cup=8 ounces.
All measurements should be level.







NEGLECTED!

PART 6

SEXUAL SCIENCE

SEXUAL IMPRESSIONS IN CHILDHOOD
ADOLESCENCE IN THE MALE
ADOLESCENCE IN THE FEMALE
ANATOMY AND PHYSIOLOGY OF THE
MALE SEXUAL ORGANS
ANATOMY AND PHYSIOLOGY OF
FEMALE SEX ORGANS
IF EVERY MAN WERE STRAIGHT
ETHICS OF THE UNMARRIED
CONTINENCE
DANGERS OF IGNORANCE
SPOONING
FIGHTING MODERN EVILS
PROSTITUTION
THE NEED FOR SEX INSTRUCTION
IS SEX EDUCATION AS NECESSARY
FOR GIRLS AS FOR BOYS
QUESTIONS AND ANSWERS ON SEX
HOW TO TELL THE STORY OF LIFE

Childhood


Sexual Impressions should never affect a healthy child's mind or body, the whole vitality should go into the building of the mind and the body. It is unfortunate, however, that due to inheritance, improper handling, or some morbid condition the child does not always arrive at adolescence in a perfect state of health.

Sexual Precocity.—In many children the sexual instinct arises long before puberty. Due to the carelessness of parents children are often allowed to play together without the supervision of an older person. As a result familiarity and bad habits develop. Sliding down bannisters, ill-fitting garments, retaining the urine, constipation, worms, skin diseases, and the thoughtless improprieties of older children and grownups are among the causes of early sex reactions. A long prepuce (foreskin) is generally conceded to be the chief cause of early sexual sensations in boys. Better by far have the simple operation of circumcision performed than to run any chances along this line. In cases of priapism, paroxysms, or inflammation of any kind, it is important that a competent physician be consulted at once.

The Approach of Puberty always brings with it a burning curiosity concerning the story of life, sex relations, and kindred subjects. *And this curiosity must be satisfied.* If parents evade the issue, then the child takes matters into his own hands, and learns the answer as best he can. As a result fully ninety per cent of our boys and girls know the truth *vulgarly* before they reach the adolescent age.

The Parent's Part.—Parents, you cannot afford to neglect your duty along this line. Wrong ideas indecently planted and the consequent morbid curiosity they arouse, lead inevitably to vicious practises. It is only decent and fair that the child receive this information in the right way, at the right time, and from those who love and understand him.

The Child is Entitled to a Square Deal.—You naturally expect your son to grow up into a straight forward clean man who is an honor to his community and to you. Have you done your duty towards him? This duty includes (1) proper instruction, (2) careful watching; nurses are



The NEW WAY



The OLD WAY

often innocently responsible for the formation of bad habits in young children. Most bad habits are learned by children sleeping together unwatched, (3) occupation; plenty of exercise in the outdoor air leaves little time or aptitude for any morbid thoughts, (4) confidence, if the child will make a confidante of his mother or father, this above everything else is vital. The real father would rather have the trusting confidence of his son than be the president of the United States or the richest man in the world.

Adolescence in the Male

Adolescence is the period of life between puberty and maturity in the male, usually between the ages of 14 and 25 years. This period is ushered in by a series of changes we call puberty. (In Latin races the age of puberty comes sometimes from one to three years earlier.) Puberty may be said to be complete when the male is able to produce fertile semen.

Physical Changes.—The growth of hair is very much increased especially on the face, in the arm pits and over the pubic regions; the voice deepens; the frame becomes more angular and muscular; there is a rapid growth in height. The boy becomes stronger but more awkward, his bearing becomes more commanding. In other words the boy quite suddenly becomes a man.

There commences a period of intense loneliness, questioning, vague longings, wanderlust. Here if ever the sympathetic comradeship and understanding between father and son is most important. As the young man progresses through adolescence he is tempted in many ways; the evil, however, is always done in the mind first. Keep the thoughts clean and pure, the mind occupied with the finer things of life and there will be no temptation.

The Horror of Venereal Disease.—A young man may easily become affected with a life long disease through his first fall from grace. Strictures, dysuria, gleet, prostatitis, plastic pneumonia, buboes, ulceration, disfiguration, moral destruction, insanity, all are possible results of this great white plague. A man of any age in the company of any impure or loose woman is in far greater danger than he would be in the midst of No Man's Land in modern warfare.

The Two Paths



AT 15
STUDY & CLEANLINESS





AT 15
CIGARETTES & SELF-ABUSE

What Will The Boy Become?



AT 25
PURITY & ECONOMY



AT 25
IMPURITY & DISSIPATION



AT 36
HONORABLE SUCCESS



AT 36
VICE & DEGENERACY



AT 60
VENERABLE OLD AGE



AT 48
MORAL-PHYSICAL WRECK

The pride of adolescence is purity of thought. Most boys today come from Christian homes and believe in God. If such a boy has developed the habit of excessive self-abuse, *he actually wants to stop the habit* and is usually willing to ask his father for help. Here is the father's opportunity. Ask the boy if he would perform the act in front of his mother—or his father—or the minister. The answer will always be no. Then say, "how about performing the act in the presence of God." The boy never thought of the matter in just that light before, but he will think about it that way every time the desire or the thought of self-abuse comes to his mind in the future.

Continence.—Many have the wrong idea that the reproductive organs, like the muscles, are developed through exercise and weakened through disuse. The contrary is true. Sexual power is never lost through lack of use any more than the ability to weep is lost through lack of weeping. Roman gladiators, modern pugilists, and college athletes have consistently refrained from intercourse while training—expert evidence that indulgence is not necessary to physical powers or success. The same truth is borne out by the observation and experience of medical men, physical trainers, and members of exploring expeditions. Self-control, a good diet, and exhausting physical exertion render continence not only possible but practicable.

Self Control Not Unmanly.—A young man desires and expects absolute chastity in the woman of his choice. Men are becoming more and more indignant over the unfairness of expecting in women a self-control in matters of sex which they do not demand in man. Isn't it a real crime to go through the forms of respect and courtesy towards women and then to secretly degrade womanhood in thought, speech, and act. Social progress depends on a fuller and franker comradeship and cooperation between men and women, something impossible without mutual respect. For an unmarried man indulgence means self-abuse or prostitution both of which endanger his health or his self-respect. In married men over-indulgence means depleted energies for himself and for his wife, and clouds the happiness of both. A reasonable sex life for man then demands self-control.

The three helps towards the control of the sex instinct are as follows: (1) Physical: wholesome athletic training includes sex continence, the eating of plain food, plenty of pure water, bathing in cool water followed by vigorous rubbing, sleeping regularly and an abundance of exercise

in the open air. Especially necessary in the fight for self control is the abstinence from alcoholic liquor.

Mental.—More than most other functions of the body the sex function is immediately and powerfully responsive to the state of mind, and bodily health depends especially upon mental sanitation. This means the deliberate avoidance of interests in reading and in conversation which turn the imagination towards pictures of sex indulgence and hold the attention upon them. It means the preoccupation of the mind with wholesome thoughts, clean interests, and manly purposes.

Association.—The third powerful help towards self-mastery is the association with women of high character—women who are producers and not parasites. The association with such women in conversation, in sports, and in music, means that sex desires are transformed. Thus changed they find satisfaction through general social enjoyment and their special stress is relieved. The sublimation of this instinct is found when men and women work together for the care of children, the organization of neighborhood or civic activities and the strengthening of patriotic purpose. Man's instinct is then made to serve the constructive work of society rather than the destructive. It becomes a part of his reasonable service as a citizen.

Seminal Emissions (wet dreams.)—A seminal emission is the medical term for the discharge of fluid from the sex organs of the male during sleep. These occur more or less regularly in perfectly normal and healthy young men. They positively do not indicate any unhealthy condition unless they occur too frequently, oftener than once in ten days. When emissions occur too frequently the cause is usually sex excitement in thought or deed, lack of sufficient exercise, constipation, over-eating, or intemperance. The young man who takes plenty of exercise and keeps his mind free from lewd subjects rarely needs medical treatment for seminal emissions.

Beware of the quacks. The cities are filled with self-styled specialists who agree to cure men's diseases, seminal emissions, lost manhood, varicocele and similar disorders. These quacks know that all young men have seminal emissions, that most boys have practiced self-abuse at one time or another, that few young men are willing to consult their parents on these matters, and that there is a real ignorance on the part of most of them regarding

their own sex lives. Consequently boys swallow the stuff appearing in the cunningly worded advertisements, spend their money, and actually endanger their health when there is not a thing in the world the matter with them. The advertising doctor leads his victim to believe, that because he has nocturnal emissions he is losing his manhood and will never be able to regain it without his (the doctor's medicine.)

Boys Remember This.—Reputable clergymen, lawyers, and physicians never solicit business by advertising. Beware of the doctor who does. If you are troubled about sex matters go to your father frankly, and if he fails you consult your family physician. A few words of sound medical advice saves a young man months of secret and needless alarm to say nothing of the money.

Adolescence of the Female

In the female adolescence takes in the period from the age of 12 to 21 years, usually about two years earlier than the male period.

Physical Changes.—While the changes are for the most part connected with the reproductive organs there are certain evident outward developments. The form becomes rounded and beautiful, the voice grows sweeter, the movements more graceful, and the girl quite suddenly becomes a woman.

Menstruation.—One of the most important and most sacred of woman's functions appears now in the phenomena of menstruation (other names: periods, courses, monthlies, sickness, etc.) On the regular healthy recurrence of this function (every twenty-eight days) her beauty, her energy, her health and her happiness depend. And yet due to misunderstanding and ignorance on the part of so many these are often periods of anguish and suffering. Great care must be taken to prevent fatigue, chill, sudden cooling off when heated, or any other quick change. Under no circumstances should any attempt whatever be made to check the flow.

In the Earlier Days a menstruating woman was looked upon as a witch and believed to have all of the mystic powers of a magician and was a person to be shunned. With the advancement of civilization, however,

The Two Paths



What Will the Girl Become?



AT 13
BAD LITERATURE



AT 13
STUDY & OBEDIENCE



AT 20
FLIRTING & COQUETTERY



AT 20
VIRTUE & DEVOTION



AT 26
FAST LIFE & DISSIPATION



AT 26
A LOVING MOTHER



AT 40
AN OUTCAST



AT 60
AN HONORED GRANDMOTHER

we have come to accept menstruation as a normal physiological process with psychic influence on the woman herself and her surroundings.

What is Menstruation?—Menstruation is a monthly discharge of fluid from the womb. The lining of the womb becomes congested with blood. When conception occurs this blood is used to nourish and develop the child. If not pregnant some of the blood vessels break and the blood is discharged into the vagina. This function commences at puberty and occurs regularly every twenty-eight days until the climacteric—usually at the age of 48 to 50 years. The time of the beginning and of the cessation of the menses is affected by climatic conditions, occupation, heredity, etc.

As we shall see later the fertilized ovum comes down into the womb to develop into a child. It attaches itself to the lining of the womb much as a young shoot is grafted onto a fruit tree. The monthly flow causes changes in the lining of the uterus which make this attachment or grafting a simple matter.

How Many Days Does a Woman Menstruate?—A monthly flow lasts usually from three to five days, sometimes for only two days, rarely as long as seven days. The greatest amount of blood passes during the first two days. The amount of blood passed varies from one ounce to four ounces. The use of three napkins in every twenty-four hours is normal.

The Hygiene of Menstruation.—Cleanliness and rest are the two essentials in the hygiene of menstruation. Every girl reaching the age of puberty must be properly instructed in the necessity for both these essentials. Most girls and women feel badly during the periods and absolute rest is necessary during the first two days. Female diseases or womb troubles usually date back to some over-exertion at one or more of these earlier times. There is a very general superstition or belief that bathing, douching or even washing itself is injurious during the menses. Let us correct this error at once and for all. Cleanliness besides being next to Godliness is absolutely essential to good health, particularly because during the periods any leucorrhea (the whites) that a woman may have is greatly exaggerated. The douche should consist of about two quarts of luke warm water containing a tablespoon of boric acid. The external parts should be cleansed twice a day with warm water and soap. Bathing should be avoided except with luke warm water.

Things to Be Avoided During Menstruation.—1. Acids, iodine, alum in douches should be used only under the physician's directions. 2. Cold baths or swimming. 3. Over-exertion. 4. Catching cold or chilling. 5. Dancing, horseback riding, or athletics of any kind.

Anatomy and Physiology of the Male Sexual Organs


The sexual organs of the male consist of the penis, scrotum, the urethra, the testicles, the seminal vesicles, the prostate gland, and Cowper's gland.

The Function of the Testicles.—The process of cell-division and cell-generation and the formation of living sperms or spermatozoa are the functions of the testes, a work so complex that we need not attempt to understand it fully. All we need to know is that the sperm cell consists of a head, a neck, and a tail. Its shape is somewhat like that of a common tadpole. When observed under the microscope the tail is seen to move swiftly serving as a means of moving from place to place. Another very important function of the testicles is to secrete a fluid which is re-absorbed into the blood and which scientists believe is largely responsible for man's virility and vitality.

The Seminal Vesicles are the small sacs which furnish a part of the material necessary to keep the sperms alive and active. These vesicles are constantly secreting their product and periodically become so full that they can no longer hold their contents. This is then discharged in the form of a seminal emission (wet dream), which is not generally a loss of sperm cells and is not a serious matter.

The Prostate Gland.—This gland surrounds the neck of the bladder. When men pass middle age the prostate gland sometimes causes trouble and needs to be removed by a surgical operation. It furnishes a part of the material to give nourishment to the sperms. Its secretion resembles the white of an egg. There are many fine ducts leading from the prostate gland directly to the *urethra.*


Cowper's Glands send out a little slippery fluid which protects the organs from injury and neutralizes the acid in the urethra. This discharge is often misunderstood especially among young boys who confuse it with actual discharge of semen. They get the impression that they are thus losing strength and vitality and are easily caught in the meshes of advertising quacks.



Viewed from Behind

How the Semen Is Formed.—The testicles secrete or manufacture the living sperms. These may lie dormant for days and weeks, but when they are passed out they travel through the *spermatic cord* or *vas deferens,* up into a sac called the *ampulla.* From here they pass through the prostate gland into the urethra. The secretion from Cowper's glands precedes the passage of the semen. The prostate gland becomes full of its secretion, and at the moment of emission it empties its contents into the urethra, to become a part of the semen. In like manner the secretion from the seminal vesicles is passed into the urethra at the same moment, mixing with and becoming an integral part of the semen. The secretions from the gland and vesicles furnish enough nourishment for the sperm cells to exist for several days.

Sexual Excess.—What the loss of the external or the internal secretions of the reproductive organs means may be readily seen when we compare the physical and mental development of the common domestic horse with that of the pedigreed stallion. When a child is operated upon before the age of puberty the voice retains its childish treble, the limbs their soft and rounded outlines, and the neck acquires a feminine fullness. No beard makes its appearance.



Viewed from Front and Above





Diagram Showing Female Organs of Reproduction

Anatomy and Physiology of the Female Sexual Organs

The generative or reproductive organs of the female are usually divided into the external and the internal. Those regarded as internal are concealed from view and protected within the body. Those readily perceived are termed external. The entrance to the vagina may be stated as the line of demarcation betwen the two divisions. The internal

organs consist of the *hymen,* the *vagina,* the *uterus,* the *Fallopian tubes,* and the *ovaries.* The external sex organs are the *clitoris,* the *vulva,* the *mons veneris,* and the *breasts.*


Internal Sex Organs



MALE PELVIS

The Hymen or Vaginal Valve.—This is a thin membrane of varied shape and consistency, stretched across the opening of the vagina. It usually contains, before marriage, at least one small opening for the passage of the menses and any other secretions from the internal organs. This membrane has been known to cause distress in many women at the first menstrual flow because the opening was not sufficiently large to permit of free passage. Or in rare cases there is no opening whatever necessitating the performance of a simple surgical operation.

The presence of the hymen is no longer considered as a test of virginity. Disease or accident may



FEMALE PELVIS

have caused its breaking, or the woman may have been born without a hymen, as is frequently the case.

The Vagina.—The vagina is the passage between the womb and the outside of the body. It is a strong muscular canal lined with mucous membrane, so arranged in folds that it can stretch enormously to permit the passage of the head during child birth. After child birth it returns to its normal size which varies in length from three to six inches. On either side of the vagina are the two glands of *Bartholme,* which correspond to Cowper's glands in the male. They lubricate the walls of the vagina and counteract any acidity harmful to the sperms.





Diagram Showing Openings into the Womb

1. Openings into the Fallopian tubes.
2. The mouth of the womb.

The Uterus or the Womb.—The womb is the organ in which the egg grows into a baby. It is hollow, musclar, and capable of increasing its size with the development of the child. It is lined with mucous membrane covered with hair like cells which are in continuous motion. The accompanying diagram shows the shape of the womb. There are three openings, two above leading from the *Fallopian* tubes, and one below which is the mouth of the womb.


The womb is located in the pelvic cavity just behind and above the bladder and is supported by eight ligaments. The neck of the uterus is supplied with follicles which secrete a mucous closing the entrance to the womb when conception occurs. During menstruation the womb becomes enlarged. During pregnancy it becomes heavier, but soon returns to normal size and weight. In old age it becomes atrophied. The growth, development, and nourishment of the child is the sole function of the uterus.

The Fallopian Tubes.—The Fallopian tubes, named for their discoverer, also called *oviducts* or egg conductors, are the ducts of the ovaries which catch the egg as it bursts through the ovary and convey it from the ovary to the womb. They consist of two very thin tubes, one on each side of the womb about four inches long and one-sixteenth of an inch in diameter. At the end nearest the ovaries they expand into a fringed trumpet like shape. The ends are called *fimbria.* The tubes are lined with membrane composed of hair like cells similar to those found in the womb. Through their continuous motions these cells carry the eggs into the womb. Impregnation sometimes occurs in the lower end of the tube, after which the egg moves down into the womb.



THE OVARY

The ovaries.—The ovaries are the chief female organs of reproduction. Without them the other organs would be useless. They are the two oval shaped organs, lying one on each side of the womb, which produce the eggs and pass them out thru the Fallopian tubes to the uterus. They are about one and one-half inches long, three-fourths of an inch wide, and one-half inch thick, pale pink in color, weighing about one-half of an ounce. They are attached to the *broad ligament* and are held in place by the ligaments running to the womb and to the ends of the Fallopian tubes.



RIPE OVUM FROM THE OVARY

The Function of the ovaries is (1) to manufacture eggs for the perpetuation of the race, and (2) to manufacture an internal secretion which is absorbed into the blood, with much the same effect on the woman's health and happiness that the internal secretion of the testicles has on man's. It contributes not only to her health, but it helps develop the other sex organs. It is responsible for woman's sexual emotions, and contributes to her womanly charm and loveliness. This internal secretion lasts throughout a woman's life and does not stop at the *menopause* or "change of life."

Nature's Lavishness.—At puberty the ovaries of the normal girl contain about 30,000 eggs, only one of which ripens each month from that time until the *menopause,* or a possible total of four or five hundred eggs. The same lavishness is noted in man when we consider that while only one sperm is necessary to fertilize the egg, yet each ejaculation of semen contains upwards of one-half million sperms. Thus does nature insure the propagation of the race.





Diagram Showing Position of the Internal Female Organs of Reproduction



SECTION OF THE OVARY

1. Graafian follicles in early stages.
2, 3, and 4. Graafian follicles in more advanced stages.
5 and 7. Graafian follicles nearing maturity.
6. Graafian follicle after egg nearing maturity.
8. The corpus luteum.

The Graafian Follicles are the vesicles in the ovaries which hold the individual eggs. Every twenty-eight days one of these vesicles swells and reaches the surface of the ovary, finally bursting and expelling a ripe egg into the *Fallopian tubes* whence it is conducted to the uterus. The opening left by this egg is immediately filled up with a growth called the *corpus luteum,* which in the event of pregnancy secretes a fluid which aids in the development of the child, but in other cases disappears.

The Life History of the Ovum.—Briefly the history of an egg is as follows: When discharged from the ovary it enters the *Fallopian tube* and is carried by the hair like cells of the tube in the direction of the womb. This does not mean that the ovum always reaches the womb. In many cases impregnation takes place in the Fallopian tube and occasionally in the ovary itself. Sometimes the passage of the egg is interrupted. On the other hand,

under normal conditions, impregnation takes place in the womb itself, the ovum attaches itself to the walls of the womb and proceeds to grow. If the egg is not fertilized it loses its vitality and is discarded from the system.

In the generative process the sperms are deposited in the vagina. By aid of the hair like cells the sperms travel up and into the mouth of the womb where they come into contact with the ovum. It is interesting to note that one and only one sperm is permitted to penetrate the real body of the egg. When by means of a furious tail lashing an entrance has been effected, a tough covering is formed which prevents the entrance of the millions of other sperms.

The process of gestation now commences. The womb forms a spongy mucous membrane which envelops the egg. Segmentation begins. The impregnated cell splits in half forming two cells. These in turn separate and separate again until the ovum consists of a multitude of very minute cells. From these simple changes the more complex forms are evolved until at the end of two hundred and eighty days the child has developed from the single cell egg.

The Embryo is the term applied to the new life up to the end of the third month. After the end of three months it is called the *foetus* in medical terms.

The Menopause

The Menopause, sometimes called the ***climacteric,*** sometimes the *change of life,* is in woman a very critical period, in men not so much so. It usually takes place between the ages of forty and fifty, and continues for from three to five years. Pathological causes, the influence of heredity, and the effect of the climate may hurry or delay the menopause, and shorten or lengthen its duration. When it occurs before the fortieth year or after the fifty-second it is abnormal.

Senile Changes.—This critical period is characterized either by the atrophy, the shrinkage, or the disappearance of all the female organs of reproduction, both external and internal. It is also marked by a cessation of all their functions. In other words, what takes place is exactly the opposite of what happens at puberty. It marks the end of active sexual life.

Symptoms of Normal Menopause.—Many women pass through the menopause without any serious trouble, just as many of them go through their entire menstrual life without any unpleasant symptoms. In these normal cases there is, first, a stage of menstrual irregularity, followed by a stage of slight systemic disturbances. The patient may be extremely emotional or capricious, and subject to hot flushes, perspiration, numbness, faintness, drowsiness, and increased sexual desires.

Symptoms of Abnormal Menopause.—Unfortunately most women suffer considerably during the change. They are inclined to be irritable, apprehensive, hysterical or melancholy. In fact the psychic symptoms predominate. The flow may become so profuse as to amount to a dangerous hemorrhage. There may be severe headaches, deranged appetite, and insomnia. There is always an increased tendency to malignant disease of the uterus and breasts, the fear of which often brings on intense melancholia. On the other hand, the menopause often cures chronic uterine or ovarian disease.

Psychic Symptoms.—Temporary mental derangement is one of the most common symptoms of the menopause. This may last for a few weeks only, or it may drag along for years. After the transition period is over, however, the woman usually enters upon a long period of normal or even greatly increased health.

Home Treatment.— Many of these distressing symptoms are due to the wrong ideas which for centuries have been associated with the menopause. Women expect to suffer severely. They have been taught to believe that at this period of life they lose forever their sex attraction. As a result, their fears get the better of them and we have another example of the power of the mind over the body. The correction of these erroneous beliefs is the first essential. This accomplished, physicians prescribe rest and quiet, warm baths, and hot vaginal douches. A husband should be especially kind and considerate to his wife during this period.

Medical Treatment.—The disorders of this critical period in a woman's life demand the services of a competent physician. Continuous and profuse hemorrhages indicate some malignant disease. Excessive nervous disturbances lead to mental derangement. Prompt diagnosis and energetic treatment are therefore absolutely necessary.

Change of Life in Men.—Medical textbooks completely overlook the male in discussing the **menopause.** There are two reasons for this. In the first place man has no menstrual function, and in the second place his sexual vigor is often retained even throughout his old age. In spite of these facts psychologists and medical specialists are convinced that in middle age men do undergo certain changes that parallel in some respects the change of life in women. This occurs usually between the ages of forty-five and fifty-five, and is marked by great irritability, unusual capriciousness, increased sexual desire, and many other symptoms corresponding with those of the normal **menopause** in women. These symptoms may be due to an inflamed condition of the prostate gland, or other pathological cause, but in most cases they are more of a mental or nervous origin.

Treatment.—If there is some pathological cause the patient should consult a specialist, and have the disorder remedied. Where the cause is purely psychic, kindness, consideration, and understanding on the part of the wife will greatly assist the man to pass through this critical period without serious results.

IF EVERY MAN WERE STRAIGHT

There would be no such thing as prostitution. There would be no loose women if there were no loose men.

There would be few suicides among young women.

There would be no illegitimate children to wander like Ishmael, up and down the earth with everybody's hands against them and ofttimes with their hands against the world.

True love would find a place in every man's life. He would respect and honor all women and he would love one woman supremely and would learn to understand her through and through.

There would be no such things as venereal diseases. Think of the misery and unhappiness which might be saved—think of the money and human life which might be stopped, and then think of the loss to America, and then think that venereal diseases are absolutely preventable if every man were straight.

There would be no such thing as gonorrheal rheumatism. Most of the chronic diseases of the bladder and generative organs would cease to exist.

Most of the surgical operations on the female organs would not be needed. Men marry pure, innocent girls, after having had gonorrhea which they think is cured. Only the lowest, most contemptible brute would marry, knowing that his venereal disease was still acute.

There would be fewer childless homes. Gonorrhea causes sterility in both men and women.

Very few children would be born blind.

There would be only half the number of abortions and miscarriages.

There would not be nearly so many babies born dead.

There would be fewer children born diseased. Luckily for themselves 80% of such children die within a few days or weeks.

There would be fewer mentally defective children.

Practically half the amount of insanity in the world would be done away with.

There would be among men and women absolutely no paresis, sometimes called softening of the brain.

There would be no such thing as locomotor ataxia.
Diseases of the arteries and blood vessels would be greatly lessened.
No man before middle life would have apoplectic or paralytic strokes.
His earning capacity would be greater and industrial life would be richer.
It would not be so difficult for women to be pure and true.
We must understand that the great institution of prostitution is a man-made one and not made by women. The human family is the only one wherein prostitution exists.



ASPHALT ARABS
How some girls are deceived

Ethics of the Unmarried

Continence—Danger of Ignorance—Spooning

The Dangers of Ignorance.—It is only human to err. Young people in trouble need kindness, not abuse, facts not mysteries, an example not precepts. If all men and women obeyed the laws of sex, the doctors would soon go out of business. Early sex instruction would prevent thousands of insanity cases, and increase the world's happiness in untold measure. Countless people are prevented from living a clean, Christian life through errors and misunderstandings of sex. The very air of the divorce court reeks of sexual dissatisfaction. Men and women go about the streets pitiful wrecks of humanity because of ignorance of the laws of self and sex. Disease, debility and despair follow inevitably in the path of ignorance.

Who Can Lay Down the Rules?—Physicians, teachers, ministers, and parents are often called upon to establish definite rules for the conduct of the unmarried. When such questions come up they must be answered freely and honestly, but before they can be so answered, the *instructor must know what he is talking about.* The whole subject of sexual science has been so neglected its essentials have been so clothed in mystery and modesty, that not one man or woman in ten actually does know what he is talking about when he attempts to give advice.

Spooning.—One of the very first problems that confront the guiding light in a young man's life is this: "Is there any harm in spooning?" A definition of the word spooning is hardly necessary, and yet for fear of being misunderstood we mean by spooning, the kissing, fondling, and reclining in each others laps which seems to be a very common means of entertainment among the young people of today. What harm can there be, you ask, in a simple kiss or other form of endearment between a young man and his fiancee? What possible danger can there be in letting young folks be young folks? Our answer is that while the harm may not be apparent in the act itself, yet it is the after effects which we must look for.

Causes of Spooning.—(1) The main cause of spooning among young people is ignorance. Boys and girls want to know the facts of life. Their curiosity is instinctive. Failing to get logical answers from their parents they seek

the knowledge elsewhere, and they find it. Unfortunately the knowledge so gained is not always satisfactory, and is usually inaccurate.

(2) Almost all young children are teased about sweethearts. Instead of trying to develop lofty ideals of modesty, kissing between boys and girls of tender age is actually encouraged by older people who should know better. If there is no harm in it at this period, why isn't it just as harmless later on, the young people reason. Hands off now, henceforth, and forever more should be our slogan.

(3) Still another cause for spooning is to be found in the false ideas of love which are indelibly impressed on the youthful mind by cheap literature, motion pictures and musical comedies (so called) whose vulgarity and sensualism are allowed to exist unmolested without any thought of their consequences.

(4) Certain unscrupulous individuals grow rich through the manufacture and distribution of suggestive postcards, obscene steriopticon views, and inexcusable books and typewritten pamphlets. They willfully exaggerate the pleasures of vice and excite a prurient curiosity about all such things. They lead boys and girls to make their own investigations.

(5) The spirit of boastfulness is a real cause of the prevalence of spooning. A boy gets the idea from his misinformed companions that kissing and hugging a girl is something to be bragged about. The role of a hero pleases him and he sets out to show up the rest of the boys in his conquests.

Dancing as a Cause of Spooning.—And finally the modern dance must take its share of the blame. It is not for us to condemn altogether an institution which is so universal, and which has so many good points in its favor. As a means of exercise, relaxation, and self expression dancing has had a legitimate place in the rites, customs and ceremonies of all races from the beginning of time. Folk dances, the old fashioned square dances, quadrilles, and the minuet instilled ideas of respect, modesty, decency and courtesy into the hearts of men and women. They developed grace, self control and beauty.

But how far we have wandered from the old ideals of rhythm. The tango, the Texas Tommy, Walking the Dog, the one step, the fox trot, the shimmy, and all their outgrowths, had their very origin in the palaces of lust on the Barbary Coast of San Francisco. They spread rapidly to similar haunts all over the world. And it was only a step from the house of ill fame to the public cafe, and



SIGNS OF THE TIMES

from the public cafe to the private dance, and thence to the home itself. These dances are as unrefined as their names. Yet they have become a very real part of our social life, and from their very nature they have seriously complicated the sex problems of young people.

Unsupervised their danger is inestimable. Properly executed, amid decent surroundings, there can be little harm in them. But even under the most favorable circumstances modern dancing is simply public spooning set to music, and bearing the official stamp of public approval. The results are naturally not to be compared with those of the spooning which goes on in a taxicab, in the park at night, or in a darkened room with the shades drawn, but does not the one lead sooner or later to the other?

The Results of Spooning.—The Bible tells you the results of spooning. "Thou shalt not commit adultery" was one of the fundamentals of the Mosaic Law. This applied only to the act itself. Jesus Christ gave the proper interpretation of the law when he said: "Whosoever looketh on a woman to lust after her, hath committed adultery with her already in his heart." But in spite of the written word we can safely ignore the moral aspect altogether. Spooning has a very definite and a very harmful physical effect upon the body. The after effects are in all probability far worse than the effects of actual adultery. Many a young man has gone to the altar temporarily impotent as a result of a long intimate courtship. Nervousness, invalidism, ovarian troubles, and "the whites" are among the common results of an overly stimulated sexual apparatus in young women given much to spooning. What the real consequences of these conditions have been only the court records can show. It is safe to say, however, that numberless unhappy marriages can be traced to the sexual disorders brought on or aggravated by familiarities before marriage. God alone knows how many girls and boys have gone wrong, or how many of them have contracted a serious venereal disease as a result of what they considered a litttle harmless diversion.

The Real Function of Spooning.—Courtship is purely a sex call. During the mating season birds and animals put on a new coat of feathers or fur. They call to each other in a changed tone of voice. They caress and play with each other. The male endeavors to make himself as attractive to the female as possible. The female leads him on and sometimes puts up a great show of fight. This is spooning—the natural instinctive call of nature to per-

petuate the species. The only difference is that in birds and animals the spooning is limited to the mating season alone. And so we must come to the conclusion that spooning has a definite and important role to play in the scheme of life.

What Is Love?—How then is it possible to distinguish between true love and sex thrill? This is a very difficult question to answer. In the final analysis every individual must answer this question himself. No one else can decide for you. Nevertheless it is safe to say that true love and sensual love, side by side, cannot long endure. A young man who kisses, hugs, and fondles a girl, and the young girl who is permitting these intimacies are unable to distinguish the difference between that sensual thrill of sex so quickly banished by satiety, and the mutual respect and admiration which endures. How frequently the discovery comes too late.

The Question of Continence.—In discussing the effects of continence in man we come inevitably to the conclusion that (1) complete sexual abstinence is harmful to most individuals, and (2) that illicit sexual indulgence is harmful both to the individual and to the community. Such a conclusion sounds queer and yet it is entirely logical.

The Harm of Continence.—That sexual abstinence is often harmful we can no longer doubt. The evidence all points that way. The sex instinct is a natural instinct, just like hunger or thirst or fear. It is also an instinct that is not easily conquered. If a man suppresses his desire to eat and drink or to sleep, he must suffer for it. It is exactly the same way with the sex instinct. Medical authorities agree that continence up to an age of 25 or 30 years is absolutely harmless. The excess energy is passed off in natural ways, assisted by the more active and energetic life of that period. After maturity, however, the system demands sexual satisfaction. If such satisfaction is not possible, the sexual organs in many instances actually shrivel up, the man may become impotent, and it may take years of the most exacting and skillful treatment to restore his manly virility. Permanent impotence or sterility are occasionally the result. In women nervousness, congestion and a host of other ills may be laid at the door of long continued abstinence. Thousands of neurasthenic men and women owe their pitiful physical condition to nothing but a failure to satisfy a normal natural instinct.

The Evils of Illicit Sex Relations.—On the other hand

we all know the evils which attend the young man or the young woman who falls by the wayside. It is unnecessary to go into detail. We live in a civilization which has adopted certain definite standards of morality; we have laws to protect the sanctity of the home; nature's laws may never be violated with impunity; and finally there is the Seventh Commandment. The man or the woman who breaks these laws runs the risk of a four fold penalty:—social ostracism, legal punishment, loathsome disease, and the wrath of God.

What Can We Do About It?—Early marriage seems to be the only workable solution. When the hope of such a marriage is held out to the boys and girls as a reward for a clean life, when sex truths are universally taught and acted, when prophylactic, hygienic and eugenic measures are generally understood, there will be no more sex problems. No parent worthy of the name would willfully send his son out into the dangers of the street. Neither would any physician with a conscience. Preach the gospel of the early marriage. Coupled with education it will save the day.

Fighting Modern Evils

Present Day Conditions as Viewed by Three Authorities

No. 1.—"Public morals are at a lower ebb today than they were fifteen years ago, when restricted vice was tolerated." This statement was made in a recent report of The Illinois Vigilance Association by the Rev. Philip Yarrow, a man who for years has had his finger on the pulse of public morality and who is doing a great work in connection with the association of which he is field secretary.

Vice More Inviting Today.—"Immorality is less crude today, and more refined; it is less obvious, and more suggestive; less repulsive, and more inviting; less confined to groups and localities, and more diffused through the general population."

Youth Replaces Age.—Dr. Yarrow pointed out the fact that "of thirty-five girls and women brought to his attention thru the Morals Court in Chicago, the youngest was 18, the oldest 27. Twenty-five of them came from the small towns and rural districts. The old time courtesan was conspicuous by her absence.


No. 2.—Maurice B. Blumenthal, former Assistant U. S. Attorney General said recently in a public address: "If jazz, petting parties, and illicit liquor are to continue as the characteristic enjoyments of society, to the exclusion of home life, the home will become a mere lodging place. Today the city population is seldom at home. It is in the restaurants, the dance halls, and the shadowy corners of the city, where self indulgence and license are the key note. The morning promenade, the afternoon tea, and the night orgy take the mother from the home and leave the children to work out their own social and moral destiny. If we would save the nation we must return to the home as the corner stone of our society."

Mr. Blumenthal's words are all the more significant when we realize that he is a blind man.

No. 3.—As a School Superintendent Views the Situation.—In his annual report Mr. Peter A. Mortenson, of the Chicago Public Schools calls upon parents to aid in putting up bars across the road that is luring the city's young—a road traversed by expensive, high powered cars. At one end of the road there is the home; at the other a blazing dancing place, gay seductive music—jazz music—and perhaps a flask. Mr. Mortenson blames modern dances, jazz music, and immodest dress for the very noticeable drop in the standard of present day morality.

Consider well these charges. Such men know whereof they speak. We can no longer pat ourselves complacently on the back and say: "Why certainly, the world and the people in it are growing better year by year." In spite of prohibition, in spite of the abolition of the segregated districts, in spite of laws, rules and regulations the fact stares us boldly in the face that immorality, disease and unhappiness are still holding their own, if they are not actually gaining ground. There is grave danger that as a people we are drifting toward degeneracy. The history of the world is repeating itself in America. Can we face this fact with indifference?

Temptations Are Everywhere.—All our show windows, our news stands, and our posters attempt to excite our curiosity and to arouse our carnal desires. So called artistic postcards and art albums are the first seducers. Add to these the novel with its bald sensationalism, the excitingly obscene theater, and the disgusting familiarity of the dance hall and you have the best possible breeding place for immorality. These are legitimate activities, carried on in broad daylight, without any restraint, and with


THEN
NOW

the hearty approval of parents and civil authorities. No wonder that the trend of present day amusements is leaving its mark upon our national characteristics.

To Be in the Swim.—To the young folks, the amusements of their ancestors seem drab and dull. In order to be up to the minute they must dance the latest dances, know the newest jazz, and wear the most extreme clothes. Smoking, gambling, and drinking are excused in both sexes.

The Modern Method of Dancing has done much to break down respect for womanhood. Modesty and decorum are flung to the winds. In their stead we have sensuality, coarseness, and indecency. This evil can never be counteracted until parents realize the danger and do something to raise the standard.

Jazz Music has done much to corrupt dancing and to make it impossible for young people to learn the more refined forms of dancing. At the same time it destroys all taste for or appreciation of good music. Jazz and immoral dancing are so closely related as to make it difficult to separate them. The dances take their names from the animals and low things of life. The music furnishes the vulgar atmosphere.

Immodest Dress.—For some strange reason too many of our modern girls seem to enjoy being called flappers. She glories in the lustful looks and vulgar comments which her appearance calls forth on the street. With bobbed hair, three coats of paint and powder, with plucked eyebrows, artificial eyelashes, and carmine lips, with low necked, short sleeved, and generously peekabooed waist, with an abbreviated skirt and rolled down silk hose just meeting below the knees, and all the rest of it, she blithely pursues her ill fated course. If people turn to stare in horror stricken amazement, her costume is a success; if she passes unnoticed, then something must be done. Her sketchy costume cannot fail to arouse the passions of men and boys. To all outward appearances she is attempting to imitate the woman of the streets. And she succeeds. That's why the average age of the women who are arraigned in the morals court is 20 years old. And that accounts for the fact that the boy of today has learned more about vice and iniquity in 20 years than his father learned in a life time, And all this happens in an enlightened age, in an epoch of universal education, nineteen centuries after the birth of Christ.

The Moral Decay of the Stage and Screen

Mr. William Burgess has given us a very vivid picture of the decadent stage. We quote from a recent address he made before the National Conference of Social Workers:

"**Play and Amusements.**—As, in the interests of gain, human appetites and passions have been exploited by commercial greed so the equally important and extremely sensitive elements of play or amusements have become fields of conscienceless exploitation.

'Play is one-quarter of life' says Dr. Richard C. Cabot. But, since we are emancipating labor of its drudgery and slavery, the masses of our people have a good one-third of their life for recreation, amusement and play.

No single agency needs directing with more care than those which trade upon the amusements of the people. It reaches all classes—young and old—in their most responsive and susceptible moods and circumstances. Nor is there any interest which can be directed for good or evil with greater facility. All the best and all the worst in human thought, imagination, and passion, are wide open to the influences of play and the suggestions of amusement. The best in a child may thus be developed or the worst. Both youth and adult find in them suggestion, temptation and seduction. We are all familiar with the demoralizing effects of commercial gambling, dance-halls, horse-racing, pool rooms and pugilism.

Moving Pictures.—The moving picture interests have in a few short years become a great financial enterprise, and it is already one of the agencies which calls loudly for regulation in the interests of morals and good conduct. Here is an instrument of infinite possibilities for the education and legitimate amusement of the people. But it has already been seen that uncontrolled commercialism of this Art proves a serious danger to the morals, safety and good conduct of our youth.

The Modern Theater and Semi-Nudity.—Our recent investigations show that the modern theatrical stage is set for hell. With a few worthy and notable exceptions of legitimate drama, the stage now reeks with moral filth and sensual exhibits. Art, music, beauty, dress, gross and grotesque ugliness, are all woven into scandalous revels of diabolic movements,—libels upon the very name of dance or ballet.

Only a few years ago the Parisian can-can was tabooed and the so-called burlesque was the resort only of men whose baser desires found response there, and a few women whose character was only too well understood.

The Stage and Semi-Nudity.—Now, no hug-step or wriggling monstrosity is too vile for the stage of so-called burlesque and vaudeville. Chorus girls parade the stage, down the aisles and on raised platforms, over the heads of men in their seats. The chief attraction, not only of this class of shows, but of many of the more expensive-priced theatres are, not the sprinkling of really clever and worthy acts one finds on the program, but displays of fleshly debauch of semi-nudeness, more repulsively lewd than the naked form CAN EVER BE and these are employed chiefly as setting, for sensual song, filthy story, dialogue, or action, all of which it is libel to call "comedy."

Worse Conditions Increase.—Evidence taken from private interviews and secret investigation shows that for foulness of suggestion, for display of downright vice, for intimate relation with forms of sex perversion, for participation in unspeakable vices of stage managers and employes, for chorus-girl slavery (despicable and cruel as anything in the records of white slavery itself) nothing can exceed this testimony. If published as evidence, for appeal or for courts of justice, like the reports of Vice Commissions, much of it must appear in cipher.

Not only are the conditions becoming more and more suggestive and indecent but they are multiplying and becoming the accepted substitute for the legitimate drama and decent amusement in hundreds of theaters.

Increase of Burlesque or Leg Shows.—Some of the so-called best people in the profession are using the shimmy shake in song, dance and pantomime. Barefoot dancing with naked limbs being shown through transparent nets, abbreviated skirts with flesh colored tights emphasizing the form and contour of the body by effective colored lights, are all a part of the nefarious business which escapes the ban under the guise of art.

The modern show appeals to the baser desire of the sexes. Even the advertising is full of nasty, dirty, ugly meaning. Posters of women partly in the nude, with boldly displayed titles such as "Twin Beds," "The Virgin Widow" and "French Frolics," are placed in every conceivable space where they will attract men, young and old. Very often the programs in the higher grade houses contain advertising that carries a double meaning.

THE REMEDY

First: Sharpen the edge of the sword of law. Various suggestions may come under this head. But I think the most effective would be to let the authorities, who license

these places in our cities, understand that ALL LICENSES CARRY CONDITIONS. Every license for a theatrical performance should hold the management responsible for its character. For every breach of decency or immoral display the license should be endorsed and the third such endorsement should vacate the license.

Second: Encourage the legitimate stage. Join hands with the true dramatist in every effort to substitute the true for the false—the good for the vicious.

Third: Use the Press.—Let us remember that press support depends chiefly on revenue from advertising, and yet there is a religious and moral press that will aid us if we call for their support. Some of the daily newspapers also are occasionally sounding a true note on this matter.

Fourth: Another suggestion is to furnish good amusement through Church, school, clubs, and welfare organizations everywhere. By all means encourage dramatic art, not only by positive patronage but even more by encouraging the moral tone of the stage and by suppressing every attempt to exploit the female form in song, dance, gesture or play.

Fifth: A wide appeal must be made to Church, school and library. In the United States we won the war. But let us apply the same thought against the immoral dance house, the vicious cabaret, the suggestive and wrongly directed moving picture and against the house of ill-fame which exists under the name and seduction of a place of Amusement. The school, the library and the law, all united, are powerless in this war without a moral public conscience."

The Immoral Press

Years ago an immoral story was a rarity. Today you have only to pick up a book or a magazine or a newspaper to get a sex thrill. The popular literature of the day panders to lewd and libidinous thoughts. If the publishers are asked to explain the endless chain of indecent stuff, they say that they are giving the people what they want. As a matter of fact these publishers are mistaken. The public IS indifferent, but the editors are printing what they think the people want, because they like that sort of thing themselves, and because they think it pays.

Does It Pay?—For every questionable book, for every sensuous magazine, and for every yellow journal published, there is a decent book, magazine, or newspaper put out at a profit. The facts show that the circulation drops

off when the publication gets too rotten. Take, on the other hand, the small town newspapers which are at present enjoying their greatest prosperity. They are clean and wholesome. There is no demand for scandals or sexual thrills in them. But after all the financial end of these illegitimate publications is not the all important consideration. The fact that they exist, and that they are easily accessible to boys and girls in any store or news stand, at any hour of the day and night is the dangerous thing.

Before this situation can be changed, before we can permanently clear our shelves and our library tables of thinly veiled vulgarity, we must have a public awakening to their dangers. Someone has said that its sex o'clock in the newspapers. No matter what the hour, there's no time like the present for a change.

The Crime Wave

There are a good many reasons for the great wave of crime which is sweeping this country. Some authorities tell us that this condition is a natural result of the great war and of reconstruction. But there are other reasons:

Wrong Ideas are taught by the very same agencies we have just discussed, the dance, the stage, and the literature of the nation. By playing up sex and crime they implant a totally wrong idea of life in the minds of the adolescent. Many of our youthful criminals are simply acting smart, trying to imitate the hard guy in the movies or the clever crook in the detective story. These boys are a natural product of the times.

The Gun Men.—Newspapers and magazines carry cleverly worded advertisements urging men to purchase revolvers in order to protect their families and property. There is no restriction on the sale of firearms. Nobody knows what the youth intends to do with his gun. Nobody cares. He carries it around in his pocket, displays it to his envious friends, and his reputation as a gun man is secure. Who is to blame when in a fit of anger, or rashness, or despondency the first crime is committed? After that it is just a step to a permanent place in the rogues gallery.

Lack of Law Enforcement.—And finally a criminal takes only about one chance in four of ever paying the penalty for his crime. During the year 1921 there were 225 murder cases in the Criminal Courts of Chicago. Of these *170 or 75.56% paid no penalty whatever, 46 or*

20.44% were sent to prison and 6 or only 2.67% paid the death penalty. About the same ratio holds true in the other criminal cases in the courts. These figures are taken from the Annual Report of the Chicago Crime Commission.

The Challenge.—Our national life is at stake. We stand at the dividing line. As long as we accept the rotten stuff handed to us by the amusement charlatans, just so long will we have a peril in our amusements. As long as we tolerate sensualism and obscenity in our literature, just so long will the younger generation gather wrong ideas of life. We have weathered the storm of autocracy. Our Democracy has risen supreme in all her bitterest struggles. But today the wealth, luxury and leisure of our nation threaten us. There must be a real war and a great victory over commercialized sensualism. This is the great issue—the supreme test. Our failure at this time means the dissolution of our country, just as surely as the sins of the Fathers are visited upon the children.

Prostitution

The Development of Prostitution.—It is quite generally believed that the evil of prostitution has always existed, among all peoples, and in all places. This statement is not quite correct. Prostitution is a development of civilization. A study of the primitive peoples of the world today fails to reveal any systematic form of the evil. Prostitution arises whenever early marriage is impossible, and when at the same time sex relations outside of matrimony is considered a sin.

Attempts at Suppression.—The first attempt to stamp out prostitution came in the time of Theodosius and Valentinian, followed by the futile efforts of Justinian. All the way down thru the centuries these attempts were repeated again and again. Charlemagne, Barbarossa, King Louis the Ninth of France (1254), Charles the Ninth (1560), Maria Theresa of Vienna (1751), all wrote laws and provided severe punishments in the hope of abolishing the evil, but without avail.

In this same connection we have the story of an effort which was made to drive out the business in the city of Portsmouth, England in 1860. The Mayor passed an order that every tavern keeper known to harbor these women would lose his license. On a certain day three or four hundred half clad women were turned out into

the streets. They wandered about for several days, were refused shelter in the workhouse, and were finally permitted to go back to their old places. There was no other place for them to go—nothing else for them to do. Similar experiments were tried in Pittsburgh and in New York City in the year 1891 with the same unfortunate results.

Attempts at Regulation.—The modern tendency has been to regulate prostitution rather than to stamp it out. Prostitutes were registered, examined and their activities regulated by the government or by the local authorities. Thus in Paris such a system has existed for over 120 years with the result that this city has a reputation of being the most immoral in the world. Other European cities, as well as those in America all had their recognized, tolerated and regulated districts. It was thought that such a system would improve conditions by decreasing the amount of disease and human misery. These benefits have been greatly exaggerated. The case against the Red Light is so complete that we print below both sides of the arguments as compiled by the war Department of the United States Government:

THE TWO SIDES

It is claimed that	*The truth is that*
SEGREGATION:—	*SEGREGATION:—*
1. Concentrates prostitution, thus facilitating control and reduction.	**1. Increases prostitution, continually advertising vice by making it familiar. Affords a place of commerce, otherwise uncertain and precarious, to the least competent of prostitutes, mentally and physically.**
2. Decreases prostitution by regulation.	**2. Increases prostitution by increasing the demand, which increases the supply.**
3. Decreases venereal diseases through medical inspection.	**3. Increases venereal diseases by deceiving the ignorant into a fancied reliance upon a frequently "faked" and inevitably futile medical inspection.**

4. Enables control of the liquor traffic in connection with prostitution.	4. Stimulates an illegal liquor traffic, since commercialized vice fails without liquor.
5. Prevents crimes against women.	5. Tends to increase crimes against women by fostering promiscuity and providing a source of sexual brutalization and degeneracy.
6. Protects the community from offensive and detrimental proximity of prostitution.	6. Exposes the community by advertising vice as a community necessity, making it easily accessible and tolerated, a condition conducive to the moral degradation of the community.
7. Decreases graft in connection with prostitution, and the exploitation of the prostitute.	7. Increases graft, by illegal toleration of commercialized vice, tempting the police to exact illegal revenue and confer illegal privilege. Gives free rein to the exploitation of prostitutes.
8. Decreases crime by enabling police supervision of a recognized crime center.	8. Increases crime by fostering viciousness and disease, providing a meeting place for the idle and vicious, with whom, rather than with the police, the prostitutes sympathize and usually cooperate.
9. Safeguards against sexual perversions by providing an outlet for the unrestrained sexual appetities of men.	9. Foster sexual perversions and abnormalities by educating men in habits of promiscuous sex relations until they cannot be satisfied by the professional prostitute except by perversions which she is compelled to practice.

10. Protects boys and young men from contact with the prostitute by removing temptation from the streets and residence districts.	**10. Exposes boys and young men to contact with the prostitute by presenting an ever-present opportunity to "go down the line and see the sights." Provides a show-place for special obscene and depraved exhibitions, to which the youth is lured by "runners" and the sale of lewd pictures.**

Causes of Prostitution.—As stated just previously prostitution is the natural result of a civilization in which (1) there is a large body of young men without the means to support a wife and family, (2) when there is a large number of young women who have not been chosen as wives, and (3) when boys and girls are brought up in complete ignorance of the laws of self and sex. Other causes are the white slave trade (an unexaggerated reality) and alcoholism. Here again we have an example of the futility of man made laws. For years we have had national as well as state statutes designed to prevent the horrible traffic in young girls, and yet the damnable business has been permitted to thrive through the laxity and corruption of public officials. The 18th amendment to our constitution with one fell swoop wipes liquor from the map, with the unforeseen result that doctors become bootleggers, every drug store becomes a corner saloon, and rot gut and moonshine defiantly walk the streets for medicinal and sacramental purposes.

In London, England, Merrick found that of 16,022 prostitutes whom he interviewed in his religious work, 5061 left home to lead a life of pleasure; 3363 blamed extreme poverty; 3154 were seduced; and 1636 were betrayed by promises of matrimony. Logan, an English missionary divided the girls as follows: one quarter as led into the life through their occupations such as servants, bar maids, etc., one-quarter as coming from the factories, one-quarter as tricked into the life, and the rest led in through poverty, false promises of matrimony, the inequality of the double standard of morals, etc. The figures as compiled in various American cities show the same general causes (1) poverty, (2) inclination, and (3) ignorance.

Venereal Disease and Prostitution.—It is not quite true to say that all prostitutes have venereal diseases. But it is so nearly true that there is no fun in it. Some

women ply their wicked trade from year to year without a sign of the promised consequences, but they are few and far between. On the other hand take the following figures as issued by the U. S. Department of Public Health: In 1915 the women in the Red Light District of Baltimore were examined and 97 *in every* 100 *were found to be diseased.* In 1917, of the inhabitants of the famous Barbary Coast in San Francisco *only three women out of every* 100 *were free from venereal diseases.* The 20,000 people in Pottsville, Penn., supported three brothels with 20 inmates. At the time of the investigation 18 *of the* 20 *had either gonorrhea or syphilis or both.* But listen: EVERY ONE OF THE TWENTY GIRLS HAD A CERTIFICATE SIGNED BY A DOCTOR DECLARING THAT SHE WAS FREE FROM DISEASE. The fact that on the day before the inspection three of these girls had a total of 114 callers gives some idea of the rapidity with which venereal diseases are spread through commercialized vice. Even when the medical examination is scientifically conducted, there is no way of inspecting the man, and the prostitute may become a conveyor of germs through the first man she serves after receiving the health certificate. She may be a carrier without showing the slightest trace of the infection.

Prevention of Prostitution.—We have now studied the causes and the effects of prostitution. We all know that arguments from a moral or a legal standpoint are useless. After centuries of preaching and law making prostitution is certainly just as common today as it ever was. But there is a simple way to abolish prostitution; namely by making early marriage not only possible but desirable. Millions of young men and women who would like to marry, remain single. Why? Because they cannot afford to raise a family. And so in order to get to the bottom of things, WE MUST TEACH THE YOUNG PEOPLE HOW TO AVOID HAVING A LARGE FAMILY UNTIL THEY CAN AFFORD TO REAR AND EDUCATE THE CHILDREN. This is the whole secret. There are things to be said on both sides of the question. Every man has a right to his own opinion, and a right to express that opinion. We may be too eager for a solution of our problems. Some may call us radical. But the history of the human race proves beyond all question of a doubt that illicit carnal intercourse flourishes because of economic conditions. Universal knowledge of the safe and sane methods of preventing conception

would instantly boost the marriage rate, would automatically hasten the marriage date, and would quickly banish the throngs of young men and women who make prostitution inevitable. Figure out some other means of accomplishing the same result, if you can. It is your privilege, nay your duty, to do so.

The Need for Sex Instruction

OR

Is Sex Education As Necessary for Girls As for Boys

Most men are frankly ashamed of their sex life as being unreasonable and unworthy. All thinking people agree that the welfare of the human race demands the proper instruction and education of the boy in regard to matters of sex. But when it comes to the advisability of imparting to girls this same information we meet with a storm of disapproval.

Arguments Against Sex Instruction for Girls.—Here are a few of the reasons advanced to show that girls do not require such instruction.

1.—The instruction is unnecessary because the sex instinct is slow to appear in the normal girl.

2.—Sex knowledge will destroy the modesty and innocence of maidens and will remove the romance of sex.

3.—Sex instruction will lead girls' thoughts to an early consideration of sex matters.

4.—The dark phases of sexual life might develop wrong ideas and lead to an actual distaste for matrimony.

Information vs. Misinformation.—The truth of some of these arguments cannot be denied and yet it is a fact that the instruction itself is at fault if the results do not satisfy. It is possible to give an honest sane course of sex instruction without dwelling on the unpleasant or distasteful aspects of the subject, and without even mentioning the horrors of venereal disease. Sex misinformation may do far more damage than good, but sex information is just as necessary for girls as it is for boys for the following reasons:—

In the first place the girl's penalty for misconduct is far more serious than it is in the case of the wayward

boy. Both run the risk of venereal infection but here the equality ends. Wild oats in the boy is simply wild oats. Even illegitimate children or venereal disease do not injure his social status or serve as a bar to matrimony. In the girl's case things are vastly different. She may lose her health, social standing and even her life as a result of one misstep. Our double standard of morality follows her doggedly to the bitter end.

Sex Consciousness.—In the second place a woman is constantly being reminded of her sex functions. Between puberty and the menopause (change of life) the phenomena of menstruation occurs regularly every twenty-eight days, always annoying and frequently very painful. Then there are the long tedious months of pregnancy, followed by the pains of child birth, not to mention the cares of nursing and of bringing up the children. And the change of life itself causes discomfort and dangers which may last for several years.

The Love Life of Women.—And finally if a woman's love life is unsatisfactory she is unhappy no matter what her other interests may be. What woman may expect an ideal and satisfying love life unless she be properly instructed in, and prepared to meet honestly, the demands which nature in general and man in particular have imposed upon her. As soon expect a man to become a trustworthy physician who had not received the proper rudimentary instruction and training.

In Conclusion.—It is for these reasons that we wish to go on record as advocating the universal safe, sane and practical instruction in matters of love and life for girls as well as for boys. Years of study and application are necessary for success in any business. And yet the business of marriage calls for more finer adjustments, more knowledge and more sagacity than any other known profession. Human happiness implies deep sympathetic understanding.

Educated Shirk Duty.—That American college graduates are intentionally shirking the responsibility of rearing children was the statement of Maurice Ricker, assistant director of the United States public health service, in a recent address at the convention of the National Education association.

He submitted figures to substantiate his statement. "Investigation by the federal health service," he said, "over a period of years indicates that the progeny of 1,000 graduates from such institutions as Harvard, Yale, Prince-

ton, Vassar and Smith will not exceed 50 a hundred years from now."

A similar investigation conducted among illiterate foreigners, he said, showed that in a like period the original thousand will be multiplied at least a hundred times. Fifty against 100,000. The ratio therefore will be, he said, fifty men and women descended from educated parents to 100,000 begotten by ignorant parents.

These figures teach their own moral.

Child Suicide.—Six per cent of the suicides in this country in 1921 were by boys and girls—the boys averaging fifteen years and the girls sixteen; 707 of them in the 12,000 total who took their own lives. We wonder what proportion of the parents of the country have a fair conception of the sensitiveness of children of the ages mentioned. A boy of fifteen can be very intensely unhappy on slight provocation; a girl of sixteen may become bitterly grieved on even less ground.

An Unjust Punishment, a caustic verbal reproof, may rankle in a young heart long after the parent has forgotten it. Few adults of highly nervous temperament have been able entirely to forget the sting of the scorching phrase which a thoughtless father or mother uttered in a moment of irritation and then forgot.

The Thoughts of Youth are long, long thoughts, and boys and girls are likely to brood over any seeming cruelty or lack of affection on the part of their parents. Most children are able to throw off the pains of reproof, but some are not, and many a character is made or marred between the ages of twelve and seventeen. No parent can sound the depths of sorrow and despair into which a child may be plunged by the divorce of its parents, or by their quarrels, or by any family disgrace. The griefs of the young, even when founded on trivial causes, are as real, and frequently more potent in their effects, than all the sorrows and afflictions of later years. A boy and girl—a man and a woman in the making—are very delicate charges for their parents to keep.

Sex Reactions in Children.—It is a well established fact that sex reactions have been observed in children less than one year old. While it is probably true that normal and healthy children show no such symptoms in childhood, yet such signs are sufficiently common to make it unsafe to ignore sex hygiene until the age of puberty is reached. Early sex manifestations are usually vague and more or less innocent in character, but there are on record numerous cases where children from two years of age onward

have been strongly attracted to members of the opposite sex. W. Roger Williams in investigating one hundred cases of this nature found that the sexual precocity was more pronounced and more frequent in girls than it was in boys.

Country Life vs. City Life.—It is frequently held that country children are more innocent of sex than their city cousins. In many respects the very opposite is true. Hard work in the open air does tend to keep the country boy's thoughts pure and simple until the period of danger is passed. Certainly the excitement of city life with its atmosphere of color and licentiousness has a tendency to produce premature desires and curiosity. However in the rural districts there are no social restraints. Folks talk plainer, animals perform their normal physiological functions openly without any semblance of modesty, and supervision of the child is almost impossible. Even the circulation of obscene books and pictures is more common in the small town and country districts, due no doubt to a lack of other interests to hold the attention. A child, therefore, quite frequently preserves his sexual innocence with less difficulty in the city than he would in the country.

Inquisitiveness.— No matter where, when, or by whom brought up, the child soon enough begins to think about these things, and sooner or later this thinking takes the form of a desire to know the elementary facts of life. "Where did Baby come from?" is the most common as well as the most natural question. It is usually evaded or ignored but here are some of the beliefs of young children of school age as to the origin of babies.

1. God makes babies.
2. The Holy Mother makes babies.
3. Santa Claus brings them.
4. They are dropped from Heaven and the Doctor Catches them.
5. They are left on the sidewalk.
6. They fly down from heaven and then lose their wings.
7. Mother flew up to Heaven in a balloon and brought Baby back.
8. Baby was found in a flour barrel.
9. Babies grow on cabbages.
10. The milkman brings the babies.
11. Babies are dug out of the ground.
12. They are bought at the Baby Store.
13. Baby grew on a gooseberry bush in the garden.
14. Various birds such as the Stork brings the babies.

A Difficult Question. The question naturally arises as to just when and how the proper knowledge may be imparted. Children may be tenderly cared for and brought up amid all the refinements and proprieties of Christian homes, and yet a servant girl or a foul-mouthed schoolboy may destroy that long work by a few words or a gesture. Sooner or later, usually sooner, a definite knowledge is gathered, perhaps an unworthy idea, but a basis of life none the less. No child likes to find out in later years that Mother and Father lied to him. No surer method of building up an everlasting barrier of misunderstanding between parent and child has ever been devised, than to have the child discover the fact that his honored parent has told him an untruth about his origin.

To Be or Not to Be.—While it is now generally recognized that children are entitled to sexual knowledge, and that children are really capable of understanding the true meaning of sex, yet few parents are willing or capable to give the proper instruction. The natural tendency is to delay the embarassing moment when the truth will have to be told. This attitude, however, is the wrong one to take. The child puts his questions naturally and such questions should be answered in an equally natural and harmless way, before the child is six years old, certainly before he has given up asking questions for fear of a rebuke.

Mother's Duty.—The Baby's relationship to the Mother should be explained to the child by the Mother as soon as the child commences to ask questions. This should be a private discussion, with none of the unpleasant aspects of sexual life brought in, and the instruction should be put in language and form suited to the age. Later on in the case of boys Father must do his bit with general and personal warnings about seminal emissions, masturbation, quack doctors and venereal diseases. No boy who has grown to manhood without ever receiving any instruction in sex matters, or one word of sympathetic understanding from his Father can ever forgive that misguided parent for his neglect. If the first initiation is delayed too long, it is no longer easy to talk simply and naturally about such things. The parent feels embarassed about the task, and usually decides to let it go altogether.

The Result.—Thus an atmosphere of mystery is created which not only arouses a natural curiosity, but actually serves to concentrate the attention on sexual matters. Hide a toy or a box of candy from a child, and see for yourself what a hullabaloo there is until the desired



The Kind of Preparation for Marriage given by the Parents of the past generations

article is found. It is just that way with matters of sex. When you refuse to answer a simple, honest question, you send the child away from you, to seek the answer from the first available source.

Purity of Thought.—This is the first essential. The great danger is that in answering questions, the Mother or Father will allow a sense of embarassing mystery to creep into the discussion. Be natural. Know your subject. Call things by their right names. (The proper names for these parts of the body and a simple explanation of their functions are given elsewhere in this volume.) Make the child feel that while he may talk frankly to his Father and Mother about these things, they are nevertheless *strictly family matters not to be talked about in public and not to be talked over with his chums.* It may be necessary to allow the child to make an awkward remark when there is company in the house. It is then perfectly simple and natural to explain that while there is nothing mysterious or vulgar about these matters (mentioning them by their right names), yet for some reason or other folks do not talk about them in public. An effort to get the right understanding about this situation must be made even if it requires considerable trouble.

The Fairy Tale.—Some authorities advocate the telling of sexual truths in parable or fairy tale form. This should be discouraged because parents will live to see the day when the love and confidence of their children will not be able to stand the strain of these unnecessary lies. Fairy tales have a very definite and important role to play in the mental growth of children, but parents dare not run the risk of having nature's most sacred function bandied about in the form of symbolic nonsense. The truth is all that matters. There is nothing to be ashamed of, nothing to conceal. In telling the truth a Mother must rely mainly upon knowledge, inspiration, and common sense.

Authorities.—Countless books and pamphlets have been issued of sexual subjects, but as stated elsewhere it is impossible to learn a stated formula to answer each individual question. Some of the very best books on the market (this one included) have been questioned by governmental officials, and in some cases actually declared obscene, and barred from the mails, simply because they told the plain matter of fact truth, in a plain matter of fact way so that the plain matter of fact man could understand them. It is not impossible to find plain statements on sexual subjects in the Bible, and yet no one thinks of calling the

Bible **obscene.** It is just as unreasonable to call a sincere honest sex book like SAFE COUNSEL obscene, simply because it refuses to beat around the bush, and insists upon calling things by their right names. If there is any obscenity, it already exists in the mind of the reader.

The Beginning.—The Mother's duty in sex education is: (1) to explain the relationship between Mother and Child, and (2) to show that in all young people, animals, and plants, there is a similar relationship. The very simplest way of accomplishing these two results is to start with the facts of plant life, and to follow the seed or egg idea thru the whole vegetable and animal kingdoms. At this early period there is no need to dwell on the proper relations of the sexes, nor on the Child's relationship to the Father. Such instruction naturally comes later when the questions lead up to it.

QUESTIONS AND ANSWERS

Certain questions arise in the minds of nearly all boys and girls in some form or other before the age of adolescence. These questions may come at intervals of weeks, months, or even years. Samples of such questions and satisfactory answers are given here.

1. "Where did the baby come from?" or "Where did the puppies come from?"

"Babies grow inside their mother's bodies, just as little birds in a nest. The birds hatch from the eggs, and when their wings grow they leave the nest. After the baby has grown for many weeks in the mother's body it comes out of the body and we say it is born."

2. "How is the baby born?"

"All girls and women have a passageway in their bodies which enlarges enough to let the baby come out when it is strong enough. This passageway opens at the lower part of the body. We should never touch that part of the body except to keep it clean, or we might harm it." (This question offers a starting point to warn girls against masturbation or self-abuse. Boys should have the question answered satisfactorily, but the warning against self-abuse might better be related to the explanation of the male sex glands and the value of their secretions in promoting vigor. This explanation is given simply and clearly in pamphlets for boys published by state boards of health.)

3. "Does it hurt to have the baby born? Why does the doctor come when the baby is born?"

"Yes; it hurts the mother, but she is so happy to have a baby all her own that she forgets the pain soon. The doctor comes to take care that the baby is born safely." (Do not emphasize the suffering of childbirth in talking to a child.)

4. "Can I tell Jack how a baby is born? He told me the doctor brings the baby in a satchel."

"No; some parents don't tell their children anything about this, and they don't want anyone else to tell them. Never talk to anyone about these things without asking me." (This advice may be futile. But it is far better for the truths to be spread among children than the untruths so usually communicated.)

5. "What does it mean to be half Shepherd and half St. Bernard?"

"The dog is half Shepherd and half St. Bernard because one of his parents was a Shepherd dog and the other was a St. Bernard. All little dogs must have a father and mother. Birds have a father and a mother, too, just as babies must have a father and mother."

(This explanation may often satisfy a child completely. He may, however, ask more about the father part in reproduction. Although this is the most delicate subject of all to treat frankly, it is necessary to be sufficiently definite to allay curiosity, and it is the great opportunity to arouse in the boy and girl a fundamental respect for reproduction and to fortify them against vulgar talk and improper use of sex organs. The explanation may be continued, illustrating with plants and animals, somewhat as follows):

"The seed is inside the mother flower, but it doesn't grow into a new flower until the pollen dust has mixed with it. Every life begins with the mixing of the seeds. Every grown-up animal and every grown-up man and woman have tiny bits of life or seeds inside their bodies which have to come together before new life can start. A part of their bodies is fitted by nature for this purpose. Sometimes, as in the case of fish, the seeds come together in the outside water. But in dogs and birds and people, they mix in the mothers' bodies, where they can be much better taken care of."

The Sad Part of It.—With the coming of puberty, all foolish hopes for the child's ignorance on sex subjects, vanish. The change in form and appearance, the phenomena of menstruation and seminal emissions, the coming of



9½ years—the average age at which boys first receive sex impressions, usually through improper sources.



13½ years—the average age at which boys begin some form of sexual practice.



15½ years—the average age at which boys receive proper sex instruction.

PARENTS: YOU HAVE BEEN SIX YEARS LATE!

new feelings, and an entirely changed attitude towards life, all make for a period of secret worry and suffering. At this time, *if at no other,* efficient sex instruction is absolutely essential. I would rather have a son of mine go out into the world without his right hand, than to face life at this period tragically alone and unprepared. At this period he will welcome a good book on the subjects which bother him, and it is to meet this very real demand that SAFE COUNSEL was written. In it we have tried to give the facts of life, clearly and simply, without false modesty, immodesty, or religious dogmatism. In other words we have tried to answer the questions folks want answered.

Sex Education in the Schools.—A book of this kind for general distribution would not be necessary if parents universally instructed the young children, and if such instruction were supplemented a little later in the public schools. Sex instruction is not yet practical for the schools because: (1) there is still too much prejudice against it in the minds of certain well meaning but misguided people, and (2) trained teachers are not yet available. Let the public demand proper sex education in the schools, and competent instructors will rapidly be developed. The time has come to put aside false traditions, false modesty, and false shame as childish things. Let us recognize the sex instinct as a natural healthy instinct. Let us confess our own ignorance, and the ignorance of would be teachers, and all strive together to learn what is true and right, and to practice what we preach. In no other way can the social evil be conquered.

The Final Step.—And finally parents should arrange a private, confidential talk between the adolescent child and the family physician, or some other specialist. Under such circumstances the child will talk frankly, and ask frank questions on sex problems, and thus secure first hand reliable information which bashfulness would never allow him to gain from parent or teacher. Such a talk must be scientific, not religious. The adolescent child stands at the parting of the ways, and common sense will help him far more than a thousand precepts.

Initiation Ceremonies.—Ceremonies of puberty have been common among savages in all parts of the world. They always combine moral discipline with sexual instruction. The endurance of physical pain is usually one of the features. Such ceremonies lasted for days at a time, sometimes stretching into weeks or even months. Sep-

arate ceremonies were held for the different sexes. Boys and girls were prepared for manhood and womanhood, were properly instructed as to their rights, privileges, and duties. The matters were openly treated without any secrecy or modesty. *There was not a thing in the world to be ashamed of.* Even the uncivilized races of the world knew better than to send the children out into the world wholly unfitted and unprepared for the obstacles they must inevitably meet. How far we have wandered from the wisdom of our ancestors. In our day how frequently, and with what disasterous results is the initiation left to chance or accident.

Sex Instruction in Literature.—Youthful initiation in matters of sex quite frequently occurs through the medium of literature and art. Due to a depraved desire for amusement at any cost, many of our best homes tolerate numerous popular novels and magazines filled with the most extraordinarily clever vulgarity. Between their covers youth discovers imaginary love, never the real thing. Sexual instincts are pictured as secret, alluring, voluptuous. Contrast with this conception, the nakedness of the Bible, and all great literature in matters pertaining to the sexual life. Its very bluntness undoubtedly does cause some speculation and curiosity on the part of young people, but this is only because in other books and magazines the same identical thoughts and emotions are covered up with an unwholesome and abnormal secretiveness. It has been said that as long as children are too young to understand erotic literature, it cannot harm them, and that when they are old enough to understand its true meaning, it will open up to them the purest channels of emotion. The real books, therefore, are needed to counteract the effects of the cheapened and dissolute trash which swamps our news stands. Any healthy boy or girl who has safely reached the age of puberty may be permitted to browse at will through any good library.

Sex Instruction in Art.—In exactly the same way art can be made a very valuable aid in sex instruction. Children should early become familiar with the statues and paintings in the nude. They will thus be vaccinated against the contagion of smutty pictures which will sooner or later come to their attention. The crudity and unnaturalness of the latter will become at once apparent. There will then be an utter absence of those snickerings and sly glances so common when an uninitiated group of boys and girls is taken for the first time to a museum or art gallery. In some European countries, notably in Italy statues

in the nude adorn the schoolroom walls. In America, on the other hand, let some unsuspecting art dealer display a masterpiece of real art in his shop window, and the prurient minded descend upon the police in all the violence of a righteous indignation. "Horrors," they exclaim, "the picture is very beautiful, and it is a masterpiece of art, but the street is no place to show it. The children might see it!" I claim that it is the children's *right* to see it, that it is only ridiculous foolishness that keeps them from seeing it, and that hiding the picture only makes matters worse. Such false modesty cannot long endure in the face of universal education.

A Definite Program.—Part 9 of this edition gives a definite, workable program for parents to follow in imparting right knowledge to their children. "How to Tell the Story of Life" goes to the root of the subject of sex education. It tells parents not only how and when to impart the necessary information, but exactly what to say. These suggested talks have been highly recommended by world famous physicians, college presidents, ministers, teachers, and hundreds of happy parents.





THE FRIEND OF HUMANITY

PART 7
DISEASES AND DISORDERS

SECTION 1 THE DISEASES OF WOMEN

DISORDERS OF THE MENSES
DISORDERS OF THE WOMB
DISEASES OF THE VAGINA
DISEASES OF THE EXTERNAL GENITALS
DISEASES OF THE OVARIES
MISCELLANEOUS DISEASES
REMEDIES FOR THE DISEASES OF WOMEN
DISORDERS OF PREGNANCY



WOMAN'S TRADITIONAL PLACE

Diseases and Disorders

Diseases of Women

The Woman's Place.—For centuries man has ordained that the woman's place was in the home. Because the woman has been considered less fit for the struggles of the active workaday world, she has been kept at home, shut in from the fresh air and sunshine, and deprived of healthy outdoor activities. Hers has been a life of confinement and inactivity except for such back breaking, soul searing, nerve wracking occupations as washing, ironing, housekeeping, and child bearing.

What Is the Result?—Today woman is only beginning to take her rightful place in the active world. Through recent far reaching legislation, a terrible wrong has been

righted. And yet in connection with certain normal physiological functions, such as menstruation, and child-bearing, a long list of diseases peculiar to women has arisen, most of which through proper instruction and hygiene could be avoided. In matters so vital to posterity, ignorance can no longer be tolerated.

The following are the more common forms of the disorders, with their causes, symptoms, and treatment.

Disorders of the Menses

1. Amenorrhea—is characterized by a scanty flow or complete suppression of the discharge during the monthly sickness. It may occur at all ages.

Causes.—This condition may be caused by the lack of proper exercise, air, sunshine, or food; by overwork, nervousness, or intense excitement; or it may be due to some constitutional condition.

Home Treatment.—In all cases where there is no constitutional trouble, the following course of treatment will generally bring good results. Attention to the diet and general hygiene to promote general good health. Some bitter iron tonic taken at meal times will help. A hot foot bath is often all that is necessary. A mustard plaster over the back, a cup of hot tea, and absolute rest will often bring on the delayed periods.

2. Dysmenorrhea—is painful menstruation. The usual symptoms are pains in the back, intense itching of the parts, a heavy dragging feeling in the abdomen, vomiting, headache, and general debility. It has been estimated that at least fifty per cent of the women in this country suffer with this disease to some extent.

Causes.—This condition is usually brought on by cold, exposure, or nervousness, although there may be some constitutional cause, such as inflammation of the ovaries or displacement of the womb.

Home Treatment.—Treat by warm hip baths, hot drinks, and heat applied to the back and extremities. Avoid spirituous liquors. A teaspoonful of fluid extract of viburnum will sometimes act like a charm.

3. Menorrhagia.—When the menstrual flow is too long and too frequent the disease is called menorrhagia or profuse menstruation.

Causes—are constipation, violent exercise, great fatigue, and excitement of the sexual organs.

Home Treatment.—Avoid highly seasoned foods, and the use of alcoholic liquors; also excessive fatigue either physi-

cal, mental, or sexual. General hygienic measures and attention to the diet are necessary in order to improve the general health. To check the flow, patient should be kept quiet, and allowed to sip cinnamon tea during the period.

4. Metrorrhagia is the medical term used to designate a condition when the menstrual discharge occurs at some other time than at the regular period.

5. Vicarious Menstruation.—In a few rare cases the monthly flow instead of coming from the womb, comes from some other part of the body, such as the nose, ears, or breasts. The discharge is usually scanty, but at the same time it causes great weakness.

Causes.—It is usually caused by suppression of the menses. In extremely rare cases the discharge is normal from these other parts, but such cases are curiosities.

Treatment.—No attempt should be made to stop the hemmorrhage during the monthly periods. In the intervals between the periods, treatment for suppression of the menses should be vigorously carried out.

6. Cessation of the Menses—commonly called "change of life," "the menapause," "the climateric," etc. We come now to the discussion of a very important and very grave period in every woman's life. As the name indicates a woman changes, that is she ceases to menstruate altogether, *and her reproductive power is at an end.* This change occurs between the ages of forty-five and fifty years. The woman does not cease to be a woman, her sexual desire lasts long after the menapause, and she continues to be just as attractive to the male sex as she ever was. In many cases the change is scarcely noticed at all. In others there is intense suffering, headaches, loss of appetite, insomnia or sleeplessness, irritability, and rapid increase or decrease in weight. One of the most distressing things about the change is that disorders of the mind are apt to appear.

Causes.—The change of life is universal among women and normally there is no suffering or inconvenience. When there is serious trouble, the cause can usually be traced back to some ignorance, mistake, or misunderstanding in youth.

Home Treatment.—At this dangerous and trying period of her life a woman must adopt the utmost regularity in the habits of her existence. Hot baths taken just before retiring will relieve that uncomfortable feeling so common at this time of life. Constipation should be guarded against. Hot vaginal douches will often relieve the discomfort of

the accompanying hot flashes which are the common symptoms. A husband should treat his wife with the utmost consideration at this crucial period. The advice of a competent physician had best be sought.

Disorders of the Womb

Cancer of the Womb

Treatment: Call at once a competent physician.

Displacement of the Womb

Treatment: Evacuate the bowels and the bladder by means of injections and the catheter. Place the fingers in the vagina, locate the mouth of the womb, insert finger into it, and gently pull the organ into its natural position.

Dropsy of the Womb

Treatment: Use tonics freely together with vapor baths, and frequent hot hip baths.

Falling of the Womb

Treatment: Build up the physical condition by an abundance of good food, fresh air and sunshine, with moderate exercise. Astringent injections and vaginal suppositories of oak bark, myrrh, and cocoa-butter will usually bring relief.

Inflammation of the Womb

Treatment: Apply stimulating liniment to abdomen. Keep body warm and moist especially at extremities. Take hot distending douche containing boric acid and zinc sulpho-carbolate for 20 to 30 minutes. Follow with application of vaginal ointment containing oxyquinisol. Keep bowels open. Light nourishing diet is recommended.

Neuralgia of the Womb

Treatment: Keep feet warm and give injections to the bowels of lobelia, lady slipper, and skullcap. Rub the abdomen with liniment. Absolute quiet, above all else, will bring relief.

Diseases of the Vagina

Vaginitis, or Inflammation of the Vagina

Treatment: Complete rest, otherwise follow treatment prescribed for inflammation of the womb.

Prolapsus of the Vagina

Treatment: When the walls of the vagina become folded upon themselves through abortion, rupture during delivery, excessive indulgence, masturbation, etc., it is called prolapsus. Use any astringent suppository or injection.

Spasm of the Vagina

Treatment: This is nothing more than a nervous condition causing the muscles of the vagina to spasm thus closing the passage, and rendering conception almost impossible. Outdoor exercise, light but nourishing diet, and general attention to the nervous system will bring prompt relief. Intercourse, if attempted, should be quiet and unfrequent. An effort should be made to keep the thoughts on other subjects.

Diseases of the External Female Genitals

Inflammation and Abscess

Treatment: Wash the parts often with warm water, distilled witch hazel, and strong infusion of lobelia. Keep the bowels free. In severe cases apply poultices of ground flaxseed, sprinkled over with golden seal and lobelia. After poultices are removed, cleanse parts with warm water, containing a little tincture of myhrr.

Pruritis

Treatment: A very mortifying and uncomfortable affliction, accompanied by an almost uncontrollable desire to scratch the parts. The itching is due to uncleanliness, excessive masturbation, violent intercourse, inflammation of the bladder, stomach or liver trouble, etc. Bathe the affected parts well with borax water, and apply a wash of equal parts witch hazel and an infusion of lobelia. Use mild laxatives to keep the bowels open.

Vulvovaginitis in Little Girls

This condition is usually a very mild infection whose only symptom is a slight discharge noticeable on the underwear. In some severe cases the creamy discharge may be profuse, there may be some pain, a burning sensation at urination, and a rise in the temperature. Strictly speaking vulvovaginitis is a venereal disease caused by a definite germ.

It is a very easy matter for the disease to be passed

on by towels, toilet seats, or human hands. It is especialy common in large hospitals, where the germs are spread with great rapidity usually by the nurses hands.

Treatment: The disease may last for several weeks or months, and although it is usually very mild, the treatment is apt to be very painful and very humiliating. It is well to consult a capable physician at once, because harmless as the disorder may seem, it nevertheless has a tendency to hasten sexual development in children and in severe cases may even cause complete sterility.

Diseases of the Ovaries

Dropsy of the Ovaries

Treatment: An accumulation of fluid in the membranous sack about the ovaries. An operation is necessary and is almost always successful.

Inflammation of the Ovaries

Treatment: In mild cases rub abdomen with liniment and apply hot water bottles. Perfect quiet is essential to an early recovery.

Tumors of the Ovaries

Treatment: A surgical operation is the only means of cure.

Miscellaneous Diseases

Chlorisis or Anaemia is a common disease in young women, marked by a greenish color of the skin, and menstrual disorders.

Causes: Among the causes might be mentioned all those such as improper food, bad air, lack of exercise, self abuse, and nervousness which tend to weaken the body and lower the vitality.

Treatment: Give tonic—improve hygiene—stress wholesome diet, exercise, fresh air, sunshine. Great care must be taken of the digestion, as that is generally the root of the trouble. Guard well against constipation. These measures are essential even with the best of medical attention.

Leucorrhea or "the whites."—This disease has been called the great curse of womanhood. It takes the form of a discharge from the vagina, varying in color from white to green or yellow, and in quantity from almost nothing to as much as half a pint a day. A very large percentage of women suffer with leucorrhea to some extent.

Causes: "The whites" are caused primarily by catarrh or inflammation in some of the female organs of generation. This trouble results from catching cold, overwork, improper hygiene, malnutrition, or general physical debility.

Treatment: A positive cure is very difficult, particularly in young girls owing to the inconvenience or impossibility of treatment. The usual method consists merely of vaginal douches, but as the real trouble lies back in the womb where nine tenths of the douches fail to penetrate, such treatment is of comparatively little value. A Doctor is usually confronted with the situation in which an unmarried woman objects strenuously to an internal examination and local treatment, for fear that the hymen will be ruptured. Thus both diagnosis and treatment are extremely difficult. The condition rapidly becomes chronic, and permanent sterility may result.

General treatment: Nourishing food, rest, mild exercise, and tonics are recommended. See that the bowels move regularly. Constipation is usually one of the pronounced symptoms. Proper hygienic measures and plain common sense will oftentimes bring about an effective cure, without medical aid of any kind.

Chronic: For home treatment use a vaginal ointment containing Oxyquinisols and zinc sulpho-carbolate. Inject about one teaspoonful, by using a soft rubber applicator, as far up in the vagina as possible, preferably just before retiring. Douche out thoroughly with warm mildly antiseptic water the following morning and repeat the injection of ointment the next evening. Allowing the ointment to remain in contact with the affected parts for at least 12 hours will be found very beneficial especially in the case of a very offensive discharge.

Remedies for the Diseases of Women

While we are not generally in favor of giving prescriptions for home use, we have no hesitancy in offering the following celebrated remedies for the diseases of women. They were prepared especially for this book by a famous physician who has made a specialty of treating women's diseases.

After Pains—are pains that soon follow child birth. If these pains are severe, take from fifteen to twenty drops

of Benzyl Benzoate in a tumblerful of hot water or milk, every one and one-half to two hours until relieved.

Amenorrhea—Absence of menstruation. This condition occurs normally during pregnancy and later, while breast feeding a babe. It occurs abnormally when a closure of the vagina or neck of womb exists. For this condition the treatment is operative. When it is due to a constitutional cause, such as anemia, chlorosis, or tuberculosis, take an iron tonic, such as Blaud's pills in five grain doses, after meals and at bedtime. Also make an effort to improve the general health. Hot distending douches are helpful even in chronic cases.

Cancer of the Womb.—A malignant disease of the womb (uterus). This disease is manifested by pain in the lower part of the abdomen, by hemorrhages from the vagina and also by a very foul odor emanating therefrom. The treatment is operative and consists of a complete removal of the womb. Consequently the sooner a definite diagnosis is made and likewise the sooner a competent surgeon is called to remove the womb, the better the chances will be for a complete recovery.

Dysmenorrhea.—Pain before, during or directly after menstruation and directly referable to the menstrual function. A competent physician should be consulted. Have him make a vaginal examination and, if necessary, a rectal examination also, to determine the condition of the womb and its closely related attachments, as there might be an old inflammation of the womb causing this pain, or the womb might not be in its normal position. For relief, take Viburnum Compound, one-half to one teaspoonful in two tablespoonfuls of hot water, every two hours when needed. Also try hot distending douches for 20 to 30 minutes.

Endometritis.—An inflammation of lining (mucus membrane) of womb. With this condition the womb is found extremely sensitive to pressure, and the vagina is reddened, swollen and loaded with pus. One experiences a feeling of weight and a dragging pain in the small of the back. As to treatment—keep quiet in bed. Take a douche containing a tablespoonful of boric acid powder to the quart of warm water at intervals of three or four hours. Apply hot moist compresses or cloths over vulva and groins. If this does not greatly improve within a few days call in a physician.

Fissures of Nipples.—Apply tincture of iodine to

cracks. Immediately after this application put on tincture of Benzoin compound. Do this twice daily.

Leucorrhea.—A white discharge from the vagina. Consult a physician to find out the cause for this discharge. If the discharge is not excessive you may use a vaginal douche containing two tablespoonfuls of boric acid powder to a quart of warm water, once a day. (See pages 237-238).

Menstrual Irregularities.—Should you be anemic or run down take some iron tonic, such as Blaud's pills, in five grain doses after meals and at bedtime. Also improve your general health by taking exercise and getting plenty of fresh air.

Menopause.—The end of menstrual life, also called the climacteric and change of life. Change of life occurs anywhere from the fortieth to the fiftieth year; probably the majority of women around the forty-fifth year. It seldom occurs suddenly, but for a year or two the intermenstrual periods lengthen and the flow becomes scant. This is the time of life which brings the most trouble from fibroid tumors and cancer. There is a popular belief that profuse flowing or hemorrhages are to be expected at this time. When this is the case, however, it is always an evidence of disease. In the event that you have any hot flashes or any nervous symptoms, such as insomnia, excessive irritability, frequent attacks of perspiration, take ovarian compound, grains five, three times a day.

Menorrhagia, Uterine Hemorrhage.—Excessive bleeding at menstruation is called menorrhagia. Bleeding from the womb between menstrual periods is called metorrhagia. These hemorrhagic conditions are usually caused from fibroid tumors, inflammation of the womb, displacements and malignant diseases. The possibility of pregnancy with impending abortion should be borne in mind. If the hemorrhage is not due to an abortion (miscarriage), take a teaspoonful of Fluid Extract of Ergot, in equal parts of water, every three hours. In the meanwhile summon a physician.

Vaginismus.—A painful spasmodic condition of the vagina. With this condition you experience distressful contractions of the vaginal opening. This condition is frequently caused by sores or cracks within the vagina. A very common cause, however, is excessive venery. As to treatment, any local cause within the vagina, accounting for this, should be treated by a physician. Indulgence in sexual relations should be discontinued.

Vulva Itching.—Lack of cleanliness, especially when an abundant vaginal discharge exists, is a very common cause for itching of these parts. Sometimes, however, it occurs without any local cause to blame for it. Take a douche, twice daily, containing a tablespoonful of boric acid powder to the quart of warm water. Then apply, every four hours, an ointment of menthol, grains five, in an ounce of zinc oxide ointment.

Disorders of Pregnancy

Fits.—This is by far the most dangerous condition arising out of pregnancy. The symptoms are morning swelling of the face, arms, hands, feet, and eyelids. There is likely to be nervousness, headache, nose bleed, buzzing in the ears, flashes of light before the eyes. Another danger signal is painful and severe vomiting at or after the sixth month.

Treatment: Consult a Doctor immediately. Have the urine examined every two weeks after the fifth month, as a preventative measure. If not within easy reach of a Doctor, confine the diet to milk, and keep the bowels open, until the Doctor comes. Should a spell come on insert something between the teeth and put the patient to bed. Use plenty of warm blankets and hot water bottles.

Morning Sickness.—This is the most frequent disorder of pregnancy. Its symptoms are unmistakable. There is a feeling of nausea and vomiting soon after rising in the morning. These symptoms may appear the very day after conception has taken place, but they do not generally show until the third or fourth week of pregnancy. They disappear, as a rule, after the third or fourth month. Morning sickness is commonly considered as an unfailing sign of pregnancy.

Treatment: Avoid highly seasoned or rich food, strong tea or coffee. Eat only simple light lunches early in the evening. Stay in bed later than usual in the morning, and do not get up until about a half hour after you have eaten your breakfast. Medicines are of little value. Weak lemon juice or an egg lemonade may tone up the stomach and bring some relief. If the vomiting becomes excessive and the patient loses weight and strength, a competent physician must be consulted.

Excessive Vomiting.—Morning sickness is normal in a pregnant woman until the 3rd or the 4th month, and yet excessive and prolonged vomiting is a real source of dan-

ger. There is usually a rise in temperature towards evening with a quickening of the pulse. Pregnancy may be the cause of this disorder but more often it is just stomach trouble, aggravated by the pregnancy. If a milk diet, rest and loose bowels do not bring relief, do not fail to call a Doctor.

Frequency of Urination.—As pregnancy progresses the womb grows and presses on the bladder, causing frequent urination. This condition is natural during the first two or three weeks. After that time the womb rises up into the abdominal cavity, thus relieving the pressure. Again in the last few weeks of confinement the womb sinks lower and irritates the bladder again causing frequent urination.

Treatment: Lying down will relieve the pressure and prevent the constant desire to urinate. A good fitting abdominal belt will usually bring relief.

Liver Spots.—Brown spots, commonly called liver spots, frequently appear on the skin of a pregnant woman. These usually disappear after the birth of the child, without any medical treatment, but occasionally they remain permanently.

Costive State of the Bowels.—Constipation is common in pregnancy; a mild laxative is therefore occasionally necessary. The mildest must be selected, as a strong purgative is highly improper, and even dangerous. Calomel and all other preparations of mercury are to be especially avoided, as a mercurial medicine is apt to weaken the system, and sometimes even to produce a miscarriage. Let me again urge the importance of a woman, during the whole period of pregnancy, being particular as to the state of her bowels, as costiveness is a fruitful cause of painful, tedious and hard labors.

Laxatives.—The best laxatives are mineral oils, compound rhubarb pills, honey, stewed prunes, stewed rhubarb, Muscatel raisins, figs, grapes, roasted apples, baked pears, stewed Normandy pippins, and brown-bread. Scotch oatmeal made with new milk or water, or with equal parts of milk and water. Never use the same laxative treatment every day, but alternate the remedies for the best results.

Honey.—A teaspoonful of honey, either eaten at breakfast or dissolved in a cup of tea, will frequently, comfortably and effectually, open the bowels, and will supersede the necessity of taking laxative medicine.

Nature's Medicines.—Nature's medicines—exercise in the open air, occupation, and household duties, not only open the bowels, but keep up a proper action for the future.

Warm Water Injections.—An excellent remedy for costiveness of pregnancy is an enema, either of warm water or of Castile soap and water, which the patient, by means of a self-injecting enema-apparatus, may administer to herself. The quantity of warm water to be used, is from half a pint to a pint; the proper heat is the temperature of new milk; the time for administering it is early in the morning, every day if necessary.

Muscular Pains of the Abdomen.—The best remedy is an abdominal belt constructed for pregnancy, and adjusted with proper straps and buckles to accommodate the gradually increasing size of the womb. This plan often affords great comfort and relief; indeed, such a belt is indispensably necessary.

Diarrhoea.—Although the bowels in pregnancy are generally costive, they are sometimes in an opposite state, and are relaxed. Now, this relaxation is frequently owing to there having been prolonged constipation, and Nature is trying to relieve herself by purging. Do not check it, but allow it to have its course, and take a little rhubarb or magnesia. The diet should be simple, plain, and nourishing, and should consist of beef tea, chicken broth, arrow-root and of well-made and well-boiled oatmeal gruel. Meat, for a few days, should not be eaten; and stimulants of all kinds must be avoided.

Nervousness.—A pregnant woman sometimes suffers severely from fidgets; it generally affects her feet and legs, especially at night, so as to entirely destroy her sleep; she cannot lie still; she every few minutes moves, tosses and tumbles about—first on one side, then on the other. The cause of "fidgets" are a heated state of the blood; an irritable condition of the nervous system, prevailing at that particular time; and want of occupation. The treatment of "fidgets" consists of: sleeping in a well-ventilated apartment, with either window or door open; a thorough ablution of the whole body every morning, and a good washing with tepid water of the face, neck, chest, arms and hands every night; shunning hot and close rooms; taking plenty of outdoor exercise; living on a bland, nourishing, but not rich diet; avoiding meat at night, and substituting in lieu thereof, either a cupful of arrow-root made with milk, or of well-boiled oatmeal gruel.

Heartburn.—Heartburn is a common and often a distressing symptom of pregnancy. The acid producing the heartburn is frequently much increased by an overloaded stomach. An abstemious diet ought to be strictly observed. Great attention should be paid to the quality of the food. Greens, pastry, hot buttered toast, melted butter, and everything that is rich and gross, ought to be carefully avoided. Either a teaspoonful of heavy calcined magnesia, or half a teaspoonful of carbonate of soda—the former to be preferred if there be constipation—should occasionally be taken in a wine-glassful of warm water. If these do not relieve—the above directions as to diet having been strictly attended to—the following mixture ought to be tried. Take of:

Carbonate of Ammonia, half a drachm;
Bicarbonate of Soda, a drachm and a half;
Water, eight ounces;

To make a mixture: Two tablespoonfuls to be taken twice or three times a day, until relief be obtained.

Wind in the Stomach and Bowels.—This is a frequent reason why a pregnant woman cannot sleep at night. The two most frequent causes of flatulence are, first, the want of walking exercise during the day, and second, the eating of a hearty meal just before going to bed at night. The remedies are, of course, in each instance, self-evident.

Swollen Legs from Enlarged Veins (Varicose Veins.)—The veins are frequently much enlarged and distended, causing the legs to be greatly swollen and very painful, preventing the patient from taking proper walking exercise. Swollen legs are due to the pressure of the womb upon the blood-vessels above. Women who have had large families are more liable than others to varicose veins. If a woman marry late in life, or if she be very heavy in pregnancy—carrying the child low down—she is more likely to have distention of the veins. The best plan will be for her to wear during the day an elastic stocking, which ought to be made especially for her, in order that it may properly fit the leg and foot.

Painful Stretching of the Skin of the Abdomen.—This is common in a first pregnancy. The best remedy is to rub the abdomen, every night and morning, with warm camphorated oil, and to wear a belt during the day and a broad flannel bandage at night, both of which should be put on moderately but comfortably tight. The belt must be secured in its situation by means of properly adjusted straps.

Before the Approach of Labor.—The patient, before

the approach of labor, ought to take particular care to have the bowels gently opened, as during that stage constipation greatly increases her sufferings, and lengthens the period of her labor. A gentle action is all that is necessary; a violent one would do more harm than good.

Swollen and Painful Breasts.—The breasts are, at times, during pregnancy, much swollen and very painful; and, now and then, they cause the patient great uneasiness, as she fancies that she is going to have either some dreadful tumor or a gathering of the bosom. There need be no apprehension. The swelling and the pain are the consequences of the pregnancy, and will in due time subside without any unpleasant result. For treatment she cannot do better than rub them well, every night and morning, with equal parts of Eau de Cologne and olive oil, and wear a piece of new flannel over them; taking care to cover the nipples with soft linen, as the friction of the flannel might irritate them.

Cramps.—Cramps of the legs and of the thighs during the latter period, and especially at night, are apt to attend pregnancy, and are caused by the womb pressing upon the nerves which extend to the lower extremities. Treatment.—Tightly tie a handkerchief, folded like a neckerchief, round the limb a little above the part affected, and let it remain on for a few minutes.

The Whites.—The whites during pregnancy, especially during the latter months, and particularly if the patient has had many children, are frequently troublesome, and are, in a measure, occasioned by the pressure of the womb on the parts below, causing irritation. The best way, therefore, to obviate such pressure is for the patient to lie down a great part of each day either on a bed or a sofa. She ought to retire early to rest: she should sleep in a well ventilated apartment, and should not overload her bed with clothes. A thick, heavy quilt at these times, and indeed at all times, is particularly objectionable; the perspiration cannot pass readily through it as through blankets, and thus she is weakened. She ought to live on plain, wholesome, nourishing food; and she must abstain from wine and spirits.

Irritation and Itching of the External Parts.—This is a most troublesome affection, and may occur at any time, but more especially during the latter period of the pregnancy. Let her diet be simple and nourishing. Let her take a sitz-bath of warm water, considerably salted.

Hot and Inflamed.—The external parts, and the passage to the womb (vagina), in these cases, are not only irritable and itching, but are sometimes hot and inflamed and are covered either with small pimples, or with a whitish exudation of the nature of aphtha (thrush), somewhat similar to the thrush on the mouth of an infant. The addition of glycerine to the lotion is a great improvement and usually gives much relief.

***Biliousness** is defined by some one as piggishness. The elements of the bile are in the blood in excess of the power of the liver to eliminate them. This may be caused either from the superabundance of the materials from which the bile is made or by inaction of the organ itself. Being thus retained the system is *clogged.* It is the result of either too much food in quantity or too rich in quality. Especially is it caused by the excessive use of *fats and sweets.* The simplest remedy is the best. A plain, light diet with plenty of acid fruits, avoiding fats and sweets, will ameliorate or remove it. Don't force the appetite. Let hunger demand food. In the morning the sensitiveness of the stomach may be relieved by taking before rising a cup of hot water, hot milk, hot lemonade, rice or barley water, selecting according to preference. For this purpose many find coffee made from browned wheat or corn the best drink. Depend for a time upon liquid food. The juice of lemons and other acid fruits is usually grateful, and assists in assimilating any excess in nutriment. These may be diluted according to taste. With many, an egg lemonade proves relishing and acceptable.

Deranged Appetite.—Where the appetite fails, let the patient go without eating for a little while, say for two or three meals. If, however, the strength begins to go, try the offering of some unexpected delicacy; or give small quantities of nourishing food, as directed in case of morning sickness.

Piles.—For cases of significance consult a physician. As with constipation, so with piles, its frequent result, fruit diet, exercise, and sitz-bath regimen will do much to prevent the trouble. Frequent local applications of a cold compress, and even of ice, and tepid water injections, are of great service. Walking or standing aggravate this complaint. Lying down alleviates it. Dr. Shaw says, "There is nothing in the world that will produce so great relief in

* Some of these valuable suggestions are taken from "Parturition Without Pain," by Dr. M. L. Holbrook.

piles as fasting. If the case is severe, live a whole day, or even two, if necessary, upon pure soft cold water alone. Give then very lightly of vegetable food."

Toothache.—There is a sort of proverb that a woman loses one tooth every time she has a child. Neuralgic toothache during pregnancy is, at any rate, extremely common, and often has to be endured. It is generally thought not best to have teeth extracted during pregnancy, as the shock of the nervous system has sometimes caused miscarriage. Wash out the mouth morning and night with cold or lukewarm water using common salt or milk of magnesia rather than patent dentifrices. If the teeth are decayed, consult a good dentist in the early stages of pregnancy, and have the offending teeth properly treated. Good dentists, in the present state of the science, extract very few teeth.

Salivation.—Excessive secretion of the saliva has usually been reckoned substantially incurable. Fasting, cold water treatment, exercise and a fruit diet may be relied upon to prevent, cure or alleviate it.

Headache.—This is, perhaps, almost as common in cases of pregnancy as "morning sickness." It may be from constipation or indigestion, constitutional "sick headache," from neuralgia, from a cold, or from rheumatism. Correct living will prevent much headache trouble.

Jaundice.—See the doctor.

Pain on the Right Side.—This is liable to occur from about the fifth to the eighth month, and is attributed to the pressure of the enlarging womb upon the liver. Proper living is most likely to alleviate it. Wearing a wet girdle in daytime or a wet compress at night, sitz-baths, and friction with the wet hand may also be tried. If the pain is severe a mustard poultice may be used. Exercise should be carefully moderated if found to increase the pain. If there is fever and inflammation with it, consult a physician. It is usually not dangerous, but uncomfortable only.

Palpitation of the Heart.—To be prevented by healthy living and calm, good humor. Lying down will often gradually relieve it, so will a compress wet with water, as hot as can be borne, placed over the heart and renewed as often as it gets cool.

Fainting.—Most likely to be caused by "quickening," or else by tight dress, bad air, over-exertion, or other unhealthy living. It is not often dangerous. Lay the patient

in an easy posture, the head rather low than high, and where cool air may blow across the face; loosen the dress if tight; sprinkle cold water on the face and hands.

Sleeplessness.—Most likely to be caused by incorrect living, and to be prevented and cured by the opposite. A glass or two of cold water on going to bed often helps. So does bathing the face and hands and the feet in cold water. A short nap in the latter part of the forenoon may sometimes be of use. A similar nap in the afternoon is not so good, but is better than nothing. The tepid sitz-bath on going to bed will often produce sleep. To secure sound sleep do not read, write or severely tax the mind in the evening.

Vaginal Cleanliness

Perhaps the most vital requirement in preserving one's feminine health and fitness is the maintaining of thorough vaginal cleanliness. The time honored statement "Cleanliness is next to godliness" most certainly applies in this case also.

Within the past few years a deeper study of the physiology of the female sex organs has disclosed that many hygienic practices, which at one time were highly regarded, were found not only ineffective but also very detrimental in many instances. Naturally the timely scientific methods based on the light of present knowledge, have superseded the obsolete practices in the homes of the correctly informed.

One very material advancement in safeguarding the sex health is in the perfection of the recurrent syringe or "health shield" to replace the old long nozzle syringes. This improved type not only eliminates the harmful features of the old models but also assures absolute cleanliness. The health shield, is designed to fit the opening of the vagina thereby preventing any leakage of the douche solution until released through the special outflow tube. Thus the douche water on entering the vagina through the inflow tube and being unable to flow out distends or "balloons out" the very wrinkled lining and exposes even the microscopic creases to the full cleansing and antiseptic action of the douche. An efficient douche by this scientific method is called a "distending douche" to distinguish it from the former incomplete flushing practices.

Ten Cautions of Feminine Health

1. Do not insert any metal or hard rubber instrument up in the vagina. This has caused innumerable cases of inflammation and infection which have often resulted fatally.

2. For the same reason do not use long syringe nozzles or rigid metal or rubber ointment applicators. Health shields (re-current syringes) and soft rubber ointment applicators are much safer and far more effective.

3. Do not use antiseptics indiscriminately. Beware of the manufacturer who does not wish you or your doctor to know the contents of his antiseptic. You are taking serious risks when you experiment.

4. Do not use irritating or poisonous douches. Remember the vaginal lining is as delicate as in your mouth and nose.

5. Do not use harmful, irritating suppositories. A reliable non-poisonous but water-soluble ointment is much more effective.

6. Do not use antiseptic powders which are blown into the vagina. Most of these are irritating and all dry up the natural protective secretions.


7. Do not take internally any "feminine weakness" medicine such as tonics, emmenagogues, etc. without consulting your doctor.

8. Do not be satisfied with less than absolute cleanliness. Take "distending douches" and distend the vagina at least three times.

9. Do not make the mistake of neglecting yourself while apparently in good health—you never know when that may end.

10. Don't sacrifice your health and self respect by failing to prevent excessive discharges and foul odors at all times.

Wise wives will find it to their advantage to talk over their intimate problems with their husbands. A fair minded man appreciates his wife's confidences and is most anxious to preserve her girlhood charm. In addition, most men have a very practical viewpoint which is extremely valuable in considering this most important problem.



Hot Water Throat Bag



Hot Water Bag

How to apply Hot Water and Dry Heat in all diseases

The Hot Water Throat Bag is made from fine white rubber fastened to the head by a rubber band (see illustration) and is an unfailing remedy for catarrh, hay fever, colds, toothache, headaches, earaches, neuralgia, etc.

The Hot Water Bottle.—No well regulated home should be without a hot water bottle. It is excellent for inflammations, colic, headache, congestion, cold feet, rheumatism, sprains and kindred ills. These bottles may be purchased at any drug store. Boiling water may be used and the heat retained for many hours. They can be readily adjusted to any part of the body.

Avoid Poisonous Drugs.—Hot water will usually give immediate relief without any disatrous after effects.

The Electric Heating Pad—when available is recommended as superior to the hot water bottle or hot compresses. It gives a sure, steady heat and can be regulated according to the needs of every individual case. The ac-



THE USE OF DRY HEAT

companying illustrations show some of its commoner uses. It is a very valuable aid in relieving the aches and pains to which mankind is heir.



COLD WATER

Use a compress of cold water for acute or chronic inflammations, such as sore throat, bronchitis, croup, inflammation of the lungs, etc. If there is a hot and aching pain in the back apply a compress of cold water. Good results are often obtained by applying first a hot compress and then a cold one.

Cold Feet as a Cause of Trouble.—Authorities inform us that chronic cold feet are often the cause of enuresis or bed wetting in children. Furthermore we know that cold feet are one of the contributing causes of undue sexual excitement during sleep. The best known cure for this condition is to bathe the feet in cold water before retiring, and then to place a hot water bottle or heating pad at the feet during the early hours of sleep.

Caution.—When hot water bags, hot fomentations, or heating pads are removed, bathe the parts in tepid water, rub till dry and cover with dry flannel. This will remove the possibility of catching cold.

TO BRING DOWN A FEVER

As a rule the critical time in any disease is not after the fever has raged for two or three days. It is far more essential to know what to do at the beginning of the trouble than it is at the crisis. In most homes a physician is not called until the patient's temperature has risen to an alarming point. In outlying districts where roads are bad or even in large cities where traffic conditions are congested, it often means a good long wait before the doctor can arrive. And in the meantime a great deal can be done for the sufferer.

A Difference of Opinion.—There seems to be a wide difference of opinion among medical men as to the best method of reducing a fever, but all are agreed that plain common, every day water is the chief essential. When the doctor arrives on the scene the chances are that he doesn't know what the trouble really is. He will tell you to reduce the fever, regulate the diet, keep the patient quiet, and await developments. To bring down the fever one doctor recommends cool sponges, another bathing in luke warm water, while still a third may insist on the use of hot packs. Water is still further relied upon in the form of cool enemas to bring down the fever, and when taken internally in large quantities will help the organs to rid themselves of posions.

These simple home remedies are always available right in your own home. In practising them you will beat the doctor to it by an hour or so, and quite likely avoid serious complications later on.

Bathing.—In our opinion the use of ice packs or of extremely cold water should be avoided, on account of the great shock to a fever ridden system. Cool enemas and taking of cool water internally are recommended. The bathing of the body with lukewarm water will effectively reduce the temperature, and the use of hot packs tends to stimulate the action of the skin, induces perspiration, and thus accomplishes the desired result.

Caution.—When applying heat or cold in cases of this kind great care should be taken to avoid catching cold. The body should be thoroughly dried and rubbed with alcohol to close the pores.

PART 7

DISEASES AND DISORDERS

SECTION 2. DISORDERS OF THE SEXUAL FUNCTION.

SELF ABUSE OR MASTURBATION

EXCESSIVE NOCTURNAL EMISSIONS OR POLLUTIONS

IMPOTENCE IN THE MALE

IMPOTENCE IN THE FEMALE

STERILITY

SEXUAL NEURASTHENIA

FRIGIDITY IN WOMEN

SEX DISORDERS AND PERVERSIONS

QUACKS AND QUACKERY

Diseases and Disorders

Section 2. Disorders of the Sexual Function

Self Abuse

We have come now to a subject of great importance in human happiness, and one about which there has always been a serious misunderstanding, not to mention the well intended but willful misrepresentation, i. e. that of masturbation or self abuse. The auto-erotic field is a large one ranging from occasional day dreams through masturbation and self abuse, to the continual self manipulation so common in the insane. It is an unpleasant subject to think about or to discuss, and yet because of its importance, we must speak frankly and plainly.

The Why and the Wherefore.—The marriage rate is declining, remarkably fast. Intercourse outside of matrimony is a legal as well as a moral offense. Is it any wonder that the phenomena we have under discussion should be on the increase. Because masturbation *is* increasing in spite of all the grave yard propaganda that has been spread against it. Arguments based on the moral aspect are of little avail. The subject is worthy of an exacting study so that its effects may be tabulated and guarded against. In practically every case the habit is started innocently, or from idle curiosity. It is practiced only occasionally at first, but it is a habit which grows, and usually when it has become a habit and a menace to health, it is given up prompltly and forever.

Day Dreams.—Many young men upon learning of the evil effects of self abuse give up the physical habit. They have more control over their bodies than they have over their minds, and they continue to practice the habit mentally. This psychic form of self abuse is of all forms the most harmful. It leads eventually to a neurasthenic condition if not to actual impotence.

Nocturnal Emissions are the most common form of sexual phenomena. A nocturnal emission is simply the sexual orgasm during sleep, commonly called a wet dream. It is an absolute fact that in healthy individuals, living a

life of sexual abstinence, voluptuous dreams, with in men seminal emissions, are perfectly normal. These may occur once or twice a month even once a week *without any abnormality or fear of lost manhood.* Hundreds of misguided and uninstructed youths suffer all the tortures of the dammed simply because their ignorance has permitted them to believe themselves impotent, unmanly, on account of perfectly normal and perfectly natural nocturnal emissions.

Beware of the Quacks.—This is a real warning, not just a scare head. The advertising doctor agrees to take your money, and cure you of a disease which is not a disease at all, but a perfectly normal healthy condition. The only way to cure normal nocturnal emissions is to willfully destroy your manhood. Quack Doctors prey on young men through their medical museums, and abortive literature because they know (1) that practically every young man has these emissions, (2) that almost every man begins his sex life with masturbation, and (3) that few, if any, are willing to mention these matters to their parents. It seems to me that no greater sin could be laid at the door of a Father, than to have it said of him that his son was afraid to come to him when he was in trouble.

Do All Young Men Masturbate?—Away back as far as 1876 various learned gentlemen such as Brockman, Marcuse and Berger began to investigate and report on the growth of masturbation. They tell us that the percentage of young men and women who indulge in secret habits during adolesence ranges all the way from 50 per cent up to 99 per cent.

Just how they arrived at these deductions, I do not know. This is not a question that can safely be submitted to popular referendum, or turned over for solution to "The Enquiring Reporter." Because of a perfectly natural reticence on the part of those questioned, such statistics must be, after all, pure guess work.

Personally I do not believe that the percentage is nearly as high as the lowest estimate given. Many, many young men and women, including great statesmen, judges, and welfare workers, frankly admit that it was through masturbation that they were actually intitiated into sex knowledge. But that does not account for the countless others who through proper training and development, escaped this form of vice. And may the good work go on. With the searchlight of truth and reason we can sooner or later banish the hoodwink of exaggeration and prejudice, and reduce the percentage to a pitiful minority.

Masturbation in the Two Sexes.—Self abuse in very young children seems to be more common among girls than with boys. During the period of adolescence the habit of frequent masturbation is common both to boys and to girls, usually more common to boys. There seems to be no doubt but that after adolescence, masturbation is more common in women. This is largely due to the following facts, viz: (1) men early acquire some legitimate form of sex gratification, (2) the sexual impulse in normal women is usually not fully developed until after adolescence, and (3) women are to a much greater extent shut out from sex gratification, and are usually subjected to a life of inactivity and idleness. Consequently many unmarried women are driven to masturbation for its sedative effect, particularly around the menstrual period.

The Results of Masturbation.—Popular attention to the evils of masturbation was not called until early in the eighteenth century, when there was printed and sold in large quantities a series of books by Bekkers, Tissot, Voltaire, and others, which tried to prove the frightful consequences of self abuse. The mistaken attitude and wrong ideas of many present day physicians and laymen, the popular belief that masturbation is the source of all evils, is largely the result of the teachings of these individuals, and handed down from generation to generation by tradition. It is a sad commentary that books and pamphlets which tried to tell the truth and correct these wrong ideas were quickly banished by the authorities.


An Endless List.—Almost every disease and symptom of disease known to the human race have been directly or indirectly traced by some authority or other to masturbation. Pouillet tabulated over one hundred morbid conditions among its results. These ranged from slight visual abnormality to epilepsy and insanity.

Masturbation Is Positively Not Responsible for a hundredth part of the trouble it is supposed to cause. More modern students like Griesinger, Berkhan, Vogel, and Christian have based their conclusions on wide and exhaustive investigations. They agree that insanity, epilepsy, and convulsions, and even excessive masturbation itself cannot occur except in the case of a predisposed subject.


The Modern Scientific View.—We must necessarily agree with the conclusion that in healthy, untainted persons, moderate self abuse is not the root of all evils, nor will serious results necessarily follow. In other words it is an error to jump to the conclusion that simply because a boy

has abused himself during adolescence, he is necessarily doomed to a life of shame, and an early grave. Well meaning reformers have too often entirely ignored the significance of birth, nervous system, and training, and have failed to look at the matter from all angles.

Do Not Misunderstand Us.—Any excess, even in healthy, wellborn individuals will certainly produce harmful results. The growing girl cannot develop into the ideal of some good man, cannot truthfully fulfill her God given privileges if she allows her thoughts to run away with her reason. The adolescent boy must either forswear his desire and control his passions or abandon forever that dream of progress and achievement in the athletic and business worlds. The two cannot go hand in hand.



Healthy Testicle



A Testicle Wasted by Sexual Excess

There Are Bad Effects.—The skin. digestion, and circulation are easily disordered and in all cases of excess there is a general nervous let down. Neurasthenia, or a minor nervous breakdown are among the commonest of the results of excessive self abuse. If the habit is commenced and practiced vigorously before the age of puberty it has far reaching effects. In the first place it usually causes impotence in later years and quite frequently actual sterility. These cases yield usually to the right mental treatment. In the second place early masturbation, if carried to excess, causes indifference to the normal sexual relationship. This is due to the fact that after years of mechanical excitations, the organs become so toughened that the substitu-

tion of the natural method fails to produce the desired result. This phase of the subject will be treated more fully in the chapter on impotence which appears farther on.

The Masturbators Face.—Boys and young men often hear (and believe) that it is easy to tell a masturbator simply by looking in his face. This is absolutely false, and as this book aims to tell the truth and nothing but the truth, we are willing to go on record with the statement that *there are no signs or earmarks of self abuse which* are *visible to the naked eye.* It is true that many boys who masturbate have pimply faces, rings under their eyes, and sallow complexions, but it is equally true that these are quite often symptoms of some other physical disease. One of the most unhealthy looking boys I ever knew had been brought up in such seclusion and ignorance that he didn't even know there was a sex function. His was a typical *masturbator's face* and yet he had never abused himself either physically or mentally. His symptoms were the symptoms of improper hygiene.

Self Consciousness.—Among the other frequent results of self abuse are self consciousness or a marked fear of the eyes of others. This condition is purely mental and is due to the fact that the boy knows he is doing something wrong, and thinks that everybody he meets knows what he has been doing. However boys early get the idea that masturbation is unmanly, and injurious, and they soon give it up. Girls, on the other hand, seldom have any traditions that the practice is unwomanly. They have not been terrorized by exaggerated warnings and quack literature concerning the awful effects of the habit. The comparative absence of bad effects from masturbation in girls would seem, therefore, to be due to the fact that women have not been taught to expect bad effects, *and they do not get them.* This illustrates the power of the mind over the body. The fear of the thing is often the very cause of the thing happening.

A Private Word.—Masturbation in the healthy normal boy must at all times be discouraged. Its effects on the individual's health and development can never be beneficial. But before closing this chapter let me say just a word or two to the young man or woman who has practiced the habit and who wants to give it up. The only way to conquer any habit is to STOP, HERE, and NOW. That's all there is to it. Your own sense of manliness or womanliness is strong enough to conquer all the vices or habits of modern civilization. You cannot afford to violate

your body by breaking nature's law. It's not a matter of today. It's your future happiness, your life's ambition, your children, and your children's children. The sooner you learn that what you do today is determined by your acts of yesterday, and will in turn determine what you do tomorrow, the sooner you will begin to follow nature's few simple, fundamental rules, and the happier you will be. Just make the right start today. Tomorrow will take care of itself.

In Conclusion.—And after you have stopped, throw the whole bitter memory of it out of your mind. Fill your thoughts and manly ambitions. You may have a terrible struggle. You may feel infinitely worse for a few days than you did before. But don't give up the ship. If a friend tells you that because of your past sins, you may be impotent (unable to perform the sex act properly) don't believe a word he says. Unless the habit has been extremely long and assiduously practiced, unless your whole physical system has been drained and run down, you have not lost that manhood which will grow increasingly dear to you as the years go on. You may be temporarily impotent, but as soon as the strain on your nervous energy has stopped, and your bodily health has been restored, your sexual vigor will return. No function of the body is more directly affected by general health than the sexual function. Get your health back, and your lost manhood (so called) has been restored.

Excessive Nocturnal Emissions or Pollutions

Definition.—A pollution, (nocturnal emission, wet dream, etc.) is a discharge of semen while asleep. The moment of the discharge usually finds the patient awake. When these do not occur oftener than once a week, and when there are no weakening effects, the condition is normal. The reproductive organs simply become full and overflow in the manner intended by nature. When the discharge occurs more frequently than once a week, or when their effect is weakening and exhausting, even if they occur but once a month, then they are abnormal, that is there is something wrong, and a good physician should be consulted.

Quacks.—We cannot overemphasize the repeated warnings against quack doctors and their literature on noc-

turnal emissions. They would lead you to believe that because of an emission every two or three weeks, you are losing your manhood, never to be regained without proper medical treatment. We repeat: nocturnal emissions as often as once a week, are in almost every case absolutely harmless, and a physical necessity.

Symptoms of Too Frequent Pollutions.—The signs of this disorder are about the same as for excessive masturbation or sexual excesses of any kind. They are weakness, languor, headache, back ache, sallow complexion, dark rings under the eyes, and a deranged appetite. There is also a woeful lack of ambition, loss of memory, and inability to concentrate. When a cure has been effected and proper hygienic measures instituted, these symptoms disappear quite rapidly.

Professional Treatment.—In severe cases, it is always advisable to consult a physician. But be sure that you do not fall into the hands of an unscrupulous man. His treatment will include a thorough examination, and must depend upon the results of this examination. We need not go into the various methods of cure, but it is sufficient to state that the trouble can usually be cured in a very short time, provided the following methods of home treatment are followed out.

Home Treatment.—Proper hygienic treatment forbids stimulants and rich or spicy foods of all kinds in the diet. The patient should take little, if any, water after six o'clock in the evening. A full bladder, or a constipated system are among the more common causes of sexual excitement during sleep. Sleep on your left side, on a hard mattress. A towel tied around the abdomen, and knotted in the back will serve to awaken you if you are inclined to rest on your back. Use as few covers as possible, but *keep the feet warm.*

Mental Treatment.—All the medical and hygienic treatment in the world will not bring about a cure unless you try to keep your mind free from sexual thoughts. Modern literature, modern dancing, and modern drama are likely to be full of sensual suggestiveness. Avoid them. They are poison to your system. Cultivate the society of decent girls and boys, and keep your mind occupied with healthful activities, and constructive ambitions. With such a campaign, rigidly laid out and studiously carried out, your cure is absolutely certain.

Emissions During the Day.—When pollutions occur during the day they are called diurnal emissions. They oc-

cur when a man's constitution is so weakened by excessive masturbation, abnormal nocturnal emissions, or by sexual excesses of any kind, that he cannot control the sex function even in his waking hours. This condition is an unfailing sign that something must be done. We advise an examination by the best physician available. A complete history of the case is necessary before the Doctor can hope to effect a cure.

Spermatorrhea.—This is the medical term for a disease which is characterized by a continual oozing of semen, sometimes brought on by slight sexual excitement, and quite frequently while straining at stool. Such cases are extremely rare, but they require expert medical attention, and treatment.

A Warning.—Let us plead for frankness in all these sexual disorders. If you are troubled about your condition, do not be afraid to talk freely with your parents or with your family physician. Remember that all boys have nocturnal emissions, that practically every boy begins his sex life with masturbation, and that you are not dealing with sins, *but with plain, everyday, natural, physiological facts.* There is absolutely nothing to be ashamed or afraid of. And above everything else, DON'T WORRY. The fear of the ailment is too frequently far worse than the disease itself.

Impotence

Definition.—By impotence, we mean, the inability to perform the sex act. This disorder is common to men.

Difference Between Impotence and Sterility.—There is a common belief that impotence and sterility are one and the same thing. There is a big difference. In sterility there is an impossibility of impregnating the female (fertilizing the egg). In impotence there is merely an impossibility of performing the conjugal act. In most cases of impotence there is no evidence of sterility. Sterility is very rare in men, although quite common in women. There are, however, certain venereal diseases which may leave the man absolutely sterile, and in most of these cases, the blame is laid at the door of the woman. There are few cases of barrenness in women which cannot be removed when the patient is perfectly developed. The trouble frequently depends upon a weakness or irritation in the reproductive organs. Measures to strengthen these organs will usually cure the disability.

"Napoleon and Josephine.—A certain adaptation between the male and female has been regarded as necessary to conception, consisting of some mysterious influence which one sex exerts over the other, neither one, however, being essentially impotent or sterile. In the marriage of Napoleon Bonaparte and Josephine no children were born, but after he had separated from the Empress and wedded Maria Louisa of Austria, an heir soon came. Yet Josephine had children by Beauharnais, her previous husband. But as all is not known as to the physical condition of Josephine during her second marriage, it cannot be assumed that mere lack of adaptability was the cause of unfruitfulness between them. There may have been some cause that history has not recorded, or unknown to the state of medical science of those days."

Organic Impotence.—In organic impotence we find a distinct physical cause for the disorder, such as withered testicles, inflammation or disease of some other part of the sexual apparatus. In other words the inability to perform the sexual act is due to some abnormality of the sex organs.

Causes.—Among the common causes of organic impotence we find the mumps standing out above all the others. In severe cases this disease results in a complete withering of the testicles so that they are unable to secrete the fluid so necessary in the formation of life. For this reason mumps, at no matter what age, must never be considered lightly. Common sense and strict obedience to the doctors orders are necessary if the evil effects are to be avoided. Injuries to the brain, spinal cord, testicles, or other sexual organs often result in a lack of proper sex development, and consequent impotence. Sometimes the organs become destroyed through disease. There are on record instances of a peculiar formation of the external sex organs which render coition impossible, but these cases are the exception. When impotence is due to old age, it is called senile impotence. In such cases the withering of the organs is perfectly normal and natural.

Treatment.—Naturally the treatment must depend upon the cause of the disorder. Occasionally surgical measures are necessary. In others nothing whatever can be done. If disease or injury has prevented proper sexual development, there are no known means for improving the condition. It is very necessary, however, to consult a good physician, and submit to a thorough examination in all cases of impotence.

Functional Impotence—may be defined as the condition existing when apparently normal sex organs fail to function properly making it impossible to perform the sex act properly.


Causes of Functional Impotence

1. Excesses.—This is the most common form of functional impotence, as well as the most simple. The nerve centers become completely exhausted. The first essential in a cure for impotence due to this cause is absolute sexual rest. There may be other measures to be considered but no cure can be hoped for without an opportunity for the exhausted centers to recuperate. The length of time will depend upon the severity of the trouble. The advice of a good physician is of equal importance. Care of the diet, and both mental and physical hygiene should not be overlooked.


2. Masturbation as a Cause of Impotence is frequently exaggerated, and in many instances is purely imaginary, influenced, of course, by the urid literature of the quack doctors. However in severe cases the sexual centers have become exhausted, just as they do in other cases of excesses.

3. Coitus Interruptus is a very common cause of impotence. The practice should be stopped immediately and proper treatment instituted.

4. Gonorrhea as a Cause of Impotence.—While gonorrhea has always been considered one of the chief causes



Healthy Semen, Greatly Magnified



The Semen of a Victim of Sexual Excess

of impotence, it is only in severe and badly treated cases that we have observed any bad effects. Such cases often leave the patient with chronic congestion and inflammation of the urethra, prostate, and seminal vesicles. This congestion causes continual impulses and consequent irritability and exhaustion. Proper medical treatment may be relied upon to bring about a speedy cure in such instances.

5. Sexual Abstinence as a Cause of Impotence.—Continued lack of any sexual gratification may result in impotence if the condition has existed for a long time.

Treatment for Functional Impotence.—In most diseases the Doctor's treatment must be supplemented by the things which the patient can do for himself. Impotence is no exception to this rule. As already pointed out great care should be used in the selection of a physician. He will prescribe certain medicines, treat the congested areas, and plan a campaign of reconstruction. This plan should include:

1. Absolute sexual rest in order to give the exhausted centers a chance to gain strength. The length of this vacation will vary from one to six months, depending on the age and condition.
2. Avoid all forms of spooning. Mental indulgence is just as harmful as physical indulgence.
3. Husband and wife should sleep in separate rooms.
4. Avoid alcohol, tea, coffee, cocoa, eggs, oysters, and all stimulating foods or drinks.
5. DO NOT WORRY. Don't overwork. Live in the open as much as possible.

These simple instructions will effect a speedy cure for functional impotence if followed out rigidly in conjunction with the specialist's medical treatment.

Psychic Impotence

Definition.—In psychic impotence the trouble is not to be found in either the sex organs or in the sex centers. The disorder lies in the patient's mind. Perhaps he only imagines that he is impotent on account of the exaggerated statements he has read or heard. Some one told him that all boys who had sinned in their youth would be impotent. This fact clings to him, and the fear of the thing is often sufficient to make the fear a reality.

Causes of Psychic Impotence.—Anything which influences the imagination may be the cause, such as fear, disgust, joy, superstition, or preoccupation. As an example of

the last mentioned we have the case of the mathematician who was always rendered impotent by the thought of a peculiar problem just at the psychological moment.

Treatment.—All cases of psychic impotence have a tendency to create the same conditions we have observed under other forms of impotence. In other words psychic impotence may be a direct cause of functional impotence. Treatment must be given accordingly. Usually mental treatment alone is sufficient. A change of environment and improved hygienic conditions are advised.

Impotence of the Female

Definition.—Impotence is here defined as any condition in the female which renders intercourse impossible.

Causes.—The causes of this disorder are usually to be found among the following:

1. unyielding hymen.
2. adhesions.
3. abnormality in the size of the clitoris.
4. diseases of the vagina.
5. malformation of the external sex organs.
6. stricture of the vagina.
7. dyspareunia (severe pain.)
8. vaginismus (spasm of the vagina,)

Treatment.—If the impotence is due to any of the first six causes above mentioned, about the only method of cure is through the surgeon's knife. In almost all cases an entire cure can be brought about with the proper medical, surgical, or hygienic treatment.

Sterility

Definition.—As indicated in the previous chapter, sterility implies the impossibility or begetting children. Before the era of universal sex education the woman was always blamed for a childless marriage. Today we know that man is sometimes sterile, and that quite frequently it is man's impotence alone which prevents conception.

Causes of Sterility in Men.—Among the common causes of sterility in men we must mention the mumps again, particularly in later years. This disease often so affects the testicles that they are incapable of producing the sperm cells. There are cases in which sterility results from crippled or injured sexual organs. Accidents in

youth often hinder or stop the development of the testicles making it impossible for them to function properly. Disease sometimes blocks the seminal ducts preventing the passage of the sexual secretions. Testicles may be removed by surgical operation (castration.) The tube which carries the semen from the testicles to the seminal vesciles may be cut (vasectomy). The first operation has a profound effect on the life and character of the individual. The second (vasectomy) is simple, painless, and does not remove sexual desire or sexual power. Both operations remove the possibility of having children.

Venereal Disease as a Cause of Sterility.—Gonorrhea and syphilis are very frequent causes of sterility, both in men and in women. Gonorrhea may cause the obstructions in the seminal ducts. Syphilis in its virulent forms, and if not skillfully and thoroughly treated often destroys the testicles or other important sex organs, thus making impregnation impossible. Stricture may be the cause of sterility. The semen cannot be forced out through the eurethra, and as a result it flows back into the bladder.

Other Forms.—Even when all the sex organs seem to be present and perfectly healthy, we may find a condition in which the testicles do not secrete any semen whatever. In some cases there are no sperms in the semen; in others the sperms may be present but lifeless; and in still others the essential secretions of the prostate gland or seminal vessicles may be lacking.

Treatment.—When any of the sex organs are atrophied or lacking altogether, on account of disease, injury, or operation, there is no remedy possible. But when the condition is due to inflammation, simple obstruction, or congestion, a good doctor can accomplish wonders in a very short time. If you consult a quack, you are wasting your time and money, and you are endangering your future health and happiness. It is a safe rule to consult your family doctor first. If he cannot help you, he will recommend some one who can.

Causes of Female Sterility.—The most common cause of sterility in women is an inflammation of the Fallopian Tubes which blocks the passage of the eggs from the ovaries, making conception impossible. This inflammation may be the direct result of childbirth, but more frequently it is due to a gonorrheal infection, contracted from the husband. Syphilis does not cause sterility. The discharge from the disease, leucorrhea, is often powerful enough to destroy the life of the male sperm cells. Occasionally we

come across women so completely run down and exhausted, that menstruation ceases altogether. Conception is then impossible.

Treatment depends, of course, upon the cause of the disease. It requires the aid of a good physician. However before submitting to an operation, treatment, or even an examination, be very sure that it is not your husband who is to blame. A simple examination will tell this.

Sexual Neurasthenia

Definition.—By sexual neurasthenia we mean physical or mental exhaustion due to disorders of the sexual system.

Difference Between Neurasthenia and Impotence.—Although every case of sexual neurasthenia involves a disorder of the sexual function, it is a mistake to jump to the conclusion that every case of impotence is accompanied by neurasthenia or general debility. Men may be absolutely impotent and yet retain full mental and physical health. In certain rare cases the impotence does not even affect the patient's state of mind. He may remain happy and contented in accomplishing his life work, with never a thought or worry about any sexual gratification.

Causes of Sexual Neurasthenia.—The first as well as the most important cause of sexual neurasthenia is abuse or disease of the sexual organs such as masturbation, excessive intercourse, excessive nocturnal emissions, withdrawal, lack of sexual satisfaction, spermatorrhea, or venereal infection. Next in importance come those causes which convenience may be classified under the term "mode of life," such as worry, overwork, suggestive literature, drama, or dress, bad companionship, and society's demand for a suppression of the sexual instinct. And finally we cannot ignore the influence of heredity. It has been clearly shown that the offspring of neurasthenic parents are subject to the sexual disorders which bring on sexual neurasthenia.

Symptoms of Neurasthenia.—In extreme cases of this disorder practially every organ in the body and its function is affected. The following are usually present:

1. pains and aches in the back or over the kidneys.
2. palpitation of the heart.
3. poor circulation.
4. frequent headaches,
5. eyestrain.

6. lack of ambition.
7. inability to concentrate.
8. melancholia.
9. morbid fears.
10. brain fag.
11. extreme nervousness.
12. sensitiveness,
13. bashfulness.
14. deranged appetite.
15. digestive difficulties.
16. impotence.
17. shrunken or relaxed sex organs
18. pollutions.
19. lack of orgasm.
20. masturbation.
21. pains in the testicles.
22. itching about the parts.
23. frequent urination.
24. painful urination.
25. shuddering at urination.
26. retention of the urine.

etc., etc., etc.

Of course these symptoms are interwoven, and may vary with the progress of the disease. The aches and pains may be minor matters, or they may cause agonized suffering. Naturally we do not expect to find all the symptoms present in any one particular case.

Treatment.—In order to cope successfully with sexual neurasthenia we must first determine the cause of the trouble. It is safer and cheaper in the long run to consult a specialist or some good physician who has made a study of sexual disorders. If the malady is due to some abnormality in the sexual apparatus, such as a congested urethra, or a diseased prostate, the correction of these disorders will bring a speedy cure for the neurasthenia. On the other hand if the neurasthenia, itself, has been the cause of the sexual trouble, the neurasthenic symptoms require prompt treatment. In either case strict attention must be given to the proper diet and hygiene, in order to restore the vitality of the exhausted body. Most physicians prescribe a complete rest for a week or ten days, in order to give the heart and nervous system a chance to recuperate. Alcoholic rubs, and cold sponge baths are advised. The diet should be plain and nutritious with plenty of eggs and milk. Intoxicants of all kinds should be studiously avoided

Frigidity

Definition.—The word frigid means coldness, and a woman who has an aversion for sex relations is called a frigid woman. It is said on authority that fully 20% of the women of the United States suffer to some extent with this disorder. Cases in men are extremely rare.



Causes. — Some women are born with little or no sex instinct which is called congenital frigidity. Or through the traditions of conventionality an unmarried woman may live a lifetime with no knowledge of this side of her nature. The condition may also be due to physical injuries, fear of pregnancy, excesses, social restraints, or an actual dislike for the husband.

Causes More Often Mental.—Generations of modest mothers have brought about a common belief that the natural mating instincts are vulgar and unwomanly. The mere mention of these heaven sent reproductive instincts was considered "unladylike" in the old days, and even today this same false modesty is responsible for the fact that so many mothers shirk the responsibility of instructing their children in the laws of life. Unhappy marriages and divorces might be greatly decreased if the husband dropped that matter-of-fact, affectionless, "you're my property" manner. Just a little real consideration and tenderness will gradually effect a cure.

The Symptoms of Frigidity.—Naturally the symptoms are difficult to explain, but any husband whose eyes are open may detect the change that has come over his sweetheart in her attitude towards him after marriage. The trouble is almost entirely psychic. Sympathetic action on

his part will quickly banish the mental state that chills their married happiness.

Man's Eternal Selfishness.—Unfortunately most husbands are extremely selfish in this matter, and countless cases of unhappiness, shattered nerves, and ill health are the result. In the marriage relation the husband should bring forth and utilize all the charming and endearing manners which have made courtship an art, and thus awaken in his wife a generous and sympathetic response.



Treatment.—Little or nothing can be done for frigidity that is congenital. Most of the other cases, however, can be cured. The treatment as indicated above must be mental in the vast majority of cases. In our advice to frigid women, however, we recommend first, that you consult the best physician or specialist available, in order to find out the real cause of your condition; and second that you and your husband in co-operation with the physician devote your best efforts towards a speedy cure. Your own happiness and the happiness of your children depend upon frank speaking and common sense action.



Other Sex Disorders and Perversions

Sexual disorders are undoubtedly responsible for more anguish and intense suffering than any of the other ills to which mankind is subject. We have now discussed at some length the more common and the more serious troubles. And there are hundreds of other ailments so disgusting that they have no place in a work of this kind. In fact they need not be mentioned because bestiality and human depravity are not at all germane to the subject of sexual relations. But the common knowledge that these are real diseases which can be cured through proper treatment will go a long way toward relieving the unhappiness of the world. Sufferers are here warned for the last time to use good judgment in the selection of a physician. Life without sexual vigor is almost worse than no life at all. A conscientious practitioner is the cheapest and safest investment.



UNHAPPINESS *is* USUALLY DUE *to* IGNORANCE *of* NATURE'S LAWS

Treatment for Sex Perversions.—On account of the morbid impulses and practices, it is first necessary to arrive at an exact understanding of the true nature of the abnormal personality. The physician must first treat all the actual diseases which underlie the sexual abnormalities. Bodily and mental rest is very often the first need; and for this purpose a change of environment and climate, or an ocean voyage may be very useful. Such drugs as bromides and camphor are widely given. But even after all these simple measures have been taken, the real treat-

ment will usually have to be psychical or suggestive. In many cases the confession of the true facts in the case to a well informed sympathetic physician will in itself restore an inward confidence and a healing repose. Sex perversions are after all diseases of the will and must not be thought of or treated from a moral or religious standpoint. The will power, the ability to overcome the abnormal desires can and must be developed through the power of suggestion, right living, and inspirational occupation.

Quacks and Quackery

Interesting Stories of Human Vultures and Their Devilish Methods

Advertising Doctors.—It is not so many years ago that the daily newspapers were filled with lurid and cleverly worded advertisements offering a speedy cure for secret diseases, and lost manhood. The streets of our large cities were lined with medical museums, traps for the unwary, for men only. Today reputable newspapers refuse to accept such advertisements, but the same men are advertising in unscrupulous mediums, are passing out circulars in questionable places and are still doing business in the same old way.

The Chicago Tribune was one of the first papers to start a crusade against these beasts of prey. Their investigation was thorough and complete, and the Editor has kindly given us permission to make extracts from the various exposures as they appeared in the Tribune:—

QUACK'S AIDS TELL OF HORROR CHAMBERS

The Tribune presents to its readers today the "confessions" of two men who know a certain phase of medical quackery from the inside. They are former employes of that eminent specialist in "getting the money," Dr. Edward N. Flint, who practices medical skullduggery at 322 South State Street.

The individuals who made the "confessions" were "floor men" in "institutes" which Flint conducts in a string of middle western cities as a side line to his regular "offices" in Chicago. The business of the "floor man" or capper is to mingle with the crowds that visit the "institutes," gain their visitors' confidence and lure them to the "case taker" and the doctor who fleeces them. It must be said in behalf of the two men who talked to the Tribune that when they entered Flint's employ they did not know he was a swindler and that they got out of the business as soon after they had learned the truth as they could.

"Institutes" of the kind Flint runs are well known to the average Chicagoan. They are the wax-work shows which recently have been ordered suppressed in Chicago by Health Commissioner Young. Some still are running surreptitiously. The visitor is attracted to the "institute" by a wax-work display occupying one of the windows. He

enters and finds himself in a long room containing 100 or more wax effigies representing human beings in the various stages of disease. The figures in the front of the room are exceedingly frank in their display of the human form. That is to give the show drawing power among the prurient.

As the visitor passes down the line, however, the statues undergo a subtle change. He finds chills of horror beginning to chase each other up and down his spine. He stops in front of a cabinet with a glass front. As he peers through the pane the interior of the cabinet suddenly is illuminated by electric light and the face of an idiot boy leers out hideously at him. Over the boy's head, sharply set off by a shaded light, are the words:

LOST MANHOOD

The visitor starts away in horror and is immediately approached by a man in uniform, who suggests that he go up and see the doctor. A little farther on a tableau displays the ravages of venereal diseases. By this time, quite naturally, the visitor is beginning to feel ill. This is the time for the "floor man" to get in his fine work. The "floor man" has been watching the crowds carefully. He has picked this particular visitor as a "live one." He arrives at the man's side and offers his sympathy. He desires to know the visitor's symptoms. The visitor, glad to confide in anyone, tells what he thinks is the matter with him. The "floor man" gets him a drink of water and then adroitly ascertains how much money he has with him.

When this information is given the visitor is ready for the doctor. In the slang of the "institutes," the operation which follows is "feeing the patient." A patient is "feed" in the slang of the institute when he has been fleeced. If he comes back for a second fleecing he is "refeed."

MAKES A "DOCTOR" IN FOUR SECONDS

Fred Glover lives at 2618 Emmett Street. When Burgess assumed charge of the Atomo-Radio Company he was an obscure but ambitious elevator operator at 32 South Franklin Street. About a month ago, George Franks, who formerly worked for Dr. "Specificus Gravitus" Zins, walked into Glover's elevator.

"Hello, Franks," said Glover. "What are you doing?"

"Why," replied Franks, "I'm practicing medicine."

"Where do you get that 'practicing medicine' stuff?" inquired Glover. "You never studied to be a doctor."

Franks laughed. "Fred," he said, "you always were a

boob. Wise up. You don't have to study to be a doctor. You don't even have to grow a set of whiskers. All you have to do is—but say, I'll show you how. I'll make a Doc out of you. I'm going on a vacation. Come on with me. You can have my place."

Glover says Franks took him to the Atomo-Radio offices and presented him to Burgess. He explained that Glover was a potential "wise guy" and wanted to substitute for Franks while the latter was away. Glover says Burgess looked him over, accepted him, fixed him up with a white jacket, and then gave him the following instructions:

Scare your patient into believing he has some disease.
Then find out how much money he has.
Get the money.
Then get rid of the patient as quickly as possible.
Don't waste time with a patient after he's broke.
Don't tolerate a moneyless patient around the office.

Glover started work, but did not carry out the instructions to the letter. He had some home-grown medical ideas of his own and he supplemented this by reading medical books. He gave his patients good advice. He told them to eat and sleep regularly. His methods were so different from the other "specialist" in the place that he became popular with many of the patients. They would ask for him. After Glover had been there three weeks he was called before Dr. Burgess. The doctor had discovered that the former elevator man was treating the patients almost as if he wanted to do them good, instead of merely "do" them.

"What is the meaning of this?" Glover says Dr. Burgess asked him. "What do you think this place is? Do you think we want all of these patients to think they can get well without coming to us with their money?"

A few days later Glover was told his services were needed no longer. He protested that he had been induced to leave his elevator job with the understanding that his position was to be permanent if his services were satisfactory. He told Dr. Burgess that he had given up his former job and that he could not get it back.

"I realized then why they did not want me," Glover told the Tribune. "They want a man who will bunko the ignorant patients and get the money. The only man licensed to practice medicine at the Atomo-Radio Company is Dr. Burgess. The rest are taken from some other job. They know nothing of the legitimate practice of medicine. They make doctors out of them as they did me. They take them

from the street, give them a white jacket, and they are 'specialists.' I could continue in the business if I wanted to be dishonest. They are merciless. They want the money. I think too much of my future to jeopardize my chances by robbing the patients the way you must do in those places. Now I am out of a job. I will have to sell my library to pay my rent unless I get a job this week. I have worked hard to buy these books and sometimes I study all night."

FORMER INTERPRETER FOR QUACKS MAKES CONFESSION OF THE SYSTEM USED

"I was interpreter and office man. I speak Polish, Slavic, Bohemian, Russian and English. The office was on the second floor. There was a reception room, a consultation room, the doctor's private office, the electrical room, and the pharmacy where we kept the dope.

"When a new patient would come in I would tell him that the doctor was performing a serious operation at the time and would let him sit there for about an hour, so as to let him think we were an important firm. First I would get his name and age and address and the place he worked and how much he got in salary and what day he received his pay. Then I would find out about his symptoms and whether he ever had been treated before. All of this information would go in to the doctor so he would be prepared. One of my duties was to keep new patients from talking with any old patients who might happen to be in the waiting room. If they insisted on talking it was my place to get into the conversation and switch it to some other subject. If it got too strong to swing I would isolate the new patient in one of the consultation rooms. For instance, here was a case of one fellow, I remember. When he came in I found out he was a second boss in the stockyards and how much he got, and that he was paid on Fridays. I took him into the doctor and explained in English he wanted attention.

"The doctor looked at the patient and shook his head and spoke to me. I translated and told the man he was in a very bad condition. Then we put him on the operating table. The doctor shook his head again. I explained the doctor was afraid to take care of the case because it was a serious one. Then the doctor asked me, 'Does this man value his money more than his life?" and I translated it to the fellow on the table, who would gladly assent to pay anything he had to be saved. The doctor then decided to

take the case. After being examined this man asked what the charge was and the doctor told him $25. The man pulled out a roll of bills with a $50 bill on the outside.

"Wait a minute," said the doctor, as he carefully began looking at the patient again. The patient weakened and lay back on the table. After more of the fake examination he was separated from $50, instead of the original $25 which we had asked. He was given a prescription which was filled at our drug counter, and cost him $5.00. There was just enough of the medicine to last him until the next pay day. I know that they never cured any diseases, because they had no real drugs to do it with. We used to get pills by the barrel."

DR. ISAAC WALTER HODGENS. HE TELLS HIS PERFECTLY HEALTHY CALLER HE HAS PROSTATIS AND WANTS $35 FOR TREATMENT

Hodgens' place is at 35 S. Dearborn St. He advertises "scientific direct methods" for curing "specific blood poison, acute and chronic infectious diseases, weakness and nervousness" in the shortest possible time, and lays emphasis on the fact that he is a graduate of Jefferson Medical College. He informed a perfectly healthy investigator who called on him that he was suffering from prostatis and offered to cure him for $35. This diagnosis was based on an examination of mixture of water, ammonia and anilin which had been submitted to him by his "patient." It is true that he is a graduate of Jefferson Medical College. He was licensed to practice medicine in this state in 1902. He lives in Wilmette.

Oct. 10.—I visited Dr. I. W. Hodgens, second floor of the Crilly Building, today. I gave the name of H. Vanderveen.

"What is the matter?" asked the doctor when I entered.

"Nervous." I said. "Wanted to have you look me over. I haven't been feeling well."

He looked at my tongue and said it was badly coated. Then he examined my eyes with a magnifying glass.

"Appetite?" he asked.

"Sometimes good. Sometimes bad."

I told him I was worried over my health because I couldn't enjoy the work I was doing—inside work over a desk.

"I think that something is wrong with your urinary tract." he said. He asked me to bring him a specimen to-

morrow. He said his bill would be reasonable and to feel perfectly safe. He did not require any sort of a deposit. On the walls of his office are pictures of persons in various degrees of syphilis. He ushers patients out of the office by a rear passage.

Oct. 11.—I called on Dr. Hodgens again today. I delivered to him a bottle which he had provided yesterday. filled with a mixture of water, ammonia and anilin, obtained from the American Medical Association.

"I will have to examine this, Mr. Vanderveen." he said. "It will take me ten or fifteen minutes. Wait here."

He returned in about ten minutes. "Be patient. Mr. Vanderveen, I don't want to say I know what's wrong until I have thoroughly examined the contents of the bottle. I think there is uric acid in it."

In ten minutes he returned again and examined the prostate gland.

"Very sensitive, very sensitive, young man. I will have to make further examination."

"What is the prostate gland?" I asked him, "and how serious is the trouble?"

"It is a gland just at the neck of the bladder. It might be said that it controls the nervous system. When that is deteriorated you are nervous. You are run down and have no desire to work."

He went out and returned in a moment; then asked me to step into his assistant's office. The assistant, named "Smith" (he said), examined me further.

"Very much enlarged," he said with a long face, "very much more than I expected. I want to give you treatment."

"How much will it cost?" I asked.

"Well, the regular price for this treatment is $50. You had better take it. You are facing a dangerous thing.

"Considering your condition financially, I think we can give you treatment for $35. How much can you pay now?"

"Three dollars is as much as I can give," I replied.

"We don't like to take less than five. How often can you make payments?"

I told him once a week and he seemed satisfied.

"I guess that is enough for this afternoon," he said. "I will want to give you another kind of treatment soon, but you are in too delicate a condition now for it. Come on Monday night."

He escorted me to his drug dispensary and provided me with a bottle containing a red fluid. It was marked "Private formula." He seemed worried about my condition.

"Now, Harry," he said when I left, "I am glad you came to us. You are in a serious condition."

Then he handed me a small packet of pills.

DR. McCANDLESS DISCOVERS VARICOCELE AND WANTS $50 FOR AN OPERATION

The establishment of Old Doctor (Francis Leaverett) Sweany is at 63 W. Randolph St. The reporter who visited the place was received by a Dr. McCandless. He was told he had varicocele. The "patient" had been previously diagnosed by another quack as a syphilitic. Dr. McCandless, however, found no trace of this disease. He wanted $50 for a minor operation. Dr. Sweany, who established this concern, was a graduate of the Medical College of Indiana, Indianapolis. The school is now defunct. He practiced simultaneously in Chicago, and Philadelphia from 1900 to 1908 and in St. Louis from 1900 to 1902.

Oct. 10.—I went to the office of Dr. Sweany & Co. today. A flamboyant sign stops you as you pass on Randolph St. Dr. Sweany's name is on the sign and on the door in big letters and it is on the steps in metal placards several times. A young man asked who I was, and, learning I was a new patient, went at once to the "doctor in charge." While he was gone a janitor stuck his head in the door and wanted to know my number. I told him I was a new patient, and he made tracks for the front office also. The doctor in charge—his name is McCandless—invited me in, smiled, stuck out his hand, and asked what he could do for me. I told him I was to be married in a month and wanted to see if I was all right.

"I have been told I had syphilis," I said, thinking of an experience the day before with 'Prof. Ehrlich' "and I want to be sure I haven't."

"What leads you to that belief?"

"Well, there's the hair falling out, doctor—and the tightness of the throat."

"I don't think you have syphilis; you don't look syphilitic. Let me examine your hair and your throat."

He strapped a magnifying glass to his forehead and trained it on my throat, pressing down my tongue with a nickel plated instrument. Then he felt my scalp.

"No, I don't believe you have syphilis," he said. "The falling hair may be due to some affected hair cells. I am of the opinion that a blood test would show negative."

After some more inquiry he said I had varicocele.

"That case of varicocele is not very bad now, but it's weakening. I would advise you to have it fixed."

"How much would it cost?"

"Fifty dollars."


"That's an awful lot of money, doctor."

"Well, it seems a good sum now, but you can afford it better at this time than after a while. You owe it to yourself and to your future wife to be in perfect health."

"I think I can borrow it," I answered after studying the matter for some moments. "I am sure I can. Would you want it all at once?"

"Oh, no, not necessarily. You could pay $25 now and $25 later, or you can pay so much—say $5 or $10—a week. We can cure you easily in the month."

He then wrote my name (Everett Dimond today) age, occupation, grocery clerk in Wilmette, and the amount of the fee. Dr. McCandless is a rather tall, spare and solemn man, with a look of profound sincerity and trust-worthiness.



A TYPICAL SPIDER WEB

PART 7

DISEASES AND DISORDERS

SECTION 3. THE VENEREAL DISEASES

DESCRIPTION, CAUSES, TREATMENT

GONORRHEA

INSTRUCTIONS FOR THOSE HAVING GONORRHEA

SYPHILIS

INSTRUCTIONS FOR THOSE HAVING SYPHILIS

CHANCROID

STATISTICS ON VENEREAL DISEASE

Diseases and Disorders

Sec 3. The Venereal Diseases

DESCRIPTION AND CAUSES. TREATMENT STATISTICS

Our Slogan.—Fight social diseases with facts, not sentiments; study the problems of venereal infection for information, not sensation; combat social evils with science, not mystery. This is the keynote of our campaign to train men and women and children to think straight along the line of social hygiene.

The Moral Aspect.—We must not consider venereal disease as a God-given plague to keep people from sin. Let us treat it as a sanitary and economic problem, rather than one of religion or morality. It can and should be stamped out. There is a lingering belief that without syphilis licentiousness would rule the world. This is nonsense. Immorality was rife in Europe long before syphilis was ever heard of. It is just as insistent today after several centuries of syphilitic prevention. Let us therefore attack the sin at its source. We can no longer look on unmoved while through sheer ignorance the sins of the fathers are visited upon the children even unto the third generation.

Definition of Venereal Diseases.—By venereal diseases we mean those which pertain to or are contracted during sexual intercourse. The three principle diseases are gonorrhea (other names: clap, a dose, chordee, swollen testicle, gleet, etc.), syphilis (other names: pox, old rale, lues, etc.), and chancroid. Gonorrhea is by far the most prevalent, syphilis is by far the most horrible, and chancroid is of relatively little importance.

Statistics and Percentages.—It has been the theory of educators and authors that gross exaggeration of the prevalence and dangers of venereal diseases would serve to frighten the wayward boys and girls away from a life of sin and vice. Consequently absolutely false statements have been circulated and generally believed. For instance you may have heard it said that seventy-five or eighty per cent of all young men contract a venereal disease at one time or another; that sixty per cent of all operations on

women are due to venereal infection taken from the husband; that all prostitutes, loose women, and even the occasional backslider are venerially infected; that gonorrhea and syphilis absolutely destroy health and happiness, and that neither disease is curable. In spite of the obvious good intentions behind these statements they are absolutely false, and what is even more important they have at no time prevented the youth from learning by experience the truth which in itself is sad enough.

According to the most authentic statistics only about 20 per cent of the men in civilized countries contract gonorrhea during a lifetime. The percentage of women who contract venereal diseases from their husbands is less than two per cent. A very large number of loose women ply their wicked trade throughout a loose woman's lifetime without even a sign of venereal infection. But most important of all GONORRHEA AND SYPHILIS IF TAKEN IN TIME CAN ALWAYS BE PERMANENTLY CURED, WITHOUT ANY SERIOUS AFTER EFFECTS. If it were not so the world would long since have been depopulated.

Do Not Get the Impression that we advocate a life of vice, or that we wish to minimize the dangers which confront an ignorant young man on every side. Venereal diseases have been and still are a terrible menace to civilization. Ill health, deformity, blindness, insanity, and misery are their silent partners in crime. But the mystery and the evasion, and the downright lies, and the exalted sense of false modesty have accomplished absolutely nothing. Isn't it about time we came out in the open and faced the facts? Cannot we acknowledge that the root of the whole trouble lies in our ignorance of the book of life? Education, and education alone, will quickly banish these great plagues from the face of the earth.

Venereal Prophylaxis.—Among the means of improving the race we have already devoted a chapter to venereal prophylaxis (pp. 30-35). Through a most wonderful discovery it is now possible to avoid venereal infection through the proper use of prophylactic measures. Nothing that we can do to prevent infection will justify illicit intercourse, but at the same time nothing that we have ever said or done has served to stamp out prostitution. Therefore anything that we can now do to prevent the awful consequences, must in the long run be a boon to civilization. Briefly, venereal prophylaxis consists in applying treatment for the disease before it is even contracted.

Any reputable doctor can prevent infection if you report to him within twenty four hours of the exposure.

Other Means of Preventing Venereal Disease.—The most important consideration in preventing venereal disease is *cleanliness* of the parts. If the glans penis is not absolutely clean it invites infections of all kinds. For this reason *circumcision* early in life is highly recommended. The operation is a simple one, and if it promotes cleanliness, prevents disease, and reduces the possibility of contracting bad habits, it must be worth while. *Urination* immediately after the act is a simple means of prevention because it tends to wash out the germs, and neutralize them with its acidity.


A Word of Advice.—If you have been foolish enough to expose yourself to venereal infection, without proper prophylactic treatment, and have contracted a venereal disease, then if you value your future health and happiness, if you value your life, heed this advice: Beware of the quacks, advertising doctors, and the proprietors of museums for men. In every town there are druggists or barbers who will tell you that a dose is no worse than a bad cold, that they can cure it in two weeks' time. They outline a course of home treatment, but even if that treatment does stop the discharge, don't think for a minute that you are cured. Its a real man sized job to cure any venereal disease. A good doctor who has a good education, and who keeps abreast of the times has his hands full. What chance has a drug clerk, or a barber, or a know it all friend?

Parents.—Any father or mother worthy of the name would far rather hear the truth from your own lips than to live in fear and anxiety. Take your medicine manfully, and make a clean breast of it. Contrary to the teachings of modern literature, you will have to search a long time before you will find a mother or a father who won't stick to you through thick and thin under these circumstances, or take you to a responsible physician. If you have no parents, or if you cannot count on their help, which is just as bad, then ask some one responsibie to recommend a good doctor.

Gonorrhea

(Clap—a dose—chordee—gleet—swollen testicle)

Definition.—Gonorrhea is an infection of the urethra. The germ is called gonococcus, and is so small that it can only be seen under a strong magnifying glass. (See accompanying illustration.)



THE GERMS OF GONORRHEA IN THE ACUTE STAGE (HIGHLY MAGNIFIED)

A catarrhal discharge from the penis looks exactly like a gonorrheal discharge until subjected to the glass, hence it is unwise to jump to conclusions before a careful examina-

tion has been made. The presence of the gonococci in the discharge is conclusive proof of the disease.

Symptoms.—Gonorrhea causes so much discomfort that, unlike some other diseases such as syphilis, it cannot be ignored in its early stages. However, it generally takes from three to five days from the time of exposure before the patient knows that there is anything wrong. This is called the incubation stage. In other words it takes from three to five days for the germs to develop after the original infection. Next comes the *prodromal stage* in which there is a slight tickling or burning sensation in the end of the penis. Upon examination the urine will be found clear and there is no discharge. It is not until after the *acute stage* has been reached that the discharge appears. At first it is white and hardly noticeable. Later on it becomes more profuse, runs continually, and takes on a yellow greenish color. In this stage things go rapidly from bad to worse unless proper treatment is given. The penis becomes red and swollen, there is a very painful burning sensation at urination, and general discomfort. This stage ordinarily lasts from two to four weeks, but during the last week or ten days there may be some decrease in the discharge, and the painful symptoms. In the final or *declining stage* the discharge gradually disappears until at the end of five or six weeks the gonorrhea has entirely disappeared, there is no discharge, and no evidence of the disease in the urine.

The Great Difficulty.—The patient is apt to discontinue the treatment before a cure has been effected. In such cases the disease persists *indefinitely* either as a morning drop, or as *gleet*. Perhaps neither of these symptoms is present and still the patient is subject to serious accidents and is a real danger to any woman with whom he has intercourse.

Do Not Be Deceived.—Gonorrhea is a serious disease. Occasionally it is very mild in its symptoms, but if it is neglected, or if not properly cured, painful early complications, and later, very serious ones are likely to occur. Common early complications are chordee, inflammation of the prostate, and bladder, and swollen testicle. Frequent later developments are gonorrheal rheumatism, disease of the heart, and stricture, all serious troubles. Gonorrhea is the most common cause of sterility, and serious diseases of the pelvic organs in women. A drop of the discharge rubbed carelessly from the finger into the eyes will cause blindness. Thousands of children have been born into the

world totally blind, owing to a gonorrheal infection contracted at child birth.

The Time to Cure Gonorrhea—easily is early in its course. The sooner proper treatment is begun, the sooner gonorrhea can be controlled, and the less likely are serious complications. Gonorrhea can be completely cured, but in its treatment the victim must co-operate with his physician to the fullest extent. After the disease has become chronic, after the infection has spread to the prostate, the seminal vesicles, or to the testicles, then it may take months or years to cure it, and in some cases becomes absolutely incurable. This situation can never arise if proper treatment is given early in the first stages, and if the doctor's instructions are faithfully carried out.

INSTRUCTIONS FOR THOSE HAVING GONORRHEA

1. Persist in treatment until your doctor tells you you are cured.
2. Do not try to treat yourself.
3. Do not use a patent medicine that may stop the discharge but will not cure you.
4. Do not let an advertising doctor—a quack—get your money; or let a drug clerk treat you.
5. During the acute stages keep quiet, and take little exercise, as long as there is any discharge. Avoid dancing.
6. In order to avoid chordee, while the disease is acute, sleep on your side, urinate just before going to bed, and drink no water after supper.
7. Never "break" a chordee. To get rid of it wrap the penis in cold wet cloths or pour cold water on it.
8. Except at night, drink eight or ten glasses of water every day.
9. Do not drink any alcoholic drinks. They make the disease worse and delay its cure. Also avoid spicy drinks as ginger ale, etc.
10. Do not eat highly seasoned food.
11. Always wash your hands after handling the penis. Gonorrhea of the eyes is very dangerous. It will produce blindness if not at once treated, and the infection is easily carried to the eyes on the fingers.
12. Keep the penis clean. Do not plug up the opening with cotton or wear a dressing that prevents the escape of the pus. Wash the penis several times daily.
13. Burn old dressings.

14. Never use another's syringe or let some one else use yours. Wash the syringe in very hot water, and when you have finished with its use, destroy it.

15. Avoid sexual excitement. Stay away from the women. Do not have intercourse. It will bring the disease back to you, and is almost sure to infect the woman. As such it is a criminal act.

16. If you persist in following these instructions you will prevent relapse, make your cure much easier and more certain, and expose no one else to the disease.

Syphilis

(Pox—Old Rale—Lues)

Historical Facts.—Syphilis was unheard of in Europe until the year 1492, when Christopher Columbus and his sailors returned from America, bringing the dread disease from the Island of Haiti, where they had stopped. From Spain it spread rapidly and with deadly effect throughout the entire civilized world, until today the very name syphilis has become a synonym of terror and disgust. In 1905 Schaudinn and Hoffman made a discovery which was destined to have a profound effect on the history of civilization. They discovered the germ which causes syphilis. A little later Metchnikoff and Roux and Maisonneuve invented or discovered an effective prophylaxis or prevention of syphilis, thus adding their names to the list of the world's benefactors. Within the last fifteen years Bordet and Wasserman made possible a reliable blood test for syphilis, and Ehrlich and Hata developed salvarsan (606), one of the most powerful and valuable drugs used in the treatment and cure of the disease. And what is just as important, there has finally come a public awakening, an eagerness to face the facts, a demand for education and prevention, which must in the end sound the death knell for this third great plague.

The Result.—Because of these great discoveries and the change in the public attitude, the horrible examples of wasted and rotted humanity which we formerly observed as the victims of syphilis are gradually disappearing. Scientific treatment, early application for medical aid, and a general knowledge of health and hygiene, now make it possible for most patients to escape the third or destructive stage of the disease altogether.

How Syphilis Is Acquired.—There are three separate ways in which syphilis can be acquired, namely:

Direct Exposure.—The great majority of syphiletic infections result from direct exposure, that is by direct contact with the chancre or mucous patches. Even when rigid prophylactic treatment is given infection may result from a kiss, or from the use of some infected toilet article.

Indirect Infection.—This leads us to a discussion of syphilis as a non venereal disease. Infection often comes from the careless use of drinking cups, towels, combs, tooth brushes, pencils, silverware, toilet seats, etc. This subject was discussed at some length in an article which recently appeared in the Illinois Health News. The author points out that 15 per cent of the population of any given country is infected with disease in times of peace and that the percentage jumps up tremendously in time of war. Syphilis, he says, causes all cases of paresis and locomotor ataxia, and he deduces that 30—40 per cent of the inmates confined in State Hospitals are therefore victims of this disease. Sixty per cent of the heart diseases and a large percentage of the cases of total blindness are due to syphilis.

It Is a Most Appalling Fact when one considers that nearly one quarter of the cases of acquired syphilis are contracted *innocently*. The statistics at the Barnard Free Skin and Cancer Hospital in St. Louis, Missouri, show that 24.5 per cent of those appearing at the clinic of that hospital with the initial lesion of syphilis (the chancre) as their chief complaint, had the chancre situated extragenitally, that is in a part of the body other than the genital organs, and had contracted it innocently. In Sweden where the disease was recently made a reportable one, the percentage of innocent infection is twenty three per cent.

The Chief Danger.—The greatest propogator of syphilis is the ignorant girl who lives at home, and prostitutes her body through pure waywardness, and without any desire for monetary gain. The one hope for a clean healthy race is education. As one author has put it "if medicine could cure the ills of mankind, it is plain that long ago disease itself would have been banished from the earth.

Hereditary Syphilis.—The third way in which syphilis can be acquired is through inheritance, either from the father, from the mother, or from both parents. Correctly speaking the patient does not acquire the disease, he is born with it. When the mother's blood is tainted, the child rarely escapes. Without proper medical treatment when



"DADDY, WHY CAN'T I SEE LIKE OTHER CHILDREN?"

the mother is infected, there is likely to be a history of frequent abortions, miscarriages, or premature births. As the force of the disease spends itself, living children may be born, but they start life with a heavy handicap and rarely survive. The symptoms of hereditary syphilis may be apparent at once, or they may develop in a few weeks or months. The child may appear to be in perfect health, may grow up, marry and have children, only to be stricken down at the age of 35 or 40 years, because of his father's sins. In such rare cases it is usually too late to do very much in the way of treatment, but a Wasserman test in infancy would have revealed the presence of the disease, and made a cure possible. Such a test should always be made even if the previously infected parents have received the doctor's certificate of health and permission to marry.

Symptoms of Hereditary Syphilis.—A child born with syphilis usually shows the following signs of the disease. Snuffling, a rash on the feet and hands, wizened features, blisters or lesions on the lips. With the advent of the second set of teeth, it has been noticed that in many cases the upper central incisors are notched. Frequently there is eye or ear trouble, with permanent blindness and deafness as a result.


THE COURSE OF SYPHILIS

Syphilis Is a Deceptive Disease.—Usually it is a very mild disease in its early stages, giving the person afflicted little or no distress. Because of this, the victim is likely to pay little attention to it, and fail to go to the trouble to have it thoroughly treated. But in spite of its mildness, syphilis may produce ugly deformities; destroy health and shorten life; produce blindness, and cause insanity. These results do not occur often enough to cause panic when you have the disease, but they are common enough to make it necessary for your safety that you make every effort to get rid of the disease. These accidents of syphilis never occur in the early stages of the disease. When they happen it is usually years after infection, in cases which have not been cured.

The Primary Stage—of syphilis is the one in which the infection is confined to the one sore, the initial lesion, the chancre. In other words syphilis is a purely local disease which proper medical treatment can eradicate in a very short time. This is indeed the "golden opportunity" of syphilis. The germ gains admission to the body through a microscopic break in the mucuous surfaces of the mouth

or genital organs. It remains dormant for a period of about three weeks, and then makes its first appearance as the chancre (pronounced shan'--ker).

The Chancre is a small hard lump under the skin, sometimes about the size of a pin head, and again growing to considerable size. It appears at the point of infection, usually on the genital organs although it may be anywhere. Sometimes it is in the urethra or in the vagina, and it is frequently concealed by some other infection such as an ulcer, a cold sore, or even a gonorrhea. It is therefore easy to see how the chancre is often entirely ignored, particularly as there is little if any pain or discomfort in this first stage.



THE GERM OF SYPHILIS HIGHLY MAGNIFIED. THE CIRCLES ARE RED BLOOD CELLS

The Tests.—Here is where the discovery of the syphiletic germ is valuable. It is a minute spiral shaped organism, visible only under the most powerful microscope. (See illustration.) Its presence leaves no doubt as to the nature of the disease, and makes early treatment possible, but a blood test (Wasserman) should be given at the same time. Even with a negative blood test and absence of the syphilis germs, there is no proof positive that syphilis is absent, and regular tests should be made subsequently.

The Swollen Glands.—It is the function of the lymph glands to prevent the spread of infection throughout the body. Thus in the syphilitic the final symptom is the swelling of these glands in the neck or in the groin. Here is an unfailing indication that the disease is spreading, a distinct warning that the last chance for a simple cure is at hand. Without proper medical treatment now the germs gain admission to the blood in large quantities, and we come to the secondary stage.

The Secondary Stage of Syphilis.—This stage is the one in which the disease begins to affect the entire body. It is the period of eruptions. It begins about six weeks after the first appearance of the chancre, and may last for a year or even longer. The germs attack the nervous system, the heart, and other vital organs. They have been found in every part of the body. They are present in a nursing mother's milk, and in the seminal fluid, not, however, in the egg or sperm cells.

Symptoms.—The chief symptom of the secondary stage is a rash on the chest, face, arms, palms of the hands and the feet. It is sometimes very faint, and may be entirely overlooked by the patient. In other cases there is a severe disfiguration. The eruption is usually a faint pink spot, although in some cases there may be a pimple like elevation, and occasionally we find large sores in the secondary stage. Other important symptoms are the mucous patches which appear in the throat, mouth, and on the genitals. These patches are in reality little ulcers, and are the most dangerous symptoms of the disease. Each little patch contains millions of syphilitic germs which are easily transferred from one person to another in a kiss or even in a cough. Coughing you know, is really explosive spitting. and is a dangerous source of disease. During the secondary stage the patient has a little fever, pains in the bones, eye troubles, the hair has a tendency to fall out, and finally there are dangerously contagious relapses, especially when

the treatment has been carelessly or ignorantly given. These are evidenced by a general run down appearance, loss of weight, and by the reappearance of the mucous patches in the mouth and on the genitals.

The Tertiary Stage of Syphillis.—The final stage of syphilis is really the destructive one. No definite line divides the tertiary from the secondary stage. The tertiary stage is marked by the growth of tumors which we call gummata. There is no pain in connection with these swellings, but they eat away bone and tissue, leave ulcerating sores, and may utterly destroy whole features or parts of the body. Let it be remembered, however, that with prompt and proper treatment, this stage need never be reached.

Late Syphilis.—Horrible as are the examples of syphilis in the skin and bones, yet the real terror of the disease comes from its attack on the nervous system, the heart, the arteries, and the brain. Probably about twenty percent of the syphilitic cases suffer with these later complications. Locomotor Ataxia, and Paresis are the two most common forms, although often syphilitic deaths are given out as due to Brights Disease or Heart Failure.

Locomotor Ataxia.—Is a disease of the spinal cord, marked by severe pains, incoordination, and disturbances of sensation. It may come on twenty-five or thirty years after the originial syphilitic infection. With recent improvements in the treatment of the disease, probably not more than one percent of syphilitics develop this particular complication.

Causes of Locomotor Ataxia.—Up until the year 1913 no one seemed to know exactly what the cause of this disorder was. However in that year syphilis was found to be the cause. The proof came when experiments discovered the germs of syphilis in the spinal cords of people who had died with locomotor ataxia.

Symptoms.—A great many different symptoms may develop among sufferers with this disease. They are readily recognized by their peculiar jerky walk, by their lack of coordination and by their seeming loss of balance. The germs act on the lower end of the spine first so that it is usually the lower limbs which are affected first. As the germs work higher other troubles begin such as blindness or deafness. In connection with the nervous trouble the stomach is often thrown out of order with excruciating pain and discomfort for the patient. As the disease progresses during a course of years the sufferer gradually loses all control

over his body and its functions, and when death finally comes it is often a blessing in disguise.

Treatment.—When locomotor ataxia is once acquired, it is usually too late to accomplish very much in the way of treatment. The damage once done is beyond repair. In the very first stages, however, it is possible to keep the disease from getting any worse by skillful medical treatment. Injections are now made directly into the spinal cord with encouraging results.

General Paralysis (softening of the brain—paresis).—This is a common after effect of syphilis when the treatment has not been properly given. It is insanity characterized by progressive mental degeneration, general paralysis, and mental delusions. The estimate given out that from 10 to 20 percent of all inmates of insane asylums are suffering with some form of syphilitic insanity gives some idea of the prevalence of this disease. Both locomotor ataxia and general paralysis are occasionally present in the same person.

Symptoms.—This disease comes on quite suddenly. First there is a loss of will power, judgment and moral control. It is at this period that the greatest danger lies, because terrible things may happen before any one realizes that an abnormal condition exists. There are temporary improvements even without treatment, but as a rule the case progresses to stark insanity and to death within three or four years.

Treatment.—The only safe place for a paresic sufferer is in an institution. If left at large he is a danger to himself and to the community. Modern medical science, unfortunately, has not yet evolved any effective means of treatment or cure.

THE TREATMENT OF SYPHILIS

Syphilis Can Positively Be Cured.—The earlier in its course syphilis is treated, the better are the results. It is of the utmost importance to future health and happiness that the disease be promptly and skillfully treated. If you do this, there is little danger that you will have further trouble, and after a few years you can marry without danger to your wife or to your future children. Any reputable physician can attend to the treatment of your condition, but it rests on you to do your part. Successful treatment and permanent cure can not be accomplished without the full cooperation of the patient.

Permanent Cure Requires Time.—One of the difficult things about syphilis is that to cure it often requires a long time—two years or more. In two or three weeks after treatment is begun, the victim will not know from any symptom that he has syphilis, and is likely to neglect further treatment. This is the great mistake that many persons with syphilis make. To insure future safety, treatment must be continued long after all evidence of the disease has disappeared.

Syphilis Is Contagious but it spreads only by contact with the virus or poison. The parts of the body that most often carry the poison are the mouth and the genitals (privates). In order not to spread the disease, care must be taken in association with others.

Drugs.—It is not our purpose to consider the medical treatment of syphilis. Home cures are as a rule highly unsatisfactory, and positively dangerous. Most any disease is bad enough, but the consequences of badly treated syphilis are so terrible, that the very best available physician should be consulted just as soon as there is the slightest suspicion or indication of venereal trouble. But there are three valuable drugs used in the treatment of syphilis: arsphenamine (salvarsan or 606), mercury, and idoine. Of these salvarsan is the most recently discovered. For some reason various quack doctors ridicule the use of mercury as an aid to the cure of syphilis, hence it should be generally known that reputable doctors do not rely on any one drug, *but they employ all three in the satisfactory treatment of the disease.* The United States Government in a pamphlet issued by the Department of Public Health outlines a complete course of treatment and advocates the use of mercury, salvarsan, and iodine.*

This was used during the war for the control and cure of venereal disease with remarkably good results. Every venereal patient should send to Washington for a copy of this book, and study it carefully. It will make cooperation and mutual understanding possible between physician and patient.

General Treatment.—But there are other equally important considerations in the cure of syphilis, besides the use of drugs. General good health is of paramount significance. Rest, good food, fresh air, and cleanliness ar essential to the success of the medical program. The follow-

*Note: A manual of treatment of venereal diseases—Civilian Edition—U. S. Public Health Service, Washington, D. C.

ing instructions for those suffering with syphilis should be rigidly followed out:

INSTRUCTIONS FOR THOSE HAVING SYPHILIS

1. If you have any sore on your genitals, no matter how small, or if you think you have syphilis, report immediately to the best physician available.

2. Do not under any circumstances rely on blood medicines, advertising doctors, or druggists' prescriptions. Above every thing else avoid the quack doctors who agree to take your money and cure you quickly.

3. Do not hesitate to tell your doctor or your dentist of your disease. Later in life when you are sick, the fact that you have had syphilis should be made known to the doctor.

4. Live temperately and sensibly.

5. Get at least eight hours of sleep and for safety sake sleep alone.

6. You should not use tobacco in any form.

7. Absolutely do not use alcoholic liquors. Even moderate drinking is bad for syphilis.

8. Do not have any sexual intercourse until you are told by your physician that you are no longer contagious. It will interfere with the cure of the disease, and is a criminal offense.

9. You must not marry until you have your physician's consent, which may not be properly given until at least two years have elapsed after cure seems complete. If you do, you run the grave risk of infecting both your wife and your unborn children.

10. Do not kiss anyone. Cups, glasses, knives, forks, and spoons, pipes, cigars, tooth picks, and anything else which has come in contact with your lips must not be left around so that anybody can use them before they are cleansed. This is particularly important in the early contagious stages of the malady. It is safest to use your own towels, brushes, soap, etc.

11. If you have any open sores—you will not have any after the first week or two—everything that comes in contact with them must be destroyed or disinfected.

If you live up to these simple instructions there is every chance that syphilis will not do your health permanent harm, nor cause injury to others; and you will have acted the part of a man in overcoming your misfortune.

The Wasserman Test is a blood test for syphilis. A sample of the blood is drawn out and examined for the syphilitic germs. If the reaction is positive, syphilis is indicated; if the reaction is negative, it is supposed to prove the absence of the germs in the blood. Therefore it is the best proof of cure we have. It must always be remembered, however, that the test is not absolute. In a certain small percentage of cases the test shows a positive reaction when the disease is cured, and a negative reaction when the germs are still present. The great danger is that after one negative showing the patient becomes over confident, and stops the treatment in the belief that a permanent cure has been completed. If you have ever had syphilis, the only safe way is to establish a life rule of having tests made regularly every year. By so doing the reappearance of any dangerous symptom will be promptly noted and remedial measures taken before it is too late.

Chancroids

(Soft Chancre)

Definition.—A Chancroid or soft chancre is a small eruption or ulcer, occurring on the genitals. The ulcer infects other delicate parts with the result that they spread rapidly, and are rarely found alone (The syphilitic chancre is usually single.)

Causes.—Chancroid, more than gonorrhea or syphilis, is a disease of the careless and dirty. It is relatively uncommon among clean people. It is readily prevented by prompt prophylactic treatment; simple washing with soap and water after coitus greatly reduces the risk of infection with it.

Symptoms.—Chancroids appear first as little yellow spots. They swell up and burst, discharging a bloody pus. The spots appear very soon after exposure. The innoculation period in syphilis is from two to three weeks longer than it is in chancroid.

Treatment.—For this reason every case of chancroid must be regarded as a possible case of syphilis. The syphilitic chancre may emerge only in the healing chancroid, and thus escape detection. In addition to repeated examinations for syphilis germs, blood tests should be made at weekly intervals for six weeks, and the patient kept under close observation for at least two months. If there is anything

at all the matter with your genitals, or if you have the slightest suspicion that you are coming down with a venereal disease, don't flirt with locotomor ataxia or insanity or the undertaker. GO TO A GOOD DOCTOR.

Local Treatment.—Chancroid is a purely local disease. If they are taken in time the ulcers may be burned out under anasthetics with a hot iron or with some strong chemical caustic. Sometimes, of course, this method cannot be employed because of the danger of deformity when the ulcer is located in a spot which makes the abortive treatment out of the question. In all such cases reliance is placed on cleanliness and the use of antiseptics. The first principle is to keep the sores free from pus, and to prevent the spread of this pus to other parts of the body.

General Treatment.—In order to hasten recovery, the patient should be put to bed, kept clean, and given a nourishing diet. Rest not only makes for a prompt healing of the sores, but greatly reduces the danger of bubo. Destructive chancroids are seen only on the dirty and debilitated. If patients with chancroids are kept clean and well nourished, healing is usually prompt and extensive ulceration very rarely seen.

Bubo is a swelling or formation of pus in the glands in the groin. It is the most serious complication of chancroid, and usually results when chancroid patients are not put to bed, try home cures, or are ignorantly and carelessly treated by quack physicians. It is an extremely painful ailment and requires the immediate aid of a capable physician. The swelling in the groin resulting from syphilis is not painful.

Treatment.—The patient should have complete rest. Apply hot applications. If the glands fill up with pus the surgeon's knife may be necessary in order to establish drainage. When an operation of this kind is performed six or seven days are usually required to close and heal the wound.

Some Interesting Statistics on Venereal Diseases

In many European countries cases of venereal disease in general, and of syphilis in particular must be reported to the medical authorities. This is not the law in the United States. Consequently it is extremely difficult to collect trustworthy data on the prevalence of the diseases.



SAFETY FIRST

The Moral Obligation Is Not Enough.—Every man with a venereal disease owes it to himself, to his family, and to the community to report that disease to a physician, and to secure prompt treatment. Laws ought to be passed making the moral obligation a legal one, and providing suitable penalties for its evasion. Every case ought to be registered with the proper governmental official. No man ought to be allowed to marry, or to have children, or to fulfil the marriage obligation until he has received a clean bill of health from the authorities. Such an examination is required by all life insurance companies. Why not force a man to insure the future health and happiness of his children, when it is within his power to do so?

In the U. S. Army during the Great War report of venereal disease was required, and it was a court martial offense for a soldier to expose himself to venereal infection without reporting to his medical officer for prophylactic treatment. As a result we have accurate facts and figures on venereal infections among several millions of our best fitted, and most patriotic young men.

COMPARISON OF VENEREAL DISEASES WITH OTHER DISEASES IN THE U. S. ARMY *

Sept. 21, 1917—May 31, 1918

Venereal Diseases per 1000 men.....102.3
Other Communicable diseases such as pneumonia, typhoid, etc..... 29.4

VENEREAL DISEASES BEFORE AND AFTER ENLISTMENT

Oct. 25, 1917—May 10, 1918

Cases acquired before enlistment.....5
Cases acquired after enlistment.....1

Control of Venereal Disease Is a Civic Problem.—The above diagrams prove that most of the infections in the Army originated not in the Cities near the Army camps, but in the home towns from which the men came, and the cities through which they passed on the way to camp. The amount of venereal disease contracted after enlistment is astonishingly small. The same facts are borne out by the following tables. They show where the worst conditions exist.

* During the year ending in September, 1918, there were 170,000 cases of venereal disease in the United States Army. This means a loss of two and one-half million training days, not to mention the cost of medical care and hospital equipment.

*PERCENTAGE OF VENEREAL DISEASES AMONG THE SECOND MILLION DRAFTED MEN IN THE UNITED STATES ARMY BY STATES

1. Vermont	1.30%	27. New Jersey	3.41%
2. South Dakota	1.53	28. Pennsylvania	3.58
3. Porto Rico	1.67	29. Kentucky	3.81
4. Utah	1.83	30. Ohio	4.01
5. North Dakota	1.85	31. Michigan	4.34
6. New Hampshire	1.85	32. Indiana	4.53
7. Hawaii	1.96	33. Arizona	4.59
8. Wisconsin	2.01	34. Illinois	4.96
9. Alaska	2.13	35. West Virginia	5.15
10. Oregon	2.19	36. Missouri	6.10
11. Idaho	2.21	37. Maryland	6.23
12. Wyoming	2.25	38. Tennessee	6.26
13. Massachusetts	2.31	39. New Mexico	6.71
14. Minnesota	2.31	40. North Carolina	6.75
15. Maine	2.35	41. Virginia	6.91
16. Colorado	2.39	42. Delaware	7.24
17. Connecticut	2.59	43. Dist. of Columbia	7.53
18. Rhode Island	2.67	44. Oklahoma	7.79
19. California	2.67	45. Arkansas	9.93
20. Washington	2.82	46. Alabama	10.32
21. Iowa	2.88	47. Texas	11.02
22. New York	2.91	48. Louisiana	11.21
23. Kansas	2.92	49. Mississippi	12.48
24. Nebraska	3.00	50. South Carolina	12.66
25. Nevada	3.09	51. Georgia	13.03
26. Montana	3.31	52. Florida	15.63

†PERCENTAGE OF VENEREAL DISEASES AMONG THE SECOND MILLION DRAFTED MEN FROM THE LARGER CITIES

New York	2.44%	Cleveland	4.44%
Boston	2.57	Chicago	5.71
Los Angeles	3.17	Detroit	6.23
Philadelphia	3.73	Baltimore	7.28
Pittsburgh	4.33	St. Louis	8.58

* Explanation: 5 per cent means five out of every one hundred. In other words out of every one hundred young men from Nebraska who went to Army Camps in the second draft during the great war, three had venereal disease which they had contracted in civilian life.

† Explanation: this means that among every one hundred soldiers who were drafted from St. Louis between eight and nine had a venereal infection.

The City of 50,000 or more population with the lowest percentage of infection was Bayonne, N. Jersey, with .82% or less than one in each hundred. Twenty-two from East St. Louis, Illinois, and over twenty-seven from Savannah, Georgia out of every hundred were the highest percentages. In this connection it is interesting to note the statistics among the larger cities and from the States as a whole. It has been generally supposed that the big majority of the diseases were to be found in the larger cities. Yet look at New York City with the largest population of any city in the country with a venereal record of only 2.44% when the state of New York had a percentage of 2.91. The percentages in most of the other large cities ran about on an equal with their respective States. This leads one inevitably to the conclusion that vice is not by any means confined to the large centers of population. It is a nation wide campaign which confronts us with the necessity of spreading our propaganda even unto the hamlets and the rural districts.

Personal Responsibility for the transmission of venereal disease has been upheld recently by both civil and criminal courts. The United States Public Health Service informs us that in Oklahoma a man has been sentenced to the penitentiary for five years as a punishment for infecting a girl with syphilis. In Nebraska the court upheld a doctor who warned a hotelkeeper that one of his patients, a guest at the hotel, had syphilis and had refused treatment, and was consequently a menace to the public health. In North Carolina a woman has been awarded $10,000 damages against her husband for a similar infection, and the Supreme Court upheld the judgment.

Thus it is no longer possible to violate the common laws of decency without running the danger of a severe legal penalty. These convictions are a great forward step in the campaign for decency.





WHY TAKE A CHANCE


PART 8

GENERAL PRINCIPLES OF HEALTH AND HYGIENE

HEALTH AND SEXUAL VIGOR
OLD AGE DEFERRED

THE DEATH SENTENCE
EATING OURSELVES TO DEATH
TABLES OF HEIGHTS, WEIGHTS AND AGES
CALORIC VALUES OF RAW FOOD MATERIALS
EAT AND GROW THIN
ADVICE TO THIN PEOPLE
THE VALUE OF EXERCISE
DEEP BREATHING
EXERCISE FOR BUSY FOLKS
TEN HEALTH COMMANDMENTS

PRACTICAL POINTS ON PERSONAL HYGIENE
QUESTIONS AND ANSWERS ON HEALTH
TUBERCULOSIS
COMMUNICABLE DISEASES
SANITATION
VITAL STATISTICS
CHILD HYGIENE
LABORATORIES
VENEREAL DISEASES



A NEW BOOK THAT MAKES THE THREE R'S WORTH WHILE.

WHO AM I?

I am more powerful than the combined armies of the world.

I am more deadly than bullets, and I have wrecked more homes than the mightiest of siege guns.

I steal in the United States alone over $300,000,000 each year.

I spare no one, and find my victims among the rich and poor alike, the young and old, the strong and the weak.

I massacre thousands upon thousands of wage-earners in a year.

I lurk in unseen places, and do most of my work silently. You are warned against me, but you heed not.

I am relentless. I am everywhere; in the home, on the street, in the factory, at railroad crossings, and on the sea.
I bring sickness, degradation and death, and yet few seek to avoid me.
I destroy, crush and maim; I give nothing, but take all.
I am your worst enemy.
I AM CARELESSNESS.

—*Rhode Island Health Monitor.*

The Death Sentence

The vast majority of us come into the world with good bodies and with good minds. We have a firm physical, mental and moral foundation on which to build. As children we romp and play, and as young people the athletic side of life is our chief consideration. Consequently we are in good health, we arrive at manhood and womanhood with infinite possibilities facing us, having lived our lives as nature intended. But when we begin the business of life in earnest we are all too busy with other things to bother about our physical bodies until all of a sudden they begin to break down—to wear out.

Health and Sex.—One of the very first symptoms of this coming breakdown is the lessening of sexual vigor. Boys or girls who have been indiscreet in their habits, find themselves on the verge of a nervous breakdown. The married man who through ignorance has been guilty of excesses gradually develops into a condition of complete impotence. The mature woman who does not lead a satisfactory sex life suffers from extreme nervousness and chronic congestion. Sexual mistakes at any time of life number among their inevitable consequences impaired health and unhappiness.


The Real Cure Is Prevention.—We have already discussed at some length the symptoms, causes, and treatment of the various disorders of the sexual function. Special stress has been laid upon hygienic measures as the big things in their treatment and cure. We now go a step farther and boldly assert that with proper living, *sexual disorders would soon be the exception rather than the rule.* In other words right living will not only aid in the cure of sexual diseases, but it will absolutely prevent them. The sexual function is easily thrown out of kilter by any little derangement of the digestion, the respiratory organs, the circula-

tion, or the nervous system. Do away with the physical ills and you abolish, to a large extent at least, the sexual troubles.

And Finally, most of the sexual disorders are due to sexual excesses which would be impossible under a system of right living. To go back to the examples given, what place has masturbation in the life of a boy or girl who lives much in the open air, who eats good food, and whose mind is fully occupied with wholesome tasks and healthy recreations? Why mention sexual excesses in a man whose digestion is good, who takes a long brisk walk every morning, who has learned that temperance means moderation, and whose mind is absorbed in the problems of his family, his business, his Church, and his community? And you need never worry about the woman who believes that health comes first, who keeps abreast of the times in politics, education, home economics, and home building, and whose spare time is devoted to the finer things of life. As long as we have good health we have everything, without it we have nothing.

Our Program—And so in the final chapters of this edition we will endeavor to tell you how to eat, how to breathe, how to exercise, how to grow young. In other words we will tell you how to live. Such a campaign faithfully laid out, and honestly carried out will enable you to enjoy life in its fullest, its richest meaning, will make you successful in your business, your religion, your family life, and will force old man "Old Age" to take a back seat until his proper time comes. There are just two paths open to you. By following the simple, unassuming route laid out by Nature, you may grow young at fifty, retaining all your physical, mental, and sexual powers until you have become a joy to your Insurance Companies. The other path, mapped out along modern lines, more pleasing to the eye, yet undermined by the sloughs of ignorance, carelessness, and liscentiousness, leads but to premature old age, and to unhappiness. Which will you be, an old man at forty, or a young man at fifty? The time to decide is right now.

Who Is to Blame? Does the average man realize that he is shortening his life by the little things he does, and the little things he does not do every day? In a rather subconscious way he does, but he rarely allows that realization to interrupt the even tenor of his way. Does the average man blame himself for the breakdown when it actually comes? Not by any means. He rails at Fate. He was always out of luck anyway. He wilfully overlooks the fact



The PHYSICIAN'S DREAM

that every day of his life, for years and years, he has been violating the simple laws of nature through sheer carelessness.

Why We Grow Old.—It is one of Nature's laws that all of us must grow old. It is a sad and melancholy fact, however, that most of us, (about 90%) grow old long before our time. Confining indoor work, poor ventilation, intemperance, a lack of proper physical exercise, and an unhygienic mode of life are all witnesses for the prosecution in this almost universal murder trial. The verdict is death, perhaps at forty, probably at fifty, and certainly before sixty, with years of impaired usefulness preceding the final penalty. The human body can stand a great deal of punishment. The system can become accustomed to almost anything. But every crime we commit against ourselves must be answered for in the days to come. If we start to live the simple life now, it means health—a good digestion —sound sleep—a clear head—sexual satisfaction—contentment.


Long Life and Efficiency.—The preparation for health must begin years before marriage. The Bible says we cannot gather figs from thistles. Like produces like. There is a cause for every effect, and even though the influence of heredity has been greatly exaggerated in past years, we cannot hope for healthy children from unhealthy parents. As an illustration of the modern tendency, when a young girl is married, the busybodies invariably ask: "Did she do well?" Do they refer to the man's health, his industry, his ambition, his morality? Never. Wealth and social position are the important considerations. Children unfortunately cannot pick or choose when it comes to the selection of parents. But to a certain extent parents may, through right living and proper selection, determine what kind of children they will have. In any program for the prevention of premature old age this fact must be emphasized.

Age and Disease.—The death rate is highest under one year of age. Most of the infantile deaths are due to heredity, and the rest to ignorance. On the other hand the death rate is lowest between the ages of ten to fourteen years, a period in which mankind most nearly approaches the simple life which he was intended to live. The period between the ages of twenty and forty years is also one of great resistance to disease, although the statistics show that tuberculosis and typhoid fever are to be guarded against as the principal causes of death at this period. From forty to sixty is the age of the old men's diseases, Brights Disease

WHICH IS A GOOD MARRIAGE



SOCIAL



OR EUGENIC?

and Cancer. It is during this time that the price of earlier ignorance and foolhardiness is paid to the last cent. But let a man arrive at sixty in good health, with his faculties unimpaired, and he may not only count on ten to fifteen years of increasing efficiency in his business, but he may look forward to a ripe, healthy, happy old age. Such are the facts as indicated in the mortality statistics of the leading life insurance companies. They warn us to be on the watch for the slightest indication of disease. A thorough medical examination at least once a year after the first quarter of a century would be a good investment.


Old Age in Women.—It is a fact that women live longer than men, at least more of them die of old age. This is because of a fundamental difference in the mode of life. As a rule women are not subjected to the hurry, the worry, and the strain of a business career. They do less traveling, eat better meals, and take better care of themselves than their more active and nomadic husbands.

Longevity

The following table exhibits very recent mortality statistics, showing the average duration of life among persons of various classes:

Employment	*Years.*
Judges	65
Farmers	64
Bank Officers	64
Coopers	58
Public Officers	57
Clergymen	56
Shipwrights	55
Hatters	54
Lawyers	54
Rope Makers	54
Blacksmiths	51
Merchants	51
Calico Printers	51
Physicians	51
Butchers	50
Carpenters	49
Masons	48
Traders	46
Tailors	44

TWELVE·SIGNS·OF·THE·IDIAC.



ILLINOIS STATE-DEPARTMENT OF HEALTH ~ CARTOON-No 66

"IT'S JUST AS WELL NOT TO KNOW SO MUCH AS TO KNOW SO MANY THINGS THAT AIN'T SO"

Employment	*Years.*
Jewelers	44
Manufacturers	43
Bakers	43
Painters	43
Shoemakers	43
Mechanics	43
Editors	40
Musicians	39
Printers	38
Machinists	36
Teachers	34
Clerks	34
Operatives	32

"It will be easily seen, by these figures, how a quiet or tranquil life affects longevity. The phlegmatic man will live longer, all other things being equal, than the sanguine, nervous individual. Marriage is favorable to longevity, and it has also been ascertained that women live longer than men."

Eating Ourselves to Death

The greatest crime we commit against our bodies is that of improper eating. Not one person in a hundred knows how, or when, or how much to eat, and as eating is the most important of bodily functions, the wonder is that we ever survive. We eat combinations of food which instead of nourishing the body, actually poison it—instead of building up, destroy it. We eat the wrong kinds of food in the wrong proportions, and at the wrong time. In other words we eat just what we feel like eating. We do not know or particularly care whether we are eating properly or improperly.

Right Eating Is Your Only Chance to Attain Long Life.—This is no propaganda, just a plain statement of fact. Recognize it as such and put the following few simple rules into practice, and then continue the practice until it becomes a habit.

1. Make a Diagnosis.—Find out what you should weigh at your age and height. The accompanying table will give you this information and enable you to diagnose your case properly. This will tell you how far in either direction your faulty eating has taken you away from the highroad to health.

Standard Table of Heights and Weights

MEN

Heights		Weights According to Age Period								
Ft.	Ins.	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59
4	11	111	117	122	125	127	130	132	133	134
5	0	113	119	124	127	129	132	134	135	136
	1	115	121	126	129	131	134	136	137	138
	2	118	124	128	131	133	136	138	139	140
	3	121	127	131	134	136	139	141	142	143
	4	124	131	134	137	140	142	144	145	146
	5	128	135	138	141	144	146	148	149	150
	6	132	139	142	145	148	150	152	153	154
	7	136	142	146	149	152	154	156	157	158
	8	140	146	150	154	157	159	161	162	163
	9	144	150	154	158	162	164	166	167	168
	10	148	154	158	163	167	169	171	172	173
	11	153	158	163	168	172	175	177	178	179
6	0	158	163	169	174	178	181	183	184	185
	1	163	168	175	180	184	187	190	191	192
	2	168	173	181	186	191	194	197	198	199
	3	173	178	187	192	197	201	204	205	206

Standard Table of Heights and Weights

WOMEN

Heights		Weights According to Age Period								
		15	20	25	30	35	40	45	50	55
Ft.	Ins.	to	to	to	to	to	to	to	to	to
		19	24	29	34	39	44	49	54	59
4	11	110	113	116	119	122	126	129	131	132
5	0	112	115	118	121	124	128	131	133	134
	1	114	117	120	123	126	130	133	135	137
	2	117	120	122	125	129	133	136	138	140
	3	120	123	125	128	132	136	139	141	143
	4	123	126	129	132	136	139	142	144	146
	5	126	129	132	136	140	143	146	148	150
	6	130	133	136	140	144	147	151	152	153
	7	134	137	140	144	148	151	155	157	158
	8	138	141	144	148	152	155	159	162	163
	9	141	145	148	152	156	159	163	166	167
	10	145	149	152	155	159	162	166	170	173
	11	150	153	155	158	162	166	170	174	177
6	0	155	157	159	162	165	169	173	177	182

2. Study the Food Problem.—The next step is to learn something about food values, about calories, carbohydrates, proteins, vitamines, metabolism, etc. These are not just medical terms. They mean something. They concern your good health, and consequently your happiness.

Proteins are the building and repairing foods. They are found chiefly in meats, fish, game, eggs, cheese, milk and in peas and beans.

Fats are found principally in butter, cream, oil, lard, bacon and pork.

Carbohydrates are the sugars and starches, found in potatoes, rice, cereals, candy, and in fruits and vegetables.

Vitamines are the much discussed food properties so necessary to the vitality of man. They are found in such foods as fresh, unpasturized milk, citrus fruits, and fresh vegetables.

Regulating Foods such as vegetables, fruits, greens, and all bulky foods are necessary to the normal function of the body. They create a chemical activity and leave a large residue in the intestines thus promoting regular movements.

Metabolism means simply the changes which take place in the food from the time it enters the body until it is utilized or discarded.

What Is Fat?—Fat is an oversupply of food that has neither been used or discarded. It is stored up for future use. *As such it is a useless, harmful burden to carry around.* It interferes with the normal working of the body. It is a direct cause of indigestion, rheumatism, gout, liver trouble, Brights Disease, and similar troubles.

What Is a Calorie?—A calorie is a heat unit. Foods enter the body as fuel and every food has a different caloric value, or number of heat units. The body requires a certain amount of these heat units. If it receives too many units, there will be overweight. If it receives too few units there will be a loss of weight.

How Many Calories Do We Require?—The average man requires about 2500 calories; the average woman, 2300; children, two to five years of age, 1200; children five to ten, 1400—1900 calories; ages ten to fourteen, 1900—2500 calories. Boys from fourteen to seventeen years require from 2500—3000 calories, while girls of the same age should have only from 2200—2600 daily.

Or to put the matter another way, the average adult needs about 15 calories per pound of normal weight. In child-

hood about 35 calories per pound are the usual requirements. In old age the caloric needs are less, only about 10 to 12 per pound of normal weight. Thus a man thirty years old, five feet, ten inches tall should weigh about 163 lbs., and require a total of 2445 calories per day.

The following table gives the necessary facts and figures about the various foods we eat, and should be frequently consulted in planning the family meals.

APPROXIMATE CALORIC VALUE OF RAW FOOD MATERIALS TOGETHER WITH PERCENTAGE OF PROTEIN, FAT, AND CARBOHYDRATE

Material	Quantity	Number of Calories	Percentage of		
			Protein	Fat	Carbohydrates
Cereals					
Barley, Pearl	1 cup	755	10	3	87
Bran	1 "	218	14	6	80
Bread Crumbs, dried	1 "	373	14	4	82
Bread Crumbs, soft	1 "	147	14	4	82
Corn Meal	1 "	504	10	5	85
Corn Starch	1 "	459	0	0	100
Flour, Graham	1 "	508	15	6	79
Flour, White, sifted	1 "	395	12	4	84
Macaroni, broken	1 "	355	15	2	83
Oatmeal	1 "	636	17	16	67
Rolled Oats	1 "	280	17	16	67
Rice	1 "	867	9	1	90
Chocolate, bitter	1 square	173	8	72	20
Cocoa, dry	1 cup	634	17	53	30
Crackers, Boston	1 pound	1885	13	9	78
Dairy Products					
Butter, See Fats					
Cheese, American (fresh)	1 cup	498	26	71	3
	1 pound	1993	26	71	3
Condensed Milk, sweetened	1 cup	1067	11	23	66

Material	Quantity	Number of Calories	Percentage of Protein	Fat	Carbohydrates
Dairy Products					
Condensed Milk, unsweetened	1 cup	427	23	51	26
Skimmed Milk	1 "	88	37	7	56
Whole Milk	1 "	160	20	52	28
Cream	¼ "	100	5	86	9
Eggs	1	75	36	64	0
Eggs, White	1	14	97	3	0
Eggs, Yolk	1	56	20	80	0
Fats					
Butter	1 cup	1802	1	99	0
	1 pound	3605	1	99	0
Crisco	1 cup	2136	0	100	0
	1 pound	4273	0	100	0
Lard	1 cup	2110	0	100	0
	1 pound	4220	0	100	0
Oleomargarine	1 cup	1492	1	99	0
	1 pound	3410	1	99	0
Olive Oil	1 cup	1600	0	100	0
	1 "	749	3	97	0
Suet	1 pound	3424	3	97	0
Fruits					
Apricots, dried	1 "	1260	7	3	90
Blackberries	1 cup	200	9	16	75
Concord Grapes	1 large bunch	100	5	15	80
Cranberries	1 cup	46	4	11	85
Currants, dried	1 "	502	3	5	92
Dates, dried	1 "	508	2	7	91
(unstoned)	1 pound	1416	2	7	91
Figs, chopped	1 cup	507	5	1	94
	1 pound	1437	5	1	94
Lemon Juice	½ cup	44	0	0	100
Pineapple (canned grated)	1 "	369	1	4	95
Apple, baked (with sugar)	1 large	200	1	3	96
Bananas	1 "	100	5	6	89
Cantaloupe	½ "	50	6	0	94
Cranberry Sauce	¼ cup	100	0	1	99
Dates	1 "	25	2	7	91

Material	Quantity	Number of Calories	Percentage of		
			Protein	Fat	Carbohydrates
Fruits					
Figs, dried	1 cup	67	5	1	94
Grape Fruit	1 medium	100	7	4	89
Olives, Green	2 "	30	1	83	16
Oranges	1 large	100	6	3	91
Peach	1 "	40	7	2	91
Prunes, Stewed	¼ cup	200	2	0	98
Raisins	¼ "	100	3	9	88
Gelatine	1 ounce	106	100	0	0
Maple Syrup	1 cup	976	0	0	100
Meats and Fish (edible portion)					
Beef, Sirloin Steak	1 pound	1143	31	69	0
Beef, Round	1 "	950	54	46	0
Beef, Tongue	1 "	727	47	53	0
Chicken, young	1 "	500	79	21	0
Clams, long	1 pint	240	56	8	36
Cod	1 pound	326	95	5	0
Fowl	1 "	1050	35	65	0
Goose	1 "	1818	16	84	0
Halibut	1 "	571	61	39	0
Ham	1 "	1940	29	71	0
Lamb, forequarter	1 "	1430	25	75	0
Liver	1 "	605	61	39	0
Lobster	1 "	390	78	20	2
Mackerel	1 "	645	50	50	0
Mutton, Leg	1 "	1105	41	59	0
Oysters	1 pint	230	49	22	29
Salt Pork, fat	1 pound	3670	2	98	0
Shad	1 "	762	46	54	0
Turkey	1 "	1333	29	71	0
Veal, Breast	1 "	840	47	53	0
Bacon	1 thin slice	25	13	87	0
Dried Beef (creamed)	⅓ cup	100	16	65	19
Hamburg Steak (broiled)	cake ⅞ in. thick 2½ in. diam.	100	55	45	0

Material	Quantity	Number of Calories	Percentage of		
			Protein	Fat	Carbohydrates
Meats and Fish (cooked)	slice 5 in. x 2½ in.				
Roast Beef	x ¼ in.	100	46	54	0
Stewed Beef with Dumplings	1 cup	290	14	24	62
Lamb Chops	1 kidney chop	125	24	76	0
Pork Chops	1 loin chop	200	18	82	0
Sausage	2 small	100	20	78	2
Clams (raw)	8	50	56	8	36
Codfish Balls	1, 2 in. in diam.	100	14	65	21
Creamed Codfish	½ cup	100	32	46	22
Oysters (raw)	6 cups	50	49	22	29
Salmon (canned)	½ cup	100	45	55	0
Molasses	1 "	976	3	0	97
Nuts (shelled)					
Almonds	1 "	734	13	76	11
Peanuts	1 "	663	19	63	18
Peanut Butter	⅓ "	640	19	69	12
Pecans	1 "	1145	5	87	8
Walnuts	1 "	600	11	82	7
Sugar					
Brown	1 "	625	0	0	100
Granulated	1 "	840	0	0	100
Powdered	1 "	672	0	0	100
Vegetables					
Beans, dried	1 "	684	26	5	69
Beans, Lima, dried	1 "	541	21	4	75
Cabbage	1 pound	145	20	9	71
Carrots	1 "	210	10	5	85
Celery (cut in ¼ in. pieces)	1 cup	24	24	5	71
Corn, canned	1 "	255	11	11	78
Lentils (dried)	1 "	640	29	3	68
Lettuce	1 large head	50	25	14	61
Mushrooms	1 pound	211	31	8	61

Material	Quantity	Number of Calories	Percentage of		
			Protein	Fat	Carbohydrates
Vegetables					
Onions	1 onion	25	13	6	81
	1 pound	225	13	6	81
Parsnips	1 "	291	10	7	83
Peas, canned (drained)	1 cup	134	26	3	71
Peas, dried	1 "	675	28	3	69
Tapioca	1 "	640	0	0	100
Tomatoes, fresh	1 pound	100	21	8	71
Tomatoes, canned	1 cup	60	21	8	71
Turnip	1 " ½ in. (cubes)	50	13	5	82
Asparagus	7 stalks	33	32	8	60
Beans, Baked	¾ cup	225	21	18	61
Beans, Lima (fresh)	½ "	100	23	5	72
Beans, String	½ "	20	22	7	71
Beets	1 beet, 2 diam.	25	14	2	84
Corn (canned)	½ cup	150	11	11	78
Peas (canned)	½ "	67	26	3	71
Potatoes Mashed	½ "	110	7	48	45
Sweet, Baked	1 "	200	6	5	89
White, Baked	1 "	100	11	1	88
Spinach	½ "	20	12	8	80
Squash, Winter	½ "	55	9	7	84

NOTE: Do not let this table alarm you. There is nothing difficult or technical about it. Protein builds and repairs tissue; fats store away reserve heat and energy; carbohydrates furnish heat and energy; and these three constitute the chief classs of foods. The per cent of the calories or heat units should be protein, 30 per cent fats, 10 per cent and 60 per cent carbohydrates.

3. Chewing Your Food.—This is a matter of paramount importance. In fact you may plan your diet along the most rigid lines, you may figure out every menu on a scientific basis, you may make home economics your life work, and still spoil it all, *simply because you do not chew your food.* Don't gulp it down. Don't try to make the children eat by racing with them. FLETCHERIZE!!! CHEW EVERY

MOUTHFUL TWENTY OR THIRTY TIMES. CHEW UNTIL THERE IS NOTHING LEFT TO CHEW AND TAKE YOUR TIME ABOUT IT. Predigest your food, that is, help the saliva and gastric juices to perform their duties more easily. A trial will readily convince you that the food specialists are correct when they say that we can get along on a great deal less food if it is properly masticated, and thus made ready for immediate use in the body. Theodore Roosevelt, in talking about the carelessness of the people once said: "If the darned fools only knew." He might well have been talking about our great national fault of improper eating.

4. A Few Don'ts. 1.—Don't eat things just for their caloric value. Food must taste good to be properly digested.

2. Don't eat things you know will disagree with you.

3. Don't overlook the difference in food requirements at different seasons of the year.

4. Don't eat meat more than once a day. (In warm climates every other day is sufficient.)

5. Don't use very much salt, pepper, condiments or other spicy foods.

6. Don't be afraid of eating too many fresh vegetables.

7. Don't eat between meals.


8. Don't let the diet become monotonous. Have a variety of food and have it prepared tastily.

Eat and Grow Thin

ADVICE TO FAT PEOPLE

As stated before fat is merely the result of an excess of heat units. Therefore if you want to reduce, all you have to do is to reduce the number of calories or heat units which you take into the body.

Fake Cures and Remedies.—There is no quick cure for obesity. Newspapers and magazines are filled with cleverly worded and alluring offers to reduce weight quickly, and harmlessly. It cannot be done. To lay off the excess baggage too swiftly is neither safe nor desirable. The only sane, certain method is to adopt a definite program embodying a properly balanced ration, a gradual reduction in the quantity, and a tonic treatment of fresh air and exer-



SHOWING THE DIFFERENCE IN FORM + PROPORTION

cise to put muscle in the place of the fat. The use of drugs is unnecessary, and quite likely to be harmful.

A Workable Plan.—Suppose you are a man, 25 years old, six feet tall, and weighing 200 pounds. Consult the table of age, height and weight given before, and you will see that you ought to weigh not more than 169 pounds. Now go a step farther and figure up from the table of caloric values given on page 318 just how many calories you burn up every twenty-four hours. This may take a little time and study, but if you cannot get an exact figure, estimate it The results may surprise you.

Suppose you find that your daily calories run up to 3600 on the average. At your age you do not require more than fifteen calories for every pound of normal weight, or in other words, you actually need 15x169 or 2535 calories. For a woman the caloric requirements will run about 10% less.

Your Problem then is simply to reduce the number of calories you consume every day. Reduce the quantity 500 calories per day in the beginning, later on as much as is necessary to bring results. Consult the accompanying tables freely in planning your diet campaign. A loss in weight exceeding one or two pounds per week may be dangerous to your health. Every reduction in fat must be offset by a corresponding increase in muscle. During the first few days you may feel hungry, faint and weak, but these symptoms rapidly disappear. It is scientifically possible to eat all you want to eat and still grow thin if you will but watch the caloric table, and put a definite limit on the number of heat units.

The Unscientific Method.—If you are too busy or too lazy to figure out a reduction on the scientific plan, then here is a simple way to reduce:

Continue the diet to which you have been accustomed with the following modifications:

1. Do not eat bread or butter with your dinner. Eat as little as possible at the other meals.
2. Cut down on all starchy foods like potatoes.
3. Avoid fat meats, gravies, and fried foods.
4. Eat very little butter, cream, and cereals.
5. Drink water sparingly at meal times.
6. Avoid sweets as much as possible.

How to Gain Weight

ADVICE TO THIN PEOPLE

It is possible to gain weight by adopting a policy exactly opposite to the one outlined for reducing. First figure out the number of calories you require at your age, height, and normal weight. Then allow yourself 500 or more calories daily in addition to this. When the correct weight is once gained, it is possible to keep it right there by attention to the diet.

General Principles in Gaining Weight.–Adopt a well balanced ration with plenty of butter, cream, fats, red meat, milk, eggs, green vegetables, rich gravies, and sauces. However, in your desire to put on weight, do not throw your digestive apparatus out of order by overeating. Too

much food is the chief cause of disease and premature old age. The vicious habit of bolting a big dinner in ten minutes or a hearty lunch in five minutes is responsible for many later ills, *and will never increase the weight.*

The Mental Attitude.—Careful eating is sure to improve your health and prolong your life. It may not increase your weight for the simple reason that there is frequently a fundamental difference in human characteristics. Thin people are more active than their unloved fat brothers. They burn up considerable more heat units. They are subject to worry and nervousness, which keep the weight down even under the most scientific diet. Consequently a calm, emotionless state of mind, plenty of fresh air and sunshine, and at least eight hours of sleep, will bring about a speedier increase in weight than all the known dietary measures. Try to regulate both your diet and your state of mind. The scales may surprise you.

EXERCISE

The second way in which we abuse our bodies is in a lack of proper physical exercise. Grace is nothing but muscular control, Beauty is an assemblage of graces, Health is physical harmony, and Common Sense is the key that unlocks the door to all three. Exercise daily in the open air. The average man and woman should walk at least five miles every day. Not five minutes, FIVE MILES. Take a few simple exercises immediately upon rising in the morning. Be sure that the air is pure and fresh in the room. Do not be afraid of catching cold when you are exercising.

Select any good exercises which tend to develop the various parts of the body. Strengthen particularly the muscles of the neck, the back and the abdomen. Begin moderately, and increase the length of time and the strenuousness of the exercises from day to day. Avoid any overexertion and never exercise when you are exhausted.

Deep Breathing.—Is one of the most beneficial forms of exercise ever discovered. We all love clean bodies but few of us realize that the better we breathe, the cleaner we are. Seven hundred and twenty-five million air cells in the lungs expose a surface of about 1400 square feet, and we must be generous with air if this vast surface is to accomplish its purifying purpose. When the blood enters the lungs it is foul. When it passes out of the lungs into the arteries it should be clean and pure.

The Necessity for Air.—Food is necessary but air is more necessary. Food is expensive, air is cheap. Yet

most of us eat more than we should and none of us breathe as much as we should. Deep breathing is the best known blood tonic. Alone and unaided it can benefit the human body more than any other known treatment. Deep breathing is excellent for poise. Deep breathing is the world's best remedy for stomach and bowel troubles. Deep breathing gives constipation a knock out blow, utterly banishing it from the system. Deep breathing brings new life to exhausted nerves. Deep breathing will lengthen your life, and make your life worth lengthening.

How to Take Air as a Medicine.—Practise deep breathing in bed, and frequently during the day. The constant practice soon developes the lungs, and soon the great breaths become automatic. Always breathe deeply when you walk. Take four steps while you inhale, then four steps while you exhale. Increase the number of steps per breath, gradually. After a little experience you will be able to take eight steps while you inhale, and then take two more steps while holding the breath. Then exhale for eight steps and hold the breath while you walk two more steps. It is a physical impossibility for any man or woman to feel nervous or grouchy or unhappy if he or she follows this plan every morning on the way to the daily tasks.

When Is the Air Bad?—Don't be afraid to take deep breaths in the night air or on foggy days. Pure air, anytime, anywhere is the world's greatest tonic. Many people living in stuffy, ill smelling apartments in the large cities, do not even go to the trouble of seeking the best air possible. They see no necessity of ventilating the house with dirty, smoky city air. Some of them think more of their curtains than they do of their lungs. This is a serious mistake. City air for all its soot and dirt, and odor contains exactly the same amount of oxygen and ozone as the air in the woods and prairie lands. As a matter of fact the wind that sweeps a cloud of smoke and cinders through the apartment window was rambling over the countryside less than five minutes ago. The smoke and cinders do little if any harm to the city man's breathing apparatus. Any air drawn in from the outside is far better than the same old air breathed over and over again.

Exercises for Busy Folks

From the Battle Creek Idea

CORRECT SITTING POSITION



1. Hips back in chair, feet firmly on floor.
2. Chest up, so muscles of abdomen will not be relaxed.
3. Neck back against the collar, make an effort to raise the head a little. Keep chin in.
4. Arms folded, or resting on thighs.
5. Raise the trunk and head high as possible, pressing down firmly on thighs with hands.

CORRECT STANDING POSITION



1. Hips back about three inches, abdomen drawn in.
2. Throw weight of body forward on balls of the feet.
3. Raise chest, two inches.
4. Head up, chin in.
5. Hands on hips, with fingers closed, or forearms resting on hips, arms folded back of body.

EXERCISE STANDING

Relaxing muscles of the arms, body erect.
Shaking the wrists, so that the whole body will vibrate.





I


1. Arms down at sides.
2. Arms at side horizontal.
3. Arms at front horizontal.
4. Arms overhead vertical.

Repeat all movements from 8 to 16 times.

II

1. Hands on hips, body erect, keep spine straight. Bend knees, raising on toes, sinking body until you sit on heels.
2. Hold position bending knees, jumping up and down on toes, body erect.

III



2-3

1. Place hands on floor, just outside of feet.

2. Extend legs and thighs, body perfectly straight.

3. Bend arms until you touch chin on floor.

4. Straighten arms.

5. Jump forward, knees in front of chest, keeping hands on floor.



5

6. Straighten body to standing position, reaching overhead on toes.

IV

1. Circle arms out at sides, palms up.

V



1. Running in place, raising knees high, keeping up well on toes.

CORRECTIVE EXERCISES SITTING IN CHAIR

Hips well back in chair, chest up, bending head backward. Hands on hips, if one shoulder is low, put that hand on back of neck, with elbow well back, the other hand firm on hip.




I

1. Bend trunk forward, with the back straight.

II

2. Close fists, place on shoulders. Turn chest to left one quarter turn, and stretch arms to the sides far as possible. Face front and repeat to right side.

III



1. Arms over head vertical, stretching out well.

2. Bend trunk to the left side, keeping right arm vertical over head, left hand touching the floor.

3. Arms over head vertical, stretching out well.

4. Repeat same to right side, same as 2.

IV



1. Grasping sides of the chair well back, raise chest high as possible, and raise left leg forward, pointing toes forward.

2. Repeat same with right leg.

3. Both legs.

V

1. Hands in front of chest, elbows raised up well.

2. Lean forward with back straight and head back. Swing the arms to side horizontal.

EXERCISES LYING DOWN

1. Lying on back, stretch out as far as possible with legs and arms.

2. While stretching, raise hips, keep back straight.

3. Draw left knee down to chest, assisting with the hands; repeat same with right knee, then with both legs.



3



4

4. Draw feet up well under hips, knees bent, raise hips, let as much weight be supported by the muscles of the back of neck as possible. Assist with raising on elbows, and back of upper arms.

5. Fingers closed, take deep breathing and make pressure with little finger side of hands, starting just above the pubes and working slowly upward an inch at each breath, until you get to border of the ribs. The pressure should be continuous during expiration and inspiration. Repeat 8 to 10 times.

EXERCISES FACE DOWNWARD

1. Raise chest upward, head back, hands on hips.

2. Arms down at sides, raise both thighs, legs straight.



2

3. Raise chest and legs at the same time.

4. Roll forward and backward, hands on the hips, chest up, head back well, back arched, thighs extended far as possible.

TEN HEALTH COMMANDMENTS

1. Thou shalt not make a God of thy stomach, nor have other strange gods before health.

2. God made our muscles for work. Let us give them plenty to do so that they do not grow soft and flabby.

3. Our lungs were made to receive vast quantities of fresh air. So exercise them that they can pass on to the rest of the body the needed elements of the atmosphere.

4. Six days shalt thou wash thyself clean, and the seventh day thou shalt take a great bath, thou, thy son, thy daughter, thy servant, and the stranger within thy gates, for the Lord has hallowed the bathtub, and blessed it.

5. Thou shalt not steal sorrow, borrow anxiety, nor allow the corners of thy mouth to turn downward.


6. It is not good for man to live alone.

7. Be thou temperate in all that which thou doest, whether it be eating, drinking, or in satisfying thy natural cravings.

8. Thou shalt retire early, and rise early, and sleep not less than eight hours.


9. Six days shalt thou labor and do all thy work, but on the seventh, thou shalt rest completely, without even reading or writing.

10. Be regular in all things, even unto the kidneys and bowels, for your health's sake.




OBJECT LESSONS OF THE EFFECTS OF ALCOHOL AND CIGARETTE SMOKING


By Prof. George Henkle, who personally made the post-mortem examinations and drew the following illustrations from the diseased organs just as they appeared when first taken from the bodies of the unfortunate victims.




The Stomach of an habitual drinker of alcoholic stimulants, showing the ulcerated condition of the mucous membrane, incapacitating this important organ for digestive functions.




The Stomach (interior view) of a healthy person with the first section of the small intestines.




The Liver of a drunkard who died of Cirrhosis of the liver, also called granular liver, or "gin drinker's liver." The organ is much shrunken and presents rough, uneven edges, with carbuncular non-suppurative sores. In this self-inflicted disease the tissues of the liver undergo a cicatrical retraction which strangulates and partly destroys the parenchyma of the liver.




THE LIVER IN HEALTH




The Kidney of a man who died a drunkard, showing in upper portion the sores so often found on kidneys of hard drinkers, and in the lower portion, the obstruction formed in the internal arrangement of this organ. Alcohol is a great enemy to the kidneys, and after this poison has once set in on its destructive course in these organs no remedial agents are known to exist to stop the already established disease.




The Kidney in health, with the lower section removed, to show the filtering apparatus (Malphigian pyramids). Natural size.




The Lungs and Heart of a boy who died from the effects of cigarette smoking, showing the nicotine sediments in lungs and shrunken condition of the heart.



THE LUNGS AND HEART IN HEALTH



A section of the diseased Lung of a cigarette smoker, highly magnified.



Illustrating the shrunken condition of one of the Lungs of an excessive smoker.

Practical Points on Personal Hygiene

or

Questions and Answers on Health

The following pages have been prepared by the Chiefs of the several Divisions of the Illinois State Department of Health with the idea of placing in the hands of boys and girls the essential facts in regard to the modern science of disease prevention and health promotion. Each section with the exception of the one on Venereal Disease, has been written by men devoting their entire time and attention to their individual special lines of study. The suggestion made by the Editor, in requesting these several contributions, was: Make your articles simple and easily understood; but under no circumstances sacrifice scientific accuracy for the purpose of simplicity or increased interest.

TUBERCULOSIS

Q. What is tuberculosis?
A. Tuberculosis is one of the commonest of all serious diseases, caused by a germ called the tubercle bacillus, usually affecting the lungs, but also attacking the glands, skin, kidneys, and other parts of the body.
Q. Is tuberculosis inherited from the parents?
A. No. Tuberculosis is not inherited. The child of a tuberculous person, however, is very likely to be infected by contact with the parent.
Q. How is the disease transmitted?
A. Usually by spitting or by careless coughing on the part of an infected person. Also from drinking unpasteurized milk from tuberculous cattle.
Q. Does the disease develop when the patient has been infected by the germ?
A. No. The germs may lodge in the body and remain there for many years doing no apparent harm; but may at any time become active and produce disease. It is now believed that most cases of tuberculosis among grown persons are due to germs acquired during childhood.

Q. What is consumption?
A. Consumption is an acute disease of the lungs caused by the tubercle bacillus; but rarely by that germ alone. There are usually other germs present.
Q. What is the best way for the individual to avoid tuberculosis?
A. By living the kind of life that will give the best of health. Plenty of fresh air; plenty of good food; plenty of rest; avoidance of diseases which will decrease the strength of the body; moderation in work, in play and in all the affairs of life.
Q. What are the most important public means of preventing and overcoming tuberculosis?
A. General education in the rules of right living; physical examination of school children; open air schools or open window rooms for those who are under-nourished; dispensaries or clinics for the examination of those suspected as being tuberculous; free public sanatoria for the treatment of curable consumptives or for the isolation of far advanced consumptives who may spread infection to others.
Q. Is tuberculosis a curable disease?
A. Yes. A large percentage—75 to 85 percent— can be cured if the disease is recognized early and proper treatment is begun at once. Most fatal cases of tuberculosis are neglected cases of tuberculosis.
Q. What are the chief causes of this fatal neglect?
A. Failure of patients to recognize the early signs of the disease; failure to go to a physician for careful examination on the first appearance of any of these signs; haste or carelessness on the part of the doctor in making the examination; unwillingness of the patient to admit that he is suffering from this very common disease; unwillingness of the patient to go to a sanatorium until it is too late.
Q. What are the earliest signs of tuberculosis of the lungs?
A. Weariness, nervousness, impaired appetite, digestive disturbance, loss of weight, frequent or protracted colds, slight afternoon elevation of temperature or fever. There may or may not be cough.
Q. Are tubercle bacilli always found in the spit or sputum of persons suffering from tuberculosis?
A. No. The presence of bacilli in the sputum always means tuberculosis; but in the majority of early cases, germs are not found.
Q. Does an X-ray picture of the chest show tuberculosis?

A. No. The X-ray picture shows shadows which may or may not mean tuberculosis. In some active cases of tuberculosis. the X-ray plate shows practically nothing.

Q. Is there any vaccine or medicine that will cure tuberculosis?

A. No. If properly used, they may help a little in some cases.

Q. What are the principal things in the modern treatment of tuberculosis?

A. Treatment in a sanatorium is desirable in most cases, partly to establish cure; but chiefly to train the patient in how to live. The chief things in sanatorium care are rest, fresh air, good food, rigid discipline which promotes self-discipline, constant medical care, good nursing and education.

COMMUNICABLE DISEASES

Q. What are the communicable diseases common among children?

A. The most common are diphtheria, scarlet fever, whooping cough, measles and chicken pox.

Q. Why are they called communicable?

A. Because they are easily spread from one person to another.

Q. Is it a good thing for every person to have these diseases in childhood?

A. No. It is much better not to have them at all for the reason that they may cause death or weaken a person for life.

Q. How can a person avoid these diseases?

A. The best way is not to go near a person who is sick with them and not to handle or eat anything that has come from the sick. Also wash the hands and face frequently, keep the hands away from the mouth and nose and get plenty of fresh air and sunshine.

Q. Why are these diseases common among the children?

A. Because school children come into close contact with each other in the rooms and at play. Many of them carelessly sneeze, cough and spit in the presence of others. They often use common drinking cups and put fingers, pencils and other things into their mouths after such things have come into contact with other children.

Q. How can school children be protected against the diseases common to school children?

A. By personal hygiene, frequent medical inspection of all school children and strict quarantine of those who are sick from these diseases.

Q. How does frequent medical inspection protect the children?

A. It locates children who are in the early stages of communicable disease and makes it possible to prescribe proper care and to exclude such persons from the schools. It is also the means of locating and controlling other children who may be able to spread diseases.

Q. Should schools be closed when a case of communicable diseases is discovered among the children?

A. No. For the reason that it is infinitely better to keep the children in school under nursing and medical supervision than to allow them to run at large.

Q. What means has the health department of knowing when communicable disease is present in any locality?

A. The law requires every case or suspected case of communicable disease to be reported immediately to the local health officer.

Q. Is anyone except a physician supposed to report a case?

A. Yes. The quarantine laws require that anyone having a knowledge of an unreported or unquarantined case of communicable disease or who has knowledge of any violation of quarantine shall report the facts to the local health officer.

Q. Why is it so important to report all cases of communicable disease to the health officer?

A. In order to prevent the spread of communicable diseases the health officer must know immediately after the discovery the exact location of every case of such disease in his district. He knows what information to give those who care for the patient and what other steps must be taken that an epidemic may be avoided.

SANITATION


Q. What are the three chief sanitary problems that face the people everywhere?

A. First, to get pure drinking water. Second, to get rid of sewage, garbage and all other kinds of waste so that it can not possibly find its way to the mouth of a person. Third, to get rid of flies, mosquitoes, rats and disease carrying vermin.

Q. What are some of the dangers from impure drinking water?

A. Polluted drinking water often causes typhoid fever, dysentery, diarrohea, and other diseases of the digestive system. Polluted water supplies have caused epidemics of typhoid fever and other diseases that have swept the population of whole cities.

Q. How does water become polluted?



MRS. FLY AND HER FAMILY

A. Well and spring water is usually polluted by surface drainage, drainage from privies, cesspools and other insanitary sources. Streams are usually polluted by sewage from communities and by wash from contaminated soil.

Q. Does water become polluted in any other way?

A. Yes. Wells with open tops or buckets are often polluted by filth, insects, small animals, and disease

germs that get in from the top and especially by handling the rope and buckets with unclean hands.

Q. Is well water ever safe for drinking?

A. Yes. Deep wells are usually safe when properly cased and covered to keep out surface seepage and other matter. Shallow dug wells are safe when properly constructed and located but shallow wells in a built-up community are generally contaminated.

Q. Does a well need an opening for air to keep the water pure?

A. No. Wells should be sealed at the top with cement, and a pump used to draw out the water.

Q. How can one know when water is impure?

A. By a laboratory test. The State Department of Health will analyze samples of water free of charge.

Q Can polluted water be purified?

A. Yes. For private use boil for half an hour or use bleaching powder. One-half ounce of bleaching powder dissolved in a small amount of water, then mixed in one gallon of water and allowed to settle will produce a clear liquid sufficient to sterilize 1,000 gallons of water. To purify public water supplies filtration plants and chlorine machines are necessary.

Q. What is sewage?

A. Sewage is made up of excreta from the human body, water from kitchens and bath rooms and other waste matter.

Q. Why is sewage dangerous to health?

A. Because human excreta is poisonous to any person getting it into his body through the mouth. Typhoid fever is always caused by germs that find their way from fecal matter into the mouth Diarrhoea, dysentery and other diseases are often carried in the same manner.

Q. How can fecal matter get from one person to the mouth of another?

A. The most common ways are by seepage from privy vaults into wells and cisterns; by house flies that carry it on their feet or body; by soiled hands on people who cook or otherwise handle food and milk; and by untreated public water supplies, obtained from surface sources.

Q. What are the safest ways to get rid of human excreta?

A. Connect with a city sewer system. If this is impossible build a sanitary privy.

Q. When is a privy considered sanitary?

A. A privy is considered sanitary when it is both fly-proof and water-tight. The State Department of Health will furnish plans for sanitary privy construction on request.

Q. What other household waste matter affects health?

A. Garbage, rubbish, tin cans, and other filth furnish breeding places for insects and rats that carry disease germs.

Q. How should this waste matter be disposed?

A. Garbage should be kept in a closed receptacle and then burned, fed to hogs, or buried. Other waste matter should be hauled to a dump and covered with soil or ashes.

Q. Does stable manure kept in barns or barnyards affect the health of people?

A. Yes. Stable manure is the most prolific fly breeding matter known. The way to prevent fly breeding is to thoroughly clean the stables twice a week and haul the manure away.

Q. What insects carry disease germs?

A. Flies and mosquitoes are the most common.

Q. What diseases are spread by flies?

A. Flies carry germs that cause diarrhoea, typhoid fever, dysentery, tuberculosis, diphtheria, anthrax, infantile paralysis and several other diseases.

Q. How does the fly spread disease?

A. Flies collect disease germs from human excreta and other filth around privy vaults, cuspidors and like places. They carry these germs into the kitchen and deposit them on food articles, cooking utensils and table ware. People get the germs into their mouths when they eat the food or use the ware on which the fly has been.

Q. Where do flies come from?

A. Flies hatch from fly eggs. They breed most rapidly in stable manure. They also breed in open garbage cans, around privy vaults and in other filthy places.

Q. Is it possible to prevent fly breeding?

A. Yes. First, kill all flies found around the house or barn during the fall and winter months. Each fly killed will prevent the breeding of millions during the next summer. Second, clean the stables twice a week during the spring and summer and haul the manure away. Also, keep the yard clean of all rubbish and make the garbage can and the privy vault fly proof.



YOUR TURN NEXT?

Q. Are there other ways to fight the fly?
A. Yes. Screen the house and swat all flies that get in.
Q. What diseases are spread by mosquitoes?
A. Yellow fever and malaria. In the latitude of Illinois only malaria is important.
Q. How do mosquitoes spread malaria?
A. Mosquitoes bite patients sick with malaria and become infected. They then bite well people and infect them.
Q. Can the spread of malaria be prevented?
A. Yes. The best way is to prevent mosquito breeding.
Q. Where do mosquitoes breed?
A. Mosquitoes breed in swampy places, pools, rain barrels, stagnant water in tin cans, puddles in roof gutters, open wells and cisterns, and numerous other wet places.
Q. How can mosquito breeding be prevented?
A. First, keep all damp and swampy places well drained and free from heavy vegetation. Second, smash all empty tin cans, and other debris so that they can not hold water. Third, add a coating of crude oil to the surface of standing water in pools, rain barrels, and other receptacles.
Q. What rodents spread diseases?
A. Rats and ground squirrels spread bubonic plague.
Q. Has bubonic plague ever been known in epidemic form?
A. Yes. Deadly epidemics of bubonic plague have swept large districts in China and India. In 1911 an epidemic appeared in Manchuria that was far more deadly than the recent influenza in this country. Several light epidemics have appeared in California. During 1920 several cases were reported in American cities on the Gulf of Mexico.
Q. How do rats spread bubonic plague?
A. Fleas on infected rats become infected. The fleas spread the plague to other rats, to squirrels and to humans. Infected rats travel from one country to another in steamships. They also travel great distances by land.
Q. How can plague be prevented?
A. By killing all rats and making all buildings rat proof.
Q. Is there any other reason for killing rats?
A. Yes. Rats in the United States destroy food valued at $180,000,000 every year. That means a loss of more than $1.50 each for every man, woman and child in this country.

VITAL STATISTICS

Q. What are Vital Statistics?

A. Statistics are facts expressed by figures and vital statistics are facts about life expressed in figures. Vital statistics are also called the "bookkeeping of health."

Q. What parts of vital statistics are given special attention in Illinois at present?

A. Birth, death and morbidity (disease) statistics.

Q. Why are birth and death statistics given special attention?

A. Because it is necessary to know how many births and how many deaths occur in every locality and to know the conditions under which each birth and death occurs in order to properly protect the "business of life" in that locality.

Q. How is a knowledge of births and deaths helpful in the "business of life?"

A. Births may be called the profits, and deaths the losses in the "business of life." It is essential to know what the "'profits" are and to know how great the "losses," and what things cause the "losses" in order to make successful plans for long, healthy, happy lives.

Q. How are records of births and deaths obtained?

A. Local registrars are required by law to collect these records and to forward them to the State Capital.

Q. How do the local registrars collect the records of births?

A. State laws require that the attendant at birth (whether a physician, midwife, parent or householder) must fill in a certificate of birth and present it to the local registrar within ten (10) days after birth.

Q. Is a record of birth of value to the individual?

A. Yes. The most important of these benefits follow:

1. A birth certificate proves the right of citizenship.
2. A birth certificate is proof of heirship. Estates of great value have been lost to American citizens because they had no proof of birth.
3. Proof of citizenship for Americans in foreign countries often depends upon a birth certificate. In times of war the question of being an American citizen is often the question of life or death.
4. The right to travel in foreign countries is made easy by proper birth registration. Passports for travel are often hard to obtain without a birth certificate.

5. Right to go to school depends upon the age of the child. A birth certificate proves the age.
6. The National Child Labor Law applying to children under sixteen years of age often makes the right to work depend upon a birth certificate. A proper birth record will always protect the child in case of injury under the Child Labor Law.
7. The right to vote depends upon age. Difficulties at the voting polls can always be avoided with a birth certificate.
8. It is unlawful for people to marry under certain ages. A birth certificate is the most important proof of age when the right to marry is questioned.
9. The right to hold public office depends upon age. A birth certificate is unanswerable proof of age for this purpose.
10. Military service under the draft law requires official proof of age. A birth certificate is the only unquestionable official proof.

Q. Does it matter whether a birth is reported at once or not?

A. Yes. A prompt birth report may be the means of preventing lifelong blindness in the child. It may often be the means of saving the life of both mother and child.

Q. How can a prompt birth report prevent blindness?

A. A great deal of blindness comes from sore eyes at birth. This can be prevented by a few drops of silver nitrate solution in the eyes if used soon enough. The health department can supply silver nitrate and see that it is used properly.

Q. How else may a prompt birth report help a baby?

A. Young babies require the very best of care. They must have special foods; they must have the right kind of clothes; they must be bathed in the right way. Very often the mother does not know how to care for her child in the best way. A prompt birth report is a notice to the health department that the service of a well trained nurse may be needed to show the mother how to keep the baby well.

Q. Does a prompt birth report help the mother?

A. Yes. Many mothers die as the result of child-birth, because they do not know how to care for themselves. A prompt birth report is a notice to the health depart-

ment that a mother may need special information and care.

Q. Are prompt birth reports of value where there is no well organized health department?

A. Yes. Visiting nurse associations and private infant welfare agencies have access to the local birth records and often do the infant welfare work that the health department is unable to do.

Q. How does the local registrar collect the records of death?

A. State laws provide that a certificate of death or stillbirth must be presented to the local registrar by undertakers before a permit to bury or otherwise dispose of the body can be issued.

Q. How are official death records of value to individuals?

A. Official death records have a multitude of values to individuals in that they serve as unquestionable proof when the legality of second marriages, titles to property, payment of life insurance and the payment of pensions to the widows and orphans of deceased soldiers are in question. They also establish accurate records of the vital events in the life of every citizen, a thing to which the most humble is entitled.

Q. How are official death records of general or public value?

A. Complete and accurate death records show the cause and time of all deaths. These facts help people to know the seriousness of the different diseases and the time of life when certain diseases are most deadly. With this knowledge the living are able to avoid the things that cause untimely deaths and thus live longer and happier.

CHILD HYGIENE

Q. What is Hygiene?

A. The science of health and its preservation.

Q. What is Child Hygiene?

A. It is the science of health and its preservation during childhood.

Q. What are the age limits usually thought of in Child Hygiene?

A. The infant age, up to three years old. The pre-school age, from three to six years old. The school-age, from six to fifteen years old. We are going to study the hygiene of the school age, the time when we are

no longer babies and when we are not yet grown-ups. Our subject is the hygiene of the boy and girl age.

Q. What are the big words in boy and girl hygiene?

A. They are clean food, air, sunshine, occupation, recreation, rest, self control and disease prevention.

Q. Does clean mean being dressed up all the time?

A. No. It means keeping out of dirt known to be poisonous, and not allowing any dirt to stay on too long at a time.

Q. Should rules be followed in keeping clean?

A. Enough but not too many.

Q. Name the principal rules in the order of their importance.

A. The hands should be washed regularly on rising and retiring, before eating food, after known contact with dirt or where one has been exposed to many living beings whether people or lower animals, or to objects with which they have been in contact, as in play, work, shopping and travel. The face more than once daily, because it is exposed and because some of the most important organs of the body are about the face, as the eyes, ears, nose and mouth. The entire body surface at least three times each week and preferably every day. The teeth and mouth, because they are not only exposed as the eyes, ears and nose are but in addition we actually put a great deal of material into the mouth.

Q. How often should the teeth be cleaned?

A. Not less than once daily and preferably after each meal.

Q. Should the teeth be picked?

A. It is preferable to remove particles between them with a piece of floss.

Q. Should they be filled if decayed?

A. Yes. Every boy and girl should have the privilege of the regular services of a dentist.

Q. What troubles may bad teeth cause in boyhood and girlhood?

A. Toothache, poor digestion from poorly chewed food, pain, fever and even serious sickness of the digestive organs, and troubles with other distant organs as glands and joints, and sometimes with the blood. The early permanent teeth, known as the six year molars are frequently lost for lack of care.

Q. Can one out-grow the effects of bad teeth?

A. Nature sometimes restores health after the teeth decay

or have to be removed but neglected and diseased teeth in childhood are frequently followed by illnesses and weaknesses in later life.

Q. Should any special care be given the mouth other than the teeth?

A. The mouth is better for gentle rinsing when the teeth are brushed.

Q. Are there other organs in the mouth besides the teeth which demand special care?

A. The tonsils and adenoids by becoming diseased cause much trouble in childhood.

Q. Where are these organs located?

A. The tonsils, within the mouth opposite the angles of the jaws: adenoids in the upper and posterior part of the throat.

Q. What are they for?

A. They are to assist in preventing germs from being taken into the blood and lymph vessels, especially during the early years of life while nature is establishing immunity to many diseases, that is, while our systems are becoming less and less subject to them.

Q. Should they not be left in the mouth and throat?

A. By all means, just as the teeth should if they do not become diseased or if they can be repaired. Like the teeth they have to withstand the brunt of exposure to food and air passing into the body and to the excretions of the mouth and lungs. Unlike the teeth they are not easily repaired and when hopelessly diseased they should be removed. They are not removed merely because they are tonsils and adenoids, but because when diseased they may obstruct breathing, interfere with hearing and like the teeth become so diseased as to make filth and disease centers in the mouth.

Q. How is food a subject of boy and girl hygiene in a country of plenty such as the United States and especially such as Illinois, the greatest food producing area in the world?

A. Because of family bad habits in the choice and preparation of food and because of boy and girl bad habits in the forming of tastes for, and manner of eating foods.

Q. What bad habits have boys and girls in eating?

A. Hurried eating. Time should be taken to chew each mouthful. The food should be finely divided and thoroughly mixed with the saliva.

Q. What special advantages are there in thoroughly chewing food?

A. It gives the teeth exercise and thereby causes a full circulation in their blood vessels which promotes the soundness of the teeth. Chewing extracts the tasteful qualities from the food thereby increasing the pleasure of eating. Chewing thoroughly mixes the food with the saliva enabling the digestive substance in the saliva to act upon it. Chewing finely divides the food so that the digestive substances of the stomach and intestines may act upon it. Chewing helps to make ready the food so that a greater percentage of it is absorbed thus avoiding an over-load of food.

Q. Should I not eat what I like?

A. Yes, if you do not limit your diet to too small a number of foods.

Q. What harm does too small a number of foods bring about?

A. It brings about what is called an unbalanced diet which may over-nourish certain tissues and under-nourish others.

Q. What tissues commonly are under-nourished?

A. Bone and muscle tissue. There is sometimes too much fat. In some cases there is not enough of any kind of tissue and the person is under-nourished generally. He therefore must be under-weight, under-strength, with poor blood and liable to disease.

Q. How shall I know what to eat?

A. Form a liking for all varieties of food. Children do not like vegetables, except it may be potatoes. They should form a liking for all of the green vegetables.

Q. Should we eat sweets?

A. Sweets may be eaten moderately as desert. They should not be eaten between meals as they take the appetite.

Q. Should one drink with meals?

A. There is no objection to drinking water if it is not done to avoid chewing the food. Coffee and tea should not be used by children. Well children do not need stimulants of any kind.

Q. How can we avoid harm from eating?

A. Do not use dishes and table ware used by others until they have been thoroughly cleansed. Do not put objects not food or drink into the mouth. See that all fruit and raw vegetables are thoroughly cleansed or

the outer covering or "peeling" taken from them before eating. Eat only fresh and well cooked foods.

Q. What is good air?

A. It is air free from dust and foul vapors and which is not stagnant.

Q. Why does a clean room which has been tightly closed smell badly?

A. Because the air is not in movement.

Q. Should we sit in a draught?

A. Not in cold weather. A draught carries the heat away from the body too rapidly and the body is chilled. But there should be movement to the air.

Q. Is night air dangerous?

A. No. Windows should be open at night to allow a movement and change of air. We spend from one-half to one-third of our lives in bed. We would not stay in the same air eight to twelve hours in the daytime. We should not do so at night.

Q. How did people get in the habit of sleeping in close bedrooms?

A. In pioneer days and peasant countries the houses were closed to keep out the cold of winter. But dwellings were loosely built and plenty of air came in. Now houses are tightly built and should be well ventilated.

Q. What is the best temperature for dwellings and schools?

A. We can do our best work at a temperature of from 65 to 68 degrees Fahrenheit.

Q. What are some of the effects of poor light in a school house?

A. Eye strain, fatigue, underweight, dullness, nervousness and difficulty or failure in lessons.

Q. How much light should a school house have?

A. Each room should have window space equal to at least one-fifth of the floor space. If shade trees obstruct the light the window space should equal not less than one-fourth the floor space.

Q. How should the light reach the pupil's desk?

A. Light should come in from the left when the pupil is seated. It may come from the back if the windows are built high up in the walls.

Q. Is it harmful to live indoors?

A. As much of childhood as possible should be spent in the open air. Every child should spend all of the daytime out of doors which he does not spend in school or in necessary indoor tasks.

Q. How much rest should school children have?

A. At least nine hours out of twenty-four in bed. If they are underweight they should have an extra hour in bed at night and an hour immediately after lunch.
Q. What is the object of play?
A. To make us healthy, happy, sociable, unselfish and skillful.
Q. Should children work?
A. They should do their school work. They should learn to be useful at home and should be instructed in the use of their hands and minds. They should be taught simple business methods, the use of tools and simple arts, but not to be wage earners until they are past school age.
Q. Is self-control a part of hygiene?
A. Yes. Body and mind must dwell together.
Q. How is self-control shown in childhood?
A. In the formation of habits of cleanness, unselfishness, industry, patience and courage.

LABORATORIES

Q. How do public health laboratories serve the people?
A. There are five leading ways in which public health laboratories serve the people.

First, they examine specimens of blood, sputum, urine, and other substances from the human body to help physicians make early and correct diagnosis of communicable disease.

Second they examine cultures taken from people recovering from communicable disease to find out whether such persons are still able to spread the disease.

Third, they make surveys in times of epidemics to locate carriers of disease germs who may have caused the epidemic.

Fourth, they examine milk, food and water when necessary to find out whether these things contain dangerous disease germs.

Fifth, they produce and distribute vaccines and serums for preventing communicable disease.

Q. When was the first public health laboratory established?
A. In 1892 the first municipal public health laboratory in the world was established in New York City. Now every state in the Union and many cities have such laboratories.
Q. How can a laboratory help a physician make early and correct diagnosis of communicable disease?

A. Laboratory examinations of certain specimens from the human body will show whether any known disease producing bacteria are present.
Q. What are bacteria?
A. Bacteria are very tiny, single cell plants; so small that magnified a thousand times they are smaller than a pin point. There are more than four hundred different kinds of bacteria.
Q. Are all bacteria harmful to people?
A. No. Only twenty or thirty different kinds of bacteria are known to be harmful to humans.
Q. How do bacteria grow?
A. Bacteria require food the same as all other plants. Bacteria that causes disease require food and conditions like those often found in the human body.
Q. Can bacteria live without food?
A. All disease producing bacteria starve quickly except the kind that causes anthrax. Bacteria that cause anthrax are able to form hard shells around themselves and live without food for months and even years.
Q. What is the difference between communicable disease germs and bacteria?
A. None. Disease germs are those bacteria that produce poison in the human body and thus cause sickness.
Q. Are all disease germs known to scientific men?
A. No. The germs that cause small pox, measles, scarlet fever, chicken-pox and some other communicable diseases are not yet known.
Q. How do scientific men know that such diseases are caused by germs?
A. Because these diseases spread just like diphtheria, tuberculosis, pneumonia and other diseases of which the germ has been found.
Q. How do disease germs travel from one person to another?
A. Infected people spread disease germs by coughing, spitting, sneezing, kissing and by handling food or other articles that may later be taken into another person's mouth. Certain insects and animals also carry disease germs.
Q. Do well people ever spread communicable disease?
A. Yes. Some people known as carriers, who appear to be in good health carry disease germs everywhere they go.
Q. What are the best ways to combat infection by disease germs?
A. The best ways known are to keep the body clean; avoid

people sick of communicable diseases; get plenty of fresh air and sunshine; eat only clean, pure food; prevent careless coughing, sneezing and spitting; keep the house clean and insect proof.

Q. Art there any other important ways of combating infection by disease germs?

A. Yes. The use of vaccines and serums have proved very successful in controlling and preventing several common diseases.

Q. What are vaccines?

A. Vaccines are nothing more than dead or very much attenuated bacteria.

Q. How does a vaccine help the person who uses it?

A. A successful vaccine will make the person who uses it immune to the disease for which it is given.

Q. What diseases can be prevented or controlled by vaccines?

A. The diseases that have been successfully prevented and controlled by the use of vaccines are small pox, rabies, typhoid fever and para-typhoid fevers. Vaccines have also been used against many other diseases such as whooping cough, pneumonia, influenza and colds but not always with great success.

Q. Has small pox been reduced by the use of vaccine?

A. One hundred years ago small pox was a common children's disease and everybody thought they had to have it before they grew up. A French physician said in 1754 "that one-fourth of mankind was either killed by it or crippled or disfigured for life." In Italy in 1782 ninety per cent of the population suffered from it. In 1796 Jenner in England discovered vaccination and since that date small pox in all countries where vaccination is practiced has been rapidly diminishing. In those countries where it is not practiced generally, as in Russia, a high rate still prevails.

Q. How much has rabies and typhoid fever been reduced by vaccine?

A. Rabies vaccine was discovered in 1883 by Pasteur in France and since that time the mortality from bites by mad dogs has dropped from around 15 per cent to much less than 1 per cent in cases where the vaccine has been used.

Typhoid fever has been reduced very materially in those persons vaccinated. While vaccination does not give a complete or a lasting immunity, yet in the face of epidemics it is of great service. In India

the mortality from typhoid fever among non-vaccinated was 471 per million people, among vaccinated only 94 per million.

Q. What are "Serums or antitoxins?"

A. "Serums" or antitoxins are the blood serum of animals (usually horses) that have been immunized to certain diseases. This blood serum contains all the immune bodies which have been acquired through having the disease.

Q. How are "serums" used in combating disease?

A. "Serum" or antitoxin is injected into the blood of a person who contracts certain diseases. This fills the blood of the sick person with the immune bodies in the "serum" so that he does not have to wait for his own blood to build up an immunity.

Q. What diseases are best combated by antitoxin?

A. The diseases in which antitoxins are used with most success are diptheria, tetanus, pneumonia, meningitis, dysentery (bacillary) and streptococcus infections.

Q. Has the use of antitoxin diminished disease?

A. Deaths from diphtheria have been reduced from 15 out of 100 cases to about 3 out of 100 cases. Results with other diseases have been almost the same.

Q. When are the best results from antitoxins obtained?

A. The best results are obtained when antitoxin is given at once after the onset of disease. If diphtheria antitoxin is given on the first day after the onset it results in a positive cure.

Q. What is diphtheria toxin?

A. Diphtheria toxin is the poison produced by the diphtheria bacillus. It is produced in the laboratory for the Schick Test.

Q. What is the Schick Test?

A. A very minute amount of diphtheria toxin is injected between the layers of skin of a person. If the person is immune to diphtheria nothing happens; if not the skin and flesh around the point of injection grows red. Dr. Schick discovered the test, hence it carries his name.

Q. How useful is the Schick Test?

A. The Schick Test is extremely useful in finding out who is immune from diphtheria and who is not. There is no danger of immune persons catching the disease so that all attention can be focused on those who are not immune.

Q. For what is silver nitrate used?

A. Silver nitrate is used to prevent blindness. A few drops in the eyes of a child at birth will kill germs that otherwise may prove fatal to the sight.

VENEREAL DISEASES

Q. What are the venereal diseases?
A. Syphilis, Gonorrhea, and Chancroid.
Q. What are some of the common names for these diseases?
A. Clap, a dose for gonorrhea, siff, pox, old rale for syphilis.
Q. Why are they called venereal diseases?
A. Because they are usually, not always, contracted during sexual intercourse.
Q. Are these diseases serious?
A. Syphilis and gonorrhea are among humanity's most terrible scourges. They are very deceptive. Men and women who think themselves cured may transmit the disease years later. Chancroid is of little importance.
Q. What are some of the effects of venereal diseases?
A. Intense suffering, unhappiness, divorce, childless old age, blindness, female diseases, locomotor ataxia, paralysis, insanity, etc.
Q. Do all cases of venereal diseases bring these unhappy results?
A. No. Modern medical science combined with common sense on the part of the patient will usually prevent any of the after effects.
Q. How common are venereal diseases?
A. About 20% of the male population has had gonorrhea at some time. Not more than 5% have syphilis.
Q. How are venereal diseases spread?
A. Usually by direct exposure, that is through sexual intercourse. Still the pus from a gonorrhea will cause blindness if gotten into the eyes. Syphilis is in the blood and can be innocently contracted from a kiss or by using some toilet article or drinking glass. Children sometimes inherit syphilis from their parents. Husbands may innocently transmit the disease to their wives. People sometimes infect others without knowing they have the germs themselves.
Q. How may boys and girls best guard against the venereal diseases?
A. 1. Never use a public toilet. If you are forced to it, protect yourself by using paper to cover the seat.

2. Never drink from a public drinking cup. If necessary you can learn to drink from a glass without touching your lips to the rim. The public drinking cup is forbidden by law in most states.
3. Never use a public towel in a public place. The unsanitary roller towel should be replaced by the sanitary inexpensive paper towels.
4. Beware of strange toilet articles and bed linen while traveling, particularly on railroad trains and in hotels. Use your own comb, brush and towels if possible, and see that the bed linen is fresh and clean.
5. Be sure that your dentist sterilizes his instruments carefully.
6. If you go to a barber shop, select a modern, up-to-date man who runs a sanitary shop, uses clean towels, and sterilizes his tools. The same applies to a manicurist.
7. Do not be free with your kisses. Kissing is the most dangerous and unhygienic of modern customs. The little white sores in the mouths of syphilitics are highly contagious.
8. Be careful of public swimming pools. They may be a source of venereal contagion.
9. Never touch your hands to the handles of the doors going in or out of a public toilet room. Protect them with paper if necessary.
10. Always wash your hands thoroughly after being in public places, especially before eating.
11. Don't pick your nose, or rub your eyes with your hands. Don't put your fingers into your mouth.
12. Don't take any chances, anywhere.

Q. Does the law require a person with a venereal disease to report that fact to a doctor or to a state official?

A. Not at present, but we should have such a law. The moral obligation is not enough.

Q. Why should venereal diseases be reported?

A. In order to control the diseases and prevent innocent infection.

Q. How do we know when we have contracted a venereal disease innocently?

A. There are certain signs and symptoms which are given elsewhere in this edition. There is always a first sore appearing at the point of infection. If you suspect anything is the matter with you, see a good physician. There are reliable tests which rarely fail.

Q. Can venereal disease be prevented even under direct exposure?

A. Gonorrhea and Chancroid can be prevented. So can syphilis in almost every case. There is a prophylactic treatment which prevents infection if applied within a few hours of the exposure.

Q. Are the doctors who advertise a speedy cure for syphilis to be trusted?

A. Absolutely not. Hire a responsible doctor who does not advertise. Quack doctors endanger your life, take your money, pretend to cure you, and then send you out into the world to spread disease and unhappiness, wherever you go.

Q. What is a quack?

A. A quack is an unscrupulous doctor who thrives on public ignorance. He prints scare heads in the newspapers, distributes lurid literature on men's private diseases, and runs fake medical museums, which are nothing but traps for the unwary.

Q. Can venereal diseases be cured.

A. Yes. But the sufferer must go to a good physician, follow his instructions, and stick to the treatment until the cure is permanent. It sometimes requires as long as four or five years to be absolutely certain of the cure.

Q. Is there any danger in marrying a man or a woman who has had venereal disease?

A. Not if the treatment has been thoroughly and intelligently given, and the patient has a clean bill of health from a reputable doctor.

Q. What is being done to educate people in the control of venereal disease?

A. The United States Public Health Bureau, and the State Department of Health in every state in the Union send out tons of printed matter every year, covering every phase of sexual science. All public and private welfare organizations are fighting these enemies, gonorrhea and syphilis with the only kind of a campaign that will beat them—a campaign of education.

Q. Where can free treatment for the venereal diseases be obtained?

A. The City, County, and State health authorities are co-operating with the U. S. Public Health Service and anyone desiring examination, advice or free treatment for these diseases should get in touch with the local or State health officer.

Why Men Grow Old

From time immemorial man has been seeking the secret of eternal youth. He has been making pilgrimages, concocting medicines, and evolving theories in a vain effort to keep from growing old. Who today does not recall the romantic tale of Ponce de Leon and his quest for that fabled fountain? Who does not remember with a shudder the taste of that elixir of life the advertisement said would make you live to be a hundred?

In spite of all this we still admire and respect the man or woman who outlives the three score years and ten of biblical times. Mortality statistics as compiled by the Life Insurance Companies show little variation from year to year or from generation to generation. Modern civilization has brought us increased knowledge in, and facilities for combating and preventing disease, but it has also given us new menaces in the form of undue haste, careless living, and loose morals.

Thus it is plain to be seen that while experiments, theories, and inventions have increased man's chances to reach a ripe old age, he has failed to accept the challenge.

He is not one whit better off than he was before.

The Cause of Old Age.—It is not our desire or intention to go into the technical and scientific reasons for the onrush of old age. We know, however, that certain glands, such as the thyroid, the pancreas, and the sexual glands become withered and atrophied in old age. We know that premature old age may be attributed to the early degeneration of these glands. We know that sooner or later the arteries and veins become clogged with sedimentary deposits bringing on what is known as arteriosclerosis, or hardening of the arteries, and certain death. We know that as age advances the tissues wear out and can no longer be rebuilt or replaced through natural processes. We know further that there are certain habits of life which harm the ductless glands, hasten the clogging of the arteries, and hinder the natural rehabilitation of the body.

It is of these habits or agencies to which we expose ourselves either willingly or unwillingly, that we will speak in the succeeding pages.

Laziness.—The first and perhaps the most harmful of these is the habit of laziness. Countless men and women grow old long before their time simply because they are too indolent to learn or practice the means of prolonging life. Laziness causes men to neglect proper exercise, to forget cleanliness, to ignore nature's warnings, and to disregard the very things that make for health, such as eating properly cooked food, masticating it thoroughly, getting out into the open air, and living the kind of a life nature intended.

The Human Boiler.—Most people are familiar with, or have had some experience with a hot water heating system. After a long period of hard use the boiler tubes become partly filled up with limy deposits, the water can no longer circulate freely, and the system is of little practical use. When cleansed of the clogging material, however, the tubes function properly, and the system attains its former efficiency.

It is just so with the human body. As we advance in years the arteries and veins become filled up with a sedimentary mineral substance, the supply of blood to the brain gets smaller and smaller, its functions are impaired, and it can no longer nourish and build up the body. Old age results. Once cleaned of these sedimentary deposits the system quickly becomes as good as new.

Cleaning Your Tubes.—How can this general cleaning out be accomplished? The answer is so simple that you must have guessed it already. Your heating apparatus will remain clogged until you clean it out by physical effort. Exercise, nature's never failing remedy, is the only practical method we have to fall back upon. It produces immediate, far reaching, and lasting results. Muscular development through the alternate contraction and relaxation of the muscles of the body forces out the residue of mineral deposits and worn out tissues. It lets the heart work naturally so that it may properly nourish the other muscles and organs of the body. It stimulates all glandular action so that better assimilation results.

But to do this the exercise must be of the right sort. It must not be one-sided nor out of proportion. It must not be too violent in character. The ideal type of exercise is one which, like swimming or wrestling, develops equally all the muscles of the body. Children unconsciously follow out nature's plan. They

run, romp, jump, and play in the open air from morning till night. Their little bodies function properly, their dead matter is wholly eliminated, and sickness is rarely known among them.

Physical Culture.—Swimming, wrestling, boxing, football, and open air sports are not available for all persons. Most of us, as a matter of fact, have neither the means nor the time for them. But all of us without exception have fifteen minutes, night and morning, which we could devote to prolonging life, and the fact that we fail to do so is just another proof of our lazi-



ness and our carelessness. The exercises beginning on page 328 are recommended first because they do not require a great amount of time, second bcause they call for no expensive apparatus, and third because they bring into play all the muscles or groups of muscles in the body. Study them, learn them by heart, and practise them night and morning. Or get your exercises from any standard work on physical culture. There is no surer method of outliving your life expectancy.

Uncleanliness is another of the life shortening habits we fall into as a result of our laziness. That cleanliness is one of nature's rules cannot be questioned. The cat, the house fly, and many other species

of animals clean themselves daily and with the utmost care. Bees will not stand for dirt or bad air in their homes. Birds religiously clean their bodies and their nests, and similar examples may be found everywhere in the animal kingdom. Why it is that man with all his highly developed instincts, his great intellect, and his varied experience should ignore a natural law of this kind is beyond understanding. Thousands of years ago the great religious leaders like Moses, Christ and Mohammed instructed their followers to practise certain ritual ablutions for the sake of health as well as soul.

The Result of Carelessness.—If a man fails to wash his body frequently, he retards the elimination of waste through the pores of the skin, a matter that is just as essential to health as the action of the kidneys and intestines. He also exposes himself to contagious and communicable diseases. Typhoid fever, cholera, dysentery, and similar disease germs are usually carried from the hands to the mouth and thence to the digestive organs. Erysipelas, blood poisoning and many other fatal maladies frequently come from the scratching of the skin with dirty hands. Tuberculosis and kindred ills are common to people who live in unclean, sunless, and unventilated houses. Neglect of the teeth is responsible for a host of bodily ills, not the least of which is rheumatism.

Hardly a single disease germ can withstand the attack of simple soap and warm water.

A captain of the United States Marines in the great war instructed all his raw recruits with these words: "Most of you men have been taught that cleanliness is next to Godliness, but I want you to remember that in the United States Marines *cleanliness comes first.*" The universal good health and the superb fighting qualities of the devil dogs is now a matter of history.

Intemperance.—The second great reason why men grow old is because they are intemperate. Although the use of the word intemperance immediately conjures up the thought of an over indulgence in strong drink, there are dozens of ways in which a total abstainer may be just as intemperate as the most confirmed hard drinker. Eating, drinking, smoking, the use of stimulants, and sexual indulgence, when carried out to excess all have a direct bearing on the span of human life. Over-eating, for example, probably kills more people

than over-drinking, anti-saloon league propaganda, notwithstanding.

Over-eating.—It has undoubtedly killed more people than all wars, famines, and pestilence combined. It ruins health, causes intense suffering, and shortens life. It is one of the primary causes of diabetes, hardening of the arteries, and high blood pressure, mature mankind's most dreaded afflictions. An overworked digestive apparatus furthermore means a weakened bodily resistance and an inability to ward off communicable diseases. On the other hand the habit of taking the right quantity of food, and the right kind of food, properly masticated is the first big step in the direction of health and longevity.

In an earlier chapter we dwelt at some length on the question of diet. We agreed about the right proportions of the three principal classes of food—starch, carbohydrates and protein—so that it is unnecessary to stress here the desirability of choosing a well balanced ration. There is a real danger in the ingestion of too much protein, i. e., meat, peas, beans, etc. These are not easily assimilated, they leave considerable residue in the system, and thus become a serious menace to the heart, the brain, and the kidneys. Incidentally we find here still another argument in favor of exercise. It is the man or woman of sedentary habits who suffers first and most severely from the effects of overeating.

Alcohol.—Theoretically there is no longer any excuse for a preachment against alcohol. It is against the law, and we are a law-abiding people. Actually the need is greater today than it has ever been before. The spirit of independence resulting from the world's war for an ideal of democracy is manifesting itself among our young people in a rather startling manner.

Unfortunately it is these young people who suffer most. Even in small quantities alcohol impairs the development of the intellect, and reduces the capacity for learning. Furthermore, the children of alcoholic parents are born under a severe handicap. They have little power of resistance against disease, are inclined to be undersized and manifest a tendency towards extreme nervousness, neurasthenia, and epilepsy.

Its Ravages.—On the other hand medical and law making authorities have agreed that for adults small quantities of wine, whiskey and beer are a useful tonic

and a valuable medicine. This does not alter the fact that alcoholic intemperance is one of mankind's greatest scourges. It is a poison, and as such contributes directly to the degeneration of the heart, the liver, and the kidneys and of the thyroid and sexual glands, together with practically every other organ in the body. Like over-eating it weakens the power of resistance against disease germs of all kinds. Almost all heavy drinkers have arteriosclerosis. Visual evidence of the ravages of alcohol will be found on page 333.

Tobacco.—While we frequently find instances of heavy smokers living to eighty, ninety or even one hundred years of age this does not alter the fact that tobacco has a very harmful effect on the heart and blood vessels. There are many persons who are unable to smoke even light tobacco without serious injury to their health. Others are able to smoke heavily and continuously for years without any apparent ill effects, only to be stricken down in an instant, long before their expected time.

Like over-eating, tobacco is one of the most frequent causes of arteriosclerosis, especially hardening of the arteries of the heart and brain. It is particularly dangerous when syphilis has been present in the system. The close relationship of alcohol, tobacco and syphilis forms a combination of life shortening agencies that is hard to beat.

Pictorial evidence of the effects of tobacco will be found on page 332.

Rules for Smoking.—All men and women would be better off without smoking just as they would be healthier and happier without stimulants of any kind. But if you must smoke, if you find that tobacco exerts a soothing effect on the nervous system, try to observe the following rules:

a. smoke moderately.
b. smoke only light tobacco, preferably in a long pipe.
c. do not inhale any more of the smoke into the lungs than is absolutely necessary.

Smoke Laden Air.—Experiments have proved that air filled with tobacco smoke in a close room actually contains carbon-monoxide gas in demonstrable amounts. This is the same poisonous gas that emanates from the exhaust of a gasoline engine, and has

proved fatal in so many instances. It paralyzes the lungs, and causes instant death.

Children and Tobacco.—Children should never be allowed to use tobacco in any form. They should also be guarded from a tobacco laden atmosphere. We are all familiar with examples of boys whose physical and mental development has been stunted by smoking. It is quite evident that the child's delicate organism is not able to fight off the effects of this insidious poison. This is especially true in young girls.

Women and Tobacco.—The habit of smoking is growing among both young girls and women of mature age, and it is unfortunate that tobacco is even more harmful to them than it is to men. The girls will not like this statement, of course, but it is a fact nevertheless. Women who smoke excessively soon lose the bloom of youth. Their digestion suffers, their cheeks pale, their appetite vanishes, and quite frequently a general neurasthenia results. This is due to the fact that their tissues are much more delicate than those of men. In this sense, at least, they are the weaker sex. Another reason is that their poison destroying glands are busy with frequent changes in the ovaries. As a result the system is unable to counteract the effect of an excessive introduction of poison in the form of tobacco. Naturally health suffers and old age appears far sooner than it otherwise might.

Sexual Indiscretion.—After all that has already been said in the preceding pages it is unnecessary to reiterate here the damaging effects of any form of sexual excess. The reader is now fully aware of the sufferings, mental and physical, that always result from such indiscretions. Sterility, impotence, neurasthenia, and the venereal diseases unquestionably lessen the resistance of the body to the attacks of other disorders, and are in themselves definite life shortening agencies.

There is a very close relationship between the nervous system and the circulatory system, so that here again we are able to lay our hand on one of the causes of arteriosclerosis, mentioned already so many times in this chapter. Unexpected death at an early age may in many instances be attributed to no other cause than hardening of the arteries due to sexual excesses.

And here again it is the unborn child who in all innocence must pay the most exacting penalty for the sins of his parents. Endowed with a heritage of ill health,

disease, weak mentality, he has little chance of surviving the first few months or years of his life, to say nothing of reaching a ripe and useful old age.

Avoidance of Parenthood.—The medical professions and the reformers agree that in young people continence is normal. As age advances, however, the sex instinct, that most powerful instinct with which man is endowed, must have its way or there will be trouble. Thus a complete repression of all sex desires over a long period of time brings on a condition very similar to the one resulting from sexual excesses, i. e., nervous disorders, such as neurasthenia and hysteria, followed by impotence and an atrophication of the sex glands. It is also to blame for severe digestive disturbances, and another of the contributing causes of hardening of the arteries.

Similarly the methods commonly used for the prevention of conception lead inevitably to an unhealthy condition of the sex apparatus and to many life-shortening diseases, particularly in women.

There is something missing in the life of any individual who has never felt the responsibility of parenthood. This may be intemperance of a negative sort, but it is intemperance, nevertheless.

Ambition.—We have seen now how laziness and intemperance shorten life. There is yet another reason for high life insurance rates. Men and women grow old before their time because of their ambition. As a matter of fact a man's ambition frequently leads him to become both slothful and intemperate in his personal habits. Thus we have a rather paradoxical situation in which an extremely ambitious man is also a very lazy one. His vision is so firmly fixed on his life ambition that he willingly overlooks the little things that count so much for health and happiness.

The Price of Fame.—Thus the great inventors, the captains of industry, the masterful artists, and the real discoverers of new powers and properties seldom live to enjoy the fruits of their untiring labors. As a consequence of over-work, excitement, disappointment, and nervousness they break down and die suddenly from heart failure or apoplexy, leaving the benefits of their victories to the enjoyment and exploitation of others.

The ambition of these truly great men, or rather their sincere desire to help mankind, is entirely different from the avarice and greed which characterize the

labors of those others who work for selfish motives alone. Unfortunately nature has failed to make any allowance for this essential difference.



Avarice.—There is also a distinct line of demarkation between the greedy man and the miser. The former is willing to undergo any pain, peril or danger to get money, but he is also willing to spend it on himself. His life is apt to be shortened by carelessness in his personal habits, overwork, and intemperance. The latter goes to the other extreme. In order to hoard his hard-earned money he allows his body to be undernourished, he lives in unsanitary quarters, and he rarely avails himself of medical attention until too late. All these things lead to disease and early death.

Vanity.—In women and in some men as well vanity is still another phase of ambition. Through their desire to be attractive to the other sex women frequently acquire certain deleterious habits which result in premature old looks and actually tend to shorten their lives.

Reducing Cures.—Most women who take obesity cures, for example, add years to their appearance, even though they succeed in subtracting inches from their waist measures. A diet consisting of little meat with plenty of green vegetables and fruits is the surest and

safest means of reducing. Such a diet, however, must always supply sufficient nourishment, and it will produce even more favorable results if it is carried on in connection with a vigorous course of physical exercise.

When the reduction in food nears the starvation point diseases brought on by undernourishment naturally result, all bodily functions are affected, and the patient not only looks older but feels older. Scientific plans for reducing weight and increasing weight are found on page 323.

Water.—Again many women drink very little water because of the erroneous belief that water is fattening. As a result their skin lacks sufficient fluids, their faces become lean and haggard, and the dreaded lines and wrinkles of age soon appear. For the same reason the body does not eliminate properly, pimples and eruptions appear, and the skin becomes yellow and old looking. Who can question the life shortening effects of constipation and the abuse of purgatives, which could invariably be avoided by the water cure?

Cosmetics.—A mistaken vanity often leads young girls to the harmful and wholly unnecessary use of



cosmetics. These are usually harmful because the preparations employed clog the pores of the skin, they often contain harmful ingredients, such as lead, and the manner of applying them induces lines and wrinkles.

They are unnecessary because they hide the bloom of health which after all is said and done is the real charm of youth. They make the young look older and in a superficial way they make the old look younger.

Massaging of the face should be avoided unless done by a skilled masseuse. Pure fat rubbed into the skin and removed, followed by a light application of good rice or talcum powder is a typical makeup of health. Occasionally the muscles of the face may be toned up by a mild solution of alcohol, about one part of alcohol to three parts water.

Anger.—Thwarted ambition leads to violent outbursts of temper. In fact, any unexpected obstacle put in the way of the satisfaction of one's ambition, greed or vanity is sure to manifest itself in anger. Such outbursts have a harmful effect on the nervous and circulatory systems, so that it is not uncommon for persons with nervous trouble or arteriosclerosis to die in a fit of apoplexic anger. We poke fun at the irate old man of fifty years or thereabouts, but we seldom remember his renowned good temper in younger days, nor do we stop to think that his irascibility is merely a manifestation of the development of arteriosclerosis.

Many life shortening diseases are aggravated by outbursts of passion. Persons suffering with or subject to such diseases as hardening of the arteries, diabetes, gout, and gall stone colic should always avoid the emotion of great wrath.

Rejuvenation.—Having now outlined in a brief way mankind's principal life shortening habits we will proceed to a discussion of the various rejuvenating agencies known to science.



Rejuvenation

or

How Men and Women Grow Young

A work which gloomily called attention to the many life shortening habits without presenting the sunny side of the picture would be of little practical value. It's an old saying "that it's no use to lock the barn after the horse is stolen," but happily for us this saying is not strictly true when it comes to the matter of rejuvenation. A man may look old, feel old, act old, and be old; he may have hardening of the arteries, high blood pressure, and little resistance to disease, and yet in a comparatively short time he may become a new man, or almost as good as new.

Methods of Rejuvenation.—As already hinted in the preceding chapter this new life may be brought about in several different ways. In the first place it may result from right living—by substituting good habits for bad ones. The second way in which it can be accomplished is by glandular extracts, that is the treatment with extracts from the glands of animals. Another method is the use of drugs. Then there are scores of different treatments and theories involving the use of

various outside influences, the sun's rays, ultra-violet rays, radium baths, mud baths, etc. One authority lauds his own methods and ridicules the claims of his contemporaries. We are not recommending any one method as against the other. We are merely bringing them to your attention, and in our discussion we will endeavor to point out the good points as well as the faults in each of them.

Exercise.—Sanford Bennet tells us in his remarkable little book, "Old Age, Its Cause and Prevention" (Dodd Mead & Co.) that through a simple course of physical exercise, coupled with right living and right thinking he was transformed, as if by magic, from a tottering old man at fifty to a vigorous young man at seventy. His theory is simply that arteriosclerosis, or hardening of the arteries—the primary cause of old age—is itself the result of a failure to throw off the dead matter which inevitably accumulates in the system. Exercise, that is the alternating contraction and relaxation of the muscles, will mechanically remove this waste matter, enable the organs of the body to function properly, and thus bring about a slow but sure rejuvenation. The only apparent danger to this method is that when the heart and lungs are already in a weakened condition, undue exertion or improper exercise may do far more harm than good.

General muscular activity stimulates all glandular action, and thus even in old age enables these health giving organs to function in the manner nature intended.

Glandular Extracts.—This brings us to the second method of rejuvenation as advocated by Dr. Arnold Lorland in his book, "Old Age Deferred" (F. A. Davis Co.) His theory is that old age presents almost all of the symptoms of glandular degeneration, resulting again from wrong habits of life. Through years of experimentation and research he has demonstrated that when elderly people are treated with the extracts from the glands of certain animals such as sheep or pigs, they appear younger to the extent of ten, fifteen or twenty years. This is no longer mere theory. It is an established fact.

Treatment is internal and great care should be taken to see that the quality of the extract is the best obtainable, and that it is taken from healthy animals. It should always be carried on under the supervision of a

competent physician. When rightly used there is not the slightest risk or danger in the internal use of glandular extracts.

Surgical Methods.—Similar results have been attained through operative methods. Professor Steinach, a noted German physiologist, conducted a series of experiments with rats as his subjects. He found that by severing the excretory ducts of the sexual glands in the male, and by transplanting healthy ovaries from young females to old ones he could transform old decrepit rats into young and extremely vigorous ones. After the operation their appetites returned, their bodies grew sleek and fat, their hair grew again, and their sexual desires and powers became perfectly normal. After having been absolutely impotent and sexless for a third of their lives these old rats actually bore offspring in a perfectly normal manner.

The same operation has been performed on human beings, and in every published case a remarkable improvement has been noted within a very short space of time. The numerous gland robberies we read about in the daily press indicate the celerity with which the members of the underworld have appreciated the dollars and cents value of this great discovery.

The Dangers of Surgery.—Surgical methods are naturally very expensive. They do not accomplish the desired result in every case. Furthermore, the element of risk is of serious consideration in every operation, no matter how simple, and there is always the danger of shock and collapse due to the character of this particular operation. It would seem, therefore, that the wisest and best method to follow would be to take the glandular extracts internally first, and then in the event of their failure to try the more risky method.

Other Methods.—Besides the methods already described there are certain drugs known to have a rejuvenating effect when taken internally. Iron, arsenic, the iodides, and even mercury have been used by physicians for this specific purpose. They are known to act upon the sex glands, limiting the discharge of the external fluid, and greatly increasing the internal secretion which is so important to health and vitality. The result is very similar to what happens after a glandular operation, although it is rarely so pronounced.

Treatment with ultra-violet rays greatly stimulates the circulation of the blood. Whenever the circula-

tion is improved everything else in the body improves. These rays direct from the sun or through a quartz lamp are a definite contribution to our knowledge of the prevention of old age.

The taking of radium and mud baths is still another means of rejuvenation advocated by various physicians. Their immediate effect is similar to that noticed in the surgical methods and in the use of drugs as just described. Glandular action is stimulated, particularly that of the sexual glands, and more particularly the internal secretion of these glands.

Your Own Attitude.—The attitude of most people toward this whole question of natural law is very much like the attitude a certain non-church member in a small town held in reference to the Christian church. He was a habitual kicker. "The Church doesn't accomplish a bit of good," "the Church spends its money foolishly," "We would be better off if they were all closed up and put out of business," were some of his customary complaints.

The pastor of one of the leading churches finally cornered him and earnestly sought to learn his real grievance. Having none to offer that seemed plausible in the light of the minister's logic, he finally volunteered:

"The first time I went to church they threw water on me, the second time they threw rice on me, and the third time—"

"Yes," interrupted the preacher, "and the third time they'll throw dirt on you and you deserve it."

Long Life or Early Death.—Don't go through life abusing your body and then rail at fate because you are old at fifty. Even under the most favorable circumstances "they will throw dirt on you" all too soon. There are certain well defined laws of nature that you are supposed to follow. There are certain well defined agencies for the prolongation of your life. If you fail to heed them and profit by them you have no one to blame but yourself. Common sense and understanding enable the young to remain young, and the old to grow young. There is hope that each one of us may live to the proverbial ripe old age, and thus be enabled to exert the talents wherewith God has blessed us, as well to His glory, as to the welfare of our fellow man.