

Graphs and tables showing correlation of disease with meteorological conditions in the Crimea

Publication/Creation

April 1855-Dec 1856

Persistent URL

<https://wellcomecollection.org/works/wndfuhwf>

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution, Non-commercial license.

Non-commercial use includes private study, academic research, teaching, and other activities that are not primarily intended for, or directed towards, commercial advantage or private monetary compensation. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

TAKEN AT THE CASTLE HOSPITAL BALAKLAVA.

For the Quarter ending the 30th June 1896

(under the Principal Name of Director)

IN THE BRITISH ARMY SERVING IN THE CRIMEA

(including State Transport Costs)
For the Secretary address the Hon. Mr. Hill

[illegible]




Table of Meteorological Observations

TAKEN AT THE CASTLE HOSPITAL, BALKLAVA

And RETURN showing the distance (under the principal heads of barometrical) of the ARMS during the CHINA, including those of the ARMS, from 1 April to 30 June 1856.

1856



NOTE

Table showing the daily visibility from 1st April to 30th June 1856, and the quantity of the atmosphere (including those of the ARMS) during the CHINA, including those of the ARMS, from 1 April to 30 June 1856.

1856





Table of Meteorological Observations

With the Daily Observations and Summary of the Principal Meteorological Phenomena of the Year
For the Quarter ending 31st Decr 1866.

587/10




399
WEATHER REPORTS & Daily RETURN OF VESSEL & CREW

of/land

of/land

Table of Meteorological Observations
With the Daily Baromet. and Direction of Winds under the
Principal Heads of Seasons
For the Month ended 31st March 1846.

1847/7



FR 7/7

FR 7/7

FRR7/6

For the Director in Charge 31 March 1886

[illegible]

10/10/6

FRA 7/6

Return of Meteorological Observations

Taken at the Basile Hospital, Galaklava

From 1st October to 31st December 1855

Return of Sickness and Deaths by Diseases

in the Army serving in the Crimea, including Sanit. Transport Corps

From 1st October to 31st December 1855

Day	OCTOBER					NOVEMBER					DECEMBER					OCTOBER					NOVEMBER					DECEMBER				
	Barometer	Thermometer (mean temp)	Humidity	Wind	State of sky	Barometer	Thermometer (mean temp)	Humidity	Wind	State of sky	Barometer	Thermometer (mean temp)	Humidity	Wind	State of sky	Barometer	Thermometer (mean temp)	Humidity	Wind	State of sky	Barometer	Thermometer (mean temp)	Humidity	Wind	State of sky	Barometer	Thermometer (mean temp)	Humidity	Wind	State of sky
1	29.70	56.5	48.0	W	Cloudy	29.70	70.00	47.50	S.E.	Cloudy	29.110	60.00	55.50	S.W.	Cloudy	29.70	56.5	48.0	W	Cloudy	29.70	70.00	47.50	S.E.	Cloudy	29.110	60.00	55.50	S.W.	Cloudy
2	29.65	55.5	47.0	W	Cloudy	29.70	71.00	48.00	S.E.	Cloudy	29.115	61.00	56.00	S.W.	Cloudy	29.70	57.5	49.0	W	Cloudy	29.70	71.00	48.00	S.E.	Cloudy	29.120	61.00	56.00	S.W.	Cloudy
3	29.65	57.0	49.0	W	Cloudy	29.65	60.50	48.50	S.E.	Cloudy	29.600	57.25	50.12	S.W.	Cloudy	29.65	58.5	50.0	W	Cloudy	29.65	60.50	48.50	S.E.	Cloudy	29.600	57.25	50.12	S.W.	Cloudy
4	29.65	54.0	46.0	W	Cloudy	29.70	66.50	48.50	S.E.	Cloudy	29.100	47.50	45.75	S.W.	Cloudy	29.65	59.5	51.0	W	Cloudy	29.65	66.50	48.50	S.E.	Cloudy	29.100	47.50	45.75	S.W.	Cloudy
5	29.65	60.0	62.50	W	Cloudy	29.65	65.00	48.50	S.E.	Cloudy	29.100	49.00	47.25	S.W.	Cloudy	29.65	60.5	52.0	W	Cloudy	29.65	65.00	48.50	S.E.	Cloudy	29.100	49.00	47.25	S.W.	Cloudy
6	29.65	61.0	47.70	W	Cloudy	29.65	77.75	48.25	S.E.	Cloudy	29.100	49.00	47.25	S.W.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.65	77.75	48.25	S.E.	Cloudy	29.100	49.00	47.25	S.W.	Cloudy
7	29.65	61.0	49.25	W	Cloudy	29.77	51.25	48.00	N	Cloudy	29.255	48.00	47.75	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.77	51.25	48.00	N	Cloudy	29.255	48.00	47.75	S.E.	Cloudy
8	29.65	59.5	53.15	W	Cloudy	29.70	53.00	48.50	N	Cloudy	29.310	47.00	47.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.70	53.00	48.50	N	Cloudy	29.310	47.00	47.00	S.E.	Cloudy
9	29.65	60.0	52.25	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
10	29.65	57.5	54.25	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
11	29.65	60.0	55.00	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
12	29.65	60.0	57.70	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
13	29.65	63.0	57.00	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
14	29.65	61.5	53.00	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
15	29.65	63.0	54.10	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
16	29.65	72.0	59.00	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
17	29.65	61.0	59.00	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
18	29.65	61.5	55.00	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.70	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
19	29.65	57.0	52.25	W	Cloudy	29.77	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.77	61.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
20	29.65	62.5	56.25	W	Cloudy	29.65	56.25	49.00	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.65	56.25	49.00	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
21	29.65	55.00	46.00	W	Cloudy	29.77	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.77	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
22	29.65	55.00	46.00	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
23	29.65	60.00	57.25	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
24	29.65	67.00	57.25	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
25	29.65	69.25	54.25	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
26	29.65	57.75	53.10	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
27	29.65	57.75	56.25	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
28	29.65	57.75	56.25	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
29	29.65	57.75	56.25	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
30	29.65	57.75	56.25	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy
31	29.65	57.75	56.25	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy	29.65	61.0	53.0	W	Cloudy	29.65	53.25	49.70	N	Cloudy	29.310	48.00	48.00	S.E.	Cloudy

Table showing the day on which the highest & lowest number of cases occurred in the hospital					Table showing the day on which the highest & lowest number of cases occurred in the hospital				
Day	Barometer	Thermometer	Humidity	Wind	Day	Barometer	Thermometer	Humidity	Wind
20 th	29.65	57.75	56.25	W	15 th	29.65	57.75	56.25	W
16 th	29.65	57.75	56.25	W	2 nd	29.65	57.75	56.25	W
14 th	29.65	57.75	56.25	W	24 th	29.65	57.75	56.25	W
12 th	29.65	57.75	56.25	W	26 th	29.65	57.75	56.25	W
10 th	29.65	57.75	56.25	W	28 th	29.65	57.75	56.25	W
8 th	29.65	57.75	56.25	W	30 th	29.65	57.75	56.25	W
6 th	29.65	57.75	56.25	W	31 st	29.65	57.75	56.25	W
4 th	29.65	57.75	56.25	W					
2 nd	29.65	57.75	56.25	W					
31 st	29.65	57.75	56.25	W					


Date	Barometer	Thermometer	Humidity	Wind	Date	Barometer	Thermometer	Humidity	Wind
20 th Dec	29.65	57.75	56.25	W	15 th Dec	29.65	57.75	56.25	W
16 th Dec	29.65	57.75	56.25	W	2 nd Dec	29.65	57.75	56.25	W
14 th Dec	29.65	57.75	56.25	W	24 th Dec	29.65	57.75	56.25	W
12 th Dec	29.65	57.75	56.25	W	26 th Dec	29.65	57.75	56.25	W
10 th Dec	29.65	57.75	56.25	W	28 th Dec	29.65	57.75	56.25	W
8 th Dec	29.65	57.75	56.25	W	30 th Dec	29.65	57.75	56.25	W
6 th Dec	29.65	57.75	56.25	W	31 st Dec	29.65	57.75	56.25	W
4 th Dec	29.65	57.75	56.25	W					
2 nd Dec	29.65	57.75	56.25	W					
31 st Dec	29.65	57.75	56.25	W					

SEPTEMBER
OCTOBER
NOVEMBER
DECEMBER

FRR7/6

FRR7/6

SEPTEMBER
OCTOBER
NOVEMBER
DECEMBER



M. H. H.

Form 100.

DIET TABLE.

4/20/74


FAR7/4

Table of Meteorological Observations taken at the Castle Dnepro-Dnistrovsk

And RETURN showing the SICKNESS of the ARMY during the CRIMEA under the PRINCIPAL HEADS of DISEASE

From 1st April to 30th September 1855.

FRY 3



Month	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th	14th	15th	16th	17th	18th	19th	20th	21st	22nd	23rd	24th	25th	26th	27th	28th	29th	30th
Barometer	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9
Thermometer	50.0	51.0	52.0	53.0	54.0	55.0	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	
Humidity	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	80.0	81.0	82.0	83.0	84.0	85.0	86.0	87.0	88.0	89.0	90.0	91.0	92.0	93.0	94.0	95.0	96.0	97.0	98.0	
Wind	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	
Barometer	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9
Thermometer	50.0	51.0	52.0	53.0	54.0	55.0	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0
Humidity	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	80.0	81.0	82.0	83.0	84.0	85.0	86.0	87.0	88.0	89.0	90.0	91.0	92.0	93.0	94.0	95.0	96.0	97.0	98.0	99.0
Wind	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0
Barometer	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9
Thermometer	50.0	51.0	52.0	53.0	54.0	55.0	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0
Humidity	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	80.0	81.0	82.0	83.0	84.0	85.0	86.0	87.0	88.0	89.0	90.0	91.0	92.0	93.0	94.0	95.0	96.0	97.0	98.0	99.0
Wind	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0
Barometer	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9
Thermometer	50.0	51.0	52.0	53.0	54.0	55.0	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0
Humidity	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	80.0	81.0	82.0	83.0	84.0	85.0	86.0	87.0	88.0	89.0	90.0	91.0	92.0	93.0	94.0	95.0	96.0	97.0	98.0	99.0
Wind	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0
Barometer	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9
Thermometer	50.0	51.0	52.0	53.0	54.0	55.0	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0
Humidity	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	80.0	81.0	82.0	83.0	84.0	85.0	86.0	87.0	88.0	89.0	90.0	91.0	92.0	93.0	94.0	95.0	96.0	97.0	98.0	99.0
Wind	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0
Barometer	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9
Thermometer	50.0	51.0	52.0	53.0	54.0	55.0	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0
Humidity	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	80.0	81.0	82.0	83.0	84.0	85.0	86.0	87.0	88.0	89.0	90.0	91.0	92.0	93.0	94.0	95.0	96.0	97.0	98.0	99.0
Wind	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0
Barometer	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9
Thermometer	50.0	51.0	52.0	53.0	54.0	55.0	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0
Humidity	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	80.0	81.0	82.0	83.0	84.0	85.0	86.0	87.0	88.0	89.0	90.0	91.0	92.0	93.0	94.0	95.0	96.0	97.0	98.0	99.0
Wind	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0
Barometer	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9
Thermometer	50.0	51.0	52.0	53.0	54.0	55.0	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0
Humidity	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	80.0	81.0	82.0	83.0	84.0	85.0	86.0	87.0	88.0	89.0	90.0	91.0	92.0	93.0	94.0	95.0	96.0	97.0	98.0	99.0
Wind	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0
Barometer	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9
Thermometer	50.0	51.0	52.0	53.0	54.0	55.0	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0
Humidity	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	80.0	81.0	82.0	83.0	84.0	85.0	86.0	87.0	88.0	89.0	90.0	91.0	92.0	93.0	94.0	95.0	96.0	97.0	98.0	99.0
Wind	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0
Barometer	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9
Thermometer	50.0	51.0	52.0	53.0	54.0	55.0	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0
Humidity	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	80.0	81.0	82.0	83.0	84.0	85.0	86.0	87.0	88.0	89.0	90.0	91.0	92.0	93.0	94.0	95.0	96.0	97.0	98.0	99.0
Wind	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0
Barometer	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9
Thermometer	50.0	51.0	52.0	53.0	54.0	55.0	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0
Humidity	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	80.0	81.0	82.0	83.0	84.0	85.0	86.0	87.0	88.0	89.0	90.0	91.0	92.0	93.0	94.0	95.0	96.0	97.0	98.0	99.0
Wind	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20										

Table showing the daily and hourly variations of the temperature, humidity, and quantity of the atmosphere, indicating the state of the weather, and the amount of rain, during the month of September 1855. The table is divided into sections for each day, with hourly data points plotted. The lines show significant fluctuations, particularly in temperature and humidity, reflecting the seasonal changes and the specific conditions of the Crimean War period.

See page 10

FRR7/3

FRR7/3

*Return showing the Daily Death under the Principal heads of Disease
in the Army serving in the Crimea
From 1 April to 30 Sept 1855.*

1857

Day	April					May					June					July					August					September					Total					
	Smallpox	Measles	Scarlatina	Dysentery	Diarrhoea	Smallpox	Measles	Scarlatina	Dysentery	Diarrhoea	Smallpox	Measles	Scarlatina	Dysentery	Diarrhoea	Smallpox	Measles	Scarlatina	Dysentery	Diarrhoea	Smallpox	Measles	Scarlatina	Dysentery	Diarrhoea	Smallpox	Measles	Scarlatina	Dysentery	Diarrhoea	Smallpox	Measles	Scarlatina	Dysentery	Diarrhoea	
1	16	3				9	1	3	2		2	1	12	2	1	3	11	1	5		3	12	4	1	1	1	1	1	1	1	1	1	1	1	1	
2	9	1	4			2	3				2		2			9	4		4		15	6		3		2	1	2	1	2	1	2	1	2		
3	13			2	1	7	2	1	2	3	1		2	3	1	3	2	11	9	1	11		11	11	1	3		11	9	1	3	2	11	9	1	
4	6	3				4		1	1	5	1		4	1	1	3	4	16	3	1	4		2	15	11	1	2		4	3	1	2	1	2	1	
5	10	1	2			4				1	1		1	16	3	1	2	12	2	1	2		12	5		3		4	10	1	6	2	2	1		
6	8	2	2			1		1		1	3		1	24	2	2	16	7	1	6		12	7	1	4		1	4	10	1	6	2	2	1		
7	8		2			1	6		1	2	2		1	24	2	2	6	4	2	1	7		12	3		2	1	3	6	1	3	2	1	3		
8	8		14	1		1	1	1	1	1	1		1	25	18	2	1	3	5	3	1	3	10	3		2	1	2	19	1	3	2	1	3		
9	11	1	1			7	1		1	3	1		1	27	5	3	1	4	8	1	1	1	12	14	1	1		2	19	1	3	2	1	3		
10	12	1	1	2		1	1	1	1	2	1		1	19	14	1	4			1	7	16	6		2		2	4	12	1	3	3	1	3		
11	15	1	2		2	1	2		1	2	4		1	21	5	1	2	7	8	1	1	15	8	1	2		1	1	2	1	2	1	1	1	1	
12	13	1	3		2	2		1	2	3	4		1	15	5	1	2	12	6	2	1	13	6	1	1	1	1	1	1	1	1	1	1	1	1	
13	9	1	1		1	1	1	1	1	1	1		1	16	9	1	3			1	2	7	5		1		2	7	5	1	2	1	2	1		
14	4		1		1	1	1	1	1	1	2		2	14	6	1	1	1	1	1	1	10	11	1	1	1	2	3	16	1	2	1	1	1	1	
15	9		1		1	2	1	1	1	1	1		2	14	3	1	4	1	1	1	1	1	10	11	1	1	1	1	1	1	1	1	1	1	1	1
16	10	1			2	4		1	1	1	2		2	14	5	1	1	1	1	1	1	1	5	2	1	1	1	1	1	1	1	1	1	1	1	1
17	8		1		1	1	1	1	1	1	1		2	18	7	2	2	1	1	1	1	1	5	2	1	1	1	1	1	1	1	1	1	1	1	1
18	7		1		1	1	1	1	1	1	1		1	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
19	7		1		1	4	1	1	1	1	2		2	24	14	2	1	1	6	2	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1
20	1				1	4	1	1	1	1	2		2	19	19	2	1	3	1	1	1	2	6	6	1	1	1	1	1	1	1	1	1	1	1	1
21	1				1	1	2		1	2	2		2	19	11	2	1	3	1	1	1	1	6	6	1	1	1	1	1	1	1	1	1	1	1	1
22	6		2		2	1	1	1	1	1	1		1	1	1	1	3	1	1	1	1	1	5	7	1	1	1	1	1	1	1	1	1	1	1	1
23	9	1	2		2	1	1	1	1	1	1		1	1	1	1	3	1	1	1	1	1	5	7	1	1	1	1	1	1	1	1	1	1	1	1
24	8		1		1	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	5	7	1	1	1	1	1	1	1	1	1	1	1	1
25	8				2	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	5	7	1	1	1	1	1	1	1	1	1	1	1	1
26	6		2		2	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	5	7	1	1	1	1	1	1	1	1	1	1	1	1
27	7		2		2	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	5	7	1	1	1	1	1	1	1	1	1	1	1	1
28	2		1	1	1	1		1	1	1	1		1	1	1	1	1	1	1	1	1	1	5	7	1	1	1	1	1	1	1	1	1	1	1	1
29	6	1	1	1	1	1		1	1	1	1		1	1	1	1	1	1	1	1	1	1	5	7	1	1	1	1	1	1	1	1	1	1	1	1
30	3	1	1	1	1	1		1	1	1	1		1	1	1	1	1	1	1	1	1	1	5	7	1	1	1	1	1	1	1	1	1	1	1	1
31						1																														
Total	545	11	47	4	40	19	115	8	23	225	47	12	44	40	126	231	12	93	7	61	216	106	16	101	4	29	173	17	64	6	50	440	140	227	1411	1442

Total 3587.

1887/2

1887/2

1887/2

1887/2

Return Table showing the numbers sick by the Principal Diseases in the Army before Expedition from 1st April to 30th Sept. 1855.

FR 7/1

Day	APRIL						MAY						JUNE						JULY						AUGUST						SEPTEMBER						
	Fever	Dysentery	Cholera	Measles	Whooping Cough	Other Diseases	Fever	Dysentery	Cholera	Measles	Whooping Cough	Other Diseases	Fever	Dysentery	Cholera	Measles	Whooping Cough	Other Diseases	Fever	Dysentery	Cholera	Measles	Whooping Cough	Other Diseases	Fever	Dysentery	Cholera	Measles	Whooping Cough	Other Diseases	Fever	Dysentery	Cholera	Measles	Whooping Cough	Other Diseases	
1	1882	587	.	206	979	1622	371	1	177	99	692	1109	555	123	142	30	769	157	157	327	77	67	744	139	178	503	118	89	88	889	1334	147	252	67	11	51	366
2	1897	460	.	283	1110	893	409	3	177	90	646	126	288	134	149	71	744	1118	117	316	76	72	773	147	150	283	127	90	90	808	1265	400	269	74	16	91	942
3	1905	567	1	273	976	1525	360	2	166	98	666	129	621	130	158	66	766	1163	157	291	81	70	741	146	152	286	126	86	95	861	1285	400	269	74	16	91	942
4	1903	539	.	242	945	1527	358	3	171	90	697	119	611	140	145	71	735	1155	162	281	75	77	734	1460	150	289	132	97	100	822	1270	141	266	67	13	17	916
5	1920	534	1	253	1025	1509	348	3	181	89	705	118	647	158	144	60	737	1140	164	281	81	72	767	1468	150	289	132	97	100	822	1270	141	266	67	13	17	916
6	1945	535	.	245	966	1453	332	3	171	92	712	118	736	178	140	70	718	1177	159	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
7	1913	512	.	213	965	1438	350	2	172	94	727	119	753	193	134	75	764	1167	162	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
8	1974	513	4	241	949	1456	358	2	174	92	737	119	771	204	138	72	758	1158	165	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
9	1962	470	1	253	915	1469	352	16	100	93	766	118	761	196	130	67	713	1141	161	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
10	2002	475	.	253	916	1468	361	15	179	97	795	118	807	212	102	70	687	1157	160	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
11	1967	473	.	227	902	1469	377	19	173	88	764	118	827	207	103	70	700	1160	160	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
12	1940	445	.	218	169	1476	412	21	171	93	777	118	855	221	96	72	682	1160	160	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
13	1902	432	.	263	836	1408	396	33	169	100	791	118	897	237	87	69	673	1163	158	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
14	1818	446	.	213	766	1496	409	62	172	102	736	118	917	253	76	60	669	1164	158	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
15	1881	439	.	201	806	1482	430	63	169	106	740	118	957	272	79	59	699	1164	158	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
16	1871	441	.	181	806	1493	463	74	167	99	775	118	1029	271	82	58	671	1164	158	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
17	1801	410	.	140	853	1452	476	87	177	88	741	118	1077	280	83	61	661	1164	158	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
18	1793	421	.	190	803	1410	489	88	175	91	754	118	1077	280	83	61	661	1164	158	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
19	1769	407	.	181	830	1393	492	96	181	85	769	118	1077	280	83	61	661	1164	158	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
20	1776	389	1	193	838	1375	416	93	180	82	757	118	1077	280	83	61	661	1164	158	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
21	1787	405	2	196	800	1370	499	92	103	74	766	118	1135	210	77	57	715	1170	161	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
22	1741	380	2	106	791	1318	470	92	106	713	118	1106	225	79	59	726	1167	160	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916	
23	1742	370	2	174	778	1259	469	88	105	712	118	1176	237	80	64	734	1167	160	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916	
24	1716	320	3	176	822	1239	483	91	100	761	118	1168	246	82	67	735	1170	161	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916	
25	1688	372	1	157	799	1172	468	94	139	86	740	118	1205	257	80	43	752	1166	160	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
26	1669	370	1	175	811	1129	482	91	138	94	758	118	1255	269	81	36	769	1164	158	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
27	1630	365	1	181	790	1161	480	93	135	83	774	118	1266	276	80	36	783	1160	160	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
28	1637	335	4	153	873	1165	486	95	136	88	792	118	1276	280	81	60	785	1164	158	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
29	1653	377	.	175	812	1151	513	101	124	90	799	118	1284	284	82	67	785	1164	158	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
30	1583	365	1	182	763	1157	505	97	135	74	771	118	1284	284	82	67	785	1164	158	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916
31	1186	537	105	140	75	787	1371	159	281	81	77	777	1481	150	289	132	97	99	874	1277	142	275	51	13	17	916

Table showing the highest and lowest numbers of each Disease in each Month.




Table showing the highest and lowest number of each Disease during the six months.

Date	Fever	Dysentery	Cholera	Measles	Whooping Cough	Other Diseases
April 1st	2002					
July 1st	1893					
July 15th			316			
June 26th			310			
April 1st				296		
March 1st					208	
March 1st						1110
Sept. 26th	810					
Sept. 26th		939				
Aug. 19th			183			
Aug. 19th				69		
Aug. 19th					43	
June 1st						637

* As to first month of Dysentery in each month, see column.

* As to second month of Dysentery in each month, see column.

FRR7/1

FRR7/1

11/10/23

Barometer	Thermometer	Humidity
	86	95
	84	90
	82	85
	80	80
	78	75
	76	70
	74	65
	72	60
30.60	70	55
30.50	58	50
30.40	66	45
30.30	64	40
30.20	62	35
30.10	60	30
29.90	58	25
29.80	56	20
29.70	54	15
29.60	52	10
29.50	50	5
29.40	48	0
29.30	46	
29.20	44	
29.10	42	
29.00	40	
28.90	38	
	36	
	34	
	32	
	30	

1887/88.

<i>Diameter</i>	<i>Perimeter around Cup</i>	<i>Perimeter to Lip</i>
	60	60
	58	56
	56	52
	54	48
	52	44
	50	40
	48	36
	46	32
	44	28
	42	24
	40	20
	38	16
	36	12
30.000	34	8
29.900	32	
29.800	30	
29.700	28	
29.600	26	
29.500	24	
29.400	22	
29.300	20	
29.200	18	
29.100	16	
29.000	14	
	1'	

Barometer 20	Thermometer 20	Windspeed 20
	76	70
	74	65
	72	60
	70	55
	68	50
	66	45
	64	40
	62	35
	60	30
	58	25
	56	20
	54	15
29.80	42	
70	52	
60	50	
50	48	
40	46	
30	44	
20	42	
10	40	
	38	
	36	
	34	
	32	
	30	
	28	
	26	

Barometer 20	Thermometer 20	Windspeed 20
	76	70
	74	65
	72	60
	70	55
	68	50
	66	45
	64	40
	62	35
	60	30
	58	25
	56	20
	54	15
29.80	42	
70	52	
60	50	
50	48	
40	46	
30	44	
20	42	
10	40	
	38	
	36	
	34	
	32	
	30	
	28	
	26	

FRR7/11A

<i>Date made</i>	<i>Temperature</i>	<i>Humidity</i>
	72	65
	70	60
	68	55
	66	50
	64	45
	62	40
	60	35
	58	30
50.100	56	25
50.000	54	20
24.900	52	15
24.800	50	10
24.700	48	5
24.600	46	
24.500	44	
24.400	42	
24.300	40	
24.200	38	
24.100	36	
24.000	34	
23.900	32	
	30	
	28	
	26	
	24	
	22	
	20	
	18	
	16	
	14	
	12	
	10	
	8	
	6	
	4	

FR 87/11 c

Entered.	Disbursements & Drawings	Balance
		522
		480
		460
	450	440
	380	420
	300	400
20	250	380
15	200	360
10	150	340
5	100	320
0	50	300

FRR7/118

Colours	Dimensions & Quantity	Notes
		450
		425
		400
		375
		350
		325
		300
		275
		250
		225
	100	200
	90	175
	80	150
	70	125
	60	100
	50	75
	40	50
	30	
5	20	
3		
1		

FRR7/118

Chambre	Parlement & Chambre	Rece
375	2.400	2.200
350	2.300	1.950
325	2.200	1.900
300	2.100	1.850
275	2.000	1.800
250	1.900	1.750
225	1.800	1.700
200	1.700	1.650
175	1.600	1.600
150	1.500	1.550
125	1.400	1.500
100	1.300	1.450
75	1.200	1.400
50	1.100	1.350
25	1.000	1.300
0	900	1.250
	800	1.200
	700	1.150
	600	1.100
	500	1.050
	400	1.000
	300	950
	200	900
	100	850
		800

FRR 7/11/2

[illegible]