

**Dr. (later Sir Joseph) Fayrer's register of operations (at the Medical College Hospital, Calcutta)**

**Publication/Creation**

1858-1872

**Persistent URL**

<https://wellcomecollection.org/works/k4k9pz3n>

**License and attribution**


You have permission to make copies of this work under a Creative Commons, Attribution, Non-commercial license.

Non-commercial use includes private study, academic research, teaching, and other activities that are not primarily intended for, or directed towards, commercial advantage or private monetary compensation. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>





Royal Army Medical College.

*The Sir Joseph Fayet Gift.*

*June 10, 1916.*



*Dr Farrer's Private Property*







Date of  
Operation.

Date of  
Discharge.

Date of  
Death.

Result or cause of Death.



REMARKS.

Name of different Surgeons to the 1<sup>st</sup> Surgeon.

From 1<sup>st</sup> June 1859. to 11<sup>th</sup> Oct/62.

Babar Kapa Chanda Dutt

From 12<sup>th</sup> Oct/62 to 24<sup>th</sup> Nov/62

Babar Monee Lal Dutt Officiating

From 25<sup>th</sup> Nov/62 to 27<sup>th</sup> Feb/63

Babar ~~Shankar~~ Ram Kapa Chanda Dutt G.M.C.

From 28<sup>th</sup> Feb/63 to 12<sup>th</sup> July/63

Babar Ram Chanda Dutt G.M.C.

From 13<sup>th</sup> July/63 to 12<sup>th</sup> Oct/64

Babar Monee Lal Dutt

From 13<sup>th</sup> Oct/64 to 29<sup>th</sup> Nov/64

Babar Gopal Chandra <sup>felony</sup> Officiating (absconded)

From 30<sup>th</sup> Nov/64 to 27<sup>th</sup> June/65.

Babar Monee Lal Dutt D.M.S.

From 27<sup>th</sup> June 1865. to the 21<sup>st</sup> July 1867.

Babar Gopal Chandra D.M.S.

From the 21<sup>st</sup> July 1867. to the 2<sup>nd</sup> April/69

Babar Dushundun Dutt Gopal D.M.S.

From 4<sup>th</sup> April 1869 to the 23<sup>rd</sup> April/69

Babar Dushundun Dutt Gopal D.M.S.

From the 24<sup>th</sup> April/69 to the

Babar Dushundun Dutt Gopal D.M.S.

From 25<sup>th</sup> April 1869 to the 27<sup>th</sup> May 1871

Babar Dushundun Dutt Gopal D.M.S.

From 28<sup>th</sup> May 1871 to 27<sup>th</sup> Feb/1872



# Operations

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
27 <sup>th</sup> May 1888.	1. Mohamed.	44.	Blacksmith.	Muslim.	Fistula in Ano.	Fistula in Ano divided.
1 <sup>st</sup> May 1888.	2. Khuram Ally.	26.	Govt.	Do.	Disease of the right ankle joint.	Amputation of the right ankle joint.
20 <sup>th</sup> May 1888.	3. James Walker.	44.	Seaman.	E. Indian.	Hernia of the right testicle.	Reduction of the hernia of the testicle.
2 <sup>nd</sup> Do.	4. Eddaru.	60.	Cook.	Muslim.	Do.	Do.
Do.	5. Gora Chandra.	56.	Householder.	Hindoo.	Grain of the 1 <sup>st</sup> phalanx of the 2 <sup>nd</sup> toe of the left foot.	Removal of the 2 <sup>nd</sup> toe and fundus of the distal end of the left foot.
16 <sup>th</sup> Do.	6. Woodco Ram.	56.	Deegar.	Do.	Diseased knee. Necrosis of the humerus & scapula of the right thigh at degeneration of the scapula. Break its lower third.	Amputation of the humerus & scapula of the right thigh at degeneration of the scapula. Break its lower third.
3 <sup>rd</sup> June 1888.	7. Gora Ram Pelt.	26.	Curkar.	Hindoo.	Hard lip (single congenital).	Operation for Hard lip.
18 <sup>th</sup> Do.	8. Medhobodan Khos.	50.	Mohar.	Habute.	Do.	Do.
22 <sup>nd</sup> Do.	9. William Kirk.	20.	Seaman.	Irish.	Paraphimosis.	Paraphimosis reduced.
23 <sup>rd</sup> Do.	10. Williams Fitzmaurice.	11.	Student.	Irish.	Phymosis.	Phymosis laid open.
24 <sup>th</sup> Do.	11. Dargy Smith.	17.	Do.	Hindoo.	Hypertrophy of the right side of the right ear.	Removal of a small tumour from the right ear.
27 <sup>th</sup> Do.	12. Rish Chandra Bop.	22.	Student.	Hindoo.	Hard lip (congenital).	Operation for hard lip.
2 <sup>nd</sup> July 1888.	13. Suggahar.	20.	Do.	Do.	Cicatrix after burn. Distortion of the right upper arm with the right side of the chest removed.	Operation for hard lip.
4 <sup>th</sup> July 1888.	14. Gora Ram.	20.	Householder.	Do.	Hypertrophy of the prepuce.	Hypertrophy removed.
27 <sup>th</sup> Aug 1888.	15. S. Robertson.	40.	Seaman.	English.	Necrosis of the 1 <sup>st</sup> phalanx of the little toe of the left foot.	Removal of the little toe & part of its distal end of the left foot.
1/7/88.	16. R. Foster.	24.	Seaman.	Scotch.	Inguinal Hernia of the right side.	Operation for Radical Cure of hernia of the right side.
8/7/88.	17. S. B. Roy.	60.	Cook.	Portuguese.	Do.	Wastage operation.
20/7/88.	18. B. S. Lord.	50.	Seaman.	American.	Do.	Do.
12/8/88.	19. Khair Chandra Bop.	30.	Surgeon.	Hindoo.	Obstruction in the ureter.	Plastic operation.
5/8/88.	20. B. S. Chandra Bop.	30.	Seaman.	Do.	Do.	Do.
11/8/88.	21. Dargy Smith.	20.	Do.	Do.	Necrosis of the upper jaw right side affected alluringly.	Removal of a piece of necrotic bone from the upper jaw.
22/8/88.	22. Mahan Bop.	44.	Deegar.	Hindoo.	Epithelial Cancer of the claustrum & prepuce.	Removal of the epithelial cancer.
26/8/88.	23. Jorhan Mohamed.	30.	Seaman.	Muslim.	Fibrous Tumour on the forehead.	Removal of the a small fibrous tumour from the forehead.
24/8/88.	24. Dargy Bop.	20.	Seaman.	Hindoo.	Ring, middle & index fingers of the right hand smashed.	Removal of the fingers at their base & amputation.
26/8/88.	25. S. Newton.	27.	Seaman.	American.	Necrosis of the 1 <sup>st</sup> phalanx of the index finger left hand.	Removal of the index finger at its base & amputation.
10/7/88.	26. K. K. K.	30.	Milkman.	Hindoo.	Scrotal Tumour.	Removal of the tumour.
5/8/88.	27. S. S. S.	20.	Do.	Do.	Antilegumous Tumour of the right thumb over the last phalanx.	Removal of the Antilegumous. The last phalanx & the head of the second also removed.
5/8/88.	28. S. S. S.	20.	Seaman.	English.	Inguinal Hernia (left side).	Wastage operation for radical cure of hernia.



1859

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
21 <sup>st</sup> May 1888.	11 <sup>th</sup> June/88.	"	Cure.	
	11 <sup>th</sup> June/88.	"	Cure.	By Mr. Syme's Method.
22 <sup>nd</sup> May/88.	9 <sup>th</sup> June/88.	"	Cure.	By Mr. Syme's Method.
6 <sup>th</sup> June 1888.	27 <sup>th</sup> Do.	"	Cure.	Do.
Do.	30 <sup>th</sup> Do.	"	Cure.	
15 <sup>th</sup> June/88.	"	17 <sup>th</sup> June/88.	Death. Patient died from exhaustion.	Patient was very low after the operation and ultimately sunk from exhaustion.
6 <sup>th</sup> June 1888.	16 <sup>th</sup> June/88.	"	Cure.	Silver sutures applied instead of hairline needles.
18 <sup>th</sup> Do.	23 <sup>rd</sup> Do.	"	Cure.	Do.
24 <sup>th</sup> Do.	30 <sup>th</sup> Do.	"	Cure.	
Do.	13 <sup>th</sup> July/88.	"	Cure.	
24 <sup>th</sup> Do.	"	"	Cure.	This man was an awkward patient.
27 <sup>th</sup> Do.	14 <sup>th</sup> July.	"	Cure.	Silver sutures applied instead of hairline needles.
27 <sup>th</sup> Do.	4 <sup>th</sup> Oct/88.	"	Cure.	
8 <sup>th</sup> July 1888.	16 <sup>th</sup> July.	"	Cure.	
	17 <sup>th</sup> 2/88.	"	Cure.	
	28/8/88.	"	Cure.	Witzel's operation. Fine needles applied in the case.
	29/8/88.	"	Apparently cured.	This man was apparently cured after second operation.
	29/10/88.	"	Relief.	
	29/10/88.	"	Cured.	
	29/10/88.	"	Cure.	
	29/8/88.	"	Cure.	
22/8/88.	20/8/88.	"	Cure.	
26/8/88.	28/8/88.	"	Relief.	Left the Hospital at his own request.
	29/11/88.	"	Cured.	This man was cured after third operation.
29/8/88.	16/9/88.	"	Cure.	
2 <sup>nd</sup> 3/89.	20/2/89.	"	Cure.	This tumour was of 7 years standing & weighing about 2 1/2 lbs.
8/3/89.	14/3/89.	"	Cure.	This man was an awkward patient. The tumour was about the size of a pigeon's egg.
7/3/89.	20/12/88.	"	Cure.	This man was cured after second operation.
Returned to the Hospital on the 7 <sup>th</sup> August 1888. The tumour came down after four years, owing to a fall on the forehead of his middle. He has been for about 6 months after he left the Hospital.				Instrument of one needle applied.



# Operations

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.	
27 <sup>th</sup> May 1880.	1. Mohamed.	41.	Khaleegy	Muslim	Fistula in Ano.	Fistula in Ano divided	26
1 <sup>st</sup> May 1880.	2. Merum Kelly.	26.	Agro.	Do.	Disease of the ankle joint.	Amputation of the right ankle joint	27
20 <sup>th</sup> May 1880.	3. James Walters.	25.	Seaman.	English	Disease of the right testicle.	Reduction of the hernia of the testicle	28
3 <sup>rd</sup> Do.	4. Elharu.	60.	Leak	Muslim	Do.	Do.	29
Do.	5. Geraffund.	55.	Muslim	Hindoo	Grain of the 1 <sup>st</sup> phalanx of the 2 <sup>nd</sup> toe of the left foot.	Removal of the 2 <sup>nd</sup> toe and part of the 1 <sup>st</sup> phalanx of the left foot.	30
16 <sup>th</sup> Do.	6. Almoodee Rao.	50.	Beggar.	Do.	Diseased knee. Necrosis of the bones & cartilages of the joint & separation of the ligaments of the knee joint.	Amputation by anterior & posterior flaps of the right thigh at the lower third.	31
3 <sup>rd</sup> June 1880.	7. Saw Rao Patel.	25.	Curkar.	Hindoo	Hard lip (congenital)	Operation for hard lip.	32
18 <sup>th</sup> Do.	8. Almoodee Rao.	20.	Almoodee	Hindoo	Do.	Do.	33
22 <sup>nd</sup> Do.	9. William Lint.	20.	Seaman.	Irish	Paraphimosis.	Paraphimosis reduced.	34
23 <sup>rd</sup> Do.	10. William Fitzmaurice.	11.	Student.	Irish	Phymosis.	Phymosis laid open.	35
24 <sup>th</sup> Do.	11. Desage Bant.	17.	Do.	Hindoo	Hypertrophy of the skin of the right ear.	Removal of the small tumor from the lobe of the right ear.	36
27 <sup>th</sup> Do.	12. Rich Junder Rao.	25.	Student.	Hindoo	Hard lip (congenital)	Operation for hard lip.	37
2 <sup>nd</sup> July 1880.	13. Suggashan.	20.	Do.	Do.	Cicatrix after burn skin defect.	Obtention of the right upper arm with the right side of the chest removed.	38
4 <sup>th</sup> July 1880.	14. Saw Rao.	25.	Muslim	Do.	Hypertrophy of the prepuce.	Hypertrophy removed.	39
27 <sup>th</sup> May 1880.	15. E. Robertson.	40.	Seaman.	English	Necrosis of the 1 <sup>st</sup> phalanx of the little toe of the left foot.	Removal of the little toe & part of the 1 <sup>st</sup> phalanx of the left foot.	40
1/7/80.	16. R. Foster.	25.	Seaman.	Scotch	Inguinal Hernia of the right side.	Operation for Radical cure of hernia of the right side.	41
8/7/80.	17. A. D. Rogers.	40.	Leak	Portuguese	Do.	Mutagen's operation.	42
20/7/80.	18. R. J. Lord.	21.	Seaman.	American	Do.	Do.	43
12/8/80.	19. Almoodee Rao.	20.	Curkar.	Hindoo	Fistula passage in the urethra.	Plastic operation.	44
6/6/80.	20. Almoodee Rao.	20.	Curkar.	Do.	Do.	Do.	45
15/8/80.	21. Almoodee Rao.	20.	Do.	Do.	Necrosis of the upper jaw right side.	Removal of a piece of necrotic bone from the upper jaw.	46
22/8/80.	22. Almoodee Rao.	44.	Beggar.	Hindoo	Epithelial Cancer of the claustrum & prepuce.	Removal of the Epithelial Cancer.	47
26/8/80.	23. Saiker Mohamed.	30.	Seaman.	Muslim	Fibrous Tumour on the forehead.	Removal of the a small fibrous tumor from the forehead.	48
24/8/80.	24. Orzul Rao.	20.	Servant.	Hindoo	Ring, middle & index fingers of the right hand smashed.	Removal of the fingers at their base & artificial articulation.	49
26/8/80.	25. J. Newton.	27.	Seaman.	American	Necrosis of the 1 <sup>st</sup> phalanx of the index finger left hand.	Removal of the index finger at its base & artificial articulation.	50
10/7/80.	26. Almoodee Rao.	20.	Muslim	Hindoo	Scrotal Tumour.	Removal of the Tumour.	51
5/8/80.	27. Almoodee Rao.	20.	Do.	Do.	Cartilaginous Tumour of the right thumb over the last phalanx.	Removal of the last phalanx & the head of the second also removed.	52
5/8/80.	28. J. Donahoe.	24.	Seaman.	English	Inguinal Hernia (left side).	Mutagen's operation for radical cure of tumor.	53



1859

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
21 <sup>st</sup> May 1888.	11 <sup>th</sup> June/88	"	Cure.	
	11 <sup>th</sup> Nov/88	"	Cure.	By Mr. Lynam's Method.
22 <sup>nd</sup> May/88	2 <sup>nd</sup> June/88	"	Cure.	By Mr. Lynam's Method.
6 <sup>th</sup> June 1888.	27 <sup>th</sup> Do.	"	Cure.	Do.
Do.	30 <sup>th</sup> Do.	"	Cure.	
15 <sup>th</sup> June/88.	"	16 <sup>th</sup> June/88	Death. i Patient died from exhaustion.	Patient was very low after the operation and ultimately sunk from exhaustion.
6 <sup>th</sup> June 1888.	16 <sup>th</sup> June/88	"	Cure.	Silver sutures applied instead of handle needles.
18 <sup>th</sup> Do.	25 <sup>th</sup> Do.	"	Cure.	Do.
24 <sup>th</sup> Do.	28 <sup>th</sup> Do.	"	Cure.	
Do.	12 <sup>th</sup> July/88	"	Cure.	
26 <sup>th</sup> Do.	"	"	Cure.	This man was an sick patient.
27 <sup>th</sup> Do.	14 <sup>th</sup> July	"	Cure.	Silver sutures applied instead of handle needles.
27 <sup>th</sup> Do.	4 <sup>th</sup> Oct/88	"	Cure.	
3 <sup>rd</sup> July 1888.	26 <sup>th</sup> July	"	Cure.	
	1 <sup>st</sup> 8/88	"	Cure.	
	28/8/88	"	Cure.	Quincy's operation. Two needles applied in the case.
	29/8/88	"	Apparently cured.	This man was apparently cured after second operation.
	29/10/88	"	Cured.	
	2/10/88	"	Cure.	
	22/8/88	"	Cure.	
22/8/88	20/8/88	"	Cure.	
26/8/88	28/8/88	"	Relief.	Left the Hospital at his own request.
	24/11/88	"	Cured.	This man was cured after third operation.
29/8/88	13/9/88	"	Cure.	
2 <sup>nd</sup> 9/88	26/12/88	"	Cure.	This tumour was of 7 years standing & weighing about 2 1/2 lbs.
8/9/88	14/9/88	"	Cure.	This man was an out-patient. The tumour was about the size of a pigeon's egg.
7/9/88	26/12/88	"	Cure.	This man was cured after second operation.

Returned to the Hospital on the 7<sup>th</sup> August 1888. The tumour came down after some years, owing to a fall on the pavement of his saddle. Remained for about 6 months, after he left the Hospital.



Date of Admission	Name	Age	Occupation	Caste or Country	Disease	Operation
12/2/52	23. Mahesh Chander Day.	26.6	Surcar.	Hindoo.	Inguinal Hernia right side	Mistake operation with one week
14/2/52	20. Ramas. Kanth.	18.2	Barber	Do	Raculus in the floor of the mouth.	Removal of the cystic tumour.
18/2/52	21. Gowash. Day.	22.4	Peasant.	Modium	Little finger of the left hand blown away by gun powder	Head of the Metacarpal bone of the little finger (left hand) removed
24/2/52	22. Jay. Chandra. Day.	22.4	Farmer	Hindoo.	Inguinal Hernia of the right side.	Mistake operation for radical cure of hernia.
10/10/52	22. Bidhe. Kanth.	16.2	None.	Do.	Necrosis of the 1st phalanx of the ring finger right hand	Ring finger removed at its Metacarpal articulation
12/10/52	24. Chander. Meney.	26.4	Farmer	Do.	Palms of the right hand smashed.	Linear operation about 2 1/2 inches above the right wrist.
16/10/52	25. Dely. Day.	30.2	Traveller.	Do	Scrotal Tumour.	Scrotal Tumour removed.
17/10/52	26. Mahesh.	26.2	Peasant.	Do	Do 3	Do
20/10/52	27. Mhayer.	30.2	None	Modium	Fatty tumour. Left shoulder.	Fatty tumour removed.
21/10/52	28. Ram. Chandra. Kanth.	30.2	Peasant.	Hindoo.	Scrotal Tumour.	Scrotal Tumour removed.
1/12/52	28. Chandra. Mhayer.	31.2	None.	Modium	Anchylitis of the right elbow joint.	Excision of the right elbow joint.
24/10/52	40. Swakul.	40.2	Peasant.	Modium	Gangrene of the left foot.	Amputation by circular flap of the left thigh above the knee.
2/11/52	41. Bellow.	41.2	None.	Do	Harshlip, single (congenital)	Operation for harshlip.
28/10/52	42. Mhayer. Chander.	30.2	Surcar.	Hindoo.	Scrotal Tumour.	Scrotal Tumour removed.
9/11/52	42. Laria. Chander.	36.2	Shopkeeper.	Do	Protrusion of the penis.	Protrusion reduced.
11/11/52	44. Chakraborty.	60.2	Peasant.	Do	Stone in the bladder.	Lithotomy. Lateral operation
23/11/52	45. B. Datta.	22.2	Peasant.	Irish.	Empyema of the brain by congenital of blood.	Craniotomy.
4/11/52	46. Ram. Chander. Chandra.	46.2	Peasant.	Hindoo.	Inguinal Hernia (right side)	Mistake operation
5/12/52	47. Chandra.	26.2	Peasant.	Modium	Loss of the last phalanx of the middle finger left hand	The last phalanx removed at its Metacarpal articulation.
22/11/52	48. Mhayer. Chandra.	35.2	Peasant.	Irish.	Necrosis of the last phalanx of the thumb, right hand.	Removal of the last phalanx of the thumb.
11/12/52	49. Bhowmik.	38.2	Peasant.	Hindoo.	Gangrene of the left knee joint.	Amputation of the left thigh at its middle. by flap method
30/12/52	50. Mhayer.	36.2	None.	Do	Fibrosarcoma tumour in the left side of the back.	Removal of the tumour.
6/1/60	51. Mhayer.	16.2	None.	Do	Compound comminuted fracture of the left femur at its lower third.	Removal of the protruded bone. Amputation of its periosteum.
5/1/60	52. Mhayer.	30.2	None.	Do	Hypertrophy of the left Larynx.	The tumour removed.



1859-60.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
12/8/59.	26/11/59.	"	Cured.	An additional operation was performed in this case. That is, an incision was made transversely over the scrotum to prevent the dragging of the invagination or invagination skin by the weight of the scrotum. Instrument of one needle applied.
14/12/59.	17/3/60.	"	Cured.	
19/3/59.	2/10/59.	"	Cured.	
24/3/59.	3/12/59.	"	Relief.	Instrument of one needle applied in this case.
10/10/59.	26/10/59.	"	Cured.	
15/10/59.	8/12/59.	"	Cured.	
18/10/59.	"	12/11/59.	Death. From Pyemia.	The tumour was about 20th. 2oz in weight.
18/12/59.	12/12/59.	"	Cured.	The weight of the tumour was 1/2 lb.
20/11/59.	26/10/59.	"	Cured.	The tumour was about the size of a pigeon's egg.
20/12/59.	17/2/60.	"	Cured.	The tumour was about 7th. 2 1/4 oz in weight.
23/10/59.	"	27/12/59.	Death.	
29/10/59.	"	22/1/60.	Death.	
29/10/59.	"	17/11/59.	Death. From Pyemia.	
3/11/59.	11/11/59.	"	Cured.	Silver sutures used instead of barbed needles.
3/11/59.	"	11/12/59.	Death. From Pyemia.	The weight of the tumour was about 8th. 2oz.
10/11/59.	14/11/59.	"	Cured.	Whole of the scrotum protruded. It was about a fetal head in size.
12/11/59.	"	"	Taken away by his friends. on 10th/60.	Two small stones were extracted from the bladder one weighing 110 grains other 34 grains. They were of uric acid crystals.
24/11/59.	"	24/11/59.	Death.	
2/11/59.	26/12/59.	"	Cured.	Instrument of one needle applied.
3/12/59.	10/1/60.	"	Cured.	This man was cured by second operation.
2/12/60.	"	4/12/60.	Death. Phleg. erysipelas.	Which was extended whole over the right limb.
20/12/59.	"	21/12/59.	Death. From Pyemia.	
20/12/59.	"	"	Taken away by his friends.	
5/1/60.	"	"	Taken away by his friends.	
7/1/60.	20/3/60.	"	Cured.	



# Operations

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
5/1/60.	53. Myceliodem.	7.5.	Slave.	Malabar.	True fibrous tumour at the root of the left ear.	Removal of the tumour.
9/1/60.	54. Depon.	28.5.	Servant.	Hindoo.	Compound fracture of the skull. Compression of the brain by a depressed bone.	Trephining.
	55. J. Burton.	26.5.	Seaman.	English.	Lacer of the head of the right humerus.	Excision of the right shoulder joint.
16/1/60.	56. Odian Chaud.	36.5.	Oilmaker.	Hindoo.	Scrofula tumour.	Removal of the tumour.
18/1/60.	57. Kober.	20.5.	Shopkeeper.	Do.	Inguinal hernia right side.	Metcalf's operation.
16/1/60.	58. Shinde.	28.5.	Do.	Do.	Do.	Do.
9/1/60.	59. W. Prichard.	26.5.	Seaman.	English.	Do.	Do.
25/1/60.	60. Foker Chaud.	36.5.	Shopkeeper.	Hindoo.	Strangulated, oblique hernia right side.	Strangulation removed by opening the sac.
29/1/60.	61. Mahomed Ally.	40.5.	Merchant.	Malabar.	Stone in the urethra about half an inch.	Extraction of the stone from the urethra.
9/1/60.	62. Dhum.	21.5.	Servant.	Hindoo.	Tip of the great toe of the left foot crushed.	Removal of the last phalanx of the great toe.
17/1/60.	63. Lucen Quater.	6.5.	Seaman.	Italian.	Fistula in Ano.	Fistula in Ano laid open.
27/1/60.	64. Birreshore.	20.5.	House.	Hindoo.	Scrofula tumour.	Removal of the tumour.
9/2/60.	65. Somdore.	11.5.	Slave.	Malabar.	Web finger (right hand).	Operation for web fingers.
12/2/60.	66. Shannoo.	17.5.	Cooly.	Hindoo.	Ring & little fingers of the right hand crushed by machinery.	Removal of the head of the middle phalanx of the ring & little finger.
4/1/60.	67. J. E. Doreck.	21.5.	Seaman.	English.	Laryngitis.	Tracheotomy.
13/2/60.	68. Jay Karam Kofe.	38.5.	Trunk seller.	Hindoo.	Scrofula fungosa of the right foot.	Ligament operation for the ankle joint (right).
27/2/60.	69. Paduk Chunder Miller.	28.5.	Merchant.	Do.	Carcinoma tumour of the neck.	Tumour removed.
22/2/60.	70. Mashub.	31.5.	Servant.	Do.	Epithelioma (right side of the face).	Cancer removed.
24/2/60.	71. Droye Hurray.	38.5.	Farmer.	Do.	Simple Osteosarcoma of the right half of the lower jaw.	Osteosarcoma removed.
18/1/60.	72. J. Massaw.	56.	Seaman.	American.	Fungoid growth of the left testicle.	Ligament operation for the fungoid growth.
15/2/60.	73. J. Christian.	17.5.	Seaman.	English.	Ulcers in the left thigh and necrosis of the left femur.	Amputation of the left thigh at its upper third.
16/2/60.	74. Demostanth.	20.5.	Shopkeeper.	Hindoo.	Perianal abscess.	Abscess laid open.
16/3/60.	75. Handhu.	30.5.	Farmer.	Do.	Fistula in Ano.	Fistula laid open by Lescage.



1880.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
7/1/60.	26/1/60.	•	Cure.	The tumour was about the size of a small nut.
3/1/60.	•	11/1/60.	Death. From Consumption.	
14/1/60				
21/1/60.	"	21/1/60	Death. From Lung Disease	Tumour was about 60 lbs. in weight.
26/1/60.	20/2/60	"	Cure.	This man was cured by second operation.
16/1/60.	15/2/60	"	Cure.	Instrument of one week used.
11/1/60.	18/2/60	"	Cure.	Do.
25/1/60.	"	2/2/60	Death. From Syphilis.	Strangulation near of Chans standing. The structure was in the case.
23/1/60.	10/2/60	"	Cure.	The tumour was about the size of a plum seed.
6/2/60	18/2/60	"	Cure	
6/2/60.	24/2/60		Cure.	
5/2/60	"	25/2/60	Death. From Syphilis.	The tumour was about 12 lbs. in weight.
9/2/60.	2/4/60	"	Cure.	
22/2/60.	25/2/60	"	Cure	
22/2/60.	25/2/60		Cure.	
26/2/60.	3 <sup>rd</sup> March/60	2/3/60.	Taken away by his friends.	
27/2/60.	10/4/60.		Cure.	Tumour was about the size of a hen's egg.
28/2/60.	"	10/4/60	Death. From exhaustion	
20/2/60	13/3/60	"	Cure.	
26/2/60.	25/3/60	"	Cure.	
11/3/60.	"	10/3/60	Death. Abscess of tumour extended	
17/3/60.	25 <sup>th</sup> March/60	"	Cure.	
17/3/60.	1/3/60.	"	Cure.	



# Operations

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
1860. February 27 <sup>th</sup>	Phugga. M.	22.	Cooly.	Hindoo.	Compound fracture of the tibia & fibula of the left leg at its upper third.	Amputation of the leg below the knee by Mr. Lymie's Method.
March 14 <sup>th</sup>	She: Manno. M.	27.	Engineer.	English.	External Piles.	Application of ligature to the external Piles.
March 17 <sup>th</sup>	Onookool. M.	16.	Student.	Hindoo.	Incised wound on the left wrist. The ulnar artery was punctured also.	Ligature of the ulnar artery of the left hand little above the wrist.
March 23 <sup>rd</sup>	Buddoo Kautti Paul. M.	28.	Merchant.	Sc.	Older Cephaloma of the left knee joint.	Amputation of the left thigh at its upper third by Anty & Paster's flaps.
March 26 <sup>th</sup>	Dalchoo. M.	30.	Cooly.	Sc.	Epithelial Cancer of the Scrotum.	Removal of the cancer.
March 18 <sup>th</sup>	Ram Sunder. M.	30.	Shopkeeper.	Sc.	Disease of the left ankle joint, necrosis of the tibia and fibula of the left leg.	Amputation of the left thigh at its lower third by Hall's Method.
March 27 <sup>th</sup>	Ram Chandra. M.	38.	Deer.	Sc.	Disease of the right elbow joint.	Excision of the right elbow.
March 16 <sup>th</sup>	Shyngph. M.	30.	Deer.	Sc.	Fistula in Perineum.	Fistula laid open by Scarpa.
March 20 <sup>th</sup>	Omuck Chandra Bose. M.	18.	Scout.	Sc.	Compound dislocation & fracture of the right ankle joint.	Amputation of the right leg about an inch & half above the ankle.
April 6 <sup>th</sup>	Dun Mahomed. M.	26.	Lascar.	Arab.	Condylomata (syphilis).	Condylomata removed by Scarpa.
Sc. 26 <sup>th</sup>	Shombho. M.	30.	Deer.	Hindoo.	Compound fracture of the right leg about half an inch above the ankle with Traumatic Tetanus.	Amputation of the right leg below the knee by circular flap.
April 27 <sup>th</sup>	Churuck. M.	30.	Cooly.	Sc.	Necrosis of the Metacarpal bone of the left thumb.	Removal of the thumb from it. Carpal Metacarpal Articulation.
Sc. 28 <sup>th</sup>	Prav. M.	13.	Scout.	Sc.	Compound fracture of the right femur at its middle.	Amputation of the right thigh at its upper third by Anterior & Posterior flaps.
Sc. 28 <sup>th</sup>	Pistadhar. M.	36.	Farmer.	Sc.	Stone in the bladder.	Lithotomy. (lateral approach).
Sc. 26 <sup>th</sup>	Buddi Kautti. M.	27.	Lascar.	Sc.	Phymosis.	Phymosis laid open.
May 1 <sup>st</sup>	Michael. Brauer. M.	26.	Seaman.	Swede.	Sc.	Sc.
Sc. 7 <sup>th</sup>	Parbotee. M.	32.	Scout.	Hindoo.	Longous Hemorrhoids.	Removal of the tumour from the inner side of the right upper jaw the portion of the upper jaw which was supposed to be connected with the tumour was also removed.



1860

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
19 <sup>th</sup> March/60.	"	21 <sup>st</sup> March/60.	Death. from Sanguis.	Secondary amputation. This patient was admitted with simple fracture of his left leg, which became complicated after a few days, and the bones at the fracture increased.
17 <sup>th</sup> Do.	2 <sup>nd</sup> April/60	"	Cure.	Fibula was removed from its articulation with the tibia, as it was increased throughout its whole length.
17 <sup>th</sup> Do.	16 <sup>th</sup> April/60	"	Cure.	
26 <sup>th</sup> Do.	2 <sup>nd</sup> April/60	"	Taken away by his friends.	
31 <sup>st</sup> Do.	15 <sup>th</sup> April/60	"	Cure.	
31 <sup>st</sup> Do.	3 <sup>rd</sup> April/60	"	Death. from opium poison.	Patient took some 30 grains of Dover's opium (which was given to him by his brother) to allay pain.
31 <sup>st</sup> Do.	15 <sup>th</sup> April/60	"	Taken away by his friends.	
30 <sup>th</sup> Do.	1 <sup>st</sup> Do.	"	Cure.	
30 <sup>th</sup> Do.	16 <sup>th</sup> Do.	"	Cure. Taken away by his friends.	
15 <sup>th</sup> April	24 <sup>th</sup> Do.	"	Cure.	
19 <sup>th</sup> Do.	30 <sup>th</sup> April/60.	"	Death. from Tetanus.	This patient was admitted with traumatic Tetanus.
4 <sup>th</sup> May/60.	17 <sup>th</sup> June/60	"	Cure.	
4 <sup>th</sup> Do.	9 <sup>th</sup> May/60.	"	Death. from Abscess.	Secondary amputation. This patient came into this Hospital with the protrusion of the upper fragment of the fractured bone, which was of 4 days standing.
8 <sup>th</sup> Do.	17 <sup>th</sup> May/60	"	Cure.	Little acid Calculus with coating of phosphates. Stone was about 350 grains in weight.
8 <sup>th</sup> Do.	28 <sup>th</sup> May/60	"	Cure.	
9 <sup>th</sup> Do.	1 <sup>st</sup> June/60	"	Cure.	
10 <sup>th</sup> Do.	18 <sup>th</sup> June/60	"	Cure.	



# Operations

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
1860. May 27 <sup>th</sup>	Sitoo Ram.	M.	38. Peasant.	Hindoo.	Strangulated inguinal hernia of the right side.	Operation for strangulated hernia.
June 4 <sup>th</sup>	Boylas Chunder.	M.	20. Teacher.	Do.	Fistula in Ano.	Fistula in Ano laid open.
June 6 <sup>th</sup>	Hartee.	M.	28. Cook.	Do.	Phymosis.	Phymosis laid open.
June 13 <sup>th</sup>	Monsieur.	M.	20. Mute.	Mosslem.	Altesia Oric.	Operation for Altesia Oric.
June 25 <sup>th</sup>	Boohento.	F.	30. None.	Hindoo.	Hypertrophy of the Clitoris.	Hypertrophy of clitoris removed.
June 26 <sup>th</sup>	Sooba Money.	F.	40. None.	Do.	Enchondroma on the Anterior and upper part of the Tibia of the right leg.	Tumour removed.
June 22 <sup>nd</sup>	Nihoda Ram.	M.	38. Carpenter.	Do.	Fistula in Ano.	Fistula laid open by cerasium.
June 10 <sup>th</sup>	M <sup>rs</sup> Martin.	F.	27. None.	English.	Hyp: Condylomata.	Condylomata removed.
June 20 <sup>th</sup>	Sawary.	F.	46. None.	Mosslem.	Scirrhus Tumour of the Right Mammary gland.	Scirrhus Tumour removed.
July 2 <sup>nd</sup>	Manso. Dasey.	F.	26. None.	Hindoo.	Hyp: Condylomata.	Condylomata removed.
July 4 <sup>th</sup>	Off Gulla.	M.	20. None.	Do.	Fistula in Ano.	Fistula laid open by cerasium.
July 11 <sup>th</sup>	S. Hawks.	M.	40. Seaman.	English.	Inguinal hernia of the left side.	Mutys operation for radical cure of hernia.
July 19 <sup>th</sup>	Arlian Chaud.	M.	20. None.	Hindoo.	Thickening of the Prepuce.	Thickened part removed.
August 1 <sup>st</sup>	Chunder Churn.	M.	36. Sweeper.	Do.	Swing of the left testicle.	Lynch's operation for the fungus.
August 3 <sup>rd</sup>	Dahadour.	M.	40. Shopkeeper.	Mosslem.	Fistula in Ano.	Fistula laid open by cerasium.
August 17 <sup>th</sup>	Soola Ram.	M.	60. None.	Hindoo.	Necrosis of the phalanx of the 2 <sup>nd</sup> toe of the left foot.	The second toe removed at its base. Stiffened articulation.
August 1 <sup>st</sup>	Soofanee.	M.	30. Shopkeeper.	Mosslem.	Hypertrophy of the prepuce.	Hypertrophy removed.
August 20 <sup>th</sup>	Mashub.	M.	46. Shopkeeper.	Hindoo.	Inguinal hernia of the right side.	Mutys operation for radical cure of hernia.
Do. 31 <sup>st</sup>	Chicary Sep.	M.	30. Cook.	Do.	Do.	Do.
September 10 <sup>th</sup>	E. Street.	M.	20. Seaman.	American.	Do.	Do.
September 14 <sup>th</sup>	Mohupaul.	M.	40. Durwan.	Hindoo.	Scrotal Tumour.	Tumour removed.
Do. 21 <sup>st</sup>	Jay Money.	F.	60. None.	Hindoo.	Harelip Congenital.	Operation for harelip.
Do. 24 <sup>th</sup>	Mothoo Sooken.	M.	50. None.	Do.	Inguinal hernia of the right side.	Mutys operation for radical cure of hernia.
October 2 <sup>nd</sup>	P. Luer.	M.	30. Seaman.	English.	Do.	Do.
September 17 <sup>th</sup>	William Labbar.	M.	28. None.	Mosslem.	Stenosis of the left Uterus. Anterior wall of the dilated Hypovous to the size of a middle sized apple.	Anterior wall of the dilated Hypovous removed.
October 15 <sup>th</sup>	James Roden.	M.	40. Sailor.	Do.	Lacerated wound of the last & second phalanx of the phalanx of the right thumb.	Part of the lacerated bone of the right thumb removed.



1860

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	Remarks.
27 <sup>th</sup> May/60	"	26 <sup>th</sup> May/60	Deaths from laceration of the sac	The strangulation was of the sac standing. Sac was laid open as the structure was into the sac.
20 <sup>th</sup> June/60	16 <sup>th</sup> July/60	"	Cure.	
8 <sup>th</sup> June/60	11 <sup>th</sup> Dec	"	Much relief.	
16 <sup>th</sup> Dec	13 <sup>th</sup> July/60	"	Cure.	
16 <sup>th</sup> Dec	18 <sup>th</sup> Dec	"	Cure.	
30 <sup>th</sup> Dec	26 <sup>th</sup> July/60	"	Cure.	It was of a fibro cartilaginous tumour about the size of a child's head. Its weight was about 11½ oz.
16 <sup>th</sup> July	12 <sup>th</sup> Aug/60	"	Cure.	
15 <sup>th</sup> June/60	28 <sup>th</sup> Dec/60	"	Cure.	
7 <sup>th</sup> July/60	20 <sup>th</sup> July/60	"	Cure.	This patient was again admitted in the hospital on the 27 <sup>th</sup> June/60 with the return of the tumour about the cicatrix in the axilla.
7 <sup>th</sup> Dec	5 <sup>th</sup> Aug/60	"	Cure.	
7 <sup>th</sup> Dec	31 <sup>st</sup> July/60	"	Cure.	There were 8 fistulas around the cancer.
26 <sup>th</sup> Dec	5 <sup>th</sup> Aug/60	"	Cure.	Insertion of one needle applied.
28 <sup>th</sup> Dec	7 <sup>th</sup> July/60	"	Cure.	
1 <sup>st</sup> August	2 <sup>nd</sup> Dec/60	"	Cure.	
4 <sup>th</sup> Dec	26 <sup>th</sup> Dec	"	Cure.	
23 <sup>rd</sup> Dec	11 <sup>th</sup> Nov/60	"	Cure.	This man was quite cured after two operations.
28 <sup>th</sup> Dec	24 <sup>th</sup> July/60	"	Cure.	
31 <sup>st</sup> Dec	26 <sup>th</sup> Dec/60	"	Relief.	This man was operated twice with one needle.
4 <sup>th</sup> Sep/60	2 <sup>nd</sup> Nov	"	Relief.	This man was operated once only with two needles.
13 <sup>th</sup> Dec	22 <sup>nd</sup> Aug/60	"	Cure.	This man was after two operations.
22 <sup>nd</sup> Sep/60	12 <sup>th</sup> Dec	"	Cure.	The weight of the tumour was about 18½ lbs.
22 <sup>nd</sup> Dec	1 <sup>st</sup> Nov/60	"	Cure.	Silver sutures applied instead of horse hair.
26 <sup>th</sup> Dec	3 <sup>rd</sup> Aug/60	"	Cure.	This man was operated once only with instrument of one needle & middle plug.
2 <sup>nd</sup> Dec/60	20 <sup>th</sup> July/60	"	Much relief.	This patient was operated twice. A double ligature applied the end of one needle.
10 <sup>th</sup> Dec	14 <sup>th</sup> July/60	"	Cure.	The cavity was emptied of some limpid fluid at first by puncturing with a trochar & cannula. It was very large, size of a large orange, removed by laying open the upper lip & detaching it on the left side, cutting away anterior wall of the tumour. The thrombosis was removed through the slit in the sac. The 2 <sup>nd</sup> operation involved removing by removal of the breast gland.
31 <sup>st</sup> Dec	28 <sup>th</sup> July/60	"	Cure.	



# Operations

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
1866. October 17 <sup>th</sup>	Malles.	M.	16.	Coaly.	Musliman Compound fracture of the Radius, ulna of the right hand above the wrist.	about an inch, half of the left radius, ulna which were the ends of this fracture remained
Do.	18 <sup>th</sup> Kolbind Chunder.	M.	18.	House.	Hindoo. Abscess.	abscessed bone from the head of the left humerus removed.
Do.	30 <sup>th</sup> Mungay.	M.	16.	Student.	Christian The last phalanx of the middle finger of the left hand amputated.	Last phalanx removed.
November 21 <sup>st</sup>	Setthab.	M.	13.	House.	Hindoo. Stone in the bladder.	Setthabany (lithotomization)
Do.	14 <sup>th</sup> Bhuccut.	M.	40.	Barman.	Do. Compound fracture of the amputation of the right leg. Tibia & tibia of the right below the knee by Syme's method. leg about 2 inches half above the ankle.	Amputation of the right leg. Tibia & tibia of the right below the knee by Syme's method. leg about 2 inches half above the ankle. Bone divided one inch below tibia & tibia
Do.	20 <sup>th</sup> Mathubkur.	M.	28.	Servant.	Do. Stone in the bladder, anterior to the bulbous portion.	Perineal Section
October 10 <sup>th</sup>	J. Spring.	M.	46.	Bricklayer.	Indian Stricture of the Urethra. Stricture was situated anterior to the bulbous portion of the Urethra.	Perineal Section.
November 26 <sup>th</sup>	Nasser Bep.	M.	30.	Coaly.	Hindoo. Compound comminuted frac. ture of the right tibia and tibia below the knee, by Syme's method about 2 inches above the ankle.	Amputation of the right leg ture of the right tibia and tibia below the knee, by Syme's method about 2 inches above the ankle.
December 5 <sup>th</sup>	J. Patour.	M.	16.	House.	P. Indian Phymosis.	Phymosis removed by circumcision
Do.	7 <sup>th</sup> Bhayrub.	M.	26.	Refkaper.	Hindoo. Abscess.	Two small pieces of abscessed bone taken out from the left side of his lower jaw.
Do.	3 <sup>rd</sup> Mathub Beg.	M.	27.	Grain seller.	Hindoo. Scrotal Tumour.	Tumour removed.
Do.	14 <sup>th</sup> Ramcham.	M.	40.	House.	Do. Ecthelioid Cancer on the dorsum of the penis.	Penis amputated at its root.
Do.	24 <sup>th</sup> Spur Chunder Chatterjee.	M.	30.	Grain seller.	Do. Epithelial Abscession.	Ligatures on the right femoral artery about 3 inches below the Poupart's ligament.



1860

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
26 <sup>th</sup> Dec/60.	"	7 <sup>th</sup> Jan/61	Death. From Pyemia.	Secondary operation.
21 <sup>st</sup> Do.	26 <sup>th</sup> Dec/60	"	Cure.	
1 <sup>st</sup> Jan/61	16 <sup>th</sup> Do.	"	Cure.	
26 <sup>th</sup> Do.	17/12/60	"	Cure.	Uric acid Calculi weighing about 342 grains, very superficially & partially coated with phosphates.
27 <sup>th</sup> Do.	"	1 <sup>st</sup> Jan/61	Death. From Gangrene of the stump.	Secondary Amputation. Bone exposed at the fracture, tissues infiltrated with pus, and cancellated texture of bone suppurating.
28 <sup>th</sup> Jan/61.	31 <sup>st</sup> Dec/60	"	Cure.	There were two small stones lodged about quarter of an inch anterior to the Osseous portion of the urethra. One weighed six eight the other 20 grains.
28 <sup>th</sup> Do.	"	16 <sup>th</sup> January 1861	Death. This patient was quite cured of his structure, but he got an attack of acute laryngitis from which he breathed his last on the 16 <sup>th</sup> January 1861.	This patient was first operated for the extirpation of uric acid in his left groin, which was about 4 1/2 weeks before the present section. He died suddenly in the night from Asphyxia of the Lungs.
1 <sup>st</sup> Dec/60.	"	9 <sup>th</sup> Dec/60	Death. From Pyemia.	Secondary Amputation. Bone exposed at the fracture.
6 <sup>th</sup> Do.	11 April/61			
8 <sup>th</sup> Do.	25 <sup>th</sup> Dec/60	"	Relief.	
8 <sup>th</sup> Do.	31 <sup>st</sup> January 1861	"	Cured.	It was a very vascular tumour. It was about 6 lbs in weight.
24 <sup>th</sup> Do.	19 <sup>th</sup> Do.	"	Cure.	
28 <sup>th</sup> Do.	31 <sup>st</sup> January 1861	"	Patient removed from the Hospital by his friends.	Circulation of the limb below the ligature completely established two weeks after the operation. On the 12 <sup>th</sup> January the skin over the tumour began to slough; large quantity of clots & fibrinous matter were removed from the sac on the 16 <sup>th</sup> . On the 21 <sup>st</sup> secondary hæmorrhage occurred from the open sac in the haem, on the 22 <sup>nd</sup> it occurred again and on the 26 <sup>th</sup> it occurred again after this the skin surrounding the Os became gangrenous, the patient became very low. He was removed by his friends.



# Operations

Date of Admission	Name	Age	Occupation	Caste or Country	Disease	Operation
1861 January 1 <sup>st</sup>	P. Ram Shankar	M.	26	Surgeon	Hindoo Stone in the urethra	Small stone, about the size of a millet seed removed.
1861 December 26 <sup>th</sup>	S. S. Ram	M.	40	Surgeon	Mahomedan Polypus of the rectum	Removal of the folds of mucous membrane, skin from the rectum and about the sphincter and muscles.
1861 January 29 <sup>th</sup>	K. K. Ram Shankar	M.	18	Student	Hindoo Herpetic, longitudinal	Operation for herpetic
Do	Y. S. S. S. S.	F.	50	Servant	Do Polypus of the anus	Removal of the folds of mucous membrane, skin about the sphincter and muscles.
1861 January 17 <sup>th</sup>	R. Ram	M.	15	Surgeon	Mahomedan Necrosis	A large piece of necrotic bone from the lower jaw and the symphysis removed.
1861 January 18 <sup>th</sup>	R. Ram	M.	15	Surgeon	Do Necrosis	A large piece of necrotic bone from the middle of the right femur removed.
Do	P. S. S. S. S.	M.	40	Surgeon	Hindoo Necrosis	Middle finger of the right hand with the base of its metacarpal bone amputated.
Do	S. S. S. S. S.	M.	16	Surgeon	English Phymosis	Phymosis operated by circumcision.
Do	S. S. S. S. S.	M.	21	Surgeon	Swedish Phymosis	Phymosis slit open.
Do	S. S. S. S. S.	M.	32	Surgeon	Mahomedan Hypertrophy of the prepuce	Prepuce and hypertrophy of the prepuce removed.
February	S. S. S. S. S.	M.	18	Surgeon	Christian Phymosis	Phymosis laid open.
"	S. S. S. S. S.	M.	6	Surgeon	Hindoo Ulcer from burn	Removal of part of burnt skin.
"	S. S. S. S. S.	M.	32	Surgeon	Do Scrotal Tumour	Scrotal Tumour removed.
"	S. S. S. S. S.	M.	44	Surgeon	Mahomedan External pile	External pile extirpated.
March	S. S. S. S. S.	M.	22	Student	Hindoo Longitudinal Herpetic	Herpetic removed.
"	S. S. S. S. S.	M.	24	Surgeon	Do Fistula in ano laid open	Fistula laid open.
"	S. S. S. S. S.	M.	20	Surgeon	English Phymosis	Phymosis slit open.
"	S. S. S. S. S.	M.	26	Surgeon	Mahomedan Ulcer from burn	Amputation of the right leg below the right ankle joint, the wound united by the first.
"	S. S. S. S. S.	M.	26	Surgeon	Do Herpetic, longitudinal	Herpetic operated.
"	S. S. S. S. S.	M.	17	Surgeon	Hindoo Phymosis	Phymosis slit open.
"	S. S. S. S. S.	M.	25	Student	Mahomedan Fistula in ano	Fistula laid open.



1861.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
5 <sup>th</sup> January 1861	"	"	Cure.	Out patient. Uric acid stone. The stone was situated about quarter of an inch from the orifice of the urethra.
5 <sup>th</sup> Dec.	27/1/61	"	Cure.	Fold of mucous membrane about length of an inch removed.
9 <sup>th</sup> Dec.	28 <sup>th</sup> Aug/61	"	Cure.	Silver sutures applied instead of horsehair needles.
12 <sup>th</sup> Dec.	19/2/61	"	Cure.	Fold of mucous membrane from the neck of the bladder removed.
18 <sup>th</sup> Dec.	28 <sup>th</sup> Aug/61	"	Cure.	
20 <sup>th</sup> Dec.	27 <sup>th</sup> Aug/61	"	Cure.	
21 <sup>st</sup> Dec.	26 <sup>th</sup> Feb/61	"	Cure.	
24 <sup>th</sup> Dec.	27 <sup>th</sup> Aug/61	"	Cure.	
25 <sup>th</sup> Dec.	1 <sup>st</sup> March	"	Cure.	
26 <sup>th</sup> Dec.	2 <sup>nd</sup> April	"	Cure.	Height of the tumour was 1 1/2 in.
13 <sup>th</sup> February 1861	18 <sup>th</sup> May/61	"	Cure.	
18 <sup>th</sup> Dec.	28 <sup>th</sup> Jan/61	"	Cure.	
26 <sup>th</sup> Dec.	12 <sup>th</sup> Jan/61	"	Cure.	The weight of the tumour including its fluid contents was about 2 1/2 pounds. Tumour 40 pounds. Fluid 10 pounds.
28 <sup>th</sup> Dec.	15 <sup>th</sup> March	"	Cure.	
1 <sup>st</sup> March 1861	13 <sup>th</sup> Dec.	"	Cure.	Silver sutures applied instead of horsehair needles.
3 <sup>rd</sup> Dec.	16/5/61	"	Cure.	
4 <sup>th</sup> Dec.	20/5/61	"	Cure.	
9 <sup>th</sup> Dec.	"	20 <sup>th</sup> May/61	Death from sloughing of the stump and Secondary Amputation.	
12 <sup>th</sup> Dec.	28 <sup>th</sup> Aug/61	"	Cure.	
14 <sup>th</sup> Dec.	18 <sup>th</sup> April/61	"	Cure.	Silver sutures applied instead of horsehair needles. This was done a second time. Operation on the 1 <sup>st</sup> found unnecessary.
22 <sup>nd</sup> Dec.	27 <sup>th</sup> April	"	Cure.	



# Operations

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
1861. March. 28 <sup>th</sup>	Paroda	7.	28. House.	Hindoo	Hypertrophy of the Glans.	Hypertrophy removed.
1 <sup>st</sup> April	McKinney	7.	14. House.	do	Hypertrophy of the Glans <sup>lymphatic</sup> and hypercondylomata	Hypertrophy and Condylomata removed.
April 15 <sup>th</sup>	Shubbithore Nundy	40.	25. Shepherd	do	Perineal Fistulae, result of Calcareous structure of the Urethra	Perineal Section.
March 29 <sup>th</sup>	Mukher	40.	45. Tradesman	do	Oblique Inguinal Hernia of the right side.	Mitzy's operation for radical cure of hernia.
April 25 <sup>th</sup>	Whegyash Chunder Chuckerbutty	36.	Merchant	do	Necrosis of the phalanx of Index finger removed from the Index finger of the right <sup>the Metacarpophalangeal articulation.</sup> hand. Head of the Metacarpal bone also removed.	
" 22 <sup>nd</sup>	William Cartney	40.	27. Seaman	do	Fatty Tumour in the upper part of the left thigh (inner aspect).	Fatty Tumour removed.
" 26 <sup>th</sup>	M. Dine	40.	40. Cook	do	Oblique Inguinal Hernia of the right side.	Mitzy's operation.
" 28 <sup>th</sup>	Puddu Luchan	40.	40. Priest	Hindoo	Hard Calcareous structure of the Urethra and Perineal fistulae.	Perineal Section.
May 1 <sup>st</sup>	Bungshew	40.	38. Farmer	Hindoo	Necrosis of the Metatarsal bone of the great toe of the right foot.	Necrosed bone removed. 2/3 of the Metatarsal bone of the great toe, part of the Scaphoid, part of the internal Cuneiform and part of the Metatarsal bone of the second toe removed.
" 15 <sup>th</sup>	Hakim Dolak	40.	40. Farmer	Musliman	Stone in the bladder.	Lithotomy (lateral operation).
" 25 <sup>th</sup>	Ghoshum	40.	17. Lye	Hindu	do	do
" 28 <sup>th</sup>	Gobinda Talu	40.	18. Oil Maker Talu.	do	Necrosis of the right Ulna throughout its whole length.	Two pieces of necrosed bone about 2 1/2 inches long and 4 or 5 small pieces removed.
June 8 <sup>th</sup>	Poraw	40.	25. Weaver	Hindoo	Necrosis of the lower part of the right Humerus.	One large piece of necrosed bone about 2 inches long and several small pieces removed and end of the upper fragment cut by bone kniffer.
" 12	Jankhee Kauthi Sin	40.	20. Student	do	Enlarged tumour in the right cheek.	Tumour removed.
May 3 <sup>rd</sup>	J. Thompson	40.	21. Seaman	Barbados	Oblique inguinal Hernia of the right side.	Mitzy's operation for radical cure of inguinal hernia.



1861

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
23 <sup>rd</sup> March/61	1 <sup>st</sup> April/61	"	Cure.	The tumour was about the size of a small nut.
11 <sup>th</sup> April/61	29 <sup>th</sup> Do	"	Cure.	The tumour was about the size of a hen's egg.
16 <sup>th</sup> Do	3 <sup>rd</sup> July/61	"	Cure.	
17 <sup>th</sup> Do	11 <sup>th</sup> July/61	"	Relief	Instrument of one needle with middle sized fluy applied in this case.
26 <sup>th</sup> Do	6 <sup>th</sup> Aug/61	"	Cure.	
2 <sup>nd</sup> May/61	15 <sup>th</sup> Aug/61	"	Cure.	The tumour was about the size of a large fist. It was pedunculated.
6 <sup>th</sup> Do	5 <sup>th</sup> July	"	Cure (apparently)	Instrument of two needles with largest sized fluy applied in this case.
13 <sup>th</sup> Do	16 <sup>th</sup> Sep/61	"	Cure.	
16 <sup>th</sup> Do	"	6 <sup>th</sup> Aug/61	Death. From Opium.	There was collection of purulent matter in the right lung.
18 <sup>th</sup> Do	"	"	Taken away by his friends on the 4 <sup>th</sup> Aug/61	Uric acid Calculus weighing about 200 grains.
27 <sup>th</sup> Do	3 <sup>rd</sup> July/61	"	Cure.	Phosphate of Lime Calculus. The weight of the stone was 211 grains.
30 <sup>th</sup> Do	18 <sup>th</sup> Aug/61	"	Cure.	
6 <sup>th</sup> Aug/61			Cure	Result of compound comminuted fracture of the lower part of the right humerus.
12 <sup>th</sup> Do	"	"	Cure Out patient	Tumour was about a plum seed in size.
18 <sup>th</sup> Do	"	"	Cure (apparently)	Instrument of one needle applied.
<p>This man came again &amp; had his right leg amputated on the 11<sup>th</sup> July/61. He died on the 15<sup>th</sup> July/61. The size of the tumour was about a plum seed.</p>				<p>The patient was admitted into the V. Physicists' ward for diarrhoea in December/64. &amp; on enquiring it was found that the rupture did not come down for 10 months after he left the shop. When he had a fall from a height of about 15 feet which brought on the rupture back.</p>



*Operations*

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
May 1861	2 <sup>d</sup> J. Coleman.	M. 48.	Seaman	English	Varicose of the Spermatic vein of the left side.	Operation for varicose vein.
June	28 <sup>th</sup> A. S. <sup>Grand</sup> <del>Devi</del> <sup>Devi</sup>	M. 45.	Seaman	Hindoo	Inguinal Hernia of the right side.	Hitziger's operation for radical cure of hernia.
"	1 <sup>st</sup> Ahmed Chunder Shaha	M. 40.	Surcar.	Hindoo	Stricture of the Urethra.	Perineal Section.
"	"	"	"	"	3 urinary fistulae.	"
July	8 <sup>th</sup> Chunder Mohun.	M. 40.	Cooley.	Do.	Inguinal Hernia of the right side.	Hitziger operation for radical cure of hernia.
"	8 <sup>th</sup> Moun Mohun.	F. 52.	None	Do.	Gangrene of the right hand, originates from wasp bite.	Amputation of the right arm at its upper third.
June	21 <sup>st</sup> J. Woodhouse.	M. 40.	Cook.	English	Oblique Inguinal hernia of the left side.	Hitziger's operation for radical cure of hernia.
July	7 <sup>th</sup> Moun Soodan.	M. 36.	Farmer	Hindoo	Ecthyma of the penis.	Amputation of the penis at its root.
"	8 <sup>th</sup> Jacob Bop.	M. 44.	Barman	Do.	Stricture of the Urethra.	Perineal Section.
"	27 <sup>th</sup> Kirish Chunder Chow.	M. 30.	Farmer	Do.	Strangulated Oblique Inguinal Hernia of the right side.	Strangulation removed.
August	5 <sup>th</sup> Harish Chunder.	M. 38.	Vaccinator.	Do.	Hernia of the left testicle.	Hernia reduced.
July	28 <sup>th</sup> Chik Mohun.	M. 33.	Cookman	Muslim	Scrotal Tumour.	Tumour removed.
Do	26 <sup>th</sup> Fuller.	M. 36.	Lyce.	Hindoo	Do.	Do.
Do	31 <sup>st</sup> Khar.	M. 30.	Cookman	Muslim	Compound comminuted fracture of the left ulna and radius at their lower third.	The left arm is removed above the elbow joint.
August	18 <sup>th</sup> Gopaul Soodan.	M. 21.	None	Hindoo	Large Cancer in the inner side of the lower lip.	Tumour removed.
"	2 <sup>nd</sup> Bachan, Comary.	F. 56.	None	Do.	Necrosis.	About one and half inch of the right tibia, which was denuded of its periosteum, & necrosed removed by saw.
"	13 <sup>th</sup> Cholla Smith.	M. 34.	Farmer	Hindoo	Encysted Tumour in the left parotid Gland.	Tumour removed.
September	10 <sup>th</sup> E. Hillon.	M. 46.	Seaman	English	Oblique Inguinal Hernia of both sides.	Hitziger's operation performed only in the right side.



1861.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
20 <sup>th</sup> June 1861	5 <sup>th</sup> July/61	"	Cure.	A needle passed under the tumor, the ligament being drawn aside and the tumor removed by the needle being twisted around.
x				
6 <sup>th</sup> July/61	"	"	Relief.	Instrument of one needle with the middle sized plug applied.
6 <sup>th</sup> Do	19 <sup>th</sup> Dec/61	"	Cure.	(Same structure. a second specimen removed.)
9 <sup>th</sup> Do	22 <sup>nd</sup> Dec/61	"	Relief.	Instrument of two needles with middle sized plug used in this case.
13 <sup>th</sup> Do	7 <sup>th</sup> Dec/61	"	Cure.	Gangrene was extended up to the middle of the right arm. - upper arm. - but not to the wrist. Gangrene was spreading, and a last hope of saving life.
15 <sup>th</sup> "	6 <sup>th</sup> Dec/61	"	Relief.	Instrument of two needles with middle sized plug applied in this case.
16 <sup>th</sup> "	9 <sup>th</sup> Dec/61	"	Cure.	
16 <sup>th</sup> "	22 <sup>nd</sup> Dec/61	"	Cure.	Structure of the urethra originates from the rupture of the urethra.
24 <sup>th</sup> "	16 <sup>th</sup> Dec/61	"	Cure.	Constriction around the neck external to the sac was removed. Sac not opened.
2 <sup>nd</sup> Aug/61	15 <sup>th</sup> Dec/61	"	Cure.	By Mr. Spence's method.
6 <sup>th</sup> Do	11 <sup>th</sup> Dec/61	"	Cure.	Weight of the tumour was 12 pounds.
6 <sup>th</sup> Do	1 <sup>st</sup> Dec/61	"	Cure.	Weight of tumour was 16 1/2 pounds.
6 <sup>th</sup> Do.	"	15 <sup>th</sup> Dec/61	Death. From Tetanus.	Secondary amputation. Application of pressure to the base of the tumor above the point did not well control the bleeding. When attacked with tetanus died of tetanus on 2 <sup>nd</sup> Dec/61.
14 <sup>th</sup> Do	Out patient	"	Cure.	The size of the tumour was about the size of a plum seed.
16 <sup>th</sup> Do	"	20 <sup>th</sup> Dec/61	Death. From a fall from his bed, which was accidentally occurred during the night of the 12 <sup>th</sup> Dec/61.	
20 <sup>th</sup> Do	"	20 <sup>th</sup> Dec/61	Death. From cystitis. There was great deal of pus but matter found in lungs especially in the left lung, and superficially in the cellular tissue all over the chest.	The tumour was about the size of a bottle fist.
20 <sup>th</sup> Sept 1861	15 <sup>th</sup> Dec/61	"	Cure. Relief.	Instrument of one needle with middle sized plug applied in this case. Returned into the womb on Jan/62. In the womb a discolored red the fistula. It remained in the abdomen for about one year. When it came down after good deal exposure to cold in the air.



# Operations

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.	
Sept 1/1861	1 <sup>st</sup> Sri Nipen.	M.	40	Baruam.	Hindoo.	Phymosis	Phymosis slit open.
October	4 <sup>th</sup> Jhangur.	M.	22.	Eyer.	Musilma	Compound comminuted fracture of the tibia and fibula of the left leg at their middle. The whole leg with the foot was in a state of Gangrene.	Amputation performed above the knee, by circular method.
"	2 <sup>nd</sup> Juggur Mutt.	M.	40	Baruam.	Hindoo.	Necrosis of the 4 <sup>th</sup> & 5 <sup>th</sup> phalanges of the little finger of the right hand.	Little finger removed from its Metacarpophalangeal articulation. Head of the Metacarpal bone was also partly removed.
"	4 <sup>th</sup> Ram Nail.	M.	60	Baruam.	Do.	Necrosis.	Removal of the middle, ring and little fingers of the left hand. The former two fingers removed at the middle of their Metacarpal bones and the latter from its Carpo Metacarpal articulation.
August	26 <sup>th</sup> Dotal Ram Bani.	M.	50	Cotton	Do.	Proctal Tumour.	Tumour removed.
October	1 <sup>st</sup> Sclerdhunn.	M.	50	Baruam.	Do.	Epithelioma in the antero-lateral aspect of the right elbow joint. Dues upon a cicatrix result of cancerous burn.	Epithelioma removed.
September	30 <sup>th</sup> D. Spicer	M.	40	Seaman	English.	Necrosis.	Index finger of the right hand removed from its Metacarpophalangeal articulation. The head of the Metacarpal bone was also removed.
"	30 <sup>th</sup> Sclerdhunn.	M.	50	Eyer	Hindoo.	Gangrenous ulcer on the left foot including 2 <sup>nd</sup> , 3 <sup>rd</sup> , & 4 <sup>th</sup> toes and diseased of the skeleton of some of the tarsal bones except Astragalus & Scaphoid.	Chopart's Operation.
"	25 <sup>th</sup> Doye.	F.	20	Indo.	Do.	Hypertrophy of the clitoris and clitoris.	Hypertrophied parts removed.







Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operations
1861 April	2 <sup>nd</sup> Lajoo.	M.	25.	Dentman	Muslim	Frost bite in the left foot.
Octbr.	18 <sup>th</sup> Bone Mally.	M.	20.	Farmer	Hindoo	Perotat Tumour. "15" Tumour removed.
"	18 <sup>th</sup> Mchundia Lall.	M.	17 <sup>th</sup>	Student	Christian	Fistula in arm. Fistula laid open.
"	21 <sup>st</sup> Rayas Chunder	M.	24 <sup>th</sup>	Writer	Hindoo	Do Do
"	25 <sup>th</sup> Bryson Sep.	M.	25.	Barber.	Do	Fibros cartilagenous tumour in the posterior aspect of the right upper arm just above the elbow joint. It occupied nearly the whole posterior aspect of the arm. Tumour removed.
"	28 <sup>th</sup> Behary Lall.	M.	30.	Sow.	Do.	Fistula in arm. Fistula laid open.
"	27 <sup>th</sup> Ramu Comuk.	M.	36.	Sow.	Do.	Do Do.
"	27 <sup>th</sup> Kichal	M.	40.	Farmer	Do	Malumid Lacer of Foot Syme amputation ankle joint.
November	6 <sup>th</sup> Mhongla.	M.	20.	Sow.	Muslim	Protrusion of the bone of the right arm above the elbow joint by flap method.
"	4 <sup>th</sup> Kallam Chunder Ray.	M.	36.	Farmer	Hindoo	Perotat Tumour "15" Tumour removed.
"	11 <sup>th</sup> A little child.	F.	2 years old.	Sow.	Cadian	A supernumerary toe at the root of the little toe of the left foot. Supernumerary toe removed.
"	12 <sup>th</sup> Bone Mally	M.	20.	Sow.	Hindoo	Necrosis of the last phalanx of the thumb of the right hand. Necrotic bone removed.
"	11 <sup>th</sup> Bhogirath Chakr.	M.	48.	Thepkuper	Do	Perotat Tumour "17" Tumour removed.
"	18 <sup>th</sup> Kishore Chandra	S.	25.	Cooly.	Do	Atrophy of the ring finger of the right hand, result of Whitlow. Ring finger removed at the Metacarpophalangeal articulation. There has been recurring



185

[illegible]



# Operations

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
1861 Nov 22	A. Anderson.	M. 21.	Seaman	Norway	Inguinal Hernia left side	Tracy's Operation for radical cure of hernia.
December 2	Wingfield Inf.	M. 25.	Wagon	Hindoo	Perit. Tumour.	Tumour removed
December 27	Hogles Inf.	M. 25.	Wagon	Hindoo	Perit. Tumour.	Tumour removed
" 15	Wally Inf. Monkeyea	M. 24.	Wagon	Do.	Fistula in Ano	Fistula laid open
" 17	Thompson	M. 20.	Farmer	Do.	Perit. Tumour	Tumour removed
" 17	Johns Humid	M. 27.	Blacksmith	Hindoo	Perit. Tumour	Tumour removed
" 22	Hurry	M. 32.	Goldsmith	Alumina	Epithelial Cancer of the penis.	Amputation of the penis.
" 16	Rome South.	M. 20.	Wagon	Hindoo	Elephantiasis of the leg.	Elephantiasis removed.
" 8	Lucky Money.	F. 35.	Stone	Do.	Hypertrophy of the Uterus.	Hypertrophy of the Uterus removed.
" 27	Rammon.	M. 20.	Boatman	Do.	Perit. Tumour	Tumour removed.
" 28	Wear Humid	M. 40.	Locky.	Do.	Cancer of the left shoulder. Removed by excision. The cancer was about 4 1/2 x 3 1/2 inches. The patient was a Hindoo. The cancer was removed by excision. The patient was a Hindoo. The cancer was removed by excision.	



861

[illegible]



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
--------------------	-------	------	-------------	-------------------	----------	------------

*Yearly abstract of Surgical Operations in the First Surgeon's Ward of the Medical College Hospital For the year 1853. From the month of May to December.*

Operations	Number.	Sex.	Religion.	First Operation.	Second Operation.	Cause of Death.												Remarks.
						Wound.	Pyæmia.	Septicæmia.	Septicæmia.	Septicæmia.	Septicæmia.	Septicæmia.	Septicæmia.	Septicæmia.	Septicæmia.	Septicæmia.	Septicæmia.	
Amputation of the thigh Middle third	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
Do. Do. Lower third	2	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	1	
Do. of the Ankle joint	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Do. of the Fore arm.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Do. of the Index finger	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Do. of the Middle Finger	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Do. of the Ring Finger	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Do. of the last phalanx of the thumb	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Do. of the Little toe	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
x Do. of the Second toe	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cystic Tumour	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epithelial Cancer of the penis.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Elephantiasis of the Scrotum	5	3	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	
Excision of the Elbow joint	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	
Fistula in Ano.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Fibrous Tumour	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Fatty Tumour	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Fibro cartilaginous Tumour	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Harelip.	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Hypertrophy of the prepuce	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Lithotomy	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Paraphimosis.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Phymosis.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Plastic Operation	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Removal of a sequestrum from the upper jaw.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Removal of the adduction of the upper arm with the side of the chest result of exsanguine hæmorrh.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Reduction of Prolapsus Ani.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Lymas operation for Hernia of the Testicle	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Trophimosis.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
Wutzer's operation.	7	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

*This case was taken away by friends one month after the operation.*



[illegible]



[illegible]



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
--------------------	--------------------	----------------	---------------------------	----------

Yearly abstract of Surgical operations in 1<sup>st</sup> Surgeon's Ward of the  
Medical College Hospital For the Year 1851.

[illegible]







*Operations*

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.	
January 1862.	1 <sup>st</sup> Radum Ally	M.	38	Shikharpur Mussulman	Lacerated Wound. Break toe of the right foot smashed	Amputation of the great toe at its Metatarsophalangeal articulation.	
"	2 <sup>nd</sup> Bomdar Bop.	M.	42	Makhar Hindoo	Scrotal Tumour.	Tumour removed.	
"	3 <sup>rd</sup> She: Barker.	M.	31	Seaman Scotch.	Necrosis	Amputation of the index finger of the right hand at its Metatarsophalangeal articulation.	
"	4 <sup>th</sup> Girish Khander.	M.	38	Cart driver Hindoo	Hernia of the right testicle	Ligament operations for the right testicle.	
"	5 <sup>th</sup> Joorah.	F.	30	None	Muscular Hypertrophy of the scynphy & partial hypertrophy of the clitoris.	Hypertrophied parts removed.	
"	6 <sup>th</sup> Peran Bop.	M.	31	Masterman Hindoo	Fibrous Tumour on the right upper arm	Tumour removed	
"	7 <sup>th</sup> Halim Ali	M.	65	Labourer Mussulman	Amputation of the left leg above the ankle joint	Compound Comminuted fracture of the left Tibia across the Malleoli and Fibula about an inch and half above the joint.	
"	8 <sup>th</sup> Sreepura	F.	25	Servant Hindoo	Fistula in Ano.	Fistula laid open.	
"	9 <sup>th</sup> Parkuthy.	M.	20	Farmer	Do	Epithelial Cancer in the sole of the right foot.	
February.	10 <sup>th</sup> F. Lindley.	M.	30	Seaman Belgian	Inguinal Hernia right side	Hughes's operation.	
February.	11 <sup>th</sup> Shik Haradham	M.	40	Farmer Mussulman	Calculus in vesicæ: mother	182. Calculi removed by median section of perineum and dissection of prostate	
"	12 <sup>th</sup> Ram Brome	M.	16	None	Hindoo	Congenital Harelip.	Harelip removed
"	13 <sup>th</sup> Berce.	M.	40	Blaslee Mussulman	Cystic Tumour in the left Gluteal region	Tumour removed	
"	14 <sup>th</sup> Orday Ghose.	M.	17	Cooley	Hindoo	Necrosis of the last phalanx of the little toe of the right foot.	The little toe of the right foot removed from its Metatarsal articulation.



1862.

Date of Operation.	Date of Discharge.	Date of Death.	Results or cause of Death.	REMARKS.
1 <sup>st</sup> January	17 <sup>th</sup> June 1862	"	Cure.	
3 <sup>rd</sup> Do.	7 <sup>th</sup> April 1862	"	Cure.	The weight of the tumour was 24 10 grs.
14 <sup>th</sup> Do.	24 January 1862	"	Cure.	
7 <sup>th</sup> Do.	7 <sup>th</sup> Feb 1862	"	Cure.	
11 <sup>th</sup> Do.	29 <sup>th</sup> Jan 1862	"	Cure.	
16 <sup>th</sup> Do.	"	"	Cure.	Out patient
26 <sup>th</sup> Do.	"	10 <sup>th</sup> Feb 1862	Death from cancer. Peritonitis. Her old infirmities did not interfere with the progress of the disease. She died from a rupture of the bladder which occurred on the 22 <sup>nd</sup> day of her confinement. The bladder was infiltrated with pus. The uterus was healthy. Recent pleuritic adhesions.	
26 <sup>th</sup> Do.	2 <sup>nd</sup> April 1862	"	Cure.	
2 <sup>nd</sup> February	16 <sup>th</sup> Feb 1862	"	Cure.	Considerable growth of tumour in the course of 10 months. The tumour was removed. The bladder was healthy. The uterus was healthy. The ovaries were healthy.
14 <sup>th</sup> Do.	17 <sup>th</sup> Jan 1862	"	Cure.	Instrument of one needle with smallest plug used in this case.
10 <sup>th</sup> Do.	"	7 <sup>th</sup> March 1862	Death. Post mortem examination. The uterus in the perineum was granulating. It looked healthy to the last. No symptoms of cancer in the pelvis. There was no thickening of the duration between the bladder and the prostate. The prostate was enlarged. The ducts were dilated into pouches large enough to receive the end of a large catheter, in which were imbedded numerous calculi (36) from the size of a pea to a grain of wheat similar to those taken from the bladder. The bladder was thickened and inflamed, the <del>two</del> rays were of a deep red. The ureters were dilated a little to the left of the central line. The kidneys and ureters were healthy.	36 small calculi of different sizes were extracted from the bladder. The calculi were principally of uric acid. Two of them smaller in size were mulberry shaped. The weight of these small stones was 158 grains.
17 <sup>th</sup> Do.	20 <sup>th</sup> March 1862	"	Cure.	
17 <sup>th</sup> Do.	13 <sup>th</sup> Feb 1862	"	Relief. Patient was abandoned on the 13 <sup>th</sup> February 1862.	
18 <sup>th</sup> Do.	23 <sup>rd</sup> April 1862	"	Cure.	



*Operations*

Date of Admission.	Name	Age	Occupation	Caste or Country	Disease	Operation
February 1862	17 <sup>th</sup> Bock South Bay	M. 30	Shopkeeper	Hindoo	Scrotal Tumour	Tumour removed
	18 <sup>th</sup> Jacob Thompson	M. 31	Seaman	Norwagi	Necrosis	Last and second phalange of the index finger of the left hand removed.
Do	19 <sup>th</sup> Dibia	M. 14	Mathur	Hindoo	Epithelial growth in the right foot.	Epithelial growth removed.
Do	5 <sup>th</sup> Malakub Chunder	M. 40	None	Hindoo	Disease of the right ankle joint.	Ankle joint amputated by Saynes Method
Do	27 <sup>th</sup> Kuthie	M. 40	Farmer	Hindoo	Scrotal Tumour	Tumour removed
March	28 <sup>th</sup> Boin Malley	M. 55	Farmer	Hindoo	Epithelial Cancer of the penis.	Penis Amputation of the penis about quarter of an inch above the glans penis.
February	28 <sup>th</sup> L. Crist	M. 38	Seaman	Native of Malacca	Lymph. Condylomata	Condylomata removed by excision.
March	2 <sup>nd</sup> Phik Phorich	M. 32	Farmer	Malacca	Scrotal Tumour	Tumour removed
"	14 <sup>th</sup> Abdul Kereem	M. 21	None	Do	Fibrocystic Tumour on the extensor tendon of the left foot.	Tumour removed
"	16 <sup>th</sup> Salluk South	M. 36	Shopkeeper	Hindoo	Fibrous Tumour on the right fore arm. It was situated <sup>near</sup> on the tendon of the Flexor Carpi Ulnaris just over the ulnar nerve. <del>some</del> of the fibres seen pulsating over the tumour of which entered into the foramen when it was exposed. The ulnar artery was running over the tumour.	



1862.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
20 <sup>th</sup> Feb/62	23 <sup>rd</sup> April/62	"	liver	Weight of the Tumour was 4 1/2 lbs.
22 <sup>nd</sup> Do.	13 <sup>th</sup> March/62	"	liver	
26 <sup>th</sup> Do.	4 <sup>th</sup> March/62	"	liver	
1 <sup>st</sup> Ellough 1862	"	31 <sup>st</sup> March Death /62	Pyæmia	Collection of pus found in the pelvis and in the thigh about the head of the femur. & extending along Psoas muscle into pelvis. Weight of the Tumour 10 <sup>th</sup> 1863-
25 <sup>th</sup> 3 <sup>rd</sup> /83				
13 <sup>th</sup> March 1862	4 <sup>th</sup> April /62	"	liver.	The penis was removed by cauterisation.
10 <sup>th</sup> Do.			liver	Condylomata removed by cauterisation.
11 <sup>th</sup> Do.	20 <sup>th</sup> 11 <sup>th</sup> /62	"	liver	The weight of the Tumour was 16 lbs. 3/4 ounce. It was a Bursal Tumour. Patient has, in addition to this, there was of elephantiasis of his right leg. The tumour was also removed.
14 <sup>th</sup> Do.	"	"	liver	Out patient. The tumour was about the size of a walnut. It was very thick.
16 <sup>th</sup> Do.	"	"	liver.	Out patient. The tumour was about the size of a walnut. A good example of Neurroma.



Operation						
Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
February	21 <sup>st</sup> G. Garsi	41	Seaman	Spaniard	Ad. Stricture. Urinary inflammation Gynostis	Perineal incision and perineostomy Gynostis excised
March/62	17 <sup>th</sup> Ram Lal Day.	40	House	Hindoo	Fistula in Ano.	Fistula laid open
February	16 <sup>th</sup> Gunga Bitter	41	House	Do	Chancroid on the right foot & Elephantiasis of the right leg.	Amputation of the right leg below the knee by flap Method
"	21 <sup>st</sup> Khan Shooder	41	Cooly	Madrass	Compound fracture of the left tibia and fibula ab bitten below the middle of the leg.	Amputation of the left leg below the knee by flap Method, (the posterior flap being longer than the anterior)
March	29 <sup>th</sup> Rama Kanti Mitter	41	House	Hindoo	Necrosis of the carpal bone of the right hand, and of the base of the 5 <sup>th</sup> metacarpal	Amputation of the right hand at its mid line by flap Method
April	2 <sup>nd</sup> Modhoo	41	Umbrella maker	Hindoo	Caries and necrosis	Great toe of the left foot removed at its base the tarsal articulation
Do	2 <sup>nd</sup> Nohy Marul	41	House	Do	Foreign body in the sole of the right foot at the root of the 4 <sup>th</sup> toe.	Extraction of the foreign body (a thorn)
Do	2 <sup>nd</sup> Sree Mook	41	Farmer	Do	Stone in the bladder	Lithotomy (lateral operation)
December 1861.	2 <sup>nd</sup> Kabeerom Doff	41	Umbrella maker	Do	Proctal Tumour	Tumour removed



1862.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
16 <sup>th</sup> March	20 <sup>th</sup> May/62	.	Cure	
17 <sup>th</sup> Do	"	"	Out patient.	The fistula was very deep
21 <sup>st</sup> Do	21 <sup>st</sup> June/62	.	Cure	
20 <sup>th</sup> Do	20 <sup>th</sup> May/62	162	Death. From pyemia. Empyema infiltrated into knee.	Secondary amputation. The leg was amputated on the 20 <sup>th</sup> day of his admission. Muscles of the leg were infiltrated with pus. Suppuration was extended beyond the part amputated. Part of the tibia was denuded of its periosteum.
20 <sup>th</sup> Do	21 <sup>st</sup> May/62	.	Cure	Patient had a Whitlow in his right thumb. It was first extended to the palm, then to the wrist, then upwards to the forearm. The muscles of the hand were infiltrated with pus. <del>Empyema was also observed.</del> A secondary amputation of the right arm above the elbow joint was performed on the 9 <sup>th</sup> April 1862, as the ends of the bones were necrosed. There were several small collections of purulent matter occupying a space about the size of a pea in the new condensation which was formed above the necrosed bones. On the 19 <sup>th</sup> April, had some of the pus removed. The supp. part had healed well. The cause of the disease generally seems to be in a wound, fracture, or burn, or a foreign body.
8 <sup>th</sup> April	25 <sup>th</sup> May/62	.	Cure.	
9 <sup>th</sup> Do	30 <sup>th</sup> April/62	.	Cure.	The foreign body was situated deeply into the muscle. A 2 1/2 inch long, leaf about 3 inches in length.
10 <sup>th</sup> Do	29 <sup>th</sup> April/62	.	Cure.	Uric Acid Calculus. It was 100 grains in weight. Antidote Phosphate.
12 <sup>th</sup> Do	30 <sup>th</sup> May/62	.	Cure.	The weight of the tumour was 75 lb. The animal had been in pain for a long time before operation. The 19 <sup>th</sup> April. The testicle was removed. Peritonitis was about 3 1/2 inches in diameter.



operations

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
March 1862. 25 <sup>th</sup>	W. J. Starter	M. 40	Seaman	Dutch	Fungoid growth of the left testicle.	Mr. Symer's operation for hernial testes.
April 17 <sup>th</sup>	Dagob. Monna	M. 14	None	Hindoo	Harelip	Operation for Harelip
" 18	Pickles Knott	M. 40	Coaly	Do	Compound fracture of the left iliac and femur at their lower third	Amputation of the left leg below the knee by flap & method
April 20 <sup>th</sup>	J. Lawrence	M. 25	Seaman	Maltese	Oblique inguinal hernia right side.	Operation for radical cure of hernia by Mr. Symer's method
Do 22 <sup>nd</sup>	William Kelly	M. 30	None	Mixed	Foreign body	Extraction of the foreign body (a needle about 1 1/2 inch long) from the outer edge of the left foot.
March 29 <sup>th</sup>	Mohammed Z. Fakir	M. 30	Both Markets	Do	Oblique inguinal hernia right side.	Operation for radical cure of hernia by Mr. Symer's method
May 5 <sup>th</sup>	Barb Khan	M. 22	None	Do	Lacerated wound in the index finger of the left hand, the second phalanx crushed	Amputation of the 2 <sup>nd</sup> phalanx.
March 3 <sup>rd</sup>	J. Cassidy	M. 40	Carpenter	English	Oblique inguinal hernia of the right side.	Operation for radical cure of hernia by Mr. Symer's method.
May 10 <sup>th</sup>	Mohammed Khander	M. 40	None	Hindoo	Perotol Tumour	Tumour removed
May 12 <sup>th</sup>	Bojhoopaty Chackrabaty	M. 30	None	Do	Perotol Tumour (dissected) with Elephantiasis of the Prepuce	Tumour with the Prepuce & the Prepuce removed
Do 12 <sup>th</sup>	Koga Ram	M. 21	Servant	Do	Perotol Tumour	Tumour removed



1862.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
14 <sup>th</sup> April	15 <sup>th</sup> May/62	"	<del>Death</del> - The scrotum had become white, bloated, and tender place, the scrotum had become a mass of disorganized tissue. The testicle was also found to be a piece of pus and not a testicle.	The patient was admitted in the hospital with Hematocele of his left testicle of 2 months standing.
17 <sup>th</sup> Do	5 May/62	"	Cure.	Operation repeated, scrotum failed in first operation successful in second. The Hematocele was removed, and I noticed with partially cleft palate.
18 <sup>th</sup> Do	25 <sup>th</sup> July/62	"	Cure.	
25 <sup>th</sup> Do	28 <sup>th</sup> May 1862	"	Cure.	Middle sized fly used in this case. Fly of wood held on the canal as to how thick threads paper by needle of curved needle through the tissue, from within the canal. Thread about an inch apart, and knitted steadily over a piece of wood.
24 <sup>th</sup> Do	"	"	Sub patient.	
28 <sup>th</sup> Do	2 July/62	"	Cure.	Small sized fly used in this case. This case was again operated on the 28 <sup>th</sup> May/62 with the same fly as the 1 <sup>st</sup> operation proved unsuccessful.
3 <sup>rd</sup> May/62	28 <sup>th</sup> May 1862	"	Cure.	
7 <sup>th</sup> Do	"	"	Relief.	Middle sized fly was used in this case.
10 <sup>th</sup> May/62	17 June/62	"	Cure.	Weight of the tumour was 19 1/2 lb. During the operation testicles were found disorganised consequently they were removed.
12 <sup>th</sup> Do	14 <sup>th</sup> June 1862	"	Cure.	The weight of the tumour was 3 ounces.
12 <sup>th</sup> Do	20 July/62	"	Cure.	The weight of the tumour was 1 lb 15/2 ounce.



Operations						
Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
May 1862.	1 <sup>st</sup> Nabin	M. 12.	None.	Muselman	Stone in the bladder.	Lithotomy (Catalan operation)
Do.	1 <sup>st</sup> Bangadhar	M. 4.	None.	Hindoo	Foreign body (a custard apple seed) in the left ear.	Foreign body extracted.
"	22 <sup>nd</sup> Martingay	M. 50.	Phaphkhar	Hindoo	Stricture of the urethra.	Perineal Section.
"	26 <sup>th</sup> Sonargaden	M. 30.	Leahy	Muselman	Compound fracture of the left Radius and Ulna about two inches above the wrist. The part below the wound was gangrenous.	The left forearm is amputated below the elbow by flap method (modified).
June.	2 <sup>nd</sup> Poo Kauth	M. 12.	None.	Hindoo	Compound fracture of the right Humerus at its lower extremity just above the elbow.	Removal of the protruded portion of the right Humerus, which was denuded of its periosteum. Amputation at Shoulder joint on 10 <sup>th</sup> June 1862. Secondary Operation.
Do.	S. Angi Brahmachari	M. 40.	None.	Hindoo	Extravasation of urine into Scrotum only result of stricture of the urethra.	Perineal Section



1862.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
12 <sup>th</sup> May/62	17 <sup>th</sup> June/62	"	Cure	It was a uric Acid Calculus coated with phosphate deposits. It was 150 grains in weight. It was a triangular in shape.
12 <sup>th</sup> Dec	"	"	Cure and patient.	
20 <sup>th</sup> Dec	"	31 <sup>st</sup> May/62	Death from exhaustion	An old infirm man.
29 <sup>th</sup> Dec	"	16 <sup>th</sup> June/62	Death from Pyemia. One opening tube con- long amputation	much of thoracic cavity. The right lung has been found adhering to the parietal of the thorax by several thinning bands, large quantity of serum with coagula of lymph had also been seen in the corresponding pleural cavity. There were some tubercles deposited in the substance of both lungs, differing in size from a pin to about 2 or 3 times that size, such have been found in each lung. A small abscess was found about the size of a walnut was found in the outer of the substance of the right lobe.
20 <sup>th</sup> June 1862	30 <sup>th</sup> July/62	"	Cure	About 4 inches of the right humerus removed which was protruded through the skin and denuded of its periosteum removed. On examination <sup>on the 10<sup>th</sup> June</sup> the bone was found necrosed and denuded of its periosteum and medullary substance of the bone as far as the surgical neck was quite softened. Therefore it was found necessary to amputate the arm. On the 10 <sup>th</sup> June the right arm was amputated at its shoulder joint.
20 <sup>th</sup> June 1862	"	17 <sup>th</sup> June/62	Death from Pyemia	This man was sent to Hospital from the Phila Hospital, suspected to be the same as Botford. He had had extensive ulcers from Stricture. Scrotum was sloughing. His Rectum could be passed without opening in the perineum to give him exit to urine. It would for some days. Symptoms of pyemia came on & he died.



Operations						
Date of Admission	Name	Age	Occupation	Caste or Country	Disease	Operation
June 1862	3 <sup>rd</sup> J. R. Gardner	M 28	Accountant	E. Indian	Hæmorrhoids of the right side of the Sæctum.	An incision was made across the right side of the Sæctum, some Coagulated lymph & Coagula of blood removed from the sac.
July	3 <sup>rd</sup> Nam Gopal	M 26	Stone	Hindoo	Nævus	A part of the Cyst removed by scissors.
"	4 <sup>th</sup> L. Denny	M 21	Police man	English	Epithelial growth in the penis.	Epitheliomas removed.
"	11 <sup>th</sup> Mohesh Khunder	M 26	Farmer	Hindoo	Stricture of the urethra & Perineal Fistula.	Perineal Section.
"	15 <sup>th</sup> Potluri Mur	M 20	Stone	Muslim	Stone in the bladder.	Lithotomy (lateral operation) 9
"	16 <sup>th</sup> G. Anderson	M 28	Seaman	Hindoo	Necrosis.	Last phalanx of the middle finger of the right hand removed.
May	19 <sup>th</sup> J. Eastbrook	M 32	Do	English	Hernia of the left testicle.	Gynæc operation for Hernia testis.
July	18 <sup>th</sup> Ahmad Ally	M 26	Cooly	Muslim	Last and 2 <sup>nd</sup> phalanges of the ring finger of the left hand smashed.	Last & 2 <sup>nd</sup> phalanges removed.
"	21 <sup>st</sup> Hanif Morad	M 64	Farmer	Do	Stone in the bladder.	Lithotomy (lateral operation) 10
May	21 <sup>st</sup> L. Perera	F 16	Stone	E. Indian	External pile.	Pile removed by scissors.
July	25 <sup>th</sup> Pith Mouth Sep	M 36	Shopkeeper	Hindoo	Recto method <del>Internal</del> Fistula.	<del>Internal</del> fistula laid open by scissors.
August	27 <sup>th</sup> Ram Kist Sep	M 38	Stone	Hindoo	Fistula in Ano	Fistula laid open.







# Operations

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
May 1862	26 <sup>th</sup> M. Owens	M. 40	Seaman	English	Ascites.	Paracentesis Abdominalis
July	5 <sup>th</sup> Gopra Chaud	M. 20	Servant	Hindoo	Enlarged Scrotal Tumour	Tumour removed
"	25 <sup>th</sup> S. Bhandu	M. 16	Apothecary	Indian	Hernia of the right testicle	Ligature operation for hernia test.
August	10 <sup>th</sup> Bhole Nath	M. 30	Looky	Hindoo Mysore	The front below the middle of the left fore arm smashed by the fall of a heavy weight	Amputation of the left fore arm little above the middle by flap method
"	15 <sup>th</sup> Bhaban Mohin	F. 3	House	Hindoo	Foreign body (a custard apple seed) in the trachea	Tracheotomy
"	17 <sup>th</sup> Bhole Nath Daff	M. 30	Postman	Hindoo	Strangulated Inguinal Hernia of the right side.	Operation for strangulated hernia
"	22 <sup>nd</sup> Pachos.	M. 8	House	Muslim	Compound Commuted fracture of the right humerus	Amputation of the right shoulder joint at its upper third.
"	20 <sup>th</sup> Futtus Mahomed	M. 40	Blacky	Do	Index finger of the right hand smashed	Amputation of the right index finger at its Metacarpal articulation.
"	3 <sup>rd</sup> Bhabundoo	M. 30	Labourer	Hindoo	Dry Gangrene of the right leg.	Amputation of the right thigh above the knee by <del>the</del> method
Jan.	20 <sup>th</sup> Mahab Chandra Bhowm	M. 50	Shopkeeper	Do	Urinary fistula in the perineum. Stricture in part of the bulb.	Perineal Section



Year 1862.

Date of Operation.	Date of Discharge.	Date of Death.	Results or cause of Death.	REMARKS.
28 <sup>th</sup> July/62	28 <sup>th</sup> Aug/62	"	Relief.	This operation was repeated on the 25 <sup>th</sup> Sept/62 as the sac was again filled up.
6 <sup>th</sup> Aug/62	21 <sup>st</sup> Dec/62	"	Cur.	It was operated 3 <sup>rd</sup> time on the 8 <sup>th</sup> Sept/62 This operation was repeated 4 <sup>th</sup> time on the 30 <sup>th</sup> Sept/62
9 <sup>th</sup> Aug/62	18 <sup>th</sup> Sept/62	"	Cur.	
13 <sup>th</sup> Aug/62	14 <sup>th</sup> Oct/62	"	Cur.	
18 <sup>th</sup> Aug/62	"	15 <sup>th</sup> Sept/62	Death from Asphyxia	Pole got blocked up during the night by hard excreta.
17 <sup>th</sup> Aug/62	11 <sup>th</sup> Sept/62	"	Taken away by his friends after 11 wks. wounds nearly healed.	The strangulation was 14 hours standing; the structure was so the external sac situated external to the sac. Hernia remained without hot dressing from Dr. Ambrose - opening the sac. He returned & thrust himself in. Suppuration of sac occurred referring counter the 23 <sup>rd</sup> Sept. wound improved. Hemorrhage in depending part of Scrotum. He in health. Dr. Ambrose better and had at first continued suppuration. But then wounds almost healed. Filled (V.S. 6 7 x 11) Pin pt. 1/2 in. x 1/2 in. - He coming in period from the irritation in the sac.
22 <sup>nd</sup> Aug/62	17 <sup>th</sup> Sept/62	"	Cur.	Secondary operation. Patient came into the Hospital 2 months after the accident, the right forearm was in a bloating state. He was in the worst of health. Medullary Cord full of pus.
26 <sup>th</sup> Aug/62	"	"	Cur.	Outpatient.
28 <sup>th</sup> Aug/62	"	1 <sup>st</sup> Oct/62	Death from disease.	
28 <sup>th</sup> Aug/62	23 <sup>rd</sup> Oct/62	"	Cur.	



Operations						
Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
July 1862.	6 <sup>th</sup> Pittambur.	M 45	None	Hindoo	Epithelial Cancer of the penis the cancer was extended down to the root of the penis.	Amputation of the penis at its root.
August.	25 <sup>th</sup> Ram Gopal	M 25	None	Do	Warts.	Removal of the Warty growth from the glans penis.
"	25 <sup>th</sup> Buddoo Shaha.	M 21	None	Do	Scrotal Tumour <sup>3d</sup> and Hypertrophy of the Prepuce.	Tumour removed.
"	6 <sup>th</sup> Mochun.	M 20	Bookman	Do	Scrotal Tumour <sup>3d</sup>	Tumour removed.
"	29 <sup>th</sup> Dene Kanti Bhookiyen	M 25	None	Do	Scrotal Tumour <sup>3d</sup>	Tumour removed.
September	1 <sup>st</sup> Dhowanjay	M 20	None	Do	glandular Granulated Tumour in the right side of the face over the lower jaw.	Tumour removed.
August	18 <sup>th</sup> Harnadun.	M 25	Gravick	Do	Inguinal Hernia left side.	Radical cure of Hernia by Mr. Symer's method.
September	2 <sup>nd</sup> Purno Gunder Nandy	M 23	Writer	Do	Strangulated Hernia right side.	Operation for strangulated Inguinal Hernia.
Do	8 <sup>th</sup> Luchas.	M 18	Coaly.	Do	Right Foot smashed by a Railway Carriage.	Amputation of the right leg at its lower third, by Gale's method.



Year 1862.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
28 <sup>th</sup> Aug/62	11 <sup>th</sup> Feb/62	.	Relief.	Removal with Scurer. by slight bleeding.
29 <sup>th</sup> Aug/62	.	.	Cure	Outpatient.
29 <sup>th</sup> Aug/62				The weight of the Tumour was 13 1/2 ounces.
30 <sup>th</sup> Aug/62	24 <sup>th</sup> Nov/62	.	Cure.	
30 <sup>th</sup> Aug/62	10 <sup>th</sup> Decemr 1862	.	Cure	The weight of the Tumour was 18 1/2 <del>oz</del> <sup>gms</sup> .
1 <sup>st</sup> Sept 1862	.	22 <sup>nd</sup> Sept/62	Death. He died of exhaustion from fever & sloughing.	Part of the penis was sloughed off. He had fever. Spleen became enlarged.
1 <sup>st</sup> Sept/62	17 <sup>th</sup> Sept/62	.	Cure.	The tumour was <sup>granular</sup> in character and was as large as a fist.
2 <sup>nd</sup> Sept/62	4 <sup>th</sup> Sept/62	.	Cure	Small sized plug used in this case.
5 <sup>th</sup> Sept/62	.	26 <sup>th</sup> Sept/62	Death. From Pyemia.	Strangulation was of 7 days standing. Patient had stercoraceous P.M. Subcutaneous Pyemia of both sides. recent offensive hepatic looking lymph on both flanks as it was situated within the sac at the external ring. several small abscesses in both lungs more in the right. The part of the Omentum which came down with the sac patches of deep lobular congestion & inflammation. guts could not be sent back into the abdominal cavity some patches as if dead long tubes some of which were accounted of its firm adhesion with the sac. - surrounded by pus, some by a deep circle of congestion. Hypothesis
8 <sup>th</sup> Sept 1862	23 <sup>rd</sup> Nov/62	.	Cure	congestion of both lungs. Liver congested dark color. Slighter enlarged. Thidays healthy. Several patches of ulceration in the small intestine. The mucous membrane of which is softened and readily peels off. Slight circle of the peritonium about the wound. The omentum in the wound suffocating & sloughing. The sac firmly agglutinated with the Trans. Vagina.



# Operations

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
September	A. J. Kharer	M 26	Peasant	Austrian	Oblique Inguinal Hernia right side.	Operation for radical cure of hernia by Liguor method
August.	23 <sup>rd</sup> Luckhy Kharan.	M 28	None	Hindoo Bramhin X	Compound fracture of the tibia & fibula of the left leg about an inch above the ankle joint.	Amputation of the leg below the knee by flap method
September	14 <sup>th</sup> Shabab Hareem.	M 20	None	Ind.	Strangulated Oblique inguinal hernia left side.	Operation for strangulated hernia.
"	15 <sup>th</sup> Raja Ram.	M 27	Shopkeeper	Hindoo Lodra	Perotat Tumour <sup>33</sup> and hypertrophy of the prepuce	Tumour removed
"	22 <sup>nd</sup> Bha. Kanti Deyra.	M 28	None	Hindoo Deyra	Mesothelial Cancer of 2 1/2 in. standing in the stump of the left arm. The hand has been lost by dropping from picking a fish One 29 years ago. Tumour as large as an orange granular vascular stump 2 1/2 in. base end of tumour. with large single and double nuclei & numerous plasma	Amputation of the left arm above the elbow joint by flap method
"	25 <sup>th</sup> Mpar Khuder	M 22	None	Hindoo Lodra	Epistole Tumour in the right scapular region	Tumour removed.
August.	27 <sup>th</sup> J. Stuper	M 42	Peasant	English	Stricture of the urethra The stricture was situated in front of the bulb.	Perineal Section







Operations						
Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
Sept 25 <sup>th</sup> / 62	Racha Patel.	M 24.	Musician	Hindoo	Peristal Tumour with Hypertrophy of the Papae	Tumour removed.
Do.	28 <sup>th</sup> Mux Ally.	M 29.	Cooley	Muslim	Ulcer in the great toe of the left foot.	Amputation of the great toe at the 2 <sup>nd</sup> phalangeal articulation.
October.	6 <sup>th</sup> Shik Prasad.	M 26.	Washerman	Do	Fistula laid open.	Fistula in Ano.
Do.	12 <sup>th</sup> Pachos.	M 22.	Servant	Hindoo.	Deep seated gluteal abscess	Abscess laid open.
Do.	18 <sup>th</sup> Ram Prasad.	M 21.	Leak.	Do.	Inguinal hernia of the right side.	Radical Cure of hernia by J. L. S. Method
May	26 <sup>th</sup> K. D. D. D.	M 44.	Servant	English	Acute Chlorosis, Paracutis abdominalis	
October.	18 <sup>th</sup> Jagendra Nath Datta.	M 14.	Student	Hindoo	Simple Polypus in the nostrils and in the posterior nares.	Polypus detached



Year 1862.

Date of Operation.	Date of Discharge.	Date of Death.	Results or cause of Death.	REMARKS.
4 <sup>th</sup> Oct 1862	14 <sup>th</sup> Dec 1862	"	Cure.	The weight of the Tumour was 1 lb 10 <sup>3</sup> / <sub>4</sub> oz.
19 <sup>th</sup> Oct 1862	1 <sup>st</sup> April 63	"	Cured the Hospital.	The knee joint was amputated at its distal articulation on the 18 <sup>th</sup> Dec 1862. Tendons of the hamstring muscles of the left thigh were divided on account of the stiffness of the knee joint on the same day.
10 <sup>th</sup> Oct 1862	26 <sup>th</sup> Dec 1862	"	Cure.	
12 <sup>th</sup> Dec	3 <sup>rd</sup> Nov 63	"	Cure.	
14 <sup>th</sup> Dec	19 <sup>th</sup> Aug 1863	"	Cure.	This man was again operated for the 2 <sup>nd</sup> time on the 19 <sup>th</sup> Aug 1863 as the 1 <sup>st</sup> operation proved unsuccessful. This patient was 3 <sup>rd</sup> time operated on the 28 <sup>th</sup> December 1862.
15 <sup>th</sup> Dec	2 <sup>nd</sup> Dec 62	"	Released.	24 <sup>1</sup> / <sub>2</sub> lbs of fluid drawn out. Paracentesis abdominis was performed 8 <sup>th</sup> time on the 21 <sup>st</sup> December 62, not even an ounce of fluid was drawn out.
15 <sup>th</sup> Dec	"	"	Out patient.	Runned through the portum Minor.



*operations*

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
October 12 <sup>th</sup>	Bispiu Mohanling.	40.	None	Hindoo	Scrotal Tumour <sup>28</sup>	Tumour removed
June	26 <sup>th</sup> M. Subul Chander Biswas	40.	None	Do.	Do. <sup>25</sup>	Do
October						
Do.	29 <sup>th</sup> Ram Chandra.	46.	Peasant	Do.	Medullary testicle in the right Inguinal Canal	Medullary testicle removed by operation similar to that of Prostatectomy. Perineal opening of Urethra. Ligaments of testis not cut. Uterus looks healthy. Recovered
Do.	29 <sup>th</sup> Sunder Karan.	45.	None	Do.	2 Urinary fistulae and Stricture of the Urethra	Perineal Section
Do.	31 <sup>st</sup> J. Highland.	37.	Peasant	Swedish	Internal Piles	Piles removed by double ligature. External fold of skin removed.
Do.	31 <sup>st</sup> Ben Ben.	32.	None.	Muslim	Cystic Tumour in the left side of the neck removed about the size of a walnut	Cystic Tumour removed
November	1 <sup>st</sup> Akany Churan Ghose.	40.	Merchant	Hindoo	Strangulated Hernia of the right side.	Operation for strangulated Hernia.
.	2 <sup>nd</sup> Shrik Gopal.	40.	None.	Muslim	Extravasation of urine and Stricture of the Urethra	Perineal Section



Year 1862.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	Remarks.
18 <sup>th</sup> Oct 1862.	20 <sup>th</sup> Dec 1862	"	Cure	The weight of the tumour was 115.
24 <sup>th</sup> Oct 1862	"	9 <sup>th</sup> Nov 1862	Death From an abscess in the Prostate gland.	He had nearly recovered from the operation. Symptoms of debility made their appearance early. He died early, but most.
29 <sup>th</sup> Do.	19 <sup>th</sup> Nov 1862	"	Cure	The wound was nearly healed up. Patient left the Hospital at his own request. He never returned in July (1863) to the Hospital. He was found with another large tumour in the form, about the same size as the one removed. The abdomen hard, as the one removed had become cancerous. He is thinner and has a leaden cachectic appearance. He continued the disease began to return he came to the Hospital and left the Hospital.
29 <sup>th</sup> Do.	7 <sup>th</sup> Dec 1862	"	Cure	
31 <sup>st</sup> Do	"	30 <sup>th</sup> Dec 1862	Death From Abscess in the brain.	P. M. Examination. On raising the scalp the prominent tubercular body previously noticed above the frontal region was found to be a fatty tumour. On examining the brain an abscess about the size of a small hen's egg was found in the ant. lobe of the left hemisphere. The margins were irregular & there was no communication with the lateral or any other ventricle of the brain. The abscess was more than an inch below the surface of the brain involving the larger part of the white substance. In other parts of the brain present no marks of inflammation or suppuration. The cerebral substance was of softer consistence than natural. The blood was examined found blue & of a larger size than natural. The ventricles were dilated the lining membrane of the ventricles as well as that of the arachnoid were greatly thickened. The Columnar Cerebra were converted into fibrinous tissue. The liver was healthy as also the Kidneys. Off the lower part of the vena cava just above the aorta the surface of the heart was blackish & discoloured lungs healthy.
1 <sup>st</sup> Nov 1862.	18 <sup>th</sup> Nov 1862	"	Cure	
1 <sup>st</sup> Nov 1862.	"	5 <sup>th</sup> Nov 1862	Death	See note opened
2 <sup>nd</sup> Nov 1862.	"	5 <sup>th</sup> Nov 1862	Death From Malaria.	The wound in the perineum was quite healed up but the patient died from Malaria.



Operations						
Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
August 1862	27 <sup>th</sup> J. Steriker	M 42.	Seaman	English	Prolapsus Ani	Folds of mucous membrane from verge of the anus removed.
November	3 <sup>rd</sup> Ramcharan Chatterjee	M 20.	Broker	Hindoo	Tetanus, caused by a punctured allusion below the left hand in the palm of the left hand. The wound was inflicted by broken stick.	divided.
October	15 <sup>th</sup> Dwarika.	M 26.	Broker	Hindoo	Inguinal Hernia right side.	Radical cure of hernia by Mr. Lyons method.
"	8 <sup>th</sup> Katarina	F 18.	Wom.	Hindoo	Hypertrophy of the left Labium externa	Hypertrophied Labium removed.
November (1861)	2 <sup>nd</sup> E. M. Kayser	M 48.	Seaman	English	Stricture of the Urethra	Perineal Section
October	26 <sup>th</sup> Dama.	F 38.	Wom.	Hindoo	External pile	External pile removed
November	7 <sup>th</sup> Mohunshondur Ray.	M 50.	Farmer	Do.	Contraction of the finger after burn.	Amputation of the middle finger at the phalangeal end of the Metacarpal bone.



Year 1862.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
3 <sup>rd</sup> Nov/62.	17 <sup>th</sup> January/63	"	(cured).	
1 <sup>st</sup> Nov/62	3 <sup>rd</sup> Dec/62	"	(cured)	
4 <sup>th</sup> Nov/62	7 <sup>th</sup> December 1862	"	(cured)	This man was second time operated by old Sympson method on the 22 <sup>nd</sup> Nov/62.
5 <sup>th</sup> Nov/62.	26 <sup>th</sup> Nov/62.	"	(cured)	
6 <sup>th</sup> Nov/62.	"	6 <sup>th</sup> Nov/62	Death. No postmortem. From pneumonia.	The urethra opened through perineum in a case of retention of urine.
6 <sup>th</sup> Nov/62.	27 <sup>th</sup> Nov/62	"	(cured).	
6 <sup>th</sup> Nov/62.	1 <sup>st</sup> Dec/62	"	(cured).	



Operations						
Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
November 1912	8 <sup>th</sup> Piholachath Bep.	M 48	Carpenter	Hindoo	Scrotal Tumour	Tumour removed.
"	7 <sup>th</sup> Allongalla	F 28	House	Hindoo	Hypertrophy of the clitoris	Hypertrophy of the clitoris removed.
"	10 <sup>th</sup> Oboy Mayur	M 28	Farmer	Hindoo	Inguinal Hernia of both sides.	Radical cure of the hernia of the right side by Mr. Lymers method.
"	19 <sup>th</sup> As Alia	M 53	Merchant Jew.		Hypospadias	Plastic operation for urethra.
"	19 <sup>th</sup> Kasimtha Valsana	M 38	Labour		Spinaid Structure of the Urethra	Perineal Section
"	21 <sup>st</sup> Moosur	M 28	Coaly	Muselman India	Middle and forefinger amputation of the Index, - girdled by machinery	Middle & ring fingers of the right hand at their meta carpal articulation.
"	10 <sup>th</sup> Ram Jadoo	M 22	Confector	Hindoo	Scrotal Tumour	Tumour removed.
"	7 <sup>th</sup> Nagul Oslak	M 35	Coaly	Muselman	Inguinal Hernia right side.	Radical cure of hernia by Mr. Lymers method.



Year 1862.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
7 <sup>th</sup> Nov/62.	11 <sup>th</sup> Jan/63	"	Cure	The weight of the tumour was 16 1/2 lb.
11 <sup>th</sup> Nov/62.	26 <sup>th</sup> Nov/62	"	Cure.	
13 <sup>th</sup> Nov/62.	21 <sup>st</sup> January 1863	"	Cure.	He was operated for the radical cure of the left side of his hernia on the 1 <sup>st</sup> December 1862.
18 <sup>th</sup> Nov/62.	2 <sup>nd</sup> Dec/62	"	Discharged at his own request on the 2 <sup>nd</sup> December 1862.	
22 <sup>nd</sup> Nov/62.	11 <sup>th</sup> Decem/62	"	Cure.	
21 <sup>st</sup> Nov/62.	12 <sup>th</sup> Decem 1862	"	Cure.	
19 <sup>th</sup> Nov/62.	22 <sup>nd</sup> Dec/62	"	Cure.	The weight of the tumour was.
5 <sup>th</sup> Nov/62.	28 <sup>th</sup> Decem/62	"	Cure.	This man was at first operated for the radical cure of hernia on the 1 <sup>st</sup> Dec. as the 1 <sup>st</sup> operation proved unsuccessful. Discharged cured 28/12/62



Operations						
Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
November 18 <sup>th</sup> 22 <sup>nd</sup>	Beharee.	M 20.	Coaly	Hindoo	Cystic Tumour in the left lumbar region.	Tumour removed
" 22 <sup>nd</sup>	Chandro Cosmar	M 25.	None	Hindoo	Simple Polypus in the posterior nares (right)	Polypus extracted
December 5 <sup>th</sup>	Phalay Khan	M 22.	None	Muslim Pattan	Oblique Inguinal Hernia left side.	Radical cure of hernia by Mr. Symes Method
" 5 <sup>th</sup>	Basipanth	M 27.	Carpenter	Hindoo	Scrotal Tumour <sup>19</sup> and hypertrophy of the prepuce.	Tumour removed
" 8 <sup>th</sup>	Lall Mohan	M 12	Student.	Hindoo	Compound fracture of the right Radius & Ulna above the wrist, and simple fracture of the Radius and Ulna of the left humerus above the wrist joint.	Amputation of the right arm below the Elbow joint by flap modified method.
November 25 <sup>th</sup>	Phik Dado.	M 33.	Coaly.	Muslim	Scrotal Tumour <sup>20</sup>	Tumour removed
December 10 <sup>th</sup>	Mahant Sunder Day.	M 30.	Farmer	Hindoo.	Do <sup>21</sup>	Do



Year 1862

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
28 <sup>th</sup> Nov 1862	12 <sup>th</sup> Dec 1862	"	Cure.	
22 <sup>nd</sup> Nov 1862	"	"	Out-patient.	Removal of tumour from lower
1 <sup>st</sup> Dec 1862	1 <sup>st</sup> Dec 1862	"	Cure	Small deep plug used in the case
6 <sup>th</sup> December	18 <sup>th</sup> Feb 1863	"	Cure	The weight of the Tumour was 4 lb. 10 3/4 oz.
6 <sup>th</sup> December	"	6 <sup>th</sup> Dec 1862	Death From Tetanus & No Post-mortem examination. Body taken away by his friends.	Secondary amputation. The boy was brought to the Hospital on the 4 <sup>th</sup> day of the accident when the wound at the right arm at the site of the fracture was suppurated and pus infiltrated all over the arm.
8 <sup>th</sup> December 1862	26 <sup>th</sup> 1/2 1863		Discharged quite cured	The weight of the Tumour was 2 lb 12 oz.
11 <sup>th</sup> Dec 1862	14 <sup>th</sup> Feb 1863	"	Cure	The weight of the Tumour was 2 lb 7 oz.



# operations

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
November 1862	25 <sup>th</sup> Fakar Chaudh Bhow	M 27.	Arms	Hindoo	Internal pile	Double ligature applied
December	14 <sup>th</sup> Loma Sur.	M 28.	Cooley	Muslim	Compound comminuted fracture of the left tibia & fibula at their upper third.	Amputation of the leg below the knee by modified circular method.
September	20 <sup>th</sup> Mus Ally	M 30.	Cooley	"	Contraction of the hamstring tendons of the left thigh	Scissors
December	26 <sup>th</sup> Fakar Chaudh Bhow	28	Merchant	Hindoo	Stone in the urethra,	Perineal Section
18 <sup>th</sup>	Amund Chaudh Bhow	38.	Royal	Hindoo	Compound comminuted fracture of the tibia of the right leg at its lower fourth.	Amputation of the leg below the knee by modified flap method.

There were three more wounds, one in the left leg and two other in the left forearm. The one in the left leg was on the lower end of the tibia and deep down to the bone, also to the ankle joint.

One of the two wounds in the forearm was situated in the upper part of the arm at its posterior aspect. It was deep down to the ulna which was practically denuded of its periosteum. The ulnar artery was also divided. The other was on the dorsum of the hand extending from the thumb to the Metacarpal bone of the middle finger. The Metacarpal bone of the Index & middle finger were fractured.

These wounds were inflicted by the bursting of a brass toy cannon.



Year 1862.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
12 <sup>th</sup> December/62	17 <sup>th</sup> Dec/62	"	Cure,	
14 <sup>th</sup> December/62	27 <sup>th</sup> Feb/63	"	Cure	Primary Amputation.
15 <sup>th</sup> December.			Still in the Hospital	
25 <sup>th</sup> December/62	"	27 <sup>th</sup> Dec/62 Death	Post Mortem examination.	The stone was about the size of a plum seed. It was situated in the bulbous portion of the urethra.
<p>The right kidney was hypertrophied with its Ureter much dilated <sup>but</sup> the left one was atrophied its ureter was also dilated but not so as the other one. The Bladder was hypertrophied &amp; thickened. There were some red patches in its mucous membrane. One gangrenous spot about 2 lines in diameter, was found near the opening of the right ureter. The surrounding cellular tissue surrounding the neck of the Bladder was infiltrated with blood.</p>				
28 <sup>th</sup> Decem/62	"	29 <sup>th</sup> Dec/62 Death	From exhaustion. No Post Mortem examination. Body taken away by his friends.	Secondary amputation.



Date of  
Admission.

Name.

Age.

Occupation.

Caste or  
Country.

Disease.

Operation.

*Yearly abstract of Surgical Operations in the First Surgeon's Ward of the  
Medical College Hospital for the year 1862.*

Name of Operations	Number	Lived	Retained	Duration of Necessity	Cause of Death														Remarks
					Wied	Pyæmia	Septicæmia	Surgical	Pyæmia	Phlebitis	Stenosis	Œdema	Shock	Exhaustion	Hæmorrhage	Other disease			
Amputation of the thigh																			
Lower third	1	1			1					1									
Amputation of the leg below the knee.	6	3			3			1								2			
Amputation of the leg Lower third	2	1			1					1									
Amputation of the ankle joint by W. Syme's method	1				1			1											
Amputation of the Shoulder joint	2	2																	
Amputation of the upper arm	1	1																	
Amputation of the fore arm	4	2			2			1		1									
Amputation of the back toe	3	3																	
Amputation of the little toe	1	1																	
Amputation of the index finger	5	5																	
Amputation of the Middle finger	3	3																	
Amputation of the Ring finger	2	2																	
Cystic Tumour.	4	4																	
Division of the Median Nerve for Tetanus	1	1																	
Elephantiasis of the Scrotum	20	18			2											2		one died from an abscess in the prostate gland.	
Epithelial Cancer.	5	1																	
Extraction of simple Polypus from the posterior nares.	2	2																	
Fistula in Ano.	x 4	4																	
Fibro Cystic Tumour.	1	1																	
Fibrous Tumour.	2	2																	
Glandular Tumour.	1	1																	
Hypertrophy of the Clitoris	2	2																	
Harelip	x 2	2																	
Hyperbophy of the Labium Majora	1	1																	
Lithotomy.	4	2			2			1										One died from pyæmia.	
Ligature to the Piles	2	1			1													From abscess in the substance of the brain.	







operations						
Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease	Operation.
January 1862.	L. Mchenderoll Seal	M 17.	None	H. Hindoo	Fistula in Ano.	Fistula laid open.
"	7 <sup>th</sup> Acha Chandrabhaskar	M 46.	None	Hindoo	Scrotal Tumour <sup>2</sup>	Tumour removed.
"	2 <sup>nd</sup> Poo Nanth.	M 28.	Seamst.	Hindoo	Scrotal Tumour <sup>2</sup>	Tumour removed.
"	1 <sup>st</sup> Noko Soomay	M 48.	Householder	Hindoo	Inguinal Hernia right side	Radical cure of Hernia by M. Squire's Method.
"	7 <sup>th</sup> Bimala Ram Ray.	M 30.	Mohammed	Hindoo	Partial Ankylosis of both knee joints (after Resultant Fever).	Tenotomy.
December 1862.	1 <sup>st</sup> J. Stocumie	M 30.	Seaman	English	Warty growth in the prepuce.	Warty growth removed.
January 1863	7 <sup>th</sup> J. Murphy	M 26.	Engineer	Irish	Inguinal Hernia left side.	Operation for radical cure of hernia by Squire's method.
"	10 <sup>th</sup> Baker Mullick	M 30.	Farmer	Mixed man	Stricture of the Urethra and Fistula in Perineo.	Perineal Section.



Year 1863.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
5 <sup>th</sup> January 1863.	27 <sup>th</sup> Jan 1863	"	Liver.	
9 <sup>th</sup> January 1863	"	31 <sup>st</sup> Jan 1863	Death from Pyæmia.	The weight of the tumour was 7 lbs. No post mortem examination. The body was taken away by his friends. Pulse was feeble (120) some days on the 15 <sup>th</sup> January 1863. had diarrhoea & cough. Pain was severe from his shoulder. These symptoms commenced on the 20 <sup>th</sup> day of his affliction.
9 <sup>th</sup> January 1863.	8 <sup>th</sup> Feb 1863	"	The tumour entirely healed.	The tumour was 28 7/8 in weight.
15 <sup>th</sup> January 1863.	18 <sup>th</sup> Feb 1863	"	Relief	This man was operated by a native quack (Barber) who adopted a plan quite similar to Mr. Mayger's operation for radical cure of hernia. He was this operated while he was at home about before he was admitted in this Hospital.
16 <sup>th</sup> January 1863.	26 January	"	Discharged at his own request	
17 <sup>th</sup> January 1863.	12 <sup>th</sup> Feb 1863	"	Liver	
19 <sup>th</sup> January 1863.	26 <sup>th</sup> Feb 1863	"	Liver	Case apparently cured. Left the Hospital with no tendency to return of the disease on coughing & walking or stamping. Hernia radically cured by Lynn method.
25 <sup>th</sup> January 1863.	2 <sup>nd</sup> Feb 1863	"	Liver	



*Operations*

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
January 1868.	P. Hargy Mohun	M 5.	None	Hindoo	Ischaemia of the right half of the lower jaw.	Ischaemic jaw removed
"	20 Joseph Schiman	M 42.	None	Jew.	Fistula in Ano.	Fistula laid open.
"	13 <sup>th</sup> Nam Chunder Ray	M 25.	Baggar	Hindoo	Encysted Tumour in the right Antrum maxillare	Removal of the cyst and the anterior wall of the antrum
February	1 <sup>st</sup> Brodum Coomer	M 20.	Writer	Hindoo.	Stricture of the urethra and extravasation of urine in the Perineum, in the scrotum	Perineal Section
"	1 <sup>st</sup> Depradoff Chow.	M 60	Farmer	Hindoo.	Epithelial Cancer in the middle finger of the left hand	Middle finger was amputated at its Metacarpal phalangeal articulation
"	1 <sup>st</sup> Kelly Khan.	M 26	Merchant	Hindoo	Cystic Tumour in the right Infra Scapular Region	Tumour removed
"	1 <sup>st</sup> Payer Osken	M 20.	Coaly	Muselman	Tetanus from a wound Contused wound between the 2 <sup>nd</sup> & great toe of the right foot.	Division of the posterior Tibial Nerve of the right leg.



Year 1863.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
25 <sup>th</sup> January 1863	26 <sup>th</sup> Jan/63	.	(me)	This boy was inoculated 12 months before his admission during the period of incubation he had an abscess in the angle of his lower jaw (right side) the abscess was lanced by a native quack, of a few days after that it followed the necrosis of the right half of the lower jaw.
28 <sup>th</sup> January 1863	"	.	Out patient.	
29 <sup>th</sup> January 1863	16 <sup>th</sup> Feb/63	.	lung	the anterior wall of the right Oesophagus highmore was dilated as much as a fist.
1 <sup>st</sup> February 1863	6 <sup>th</sup> Jan/63		Discharged with a slight prostatic vesicles & enlarged but completely rotten place but so much tissue had been destroyed that the lesion was incomplete.	There were two structures, one was situated anterior to the bulb, & the other about an inch beyond the orifice of the urethra.
2 <sup>nd</sup> February 1863	16 <sup>th</sup> Feb/63	.	lung.	
18 <sup>th</sup> Feb/63	19 <sup>th</sup> Feb/63	.	lung.	The tumour was about the size of a fist.
24 <sup>th</sup> Feb/63	19 <sup>th</sup> Feb/63	.	Death from Tetanus.	Tetanus had set in 4 days before admission therefore the operation was probably too late to offer much hope of success.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.		Operation.
					Disease.		Operation.
January 1852	15 <sup>th</sup> Harroo.	M 20	Farmer	Muschna	Simple Polypus in the nostrils & in the posterior nares		Polypus removed.
"	26 <sup>th</sup> R. Dufordell	M 16	Engineer	E. Indian	Cystic Tumour in the neck		Tumour removed.
"	18 <sup>th</sup> Ado Kishow Moskygo M.C.C.	(Clerk)	Hindoo	Prussian	Scrofula Tumour		Tumour removed.
"	23 <sup>rd</sup> Potit Calum.	M 20	Farmer	Hindoo	Epithelial growth in the right ankle internal aspect.		Epithelial growth dissected out.
"	25 <sup>th</sup> Bepum Bichary Bose.	M 10	None	Hindoo	Comp <sup>d</sup> Fracture of the left humerus.		Amputation of the left upper arm at its upper third by anterior & posterior flap.
February	27 <sup>th</sup> Neekie	M 40	Farmer	Hindoo	Scrofula Tumour		Tumour removed.
"	28 <sup>th</sup> Lookul	M 38	Shoe maker	Hindoo	Cystic Tumour in the left foot - region of the 1 <sup>st</sup> & 2 <sup>nd</sup> phalanx.		Tumour removed.
"	27 <sup>th</sup> Gerson Phelsh.	M 69	Cultivator	Prussian	Calculus in bladder		Lateral lithotomy.
"	25 <sup>th</sup> Wallu Kohnu Ghose	50	Shepherd	Hindoo	Hæmorrhoid (Internal)		Hæmorrhoids removed.
"	15 <sup>th</sup> Vikaree	34	none	Hindoo	Dislocation of the right ankle joint		Gymer's amputation of the right foot.
February 25 <sup>th</sup>	E. Dufault	M 25	none	Canadian	Inguinal Hernia (right side)		Gymer's operation for the hernia & surgical cure of Nephritis







Operations

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
March 14/63	Dewan Munda	57	Farmer		Contused wound of left foot with lacerated fracture Piloniform. Arterial.	Jones amputation at ankle joint.
March 27/63	Bee Day	32	Khandana	Madras Hindoo Hapud	Calculus in bladder	Lateral Lithotomy 12
February 26	Shonie	34	Mason		Injury to finger. Oblique destruction of joint.	Amputation of index finger second part of 1st metacarpal bone.
February 26	Mindoo	50	Cooly	Hindoo (Mysore) Bhopal	Fracture middle finger	Amputation of two phalanges of the first phalanx. Bone stumps apposed.
March 9th	Robert Wise	M 43	Plato American		Fistula in ano	Fistula opened
March 14	Bugor Sirdar	M 50	Goan Mahomed		Cancer on the left side of the face extending into lower jaw had been some 20	Removed by ligature
March 16	Ram Narain Ahar	64	Milk man	Hindoo	Injury from carriage wheel tearing over heels. Heated hemorrhages	Incision into place removal of structure first shot to stop hemorrhage blood and urine
March 16th	Kanai Lal Sein	12	Student	Hindoo	Lacerated wound with great destruction of the left hand & index	Amputation of the left index finger



Year 1863.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
1 <sup>st</sup> March/63	"	4 1/2/63	died of rapidly spreading Empyema in the Abdomen	A heavy concrete wheel passed over the foot: and lacerating integument crushed the bone.
2 <sup>nd</sup> March/63	"	6 1/2/63	death caused by suppuration about the neck and in the subperitoneal collection of pus in the abdomen. The bladder was swollen slightly & retracted on the surface in spots. The prostate was a good deal enlarged and the urethra had taken place suppuration had collected up to the bladder & the urethra was closed.	The Calamus weighed 3 1/2 p xxxvii. It was inserted in upper fundus of bladder and retracted at the point of insertion. Operation lasted nearly 1/2 an hour.
3 <sup>rd</sup> March/63	4 <sup>th</sup> April/63	"	"	"
5 <sup>th</sup> 7/63	14 <sup>th</sup> April/63	"	"	"
March 9 <sup>th</sup> /63	21 <sup>st</sup> May	"	The fistula was healed & the patient left the Hospital. The wound was not quite healed but healthy & discharging.	Fistula very deep behind internal, had been partially divided in two previous occasions. The cicatrization of the skin openings had not extended round so that the track of the fistula. The patient is healthy. Has seen no symptoms of these diseases.
March 27 <sup>th</sup> /63	22 <sup>nd</sup> 7/63	"	Thorough recovery	Ligatures applied in three different locations. The incision very successful. The incision separated on the day.
March 16 <sup>th</sup>	"	18 <sup>th</sup> 7/63	Death occurred at 11 P.M. 18 <sup>th</sup> 7/63. The surface of the body where the Empyema was present was very red & swollen. The Empyema was present in the right side of the chest. The patient was very weak & the pulse was very small. The patient died at 11 P.M. 18 <sup>th</sup> 7/63.	The matter appears to have been ruptured by a small piece of wood. The patient was very weak & the pulse was very small. The patient died at 11 P.M. 18 <sup>th</sup> 7/63.
March 16 <sup>th</sup>	"	"	Abandoned on 15 <sup>th</sup> 7/63	Empyema. Empyema was in a tube. Several pieces of wood. The patient was very weak & the pulse was very small. The patient died at 11 P.M. 18 <sup>th</sup> 7/63.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
March 1863 26 <sup>th</sup>	Maduli Ch. Chatterjee	42	Cook	Hindoo	Inguinal Hernia of the right side (strangulated)	operation performed for the reduction of strangulated Hernia
March 1863 26 <sup>th</sup>	(Seaman)	25	Seaman	English	Ranula	Cyst removed in part
March 1863 30 <sup>th</sup>	Bhagobandhan	40	Bachur	Hindoo	Prostatic Stone with Calculus of the Prostate Prostatic Stone with Calculus of the Prostate Prostatic Stone with Calculus of the Prostate	Operation performed for the removal of the stone
April 1863 20 <sup>th</sup>	Bachur	7	Shaper	Hindoo	Fracture of the right humerus	Trephining performed.
April 1863 15 <sup>th</sup>	Jilambur Banerjee	45	none	Hindoo	Scrotal Tumour	Tumour removed
April 1863 17 <sup>th</sup>	Hissory	7	maid	Hindoo	Cyst of the right breast	Breast Cancer removed
April 1863 27 <sup>th</sup>	Mujan	32	Cochman	Malabar	Stricture of the Urethra	Stricture of the Urethra
December 1863 17 <sup>th</sup>	D. R. R. R.	21	Clerk	English	Abscess of the Breast	Abscess of the Breast







# Operations

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
March 1892 27 <sup>th</sup>	Manollah Khan	30	Farmer	Maharaja Cutch	Abcess of hand of Sibia	Exphising of head of abscess Sizing of Cavity & application of actual cautery to relieve pain
April 1892 26 <sup>th</sup>	Degambur Khose	36	Cooly	Hindus Kutch	Exphising of hand of Sibia	Amputation of the right finger & head of abscess in a scab burn.
May 1892 2 <sup>nd</sup>	Dwarce	26	Khan	Hindus Kutch	Stricture urethra	Syme's Perineal Section
May 1892 8 <sup>th</sup>	Ram Churn	23	Beggar	Hindus Kutch	Syphilitic ulceration in Sagax & Adema?	Tracheotomy
April 1892 15 <sup>th</sup>	Tanya	20	Cook	Maharaja	Arthritis Sagax (left knee)	applied actual cautery







Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
March/63 30 <sup>th</sup>	Lall Kopal Singh M 23		Elec. Tel. Signaller	Hindus against	contraction of the stomach string tendons (right thigh)	Yenotomy & amputating tendons divided
May/63 11 <sup>th</sup>	Nobu Comar Shoa M.	60	Farmer	Hindus Kullah		Amputation of the little finger (left hand) with head of metacarpal bone.
May/63 8 <sup>th</sup>	Kiste Monee	7 50	Weaver	Hindus Bristish	Epithelial cancer of right labium.	Cancer removed
May/63 11 <sup>th</sup>	Kumoll Dof	M 50	Beggar	Hindus Bristish	Melanoid cancer of the sole of left foot	Cancer removed
May/63 10 <sup>th</sup>	Suckun Chah	M 45	none	Hindus Bristish	Epithelial cancer (penis)	Amputation of penis



Year 1883.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
11 <sup>th</sup> May 63	7 <sup>th</sup> June 63		Relieved	Contracture the result of Chronic Rheumatism of the Piceps. Limb in a low position with some bands of fascia divided.
11 <sup>th</sup> May 63	17 <sup>th</sup> May 63		Abolished; heavily cured;	The result of a whitlow distal phalanx gone, 2 <sup>nd</sup> recovered. Bone now straight.
13 <sup>th</sup> May 63	14 <sup>th</sup> June 63		Cured.	A large nodulated Syphilitical growth of 2 1/2 in diameter involving greater degree of bone on right side. Considerable suppuration & discharges. Discharge from very close to the Resection. The woman is healthy looking. Has not met Bacillus. Has double Carbuncle.
13 <sup>th</sup> May 63	2 <sup>nd</sup> July 63		Cured. The wound has perished size of a small nail. flesh black & fully cicatrized & his health much improved.	19 <sup>th</sup> June 63. The growth on the right side of the breast is dissecting tumour, size of fist perfectly round & well defined beneath. This man returned to Hospital on 11 March 1884 with an angry probably traumatic ulceration of head and neck of left forearm of 3 months standing. It is much better on admission than when last in Hospital. There has been no return of the melanosis in the foot. The cicatrix is about the size of an 8 anna piece quite firm & of a pinkish white. No tendency to ulcerate or deposit in the cicatrix elsewhere.
13 <sup>th</sup> May 63	3 <sup>rd</sup> July 63		Perfectly cured.	Syphilitical nodular growth of 1 1/2 in diameter extending along median. Discharge as far as hand was extended. He is a healthy looking man. Has lost the growth for 7 years - has freedom but before the disease commenced.



# Operations performed by the

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
May 1863 10 <sup>th</sup>	David Kehem.	38 <sup>1</sup> 30	Seaman	American	Inguinal Hernia of the left side	Syme's operation for the radical cure of Hernia
May 1863 20 <sup>th</sup>	Harran	M. 20	Carpenter	Hindoo	Swelling of the left testicle	Syme's operation for fungus of the testicle.
May 1863 27 <sup>th</sup>	Gyalab	62 70	Phox of Senath	Abiched	Fistula in Ano.	Fistula opened
May 1863 25 <sup>th</sup>	Pero Rautu	M. 40	Stone	Hindoo	Colombus scissae	Median Operation
May 1863 29 <sup>th</sup>	Protah Singh	M. 45	Jemadar	Hindoo	Disease of Mobile bone relaxation of bone foot Joint between the osseous surface resulting from Sympies of plantar bone foot 2 & 3 an ago	Syme's Amputation of High Foot.
May 1863 29 <sup>th</sup>	Hura	F 17	Indoor woman	Hindoo	Atresia Vag	Atresia was divided



1st Surgeon Dr. J. Taylor King the year 1863.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
16 <sup>th</sup> May 63	23 <sup>rd</sup> June 63		Cured. In the 24 <sup>th</sup> June he was taken to the nearest boat swimming up and down between every night. Swallowing up a pint of water to the top. without his breath. but he recovered the throat in 10 days. He is sent to the P.D. General the hospital.	Ring of moderate size admitted a pharyngeal tumor. Larger than the finger. The tumor is of 5 months duration. it was caused by a fall. It has been only 2 this upper part of the throat.
23 <sup>rd</sup> May 1863	11 <sup>th</sup> June 63		Cured. This man has had Empyema for 8 months. The result of pharyngeal abscess. It appears that the infection was caused by a fall. It has been only 2 this upper part of the throat.	pharynx. The tumor is of 5 months duration. it was caused by a fall. It has been only 2 this upper part of the throat.
27 <sup>th</sup> May 63	27 <sup>th</sup> June 63		Relieved	A very deep abscess, pharynx, and throat. It was only 2 this upper part of the throat.
28 <sup>th</sup> May 63	10 <sup>th</sup> June 63		Cured. This man has had Empyema for 8 months. The result of pharyngeal abscess. It appears that the infection was caused by a fall. It has been only 2 this upper part of the throat.	pharynx. The tumor is of 5 months duration. it was caused by a fall. It has been only 2 this upper part of the throat.
29 <sup>th</sup> May 63	8 <sup>th</sup> June 63		Removed by his friends. This man has had Empyema for 8 months. The result of pharyngeal abscess. It appears that the infection was caused by a fall. It has been only 2 this upper part of the throat.	pharynx. The tumor is of 5 months duration. it was caused by a fall. It has been only 2 this upper part of the throat.
29 <sup>th</sup> May 63	13 <sup>th</sup> June 63		Cured. This man has had Empyema for 8 months. The result of pharyngeal abscess. It appears that the infection was caused by a fall. It has been only 2 this upper part of the throat.	pharynx. The tumor is of 5 months duration. it was caused by a fall. It has been only 2 this upper part of the throat.



Operations performed by the

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
May 1863 27	Shuruttie,	F. 25	none	Hindoo	Fibrous Epithelium of Breast connected with chest by artery	Tumour removed
June 1863 5	Kummarie	F. 25	none	Hindoo	Tumour of Scalp probably Broom as suspected from material Suppurating & fungating	Removal of Tumour
April 1863 22	Mammal	In 24	Muslim	Indo	Fistula in ano	Fistula divided with Scissors
June 1863 10	Jaggo,	F. 40	hindoo	Hindoo	Fibrous Epithelium of Breast	Tumour removed
June 1863 27	Sand Dickson	In 34	Seaman	French	Stricture urethrae	Stricture divided by Perineal Section Ignus method.
June 1863 12	Noorjahan	F. 40	none	Bengalee	Scirrhous of Breast	Tumour removed







Operations						
Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
June 12 <sup>th</sup> 1863	Sadhu	M 40	Farmer	Hindus Kash.	Stricture, Periton.	Syme's Perineal Section. Perineum laid open to find extent of stricture urine took its normal course.
22 <sup>nd</sup> June 63	Bishambhar	M 30	none	Hindus Mysore	Stricture Per.	Admission divided back, single, mouth divided externally with acid alcohol prostate removed.
July 63 6 <sup>th</sup>	Shunmujoy	M 2 1/2	none	Hindus Cochin	Calculus in bladder. Stipped back with bladder.	Median operation for stone.
July 1863 3 <sup>rd</sup>	Petambur Ghose	M 25	writer	Hindus Bengal	Stricture and Per. Perineal section.	
July 1863 8 <sup>th</sup>	Lall Mahommed	M 25	clerk	Muslims Bengal	Pericyst of Prostate	Excision of Prostate removed.
July 1863 8 <sup>th</sup>	Srinivas Chundar	M	none	Hindus Hydrabad	Calculus Vesicae	Median L. Prostate not found not success in grasping the stone & broke by pressure ruptured stricture held by back bladder.
July 1863 8 <sup>th</sup>	Fauzary Muzumdar	M 25	Peon	Hindus Bengal	Splinter in forearm.	Splinter removed by dissection.







							Operations
Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.	
10 <sup>th</sup> July 52	588 Bache Ram	M 20	Tailor	Bengal	Fistula in ano	Fistula laid open	16
8 <sup>th</sup> July 1875	589 Incey Monee	M 25	Substitute	Wander	ulcer	Ligation of the radial artery of the right arm and two small branches	17
17 <sup>th</sup> July 1875	60 A. Barmal	M 37	none	English	Epithelial Cancer of lower lip	Cancer removed	18
10 <sup>th</sup> July 1875	590 G. Wilson	31	Shaman	Scotch	Distorted union of the fracture of ulna & radius.	Section of ulna & radius for distorted union of the fractures Amputation of distal end of upper hand	19
5 <sup>th</sup> August 1875	610 Kaveri Sath Brishat	M 11	Student	Bengal	Calculus Vesicae	Lateral operation	20
5 <sup>th</sup> August 1875	611 Dwarik Sath Chy	M 30	none	Bengal	Stricture Urethra	Stricture laid open by internal section and Spencer's method.	21
10 <sup>th</sup> August 1875	651 Haik Chaudh	M 45	Farmer	Bombay	Caries of the 1 <sup>st</sup> Phalanx of the middle finger of the right hand.	Amputation of the middle finger, at the middle of the metacarpus	22
14 <sup>th</sup> August 1875	652 Champa F.	60	none	Hindoo	Radicular Tumour at the left hip.	Tumour removed	23



Year 1863.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
11 <sup>th</sup> July 63.	22 <sup>nd</sup> Aug		Cured.	A deep fistula laid open.
17 <sup>th</sup> July 1863.	9 <sup>th</sup> Aug 1863.		Cured.	Hemorrhage on the day radical artery tied above and below the wounded part. Patient returned in radical artery, some success.
20 <sup>th</sup> Feb 1863.	24 <sup>th</sup> Aug 1863.		Cured.	The cancer was removed. A V shaped incision extending on a median, epithelial cancer of lipoma. Kind of testis found tissue. Some of which have originated in drinking beer. He had no alcohol at night of the pipe and after it.
1 <sup>st</sup> Aug 1863.	9 <sup>th</sup> Sept.		He had two more attacks.	22 <sup>nd</sup> May hemorrhage after the operation and on the 18 <sup>th</sup> of June a hemorrhage having been stopped on without relaxation from 11 <sup>th</sup> am 1863 to 8 <sup>th</sup> pm Aug 1863. The patient took place in the hospital. The result of the operation was the removal of the tumor at the upper end of the arm.
6 <sup>th</sup> August 4 <sup>th</sup> Aug 1863.			Cured. The patient removed on 4 <sup>th</sup> of his ptosis. The tumor was removed. The patient was cured.	The patient was cured. The patient was cured. The patient was cured.
10 <sup>th</sup> August 4 <sup>th</sup> Aug 1863.			Cured.	A very tight and visible stricture. Centrally dilated, up to the 3 <sup>rd</sup> inch. Contrasting rapidly. Prostate gland. Lower and back. Constitution of stricture. Stricture thickened in the 11 <sup>th</sup> August in the usual manner. In the usual place in the bulbous part. There was no hemorrhage in the case. Not easily controlled by pressure & ice.
10 <sup>th</sup> August 29 <sup>th</sup> Aug			Discharge cured.	Midle finger head of one of the bone removed in discharge. Bone caused by a thorn entering the finger & run up.
14 <sup>th</sup> August 23 <sup>rd</sup> Aug			Left the hospital nearly well.	7 <sup>th</sup> by the tumor. Tip of an ounce. Allowing from point of heart. Sup. of the bone. Not connected with the bone. Hemorrhage to the stomach.



Operations

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
16 <sup>th</sup> August 1882	Sindoo, M.	17.	Coaly.	Hindu	Wound in right upper arm. 9 days at 100 hand. 14th part made of Capital bone leaving from Bone commencing in the thumb	
12 <sup>th</sup> Aug/82	Rattan	11	None	Hindu	Compound fracture of the lower third of humerus, left hand	
14 <sup>th</sup> Aug 1887	P. G. Johnson	38	<sup>Ship</sup> Steward	Dan	Stricture. Writero.	Stricture laid open by perineal section. Syme's method.
10 <sup>th</sup> Aug/83	Suggo	40	maid servant	Hindu	Medullary disease of breast.	
24 <sup>th</sup> July 1883	Kada Kautha Beg.	22	None	Hindu	Scrotal tumour.	Tumour removed.
7 <sup>th</sup> Aug 1884	Moochee Ram	40	Sircar	Hindu	Scrotal tumour.	Tumour removed.



Year 1863.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
16 <sup>th</sup> Aug. 9 am	24 Oct.		Cure.	Hand badly crushed by railway carriage. The hand removed at the 1 <sup>st</sup> end of carpal bone, leaving only the thumb which was also a good deal lacerated. It presented some hope of being saved as the laceration of the thumb was not deep.
17 <sup>th</sup> Aug. 12 noon	20 Dec.		Cure.	Bone freed its way through the skin by very tedious removal of Periosteum. An inch of the upper end of the parosteum removed, near the joint, best off.
17 <sup>th</sup> Aug. 1 pm				8 Oct. Died of Pyæmia on the 8 <sup>th</sup> . A very rapid structure very light. <sup>Probably pyæmia.</sup> Not passed at 9 am. The morning of 8 <sup>th</sup> with great difficulty. <sup>Probably pyæmia.</sup> Not passed at 9 am. Swelling of the hand and wrist from exposure at sea. It all near the elbow, surrounded with hot skin, then checked in hope of inflammation and dead tissue with collection of pus. Abscess in side of Prostate a large false prostatic. Retained urine on morning of 8 <sup>th</sup> lacerated & skin of Prostate. In the morning healed - a white band indicated site of incision.
21 <sup>st</sup> Aug. 9 am	19 Dec.		Aborted - was relieved.	This woman had a tumour removed from the inner surface of the 1 <sup>st</sup> Bone Cast. She left Hospital apparently cured, but returned with marked symptoms of tubercular disease in the lining, breast and abdominal glands. Lungs and glands removed.
24 <sup>th</sup> Aug. 9 am	29 Oct.		Cure.	A small tumour, a few days in night, rapidly growing.
25 <sup>th</sup> Aug. 9 am	31 Oct.			Ground Contracting from the small sac of tumour. It was a small healthy but rather flat. <sup>artificially removed. Had grown in 3 days. 24 ligatures</sup> applied to the end and began to bleed of bone. taken away by his mother before completion of cicatrization.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operations. Operation.
August 28 <sup>th</sup> 1871	Chotoor Bhooz	35	Merchant Hindu	Shanghalafed	Hernia (inguinal) right side	Division of stricture of internal ring with drawing the sac
Aug 31 <sup>st</sup> 1871	Hura Lall	32	Cart Driver	D <sup>o</sup>	Left hand crushed by fall of a log from the cart.	Manipulation of hand leaving the joint proper & thumb part much injured
10 <sup>th</sup> July 1886	C. Willson	31	Saman	Seth	Aneurysm of artery at base of tongue affected with phlegm, etc. The artery was cut in front of the pharynx & the artery was stopped	
4 <sup>th</sup> Sept 1890	Raj Narain Chakrabarty	22	Teacher	Hindu	Fistula in Ano	Fistula laid open by the fistula
Aug 30 <sup>th</sup> 1881	Nistaran	7	20 years	Hindu	Hypertrophy of lalia	Hypertrophy of lalia removed
Sept 11 <sup>th</sup> 1885	Mongol	34	35	Brahman	Buphalus Stricture urethra and penial abscess from extravasation of urine.	Stricture laid open by penial section.







Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
Sept 9 <sup>th</sup>	570 Charles Anderson	29	Shaman	Swiss	Strabismus Congenitus right eye.	Surgical section of rectus with suture
July 20 <sup>th</sup>	Lolo Cherry	45		Hindoo Female.	Cataract (Lenticular) greenish in colour Right Eye	Extraction by superior section
July 15 <sup>th</sup>	Lolo Cherry	45		Hindoo Female.	Cataract Lenticular Resistant to quack in the bagger in an attempt to operate. Right Eye.	Extraction by superior section
" "	Lucky money	24	-	Hindoo	Closed pupil Left Eye.	Artificial pupil by excision.
Sept 11 <sup>th</sup>	Rudik Tofel	35		Mekondan	Closed pupil Right Eye. After operation for Cataract by extrac- tion some 2 years ago.	artificial pupil by excision
Sept 18	Free Monte Ross	35		Hindoo	Encysted Tumour lifting brow.	



Year 1863.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
18 <sup>th</sup> Sept. 9 <sup>am</sup> 8 <sup>Nov</sup> .			Cured	The patient could not see small objects with the Right Eye. but after operation his sight improved very much.
11 <sup>th</sup> Sept/63, 10 <sup>am</sup> 1/2 <sup>pm</sup>			Cured	The pupil dropped to the bottom. The sight tolerably good.
Do 16 <sup>th</sup> Oct/63			The pupil pretty regular but perfectly clear. The sight not much improved. could discern shadows of objects.	The reason for not having her sight is probably due to the diseased state of the retina being injured in the former operation in the hospital. Before the operation in the Hospital she could not perceive light from darkness showing the retina not in a sound state.
Do 1 <sup>st</sup>			Reheved	Attended as out patient & discontinued the treatment a week or so after the operation. (The pupil was pretty large)
Do 28 Sept/63			No better as regards vision.	(The pupil pretty large.) The reason for his not recovering vision although the pupil was clear is owing to the retina not being sound for he had violent inflammation of the eye after operation by extraction some time ago which resulted in closure of the pupil.
15 <sup>th</sup> Sept. 24 <sup>th</sup> Sept/63			Cured	



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Operations	
					Disease.	Operation.
Sept. 2 <sup>nd</sup>	Kassy Kustom	30.		Hindoo	Cataract Congenital. Left Eye.	Extraction by Superior Section.
Sept. 18	Poretkhet	40	Hopkay	Hindoo	Cataract Lenticular. Right Eye.	do
Sept. 24	Pargub Baidar	55		Hindoo	Cataract	do
Sept. 23	Gredhar Dass	55		Hindoo	Cataract Glaucomatous Right Eye. The lens was enormous by large & comparatively trans- parent.	do
Sept. 25	Shik Raha Ollah	75	Right	Tarapur. Muscular man	Cataract Lenticular. Right Eye	do
Sept. 21.	Mellumoy Bhatti	55	Sircar	Hindoo	Cataract Capsulo-lenticular. Right Eye.	Dissection
July 28	Shik Abdul Karim	50.	-	Punjab Muscular	Cataract Lenticular Right Eye.	Extraction Sup. Section



Year 1863.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
19 Sept/63 ✓	18 Oct/63		Cured.	The pupil dragged to corneal ectasia The sight very good. Could pick up a pin from ground.
Do 20 Oct/63 ✓			Cured.	The pupil displaced upwards being implicated to the section of the cornea The vision good.
25 Sept ✓	24 Oct/63		Cured	The pupil dragged upwards - a little capsule of the lens remained when he took his discharge from the Hosp. The vision <del>was</del> pretty good
Do 20 Nov/63 ✓			Cured	The sight not much improved Counted the fingers placed before the eye.
25 Sept ✓			No Result	Abscess in the Eye ball followed & the eye sunk into the orbit.
Do ✓			Comatose	When he discontinued to attend as out-patient he could discern objects placed before the eye though a little capsule remained at the lower part of the pupil.
Do 23 Dec/63 ✓			Relieved	The pupil was clear & perfectly regular but not much sight restored.



*Operations*

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
Sept 21 <sup>st</sup>	Puchocoe	31	Farmer	Madras	Gangrene (left leg)	Amputation of the leg at its upper third.
Sept 25 <sup>th</sup>	Gondal Boyack	60	Man	Hindia	Strangulated Inguinal Hernia	
Sept 25 <sup>th</sup>	Kally Chum Sen	45	Shopkeeper	Hindia	Scrotal Tumour <sup>69</sup>	Tumour removed
Sept 27 <sup>th</sup>	Bikano	31	Gardener	Hindia	Scrotal Tumour <sup>53</sup>	Tumour removed
August 28	Chullon Bhoj.	35	Merchant	Hindia	Inguinal Hernia right side.	Ligature operation for the radical cure of hernia.
Aug 26 <sup>th</sup>	Moose	7	20	Prostitute	Hindia	Amputation of the left thigh about $3\frac{1}{2}$ inches above the knee







							Operations
Date of Admission	Name	Age	Occupation	Caste or Country	Disease		Operation
Sept 28 <sup>th</sup> 592	Pookeene	7	20	Coaly	Hind	Hypertrophy of both labia.	Hypertrophied labia removed.
Sept 30 <sup>th</sup> 592	Dwarika Ramt Mookya	38	none	Hind	Scrotal Tumour	Scrotal Tumour	Tumour removed
October 2 <sup>nd</sup>	Buddy Nath Ghose	50	-	Hind	Cataract Capsule Lenticular Right Eye.		Extraction Super. Sec. Right Eye.
October 1 <sup>st</sup>	Surebhat Biswas	54	Mukha Mussah Zillah - man	Hind	Cataract Capsule Lenticular Right		Extraction by Superior Section
Sept 28 <sup>th</sup>	Goroo Dass Muty	50	man	Hind	Cataract Lenticular Left Eye -		Done
Sept 5 <sup>th</sup>	Shank Abdulla	17	Calcutta Mussah		Closed pupil from syphilitic infection		Reinstated pupil -



Year 1863

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
1 <sup>st</sup> Oct. 1863		22 Aug/63	The wound was quite healed - but the child of diarrhoea & exhaustion.	Height 7 1/2 mm. weight 3 1/2. Both labia were enlarged. - common. The disease was of 3 yrs. standing. Combined with the limited vision indicated by tubercular formation about the arms. & tongue.
2 <sup>nd</sup> Oct. 1863	13 Aug/63		Cured	Height 16 8. 110. an ordinary scutal Immune. Vestibule healthy, formed. Smaller of distance. 14 years.
2 <sup>nd</sup> Oct. 1863	21 Nov/63		Cured	The pupil dragged outwards to the section of the cornea. The sight very good.
2 <sup>nd</sup> Oct. 1863			Cured.	The pupil perfectly regular. The sight good.
2 <sup>nd</sup> Oct. 1863	30 Oct/63		Cured	The pupil dragged upwards to the Corneal section - the sight pretty good.
2 <sup>nd</sup> Oct. 1863	1 Decem/63		Reheined	Some sight restored



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operations. Operation.
Oct. 1 <sup>st</sup>	M <sup>r</sup> S <sup>r</sup> Bruyn	56		Calcutta	Cataract R. Cathele I. glaucoma right eye.	Extraction by superior section  The operation was undertaken at the request of the patient and relatives.
Oct. 2 <sup>nd</sup>	Goda Khan Majer	30	Farmer	Hinda	Sertal tumour	Tumour removed
28 <sup>th</sup> Sept.	Audan	7	Bo. Beggar	Hinda	Fibrocystic tumour right breast	Tumour removed
Oct. 5 <sup>th</sup>	Narsing Doss	35		Hindus Kudnapore.	Cataract	Extraction by superior section right eye.
Sept 25	Ran Adhen	22		Hindus Lucknow	Closed pupil	Artificial pupil by excision right eye.



Year 1863.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
2 Octob/63 ✓	1 <sup>st</sup> Nov/63	No Death		The lens perfectly of green color Has had profuse hemorrhage from the eye after the operation probably from the central artery of the retina. Abscess in the eye ball took place and the cornea sloughed
3 Oct/63 9 am	17 Dec/63	Cure -		11 lb 14 oz weight of Immure and a strong suppuration of Salivary gland. Small of spine sound. Preserved.
5 Oct/63 4 am	12 Oct/63 6 am	Died rather suddenly		At 11 13 oz weight of Immure which after 1000 in place light was white translucent. She was a very attacker of fever - found thin emaciated old woman. water was rising well - Ple. showed fatty heart - most similar well developed - no other disease. - There was a slight commotion with the first sound of the heart at the base -
9 Oct/63 ✓	18 Dec/63	No Death		As soon as the capsule of the lens was fractured with a needle, through the sclerotic a quantity of craceous gritty looking substance poured out into the chamber of the eye. The lens was then extracted through upper section of the cornea. The lining was hard & perfectly opaque. The pupil appeared quite clear & round immediately after the operation -
Do 23 Oct/63 ✓		Cured -		The pupil pretty large & nearly in the center



*operations*

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.	
Oct 8 <sup>th</sup>	Shaik Kummurulla	45	Malabar	Mussalman	Epithelioma of the eyeball	Extirpation of the eyeball Right	9
Oct 9 <sup>th</sup>	559 Sarco Sop	30	Sirdar	Hindoo	Lacerated wound and fracture of the 1 <sup>st</sup> & 2 <sup>nd</sup> metacarpal bones of the left hand	Amputation of thumb and index finger.	9
Oct 9 <sup>th</sup>	558 Kondurpa Mookerjee	31	Sirdar	Hindoo	Scrotal tumour	Tumour removed	12
Oct 12 <sup>th</sup>	561 Anvito	25	Trust	Hindoo	Calculus vesicae	Lateral Operation for lithotomy.	12
Oct 12 <sup>th</sup>	564 William Farrell	38	none	Irish	Cystic tumour	Tumour removed	12
Oct 14 <sup>th</sup>	566 Arakul Sarkar	45	Merchant	Armenian	Lacerated wound	Amputation of index finger & last phalanx of thumb. left hand	12



Year 1863.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
9 Oct/63 r	4 Nov/63		Revised	No signs of Relapse-
9 Oct/63 7 1/2 am	21 Oct/63 6 am		Died	Wound caused by laceration of a bone in his hand. Wound was much lacerated. Thumb Index. and Metacarpal & Confined bones removed. an attempt being made to preserve part of the hand.
12 Oct/63 9 am	24 Nov		Cure	Wt. 175 - weight of tumor on removing Elephantiasis of Testis of 2 years standing. Wound healed. Wt. 140. Wound healed. Wound healed. Wound healed.
12 Oct/63 9 am	27 Nov		Cure	A large, oval, calcareous weight. 1621 lb. found with the thumb. Wound healed. Wound healed. Wound healed. Wound healed.
12 Oct/63 9 am	13 Oct		Cure. attended as an out patient	Per. stimulation. Sept. size of an egg. removed from behind & under right arm.
Oct 14 7 am	5 Nov/63		Cure. Hand amputated	End of Thumb and fore finger crushed in an oil mill. Index with head of Metacarpal bone, and distal phalanx of Thumb removed. from left hand



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operations
						Operation.
Oct 11 <sup>th</sup>	Sub Buckshur	47	Farmers	Hindu	Scrotal tumour	5 <sup>th</sup> Tumour removed
Oct 14 <sup>th</sup>	Kallaphand	20	S.	S.	Medullary Cancer?	Amputation of thigh left side at its upper 5 <sup>th</sup>
21 <sup>st</sup> Oct.	Radad Murtasa	20	Liamon Potogun	Fatty tumour	not Capsulata	Tumour removed
21 <sup>st</sup> Oct.	Shank Majan	28	S.	Muscular	Capsular Cataract	Dissection of the Capsule - Left eye.
23 <sup>rd</sup> Oct.	Shib Churn Kormu	45	Kastma Agunpha	Cataract	Sclerotic -	Extraction by Superior Section
Oct 30 <sup>th</sup> / 03.	Lone Bask-Banyas	63	Misti Hindu	Cataract		Extraction by Superior Section







Operations						
Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
18 <sup>th</sup> Oct/95	Christopher Porsby	38	Labourer	Swede.	Reducible oblique inguinal hernia right side -	Gymni's operation for Radical cure of hernia -
23 <sup>rd</sup> Oct.	Gaby	50	Boatman	Hind.	Scrotal <sup>55</sup> tumour	Tumour removed
25 <sup>th</sup> Oct.	Siddhender.	M 32	Shop. keep.	H.	Stricture & perineal abscess.	Perineal section. Gymni's method
24 <sup>th</sup> Oct.	Bonomally M	28	none.	H.	Stone in the urethra.	Stone removed by Median Section
22 <sup>nd</sup> Oct.	Ghina	M 48	Boatman	H.	Scrotal tumour <sup>56</sup>	Tumour removed
27 <sup>th</sup> Oct.	Lucky Cauts M	50	Farmer	H.	Stone in the bladder <sup>18</sup>	Lateral Operation for lithotomy -



Year 1863.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
22 <sup>nd</sup> Oct/63				An ordinary, reducible inguinal hernia.
24 <sup>th</sup> Oct/63 9 am				1 <sup>st</sup> Nov. Rec'd of printing. He had duration of the disease 5 years. wt. of 3.30 lb. Surgery of both testicles. Ovids wh. were much enlarged, tumours 8 lbs 1/2 oz. were subsequently removed. He walked a little, but sank on the 1 <sup>st</sup> Apr. Pelv. black loaded with fat. Same fatty substance ext'd. Continued calculus - dead. Apparently right side ruptured. Continued from plug of lymph, extending into the pelvis & intestines.
25 <sup>th</sup> Oct. 9 am.	30 <sup>th</sup> Nov/63		Cure.	
25 <sup>th</sup> Oct. 9 am.				The calculus about the size of a bean the pus, was long & pointed. In the bulbous extremity. Extracted w/ a median section.
27 <sup>th</sup> Oct/63.				Duration of disease 8 years. wt.
28 <sup>th</sup> Oct/63 9 am.				An old infirm man with wt. of stone 4 lb 8 grains - bulged.



Operations						
Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
18 Oct/93	L. Seemug. M	80	Steward	Indian		Perineal Section Sigmoid method.
30 Oct/93	Shake Kales	60	Coachman	Madras Indian	Gangrene of	Amputation of leg at its upper third.
26 Oct.	Sham Bagdu	30	none	Hindu	Scrotal tumour <sup>57</sup>	Tumour removed
28 Oct.	Kany.	M 28	Barber	Dr. Madras.	Scrotal tumour <sup>58</sup>	Tumour removed
9 Dec.	Banno Sep.	M 30	Soldier	Hindu	Osteomyelitis	Secondary amputation



Year 1863.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
31 Oct / 63 9 am	4/11/63			
31 Oct / 63 24 Dec / 63 9 am			Cured.	The leg was amputated at its upper end by Anterior Posterior flaps for gangrene supervening on Elephantiasis. During the course of the disease the leg was enlarged to the thigh? Cured.
2 <sup>d</sup> Nov / 63 9/3/64 9 am			Cure.	Duration of disease 8 years. lost 7 lbs 7/4oz
2 <sup>d</sup> Nov / 63 27 Dec / 63 9 am			Cure	Duration of disease 3 months - lost 14 lbs.
24 Oct / 63	20 Nov	Death		

Autopsy 8 hours after death. Chest. The anterior surfaces of the lungs were very pale except the lower lobe of the right lung which was considerably congested. There were 8 or 9 patches of solid pulmonary tissue, encircled by a red border, in various parts of both the lungs. They varied from a small pea to a finger in size, the largest were situated at the roots, and with surface of the left lung some were tough dense solid tumid masses, others were less within a soft greyish red cavity. The left lung was adherent to the pleural surface in two parts by some recently formed lymph, but the right one was everywhere free from such adhesion. There was some thick pus.  
The heart was healthy & of normal size and the left ventricle was so contracted as to bring the tip within its own aperture. Liver was everywhere free from adhesion except at the upper part of the right lobe where it was adherent to the diaphragm for a small extent. Beneath the adherent portion there was a large abscess about a pint in size containing some four or 5 ounces of pure the matter of the abscess being lined by a thin hyaline membrane. Another smaller one was found in the right lobe very close to the former but very deeply seated. Spleen was enlarged & contained some solid black without any disintegration. The right kidney was healthy but rather small and the left one contained a patch of superficially dead portion at its anti & upper surface about a pea in size. The stomach was normal. Spleen was very pale & ankylosed and the gall bladder was distended with a quantity of dense fluid greater than is found in healthy state. The pancreas was divided into an small and large portion the exposed lower the middle & lower parts of which was the shape with just adherent to the spine vertebra. Beyond that the lower part of the pancreas with a double or triple amount of granular matter arranged in distinct lines. The abdominal artery was united & pervious nearly to the end of the stomach. The liver was somewhat thickened but apparently contained no pus within. The right kidney found was pale of pus.



						Operations
Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
Nov. 3 <sup>rd</sup>	Shah Khosrul	45	Shepherd	Hindu	Cataract hard lenticular in the right eye.	Extraction superior Section
Nov. 3 <sup>rd</sup>	Shah Ruxar	65	Shepherd	Hindu	Cataract Capsule lenticular in right eye.	Extraction superior Section
Nov. 6 <sup>th</sup>	Madden Mohun Singh	50	Farmer	Hindu	Cataract hard. Left eye.	Extraction superior Section
Nov. 6 <sup>th</sup>	Ranjit Ram	55	Shepherd	Hindu	Cataract hard	Extraction superior Section
Nov. 14 <sup>th</sup>	Ram Chand Tholey	50	Farmer	Hindu	Cataract hard	Lateral operation for cataract
Nov. 6 <sup>th</sup>	Shiboo	36	Farmer	Hindu	Cataract hard	Extraction superior Section



Year 1863.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
6 <sup>th</sup> Novemb <sup>r</sup> ✓	24 Decemb <sup>r</sup>		Cured	Some vitreous humor escaped during the operation
6 <sup>th</sup> Novemb <sup>r</sup> ✓	25 Novemb <sup>r</sup>		Cured	Vitreous humor escaped during the operation
6 <sup>th</sup> Novemb <sup>r</sup> ✓	11 Novemb <sup>r</sup>		Cured	Some redness remains in the eye when he was discharged - the pupil regular - the sight good
6 <sup>th</sup> Novemb <sup>r</sup> ✓	11 Novemb <sup>r</sup>		Cured	
Nov 14 <sup>th</sup> 1863				<p>7<sup>th</sup> Oct. Died in the 9<sup>th</sup> mo. very weak and with symptoms of Peritonitis. Symptom of abdominal swelling. Dr. Pratt &amp; Miller</p> <p>Weight of the Calculus 230 grs. Triple Phosphate stones. He had an enlarged prostate and was an old man. He was in poor health. The left arm was paralyzed from cerebral malformation. He had a good deal of phlegm during the operation but there was nothing of the nature of pus. The operation was done in the usual way with the best result.</p>
Nov. 7 <sup>th</sup> to 27 <sup>th</sup> Aug <sup>r</sup> 1864			Cured	Weight of the Ennebor was 15 lbs 6 oz.



Operations						
Date of Admission.	Name.	Age.	Occupation.	Case or Country.	Disease.	Operation.
Nov. 9 <sup>th</sup>	Sheller, Nathan.	20y.	House	Hindu	Strabismus Internus Ballus.	Op. Sup. Maxilla
Nov. 6.	Parbutey	45		Hindu	Cataract Lenticular. Right eye.	Extraction - by Sup. Section
Nov. 8	Dupuis	42.		European	Cataract Lenticular.	Extraction Sup. Section
Nov. 9 <sup>th</sup>	Deen Mohamed	40	Khalass, Muscat	Strabismus Internus	Strabismus Internus	Princal section.
Nov. 11 <sup>th</sup>	Rauy.	45	Farmer	Dr.	Calculus Vesicae	Lateral operation for lithotomy.



Year 1863

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
Nov. 9 <sup>th</sup> 27 <sup>th</sup> 1863			Cure	The tumor was of the size of an orange & 8 months growth. It was (and rapidly increasing) The lower jaw was swollen being the oblique plate - It consisted of 2 or 3 cartilaginous bones held by the sutures. The kind of ossification
Nov. 12 <sup>th</sup> 14 <sup>th</sup> 1863			Cured	
Nov. 13 <sup>th</sup>			Cured	
Nov. 14 <sup>th</sup> 9 <sup>am</sup> 19 <sup>th</sup> 1864			Cure.	A very rigid structure.
Nov. 14 <sup>th</sup> 9 <sup>am</sup>		24 <sup>th</sup> 1864	Result of Death.	<p>A small flat stone weighing 37 grains</p> <p>Lungs healthy, but Congestive hyperaemia. Heart healthy contained some large discolored Clots. Liver healthy rather fatty. Kidney healthy. Spleen healthy. There was a large collection of pus about the middle of the left femoral margin. Extending to the origin. Femoral vein healthy. Bladder abnormally thickened right lobe of Prostate full of pus. Left lobe of Prostate also contains pus. Anterior to the suspensory ligament uterus &amp; right ovary joint contained pus but the Caricula not diminished. Uterine suppuration extended</p> <p>beneath the external muscles of thigh up to the lower 1/2 of femur. There was also pus in the right half of leg. Beneath the gastro-cnemius. There was a false passage in front of the urethra.</p>



Operations						
Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
Nov. 26 <sup>th</sup>	Laramony	7	35	none	Hindu Fibro-cystic tumour Left Breast.	Tumour removed
Aug 2 <sup>nd</sup> 1/2	Radu	M	20	Shupkupa	I. Ischio-rectal fistula communicating with bladder.	fistula laid open - as in actual operation for lithotomy.
Nov 27.	Affazooder	M	18	Orphum Mahom	Inguit al harelf.	Operation for harelf.
Nov 27	Panchanon.		27	none	Hindu Necrosis.	Diseased bone extracted by incision upon the skin.
October 9.	Thomas Phillip Graveland.	21	Sailor	English	Reducible inguinal Hernia	Lymers method for radical cure of hernia
Nov 27	Richard Jones.	40	Sailor	English	Internal Hemorrhoids.	Ligatures applied to the hemorrhoids.
Decem 1 <sup>st</sup>	Madhab Ch. Parani	45	Fisherman	Hindu	Double Hydrocele.	Hydrocele tapped & injected.



Year 1883.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
23 <sup>rd</sup> Nov/83 9 am	29 Dec/83		Cure	Fibrocystic tumour of left Breast.
23 <sup>rd</sup> Nov/83 9 1/4 am	31 Dec/83		Relief	A deep ischio-rectal fistula communicating with bladder - the fistula was laid open as in lateral operation for lithotomy.
27 <sup>th</sup> Nov 9 am	7/12/83		Cure.	A Case of Congenital hem. lip. Horse hairs were used on the occasion of suture. The case did very well & was discharged cured.
28 <sup>th</sup> Nov/83.	30/3/84		Relieved	Necrosis of left femur - resulting from abscess the sequence of low fever.
5 Decm. 8.	7/2/84		Relieved.	An ordinary adenoid inguinal hernia of right side.
6 <sup>th</sup> Decm. 8. 9 am	21 Dec/83		Cure.	He was suffering from hemorrhage of rectum - the piles were 2 in number. One was tied with a double ligature - the other with one.
7 <sup>th</sup> Decm. 8	1/12/83		Cure	4 pints 13 & 23 of fluid from the right side - 2 pints 23 & 53 from the left side.



Operations						
Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
7 Decemb	Mohesh.	20	Farmer.	Hindu	Ephentera in sole of right foot.	Ephentera removed
14 Decemb	Mutty Lall Ghor.	21	none	Hindu	Congenital hare lip	Operation for Harelip
16 Decemb	Byto Ghor	50	Servant	Hindu	Ecthrasation of penis	Deep incision into the perineum shortening penis and lower part of Uterus up to parallel to Pamparts ligaments
16 Decemb	Kadu Kanti	23	none	Hindu	Encysted fatty tumour	Excision of the tumour
9 Decemb.	Saddu oodun	40	Cert. div. <sup>man</sup> Impud.		Scrotal tumour <sup>60</sup>	Tumour removed
16 Decemb	R. Peter	14	none.	E. Indian.	Deep Uteral abscess.	abscess opened.
16 Decemb	Pangally Ch. Ghor	22	shop. boy	Hindu	Scrotal tumour <sup>60</sup>	Tumour removed



Year 863.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
7 Decemb.	7 Decemb.		Relieved - The tumor was a portion of a large thorn taken out - but the patient which remained embedded in the abscessed.	Sole of foot - Causing ulceration -
14 Decemb/86 9 am	23 Decemb/86		Cure	Horse-hair used for the suture -
16 Decemb/86 5 pm	26 Decemb/86		Death - died of exhaustion the wounds in the perineum were granulating.	This man ruptured his urethra by a fall subsequently extrication took place - on autopsy his bladder was enormously distended, & the perineum & scrotum & penis edematous & distended.
16 Decemb 9 am	1 Feb 87/86		Cure	An Encysted fatty tumour in the lower part of the front of the neck. between the two sterno-mastoid muscles.
16 Decemb 9 am	11/3/86		Cure	An ordinary scrotal tumour of 7 years growth. wt of tumour 2 lb. 5 oz. left testicle removed. The tunica vaginalis of the right much thickened. By J. Braden.
17 Decemb 9 am	26 Jan 87/86		Cure	The patient was a very weak boy, had a deep large abscess. The fluctuation was clear & distinct. but the abscess was opened posteriorly parallel to crest of ilium. before the peritumour.
17 Decemb 9 am	16/2/86		Cure	Tumour of 3 years growth. Penis much hypertrophied. Surface tuberculated. wt of tumour 15 oz.



Operations

Date of Admission.	Name.	Age.	Occupation.	Cast or Country.	Disease.	Operation.
16 Dec 18	Golan Robaury	32	Servant	Imprial	Scrotal tumour <sup>62</sup>	Tumour removed
18 Dec 18	Gobur Shone.	26	Cooly	India	Lacerated wound	Amputation of last 3 fingers of left hand with heads of three Antelope bones.
14 Dec 18	Balus.	32	Former	Imprial		Removal of lower jaw its right half - leaving the angle.
16 Dec 18	J. Stewart	26	Wom	Indian.	Hydrocele of right side. Radical cure for Hydrocele. Transferred from Physic ward.	



Year 1863.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
17 Decemb. 7 1/2 pm			Cure.	A rapidly growing tumour of 9 days - wt 17 oz. by Dr. Beadson.
18 Decemb. 2 1/2 pm	13 Jan'y/64		Cure	A lacerated wound of left hand, caused by his hand being caught in an oil mill. The last three fingers completely crushed - very little bleeding. no ligature put.
18 Decemb. 9 am	24 Feb/64		Cure.	This was a case of probable myeloid tumour of 8 years growth. The tumour had been initiated by ulcers of epithelium - a new ulcerated opening formed near the throat. The fluid was obtained from the 2 <sup>d</sup> branch of a left artery. Near the bronchus on the right day, after the matter had been removed from the tumour by a ligature passed through it a particle of material Larynx encircled by cells & thick P. H. 1863
19 Decemb. 9 am	10 Jan'y/64		Cure	A small Hydrocele of 12 years standing - was once tapped before - but not cured - 23 of stones & 2 of stone thrown into the sac



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
--------------------	-------	------	-------------	-------------------	----------	------------

Yearly abstract of Surgical Operations in the 1<sup>st</sup> Surgeon's Ward  
of the Medical College Hospital for the year 1863

Names of Operations	Number.	Aged.	Diseases.	Length of stay in Hospital.	Time of day.	Cause of death.	Remarks.
Amputation of thigh							
upper 3 <sup>d</sup>	1	"	10 days	1	"	"	"
Amputation of thigh							
lower 3 <sup>d</sup>	1	"	20 days	1	"	"	"
Amputation of leg							
below the knee	2	2	2 <sup>d</sup> 3 <sup>d</sup> 8. 1. 26	"	"	"	"
Amputation of the ankle							
joint Syme's method	3	1	10 days	2	1	"	1 In one case the stump healed, but died of phlegmon.
Amputation of shoulder							
Scout	1	"	"	1	"	1	"
Amputation of upper arm							
arm	3	1	7 <sup>d</sup> 4	20 days	2	"	2
Amputation of fore-arm							
at the wrist	3	2	2 <sup>d</sup> 13	18 days	"	"	"
Amputation of thumb							
& index-finger	2	1	"	1	"	1	"
Amputation of index-finger	2	1	7	2 days	"	"	"
Amputation of middle-finger	2	2	14 <sup>d</sup> 12 <sup>d</sup>	"	"	"	"
Amputation of middle & ring-finger	1	1	7 <sup>d</sup> 21	"	"	"	"
Amputation of little-finger	1	1	16	"	"	"	"
Amputation of breast	4	2	7 <sup>d</sup> 25 7	1	"	"	"
Cystic tumour	7	7	7 <sup>d</sup> 13	6 d.	"	"	"
Deep Ulcer abscess	1	1	"	"	"	"	"
Division of body-arteries							
fracture	1	"	7 <sup>d</sup> 8	1	"	"	"
Division of nerves in thigh	1	"	3 d	1	"	"	"
Elephantiasis of testis	21	19	4 <sup>d</sup> 11	2 weeks	2	1	"
Epithelial Cancer	5	5	7 <sup>d</sup> 22	2 days	"	"	"
Extraction of L. Polypus							
from Posterior nares	1	1	"	"	"	"	"
Exsufflation of eyeball	1	1	"	"	"	"	"
Fistula in ano	7	3	4 3	4 d	"	"	"
Fibrocystic tumour	6	5	"	1	"	"	"



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
Yearly abstract of surgical operations in the 1 <sup>st</sup> Surgeons ward of the medical College Hosp <sup>l</sup> for the year 1863.				
Names	Number	Case	Result	Remarks
Fatty tumour	2	2	"	"
Hypertrophy of laticia major	2	1	"	"
Hernia	2	2	"	"
Lateral Operation for uterine	7	4	"	"
Median Operation for	2	2	"	"
Ligation of Artery	1	1	"	"
Ligation to the Piles	1	1	"	"
Operation for Scabies recti				
fistula	1	1	"	"
Operation for stricture	2	1	"	"
Operation for stricture				
oblique inguinal Hernia	3	2	"	"
Operation for prolapso	1	1	"	"
Operation for trypsin	1	"	"	"
Operation for strabismus	1	1	"	"
Operation for Cataract				
by Extraction	21	16	5	"
Operation for artificial				
Pupil by Excision	4	1	3	"
Operation for Cataract				
by Excision	2	2	"	"
Operation for Perineal				
Excision	4	"	"	"
Perineal Section	11	8	1	"
Removal of lower jaw	3	3	"	"
Removal of foreign body	2	2	"	"
Radical Cure for Hydrocele	2	2	"	"
Removal of Carcinoma	4	2	1	"
Stomach	1	"	1	"
Ligament Operation for Pungu				
of Testis	1			"
Stone in the urethra	3	3	"	"
Ligament Operation for				
Radical Cure of Hemorrhoids	7	4	1	"
Leucotomy	2	1	"	"



Operations performed by 1<sup>st</sup> Surgeon D. J. J. J.

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
30 <sup>th</sup> December/13	Hunooyal Roy	50	Writer	Hindu	Scrotal tumour <sup>63</sup>	Tumour removed
1 <sup>st</sup> Aug/14	Nadiahund Solt	40	Farmer	Hindu	Scrotal tumour <sup>64</sup>	Tumour removed.
23 <sup>rd</sup> December/13	Rally auddy	30	Servant	Hindu	Scrotal tumour <sup>65</sup>	Tumour removed
20 <sup>th</sup> December/13	Ram Sanyal Roy	30	Shop. Rep.	Hindu	Urethral fistula & stricture below.	Perineal section
1 <sup>st</sup> Aug/14	Heera Singh	32	Cavalry Soldier	Hindu	Upper arm by bullet wound in 1857, during the Mutiny in Oude, at Dorlaspoor.	Plastic Operation for hole.
21 <sup>st</sup> December/13	Mashuk Shao	28	Peon	Hindu (Anglo-Hindu)	Scrotal tumour <sup>66</sup>	Tumour removed
1 <sup>st</sup> Aug/14	Pomesh	31	none	Hindu	Scrotal tumour <sup>67</sup>	Tumour removed



During year 1884 -

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
4 <sup>th</sup> Jan'y/84. 9 am.	1/4/84		Cure.	An ordinary Scrotal tumour of 20 years standing. wt of tumour 9 1/2 lbs. the right testis contained a large quantity of hydrocele fluid. the testicle of the right side diseased and removed. Operation done by Dr. Headton.
4 <sup>th</sup> Jan'y/84. 9 1/4 am	28 Sep/84		Cure.	An ordinary tumour of 3 years growth. the left testis contained a quantity of greenish matter. like decomposed blood. the tunica vaginalis of this side very much thickened. Very little hydrocele fluid of right side. wt of tumour 28 4 1/2.
4 <sup>th</sup> Jan'y/84. 9 am	3/4/84		Cure.	Duration of tumour 2 years. wt of tumour 5 1/4 lbs. not much hydrocele fluid.
6 <sup>th</sup> Jan'y/84. 9 am.	6 Jan'y/84		Cure.	Deep fistula in scrotum & perineum communicating with the urethra & about 24 months. resulting from suppuration of scrotum & difficulty in passing urine. Dilatation of the urethra by bougie tried but did not succeed.
6 <sup>th</sup> Jan'y/84. 8 1/4 am	8/2/84		Cure	The scrotal tumour. Operation (Raspary). Intermittent & profuse & repeated and passed with force having the whole remainder of the inguinal mass.
6 <sup>th</sup> Jan'y/84. 10 am	7/4/84		Cure	An ordinary scrotal tumour of 1 year growth. wt of tumour 1 lb 7 1/2 oz. both testis sound.
6 <sup>th</sup> Jan'y/84. 10 1/2 am	27/2/84		Cure	An ordinary scrotal tumour - growth of tumour 3 years. Rapier enormously hypertrophied. wt of tumour 5 lbs 8 oz. both testis sound & saved. Operation done by Dr. Headton.




Operations performed by P. Surgeon D. P. Pagan

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
Nov/83	Deen Mohamed	40	Khelam Bupfama	Indo	Indiside inguinal Hernia right side.	Lymet's Operation for the radical cure of hernia
Decem 23. 9	Sam Ahone Satt	72	None	Maghaya	Fungus of the testicle.	Lymet's Operation for fungus of testicle.
Jan/84	Boace	20	Sailor	Maghaya	Contraction of Penis	Penectomy
Jan/84	Chintamoneygha	12	Student	Hindoo	Calculus Vesicae	Lateral Operation for lithotomy.
Oct 26. 12	Sham Bagdu	30	None	Hindoo	Enlarged Urethra	Urethra corrected by my fistula rectum
Jan/84	Harish Ch. Mandal	30	Farmer	Hindoo	Stricture urethra & urinary fistula	Perineal section & dissection of hypertrophied skin from the anterior portion of penis.



Don's year 1884 -

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
12 Aug / 84	17 1/2 / 84		Cured	An ordinary reducible inguinal Hernia right side.
17 Aug / 84	23 Aug / 84		Cure.	He had Hydrocele of the left side. The scrotum inflamed & elongated protruding the testicle - when the scrotum was protracted, the edge contracted around the testicle. He surrounded scrotum separate of its adhesions; the testicle pushed in & returned applied.
17 Aug / 84	25 Aug / 84		Cure.	This a case of Contracted Scrotum after burn. The contracting tendons on either side of the true joint. Incisions made & divided.
18 Aug / 84	18 Feb / 85		Cured	a three lobed stone with spicula on it at several places. cured with 24 lbs. pressure. probably of date of time made.  This patient came again for a relapse of what came on the 1st Feb. 1871.
23 Aug / 84	9 / 2 / 85		Cured	This man had a scrotal abscess removed and the scrotum excised. The stone from the scrotum had remained external to the scrotum. Excised which had formed a protrusion from the cord. The cicatrix of the scrotum healed very. Discharge of the scrotum healed and scrotum returned.
1 Feb / 85			abandoned	This man had a scrotal abscess removed with the scrotum in front of the scrotum caused by an opening made by a needle. The stone below of scrotum. Cured by pressure. The stone then removed the cord very. The stone then removed the scrotum & spicula on 16 Dec / 84 -





Operations performed by 1<sup>st</sup> Surgeon D. J. Jager

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
Feb 14/94	Heranda A. Dick	2	none.		Valipes Equinus Virus	Excision
3 <sup>rd</sup> Feb/94	Thomas Philips	57	White	Portuguese	Laryngitis muc. probably result of abscess of larynx. The abscess burst on 5 <sup>th</sup> Feb in morning Chronic.	Tracheotomy
1 <sup>st</sup> Feb/94	Madhab Ch. Poon	40	Help. Muz. Hindu		Scrofula tumour <sup>68</sup>	Excision removed
9 <sup>th</sup> Feb/94	Raj Lachar	4	none.	Hindu	Compound protuberant Cyst. Large as a Green Apple	Tumour removed
12 <sup>th</sup> Feb/94	Singam.	45	Constable Hindu		Cystic tumour in front of the right ear size of a marble.	Excision of Cyst.
14 <sup>th</sup> Feb/94	Lachar	20	Surman Hindu		Cystic tumour in upper eye lid.	Excision of Cyst.
21 <sup>st</sup> Decemb/94	Blackland	30	Farmer Hindu		Gangrene of toes.	Amputation of foot. Chiroarthroplasty



During year 1884 -

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
4 Feb/84			Attended as an out-patient	Plaster Panniculus contracted, divided. Tend. & sutures divided. In places in Scarpa's Bone where Panniculus had healed.
4 Feb/84 4 pm.		15/2/84	Exhaustion	Surgical Cystitis. Probable ulceration of mucous membrane of urethra in the neck and bladder.
8 Feb/84	13 Aug/84		Cure.	Operation 2 1/2 years. at 14 lbs 5 oz. Shrinked. No small by double.
12 Feb/84	12 Feb/84		Transferred into the Physician's ward for Cholera. The patient died in the morning of 12 -	Large Pile. Left. Prolapsed. Pitting at the bottom of the ulcer. Spleen of normal size. Child was doing well. and healthy in hemorrhage - died of Cholera on the 19th
12 Feb/84			Attended as an out-patient	Sebaceous cyst - wound still died in the small hair.
14 Feb/84			Attended as an out-patient	Sebaceous cyst - wound still died in the small hair.
17 Feb/84		28 Feb/84	Died of Gangrene	Gangrene of toe - probably the result of occlusion of artery - Took in a state of depression, Borne out of bed with pain - Gangrene returned of the heel on the 27 Feb/84 - between the heel & sole of foot - The character was superficial to the bone from intense agony in the foot



Operations performed by the I. Sargen

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.	
17 Feb/62	Boylash Ch. S/p	20	brampton	Hindu	Scrotal tumour <sup>69</sup>	tumour removed	
17 Feb/62	Mohammeda Call Kal	19	student	Armed	Fistula in ano.	Fistula laid open.	
15 Feb/62	Robert Holmes.	45	none.	Englishman	External Haemorrhoid. fistula in ano.	Fistula laid open spib. removed	
19 Feb/62	Mohammed.	35	Grand Street.	Hindu	Comp. comminuted fracture of humerus in two places at middle & at the upper end all comminuted bones.	Amputation of shoulder joint.	
24 Feb/62	Deconne Ghose.	30	Farmer.	Hindu	Scrotal tumour <sup>70</sup>	tumour removed	
26 Feb/62	Indorbaschum	7	45	none	Hindu	Constriction of left groin	Scrotomy



Dr. J. Fayre during the 1884-

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
17 Feb'y/84			Cure.	Duration of disease 1 1/2 years. Wt 14 1/2 lbs.
18 Feb'y/84	26/3/84		Cure.	Fistula laid open by knife. The fistula was situated on outer side of the arm.
18 Feb'y/84	4/3/84		Cure	Fistula laid open by knife & external pile removed.
22 Feb'y/84.		23 Feb'y/84.	Shock	Reaction in 2nd substitute place insufficient. End of operation united 22 <sup>d</sup> Then the wound closed without further trouble. But swelling & inflammation were secondary. The base of the operation pretty well. but wound & place of incision & well in the 23 <sup>d</sup> Feb 30 hours after operation in hemorrhage.
27 Feb'y/84	15 Apr'y/84.		Died of chronic diarrhoea.	An ordinary scrotal tumour of 8 years standing. Wt of tumour 3 1/2 lbs & 10 oz. The left testis & vaginalis was very much thickened & diseased.
29 Feb'y/84	9 May/84		Relief.	The result of a course of abstinence of Intestines. There is much constipation without any haemorrhoids. But of 10 years history along the front. The whole has been steadily divided.



# Operations performed by the 1<sup>st</sup> Surgeon

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.	
29 Feb/27	Gyan Bishun Chakrabarti	55	none.	Hindu	Cancer of Rectum	Excision.	13
2 March/28	Shank Chandra	35	Blackman Impaler	Necessities of thumb	Amputation of thumb right hand with head of auto-cann		8
2 March 29	Gyan Sridhar	40	Farmer	Hindu	Stricture urethrae. Dranm-tie.	Perineal section	2
2 March 30	Shree Chandra	24	Wagon Driver	Hindu	Epithelial Cancer of penis.	Amputation of penis	6
11 Aug/31	Saymanee	75	beggar	Hindu		Amputation of right leg with end of metatarsal bone of foot & toes of left foot with heel bone	8
9 March/32	Donatan Sef	40	Siddhar	Hindu	Cystic tumour - just behind the ear of lower jaw - right side	Dissection of Cyst	11



J. J. Fayre During the year 1884-

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
1 <sup>st</sup> March/84	18 <sup>th</sup> 4/84		Cure	Cancer of the rectum about the anus, cedema of the oedema causing pain. Much a considerable excision of the glands. The tumor enlarged. He has been 8 or 10 lbs. The last 2 lbs. escaped forth. The tumor was not cut off so much higher. There was sphincter - it was cut off. A small vessel of about 3 or 4 of blood lost.
2 <sup>nd</sup> March/84	18/3/84		Cure	Thumb bitten by a horse, comp. fracture of 2 <sup>nd</sup> phalanx about 120 days before admission. Recurring suppuration & incipient implantation of fungus. Head of metacarpal bone removed.
2 <sup>nd</sup> March/84	3/3/84		Transferred into the	Transferred into the perineum, result of a fall on the perineum, a month or two ago - he had much blood, and a good deal of the matter in the perineum was very hard. The structure of the tissue was not altered. The structure was a narrow and hard as located tissue. Nerves without a director and a little bit of the tissue of the bladder. There was a considerable hemorrhage.
6 <sup>th</sup> March/84	25/3/84		Cure. Left the hospital. Wound cured	The penis was amputated by the Scapular - not a drop of blood was lost - Specimen preserved into the Museum.
8 <sup>th</sup> March	14 <sup>th</sup> 4/84		Cure	This woman's great toe was amputated 8 months ago. She was admitted here with swelling of the stump. The wound healed, but the swelling of great pain in the toe. Amputation was performed with the head of the metatarsal bone. The bone was found to be quite soft with fatty degeneration.
11 <sup>th</sup> March/84	3 <sup>rd</sup> 4/84		Cure - slight discharge from a sinus. Wound cured.	This was a large cyst, about the size of an orange, at angle of face. Just below the ear. Horse hairs were used in the operation.



# Operations performed by the 1<sup>st</sup> Surgeon

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
13 March/83	Sheer Khan	40	Rhinomys	Impaler	Congenital Harelip	Operation for hare lip left side of lip
9 March/84	Shamall Ghosal	31	none.	Hindu	Scrotal tumour	Tumour removed.
13 March/85	Sanchaon Sop	31	Shop. Saper	Hindu	Atresia oris	Adhesions decided
18 March/86	Kajoo	35	Cooly	Impaler	Gangrene of part of right foot.	Amputation of part of foot with head of metatarsal bone.
13 March/87	Sheer Khan	36	Rhinomys	Impaler	Scrotal tumour	Tumour removed.
21 March/88	Ajizim Kela.	7	none	Impaler	Adhesion of fingers to the palm & each other result of burn.	Adhesions separated
15 Feb/89	Boorjall. Bose	16	Student	Hindu	Disease of ankle joint	Excising Ligaments between 2



*Dr. J. Payne - During the year 1864*

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
13 March/64 9 am	22/3/64		Cure Perfect union took place	Wound stitched with horse-hair. He had also Scarlat febrilis & typhoid. Operated on & cured below.
21 March/64	15 May/64		Cure	Duration of disease 8 years. Wt. 903. Ligatures applied.
21 March/64			Locellum of mouth - Impure became rapidly irreparable. The jaws could be opened to a considerable extent, but could not hold food.	This was a complete adhesion of the tongue to the lips & the lips to the gums. From the result of abuse of mercury. The adhesion divides a oral orifice enlarged by 2 incisions at one at each angle.
21 March/64	17 May/64		Cured	This man had Compound fracture of right tibia with laceration of parts. He came in 3 days after the accident when gangrene has already set in - gangrene extended - amputation performed - Very little bleeding. No ligatures put. Flaps not stitched up.
22 March/64	6 May/64		Cure -	Ordinary scrotal tumour - 18 years growth. Wt. 18 903. 15 ligatures.
25 March/64	7 April/64		Cure	This was adhesion of ring finger to the little finger & both of them to the palm. Right hand - result of burn. The last phalanx of little finger lost. Duration 5 years. The adhesion of ring finger divided & the finger put upon a straight splint.
26 March/64	11 April/64		Cure.	The patient had a disease ankle joint with sinuses. The tendo-achille & posterior tibial tendon were divided to give vent to the foot. The heel was drawn up. The tendons caused irritation & pain at the joint.



Operations performed by C. J. S. J. S. J. S.

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
13 Aug 40	Nobin Chandra.	32	Musical	Hindu	Anterior of knee joint (right leg)	Arthroscopy
14 Sept 41	George Gregory	23	Assistant	East Indian	Compound comminuted fracture of humerus	Amputation of humerus
14 Sept 42	Pattabekham Raju	41	Blacksmith	Hindu	Scrotal tumour <sup>73</sup>	Tumour removed
14 Sept 43	Bacharam Shasa.	42	Cook	Muz	Scrotal tumour <sup>74</sup>	Tumour removed
10 Sept 44	Shahid Ali	16	Blacksmith	Indian	Large laceration on inner aspect of right knee-joint	Amputation of thigh bone 2" incision - circular
13 Sept 45	Rupchand	50	Carpenter	Hindu	Scrotal tumour <sup>75</sup>	Tumour removed



During the year 1884 -

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
28 March/84	25 July/84		Cure -	The patient when admitted had a deep-seated abscess of his calf. with the leg fixed upon the thigh. The abscess healed, but the contraction of knee joint remained. The Haemorrhagic tendons were severed & removed & the leg put upon Malgaigne's splint.
4 April/84	5 April/84		Death from Gangrene.	The patient had a Compound comminuted fracture of left Humerus at its lower 1/2. on the morning after admission - the loose bones were removed, the wound enlarged & the end cut off. Gangrene set in and amputation of the shoulder joint performed - No P.M. 6000 removed by his friends.
7 April/84	4 July/84		Cure -	Duration of disease 5 years. L.H. of tumour 1 1/2 x 1 1/2 x 3. Both testicles healthy & preserved. about 15 ligatures put.
8 April/84	4 July/84		Cure -	Duration of disease 2 years. L.H. of tumour 1 1/2 x 1 1/2 x 3. Both testicles healthy & preserved. about 7 ligatures put.
12 April/84 9 1/2 am			Death from Gangrene	The opening into the joint was on 7 April. The patient was put to bed - the first day, but when the wound was 24 to 26 mm - see next day's page. It bled on the 2nd day. The purging began & with the joint. The inner condyle was found rough - He had a fever the day before the operation.
15 April/84	11 April/84		Cure -	Duration of disease 3 years. L.H. of tumour 3 1/2 x 1 1/2 x 3. Both testicles hard.



Operations performed by 1<sup>st</sup> Surgeon

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
17 <sup>th</sup> Apr 48	Meas.	30	Farmer.	Mysore.	Calculus Vesicae	Lateral Operation for Lithotomy
10 <sup>th</sup> Apr 49	Shahid Ali	16	Cashman.	Mysore.	Os. Malignant	Amputation at Hip-joint
22 <sup>nd</sup> Apr 48	Sobeshar Kandy	50	Cashman.	Hindu.	Stricture with urinary stones.	Perineal Section. Syme's method
20 <sup>th</sup> Apr.	Charles Thompson	30	Seaman.	London.	Inducible inguinal Hernia. Right side.	Radical Cure for Hernia. Syme's method
27 <sup>th</sup> Apr.	Steven Clark	35	Home	Irish	Spine injury of left eye ball.	Removal of eyeball
22 <sup>nd</sup> Apr 48	Harriah (A. Galt)	37	Cashman.	Hindu	Fungus of finger.	Amputation of middle finger with loss of metacarpus. Lymphatic







Operations performed by P. Surgeon

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
2 <sup>nd</sup> May/54	William Herrin	32	Seaman	English	Stricture of Rectum	Stricture divided by probe-pointed bistoury
25 <sup>th</sup> Sep/53	Lumee	35	Major	Indian	Costal tumor <sup>76</sup>	Tumor removed.
29 <sup>th</sup> Sep/54	Richard Chapman	37	Seaman	English	Deep-seated perimal abscess - abscess	abscess laid open by an incision in perineum in the middle line
6 <sup>th</sup> May/55	Samuel Nicholson	23	Seaman	Scott	Dislocation of head of left humerus anterior	Dislocation reduced
13 <sup>th</sup> Sep/55	Rajeswari	7	35	None	Hind Limb Suppuration of left knee joint following fracture of left tibia	Amputation of thigh bone 3" by modified flap method.



J. J. Gayner. During the year 1864 -

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
3 May/64			Delivered.	This stone was about 1 1/2 in. x 2 in. x 1 in. long. Very like found of bone and matter in the pores of the finger. He has not lately suffered from it for a long time. On the 2nd of June he has been struck by a stone in the right eye and appears to have suffered frequently before that he is a full better looking boy than when he was struck.
16 May/64	17 July/64		Cure -	An ordinary elephantiasis of scrotum & penis. The penis much hypertrophied. Duration of disease 4 years. Wt. 13 1/2 lb. No blood in the left testis & epididymis - about 4 lb. in the right testis. Both testis increased. 7 Spermatazoa in the fluid.
16 May/64				A deep seated perineal abscess giving rise to fever. The perineum was somewhat full but there was great tenderness at the part.
9 May/64	21 Aug/64		Cure.	This was a case of old dislocation of head of left humerus forward under the coracoid process & about a fortnight's duration. The accident from a fall on the left shoulder. Perhaps not repaired.
9 May/64	10 May/64		Died of Pyæmia	This patient came into Hospital with simple fracture of both tibiae about ten weeks before the accident. The fracture of left tibia was an oblique one, & one of the sharp end was pressing from within the integument. There was good deal of difficulty in keeping the ends in apposition. Sharp attacks of fever preceded by shivering came on some days after admission. The simple fracture became compound the left knee-joint suppurated and all the other symptoms of Pyæmia supervened. Tongue dry. Pulse 160 very full. Delirium & Convulsions. Amputation of thigh with lower 3rd by modified flap was performed on the morning of 9th as a last chance. She expired on the evening of the following day. Some of the impurities in the pus. The ends were necrosed & when the medullary canal about an inch to each end.
				P.M. The body was examined about 18 hours after death. On opening the chest the lungs were found hyperstatically congested. There were one or two patches of dead lung tissue in the margin of lower lobe of right lung. There were vesicular tubercular deposit in apex of both lungs. Some of the deposit were calcified. The liver was very pale & spleen healthy. Kidneys healthy. There was pus in the muscle of calf of the right leg. The right knee joint was also full of pus. The iliac vessels were healthy looking & thin coats. The natural thickness. There was no callus about the end of broken tibia of right leg. The ends were necrosed & when the medullary canal about an inch to each end.
				Both lungs contained a quantity of apical hyaline.



Operations performed by 1.<sup>st</sup> Surgeon J. J. J. J.

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
13 May/65	Mohamed Hosun	6	none	Impuluan	Dislocation of head of femur into the foramen ovale.	Dislocation reduced.
16 May/65	Shurabphur Banerji	40	none	Hindu	Structure with stone. Extraction of stone by the method.	Perineal section.
18 May/65	Ipur Chundu Sim	24	Peberaj	Hindu	Stone in the urethra. Perineum laid open in the center & the stone extracted.	
25 May/65	Okhoy (son of) Bhakta Okhoy	29	Student	Hindu	Dislocation of the head of humerus in forward.	Dislocation reduced.
6 June/65	Jeffer ally	28	Postman	Impuluan	Comp. fracture of tibia & fibula.	Amputation of leg at its upper 3/4.



Ouring year 1884 -

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
13 May/84.	16 May/84.		Cure	Under Chloroform the dislocation was easily reduced without surgery -
17 May/84.	24 May.		Death.	A Very rigid structure 26 or 27 years standing. He came into Hosp. with retention of urine and extravasation deep in the perineum. Beside the stricture at the usual place there was another very rigid stricture about an inch behind & half beyond the anterior meatus of urethra -
18 May/84.	9 June/84.		Cure -	<p>P.M. Both lungs were adherent to the pleura by some old adhesions. There were some tubercular deposits in apex of both lungs. Heart &amp; pericardium healthy. Liver very much congested &amp; enlarged. Spleen &amp; kidneys normal. The peritoneum covering the surface of bladder was adherent to the wall of the bladder. In separating the adhesions. There was found a small abscess in the wall of the bladder. It opened spontaneously into the cavity of the bladder at the point where the catheter must have rested. Inst. of bladder very much thickened. The collection began between the neck &amp; apex of bladder &amp; pericervical.</p> <p>The patient came into Hosp. with his bladder greatly distended and difficult in passing urine. On passing a sound a stone was felt impacted in the urethra. It was removed by the use of a lithotrite. It was composed of humerus &amp; pericardium. It was of medium section &amp; Permeable.</p>
25 May/84.	28 May.		Cure -	An ordinary dislocation of the right shoulder joint downwards. 4 days standing - it was easily reduced under chloroform -
10 Aug/84.	11 Sept.		Discharge Cured. Stump quite cicatrized. Could walk with the wooden leg.	The patient had Compound fracture of tibia & fibula of right leg about the lower 3rd. The wound suppurated, the bone became denuded of periosteum, discharge continued. After 4 weeks the leg was amputated by the anterior position. Flaps performed on the 10 May. There was exploration of 2 or 3 pieces of bone. The patient was discharged quite cured.







During year 1864 -

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
20 <sup>th</sup> June/64	28 <sup>th</sup> June/64		Cure.	Epithelial Cancer of upper lip. near the angle of mouth right side. - He had it removed 2 <sup>nd</sup> before; but it recurred again. - The wound healed nicely & the patient was discharged apparently cured.
21 <sup>st</sup> June/64	5 <sup>th</sup> July/64		Apparently Cured. Hernia	An ordinary reducible inguinal hernia of right side.
			and he returned after he	
			<del>from the hospital</del> absconded	
			from the hospital. The wound	
			was nearly healed. He returned	
			he afterwards presented to the general	
			hospital. The hernia having	
			come down again.	
21 <sup>st</sup> June/64	18 <sup>th</sup> July/64		Relieved	old adhesions resulting from abuse of mercury. - When the patient was admitted, she was very weak. - not operated on until her health had been good deal improved by Cod. Liver oil & Iron.
22 <sup>nd</sup> June/64	11 <sup>th</sup> Aug <sup>st</sup> /64		Reunion of cut page.	Hyperaemia result of ulcer in the lower penis. The edges of the sinuses raised with brown stitches with horse-hair - & a catheter kept in the bladder. Urine sometimes coming in contact with the wound. Caused it to suppurate & the wound did not unite.
24 <sup>th</sup> June/64	24 <sup>th</sup> June/64		Seemingly Cured with a	Diseased foot. Chronic ulcer on the inner & dorsal aspect. - Sinuses leading into carious bones. The bones much enlarged. - After operation, the tarsal & metatarsal bones were found softened & degenerated. The patient is to try & walk - & ligatures were put applied
			any he back stump. He	
			was able to walk in 4 weeks	
			and the wound has healed	



Operation performed by P. Surgeon D. Nagar

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.	
22 <sup>nd</sup> July/67	Mohan Ch. Mitta	31	husband	Hindu	Hypospadias.	Perineal section. + skin grafts + stitches	24
19 <sup>th</sup> June/68	M <sup>rs</sup> Nagar	7	none	Indian.	Disease of wrist joint. Mentioning of country	Actual Country	
27 <sup>th</sup> June/69	Kistaram	7	14	none	Hindu Venereal warts	Excision of warts - mark	25
3 <sup>rd</sup> July/69	Futlick Churn	25	none	Hindu	Salivary fistula	Operation for salivary fistula.	4
17 <sup>th</sup> June/69	Henry Jackson	45	none	English	Disease of shoulder.	Actual Country	7.
13 <sup>th</sup> July/69	Roop Chandra	50	Carpenter	Hindu	Hernia testis.	Manipulation of Ligament operation for hernia testis.	9



During year 1864 -

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
26 June/64. 11 Aug/64			Discharged. Wound. The wound after the removal of tumor, closed & plastic operation finally healed.	The sinuses have been paired & stitched before - but the wound not healing - his perineum was laid open, & tubes kept in the bladder through the wound & the wound again paired & stitched -
June/64. 19 Aug/64			Discharged. Made the Clapnet over ankylosed joint the worst from the most formidable symptoms of general health much improved	The patient had a strain of his wrist about 8 or 10 days before admission. The wrist inflamed & the deep-seated pain not subsided actual Country & 4 drs applied -
28 June/64. 20 July/64			Cure.	Large Cystic. flower like growth between the labia majora -
4 July/64			The opening in the cheek was closed. Tumor by plastic operation. A skin graft from the back of the neck was placed in the wound. It was found on the 4th that the thing was found to have the thing closed. The saliva flowing into the mouth through the & established channel.	This patient had an abscess on cheek about 12 years ago. The opening of the abscess remained as a sinus through which saliva dribbled. On probing the fistula the track of the parotid gland was found closed. An incision was made, the probe passed through & a seton kept in. After some days, the seton was removed, the edge of the sinus refreshed & the wound stitched with barbed hair. Fistulous opening lay near the edge of the parotid gland, about an inch in front of the ear.
7 July/64.			The position of the shoulder joint completely restored. Skin. General health much improved. He became stout & strong.	An old case of fracture of humerus - the actual Country was applied for deep-seated pain - Much has been from necrosis and necrosis of joint & wasting of arm. Probably some deep sequestrum of disease still in humeral joint.
9 July/64. 11 Aug/64			Cure.	This was a contraction of cicatrix around the testis, in a case of operation for scrotal tumor. Result of bad dressing. Reduced the testis by dissecting under parotid of retroperitoneum. The outside of scrotum in which I had



Operations performed by 1<sup>st</sup> Surgeon J. F. Fagun

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
11 May/64 73	Kistareen	7	30	labrum Hindu	Contraction of tendons with atrophy of muscles since birth - ankylosis of knee.	Huotony
15 Feb/64 74	Lopul Ch. Mootongu	29	29	Loican Hindu	Vascular tumour of scalp	Excision & ligature
4 Feb/64 75	J. Bickford	28	1 <sup>st</sup> Mate American Dragoon	Comp. fracture of humerus	Dislocation of humerus from socket of humerus.	Amputation of humerus
17 Feb/64 76	Shere Pauchos	40		Malabar	Cerebral tumour	Lumbar puncture
15 Feb/64 77	Hemphand Ghose	22	Cooly Hindu	Comp. fracture of tibia & fibula	left at its upper third - at lower third	Amputation of leg
18 Feb/64 78	Rhidaq. A. Khasadi	30	Hindu	Malabar	Stricture urethra	Perineal section & urinary fistula.



Генерал 1864 -

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	Remarks.
12 July/64	25 July/64		Cure.	Foot stretched and the heel drawn up by contraction of tendo-achillis - knots which decided subcutaneously after foot put in splint. (molestation of nerves from after pressure suppurated abscesses in the lower part of thigh & upper part of the leg - the foot drawn up during the progress of the disease)
15 July/64	17 July/64		Cure.	Vascular tumour on the left side of scalp about the size of a nut - of 2 months duration - red with a ligamentous and then suppurated with sloughing. By pressure came away. Wound healed & the skin with a needle & suturing was drawn up & sutured; suppurated needle removed on 2 days no more hemorrhage. Scar wound out (cured)
19 July/64	1 Aug/64		Cure.	Injury caused by explosion of a flask of sulphuric acid displaced the vitreous from globe & the globe broken into parts in ball of thumb & palm of hand lacerated & lacerated & lacerated & some of the thumb, hand, & fingers amputated. At present hand on the 16th July
20 July/64	24 July/64		Cure.	Hypertrophy of scrotum of 5 years growth - penis not involved & consequently the skin covering the penis preserved. Wt. of tumour 1 lb 5 1/2 oz. By section the left tunica vaginalis very much thickened.
20 July/64	23 July/64		Death	Large tract falling a leg of a bag of disease of bone, stimulation probably stripped of periosteum both of bone & skin off - penis enlarged & on 16th Aug. & symptoms of pyæmia with four days' inflammation of the leg. Came on in the 20th day of suppuration & died on 20th July. Strongly of stomach & pyæmia symptoms continued
20 July/64	9 Aug/64		Death from Drunkenness	an old standing stricture (urethra) - Drunkenness, troubled with sinuses - through which urine used to dribble - Drunkenness came on a fortnight after the operation. He was weak & exhausted & it carried him off on the 5th Aug.



Operations performed by P. Sagar J. Sagar

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.	
5 Aug/81	Christodhru Comda	55	Farmer	Hinda	Reducible inguinal Hernia left side	Radical cure for Hernia	
25 July/82	Pitamba Chicheshetty	52	Iron	Hinda	Necrosis of phalange ring finger - left hand.	Amputation of ring finger with head of 1st Metacarpus.	
22 July/82	Appana	30	Lascar	Madras	Incipient Elephantiasis - thickening of the skin of penis.	Hypertrophied skin dissected & removed	
25 July/82	Leuo Shale	28	Barber	Impulman	Cystic tumour.	Cyst dissected	
20 July/83	Porsons	7	23	Madras	Hinda	Caries of left elbow joint.	Excision of elbow joint.



June's year 184 -

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
20 July/44	16 Sept.		Cure	An ordinary reducible inguinal Hernia of left side. Was removed on 4 <sup>th</sup> morning. This patient though a very old man did very well - when he left the hosp. it proved to be a very successful case.
25 July/44 - 30 Aug/44			Cure	This patient had the ring finger of his left hand pricked by a sharp piece of wood about 8 months ago. The wound suppurated & the phalangeal bone necrosed.
25 July/44 - 6 Aug/44			Set his discharge before the cicatrix was complete.	The patient had primary syphilis about 2 months ago. The hypertrophy of the skin of penis followed subsequently. The scrotum was also in a state of incipient Elephantiasis.
25 July/44 - 7 Aug/44			Cure	The cyst was about the size of a hen's egg. It was situated on the left parotid gland. It has been growing for the last 10 months after operation almost the whole of the wound united by 1 <sup>st</sup> intention.
26 July/44			Cured	Caries of left elbow joint of 3 years duration. There was one sinus below the joint communicating with the necrosed bones. The operation was performed by an H shaped incision. The bones were much diseased. The head & tubercle of the radius found



Operations performed by 1<sup>st</sup> Surgeon Dr. Fagun.

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
22 July/84	Manic Chand	60	Cork.	Hindu	Hydrocele of left side - with Elephant - traces of Syphilis -	Hydrocele tapped & injected.
27 July/84	Bhuggaratt	60	Hindustan	Hindu	Finger of left hand crushed by a piece of iron.	Amputation of finger.
29 July/84	Ramchand Shaha	56	Shop. Kup.	Hindu	Strangulated Hernia	Operation for Strangulated Hernia.
1 Aug/84	Mudde	30	Cooly	Hindu	Scrofula tumour	Gum removed
6 Aug/84	Charles F. Thomson	18	Surgeon	Indian	Stricture of Rectum	Stricture <sup>removed</sup> <del>described</del> .



During year 1864.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
29 July/64.	11 Sept/64.		Discharged much improved. Still absorbed but no remarkable thickening of Scrotum. Some a longish swelling.	This was a large hydrocele of left side with Elephantiasis of Scrotum 1 1/2 years duration. The left side was tapped and 1 1/2 fluid ounces of serum drawn off. The sac was injected afterwards with strong Iodine. 2 <sup>d</sup> operation on the other side, which, filled as the other was absorbed. 55 ounces were drawn off.
29 July/64.	13 Sept.		Discharged cured. But the leg & foot are now very anasarca. Some albuminous. The dark purplish brown on the leg & foot. There is a good deal of Swelling in the lower extremities of the leg & foot but the wounds are healed without treatment.	Left hand crushed by the fall of a heavy piece of iron. on Evening of 26 July. There was complete fracture of 1 <sup>st</sup> phalanx of both ring & middle finger. & 2 <sup>d</sup> phalanx of Index finger. The distal parts covering them also much lacerated. on 29 July amputation in the middle finger. Amputation of ring & middle finger proximal to their metacarpal-phalangeal articulations and the index finger at the 2 <sup>d</sup> phalangeal joint performed on the morning of 29 <sup>th</sup> .
29 July/64.	24 Sept/64.		Died of Sclerema tumour of Scrot.	The patient has been suffering from reducible inguinal Hernia for 1 year. for last 24 hours he has been suffering symptoms of strangulation. at the time of admission he was very weak. his pulse was feeble & was very sick. at 10 am the operation was performed & the stricture removed. the sac just being opened - the symptoms not being relieved at 2 PM the sac was opened and about 5 inches of small intestine were found strangulated. The tumour consisted of omentum & about 8-10 inches of small intestine.
6 Aug/64.	27/9/64.		Cured	Ordinary Scrotal tumour of 1 year standing. wt of tumour 2 lb. + 10 oz. 18 ligatures put. Both testis healthy & saved.
6 Aug/64.	15 Sept/64.		He went ashore the day but foot & leg began to swell the 2 <sup>d</sup> day after the operation. Symptoms of Phlegmon & Abscess of lower leg & foot. He died of Sclerema tumour of the foot.	The patient has had stricture of urethra about 3 inches above Rectum. it was a very hard one & would not allow a small sized bougie to pass. I introduced the stricture sheath & put in a small rubber catheter and then washed a bougie of the size of the thumb.



Operations performed by 1<sup>st</sup> Stage Dr. Fagun

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
12 Aug/89	William Anderson	23	None	Englishman.	St. Bacilld unguinal thania	Operation for the radical cure of thania
26 Aug/89	Gresh Ch. Mondal	32	Shop. keep.	Hindu	Stricture urethra + urinary stones.	Urethral section
29 Aug/89	Lachman	24	Cooley	Hindu	Dramatic lesions with lacertis horns of right fore finger The last digit of phalanx beginning to ulcer	Amputation of digital phalanx of right fore finger -
29 Aug/89	Boycanto	42	Farmer	Hindu	Calculus Vesicae	Lateral Operation for lithotomy.







Operations performed by F. J. Jagan. D. Jagan

Date of Admission.	No.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
15 Aug 1893		Shourub	7	28	maidan	Madras	Actual Castrating
17 Aug 1894		Subbarimandal	26	bratman	Madras	Rectal tumor.	Lamom removal
10 Sept 1895		Wazir Shah	32	chapman	Madras	Calculus Vicia.	Lateral operation for Lithotomy
11 Sept 1895		Goya	7	35	none	Madras	Amputation of left breast
11 Sept 1897		Shumbho	9	none	Madras	Parasophageal lip	Wound injected with saturated sol. of tannin



Burial year 1864 -

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
7 Sept/64	17/10/65		When she left the hospital she was able to walk - pain almost gone - there was shortening of the left leg to about 1 inch.	Deep seated pain in left hip increasing and causing great constitutional disturbance. Heat pain in the knee - & across of the foot. Leg. - The urine was found on occasion to be slightly albuminous. No renal or renal disease. Some albumen normal. Urine - She had lost some of prep. of iron & other things with menstruation act.
11 Sept/64	23/12/64		Cured	This patient when admitted was very weak & anemic. & was not operated upon until his health had been improved by tonics. Duration of disease 3 1/2 years. Lot of tumour 5 lb 9 1/2 oz. Weight 20.
11 Sept/64	9/10/64		Wound with heals - discharged cured -	Had an abscess and Calabar of. & later abscess - no more further abscess -
16 Sept/64	25/12/64		The disease returned in the cavity & was observed on the 20 Oct/64 - a second operation was performed with 3 1/2" & after this she left the hospital apparently cured -	A hard, firm, tumour of left iliacum in sand to the right of the umbilicus. The whole found firm - no hereditary tendency. Patient was an acceptor - She has had a 5-6 children. The last 8 years ago. She menstruates regularly. Was not knowing any cause for the tumour. She has lost 100 lbs. acc't of the death of her son 9 months ago. It is 8 months in written history. Tumour hard - irregular at times - but no change in the shape. Cystic growth in upper part of it. Discovered a mass of some dark skin of. Tumour size of a large orange - whole tumour with lobes and the brown speckled many granule cells for the most part. Diagnosis of Cancer. It is probably fibrous. but certainly suspicious and the patient acc't of its history. Menstruation is not to be depended on.
12 Sept/64	12 Oct/64		The tumor coagulated blood and came away through the opening in the skin over the tumor. The left arm was perfectly removed - The tumor must be satisfactory	The tumor was injected with carbolic acid of tannin. By the hypodermic syringe. It became imbedded all over the skin on the right side. The tumor was removed by the use of the cautery. It was exhausted through an ulcer in the inner surface of upper lip - no bleeding -



Operations performed by 1<sup>st</sup> Surgeon J. J. J. J.

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
17 <sup>th</sup> Oct. 98	Narian Singh	32	Chapman	Hindu	Scrotal tumour <sup>30</sup>	Tumour removed
7 <sup>th</sup> Aug. 1899	Dowdally Khan	35	Coachman	Impaler	Comp. fracture of ulna (right forearm).	Amputation of forearm upper third.
25 <sup>th</sup> Sept. 1900	Dosoruth	20	Servant	Hindu	Amputation of Carpal Cartilage	Actual Carpal
24 <sup>th</sup> Oct. 1901	Bholac	35	Maharaja	Hindu	Comp. fracture of left leg	Amputation of thigh lower 2 <sup>nd</sup>
14 <sup>th</sup> Oct. 1902	Berry, Chop Bholac	6	none	Hindu	Dislocation of right hip to dorsum illi	Reduction of dislocation
18 <sup>th</sup> July. 03	Lachhy	50	husband	Hindu	Atrophia Ovis	Adhesions separated



During year 1864 -

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
26 Sept/64	30/10/64		Cured.	An ordinary scrotal tumour of 6 years duration. 1st of tumour 1 1/2 lbs - 16 ligatures. Both testicles healthy preserved.
27 Sept/64		5 Oct/64 P.M.		Refuse suppuration. Pyæmia. symptoms of Krebs very much concealed. After myelitis & pyogenic focus. Krebs - lungs congested. Thrombosis of veins. Symptoms of Pyæmia healthy. Heart normal. partially relieved. but returned on 11th with containing 2 small clots. signs abdomen. Liver somewhat congested. Spleen. congested. Kidneys healthy. Lungs of radius & alveoli. increased. Krebs was deposit of pus in the sheath of muscle & made fasciculi about the elbow joint. There was pus in the basilic vein. extending as far as the junction with the axillary. there was found along the vein.
1 Oct/64			Relieved	Alleviation of cataplexy of wrist. - Distress from spelling of the disease & whole arm swollen. Starting from the wrist to the elbow. Applied 20th of Ointment - two strokes over back of wrist. 3rd of wrist - first stroke - could be heard when he was examined under the microscope. He was deafly relieved & cured of the cataplexy.
1 Oct/64			Death from Pyæmia	The patient was admitted on the 24 Sept. with compound fracture of left tibia. Suppuration took place, the end, increased. When the leg was amputated symptoms of Pyæmia have already advanced.
14 Feb/64	17 Feb/64		Cure.	
19 Feb/64	26/11/64		Relief -	Close adhesion. The result of salivator. which is formed & non the ago. adhesion divided. Boundaries hemorrhage.



*Operations performed by Dr. Jayam T. Seng*

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
25 <sup>th</sup> Oct/14.	104. Gohmal.	35	Farmer	Hindoo	Dislocation of Hip to groin on left	Reduction of Dislocation
23 <sup>rd</sup> Oct/14	105. Ponnai	20	Cookman	Madam	Carries.	Amputation of right middle finger -
17 <sup>th</sup> Oct/14.	106. Rajeswaraiah.	30	Prostitute	Hindoo	Hypertrophy of Clitoris.	Removal of Hypertrophied Clitoris.
25 <sup>th</sup> Sept/14.	107. Ramchunder	45	Barber	Hindoo	Scrotal Tumour <sup>51</sup>	Tumour removed
24 <sup>th</sup> August 188	Rufusadum.	16	None	Malabar	Necrosis of Femur.	Necrotic bone removed
25 <sup>th</sup> Sept/14	109. Phussarat	20	Servant	Hindoo	Hypertrophy of cartilage of wrist	Actual Cauteley
26 <sup>th</sup> Oct	110. P. Decruze	18	None	Epstein	Inflammation of tarsal bones of foot.	Actual cauteley.
26 <sup>th</sup> Oct	111. Potamlin. Day	34	Shopkeeper	Hindoo	Stricture of urethra extrusion of urine	Perineal Section



Swamp year 1864

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
21 <sup>st</sup> Oct/64.			Cure	Reduced after 15 days. First day it was reduced into Scirrhus nodosus. Following day head of bone split into two lobes.
23 <sup>rd</sup> Oct/64	23/10/64		Cured	Bones had been injured by a car wheel. 2 or 3 nights before - The operation was followed by profuse suppuration with very little pain in the part affected. The car wheel was removed by manual dissection, and was made in pieces. The operation was followed by profuse suppuration.
24 <sup>th</sup> Oct/64.	5/10/64.		Cured	Staphylococcus of the Lobe. The operation was followed by simple external incision.
24 <sup>th</sup> Oct/64.		10 <sup>th</sup> Nov/64	Death from Septicemia. Wounds not healing well.	An ordinary Staphylococcus of the Lobe. He was attacked by Septicemia on the 10 <sup>th</sup> Nov. and died on the 10 <sup>th</sup> Nov. The operation was performed on 24 <sup>th</sup> Oct.
25 <sup>th</sup> Oct/64.				Suppuration of the large third of the Lobe. caused by simple incision & true process.
27 <sup>th</sup> Oct/64.	24/9/64.		Cured.	
27 <sup>th</sup> Oct/64.	23/2/65.		Much relieved.	Has suffered for months with deep cutting pain in upper part of Sacral Bone. Acting on the same relief.
28 <sup>th</sup> Oct/64.	10 <sup>th</sup> Nov/64.		Death of Septicemia	He had right Staphylococcus in front of Lobe. Permeated also from the Lobe. - Abscess laid open. and Staphylococcus decided. Wounds did not heal. Wound healed by the Lobe. - He was attacked by Septicemia of the Lobe. Staphylococcus & death on the 10 <sup>th</sup> Nov. He died in the hospital on the 10 <sup>th</sup> Nov. The Staphylococcus was limited to the Lobe of Septicemia & Wound. Permeated the Lobe because of Staphylococcus & was also very abundant.



*Operations performed by I. Sanyal B. Sanyal*

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
24 <sup>th</sup> Feb. 1912	Shadachurn	54	none	Hindu	Inguinal Hernia	Ligated Operation for Hernia
31 <sup>st</sup> Oct	113 Puddo	50	Laborer	Hindu	Dislocation right hip to scapula neck	Reduction of Dislocation
11 <sup>th</sup> Sept. 1914	Gya.	35	none	Hindu	<sup>Accumulating</sup> Cancer of left breast	Removal of Cancer
31 <sup>st</sup> Oct	115 Ram nauth	16	none	Hindu	Sheep, Iliac	Sheep opened
4 <sup>th</sup> Nov. 1914	Shunoyy	65	Farmer	Hindu	Dislocation left hip	Reduction of Dislocation
4 <sup>th</sup> Nov. 1914	Keylash	14	none	Hindu	Compound dislocation left wrist, compound fracture left humerus	Amputation left Shoulder
6 <sup>th</sup> Nov. 1914	Keiry Lincor	34	Lincor	Hindu	Tumour, probably In chondroma, of the right tibia	Tumour removed



Jan 1889.

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
3 <sup>rd</sup> Feb 1889.	10 <sup>th</sup> Feb 1889.		at the time of discharge there was found that of the clippings introduced 31 Feb. I should not have been so sure of the right cord & the hernia & for a deal of time I was of the opinion that the hernia was to come down through the hole -	Right side hernia. In Scrotum. 12. 12. 1888. Subsequently the swelling ceased and the wound gradually healed up. When he left the hospital the hernia used to come down though not so large as before the operation.
31 <sup>st</sup> Feb 1889.	13/2/89			Reduced after 5 days.
31 <sup>st</sup> Feb 1889.	25/2/89.		Left thickened & apparently cured - no enlargement in the cicatrix -	had been returned in cicatrix of operation performed on 18 <sup>th</sup> Feb. Hernia returned on the 25 <sup>th</sup> Feb.
3 <sup>rd</sup> Feb 1889.	11 <sup>th</sup> Feb 1889.		Cured -	Wound opened in the left inguinal region.
5 <sup>th</sup> Feb 1889.	24/2/89.			Reduced after one month. The left of the cicatrix in right side appeared to have been broken on the head of the bone & was movable & the cicatrix in the left side was not so firm & was not so much as the right side.
5 <sup>th</sup> Feb 1889.	14/2/89.			Again, seen in a fall from a tree - Swelling of the right side of the abdomen on the left side. Some affected with signs of other complications. Operation performed in the 5 <sup>th</sup> he was very low at the time & felt the shock of the operation much.
6 <sup>th</sup> Feb 1889.	4/2/89.			Immense size of small Coecum in lower third of pelvis. Of the lower fourth. Healthy looking. Some had been removed from the upper part of the pelvis. Removed the whole of the lower third of the pelvis.



Operations performed by P. S. Sanyal B. S. Sanyal

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
7 <sup>th</sup> Nov/64	119. Huchyand	36	Priest	Hindoo	Stricture of urethra & Abscess in Perineum.	Perineal Section
2 <sup>nd</sup> Nov/64	120. Shikho	60	Peasent	Hindoo	Rectal Calculus - 25	Latitral Lithotomy
2 <sup>nd</sup> Nov/64	121. Mrs. Kulo	46	House	Indian	Cancer of Right breast.	Excision of the tumour.
4 <sup>th</sup> Nov/64	122. James Goodwin	42	Sailor.	English	External Piles.	Excision of Piles.
14 <sup>th</sup> Nov/64	123. S. Shakh.	34	Mechanic	English	Hydrocele left side	Hydrocele tapped & injected
16 <sup>th</sup> Nov/64	124. Del. Karian	50	Mechanic	Hindoo	Hydrocele left side.	Hydrocele tapped & injected.



During year 1864 -

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
7 <sup>th</sup> May/64. 1 <sup>st</sup> June/65			Discharged - the wound quite healed - urine free through the natural passage.	He was admitted with a perineal abscess and retention of urine. Had dysuria in a bright stream, and suffered from occasional retention of urine since an attack of gonorrhoea about 6 years before admission. Perineal section was performed on 20 <sup>th</sup> Decr 64, and a large quantity of pus came out, & the bladder was also relieved. Subsequently he suffered from repeated attacks of hæmorrhage from the wound, but after some time the wound gradually healed up.
7 <sup>th</sup> Nov/64. 7 <sup>th</sup> Nov/64. 7 <sup>th</sup> Nov/64. Death				
11 <sup>th</sup> Nov/64. 19 <sup>th</sup> Nov/64. 19 <sup>th</sup> Nov/64. Death.				This patient with cancer of the right breast which was hard and nodulated - but there was no ulceration. The tumour was removed together with several lymphatic glands of the axilla, which were affected with cancer infiltration. Much fever and constitutional disturbance followed. She died 8 days after the operation.
14 <sup>th</sup> Nov/64. 6/2/64				Hæmorrhoid excised -
14 <sup>th</sup> Nov/64. 16/1/65 -				This was a case of small Hydrocele of the left side. It was tapped and injected with Lincol. solution. The patient left the hospital on the 5 <sup>th</sup> day.
18 <sup>th</sup> Nov/64. 9/12/64			Left the Hosp. much relieved	Hydrocele of left side - 4 years duration - on tapping 25 oz of dark red coloured fluid came away - it was injected with strong Liq. Carbolic - The fluid again collected & it was again drawn off & injected with 1 <sup>st</sup> of Carbolic/64 -



Operations performed by S. Sanyal M.D. F.R.C.S.

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
18th Nov. 1925	Korone dity	22	Beam boy	Warya	Hepatic Abscess.	Abstraction of Pus.
22 <sup>nd</sup> Nov. 1925	Kally Khem.	25	Chondala	Mahom - dani	Subcoracoid dislocation left shoulder.	Dislocation reduced.
6 <sup>th</sup> Nov. 1927	Kassy Sican	34	Siccan	Kinda	Osteomyelitis.	Amputation right arm upper 1/3.
14 <sup>th</sup> Nov. 1928	Boul Ach:	40	Farmer	Kunda	Scrofula tumour.	Tumour removed.



During year 1864

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
19 <sup>th</sup> Nov/64.	21/1/65.		P. Mr. Body extremely emaciated. The skin on the right superior ribs was ulcerated. The ulcer being about 3x4 inches on opening the abdomen the peritoneum opposite the ulcer was found thickened & adherent to the abdomen. The upper surface of liver (right lobe) was adherent to the superior ribs by fibrous bands - it was	This patient was admitted with an abscess pointing in the right hypochondrium said to have come on from an attack of bilious fever. He was much emaciated and anorectic on admission. On the 2 <sup>nd</sup> day distinct fluctuation was felt and about 17 1/2 of pus was drawn out with a hook and cannula. About 4 days after another opening was made with hook and cannula a little external to the former one, and about 1 1/2 of pus was drawn out. Afterwards from 10 to 16 oz of pus was drawn out every other day or even every day from these 2 openings alternately. Subsequently sloughs of the skin between the 2 openings supervened. This went on gradually extending. The discharge became scanty and thick as sloughs extended. Digest exhausted on the 31 <sup>st</sup> Dec/64. Subcoracoid dislocation of left shoulder joint of 2 hours duration. Stomach contents relaxed.
21 <sup>st</sup> Nov/64.	23 <sup>rd</sup> 1/1/65.			
21 <sup>st</sup> Nov/64.	4/12/64.		Died of Pyemia	The patient came into the hospital with a fibrous tumour connected with the right alvea. The tumour with the lower third of the alvea was excised. Profuse suppuration and persistent infiltration supervening into the medulla of the remaining bone supervening, amputation of the arm at its upper third was performed.
20 <sup>th</sup> Nov/64.	16 <sup>th</sup> Dec/64.		Died of Exhaustion & Dysentery -	An ordinary serotol tumour of 5 years duration. The woman was doing well. When several cases of hospital gangrene decaying - caused it to take a sloughing action. The penis was sloughed off. The gangrene gradually began to extend. Dysentery supervened & died exhausted on the 16 <sup>th</sup> Dec/64.

very slightly a small range

it was also adherent to the under surface of diaphragm the cavity of abscess was very much contracted, being lined by a thick greyish matter. There was a large abscess in the left lobe about an ounce in size containing healthy pus & dead liver tissue. The lungs were slightly congested posteriorly. The other organs healthy.



Operations performed by P. Sargun Dr. Sargun

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
30 <sup>th</sup> Nov/64/127	Amerson.	35	none.	Moham.	Polypus (nasal.)	Polypus Extracted.
12 <sup>th</sup> Dec/64/130	John Madden.	23.		English	Inguinal Hernia right side.	Ligament operation for radical cure
12 <sup>th</sup> Dec/64/131	Augardya.	20.	Trader.		Heinde Polypus in the Antrum of High nose.	Polypus Extracted.
9 <sup>th</sup> May/64/132	Munkica	7	25 maid servant	H	Hypertrophy of both Labia majora.	Hypertrophy of Labia majora. Removed by excision.
16 <sup>th</sup> Dec/64/133	Harvid Ch. Mondol	38	Trader	Hindu	Stricture urethra	Princinal section



Sumner year 1864

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
30 <sup>th</sup> Nov/64			Attended as an out-patient	A portion of the Polypus was extracted with a pair of polypus forceps. - There was much bleeding, in consequence of which it was not made out at the time whether a portion or whole of the polypus came out. The patient came back on the 12 <sup>th</sup> of December/64 - when the remaining portion of the polypus was extracted. She left the hospital as an out-patient.
7 <sup>th</sup> Decem/64	21 <sup>st</sup> Nov/64		When discharged, the invagination was still there & the stricture did not seem to come down on walking or coughing -	Inguinal Hernia - right side - Scrotal. of 5 years standing. They introduced on the 7 <sup>th</sup> Dec/64 and removed on the 21 <sup>st</sup> Nov/64. & cicatrization inflammation of the right side followed - Collection of pus took place under the skin which forced it out through the hernia. The suppuration ceased subsequently and the wound gradually healed. -
12 <sup>th</sup> Dec/64			Attended as an out-patient	This young man native of Singapore was suffering from Polypus in the Rectum of Highmore since his early infancy. - About 8 years ago - one was removed. He remained apparently free from it for about 3 years after which i.e. 5 years ago he noticed the appearance of another from the left side of the floor of his mouth. This was extracted with a pair of polypus forceps. - After extraction one finger was easily introduced into the Rectum. He left the Hospital as an out-patient.
17 <sup>th</sup> Decem/64	5 <sup>th</sup> Sep/65		Cured	The patient has been suffering from Secondary Syphilis for 5 years - has been salivated - & hypopharynx of which has come on subsequently.
17 <sup>th</sup> Decem/64	8/3/65		Abandoned. the wound was Contracted - prothosa pritha open - (written as 10) could be closed properly.	This man was an inpatient formerly - for stricture & urinary fistula. His perineum was laid open - & he left the Hosp. before he was quite well - as the wound in perineum began to contract, the stricture contracted & he came in the 2 <sup>d</sup> time on bed with stricture as before - urine also dribbling through the former wound.



Operations performed by 1<sup>st</sup> Surgeon Dr. Fayrer

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
18 Dec 1854	Indra Karian Gatt	44	Ship. Keel	Hindu	Strangulated Hernia (inguinal) right side.	Operation for strangulated Hernia
16 Dec 1855	W. J. Ryper	27	Surgeon	Indian	Chloria inguinal Hernia right side. Cur for hernia.	Ligament radical
28 Dec 1856	Mashub Ch. Moyma	30	None	Hindu	Primal abscess - fistula in ano.	Fistula laid open & abscess opened.
29 Dec 1857	Laroo Beaur	40	Bearer	Hindu	External Hemorrhoid	Hemorrhoid removed
28 Dec 1858	Mashub Chanda	32	None	Hindu	Scrotal tumour	Tumour removed



During year 1864 -

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
18/12/64 - 8/2/65			Hernia used to come down into the scrotum - but not so large as before operation - Relieved -	The patient has had inguinal hernia for 71 years. He came into the Hosp 2 hours after the symptoms of strangulation. Sac was not opened - stricture outside the sac decided after hernia reduced - the stricture was at the external ring.
19/12/64 - 13 Jan/65			When he left the Hosp the hernia did not seem to come down - felt quite strong in coughing - Patient - showed himself 3 <sup>rd</sup> & 4 <sup>th</sup> the 1 <sup>st</sup> time he was then 5 miles from (pm) 20/2/65. <u>Amid</u>	Ordinary oblique inguinal hernia 71 years duration - No tumor on the 3 <sup>rd</sup> day -
24/12/64 - 13 Jan/65			Remained quite healthy left the Hosp before it healed	A deep fistula opened by sharp pointed bistoury - it opened deep into the rectum behind the median line -
29/12/64 - 31/1/65			Cured -	Hemorrhoids excised -
30/12/64 - 4/3/65			Cured -	An ordinary scrotal tumor of 4 years duration. Wt. of tumor 1893 -











Operations performed by 1<sup>st</sup> Surgeon D<sup>r</sup> Fagun

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
1 <sup>st</sup> Aug/88	John Ellis	26	butler	Indian	Cheloid growth	Excision of the tumour.
6 <sup>th</sup> Aug/88	Danesh	38	Farmer	Impuluan.	Calculus Vesicae	Lateral Operation for lithotomy.
4 <sup>th</sup> Aug/88	Alumoodum.	25	Composite Impuluan.		Scrotal tumour	Tumour removed.
30 <sup>th</sup> Dec/88	Kofore	33	Wood man	Haida	Scrotal tumour	Tumour removed.
18 <sup>th</sup> Dec/88	Indoocharian butt	44	Shopkeeper	Haida	Oblique inguinal hernia (right side).	Radical cure for hernia.
6 <sup>th</sup> Jan/89	Charles Phillips	39	None	English	Supercutaneous abscess right side of neck.	abscess opened.



During 1865-

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
5/1/65-	2/3/65-		Cure -	The patient had a tumour on the back of his right shoulder. Which he removed about 16 months ago at Bombay Hosp. He remained well for 5 months, when the growth began to appear in the cicatrix -
8/4/65-	11/2/65-		Wound granit healed discharged cured -	Had uric acid Calculi weighing 28 grs. Operation performed by Dr. Beadell -
9/1/65-	26 Oct/65-		Cured -	Small scrotal tumour - of 2 years growth. Wt of tumour 2 lbs 2 oz & both testicles healthy preserved -
9/1/65-	21/3/65-		Cured -	Ordinary scrotal tumour - the sac contains a large quantity of fluid - Wt of tumour 1 lb 8 oz - Operation performed by Dr. Beadell - died subsequently of dysentery.
9/1/65	8 Feb/65		Relief. The hernia used to come down on coughing until the last time but it was good deal smaller than before operation -	This man was operated upon for strangulated hernia on the 18th of Dec/64. The wound healed up. The hernia used to come down as before strangulation. Plug was introduced on the 9th and removed on the 12th.
7 Jan/65-	15 Jan/65-			This man came into Hosp. with a large deep-seated abscess occupying the left side of neck. The incision & some matter & large quantity of pus & sloughing tissue were removed. The discharge was free & the wound soon healing, when he became delirious, subsequently comatose & died on the 15 Jan/65 - His P.M. body removed by his friends -



Operations performed by 1<sup>st</sup> Surgeon D<sup>r</sup> Jagan

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
23 <sup>rd</sup> Aug/87	S. J. Stephen	35	None	Armenian	Oblique inguinal Hernia - right side -	Radical cure of Hernia
23 <sup>rd</sup> Aug/87	Raj Chandra Chatterjee	41	Broker	Hindu	Caculus vesicae	Lateral operation for lithotomy
11 <sup>th</sup> Aug/87	Ram Chandra Dasgupta	35	Barber	Hindu	Hypertrophy of scrotum & skin of penis	Hypertrophied skin removed
4 <sup>th</sup> Aug/87	F. Moham	31	Clerk	English	Hernia testis	Operation for Hernia testis
30 <sup>th</sup> Aug/87	Albert Cohen	24	Engineer	English	Fistula in ano.	Fistula laid open
Aug 27 <sup>th</sup>	Ram Chandra Dasgupta	40	Farmer	Hindu	Stricture urethrae	Urethra laid open & stricture divided.



During year 1865—

Date of Operation.	Date of Discharge.	Date of Death.	Results or cause of Death.	REMARKS.
26 Jan'y/65	18/3/65		Relief.	The patient had been operated upon for radical cure about 8 months ago by Dr. Palmer in the General Hosp. but was not cured - at the time of admission, it did not rise to come down into the Scrotum. The plug introduced on the 26 <sup>th</sup> removed on the 29 <sup>th</sup> .
27 Jan'y/65	9/3/65		Wound just healed - Discharged cured.	Potassic acid Calcoli. weighing 25 grains. There was good deal of bleeding at the time of operation. During stay in Hosp. he was attacked with varicoid eruption.
28 Jan'y/65	2 <sup>nd</sup> May/65		Cured	A small Scrotal tumour; the penis was not imbedded in the tumour - the skin of penis very much thickened & hypertrophied - duration of disease 4 1/2 years. Wt. of tumour 15 1/2 g.
29 Jan'y/65	13/3/65		When the patient left Hosp. the wound was nearly healed.	He was admitted with a sort of anagial double Hydrocele. They were tapped & injected with iodine. On the left side of scrotum inflammation & exudation of the tunica vaginalis & tunica albuginea sloughed away exposing the testis. There was profuse suppuration & discharge from the stomach of the scrotal testis. On the morning of the 29 <sup>th</sup> the scrotum was separated - the edges joined, the testis reduced and the wound edge stitched together.
3 <sup>rd</sup> Febr'y/65	27/3/65		Relief - took his discharge before the wound healed.	The patient came in with suppression of an external Haemorrhoid about the size of an almond, it burst of itself - on probing it was found to be a complete fistula & it was divided.
5 <sup>th</sup> Febr'y/65	21/2/65		Wound nearly healed - only a drop or two of urine through the osium. Urinary smelt fine - patient not so much in anxiety before.	Six months ago, he was operated upon in front of the Scrotum by a foreign surgeon for a Calcoli in the urethra. Since that the urethra has been contracting. When admitted he 2 catheters were passed with some difficulty. The strictured urethra was laid open in the median line in front of the scrotum. With the stricture & a fistula kept in the bladder - a small Calcoli about the size of a small bean was lodged in the urethra & taken out.



Operations performed by 1<sup>st</sup> Surgeon Dr. Fayre

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
3 <sup>rd</sup> Feb/13	Bhoranath Shole	30	Farmer	Hindu	Cystic tumour	Cyst dissected
27 <sup>th</sup> Aug/14	Labriel Firman	60	Cook	E. Indian	Laceration of right left foot.	Amputation of foot
23 <sup>rd</sup> Aug/15	Sebatin Pinto	30	Cook	E. Indian	Laceration of right index finger.	Amputation of finger
6 <sup>th</sup> Feb/16	Robert Murray	40	Inspector	Scottish Hindu	Direct inguinal Hernia (right side)	Radical Cure for Hernia -
25 <sup>th</sup> Aug/17	Sebatin Pinto	30	Cook	E. Indian	Laceration of fore arm.	Amputation of arm about lower 1/3



During year 1868—

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
4 Feb/68-25/2/68			Wound quite healed - Discharged cured -	Cystic tumour about the size of an orange of 8 years growth. Situated under the lower jaw in the median line, on the digestive muscles. Which were exposed during operation.
4 Feb/68-30/2/68			Wound quite healed - Discharged cured -	He came in with sloughing ulcer of left hand the result of burn. The tendons sloughed with 2 <sup>nd</sup> joint was exposed - amputation at the metacarpophalangeal joint was performed by Dr. Colles on the 4 <sup>th</sup> - very little bleeding - the flaps not brought together by suture -
4 Feb/68-25/2/68				He came in with suppurative of the right Index finger result of whitlow - at the time of admission the tendons were in a sloughing state - the soft parts became gangrenous exposing the phalangeal bone - amputation of the finger with half of its metacarpus was performed on the 4 <sup>th</sup> - the flaps brought together by suture -
8 Feb/68-5/3/68			When he left the Hosp! the Hernia did not seem to come down - Impacted cured abdominal ring -	Direct inguinal Hernia of the right side of 3 months standing - not scrotal - the rupture took place in an effort of straining at stool whilst suffering from constipation - Plug introduced on the 8 <sup>th</sup> - removed on the 11 <sup>th</sup> -
21 Feb/68-25/2/68			on the 17 <sup>th</sup> Sept. whilst was recovered from Chertemps in which the was stated that he was perfectly well & strong.	This man's index finger with head of the metacarpus was amputated with 4 <sup>th</sup> - the stump did not heal for few days - but subsequently the forearm became adenomatous - suppurative extending along sheath of muscle - gangrene supervened and amputation of the arm at its lower 2 <sup>d</sup> performed with sawing of the 21 Feb/68 -



Operations performed by 1<sup>st</sup> Surgeon D. Fayrer

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
23 Feb/18	Khiradi	9	3	none	Hindu. Talipes Equinovarus right foot.	Hueteromy
17 Feb/19	Isaac Williamson	41	Sailor	Find	Slue abscep	abscep opened
23 Feb/19	Sadashunda	50	Gommalte	Hindu	Cystic tumour	Cyst dissected
22 Feb/19	Haras Lone Cormar	38	Farmer	Hindu	Elephantiasis of right leg. Tumour confined to lower part of leg and size of an adult's head when swelled on day of operation 19 inches in the way of knee the way to - 14 inches when swelled on 14 in. but increased from 12 in.	Ligation of femoral artery.
24 Feb/19	Lwin Larson	24	Laman	Swamp	Oblique inguinal Hernia right side.	Radical cure for Hernia.



During year 1885

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
23 Feb/85-9 op.				Indo achilis + plant fascia divide subcutaneous - Case of congenital talipes.
23 Feb/85				Dead of dry rot + exhausted. Deep line abscess under the iliac fascia. P.M. Body very much emaciated - Peritonitis. The symptoms were as follows. He has been thickened + adherent both intestines, the suffering from pain + febrile exacerbations inletting adherent to each other - The iliac at evening for last 15 days - with slight fascia very much thickened - no communication of pus at the right iliac fossa. Again - of abscess in the cavity of abdomen or the intestines. There was a large transverse ulcer within ilium - The sigmoid flexure + rectum thickened + there were several small transverse ulcers - Kidneys apparently healthy - lungs hypostatically congested.
23 Feb/85-5 months.			Woman quite dead -	Cystic tumour about the size of a small egg. Cystic dissects out. Some streaks by loose hair - Cyst situated about the min angle of the left ilium -
25 Feb/85				Wards - Dead from Pyæmia. Symptoms of Pyæmia came on on the 7th day The circulation was very much broken. Fever with rigor twice thoroughly reestablished. 15 days the wound had healed all but and there was no other part - The heart continued formed with the embolism from thrombus in the left of the trunk the former side especially extending into the pelvis The symptoms were concerning vessels - Peritonitis continued (colled) he never had a bad leg - Large cutaneous hemorrhage symptom - At the time of death of head bone (heavily 28th) of the shoulder on post-mortem aspect. Some hemorrhage the by stone the same (symptoms in left ilium - at home + post- mortem) filled with pus. Peritonitis continued. Some black blood in the left ilium. Some hemorrhage in the thrombus had been near the right ilium. Some hemorrhage wound - At the time of death the right ilium + the right some small hemorrhages. Peritonitis continued. Some hemorrhage in wound, no other pathology.
25 Feb/85-30 months			Excellent result - Impulse on complaining ceased at the internal ring - Discharged cured.	Oblique inguinal Hernia of right side scrotal - 78 years standing. Plug inserted on the 25th. Stitches put on the morning of 27th.



Operations performed by 1<sup>st</sup> Surgeon D. Jayne

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
27 Feb/1893	Hurry Sep	30	Boatman	Hindu	Foot cut off by a rope - about 2 <sup>nd</sup> or 3 <sup>rd</sup> of tarsal bone - misadvent on the river. Cutting the anclon tal.	Symmer amputation of foot.
23 Feb/1894	Khissode	73	none	Hindu	Saliva squamous	Excision of left foot.
12 March/1895	Hurry Kalk Sep	18	Student	Hindu	Compulse on the right side of the foot.	Actual Castrating.
23 March/1896	Mudor Lorseu Modye <sup>52</sup>	none	Hindu	Hindu	Heria testis (right side)	Symmer Operation for Heria testis
27 Feb/1897	Hurry Sep	30	Boatman	Hindu	Other myelitis - Pyomyia.	Amputation of thigh over 3 <sup>rd</sup> .



During year 1865—

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
27 Feb/65.		17 March/65.	Secondary amputation	Symptoms of Osteomyelitis of the tibia—pain common in tibia at the union of the tibia and pyramidal portion of tibia was excised and it continued to progress. The tibia was amputated in the 15th of lower third.
1 March/65 9 a.m.				Congenital talipes of both feet. The right foot operated on on the 23rd Feb. the tendo achillis, plantar fascia of left foot divided subcutaneously this day.
13 March/65 17 March/65			Much relieved	Cause of dorsal vertebrae, said to have come on after fever—much deep back pain increasing at night. Breakup of legs—no incontinence of urine.
13 March/65 25 May/65			Cured	Right testicle exposed. Much loss of skin result of sloughing of scrotum after fever. adhesions separated—edges repaired & skin stretched over the testicle.
15 March/65		17 March/65	Death from Pyæmia	This having right foot was cut off at the 2nd or 3rd dorsal space by a cable & syme's amputation was performed on the 27th. Pyæmia set in & amputation of thigh lower 3rd was performed on the 15th.
<p>P.M. Lung, somewhat congested &amp; adherent to the diaphragm chiefly the right one. There were several sanguinous patches on both lungs, from size of a pea to 4 or 5 lines. The largest in the inferior lobe of right lung. The right ventricle contained a clot extending to both pulmonary arteries—liver slightly enlarged. in the left lobe there was a large pale sanguinous. Kidneys apparently healthy—on cutting open the femoral vein tracing upward, a long abscessed clot was found in the vein near the junction of the profunda with the femoral. The surface of the vein, at this spot was rough. External &amp; common iliac healthy. There was a similar but smaller clot on the femoral vein of the left leg.</p>				



Operations performed by 1<sup>st</sup> Lieut. Dr. Sayer

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
25 <sup>th</sup> Nov/88	Shone Money	48	Pepper	Bengal	Comp? dislocation of lower end of right tibia by upper 3 <sup>rd</sup> fracture of internal malleolus.	Amputation of leg upper 3 <sup>rd</sup> modified flap
26 <sup>th</sup> Nov/88	Kobin	35	Farmer	Hindu	Fistula in ano.	Fistula laid open
22 <sup>nd</sup> Nov/88	Shodag Addy	33	Servant	Hindu	Scrotal tumour <sup>36</sup>	Tumour removed
21 <sup>st</sup> Nov/88	Leub	20	Septarian	Muplun	Atresia oris.	adhesions divided
27 <sup>th</sup> Nov/88	Benjamin Franklin	45	Seaman	English	Direct inguinal Hernia (left side)	Radical Cure for Hernia



During year 1865-

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
23 <sup>rd</sup> March/65-	27 <sup>th</sup> March/65-		Death from Delirium -	Compound dislocation of lower end of right tibia & fracture of internal malleolus. Caused by a carriage wheel passing over her right ankle. The wound dressed & put on side splint - gangrene supervened and amputation of leg below knee by modified flaps was performed on the 23 <sup>rd</sup> . Delirium supervened on the evening of 26 <sup>th</sup> & she died on the morning of 27 <sup>th</sup> .
27 <sup>th</sup> March/65-29 <sup>th</sup> May.			Relieved -	Very deep fistula of 5 years standing. Sinus very tortuous & opening very far behind the median line -
28 <sup>th</sup> March/65-7 <sup>th</sup> June/65.			Cured.	Ordinary scrotal tumour - of 11 years duration - 4 <sup>th</sup> 3 <sup>rd</sup> 11 <sup>th</sup> -
28 <sup>th</sup> March/65-25 <sup>th</sup> May/65.			Relieved.	Adhesions of both lips to the cheeks to the gums, result of abuse of mercury - adhesions separated & the oral orifices enlarged by 2 incisions, one on either angle - treated the Chin -
29 <sup>th</sup> March/65-16 <sup>th</sup> June.			Apparently cured - no impure discharge & the inflammation after the 2 <sup>nd</sup> operation - 1 <sup>st</sup> operation failed -	Large inguinal Hernia of left side - the rupture had become down into the upper part of Scrotum - Operation of dissection 3 months. Plug introduced on the 29 <sup>th</sup> & removed on the 31 <sup>st</sup> -



Operations performed by 1<sup>st</sup> Surgeon

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
26 <sup>th</sup> Apr/65-38	Doorga Ram Bhatta - chayer	18	None	Hindu	Cheloid growth	Excision of the tumour.
3 <sup>rd</sup> Apr/65-39	William Baird	50	Cook		Entipion (right eye)	Operation for Entipion.
12 <sup>th</sup> Apr/65-40	Mutty	19	None	Hindu	<sup>87</sup> Sternal tumour	Removal of tumour
30 <sup>th</sup> Apr/65-41	Goda Ram	45	Barber	Hindu	Calculated Vesica	Lateral Operation for lithotomy
1 <sup>st</sup> May/65-42	Ozadha Ram	60	None	Hindu	Jaundice in sole of foot.	Excision of Jaundice
5 <sup>th</sup> May/65-43	Koylak Mondol	40	Labourer	Hindu	Schistosome tumour in the right arm below the shoulder.	Excision of tumour



L. Fagan Spring year 1885-

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
28 <sup>th</sup> April/85-30 May/85-			Discharged before the wound fully healed	The loins from the left in front & behind the lobes of either ear. Resulting from the irritation of the borings of the ear.
28 <sup>th</sup> April/85-5 May/85-			Cured.	The eyelashes of both the upper & lower eyelids turned giving rise to granular eyelids & itching of the cornea - elongated & thickened skin on eyelids, the wound healed with scar tissue. The patient when discharged was quite cured of the chronic Ophthalmia & the itching of the ear was greatly gone.
1 <sup>st</sup> May/85-				Peculiar Hyperaesthesia of the scrotum - the skin was rugose with deep furrows containing large venous sinuses - there were 2 large venous sinuses in the inner groin - on digital pressure of the scrotum & then red fluid would come out which coagulated on flood. Whytman 1373.
3 <sup>rd</sup> May/85-11 May/85-			The wound was quite healthy & in the eighth day - but the patient lost his appetite & he was removed by his friends for change. His native country.	Large solid uric acid Calculi weighing 103 & 7 1/2 3 - or 930 grains -
4 <sup>th</sup> May/85-	21 May/85-			old Cachectic patient. The Cancer was the result of repeated cutting of the painful Corn in the sole of the left foot - it was ulcerated & very painful. The glands in the groin were enlarged. The Cancer was by sides & a portion of os calcis (the under surface) shown off - the patient gradually sank & died of exhaustion - on the 12 <sup>th</sup> May/85-
5 <sup>th</sup> May/85-30 <sup>th</sup> June/85-			Relieved	The patient was wounded in the right arm by a cow (highwayman of her horn) - about 5 years ago - the wound healed but it began to get hard & gradually increased in size - for last 3 months it has been very painful - the tumour surrounding the tumour has enlarged - the tumour is situated in the deltoid - the wound made to granulate



Operations performed by Surgeon D. Fagan

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
5 May/44	J. Pures	28	Engine Driver.	R. Alami - Can	Stricture with Primal section & urinary sinus	
3 May/45	Ram Mohan Bandyop	42	Clerk Hindu		Stricture with urinary sinus - the wound continues into the perineum - urethra divided.	Simultaneous laid open
27 March/46	Benjamin Franklin	45	Labourer English		Direct inguinal Hernia (left side)	Radical Cure for Hernia
17 May/47	Shake Boetan	40	Labourer Nepalese		Fatty tumour	Tumour removed by Sargam.
17 May/48	Purnoof. Bose	40	Home Hindu		Scrotal tumour	Tumour removed
3 July/49	J. C. Mary	7 12	Home Indian		Disease of wrist joint.	Amputation of forearm lower 3".



During Year 1865-

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
7 May/65-			Went out cured. The ulcer took on an indurated type but healed afterward.	A very irritable structure, with one or two sinuses in the granulations.
6/5/65-	27 June		The patient left Hospital while convalescent.	A very old standing structure built on with sinuses in 8 & 9 o'clock - There was a large structure now, but most part of the veins come through the sinuses in the 10 o'clock position.
10 May/65-	16 June/65		Apparently cured.	This patient has been operated upon on the 29 March. but it failed - Flap introduced on the 10. & removed on the 12.
18 May/65-	18 June/65		Wound was healing rapidly. When the patient took his discharge.	Large fatty tumour about the size of a small coconut, situated at the right of the scapula - it was pedunculated, & somewhat pedunculated - part of 12 years, resulting from back lumps. Removed by Scragin, no bleeding.
24 May/65-				An ordinary scapular tumour - 10 years duration. Wt. of tumour 4 lb 73 - With perfect health.
24 May/65-			The wound healed but a sinus remained on the left hip for a long time - the bone was sequestrated.	This patient was admitted with ulcer about the size of 4 cups on July/64 on the dorsum of lower right wrist - with the scapular bone swollen (Scrophulous degeneration) the arm was put in splint & his health tried to be improved by Cod-liver oil & tonic & generous diet. His health much improved - but the ulcer began to increase. on the 1 <sup>st</sup> March/65 several discharges & softening scapular bone removed - treated as before but to no use. Amputation of the forearm at the level of 3 <sup>rd</sup> by Scragin flap performed on the 24 May/65.



Operation performed by 1<sup>st</sup> Regt. Dr. Fagan



During year 1863-

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
26 May/63	14 June		Cured.	The patient has been suffering for several years from hemorrhage from the rectum & has since been at the time of operation.
26 May/63	30 May/63		The patient took his discharge - the wound was healing rapidly.	A very deep fistula opening almost in the Russian line of incision.
27 May/63	27 June		Left Hospital while convalescent.	The patient received an injury in the ring finger, which caused the tendons within soft parts to slough away - no sign of operation.
28 May/63	10th Sept/63		Cured.	The hip & thigh were mostly naked in the skin of groin - 8th article very small but otherwise was healthy looking - growth of 10 years old 8/2/63.
28 May/63	11 June/63			The patient has been suffering from pain of the right ankle, which was swollen & sore. To cure this, he applied some irritating nature drug, which caused ulceration. When admitted, the patient was very much emaciated & anxious looking - the ulcers were hangy looking & there was severe pain in the joint. On admission the joint was found open - after amputation, the cartilage was found to have lost their glistening appearance & color - the stump began to slough & the patient died exhausted.
29 May/63	3rd Nov		Cured Was opened & wound for the fistula being left outside after cicatrization of the wound	Ordinary scrotal tumour of hyaline kind. It was hampered of the left side. The one on the right was large & of blood removed - operation of sac Catoff - cut of tumour 5th 8/63.



Operations performed by 1<sup>st</sup> Surgeon Lt. Fagan

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
21 <sup>st</sup> May/56	Edward Stanley	24	Seaman	English	Rectal Hemorrhoids (Internal Hemorrhoids 4 in)	
22 <sup>nd</sup> May 57	Shake Nillalobden	32	Farmer	Malabar	Calculus Vesicae <sup>29</sup>	Lateral Operation for Lithotomy
31 <sup>st</sup> May/58	Chidphande Ghose	35	Shilp. Raju	Hindu	Fibrous tumour Myeloid tumour	Tumour removed
2 <sup>nd</sup> June 57	Burpee Chander Mullik	17	Composite	Hindu	Scrotal tumour <sup>31</sup>	Tumour removed
26 <sup>th</sup> May/58	David Lail	35	Seaman	Malabar	Oblique inguinal Hernia right side	Radical cure for Hernia
7 <sup>th</sup> June/58	Bhobolara	27	none	Hindu	Calculus Vesicae <sup>32</sup>	Lateral Operation for Lithotomy
13 <sup>th</sup> June/58	Bluswant Bose	20	Clerk	Hindu	Left foot crushed sailor's accident.	Amputation of leg leg 3" by rectangular flaps



During year 1885-

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
24 <sup>th</sup> May/85	9 <sup>th</sup> June/85		Cured.	Wound to lower back & thigh -
31 <sup>st</sup> May/85	14 <sup>th</sup> July		Cured.	Wrist acid Calculi weighing 3/4 3/8 & 1/2 lb.
31 <sup>st</sup> May/85	11/6/85		Cured.	Large tumour about the size of an orange in the shape of neck - on examination. The tumour was cellular dense in structure cutting like an unripe peach. it contained a great collection of blood & round the collection the structure of the morbid growth was somewhat broken down & softened.
2 <sup>nd</sup> June/85	17 <sup>th</sup> July		Cured	Ordinary scrotal tumour weighing 8 oz. - of one & half years growth -
2 <sup>nd</sup> June/85	24 <sup>th</sup> July		Cured - The hernia was well kept up.	Oblique inguinal Hernia of right side - used to come down at the upper part of stomach. Plug introduced on the 2 <sup>nd</sup> June & on the 5 <sup>th</sup> by Dr. Smith
10 <sup>th</sup> June/85	25 <sup>th</sup> June		Cured	wt of stone 23. - uric acid coated with phosphate
13 <sup>th</sup> June/85			Cured	The patient was a Clerk in employ of L.B. & C. accidentally his left foot was crushed by a railway engine whilst he was employed in superintending the roads - the left foot was completely lacerated & bones crushed - amputation of the left leg at its lower 3 <sup>rd</sup> by rectangular flap was performed at about 8 1/2 pm hours after accident -



Operations performed by 1<sup>st</sup> Surgeon D. Fagan

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
2 <sup>nd</sup> June 63	Chagar	40	Laborer	India	Cervical tumor	Tumor removed
14 <sup>th</sup> June 64	Bhobha Chandra	24	Painter	India	Left foot crushed & little finger of the left hand -	Resection of equal parts. Amputation of left leg below 3 <sup>rd</sup> & little finger with 2/3 of the metacarpus of left hand.
4 <sup>th</sup> June 65	Gosur Shone	25	Laborer	India	Ganglion of foot	Amputation of the leg - upper 3 <sup>rd</sup>
<p>Bahro Gopal Chandra Roy L.M.S. assumed charge of my  27<sup>th</sup> June 1865 - Bahro Annie, tall Dutti period of two</p>						
23 <sup>rd</sup> June 66	J. W. D' Cruz	19	Brother	Indian	Hydrocele in the right side of neck.	Tapped & injected with 10. Loline
21 <sup>st</sup> June 67	Bohkranta Brahma	15	Student	India	Nasal Polypus.	Polypus



During year 1865-

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
14 June 65-	20 July 65	26 July	Died of exhaustion. Subsequent to the operation he lingered for a long time under a low typhoid fever. The hernia was found after death to be a cecal one & was quite adherent to the abdominal wall. The inguinal canal was obliterated by adhesion.	The patient has also been suffering from oblique inguinal Hernia of right side for years - There was large quantity of hydrocele fluid on the right side. The sac thickened & elongated - in the same side along the cord there were several small cysts containing clear fluid. Hernia reduced & kept up by hand & the tumor removed. Lot of tumor 3 lb 4 oz - after operation Hernia kept up by pad & bandage & the tumor as usual.
14 June 65-	27 July			This patient was a painter in the E.B.K. Co his left hand & foot were crushed by an engine in motion. The soft parts of the left foot chiefly at the union of foot were lacerated tendons exposed - 4 or 5 of the tarsal bones were comminuted. There was comminuted fracture of the metacarpus of the little finger of left hand, & lacerated wounds of the ring finger. The accident took place at 10 am & amputation of the left leg at its lower 3rd leg & rectangular flap was performed. An also amputation of the little finger with about 2/3 of its metacarpus - at 11 am.
15 June 65	26 Oct.			The patient after an attack of fever, became ill at the toe & today for his right leg began to burn - few days after, the toe blackened & gradually gangrene extended. On admission the line of demarcation was quite marked & deep down to the bone. The edges of the flaps were granulating. The whole of lower 2/3 of leg & foot was black & dry & shriveled up. After 6 or 7 days rest amputation at the line of demarcation was performed. The same flaps were separated from the bones a little higher up & the bones sawn off - no ligature was put.
wounds as House Surgeon on the Jones having Wounds - Finger.				
23 June	8 July		The cyst filled up again but afterwards went down.	The cyst contained about 3 or 4 ounces of fluid. It has been growing for the last 2 or 3 years. It was tapped simply at Chadsey Hospital about a year ago. It occupies the whole of the 5th rib & 6th rib region & extends deep down beneath the clavicle.
21 June 65	29 June		The patient died well for 8 or 9 days excepting slight fever which he had every evening. Sudden symptoms of pharyngitis supervened. The patient became delirious & died probably from inflammation extending into the brain.	The patient was suffering from Epistaxis about a year ago. The bleeding has stopped since 2 months but since then he says he cannot breathe through his right nostril. The polypus has made its appearance externally for 2 mths. There is good discharge from it. The polypus is of a fibroid nature. The nostril is stuffed & dilated. The septum is pushed to the other side.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
23 June/68	Jankachanth Sop	23.	Broker.	Hindoo	Hypertrophy of the pre-puce & scrotum.	The scrotal tumour & the hypertrophied prepuce removed.
2 <sup>nd</sup> July/69	Luckee Karian	34.	Brace	Hindoo	Anal fistula.	Fistula laid open
30 <sup>th</sup> June/69	Laksh.	40	Carpenter.	Hindoo	Hydrocele & old de-coloured layers of skin in Lunica & scrot.	Fibrinous clots turned out by a longitudinal incision on the outer aspect of scrotum.
5 <sup>th</sup> July/69	Chamos	21.	Khalape	Mupulua	Glandular tumour in the villa.	Tumour removed.
5 <sup>th</sup> July	Seem kauth Rang.	17.	Carpenter.	Hindoo	Here. lip. Sprung with left nostril	Edges pared & sutured.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	Remarks.
27 <sup>th</sup> June	18 <sup>th</sup> Sept.		Cured	The patient had syphilis 8 mths ago. The sore healed but the prepuce remained swollen. Since then it has been increasing. The prepuce is now much hypertrophied. There is some thickening of the scrotum also. The prepuce & the scrotum both removed as in regular scrotal tumour operation. The whole weighed 2 lb. About ligatures put on.
3 <sup>rd</sup> July	21 <sup>st</sup> Aug.		Healed - Another sinus broke out under the flatus Communis - curing into the former -	The fistulous opening is just below the tip of the Coccyg. & opens from behind forward, into the posterior wall of rectum. This has been continuing for one year.
4 <sup>th</sup> July	31 <sup>st</sup> July		Cured.	About 3 mths ago the left testicle has been swollen & painful. Does not ascribe it to any injury received. It was tapped at the bottom depending 4 days before admission & a small quantity of water let out. The swelling & pain still continued.
5 <sup>th</sup> July 1880	4 <sup>th</sup> Aug.		Cured. Some ossification in the scrotum was set up but was checked. Palation in the scrotum was quite distinct	The tumours were gland-like in appearance & occupied the whole of the axillary space from the base of the apex. The glands were about 27 in number including small ones. They were arranged in bunches & extended above the apex & down to the clavicle. The largest was about the size of a large walnut. The weight of the whole was 14 ounces. Arteries ligatured & the bleeding amounted to 2 pint. The subscapular artery passed in close proximity to the tumour but it was not divided. Under the microscope the tumours proved to be hypertrophied gland tissue & some tubercular deposit.
5 <sup>th</sup> Aug.	15 <sup>th</sup> Feb.		Cured. The lips united fairly - without any inconvenience	One incision both external. The lower lip was congenital. It was not distended. Death from pneumonia & displaced internally. The most prominent teeth removed.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
July 6 <sup>th</sup> 73.	Gopaul Kyragee.	40.	Stone	Hindoo.	Iliac abscess.	Opened - The finger could be passed into the below the Poupart's ligament into iliac region. The femoral artery is felt pulsating above the finger.
May 8 <sup>th</sup> 74.	Rummoney.	23.	<del>Stone</del> Hindoo	Hindoo.	Suppuration & ulceration in the right Elbow joint.	Resection of the Elbow joint. The lower part of the Humerus below the Condylar process, the head of the radius above the tuberosity & the olecranon & Coracoid process of the ulna cut off.
12 <sup>th</sup> July 75.	Madasoodum Ghose	30.	Hindu	Hindoo.	Large Gluteal abscess.	Opened.
13 <sup>th</sup> July 76. 7 P.M.	Wazooddeen.	25.	Khalafu.	Mughalman	Compound comminuted fracture of the bones of the right leg & extensive laceration of soft structures.	Amputation of the thigh at its upper third by antero posterior flap. 5 Ligatures were put on. Bleeding amounts but more than a gram. The muscles were infiltrated with caudation & could be felt.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
7 <sup>th</sup> July.		16 <sup>th</sup> July.	On breaking a lock intestine into the abscess was found to be under the iliac fascia. The iliacus muscle was totally gone & the bone painful. The iliacus also rotten. The whole of the ala of the ilium was very black. The abscess was circumscripted by the iliac fascia at its junction with the crest of the ilium.	Had bubo 2 months ago, it underwent resolution by the application of some medicine. Soon afterwards the upper part of the thigh became swollen hard & the inner & upper part of the thigh was hard & very tender. There was some fluctuation at the outer part. There was some fulness & hardness of the iliac region too. The gluteal region was somewhat swollen. In fact the swelling was all around the upper aspect of the thigh. About 40 ounces of pus was let out on the day of operation. The bone was healthy & not infected.
11 <sup>th</sup> July/55.	2 <sup>nd</sup> Oct.		Abscessed	Had syphilis 3 years ago. The ulcers healed after the lymphae melted as it were percremial fungigations which brought on tuberculation. Had byes Secondary eruptions over the body occasionally. 3 days before admission the had inflammation of the right elbow joint. Some irritant remedies were applied externally to cure it which produced blisters. The blisters ulcerated & communicated with the joint. There is much thickening around the joint. The left arm is stiff & painful. The hand though the joint was fixed.
12 <sup>th</sup> July.		6 <sup>th</sup> Sept.	Died of diarrhoea.	The abscess came on after an attack of fever & had been growing for the last one month. About 20 ounces of thick pus let out. There was some sloughing of the cellular tissue.
13 <sup>th</sup> July 3 P.M.	15 <sup>th</sup> July 12 P.M.			The patient died 4 hours after the operation. The pulse ticked up the vein at Lango, his right leg was distended but very heat after the operation. The tibia was broken at its upper third & the fibula smashed & pieces so that a ligature was firmly tied across the middle of the thigh. The parts above the ligature were swollen & the patient was very much swollen & about 2 measures of brandy were given before the operation was ventured.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
12 <sup>th</sup> July.	77. Bansh Singh.	50.	None	Hindus.	Inguinal Hernia. (right side)	Radical cure for Hernia by <del>Ligament</del> method. G.R.
10 <sup>th</sup> July.	78 George Silva	36.	<del>Marine</del> <sup>Sailor</sup> Indian		Hernia Testis	The edges of the <del>pus</del> scrotum around the pro- truded testicle pared. A part of the testicle which was non-tubular in stone here sliced off & the lips sutured together.
7 <sup>th</sup> July.	79 Gool Kabhar	20.	Prostitute	Hindus	Conglomeration tumour on the labia minora some around the anus.	The tumour removed G.R.
19 <sup>th</sup> July	80 Kaffy	58	Barber	Hindus	Calculus Vesicae. 51	Lateral operation of Lithotomy.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
18 <sup>th</sup> July.	20 <sup>th</sup> Aug.		Cured. The tumour was well kept up by the invaginated scrotum.	Incurability of <del>the patient came in with</del> Hernia at 7 P.M. on the 12 <sup>th</sup> inst. After many unsuccessful attempts to reduce it even while the patient was under chloroform, an injection into the bowels & constant application of ice over the tumour made it go up on attempt twice a second time. The scrotum was somewhat thick & the man weak in constitution.
19 <sup>th</sup> July.	25 <sup>th</sup> Oct.		Cured. Much erysipelas washed up afterwards on the groin & perineum. Cellular Erysipelas destroyed the patient's life was put into jeopardy. The flaps did not unite in the least. He slowly recovered afterwards.	Had gonorrhoea for 2 months but it was cured only checked by some medicine. Soon afterwards the testicle swelled & inflamed. It suppurred bursts of itself & adhesion there were two sinuous openings one above the other in front of the scrotum & on the right side. The surrounding structure much thickened & indurated. The opening communicated with each other & were large laid open. Out of this incision the testicle gradually protruded.
19 <sup>th</sup> July.	26 <sup>th</sup> Aug.		Cured.	Had syphilis about 2 months ago which was cured by mercurials. Soon afterwards a swelling appeared on the labia minora. It is very soft lobular in appearance & somewhat painful. It itches much & there has been some discharge of watery colour from it.
20 <sup>th</sup> July.	21 <sup>st</sup> Feb.		Died of uremia - former calculus was removed by lithotomy. Uremic symptoms manifested soon after the operation. No urine secreted after the operation. Which was attended and followed by considerable internal hemorrhage. Uremic symptoms manifested soon after the operation and he sunk in 4 hours.	Died of mania. no urine secreted after the operation. Which was attended and followed by considerable internal hemorrhage. Uremic symptoms manifested soon after the operation and he sunk in 4 hours.
			The membranes of the bladder were found adherent to the prostate gland. There was no inflammation of the bladder. No infiltration of the bladder. Death appeared three weeks before death. The kidneys already much diseased after the shock of operation & hemorrhage ceased to secrete urine. The man was old and had an appearance of senility.	Rt. Exam of the 22 <sup>nd</sup> July. Abdominal distension - Reddening of the skin. Right hand a cyst about upper end size of an orange left continued sm. at base. Prostate gland & contents of ureters pale & fatty & waxy degeneration. Mottled irregular in Calibre - Bladder thickened & contracted. The urinary tract showing some contraction. The rectum & sigmoid flexure protuberant. The



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
26 <sup>th</sup> July 81.	Bahadur.	32.	Servant	Muzpudra	Nevoid elephantiasis of scrotum.	Tumour removed.
14 <sup>th</sup> July 82.	Chander Day.	19.	Shopkeeper	Hindoo	Scrotal tumour <sup>91</sup>	Tumour removed.
17 <sup>th</sup> July 83.	Prasanna	25.	Maidservant	Hindoo	Hypertrophy of the Labia majora both sides & a pendulous tumour on the clitoris.	Tumour removed.
21 <sup>st</sup> Aug. 84.	Thirike Ling	35.	Barman	Dr.	Stricture of the Urethra & retention of Urine.	Perineal Section.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
28 <sup>th</sup> July	12 <sup>th</sup> Oct.		Cured.	The scrotum has been growing larger for the last one year. Had 1st get fever once. Sometimes twice every month preceded by pain & swelling. About 13 ligatures were applied. The lobules were <sup>about 1/2 inch</sup> of the scrotum each time. About 15 days before <sup>about 1/2 inch</sup> admission the fever <del>was</del> came on more severe. venous blood. They were quite the scrotum became more painful & swollen. It was superficial. Some on the giving out a large quantity of blood & water. On admission the scrotum was found much <sup>enlarged</sup> by discharging thin watery blood. It was lobulated in shape, each of the lobules <sup>was</sup> punctured. then soaked out of it a quantity of coagulable <sup>dark</sup> sanguineous fluid with some reduction of the bulk of the tumour.
2 <sup>nd</sup> Aug/12	29 <sup>th</sup> Sept		Cured.	An ordinary scrotal tumour of 3 years' standing. The thickening commenced after an attack of fever. Gets fever now sometimes twice in a month. The tumour weighed <sup>over</sup> one pound. About 16 ligatures put on.
16 <sup>th</sup> Aug	22 <sup>nd</sup> Sept		Cured after a long confinement.	Had syphilis about 12 years ago which was cured by mercurial salivation. About 2 months ago she noticed a swelling on the clitoris and afterward on both the labia like the tumour has been increasing since then. Does not get any decided fever but feels slight general occasionally at evening which becomes more perceptible with the full moon.
21 <sup>st</sup> Aug	11 <sup>th</sup> Oct		Was removed from the world by his friends.	Has been suffering from gonorrhoea for the last one year. Has noticed some diminution in the size of the stream of water since 6 weeks last of bladder broke out. He has passing urine in drops for the last 1 week. For 4 days there was complete retention of urine. Bladder <sup>was</sup> much distended <sup>on admission</sup> reaching out. Symptoms of tubercular above the umbilicus. Pulse weak. Stools <sup>moved</sup> for 4 days. Urine was much weakened.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
7 <sup>th</sup> Aug. 85.	Thacorie.	32.	Boatman.	Hindoo.	Testal tumour & hydrocele of both sides.	For experiments' sake both the testicles were first capped & incised & after 13 days the tumour was removed.
16 <sup>th</sup> Aug. 86.	Kala.	40.	Cooly.	Mughal.	Compound fracture of tibia & simple fracture of fibula of right side.	Amputation of the leg below the tubercle of the tibia by Ant. Post. Flap.
25 <sup>th</sup> Aug. 87.	Chintamony.	27.	Weaver.	Hindu.	Necrosis of scapula.	Necrotic bone gouged away by turning a flap of skin from the external surface from below upwards.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
First Op. 1 <sup>st</sup> Nov. 11 <sup>th</sup> Aug Secd. 23 <sup>rd</sup> Aug			Cured. Had much pain & inflam. nation after the injection. The left testicle on operation was thickened. It has become hypertrophied since larger than the right & contains 6 months which began at the upper part & of about 2 ounces of clear fluid. The right side. It was preceded by fever of the thick layer of brownish yellow an intercurrent type which lasted for 20 days. lymph. There was some adhesion. There had no fever since then. There is by dis- sion between the tumour & epididymis of both the sides. The thickening is great & extends to the lower part. The on the left side than the right. Gets a few times a day. Was thickened about 4 days now. Both the lymph nodes were enlarged & inflamed. There was no fluid in the sac on the 10 <sup>th</sup> Feb. The tumour weighed 31 ounces of the right side which contained much coagulable lymph of the same character as the other. There was no adhesion. The sem. vsg. was much thickened.	Has had enlargement of the testicles for one year. The last time he says was with them thickened. It has become hypertrophied since larger than the right & contains 6 months which began at the upper part & of about 2 ounces of clear fluid. The right side. It was preceded by fever of the thick layer of brownish yellow an intercurrent type which lasted for 20 days. lymph. There was some adhesion. There had no fever since then. There is by dis- sion between the tumour & epididymis of both the sides. The thickening is great & extends to the lower part. The on the left side than the right. Gets a few times a day. Was thickened about 4 days now. Both the lymph nodes were enlarged & inflamed. There was no fluid in the sac on the 10 <sup>th</sup> Feb. The tumour weighed 31 ounces of the right side which contained much coagulable lymph of the same character as the other. There was no adhesion. The sem. vsg. was much thickened.
28 <sup>th</sup> Aug	25 <sup>th</sup> Aug		An attempt was made to save the limb by reducing the bone lower part produced by the fall of a gate the limb by reducing the bone lower part produced by the fall of a gate & closing the bad wound with a the bone was protruding out of the external wound limb soaked in blood. It was denuded of its periosteum irrigation was constantly applied to the extent of an inch only. The fracture was suppuration began to extend up. an oblique one & not comminuted. There was no mud or foreign matter sticking into it. The discharge became very fetid being no other attention than early amputation. The external wound was not healed & the left gangrene of the stump set in. In 2 weeks & extended for was an 8 inches long & the patient died.	Has had compound fracture of tibia at ab- out 1/2 the limb by reducing the bone lower part produced by the fall of a gate & closing the bad wound with a the bone was protruding out of the external wound limb soaked in blood. It was denuded of its periosteum irrigation was constantly applied to the extent of an inch only. The fracture was suppuration began to extend up. an oblique one & not comminuted. There was no mud or foreign matter sticking into it. The discharge became very fetid being no other attention than early amputation. The external wound was not healed & the left gangrene of the stump set in. In 2 weeks & extended for was an 8 inches long & the patient died.
1 <sup>st</sup> Sept	22 <sup>nd</sup> Jan 1844		Cured The flap of skin sloughed but the bone was granulated over - the ulcer healed leaving a depression corresponding to the tumor lost.	Had Syphilis about 2 years ago which was cured without inducing salivation. Soon after wards he had rheumatic affection of the joints but the pain gradually subsided one by one except that on the right ankle joint which re- mained also somewhat swollen. A small ulcer formed at the lower part of the joint & continued to extend till at last it produced an oval ulcer about a large almond in size. This bone beneath was found on admission the denuded of its peri- osteum & soft & brown in appearance. This had been going on for 6 months but there was no loose sequestrum become out at the bottom.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
27 <sup>th</sup> Aug. 88.	Gocaol.	say 12 <sup>to</sup> 15.	Cooly	Hindu	Suppuration within the knee joint.	Excision of the knee joint by H shaped incision. Patella, half of distal end surface of femur & the upper part of tibia above the tubercle removed.
5 <sup>th</sup> Sept. 89.	Lorooop Gunderdelt.	50.	cloth trader	Hindu	Elephantiasis of the scrotum with a tight metallic ring on the base of the penis.	Tumour removed as in ordinary operation.
27 <sup>th</sup> Aug. 90.	Gaura	10.	Stone	Hindu	Depressed fracture of the left parietal bone & suppuration between the bone & dura mater & also on the brain surface.	Trephining -  The donor was healthy. The bone around the trephining part. The right lung was adherent to the thoracic cage gangrenous patches on both lungs.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
2 <sup>nd</sup> Sept.	14 <sup>th</sup> Sept.		From the day of admission to hospital of operation he used to get fever with shivering. Suppuration was about 4 days with fever. Some dysuria like fluid was to come out. He introduced it - For four days & nights he remained in the jungle it was found to be just beneath the edge of the patella & the next day the finger could be passed under. It did not give him any inconvenience while he was in the jungle for 4 days but the night before the suppurative of gland hectic - admission was much swollen & painful at its base. Died of Pneumia 12 days after operation. There were many gangrenous patches on the lung. The lower anterior section most patches of incipient cavity & tubercles. Kidney healthy. Heart contained deformed congenital from admission. No other changes in the pulmonary vessels. The right auricle enlarged from admission. A small scrofulous tumor of 10 years' standing removed by finger. The tumor weighed 3 lb. It was very vascular so that after removal many vessels began to jet out blood. Blisters applied. Lot about more than a pint of blood. The wound began to suppurate & obstinate discharge it in when he was removed by his friends.	This boy was saved from the wreck of the "Eagle Speed" when she was foundered in the Bay of Bengal. He along with others caught hold of a plank of wood & fled to board the shore for 2 days & nights he remained in the jungle starving when he was picked up. While on the sea he heard his thigh and felt a small continued sound (rather an abrasion) about 2 inches above the upper margin of the patella. It did not give him any inconvenience while he was in the jungle for 4 days but the night before he was picked up the thigh inflamed - the thigh a admission was much swollen & painful at its base. Died of Pneumia 12 days after operation. There were many gangrenous patches on the lung. The lower anterior section most patches of incipient cavity & tubercles. Kidney healthy. Heart contained deformed congenital from admission. No other changes in the pulmonary vessels. The right auricle enlarged from admission. A small scrofulous tumor of 10 years' standing removed by finger. The tumor weighed 3 lb. It was very vascular so that after removal many vessels began to jet out blood. Blisters applied. Lot about more than a pint of blood. The wound began to suppurate & obstinate discharge it in when he was removed by his friends.
1 <sup>st</sup> Sept.	28 <sup>th</sup> Oct.			Had fever occasionally after 2 or 3 months before. Had hydrocele which was tapped 6 years ago. Along with fever the testis inflamed. Has advised to wear a ring round the penis to prevent it from being imbedded. Need to take it off at pleasure for 2 years until 15 days ago when was attacked of fever & suppurating. He forgot to take the ring off which has remained in the same position during the course of the fever. The ring has already through the prepuce & the urethra is slightly dried - Gets fever now twice in a month. The fever does not keep pace with lunar changes.
12 <sup>th</sup> Sept.		15 <sup>th</sup> Sept.		On extending the former crural incision a little of the parietal bone about 2 inches in size was found denuded. On the center of this denuded portion there was a deepened fissure involving the outer table of the bone. On touching the bone just under a mass of pus thick pus that had collected between the bone & dura mater gushed out. Seat of the suppuration being higher up another semicircular fissure was touched and another of the former. The cancellous structure of the bone was inflamed & infiltrated with pus. She rallied somewhat after the operation but the pyrexia gradually terminated into coma & death. On post mortem examination was denuded. There was some pus between the dura mater & brain. Some collection of blood in the left side of the skull. There were at this posterior surface no other collection of pus.
				Was admitted with ill's fracture of both forearm & deepened fracture of the skull. The fracture of the forearm united & the wound on the head nearly healed without any head symptoms manifesting when suddenly she had an attack of fever with shivering. The fever continued in a remittent type with irregular exacerbation during the day. Shiverings became very frequent so that occurring 6 or 8 times in 24 hours. She had delirium very irritable & had a tendency to convulse. The wound on the head opened out & a crural incision was made over the skull. A tendency to some pyrexia pointed out strongly to some cerebral disturbance.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
8 <sup>th</sup> Sept 91	Likphunder Gose	40.	Shepherd	Hindoo	Myeloid tumour	Removed
13 <sup>th</sup> Sept 92.	Bakor Ram	50.	Handman	Dr.	Stone in the bladder.	Lateral Operation of Lithotomy performed this morning.
28 <sup>th</sup> Aug 93.	Likhem Modogje	38.	Cook	Dr.	Scrotal tumour <sup>96</sup>	Tumour removed
26 <sup>th</sup> Sept 94. 7 PM.	Charles Amoset	60.	Writer.	Indian	Strangulated inguinal hernia.	Hernia reduced by making incision & dividing the stricture
26 <sup>th</sup> May 95	See Shun But.	40	Shepherd	Hindoo	Pendulous testicle after scrotal tumour Operation	The skin around the testicle separated & some extent over the groin & the pendulous testicle the edges pinned & sutured



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
9 <sup>th</sup> Sept.	15 <sup>th</sup> Oct.		Cured. There were some clots of blood within the tumor. The skin was adherent around the ulcer & was cut off & sutured back on. About 15 ligatures applied under the microscope the tumor consisted of cells - The mass of the tumor consisted of a white granular substance the consistency of an ordinary loaf - compressed. It was circular - of a brown color. Some mucous membrane adherent to it. The lymphatic was swollen & distended.	See No 68. The tumor was removed 4 weeks ago. He went out quite cured - 20 days after Discharge a small swelling became observable at the right side of the cicatrix. It is now about as large as a good sized orange. There is an ulcer at the prominent part of the tumor produced by scratching. The tumor consisted of a cell growth. Probably Myeloid. It has been getting papery small granules, about the size of a bean for the last 14 or 15 years. Does not get any suppurative pain before the papery of the Calculus. The last one he had is about 2 years ago. The present symptoms are pain in the perineum, pain in the loins relieved by rubbing & pain in micturition. Urine examined. 4/10/11. Reaction alkaline. Some albumen. Crystals of triple phosphate & pure globules under the microscope. Prostate enlarged.
18 <sup>th</sup> Sept.	5 <sup>th</sup> Oct.		Cured. The tumor weighed 8 lbs. About 14 ligatures applied. He died encephalic. There was by process of both Metastases.	An ordinary scrotal tumor of 2 1/2 years' standing. It first commenced with pain & pain on the groin & swelling of the scrotum. At first it used to come on once in a month or later but at present he is getting it every fortnight. It does not keep free with lunar changes. The penis not involved.
18 <sup>th</sup> Sept.	22 <sup>nd</sup> Dec.		Cured. The tumor weighed 8 lbs. About 14 ligatures applied. He died encephalic. There was by process of both Metastases.	Had reducible inguinal hernia for the last 20 or 25 years. Has not noticed how & when it came down first. It used to come down occasionally & go up when squeezed upwards in a jerking sound. Since during the whole time it was obstructed (incarcerated) so that it remained on the scrotum from 12 a.m. to 2 a.m. each morning when it was reduced & improved the hernia was of itself. This is the third time that it has been incarcerated & reduced. The scrotum is enlarged & he is unable to push it upwards. It does not obstruct the external orifice on the day of admission. It was found that the tumor was a partly small one; not much pain on it & no constitutional disturbance.
20 <sup>th</sup> Sept.	3 <sup>rd</sup> Nov.		Cured. This was a case of scrotal tumor. Operated some time ago. Being too big to remove & partly to the testicle being a large one the skin of the perineum was drawn around one testicle during castration leaving it uncut & pendulous.	



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
22 <sup>nd</sup> Feb. 96	Shogshaw	25	Servant	Hindoo	Scrotal tumour <sup>97</sup>	Tumour removed
16 <sup>th</sup> Feb. 97	Bojehuaolla	32	Khalafu Hupfua		Inguinal Hernia (right-side)	Radical cure for hernia
18 <sup>th</sup> Aug. 98	Porau	45	Huchandua	Do	Scrotal tumour <sup>98</sup>	Tumour removed
3 <sup>rd</sup> Oct. 99	Ananda Bop	20	Farmer	Hindoo	Scrotal tumour <sup>99</sup>	Do.
9 <sup>th</sup> Oct. 1900	Topofaram Raskit	54	Stone	Do	Scrotal tumour <sup>100</sup>	Do.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
30 <sup>th</sup> Sept.	16 <sup>th</sup> Nov.		Cured	An ordinary scrotal tumour of 2 years' growth used to get fever at the commencement twice in a month preceded each time by pain & swelling of the scrotum. The fever was coming offener at present sometimes every week. The tumour weighed 2 lbs. About 22 ligatures put on. The vessels were numerous but not large. There was hydrocele of both the sacs.
26 <sup>th</sup> Sept.	19 <sup>th</sup> Oct.		Cured.	Had inguinal hernia of the right side for 5 years. It was first visible when he was lifting a heavy sack up after the operation. The weight. It was before a hydrocele. Has not invagination partly come down. The hernial tumour was well kept up by the invaginated scrotum.
17 <sup>th</sup> Oct/65	26 <sup>th</sup> Nov/66		Cured.	A scrotal tumour of one year's growth. The tumour removed by G.C.R. right side of the scrotum was first affected. Time occupied 2 minutes altogether but not accompanied with fever that time. It weighed 7 lbs. There was not much bleeding. About 17 ligatures the scrotum used to inflame. Applied. Some hydrocele on both sides. Testicles healthy but large. Cords thick on both sides. The prepuce was much thickened forming a lobular mass in the groove of which was the penis imbedded. There was a small lobule overhanging the penis. The patient was anaemic & the urine white & huffy. Urine examined but was not albuminous.
17 <sup>th</sup> Oct/65	17 <sup>th</sup> Dec.		Cured	Scrotal tumour of 10 years' growth. It was first removed by G.C.R. It weighed 30 lbs. Bleeding amounted to 4 lbs. No hydrocele. The first appearance of the tumour the left leg testicles healthy & small. There were many large vessels. About 19 ligatures applied.
14 <sup>th</sup> Oct/65	16 <sup>th</sup> Nov		Died of exhaustion Tumour removed by G.C.R.	Scrotal tumour of 8 years' standing anaemic. It weighed 4 lbs. It was pretty vascular & there were many large sized veins ramifying in all directions. There was hydrocele of both sides. The right one contained about 2 pints of clear fluid. The sac & cord much elongated & the former thickened into cartilaginous plates. Testicles healthy.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
11 <sup>th</sup> Oct. 101	Looof Coondoo.	40.	Cooley.	Hindoo.	Reducible inguinal hernia	Radical cure for hernia by Dr. Jagers method 1912
22 <sup>nd</sup> Oct. 102	Deves	40.	Cooley.	do	do	do
3 <sup>rd</sup> Oct. 103	Ismail Hazi.	35.	Khalafes.	Mughul	Trayumatic inflammation of the knee joint & suppurative within it	Amputation of the thigh at its lower third performed by modified Circular Hunter according to Jagers method -
23 <sup>rd</sup> Oct. 104	Nawass	30.	Bookbinder	Mughul	Testal tumour	Tumour removed.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
16 <sup>th</sup> Oct.	6 <sup>th</sup> Nov.		Unsuccessful Pleg taken out on the 20 <sup>th</sup> Oct. Much tenderness was com- plained of on the left side of the abdomen. The pain subsided afterwards by Pether & Fomble. The wound unsuccessful by Fomble. The incarcerated Sigmoid coming down as before.	A reducible inguinal hernia of 22 years' standing. Does not remember how it came down first as he was then a boy of 12 years of age. The hernial tumor whole of it could be reduced even the suprapubic portion. It was never strangulated before. The ring was large enough to admit three fingers -
25 <sup>th</sup> Oct/76	19 <sup>th</sup> Nov.		Cured.	A reducible inguinal hernia of the right side. The hernia came down a month before admission preceded by any blow strain or any efforts of the abdominal muscles. It was never strangulated. The abdominal ring allowed 1 finger to enter.
26 <sup>th</sup> Feb/76	12 <sup>th</sup>	12 <sup>th</sup> Nov.	Died of Pyemia Secondary suppurative pyemia. The cartilages of the tibia & femur were in an incipient state of destruction. The semilunar cartilages were nearly gone. Others fresh of cavity. Crucial ligaments soft. The synovial membrane injected. Extensive sup- puration around the joint itself. The ligaments above were hard & infiltrated. About 10 ligatures applied. There was not much bleeding. The femoral ligature came away 10 days after operation.	About 25 days before admission he had a cut on the inner aspect of his left knee joint produced by getting against a log of wood. The wound was an inch long & gaping obliquely from above downwards. It bled a little at the time but he did not notice whether any pyemia was present. On the third day it inflamed becoming red hot & swollen. Had fever for 6 or 7 days after that time. On admission the knee was found to be much swollen. The swelling was more apparent above the patella where it bulged out somewhat. Two days after that the former wound gave way & a large quantity of matter (supp.) came out. The quantity said consisted of thick pus at the bottom & a glairy albumen-like substance at the top. There was not much constitutional disturbance for some time the pulse however rising up to 140 or 120. As the former opening had healed up it was reopened & again some collection of matter let out. Constitutional disturbances becoming very urgent he was put under chloroform the incision extended & the joint was found to have been opened. Amputation was then determined on.
27 <sup>th</sup> Oct/76	13 <sup>th</sup> Feb/76.		Cured	Has had a scrotal tumor for the last 1 year. It commenced with an attack of fever in which the scrotum inflamed. Had to get given at the commencement every fortnight. Had no fever for the last month. It always kept pace with lunar changes. Perhaps thickened but the penis not imbedded. Distended two sides of the scrotum.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
18 <sup>th</sup> Oct/66 100	Robert Bishop	29.	Cook.	W. Indian	Stricture of the Urethra & abscess around the Corpus Spongiosum.	Syme's perineal section Abscesses opened by an incision on the right side of the Corpus Spongiosum.
26 <sup>th</sup> Aug 106	Hupance	26	Servant	Mupaka	Compound & Comminuted fracture of the fibula of the right leg & sloughing of the foot	Amputation at the lower third of the thigh by Dr. Foyers method.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
27 <sup>th</sup> Dec/90	4 <sup>th</sup> Jan/91		cured No 12 Catheter could be passed easily when he was discharged.	Had discharge from the Urethra for the last 6 months. Had an abscess on the middle of the perineum 4 months before admission which bursting has left a urinary fistula. Has noticed a hard swelling around the root of the penis for the last 3 months. It is pointing at the bulbous portion of the Urethra. Had high fever irregularly but none for some days. Passed water in fine stream but most of it passed through the ventral fistula opening. A longitudinal incision made on the side of the Corpus Spongiosum after 3 or 4 days & there was some <sup>pus</sup> exfoliated between that body & Corpus Cavernosum left out. No 2 Catheter afterwards tried but could not be introduced into the bladder. He was afterwards subjected to the operation. Was admitted with compound comminuted fracture of the fibula produced by the stepping of his leg between the carriage wheel & axle. The soft parts were extensively lacerated. Muscles crushed & hanging out. Some broken pieces of bone taken out that were nearly detached. The wound at first was doing pretty well. granulation rose over the <sup>it</sup> wound. But there was no attempt of union of the bone which on the contrary was dead. No union of the flaps. Rough denuded of its peritoneum & appeared white & the bone protruded out of the dead. As it seemed to keep up some irritation round. Nerves were slightly & produced shivering of the lower part of the wound. Every chance of the patient's surviving the operation was to the full extent up and saw it off and he was expected when he died below the <sup>head of the</sup> fibula, stripping off however the peritoneum. The bone after death was which was not attached to the anterior portion of the femur healthy. The medulla was healthy. The peritoneum & the wound began to push above the wound was healthy, the same unhealthy action commenced in evening, his health & pale the foot. When amputation was performed on the 22 <sup>nd</sup> evening. The kidneys & bladder surrounded by 3 or 4 ounces of ligatures applied. <sup>Spoke</sup> before it infiltrated with lymph. Medulla of the bone very vascular.
2 <sup>nd</sup> Nov/91			Died of asthma.	Was doing well all the while after operation. The discharge was healthy in character. There were no signs. Had a pretty good appetite but the bowels were rather loose. The stump showed a good vein of the bone which on the contrary was dead. No union of the flaps. Rough denuded of its peritoneum & appeared white & the bone protruded out of the dead. As it seemed to keep up some irritation round. Nerves were slightly & produced shivering of the lower part of the wound. Every chance of the patient's surviving the operation was to the full extent up and saw it off and he was expected when he died below the <sup>head of the</sup> fibula, stripping off however the peritoneum. The bone after death was which was not attached to the anterior portion of the femur healthy. The medulla was healthy. The peritoneum & the wound began to push above the wound was healthy, the same unhealthy action commenced in evening, his health & pale the foot. When amputation was performed on the 22 <sup>nd</sup> evening. The kidneys & bladder surrounded by 3 or 4 ounces of ligatures applied. <sup>Spoke</sup> before it infiltrated with lymph. Medulla of the bone very vascular.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
20 <sup>th</sup> Dec/17	Ram Dyal.	40.	None	Benagal.	Prolapsus Ani.	Folds of mucous membrane of the rectum snuffed off.
3 <sup>rd</sup> Oct 188.	Ismael Hazi.	36.	Chelapue	Benagal.	Osteo myelitis.	Hip joint amputation.
6 <sup>th</sup> Nov 189.	Mun Dyal Dof.	40.	Cooly.	Arison.	Calculus vesicae.	Lateral operation of lithotomy.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
6 <sup>th</sup> May 6	19 <sup>th</sup> Nov.		Cured.	Came in <sup>with</sup> a large prolapse of the rectum which was irreducible for 12 days - It used to come down on straining but could be always pushed in - was suffering from straining for 1 month before admission & the straining that it gave rise to was the cause of the prolapse. The prolapse was about the size of a large ball fruit - the mucous membrane of the rectum congested & elevated in many points - The tumour was pushed up & then he was operated on for the radical cure.
9 <sup>th</sup> Nov 6	12 <sup>th</sup> Nov		See No 103.	Was operated on the 26 <sup>th</sup> Oct for Strid of Hyosmia - One sign of suppuration within the knee joint. The thigh was just after the operation here computed at the lower part. He was doing pretty well for some time - the upper part of the wound granulating when two days before the second operation he had regular attacks of rigors - symptoms of Hyosmia beginning & increasing - suppuration at the hip joint was at once determined upon - The femur was afterwards sawed & found thoroughly infected with pus with many foci or centres of suppuration throughout its whole extent.
9 <sup>th</sup> Nov 6	24 <sup>th</sup> Nov		Died.	He remained was kept & warm one artery divided, probably the transverse perineal. It bled a good deal. Bleeding stopped by constant digital pressure. The spine was a small one real probably of an old and compact weighed about 3 drams. Four continued after operation - obstinately prostrated. Those of the system then suppressed & the patient died. The lungs were healthy except at the apex where there was some thickening. Heart adherent to the pericardium by old elongated bands at the apex of the left ventricle - Opposite to the adherent portion the cardiac wall was thinner & at its inner surface there was a discoloured laminated clod which was slightly adherent. There were calcareous & atheromatous patches along the <sup>in the</sup> course of the Aorta. The kidney contained 2 or 3 small cysts. Liver somewhat congested. The wound itself was slightly unhealthy at the margin - The prostate slightly thickened the incision was mostly on the membranous portion of the urethra. Bladder somewhat thickened otherwise healthy.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
30 <sup>th</sup> Oct 110	E. Boringbroke	33	Clerk	English	Reducible sigmoidal (left side) <sup>hemorrhoids</sup>	Dr. Operation for the radical cure
20 <sup>th</sup> April 111	G. Paulfreundt	30	Farmer	Hindoo	Scrotal tumour <sup>102</sup>	Tumour removed
24 <sup>th</sup> Nov 112	Shatewry	26	Brass	Dravidian	Caries of the os calcis	Excision of the os calcis. A horizontal flap was made from the heel a little below the insertion of the 1st plantar artery & a vertical incision over the tendon of the Achilles.
14 <sup>th</sup> Nov 113	Paulfreundt	30	Shepherd	Hindoo	Scrotal tumour <sup>103</sup>	Excision.
27 <sup>th</sup> Nov 113½	Basni Keer	40	Cooly	Dr.	Dr.	Dr.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
16 <sup>th</sup> Nov/86	27 <sup>th</sup> Jan/88		Relieved. The hernia was not completely cured but more manageable with the truss.	<sup>about 1/2 inch</sup> Came in before for incarcerated hernia which was reduced. Had an attack of dysentery after which he was advised to take change. This was the first time <sup>then</sup> that the hernia descended into the scrotum. The hernia was a small one & the ring just allowed 1 finger to enter it.
24 <sup>th</sup> Nov/86	18 <sup>th</sup> Jan/88		Cured	A scrotal tumour of 6 years' growth. It commenced with an attack of fever when the left side of the scrotum became thickened. After fever of 3 or 4 months there is a profuse tumour also in which the penis is involved. It weighed 8 lbs 10 oz. 17 ligatures applied. Many small points bled after operation. No hydrocele. Vichy healthy.
27 <sup>th</sup> Nov.	18 <sup>th</sup> Dec.		Died. The wound granulated after operation. The lower flap knitted when some diarrhoea appeared. The cat in the patient died. Lungs healthy. Dehydrated clot in the ventricles. The base of the heart somewhat thickened. Liver much enlarged pale yellow & very fatty. Kidneys pale & calcareous.	Had rheumatic affection of the joints about a year ago for which he was salivated. The pain in all the other joints subsided, except that in the knitted when some diarrhoea appeared. A small pimple then broke out on the middle of the foot close to the heel which bursting left a small ulcer. Had never any syphilis. Had an ulcer in front of the scrotum about 4 years ago which has left a deep-seated cicatrix. A small piece of bone came out of the ulcer on the 20 <sup>th</sup> & 21 <sup>st</sup> months before admission. The sole of the foot was flat anteriorly & bulging convex posteriorly. There is a blowing murmur with the 2 <sup>nd</sup> sound of the heart more intense at the apex than at the 2 <sup>nd</sup> Costal Cartilage. The 2 <sup>nd</sup> valve was softer to the touch & giving sound (springs) with the cuboid anteriorly.
4 <sup>th</sup> Dec/86	27 <sup>th</sup> Dec.		Died of Pneumonia. About 8 ounces of thick pus in the right pleural cavity. Lungs healthy all over with dead pneumonia patches. Some deep ones were surrounded by a collection of pus - Liver & spleen healthy.	A scrotal tumour of 12 years' growth. It commenced with an attack of fever. Previous to the first time he had dysentery which was cured when he was operated. The tumour weighed 8 lbs. 25 ligatures applied. The tumour was very vascular. No hydrocele. The cord was a long & thick one - Was doing pretty well when he had pneumonia. He soon stopped & he sank.
8.	20 <sup>th</sup> Dec.		Cured	An ordinary scrotal tumour of 1 year. The prepuce was thickened & elongated - It was removed by H.C.P.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
11 <sup>th</sup> Dec/40 114	Dobrey Sing	40	Carter	Hindoo	Fracture of the bones of the pelvis & complete rupture of the Uterus. Extravasation of Urine in the pelvic cellular space.	Lynch's perineal section.
10 <sup>th</sup> Nov. 115	Hurry Muttu	32	Labourer	Hindoo	Hypertrophy of outer labia	Excision.
8 <sup>th</sup> Dec. 116	John Peters.	30	Sailor	Norwegian	Ulceration over the prominent Pubic bone.	Position of the bone gouged away by saw, a flap of skin by Crucial incisions.
16 <sup>th</sup> Dec 117	Raman Chunder Ghose	32	Bankman	Hindoo	Rupture of the Uterus.	Perineal Section.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
13 <sup>th</sup> Dec/61	14 <sup>th</sup> Dec 4 am.		Perineum lacerated. The soft parts of the perineum were highly congested. There was fracture of both innominate bones in front of the acetabulum. Wretina completely torn across behind the triangular ligament the posterior portion hanging down. The Valvula Cellulosa tunic was easily removed. A cavity filled with loose clots.	He fell down from a cart a few hours before admission under the wheel & was run over. He fell on his right side the cart wheel passing over the left. He was heavily loaded with bullets. Had some bleeding from the Wretina. No fracture detected. Felt much pain in passing & retaining urine in the night but on relieved by catheterism next day. Catheter introduced the following day the catheter could not be passed. Lymen's perineal section performed. Sank gradually in the night he was propped up.
14 <sup>th</sup> Dec/61	18 <sup>th</sup> Jan/62			Was admitted with fever & diarrhoea in Dr. Francis's ward in a very low state. Thence she has been transferred. Had swelling of both outer labia 10 or 12 days before admission which were hard & very painful. After the subsidence of fever the swelling went down a little. Hind side of dressing outward & were applied with little effect when the tumours were removed by oval incision.
15 <sup>th</sup> Dec.	30 <sup>th</sup> Feb/62		Cured. A portion of the flap sloughed. but the wound became granulated & cicatrized.	The left foot was severely smashed 12 months before admission by the fall of a heavy iron shoe. He was sent into Man-ritius Hospital where the two outer toes were amputated. He was discharged completely cured. But for the last 2 months the cicatrization began to give way & the ulceration was mainly kept up by the prominent cuboid bone next to the ulcerated portion. By a crucial incision the skin was raised & a portion of the bone projected. The flaps not sutured.
20 <sup>th</sup> Dec.	13 <sup>th</sup> Jan/62		Wound not cured.	Fell down sitting on a log of wood & hurt his perineum. Walked home afterwards bleeding from the Wretina. Came into the Hospital with retention of urine next day when a catheter was passed with a little difficulty & kept in for 2 days. Bleeding becoming alarming & urine & the perineum were permeated. Symptoms of a perineal abscess coming on an incision was made but the swelling proved to be due to a limited extravasation of urine. Lymen's perineal section then performed.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
13 <sup>th</sup> Sept. 118	Rakhal Dey Chatterjee	32	Writer	Hindus	Hematocoele of the spermatic cord.	Sac laid open by an incision & left to suppurate.
22 <sup>nd</sup> Dec. 119	Aga Aliy	28	Stone	Mysaluma	Fibroplastic tumour on the left arm	Tumour removed.
24 <sup>th</sup> Sept. 120	Gopaul.	34	Cooly.	Hindus	Necrosis of tibia	Necrosis of <sup>portion</sup> of tibia part gouged away & partly removed with the forceps by extending the incision.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
20 <sup>th</sup> Dec.	27 <sup>th</sup>	6 <sup>th</sup> Jan.	Died probably of pyemia. Much suppuration was set up. Symptoms of pyemia came on one by one & he died. Body was removed by fire.	Came in with a tumour on the right side along the course of the cord (spinal). It was hard oval as large as a goose egg. It came on only 6 days before admission. Had been suffering for the last 6 or 7 years with occasional enlargement on the groin which was said to be a hernia by able physicians. He was advised to wear truss on that side. Since then the enlargement or protrusion does not appear so frequently. On the present occasion he was sent by a medical man who suspected it to be a case of strangulated hernia. He looks healthy on each side.
22 <sup>nd</sup> Dec.	17 <sup>th</sup> Jan.		Cured.	Has had a tumour on outer side of left arm. Very little inflammation until its upper part for the last 12 years. It has been set up. The skin united in growing all the while slowly but for the last 3 months the growth is somewhat rapid. At about that time a small ulcer formed which bled 6 or 7 times, each time he bled, he says, a lb of blood. The tumour was as large as a middle sized heel fruit. Consisting of 2 lobes an upper & a lower. The former was of a recent growth. The tumour removed by oval incisions at its base. The whole tumour exposed off. Many large vessels exposed out in jets. Quantity of blood lost raised to 1 lb. More than 20 ligatures applied. He bled out off. but still the skin was brought together by sutures & with bleedings.
24 <sup>th</sup> Decr	5 <sup>th</sup> April		Cured.	Came in with a large sloughing ulcer on the leg & compound fracture of the tibia. The bone united after a long time but a large sequestrum of bone remained. A large incision was made on it on the 24 <sup>th</sup> Decr about 4 inches long & the sequestrum bone exposed. The rough denuded portion was partly snuffed off & broken & partly gouged away. The underlying cavity exposed.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
--------------------	-------	------	-------------	-------------------	----------	------------

An abstract of Surgical operations performed in the 1<sup>st</sup> Surgeonist of the Medical College Hospital in the year 1865.

Number of operations	Names of operations.	Cured.	Relieved.	Died.	Causes of death.										Remarks.
					Logical causes in Hospital.	Medical cause in Hospital.	Pneumonia.	Barthelin.	Ataxia.	Gangrene.	Erysipelas.	Phlegmon.	Other cause.		
1	Amputation of thigh at the hip joint	"	"	1			1	"	"	"	"	"	"		
4	do - do - do at the lower 8 <sup>th</sup>	"	"	4			2	"	"	1	"	"	1		Died of shock.
7	do - they below the knee	5	"	2			"	"	"	1	"	"	1		Died of tetanus.
2	do - of foot by Lymen's method	"	"	2			1	"	"	1	"	"	"		
"	do - do - do by Chiropod's method	"	"	"	"	"	"	"	"	"	"	"	"		
"	do - of Shoulder joint	"	"	"	"	"	"	"	"	"	"	"	"		
"	do - of the wrist	"	"	"	"	"	"	"	"	"	"	"	"		
1	do - of the arm	"	"	1	"	"	"	"	"	1	"	"	"		
1	do - of the forearm	1	"	"	"	"	"	"	"	"	"	"	"		
4	do - of the finger with head of metacarpal bone	3	"	1	"	"	"	"	"	1	"	"	"		
2	do - of the great toe with the head of metatarsal	1	1	"	"	"	"	"	"	"	"	"	"		
1	Excision of the knee joint	"	"	1	"	"	1	"	"	"	"	"	"		
1	do - of the elbow.	1	"	"	"	"	"	"	"	"	"	"	"		
1	do - of the Os Calcis	"	"	1	"	"	"	"	"	1	"	"	"		fungus brought on by diarrhoea
15	Removal of tumours	13	1	1	"	"	"	1	"	"	"	"	"		
24	Scrotal tumour Operations	20	1	3	"	"	1	1	1	"	"	"	"		
8	Lateral operation of Lithotomy	5	1	2	"	"	"	"	"	1	"	"	1		Died of hæmorrhage
14	Radical cure of Hernia	10	"	"	"	"	"	"	"	"	"	"	"		Four unsuccessful.
6	Perineal section for stricture.	4	1	1	"	"	"	"	"	"	"	"	1		Died of Pleuritis.
2	do - do - for extravasation of urine	1	"	1	"	"	"	"	"	1	"	"	"		
1	Ligature of femoral artery	"	"	1	"	"	1	"	"	"	"	"	"		
1	Trephining	"	"	1	"	"	1	"	"	"	"	"	"		
3	Gouging	3	"	"	"	"	"	"	"	"	"	"	"		
1	Operation for transplacental hernia	1	"	"	"	"	"	"	"	"	"	"	"		
4	do - for Hernia testis	4	"	"	"	"	"	"	"	"	"	"	"		
2	Hydrocele - radical cure	2	"	"	"	"	"	"	"	"	"	"	"		
1	Hæmatocoele of the testis	"	"	1	"	"	"	"	"	"	"	"	"		
2	Lithotomy	2	"	"	"	"	"	"	"	"	"	"	"		The body was removed, fluids were probably of hæmorrhage
1	Radical cure of Prostatitis	1	"	"	"	"	"	"	"	"	"	"	"		

110



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
--------------------	--------------------	----------------	---------------------------	----------

An abstract of surgical operations performed in the 1<sup>st</sup> Surgeon's Ward of the Medical College Hospital in the year 1865

Number of operations	Names of operations	Cured	Released	Died.	Longest time in Hospital	Shortest time in Hospital	Causes of death							Remarks
							Pyæmia	Dysentery	Atresia	Gangrene	Emphysema	Hæmorrhage	Other Causes	
4	Fistula in ano.	3	1				"	"	"	"	"	"	"	
1	Excision of basal pit. <sup>pus</sup>	"	"	1			"	"	"	"	"	"	1	Died delirious - Ac. P. H.
1	Operation for Hæmorrh.	1	"	"			"	"	"	"	"	"	"	
2	Excision of Hemorrhoid.	2	"	"			"	"	"	"	"	"	"	
4	A. Cauterization	4	"	"			"	"	"	"	"	"	"	
1	Plastic Operation	1	"	"			"	"	"	"	"	"	"	
1	Operation for Entropion	1	"	"			"	"	"	"	"	"	"	
4	Shoe & gluteal abscess	"	"	4			"	3	1	"	"	"	"	
1	Operation for atresia <sup>ous</sup>	"	1	"			"	"	"	"	"	"	"	

129 Total

28 Died

Total 129  
Died 28



Operations performed by Dr. Taylor. in the

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
28 <sup>th</sup> Dec/65	1. Kriemhild Graw.	20	Servant	French	Oblique inguinal (right side) tumour	Operation for the radical cure.
19 <sup>th</sup> Dec/65	2. Lashel Pop.	50	Harpist - male.	Hindoo	Scrotal tumour <sup>104</sup>	Tumour removed
2 <sup>nd</sup> Jan/66	3. Bhochu	22.	Thatcher.	Do.	Do. <sup>105</sup>	Do
26 <sup>th</sup> Dec/65.	4. Kunghee	36.	Harpist. Male.	Do	Do <sup>106</sup>	Do
21 <sup>st</sup> Dec/65	5. Pearcy.	30	None. Female.	Do.	Bronchoecle.	Ligation of the Inf. Thyroid Artery of right side.
2 <sup>nd</sup> Jan/66	6. Katie John Pop.	32.	Labourer.	Do.	Scrotal tumour <sup>107</sup>	Tumour removed







Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
22 <sup>nd</sup> Dec 7.	Benjamin Keely	52.	Cook	American	Stricture of the Urethra & perineal abscess.	Perineal section.
5 <sup>th</sup> Jan/88	W. Howard	34	Water-bearer	Madras	Inguinal Hernia. (right side)	Operation for the same.
8 <sup>th</sup> Jan/88	Deerajotola	40.	Stone	Mysore	Do (right side)	Do



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
7 <sup>th</sup> Jan'y/86		9 <sup>th</sup> Jan'y/86	Died of Pneumia.	Came in with a bad suppurating abscess & physician had whence he was transferred in a low state of health for a hard cartilaginous structure. No <sup>acute</sup> suppuration with some difficulty followed afterwards by abscess. After relating the structure for 3 or 4 days some symptoms of constitutional irritation such as hyperaemia of the face & suppuration, abscess on the perineum all pointed out strongly to symptoms of pyaemia & show the patient died three weeks from consolidation of the right lung from abscess propagating to suppurative stage of pneumonia. The left lung was also consolidated at its base & posterior. There were <sup>extensive</sup> clots of blood in the right ventricle leading to the pulmonary artery. Liver enlarged & angulated. Kidneys had firm & resistant with receiving the finger's impression when hard & bumpy. The tubular structures atrophied.

6 <sup>th</sup> Jan'y	16 <sup>th</sup> March		Unsuccessful	Was admitted as a case of large hydrocele of 5 years duration. It was increasing slowly & the hernial bag was re- <sup>not very difficult</sup> on standing and descended as far down as the middle of the thigh. Stated that the swelling never went up with the abdomen nor had he ever any sensation of something coming down. The tumor was pear-shaped, tense & had a feeble pulsation on coughing. The testis was quite distinct & situated at the most dependent portion. On tapping it with the finger the sound was quite resonant.
-----------------------	------------------------	--	--------------	---

14 <sup>th</sup> Jan'y	14 <sup>th</sup> Feb'y		Cured.	A right inguinal hernia of 8 months. It comes down into the scrotum & goes up when pressed squeezed upwards. Has never strangled before. Asked if first child working in the field. The ring was a very small one allowing the tip of 1 finger to hold.
------------------------	------------------------	--	--------	---



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
6 <sup>th</sup> Dec/10	Mutty	25	house	Hindoo	Medullary Cancer	Hip-joint dissection
17 <sup>th</sup> Jan/11	Kumbar	30	Farmer	Mysore	Fibroplastic tumour	Excision of right of the Sup. maxillary bone, Sup. maxillary bone.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
15 <sup>th</sup> Jan'y 1866	27 <sup>th</sup> Jan'y		Died	<p>Five years before admission the patient had a tumor penetrated at internal aspect of the patella was found to be adherent to of the right side. Was in pretty good health thoracic parietes by record after that until 7 months before admission lymph at the sides both the a swelling appeared on the lower part of thigh lungs right &amp; left were <sup>thick</sup> continued to increase slowly for a month or with some small nodules of two when he had a fall - Since then the swelling lower varying from the size increased rapidly extending from the lower of a pea to a 4 ounce piece part of knee upwards to <sup>lower</sup> of the thigh just A large oval mass about a the patella downwards &amp; outwards. It was held off in size was adherent by <sup>stitch</sup> knee at the upper part &amp; elastic &amp; semi-plastic a bedicle on the anterior border terminating at the lower when on exploring, a of the right lung at its base. A thick curdy substance came in the groove was soft &amp; the piece <sup>which</sup> of the needle. One single gland on the groin exhibited under the microscope was slightly enlarged. The measurement of large free from cells. The pat. the knee joint above the patella was 14 inches &amp; many substance itself also was in the middle about 16 inches &amp; at the upper part infiltrated with cancer. The 13<sup>th</sup> inches - Was kept under observation till Decr 4 &amp; iliacus muscles of the the 3<sup>rd</sup> Jan'y 1866. When the tumor measured amputated side here reduced above the patella 16 inches - In the middle 16 inches into a mass of pus. The femur at the upper boundary which cancer extended &amp; artery &amp; vein were healthy about 2 inches upwards above the former boundary &amp; were blocked up at their 16<sup>th</sup> inches - Was in a very low state of health free from cancer with firm cap. all the while the tumor being barely perceptible. The scapular cavity rough &amp; little as the wrist - Hip joint amputation was recovered. Other organs healthy performed on the 14<sup>th</sup> Jan'y. The operation completed there was a large patch of pus within 2 minutes - About 30 ligatures applied none lung at the lower border of the left. <sup>Most contents of deep-seated capsule extending into the pulmonary artery &amp; vein.</sup> after ward - Bleeding amounted to 1000 cc. cancer.</p>
19 <sup>th</sup> Jan'y	15 <sup>th</sup> Jan'y		Died of Pyæmia.	<p>Stated that about a year &amp; half ago he noticed a small swelling on the right side of his knee at its upper part - This continued to extend when he was salivated - Some ulcers broke out on the left lung entirely hepatized. Richard palate which continued discharging a purulent substance. Since Jan'y head in to the anterior For the last 2 months the left maxillary bone had been involved. In the night one the swelling was often much enlarged &amp; tough. <sup>of the lower</sup> the kidneys contained small mass on the lower part. In the left at the upper end of the left eye in front. The teeth were carried forward &amp; the hard palate bulged within the cavity of the mouth - General health pretty good &amp; the patient was a strong-looking man.</p>



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
16 <sup>th</sup> Aug/12	Iyer	26	Govt.	Hindu	Scrofula tumor	Removal of the tumor
22 <sup>nd</sup> Jan/13	Ahmed ally	20	Cooly.	Mughul.	Laceration & Commi- nution of the 2 <sup>nd</sup> & 3 <sup>rd</sup> phalanges of the thumb	Amputation of the thumb with the base. carpal bone
22 <sup>nd</sup> Jan/14	Bonomally Ghose	40	Dr.	Hindu	Scrofula tumor	Removal of the tumor
21 <sup>st</sup> Dec/15	Prarup.	30	Some female	Dr.	Bronchocele	Ligature of the sup. thyroid artery of the left side
12 <sup>th</sup> Jan/16	Motray.	50	Widow	Dr.	Cataract.	Linear extraction



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
18 <sup>th</sup> Jan'y 1860	7 <sup>th</sup> April		Cured.	A small scrotal tumour of 2 months' growth. This was the first time when he had pain along with pain & swelling of the testis. One day the scrotum was about 2 inches thick & Carthaginians. He was put under the influence of Iodine & local application of Iodine of having tried with much relief & subsidence of the tumour. As a little thickening of the scrotum still remained, it was removed at the urgent request of the patient. It weighed 6 oz. About 20 Ligatures applied. There was no discharge & the testis healthy.
23 <sup>rd</sup> Jan'y 1860	15 <sup>th</sup> Feb'y		Much suppuration was set up. But subsided when in the forearm. The wrist joint was opened when suppuration in the forearm was repaired.	The thumb of the right hand was caught in a moving machine & crushed. The last phalanx was comminuted. The 2 <sup>nd</sup> one was broken at the base & was protruding out of a lacerated wound on the skin. Disarticulation of the thumb with the bone was performed by antiseptic flaps.
26 <sup>th</sup> Jan'y 1860	25 <sup>th</sup> Feb'y		Died.	See Elephantiasis of Testis after 4 years' continuance. Left small boils on the surface of all over it. It weighed 1 lb. 10 oz. About 27 Ligatures applied. There was some by excision of the right side. The end of the left side elongated. Testis healthy. The ureters extensively diseased. The ureters were thickened & the bladder thickened. The bladder contained a collection of pus. The mucous membrane thickened & lined with granular sand like calcoli. A brownish colour which were adherent to the mucous covering.
29 <sup>th</sup> Jan'y 1860	5 <sup>th</sup> March		Cured.	See Nos. The artery was as large as the external carotid & was quite subpericardial. There was no diminution of the size of the tumour when this 2 <sup>nd</sup> artery was ligatured.
30 <sup>th</sup> Jan'y 1860	28 <sup>th</sup> March		Unsuccessful.	Came in with a Colloid fracture of the right forearm. Had Cataract in the right eye & the left was just beginning. He distinguished only the objects with the right eye. Which under Chloroform & the knife in the subconjunctival she started slightly & the operation was delayed. Some of the lens matter was allowed to remain in the sub. chamber. Much inflammation followed. Came on



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
26 <sup>th</sup> Jan 17	Gooway Chark	50	Farmer	Impuban.	Scrotal tumour <sup>110</sup>	Tumour removed
22 <sup>nd</sup> Jan 18	Shumud ally.	20	Cooly.	Or.	Suppuration in the wrist joint.	Amputation of the forearm by Lisles button the posterior flap being larger than the anterior
22 <sup>nd</sup> Jan 18	Shank Chater	30	Mason.	Or.	Compound <sup>compound</sup> fracture of the lower part of femur & longitudinal fracture of the Condyles -	Amputation of the thigh at its lower part by Lisles button the Ant. flap being larger.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
1 <sup>st</sup> Feb/66		9 <sup>th</sup> Feb	Died.	A scrotal tumour of 25 years' growth. The There were large white coagula growth <sup>been</sup> a pretty rapid one for the last year in all the cavities of the heart. The head kept fever before but it <sup>had</sup> ceased to grow on right auricle & extended into it. for the 3 or 4 years at present. The tumour The left ventricle had time to its adherent to its walls in- weighed 4 lbs. About 16 vessels secured by acu- cluding to the pulmonary artery & pines. There was much hydrocele of both passing in all its minute ra- sides. There was much bleeding from the mifications. Similar clot blood wound during the time of securing the vessels in the pulmonary vein the left which occupied about an hour. About 10 lapi- ventricle & the aorta. No pyemia- tures were applied afterwards to stop bleeding in patch. No other lesions detectable the day.
3 <sup>rd</sup> Feb		13 <sup>th</sup> Feb	Died. Pyæmia	Sec. No 13. Many gangrenous patches on The wound opened out & pus burrowed upwards the lungs on both surfaces. Some to the forearm. A large incision was made on clots in the pulmonary artery. the ante aspect & let out pus. Suppurative action kidney fleshy, large & catarrhal. & the wound looking & contraindicated. A foul The veins in connection with the heart into the joint amputation of the forearm was per- & also artery were filled up with formed. The vessels secured by needles. These pus as far high up as the axilla. were taken out after 48 hours but no bleeding re- There have been dark coagula locked up the thing.
8 <sup>th</sup> Feb			Died. Pyæmia	The fracture was due to a fall from the day of operation from the scaffold when he fell on his knee the pulse rose to 140 to 140. There was no external wound when he came in in a minute & the temp 105°. but the lower portion of the upper fragment was otherwise the stump was hanging on the skin which was tightly stretched being well when within 12 hours over the bone. The limb was immediately put there was found a swelling on <sup>leg of limb</sup> on which bandage & kept at rest. A week after, the forearm of the diseased side which was discharging. Next the dressing was changed & the skin where the became burned & he died. bone before <sup>had</sup> finally <sup>protruding</sup> was found ulcerating. The body taken removed 3 days after, it was found that the ulceration had extended to the bone as far as the bone a portion of the bone had become necrotic. which was denuded of periosteum the joint was made - the left lung was swollen & painful & it was expected that in- flamed to have been hepatic inflammation will reach it soon & necessitate which has been hepatic amputation when it will be too late to do so patch. The swelling on the to the man ahead had 1 shivering & a high arm was due to pyæmia pulse, amputation was performed immediately of lymph & blood which were the knee joint contained a quantity of fetid undergoing putrefaction. Coagula which exsisted out as soon as the joint was opened.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
5 Feb 88	J. A. Roper	39	Engineer	E. Indian	Laceration & commi- nution of the phalanges of the 1 <sup>st</sup> , 2 <sup>nd</sup> & 3 <sup>rd</sup> toes.	Amputation of the phalanges.

9 Feb 88	Mesa Jaram	40	Butler	Mexican	Strangulated inguinal hernia.	Operated for the reduction of hernia.
----------	------------	----	--------	---------	----------------------------------	--



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
5 <sup>th</sup> Feb 8. PM.		17 <sup>th</sup> Feb	Death	<p>Two days before admission the toes of the left leg were swollen by a moving steam locomotive on after operation engine. The great toe was lacerated &amp; the tendons stopped. The other toes were swollen &amp; the fluctuation on the knee indicated the fracture. The patient died when the patient died.</p> <p>Body removed by friends.</p> <p>Two days before admission the toes of the left leg were swollen by a moving steam locomotive on after operation engine. The great toe was lacerated &amp; the tendons stopped. The other toes were swollen &amp; the fluctuation on the knee indicated the fracture. The patient died when the patient died.</p> <p>Body removed by friends.</p>
9 <sup>th</sup> Feb 9 PM.		9 <sup>th</sup> Feb 9 PM.	Death.	<p>Had had congenital inguinal hernia of the left side. It was always in the habit of coming down but was never incarcerated before. The tumor in form of a large as a small fruit but the whole of it was reducible. The hernia came down at 7 PM. on the day of admission &amp; has been of since then.</p> <p>Urgent symptoms came on about 2 hours after strangulation but he came to the hospital at 10 PM. that evening - Operation was performed at 11 PM.</p> <p>The incision made was pretty large on the line of the hernia but still the mass was irreducible. The intestines were drawn out from scrotum &amp; exposed. The half of the small intestine formed the hernial protrusion with the omentum. After much effort half of the mass was introduced back in &amp; the remainder being so gangrenous in patches it was feared that the attempt to reduce it will cause rupture. It was punctured in several places &amp; was reduced afterwards. The hernia came down 4 or 5 hours after operation viz. after the death of the patient. The intestines were much congested but were shiny &amp; of a purple color with occasional dark black patches of slough on the peritoneal coat.</p>



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
25 <sup>th</sup> July 22	Osrofaute	40	Lascar.	Hindoo	Gangrene of the foot.	Chopart's method of amputation.
25 <sup>th</sup> July 23	Mohammed Hafeez		Lascar	Mughal	Laceration & compound comminuted fracture of toe with the head of the great toe	Amputation of the metatarsus & amputation of the 2 phalanges of the 2 <sup>nd</sup> toe
25 <sup>th</sup> July 24	L. Smith.	24	Contractor	German	Gunsight wound of the forearm.	Amputation of the forearm at its lower part by flaps & amputation of the 2 phalanges of 2 <sup>nd</sup> & 3 <sup>rd</sup> & of the last phalanx of 2 <sup>nd</sup> & 3 <sup>rd</sup> fingers.
25 <sup>th</sup> July 25 11 PM	Sostie Doff	50	Shipkeeper	Hindoo	Strangulated <sup>suppurated</sup> hernia	Operation for the reduction of hernia.



[illegible]



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
26	Mankhewey.	8	Slave	Hindoo	Compound fracture of humerus.	Resection of the dead bone.
2 <sup>d</sup> March 27	Ramphuruphuchibut	35	Laborer	Dr.	Urinary fistula & extravasation of urine	<sup>very</sup> Incisions on the scrotum & perineum
23 <sup>rd</sup> July 28	Jagabphunder Singh	40	Competition	Dr.	Stiff knee joint.	Adhesions <sup>removed</sup> by forcible extension & knee under chloroform
2 <sup>d</sup> March 29	Bupserooden.	22	Husbandman	Mughal	Stone in the bladder	Lateral Operation & Lithotomy
25 <sup>th</sup> July 30	F. Smith	24	Contractor	German	Gunshot wound of the forearm. to the bone.	Amputation of the arm




Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
3 <sup>rd</sup> March.	2 <sup>nd</sup> May		Cured	<p>6th Came in with compound fracture of humerus. After some exploration compound Colles's fracture of the same side of the bone the humeral head &amp; simple fracture of the radius of the right side of the bone united. The bone. The humerus was broken just above the elbow joint of the joint was perfect. The ulnar piece was denuded to the extent of 4 inches &amp; except some tenderness at 4 did. The skin over it healed &amp; it stuck out the elbow joint, no deformity left of the wound when it was sawn off.</p>
3 <sup>rd</sup> March	6 <sup>th</sup> June		Recovered by fission	<p>Had 4 serious fistula on the perineum. An incision was made on 4 years' standing. Had to pass water in the perineum on the median very fine stream - &amp; if it passing through the line then some pus escaped. Sinuses &amp; the remaining though the bacterial sinuses were divided by passages. For 4 or 6 days prior to admission large incisions &amp; two thro the scrotum has begun to grow large &amp; painful were made on the scrotum on each side. The scrotal tip was very flabby &amp; infiltrated with febrile attacks along with it. <del>but</del> but retained their vitality.</p>
4 <sup>th</sup> March	28 <sup>th</sup> May		Recovered	<p>Had an attack of fever about a year ago when the knee in flames &amp; swelled. He remained in bed all the while keeping the knee in a flexed position. The fever subsided but the pain on the knee continued for over 6 months. On recovering from it he found the knee stiff. The leg was at right angle with the thigh. It could be not be flexed or extended. The ankylosis however seemed not to be ankylosis as it could be stretched a little with force.</p>
6 <sup>th</sup> March.	13 <sup>th</sup> April		Cured	<p>The symptoms of Calculus commenced a year before admission. The patient was a strong man &amp; of pretty healthy constitution. The perineum was very deep &amp; narrow. The stone was oval flat with surface slightly rough. Composition weighing 820.</p>
13 <sup>th</sup> March.	13 <sup>th</sup> April			<p>See No 24. The stump almost united &amp; everything was going on favourably except some suppuration of soft parts. When violent rigors occurred successively on the 11<sup>th</sup> &amp; 12<sup>th</sup>. In time was therefore lost in performing secondary amputation of the femur at the lower part. The lower part of stump healthy except where purulent deposit had been let out by counter incisions.</p>



Date of Admission	Name	Age	Occupation	Caste or Country	Disease	Operation
31	Miss Ellen Duncan	17	Student	English	Lymphatic enlargement of the knee joint	Amputation of the thigh at its lower part by ant. post. flaps.
21 <sup>st</sup> March 32	Stannath	25	None	Hindu	Stricture of the urethra	Perineal section.
14 29 <sup>th</sup> Jan 1882	Pearcy	30	None	do	Sarcoma Cancer of the breast	Removal of the breast



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
25 <sup>th</sup> March			Cured	<p>The patient, a thin, callous-looking &amp; scrofulous girl, had been suffering from ulceration first intention. Very little suppuration took place in the soft parts. Femoral lig. <sup>large</sup> the anterior &amp; posterior aspects of knee in time came away on the <sup>large</sup> irregular patches -</p> <p>Day, Within a fortnight she the right leg was much atrophied and was nearly well when she dislocated backwards by the contraction of the had slight fever unaccom. <sup>the</sup> knee so that the femur protruded with shivering. For weeks in front of the leg much like fear of any work come. The figure represented . The leg was quiescent she was removed she started in comparison to the healthy growth from the Hospital -</p> <p>She did well afterwards. The left knee joint, though not elevated was swollen &amp; <sup>the</sup> thick &amp; the leg partially displaced backwards.</p>
2 <sup>nd</sup> March	5 <sup>th</sup> June		Cured.	<p>A hard stricture of 5 months' duration. The wound healed in 64<sup>th</sup> following an attack of gonorrhoeal discharge. It could be passed with Had been passing water in drops for 1 month slight difficulty. The health before he came in to the Hospital. The stricture not improving he was advised was nearly occluded. The stricture was at to take a change. He came 2 portions one about an inch from the meatus reduced as a stricture &amp; umbiliciform hard &amp; cartilaginous &amp; the other out with the same condition of the same nature extending from the bulb back to the membranous portion of the urethra. The gland was very tough around the orifice on account of <del>off</del> a cicatrix left after a syphilitic ulceration.</p>
23 <sup>rd</sup> March	8 <sup>th</sup> May		Relieved	<p>A hard cancer of the breast of 18 months' continuance about an orange in size. The wound healed com. involving the left mammary gland. The skin was adherent and elevated slightly and discharged. She has been thin was adherent and elevated slightly and advised to show herself &amp; <sup>thoroughly</sup>. Has kept in the ward under observation &amp; to improve her general health but she had an attack of dysentery. When the returned the Operation was performed. The whole tumour was excised - The pectoral muscle was pale &amp; had suspicious deposits on its surface which were removed. The glands of the axilla enlarged slightly.</p>



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
25 July 26	F. Smith	24	Contractor	German	Osteomyelitis	Amputation at the shoulder joint
35	Shahk Yozgo		Coschina	Impaler	Fracture of 7 ribs of the left side	Resection
3 July 1926	J. C. Mary	7 1/2	house	English	Scorfulous elevation in the elbow joint	Incision of the elbow
20 April 37 7 am.	Nayer.	35	Butcher	Impaler	Strangulated inguinal hernia.	Operation for hernia



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
	13 <sup>th</sup> April		Cured	See No 30 The stump had nearly healed when he complained of pain on the bone. Some <sup>removed</sup> small bits of <del>removed</del> humerus extracted under chloroform. Next day he had a well marked rigor when no tumor was lost in amputating the shoulder joint. About 32 ligatures applied. The humerus saved though. The end was denuded of periosteum to a slight extent. The medullary canal soft with persistent deposit throughout its length. The cancellous structure infiltrated with pus.
✓	19 <sup>th</sup> April		Cured	Was first admitted just after the accident. He looks very feeble. Much difficulty of breathing. Emphysema of the right chest abdomen & right left upper extremity. Partial collapse of one lung & congestion of the other. About 10 ounces of blood let out from the vein on the right arm. The dyspnea was relieved & he began to improve.
9 April 66	15 June 66		Death	See No 69/65. Had several ulcers on the left arm all opening into the joint. The joint was swollen & ankylosed. All sorts of constitutional treatment were persevered for a long time but the ulcers were not a bit improved. Excision of the joint therefore performed. Head of radius & ulna & the end of humerus cut off. The bones soft & fatty yielding under the bone nipper & causing a purulent substance from the medullary canal. Soft parts infiltrated with lymph. Muscles pale.
20 <sup>th</sup> April 9 am	1 <sup>st</sup> June 9 am		Cured.	Inguinal hernia of right side of 7 months' continuance. It was completely reducible but since evening of the 19 <sup>th</sup> Sep it did not go up. As it could not be reduced by taxis & as the urgent symptoms had long appeared, the patient was operated without delay. The stricture was at the external abdominal ring. The intercolumnar fascia forming tight bands across the neck of the tumor. The sac not removed. It was adherent & irreducible. Was defecated long in front & crossed the neck of the sac.
			Unsuccessful operation for the radical cure	



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
27 <sup>th</sup> April	38 Babar Ram	32	Methur.	Mupahy	Depressed fracture of the skull.	Traphing.
18 <sup>th</sup> April	39 Kunder	20	Prostitute	Hindoo	Condylomatus tumour on the clitoris	Tumour removed
27 <sup>th</sup> April	40 Mahataffhand	28	Mupahy	S.	Seratal tumour <sup>IN</sup>	Do
27 <sup>th</sup> April	41 Jodoo.	12	Confectioner in the mint.	Do.	Laceration of the middle finger	Amputation of the middle finger with the head of meta carpus
20 <sup>th</sup> April	42 Fazale Rukman	20	Student	Mupahy	Gunsht wound of the arm Compound comminuted fracture of humerus	Amputation at the shoulder joint.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
21 April 9 <sup>pm</sup>		24 April	Death	<p>Was struck on the left side of the head with a thick bamboostick which caused fracture of the skull extending from the lower part of the forehead down through the temporal bone &amp; across the body of the sphenoid between the base &amp; dura mater. A crucial incision a portion of the parietal bone a layer of clot about 1/2 inch thick about a super in size was found fractured &amp; extending for 4 inches backward the brain just underneath the fracture was soft lacerated &amp; ecchymosed.</p> <p>The fracture across the temporal parietal bone had torn the middle meningeal artery.</p> <p>There was fracture of the base of the skull on that region. Was admitted with symptoms of compression of the brain with deep stertorous breathing &amp; profound coma. On making a crucial incision a portion of the parietal bone was driven in. The depressed piece was elevated afterwards the presence of laceration &amp; some clot were brought out with the finger from between the bone &amp; dura mater. The stertor ceased &amp; next day there was slight return of consciousness so that he felt &amp; muttered indistinctly when pinched. He gradually sank &amp; died. There was no paralysis but the muscles were rigid.</p>
22 April 9 <sup>th</sup> May			Cured	<p>The tumor was about a large potato in size of 1 year's duration &amp; followed a syphilitic attack. Labia minora somewhat hypertrophied.</p>
1 <sup>st</sup> May 8 <sup>th</sup> Aug			Cured	<p>A scrotal tumor of 2 years' growth about the size of an adult head weighing 2 lbs 12 oz. It was very vascular. There was hydrocele on both sides. Cord not enlarged, testicle healthy. About 35 ligatures applied.</p>
3 <sup>rd</sup> May 23 <sup>rd</sup> June			Cured	<p>The last phalanx of the middle finger was lacerated in a machine. The 2<sup>nd</sup> &amp; 3<sup>rd</sup> phalanges were completely detached from left part. An attempt was made to save the finger by cleaning off the broken end of the last phalanx with the bone nippers. But suppuration extended high up &amp; the phalanges necrosed when amputation was required.</p>
4 <sup>th</sup> May/66		17 <sup>th</sup> May	Died of Pyemia	<p>The humerus was comminuted with several pieces by a bullet that struck the arm at its portion lower 3/4 &amp; entered it by making a circular opening. It was lodged at the anterior part of arm. On the day of his admission the bullet was exposed by a large incision made over it &amp; through thick wound by large pieces of bone that were detached &amp; extracted. An attempt was made to save the limb but proved fruitless by the development of extensive suppuration &amp; shivering. Amputation at the shoulder was then performed.</p>



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
2 <sup>nd</sup> March	43. Ramphuram / Kuchibally	35	Senior	Hindoo	Urinary fistula.	Lymce's perineal section
X 20 <sup>th</sup> April	44. Nayer	35	Butcher	Mughl	Inguinal Hernia (Right Side)	Operation for the radical cure
16 <sup>th</sup> May	45. Mohim Chunder	10	Slave	Hindoo	Compound Dislocation of the wrist -	Excision of the wrist joint
19 <sup>th</sup> May	46. R. Barvara.	37	Amie.	Indian	Testal tumour	Tumour removed
22 <sup>nd</sup> May	47. Chintamoy.	40	Handy. maid.	Hindoo	Laceration of the great toe.	Amputation of the toe with the head of metatarsal bone
18 <sup>th</sup> May	48. Mohunee	35	Dr	Dr	Ulcus in the rectum	Division of sphincter ani.
17 <sup>th</sup> June	49. Bakhooly, Mookerjee	28	Senior	Dr	Strangulated inguinal hernia	Operation for the reduction.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
9 <sup>th</sup> May	5 <sup>th</sup> June		Had suppuration & sloughing of the tunica vaginalis & was sinking steadily and was removed when he was removed by his friends	See No 27. The stricture was dilated after last operation with Holt's dilator & No. 9 catheter could be passed afterwards. The <sup>on the foreign</sup> sinuous with closing still perineal section was performed
10 <sup>th</sup> May	1 <sup>st</sup> June		Was completely successful. The hernia well kept up	See No 37. After the wound for the operation of the strangulated hernia healed, the inguinal canal & ring being quite patent operation for the radical cure was resorted to. The ring was of the size of 1 finger & the hernia used become down easily on standing
16 <sup>th</sup> May	25 <sup>th</sup> July		Cured The ends of radius & ulna sawn off & the arm put on splint - About 1 inch of radius & 1/2 inch of ulna removed - Healed without any bad symptoms - The motion of the joint perfect - slight shortening of the limb remains	Came 6 days after a fall from a mangrove tree which caused compound dislocation <sup>ends of the</sup> of the wrist of the right side - The radius & the ulna protruded through a wound on the inner aspect of the wrist to the extent of 1 1/2 inch - The wound was healthy looking but the ends of protruded bones were denuded of periosteum & dead - The arteries & probably injured - The wound was transverse & about an inch long
22 <sup>nd</sup> May	15 <sup>th</sup> July			A scirrhous tumour of 2 years' growth Had a small hydrocele long before which was tapped in this hospital. The tumour weighed 3 lbs 13 oz - 25 leeches applied. - some hydrocele of both sides - testicles healthy.
22 <sup>nd</sup> May	13 <sup>th</sup> July		Cured	Laceration & comminution of prepuce the produced by the passage of a canie & shut over it.
24 <sup>th</sup> May	5 <sup>th</sup> July		Cured	A Syphilitic ulcer in the vagina & Cervix uteri & two others at the margin of the anus passing within the rectum for a short distance.
17 <sup>th</sup> June 10 <sup>th</sup> pm.	19 <sup>th</sup> July		Cured The wound healed without inconvenience - It came down at 4 pm - Was under much suppuration - <del>It</del> cured twice before but recurred it himself - <del>was</del> <sup>went</sup> like to undergo operation for the radical cure afterwards	Reducible inguinal hernia of 4 years' on - It came down at 4 pm - Was under much suppuration - <del>It</del> cured twice before but recurred it himself - The stricture was at the ex. abdominal ring - See not opened. No difficulty in reducing the tumour



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
8 <sup>th</sup> June 50	Bhagoban	60	Washman	Hindus	Scrotal tumour <sup>113</sup>	Tumour removed
22 <sup>nd</sup> June 51	Chandruphura Shor	30	Shopkeeper	Dr.	Strangulated inguinal hernia	Operation for the reduction of hernia.
24 <sup>th</sup> June 52	Gungakaram Kuttar	22	Student	Dr.	Inflammation & abscess of neck of Testis	Cauterization
1 <sup>st</sup> July 53	Chand Bibey	740.	Stone	Impul <sup>ma</sup>	Cystic tumour on the shoulder	Removal.
17 <sup>th</sup> June 54	Bashooly Kestogey	28	Linear	Hindus	Reducible Inguinal Hernia (right side)	Operation for the radical cure.
25 <sup>th</sup> June 55	Ararian	24	Stone	Dr.	Scrotal tumour <sup>114</sup>	Removal of tumour



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
14 <sup>th</sup> June.	30 <sup>th</sup> Aug		Cured Left Hospital when the wound was healing	A scrotal tumour weighing 2 lb 12 oz. There was old haematocoele on the right side. The old degenerated clots turned dark & the thickened tunica vaginalis cut off. Left testicle healthy. 15 ligatures applied.
22 <sup>nd</sup> June	15 <sup>th</sup> July		Cured Did not like to undergo operation for the radical cure	Inguinal hernia on the right side of 8 months' continuance. Observed first whilst lifting up a heavy bucket of water. It came down 2 days before admission but no attempt was made to reduce it. After chloroform taxis was tried after admission but though it seemed to go in, it again came out. A small incision about 2 inches long made over the neck of the tumour & the structure of the sac, also ring divided. Tumour was easily reduced.
24 <sup>th</sup> June	27 <sup>th</sup> July		Relieved The pain ceased but the leg was not more shortened	Whilst an infant of 8 months old had an attack of fever. Since then a protrusion has been observed on the hip joint & some shortening of the limbs. The limb on admission was 1 1/2 inch shorter than its fellow. There was much pain in the hip as well as on the knee. This pain came on after walking.
1 <sup>st</sup> July	5 <sup>th</sup> Aug		Cured.	It commenced spontaneously as a small swelling about a year ago. Has been growing rapidly for the last 6 months & attained the size of an orange. It was globular; the skin not adherent. The cyst which contained a brownish fluid.
2 <sup>nd</sup> July	19 <sup>th</sup> July		Cured. The wound was not completely healed when the patient left but the hernia did not descend.	See No. 49. After the wound was healed the operation for the radical cure performed as the ring was quite clear & hernia was reduced.
5 <sup>th</sup> July	30 <sup>th</sup> Aug.		Cured	Scrotal tumour of 8 years & elephantiasis of leg. Tumour weighed 4 lb. It was very vascular. About 30 ligatures applied. No hydrocele. Came in with a lymphatic abscess on the gland contracted 3 months before admission.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
2 <sup>nd</sup> July	56 Promoth Kaulth	24	None	Hindu	Hypoplasia	Plastic Operation
4 <sup>th</sup> July	57 Ramachandrase	38	Farmer	Or	Laceration & Communion of Metacarpal bone of hand.	Amputation of forearm at the middle by Jones' method
6 <sup>th</sup> July	58 Govv.	34	Workman	Compd fracture of tibia & fibula & calc. the tubercle of tibia since suppuration	Amputation of leg below	
14 <sup>th</sup> July	59 Ramachandrase	38	None	Hindu	Uter in the rectum	Division & Sphincter



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
7 <sup>th</sup> July	1 <sup>st</sup> Aug		Unsuccessful.	Came in with a perineal abscess which was opened. Had congenital hypospadias & the urethral groove was tied then & the groove gradually deepened but he was unwilling to undergo a second operation. There was a groove along the lower part of penis ending in a cleft on the lower part of glans. The margin of the ridge in either side of the groove pared & brought together by horse hair sutures. Double layer of catgut applied. Perineal section finally performed to divert the flow of urine from the natural passage.
11 <sup>th</sup> July	11 <sup>th</sup> July		Died of tetanus.	Whilst working in a sawing mill the right hand was caught in a machine & jammed. A flap of skin was raised from thumb slightly curved for the dorsal aspect of hand & the wound healed. A short while after operation began to creep the fingers pretty deeply though not injuring the palmar arch. The 2 <sup>nd</sup> & 3 <sup>rd</sup> & 4 <sup>th</sup> metacarpal bones were broken the fractured pieces communicating with the wound & having a tendency to protrude. An attempt was made to save the hand as much as possible & wait for nature's line of demarcation but tetanus supervening amputation of the forearm was performed.
12 <sup>th</sup> July	2 <sup>nd</sup> Aug		Death Died of gangrene.	Whilst felling a tree at Lanchester the trunk of it fell on his leg & fractured both the bones of right leg at its middle. He came 7 days after the accident with the leg much inflamed & diffuse suppuration around the fracture. The fracture became compound & a portion of bone was found detached & perforated. Suppuration still extending amputation of the leg below the tubercle was performed.
16 <sup>th</sup> July	28 <sup>th</sup> Aug		cured	The ulcer was a linear one & extended from the margin of anus longitudinally up 10.30 for an inch.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
17 <sup>th</sup> July 00	G. Rehillo	29	None.	Indian.	Imperial Hernia (left side)	Radical cure
29 <sup>th</sup> July 01	Peter Delaney	32	Engineer	Irish.	Lappetation & elongation of sigmoid flexure the pericardium from extra radiation of urine?	Perineal section
62	Goolbaban				Condylo-matous tumours	Excision of the growths with Serraseum
18 <sup>th</sup> Aug/01	Thacoor Dap.	30	None.	Hindoo	Epithelial Cancer	Amputation at the elbow joint -
1 <sup>st</sup> Aug/04	Thacoor Dap Murochey	25	Hareyff maker.	Hindoo	Hæmatocoele	The clots turned out & the thickened sac ligated off. A large incision was made, the sac was pinned, granular clots to the extent of 1 large cupful turned out. & the thickened sac removed. A portion of the sac also was ligated off. The testicle remained embedded in the thickened sac & was with much difficulty found



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
22 <sup>nd</sup> July	14 <sup>th</sup> Aug		Cured.	A small hernia of 2 years' standing. He was made to run jump & climb. He should jump over a small hurdle but still the hernia did not descend. The hernia consisted of a knuckle of intestine & omentum which was difficultly reducible. The hernial canal was large enough to allow a finger to enter.
29 <sup>th</sup> July/86	17 <sup>th</sup> Sept		Cured	Five days before admission he fell astride on a girder in jumping over a wall & hurt the perineum. It grew painful & inflamed. The perineum was swollen, bulging, red & tender. Said on enquiry that he had discharge from the rectum 7 years ago & for the last 4 years has been passing in a stream smaller than natural but never any obstruction.
1 <sup>st</sup> Aug	8 <sup>th</sup> Sept		Cured	Has in this hand before for a pendulous tumour on the clitoris which was removed Dec 85. Now got now 2 or 3 polypoid growths on the margin of the anus & similar nodules on the lower part of clitoris.
10 <sup>th</sup> Aug/86	17 <sup>th</sup> Oct		Cured	Had an extensive burn on the left arm whilst he was 2 or 3 years of age which has left an extensive cicatrix. The cicatrization has made the elbow stiff & angular. 5 months before admission the cicatrix gave way after scratching & the ulcer thus produced rapidly extended till it involved the whole of the cicatrix from the upper part of arm to the lower part of forearm. The ulcer had the characteristic appearance of cancer being hard, indurated, exuberant & with the margin everted. The surface covered with crusted bloody granulations arranged in lumps. Continues to ulcer. General health good.
11 <sup>th</sup> Aug	9 <sup>th</sup> Sept		Cured	Has observed swelling of the scrotum for the last 5 years. Gets fever once or twice in a month. When the scrotum becomes large. Had an attack of fever a month ago but though the fever has left he still has the pain in the scrotum. Continues. The right side of scrotum was as large as a coconut & was capped when 2 pints of greenish fluid got out.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
20 <sup>th</sup> July 68	Jotun Sautu Satra.	25	Nona	Hindus	Fibrosplastic tumour of the upper maxillary bone. S. Swast report. It was fibro cartilaginous. H.	Excision of the upper maxillary bone. The incision carried from the angle of the mouth to the malar bone & from the median line of the lip along the side of the nose to the angle of the orbit. The skin dissected off the maxillary with a hook. The malar bone removed. The orbital plate containing removed also. The right maxillary bone as far as the insertion of the canine tooth was removed also.
8 <sup>th</sup> Aug 68	J. Deaberry	32	Engineer	English	Reducible inguinal (left side) hernia	Radical cure
27 <sup>th</sup> June 69	Viktor (Hans) Lyschansky	40	Priest.	Hindus	Orbital tumour <sup>115</sup>	Removal of tumour.
15 <sup>th</sup> Aug 68	Jetoo	28	Sailor	Malabar	D.	D.
13 <sup>th</sup> Aug 69	Noskito	36	Rigger	Hindus	Suppurative opening. True joint opened after suppuration. The synovial membrane within the joint red & soft. No ulceration of the cartilage of the bone.	Amputation through the knee by Jansen's method. The anterior flap was sutured. The ligament + the ligament. The posterior of its origin. The patella removed. The articulation of femur will come off.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	Remarks.
13 <sup>th</sup> August	31 <sup>st</sup> Oct		Cured	<p>About 6 months before admission he experienced the nasal &amp; labial flaps a pain in the gums followed some days later by a swelling on the left upper jawbone close to the teeth. Only very little portion gave way both - have had any canines or had both cutters close to the lip &amp; was done - The swelling gradually became larger &amp; extended which inverted the margins anteriorly &amp; posteriorly. On admission it was as large as an orange &amp; extended from the posterior part of left upper maxillary along the median line to the right upper maxillary as far as the premolar teeth of that side. The teeth of the left side displaced &amp; irregular &amp; some have fallen off. Whilst those on the right side are only pushed in front - some bulging from the left side of the cheek but no protrusion of the eyeball.</p>
14 <sup>th</sup> Aug/87	27 <sup>th</sup> Dec		Unsuccessful	<p>See No. 28/1887. Was operated in 6<sup>th</sup> Sept/87. The Hernia remained up for for inguinal hernia according to Wutzer's some time though he was put Method. Left Hospital after 3 operations the 4<sup>th</sup> seemed best as climbing up back one proving successful. The hernia was the 1<sup>st</sup>. But an attack of Gang. kept up for 4 years &amp; some time for 6 months only. At present the ring was quite distinct &amp; clear &amp; about 1 finger's size.</p>
17 <sup>th</sup> Aug/87	16 <sup>th</sup> Oct		Cured	<p>Was admitted with Urinary fistula &amp; structures of Urthra. The latter was dilated by Holt's Dilator &amp; after daily passages of instrument the sinus healed also. The tumour was afterwards removed. It weighed 1 lb. Much 24 ligatures applied. It was very vascular. Left testicle much atrophied.</p>
26 <sup>th</sup> Aug	23 <sup>rd</sup> Oct		Cured	<p>A scrotal tumour of 1 year's growth about the size of an adult head weighing 2 lbs. 10 oz. Much enlarged of the left side - Cr. &amp; testicles healthy. Used 80 lb. <sup>press</sup> every fortnight or a month after towards the period of full moon.</p>
26 <sup>th</sup> Aug	3 <sup>rd</sup> Sept		Death from Pyemia	<p>Was admitted with an ulcer of the left &amp; upper knee joint the result of a contusion she sustained 2 days before admission by being knocked over by a carriage. There was much inflammation within the knee joint but it was checked by appropriate treatment. The ulcer however gradually deepened &amp; the thin ligament intervening between it &amp; the cavity of the joint gave way through which synovia escaped. A female cat that was popped through the joint would pull &amp; force synovia out.</p>



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
24 <sup>th</sup> Aug 70	Jadoo	45 Lokhi 60	None	Hindoo	Scrotal tumour <sup>116</sup>	Removal
13 <sup>th</sup> Aug 71	Shama (Mun) (Mun)	50	Widow	do	do <sup>117</sup>	do
26 <sup>th</sup> Aug 72	Karadhone	51.	Shikhar	do	do <sup>118</sup>	do
7 <sup>th</sup> Aug 73	Jabna	40	None.	do.	Ticorhus Cancer of the breast.	Removal of breast



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	Remarks.
3 <sup>d</sup> Sept.		10 <sup>th</sup> Sept.	Death from Embolism	An elderly looking man with a scrotal tumour. There were yellow adherent clots in the vena cava, right auricle & Ventricle & extending into the pulmonary artery & its distant ramifications - Pulmonary veins filled with similar clots which were traceable to its branches - Left auricle & aorta contained clot but not the left Ventricle - Other organs healthy Kidneys healthy -
				An elderly looking man with a scrotal tumour of 2 years - Very fidgety & nervous in manner. Used to get fever once or twice in a month. The tumour weighed 3 lbs 103. Some by force of left side - 25 ligatures applied - lost more than usual quantity of blood lost during operation. Sunk gradually after operation. Became delirious. Pulse weak, but extremities cold. Heart sound weak, & he died.
1 <sup>st</sup>	15 <sup>th</sup> Sept.		Cured.	A scrotal tumour of 2 months' duration - Commencing with an attack of fever. The tumour was thick & bony to the feel. He died weighed after removal 2 lbs 103. 17 ligatures applied. Some haemorrhage of the left side. A small hydrocele on the right which contained sero-purulent fluid. This under microscope found to contain crystals of cholesterol.
4 <sup>th</sup> Sept.	27 <sup>th</sup> Oct.		Cured.	A scrotal tumour of 4 years - Tapped 2 years before at Philadelphia. When much fluid was let out. After tapping it began to increase rapidly. The tumour weighed 2 lbs 103. 14 ligatures applied. Some by force of the right side. Wound & testis healthy.
1 <sup>st</sup> Sept.	27 <sup>th</sup> Oct.		Cured.	Cancerous affection of the breast of 1 1/2 years' continuance - It was at painful at the commencement - The tumour occupied the upper part of gland. It was indurated & cut outside which made it ulcerate & slough. The sloughing was a natural process of enucleation, the mass of tumour which began to slough in large patches. The whole swelling was then reduced & the patient in the mean time was kept under observation - But after the slough ceased the growth became very rapid & before the glands of the axilla were affected the whole of the breast was covered. The tumour under examination presented large nucleated cells. The stroma also became morbid and had a granular looking appearance.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
The following are the cases in which treatment of Stricture by Halls' Dilator performed followed successfully.						
28 <sup>th</sup> Sept 74	Boysimchundey	30	Langate.	Hindoo	Stricture Acute.	Dilatation by Halls' Dilator
14 <sup>th</sup> Oct 75	F. Seal.	29	Revenue Officer.	Indian	Do	Do
4 <sup>th</sup> May 76	Thomas Stanley	52	Cook.	Irish.	Do	Do
2 <sup>nd</sup> March 77	Ram Chunder Bhattacharya	35	Writer	Hindoo	Stricture Acute & Urinary Diseases	Do
27 <sup>th</sup> Aug. 78	Antony.	50	Cook	Indian	Do	Do
27 <sup>th</sup> June 79	Risto Chundhoo	40	Painter.	Hindoo	Do	Do
16 <sup>th</sup> Aug 80	Soren Chundhoo	5	Slave	Do	Do	Do
3 <sup>rd</sup> Sept 81	Bukhina Brohara.	24	Slave	Do	Do	Do
5 <sup>th</sup> Sept 82	Mohun Chundhoo	58	Trader.	Do	Do	Do
7 <sup>th</sup> Sept 83	B. Lipe	32.	Steward.	American	Do	Do



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
18 <sup>th</sup> July	2 <sup>nd</sup> March			Had cartilaginous stricture in front of the The stricture was well dilated membranous portion of urethra of 1 year standing in which 12 catheters could be passed which 13 catheters was passed with difficulty.
16 <sup>th</sup> March	21 <sup>st</sup> April		Do.	A stricture of 8 years formation in which 10 catheters were passed before. The stricture was dilated twice by the instrument.
8 <sup>th</sup> May	26 <sup>th</sup> July		Do.	A tough stricture in which 10 catheters were passed with great difficulty. It had been going on for 10 years. Instruments had been passed before in other hospital & there were false passages.
13 <sup>th</sup> May		6 June		Came in with retention of urine involuntary incontinence. Perineal fistula & stricture of urethra. The stricture was well dilated with the instrument but tumours not closing perineal section was performed. Was in a dying state from exhaustion & diarrhoea when he was removed by his friends.
27 <sup>th</sup> July	8 <sup>th</sup> Aug		Do.	Stricture urethra of 1 years' duration. There were 2 strictures one in front of scrotum & the other in front of membranous portion of urethra. Had some incontinence of urine after dilatation but recovered well afterwards.
16 <sup>th</sup> Aug			attended on out patient	Came in with urinary fistula & thickened scrotum. The stricture was dilated the former healed & was probed for scrotal tumour. <i>Median section</i> He was probed for stone 2 years ago. Since then he was on the saddle several times. Perineal & the then the urethral canal has been getting contracted. Calculus was suggested above the bulb. Perineal section was performed with much difficulty. 10 catheters were passed with great difficulty. The stricture was dilated twice with middle sized dilator. Passed water well afterwards.
3 <sup>rd</sup> Sept				Stricture of 1 years' continuance.
3 <sup>rd</sup> Sept				Came in with retention of urine & spermatic nodules. Stricture of urethra in which occasionally 10 catheters had been introduced. The stricture was dilated.
				A stricture with perineal fistula that has been continuing off & on for 10 years. 10 catheters could be passed first & then it was dilated with Holt's instrument.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
18 <sup>th</sup> Aug 84	Bhogobuthy	2 40	None	Malabar	Epithelial cancer	Excision.
17 <sup>th</sup> Sept 85 6 <sup>pm</sup>	Juffehanth Beyer	34	Typesetter	Malabar	Strangulated Hernia	Operation for the reduction.
17 <sup>th</sup> Sept 85	David Fernandez	29	Cook	Indian	Structure of the Throat.	Perineal section.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
13 <sup>th</sup> Sept.	12 <sup>th</sup> Oct.		Cured. The tumor returned after 6 m.	An Epithelial cancer of 7 months duration occurring around the <sup>vagina</sup> but not passing into it. It had a peculiar cauliflower appearance & was on each side about an inch broad - Microscopically presented numerous capillaries and large oval cells with double nuclei. (2) (3)
17 <sup>th</sup> Sept. 8 <sup>th</sup> pm	18 <sup>th</sup> Sept.		Cured	An inguinal hernia of right side of 4 years continuance. It used to come down & go up of itself except on one occasion when it was incarcerated in the scrotum. But after an hour's struggle he managed to reduce it. This is the 2 <sup>nd</sup> time it has been obstructed. It descended 3 hrs. before admission. Misting followed an hour after & he came to the Hospital with excruciating pain on the neck of the tumor which was tense, swollen & somewhat hot. Pulse was hard & rapid. After the administration of some brandy the pulse rallied. He was operated on. The stricture was at the external abdominal ring & after its division the hernia was <del>reduced</del> reduced. The sac was opened. <del>though there was no</del> <del>embolism of the sac</del> <del>in the hernia</del> <del>in the hernia</del> .
20 <sup>th</sup> Sept.	14 <sup>th</sup> Nov.		Cured.	Was in Dr. Francis Ward for 4 years. Had discharges from the urethra for 3 years ago for which he was treated at Bombay Hospital. Had to pass blood & pus with the urine. (Catheters were then passed commencing from No. 10. So he passed water freely & sent 2 days before admission when he had complete retention. On passing catheter a hard Castagnoli stricture was found though at the corner of urethra at short intervals. No catheter was passed with difficulty & the urine came off. Symp's perineal section afterwards performed. Perineum was very deep.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
5 <sup>th</sup> Sept 87	Mohun Chandra Sen	50	Teacher.	Hindu	Stricture of Urethra	Perineal section
1 <sup>st</sup> Oct 88	Abbas	30	Khidmatga	Mughals	Popliteal aneurism	Ligature of Femoral artery



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
24 <sup>th</sup> Sept				See No 22. The stricture was dilated by Holt dilator but still the patient was unable to pass his water freely. There were many false passages in the urethra which began to suppurate & as the <sup>and</sup> purpose suppurations, puncture & excision of <del>the</del> <sup>the</sup> <del>stricture</del> <sup>the</sup> <del>was</del> <sup>was</sup> <del>performed</del> <sup>performed</sup> in the bladder the perineal section was performed although the stricture was so well dilated as to allow of a passage of the tube. The object being mainly to have a free drain to the perineal opening in the perineum (urethra & parts around it).
3 <sup>rd</sup> Oct	11 <sup>th</sup> March 1897		Cured.	Was admitted in the ward for a swelling on the <sup>right</sup> inguinal region said to have been of 25 days growth. Noticed it first in the night when he had fever & in the next morning was unable to stretch his legs out. Was cupped & blistered outside by a quack who treated it as rheumatism. On admission there was found a swelling about <sup>about</sup> <del>four</del> <sup>four</sup> egg in size on the lower part of inguinal region which had all the characteristics of a circumscribed aneurism viz the impulse the bruit &c. The leg was flayed gently & bandaged in that position by the House Surgeon but $\frac{1}{2}$ of an hour after the aneurism burst & became diffused. The pain became agonizing & the upper & posterior part of leg became so tense & swollen as to threaten gangrene. The swelling at seemed to subside next day but as the bruit was still audible on the tumour clearly indicating passage of blood through the ruptured sac & as it was feared further extravasation of blood would obstruct the supply & cut off the supply of blood to the leg producing thereby inevitable gangrene it was thought better to try the superficial removal of it & accordingly it was performed.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease	Operation.
15 <sup>th</sup> Oct. 89	Dotherie	32	son	Mughal	Sloughing of the foot	Amputation of leg at the middle by anterior posterior flaps by Dr Smith
17 <sup>th</sup> Oct. 90	Bikara	78	Servant	Hindoo	Compound dislocation of ankle joint	Amputation of leg by Dr Smith
1 <sup>st</sup> Oct. 91	Mohar	30	Servant	Mughal	Gangrene of the leg from a diffuse laceration	Amputation of thigh by flaps. Dr Smith



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
16 <sup>th</sup> Oct/66		26 <sup>th</sup> Oct/66	Death from Sloughing & exhaustion	Transferred from Pauper Hospital for extensive Sloughing of foot. He was then admitted for an ulcer of 2 months' duration which was healing well when it suddenly took an unhealthy aspect & for the last 8 days the sloughing has increased so rapidly as to destroy the whole foot at once. The patient was admitted in a moribund state with a pulse feebly perceptible. Did not lose much blood <sup>during operation</sup> . About 12 ligatures applied. Medulla of bone fatty.
18 <sup>th</sup> Oct.	22 <sup>nd</sup> Oct/66		Gird of Shock & Jaundice	Transferred from Farnwell's Square Pauper Hospital for a Sloughing ulcer on the inner aspect of ankle joint, being the result of a wound which he sustained 10 days before admission by being knocked down by a carriage. The sloughing opened the joint & the tibia protruded through the opening dead & denuded of periosteum. As the patient was daily getting worse he was operated the next day of his admission. The symptoms seemed <sup>for 2 days</sup> favourable, but sloughing supervened & he sank within 24 hrs.
28 <sup>th</sup> Oct.	11 <sup>th</sup> Nov/66		Cured	See No 38. The wound for ligature of the Femoral artery healed completely but the leg became gangrenous 2 days after operation & the gangrene ceased at its upper third. A distinct line of separation was formed but before the parts were completely separate, bleeding occurred from the living tissues & as dissection was necessary to secure the bleeding points, amputation of thigh at its lower part was performed immediately. A portion of the flap sloughed & the end of femur protruded out of the soft parts & sequestered. The whole exposed piece of the extent of 4 inches came out entire & wound soon closed. Bone was sequestered. During his discharge the cardiac bruit was distinctly audible.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
14 <sup>th</sup> Oct 92	Malwood	29	Khalafan	Mysor	Contused wound & diffuse cellulitis in flaccidities of the arm causing separation within the elbow joint.	Amputation of arm lower 3 <sup>rd</sup> by Dr Smith
2 <sup>nd</sup> Nov 93	Chaber Mohamed	40	Boatman	Dr.	Compound fracture of lower 3 <sup>rd</sup> of leg & gangrene.	Amputation of thigh at its lower 2 <sup>nd</sup> by Esmat's method. Dr Esmat
4 <sup>th</sup> Nov 94	Chander Mohunkhokye	35	Pandit Teacher.	Hindoo	Perineal abscess & extravasation of urine.	Perineal section Dr. Patridge
2 <sup>nd</sup> Nov 96	Komul Kollah	40	Cooly	Benigal	Stricture Urethra	Perineal section Dr. Esmat. Puncture of bladder through rectum.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
31 <sup>st</sup> Feb.		July 14 <sup>th</sup> 1886	Died from shock	Came in with extensive swelling of the arm being the result of a contused wound on the inner aspect of elbow. The cellular tissue sloughed & separated, the swelling of the arm subsided, but as the patient's general health was not in the least improved it was suspected that the joint must have been opened. This being confirmed after examination, amputation of arm at its lower part was immediately performed. The patient never rallied after operation & died after 26 hrs. The elbow joint was examined. The coracoid process of scapula was recessed. At its inner side a small opening communicated with the joint which contained a little pinkish fluid. Cartilages were entire except at one portion where it was eroded to the size of a bean.
4 <sup>th</sup> Nov		1 <sup>st</sup> Nov	Died of gangrene	Sustained a compound fracture of leg at Lumberton produced by the leg being crushed between thick cables. He came about 8 days after accident with the leg completely gangrenous at the lower part & the upper much swollen & infiltrated with lymph. He was kept under observation for 28 days & when the pulse rallied the operation was performed. 28 days after operation the whole of the thigh became gangrenous & he sank rapidly.
4 <sup>th</sup> Nov	14 <sup>th</sup> Dec 86		Cured	Noticed a swelling on the perineum 8 days before admission. Came in with retention of urine. On passing catheter it went into a cavity in front of the triangular ligament from which foetid thin pus & blood escaped. The lower part of the cavity were soft & in a sloughy state. Perineal section was performed to prevent for the extravasation of urine in the perineum.
7 <sup>th</sup> Nov	4 <sup>th</sup> Jan 1867		Cured The structure was obliterated with Holtz' Dilator. No catheter could be introduced	Had a hard structure throughout the course of urethra in which no. 2 could be passed with difficulty over the bulb but no further. Whilst in the bulb he had retention of urine for which perineal section was attempted. but as the urethra could not be found after a long search, the bladder was punctured with curved trocar & cannula which were both in



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
4 <sup>th</sup> Nov. 96	Gereu	F. 35	Maidserv.	Hindoo	Hypertrophy of labia	Removal of the tumour Dr. Ewart.
7 <sup>th</sup> Nov. 97	Shame	F. 27	Serv.	do.	Necrosis of Phalanx	Amputation of pink toe Dr. Ewart.
29 <sup>th</sup> Nov. 98	Maddur	40	gardener	do.	Sloughing ulcer	Amputation of pink toe with the head of metatarsal bone
29 <sup>th</sup> Nov. 99	Lucan	60	Servant	Myepala	Colloid tumour	Excision
26 <sup>th</sup> Nov. 100	Laminery	F. 5	Serv.	Hindoo	Adhesion of arm to the chest by drawing in contraction of arm	Cicatrix typhoid period
29 <sup>th</sup> Nov. 101	Dogan	F. 38	Maidserv.	do.	Mucillary tumour	Excision
3 <sup>rd</sup> Dec. 102	Mohun (husband's name is K)	20	Barber	do.	Fibroplastic tumour	Excision.  An incision about 2 inches long was made from the outer angle of eye outwards over the tumour. The attachments separated off & the mass separated with the hand & a scalpel & removed.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
10 <sup>th</sup> Nov	23 <sup>rd</sup> Jan 67		Cured	Has once before operated by Dr. Partridge about 2 years ago. Went out of hospital with the wound completely healed. <sup>One year</sup> months after, the tumour re-appeared. Held by a few fibres before the 2 <sup>nd</sup> operation 2 or 3 times in a month, the tumour each time becoming inflamed. But subsequently the growth has been unaccompanied with pain.
10 <sup>th</sup> Nov	13 <sup>th</sup> Jan 67		Cured	Had ulceration under the nail of great toe which was of syphilitic origin. The phalanges necrosed & were therefore removed.
1 <sup>st</sup> Dec.	30 <sup>th</sup> Jan 67		Cured	This was the case in which local anæsthesia was tried according to Dr. Richardson's method. The patient felt a little pain only, but the operation was completed.
1 <sup>st</sup> Dec.	9 <sup>th</sup> Dec		Cured	The tumour contained two gelatinous masses at its posterior part.
12 <sup>th</sup> Dec	23 <sup>rd</sup> March		Released	Was burnt while 8 years old & the opposing granulating surface of the <sup>right</sup> arm & chest adhered together & had was allowed to heal. The upper half of the arm was thus bound down to the chest.
12 <sup>th</sup> Dec	7 <sup>th</sup> Feb 67		Re-released	Noticed a tumour on the internal & inferior angle of the left orbit about 2 years ago. This was once removed by Dr. Macdonald about 2 months ago when it was as large as an almond. The tumour has appeared again in the same situation after & has been increasing rapidly. It was, on admission, about the size of a walnut & was accompanied with a shooting pain. During operation the whole of the tumour could not be removed in one piece & was taken out piece meal. The globe of eye was involved in the disease.
18 <sup>th</sup> Dec.	24 <sup>th</sup> Dec		Died of Pyæmia.	Had admitted with a tumour in the right orbital cavity which pushed the eyeball in front. It occupied $\frac{2}{3}$ of the orbital cavity, the inner 2 being occupied by the globe. The external rectus muscle divided in the operation. The bony cavity was distended by the tumour. It weighed 1½ lb. 3. Distinct pyæmic patches were scattered about on the posterior surface of both lungs. The left lung completely collapsed at its posterior part & the right at its inferior. A small clot in the right ventricle. The ball nearly detached. The orbit necrosed. The middle lobe of brain in a state of softening & a large portion in a state of commencing gangrene. A layer of lymph under the pia mater & some pus between the meninges were about the crura.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
3 <sup>rd</sup> Dec. 1903.	Gunnabhera	20	Blacksmith	Hindoo	Secondary Hemorrhage	Ligature of Brachial Artery above the bend of elbow
26 <sup>th</sup> Aug 1902	Phillips Lewis	50	Superintendent	English	Lymphatic within the knee joint.	Amputation through the knee by Jardine's method



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
15 <sup>th</sup> Dec.	30 <sup>th</sup> Jan 67		Cured	Admitted with 2 incised wounds on the left forearm. the larger one extending obliquely <sup>from</sup> the back of forearm at its middle + external part upwards + inwards for 4 inches - It was deep + has divided the structures down to the interosseous membrane - The smaller one about 2 inches long + 1 inch deep extending from the olecranon process downwards. the bleeding was stopped by ligature + suture. the wound was granulating but 12 days afterwards it recurred from the granulating surface. the ligature + suture failed to check it when ligature of the brachial <sup>artery</sup> was made 5 inches above the bend of the elbow.
22 <sup>nd</sup> Dec		26 <sup>th</sup> Dec	Died of shock	Was admitted with swelling + pain on the left knee joint said to have been upon the apex of the femur. Was treated in the ward at first with old band of adhesive. from Synovitis but the pain & swelling remained. Next contained decoloured pus when an opening was made on the side extending a little way inwards on the side of the joint + about 4 inches the pus was entirely evacuated. The suppuration was within the joint & the discharge was very fetid. the patient was much exhausted when amputation through the knee joint was performed. Died one day after operation from the shock of which he never rallied. The cartilage of the ends of femur + tibia were eroded & the synovial membrane was pinkish in colour & covered with granulations.



Date of Admission.	Name.	Age.	Occupation.	Casto or Country.	Disease.	Operation.				
An abstract of Surgical Operations performed in the year 1866 by Dr. Langer										
Causes of Death										
Number of Operations	Dead	Relieved	Dead	Total	Pyemia	Fungus	Stomach	Shock	Other Causes	Remarks
1 Amputation of thigh at the hip joint.	"	"	1	1	1	"	"	"	"	
2 Amputation of thigh	2	"	2	4	1	1	"	"	"	
3 " " leg	"	"	3	3	"	3	"	"	"	
4 " " through the knee	"	"	2	2	1	"	"	1	"	
5 " " at shoulder joint	2	"	1	3	1	"	"	"	"	
6 " " of arm	"	1	1	2	1	"	"	1	"	The <sup>patient</sup> <del>the</del> patient had to undergo a secondary amputation of the arm
7 " " forearm	"	1	2	3	1	"	1	"	"	
8 " " foot by Chopart's method	"	"	1	1	"	1	"	"	"	
9 " " of toe with head of metatarsal bone.	3	"	"	3	"	"	"	"	"	
10 " " of finger with metatarsal bone.	2	1	"	3	"	"	"	"	"	
11 " " Phalanges	1	"	1	2	1	"	"	"	"	
12 Excision of phalanx in nail	1	"	1	2	1	"	"	"	"	
13 " " Elbow	"	"	1	1	"	"	"	"	"	Died of exhaustion from profuse discharge.
14 " " Wrist	1	"	"	1	"	"	"	"	"	
15 " " broken bones	1	"	"	1	"	"	"	"	"	
16 " " Breast	2	"	"	2	"	"	"	"	"	
17 Scrotal tumour Operations	10	"	5	15	2	"	1	"	2	Died from cardiac embolism
18 Removal of tumours	6	1	1	8	1	"	"	"	"	
19 Lateral operation of lithotomy	1	"	"	1	"	"	"	"	"	
20 Radical cure for Stricture	5	"	"	7	"	"	"	"	"	2 Unsuccessful
21 Perineal Section for Stricture	6	2	1	9	1	"	"	"	"	
22 Ligation of Arteries	4	"	"	4	"	"	"	"	"	
23 Herniotomy	4	"	2	6	"	"	"	2	"	Died a few hours after operation
24 Trephining	"	"	1	1	"	"	"	"	1	Died from extravasation of blood
25 Division of Epineurium	2	"	"	2	"	"	"	"	"	
26 Incision for extravasation of urine	1	"	"	1	"	"	"	"	"	
27 Operation for Haemorrhoids	1	"	"	1	"	"	"	"	"	Removal of Papillae & Prostate Gp
28 Holt's Dilatation of Stricture	10	"	"	10	"	"	"	"	"	
29 Division of Urethra	1	"	"	1	"	"	"	"	"	
30 Cauterization	1	"	"	1	"	"	"	"	"	
31 Linear excision of Cataract	"	"	"	1	"	"	"	"	"	Unsuccessful
32 Plastic Operation for Hypospadias	"	"	"	1	"	"	"	"	"	Unsuccessful
				103	Total					
				27						



Date of  
Operation.

Date of  
Discharge.

Date of  
Death.

Result or cause of Death.

REMARKS.



Operations performed by Dr. Fayrer

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
3 <sup>rd</sup> Jan'y 1	Moheem	28	Butterman	Indo-Persian	Harship (Congenital)	Plastic Operation
7 <sup>th</sup> Dec'r 2	Jamokehant Mockhyje	18	Student	Hindoo	Wound on the toe.	Amputation of toe at its metatarsal articulation
11 <sup>th</sup> Jan'y 3	Edward William Holten	35	Ship Officer	English	Reducible Syphilis	Operation for the Radical cure
10 <sup>th</sup> Jan'y 4	F. Newham	35	Stationmaster	English	Hydrocele	Ligated & ligated
11 <sup>th</sup> Jan'y 5	James Dunsberg	32	Engineer	English	Reducible Inguinal Hernia	Radical cure
2 <sup>nd</sup> Jan'y 6	Gopaul	30	Robson	Hindoo	Scrotal tumour	Removal
28 <sup>th</sup> Dec'r 7	Ling Owens.	9	None	English	Lost nose from a Delhi sore.	Rhinoplasty Operation.



in the year 1867 -

Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
3 <sup>rd</sup> Jan'y	14 <sup>th</sup> Feb'y		Cured	Had Congenital harelip & cleft palate. The cleft on the lip came easily in apposition on paring their edges & separating their attached margins from the gums.
5 <sup>th</sup> Jan'y	19 <sup>th</sup> Feb'y		Cured	Had a large sloughy ulcer on the dorsum of right foot which originated in a small pimple and extended rapidly on account of impoverished blood from syphilitic disease. The last phalanx of 4 <sup>th</sup> toe of the same side was necrosed & separated & the remaining stump having having ulcerated all around was removed at its metatarsal joint.
11 <sup>th</sup> Jan'y	7 <sup>th</sup> Feb'y		Cured.	Inguinal Hernia of the right side of 18 years continuance. It was a middle sized one easily reducible & was never incarcerated. The ring was large enough to hold one finger. There was a flow of purulent fluid from the scrotal wound when the plug was removed.
11 <sup>th</sup> Jan'y	1 <sup>st</sup> Feb'y		Cured.	Had hydrocele of both sides & was operated before in this Hospital & injured. In one, the testis sloughed & healed afterwards but since then it has never filled again. The other has been steadily enlarging.
12 <sup>th</sup> Jan'y	18 <sup>th</sup> Feb'y		Cured.	See No 66. 1866. The hernia came down again but to the testis & was pronounced in straining, owing to a dysenteric attack which he had during his convalescence. After the dysentery was cured he underwent a fourth operation. The ring was yet perfectly clear & well marked & could hold 1 finger.
15 <sup>th</sup> Jan'y	29 <sup>th</sup> Feb'y		Cured	A scrotal tumour of 3 years growth. It weighed 1 lb 8 oz. Came in a very low state of health brought on by successive attacks of fever. Remained under observation for some days then health somewhat improving the tumour was removed. There was hydrops of both sides. Testes healthy. The tumour was a very vascular one in which about 30 vessels had been ligatured.
27 <sup>th</sup> Jan'y	1 <sup>st</sup> March		Unsuccessful	A quadrilateral flap of skin was raised from the left arm & left attached by its 2 ends. A seton was passed & kept under the flap of skin. 13 days after one end was detached & the flap taken down a good deal. All inflammation subsiding the margins were joined & joined to the nose by the seton partly cut through & the margins sloughed.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
7 <sup>th</sup> Feb	Kally Dof Maskye	52	None	Hindoo	Strangling ulcer on the back	Amputation of the thigh
8 <sup>th</sup> Feb	Kalla (Hunt) Dof	40	Milkman	do	Strangulated inguinal hernia of the right side	Amputation
18 <sup>th</sup> Feb	Hybrid Ling	40	Durwan	do	do	do
15 <sup>th</sup> Feb	H. E. Middle	16	E. Indian		Affected Laceration of the middle in the web & ring fingers of the right hand	Amputation of the 2 <sup>d</sup> & 3 <sup>d</sup> phalanges of both
28 <sup>th</sup> Jan	Miss Ellen Duncan	17	Student	English	Scrophulous ulcer on the knee joint	Amputation of thigh at its middle by modified flap.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
18 <sup>th</sup> Feb	4 <sup>th</sup> March		Cured	The ulcer of 5 years' continuance commencing in Dryden. The last phalanx of the toe was removed a year ago when he attended as an out-patient. The bone was diseased & exposed. Ever then the ulcer continued when following up the advice for cure, the ulcer was contrived <sup>up</sup> & closed which it took on an unhealthy action.
18 <sup>th</sup> Feb -	5 <sup>th</sup> March		Cured	Came in with what he supposed to be a hydrocele of 1 year's growth but which on examination turned to be a hernia. The swelling in the inguinal region & abdominal ring & when this position is said to have been subsided entirely when it was divided. The hernia had no sensation of anything coming down from the abdomen. The swelling increased suddenly about 2 days before admission, but there was no symptom of strangulation or any pain complained of when the patient was admitted. He was kept under observation when the taxis failed to reduce the tumour & when symptoms of strangulation commenced operation was immediately performed.
18 <sup>th</sup> Feb	18 <sup>th</sup> Feb 1882		Death probably from exhaustion body removed by friend	Inguinal hernia of the right side which was strangulated for 20 hours before the patient was admitted. Noted it 6 years ago after a long walk but it has been always reducible & never been incarcerated. The pulse was very much depressed & symptoms of strangulation were to be manifested. He at once operated but never rallied after operation & sunk.
15 <sup>th</sup> Feb	15 <sup>th</sup> March		Cured.	The hand was caught in a machine whilst working in the mill & was comminuted. Both fingers were crushed & pieces & by were hanging attached by shreds of skin. The attachments divided at the head of 1 <sup>st</sup> phalanx & smothered up with bone splinters.
18 <sup>th</sup> Feb	17 <sup>th</sup> March		Died of Pyemia	See No 31/16 The ulcer extended all over the joint & by which was atrophied & discoloured black & white. The condyles of femur through the patches of ulceration soft & black. The disease was so far advanced & so obstinate as to preclude the idea of saving the limb & accordingly amputation was performed. As the patient was in a very weak state amputation through the hip was not undertaken.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
15 <sup>th</sup> Feb/67	13 Ramprosad	60	Labourer	Hindus	Scrotal tumour <sup>120</sup>	Removal
20 <sup>th</sup> Feb	14 Khetter Mondul	46	Farmer	Hindus	Do <sup>121</sup>	Do
22 <sup>nd</sup> Feb/67	15 Dwaraka kanta	22	oilman	Hindus	Reducible Inguinal Hernia	Radical cure One end of a silver wire passed through the internal ring & the other through the external the loop embracing the scrotum the 2 ends of the wire on the abdominal side twisted together & buried
11 <sup>th</sup> Jan/67	16 Racha kanta kaul.	46	None	do	Staphylococci of the eye.	The staphylococci tied
15 <sup>th</sup> Feb	17 W. Kins.	25	Steward	Sectel	Bubonocoele.	Radical cure according to the method written in N.Y.S. case.
20 <sup>th</sup> Feb	18 Ram Lal.	25	Confector	Hindus	Large Dislocation of the wrist.	The posterior & the reversed end of silver cut off with bone nippers



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	Remarks.
20 <sup>th</sup> July		23 <sup>rd</sup> March	Died of a fatty heart.	A scrotal tumour of 10 years' continuance. The balls of the heart were commencing with an attack of fatty. The fatty was thin & flabby & the muscular comes on every 2 or 3 months after. The size of the tumour has been increasing rapidly for the last 3 years. The tumour weighed after removal about 11 lb. 28 v. p. ligatured mostly veins. Lungs healthy. The animal was looking healthy. Remained in a <sup>constant</sup> weak state after operation & was troubled with intercostal hæmorrhage.
22 <sup>nd</sup> July	26 <sup>th</sup> April		Cured.	A solid tumour of 4 years' growth. It grew twice in a month along with the change in the moon. The tumour weighed 12 lb. 11 oz. 28 v. p. ligatured. no hydrocele. Lungs & testes healthy. The right testicle was adherent to the skin at a spot where actual cautery had been formerly applied.
25 <sup>th</sup> July	16 <sup>th</sup> April		Unsuccessful. See No 24.	Reducible inguinal hernia <sup>of right side</sup> of 5 years' continuance which became first visible after a long walk. The hernia was a pretty large sized one & the ring large enough to admit two fingers.
26 <sup>th</sup> July	27 <sup>th</sup> March		Relieved	Staphylococci of the left eye from ulceration of cornea. The staphylococci tied by transfixing two small needles at right angles at its base & tying a silk thread around them. The included iris sloughed off after 36 hours. no escape of vitreous.
27 <sup>th</sup> July	5 <sup>th</sup> April		Cured.	Bubonocoele of the right side that appeared 3 weeks before admission from a fall. As the ring was quite clear allowing 1 finger to enter easily he was operated upon.
28 <sup>th</sup> July/17.		8 <sup>th</sup> March	Died. See No 24.	Complete dislocation of right wrist joint from a fall from a tamarind tree. The effusion of blood protruded through a wound. Much suppuration worked up & the wrist swelled when incisions were made & the wound and wound closing with a bone exposure.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
20 <sup>th</sup> Feb 1917	Ram Lal	25	Confector	Indo	Comp. Dislocation of left wrist joint	Amputation of forearm at its middle
4 <sup>th</sup> March 20	Harry Doo	35	Servant	Do.	Stricture Urethra & Perineal Sinus	Perineal Section
19 <sup>th</sup> Feb 21	J. Williams	23	Stone	German	Ulcer in the rectum	Division of External Sphincter of anus
27 <sup>th</sup> Feb 22	Doojodhun Shah	25	Servant	Hindu	Tumour in the orbit causing protrusion & destruction of eyeball & choroid & eversion of lids.	Extraction of eyeball



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
4 <sup>th</sup> March	8 <sup>th</sup> March		Bird of tetanus.	The patient sustained the injury by falling from a tamarind tree from a height of 35 feet. The ulna protruded through a wound on the inner aspect about 1 inch long but the bone was not detached from periosteum. Extensive deep laceration was cut up. The end of ulna, radius as well as of radius & tibia protruded outside through the incision. The crisis was surmounted by amputation of tetanus when no other alternative was left than early amputation.
				Lungs healthy & (refined). Right ventricle & heart contained yellow clot extending into the pulmonary artery. Left ventricle slightly contracted, one small clot in the aorta. Liver studded with cancer. Decayed of pericardium. Extensive deep necrotic patches through out its substance. No abscess. It contained much at 3 or 4 places. The smallest one being 1/2 inch long. One red streak about 3 inches long showed another rupture which had healed. Some blood spread over the great omentum. Left kidney lacerated at its apex & its upper half gangrenous. Uterus natural in size & firm & had 2 rents at its lower & anterior border. Some clot between uterus & 2 or 3 inches in the abdomen. No peritonitis. Bladder healthy.
4 <sup>th</sup> March 1867	1867		Yide No. 51 -	Came in with retention of urine. Has been suffering from gluteal discharge from the urethra for the last 3 years. After swelling on the perineum about 16 years ago, which burst after some time, pouring out a large quantity of foetid pus - Since then he has been passing urine through that opening & there have subsequently formed on the perineum which was hard pushed & indurated. Had been passing urine in smaller stream until a day before admission when it stopped altogether.
March 5 <sup>th</sup>	22 <sup>nd</sup> March		Cured.	Came in with syphilitic ulcer on the glans of a month's standing & an ulcer in the margin of anus. The latter was extended for 2 inches upwards in an oblong way within the rectum & was very painful.
5 <sup>th</sup> March	29 <sup>th</sup> April		Cured.	Noticed pain & redness of the left eyeball 3 months ago. A fortnight after the first manifestation of the symptom the cornea clouded & the lids swelled & got coated. The swelling has been continuing since then forming a red soft tumor about the size of a small potato through the central hole of which the protruded iris protruded.
			The cornea of orbit granulated & ulcerated	



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
27 <sup>th</sup> July	23 Ramfoomar Dey	30	Levach	Hindu	Hernia Reticula Inguinal.	Operation for the radical cure with plugs of board. A few drops of fluid came out when puncture was made with the needle on the abdomen.
22 <sup>nd</sup> July	24 Imaka hant	28	Alman	do	do	do
11 <sup>th</sup> March	25 Jussachun	40	Mason	do	Tumour on the upper lip.	Tumour removed with a portion of the lip as in hair lip operation.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	Remarks.
5 <sup>th</sup> March		26 <sup>th</sup> March	Died of Empyema - The Extensive suppuration was set up between the muscles Empyema of a worst type took place in the chest. The cellular tissue sloughed & free incisions were made to relieve the sloughy tissues. After death there was found consolidation of 2 lower lobes of right lung some large pyemic patch at base of left	Reducible Inguinal Hernia of the left side of 3 years continuance that came down first during straining in defecation. It was never incarcerated. The tumor was a very large one but completely reducible. The ring was large enough to admit two fingers easily. Sarcina slightly thickened
11 <sup>th</sup> March	14 <sup>th</sup> March		Relieved The hernia did not descend within 24 hours after operation but it used to protrude out of the external ring & its circumference could be felt outside	See No 15. The first operation with wire proved unsuccessful. The wire got imbedded under the skin. Some suppuration was set up & although for a week the patient was made to walk & run without bringing down the hernia yet after a few days the intestines came down as before, when he was operated a second time with plugs of wood. The parts were somewhat raw & bled when the puncture was made with the needle. 2 days after it was found that the plug in contact with the Sarcina had ulcerated the skin & formed a canal through which the finger could be passed for 2 inches upwards. The apex of the canal however had no communication with the abdomen & was so blocked by inflammatory exudate as to render the descent of hernia through the aperture nearly impossible
11 <sup>th</sup> March	18 <sup>th</sup> March		Cured - The life reunited by the first operation	Came in with a tumor on the upper lip about the size of a nut. It was of 1 year's growth & commenced as a pimple which suppurated & was squeezed out. The tumor was hard to the feel & contained when seen under microscope large cells with nuclei & granular cell contents. (2)



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
11 <sup>th</sup> March 26	Phyag Khan	44	Levack	Bengalia	Stricture Urinary.	Excision of Stricture with Holt's Dilators
14 <sup>th</sup> March 27	Mutharuth Bux	35	Stablekeeper	Do	Fatty tumour in the neck.	Lumbar Dissection
4 <sup>th</sup> March 28	Michael Gould	41	Seaman	English	Reducible inguinal Hernia.	Radical cure
11 <sup>th</sup> March 29	Mobondorun Smith	35	Wine Merchant	Do	Do	Do
5 <sup>th</sup> March 30	Sombhu Chandra Roy	27	Shipkeeper	Do	Inflammation of testis.	Castration



Date of Operation	Date of Discharge	Date of Death	Result or cause of Death	REMARKS
11 <sup>th</sup> March	17 <sup>th</sup> March		Relieved Abandoned after dilatation of the stricture -	A bridal stricture of 1 1/2 years' continuance situated in front of the membranous fold of the urethra. This had been going on for the last 6 years but felt well up to once after passing pellets regularly. Pellets No. 10 first introduced with slight difficulty when the stricture was dilated with the full sized tube both dilator.
12 <sup>th</sup> March	22 <sup>nd</sup> March		Cured The wound granulated	Attended as an out-patient when a small fatty tumour about an inch long was removed from the right side of neck below the angle of jaw. Much inflammation setting up he was admitted into the hospital.
13 <sup>th</sup> March	11 <sup>th</sup> April		Unsuccessful The hernia came down afterwards	Reducible Inguinal hernia of right side of 6 months' continuance noticed after a fall - the hernia was a middle sized one & the ring large enough to contain 1 finger. A little fluid came out of the abdominal wound after the puncture of the needle.
16 <sup>th</sup> March	19 <sup>th</sup> April		Cured. The hernia was quite firm	Reducible Inguinal Hernia of right side of 6 months' continuance - cannot say what brought on the rupture. The descent into the scrotum was a slow & gradual process. Inguinal canal large enough to hold 1 finger. Plug removed on the 18 <sup>th</sup> April.
18 <sup>th</sup> March	4 <sup>th</sup> May		Cured The motion of the joint was returned	Inflammation of wrist joint of the left side brought on 12 days before admission after lifting up some heavy weights. Rest & other local applications were tried but the pain not subsiding. The wrist was casted at its dorsal aspect. No grating of the joint was felt on movement.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
15 <sup>th</sup> March 31	Abbas	26	Cooly.	Mysore	Lacerated wound on the heel & gangrene of the foot	Amputation of leg at its upper 3 <sup>rd</sup>
31 <sup>st</sup> March 32	Callyphum Roy	40	Slave.	Hindoo	Extravasation of urine into the scrotum & between abdominal muscles & parietes	Free incision
8 <sup>th</sup> March 33	Shumlerh Kath Bey.	40	Lowest	Do	Neurach Hernia.	Radical cure An incision about 2 inches long made on the hernial sheath & the edges of the opening were brought together by silver wire sutures. The ends of sutures were cut & left in, bedded under the skin which was stitched over them with horse hair.
1 <sup>st</sup> April 34	Jansorkia	F. 65	Slave	Do	Laceration of the Brain substance.	Trufling



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	Remarks.
20 <sup>th</sup> March		2 <sup>nd</sup> April	Died of Gangra	<p>The heel was raised in the form of a flap from the lower surface of the sole by the passing of a heavy cork wheel over it. The flap sloughed off 2 days after &amp; gangrene commenced at the foot. The gangrene rapidly extended to the leg &amp; the lower part of leg was inflamed &amp; infiltrated. Much constitutional disturbance was set up when on the 20<sup>th</sup> inst. the leg was removed at its upper third.</p>
1 <sup>st</sup> April		2 <sup>nd</sup> April	Died - Body removed by friends	<p>Had retention of urine 5 days before admission due to stricture of urethra. The retention continued for 3 days when it was relieved partly by involuntary dribbling of urine - 20 days before the retention he had a swelling on the root of penis &amp; he noticed swelling of scrotum 7 or 8 days before admission i.e. 2 days prior to the complete retention of urine. On admission the scrotum was found gangrenous &amp; the skin of the abdomen up to the navel had ulcerated &amp; painful. Pulse very weak. Free incisions were made in the scrotum &amp; abdomen. The cellular tissue underneath was found in a sloughy state.</p>
1 <sup>st</sup> April		2 <sup>nd</sup> April	Died of Erysipelas & blood poisoning & Pyemia	<p>A ventral hernia of 25 years' standing which has been enlarging slowly. It was seated 3 inches above the umbilicus &amp; a little to the right of the median line. It was as large as a small potato &amp; the ring was a sharp defined hole in the substance of the muscle allowing the tip of 1 finger to pass in it easily. He came in with acute hepatitis for which he was treated for some time. His health improving the operation was undertaken.</p>
2 <sup>nd</sup> April		2 <sup>nd</sup> April	Died	<p>Has brought insensibility with a contused wound over the <sup>right</sup> parietal eminence produced by the kick of a horse. The wound was 4 or 5 inches long as the insensibility deepened &amp; the breathing became stertorous it was presumed that blood had been extravasated under the skull &amp; accordingly trephining was performed over the seat of</p>



Date of Admission.	Name	Age	Occupation	Caste or Country	Disease	Operation
31 <sup>st</sup> March 35	Rutton	78	Mr. Servant	Hindus	Dislocation of hip on the dorsum illii. Dr. Parkridge's band.	Reduction.
3 <sup>rd</sup> March 36	Sreemanta	25	Boatman	Hindus	Fibrous Tumor on the neck. Dr. Parkridge's band.	Excision
3 <sup>rd</sup> March 37	Hurry Bop	38	Servant	Dr.	Weney sinuses	Plastic operation for closing the opening. The cartilaginous margins of the sinus forced & brought together by wire. A full sized catheter kept in.
23 <sup>rd</sup> July 38	Anthony Paul	28	None	Dr.	Epithelial Cancer of the penis. Dr. Parkridge's band.	Amputation of penis by excision
14 <sup>th</sup> April 39	Ram Lal	25	Shipkeeper	Dr.	Sub-clavicular Dislocation of right Humerus	Dislocation reduced
1 <sup>st</sup> April 40	Paul. Kuteen	29	Sailor	Same	Compd. Communicated fracture of tibia & Fibula right leg	Amputation of leg by modified flap.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
1 <sup>st</sup> April	9 <sup>th</sup> May		Cured. Could walk with ease when discharged	Fell down on the road & was run over by a carriage. He was brought in the night & next morning under chloroform the dislocation was easily reduced.
1 <sup>st</sup> April	27 <sup>th</sup> April		Cured.	The tumour was of the size of a foetus off situated below the right auricle of the ear. & below the front, & posterior to the right ramus of the lower jaw. It was movable & not adherent to the skin. It was of 9 years growth.
17 <sup>th</sup> April	1 August 1867		Wound No 57 The wound went through the margins -	See No 20. The wound healed but the opening was not closed. The hard cartilaginous structures in the site of the cicatrix prevented the entire closure of the perineal fistula. A flap nearly the whole of the urethra through the sinuses although the external opening remained open -
17 <sup>th</sup> April	26 <sup>th</sup> May		Cured	He had congenital phimosis - 5 or 6 years ago noticed the first formation of the present growth. On admission it was found to involve nearly the anterior half of the penis which was cured with carbolic acid & cauterization. The glands in the groin slightly enlarged -
14 <sup>th</sup> April	18 <sup>th</sup> April		Cured	Dislocated the right shoulder as he was turning on his side whilst asleep in the night. The dislocation was easily reduced next morning.
23 <sup>rd</sup> April	26 <sup>th</sup> April		Died of Pyæmia. The bone was infiltrated with pus for a short distance from the acetabulum. Pyæmia followed. Pus found in the lower lobe of left lung. Right auricle & ventricle contained clots	Was admitted with the compound fracture produced by a fall from board the ship. The tibia was broken at its lower 3 <sup>rd</sup> & the fibula higher up. There was one small wound made over the tibia & communicating with it but the bone did not protrude. The soft parts were much oedematous. Progressed favourably for some days but afterwards much suppuration was set up. Large pieces of tibia removed & constitutional symptoms urgently required the amputation of the limb before the vital powers were aided.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
11 <sup>th</sup> April 41	John Murphy	28	Sailor	Irish	Strabismus	Division of Internal Oblique muscle.
26 <sup>th</sup> April 42	Loakra Lowett	3½	Wm	Hindoo	Longitudinal inguinal hernia left side	Radical cure
29 <sup>th</sup> April 43	Anban	25	Khalafu	Malay.	Stricture of Urethra	Dilatation with Kall's dilator
15 <sup>th</sup> April 44	Go Paul (husband)	25	Karlor	Hindoo	Scrotal tumour <sup>121</sup>	Removal



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
25 April	2 May		Relieved.	<p>There was squinting of the right eye upwards towards the nose when both the eyes were open, but on closing the left the direction of the eyeball becomes natural.</p> <p>The internal oblique muscle was divided on the right side but still the eye some distance remained squinting.</p>
30 April	24 May		Cured.	<p>The hernia was quite firm &amp; the little protrusion was just below the umbilicus before being discharged.</p> <p>The hernia was noticed while the child was 2 months old. It has been increasing since then &amp; at present protrudes as a small pear on the left side. It was entirely reducible &amp; the ring about a finger's breadth in size.</p>
2 May	26 May		Cured.	<p>The patient could be turned off &amp; on for the last 8 years &amp; had instruments passed before for it. Has got difficulty in passing urine again for the last 5 or 7 days. There was a hard cartilaginous structure in front of the membranous portion of urethra through which No 2 catheter was passed on the first day with some difficulty followed by No 4. No 6 dilator afterwards introduced to split the structured portion.</p>
5 May	12 May		Death from peritonitis & Pyloric obstruction.	<p>A scrotal tumour of 5 years' continuance commencing with fever. The enlargement first occurred on the left side where there was a large hydrocoele. He was admitted with an abscess in the centre of the right side which came after the pointing of the left side. The hydrocoele was tapped on the 17th April &amp; about 116 ounces of fluid withdrawn. The tumour weighed 4 lbs 11 oz. Good deal of hyaline fluid on the left side. The left spermatic cord widely spread &amp; about a foot long. Entirely healthy.</p> <p>25-1/2 lbs. lightened.</p> <p>In post-mortem examination the lower lobes of both lungs were found consolidated. A large pleural effusion on the surface of right lung at its posterior part. Heart contracted &amp; empty. Spleen &amp; kidneys healthy. There was pus in the left side of pelvis under the peritoneum extending from the left testis along the spermatic cord up to the stomach where a large quantity of pus was also thrown out.</p>



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
29 <sup>th</sup> April	45 Harry	14	None.	Hindoo	Inflamed breast gland left side.	Cauterization
17 <sup>th</sup> April	46 Rufus	12	None	Hindoo	Adhesion of right leg like thick by cicatrization after burn	Division of cicatrization. The cicatrization tissue separated off. & the margins brought together by sutures
3 <sup>rd</sup> May	47 Lonatua Malick	40	Farmer	Hindoo	Calculus Vesicae -	Lateral operation
11 <sup>th</sup> May	48 Hugh Costie	47	Seaman	English	Reducible Inguinal Hernia left side	Radical cure



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
4 <sup>th</sup> May	26 <sup>th</sup> May		Cured.	About a month ago sustained a fall in which he sprained his wrist joint. Remained well for about 20 days; very slight pain in the joint until 10 days before admission when the inflammation first commenced. The pain on admission was a very severe one & there was some effusion in the joint itself. Both other local means not sufficing to remove the pain altogether the joint was cauterized.
6 <sup>th</sup> May	28 <sup>th</sup> July		Discharged cured.	Had a severe burn of right lower extremity whilst he was an infant - As the leg was allowed to remain in the thigh during cicatrization it became tied down to it by adhesion bands. On admission a membranous fold extending from the ankle up to the upper part of thigh formed the bands of adhesion. It was of a triangular shape the apex of which was at the middle of popliteal region & the base formed the free border. Its vertical diameter was about 6 inches. The boy in appearance was between 4 & 5 inches.
9 <sup>th</sup> May	3 <sup>rd</sup> June		Cured.	Was operated for buttoning stone about 5 months ago at Krishnapore. The stone was a large one & was extracted in 2 pieces it having been broken beforehand. The wound on the perineum healed leaving a small sinus through which urine has been flowing partly since then. Another stone on admission was detected in the bladder & he was operated on the same side where he was previously cut. The <sup>stone</sup> was as large as an almond weighed 1 dram only & had a coating of phosphate outside. There was not much bleeding.
15 <sup>th</sup> May	22 <sup>nd</sup> June		Cured.	A hernia of 4 1/2 months' standing noticed whilst lifting up a heavy weight. The ring of 2 fingers' size. The hernia was a middle-aged one and has been always reducible.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.	
18 <sup>th</sup> May	49 Muthoor Mohundop	60	Broker	Hindoo	Epithelial Cancer on the right gluteal region	Excision	
9 <sup>th</sup> May	51 Luttie	25	Seaman	Telugu	Lacerated wound on the left hand resulting in gangrene of the little & ring finger & middle finger	Amputation of the finger with the heads of metacarpal bones	
3 <sup>rd</sup> March	51 Harry Dof	35	Labourer	Hindoo	Perineal fistula	Plastic operation	
17 <sup>th</sup> May	52 Bhagobung Dof	35	Tradesman	Hindoo	Gangrene of middle finger of right hand	Amputation of middle finger with the head of metacarpal bone	
13 <sup>th</sup> May	50 Tarammay	7	20	Bone	Hindoo	Lacerated wound on the skull. Bone exposed. Suppuration in the diploe above & between the dura mater & brain.	Trephining
23 <sup>rd</sup> May	52 Charles Rodriguez	20	Engineer	Spaniard	Fibrous tumour on the back of index finger of right hand	Excision	



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
16 <sup>th</sup> May 67	3 <sup>rd</sup> June 67		Cured.	A cancerous growth of 8 months about a pigeon's eye in size situated just over the trochanter major. The skin around indurated but movable over the subjacent structures. The tumour had elevated a month after its first appearance.
18 <sup>th</sup> May	3 <sup>rd</sup> May 67		Transferred Was in a fair <del>state</del> <sup>way</sup> to recovery when he had cholera of which he died.	The hand was jammed between two blocks of wood. There was fracture of the 1 <sup>st</sup> phalanges of the little & ring finger & a lacerated wound on the palm. 2 days after accident the fingers with a portion of the middle finger at once became gangrenous. When gangrene had ceased & a line of demarcation formed the fingers were removed.
15 <sup>th</sup> May	1 August 1867		Went out much improved - some sinus re-opened - also 1/2 parts of the sinus comes through the nostrils post op.	See No 37. The sinus wound partly united but an opening was still left which did not altogether contract during cicatrization. A 3 <sup>rd</sup> operation was therefore performed.
20 <sup>th</sup> May	15 <sup>th</sup> June 67		Cured	A month before admission had an erysipelas inflammation of the right hand after working for a long time in the field <sup>which</sup> perhaps was brought on by the puncture of a thorn. A portion of skin at the dorsal aspect of the middle finger became gangrenous. The sloughs <sup>had</sup> separated & the wound was granulating when he was admitted but the dead finger was still sticking out. It was therefore removed with the head of its metacarpal bone.
25 <sup>th</sup> May	<del>25<sup>th</sup></del> 28 <sup>th</sup> May		Death from Pyæmia Although there was slight consolidation before operation the lungs remained ill after operation & died - 2 small pyæmic patches on both lungs. Suppuration between the right pleura left side above the orbit & a thin layer of pus between the lungs & right costal pleura.	Was admitted with a lacerated wound on the forehead produced by the precipitation fall in a well. Was progressing favourably when questioned further pain in the head & vomiting & shivering caused suspicion of suppuration in the brain. On tapping some fetid pus gushed out no more than sixty drops. Some was removed. There was suppuration between the right & left side of bone, lower under the skull.
25 <sup>th</sup> May			Attended as an out patient	The tumour was about a walnut in size & very hard. It had been growing for the last 2 years having been brought on by a blow received accidentally on the finger. It was quite isolated & none of the joints opened during operation.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
5 <sup>th</sup> May 55	Lashun	40	Shopkeeper	Indo	Suppuration within & around the <sup>elbow</sup> joint	Amputation of left arm at its middle
15 <sup>th</sup> April 56	Bhoondal	23	Lumber	Do.	Paraplegia from injury of spine.	Cauterization of spinal cord
28 <sup>th</sup> May 57	Kaugahie	22	Man	Do.	<sup>Disintegration, Cauterization.</sup> Inflamed wrist-joint right side	Do.
22 <sup>nd</sup> May 58	Shah Bolekey	25	Railway Pk. Muffin	Do.	Testal tumour <sup>112</sup>	Excision
5 <sup>th</sup> June 59	Zameer	28	Coachman	Do.	Dislocation of left <sup>hip</sup> joint on the dorsum ilii.	Dislocation reduced
1 <sup>st</sup> June 60	Prem Chand Saha	32	Cooly	Hindu.	Contraction of scars from cicatrization of <sup>elbow</sup>	Incisions around the scars



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
25 <sup>th</sup> May		5 <sup>th</sup> May	Died of Præmia 18th lungs edematous. Rgt lung congested at its side & hosterion. 5 ounces of fluid lymph in the left pleural sac. Some lymph condensation on the surface of upper lobe of left & 3 small pyemic patches. Upon much enlarged & enlarged pale & flabby. Mark contained decolorized clot.	Was struck with a pickaxe on the inner aspect of left elbow joint which produced a lacerated wound of the skin & divided the joint of the olecranon ending from the internal condyle of humerus & the ulnar nerve. Much suppuration. As it set up, the joint was fixed & as progress discharging was exhausting the patient an attempt was made to excise the joint itself. But during operation the parts were found so much disorganized from suppuration that it was <sup>found</sup> they could not be saved & accordingly amputation was performed.
2 <sup>nd</sup> June 1867	2 <sup>nd</sup> 11 Aug 1867		Left the Hospital much weaker. There is cessation of the limbs & he has some power of moving them.	Came in with paraplegia the result of fall from a mango tree in a sitting posture in which the spine was injured. There was no curvature of spine but as there was some tenderness in the lumbar vertebra the actual cautery was applied to put a stop to any inflammation that might be going on within.
2 <sup>nd</sup> June 1867	26 <sup>th</sup> June		Cured. The joint was partially stiff.	Obtained pain & numbness before discharging on the right wrist joint after sleeping one night in the cold. There was very little fracturing felt in moving the joint itself.
4 <sup>th</sup> June 1867	2 <sup>nd</sup> 10 67		Cured.	A rapidly growing painful scrofulous tumour of 1 month's growth. It was 1 <sup>st</sup> removed with force & weighed after removal 14 5/8 g. ligatures applied. Slight hydrocele on both sides.
6 <sup>th</sup> June 1867	11 <sup>th</sup> June 67		Cured.	Slipped off the coach box for carriage that was <sup>on the</sup> evening before admission & dislocated the right femur.
8 <sup>th</sup> June 1867	7 <sup>th</sup> July 67		Cured. The anus contracted to small size but he could pass stool with only difficulty.	Had an external hemorrhoid on which after application of some native medicine slipped off when an ulcer formed around the margin of anus. The cicatrization of the ulcer made the anal aperture contract to small a size that a pigeon quill could be passed with difficulty.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
7 <sup>th</sup> June 61	Kurmy karain Dof	23	Confectioner	Hindoo	Abscess in the Larynx bringing on Asphyxia	Tracheotomy
2 <sup>nd</sup> May 62	F. Gasper.	7. 18	None	E. India	Epidemic Epithelioma? of the lower lip.	Excision of the tumour with the lip as in hardship operation -
1 <sup>st</sup> May 63	Bromho.	7. 20	Do	Hindoo	Dry gangrene of the toes both feet.	Amputation of the toes with the head of metatarsal bones.
7 <sup>th</sup> June 63	Jour Purnama	40	Wear	Hindoo	Reducible inguinal hernia right side.	Radical cure



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
7 <sup>th</sup> June 1887	21 <sup>st</sup> Nov 1887		Relieved	Mrs under Dr. Churcho's treatment for abscess in the tongue where he was admitted for hoarseness of voice & pain in the tongue of 20 days' duration. The epiglottis is said to have been thickened & vascular & the posterior faucial clefts enlarged. On the night of before operation the dysphagia commenced which soon became urgent as to threaten death from asphyxia. Accordingly the trachea was opened at its middle fork with a knife at 8 a.m.
10 <sup>th</sup> June	19 <sup>th</sup> June 1887		Cured	Had an ulcer on the lower lip of 15 days' duration which is said to have come on spontaneously & which was treated at first with the local application of Black Wash on the suspicion of it being a chancre. When no decided improvement being manifest, the tumour with the lip was excised & the margins brought together by horse hair sutures. Decided hairy Syphilis.
10 <sup>th</sup> June	12 <sup>th</sup> August 1887			The gangrene occurred after an attack of puerperal fever said to be of an inter- mittent type in which the feet (1 <sup>st</sup> & 2 <sup>nd</sup> ) were well - & would walk well - & would have been his chest & dried up. The toes fell off & a line of demarcation formed when the general health was better. Contra-indicating the amputation for chloroform of which she died - on the 12 <sup>th</sup> August 1887. She was transferred on the morning of the 11 <sup>th</sup> April 1887.
11 <sup>th</sup> June	17 <sup>th</sup> August 1887			A reducible inguinal hernia of 8 months standing that came down slowly & at first escaped notice. It was a middle sized one & the ring large enough to hold 1 finger.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
14 <sup>th</sup> June 05	J. E. Ashitt.	38	Cook.	English	Spasmodic + organic Stricture of Urethra.	Excision of Stricture with Holt's Dilator No 12 (catheter introduced afterwards with some difficulty as the speculum immediately afterwards secured).
24 <sup>th</sup> June 05	Agosue	7. 50.	Stone	Hindoo	Epithelial Cancer of the gluteal region - a tumour size of a walnut containing a calcareous nucleus of the size of a marble -	Excision
21 <sup>st</sup> June 07	Robert Smith	38	Sailor	English	Rhymosis.	Circumcision The anterior part of the prepuce removed compressing with a pair of forceps and dividing the tissue on the margin of the compressed blade.
15 <sup>th</sup> June 07	William Salter	32	Platoon ap. R.	do	Reducible Inguinal Hernia of right side.	Radical cure



Date of Operation	Date of Discharge	Date of Death	Result or cause of Death	Remarks
15 <sup>th</sup> June	16 <sup>th</sup> June		Died of suffocation of urine & shock - Had a strong shivering attack followed by much constitutional disturbance - Had no water after operation - Symptoms of putridity & collapse after words soon came on not withstanding the frequent administration of stimulants - <del>Drugs were applied in the rectum</del> - <del>Spung from rectum</del> - <del>Always much engorged</del> - <del>kidney congested</del> - <del>liver full</del> - <del>small intestines slightly congested</del> - <del>Bladder empty</del> - <del>Stricture was at bulbous portion of urethra</del> - <del>Urethra not torn except</del> - <del>no extravasation into the bladder</del> - <del>abdomen</del> - <del>one small false passage leading to the bulb but not penetrating it</del> - <del>Heart adherent to the pericardium by ligamentous bands</del> - <del>There was a slight rent in the membrane lining of the bladder at the seat of the stricture but no extravasation</del> - <del>Went out cured</del>	Was in this ward about 2 months ago for irritable stricture of urethra. Was discharged relieved after constant passage of instruments. Since then the stricture has been continuing off & on although he was at Liverpool Hospital for the same - The last catheter passed by himself was No 6 -
25 <sup>th</sup> June 1867	7 <sup>th</sup> April 1867			The patient was an old woman who had suffered for 8 months a tumour on the right gluteal region about a goose egg in size. It was spontaneous in its origin & ulcerated 3 months after its appearance. It was quite movable but the skin over it was adherent. Inside the tumour there was much calcareous deposit -
1 <sup>st</sup> July 1867	31 <sup>st</sup> July 1867		Went out cured	Contracted a syphilitic ulcer on the margin of prepuce 6 months before admission. After the healing of the ulcer the free margin of prepuce became ulcerated & contracted & the phymosis was the result.
1 <sup>st</sup> July 1867	18 <sup>th</sup> April 1867		Discharged cured as far as hernia is concerned. He suffered after the operation from a severe attack of gonorrhoea for a long time. At the time of his discharge the ring was the size of 1 finger and 4 lines. There was a long day the spermatic vein much engorged & deep seated pain in the testis was therefore kept under observation. Since again when matter is until the engorged vein was relieved & asphixiated the pain subsided but was then operated on with success. He is told to come back to the Hosp. if he has not got over of the pain & hardness.	Marked enlargement of the right side of groin for the last 3 months due to lifting up of heavy weights. The hernia was a small one & contained a small quantity of intestine. The ring was the size of 1 finger and 4 lines. There was a long day the spermatic vein much engorged & deep seated pain in the testis was therefore kept under observation. Since again when matter is until the engorged vein was relieved & asphixiated the pain subsided but was then operated on with success. He is told to come back to the Hosp. if he has not got over of the pain & hardness.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
24 June 69	Poran	21	Gardener	Hindus	Suppuration within the knee joint from an external wound	Amputation of thigh
24 June 70	Poran	21	Gardener	do	do	Amputation at the hip joint.
7 June 71	Jur Pramami	40	weaver	do	Reducible hypospadias	Radical cure
10 July 72	Sheik Mathos	40	Jemadar	Mughals	Depressed fracture of skull.	Trephining



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
2 <sup>nd</sup> July/67		5 <sup>th</sup> July	Died See next	About 12 days ago hurt his right knee joint with a spade which produced a contused wound about an inch long just above the patella. The joint inflamed & the inflammation was attended with much pain & fever. Constitutional disturbance was set up & on examining the joint & probe went right into it. As the patient's strength was doing pretty reduced amputation of thigh was proposed.
4 <sup>th</sup> July		5 <sup>th</sup> July	Died	See No 67. Had a rapid pulse after operation. There was hemorrhage from the stump. Large clot turned out. Much pain in the discharge. Medulla of the bone protruded, extending from the right auricle to the right ventricle & 5th pulmonary artery. Kidneys & liver healthy but an sanguine. No pneumonia. No pus in the femoral canal.
4 <sup>th</sup> July	17 August 1867		Discharged cured. Hernia does not come down any more.	See No 64. The operation proved unnecessary. The hernia came down 4 or 5 days after operation. There was not much thickening around the inguinal canal to prevent the descent of hernia. Was therefore operated a 2 <sup>nd</sup> time. Suppuration was very soon established at apex.
12 <sup>th</sup> July/67		13 <sup>th</sup> July	Died.	Had a lacerated wound & fracture of left parietal bone by the fall proper discharge of a large hammer on his head from the roof of a storied house. The fracture was a stellate one & ran in 3 directions from a common centre. He was very restless & delirious from the commencement & as the delirium gradually merged into a semiconscious state & as it was suspected that bleeding had been going on inside the skull on the upper surface of the brain a small clot of blood over the anterior border of the brain.

some lymph effused under the pia mater & left side



21<sup>st</sup> July 1867. *Ind*

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
30 <sup>th</sup> Jan'y 73	C. Wright.	45	Male	Engl <sup>h</sup>	Internal hemorrhoid Four in number	Excision.
3 <sup>rd</sup> July 74	Jana Khan Dops	20	Blacksmith	Kashmir	Atrocious Ovis	Adhesions dissected some portion of the jaw found freelands & removed



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
25 <sup>th</sup> July/67	10 <sup>th</sup> August 1867		Unchanged much relieved-	<p>The patient has strachine for the last 14 or 15 yrs supervening on an attack of gonorrhoea, which still continues as just. The strachine did not trouble him much at first, till about 7 yrs ago, when he got an abscess in the perineum for which he was laid up for 2 or 3 months. The strachine became troublesome after the healing of the perineal abscess. Along with the first appearance of the strachine, the piles commenced. This haemorrhoid was stationary at first, but is getting worse since the last 6 or 7 yrs. The pile is mostly internal &amp; bleeds occasionally, especially when he goes to stool. It is at present inflamed &amp; painful. There are 4 in number. It has suppurated.</p>
29 <sup>th</sup> July/67	27 <sup>th</sup> 9/67		Weak cat. much relieved. Can open his mouth pretty well. Takes food well. Angles of the mouth turned in.	<p>Had Syphilis about 7 months ago, for which he took mercurial preparations prescribed by the Native Physicians. This had good effect upon the disease which healed about a month after its occurrence. Soon after the effect of the mercurials began to manifest themselves, his mouth <sup>swelled</sup> &amp; jaws tender and there was much salivation. Has had no secondary eruptions on the body. Has got a shiver of cold the past, the shiver being greater on the left than on the right. <sup>now</sup> Cannot open his mouth at all. Improves. Can take liquid food. Has still some flow of saliva &amp; some of his teeth fallen. About 20, of which lost after operation. 2 or 5 teeth retained.</p>



August 1867

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
6 <sup>th</sup> Aug 1867 75	Bhoyra B.	35	Labour	Hindus	Scrofula Tumor	Tumor removed (excision)
26 <sup>th</sup> August 1867 76	Bhoyra B.	50	Labour	Hindus	Wen (Cancer) over the Cardiac region -	Cancerous mass excised by elliptical incision



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
6 <sup>th</sup> August 187	4.11.67		Recovery	Observed the enlargement of the left side of scrotum for the last 10 yrs. Used to get pain once or twice a year. With each attack offensive scrotum became painful & <sup>the swelling</sup> it has been gradually increasing. At present scrotum is thickened & enlarged - about the size of a coconut. Tumor removed weighed 126-40g. Had hyoscide on both sides - about 60g of blood loss. What Soligames applied - no side-effect nor chloroform.
28 <sup>th</sup> August	1 <sup>st</sup> October 1887		Discharged	About 3 months ago, a small pimple appeared just over the Clavicle region, immediately to the internal margin of the left mamma. It gradually increased, till it opened the present size & form of itself. Some serum & matter came out. Since then alteration commenced, & which increasing gradually, has assumed the present size. The tumor was very hard & painful before last since alteration commenced, it has been soft. At present has got an ulcer of about the size of a pencil, about an inch deep. Not perfectly circular - The center & inner part unhealthy, outer portion rather clean - ulceration not extending, but becoming deep. It has involved the left mamma - margin of the ulcer raised elevated - hard like cartilage, cellular tissue beneath & around the ulcer very hard & thickened. Good deal of pain seems to arise from it. None of the glands in the axilla or neck affected. Pain does not increase at night. No history of Cancer in the family. Had Syphilis somewhere 25 or 30 yrs. & rheumatism 20 yrs. ago - no secondary effects. Cancer most unusual - about 3 or 4 lbs. lost - 5 life times applied.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
30 <sup>th</sup> Aug/67	77 Lakhotar	56	Cooly	Bahawan	Dislocation of the left femur in Jordan Hill.	Dislocation reduced by pulley and chisel.
Sept 1867						
1 <sup>st</sup> Sept 1867	78 Behan d. Apudde	22	Student	Bahawan	Refractory inguinal hernia of the right side	Operation for the hernia, one-by-flap.
23 <sup>rd</sup> June/67	79 Sankar Tehan	40	Moore	Bahawan	Scrotal tumor	Tumor removed (Lancet)



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
30 <sup>th</sup> Sept/67	4 <sup>th</sup> Oct/1867		Brickbat Am d. Wall's put a man in perfect health.	State: That while carrying a heavy load, he made a false step & fell over on the street. Since then could not move his left lower extremity. Dislocation of the left femur was noticed on examination. The head was on the dorsum illi - Dislocation reduced by pulleys under chloroform & a distinct click was heard when brought in its natural position.
3 <sup>rd</sup> September 1867	21. 10. 67		Cure - Skinner came over few months after	Has no original hernia of the right <sup>side</sup> for the last 5 months - It came on passing without his being able to notice it at the beginning - Brought over into the position when he takes food or walks along. Up back after little manipulation - The external abdominal ring is enlarged - admits his 2 <sup>nd</sup> & 3 <sup>rd</sup> fingers easily - without giving any pain. Was now manipulated - Operation for the reduction and performed under chloroform -
4 <sup>th</sup> September 1867	12. 11. 67		Cured	Observed enlargement of the scrotum for the last 5 yrs. It can be moved with finger of an elephant's type - It has one or two 6 months - but usually come with hemoroid changes. The tumor at present is of the size of a cocoanut - Resection threatened. Had enlarged spleen about 2 years - but was now - The patient is fat man - He is somewhat especially the 2 <sup>nd</sup> is very full - Compensate pale & there is anemia - Operation performed after a little improvement in health - under chloroform about 200 of blood lost - 15 ligatures applied -



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
6 <sup>th</sup> Sept 80 1867	Hoffan	35	Farmer	Hindoo	Cicatrix across the face between the head & neck open with epithelioma developed before op.	Excision of the epithelioma & cicatrix band
4 <sup>th</sup> Sept 81	John Kenneth Roy	52	Salt butter	Hindoo	Swelling of the back bone - basal bone (right foot)	Excision of the diseased bone - under chloroform.
15 <sup>th</sup> Sept 82	John G. Turner	21	Steamer	Irish	Sarcomatous proliferation (left humerus)	Reduced amputated
23 <sup>rd</sup> Sept 1867	Patterson	50	Ind. & land	Hindoo	Dislocation of the head of the right femur into the ischial notch.	Reduced under chloroform by pulleys.
4 <sup>th</sup> Sept 1867	John Kenneth Roy	52	Salt butter	Hindoo	Disorganization of the whole of the right foot from necrosis.	Spontaneous amputation at the foot



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
16 <sup>th</sup> Sept/67	15/1/68		Cured. Can raise the limb. The mouth - head & back the behind the neck	While the patient was a year old, his clitoris got cut off, which caused the upper part of the right side of the body, including the whole arm, upper half of the forearm, anterior & upper-inclining region - together with a part of the back, corresponding to the middle of the arm, lost its life. The arm gradually healed & on the process of healing the patient began to form the result being a triangular cicatrix fixed flat and on between the posterior margin of the right arm & the back. Leaving the broad division of the wound & open upwards. A second cicatrix open entered from the lower part of the anterior surface of the arm to the upper part & contains suppur of the forearm, kept the latter at hand & the former at an obtuse angle. The forearm could be extended no further upwards from the back. He was then able along in good health till about 2 years ago, when he was working, a portion of the cicatrix apart on the middle & so to speaking the right arm gave way & this caused him to move rapidly in the form of an arrow. At present the limb is well kept, little larger than a closed adult fist - occupying most of the posterior surface of the trunk, the fold upper meeting & it is raised, hard, clean, can in fact be used as a finger - has not yet seen since he left from the general hospital fair - no history of cancer in the family - He died at 10 <sup>th</sup> of the month of the morning of the 16 <sup>th</sup> of the month lost about 500 of blood, the legation applied to the wound & stitched with wire lines -
16 <sup>th</sup> September 1887	27.9.67		No post mortem was held as the body was taken away by the funeral - got a very few frags of cement like type & pneumonia - took post ride of pyrexia -	About 6 months ago he had an arm on the right little to be by putting on a tight shoe. This dispo- sition was speeded by the patient himself, when some matter with blood came out. Since then the wound did not heal. On evening of the 27 <sup>th</sup> of the month the phlegmonous tumor of the right side of the arm was removed & removed in a small piece of skin after this, patient died at 10 <sup>th</sup> of the month at four o'clock & the medical certificate had been written. There was no history of cancer in the family or the other side of the trunk. The medical certificate was removed & the tumor was taken out & removed with cautery. The patient had no other disease & the medical certificate improved from the 10 <sup>th</sup> to the 15 <sup>th</sup> of the month.
16 <sup>th</sup> Sept/67	6-11-67		Cure	While playing this evening he fell down on his left shoulder & had his shoulder fractured under the clavicle process - Broken under clavicle -
23 <sup>rd</sup> Sept/67	16-11-67		Cure	Had a fall 3 days ago on the street by his feet being slipped - Since then the commotion of the clavicle on his right shoulder & clavicle on his arm. Dislocation of the head of the right femur & fracture of the same at the lower 3 <sup>rd</sup> of the shaft - Dislocation & fracture put up in long splint & thick bandage -
25 <sup>th</sup> Sept/67	27 <sup>th</sup> 9/67	vide p. 81		After the removal of the lock he released the patient of his disease. It was very soon sometimes with regular fits of shivering - to be that melted & infiltrated with fluid matter. There was a profuse fetid discharge from the wound which was very offensive. Had a very high fever & tongue black & coated. Died at 13 <sup>th</sup> of the month. Had a temperature as high as 104 <sup>th</sup> of the month. It was very offensive. As well as other symptoms. The dissection was an amputation. It was an amputation of the right performed under chloroform - lost 300 of blood 18 <sup>th</sup> of the month applied. There was no more from the patient the operation -



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
28 <sup>th</sup> Sept 86	85 Naran Nath Nanyo	26	Stationer	Hindu	Scrotal Tumor <sup>125</sup>	Excision.
28 <sup>th</sup> Sept 86 1 a.m.	86 Sancharan Kalge	45	Porter	Hindu	Dislocation of the head of the right femur with the thyroid foramen.	Reduced into place with pulleys.
October 87						
5 <sup>th</sup> Oct 87	87 Mary. Anu-Rogan	50	None	Excision	ulceration of the palate & pharynx threatening suffocation.	Excision of the tumor.
11 <sup>th</sup> Oct 87	87 <sup>1/2</sup> Mowashie	25	Cooley	Hindu	Lacerated wound of the head - 2 - 3 inches deep.	Division of the Indian nerve.
16-10-67-88	Pray	24	Not known	Hindu	Back wound on location right above the elbow.	Reduced into place.
21 <sup>st</sup> 10.67.	89 Anant Khelasha	25	Khelasha	Hindu	Compd. Compound fracture of right leg at middle.	Amputation of the leg by endoposition.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
25 <sup>th</sup> Sep/67	24.11.67		Found	Had a small scabbed tumor some 1/2 inch in its growth for the last 6 years. The growth is a slow one & not attended with painful attacks, often. The tumor is about the size of a large fig. Removal by amputation. 403 of blood lost. 20 leucalins applied. Tumor weighed 3 lbs.
25 <sup>th</sup> Sep/67	29.9.67		Found.	Went yesterday at 2 p.m. a boat from here upon his eighth trip. While working he found the ship. On admission to the hospital the head of the right femur in the third primary was noticed. It is indicated by the flattening of the right hip - found position of the leg. upon the third - Pain & the lengthening of the affected limb - Reduced -
5 <sup>th</sup> Oct/67	18.10.67		The patient is under Dr. Martin's care. Discharged.	Stated that she was in the hospital about 2 months for sore throat, of which she was cured. She went home & was attacked with cold again. About 12 days she had a paroxysm of dyspnea for which she took some medicine & got on the palm of her left hand. Caused her face of a blackish of it. Again for the last 5 days she has been suffering from paroxysms of dyspnea off & on; throbbing & suffocation. Had some very severe before. She had on the morning of the 5 <sup>th</sup> of Oct. a fit of dyspnea - throbbing & suffocation, & tracheal tug was therefore performed under chloroform. The force of the tracheal tug & the upper part of the trachea elevated.
8 <sup>th</sup> Oct/67	12.12.67		Cured.	Last evening she was struck across the body by her mother, with stones & sticks - for which she fell down & lost her breath. Coming back was to breathe of the stone. Reduced - & regular sputum.
16.10.67	22.10.67		Cure of. Dyspnea with a wooden leg.	The patient's left leg was run over by the wheel of an old horse carriage. On 8 <sup>th</sup> of the 21 <sup>st</sup> of Oct/67 at Seabach while in slow motion. Had 1/2 pint of Compound Camphor of the bones of the left leg. at the middle - bones are smashed into pieces - & the splinters projecting out on every side. Muscles lacerated, exposed & hanging out - nervous vessels torn across & the lower half of the leg hanging from the lower. Came in in November 1866 - pulse almost imperceptible. 2400 S.M. In medical amputation performed at 9 a.m. - Thrombosis - there was bleeding from the vessel after the operation - lost about 303 of blood. 12 leucalins applied. Patient was roused at the table. Carbolic acid & viscid oil dressing was applied. Small to the extent of the bones - flaps sprayed with iodoform & whole stump dressed with iodoform after being stretched up.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
11 <sup>th</sup> Oct/90	Radar East Doss	30	Goldsmith	Hindu	Chronic scaphalus disease of the elbow joint.	Excision of elbow joint - fixation in of movement and hand grasping & above removed by H. in case
11 <sup>th</sup> Oct/91	Jamkrant Doss	27	Writer	Hindu	Scrotal tumor <sup>116</sup>	Excision.
7 <sup>th</sup> July/92	Sahurudolam	30	Tailor	Hindu	Scrotal tumor <sup>117</sup>	Excision
20-11-93	Catherine Buerresam	18 <sup>2</sup>	"	German	Harelip (Congenital)	Plastic operation for harelip
20-11-94	Bydicharan	44	Artist	Hindu	Double Hydrocele with that of cord & hernia on right side.	Tapped & injected
2-11-95	Archehelala Botika	23	Clark	Indian	Fistula in ano	Fistula laid open



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	Remarks.
25 <sup>th</sup> 10. 67.	30/8/68		Unsuccessful Cured - from the elbow pretty well	State that he had a hard swelling on the outer aspect of the left elbow about 3 1/2 in. This was continuing all along till about 10 or 12 yrs ago with pain. The swelling came to a point & was then opened by the patient himself when some oily matter came out. Since then the swelling opening is not healing, but is formed with an ulcer which is kept communicating with the joint. It is about the size of a left arm finger - said to increase gradually filled with white stuff & had a lot of solid discharge from it. Spinal swelling painful stuff. Had a similar disease of his left foot & finger and perhaps some of his 3 yrs ago. Extension of the right elbow performed at St. Christopher's - some one of the students across the shoulder joint - head of the radius & coronoid & olecranon process of ulna removed. 19 ligatures applied - took about 3 1/2 oz blood. Dressed with water & oil. With ligatures of the joint was found matted with one most Lymphatic membranes the skin &
28 <sup>th</sup> 10. 67.	12.1.68		Cure	Had hydrocele of the right side about 7 yrs ago as result of fever. It used to come with tumor changes. The tumor remained stationary for 4 yrs, after which it began to increase with each attack of fever, & communicated with a scrotal tumor. The tumor at present of the size of a coconut, rather soft - having hydrocele inside - felt firm off & on, but with no fluctuation. The tumor used to become very painful during febrile paroxysms. Not enlarged when tumor removed. Took about 7 1/2 oz blood - 27 ligatures applied - moistened with Carb. acid and the wound dressed with Carb. acid & linseed oil. Patient was fine before the operation. 8 1/2" 5" 1/2" after " " 6 1/2" 9 1/2"
16.11.67.	24.11.67	26.11.67	Death - Body was taken away. Probably from embolism of the heart.	Tumors weighed 14 1/2 - 10 1/2. Did not lose much blood. Had hydrocele of both sides. Came in with fever & enlarged spleen still suffering from chine bromidosis. United by first intention.
20.11.67.	23.11.67		Cure.	
23.11.67.	31.12.67		Cure	The cyst of cord communicating with that of tunica vaginalis.
18.11.67	4.12.67		Cure	Fistula resulted from an abscess.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
7.11.96	John <del>Peerde</del> <sup>Peerde</sup>	30	Human	English	Fistula in ano	Fistula laid open
2 Sept. 97	David Calcutt	32	"	English	Inguinal hernia. (right side)	Operation for the radical cure by plugging the canal by evaginising a portion of scrotum -
20/11/98	Amul Kariem	23	clerk	British	Fracture of skull & depression of one of the pieces	Rephrasing the skull.
13.11.99	Radiaphum	40	"	Hindus	Intradullary tumour behind the right ear.	Removal of tumour
27.11.99 1/2	Dobri.	26	Cook	Indian	Osteo tumour (right arm)	Excision -
16.11.100	Noosene	36	"	Malabar	Elephantiasis of <sup>128</sup> upper	Excision of both & scrotum
17.11.100	Dahy	20	Teacher	Hindus	Squithal cancer on foot & finger	Excision of it from foot & amputation of finger



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
21-11-67.	1/4/68		Cured	Fistula resulted from an abscess in site of an external pile. It was wide enough to admit 2 directors together -
23-11-67.	7.2.68		<p>Funeral</p> <p>Hernia came down after a series of intussusceptions &amp; violence of cold. The hernia was about 3 months standing &amp; reducible. It came down on the 1<sup>st</sup> July 1868. Tumor at base - Patted it by &amp; died</p>	Inguinal hernia (oblique) of the right side. Result of a fall on board the ship - the external ring well defined & admits one finger easily. The hernia was about 3 months standing & reducible.
25-11-67.	29/11/67		Death	Got a longitudinal fracture on the right side of the vault of the cranium from the accidental fall of a tile. The patient was sensible with occasional confusion of thought.
27-11-67	5.1.68		Cured	The tumor was about the size of an orange & good deal imbedded under the structure of the neck so that a portion of the parotid gland had been removed. It was very vascular -
27.11.67.	20.12.67.		Cured	Has got a gold button on the union of right arm for the last one year
4-12-67	22.12.67.		Body being taken away, no post mortem examination was held. Patient died of exhaustion & rashes.	Tumor of the prepuce & scrotum of 10 years standing, coming after an attack of malaria. General elephantiasis of the legs which preceded the tumor. Tumor weighed 8-14 lbs.
5-12-67.	10.2.68		Cured	Had epithelioma in middle finger of left hand & on inner side of the right foot at about a year's growth. It was once cured before this by a bath but a fresh remission has spread again.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
28.10.67 102	Indradum	45	"	Hindoo	Elephantiasis of scrotum <sup>129</sup>	Excision of tumour
8.12.67 103	Oger	30	Cooley	Malabar	Compound & comminuted fracture of the right radius & ulna	Amputation at wrist. Cerebropharyngeal osteitis.
10.10.67 104	Miss M. Chatterjee	36	same	English	Medullary tumour of the breast	Excision of tumour
1.11.67 105	Kelly	26	None.	Hindoo	Hypertrophy of both the testes.	Orchiectomy.
15.12.67 106	Jos. Peter Tia.	14	Shepherd	Hindoo	Stricture urethra	Perineal Section



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
5-12-67.	17.12.67	Death	From hæmorrhage following	Had a tumour of about 20 years standing of the size of an adult hand weighing 1 lb 3 oz. Had by vessels of both sides. The tunica vaginalis of the left side was thick & contained a thick greenish fluid - The right one was of normal thickness & contained about 0.75 of straw colored fluid.
8.12.67.	27.1.68	Cured		The finger was jammed in between a flap of skin & a cock. It was amputated at the last 2 phalanges commencing - the whole being attached to the hand by a thin piece of skin.
9.12.67. 23/3/68			Great risk with a small portion of the lower part of the ureter - 3 or 4 inches removed - had insinuated itself up the right margin of the lower end of the bladder about the right angle of the bladder in the bottom of the back filled with pus as it had been dissected out in pieces from the various structures - About 7 months ago, had swelling of the chlamydiae, the suppurated abscess, but the swelling did not go down after this, the labia began to swell & get hypertrophied. There is hypertrophy of both the labia as well as of the clitoris. The latter is discharging a watery fluid from an ulcerated surface where glands are. There is no deal of itching of the parts - Hypertrophy of mass around on the 17.12.67. under chlamydiae - 12 lbf. off? lost about 4 oz of blood carb. acid disp of affd?	
17.12.67. 12/4/68		Cured		Had a fall from a bamboo tree, of 8 feet high, & fractured his vertebrae, by striking against the cut portion of another adjacent tree. This accident happened on the 7 Oct 67. Four or 5 days after, there was retention of urine, relieved by catheterism twice - A week after this, had retention of urine, relieved by instrumentally - He was given the care of a Sub. apt. surgeon who used to draw 96 min urine twice a day & found anti & normal my dark were given - soon after he also appeared in the Peruvian & was opened. Matter seemed accumulative - but neither the rupture nor fracture. He was better after this, but he had been proceeding that the whole of his urine flowed through the perineum & not the natural passage - As his wound healed he passed whole of the urine flowing through the perineum.
17.12.67. 1/3/68		Cured	Had quite unobscured urine comes short though the natural passage	



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
18.12.67 107	O'Leary John	36	Wz. Post Master	Hindia	Fistula Ani	Fistula laid open.
23.12.67 108	James Creighton	25	Irish Scotch	Ind. Congois by location of left Hamer		Resection
21.12.67 109	John <sup>Adonelle</sup> <del>Adonelle</del> <del>Adonelle</del>	56	Latner Carpenter		Stricture urethra	Dilatation of the stricture by Hare's dilator.
20.12.67 109 1/2	Saxo Pop.	25	Irish	Hindia	Sarbal <sup>110</sup> tumor	Excision
28.12.67 110	Kelly Pop. Indagee	53	Irish	Hindia	Epididymia ?	Removal, by amputa- tion, a little in front of two intertarsal joint.



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
18.12.67	12.2.68		<u>Cured</u>	Had an abscess about 3 yrs ago on the left side of the anus. This suppurated & was opened by a barber, when some matter came out. The abscess after that did not heal, but is connected with fistulae anus. Fistulae laid open.
23.12.67	25.12.67		<u>Cured.</u>	While he was passing by the way this evening, a cornicop struck against his left shoulder & dislocated his left humerus. His left subscapularis. Reduced.
24.12.67	15.2.68		<u>Cured</u>	Has been suffering from stricture since last 1855. as a result of gonorrhea, which he had then & chance to. He did not put much inconvenience in making water all this time, till 1864 when the stricture came on again, after a fresh attack of gonorrhea. Gonorrhea on impure sexual intercourse. He used to pass water, but with great difficulty, but since last 3 days, there is complete retention with the water dribbling. Constantly calls to 2 passed with the bladder. Stricture situated in front of the membranous, behind the gland. Stricture dilated by Holtz dilator & cath. no. 9 passed.
26.12.67	25/9/68		Remarks <u>Cured</u> — Has got scrotal tumor for the last 7 years. It is of the size of a cocoanut, whole of the penis is concealed & fits over it. No enlargement of spleen.	
28.12.67	22/68		<u>Cured</u>	He had got in the hand a year ago from disease of the right great toe, the last phalanx of which was then removed and sloughing. Patient left the Hospital a month after much relieved - but soon after, the ulceration again commenced. It is increasing & painful. The toe is swollen very much, painful & blood & food dead. The margins of the ulcer eroded - raised & hard. To be removed with chloroform by amputation a little in front of the tarsometatarsal joint. Some food & fully - lost about 2 oz of blood.



Date of Admission.

Name.

Age.

Occupation.

Caste or Country.

Disease.

Operation.

# An Abstract of Surgical Operations performed in the year 1867 by Dr. F. Cooper.

Names of operation	Cured	Relieved	Died	Total	Pyæmia	Exhaustion	Shock	Other Cause	Remarks
1 Amputation of the thigh at the hip joint	"	"	1	1	"	"	"	"	Relieved + Chloriac embolism. The patient died at the base of the thigh for a supposed wound of the chest.
2 Amputation of the thigh	"	"	2	2	1	"	"	1	Died of Exhaustion and Chloriac embolism.
3 Do Do Leg	1	"	2	3	2	"	"	"	The one cured, is still in the Hospital.
4 Do Do Thigh & knee	"	"	"	"	"	"	"	"	"
5 Do Do both legs	"	"	1	1	1	"	"	"	"
6 Do Do of both legs	"	"	"	"	"	"	"	"	"
7 Do Do of both legs head of metatarsal bone	1	1	1	3	"	"	"	1	died from shock - the one relieved is still in the Hospital.
8 Do Do of the arm at the shoulder joint	"	"	"	"	"	"	"	"	"
9 Do Do of arm	"	"	1	1	1	"	"	"	"
10 Do Do of forearm	"	"	1	1	"	"	1	"	"
11 Do Do of fingers with metatarsal bone	2	"	1	3	"	"	"	1	From shock - one still in Hospital.
12 Do Do of phalange	2	1	1	4	"	"	"	1	Had to undergo a secondary operation of the phalange - Chloriac embolism.
13 Excision of Superior maxillary	"	"	"	"	"	"	"	"	"
14 Do Do Inferior	"	"	"	"	"	"	"	"	"
15 Do Do of larynx	1	"	"	1	"	"	"	"	Still remaining in the Hospital.
16 Do Do of trachea	"	"	"	"	"	"	"	"	"
17 Do Do of larynx	"	"	2	2	1	"	1	"	These died of pyæmia, had to undergo a secondary operation of the larynx & trachea, & died in the Hospital - one was removed & buried.
18 Do Do of breast	"	"	"	1	"	"	"	"	"
19 Scrotal tumor	8	"	5	13	1	"	1	1	These still remaining, the operated on the 15th & 17th.
20 Removal of Tumors	15	"	"	15	"	"	"	"	These died of pyæmia, the operated on the 15th & 17th.
21 Lithotomy (external)	1	"	"	1	"	"	"	"	"
22 Radical Cure for Hemorrhoids	10	1	2	16	2	"	"	"	3 These unsuccesful
23 Perineal section for stricture	1	"	"	2	"	"	"	"	One still in the Hospital
24 Ligature of Arteries	"	"	"	"	"	"	"	"	"
25 Her resection	1	"	1	2	"	"	"	1	Died of pyæmia
26 Trichotomy	"	"	4	4	1	"	"	3	Died of laceration of brain in the operation of the trichotomy. No one still in the Hospital.
27 Division of Spinal Cord	1	"	1	2	"	"	"	"	From Exhaustion
28 Division of Spinal Cord	"	"	1	1	"	"	"	1	"
29 Trichotomy for Hemorrhoids	"	"	"	"	"	"	"	"	"
30 Volvulus of Stomach	2	1	1	4	"	"	"	1	From Exhaustion & Shock
31 Division of Cecum	2	1	"	3	"	"	"	"	"
32 Plastic Operations	2	"	"	3	"	"	"	"	1 unsuccesful
33 Castration	3	1	"	4	"	"	"	"	"
34 Lateral Excision of Cervix	"	"	"	"	"	"	"	"	"
Total				95					



Date of  
Operation.Date of  
Discharge.Date of  
Death.

Result or cause of Death.

REMARKS.

Abstract of Operations performed in the year 1867 by J. H. J. J.

Names of Operation	Cured	Relieved	Died	Total	Remarks	Cause of death				Remarks
						Gout	Stomach	Throat	Other	
35 Operation for Hydrocele	2	"	"	2	"	"	"	"	"	"
36 Ligature of the Stomach	"	"	"	"	"	"	"	"	"	"
37 Phlycten of the eye	"	1	"	1	"	"	"	"	"	"
38 Division of Stomach	1	"	"	1	"	"	"	"	"	"
39 Reduction of Dislocation	9	"	"	9	"	"	"	"	"	"
40 Trepanning	1	1	"	2	"	"	"	"	"	"
41 Operation for Pharynx	1	"	"	1	"	"	"	"	"	"
42 Excision of Hamorrhoid	"	1	"	1	"	"	"	"	"	"
43 Division of the Uterus	"	1	"	1	"	"	"	"	"	"
44 Oblique incision for Strabismus	"	"	"	"	"	"	"	"	"	"

Total 16

Cured &amp; recovered 95

Grand total 111

Deaths

27







[illegible]



Eighteen hundred and 1868. viz. 1868

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
3.1.68	Mr Ward	..	Captain	..	Sub-acute & chronic - location - right hand	Resection
5.1.68	2 Shait Mad	30	None	Indian	Epithelioma	Excision
10.1.68	5 Litta Haath	18	None	Indian	Fistula in Ano.	Fistula laid open
20.12.67	4 Meer	40	Butcher	Indian	Stitch Tumor	Excision
13.1.68	5 Captain E Boyce	44	Common	English	Ulceration of the larynx	Tracheotomy
13.1.68	6 James Nicholson	42	seaman	Scotch	Paronychia.	Amputation of the finger with fixation of the white-carpal bone
30.12.67	7 Henderson	15	None	Indian	Adhesion of sigmoid	Cecostomy

Adhesion of sigmoid to the side of the chest by cicatrix open.







Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
19 Jan 68 8	Golap.	21	maid - cannib.	India	Wad <sup>2</sup> into perine	Bones exposed not sighted.
24 Jan 68 9	William Mills	52	Sailor	Scotch	Reducible Hernia	Radiant cure by Ray. P.
27.1.68 10	Ram Panton	35	Institution	India	Necrosis of lower leg.	Necrosis perisperm

February 68.

5.1.68 11	Shakti Prasad	60	Mr	India	Cancer	Incision.
20.1.68 12	Zingluch. K. Nanga	50	Mr	India	Necrosis of Fibula	Necrosis perisperm



Date of Operation	Date of Discharge	Date of Death	Result or cause of Death	REMARKS
20.1.68	5/3/68		Cure 7. Nostril	Had a simple fracture of the right tibia about a month & half ago. Closed by a bone pin a height of about 8 ft. The fracture was a little below the middle. Was not treated properly & the bone is united in a bad position - cannot walk without outward - leg. Painful to touch. Bone is not healed. Was not treated properly & the bone is united in a bad position - cannot walk without outward - leg. Painful to touch. Bone is not healed.
27.1.68	23/3/68		Went out apparently cured - Stomach did not come down on coughing - Trachea -	Had pt - venous ligament Stomach of the right side - from under the ribs. The bone came down for the first time in an effort of lifting a heavy box. Tumor about the size of a billiard ball. Did not descend with the trachea - but kept back at the upper part of it - Effusion from hemorrhoids of lower part. Size about 2 1/2 in. The disease is an abscess. There are 2 abscesses, one on each side of the main line pointing upwards towards the chest of the mouth. Had Stomach 10 yrs ago - Continued for 1 yr. Took Mercury for this - Had a cure by operation 5 yrs ago. Although part of the jaw compound, causing the chest of the mouth on the right side near the coronoid process - Had pt a Cardiform on the right side of the chest since last 3 months. This is the main part from which the epithelioma removed from under the lower lip - The size of the Cardiform is that of a marble. It was examined by microscope & was found to be an epithelioma. Smith - Vol. No 2
1.2.68	15.2.68		Cure 8	Had pt a Cardiform on the right side of the chest since last 3 months. This is the main part from which the epithelioma removed from under the lower lip - The size of the Cardiform is that of a marble. It was examined by microscope & was found to be an epithelioma. Smith - Vol. No 2
3.2.68	11/4/68		Cure 9	Specimen his left ankle about 6 months ago. Applied some wetting medicine which caused the swelling to disappear. It was opened & a deal of matter came out. He had 2 years' good at the above & lower part of the left leg. In looking the specimen fibula found. The disease is - Wound -



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
10.2.68	13 Golden Gosselin	26	Stone Dealer	Foreign boy in the Hague.		Removal
10.2.68	14 Mathon Jozua	17	Meat Seller	Hebrew of Amsterdam		Meat & fat removed
7.2.68	15 Ando Ghoae	40	Stone Dealer		Phymosis	Circumcision
8.1.68	16 Azim	45	Stone Dealer	Syphilis Anus etc.		Actual Caating.
22.1.68	17 Thomas Powers	22	Stone Dealer	British Indian	Scirrhous Radical Cancer	Removal



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
10.2.68.	24/2/68		Cured	About a year ago, while walking at night, fell from a chair a thorn which entered the lower & inner aspect of his left thigh - a little above the knee. This is continuing since then in the flesh, without forming any inflammation whatsoever, except a small hard painful swelling of the size of a marble. Thorn removed under chloroform - it is about 1 1/2 inch long.
10.2.68.	19.2.68		Cured	Had the necrosis of the right lower jaw for the last 4 or 5 yrs, resulting from an abscess of the jaw, a sequel of fever he had 15 or 16 yrs prior to this. Was in Dr Partridge's ward a year ago - when some pain were removed. Side of the face corresponding to the diseased jaw is swollen & hard.
13.2.68.	10/4/68		Cured	Had pharyngitis for the last 3 months, supervening on an attack of gonorrhoea & chlamy, both of which still continue. Had also inflammation of the right testis, about the size of a large bean, of 5 yrs standing. Stricture inflamed for 7 days before admission.
14.2.68.	12/3/68		Cured	Had syphilis the period of the right tibia for the last 4 months. Had shown about 25 yrs ago, continuing for about a month, after which it healed, on the internal use of mercury. Continuing after a good trial of iodine & pot iodide.
18.2.68	16/4/68		Relieved	Had a hernia, direct inguinal Hernia comes down as a lump, but the tumor much smaller than what it was before. It came on first, he says while straining much in mowing a heavy Canon. It was at first painful & difficult to push back, but it gradually became less so. It is now a large tumor, but the death of the tumor is not yet decided.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
21.2.68 10	Rishi Prasad Roy	40	Cook	Hindu	Comp. fracture of right parietal bone, frontal bone, and simple comminuted fracture of left tibia & fibula.	Tuphizing
19/2/68 19	Iskorum	7	Male	Ind. Polypus of nose		Removal
18.1.68 20	Agrim	45	Male	Ind.	Syphilis of the penis & testis	Actual Castration
10.2.68 21	Joseph Wilson	48	Seaman	Capt. B.	Inguinal Hernia	Rastical Cure
March/68						
24.2.68 22	Rameswar Bhattacharya	33	Ind. Male	Hindu	Scrotal Swelling	Excision



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	Remarks.
22.2.68	24/2/68	Death.		Fell down on the evening of the 21st/2/68 from a Veranda of an one storied house & injured his head & left forearm. There is a large, deep, lacerated wound about 5 inches long, on the right side of his head with extensive fracture of the parietal portion of the parietal & frontal bones also a simple comminuted fracture of left Radius & ulna at their middle. Being admitted 2 hrs after the accident, patient was quite conscious & seemed to have natural breathing, but next morning at about 6 a.m. symptoms of asphyxia supervened as indicated by stertering breathing & the patient expired at 9 1/2 a.m. & was much lying to the table for the time.
24.2.68 27/3/68		Cured	No sign of the recurrence of the disease	Says about 3 yrs ago, a small swelling about the size of a pea, formed above his left breast & it grew since then increasing in size, the skin & yellow, & then the growth stopped after opening the breast - size, which is that of a billiard ball. Whole of the growth is closed in by the skin except the lower part which is free from the skin, towards the left lower edge. The tumour extends upwards as high as the upper angle of the left rib - extremely to the inner border of the 6th rib - entirely pushing the 6th rib outwards, which is curved & deformed. There is found 2 pleurae - one larger than the other, attached to the septum - there was found seal of blood.
24/2/68 12/3/68		Cured		Vide No. 16, Castings applied in the same place, but in different part of left the lung.
25.2.68 6/4/68		Hernia apparently Cured - It did not come down on coughing or walking. Truss fitted		It was a reducible inguinal hernia of the left side since last 4 or 5 months. Cured by a fall on board a ship - Hernia came down at once & was reduced by the patient at the time.
2.3.68 8.9.68		Cured		Large Scrofulous tumours of 2 yrs growth - Tumour weighed 15 lbs. 15 oz - both about 5 1/2 x 4 1/2. 23 ligatures applied.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
17/2/68 23	Thomas Wilkins	30	Mr	Indian	Scallop tumor	Excision

15/3/68 24	Pren Chandra Shree	25	Boatman	Hind	Hypertrophy of the Penis - Rupture of Commence of claphan - basis of dentition	Excision
------------	--------------------	----	---------	------	--	----------

17/3/68 25	Sheebor	60	Farmer	Hind	Paronychia	Amputation of the finger
------------	---------	----	--------	------	------------	--------------------------

April/68

24-3-68 26	Sooran	28	Carley	Hind	Compd. fracture of scap-loc	Amputation of the loc
------------	--------	----	--------	------	-----------------------------	-----------------------



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
16/3/68	20/8/68		Cured	<p>Transferred from St. George's work, when he was treated for fever &amp; dysentery of the left side, which was stopped about 4 weeks ago, when about 163 of fluid came out &amp; was injected with 70 grains. The left side is hard &amp; painful. Right one painful too, containing little fluid. Protein lax. Thickened &amp; hyaline fluid. Swelling of joint commenced on the left side about 2 yrs ago &amp; was increasing since then attended with more or less periodic attack of fever, coming on with tumor changes, till it attained its present size, which is that of a walnut. The tumor however is larger owing to the fibrous pericapsule &amp; has more than the size of the fluid. It was about 7 yrs ago. Patient of poor English origin - born in India. (Peshawar). Was never out of India - At the present in Calcutta. No history of the existence of similar lesions in any members of the family. Tumor 166. 130g &amp; lost 4 1/2 of blood - 15 lip. applied.</p>
23/3/68	28/7/68		Cured -	<p>Has got hypertrophy of the penis, pre-puce &amp; commencing elephantiasis of the scrotum for the last year, coming on after an attack of gonorrhoea. Patient got fever - once - sometimes 12-14 days.</p>
23/3/68	13/5/68		Relieved	<p>About a month ago, his left side &amp; joints inflamed very much. The inflammation was soon after followed by suppuration, when an opening was made by the patient himself &amp; some matter at out. At present the whole is destroyed, especially the middle one, which is completely gone, finger being about -</p>
2/4/68	24/6/68		Cured	<p>Has compound fracture of base of phalanx of left great toe, caused by a fall of a block of wood over the joint, while the patient was lifting it. Toe became gangrenous. Last phalangeal joint lost &amp; exposed &amp; the toe removed at Dintcalante. Phalangeal interphalangeal joint -</p>



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
18 <sup>1</sup> / <sub>2</sub> / 60 27	Robin Jones	22	Farmer	Hind	Scrotal Tumor <sup>170</sup>	Incision
14.2.68 28	J Clerk	31	Fireman Eng.		Inguinal Hernia	Radical cure
6.3.68. 29	Obhoy Charan Jais	35	Farmer	Hind	Dry gangrene of the left hand	Amputation of forearm lower 5th.
26.4.68 30	Callaphum Luis	11 1/2	Stone	Hind	Side Abscess	Opened
29.4.68 31	Bacha Ram WSH	47	Farmer	Hind	Dry gangrene of the right middle finger	Amputation of the finger with a portion of metacarpal bone -



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
14/4/68	29.68		Cured —	Has got scrotal tumor about the size of a coconut for the last 4 yrs & hydrocele of both sides - Remt embedded in the mass. Remant lost about 7/8 of the tumor weighed 14g - 25 ligatures applied - Healed with Carb. paint.
20.4.68.	22/5/68		Apparently Cured —	Has got inguinal hernia of the right side for the last 18 months coming on after an exertion in pulling the lever of an engine. Hernia has become scrotal for the last 6 months. External abdominal ring at very large. Right testicle hardened a little & the vas deferens thickened & it is for this the operation was performed - Operated under chloroform —
25.4.68.	7/5/68		Died of exhaustion	Has got dry gangrene of the left hand, including the dorsum & the four fingers for the last 2 months as sequelae of Rheumatism, he had on his left arm - The fingers were hard & shrunken & devoid of sensation - There is a sloughing ulcer on the dorsum - In time fingers fell off - Carbolic ointment was applied - Amputation of forearm at lower 3/4 performed by J. C. L. M. D. Has got a small hard & dense swelling at the right inguinal region for the last 3 days, coming on after an attack of dys - The swelling very painful - Hip cannot be pulled more about - Thigh's joint opened & matter let out -
26.4.68	28.7.68		Cured —	Has got dry gangrene of the right middle finger for about 10 months coming on after picking of thorn - Last phalanx quite dead - no red black - Portion of finger corresponding the 1st & 2nd phalanges swollen, but the dead finger amputated
30.4.68	24/5/68		Cured —	



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
May 68.						
18 <sup>th</sup> /5/68	32 Henry Morse	20	Sailor	Engl	Inguinal Hernia	Radical cure
18 <sup>th</sup> /5/68	33 Ram Chand	35		Hindu	Lacerated wound (shark bite)	Amputation at the Hip joint
18 <sup>th</sup> /5/68	34 Kanna Dasa	50	Khakry	Belga	Traumatic Fracture	Peroneal Sec. Union



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
15 <sup>th</sup> May 68	22 <sup>nd</sup> 6/68		Apparently Cured	Admitted with Suppurative Hemorrhoids of the right side of 4 months standing for which he was once operated on in General Hospital but proved unsuccessful
13 <sup>th</sup> May 68	13 <sup>th</sup> 5/68		Died from the shock of the injury	Has got a deep lacerated wound on the outer aspect of the left hip caused by a shark. Hip joint opened - head of the Femur distinctly visible - and shaft of the bone exposed to the extent of about 2 inches - Operated & amputated with distal and <sup>plastic</sup> flaps. There was not much bleeding - only two ligatures applied. Iron wire sutures were applied - The patient could not rally from the shock of the injury (shark bite)
18 <sup>th</sup> 5. 68	24. 7. 68		Cured - Peruvian	Spent 3 months ago while at Allahabad. he fell from a board a ship from a height of about 40 or 50 feet & hurt himself in the perineum. Immediately after the accident he thought that he could not make water (except in sleep) when he attempts to do so. He was taken to Allahabad Dispensary from where he was discharged 4 days after, much relieved - he did not pass water there - He was sent there going well, till about 14 or 15 months ago, from which period, the matter has been bad & continuing - Was in Meerut Hospital about 35 days ago - when incisions were made, but with no permanent success. At present passes water in sleep - the matter very much contracted & smallest - his tumour could not be forced & passed & action performed with chloroform. An abscess formed in the Perineum during operation



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
1 <sup>st</sup> of 55	P. J. Newland	40	Clark	India.	Femoral Hernia	Radical cure

24. 5. 68. 36	Lochy	30	Seaman	Hibernia	Subglenoid Dis. location - right hand	Radical cure
---------------	-------	----	--------	----------	--	--------------

29. 5. 68 37	Henry Wickham	28	Cork	England	Right Inguinal Hernia (left side)	Radical cure
--------------	---------------	----	------	---------	--------------------------------------	--------------

June 1868

29. 5. 68 38	James Hudson	39	Seaman	South	Inguinal Hernia (left side)	Radical cure
--------------	--------------	----	--------	-------	--------------------------------	--------------

24. 5. 68. 39	Shank Reader	30	Cochman	India	Compd fracture of right ankle	Amputation below the knee by anterior- posterior flaps
---------------	--------------	----	---------	-------	----------------------------------	--



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
21.5.68	28.7.68		Refrid. - Luma	Has got Femoral Hernia of the lower down. But on right side for the last 5 years, caused small. Transformed by a fall from horse while riding. The size of the tumor is that of a billiard ball - comes down when patient, stand up & coming goes back. Was operated in the General Hospital 4 months ago, but with no permanent food - Operation so long postponed for the length the patient had - Has subglottic infection of the right Humeral of about 10 or 20 days standing, caused by some accident - Rescued with chloroform by pulleys -
24.5.68	24/5/68		Cured	Has got inguinal Hernia of the left side for the last 2 months coming on first in light & heavy weight - The tumor did not come at once to the surface but gradually. The internal abdominal ring is enlarged - well defined - admits 2 fingers easily. Much Res - Operated with chloroform
30.5.68	23/8/68		Apparently cured	Has got inguinal Hernia of the left side for the last 4 years coming on first in light & heavy weight - It was confined all along in the Canal. but has become scrotal for the last 4 months - It can be reduced & coming - Internal abdominal ring enlarged & of fine id - admits one finger easily. Operated with chloroform -
4.6.68	30/8/68		Cured - Good looking fine	Carriage being upset, fell down from the box. while driving it half an hour before admission & was found comatose. fracture of the right external malleolus - & simple of internal malleolus. On the point of death - Internal Central Aponeurotic torn - There being much constitutional disturbance - Nervous system from the wound - was hit with a bullet - Rescued under chloroform - 10 days after - but 48 of blood - Sleep & feed with Chloroform -



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
10 June 68/10	Shahid Ahmed	35	Cooly	India	Lacerated wound of the <sup>6 &amp; 4</sup> <sup>Comp?</sup> <sup>of the</sup> <sup>pharynx</sup> of the <sup>pharynx</sup> - <sup>large</sup> -	Amputation of the thumb with a portion of metacarpal bone -

10/6/68	41 Ismail Khan	22	Rhetor	India	Tumor (Fibros)	Excision
---------	----------------	----	--------	-------	----------------	----------

July 1868

3 <sup>rd</sup> 7. 68	42 Shahid Ahmed	25	Sailor	India	Scrotal tumor <sup>135</sup>	Excision -
-----------------------	-----------------	----	--------	-------	------------------------------	------------

6. 7. 68	43 Rohim Bux	30	Sore	India	Stricture urethra	Dilatation by Holt's dilator
----------	--------------	----	------	-------	-------------------	------------------------------



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
10 Jan 68	10/8/68			Has simple inflammation of the left thumb, by the part being smashed by a machine - Has also a lacerated wound on the palm of the hand & one similar at the index. Thumb removed - A ligature applied -
11/6/68	10/8/68		Patient discharged with a small portion of the lower part of the right thigh for the last unexcised - Health & strength very well -	Has got a tumour at the upper & inner angle of the right thigh for the last unexcised - Health & strength very well - It commenced in a small swelling (oval in shape) which has been increasing since then. At present the size of the tumour is very much the size of a fist - It is very hard, especially at the upper part where it is broader - When over it is not adherent - Not much pain in it - Feet over the tumour not disturbed - No glands of the groin - a small gland here & there - No history of cancer in the family - Operated in the afternoon - Lower three parts of the tumour removed & the remaining part being adherent to the surrounding tissue - Cut & removed in the usual way - Lost about 10oz of blood - weighed 6lb 11oz - packed with Carbolic -
6.7.68.	26/4/68		Cured	Has got shingles tumour about the size of a small Coccyus for the last 25 or 30 days, coming on immediately after Cancer the with a woman - Not perfectly well before this - First for the disease when he was at Madras - Growth of the tumour at present still going - No fever - Remained under chloroform - 14 lb: applied weighed 2lb 8oz - lost 6oz of blood -
7.7.68	18/8/68		Cured	Has been suffering off & on from Stricture urethra for the last 5 or 6 years - Coming on after gonorrhoea he had a year previous to this -

Summary



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
6.7.68 43	Rohin Das -	30	Iron Pacher	Structure under	Dilatation by Holt's dilator	
22.4.68 44	Satcomy Danyu 17	Student	Hind	Masses of left Hammer	Skinned portion removed - white thick of Hamers about 2 inches long saw out	
24.6.68 45	William Dodd	53	Carpenter	Scotch	Inginal Hernia	Russell's



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
7. 7. 68. / 8. 68.			Caused - No. 12 found	Had ulceration 2 or 3 times before, and was relieved by Cathechu, Was in Dr. Partridge's ward for this, some time ago - & was discharged much relieved. Since this morning, has been suffering from ulceration. Cathechu did not do without success. On the morning of the 7 <sup>th</sup> 7. 68. the ulcer dilated.
7. 7. 68. / 11. 68.			Caused - Hard by	About a week & half ago, had suffered any shortening of the inflammation of the left arm, accompanied with great deal of Cathechu disturbance. The swelling subsequently concentrated at the upper part of the limb where it formed into a deep abscess. This was opened about 25 days ago & great deal of matter let out. On the morning of admission when he was sitting & eating from a bowl, he discovered that he could not move his left shoulder. On examination after admission by a probe - though the opening made from letting out the matter, the upper part of the shaft of the humerus found dead & necrosed - to the extent of about 2 inches, he soon since the abscess opening was enlarged & great deal of matter let out. The superficial part of the bone found necrosed. On the 7 <sup>th</sup> 7. 68. wound further widened by skin & was chloroform -
14. 7. 68. 3. 8. 68.			Appearance of Am. d.	Has got a large hernia of the stomach & intestines for the last 8 days, resulting from an effort to lift a heavy weight. Size of the tumor that of a billiard ball - does not come down to the surface. Internal abdominal organs well defined - Operation postponed.



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
19.7.68	46 Abdul Haq	46	Farmer	Dehra	Hernia Inguinal hernia	Herniotomy
24.7.68	47 Ghosh	35	Cooly	Nid	Compd fracture of the phalanges of the 2nd & 3rd fingers -	Amputation of fingers -
24.7.68	48 Emani	40	Servant	Kul	Penetrating wound of the right ankle with tetanus & infection -	Amputation of the leg



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
19.7.68	25/9/68		Cured as reported The wound - Operated again for Roscoe Cure - Vals 20 61	<p>Stated that he had had Inguinal hernia of the left side for the last 5 years. That since 5 P.M. this evening, he had not been able to return the pub to the abdomen, as he went to do - Patient made no perceptible, intrinsic cold thoracic tumor under - Tumor could not be reduced by taxis - more chloroform - or by application of ice. Operated under chloroform gas at 10 1/2 P.M. of the night of admission. The left arm was caught in a wheel in kitchen this evening - actually in complete laceration of the middle &amp; index fingers &amp; a fracture running across the middle of the metacarpal bone of the finger. Two more lacerations on the palm, one situated in the middle, commu- nicating with the fracture of the meta- carpal bone - Fingers amputated at the metacarpophalangeal articulation -</p>
24.7.68	24/9/68		Cure d -	
25.7.68	26/7/68		Infection	<p>Has got a lacerated wound about 2 inches long 1 1/2 inches over the internal medial malleolus, caused by the foot being run over by a cart 12 days before admission - The wound at present discharging with offensive discharge from it - Ankle joint opened. For the last 5 days has been suffering from distended tumors - left muscles of the neck &amp; face stiff &amp; rigid - Cannot open his mouth well - nor swallow properly. Leg removed at the upper third of thigh flap - Wound sponged with strong carbolic acid &amp; the flap sutured with carbolic acid - 4 ligatures applied and 6000 of blood</p>



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
24.7.68 49	Kobkintaphol	34	Printer	Hindu	Scrophulous	Hernia

24.7.68 50	Jayambal	28	Cartellie	Hindu	Scrophulous	Hernia
------------	----------	----	-----------	-------	-------------	--------

August 1868

5.8.68 51	Ajao-	21	Carpenter	Hindu	Hernia	Hernia
-----------	-------	----	-----------	-------	--------	--------



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
29.7.68	14/9/68	"	Partial Sucep - Relieved - Hernia	Subject to Inguinal Hernia of the Left side for the last 4 or 5 yrs - Comes down as far as the knee on spontaneous & a small Internal abdominal swelling. The size of the tumor at rest - & comparatively present is that of a finger (when the tumor is small - inflation one with the skin -) Internal abdominal ring well defined, ad- mits 2 fingers easily. The tumor for several years improved by phys.
29.7.68	5/1/69	"	Cured - Testis smaller than natural	Has got a small tumor of the size of a small bean for the last 5 yrs since commenced in the left side when it was combined with hydrocele which was left about 3 yrs ago - front of the tumor was very hard & unaffected with fever, the about 4 inches ago when he had an attack of fever & since which the tumor has been going - there is hydrocele in left side - Penis enlarged - Tumor remained this morning but the height 2 in. 3 - 18 lb. of fat - last 6 oz of blood - kept with Carbolic
B.S. 68	15/9/68	"	Cured - Testis smaller than natural - This the first operation performed - but the 2 <sup>nd</sup> one successful Testis 1/2 in.	About 2 months ago the right testis inflamed & spontaneous. The inflammation from subsequently terminated with pain - but the 2 <sup>nd</sup> one suppuration & the testis gave way at its lower part - about 10 days before suppuration - Since then, the suppurating testis has been through the opening - At present the fungus is about the size of a rubber - instead of the size of 1/2 in. from the bottom & around over with thick scabs - Symptom operation for Hernia both for formed this morning under chloroform



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
22 April 52	Salawmy Burma	17	Student	India	Necrosis of Hemorrhoids	Removal of Hemorrhoids

18. 8. 68 53	William Madras	33	Sailor	Ship	Stricture urethra	Dilatation by Hodge's dilator
--------------	----------------	----	--------	------	-------------------	-------------------------------

1 June 1884	Isidor	28	Marine	Minor	Scrotal Tumor	Excision
-------------	--------	----	--------	-------	---------------	----------

5. 8. 68 55	Ayaso	21	Carpenter	Chinese	Hernia testis	Gymnic Operation
-------------	-------	----	-----------	---------	---------------	------------------



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
21/8/68	1/11/68		Cured	Came in with lesions of the left hand by an shortening of the arm - now it is very well - Hemorrhage on the 22/10/68 - a piece of the whole that was of the same removal - sometime ago - Tide No. 44.
22/8/68	6.9.68	..	Cure 2 - Jones & Fred Thomas - full-sized instrument - good home	Discharge of the left hand for the last 11 years, coming on as a sequel of gonorrhea, the patient had a year previous to this had under the treatment of several medical men in Europe & instruments - up to 22 1/2 inches for the first three years of the disease. Subsequently the patient used Spans 10 7 x 8 inches - for the last three months, the stricture is getting worse - makes a narrow stream - Dilated by Holt's dilator
24/8/68	23/2/69		Cured - With the effects became sanguine & rounded.	Has not started tumor about the size of the man's head for the last 1/2 year - for the first 6 months of his existence, the growth was stationary, but that since last year, the tumor has been going, attended with occasional attacks of fever - tumor is inflamed & is quite a bit attached - Right half of the tumor is pulsing - Whole of the tumor is inflamed - There is hydrocele of left testis - Tumor removed under Dickson's of Bathurst, in bed & Chapman - Patient was not sick at the table but about 12 oz of blood. 25 by 10 - Tumor weighed 3 lbs 10 oz - About 12 oz of blood came from both sides - With the tumor rapidly. The blood was red - Patient removed for each.
24/8/68	15/9/68		Cured - Testis smaller	Hernia Testis - High Operation failed - repeated under the influence of strapping - Patient was not sick at the table - Tide No 51



# Month of September 1960

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
11 Sept/60 56	Ballestri Ras	40	Servant Hindu		Strangulated Intestinal Hernia.	Herniotomy
	Q. Am					
9.9.68. 57	Ipon Durao	40	Farmer Hindu		Necrosis of ulna -	Necrosed portion removed
14.9.68 58	Samdoyal	20	Male Hindu		Stic Abscess	Opened



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
11/9/68 9 am	11/9/68 7/2 pm	P. M. Int.	Small intestine enormously for the last 4 or 5 years - It is twisted - has form of a bit of small intestine about 10 days ago - 8 inches became strang. - Hernia due to - last - Juncos very small, of the abdominal strangulation the size of a Pigeon's egg - of the right side - Patient has - in SE - fumble - It stuck for the last 10 days - Strangulation vomiting for the last 6 or 7 days - Put into chloroform - Abdominal wall divided - Sac removed - found adherent to the peritoneum - Pans - Periton. removed - Remnants of the intestine - No Sanguis - already spread with the sac by an elevated opening - The opening in the peritoneum tied with the abdominal wall by Sutures - Fecal matter came out without the last disturbance	Subject to Impaired hearing is
13/9/68 17/10/68		Grass on the head -	Wounded about 17 months ago, with a gun by a wolf & from the effects of which he is still suffering - There are 2 marks of teeth, one at the middle & anterior aspect of the limb & the other a little below the middle of the inner margin; both indicated by 2 sinuses leading to heaved dead bone - The wound is treated upon itself - the hind process of the ulna tender & projecting - Left claw amputated - Sinus enlarged & a dead piece removed -	
15/9/68 14/11/68		Left from chronic bronchitis & influenza	Attacked a small swelling of pain at the left side which about 20 days ago - coming on after a long walk - More began to increase & was soon followed by fever - At present there is a large tense swelling at the part - It is very painful - Good deal of pus about the hip - Left thigh & hip contracted - It is very often - has sinuses 4 or 5 inches long - under chloroform - Abdominal cavity - It is indicated from the skin down to the peritoneum - & of the pus has been - Pus - has been touched - Pus has been found - adhesion - & the peritoneum - The	



Month of September 1860

Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
9.9.68 59	Spurda 222	40	Farmar Hill		Hæmorrhage	Ligature to the Prostate at its lower part

16.9.68. 60	Inshakul Khan	30	Kilori	Khok.	Necrosis of lower jaw	Necrosis of lower jaw removed.
-------------	---------------	----	--------	-------	-----------------------	--------------------------------

19.7.68 61	Asyatal Hach	42	Kosmshu	Mahd?	Inguinal Hernia	Radical Cure
------------	--------------	----	---------	-------	-----------------	--------------



Date of  
Operation.Date of  
Discharge.Date of  
Death.

Result or cause of Death.

REMARKS.

16/9/68 17/10/68

Ward for the Brachial Plexus

artery quite healed. Came in with necrosis of left  
ulna + Radius, resulting from wolf  
bite. There were 2 lesions in the  
forearm - one at the outer + the other  
at the inner aspect of the limb. There  
were enlarged by necrosis, a piece  
of dead bone removed from the inner  
one - bone from the outer. In consequence  
of profuse arterial bleeding taking  
place from the outer wound 2 1/2", Patient  
was put under chloroform + the Brachial  
artery tied at its lower part, by carefully  
dividing the sheath from the skin  
down to the sheath of the vessel.

17/9/68 9/10/68

Cured

Abdominal hernia app. had an abscess  
at the left side of the lower jaw. This  
was opened by a Rodenow + some healthy  
tissue, but the opening instead of  
healing, is formed with a sinus, leading  
to dead necrotic bone. Patient can be  
passed through the sinus upward and  
downward into the cavity of the mouth  
anterior - Left lower jaw swollen + painful.  
Two incisors extracted + a large sequestrum  
removed.

25/9/68 28/11/68

Apparent cure of  
Imp. supp. head

Came in with strangulated  
sigmoid hernia of the left side -  
Reduced by HERNIOTOMY - without opening  
the sac - as the structure was situated  
near the External abdominal ring -  
On the 25/9/68 when the wound  
in the abdomen quite healed -  
Operation for radical cure  
performed under chloroform  
by Phelps + needle  
Vine No 46 9/18/68



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
27 <sup>th</sup> 9. 62	Ladhuling	32	Cooly	Hindoo	Swelling of the left testis	Open d. - Anterior wall removed - Cooly sponged with 1% iodine

20 Sept/63	Thomson	23	Boatman	Hindoo	Swelling of the right testis	Amputation with the head of the metal carpal bone -
------------	---------	----	---------	--------	------------------------------	---

October/68

2 Oct/64	James Rolston	30	Seaman	Witch	Cleft - testis	Plastic operation
----------	---------------	----	--------	-------	----------------	-------------------

15 <sup>th</sup> 9. 68	Kitta Enay	22	Home	Hindoo	Cystic (fungating) tumor of breast	Excision
------------------------	------------	----	------	--------	------------------------------------	----------



Date of Operation.	Date of Discharge.	Date of Death.	Results or cause of Death.	REMARKS.
27 <sup>th</sup> 6/68 20/6/68			Refracted -	Had a small tumor about the dilated - colonish size of an egg - of the left Intestine to attend the Hospital for the last 5 months, coming on every day - and gradually - anterior wall of the Intestine dilated - after a Roz of the mouth it affected the Spine - made a portion of the wall cut off - & 20% of visc. id - honey-looking fluid containing brown, vacuolated of Cholesterol let out - Cholesterol with string to form -
20/6/68 9/11/68			Cured -	Had a sharp pain of the right side of the following Complaint - Acute inflammation of the lung, caused by the hand being jammed in between 2 boats - about 9 or 10 yrs ago - Pain was not removed, with a portion of the lung being detached one - and with Carbuncle -
2/6/68 19/10/68			Cured	Had a wound from the medical board for 4 1/2 months of the right side for the last 4 yrs, resulting from a dog bite - The right side has separated from the septum for 3/4 of an inch - Septum opened off & brought together by horse hair sutures
8/10/68 1/12/68			Patient discharged with a small bit of the wound unhealed - No signs of the return of the disease -	Had a small swelling at the right breast about 4 yrs ago - This was opened about 2 yrs ago, & some blood etc. The swelling went down much after this but the breast again became full hard & unsound 2 or 3 months after - since which it is increasing - I took the breast by the full 1 month ago - During in the breast - inflammation, suppuration & burst of abscess 7 days ago - produced 2 large deep ulcers -



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
13.9.65	Stillo Mosey	22	Stone	Hindoo	Fungating Cystic tumor of head	Excision

27.9.66	Prapuntomastop	32	Painter	Hindoo	Scroful tumor <sup>13</sup>	Excision
---------	----------------	----	---------	--------	-----------------------------	----------

24.9.66	Rachha Lanthu Ray	36	Farmer	Hindoo	Epithelial Cancer of Penis	Amputation of Penis
---------	-------------------	----	--------	--------	----------------------------	---------------------

14/10/68	John Raphael	32	Seaman	Ship	Enlarged Cystic Dislocation of right humerus	Reduction
----------	--------------	----	--------	------	--	-----------



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
8/10/68	1/12/68			<p>Appearance of tumor about the breast is about the size of a child's head, globular, hard like the wood and painful for a deal of pain. Discharge from it - vein of the right side of the chest enlarged - no enlargement of the axillary glands - no loss of blood in the skin - Pain in the breast - No indication of suppuration - Patient weak &amp; anemic - By the 8<sup>th</sup> Mo when the health improved - Patient put under chloroform - took an ounce 186 grs of blood - lost 403 of blood -</p>
8/10/68	23/2/69		Cure	<p>Local tumor about the size of a boy's head for the last 4 or 5 years. It has now become, but since last 2 years growing fast. There seems little hydrocele of the right side - Sarcoma thickened, firm, hypertrophied - not embedded in the muscle - felt very hard &amp; there - no unusual shape - no enlarged spleen - Remained under chloroform - lost 63 of blood - 24 grs of blood tumor weighed 3 lbs - 403 of blood lost out from the right side -</p>
8/10/68	12/11/68		Cure - removal of a tumor of the breast	<p>Epithelial Cancer of gland seen for the last 8 months - following disease the whole of the gland seen - fungating profuse thickened, adherent to the gland - Painful discharge from it - some pain - No enlargement of the glands of the groin - Amputated at about the middle under chloroform by ligatures.</p>
14/10/68	14/11/68		Cure -	<p>Enlarged Coracoid dislocation of right humerus of six weeks duration. Caused by a fall when the deck of ship while the patient was working - Reduced by pulleys under chloroform</p>



Date of Admission.	Name.	Age.	Occupation.	Caste or Country.	Disease.	Operation.
9.9.68-69	Sprussasser	40	Farmer	Hind	Stiff Elbow - Osseous Ankylosis	Excision of the joint

17.10.70	Jacob Dennis	27	Sailor	Hanuman	Ankylosis of right Elbow (osseous)	Excision of the joint
----------	--------------	----	--------	---------	---------------------------------------	-----------------------

23.10.68-71	Kalle (Sundh)	25	Stone	Hind	Basal Polyp	Removal
-------------	---------------	----	-------	------	-------------	---------



Date of Operation.	Date of Discharge.	Date of Death.	Result or cause of Death.	REMARKS.
17. 10. 68	16/1/69		Cured as regards Incision of elbow - Patient was Unwilling from a low fever from <sup>9 days</sup> <del>that</del> wolf bite 17 months before admission he was suffering some previous, & quite independent of the wound on the 13/8/68 - In consequence of taken away his friend (brother) while Unwilling -	Came in with incisions of the left Radius & ulna & stiffness of the left elbow, resulting from a severe bone Union by an aneurism on the artery aspect of the forearm - In consequence of profuse arterial haemorrhage having taken place from the wound - Dr. Chalmers tried at its base - but on the 16/9/68 - by the 17/10/68 when all the wound healed, incision performed for ankylosed elbow under Chalmers - by H shaped incision whole of the olecranon & the lower part of the humerus above the olecranon &ossa. removed for stopping off of the hemorrhage - 10 ligatures applied both 302 of blood - incision brought in collected & was - Vise 408 57 + 59/68.
22. 10. 68.	3/1/69	R. M. S. S. S. -	Both the Carotids of the On board the Ship, his right forearm back filled with artery & got entangled in a wheel in motion & lost motion - Carotid - Patient's aspect of the lower part of the right arm previous to present wound small white deposit on the right of the right - Patient's arm - to some of the European ships - the humerus seen & seen filled up with oil matter - risk of Cardiac embolism - Premise -	Abraham had the eye, while working on board the ship, his right forearm got entangled in a wheel in motion & he fell (to the ship) in the right of the bones from the elbow joint - Patient's arm - to some of the European ships - the humerus seen & seen filled up with oil matter - risk of Cardiac embolism - Premise -
23. 10. 68.	23. 10. 68.		Referred	Polymer of the right hand for the last 4 yrs - was operated on before about 3 yrs ago - The bones again appeared about 7 months ago & increased & produced twice then - Removed by F. C. S.







Date of  
Operation.

Date of  
Discharge.

Date of  
Death.

Result or cause of Death.

REMARKS.



