

Bannister, John

Contributors

Bannister, John

Publication/Creation

1741-1746

Persistent URL

<https://wellcomecollection.org/works/daetph9n>

License and attribution


This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.


You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

77736





~~3858~~



ACCESSION NUMBER

77736

PRESS MARK

MS 1050

1741

Marginal notes in cursive script:
Mansfield & Co
J. W. Hamner's No Book
Apr. 2. 1741.
J. W. Hamner's No Book
J. W. Hamner's No Book

of. Implasters. # # # # # (v.)

Imp. Nigrum.

Ry. ob. Olivar. Dii. Plumb. alb. Dii
Pic. Nigr Dii. Cer. flav. Dii.

Terebinth. Venet. Zij
Caphura Zi. Mife.

Imp. Epispast.

Ry. ob. Olivar. Tereb Venet ad Dii
Cer. flav. Dii 3x. Myerh. ps. Zij 3x
Cantharid. Dii 3x. Camp. pin Sps. R. So
Zi. Zij. Mife. f. Imp. Epispast.
S. a. D. M. Morden Michael
Stepning

Manuscriptes & Liber

1741

Mr. Hamner's His Book


Apr. 2. 1741.

Mr. Hamner's His Book

John Hamner's His Book

Jan. 4. 1741

1741



of. Implusters. # # # # # (v.)

Imp: Nigrum.

Ry. ob. Olivar. Diiij. Plumb. alb. Diiij

Pic. Nigr Dips. Cer. flav. Dips.

Terebinth. Venet. Zij

Caphura Zi. Myse.

Imp. Epispast.

Ry. ob. Olivar. Tereb Venet ad Dii

Cer. flav. Dii Zij. Myerh. p. Zij

Cantharid. Dii Zij. Camp. sin Sp. R. Se

Zi. Zij. Myse. f. Imp. Epispast.

I. a. P. M. Morden Michael

Steyning

2) Imp. Flavum

℞. Cer. flav. ℥ss. Resina ℥ij

Terebinth Venet. ℥ss. Pulv. Mastich. ℥ij
Put the Wax & Rosin in first
and then put ℥ij of aq. font, & when
it is melted add the Tereb. Venet
and when the water is all wasted
Add pulv. Mastich; Misce f. & S. a.

Imp. de Fractur.

℞. Plumb. Rub. ℥ij. Cera flav. ~~℥ss~~ ℥xij
ol. Olivar. ℥ij. ℥ss. Rosin ℥ij. Misce
fiat. Imp. S. a.

Imp. ^{med} fentivulis,

℞. Diach. S. ℥ij
Dix. Burgund ℥ss.

(3)

Mist Watson

℞. Imp. Stit. ℥j. Oxyer. Diapalm;
aa ʒij Diach. s. ʒiv. Demin. Rub.
ʒij. Mice.

Hard Black

℞. Imp. Diapalm. ℥ss
Adherniam ʒiv. Mice

Vesicator ~~℥ss~~ Equine

℞. Canthar. p. ʒss. Gum. Euphorb. p. ʒij
Terreb. Venet. ʒij. Mice.

Linimen. ⁺ Vesicator. perpet.
Suum. Dr. Gold.

℞. ung. Basilic. ʒss. Sem. Ammeos p.
Pulp. Licium aa ʒi. Cantharides. p. ʒij
Cum. s. q. ung. Pomat f. Liniment.

4) A. Plaister for Issues

Rx. Imp. Diach. S. Ofs. pix Burgund Zij
ol. Mace p. Express. Zij
Bals. & peruv. 3i. Liquid Styrac 3ij
Rad. Orris. p. 3ij Mice.

An. Emplaster.

Rx. Diach. S. 3ij. ol. Olivar. Zij
Cera flav. 3i. Mel. Angli. 3i. Mice

A. Cerecloth.

Rx. Imp. Catagmat. 3ij. Diapal. 3iv
Sperm. Cati 3p. ol. Oliv. 3p. Mice

Imp. Paralytic.

Rx. Galbanum 3ij Melilot. s. Diach. S.
ad 3ij. Cer. flav. 3i. Terebinth Venet.
3p. Crocu. Angl. 3ij Mice

A. Stomach Plaister Compound (5)

℞. Magistral. Stomach plaister 3℥

Tacamahac. Colated 3ij Melt & then
add powdered Balsam of Tolu 3i Dragons
Blood Bals. of peru aa 3℥. oil of N. M.
Cloves aa Gutt. 2: oil of Aniseeds Gutt. i.
Mise

A. Plaister for the Temples

℞. Carana 3i. Spread it upon a fitting
piece of Leather: & put in the Middle
of it Opium Gr. 2. oil of Amber Gutt. 4
It is good ag. the head ach, behind the
Ears it Takes away the paine in the
Teeth.

Rx. Sheeps Suet ʒij. Cr. flav. ʒj.
ol. Olivæ ʒvj. Mice fiat. Crat.

Rx. Axungia ʒvj. Argent. viv. ʒss
Caphura ʒvj. Ung. Rosar.
Popul. aa ʒij. Mice fiat Liniment.

Rx. Butir. Rect mense Maij collect.

et Sine Sale præp. cera Citrin. Optime
defaciat ad. Butir. ol. Oliv. rec. & puris Div
Lapid. Calamin. Select. (non Rubri aut
Lateritij coloris) Subtilissime trit. et
Cribat ʒij. ʒx. Liquefiant cera cum
Butiro in vasculo idoneo lento igne,
una cum Oleo, et liquefacta colentur
per pannum Cannabinum in vas
alterum, Statimque insperge pulv. m
Gradatim, continuo agitando mixturam
& fundo basis donec frigescere
incipiat et pulvis præ pondere suo
non amplius Subsistere possit

James Turner M.D.

of Ointments. & # # # #
Ungt. ad Pruritum Horstij
℞. Axungia ℥iv. Sab. Nit. ℥ss
Flor. Sulph. ℥j. Misa. S. a.

An Ointment for the Lips

℞. Ungt. Pomat. ol. Dule aa ℥ss
Cera alb. ℥vj. Bals. Pera. Sperm.
Coti ad. ℥j. Rad. Anihusa q. s.
Misa. fiat. ung. S. a.

Ungt. Flavum

℞. Cera flav. ℥ij. Axungia ℥iv
Gum. Thar. Tereb. Venet aa ℥ij
Misa.

8)

Rx. Litharg. Aur. ℥ij. ol. Oliv. ℥ij
 Auct. Vin. alb. Coch. ij. ol. Lini Coch. j.
 Cerusa ℥ijss. Misce.

For the Ulcers

Take a pint of Milk warm from
 the Cow, add a sufficient Quantity
 to turn it to a Curd, the Whey is to be
 taken, & the Curd applied to the part
 affected; -----

Rx. Imp. Demin. Rubr. ℥j
 ol. Samburin. ℥j. Misce
 fiat. ungt. S. a.

For Burns
 or Scalds

Rx. ungt. Nuc. De Althea.
 ad. ℥j. ungt. Basilic. Min. ℥ij
 ol. Terebinth Gutt xx.
 Misce fiat ungt. S. a.

Superfluous

℞ Ung. De Althea ℥i.
ob. Later. Gutt. xx, Sperm. Ceti
℥ss. ob. Lilior alb. ℥ss. Sp. Sal. Armen.
Gutt xxx. Mice. fiat Liniment.

℞ Gum Myrrh. ℥i
℞℞ ℥i. Crem. Tartor ℥i
Bole. g. s. Mice fiat pulv.

℞ Creta Candida ℥ij
Ocul. Canis. pp ℥i.
Samb. alb. ℥xij. M. M. ℥i.
Sem. Cydon, g. s. ut fiat Emulsion.
Mice. fiat Troch. La

To make the
Dentifrice

Troch. Anticardinalis

Balsam Capivi }
 Sp. Nitri }
 Precipitat Rubr. }

Rx. Resin. flav. et ol. Tereb. aa ℥iv.
 ol. olivar. op. ℥vj. ol. Juniper ℥ij
 Misce.

Rx. Sp. Nitri fort. veb. Sal Dule. ℥ij
 Sp. Vini Rub. ℥ij. aq. fort.
 Simp. ℥ij. Misce fiat
 Sp. Nitri.
 Precipitat Rubr.

Rx. Merc. Subl. ℥ij. Cinabr. Ant ℥ij
 Plumb. Rubr. ℥iv. Misce

To fasten the Teeth, the following
 Solution is good }

Rx. Terra Japon. ℥ij in Vini Rubr. Qs.
 for a Solution

53

For the Venereal Disease ~~ff~~

R^y. Pil. ex Duob. Gr. xxv.

Resin. Gallap. Gr. vj.

Calomel. Gr. xv. Misc fiat Quinqu.

Pillul. S. c.

R^y. Common Malloes ~~ff~~ ag. font. ℥ss

Boil it till a Quart is wasted then
Strain it and add Gum. Arab. 3j

Syr. althea. q. s. Misc fiat Apozoma
a Quarter of a pint to be taken Every Two
Hours Warm

R^y. Elect. Sinitiv. 3jss. Pulv. Rhui 3ss

Ethiop. Minerals 3ij. Bals. Capiv. q. s.
ut fiat Electuar. q. ℥. M. to be taken
Morning & Evening

12.

Take Common Mallows ℞ij

Marsh Mallow Roots ℞j. Pellitory of the
wall. ℞ij. Sal. pruned. ℞ij. Gum Arab. ℞ij

Boil the Herbs & Roots in five pints
of water to three pints Strain it, and
then Put in the Sal. pruned. & Gum Arab.
and Dissolve it over the fire.

Half a Pint to be taken Every Evening
warm; Sweeten it wth Syr. Althaea
ad Gonorrhoeam }

℞. Capiv. recent extract ℞ss

pulv. Jalap. ℞ss. Mercur. d. Gr. vj.

ol. Cinnamon Gut. j. Mische

fiat Bolus, Edward Batten

℞. Terra Japon. ℞ij

Resina. ℞j. Terebinth Venet ℞ij

Syr. Cydon. q. s. ut fiat Electuar.

13

Ed Gornthorne

~~Lieut. Col. Robert Hays~~

Syr. Rosa Linn. g. s. ut frāt

Refracturum; Capiat. Quantit.

H. M. et Notk Maneg

Delehi Alia
Thornhill
Murray

Nuc. Mosc. g. i. Vitel. ovi i, Syr. de

Alth. Zi. Vin. alb. Ziv. Misc. fiat

Haustus. ad Gonorrhœam Sat
bene}

Journal
Drechs

Finec Martis. mynsuchtig Zyg
Mike. Take xxx. to xxx. Maxima

Misc. Take xxv. to xxx. Morning
& Evening in a Glafs. of White Wine
& 1000000

℞. Cort.^a Interior Sambuc. ℞ij
 Summit. Absinth. Roman. ℞ss.
 Rad.^a Gentian. ℞ss. Sem. Sinap. =
 Dauci Sylv. ana ℞ij
 Infunde in Vin. alb. Gallie. ℞ij
 Drink a Draught three times a Day

℞. Ciner. Genist. ad albed, Calcinat
 & Cribat ℞iv. ponantur in Sagena
 vitr. Cum. Vin. alb. ℞ij
 digere in Loco tepid. ad 3. vel 4 Horas
 & cola;
 The Dose is Six or Eight Spoonfuls
 twice a Day.

℞. Ciner. Genist. alb. & mundat. ℞ij
 Rasur. Sign. Sassafr. ℞ij
 Rad.^a Gallang. ℞i
 Rau. Juniper.
 Sem. Dauc. ana ℞ss Misce fiat Sacculus

℞. Rad. & Cortex
 ℞. Staphisagria

℞. Muscardine

℞. ...
 ℞. ...
 ℞. ...

15

For four Gallons of Beer; after Seven or
Eight Days it may be Drank

Rx. Succ. Limon.
 recens Express. ℥ij
Succ. Cochlear. hortens: ℥iv
 Hepatic. plantag.
Syr. Violar. ana ℥ij Misce
four bunces to be taken every three Hours

The Powder of Bees Drank in White
wine; provokes Urine to a Wonder
the Dose three Bees;

Rx. Bals. Peru ℥i. Styrac ℥ij
 Benzoin: ℥ij. Aloes Succot.
Myrrha, Thuris Rad Angel. flors
Hyper a ℥ss. Sp. Vin Heat ℥i.
Misce et Digere

For an Jaundice of the
Liver
} Gall. & Splenit. vel
Aurum

16
The Green Balsam
D^r. M. le Clore

Take Linseed oil and that of Olives
of each one pint; one ounce of oil
of Rays; two ounces of Venice Turpentine
Half an ounce of the distilled oil of
Juniper Berries three Drams of
Verdgrease two Drams of Suetrine
Aloes two Drams and a half of white
Vitriol, and one of the Oil of Cloves.

This Balsam Mundifies, incarnates
and Cuatrizes wounds. being likewise
good against the Biting of Venomous
Beasts, and fistulous and Malignant
Ulcers.

But it would be requisite at first to wash
the wound wth warm wine then to anoint
it wth this Balsam very Hot; and to
apply bolsters that have been steeped in it
as also a large Bolster over the other
Dipt in some Styptic Signor

17.
Take a pint of Water in which Unslacked Lime
Has been quenched; and a Dram of Sal
Ammoniac pulveriz'd; mingle these ingredie^{nts}
together in a Brass Basin and Let 'em be
Infused during a whole Night; then filtrate
the Liquor and keep it for use.

This Collyrium is one of the best Medicine
that can be prepared for all Manner of
Diseases of the Eyes

℞ Rad. Serpent. Virgin. ʒi
pulp. Colocynt. —
in Nodal. Ligat. ʒi
Herb. Tanacet.
Summitat. Sabin. ana ʒss.
Coc. in ag. Trout. q.s. ad ʒvj.
Colatur. add. ob. Hyperic. ʒss
ob. Absinth. Chym. ʒss.
Spec Hier. pur. ʒss. Misce fiat Enema
To be Given Every New Moon
and repeated for some months

A Bill Collyrium — } The Serpentmilk of Fuller —
for the Eyes of Strabismus —

In putrid Gums, Quasi-sinning Looseness
of the Teeth;

Rx. Gum Lac. ʒij

Crem. aq. Calc. Supernatant. ʒi.

Alum ust. ʒi.

Flor. Rosar. Rubr. ʒss
Misce fiat pulv. Subtilis.

To be used with a Little Mel. Rosar.

The following plaister Dissolves Strumas
or brings them to Suppuration, and never
fails Says Zacutus Lucitanus upon
His Oath;

Lib. 1. prax. Admirande observ.

Rx. Rad. Bryon. Magn. in Falcoas

ten. Sect. ʒss. frige in Sartagine,
in ol. oliv. Dulc. ʒij. donec Contabescat
Colat & add. Terebinth. abiet. ʒss
Cera flav. ʒv. Misce fiat ung.

S. a ———

Rj. pulv. Rad. paon. Mar. ʒij
flor. ejusd. ʒi.
Stercor. pavon. albip. ʒss.
Sachar. Alb. ʒij
Misce fiat pulvis,

The Dose is about a Spoonful twice
a Day, Drinking after it a Draught
of a Decoction of Sage and Rosemary
impregnated wth a Tincture of Coffee

Rj. ol. Turcin.
Spica
Castor ana ʒij
Flor. Hyperic.
Lucc. Rut. Express ana ʒiij. M. f.
Linamentum.

Anoint the Neck &c

The Embrocure of the Neck
For a Strigo }
For the Stomach }
For the Stomach }

For an Hyperphasia

℞ flor. Zut. Sic.
 Scord. ana ℥ij
 Rad. Serpentar. Virgin: ℥ss
 flor. Hyperic. ℥ij
 Theriac Londinens. ℥j
 Syr. & Cort. Limon: q. s.
 Misce fiat Electuarium
 for nine Doses one to be taken
 Every Morning —

For a Dysuria

℞ Gum Arab. ℥ij
 Tragacanth: ℥ij
 aq. Cinnamon. ter. ℥ss.
 Syr. de Alth. ℥ij Misce
 fiat Emulsio.

To be taken a Spoonful at a time

Cera
 S. a

R^x. Lumbrior. Terrest. pp^r. ʒi
 Cran. human. pp^r. ʒij
 Sem Cardam. minor. ʒij
 Misc f. pulvis in Chart^{xij} Dividend;
 Sumat unam bis in die,
 C. Julap. Sequent;

R^x. aq. Ceras. Nigr.
 Flor. Tilia ana ʒss.
 paon. Comp. ʒij
 Tinct. Castor. ʒij
 Syr. paon. C. ʒij
 Misc fiat Iulepsium

after each Dose the person May take
 xxx Drops of Ulix^r propr Duli. Dropped
 upon a Little Sugar, because the Stomach
 is apt to Loath so Great a Quantity of
 Nauseous powder

The Ingredients of Stomach for an Iulepsium

Note: All the following herbs are to be used in the same manner as the preceding ones.

℞. Rad. & Serpent. Virgin.
 flor. Hyperic ana p. &
 M. f. pulvis.

Dose ʒss vel ʒij
 In Coch. aliquot Pulap. Cephalic
 or the following Infusion

℞. fol. Rut. ʒvj.
 Theriac. Venet
 Rad. & Ally;
 Rament. Iovis ana ʒiv
 Infund &c

Infuse them in Canary or white wine
 in Balneo for four Hours; Let it be Strained
 by Strong Expression.

The Dose ʒij or three Every Morning
 for nine Days; and let the person sit
 continue fasting for three Hours; Let
 the Ingredients remaining be bound upon
 the wounded part, and be Renewed Every Day.

26
Balsumick Lozenges for a Cough

Rx. Bals. Tolutan 3ss

Pulv. Rad. Iris.

Emul. Campain. ana ʒij
Gum. Arab.

Tragacanth. ana ʒi.

Tlor. Benzoin ʒij

Sacchar. Cand. ʒss.

omnibus in pulvis, Subtil, redactis,
Cum Muilag. G. Tragacanth, q. s. f. S. a
Trochiscis

Sem. 4 frig. Maj.

Cucumeris Hortensis

Cucurbita

Melonum

Pepo Maximus

For all Ophthalmia

Let the White of one Egg be beat
up with a piece of Alum, till it is
of the Consistence of an Ointment
which is to be Spread upon Linnen
Cloth, and applied warm to the Eye
In two or three Hours it is to be taken
away, lest it ~~stand~~ should bind up the
Humours too Much

It abates the Inflammation, and
restrains the Fluxion

Ophthalmic Water from Hoffman

R. Vin. Rhenan.

aq. Plantag.

Rosar. ana ℥ij

Tutia prap. ℥ij

Myrrh. elect. ℥ij

Coq. ad tertiam partem Consumptionem

Sub. finem in nodul. Suspend.

pulv. Virid. Auri ℥i. Camphor Gr. viij

Colatur. sine Expressione.

25

For a Pleg or Wound of the Eye

Rx. Flor. Ros. Rubr.

— Sambuc. ana. ~~ssj~~.

Cog. in Lact. Vaccin. q. s.

ad. Sp. Colatur. addē

Mix. panis alb. q. s.

that it may be reduced by moderate boiling
to a Due Consistence; about the End, adding
the White of an Egg with a Little Saffron
finely Cut: for a Cataplasm, to be applied
moderately warm, first anointing the
Eye-lid that is Swelled with Ung. Sambuc

For a Cancer ~~ssj~~ ~~ssj~~ ~~ssj~~

Rx. Tra. Hypt. Catonens Ziss

Mel. Rosar. 3ij. Ag. Plantag.

Zij. Mice

The Little Pills

Mr. & Mrs. James Forsyth
No. 1, New York

R. Gum Guaiac. Pill Stomach
 alaphang. aa. ʒij. Sal. Absinth
 Cochlear d ʒss. Lat. Gentiana
 Chelido. d ʒij. Sal. Mart. Pul.
 Khabarb d. ʒi. Lix. Proprietat. q. s
 Misc. f. Pill. 12. aa. ʒi. &

R. Rad. Gentian: incis. ʒij. Cort.
 Wint. ʒij. Summitat Centauri
 min. Ass. Flor. Cham. p. ij
 Callam. Aromat. ʒij. Galeung. ʒij
 Carioph. ʒij. Infund. in Vini Albi
 Generosi ʒij. Stent p. ha xxij
 Lap. Cyethu Mane Vauo Ventri
 Culo: —
 To Strengthen the Stomach

For the Gravel

270.
R^s. Amygd. Dulc. Exornie. Sem.
Dapow. alb. d. Zys. Malv. Mj
Barley Water Qij Mische fiat
Emulsio. adde Syr. Althea Zij
et Saugar. Satur. Gr. x 6
Eight Spoonfuls of this Mixture to be
taken Every Morning noon and
night

Syr. Antihel: A

R^s. Ground Ivy one Gallon
Rosemary: Coltsfoot Maiden
hair, Horehound, Lungs of an Oak
Rue of Each Mj; Penny Royal Mj
Hyssop M2. Comfrey Roots &
Elecampane Roots ad Zij. Marigold
flowers & Marsh Mallon Roots
of Each Mj

28
Boil all the Ingredients In a Gallon
of Spring Water to Half a Gallon
then Strain & Make a Syrup S.a.
Two or three Spoonfuls of the Syrup
to be taken Morning & Evening

Enema Terebinthinatum

Dr Thomas Fuller

℞ Decoct. com. ℥xij

Terebinth. Venet. ℥ss

Vitel. Cor. unius; Syr. violar ℥iss

Ulet. Diaph^{an}~~ous~~ ℥j; Misse

In Dolo^{re} Catu^{to}so Valde proficuum

Take a Sheeps Head

24. Formication
 Trotters N. XL Two Double Handfulls
 of Mallows and Half a Pound of
 Wild Vine Roots, Bruise the head
 and Trotters, then Boil all the
 Ingredients in five or six Gallons
 of Water. Till there arises a Scumme
 then Skim it off & Keep it by it Self.
 And the Part affected to be Kept
 in the Signor. for some time in order
 to Relax & Soften it, and When
 you take it out, Bathe it with
 the Oil;

Ung.^t Viride

Rf. Bay Leafs. mij . Rosemary, Hore Hound
 Thyme, Hyssop, Sweet Marjoram
 Lavender, Lavender cotton, Chamomile
 White Roses r Red , Southernwood
 featherfew of Each a Handfull,
 wth a Sufficient Quantity of Lard
 make an Ointm^t. S. a.

A. Suppurative Cataplasma

Rf. Common Mallows, Rue, featherfew
 aa. a Small Handful, ~~piece of Lard~~
 a Little White Lily Root wth a Small
 piece of Lard, Boil all the Ingredients
 in Milk, and wth a Sufficient Quantity
 of Meal Make a Cataplasma
 S. a.

Rf. aq. Calis vj . Salvia mij .
 Mel. Angli. zij . Coq. ad xij
 Calatur, add. Alumen p. zj
 Misce fiat Lotion.

De Anasarcha

33.

Rf. Broom *Uij* Aloes Sweet

2 Penny worth: Ginger 1 Penny worth

To be Infused in two Quarts of Strong
Beer forty Hours

a Beer Glass to be taken Morning
and Evening

Tra Specie

Rf. Pulv. Specie 3i

Vini Montan. 6j

Tar V. Pmet. gr. 6.

Digest & then Strain off the fine Liquor
Dose 3ij

A. Suppurative Cataplasma

Rf. Common Mallows a Small Handful
Marsh Mallow roots 3j. Sen. 3ij

Tranogree. ac 3ij wth a little

white Lilly Root M. f. Cataplasma

34. Medicated Lard.

The Medicaments are as Followeth:

R^x. Cort. Mali. granat. acid. in umbræ
Succat. & Pulveriz. Zij Aluminis Pulver
H. Emp. de Cerussa Zij Mife
Super Ignem

Or R^x. Merc. præcipitat. Rub. Zij
Lap. Calaminar Zij Vitriol.
Calcinat. Zij Emp. Diachalith Zij
ad Ignem Liquefact

Disseman Chap. V. p. 412 of a Gonorrhæa

R^x. pulc. Sabin. Alum. ust. præcipit. Rub
Lap. Calaminar. Vitriol. Calcinat
Merc. Sublimat. &c.

Mixt with due proportion of Emp.
Diachalit. de Ceruss. or Mucilagin.

But for a Specimen take only this

R^x. Merc. præcipit. Rub. Zij Lap.
Calaminar. Zij Vitriol. Calcinat. H
Emp. Diachalit. Zij ad Ignem Liquefact
& fat. Lard. Sa

A remedy of the Venereal Disease
p. 196

Tinctio: of an Erysipelas. 11

33.

R^s. Aq. Calcis Sp^t Vinⁱ canphorat ana ℥ij
Saponis Castil. ℥ij. Solutio iustar
Epithematis utenda ad partes Inflammatas
R^s. Ung^t. Sambuc ℥ij Cerae flava ℥ss. Camphor
℥ss. Liquefiant Simul. pro Cerato
p. 50

R^s. Conf. Lujul. pulv. i Chelis. Ean^e. L. aqua
ii pulv. Rad. Rhej ℥ss. Crocⁱ. Sal. leliuthⁱ
ana. Gr. v. Syr. Simon. q. s. m. f. Bolus
R^s. Aq. Flor. Sambuc ℥ss. Aq. Theriacal
Stillat. ℥ij Syr. Crocⁱ ℥ss m. f. Symplicium
p. 53.

R^s. Decoct. com. pro. Clyst ℥ij. Mel. Merc^{ur}
Syr. Violar. ana ℥ij Spec. Her. p^{er}
Sal. Lem. ana ℥ij m. f. Emulsa injiciendum
circa Vesperi.

R^s. Aq. Flor. Sambuc. Spir. Vinⁱ. Camp^{hor}
ana ℥ij Saponis Castil. tenuiter
Incisi & in eadem Mixture reposita
Soluti ℥j. p. 54.

Of An Prysipelas

R^s Rad. Rhei. tenuiter incis. Tol. Senec. la. ʒi
 Tamarind ʒss. Sab. Tart. ʒi. Coque leniter
 in aq. f. q. s. pro Colatura ʒij usj
 adde Syr. Ros. solut. ʒi. M. f. p. t. o
 ʒ. 56.

R^s Sem. 4^{or} fr. Majana ʒi. Sem. papav. alb.
 ʒij. Amygd. D. Decort. s. ʒij. vel. viij
 Contusis affunde aq. Stord. (in qua ʒss
 Gum. Arabic fuerit soluta) Diss
 Colatura. adde aq. Cinnam. Stord.
 paon. 6. aa ʒss Sacch. Chrystab. q. s. & fiat
 Emulsio, de qua bibat Haustulum
 in Intervallis.

ʒ. 55.

Turner of the Hydrocephalus

The perpetual Blister

R^s Ung. Basilic. vel Aurej vel Nigrj ʒi
 Cantharidum in Subtilissimum
 extractum ʒij ob. Olivar. q. s
 ut exinde liquefactis, f. Lint.

ʒ. 29

Go of the Hydrocephalus

37

Rs. pulc. Absinth. Chamomel. Melilot
ana ℥i. Butyr. rec. ob. Chamomel
p 220 ana ℥ij Cera parum, ad ignem
parum f. Unguentum

Rs. Summit. Rosimar. Trob. Salvia
Peton. ana ℥ij. Flor. Samb. Chamomel
ana ℥ss. Butyr. rec. ob. Chamomel
Cogn. in aq. Calus, q. s. pro Colatura
Dij. Tempore lusu Infundendo
p 221 Tantillum Spir. Vini Camphorat
& f. lotus, in que intincti panis
Lanci Moles, calideque ac strenue
expressi, applicatur circum circa
Calvario prius ras, per semihoram
pro uno Tempore, & remouetur
Eodem modo bis Quotidie, Mane Scilicet
& Vespere. ~~###~~

My Dear
Love to all you at R

A Receipt Excellent for Horses,
That are Stuffed up

Take Powder of Squarice, & Flower of
Brimstone of Each Equal parts;
mix them, & give from two Ounces
to four according to the Size of the Horse
twice a Day.

This is a good Medicine to cure Broken
winded Horses, taken at the beginning
or for short winded or purty Horses
when the Malady is confirmed. —

The Perpetual Plister of Mr. Turner
℞. Ung. Basilic. vel. aurij vel nigri ℥i
Cantharidum in Subtilissimum
Sulzerum Reductum ℥ij ob
Olivar. q. s. ut exinde liquefactis
f. Lint ad. usum Supra
Prescriptum.

For a Sore Breast or any Other
Sore or Swelling

Take half a pint of Sallet Oil, four Ounces
of Bees Wax Melt the Wax wth the Oil
Stirring it till it begins to boil
then take it off & put in it two Spoon^{fulls}
of Honey put it on the fire till it boils
then add Diach. C. q. ʒij. keep stirring
it till Cold, Use first night & so

In an Ichiatick Pain, Poterius's
Emp. de pie Sulphureat.
is Deserving of the Greatest praise

R. Juvis Naval. ʒiv
Torebinta. Venet ʒss
Mastick

Succina aa ʒij
Sulph^r. commun. ʒss
White fat Emp last used

An Emollient Cataplasim

4

Take Mallows, Marshmallows, Mullein, Groundsel of Each an Handful Grossly Chopt. Boil them in two Quarts of Water to the Consumption of half; then strain it and press out the Liquor. Take this Liquor and add a sufficient Quantity of the four flowers to it; then boil it to the Consistence of a Cataplasim. When it is Boild, to Make it more emollient and prevent its drying, add half an Ounce of Syntiment of Marsh-mallows.

A Disentient Cataplasim

4

Take half a pint of Wine, and boild in it half a pound of honey; When it begins to thicken, add the yolks of four or five Eggs, Mix wth a spoonful or two of white Oyle — then let it Boil again a little longer.

A. Maturing Cataplasim

4

Take a Handful of Sorrel, and as Much Beet Stew them over the fire in a pipkin, without wat^r keeping them stirring continually. When the Herbs are soft Mix three Ounces of Liver wth three and as Much Hoop-Lard

When the Mouth and Tongue are Dry, hot
and parched,

Rf. Syr. Dialthea alb. Coor aa ʒi
Succ. alb. ʒss Miste of. Lohoch or.

Rf. Aq plantag. & flor Sambac aa ʒ4
aq Rosar Rub ʒij alb Coor R. 4 Souchi alb ʒi
f. Gagarisma

or Rf. Rad Althea Liquor it, hord mundat aa ʒi
cert bluis interm. Gum Arabic aa ʒss
Licorunicis R. viij cog in aq font diij ad ʒij
Colat add Syr Althea ʒij Lohoch Succ ʒss
f. Gagarisma

Rf. Conf. Cynosbat ʒss Syr & Succ Samburgi
ab. auygd d. aa ʒss f. Mixture

For W^m Norths Wife Hayling Isth a
Rheumatic Disorder

Rf. Antiman Diaphor

Ac. 6g pp aa gr vi

Sal prunel gr xv Theriac. Andromia ʒss

Miste of. Coler's R. ii

Rf. Aq Mentha ʒi pulag ʒss pepac. R. ʒss
Syr emeg d. aa ʒss Land Liquid. Syr Gut. xxx
Miste of. Sulapin

℞. Antimon Diaph ʒss

*Sal. prunel pulv elhel s. ad ʒi M. of pulv in
In soft Chart divid Capt. unan 4th horis
Qu Coch'y Sulap. ʒss*

℞. Ag. Menthæ ʒij pulv ʒi

*papa o. Er. ʒij ag. Syon & Epid. m. d
ʒss Syr. & Mucosio ʒij Mice of Sulapin*

For the Rheumatism

℞. Antimon Diaphor. ʒss

Tess Astrar ʒi

*Sal. prunel ʒij Mice Divided Chart.
xv. Capt. ʒ quart. quag hora*

of the falling Down of the Womb

Sp. S. S. S.

*Take of the Bark of the Oak ʒij boil it in
4 Quarts of Spring Wat. till one half be
Consumed adding towards the end the
Rind of a pomegranate brata ʒi Red Roses
and pomegranate flowers aa Mij
Then add half pint of Red wine*

*Let the part affected be fomented wth Wadga Cloth
Dipt in the liquor that is Strain'd out two hours before
the patient rise every Morning and at Night &c.*

Of the Immoderate flux of the Terms⁵²

$\frac{3}{4}$ of Blood to be taken from the Arm
The next Morning the Common purging
portion 2 Doses Every other Day
Drinking at Night a composing Draught
of Syr. & Meconia

In the Intermediate Days the following
Electuary

R^f. Conf. Ro. lar. Sic $\mathfrak{z}_{ij}$ Troch. Lemn $\mathfrak{z}_{ij}$
Cort. Granator Coral. R. $\mathfrak{ss}$. Bolus Armen
aa $\mathfrak{z}_{ij}$ Sap. Hamatis Lang. Sac aa $\mathfrak{z}_{ij}$
Syr. Cyd. q. S. Micef. Electuarium

Take the Quantity of a Nutmeg in the Morning
and at 5 o'clock in the afternoon Drinking
after it Six Spoonfuls of the following Julep

R^f. of the Water of Oak Buds and plantane
aa $\mathfrak{z}_{ij}$ Barley Cinnamon Water and Syrup
of dry'd Roses aa $\mathfrak{z}_{ij}$ Spt. Vitriolad Gratem
Aciditatem Micef. Julep

R^f. of the Leaves of plantane and nettles of each
a convenient quantity Beat them together
and press out the Juice of which being clarify'd
4 or 5 Spoonfuls to be taken at pleasure

After the first purgation the following plaister
to be Apply'd to the region of the Loins

R^s. of Vermillion plaister and the plaisters for a
rupture of each equal parts Sydenham

Of the Suppression of the Lockes

The Hysterical plaister to be Apply'd to the
Navel, then the following Electuary

R^s. Coar. Absinth. $\mathfrak{ss}$ Ruta aa $\mathfrak{zj}$ Troch Myrrh $\mathfrak{zij}$
Cast. Rus. Croc. Anglic. Sal. Volat. Succ. Sal. Armonia
asa fetid aa $\mathfrak{zss}$ Syrup of $\mathfrak{ss}$ Roots $\mathfrak{ss}$ of Elect.

Take the Quantity of a nutmeg Every 4 hours
with 4 or 5 Spoonfuls of the following Julep

R^s. Ag. Nut $\mathfrak{z} \text{iv}$ Bryon $\mathfrak{z} \text{ij}$ Sacchar. alb. $\mathfrak{qss}$.
J. Julapia

or take Scruple of $\mathfrak{ss}$ Troches of Myrrh Every 4 hours

If after the prescribed quantity of these Remedies
is Consum'd and the Lockes Continue still to be
Suppress'd. Exhibit 4 Drops of Laudanum Liquidum
or Compound Bryony Water or one Grain and a
half of Solid Laudanum wth half a Scruple of asa fetid
made into pills

If this Suffice not. let a Clyster of Sugar and Milk
be once injected Sydenham

For Hives that are broken
Exceeding good, or Chillblains

53.

Take a quarter of a pound of Mutton Suet
off a Lye of Mutton and Shred it very
Small, Boile it in a new pipe in a little while
and put in as big as a hazell Nut of Brown
Rosa and half an Ounce of Resin
When it is Boiled Strain it through a Cloth
Then put in a good Spoonful of Salts Oyl
Stirring it well till all be well mingled
To be used Spread upon a Linnen Cloth

An Infallible Remedy for
any Burning or Scalding

Take an Ounce of Wax melt it in an
Ounce of Salts Oyl then take it off the
fire and mingle well therein two yolks
of Eggs beaten. Spread a little of this very
thine bring Cold upon a Linnen Cloth
and apply it upon the sore, changing the
same twice a Day This will in a very short
Time appease the pain and heal without
Leaving any Scar

To Cure the Jaundice

Take 2 pennyworth of White Sugar Candy
 one Nutmeg 3 pennyworth of Saffron
 2 Egg Shells. ~~Wash~~ Dry them in an Oven
 pound them all severally, then mix them
 all together As much as will Lye up on
 a Spoon at Night and Morning will Cure the Jaundice
 It must be taken in White Wine three
 Mornings and Evenings together

For Fits of the Mother

Take The Quantity of a Nutmeg of Saffron
 Cast pulp grv ob. Castor. gutt of Mice
 To be taken after the fit

It must not be given to women's Child

a Purge for a Child, $\frac{1}{2}$ ℥ of
 Sy. & Licor & Rhco ℞. ℥i
 Epilepsy In Children from
 Distention

℞. pulv. Subtiliz. Rhabarb. ℞. ℥i ob. Anis
 gutt ij m. divid. in Chartas vj Sumat unam
 Omnis vis alternis noctibus & Cochleari
 Lactis Materni pro re/hata

If the Distemper be Violent Apply a Vesicator⁵⁶
to the back; and at the same time,

℞. pulv. de Gutta ʒij Syr Diamb. Castor rus
aa gr. iij m℥. Chart 10 Sumat unam quarta
quag³ hora è paucis Iulapio Sequat^r —

℞. liq. Ceras. nig. Ruta aa ʒj Syr. paon. c
aa ʒss Aur. Mosaii ʒj m℥ Iulapium —

℞. Sp. Lavand. comp. Tinct. Croci aa ʒss
m. dentur gutt x ter quotidie, C. Iulapio

An Epithem Against Bleeding
at the Nose

Take Vinegar half a pint; Sugar of Lead
1 ounce Dissolve —

Take a Linen Cloth Dip it into this Liquor
Apply it absolutely cold to the region
of the Heart; and as often as it be with Warm
repeat it Cold again.

56 Wm Woods Wth Diarrhea

Rf. Aq. Cinnamon fort 3ss

Menth Zi Pulv Rhaj grxxv

M of Haustus hora Somni Sumend

Rf. Pulv Rhaj grxxv

Syr. Cydon. q. sf. Bolus

Rf. Coral. k. ss Cor n. C. C. p. aa Zi Mice
in 6th part aq. Divid

Sum. huam 2. quap hora

Decoct alb. ad Libit

Rf. Tera Japonica lang Tracou

Bolus Armata aa grx Confect

Tracastor Zi Laud Liquid Syd.

Guttex M of Bolus

Rf. Laud Lond gr v Aq. Menth Zi

Cinnamon f. 3ss Confect Tracastor

Lm Zi Alhermas Zi Syr Cydonior Zi

Mice 1 Spoonful often

57.
℞. Confect Tracast. ℥ss. Zij

Cinnif ℥ss. Mentha Zij Confect
Alkerm ℥ss. Syr. Cydon ℥ss. Mice
Wm Woods

A Balsamic Nephritic Mixture

Take Balsam of Capive half an Ounce
oil of Juniper half a Dram Dissolve
it in the yolks of 2 Eggs and add
Syrup of Marsh Mallows compound
2 Ounces and a half Asmart Water
10 Ounces Mix
1 Spoonful to be taken often

For the Shingles

℞. Ungt. Nutrit ℥i alb. Cast. ℥ss. Jarum
Sacch. Saturat ℥i ol. Linj q. s. Mice

For a Cough —

R^x. o^s. Amygd. d. 3i Syr. & Macon ʒss
Balsamic ʒss Misce

For the Quizz in the Throat

R^x. Tr^o. Salo: Corinth. Nigr Garasac
aa Mj Currants ʒij

To be boiled in four pints of Wat^r. till
a pint be wasted then strain it out
& Sweeten wth Sugar a Draught
after for ʒ^{ss}. Common Drink.

o^s. ʒ. ʒ. ʒ. ʒ.

Dear Sir

by Audites there. Does alone in the quantity
of Kelp in Ounce, or a Quarter, it is very
useful in Rabidical Colic, and in Asthma
of the Lungs, or in a Scurvy there, especially
if there be previous Jaundice, as with many kinds
of it with an equal quantity of Milk, and hold for
Common Drink, in Rabidical Colic, or in
also incline to believe that fact, consisting
Brea, Milk, and Bismuth. Also, if you have
to, and provided in for a sufficient time, should
be of the greatest Service in many such like
a Rabidical Colic Cases.

Oct. 10. 1746. D. Huxley

Medicine this period ought to be made by much
objects in the world before it is taken, otherwise it will
acquire a great diversity of meaning. Not with standing
lybation, filtration and evaporation, or from alkaline
factary and acid, may be used in leading salt of tartar
bitter than and the foregoing medicine

B. Salt or sulph party either these medicines
taken every day, does much difficult to move in the
formation of the glands or glands of the lungs. R. Sal
Acid of Mars, or acid of the sulphur, will be
taken every day, may also in general be difficult
for the same purpose, but there these are easier
to apply, the same of these methods, will be
suitable to the health, the continuation for many years
on the contrary, each time, and a little salt
apart to be very salutary to most persons in the
decline of life, and to be excellent medicines in
the first stages, as arise from, or attend

and thereby to occasion great irritation from
and danger for the same reason the medicine
ought not to be intermitted, which is contrary to
the doctrine.

12. Those who can call the blood the belly, nor take so
sufficient quantity of the above mentioned medicine
in any form, the following may be directed in its
stead, viz. the equal parts of powder of Cinchona
and salt of tartar together, and let the patient take
a quarter of an ounce of this mixture every day
adjusted with three or four times every day.
This medicine appears to be of a different efficacy
with that before mentioned, but more apt to increase
the venous circulation, it calls the blood in
quantity in any other while the blood
as far as it is liable to division, and when
rested in in quantity, it appears to one
to be the least to regard the blood in the
dilatation, in greater degree than in foregoing

of cold wet air on the skin, and during it when
and after it has stood for two or three hours, looking
in the filtering paper.

11. Where the stimulation and air are very great
also where the action is but set to discharge -
much blood is taken away, the blood is brought
is prepared in the very small blood vessels, and as
with the proportion of time, then according to
the foregoing direction, the ball of tartar may
also be left out as the soap will not be so apt to
grow dry. But it seems agreeable to give the
medicine in one quantity in such cases, but
the more blood is taken to be so to be a nature
as to fall into fragments; but ~~the quantity~~ with
sharp edges and corners from a moderate quantity
the tissue is not powerful enough to make
these edges and corners grow softer, and fall
off from the fragments; but on the contrary, they
suffer these fragments to continue longer & longer.

every of the Map every day, stop then three
 miles every day, until he is to be beyond
 upon for 4000 on station, and then with the
 rise any one from his service to take more than
 four, 5, 6 or 7 miles may be taken at once, and
 at any Country Day, according as each person
 finds his horse capable to dig out them
 9. if one of these roads is laid through the river on the
 bridge, and then a month or so later, to be taken
 and the road, the road will be covered along with
 the road, to be taken to be covered in its path
 10. if the latter river in the time of the mill for
 his common work, during the time of the mill
 river, the river is to be taken and the road; but
 that will probably be better than to a greater
 degree of operation and then in the river
 before, and therefore is not advisable in
 cases where those (my bank) are already (no
 considerable time that is made by forming (my)

May be got in early, and should about the
effluence part in its body along them
if the force is strong and any one grows hard
and dry, as to the body upon the stomach, or
if the body is dry, it will be better
to heat it over again, ^{in the addition of the}
more heat, and salt of tartar, the same purpose
may be attained, by having also a kind of
also proportion gathering one.

7. The medicine must not be prepared in a glass
or brass mortar, but in a stone mortar, and the mortar
must be kept from it, and be occasionally kept
or forming.

8. The method of administering it is as follows
Make each ounce of the Mass in to 1000, of
about two drachms in strength, and add the Tincture
at each end, and let the person who has a
disease in the lungs, or in the throat, take from 10
to 24 of these Masses, i.e. from 3 to 4 times

The Air for some Days. This proved to be
good and fine here

4. The medicine is made from lime stone is

stronger than that made from chalk, or the
shells of eggs, oysters, &c. however, this is

not in difficulty doing, for the general
purposes of the medicine, which highly

calms and fresh, and on the contrary, the
strongest medicine may be made of

at pleasure, by having access to the air
or by repeated affusions of fresh water.

5. Strong lime is a more powerful medicine

than weak, but then it is more apt to bring

on irritation and pain in the urinary

passages: Now that appears also to be with

more irritating, and more powerful than

6. The chief use of the Salty Tartar is to promote
the flow of Urine. This is necessary that the stomach

Directions for preparing and Administering
the Medicine for the Stone
in a solid form

1 Take of Alkermes Cuttlefish egg Shells
of powder and mix time one ounce of solid
Garden 31 share the best mix it with Sylline
and distill and load it into a soft mass, by
adding thereto as much water as is necessary
for this purpose.

2 This is right to be introduced into the bladder
weight, but the Medicine may be prepared
by any other, care being taken to preserve
the proportion of the Sylline directed.
That is to make the Sylline an eighth part
of the rest and the Salt an eighth part
3 Since the Medicine may be reduced to powder for the
purpose of this Medicine either by distilling it
in water above a gentle heat or by calcining it to powder

Amab 30. Atch: Murr: fu in
die eluathua seg

By a q. Lat. also. By. Bakran to By Mice

By. Calom elan q u By. Khabar q r v
M. J. Juroit Jemel in Japimau.

Summe e By. By. de Khab

By. Sherw Cat 31

Atch. Min 30

at. Amyd. 2. 31

Cera 30. M. J. Juroit q u

Minerw harte / Maxime affeta

fu in die

The bid Champ. And

Mar 19. 1748 1/4

M

If ye hanging continues after these
 two days who to be repeated before
 distance of time and make use of ye
 the Carriage instead of ye Syde Medicine
 See it in her right drawing of ye hanging
 Steps go on with ye Medicine as in order written
 ye 2d. List.

ye

for M^r Jones

July 28. 1743

Off. Root Nuttrelat. 3℥
 3℥. Cinamon Wood 3℥
 Root 3℥ Syde de Medicine 3℥
 16℥. Mustus R. J. Capendous
 of crastine more or less as
 ye 2d. List.

for M^r Jones

July 28. 1743

M^r J. J. Root 3℥ Balsam born 3℥
 16℥. Oil. R. J. into Oil. Car. involution
 & some Root dehydrated
 3℥. Root Nuttrelat. 3℥
 3℥. Cinamon Wood 3℥
 Root 3℥ Syde de Medicine 3℥
 16℥. Mustus R. J. Capendous
 of crastine more or less as
 ye 2d. List.

Stentibus hora 11. Matutina capientes
 4 quinta hominibus repetentibus

Sp. Sicut facit 31
 Sp. Sicut facit 31

Sp. Sicut facit 31
 Sp. Sicut facit 31

Sp. Sicut facit 31
 Sp. Sicut facit 31

Sp. Sicut facit 31
 Sp. Sicut facit 31

Sp. Sicut facit 31
 Sp. Sicut facit 31

Sp. Sicut facit 31
 Sp. Sicut facit 31

My. Ag. Lactis ablat. 31

Deon Lactis 31

Beet Mellicandat 31

Lactar rufi 911. 31

Coruſ. q. 3. M. f. Haustus inuente

procyone capreandus

My. Corymbi. ficut 31. Fint. Lactis. ficut 31

My. Cinnam. ficut 31. Regiam. 31

My. de Mercurio 31. M. f. Haustus. 31

Roſe. h. 3. capreandus

My. Infus. Amor. ficut 31

Haſthia. Lactis 31

Dea. Librati. q. 31. M. f. Haustus

f. 11. M. f. Haustus. capreandus 31. 31

31. 31. 31.

My. Lactis. Corymbi. 31. 31. 31.

My. Lactis. 31. 31. 31. 31. 31.

My. Lactis. 31. 31. 31. 31. 31.

My. Lactis. 31. 31. 31. 31. 31.

My. Lactis. 31. 31. 31. 31. 31.

July 12. 1745. Not done

46

Dr. Thiel's Last Will & Testament

Spirit dissolved Coriol 3' cap coat

Each 1/2 albumen Nestling.

Ms. Acad. Varian. (Fol. 21)

darum, Mensch! 2!

Easter. Here or in
 N. York. I have found a V. M. of *Volvo*
 'in the summer. Superficial and
 in *Volvo* *Volvo*.

et facillius sequuntur.

Prof. Ag. Darts Acad. 3/17

Heav. Cont. 34

*Yvon. Conf 37
Jr. Jean Conf 9. J. M. J. B.*

July 15 read ed Dact. a generalur Thonfunden

8421.083mij

Thos West M^r & W^{son}

26

Dear A
I hope to see you at Backkampo

to see you at Beckham's

Dear Mrs. Austen
Boston
Boston

Mr. J. West. Kensington. June 21st.

Condero. Rosavallu: de 3/5

Thi B. Brown

St. George's

July. 28. Arrived Tue 8th

Fora formi summe

Lactis — 3. Cavi Actione g. xxx

6. Aug. 21. Tue. 21. 49. Dinner May 3/5
Factor — 3/1. Dec. 1. Action the 9. 1888

Three specimens of this Machine to be
taken every four hours Mr. Stans

To Mr. Maudslow

Ag. (unverändert) von 30.
Licht: 30. Lyr. Blöcke

James D. M. on. 8. 11

Ms. fac. absinthii 8...

Der Casp. Brücke

Ry. Dorothea Anna: 31. Jahr. Salu-
 31 - in quo Disce Anna 31
 Mof. Bothe statim juvenis

Ry. Dorothea Anna: 31. Jahr. Salu-
 31 - in quo Disce Anna 31
 Mof. Bothe statim juvenis

Ry. Dorothea Anna: 31. Jahr. Salu-
 31 - in quo Disce Anna 31
 Mof. Bothe statim juvenis

Ry. Dorothea Anna: 31. Jahr. Salu-
 31 - in quo Disce Anna 31
 Mof. Bothe statim juvenis

Ry. Dorothea Anna: 31. Jahr. Salu-
 31 - in quo Disce Anna 31
 Mof. Bothe statim juvenis

For Cash & Books

Wm. West. Cornwell & Co. 1/2

Black. Lentic. 2/7: 1/2. 1/2. 1/2.

For Rent in West. 1/2. 1/2. 1/2.

1/2. 1/2. 1/2.

Wm. West. Cornwell & Co. 1/2

Black. Lentic. 2/7: 1/2. 1/2. 1/2.

For Rent in West. 1/2. 1/2. 1/2.

Wm. West. Cornwell & Co. 1/2

Black. Lentic. 2/7: 1/2. 1/2. 1/2.

For Cash & Books

Cap. 3. 11 post quemque delectionem
figuram

dyr. Cydon. 3/4
dyr. Curam. fort. 3/4
Conjunct. Traxat. ter line. melle. 3/4
Drocto. Porcelato. uninde
dequaque ex. ay. dyr. add. hinc, eade
Mentum. contris. cond. for. & conf. melle
Cortic. Semar. Gremat. & Siliat. aa. 3/4

Ristat.
Rad. Tormentill.
R. C. C. Gum. Arabic. aa. 3/4

My Dear Mr. Jones
I have the honor to acknowledge the receipt of your letter of the 11th inst. in relation to the above named matter. I have the pleasure to inform you that the same has been forwarded to the proper authorities for their consideration. I am, Sir, very respectfully,
Your obedient servant,
J. B. Jones

Sept 11 1843
J. B. Jones Esq

Fluor. asph. & sulph. in aqua

As. Benz. Camer. ppt. gr. xvij

As. Benz. Camer. ppt. gr. xvij
In aqua. ppt. gr. xvij
In aqua. ppt. gr. xvij

As. Benz. Camer. ppt. gr. xvij
In aqua. ppt. gr. xvij
In aqua. ppt. gr. xvij

As. Benz. Camer. ppt. gr. xvij
In aqua. ppt. gr. xvij
In aqua. ppt. gr. xvij

As. Benz. Camer. ppt. gr. xvij

As. Benz. Camer. ppt. gr. xvij
In aqua. ppt. gr. xvij
In aqua. ppt. gr. xvij

As. Benz. Camer. ppt. gr. xvij
In aqua. ppt. gr. xvij
In aqua. ppt. gr. xvij

As. Benz. Camer. ppt. gr. xvij
In aqua. ppt. gr. xvij
In aqua. ppt. gr. xvij

As. Benz. Camer. ppt. gr. xvij
In aqua. ppt. gr. xvij
In aqua. ppt. gr. xvij

Mr Andrew Heron

Mr Patrick Heron

*Post Office: Operations
Capl's Bk. in Machine setting
Gate ingress*

*Post Office: Operations
Capl's Bk. in Machine setting
Gate ingress*

*Post Office: Operations
Capl's Bk. in Machine setting
Gate ingress*

℞. Ca. Speculag. 3ij
 Sp. S. S. 2
 Ol. Inf. Zinct. Inane
 91. Inf. Zinct. Inane
 Sp. S. S. 2
 Ol. Inf. Zinct. Inane
 91. Inf. Zinct. Inane
 Sp. S. S. 2
 Ol. Inf. Zinct. Inane

℞. Sterb. Jura 4ij
 Manna 3ij

℞. S. S. 2
 Ol. Inf. Zinct. Inane
 91. Inf. Zinct. Inane
 Sp. S. S. 2
 Ol. Inf. Zinct. Inane

℞. S. S. 2
 Ol. Inf. Zinct. Inane
 91. Inf. Zinct. Inane
 Sp. S. S. 2
 Ol. Inf. Zinct. Inane

℞. S. S. 2
 Ol. Inf. Zinct. Inane
 91. Inf. Zinct. Inane
 Sp. S. S. 2
 Ol. Inf. Zinct. Inane

℞. S. S. 2
 Ol. Inf. Zinct. Inane
 91. Inf. Zinct. Inane
 Sp. S. S. 2
 Ol. Inf. Zinct. Inane

*R. ag. Capivi: Rhoeo 3
Syr. Zingiberis 3½
Gum Camphor 31 (in aqua Regiam
Soluta) et Surt 31 ad Symplicia
q. s. Subst. Duro 31 M. Sumat*

H. J. Zingst: & Compagnie g.d. Supremum
Super alium d'Alen affert: quam
primam applicandum

Hy. Rec. French; 8y.
Haze: Corf. Aurant; 3y
Coccinella gr. inf. in ag. f. fructum
g. s. lat. det. add. ag. a. Smith. C. =
Euy. white
a fine glass to be taken morning
& evening;
For pills:
Jan: 10. 1741

May be selected for the same reason

But as soon as the person can bear it
he should take them in the above
mentioned proportions and quantity

instead of the herbs and roots before
mentioned, I have sometimes used others

as Mallico, Marsmallo, yarrow root
and white, Jambolan, water-cress
and store of white root, and so not know

of any material difference;

This is my manner of giving the
Powder and Decoction, as to the Pills

their Chief Use is in fits of the Gravel
attended with Pain in the back and Thighs

and in suppurations of Urine, from
a stoppage of the Urine, in these

cases the person is to take five Pills
every second Day & might when

at home, use the Compound & when
they will also prevent the formation

of gravel and gravel stones,

In Constitutions Subject to Piles &c.
If ten or fifteen be Taken Every Day

or Section that of the Deorion, which is
 haave or take some other suitable means
 by the advice of Physicians.
 During the ~~time~~ use of these medicines
 The Person ought to abstain from all
 meats and wine and milk, drink some
 liquid, and use little Exercise, that so the
 Urine may be the more strongly impreg-
 =nated with the medicines, and the longer
 retained in the bladder. If the Struck
 will not bear the Deorion with part
 of the Urine made into Pills must be taken
 After every Dose of the Powder, where
 the Person is aged, or of a weak Constitute
 him or much reduced by Dose of opposite
 or Darn; The Powder thus have a greater
 proportion of the Saline than
 according to the foregoing Deorion
 and the proportion may be increased.
 suitable to the Nature of the Case, the
 there be equal parts of the two ingredi-
 ents of the Quantity of both Powder and Deorion

If the person be positive during the
 use of them get him to take as much
 sensitive Fleetham, or other laxative
 medicines as may be sufficient to
 remove that troublesome but not
 more: For it must be a principle
 care at all times to prevent a doctress
 which would carry off the medicine
 and if this does stoppen, it will be
 proper to increase the quantity
 of the powder, which is Ashmanger

1721 In a morning after breakfast
 in the afternoon, about five or six,
 And at going to bed. The dose is a
 Dram. Averdupois or fifty six grains
 which is to be given in charge of tea
 Cup full of white wine, Cyder or
 Snake poimk, and half a pint of the
 Distillat. is to be drank either
 Cold or milk warm after every
 Dose.

The Pills are thus prepared

Take equal Quantities of Small Calomel
as before, of white Carnif seeds, Brandy
seeds, Ashen, Keys, Stips & Staves, all

Brund to a jelly like, or to such is the
same thing, till they are done. ^{make} ^{up}
mix them together rub them in a mortar
and pass them through a Cyperus sieve
Then take a large Spoonful of this
Mixture & give of sweet Soap, and
break them in a mortar with a much
stronger as will make the whole of a
proper Consistence for Pills, Sift it of which
are to be made out of every ounce of
the Composition —

The method of giving these pills
is as follows, when there is a Stone in
the bladder or Kidney the powder is
to be taken three times a Day.

And I esteem those best which are
 done in the first of these months.
 The Decodon is thus prepared:
 Take four ounces and a half of the
 best Alum soap. Beat it in a mortar
 with a large spoonful of Finest Sugar
 to a fine lumps and as much
 Honey as will make the whole of
 The Consistence of paste. Put this be
 formed into a Ball. Take this Ball
 and green Chamomile or Chamomile
 Flowers, sweet fennel Parsley and
 Ground seeds of each 3. When
 These are not greens take the same
 Quantity of Roots. Cut the superior
 Roots, slice the stalk, and break them
 in two Quarts of soft water half an Ounce
 Then strain it off, and preserve it as
 Honey.

Which ought to be of a very dark

Grey Colour.

Note if pit Coal be made use of, it will be
proper in order that the fire may be

proper burn. Clear on the top, that dungs
Cynders and not fresh Coal be placed on
the fire which cover the Embers

These Embers being thus prepared take

the Egg shell powder of six Embers, and
the small powder of one, mix them

together rub them in a mortar and

pass them through a Symplicie,

This mixture is to be immediately put

up into bottles which must be close

stoppered and kept in a dry place for use

of Stone. Generally added a small quantity

of sweet Saffron burnt to a Ashen

and Rusted fine; but this is only if the

even to distinguish it. The Egg shells

may be prepared at any time of the year

but it is best to do them in summer

the fruits ought only to be prepared

in May June, July & August

171

In the manner take garden snails
 with their shells, cleaned from the
 dirt, fill a Crucible of the same size
 with them whole, cover it, and pour
 it in a fire as before, till the snails
 have done smothering, which will be
 in about an hour's smoking care that
 they do not continue in the fire after
 that they are taken to be taken out
 of the Crucible, and immediately rubb'd
 in a mortar to a fine powder

That these may be room for the swelling
 of the egg shells in flaking. Let the pan
 stand uncovered in a dry room, for
 two months, and no longer. In this
 time the egg shells will become of a
 milder taste, and that part which is
 sufficiently calcined will fall into a
 powder of such a fineness to pass thro' a
 common hair sieve; which is to be
 done accordingly

Of. Take Discovery of the Medicines given
by me. Joanna Stephens, for the cure
of the Stone and Gravel.

My Medicines are a Powder, a Decoction
and Pills.

The Powder is thus prepared

Take Stems Egg Shells well Dried from
the Whites, dry and Clean, crush them
small. Put in the Stems, and fill a Cruicke
of the twelve size which contains
nearly three pounds, with them, tightly
stop. Put in the fire and cover it with
a tile, then heap coles over it.

That it may be in the midst of a very
strong cleare fire, till the Eggshells
be calcined to a greyish white, and begin
an acrid salt taste; this will take
up. They should be already after they
are thus calcined. put them into a Dry
clean earthen pan, which must not
be above three pounds full;

To Ther. an Hydropothia

Take Wormwood five Southernwood,
of each a small Handful, they & it
in a quart of Ale to a pint,
a Quarter of a pint of the Sympur to be
taken Every Day, till it is all taken

For Thrush Translucence of Throat
Dr. Radley Dr. Anasara:

Fig. Speculum pp. 3 fo. 5.

Fig. Decoth. Amar. cum. Jenua 3 in
Fig. Rhubarb. Atthea 2. 3 fo.
Jenua. Rhubarb: opt. 3 fo.

Crem. Tart. 3 fo. in f. potto

Fig. Jenua. &. Forthe. Exter. aurant. &

Prasum. Solanum. &. Labium 2. 3 fo.

Myrror. Croc. Cinam. 2. 3 fo.

& Forthe. Jenua. 2. 3 fo. &. Chik. Camis. p
& Jang. &. raven: &. Japio. Hematit. 2. 3 fo.

John's initials

Order a harness the making of mad Dogs

Take leaves of Rue, Dervain, Sage,
Camphire, Polygody, Wormwood, mint
Mugwort, Broom, Peony, Hyssop, rose

Convey the 250 ac. to 1. Let them

all be gathered when they are in

their greatest strength, which is

about the full moon in June,

And shortly dried in a hot sun

and to be heartily reviv'd, not dead

There is a letter will you have

Reason to use them,

The like shows the virtues for

For I think it is a good thing, if we are

Good again, Michael, Henry,
Madame and Mr. G.

...and ...

bestenfalls als maligne Leukämie

01-9. R. Terrestrial Venet. In. Ant. etc.

Solut. 3i. make eye. 3iv.

Deer's Cornu. 1000 Rys 38
Mice fat Enema statim

Inguentum & post 17. hours
repeated.

G. F. Ther. Mr. Huthens

R. ag. mentha 3i. Tre. Syph.
Latomus. 3i. Sy. Sy. 3iv. M.
Cap. Cork. 1. Ounce semihora
Urgent & Haemorrhage. 2. 1/2

Jal. 9oz. Olos 3i. Sp. 1/2. 3i.
Tind. Ester. 3i. Mide.

xxv Drops. to be taken morning and
evening, in a Glass of white Wine and
Water; ad. Verregimen

Milford. Apr. 9. xv

Prof. Wm. Brewster Esq.

Japan. Castle 31. Jyr. de 1846. 9. 8.
Mr. J. Probus. Stamm-Jummeus

Superbend. Hausstein. Apocam:

Stemend:

Rad. Phoschem: alt. Tenuo

Lac. mab., *Jof. mal.*, *alt.*, *Vern.*

See my. Dear. Kinder. G. G. G.

Forwards. Thence. 2. 22. 84.

Recd. Plymouth 30. Log. in reg.

John W. G. S. Colburn, Esq. 23

Term all. 20. 25. 30.

in the flat of America.

Pro Mr. Stephens &c

℞. Sac. vitriol. pulv. ʒij

Tart. emet. gr. vj. Rect. Sulph.

et. Olivar. a ʒi. ʒij. ʒij.

ʒij. Diastha ʒi. melle f. Haustus

medicus Cyvus Caput Dividuum

Statum et reliquum Cochlearum

pro remota suber Operandum

finis Operatione sumat Haustus

Em. alb. Calafate. —

℞. Aquamilla ʒij. Cinnamon f. ʒij

Sac. Alstmitte. Succum ac. ʒij

ʒij. melle ʒij. ʒij. ʒij. ʒij.

Mr. Sumner. Cork. ʒij. ʒij. ʒij.

15

Of Tamarind 3ij

fol. sem. elect. 3ij

Rhabarb. op. 3ij

Crem. Tartar 3i. Cog. m.

Reg. f. q. s.

Colat 3ij

Adde manna op. 3ij. melle

f. pocho cras mane cum Regimine

Assume

Op. ag. flor. paralyt. 3ij

Hy. de Mecon. 3i. melle

f. Haustus hora somni post.

Purgat Assumendo

Hor

Mr. Fisher

J. D.

Feb. 5. 1740

Of. Sem. 4. frig. vas. 2 3/4
poc. ac. 3/4

Amigd. d. exort. 1/2 1/4
aq. stor. 2 3/4 f. melle
my add. sauh: 1/2 3/4 1/2 1/2

Sumat. flavum - frequent

Of. Decort. con. pro El. 1/2 3/4

at. 2 1/2 1/2 1/2

Sachar. Cubana 2 3/4 1/2 1/2

f. Summa - altherna diebus inguenda

Mithridat. sanguis Altherna

diebus colore inguenda 2 3/4

For
m. 1/2 1/2 1/2

Thick. 1/2 1/2 1/2

















The Wellcome Library

For a fough
 Amgd. d. 3i Syr. & Maeruzs
 Balsamic zys misce



the Phoot
 vase
 water till
 it out
 enough
 16