

Memorandum of Prescriptions for Cholera Cases

Publication/Creation

c.1850

Persistent URL

<https://wellcomecollection.org/works/fabnr8m8>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

Medicines - Vide Prescriptions on the other side.

- No 1 - Preservative - One to be taken night and morning, as a tonic, in the event of Cholera prevailing in this quarter.
- No 2 - A large teaspoonful to be thrown into half a tumbler of water, and a table spoonful of this mixture to be taken every half hour, for cases of common bowel complaint (loosening).
- No 3 - Two to be taken, should opening medicine be required.
- No 4 - In the event of a person being attacked with Cholera, (known by the general coldness of the skin, especially of the extremities, spasms, great depression, with vomiting & purging etc) one may be given every half hour, until relief be obtained. It will be necessary at the same time to apply bottles filled with hot water, or heat in any convenient form to the Stomach, and upper and lower extremities. Rubbing the extremities is also useful. Should the depression continue, a teaspoonful of Brandy may be given occasionally.

No 1

R. Rul. Capsici
Cannphoræ
Quinæ, Dissolvt: à à 3ss,
Extract: Gentianæ, 3ss,
Rii Capitate q.s. fiant PL:
xxxix quærum Lypt ueram
vel duas manu nocte op.

No 1

Take of Cayenne Pepper iij drachm;
Cannphoræ Do,
Quinine,
Extract of Gentian, of each half a drachm
Soporphoræ, sufficient to make a
wash; divide into 20 pills, of which one
or 2 may be taken in the morning and
at night —

No 2

R. Rul. Extract Opt:
Rhus
" Acacia
" Cinnamomi à à 3ss.
Opis gr: vi.

No 2

Take of Powder of Chalk,
Rhus,
Gum Arabic,
Cinnamon, of each 2 drachms; Gum
powder & grains. Mix. Take a tea-
spoonful of this powder into half a tumbler
of water, & of this give a table spoonful
every half hour. —

No 3

R. Extract: Colocynth: 6:
" Sarapaei,
" Hyoscyami à à 3
" Calonelanos gr: ii.
M. fist massula dividet; in pil: n to 16 pills, of which two may be
xxvi. æquales. quærum Capiat ij: taken as occasion may require
pro se rata.

No 3

Take of Compound Extract of Colocynth
Extract of Dandelion,
" of Thistle, each 1 drachm;
" of Thistle, each 1 drachm;
Galones, ten grains. Mix. and divide
into 16 pills, of which two may be
xxvi. æquales. quærum Capiat ij: taken as occasion may require
pro se rata.

No 4

R. Rul: Capsici 3j,
Cannphoræ 3ss tan bñ cæm,
Mucillagenes Resinæ 3ss, diss: up with the Mucilage of Gum Arabic; à à 3
Corpection aeron: 3ij.,
Tinct: Catechu (or Kino) 3ss,
Soporphoræ 3ss.
M. Opis Ceromies 3ss,
Equæ Corui 3vii M. fist
Metura


Take of Powder of Cayenne Pepper, 1 drachm,
Cannphoræ ½ drachm: sub-
divide into 20 pills, of which one
and a half of Aromatic Corpection, 2 drachms,
Tincture of Catechu (or Kino) ½ oz,
" of Snake Root, ½ oz,
ceromies Solution of Opium 2 drachms,
Caraway seed water, 3 oz. Mix. One
or 2 table spoonfuls every half hour or less.

Prescriptions in Case of Cholera —

Circa 1840/50.



circa 1840/50



The Wellcome Library