

**Russian (medical?) memorandum book, picked up by Surgeon Thomas Longmore at Sebastopol after the capture of the fortress by the British and French armies. Endorsed with Longmore's notes, Sept (1856), on the wounds of soldiers Massey, Goren and Martin**

**Publication/Creation**

c.1856

**Persistent URL**

<https://wellcomecollection.org/works/srm8gn95>

**License and attribution**

You have permission to make copies of this work under a Creative Commons, Attribution, Non-commercial license.

Non-commercial use includes private study, academic research, teaching, and other activities that are not primarily intended for, or directed towards, commercial advantage or private monetary compensation. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>

25  
Министерство Военных дел

Министр Савинский  
Иванов

Удостоверение

Министру Савинскому

Иванов

Сметать расходы

Ваше


Иванов

Иванов

Иванов

The Mem<sup>m</sup> Book was  
Picked up in Sebastopol  
After the fall of the  
Place & Inc by me  
J. P. Langmore

*[Faint handwritten text, possibly a signature or additional notes]*







37 еб  
уаанс кырунрб  
Сурдвал поина  
Васуиин Абукаиновс  
Модовен носна  
Икамбей Кадрусеб  
43 еб е  
Иукаинс Ваймаи  
Икамр носна  
Абука Сабруре  
Моренад Сехам Аур Аур  
Морманс Дребенис  
Керобаннинаи носна  
Икамсир Таруна  
29 еб е  
Абукаинс Таруна  
Абукаинс носна  
Икамсир Мунгуна  
Абукаинс носна  
Икамсир Морозовс  
Дреманс носна  
Икамсир Космаревс  
36 еб е  
Икамсир Аураребс

4 Камр Бамал  
Самсир марновс  
36 еб е  
Икамсир Стожероуенко  
Икамсир носна  
Икамсир Заваренко  
Икамсир носна унтерс  
Самсир Босовс  
Бенсир носна  
Икамсир Мунгуна  
Модовен носна  
Икамсир Купоуевс  
Модовен носна  
Икамсир Мунгуна  
Б. Савоуна е  
Икамсир Кормаровс  
Модовен носна  
Васуиин Дуровс  
Бруманс носна  
Икамсир Ловиовс



Камобар  
Никаноръ Шупесинъ  
33 Объ  
Душаръ Носицамаповъ  
Темонинъ Носица  
Уваровъ Шкуновъ  
Модовонинъ Носица  
Табрица Шкуновъ  
Александръ Носица  
Василий Шкуновъ  
Трушковъ Носица  
Трушковъ Куриновъ  
Ивановъ Носица  
Лаврентъ Кривоносовъ  
33 Объ  
Парфенъ Шкуновъ  
40 Объ Шкуновъ  
Константинъ Шкуновъ  
Ивановъ Носица  
Носица Шкуновъ  
Камобар  
Александръ Шкуновъ

Модовонинъ  
Носица Шкуновъ  
Модовонинъ  
Носица Шкуновъ  
~~Камобаринъ~~ Шкуновъ  
Душаръ Шкуновъ  
Темонинъ  
Шкуновъ Шкуновъ  
Модовонинъ  
Василий Шкуновъ  
Модовонинъ  
Константинъ Шкуновъ  
32 Объ  
Василий Шкуновъ  
Ивановъ Носица  
Шкуновъ Шкуновъ  
Ивановъ  
Душаръ Шкуновъ



Модуль епар

Спиритъ Васильевъ

Евангел

Мариинъ Мухоморъ

Евангел

~~Коллекция~~

Евангел

Таврическ. Младенце

Коллекция

Деметриевъ Кольцовъ

Модуль епар

Арматоръ Кольцовъ

29 8 0

Гроби Мухоморъ

29

Деметриевъ Кольцовъ

Арматоръ Мухоморъ

Евангел Деметриевъ

Коллекция

Мухоморъ Мухоморъ

17 9

Арматоръ Кольцовъ



22. 12. 1800  
 23. 12. 1800  
 24. 12. 1800  
 25. 12. 1800  
 26. 12. 1800  
 27. 12. 1800  
 28. 12. 1800  
 29. 12. 1800  
 30. 12. 1800  
 31. 12. 1800  
 32. 12. 1800  
 33. 12. 1800  
 34. 12. 1800  
 35. 12. 1800  
 36. 12. 1800  
 37. 12. 1800  
 38. 12. 1800  
 39. 12. 1800  
 40. 12. 1800  
 41. 12. 1800  
 42. 12. 1800  
 43. 12. 1800  
 44. 12. 1800  
 45. 12. 1800  
 46. 12. 1800  
 47. 12. 1800  
 48. 12. 1800  
 49. 12. 1800  
 50. 12. 1800  
 51. 12. 1800  
 52. 12. 1800  
 53. 12. 1800  
 54. 12. 1800  
 55. 12. 1800  
 56. 12. 1800  
 57. 12. 1800  
 58. 12. 1800  
 59. 12. 1800  
 60. 12. 1800  
 61. 12. 1800  
 62. 12. 1800  
 63. 12. 1800  
 64. 12. 1800  
 65. 12. 1800  
 66. 12. 1800  
 67. 12. 1800  
 68. 12. 1800  
 69. 12. 1800  
 70. 12. 1800  
 71. 12. 1800  
 72. 12. 1800  
 73. 12. 1800  
 74. 12. 1800  
 75. 12. 1800  
 76. 12. 1800  
 77. 12. 1800  
 78. 12. 1800  
 79. 12. 1800  
 80. 12. 1800  
 81. 12. 1800  
 82. 12. 1800  
 83. 12. 1800  
 84. 12. 1800  
 85. 12. 1800  
 86. 12. 1800  
 87. 12. 1800  
 88. 12. 1800  
 89. 12. 1800  
 90. 12. 1800  
 91. 12. 1800  
 92. 12. 1800  
 93. 12. 1800  
 94. 12. 1800  
 95. 12. 1800  
 96. 12. 1800  
 97. 12. 1800  
 98. 12. 1800  
 99. 12. 1800  
 100. 12. 1800

36. 12. 1800  
 37. 12. 1800  
 38. 12. 1800  
 39. 12. 1800  
 40. 12. 1800  
 41. 12. 1800  
 42. 12. 1800  
 43. 12. 1800  
 44. 12. 1800  
 45. 12. 1800  
 46. 12. 1800  
 47. 12. 1800  
 48. 12. 1800  
 49. 12. 1800  
 50. 12. 1800  
 51. 12. 1800  
 52. 12. 1800  
 53. 12. 1800  
 54. 12. 1800  
 55. 12. 1800  
 56. 12. 1800  
 57. 12. 1800  
 58. 12. 1800  
 59. 12. 1800  
 60. 12. 1800  
 61. 12. 1800  
 62. 12. 1800  
 63. 12. 1800  
 64. 12. 1800  
 65. 12. 1800  
 66. 12. 1800  
 67. 12. 1800  
 68. 12. 1800  
 69. 12. 1800  
 70. 12. 1800  
 71. 12. 1800  
 72. 12. 1800  
 73. 12. 1800  
 74. 12. 1800  
 75. 12. 1800  
 76. 12. 1800  
 77. 12. 1800  
 78. 12. 1800  
 79. 12. 1800  
 80. 12. 1800  
 81. 12. 1800  
 82. 12. 1800  
 83. 12. 1800  
 84. 12. 1800  
 85. 12. 1800  
 86. 12. 1800  
 87. 12. 1800  
 88. 12. 1800  
 89. 12. 1800  
 90. 12. 1800  
 91. 12. 1800  
 92. 12. 1800  
 93. 12. 1800  
 94. 12. 1800  
 95. 12. 1800  
 96. 12. 1800  
 97. 12. 1800  
 98. 12. 1800  
 99. 12. 1800  
 100. 12. 1800







X Yucca Panicum A.

Solut. spiritum Jor

Aquum P. Arab.

• Toposum acet.  
plumb.

X Uapum Uapum Uapum

Solut. spiritum Jorior

Aquum Uapum Uapum

Acetat. plumb. Uapum

Uapum

X Uapum Uapum

Solut. spiritum Jor.

Aquum Uapum

Uapum Uapum

Uapum Acetat

plumb. Uapum

5

*[Faint handwritten scribbles and markings]*



5. Apr.

Магистеръ Крещенъ члн-  
никъ и епископъ

Непернатъ

Норонум едетокъ

Фрунтъ

Уебретъ

В. ииинъ

Дарителъ

Агъ. охъмъ. бгъмъ

фонтанъ аудъмъ. есагъмъ

Акопу баудитъ

Актъ планти умъ. охъ. бгъмъ

33. об. о евангелъ

Менаръ Коуца

33. об. Коуца евангелъ

Менаръ Коуца евангелъ

буенъ Коуца евангелъ

Акопу баудитъ

Менаръ Коуца евангелъ

Акопу баудитъ

Дарителъ

Акопу баудитъ

Менаръ Коуца

Менаръ Коуца

Менаръ Коуца



7 Anpraeud

Andreep Aquosus

Chinin Sulphur

Hydrocyanic

Chininum Sulph.

noxiis ubi rof.

Meberent

Hydrocyanic noxiis

Cannabis

Chinin Sulphur

Atropa

Acid. of quina.

8 Anpraeud

Meberent

Crister. antiscorbut.

Kyrtumay

Phi kin. cu

Acid. mur. dilut.

Anpraeud 9 quid

Hydrocyanic

Sectot. plumb.

Bropocura

Chinin Sulph.

Hydrocyanic

Anger. Resulteb. = acid. plumb.

Kyrtumay: decit. alt. cum acid. murat.

Anpraeud 11 quid

Muscicid

Ung. Camphor. B<sup>ij</sup>

Hydrocyan. B<sup>iiii</sup>

Fra. Jodii B<sup>ij</sup> undr

Profrictio

Meberent

Phi plumb.

Acid. mur. dil.

27  
55

29

31



Evapor. Solut.

Chinensis

Depositoarium

Mistura mur. ammon.

Be. Inprocedo 1855.

21 Aug.

Maximus maximum Solut. chinensis

Depositoarium - resiat 2 partes

Mundusana - acety plumb.

22 Aug.

Maximus maximum acety plumb.

Resiat detegit Solut. chinensis fortior

W 3 e Inprocedo

Cubensis. Herminum ~~acety plumb.~~

Solut. aurat. ant. greg. Exh. hyosc. greg.

Max. ubi ubi ~~resiat~~

24 Aug.

Maximus ubi ubi mist. murat. ant.

Spurium. Coarctentis. eq. oxy. resiat.

apogon Decub. 2 acety.

Acidat. plumbi. roperum

Acid. mur. Dilut.



3  
5  
9  
14  
15  
12  
12  
15  
14  
13  
112

10  
12  
15  
55  
6  
2  
-2  
may 28  
27  
42  
27  
55



Универсальны  
Книжки с суммированием  
Книжки  
Пол. Септисид № 6

Книжки  
Бл. Салепин

Септисид  
морфий № 2

Книжки  
Септисид  
Ацетон

Книжки  
Ацетон  
7.1  
2.5

40  
28  
43  
1.2  
51

Книжки  
морфий 12  
Книжки  
— Септисид 15  
Ацетон 55

Книжки 70  
морфий — 12  
Книжки березы — 2  
— березы 28

71  
26  
45

42  
27  
55

27  
42  
27  
55

IIII



Goreu

Dec 4<sup>th</sup> Yague. Pils. H. D. 20x P. P. 1/2 h. 5:55:5  
5<sup>th</sup> Discharge very profuse, chocolate colored. Appears weaker while being dressed - Ept did get into mouth. ~~Yague~~ Pulse 80

Pulse was to be limited to 40  
Staph. days

13<sup>th</sup> Strength rather improving. Appetite indiffer-  
ent. Discharge still profuse, healthy. - Discharge 1700  
along

18<sup>th</sup> Discharge to diarrhoea again. Giving  
strength. Suffered less. P. P. 1/2 h. 5:55:5

19<sup>th</sup> Discharge less profuse. Discharge 1700  
along

23<sup>th</sup> Wounds forming. Discharge thick & purulent.  
Strength slowly returning. Appetite indiffer-  
ent. Discharge 1700 along

24<sup>th</sup> Occasional diarrhoea - relieved by  
Suffered less. P. P. 1/2 h. 5:55:5

Nov 2<sup>nd</sup> Has been very slow improving. Appetite  
indifferent. Discharge still profuse. Small  
piece of bone came from scapula wound  
both - Discharge gradually diminishing.  
Applied for a Medical Board this  
afternoon - Object to fit duty before that  
I could not come on - sea on proper improve-  
ment strength more gradually

Nov 4<sup>th</sup> As before  
- 8<sup>th</sup> Put up each day for some hours  
- more strength than I had imagined. App-  
etite good. All symptoms favorable  
- 9<sup>th</sup> Left camp by jumping car ambulance  
line to journey with - Hayfield went with him.  
Walked up side of ship under without  
apertures.

- 10<sup>th</sup> Sailed for England -

Goreu - Left shoulder. Wound of entrance  
near sup. part of angle.  
through upper part of left scapula. 1/2 inch above  
2nd rib. Above part of scapula. Capsule comminuted.

Mouth filled with blood immediately after  
being struck - Was just on edge of death - Shot from  
Ranking fire - about 150 yards distant.

Bloody expectoration continued about 3 days -  
ceased gradually - Hacking cough in & slightly  
increased inspiration. On auscultation  
both lungs clear, respirations rates in  
normal.

17<sup>th</sup> Temp. cooled. Discharge continuing.  
Pulse 80. Discharge 1700 along

19<sup>th</sup> Discharge much less last night - No pain. Left scapula  
in line of wound. Discharge 1700 along

20<sup>th</sup> Weak, tendency to fainting. No special symptoms.  
Pulse slow weak. Discharge 1700 along

21<sup>th</sup> Attacks of diarrhoea. No appetite. Wound discharging  
copiously. P. P. 1/2 h. 5:55:5  
with Suffered less. P. P. 1/2 h. 5:55:5

22<sup>nd</sup> Discharge more natural. Wound as before.

23<sup>rd</sup> Discharge ceased - Temp. clear. Strength improving.  
Wound purifying favorably.

25<sup>th</sup> A small piece of bone separated from scapula.  
Bowel regular. Appetite improving. Discharge from both  
wounds copious.

26<sup>th</sup> Small piece of bone removed. Discharge ceased at night.

27<sup>th</sup> Wound over scapula very healthy - wound in good  
condition - pus thicker - Complains of purifying  
at night. No diarrhoea.

With Discharge 3 1/2 pints. Discharge 1700 along

28<sup>th</sup> Long in journey. Discharge 1700 along  
with Discharge 1700 along

29<sup>th</sup> Discharge 1700 along. Discharge 1700 along

30<sup>th</sup> Discharge 1700 along. Discharge 1700 along  
with Discharge 1700 along



Oct. 16<sup>th</sup> 9<sup>th</sup>. Healthy appearance.

Wound of entrance in fold between left side  
and thigh - about 3 in. from V<sup>th</sup> vertebra of ribcage on  
that side - Paper obscure across thigh - Wound of  
exit about half way between ant. sup. superior part  
of thigh & edge of patella - on outer & ant. aspect  
of thigh - From appearance of wound, caused by a  
musket ball. Distance traversed 6 ball inches.  
Femur supposed not to be comminuted.

Left behind. Remained on ground for 25. xi. 0<sup>h</sup>  
till 3 h. m. 9<sup>th</sup> Sept. Arrived in camp about 4 a.m.  
coll. windy night. Was struck & bruised in left right thigh by a stone  
at the base of the explosion of the Magazine about  
1 a.m. on the 9<sup>th</sup>.

- 17<sup>th</sup> - Pain in joints - Bowels moved
- 18<sup>th</sup> - Pain in joints - Bowels moved
- 19<sup>th</sup> - Pain in joints - Bowels moved
- 20<sup>th</sup> - Bowels moved
- 21<sup>th</sup> - Pain in joints - Bowels moved
- 22<sup>th</sup> - Pain in joints - Bowels moved
- 23<sup>th</sup> - Pain in joints - Bowels moved
- 24<sup>th</sup> - Pain in joints - Bowels moved
- 25<sup>th</sup> - Pain in joints - Bowels moved
- 26<sup>th</sup> - Pain in joints - Bowels moved
- 27<sup>th</sup> - Pain in joints - Bowels moved
- 28<sup>th</sup> - Pain in joints - Bowels moved
- 29<sup>th</sup> - Pain in joints - Bowels moved
- 30<sup>th</sup> - Pain in joints - Bowels moved
- 31<sup>st</sup> - Pain in joints - Bowels moved

Wound of entrance -

Wound of entrance, just below horizontal course of  
Majella, left side, half way between superior and  
inferior. Paper across neck, behind larynx - through  
pharynx, ~~subcutaneous~~ just above superior margin,  
about middle of superior margin of right scapula.  
Distance traversed 6 in. in the same way but not set, of part  
through arm in curved way. No point the side of the wound  
when struck. It back over the ribs, & lay in with left side  
1/2 in. from axilla. Did not know where the ball was  
till it was in the arm. It was in the arm. It was in the arm.  
10. Two small broken pieces of bone, like flesh, & set up.  
great accumulation of serum & thin layer of  
about the wound. - Con. serum. Blood coagulated  
about the wound.

- 17<sup>th</sup> - Swelling of hand & foot of neck decreasing - heat detached from  
wound & external wound decreasing
- 18<sup>th</sup> - Swelling of hand & foot of neck decreasing - heat detached from  
wound & external wound decreasing
- 19<sup>th</sup> - Swelling of hand & foot of neck decreasing - heat detached from  
wound & external wound decreasing
- 20<sup>th</sup> - Swelling of hand & foot of neck decreasing - heat detached from  
wound & external wound decreasing
- 21<sup>st</sup> - Swelling of hand & foot of neck decreasing - heat detached from  
wound & external wound decreasing
- 22<sup>nd</sup> - Swelling of hand & foot of neck decreasing - heat detached from  
wound & external wound decreasing
- 23<sup>rd</sup> - Swelling of hand & foot of neck decreasing - heat detached from  
wound & external wound decreasing
- 24<sup>th</sup> - Swelling of hand & foot of neck decreasing - heat detached from  
wound & external wound decreasing
- 25<sup>th</sup> - Swelling of hand & foot of neck decreasing - heat detached from  
wound & external wound decreasing
- 26<sup>th</sup> - Swelling of hand & foot of neck decreasing - heat detached from  
wound & external wound decreasing
- 27<sup>th</sup> - Swelling of hand & foot of neck decreasing - heat detached from  
wound & external wound decreasing
- 28<sup>th</sup> - Swelling of hand & foot of neck decreasing - heat detached from  
wound & external wound decreasing
- 29<sup>th</sup> - Swelling of hand & foot of neck decreasing - heat detached from  
wound & external wound decreasing
- 30<sup>th</sup> - Swelling of hand & foot of neck decreasing - heat detached from  
wound & external wound decreasing
- 31<sup>st</sup> - Swelling of hand & foot of neck decreasing - heat detached from  
wound & external wound decreasing



Mapy. Continued

Rest in rest of last night. No fever this m. -  
18. xij Bed me on褥 very deep layers, but discharge healthy

9<sup>h</sup> Moved to a horse hair bed - said to be better without much inconvenience. Found that a quantity of callosities were thrown out - but not felt any gratifying relief. I held the thigh in company here. Appetite returns good.

73<sup>d</sup> Bed me extending - no more change. The flabby gran<sup>d</sup> about the knee wound - Discharge healthy from inner opening -

16<sup>h</sup> I tried to walk on a little inclined plane to prevent the increasing convexity of the foot. To effect this had been made up on an iron bed.

17<sup>h</sup> Difficulty of getting at bed now - bed now less painful - Determined to place thigh in splint & release knee. ~~See~~

19<sup>h</sup> Release knee a few an end of femur is concerned - thigh without splint seems to be better. General health not quite so good.


Pulse 75-80 - Respiration 20-25 - Loss

22<sup>d</sup> No pain in thigh whatever, except when jolted. Moved outwards from pelvis & towards hip, slipping. Inconvenience of air bed prepared on his hands - trying to raise himself across me to rise under blanket - difficult to get at bed now.


24<sup>h</sup> After some considerable trouble w/ P. thigh into good pos<sup>n</sup> - no out pain. But no inner side splint. Complaint of pain about nightfall - bed now not painful. General health tolerably good. No leucorr<sup>ea</sup>. Pulse moderate - 2 appetite good. Tongue clean. No restraint or tenderness between knee & hip

Nov. 4<sup>h</sup> Has been going on very steadily. No serious troubles. Gen<sup>l</sup> health continues good. Finding better place to raise himself, since from the knee - much kneeling of the thigh, or at length to keep it raised. Discharge diminishes when prepared up with direction towards it (towards the feet) it was inclined to increase










10  
11
























A powder made of the seeds of the  
Almonds, & led me to understand mine  
intention

in the Hospital, 11 Sept

Nov 17th

Nov

Nov 13th

Nov 7th

Nov 1st  
Nov 2nd  
Nov 3rd  
Nov 4th  
Nov 5th  
Nov 6th  
Nov 7th  
Nov 8th  
Nov 9th  
Nov 10th  
Nov 11th  
Nov 12th  
Nov 13th  
Nov 14th  
Nov 15th  
Nov 16th  
Nov 17th  
Nov 18th  
Nov 19th  
Nov 20th  
Nov 21st  
Nov 22nd  
Nov 23rd  
Nov 24th  
Nov 25th  
Nov 26th  
Nov 27th  
Nov 28th  
Nov 29th  
Nov 30th



gracereco

Camphorae 45  
36

gummi brasiliense

Cucurbitae

Cucurbitae X  
Cucurbitae A 6

Tapacivody / 4 nep. Camphora  
Tabach Kolob. no 2ap

Dezonia Thyppreudo. 8. 7. 7.

Ira Palanay 4  
52 37

Reco kap bi tpucaim

mamun tpucaim mamun

Ukapu Ipu mamul ulow

Apocoy

1  
8

3  
2

Bohomo nichda  
gru sed upo Lmuda

Oct 16 ?

Healthy appearance

Ramc 637/6  
Transcript

Massy Wound of entrance in fold between left nates and thigh - about 3 inch from V tuberosity of ischium on that side - passage oblique across thigh - wound of exit about half way between ant. sup. spinous process of Ilium & edge of patella - on outer and antr aspect of thigh. From appearance of wound caused by musket ball. Distance traversed by ball inches. Femur supposed not to be comminuted

----

Left behind. Remained on ground from 2 p.m. on 8th till 3 a.m. on 9th Sept. Arrived in camp about 4 a.m. - cold windy night - Was struck and bruised in right thigh by a stone at the time of the explosion of the Magazine about 1 a.m. the 9th

17th Going on favourably. Bowels moved.

18th Going on favourably. Fowl for dinner

19th Rather restless last night. Cheeks flushed. Pulse moderate, & tongue clean. Discharge moderate. Bowels moved on 17th

~~20th Bowels moved without inconvenience last night. No pain in thigh~~

20th Bowels moved without inconvenience last night. No pain in thigh. Discharge moderate. Appetite good.

21st Going on favourably. Slight bed sore left tuberosity

22nd Bed sore/troublesome. try counter pressure. Vesper, More irritation Pyrexia. Has been disturbed by too many visitors & bed sore troublesome -  
air  
. Try sas pillow etc.

23rd Restless night. Compelled to remove air pillow. Pain produced in thigh. Bowels moved. Less pyrexia, pulse 84. Discharge copious, healthy.

24th Easier in all respects.

26th Slept well. Discharge profuse. ? othitic Bed sore troublesome. Wine at dinner.

27th Pulse 90 weak. Tongue clean. Bowels regular. Flush on face. Skin cool. Slept well. Appearance of absorbent inflammation up the right calf of leg and inclining inwards behind popliteal space. Complains of occasional shooting pain in foot. Wound of entrance nearly dry. Discharge from other wound as before. Water dressing to all the limb.

28th Symptoms much the same as yesterday

30th Bed sore very troublesome. Removed part of ~~mattress~~ contents of mattress so as to form hollow under the site of sore.



Oct 1st Seen by Dr Alexander and Mair. Bedsore more easy but slight displacement of thigh - overriding of upper portion. Determine to place the limb, on its back - long thigh splint

Oct 2nd. Try to place long splint but find it unfavourable on many accounts. It throws the wound from which the pus issues freely at present upwards & the wound near the nates it throws upon the back - out of view. The upper portion is pulled up by the psoas and iliacus muscles. No pain or uneasiness at present.

3rd No change. Secretions and excretions regular. Pulse moderate

Nasry continued

Rather restless last night. No fever this mg. B. reglr. Bedsore over sacrum very deep and excavated but discharge healthy.

9th. Changed to a horsehair bed ? bedsore without much inconvenience. Fancy that a quantity of callus is thrown out. Did not feel any grating when I held the thigh in carrying him. Appetite continues good.

13th Bedsore extending. No other change. Pulse flabby. Granulations (?) about outer side wound. Discharge healthy from lower opening

16th ? on double inclined plane to prevent increasing eversion of foot. In aft. places h-hair mattress on air bed.

17th Difficulty of getting at bedsore - bedsore less painful - - Determine to place thigh on splint to release knee

18th Release knee as far as end of femur is concerned - try thigh without splints - seems to be motion General health not quite so good.

Pil Hydr gr v P Opii gr i hisis:

22nd No pain in thigh whatever except when jolted. Bowed outwards from pelvis. Constantly ~~sleeping~~ slipping. Inconvenience of air bed pressure on his head in trying to raise himself ? diffc to get at bedsore

24th After considbl trouble set Rt thigh in good posn without pain. Put on inner side splint. Complains of pain about right ilium. Bedsore not painful. General health tolerably good. No hectic. Pulse moderate. Appetite good. Tongue clean. No restraint in limb between knee and thigh

Nov 4th Has been going on very steadily. Bedsore troublesome. Gen health continuing good. Union taking place. In raising himself rises from the knee. Much trembling of the thigh in attempting to keep it raised. Discharge diminishing When pressed up in V direction towards ?

it was inclined to narrow



GOREN Left shoulder. Wound of entrance through upper part of left scapula near supr post angle - of exit about 2 inch above fold of axilla - Ball and piece of cloth excised by me, a piece of bone fixed in the lead of ball - Scapula comminuted. Mouth filled with blood immediately after being struck - Was just on edge of ditch - Shot from flanking fire about 150 yards distant. Bloody expectoration continued about 5 days - ceased gradually - Heaving cough with slightly increased expectoration. On auscultation dull murmur, crepitating rales in lung  
17th Tongue coated. Diarrhoea continuing

Vesper Pil Hyd grs x, P Opii gr i h:st:s:

18th

19th. Bowels moved twice last night - no pain - less debility on being dressed - Discharge copious

20th Weak, tendency to faintness - no pectoral symptoms - Pulse slow, weak. Wine 1 Gill

21st. Attack of diarrhoea - no appetite - wound discharging copiously

Pil Hyd gr x P. Opii gr i s. o. s.

Mist Sulph Ac c Opio ? / 3 h:ly

22nd Digestion more natural - Wound as before

23rd Diarrhoea ceased - Tongue clean - Strength improved - Wound progressing favourably

25. A small piece of bone separated from scapula - Bowels regular - appetite improving - Discharge from both wounds copious

26 Small spic. of bone removed - Perspires copiously at night

27. Wound over scapula very healthy - Wound in front contracting - pus thicker - complains of perspiring too freely at night -

No diarrhoea. Mist Quin quartis horis

28 Going on favourably. Port Wine 6 glasses during 24 hours - Beer if necessary

Oct 1st Vesper Pil Hyd grs x P; Opii gr i h:st:s: rather restless today  
Tongue coated - Discharge copious mixed with blood

2nd Slept all night - several spicules of bone removed today - Small fragments have come away the last two or three days - Discharge copious - Complains of stiffness about the shoulder - slight numbness of arm - Coagula from front wound - apparently bleeding from back wound from sharp edges of bone in granulations which has passed along wound to front. Genl health improved



GOREN

Oct 4th Vesper Pil Hydr gr x Pil Opii gr i h:s:s:

5th Discharge very profuse chocolate colored. appears weaker while being dressed. Eat diet yesterday with moderate appetite

Port wine to be limited to 4 glasses daily.

12 th Vesper. Strength rather improving, appetite indifferent Discharge still profuse, healthy - Posterior wound closing

18th Tendency to diarrhoea again - gaining strength

Sulph Ac o op

Pil Hydrarge gr x P Opi: gr i h:s:s:

19th Better - less diarrhoea

Repeat Pil Hydr gr iiii. P. Opii gr i omne nocte

23rd Wounds closing - Discharge thick & purulent - Strength slowly returning - Appetite indifferent

Tinct Ferri ? Muri m x ter die

29th Recurrent diarrhoea - relieved by Sulph Acid mixture & Op  
Nov 2nd He has been slowly improving - Appetite indift - Gains strength slowly - Small piece of bone came from scapula wound today - Discharge gradually diminishing - Applied for Medical Board this afternoon - object to get away before the frost and cold weather come on - Sea air improve his strength more quickly.

Nov 4th As before

8th Sat up each day for some hours - more strength than I had imagined - Appt good - All symptoms favourable

9th Left camp by jaunting car ambulance - bone joining well - Bayfield went w him - Walked up side of ship "Andes" without assistance

10th sailed for England