

**Table referenced as "Comparison of DNA labelling and cell division in the seminal vesicle and oesophagus of mice"**

**Contributors**

Pelc, Stephen Richard

**Publication/Creation**

March 1959

**Persistent URL**

<https://wellcomecollection.org/works/ae9f3vx7>

**License and attribution**

You have permission to make copies of this work under a Creative Commons, Attribution, Non-commercial license.

Non-commercial use includes private study, academic research, teaching, and other activities that are not primarily intended for, or directed towards, commercial advantage or private monetary compensation. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>

Comparison of DNA labelling and cell division  
in the seminal vesicle and oesophagus of mice

	SI %	MI %	$\frac{SI}{MI}$
seminal vesicle	$4.4 \pm 0.9$	$0.05 \pm .03$	88
oesophagus	$18. \pm 1.1$	$9.5 \pm 1.0$	1.9

SI: number of labelled nuclei per 100 cells 24 hours after injection of labelled thymidine.

MI: number of metaphases per 100 cells after 6 hours treatment with colchicine.

$\frac{SI}{MI}$ : the ratio of labelled cells to dividing cells as scored under the experimental conditions used in this investigation.