

Copy of a printed diagram referenced as "T4 fine structure map"

Contributors

Wilkins, Maurice Hugh Frederick, 1916-2004

Publication/Creation

October 1960

Persistent URL

<https://wellcomecollection.org/works/jsj8n63j>

License and attribution


You have permission to make copies of this work under a Creative Commons, Attribution, Non-commercial license.

Non-commercial use includes private study, academic research, teaching, and other activities that are not primarily intended for, or directed towards, commercial advantage or private monetary compensation. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



Preliminary locations of stable *rII* mutants. Mutants producing no wild recombinants with each other are drawn in overlapping configuration. Pairs which produce small amounts are placed near each other. Since there remain some gaps, the order shown depends upon that established by Doermann (4) for the mutants shown on the axis. The scale is somewhat distorted in order to show the overlap relationships clearly. Brackets indicate groups, the internal order of which is not established. Ten stable mutants of the A class and six of the B class were not sufficiently close to any others to permit them to be placed on the map. (A class equals A cistron; B class equals B cistron.)

STANLEY B. BENNETT