

Table referenced as "Amount non-chrom[osome] protein"

Contributors

Richards, E. G. (Edward Graham)

Publication/Creation

January 1962

Persistent URL

<https://wellcomecollection.org/works/tfuauqjc>

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution, Non-commercial license.

Non-commercial use includes private study, academic research, teaching, and other activities that are not primarily intended for, or directed towards, commercial advantage or private monetary compensation. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

SPECIES	CELL TYPE	AVERAGE DRY MASS OF NUCLEUS OR METAPHASE CHROMOSOME SET g. $\times 10^{-12}$		
		Early Prophase	Metaphase	% Change P>M
Mouse	Embryo heart fibroblasts in tissue culture	110	58	47%
Mouse	Krebs' ascites tumour	210	120	43%
Leucojum aestivum	Endosperm	2500	800	63%
Haemanthus katarinae	Endosperm (Colchicine treated)	738	370	50%