# Graph referenced as "Relative intensity plotted against spacing of 1.0 for frog muscle"

## **Contributors**

Lowy, Dr.

## **Publication/Creation**

September 1963

### **Persistent URL**

https://wellcomecollection.org/works/u8v63hh3

### License and attribution


You have permission to make copies of this work under a Creative Commons, Attribution, Non-commercial license.

Non-commercial use includes private study, academic research, teaching, and other activities that are not primarily intended for, or directed towards, commercial advantage or private monetary compensation. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



Relative intensity plotted against spacing of 1,0 for frog muscle. Each point represents a separate experiment and all the muscles were alive. The relative intensities are grouped in the following categories: bllowing categories:  $\begin{array}{c} 1, \ 1,0 \ \text{reflection seen clearly; no sign of 1,1 reflection;} \\ 2, \ 1,0 \ \text{seen clearly, traces of 1,1;} \\ 3, \ 1,0 > 1,1, \ \text{both seen clearly;} \\ 4, \ 1,0 \simeq 1,1, \ \text{both seen clearly;} \\ 5, \ 1,0 < 1,1, \ \text{both seen clearly;} \\ 6, \ 1,1 \ \text{seen clearly, traces of 1,0;} \\ 7, \ 1,1 \ \text{seen clearly, no sign of 1,0.} \\ \text{See legend to Plate I for explanation of markings (a), (b) and (c).} \\ \end{array}$