

Graph referenced as "Records of dual shortening changes which occur in released isotonic contractions of a frog sartorius muscle"

Contributors

Lowy, Dr.

Publication/Creation

September 1963

Persistent URL

<https://wellcomecollection.org/works/t8pcby6g>

License and attribution


You have permission to make copies of this work under a Creative Commons, Attribution, Non-commercial license.

Non-commercial use includes private study, academic research, teaching, and other activities that are not primarily intended for, or directed towards, commercial advantage or private monetary compensation. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



Experimental records of dual shortening changes which occur in released isotonic contractions of a frog sartorius muscle ($l_0 = 30$ mm) at 2°C . The origin of each trace is different and the number for each is the load in gram weight against which the muscle shortened after release from full isometric tension. The dots on the length-interval lines give time in 1000 cps (40).

it should be borne in mind that the assumption made above in effect states in the form of definitions our conceptions of the properties of the contractile and series elastic components.

PROPERTIES OF THE SERIES ELASTIC COMPONENT

How these two components are supposed to interact in