

## **Table referenced as "Na22 in mice"**

### **Contributors**

Pelc, Stephen Richard

### **Publication/Creation**

November 1964

### **Persistent URL**

<https://wellcomecollection.org/works/j2vsasna>

### **License and attribution**

You have permission to make copies of this work under a Creative Commons, Attribution, Non-commercial license.

Non-commercial use includes private study, academic research, teaching, and other activities that are not primarily intended for, or directed towards, commercial advantage or private monetary compensation. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>

Na<sup>22</sup> in mice  
13 - 15 days exposure

grains per unit area after i.p. injection

<u>Organ</u>	<u>10 min.</u>	<u>1 hr.</u>
liver	41	47
intestine	42	34
seminal vesicle	34	-
thyroid	-	77
skeletal muscle	-	44
smooth muscle	44	46
cartilage	-	162
bloodclot	-	58
plasma =		
bloodclot x $\frac{100}{60}$	-	97