

## **Graph referenced as "Odd nucleotide alkaline spectra"**

### **Contributors**

Lee, Dr. S.

### **Publication/Creation**

April 1965

### **Persistent URL**

<https://wellcomecollection.org/works/nspvc5qw>

### **License and attribution**


You have permission to make copies of this work under a Creative Commons, Attribution, Non-commercial license.

Non-commercial use includes private study, academic research, teaching, and other activities that are not primarily intended for, or directed towards, commercial advantage or private monetary compensation. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>



Ultraviolet spectra of 6-methylaminopurine riboside (A), 6-dimethylaminopurine riboside (B), thymine riboside (C) and the 7-methylguanosine derivative (D) in 0.01 N-NaOH, adjusted to pH 12.0, at a concentration of 0.1 mM. The spectrum of the 7-methylguanosine derivative was taken after 15 min. in 0.01 N-NaOH at pH 12.0, after which the spectrum remained unchanged for 15 hr.