

Introduction to the Catalogue of the collection of calculi of the bladder : upwards of one thousand in number, besides foreign bodies, removed by operation / by Sir Henry Thompson.

Contributors

Thompson, Henry, Sir, 1820-1904.

Publication/Creation

London : J. & A. Churchill, 1893.

Persistent URL

<https://wellcomecollection.org/works/eghw3n27>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>


INTRODUCTION TO THE CATALOGUE
OF
THE COLLECTION
OF
CALCULI OF THE BLADDER


M18931



22101843993









Digitized by the Internet Archive
in 2014

INTRODUCTION TO THE CATALOGUE
OF
THE COLLECTION
OF
CALCULI OF THE BLADDER

BY THE SAME AUTHOR

The Suprapubic Operation of Opening the Bladder for the Stone and for Tumours.

With 13 Engravings. 8vo. 3s. 6d.

The Diseases of the Prostate: their Pathology and Treatment.

Sixth Edition. With 39 Engravings. 8vo. 6s.

Stricture of the Urethra and Urinary Fistulæ: their Pathology and Treatment.

Fourth Edition. With 74 Engravings. 8vo. 6s.

Clinical Lectures on Diseases of the Urinary Organs, delivered at University College Hospital.

Eighth Edition. With 121 Engravings. 8vo. 10s. 6d.

Tumours of the Bladder: their Nature, Symptoms, and Surgical Treatment.

With numerous Illustrations. 8vo. 5s.

The Preventive Treatment of Calculous Disease, and the Use of Solvent Remedies.

Third Edition. Crown 8vo. 2s. 6d.

Lectures before the Royal College of Surgeons on some Important Points connected with the Surgery of the Urinary Organs.

With numerous Engravings. 8vo. 2s. 6d.

LA 3

INTRODUCTION TO THE CATALOGUE
OF
THE COLLECTION
OF
CALCULI OF THE BLADDER

UPWARDS OF ONE THOUSAND IN NUMBER

(BESIDES FOREIGN BODIES)

REMOVED BY OPERATION

BY

SIR HENRY THOMPSON, F.R.C.S., M.B.LOND.

SURGEON EXTRAORDINARY TO H.M. THE KING OF THE BELGIANS; CONSULTING SURGEON
AND EMERITUS PROFESSOR OF CLINICAL SURGERY TO UNIVERSITY COLLEGE
HOSPITAL, LONDON; MEMBER OF THE SOCIÉTÉ DE CHIRURGIE
OF PARIS, ETC. ETC.

THE COLLECTION WAS PRESENTED IN 1892 TO THE HUNTERIAN MUSEUM OF
THE ROYAL COLLEGE OF SURGEONS IN LONDON, WHERE IT IS NOW DEPOSITED
TOGETHER WITH COPIES OF THE CATALOGUE AND INTRODUCTION

LONDON
J. & A. CHURCHILL
11 NEW BURLINGTON STREET

1893

INTRODUCTION TO THE CATALOGUE

THE COLLECTION
CALCULUS OF THE HIGHER ORDER

14792624

M18931

WELLCOME INSTITUTE LIBRARY	
Coll.	welMOmec
Call	
No.	WJ500
	1893
	T47i

GB3

P R E F A C E

IN the summer of 1892, I offered to the Royal College of Surgeons, in Lincoln's Inn Fields, my Cabinet of Calculi, containing all these as well as foreign bodies which I have myself removed by operation from the living subject during my career in London—the whole and no other—together with the history of each patient, taken at the time from the original note-books now in my possession.

The College did me the honour of accepting the Cabinet, and of giving it a prominent position in the Hunterian Museum, an unrivalled collection which is not only the most valuable possession of that venerable and renowned corporation, but is in itself a striking witness to the achievements of British Surgery and Physiology during the nineteenth century.

I have edited, with considerable pains and labour, a Catalogue of the contents of the Cabinet, and copies of this will be found in the Museum. Moreover, I have written an Introduction thereto, which embodies briefly all the statistical as well as much other information, obtained from the experience gained in my practice, embracing as

it does 1,013 operations for the removal of calculi and foreign bodies.

I have ventured to think that the publication of this Introduction as a small volume apart may furnish an acceptable *résumé* of practical work during about thirty-five years, and I have endeavoured to make it absolutely faithful in regard of all the facts which have come under my observation in connection with my personal experience in operating for Stone in the Bladder.

I presented in 1890 to the Royal Medico-Chirurgical Society an analysis of 964 cases. This has now been carried further in point of numbers; the whole has been rigidly examined and revised to render it, if possible, more exact by careful reference to original notes and inquiries relating to after-history, &c. These facts are embodied in the Catalogue, and a small portion, embracing twenty consecutive average cases, is presented at the beginning of this volume as a fair specimen of the system adopted for setting forth the facts in ordinary cases. When cases of exceptional interest have occurred, the records are much fuller in detail.

LONDON : 35 WIMPOLE STREET,
May 1893.

THE
INTRODUCTION
TO THE
CATALOGUE OF CALCULI

NOW AT THE ROYAL COLLEGE OF SURGEONS,
AND REPRINTED THEREFROM, BY ITSELF

THIS volume contains, arranged in a tabular form, a brief account of every case, without exception, of Stone in the Bladder which has been operated on by myself, from the first in 1857, to the present date, April 1893.

The name of each patient, with his or her age, the nature of the operation, the year in which it was performed, the nature and number of the calculi present, and the after-history so far as I have been able to ascertain it, are recorded, each particular in a separate column.

[I offer here an abstract from the Catalogue which accompanies the Cabinet of Calculi at the College of Surgeons, to illustrate these remarks, and those which follow.]

N ^o	Date	Age	Lithotrity—Name	Lithotomy—Name	Nature and Number of Calculi
50	1865	60	E. T.		Phosphatic
51	"	75	Capt. M.		Phosphatic Ditto
52	"	61	T. O.		Very large, uric acid
53	"	59	H. C.		Phosphatic
54	"	65	J. G.		Uric acid
55	"	58	A. M.		Uric acid Ditto
56	"	62	G. B. (Hospital)		Phosphatic
57	"	71	R. F.		Uric acid: three
58	"	28	E. B. (Hospital)		Phosphatic
59	"	71		J. P. (Hospital)	Uric acid, and much phosphate

If Death followed	Results as to Recovery &c.
	Successful.—In three sittings. <i>April 11, 1865.</i> —I used Mr. Clover's exhausting bottle for the second time only, and found it very useful to remove the débris (the action of this instrument is more painful than that of the lithotrite; the patient not taking chloroform). Almost all his urine is passed by catheter from atony of the bladder. After a year he had again symptoms, and I removed a second stone in 1866. No return afterwards. He continued an active life until his death in 1875. I record two operations for this patient
	Successful.—Several sittings, aided by the use of Clover's bottle, he being the first patient for whom I tried it, the date being <i>April 8, 1865.</i> A year and a half afterwards I removed another rather large stone; after this I occasionally removed a phosphatic concretion, but he had excellent health, and died at eighty of apoplexy. He was attended throughout by my friend Mr. C. A. Aikin. I record two operations for this patient
	Successful.—It was a large stone for lithotripsy, and required ten sittings, without chloroform. Mr. B. Hill attended this case with me, and it was seen by Dr. A. Simpson, of Glasgow, and also by Dr. Van Buren, of New York. I used Clover's bottle to remove some of the débris on one occasion, but it gave much pain
	Successful.—He was the subject of advanced albuminuria; and I operated to relieve his sufferings. The stone was large and I used Clover's bottle in this case, also to aid in removing débris. He died a little less than a year after the operation, much relieved by the removal of the stone. I saw him in consultation with Dr. Sharpe, of Norwood; and Dr. Van Buren was present at a sitting
	Successful.—From Naval Hospital, Plymouth. I heard from him six months after that he was well, but never received any further communications. Also seen by Dr. Van Buren, and by Dr. A. Simpson, of Glasgow
	Successful.—In eight sittings, as the stone was rather large; no chloroform was taken. Sent to me by Mr. Veal, Grimsby, and seen by Dr. Van Buren. Had excellent health, and no return for six years; then slight symptoms, which increased during two years He came to me with a fresh uric acid calculus in 1873, and was again successfully treated by lithotripsy. Living and well now, 1879. I record two operations for this patient
	I crushed twice, and could find no more calculus; the bladder was evidently much thickened and diseased, and the symptoms were not much relieved. He went home to Framlingham, Suffolk, whence his attendant, Mr. Jeaffreson, wrote me that he passed two very small fragments after his journey. Some time afterwards he died of peritonitis. Autopsy: Bladder involved in a mass of cancer on one side, and sacculated; no fragments of calculus remained. The death here was clearly due not to the lithotripsy, but to the cancer
	Not very successful at first; but much relieved. The prostate was very large, and I could seize nothing except by using the lithotrite with reversed blades. Clover then gave him chloroform; I used his bottle to remove the débris, showing it to Dr. Van Buren who, as well as Mr. M. B. Hill, was present. He was troubled with chronic cystitis, and six months afterwards I removed a small phosphatic calculus, not reckoned as another operation. Subsequently he was free from trouble, and I heard from him as being well in 1869. Seen in consultation with Dr. A. Simpson, of Glasgow
	Successful.—In six long sittings. He had been in the Birmingham Hospital under Mr. Gamgee, who advised lithotomy, which the man refused, and left. I advised the same when he came to me, but on his refusing I consented to crush, and he made a rapid and sound recovery
	Medio-bilateral lithotomy: successful. He had stricture, and I could not introduce a lithotrite, so I cut him in the manner named. The stone being large, I broke it in the bladder before removing. Fragments weighed $3\frac{1}{4}$ ounces; uric acid. Recovery rather slow, but ultimately he got well

N ^o	Date	Age	Lithotrity—Name	Lithotomy—Name	Nature and Number of Calculi
60	1865	62	R. B.		Uric acid
61	"	74	Wm. M.		Uric acid
62	"	70	G. M.		Large uric acid Ditto Ditto Urate and phosphate
63	"	62	J. R.		Uric acid
64	"	61	Baron de T.		Uric acid
65	"	73		J. K.	Large oxalate of lime
66	"	39	F. B. (Hospital)		Phosphatic (bony nucleus)
67	"	69	P. B.		Mixed uric acid and phosphatic: two
68	"	47	J. D.		Phosphatic
69	"	65	C. F.		Uric acid

If Death followed	Results as to Recovery &c.
	Successful.—In three sittings, under chloroform; and had no return. Lived in good health and activity several years at his place, Castle Eden, Durham, and died in 1875
	Successful.—In four sittings, without chloroform. He had a very large prostate, which occasioned some difficulty to me at that time. He lived two and a half years afterwards. I saw him in consultation with Mr. C. King, of Highbury
	<p>Successful.—The stone was large, hence Clover gave him chloroform, and I removed much débris with his apparatus. It required, nevertheless, nine sittings. But this patient produced more calculi than any man I ever knew, except one, a notable example, No. 204. After this operation he enjoyed complete freedom from symptoms up to 1867. Then they reappeared, and in 1868 I crushed a moderate-sized uric acid calculus, and he made a good recovery</p> <p>In 1870, a large collection of calculi, some as big as a pea, about one hundred; many washed out by Clover's apparatus</p> <p>In 1871, a mixed phosphatic calculus and urates, large. He lived to 1873, passing all his urine by catheter, and suffering much from vesical troubles, but without further calculus formation, dying at the age of 78. I record FOUR operations for this patient</p>
	Relieved, after seven sittings, the last only under chloroform, in order to use Clover's apparatus; and he had no return of calculus, but had chronic cystitis some time. Seven years afterwards he came again, and was greatly relieved by learning to pass a catheter, as he was then unable to empty the bladder. Since then I have heard nothing more of him. Often seen by Mr. M. B. Hill
	Successful.—Was seen throughout in consultation with Dr. Greenhow
Death	Medio-bilateral operation. Mr. Erichsen held the staff. Stone weighed 2½ ounces, a specimen of rough mulberry, and difficult to extract. He died, slowly exhausted, with no marked symptoms, on the twenty-third day after operation. He was brought to me by Mr. Morley, of Barton-on-Humber, who was present at the operation
	<p>Successful.—In three sittings, without chloroform. The remarkable circumstance in this case was, that I found and extracted a piece of bone, the nucleus of the stone, on first crushing it. Then I learned that several years before he had undergone long and painful confinement with disease of the hip-joint and pelvis. Bone had been exfoliated externally, as several cicatrices witnessed, and no doubt a portion had also escaped into the bladder. Sent to me by Dr. West, Alford, Lincolnshire</p> <p>July 6, 1882.—Learned that he is well, and perfectly free from symptoms</p> <p>For a somewhat similar case, see No. 878, occurring in a lad aged 15, and treated by lithotomy</p>
	Successful.—In seven sittings. Seen with Dr. Buchanan, of Glasgow, who was present at the first. At a subsequent sitting Clover gave him chloroform, and I removed much débris with his apparatus. The patient had been cut three years before, and two uric acid stones removed. He lived several years afterwards
	Successful.—In five sittings. No return two years afterwards when I saw him. Sent by Mr. Rhind, of Shipley, Yorkshire. Dr. Agnew, of New York, was present at one sitting
	Successful.—In seven sittings, one under chloroform, to use Clover's apparatus. Saw him quite well one year afterwards. Three years after I saw him again with some troubles due to chronic cystitis; there was no calculus whatever, but he did not empty the bladder on account of enlarged prostate, and learned to pass the catheter. Sent to me by Mr. Warwick, Southwell, Notts. Dr. Seegen, of Vienna and Carlsbad, was present at a sitting

In addition to these facts, the distinction between patients treated by me in University College Hospital, and those who belonged to my private practice, is indicated by the word 'Hospital' following the name of each patient in the former class. These ceased in 1874, when, compelled by the heavy claims of other professional work, I resigned my appointment there. When the word is absent, the patient consulted me in private. In all the latter cases, with very few exceptions, the name of the medical man who sent the patient, or who saw him with me, is appended. The exceptional cases are those of patients who had no other medical attendant than myself.

It is to be observed that the first column contains a series of numerals only, from 1 upwards; each of these numbers indicates a single patient, with all the particulars relating to him; and thus including not merely one operation, but occasionally more. The highest figure of the series on any page, therefore, represents the precise number of individuals operated on up to that date, and not the number of operations performed, which is considerably larger, inasmuch as a few patients have been operated on both by lithotomy and lithotrity, and several by lithotrity twice or three times; there are indeed in the entire series seven persons on each of whom four operations have been performed, a number which has in no instance been exceeded. Such patients have frequently had uric acid and phosphatic concretions removed weighing from five to fifteen grains or thereabouts, but these have never been reckoned by me as calculi.

The cases are divided into three separate classes.

CLASS I.—The first class contains cases of Calculus in

Male Adults only. It commences with the number 1, and ends with the number 857.

CLASS II.—The second class comprises cases of Calculus in Women, and also in Children of both Sexes. It commences with the number 860, and ends with the number 889. The number of patients operated on is therefore 887. But the total number of operations performed for stone by all methods is 1,007, as will be shown in detail in the tables given at pages 23 *et seq.*

CLASS III.—The third class contains only cases in which a Foreign Body recently introduced into the bladder, and not being the nucleus of any calculous product, has been removed by operation. There are six examples, which are numbered 1 to 6.

Respecting all these I may state that I possess full notes of every one, recorded at the time of its occurrence, on a system adopted at the outset, and never subsequently changed, from which the leading particulars briefly stated in this catalogue are taken. The name of the medical man who sent me the case, or who was present at the operation (for such there almost invariably was), is here given, as well as the after-history, often embodying observations extending over several years. Every fact named can be verified by evidence under my hand. I have adopted this plan as satisfactory at all events to myself, desiring before all things to make a clear exposition of my entire experience, having often in past time regretted the want of details relating to that of some skilled and practised operators who have left no numerical statements, and only imperfect records or 'general impressions' of the results they obtained. Whatever I offer here may be accepted as the outcome of my entire

work in this department of surgery. Not a single case has been omitted. My object has been to present here an accurate, although necessarily very brief study of the data obtained chiefly in relation to treatment and its consequences. And here let me be permitted to state respecting treatment at the outset, that I am not conscious of having entertained undue predilection for any particular methods, and have therefore selected them, according to my judgment, for the requirements of each individual patient. I may say, however, that after following the method of Civiale, of Paris, the celebrated inventor of lithotrity, I adopted it with confidence for all cases in which the stone was not unduly large.

The operations which I have employed are, Lithotomy by various methods, and Lithotrity; and for a few among the female cases, Dilatation and Extraction.

I. LITHOTRITY.—Regarding lithotrity, the first case was that of a girl, and it bears date of 1854. But it was not until a few years later that this series really commenced. At this time the sittings for a stone of moderate size were short and numerous, and generally without anæsthesia; the débris being permitted for the most part to issue by the natural act of micturition, assisted occasionally by washing out the bladder with a syringe through a large silver catheter. For the first five or six years I employed Civiale's instruments (which were much superior to those then used here), having learned to do so during two or three visits to him at Paris for the purpose, circumstances which led to a very friendly intercourse, terminated only by his death in 1867. Previously to that event, however, I had designed the first lithotrite with a cylindrical handle, an idea which Messrs. Weiss

and Son carried out for me ;¹ and Civiale himself during the last year or two of his life approved and employed my new instruments, made for him at his own request by that firm.

It was early in 1865 that Mr. Clover contrived his method of removing the débris produced by the lithotrite through the action of an exhausting indiarubber bottle and silver evacuating catheter. I used this apparatus for the first time in April 1865, for a patient (case No. 51) whom I saw with my friend Mr. C. A. Aikin, Hyde Park ; and I continued to do so more or less for about twelve or thirteen years, during which time it was modified and improved. As my experience increased, I employed it more freely than at first, and thus diminished materially the number of sittings before considered necessary. Hence the value of an anæsthetic became obvious, and I always advised it when the 'bottle' (or, as it was subsequently termed, the 'aspirator') was employed, since the action was more painful to the patient than that of the lithotrite. After 1872, I rarely operated without it, and therefore preferred the aid of chloroform, which was invariably administered for me by Clover. But previously to the last-named date I was in the habit, whenever severe cystitis appeared in a case undergoing lithotripsy, of employing an anæsthetic at once, that I might empty the bladder at one sitting ; having learned by experience that the best way to treat the cystitis was to remove every fragment of calculus, accomplishing this chiefly by means of Clover's aspirator. This principle of procedure I strongly advocated in my lectures here. I also once made it the subject of clinical remarks after operating

¹ See letter from Messrs. Weiss & Son, *Lancet*, August 20th, 1864, p. 229.

for stone at Hôpital Necker, in Paris (1876-7), at my friend Dr. Guyon's request, before a large number of students there. I contended that the plan of emptying the bladder at a final sitting, under these circumstances, constituted a great improvement on the method by baths, demulcents, rest and waiting for irritation to subside, much employed for cystitis during lithotrity here, and always abroad. But it did not occur to me that this practice would be advisable in every case of calculus, as was, soon after this, to become apparent.

In 1878, Professor Bigelow, of Harvard, U.S., made public his proposal to crush the entire calculus, whenever possible, at a single sitting; assuming that less injury was sustained by the bladder from prolonged manipulation, provided the whole stone was removed at once, than from inflammation caused by prolonged contact with numerous fragments left therein for several days, to await subsequent sittings. I was quite prepared to accept this principle, and testing it without delay soon recognised its importance and value. Since that time I have adopted it, with three or four exceptions only, for all those cases to which I considered lithotrity applicable; using, however, the same lithotrites as before, namely, those made on the model designed by myself, with the cylindrical handle &c. I have made various modifications which experience has suggested from time to time in the apparatus for removing débris, arriving finally at the aspirator which I have used during the last few years. Hence, having employed the same instruments for crushing, and the same system for removing the material crushed, since 1878, as before that date, I am unable to adopt a new name to denote the improvement which

Bigelow introduced. I have continued to perform the crushing operation, Lithotrity, the term given by its illustrious inventor, Civiale, whose sagacity and extraordinary perseverance established it, saving thousands from the knife—alone used before his time in every case—to distinguish it from Lithotomy; and I indicate the essential and important modification of Bigelow by speaking of Lithotrity ‘at one sitting,’ instead of several sittings, as before.

In connection with the specimens preserved here, it is necessary to point out that, in endeavouring to collect the calculous matter removed by Lithotrity of the early type, that is, by numerous sittings, it was never possible to obtain and preserve the whole of the débris. A certain quantity was always lost; the task of collecting having been necessarily confided in part to the nurses, not always sufficiently attentive to this portion of their duty. Among such, however, the specimens may be taken as representing about three-fourths of the calculus in each case. It is advisable, when the débris of a stone removed by Lithotrity is to be preserved, that it should be first dried, then weighed, and the result recorded. Since adopting the method by a single sitting, which renders the proceeding easy, this has been done in every instance. Accordingly, almost every case catalogued here, from No. 503 (1878) to the end of the series, has been thus weighed, and the amount reported in grains.

Each one of these calculi has been placed in a glass cell, marked by the number which in the Catalogue gives the history of the patient, particulars of the operation, description of the calculus, &c.; so that reference can be readily made from the specimens to the particulars, and

vice versa. Thus, the first calculus requiring operation in any given case is, in the great majority of instances, not followed by another; and the specimen bears a single number. Of this condition, the first thirty cases of the Catalogue are examples, and the specimens are marked 1 to 30. But in cases where the operation was repeated for an entirely new formation, as for example in Case 510, the first specimen is marked with that number only, while the second is marked 510 *a*, and the third 510 *b*. In this instance the first was removed in 1879, the second in 1883, and the last in 1890. All three belong to the patient denoted by the number 510, and do not appear in any other place. Thus each number denotes an entire history, so far as it is known to myself.

There is a feature in the collection of which I have to say a few words. Although it contains many large calculi, including a few of remarkable size, there is a considerable proportion of small ones, when compared with most of the old existing collections, obtained only by Lithotomy, brought together as they were before the middle of the present century. When the knife was the only means available to remove the stone, few patients ventured to encounter the risk of operation until after some years of suffering; while the surgeon himself rarely recommended it until the stone had attained certain proportions. But as soon as the great superiority of Lithotrity, particularly for cases where the calculus is small, had become evident, the idea which dominated my practice and my teaching was the extreme importance of discovering the stone in the early stage; since the dangers incurred by the patient with a large stone, either from repeated sittings by Lithotrity, or from the knife, were thus to be avoided.

I lost no opportunity of seeking for the calculus when recently developed, and learned slowly, with surprise, how much more frequently it was to be found in the bladders of elderly men than I had been taught to expect. So far from the stone being more common in children than in adults, according to the universal belief at the period referred to, justified as it was by the records of hospital practice, I was soon in a position to affirm, and did so, that stone was more common among men of sixty years of age and upwards than at any other period of life. For let it be remembered that all existing records of practice, whether found in museums or reported by the operators themselves, from all sources previous to the middle of the present century, showed that half the total number of operations for calculus occurred in childhood and youth.¹ The truth nevertheless was, that a very large majority of calculous cases was then, as now, to be found in persons above fifty years of age; but the fact was then unknown; the calculi were simply overlooked, not being suspected to exist. And one obvious cause of the oversight is to be found in the truth of the axiom, that the early symptoms in elderly subjects are extremely slight—a rule with only a few exceptions—contrasting strongly with the marked and painful symptoms rarely absent in the young.

Thus the slight irritation, scarcely felt unless considerable exercise is taken, was naturally attributed in elderly patients to commencing enlargement of the prostate, to undue acidity of the urine, to ‘irritation consequent on gout,’ &c. &c. Hence examination of the bladder for calculus had usually been deemed for such

¹ See Appendix, page 39.

slight symptoms unnecessary. But further, at the period referred to, when such cases were examined by an instrument, as sometimes happened, it was obvious, on observing the method usually followed, that the sounds employed, as well as the method of using them, were only adapted to find large calculi; and that a formation about the size of a bean or an almond could only be struck by the merest chance, and had indeed never been seriously sought for or thought of. Such can only be detected with certainty by light and delicate handling with the small curved or beaked sound, at that time unknown, but of which I availed myself some time after its introduction by Mercier of Paris. Yet it is manifest that no greater boon could be conferred on the calculous patient than that of finding his stone while it is still small; and I venture to regard the keen pursuit of this object, and its realisation in two or three hundred cases of elderly men, as one of the most important results illustrated by this collection. Of small uric acid calculi—including a few oxalic acid, but not reckoning phosphatic calculi, so frequent in age—that is, weighing from twenty grains to a drachm, occurring among men of advancing age, say from fifty-five to seventy-five years, there are no less than two hundred examples. The fact that a very large number of patients could thus be freed from calculus almost without risk, was one of the highest importance. But there was another result not less valuable which subsequently appeared, namely, that such patients could almost invariably be prevented from forming fresh calculus by adopting dietetic precautions at an early period, before the morbid tendency had become too strongly marked, and this has, I confess, been to me a source of extreme

satisfaction. I possess a great number of subsequent records concerning patients on whom I have operated once for uric acid calculus, who, having followed instructions in respect of diet and regimen, have had no return. While, on the other hand, the instances in which a fresh acid formation has appeared have taken place in those who have not materially changed their previous habits of life, or in whom those habits had long been confirmed, or the tendency had been intensified by marked hereditary influence.

But at an earlier stage still, calculous matter may not infrequently be detected and removed, while existing only in the form of 'gravel' or 'concretion.' We may often remove these small bodies by the aspirator only, particularly those of uric acid, weighing two or three grains or even larger; or we may occasionally dispose of them by a single crushing of a lithotrite. In connection with this subject I may remark that it has long been customary to employ certain terms to describe these bodies according to their size and importance: the visible crystalline deposits as 'sand,' and the ovoid or irregularly shaped bodies, like grains of wheat, peas, or small beans, as 'gravel' and 'concretions.' The object being to convey general impressions respecting these less considerable formations, and to reserve the word 'stone' for bodies of greater size and importance. Nevertheless all these terms, including even the last named, are sometimes very loosely employed. No doubt it is difficult, perhaps impossible, to define precisely the limit of their meaning in regard of size and weight. But in order to conform as far as possible to the practice of our predecessors, I have invariably refused to recognise as 'stone,' the small bodies

described above, maintaining for them a well-defined class of 'gravel' and 'concretions'; and especially because the removal of small calculous bodies, now that a formidable operation by the knife is no longer necessary, is a matter of extremely small difficulty and gravity. Hence I have uniformly declined to enter, in this series of 'Stone in the Bladder,' any calculous body removed from adult patients (of whom alone I now speak) weighing less than about twenty grains. When a smaller one has been met with I have described it as 'gravel' or 'concretion.'¹ I know that the distinction is quite arbitrary, but I contend that any weight, whatever it may be, which is agreed to as marking the limit between 'stone' and 'gravel' must be equally an arbitrary one. Still, it is highly desirable that a distinction should be drawn, and, if possible, agreed to, or we may have the washing out of tiny bits of gravel of one or two grains represented and recorded as 'an operation for stone in the bladder,' even of an adult patient!² Taking what I venture to believe may be regarded as a common-sense view of the question, I have adopted the twenty-grain limit for myself. Had I reckoned the removal of uric acid and oxalate of lime formations of the size just named, I should have very largely augmented my number of cases; and still more so had I thus regarded the phosphatic concretions which are so often crushed and removed from the bladder of prostatic patients who have long passed all their urine by catheter. Many

¹ Thus some years ago I washed out from a patient's bladder some 500 minute uric acid formations, about the size of a pin's head. The total weight was $2\frac{3}{4}$ drachms. Smaller quantities I have frequently removed, of which examples are presented in the cabinet. But it never occurred to me to regard these as instances of 'stone in the bladder,' or to enter them as cases of operation.

² This actually has taken place. See *British Medical Journal* (1887), vol. ii. p. 1376.

persons live, subject to this calculous complication, in tolerable comfort for ten or twelve years or more. Such an one after some months of freedom from pain gradually becomes the subject of calculous symptoms, often severe, due to the presence of a phosphatic concretion, weighing perhaps ten or fifteen grains, too large to wash out, but which a single introduction of the lithotrite suffices to remove. This proceeding may be performed sometimes once or twice a year, or even more frequently; and thus, for a single individual, the surgeon may have to repeat the process many times. Had I included all these examples in my series of calculi, the total number would have reached *at least three hundred cases* more than it now does.

In relation to the calculi of infants and young children, any small body of a grain or two in weight and upwards requires a skilfully conducted operation, the employment of slender lithotrites, and aspiration through small and delicate tubes; the product for such small patients, of course, ranking as 'a stone.' Deposits of uric acid in minute crystals are common also among children, and are in them, as in the adult, described as 'sand.'

II. LITHOTOMY.—Regarding the series of operations by lithotomy, I commenced with the ordinary lateral operation for the largest calculi, employing the median for those which about thirty years ago were regarded by many as just outside the scope of lithotrity. Subsequently I tried the medio-bilateral of Civiale, and the bilateral of Dupuytren for the first named, not acquiring any marked preference for any one of these methods. It so happened that during the first fifteen or twenty years of my experience no calculus of very unusual size presented itself. I

met with several, weighing from one and a half to three ounces, and usually removed them by the lateral operation. The suprapubic operation I performed for the first time in 1864, not for a calculus, but for a foreign body in the bladder of a young woman, in University College Hospital. It was a hair-pin lying across the bladder, tightly impacted in this position, and defying any fair attempt to remove it by the urethra. The next occasion was in 1877, for a gentleman whose legs were immovable and extended, as the result of spinal disease. The position for lateral lithotomy being impossible, I performed the suprapubic in this, as in the preceding case, on a staff (the method adopted at that time), removing a large uric acid calculus. (Case No. 456 in Catalogue.)

But in the year 1883 I became acquainted with the modification of this operation made by Petersen of Kiel; and from my experience of its results in the hands of Guyon of Paris, and others, I advocated its merits in my lectures at the Royal College of Surgeons in 1884. Immediately afterwards a case of large calculus presented itself, and I performed the new suprapubic operation for the first time in this country, in July of that year (see Case 690). Several other examples soon came under my notice, one of pure uric acid reaching the weight of 14 ounces;¹ and this method, which I have employed seventeen times for stone patients, yielded me the results which surpassed any before obtained from the lateral operation, considering the size of the calculi removed. In connection with the subject it may be permissible to add here that I have also performed the same operation eleven times for the purpose of removing tumours of the bladder

¹ The patient is still living and in good health, 1893. See Case 717.

(none of which cases of course appear here), with only one death following the proceeding, viz. from septicæmia.

The following tables summarise the leading facts relating to the sex, age, nature of calculus, operations employed, their results, etc., in regard of the patients who have come under my care, both in hospital and in private practice, from the first case down to March 1893.

Total of all Cases of Stone in the Bladder operated on in Hospital and in Private Practice between 1857 and March 1893

Total number of cases of operation	1,007	Male Adults	857
Total number of patients	887	Youths and Boys	16
		Females	14

	HOSPITAL			PRIVATE			TOTAL		
	Number of Patients	Number of Operations	Deaths	Number of Cases	Number of Operations	Deaths	Number of Patients	Number of Operations	Number of Deaths
<i>Male Adult Patients</i> —Lithotrity	55	63	6	669	781	43	724	844	49
Lithotomy, Perineal	24	24	10	91	91	32	115	115	42
„ Suprapubic, old method	—	—	—	1	1	1	1	1	1
„ „ new method	—	—	—	17	17	4	17	17	4
	79	87	16	778	890	80	857	977	96
<i>Youths and Boys</i> —Lithotrity	3	3	—	—	—	—	3	3	—
Lithotomy, Perineal	10	10	1	2	2	—	12	12	1
„ Suprapubic	—	—	—	1	1	—	1	1	—
<i>Female Adult Patients</i> —Lithotrity	—	—	—	2	2	—	2	2	—
Lithotomy	—	—	—	9	9	1	9	9	1
Dilatation and extraction	—	—	—	2	2	—	2	2	—
<i>Girl</i> —Lithotrity	1	1	—	—	—	—	1	1	—
	93	101	17	794	906	81	887	1,007	98
<i>Foreign Bodies in the Bladder</i> —									
Removed by Lithotrity (males)	—	—	—	5	5	—	5	5	—
Removed by suprapubic operation, old method (female)	1	1	1	—	—	—	1	1	1

On examining the preceding table it will be observed at once that the proportion of children to adults is extremely small. Among these only sixteen males fell to my lot, thirteen of whom were in hospital practice; three were cases in private practice: a fresh illustration of the rarity of calculus in the children of parents among the middle and upper ranks of life. Sir William Fergusson stated that he had but once received a fee for operating on a child. Deschamps in the latter part of the last century stated that he had never seen an example among families in easy circumstances.

The number of females operated on was fourteen—thirteen adults and one girl—and of those little need be said here. The mode of operating is described for each case in its place in the Catalogue, nearly at the end, pages 96, 97. Circumstances vary considerably, demanding modifications in treatment. When the calculus was large, a moderate incision, like the deep one in lateral lithotomy, answered well.

I have therefore now to deal with male adult cases only. Deducting these two series of 16 and 14 respectively from 1007, the number of male adults remaining is 977: 844 by lithotrity, and 133 by lithotomy.

Respecting these operations, it will be seen that they were performed on 857 individuals: due to the fact that several of the patients operated upon by lithotrity formed fresh calculi subsequently, and again required surgical treatment. As before observed, the word 'operation' has been applied solely to the removal of an important formation, and not to that of removing the small, often frequently recurring concretions already referred to.

Next, it should be stated that there were six patients

among the entire number who were operated on by me at different periods of their lives, and for different stones, both by perineal lithotomy and by lithotrity; but in each case at a more or less considerable interval of time. These cases are numbered in the Catalogue as follows—170, 233, 341, 396, 474, 714.

Among the 844 cases of Lithotrity in the Male Adult—the sum total of hospital and private practice—there were seven patients who had the operation performed four times for different calculi, with considerable intervals of time (several years) between each. There were ten patients operated on three times; and seventy-eight patients operated on twice.

Hence there were 630 patients operated upon by lithotrity *once only*, at all events by myself. A very few of these have to my knowledge been operated on a second time by some other surgeon; but almost the entire number have remained free from stone-formation subsequently.

Nature of the Calculi removed.—The calculi removed from male adults in hospital practice were 87 in number: viz. 24 by perineal lithotomy, and 63 by lithotrity = 87.

The calculi removed from male adult patients in private practice are 890 in number, as follows: 91 by perineal lithotomy, 18 by suprapubic lithotomy, and 781 by lithotrity = 890.

	Hospital	Private	Total
Uric acid { Multiple calculi 8 } 53 106 } 498 551			
{ Single calculi 45 }		392 }	
Uric acid and phosphate 8 84 92			
Oxalate 3 31 34			
Oxalate and urate 4 31 35			
Oxalate and phosphate — 18 18			
Phosphates 18 226 244			
Cystine 1 2 3			
	87	890	977

The calculi in fourteen female cases (one a girl) were:— [Brought forward 977]

Uric acid	10	
Uric acid and phosphate	2	
Phosphates	2	
	<u>14</u>	14

The calculi in sixteen cases of male children were:—

Uric acid	10	
Urate and phosphate	3	
Oxalate	1	
Oxalate and urate	1	
Phosphate	1	
	<u>16</u>	16
Total number of cases		<u>1,007</u>

The age of male patients with calculus will be next examined. I have already referred to the very large proportion of elderly men who are affected with calculus, in calling attention to the circumstance that this important fact has not been hitherto recognised. The statements now made will illustrate this view.

Of the entire record of 1,007 cases, the number of male patients (adults and children) operated on was 993. Their ages are shown in the following table, which presents them in five classes, for reasons which will appear.

Class 1. Contains all from the earliest age to puberty, say from the 1st to the 15th year.

Class 2. The period from 15 to 25 years, at which stone is most rare.

Class 3. From 25 to 50, during which it gradually becomes more frequent.

Class 4. From 50 to 70, when stone, especially uric acid, abounds.

Class 5. Contains all cases above 70 years, when stone is also frequent; but the proportion of vesical phosphatic formations is greater than in the preceding class.

—	Below 16 years	16 to 24 years	25 to 50 years	51 to 70 years	Above 70 years	Total
In the hospital . . .	13	5	22	56	4	100
In private	3	8	93	583	206	893
Total	16	13	115	639	210	993

The mean age of the whole of the adult male cases occurring in hospital and private practice is within a fraction of $62\frac{1}{2}$ years. The greatest age at which I have operated is 91 years, by lithotrity, for a stone of considerable size (Case No. 797, occurring in January 1888); the patient, who passed all his urine by catheter, was greatly relieved, and was living in the beginning of 1889, in fair health for his age, free from his calculous complaint, but died soon afterwards.

Number and Nature of the Fatal Cases.—I have made it a rule to accept as a 'fatal case' any instance in which death took place within six weeks of the operation from any cause, a very few instances only excepted. In four of these it suddenly and instantaneously occurred from failure of the heart's action, the result of long standing organic disease; the patient in each case being completely convalescent and in apparently good health. In the others, death occurred in similar circumstances; such as an attack of acute bronchitis acquired within the period named, supervening on old chronic asthma. In all cases these attacks were unconnected with blood-poisoning in any form, this latter being always recognised as a case of death due to the operation. I am satisfied that this rule

is a stringent one, laid down as it was at the outset; but I have preferred to err, if at all, in accepting a rather too large proportion of deaths, than by adopting the opposite course.

In considering the question of death, it is of course absolutely necessary to deal with children and adults in separate classes. The different degree of risk incurred from lithotomy in childhood and manhood is so great as to render practically useless any numerical inferences regarding the mortality of cases in which this distinction of age is not kept clearly in view. The number of children is so small in this collection that my remarks will be very brief. There were 16 male children and 1 female. Four were treated by lithotrity, and 13, being mostly large stones, by lithotomy, a very large one being by the suprapubic method. I commenced on the principle of employing lithotrity for children whenever the calculus could be crushed at one sitting, and the very first case of stone which fell to my lot occurred in a girl, and was thus crushed in 1854.¹ Three other cases followed, at University College Hospital, the first being in the year 1860, and all successful. This treatment I advocated at some length in my first work on Calculus published in 1863, alluding to the practice adopted in the Children's Hospital in Paris, where large calculi were crushed at numerous sittings, with very unsatisfactory results.² Among the ten lithotomies in children, there was one death, a case of deformed pelvis from rickets, which, as well as the calculus, I exhibited at the Royal Medical and Chirurgical Society (see Trans. vol. xlvii.), in

¹ Vide *Lancet*, Oct. 21, 1854.

² *Practical Lithotomy and Lithotrity* (Churchill, 1863), pp. 207-211.

which with great difficulty I removed the calculus through a preternaturally contracted outlet. Had I been aware of the fact beforehand, I should have performed a supra-pubic operation.

Hence I have first to deal briefly with the mortality following 977 cases of operation in the male adult only : 844 treated by lithotrity, and 133 by lithotomy.

At the middle of the present century, soon after which my own series commenced (the first case being in 1854, and only three more before 1860), the relation between lithotomy and lithotrity was that of rival systems for the relief of the calculous patient, the respective claims of which for preference were under consideration by the profession. Sir B. Brodie had declared in favour of lithotrity for cases in which the calculus was small, and the passages favourable and healthy.¹ The practice, however, then and for ten years after, was to employ lithotomy as a rule, and lithotrity only in exceptional instances. It was much later even than this before half the cases were generally submitted, in this country, to the crushing operation. When Sir William Fergusson, in 1865, gave a summary of his entire experience, the total number of his cases was 219—namely, 110 of lithotomy, and 109 of lithotrity (an equal division between the two methods); although the latter had occurred in an increasing ratio during the later years of his practice.² My observation of Civiale's practice in Paris, who performed lithotrity in fully seven-eighths of the calculous cases which at the rate of about fifty a year passed through his hands, convinced me that

¹ *Roy. Med. Chir. Soc.* 1855.

² *Lectures on the Progress of Anatomy and Surgery.* By Sir Wm. Fergusson, Bart. F.R.S. (London : Churchill, 1867) Lect. ix. p. 220.

this proportion offered far better results than those attained by the English practice, provided Civiale's instruments and procedure were adopted. This conclusion was also shared by Mr. William Coulson, surgeon for many years to St. Mary's Hospital, who acted on it until the end of his career in 1874.

But the present relations between lithotomy and lithotrity have gradually been changed. There is no longer any rivalry between the two systems; one operation is complementary to the other; lithotrity has in fact superseded lithotomy for all ordinary cases of stone, whatever may be the age of the patient; and a cutting operation of some kind is now only necessary or desirable in certain exceptional conditions, extreme size and hardness of the stone being those which chiefly render it necessary.

I commenced practice under the influence of impressions received from Civiale, reserving only my own opinion that lithotomy might occasionally have been adopted with advantage for some of the calculi crushed by him in Hôpital Necker. Accordingly, among my first 200 patients lithotrity was employed in the proportion of about 4 or 5 cases to 1 of lithotomy. In my next 300 it rose to about 8 to 1. And for the last ten years, during which cases of large calculi have been sent to me in an unusual number, the ratio of lithotrity has slightly diminished, the latter seven years having furnished 17 cases of high operation in the adult, which I have substituted for the lateral with considerable advantage. In relation to this proportion of large calculi, it is necessary to note in passing, that one of the results to an operator of large experience in calculous disease is the attraction to him of advanced, hazardous, and difficult cases. Hence the proportion of patients

demanding lithotomy on such grounds increases during the third period of his career, as compared with his experience in the middle and early periods.

Mortality after Lithotomy.—But with the large proportion of cases just referred to, treated by lithotrity—844 in number: and let it be remembered that male adult cases alone are now referred to—it necessarily followed that a residue of very unpromising patients was left for lithotomy. Each one of these furnished an example, either of an unusually large calculus, or of some complication with organic vesical, and often renal, changes of a marked kind. Thus this group differed very widely from the average stone cases, all of which, before the employment of lithotrity—say, anterior to 1840–50—were treated by the knife. The results of the cutting operation in our metropolitan and large country hospitals for fifty years or more, before this period, had been carefully examined and collated by myself so as to ascertain the rates of mortality at various periods of life. I devoted much labour to this inquiry, visiting the chief provincial localities to inspect the collections and the records.¹ I found the death-rate following the lateral operation, then alone employed, to be, in the mature adult patient 1 death in 5 cases, but in the aged 1 death in $3\frac{1}{2}$ cases. In the selected bad cases of the series here considered it was 1 in 3; but in lithotrity, of which the proportion was very large, it was in its recent form little more than 3 per cent.; accepting, as I have done, contingencies often not really attributable to the operation.

¹ This subject is treated at length, with tables, &c. in an early work of mine, *Practical Lithotomy and Lithotrity* (London, 2nd edition, 1871), chapter vii. pp. 137–148. A brief analysis of this inquiry is given as an appendix at p. 39.

Then it should be further stated here, that I have rarely refused to any applicant the last chance of life which an operation might afford him, having done so in fact but five times throughout my career. These were patients who were obviously unfitted by disease and exhaustion to undergo any surgical proceeding whatever.

The group of exceptionally hazardous cases thus set apart in my series for operation by the knife amounted in number to 133, of which 115 were dealt with by perineal lithotomy, one by the old suprapubic, and 17 cases by the modern suprapubic operation. In the 115 cases of perineal lithotomy 42 deaths occurred, or a mortality rather more than one in three cases. It is manifest also that the mortality was considerably less after lithotomy of the late as compared with that of the early period. This is unquestionably due to the superiority of the modern suprapubic operation to the old procedures by the perineum.

The mortality of the 17 cases of suprapubic operation by the new method was 4 cases; 3 of these occurred in patients whose condition was exceptionally bad; one had been for six years the subject of vesico-intestinal fistula, and his death was certainly not due to the operation, although it was hastened thereby; while the other two would certainly have been rejected by me for perineal lithotomy, but I gave them the chance of the less formidable suprapubic operation. But it may be mentioned here that 11 cases of the same operation for vesical tumour already referred to, and of course not included in this Catalogue, were followed by death in one case only—making 28 cases for the modern suprapubic opera-

tion, as employed for all purposes, in the adult with five deaths.

Mortality after Lithotrity.—This relates to the result in a total of 844 adult cases, and is here set forth in a tabular form.

This number includes 472 cases by the old method of multiple sittings, and 372 cases by that of one sitting.

	Number of Cases	Number of Deaths	Percentage of Deaths
1. Cases reported to the Royal Med.-Chirurg. Soc. in 1877, and published in the 'Transactions,' 1878; all performed on the system then in vogue of 'multiple' or numerous sittings, according to the size of the calculus	422	32	} 7.83
Subsequent cases by the same method, which ceased in 1878	50	5	
2. Cases of lithotrity 'at one sitting,' commencing with No. 503, December 1878, to March 1893, No. 857	372	12	3.22

The above figures testify to the efficiency of 'lithotrity at one sitting,' for calculi of large and moderate sizes, but excluding every formation weighing less than twenty grains; and occurring chiefly among men of advanced age (fifty to ninety years), the mortality being only a small fraction over 3 per cent.

Causes of Death.—The first 500 MALE ADULT cases in this collection were presented to the Royal Medico-Chirurgical Society in 1878, and published in Transactions, vol. lxi. These contained 61 fatal cases, which were tabulated as follows:—

	Lithotrity	Lithotomy
i. Pyæmia	5	1
ii. Diseased kidneys and dilated ureters	6	2
iii. Acute nephritis	3	2
iv. Chronic Bright's disease	3	1
v. Pyelitis and fever	2	—
vi. Peritonitis, large sacs of the bladder in two cases	—	7
vii. Perforation of the bladder	—	2
viii. Acute cystitis and fever	4	—
ix. Exhaustion	7	11
x. Hæmorrhage	1	3
xi. Mania	1	—
Total	32	29

61

The technical distinctions there employed have been somewhat changed in dealing with the mortality in the

Causes of Death occurring in 477 Male Adult Cases operated on since preceding Report of 500 Cases in 1878

	Lithotrity	Lithotomy	Suprapubic Lithotomy
i. Septicæmia, with deposits in various parts of the body	2	3	1
ii. Nephritis, uræmia, and suppression	3	—	—
iii. Chronic disease of the kidney, with dilatation of the pelvis and ureters, often associated with sacculus of the bladder	4	1	—
iv. Peritonitis	—	1	1
v. Acute cystitis and advanced disease of bladder	2	1	—
vi. Exhaustion in feeble and aged patients, no other cause of death being obvious	5	3	2
vii. Hæmorrhage	—	1	—
viii. Delirium tremens	—	1	—
ix. Erysipelas	—	1	—
x. In confirmed diabetic patients	1	1	—
	17	13	4

477 cases which have passed through my hands since that date, in accordance with the progress of pathological knowledge. The foregoing table will show the later results in three columns: Deaths after lithotrity; after perineal lithotomy; and after suprapubic lithotomy.

Unusual Cases.—I shall close this memoir by calling attention to cases which, by the rarity of their occurrence, or by reason of unexpected circumstances connected with them, possess more than ordinary interest.

In Case 7 the nucleus was a piece of sealing-wax, the stone formed upon it being phosphatic.

In Case 66 the nucleus was a portion of bone exfoliated from the pelvis after disease of the hip-joint: the stone was phosphatic.

In Case 878 the nucleus of a large phosphatic calculus, removed from a boy by lithotomy, consisted of a portion of the head of the femur (?), or a bony fragment resembling it, which found its way into the bladder long after the occurrence of severe fracture of the pelvis.

Case 430 is that of a phosphatic calculus formed upon an inch of india-rubber catheter as a nucleus; all removed by lithotrity.

The following are examples of encysted calculi; particulars respecting each may be found by referring to their respective numbers:—

In Case 193 one calculus was free, another was almost entirely contained in a sac close to the neck of the bladder.

In Case 323 a calculus was embedded in a sac at the neck of the bladder, and was removed by lithotrity, in six sittings.

In Case 472 several calculi were removed by median lithotomy from a sac at the neck of the bladder,

In Case 497 there was a large calculous mass, above two ounces in weight, occupying a pouch in front of the bladder.

No. 554.—I suspected a case of encysted calculus, as I found a body with hard surface which I could not move with a lithotrite; on operating, it proved to be a tumour coated with calculous matter, and I removed it successfully; no return has taken place, and he is now living and well.

In Case 653 two calculi occupied a cavity close to the neck of the bladder.

In Case 714 there was a sac containing six small calculi, which, with other peculiarities, renders it one of extreme interest and rarity, details of which are given in their place in the Catalogue.

In Cases 643, 653, and 728, the calculus occupied a sac close to the neck of the bladder, and was removed by median lithotomy.

In Case 883 about a fourth of the stone was contained in a cyst, as the form indicates, and was removed. A female patient.

In Case 887 the whole of the stone was encysted, and was removed by the knife. A female patient.

Case 116 was one of the first cases (1867) which, owing to the extreme difficulty which the patient found in passing his catheter—no urine having been passed otherwise for years—I relieved by making a suprapubic opening into the bladder; removing all the urine through a tube by that route entirely, and thus affording him great comfort during the last two months of his life. This I adopted in four other cases as a permanent channel in similar conditions during the subsequent fourteen years.

Case 717 is the largest calculus in the collection; it weighed 14 ounces, and consists of pure uric acid without any coating of, or admixture with, phosphates.

Case 690 was that of a cystic oxide calculus, the largest I have found on record.

No. 127 is a rather large cystic oxide calculus also, which was crushed by the early method, 1867.

Case 814, a case of suprapubic operation performed for a stone of medium size, because, owing to a considerable vesico-intestinal fistula which had long existed, lithotripsy and the use of the aspirator were inadmissible.

Case 253.—I did lithotomy for a case of large uric acid calculus, in which spontaneous fracture had recently occurred, producing formidable cystitis.

Case 333 was a case of fracture of calculus caused by sounding; and another is alluded to in the notes thereon.

Cases 268 and 631.—Cases in which a large phosphatic calculus was developed by the use of 'constitution water'—a strong solution of bicarbonate of potash.

Cases 143, 466, and 491 are examples of patients operated on who were the subjects of confirmed saccharine diabetes; in two cases death soon followed the operation.

I have met with two accidents to lithotrites in the performance of lithotripsy. In the first case, 224, in 1870, I was crushing a calculus with a lithotrite which proved not to be sufficiently powerful for the stone then within its blades. In the act of crushing, the beak of the male blade broke off close to its junction with the shaft, so that a bit of steel three-quarters of an inch long remained in the bladder. I withdrew the instrument, cut the patient on the following day, removing the stone and the piece of metal, and he made a good recovery.

In Case 204, another accident is described in which a lithotrite had to be removed, not on account of fracture, but on account of large impaction. The mode of dealing with this somewhat formidable condition is described. The patient made a good recovery (in 1874) and was living in 1889. After this experience I designed the 'semi-fenestrated lithotrite,' with which such an accident cannot take place, and used the flat-bladed instruments only for very small products, and small fragments at the close of a lithotrity operation. This semi-fenestrated lithotrite has been the most generally serviceable one I have ever employed, and I have used it largely to the present day.

APPENDIX: containing a brief analysis of the inquiry made by the author about the year 1860 relative to the results of lateral lithotomy as applied in this country to all cases of Stone without exception before the employment of lithotrity, and prior, therefore, to the middle of the present century (about 1790 to 1840); referred to at page 31.

Lateral Lithotomy in the chief Metropolitan and Provincial Hospitals before the adoption of Lithotrity, embracing patients of all ages, half of which were below puberty.

	Cases	Deaths	Cases
Norwich (Crosse)	669	with 91	about 1 in $7\frac{1}{3}$
Since that time	124	„ 15	„ 1 in $8\frac{1}{4}$
Cambridge	183	„ 18	„ 1 in 14
Oxford	110	„ 14	„ 1 in 8
Leicester	90	„ 8	„ 1 in 11
Leeds	29	„ 4	„ 1 in $7\frac{1}{4}$
Birmingham	102	„ 10	„ 1 in 10
Guy's Hospital	230	„ 33	„ 1 in 7
St. Thomas's Hospital	200	„ 29	„ 1 in 7
University College Hospital	90	„ 12	„ 1 in $7\frac{1}{2}$
Total	1,827	229	

The Ages of the above Hospital Patients operated on, and the Rate of Mortality following therefrom at different Periods of Life.

During the years	Cases	Deaths	Cases
1 to 11 inclusive	850	including 49	about 1 in 17
12 to 16 „	178	„ 19	„ 1 in $9\frac{1}{2}$
17 to 48 „	337	„ 46	„ 1 in $7\frac{1}{3}$
49 to 58 „	191	„ 40	„ 1 in $4\frac{3}{4}$
59 to 70 „	233	„ 63	„ 1 in $3\frac{3}{4}$
71 to 81 „	38	„ 12	„ 1 in $3\frac{1}{6}$
Total	1,827	229	

PRINTED BY
SPOTTISWOODE AND CO., NEW-STREET SQUARE
LONDON

A SELECTION

FROM

J. & A. CHURCHILL'S GENERAL CATALOGUE,

COMPRISING

MOST OF THE RECENT WORKS PUBLISHED BY THEM.

Human Anatomy :

A Treatise by various Authors. Edited by HENRY MORRIS, M.A., M.B. Lond., F.R.C.S. Roy. 8vo, with about 800 Illustrations, nearly all original, and many of them in two and three colours, 40s.

Practical Anatomy :

A Manual of Dissections. By CHRISTOPHER HEATH, Surgeon to University College Hospital. Seventh Edition. Revised by RICKMAN J. GODLEE, M.S. Lond., F.R.C.S., Teacher of Operative Surgery, late Demonstrator of Anatomy in University College, and Surgeon to the Hospital. Crown 8vo, with 24 Coloured Plates and 278 Engravings, 15s.

Wilson's Anatomist's Vade-

Mecum. Eleventh Edition. By HENRY E. CLARK, M.R.C.S. Eng., F.F.P.S. Glasg., Professor of Anatomy in St. Mungo's College, Glasgow. Crown 8vo, with 492 Engravings and 26 Coloured Plates, 18s.

An Atlas of Human Anatomy.

By RICKMAN J. GODLEE, M.S., F.R.C.S., Surgeon and late Demonstrator of Anatomy, University College Hospital. With 48 Imp. 4to Plates (112 figures), and a volume of Explanatory Text, 8vo, £4 14s. 6d.

Human Osteology.

By LUTHER HOLDEN, Consulting Surgeon to St. Bartholomew's Hospital. Seventh Edition, edited by CHARLES STEWART, Conservator of the Museum R.C.S., and ROBERT W. REID, M.D., F.R.C.S., Professor of Anatomy in the University of Aberdeen. 8vo, with 59 Lithographic Plates and 75 Engravings. 16s.

Also.

Landmarks, Medical and Surgical. Fourth Edition. 8vo, 3s. 6d.

The Student's Guide to Surgical

Anatomy. By EDWARD BELLAMY, F.R.C.S. and Member of the Board of Examiners. Third Edition. Fcap. 8vo, with 81 Engravings. 7s. 6d.

Diagrams of the Nerves of the

Human Body, exhibiting their Origin, Divisions, and Connections, with their Distribution to the Various Regions of the Cutaneous Surface, and to all the Muscles. By Sir W. H. FLOWER, K.C.B., F.R.S., F.R.C.S. Third Edition, with 6 Plates. Royal 4to, 12s.

Pathological Anatomy of Dis-

eases. Arranged according to the nomenclature of the R.C.P. Lond. (Student's Guide Series). By NORMAN MOORE, M.D., F.R.C.P., Assistant Physician and Lecturer on Pathological Anatomy to St. Bartholomew's Hospital. Fcap. 8vo, with 111 Engravings, 8s. 6d.

A Manual of Clinical and Prac-

tical Pathology. By W. E. WYNTER, M.D., M.R.C.P., F.R.C.S., Medical Registrar to Middlesex Hospital, and F. J. WETHERED, M.D., M.R.C.P., Assistant Physician to Victoria Park Hospital. With 4 Coloured Plates and 67 Engravings. 8vo, 12s. 6d.

Lectures on Pathology :

Delivered at the London Hospital. By the late HENRY GAWEN SUTTON, M.B., F.R.C.P., Physician to, and Lecturer on Pathology at, the London Hospital. Edited by MAURICE E. PAUL, M.D., and Revised by SAMUEL WILKS, M.D., LL.D., F.R.S. 8vo, 15s.

General Pathology :

An Introduction to. By JOHN BLAND SUTTON, F.R.C.S., Sir E. Wilson Lecturer on Pathology, R.C.S. ; Assistant Surgeon to, and Lecturer on Anatomy at, Middlesex Hospital. 8vo, with 149 Engravings, 14s.

Atlas of Pathological Anatomy.

By Dr. LANCEREAUX. Translated by W. S. GREENFIELD, M.D., Professor of Pathology in the University of Edinburgh. Imp. 8vo, with 70 Coloured Plates, £5 5s.

Atlas of the Central Nervous System.

From the larger work of Hirschfeld and Léveillé. Edited by HOWARD H. TOOTH, M.D., F.R.C.P., Assistant Physician to the National Hospital for the Paralysed and Epileptic. With 37 Plates carefully coloured by Hand. Large Imp. 8vo, 40s.

The Human Brain :

Histological and Coarse Methods of Research. A Manual for Students and Asylum Medical Officers. By W. BEVAN LEWIS, L.R.C.P. Lond., Medical Superintendent, West Riding Lunatic Asylum. 8vo, with Wood Engravings and Photographs, 8s.

Elements of Human Physiology.

(Student's Guide Series.) By ERNEST H. STARLING, M.D., M.R.C.P., Joint Lecturer on Physiology at Guy's Hospital. Fcap. 8vo, with 94 Engravings, 6s. 6d.

Manual of Physiology :

For the use of Junior Students of Medicine. By GERALD F. YEO, M.D., F.R.C.S., F.R.S., Emeritus Professor of Physiology in King's College, London. Second Edition. Crown 8vo, with 318 Engravings, 14s.

Principles of Human Physiology.

By W. B. CARPENTER, C.B., M.D., F.R.S. Ninth Edition. By HENRY POWER, M.B., F.R.C.S. 8vo, with 3 Steel Plates and 377 Wood Engravings, 31s. 6d.

Medical Jurisprudence :

Its Principles and Practice. By ALFRED S. TAYLOR, M.D., F.R.C.P., F.R.S. Third Edition, by THOMAS STEVENSON, M.D., F.R.C.P., Lecturer on Medical Jurisprudence at Guy's Hospital. 2 vols. 8vo, with 188 Engravings, 31s. 6d.

By the same Authors.

A Manual of Medical Jurisprudence. Twelfth Edition. Crown 8vo, with 55 Engravings, 14s.

The Student's Guide to Medical Jurisprudence. By JOHN ABERCROMBIE, M.D., F.R.C.P., Physician to Charing Cross Hospital. Fcap. 8vo, 7s. 6d.

Hospitals, Infirmaries, and Dis-

pensaries : Their Construction, Interior Arrangement, and Management ; with Descriptions of existing Institutions, and 74 Illustrations. By F. OPPERT, M.D., M.R.C.P.L. Second Edition. Royal 8vo, 12s.

Sanitary Examinations

Of Water, Air, and Food. A Vademecum for the Medical Officer of Health. By CORNELIUS B. FOX, M.D., F.R.C.P. Second Edition. Crown 8vo, with 110 Engravings, 12s. 6d.

Microscopical Examination of Drinking Water and of Air.

By J. D. MACDONALD, M.D., F.R.S., Ex-Professor of Naval Hygiene in the Army Medical School. Second Edition. 8vo, with 25 Plates, 7s. 6d.

Hygiene and Public Health.

A Treatise by various Authors. Edited by THOMAS STEVENSON, M.D., F.R.C.P., Lecturer on Chemistry and Medical Jurisprudence at Guy's Hospital; Official Analyst to the Home Office; and SHIRLEY F. MURPHY, Medical Officer of Health of the County of London. In 2 vols., royal 8vo, fully illustrated. Vol. I., 28s.

A Manual of Practical Hygiene.

By the late E. A. PARKES, M.D., F.R.S. Eighth Edition, by J. LANE NOTTER, A.M., M.D., F.R.S., Professor of Military Hygiene in the Army Medical School. 8vo, with 10 Plates and 103 Engravings, 18s.

A Handbook of Hygiene and Sanitary Science.

By GEO. WILSON, M.A., M.D., F.R.S.E., D.P.H. Camb., Medical Officer of Health for Mid-Warwickshire. Seventh Edition. Crown 8vo, with Engravings. 12s. 6d.

Public Health Reports.

By Sir JOHN SIMON, C.B., F.R.S. Edited by EDWARD SEATON, M.D., F.R.C.P. 2 vols. 8vo, with Portrait, 36s.

Hospitals and Asylums of the

World ; their Origin, History, Construction, Administration, Management, and Legislation. By HENRY C. BURDETT. In 4 vols. and Portfolio. Vol. I. Asylums—History and Administrations; and Vol. II. Asylum Construction—Plans and Bibliography. Super. Royal, 8vo, 90s.

Mental Diseases :

Clinical Lectures. By T. S. CLOUSTON, M.D., F.R.C.P. Edin., Lecturer on Mental Diseases in the University of Edinburgh. Third Edition. Crown 8vo, with 13 Plates, 14s.

Illustrations of the Influence of the Mind upon the Body in Health and Disease: Designed to elucidate the Action of the Imagination. By D. H. TUKE, M.D., F.R.C.P., LL.D. Second Edition. 2 vols. crown 8vo, 15s.

By the same Author.

Prichard and Symonds in Especial Relation to Mental Science. With Chapters on Moral Insanity. 8vo, with 2 Portraits, 5s.

Also.

Reform in the Treatment of the Insane. Early History of the Retreat, York; its Objects and Influence. With a Report of the Celebrations of its Centenary. 8vo, 4s.

A Dictionary of Psychological Medicine, giving the Definition, Etymology, and Synonyms of the Terms used in Medical Psychology; with the Symptoms, Treatment, and Pathology of Insanity; and THE LAW OF LUNACY IN GREAT BRITAIN AND IRELAND. Edited by D. HACK TUKE, M.D., LL.D., assisted by nearly 130 Contributors, British, Continental and American. 2 vols., 1,500 pages, royal 8vo, Illustrated. 42s.

Medico-Psychological Association. Journal of Mental Science, Quarterly. 8vo, 3s. 6d., each.

Mental Affections of Childhood and Youth (Lettsomian Lectures for 1887, &c.). By J. LANGDON DOWN, M.D., F.R.C.P., Consulting Physician to the London Hospital. 8vo, 6s.

Manual of Midwifery.

By ALFRED L. GALABIN, M.A., M.D., F.R.C.P., Obstetric Physician to, and Lecturer on Midwifery, &c., at, Guy's Hospital. Second Edition. Crown 8vo, with 249 Engravings, 15s.

The Student's Guide to the Practice of Midwifery. By D. LLOYD ROBERTS, M.D., F.R.C.P., Lecturer on Clinical Midwifery and Diseases of Women at the Owens College; Obstetric Physician to the Manchester Royal Infirmary. Third Edition. Fcap. 8vo, with 2 Coloured Plates and 127 Wood Engravings, 7s. 6d.

Female Pelvic Organs:

(The Surgery, Surgical Pathology, and Surgical Anatomy of) in a Series of Plates taken from Nature. With Commentaries, Notes, and Cases. By HENRY SAVAGE, M.D., Consulting Physician to the Samaritan Hospital for Women and Children. Fifth Edition. 4to, Plain, 15s.; Coloured, 35s.

Obstetric Aphorisms:

For the Use of Students commencing Midwifery Practice. By JOSEPH G. SWAYNE, M.D. Ninth Edition. Fcap. 8vo, with 17 Engravings, 3s. 6d.

Handbook of Midwifery for Midwives: By J. E. BURTON, L.R.C.P. Lond., Surgeon to the Hospital for Women, Liverpool. Second Edition. With Engravings. Fcap. 8vo, 6s.

Lectures on Obstetric Operations: Including the Treatment of Hæmorrhage, and forming a Guide to the Management of Difficult Labour. By ROBERT BARNES, M.D., F.R.C.P., Consulting Obstetric Physician to St. George's Hospital. Fourth Edition. 8vo, with 121 Engravings, 12s. 6d.

By the same Author.

A Clinical History of Medical and Surgical Diseases of Women. Second Edition. 8vo, with 181 Engravings, 28s.

Clinical Lectures on Diseases of Women: Delivered in St. Bartholomew's Hospital, by J. MATTHEWS DUNCAN, M.D., LL.D., F.R.C.P., F.R.Ss. L. & E., late Obstetric Physician to St. Bartholomew's Hospital. Fourth Edition. 8vo, 16s.

Gynæcological Operations:

(Handbook of). By ALBAN H. G. DORAN, F.R.C.S., Surgeon to the Samaritan Hospital. 8vo, with 167 Engravings, 15s.

The Student's Guide to the Diseases of Women. By ALFRED L. GALABIN, M.D., F.R.C.P., Obstetric Physician to Guy's Hospital. Fourth Edition. Fcap. 8vo, with 94 Engravings, 7s. 6d.

A Practical Treatise on the Diseases of Women. By T. GAILLARD THOMAS, M.D. Sixth Edition, by PAUL F. MUNDE, M.D., Professor of Gynæcology at the New York Polyclinic and at Dartmouth College. Roy. 8vo, with 347 Engravings, 25s.

Abdominal Surgery.

By J. GREIG SMITH, M.A., F.R.S.E., Surgeon to the Bristol Royal Infirmary, and Lecturer on Surgery in the Bristol Medical School. Fourth Edition. 8vo, with 82 Engravings, 21s.

Notes on Gynæcological Nursing. By JOHN BENJAMIN HILLIER, M.D., M.R.C.S., Lecturer on the Diseases of Women and Children in the Yorkshire College, and Surgeon to the Hospital for Women, &c., Leeds. Crown 8vo, 1s. 6d.

Diseases of Children.

For Practitioners and Students. By W. H. DAY, M.D., Physician to the Samaritan Hospital. Second Edition. Crown 8vo, 12s. 6d.

The Diseases of Children (Student's Guide Series). By JAS. F. GOODHART, M.D., F.R.C.P., Physician to Guy's Hospital. Fourth Edition. Fcap. 8vo, 10s. 6d.

A Practical Treatise on Disease in Children. By EUSTACE SMITH, M.D., F.R.C.P., Physician to the King of the Belgians, and to the East London Hospital for Children, &c. Second Edition. 8vo, 22s.

By the same Author.

Clinical Studies of Disease in Children. Second Edition. Post 8vo, 7s. 6d.

Also.

The Wasting Diseases of Infants and Children. Fifth Edition. Post 8vo, 8s. 6d.

A Practical Manual of the Diseases of Children. With a Formulary. By EDWARD ELLIS, M.D. Fifth Edition. Crown 8vo, 10s.

A Manual for Hospital Nurses and others engaged in Attending on the Sick, with a Glossary. By EDWARD J. DOMVILLE, Surgeon to the Exeter Lying-in Charity. Seventh Edition. Crown 8vo, 2s. 6d.

A Manual of Nursing, Medical and Surgical. By CHARLES J. CULLINGWORTH, M.D., F.R.C.P., Obstetric Physician to St. Thomas's Hospital. Third Edition. Fcap. 8vo, with Engravings, 2s. 6d.

By the same Author.

A Short Manual for Monthly Nurses. Third Edition. Fcap. 8vo, 1s. 6d.

Materia Medica :

A Manual for the use of Students. By ISAMBARD OWEN, M.D., F.R.C.P., Lecturer on Materia Medica, &c., to St. George's Hospital. Second Edition. Crown 8vo, 6s. 6d.

Materia Medica,

Pharmacy, Pharmacology, and Therapeutics. By W. HALE WHITE, M.D., F.R.C.P., Physician to, and Lecturer on Materia Medica and Therapeutics at, Guy's Hospital; Examiner in Materia Medica on the Conjoint Board of the Royal Colleges of Physicians and Surgeons. Fcap. 8vo, 7s. 6d.

Materia Medica

And Therapeutics. By CHARLES D. F. PHILLIPS, M.D., F.R.S. Edin. Vegetable Kingdom—Organic Compounds—Animal Kingdom. 8vo, 25s.

Organic Materia Medica

Of the British Pharmacopœia, systematically arranged; with Brief Notices of the Remedies contained in the Indian and U.S. Pharmacopœias, and Short Descriptions of their Chief Adulterants and Substitutions. By W. SOUTHALL, F.L.S. Fourth Edition. Crown 8vo, 5s.

Recent Materia Medica.

Notes on their Origin and Therapeutics. By F. HARWOOD LESCHER, F.C.S., Pereira Medallist. Fourth Edition. 8vo, 2s. 6d.

Practical Pharmacy.

By BARNARD S. PROCTOR, formerly Lecturer on Pharmacy at the College of Medicine, Newcastle-on-Tyne. Third Edition. 8vo, with 44 Wood Engravings and 32 Lithograph Fac-Simile Prescriptions, 14s.

Selecta è Prescriptis :

Containing Lists of Terms, Phrases, Contractions and Abbreviations used in Prescriptions, with Explanatory Notes, &c. Also, a Series of Abbreviated Prescriptions and Key to the same, with Translations. By JONATHAN PEREIRA, M.D., F.R.S. Eighteenth Edition, by JOSEPH INCE, F.C.S., F.L.S. 24mo, 5s.

Pocket Formulary

And Synopsis of the British and Foreign Pharmacopœias. By HENRY BEASLEY. Eleventh Edition. 18mo, 6s. 6d.

By the same Author.

Druggist's General Receipt-Book. Ninth Edition. 18mo, 6s. 6d.

Also.

Book of Prescriptions :

Containing upwards of 3,000 Prescriptions collected from the Practice of the most eminent Physicians and Surgeons, English and Foreign. Seventh Edition. 18mo, 6s. 6d.

A Companion to the British Pharmacopœia. By PETER SQUIRE, Revised by his Sons, P. W. and A. H. SQUIRE. Fifteenth Edition. 8vo, 10s. 6d. Supplement, 1s.

By the same Authors.

The Pharmacopœias of the London Hospitals, arranged in Groups for Easy Reference and Comparison. Sixth Edition. 18mo. 6s.

The Prescriber's Pharmacopœia:

The Medicines arranged in Classes according to their Action, with their Composition and Doses. By NESTOR J. C. TIRARD, M.D., F.R.C.P., Professor of Materia Medica and Therapeutics in King's College, London. Sixth Edition. 32mo, bound in leather, 3s.

Year-Book of Pharmacy:

Containing the Transactions of the British Pharmaceutical Conference. Annually. 8vo, 10s.

Royle's Manual of Materia Medica and Therapeutics.

Sixth Edition, including additions and alterations in the B.P. 1885. By JOHN HARLEY, M.D., Physician to St. Thomas's Hospital. Crown 8vo, with 139 Engravings, 15s.

Manual of Botany:

Including the Structure, Classification, Properties, Uses, and Functions of Plants. By ROBERT BENTLEY, Emeritus Professor of Botany in King's College and to the Pharmaceutical Society. Fifth Edition. Crown 8vo, with 1,178 Engravings, 15s.

By the same Author.

The Student's Guide to Structural, Morphological, and Physiological Botany.

With 660 Engravings. Fcap. 8vo, 7s. 6d.

Also.

The Student's Guide to Systematic Botany,

including the Classification of Plants and Descriptive Botany. Fcap. 8vo, with 350 Engravings, 3s. 6d.

Medicinal Plants:

Being descriptions, with original figures, of the Principal Plants employed in Medicine, and an account of their Properties and Uses. By Prof. BENTLEY and Dr. H. TRIMEN, F.R.S. In 4 vols., large 8vo, with 306 Coloured Plates, bound in Half Morocco, Gilt Edges, £11 11s.

Elementary Practical Biology.

Vegetable. By THOMAS W. SHORE, M.D., B.Sc. Lond., Lecturer on Comparative Anatomy at St. Bartholomew's Hospital. 8vo, 6s.

Climate and Fevers of India,

with a series of Cases (Croonian Lectures, 1882). By Sir JOSEPH FAYRER, K.C.S.I., M.D. 8vo, with 17 Temperature Charts, 12s.

By the same Author.

The Natural History and Epidemiology of Cholera:

Being the Annual Oration of the Medical Society of London, 1888. 8vo, 3s. 6d.

A Manual of the Diseases of India:

With a Compendium of Diseases generally. By Sir WILLIAM J. MOORE, M.D., K.C.I.E., late Surgeon-General with the Government of Bombay. Second Edition. Post 8vo, 10s.

By the same Author.

The Constitutional Requirements for Tropical Climates, &c.

Crown 8vo, 4s.

The Prevention of Disease in Tropical and Sub-Tropical Campaigns.

(Parkes Memorial Prize for 1886.) By ANDREW DUNCAN, M.D., B.S. Lond., F.R.C.S., Surgeon, Bengal Army. 8vo, 12s. 6d.

Practical Therapeutics:

A Manual. By EDWARD J. WARING, C.I.E., M.D., F.R.C.P., and DUDLEY W. BUXTON, M.D., B.S. Lond. Fourth Edition. Crown 8vo, 14s.

By the same Author.

Bazaar Medicines of India,

And Common Medical Plants: With Full Index of Diseases, indicating their Treatment by these and other Agents procurable throughout India, &c. Fourth Edition. Fcap. 8vo, 5s.

A Commentary on the Diseases of India.

By NORMAN CHEVERS, C.I.E., M.D., F.R.C.S., Deputy Surgeon-General H.M. Indian Army. 8vo, 24s.

Hooper's Physicians' Vademecum.

A Manual of the Principles and Practice of Physic. Tenth Edition. By W. A. GUY, F.R.C.P., F.R.S., and J. HARLEY, M.D., F.R.C.P. With 118 Engravings. Fcap. 8vo, 12s. 6d.

The Principles and Practice of Medicine.

(Text-book.) By the late C. HILTON FAGGE, M.D., and P. H. PYE-SMITH, M.D., F.R.S., F.R.C.P., Physician to, and Lecturer on Medicine in, Guy's Hospital. Third Edition. 2 vols. 8vo, cloth, 40s.; Half Leather, 46s.

Manual of the Practice of Medicine.

By FREDERICK TAYLOR, M.D., F.R.C.P., Physician to, and Lecturer on Medicine at, Guy's Hospital. Third Edition. Cr. 8vo, with Engravings, 15s.

A Dictionary of Practical Medicine.

By various writers. Edited by JAS. KINGSTON FOWLER, M.A., M.D., F.R.C.P., Physician to Middlesex Hospital and the Hospital for Consumption. 8vo, cloth, 21s.; half calf, 25s.

The Practice of Medicine (Student's Guide Series). By M. CHARTERIS, M.D., Professor of Therapeutics and Materia Medica in the University of Glasgow. Sixth Edition. Fcap. 8vo, with Engravings on Copper and Wood, 9s.

Handbook of Hospital Practice and Physical Diagnosis. By CHRISTOPHER J. NIXON, M.D., LL.D., Senior Physician to the Mater Misericordiae Hospital, and Professor of Medicine in the Catholic University, Dublin. 8vo, with Plates and Engravings, 9s.

How to Examine the Chest: A Practical Guide for the use of Students. By SAMUEL WEST, M.D., F.R.C.P., Assistant Physician to St. Bartholomew's Hospital. Second Edition. With Engravings. Fcap. 8vo, 5s.

The Bronchi and Pulmonary Blood-vessels: their Anatomy and Nomenclature. By WILLIAM EWART, M.D., F.R.C.P., Physician to St. George's Hospital. 4to, with 20 Illustrations, 21s.

An Atlas of the Pathological Anatomy of the Lungs. By the late WILSON FOX, M.D., F.R.S., F.R.C.P., Physician to H.M. the Queen. With 45 Plates (mostly Coloured) and Engravings. 4to, half-bound in Calf, 70s.

By the same Author.

A Treatise on Diseases of the Lungs and Pleura. Edited by SIDNEY COUPLAND, M.D., F.R.C.P., Physician to Middlesex Hospital. Roy. 8vo, with Engravings; also Portrait and Memoir of the Author, 36s.

The Student's Guide to Diseases of the Chest. By VINCENT D. HARRIS, M.D. Lond., F.R.C.P., Physician to the City of London Hospital for Diseases of the Chest, Victoria Park. Fcap. 8vo, with 55 Illustrations (some Coloured), 7s. 6d.

Guy's Hospital Reports. By the Medical and Surgical Staff. Vol. XXXIII. Third Series. 8vo, 10s. 6d.

St. Thomas's Hospital Reports. By the Medical and Surgical Staff. Vol. XX. New Series. 8vo, 8s. 6d.

Westminster Hospital Reports. By the Medical and Surgical Staff. Vol. VII. 8vo, 6s.

The Climate of Rome and the Roman Malaria. By Professor TOMMASI-CRUDELI. Translated by CHARLES CRAMOND DICK. Crown 8vo, 5s.

Medical Diagnosis (Student's Guide Series). By SAMUEL FENWICK, M.D., F.R.C.P., Physician to the London Hospital. Seventh Edition. Fcap. 8vo, with 117 Engravings, 7s.

By the same Author.

Outlines of Medical Treatment. Third Edition. Crown 8vo, 10s.

Also.

Clinical Lectures on Some Obscure Diseases of the Abdomen. Delivered at the London Hospital. 8vo, with Engravings, 7s. 6d.

Also.

The Saliva as a Test for Functional Diseases of the Liver. Crown 8vo, 2s.

The Microscope in Medicine. By LIONEL S. BEALE, M.B., F.R.S., Physician to King's College Hospital. Fourth Edition. 8vo, with 86 Plates, 21s.

By the same Author.

The Liver. With 24 Plates (85 Figures). 8vo. 5s.

Also.

On Slight Ailments: And on Treating Disease. Third Edition. 8vo, 5s.

Medical Lectures and Essays. By Sir G. JOHNSON, M.D., F.R.C.P., F.R.S., Consulting Physician to King's College Hospital. 8vo, with 46 Engravings, 25s.

By the same Author.

An Essay on Asphyxia (Apnœa). 8vo, 3s.

Uric Acid as a Factor in the Causation of Disease. By ALEXANDER HAIG, M.D., F.R.C.P., Physician to the Metropolitan Hospital and the Royal Hospital for Children and Women. With 23 Illustrations, 8vo, 8s. 6d.

The Nervous System, Diseases of. By J. A. ORMEROD, M.D., F.R.C.P., Physician to the National Hospital for the Paralysed and Epileptic. With 66 Illustrations. Fcap. 8vo, 8s. 6d.

Bronchial Affections: Pneumonia and Fibroid Pneumonia (their Pathological Histology). An Original Investigation. By A. G. AULD, M.D., Assistant Physician to the Glasgow Royal Infirmary. 8vo, with Illustrations, 7s. 6d.

Bronchial Asthma: Its Pathology and Treatment. By J. B. BERKART, M.D., late Physician to the City of London Hospital for Diseases of the Chest. Second Edition, with 7 Plates (35 Figures). 8vo, 10s. 6d.

Vaccinia and Variola :

A Study of their Life History. By JOHN B. BUIST, M.D., F.R.S.E., Teacher of Vaccination for the Local Government Board. Crown 8vo, with 24 Coloured Plates, 7s. 6d.

Treatment of Some of the Forms of Valvular Disease of the Heart.

By A. E. SANSOM, M.D., F.R.C.P., Physician to the London Hospital. Second Edition. Fcap. 8vo, with 26 Engravings, 4s. 6d.

Medical Ophthalmoscopy :

A Manual and Atlas. By W. R. GOWERS, M.D., F.R.C.P., F.R.S., Physician to the National Hospital for the Paralyzed and Epileptic. Third Edition. Edited with the assistance of MARCUS GUNN, M.B., F.R.C.S., Surgeon to the Royal London Ophthalmic Hospital. With Coloured Plates and Woodcuts. 8vo, 16s.

By the same Author.

A Manual of Diseases of the Nervous System.

Vol. I. Diseases of the Nerves and Spinal Cord. Second Edition. Roy. 8vo, with 179 Engravings, 15s.

Vol. II. Diseases of the Brain and Cranial Nerves: General and Functional Diseases of the Nervous System. Second Edition. 8vo, with many Engravings. [*Preparing.*]

Also.

Diagnosis of Diseases of the Brain. Second Edition. 8vo, with Engravings, 7s. 6d.

Also.

Syphilis and the Nervous System. Being a Revised Reprint of the Lettsomian Lectures for 1890. Delivered before the Medical Society of London. 8vo, 4s.**Handbook of the Diseases of the Nervous System.** By JAMES ROSS, M.D., F.R.C.P., Professor of Medicine in the Victoria University, and Physician to the Royal Infirmary, Manchester. Roy. 8vo, with 184 Engravings, 18s.

Also.

Aphasia :

Being a Contribution to the Subject of the Dissolution of Speech from Cerebral Disease. 8vo, with Engravings, 4s. 6d.

Diseases of the Nervous System.

Lectures delivered at Guy's Hospital. By SAMUEL WILKS, M.D., F.R.S. Second Edition. 8vo, 18s.

Aphasia: or Loss of Speech :

And the Localization of the Faculty of Articulate Language. By Sir FREDERIC BATEMAN, M.D., F.R.C.P., Senior Physician to the Norfolk and Norwich Hospital. 8vo, 16s.

Secondary Degenerations of the

Spinal Cord (Gulstonian Lectures, 1889). By HOWARD H. TOOTH, M.D., F.R.C.P., Assistant Physician to the National Hospital for the Paralyzed and Epileptic. With Plates and Engravings. 8vo, 3s. 6d.

Diseases of the Nervous System.

Clinical Lectures. By THOMAS BUZZARD, M.D., F.R.C.P., Physician to the National Hospital for the Paralyzed and Epileptic. With Engravings, 8vo. 15s.

By the same Author.

Some Forms of Paralysis from Peripheral Neuritis: of Gouty, Alcoholic, Diphtheritic, and other origin. Crown 8vo, 5s.

Also.

On the Simulation of Hysteria by Organic Disease of the Nervous System. Crown 8vo, 4s. 6d.**Gout in its Clinical Aspects.**

By J. MORTIMER GRANVILLE, M.D. Crown 8vo, 6s.

Diseases of the Liver :

With and without Jaundice. By GEORGE HARLEY, M.D., F.R.C.P., F.R.S. 8vo, with 2 Plates and 36 Engravings, 21s.

Stammering :

Its Causes, Treatment, and Cure. By A. G. BERNARD, M.R.C.S., L.R.C.P. Crown 8vo, 2s.

Rheumatic Diseases,

(Differentiation in). By HUGH LANE, Surgeon to the Royal Mineral Water Hospital, Bath, and Hon. Medical Officer to the Royal United Hospital, Bath. Second Edition, much Enlarged, with 8 Plates. Crown 8vo, 3s. 6d.

Diseases of the Abdomen,

Comprising those of the Stomach and other parts of the Alimentary Canal, Oesophagus, Cæcum, Intestines, and Peritoneum. By S. O. HABERSHON, M.D., F.R.C.P. Fourth Edition. 8vo, with 5 Plates, 21s.

On the Relief of Excessive and

Dangerous Tympanites by Puncture of the Abdomen. By JOHN W. OGLE, M.A., M.D., F.R.C.P., Consulting Physician to St. George's Hospital. 8vo, 5s. 6d.

Croonian Lectures on Certain

Points connected with Diabetes.
By F. W. PAVY, M.D., F.R.S., late
Physician to Guy's Hospital. 8vo, 4s. 6d.

Acute Intestinal Strangulation,

And Chronic Intestinal Obstruction (Mode
of Death from). By THOMAS BRYANT,
F.R.C.S., Senior Surgeon to Guy's
Hospital. 8vo, 3s.

Headaches :

Their Nature, Causes, and Treatment.
By W. H. DAY, M.D., Physician to the
Samaritan Hospital. Fourth Edition.
Crown 8vo, with Engravings, 7s. 6d.

Health Resorts at Home and

Abroad. By M. CHARTERIS, M.D.,
Professor of Therapeutics and Materia
Medica in Glasgow University. Second
Edition. Crown 8vo, with Map, 5s. 6d.

The Mineral Waters of France

And its Wintering Stations (Medical
Guide to). With a Special Map. By
A. VINTRAS, M.D., Physician to the
French Embassy, and to the French
Hospital, London. Second Edition.
Crown 8vo, 8s.

Illustrated Ambulance Lectures :

To which is added a NURSING LECTURE.
By JOHN M. H. MARTIN, M.D., F.R.C.S.,
Honorary Surgeon to the Blackburn In-
firmity. Third Edition. Crown 8vo, with
60 Engravings, 2s.

Surgery: its Theory and Prac-

tice (Student's Guide). By WILLIAM J.
WALSHAM, F.R.C.S., Senior Assistant
Surgeon to, and Lecturer on Anatomy at,
St. Bartholomew's Hospital. Fourth
Edition. Fcap. 8vo, with 335 Engravings,
12s.

Surgical Emergencies :

Together with the Emergencies attendant
on Parturition and the Treatment of
Poisoning. By W. PAUL SWAIN, F.R.C.S.,
Surgeon to the South Devon and East Corn-
wall Hospital. Fourth Edition. Crown
8vo, with 120 Engravings, 5s.

Operations on the Brain (A

Guide to). By ALEC FRASER, Pro-
fessor of Anatomy, Royal College of
Surgeons in Ireland. Illustrated by 42
life-size Plates in Autotype, and 2 Wood-
cuts in the text. Folio, 63s.

Surgery.

By C. W. MANSELL MOULLIN, M.A.,
M.D. Oxon., F.R.C.S., Surgeon and
Lecturer on Physiology to the London
Hospital. Large 8vo, with 497 Engraving-
s, 34s.

A Course of Operative Surgery.

By CHRISTOPHER HEATH, Surgeon to
University College Hospital. Second
Edition. With 20 coloured Plates (180
figures) from Nature, by M. LÉVEILLÉ,
and several Woodcuts. Large 8vo, 30s.

By the same Author.

The Student's Guide to Surgical

Diagnosis. Second Edition. Fcap.
8vo, 6s. 6d.

Also.

Manual of Minor Surgery and

Bandaging. For the use of House-
Surgeons, Dressers, and Junior Practi-
tioners. Ninth Edition. Fcap. 8vo,
with 146 Engravings, 6s.

Also.

Injuries and Diseases of the

Jaws. Third Edition. 8vo, with Plate
and 206 Wood Engravings, 14s.

Also.

Lectures on Certain Diseases

of the Jaws. Delivered at the
R.C.S., Eng., 1887. 8vo, with 64
Engravings, 2s. 6d.

Also.

Clinical Lectures on Surgical

Subjects. Delivered in University
College Hospital. Fcap. 8vo, with 23
Engravings, 6s.

The Practice of Surgery :

A Manual. By THOMAS BRYANT,
Consulting Surgeon to Guy's Hospital.
Fourth Edition. 2 vols. crown 8vo, with
750 Engravings (many being coloured),
and including 6 chromo plates, 32s.

By the same Author.

On Tension : Inflammation of

Bone, and Head Injuries. Hun-
terian Lectures, 1888. 8vo, 6s.

The Surgeon's Vade-Mecum :

A Manual of Modern Surgery. By R.
DRUITT, F.R.C.S. Twelfth Edition.
By STANLEY BOYD, M.B., F.R.C.S.
Assistant Surgeon and Pathologist to
Charing Cross Hospital. Crown 8vo,
with 373 Engravings, 16s.

The Operations of Surgery :

Intended for Use on the Dead and Living
Subject alike. By W. H. A. JACOBSON,
M.A., M.B., M.Ch. Oxon., F.R.C.S.,
Assistant Surgeon to, and Lecturer on
Anatomy at, Guy's Hospital. Second
Edition. 8vo, with 235 Illustrations, 30s.

Diseases of Bones and Joints.

By CHARLES MACNAMARA, F.R.C.S.,
Surgeon to, and Lecturer on Surgery at,
the Westminster Hospital. 8vo, with
Plates and Engravings, 12s.

Lectures on Orthopædic Surgery. By BERNARD E. BRODHURST, F.R.C.S., Surgeon to the Royal Orthopædic Hospital. Second Edition. 8vo, with Engravings, 12s. 6d.

By the same Author.

On Anchylosis, and the Treatment for the Removal of Deformity and the Restoration of Mobility in Various Joints. Fourth Edition. 8vo, with Engravings, 5s.

Also.

Curvatures and Disease of the Spine. Fourth Edition. 8vo, with Engravings, 7s. 6d.

Surgical Pathology and Morbid Anatomy (Student's Guide Series). By ANTHONY A. BOWLBY, F.R.C.S., Assistant Surgeon to St. Bartholomew's Hospital. Second Edition. Fcap. 8vo, with 158 Engravings, 9s.

By the same Author.

Injuries and Diseases of Nerves and their Surgical Treatment. 8vo, with 20 Plates, 14s.

Illustrations of Clinical Surgery. By JONATHAN HUTCHINSON, F.R.S., Senior Surgeon to the London Hospital. In fasciculi. 6s. 6d each. Fasc. I. to X. bound, with Appendix and Index, £3 10s. Fasc. XI. to XXIII. bound, with Index, £4 10s.

The Human Foot:

Its Form and Structure, Functions and Clothing. By THOMAS S. ELLIS, Consulting Surgeon to the Gloucester Infirmary. With 7 Plates and Engravings (50 Figures). 8vo, 7s. 6d.

Clubfoot:

Its Causes, Pathology, and Treatment. By WM. ADAMS, F.R.C.S., Consulting Surgeon to the Great Northern and other Hospitals. Second Edition. 8vo, with 106 Engravings and 6 Lithographic Plates, 15s.

By the same Author.

Lateral and other Forms of Curvature of the Spine: Their Pathology and Treatment. Second Edition. 8vo, with 5 Lithographic Plates and 72 Wood Engravings, 10s. 6d.

Also.

Contraction of the Fingers:

(Dupuytren's and Congenital Contractions), their Treatment by Subcutaneous Divisions of the Fascia, and Immediate Extension. Also on **Hammer Toe**; its Curability by Subcutaneous Division. And on **The Obliteration of Depressed Cicatrices** by a Subcutaneous Operation. 8vo, with 8 Plates and 31 Engravings, 6s. 6d.

Treatment of Internal Derangements of the Knee-Joint, by Operation. By HERBERT W. ALLINGHAM, F.R.C.S., Surgeon to the Great Northern Central Hospital, &c. 8vo, with Engravings, 5s.

Short Manual of Orthopædy.

By HEATHER BIGG, F.R.C.S. Ed. Part I. Deformities and Deficiencies of the Head and Neck. 8vo. 2s. 6d.

Face and Foot Deformities.

By FREDERICK CHURCHILL, C.M. 8vo, with Plates and Illustrations, 10s. 6d.

Royal London Ophthalmic Hospital Reports. By the Medical and Surgical Staff. Vol. XIII, Part 2. 8vo, 5s.

Ophthalmological Society

of the United Kingdom. Transactions. Vol. XII. 8vo, 12s. 6d.

The Diseases of the Eye

(Student's Guide Series). By EDWARD NETTLESHIP, F.R.C.S., Ophthalmic Surgeon to St. Thomas's Hospital. Fifth Edition. Fcap. 8vo, with 164 Engravings and a Coloured Plate illustrating Colour-Blindness, 7s. 6d.

Diseases and Refraction of the Eye. By N.C. MACNAMARA, F.R.C.S., Surgeon to Westminster Hospital, and GUSTAVUS HARTRIDGE, F.R.C.S., Surgeon to the Royal Westminster Ophthalmic Hospital. Fifth Edition. Crown 8vo, with Plate, 156 Engravings, also Test-types, 10s. 6d.

On Diseases and Injuries of the Eye: A Course of Systematic and Clinical Lectures to Students and Medical Practitioners. By J. R. WOLFE, M.D., F.R.C.S.E., Lecturer on Ophthalmic Medicine and Surgery in Anderson's College, Glasgow. With 10 Coloured Plates and 157 Wood Engravings. 8vo, £1 1s.

Normal and Pathological Histology of the Human Eye and Eyelids. By C. FRED. POLLOCK, M.D., F.R.C.S. and F.R.S.E., Surgeon for Diseases of the Eye to Anderson's College Dispensary, Glasgow. Crown 8vo, with 100 Plates (230 drawings), 15s.

By the same Author.

Leprosy as a Cause of Blindness.

With Notes of Forty-one Cases. Crown 8vo, 2s. 6d.

Atlas of Ophthalmoscopy.

Composed of 12 Chromo-lithographic Plates (59 Figures drawn from nature) and Explanatory Text. By RICHARD LIEBREICH, M.R.C.S. Translated by H. ROSBOROUGH SWANZY, M.B. Third edition, 4to, 40s.

Refraction of the Eye :

A Manual for Students. By GUSTAVUS HARTRIDGE, F.R.C.S., Surgeon to the Royal Westminster Ophthalmic Hospital. Sixth Edition. Crown 8vo, with 98 Illustrations, also Test-types, &c., 6s.

By the same Author.

The Ophthalmoscope. A Manual for Students. Crown 8vo, with 63 Illustrations. 4s.

Glaucoma :

Its Pathology and Treatment. By PRIESTLEY SMITH, Ophthalmic Surgeon to, and Clinical Lecturer on Ophthalmology at, the Queen's Hospital, Birmingham. 8vo, with 64 Engravings and 12 Zinco-photographs, 7s. 6d.

Hintson Ophthalmic Out-Patient Practice. By CHARLES HIGGINS, Ophthalmic Surgeon to Guy's Hospital. Third Edition. Fcap. 8vo, 3s.

Eyestrain

(commonly called Asthenopia). By ERNEST CLARKE, M.D., B.S. Lond., Surgeon to the Central London Ophthalmic Hospital, Surgeon and Ophthalmic Surgeon to the Miller Hospital. 8vo, with 22 Illustrations, 5s.

Diseases and Injuries of the Ear. By Sir WILLIAM B. DALBY, Consulting Aural Surgeon to St. George's Hospital. Fourth Edition. Crown 8vo, with Coloured Plates and Wood Engravings. [*Nearly ready.*]

By the same Author.

Short Contributions to Aural Surgery, between 1875 and 1889. Second Edition. 8vo, with Engravings, 3s. 6d.

Sore Throat :

Its Nature, Varieties, and Treatment. By PROSSER JAMES, M.D., Physician to the Hospital for Diseases of the Throat. Fifth Edition. Post 8vo, with Coloured Plates and Engravings, 6s. 6d.

Endemic Goitre or Thyreocele :

Its Etiology, Clinical Characters, Pathology, Distribution, Relations to Cretinism, Myxœdema, &c., and Treatment. By WILLIAM ROBINSON, M.D. 8vo, 5s.

A System of Dental Surgery.

By Sir JOHN TOMES, F.R.S., and C. S. TOMES, M.A., F.R.S. Third Edition. Crown 8vo, with 292 Engravings, 15s.

Dental Anatomy, Human and Comparative: A Manual. By CHARLES S. TOMES, M.A., F.R.S. Third Edition. Crown 8vo, with 212 Engravings, 12s. 6d.

A Manual of Nitrous Oxide Anæsthesia, for the use of Students and General Practitioners. By J. FREDERICK W. SILK, M.D. Lond., M.R.C.S., Anæsthetist to the Royal Free Hospital, Dental School of Guy's Hospital, and National Epileptic Hospital. 8vo, with 26 Engravings, 5s.

A Practical Treatise on Mechanical Dentistry. By JOSEPH RICHARDSON, M.D., D.D.S., late Emeritus Professor of Prosthetic Dentistry in the Indiana Medical College. Fifth Edition. Roy. 8vo, with 458 Engravings, 21s.

Notes on Dental Practice.

By HENRY C. QUINBY, L.D.S.I., President-Elect of the British Dental Association. Second Edition. 8vo, with 92 Illustrations, 8s.

Principles and Practice of Dentistry : including Anatomy, Physiology, Pathology, Therapeutics, Dental Surgery, and Mechanism. By C. A. HARRIS, M.D., D.D.S. Edited by F. J. S. GORGAS, A.M., M.D., D.D.S., Professor in the Dental Department of Maryland University. Twelfth Edition. 8vo, with over 1,000 Illustrations, 33s.

Elements of Dental Materia Medica and Therapeutics, with Pharmacopœia. By JAMES STOCKEN, L.D.S.R.C.S., Pereira Prizeman for Materia Medica, and THOMAS GADDES, L.D.S. Eng. and Edin. Third Edition. Fcap. 8vo, 7s. 6d.

Papers on Dermatology.

By E. D. MAPOTHER, M.D., Ex-Pres. R.C.S.I. 8vo, 3s. 6d.

Atlas of Skin Diseases.

By TILBURY FOX, M.D., F.R.C.P. With 72 Coloured Plates. Royal 4to, half morocco, £6 6s.

Eczema and its Treatment :

A Practical Treatise. By M. J. RAE, M.D., late Physician to the Blackburn and East Lancashire Infirmary. Crown 8vo, 5s.

Diseases of the Skin :

A Practical Treatise for the Use of Students and Practitioners. By J. N. HYDE, A.M., M.D., Professor of Skin and Venereal Diseases, Rush Medical College, Chicago. Second Edition. 8vo, with 2 Coloured Plates and 96 Engravings, 20s.

Leprosy in British Guiana.

By JOHN D. HILLIS, F.R.C.S., M.R.I.A., Medical Superintendent of the Leper Asylum, British Guiana. Imp. 8vo, with 22 Lithographic Coloured Plates and Wood Engravings, £1 11s. 6d.

Diseases of the Skin

(Introduction to the Study of). By P. H. PYE-SMITH, M.D., F.R.S., F.R.C.P., Physician to, and Lecturer on Medicine in, Guy's Hospital. Crown 8vo, with Engravings.

Sarcoma and Carcinoma:

Their Pathology, Diagnosis, and Treatment. By HENRY T. BUTLIN, F.R.C.S., Assistant Surgeon to St. Bartholomew's Hospital. 8vo, with 4 Plates, 8s.

By the same Author.

Malignant Disease of the Larynx (Sarcoma and Carcinoma). 8vo, with 5 Engravings, 5s.

Also.

Operative Surgery of Malignant Disease. 8vo, 14s.

On Cancer:

Its Allies, and other Tumours; their Medical and Surgical Treatment. By F. A. PURCELL, M.D., M.C., Surgeon to the Cancer Hospital, Brompton. 8vo, with 21 Engravings, 10s. 6d.

The Re-appearance (Recurrence) of Cancer after apparent Extirpation. By HERBERT L. SNOW, M.D., Surgeon to the Cancer Hospital, Brompton. 8vo, 5s. 6d.

By the same Author.

The Palliative Treatment of Incurable Cancer. Crown 8vo, 2s. 6d.

Cancerous Affections of the Skin. (Epithelioma and Rodent Ulcer.) By GEORGE THIN, M.D. Post 8vo, with 8 Engravings, 5s.

By the same Author.

Pathology and Treatment of Ringworm. 8vo, with 21 Engravings, 5s.

Clinical Chemistry of Urine (Outlines of the). By C. A. MACMUNN, M.A., M.D. 8vo, with 64 Engravings and Plate of Spectra, 9s.

Urinary and Renal Derangements and Calculous Disorders. By LIONEL S. BEALE, F.R.C.P., F.R.S., Physician to King's College Hospital. 8vo, 5s.

The Surgical Diseases of the Genito-Urinary Organs, including Syphilis. By E. L. KEYES, M.D., Professor of Genito-Urinary Surgery, Syphiology, and Dermatology in Bellevue Hospital Medical College, New York (a revision of VAN BUREN and KEYES' Text-book). Roy. 8vo, with 114 Engravings, 21s

Diseases of the Urinary Organs.

Clinical Lectures. By Sir HENRY THOMPSON, F.R.C.S., Emeritus Professor of Clinical Surgery and Consulting Surgeon to University College Hospital. Eighth Edition. 8vo, with 121 Engravings, 10s. 6d.

By the same Author.

Diseases of the Prostate:

Their Pathology and Treatment. Sixth Edition. 8vo, with 39 Engravings, 6s.

Also.

Surgery of the Urinary Organs.

Some Important Points connected therewith. Lectures delivered in the R.C.S. 8vo, with 44 Engravings. Student's Edition, 2s. 6d.

Also.

Practical Lithotomy and Lithotripsy; or, An Inquiry into the Best Modes of Removing Stone from the Bladder. Third Edition. 8vo, with 87 Engravings, 10s.

Also.

The Preventive Treatment of Calculous Disease, and the Use of Solvent Remedies. Third Edition. Crown 8vo, 2s. 6d.

Also.

Tumours of the Bladder:

Their Nature, Symptoms, and Surgical Treatment. 8vo, with numerous Illustrations, 5s.

Also.

Stricture of the Urethra, and Urinary Fistulæ: their Pathology and Treatment. Fourth Edition. 8vo, with 74 Engravings, 6s.

Also.

The Suprapubic Operation of Opening the Bladder for the Stone and for Tumours. 8vo, with 14 Engravings, 3s. 6d.

Lectures on the Surgical Disorders of the Urinary Organs. By REGINALD HARRISON, F.R.C.S., Surgeon to St. Peter's Hospital. Third Edition. 8vo, with 117 Engravings, 12s. 6d.

Electric Illumination of the Bladder and Urethra, as a Means of Diagnosis of Obscure Vesico-Urethral Diseases. By E. HURRY FENWICK, F.R.C.S., Surgeon to London Hospital and St. Peter's Hospital for Stone. Second Edition. 8vo, with 54 Engravings, 6s. 6d.

By the same Author.

The Cardinal Symptoms of Urinary Diseases: their Diagnostic Significance and Treatment.

Modern Treatment of Stone in the Bladder by Litholopaxy. By P. J. FREYER, M.A., M.D., M.Ch., Bengal Medical Service. 8vo, with Engravings, 5s.

The Surgery of the Rectum.

By HENRY SMITH, Emeritus Professor of Surgery in King's College, Consulting Surgeon to the Hospital. Fifth Edition. 8vo, 6s.

Diseases of the Rectum and Anus. By ALFRED COOPER, F.R.C.S., Senior Surgeon to the St. Mark's Hospital for Fistula; and F. SWINFORD EDWARDS, F.R.C.S., Senior Assistant Surgeon to St. Mark's Hospital. Second Edition, with Illustrations. 8vo, 12s.

Diseases of the Rectum and Anus. By HARRISON CRIPPS, F.R.C.S., Assistant Surgeon to St. Bartholomew's Hospital, &c. Second Edition. 8vo, with 13 Lithographic Plates and numerous Wood Engravings, 12s. 6d.

By the same Author.

Cancer of the Rectum.

Especially considered with regard to its Surgical Treatment. Jacksonian Prize Essay. 8vo, with 13 Plates and several Wood Engravings, 6s.

The Diagnosis and Treatment of Diseases of the Rectum. By WILLIAM ALLINGHAM, F.R.C.S., Surgeon to St. Mark's Hospital for Fistula. Fifth Edition. By HERBERT WM. ALLINGHAM, F.R.C.S., Surgeon to the Great Northern Central Hospital, Demonstrator of Anatomy at St. George's Hospital. 8vo, with 53 Engravings. 10s. 6d.

Diagnosis and Treatment of Syphilis. By TOM ROBINSON, M.D., Physician to St. John's Hospital for Diseases of the Skin. Crown 8vo, 3s. 6d.

By the same Author.

Eczema: its Etiology, Pathology, and Treatment. Crown 8vo, 3s. 6d.

Also.

Illustrations of Diseases of the Skin and Syphilis, with Remarks. Fasc. I. with 3 Plates. Imp. 4to, 5s.

A Medical Vocabulary:

An Explanation of all Terms and Phrases used in the various Departments of Medical Science and Practice, their Derivation, Meaning, Application, and Pronunciation. By R. G. MAYNE, M.D., LL.D. Sixth Edition, by W. W. WAGSTAFFE, B.A., F.R.C.S. Crown 8vo, 10s. 6d.

A Short Dictionary of Medical Terms. Being an Abridgment of Mayne's Vocabulary. 64mo, 2s. 6d.

Terminologia Medica Polyglotta: a Concise International Dictionary of Medical Terms (French, Latin, English, German, Italian, Spanish, and Russian). By THEODORE MAXWELL, M.D., B.Sc., F.R.C.S. Edin. Royal 8vo, 16s.

A German-English Dictionary of Medical Terms. By FREDERICK TREVES, F.R.C.S., Surgeon to the London Hospital; and HUGO LANG, B.A. Crown 8vo, half-Persian calf, 12s.

The Medical Adviser in Life Assurance. By Sir E. H. SIEVEKING, M.D., F.R.C.P. Second Edition. Crown 8vo, 6s.

Chemistry,

Inorganic and Organic. With Experiments. By CHARLES L. BLOXAM. Seventh Edition, by JOHN MILLAR THOMSON, Professor of Chemistry in King's College, London, and ARTHUR G. BLOXAM, Demonstrator of Chemistry in the Royal Agricultural College, Cirencester. 8vo, with 282 Illustrations, 18s.

By the same Author.

Laboratory Teaching;

Or, Progressive Exercises in Practical Chemistry. Fifth Edition. Crown 8vo, with 89 Engravings, 5s. 6d.

Watts' Manual of Chemistry,

Theoretical and Practical. By WILLIAM A. TILDEN, D.Sc., F.R.S., Professor of Chemistry in the Mason College, Birmingham.

PHYSICAL AND INORGANIC CHEMISTRY. Second Edition. Crown 8vo, with Coloured Plate of Spectra, and 122 Wood Engravings, 8s. 6d.

CHEMISTRY OF CARBON COMPOUNDS; or, ORGANIC CHEMISTRY. Second Edition. Crown 8vo, with Engravings, 10s.

Practical Chemistry

And Qualitative Analysis. By FRANK CLOWES, D.Sc. Lond., Professor of Chemistry in the University College, Nottingham. Fifth Edition. Post 8vo, with 57 Engravings and Frontispiece, 7s. 6d.

Quantitative Analysis.

By FRANK CLOWES, D.Sc. Lond., Professor of Chemistry in the University College, Nottingham, and J. BERNARD COLEMAN, Assoc. R. C. Sci. Dublin; Senior Demonstrator of Chemistry in the University College, Nottingham. Post 8vo, with 83 Engravings, 7s. 6d.

Qualitative Analysis.

By R. FRESENIUS. Translated by CHARLES E. GROVES, F.R.S. Tenth Edition. 8vo, with Coloured Plate of Spectra and 46 Engravings, 15s.

By the same Author.

Quantitative Analysis.

Seventh Edition.

Vol. I., Translated by A. VACHER. 8vo, with 106 Engravings, 15s.

Vol. II., Parts I to 3, Translated by C. E. GROVES, F.R.S. 8vo, with Engravings, 2s. 6d. each.

Practical Chemistry,

Including Analysis. By JOHN E. BOWMAN and CHARLES L. BLOXAM. Fcap. 8vo. Eighth Edition, with 90 Engravings, 5s. 6d.

Inorganic Chemistry.

By EDWARD FRANKLAND, Ph.D., D.C.L., LL.D., F.R.S., Professor of Chemistry in the Normal School of Science, and FRANCIS R. JAPP, M.A., Ph.D., F.I.C., F.R.S., Professor of Chemistry in the University of Aberdeen. 8vo, with numerous Illustrations on Stone and Wood, 24s.

Inorganic Chemistry

(A System of). By WILLIAM RAMSAY, Ph.D., F.R.S., Professor of Chemistry in University College, London. 8vo, with Engravings, 15s.

By the same Author.

Elementary Systematic Chemistry for the Use of Schools and Colleges. With Engravings. Crown 8vo, 4s. 6d.; Interleaved, 5s. 6d.

Organic Chemistry :

(Outlines of). By H. FORSTER MORLEY, M.A., D.Sc., Joint Editor of Watts' "Dictionary of Chemistry." Crown 8vo, 7s. 6d.

Valentin's Qualitative Chemical Analysis. Seventh Edition. By Dr. W. R. HODGKINSON, F.R.S.E., Professor of Chemistry and Physics, Royal Military Academy, and Artillery College, Woolwich; assisted by H. CHAPMAN-JONES, F.C.S., Demonstrator in the Royal School of Mines, &c., and F. E. MATTHEWS, Ph.D., of Cooper's Hill College. 8vo, with Engravings and Map of Spectra, 8s. 6d.

Analytical Chemistry.

Notes for Students in Medicine. By ALBERT J. BERNAYS, Ph.D., F.C.S., F.I.C., late Professor of Chemistry, &c., at St. Thomas's Hospital Medical School. Third Edition. Crown 8vo, 4s. 6d.

Volumetric Analysis :

(A Systematic Handbook of); or the Quantitative Estimation of Chemical Substances by Measure, applied to Liquids, Solids, and Gases. By FRANCIS SUTTON, F.C.S., F.I.C., Public Analyst for the County of Norfolk. Sixth Edition. 8vo, with 102 Engravings, 17s. 6d.

Fuel and its Applications.

By E. J. MILLS, D.Sc., F.R.S., and F. J. ROWAN, C.E. Being Vol. I. of Chemical Technology, or Chemistry in its application to Arts and Manufactures. Edited by CHARLES E. GROVES, F.R.S., and WILLIAM THORP, B.Sc. Royal 8vo, with 606 Engravings, 30s.

Commercial Organic Analysis :

A Treatise on the Properties, Modes of Assaying, Proximate Analytical Examination, &c., of the various Organic Chemicals and Products employed in the Arts, Manufactures, Medicine, &c. By ALFRED H. ALLEN, F.I.C., F.C.S., Public Analyst for the West Riding of Yorkshire, the Northern Division of Derbyshire, &c.

Vol. I.—Alcohols, Neutral Alcoholic Derivatives, Sugars, Starch and its Isomers, Vegetable Acids, &c. With Illustrations. Third Edition. 8vo. [Preparing.]

Vol. II.—Fixed Oils and Fats, Hydrocarbons, Phenols, &c. With Illustrations. Third Edition. 8vo. [Preparing.]

Vol. III.—Part I. Aromatic Acids, Tannins, Dyes, and Colouring Matters. Second Edition. 8vo, 14s.

Part II. Amines and Ammonium Bases, Hydrazines, Bases from Tar, Vegetable Alkaloids. Second Edition. 8vo, 18s.

Potable Waters :

Their Organic Analysis. By J. A. BLAIR, M.B., C.M., D.Sc., L.R.C.P. Second Edition. Crown 8vo, 3s. 6d.

Cooley's Cyclopædia

of Practical Receipts, and Collateral Information in the Arts, Manufactures, Professions, and Trades: Including Medicine, Pharmacy, Hygiene and Domestic Economy. Seventh Edition, by W. NORTH, M.A. Camb., F.C.S. 2 Vols., Roy. 8vo, with 371 Engravings, 42s.

Chemical Technology :

A Manual. By RUDOLF VON WAGNER. Translated and Edited by WILLIAM CROOKES, F.R.S., from the Thirteenth Enlarged German Edition as remodelled by Dr. FERDINAND FISCHER. 8vo, with 596 Engravings, 32s.

Technological Handbooks.

EDITED BY JOHN GARDNER, F.I.C., F.C.S., and JAMES CAMERON, F.I.C.

BREWING, DISTILLING, AND WINE MANUFACTURE. Crown 8vo, with Engravings, 6s. 6d.

BLEACHING, DYEING, AND CALICO PRINTING. With Formulæ. Crown 8vo, with Engravings, 5s.

ACETIC ACID AND VINEGAR, AMMONIA, AND ALUM. Crown 8vo, with 28 Engravings, 5s.

OILS, RESINS, AND VARNISHES. Crown 8vo, with Engravings. 7s. 6d.

SOAPS AND CANDLES. Crown 8vo, with 54 Engravings, 7s.

The Microscope and its Revelations. By the late WILLIAM B. CARPENTER, C.B., M.D., LL.D., F.R.S. Seventh Edition, by the Rev. W. H. DALLINGER, LL.D., F.R.S. With 21 Plates and 800 Wood Engravings. 8vo, 26s. Half Calf, 30s.

Methods and Formulæ

Used in the Preparation of Animal and Vegetable Tissues for Microscopical Examination, including the Staining of Bacteria. By PETER WYATT SQUIRE, F.L.S. Crown 8vo, 3s. 6d.

The Microtome's Vade-Mecum:

A Handbook of the Methods of Microscopic Anatomy. By ARTHUR BOLLES LEE, Assistant in the Russian Laboratory of Zoology at Villefranche-sur-mer (Nice). Second Edition. 8vo, 12s. 6d.

The Quarterly Journal of Microscopical Science.

Edited by E. RAY LANKESTER, M.A., LL.D., F.R.S.; with the co-operation of ADAM SEDGWICK, M.A., F.R.S., A. MILNES MARSHALL, M.A., D.Sc., M.D., F.R.S., and PROF. WELDON. Each Number, 10s.

Photo-Micrography

(Guide to the Science of). By EDWARD C. BOUSFIELD, L.R.C.P. Lond. 8vo, with 34 Engravings and Frontispiece, 6s.

The Principles and Practice of

Veterinary Medicine. By WILLIAM WILLIAMS, F.R.C.V.S., F.R.S.E., Principal, and Professor of Veterinary Medicine and Surgery at the New Veterinary College, Edinburgh. Sixth Edition. 8vo, with several Coloured Plates and Woodcuts, 30s.

By the same Author.

The Principles and Practice

of Veterinary Surgery. Seventh Edition. 8vo, with 9 Plates and 140 Woodcuts, 30s.

A Pharmacopœia, including the

Outlines of Materia Medica and Therapeutics, for the Use of Practitioners and Students of Veterinary Medicine. By RICHARD V. TUSON, F.I.C., late Professor of Chemistry, Materia Medica, and Toxicology at the Royal Veterinary College. Fourth Edition. Post 8vo, 7s. 6d.

The Veterinarian's Pocket Re-

membrancer: being Concise Directions for the Treatment of Urgent or Rare Cases, embracing Semeiology, Diagnosis, Prognosis, Surgery, Therapeutics, Toxicology, Detection of Poisons by their Appropriate Tests, Hygiene, &c. By GEORGE ARMATAGE, M.R.C.V.S. Second Edition. Post 8vo, 3s.

Chauveau's Comparative Anat-

omy of the Domesticated Animals. Revised and Enlarged, with the Co-operation of S. ARLOING, Director of the Lyons Veterinary School, and Edited by GEORGE FLEMING, C.B., LL.D., F.R.C.V.S., late Principal Veterinary Surgeon of the British Army. Second English Edition. 8vo, with 585 Engravings, 31s. 6d.

INDEX.

- Abercrombie's Medical Jurisprudence, 2
 Adams (W.) on Clubfoot, 9
 ——— on Contractions of the Fingers, &c., 9
 ——— on Curvature of the Spine, 9
 Allen's Commercial Organic Analysis, 13
 Allingham (H.) on Derangements of Knee-joint, 9
 Allingham (W.) on Diseases of the Rectum, 12
 Armatage's Veterinary Pocket Remembrancer, 14
 Auld's Bronchial Affections, 6
 Barnes (R.) on Obstetric Operations, 3
 ——— on Diseases of Women, 3
 Bateman's Aphasia, 7
 Beale on Liver, 6
 ——— Microscope in Medicine, 6
 ——— Slight Ailments, 6
 ——— Urinary and Renal Derangements, 11
 Beasley's Book of Prescriptions, 4
 ——— Druggists' General Receipt Book, 4
 ——— Pocket Formulary, 4
 Bellamy's Surgical Anatomy, 1
 Bentley and Trimen's Medicinal Plants, 5
 Bentley's Manual of Botany, 5
 ——— Structural Botany, 5
 ——— Systematic Botany, 5
 Berkart's Bronchial Asthma, 6
 Bernard on Stammering, 7
 Bernay's Notes on Analytical Chemistry, 13
 Biggs Short Manual of Orthopædy, 9
 Blair's Potable Waters, 13
 Bloxam's Chemistry, 12
 ——— Laboratory Teaching, 12
 Bousfield's Photo-Micrography, 14
 Bowlby's Injuries and Diseases of Nerves, 9
 ——— Surgical Pathology and Morbid Anatomy, 9
 Bowman and Bloxam's Practical Chemistry, 13
 Brodhurst's Anchylosis, 9
 ——— Curvatures, &c., of the Spine, 9
 ——— Orthopædic Surgery, 9
 Bryant's Acute Intestinal Strangulation, 8
 ——— Practice of Surgery, 8
 ——— Tension, Inflammation of Bone, Injuries, &c., 8
 Buist's Vaccinia and Variola, 7
 Burdett's Hospitals and Asylums of the World, 2
 Burton's Midwifery for Midwives, 3
 Butlin's Malignant Disease of the Larynx, 11
 ——— Operative Surgery of Malignant Disease, 11
 ——— Sarcoma and Carcinoma, 11
 Buzzard's Diseases of the Nervous System, 7
 ——— Peripheral Neuritis, 7
 ——— Simulation of Hysteria, 7
 Cameron's Oils, Resins, and Varnishes, 14
 ——— Soaps and Candles, 14
 Carpenter and Dallinger on the Microscope, 14
 Carpenter's Human Physiology, 2
 Charteris on Health Resorts, 8
 ——— Practice of Medicine, 6
 Chauveau's Comparative Anatomy, 14
 Chevers' Diseases of India, 5
 Churchill's Face and Foot Deformities, 9
 Clarke's Eyestrain, 10
 Clouston's Lectures on Mental Diseases, 2
 Clowes and Coleman's Quantitative Analysis, 12
 Clowes' Practical Chemistry, 12
 Cooley's Cyclopædia of Practical Receipts, 13
 Cooper and Edwards' Diseases of the Rectum, 12
 Cripps' Cancer of the Rectum, 12
 ——— Diseases of the Rectum and Anus, 12
 Cullingworth's Manual of Nursing, 4
 ——— Short Manual for Monthly Nurses, 4
 Dalby's Diseases and Injuries of the Ear, 10
 ——— Short Contributions, 10
 Day on Diseases of Children, 4
 ——— on Headaches, 8
 Domville's Manual for Nurses, 4
 Doran's Gynæcological Operations, 3
 Down's Mental Affections of Childhood, 3
 Druitt's Surgeon's Vade-Mecum, 8
 Duncan (A.), on Prevention of Disease in Tropics, 5
 Duncan (J. M.), on Diseases of Women, 3
 Ellis's (E.) Diseases of Children, 4
 Ellis's (T.S.) Human Foot, 9
 Ewart's Bronchi and Pulmonary Blood Vessels, 6
 Fagge's Principles and Practice of Medicine, 5
 Fayrer's Climate and Fevers of India, 5
 ——— Natural History, etc., of Cholera, 5
 Fenwick (E. H.), Electric Illumination of Bladder, 11
 Fenwick (E. H.), Symptoms of Urinary Diseases, 11
 Fenwick's (S.) Medical Diagnosis, 6
 ——— Obscure Diseases of the Abdomen, 6
 ——— Outlines of Medical Treatment, 6
 ——— The Saliva as a Test, 6
 Flower's Diagrams of the Nerves, 1
 Fowler's Dictionary of Practical Medicine, 5
 Fox's (C. B.) Examinations of Water, Air, and Food, 2
 Fox's (T.) Atlas of Skin Diseases, 10
 Fox (Wilson), Atlas of Pathological Anatomy of Lungs,
 ——— Treatise on Diseases of the Lungs, 6
 Frankland and Japp's Inorganic Chemistry, 13
 Fraser's Operations on the Brain, 8
 Fresenius' Chemical Analysis, 13
 Freyer's Litholopaxy, 12
 Galabin's Diseases of Women, 3
 Galabin's Manual of Midwifery, 3
 Gardner's Acetic Acid and Vinegar, &c., 14
 ——— Bleaching, Dyeing, and Calico Printing, 14
 ——— Brewing, Distilling, and Wine Manuf., 14
 Godlee's Atlas of Human Anatomy, 1
 Goodhart's Diseases of Children, 4
 Gowers' Diseases of the Spinal Cord, 7
 ——— Manual of Diseases of Nervous System, 7
 ——— Medical Ophthalmoscopy, 7
 ——— Syphilis and the Nervous System, 7
 Granville on Gout, 7
 Guy's Hospital Reports, 6
 Habershon's Diseases of the Abdomen, 7
 Haig's Uric Acid, 6
 Harley on Diseases of the Liver, 7
 Harris's (C. A.) Dentistry, 10
 Harris's (V. D.) Diseases of Chest, 6
 Harrison's Surgical Disorders of the Urinary Organs, 11
 Hartridge's Refraction of the Eye, 10
 ——— Ophthalmoscope, 10
 Heath's Certain Diseases of the Jaws, 8
 ——— Clinical Lectures on Surgical Subjects, 8
 ——— Injuries and Diseases of the Jaws, 8
 ——— Minor Surgery and Bandaging, 8
 ——— Operative Surgery, 8
 ——— Practical Anatomy, 1
 ——— Surgical Diagnosis, 8
 Higgens' Ophthalmic Out-patient Practice, 10
 Hillier's Notes on Gynæcological Nursing, 3
 Hillis' Leprosy in British Guiana, 10
 Hirschfeld's Atlas of Central Nervous System, 2
 Holden's Human Osteology, 1
 ——— Landmarks, 1
 Hooper's Physicians' Vade-Mecum, 5
 Hutchinson's Clinical Surgery, 9
 Hyde's Diseases of the Skin, 10
 Jacobson's Operations of Surgery, 8
 James (P.) on Sore Throat, 10
 Johnson's Asphyxia, 6
 ——— Medical Lectures and Essays, 6
 Journal of Mental Science, 3
 Keyes' Genito-Urinary Organs and Syphilis, 11
 Lancereaux's Atlas of Pathological Anatomy, 2
 Lane's Rheumatic Diseases, 7
 Lee's Microtomists' Vade Mecum, 14
 Lescher's Recent Materia Medica, 4
 Lewis (Bevan) on the Human Brain, 2
 Liebreich's Atlas of Ophthalmoscopy, 9
 Macdonald's (J. D.) Examination of Water and Air, 2
 MacMunn's Clinical Chemistry of Urine, 11
 Macnamara's Diseases and Refraction of the Eye, 9
 ——— of Bones and Joints, 8
 Mapother's Papers on Dermatology, 10
 Martin's Ambulance Lectures, 8
 Maxwell's Terminologia Medica Polyglotta, 12
 Mayne's Medical Vocabulary, 12
 ——— Microscopical Journal, 14
 Mills and Rowan's Fuel and its Applications, 13
 Moore's (N.) Pathological Anatomy of Diseases, 1
 Moore's (Sir W. J.) Manual of the Diseases of India, 5
 ——— Tropical Climates, 5
 Morley's Organic Chemistry, 13
 Morris's Human Anatomy, 1
 Moullin's (Mansell) Surgery, 8
 Nettleship's Diseases of the Eye, 9
 Nixon's Hospital Practice, 6
 Ogle on Puncturing the Abdomen, 7
 Ophthalmic (Royal London) Hospital Reports, 9
 Ophthalmological Society's Transactions, 9
 Oppert's Hospitals, Infirmarys, Dispensaries, &c., 2

[Continued on the next page.]

- Ormerod's Diseases of the Nervous System, 6
 Owen's *Materia Medica*, 4
 Parkes' Practical Hygiene, 2
 Pavy on Diabetes, 8
 Pereira's *Selecta & Prescriptis*, 4
 Phillips' *Materia Medica and Therapeutics*, 4
 Pollock's Histology of the Eye and Eyelids, 9
 — Leprosy as a Cause of Blindness, 9
 Proctor's Practical Pharmacy, 4
 Purcell on Cancer, 11
 Pye-Smith's Diseases of the Skin, 11
 Quinby's Notes on Dental Practice, 10
 Rae's Eczema and its Treatment, 10
 Ramsay's Inorganic Chemistry, 13
 — Elementary Systematic Chemistry, 13
 Richardson's Mechanical Dentistry, 10
 Roberts' (D. Lloyd) Practice of Midwifery, 3
 Robinson's (Tom) Eczema, 12
 — Illustrations of Skin Diseases, 12
 — Syphilis, 12
 Robinson (W.) Endemic Goitre or Thyreocele, 10
 Ross's Aphasia, 7
 — Diseases of the Nervous System, 7
 Royle and Harley's *Materia Medica*, 5
 St. Thomas's Hospital Reports, 6
 Sansom's Valvular Disease of the Heart, 7
 Savage's Female Pelvic Organs, 3
 Shore's Elementary Practical Biology, 5
 Short Dictionary of Medical Terms, 12
 Sieveking's Life Assurance, 12
 Silk's Manual of Nitrous Oxide, 10
 Simon's Public Health Reports, 2
 Smith's (E.) Clinical Studies, 4
 — Diseases in Children, 4
 — Wasting Diseases of Infants and Children, 4
 Smith's (J. Greig) Abdominal Surgery, 3
 Smith's (Henry) Surgery of the Rectum, 12
 Smith's (Priestley) Glaucoma, 10
 Snow's Palliative Treatment of Cancer, 11
 — Reappearance of Cancer, 11
 Southall's Organic *Materia Medica*, 4
 Squire's (P.) Companion to the Pharmacopœia, 4
 — London Hospitals Pharmacopœias, 4
 — Methods and Formulæ, 14
 Starling's Elements of Human Physiology, 2
 Stevenson and Murphy's Hygiene, 2
 Stocken's Dental *Materia Medica and Therapeutics*, 10
 Sutton's (H. G.), Lectures on Pathology, 1
 Sutton's (J. B.) General Pathology, 1
 Sutton's Volumetric Analysis, 13
 Swain's Surgical Emergencies, 8
 Swayne's Obstetric Aphorisms, 3
 Taylor's (A. S.) Medical Jurisprudence, 2
 Taylor's (F.) Practice of Medicine, 5
 Thin's Cancerous Affections of the Skin, 11
 — Pathology and Treatment of Ringworm, 11
 Thomas's Diseases of Women, 3
 Thompson's (Sir H.) Calculous Disease, 11
 — Diseases of the Prostate, 11
 — Diseases of the Urinary Organs, 11
 — Lithotomy and Lithotripsy, 11
 — Stricture of the Urethra, 11
 — Suprapubic Operation, 11
 — Surgery of the Urinary Organs, 11
 — Tumours of the Bladder, 11
 Tirard's Prescriber's Pharmacopœia, 5
 Tomes' (C. S.) Dental Anatomy, 10
 Tomes' (J. and C. S.) Dental Surgery, 10
 Tommasi-Crudelli's Climate of Rome, 6
 Tooth's Spinal Cord, 7
 Treves and Lang's German-English Dictionary, 12
 Tuke's Influence of the Mind upon the Body, 3
 — Prichard and Symonds and Mental Science, 3
 — Reform in the Treatment of the Insane, 3
 — Dictionary of Psychological Medicine, 3
 Tuson's Veterinary Pharmacopœia, 14
 Valentin and Hodgkinson's Qualitative Analysis, 13
 Vintras on the Mineral Waters, &c., of France, 8
 Wagner's Chemical Technology, 13
 Walsham's Surgery: its Theory and Practice, 8
 Waring's Indian Bazaar Medicines, 5
 — Practical Therapeutics, 5
 Watts' Manual of Chemistry, 12
 West's (S.) How to Examine the Chest, 6
 Westminster Hospital Reports, 6
 White's (Hale) *Materia Medica, Pharmacy, &c.*, 4
 Wilks' Diseases of the Nervous System, 7
 Williams' Veterinary Medicine, 14
 — Surgery, 14
 Wilson's (Sir E.) Anatomists' *Vade-Mecum*, 1
 Wilson's (G.) Handbook of Hygiene, 2
 Wolfe's Diseases and Injuries of the Eye, 9
 Wynter and Wethered's Practical Pathology, 1
 Year Book of Pharmacy, 5
 Yeo's (G. F.) Manual of Physiology, 2

The following CATALOGUES issued by J. & A. CHURCHILL will be forwarded post free on application:—

A.—*J. & A. Churchill's General List of about 600 works on Anatomy, Physiology, Hygiene, Midwifery, Materia Medica, Medicine, Surgery, Chemistry, Botany, &c., &c., with a complete Index to their Subjects, for easy reference.*
 N.B.—*This List includes B & C.*

B.—*Selection from J. & A. Churchill's General List, comprising most of the recent Works published by them.*

C.—*J. & A. Churchill's Catalogue of Text Books specially arranged for Students.*

AMERICA.—*J. & A. Churchill being in constant communication with various publishing houses in America are able to conduct negotiations favourable to English Authors.*

LONDON: 11, NEW BURLINGTON STREET.



✓

