

The pharmacopoeia of King's College Hospital.

Contributors

King's College Hospital (London, England).

Publication/Creation

London : John Bale, 1891.

Persistent URL

<https://wellcomecollection.org/works/g7aj3y8b>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

KING'S COLLEGE HOSPITAL
PHARMACOPŒIA.

M15731

3

Diuretic action


Raise Arterial Pressure

Cardiac action of Digitalis
generally General vasoconstrictor & sticky
cold

Locally Contract off intervascular
centres - local - Impulses
undergo Dilate off local or
vasodilator centre
initiates alcohol


Act on renal water to urea Caffeine

cells or nerves - water & solutes K_2 C_1 U_3 O_2 Pd - cit
 Pd Na
 Sod Cit .



22500288104

C. L. Wick



THE
PHARMACOPÆIA
OF
KING'S COLLEGE HOSPITAL.

PRICE ONE SHILLING.

London :
JOHN BALE & SONS,
87-89, GREAT TITCHFIELD STREET, OXFORD STREET, W

11558

24 876 556


| WELLCOME INSTITUTE LIBRARY | |
|-------------------------------|----------|
| Coll. | Wellcome |
| Coll. | |
| No. | QV 740. |
| | .B5 |
| | 1891 |
| | K55p |

415731

PREFACE.

THE last issue of the King's College Hospital Pharmacopœia having long been exhausted, a new edition has been called for. This has been adapted to the British Pharmacopœia. Its objects are to facilitate the work both of the prescriber and of the dispenser, and to present the student with a series of formulæ which have been found useful in the various departments. To render it more permanently serviceable the doses of the pharmacopœia have been added, brief directions are given for the treatment of common cases of poisoning, and diet sheets employed in the wards are appended. The direction for the dietary of infants, as carried out in the Children's Ward, will probably prove of value to those commencing practice.

N. T.



Digitized by the Internet Archive
in 2014

<https://archive.org/details/b20407026>

KING'S COLLEGE HOSPITAL.

MEDICAL OFFICERS.

Consulting Physicians.

GEORGE JOHNSON, M.D., F.R.S.
W. O. PRIESTLEY, M.D.
SIR A. B. GARROD, M.D., F.R.S.

Consulting Surgeons.

HENRY SMITH, F.R.C.S.
JOHN WOOD, F.R.C.S., F.R.S.

Physicians.

LIONEL S. BEALE, M.B., F.R.S.
ALFRED B. DUFFIN, M.D.
I. BURNEY YEO, M.D.
DAVID FERRIER, M.D., F.R.S.
JOHN CURNOW, M.D.

Surgeons.

SIR JOSEPH LISTER, BART., F.R.S.
WILLIAM ROSE, M.B., B.S., F.R.C.S.
W. WATSON CHEYNE, M.B., C.M., F.R.C.S.

Assistant Physicians.

NESTOR TIRARD, M.D.

NORMAN DALTON, M.D.

SIR HUGH BEEVOR, BART., M.B.

Assistant Surgeons.

A. BOYCE BARROW, M.B., F.R.C.S.

A. CARLESS, M.B., M.S., F.R.C.S.

F. F. BURGHARD, M.D., M.S., F.R.C.S.

Physicians-Accoucheur and Physicians for the Diseases of Women and Children.

WILLIAM PLAYFAIR, M.D.

T. C. HAYES, M.A., M.D.

Assistant-Physician-Accoucheur and Assis- tant Physician for the Diseases of Women and Children.

JOHN PHILLIPS, M.D.

Aural Surgeon.

URBAN PRITCHARD, M.D., F.R.C.S.

Ophthalmic Surgeon.

M. M. McHARDY, F.R.C.S., Ed.

Dental Surgeon.

A. S. UNDERWOOD, M.R.C.S.

Vaccinator.

EDWARD LOWE WEBB, M.R.C.S.

Chloroformist.

CHARLES MOSS, M.R.C.S.

Sambrooke Registrars.

G. F. W. EWENS, M.D.

G. L. CHEATLE, F.R.C.S.

Dispenser.

MR. W. WILLMOTT (*Pharmaceutical Chemist*).





TABLE OF CONTENTS.

PHARMACOPÆIA :

| | PAGE |
|---------------------------------------|------|
| COLLYRIA - - - - - | 11 |
| GARGARISMATA - - - - - | 12 |
| INJECTIONES - - - - - | 13 |
| POWDERS FOR INJECTION, &c. - - - - - | 14 |
| LOTIONES - - - - - | 15 |
| MISTURÆ (FOR ADULTS) - - - - - | 17 |
| MISTURÆ (FOR CHILDREN) - - - - - | 28 |
| PIGMENTA - - - - - | 31 |
| PILULÆ - - - - - | 34 |
| PULVERES (FOR ADULTS) - - - - - | 36 |
| PULVERES (FOR CHILDREN) - - - - - | 36 |
| UNGUENTA - - - - - | 37 |
| TABLE OF DOSES - - - - - | 41 |
| POISONS AND THEIR TREATMENT - - - - - | 65 |
| DIETARY - - - - - | 85 |
| DIETARY FOR INFANTS - - - - - | 90 |



PHARMACOPŒIA.

COLLYRIA.

(1) Collyrium Acidi Borici.

| | | |
|--------------------------------|-----|--------|
| R _y Acidi Borici... | ... | gr. x, |
| Aquæ Destillatæ | ... | ʒj. |

(2) Collyrium Acidi Borici cum Belladonna.

| | | |
|---------------------------------|-----|--------|
| R _y Acidi Borici ... | ... | gr. v, |
| Extracti Belladonnæ | ... | gr. v, |
| Aquæ Destillatæ | ... | ʒj. |

(3) Collyrium Aluminis.

| | | | |
|-------------------------|-----|-----|---------|
| R _y Aluminis | ... | ... | gr. iv, |
| Aquæ Destillatæ | ... | ... | ʒj. |

GARGARISMATA.

(1) Gargarisma Aluminis.

| | | | |
|-------------------------|-----|-----|-------|
| R _v Aluminis | ... | ... | ʒj, |
| Acidi Sulphurici Di- | | | |
| luti | ... | ... | ʒiij, |

Aquæ... ad Oj.

(2) Gargarisma Potassii Chloratis.

| | | |
|-----------------------------------|-----|--------|
| R _v Potassii Chloratis | ... | gr. x, |
| Aquæ... | ... | ʒj. |

(3) Gargarisma Potassii Chloratis Acidum.

| | | |
|-----------------------------------|-----|--------|
| R _v Potassii Chloratis | ... | gr. x, |
| Acidi Hydrochlorici | | |
| Diluti | ... | ℳ x, |
| Glycerini | ... | ℳ xx, |
| Aquæ... | ... | ad ʒj. |

(4) Gargarisma Sodæ Chlorinatæ.

R_y Liquoris Sodæ Chlорi-

natæ ʒj,

Aquæ ad Oj.

INJECTIONES.**(1) Injectio Communis.**

R_y Aluminis gr. xl,

Zinci Sulphatis gr. xxiv,

Decocti Quercus ʒiv.

(2) Injectio Zinci Chloridi.

R_y Zinci Chloridi ... gr. ss,

Extracti Belladonnæ gr. $\frac{1}{4}$,

Aquæ... ʒj.

(3) Injectio Zinci Sulphatis.

R_y Zinci Sulphatis ... gr. iij,

Plumbi Acetatis ... gr. iij,

Aquæ... ʒj.

POWDERS FOR INJECTION, &c.
(Aural Department).

No. 1. Pulvis Zinci et Acidi Carbolici.

R_y Zinci Sulphatis Ex-
 siccati gr. xxxij,
 Acidi Carbolici ... gr. x.

Dissolve the powder in a pint of water, and use with equal parts of warm water, as an injection for the ears, night and morning.

No. 2. Pulvis Zinci Compositus.

R_y Zinci Sulphatis Ex-
 siccati gr. xxij,
 Plumbi Acetatis ... gr. xxv,
 Antimonii Sulphatis gr. x,
 Creasoti mvj.

Dissolve the powder in a pint of water, and use with equal parts of warm water, as an injection for the ears, night and morning.

No. 3. Pulvis Boracis.

R_y Boracis ʒj.

Injection for Nostrils.—As much as will lie on a shilling to be dissolved in a wineglassful of warm water, and injected gently down the nostrils.

No. 4. Pulvis Aluminis et Acidi Tannici.

R_y Acidi Tannici ... ʒj,

Aluminis ʒiij.

Dissolve the powder in a pint of hot water, and use a wineglassful as a gargle night and morning.

LOTIONES.

(1) Lotio Boracis.

R_y Boracis gr. v,

Aquæ... ʒj.

(2) **Lotio Carbolici et Hydrargyri**
("Strong Mixture.")

| | | | |
|--------------------|---------------------|------------|------|
| R <small>y</small> | Acidi Carbolici | ... partes | 25, |
| | Hydrargyri Perchlo- | | |
| | ridi... | ... partem | 1, |
| | Aquæ... | ... partes | 500. |

(3) **Lotio Evaporans.**

| | | | |
|--------------------|----------------------|---------|--------|
| R <small>y</small> | Ammonii Hydrochlo- | | |
| | ratis | | ʒss, |
| | Spiritus Rectificati | ... | ʒjss, |
| | Aquæ | | ad Oj. |

(4) **Lotio Plumbi cum Opio.**

| | | | |
|--------------------|----------------------|---------|--------|
| R <small>y</small> | Liquoris Plumbi Sub- | | |
| | acetatis | | m v. |
| | Tincturæ Opii | ... | ʒss, |
| | Aquæ | | ad ʒj. |

(5) **Lotio Rubra.**

| | | | |
|--------------------|----------------------|---------|-----|
| R <small>y</small> | Zinci Sulphatis | ... gr. | xx, |
| | Spiritus Rosmarini } | āā, | |
| | Spiritus Lavandulæ } | ʒiij, | |
| | Aquæ... | ... ad | Oj. |

(6) **Lotio Plumbi.**

| | | | |
|-------------------------------------|-----|-----|--------|
| R _y Liquoris Plumbi Sub- | | | |
| acetatis | ... | ... | ʒij, |
| Aquæ | ... | ... | ad Oj. |

(7) **Lotio Zinci Sulphatis.**

| | | |
|--------------------------------|-----|---------|
| R _y Zinci Sulphatis | ... | gr. ij, |
| Aquæ | ... | ʒj. |

MISTURÆ (for Adults).(1) **Mistura Acida Aromaticæ.**

| | | | |
|------------------------------------|-----|--------|-------|
| R _y Acidi Hydrochlorici | | | |
| Diluti | ... | ... | m xv, |
| Spiritus Armoraciæ | | | |
| Compositi | ... | m x, | |
| Tincturæ Zingiberis | | m v, | |
| Infusi Calumbæ | ... | ad ʒj. | |

(2) Mistura Acidi Nitro-Hydrochlorici.

R_y Acidi Nitro-Hydrochlorici Diluti ... m_l xv,
 Infusi Chiratæ ... ad ʒj.

(3) Mistura Acidi Sulphurici cum Opio.

R_y Acidi Sulphurici Diluti m_l xx,
 Tincturæ Opii ... m_l x,
 Spiritus Chloroformi m_l xx,
 Aquæ Camphoræ ... ad ʒj.

(4) Mistura Ætheris Sulphuris cum Ammonia.

R_y Spiritus Ammoniæ
 Aromatici... ... }āā,
 Spiritus Ætheris ... }ʒss,
 Spiritus Chloroformi m_l xx,
 Aquæ ad ʒj.

(5) **Mistura Alba.**

| | |
|-------------------------------------|---------|
| R _y Magnesii Carbonatis. | gr. x, |
| Magnesii Sulphatis... | ʒj, |
| Aquæ Menthæ Piperitæ... | ... ʒj. |

(6) **Mistura Ammoniæ.**

| | | |
|-----------------------------------|-----|---------|
| R _y Ammonii Carbonatis | ... | gr. iv, |
| Theriacæ | ... | m xx, |
| Tincturæ Lavandulæ Compositæ | ... | m xx, |
| Aquæ Menthæ Piperitæ | ... | ad ʒj. |

(7) **Mistura Ammonii Acetatis.**

| | | |
|--|-----|------|
| R _y Liquoris Ammonii Acetatis | ... | ʒss, |
| Aquæ | ... | ʒss. |

(8) **Mistura Bismuthi.**

| | |
|--|----------|
| R <small>y</small> Bismuthi Subnitratis. | gr. xv, |
| Magnesii Carbonatis.. | gr. x, |
| Mucilaginis Traga- | |
| canthæ ... | ... ʒss, |
| Aquæ Anisi ... | ad ʒj. |

(9) **Mistura Bromidi Composita.**

| | | |
|-------------------------------------|-----|---------|
| R <small>y</small> Potassii Bromidi | ... | gr. xv, |
| Liquoris Strychninæ | m | ij, |
| Tincturæ Capsici ... | m | ij, |
| Aquæ Menthæ Piper- | | |
| itæ... | ... | ʒj. |

(10) **Mistura Bromidi cum Arsenico.**

| | | |
|-------------------------------------|-----|---------|
| R <small>y</small> Potassii Bromidi | ... | gr. xv, |
| Liquoris Arsenicalis.. | m | iv, |
| Syrupi ... | ... | ʒj, |
| Aquæ Cinnamomi ... | ad | ʒj. |

(11) **Mistura Cannabis Composita.**

R_y Tincturæ Cannabis
 Indicæ m̄ xij,
 Pulveris Tragacanthæ
 Compositi... ... gr. xx,
 Spiritus Ætheris ... m̄ vj,
 Liquoris Morphinæ
 Hydrochloratis ... m̄ x,
 Aquæ ad ʒj.

(12) **Mistura Cascarillæ Composita.**

R_y Tincturæ Scillæ ... m̄ xv,
 Tincturæ Camphoræ
 Compositæ ... ʒss,
 Infusi Cascarillæ ... ad ʒj.

(13) **Mistura Chloroformi.**

R_y Spiritus Chloroformi m̄ x,
 Mucilaginis Traga-
 canthæ ʒj.

(14) **Mistura Copaibæ Acida.**

| | | | |
|----------------------------|-----|-----|------------------------|
| R <small>y</small> Copaibæ | ... | ... | m <small>l</small> xx, |
| Acidi Sulphurici Di- | | | |
| luti | ... | ... | m <small>l</small> x, |
| Mucilaginis Acaciæ.. | | | ʒss, |
| Aquæ... | ... | ... | ad ʒj. |

(15) **Mistura Copaibæ Alkalina.**

| | | | |
|----------------------------|-----|-----------------------|------------------------|
| R <small>y</small> Copaibæ | ... | ... | m <small>l</small> xx, |
| Liquoris Potassæ | ... | m <small>l</small> x, | |
| Mucilaginis Acaciæ... | | ʒss, | |
| Aquæ | ... | ... | ad ʒj. |

(16) **Mistura Cretæ cum Hæma-toxylo.**

| | | | |
|-------------------------------------|-----|------|----|
| R <small>y</small> Tincturæ Catechu | ... | ʒss, | |
| Misturæ Cretæ | | | āā |
| Decocti Hæma- | ... | ʒss. | |
| toxyli | | | |

(17) Mistura Effervesca.

| | | | | |
|------------------------------------|-----|-----|-----------|--|
| R _v (a) Sodii Bicarbon- | | | | |
| atis | ... | ... | gr. xx, | |
| Aquæ | ... | ... | ʒj, | |
| (b) Acidi Tartarici | ... | ... | gr. xvij, | |
| Aquæ | ... | ... | ʒss. | |

(18) Mistura Ergotæ.

| | | | | |
|------------------------------------|-----|-----|---------|--|
| R _v Extracti Ergotæ Li- | | | | |
| quidi | ... | ... | ʒss, | |
| Boracis | ... | ... | gr. iv, | |
| Ammonii Carbonatis | ... | ... | gr. iv, | |
| Tincturæ Capsici | ... | m | iij, | |
| Aquæ Cinnamomi | ... | ad | ʒj. | |

(19) Mistura Ferri cum Ammonia.

| | | | | |
|-------------------------------------|-----|-----|----------|--|
| R _v Ferri et Ammonii Ci- | | | | |
| tratis | ... | ... | gr. vij, | |
| Spiritus Ammoniæ | | | | |
| Aromatici | ... | ... | ʒss, | |
| Infusi Calumbæ | ... | ad | ʒj. | |

(20) **Mistura Ferri et Magnesii Sulphatis.**

| | |
|--------------------------------|-------------|
| R _y Ferri Sulphatis | ... gr. ij, |
| Magnesii Sulphatis | ... gr. xx, |
| Aquaæ... | ... ʒj. |

(21) **Mistura Ferri et Quininæ.**

| | |
|---|-------------|
| R _y Tincturæ Ferri Perchloridi | ... m xx, |
| Quininæ Sulphatis | ... gr. j, |
| Tincturæ Nucis Vomicæ | ... m x, |
| Magnesii Sulphatis | ... gr. xx, |
| Infusi Calumbæ | ... ad ʒj. |

(22) **Mistura Ferri Perchloridi.**

| | |
|---|-----------|
| R _y Liquoris Ferri Perchloridi | ... m xv, |
| Infusi Quassiæ | ... ʒj. |

(23) Mistura Ferri Arsenicalis.

R_y Ferri et Ammonii Ci-
 tratis gr. v,
 Liquoris Arsenicalis m̄ iv,
 Infusi Quassiae ... ʒj.

(24) Mistura Gentianæ Alkalina.

R_y Sodii Bicarbonatis ... gr. x,
 Acidi Hydrocyanici
 Diluti m̄ ijss,
 Infusi Gentianæ Com-
 positi ʒj.

(25) Mistura Hydrargyri Perchloridi.

R_y Liquoris Hydrargyri
 Perchloridi ... ʒj,
 Decocti Cinchonæ ... ad ʒj.

(26) **Linctus.**

| | | | | |
|---|-----|--------|------|-----|
| R <small>y</small> Acidi Sulphurici Di- | | | | |
| luti... | ... | ... | m | xv, |
| Syrupi Scillæ | ... | | ʒss, | |
| Tincturæ Camphoræ | | | | |
| Compositæ | ... | ʒij, | | |
| Theriacæ | ... | ʒj, | | |
| Aquæ Anisi | ... | ad ʒj. | | |

(27) **Linctus Scillæ cum Opio.**

| | | | | |
|-------------------------------------|---|------|--|--|
| R <small>y</small> Syrupi Papaveris | } | āā | | |
| Oxymel Scillæ | } | ʒss. | | |

(28) **Mistura Olei.**

| | | | | |
|-------------------------------|-----|-----|--------|--|
| R <small>y</small> Olei Olivæ | ... | ... | ʒj, | |
| Mucilaginis Acaciæ | ... | | ʒss, | |
| Aquæ | ... | ... | ad ʒj. | |

(29) **Mistura Potassii Bicarbonatis.**

| | | | | |
|--|-----|-----|-----|--|
| R <small>y</small> Potassii Bicarbonatis | gr. | xx, | | |
| Aquæ | ... | ... | ʒj. | |

(30) **Mistura Potassii Bromidi.**

| | | |
|---------------------------------|-----|---------|
| R _y Potassii Bromidi | ... | gr. xx, |
| Aquæ | ... | ʒj. |

(31) **Mistura Potassii Iodidi.**

| | | |
|--------------------------------|-----|--------|
| R _y Potassii Iodidi | ... | gr. v, |
| Spiritus Ammoniæ | | |
| Aromatici... | ... | m xv, |
| Infusi Quassiae | ... | ʒj. |

(32) **Mistura Quininæ.**

| | | |
|----------------------------------|-----|--------|
| R _y Quininæ Sulphatis | ... | gr. j, |
| Acidi Sulphurici Diluti | ... | m v, |
| Aquæ | ... | ʒj. |

(33) **Mistura Quininæ Alkalina.**

| | | |
|----------------------------------|-----|---------|
| R _y Quininæ Sulphatis | ... | gr. j, |
| Ammonii Carbonatis | ... | gr. ij, |
| Potassii Bicarbonatis | ... | gr. xx, |
| Tragacanthæ | ... | gr. iv, |
| Aquæ Chloroformi | ... | ʒj. |

(34) **Mistura Rhei Ammoniata.**

R Pulveris Rhei ... gr. iv,
 Ammonii Carbonatis gr. ij,
 Infusi Quassiæ ... }
 Aquæ Menthae Pi- } $\bar{a}\bar{a}$
 peritæ ... } $\bar{z}ss.$

(35) **Vinum Ferri.**

R Ferri et Ammonii
 Citratis $\bar{z}ij$,
 Spiritus Rectificati ... $\bar{z}ij$,
 Aquæ ad Oj.

MISTURÆ (for Children).(1) **Mistura Bismuthi et Sodii.**

R Bismuthi Subnitratis gr. x,
 Sodii Bicarbonatis ... gr. x,
 Mucilaginis $\bar{z}j$,
 Aquæ Menthae Pi- } $\bar{a}\bar{a}$
 peritæ ... } $\bar{z}j$.
 Infusi Calumbæ ... } ad $\bar{z}j$.

Dose.— $\bar{z}j$ — $\bar{z}ij$.

(2) Mistura Catechu Aromaticæ.

| | | | |
|---|-----|-------|---------|
| R _y Pulveris Cretæ Aromaticæ | ... | ... | gr. xx, |
| Infusi Catechu | ... | ʒjss. | |

Dose.—ʒj—ʒij.

(3) Mistura Cretæ cum Hæmatoxylo.

Same as for adults.

Dose.—ʒj—ʒij.

(4) Mistura Ferri.

| | | | |
|---|-----|-----|--------|
| R _y Tincturæ Ferri Perchloridi | ... | ... | m xl, |
| Glycerini | ... | ... | ʒss, |
| Aquæ | ... | ... | ad ʒj. |

Dose.—ʒj—ʒij.

(5) Mistura Ipecacuanhæ cum Ammonia.

| | |
|-----------------------------------|----------|
| R _y Ammonii Carbonatis | gr. v, |
| Vini Ipecacuanha | ... m v, |
| Syrupi Scillæ | ... ʒss, |
| Glycerini | ... m x, |
| Misturæ Chloroformi | ad ʒj. |

Dose.—ʒj—ʒij.

(6) Mistura Magnesii Sulphatis cum Rheo.

| | |
|--------------------------------------|--------------|
| R _y Magnesii Sulphatis... | ʒj, |
| Tincturæ Rhei | ... ʒij, |
| Syrupi Zingiberis | ... ʒj, |
| Aquæ Carui ... | ... ad ʒjss. |

Dose.—ʒj—ʒij.

(7) Mistura Olei Morrhuæ.

| | |
|--------------------------------|-------------|
| R _y Liquoris Calcis | ... ʒss, |
| Glycerini | ... m x, |
| Spiritus Menthæ Piperitæ | ... m iiij, |
| Olei Morrhuæ | ... ad ʒij. |

Dose.—ʒj—ʒij.

(8) **Mistura Potassii Citratis.**

| | | |
|----------------------------------|-----|----------|
| R _y Potassii Citratis | ... | ʒss, |
| Syrupi | ... | ʒij, |
| Aquæ | ... | ad ʒiss. |

Dose.—ʒj—ʒij.

(9) **Mistura Tincturæ Cinchonæ.**

| | | |
|-----------------------------------|-----|--------|
| R _y Potassii Chloratis | ... | gr. x, |
| Tincturæ Cinchonæ | | |
| Compositæ | ... | ʒss, |
| Acidi Nitrici Hydro- | | |
| chlorici Diluti | ... | m x, |
| Glycerini | ... | m x, |
| Aquæ Carui | ... | ad ʒj. |

Dose.—ʒj—ʒij.

PIGMENTA.(1) **Pigmentum Acidi Carbolicí Mitius.**

| | | |
|--------------------------------|-----|-------|
| R _y Acidi Carbolicí | ... | ʒj, |
| Glycerini | ... | ʒvij. |

(2) Pigmentum Acidi Salicylici.

| | | |
|---------------------------------|-----|------|
| R _v Acidi Salicylici | ... | } āā |
| Glycerini | ... | |

(3) Pigmentum Ferri Perchloridi.

| | | |
|------------------------------------|------|--------|
| R _v Liquoris Ferri Per- | } āā | |
| chloridi | | ... |
| Glycerini | ... | } ʒss. |

(4) Pigmentum Iodi.

| | | | | |
|----------------------|-----|-----|---------|-----|
| R _v Iodi | ... | ... | ... | ʒj, |
| Potassii Iodidi | ... | ... | gr. xx, | |
| Spiritus Rectificati | ... | ... | ... | ʒj. |

(5) Pigmentum Iodoformi cum Eucalyptol.

| | | | | |
|--------------------------|-----|-----|-----|------|
| R _v Iodoformi | ... | ... | ... | ʒss, |
| Eucalyptol | ... | ... | ... | ʒj, |
| Glycerini | ... | ... | ad | ʒj. |

(6) Pigmentum Naphthol.

R_y Naphthol ʒj,

Sulphuris Præcipitatæ ʒv,

Saponis Mollis ... } āā

Paraffini Mollis ... } ʒj.

To be applied 30-60 minutes once daily for three or four days until the skin peels.

(7) Pigmentum Olei Ricini cum Collodio.

R_y Olei Ricini } āā

Collodii } ʒss.

(8) Pigmentum Picis Fortius.

R_y Picis Liquidæ ... } āā

Spiritus Rectificati... } ʒss.

(9) Pigmentum Picis Mitius.

R_y Picis Liquidæ ... ʒj,

Spiritus Rectificati ... ʒvij.

(10) **Pigmentum Sulphuris.**

| | | |
|--------------------------------------|------|--------|
| R _y Sulphuris Præcipitati | } aa | |
| Potassii Carbonatis | | |
| Glycerini | | } 3ij. |
| Spiritus Rectificati... | | |

PILULÆ.(1) **Pilula Colocynthidis cum Calomel.**

| | |
|---------------------------------------|-----------|
| R _y Hyd r a r g y r i Sub- | |
| chloridi | gr. ij, |
| Pilulæ Colocynthidis | |
| Compositæ ... | gr. iiij, |
| Olei Carui ... | q.s. |

(2) **Pilula Ergotini.**

| | |
|---------------------------------|-----------|
| R _y Ergotini | gr. j, |
| Acidi Gallici... ... | gr. iiij, |
| Extracti Krameria... | q.s. |

(3) Pilula Ferri et Nucis Vomicæ.

R_y Ferri Sulphatis ... gr. jss,
 Extracti Nucis Vo-
 micæ gr. ss,
 Extracti Gentianæ ... gr. ij,

(4) Pilula Hydrargyri cum Rheo.

R_y Pilulæ Hydrargyri ... } āā
 Pilulæ Rhei Compo- }
 sitæ } gr. ijss.

(5) Pilula Hydrargyri Subchloridi
cum Scilla.

R_y Hydrargyri Subchlo-
 ridi gr. j,
 Pulveris Scillæ ... gr. j,
 Pulveris Digitalis ... gr. j,
 Extracti Hyoscyami gr. jss.

PULVERES (for Adults).

(1) Pulvis Jalapæ Alkalina.

R_y Potassii Nitratis ... } āā
Pulveris Jalapæ ... } gr. x.

(2) Pulvis Rhei cum Soda.

R_y Pulveris Rhei ... } āā
Sodii Bicarbonatis ... } gr. x.

PULVERES (for Children).

(1) Pulvis Cinchonæ cum Sodio.

R_y Pulveris Cinchonæ... } āā
Rubræ Corticis ... } partes
Sodii Bicarbonatis ... } æquales.

Dose.—gr. iij—gr. v.

(2) Pulvis Hydrargyri cum Creta et Sacchari.

R_y Hydrargyri cum Creta gr. ij,
Sacchari Purificati ... gr. viij.

**(3) Pulvis Ipecacuanhæ Compositus
cum Rheo.**

R_y Pulveris Ipecacuanhæ
 Compositæ ... gr. iv,
 Pulveris Rhei ... gr. vi.
Dose.—gr. iiij—gr. v.

**(4) Pulvis Rhei Compositus cum
Hydrargyro.**

R_y Pulveris Rhei Com-
 positi gr. viij,
 Hydrargyri cum Creta gr. ij.

UNGUENTA.

**(1) Unguentum Belladonnæ cum
Hydrargyro.**

R_y Extracti Belladonnæ gr. x,
 Hydrargyri Ammoni-
 ati gr. v,
 Paraffini Mollis ... 5j.

(2) Unguentum Diachyli.

R_y Emplastri Plumbi ... } $\bar{a}\bar{a}$
 Paraffini Mollis } partes
 Olei Lavandulæ ... q.s. æquales,

(3) Unguentum Hydrargyri Ammoniati Fortior.

R_y Hydrargyri Ammoniati ʒv,
 Unguenti Simplicis ... ʒj.

(4) Unguentum Hydrargyri Bisulphidi.

R_y Hydrargyri Bisulphidi gr. v,
 Sulphuris Præcipitati ʒj,
 Olei Lavandulæ ... m iij,
 Unguenti Simplicis ad ʒj.

(5) Unguentum Hydrargyri Flavi Dilutum.

R_y Hydrargyri Oxidi
 Flavi gr. xij,
 Paraffini Mollis ... ʒj.

(6) Unguentum Hydrargyri Mitius.

| | | |
|--------------------|--------------------------|--------|
| R <small>y</small> | Unguenti Hydrargyri | 3ij, |
| | Camphoræ ... | gr. x, |
| | Spiritus Rectificati ... | q.s, |
| | Paraffini Mollis ... | 3vj. |

(7) Unguentum Hydrargyri Oleati.

| | | |
|--------------------|-----------------------|--------|
| R <small>y</small> | Oleati Hydrargyri ... | 3ss, |
| | Adipis Lanæ Hydrosi | 3ss, |
| | Acidi Oleici ... | ad 3j. |

(8) Unguentum Hydrargyri Oxidi Rubri Dilutum.

| | | |
|--------------------|----------------------|------|
| R <small>y</small> | Unguenti Hydrargyri | |
| | Oxidi Rubri ... | 3ij, |
| | Paraffini Mollis ... | 3vj. |

(9) Unguentum Metallorum.

| | | |
|--------------------|----------------------|----------|
| R <small>y</small> | Unguenti Zinci ... | āā |
| | Unguenti Plumbi Ace- | partes |
| | tatis | |
| | Unguenti Hydrargyri | |
| | Nitratis | æquales. |

(10) Unguentum Sulphuris Iodidi.

| | | |
|---------------------------------|-----|----------|
| R _y Sulphuris Iodidi | ... | gr. x, |
| Sulphuris Præcipitati | ... | gr. x, |
| Olei Amygdalæ Am- | | |
| aræ | ... | ... miv, |
| Adipis Recentis | ... | ʒj. |

TABLE OF DOSES.

| | | |
|--|--------------------|------------------------|
| Acetanilidum | ... | gr. iiij to gr. x. |
| Acetum | | ʒj „ ʒj. |
| Acetum Ipecacuanhæ | m v | „ m xl. |
| Acetum Scillæ | m xv | „ m xl. |
| Acidum Aceticum | | |
| Dilutum | | ʒj „ ʒj |
| Acidum Arseniosum | gr. $\frac{1}{60}$ | „ gr. $\frac{1}{12}$. |
| Acidum Benzoicum .. | gr. x | „ gr. xv. |
| Acidum Boricum ... | gr. v | „ ʒss. |
| Acidum Carbolicum | gr. j | „ gr. iiij. |
| Acidum Carbolicum | | |
| Liquefactum ... | m j | „ m iv. |
| Acidum Citricum ... | gr. x | „ ʒss. |
| Acidum Gallicum ... | gr. ij | „ gr. x. |
| Acidum Hydrobromi- cum Dilutum ... | m xv | „ m l. |
| Acidum Hydrochlori- cum Dilutum . . . | m x | „ ʒss. |
| Acidum Hydrocyani- cum Dilutum ... | m ij | „ m viij. |
| Acidum Lacticum | | |
| Dilutum | ʒss | „ ʒij. |
| Acidum Nitricum Di- lутum | m x | „ ʒss. |

| | | | |
|----------------------|-------------------|----------|---------|
| Acidum Nitro-Hydro- | | | |
| chloricum Dilutum | m v | to | m xx. |
| Acidum Phosphori- | | | |
| cum Concentratum | m ij | „ | m v. |
| Acidum Phosphori- | | | |
| cum Dilutum ... | m x | „ | 3ss. |
| Acidum Salicylicum | gr. v | „ | 3ss. |
| Acidum Sulphuricum | | | |
| Aromaticum ... | m v | „ | 3ss. |
| Acidum Sulphuricum | | | |
| Dilutum | m v | „ | 3ss. |
| Acidum Sulphurosum | 3ss | „ | 3j. |
| Acidum Tannicum ... | gr. ij | „ | gr. x. |
| Acidum Tartaricum... | gr. x | „ | 3ss. |
| Æther | m xx | „ | 3j. |
| Æther Aceticus ... | m xx | „ | 3j. |
| Aloe Barbadensis ... | gr. ij | „ | gr. vj. |
| Aloe Socotrinæ ... | gr. ij | „ | gr. vj. |
| Aloin | gr. $\frac{1}{2}$ | „ | gr. ij. |
| Alumen | gr. x | „ | gr. xx. |
| Ammoniacum ... | gr. x | „ | gr. xx. |
| Ammonii Benzoas ... | gr. x | „ | gr. xx. |
| Ammonii Bromidum | gr. ij | „ | gr. xx. |
| Ammonii Carbonas... | gr. iij | „ | gr. x. |
| Ammonii Carbonas | | | |
| (as emetic) ... | 3ss. | diluted. | |
| Ammonii Chloridum | gr. v | „ | gr. xx. |
| Ammonii Phosphas... | gr. v | „ | gr. xx. |

| | | | |
|--|---------|----------------------|-----------------------|
| Amyl Nitris (inhalation) | | m ij | to v. |
| Amyl Nitris (internal administration) | | m $\frac{1}{2}$ | , m j. |
| Antifebrin (acetanilidum) | | gr. iij | , gr. x. |
| Antimonii Oxidum | | gr. j | , gr. iv. |
| Antimonium Sulphuratum | | gr. j | , gr. v. |
| Antimonium Tartaratum (as a diaphoretic) | } | gr. $\frac{1}{16}$ | , gr. $\frac{1}{6}$. |
| Antimonium Tartaratum (as a vascular depressant) | | gr. $\frac{1}{6}$ | , gr. j. |
| Antimonium Tartaratum (as an emetic) | } | gr. j. | , gr. ij. |
| Antipyrin (Phenazone) | | gr. iij. | , gr. xx. |
| Aquæ (the dose of those omitted) | | 3ss | , 3ij. |
| Aqua Laurocerasi | | 3ss | , 3ij. |
| Argenti Nitratas | | gr. $\frac{1}{6}$ | , gr. $\frac{1}{3}$. |
| Argenti Oxidum | | gr. $\frac{1}{2}$ | , gr. ij. |
| Arsenii Iodidum | | gr. $\frac{1}{30}$. | |
| Asafœtida | | gr. v | , gr. xx. |
| Balsamum Peruvianum | | m x | , m xv. |

| | | | | |
|-----------------------------|-----|-----|--------------------|------------|
| Balsamum Tolutanum | ... | ... | gr. x | to gr. xx. |
| Beberinæ Sulphas | ... | | gr. j | „ gr. x. |
| Bismuthi Carbonas | ... | | gr. v | „ gr. xx. |
| Bismuthi Citras | ... | | gr. ij | „ gr. v. |
| Bismuthi et Ammonii Citras | ... | ... | gr. ij | „ gr. v. |
| Bismuthi Oxidum | ... | | gr. v | „ gr. xv. |
| Bismuthi Subnitras | ... | | gr. v | „ gr. xx. |
| Borax | ... | ... | gr. v | „ gr. xl. |
| Butyl-Chloral Hydras | | | gr. v | „ gr. xv. |
| Caffeina | ... | ... | gr. j | „ gr. v. |
| Caffeinæ Citras | ... | | gr. ij | „ gr. x. |
| Calcii Carbonas Præcipitata | ... | ... | gr. x | „ 3j. |
| Calcii Chloridum | ... | | gr. iij | „ gr. x. |
| Calcii Hypophosphis. | | | gr. v | „ gr. x. |
| Calcii Phosphas | ... | | gr. x | „ gr. xx. |
| Calumbæ Radix (in powder) | ... | ... | gr. v | „ gr. xx. |
| Calx Sulphurata | ... | | gr. $\frac{1}{10}$ | „ gr. j. |
| Cambogia | ... | ... | gr. j | „ gr. iv. |
| Camphora | ... | ... | gr. j | „ gr. x. |
| Carbo Animalis Purificatus | ... | ... | gr. xx | „ 3j. |
| Carbo Ligni | ... | ... | gr. xx | „ 3j. |
| Catechu | ... | ... | gr. x | „ 3ss. |

| | | | | |
|------------------------------------|------------|-----|-------------------|-----------------------|
| Cerevisiæ | Fermen- | | | |
| tum | ... | ... | ʒss | to ʒj. |
| Cerii Oxalas... | ... | ... | gr. j | „ gr. ij. |
| Chloral Hydras | ... | ... | gr. v | „ ʒss. |
| Chloroformum | ... | ... | m iij | „ m x. |
| Chrysarobinum | ... | ... | gr. $\frac{1}{6}$ | „ gr. $\frac{1}{2}$. |
| Cinchonidinæ | Sul- | | | |
| phas | ... | ... | gr. j | „ gr. x. |
| Cinchoninæ | Sulphas | | gr. j | „ gr. x. |
| Coca .. | ... | ... | ʒss | „ ʒij. |
| Cocainæ | Hydrochlo- | | | |
| ras | ... | ... | gr. $\frac{1}{5}$ | „ gr. j. |
| Codeina | ... | ... | gr. $\frac{1}{4}$ | „ gr. ij. |
| Colchici Cormus (in powder) | ... | ... | gr. ij | „ gr. viij. |
| Colocynthidis Pulpa (in powder) | ... | ... | gr. ij | „ gr. viij. |
| Confectio Opii | ... | ... | gr. v | „ gr. xx. |
| Confectio Piperis | ... | ... | ʒj | „ ʒij. |
| Confectio Scammonii | ... | ... | gr. x | „ ʒss. |
| Confectio Sennæ | ... | ... | ʒj | „ ʒij. |
| Confectio Sulphuris | ... | ... | ʒj | „ ʒij. |
| Confectio Terebin- | | | | |
| thinæ | ... | ... | ʒj | „ ʒij. |
| Conii Folia (in pow- der) | ... | ... | gr. ij | „ gr. viij. |
| Copaiba | ... | ... | ʒss | „ ʒj. |
| Creasotum | ... | ... | m j | „ m iij. |

| | | |
|--|--------------------|-----------------------|
| Creta Præparata ... | gr. x | to ʒj. |
| Cubeba ... | ʒss | „ ʒij. |
| Cupri Sulphas (as- tringent) ... | gr. $\frac{1}{4}$ | „ gr. ij. |
| Cupri Sulphas (emetic) | gr. v | „ gr. x. |
| Cusso ... | ʒij | „ ʒss. |
| Decocta (the dose of those omitted) ... | ʒj | „ ʒij. |
| Decoctum Aloes Com- positum ... | ʒss | „ ʒij. |
| Decoctum Cetrariæ... | ʒj | „ ʒiv. |
| Decoctum Granati Radicis ... | ʒij | „ ʒiv. |
| Decoctum Hordei ... | ʒj | „ ʒiv. |
| Decoctum Sarsæ ... | ʒij | „ ʒx. |
| Decoctum Sarsæ Compositum ... | ʒij | „ ʒx. |
| Decoctum Scoparii ... | ʒij | „ ʒiv. |
| Decoctum Taraxaci... | ʒij | „ ʒiv. |
| Digitalis Folia (in powder) ... | gr. $\frac{1}{2}$ | „ gr. jss. |
| Elaterinum ... | gr. $\frac{1}{40}$ | „ gr. $\frac{1}{10}$ |
| Elaterium ... | gr. $\frac{1}{16}$ | „ gr. $\frac{1}{2}$. |
| Ergota (in powder)... | gr. xx | „ ʒss. |
| Ergotinum ... | gr. ij | „ gr. v. |
| Essentia Anisi ... | ℳ x | „ ℳ xx. |

| | | |
|---------------------|--------|---|
| Essentia | Menthæ | |
| Piperitæ | ... | m. x to m. xx. |
| Eucalypti Gummi | ... | gr. ij „ gr. x. |
| Extractum Aconiti | ... | gr. $\frac{1}{4}$ „ gr. j. |
| Extractum Aloes | | |
| Barbadensis | ... | gr. ij „ gr. vi. |
| Extractum Aloes So- | | |
| cotrinæ | ... | gr. ij „ gr. vi. |
| Extractum Anthemi- | | |
| dis | ... | gr. ij „ gr. x. |
| Extractum Belæ | | |
| Liquidum | ... | 5j „ 5ij. |
| Extractum Bella- | | |
| donnæ | ... | gr. $\frac{1}{4}$ „ gr. j. |
| Extractum Bella- | | |
| donnæ Alcoholicum | | gr. $\frac{1}{6}$ „ gr. $\frac{1}{4}$. |
| Extractum Calumbæ | | gr. ij „ gr. x. |
| Extractum Cannabis | | |
| Indicæ | ... | gr. $\frac{1}{4}$ „ gr. j. |
| Extractum Cascaræ | | |
| Sagradæ | ... | gr. ij „ gr. viij. |
| Extractum Cascaræ | | |
| Sagradæ Liquidum | | 3ss „ 3ij. |
| Extractum Cimicifu- | | |
| gæ Liquidum | ... | m. iiij „ 3ss. |
| Extractum Cinchonæ | | |
| Liquidum | ... | m. v „ m. x. |

| | | | |
|-----------------------|-------------------|-----------|--|
| Extractum Cocæ Li- | | | |
| quidum | ʒss | to ʒij. | |
| Extractum Colchici... | gr. $\frac{1}{2}$ | „ gr. ij. | |
| Extractum Colchici | | | |
| Aceticum | gr. $\frac{1}{2}$ | „ gr. ij. | |
| Extractum Colocyn- | | | |
| thidis Compositum | gr. iij | „ gr. x. | |
| Extractum Conii ... | gr. ij | „ gr. vj. | |
| Extractum Ergotæ | | | |
| Liquidum... ... | m x | „ ʒss. | |
| Extractum Euonymi | | | |
| Siccum | gr. j | „ gr. iv. | |
| Extractum Filicis | | | |
| Liquidum... ... | m xv | „ ʒss. | |
| Extractum Gelsemii | | | |
| Alcoholicum ... | gr. $\frac{1}{2}$ | „ gr. ij. | |
| Extractum Gentianæ | gr. ij | „ gr. x. | |
| Extractum Glycyr- | | | |
| rhizæ | gr. v | „ ʒj. | |
| Extractum Glycyr- | | | |
| rhizæ Liquidum ... | ʒj | | |
| Extractum Hæma- | | | |
| toxyli | gr. x | „ ʒss. | |
| Extractum Hamam- | | | |
| elidis Liquidum ... | m ij | „ m v. | |
| Extractum Hydrastis | | | |
| Liquidum... ... | m v | „ ʒss. | |

| | | | | |
|---------------------------------------|--------------------|----|---------------------|--|
| Extractum Hyoscy- | | | | |
| ami | gr. v | to | gr. x. | |
| Extractum Jaborandi | gr. ij | „ | gr. x. | |
| Extractum Jalapæ ... | gr. v | „ | gr. xv. | |
| Extractum Krameriæ | gr. v | „ | gr. xx. | |
| Extractum Lactucæ | gr. v | „ | gr. xv. | |
| Extractum Lupuli ... | gr. v | „ | gr. xv. | |
| Extractum Nucis Vomicæ | gr. $\frac{1}{4}$ | „ | gr. j. | |
| Extractum Opii ... | gr. $\frac{1}{2}$ | „ | gr. ij. | |
| Extractum Opii Li- quidum | m x | „ | m xl. | |
| Extractum Papaveris | gr. ij. | „ | gr. v. | |
| Extractum Pareiræ | gr. x | „ | 3ss. | |
| Extractum Pareiræ Liquidum | 3ss | „ | 3ij. | |
| Extractum Physostig- matis | gr. $\frac{1}{16}$ | „ | gr. $\frac{1}{4}$. | |
| Extractum Quassiæ | gr. iij | „ | gr. v. | |
| Extractum Rhamni Frangulæ... ... | gr. xv | „ | 3j. | |
| Extractum Rhamni FrangulæLiquidum | 3j | „ | 3ss. | |
| Extractum Rhei ... | gr. v | „ | gr. xv. | |
| Extractum Sarsæ Li- quidum | 3ij | „ | 3ss. | |
| Extractum Stramonii | gr. $\frac{1}{4}$ | „ | gr. $\frac{1}{2}$. | |
| Extractum Taraxaci | gr. v | „ | 3ss. | |

Extractum Taraxaci
Liquidum... ... ml xv to 3ij.

| | | | | |
|----------------------|--------------------|---|---------------------|--|
| Fel Bovinum Purifi- | | | | |
| catum | gr. v | „ | gr. x. | |
| Ferri Arsenias ... | gr. $\frac{1}{16}$ | „ | gr. $\frac{1}{2}$. | |
| Ferri Carbonas Sac- | | | | |
| charata | gr. v | „ | 3ss. | |
| Ferri et Ammonii Ci- | | | | |
| tras | gr. v | „ | gr. x. | |
| Ferri et Quininæ Ci- | | | | |
| tras | gr. v | „ | gr. x. | |
| Ferri Peroxidum Hy- | | | | |
| dratum | gr. v | „ | 3ss. | |
| Ferri Phosphas ... | gr. v | „ | gr. x. | |
| Ferri Sulphas ... | gr. j | „ | gr. v. | |
| Ferri Sulphas Exsic- | | | | |
| cata | gr. $\frac{1}{2}$ | „ | iij. | |
| Ferri Sulphas Granu- | | | | |
| lata | gr. j | „ | gr. v. | |
| Ferrum Redactum ... | gr. j | „ | gr. v. | |
| Ferrum Tartaratum | gr. v | „ | gr. x. | |
| Gelsemium | gr. v | „ | 3ss. | |
| Glycerinum | 3j | „ | 3ij | |
| Guaiaci Resina ... | gr. x | „ | 3ss. | |

| | | | |
|-------------|------------|--------------------|-----------------------|
| Homatropinæ | Hÿ- | | |
| drobromas | ... | gr. $\frac{1}{80}$ | to gr. $\frac{1}{20}$ |
| Hydrargyri | Iodidum | | |
| Rubrum | ... | gr. $\frac{1}{32}$ | , gr. $\frac{1}{8}$ |
| Hydrargyri | Perchlori- | | |
| dum | ... | gr. $\frac{1}{16}$ | , gr. $\frac{1}{8}$ |
| Hydrargyri | Sub- | | |
| chloridum | ... | gr. $\frac{1}{2}$ | , gr. v. |
| Hydrargyrum | cum | | |
| Creta | ... | gr. iiij | , gr. viij. |

| | | | |
|--|-----|-------------------|--------------|
| Infusa (the dose of those omitted) | ... | ʒj | ,, ʒij. |
| Infusum Anthemidis | ... | ʒj | ,, ʒiv. |
| Infusum Buchu | ... | ʒj | ,, ʒiv. |
| Infusum Caryophylli | ... | ʒj | ,, ʒiv. |
| Infusum Cusso | ... | ʒiv | ,, ʒvij. |
| Infusum Digitalis | ... | ʒij | ,, ʒss. |
| Infusum Maticæ | ... | ʒj | ,, ʒiv. |
| Injectio Apomor- phinæ Hypoder- mica | ... | m ij | ,, m viij. |
| Injectio Ergotini Hypodermica | ... | m iiij | ,, m x. |
| Injectio Morphinæ Hypodermica | ... | m j | ,, m v. |
| Iodoformum... | ... | gr. $\frac{1}{2}$ | ,, gr. iiij. |

| | |
|--|------------------------------|
| Ipecacuanha (as expectorant) ... | gr. $\frac{1}{2}$ to gr. ij. |
| Ipecacuanha (as emetic) ... | gr. xv ,, 3ss. |
| Jaborandi (in powder) | gr. v ,, 3j. |
| Jalapa ... | gr. x ,, 3ss. |
| Jalapæ Resina ... | gr. ij ,, gr. v. |
| Kamala ... | 3ss ,, 3ij. |
| Kino ... | gr. x ,, 3ss. |
| Liquor Ammonii Acetatis ... | 3ij ,, 3vj. |
| Liquor Ammonii Acetatis Fortior ... | m xxv,, m lxxv. |
| Liquor Ammonii Citratis ... | 3ij ,, 3vj. |
| Liquor Ammonii Citratis Fortior ... | 3ss ,, 3jss. |
| Liquor Arsenicalis ... | m ij ,, m viij. |
| Liquor Arsenici Hydrochloricus ... | m ij ,, m viij. |
| Liquor Arsenii et Hydraryri Iodidi ... | m x ,, 3ss. |
| Liquor Atropinæ Sulphatis ... | m j ,, m iv. |

| | | |
|---------------------------------------|------|-----------|
| Liquor Bismuthi et Ammonii Citratis.. | ʒss | to ʒj. |
| Liquor Calcii Chloridi | m xv | , m l. |
| Liquor Calcis ... | ʒj | , ʒiv. |
| Liquor Calcis Saccharatus | m xv | , ʒj. |
| Liquor Chlori ... | m x | , m xx. |
| Liquor Cocainæ Hydrochloratis ... | m ij | , m x. |
| Liquor Ferri Acetatis | m v | , ʒss. |
| Liquor Ferri Acetatis Fortior | m j | , m viij. |
| Liquor Ferri Dialysatus | m x | , ʒss. |
| Liquor Ferri Perchloridi | m x | , ʒss. |
| Liquor Ferri Pernitrat... ... | m x | , m xl. |
| Liquor Hydrargyri Perchloridi ... | ʒss | , ʒij. |
| Liquor Lithiae Effervescentia... ... | ʒv | , ʒx. |
| Liquor Magnesii Carbonatis | ʒj | , ʒij. |
| Liquor Magnesii Citratis | ʒv | , ʒx. |
| Liquor Morphinæ Acetatis | m x | , ʒj. |

| | | | |
|-----------------------|-----------------|----|---------|
| Liquor Morphinæ | | | |
| Bimeconatis ... | m v | to | m xl. |
| Liquor Morphinæ | | | |
| Hydrochloratis ... | m x | „ | 3j. |
| Liquor Morphinæ | | | |
| Sulphatis | m x | „ | 3j. |
| Liquor Potassæ ... | m xv | „ | 3j. |
| Liquor Potassii Per- | | | |
| manganatis ... | 3ij | „ | 3ss. |
| Liquor Sodæ Chlori- | | | |
| natæ | m x | „ | m xx. |
| Liquor Sodii Arsenia- | | | |
| tis | m v | „ | m x. |
| Liquor Strychninæ | | | |
| Hydrochloratis ... | m v | „ | x. |
| Liquor Trinitrini ... | m $\frac{1}{2}$ | „ | m ij. |
| Lithii Carbonas ... | gr. iij | „ | gr. vj. |
| Lithii Citras... | gr. v | „ | gr. x. |
| Lupulinum ... | gr. ij | „ | gr. v. |
| | | | |
| Magnesia Levis ... | gr. x | „ | 3j. |
| Magnesia Ponderosa | gr. x | „ | 3j. |
| Magnesii Carbonas | | | |
| Levis | gr. x | „ | 3j. |
| Magnesii Carbonas | | | |
| Ponderosa... ... | gr. x | „ | 3j. |
| Magnesii Sulphas ... | 3j | „ | 3ss. |

| | | | | |
|--|-------------------|----|---------------------|--|
| Magnesii Sulphas Ef- | | | | |
| fervescens ... | ... 3ij | to | 3j. | |
| Manna ... | ... 3j | „ | 3j. | |
| Menthol ... | gr. $\frac{1}{2}$ | „ | gr. ij. | |
| Misturæ (the dose of those omitted) ... | 3j | „ | 3ij. | |
| Mistura Ammoniaci.. | 3ss | „ | 3j. | |
| Mistura Guaiaci ... | 3ss | „ | 3ij. | |
| Mistura Olei Ricini... | 3ss | „ | 3ij. | |
| Mistura Scammonii... | 3j | „ | 3iij. | |
| Mistura Sennæ Com- posita ... | 3j | „ | 3jss. | |
| Morphinæ Acetas ... | gr. $\frac{1}{8}$ | „ | gr. $\frac{1}{2}$. | |
| Morphinæ Hydro- chloras ... | gr. $\frac{1}{8}$ | „ | gr. $\frac{1}{2}$. | |
| Morphinæ Sulphas... | gr. $\frac{1}{8}$ | „ | gr. $\frac{1}{2}$. | |
| Moschus ... | gr. v | „ | gr. x. | |
| Olea (the dose of those omitted) ... | m j | „ | iv. | |
| Oleum Copaibæ ... | m v | „ | m xx. | |
| Oleum Crotonis ... | m $\frac{1}{3}$ | „ | m j. | |
| Oleum Cubebæ ... | m v | „ | m xx. | |
| Oleum Morrhuæ ... | 3j | „ | 3j. | |
| Oleum Phosphora- tum ... | m v | „ | m x. | |
| Oleum Ricini ... | 3j | „ | 3j. | |
| Oleum Santali ... | m x | „ | 3ss. | |

| | |
|---|------------------------------|
| Oleum Terebinthinæ (stimulant and diuretic) | m x to m xx. |
| Oleum Terebinthinæ (anthelmintic pur- gative) | 3ij „ 3ss. |
| Oleo-Resina Cubebæ | m v „ 3ss. |
| Opium | gr. $\frac{1}{2}$ „ gr. iij. |
| Oxymel | 3j „ 3ij. |
| Oxymel Scillæ | 3ss „ 3j. |

| | |
|--|--|
| Paraldehydeum ... | 3ss „ 3jss. |
| Pepsin ... | gr. ij „ gr. v. |
| Phenacetinum ... | gr. v „ gr. x. |
| Phenazonum ... | gr. iij „ gr. xx. |
| Physostigmatis Se- men ... | gr. j „ gr. iv. |
| Picrotoxinum ... | gr. $\frac{1}{100}$ „ gr. $\frac{1}{30}$. |
| Pilocarpinæ Nitras... Pilulæ (the dose of those omitted) ... | gr. $\frac{1}{20}$ „ gr. $\frac{1}{2}$. |
| Pilula Ferri ... | gr. v „ gr. x. |
| Pilula Ferri Carbona- tis ... | gr. v „ gr. xx. |
| Pilula Ferri Iodidi ... | gr. iij „ gr. viij. |
| Pilula Hydrargyri ... | gr. iij „ gr. viij. |
| Pilula Phosphori ... | gr. ij „ gr. iv. |

| | | |
|------------------------------------|---------|----------------------------|
| Pilula Plumbi cum Opio | | gr. iij to gr. v. |
| Pilula Saponis Com- posita | | gr. iij , gr. v. |
| P i l u l a Scammonii Composita | | gr. v , gr. xv. |
| Plumbi Acetas | | gr. j , gr. iv. |
| Podophylli Resina | | gr. $\frac{1}{4}$, gr. j. |
| Potassii Acetas | | gr. x , 3j. |
| Potassii Bicarbonas | | gr. x , gr. xl. |
| Potassii Bromidum | | gr. v , 3ss. |
| Potassii Carbonas | | gr. x , 3ss. |
| Potassii Chloras | | gr. x , 3ss. |
| Potassii Citras | | gr. xx , 3j. |
| Potassii Iodidum | | gr. ij , gr. xx. |
| Potassii Nitratas | | gr. x , 3ss. |
| Potassii Permanganas | | gr. j , gr. v. |
| Potassii Sulphas | | gr. xv , 3j. |
| Potassii Tartras | | 3j , 3ss. |
| Potassii Tartras Acida | | gr. xx , 3j. |
| Pulvis Antimonialis | | gr. iij , gr. v. |
| Pulvis Catechu Com- positus | | gr. xx , gr. xl. |
| Pulvis Cinnamomi Compositus | | gr. iij , gr. x. |
| Pulvis Cretæ Aroma- ticus | | gr. x , 3j. |

| | | | |
|-----------------------|-------------------|--------|---------|
| Pulvis Cretæ Aroma- | | | |
| ticus cum Opio ... | gr. x | to gr. | xl. |
| Pulvis Elaterini Com- | | | |
| positus | gr. $\frac{1}{2}$ | „ | gr. v. |
| Pulvis Glycyrrhizæ | | | |
| Compositus ... | 3ss | „ | 3j. |
| Pulvis Ipecacuanhæ | | | |
| Compositus ... | gr. v | „ | gr. xv. |
| Pulvis Jalapæ Com- | | | |
| positus | gr. xx | „ | 3j. |
| Pulvis Kino Composi- | | | |
| tus... | gr. v | „ | gr. xx. |
| Pulvis Opii Composi- | | | |
| tus | gr. ij | „ | gr. v. |
| Pulvis Rhei Composi- | | | |
| tus... | gr. xx | „ | 3j. |
| Pulvis Scammonii | | | |
| Compositus ... | gr. x | „ | gr. xx. |
| Pulvis Tragacanthæ | | | |
| Compositus ... | gr. xx | „ | 3j. |
| Quininæ Hydrochlo- | | | |
| ras... | gr. j | „ | gr. x. |
| Quininæ Sulphas ... | gr. j | „ | gr. x. |
| Rhei Radix | gr. v | „ | gr. xx. |
| Sabinæ Cacumina ... | gr. iv | „ | gr. x. |

| | | | | |
|----------------------------------|-----|---------|-------------|------------|
| Salicinum | ... | ... | gr. iij | to gr. xx. |
| Santonica | ... | ... | gr. x | ,, ʒj. |
| Santonin | ... | ... | gr. ij | ,, gr. vj. |
| Scammoniæ Resina.. | | gr. iij | ,, gr.viij. | |
| Scammonium | ... | gr. v | ,, gr. x. | |
| Scilla | ... | gr. j | ,, gr. iij. | |
| Soda Tartarata | ... | ʒij | ,, ʒss. | |
| Sodii Arsenias | ... | gr. 1/6 | ,, gr. 1/8. | |
| Sodii Benzoas | ... | gr. x | ,, ʒss. | |
| Sodii Bicarbonas | ... | gr. x | ,, ʒj. | |
| Sodii Bromidum | ... | gr. x | ,, ʒss. | |
| Sodii Carbonas | ... | gr. v | ,, ʒss. | |
| Sodii Carbonas Ex- siccata | ... | gr. iij | ,, gr. x. | |
| Sodii Citro-Tartras | | | | |
| Effervescent | ... | ʒj | ,, ʒij. | |
| Sodii Hypophosphis | ... | gr. v | ,, gr. x. | |
| Sodii Iodidum | ... | gr. iij | ,, gr. x. | |
| Sodii Nitris | ... | gr. ij | ,, gr. v. | |
| Sodii Phosphas | ... | ʒij | ,, ʒj. | |
| Sodii Phosphas Effer- vescens | ... | ʒij | ,, ʒss. | |
| Sodii Salicylas | ... | gr. x | ,, ʒss. | |
| Sodii Sulphas | ... | ʒij | ,, ʒj. | |
| Sodii Sulphas Effer- vescens | ... | ʒij | ,, ʒss. | |
| Sodii Sulphis | ... | gr. v | ,, gr. xx. | |
| Sodii Sulphocarbolas | ... | gr. x | ,, gr. xv. | |

| | | |
|---|--------------------|-----------------------|
| Sodii Valerianas ... | gr. j | to gr. v. |
| Spiritus (the dose of those omitted) ... | ʒss | „ ʒj. |
| Spiritus Ætheris ... | ʒss | „ ʒjss. |
| Spiritus Ætheris Compositus ... | ʒss | „ ʒij. |
| Spiritus Ætheris Nitrosi | ʒss | „ ʒij. |
| Spiritus Armor- aciæ Compositus... | ʒj | „ ʒij. |
| Spiritus Camphoræ... | m x | „ ʒss |
| Spiritus Chloroformi | m xx | „ ʒj. |
| Strychnina | gr. $\frac{1}{30}$ | „ gr. $\frac{1}{2}$. |
| Succus Belladonnæ... | m v | „ m xv. |
| Succus Conii ... | ʒss | „ ʒj. |
| Succus Hyoscyami | ʒss | „ ʒj. |
| Succus Scoparii ... | ʒj | „ ʒij. |
| Succus Taraxaci ... | ʒj | „ ʒij. |
| Sulphonal | gr. xv | „ gr. xl. |
| Sulphur Præcipita- tum | gr. xx | „ ʒj. |
| Sulphur Sublimatum | gr. xx | „ ʒj. |
| Syrupi (the dose of those omitted) ... | ʒj. | |
| Syrupus Chloral ... | ʒss | „ ʒij. |
| Syrupus Ferri Iodidi. | ʒss | „ ʒj. |
| Syrupus Ferri Sub- chloridi | ʒss | „ ʒj. |

| | | | |
|---------------------------------------|-----|---------|------------|
| Syrupus Rhei | ... | ʒj | to ʒss. |
| Syrupus Scillæ | ... | ʒss | „ ʒj. |
| Syrupus Sennæ | ... | ʒj | „ ʒss. |
| Tabellæ Nitroglycerini | ... | 1 or 2. | |
| Terebinthina Canadensis | ... | gr. xx | ,, ʒss. |
| Thymol | ... | gr. ½ | ,, gr. ij. |
| Tincturæ (the dose of those admitted) | ... | ʒss | ,, ʒij. |
| Tinctura Aconiti | ... | m v | ,, m xv. |
| Tinctura Aloes | ... | ʒj | ,, ʒij. |
| Tinctura Aurantii | ... | ʒj | ,, ʒij. |
| Tinctura Aurantii Recentis | ... | ʒj | ,, ʒij. |
| Tinctura Belladonnæ | ... | m v | ,, m xx. |
| Tinctura Benzoini Composita | ... | ʒss | ,, ʒj. |
| Tinctura Buchu | ... | ʒj | ,, ʒij. |
| Tinctura Camphoræ Composita | ... | m xv | ,, ʒj. |
| Tinctura Cannabis Indicæ | ... | m v | ,, m xx. |
| Tinctura Cantharidis | ... | m v | ,, m xx. |
| Tinctura Capsici | ... | m x | ,, m xx. |
| Tinctura Chloroformi Composita | ... | m xx | ,, ʒj. |

| | | |
|---|------|---------|
| Tinctura Chloroformi et Morphinæ ... | m v | to m x. |
| Tinctura Cimicifugæ | m xv | „ 3j. |
| Tinctura Colchici Se- minum | m x | „ 3ss. |
| Tinctura Conii ... | m xx | „ 3j. |
| Tinctura Digitalis ... | m x | „ 3ss. |
| Tinctura Ergotæ ... | m v | „ 3ss. |
| Tinctura Ferri Aceta- tis... | m v | „ 3ss. |
| Tinctura Ferri Per- chloridi | m x | „ 3ss. |
| Tinctura Gelsemii ... | m v | „ m xx. |
| Tinctura Guaiaci Am- moniata | 3ss | „ 3j. |
| Tinctura Hamame- lidis | m v | „ 3j. |
| Tinctura Hydrastis | 3ss | „ 3j. |
| Tinctura Hyoscyami | 3ss | „ 3j. |
| Tinctura Iodi ... | m v | „ m xx. |
| Tinctura Jaborandi... | 3ss | „ 3j. |
| Tinctura Laricis ... | m xx | „ 3ss. |
| Tinctura Lobeliae ... | m x | „ 3ss. |
| Tinctura Lobeliae Ætherea | m x | „ 3ss. |
| Tinctura Myrrhæ ... | 3ss | „ 3j. |
| Tinctura Nucis Vo- micæ | m x | „ m xx. |

| | | | |
|---------------------------------------|------|-----|----------|
| Tinctura Opii | ... | m̄v | to m̄xl. |
| Tinctura Opii Ammoniata | ... | ʒss | „ ʒj. |
| Tinctura Podophylli | m̄xv | „ | ʒj. |
| Tinctura Rhei (stomachic) | ... | ʒj | „ ʒij. |
| Tinctura Rhei (purgative) | ... | ʒss | „ ʒj. |
| Tinctura Sabinæ | m̄xx | „ | ʒj. |
| Tinctura Scillæ | .. | m̄x | „ ʒss. |
| Tinctura Sennæ | .. | ʒj | „ ʒss. |
| Tinctura Stramonii | .. | m̄x | „ ʒss. |
| Tinctura Strophanthi | m̄ij | „ | m̄x. |
| Tinctura Sumbul | m̄x | „ | ʒss. |
| Tinctura Tolutanæ | m̄xx | „ | m̄xl. |
| Tinctura Valerianæ | .. | ʒj | „ ʒij. |
| Tinctura Valerianæ Ammoniata | ... | ʒss | „ ʒj. |
| Tinctura Veratri Viridis | ... | m̄v | „ m̄xx. |
| Tinctura Zingiberis | m̄xv | „ | ʒj. |
| Tinctura Zingiberis Fortior | ... | m̄v | „ m̄xx. |
| Trochisci (the dose of those omitted) | ... | 1 | „ 6. |
| Trochisci Acidi Benzoici | ... | 1 | „ 5. |

| | | | |
|----------------|-------------|---|-------|
| Trochisci anhæ | Ipecacuanhæ | 1 | to 3. |
|----------------|-------------|---|-------|

| | | | | |
|------------------------------------|-----|-------|---|-------|
| Valerianæ Rhizoma (powder) | ... | gr. x | „ | ʒss. |
| Vinum Aloes | ... | ʒj | „ | ʒij. |
| Vinum Antimoniale | | m v | „ | ʒj. |
| Vinum Colchici | ... | m x | „ | ʒss. |
| Vinum Ferri... | ... | ʒj | „ | ʒss. |
| Vinum Ferri Citratis | | ʒj | „ | ʒss. |
| Vinum Ipecacuanhæ (expectorant) | ... | m v | „ | m xl. |
| Vinum Ipecacuanhæ (emetic) | ... | ʒij | „ | ʒvi. |
| Vinum Opii ... | ... | m x | „ | m xl. |
| Vinum Quininæ | ... | ʒss | „ | ʒj. |
| Vinum Rhei ... | ... | ʒj | „ | ʒij. |

| | | | | |
|---------------------------|--------|-------|-----------|-----------|
| Zinci Acetas (tonic) | gr. j | „ | gr. ij. | |
| Zinci Acetas (emetic) | gr. x | „ | gr. xx. | |
| Zinci Oxidum | gr. ij | „ | gr. x. | |
| Zinci Sulphas (tonic) | gr. j | „ | gr. iiij. | |
| Zinci Sulphas (emetic) | ... | gr. x | „ | ʒss. |
| Zinci Valerianas | ... | gr. j | „ | gr. iiij. |

POISONS AND THEIR TREATMENT.

EMETICS.

When an Emetic is ordered, one of the following may be employed, unless a special Emetic is mentioned.

- (a) *Mustard and Water*.—A tablespoonful of mustard stirred up in two-thirds of a tumbler of luke-warm water.
- (b) *Sulphate of Zinc*.—Thirty grains dissolved in half a tumbler of luke-warm water.
- (c) *Warm Water*.—Given copiously, alone or after one of the above.

DEMULCENT DRINKS.

When demulcent drinks are ordered, one or more of the following may be given.

- (a) *Linseed Tea.*
 - (b) *Barley Water.*
 - (c) *Milk.*
 - (d) *Compound Almond Mixture.*
-

(Common Poisons arranged alphabetically.)

Aconite.

Immediate Treatment. — Emetic, followed by Stomach-pump. Subcutaneous injection of Tinct. Digitalis m xx., or of Liq. Atropinæ Sulphatis m ij.

Later.—Brandy. Warmth. Inhalation of nitrite of amyl.

Alcohol.

Immediate Treatment. — Stomach-pump, Emetic, or Injectio Apomorphinæ Hypodermica m ij. Cold affusions to head.

Later.—Hot strong Coffee. Warmth.

Almonds, Essential Oil of Bitter.

Treatment.—As for *Hydrocyanic Acid.*

Ammonia.

Treatment.—As for *Caustic Potash.*

Antimony, Salts of.

Immediate Treatment.—Emetic, if there is no vomiting. Inj. Apomorphinæ Hypodermica m ij. Tannic Acid, or strong Tea or Coffee.

Later. — Demulcents. Brandy. Opium.

Arsenic.

Immediate Treatment.—Emetic and Stomach-pump. Dialysed Iron or Ferric Hydrate (prepared by mixing Tinct. Ferri Perchlor. and Liq. Ammoniæ), or Magnesia.

Later. — Brandy. Demulcents. Morphine. Enema Opii for tenesmus. Hot fomentations to abdomen.

Atropine.

Immediate Treatment. — Emetic, Stomach-pump, washing out with strong Tea or Tannic Acid. Hypodermic Injection of Nitrate of Pilocarpine gr. $\frac{1}{3}$, repeated if necessary.

Later.—Brandy. Warmth.

Battle's Vermin Killer.

Treatment.—As for *Strychnine*.

Battley's Solution.

Treatment.—As for *Opium*.

Belladonna.

Treatment.—As for *Atropine*.

Benzol.

Immediate Treatment. — Emetic, Stomach-pump.

Later. — Brandy. Inhalation of Ammonia. Subcutaneous Injection of Liq. Atropinæ Sulphatis m ij.

Bichromate of Potash.

Immediate Treatment.—Emetic and Stomach-pump.

Later.—Demulcents. Olive Oil. Warmth.

Butler's Vermin Killer.

Treatment.—As for Strychnine.

Calabar Bean.

Immediate Treatment.—Emetic and Stomach-pump.

Later.—Repeated Subcutaneous Injection of Liq. Atropinæ Sulphatis m ij, or Chloral Hydrate gr. x, by mouth or rectum. Brandy. Sal volatile.

Camphor.

Immediate Treatment. — Emetic and Stomach-pump.

Later. — Inhalation of Sal volatile. Subcutaneous Injection of Brandy. Hot fomentations.

Cantharides.

Immediate Treatment.—Emetic.

Later.—Demulcents. Opium. Morphine.

Carbolic Acid.

Immediate Treatment.— Emetic and Stomach-pump. Wash out with Sulphate of Magnesium.

Later.—Demulcent Drinks. Olive Oil. Brandy subcutaneously or by enema. Warmth.

Caustic Potash.

Immediate Treatment.—Vinegar.

Lemon juice. Orange juice.

Later.—Demulcents. Olive oil.

Brandy. Warmth.

Caustic Soda.

Treatment.—As for *Caustic Potash.*

Chloral Hydrate.

Immediate Treatment.—Cold water to face, head and neck. Emetic and Stomach-pump. Hot blankets. Hot bottle to feet.

Later.—Hot strong Coffee. Artificial respiration. Battery. Subcutaneous Injection of Liq. Strychninæ Hydrochloratis m v. Nitrite of amyl.

Chlorodyne.

Treatment.—As for *Opium.*

Chloroform (inhaled).

Immediate Treatment. — Clear fauces. Pull forward the tongue. Fresh air. Artificial respiration. Inversion. Battery. Nitrite of Amyl.

Chloroform (swallowed).

Immediate Treatment.—Emetic and Stomach-pump. Cold water to face. Nitrite of Amyl. Olive Oil. Artificial respiration.

Cocaine.

Immediate Treatment. — Brandy. Nitrite of Amyl. Subcutaneous Injection of Ether.

Later.—Bromide of Potassium.

Cocculus Indicus.

Treatment.—As for *Picrotoxin*.

Colchicum.

Immediate Treatment. — Stomach-pump or emetic.

Later. — Strong Tea. Tannic Acid. Demulcents. Stimulants.

Colocynth.

Immediate Treatment. — Stomach-pump or Emetic. Sp. Camphoræ m x.

Later. — Brandy. Demulcents. Warmth. Tinct. Opii m xx.

Conium.

Immediate Treatment. — Stomach-pump or Emetic.

Later. — Strong Tea. Tannic Acid. Brandy. Artificial respiration, if necessary.

Copper, Salts of.

Immediate Treatment.—White of Egg. Milk. Emetic and Stomach-pump if vomiting has not occurred.

Later.—Demulcents. Morphine or Laudanum and hot fomentations if much pain.

Corrosive Sublimate.

Treatment.—As for *Mercury, Salts of.*

Cyanide of Potassium

Treatment.—As for *Hydrocyanic Acid.*

Dalby's Carminative.

Treatment.—As for *Opium.*

Digitalis.

Immediate Treatment.—Emetic and Stomach-pump.

Later.—Aperient. Strong Tea or Coffee. Brandy. Recumbent posture long after urgent symptoms have subsided.

Emerald Green.

Treatment.—As for Arsenic.

Ergot.

Immediate Treatment.—Emetic and Stomach-pump.

Later.—Brandy. Sal volatile. Strong tea. Aperient.

Eserine.

Treatment.—As for Calabar Bean.

Ether (inhaled).

Treatment.—As for *Chloroform inhaled.*

Gibson's Vermin Killer.

Treatment.—As for *Strychnine.*

Godfrey's Cordial.

Treatment.—As for *Opium.*

Henbane (*Hyoscyamus*).

Treatment.—As for *Atropine.*

Hydrochloric Acid.

Immediate Treatment.—Soap and water. Magnesia, Chalk, or Carbonate of Soda with water.

Later.—Demulcents. Olive Oil White of Egg. Morphine hypodermically.

Hydrocyanic Acid.

Immediate Treatment.—Dash cold water over head and chest. Emetic, or promote vomiting by tickling fauces. Inhalation of Ammonia.

Later.—Artificial respiration. Battery. Hypodermic Injection of Liq. Atropinæ Sulphatis m ij.

Iodine.

Immediate Treatment.—Emetic and Stomach-pump.

Later.—Starch and water. Demulcents. Nitrite of Amyl. Morphine and fomentations for pain.

Lead, Salts of (Acute).

Immediate Treatment.—Stomach-pump or Emetic. Dilute Sulphuric Acid ʒss. in water. Sulphate of Magnesium.

Later.—White of egg. Demulcents. Aperients.

Mercury, Salts of.

Immediate Treatment.—White of egg or milk, followed immediately by Stomach-pump or Emetic.

Later.—Demulcents. Stimulants.

Morphine.

Treatment.—As for *Opium*.

Nitrate of Silver.

Immediate Treatment.—Common salt in milk or water. Emetic.

Later.—Demulcents.

Nitric Acid.

Treatment.—As for *Hydrochloric Acid*.

Nitro-Glycerine.

Immediate Treatment.—Recumbent posture. Cold affusion.

Later.—Injectio Ergotini Hypodermica m iij., or Liq. Atrop. Sulph. m ij.

Opium.

Immediate Treatment.—Emetic and Stomach-pump. Dash cold water on face. Ammonia or Nitrite of Amyl to nostrils.

Later.—Hot strong Coffee. Liq. Atrop. Sulph. hypodermically. Battery. Rouse by exercise or shouting. Artificial respiration if necessary.

Oxalic Acid.

Immediate Treatment.—Chalk and water. Lime water.

Later.—Brandy. Castor oil.

Phosphorus.

Immediate Treatment.—Sulphate of Copper, gr. v. — gr. x. in water. Stomach-pump if vomiting is not produced.

Later.—French Oil of Turpentine 3ss. in mucilage every half-hour. Sulphate of Magnesium. Avoid oils and fats.

Picrotoxin.

Immediate Treatment.—Emetic or Stomach-pump. Chloral.

Later.—Bromide of Potassium and Chloral.

Potash, Caustic.

(See Caustic Potash.)

Rat-pastes.

Treatment.—As for *Phosphorus*, or *Arsenic*.

Savin.

Immediate Treatment.—Emetic.

Later.—Demulcents. Castor Oil. Opium or Morphine.

Silver, Salts of.

Treatment.—As for *Nitrate of Silver*.

Soda, Caustic.

(See Caustic Soda.)

Sorrell, Salts of.

Treatment.—As for *Oxalic Acid.*

Stramonium.

Treatment.—As for *Atropine.*

Strychnine.

Immediate Treatment.—Emetic and Stomach-pump. Injectio Apomorphinæ Hypodermica m v. Bromide of Potassium 3j., in water every half hour. Chloral Hydrate hypodermically. Nitrite of Amyl inhalations.

Later.—Inhalation of Chloroform, if convulsions are very severe. Artificial respiration.

Sulphuric Acid.

Treatment. — As for *Hydrochloric Acid.*

Tartar Emetic.

(See Antimony, Salts of.)

Tin, Salts of.

Immediate Treatment. — Emetic and Stomach-pump. Milk or White of Egg.

Later. — Demulcents.

Turpentine.

Immediate Treatment. — Emetic and Stomach-pump. Demulcents.

Later. — Sulphate of Magnesium. Morphine or Opium.

White Precipitate.

Treatment. — As for *Mercury, Salts of.*

Zinc, Salts of.

Immediate Treatment.—White of Egg. Carbonate of Sodium.

Later.—Demulcents. Strong Tea. Warm fomentations. Morphine.

DIETARY.

“ Extras” may be ordered for patients on any diet (except full diet) at the discretion of the Medical Officer.

“ Special Extras,” such as Brand’s Essence, Mellin’s Food, &c., &c., must be initialed for by the Visiting Physician or Surgeon either beforehand or at his next visit.

Children under ten years to receive one-half, and from ten to fourteen two-thirds allowances, unless otherwise ordered.

No. 1 DIET FEEDS.

| | | |
|----------------|-------|----------|
| MILK | | 4 pints. |
| BEEF TEA | | 1 pint. |

| | No. 2 DIET. | SCALE. |
|------------|--|---|
| BREAKFAST. | MILK $\frac{1}{2}$ pint. BREAD..... $1\frac{1}{2}$ oz. | |
| LUNCHEON. | MILK $\frac{1}{2}$ pint. BREAD..... $1\frac{1}{2}$ oz. | |
| DINNER. | BROTH OR } 1 pint. BEEF TEA } BREAD..... 3 oz. MILK PUDDING ... 6 oz. | MILK 2 pints. BROTH OR BEEF TEA } 1 pint. |
| TEA. | MILK $\frac{1}{2}$ pint. BREAD..... $1\frac{1}{2}$ oz. | BREAD 9 oz. |
| SUPPER. | MILK $\frac{1}{2}$ pint. BREAD..... $1\frac{1}{2}$ oz. | |

HALF DIET SCALE.**No. 3 DIET.****BREAKFAST.**

| | |
|------------|---------------------|
| MILK | $\frac{1}{4}$ pint. |
| BREAD..... | 2 oz. |

LUNCHEON.

| | |
|------------|---------------------|
| MILK | $\frac{1}{4}$ pint. |
| BREAD..... | 2 oz. |

DINNER.

| | |
|------------------|---------------------|
| MEAT (COOKED) .. | 4 oz. |
| POTATOES | 3 oz. |
| MILK PUDDING.... | 6 oz. |
| BREAD..... | 4 oz. |
| MILK | $\frac{1}{4}$ pint. |
| BREAD | 2 oz. |

TEA

| | |
|------------|---------------------|
| MILK | $\frac{1}{4}$ pint. |
| BREAD..... | 2 oz. |

SUPPER.

| | |
|------------|---------------------|
| MILK | $\frac{1}{4}$ pint. |
| BREAD..... | 2 oz. |

| | |
|-------------|---------------------|
| MILK | $\frac{1}{4}$ pint. |
| BREAD | 12 oz. |

| | No. 4 DIET | FULL DIET SCALE. |
|------------|--|--|
| BREAKFAST. | MILK $\frac{1}{4}$ pint. BREAD..... 2 oz. | 88 |
| LUNCHEON. | MILK $\frac{1}{4}$ pint. BREAD..... 2 oz. | MILK 1 pint. |
| DINNER. | MEAT (COOKED) ... 6 oz. POTATOES 8 oz. MILK PUDDING... 6 oz. BREAD..... 4 oz. | MEAT 6 oz. POTATOES 8 oz. MILK PUDDING 6 oz. BREAD 12 oz. |
| TEA. | MILK $\frac{1}{4}$ pint. BREAD..... 2 oz. | |
| SUPPER. | MILK $\frac{1}{4}$ pint. BREAD..... 2 oz. | |

EXTRAS.

CHOP 4 oz.

MINCE 6 oz.

RAW BEEF 14 oz.

FISH 6 oz.

EGGS

SOUP 1 *pint.*

GREENS 4 oz.

BRANDY

GIN

WHISKEY

PORTER

ALE

DIETARY FOR INFANTS.

EMPLOYED IN THE PANTIA RALLI WARD.

One month old : 1 part milk, 1 part hot water, 1 part lime water ; vary quantity of lime water according to state of child's bowels. Feed every two hours, giving from ȝij to ȝiij.

Two months : 2 parts milk to 1 of hot water and 1 of lime water or $1\frac{1}{2}$ of hot water and $\frac{1}{2}$ of lime water. Feed every 3 hours, giving from ȝiij to ȝvj.

Three months : 2 parts of milk to 1 of hot water, with 1 teaspoonful of lime water ; increase quantity to ȝvij every 3 or 4 hours. These bottles should be sweetened and given at a temperature of 96° or 98° . Barley water or oatmeal water with the fibre of the meal left in

may be used alternately with or instead of the lime water.

After six months the milk should be given as little diluted as possible, but still with some lime water.

After eight months the frequency of the bottles should be decreased and some more solid food given with spoon, such as rusks softened in boiling water and mixed with warm milk, porridge, arrowroot.

After tenth month feed entirely with spoon and give beef tea ; chicken broth once a day.

If the child is sick some food may be mixed with the milk as early as the fifth month, and even beef tea may be given if cow's milk seems to disagree ; arrowroot or gruel can be easily given in the feeding bottle.

After sixteen or eighteen months very finely minced meat or chicken mixed

with bread crumbs and gravy, with custard pudding, bread and milk, porridge, &c., may form the diet, not feeding the child oftener than every three or four hours and never between its meals.

