

Pharmacopoeia of the Surrey Dispensary.

Contributors

Surrey Dispensary.

Publication/Creation

London : printed by H. Silverlock, 1882.

Persistent URL

<https://wellcomecollection.org/works/nzhakt8j>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>


SURREY DISPENSARY




PHARMACOPŒIA.

QV740
B5
185
SP
M15725

40





PHARMACOPŒIA
OF THE
SURREY DISPENSARY.



London:
PRINTED BY H. SILVERLOCK.
1882.

24 885 649

16240


WELLCOME INSTITUTE LIBRARY	
Coll.	WelMOmec
Coll.	
No.	QV 740
	.B E 5
	1882
	S 96p

M15 725




Digitized by the Internet Archive
in 2014


<https://archive.org/details/b20408092>



SURREY DISPENSARY.



Medical and Surgical Staff.



PHYSICIANS:

D. HOOPER, B.A., M.B., M.R.C.P.L.

J. G. DUDLEY, M.A., M.D., M.R.C.P.L.

T. B. PARTRIDGE, B.A., M.B.

SURGEONS:

T. H. WATERWORTH, M.D., M.R.C.S.

JOHN DIXON, M.D., M.R.C.S.

D. SMART, L.R.C.P.L., M.R.C.S.

RESIDENT MEDICAL OFFICER:

PHILIP J. JACKSON, M.R.C.S., L.S.A.

SECRETARY

General and Special Agent

PHYSICIAN

D. B. BROWN, M.D.

A. B. BROWN, M.D.

T. B. BROWN, M.D.

SURGEON

J. M. BROWN, M.D.

W. B. BROWN, M.D.

W. B. BROWN, M.D.

RESIDENT MEDICAL OFFICER

W. B. BROWN, M.D.

SURREY DISPENSARY PHARMACOPŒIA.

COLLYRIUM ALUMINIS.

Alum Eye Wash.

Alum 3 grs.
Distilled Water 1 fl. oz.
Dissolve.

COLLYRIUM BELLADONNÆ.


Belladonna Eye Wash.

Extract of Belladonna 8 grs.
Distilled Water 1 fl. oz.
Dissolve.

COLLYRIUM ZINCI SULPHATIS.

Sulphate of Zinc Eye Wash.

Sulphate of Zinc 3 grs.
Distilled Water 1 fl. oz.
Dissolve.



SURREY DISPENSARY

PHARMACOPŒIA.

COLLYRIUM ALUMINIS.

Alum Eye Wash.

Alum	3 grs.
Distilled Water	1 fl. oz.

Dissolve.

COLLYRIUM BELLADONNÆ.

Belladonna Eye Wash.

Extract of Belladonna	8 grs.
Distilled Water	1 fl. oz.

Dissolve.

COLLYRIUM ZINCI SULPHATIS.

Sulphate of Zinc Eye Wash.

Sulphate of Zinc	2 grs.
Distilled Water	1 fl. oz.

Dissolve.

CONFECTIO SENNÆ ET SULPHURIS.

Confection of Senna and Sulphur.

Confection of Senna	} equal parts.
„ Sulphur	

Mix thoroughly.

Dose.—1 to 2 drs.

CONFECTIO SULPHURIS.

Confection of Sulphur.

Sublimed Sulphur 4 oz.

Cream of Tartar 1 oz.

Treacle 4 oz.

Mix thoroughly.

Dose.—1 to 2 drs.

ENEMA COMMUNE.

Common Enema.

Common Salt 1 oz.

Oatmeal Gruel 12 fl. oz.

Dissolve.

ENEMA OLEI RICINI.

Castor Oil Enema.

Castor Oil 1 fl. oz.

Warm Mucilage of Starch 11 fl. oz.

Mix thoroughly.

PHARMACEUTICAL PREPARATIONS

RUSSIA SALVIA

Salvia officinalis L.
Boiling Water 15 gr.
Dose: 1 to 2 drams when necessary.

GARGARISMA ACIDI CARBOLICI

Carbolic Acid (Garg.) 3 gr.
Distilled Water 1 lb.
Dose: 1 to 2 drams.

GARGARISMA ACIDI TANNICI

Tannic Acid (Garg.) 10 gr.
Distilled Water 1 lb.
Dose: 1 to 2 drams.

GARGARISMA ALUMINIS

Alum (Garg.) 10 gr.
Distilled Water 1 lb.
Dose: 1 to 2 drams.

CONFECTIO SNNLE ET SULPHURIS
Collection of Snnle and Sulphur

Collection of Snnle and Sulphur
Mix thoroughly
Dose—1 to 2 drs

CONFECTIO SULPHURIS

Collection of Sulphur
Sulphur
Cream of Tartar
Tincture
Mix thoroughly
Dose—1 to 2 drs

RECEPE COMMUNE

Common Recipe
Sulphur Salt
Chemical Gravel
Dose—1 to 2 drs

RECEPE COMMUNE

Common Recipe
Sulphur Salt
Chemical Gravel
Dose—1 to 2 drs
Mix thoroughly

ENEMA SAPONIS.

Soap Enema.

Soft Soap 1 oz.

Boiling Water 16 fl. oz.

Dissolve, and use when sufficiently cold.

GARGARISMA ACIDI CARBOLICI.

Carbolic Acid Gargle.

Carbolic Acid (pure) 3 grs.

Distilled Water 1 fl. oz.

Dissolve.

GARGARISMA ACIDI TANNICI.

Tannic Acid Gargle.

Tannic Acid 10 grs.

Distilled Water 1 fl. oz.

Dissolve.

GARGARISMA ALUMINIS.

Alum Gargle.

Alum 10 grs.

Distilled Water 1 fl. oz.

Dissolve.

GARGARISMA BORACIS COMPOSITUM.

Compound Borax Gargle.

Powdered Borax.....	15 grs.
Chlorate of Potash	15 grs.
Tincture of Myrrh	15 m.
Glycerine.....	10 m.
Distilled Water	1 fl. oz.
Dissolve.	

GARGARISMA POTASSÆ CHLORATIS.

Chlorate of Potash Gargle.

Chlorate of Potash	15 grs.
Dilute Hydrochloric Acid	10 m.
Distilled Water	1 fl. oz.
Dissolve.	

GLYCERINUM BELLADONNÆ.

Glycerine of Belladonna.

Extract of Belladonna	} equal parts.
Glycerine	
Dissolve.	

GLYCERINUM PLUMBI ACETATIS.

Glycerine of Acetate of Lead.

Acetate of Lead	1 dr.
Glycerine.....	1 fl. oz.
Dissolve.	

MINERAL WATER

MINERAL WATER

Preparation of Mineral Water
Dissolve in Distilled Water
Dissolve in Distilled Water

MINERAL WATER

Preparation of Mineral Water
Dissolve in Distilled Water
Dissolve in Distilled Water

MINERAL WATER

Preparation of Mineral Water
Dissolve in Distilled Water
Dissolve in Distilled Water

MINERAL WATER

Preparation of Mineral Water
Dissolve in Distilled Water
Dissolve in Distilled Water

GUTTÆ ARGENTI NITRATIS.

Nitrate of Silver Drops.

Nitrate of Silver.....1 gr.
Distilled Water1 fl. oz.
Dissolve.

GUTTÆ ATROPIÆ.

Atropine Drops.

Sulphate of Atropine1 gr.
Distilled Water1 fl. oz.
Dissolve.

GUTTÆ CUPRI SULPHATIS.

Sulphate of Copper Drops.

Sulphate of Copper.....2 grs.
Distilled Water1 fl. oz.
Dissolve.

GUTTÆ ODONTALGICÆ.

Toothache Drops.

Carbolic Acid (pure)12 grs.
Mastiche20 grs.
Chloroform $\frac{1}{2}$ fl. oz.
Dissolve.

GUTTÆ OPII.

Opium Drops.

Wine of Opium 2 fl. drs.

Distilled Water 3 fl. drs.

Mix.

HYDRARGYRI OLEAS.

Oleate of Mercury.

This contains 10 per cent. of Oxide of Mercury. For local application.

HYDRARGYRI OLEAS C. MORPHIA.

Oleate of Mercury with Morphia.

Morphia 1 gr.

Oleate of Mercury 1 dr.

Dissolve.

For local application.

INHALATIO ACIDI SULPHUROSI.

Inhalation of Sulphurous Acid.

Sulphurous Acid 3 fl. drs.

Distilled Water to 1 fl. oz.

LINCOLN'S BALSAM

Myrtle Leaves

Solution of Hydrochloric acid
Myrtle
Strong Acetic acid
Oxygen of Soda
Distilled Water

Dose - 1 to 2 dr.

LINCOLN'S GREAT

Great Liniment

Tincture of Opium
Essence of Sassafras
Tincture of Turpentine
Water

Dose - 1 to 2 dr.

LINCOLN'S OIL OF CLOVES

Oil of Cloves

Oil of Peppermint
Drop of White Pepper

Dose - 1 to 2 dr.

14. SINGLY PREPARED PHARMACEUTICALS

OUTER PREPARED

Outer Preparation

Wine of Opium 2 1/2 dr.

Distilled Water 5 fl. oz.

M. S.

HYDRARGYRI OLIA

Mercury of Mercury

This contains 10 percent of Oxide of Mercury. For local application.

HYDRARGYRI OLIA U. MORPHIA

Mercury of Mercury and Morphine

Morphine 1 gr.

Oxide of Mercury 1 dr.

Disolve.

For local application.

INHALATIO WITH SULPHUR

Inhalation with Sulphur

Sulphur 1 1/2 dr.

Distilled Water 5 fl. oz.

LINCTUS MORPHIÆ.

Morphia Linctus.

Solution of Hydrochlorate of	}	$\frac{1}{2}$ dr.
Morphia		
Strong Acetic Acid		15 m.
Oxymel of Squills		3 fl. drs.
Distilled Water		to 1 fl. oz.

Mix.

Dose.—1 to 2 drs.

LINCTUS OPIATUS.

Opiate Linctus.

Tincture of Opium	10 m.
Dilute Sulphuric Acid	12 $\frac{1}{2}$ m.
Treacle	6 drs.
Water	to 1 fl. oz.

Mix.

Dose.—1 to 2 drs.

LINCTUS SCILLÆ COMPOSITUS.

Compound Squill Linctus.

Oxymel of Squills	}	equal parts.
Syrup of White Poppies		

Mix.

Dose.—1 to 2 fl. drs.

LINCTUS SIMPLEX.

Simple Linctus.

Oxymel of Squills	1½ fl. drs.
Treacle.....	1½ fl. drs.
Dilute Sulphuric Acid	20 m.
Distilled Water	to 1 fl. oz.
Mix.	

Dose.—1 to 2 fl. drs.

LINIMENTUM AMMONIÆ.

Ammonia Liniment.

Strong Solution of Ammonia....	3 fl. oz.
Distilled Water	3 fl. oz.
Linseed Oil	14 fl. oz.
Mix thoroughly.	

LINIM. AMMONIÆ C. TEREBINTHINÂ.

Liniment of Ammonia with Turpentine.

Liniment of Ammonia	1 pint.
Oil of Turpentine	10 fl. oz.
Mix thoroughly.	

LINIMENTUM CHLOROFORMI COMPOSITUM.

Compound Chloroform Liniment.

Chloroform	1 fl. dr.
Tincture of Opium	1 fl. dr.
Soap Liniment	10 fl. drs.
Mix.	

LOTIO ACIDI CARBOLICI

Carbolic Acid Lotion.

Carbolic Acid 8 grs.
 Distilled Water 1 fl. oz.
 Mix.

LOTIO ACIDI HYDROCYANICI

Hydrocyanic Acid Lotion.

Dilute Hydrocyanic Acid 10 m.
 Distilled Water to 1 fl. oz.
 Mix.

LOTIO ACIDI NITRICI

Nitric Acid Lotion.

Dilute Nitric Acid 10 m.
 Distilled Water to 1 fl. oz.
 Mix.

LOTIO ACIDI SULPHUREOSI

Sulphurous Acid Lotion.

Sulphurous Acid 1 fl. oz.
 Distilled Water to 1 fl. oz.
 Mix.

LOTIO ALKALINA

Alkaline Lotion.

Carbonate of Soda 7 grs.
 Distilled Water 1 fl. oz.
 Dissolve.

LINCTUS SIMPLEX

Simple Linctus.

Oxycel of Squilla	1 1/2 drs.
Troche	1 1/2 drs.
Dilute Sulphuric Acid	30 m.
Distilled Water	to 1 fl. oz.
Mix	

Dose:—1 to 2 fl. drs.

LINIMENTUM AMMONIÆ

Ammonia Liniment.

Strong Solution of Ammonia	3 fl. oz.
Distilled Water	3 fl. oz.
Lanseed Oil	5 1/2 fl. oz.
Mix thoroughly	

LINIM. AMMONIÆ C. TEREBINTHINÆ

Liniment of Ammonia with Turpentine.

Liniment of Ammonia	1 part.
Oil of Turpentine	10 dr. oz.
Mix thoroughly	

LINIMENTUM CHLOROPORMI COMPO- SITUM.

Compound Chloroform Liniment.

Chloroform	1 fl. oz.
Tincture of Opium	1 fl. dr.
Scal Liniment	10 dr. oz.
Mix	

LOTIO ACIDI CARBOLICI.

Carbolic Acid Lotion.

Carbolic Acid 8 grs.
 Distilled Water 1 fl. oz.

Mix.

LOTIO ACIDI HYDROCYANICI.

Hydrocyanic Acid Lotion.

Dilute Hydrocyanic Acid 10 m.
 Distilled Water to 1 fl. oz.

Mix.

LOTIO ACIDI NITRICI.

Nitric Acid Lotion.

Dilute Nitric Acid 10 m.
 Distilled Water to 1 fl. oz.

Mix.

LOTIO ACIDI SULPHUROSI.

Sulphurous Acid Lotion.

Sulphurous Acid 1 fl. dr.
 Distilled Water to 1 fl. oz.

Mix.

LOTIO ALKALINA.

Alkaline Lotion.

Carbonate of Soda 7 grs.
 Distilled Water 1 fl. oz.

Dissolve.

LOTIO ALUMINIS.

Alum Lotion.

Alum 10 grs.
 Distilled Water 1 fl. oz.
 Dissolve.

LOTIO BORACIS.

Borax Lotion.

Borax 10 grs.
 Distilled Water 1 fl. oz.
 Dissolve.

LOTIO LIQUORIS CARBONIS DETERGENTIS.

Spirit of Coal Tar Lotion.

Spirit of Coal Tar $\frac{1}{2}$ fl. oz.
 Distilled Water to 1 pint.
 Mix.

LOTIO OPII.

Opium Lotion.

Extract of Opium 5 grs.
 Distilled Water 1 fl. oz.
 Mix.

LOTIO PLUMBI CUM OPIO.

Goulard Water with Opium.

Goulard Water } equal
 Lotion of Opium } parts.
 Mix.

LOTIO POTASSII PERMANANGANIS

Permanganate of Potash 1 gram
Diluted Water 100 cc
Mix.

LOTIO POTASSII CHLORINIS

Potassium Chlorate 10 grams
Diluted Water 100 cc
Mix.

LOTIO POTASSII CHLORINIS

Potassium Chlorate 10 grams
Diluted Water 100 cc
Mix.

LOTIO STRYCHNINAE

Strychnine 1 gram
Diluted Water 100 cc
Mix.

THE UNIVERSITY OF CHICAGO

PHYSICS DEPARTMENT

REPORT OF THE

COMMISSIONERS OF THE

BOARD OF REGENTS

FOR THE YEAR

ENDING

1900

CHICAGO, ILL.

1901

PRINTED BY

THE UNIVERSITY OF CHICAGO

PHYSICS DEPARTMENT

REPORT OF THE

COMMISSIONERS OF THE

BOARD OF REGENTS

FOR THE YEAR

ENDING

1900

LOTIO POTASSÆ PERMANGANATIS.

Permanganate of Potash Lotion.

Solution of Permanganate of Potash 10 m.
 Distilled Water 1 fl. oz.
 Mix.

LOTIO SODÆ ET GLYCERINI.

Soda and Glycerine Lotion.

Carbonate of Soda 5 grs.
 Glycerine $\frac{1}{2}$ fl. dr.
 Distilled Water to 1 fl. oz.
 Dissolve.

LOTIO SODÆ CHLORINATÆ.

Chlorinated Soda Lotion.

Solution of Chlorinated Soda 1 fl. dr.
 Distilled Water 1 fl. oz.
 Mix.

LOTIO SPIRITUS.

Spirit Lotion.

Rectified Spirit 2 fl. drs.
 Distilled Water to 1 fl. oz.
 Mix.

LOTIO ZINCI OXIDI.

Oxide of Zinc Lotion.

Oxide of Zinc $\frac{1}{2}$ dr.
 Glycerine 1 fl. dr.
 Distilled Water to 1 fl. oz.
 Mix.

LOTIO ZINCI SULPHATIS.

Sulphate of Zinc Lotion.

Sulphate of Zinc 5 grs.
 Distilled Water 1 fl. oz.
 Dissolve.

LOTIO ZINCI SULPHO-CARBOLATIS.

Sulpho-Carbolate of Zinc Lotion.

Sulphate of Zinc 2 grs.
 Carbolic Acid 10 grs.
 Distilled Water to 1 fl. oz.
 Dissolve.

MISTURA ACIDA CUM QUASSIÂ.

Acid Mixture with Quassia.

Dilute Nitro-Hydrochloric Acid 10 m.
 Infusion of Quassia to 1 fl. oz.
 Mix.

Dose.—1 to 2 fl. oz.

MISTURA TINNIDA

Tinny Mixture

Tincture of Nux Vomica . . . 10 m.
Compound Tincture of Camphor . . . 1 fl. oz.
Dilute Nitro-Hydrochloric Acid . . . 10 m.
Water . . . 10 fl. oz.
Mix.
Dose - 1 to 2 fl. oz.

MISTURA ACIDI GALLICI

Gallie Acid Mixture

Extract of Gallie Acid . . . 20 m.
Dilute Nitro-Hydrochloric Acid . . . 10 m.
Compound Tincture of Camphor . . . 1 fl. oz.
Water . . . 10 fl. oz.
Mix.
Dose - 1 fl. oz.

MISTURA ACIDI HYDROCHLORICI

Hydrochloric Acid Mixture

Dilute Hydrochloric Acid . . . 10 m.
Compound Tincture of Camphor . . . 1 fl. oz.
Water . . . 10 fl. oz.
Mix.
Dose - 1 to 2 fl. oz.

LOTIO ZINCI OXIDI

Oxide of Zinc 1 lb.
Glycerine 1 fl. oz.
Distilled Water 10 fl. oz.
Mix.

LOTIO ZINCI SULFATIS

Sulfate of Zinc 1 lb.
Distilled Water 10 fl. oz.
Dissolve.

LOTIO ZINCI SULPHO-CARBOLATIS

Sulpho-Carbonate of Zinc 1 lb.
Carbolic Acid 1 fl. oz.
Distilled Water 10 fl. oz.
Dissolve.

MISTURA ACIDA CUM GLASSIA

Acid Mixture with Gum 1 lb.
Dilute Nitric Hydrochloric Acid 10 fl. oz.
Infusion of Glass 10 fl. oz.
Mix.
Dose - 1 to 2 fl. oz.

MISTURA TONICA.

Tonic Mixture.

Tincture of Nux Vomica 10 m.
 Compound Tincture of Gentian . . 1 fl. dr.
 Dilute Nitro-Hydrochloric Acid 10 m.
 Water to 1 fl. oz.

Mix.

Dose.—1 to 2 fl. oz.

MISTURA ACIDI GALLICI.

Gallic Acid Mixture.

Glycerine of Gallic Acid 20 m.
 Dilute Sulphuric Acid 10 m.
 Compound Tincture of Camphor 25 m.
 Water to 1 fl. oz.

Mix.

Dose.—1 fl. oz.

MISTURA ACIDI HYDROCHLORICI.

Hydrochloric Acid Mixture.

Dilute Hydrochloric Acid 10 m.
 Syrup 1 fl. dr.
 Water to 1 fl. oz.

Mix.

Dose.—1 to 2 fl. oz.

MISTURA ACIDI NITRICI.

Nitric Acid Mixture.

Dilute Nitric Acid 10 m.
Syrup 1 fl. dr.
Water to 1 fl. oz.

Mix.

Dose.—1 to 2 fl. oz.

MISTURA ACIDI NITRO-HYDRO-CHLORICI.

Nitro-Hydrochloric Acid Mixture.

Dilute Nitro-Hydrochloric Acid 10 m.
Syrup 1 fl. dr.
Water to 1 fl. oz.

Mix.

Dose.—1 to 2 fl. oz.

MISTURA ACIDI SULPHURICI C. OPIO.

Sulphuric Acid Mixture with Opium.

Tincture of Opium 5 m.
Dilute Sulphuric Acid 15 m.
Syrup 1 fl. dr.
Camphor Water to 1 fl. oz.

Mix.

Dose.—1 to 2 fl. oz.

MISTURA ALUMINIS COMPOSITA

Alumini Sulphatis ʒss
Compositi Tincture of Cinchona ʒi
Fennel Water ʒss
Cinnamon Water ʒss
Mix. Dose ʒss

MISTURA ANIMONII COMPOSITA

Alumini Sulphatis ʒss
Compositi Tincture of Cinchona ʒi
Fennel Water ʒss
Cinnamon Water ʒss
Mix. Dose ʒss

MISTURA ANIMONII COMPOSITA

Alumini Sulphatis ʒss
Compositi Tincture of Cinchona ʒi
Fennel Water ʒss
Cinnamon Water ʒss
Mix. Dose ʒss

MISTURA ANIMONII COMPOSITA

Alumini Sulphatis ʒss
Compositi Tincture of Cinchona ʒi
Fennel Water ʒss
Cinnamon Water ʒss
Mix. Dose ʒss

MISTURA ACIDI NITRICI

Recipe: Acid Nitric 10 m.
Syrup 10 m.
Water 10 m.
Mix. Dose: 1 to 2 m.

MISTURA ACIDI NITRO-HYDRO-CHLORICI

Recipe: Acid Nitro-Hydrochloric 10 m.
Syrup 10 m.
Water 10 m.
Mix. Dose: 1 to 2 m.

MISTURA ACIDI SULFURICI C. AQUA

Recipe: Acid Sulfuric 10 m.
Syrup 10 m.
Water 10 m.
Mix. Dose: 1 to 2 m.

MISTURA ALUMINIS COMPOSITA.

Compound Alum Mixture.

Alum 8 grs.
 Compound Tincture of Camphor 20 m.
 Ipecacuanha Wine 10 m.
 Camphor Water to 1 fl. oz.
 Mix. DOSE.—1 fl. oz.

MISTURA AMMONIÆ.

Ammonia Mixture.

Carbonate of Ammonia 5 grs.
 Compound Tincture of Lavender 15 m.
 Peppermint Water to 1 fl. oz.
 Mix. DOSE.—1 fl. oz.

MISTURA AMMONIÆ ACETATIS.

Acetate of Ammonia Mixture.

Solution of Acetate of Ammonia $\frac{1}{2}$ fl. oz.
 Spearmint Water to 1 fl. oz.
 Mix. DOSE.—1 to 2 fl. oz.

MISTURA AMMONIÆ ET GENTIANÆ.

Mixture of Ammonia and Gentian.

Carbonate of Ammonia 5 grs.
 Compound Infusion of Gentian .. 1 fl. oz.
 Mix. DOSE.—1 fl. oz.

MISTURA AMMONIÆ EFFERVESCENS.

Effervescing Ammonia Mixture.

Carbonate of Ammonia 20 grs.
Water to 1 fl. oz.

Dissolve.

Citric Acid $23\frac{1}{2}$ grs.
Water 1 fl. oz.

Dissolve.

The solutions to be kept in separate bottles.

Dose.—1 fl. oz. of each, to be taken while effervescing.

MISTURA AMMON. ET CHLOROFORMI.

Ammonia and Chloroform Mixture.

Carbonate of Ammonia 5 grs.
Chloroform Water to 1 fl. oz.

Dissolve.

Dose.—1 fl. oz.

MISTURA ANODYNA.

Anodyne Mixture.

Tincture of Opium 10 m.
Spirit of Chloroform 15 m.
Camphor Water to 1 fl. oz.

Mix.

Dose.—1 fl. oz.

MISTURA AROMATICA

Aromatic Mixture

Aromatic Powder of Clove . . . 15 grs
 Tincture of Clove . . . 15 m.
 Candy Mixture . . . 1 lb. oz.
 Mix. Dose:—1 lb. oz.

MISTURA BISMUTHI

Bismuth Mixture

Substitute of Bismuth . . . 10 grs
 Powdered Gum Arabic . . . 10 grs
 Water . . . 1 lb. oz.
 Mix thoroughly.
 Dose:—1 lb. oz.

MISTURA BISMUTHI AMARA

Bitter Bismuth Mixture

Substitute of Bismuth . . . 10 grs
 Powdered Gum Arabic . . . 10 grs
 Compound Infusion of Quina . . . 1 lb. oz.
 Mix thoroughly.
 Dose:—1 lb. oz.

MISTURA BISMUTHI AROMATICA

Aromatic Bismuth Mixture

Dilute Hydrocyanic Acid . . . 2 m.
 Solution of Hydrochloric Acid . . . 2 m.
 Bismuth Mixture . . . 1 lb. oz.
 Mix. Dose:—1 lb. oz.

MISTURA AMMONIÆ EFFERVESCENTS

Effervescent Ammonia Mixture

Carbonate of Ammonia 20 grs.

Water to 1 fl. oz.

Dissolve.

Chloric Acid 23½ grs.

Water 1 fl. oz.

Dissolve.

The solutions to be kept in separate bottles.

Dose.—1 fl. oz. of each, to be taken while effervescing.

MISTURA AMMONIÆ ET CHLOROFORMI

Ammonia and Chloroform Mixture

Carbonate of Ammonia 5 grs.

Chloroform Water to 1 fl. oz.

Dissolve.

Dose.—1 fl. oz.

MISTURA ANODYNA

Anodyne Mixture

Tincture of Opium 10 m.

Spirit of Chloroform 15 m.

Camphor Water to 1 fl. oz.

Mix.

Dose.—1 fl. oz.

MISTURA AROMATICA.

Aromatic Mixture.

Aromatic Powder of Chalk15 grs.
 Tincture of Catechu15 m.
 Chalk Mixtureto 1 fl. oz.
 Mix. Dose.—1 fl. oz.

MISTURA BISMUTHI.

Bismuth Mixture.

Subnitrate of Bismuth10 grs.
 Powdered Gum Arabic10 grs.
 Water1 fl. oz.
 Mix thoroughly.
 Dose.—1 fl. oz.

MISTURA BISMUTHI AMARA.

Bitter Bismuth Mixture.

Subnitrate of Bismuth10 grs.
 Powdered Gum Arabic5 grs.
 Compound Infusion of Gentian ..1 fl. oz.
 Mix thoroughly.
 Dose.—1 fl. oz.

MISTURA BISMUTHI SEDATIVA.

Sedative Bismuth Mixture.

Dilute Hydrocyanic Acid3 m.
 Solution of Hydrochlorate of Mor-
 phia5 m.
 Bismuth Mixture1 fl. oz.
 Mix. Dose.—1 fl. oz.

MISTURA CASCARILLÆ COMPOSITA.

Compound Cascarilla Mixture.

Compound Tincture of Camphor	15 m.
Vinegar of Squills	15 m.
Infusion of Cascarilla	to 1 fl. oz.
Mix.	Dose.—1 fl. oz.

MISTURA CINCHONINÆ SULPHATIS.

Sulphate of Cinchonine Mixture.

Sulphate of Cinchonine	2 grs.
Dilute Sulphuric Acid	10 m.
Water	to 1 fl. oz.
Mix.	Dose.—1 fl. oz.

MISTURA CONII COMPOSITA.

Compound Conium Mixture.

Conium Juice	$\frac{1}{2}$ fl. dr.
Bicarbonate of Soda	$7\frac{1}{2}$ grs.
Dilute Hydrocyanic Acid	3 m.
Pimento Water	to 1 fl. oz.
Dissolve.	Dose.—1 fl. oz.

MISTURA COPAIBÆ.

Copaiva Mixture.

Copaiva	20 m.
Tincture of Quillaia	20 m.
Tincture of Lemons	20 m.
Water	to 1 fl. oz.
Mix thoroughly.	Dose.—1 fl. oz.

DIETARY GLYCOGEN

Glucose

100 gms of Glucose
100 gms of Water
100 gms of Nitrogen
100 gms of Carbon
100 gms of Hydrogen
100 gms of Oxygen

DIETARY DIURETIC

Glucose

100 gms of Potash
100 gms of Nitrogen
100 gms of Carbon
100 gms of Hydrogen
100 gms of Oxygen

DIETARY DYSPEPTIC

Glucose

100 gms of Salt
100 gms of Potash
100 gms of Nitrogen
100 gms of Carbon
100 gms of Hydrogen
100 gms of Oxygen

DIETARY ANEMIC

Glucose

100 gms of Iron
100 gms of Nitrogen
100 gms of Carbon
100 gms of Hydrogen
100 gms of Oxygen

MISTURA GASCARILLAE COMPOSITA

MISTURA GASCARILLAE COMPOSITA

Compound Gascarilla Mixture

Compound Tincture of Carduus 12 m.

Vinager of Squills 12 m.

Infusion of Carduus 12 m.

Mix. Dose - 1 fl. oz.

MISTURA CINCHONAE ET SULPHURIS

Mixture of Cinchona and Sulphur

Sulphate of Cinchona 2 grs.

Lime Sulphur 10 m.

Water 10 fl. oz.

Mix. Dose - 1 fl. oz.

MISTURA GONII COMPOSITA

Compound Gonium Mixture

Gonium Juice 12 m.

Bicarbonate of Soda 12 m.

White Hydrocyanic Acid 12 m.

Pineapple Water 10 fl. oz.

Mix. Dose - 1 fl. oz.

MISTURA COPALAE

Copala Mixture

Copala 20 m.

Tincture of Gallium 20 m.

Tincture of Lemon 20 m.

Water 10 fl. oz.

Mix thoroughly. Dose - 1 fl. oz.

MISTURA DIAPHORETICA.

Diaphoretic Mixture.

Solution of Acetate of Ammonia 2 fl. drs.
 Antimonial Wine 10 m.
 Spirit of Nitrous Æther..... 15 m.
 Camphor Water to 1 fl. oz.
 Mix. DOSE.—1 fl. oz.

MISTURA DIURETICA.

Diuretic Mixture.

Acetate of Potash 20 grs.
 Spirit of Nitrous Æther..... 20 m.
 Vinegar of Squills 20 m.
 Water to 1 fl. oz.
 Dissolve. DOSE.—1 fl. oz.

MISTURA DYSPEPTICA.

Dyspeptic Mixture.

Epsom Salts..... $\frac{1}{2}$ dr.
 Bicarbonate of Soda 10 grs.
 Spirit of Peppermint 5 m.
 Compound Infusion of Gentian .. to 1 fl. oz.
 Dissolve. DOSE.—1 fl. oz.

MISTURA FERRI ARSENICALIS.

Iron and Arsenic Mixture.

Fowler's Solution 5 m.
 Citrate of Iron and Ammonia .. 5 grs.
 Infusion of Quassia..... 1 fl. oz.
 Dissolve. DOSE.—1 fl. oz.

MISTURA FERRI ET QUASSIÆ.

Iron and Quassia Mixture.

Solution of Perchloride of Iron . . 15 m.
 Infusion of Quassia to 1 fl. oz.
 Mix. DOSE.—1 fl. oz.

MISTURA FERRI PERCHLORIDI.

Perchloride of Iron Mixture.

Solution of Perchloride of Iron . . 15 m.
 Camphor Water to 1 fl. oz.
 Mix. DOSE.—1 fl. oz.

MISTURA FILICIS MARIS.

Male Fern Mixture.

Liquid Extract of Male Fern . . . 1 fl. dr.
 Syrup of Ginger $\frac{1}{2}$ fl. dr.
 Tincture of Quillaia $\frac{1}{2}$ fl. dr.
 Water to 1 fl. oz.
 Mix thoroughly. DOSE.—1 fl. oz.

MISTURA GENTIANÆ ALKALINA.

Alkaline Gentian Mixture.

Aromatic Spirit of Ammonia . . . 20 m.
 Bicarbonate of Soda 10 grs.
 Compound Infusion of Gentian . . to 1 fl. oz.
 Dissolve. DOSE.—1 to 2 fl. oz.

MISTURA GENTIANÆ ET APOCYNÆ

Infused Symplic Mixture

Compound Symplic Mixture 2 fl. oz.

Compound Infusion of Gentian 1 fl. oz.

Mix. Dose—1 to 2 fl. oz.

MISTURA GENTIANÆ ET COMPOSITÆ

Compound Compound Mixture

Compound Infusion of Gentian 1 fl. oz.

Compound Infusion of Scilla 1 fl. oz.

Infusion of Scilla 1 fl. oz.

Mix. Dose—1 to 2 fl. oz.

MISTURA GENTIANÆ ET PLEURÆ

Gentian and Scilla Mixture

Compound Symplic Mixture 2 fl. oz.

Compound Infusion of Gentian 1 fl. oz.

Dissolve. Dose—1 to 2 fl. oz.

MISTURA HAMATOXYLI

Hamatoxylin Mixture

Extract of Logwood 10 grs.

Trisulphuric Acid 10 grs.

Quina Wine 5 fl. oz.

Weak Mixture 1 fl. oz.

Mix thoroughly. Dose—1 fl. oz.

245. MISTURA PULVIS ALBIS

MISTURA PULVIS ALBIS

...
...
...
...

MISTURA PULVIS ALBIS

...
...
...
...

MISTURA PULVIS ALBIS

...
...
...
...
...
...

MISTURA PULVIS ALBIS

...
...
...
...
...

MISTURA GENTIANÆ APERIENS.

Aperient Gentian Mixture.

Compound Senna Mixture 2 fl. drs.
Compound Infusion of Gentian . . to 1 fl. oz.
Mix. Dose.—1 to 2 fl. oz.

MISTURA GENTIANÆ COMPOSITA.

Compound Gentian Mixture.

Compound Tincture of Cardamoms $\frac{1}{2}$ fl. dr.
Compound Infusion of Gentian . . $\frac{1}{2}$ fl. oz.
Infusion of Senna to 1 fl. oz.
Mix. Dose.—1 to 2 fl. oz.

MISTURA GENTIANÆ ET SODÆ.

Gentian and Soda Mixture.

Bicarbonate of Soda 10 grs.
Compound Infusion of Gentian . . 1 fl. oz.
Dissolve. Dose.—1 to 2 fl. oz.

MISTURA HÆMATOXYLI.

Logwood Mixture.

Extract of Logwood 10 grs.
Ipecacuanha Wine 10 m.
Opium Wine 5 m.
Chalk Mixture to 1 fl. oz.
Mix thoroughly. Dose.—1 fl. oz.

MISTURA HYDRARGYRI BINIODIDI.

Biniodide of Mercury Mixture.

Solution of Perchloride of Mercury 1 fl. dr.

Iodide of Potassium 10 grs.

Compound Decoction of Sarsaparilla to 1 fl. oz.

Mix. Dose.—1 fl. oz.

MISTURA HYPNOTICA.

Sleeping Mixture.

Bromide of Ammonium 10 grs.

Hydrate of Chloral 10 grs.

Nepenthe 15 m.

Camphor Water to 1 fl. oz.

Dissolve. Dose.—1 fl. oz.

MISTURA IODI.

*Iodine Mixture.*Iodine $\frac{1}{8}$ gr.

Iodide of Potassium 3 grs.

Compound Tincture of Lavender 15 m.

Water to 1 fl. oz.

Dissolve. Dose.—1 fl. oz.

MISTURA KRAMERIÆ.

Rhatany Mixture.

Ipecacuanha Wine 10 m.

Tincture of Catechu 20 m.

Infusion of Rhatany to 1 fl. oz.

Mix. Dose.—1 fl. oz.

RECIPE FOR THE PREPARATION OF THE

MISTURA MAGNESIÆ

Magnesiæ Magnesiæ
 Carbonate of Magnesia 10 grs
 Water 1 fl. oz.
 Dissolve 1 fl. oz.

MISTURA MAGNESIÆ ET SULPHURICÆ

Magnesiæ Magnesiæ
 Carbonate of Magnesia 10 grs
 Sulphuric Acid 1 fl. oz.
 Peppermint Water 1 fl. oz.
 Mix thoroughly 1 fl. oz.

MISTURA MAGNESIÆ ET FERROUSÆ

Magnesiæ Magnesiæ
 Carbonate of Magnesia 10 grs
 Sulphuric Acid 1 fl. oz.
 Ferrous Sulphate 10 grs
 Peppermint Water 1 fl. oz.
 Mix 1 fl. oz.

MISTURA OLEI

Oleum
 Olive Oil 1 fl. oz.
 Solution of Potash 1 fl. oz.
 Peppermint Water 1 fl. oz.
 Mix 1 fl. oz.

22. MIXTURE HYDARGYRI VINICOLA

MISTURA HYDARGYRI VINICOLA

Mixture of Mercury and Wine

Solution of Potassium Iodide of Mercury 1 H. oz.

Iodide of Potassium 15 gr.

Compound Tincture of Sassafras 15 m.

Wine 1 H. oz.

Mix. Dose - 1 H. oz.

MISTURA HYPNOTICA

Sleeping Mixture

Bromide of Ammonium 10 grs.

Hypnotic of Chloral 10 grs.

Nepenthe 15 m.

Camphor Water 1 H. oz.

Dissolve. Dose - 1 H. oz.

MISTURA IODI

Iodine Mixture

Iodine 15 grs.

Iodide of Potassium 15 grs.

Compound Tincture of Lavender 15 m.

Water 1 H. oz.

Dissolve. Dose - 1 H. oz.

MISTURA KRAMERIE

Krameria Mixture

Krameria Wine 15 m.

Tincture of Catechu 15 m.

Infusion of Rhatany 1 H. oz.

Mix. Dose - 1 H. oz.

MISTURA MAGNESIÆ.

Magnesia Mixture.

Carbonate of Magnesia 15 grs.
 Water 1 fl. oz.
 Dissolve. Dose.—1 to 2 fl. oz.

MISTURA MAGNESIÆ ET MAGNESIÆ
SULPHATIS.*White Mixture.*

Carbonate of Magnesia 15 grs.
 Sulphate of Magnesia 1 dr.
 Peppermint Water 1 fl. oz.
 Mix thoroughly. Dose.—1 to 2 fl. oz.

MISTURA MAGNESIÆ ET COLCHICI.

Magnesia and Colchicum Mixture.

Carbonate of Magnesia 12 grs.
 Sulphate of Magnesia 2 drs.
 Tincture of Colchicum 24 m.
 Peppermint Water to 1 fl. oz.
 Mix. Dose.—2 to 4 drs.

MISTURA OLEI.

Olive Oil Mixture.

Olive Oil 1 fl. dr.
 Solution of Potash 4 m.
 Distilled Water to 1 fl. oz.
 Mix thoroughly. Dose.—1 fl. oz.

MISTURA OXYMELLIS.

Oxymel Mixture.

Oxymel	2 fl. drs.
Nitrate of Potash	10 grs.
Water	to 1 fl. oz.
Dissolve.	Dose.—1 fl. oz.

MISTURA POTASSÆ CHLORATIS.

Chlorate of Potash Mixture.

Chlorate of Potash	10 grs.
Dilute Hydrochloric Acid	10 m.
Water	to 1 fl. oz.
Dissolve.	Dose.—1 fl. oz.

MISTURA POTASSÆ EFFERVESCENS.

Effervescing Mixture of Potash.

Bicarbonate of Potash	20 grs.
Water	1 fl. oz.
Dissolve.	
Citric Acid	15 grs.
Water	1 fl. oz.
Dissolve.	

The solutions to be kept in separate bottles.
Dose.—1 fl. oz. of each, to be taken while effervescing.

MISTURA POTASSÆ NITRATIS.

Nitrate of Potash Mixture.

Nitrate of Potash 10 grs.
 Spirit of Nitrous Ether 15 m.
 Peppermint Water to 1 fl. oz.
 Dissolve. Dose—1 fl. oz.

MISTURA POTASSÆ IODINÆ.

Iodide of Potash Mixture.

Iodide of Potassium 5 grs.
 Carbonate of Ammonia 5 grs.
 Peppermint Water to 1 fl. oz.
 Dissolve. Dose—1 fl. oz.

MISTURA QUININÆ.

Quinine Mixture.

Sulphate of Quinine 1 gr.
 Dilute Sulphuric Acid 10 m.
 Water to 1 fl. oz.
 Dissolve. Dose—1 fl. oz.

MISTURA QUININÆ CUM FERRO.

Quinine and Iron Mixture.

Solution of Ferriohalide of Iron . . . 15 m.
 Quinine Mixture 1 fl. oz.
 Mix. Dose—1 fl. oz.

MISTURA OXYMELIS.

Oxymel Mixture.

Oxymel 2 1/2 drs.
 Nitrate of Potash 10 grs.
 Water to 1 1/2 oz.
 Dissolve. Dose—1 1/2 oz.

MISTURA POTASSÆ CHLORATIS.

Chlorate of Potash Mixture.

Chlorate of Potash 10 grs.
 Dilute Hydrochloric Acid 70 m.
 Water to 1 1/2 oz.
 Dissolve. Dose—1 1/2 oz.

MISTURA POTASSÆ EFFERVESCENTIS.

Effervescent Mixture of Potash.

Bicarbonate of Potash 25 grs.
 Water 1 1/2 oz.
 Dissolve.

Utric Acid 15 grs.
 Water 1 1/2 oz.
 Dissolve.

The solutions to be kept in separate bottles.

Dose—1 1/2 oz. of each, taken while effervescing.

MISTURA POTASSÆ NITRATIS.

Nitrate of Potash Mixture.

Nitrate of Potash 10 grs.
 Spirit of Nitrous Ether 15 m.
 Peppermint Water to 1 fl. oz.
 Dissolve. Dose.—1 fl. oz.

MISTURA POTASSII IODIDI.

Iodide of Potash Mixture.

Iodide of Potassium 3 grs.
 Carbonate of Ammonia 5 grs.
 Camphor Water 1 fl. oz.
 Dissolve. Dose.—1 fl. oz.

MISTURA QUINIÆ.

Quinine Mixture.

Sulphate of Quinine 1 gr.
 Dilute Sulphuric Acid 10 m.
 Water 1 fl. oz.
 Dissolve. Dose.—1 fl. oz.

MISTURA QUINIÆ CUM FERRO.

Quinine and Iron Mixture.

Solution of Perchloride of Iron . . 15 m.
 Quinine Mixture 1 fl. oz.
 Mix. Dose.—1 fl. oz.

MISTURA RHEI COMPOSITA.

Compound Rhubarb Mixture.

Carbonate of Ammonia 5 grs.
 Bicarbonate of Soda 10 grs.
 Powdered Rhubarb 3 grs.
 Peppermint Water 1 fl. oz.
 Mix thoroughly. Dose.—1 fl. oz.

MISTURA SALINA.

Saline Mixture.

Citrate of Potash 12 grs.
 Spirit of Nitrous Ether 15 m.
 Solution of Acetate of Ammonia 2 fl. drs.
 Peppermint Water to 1 fl. oz.
 Dissolve. Dose.—1 fl. oz.

MISTURA SCILLÆ COMPOSITA.

Compound Squill Mixture.

Tincture of Squill 10 m.
 Tincture of Opium 5 m.
 Ipecacuanha Wine 5 m.
 Water to 1 fl. oz.
 Mix. Dose.—1 fl. oz.

MISTURA SENEGÆ COMPOSITA.

Compound Senega Mixture.

Carbonate of Ammonia 5 grs.
 Spirit of Ether 15 m.
 Infusion of Senega to 1 fl. oz.
 Dissolve. Dose.—1 fl. oz.

30. *ANTHUS DISCREPANS* FRANKLIN

ANTHUS DISCREPANS FRANKLIN

Compositae, Anthemidae

Calyx of 5 unequal lobes, the upper 2
lobes of 10-12 lines, the lower 3
lobes of 5-6 lines. Corolla of 5
lobes, the upper 2 lobes of 10-12
lines, the lower 3 lobes of 5-6
lines. Petals of 5, the upper 2 of 10-12
lines, the lower 3 of 5-6 lines.
Stamens of 5, the upper 2 of 10-12
lines, the lower 3 of 5-6 lines.
Pistil of 1, the upper 2 of 10-12
lines, the lower 3 of 5-6 lines.

ANTHUS DISCREPANS FRANKLIN

Compositae, Anthemidae

Calyx of 5 unequal lobes, the upper 2
lobes of 10-12 lines, the lower 3
lobes of 5-6 lines. Corolla of 5
lobes, the upper 2 lobes of 10-12
lines, the lower 3 lobes of 5-6
lines. Petals of 5, the upper 2 of 10-12
lines, the lower 3 of 5-6 lines.
Stamens of 5, the upper 2 of 10-12
lines, the lower 3 of 5-6 lines.
Pistil of 1, the upper 2 of 10-12
lines, the lower 3 of 5-6 lines.

ANTHUS DISCREPANS FRANKLIN

Compositae, Anthemidae

Calyx of 5 unequal lobes, the upper 2
lobes of 10-12 lines, the lower 3
lobes of 5-6 lines. Corolla of 5
lobes, the upper 2 lobes of 10-12
lines, the lower 3 lobes of 5-6
lines. Petals of 5, the upper 2 of 10-12
lines, the lower 3 of 5-6 lines.
Stamens of 5, the upper 2 of 10-12
lines, the lower 3 of 5-6 lines.
Pistil of 1, the upper 2 of 10-12
lines, the lower 3 of 5-6 lines.

ANTHUS DISCREPANS FRANKLIN

Compositae, Anthemidae

Calyx of 5 unequal lobes, the upper 2
lobes of 10-12 lines, the lower 3
lobes of 5-6 lines. Corolla of 5
lobes, the upper 2 lobes of 10-12
lines, the lower 3 lobes of 5-6
lines. Petals of 5, the upper 2 of 10-12
lines, the lower 3 of 5-6 lines.
Stamens of 5, the upper 2 of 10-12
lines, the lower 3 of 5-6 lines.
Pistil of 1, the upper 2 of 10-12
lines, the lower 3 of 5-6 lines.

MISTURA SODÆ EFFERVESCENS.

Effervescing Mixture of Soda.

Bicarbonate of Soda 20 grs.

Water 1 fl. oz.

Dissolve.

Tartaric Acid 15 grs.

Water 1 fl. oz.

Dissolve.

The solutions to be kept in separate bottles.

Dose.—1 fl. oz. of each, to be taken while effervescing.

MISTURA STOMACHICA.

Stomachic Mixture.

Powdered Calumba Root 10 grs.

Compound Rhubarb Mixture 1 fl. oz.

Mix thoroughly. Dose.—1 fl. oz.

MISTURA TEREBINTHINÆ.

Turpentine Mixture.

Oil of Turpentine 20 m.

Tincture of Quillaia 20 m.

Tincture of Orange Peel $\frac{1}{2}$ fl. dr.

Water to 1 fl. oz.

Mix. Dose.—1 fl. oz.

MISTURA PRO TUSSI.

Cough Mixture.

Tincture of Opium	5 m.
Ipecacuanha Wine	5 m.
Dilute Acetic Acid	1 fl. dr.
Treacle Water	to 1 fl. oz.
Mix.	Dose.—1 fl. oz.

OLEUM ACIDI CARBOLICI.

Carbolic Oil.

Carbolic Acid	48 grs.
Olive Oil	1 fl. oz.
Mix.	

OXYMEL.

Treacle	8 oz.
Acetic Acid	1 fl. oz.
Water	1 fl. oz.
Mix.	

PILULÆ ACIDI CARBOLICI COMPOSITÆ.

Compound Carbolic Acid Pills.

Calvert's Carbolic Acid	12 grs.
Guaiacum Resin	12 grs.
Powdered Rhubarb	24 grs.
Make 12 pills.	Dose.—1 pill.



THE [illegible] OF [illegible]

IN THE [illegible] OF [illegible]

BY [illegible]

OF THE [illegible]

IN THE [illegible]

OF THE [illegible]

OF THE [illegible]

OF THE [illegible]

OF THE [illegible]

OF THE [illegible]

OF THE [illegible]

OF THE [illegible]

OF THE [illegible]

OF THE [illegible]

OF THE [illegible]

OF THE [illegible]

OF THE [illegible]

OF THE [illegible]

OF THE [illegible]

OF THE [illegible]

OF THE [illegible]

OF THE [illegible]

OF THE [illegible]

OF THE [illegible]

THE UNIVERSITY OF CHICAGO

LIBRARY OF THE

PHYSICS DEPARTMENT

CHICAGO, ILLINOIS

RECEIVED

APR 10 1954

FROM

DR. J. R. OPPENHEIMER

CHICAGO, ILLINOIS

TO

DR. J. R. OPPENHEIMER

CHICAGO, ILLINOIS

RECEIVED

APR 10 1954

FROM

DR. J. R. OPPENHEIMER

CHICAGO, ILLINOIS

TO

DR. J. R. OPPENHEIMER

CHICAGO, ILLINOIS

RECEIVED

APR 10 1954

FROM

DR. J. R. OPPENHEIMER

CHICAGO, ILLINOIS

TO

PILULÆ ALOES ET SAPONIS COMPOSITÆ.

Compound Aloes and Soap Pills.

Extract of Barbadoes Aloes 12 grs.

Soap 18 grs.

Extract of Nux Vomica 6 grs.

Make 12 pills.

Dose.—1 with dinner.

PILULÆ CALOMELANOS CUM OPIO.

Calomel and Opium Pills.

Calomel 12 grs.

Opium 3 grs.

Confection of Roses a sufficiency.

Make 12 pills. Dose.—1 pill.

PILULÆ CAMPHORÆ C. HYOSCYAMO.

Camphor Pills with Henbane.

Camphor 24 grs.

Extract of Henbane 30 grs.

Make 12 pills. Dose.—1 or 2 pills.

PILULÆ COLCHICI ET QUINIÆ.

Colchicum and Quinine Pills.

Sulphate of Quinine 18 grs.

Powdered Opium 6 grs.

Acetic Extract of Colchicum . . . 18 grs.

Make 12 pills. Dose.—1 pill.

PILULÆ COLOCYNTHIDIS CUM CALOMELANE.

Colocynth and Calomel Pills.

Compound Colocynth Pill 48 grs.

Calomel 12 grs.

Make 12 pills. Dose.—1 or 2 pills.

PILULÆ COLOCYNTHIDIS CUM HYDRARGYRO.

Colocynth and Blue Pills.

Compound Colocynth Pill 36 grs.

Blue Pill 24 grs.

Make 12 pills. Dose.—1 or 2 pills.

PILULÆ COLOCYNTHIDIS CUM HYDRARGYRO ET HYOSCYAMO.

Compound Colocynth Pills with Mercury and Henbane.

Compound Colocynth Pill 36 grs.

Blue Pill 12 grs.

Extract of Henbane 12 grs.

Make 12 pills. Dose.—1 or 2 pills.

PILULÆ COLOCYNTHIDIS CUM HYOSCYAMO.

Compound Colocynth Pills with Henbane.

Compound Colocynth Pill 36 grs.

Extract of Henbane 24 grs.

Make 12 pills. Dose.—1 or 2 pills.

PILULÆ CONII COMPOSITÆ.

Compound Hemlock Pills.

Extract of Hemlock 48 grs.

Powdered Ipecacuanha 12 grs.

Make 12 pills. Dose—1 or 2 pills.

PILULÆ CONII CUM MORPHINÆ.

Hemlock Pills with Morphia.

Extract of Hemlock 48 grs.

Hydrochlorate of Morphia 3 grs.

Make 12 pills. Dose—1 pill.

PILULÆ CUPRI SULPHATIS.

Sulphate of Copper Pills.

Sulphate of Copper 3 grs.

Powdered Opium 5 grs.

Confection of Roses a sufficient quantity

Make 12 pills. Dose—1 pill.

PILULÆ DIGITALIS COMPOSITÆ.

Compound Digitalis Pills.

Powdered Digitalis 10 grs.

Extract of Iron 5 grs.

Powdered Capsicum 5 grs.

Oil of Aloe and Myrrh 25 grs.

Make 12 pills. Dose—1 or 2 pills.

PILULE COLOCYNTHIDIS CUM CLO-
MELANE

Colocynthis and Calomel Pills.

Compound Colocynthis Pill 36 grs
Calomel 12 grs

Make 12 pills. Dose.—1 or 2 pills.

PILULE COLOCYNTHIDIS CUM RY-
DRARYBO.

Colocynthis and Blue Pills.

Compound Colocynthis Pill 36 grs
Blue Pill 24 grs

Make 12 pills. Dose.—1 or 2 pills.

PILULE COLOCYNTHIDIS CUM HY-
DRARYBO ET HYOSCYAMO

*Compound Colocynthis Pills with Hyoscyamus
and Hyoscyamus.*

Compound Colocynthis Pill 36 grs
Blue Pill 12 grs

Extract of Hyoscyamus 12 grs

Make 12 pills. Dose.—1 or 2 pills.

PILULE COLOCYNTHIDIS CUM HYOS-
CYAMO

Compound Colocynthis Pills with Hyoscyamus.

Compound Colocynthis Pill 36 grs
Extract of Hyoscyamus 24 grs

Make 12 pills. Dose.—1 or 2 pills.

PILULÆ CONII COMPOSITÆ.

Compound Hemlock Pills.

Extract of Hemlock48 grs.

Powdered Ipecacuanha12 grs.

Make 12 pills. Dose.—1 or 2 pills.

PILULÆ CONII CUM MORPHIÂ.

Hemlock Pills with Morphia.

Extract of Hemlock48 grs.

Hydrochlorate of Morphia.....2 grs.

Make 12 pills. Dose.—1 pill.

PILULÆ CUPRI SULPHATIS.

Sulphate of Copper Pills.

Sulphate of Copper.....3 grs.

Powdered Opium.....6 grs.

Confection of Roses..... a sufficiency.

Make 12 pills. Dose.—1 pill.

PILULÆ DIGITALIS COMPOSITÆ.

Compound Digitalis Pills.

Powdered Digitalis.....6 grs.

Sulphate of Iron3 grs.

Powdered Capsicum8 grs.

Pill of Aloes and Myrrh.....36 grs.

Make 12 pills. Dose.—1 or 2 pills.

PILULÆ DIGITALIS CUM OPIO.

Digitalis and Opium Pills.

Powdered Digitalis.....12 grs.

Dover's Powder48 grs.

Make 12 pills. Dose.—1 or 2 pills.

PILULÆ HYDRARGYRI ET DIGITALIS
CUM SCILLÂ.

Diuretic Pill.

Blue Pill18 grs.

Powdered Foxglove12 grs.

Powdered Squill12 grs.

Make 12 pills. Dose.—1 pill.

PILULÆ HYDRARGYRI CUM RHEO.

Rhubarb and Blue Pills.

Blue Pill24 grs.

Compound Rhubarb Pill36 grs.

Make 12 pills. Dose.—1 or 2 pills.

PILULÆ IPECACUANHÆ C. SCILLÂ.

Ipecac. and Squill Pills.

Dover's Powder30 grs.

Compound Squill Pill.....30 grs.

Make 12 pills. Dose.—1 or 2 pills.

PILULÆ MYRRHÆ CUM FERRO.

Iron and Myrrh Pills.

Powdered Myrrh 24 grs.
 Sulphate of Iron 12 grs.
 Saccharine Alcohol 36 grs.
 Powdered Opium 6 grs.

Make 12 pills. Dose—1 or 2 pills.

PILULÆ QUININÆ CUM FERRO.

Quinine and Iron Pills.

Sulphate of Quinine 12 grs.
 Sulphate of Iron 12 grs.
 Asafoetida 36 grs.
 Extract of Peppermint 6 grs.

Make 12 pills. Dose—1 or 2 pills.

PILULÆ SQUILLÆ CUM HYDRARGYRO.

Squill and Blue Pills.

Powdered Squill 18 grs.
 Blue Pill 36 grs.

Make 12 pills. Dose—1 pill.

PILULÆ SQUILLÆ CUM HYOSCYAMO.

Squill and Hyoscyamus Pills.

Powdered Squill 24 grs.
 Extract of Hyoscyamus 24 grs.
 Powdered Opium 12 grs.

Make 12 pills. Dose—1 or 2 pills.

PILULÆ DIGITALIS ET M. OPIO.

Digitalis and Opium Pills.

Powdered Digitalis 12 grs.

Powdered Opium 12 grs.

Make 12 pills. Dose—1 or 2 pills.

PILULÆ HYDRAURICI ET DIGITALIS

CUM SCILLA.

Mercuric Pill.

Blue Pill 12 grs.

Powdered Foxglove 12 grs.

Powdered Squill 12 grs.

Make 12 pills. Dose—1 pill.

PILULÆ HYDRAURICI CUM NERO.

Mercuric and Iron Pill.

Blue Pill 24 grs.

Compound Iron Pill 30 grs.

Make 12 pills. Dose—1 or 2 pills.

PILULÆ SPERMATIS ET C. SCILLA.

Sperm. and Squill Pills.

Rover's Powder 30 grs.

Compound Squill Pill 30 grs.

Make 12 pills. Dose—1 or 2 pills.

PILULÆ MYRRHÆ CUM FERRO.

Iron and Myrrh Pills.

Powdered Myrrh 24 grs.

Sulphate of Iron 12 grs.

Socotrine Aloes 6 grs.

Powdered Capsicum 6 grs.

Make 12 pills. Dose.—1 or 2 pills.

PILULÆ QUINIÆ CUM FERRO.

Quinine and Iron Pills.

Sulphate of Quinine 12 grs.

Sulphate of Iron 12 grs.

Assafoetida 36 grs.

Extract of Barbadoes Aloes 6 grs.

Make 12 pills. Dose.—1 or 2 pills.

PILULÆ SCILLÆ CUM HYDRARGYRO.

Squill and Blue Pills.

Powdered Squill 18 grs.

Blue Pill 36 grs.

Make 12 pills. Dose.—1 pill.

PILULÆ SCILLÆ CUM HYOSCYAMO.

Squill and Henbane Pills.

Powdered Squill 24 grs.

Extract of Henbane 24 grs.

Powdered Ipecacuanha 12 grs.

Make 12 pills. Dose.—1 or 2 pills.

PILULÆ PRO TUSSI.

Cough Pills.

Benzoic Acid18 grs.

Hydrochlorate of Morphia1 gr.

Compound Hemlock Pill36 grs.

Make 12 pills. Dose.—1 pill.

PILULÆ ZINCI VALERIANATIS COM- POSITÆ.

Compound Valerianate of Zinc Pills.

Valerianate of Zinc15 grs.

Compound Assafoetida Pill30 grs.

Extract of Belladonna3 grs.

Make 12 pills. Dose.—1 pill.

PULVIS EMETICUS.

Emetic Powder.

Ipecacuanha Powder1 oz.

Tartarated Antimony12 grs.

Mix thoroughly. Dose.—5 to 20 grs.

PULVIS JALAPÆ CUM CALOMELANE.

Jalap and Calomel Powder.

Powdered Jalap2 drs.

Calomel $\frac{1}{2}$ dr.

Powdered Ginger $\frac{1}{2}$ dr.

Mix. Dose.—6 to 30 grs.

PULVIS MERCURIALIS.

Mercurial Powder.

Grey Powder ʒss

Powdered White Sugar ʒss

Mix. Dose—3 to 5 grs.

PULVIS RHEI ET HYDRARGYRI.

Rhubarb and Mercury Powder.

Powdered Rhubarb ʒss

Powdered Ginger ʒss

Grey Powder ʒss

Mix. Dose—10 to 12 grs.

PULVIS RHEI ET SODÆ.

Rhubarb and Soda Powder.

Powdered Rhubarb ʒss

Bicarbonate of Soda ʒss

Powdered Cathartic Root ʒss

Mix. Dose—10 to 20 grs.

PULVIS RHEI SALINUS.

Saline Cathartic Powder.

Powdered Rhubarb ʒss

Sulphate of Magnesia ʒss

Mix. Dose—10 to 20 grs.

PULVIS MERCURIALIS.

Mercurial Powder.

Grey Powder	} equal
Powdered White Sugar	

Mix. Dose.—3 to 5 grs.

PULVIS RHEI ET HYDRARGYRI.

Rhubarb and Mercury Powder.

Powdered Rhubarb	3 drs.
Powdered Ginger	1 dr.
Grey Powder	2 drs.

Mix. Dose.—6 to 12 grs.

PULVIS RHEI ET SODÆ.

Rhubarb and Soda Powder.

Powdered Rhubarb	5 grs.
Bicarbonate of Soda	5 grs.
Powdered Calumba Root	10 grs.

Mix. Dose.—10 to 20 grs.

PULVIS RHEI SALINUS.

Saline Rhubarb Powder.

Powdered Rhubarb	1 dr.
Sulphate of Potash	2 drs.

Mix. Dose.—10 to 20 grs.

PULVIS SCAMMONII C. CALOMELANE.

Scammony and Calomel Powder.

Powdered Scammony 4 grs.

Calomel 1 gr.

Mix. Dose.—5 grs.

UNGUENTUM ACIDI CARBOLICI.

Carbolic Acid Ointment.

Carbolic Acid 1 dr.

Zinc Ointment 1 oz.

Mix.

UNGUENTUM HYDRARGYRI NITRATIS
MITIUS.

Dilute Nitrate of Mercury Ointment.

Ointment of Nitrate of Mercury $\frac{1}{2}$ oz.

Vaseline 2 oz.

Mix.

UNGUENTUM HYDRARGYRI CUM
PLUMBO.

Mercury and Lead Ointment.

Acetate of Lead 10 grs.

Oxide of Zinc 20 grs.

Calomel 10 grs.

Palm Oil $\frac{1}{2}$ oz.

Ointment of Nitrate of Mercury 20 grs.

Benzoated Lard $\frac{1}{2}$ oz.

Mix thoroughly.

UNGUENTUM METALLICUM

Chamomile of Metals

Ornamental Zinc equal
Ornamental of Sulfate of Mercury equal
Ornamental of Acetate of Lead parts.
Mix.

UNGUENTUM TEREBINTHINUM

Terebenthine Ointment

Terebenthine 1 lb.
Vaseline 1 lb.
Mix.

VINUM FERRI

Steel Wine

Ammoniac Citrate of Iron 12 grs.
Rectified Spirits of Wine 10 m.
Water 10 f. 2 m.
Dissolve.
Dose:—1 to 4 drs.

40. *EMERY INSTANTANEOUS PHARMACEUTICALS.*

PULVIS SCAMMONTI C. CALOMELANE.

Scammony and Calomel Powder.

Powdered Scammony 4 grs.

Calomel 1 gr.

Mix. ————— Doze — 3 grs.

UNGUENTUM ACIDI CARBOLICI.

Carbolic Acid Ointment.

Carbolic Acid 1 dr.

Zinc Ointment 1 oz.

Mix.

**UNGUENTUM HYDRARGYRI NITRATIS
NITUS.**

Mercuric Nitrate of Mercury Ointment.

Ointment of Nitrate of Mercury 1/2 oz.

Vaseline 2 oz.

Mix.

**UNGUENTUM HYDRARGYRI CUM
PLUMBO.**

Mercury and Lead Ointment.

Acetate of Lead 10 grs.

Oxide of Zinc 20 grs.

Calomel 10 grs.

Palm Oil 1 oz.

Ointment of Nitrate of Mercury 20 grs.

Benzonated Lard 1 oz.

Mix thoroughly.

UNGUENTUM METALLORUM.

Ointment of Metals.

Ointment of Zinc	} equal parts.
Ointment of Nitrate of Mercury	
Ointment of Acetate of Lead	

Mix.

UNGUENTUM TERE BENÆ.

Terebene Ointment.

Terebene	1 dr.
Vaseline	2 oz.

Mix.

VINUM FERRI.

Steel Wine.

Ammonio Citrate of Iron	12 grs.
Rectified Spirits of Wine	40 m.
Water	to 1 fl. oz.

Dissolve.

Dose.—1 to 4 drs.

UNGUENTUM METALLICUM

Oil of Sweet Almonds
Oil of Rose
Oil of Nutmeg
Oil of Clove
Mix

UNGUENTUM TERRENE

Terrene
Yarrow
Mix

VINUM FERRI

New Wine
Aromatic Oil of Iron
Rectified Spirit of Wine
Water
Dissolve
Dose - 1 to 2 drs

