The pharmacopoeia of the London Hospital, 1868: based on the British Pharmacopoeia, 1867.

Contributors

London Hospital (Whitechapel, London, England)

Publication/Creation

London: School Press, [1868?]

Persistent URL

https://wellcomecollection.org/works/fkb6xc5w

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.




Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

THE LONDON HOSPITAL PHARMACOPCIA. 1868.

M15721

0



THE

PHARMACOPŒIA

OF

THE LONDON HOSPITAL,

BASED ON

The British Pharmacopœia, 1867.

1868.

LONDON:

SCHOOL-PRESS, GOWER'S WALK, WHITECHAPEL, E.

14 835 816

ARMADOPHELA

MINDERS HORDS PAR.

NO GAN

Coll. WelMomes
Coll. No. QVX40
BES
1868
L84p

M15721

THE WARRENCE BY RECEIVED BY STATE

PREFACE.

The previous issue of this Pharmacopæia having become obsolete, the Medical Council of the London Hospital appointed a Committee, composed of certain Members of the Medical and Surgical Staff, to prepare and issue a new edition.

Upon proceeding to carry out the wishes of the Council, the Committee secured the assistance of Mr. T. H. Tustin, whose skill in Pharmacy and long connection with the Hospital qualified him in an especial manner to co-operate with advantage in the execution of the proposed work.

The reputation won by the old Pharmacopæia, after it had passed through the hands of the late Dr. Pereira, induced the Committee to prepare the present edition upon the same plan. It is therefore divided into three parts—The first includes the Materia Medica, the second the Special Formulæ, and the third the Dietaries and Aliments.

In executing the work upon this plan, the constant aim of the Committee has been to make the Formulæ as simple, efficient, and economical, as loyalty to the national code, and deference to the differing views of individual Members of the Staff, would permit.

Whilst the Committee know that the Pharmacopæia now issued has many defects, they hope and believe it has some merits. For much that is plainly good, credit must be given to Mr. Tustin; for all that is faulty, the responsibility rests with the Committee.

ERRATA.

Page.

- 6, 4th line from bottom for Balneum Nitro Hydrodiloricum read Acidi Nitro Hydrodilorici.
- 12, 8th line from top, for Compositæ read Composita.
- 26, 9th line from top, for \frac{1}{2} grain read \frac{1}{6} grain.
- 29, 9th line from bottom, for 1 to 2 grains read 2 to 10 grains.
- 52, 3rd line from bottom, for Cretæ read Creta.
- 61, 12th line from top, for Loti read Lotio.
- 67, 14th line from top, for Mustura read Mistura.
- 88, 3rd line from top, for 5 to 15 grains read 5 to 10 grains.
- 89, 4th line from bottom, for 24 grains read 240 grains.
- 108, 2nd line from bottom, after Emetic read 3 to 6 fluid drachms.
- 109, 2nd line from bottom, for 1 to 4 minims read 10 to 40 minims.
- 16, 4th line from bottom, for Lax read Lac.
- 117, 2nd line from bottom, for 8150.0 read 8750.0.

66,

OMITTED.

Mistura Astringens.

Take of

Aromatic Sulphuric Acid ... 3 fluid drachms.

Spirits of Chloroform ... 4 fluid drachms.

Compound Tincture of Camphor ... 1½ fluid ounces.

Decoction of Logwood ... to 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

RHHATA.

arh line from bottom for Halmann Nitro Hydrodiloricum read .

Sth line from top, for Composite read Composite.

Oth line from top, for I grain read I grain.

Oth line from bottom, for I to 2 grains read 2 to 10 grains.

It line from bottom, for I to 2 grains read 2 to 10 grains.

14th line from top, for Mustura read Mistura.

It line from top, for Mustura read Mistura.

It line from bottom, for 24 grains read 5 to 10 grains.

Ind line from bottom, for 24 grains read 5 to 10 grains.

Ind line from bottom, for 1 to 4 minims read 10 to 40 minims.

Ind line from bottom, for 1 to 4 minims read 10 to 40 minims.

OMITTED.

stura Astringens.

To exist!

Arometic Salphuric Acid. ... 3 Said deachurs.

Spirits of Chloroform ... 4 Said deachurs.

Compound Tincture of Compher ... 15 Said owners.

Decoction of Logwood ... 10 12 Said owners.

New, I find quee.

THE MATERIA MEDICA.

Acaciæ Gummi.

Preparations-Mistura Acaciæ.

Cretæ.

Terebinthinæ.

Mucilago Acaciæ.

Pulvis Cretæ Aromaticus.

" Tragacanthæ Compositus.

Acidum Aceticum, B.P.

Preparations—Acidum Aceticum Dilutum.

Acetum Scillæ.

Linimentum Terebinthinæ Aceticum.

Liquor Ammoniæ Acetatis.

Acidum Aceticum Glaciale, B.P.

Preparations—Acetum Cantharidis.
Mistura Creasoti.

Acidum Arseniosum, B.P.

Dose, $\frac{1}{60}$ to $\frac{1}{12}$ of a grain in solution. Preparation—Liquor Arsenicalis.

Acidum Benzoicum, B.P.

Dose, 10 to 15 grains.

Preparations—Mistura Acidi Benzoici.

Tinctura Camphoræ Composita.

Acidum Carbolicum, B.P.

Dose, 1 to 3 grains.

Preparations—Glycerinum Acidi Carbolici.

Lotio Acidi Carbolici.

Acidum Citricum, B.P.

Dose, 10 to 30 grains.

Preparation—Mistura Potassæ Citratis.

Acidum Gallicum, B.P.

Dose, 2 to 10 grains.

Preparation—Mistura Ergotæ Composita.

Acidum Hydrochloricum, B.P.

Preparations—Acidum Hydrochloricum Dilutum.

"Nitro-Hydrochloricum Dilutum.

Balneum Acidi Nitro-Hydrochlorici.

Liquor Ferri Perchloridi Fortior.

Acidum Hydrocyanicum Dilutum, B.P.

(Contains 2 per cent. of Anhydrous Prussic Acid.)

Dose, 2 to 8 minims.

Preparation—Mistura Acidi Hydrocyanici.

Acidum Nitricum, B.P.

Preparations—Acidum Nitricum Dilutum.

" Nitro-Hydrochlorieum Dilutum.

Balneum Nitro-Hydrochloricum.

Liquor Ferri Pernitratis.

" Hydrargyri Nitratis Acidus. Unguentum Hydrargyri Nitratis.

Acidum Phosphoricum Dilutum, B.P.

Dose, 10 to 30 minims.

Acidum Sulphuricum, B.P.

Preparations—Acidum Sulphuricum Aromaticum.
,, ,, Dilutum.
Pyroxylin.

Acidum Tannicum, B.P.

Dose, 2 to 10 grains.

Preparations—Gargarisma Acidi Tannici.

Glycerinum Acidi Tannici.

,, ,, ,, Compositum.

Pessaria Acidi Tannici.

Trochisci Acidi Tannici.

Acidum Tartaricum, B.P.

Dose, 10 to 30 grains.

Preparation—Liquor Acidi Tartarici.

Aconiti Radix.

Preparation-Tinetura Aconiti.

Adeps Præparatus.

Æther, B.P.

Preparations—Collodium.

,, Flexile. Spiritus Ætheris.

Aloe Socotrina.

Dose, 2 to 6 grains.

Preparations-Decoctum Aloës Compositum.

Enema Aloës.

Extractum Colocynthidis Compositum.

Pilulæ Aloës et Ferri.

- " ,, et Myrrhæ.
- " Catharticæ.
- " Catharticæ cum Hydrargyri Subchlorido.
- " Rhei Compositæ.

Alumen, B.P.

Dose, 10 to 20 grains.

Preparations-Collyrium Aluminis.

Gargarisma Commune.

Lotio Aluminis Composita.

Alumen Exsiccatum, B.P.

Preparation-Pessaria Aluminis et Zinci.

Ammoniacum.

Dose, 10 to 20 grains.

Preparations-Emplastrum Ammoniaci cum Hydrargyro.

Mistura Ammoniaci.

Pilulæ Scillæ Compositæ.

- ,, et Ipecacuanhæ.
- ,, ,, et Hydrargyri.
- ", ,, et Hyoscyami.

Ammoniæ Carbonas, B.P.

Dose, 3 to 10 grains.

Preparations-Liquor Ammoniæ Acetatis.

Mistura Ammoniæ Carbonatis.

" Effervescens.

Tinctura Guaiaci Ammoniata.

Valerianæ Ammoniata.

Ammonii Chloridum, B.P.

Dose, 10 to 15 grains.

Amylum.

Preparations-Glycerinum Amyli.

Lohoch.

Mucilago Amyli.

Pulvis Tragacanthæ Compositus.

Antimonium Sulphuratum, B.P.

Dose, 1 to 5 grains.

Preparation—Pilulæ Hydrargyri Subchloridi Compositæ.

Antimonium Tartaratum, B.P.

Dose, as a Diaphoretic, 16 to 6 of a grain; as an Emetic, 1 to 2 grains.

Preparations—Pulvis Emeticus.

Unguentum Antimonii Tartarati.

Argenti Nitras, B.P.

Dose, to to to a grain.

Preparations-Collyrium Argenti Nitratis.

,, ,, Fortius.

Lotio Argenti Nitratis.

Pilulæ Argenti Nitratis.

Argenti Oxidum, B.P.

Dose, ½ to 2 grains.

Preparation—Pilulæ Argenti Oxidi.

Arnicæ Radix.

Preparation-Tinetura Arnicæ.

Assafœtida.

Dose, 5 to 20 grains.

Preparations—Pilulæ Assafætidæ Compositæ.

Tinctura Assafætidæ.

Atropiæ Sulphas, B.P.

Preparations—Pessaria Plumbi Iodidi et Atropiæ.
,, Zinci et Atropiæ.

Aurantii Cortex.

Preparation-Mistura Stomachica.

Balsamum Peruvianum.

Belladonnæ Folia.

Preparations—Extractum Belladonnæ.

Tinctura Belladonnæ.

Belladonnæ Radix.

Preparations—Atropiæ Sulphas.

Linimentum Belladonnæ.

Bismuthi Subnitras, B.P.

Dose, 5 to 20 grains.

Preparations—Mistura Bismuthi Composita.

"Bismuthi et Gentianæ.

", et Magnesiæ.

Pulvis Bismuthi et Ferri.

Borax, B.P.

Dose, 5 to 40 grains.

Preparations—Electuarium Boracis.

Gargarisma Boracis.

Buchu Folia.

Preparation-Infusum Buchu.

Calcis Hydras, B.P.

Preparations—Liquor Calcis.
,, Potassæ.
Lotio Calcis cum Spiritu.

Calumbæ Radix.

Dose, in powder, 5 to 20 grains.

Preparations—Infusum Calumbæ.

Pulvis Rhei et Calumbæ.

Tinctura Calumbæ.

Calx.

Preparation—Calcis Hydras.

Calx Chlorata.

Preparations—Liquor Calcis Chloratæ.

Lotio Calcis Chloratæ.

Cambogia.

Dose, 1 to 4 grains.

Preparations—Pilulæ Catharticæ.

Camphora.

Dose, 1 to 10 grains.

Preparations - Aqua Camphoræ.

Linimentum Belladonnæ.

, Camphoræ.

,, Saponis.

Pilulæ Camphoræ Compositæ.

Tinctura Camphoræ Compositæ.

Unguentum Hydrargyri Compositum.

Cannabis Indica.

Preparation-Extractum Cannabis Indicæ.

Cantharis.

Preparations-Acetum Cantharidis.

Emplastrum Calefaciens.

, Cantharidis.

Tinctura Cantharidis.

Capsici Fructus.

Dose, $\frac{1}{2}$ to 1 grain.

Preparation—Tinctura Capsici.

Carbo Ligni.

Dose, 20 to 60 grains.

Cardamomum.

Preparations—Extractum Colocynthidis Compositum.

Tinctura Cardamomi Composita.

- Gentianæ Composita.
- .. Rhei.

Carui Fructus.

Preparations-Confectio Piperis.

Oleum Carui.

Tinctura Cardamomi Composita.

. Sennæ.

Cascarillæ Cortex.

Preparations—Infusum Cascarillæ.

Tinctura Cascarillæ.

Catechu Pallidum.

Dose, 10 to 30 grains.

Preparation—Tinetura Catechu.

Cera Alba.

Cera Flava.

Preparations—Emplastrum Calefaciens.

- ,, Cantharidis.
- " Cerati Saponis.

Unguentum Æruginis.

- ,, Hydrargyri Oxidi Rubri.
- " Picis Liquidæ.
- " Resinæ.
- " Sabinæ.
- ,, Simplex.

Cerii Oxalas, B.P.

Dose, 1 to 2 grains.

Chloroformum, B.P.

Dose, 3 to 10 minims.

Preparations—Linimentum Chloroformi.
Spiritus Chloroformi.

Camphora.

Dose, 1 to 10 grains.

Preparations - Aqua Camphoræ.

Linimentum Belladonnæ.

, Camphoræ.

,, Saponis.

Pilulæ Camphoræ Compositæ.

Tinctura Camphoræ Compositæ.

Unguentum Hydrargyri Compositum.

Cannabis Indica.

Preparation-Extractum Cannabis Indicæ.

Cantharis.

Preparations-Acetum Cantharidis.

Emplastrum Calefaciens.

, Cantharidis.

Tinctura Cantharidis.

Capsici Fructus.

Dose, $\frac{1}{2}$ to 1 grain.

Preparation—Tinctura Capsici.

Carbo Ligni.

Dose, 20 to 60 grains.

Cardamomum.

Preparations—Extractum Colocynthidis Compositum.

Tinctura Cardamomi Composita.

- Gentianæ Composita.
- .. Rhei.

Carui Fructus.

Preparations—Confectio Piperis.

Oleum Carui.

Tinetura Cardamomi Composita.
... Sennæ.

Cascarillæ Cortex.

Preparations—Infusum Cascarillæ.

Tinetura Cascarillæ.

Catechu Pallidum.

Dose, 10 to 30 grains.

Preparation—Tinetura Catechu.

Cera Alba.

Cera Flava.

Preparations-Emplastrum Calefaciens.

,, Cantharidis.

,, Cerati Saponis.

Unguentum Æruginis.

,, Hydrargyri Oxidi Rubri.

" Picis Liquidæ.

" Resinæ.

" Sabinæ.

,, Simplex.

Cerii Oxalas, B.P.

Dose, 1 to 2 grains.

Chloroformum, B.P.

Dose, 3 to 10 minims.

Preparations—Linimentum Chloroformi.

Spiritus Chloroformi.

Camphora.

Dose, 1 to 10 grains.

Preparations - Aqua Camphoræ.

Linimentum Belladonnæ.

, Camphoræ.

,, Saponis.

Pilulæ Camphoræ Compositæ.

Tinctura Camphoræ Compositæ.

Unguentum Hydrargyri Compositum.

Cannabis Indica.

Preparation-Extractum Cannabis Indicæ.

Cantharis.

Preparations-Acetum Cantharidis.

Emplastrum Calefaciens.

, Cantharidis.

Tinctura Cantharidis.

Capsici Fructus.

Dose, $\frac{1}{2}$ to 1 grain.

Preparation—Tinctura Capsici.

Carbo Ligni.

Dose, 20 to 60 grains.

Cardamomum.

Preparations—Extractum Colocynthidis Compositum.

Tinctura Cardamomi Composita.

- Gentianæ Composita.
- .. Rhei.

Carui Fructus.

Preparations—Confectio Piperis.

Oleum Carui.

Tinetura Cardamomi Composita.
... Sennæ.

Cascarillæ Cortex.

Preparations—Infusum Cascarillæ.

Tinetura Cascarillæ.

Catechu Pallidum.

Dose, 10 to 30 grains.

Preparation—Tinetura Catechu.

Cera Alba.

Cera Flava.

Preparations-Emplastrum Calefaciens.

,, Cantharidis.

,, Cerati Saponis.

Unguentum Æruginis.

,, Hydrargyri Oxidi Rubri.

" Picis Liquidæ.

" Resinæ.

" Sabinæ.

,, Simplex.

Cerii Oxalas, B.P.

Dose, 1 to 2 grains.

Chloroformum, B.P.

Dose, 3 to 10 minims.

Preparations—Linimentum Chloroformi.

Spiritus Chloroformi.

Camphora.

Dose, 1 to 10 grains.

Preparations - Aqua Camphoræ.

Linimentum Belladonnæ.

, Camphoræ.

,, Saponis.

Pilulæ Camphoræ Compositæ.

Tinctura Camphoræ Compositæ.

Unguentum Hydrargyri Compositum.

Cannabis Indica.

Preparation-Extractum Cannabis Indicæ.

Cantharis.

Preparations-Acetum Cantharidis.

Emplastrum Calefaciens.

, Cantharidis.

Tinctura Cantharidis.

Capsici Fructus.

Dose, $\frac{1}{2}$ to 1 grain.

Preparation—Tinctura Capsici.

Carbo Ligni.

Dose, 20 to 60 grains.

Cardamomum.

Preparations—Extractum Colocynthidis Compositum.

Tinctura Cardamomi Composita.

- Gentianæ Composita.
- .. Rhei.

Carui Fructus.

Preparations—Confectio Piperis.

Oleum Carui.

Tinetura Cardamomi Composita.
... Sennæ.

Cascarillæ Cortex.

Preparations—Infusum Cascarillæ.

Tinetura Cascarillæ.

Catechu Pallidum.

Dose, 10 to 30 grains.

Preparation—Tinetura Catechu.

Cera Alba.

Cera Flava.

Preparations-Emplastrum Calefaciens.

,, Cantharidis.

,, Cerati Saponis.

Unguentum Æruginis.

,, Hydrargyri Oxidi Rubri.

" Picis Liquidæ.

" Resinæ.

" Sabinæ.

,, Simplex.

Cerii Oxalas, B.P.

Dose, 1 to 2 grains.

Chloroformum, B.P.

Dose, 3 to 10 minims.

Preparations—Linimentum Chloroformi.

Spiritus Chloroformi.

Camphora.

Dose, 1 to 10 grains.

Preparations-Aqua Camphoræ.

Linimentum Belladonnæ.

" Camphoræ.

" Saponis.

Pilulæ Camphoræ Compositæ. Tinctura Camphoræ Compositæ. Unguentum Hydrargyri Compositum.

Cannabis Indica.

Preparation-Extractum Cannabis Indicæ.

Cantharis.

Preparations—Acetum Cantharidis.

Emplastrum Calefaciens.

, Cantharidis.

Tinctura Cantharidis.

Capsici Fructus.

Dose, $\frac{1}{2}$ to 1 grain.

Preparation-Tinctura Capsici.

Carbo Ligni.

Dose, 20 to 60 grains.

Cardamomum.

Preparations—Extractum Colocynthidis Compositum.

Tinetura Cardamomi Composita.

Gentianæ Composita.

., Rhei.

Carui Fructus.

Preparations-Confectio Piperis.

Oleum Carui.

Tinctura Cardamomi Composita.

.. Sennæ.

Cascarillæ Cortex.

Preparations—Infusum Cascarillæ.

Tinetura Cascarillæ.

Catechu Pallidum.

Dose, 10 to 30 grains.

Preparation—Tinetura Catechu.

Cera Alba.

Cera Flava.

Preparations-Emplastrum Calefaciens.

, Cantharidis.

,, Cerati Saponis.

Unguentum Æruginis.

,, Hydrargyri Oxidi Rubri.

" Picis Liquidæ.

" Resinæ.

" Sabinæ.

,, Simplex.

Cerii Oxalas, B.P.

Dose, 1 to 2 grains.

Chloroformum, B.P.

Dose, 3 to 10 minims.

Preparations—Linimentum Chloroformi.
Spiritus Chloroformi.

Camphora.

Dose, 1 to 10 grains.

Preparations-Aqua Camphoræ.

Linimentum Belladonnæ.

" Camphoræ.

" Saponis.

Pilulæ Camphoræ Compositæ. Tinctura Camphoræ Compositæ. Unguentum Hydrargyri Compositum.

Cannabis Indica.

Preparation-Extractum Cannabis Indicæ.

Cantharis.

Preparations—Acetum Cantharidis.

Emplastrum Calefaciens.

, Cantharidis.

Tinctura Cantharidis.

Capsici Fructus.

Dose, $\frac{1}{2}$ to 1 grain.

Preparation-Tinctura Capsici.

Carbo Ligni.

Dose, 20 to 60 grains.

Cardamomum.

Preparations—Extractum Colocynthidis Compositum.

Tinetura Cardamomi Composita.

Gentianæ Composita.

., Rhei.

Carui Fructus.

Preparations-Confectio Piperis.

Oleum Carui.

Tinctura Cardamomi Composita.

.. Sennæ.

Cascarillæ Cortex.

Preparations—Infusum Cascarillæ.

Tinetura Cascarillæ.

Catechu Pallidum.

Dose, 10 to 30 grains.

Preparation—Tinetura Catechu.

Cera Alba.

Cera Flava.

Preparations-Emplastrum Calefaciens.

, Cantharidis.

,, Cerati Saponis.

Unguentum Æruginis.

,, Hydrargyri Oxidi Rubri.

" Picis Liquidæ.

" Resinæ.

" Sabinæ.

,, Simplex.

Cerii Oxalas, B.P.

Dose, 1 to 2 grains.

Chloroformum, B.P.

Dose, 3 to 10 minims.

Preparations—Linimentum Chloroformi.
Spiritus Chloroformi.

Cinchonæ Pallidæ Cortex.

Dose, in powder, 10 to 60 grains.

Preparations—Decoctum Cinchonæ Pallidæ.

Tinetura Cinchonæ Pallidæ.

Cinchoniæ Sulphas.

Dose, 1 to 5 grains.

Preparation—Mistura Cinchoniæ.

Cinnamomi Cortex.

Preparations—Acidum Sulphuricum Aromaticum.

Decoctum Hæmatoxyli.

Pulvis Aromaticus.

Tinctura Cardamomi Composita.

- ., Catechu.
- ,, Cinnamomi.
- " Lavandulæ Composita.

Colchici Cormus.

Dose, 2 to 8 grains.

Preparation—Extractum Colchici Aceticum.

Colchici Semina.

Preparation-Tinetura Colchiei Seminum.

Colocynthidis Pulpa.

Preparation-Extractum Colocynthidis Compositum.

Conii Folia.

Dose, in powder, 2 to 8 grains.

Preparation—Extractum Conii.

Copaiba.

Dose, ½ to 1 fluid drachm.

Preparation—Mistura Copaibæ.

Coriandri Fructus.

Preparations—Confectio Sennæ.

Tinctura Rhei.
Sennæ.

Creasotum.

Dose, 1 to 3 drops.

Preparations—Mistura Creasoti.

Unguentum Creasoti.

Vapor Creasoti.

Creta Præparata.

Dose, 10 to 60 grains.

Preparations—Hydrargyrum cum Cretâ.

Mistura Cretæ.

Pulvis Cretæ Aromaticus.

tubeba.

Dose, in powder, 30 to 120 grains.

Preparation—Oleum Cubebæ.

upri Sulphas, B.P.

Dose, \(\frac{1}{4}\) to 5 grains.

Preparation—Pilulæ Cupri Sulphatis cum Opio.

upri Subacetas.

Preparation-Unguentum Æruginis.

Digitalis Folia.

Dose, in powder, ½ to 1½ grains.

Preparations—Infusum Digitalis.

Tinctura Digitalis.

Elaterium, B.P.

Dose, 1 to 1 grain.

Ergota.

Dose, 20 to 30 grains.

Preparation—Extractum Ergotæ Liquidum.

Farina Tritici.

Ferri Carbonas Saccharata, B.P.

Preparation-Pulvis Bismuthi et Ferri.

Ferri et Ammoniæ Citras, B.P.

Dose, 5 to 10 grains.

Preparations—Mistura Ferri et Ammoniæ Citratis.

", , et Potassii Iodidi.

Ferri et Cinchoniæ Citras.

Dose, 5 to 10 grains.

Ferri et Strychniæ Citras.

100 grains contain 1 grain Citrate of Strychnia. Dose, 2 to 5 grains.

Ferri Iodidum, B.P.

Dose, 1 to 5 grains.

Preparation—Syrupus Ferri Iodidi.

Ferri Peroxidum Hydratum, B.P.

Dose, 5 to 30 grains.

Preparation—Emplastrum Ferri.

Ferri Sulphas, B.P.

Dose, 1 to 5 grains.

Preparations-Mistura Ferri Cathartica.

", Composita.

Pilulæ Aloës et Ferri.

- " Assafætidæ et Ferri.
- " Ferri Compositæ.

Ferri Sulphas Exsiccata, B.P.

Dose, $\frac{1}{2}$ to 3 grains.

Preparations-Pilulæ Aloës et Ferri.

, Assafætidæ et Ferri.

C

Ferrum.

Preparations—Ferri Iodidum.

Liquor Ferri Perchloridi Fortior.

errum Redactum, B.P.

Terrum Tartaratum, B.P.

Dose, 5 to 10 grains.

Preparation-Vinum Ferri.

Filix Mas.

Preparation—Extractum Filicis Liquidum.

Galbanum.

Preparations—Pilulæ Assafœtidæ Compositæ.

Galla.

Preparations—Acidum Gallicum.
,, Tannicum.
Unguentum Gallæ cum Opio.

Gentianæ Radix.

Preparations—Extractum Gentianæ.

Infusum Gentianæ Compositum.

Mistura Stomachica.

Tinctura Gentianæ Composita.

Glycerinum, B.P.

Dose, 1 to 2 drachms.

Preparations-Glycerinum Acidi Carbolici.

,, ,, Tannici. ,, ,, Compositun ,, Amyli.

Gossypium.

Preparation-Pyroxylin.

Guaiaci Resina, B.P.

Dose, 10 to 30 grains.

Preparations—Electuarium Guaiaci Compositum.

Pilulæ Hydrargyri Subchloridi Compositæ.

Tinctura Guaiaci Ammoniata.

Trochisci Guaiaci.

Gummi Rubrum.

Preparations—Infusum Gummi Rubri.
Trochisci Gummi Rubri.

Hæmatoxyli Lignum.

Preparation-Decoctum Hæmatoxyli.

Hirudo.

Hydrargyri Iodidum Rubrum, B.P.

Dose, 1 to 1 grain.

Hydrargyri Iodidum Viride, B.P.

Dose, 1 to 3 grains.

Hydrargyri Oxidum Rubrum, B.P.

Preparation-Unguentum Hydrargyri Oxidi Rubri.

Hydrargyri Perchloridum, B.P.

(Corrosive Sublimate.)

Dose, 1 to 1 grain.

Preparations—Mistura Hydrargyri Perchloridi. Lotio Hydrargyri Flava.

, ,, Perchloridi.

Hydrargyri Subchloridum, B.P.

(Calomel.)

Dose, ½ to 5 grains.

Preparations-Lotio Hydrargyri Nigra.

Pilulæ Catharticæ cum Hydrargyri Subehlorido.

- " Colocynthidis cum Hydrargyri Subchlorido.
- " Hydrargyri Subchloridi.
- " Compositæ.

Pulvis Jalapæ cum Hydrargyri Subchlorido.

- " Rhei cum Hydrargyri Subchlorido.
- " Scammonii cum Hydrargyri Subchlorido.

Unguentum Hydrargyri Subchloridi.

Hydrargyrum.

Preparations-Emplastrum Ammoniaci cum Hydrargyro.

Hydrargyrum cum Creta.

Liquor Hydrargyri Nitratis Acidus.

Pilulæ Hydrargyri.

Unguentum Hydrargyri.

Nitratis.

Hydrargyrum Ammoniatum, B.P.

Preparation-Unguentum Hydrargyri Ammoniati.

Hyoscyami Folia.

Preparations—Extractum Hyoscyami.

Tinctura Hyoscyami.

Iodum.

Dose, 1 grain.

Preparations-Pigmentum Iodi.

Syrupus Ferri Iodidi.

Tinctura Iodi.

Unguentum Iodi.

Vapor Iodi.

Ipecacuanhæ Radix.

Dose, as an Expectorant, ½ to 2 grains; as an Emetic, 15 to 30 grains.

Preparations-Mistura Ipecacuanhæ.

Pilulæ Alterativæ.

- " Conii Composita.
- " Hyoscyami et Scillæ.
- " Narcoticæ et Ipecacuanhæ.

Pulvis Emeticus.

Pulvis Ipecacuanhæ Compositus.

Vinum Ipecacuanhæ.

Jalapa.

Dose, 10 to 30 grains.

Preparations-Pilulæ Catharticæ.

" Catharticæ cum Hydrargyri Subchloride.

Pulvis Jalapæ Compositus.

, , , cum Hydrargyri Subchlorido.

" Scammonii Compositus.

Krameriæ Radix.

Preparations-Infusum Krameriæ.

Tinctura Krameriæ.

Lini Farina.

Preparations-Cataplasma Lini.

Sinapis.

Lithiæ Citras, B.P.

Dose, 5 to 10 grains.

Lobelia.

Preparation-Tinctura Lobeliæ Ætherea.

Lupulus.

Preparation-Tinetura Lupuli.

Magnesiæ Carbonas, B.P.

Dose, 10 to 60 grains.

Preparations-Mistura Magnesiæ.

,, ,, Cathartica.

Pulvis Rhei Compositus.

Magnesiæ Sulphas, B.P.

Dose, 60 grains to 2 ounce.

Preparations-Enema Magnesiæ Sulphatis.

Mistura Bismuthi et Magnesiæ

- ., Cathartica.
- " Ferri Cathartica.
- " Magnesiæ Cathartica.
- ,, Sennæ Composita.

Manganesii Sulphas.

Morphiæ Hydrochloras, B.P.

Dose, & to 1 grain.

Preparations-Pessaria Morphiæ.

Pilulæ Morphiæ Hydrochloratis.

Myrrha.

Preparations—Decoctum Aloës Compositum.

Mistura Ferri Composita.

Pilulæ Aloës et Myrrhæ.

, Ferri Compositæ.

, Rhei Compositæ.

Tinctura Myrrhæ.

Nux Vomica.

Preparations—Extractum Nucis Vomicæ.

Strychnia.

Tinctura Nucis Vomicæ.

Oleum Amygdalæ.

Preparations—Mistura Oleosa.
Unguentum Hydrargyri.

" Oxidi Rubri,

Oleum Anisi.

Preparation-Tinctura Camphoræ Composita.

Oleum Cajuputi.

Preparation-Linimentum Crotonis.

Oleum Carui.

Preparations—Essentia Carui.
Mistura Oleosa.

Oleum Caryophylli.

Preparation-Pilulæ Catharticæ.

Oleum Cassiæ.

Preparation-Essentia Cassiæ.

Oleum Crotonis.

Dose, \(\frac{1}{3}\) to 1 minim.

Preparations—Linimentum Crotonis.

Pilulæ Crotonis.

Oleum Cubebæ.

Dose, 5 to 20 minims.

Preparation—Mistura Copaibæ Composita.

Oleum Juniperi.

Preparation-Spiritus Juniperi.

Oleum Menthæ Piperitæ.

Preparations—Essentia Menthæ Piperitæ.

Pilulæ Rhei Compositæ.

Oleum Menthæ Viridis.

Preparation-Essentia Menthæ Viridis.

Oleum Morrhuæ.

Dose, 1 to 8 fluid drachms.

Oleum Olivæ.

Preparations-Emplastrum Ammoniaci cum Hydrargyro.

, Cerati Saponis.

. Plumbi.

Enema Magnesiæ Sulphatis.

Oleosum.

Linimentum Calcis.

, Camphoræ.

Chloroformi.

Lohoch.

Unguentum Æruginis.

" Hydrargyri Nitratis.

., Resinæ.

.. Simplex.

. Veratriæ.

Oleum Origani.

Preparation-Linimentum Commune.

Oleum Pimentæ.

Preparation-Essentia Pimentæ.

Oleum Rapi.

Preparations-Linimentum Ammoniæ,

Oleum Ricini.

Dose, 1 to 8 fluid drachms.

Preparations-Collodium Flexile.

Enema Olei Ricini.

Pilulæ Hydrargyri Subchloridi Compositæ-

Oleum Sabinæ.

Oleum Terebinthinæ.

Preparations—Enema Terebinthinæ.

Linimentum Saponis.

Terebinthinæ.

,, Aceticum

" Volatile.

Mistura Terebinthinæ.

Oleum Theobromæ.

Preparation-Pessaria.

Opium.

Dose, $\frac{1}{2}$ to 2 grains.

The Preparations in which Opium is contained-Emplastrum Opii 1 part in 10. Enema Opii 1 fluid drachm Tincture to 2 fluid ounces. Extractum Opii. Linctus Opiatus. 1 part Tincture in 35. Linimentum Opii 1 part Tincture in 4. Pilulæ Cupri Sulphatis cum Opio I grain in each pill. Plumbi cum Opio d grain in each pill. Saponis Compositæ. 1 grain in each pill. Pulvis Cretæ Aromaticus cum Opio 1 part in 40. Ipecacuanhæ Compositus 1 part in 10. 2 grains to 1 fluid ounce. Tinctura Camphoræ Composita . 33 grains to 1 fluid ounce nearly. Opii . 30 grains to 1 ounce. Unguentum Gallæ cum Opio . 22 grains extract in 1 fluid ounce nearly. Vinum Opii

Ovi Vitellus.

Preparation-Mistura Spiritus Vini Gallici.

Papaveris Capsulæ.

Preparation-Decoctum Papaveris.

Pareiræ Radix.

Preparation-Decoctum Pareiræ.

Pepsina.

Dose, 15 grains.

Preparation—Vinum Pepsinæ.

Pimenta.

Preparations—Mistura Aromatica.

Oleum Pimentæ.

Pulvis Aromaticus.

Cretæ Aromaticus.

Piper Nigrum.

Preparation-Confectio Piperis.

Pix Liquida.

Preparation-Unguentum Picis Liquidæ.

Plumbi Acetas, B.P.

Dose, 1 to 4 grains.

Preparations—Liquor Plumbi Subacetatis.

Pilulæ Plumbi cum Opio.

Plumbi Iodidum, B.P.

Preparations—Pessaria Plumbi Iodidi et Atropiæ.
Unguentum Plumbi Iodidi.

Plumbi Oxidum, B.P.

Preparations-Emplastrum Belladonnæ.

- " Calefaciens.
- " Cerati Saponis.
- " Ferri.
- " Opii.
- " Plumbi.
- " Saponis.

Podophylli Resina, B.P.

Dose, ½ to 1 grain.

Preparations—Pilulæ Podophylli.

Potassa Caustica, B.P.

Potassa Sulphurata, B.P.

Preparation—Balneum Sulphuratum.

Potassæ Acetas, B.P.

Dose, 10 to 60 grains.

Preparations—Mistura Diuretica.

, Potassæ Composita.

Potassæ Bicarbonas, B.P.

Dose, 10 to 40 grains.

Preparations—Mistura Colchici Alkalina.

,, Potassæ Citratis.
,, Composita.

Potassæ Carbonas, B.P.

Dose, 1 to 3 grains.

Preparations—Decoctum Aloës Compositum.

Enema Aloës.

Liquor Arsenicalis.

,, Potassæ.

Mistura Ferri Composita.

Potassæ Chloras, B.P.

Dose, 1 to 3 grains.

Preparations—Gargarisma Potassæ Chloratis.

Trochisci Potassæ Chloratis.

Potassæ Nitras, B.P.

Dose, 10 to 30 grains.

Preparations—Mistura Potassæ Nitratis.

,, ,, Composita.

Unguentum Sulphuris Compositum.

Potassæ Permanganas, B.P.

Preparation-Liquor Potassæ Permanganatis.

Potassæ Sulphas, B.P.

Dose, 15 to 60 grains.

Preparation—Pulvis Ipecacuanhæ Compositus.

" Rhei Salinus.

Potassæ Tartras, B.P.

Dose, 60 grains to ½ ounce.

Preparation—Mistura Salina Potassæ Tartratis.

Potassæ Tartras Acida, B.P.

Dose, 2 to 6 grains.

Preparations—Electuarium Sulphuris.

Pulvis Jalapæ Compositus.

Potassii Bromidum, B.P.

Dose, 5 to 30 grains.

Potassii Cyanidum.

Potassii Iodidum, B.P.

Dose, 1 to 2 grains.

Preparations--Mistura Ferri et Potassii Iodidi.

, Potassii Iodidi.

Pigmentum Iodi.

Tinctura Iodi.

Uuguentum Iodi.

,, Potassii Iodidi.

Quassiæ Lignum.

Preparation-Infusum Quassiæ.

Quercus Cortex.

Preparation-Decoctum Quercûs.

Quiniæ Sulphas, B.P.

Dose, 1 to 10 grains.

Preparations—Liquor Quiniæ Ammoniatus.
Mistura Quiniæ.

,, Zinci Valerianatis Compositæ. Pilulæ Quiniæ.

Resina.

Preparations-Emplastrum Calefaciens

.. Cantharidis.

" Saponis.

Unguentum Æruginis.

, Resinæ.

Rhei Radix.

Dose, in powder, 5 to 20 grains.

Preparations-Infusum Rhei.

Mistura Magnesiæ cum Rheo.

.. Stomachica.

Pilulæ Rhei Compositæ.

Pulvis Alterativus.

" Infantilis.

" Rhei Compositus.

" , et Calumbæ.

" Salinus.

" ,, cum Hydrargyri Subehlorido.

Tinctura Rhei.

Sabinæ Cacumina.

Dose, in powder, 4 to 10 grains.

Preparations—Oleum Sabinæ.

Unguentum Sabinæ.

Saccharum.

Preparation-Liquor Ruber.

Saccharum Purificatum.

Preparations—Mistura Ferri Composita. " Spiritûs Vini Gallici. Pulvis Tragacanthæ Compositus.

Santoninum, B.P.

Dose, 2 to 10 grains.

Sapo Durus.

Preparations—Emplastrum Saponis.

Extractum Colocynthidis Compositum.

Pilulæ Variæ.

Sapo Mollis.

Preparations—Enema Saponis.

Linimentum Saponis.

Unguentum Sulphuris Compositum.

Scammonium, B.P.

Dose, 5 to 10 grains.

Preparations-Pulvis Scammonii Compositus.

" cum Hydrargyri Subchlorido.

Scilla.

Dose, in powder, 1 to 3 grains.

Preparations—Acetum Scillæ.

Pilulæ Scillæ Compositæ.

Tinctura Scillæ.

Scoparii Cacumina.

Preparation-Decoctum Scoparii.

Senegæ Radix.

Preparations—Infusum Senegæ.

Tinctura Senegæ.

Sennæ Folia.

Preparations—Confectio Sennæ.

Infusum Sennæ.

Tinctura Sennæ.

Sevum Præparatum.

Preparations—Emplastrum Cantharidis.
Unguentum Hydrargyri.

Sinapis Farina.

Preparation-Cataplasma Sinapis.

Soda Tartarata, B.P.

Dose, 1 to 2 ounce.

Sodæ Bicarbonas, B.P.

Dose, 10 to 60 grains.

Preparations-Mistura Bismuthi et Gentianæ.

Effervescens.

.. Uvæ Ursi.

Pulvis Rhei et Calumbæ

Sodæ Carbonas, B.P.

Dose, 5 to 30 grains.

Preparations—Balneum Alkalinum.

Pilulæ Ferri Compositæ.

Sodæ Carbonas Exsiccata, B.P.

Preparation - Pulvis Alterativus.

Sodæ Hyposulphis.

Sodæ Phosphas, B.P.

Dose, 1 to 1 ounce.

Sodii Chloridum, B.P.

Preparations—Balneum Sodii Chloridi.
Enema Sodii Chloridi.

Strychnia, B.P.

Dose, $\frac{1}{30}$ to $\frac{1}{12}$ grain.

Sulphur Præcipitatum, B.P.

Sulphur Sublimatum, B.P.

Dose, 20 grains to 1 drachm.

Preparations-Electuarium Guaiaci Compositum

,, Sulphuris.

Emplastrum Ammoniaci cum Hydrargyro. Unguentum Sulphuris.

" Compositum.

Sumbul Radix.

Preparation-Tinetura Sumbul.

Tabaci Folia.

Preparation-Enema Tabaci.

Taraxaci Radix.

Preparation-Succus Taraxaci.

Terebinthina Canadensis.

Dose, 20 to 30 grains.

Preparation—Collodium Flexile.

Terebinthina Chia.

Dose, 5 to 10 grains.

Preparation—Pilulæ Terebinthinæ et Zinci.

Theriaca.

Preparations—Electuarium Boracis.
,, Sulphuris.
Linetus Opiatus.
Lohoch.

Tragacantha.

Preparations—Mistura Salina Potassæ Tartratis.
Pulvis Tragacanthæ Compositus.

Uvæ.

Preparations—Confectio Sennæ.

Tinctura Cardamomi Composita.

"Sennæ.

Uvæ Ursi Folia.

Preparations—Infusum Uvæ Ursi.
Mistura Uvæ Ursi.

Valerianæ Radix.

Dose, in powder, 10 to 30 grains.

Preparation—Tinctura Valerianæ Ammoniata.

Veratri Albi Radix.

Preparation—Unguentum Sulphuris Compositum.

Veratria, B.P.

Preparation-Unguentum Veratriæ.

Zinci Chloridum, B.P.

Preparation-Collyrium Zinci Chloridi.

Zinci Oxidum, B.P.

Dose, 2 to 10 grains.

Preparations—Lotio Zinci Oxidi.

Unguentum Zinci.

Zinci Sulphas, B.P.

Dose, as a Tonic, 1 to 3 grains; as an Emetic, 10 to 30 grains.

Preparations—Collyrium Zinci Sulphatis.

Lotio Aluminis Composita.

Pessaria Aluminis et Zinci.

,, Zinci et Atropiæ.

Pilulæ Terebinthinæ et Zinci.

Zinci Valerianas, B.P.

Dose, 1 to 3 grains.

Preparation—Pilulæ Zinci Valerianatis.

Zingiber.

Dose, 5 to 20 grains.

Preparations-Acidum Sulphuricum Aromaticum.

Electuarium Guaici Compositum.

Infusum Sennæ.

Mistura Stomachica.

Pilulæ Aloës Socotrinæ.

- " Argenti Oxidi.
- " Scillæ Compositæ.

Pulvis Aromaticus.

- .. Infantilis.
- " Jalapæ Compositus.
- " Jalapæ cum Hydrargyri Subchlorido.
- " Rhei Compositus.
- " Rhei cum Hydrargyri Subchlorido.
- " Scammonii Compositus.
- " Scammonii cum Hydrargyri Subchlorido.

Tinctura Zingiberis.

A STATE OF STREET

THE FORMULÆ.

20 a 186

Acetum Cantharidis, B.P.

Acetum Scillæ, B.P.

Dose, 15 to 40 minims.

Preparations-Lohoch.

Mistura Cascarillæ Composita.

- ., Diuretica.
- " Scillæ.

Acidum Aceticum Dilutum, B.P.

Dose, 1 to 2 fluid drachms.

Preparation-Acetum Scillæ.

Acidum Hydrochloricum Dilutum, B.P.

Dose, 10 to 30 minims.

Acidum Nitricum Dilutum, B.P.

Dose, 10 to 30 minims.

Preparations—Gargarisma Capsici Acidum,
Lotio Acidi Nitrici.
Mistura Acidi Nitrici.

Acidum Nitro-Hydrochloricum Dilutum, B.P.

Dose, 5 to 20 minims.

Preparation-Mistura Acidi Nitro-Hydrochlorici.

Acidum Sulphuricum Aromaticum, B.P.

Dose, 5 to 30 minims.

Preparations—Mistura Acida.

Mistura Astringens.

Acidum Sulphuricum Dilutum, B.P.

Dose, 5 to 30 minims.

Preparations-Gargarisma Commune.

Linctus Opiatus.

Mistura Cinchoniæ.

- " Ferri Cathartica.
- " Quiniæ.

Aqua Camphoræ, B.P.

Preparations-Gargarisma Acidi Tannici.

Mistura Ammoniæ cum Æthere.

- " Camphoræ cum Æthere.
- " Copaibæ.
- " Lobeliæ.
- " Valerianæ.

Aqua Carui.

Take of

Balneum Sulphuratum.

Take of

Sulphurated Potash . . 4 ounces. Water 30 gallons.

Balneum Tepidum.

Water from 85° to 92° F.

Cataplasma Lini.

Take of

Linseed Meal,
Boiling Water, of each a sufficiency.
Mix.

Cataplasma Panis.

Take of

Grated Bread,
Boiling Water, of each a sufficiency.
Mix.

Cataplasma Sinapis, B.P.

Cataplasma Sodæ Chloratæ, B.P.

Collodium, B.P.

Collodium Flexile, B.P.

Collyrium Aluminis.

Take of

Alum in powder . . . 4 grains.

Distilled Water . . . 1 fluid ounce.

Mix.

Collyrium Argenti Nitratis.

Take of

Nitrate of Silver . . . 2 grains.

Distilled Water . . . 1 fluid ounce.

Mix.

Collyrium Argenti Nitratis Fortius.

Take of

Nitrate of Silver . . . 5 grains.

Distilled Water . . . 1 fluid ounce.

Mix.

Collyrium Zinci Chloridi.

Take of

Chloride of Zinc . . . 1 grain.

Distilled Water . . . 1 fluid ounce.

Mix.

Collyrium Zinci Sulphatis.

Take of

Sulphate of Zinc . . . 3 grains.

Distilled Water . . . 1 fluid ounce.

Mix.

Confectio Sennæ, B.P.

Dose, 60 to 120 grains.

Confectio Piperis, B.P.

Dose, 60 to 120 grains.

Decoctum Aloës Compositum, B.P.

Dose, $\frac{1}{2}$ to 2 fluid ounces.

Decoctum Cinchonæ Pallidæ.

Take of

Pale Cinchona Bark . . 14 ounces.

Water . . . 1 pint.

Boil for ten minutes and strain.

Dose, 1 to 2 fluid ounces.

Decoctum Hæmatoxyli, B.P.

Dose, 1 to 2 fluid ounces.

Preparation—Mistura Astringens.

Decoctum Papaveris, B.P.

Decoctum Pareiræ, B.P.

Dose, 1 to 2 fluid ounces.

Decoctum Quercus, B.P.

Decoctum Sarsæ Compositum, B.P.

Dose, 2 to 10 fluid ounces.

Decoctum Scoparii, B.P.

Dose, 2 to 4 fluid ounces.

Preparation—Mistura Diuretica.

Electuarium Boracis.

Take of

Borax, in powder . . 1 ounce.

Treacle . . . 2 ounces.

Mix.

Electuarium Guaiaci Compositum.

Take of

Sublimed Sulphur . . 6 ounces.

Guaiacum Resin, in powder . 4 ounces.

Carbonate of Magnesia . 4 ounces.

Ginger, in powder . . 2 ounces.

Treacle, by weight . . 10 ounces.

Mix.

Dose, 1 to 3 drachms.

Electuarium Sulphuris.

Take of

Dose, 1 drachm to 1 ounce.

Emplastrum Ammoniaci cum Hydrargyro B.P.

Emplastrum Belladonnæ, B.P.

Emplastrum Calefaciens, B.P.

Emplastrum Cantharidis, B.P.

Emplastrum Cerati Saponis, B.P.

Preparation—Unguentum Hydrargyri Compositum.

Emplastrum Ferri, B.P.

(Vel Roborans.)

Emplastrum Opii, B.P.

Emplastrum Plumbi, B.P.

Emplastrum Saponis, B.P.

Enema Aloës, B.P.

Enema Assafœtidæ.

Take of

Tincture of Assafætida . ½ fluid ounce.

Mucilage of Starch . 20 fluid ounces.

Mix.

Enema Magnesiæ Sulphatis, B.P.

Enema Olei Ricini.

Take of

Castor Oil 2 fluid ounces.

Mucilage of Starch . . . 18 fluid ounces.

Mix.

Enema Oleosum.

Take of

Olive Oil . . . 4 fluid ounces.

Mucilage of Starch . . . 16 fluid ounces.

Mix.

Enema Opii, B.P.

Enema Saponis.

Take of

Soft Soap . . . 1 ounce.

Warm Water . . . 19 fluid ounces.

Mix.

Enema Sodii Chloridi.

Take of

Chloride of Sodium . . 1 ounce.

Water . . . 20 fluid ounces.

Enema Tabaci, B.P.

Enema Terebinthinæ, B.P.

Essentia Carui.

Take of

Oil of Caraway . . . 1 fluid ounce.

Rectified Spirit . . 4 fluid ounces.

Mix.

Dose, 10 to 20 minims.

Preparation-Aqua Carui.

Emplastrum Belladonnæ, B.P.

Emplastrum Calefaciens, B.P.

Emplastrum Cantharidis, B.P.

Emplastrum Cerati Saponis, B.P.

Preparation-Unguentum Hydrargyri Compositum.

Emplastrum Ferri, B.P.

(Vel Roborans.)

Emplastrum Opii, B.P.

Emplastrum Plumbi, B.P.

Emplastrum Saponis, B.P.

Enema Aloës, B.P.

Enema Assafætidæ.

Take of

Tincture of Assafætida . ½ fluid ounce.

Mucilage of Starch . 20 fluid ounces.

Mix.

Enema Magnesiæ Sulphatis, B.P.

Enema Olei Ricini.

Take of

Castor Oil 2 fluid ounces.

Mucilage of Starch . . . 18 fluid ounces.

Mix.

Enema Oleosum.

Take of

Olive Oil . . . 4 fluid ounces.

Mucilage of Starch . . . 16 fluid ounces.

Mix.

Enema Opii, B.P.

Enema Saponis.

Take of

Soft Soap . . . 1 ounce.

Warm Water . . . 19 fluid ounces.

Mix.

Enema Sodii Chloridi.

Take of

Chloride of Sodium . . 1 ounce.

Water . . . 20 fluid ounces.

Enema Tabaci, B.P.

Enema Terebinthinæ, B.P.

Essentia Carui.

Take of

Oil of Caraway . . . 1 fluid ounce.

Rectified Spirit . . . 4 fluid ounces.

Mix.

Dose, 10 to 20 minims.

Preparation-Aqua Carui.

Essentia Cassiæ.

Take of

Oil of Cassia . . . 1 fluid ounce.

Rectified Spirit . . . 4 fluid ounces.

Mix.

Dose, 10 to 20 minims.

Preparations—Aqua Cassiæ.

Mistura Ferri Composita.

Essentia Menthæ Piperitæ, B.P.

Dose, 10 to 20 minims.

Preparation-Aqua Menthæ Piperitæ.

Essentia Menthæ Viridis.

Take of

Oil of Spearmint . . 1 fluid ounce,

Rectified Spirit . . . 4 fluid ounces,

Mix,

Dose, 10 to 20 minims.

Preparation-Aqua Menthæ Viridis.

Essentia Pimentæ.

Take of

Oil of Pimento . . . 1 fluid ounce.

Rectified Spirit . . . 4 fluid ounces,

Dose, 10 to 20 minims.

Preparations-Aqua Pimentæ.

Mistura Ferri et Ammoniæ Citratis.

et Potassii Iodidi.

Extractum Aloës Socotrinæ, B.P.

Dose, 1 to 3 grains.

Preparation-Pilulæ Aloës Socotrinæ.

Extractum Belladonnæ, B.P.

Dose, 1 to 1 grain.

Preparations-Emplastrum Belladonnæ.

Unguentum Belladonnæ.

, Hydrargyri et Belladonnæ.

Extractum Cannabis Indicæ, B.P.

Dose, $\frac{1}{4}$ to 1 grain.

Preparation-Tinetura Cannabis Indicæ.

Extractum Colchici Aceticum, B.P.

Dose, $\frac{1}{2}$ to 2 grains.

Preparations—Pilulæ Alterativæ.

" Colchici et Ipecacuanhæ Compositæ.

Extractum Colocynthidis Compositum, B.P.

Dose, 3 to 10 grains.

Preparations-Pilulæ Colocynthidis.

, , et Hydrargyri.

" cum Hydrargyri Subchlorido.

,, et Hyoscyami.

" Nucis Vomicæ Catharticæ.

Extractum Conii, B.P.

Dose, 2 to 6 grains.

Preparations-Pilulæ Conii.

", Compositæ.

" Narcoticæ cum Ipecacuanhâ.

Extractum Ergotæ Liquidum, B.P.

Dose, 10 to 30 minims.

Preparation—Mistura Ergotæ Composita.

Extractum Filicis Liquidum, B.P.

Dose, 15 to 30 minims.

Extractum Gentianæ, B.P.

Dose, 2 to 10 grains.

Preparations-Pilulæ Aloës Socotrinæ.

- " , et Ferri.
- " Cupri Sulphatis cum Opio.
- ., Nucis Vomicæ.
- " Zinci Valerianatis Compositæ

Extractum Hyoscyami, B.P.

Dose, 5 to 10 grains.

Preparations-Pilulæ Camphoræ Compositæ.

- " Colocynthidis et Hyoscyami.
- " Hydrargyri et Hyoscyami.
- ., Hyoscyami.
- " et Seillæ.
- " Narcoticæ cum Ipecacuanhâ.
- " Nucis Vomicæ Catharticæ.
- " Podophylli.

Extractum Nucis Vomicæ, B.P.

Dose, $\frac{1}{2}$ to 2 grains.

Preparations-Pilulæ Nucis Vomicæ.

Catharticæ.

33

Extractum Opii, B.P.

Dose, $\frac{1}{2}$ to 2 grains.

Preparations-Lotio Opii.

Vinum Opii.

Gargarisma Acidi Tannici.

Take of

Tannic Acid . . . 240 grains.

Rectified Spirit . . . 2 fluid drachms.

Camphor Water . . . 1 pint.

Mix.

Gargarisma Boracis.

Take of

Borax . . . 480 grains.

Tincture of Myrrh . . 2 fluid ounces.

Water . . . 18 fluid ounces.

Mix.

Gargarisma Capsici Acidum.

Take of

Tincture of Capsicum,

Diluted Nitric Acid, of each 3 fluid drachms.

Infusion of Red Gum . $11\frac{1}{2}$ fluid ounces.

Mix.

Gargarisma Commune.

Take of

Alum 90 grains.

Diluted Sulphuric Acid . 3 fluid drachms.

Tineture of Myrrh . . 6 fluid drachms.

Water . . . 1 pint.

Mix.

Gargarisma Potassæ Chloratis.

Take of

Gargarisma Potassæ Permanganatis.

Take of

Solution of Permanganate of Potash ½ fluid ounce.

Water . . . 1 pint.

Mix.

Glycerinum Acidi Carbolici, B.P.

Glycerinum Acidi Tannici, B.P.

Glycerinum Acidi Tannici Compositum.

Take of

Tannic Acid . . . 3 ounces.

Glycerine,

Rectified Spirit,

Water, of each . . . 6 fluid ounces.

Mix.

Glycerinum Amyli, B.P.

Hydrargyrum cum Cretæ.

Dose, 3 to 8 grains.

Preparation—Pulvis Alterativus.

Infusum Buchu, B.P.

Dose, 1 to 4 fluid ounces.

Infusum Calumbæ, B.P.

Dose, 1 to 2 fluid ounces.

Infusum Cascarillæ, B.P.

Dose, 1 to 2 fluid ounces.

Preparation—Mistura Cascarillæ Composita.

Infusum Digitalis, B.P.

Dose, 2 to 4 fluid drachms.

Infusum Gentianæ Compositum.

Take of

Gentian Root, sliced . . . 120 grains. Ginger Root, sliced . . . 60 grains.

Boiling Water . . . 1 pint.

Infuse for 1 hour and strain.

Dose, 1 to 2 fluid ounces.

Preparation-Mistura Bismuthi et Gentianæ.

Infusum Gummi Rubri.

Take of

Red Gum . . . $\frac{1}{2}$ ounce.

Boiling Water . . . 20 fluid ounces.

Infuse for one hour and strain.

Preparation-Gargarisma Gummi Rubri.

Infusum Krameriæ, B.P.

Dose, 1 to 2 fluid ounces.

Infusum Quassiæ, B.P.

Dose, 1 to 2 fluid ounces.

Infusum Rhei, B.P.

Dose, 1 to 2 fluid ounces.

Infusum Senegæ, B.P.

Dose, 1 to 2 fluid ounces.

Infusum Sennæ, B.P.

Dose, 1 to 2 fluid ounces.

Preparation—Mistura Sennæ Composita.

Infusum Uvæ Ursi, B.P.

Dose, 1 to 2 fluid ounces.

Linetus Opiatus.

Take of

Mix.

Dose, 1 fluid drachm.

Linimentum Aconiti.

Take of

Tincture of Aconite,
Soap Liniment, of each equal parts.
Mix.

Linimentum Ammoniæ.

Take of

Solution of Ammonia . . . 1 fluid ounce.

Rape Oil 3 fluid ounces.

Mix.

Linimentum Belladonnæ, B.P.

Linimentum Calcis, B.P.

Linimentum Camphoræ, B.P.

Linimentum Chloroformi.

Take of

Chloroform . . . 1 fluid ounce.
Olive Oil . . . 2 fluid ounces.
Mix.

Linimentum Commune.

Take of

Rape Oil . . . 1 pint.
Oil of Thyme . . . 1 fluid drachm.
Mix.

Linimentum Crotonis, B.P.

Linimentum Opii.

Take of

Soap Liniment . . . 3 pints.

Tincture of Opium . . 1 pint.

Linimentum Saponis.

Take of

Soft Soap . . . 12 ounces.

Camphor . . . 3 ounces.

Rectified Spirit . . . 12 fluid ounces.

Oil of Turpentine . . 2 fluid ounces.

Water . . . 3 pints.

Dissolve the Camphor in the Spirit, and then add the Soft Soap, Turpentine and Water, previously mixed, by the aid of a gentle heat. Agitate occasionally for seven days, and filter.

Preparations-Linimentum Aconiti.

" Opii.

" Terebinthinæ.

" Volatile.

Linimentum Terebinthinæ.

Take of

Soap Liniment,
Oil of Turpentine, of each equal parts.
Mix.

Linimentum Terebinthinæ Aceticum, B.P.

Linimentum Volatile.

Take of

Tincture of Cantharides,
Tincture of Opium, of each 2 fluid drachms.
Strong Solution of Ammonia 4 fluid drachms.
Soap Liniment 1 fluid ounce.

Liquor Acidi Tartarici.

Take of

Tartaric Acid . . . 420 grains.

Water . . to 12 fluid ounces.

Preparation-Mistura Effervescens.

Liquor Ammoniæ, B.P.

Preparations—Linimentum Ammoniæ.

Mistura Acidi Benzoici.

Liquor Ammoniæ Acetatis, B.P.

Dose, 2 to 6 fluid drachms.

Preparation—Mistura Salina.

Liquor Ammoniæ Fortior, B.P.

Preparations—Linimentum Volatile.

Liquor Ammoniæ.

" Quiniæ Ammoniatus.

Tinctura Guaiaci Ammoniata.

Valerianæ Ammoniata.

Liquor Arsenicalis, B.P.

Dose, 2 to 8 minims.

Liquor Bismuthi et Ammoniæ Citratis, B.P.

Dose, ½ to 1 fluid drachm.

Preparation-Mistura Bismuthi et Ammoniæ Citratis.

Liquor Calcis, B.P.

Preparations-Linimentum Calcis.

Lotio Calcis cum Spiritu.

- " Hydrargyri Flava.
- " Hydrargyri Nigra.

Liquor Calcis Chloratæ, B.P.

Preparation-Lotio Calcis Chloratæ.

Liquor Chlori.

Take of

Chlorate of Potash . . 30 grains.

Hydrochloric Acid,

Distilled Water, of each . I fluid ounce.

Mix.

Preparation-Mistura Chlori.

Liquor Ferri Perchloridi, B.P.

Dose, 10 to 30 minims.

Preparation-Mistura Ferri Perchloridi.

Liquor Ferri Perchloridi Fortior, B.P.

Preparation-Liquor Ferri Perchloridi.

Liquor Ferri Pernitratis, B.P.

Dose, 10 to 40 minims.

Liquor Hydrargyri Nitratis Acidus, B.P.

Liquor Plumbi Subacetatis Dilutus, B.P.

(Vel Lotio Frigida.)

Liquor Potassæ, B.P.

Dose, 15 to 60 minims.

Preparations-Mistura Copaibæ.

, Oleosa.

" Potassæ.

Liquor Potassæ Permanganatis, B.P.

Preparations—Gargarisma Potassæ Permanganatis.

Lotio Potassæ Permanganatis.

Liquor Quiniæ Ammoniatus.

Take of

Sulphate of Quinia . . . 24 grains.

Strong Solution of Ammonia 4 fluid drachms.

Rectified Spirit . . . 4½ fluid ounces.

Mix.

Dose, 30 to 60 minims.

Liquor Ruber.

Take of

Raw Sugar . . . 8 ounces.

Boiling Water . . . 1 gallon.

Heat the Sugar in an iron vessel until it fuses and turns to a deep brown colour and then add the Boiling Water.

Preparation-Mistura Rubra.

Liquor Sodæ Chloratæ.

Preparations—Cataplasma Sodæ Chloratæ, Lotio Sodæ Chloratæ.

Lohoch.

Take of

Dose, I fluid drachm.

Lotio Acidi Carbolici.

Take of

Carbolic Acid . . . 150 grains.

Warm Water . . . 1 pint.

Mix.

Lotio Acidi Nitrici.

Take of

Diluted Nitric Acid . . 2 fluid drachms.

Water . . . 1 pint.

Mix.

otio Aluminis Composita.

Take of

Alum,

Sulphate of Zinc, of each . 60 grains.

Water . . . 1 pint.

Mix.

otio Argenti Nitratis.

Take of

Nitrate of Silver . . . 60 grains.

Distilled Water . . 1 pint.

Mix.

oti Argenti Nitratis Ætherea.

Take of

Nitrate of Silver . . 20 grains.

Distilled Water . . . 1 fluid drachm.

Spirit of Nitrous Ether . 7 fluid drachms.

Dissolve the Nitrate in the Water and add the Spirit.

otio Calcis Chloratæ.

Take of

Solution of Chlorinated Lime 1 fluid drachm.

Water . . . 1 pint.

Mix.

Lotio Calcis cum Spiritu.

Take of

Rectified Spirit . . . 1 fluid ounce.

Solution of Lime . . . 15 fluid ounces.

Mix.

Lotio Frigida.

(i.e. Liquor Plumbi Subacetatis Dilutus, B.P.)

Lotio Hydrargyri Flava, B.P.

Lotio Hydrargyri Nigra, B.P.

Lotio Hydrargyri Perchloridi.

Take of

Perchloride of Mercury . 20 grains.

Distilled Water . . 1 pint.

Mix.

Lotio Iodi.

Take of

Tincture of Iodine . . 1 fluid ounce.

Distilled Water . to 1 pint.

Mix.

Lotio Opii.

Take of

Extract of Opium . . 60 grains.

Water . . . 1 pint.

Dissolve the Extract in the Water.

Lotio Potassæ Permanganatis.

Take of

Solution of Permanganate of Potash 1 fluid ounce.

Distilled Water . . to 1 pint.

Mix.

Lotio Sodæ Chloratæ.

Take of

Solution of Chlorinated Soda 2 fluid ounces.

Distilled Water . . . 18 fluid ounces.

Mix.

Lotio Zinci Oxidi.

Take of

Oxide of Zinc . . 1 ounce.

Water . . . 1 pint.

Mix.

Lotio Zinci Sulphatis.

Take of

Sulphate of Zinc . . 100 grains.

Distilled Water . . . 1 pint.

Mix.

Mistura Acaciæ.

Take of

Gum Acacia . . . 480 grains.

Water . . . to 12 fluid ounces.

Dissolve.

Preparations-Mistura Assafætidæ.

- Paratita Assarctica.
" Acidi Nitrici.
" " Nitro-Hydrochlorici.
"Guaiaci.
" Ipecacuanhæ.
" Magnesiæ.
" Potassæ.
,, Cum Rheo.
,, Rubra.
Uvæ Ursi.
Vapor Creasoti.
Mistura Acida.
Take of
Aromatic Sulphuric Acid . 1 fluid drach
Red Mixture 12 fluid ounce
Mix.
Dose, 1 fluid ounce.
Mistura Acidi Benzoici.
Take of
Benzoic Acid 60 grains.
Solution of Ammonia 1 fluid drach
Water 12 fluid ounces
Mix.
Dose, 1 fluid ounce.
Mistura Acidi Hydrocyanici.
Charles and the second
Take of
Diluted Hydrocyanic Acid . 24 minims.
Red Mixture 12 fluid ounces
Mix.
Dose, 1 fluid ounce.

Mistura Acidi Nitrici.

Take of

Diluted Nitric Acid . . 2 fluid drachms.

Acacia Mixture . . . 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Acidi Nitro-Hydrochlorici.

Take of

Diluted Nitro-Hydrochloric Acid 4 fluid drachms.

Acacia Mixture . . . 11 1 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Aconiti.

Take of

Tincture of Aconite . . 2 fluid drachms.

Red Mixture . . . 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Ammoniaci, B.P.

Dose, $\frac{1}{2}$ to 1 fluid ounce.

Mistura Ammoniæ Carbonatis.

Take of

Carbonate of Ammonia . 60 grains.

Red Mixture . . . 12 fluid ounces.

Mix.

Mistura Ammoniæ cum Æthere.

Take of

Spirit of Ether,

Mix.

Dose, 1 fluid ounce.

Mistura Ammoniæ Effervescens.

Take of

Carbonate of Ammonia . 180 grains.

Water . . . 12 fluid ounces.

Dissolve.

Mix 1 fluid ounce with $\frac{1}{2}$ an ounce of Tartaric Acid Solution.

Mistura Aromatica.

Take of

Aromatic Powder . . . 90 grains.

Water . . . 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Assafœtidæ.

Take of

Tincture of Assafætida . 3 fluid drachms.

Acacia Mixture . . . 12 fluid ounces.

Mix.

Mistura Bismuthi Composita.

Take of Subnitrate of Bismuth
Spirit of Chloroform
Tincture of Calumba
Water
Water
Mix.

180 grains.
2 fluid drachms.
2 fluid drachms.
to 12 fluid ounces.

Dose, 1 fluid ounce.

Mistura Bismuthi et Ammoniæ Citratis.

Mustura Bismuthi et Magnesiæ.

Take of Subnitrate of Bismuth,

Carbonate of Magnesia, of each 180 grains.

Mucilage of Gum Acacia

Peppermint Water

10½ fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Bismuthi et Gentianæ.

Take of Subnitrate of Bismuth,

Bicarbonate of Soda, of each 180 grains.

Mucilage of Gum Acacia

Compound Infusion of Gentian 10½ fluid ounces.

Mix.

Mistura Camphoræ cum Æthere.

Take of

Spirit of Ether . . . 6 fluid drachms.

Camphor Water . to 12 fluid ounces.

Dose, 1 fluid ounce.

Mistura Cascarillæ Composita.

Take of

Vinegar of Squills . . 1 fluid ounce.

Compound Tineture of Camphor, 2 fluid ounces.

Infusion of Cascarilla . . 17 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Cathartica.

Take of

Sulphate of Magnesia . 720 grains.

Peppermint Water . to 12 fluid ounces.

Dose, 1 fluid ounce:

Mistura Chlori.

Take of

Solution of Chlorine . . 3 fluid drachms.

Water . . to 12 fluid ounces.

Mistura Cinchoniæ.

Take of

Sulphate of Cinchonia . . 12 grains.

Diluted Sulphuric Acid . ½ fluid drachm.

Water . . . 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Colchici Alkalina.

Take of

Tincture of Colchicum Seeds 4 fluid drachms.

Bicarbonate of Potash . . 120 grains.

Pimento Water . . to 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Copaibæ.

Take of

Copaiva,

Solution of Potash, of each . 3 fluid drachms.

Spirit of Nitrous Ether . 6 fluid drachms.

Camphor Water . . to 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Preparation-Mistura Copaibæ Composita.

Mistura Copaibæ Composita.

Take of

Oil of Cubebs . . . 2 fluid drachms.

Copaiva Mixture . . 12 fluid ounces.

Dorc, I fluid ounce.

Mix.

Mistura Creasoti.

Take of

Creasote.

Glacial Acetic Acid, of each . 12 minims.

Spirit of Juniper . . 20 minims.

Water . 12 fluid ounces,

Mix.

Dose, 1 fluid ounce.

Mistura Cretæ.

Take of

Prepared Chalk,

Gum Acacia, of each . . . 180 grains.

Cassia Water . . 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Diaphoretica.

Take of

Ipecacuanha Wine . . 3 fluid drachms, 13 Spirit of Nitrous Ether

Saline Mixture . . .

Mix.

Dose, 1 fluid ounce.

Mistura Diuretica.

Take of

Acetate of Potash

. . 240 grains.

Vinegar of Squills . . 1 fluid ounce.

. 6 fluid drachms.

to 12 fluid ounces.

Decoction of Broom . to 12 fluid ounces.

Mix.

Mistura Effervescens.

Take of

Bicarbonate of Soda . . . 240 grains.

. . to 12 fluid ounces, Water .

1 fluid ounce with 1 a fluid ounce of Tartaric Acid Solution,

Mistura Ergotæ Composita.

Take of

Gallie Acid . . . 120 grains.

Liquid Extract of Ergot . 1 fluid ounce.

Cassia Water . . to 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Ferri et Ammoniæ Citratis.

Take of

Citrate of Iron and Ammonia 60 grains.

Pimento Water . . . 12 fluid ounces,

Mix.

Dose, 1 fluid ounce.

Mistura Ferri Cathartica.

Take of

Sulphate of Iron .

Sulphate of Magnesia

Diluted Sulphuric Acid

Peppermint Water . to 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

. 24 grains.

. 720 grains, 2 fluid drachms,

Mistura Ferri Composita.

Take of

Sulphate of Iron 25 grains. Carbonate of Potash . . . 30 grains.

Myrrh,

Refined Sugar, of each . 60 grains.

Essence of Cassia . . 1 fluid drachm.

Water . . . to 12 fluid ounces.

Mix.

Dose, 1 to 2 fluid ounces.

Mistura Ferri et Potassii Iodidi.

Take of

Citrate of Iron and Ammonia 60 grains.

Iodide of Potassium . . 30 grains.

Pimento Water . . . 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Ferri Perchloridi.

Take of

Solution of Perchloride of Iron 2 fluid drachms Red Mixture . . . 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Guaiaci.

Take of

Ammoniated Tincture of Guaiacum 6 fluid drachn
Acacia Mixture . . . to 12 fluid ounces

Mix.

Mistura Hydrargyri Perchloridi.

Take of

Perchloride of Mercury . 1 grain.

Rectified Spirit . . . 2 fluid drachms.

Distilled Water . . . 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Ipecacuanhæ.

Take of

Ipecacuanha in Powder . 24 grains.

Acacia Mixture . . 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Lobeliæ.

Take of

Etherial Tineture of Lobelia 3 fluid drachms.

Camphor Water . . to 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Magnesiæ.

Take of

Carbonate of Magnesia . 180 grains.

Acacia Mixture . . to 12 fluid ounces.

Mix.

Mistura Magnesiæ Cathartica.

Take of

Carbonate of Magnesia

. 180 grains.

Sulphate of Magnesia . . 720 grains.

Peppermint Water . to 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Magnesiæ cum Rheo.

Take of

Carbonate of Magnesia. . 180 grains.

Rhubarb in Powder .

. 60 grains.

Acacia Mixture .

to 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Oleosa.

Take of

Oil of Almonds .

. 1 fluid drachm. Solution of Potash

Oil of Caraway

2 minims.

Distilled Water .

to 12 fluid ounces.

. 1 fluid ounce.

Mix.

Dose, 1 fluid ounce.

Mistura Potassæ.

Take of

Solution of Potash

. 3 fluid drachms.

Acacia Mixture .

to 12 fluid ounces.

Mix.

Mistura Potassæ Citratis.

Take of

Bicarbonate of Potash . . 240 grains.

Citric Acid . . . 210 grains.

Water . . to 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Potassæ Composita.

Take of

Nitrate of Potash . . 60 grains.

Acetate of Potash . . 90 grains.

Bicarbonate of Potash . . 90 grains.

Water . . to 12 fluid ounces.

Mix.

Dose, 2 fluid ounces.

Mistura Potassii Iodidi.

Take of

Iodide of Potassium . . 60 grains.

Red Mixture . . . 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Potassæ Nitratis.

Take of

Nitrate of Potash . . . 120 grains.

Red Mixture . . . 12 fluid ounces.

Mix.

Mistura Quiniæ.

Take of

Sulphate of Quinia . . . 12 grains.

Diluted Sulphuric Acid . 1 a fluid drachm.

Water 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Rubra.

Take of

Red Solution . . 4 fluid drachms.

Acacia Mixture . . . 11½ fluid ounces.

Mix.

Preprations-Mistura Acida.

" Acidi Hydrocyanici.

,, Aconiti.

,, Ammoniæ Carbonatis.

" Bismuthi et Ammoniæ Citratis.

" Ferri Perchloridi.

,, Potassæ Nitratis.

,, Potassii Iodidi.

Mistura Salina.

Take of

Solution of Acetate of Ammonia 3 fluid ounces.

Water . . . 9 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Preparation-Mistura Diaphoretica.

Mistura Salina Potassæ Tartratis.

Take of

Tartrate of Potash . . . 120 grains. Compound Tragacanth Powder 60 grains.

Water . . . to 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Scillæ.

Take of

Mix.

Dose, 1 fluid ounce.

Mistura Sennæ Composita.

Take of

Sulphate of Magnesia . 4 ounces.

Infusion of Senna . to 12 fluid ounces.

Dose, 1 to 2 fluid ounces.

Mix.

Mistura Spiritus Vini Gallici.

Take of

Spirit of French Wine,

Water, of each . .

. 4 fluid ounces.

The Yolks of two Eggs.

Refined Sugar .

> 1 ounce.

Mix.

Dose, 1 to 2 fluid ounces.

Mistura Stomachica.

Take of

Gentian Root, sliced . . . 90 grains.

Bitter Orange Peel, bruised . 30 grains.

Rhubarb Root, sliced . . 20 grains.

Ginger Root, sliced . . . 15 grains.

Boiling Water . . . 1 pint.

Infuse for two hours and strain.

Dose, 1 to 2 fluid ounces.

Mistura Terebinthinæ.

Take of

Oil of Turpentine . . 2 fluid drachms.

Gum Acacia in powder . 240 grains.

Cassia Water . . to 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Uvæ Ursi.

Take of

Bearberry Leaves, in powder,

Bicarbonate of Soda, of each 120 grains.

Acacia Mixture . . to 12 fluid ounces.

Mix.

Dose, 1 fluid ounce.

Mistura Valerianæ.

Take of

Ammoniated Tincture of Valerian 6 fluid drachms.

Camphor Water . . to 12 fluid ounces.

Mix.

Mucilago Acaciæ, B.P.

Preparations—Mistura Bismuthi et Gentianæ.

Mucilago Amyli, B.P.

Preparations-Enema Aloës.

- .. Assafætidæ.
- " Magnesiæ Sulphatis.
- ., Olei Ricini.
- " Oleosum.
- " Opii.
- ., Terebinthinæ.

Pessaria Acidi Tannici.

Take of

Tannic Acid . . . 60 grains.
Oil of Theobroma . . 360 grains.

Mix with the aid of heat and pour into conical moulds for six pessaries.

Pessaria Aluminis et Zinci.

Take of

Dried Alum,

Sulphate of Zinc, of each . 30 grains.

Opium in powder . . . 12 grains.

Oil of Theobroma . . . 360 grains.

Mix with the aid of heat and pour into conical moulds for six pessaries.

Pessaria Morphiæ.

Take of

Hydrochlorate of Morphia . 3 grains.

Oil of Theobroma . . 420 grains.

Mix with the aid of heat and pour into conical moulds for six pessaries.

Pessaria Plumbi Iodidi et Atropiæ.

Take of

Iodide of Lead . . . 60 grains.

Sulphate of Atropia . . 1 grain.

Oil of Theobroma . . . 360 grains.

Mix with the aid of heat and pour into conical moulds for six pessaries.

Pessaria Zinci et Atropiæ.

Take of

Dried Sulphate of Zinc . 60 grains.

Sulphate of Atropia . . 1 grain.

Oil of Theobroma . . . 360 grains.

Mix with the aid of heat and pour into conical moulds for six pessaries.

Pigmentum Iodi.

Take of

Iodine . . . 40 grains.

Iodide of Potassium . . 20 grains.

Rectified Spirit . . . 1½ fluid ounce.

Dissolve the Iodine and the Iodide of Potassium in the Spirit.

Pilulæ Aloes Socotrina.

Take of

Extract of Socotrine Aloes,

Ginger in powder, of each . 60 grains.

Extract of Gentian . . . 120 grains.

Mix and divide into 60 pills.

Dose, 1 or 2 pills.

Pilulæ Aloes et Ferri.

Take of Socotrine Aloes . . . 60 grains.

Dried Sulphate of Iron, in powder 60 grains.

Extract of Gentian . . 120 grains.

Mix and divide into 60 pills.

Dose, 1 to 3 pills.

Pilulæ Aloes et Myrrhæ.

Take of Socotrine Aloes . . . 120 grains.

Myrrh, in powder,

Hard Soap, of each . . 60 grains.

Water a sufficiency.

Mix and divide into 60 pills.

Dose, 1 to 4 pills.

Pilulæ Alterativæ.

Take of Pill of Colocynth & Hyoscyamus 180 grains.

Mercurial Pill . . . 90 grains.

Ipecacuanha in powder,

Acetic Extract of Colchicum, of each 15 grains.

Mix and divide into 60 pills.

Dose, 1 to 3 pills.

Pilulæ Argenti Nitratis.

Take of Nitrate of Silver . . . 6 grains.

Extract of Gentian,

Flour, of each . . . 20 grains.

Mix and divide into 12 pills.

Dose, 1 to 3 pills.

Pilulæ Argenti Oxidi.

Take of

Oxide of Silver,

Ginger, of each . . 6 grains.

Flour . . . 30 grains.

Treacle a sufficiency.

Mix and divide into 12 pills.

Dose, 1 to 3 pills.

Pilulæ Assafætidæ Compositæ, B.P.

Dose, 5 to 10 grains.

Preparation-Pilulæ Assafætidæ et Ferri.

Pilulæ Assafœtidæ et Ferri.

Take of

Compound Assafœtida Pill . 240 grains.

Dried Sulphate of Iron in powder 60 grains.

Mix and divide into 60 pills.

Dose, 1 or 2 pills.

Pilulæ Camphoræ Compositæ.

Take of

Camphor 180 grains.

Rectified Spirit a sufficiency.

Extract of Henbane . . 120 grains.

Mix and divide into 60 pills.

Dose, 1 pill.

Pilulæ Catharticæ.

Pilulæ Catharticæ cum Hydrargyri Subchlorido.

Take of

Subchloride of Mercury . 30 grains.

Socotrine Aloes in powder . 60 grains.

Jalap in powder . . 180 grains.

Water a sufficiency.

Mix and divide into 60 pills.

Dose, 1 to 3 pills.

Pilulæ Colchici et Ipecacuanhæ Compositæ.

Take of

Acetic Extract of Colchicum . 30 grains.

Compound Ipecacuanha Powder 240 grains.

Treacle a sufficiency.

Mix and divide into 60 pills.

Dose, 1 pill.

Pilulæ Colocynthidis.

Take of

Compound Extract of Colocynth 300 grains. Divide into 60 pills.

Dose, 1 to 3 pills.

Pilulæ Colocynthidis cum Hydrargyri Subchlorido.

Take of

Subchloride of Mercury . 60 grains. Compound Extract of Colocynth 240 grains. Mix and divide into 60 pills.

Dose, 1 to 3 pills.

Pilulæ Colocynthidis et Hydrargyri.

Take of

Compound Extract of Colocynth,

Mercurial Pill, of each 150 grains.

Mix and divide into 60 pills.

Dose, 1 to 3 pills.

Pilulæ Colocynthidis et Hyoscyami.

Take of

Compound Extract of Colocynth,

Extract of Henbane, of each 150 grains.

Mix and divide into 60 pills.

Dose, 1 to 3 pills.

Preparation-Pilulæ Alterativæ.

Pilulæ Conii.

Take of

Extract of Hemlock . . . 300 grains.

Divide into 60 pills.

Dose, 1 or 2 pills.

Pilulæ Conii Compositæ, B.P.

Dose, 5 to 10 grains.

Pilulæ Crotonis.

Take of

Croton Oil . . . 60 drops.

Hard Soap . . . 300 grains.

Mix and divide into 60 pills.

Dose, 1 pill.

Pilulæ Cupri Sulphatis cum Opio.

Take of

Sulphate of Copper in powder 30 grains.

Opium in powder . . . 15 grains.

Extract of Gentian,

Flour, of each . . . 120 grains.

Mix and divide into 60 pills.

Dose, 1 to 3 pills.

Pilulæ Ferri Compositæ.

Take of

Myrrh in powder . . . 120 grains.

Carbonate of Soda,

Sulphate of Iron,

Treacle, of each 60 grains.

Rub the Myrrh with the Carbonate of Soda in a warm mortar, then add the Sulphate of Iron in powder and the Treacle, and beat into a mass. Divide into 60 pills.

Dose, 1 or 2 pills.

Pilulæ Hydrargyri, B.P.

Dose, 5 to 10 grains.

Preparations—Pilulæ Alterativæ.

" Colocynthidis et Hydrargyri. " Hydrargyri et Hyoseyami. " " Ipecacuanhæ Compositæ. " " " Rhei. " " " Scillæ.

Pilulæ Hydrargyri et Hyoscyami.

Take of

Mercurial Pill,
Extract of Henbane, of each 150 grains.
Mix and divide into 60 pills.

Dose, 1 or 2 pills.

Pilulæ Hydrargyri et Ipecacuanhæ Compositæ.

Take of

Mercurial Pill,

Compound Ipecacuanha Powder, of each 150 grains.

Mix and divide into 60 pills.

Dose, 1 to 3 pills.

Pilulæ Hydrargyri et Rhei.

Take of

Mercurial Pill,

Compound Rhubarb Pill, of each 150 grains.

Mix and divide into 60 pills.

Dose, 1 or 2 pills.

Pilulæ Hydrargyri et Scillæ.

Take of

Mercurial Pill, Compound Squill Pill, of each 150 grains. Mix and divide into 60 pills.

Dose, 1 or 2 pills.

Pilulæ Hydrargyri Subchloridi.

Take of

Subchloride of Mercury . 60 grains.

Treacle a sufficiency.

Mix and divide into 60 pills.

Dose, 1 to 3 pills.

Pilulæ Hydrargyri Subchloridi Compositæ, B.P.

Dose, 5 to 15 grains.

Pilulæ Hyoscyami.

Take of

Extract of Henbane . 300 grains.

Divide into 60 Pills.

Dose, 1 or 2 pills.

Pilulæ Hyoscyami et Scillæ.

Take of

Extract of Henbane,
Compound Squill Pill, of each 120 grains.
Ipecacuanha in Powder . 30 grains.
Mix and divide into 60 pills.

Dose, 1 or 2 pills.

Pilulæ Ipecacuanhæ Compositæ.

(Vulgo Pilulæ Doveri.)

Take of

Compound Ipecacuanha Powder 300 grains. Treacle a sufficiency.

Mix and divide into 60 pills.

Dose, 1 to 3 pills.

Pilulæ Ipecacuanhæ et Scillæ.

Take of

Compound Ipecacuanha Powder, ,, Squill Pill, of each 150 grains. Mix and divide into 60 pills.

Dose, 1 or 2 pills.

Pilulæ Morphiæ.

Take of

Hydrochlorate of Morphia . 15 grains. Flour 240 grains.

Treacle a sufficiency.

Mix and divide into 60 pills—each pill contains \(\frac{1}{4} \) grain of Morphia.

Dose, 1 pill.

Pilulæ Narcoticæ et Ipecacuanhæ.

Take of

Extract of Henbane,

Extract of Hemlock, of each 120 grains.

Ipecacuanha, in powder . 60 grains.

Mix and divide into 60 pills.

Dose, 1 or 2 pills.

Pilulæ Nucis Vomicæ.

Take of

Extract of Nux Vomica . 30 grains.

Extract of Gentian . . 24 grains.

Mix and divide into 60 pills—each pill contains ½ grain of Extract of Nux Vomica.

Dose, 1 or 2 pills.

Pilulæ Nucis Vomicæ Catharticæ.

Take of

Extract of Nux Vomica . 15 grains.

Compound Extract of Colocynth,

Extract of Henbane,

Compound Rhubarb Pill, of each 60 grains.

Mix and divide into 60 pills.

Dose, 1 or 2 pills.

Pilulæ Plumbi cum Opio.

Take of

Acetate of Lead in fine powder 60 grains.

Opium in powder . . . 10 grains.

Flour 180 grains.

Treacle a sufficiency.

Mix and divide into 60 pills.

Dose, 1 or 2 pills.

Pilulæ Podophylli.

Take of Resin of Podophyllum . 15 grains.

Extract of Henbane . 240 grains.

Mix and divide into 60 pills—each pill contains 4 grain of the Resin.

Dose, 1 or 2 pills.

Pilulæ Quiniæ.

Take of Sulphate of Quinia . . 60 grains.

Flour 180 grains.

Treacle a sufficiency.

Mix and divide into 60 pills.

Dose, 1 to 3 pills.

Pilulæ Rhei Compositæ, B.P.

Dose, 5 to 10 grains.

Preparations-Pilulæ Hydrargyri et Rhei.

- ,, Nucis Vomicæ Catharticæ.
- " Zinci Valerianatis Compositæ.

Pilulæ Saponis Compositæ, B.P.

Dose, 3 to 5 grains.

Pilulæ Scillæ Compositæ, B.P.

Dose, 5 to 10 grains.

Preparations-Pilulæ Hydrargyri et Scillæ.

- " Hyoscyami et Scillæ.
- " Ipecacuanhæ et Scillæ,

Pilulæ Terebinthinæ et Zinci.

Take of

Chian Turpentine . . . 240 grains. Sulphate of Zinc in powder . 60 grains.

Mix and divide into 60 pills.

Dose, 1 to 3 pills.

Pilulæ Zinci Valerianatis Compositæ.

Take of

Valerianate of Zinc . . 30 grains.

Sulphate of Quinia . . . 20 grains.

Compound Rhubarb Pill . 60 grains.

Extract of Gentian . . . 120 grains.

Mix and divide into 60 pills.

Dose, 1 or 2 pills.

Pulvis Alterativus.

Take of

Dried Carbonate of Soda,

Mercury with Chalk, of each 60 grains.

Rhubarb in powder . . . 180 grains.

Mix.

Dose, 5 to 20 grains.

Pulvis Aromaticus.

Take of

Cinnamon.
Pimento,
Ginger, of each, in powder, equal parts.
Mix.

Dose, 5 to 20 grains.

Preparations—Mistura Aromatica.

Pulvis Cretæ Aromaticus.

"Rhei et Calumbæ.

Pulvis Bismuthi et Ferri.

Take of

Subnitrate of Bismuth,
Saccharated Carbonate of Iron, of each 1 ounce.
Mix.

Dose, 10 to 20 grains.

Pulvis Cretæ Aromaticus.

Take of

Prepared Chalk,

Aromatic powder, of each . 3 ounces.

Gum Acacia in powder . 1 ounce.

Mix.

Dose, 10 to 40 grains.

Preparation-Pulvis Cretæ Aromaticus cum Opio.

Pulvis Cretæ Aromaticus cum Opio.

Take of

Aromatic Powder of Chalk . 39 ounces.

Opium in powder . . 1 ounce.

Mix.

Dose, 10 to 40 grains.

Pulvis Emeticus.

Take of

Ipecacuanha in powder
Tartarated Antimony.
Mix.

Dose, 15 to 20 grains.

7

. 480 grains. 170 . 24 grains.

20

Pulvis Infantilis.

Take of

Mix.

Dose, 10 to 30 grains.

Pulvis Ipecacuanhæ Compositus, B.P.

Dose, 5 to 15 grains.

Preparations-Pilulæ Colchiei et Ipecacuanhæ Compositæ.

- " Conii Composita.
- " Hydrargyri et Ipecacuanhæ Compositæ.
- " Ipecacuanhæ Compositæ.
- " Ipecacuanhæ et Scillæ.

Pulvis Jalapæ Compositus, B.P.

Dose, 20 to 60 grains.

Pulvis Jalapæ cum Hydrargyri Subchlorido.

Take of

Subehloride of Mercury,

Ginger in powder, of each . 15 grains.

Jalap in powder. . . 60 grains.

Mix.

Dose, 10 to 30 grains.

Pulvis Rhei Compositus.

Take of

Rhubarb in powder . . 2 ounces.

Carbonate of Magnesia . 6 ounces.

Ginger in powder . . 1 ounce.

Mix.

Dose, 20 to 60 grain

Pulvis Rhei cum Hydrargyri Subchlorido.

Take of

Subchloride of Mercury,

Ginger in powder, of each . 15 grains.

Rhubarb in powder . . 60 grains.

Mix.

Dose, 10 to 30 grains.

Pulvis Rhei et Calumbæ.

Take of Aromatic Powder . . . 1 ounce.

Rhubarb Root in powder . 1 ounce.

Bicarbonate of Soda . . 1\frac{1}{2} ounce.

Calumba Root in powder . 2 ounces.

Mix.

Dose, 20 to 40 grains.

Pulvis Rhei Salinus.

Take of Rhubarb in powder . . . 240 grains.

Sulphate of Potash . . 720 grains.

Mix.

Dose, 30 to 40 grains.

Pulvis Scammonii cum Hydrargyri Subchlorido.

Take of Subchloride of Mercury,

Ginger in powder, of each . 15 grains.

Resin of Scammony . . . 60 grains.

Mix.

Dose, 10 to 30 grains.

Pulvis Scammonii Compositus, B.P.

Dose, 10 to 20 grains

Pulvis Tragacanthæ Compositus, B.P.

Dose, 20 to 60 grains.

Pyroxylin, B.P.

Preparations-Collodium.

Flexile.

Spiritus Ætheris, B.P.

Dose, 30 to 90 minims.

Preparations—Mistura Ammoniæ cum Æthere
,, Camphoræ cum Æthere

Spiritus Ætheris Nitrosi, B.P.

Dose, ½ to 2 fluid drachms.

Preparations—Lotio Argenti Nitratis Ætherea.

Mistura Copaibæ.

Diaphoretica.

Spiritus Ammoniæ Aromaticus, B.P.

Dose, ½ to 1 fluid drachm.

Preparation—Mistura Ammoniæ cum Æthere.

Spiritus Camphoræ, B.P.

Dose, 10 to 30 minims.

Spiritus Chloroformi, B.P.

Dose, 20 to 60 minims.

Preparations-Mistura Astringens.

, Bismuthi Composita.

Spiritus Juniperi, B.P.

Dose, 20 to 60 minims

Preparation—Mistura Creasoti.

Spiritus Rectificatus, B.P.

Preparations—Essentiæ.

Gargarisma Acidi Tannici.
Glycerinum Acidi Tannici Compositum.
Linimentum Saponis.
Lotio Calcis cum Spiritu.
Mistura Hydrargyri Perchloridi.
Pigmentum Iodi.
Pilulæ Camphoræ Compositæ.
Spiritus.
Tineturæ.

Spiritus Tenuior, B.P.

Preparation-Tineturæ.

Spiritus Vini Gallici.

Preparation-Mistura Vini Gallici.

Succus Limonis.

Succus Taraxaci, B.P.

Dose, 1 to 2 fluid drachms.

Vapor Benzoini.

Add one fluid drachm of Compound Tincture of Benzoin to half a pin of hot water, and let the vapour that arises be inhaled.

Vapor Creasoti.

Take of

Creasote,

Mucilage Mixture, of each equal parts.

Mix.

Add one fluid drachm to half a pint of hot water, and let the vapour that arises be inhaled.

Vapor Iodi.

Add forty minims of Tincture of Iodine to half a pint of hot water, and let the vapour that arises be inhaled.

Vinum Ferri.

Take of

Tartarated Iron

Marsala Wine.

Mix.

Dose, 1 to 4 fluid drachms.

Vinum Ipecacuanhæ.

. Take of

Ipecacuanha, bruised .

480 grains.

. . . . 320 grains.

1 pint.

Marsala Wine

1 pint.

Mix.

Dose, as an Expectorant, 5 to 40 minim s. as an Emetic, to 6 fluid drachms.

Preparation-Mistura Diaphoretica.

Vinum Marsala.

Preparations-Vinum Ferri.

, Ipecacuanhæ.

" Opii.

Vinum Opii.

Take of

Extract of Opium . . . 480 grains.

Marsala Wine . . . 1 pint.

Dose, 1 to 4 minims.

Vinum Pepsinæ.

Tinctura Aconiti, B.P.

Dose, 5 to 15 minims

Preparations—Linimentum Aconiti.

Mistura Aconiti.

Tinctura Arnicæ, B.P.

Dose, 1 to 2 fluid drachms.

Tinctura Assafætidæ, B.P.

Dose, ½ to 1 fluid drachm.

Preparations—Enema Assafætidæ.

Mistura Assafætidæ.

Tinctura Belladonnæ, B.P.

Dose, 5 to 20 minims.

Tinctura Benzoini Composita, B.P.

Dose, $\frac{1}{2}$ to 1 fluid drachm. Preparation—Vapor Benzoini.

Tinctura Calumbæ, B.P.

Dose, $\frac{1}{2}$ to 2 fluid drachms.

Preparation—Mistura Bismuthi Composita.

Tinctura Camphoræ Composita, B.P.

Dose, 15 minims to 1 fluid drachm.

Preparations—Mistura Astringens.

, Cascarillæ Composita.

Cinctura Cannabis Indicæ, B.P.

Dose, 5 to 20 minims.

Finetura Cantharidis, B.P.

Lose, 5 to 20 minims.

Preparation—Linimentum Volatile.

Cinctura Capsici, B.P.

Dose, 10 to 20 minims.

Preparations—Gargarisma Capsici Acidum.

Trochisci Gummi Rubri.

l'inctura Cardamomi Composita, B.P.

Dose, 1 to 21 fluid drachms.

l'inctura Cascarillæ, B.P.

Dose, $\frac{1}{2}$ to 2 fluid drachms.

linctura Catechu, B.P.

Dose, $\frac{1}{2}$ to 2 fluid drachms.

linctura Cinchonæ Pallidæ.

Take of

Pale Cinchona Bark, bruised 4 ounces.

Proof Spirit . . . 1 pint.

Macerate for 7 days and then filter.

Dose, $\frac{1}{2}$ to 2 fluid drachms.

inctura Cinnamomi, B.P.

Dose, ½ to 2 fluid drachms.

Vapor Benzoini.

Add one fluid drachm of Compound Tincture of Benzoin to half a pin of hot water, and let the vapour that arises be inhaled.

Vapor Creasoti.

Take of

Creasote,

Mucilage Mixture, of each equal parts.

Mix.

Add one fluid drachm to half a pint of hot water, and let the vapour that arises be inhaled.

Vapor Iodi.

Add forty minims of Tincture of Iodine to half a pint of hot water, and let the vapour that arises be inhaled.

Vinum Ferri.

Take of

Tartarated Iron Marsala Wine. . . . 320 grains.

Mix.

Dose, 1 to 4 fluid drachms.

Vinum Ipecacuanhæ.

. Take of

Ipecacuanha, bruised . . . 480 grains.

Marsala Wine . . . 1 pint.

Mix.

Dose, as an Expectorant, 5 to 40 minim s. as an Emetic, to 6 fluid drachms.

Preparation-Mistura Diaphoretica.

Vinum Marsala.

Preparations-Vinum Ferri.

, Ipecacuanhæ.

" Opii.

Vinum Opii.

Take of

Extract of Opium . . . 480 grains.

Marsala Wine . . . 1 pint.

Dose, 1 to 4 minims.

Vinum Pepsinæ.

Tinctura Colchici Seminum, B.P.

Dose, 10 to 30 minims.

Preparation—Mistura Colchici Alkalina.

Tinctura Digitalis, B.P.

Dose, 10 to 30 minims.

Tinctura Gentianæ Composita, B.P.

Dose, ½ to 2 fluid drachms.

Tinctura Guaiaci Ammoniata.

Take of

Guaiacum Resin . . 9 ounces.

Rectified Spirit . . . 37½ fluid ounces.

Distilled Water . . 10 fluid ounces.

Strong Solution of Ammonia 2½ fluid ounces.

Carbonate of Ammonia . 480 grains.

Dissolve the Carbonate of Ammonia in the Water, add the Solution of Ammonia, then the Spirit, and lastly the Resin in coarse powder. Macerate for three days and then filter.

Dose, ½ to 1 fluid drachm.

Preparation—Mistura Guaiaci.

Tinetura Hyoscyami, B.P.

Dose, $\frac{1}{2}$ to 1 fluid drachm.

Tinctura Iodi, B.P.

Dose, 5 to 20 minims.

Preparations—Lotio Iodi.

Vapor Iodi.

Tinctura Krameriæ, B.P.

Dose, 1 to 2 fluid drachms.

Tinctura Lobeliæ Ætherea, B.P.

Dose, 10 to 30 minims.

Preparation—Mistura Lobeliæ.

Tinctura Lupuli, B.P.

Dose, 1 to 2 fluid drachms.

Tinctura Myrrhæ, B.P.

Dose, ½ to 1 fluid drachm.

Preparations—Gargarisma Boracis.
,, Commune.

Tinctura Nucis Vomicæ, B.P.

Dose, 10 to 20 minims.

Tinctura Opii, B.P.

Dose, 5 to 40 minims.

Preparations—Enema Opii.

Linctus Opiatus.

Linimentum Opii.

,, Volatile.

Lohoch.

Tinctura Rhei, B.P.

Dose, 1 to 4 fluid drachms.

Vapor Benzoini.

Add one fluid drachm of Compound Tincture of Benzoin to half a pin of hot water, and let the vapour that arises be inhaled.

Vapor Creasoti.

Take of

Creasote,

Mucilage Mixture, of each equal parts.

Mix.

Add one fluid drachm to half a pint of hot water, and let the vapour that arises be inhaled.

Vapor Iodi.

Add forty minims of Tincture of Iodine to half a pint of hot water, and let the vapour that arises be inhaled.

Vinum Ferri.

Take of

Tartarated Iron Marsala Wine. . . . 320 grains.

Mix.

Dose, 1 to 4 fluid drachms.

Vinum Ipecacuanhæ.

. Take of

Ipecacuanha, bruised . . . 480 grains.

Marsala Wine . . . 1 pint.

Mix.

Dose, as an Expectorant, 5 to 40 minim s. as an Emetic, to 6 fluid drachms.

Preparation-Mistura Diaphoretica.

Vinum Marsala.

Preparations-Vinum Ferri.

,, Ipecacuanhæ.

" Opii.

Vinum Opii.

Take of

Extract of Opium . . . 480 grains.

Marsala Wine . . . 1 pint.

Dose, 1 to 4 minims.

Vinum Pepsinæ.

Tinctura Scillæ, B.P.

Dose, 10 to 30 minims.

Tinctura Senegæ, B.P.

Dose, 1 to 2 fluid drachms.

Tinctura Sennæ, B.P.

Dose, 1 to 4 fluid drachms.

Tinetura Sumbul, B.P.

Dose, 10 to 30 minims.

Tinctura Valerianæ Ammoniata.

Take of

Valerian Root . . . 6½ ounces.

Rectified Spirit . . . 37½ fluid ounces.

Distilled Water . . . 15 fluid ounces.

Strong Solution of Ammonia 21 fluid ounces.

Carbonate of Ammonia . 480 grains.

Dissolve the Carbonate of Ammonia in the Water, add the Solution of Ammonia, then the Spirit, and lastly the Valerian bruised.

Macerate for seven days and then filter.

Dose, 1 to 2 fluid drachms.

Preparation - Mistura Valerianæ.

Tinctura Zingiberis, B.P.

Dose, 15 minims to 1 fluid drachm.

LONDON HOSPITAL, Whitechapel Road, E.

DINT TABLE.

	H	FOR MEN.	SN.		FOR WOMEN	OMEN.
Days.	Per Day.	Breakfast.	Dinner.	Supper.	ORDINARY DIET-The same as MIDDLE DIET for Men.	8 MIDDLE DIET for Men.
SUNDAY -	12 oz Bread. 8 oz. Potatoes. 1 pint Porter.	Gruel.	6 oz. Boiled Mutton.	n. Broth.		The same as FULL DIET for Men.
MONDAY -	Ditto.	Ditto.	" Roast Mutton.	. Ditto.		
TUESDAY -	Ditto.	Ditto.	., Roast Beef.	Ditto.		
Wednesday	Ditto.	Ditto.	,, Roast Mutton.	. Ditto.	MILK ,, The	The same as for Men.
THURSDAY -	Ditto.	Ditto.	" Boiled Mutton	1. Ditto.		
FRIDAY .	Ditto.	Ditto.	,, Roast Beef.	Ditto.	T.0W	Ditto.
SATURDAY -	Ditto.	Ditto.	., Roast Mutton.	. Ditto.		
	* Weighed w	nen cooked	Weighed when cooked and free from Bone.		FOR CH	FOR CHILDREN
MIDDLE.	The same as F1 6 oz.,	JLL DIET	The same as FULL DIET, except 4 oz. of Meat instead of 6 oz., and 3 pint Porter instead of 1 pint.	eat instead of pint.	(under seven years of age.)	years of age.)
MILK.	12 oz. Bread.	Gruel.	1 pint Milk.	1 pint Milk.	12 oz. Bread (daily) 2 oz. Meata	2 oz. Meat and 8 oz. Potatoes 5 times a week,
LoW. (Dody)	8 oz. Bread.	Ditto.	Broth.	Gruel or Broth	g pint stilk)	0
	P	EXTRAS	τά	1	од Диол + + +	* + + wome Basine for FOUR DIETS.
(To be disco	rtinued anless Orde	r renewed by cach visit.)	(To be discontinued unless Order renewed by the Enysician or Surgeon in each visit.)	Surgeon at		
Mutton Chop Beef Steaks,	Mutton Chops, Beef Steaks,	E A	Eggs, Bread,		*Rice. 4 ozs. thec 2 ,, Sugar +Light. 6 Eggs	
Fish, Beef Tea, Strong Broth	ea, Broth	5 2 2	Green Vegetables, Water-Cresses, Wine,		2 ozs. Sugar 1‡ ,, Flour 4 Eggs	Milk (in each case) sufficient to make up 1 quart of the mixture.
Puddings	. +	(alternately.) F	Spirit, Porter.		2 ozs. Sugar 6 ,, Flour	

By Order of the House-Committee.

Остовев. 1873.

Unguentum Antimonii Tartarati, B.P.

Unguentum Belladonnæ, B.P.

Unguentum Creasoti, B.P.

Unguentum Gallæ cum Opio.

Take of

Galls in powder . . 80 grains.

Opium in powder . . 30 grains.

Prepared Lard . . . 480 grains.

Mix.

Unguentum Hydrargyri, B.P.

Preparations-Unguentum Hydrargyri Compositum.

,, Mitius. et Belladonnæ.

Unguentum Hydrargyri Ammoniati.

Take of

Ammoniated Mercury . 1 part.

Prepared Lard . . 8 parts.

Mix.

Unguentum Hydrargyri et Belladonnæ.

Take of

Mercurial Ointment . 7 parts.

Extract of Bolladonne 1 part

Unguentum Hydrargyri Compositum.

Take of

Ointment of Mercury . 6 ounces.

Soap Cerate Plaster . 6 ounces.

Camphor . . . $1\frac{1}{2}$ ounce.

Melt the Soap Cerate Plaster with a gentle heat, and then add the Ointment of Mercury and Camphor, previously mixed, and stir till cold.

Unguentum Hydrargyri Mitius.

Take of

Mercurial Ointment . . 1 part.

Prepared Lard 2 parts.

Mix.

Unguentum Hydrargyri Nitratis, B.P.

Preparation-Unguentum Hydrargyri Nitratis Mitius.

Unguentum Hydrargyri Nitratis Mitius.

Take of

Ointment of Nitrate of Mercury 1 part.

Prepared Lard 2 parts.

Mix.

Unguentum Hydrargyri Oxidi Rubri, B.P.

Unguentum Hydrargyri Subchloridi, B.P.

Unguentum Iodi, B.P.

Unguentum Picis Liquidæ, B.P.

Unguentum Plumbi Carbonatis.

Take of

Carbonate of Lead . . 1 part.

Prepared Lard. . . 7 parts.

Mix.

Unguentum Plumbi Subacetatis.

Take of

Solution of Subacetate of Lead 1 fluid ounce.

Prepared Lard . . . 1 pound.

Unguentum Plumbi Iodidi.

Take of

Iodide of Lead . . . 1 part.

Prepared Lard . . 8 parts.

Unguentum Potassii Iodidi, B.P.

Unguentum Resinæ.

Take of

Resin,
Yellow Wax,
Olive Oil, of each equal parts
Mix.

Unguentum Sabinæ, B.P.

Unguentum Simplex.

Take of

Yellow Wax . . . 20 ounces.

Olive Oil . . . 1 pint.

Mix well with a gentle heat, strain the mixture while hot through flannel, and stir while it cools.

Unguentum Sulphuris.

Take of

Sublimed Sulphur . . 1 part.

Prepared Lard . . 4 parts.

Mix

Unguentum Sulphuris Compositum.

Take of

Sublimed Sulphur . . 4 ounces.

White Hellebore . . 1 ounce.

Nitrate of Potash . . 4 grains.

Soft Soap . . 4 ounces.

Prepared Lard . . . 1 pound.

Mix.

Unguentum Veratriæ, B.P.

Unguentum Zinci.

Take of

Oxide of Zinc . . . 1 part.

Prepared Lard . . . 15 parts.

Mix.

Vapor Benzoini.

Add one fluid drachm of Compound Tincture of Benzoin to half a pin of hot water, and let the vapour that arises be inhaled.

Vapor Creasoti.

Take of

Creasote,

Mucilage Mixture, of each equal parts.

Mix.

Add one fluid drachm to half a pint of hot water, and let the vapour that arises be inhaled.

Vapor Iodi.

Add forty minims of Tincture of Iodine to half a pint of hot water, and let the vapour that arises be inhaled.

Vinum Ferri.

Take of

Tartarated Iron Marsala Wine. . . . 320 grains.

Mix.

Dose, 1 to 4 fluid drachms.

Vinum Ipecacuanhæ.

. Take of

Ipecacuanha, bruised . . . 480 grains.

Marsala Wine . . . 1 pint.

Mix.

Dose, as an Expectorant, 5 to 40 minim s. as an Emetic, to 6 fluid drachms.

Preparation-Mistura Diaphoretica.

Vinum Marsala.

Preparations-Vinum Ferri.

,, Ipecacuanhæ.

" Opii.

Vinum Opii.

Take of

Extract of Opium . . . 480 grains.

Marsala Wine . . . 1 pint.

Dose, 1 to 4 minims.

Vinum Pepsinæ.

MINERAL KINGDOM.

The Elementary Bodies, the preparations of which are used in the Pharmacopæia.

EQUIVALENTS.

Elementary Bodies.	Symbols.	New Notation.
Aluminium	Al.	= 27.5
Antimonium (Stibium)	Sb.	,, 122
Argentum (Silver)	Ag.	,, 108
Arsenicum	As.	,, 75
Bismuthum	Bi.	" 210
Bromum (Bromine)	Br.	" 80
Calcium	Ca.	,, 40
Carbon	C.	,, 12
Cerium	Ce.	,, 92
Chlorum (Chlorine)	C1.	,, 35.5
Cuprum	Cu.	,, 63.5
Hydrargyrum (Mercury)	Hg.	,, 200
Hydrogen	H.	,, 1
Iodum	I.	,, 127
Ferrum (Iron)	F.	,, 56
Plumbum (Lead)	Pb.	,, 207
Lithium	L.	,, 7
Magnesium	Mg.	,, 24
Manganesium	Mn.	,, 55
Nitrogen	N.	,, 14
Oxygen ··	0.	,, 16
Potassium (Kalium) · · ·	K.	,, 39
Sodium (Natrium)	Na.	,, 23
Sulphur	S.	,, 32
Zineum · · · · · · · ·	Zn.	,, 65

Medicinal part of Plant.	Botanical Name.	Natural Order.
Acaciæ Gummi	Acacia Vera and A. Arabica	Leguminosæ.
Aconiti Radix	Aconitum Napellus	Ranunculaceæ.
Aloe Socotrina	Undetermined Specie of Aloe	Liliaceæ.
Ammoniacum	Dorema Ammoniacum	Umbelliferæ.
Amygdala Dulcis	Amygdalus Communis	Rosaceæ.
Anisi Semina	Pimpinella Anisum	Umbelliferæ.
Aurantii Cortex	Citrus Bigaradia	Aurantiaceæ.
Armicæ Radix	Arnica Montana	Compositæ.
Assafætida	Narthex Assafætida	Umbelliferæ.
Benzoinum	Styrax Benzoin	Styraceæ.
Belladonnæ Fol. et Rad	Atropa Belladonna	Solanaceæ.
Buchu Folia	Barosma Crenulata, B. Betulina, and B. Scrutifolia	Rutaceæ.
Cajuputi Folia	Melaleuca Minor	Myrtaceæ.
Calumbæ Radix,	Coeculus Palmatus	Menispermaceæ.
Cambogia	Garcinia Morella	Guttiferæ.
Camphora	Camphora Officinarum	Lauraceæ.
Cannabis Indica	Cannabis Sativa	Cannabinaceæ.
Capsici Fructus	Capsicum Fastigiatum	Solanaceæ.

VEGETABLE KINGDOM (CONTINUED.)

Natural Order.	Zingiberaceæ.	Umbelliteræ.	Myrtaeeæ.	Laminiosa.	Cinchonaceæ.	Гантасеж	Molonthacom	A T.T.	Cucurbitacea.	Umbelliteræ.	Leguminosæ.	Umbelliferæ.	Euphorbiaceas.	Piperaceæ.	Scrophulariacea.	Cueurbitaceæ.	Grammen
Botanical Name.	Malabar Cardamomum and Elettaria Cardamomum.	Carum Carui	Caryophyllus Aromaticus	Croton Eluteria	Cassia Fistula	Uncaria Gambir	Cinnamomum Zeylanicum	Colchicum Antumnale	Citrillus Colocynthis	Conium Maculatum	Copaifera Multijuga	Coriandrum Sativum	Croton Tiglium	Cubeba Officinalis	Digitalis Purpurea	Ecbalium Officinarum	Secale Cereale
Medicinal part of Plant.	Cardamomum.	Carui Fructus	Caryophyllum	Cascarillæ Cortex	Cassiæ Pulpa	Catechu Pallidum Cortex	Cinnamomi Cortex	Colchiei Cormus et Sem	Colocynthidis Pulpa	Conii Folia	Copaiba	Coriandri Fructus	Crotonis Oleum	Cubeba	Digitalis Folia	Echalii Fructus	Ergota

· · Finces.	Umbelliferæ.	ens	· · Gentianaceæ,		· · Zygophyllaceæ.	Myrtaceæ.	m Leguminosæ.	:	· · Cinchonaceæ.	· · · Convolvulaceæ.	· · Coniferæ	· · · Polygalaceæ.	Lobeliaceæ.	Cannabinaceæ.	Labiatæ.	:	Amyridaceæ.	Loganiaceæ.	Oleaceæ.	T
Aspidum rum mas	"Unascertained"	Excrescences on the Quercus Infectoria.	Gentiana Lutea	Various Species of Gossypium	Guaiacum Officinale	Eucalyptus Rostrata	Hamatoxylum Campechianum.	Hyoseyamus Niger	Cephælis Ipecacuanha	Exogonium Purga	Juniperus Communis	Krameria Triandra	Lobelia Inflata	Humulus Lupulus	Mentha Piperita	Mentha Viridis	Balenmodendron Myrrha.	Strychnos Nux Vomica .	Olea Europæa	Donorrow Commission
FILLY MUS	Galbanum	Galla	Gentianæ Radix	Gossypium	Guaiaci Resina	Gummi Rubri	Hæmatoxyli Lignum	Hyoscyami Folia	Ipecacuanhæ Radix	Jalapa	Juniperi Baceus	Krameriæ Radix	Lobelia	Lupulus	Mentha Piperita	Mentha Viridis	Myrrha	Nux Vomica	Olivæ Oleum	Onium

VEGETABLE KINGDOM (CONTINUED.)

and the same of th		
Medicinal part of Plant.	Botanical Name.	Natural Order.
Pareiræ Radix	Cissampelos Pareira	Menispermaceæ.
Pimenta	Eugenia Pimenta	Myrtaceæ.
Piper Nigrum	Piper Nigrum	Piperaceæ.
Pix Liquida	Pinus Sylvestris	Coniferæ.
Podophylli Radix	Podophyllum Peltatum	Ranunculaceæ.
Onassiæ Lignum	Picræna Excelsa	Simarubaceæ.
Quercus Cortex	Quercus Pedunculata	Cupuliferæ.
Rapæ Oleum	Brassica Napus	Cruciferæ.
Resina	Various Species of Pines	Coniferæ.
Ricini Oleum	Ricinus Communis	Euphorbiaceæ.
Rhei Radix	Rheum (undetermined)	Polygonaceæ.
Sabinæ Cacumina	Juniperus Sabina	Coniferæ.
Santonica	Artemisia (?)	Compositæ.
Seilla	Urginea Scilla	Liliaceæ.
Scoparii Cacumina	Sarothamnus Scoparius	Leguminosæ.
Senegæ Radix	Polygala Senega	Polygalaceæ.
Senna Indica	Cassia Elongata	Leguminosæ.

Cruciferæ.	Umbelliferæ.	Solanaceæ.	Compositæ.	Coniferæ.	Coniteræ.	Leguminosæ.	Vitaceæ.	Ericaceæ.	Valerianaceæ.	Melanthaceæ.	Zingiberaceæ.
Sinapis Niger and S. Alba	Jalamanski (?)	Nicotiana Tabaci	Taraxacum Dens Leonis	Abies Balsamea	Pinus Palustris and P. Tæda	Astragalus Verus	Vitis Vinifera	Arctostaphyllos Uvæ Ursi	Valeriana Officinalis	Veratrum Album	Zingiber Officinale
Simonio	Sumbul Badix	Tahaci Folia	Taraxaci Radix	Terebinthinæ Canadensis	Terebinthinæ Oleum	Tragacantha	Uvæ	Uvæ Ursi Folia	Valerianæ Radix	Veratri Albi Radix	Zingiber

ANIMAL KINGDOM.

Class.	Mammalia.	Insecta:		Mammalia.	Annulosa.	Pisces.	. Aves.
	:	:	:		•	•	•
Order.	Pachydermata	Coleoptera	Hemiptera	Ruminantia			
Zoological Name.	Sus Scrofa	Cantharis Vesicatoria.	Coccus Cacti	Bos Taurus	Sanguisuga Medicinalis Officinalis	Gadus Morrhua	Gallus Banckiva
Animal Substances.	Adeps	Cantharis	Coccus	Lax	Hirudo	Morrhuæ Oleum	0vi

WEIGHTS AND MEASURES.

WEIGHTS.

1 Grain gr.
 1 Ounce oz. = 437.5 grains.
 1 Pound lb. = 16 ounces = 7000 grains.

MEASURES OF CAPACITY.

 1 Minim

 1 Fluid Drachm
 fl. drm.
 = 60 minims.

 1 Fluid Ounce
 fl. oz.
 = 8 fluid drachms.

 1 Pint
 O.
 = 20 fluid ounces.

 1 Gallon
 C.
 = 8 pints.

MEASURES OF LENGTH.

1 Line = $\frac{1}{12}$ inch.

1 Inch = $\frac{1}{39.1393}$ seconds pendulum.

1 Foot ... = 12 inches.

1 Yard = 3 feet = 36 ,,

RELATION OF MEASURES TO WEIGHTS.

1 Minim is the measure of 0.91 grains of water.
1 Fluid Drachm , 54.68 ,,
1 Fluid Ounce ,, 1 ounce, or 437.5 ,,
1 Pint ,, 1.25 pounds, or 8150.0 ,,
1 Gallon ,, 10 pounds, or 70,000.0 ,,

MINTERNAL ONL SIL

STREET,

and the same of the same of

. Months at

MANAGER OF CHIMCES.

mainte de marie

es 20 finit occess.

string 8. =

divisitie to reministric.

And the second second

EINDING OF PRESENCES TO MULTAURIE

10.0

2,703 - 40,000.1

0,0010 to ,500 mg/5/1

O. Acceptation of the second s

2 ozs. Sugar


Milk (in each case) sufficient to make up 1 quart of the mixture.


tter. 4 Eggs

2 ozs. Sugar

6 ,, Flour

By Order of the House-Committee.





INDEX.

A.

			PA	GE
caciæ	Gummi			5
cetum	Cantharidis			38
,,	Scillæ			_
cidum	Aceticum			5
,,	" Dilutum			38
,,	,, Glaciale	,		5
,,	Arseniosum			_
,,	Benzoicum			_
,,	Carbolicum			6
22	Citricum			_
,,	Gallicum		114	_
"	Hydrochloricum			_
22	" Dilutum			38
"	Hydrocyanicum Dilutum	2000		6
,,	Nitricum	*	-	6
"	" Dilutum			38
,,	Nitro-Hydrochloricum Dilutum	•		39
"	Phosphoricum Dilutum			7
"	Sulphuricum			Jul.
"	,, Aromaticum	•		20
	D:1t		•	39
"	Tannicum			
"	Tartarieum	•	•	1
coniti	Tartaricum	•		-
dens P	Radix		•	
Et' or	Præparatus			1000
and and				-

	FAGE
Aloe Socotrina	8
Alumen	-
,, Exsiccatum	-
Ammoniacum	
Ammoniæ Carbonas	-
Ammonii Chloridum	. 9
Amylum	-
Antimonium Sulphuratum	
" Tartaratum	
Aqua Camphoræ	. 39
" Carui	-
" Cassiæ	. 40
" Menthæ Piperitæ	-
" ,, Viridis	
" Pimentæ	-
Argenti Nitras	. 9
" Oxidum	10
Arnicæ Radix	
Assafœtida	
Atropiæ Sulphas	
Aurantii Cortex	-
В.	
Balneum Acidi Nitro-Hydrochlorici	41
, Alkalinum	
" Calidum	-
" Frigidum · · · ·	
" Sodii Chloridi	
" Sulphuratum	42
" Tepidum	
Balsamum Peruvianum	10

	PA	AGE
Belladonnæ Folia		10
, Radix		-
Bismuthi Subnitras		_
Borax		11
Buchu Folia		-
C.		
Calcis Hydras		11
Calumbæ Radix		-
Calx		-
" Chlorata		-
Cambogia		1
Camphora		12
Cannabis Indica		1
Cantharis		1
Capsici Fructus		-
Carbo Ligni		-
Cardamomum		-
Carui Fructus		13
Cascarillæ Cortex		-
Cataplasma Lini		42
" Panis		_
" Sinapis		-
" Sodæ Chloratæ		_
Catechu Pallidum		13
Cera Alba		-
" Flava		-
Cerii Oxalas		_
Chloro formum		-
Cinchonæ Pallidæ Cortex		14
Cinchoniæ Sulphas		

PAGE
Cinnamomi Cortex
Colchici Cormus
,, Semina
Colocynthidis Pulpa
Collodium 42
" Flexile —
Collyrium Aluminis 43
" Argenti Nitratis
,, ,, ,, Fortius
" Zinci Chloridi
,, ,, Sulphatis
Confectio Sennæ 44
" Piperis —
Conii Folia
Copaiba 15
Coriandri Fructus
Creasotum
Creta Præparata
Cubeba
Cupri Sulphas
" Subacetas
D.
Decoctum Aloës Compositum
Cinchena Dallida
Hamatawali -
Donomoria
Danaines —
OutanoAa —
Sawan Compositum
G
Digitalis Folia

E.

PAGE
Elaterium 16
Electuarium Boracis 45
" Guaiaci Compositum —
" Sulphuris —
Emplastrum Ammoniaci cum Hydrargyro
,, Belladonnæ 46
" Calefaciens
,, Cantharidis —
,, Cerati Saponis
Emplastrum Ferri
" Opii —
" Plumbi
,, Saponis
Enema Aloës
" Assafætidæ
" Magnesiæ Sulphatis
" Olei Ricini
" Oleosum
" Opii
" Saponis
" Sodii Chloridi
,, Tabaci
,, Terebinthinæ
Ergota
Essentia Carui
,, Cassiæ
" Menthæ Piperitæ
,, ,, Viridis
,, Pimentæ
Extractum Aloës Socotrinæ
" Belladonnæ

1
Extractum Cannabis Indicæ
, Colchici Aceticum
" Colocynthidis Compositum
,, Conii
" Ergotæ Liquidum
, Filicis Liquidum
,, Gentianæ
" Hyoscyami
" Nucis Vomicæ
,, Opii
The state of the s
F.
Farina Tritici
Ferri Carbonas Saccharata
", et Ammoniæ Citras
,, et Cinchoniæ Citras
", et Strychniæ Citras
" Iodidum
" Peroxidum Hydratum
" Sulphas
,, Exsiceata
Ferrum
"Redactum
" Tartaratum
Filix Mas
The state of the s
G.
The second secon
Galbanum
Galla
Gargarisma Acidi Tannici
" Boracis

I	AGE
Lotio Argenti Nitratis	61
,, ,, ,, Ætherea	_
" Calcis Chloratæ	_
,, ,, cum Spiritu	62
" Frigida	_
" Hydrargyri Flava	_
" " Nigra	-
" Perchloridi	-
" Iodi	-
" Opii	_
" Potassæ Permanganatis	63
" Sodæ Chloratæ	-
" Zinei Oxidi	-
,, ,, Sulphatis	-
Lupulus	22
T.F.	
M.	
Magnesiæ Carbonas	22
" Sulphas	
Manganesii Sulphas	-
Mistura Acaciæ	63
,, Acida	63 64
" Acida	63 64 —
" Acida	63 64 —
,, Acida	63 64 — 65
,, Acida	63 64 — 65 —
,, Acida	63 64 — 65
,, Acida ,, Acidi Benzoici ,, Hydrocyanici ,, Nitrici ,, Nitro-Hydrochlorici ,, Aconiti ,, Ammoniaci	63 64 — 65 —
" Acida	63 64 — 65 —

		PAGE
Mistura	Ammoniæ Effervescens	66
,,	Aromatica	-
,,	Assafœtidæ	-
,,	Bismuthi Composita	67
,,	,, et Ammoniæ Citratis	-
"	" et Magnesiæ	-
"	" et Gentianæ	-
,,	Camphoræ cum Æthere	68
,,	Cascarillæ Composita	-
,,	Cathartica	-
"	Chlori	
"	Cinchoniæ	69
"	Colchici Alkalina	
,,	Copaibæ	-
"	" Composita	-
,,	Creasoti	70
,,	Cretæ	
,,	Diaphoretica	-
,,	Diuretica	
"	Effervescens	71
,,	Ergotæ Composita	_
,,	Ferri et Ammoniæ Citratis	-
,,	,, Cathartica	
,,	" Composita	72
"	" et Potassii Iodidi	-
"	" Perchloridi	-
"	Guaiaci	_
"	Hydrargyri Perchloridi	73
,,	Ipecacuanhæ	_
"	Lobeliæ	-
. ,,	Magnesiæ	-
,,	" Cathartica	74

	PAGE
Oleum Carui	23
" Caryophylli	-
" Cassiæ	-
" Crotonis	-
" Cubebæ	. 24
" Juniperi	-
" Menthæ Piperitæ	-
,, ,, Viridis	-
" Morrhuæ	-
" Olivæ	-
" Origani	25
" Pimentæ	-
" Rapi	-
" Ricini	-
" Sabinæ	-
" Terebinthinæ	-
" Theobromæ	-
Opium	***
Ovi Vitellus	26
The second secon	
P.	
The state of the s	
Papaveris Capsulæ	26
Pareiræ Radix	-
Pepsina	~
Pessaria Acidi Tannici	79
" Aluminis et Zinci	-
" Morphiæ	-
" Plumbi Iodidi et Atropiæ	80
" Zinci et Atropiæ	-
Pigmentum Iodi	-

		PAGE
Pilulæ	Aloës Socotrina	. 80
"	,, et Ferri	81
"	", et Myrrhæ	
,,	Alterativæ	_
	Argenti Nitratis	. –
,,	" Oxidi	82
29	Assafœtidæ Compositæ	
,,	" et Ferri	-
"	Camphoræ Compositæ	
"	Cathartice	83
,,	", cum Hydrargyri Subchlorido	
,,	Colchici et Ipecacuanhæ Compositæ	_
,,	Colocynthidis	. 84
,,	", cum Hydrargyri Subchlorido	-
"	", et Hydrargyri	
	" et Hyoscyami	-
"	Conii	. 85
12	" Compositæ	_
,,	Crotonis	. –
,,	Cupri Sulphatis cum Opio	-
,,	Ferri Compositæ	. 86
"	Hydrargyri	-
,,	" et Hyoscyami	. –
97	" et Ipecacuanhæ Compositæ	87
"	" et Rhei	
• • • • • • • • • • • • • • • • • • • •	" et Scillæ	-
,,	" Subchloridi	. –
,,	", Compositæ · · · ·	88
"	Hyoseyami	
,,	", et Scillæ ··	-
"	Ipecacuanhæ Compositæ	
"	" et Scillæ ··	89

	PAGE
Pilulæ Morphiæ	. 89
" Narcoticæ et Ipecacuanhæ	-
" Nucis Vomicæ	
", ", " Catharticæ	90
" Plumbi cum Opio	
" Podophylli	-
" Quiniæ	_
" Rhei Compositæ	91
" Saponis Compositæ	-
" Scillæ Compositæ	-
" Terebinthinæ et Zinci	-
" Zinci Valerianatis Compositæ	_
Pimenta	26
Piper Nigrum	27
Pix Liquida	-
Plumbi Acetas	_
" Iodidum	_
" Oxidum	-
Podophylli Resina	_
Potassa Caustica	-
" Sulphurata	
Potassæ Acetas	28
"Bicarbonas	_
,, Carbonas	_
,, Chloras	-
,, Nitras	-
,, Permanganas	-
" Sulphas	29
,, Tartras	_
,, ,, Acida	_
Potassii Bromidum	
" Cyanidum	

P	AGE
Potassii Iodidum	29
Pulvis Alterativus	92
,, Aromaticus	_
" Bismuthi et Ferri	_
" Cretæ Aromaticus	93
" " " cum Opio	_
" Emeticus	-
" Infantilis	-
" Ipecacuanhæ Compositus	94
" Jalapæ Compositus	-
", ,, cum Hydrargyri Subchlorido	-
" Rhei Compositus	-
", ", cum Hydrargyri Subchlorido	95
", ", et Calumbæ	-
", ", Salinus	-
", Scammonii cum Hydrargyri Subchlorido	-
" Compositus	96
" Tragacanthæ Compositus	
Pyroxylin	-
The state of the s	
The state of the s	
Q.	
	-
Quassiæ Lignum	29
Quercûs Cortex	30
Quiniæ Sulphas	-
D	
R.	-
Poging	30
Resina	_
Teller readix	

s.

	PAGE
Sabinæ Caeumina	31
Saccharum	
,, Purificatum	 -
Santoninum	
Sapo Durus	 -
" Mollis	
Scammonium	 1112
Scilla	 . 32
Scoparii Cacumina	
Senegæ Radix	. —
Sennæ Folia	 -4-
Sevum Præparatum	
Sinapis Farina	 -
Soda Tartarata	
Sodæ Bicarbonas	 -
" Carbonas	 . 33
" ,, Exsiccata	 -
"Hyposulphis	
" Phosphas	-
Sodii Chloridum	
Spiritus Ætheris	 96
" " Nitrosi	
" Ammoniæ Aromaticus	 -
" Camphoræ	
" Chloroformi	 97
" Juniperi	
,, Rectificatus	 -
" Tenuior	
,,, Vini Gallici	 _
Strychnia	. 33
Succus Limonis	 97

	TAG
Succus Taraxaci	9
Sulphur Præcipitatum	. 33
" Sublimatum	
Sumbul Radix	. 34
T.	
Tabaci Folia	34
Taraxaci Radix	-
Terebinthina Canadensis	
,, Chia	
Theriaca	
Tinetura Aconiti	. 98
" Arnicæ	
,, Assafœtidæ	-
" Belladonnæ	
" Benzoini Composita	-
" Calumbæ	
" Camphoræ Composita	
" Cannabis Indicæ	
" Cantharidis	-
" Capsici	
" Cardamomi Composita	
" Cascarillæ	
" Catechu	-
,,	
" Cinnamomi	
	100
"	
"	
" Hyoscyami	

	P	AGE
Tinetura	Iodi	100
- ,,	Krameriæ	101
.,,,	Lobeliæ Ætherea	-
- ,,	Lupuli	-
. ,,	Myrrhæ	_
,,,	Nucis Vomicæ	-
"	Opii	-
,,,	Rhei	-
,,,	Scillæ	102
. "	Senegæ	-
. ,,,	Sennæ	-
,,	Sumbul	-
"	Valerianæ Ammoniata	-
"	Zingiberis	_
Tragacar	ntha	34
Trochisci	i Acidi Tannici	103
, ,	Guaiaci	-
,,	Gummi Rubri	-
. ,,	Potassæ Chloratis	-
	U.	
Unguent	um Æruginis	103
	1 11 11 11 11 11	104
	Belladonnæ	-
	Creasoti.	
,,	Gallæ cum Opio	-
;;	Hydrargyri	
	, Ammoniati	
",,	et Belladonnæ	-
	,, Compositum	105
	,, Mitius	-
40.00		

941	PAGE
	. 105
", Mitius .,	-
" Oxidi Rubri	
i, Hydrargyri Subchloridi	-
" Iodi	
" Picis Liquidæ	-
Dh. 1: 0 1	. 106
,, Iodidi	
,, Subacetatis	_
" Potassii Iodidi	_
Resinæ	
,, Sabinæ	_
6. 61 1.	. 107
,, Sulphuris	_
,, Compositum	-
,, Veratriæ	1
" Zinci	
Uvæ	34
,, Ursi Folia	. 35
	. 00
V.	
Mee es celles es es es militar	100
Valerianæ Radix	
Vapor Benzoini	
. Creasoti	
, Iodi	
Veratri Albi Radix	
Veratria	
Vinum Ferri	
,, Ipecacuanhæ	
,, Marsala	
,,	200

Vondon to.



