

Thumbprints and Fingerprint Illustrations

Publication/Creation

1890s

Persistent URL

<https://wellcomecollection.org/works/dkdhmx5c>

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution, Non-commercial license.

Non-commercial use includes private study, academic research, teaching, and other activities that are not primarily intended for, or directed towards, commercial advantage or private monetary compensation. See the Legal Code for further information.


Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

Photographed
Thumbnails Prints
one complete set

Photos slightly reduced
of the 1000 sets



Scholar


1. 1000

met
 in 2 stages
 other with slope, compartments
 also T.C. = 2 traler


pull for
 (different
 lab)

- | | | |
|----|----|------------------------------|
| 38 | 5 | Reduce Diff's to a unit |
| 39 | 6 | all the diff schemes |
| 41 | 7 | Tabular values of 1 |
| | 8 | " of probe |
| | 9 | " of ord'ne |
| 63 | 10 | weight of seeds |
| | 11 | again |
| 67 | 12 | marking solution |
| 68 | | eye color then throat |
| 69 | | Mud parents in latter on the |
| 70 | 13 | Tall medium short parents |
| 75 | 14 | Mud has a folk |
| 76 | 15 | N. RFF brother |
| | 16 | 5 specials |
| | 17 | Preserved popi |
| 77 | 18 | |
| 83 | 19 | freedom in of the sea |

1. left.




f.2v



1. right.

	a	b	c	d	e	f
1						
2						
3						
4						
5						
6						

f.3v



2. left

a

b

c

d

e

f

1



2



3



4



5



6



f.4v



2. right

a

b

c

d

e

f

1



2



3



4



5



6



f.5v



3 night

a

4

2

d

உ

£



1



2



3



4



5



6

f6v



3 left

a

b

c

d

e

f

1



2



3



4



5



6



f.7v



4 left

a

b

c

d

e

f

1



2



3



4



5




6



f.8v





f. 9v



5 left

a

b

c

d

e

f

1



2



3



4



5




6



f.10v





f.11v



6, left

a

b

c

d

e

f


1



2



3



4



5



6



f.12v



6741

a

b

c

d

e

f


1



2



3



4



5




6



f.13v





f. 14v



right

a

b

c

d

e

f

1



2



3



4



5



6



f. 15v



f. 16v



B right

a

b

c

d

e

f

1



2



3



4



5




6



f.17v



9. left



f.18v



9. right

a

b

c

d

e

f

1



2



3



4




5




6




f. 19v





f.20v





f. 21v



11.6ft

a

b

c

d

e

f

1



2



3



4



5



6



f.22v



Right

a

b

c

d

e

f

1



2



3



4



5



6



f.23v



42. Left



4



2



3



4



5




6




f.24v






f.25v





f26v





AL2.7



Left

a

b

c

d

e

f

1



2



3



4



5



6




f.28v



f29v






f.30v



For Press
after correction




COUNTING THE RIDGES Plate 4



These prints are enlarged to about twice their natural size, for the score may consist of the ridges.

Various


Plate 9



Permanence of a Scar in an Adult after an Interval of nearly 4 years

Various

Plate 8



Loop, 9

Whorl, 9

Prep


214



larger type


5, 6, and 7

PLATE 5




0, 1, 2, and 3

PLATE 6



McGoworthy specimens

PLATE 7



Tr. 74, 5-6-11


567

P. 24




COUNTING THE RIDGES

Plate 4



These prints are enlarged to about twice their natural size, for the more easy counting of the ridges.

del



del

del

Remains of a scar in an adult after an interval of nearly 40 years

Plate 6

del

del




Plate 8

del

del

del

del

del

del




for 74, 6 leaf

498

43v

For Mass
after eruptions

laser type



Pass

2.66