

Iris triflora : iris à trois fleurs / par P.J. Redouté.

Contributors

Redouté, Pierre Joseph, 1759-1840.
C.L. Bencard Ltd.

Publication/Creation

Park Royal, London : C.L. Bencard, [1958?]

Persistent URL

<https://wellcomecollection.org/works/py2tyeqh>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).

**wellcome
collection**

Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



Iris Triflora.

Iris a trois fleurs.

Inability to take aspirin . . .

Of a group of 178 rheumatoid arthritis patients recently treated, no less than 25% could not take plain aspirin in sufficient quantity to relieve pain without gastric symptoms.*

Nearly all, however, could tolerate a dispersible form of aspirin, and approximately half of these favoured Paynocil.

. . . indicates PAYNOCIL

**Brit. med. J.*, i: 444, 1957.

In Paynocil, aspirin is modified with glycine. This disperses the tablet instantly and pleasantly on the tongue, and protects the gastric mucosa from irritation. Paynocil is the most convenient aspirin. It needs no water, no chewing, no swallowing whole and no disguising.

Each Paynocil tablet contains 10 grains of aspirin and 5 grains of glycine.

Packing: Cartons of 18 sealed in metal foil

Junior PAYNOCIL

is readily accepted by children

Each Junior Paynocil tablet contains 2½ grains of aspirin and 1¼ grains of glycine.

Packing: Cartons of 20 sealed in metal foil

Iris Triflora

The plate overleaf is reproduced from an engraving by Redouté, the 18th Century master of botanical illustration.

By kind permission of the Natural History Museum



C. L. BENCARD LTD.

PARK ROYAL, LONDON, N.W. 10