Contributors

Oleson, Charles W. -1906. Harvey Cushing/John Hay Whitney Medical Library

Publication/Creation

Chicago: Oleson & Co., 1890.

Persistent URL

https://wellcomecollection.org/works/q5jca3kr

License and attribution


This material has been provided by This material has been provided by the Harvey Cushing/John Hay Whitney Medical Library at Yale University, through the Medical Heritage Library. The original may be consulted at the Harvey Cushing/John Hay Whitney Medical Library at Yale University. where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org







YALE UNIVERSITY LIBRARY

1939

TRANSFERRED TO YALE MEDICAL LIBRARY





-AND----

SYSTEMS OF MEDICINE:

A BOOK OF FORMULAS

COMPILED BY CHARLES W. OLESON, M. D.

> CHICAGO: OLESON & CO. 1890.

Copyright 1889, By CHAS. W. OLESON.

RS125 8900

KNIGHT & LEONARD CO., PRINTERS, CHICAGO.

e

PREFACE.

THE object sought in the compilation of "Secret Nostrums and Systems" has been the collection of such formulæ of secret remedies and methods as have been recently published in medical and pharmaceutical journals, and their preservation in a form convenient for reference.

The only changes made have been the adoption of the abbreviations oz., dr., etc., in place of the usual signs. In re-publishing these analyses, we do not guarantee their exactness; we can only give our authority.

Several formulas of preparations that are not strictly proprietary have been included, because it has seemed proper to enlighten our readers in regard to them.

While expressing our obligations to all sources from which we quote, we are especially indebted to the following journals:

The *New Idea*, the organ of the firm of Frederick Stearns & Co., of Detroit. This house, in addition to the good work done in the exposure of the character of secret compounds, has introduced a line of nonsecret remedies for popular use. These preparations are as excellent as they are attractive.

PREFACE.

The *Medical World*, of Philadelphia, one of the brightest and most practical of our medical journals, as the character of our extracts from its pages shows.

The Western Druggist, of Chicago. This is a live monthly, an implacable foe to humbugs of all kinds, and quite as useful to the physician as to the pharmacist.

Much of our material in regard to the schemes and practices of rectal specialists, has been taken from Professor Andrews's *Rectal and Anal Surgery*, published by W. T. Keener, Chicago. In addition to the information given by it respecting the methods of irregulars, the best that is known in regard to the proper and successful treatment of these diseases is also fully presented.

December 5, 1889.

AND

SYSTEMS

ALBADERMINE.

Under the title Albadermine, a foreign surgeon has devised a method of treatment for the removal of "tan" and the milder variety of "freckles," which is as follows:

SOLUTION A.

Take of-

Potass. iodid2 dr.	
Iodini pur 6 gr.	
Glycerine dr.	
Infus. rosæ 4 oz.	

Dissolve the iodide of potassium in a small quantity of the infusion and a dram of the glycerine; with this fluid moisten the iodine in a glass mortar and rub it down, gradually adding more liquid until complete solution has been obtained; then stir in the remainder of the ingredients, and bottle the mixture.

SOLUTION B.

Take of-

Sodii hyposulph. (Thiosulphate)...1½ oz. Aqua rosæ..... pint. Dissolve and filter.

With a small camel's hair pencil or piece of fine sponge apply a little of "Albadermine A" to the tanned or freckled surface, until a slight but tolerably uniform brownish-yellow skin has been produced. At the expiration of fifteen or twenty minutes moisten a piece of cambric, lint, or soft rag with "B," and lay it upon the affected part, removing, squeezing away the liquid, soaking it afresh, and again applying until the iodide stain has disappeared. Repeat the entire process thrice daily, but diminish the frequency of the application if tenderness be produced. In the course of from three or four days to as many weeks the freckles will either have disappeared entirely or their intensity will be greatly diminished. "Summer freckles" yield very speedily to this treatment.

ALLEN'S LUNG BALSAM.

Kilner gives the following formula, said to resemble very closely:

Take of-

Tinct. sanguinaria8 oz.
Tinct. lobelia 8 oz.
Tinct. opium
Tinct. capsicum I_{2} oz.
Essence sassafras I oz.
Essence anise I oz.
New Orleans molasses $\dots 1/2$ gal.

Bring the syrup to a boil, and add cautiously the other ingredients.

ALLEN'S WORLD'S HAIR RESTORER.

This hair restorer may be prepared according to the following formula:

Take of-

Sulphur												•			6	parts.
Acetate of lead		•				•		•	•	•	•	•			8	parts.
Glycerine	•	•				•					•	•	•	•	100	parts.
Water, flavored			•	•	•	•	•		•	•	•	•	•	•	200	parts.

Dissolve the acetate of lead in the water, then add the glycerine and sulphur. Any aromatic water may be used for making the restorer.—*American Pharmacist*.

ANTI-CONSTIPATION PAD.

Take of-

Mandrake root 3	oz.
Aloes, powdered \dots $\frac{1}{2}$	
Ext. colocynth. comp., powdered 1/2	oz.
Croton oil I	dr.
Oil of sassafras 1	dr.
Black-root ¹ / ₂	oz.
Ladies' slipper ¹ /2	oz.

Mix. Wear pad directly below pit of stomach.

ARABIAN BALSAM.

A good formula for Arabian Balsam is as follows: Take of—

Oleu	m gossypium 15 oz.
	m origani 1 oz.
Oleu	m terebinth 4 dr.
Mix.	-S. W. Rogers, Harwich, Mass.

ASEPTIN.

This preservative material for milk, meat, etc., is said to be made as follows:

Take of-

Borax	•		 			• •		2	parts.
Alum		••	 	• • • •	• • •	• •	• •	I	part.

Powder and mix thoroughly together.—National Druggist.

ATHLOPHOROS.

Athlophoros is put up in a green panel bottle containing scant four ounces of a thick, clear, deep yellow liquid of sweetish acrid taste and acid reaction. It is put up in corrugated strawboard pipe, and wrapped in lithographic wrapper, which gives the information that it is "Searle's Great Rheumatic and Neuralgia Cure."

We find that the following formula makes a preparation scarcely to be distinguished from the proprietary preparation:

Take of-

Acetate of Potash		
Salicylate of Soda	490	gr.
Sugar		
Caramel		
Water	14	fl. dr.

To make four ounces. Dissolve the salts and sugar in the water, add caramel, and, if need be, a little water to make the product measure four fluid ounces. We obtain 50 grains of salicylic acid, in a pure form for weighing, from 1 fluid ounce of the mixture, equal to 122.5 grains of salicylate of soda.

The bottle contains a short four fluid ounces of the liquid and is deeply paneled. The label states that the dose is one teaspoonful every three hours, taken in milk or water. In acute cases the dose is two teaspoonfuls. They also urge the patient not to feel alarmed if the medicine causes ringing in the ears.

We should not feel surprised if 30 grains of salicylate of soda did make the ears ring.—New Idea.

AYER'S AGUE CURE.

This is said to be a syrupy tincture of cinchona with aromatics. Each bottle holds 6 fluid ounces, and each fluid ounce was found to contain 3.2 grains of amorphous cinchona alkaloids, 3 grains cinchonine, 0.9 cinchonidine, 0.8 quinine, and 1 grain quinidine.

AYER'S CHERRY PECTORAL.

Take of-

Acetate of morphia3	gr.
Tincture of bloodroot2	
Wine antimony3	
Wine ipecac	dr.
Syrup wild cherry3	

Mix.

-Pacific Med. and Surg. Journal.

AYER'S HAIR VIGOR.

Take of-

Acetate of lead 3	parts.
Flowers of sulphur 2	
Glycerine	
Water80	parts.
- Iournal d' Hygid	the second s

AYER'S SARSAPARILLA.

Take of-

Fluid extrac	t Sarsaparilla 3	OZ.
"	Stillingia 3	OZ.
"	Yellow dock 2	OZ.
"	May apple 2	
Sugar	I	OZ.
Iodide potas	sium90	gr.

-Chicago Druggist.

AYER'S (MRS. HARRIET HUBBARD) RECAMIER BALM.

Recamier Balm comes in a cheap glass flask, tied with a bit of ribbon and filled with water; contains a white powder—the oxide of zinc—and corrosive sublimate. This preparation is sold for \$1.50. It costs, at most, to make it, ten cents.—Boston Journal of Health.

Since the analysis of the Boston Journal of Health came to the writer's notice, R. G. Eccles has examined Recamier Balm, which he states in the Drug-

gists' Circular, to contain substantially 2¹/₂ grains corrosive sublimate and 60 grains zinc oxide.

AYER'S (MRS. HARRIET HUBBARD) RECAMIER CREAM.

The Western Druggist gives the formula for Recamier Cream:

Take of-

Oxide of zinc2	OZ.
Glycerine	dr.
WaterI	dr.
Spirits of rose (4 drs. to pint)1	dr.

Triturate together until a perfectly homogeneous mass results.

AYER'S (MRS. HARRIET HUBBARD) RECAMIER MOTH AND FRECKLE LOTION.

Recamier Moth and Freckle Lotion contains corrosive sublimate in almond paste or emulsion with water. It is sold for \$1.50. It costs, at most, ten cents.—Boston Journal of Health.

AYER'S (MRS. HARRIET HUBBARD) RECAMIER POWDER.

Recamier Powder contains arrowroot and oxide of zinc. It is put up in a pasteboard box, and is sold for \$1.00. Its actual cost is about *five cents.*—Boston Journal of Health.

AYER'S (MRS. HARRIET HUBBARD) RECAMIER SOAP.

Recamier Soap is an ordinary toilet soap, such as is usually sold for *ten cents*. Harriet Hubbard Ayer sells it for *twenty-five cents*. For the same, scented, *fifty cents* is asked.

These, then, are the famous (?) "Recamier preparations," the secret of which was obtained, according to the circular which accompanies them, "by Mrs. Ayer from a French countess, a relative of Madame Recamier!" And what are they? Cheap, ordinary preparations, known from time immemorial, and condemned by physicians on account of the corrosive sublimate—a deadly poison—which most of them contain. —Boston Journal of Health.

AYER'S (MRS. HARRIET HUBBARD) VITA NUOVA.—(New Life.)

"A life-giving and health renewing cordial and tonic. Unsurpassed in excellence as a restorative, effecting marvelous cures in all cases of mental exhaustion, general debility, nervous prostration, insomnia, dyspepsia, hysteria in its many forms, neuralgia and congestive headaches, etc., etc." "A positive cure for the opium and alcohol habits. Dose: half of a claret glassful, or about three tablespoonfuls three times a day, with meals. In addition to this it can be taken as necessity requires after any unusual labor, mental or physical." Price, \$1.00 a bottle. In addition to this, the circular which accompanies it makes the specific statement that, though tasting like a wine 30 years old, it is positively free from alcohol or narcotics, and that it is free from "reactionary effects." "It creates no craving and can be left off at any moment without the slightest desire for it."

In the July, 1888, NEW IDEA, we published the analysis of this nostrum which was made by the Boston *Journal of Health*. This analysis made it out to be simply a port wine, containing between 18 and 19 per cent. alcohol. Since then, Dr. R. G. Eccles published in the *Druggists' Circular* a lengthy article on the Hubbard-Ayer preparations, and calls attention particularly to the presence of cocaine in the Vita Nuova. We have recently examined this preparation also and find it to contain notable quantities of cocaine easily detected by the organo-leptic test, and also about $19\frac{1}{2}$ per cent., by volume, of alcohol.

When we come to compare our results and those of Eccles with their statement that the preparation is "positively free from alcohol," that it is "a positive cure for the opium and alcohol habit," and that it "creates no craving, can be left off at any moment without the slightest desire for it," something of the enormity of their offense becomes apparent. This and others of its kind, well knowing that no law can reach them, continue on their paths of deceit, and this will continue until the community which has been so long and so often duped by these disgraceful quacks, join hands and become united in the effort to secure the enactment of laws which shall regulate and control the sale and representations of patent medicines. The extreme importance of such statutes is becoming daily of more and more consequence to the public and to pharmacy.—New Idea.

AUGSBURG ESSENCE OF LIFE.

Take of-

Rad. rhei 1	OZ.
Myrrhæ2	OZ.
Rad. gentianæ2	OZ.
Croci opt $\frac{1}{2}$	oz.
Camphor 1/2	
Rad. zedoar	
Rad. angelicæ. $\ldots 2\frac{1}{2}$	OZ.
Castor 1/2	
Aloes, Socot	OZ.
Sp. vini. rect2	pts.
Aquæ2	pts.

Mix. 'Digest five days and filter.

Dose:—A teaspoonful twice a day.

-Medical World.

BARNES'S FROST BALSAM.

Take of-

Co	paiba	 		•		•					. 1/2	OZ.
Oil	turpentine	 •	•	•	 •	•	•	•	 •		. 1/2	OZ.
Mix.					•					ł		

BAREEL'S INDIAN LINIMENT.

Take of—

Tr. capsicum	1 dr.
Oil origanum	
Oil sassafras Oil pennyroyal	of each 1/ oz
Oil pennyroyal	(or cach /2 02.
Oil hemlock	J
Alcohol	qt.
	—New Idea

BARKER'S BONE AND NERVE LINIMENT.

FOR MAN OR BEAST.

Cures rheumatism, sprains, bruises, chilblains, * * etc., etc.

We have made an examination of the foregoing liniment and find it to be essentially a liquid petroleum product, containing large quantities of camphor and turpentine, and with smaller quantities of oil of tar and probably oil of thyme. The bottle is square and deeply paneled and holds two fluid ounces of a dark colored fluorescent liquid. The following formula, according to H. W. Snow, makes a preparation not to be easily distinguished from the original :

Take of-

Camphor
Oil of tar \dots $\frac{1}{2}$ fl. dr.
Oil of thyme I fl. dr.
Oil of turpentine 2 fl. dr.
Franklin oil (black oil, lubricat-
ing oil) sufficient to make 2 fl. oz.
-New Idea.

BAUNSCHEIDT'S OIL.

This preparation is sold to accompany the instrument used for counter-irritation. It sells in the surgical instrument stores for \$1.35 per vial. The following formula may be taken as making substantially the same preparation as the Baunscheidt's Oil:

Take of-

Croton oil oz.	
Cotton-seed oil4 oz.	
Oil of caraway 2 minims.	
Mix.	

BECKER'S EYE SALVE.

Take of-

Calamine 1 ¹ / ₂	dr.
Tutty	dr.
Red oxide of mercury6	dr.
Camphor in powder	
Almond oil	
White wax	oz.
Fresh butter	oz.

Reduce the mineral substances to a very fine powder and incorporate with the oil, in which the camphor has been dissolved with the wax and butter, previously melted together.—*Kilner's Modern Pharmacy*.

BEGGS'S FEVER AND AGUE PILLS.

Beggs's Fever and Ague Pills, for radical and permanent cure of ague upon "purely scientific principles," consist, according to our examination, as follows: Each pill contains one grain of quinia sulphate, onehalf grain cinchonia sulphate, rhubarb one grain, with a little flavoring. These pills are put up in a halfounce plain flint vial; they are uncoated, 32 pills in a bottle, balance of space filled with powdered licorice root. A small slip with title, uses, and directions surrounds the bottle, and a red lead wrapper, type set, surrounds the whole. This is an excellent ague cure. -New Idea.

BENSON'S SKIN CURE.

This secret nostrum consists of two preparations, one for internal use and one for external application.

A—Internal.—An elongated, round, long neck green bottle contains scant 2 fluid ounces of a watery, light brownish yellow liquid of no reaction, of pronounced bitter taste and rosemary-like smell, reminding one of bay rum or of a barber shop. The half clear liquid has pieces floating in it resembling petals of clover blossoms. It consists, according to our examination, of clover blossoms 720 grains, yellow-dock root 90 grains, gentian root 120 grains, boiled (one hour) with one pint of water. Cool, transfer to a closed vessel, and add one ounce of alcohol in which has previously been dissolved oil of rosemary, oil of thyme each one minim; let it stand over night, strain next morning; make up to one pint with water sufficient.

B - External Application. An elongated, round, long neck green bottle contains 4 fluid ounces of a whitish, permanently acid liquid of slight acid metallic

smell, depositing when at rest a small amount of grayish precipitate. This solution consists, according to our examination, of acetate of lead 2 grains, acetate of copper 1 grain, acetate of zinc 15 grains, benzoated water 12 fluid ounces; mix. The benzoated water is readily prepared by agitating half an ounce of tincture of benzoin with 12 ounces of warm water, allowing it to cool and settle; then filter. It is warranted to cure all the skin diseases described in the medical dictionaries.—New Idea.

BOSCHEE'S GERMAN SYRUP.

We copy from December World, 1885:

Take of-

Oil of tar	1 fl. dr.
Fluid extract ipecac	4 fl. dr.
Fluid extract wild cherry	6 fl. dr.
Tincture of opium	4 fl. dr.
Carbonate of magnesia	3 dr.
Water	
White sugar	

Triturate the magnesia, first, with the oil of tar; then with a mixture of the fluid extracts and water; filter and form a solution with the sugar, by agitation, without heat.

BRANDRETH'S PILLS.

Dr. D. S. Clark (American Druggist) says the following is the formula:

Take of-

Extract colocynth scruple
Aloes, Socotrine2 dr. Gamboge 1 dr.
Castile soap $\ldots \frac{1}{2}$ dr.
Oil peppermint2 drops
Oil cinnamon drop
Powd. arabic and alcohol,
of eachsufficient quantity.
Mix and make 80 pills.
Dose: 1 to 3, as directed.

BRINKERHOFF SYSTEM OF TREATING PILES AND OTHER DISEASES OF THE RECTUM.

There have been so many inquiries of late concerning the above treatment that we deem it a duty to tell our readers, as nearly as possible, of what the alleged specific treatment consists. The following is the Brinkerhoff secret pile remedy or injection:

Take of-

Carbolic acid	I OZ.
Olive oil	5 oz.
Zinc, chloride	8 gr.

Inject into the largest piles, eight drops; Mix. into the medium sized piles, from four to six drops; into small piles, from two to three drops; into club shaped piles, near the anal orifice, two drops.

He directs hot sitz baths for cases where violent pains follow an injection. He recommends an interval of from two to four weeks between each injection.

The following is the formula for his "celebrated ulcer specific:"

Take of--

Dist. ext. hamamelis5 dr.
Liq. ferri subsulph dr.
Acidi carbolici, cryst2 gr.
Glycerin dr.

Mix. For *fistula in ano*, inject ten or fifteen drops deep into the fistula and press the track of the fistula with the finger, to force the fluid more deeply in.

In cases of rectal ulcer he gives the following treatment: To an ounce and a half of water add half a teaspoonful of the "ulcer specific" and a half teaspoonful of starch, and inject into the rectum every night. Sometimes he orders an injection of starch into the rectum of mornings, after the bowels have moved.

Brinkerhoff advises his disciples to let prolapsus of the rectum alone and not to bother with it. This embraces the whole of the much advertised treatment, which he sells for \$200.00 and a royalty on every dollar that you take in from it. Again, you are compelled to buy from him all the remedies that he has recommended. Not one of his followers knows the formula of anything that they are using. They don't know whether it is water or whisky. The package of powder he sells is nothing but starch. The formula of the "ulcer specific" has already been given. The syringe that he and his followers sell to patients for \$2.00 or \$2.50 can be had of any good wholesale firm for \$8.00

per dozen. The truth of the whole business is, Brinkerhoff got up his rectal treatment system for the purpose of making money out of it, whether it did the patient any good or not. I verily believe that there never was a man, woman, or child who consulted Brinkerhoff or his followers that was free from rectal ulcer, or what they call rectal ulcer. (They generally show the patient's friends the rectal fossa and term it a horrible eating ulcer, that is daily destroying the patient's vitality, and which will sooner or later cause him to fill a consumptive's grave.) In fact, the Brinkerhoff system is a fraud and a humbug, and can only be classed with other mysterious and secret remedies that quacks use and advertise. Any medical man with a little judgment can treat hemorrhoids and other rectal diseases much more successfully after reading a first-class book on the subject, which he can buy for from \$1 to \$3, than he can by paying Brinkerhoff's agents \$200.00 and getting a few obsolete prescriptions and patent medicines, besides paying a ten per cent. royalty on every dollar that he takes in from the treatments he may give. These are the facts in the case.

-The Medical Waif.

The "Brinkerhoff System" as applied to fissures of the anus is this: Once or twice a month, as the itinerant comes around on his circuit, he inserts his little speculum, cleans out the ulcer, and applies to it a solution of nitrate of silver, forty grains to the ounce. Between the applications the patient uses a morning and evening treatment himself. Each morning he is to evacuate the bowels, then inject the rectum with lukewarm water, and finally insert into it a little ointment, consisting of three grains of carbolic acid and eight grains of sulphur to the ounce of vaseline or lard. For evening treatment he uses Brinkerhoff *Ulcer Remedy* [the preparation of extract of hamamelis, sol. persulph. iron, etc., given above as "Ulcer Specific."] Add half a teaspoonful of this to the same quantity of starch and about an ounce and a half of water. Inject into the rectum every evening.

This system is gotten up for itinerants who are expected to be ignorant, and who cannot be trusted with edge tools; it, therefore, sternly prohibits all cutting operations, and furnishes no instrument with which an incision can be made.—*Andrews's Rectal and Anal Surgery*.

In treating polypus Brinkerhoff directs his itinerants to tie the pedicle close to the wall of the gut with waxed saddler's silk. Then, if the pedicle is long, they are to snip it off outside the knot. If it is short they leave it *in situ*, put the patient to bed, and constipate the bowels for about three days, when they are to give a gentle cathartic.—*Andrews's Rectal and Anal Surgery*.

The claim for this treatment being that it is mild and painless, the testimony of an Illinois physician who invested is interesting.

Dr. Layton, of Modoc, Ill., in a communication to the *Medical World*, says: One of your readers asked what was the so-called Brinkerhoff treatment for piles,

etc. I being one of his many victims, having paid for the privilege of using his very painless treatment, and using it for some year or more, am prepared to say that although I obtained considerable information of how such diseases should be treated, yet practically the Brinkerhoff treatment is a fraud; having no special advantages over any other carbolic acid treatment, such as has long since been known to the general profession. As to its being painless, I can say from positive experience that this is far from being the case, as I have had several of my patients hint at a suit for malpractice on account of such excruciating pain and soreness; so that I even forgot to ask them for my bill. The Hemorrhoidal Compound, as he sees fit to call it, is nothing more than carbolic acid, incorporated with pure sperm oil or glycerine. As letters patent of U. S. 241,288, of May 10th, 1881, show, his other fluid for injecting into the rectum consists of dist. ext. hamamelis, etc. He has a salve of which carbolic acid is the great desideratum; and added to all this are little paper bags of starch, holding perhaps an ounce, each of which he liberally sells for ten cents as an adjuvant to his other treatment. Altogether the treatment is not a bad one, save the idea of it being painless; and the pretence that he was the originator of the ground plan so long known, of treating piles by carbolic acid.

As to his *rectal ulcer*, which he scares so many of his patients about, and of which so many are illustrated in the pamphlet sent out by him, it is nothing more than the internal sphincter ani; not but that there is

ulceration of the rectum, resulting many times in fistulous openings, but they are not of the form represented in his pamphlet, nor are they to be found in everybody's rectum, as he would have one believe.

His rectal speculum is a good one, but Dr. Rorick's patent, also the one made by Aloe & Co., of St. Louis, Mo., have equally as good merits, and one does not have to purchase a hundred and fifty dollar territory in order to get one.

I could say much more of this so-called Brinkerhoff treatment, but I think further comment unnecessary.

BRODIE'S LINIMENT FOR ASTHMA.

Take of-

Oil of stillingia	4 dr.
Oil of cajeput	
Oil of lobelia	
Alcohol	I OZ.

Mix. Bathe the chest and throat three times a day.

BRODIE'S LINIMENT.

Take of-

Sulphuric acid.											
Olive oil	• •		•	•	 			•		I	OZ.
Turpentine	 						•			I	OZ.

Add the acid gradually to the oil, stirring in a mortar; afterward add the turpentine.

BROMO-CHLORALUM.

Kilner gives the following:

Take of-

Alum, coarse powder	I lb.
Boiling water	2 pts.
Aqua ammonia	
Muriatic acid	sufficient.
Bromine	1/2 OZ.
Water	sufficient.

Dissolve the alum in the boiling water. Add $2\frac{1}{2}$ gallons of cold water and mix well; then add aqua ammonia until the odor of the ammonia can be detected in the mixture and a precipitate is formed. Allow it to settle and pour off the supernatant liquid. Put on fresh water again, stir well, allow to settle and again pour off. Then place the precipitate upon a muslin strainer and drain well; put the precipitate into a closed vessel and carefully add the bromine; finally add sufficient muriatic acid, little at a time, to dissolve the precipitate, and then enough water to complete the measure of one-half gallon, and filter.

BROWN'S BRONCHIAL TROCHES.

Said to be like the original formula:

Take of-

Powdered ext. of licorice	I lb.
Powdered sugar	
Powdered cubebs Powdered gum arabic	1/4 lb.
Powdered gum arabic	1/4 lb.
Ext. conium	I OZ.
	-New Idea.

BROWN'S CAMPHORATED SAPONACEOUS DENTINE.

According to L. H. Gardner's analysis, made in our laboratory, this preparation has the following composition :

Take of-

Calcium carbonate	71 per cent.
Soap Camphor	29 per cent.
Cumphorner)

New Idea.

BROWN'S IRON BITTERS

Are said to contain in each fluid dram:

Iron	I gr.
Calisaya bark	2 gr.
Phosphorus	1-200 gr.
Coca	ı gr.
Coca Viburnum prunifolium	ı gr.

BROWN'S MALE-FERN VERMIFUGE.

Is offered in bottles containing 11 fluid drams of preparation. The following formula, though not offered as strictly "the same" as that used in the manufacture of the secret article, makes a preparation sufficiently near for all ordinary purposes:

Take of-

Fl. ext. male fern	3 fl. oz.
Oil wintergreen	1 minim.
Simple syrup	5 fl. oz.
Mix.	-New Idea.

BRUNELLI PROCESS OF EMBALMING.

The circulatory system is cleansed by washing with cold water until it issues quite clear from the body. This may occupy from two to five hours. Alcohol is injected so as to take out as much water as possible. This occupies about a quarter of an hour. Ether is then injected to abstract the fatty matter. This occupies from two to ten hours. A strong solution of tannin is then injected. This occupies for imbibition from two to ten hours. The body is then dried in a current of warm air passed over heated chloride of calcium. This may occupy from two to five hours. The body is then perfectly preserved and resists decay.

BRYAN'S PULMONIC WAFERS.

"Warranted to give relief in ten minutes after use, and cure in a few days all coughs, colds, irritation of the uvula and tonsils, influenza, bronchitis, asthma, sore throat, consumption, and all diseases of the lungs and chest."

This Canadian preparation, which is warranted to do so much in such a short length of time, was found to consist wholly of sugar and corn starch. Our readers may judge for themselves as to the true efficacy of such a preparation.—*New Idea*.

BUCKLER'S CROUP MIXTURE.

Take of-

Tartar	emetic	 	 	 2 gr.
Pulv. ip	becac	 	 	 40 gr.
Syrup o	of squills	 	 	 2 fl. oz.

Mix. Dose: teaspoonful every ten minutes until emesis occurs.

BUCKLEN'S ARNICA SALVE.

Take of-

Extract arnica	I OZ.
Resin cerate	
Vaseline	2 OZ.
Raisins, seedless	8 oz.
Fine cut tobacco	
Water	sufficient.

Boil the raisins and tobacco in one pint of water until the strength is extracted; express the liquid and evaporate to four ounces. Soften the extract of arnica with a little hot water and mix the liquid with it; add this to the resin cerate and vaseline previously warmed and mix thoroughly.—*Kilner's Modern Pharmacy*.

BULL'S BLOOD SYRUP.

Take of-

Iodide of potash	12 dr.
Red iodide of mercu	ry 2 gr.
Tinct. of poke root.	
Comp. syrup of stilli	
Simple syrup, to make	е і рt.
Mix.	-National Druggist

BULL'S COUGH SYRUP.

We purchased one of the smaller sized bottles and submitted it to examination. The bottle, a so-called "four ounce," was deeply paneled, and contained three fluid ounces of a syrupy, reddish-brown liquid. Its composition is exceedingly simple, and we were unable to find anything except morphia sulphate with sugar-house syrup as a vehicle. The morphia sulphate was present in quantities of about three-fourths of a grain to a grain per bottle of three ounces. It is also worthy of note that it contains a caution label which reads:

"Medicine should never be kept within the reach of children. It is highly important to pay strict attention to the directions for taking Dr. Bull's Cough Syrup."

We have no reason to believe that it contains anything else of medicinal consequence than the morphia and sugar-house syrup.—New Idea.

CALDER'S SAPONACEOUS DENTINE.

L. H. Gardner, who made an analysis of this preparation in our laboratory, states it to be:

Take of-

Calcium carbonate 56 per cent. Soap (by difference) 44 per cent. Perfumed with oil of wintergreen.—New Idea.

CALIFORNIA LINIMENT

Take of-

Tinct. myrrh	I	OZ.
Tinct. capsicum	I	
Sweet spirits nitre	I	OZ.
Sulph. ether	I	OZ.
Chloroform	1/2	OZ.
Tinct. arnica		OZ.
Oil spearmint		dr.
Oil wintergreen		dr.
Oil lobelia		
Aqua ammonia	1/2	OZ.
Alcohol		
Mix.		-Kilner.

CANCER PASTES AND PLASTERS.

CANCER PASTE.

Take of-

Chloride of zinc, pulverized bloodroot, flour, equal parts of each, and moisten with aromatic sulph. acid, and it is sure.

I use another which will remove lupoids nicely; but, notwithstanding it is simple, it is much more severe than the former. I drain off the white of an egg, then place the yolk in a common mortar, stir into it all the chloride of sodium I can; grind it to a thorough paste. This is guaranteed to draw the man out of his boots. I use these frequently and always with success. Remember, it is not "what we like, but when, where, and how," and I am sure all doctors can use these just as well as the cancer doctor.—F. B. Brewer, M. D., in Chicago Med. Times.

CANCER PASTE.

The last number of your journal contained an inquiry as to how the paste to cure cancer is made. I will tell you how I have made it for the last twentythree years. Take equal parts (by weight) of chloride of zinc, pulverized bloodroot, and wheat flour; mix well, add enough water to form a paste; spread the paste, just the size of the sore, on a rag and apply. Put olive oil around the ulcer before applying, in order to protect the sound tissue. Leave the paste on as long as the patient can bear it. Then remove and if convenient apply a mild poultice or salve. In six or eight days the cancer will come out; if it leaves a smooth and healthy surface, all is well; if not, repeat the application until all diseased tissue is removed.

This has never failed me, but remember that many so-called cancers are not cancers at all; then again, some are so malignant that this paste and all others will not cure, but all the cases I have had for twenty-three years were healed. One that I have on hand now, on the lower lip of a man thirty-four years old, is stubborn, but I hope it will finally yield.

I will be pleased to furnish any further information in my power.— Jer. Hess, M. D., in Med. World.

CANCER PASTE.

Take of-

Arsenic, Sulphur, Zinc sulphate, and Rochelle salts. Of each equal parts; add yolk of one egg, till of the consistence of paste; bake with slow heat until dry, and then pulverize. When desired for use mix again with egg, and apply as paste or on cloth.— Med. and Surg. Reporter.

ANOTHER.

Take of-

Solid extract of poke root, Solid extract of mandrake, Solid extract of bloodroot, Chromic acid, Chlor. carbon. (Quantities are not given.)

ANOTHER.

Take of—

Chloride zinc, Chloride of bromine, Chloride gold, Chloride antimony.

Mix into a paste with flour. (Quantities are not given).—T. S. Pyle, M. D., in Med. World.

ANOTHER.

Take of-

Zinc chlor. Aluminis pulv. of each...... 5 gr. Acid tannici. 2 gr. Ferri persulphatis 3 gr. Glycerine, sufficient quantity for paste.

Mix. Apply as paste or plaster.

-W. N. Sherman, M. D., in Med. World.

ANOTHER.

Dr. J. B. Goodwin, of Stockton, Tenn., sends the following, which he thinks came from a quack:

Take of-

Chloride of zinc, Pulverized bloodroot, Flour. Of each equal parts.

Mix and make paste. Encircle the cancer with adhesive plaster, spread the paste on a cloth and apply it.—*Med. World.*

DR. FELL'S CANCER SALVE.

Take of—

Zinci chloridi	8	gr.
Pulv. sanguinaria rad	6	gr.
Amyli	8	gr.

Mix. Apply on piece of kid or leather.

HEBER'S CANCER PASTE.

Take of-

White arsenic		
Gum kino		
Cinnabar	I	OZ.
Hydrastis Canadensis	2	dr.

Make the above ingredients into a paste with simple ointment composed of white wax and olive oil. Apply a thinly spread layer to the cancerous surface for twenty-four hours, or it may be rubbed on an eruptive surface once in twenty-four hours. If the cancer is large or covers considerable surface, the application should be premised by preparing the

system by giving the hydrated sesqui-oxide of iron in full doses for a few days, to counteract the effect of the arsenic upon the system.—*The House We Live In.*

FORMULA OF DR. LANDOLFI, OF NAPLES. Take of—

Zinci chloridi	ı dr.	
Auri chloridi		
Antimonii chloridi		
Brominii chloridi		
Flour, Water, Construction Cons	sufficient	to

form thick paste. Spread on linen, and apply to ulcerated surface.

CANCER PASTE OF ITINERANTS.

Take of-

Zinci chloridi	ı dr.
Flour	
Aqua	sufficient

Make into paste.

LOMBARD'S SECRET CANCER REMEDIES.

Dr. J. L. Horr says in Boston Medical and Surgical Journal:

Having, without solicitation on my part, become possessed of the knowledge of the "secret remedies" employed by the late Doctor Lombard, the famous "cancer doctor" of Maine, I feel it my privilege, as a member of a scientific profession that has only for its object the advancement of knowledge and the relief of suffering, to make a simple statement of the remedies and methods which were employed in the so-called "treatment of cancer." The remedy employed, if the cancer was small, was the inspissated juice of leaves of the *phytolacca decandra* (garget) which was applied in the form of a plaster until sloughing took place. The after treatment was some simple dressing like simple cerate. If the tumor had attained considerable size, Dr. Lombard first used a paste composed of chloride of zinc and pulverized sanguinaria until an eschar was produced, and then the same plaster as before was applied until the mass sloughed away. The knowledge of these remedies was given to me by Dr. Lombard himself, while I was attending him during his last illness and a few days before his death.

CARBOLATE OF IODINE INHALANT.

The following is said to be similar to Cutler's.

Take of-

Compound tincture of iodine	180 minims
Carbolic acid, No. 1	48 minims
Glycerine	I fl. dr.
Water	5 fl. dr.

Mix and expose to the sunlight until the mixture is entirely colorless.—Nat. Druggist.

CARBOLIC SMOKE BALLS.

One of the latest introductions for the purpose of banishing catarrh, neuralgia, headache, deafness, hay fever, asthma, croup, whooping cough; also cures (?) granulated eyelids and sore eyes.

DIRECTIONS.—Hold the ball about one-eighth inch below the silk floss, with the thumb and forefinger of the left hand, about one and one half inches below the nose, and directly in front of the mouth. Snap rapidly on side of the ball, but only on the place softened and marked, during each inhalation, with the middle finger of right hand, which will cause the smoke to arise.

As found it consists of a small, round ball, wrapped in red cloth, with the ends hanging slightly loose. Upon opening, it was found to contain 310 grains of a gray powder, which upon snuffing up the nose caused violent sneezing, and there is an odor of smoke due to a tarry body. Upon an examination, made in our laboratory by H. W. Snow, it was found to consist of glycyrrhiza and flour (identified by microscopical examination and physical properties) and one of the veratrums, probably white hellebore (identified by means of the alkaloid jervine, which was separated and identified). The smoky body is some tar product, not easy to say just which. It is this latter and the white hellebore which it contains that cause it to yield a temporary relief; permanent relief we do not believe it can afford. No quantitative estimates were attempted.

This cure costs the consumer \$2.50 per ball. Money could be made on the material at 10c. a pound, enough for 19 balls with a little to waste; or prepared in the form of a ball as it is sold, it would yield a handsome profit at 5c. a ball.—New Idea.

CARTER'S LITTLE LIVER PILLS.

"For headache, torpid liver, constipation, and the complexion take one pill every night. As a purgative take 4 to 8."

Weight of 12 pills about $7\frac{1}{2}$ grains; of which probably 2 to $2\frac{1}{4}$ grains is sugar coating. They contain podophyllin and aloes made into a pill and coated with sugar. On the above we deduce the following formula as closely resembling the original:

Take of-

Podophyllin $1\frac{1}{2}$ gr. Aloes (Socotrine)..... $3\frac{1}{2}$ gr. Mucilage of acacia sufficient.

Mix; divide into 12 pills and coat with sugar. —New Idea.

CASTORIA.

The following formula, from the *Indiana Pharma*cist, is given as approximating this preparation:

Take of-

Senna	4 dr.
Manna	I OZ.
Rochelle salts	I OZ.
Fennel, bruised	1 ½ dr.
Boiling water	8 fl. oz.
Sugar	8 oz. /
Oil of wintergreen	sufficient.

Pour the water on the ingredients. Cover and macerate until cool; strain and add the sugar, dissolve by agitation and add oil of wintergreen to flavor.

CATANI'S SPECIFIC.

Catani's specific for uric acid is a mixture of-

Carbonate of lithium	1 part
Carbonate of sodium	2 parts
Citrate of potassium	
ll in powdered form.	-Pharm. Post.

CAZEAUX'S NIPPLE OINTMENT.

Take of-

White wax	
Oil sweet almonds	
Clarified honey	
Balsam Peru	$2\frac{1}{2}$ dr.

Mix.

A

-Kilner.

CELERINA.

Celerina is said to be composed of-

Fl. ext. celery	I OZ.
Fl. ext. erythroxylon coca	I OZ.
Fl. ext. viburn. prunifol	I OZ.
Fl. ext. kola	I OZ.
Alcohol	2 OZ.
Sugar	2 troy oz.
Spirit orange	2 dr.
Water to make.	16 oz.

-Med. Standard.

CENTAUR LINIMENT.

This widely advertised nostrum comes in two forms, "For Man" and "For Beast," and is put up in each case in two sizes. Examination shows both varieties to be soap emulsions of essential oils with aromatic oils for masking.

FOR MAN.

This is in a creamy white condition, with an odor strong of pennyroyal and with smaller amounts of oil of thyme, soap, and fixed alkali. The bottle holds three fluid ounces of liniment which is claimed to relieve rheumatism, neuralgia, sprains, burns, stiff joints, bites, stings, bruises, swellings, chilblains, lockjaw, earache, toothache, etc. The following may be taken as being very close to the original.

Take of-

Oil pennyroyal	1/2 OZ.
Oil thyme	1/4 oz.
Oil turpentine	1/4 OZ.
Soap	
Caustic soda	10 gr.
Water to make	ı pt.

FOR BEAST.

This bottle holds the same amount of liniment as that for man. The article is, however, thinner and darker colored as well as different in odor. It is claimed to have curative effects over spavin, ringbone, wind-galls, big-head, sweeney, scratches, poll-evil, sprains, spring-halt, bruises, wounds and sundry other local ailments of animals.

The following may be taken as representing its composition in essential respects.

Take of-

Oil spearmint	ı dr.
Oil mustard	15 minims
Oil turpentine	1/4 oz.
Oil amber (crude)	1/2 OZ.
Black oil	$\frac{1}{2}$ OZ.
Soap	130 gr.
Caustic soda	10 gr.
Water to make	ı pt.

Method of preparing is that of an ordinary soap emulsion. The soap should be placed, together with the alkali, in a flask and then dissolved in two ounces of *hot* water; add the mixed oils in very small quantities at a time with vigorous shaking. When the mixture has once assumed a creamy consistency the oils may be added more rapidly, but in any case reasonable care should be observed, and this is true in adding more water, which should be quite warm until the full pint is made. If the oils do not emulsify readily, it is necessary to begin over again, as either too much oil was added at first or the water was not warm enough. Strict attention must be paid to both of these considerations in order to secure success.

-New Idea.

40

CHAMBERLAIN'S COLIC, CHOLERA, AND DIAR-RHŒA REMEDY.

Take of-

Tinct. capsicum	20 fl. dr.
Tinct. camphor	16 fl. dr.
Tinct. guaicum	
Mix.	-Med. World.

CHAMBERLAIN'S RELIEF (J. J. Pierson, Ph. G.)

Take of-

Tinct. capsicum (about)	I OZ.
Spts. camphor "	3⁄4 oz.
	¼ oz.
Color tinct. to make	•••••• 2 OZ.
Mix.	-The Drug Mill.

CHLORALUM.

A formula for chloralum which we have states it to be:

Take of-

Aluminum chloride.... 20 oz. Sulphate of lime.... $\frac{1}{3}$ oz. per. gal.

-New Idea.

CLARK'S BLOOD MIXTURE.

Take of-

Iodide of potassium	64	gr.
Chloric ether	4	dr.
Liquor potash	30	drops.
Water	71/2	fl. oz.
Caramel to color.		

The chloric ether is made by dissolving one part by weight of chloroform in nineteen parts by volume of alcohol.

CHLORODYNE.

There is no preparation prescribed to such an extent, or that has such a variety of formulas, as chlorodyne or chloranodyne. Every druggist is acquainted with Brown's, the original. It is undoubtedly owing to the value of the preparation that so many analyses have been made, and consequently so many formulas exist, not in the number of articles, but in the quantities used. There is no doubt that the original contains morphia, hydrocyanic acid, peppermint, chloroform, and capsicum, combined with molasses. All the formulas that I have seen contain the above; others contain cannabis indica, which undoubtedly is a valuable addition, but that the original contains cannabis indica has never been proved; the original also contains licorice. The following is a mixture resembling Brown's, and I think fully as good:

Take of-

Chloroform	5 1/2	gr. dr.
Oil peppermint Dil. hydrocyanic acid		drops.
Tinct. capsici		
Molasses		
Ext. licorice		

Mix.

The following is a mixture put up by a manufacturing firm:

Take of-

Sulph. morphia	24	gr.
Tinct. cannabis indica	6	dr.
Chloroform	6	drops.
Tinct. capsici	12	drops.
Oil peppermint	12	drops.
Dil. hydrocyanic acid	72	drops.
Alcohol	31	OZ.
Glycerine		

Mix.

There is no doubt as to the superiority of the latter preparation in its appearance. The former contains molasses, which was an article much used when the preparation was first introduced, but which modern pharmacy has entirely discarded. As to the effectiveness, there is probably not much difference, for the amount of morphia, the principal ingredient, is about the same. The former might be used where chlorodyne has been prescribed, and the latter where chloranodyne is specified.—*Fred. Rohnert, in American Pharmacist.*

CHLORODYNE.

The following formula, by Maltbie, yields probably the best substitute for the British nostrum:

Take of-

Morphine hydrochlor. (mur.)	32	gr.
Alcohol	3	fl. oz.
Tinct. cannabis ind	I	fl. oz.

Tinct. capsicum	30	minims.
Oil peppermint	12	minims.
Chloroform	I	fl. oz.
Acid hydrocyanic dil	2	fl. dr.
Glycerin sufficient to make	8	fl. oz.

Dissolve the morphine in the alcohol, add the tinctures and the other ingredients in the order named.

CLEARY'S ASTHMA POWDER

Is stated to be made according to the following formula:

Take of-

Pulv. stramonium leaves		
Pulv. belladonna leaves		parts.
Pulv. saltpetre	5	parts.
Pulv. opium	2	parts.

Mix.

A little to be burned and fumes inhaled. —*Chemist and Druggist.*

COALINE HEADACHE POWDERS.

"We guarantee these powders to cure sick headache, and headache arising from nervousness, neuralgia, fatigue, exposure to the sun, alcoholic excesses, etc. A trial will convince you. Price, 25c. The Coaline Co., Syracuse, N. Y."

Coaline is guaranteed not to contain "opium, chloral, morphine, or other narcotics; consequently they are perfectly harmless and leave no after effects whatever." Examination shows that the proprietors of this preparation have taken advantage of the newly discovered value of antipyrine in the control of migraine and sick headaches. The powders, which come three in a box, retailing at 25c., contain antipyrine and sugar. The amount of antipyrine was not determined nor the weight of the powders, as we only received one from our correspondent; we would, however, suggest antipyrine, 3 grains, cane sugar in powdered form, 15 grains, to each powder. One powder to be dissolved in a teaspoonful of water and taken as a dose, to be repeated in three-quarters of an hour if necessary.—New Idea.

COBB'S PILLS.

The following is said to be the composition: Take of—

Extract of	hyoscyamus	1/2	dr.
Extract of	conium	1/2	dr.
Extract of	colocynth	11	gr.
Extract of	nux vomica	4	gr.

Mix. Divide into thirty pills.

COE'S DYSPEPSIA CURE (Nelson).

Take of---

Powdered rhubarb	2	dr.
Fluid ext. of gentian	3	dr.
Peppermint water	7 1/2	oz.
Bicarbonate of sodium		dr.

Mix. Dose:—A teaspoonful half an hour before meals. —*The Drug Mill.*

COMBE'S APERIENT.

Take of-

Sulphate of magnes		parts.
Roasted coffee		
Boiling water	500	parts.

Mix. Boil for two minutes, sweeten to taste with white sugar.

Dose:-One wine-glassful in the morning.

COMEDONE LOTION.

Take of-

Sulphuric ether	I	oz.
Carbonate ammonia	I	dr.
Boracic acid	20	gr.
Water to make	16	dr.

Mix, and apply twice a day.

The ammonia carbonate forms a soap with the grease. The boracic acid acts as an antiseptic and the ether as a solvent.—*Analectic*.

An excellent preparation for "black heads," "pimples," "greasy skin," etc.—Compiler.

COOK'S ELECTRO-MAGNETIC LINIMENT.

Take of-

N

	Alcohol	I	gal.	
	Oil amber	8	OZ.	
	Gum camphor	8	OZ.	
	Castile soap (fine)	2	OZ.	
	Beef's gall	4	OZ.	
	Aqua ammonia	12	OZ.	
Aix		-	-Kilne	r

CORRASSA COMPOUND.

Recipe for the permanent cure of spermatorrhœa, seminal weakness, involuntary emissions, impotence, etc.:

Take of-

Extract of corrassa apimis...... 8 dr. Extract of salarmo umbellifera ... 4 dr. Powdered alkermes latifolia..... 3 dr. Extract of carsadoc herbalis. ... 6 dr.

Mix well together in a mortar, then put the mixture in a box and keep it covered, or wrap it in paper and *cover with tinfoil to exclude the air*. For a dose, take about half a tea-spoonful of the mixture, and moisten it with a little cold water in a glass or cup, then add about two table-spoonfuls more of cold water, or just enough to enable you to take it down easily. Take the medicine at night before going to bed, and in the morning before eating. If you wish to sweeten it you may add as much sugar or syrup to each dose as may suit your taste.

REMARKS.

The above named herbs, so remarkable for their healing qualities, are found in the great valley of the Amazon and through most of the valleys of the South American mountains. Their wonderful medicinal properties are known to the Indian medicine men, and also to some of the learned missionaries from Europe, who reside in South America. This particular combination of remedies is called the Corrassa Compound, taking its name from the first of the four medicines which compose the recipe when it is ready for use.

The Corrassa Compound acts particularly on the membranes which line the urinary and genital organs, allaying irritation, curing the unhealthy discharges, and imparting a healthy tone to the nerves and tissues which compose these parts. Its tonic properties give strength to the weak and incompetent, while its soothing properties keep down over-excitement of the sexual organs. In gonorrhœa or gleet this medicine cures almost like magic. It is also highly beneficial for females who suffer from leucorrhœa or whites.

This remedy from South America (the land of medicines), is entirely a product of the vegetable world. No deleterious ingredients enter into its composition; no injury to the constitution can possibly occur from its use, and no other remedy will so effectually eradicate mercury and other mineral poisons from the body. On the human system it acts like a charm. It improves the digestion, purifies the blood, gives tone to the nerves, prevents the tendency to consumption, imparts to the skin a fresh bloom, and gives to the countenance an animated and brilliant expression. The good effects of this medicine in my own case you will find related in the following circular, which you will please read. (Extract from accompanying circular.)

Following this, the Rev. Jos. T. Inman tells a plaintive story; how he suffered from the effects of his youthful indiscretions; how he tried all the best physicians in America and Europe; how at last his friends managed to transport him in the good ship Reindeer, R. I. Marsh, captain, to Para, South America, to spend his last hours as a missionary among the heathen. While there he devoted his "spare time to the study of medicinal plants," and while doing so, "first learned the virtues of the Corrassa Compound," and also made the acquaintance of a "learned and venerable physician named Fernandez Colina, a native of Spain, who had studied in Paris, and had traveled extensively through South America."—New Idea.

All of this is intended to frighten and obtain money from the hoped-for victim. No such drugs as are given above being in existence, the dupe is expected to purchase them at an exorbitant price from the "Reverend" Inman.

This wonderful (?) preparation having been analyzed by Dr. A. B. Lyons, of Detroit, was found to consist of:

Gentian	15 per cent.
Licorice root	15 per cent.
Sugar	50 per cent.
Cochineal	$2\frac{1}{2}$ per cent.

All in fine powder.

COMPOUND OXYGEN.

We take the following formulæ for compound oxygen from the *Druggists' Circular*: 1. "Compound Oxygen. Keep dark." A colorless aqueous solution of nitrate of ammonia and nitrate of lead, the two salts being in nearly equal proportions, and together forming about three per cent. of the solution.

2. "Oxygen Aquæ, for digestion. Keep cool." One of the grades of Compound Oxygen, a colorless, odorless and tasteless liquid, found to be water of a commendable degree of purity, quite free from sophistications; probably this is the original Compound Oxygen.

3. "Compound Oxygen." Dr. Green's, 1880. An aqueous solution of nitrate of ammonium with a very little nitrate of lead.

4. "Compound Oxygen." A white crystalline solid, obtained for analysis about five years ago, and then found to be nitrate of ammonia alone. "Contains all the vitalizing elements of the atmosphere, but combined in a different way."

5. "Compound Oxygen." Sent out from Boston. A colored, fragrant liquid, consisting of alcohol, chloroform, and balsam of tolu.

6. "Compound Oxygen." Dr. O'Leary. Contains alcohol, chloroform, bitter almond, balsam of tolu, and red coloring matter.

The first two samples (emanating, we think, from Drs. Starkey and Palen, of Philadelphia) were sent to Prof. Prescott for analysis, by the editor of *Good Health*, who remarked as follows: "It should be remembered that this solution is to be used by inhalation, a tea-spoonful being added to a small quantity of warm water, through which air is drawn by means of a glass tube. Neither of the substances contained in the solution is volatile at the temperature at which the solution is used, so that it is impossible for any medicinal property whatever to be imparted by this boasted remedy, except what comes from the warm water, which is itself very healing when used in this way, as we have demonstrated in hundreds of cases. Prof. Prescott also tested the vapor given off from the pure solution when it was boiled, but found nothing more than the vapor of water."

The "Compound Oxygen" is usually accompanied by what the manufacturers are pleased to call "Oxygen Aquæ," which they recommend their patients to take as an aid to digestion. The analysis of this showed it to contain nothing but water. The most careful tests revealed nothing else.

COSMETICS OF THE MARKET.

In a paper by Dr. James P. Tuttle, (*Medical Record*), the popular opinion that cosmetics, if free from lead, are not injurious, is demonstrated to be fallacious.

An analysis of the most largely sold of these compounds reveals the following:

POWDERS.	
Named Preparation.	Main Constituents.
Pearl White	. Subnitrate bismuth.
Flake White	. Carbonate lead.
Saunders' Face Powder	Oxide of zinc.

Complexion Powder..... Bismuth subcarbon. Riker's Face Powder..... Calcium and zinc carbonate.

LOTIONS.

Circassian Cream	Corrosive sublimate.
Kalydor	Corrosive sublimate
	and potash.
Milk of Roses	Corrosive sublimate,
	rose-water, and oil
	of almond.

ENAMELS.

Laird's Bloom of Youth.....Oxide zinc and calcium. French's Grease Paint....Oxide zinc and calcium. Gouraud's Oriental Cream....Calomel and water. Hagan's Magnolia Balm....Oxide zinc. Bradford's Enameline....Oxide zinc. Eugenie's Favorite....Carbonate lead. Snow White Enamel....Carbonate lead. Snow White Oriental Cream....Carbonate lead.

It will thus be seen that mercury enters largely into the composition of the lotions and enamels as well as zinc. The similar behavior of lead, mercury, zinc, and bismuth with the alkali metals found in the blood would in the beginning suggest an analogy in their physiological effects. The acute toxic effects of these drugs are no less similar, and zinc, and possibly bismuth, may produce the same general effects.

52

CRAM'S FLUID LIGHTNING.

Mr. I. L. Fulton (*Western Druggist*) gives the following formula which was represented to him as being the original from which Cram's Fluid Lightning is prepared:

Take of-

Oil mustard	2 fl. dr.
Oil cajeput	2 fl. dr.
Oil cloves	2 fl. dr.
Sassafras	2 fl. dr
Ether	I fl. oz.
Tinct. opium	1 1/2 fl. oz.
Alcohol	20 fl. oz.
and filter	

Mix and filter.

CUTICURA OINTMENT.

The much advertised "Cuticura Ointment" has been found to consist of a base of petroleum jelly, colored green, perfumed with oil of bergamot and containing two per cent. of carbolic acid.

-Northwestern Lancet.

CUTICURA RESOLVENT.

This preparation is said to be:

Take of-

Aloes, Socot	ı dr.
Rhubarb powd	ı dr.
Iodide potass	36 gr.
Whisky	ı pt.

Macerate over night and filter.

-St. Louis Druggist.

DAY'S KIDNEY PAD.

Take of-

Black cohosh	I	OZ.
Powd. gum benzoin	I	OZ.
Powd. gum guaicum	I	OZ.
Juniper berries	I	OZ.
Queen of the meadow	Ι	OZ.
Digitalis leaves	2	OZ.
Oil of juniper 1	$\frac{1}{2}$	oz.

Grind the drugs to a moderately fine powder and mix with the oils and gums. Make an oblong pad to wear over the kidneys. Said to be useful in kidney complaints.

-Kilner's Modern Pharmacy.

DELLENBAUGH'S COUGH CURE.

Take of-

Picrate of ammon	2 gr.	
Chloride of ammon	ı dr.	
Extract of licorice	ı dr.	
Water		Ζ.

Mix and form a solution.

Dose:-One fluid ounce every three hours.

DERBY LINIMENT.

Take of-

Linseed oil	ı gal.
Aqua ammonia	4 OZ.
Tinct. capsicum	I OZ.
Oil origanum	I OZ.

Mix.

-Kilner.

DESHLER'S SALVE.

Take of-

Resin	12	OZ.
Suet	12	OZ.
Yellow wax	12	oz.
Turpentine	6	oz.
Linseed oil	7	oz.

Mix.

DOUBLE CHLORIDE OF GOLD.

For drunkenness and the opium habit. The composition is said to be as follows:

Take of-

Chloride of ammonium..... 1 gr. Aloin..... 2 gr. Compound tinct. of cinchona.... 3 fl. oz. Water sufficient to make..... 4 fl. oz. —Druggists' Circular.

DOW'S WHITE LIQUID PHYSIC.

Take of—

Sodium sul	phate	8	OZ.
Dissolve in	water	24	OZ.
Then add 1	nitro-muriatic acid	2	fl. oz.
Powdered a	alum	68	gr.

Mix. The dose is a table-spoonful in water. A cooling purgative.

ECLECTIC STILLINGIA LINIMENT FOR CROUP.

Take of-

Oil	stillingia.														8	dr.
Oil	cajeput.	 	• •		•	•	•	•	•	•	•	•	•	•	4	dr.

Dil lobelia.									•		2	dr.
Alcohol	• •			•					•		16	dr.

Mix. In addition it is sometimes given internally in one drop doses.

EGYPTIAN EYE SALVE

Is said to be similar to the following:

Take of-

White rosin	6	dr.
Burgundy pitch	30	gr.
Beeswax.	30	gr.
Mutton tallow	30	gr.
Venice turpentine	30	gr.
Balsam fir	30	gr.

Spread on thin leather or cloth and apply to affected part.

ELEPIZONE.

Below we give a formula which, according to an analysis made by our chemist, fairly represents this "Wonderful Curative Agent." They say that "Our purpose will be served if we can be the means of rescuing the unwary and unfortunate from the *unprincipled hands of quacks, charlatans, empirics,* and vendors of poisonous *patent medicines* which ruin thousands annually and which makes it the duty of some educated person to check their wholesale slaughter." This "Wonderful Curative Agent" costs the consumer only \$4.00 per pint:

Take of-

Magnesii bromidi	3	dr.
Sodii bromidi		
Aquæ 1		
Ol. cassiæ	2	minims.
Syr. simplex sufficient to make	4	OZ.
Ammonical sol. carmine to color.		

-New Idea.

ELIXIR IODO-BROMIDE OF CALCIUM COM-POUND.

The following is believed to be similar to the elixir iodo-bromide of calcium compound:

Take of-

Bromide of calcium	256	gr.
Iodide of sodium	256	gr.
Iodide of potassium	256	gr.
Chloride of magnesium	256	gr.
Comp. fl. ext. of sarsaparilla	2	fl. oz.
Comp. fl. ext. of stillingia	2	fl. oz.
Elixir of orange	4	fl. oz.
Sugar	4	troy oz.
Water to make		fl. oz.

Dissolve the salts in the water, add the sugar and to this syrup add the fluid extracts, previously mixed with the elixir of orange. After standing two days, filter, adding water to make the measure sixteen fluid ounces.

ELIXIR PINUS COMP.

It is evident that this elixir is modeled on the Syrup of White Pine Comp. (White Pine Expectorant),

introduced some years ago by Mr. C. S. Hallberg. On the basis of the claimed formula of the elixir we would offer the following formula:

Take of-

Fl. ext. white pine bark	6	fl. dr.
Fl. ext. balm gilead buds	5	fl. dr.
Fl. ext. spikenard	5	fl. dr.
Fl. ext. wild cherry	41/2	fl. dr.
Fl. ext. ipecac		minims.
Sanguinaria nitrate	2	gr.
Chloroform	64	minims.
Morphia acetate	8	gr.
Ammonium chloride	64	gr.
Spirit of orange (1 in 8)	30	minims.
Spirits of coriander (1 in 8)	10	minims.
Spirits of anise	10	minims.
Alcohol	3	fl. oz.
Simple syrup	4	fl. oz.
Water to make	I	pt.

This elixir should be allowed to stand four or five days before filtering.—New Idea.

ELIXIR THION COMPOUND.

Take of-

Powdered rhubarb	5	oz.
Powdered golden seal		OZ.
Sodium hypophosphite	100	gr.
Sodium sulpho-carbolate	40	gr.
Alcohol		pts.
Water	-	pts.

Dissolve the salts in the water and alcohol and with this menstruum percolate the powdered rhubarb and golden seal. Flavor with peppermint.

-Indiana Med. Journal.

ELLIMAN'S ROYAL EMBROCATION.

This is another of the soap emulsions of essential oils, and does not differ very materially from the Centaur Liniment sold in this country, though it is probably a better preparation. At any rate, it is more pleasing to the senses of sight and smell.

The bottle is union oval in shape and contains a short pint of a creamy white, thick fluid, containing soap, fixed alkali, and essential oils with turpentine predominating. The following formula gives a close duplicate to the proprietary article:

Take of-

Oil turpentine	1/2 OZ.
Oil thyme	1/3 OZ.
Oil amber, crude	1/8 OZ.
Soap	130 gr.
Caustic soda	
Water sufficient	ı pt.

To be prepared in the same manner as Mexican Mustang Liniment.—New Idea.

ELY'S CREAM BALM.

This is a proprietary article, largely advertised in the eastern states, and meets with rapid sales and is used for catarrh.

The directions are to dip the little finger into the balm and insert up the nostrils, giving two or three inhalations. It is as follows:

Take of-

Vaseline	I	OZ.
Thymol	3	gr.
Carb. bismuth	15	gr.
Oil wintergreen	2	minims.

-Kilner's Modern Pharmacy.

ENO'S "FRUIT SALT, FRUIT SALINE OR FRUIT POWDER."

"A household remedy for preventing and curing by natural means all functional derangements of the liver."

* * * * * * * * * * * "A refreshing and invigorating beverage, most

invaluable to travelers, emigrants, sailors, residents in tropical climates, or anyone exposed to sudden changes."

Prepared only by J. E. Eno, Pomeroy street, New Cross Road, London, England.

This preparation does not differ materially from that of Tarrant & Co., but contains no magnesia sulphate. The following formula practically duplicates the preparation:

Take of-

| | Soda bicarbonate | 168 | parts. |
|---|------------------|-----|--------|
| | Tartaric acid | 150 | parts. |
| | Rochelle salt | IIO | parts. |
| • | | | |

Mix.

-New Idea.

60

ESPEY'S CREAM.

The following formula, said to be similar, is given in *Druggists' Circular*:

Take of-

| Cydonium | 1½ dr. |
|-------------------|--------|
| Ac. boric | 4 gr. |
| Glycerine | 2 OZ. |
| Alcohol | 3 oz. |
| Carbolic acid | 10 gr. |
| Cologne water | 2 dr. |
| Rose-waterto make | ı pt. |

Dissolve the boric acid in four ounces of rose-water, macerate cydonium in solution for three hours, press through straining-cloth, add glycerine, alcohol, cologne and sufficient rose water to make one pint. Lastly add the carbolic acid and shake well.

FAHNESTOCK'S VERMIFUGE.

This is said to be similar to the patent preparation:

Take of-

| Castor oil | |
|----------------|---------------------|
| | |
| | |
| Oil turpentine | I part. |
| Tinct. myrrh | 3 parts. |
| Mix. | -National Druggist. |

FALKE'S SULPHOLINE CREAM.

It is composed of—

| Very thick mucilage of quince seeds300 p | parts. |
|--|--------|
| Glycerine 40 p | parts. |
| Sulpho-carbolate of sodium 20 I | parts. |

The mucilage is prepared with rose-water, or the completed preparation is scented with it, and if the finished preparation should not assume a pink tinge of itself the same can be given with a little eosine or carmine red. This preparation is made by Falke & Co., 418 Elm. St., St. Louis, Mo., and is stated to be, in the circular around it, a new and most elegant preparation for chapped hands or any roughness of the skin, and for inveterate obstinate eruptions, black head, and pimples.—New Idea.

FEBRILINE.

Manufactured by the Paris Medicine Co., Paris, Tenn. Is offered to the medical profession as the long-looked for tasteless preparation of quinine, it being distinctly stated on the label that each bottle of twelve fluid drams "contains twenty-four grains of quinine."

Dr. R. G. Eccles declares in the *Druggists' Circular*, May, 1889, that he has investigated a preparation sold under the name "Febriline or Tasteless Syrup of Amorphous Quinine (Lyons)," by the Paris Medicine Co., of Paris, Tenn., and finds that it contains no

quinine at all. Instead of quinine, quinidine is used, another alkaloid of cinchona bark, which is described as follows in the *National Dispensatory*, edition of 1879, page 1181: "Quinidia is not officinal. Being very slightly soluble, it should be administered in mucilage or syrup. Its lack of bitterness renders it convenient for administration to children, and its imperfect solubility is not disadvantageous when a slow or tonic action is alone required."

FELLOWS' HYPOPHOSPHITES.

Take of-

| Glucose | ı lb. |
|-------------------------|---------|
| Simple syrup | ı pt. |
| Hypophosphite calcium | 128 gr. |
| Hypophosphite potassium | |
| Sulphate iron | |
| Sulphate manganese | 32 gr. |
| Sulphate quinine | |
| Sulphate strychnine | |
| Water | |
| | |

Dissolve the calcium and potassium hypophosphites in two fluid ounces of warm water. Add to one ounce of water three fluid drams of the syrup and dissolve in the mixture, by the aid of heat, the remainder of the salts. Mix the solutions and set by a few hours, covered, to deposit the sulphate of calcium which is formed. Filter into a bottle containing the remainder of the syrup, wash the residue with an ounce of boiling water, mix filtrate and washings with

t.

the syrup; dissolve the glucose in the mixture, and add through the filter enough water to make two pints. The formula would be improved by substituting for the glucose a refined extract of malt like that prepared by Gehe, in Germany.

The proportion of the medicinal ingredients in the syrup, it is true, is small; I shall not warrant it to perform miracles of cure. It is simply offered as a substitute for Fellows' Hypophosphites; whatever therapeutic efficiency that nostrum has, we may count upon obtaining equally from this syrup. -A. B. Lyons, in Therapeutic Gazette.

FIRWEIN.

Dr. Lewis, of Belvidere, gives in the New Idea the following formula for Firwein:

Take of-

| Solution bromine, iodine, and phosphorus. | | |
|---|-----|---------|
| Fir bark in coarse powder | | |
| White pine bark, coarse powder | 1/2 | OZ. |
| Tamarac bark, coarse powder | 1/2 | OZ. |
| Dilute alcohol | 16 | fl. oz. |
| Sugar | 4 | oz. |

Percolate the barks with the dilute alcohol until 13 fluid ounces are obtained; remove the tannin; add the solution bromine, iodine, and phosphorus. Dissolve the sugar; allow it to stand 24 hours and filter.

The solution of bromine, iodine, and phosphorus is made thus:

Take of-

| Phosphorus | 10 | gr. |
|------------------------------|-----|---------|
| Iodine | 170 | gr. |
| Bromine | 170 | gr. |
| Alcohol | Ι | fl. oz. |
| Glycerine sufficient to make | 8 | fl. oz. |

Dissolve the iodine in the alcohol, then add glycerine, then bromine and lastly the phosphorus gradually in fine shavings. Use great care in adding the phosphorus.

Cne ounce of this for the above Firwein.

FLAGG'S RELIEF.

Take of-

| Oil of cloves, about | I | dr. |
|---------------------------|-------|-----|
| Oil of sassafras, about | 2 | dr. |
| Spirits of camphor, about | 1 1/2 | dr. |

Mix.

-J. J. Pierson, Ph.C.

FLEURY'S TASTELESS CASCARINE.

"Harmless. A NEW remedy for biliousness, costiveness, dizziness, headache, torpid liver. Manufactured by the Fleury Medicine Company, Springfield, Illinois." Put up in a small wooden cylinder, which contains 45 grains of yellowish-white powder. Examination proves it to be subnitrate of bismuth and calomel, triturated through powdered cane sugar.—New Idea.

FORD'S BALSAM OF HOARHOUND.

| Hoarhound herb | 31/2 | lb. |
|----------------|------|-----|
| Licorice root | 31/2 | lb. |
| Water | 8 | pt. |

Infuse for 12 hours, then strain off six pints. To these add:

| Camphor | 10 | dr. |
|-------------------|----|-----|
| Opium | I | oz. |
| Benzoin | | |
| Dried squills | 2 | OZ. |
| Oil of anise-seed | I | OZ. |
| Alcohol | 12 | pt. |

Macerate for one week and then add $3\frac{1}{2}$ pounds of honey.—*New Idea*.

FOSGATE'S ANODYNE CORDIAL.

A long, round green bottle contains 13/4 fluid ounces of a deep yellowish-brown liquid, of bitterish, astringent taste, slight gingery flavor, and distinct rhubarb taste and smell. From our examination we consider the following an identical preparation:

Take of-

| Fluid extract rhubarb | 5 | fl. dr. |
|-----------------------|---|---------|
| Fluid extract rhatany | 2 | fl. dr. |
| Fluid extract ginger | | |
| Paregoric | I | fl. dr. |
| Simple syrup | I | fl. dr. |
| Dilute alcohol | 5 | fl. dr. |

Mix.

⁻New Idea.

FREEMAN'S VERMIFUGE OIL.

Take of—

| Oil of worm-seed 1 | 2 | oz. |
|------------------------|---|-----|
| Oil of turpentine | 2 | dr. |
| Castor oil 11 | 2 | oz. |
| Pink root | 2 | oz. |
| Hydrastin I | 0 | gr. |
| Syrup of peppermint 1/ | 2 | OZ. |

Dose for a child 10 years old, a teaspoonful three times a day, one hour after each meal. If it purges too freely, give it less often.

FRENCH UTERINE PAD.

Take of-

| Blue cohosh | I | oz. troy. |
|-------------------|-----|-----------|
| Powdered guaiac | 2 | dr. troy. |
| Witch hazel | I | oz. troy. |
| Ergot | 1/4 | oz. troy. |
| Cinchona | I | oz. troy. |
| Angelica | 1/2 | oz. troy. |
| Oil of tansy | | fl. dr. |
| Oil of stillingia | 4 | fl. dr. |
| Oil of lobelia | 4 | fl. dr. |
| Oil of lavender | 4 | fl. dr. |
| Oil of eucalyptus | I | fl. oz. |

Grind the drugs to a moderately fine powder and mix with the oils. Make into an oblong bag and wear over lower part of abdomen.

FUNK'S CREAM OF ROSES.

The National Druggist gives the following for Funk's Cream of Roses:

Digest one ounce of tragacanth in eight fluid ounces of water in the water bath; strain through muslin while hot; add to this one ounce each of glycerine and triple extract of white rose; color with carmine to a light pink.

Mr. A. Hemenover, of Pipestone, Minn., writes regarding Funk's Cream of Roses that he thinks one dram, not one ounce, of tragacanth is the amount wanted in the formula already given. We ourselves think that Mr. H. is about correct. One dram of tragacanth in eight ounces of water will make a very stiff mixture.—New Idea.

GARFIELD TEA.

Manufactured by the Stillman Remedies Co., 58 West 55th Street, New York. "The Garfield Tea, Stillman's Liver and Kidney Cure, is unrivaled" * * It is composed wholly of herbs; a natural remedy, potent and harmless. Directions:— Place a heaping tea-spoonful of the herbs in a tin cup or vessel; add a tea-cupful of boiling water, let the cup remain on the fire until the water boils up, then cover and remove from the fire; strain and drink every night on retiring. The tea may also be made by simply pouring boiling water on the herbs, letting stand a few hours; drink before retiring. Price of small package is 25 cents.

Our examination showed it to contain chiefly senna leaves and crushed couch-grass. There are perhaps small amounts of other drugs present; but if so they are relatively of little importance.—*New Idea*.

GARGLING OIL.

Take of-

| Crude petroleum | 13 fl. oz. |
|-----------------|------------|
| Ammonia water | 6 fl. oz. |
| Soft soap | 16 fl. oz. |
| Benzine | 16 fl. oz. |
| Crude oil amber | 2 fl. oz. |
| Tincture iodine | I fl. oz. |
| Water | 5 pts. |

Mix the petroleum and soap, add the ammonia water, oil of amber, and tincture of iodine, and mix thoroughly. Then add the benzine and finally the water.—Salmon's Pharmaceutical Compendium.

GENUINE WHITE OIL LINIMENT.

Take of—

| Ammonia carbonate | 19 parts. |
|----------------------------|-----------|
| Camphor | |
| Oil turpentine | 21 parts. |
| Oil origanum | |
| Castile soap | |
| Waterto make 300 parts (by | |

Mix.

GILES'S IODIDE OF AMMONIA LINIMENT.

Take of-

| Iodine | ı dr. |
|-----------------|-------|
| Camphor | I OZ. |
| Oil of rosemary | |
| Oil of lavender | |
| Aqua ammonia | |
| Alcohol | |

Dissolve the iodine in the alcohol; add the camphor and then the oils; then add water of ammonia enough to remove the dark color of the mixture. —*Kilner*.

GOLDEN EYE-WATER.

Take of-

Sulphate of hydrastia 2 gr. Distilled water 1 oz. Make solution.

This is an excellent wash for inflamed and granulated lids.

GOMBAULT'S CAUSTIC BALSAM.

Gombault's Caustic Balsam states on its labels that it is a safe, speedy, and reliable remedy for curb, splint, sweeney, poll-evil, grease-heel, capped hock, strained tendons, founder, wind-puffs, mange, skin diseases, old sores, dropsical affections, inflammations, throat difficulties, swellings or ulcerations, lameness from spavin, ringbone, and other bony tumors, and many other diseases or ailments of horses, cattle, sheep, and dogs; will quickly remove all bunches or blemishes, without leaving any scar or other injurious effects. It can also be reduced with sweet or raw linseed oil, and used as a most valuable liniment for all kinds of simple lameness, strains, etc.

The following formula makes a preparation which replaces the secret article to good advantage:

Take of-

| Croton oil | 4 fl. dr. |
|-------------------|------------|
| Cotton-seed oil | 2 fl. oz. |
| Oil of camphor | |
| Oil of turpentine | 2 fl. dr. |
| Oil of thyme | ½ fl. dr. |
| Kerosene | |
| Sulphuric acid | 20 minims. |

To the mixture of croton and cotton-seed oils add the sulphuric acid, stirring continually, then add the other constituents. After standing a few days it resembles the original preparation fairly well.

-Western Druggist.

GOOCHE'S MEXICAN COUGH SYRUP.

"The most certain, speedy, and greatest remedy in the world for coughs, colds, consumption, bronchitis, * * * * * and all complaints of a pulmonary nature."

With a view of obtaining an insight into the composition of this highly advertised cough syrup, we purchased an unopened bottle, and our chemist, H. W. Snow, submitted it to examination. It comes in a square, deeply-paneled bottle, with red label and black lettering giving uses and directions both in German and in English. The bottle contains a full three fluid ounces, of a light-brown, slightly fluorescent liquid. We proved absence of alkaloids—hence morphine, opium, ipecac, and lobelia cannot be present—and also proved absence of tartar emetic. It

contains large quantities of glycerine, syrup, and tar, also wild-cherry bark. The following formula makes a preparation scarcely to be distinguished from the original preparation:

Take of-

72

| Fluid extract wild cherry | 2 fl. dr. |
|----------------------------------|-----------|
| Glycerine | |
| Simple syrup | |
| Syrup of tar, sufficient to make | |

-New Idea.

-Kilner.

GOOD SAMARITAN COUGH SYRUP.

Take of-

| Morphiæ | muriat | | | • | | | • | | | | • | • | • | | I | gr. |
|-----------|---------------|---|-----|---|-----|---|-----|-----|---|---|---|---|---|---|---|-----|
| Aq. lauro | | | | | | | | | | | | | | | | |
| Syrupi | • • • • • • • | • | • • | • | • • | • | • • | • • | • | • | • | • | • | • | 2 | OZ. |

Mix. 1 dr. to 2 drs., once or twice daily.

GOOD SAMARITAN LINIMENT.

Take of-

| Oil of sassafras I fl. oz. |
|---|
| Oil of hemlock I fl. oz. |
| Spirits of turpentine I fl. oz. |
| Tinct. of capsicum I fl. oz. |
| Tinct. of opium I fl. oz. |
| Tinct. of myrrh 4 fl. oz. |
| Oil of origanum 2 fl. oz. |
| Oil of wintergreen 4 fl. dr. |
| Gum camphor 2 troy oz. |
| Chloroform $\ldots I^{\frac{1}{2}}$ fl. oz. |
| Alcohol 4 pints. |
| |

Mix.

GRANDMOTHER'S OWN COUGH REMEDY.

One green panel bottle contains $7\frac{1}{2}$ fluid ounces of a brownish-yellow, semi-clear, very sweet, thickish liquid, of a tarry odor, and pronounced taste and smell of chloroform. From a close examination we have ascertained that an exactly similar preparation is easily made in the following way:

Rub well together-

| Liquid tar 5 g | gr. |
|---------------------------------------|---------|
| Fluid ext. hemlock I f | l. dr. |
| Powd. white sugar 2 c | oz. av. |
| and add | |
| Alcohol | l. oz. |
| Water 1 ¹ / ₂ f | l. oz. |
| Molasses 3 (| oz. av. |
| Fluid ext. ipecac 8 r | ninims. |
| Mix well and add finally | |
| Chloroform I f | 1. dr. |

Mix.

-New Idea.

GRAY'S SPECIFIC PILLS.

Nearly all these specific pills are composed of asafœtida with a little camphor and sometimes hops or lupuline. The following will approximate the "specific:"

Take of-

| Asafœtida | • | • | • | • | • | | • | • | • | • | • | • | • | • | • | • | | | | 2 | gr. |
|-----------|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|
| Camphor. | • • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | I | gr. |
| Lupuline. | | | | | | • | | • | • | • | | | | | | | • | | • | 1/8 | gr. |

Mix.

The "specific action" is in the direction of an aphrodisiac.-Western Druggist.

GREAT LONDON LINIMENT.

Take of-

| Acetate of morphia | 10 gr. |
|--------------------|--------|
| Chloroform | I OZ. |
| Olive oil | I OZ. |
| Water of ammonia | I OZ. |

Mix.

GREEN'S AUGUST FLOWER.

The following is said to make a preparation similar: Take of—

| Rhubarb | 360 | gr. |
|--------------------|---|---------|
| Golden seal | and the second se | gr. |
| Cape aloes | 16 | gr. |
| Peppermint leaves | 120 | gr. |
| Carb. of potash | 120 | gr. |
| Capsicum | 5 | gr. |
| Sugar | 5 | OZ. |
| Alcohol | 3 | OZ. |
| Water | 10 | OZ. |
| Ess. of peppermint | 20 | minims. |

Powder the drugs and macerate with the mixed alcohol and water for seven days; filter and add enough diluted alcohol to make the product measure one pint.—New Idea.

GREEN MOUNTAIN SALVE.

Take of-

| Resin | 5 | lb. |
|----------------------|-----|-----|
| Burgundy pitch | | |
| Beeswax | 1/4 | lb. |
| Mutton tallow | 1/4 | lb. |
| Oil of hemlock | I | oz. |
| Balsam fir, | Ι | oz. |
| Oil origanum | I | oz. |
| Oil of red cedar | I | oz. |
| Venice turpentine | I | oz. |
| Oil wormwood | 1/2 | oz. |
| Verdigris (powdered) | I | oz. |
| | | |

Melt the first articles together, and add the oils; having rubbed up the verdigris with a little oil, put it in with the other articles, stirring well; then put into cold water and work until cold enough to roll.

GREEN WONDER OIL.

| - | | | | A |
|---|------|---|----|---|
| | 2 12 | 0 | 0 | f |
| | ак | - | () | |
| - | CULL | - | ~ | |

| Terebinth Venet | 4 | oz. |
|-----------------|---|-----|
| Zinci sulphat 1 | 5 | gr. |
| Cupri acetat I | 2 | oz. |
| Bals. Peru | I | dr. |
| Ol. olivæ | I | lb. |
| Ol. lini | I | lb. |

Boil the oils; when warm add the turpentine and zinc; when almost cold add the other ingredients and stir well. For scalds, burns, wounds, and piles.

GRIMAULT'S INJECTION OF MATICO.

Manufactured solely by Messrs. Grimault & Co., 8 Rue Vivienne, Paris, France.

"The invaluable plant called matico, a native of Peru, possesses extraordinary preventive and astringent properties. A few injections each of very short duration are sufficient to arrest the most inveterate discharges." The absence of mineral astringents and caustics, though not expressly stated, is intimated in the circular which accompanies the preparation. This preparation comes in an oval flint-glass bottle with white embossed paper wrapper, covered with small green prints of monograms of G. C., and with a cut of the matico plant in green on the label. The bottle contains five fluid ounces of an aromatic liquid, having a light bluish tint. Examination shows it to contain copper sulphate in solution, in amounts not far from 3/4 of a grain to the fluid ounce. It is difficult to say just what plant has contributed the odor. Certain it is, however, that it is not due to the matico pure and simple. The matico, if it contained any of it, has undergone a considerable change of physical and sensible properties. The odor is somewhat suggestive of a rose-water which has stood a long time and undergone decomposition. A satisfactory and valuable substitute for it could be made by distilling about 1/2 to I fluid dram of fluid extract of eucalyptus globulus, with water sufficient to obtain 5 fluid ounces of distillate, and then in this dissolve 4 grains of sulphate of copper.-New Idea.

GULL'S COUGH MIXTURE.

Take of-

Cod liver oil I fl. oz. Fresh lemon juice I fl. oz. Strained honey.... I fl. oz.

Mix.

Tea-spoonful to table-spoonful three or four times daily.

GUNN'S RHEUMATIC LINIMENT.

Take of-

| Linseed oil | |
|-------------|-------|
| Oil cedar | I OZ. |
| Oil amber | I OZ. |

Take gum camphor $\frac{1}{2}$ ounce; rub in a mortar with alcohol or sulphuric ether till pulverized, and while still damp add

| Olive oil | • | | | | | • | • | • | • | • | | • | • | • | | 1/2 OZ. |
|------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Turpentine | | • | | | | | | | | • | | • | • | • | • | 1/2 OZ. |
| Laudanum | | • | • | • | • | | • | • | • | | • | • | • | • | • | 1/2 OZ. |

after which add the first three articles.

HAGAN'S MAGNOLIA BALM.

Said to resemble the genuine.

Take of-

| Pure oxide of zinc | I OZ. |
|--------------------|-----------|
| Rose-water | 4 OZ. |
| Glycerine | ı dr. |
| Perfume | 25 drops. |
| | |

-Lillard's Prac. Hints and Formulas.

HAINES'S GOLDEN SPECIFIC FOR OPIUM HABIT.

Take of-

Bayberry-root bark, powdered... 16 oz. Ginger, powdered 8 oz. Capsicum, powdered 1 oz.

Mix.

-- Western Druggist.

DR. B. W. HAIR'S ASTHMA CURE

Is put up in a square bottle with truncated corners, having the name blown into the glass on the back. Dr. Hair says, "The great success which has attended the use of this medicine has induced me to publish to the world that I have found a certain cure for those who are afflicted with the above named disease." It is prepared only by Dr. B. W. Hair, Cincinnati, Ohio. Price only \$3.00 per bottle. Dose for adult is one tea-spoonful five times a day. If necessary to overcome a paroxysm, it may be taken in table-spoonful doses four times a day. It contains 16 fluid ounces, of a brownish fluid having an odor of tar. Examination shows it to contain notable quantities of iodides, but neither bromides nor chlorides. It contains some tar, but no alkaloids; consequently no ipecac is present. It is also slightly colored with caramel. The following formula may be taken as duplicating very closely the original article:

Take of—

Potassium iodide 1 oz. Tar water* 16 fl. oz. Caramel sufficient to color light brown, or about 30 gr.

-New Idea.

The compiler, however, much prefers a formula given by Dr. Elmore Palmer in the *Medical World* for April, 1885. Dr. Palmer writes, "I do not know where I ran on to this formula, but I *do* remember that at the time I had no doubt of its correctness, and recent developments have strengthened this belief." It is as follows:

Take of-

Wine of tar 14 oz. Iodide of potassium 220 gr.

Make a solution. Shake well before taking.

The wine of tar to be used in the above must be made as follows:

Take of-

| Common pin | le | t | a | r. | | • | | | • | • | | | | | 2 | dr. |
|-------------|----|---|---|----|--|---|---|---|---|---|---|---|---|---|---------------|-----|
| Sherry wine | | • | | | | , | | | | | • | | | • | 2 | pt. |
| Pine sawdus | t. | • | • | • | | • | • | • | • | • | • | • | • | • | $\frac{1}{2}$ | oz. |

Mix the tar with the sawdust so as to form a sort of powder; then macerate it for a week with the wine and filter through paper.

^{*} Tar water may be made by same process as U. S. P. syrup of tar, but omitting sugar. Make same strength per pint as U. S. P. syrup of tar.

"If this is not *just* the way Hair's Asthma Cure is made, it will certainly do all that is claimed for that nostrum, and more too."

HALL'S CATARRH CURE.

According to an examination of this preparation, made by us, it contains gentian, cardamom, probably bitter orange peel and iodide of potash. We took it to be the compound tincture of gentian of the British Pharmacopœia, in which was dissolved potassium iodide. The following formula makes a preparation very closely resembling the original:

Take of-

| Gentian root in coarse powder | 1 1/4 OZ. |
|-------------------------------|-------------|
| Bitter orange peel " " | 5 dr. |
| Cardamom seeds " " | 100 gr. |
| Potassium iodide | I OZ |
| Dilute alcohol | sufficient. |

Macerate the crude drugs in 12 ounces of dilute alcohol for 48 hours, then transfer to a percolator and allow to percolate slowly; when the liquid has ceased to percolate, pass enough menstruum through the percolator to make the finished product measure 16 ounces. In this dissolve the potassium iodide.

-New Idea.

HALL'S HAIR RENEWER.

Take of-

Sulphur precipitated..... 1 dr. Lead acetate..... 1 dr.

| Salt | 2 dr. |
|-------------|-----------|
| Glycerine | 8 fl. oz. |
| Bay rum | 2 fl. oz. |
| Jamaica rum | |
| Water | |

HALL'S HYGIENIC TREATMENT.

Several months since, an advertisement appeared in a medical journal of wide circulation, calling the attention of its readers to the fact that Dr. Wilford Hall's *Microcosm* had "recently announced a *most remarkable* remedy for disease, without medicine of any kind. It is said to be accomplishing wonders. The June *Microcosm* is full of its confirmation."

This same "June *Microcosm*" contains this announcement of the "discovery:".

"So important do we regard the daily recurring developments of this treatment for the cure of almost every known form of disease, as well as for the permanent preservation of health and prolongation of life, that we feel it our imperative duty to make everything else we do secondary to the widest possible promulgation of this discovery."

"Though absolutely knowing the importance and even priceless value of this treatment, as we did in its personal application to our own shattered constitution during forty consecutive years, yet we are free to confess that we had formed but a slight conception of its range of adaptation to the diseases flesh is heir to, previous to commencing the distribution of our Health-Pamphlet among the afflicted. "Already we could fill scores of these pages with the most startling and enthusiastic acknowledgments of cures ever read by man, and which have been voluntarily sent to us as grateful tributes of praise for the marvelous benefits received."

There seem to have been continuous and persistent appeals in behalf of afflicted relatives and friends of the readers of his journal, and to enable them to obtain its benefits the following scheme is developed:

"The pamphlet which unfolds the new treatment we sell invariably at \$4.00, by mail, on the purchaser's agreeing by 'Pledge of Honor' not to divulge the treatment outside of his or her family,—doctors being allowed, in addition, the right of using the treatment with their patients. No one should complain of the price asked for this information, when they consider that, if it is put into practice, it will save the owner of the pamphlet from all future bills for ordinary drugs and medical attendance, as well as from more than nine-tenths of the misery, inconvenience, and losses incident to ill-health."

Dr. Massie, in the *Medical World*, says in regard to this "wonderful discovery:" "I don't know anything about Hall's right to use the prefix 'Dr.,' but suspect it is merely a trap to get some unwary M. D. to send for the June number of his alleged scientific journal, and be by it further deceived into sending \$4.00 for his alleged '*Hygienic Method*' for the treatment of disease without the use of medicine. Hall's method constitutes him a veritable quack. He published many articles in the *Microcosm* concerning a book he was going to write, in which he proposed to give a method for treating all the ills that flesh is heir to—in fact, to demolish the science and practice of medicine at 'one fell swoop.'

"At last, when he thought he had a sufficient degree of curiosity aroused to make his scheme 'go,' he came out with the diffident announcement that he could not afford to give the results of so many years of patient toil and squirting of hot water through a rubber syringe for less than \$4.00 a 'give;' consequently he published his secret in pamphlet form, and sells it at the above figure, exacting a pledge of secrecy from each purchaser. But when a secret is put in print, it is a secret no longer, and seeing that the 'cat is already out of the bag,' here is his whole 'scheme:'

"Disease depends on the absorption of poisonous materials from the colon and rectum. Wash these out thoroughly with hot water once or twice a day, and disease is robbed of its power, death of its terror, and the doctor of his occupation. Use lots of water (a gallon or two); retain it as long as possible, and then 'let her go, Gallagher.' This is a sure cure for consumption and Bright's disease, and minor ailments vanish like mists before the sun."

That "flushing the colon" is the principal part of this "Hygienic treatment" is confirmed by publications in other journals. The benefit to be derived

from "flushings" of this character is, nowever, conceded, and, should any of our readers desire to know the best plan of procedure, the following from the Medical Standard gives Prof. Etheridge's method of administering these "flushings." "The use of a long rectal tube is unnecessary. The patient should be placed in a genu-pectoral position, the shoulders thus being lower than the hips. The water will be made to descend while anatomically ascending the intestines. Patients can be made to receive from one to six pints of water in this position without the slightest trouble. As one of the effects of the water is to distend the colon, and thus press away the walls of the loculi from the accumulations, these fall into the current of water and are passed out while the water is leaving the intestine. The patient will oftentimes complain of severe tormina; checking the current of water for a few seconds will be followed by complete relief. The presence of such a strange foreign body in the intestine as hot water, in many cases excites prodigious peristaltic activity, thus producing the tormina. Plain hot water is all that is necessary to use. The water should be hot; cold water, or tepid water, will not do. It will produce great suffering. One patient took the flushings for a fortnight, and returning vowed she never would use any more because they produced such terrific cramps. Upon inquiry it was found that she was using tepid water. The subsequent use of hot water by her was never followed by a cramp. Upon many patients this large amount of water acts

84

as a vigorous diuretic. Where patients suffer as well from renal insufficiency, I am in the habit of telling them to use a pint or a pint and a half of hot water after the flushing has passed away, and to lie upon the back with hips elevated for half an hour. Thus retaining the water, it will act as a powerful diuretic. Some patients can administer this flushing with greatest ease, while others will develop a most phenomenal awkwardness. I am in the habit of telling patients to kneel in the bath tub, who are at all awkward about using these flushings."

HAMBURG DROPS.

Take of-

| Powdered Socotrine aloes | | | |
|--------------------------|------|---------|-----|
| American saffron |
 |
1/2 | OZ. |
| Tincture of myrrh |
 |
16 | oz. |

Macerate for fourteen days and filter through paper.

HAMBURG TEA.

Take of-

| | | | | | | | | | | | | | | | | | World. |
|----------|----|---|---|-------|-----|---|---|---|---|-----|--|---|---|---|---|--------|--------|
| Coriando | er | | |
 | | | | | | | | | | | T | part. | |
| Manna | | • | • |
• | • • | • | • | • | • | • • | | • | • | • | 3 | parts. | |
| Senna . | | | | | | | | | | | | | | | | | |

HAMLET'S AGUE PILLS.

Take of-

| Sulph. | quinine | | • | • | • | | | | | • | | | 2 | dr. |
|--------|----------|---|---|---|---|--|--|--|--|---|--|--|---|-----|
| | myrrh . | | | | | | | | | | | | | |
| Powd. | capsicun | 1 | • | | • | | | | | | | | I | dr. |
| | | | | | | | | | | | | | | |

Mix. Make sixty pills.

HAMLIN'S WIZARD OIL.

Dr. Douglas, *Medical World*, gives the following analysis of Hamlin's Wizard Oil. The formula dates back to 1866, and hence is not a new discovery:

Take of-

| Alcohol | |
|-----------------|---------|
| Gum camphor | I OZ. |
| Oil sassafras | 1/2 OZ. |
| Tinct. myrrh | 1/2 OZ. |
| Tinct. capsicum | |
| Chloroform | 1/2 OZ. |

Mix. I consider this recipe as harmless (and useful too) as Hamlin's famous Wizard Oil, and I believe it is as perfect an analysis as we can get.

HANSON'S MAGIC CORN CURE.

A good corn cure that is similar in every respect to Hanson's Magic Corn Cure, is made by taking of:

| | Simple cerate | I | OZ. | |
|-----|-------------------------------|---|-----|--|
| | Salicylic acid 1 | I | dr. | |
| Mix | intimatelyIndiana Pharmacist. | | | |

86

HARDY'S OINTMENT.

According to Bouchardat consists of:

| Beef tallow | 17 dr. |
|-------------|--------|
| Castor oil | |
| Gallic acid | 30 gr. |

Essence vanilla sufficient to flavor.

HARLEM OIL.

Take of-

| Flowers of sulphur | 2 OZ. |
|--------------------|-------|
| Linseed oil | ı lb. |
| Oil of amber | 2 OZ. |
| Oil of turpentine | |

Boil the sulphur and linseed oil on a gentle fire until the sulphur is dissolved; then withdraw from the fire, and when the mixture has somewhat cooled, add the oil of amber and enough oil of turpentine to bring the preparation to the consistence of molasses.

-National Druggist.

HARTLEY'S SOUTH AMERICAN CURE.

During the summer of the present year a man calling himself Prof. Hartley occupied a vacant lot in Detroit, with a large tent lighted by electric light, wherein he had immense audiences every evening during his stay, which lasted some two months. The professor gave a short lecture upon a South American cure, which he stated to be composed of roots, herbs, seeds, barks, and flowers growing exclusively in South America, and used for centuries by the

Arcanians, a tribe of people who inhabit the western slope of the Andes, in the southern part of Chili. During his lecture the professor managed to give the audience to understand that this wonderful medicine performed more cures of indigestion, dyspepsia, catarrh, rheumatism, liver complaints, and kidney diseases than any other medicine on the face of the earth. Being curious to know something more concerning the internal constitution of this South American Cure, we purchased a bottle, and subjected it to an analysis, according to which we find that it consists of fluid extract of rhubarb, 8 parts; fluid licorice and anise, each 2 parts; fluid capsicum, 1/3 part; fluid aloes, 1/6 part; alcohol, 6 parts; water enough to make 32 parts, to which a small percentage of sodium bicarbonate is added, about 10 grains to the ounce. How is this for a South American Cure, which country does not furnish to commerce one ingredient in the nostrum? It is asserted that nearly 60,000 bottles were sold in Detroit in the few weeks that this so-called professor held forth.-New Idea.

HAYDEN'S VIBURNUM COMPOUND

Is said to have about this composition: Take of—

| Cramp bark | 4 dr. |
|---------------------------------|-------|
| Black haw | |
| Skunk cabbage | 2 dr. |
| Syrup | |
| Tinct. cinnamon enough to make. | 4 oz. |

Mix, and after 24 hours filter.-Western Druggist.

HEATON'S CURE FOR HERNIA.

Dr. Heaton, of Boston, for a number of years treated cases of hernia by a method peculiar to himself. The doctor amassed a fortune and was successful in many cases in obtaining a radical cure. The process he kept secret for a long time, but it was found to consist of the injection of a solution of oak bark between the hernial sac and the skin, in the inguinal canal. The object was to excite inflammation around the sac, and thus cause the canal to be narrowed. Heaton's instructions were as follows:

"Invaginate the right forefinger in the scrotum and find the external abdominal ring; then with the left forefinger press perpendicularly upon the integument directly over this ring, and use sufficient force to, if possible, press the integument with the finger directly into the ring. The left forefinger being at or in the ring, the spermatic cord and the sac, if in the way, are to be pushed to one side, so that nothing may remain between the external pillar of the ring and the finger, except the integument and subjacent superficial fascia."

The instrument is then passed quickly into the canal, the fluid injected, and firm pressure made for a few minutes to prevent the escape of the fluid from the canal.

The adaptation of the modern aseptic system to the Heaton method is thus given by Dr. Shimwell, of Philadelphia, in the *Medical World*: Heaton's method is first to cleanse the parts antiseptically with soap, ether, and the bichloride of mercury. He then uses a special syringe, the needle of which is sharp and has two small openings on the side, one-eighth of an inch from the end. He now takes nineteen minims of a solution, to which is added one drop of carbolic acid. This solution is made by mixing over a hot bath extract of quercus alba, fourteen grains; fluid extract of quercus alba, one-half fluid ounce. He also adds one-eighth of a grain of sulphate of morphia to each injection.

His procedure of operation is to elevate the patient's hips on a pillow, so that gravity carries the bowel away from the canal and ring. The finger is now introduced into the canal, invaginating the tissue until the finger reaches the internal ring. The finger is held here at the margin of the ring. The syringe is now introduced perpendicular to the plane of the abdomen, and pushed firmly down until it is recognized by the finger in the invagination. It is now in front of the internal ring. The invagination finger is withdrawn slightly, so the skin will not be punctured as the needle is inserted well into the tissues of the canal. The needle is outside of the peritoneum. Then about three minims of the fluid is injected. The needle is then inserted half an inch to the right, left, above and below the ring, and a similar quantity injected with each puncture. Now the finger is withdrawn, the needle following after until the external ring is reached; then the needle is withdrawn.

The balance of the fluid is injected in the canal. The instrument is then withdrawn entirely, a compress of iodoform gauze is placed over the puncture, then covered with bichloride cotton, and a spica bandage applied. The patient keeps on his back ten days or two weeks, and is not allowed even to sit up. The pain is slight and the inflammation mild. Within a few days induration is noticed, and increases, and embryonic cells in surrounding tissue formed.

A truss with a soft pad should be worn for at least six months after. If failure ensues, the operation may be repeated.

Dr. DeGarmo, in the *Medical Record*, gives as the result of seven years' experience in this method the following advantages:

1. Freedom from danger.

2. Cure in forty-five per cent. of unselected, seventyfive of selected cases.

3. Control of many cases not amenable to treatment by the truss.

4. Improvement in nearly every case.

5. Children nearly always cured.

HEISKELL'S TETTER OINTMENT.

Heiskell's Tetter Ointment, according to the *Western Druggist*, is said to be simply cerate of sub-acetate of lead.

HELMBOLD'S BUCHU.

Said to resemble the genuine.

Take of—

| Short buchu | 9 oz. |
|---------------|--------|
| Uva ursi | |
| Licorice root | 10 dr. |

Macerate in 9 pints of boiling water, strain, and add:

| Caramel | 2 | OZ. |
|--------------------------|------|--------|
| Molasses | 8 | OZ. |
| Mix well, and add: | | |
| Fluid extract cubeb | 5 | oz. |
| Alcohol | 2 | pt. |
| Oil peppermint | I | OZ. |
| Water sufficient to make | 12 | pt. |
| Tilland's Dugo Hints | ~~] | Tommer |

-Lillard's Prac. Hints and Formulas.

HELMBOLD'S JELLY OF GLYCERINE AND ROSES.

Our examination shows the following to be the formula for the above.

Take of—

| Tragacanth | ı dr. |
|---------------------|------------|
| Triple ext. of rose | 6 drops. |
| Glycerine | 2 fl. oz. |
| Water | |
| | -New Idea. |

HIMROD'S ASTHMA CURE.

Dr. Geo. Covert, of Clinton, Wis., in a recent article, says in regard to this preparation: "A one-time schoolmate and friend of mine cured himself of asthma with his own remedy. He went to Europe, introduced his asthma remedy to the notice of Kaiser William, who used it with benefit and gave it his royal commendation. Our friend's fortune was made and Himrod's Asthma Remedy is still on the market."

This is said to be the formula:

Take of-

| Powdered | lobelia | 2 | oz. |
|----------|-------------------|---|-----|
| Powdered | stramonium leaves | 2 | oz. |
| Powdered | nitrate of potash | 2 | oz. |
| Powdered | black tea | 2 | oz. |

Sift well and mix.

HINKLEY'S BONE LINIMENT.

Take of-

| Oil of wormwood | 40 | minims. |
|----------------------|----|---------|
| Oil of hemlock | 2 | dr. |
| Oil of thyme | 2 | dr. |
| Oil of turpentine | 4 | dr. |
| Fl. ext. of capsicum | I | dr. |
| Alcohol to make | 4 | oz. |
| | | |

Mix.

HOLLOWAY'S OINTMENT.

The formula for this preparation is said to be: Take of—

| Yellow wax. | • | • | • | • | | | | • | | | • | • | | • | • | • | 10 | parts. |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--------|
| White wax | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | 10 | parts. |
| Turpentine | • | • | • | | • | • | • | • | • | | • | | • | • | • | • | 25 | parts. |

| | Lard .
Sweet | oil | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | 50 | parts. | |
|------|-----------------|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--------|--|
| Mix. | | | | | | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | 15 | parts. | |

HOLLOWAY'S PILLS.

Take of-

| Aloes | 2 dr. |
|------------------|--------|
| Rhubarb | ı dr. |
| Capsicum | 20 gr. |
| Saffron | 5 gr. |
| Sulphate of soda | 5 gr. |
| | |

Make one hundred pills.

HOLMES'S LIVER PILLS.

Take of-

| Colocynth pulp I oz. | |
|--|-----|
| Gamboge ı oz. | |
| Scammony I oz. | |
| Barb. aloes 2 oz. | |
| Castile soap \dots $\frac{1}{2}$ oz. | |
| Oil peppermint 2 fl. dr. | |
| Water sufficie | nt. |

Make into three-grain pills, of which from two to three are an average cathartic. These pills formerly had a big reputation in the city of Pittsburgh, Pa.

HOP BITTERS.

The following is said to be the formula: Take of—

| Tinct. | of | hops | 1/2 OZ. |
|--------|----|-------|---------|
| Tinct. | of | buchu | 3 dr. |

94

Mix.

-Medical World.

HOSTETTER'S BITTERS.

Take of-

| Sugar | 2 lb. |
|-----------------|-------|
| Calamus root | |
| Orange peel | 2 lb. |
| Peruvian bark | |
| Gentian root | 2 lb. |
| Columbo root | 2 lb. |
| Rhubarb | 8 oz. |
| Cinnamon | 4 OZ. |
| Cloves | |
| Diluted alcohol | |
| | |

-The Medical Bulletin.

HUNTER'S RED DROPS.

Take of-

Corrosive sublimate..... 10 gr. Muriatic acid 12 drops.

Rub in a glass mortar and gradually add:

Compound spirits of lavender... I oz.

Dose:—Five to twenty drops in wine, or spirits and water.

A powerful alterative in syphilitic diseases.

HUNYADI JANOS WATER.

Take of-

| Sulphate of lime \dots $1\frac{1}{2}$ | 0 Z . |
|---|--------------|
| | 0 Z . |
| | 0 Z . |
| Sulphate of potassa I | dr. |
| | gal. |

Mix, and charge with gas.

INJECTION BROU.

The preparation comes in a bottle of very peculiar construction, made on a private mould, and contains short $7\frac{1}{2}$ fluid ounces of a slightly yellowish fluid containing a reddish-brown sediment in suspension.

Analysis shows the presence of alcohol, acetic acid, sulphuric acid, traces of an alkaloid, and a tanninbearing drug. Just what drug has yielded the tannin it is impossible to say. It is not any of the ordinary tannin-bearing drugs, as none of them yield such a colored precipitate with the lead and zinc salts. The essential parts, however, are the mineral astringents and alcohol, and a preparation which is substantially the same, may be made by the following formula:

Take of-

| Tinct. catechu (1 in 16) | ı dr. |
|--------------------------|--------|
| Cocaine muriate | 10 gr. |
| Lead acetate | 10 gr. |
| Zinc sulphate | 10 gr. |

| Water | , | • | • | • | | • | | | • | • | | | 6 | 3/4 | fl. | oz. | |
|---------|---|---|---|---|--|---|--|--|---|---|--|--|---|-----|-----|-----|--|
| Alcohol | | | | | | | | | | | | | | | | | |

Dissolve the mineral salts each in $\frac{1}{2}$ ounce of water and mix them. Dilute the tinct. catechu with 4 fluid ounces of water; add the minerals and then the solution of cocaine muriate in an ounce of water; lastly the alcohol and water to make $7\frac{1}{2}$ fluid ounces. The color of Injection Brou may be fairly well simulated by using a small amount of magenta.—New Idea.

IODIA.

Kilner gives a formula as follows, which is stated to make a preparation to all intents and purposes identical to the Iodia of Battle & Co.:

Take of-

| Fl. ext. stillingia | 3 oz. |
|-------------------------|---------|
| Fl. ext. prickly ash | I OZ. |
| Fl. ext. saxifraga | 1/2 OZ. |
| Fl. ext. yellow parilla | 1/2 OZ. |
| Fl. ext. blue flag | |
| Potassium iodide2 | |
| Iron pyrophosphate2 | |
| Dilute phosphoric acid | |

Dissolve the potassium iodide in the mixture of fluid extracts, and the pyrophosphate in two ounces of hot water. Mix the two solutions gradually, lastly adding the phosphoric acid.—New Idea.

JAYNE'S EXPECTORANT.

The following is given in New Idea as approximating this preparation: Take of-

| Syrup squills 2 | oz. |
|-----------------|-----|
| Tinct. tolu | oz. |
| | dr. |
| | dr. |
| | dr. |
| | dr. |
| | gr. |
| Mix. | 0 |

JAYNE'S ALTERATIVE

Is said to be similar to the following: Take of—

| Tartar emetic | 4 gr. |
|-------------------------|------------|
| Spirits of camphor | I fl. dr. |
| Fluid extract of ipecac | 4 drops. |
| Laudanum | 2 fl. dr. |
| Tinct. of lobelia | I fl. dr. |
| Syrup of tolu | 12 fl. dr. |
| Tinct. of digitalis | ı fl. dr. |
| Syrup of squills | 2 fl. oz. |

-National Druggist.

KASKINE

Is a preparation sold in small flat green-glass vials, each containing about 20 grains of a white, granular powder, freely soluble in water, of a sweet taste and without any odor. Claimed by its manufacturers to stand "unequaled and unrivaled in the world of science as the only medicine that can destroy the germs that cause each particular disease and restore perfect health."

98

Dr. Fr. Hoffman says:

"The chemical examination by the writer, of several vials of Kaskine bought from different leading drug firms in New York City, proves the fact that *Kaskine is nothing more nor less than* GRANULAR SUGAR of the fine grain and grade as used in homœopathic pharmacy, *without* even *any* infinitesimal *medication* or flavoring *whatsoever*."

KEATING'S COUGH LOZENGES.

Take of-

| Lactucarium | 7 1/2 gr. |
|-------------------|------------|
| Ipecac | 33/4 gr. |
| Squills | 3 gr. |
| Ext. licorice | 3 dr. |
| Mucil. tragacanth | sufficient |

Mix and divide into lozenges each containing 19 gr.

KELLOG'S RED DROPS.

Take of-

| Spirit of camphor | 2 OZ. |
|------------------------|---------|
| Spirit of origanum | 1/4 OZ. |
| Oil of sassafras | 1/4 oz. |
| Oil of turpentine | 1/2 OZ. |
| Color tincture (about) | |

Mix.

--- Pharmacist and Chemist.

KENDALL'S SPAVIN CURE

Is put up in a twelve-sided amber bottle, which contains $5\frac{1}{2}$ ounces of a clear, brownish-red liquid.

It contains camphor, and a heavy petroleum oil, turpentine, alcohol, free iodine, and oil of rosemary.

The following formula makes a preparation substantially the same as the proprietary liniment:

Take of-

| Turpentine I | fl. oz. |
|-------------------------------------|---------|
| Alcohol 2 | |
| Camphor | gr. |
| Iodine 25 | gr. |
| Petroleum oil (heavy) $\frac{1}{2}$ | fl. dr. |
| Oil of rosemary I | fl. dr. |

In the mixed oils (without filtering) dissolve the camphor and the iodine.—New Idea.

KENNEDY'S MEDICAL DISCOVERY.

Take of-

| Sneezewort | I OZ. |
|----------------------------------|------------|
| Bitter-root | 4 dr. |
| Mix and add— | |
| Boiling water | 8 fl. oz. |
| Proof spirits | 10 fl. oz. |
| Licorice root | 4 dr. |
| Macerate for 48 hours, then add- | |
| White sugar | 4 oz. |
| Tinct. gaultheria | I OZ. |

-King's American Dispensatory.

KENNKLE'S VEGETABLE WORM SYRUP.

Upon examination we find that it is put up in an oval green bottle, containing $4\frac{1}{2}$ fluid ounces of an opaque, yellowish-brown, thin, syrupy liquid of

100

slightly acid reaction. According to our examination each bottle contains:

| Santonine | 27 gr. |
|----------------------|-------------|
| Oil sassafras | 1 minim. |
| Alcohol | 2 fl. oz. |
| Fl. ext. pink-root | |
| Fl. ext. dandelion | 1/2 fl. oz. |
| Fl. ext. golden seal | 1/4 fl. oz. |
| Molasses | 1/2 fl. oz. |

The santonine in a finely triturated condition.

-New Idea.

KEPHALGINE.

A remedy for headache, consists of:

| Antipyrine | 5 | parts. |
|----------------------|---|--------|
| Roasted coffee | 5 | parts. |
| Caffeine | | |
| Salicylate of sodium | 2 | parts. |

Mix.

-American Journal of Pharmacy.

KICKAPOO INDIAN OIL.

A round, green bottle, about four inches long, holds and contains full ten fluid drams of a clear, light straw-colored thin liquid, which readily turns white on the addition of water, and is composed, about like hundreds of its kind flooding the market, of—

| Camphor | 1/2 | oz. troy. |
|-----------------|-----|-----------|
| Oil turpentine | I | fl. dr. |
| Oil peppermint | | |
| Oil wintergreen | 1/2 | fl. dr. |

Tinct. capsicum 1/2 fl. oz. Alcohol sufficient to make 1 pt.

-New Idea.

KING'S NEW DISCOVERY.

The following is said to represent its composition:

Take of-

| Sulph. morphia | 8 | gr. |
|-----------------------|-----|-----|
| Fl. ex. ipecac | 1/2 | dr. |
| Chloroform | | |
| Tinct. white pine | 2 | OZ. |
| Water | 7 | OZ. |
| Carbonate of magnesia | 1/4 | OZ. |
| Sugar | 14 | OZ. |

Rub the magnesia with one ounce of the sugar in a mortar, and triturate with the tincture of white pine and the fluid extract of ipecac; gradually add the water, and triturate with the mixture in the mortar. Filter and dissolve the morphia sulphate in the filtrate; mix the chloroform with the rest of the sugar in a bottle and add the liquid above. Keep in a tight vessel. -New Idea.

KITCHELL'S LINIMENT.

Take of-

| | Water ammonia | I | part. |
|------|-------------------|-----|--------------|
| | Water | | |
| | Caramel to color. | - | |
| Mix. | —We | ste | rn Druggist. |

102

KLINE'S NERVE RESTORER.

Dr. R. H. Kline's Great Nerve Restorer is made from the following formula, which is well known as introduced by a celebrated European M. D.:

Take of-

| Bromide of ammonia | | |
|----------------------|---|---------|
| Bromide of potassium | 3 | OZ. |
| Bicarb. of potassium | | |
| Tinct. columbo | 6 | fl. dr. |
| Water | 6 | fl. oz. |

Mix. Dose:—Tea-spoonful thrice daily in water. —Dr. Wade in Med. World.

KREYDER'S AGUE PILLS.

Take of-

| Sulph. quinia | 20 gr. |
|-----------------|--------|
| Dover's powder | 10 gr. |
| Sub. carb. iron | 10 gr. |

Mix with mucilage of acacia and form twenty pills. Dose:—Two each hour, commencing five hours before the chill should set in. Then take one night and morning until all are taken.

KUMYSS.

Mr. H. W. C. Martin, of Chicago (*Western Drug*gist), in quite an extended experience in the manufacture of Kumyss, gives the following details for its preparation:

| Fresh milk | 14 | gal. | |
|----------------------------|----|------|--|
| Skimmed milk | | | |
| Water | | | |
| Sugar, granulated | | | |
| Milk sugar | | | |
| Yeast, 1 package, or about | | | |

These portions were selected for the reason that cow's milk contains, according to the best authorities, about 4 per cent. of fat, while mare's milk contains only about 1 per cent. By using skimmed milk and water, the 4 per cent. is reduced to the desired 1 per cent. Again, the addition of water has reduced the phosphates in cow's milk to near the desired amount present in mare's milk, while the subtraction of casein from the skimmed milk, together with the addition of water, reduced the amount of casein from $4\frac{1}{2}$ or 5 per cent. to about the $1\frac{1}{2}$ or $1\frac{7}{10}$ per cent. contained in mare's milk. Take the skimmed milk, and by aid of a steam bath raise it to the temperature of 90 to 100 degrees Fahrenheit. Add one-third of the yeast, first dissolved in a small quantity of water, and keep it at this temperature until the casein separates into a thick mass. Pour off the whey and strain it through muslin into a 40-gallon cask already containing the fresh milk. Now add the balance of the yeast dissolved in a small quantity of the milk, and lastly the water with the sugar dissolved in it. The cask should be made of oak, with a wooden faucet just below the lower hoop, to which is attached a rubber hose about 15 feet long and one-half inch in diameter, so as to allow it to go into the neck of a

quart champagne bottle. About four inches from the end there is attached to the tube an arrangement similar to those we see on fountain syringes, whereby the flow can be controlled at will. The Kumyss is now stirred once in about five or ten minutes while the bottling is proceeded with. Place the bottles in rows convenient to the cask, and fill to within three inches and a half to four inches of the top. When all are filled, soak some straight wide corks of proper size in lukewarm water, and cork thoroughly with the aid of a corking machine, and so that the corks do not protrude more than one-quarter of an inch above the neck. Tie with good, stout twine, the same as you would a bottle of citrate of magnesia, and lay on their sides. The temperature of the room should be about 70 to 80 degrees Fahrenheit, and the bottles should be shaken once in five or six hours. At the end of 15 or 18 hours fermentation will have perceptibly begun, and they are ready for the ice-box. The temperature of the box should be kept under 55 degrees Fahrenheit to allow a slow and even fermentation to go on. If kept below this point, Kumyss does not need any more shaking after it is in the ice-box. It is only too high a temperature and rapid fermentation which causes the lumps and grittiness which should be entirely absent in a good Kumyss.

LAC VIRGINIS.

COSMETIC FOR SKIN.

Take of-

Mix. A tea-spoonful of this mixture, added to an ordinary hand-basin of water, makes an admirable cosmetic for the skin of the face and hands.

LALLEMAND'S SPECIFIC.

Take of-

| Sulph. quinia | I | dr. |
|----------------------|----|-----|
| Sulph. cinchona | | dr. |
| Ext. colocynth | | dr. |
| Wine colchicum seeds | | OZ. |
| Tinct. verat. viride | I | OZ. |
| Dilute alcohol | 8 | OZ. |
| Sherry wine | 31 | oz. |

Mix. Dose:-One tea-spoonful.

-National Druggist.

LANGELL'S ASTHMA REMEDY.

Take of-

Powdered belladonna leaves.. I part.

Powdered nitrate of potash... 10 parts. Mix.

LAUBACH'S ECLECTIC LINIMENT.

An analysis of a bottle of this preparation made by us shows that it is a light, amber-colored liquid, put up

in a so-called 4-ounce panel bottle (holding about 3 fluid ounces) with rubber cork.

We formulate a similar liniment as follows: Take of—

| Oil of turpentine | 60 parts. |
|----------------------------|------------|
| Tincture of arnica flowers | 120 parts. |
| Stronger water of ammonia. | 120 parts. |
| Soap liniment | 900 parts. |
| Oil of sassafras | 6 parts. |
| Oil of thyme | 2 parts. |
| Alcohol | 240 parts. |

Total parts (by measure)... 1448

-New Idea.

LAVARRE'S SURE CURE.

Upon examination we find that it is in a white glass, oblong, square-panel bottle, holding 23/4 fluid ounces, of a rather turbid, deep pinkish-red liquid, with a sweetish, saline, aromatic taste, the composition of which is about as follows:

| Fl. ext. poke berries | 80 minims. |
|-------------------------|-------------|
| Fl. ext. sassafras | 40 minims. |
| Liquid ammonia, caustic | 5 minims. |
| Sodium bromide | 20 gr. |
| Alcohol | |
| Oil of peppermint | I minim. |
| Powdered cochineal | 4 gr. |
| White sugar | 3 dr. troy. |
| Water (enough to make) | 4 fl. oz. |

The bottle is enclosed in a straw-board pipe, and wrapped in a thick, light-blue wrapper, upon which is

stated "Health is Wealth," with the portrait of an old gentleman with clerical tie, high forehead, and sparse white locks. The wrapper states it is a sure cure for neuralgia, rheumatism, toothache, headache, back-ache, and all diseases produced by any derangement of the nervous system. A special guarantee is printed on the wrapper that it contains no morphine, opium, chloral hydrate, or other poisonous drugs. Another paragraph states that the contents of the bottle contain the virtues of two pounds of the choicest barks and herbs.—New Idea.

LAVILLES'S GOUT CURE.

This patent preparation is said to have the following composition:

Take of-

| Quinine | 7.7 gr. |
|-----------------|---------------------------------------|
| Cinchonine | 9.3 gr. |
| Colocynthin | 3.8 gr. |
| Lime salts | 7.6 gr. |
| Coloring matter | 4.6 gr. |
| Alcohol | 3 ¹ / ₃ fl. dr. |
| Water | 2 1/3 fl. dr. |
| Port wine 12 | 234.0 fl. dr. |
| | |

-National Druggist.

LEE'S ANTI-BILIOUS PILLS.

Take of-

| Calomel | | | | | | | | | | | | | 30 gr. |
|---------|--|---|---|--|---|---|--|---|---|---|---|---|--------|
| Jalap | | • | • | | • | • | | • | • | • | • | • | 60 gr. |

108

| Gambo | ge | :. | ••• | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | 12 | gr. |
|--------|----|-----|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Tartar | em | eti | c. | | • | • | • | • | • | • | | | • | • | • | • | • | • | • | 3 | gr. |

Beat into a mass and make into 24 pills, mix with gum arabic or extract of dandelion.

Dose:—3 to 5 pills as a purgative.

By substituting podophyllin in the place of calomel (same quantity) it makes a safer and better pill for common use. Dose:—2 to 3 pills.

LEE'S GRAVEL REMEDY.

Take of-

| Sapo. Venet | | |
|-----------------|---|-----|
| Sal. nitre pulv | 4 | oz. |
| Oil juniper | 4 | oz. |
| Gum arabic pulv | I | oz. |
| Sal. absynth | I | oz. |

Beat into a mass.

Dose:—One pill three times a day on an empty stomach.

Keep the mass entirely excluded from the air, in a bladder or wide mouth bottle covered with oiled silk. Pills to be made of the size of buck shot. Drink dandelion tea for a constant drink—" nothing else."

LEE'S LITHONTRIPTIC.

Take of

| | Powdered castile soap | 2 OZ. |
|------|------------------------|----------------|
| | Carbonate of potassium | 4 dr. |
| | Nitrate of potassium | 2 dr. |
| | Powdered gum arabic | 5 dr. |
| | Oil of juniper | 2 fl. dr. |
| Mix. | | ists Circular. |

109

LIEBIG'S CORN CURE.

The following formula for Liebig's Corn Cure is said to be very effective:

Take of-

Mix until dissolved. Apply with a camel-hair pencil four consecutive nights and mornings to form a thick coating. The collodion protects the corn from irritation and rubbing, while the extract of cannabis indica acts as an anodyne, and the salicylic acid dissolves and disintegrates the corn.

For relieving the pain of corns the following has been recommended:

Take of-

| Powdered sugar of lead | ı dr. |
|---------------------------------|-------|
| Powdered myrrh | |
| Powdered camphor | ı dr. |
| Powdered litharge | ı dr. |
| Sweet oil and saxoline, of each | |

Make the powders into stiff paste with sweet oil, then add saxoline to bring up to the consistency of an ointment. It is stated that this application gives an almost instant relief.

The following is a formula sometimes used to dissolve and soften corns:

Take of-

| Solution of potassa | |
|--------------------------|-------|
| Tincture of iodine | ı dr. |
| Glycerine | |
| Water sufficient to make | I OZ. |

LAFAYETTE MIXTURE.

This is a gonorrhœa mixture, much used in this section of the country. In New York it is very generally used in the hospitals and dispensaries. Its formula is as follows:

Take of-

| Balsam of copaiba | 1/2 fl. oz. |
|-------------------------------|-------------|
| Spirit of nitrous ether | 1/2 fl. oz. |
| Comp. spirit of lavender | |
| Solution of potassa | ı fl. dr. |
| Mucilage of acacia, enough to | |
| make | 4 fl. oz. |

Mix the balsam with the solution of potassa, then add the two spirits. Put the requisite amount of mucilage into a bottle, pour the other mixture on top, and mix the whole by agitation.

In some institutions it is customary to use equal volumes of mucilage and syrup, instead of mucilage alone.—*American Druggist*.

LINDSEY'S PAIN CURE.

"This is an excellent application for pain of any kind, or in any place, and especially for neuralgia and inflammatory rheumatism."

I obtained this from Mr. G. W. Snyder, of Des Moines, Iowa, the present manufacturer, who very readily gets 50 cents for 3/4 of an ounce.

| A11-1 | |
|------------------------|-------|
| Alcohol | 4 OZ. |
| Ethereal oil of wine | 4 dr. |
| No. six | 4 OZ. |
| Spts. camphor | 4 OZ. |
| Oil hemlock | 2 OZ. |
| Oil cinnamon | ı dr. |
| Oil sassafras | I OZ. |
| Oii cloves | 4 dr. |
| Ether | 2 OZ. |
| Chloroform | 2 OZ. |
| Sweet spirits of nitre | 4 OZ. |
| Chloral hydrate | 2 OZ. |
| Lard oil | 4 OZ. |
| Oil cedar | 4 OZ. |
| Oil origanum | I OZ. |
| Oil wintergreen | 2 dr. |
| 0 | |

Mix. It may be taken internally in doses of 5 to 60 drops.

The number six is tincture of capsicum and myrrh, made double strength. The spirits of camphor is also made double strength by the aid of chloroform. -Dr. McCann in Medical World.

LINIMENT FOR MAN AND BEAST.

Take of-

Mi

| Powdered myr | rh 1 oz. |
|----------------|---------------------|
| Powdered aloes | S I OZ. |
| Balsam fir | I troy oz. |
| | 8 fl. oz. |
| ix. | -National Druggist. |

LIQUOR CARBONIS DETERGENS.

Take of-

Quillaya saponaria, (soap bark). 4 lb. Alcohol (65 per cent.).... 2 gal. Macerate and filter:

| Tinct. | (as | abo | ve) |). | • |
• | • • |
• | • |
• | 100 parts. |
|---------|-----|-----|-----|----|-----|-------|-----|-------|---|-------|------------|
| Coal ta | r | | | | • • |
• | • |
• | • |
• | 50 parts. |

Mix. After eight days, filter. Used externally in skin diseases.

LISTERINE.

The following formula is said, by a correspondent in Western Druggist, to closely approximate:

Take of-

| Acid boric | 2 dr. |
|------------------------|---------|
| Acid benzoic | 2 dr. |
| Dissolve in water | 64 oz. |
| Fluid ext. of baptisia | 4 dr. |
| Menthol | 2 dr. |
| Oil eucalyptus | 3 dr. |
| Oil gaultheria | 1/2 dr. |
| Dissolve in alcohol | 64 oz. |

Mix the two solutions and filter through magnesium carbonate. The use of fluid extract baptisia prevents a colorless preparation, in which respect it differs from the original. This can only be avoided by distilling the baptisia with water, and the distilled extract thus obtained used instead of the fluid extract.

The following is given in *New Idea*, March, 1884, as a formula for Listerine, after an examination of that article:

Mix well together-

| Adding: | 64 gr | |
|---------|-------|--|
| | 1.0° | |

Boric acid..... 128 gr.

Dissolving the mixed powders by means of slight heat in 6 fluid ounces distilled water.

Dissolve also:

| Thymol | 20 gr. |
|-------------------------------|-----------|
| In alcohol | 8 fl. oz. |
| Then adding to this solution: | |

| Eucalyptol | 5 minims. |
|--------------------|-----------|
| Oil of wintergreen | 5 minims. |
| Oil of peppermint | 3 minims. |
| Oil of thyme | 1 minim. |

Mix the watery and alcoholic solutions, and finally add enough water to make, after standing over night and filtering, 16 fluid ounces. Clear the liquid up if necessary with the smallest possible amount of alcohol.

LITTLE HOP PILLS.

"For headache, biliousness, weak nerves, dyspepsia, constipation, deranged liver, and general debility." Manufactured by the Hop Pill Manufacturing Company, New London, Conn. Weight of 12 pills = 16 grains. They contain oil of peppermint, podophyllin, rhubarb in small quantities, and probably extract of colocynth. Sugar coated.

114

Allowing four or five grains for sugar coating, we suggest the following as a formula closely resembling the original:

Take of-

| Podophyllin | |
|-------------------|-------------|
| Ext. colocynth | 6 gr. |
| Oil of peppermint | |
| Ext. rhubarb | sufficient. |

Mix, divide into 12 pills and coat heavily with sugar.—New Idea.

LOCOCK'S PULMONIC WAFERS.

Take of-

| Sugar | 10 dr. |
|-------------|--------|
| Starch | 10 dr. |
| Gum arabic | 5 dr. |
| Lactucarium | 75 gr. |

Equal parts each of

Vinegar of squills, Oxymel of squills, Wine of ipecac.

The last three are to be mixed and evaporated to one-sixth the original bulk and added to the powders in quantity sufficient to make a mass of proper consistence. This is to be divided into lozenges of seven and one-half grains each.

LOWNDES'S MAGIC CREAM.

Take of-

Hydrarg. ammoniat 1 part. Zinc oxide...... 3 parts. Must be thoroughly incorporated in powder; sufficient glycerine and lard then added to make a stiff cream.

For application to venereal ulcers.

LOW'S MAGNETIC LINIMENT.

Low's Magnetic Liniment is a thin, reddish liquid, put up in panel bottle (containing three fluid ounces) with a rubber cork. It contains according to our analysis, oil of turpentine, capsicum, camphor, ammonia, oil of sassafras, and alcohol. The following formula furnishes a liniment nearly identical in contents, character, and color:

Take of-

| Oil of turpentine | 90 parts. |
|---------------------------|------------|
| Tinct. of capsicum | 120 parts. |
| Spirits of camphor | 960 parts. |
| Stronger water of ammonia | 90 parts. |
| Alcohol (sp. gr. 820) | 180 parts. |
| Oil of sassafras | 6 parts. |
| Fluid ext. of sassafras | 40 parts. |

Total (parts by weight).. 1486

-New Idea.

LYON'S KATHAIRON.

The following formula will exactly duplicate the original:

Take of-

| Castor | oil | | • | • | • | | • | • | • | • | • | I | fl. | oz. |
|--------|-------------|---|---|---|---|---|---|---|---|---|---|---|-----|-----|
| Tinct. | cantharides | • | • | • | • | • | | | • | • | • | I | fl. | dr. |

116

Oil of bergamot..... 20 minims. Stronger water of ammonia... 1 drop. Alcohol sufficient to make.... 3 fl. oz.

-New Idea.

MAGNETIC LINIMENT.

Take of-

| Tinct. of cantharides | 2 dr. |
|-----------------------|-------|
| Oil of origanum | I OZ. |
| Muriate ammonia | 2 dr. |
| Sulphuric ether | I OZ. |
| Alcohol | ı pt. |

Mix.

MALVINA CREAM.

Prepared by Prof. I. Hubert, inventor and proprietor, Toledo, Óhio. "Warranted to remove freckles, beautify the complexion, and preserve the smoothness of the skin." Used in conjunction with Malvina Lotion. According to our examination it is as follows: Put up in a white glass ointment jar, containing 386 grains of a white, pleasant appearing and pleasant smelling ointment, which consists of white wax, white petrolatum, a bismuth salt, and mercuric chloride in very small quantities. We recommend the following formula as one which will make a preparation closely resembling the original: Take of-

| Saxoline | 265 gr. |
|-----------------------------------|-----------|
| White wax | 50 gr. |
| Spermaceti | 30 gr. |
| Bismuth oxychloride | 40 gr. |
| Mercuric chloride | 1/2 gr. |
| Spirit of rose (4 drams of oil to | |
| 1 pint) | 20 minims |
| Oil of bitter almonds | 1 minim. |

Warm the saxoline, white wax, and spermaceti together until melted. While cooling incorporate the bismuth oxychloride and the mercuric chloride, this last previously dissolved in a little alcohol, and when nearly cold, stir in the perfumes. —New Idea.

MALVINA LOTION.

"AN ADDITION TO MALVINA CREAM."

"This lotion should be used as directed with the Malvina Cream, as it is of great importance to cure freckles, pimples, moth patches, liver mole, ringworm, and salt rheum. It straightens wrinkles in face, speeds the respiration of the blood, cleanses and softens the skin to youthful freshness."

Put up in a white glass, square bottle, holding $4\frac{1}{2}$ fluid ounces of a milky-white fluid, with a powder in suspension. No quantitative estimates were attempted. In solution we found mercuric chloride, and the powder in suspension is a carbonate or subcarbonate of zinc. The milky fluid is evidently an emulsion of almonds poorly made. The following

formula will make a preparation in most respects similar to Malvina Lotion. Make up an emulsion of almonds (2 drams to 1 pint) with rose-water. In one pint of this fluid dissolve two grains of mercuric chloride, and suspend in the mixture three drams of zinc oxide. —New Idea.

MATHIEU'S VERMIFUGE.

Take of-

| Tin filings | I OZ. |
|---------------------|---------|
| Fern root | 3/4 OZ. |
| Worm-seed | 1/2 OZ. |
| Ext. of jalap | |
| Sulphate of potassa | |

Honey to form an electuary.

A tea-spoonful every three hours for two days, then substitute the following :

| Jalap | 2 | scruples. |
|---------------------|----|-----------|
| Sulphate of potassa | 2 | scruples. |
| Scammony | I | scruple. |
| Gamboge | 10 | gr. |

Make into an electuary with honey and give the same dose as the preceding.

MEIBOM'S PECTORAL BALSAM.

Take of-

| Benzoin | 10 parts. |
|----------------|-----------|
| Dragon's blood | 10 parts. |
| Opium | 10 parts. |
| Bals. Peru | 10 parts. |

| Spermaceti | 5 parts. |
|----------------------|------------|
| Butter | 10 parts. |
| Sweet oil of almonds | |
| Oil of turpentine | 100 parts. |
| Acetic acid | 2 parts. |

Digest for some days, frequently shaking, and strain through linen.

To be rubbed on the breast once daily and taken internally once or twice daily, in doses of ten to fifteen drops, for coughs and catarrh.

METZ'S BALSAM.

Metz's Balsam, which is quite popular in some sections of the country, it is said is prepared as follows:

Take of-

| Linseed oil | 180 parts. |
|-------------------------|------------|
| Olive oil | |
| Oil of laurel berries | 30 parts. |
| Turpentine (oleo-resin) | 60 parts. |

Melt by a gentle heat and add:

| Powdered aloes | 8 | parts. |
|------------------------|----|--------|
| Powdered verdigris | 12 | parts. |
| Powdered white vitriol | 6 | parts. |

Pour into a bottle and add:

| Oil | of | juniper | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | . 15 parts. |
|-----|----|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------------|
| Oil | of | cloves. | • | • | • | • | • | • | • | • | • | | • | • | • | • | • | 4 parts. |

Mix by shaking.

It is used as a dressing for ulcers, boils, wounds, etc. —National Druggist.

MEXICAN MUSTANG LINIMENT.

This widely advertised liniment comes in a round bottle surrounded by a circular and enclosed in a lithographic wrapper. The bottle holds 13/4 fluid ounces of a preparation which is a light brownish emulsion, smelling of petroleum products and terebinthinate oils. The following may be taken as a very fair duplicate:

Take of-

| Oil turpentine $\frac{1}{2}$ dr. |
|------------------------------------|
| Oil thyme $\frac{1}{2}$ dr. |
| Oil amber, crude $\frac{1}{2}$ dr. |
| Black oil I dr. |
| Kerosene oil 3 dr. |
| Water 3 oz. 2 dr. |
| Soap 35 gr. |
| Caustic potash 3 gr. |

The soap should be placed, together with the alkali, in a flask, and then dissolved in two ounces of *hot* water; add the mixed oils in very small quantities at a time, with vigorous shaking. When the mixture has once assumed a creamy consistency, the oils may be added more rapidly; but in any case, reasonable care should be observed, and this is true in adding more water, which should be quite warm, until the full pint is made. If the oils do not emulsify readily, it is necessary to begin over again, as either too much oil was added at first, or the water was not warm enough. Strict attention must be paid to both of these considerations in order to insure success. —New Idea.

MILLER'S GOLDEN OIL.

The label on bottle of Miller's Golden Oil states it will cure diphtheria, bronchitis, coughs, colds, whooping-cough, catarrh in the head, croup, burns, rheumatic pains, neuralgia, toothache, headache, pains in the side, breast and neck, sore throat, earache, stiff neck, sprains, wounds, bruises, broken breasts, salt rheum, sore eyes, tetter, asthma, frosted feet, piles, deafness, corns, etc.

Directions.—This oil should be taken inwardly and applied externally.

According to New Idea, this consists mainly of-

| Essential oil of lavender | |
|-----------------------------|------------|
| Essential oil of eucalyptus | 20 minims. |
| Essential oil of sassafras | |
| Oil of turpentine | ı fl. dr. |
| Cotton-seed oil | 7 fl. dr. |

MITCHELL'S EYE SALVE.

"A certain, safe, and effectual remedy for sore, weak, and inflamed eyes. Prepared only by E. Taylor, chemical works, Rochester, N. Y."

This preparation consists of a small quantity of oxide of mercury, and a considerable quantity of oxide of zinc, disseminated through a fatty base, seemingly lard, stiffened with a little white wax. We offer the following as an efficient substitute:

> Saxoline, snow white...... 350 gr. White wax 130 gr.

| | 45 gr. |
|------------------|-----------|
| Oxide of mercury | 5 gr. |
| Oil of lavender | 10 drops. |

Melt the white wax and saxoline together, and stir constantly while cooling. As soon as the mass begins to solidify incorporate the oxides and oil of lavender. -New Idea.

MOREHEAD'S MAGNETIC PLASTER

Is said to be composed of tar and extract of belladonna, of each equal parts.

MITCHELL'S SYSTEM OF TREATMENT OF PILES.

In the year 1871, there lived in the village of Clinton, Illinois, a young physician named Mitchell. His practice was small, and afforded him superabundant leisure, which he employed in devising a new treatment for piles. Being a good thinker, he soon conceived the idea of treating hemorrhoids by the hypodermic injection of a mixture of olive oil and carbolic acid.

Having tried his plan upon an old farmer of the neighborhood, he accomplished a triumphant cure. The old farmer was delighted and garrulous, and the young doctor was needy but ambitious, and the two made a sort of co-partnership, the old farmer attending to the advertising while the young doctor received the patients and punctured their piles and their pockets with his hypodermic syringe. Knowledge of their methods spread. Certain itinerants began to sell the secret to others, pledging them to secrecy in turn, and binding each to practice only in the district for which he had "purchased the right." Two men in Chicago are said to have paid three thousand dollars for the exclusive secret "right" to a certain portion of Illinois, including their city. Flocks of itinerants bought the secret of each other, and traversed the country in every direction until their handbills fluttered on the shores of the Pacific ocean. In the year 1876 one of the quacks revealed to us his method, and by taking measures adapted to the purpose, we found that his information was correct. We then entered into correspondence with a considerable number of the itinerants, some of whom seemed willing to make a clean breast. We also communicated with a large number of regular physicians who had observed the practice of the itinerants, and in some cases had made use of the method themselves. In the course of this investigation, we received about 300 letters, and got rough estimates of the results of the injections in about 3,300 cases. Mitchell commenced with a mixture of one part of carbolic acid to two parts of olive oil, but he gradually varied from his first method, and at length, as I am informed, he partly abandoned the injections and adopted the plan of tearing the interior of the piles to pieces by angular needles set in handles. He probably met some of the dangerous accidents which have occurred in the injection practice and changed to the needles on that account. His disciples, however, persisted,

and in their hands the injections were varied in numerous ways. One of the itinerants wrote us that he had tested "every caustic in the vegetable and mineral kingdoms," but that he came back to the carbolic acid as the best, "and the stronger the better." The excipients generally used were oil, glycerine or alcohol, to which water was sometimes added. Carbolic acid was generally, but not always, the active ingredient, and the strength varied from twenty to one hundred per cent. We were disappointed on the whole in the results. Although there were many beautiful cures, thirteen deaths were reported to us out of about 3,304 cases, besides a large number of dangerous abscesses, sloughings, and in some cases prolonged and terrible pain, or desperate shock, the latter being probably from embolism. In a number of cases very dangerous hemorrhages occurred, presumed to be from the spasmodic grip of the sphincter bursting the thin walls of a pile, squeezing out the clot, and letting loose the floodgates of the hemorrhoidal veins, which, above the verge, have no valves.

The itinerants varied greatly the strength of the fluids used. The weak solutions acted more mildly than the others, but they often failed of cure. The strong preparations almost always cured the piles, but they produced a multitude of cases of abscesses and sloughings. The Michigan itinerant above mentioned states, that he preferred positive results, and always sought to cause the piles to suppurate or

mortify, and to that end he "preferred carbolic acid, and the stronger the better." Some of them use the acid at a strength of only three per cent. and others as high as ninety-five per cent. Regular physicians were for a number of years wholly at a loss to account for the success which these itinerants obtained. Our own discovery of the secret resulted partly from the indiscretion of a "specialist," who exemplified the saying, in vino veritas, and partly from the information obtained by a Chicago druggist, who furnished the same man and others their solutions. We published the knowledge thus obtained simultaneously in five prominent medical journals, and as a result were shortly in receipt of hundreds of letters from persons of all classes, with reports of thousands of cases, and the results, both good and bad, of the method. The sale of "rights" ceased quickly. The sums paid for exclusive rights, in a limited district, were from one thousand to fifteen hundred dollars.

-Andrews's Rectal and Anal Surgery.

MOTHER SIEGEL'S SYRUP.

Take of-

| Conc. decoction of aloes (1 to 4) | 60 m. |
|-----------------------------------|----------|
| Borax | 1.3 gm |
| Capsicum, powdered | 0.13 gm |
| Gentian, powdered | 2.3 gm |
| Sassafras oil | 0.3 gm. |
| Wintergreen oil | 0.12 gm. |
| Rectified spirit | 7.5 gm. |
| Fluid extract dandelion | 7.5 gm. |
| Syrup | 125 gm. |

MOXIE-A NERVE FOOD.

A correspondent desires to know the composition of Moxie Nerve Food, extensively advertised "as a very lively enemy to rum," etc. "Though neither a stimulant, poison, tonic, nor medicine, and contains not a drop of alcohol, yet it satisfies the drunkard's thirst better than anything else." * * "It has created more excitement in the East than the railroad or the telegraph, and in Washington they all drink it, from the President down." Such is the driveling language of a quack nostrum, boomed by a retired homeopath for the benefit of the dissipated élite. As usual, a romantic story goes with the nerve food, how it is prepared from a plant discovered by one Lieut. Moxie, and, "being entirely unknown to the botanists," was named in his honor. A large reward is offered for any chemist who can produce its equal, or give a correct analysis of the wonderful nerve food. This "Moxie," despite the wonderful tale of its discovery, and although so "wholly unknown to botanists," is, we presume to say, a plant otherwise termed avena sativa. The great "Nerve Food" is a decoction of oats, made into a syrup and flavored with sassafras and wintergreen.

-Western Druggist.

MURRAY'S INFALLIBLE SYSTEM TONIC, M. I. S. T.

Manufactured by the M. I. S. T. Co., Indianapolis, Ind., S. B. Murray, manager. Claimed by them to be

"the only scrofula, catarrh, blood, liver, and kidney medicine on earth." This preparation is put up in small gelatine capsules, each containing on an average $2\frac{1}{4}$ grains of a brown, bitter, pasty mass. Retail price is \$1.00 per box containing 50 capsules. Our examination proved it to be:

| Aloes | 50 gr. |
|------------------------|--------|
| Cinnamon, pulv | 25 gr. |
| Glycyrrhiza root, pulv | 25 gr. |
| Water | |

Make into a pill mass with a little water, and divide into 50 parts. Press into gelatine capsules for use. —New Idea.

NERVE AND BONE LINIMENT.

Take of-

| Oil of origanum | 4 oz. |
|-----------------|--------|
| Oil of rosemary | 4 oz. |
| Oil of amber | |
| Oil of hemlock | 4 OZ. |
| Turpentine | 4 pts. |
| Linseed oil | 6 pts. |

Mix. For external use only.

NUMBER THIRTEEN.

Take of-

| Ol. santal alb. opt | 2 fl. dr. |
|---------------------|-----------------------|
| | 1/2 fl. oz. |
| Spts. lavender comp | ½ fl. oz. |
| Spt. nit. dulc | |
| Ol. cassia opt | 15 drops. |
| Syr. acacia 2 | $\frac{1}{2}$ fl. oz. |

Mix. Dose:-A tea-spoonful before meals.

OIL OF GLADNESS.

Take of-

| Oil of marjoram | ı fl. dr. |
|---------------------------------|-------------------|
| Oil of peppermint | I fl. dr. |
| Oil of horsemint | 1 fl. dr. |
| Ether | 2 fl. dr. |
| Tincture of capsicum | 4 fl. dr. |
| Tincture of opium | I fl. dr. |
| Tincture of red sanders | |
| Alcohol, sufficient quantity to | |
| make | 8 fl. oz. |
| Mix. —Dru | ggists' Circular. |

OIL OF JOY.

Take of-

| Alcohol | 4 pts. |
|----------------------|---------|
| Gum camphor | 1/2 OZ. |
| Oil of sassafras | I OZ. |
| Oil of cedar | I OZ. |
| Tinct. of guaiac | I OZ. |
| Tincture of capsicum | 2 OZ. |
| Water of ammonia | |
| Chloroform | 3 oz. |

Mix.

OLIVE BRANCH.

Olive Branch consists of powdered jequirity made into suppositories, with cocoa butter or white wax. —Boston Journal of Health.

ORANGE BLOSSOM.

Claimed by its proprietors to be a positive cure for all female diseases. The article is in the form of a vaginal suppository. Our analysis shows it to be about as follows: An oblong body, about one inch long, by one-half inch wide and one-half inch thick, weighing full two grammes (31 grains). A single fold of heavy tin foil surrounds and encloses a light, grayish-yellow, unguentous mass, of a rancid, fatty odor, and astringent, metallic taste. The reaction very acid. The constituents are:

| Zinc sulphate | I | dr. |
|-------------------|---|-----|
| Alum | | |
| Cocoa butter | - | |
| White wax | | |
| Oil sweet almonds | | |
| Ext. henbane | I | gr. |
| Ext. liendane | 1 | gı. |

-New Idea.

OSGOOD'S CHOLAGOGUE, OR CELEBRATED AGUE CURE.

Take of—

| Sulph. quinine 2 dr. |
|------------------------------------|
| Fluid ext. leptandra 2 dr. |
| Saturated tinct. stillingia 4 oz. |
| Fluid ext. podophyllin 3 dr. |
| Oil of sassafras 10 drops. |
| Oil of wintergreen 10 drops. |
| New Orleans molasses sufficient to |
| make 8 oz. |

Mix. Dose:-One to two tea-spoonfuls.

OZONE UTERINE WAFERS.

Ozone Uterine wafers consist of powdered jequirity in capsules.

While jequirity is of value in uterine diseases, it should be used with caution.

-Boston Journal of Health.

PAGE'S LIQUID GLUE.

Take of-

| Best carpenter's glue | 120 parts. |
|-----------------------|------------|
| Acetic acid | 10 parts. |
| Water | 130 parts. |
| Alum | 1 part. |

Digest in water bath until dissolved, and when cold add

Alcohol..... 30 parts.

-New Idea.

PALMER'S COSMETIC LOTION

Is said to be a weak (one per cent.) solution of sulpho-carbolate of zinc in glycerine and rose-water. —Western Druggist.

PAPINE.

In answer to a query the *Formulary* publishes the following formula, which is said to make a preparation of the same strength and characteristics as are claimed for Papine:

Take of-

Deodor. tinct. of opium..... $3\frac{1}{2}$ fl. oz. Elixir 13 fl. oz.

Mix.

A fluid dram represents one grain of opium.

PARSONS'S LOCAL ANÆSTHETIC.

Take of-

| Chloroform | 12 parts. |
|------------------|-----------|
| Tinct. aconite | 12 parts. |
| Tinct. capsicum | 4 parts. |
| Tinct. pyrethrum | 2 parts. |
| Oil cloves | 2 parts. |
| Camphor | 2 parts. |

Dissolve the camphor in the chloroform, then add oil of cloves and then the tinctures. The venerable Dr. Parsons, in sending this formula for publication, says: "I can not expect to remain much longer in this world, and I want the profession to know the value of this local anæsthetic." —Southern Dental Journal.

PATTERSON'S EMULSION OF PUMPKIN SEEDS.

Patterson's Emulsion of Pumpkin Seeds is said to be a good emulsion for expelling tape worms.

Take two ounces of pumpkin seeds, peel and pound to a paste with sugar, then add by degrees eight fluid ounces of water, the whole to be taken in two or three draughts at short intervals.

132

PEACOCK'S BROMIDES.

Take of-

| Potassium bromide | 640 gr. |
|--------------------------|------------|
| Sodium bromide | 640 gr. |
| Ammonium bromide | 384 gr. |
| Calcium bromide | 192 gr. |
| Lithium bromide | 64 gr. |
| Tincture vanilla | I fl. oz. |
| Sugar | 10 av. oz. |
| Water sufficient to make | |

Dissolve the salts in 8 ounces of water, add the tinctures, filter the liquid, dissolve the sugar in it without heat, strain and add sufficient water to make 16 fluid ounces. -Western Druggist.

PEEKSKILL'S COUGH SYRUP.

Take of-

| Syrup of tolu | 5 fl. oz. |
|----------------------|-----------|
| Syrup of ipecac | I fl. oz. |
| Paregoric | |
| Syrup of wild cherry | ı fl. oz. |

Mix.

-Medical World.

PERRY'S COMPOUND SARSAPARILLA BLOOD PURIFIER.

Take of-

| Turkey-corn root | 2 lb. |
|-------------------|-------|
| Stillingia root | 2 lb. |
| Sarsaparilla root | |
| Yellow-dock root | 2 lb. |
| Sassafras bark | ı lb. |

| Simple syrup 2 | gal. |
|---------------------|------|
| Diluted alcohol32 | pt. |
| Iodide of potassa 2 | Îb. |
| Water su | |

Percolate roots and bark with diluted alcohol, add syrup, then iodide of potassa. Dissolve in water to make six gallons. —*Kilner's Modern Pharmacy.*

PERRY DAVIS'S PAIN KILLER.

Take of-

| Gum myrrh | 21/4 lb. |
|-------------|----------|
| Capsicum | 10 OZ. |
| Gum opium | 8 oz. |
| Gum benzoin | 6 oz. |
| Gum guiac | 3 OZ. |
| Gum camphor | IO OZ. |
| Alcohol | 5 gal. |

PETTIT'S EYE SALVE.

The formula for this old and popular remedy is as follows:

Take of-

| Olive oil | • | | • | • | • | • | • | | | • | | | | 4 | dr. | |
|------------|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|--|
| Spermaceti | | | | | • | | | | | | | | I | 1/2 | dr. | |
| White wax. | | • | | | | • | • | • | • | | • | • | | 1/2 | dr. | |

Melt together, and add gradually, under trituration in a warm mortar, to the following in fine powder, and thoroughly mix:

| White precipitate | 20 | gr. |
|-------------------|-----|-----|
| Oxide zinc | 30 | gr. |
| Acid benzoic | 2 | gr. |
| Morphine sulph | 3/4 | gr. |
| Oil rosemary | | |

Finally stir until cool, and preserve in a well covered vessel. —Western Druggist.

PHILLIPS'S EMULSION.

Each ounce weighs 31.485 grammes (about).

The emulsifying agents are pancreatin and acacia. The salts present, according to its formula, are acid phosphates of lime, magnesia, iron, potash and soda. It also contains glucose, probably from inversion of sugar. -New Idea.

PHENOL SODIQUE

Is said to be composed of-

| Carbolic acid | |
|-----------------|-----------|
| Caustic soda | 31 gr. |
| Distilled water | 4 fl. oz. |
| Mix. | |

PIERCE'S FAVORITE PRESCRIPTION.

Take of-

| Savin | 150 gr. |
|--------------------------------|-----------|
| Cinchona | 150 gr. |
| Agaric | 75 gr. |
| Cinnamon | 75 gr. |
| Water sufficient to make a de- | |
| coction of | 8 fl. oz. |

To this add—

| Acacia | 150 gr. |
|------------------|-------------|
| Sugar | 75 gr. |
| Tinct. digitalis | 1/2 fl. dr. |
| Opium | |
| Oil anise | 8 drops. |

Dissolve the gum and sugar in the strained decoction, then add—

Alcohol, 2 fluid ounces, in which the oil has previously been dissolved.

-Western Druggist, from Hager.

PIERCE'S GOLDEN MEDICAL DISCOVERY.

Take of-

| Fluid extract of cinchona 16 oz. | |
|----------------------------------|-----|
| Fluid extract of columbo 4 oz. | |
| Fluid extract of guaiacum 8 oz. | |
| Fluid extract of licorice 4 oz. | |
| Tincture of opium 1 oz. | |
| Podophyllin (resinoid) 120 gr. | |
| Glycerine 6 fl. p | ot. |
| Alcohol sufficien | it. |

Dissolve the podophyllin in the alcohol, and add the rest of the ingredients.

Mix them. Dose:-A tea-spoonful.

-The Drug Mill.

PIMPLE LOTION.

Take of-

| Carbolic acid | ı dr. |
|---------------|------------|
| Borax | |
| Glycerine | 2 fl. oz. |
| Tannin | 2 dr. |
| Alcohol | 3 fl. oz. |
| Rose-water | 10 fl. oz. |

Mix and dissolve. Apply night and morning. —Druggists' Circular.

PISO'S CURE FOR CONSUMPTION.

| Tinct. tolu | 1/2 OZ. |
|--------------------------|---------|
| Fl. ext. lobelia | 2 dr. |
| Fl. ext. cannabis indica | 2 dr. |
| Chloroform | ı dr. |
| Sulph. morphia | 4 gr. |
| Tartar emetic | 4 gr. |
| Ess. mentha viridis | |
| Water | |
| Sugar | |
| 0 | |

Mix the fluid extracts, tincture of tolu, chloroform and essence of spearmint, and shake with the sugar in a bottle. Dissolve with the morphine and tartar emetic in hot water, then add the water to the sugar in a bottle.

Dose:—One tea-spoonful. —New Idea.

PLATT'S CHLORIDES.

Platt's Chlorides we found to be approximately as follows:

Take of-

| Magnesium chloride | 1 1/2 parts. |
|----------------------------|--------------|
| Potassium chloride | 1 1/2 parts. |
| Sodium chloride | 11/2 parts. |
| Zinc chloride | |
| Aluminum chloride | |
| Water, sufficient quantity | 100 parts. |
| | |

-New Idea.

PLEIS'S FIT POWDERS

Are said to be:

| Bromide o | f potassium |
 | • | • | • • |
15 | gr. |
|-----------|-------------|------|---|---|-----|--------|-----|
| Powdered | gentian |
 | | | | 5 | gr. |

Mix. Make one powder.

-The Drug Mill.

POPE'S CURE FOR NEURALGIA.

Take of-

| Iodide of potash | 4 dr. |
|--------------------------|-----------|
| Extract of conium | ı dr. |
| Comp. tinct. of cinchona | |
| Syrup of sarsaparilla | 4 fl. oz. |

Mix. Tea-spoonful three times a day. —National Druggist.

POWELL'S BALM OF ANISE SEED.

This patent preparation is merely a modification of "Paregoric Elixir," without the perceptible presence of camphor, but with the addition of a small quantity of extract of licorice, and the faintest presence of rhubarb.

The medicine is distinctly acid, owing to the presence of benzoic acid, and when water is added it becomes turbid and milky, from anise seed oil being one of the principal constituents.

The long, narrow, green bottle contains 1 fluid ounce. —New Idea.

PRICE'S PILE OINTMENT.

Take of-

| English calomel | I OZ. |
|---------------------------|---------|
| Powdered opium | 1/2 OZ. |
| Pure carbonate of lead | I lb. |
| Oxide of zinc | ı lb. |
| Olive oil | 2 lb. |
| Fresh lard (without salt) | 2 lb. |

Mix by trituration in wedgewood mortar. It was put up in two-ounce gallipots, tied over with a bit of bladder, and was sold readily at \$1, the principal purchasers being river and flat-boat men.

PROCTOR'S VERMIFUGE.

Take of-

| Santonine | | 16 gr. |
|---------------|-----------|--------|
| Fluid ext. of | senna | 2 OZ. |
| Fluid ext. of | pink-root | 2 OZ. |

Dose for a child two years old, one tea-spoonful night and morning until purging takes place. Used to expel stomach worms from children.

QUICK STOP FOR HEADACHES.

WARRANTED TO CURE NERVOUS AND BILIOUS HEADACHE.

Directions—A tea-spoonful in a little water; may be repeated in three hours if necessary. Prepared by E. F. Mattison, Providence, R. I.

This preparation comes in a small pink carton, with printing in a bluish color. The bottle is a panel and contains 7 fluid drams of a greenish fluid, having a strong camphoraceous odor. Owing to the small amount of preparation contained in the bottle, a full examination was not obtained, as it required three bottles to determine the amount and nature of the alkaloid which it contains. Besides camphor, it contains a little over $1\frac{3}{4}$ grains of cocaine to the bottle; that is about $\frac{1}{4}$ grain of the alkaloidal salt to the dose. The greenish color is evidently due to some greenish fluid extract and underneath the camphor there is an odor suggestive of henbane, though we

failed to isolate any alkaloid having decided mydriatic qualities. The cocaine dilated the pupil slightly, but this dilation was attributed to the cocaine itself, which is reported to sometimes have this effect.

-New Idea.

RADAM'S MICROBE KILLER.

The interest excited by studies in bacteriology is not confined entirely to scientific circles. The popular mind has got hold of it, magnified it, and probably is now a fertile field for the propagation of quackery. One Mr. Radam, of Texas, has come forth with a great discovery that all diseases are due to microbes, and has therefore given to the world his preparation which is sure death to all microbes and, it is to be inferred, is therefore sure cure for all disease. With a considerable amount of literary rot of this kind, Radam's Microbe Killer is introduced and advertised. Dr. R. G. Eccles, in a four and a half column article, in the *Druggists' Circular*, manages to give the following formula for the preparation:

Take of-

| Sulphuric acid (strong) | 4 dr. |
|-------------------------|--------|
| Hydrochloric acid | ı dr. |
| Red wine (about) | I OZ. |
| Well water | 1 gal. |

Radam's Microbe Killer brings \$3 per gallon. Its use is not wholly unattended with danger, especially when used through long periods of time.

RADWAY'S PILLS.

Take of-

| Aloes | 4 parts. |
|--------|----------|
| Jalap | 2 parts. |
| Ginger | 2 parts. |
| Myrrh | 2 parts. |

Make into a mass with mucilage and divide into 2-grain pills, of which about four dozen are put into each box. —Cooley.

RADWAY'S READY RELIEF.

Take of-

| Soap liniment, about | 1 1/2 OZ. |
|-------------------------|-------------------|
| Tinct. capsicum, about | 1/2 OZ. |
| Water of ammonia, about | 1/2 OZ. |
| Alcohol, about | $\frac{1}{2}$ OZ. |

-J. J. Pierson, Ph.C.

-Hager.

DR. RADWAY'S RENOVATING RESOLVENT.

A somewhat turbid ginger extract, containing cardamoms, made with sugar and inclined to ferment.

Mr. H. B. Parsons gives the following:

Take of-

| Potassium iodide | 2.5 grm. |
|-------------------------------|----------|
| Concentrated sarsaparilla de- | |
| coction | 15 grm. |
| Bitter almond water | 10 grm. |

142

| Syrup | 30 grm. |
|------------------------------|----------|
| Parrish's simple elixir | 90 grm. |
| Distilled water | 250 grm. |
| Caramel sufficient to color. | |

RANSOM'S HIVE SYRUP AND TOLU.

Sold in white, square bottles containing $1\frac{1}{2}$ fluid ounces. It is a yellowish syrup, next to odorless, and upon examination we find it to be composed about thus:

Take of-

| Fluid ext. squills | 2 fl. dr. |
|----------------------|-----------|
| Fluid ext. senega | |
| Soluble essence tolu | 2 fl. dr. |
| Tartar emetic | 4 gr. |
| White sugar | 4 oz. av. |
| Water to make | 4 fl. oz. |

It is readily prepared by rubbing the tartar emetic and sugar well together, adding the fluid extracts and essence of tolu, and then enough water to make, after short slight heating and straining, 4 fluid ounces. Each fluid ounce of the syrup contains I grain of tartar emetic. -New Idea.

REAVE'S EMBROCATION.

Take of-

| Olive oil | 11/2 | oz. |
|---------------------------|------|-----|
| Aq. ammonia | I | OZ. |
| Goulard's extract of lead | | oz. |
| Oil origanum | 2 | oz. |

Mix.

143

RED STAR COUGH CURE.

The Charles A. Vogeler Company are out with a new candidate for patronage in the quackery line, called the "Red Star Cough Cure," which title is their trade mark. They state that it is absolutely free from morphine and other narcotics, as well as emetics. We purchased a bottle of it and have submitted it to examination, and find that it is a syrupy preparation of wild-cherry bark, with a little tar and slight trace of chloroform or chloric ether, with possibly a little bitter-almond added. It is put up in a green panel bottle, containing full three fluid ounces. It is a clear, reddish-brown syrup, of thick substance, has a very faint acid reaction; but has pronounced bitter-almond flavor, and tarry taste and odor. -New Idea.

REE'S CHOLERA MIXTURE.

Take of-

| Spts. chloroform | 12 OZ. |
|----------------------|-----------|
| Spts. lavender, comp | 12 OZ. |
| Vin. opium | 3 OZ. |
| Oil of cloves | 40 drops. |

Mix.

REX MAGNUS.

According to *Science*, the composition is roughly indicated by the following formula:

Take of-

| Boric acid | . 67 | ner cent |
|-----------------------|------|-----------|
| | | |
| Chloride of potassium | . 15 | per cent. |
| Water | . 18 | per cent. |

DR. RICHMOND'S SAMARITAN NERVINE.

This preparation is intended to cure not alone fits and all nervous diseases, but also the defects of moral character. Below we give a few of their absurd statements.

"A bad temper can be treated just as successfully with a dose of medicine, as a cough or a headache. Dishonesty in a servant need not be punished by discharging him; you have only to give him some of this marvelous medicine. If your son will not study his lessons, do not send him to bed early, or threaten him with more severe correction, but give him Dr. Richmond's Samaritan Nervine for one week, and he will become the most studious and diligent child in school. There is certainly no end to the benefits which this specific has conferred upon mankind. As a peace-maker it acts like magic. A wife who had for twelve years been abused and neglected by a morose and violent husband, asked the doctor what she should do. He told her to put every day a few drops of Samaritan Nervine in his coffee. She did so, and in a surprisingly short time the morose grumbler became a lamb-like, affectionate, docile spouse. When so simple a remedy as this is at hand, there is no longer any reason why domestic discord should continue. A miserly father refused to sanction the attentions of a poor, but respectable young man to his daughter. The loving damsel surreptitiously inserted a few drops of the Samaritan Nervine into her father's coffee each meal, and within a fortnight the stern old gentleman not only acquiesced in the lovers' marriage, but gave the bride a handsome dowry."

This article is put up in five-ounce panel bottles, poorly labeled, and it retails at \$1.50 per bottle. Such an article could be put up for less than fifteen cents, including container, leaving by no means a small margin for the profit of its manufacturers.

According to our analysis, this wonderful agent has the following formula:

| Potass. bromide | I OZ. |
|-----------------------------|------------|
| Sugar | I OZ. |
| Caramel | 20 minims. |
| Water | 5 OZ. |
| Dissolve and add oil cassia | 10 minims. |
| | |

-New Idea.

ROCHE'S HERBAL EMBROCATION.

An effectual remedy for whooping-cough, without internal medicine.

This is the only discovery affording a perfect cure, without administering internal medicine, the difficulty and inconvenience of which, in all disorders particularly incident to children, are too well known to need any comment. The inventor and proprietor of the Embrocation can with pleasure and satisfaction declare that its salutary effects have been so universally experienced, and so generally acknowledged, that many of *the most eminent of the Faculty* now constantly recommend it as the only known *safe* and *perfect cure*, without restriction of diet or use of medicine.—*Extract from manufacturer's circular*.

Digest asafœtida $\dots 2^{\frac{1}{2}}$ parts with—

| Oil caraway | | | | | | | | | | • | | | • | | | 2 | parts. |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Oil turpentine | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | 2 | parts. |

And add a few drops of oil gaultheria.

-Western Druggist

On the wrapper enclosing the vial it is stated that the *Court Circular* says: "We find that so invaluable is it regarded by those who know most about the subject, that it is not looked upon as a patent medicine, since so many medical men prescribe it, not only in England, but in all parts of the world, including the United States, where its healing power is universally recognized; and we are now of the same opinion as those who, after a lengthened experience of its merits, pronounce it an absolute specific for this disease."

ROGERS'S EXCELSIOR CORN CURE.

Take of-

| Fluid ext. cannabis indica | |
|----------------------------|-----------|
| Sulph. morphine | 20 gr. |
| Salicylic acid | 10 gr. |
| Collodion to make | 2 fl. oz. |

Mix well.

Pare the corn down thin, apply till a coat forms; do so twice or more, and you can pick the corn out. —Dr. Sullivan in Medical World.

RORICK'S FORMULA FOR INJECTING HEMORRHOIDS.

Take of-

| Acid carbolic | 2 fl. dr. |
|----------------|---------------|
| Glycerine | 2 fl. dr. |
| Aqua | 1 1/2 fl. dr. |
| Fl. ext. ergot | |

Mix. Three to eight drops to be injected, according to size of tumor. —*Chicago Medical Times.*

ROSALIND.

"A cosmetic for tinting the fingers, face and lips. Preserves the skin, cures chapped lips, etc. Price 50 cents. Prepared by Mrs. Mary L. Cobb, America's finest manicure." The preparation is put up in a small white-glass ointment jar.

Examination by H. W. Snow in our laboratory shows it to consist of vaseline, spermaceti, probably also white wax, and an aniline dye related closely to eosine in its tint and general characteristics. The following formula may be taken as making a preparation similar in most respects to the original:

| Eosine | 10 gr. |
|----------------|---------|
| White wax | 30 gr. |
| Spermaceti | |
| Amber saxoline | 410 gr. |

Mix.

The important point in the manufacture of this article is to have the aniline dye in the finest possible state of subdivision. It would perhaps not be a bad plan to use a mixture of the fatty acids from soap by precipitation of its aqueous solution with an acid. The fatty acids are soluble in alcohol, likewise the eosine, and we thus have a means of incorporating the latter substance in a most effectual manner. In case the fatty acids were used, probably their melting point would be sufficiently high without the addition of either wax or spermaceti. -New Idea.

RUSSELL'S BOTANIC KING.

Russell's Botanic King, Chester, Pa., consists, according to the label, of a combination of pure extracts of dandelion, mandrake, buchu, queen's root, Peruvian bark, etc., and the "et cetera," we think, is cape aloes, judging by the odor and general appearance, and this constitutes probably the bulk of the mixture. It is a coarse, brownish-black powder, put up in a

turned wood box (well caked together in this example), the box being 2 inches in diameter by 11/8 inches deep, bearing pink label on top and around the edge. The Botanic King is stated to be a medicine of rare excellence, and the best one made for the liver, stomach, kidneys, bowels, and blood. The directions are that the contents of the box shall be dissolved in a quart of water, and the dose for an adult a wine-glassful night and morning; and for a child a tea-spoonful, night and morning. From the superficial examination we have made, we should judge that it consists, as Dr. Russell states on the label, of a mixture of powdered extracts of dandelion, mandrake, buchu, yellow dock, and Peruvian bark, each 10 parts; aloes, 50 parts. -New Idea.

RUSSIA SALVE.

A formula for a preparation said to resemble this preparation is given in the *Druggists' Circular*:

Take of-

White pine pitch 2 lb. Beeswax..... 1 lb.

Temper it with olive oil to the proper consistence. The "pitch" and wax are, of course, to be melted before the "tempering" process begins.

SAGE'S CATARRH REMEDY.

Take of-

Powdered hydrastis canadensis.. 1 oz. Powdered borax..... 10 gr. Salt 10 gr. Ferro-cyanuret of iron..sufficient to color.

Mix.

The above is the formula of Dr. Sage, and sold by him to Dr. Pierce, of New York, for 500.00. The formula was given to me by Dr. Sage himself, while on a visit to relatives in Switzerland county, Indiana, two years ago. -Dr. Hewitt in Medical World.

SANFORD'S RADICAL CURE FOR CATARRH

Consists, according to an analysis made by Prof. A. B. Lyons, of a distilled extract of witch-hazel, containing a little alcohol and glycerine, perhaps as much as five per cent. of the latter, and between ten and fifteen per cent. of the former (no exact determinations attempted), also an important constituent— MORPHINE—quantity not estimated.

The "solvent" consists mostly of nitre and bicarbonate of soda, with a small quantity of the yellow powder, insoluble or sparingly soluble in water—probably a vegetable powder. —New Idea.

SAUL'S CATARRH REMEDY.

Take of-

| Comp. tinct. benzoin | 2 OZ. |
|---------------------------|-------|
| Tinct. tolu | 2 OZ. |
| Chloroform | ı dr. |
| Sulphuric ether | ı dr. |
| Aromatic spts. of ammonia | I OZ. |
| Oil of tar | |
| Rectified spirits | 5 oz. |

Mix. Use with Cutler's inhaler.

-Dr. Brucker in Medical World.

SAWYER'S UTERINE PASTILLES.

Through the kindness of a correspondent we secured a sample of the above articles. They come in little oblong blocks, about $\frac{1}{2}$ inch long and $\frac{1}{4}$ inch square at the end, weighing each on an average about 20 grains. The circular which comes with them is addressed, of course, to the female sex, and is well calculated to produce alarm in the young. It is another sample of the demoralizing documents which unscrupulous quacks are continually circulating among the laity, in order to create alarm and profit by this alarm. The circular, after first dilating upon the physical and mental beauty of women, proceeds to trace these to the sexual, and afterwards paints the horrors of family quarrels, divorce, imbecility, and lunacy which follow in the train of a diseased sexual system. Then comes a description of the diseases

peculiar to women, and all of which are curable by using \$8 worth of these wonderful pastilles. The most creditable portions of the circular we will reprint in full, as it pertains to the *auxiliary* treatment to be pursued, and which in reality, we should say, is the treatment of *primary* importance, if any treatment at all is necessary:

DIRECTIONS FOR USING.

Just before retiring at night insert one of the pastilles as far up the vagina as possible with the finger; it should be placed as near the womb as possible to render its action most effective; then the patient should retire at once; this should be done every night except during menstruation. In cases of leucorrhœa and ulceration, the patient should wash thoroughly both night and morning with castile soap and tepid water, using nothing but the hand, and this should be followed carefully until the leucorrhœa and ulceration has entirely disappeared.

RULES OF HYGIENE.

The patient should use a good, nourishing diet, with plenty of good meat of some kind; beefsteak is the best. Fat meats and pastry should not be used at all; use but little tea or coffee. In case when the patient is incapable of taking the proper amount of food at a time, it will be found beneficial to take but two meals a day for a time, until they can take a full meal. Some graham bread or oat meal can often be used to advantage.

BATHING.

Bathing the entire body should never be done oftener than once a week, and then it should be done in a warm room by bathing and rubbing part of the body at a time with water that feels most agreeable. Sleep should be abundant and an abstinence from all sexual excitement should be strictly adhered to. All surrounding influences which are not conducive to a cheerful, happy state of mind should be done away with.

DRESS.

Care taken in comfortably and properly dressing the body is an important factor in the recovery; the feet and lower limbs should be dressed warmly, and great care taken that the skirts are hung from the shoulders and cause no weight upon the abdomen. Ladies suffering from prolapsus or falling of the womb can never recover unless they observe this strictly.

We gave the preparation some little attention, and will give the quack credit for doing comparatively little harm, in a physical sense, when we consider the possibilities. He proceeds evidently on the faithcure principle, and his auxiliary treatment, rather than on the actual medicinal efficacy of his own pastilles. They consist, according to our examination, of nothing but flour, made into a paste and allowed to harden in the form of small oblong blocks.

-New Idea.

SCHENCK'S PULMONIC SYRUP.

The following formula for Schenck's Pulmonic Syrup was given to me by an old lady several years ago, who professed to know all about the late Dr. Schenck when he commenced:

Take of-

| Wormwood | 1/2 OZ. |
|------------|---------|
| Catnip | 1/2 OZ. |
| Tansy | 1/2 OZ. |
| Hyssop | 1/2 OZ. |
| Hoarhound | 1/2 OZ. |
| Hops | 1/2 OZ. |
| Chamomile | 1/2 OZ. |
| Comfrey | 1/2 OZ. |
| Senega | 1/2 OZ. |
| Elecampane | 1/2 OZ. |

Boil with sufficient water to make, after straining. one quart; then add:

| Gum arabic. | | | | | • | | | | | • | | | | | | • | I 1/2 | oz. |
|-------------|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|-----|
| Licorice | • • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | 1 1/2 | oz. |

then one good-sized Indian turnip, and finally add:

| Sugar | | | 3 lb. |
|----------|-----|---------|---------|
| Brandy. | | | 1/2 pt. |
| Juice of | two | lemons. | |

-H. M. Wilder in Pharmaceutical Record.

SCOTT'S EMULSION.

Each ounce weighs 30.555 grammes (about). Take of—

> Cod liver oil..... 35.5 per cent. Glycerine..... 18.5 per cent.

Emulsifying agent and hypophosphites, about..... 3.1 per cent. Water by difference...... 42.9 per cent. Oil of cassia to flavor.

This preparation contains no glucose, sucrose, and no soap (hence, probably, alkali was not used in its manufacture). It contains no pancreatin and no acacia. —New Idea.

SEA-SHORE DIPHTHERIA AND SORE-THROAT SPECIFIC.

Manufactured by H. S. Kinmouth, M. D., Asbury Park, New Jersey. This preparation is put up in a panel bottle holding full two ounces of a slightly yellowish astringent liquid, having a specific gravity of 1.024. According to our analysis, it contains 113/4 grains of solid matter to each fluid ounce, which upon examination proved to be chloride of iron (43/4 grains per fluid ounce, equal to 91/4 minims of liq. ferri chloridi, U. S. P. '80) and the chlorides of zinc, magnesia, and soda, and chloride of potash.

The following formula will make a preparation practically identical with the original:

Take of—

| Sol. of chloride of iron | 18 minim. |
|--------------------------|-----------|
| Zinc chloride | 2 gr. |
| Magnesia chloride | 2 gr. |
| Sodium chloride | 4 gr. |
| Chlorate of potassium | |
| Water | 2 fl. oz. |
| | |

-New Idea.

SEELEY'S PILE OINTMENT.

Take of-

| Sulph. morphia | 3 gr. |
|----------------|---------|
| Tannin | 48 gr. |
| Pine tar | 72 gr. |
| White wax | |
| Benzoated lard | 766 gr. |

Mix.

SENCKENBERG'S MIGRAINE PASTILLES.

Contain each:

| Methozine (antipyrine) | 41/2 gr. |
|------------------------|---------------|
| Antifebrin | 7 1/2 gr. |
| Rhubarb | 3/4 gr. |
| Calamus | |
| Cinchona | ¼ gr. |
| - | -Pharm. Cent. |

SEVEN BARKS.

Take of-

| Extract of | hydrangea | ı lb. |
|------------|---------------|----------|
| Extract of | poke root | 12 lb. |
| Extract of | Culver's root | 12 lb. |
| Extract of | dandelion | 12 lb. |
| | lady-slipper | 12 lb. |
| Extract of | colocynth | 12 lb. |
| Extract of | bloodroot | 6 lb. |
| | blue flag | 6 lb. |
| Extract of | stone-root | 63/4 lb. |
| Extract of | golden seal | 71/2 lb. |
| Extract of | mandrake | 24 lb. |

| Extract of black cohosh 2 | 4 | lb. |
|---------------------------|---|------|
| Extract of butternut 4 | 8 | lb. |
| Spirits of sea salt14 | 2 | lb. |
| Aloes I | 0 | lb. |
| Borate of sodium I | 5 | lb. |
| Infusion of capsicum 41 | 2 | lb. |
| Powdered sassafras I | I | lb. |
| Ginger | 6 | lb. |
| | 0 | gal. |
| | 8 | gal. |

-E. H. Greeley, in National Druggist.

SEVEN SEALS, OR GOLDEN WONDER.

Hager gives this formula:

Take of-

| Ether | 4 parts. |
|------------------------|-----------|
| Chloroform | 6 parts. |
| Camphor | 4 parts. |
| Oil of peppermint | 2 parts. |
| Tinct. of capsicum | 35 parts. |
| Alcohol (90 per cent.) | 50 parts. |

These proportions are approximate.

This preparation is recommended for "choleramorbus, rheumatism, warts, corns and all diseases." —National Druggist.

SEVEN SUTHERLAND SISTERS' HAIR GROWER.

"THE LUCKY NUMBER SEVEN."

"An elegant hair dressing. A sure hair promoter. Will permanently stop hair from falling out. A

preparation free from irritating matter. For preserving and beautifying the hair, and rendering it soft and glossy, it is the best." Prepared only by the Seven Sutherland Sisters, Lockport, N. Y.

The container is a square, panel bottle, with name blown into the glass, and holds 3³/₄ fluid ounces of a nearly colorless liquid, having marked odor of bay rum and distilled extract of witch-hazel. Examination shows that the following formula makes a preparation substantially identical with the secret "hair grower":

| Stearns's bay rum | 7 fl. oz. |
|----------------------------------|-----------|
| Dist. ext. of witch-hazel | 9 fl. oz. |
| Common salt | |
| Hydrochloric acid (5 per cent.). | |
| Magnesia | |

Mix the bay rum and distilled extract of witchhazel, and shake with a little magnesia; filter and in the filtrate dissolve the salt and add the hydrochloric acid. The agitation with magnesia causes the preparation to assume a yellow color; but by rendering it very slightly acid, with one drop of 5 per cent. hydrochloric acid, this color all disappears. —New Idea.

SEXUAL DISORDERS AND SYSTEMATIZED QUACKERY.

The increased number of quacks and quackagencies in this city, appealing to victims of sexual troubles and of venereal disease, and the boldness and offensiveness of their advertising methods, are

working an injury which demands more than ordinary notice. In late years the older methods have changed, and from a business point of view, improved, and it has become the practice for these quacks to work under the guise of agencies or companies. They have "laboratories," consultation-rooms, and most elaborate methods of advertising by circulars, hand-bills, and through the lower grades of newspapers. So complete is the system that there is hardly a young man or growing youth in the city who does not get hold of some disgusting, or, to him, terrifying notice, picturing the horrible results of self-abuse and seminal losses. Thousands are thereby frightened into a mental state half approaching insanity. Many of them go or write to some of these advertising firms, put themselves under treatment until every spare penny has been wrung from them, without, as a rule, any good being done. On the contrary, an increase in their troubles often results, and even a permanent state of mental and nervous depression is brought about.

The young man, once in the toils of these unholy "agencies" is subjected to influences tending to keep him there. There seems to be a list kept of those applying at one place, which is circulated among quacks all over the country. Consequently the once victimized party is in constant receipt of new circulars describing the virtues of new "pearls," or pills, or special apparatus. Many of the circulars contain grossly inaccurate descriptions and illustrations of the sexual apparatus, the bladder, stomach, brain, etc.

We have before us a specimen circular, depicting with equal force the despairing future of the masturbator, and the unequaled virtues of a certain suppository. It has also cheap wood-cuts of a "brainless child born of a masturbator," a hydrocephalic child with the same ancestry, and of a half-naked man behind the bars of a cage, representing a person "made insane by self-abuse!" No words can tell the agony, the shame, the despair, which such publications cause in a large class of half-educated youths who get hold of them.

A young man subsequently found to have a fine physique, no actual sexual weakness, and to be suffering only from two or three emissions monthly, wrote to a physician: "Although I am able to work, yet every day the constant thought of my condition, my blasted and miserable life, is with me always, and keeps me in a constant despairing state of mind."

This is the "state of mind" which it is the aim of the quacks in question to produce to as large an extent as possible. The more morbidness and despair the more money in their pockets; for they fatten on the distress of their victims. Here is the foulest possible prostitution of medicine, a systematized attempt to create disease, and then get money from it.

These individuals and companies do not confine their practice to sexual troubles, but plaster the

telegraph poles and other places with announcements of "swift cures" for "private diseases," and send circulars advertising cures for all kinds of chronic troubles. Blanks are furnished, to be filled out with information regarding the person and the disease; descriptions of how to send urine by mail, price lists for different sets of pills, or different courses of treatment, are also furnished.

In fine, these establishments have become a public nuisance for the intelligent community, and a serious public harm to those unable to judge of their merits and honesty. —*The Medical Record.*

SHILOH'S CONSUMPTION CURE.

Shiloh's Consumption Cure is put up in a green panel bottle, with an extra long neck, the bottle holding scant three fluid ounces of a thin, syrupy, semi-opaque greenish-brown liquid, with pronounced taste of chloroform. Reaction slightly, but permanently acid. This composition, as we examined it, shows:

| Muriate of morphine | 3 gr. |
|------------------------------|------------|
| Muriatic acid | 3 minims. |
| Fl. ext. of henbane | 2 fl. dr. |
| Fl. ext. of ginger | 3 fl. dr. |
| Fl. ext. of wild cherry | 3 fl. dr. |
| Diluted alcohol | 3 fl. dr. |
| Chloroform | I fl. dr. |
| Essence peppermint | 30 minims. |
| Syrup of tar | |
| Simple syrup enough to make. | 8 fl. oz. |

162

Each bottle carries a wrapper and elaborate circular around it, and the whole wrapped in a red-lead colored paper, which states that it is warranted to cure consumption, coughs, colds, croup, hoarseness, asthma, and all lung diseases. It is prepared only by B. C. Wells, LeRoy, N. Y., after a prescription of Dr. Brutus Shiloh. Price, 50 cents. No cure, no pay. Such a preparation, if made without secrecy, should be worth just about half the price it is sold at, both at wholesale and retail. —New Idea.

SIMMONS'S LIVER REGULATOR.

Take of-

| Hepatica |
 | I | oz. |
|-------------|------|------|-----|
| Leptandra |
 | I | oz. |
| Serpentaria |
 | I | oz. |
| Senna |
 | 11/2 | oz. |

Mix. Put the ingredients into $2\frac{1}{2}$ pints of boiling water. Let stand 18 hours, then strain. Add $\frac{1}{2}$ pint of good whisky. —New Remedies.

SIROP GIBERT

Is a favorite French anti-syphilitic remedy, and has the following composition:

Take of-

| Biniodide of mercury | 2 gr. |
|----------------------|---------|
| Iodide of potassium | 100 gr. |
| Simple syrup | |

Mix.

Dose:-Two tea-spoonfuls given after meals, three times a day.

SKINNER'S DANDRUFF MIXTURE.

Take of-

| Chloral hydrate | |
|-----------------|----------|
| Glycerine | 4 parts. |
| Bay rum | 6 parts. |

-National Druggist.

SMEDLEY'S FEVER POWDERS.

Take of-

| Camphor gum | 1/2 OZ. |
|------------------------------------|---------|
| Gum myrrh | 1/2 OZ. |
| Blood-root | I OZ. |
| Lobelia (seeds, pods, and leaves). | 2 OZ. |

All pulverized fine and well mixed.

For colds and to break a fever in its first stages, in powders of ordinary size.

For catarrh in the head, use as a snuff.

SMITH BROS.' COUGH DROPS.

Licorice in small quantities.

And highly flavored with oil of sassafras with a little oil of anise. —New Idea.

STEDMAN'S SOOTHING POWDERS.

Each powder weighs 0.195 grammes, or 3 grains. A white powder with the very slightest tinge of brownish-yellow, slightly interspersed with light brownish specks. Taste indifferently sweetish and starchy, with slightly bitterish after-taste. The microscope demonstrated crystals of sugar of milk intermixed with much starchy matter, apparently rice, from the shape of the fecula cells; some white opaque lumps and brown specks, which latter afterwards proved to be opium and ipecac. Reaction of watery solution, which was slightly colored, proved neutral.

The starchy matter representing the largest contents of the powders suggests the following formula:

Take of-

| Opium pulv | 3 gr. |
|--------------------------------|-----------|
| Ipecac | ı gr. |
| Milk sugar | 8 gr. |
| Rice flour | 12 gr. |
| Mix and divide into 8 powders. | -New Idea |

ST. JACOB'S OIL.

Take of-

| Gum camphor | I OZ. |
|-----------------|-------------|
| Chloral hydrate | I OZ. |
| Chloroform | I OZ. |
| Sulph. ether | I OZ. |
| Tinct. opium | 1/2 OZ. |
| Oil origanum | 1/2 OZ. |
| Oil sassafras | 1/2 OZ. |
| Alcohol | 1/2 gal. |
| | 1. 1 117. 1 |

Mix.

-Medical World.

J. L. ST. JOHN'S LINIMENT.

According to *Eclectic Medical Advocate*, this preparation is composed of:

| Turpentine | 7 OZ. |
|-----------------|---------|
| Sweet oil | 3 OZ. |
| Tinct. arnica | 4 oz. |
| Oil origanum | I OZ. |
| Oil hemlock | I OZ. |
| Oil juniper | I OZ. |
| Oil amber | 2 OZ. |
| Laudanum | 2 OZ. |
| Spirits ammonia | 1/2 OZ. |
| Camphor | 1/2 OZ. |
| | |

ST. JOHN LONG'S LINIMENT.

The author of this liniment was a blatant quack of the eighteenth century. Being a reckless empiric, he, as a matter of course, hit on some remedies of value. Among others was the following liniment, which, it appears, is still in use in the Pennsylvania hospital, for stiff and rheumatic joints and in cases in which a local stimulant and rubefacient effect is desired. Mr. Jacob Hecker, Ph.G., the apothecary of the institution, uses the following formula:

Take of-

| Yolks of eggs | 8 |
|----------------|------------|
| Oil turpentine | 24 fl. oz. |
| Acetic acid | |
| Water | 24 fl. oz. |

Mix.

To the yolks, in a gallon bottle, add a small quantity of the water and shake briskly together; then add the turpentine in successive portions, shaking the mixture briskly after each addition. Then add the acetic acid and lastly the water in same manner. For private practice the liniment is greatly improved by the addition of good oil of lemon, one ounce to the pint. —*Philadelphia Medical Times.*

SCOTCH OATS ESSENCE.

Recent analyses assert that a certain nostrum, yclept "Scotch Oats Essence," widely advertised as a wonderful nerve tonic containing neither alcohol nor other harmful ingredients, is, in fact, loaded with 35 per cent. alcohol, and with two grains of morphine to each bottle. A more diabolical concoction could hardly be devised; the crime is not merely obtaining money under false pretenses, nor simply a case of ingenious and wholesale robbery, but a devilish scheme for undermining the mind, soul, and life of its victims, and this under the pious pretense of strengthening the body and restoring the jaded mind.

-Western Druggist.

STOKES'S EXPECTORANT.

This is quite a popular remedy in some localities. Take of—

| Carbonate ammonia | 30 gr. |
|--------------------|-----------|
| Fluid ext. squills | I fl. dr. |
| Fluid ext. senega | |

| Paregoric | 6 fl. dr. |
|---------------|------------|
| Syrup of tolu | 12 fl. dr. |
| Water | |

Dissolve the carbonate of ammonia in the water and add the remaining ingredients.

Dose:-A tea-spoonful.

STOMACH PAD.

Take of-

| Bayberry | I OZ. |
|----------------|---------|
| | I OZ. |
| Wild ginger | 1/2 OZ. |
| Sassafras bark | I OZ. |
| ~ | I OZ. |
| Lady's-slipper | 1/2 OZ. |
| Capsicum | ı dr. |
| Oil fennel | 2 dr. |
| Oil cloves | ı dr. |
| | |

Grind the drugs to a moderately fine powder, and mix with the oils and gum. Make an oblong pad to wear over the stomach. Used for general stomach diseases.

STRONG'S ARNICA JELLY.

Carbolated for chaps, pimples, and roughness of the skin. Claimed to be "an efficient and agreeable remedy for sunburn, tan, and bites and stings of insects;" also "will be found highly beneficial for cuts, bruises, burns, pimples, eruptions, or any affection of the skin." It is directed to be applied with friction, after washing, until well absorbed. This preparation is put up in a collapsible tube holding about 1 to 1¹/₈ troy ounces of a brownish aromatic jelly-like substance. Examination shows it to contain glycerine, starch, oil of bitter almonds, carbolic acid, and arnica. The following formula may be taken as one which will duplicate the proprietary article in all essential particulars:

Take of-

| Glycerine | ı fl. oz. |
|--------------------------------|-----------|
| Water | |
| Starch | 120 gr. |
| Fl. ext. arnica | |
| Sp. of bitter almonds (1 in 8) | 2 minims. |
| Carbolic acid | 8 minims. |

Mix the glycerine and water, and add the starch, and rub up with a pestle until a perfectly smooth mixture results; then heat over a direct flame with constant stirring until a perfectly smooth jelly is produced; allow to cool, and when nearly cold, incorporate the fluid extract of arnica, spirit of bitter almonds, and carbolic acid. -New Idea.

DR. SYKES'S CATARRH CURE.

Mr. D. S. Sager, chemist, Brantford, Canada, writes the *American Druggist* that an analysis of a package of this substance showed that it consisted of between 66 and 67 per cent. of chlorate of potassium, with powdered licorice root, and a small amount of brown powder not analyzed. The liquid is made by

adding the powder to a stated amount of water, filtering out the sediment, and then flavoring with wintergreen.

SYRUP OF FIGS.

The formula for Syrup of Figs is as follows:

Take of-

| Senna leaves | 14 OZ. |
|-----------------|-----------|
| Coriander seed | 6 oz. |
| Figs | 24 OZ. |
| Tamarind | 18 oz. |
| Cassia pulp | 18 oz. |
| Prunes | 12 OZ. |
| Ext. licorice | 1 1/2 OZ. |
| Ess. peppermint | |
| Syr. simp | ı gal. |

The formula omits directions; but probably a water extract should be made of the drugs, so as to measure about four pints, and in this dissolve eight pounds of sugar to make the syrup. —Druggists' Circular.

SYRUP OF STILLINGIA COMPOUND.

This is an old eclectic remedy and may be prepared as follows:

Take of-

| Fl. ext. stillingia comp | I fl. oz. |
|--------------------------|-------------|
| Fl. ext. corydalis | I fl. oz. |
| Fl. ext. blue flag | 1/2 fl. oz. |
| Fl. ext. elder flowers | |
| Fl. ext. prince's pine | 1/2 fl. oz. |

170

| Fl. ext. prickly ash berries | 1/4 fl. oz. |
|------------------------------|-------------|
| Fl. ext. coriander | 1/4 fl. oz. |
| Sugar | 14 OZ. |
| Water | sufficient. |

Mix the fluid extracts and add water to make $6\frac{1}{2}$ fluid ounces; filter if need be and wash to obtain $6\frac{1}{2}$ fluid ounces. In this dissolve the sugar, using as little heat as possible, and add water to make one pint.

SWEET'S CELEBRATED OINTMENT.

Take of-

| Skunk's oil | | | | | | | | | | | | | | | |
|--------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| Angle worms | | • | • | | • | • | • | • | • | • | • | • | • | • | . 1 pt. |
| Water | | • | • | • | | | | | • | • | • | | • | • | . ½ pt. |
| Bitter-sweet | | • | | • | • | • | | • | • | • | • | | I | ł | handful. |

Simmer well together and strain. Apply to the cords.

This was used by the Sweets, a celebrated family of Connecticut bone-setters.

SWIFT'S SYPHILITIC SPECIFIC.

Regarding this nostrum, Dr. Cull, of Marietta, Ga., says, in the *Medical Brief*: "This preparation (S. S. S.) I have used, and have known it used years before Swift was born. It was first brought to notice by a Georgia M. D., who got it direct from the Florida Indian chief, 'Billy Bowlegs,' now and for many years living west of the Mississippi river, many miles from his happy hunting grounds. The Georgia M. D. used it many years in an extensive practice, and he stated to me when he gave it to me that he never knew a single case it did not cure. I have used it in a great number of cases since 1856, and have not failed in a single instance in curing every case, both primary and constitutional, that I have treated with the remedy. It is cheap, and but little trouble to obtain it, and I assure my medical brethren that it will pay them to use it; besides it is a sure and safe remedy, being altogether harmless."

Take of-

| Old man's gray-beard root | |
|---------------------------|-----------|
| (chionanthus Virginica) | I bushel. |
| Prickly-ash root | |
| White sumac root | 8 oz. |
| Red sumac root | 8 oz. |
| Sarsaparilla root | 10 OZ. |
| Sulphate of copper | 8 dr. |

Bruise the gray-beard and sumac roots, and put them with the sarsaparilla into an iron pot sufficient to hold eight gallons of water, or cover the roots completely with the water. Cover the pot with pine tops, and boil slowly until the liquid assumes the color of ink. Strain while warm, add the sulphate of copper and good Holland gin sufficient to prevent fermentation.

Dose:—One wine-glassful four times a day. Strictly abstain from horseback riding, butter or very greasy food, all kinds of spirits or fermented liquors. Of course the chancre must be treated in the usual manner.

SWAYNE'S OINTMENT.

Swayne's Ointment is put up in an ordinary swedge-top tin box, 1½ inches in diameter, and 1 inch deep; is filled with a rancid, tallowish-smelling ointment, light-grayish yellow color, medium consistence. Its composition appears to be precipitated sulphur 2 parts, tallow 3 parts, lard 3 parts. It states on the label that this ointment cures tetter, itch, saltrheum, scald-head, piles, ringworm, pimples, blotches, barber's itch, ulcers, and eruptions of the skin.

-New Idea.

SWAIM'S VERMIFUGE.

Take of

| Worm-seed | 2 OZ. |
|--------------|-----------|
| Valerian | |
| Rhubarb | 1 1/2 OZ. |
| Pink-root | |
| White agaric | |

Boil in sufficient water to yield 3 quarts of decoction, and add the following oils dissolved in a quart of rectified spirit:

| Oil | of | tansy | | | • | • | • | • | • | • | | | 30 | drops. |
|-----|----|---------|--|--|---|---|---|---|---|---|--|--|----|--------|
| | | cloves. | | | | | | | | | | | | |

TAMAR INDIEN.

| Tamarind pulp | 450 parts. |
|---------------------|------------|
| Powd. sugar | 40 parts. |
| Powd. sugar of milk | 60 parts. |
| Glycerine | 50 parts. |

Mix and evaporate to the consistency of a soft extract, then add—

| Powd. anise | 10 parts. |
|---------------|-----------|
| Essence lemon | 3 parts. |
| Tartaric acid | 3 parts. |

Mix and divide into 100 boluses and roll in the following mixture—

| Cream of tartar | 5 parts. |
|------------------|-----------|
| White sugar | 35 parts. |
| Sugar of milk | 35 parts. |
| Tragacanth | 2 parts. |
| Tartaric acid | 2 parts. |
| Powd. red sandal | 25 parts. |

Dry and put up in tin foil.

-American Druggist.

TAPE-WORM SPECIALISTS-THEIR SECRET METHODS.

In many of the larger cities of this country a class of irregular practitioners can be found who make a specialty of the "removal of tape-worms." These have considerable success, as the bottled collection of tæniæ which they exhibit demonstrates. Many of these empirics are Germans, and they have quite a reputation among their countrymen, who have an idea that the removal of a tape-worm requires a certain kind of knowledge not possessed by the ordinary medical practitioner.

Their method of procedure is essentially as follows: The patient is not permitted to eat anything after the

174

breakfast of the day preceding the treatment. During the afternoon of that day a brisk, saline cathartic is taken to empty the bowels of contained fæces. About nine o'clock the next morning the tænicide is given. This consists of a tea-spoonful or tea-spoonful and a half of the ethereal oil of male-fern, preference being given to that manufactured by Merck, of Darmstadt. This is given in half a tea-cupful of *warm milk*, it being claimed that milk is an article of food in which the tape-worm greatly delights.

The patient must then lie down on a couch, having a fresh lemon near at hand to suck in case nausea should result, as is often the case. This position is kept until noon, when another cathartic is to be taken. This consists of a good dose of castor oil, with fifteen drops of oil of turpentine and one drop of croton oil. The movements should be received in a specially prepared vessel. A piece of mosquito netting is tied loosely over the top of a suitable receptacle in order that, while the fæces can readily pass through, the worm itself may be retained in a shape for an easy examination.

Frequent trials of this method have convinced the compiler of its excellence, and he considers it worthy the attention of physicians having such cases to treat.

In an article in the *Ephemeris*, on the treatment for tape-worm, Dr. Squibb thus speaks of the administration of a saline aperient before the tænicide is given, and the reason why it adds to the efficacy of any treatment:

"This aperient should be a saline, because these cause a copious effusion of serous liquid from the whole mucous membrane of the canal, and this effusion taking place from the surface where the head of the worm lies protected by the dense mucus, detaches the mucus and washes it away, leaving the head bare for contact with the parasiticide, when otherwise it would pass over it without direct contact, and therefore without effect."

TARRANT'S EFFERVESCENT SELTZER APERIENT.

"Prepared on an entire new principle from a late and accurate analysis of the celebrated Seltzer spring, in Germany, with such additions and improvements as will be found materially to increase its efficacy."

The dose of the preparation is one to two teaspoonfuls in water, etc. It is well that the italicized lines were added in qualification of their first statement that the article was prepared from data based on the analysis of Seltzer spring water. The preparation is essentially magnesia sulphate, tartaric acid, bicarbonate of soda, and probably Rochelle salt. The bottle contains about 5 ounces avoirdupois of powder, which may be substantially duplicated by the following formula:

Take of-

| Soda bicarbonate | 168 parts. |
|-------------------|------------|
| Tartaric acid | 150 parts. |
| Rochelle salt | 50 parts. |
| Magnesia sulphate | 60 parts. |
| | -New Idea. |

"THAT LINIMENT."

Take of-

| Oil of turpentine | I OZ. |
|--------------------|-------------------|
| Oil of spike | I OZ. |
| Oil of origanum | I OZ. |
| Barbadoes tar | 2 dr. |
| Spirits of camphor | $\frac{1}{2}$ dr. |

Mix.

THIELEMAN'S CHOLERA MIXTURE.

Take of, by measure-

| Oil peppermint | 4 dr. |
|--------------------------------|--------|
| Chloroform | |
| Fl. ext. ipecac | 3½ dr. |
| Fl. ext. valerian | |
| Tinct. opium, deod | |
| Ether | 2 OZ. |
| Alcohol | 6 oz. |
| Sherry wine sufficient to make | 16 oz. |

Mix according to art.

The adult dose is 25 to 30 drops, in a small quantity of water, every twenty minutes until relief is obtained. —Western Druggist.

THOMAS'S ELECTRIC OIL.

Take of-

| Gum camphor | 4 dr. |
|----------------|-------|
| Oil gaultheria | 4 dr. |
| Oil origanum | 4 dr. |
| Chloroform | I OZ. |
| Tinct. opium | I OZ. |
| Oil sassafras | I OZ. |

| Oil hemlock | I OZ. |
|-----------------------|--------|
| Oil turpentine | I OZ. |
| Balsam fir | I OZ. |
| Tinct. guaiacum | I OZ. |
| Tinct. catechu | I OZ. |
| Alcohol | 4 pt. |
| Alkanet sufficient to | color. |
| | |

Mix.

-Medical World.

THOMPSON'S EYE-WATER.

Take of

| Zinc, sulphate | 20 gr. |
|------------------|--------|
| Copper, sulphate | 5 gr. |
| Tinct. saffron | 2 dr. |
| Tinct. camphor | |
| Rose-water | |
| Dist. water | |
| | |

Mix and filter.

-New Remedies.

THORN'S COUGH MIXTURE.

Take of-

| Hive syrup | | 2 fl. oz. |
|-------------|-------|-----------|
| Paregoric . | | I fl. oz. |
| Sweet spts. | nitre | ı fl. oz. |

Mix. Dose for an adult:—One tea-spoonful every two or three hours.

TIP-TOP.

There is a patent nostrum with no formula attached, whose nom de plume is Tip-Top, that has gained some notoriety in our country, in skin diseases, and, not that

I wish to publish or "steal the thunder" of any man, but as this preparation is nothing more nor less than a modification of Magendie's ointment, I will give it to the readers of the *Summary* after this form:

Take of-

| Calomel | |
|---------------|-------|
| Tinct. iodine | I OZ. |
| Oil sassafras | |
| Kerosene oil | 3 oz. |

Mix. Shake well before using.

This preparation is *tip-top* in some skin diseases, and does not belie its name. With a few drops of carbolic acid added, it will arrest or stop a spider or any other poisonous insect bite from assuming the erysipelatous or gangrenous form that we frequently see in course of the practice of medicine.

-Dr. Sturdivant, in Medical Summary.

TOBIAS VENETIAN LINIMENT.

Take of-

| Spirits of ammonia | 5 parts. |
|--------------------|-----------|
| Camphor | 2 parts. |
| Tinct. of capsicum | 5 parts. |
| Alcohol | 34 parts. |
| Water | 10 parts. |

Mix them.

-Hager.

TOLU, ROCK, AND RYE.

Take of-

| Good whisky | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|
| Rock candy | • | • | • | • | • | • | • | • | • | • | • | • | | • | • | • | • | • | 4 | lb. |
| Balsam tolu. | • | • | • | | • | | • | | | | • | | • | | | • | | | 2 | OZ. |

Put the whole into a two-gallon jug. Set in a warm place and agitate several times a day until the candy is dissolved. Then strain through muslin.

TOWNSEND'S PILLS

Have been in considerable use among physicians of our acquaintance. The formula is the following.

Take of-

| Mass hydrarg | 20 gr. |
|----------------|----------|
| Gamboge | 20 gr. |
| Ext. aloes | 20 gr. |
| Zingiber pulv | 20 gr. |
| Oil peppermint | 3 drops. |

Mix. Divide into 16 pills.

-American Druggist.

TRAFTON'S BALM OF LIFE.

"Balm of Life" cures asthma—so it states on the label—and also bronchitis, croup, cough, and all diseases of the throat and lungs, except confirmed consumption (?)—a new medicine. Its cures are "miraculous," etc., etc. This nostrum is put up in a light green panel bottle, containing $7\frac{1}{2}$ fluid ounces

of a clear amber color liquid, of slightly spirituous saline taste, no pronounced smell, and of neutral reaction. According to our analysis it consists of—

| Iodide of potassium | 80 parts. | |
|--------------------------|-------------|--|
| Fl. ext. of opium | 20 parts. | |
| Fl. ext. of senega | 50 parts. | |
| Fl. ext. of squills | 120 parts. | |
| Alcohol | 240 parts. | |
| Water enough to make, by | | |
| measure | 1020 parts. | |

Filter.

-New Idea.

TRASK'S MAGNETIC OINTMENT.

"Dr." Trask, the famous anti-tobacconist, of Massachusetts, was the proprietor of what he denominated "magnetic ointment." In time the formula for making the somewhat popular unguent was discovered, and nicotine was found to carry the alleged "magnetic" power. The recipe called for lard, raisins, and tobacco. The ointment was chiefly employed to allay pain on any part of the body. Not a few cases of nicotine poisoning resulted from the "magnetic" medicine. —*Chicago Med. Standard.*

Kilner gives the formula as follows:

Take of-

Lard, Raisins.

Fine cut tobacco, of each equal parts.

Simmer well together. Then strain, and press out all from the drugs. "This is a splendid remedy in all skin diseases, as salt rheum, tetter, etc."

TRIUMPH CORN PLASTERS.

"Specific cure for corns and bunions. No pain, no trouble, a sure cure. * * * Triumph Plaster Company, sole proprietor, Greenville, Tenn."

These plasters come in small yellow envelopes, containing three small plasters stuck face downward on linen. These adhesive wafers are about one inch in diameter, and essentially are a cheap, resinous, adhesive plaster, containing in a central medicated portion quantities of salicylic acid. We would suggest the following formula as a satisfactory one for making a good plaster to replace the secret article:

Make an adhesive plaster by melting equal parts of resin and balsam of fir together; while warm spread on linen, and when cold cut into circular discs, about the size of a nickel, and in the center of each place a quantity, about the size of a half pea, of the following mixture:

| Resin | 3 | parts. |
|----------------|-------|--------|
| Balsam of fir | 2 1/2 | parts. |
| Salicylic acid | 5 | parts. |

Melt the resins together, then stir in the salicylic acid. —New Idea.

TROPIC FRUIT LAXATIVE.

According to an examination by Adam Conrath (Pharm., 1882; 403), this proprietary laxative is a combination of jalap, senna, and tamarinds, coated with chocolate and sugar, and wrapped in tin foil. It

is offered in a tin box containing one dozen lozenges, each averaging about 90 to 95 grains.

The following is offered as being a very fair duplicate of the article:

Take of-

| Jalap, powdered | 5 | parts. |
|-----------------------|----|--------|
| Senna, powdered | 5 | parts. |
| Sugar | ~ | parts. |
| Tamarind pulp (E. I.) | 30 | parts. |

Make into lozenges weighing 45 grains each, and coat with chocolate and sugar, and wrap in tin foil.

VELPEAU'S COMPOUND FOR TREATMENT OF GONORRHŒA.

The formula for Velpeau's Compound was given me several years ago by a friend. The drug stores have destroyed their old prescription files, and I have lost my copy. After putting it up for myself a few times, I found that if I followed a certain plan in making the compound, the resulting mass was always what I wanted. This is how I do it. An ounce block of carbonate of magnesia is shaved down with a knife, and all the little lumps broken up thoroughly, the whole being reduced to a powder. This is done on a marble slab. Balsam copaiba in tea-spoonful quantities is added and worked in with a strong spatula, until the mass is stiff enough to be taken in the hands and kneaded without sticking. The dough is now rolled in powdered cubebs, and as much worked into it as well can be. Dose, a piece the size of the

last joint of the little finger, after meals. It never disagrees with the most delicate stomach, and stops the scalding in twelve hours.

-Dr. Hyatt in Medical World.

Dr. Gates writes subsequently in same journal: "I notice Dr. Hyatt gives in a short and concise form the formula for Velpeau's mass or compound. I have filed in my prescription book the doctor's original copy, which I think is superior to the one he gives.

"I learned after several days compounding, while a student in Dr. H.'s office, that it was impossible for the magnesia to be reduced sufficiently with a knife and my fingers to work well, owing to the small lumps. After shaving off an ounce block, I devised a plan of my own, which I have used ever since. This is how I do it: Take an ordinary sieve, turn it bottom up, rub your block of magnesia over it; then the magnesia will fall through the perforations of the sieve on a marble slab, placed beneath for this purpose."

Take of—

Oil copaiba 6 fl. oz. Magnesia carb..... sufficient.

Make into a putty-like paste, then gradually add-

Powd. cubebs..... I oz. or more if desired,

Powdered opium 7 gr. Dried sulphate of iron 100 gr.

Mix. Dose:—A piece the size of a peanut, or last joint of little finger, after eating.

VAN STAN'S STRATENA

Is said to be made as follows:

Take of—

| Acetic acid | 4 OZ. |
|-----------------|-----------|
| White glue | 3 OZ. |
| French gelatine | 4 dr. |
| Shellac varnish | 4 fl. dr. |
| Distilled water | 4 fl. oz. |

Dissolve the glue in the acetic acid with heat, and the gelatine and water with heat. Mix the two solutions gradually, and work until a uniform mixture results, then add the shellac varnish. Mix thoroughly and bottle. -New Idea.

VAN BUSKIRK'S FRAGRANT SOZODONT.

The following formula may be regarded as making an article identical with the original in all essential features:

Take of-

| Alcohol | I fl. oz. |
|--------------------|---------------|
| Water | 1 1/4 fl. oz. |
| Soap | 120 gr. |
| Oil of wintergreen | 2 minims. |
| Red sanders | sufficient. |

Dissolve the soap in the mixture of alcohol and water; add the color, perfume with oil of wintergreen, add enough water to make the fluid measure three ounces. The following is suggested as a similar

article to the Fragrant Sozodont Powder, which accompanies the liquid:

Take of-

| Infusorial earth | 40 gr. |
|--------------------|---------|
| Orris root | 125 gr. |
| Precipitated chalk | 200 gr. |
| To make | 365 gr. |

Perfume very lightly with oil of cloves.

WALKER'S VINEGAR BITTERS.

The following closely approximates:

Take of-

| Powd. golden seal | I OZ. |
|----------------------|---------|
| Powdered aloes, cape | 1/2 OZ. |
| Water | 16 oz. |

Bottle up, tie the cork down tightly. Ready for use in ten days. — The Drug Mill.

Walker, the proprietor of Vinegar Bitters, worked the "temperance dodge" for all it was worth, and succeeded during the period from 1868 to 1873, in selling more bottles of a villainous, turbid, disgusting sour swill under the pretext of its being medicine, than any other quack nostrum maker before or since. We believe it has a very limited sale at the present time. —New Idea.

WARNER'S SAFE CURE.

The following appeared originally in the *Druggists' Circular*, 1882, and is said to resemble the secret preparation:

Take of-

| Nitrate potash | 320 gr. |
|--------------------------|-----------|
| Liverwort | I OZ. |
| Alcohol | 2 OZ. |
| Glycerine | 1 1/2 OZ. |
| Essence of wintergreen | 40 drops. |
| Water sufficient to make | |

Make an infusion of the liverwort with one pint of hot water, strain, dissolve in it the nitrate of potash; when cold add the glycerine, alcohol, and essence of wintergreen. Filter the liquid, and if necessary add sufficient water to make one pint.

WASHBURNE'S SALICYLICA.

A preparation bearing a close resemblance to Salicylica may be made by the following simple prescription.

Take of-

Salicylate of soda 4 dr.

Make 24 powders.

-Druggists' Circular.

WATT'S ANTI-RHEUMATIC PILLS.

Said to be as follows:

Take of-

| Powd. aloes | 4 dr. |
|------------------------------|-------------|
| Powd. gamboge | 4 dr. |
| Powd. hellebore | 2 dr. |
| Powd. guaiac | |
| Calomel | |
| Precip. sulphide of antimony | 15 gr. |
| Oil of cloves | 1/2 fl. dr. |
| Soap | |
| Sp. of camphor | |
| | |

Mix. Make into five-grain pills.

WAYNE'S DIURETIC ELIXIR.

I see in November *World* the formula asked for. I used it ten years, but found the price too high. I now manufacture it myself for half the price, and find it identical, producing the same results. I have put it up for sixteen years, and know it to be a good diuretic.

Take of-

| Potass. acetate | 3 oz. |
|----------------------------------|-----------|
| Fl. ext. buchu | 3 OZ. |
| Fl. ext. juniper | 1 1/2 OZ. |
| Simple syrup sufficient to make. | 1 pint. |

Mix. One dessert-spoonful three or four times daily. —Dr. Crider, in Med. World.

WESTERN "RECTAL SPECIALISTS."

The modern Western "Rectal Specialist" is a lineal descendant of the original pile doctor. He uses still, in common with many reputable physicians, the hypodermic method in treating piles, but his evolution has proceeded so far that he now undertakes to treat other common rectal diseases as well, in a fashion peculiarly his own, and suited rather to his own convenience as an itinerant, than to his patients' real welfare. He no longer buys his secret and local right to practice, but invests from fifty to one hundred dollars in one of the "systems." He thus obtains a complete set of instruments and a small secret manual of instructions, which "enable persons of no particular skill to treat successfully all rectal diseases." As a matter of fact, many of these persons are not medical graduates at all, but mere adventurers, whose entire knowledge of their specialty consists in what their little book of instructions has furnished them. In some instances the itinerant is not allowed to know the composition of the various remedies directed by the secret pamphlet. He must buy them of the author of the "system," thus continually paying him tribute. Several of these "systems," by underselling each other, have greatly reduced their prices, so that from three hundred dollars they have now fallen in price to fifty and even -Andrews's Rectal and Anal Surgery. less.

WHEELER'S ELIXIR.

The following is given as closely approximating the genuine article:

Take of-

| Solution of phosphate of iron | 2 dr. |
|-------------------------------------|---------|
| Solution of lacto-phosphate of lime | 4 dr. |
| Muriatic acid, sufficient, about | ı dr. |
| Elixir cinchona, from alkaloids | 8 oz. |
| Simple elixir | 7 OZ. |
| Essence of bitter almonds | 1/2 dr. |
| Carminesufficient to | color. |

Mix and filter. If the preparation does not remain clear, add a few drops of muriatic acid.

The solution of phosphate of iron is made as follows:

Take of-

| Sulphate of iron | 4 OZ. |
|-----------------------------|-------|
| Warm water | 8 oz. |
| Sugar | 4 OZ. |
| Solution of phosphoric acid | 4 OZ. |

Dissolve the sulphate of iron in the warm water; add the solution of phosphoric acid and sugar, and filter.

The solution of phosphoric acid is made as follows: Take of—

Glacial phosphoric acid...... 8 oz. Warm water 8 oz. Nitric acid 320 gr.

Dissolve the phosphoric acid in the water by allowing it to stand a few hours, stirring occasionally; add the nitric acid, and heat until no smell of it remains; then make up to one pint with water.

WHITE'S COUGH SYRUP.

Take of-

| Syrup tolutani | 2 OZ. |
|-------------------|-------|
| Glycerini | 4 OZ. |
| Syrup scillæ comp | 6 oz. |
| Syrup ipecacuanhæ | |
| Tinct. lobelia | |
| Tinct. opii camph | 6 oz. |
| Ext. pilocarpi fl | |
| Ammonii chloridi | I OZ. |
| | |

Mix. Dose:—Take a tea-spoonful three times during the day, and every hour or two before going to bed.

WHITE'S ELIXIR.

The following is the formula of "White's Elixir," a nostrum extensively sold throughout Vermont for lung complaints:

Take of—

| Antimonii et potassii tart | 32 gr. |
|----------------------------|--------|
| Tinct. opii | 2 dr. |
| Tinct. camphoræ | 2 dr. |
| Tinct. anisi | 2 dr. |
| Alcoholis dil | |
| Syrupi simplicis | IO OZ. |
| Aquæ to make | ı pt. |

Mix. — Dr. Ladue in Medical World.

WEI DE MEYER'S CATARRH CURE.

We examined in 1880 and found it to be composed almost entirely of bicarbonate of soda, costing less than one-tenth of one cent for the contents of a box, which retails for \$1.50. —*New Idea*.

WILSON'S LIGHTNING LINIMENT.

Take of-

| Oil of cedar | 3 OZ. |
|----------------------|-------|
| Oil of sassafras | 3 OZ. |
| Tinct. of opium | 3 OZ. |
| Tinct. of guaiac | 3 OZ. |
| Tinct. of capsicum | 3 OZ. |
| Aqua ammonia | 4 OZ. |
| Spirit of camphor | 4 OZ. |
| Spirit of turpentine | |
| Chloroform | 3 OZ. |
| Alcohol | 1 gal |
| | |

-Drug. Circular.

WINSLOW'S SOOTHING SYRUP.

Take of-

| Morphia sulph | 1/2 gr. |
|-----------------|---------|
| Sodii carbon | ı gr. |
| Simp. syrup | |
| Aqua | 1/2 OZ. |
| Spirit fœniculi | ı dr. |

-New Idea.

WISTAR'S BALSAM OF WILD CHERRY.

This preparation is of a reddish-brown color, having an odor of anise and sugar-house syrup. It comes in an octagonal bottle, holding ten fluid ounces of the solution. The wrapper is lithographed in plain black on white. Examination showed it to contain a fluorescent principle, extracted from alkaline solution by amyl alcohol (wild cherry), an alkaloid soluble in amyl alcohol and precipitated by Mayer's reagent, (probable presence of ipecac, though opium may also be present), tartar emetic, coloring matter, oil anise, sugar-house syrup, and possibly other substances of less importance. The following formula makes a preparation which is substantially the same as the proprietary article:

Take of-

| Fl. ext. wild cherry | I fl. oz. |
|----------------------------|------------|
| Fl. ext. ipecac | 2 fl. dr. |
| Fl. ext. squills | 2 fl. dr. |
| Tinct. opium | ı dr. |
| Tartar emetic | 2 gr. |
| Sugar-house syrup | 3 fl. oz. |
| Alcohol | 6 fl. dr. |
| Sp. anise (1 in 8) | 20 m. |
| Tinct. cudbear comp., N. F | 2 dr. |
| Water sufficient to make | 8 fl. oz. |
| | -New Idea. |

WITCH-HAZEL PILE OINTMENT.

Take of-

| Tinct. hamamelis | 12 dr. |
|------------------|--------|
| Lanoleum | 6 dr. |
| Petrolatum | 16 oz. |

Mix.

Lanoleum is here used in place of the copyrighted term lanolin.

-Med. Standard.

WOLCOTT'S PAIN PAINT.

I have made an article closely resembling this, and answering the same purpose, by taking:

> Oil of peppermint 1 to 2 dr. Dried mint leaves, finely pulv. 1 to 2 dr.

Moisten the leaves with the oil, enclose in lead wrappers (to prevent evaporation), leave enclosed a few days, then dissolve in four ounces of alcohol; add twelve ounces of water, shake and filter.

-Dr. Crull, in Med. World.

YELLOW FAMILY DROPS.

Take of-

| Opium | 2 OZ. |
|----------------|-------|
| Sapo venet | I lb. |
| Croci opt | |
| Sp. rosemarini | |

Mix. Digest for a week, and add—

| 01. | rosmarini | | | | | | | | | 2 | fl. | oz. |
|-----|-----------|--|--|--|--|--|--|--|--|---|-----|-----|
| O1. | origani | | | | | | | | | 2 | fl. | oz. |
| Can | nphor | | | | | | | | | 2 | oz | |

Mix well.

For spirit rosemarini, take-

The above, with the Augsburg Essence of Life, and Green Wonder Oil (published elsewhere in this work), are famous old formulæ used for a century and longer in Pennsylvania. They came to me by chance in a curious old book of prescriptions, which belonged to one of the Fahnestock family. The Yellow Family Drops are still used to break up colds, and are an efficient remedy. —*Prof. Waugh in Med. World.*

THE COST OF NOSTRUMS.

The *Indiana Pharmacist*, in an article advising druggists to prepare their own stock medicines, instead of selling nostrums, gives the following figures estimating the cost of preparations, identical with or superior to the secret articles.

"Why should you pay \$1.90 a dozen for Bull's Cough Syrup, when you can put up a better article, containing no opium, giving three times the quantity for the same money, at a cost of but 46 cents a dozen?"

Here is a formula for a most excellent cough syrup:

Take of-

| Fl. ext. ipecac | 2 OZ. | 38 cents. |
|-------------------|---------|-----------|
| Chloroform | 1/2 OZ. | 2 cents. |
| Tinct. white pine | 8 oz. | 14 cents. |
| Water | | |
| Sugar | 56 oz. | 25 cents. |
| Magnesia carb | 2 OZ. | 3 cents. |
| Tinct. gelsemium | I OZ. | 2 cents. |
| | | |
| Total cost | | 84 cents. |

This makes five pints of finished product, which, put up in three-ounce ball-neck panels, holding $2\frac{1}{4}$ ounces, would make $3\frac{1}{6}$ dozen bottles. The cost of the bottles would be 50 cents, and the labels, wrappers, etc., would cost not more than 10 cents, making a total cost of \$1.44 for three and one-sixth dozen syrup, or about 46 cents a dozen, as against \$1.90 a dozen for Bull's.

Take the subject of bitters. None of the patents can be bought for less than \$7.00 a dozen, and from that up to \$8.50. They retail for \$1.00, where "cutting" is not known. Take the following formula:

Take of-

| Cinchona bark, red | 8 oz. | 30 cents. |
|--------------------|----------|-----------|
| Gentian root | | 5 cents. |
| Columbo root | 8 oz. | 10 cents. |
| Juniper berries | 8 oz. | 3 cents. |
| Glycerine | | 9 cents. |
| Alcohol | | 55 cents. |
| Water | 3 parts. | |

To make one gallon of finished product.

Have the drugs ground to coarse powder, pack in a percolator, pour on menstruum until the top of the drug is evenly covered. When the percolate begins to drop, insert a cork in the percolator, cover the top, and allow the contents to macerate 48 hours. Then proceed to obtain $7\frac{1}{2}$ pints of percolate, to which add the glycerine. Flavor with oil of wintergreen.

This makes eight pints of finished product, which, put up in pint bottles, sells for \$1.00 a bottle. The bottles cost 28 cents, and the labels and wrappers not to exceed 10 cents, making a total cost of \$1.50 for eight bottles, or \$2.25 for a dozen, as against \$7.00 to \$8.00 for the regular nostrum.

For a blood purifier that will "do the work every time:"

Take of-

| Fl. ext. sarsaparilla | 8 oz. | 50 cents. |
|-----------------------|--------|-----------|
| Fl. ext. stillingia | 8 oz. | 25 cents. |
| Fl. ext. yellow dock | 8 oz. | 25 cents. |
| Podophyllin | 24 gr. | 3 cents. |
| Aqua | 2 pt. | |
| Elix. simplex | 2 pt. | 23 cents. |
| Alcohol | 2 pt. | 55 cents. |
| Iodide potash | I OZ. | 18 cents. |

Mix and filter. Put up in paneled 14-ounce bottles. This will give 9 bottles to the gallon. The bottles will cost 26 cents, labels and wrappers 10 cents, making a total cost of \$2.35 for 9 bottles, or \$3.13 a dozen, as against \$7.00 to \$8.50 a dozen for the much-vaunted nostrums that are generally only a solution of epsom salts, colored and flavored.

For a kidney cure, one that invariably brings back the customer, recommends itself and makes business brisk:

Take of-

| Fl. ext. buchu | 8 oz. | 35 cents. |
|-------------------------|--------|-----------|
| Fl. ext. pareira brava. | 4 OZ. | 20 cents. |
| Fl. ext. stone-root | 4 OZ. | 20 cents. |
| Acetate potass | 4 OZ. | 15 cents. |
| Holland gin, best | 8 oz. | 20 cents. |
| Simple elixir, to make. | т gal. | 72 cents. |

Mix. Filter and put up in bottles holding eight ounces, plain or paneled, as best suits. The bottles will cost 44 cents, and the labels and wrappers 10 cents, making a total cost of \$2.36 for 16 bottles, or \$1.77 a dozen. This can be sold for 50 cents a bottle, and will afford a much better per cent. and larger profit than Warner's nostrums, and do the patient some good.

For a liniment for general purposes, that will relieve pain and soreness, giving much better satisfaction than St. Jacob's Oil:

Take of-

| Soap liniment | 5 pt. | \$1.10 |
|---------------|-------|--------|
| Aqua ammonia | 2 pt. | .12 |
| Tinct. opium | ı pt. | .60 |

Mix.

INDEX.

| Albadermine | 5 |
|--|-----|
| Allen's Lung Balsam | 56 |
| Allen's World's Hair Restorer | 7 |
| Anal Fissure, Treatment for | 21 |
| Anal Fistula, Treatment for | 20 |
| Anti-Constipation Pad | 7 |
| Arabian Balsam | 7 |
| Aseptin | 78 |
| Athlophoros | 8 |
| Augsburg Essence of Life | 14 |
| Aver's Ague Cure | 9 |
| Ayer's Ague Cure
Ayer's Cherry Pectoral | ģ |
| Ayer's Hair Vigor.
Ayer's Recamier Preparations | IO |
| Aver's Recamier Preparations | IO |
| Ayer's Sarsaparilla | IO |
| Ayer's Vita Nuova | 12 |
| | |
| Bareel's Indian Liniment | 15 |
| Barker's Nerve and Bone Liniment | 15 |
| Barnes's Frost Balsam | 14 |
| Baunscheidt's Oil | 16 |
| Becker's Eye Salve | 16 |
| Beggs's Ague Pills | 16 |
| Benson's Skin Cure | 17 |
| Boschee's German Syrup | 18 |
| Brandreth's Pills | 18 |
| Brinkerhoff's System | 19 |
| Brodie's Asthma Liniment | 24 |
| Brodie's Liniment | 24 |
| Bromides, Peacock's | 133 |
| Bromo-Chloralum | 25 |
| Brown's Bronchial Troches | 25 |
| Brown's Dentifrice | 26 |
| Brown's Iron Bitters | 26 |

| Brown's Male-Fern Vermifuge | 26 |
|-----------------------------------|----------|
| Brunelli's Embalming Process | 27 |
| Bryan's Pulmonic Waters | 27 |
| Buckler's Croup Mixture | 28 |
| Bucklin's Arnica Salve | 28 |
| Bull's Blood Syrup | 28 |
| Bull's Cough Syrup | 29 |
| Calder's Dentine | |
| California Liniment. | 29 |
| Cancer Pastes | 30 |
| Carbolate Iodine Inhalant | 30 |
| Carbolic Smoke Balls | 35 |
| Carter's Little Liver Pills. | 35 |
| | 37 |
| Castoria | 37
38 |
| Catani's Specific | 30 |
| Cazeaux's Nipple Ointment | 38 |
| Celerina | 38 |
| Centaur Liniment. | 39 |
| Chamberlain's Diarrhœa Remedy | 41 |
| Chamberlain's Relief. | 41 |
| Chloralum. | 41 |
| Chloride of Gold, for Opium Habit | 55 |
| Chlorodyne | |
| Clark's Blood Mixture | 41 |
| Cleary's Asthma Powder | 44 |
| Coaline Headache Powders | 44 |
| Cobb's Pills | 45 |
| Coe's Dyspepsia Cure | 45 |
| Combe's Aperient | 46 |
| Comedone Lotion | 46 |
| Cook's Electro-Magnetic Liniment | 46 |
| Corrassa Compound | 47 |
| Compound Oxygen | 49 |
| Cosmetics | 51 |
| | 195 |
| Cram's Fluid Lightning | 53 |
| Cuticura Ointment | 53 |
| Cuticura Resolvent | 53 |
| Day's Kidney Pad | 54 |
| Dellenbaugh's Cough Cure | 54 |
| Derby Liniment | 54 |
| Deshler's Salve | 55 |
| Double Chloride of Gold | 55 |
| Dow's White Liquid Physic | 55 |
| | |

INDEX.

| Egyptian Eye Salve.
Elepizone.
Elixir Iodo-Brom. Calcium Compound.
Elixir Pinus Compound
Elixir Thion Compound
Elliman's Royal Embrocation.
Ely's Cream Balm
Embalming Process, Brunelli's.
Enos's Fruit Salt.
Espey's Fragrant Cream. | 56
57
57
57
59
59
59
27
61 |
|---|--|
| Fahnestock's Vermifuge
Falk's Sulpholine Cream
Febriline
Febriline
Fellows's Hypophosphites
Firwein
Flagg's Relief
Fleury's Tasteless Cascarine
Ford's Balsam of Hoarhound
Fosgate's Anodyne Cordial
Freeman's Vermifuge Oil
French Uterine Pad
Funk's Cream of Roses. | 61
62
63
64
65
66
66
67
67
67 |
| Garfield Tea
Gargling Oil
Genuine White Oil Liniment.
Giles's Iodide of Ammonia Liniment.
Golden Eye Water.
Gombault's Caustic Balsam
Gooche's Mexican Cough Syrup
Good Samaritan Cough Syrup
Good Samaritan Liniment.
Grandmother's Own Cough Remedy
Gray's Specific Pills.
Great London Liniment.
Green Mountain Salve
Green's August Flower.
Green Wonder Oil
Grimault's Injection of Matico
Gull's Cough Mixture
Gunn's Rheumatic Liniment | 68
69
69
69
69
69
70
71
72
72
73
73
74
75
77
77
77 |
| Hagan's Magnolia Balm
Haines's Golden Specific
Hair's Asthma Cure | 77
78
78 |

| Hall's Catarrh Cure | 80 |
|--|----------|
| Hall's Hair Renewer | 80 |
| Hall's Hygienic Treatment | 81 |
| Hamburg Drops | 85 |
| Hamburg Lea | 85
86 |
| Hamlet's Ague Pills | |
| Hamlin's Wizard Oil | 86 |
| Hanson's Magic Corn Cure | 86 |
| Hardy's Ointment | 87 |
| Harlem Oil | 87 |
| Hartley's South American Cure | 87 |
| Hartley's South American Cure.
Hayden's Viburnum Compound | 88 |
| Heaton's Hernia Cure | 89 |
| Heiskell's Tetter Ointment | 91 |
| Helmbold's Buchu | 92 |
| Helmbold's Jelly | 92 |
| Hemorrholds, Korick's Formula | 148 |
| Himrod's Asthma Cure | 92 |
| Hinkley's Bone Liniment.
Holloway's Ointment. | 93 |
| Holloway's Ointment. | 93 |
| Holloway's Pills | 94 |
| Holmes's Liver Pills | 94 |
| Holmes's Liver Pills
Hop Bitters
Hostetter's Bitters | 94 |
| Hostetter's Bitters | 95 |
| Hunter's Red Drops | 95 |
| Hunyadi Janos Water | 96 |
| Injection Brou | 96 |
| Injection Brou.
Injection, Grimault's Matico | 76 |
| Iodia | 97 |
| | |
| Jayne's Alterative | 98 |
| Jayne's Expectorant | 97 |
| Kaskine | . 98 |
| Keating's Cough Lozenges. | 99 |
| Kellog's Red Drops | 99 |
| Kellog's Red Drops | 99 |
| | 100 |
| Kennkle's Worm Syrup | 100 |
| Kephalgine | IOI |
| Kephalgine.
Kickapoo Indian Oil. | IOI |
| King's New Discovery | 102 |
| Kitchell's Liniment | 102 |
| | 103 |
| | 103 |

INDEX.

| Kumyss | 103 |
|--|------------|
| Lac Virginis | 106 |
| La Fayette Mixture | III |
| Lallemand's Specific | 106 |
| Langell's Asthma Remedy | 106 |
| Laubach's Eclectic Liniment | 106 |
| Lavarre's Sure Cure | 107 |
| Laville's Gout Cure | 108 |
| Lee's Anti-Bilious Pills. | 108 |
| Lee's Gravel Remedy | 109 |
| Lee's Lithontriptic
Le Page's Liquid Glue | 109 |
| Liebig's Corn Cure. | 131 |
| Lightning Liniment. | 192 |
| Lindsey's Pain Cure | III |
| Liniment for Man and Beast | 112 |
| Liquor Carbonis Detergens | 113 |
| Listerine | 113 |
| Little Hop Pills | 114 |
| Locock's Pulmonic Wafers | 115 |
| Lowndes's Magic Cream | 115 |
| Low's Magnetic Liniment | 116 |
| Lyon's Kathairon | 116 |
| Magnetic Liniment | 117 |
| Malvina Cream | 117 |
| Malvina Lotion | 118 |
| Matthieu's Vermifuge | 119 |
| Matico Injection | 76 |
| Meibom's Pectoral Balsam | 119 |
| Metz's Balsam | 120 |
| Mexican Mustang Liniment | 121 |
| Microbe Killer, Radam's | 141 |
| Miller's Golden Oil. | 122 |
| Mitchell's Eye Salve | 122 |
| Mitchell's Treatment of Piles. | 123 |
| Morehead's Magnetic Plaster | 123
126 |
| Mother Siegel's Syrup | |
| Moxie | 127
127 |
| | Sec. Sec. |
| Nerve Liniment, Barker's. | 15 |
| Nerve and Bone Liniment. | 128 |
| Nipple Ointment, Cazeaux's | 38
128 |
| Number Thirteen | |
| Oil of Gladness | 129 |

| Oil of Joy | 129 |
|--|------------|
| Olive Branch | 129 |
| Orange Blossom | 129 |
| Usgood's Cholagogue | 130 |
| Oxygen, Compound | 49 |
| Ozone Uterine Wafers | 131 |
| Page's Liquid Glue | 131 |
| Page's Liquid Glue
Palmer's Cosmetic Lotion | 131 |
| Papine | 131 |
| Papine
Parsons's Local Anæsthetic | 132 |
| Pastes, Cancer | 30 |
| Patterson's Emulsion | 132 |
| Peacock's Bromides | 133 |
| Peekskill's Cough Svrup | 133 |
| Perry's Blood Purifier | 133 |
| Perry's Blood Purifier | 134 |
| Pettit's Eye Salve | 134 |
| Phillips's Emulsion | 135 |
| Phenol Sodique | 135 |
| Pierce's Favorite Prescription | 136 |
| Pierce's Golden Medical Discovery | 136 |
| Piles, Brinkerhoff's Treatment | 19 |
| Piles, Mitchell's Treatment | 123 |
| Pimple Lotion | 137 |
| Piso's Cure for Consumption | 137 |
| Platt's Chlorides | 138 |
| Pleis's Fit Powders | 138 |
| Polypus, Brinkerhoff's Treatment for | 22 |
| Pope's Ćure for Neuralgia
Powell's Balm of Anise-Seed | 138 |
| Powell's Balm of Anise-Seed | 139 |
| Price's Pile Ointment | 139 |
| Proctor's Vermifuge | 140 |
| Quick Stop for Headaches | 140 |
| Radam's Microbe Killer | TAT |
| Radical Catarrh Cure | 141
151 |
| Radway's Pills | 142 |
| Radway's Ready Relief | 142 |
| Radway's Renovating Resolvent | 142 |
| Ransom's Hive Syrup and Tolu | 143 |
| Reave's Embrocation | 143 |
| Recamier Balm | 10 |
| Recamier Cream. | II |
| Recamier Lotion. | II |
| | |

INDEX.

| Recamier Powder | II |
|--|------|
| Recamier Soap | 12 |
| Red Star Cough Cure | 144 |
| Ree's Cholera Mixture | 144 |
| Rex Magnus | 144 |
| Rex Magnus.
Richmond's Samaritan Nervine | 145 |
| Roche's Embrocation | 146 |
| Rogers's Excelsior Corn Cure | 148 |
| Rorick's Formula for Hemorrhoids | 148 |
| Rosalind | 148 |
| Russell's Botanic King | 149 |
| Russia Salve | 150 |
| | 1.90 |
| Sage's Catarrh Remedy | 151 |
| Sanford's Catarrh Cure | 151 |
| Saul's Catarrh Cure | 152 |
| Sawyer's Uterine Pastilles | 152 |
| Schenck's Pulmonic Syrup | 155 |
| Scotch Oats Essence | 167 |
| Scott's Emulsion | 155 |
| Sea-Shore Diphtheria Cure | 156 |
| Seeley's Pile Ointment | 157 |
| Seeley's Pile Ointment
Senckenburg's Migraine Pastilles | 157 |
| Seven Barks | 157 |
| Seven Seals | 158 |
| Seven Sutherland Sisters' Hair Grower | 158 |
| Sexual Disorders. | 159 |
| Shiloh's Consumption Cure | 162 |
| Simmons's Liver Regulator | 163 |
| Sirop Gibert | 163 |
| Skinner's Dandruff Mixture | 164 |
| Smedley's Fever Powders | 164 |
| Smith Bros.' Cough Drops | 164 |
| Sozodont | 185 |
| Steedman's Soothing Powders | 165 |
| Stillingia Liniment for Croup | 55 |
| St. Jacob's Oil | 165 |
| St. John's Liniment | 166 |
| St. John Long's Liniment | 166 |
| Stokes's Expectorant | 167 |
| Stomach Pad | 168 |
| Strong's Arnica Jelly | 168 |
| Sykes's Catarrh Cure | 169 |
| Syrup of Figs | 170 |
| Syrup Stillingia Compound | 170 |
| Sweet's Ointment | 171 |
| | -/- |

| Swift's Syphilitic Specific
Swayne's Ointment | 171 |
|--|------------|
| Swaim's Vermifuge | 173
173 |
| Tamar Indien | 173 |
| Tape-Worm Specialists | 174 |
| Tarrant's Seltzer Aperient | 176 |
| "That" Liniment | 91
177 |
| Thieleman's Cholera Mixture | 177 |
| Thomas's Electric Oil | 177 |
| Thompson's Eye Water | 178 |
| Thorn's Cough Mixture | 178 |
| Tip-Top | 178 |
| Tolu, Rock and Rye | 179
180 |
| Townsend's Pills | 180 |
| Trafton's Balm of Life | 180 |
| Trask's Magnetic Ointment. | 181 |
| Triumph Corn Plasters | 182
182 |
| Tropic Fruit Laxative | |
| Ulcer Specific, Brinkerhoff's | 20 |
| Van Buskirk's Sozodont | 185 |
| Van Stan's Stratena | 185 |
| Venetian Liniment | 179 |
| Velpeau's Compound
Vita Nuova | 183 |
| | |
| Walker's Vinegar Bitters
Warner's Safe Cure | 186
187 |
| Washburn's Salicylica | 187 |
| Watt's Anti-Rheumatic Pills | 188 |
| Wayne's Diuretic Elixir | 188 |
| Western Rectal Specialists | 189 |
| Wheeler's Elixir | 190 |
| White's Cough Syrup | 191 |
| White's Elixir
Wei de Meyer's Catarrh Cure | 191
192 |
| Wilson's Lightning Liniment | 192 |
| Winslow's Soothing Syrup
Wistar's Balsam of Wild Cherry | 192 |
| Wistar's Balsam of Wild Cherry | 193 |
| Witch-Hazel Pile Ointment | 194 |
| Wolcott's Pain Paint | 194 |
| Yellow Family Drops | 194 |

