

Descriptive catalogue of the laboratory products of Parke, Davis & Company : Materia medica, therapeutics, formulae, approximate prices.

Contributors

Parke, Davis & Company.
Harvey Cushing/John Hay Whitney Medical Library

Publication/Creation

Detroit : Press of Parke, Davis, 1894 [©1893]

Persistent URL

<https://wellcomecollection.org/works/tjtx78c3>

License and attribution


This material has been provided by This material has been provided by the Harvey Cushing/John Hay Whitney Medical Library at Yale University, through the Medical Heritage Library. The original may be consulted at the Harvey Cushing/John Hay Whitney Medical Library at Yale University. where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>




YALE
MEDICAL LIBRARY



HISTORICAL
LIBRARY





DESCRIPTIVE CATALOGUE
OF THE
LABORATORY PRODUCTS
OF
PARKE, DAVIS & COMPANY


MATERIA MEDICA, THERAPEUTICS, FORMULÆ,
APPROXIMATE PRICES

1894

PRESS OF PARKE, DAVIS & COMPANY,
DETROIT, MICH., U. S. A.

Copyrighted by
PARKE, DAVIS & CO
1893.

PREFACE.



The demands of the busy physician have necessitated that a handy book of reference be provided by which he can readily ascertain at a glance the remedies that are best adapted to the case under consideration. This we trust we have embodied in the work which we now introduce to the medical profession.

Of the various classes of pharmaceutical preparations mentioned, special notes on Fluid Extracts, Normal Liquids and Concentrations, as given below, are alone considered necessary.

FLUID EXTRACTS—There is an urgent and general demand that the relative strengths of the fluid preparations of pharmacy be simplified and that many of the dilute ones be dropped altogether. Tinctures, infusions, wines, syrups, etc., have no uniform and well-understood ratio of strength either dosimetric or pharmametric, and the recollection of dose, etc., is burdensome to the memory. The use of fluid extracts does away with this inconvenience. Having a strength so adjusted that each minim represents a grain, all that remains for a prescriber to know is the dose of the standard crude drug. Tinctures, wines, etc., may be thereupon made by simply using the proper diluent and to the amount necessary to exhibit a desired therapeutic effect, or to extemporaneously prepare a weaker preparation. This method, if generally adopted, would much simplify pharmacy and also—a much more important matter—relieve the physician and pharmacist of the burden of carrying so many different preparations of the same drug; and, by retaining one only and that the most accurate and scientific one, the probability of dispensing stale and deteriorated fluids would be a minimum. We cannot here, however, do more than merely point out the economic and scientific advantages to be gained from a more extended use of this class of preparations.

NORMAL LIQUIDS.—The U. S. Pharmacopœia has omitted to provide for a scientific standard in the determination of the strength of the official fluid extracts. It is not sufficient that, prepared by its directions, one cubic centimetre of any fluid extract should represent one gramme of the drug employed. A crude drug, supposed to be of prime quality judged by its physical appearance, may be found to be either much above the average or notoriously inert when tested for the presence of its active principle, and since no test for the quality of the drug in this respect is demanded, it follows that the therapeutic exhibition of the average fluid extract must be accompanied with a similar uncertainty and variation in effects.

In this connection we particularly emphasize the fact that by the introduction of our normal liquids the superior standard of our fluid extracts is in no wise affected. As heretofore, they are prepared from full quantities and of the best materials, and manufactured with the utmost care and accuracy. Indeed, as an extra precaution over and above the requirements of the U. S. P., we test all crude drugs by assay, wherever practicable. Whatever of discrimination is asked in favor of Normal

Liquids is based solely upon the omission of the Pharmacopœia to recognize the fact that the only true and scientific test of a fluid extract is the presence of a standard amount of active principle actually ascertained in the finished product,—strength should not alone be determined, as at present, by the quantity of drug employed. Normal liquids were introduced by us to satisfy the demand for fluid extracts that could be depended upon to represent a definite and uniform alkaloidal strength and to possess a definite and invariable basis of therapeutic value.

CONCENTRATIONS.—These had their origin in the demand on the part of physicians for vegetable remedies of concentrated strength, in the form of permanent powders, in order that a well assorted supply might be carried in the pocket or saddle case. This class of preparations then was naturally introduced to notice by manufacturers, and their use extended rapidly among the profession who were not slow to perceive their unquestionable merits.

The nomenclature of concentrations, so-called, has been formed by adding the affix "*in*" to the root of the botanical name of the plant from which it is derived, thus conveying the impression that the preparation is the active principle of that plant, since chemists had already adopted this method of designating principles peculiar to any plant or genus of plants. Chemists now also distinguish further between alkaloids and neutral principles (glucosides, etc.) by adding in the former case a final *e* to the termination.

The names which have been adopted for the concentrations are, therefore, either wholly inappropriate and misleading, or they have a dangerous similarity to those of the active principles themselves of the drugs, of which they actually contain only 5 to 10 per cent. We do not hold ourselves responsible for the present nomenclature, and a radical change therein can only be made by concerted action between the manufacturers and the medical profession. We have ventured in some cases to adopt certain innovations, not for the sake of distinguishing preparations of our own manufacture from others in the market, but simply as a safeguard against serious mistakes in dispensing. Thus we label the concentrations from aconite and belladonna, ACONAPELLIN, *not aconitin*, and BELLADONNIN, instead of *atropin*, since these latter, in the ordinary nomenclature might easily be taken for the alkaloids aconitine and atropine, articles at least ten times as powerful. We do not claim for these names any exclusive proprietorship.

The advantages offered by concentrations over other preparations of vegetable drugs are sufficiently obvious. They are, briefly; 1st, Concentration of strength; 2d, The form of a permanent powder; 3d, Convenience for dispensing at the bedside of the patient.

Valid objections are urged against them on the ground of their unscientific nomenclature and of the lack of any authoritative standard to which even their physical properties must conform. Preparations from different manufacturers bearing the same label are totally unlike in properties and composition, each one being a law unto himself. We have aimed in our concentrations to present all the active constituents of each drug, excluding as far as possible, inert matter; and when our preparations differ from those of other manufacturers, we are willing that they should be judged by their therapeutic efficiency.

Certain of the more recent additions to the *materia medica* are deserving of the attention of physicians, notably: Improved Lofoten Cod Liver oil; Syrup Hydriodic Acid; Weld's Syrup of Iron Chloride; Syrup Trifolium Compound; and other items which have already commended themselves to the medical profession, such as Cascara Cordial, Hæmatic Hypophosphites, Glycerin Suppositories, and other of our own introductions to elegant pharmacy.

We have within a short time accepted the sole agency for the manufactures of the Mosquera-Julia Food Co. This concern devised a mode of concentrating foods which are predigested. Beef-Meal, for instance, is equal to six times its weight of good lean beef, and 50% of this is already prepared for immediate assimilation by the stomach. Beef-Cacao is a combination of equal parts of Beef-Meal, Dutch Cacao and Sugar, and forms with either milk or water a most palatable and readily digested food. Beef-Jelly is also worthy of the attention of the medical profession, inasmuch as it is a most palatable and, at the same time, the most concentrated beef essence on the market. These items are all predigested by the concentrated juice of Pineapple, which has been found to possess digestive properties far superior to any other article of a like nature. We can also provide this principle, Bromelin, in ounce vials. It is of particular value in cases of diphtheria, a solution being sprayed upon the diphtheritic deposits or applied by a camel's hair pencil, when the membrane will be promptly dissolved and the throat cleared of the deposit in question.

Connected with our Laboratory is a Scientific Department of experts in the various branches of the science of pharmacology the members of which are devoting a life-time to the careful study of the physical, chemical and therapeutic properties of drugs. The object of this department is also to interest men of science abroad in the investigation of new therapeutic agents, for which we have frequently donated the material for experimentation, in order that they might be introduced on a scientific basis with as full and correct physiological reports as possible, for the prescriber's guidance. We can point with satisfaction to the results as published in the reports on investigations made with our assistance by such men as Professor Dragendorff, Podwyssotzki, Gerhardt, Schatz, Liebreich, Langgaard, Senator, Kobert, etc, and to the numerous drugs of value which we have been instrumental in introducing, such as Black-haw, Cascara sagrada, Kava-kava, Grindelia robusta, Pichi, Yerba santa, etc. In the compilation of this book the dosage of our preparations, botanical nomenclature employed, and other information contained have received special and careful revision by our Scientific Department and we trust in presenting this to our friends, to have rendered them a service by placing in their hands a book of reference to which they may frequently and confidently refer for information.

It will always afford us the greatest pleasure to forward any printed matter which we have on file, in connection with any of our preparations for the information of our medical friends, or to receive correspondence respecting scientific remedies, which will receive always our very prompt attention.

PARKE, DAVIS & CO.

DETROIT, MICH., March, 1894.

SPECIAL NOTICE.

Inasmuch as this work is intended for permanent use, and as many prices change from time to time, according to the cost of manufacture, it should be remembered that rates named herein are only approximate, and subject to regular prices current.

We would also direct the attention of readers outside of the United States to the fact that prices mentioned herein are based upon catalogues current in the United States, and are subject to special catalogues issued for other countries. This should also be specially borne in mind with reference to packages; for example, bottles of one pint contain sixteen fluidounces, according to the standard of the United States.

In all other respects this work is of the same practical value in all English-speaking countries.

Respectfully,

PARKE, DAVIS & CO.

MATERIA MEDICA.

ABSCCESS-ROOT.

POLEMONIUM REPTANS, Linné.—Alterative, diaphoretic, expectorant. The fluid extract in warm water produces copious perspiration, and has been found serviceable in pleurisy, bronchial and laryngeal affections, and febrile and inflammatory diseases.

Fluid Extract of the root, $\frac{1}{2}$ to 1 fluidrachm.....per pint..\$ 1.50

Pressed Root, in pounds.

ACETANILID, SEE TAR.

ACID PHOSPHATES, LIQUID.

A nerve and brain food; relieves symptoms of mental exhaustion, such as sleeplessness, melancholy, etc.; is in considerable demand as a stimulating beverage, and dispensed at soda fountains in place of an alcoholic stimulant. Per dozen half pints, \$2.25, *net*; per dozen pints, \$3.50 *net*.

ACONITE.

ACONITUM NAPELLUS, Linné. POISONOUS.—A powerful nerve and (indirectly) arterial sedative. Employed in fevers as a diaphoretic and to reduce the heart's action, effects that are best induced by minute doses; also employed in cardiac hypertrophy, neuralgia, rheumatism, gout, etc.

ANTIDOTES.—None reliable known. Use strong emetics or the stomach pump promptly. Sustain vitality by stimulants—whisky, ammonia, strong coffee, the battery, etc. Digitalis has sometimes been found useful.

N. B.—Aconite *leaves* are no longer recognized by the U. S. P., therefore, physicians should specify the root in prescribing to prevent mistakes, the root being five times more active than the leaves.

ACTIVE PRINCIPLE.—Aconitine (Duquesnel's), 1-500 to 1-100 gr.

Fluid Extract leaves—2 to 5 min.....per pint..\$ 1.10

Fluid Extract root—1-3 to 2 min.....per pint.. 1.20

Normal Liquid Aconite root, 1-3 to 2 min.....per pint.. 1.35

Solid Extract leaves, assayed, 1-4 to 1 gr.....per oz.. .35

Solid Extract root, assayed, 1-20 to 1-5 gr.....per oz.. .35

Powdered Extract leaves, assayed, 1-4 to 1 gr.....per oz.. .40

Powdered Extract root, assayed, 1-20 to 1-5 gr.....per oz.. .40

Concentration Aconapellin, 1-25 to 1-12 gr.....per oz.. 4.00

Pills, see list in Appendix, Nos. 2 to 6, 414 to 417, 451, 657, 697, 811.

ACONITE—CONCLUDED.

Tablet Triturates, see list in Appendix, Nos. 5 to 8, 253 to 259, 382, 443, 453, 454, 1000.

Hypodermic Tablets, see list in Appendix, Nos. 1, 500, 501.

Compressed Tablet, see list in Appendix, No. 35.

Oleate Aconitine, 2 % alkaloid.....per oz..\$.80

Diurnule, see list in Appendix, No. 900.

Pressed leaves, in ounces. *Pressed root*, in pounds and ounces.

ADDER'S-TONGUE.

ERYTHRONIUM AMERICANUM, Smith.—Alterative, and in large doses emetic. Sometimes employed as a poultice to inflamed scrofulous tumors.

Pressed leaves, in ounces.

ADHATODA VASICA, NEES.

MALABAR NUT.—Claimed to possess the property of destroying lower vegetable organisms without injury to higher, hence its supposed practical application in treatment of diseases depending on the presence of fungi, bacteria, etc.; in India the leaves are extensively used in catarrhal and pulmonary complaints.

Fluid Extract, $\frac{1}{4}$ to $\frac{1}{2}$ fluidrachm.....per pint..\$ 3.00

ADONIS VERNALIS, LINNÉ.

FALSE HELLEBORE. POISONOUS.—Physiological action very like that of digitalis, and by some is held preferable to the latter in that it possesses no cumulative action.

ANTIDOTES. — Emetics, if sufficiently early, alcoholic stimulants, opium, rest in recumbent position.

ACTIVE PRINCIPLE.—Adonidin, 1-10 to 1-3 gr.

Fluid Extract of the herb, 1 to 2 min.....per pint..\$ 3.00

Pill Adonidin, 1-10 gr.....in bottles of 25, \$1.00; per 100.. 3.80

ADRUE.

CYPERUS ARTICULATUS, Linné.—Carminative. Of value in checking emesis, whether of pregnancy, or indigestion; sometimes useful in atonic dyspepsia.

Fluid Extract of the rhizome, 30 min.....per pint..\$ 3.50

AGARIC.

POLYPORUS OFFICINALIS, Fries.—Restrains all secretions; in large doses, cathartic. Employed with greater or less success in night sweats of phthisis.

ACTIVE PRINCIPLE, Agaricin, 1-15 to 1-6 gr.

Fluid Extract of the fungus, 3 to 20 min.....per pint..\$ 3.00

Tablet Triturate Agaricin, 1-20 gr..per 100, 26 cents; per 1000.. 2.00

AGRIMONY.

AGRIMONIA EUPATORIA, Linné.—Mild tonic and astringent. Recommended in bronchial disorders and bowel complaints of catarrhal nature, especially chronic diarrhoea; also in passive hæmorrhages; sometimes employed as a gargle in ulcerations of mouth and throat.

Fluid Extract of the herb, 1-2 to 2 fluidrachms.....per pint..\$ 1.05

Pressed herb, in ounces.

AILANTHUS GLANDULOSA, DESFONTAINES.

TREE OF HEAVEN.—A powerful nerve depressant, purgative, anthelmintic and anti-neurotic. Used in palpitation of the heart, obstinate hic-cough, spasmodic asthma, etc.; in small doses, in diarrhoea and dysentery; has some reputation in Europe, as an anthelmintic.

Fluid Extract of the bark, 10 to 30 min.....per pint..\$ 1.90

AJOWAN.

CARUM COPTICUM, Bentham.—Carminative, antiseptic. Used in India in the treatment of cholera; has also been recommended as a remedy for alcoholism, and externally as a constituent of poultices to relieve pain.

Fluid Extract of the seeds, 10 to 30 min.....per pint..\$ 4.00

ALKANET.

ALKANNA TINCTORIA, Tausch.—Mildly astringent, but used almost exclusively for coloring purposes.

Pressed root, in pounds.

ALLIGATOR-PEAR.

PERSEA GRATISSIMA, Gærtner.—Irritant, anthelmintic. Valuable as an external application in intercostal neuralgia.

Fluid Extract of the seed, 30 to 60 min.....per pint.. \$3.50

ALOES.

ALOE PERRYI, Baker.—Tonic, purgative, anthelmintic, and slightly cholagogue. Is employed in constipation, combining a tonic and laxative action; habitual use does not sensibly diminish its activity; has special tendency to the lower intestine.

NOTE.—A very much larger dose of aloes can be given in solution than in the solid form.

ACTIVE PRINCIPLE.—Aloin, 1-2 to 2 grs.

Fluid Aloes, each pint representing 5 1-4 ozs. av. of the gum,
3 to 20 min.....per pint..\$ 1.65

Fluid Aloes and Myrrh, each pint representing about 5 ozs. av.
each of the gums—15 to 30 min.....per pint.. 1.75

ALOES—CONCLUDED.

<i>Powdered Extract</i> , 1 to 5 grs.....	per oz..\$.40
<i>Solid Extract</i> , 1 to 5 grs.....	per oz.. .25
<i>Pills</i> , see list in Appendix, Nos. 10 to 29, 42, 49, 51, 59 to 61, 158, 159, 164, 176, 197, 224, 254 to 256, 263, 268 to 271, 280, 281, 288, 291, 313, 326, 362, 363, 365, 373, 374, 438, 439, 452 to 454, 485, 512, 518, 531, 569, 570, 634, 635, 643, 658, 715 to 719, 721, 723, 733, 744 to 746, 748, 755, 776, 786, 797, 819, 823, 824.	
<i>Tablet Triturates</i> , see list in Appendix, Nos. 10 to 12, 181, 201, 217 to 222, 260, 261, 326 to 328, 395.	
<i>Compressed Tablets</i> , see list in Appendix, Nos. 12, 24.	

ALSTONIA CONSTRICTA, F. MUELLER.

AUSTRALIAN FEVER BARK.—Tonic, antiperiodic. Has been employed in remittent fevers that did not yield to salts of cinchona.

<i>Fluid Extract of the bark</i> , 2 to 8 min.....	per pint..\$ 3.00
--	-------------------

ALTERATIVE COMPOUND.

SYNONYMS.—Bamboo-brier compound, Succus Alterans, Mist. Smilacis Co.; 16 fl. ozs. represent: Bamboo-Brier root, 4 ozs.; Burdock root, 4 ozs.; Prickly Ash bark, 1 oz.; Stillingia, 4 ozs.; Poke root, 4 ozs. This is a combination of vegetable alteratives for the treatment of secondary syphilis, recommended by Dr. J. Marion Sims. It has been superseded by an improved combination known as Syrup Trifolium Compound, which see.

<i>Fluid Extract Alterative Comp.</i> , 1 to 4 fluidrachms..	per pint..\$ 1.25
<i>Solid Extract Alterative Comp.</i> , 10 to 40 grs.....	per oz.. .27
<i>Pill Alterative Comp.</i>	per 100, 50 cents; per 500.. 2.35
<i>Syrup Alterative Comp.</i> , 2 fluidrachms.....	per doz. pints.. 9.00

ALUMINUM HYDRATE.

Absorbent, antacid, protective, combining the properties of magnesia and bismuth. Is employed in diarrhoea and dyspepsia due to acidity of primæ viæ. Dose, 2 to 6 grains.

<i>Pill Aluminum Comp.</i>	per 100, \$1.50; per 500..\$ 7.35
----------------------------------	-----------------------------------

ALUMINUM AND POTASSIUM SULPHATE.

ALUM.—Powerful astringent, rarely used internally except in painter's colic, for which it is by some considered almost a specific. It may also be used in passive relaxations of mucous membrane. Dose, 1 to 5 grains.

<i>Pink Granule</i> , see list in Appendix, No. 659.	
<i>Tablet Triturates</i> , see list in Appendix, Nos. 262, 263.	
<i>Lozenges</i> : Rose leaf and Alum.	
<i>Compressed Tablet</i> , see list in Appendix, No. 6.	

ALUMINUM OXIDE.

Used in ointments for astringent effect; valuable in eczema, and as a dressing for burns, etc.

Oleate Aluminum, containing 5.9% aluminum oxide.....per oz..\$.30

ALUM-ROOT.

HEUCHERA AMERICANA, Linné.—Powerful astringent. Externally, is employed for hæmorrhages, foul and indolent ulcers, etc.; also as a gargle for aphthous sore mouth and pharyngitis; internally in diabetes, and as an injection for bleeding piles.

Fluid Extract, 10 to 20 min.....per pint..\$ 1.20

ALVELOZ MILK.

The milky juice of EUPHORBIA HETERODOXA, (Müller), which seems to exhibit the combined action of a caustic and digestant. In cancerous ulceration it often removes the diseased and broken down tissue, acting somewhat similarly to chloride of zinc.

In original vials of 6 grammes.....per vial, *net*..\$ 6.00

AMERICAN CENTAURY.

SABBATIA ANGULARIS, Pursh.—Popularly employed as a prophylactic and remedy in intermittent and remittent fevers, and is preferred by some to quinine; useful as a tonic in slow convalescence, in dyspepsia and debilitating diseases.

Fluid Extract of the herb, 1-2 to 1 fluidrachm.....per pint..\$.90

Pressed herb, in ounces.

AMERICAN COLUMBO.

FRASERA CAROLINENSIS, Walter.—Mild tonic and aperient; in overdoses, purgative and emetic. Employed as a tonic in general debility, particularly in irritated conditions of the digestive organs.

Fluid Extract of the root, 1-3 to 1 fluidrachm.....per pint..\$ 1.25

Concentration Fraserin, 1 to 3 grs.....per oz.. .60

Pressed root, in pounds.

AMERICAN HELLEBORE.

VERATRUM VIRIDE, Aiton.—POISONOUS. Heart depressant—lowers vaso-motor tonus. Valuable in the treatment of uncomplicated cardiac hypertrophy, irritable heart, aortic aneurysm, acute parenchymatous congestions, and cerebral hyperæmia. Contra-indicated in valvular lesions or where heart is enfeebled from any cause.

NOTE.—As the effect of the drug quickly reaches its maximum, the dose should not be administered at less intervals than two hours. *The recumbent position must be rigidly enforced* and the drug administered only by competent hands.

AMERICAN HELLEBORE—CONCLUDED.

ANTIDOTES.—Morphine or laudanum in full doses, given in strong coffee, and alcoholic stimulants.

Fluid Extract of the rhizome, 1 min. gradually increased; per pt..\$ 1.50

Solid Extract, assayed, 1-8 to 1-4 gr.....per oz... .31

Normal Liquid, 1 min. gradually increased if necessary..per pt... 1.65

Pills, see list in Appendix, Nos. 373, 374, 641, 642.

Tablet Triturates, see list in Appendix, Nos. 210, 610.

Pressed root, in pounds.

AMERICAN IVY.

VITIS QUINQUEFOLIA, Lamarck. — Alterative, tonic, astringent, expectorant. Employed in dropsy to promote absorption.

Fluid Extract of the bark of root, 1-2 to 1 fluidrachm; per pint..\$ 1.20

Pressed bark of root, in pounds.

AMERICAN SARSAPARILLA.

ARALIA NUDICAULIS, Linné.—Alterative, gentle stimulant and diaphoretic. Frequently substituted for sarsaparilla (*Smilax officinalis*).

Fluid Extract of the rhizome, 1-2 to 2 fluidrachms...per pint..\$ 1.05

Pressed root, in pounds.

AMMONIAC.

Gum resin from DOREMA AMMONIACUM, Don.—Antispasmodic, stimulant, expectorant. Useful in chronic catarrh, bronchial affections and asthma; externally in plasters as a rubefacient for chronic rheumatism and to secure mild but sustained irritation of skin.

Pills, see list in Appendix, Nos. 321, 599, 725, 736.

AMMONIUM BROMIDE.

Possesses practically the same physiological action as potassium bromide, though it is claimed not to produce bromism. Has been specially recommended in mild forms of ovaritis. Dose, 1 to 2 drachms per day in dilute solution.

Pill Ammonium Bromide, 1 gr.....per 100, 45 cents; per 500..\$ 2.10

Elixir Ammonium Bromide (40 grs. per fl. oz.)...per doz. pts... 9.75

Compressed Tablet, see list in Appendix, No. 49.

AMMONIUM CARBONATE.

A powerful cardiac stimulant. Largely employed in adynamic fevers, pneumonia and bronchitis. Dose, 5 to 20 grs., repeated as necessary.

Pill Asafetida Comp.....per 100, 45 cents; per 500..\$ 2.10

AMMONIUM CHLORIDE.

AMMONIUM MURIATE.—Stimulant expectorant, cholagogue, alterative. Valuable in acute and chronic bronchitis, catarrhal pneumonia, hepatic torpor, and acute hepatitis; externally, as a stimulant and resolvent to indolent tumors, etc. Dose 5 to 20 grs.

Pills, see list in Appendix, Nos. 34, 660.

Compressed Tablet, see list in Appendix, No. 17.

Tablet Triturates, see list in Appendix, Nos. 13, 182, 264 to 267.

Lozenges: Ammonium chloride, 2 grs.; *Potassium chlorate and Ammonium chloride*.

Compressed Tablets Ammonium chloride, 3 grs...per lb., net..\$.80

Potass. chlorate and Ammon. chloride
.....per lb., 80 cents, net; per doz. boxes of 40, net.. .90

AMMONIUM PICRATE.

AMMONIUM CARBAZOTATE.—Introduced as a substitute for quinine, but is inactive as an antagonist to malarial poison. Used to some extent in the treatment of whooping cough. Dose, 1-8 to 1 gr.

Pills, see list in Appendix, Nos. 35 to 40.

AMMONIUM VALERIANATE.

Useful in various nervous disorders, such as hysteria, chorea and the lesser neuroses. Dose, 2 to 8 grains.

Pill Ammonium valerianate, 1 gr.; per 100, 40 cents; per 500..\$ 1.85

Elixirs, see list in Appendix, Nos. 2 to 4.

AMYL NITRITE.

Powerful cardiac stimulant. Very valuable by inhalation or by mouth in any spasmodic disease, such as whooping cough, angina pectoris or asthma. Dose, 2 to 10 min.

Pearls.—A portable and convenient form for handling this remedy; 2, 3, 4 or 5 minims.....per box of 1 doz., net..\$.40
8 and 10 minims.....per box of 1 doz., net.. .50

ANGELICA.

ANGELICA ATROPURPUREA, Linné, (American).—Leaves and seed.

ARCHANGELICA OFFICINALIS, Hoffmann, (European).—Root. Aromatic, stimulant, diaphoretic. In infusion a popular remedy for flatulence, and for senile bronchitis under circumstances where senega is usually prescribed.

Fluid Extract of the root, 1-2 to 1 fluidrachm.....per pint..\$ 1.20

Fluid Extract of the seed, 5 to 30 min.....per pint.. 1.50

Pressed leaves, in ounces. *Pressed root*, in pounds and ounces.

ANGUSTURA.

GALIPEA CUSPARIA, St. Hilaire.—A stimulant tonic, with slight febrifuge properties; in large doses emetic and cathartic. Said to be particularly efficacious in bilious diarrhœas and dysenteries, and in dyspepsia and other diseases demanding tonics.

Fluid Extract of the bark, 10 to 30 min.....per pint..\$ 1.50

ANHALONIUM LEWINII, HENNING.

Resembles strychnine in action, inducing acute muscular spasms, especially of diaphragm and abdominal muscles, the normal condition returning soon after convulsions. The tincture, representing 2 ozs. av. of the drug in every 16 fluid ounces, is the most desirable form. It is believed to possess toxic properties.

Tincture, 2 to 10 min.....per pint..\$ 3.00

ANISE.

PIMPINELLA ANISUM, Linné.—A grateful aromatic carminative. In the form of warm infusion is claimed to possess the property of increasing secretion of mammary glands; used in the flatulency of infants and to remove nausea.

Fluid Extract of the fruit, 10 to 20 min.....per pint..\$ 1.50

See *Fluid Extract Orange Comp.*; *Pill*, 42; *Syrups*, 44 and 45;

Brown mixture under *Licorice*; *Wistar's Cough Lozenge*.

ANODYNE PINE EXPECTORANT.

A union of astringents, sedatives and stimulating expectorants that will commend itself for the treatment of affections of throat and bronchial passages; it has been found of great service as a remedy for coughs and colds.

In all pulmonary difficulties it proves a satisfactory palliative, and moreover offers an excellent vehicle or corrective for cod liver oil.

Each fluidounce represents: White pine bark, 30 grs.; Wild cherry 30 grs.; Sassafras bark, 2 grs.; Bloodroot, 3 1-2 grs.; Balm of Gilead buds, 4 grs.; Chloroform, 4 minims; Spikenard, 4 grs.; Morphine acetate, 3-16 gr.

In pint bottlesper doz., *net*..\$ 7.00

ANTACID TABLETS, COMPRESSED.

Each tablet contains: 3 1-2 grains precipitated calcium carbon., 2 1-2 grains magnesium carbon.; 1 grain sodium chloride. Prepared after the formula of Sir William Roberts, M. D., F. R. S., who, in the *Pharmaceutical Journal and Transactions*, for August 24, 1889, has pointed out the use of antacid remedies in dyspepsia and gravel. A reprint of Dr. Roberts' paper will be furnished on application.

Price.....per 100, 24 cents; per 500, *net*..\$1.00

ANTIMONY AND POTASSIUM TARTRATE.

TARTAR EMETIC.—POISONOUS. Sedative, alterative, antiphlogistic, diaphoretic, expectorant. Dose, as an alterative, 1-32 to 1-16 gr.; as an expectorant and diaphoretic, 1-2 to 1-4 gr.; as an emetic, $\frac{1}{2}$ to 1 gr., repeated if necessary.

ANTIDOTES.—After washing out the stomach, give tannin freely, or in its absence a strong infusion of tea, followed by mild stimulants.

Pills, see list in Appendix, Nos. 255, 410, 624 to 627, 714.

Tablet Triturates, see list in Appendix, Nos. 167 to 172, 267, 382, 604 to 606.

Wine Antimony, 10 to 60 min.....per doz. pints..\$10.50

Also an ingredient in *Syrup Squills Comp.* (see *Squill*), and
Compressed Tablet Brown Mixture (see *Licorice*).

ANTIMONY, (SULPHURATED).

Alterative, diaphoretic, emetic. A somewhat uncertain remedy by reason of its insolubility, though, combined with calomel and guaiac, it was formerly employed in secondary syphilis and cutaneous eruptions. Dose, as an alterative, 1 to 2 grs.; as an emetic, 5 to 20 grs.

Pills, see list in Appendix, Nos. 54, 130, 731.

Lozenge, Pectoral, Dr. Jackson.

Tablet Triturate Antimony Compound.....
.....per 100, 16 cents; per 1000..\$ 1.00

ANTISEPTIC LIQUID.

A colorless solution having a faint aromatic odor. Combines all the requisites for a household antiseptic. Its constituents are the chlorides of aluminium, sodium, magnesium, calcium and zinc with oils eucalyptus and wintergreen.

In quart bottles.....per doz., *net.*..\$ 5.00

ANTISEPTIC TABLETS.

FOR EXTERNAL USE ONLY.—Convenient for surgical uses and all occasions where a reliable antiseptic solution of definite strength is required. For a 1:1000 solution dissolve one R "A" tablet in 4 fl. oz. wine measure or 4 1-6 fl. oz., imp. measure of water; or R "B" tablet in 16 fl. oz. wine measure or 16 2-3 fl. oz., imp. measure of water; for a 1:2000 solution double quantity of water in each case; and for a 1:4000 solution four times the quantity of water used for a 1:1000 solution.

R "A"	{	Corrosive subl., 1 3-4 grs.	{	per c. s. bottle of 100, <i>net.</i> ..\$.17
		Citric acid, 87-100 gr.		per g. s. bottle of 1000, <i>net.</i> .. 1.25
R "B"	{	Corrosive subl., 7 7-10 grs.	{	per c. s. bottle of 25, <i>net.</i> .. .18
				per c. s. bottle of 100, <i>net.</i> .. .50
				per g. s. bottle of 1000, <i>net.</i> .. 3.00

APPLE TREE.

PYRUS MALUS, Linné.—Tonic and Febrifuge. Used in intermittent, remittent and bilious fevers; has also been deemed useful in mild cases of gravel.

Fluid Extract of the bark, 1-4 to 1 fluidrachm.....per pint..\$ 1.20

Pressed bark, in pounds.

ARBOR VITÆ.

THUYA OCCIDENTALIS, Linné.—Expectorant, febrifuge, anthelmintic. Recommended in intermittent and remittent fevers, coughs, scurvy and rheumatism.

Fluid Extract of the tops, 1-4 to 1 fluidrachm.....per pint..\$ 1.20

Fluid Extract aqueous, 1-4 to 1 fluidrachm.....per pint.. 1.20

Pressed leaves, in ounces.

ARECA.

ARECA CATECHU, Linné.—Astringent, vermifuge. Often employed for the expulsion of tape-worm, especially in quadrupeds.

Fluid Extract Areca Nuts, 1 to 6 fluidrachms.....per pint..\$ 2.25

ARNICA.

ARNICA MONTANA, Linné.—Stimulant; in large doses, irritant and toxic. Has been employed in adynamic fevers, and in dysentery typhoid type.

Preparations of the flowers are employed externally for the relief of pain from bruises, sprains, etc., and to prevent ecchymoses.

Fluid Extract, flowers, 5 to 15 min.....per pint..\$ 1.20

Fluid Extract, root, 5 to 30 min.....per pint.. 1.20

Pink Granule Arnica flowers, 1-5 gr.; per 100, 20 cents, per 500.. .85

Solid Extract, flowers, 1 to 3 grs.....per oz.. .27

Solid Extract, root, 2 to 5 grs.....per oz.. .31

Pressed flowers, in ounces. *Pressed root*, in pounds.

AROMATIC.

Carminative and gently stimulant. Employed for the relief of nausea, and flatulence in colic or diarrhœa; externally, in form of wine as a vulnerary.

Fluid Extract; each 16 fluidounces represent: Cinnamon,
5 3-4 ozs.; Cardamom, 2 1-2 ozs.; Ginger, 5 3-4 ozs.; Nutmeg,
2 1-2 ozs.; 10 to 30 min.....per pint..\$ 2.50

Wine.....per doz. pints.. 12.00

Aromatic troches, for sweetening the breath and as a carminative.....per lb., net.. .70

ARSENIC BROMIDE.

Was introduced as a remedy in diabetes, and is the base of "Clemens' Solution." Dose, 1-48 gr. to 1-5 gr.

Tablet Triturates, see list in Appendix, Nos. 270 to 273.

Diurnule, see list in Appendix, No. 901.

Diurnal Tablet Triturate, see list in Appendix, No. 1001.

ARSENIC IODIDE.

Used internally in skin diseases, and externally as an ointment (3 grs. to the ounce) to reduce tubercular swellings. Dose, 1-8 gr.

Pink Granule Arsenic iodide, 1-100 gr. .per 100, 20 cents; per 500..\$.85

Diurnule, see list in Appendix, No. 902.

Diurnal Tablet Triturate, see list in Appendix, No. 1002.

Tablet Triturates, see list in Appendix, Nos. 16, 274 to 277.

ARSENIC SULPHIDE.

Introduced as a remedy in diseases of the skin; is often valuable when for any reason arsenious acid cannot be borne. Dose, 1-100 gr., gradually increased to 2-25 gr.

Diurnule, see list in Appendix, No. 903.

Diurnal Tablet Triturate, see list in Appendix, No. 1003.

Tablet Triturate, see list in Appendix, Nos. 39, 278.

Pills, see Appendix, "Pills," Nos. 805, 806.

ARSENOUS ACID.

POISONOUS.—Alterative, tonic, antiperiodic. Has been employed in intermittent fever, chorea, chronic rheumatism, chronic syphilitic affections, cancerous diseases, etc.

ANTIDOTES.—Stomach pump if necessary — emetics — followed by large draughts of hot water and salt to wash out stomach. Dialyzed iron, iron succinate (hydrated), in ounce doses, repeatedly. Magnesia, in unlimited quantities. Stimulants freely, if much prostration. Mucilaginous drinks. Dose, average, 1-20 gr.

Diurnule, see list in Appendix, No. 904.

Diurnal Tablet Triturate, see list in Appendix, No. 1004.

Pills, see Appendix, "Pills," Nos. 47, 55, 65 to 72, 185, 186, 285, 416, 417, 543 to 545, 594, 629 to 631, 662, 667, 697, 750, 760.

Tablet Triturates, see list in Appendix, 1 to 4, 183, 185, 187, 203, 240, 241, 413 to 416, 419, 453.

Elixir Iron, Quinine and Arsenic, No. 72.....per doz. pints..\$10.50

Oleate of Arsenic.....per oz... .30

Ointment Arsenic oleate, 5%.....per lb... 1.50

Compressed Tablet, see list in Appendix, No. 31.

ASAFETIDA.

Gum resin from *FERULA NARTEX*, Boissier.—Tonic, stimulant, carminative and antispasmodic. Employed in hysterical affections, chorea, whooping-cough, chronic bronchitis, for the relief of tympanites and constipation, and as a soothing remedy for infants.

Fluid Asafetida, each pint represents 8 ounces av. of the drug
—6 to 30 min.....per pint..\$ 1.50

Pills, see Appendix, "Pills," Nos. 11, 73 to 81, 287, 715, 720, 744,
747, 760.

ASPARAGUS.

ASPARAGUS OFFICINALIS, Linné.—Diuretic, aperient, and weakly diaphoretic.

Fluid Extract of the rhizome, 1-2 to 1 fluidrachm...per pint..\$ 1.50

Pressed root, in pounds.

BAEL.

ÆGLE MARMELOS, Correa de Serra.—Alterative, tonic, astringent. Employed in India for diarrhoea, dysentery, and other diseases of the bowels accompanied by relaxation of mucous membrane.

Fluid Extract of the fruit, 1 to 2 fluidrachms.....per pint..\$ 2.25

BALMONY.

CHELONE GLABRA, Linné.—Tonic, cathartic, anthelmintic. Recommended in treatment of hepatic disorders, debility of digestive apparatus, etc.; externally as an application to inflamed tumors, swollen breasts, hæmorrhoidal engorgement, etc.

Fluid Extract of the leaves, 1-2 to 1 fluidrachm.....per pint..\$.90

Concentration Chelonin, 1 to 4 grs.....per oz.. 1.00

Pressed leaves, in ounces.

BALSAM APPLE.

MOMORDICA BALSAMINA, Linné.—Suggested as a favorable remedy for colic, and also an expectorant in coughs.

Fluid Extract of the fruit, 1 to 2 fluidrachms.....per pint..\$ 1.50

BALSAM FIR.

ABIES BALSAMEA, Miller.—Stimulant, diuretic, anthelmintic; in large doses, laxative. From its direct stimulating action on mucous tissues has been recommended for inflammations of catarrhal character. The oleoresin (Canada balsam) is often used in the treatment of chronic bronchitis.

Fluid Extract of the bark, 1-2 to 1 fluidrachm.....per pint..\$ 1.20

Soluble Elastic Capsule Balsam of Fir, 10 min.....

.....per 100, 70 cents; per doz. boxes of 1 doz.. 1.35

BALSAM OF PERU.

Obtained from MYROXYLON PEREIRÆ, Klotzsch.—Stimulant, with special tendency to mucous membrane in chronic bronchitis, asthma, chronic dysentery, etc.; employed externally in the treatment of scabies. Dose, 8 to 30 min.

Soluble Elastic Capsule Balsam of Peru, 10 min.....
.....per 100, 90 cents; per doz. boxes of 1 doz..\$ 1.65

BALSAM POPLAR.

POPULUS BALSAMIFERA, Linné; VAR CANDICANS, Gray.—Stimulant to mucous membrane, diuretic and anthelmintic. Employed in subacute gonorrhœa, inflammation of bladder, chronic bronchitis, etc.

Fluid Extract of the buds, 1-2 to 1 fluidrachm.....per pint..\$ 1.50
See also *Anodyne Pine Expectorant*.

BAMBOO BRIER.

SMILAX PSEUDO-CHINA, Linné.—Alterative and tonic. By many preferred to imported sarsaparillas in treatment of constitutional syphilis.

See also *Alterative Compound*.

Fluid Extract of the rhizome, 1-2 to 2 fluidrachms...per pint..\$ 1.50

BANANA.

MUSA SAPIENTUM, Linné.—Claimed to possess valuable alterative and cholagogue properties. Has been employed in strumous affections.

Fluid Extract of the root, 10 to 30 min.....per pint..\$ 3.00

BARBERRY.

BERBERIS VULGARIS, Linné.—Stomachic, tonic, cholagogue, laxative. Increases the secretions of intestinal mucous membrane, hence, is employed in atonic dyspepsia; deemed specially valuable in all torpid conditions of liver, and in chronic malarial poisoning.

Fluid Extract of the bark, 1-2 to 2 fluidrachms.....per pint..\$ 1.20

Concentration Berberin, 1 to 3 grs.....per oz.. 2.00

Pressed bark, in pounds.

BASSWOOD.

TILIA AMERICANA, Linné.—Emollient, mucilaginous, vulnerary.

Pressed bark, in pounds.

BAYBERRY.

MYRICA CERIFERA, Linné.—Astringent, antispasmodic, errhine; in large doses acrid emetic. Employed in bowel and hepatic complaints, and in scrofula; in decoction as a gargle.

Fluid Extract of the bark, 15 to 30 min.....per pint..\$.90

BAYBERRY—CONCLUDED.

Concentration Myricin, 1 to 5 grs.....per oz..\$.50

Valuable also as a catarrh snuff.

Pressed bark, in pounds.

BAY LAUREL. (1)

LAURUS NOBILIS, Linné.—Stimulant, narcotic, astringent.

Pressed leaves, in pounds.

BAY LAUREL. (2)

MYRCIA ACRIS, (Swz.) DC.—Used only for its fragrance. The concentrated extract we present is for the extemporaneous preparation of Bay Rum.

Fluid Extract of the leaves.....per pint..\$ 3.00

BEARSFOOT.

POLYMNIA UVEDALIA, Linné.—Laxative, stimulant, tonic and secretant; externally, discutient and anodyne.

Fluid Extract of the root, 3 to 10 min.....per pint..\$ 1.75

Solid Extract of the root, 1-2 to 2 grs.....per oz.. .31

Pressed root, in pounds.

BEECH.

FAGUS FERRUGINEA, Aiton.—Astringent and slightly tonic. Employed in mild diarrhoeas.

Pressed bark, in pounds. *Pressed leaves*, in ounces.

BEECH-DROP.

EPIPHEGUS VIRGINIANA, Barton.—Astringent. Employed for hæmorrhages from bowels and uterus, and in diarrhoea; the decoction is useful as a topical application.

Fluid Extract of the plant, 10 to 30 min.....per pint..\$ 1.50

Pressed herb, in pounds.

BEEF.

BEEF CACAO, (Mosquera's).—A concentrated food, valuable for invalids and convalescents suffering from anorexia or natural dislike for meats or broths. It consists of equal parts of Beef Meal, (see below) Dutch Chocolate and Sugar.

In half pound cans.....per doz., net..\$ 6.00

BEEF, IRON AND WINE.—A valuable nutritive tonic and stimulant. Each fluid ounce contains the equivalent of an ounce of fresh Beef, peptonized, and 4 grs. Iron and Ammonia citrate.

In pint bottles.....per doz., net..\$ 6.00

BEEF—CONCLUDED.

BEEF JELLY, Mosquera's.—A soluble preparation, containing all the nutritive constituents of Beef, entirely devoid of the objectionable bitterness and disagreeable odor that has heretofore characterized products of this class.

In 2 oz. jars.....	per doz., net..	\$ 4.00
In 4 oz. jars.....	per doz., net..	7.50
In 8 oz. jars.....	per doz., net..	14.00
In 16 oz. jars.....	per doz., net..	26.50

BEEF JELLY, FLUID, Mosquera's.—Identical with the above and more immediately soluble in either hot or cold water.

Small size	per doz., net..	\$ 4.50
Medium size	per doz., net..	7.50
Large size.....	per doz., net..	14.00

BEEF MEAL, Mosquera's.—A predigested Powdered Meat, representing in actual nutritive value six times its weight of good lean beef. It is entirely devoid of objectionable taste or smell, and will be tolerated by the most delicate stomach.

In half pound cans.....	per doz..	\$ 6.00
-------------------------	-----------	---------

MALT EXTRACT, with Beef Peptone.

In pint bottles.....	per doz..	9.00
----------------------	-----------	------

See also *Bone, powdered*, and *Sanguis Bovinus Exsiccatus*.

Wines, see list in Appendix, Nos. 4 to 6, 9, 10.

BELLADONNA.

ATROPA BELLADONNA, Linné. POISONOUS.—Anodyne, excitomotor, mydriatic; suppresses the secretions; a physiological antidote to opium, stimulating the respiratory centres. Employed in incontinence of urine, night sweats, whooping-cough, croup, chronic constipation, etc.; locally to dilate pupil of eye, to diminish flow of milk, etc.

ANTIDOTES.—The stomach should be properly emptied by emetics or the stomach pump, and the nervous disturbances combated as they arise, by pilocarpine or morphine.

ACTIVE PRINCIPLE, Atropine, 1-200 to 1-50 gr.

<i>Fluid Extract of the leaves</i> , 1 to 4 min.....	per pint..	\$ 1.25
<i>Fluid Extract of the root</i> , 1 to 3 min.....	per pint..	1.50
<i>Concentration Belladonnin</i> , 1-24 to 1-4 gr.....	per oz..	1.50
<i>Diurnule</i> , see list in Appendix, No. 905.		

Diurnal Tablet Triturate, see list in Appendix, No. 1005.

<i>Powdered Extract of the leaves</i> , 1-8 to 1-2 gr.....	per oz..	.45
<i>Powdered Extract of the root</i> , 1-8 to 1-2 gr.....	per oz..	.50
<i>Solid Extract of the leaves</i> , 1-8 to 1-2 gr.....	per oz..	.31

BELLADONNA—CONCLUDED.

<i>Solid Extract of the leaves</i> , (strictly alcoholic), 1-12 to 1-3 gr.;per oz..\$.42
<i>Solid Extract of the root</i> , 1-8 to 1-2 gr.....per oz..	.33
<i>Hypodermic Tablets</i> , see list in Appendix, Nos. 3, 4, 15, 16, 24, 28, 29, 32, 38 to 45, 57 to 63.	
<i>Veterinary Hypodermic Tablets</i> , see list in Appendix, Nos. 502, 503, 513.	
<i>Normal Liquid of the leaves</i> , 1 to 4 min.....per pint..	1.50
<i>Normal Liquid of the root</i> , 1 to 3 min.....per pint..	1.65
<i>Inhalant</i> , No. 4, see list in Appendix.	
<i>Oleate Atropine</i>per oz..	.65
<i>Pills</i> , see Appendix, "Pills," Nos. 18, 24, 25, 27 to 29, 48, 52, 82 to 84, 86 to 89, 150, 155, 207, 362, 397, 408, 409, 414, 415, 418, 455, 456, 508, 509, 512, 547, 663, 668, 755.	
<i>Tablet Triturate</i> , see list in Appendix, Nos. 17 to 21, 112, 113, 181, 201, 218 to 222, 231 to 233, 279 to 283, 444 to 446.	
<i>Compressed Tablets</i> , see list in Appendix, Nos. 19, 35.	
<i>Pressed leaves</i> , in ounces. <i>Pressed root</i> , in pounds.	

BENNE.

SESAMUM INDICUM, Linné.—The leaves abound in a bland, rich mucilage, yielded readily to cold water, and which is highly esteemed as a demulcent drink in cholera infantum, dysentery and other bowel complaints.

<i>Fluid Extract of the leaves</i> , 1-2 to 1 fluidrachm.....per pint..\$	1.50
<i>Pressed leaves</i> , in ounces.	

BENZOIC ACID.

A stimulant expectorant of value in bronchitis in any stage; also as a remedy in uric acid deposits and the phosphatic variety of gravel. Dose, as an expectorant, 1-4 to 1-2 gr.; as an antilithic, 10 to 30 grs.

<i>Compressed Tablet Brown Mixture</i> , 10 minims.....per lb., net..\$.60
See also <i>Compressed Tablet</i> , No. 60.	
<i>Tablet Triturates</i> ; see list in Appendix, Nos. 242 to 245.	

BENZOIN.

Balsamic resin from STYRAX BENZOIN, Dryander.—Internally, stimulant and expectorant. Used in chronic bronchitis, chronic diarrhoea and dysentery; externally, as a styptic and protective for wounds, bed-sores, etc.

<i>Fluid Benzoin</i> , each pint represents 12 ozs. Benzoin, 5 to 15 mins.....per pint..\$	2.00
<i>Fluid Benzoin Comp.</i> ; each pint represents: Benzoin, 6 ozs.; Storax, 4 ozs.; Purified Aloes, 1 oz.; Balsam Tolu, 2 ozs.; 5 to 15 min.....per pint..	2.00
<i>Inhalant</i> , see list in Appendix, No. 5.	

BERBERIS AQUIFOLIUM, PURSH.

Berberis Aquifolium is one of the most powerful alteratives and tonics; it stimulates digestion and assimilation, and excites absorption. Advantageously combined with *cascara sagrada* in the treatment of constipation.

In constitutional syphilis and in scrofulous complaints its use is attended with remarkably good results, and pityriasis, psoriasis and other cutaneous diseases of like type often yield to its influence.

Fluid Extract Berberis Aquifolium, 10 to 30 min....per pint..\$ 3.00

Powdered Extract Berberis Aquifolium, 2 to 6 grs.....per oz.. .60

Solid Extract Berberis Aquifolium, 2 to 6 grains.....per oz.. .40

Pills, see Appendix, "Pills," Nos. 93, 94.

Elixir, see list in Appendix, No. 36.

See also *Cascara Cordial*, and *Syrup Trifolium Comp.*

BETH-ROOT

TRILLIUM ERECTUM, Linné.—Astringent and tonic. Good results are reported from its use in hæmoptysis and in bronchorrhœa; said to facilitate parturition when given for some time prior to the event.

Fluid Extract Beth-root, 30 to 60 min.....per pint..\$ 1.05

Pill Trilliin.....per 100, 30 cents; per 500.. 1.35

Concentration Trilliin, 2 to 4 gr.....per oz.. .60

Pressed root, in pounds.

BISMUTH AND AMMONIUM CITRATE.

Differs from the older forms of Bismuth in its being soluble, hence is more rapidly astringent in action. For the treatment of irritation of mucous membrane, it is far inferior to the insoluble salts, but superior where there is relaxation with excessive discharges. Dose, 1 to 3 grs.

Elixirs, see list in Appendix, Nos. 6 to 8, 17, 20 to 23, 31, 32, 66, 80 to 82, 89 to 95, 100, 101.

Granular Effervescent Salts: Pepsin and Bismuth; Pepsin Bismuth and Strychnine.

BISMUTH SUBCARBONATE.

This salt of Bismuth was introduced under the supposition it possessed greater tonic powers than the subnitrate. It is much more sedative to mucous membrane, and generally better borne than the latter, though otherwise the properties are practically the same.

Pills, see Appendix, "Pills," Nos. 99, 440.

Tablet Triturates, see list in Appendix, Nos. 22, 284.

BISMUTH SUBNITRATE.

Sedative, feebly astringent, and soothing to irritated mucous membrane; hence, is employed in subacute gastritis, gastralgia, pyrosis, gas-

BISMUTH SUBNITRATE—CONCLUDED.

tric ulcer and similar disorders. It is also a useful topical application to mucous surfaces other than gastro-intestinal, and therefore employed in gonorrhœa, and in rectal irritation. Dose, 5 to 10 grs., twice or thrice a-day.

Pills, see Appendix, "Pills," Nos. 97, 98, 100, 101, 361, 441, 442.

Tablet Triturates, see list in Appendix, Nos. 23, 285.

Lozenges: Bismuth and Charcoal: Pepsin and Bismuth. See list of lozenges in Appendix.

Compressed Tablets, see list in Appendix, Nos. 21, 30, 36 to 38.

BISMUTH OXIDE.

Used in the form of the oleate as a soothing application.

Oleate Bismuth, containing 22.2 bismuth oxide.....per oz..\$.35

BISTORT.

POLYGONUM BISTORTA, Linné.—A simple, mild astringent, employed in the same complaints as other vegetable astringents. Thus it is prescribed in hæmorrhages, passive diarrhœas, leucorrhœa, and as a local application in relaxed conditions of the throat, anus, vagina, etc.

Fluid Extract Bistort, 20 to 40 mins.....per pint..\$ 1.50

BITTER BUGLEWEED.

LYCOPUS EUROPEUS, Linné.—Tonic and alterative, exercising its influence most markedly in glandular, splenic, and other engorgements resulting from chronic malarial poisoning; claimed as a prophylactic to malaria.

Fluid Extract Bitter Bugleweed, 1-2 to 1 fluidrachm; per pint..\$ 2.00

Pressed herb, in ounces.

BITTER ROOT.

APOCYNUM ANDROSÆMIFOLIUM, Linné.—Tonic, diaphoretic, laxative, and in large doses emetic. Has been found valuable in the treatment of chronic hepatic torpidity, and (in conjunction with yellow parilla) in relieving dyspepsia and amenorrhœa; as a diaphoretic it should be combined with opium.

Concentration Apocynin, 1-2 to 2 grs.....per oz..\$ 1.20

Fluid Extract Bitter root, as an emetic, 1-2 fluidrachm, tonic and diaphoretic, 10 to 20 mins.....per pint.. 1.20

Solid Extract Bitter root, 1 to 4 grs.....per oz.. .30

Pressed root, in pounds and ounces.

BITTERSWEET

SOLANUM DULCAMARA, Linné.—In large doses narcotic, but used principally as an alterative diuretic, diaphoretic and discutient. Employed in the treatment of cutaneous eruptions, particularly those of a scaly nature;

BITTERSWEET—CONCLUDED.

also in chronic rheumatism and chronic catarrh; is said to possess an-aphrodisiac properties.

Fluid Extract Bittersweet twigs, 1-2 to 1 fluidrachm; per pint..\$ 1.20

Solid Extract Bittersweet, 5 to 15 grs.....per oz.. .24

Pressed leaves, in ounces. *Pressed twigs*, in pounds.

BLACK ALDER.

ILEX VERTICILLATA, Gray.—Tonic, astringent, alterative. Used with some success in intermittent fevers and in diarrhoea; is recommended as an alterative in cases of skin diseases; properly diluted forms a useful application for gangrenous and ill conditioned ulcers and some cutaneous eruptions.

Fluid Extract Black Alder, 1-2 to 1 fluidrachm.....per pint..\$.90

Pressed bark, in pounds.

BLACK ASH.

FRAXINUS SAMBUCIFOLIA, Lambert.—Tonic and astringent. May be used for all internal and external purposes where combined astringent and tonic influence is desired.

Fluid Extract Black Ash, 1 to 4 fluidrachms.....per pint..\$ 1.20

Solid Extract Black Ash, 10 to 20 grs.....per oz.. .23

Pressed bark, in pounds.

BLACKBERRY.

RUBUS VILLOSUS, Aiton.—Astringent and tonic. Used in diarrhoea, dysentery, and as an ingredient in compounds for cholera infantum and relaxed conditions of bowels of children; also as an astringent gargle and lotion.

Fluid Extract Blackberry root, 1-4 to 1 fl. dr.....per pint..\$ 1.00

Fluid Extract Blackberry Compound (Blackberry Aromatic);

each pint represents: Blackberry root, 14 ozs.; Cloves, 1 1-3

ozs.; Cassia, 1 1-3 ozs. Dose, 1-4 to 1 fl. dr.....per pint.. 1.20

Particularly adapted to the treatment of the diarrhoea of infants and young persons.

Powdered Extract Blackberry, 3 to 10 grs.....per oz.. .45

Solid Extract Blackberry, 3 to 10 grs.....per oz.. .20

Syrup Blackberry, U. S. P., 1 to 2 fluidrachms.....per lb.. .60

Syrup Blackberry Aromatic, 1 to 3 fluidrachms.....per lb.. .60

Pressed bark of root, in pounds. *Pressed root*, in pounds.

BLACK BIRCH.

BETULA LENTA, Linné.—Popularly used to prepare diaphoretic infusions.

Pressed herbs, in pounds.

BLACK COHOSH.

CIMICIFUGA RACEMOSA, Nuttall. — Tonic, nervine, antispasmodic. *Cimicifuga* has acquired no little reputation in the treatment of chorea, convulsions, nervous excitability, asthma, and other spasmodic diseases; also in remittent and intermittent fevers, and in acute and chronic rheumatism; is a valuable uterine tonic, and useful in headaches attendant on uterine derangement.

Concentration Cimicifugin (Macrotoxin) 1 to 4 grs. per oz. \$.45
Elixirs, see Nos. 42, 43, 113.

Fluid Extract of the rhizome, 1-4 to 1 fluidrachm. per pint.. 1.20

Fluid Extract Black Cohosh Comp.; each pint represents:

Black Cohosh, 8 ozs.; Cherry bark, 2 ozs.; Ipecac, 1 oz.;
 Licorice, 3 ozs.; Senega, 2 ozs. Nervous and arterial seda-
 tive; in larger doses acting as a diaphoretic and causing in-
 creased secretions from the bronchial mucous membrane.

Useful in chronic rheumatism and atonic amenorrhœa; 1-4
 to 1 fluidrachm. per pint.. 1.20

Powdered Extract, 3 to 10 grs. per oz.. .40

Solid Extract, 3 to 10 grs. per oz.. .27

Pills, see Appendix, "Pills," Nos. 177, 260, 280, 513.

Tablet Triturate Cimicifuga tinct.... per 100, 15 cents; per 1000.. .85

Pressed root, in pounds and ounces.

BLACK HAW.

VIBURNUM PRUNIFOLIUM, Linné. — Held in high esteem as a uterine tonic and sedative, specially valuable in threatened abortion and as a corrective of chronic disposition to miscarry. In the latter class of cases it should be given continuously in moderate doses for at least a month prior to the time at which the miscarriage usually takes place. In dysmenorrhœa, from whatever cause, it may be prescribed with benefit, commencing its administration some days before the menstrual crisis; in after-pains it is also valuable.

Fluid Extract Black Haw, 1-4 to 1 fluidrachm. per pint.. \$ 1.20

Powdered Extract, 3 to 10 grs. per oz.. .50

Solid Extract, 3 to 10 grs. per oz.. .31

Pill Black Haw Ext., 3 grs. per 100, 35 cents; per 500.. 1.60

Compressed Tablet, see list in Appendix, No. 50.

See also *Liquor Sedans*.

Pressed bark of root, in pounds.

BLACK HELLEBORE.

HELLEBORUS NIGER, Linné. POISONOUS. — Drastic cathartic, anthelmintic, reputed emmenagogue. In overdoses a violent gastro-intestinal irritant, producing death by hyper-catharsis, convulsions and collapse.

ANTIDOTES. — Evacuate the stomach, administer stimulants, and heat, externally. Opium may be given to allay irritation of the intestines.

BLACK HELLEBORE—CONCLUDED.

- Fluid Extract of the rhizome*; as a purgative, 5 to 20 min.....
per pint..\$ 1.20
Powdered Extract, 1 to 4 grs.....per oz.. .40
Solid Extract. 1 to 4 grs.....per oz.. .27
Pills, see Appendix, "Pills," Nos. 103, 268, 281.
Pressed root, in pounds.

BLACK OAK.

QUERCUS TINCTORIA, Bartram.—Astringent and tonic. Commonly used as a wash in prolapsus ani and hæmorrhoidal affections, and as an injection in leucorrhœa.

Pressed bark, in pounds.

BLACK PEPPER.

PIPER NIGRUM, Linné.—Well-known as a condiment; a powerful stimulant to the stomach and intestinal canal. In intermittents may be used as an adjuvant to more powerful febrifuges when the stomach is not acted upon by quinine, as in the case of drunkards; useful in colic, cholera morbus, flatulency, hæmorrhoids, etc.

ACTIVE PRINCIPLE, Piperine, 1 to 10 grs.

- Fluid Extract of the fruit*, 5 to 20 mins., diluted with water...
per pint..\$ 2.00
Pills, see Appendix, "Pills," Nos. 8, 47, 55, 175, 149, 540, 754, 662, 702.

BLACK WALNUT.

JUGLANS NIGRA, Linné.—Alterative and deobstruent. Modifies favorably all chronic cachectic conditions, such as scrofula and syphilis; promotes the healing of indolent ulcers, specific and non-specific. Is employed freely in the form of infusion as a local application; and also taken internally, the effect in chronic cases becoming manifest sometimes only after its persistent use for some weeks; it may frequently be combined to advantage with mercurial alteratives or with iodide of potassium.

- Fluid Extract of the leaves*, 20 to 30 min.....per pint..\$ 2.00
Pressed bark, in pounds. *Pressed leaves*, in ounces.

BLACK WILLOW.

SALIX NIGRA, Marshall.—Willow bark is tonic and antiperiodic, depending for its activity on the salicin contained.

The buds are a bitter tonic; also said to possess pronounced anaphrodisiac properties and to exert a peculiar sedative influence upon the whole sexual apparatus.

- Fluid Extract of the buds*, 1-4 to 1 fluidrachm.....per pint..\$ 1.50
Fluid Extract of the bark, 1-4 to 1 fluidrachm.....per pint.. 1.50
Pressed bark, in pounds,

BLADDER WRACK.

Fucus vesiculosus, Linné.—This plant has long had the reputation of a deobstruent and resolvent useful in goitre and scrofulous swellings—its virtues, possibly, depending on the iodine contained. Has been employed with some benefit in certain cases of morbid obesity, but its use must be persisted in for some weeks before effects are apparent, and in some instances, even after a faithful trial, no benefit is derived. The remedy has proved efficient in so many cases, however, that it is worthy of trial where obesity appears to be associated with serous plethora.

The cases in which *Fucus vesiculosus* shows its most decided beneficial effects are, women in whom there exists usually some menstrual derangement, as menorrhagia and leucorrhœa, dependent upon an atonic and flabby condition of the uterine tissue. In such cases an improvement in these local derangements usually precedes the general reduction of fat and the improved tonicity of the general system.

<i>Fluid Extract of the plant</i> , 1-2 to 4 fluidrachms.....	per pint..\$ 1.35
<i>Powdered Extract</i> , 5 to 30 grs.....	per oz... .40
<i>Solid Extract</i> , 5 to 30 grs.....	per oz... .27
<i>Pill Fucus Vesiculosus Extract</i> , 3 grs.; per 100, 50 cents; per 500..	2.35

BLESSED THISTLE.

Carbenia benedicta, B. & H.—Tonic, diaphoretic, emetic. Employed in small doses as a mild tonic in debility of the stomach, principally in dyspepsia where there is hepatic congestion; in larger doses, administered in warm water, produces copious perspiration; in maximum dose, it is said to be emetic.

<i>Fluid Extract of the herb</i> , 1-4 to 1 fluidrachm.....	per pint..\$ 1.20
<i>Solid Extract</i> , 3 to 10 grs.....	per oz... .29
<i>Pressed herb</i> , in ounces.	

BLOOD-FLOWER.

Asclepias curassavica, Linné.—Astringent, styptic and vermifuge. Given on an empty stomach acts as a very prompt tænicide; also used with benefit as an injection in leucorrhœa.

<i>Fluid Extract of the herb</i> , 1 to 2 fluidrachms.....	per pint..\$ 2.50
--	-------------------

BLOOD-ROOT.

Sanguinaria canadensis, Linné.—In small doses tonic, increasing secretion; in large doses nauseates, reduces pulse, and acts as an expectorant; if medicinal dose is exceeded, it sometimes produces emesis, oftener burning in the stomach, vertigo, impaired vision, alarming prostration, etc. Principally used as a stimulating expectorant in bronchitis, croup, asthma, and as a remedy in atonic dyspepsia.

<i>Sanguinarine nitrate</i> , 1-10 to 1-4 gr.....	per oz..\$ 3.00
<i>Sanguinarine sulphate</i> , 1-10 to 1-4 gr.....	per oz... 3.50
<i>Fluid Extract of the rhizome</i> ; as an emetic, 10 to 20 mins.; as an expectorant, 2 to 5 mins.....	per pint.. 1.05

BLOOD-ROOT—CONCLUDED.

See also *Fluid Extracts Wild Cherry Comp.*, and *Lobelia Comp.*

Powdered Extract, 1 to 5 grs.....per oz..\$.40

Solid Extract, 1 to 5 grs.....per oz.. .31

Inhalant, No 9, see list in Appendix.

Pills, see Appendix, "Pills," Nos. 95, 278, 583 to 585.

Concentration Sanguinariin, 1-8 to 1 gr.....per oz.. .65

See also *Syrup*, No. 37, and *Anodyne Pine Expectorant*.

Tablet Triturates, see list in Appendix, Nos. 286 to 289.

Pressed root, in pounds.

BLUE CARDINAL-FLOWER.

LOBELIA SYPHILITICA, Linné.—Cathartic and emetic. Useful in ascites to assist the removal of accumulated fluids.

Pressed leaves, in ounces.

BLUE COHOSH.

CAULOPHYLLUM THALICTROIDES, Michaux.—Diuretic, diaphoretic, anthelmintic; used principally as an emmenagogue, parturient, and antispasmodic. Is employed in rheumatism, dropsy, colic, cramps, hiccough, epilepsy, hysteria, uterine inflammation, leucorrhœa, amenorrhœa, dysmenorrhœa, etc.; in decoction, employed for several weeks previous to delivery, is said to facilitate parturition.

Concentration Caulophyllin, 1 to 5 grs.....per oz..\$.50

Fluid Extract of the rhizome, 10 to 30 mins.....per pint .90

Fluid Extract Blue Cohosh Comp. A useful emmenagogue.

One pint represents: Blue Cohosh, 7 1-9 ozs.; Water

Pepper, 3 5-9 ozs.; Ergot, 3 5-9 ozs.; Savin, 1 7-9 ozs. Dose,

5 to 20 mins.....per pint.. 1.20

See also *Fluid Extract Helonias Comp.*, No. 242.

Solid Extract, 2 to 4 grs.....per oz.. .21

Pill Caulophyllin, 1-8 gr.....per 100, 25 cents; per 500.. 1.10

Tablet Triturate Caulophyllin, 1-10 gr.; per 100, 16 cts.; per 1000.. 1.00

Compressed Tablet, see list in Appendix, No. 50.

Pressed root, in pounds.

BLUE FLAG.

IRIS VERSICOLOR, Linné.—Cathartic, cholagogue, alterative. The experiments of Dr. Rutherford demonstrate that Blue Flag is one of the most efficient cholagogues of the materia medica, indicated in all affections depending directly or indirectly upon hepatic torpor; combined with podophyllin in the form of pill, it is recommended for dropsy and chronic visceral affections.

Elixirs, see list in Appendix, Nos. 48, 118, 120.

Fluid Extract of the rhizome, 10 to 20 mins.....per pint..\$ 1.05

BLUE FLAG—CONCLUDED.

See also *Fluid Extract Stillingia Comp.* under *Stillingia*.

Solid Extract, 2 to 4 grs.....per oz..\$.27

Concentration Irisin, 1 to 3 grs.....per oz.. .60

Pills, see Appendix, "Pills," Nos. 301, 322 to 325, 370.

Compressed Tablet, see list in Appendix, No. 48.

Syrups, see list in Appendix, Nos. 35, 51.

Pressed root, in pounds.

BLUE GENTIAN.

GENTIANA PUBERULA, Michaux.—Tonic and stomachic. Is employed in impaired digestion and anorexia, and profitably in convalescence from acute diseases and in chronic debility of the system.

Pressed root, in pounds.

BLUE VERVAIN.

VERBENA HASTATA, Linné.—Tonic, emetic, expectorant, sudorific. The hot infusion is employed as a sudorific in colds, to relieve obstructed menstruation, etc.

Fluid Extract of the herb, 1-2 to 1 fluidrachm.....per pint..\$ 1.00

Pressed herb, in ounces. *Pressed root*, in pounds.

BOLDO.

PEUMUS BOLDUS, Molina.—Employed chiefly as a tonic; by virtue of an essential oil it acts as a stimulant and antiseptic; it is also anthelmintic. Especially valuable in atonic dyspepsia, in blenorrrhagia, and in chronic catarrh of bladder.

Employed in cases of chronic hepatic torpor, and atony of various organs where quinine cannot be tolerated. Large doses produce emesis, and are apt to prove irritant to the bowels.

Fluid Extract of the leaves, 1 to 4 mins., gradually increased;

.....per pint..\$ 3.00

BONE, POWDERED.

Bone flour is a true food, not a medicine. It can be taken most readily by incorporating with ordinary food. By digesting a little while in strong vinegar, it is rendered wholly soluble, when may be used as a condiment, with or without addition of cayenne, mustard, walnut catsup, or curry flavor. It offers to the digestive fluids a supply of phosphoric acid much more easily assimilated than that which is contained in the tough structure of the outer coating of cereal grains; it is more digestible, and, even more palatable than bran. Our powdered bone is prepared from carefully selected fresh beef bones deprived of fatty matter and adherent fibrous and muscular tissue. Its approximate composition is organic matter, chiefly collagen, 30; calcium phosphate 60; magnesium phosphate, 1.7; calcium carbonate, 7.8; calcium fluoride, 0.5.

In half pound cans.....per doz., net..\$ 6.00

BONESET.

EUPATORIUM PERFOLIATUM, Linné.—Tonic, diaphoretic, alterative and, in large doses, emetic and laxative. A favorite remedy, especially when given in warm infusion, for colds accompanied with febrile symptoms.

As a tonic alterative it is useful in the convalescent stages of remittent, intermittent and typhoid fevers, and in dyspepsia and general debility.

<i>Concentration Eupatorin</i> , 1 to 3 grs.....	per oz..\$.50
<i>Fluid Extract of the herb</i> , 1 to 2 fluidrachms.....	per pint..	.90
<i>Solid Extract</i> , 10 to 25 grs.....	per oz..	.24
<i>Pressed herb</i> , in ounces.		

BORAGE.

BORAGO OFFICINALIS, Linné.—Somewhat diuretic and refrigerant. Contains much mucilage and is valuable as a demulcent, emollient and protective.

<i>Fluid Extract of the leaves</i> , 1 fluidrachm.....	per pint..	\$1.00
<i>Pressed leaves</i> , in ounces.		

BORIC ACID.

Useful in chronic cystitis and prostatitis, in diphtheria, chronic dyspepsia and septic diseases; also used in diabetes. Dose, 1 to 30 grs.

Tablet Triturates, see list in Appendix, Nos. 246 to 249.

Compressed Tablet, see list in Appendix, No. 19.

BROMELIN.

This product is entirely new. It is a proteid digesting ferment recently discovered in plants of the natural order Bromeliaceæ, of which the common pineapple is the best known type. It possesses all the properties of pepsin, with the advantages that the peptone resulting from its action is entirely devoid of bitterness, and it is equally potent in alkaline, neutral and acid media. For the latter reason it will be found of special value for the solution of diphtheritic membrane and similar abnormal growths. We commend it to a careful trial, and shall be pleased to furnish samples upon application. The product is an introduction exclusively our own, and bids fair to supply a long felt want in the treatment of diphtheria.....per oz., *net.* \$ 2.00

BRONCHIAL SEDATIVE, PALMER'S

Formula of B. W. Palmer, M. D. Each fluidounce contains: 30 grains ammonium chloride; 4 minims fluid opium camph.; 8 minims fluid tolu, soluble; licorice and aromatics, q. s. In simple uncomplicated bronchitis of children or adults, in which the cough is the most prominent and distressing symptom, its action is almost specific, and in the severer forms of inflammation of the respiratory tract it allays the most urgent symptoms and promotes speedy resolution. Dose, for an adult, 1 fl. dr. Per doz. pints, \$10.00, *net.*

BROOM.

CYTISUS SCOPARIUS, Link.—Diuretic, laxative, and, in large doses, cathartic. A valuable remedy in dropsical complaints, especially those of cardiac origin, and also in the anasarca of chronic kidney disease; used successfully in scarlatinal albuminuria.

Fluid Extract of the tops, 1-2 to 1 fluidrachm.....per pint..\$ 1.05

Hypo. Tablet Sparteine Sulphate, 1-30 gr..per 25, 13c.; per 100.. .35

Tablet Triturates, see list in Appendix, Nos. 495 to 498.

Pressed tops, in pounds.

BROOM-CORN.

SORGHUM SACCHARATUM, Persoon.—Diuretic, sedative, demulcent, and soothing to the irritated urinary organs in cystic catarrh, and cystitis. To the aged who are compelled to rise frequently at night to void their urine, it has been found to afford great relief.

Fluid Extract of the seed, 1 fl. dr. 3 to 5 times daily...per pint..\$ 1.20

BUCHU.

BAROSMA BETULINA, Bartling.—Buchu stimulates the appetite, relieves nausea and flatulence, increases perspiration, augments the flow of urine, hence is largely used in gastric debility, dyspepsia, colic, etc. Principally recommended in chronic irritation and catarrh of the bladder, hæmaturia, incontinence of urine, gravel, chronic rheumatism, cutaneous affections and dropsy.

Concentration Barosmin, 1 to 3 grs.....per oz..\$ 1.00

Soluble Elastic Capsule, No. 20.

Elixirs, see list in Appendix, 9 to 12.

Fluid Extract of the leaves, 15 to 30 mins.....per pint.. 2.00

Fluid Extract Buchu Comp.; each 16 fluidounces represent:

Buchu, 8 ozs.; Juniper berries, 2 ozs.; Spirit of Nitrous Ether, 2 fl. ozs.; Cubeb, 2 ozs.; Uva Ursi, 2 ozs. Principally used in chronic catarrhal diseases of the genito-urinary organs. Dose, 30 to 60 mins.....per pint.. 2.00

Fluid Extract Buchu and Juniper with Potassium Acetate; each 16 fluidounces represent: Buchu leaves, 12 ozs.; Potassium acetate, 432 grs.; Juniper berries, 3 ozs. A very efficient diuretic. Has proved valuable in leucorrhœa, dropsy, chronic inflammation of the bladder and urinary passages, etc.; 1-2 to 1 fluidrachm.....per pint.. 2.00

Fluid Extract Buchu and Pareira Compound; each 16 fluidounces represent: Buchu, 8 ozs., troy; Stone-root, 2 ozs.; Pareira, 2 ozs.; Juniper berries, 4 ozs. An efficacious combination in various diseases of the genito-urinary system. It has been found useful in leucorrhœa, dropsy, chronic inflammation of the bladder and urinary passages, etc.

Dose, 1-2 to 1 fluidrachm.....per pint.. 2.00

Solid Extract, 3 to 10 grs.....per oz.. .38

Compressed Tablet, see list in Appendix, No. 19.

BUCKBEAN.

MENYANTHES TRIFOLIATA, Linné.—Tonic, purgative, anti-scorbutic, emmenagogue and vermifuge; in large doses emetic. Much used in chronic cutaneous eruptions, and also with advantage in dyspepsia attendant upon digestive disturbances common to malarial districts.

Fluid Extract of the leaves, 1-4 fluidrachm.....per pint..\$ 1.20

Pressed leaves, in ounces. *Pressed root*, in pounds.

BUCKEYE.

ÆSCULUS GLABRA, Willdenow.—Has a special action on the portal circulation and the liver, hence, relieves hepatic congestion by promoting biliary secretion; it is specially valuable in the constipation attending hæmorrhoids.

Fluid Extract of the bark, 3 to 5 minims.....per pint..\$ 1.20

BUCKHORN BRAKE.

OSMUNDA REGALIS, Linné.—Demulcent, tonic and styptic. Useful in coughs, diarrhoea and dysentery; also as a tonic during convalescence from exhausting diseases.

Fluid Extract of the root stock, 1 to 3 fluidrachms..per pint..\$ 1.20

Pressed root stock, in pounds.

BUCKTHORN BARK.

RHAMNUS FRANGULA, Linné.—A mild laxative or cathartic; on account of its freedom from drastic and nauseating properties, is recommended as a substitute for senna for children; specially valuable in the treatment of hæmorrhoids, given in full laxative doses at bed time.

NOTE.—There are four species of Rhamnus in the market, viz: Rhamnus Frangula, Rhamnus cathartica, Rhamnus Purshiana (Cascara Sagrada), and Rhamnus Wightii and it is important they be not confounded.

Elixir Buckthorn bark, 1 to 2 fluidrachms.....per pint..\$.75

Fluid Extract of the bark, 15 to 45 mins.....per pint.. 1.00

Solid Extract, 3 to 10 grs.....per oz.. .27

BUCKTHORN BERRIES.

RHAMNUS CATHARTICA, Linné.—Powerful cathartic, useful as a hydragogue in dropsy, rheumatism and gout, but apt to cause griping and nausea. The best method of administration is in the form of syrup, or in combination with aromatics to modify action.

Fluid Extract of the berries, 1-4 to 1 fluidrachm.....per pint..\$ 1.05

Syrup Buckthorn Berries.....per pint.. .60

BUGLEWEED.

LYCOPUS VIRGINICUS, Linné.—Narcotic and astringent. Valuable in pulmonary hæmorrhage; it diminishes the frequency of the pulse, quiets irritation, and allays cough.

BUGLEWEED—CONCLUDED.

<i>Fluid Extract of the herb</i> , 1-2 to 2 fluidrachms.....	per pint..\$.90
<i>Solid Extract</i> , 5 to 15 grs.....	per oz.. .27
<i>Concentration Lycopin</i> , 1 to 4 grs.....	per oz.. .60
<i>Pressed herb</i> , in ounces.	

BULLOCK'S BLOOD DEFIBRINATED.

This preparation, with the addition of water, is in all respects similar to fresh bullock's blood. As a substitute for beef-tea and most of the various essences and extracts, it replaces, with a true aliment, what are largely but stimulants. The profession has lately been much interested in the favorable reports of the use of blood as a rectal injection in low and wasting diseases. The article here presented affords a ready means for the extemporaneous preparation of the desired enema, thus placing this valuable method in the hands of those whose time and opportunity forbid resort to abattoirs for the natural fluid. Per doz. 4 ounce cans, net, \$9.00.

BURDOCK.

ARCTIUM LAPPA, Linné.—Alterative, aperient, diuretic and sudorific. Used in gout, rheumatism, syphilis, leprosy, and similar disorders; is preferred by some to sarsaparilla.

Burdock seed is claimed to have almost a specific effect in curing certain chronic skin diseases, especially psoriasis.

<i>Fluid Extract of the root</i> , 1-2 to 2 fluidrachms.....	per pint..\$.90
<i>Fluid Extract of the seed</i> ; as a tonic, 10 to 30 mins.; as an alterative, 30 to 60 mins., well diluted, half an hour before meals.....	per pint.. 1.20

See also *Alterative Compound*.

<i>Solid Extract of the root</i> , 6 to 20 grs.....	per oz.. .23
---	--------------

Compressed Tablet, see list in Appendix, No. 48.

See also *Syrup Trifolium Comp.*

Pressed leaves, in ounces. *Pressed root*, in pounds.

BUTTERNUT.

JUGLANS CINEREA, Linné.—A gentle, agreeable cathartic, acting without griping or weakening the intestines. Is valuable in cases of habitual constipation, colo-rectitis and other forms of intestinal derangements attended by hepatic torpor.

<i>Fluid Extract of the bark of root</i> , 1 to 2 fluidrachms, per pint..	\$ 1.00
<i>Powdered Extract</i> , 3 to 10 grs.....	.40
<i>Solid Extract</i> , 3 to 10 grs.....	per oz.. .24
<i>Concentration Juglandin</i> , 1 to 5 grs.....	per oz.. .60

Pills, see Appendix, "Pills," Nos. 50, 95, 513.

Elixir, see list in Appendix, Nos. 38, 83.

Pressed bark of root, in pounds. *Pressed leaves*, in ounces.

BUTTON-BUSH.

CEPHALANTHUS OCCIDENTALIS, Linné.—Tonic, febrifuge, aperient, diuretic; likewise claimed as expectorant, diaphoretic, anti-lithic. It has been used in intermittent and remittent fevers, and in gravel; it seems to exert a special influence over the respiratory and digestive organs, relieving the latter by promoting digestion and assimilation, effecting a healthy action of the skin; the former by relieving any local congestion—hence, its use in consumption, bronchitis, catarrh, whooping-cough, croup, and coughs and colds generally.

Fluid Extract of the bark, 1-2 to 1 fluidrachm.....per pint..\$ 1.20

BUTTON SNAKEROOT.

LIATRIS SPICATA, Willdenow.—Diuretic, tonic, with stimulant and emmenagogue properties. Is deemed beneficial in gonorrhœa, gleet, nephritic diseases, scrofula, dysmenorrhœa, after-pains, etc.; also in Bright's disease, in connection with bugleweed and star-grass; may be used as a gargle in sore throat, or as an injection for leucorrhœa.

Fluid Extract of the root, 1-2 to 2 fluidrachms.....per pint..\$.90

Pressed root, in pounds.

CALABAR BEAN.

PHYSOSTIGMA VENENOSUM, Balfour. POISONOUS.—Spinal sedative, acting specially on the motor centres. Employed with apparent success in traumatic tetanus, in strychnine poisoning, in cerebro-spinal meningitis, and in constipation due to torpor of the bowels, in which latter case it is advantageously combined with belladonna and nux vomica; contracts the pupil.

ANTIDOTES.—Emetics (apomorphine, zinc sulphate, mustard); in severe cases, atropine hypodermically (1-60 grain, every 15 minutes, until pupils dilate), chloral, strychnine, stimulants, artificial respiration.

NOTE.—Incompatible with vegetable astringents and caustic alkalies.

ACTIVE PRINCIPLE.—*Physostigmine*, 1-300 to 1-100 gr.

Physostigmine Salicylate, U. S. P., 1-300 to 1-100 gr.

Physostigmine Sulphate, 1-300 to 1-100 gr.

Fluid Extract of the bean, 1 to 4 mins.....per pint..\$ 3.60

Normal Liquid, 1 to 4 mins.....per pint.. 3.75

Powdered Extract, 1-8 gr.....per oz.. 2.00

Solid Extract, 1-8 gr.....per oz.. 1.90

Hypodermic Tablet Physostigmine sulphate, 1-100 gr.....

..... per 25, 15 cents; per 100.. .45

Pills, see Appendix, "Pills," Nos. 112, 496, 509.

Tablet Triturates, see list in Appendix, Nos. 133 to 137, 301, 302, 474.

Veterinary Hypo. Tablets, Physostigmine Salicylate, 1-4 gr.,

.....per dozen tubes of 12.. 6.50

CALENDULA.

CALENDULA OFFICINALIS, Linné.—Slightly stimulant and diaphoretic. Formerly employed in spasmodic affections, strumous maladies, etc., but its chief use is as a local application to ulcers and wounds to promote cicatrization.

As a local remedy after surgical operations it has no equal in the Materia Medica.

Fluid Extract of the flowers, 1-2 to 1 fluidrachm....per pint..\$ 2.40

Solid Extract, 5 to 10 grs.....per oz.. .42

Pressed flowers, in ounces.

CALIFORNIA FEVER-BUSH.

GARRYA FREMONTII, Torrey.—Used as a cure for chills and fever since the occupation of California by Americans; cases have been reported resisting ordinary treatment, which yielded promptly to this remedy. It contains a bitter alkaloid closely resembling quinine in physiological and therapeutic action. As a tonic, Garrya is valuable in chronic diseases connected with debility.

Fluid Extract of the leaves; 10 to 30 mins.....per pint..\$ 3.50

CALIFORNIA LAUREL.

UMBELLULARIA CALIFORNICA, Nuttall.—It is claimed the use of this drug in neuralgic headache and cerebro-spinal meningitis is followed by favorable results; in atonic diarrhoea and intestinal colic it is said to possess curative properties; is externally used in rheumatism.

Fluid Extract of the leaves, 10 to 30 mins.....per pint..\$ 4.00

CAMPHOR.

A STEAROPTEN FROM THE WOOD OF CINNAMOMUM CAMPHORA, Fr. Nees & Ebermaier.—Stimulant or sedative, according to dose; also antispasmodic, anaphrodisiac. An efficient remedy in summer diarrhoea, and to promote expectoration, hence is serviceable in chronic bronchitis, capillary bronchitis, typhoid pneumonia, etc.; in larger dose it allays maniacal and sexual excitement; externally, is a mild counter-irritant. Solubility 1 in 900 water; dose 5 to 20 grs.

Camphor Monobromated, almost insoluble in water, freely in alcohol. Has been used to advantage in whooping-cough, neuralgia, tenesmus, chorea and hysteria; 1 to 10 grs.....
.....per oz. net..\$.30

Camphor solution, neutral, 12 1-2 per cent.....
.....per oz. bot., net, 25 cents; per 4 oz. bot., net.. 75

Compressed Tablet Brown Mixture, see *Licorice*; also list in Appendix. Nos. 5, 7.

Pills, see Appendix, "Pills," Nos. 43, 104, 134 to 143; 248, 249, 375, 661, 671 to 673, 785.

See also *Tincture Opium Comp.* and *Warburg's Tinctures*.

CAMPHOR—CONCLUDED.

Inhalant, see list in Appendix, No. 11.

Tablet Triturates, see list in Appendix, Nos. 314, 607.

CANADA THISTLE.

CNICUS ARVENSE, Hoffman.—Popularly employed for its astringent action in diarrhœa, dysentery and leucorrhœa.

Pressed root, in pounds.

CANADIAN HEMP.

APOCYNUM CANNABINUM, Linné.—Powerfully emetic and cathartic, possessing marked antispasmodic, diaphoretic, expectorant and diuretic powers. It induces much nausea, diminishes the frequency of the pulse, and promotes drowsiness; as a powerful hydragogue cathartic is of value in anasarca, especially the dropsy of Bright's disease; is recommended also in intermittent and remittent fevers, and pulmonary affections.

NOTE.—The name Indian hemp ought not to be applied to this drug, since the latter is officially recognized as the designation of Cannabis Indica (U. S. P., 1880). It is better, in prescribing either of these drugs, to write the Latin name in full.

Fluid Extract of the root, 5 to 20 mins., and as an emetic, 1-4 to 1 fluidrachm.....per pint..\$ 1.20

Powdered Extract, 1 to 4 grs.....per oz.. .75

Solid Extract, 1 to 4 grs.....per oz.. .33

Pills, see Appendix, "Pills," Nos. 64, 50, 278.

Pressed roots, in pounds.

CANELLA.

CANELLA ALBA, Murray.—Aromatic and stimulant. Used as an adjuvant to tonics and purgatives.

Fluid Extract of the bark, 1-4 to 1 fluidrachm.....per pint..\$ 1.00

Pills, Female, Hooper'sper 100, 20 cents; per 500.. .85

CANNABIS INDICA.

CANNABIS SATIVA (VAR INDICA), Linné. POISONOUS.—A powerful narcotic, producing in full doses exhilaration, intoxication and delirious hallucinations. Recommended in delirium tremens, certain forms of insanity, delirium after fever, softening of the brain and conditions involving anæmia of the cortex, in migraine, to allay itching of eczema, to prevent the griping of certain cathartics, etc.

ANTIDOTE.—An overdose produces symptoms which are alarming rather than dangerous, and are to be combated by faradization of the respiratory muscles, and the cautious use of strychnine.

Fluid Extract of the tops, 3 to 10 mins.....per pint..\$ 1.50

Powdered Extract, 1-2 to 2 grs.....per oz.. .75

Solid Extract, 1-8 to 1 gr.....per oz.. .68

CANNABIS INDICA—CONCLUDED.

Normal Liquid, 3 to 10 mins.....per pint..\$ 1.70

Pills, see Appendix, "Pills," Nos. 144 to 146, 276, 277, 737, 414, 415, 457, 458, 593, 594, 616, 652.

Tablet Triturates, see list in Appendix, Nos. 36, 37, 315 to 319, 454.

Compressed Tablets, see list in Appendix, Nos. 13, 14, 35.

Pressed flowering tops, in ounces.

See also *Chloranodyne*.

CANTHARIDES.

CANTHARIS VESICATORIA, De Geer. POISONOUS.—Internally, a powerful stimulant, with peculiar predilection for the urinary and genital organs. In moderate doses sometimes acts as a diuretic, and generally excites some irritation in the urinary passages, which, if persevered in, often amounts to violent strangury. In larger doses it is a violent poison, 20 grains of the powder having been known to cause death. It has been used in the treatment of dropsy, amenorrhœa, obstinate gleet, leucorrhœa, seminal weakness, diabetes and incontinence of urine; is employed externally for blistering purposes.

ANTIDOTES.—Emetics or the stomach-pump, promptly; opiates by the stomach and rectum; animal charcoal in fine powder, mucilaginous or albuminous drinks. To relieve strangury, warm sitz baths, intra-vesical injections of cocaine, etc.

Fluid Extract of the insects; used externally as a blistering fluid; the tincture only is suited for internal use; see Appendix for formula.....per pint..\$ 5.50

Pills, see Appendix, "Pills," Nos. 459, 460, 674.

Compressed Tablet, see list in Appendix, No. 10.

CAPSICUM.

CAPSICUM FASTIGIATUM, Blume.—Stimulates the mucous lining of the stomach, and promotes secretion of gastric and pancreatic juice. Useful in cases of enfeebled or languid stomach, dyspepsia, atonic gout attended with flatulence and flatulent colic; an excellent addition to quinine in intermittents; used with some success in Asiatic cholera and by some is considered a sovereign remedy in delirium tremens; externally is a rubefacient.

Fluid Extract of the fruit, 5 to 15 mins.....per pint..\$ 1.50

Fluid Myrrh and Capsicum, see *Myrrh*.

Solid Extract, 1-2 to 2 grs.....per oz.. .27

Pills, see Appendix, "Pills," Nos. 9, 25, 43, 48, 56, 61, 96, 134, 147, 148, 150, 157 to 159, 176, 249, 261, 262, 285, 301, 373, 374, 376, 508 513, 539, 542, 632, 661, 663, 675.

Tablet Triturate Capsicum, 1 gr.; per 100, 15 cents; per 1000.. .85

Compressed Tablets, see list in Appendix, Nos. 7, 14.

See also *Tincture Opium Comp.*, and *Chloranodyne*.


CAPSULE FILLERS.

ACME CAPSULE FILLER.

This filler is offered as an improvement upon all others extant. It is composed of a nickel-plated base, funnel and incline, and four wooden slides, which are bored to fit and hold the seven sizes of capsules manufactured by us. They are operated very readily, quickly and with no waste of drug.


Complete\$ 4.00

Extra slides each..... .20



REYMOND'S CAPSULE FILLER.

The attention of pharmacists and physicians is called to this simple contrivance for filling capsules. No well-equipped pharmacy should be without one. By its use, the inconvenience of dispensing medicines in capsules is entirely removed, and it may be conveniently carried by the physician and used at the bedside, a little experience making the filling of capsules nearly as expeditious as the enfolding of powders. Its advantages over other inventions of a similar nature are :



1. Simplicity; previous experience not required to operate it successfully.

2. Economy; with other fillers only one capsule can be filled at a time; with the Raymond, a dozen.

3. Economy in capsules; the method of filling is so simple that there is no possibility of breaking.

CAPSULE FILLERS—CONCLUDED.

REYMOND'S—CONCLUDED.

4. Economy in material; the liability of waste is reduced to a minimum.

5. Price; it is the cheapest filler in the market, the amount of work it will do being considered.

Per set of seven fillers.....\$ 6.50

Any one size, each..... 1.25

CARAWAY.

CARUM CARVI, Linné—Chiefly used as a flavoring agent, but also efficient in the flatulent colics of children.

Fluid Extract of the seed, 20 to 60 mins.....per pint..\$ 1.35

See also *Fluid Extract Orange Compound*.

Pills, see Appendix, "Pills," Nos. 62, 291, 355, 635, 716.

CARDAMOM.

ELETTARIA CARDAMOMUM, Maton.—An agreeable carminative and stomachic. Frequently added to tonic and stimulant preparations, but chiefly employed as a flavoring agent.

Fluid Extract of the seed, 5 to 15 mins.....per pint..\$ 3.00

Fluid Cardamom Comp. Each fluidounce represents: Cardamom seed, 7 ozs.; Caraway, 3 1-2 ozs.; Cinnamon, 7 ozs;

Cochineal, 1 3-4 ozs. 3 to 6 mins.....per pint.. 2.40

See also *Fluid Extracts Aromatic; Gentian Compound; Rhubarb, sweet*.

Pills, see Appendix, "Pills," Nos. 164, 250.

CAROBA.

JACARANDA PROCERA, Sprengel.—A valuable and effective anti-syphilitic; said to possess alterative, diuretic, sudorific and tonic properties, to a marked degree.

Caroba may be combined with iodide of potassium with good results in cases marked by pains in the limbs. Its principal effect seems to be directed to the cure of old syphilitic ulcers, to which it may be applied topically, in addition to internal treatment.

Fluid Extract of the leaves, 1-4 to 1 fluidrachmper pint..\$ 3.50

CARPENTER'S—SQUARE.

SCROPHULARIA NODOSA, Linné.—Alterative, diuretic and anodyne. Is highly beneficial in hepatic diseases, scrofula, cutaneous diseases, dropsy, and as a general deobstruent to the glandular system. The warm infusion given freely is said to restore suppressed lochia and relieve the pain attending difficult menstruation.

Fluid Extract of the herb, 1-2 to 1 fluidrachm.....per pint..\$ 1.80

Pressed herb, in ounces,

CASCARA AMARGA

PICRAMNIA, (Sp. undetermined).—Alterative. Credited with achieving cures in chronic syphilitic eruptions, syphilitic tubercle, chronic eczema and gummata. The discovery in our laboratory of an alkaloid in this drug, confirms the belief it is a valuable remedy, and the clinical evidence in its favor is accumulating.

Though a remedy of slow action, it is held to be almost specific in syphilis, as it seems to eliminate the poison from the system; it appears equally valuable in chronic nephritis.

Fluid Extract of the bark, 1-2 to 1 fluidrachmper pint..\$ 3.00

Powdered Extract, 5 to 10 grsper oz... 1.50

See also *Syrup Trifolium Comp.*

CASCARA SAGRADA.

RHAMNUS PURSHIANA, DeCandolle.—Laxative, cathartic, hepatic and intestinal tonic. This drug has been aptly called a "Tonic Laxative," because of its physiologic action, which seems to be directed to the vasomotor system thereby stimulating the secretory apparatus of the alimentary canal and increasing peristaltic action, restoring to normal activity. Its use is not attended with the unpleasant after effects following the employment of cathartics, neither does it, as a rule, cause griping or other unpleasant symptoms. It is as nearly a specific for chronic constipation as any article of the materia medica is a specific for any disease. To be of service, however, it must be given in small and frequently repeated doses, as persistence in administration seems to produce the desired tonic effects. It relieves constipation by restoring tonicity to the bowels.

Capsules, in soft gelatin, see list in Appendix, Nos. 79 to 81.

Cascara Cordial, as a laxative, 1 fluidrachm, twice a day, night and morning; as a cathartic, 1-2 fluidounce, twice a day, night and morning; for constipation and dyspepsia, from 1-4 to 1 fluidrachm, four times a day for a week. If no improvement ensues, increase the dose till a normal or laxative passage is obtained, when the amount should be gradually decreased until the benefit is permanent.....per doz., net..\$ 9.00

Elixirs, see list in Appendix, Nos. 35 to 38.

Fluid Extract Cascara Sagrada, Aromatic.....per pint.. 1.50

Fluid Extract of the bark; as a laxative, 3 to 15 mins., three times a day; as a cathartic, 20 to 45 mins., morning and evening; as a stomachic, 4 to 10 mins., four times a day, per pint.. 3.00

Fluid Extract of the bark (Formula of 1887); permanent and will not precipitate on standing; is free from inert matter, not bitter, entirely soluble in water, and a true representative of all the valuable constituents of the bark; dose, same as fl. ext. old formula, above.....per pint.. 3.00

Powdered Extract; as a laxative, 1 to 2 grs.; as a cathartic, 3 to 8 grs.....per oz... .60

Solid Extract; as a laxative, 1 to 3 grs.; as a cathartic, 3 to 8 grs.....per oz... .40

CASCARA SAGRADA—CONCLUDED.

<i>Solid Extract</i> 1887. (<i>Tasteless.</i>) As a laxative, 1 to 3 grs.; as a cathartic, 3 to 8 grs.....	per oz..\$.40
<i>Concentration Cascarin</i> ; as a laxative, 1 to 3 grs. ; as a cathartic, 3 to 8 grs.....	per oz.. .75
<i>Malt Extract with Cascara Sagrada</i> (60 grs. in each fl. ounce),	per doz.. 9.00
<i>Pills</i> , see Appendix, "Pills," Nos. 29, 49, 50, 94, 150 to 155, 676.	
<i>Tablet Triturates</i> , see list in Appendix, Nos. 222, 620.	
<i>Compressed Tablets</i> , see list in Appendix, Nos. 9, 12.	

CASCARILLA.

CROTON ELUTERIA, J. J. Bennett.—Aromatic, stimulant, tonic, febrifuge. Used advantageously with cinchona in intermittent fever, in epidemic dysentery, and as an ingredient in tonic bitters. It is said to promote the flow of milk in the lower animals, and it has consequently been proposed to employ it as a galactagogue in the human subject.

Fluid Extract of the bark, 1-2 to 1 fluidrachm.....per pint..\$.90

NOTE.—Incompatible with lime water and mineral acids.

Solid Extract, 5 to 10 grsper oz.. .36

Pressed bark, in pounds.

CASES.

EMERGENCY CASES.—Physicians are frequently called in cases of poisoning, and other emergencies which require immediate treatment. On such occasions it is very essential to have proper remedies at hand that they may be administered without delay. With a view to supplying a want in this field, we have introduced an Emergency Case of convenient size containing the following remedial agents: Ammonium carbonate; Amyl nitrite pearls; Caffeine citrate; Calcium carbonate precipitated; Chloranodyne; Compound cerebral sedative; Normal liquid ergot; Ethyl bromide; Normal liquid foxglove; Iron chloride solution and Magnesia calcined, for preparing hydrated oxide of iron, which is valuable as an antidote in cases of arsenical poisoning; Tincture of opium, U. S. P.; Tannic acid; Zinc sulphate; also a hypodermic syringe and the following Hypodermic tablets: Apomorphine muriate, 1-10 gr.; Atropine sulphate, 1-50 gr.; Cocaine muriate, 1-4 gr.; Morphine sulphate, 1-4 gr.; Morphine and Atropine, No. 2 (Morphine sulphate, 1-4 gr., and Atropine sulphate, 1-150 gr. in one tablet); Physostigmine, 1-100 gr. Illustrated circular containing detailed information will be sent upon application.

Price complete.....net..\$10.00

HYPODERMIC.—Some three years ago we replaced the morocco-covered hypodermic case, previously marketed by ourselves, with a plated metal one of flattened elliptical shape.


We have now taken advantage of the recently-discovered process of manufacture by which aluminum has been brought within the reach of industrial arts, to still further improve our hypodermic case by using this remarkable metal in its construction.

CASES—CONTINUED.

As is well known, aluminum is distinguished for its great lightness and comparative strength, besides freedom from oxidation; but its use in manufacture has heretofore been rendered impractical owing to high cost.

The employment of this metal enables us to now present a case which, while it contains the full complement of tablets, syringe, needles, etc., offered in our old case, is *much smaller, lighter, more compact, and will not tarnish.*

The following cut will afford an idea as to its size and general appearance :



The case contains a hypodermic syringe of superior construction, extra wires for cleaning purposes, and the following selection of hypodermic tablets in tubes of 25 each: Nos. 2, 3, 5, 13, 16, and 72. For formulæ, see list in Appendix.

A detailed description of the syringe will be found under *Syringes.*

Pricenet..\$ 3.50

CASES—CONTINUED.


PHARMACOGNOSY CASE.—A collection of materia medica for students of pharmacy and medicine. Contains specimens of all the crude drugs of vegetable origin recognized in the Pharmacopœia, and many not so recognized that are in common use—in all 288 specimens. Indispensable to the student of pharmacognosy. Each case is provided with a botanical, a vernacular, and a numerical index.

Length of case, 28 inches ; width, 18 3/4 inches ; depth, 14 inches ; material, antique oak ; japanned tin boxes, with round glass tops.

Send for illustrated circular.

Pricenet..\$25.00

REAGENT CASE.—Containing in addition to our urinary test tablets a book of instructions for using Dr. Oliver's bedside tests, and the following apparatus :



1. Two test tubes, one of which is graduated.
2. A minim pipette.
3. A set of six specific gravity beads, corresponding with specific

CASES—CONCLUDED.


REAGENT—CONCLUDED.

gravities respectively of 1.005, 1.010, 1.015, 1.020, 1.025, 1.030. These will be found very convenient to use.

A more compact arrangement it would be difficult to devise, and the physician cannot well forego the convenience of such a vest-pocket chemical laboratory.

Price.....net..\$ 2.00

VETERINARY HYPODERMIC CASE.—We have pleasure in directing the attention of Veterinary Surgeons to our silk-lined, morocco-covered Veterinary Hypodermic Case, which measures $7\frac{1}{8}$ inches long, $4\frac{1}{2}$ wide and $1\frac{3}{4}$ deep, and contains, when complete: A graduated veterinary



hypodermic syringe of improved construction; a hypodermic needle; a hypodermic trocar needle; a hypodermic trocar, and a full line of our veterinary hypodermic tablets.

Price.....net..\$12.50

CASSIA.

CINNAMOMUM CASSIA, Blume.—Highly aromatic and somewhat astringent. Generally employed to check diarrhoea in combination with opium, chalk, or some vegetable infusion; efficacious in internal hæmorrhage.

Capsules, Nos. 47, 113.

Fluid Extract of the bark, 10 to 20 mins.....per pint..\$ 1.80

See also *Fluid Extracts Aromatic, Blackberry Comp., Orange Comp., Rhubarb aromatic, Rhubarb Comp. with Potassa.*

See also *Med. Syrups*, in Appendix, 40 to 42.

Pills, see Appendix, "Pills," Nos. 288, 717, 745, 723,

CASTOR OIL PLANT.

RICINUS COMMUNIS, Linné.—The leaves are galactagogue, consequently employed to accelerate or increase the secretion of milk where it is tardy or deficient in quantity. They may be applied to the breast as a poultice or in decoction, and the fluid extract given internally at the same time; it is stated that the fluid extract is equally efficacious when administered alone.

The beans or seeds are powerfully cathartic in large doses, and some times emetic. The alcoholic fluid extract of the seeds is said to be superior to castor oil, as it acts in smaller doses, is more agreeable to the taste, and has less disposition to irritate bowels or stomach. It may be substituted for the oil in cases where the action of alcohol is not detrimental.

Capsules, see list in Appendix, Nos. 4 to 6, 68, 60 to 63, 70, 71, 101, 102.

Fluid Extract of the beans, 1-4 to 1 fluidrachm.....per pint..\$ 1.80

Fluid Extract of the leaves, 1 fluidrachm.....per pint.. 1.80

Pills, see Appendix, "Pills," No. 731.

Pressed leaves, in ounces.

CATECHU.

An extract from the wood of **ACACIA CATECHU**, Willdenow.—Gently tonic and powerfully astringent. Employed locally as an application to relaxed or congested mucous membrane accompanied by excessive discharge, and for checking hæmorrhages; combined with opium as an internal remedy in chronic catarrh, chronic diarrhœa, colliquative diarrhœa and chronic dysentery.

Fluid Catechu, each pint represents 8 1-2 ozs., av., of the crude drug; 10 to 45 mins.....per pint..\$ 1.20

CATNEP.

NEPETA CATARIA, Linné.—Antispasmodic and slightly tonic. Employed in nervous febrile derangements; much used for the relief of flatulent colic in infants, and as a popular remedy in retarded or painful menstruation.

Fluid Extract Catnep, 1 to 2 fluidrachms.....per pint..\$.90

Pressed leaves, in ounces.

CEDRON SEED.

SIMABA CEDRON, Planchon. **POISONOUS**.—Tonic, cerebral sedative, antispasmodic, antiperiodic. Claimed as a remedy for the bite of poisonous serpents and insects; also used successfully in intermittent fevers, spasms of stomach and bowels, neuralgia of the face, and in gout.

Fluid Extract of the seed, 1 to 8 mins. For serpent bites it is recommended in six-drop doses, and also to dress the bite with fluid extract.....per pint..\$ 5.00

CELERY.

APIUM GRAVEOLENS, Linné.—Carminative, stimulant, diuretic and slightly aperient. Used successfully, combined with guarana, in the treatment of sick-headache (migraine) and nervous irritability.

Elixir, No. 39, *Celery and Guarana*, 1 fluidrachm....per doz..\$12.75
Fluid Extract of the seed, 5 to 15 mins.....per pint.. 1.80
Solid Extract, 1 to 3 grs.....per oz.. .42

CEREBRAL SEDATIVE COMPOUND.

A RELIABLE AND EFFICIENT NERVE SEDATIVE.

R "A."—Each fluidounce contains: Chloral, 120 grs., Potassium bromide, 120 grs.; tincture Opium, 40 mins.; fluid extract Gelsemium, 25 mins. Dose, $\frac{1}{2}$ to 1 fluidrachm (2 to 4 Cc.); per pint bottle, *net.* \$ 1.50

We also prepare a Cerebral Sedative Compound, R "B," (without opium). Each fluidounce contains: Chloral, 120 grs.; Potassium bromide, 120 grs.; tincture Hyoseyamus, 40 mins.; fluid extract Gelsemium, 25 mins. Dose, $\frac{1}{2}$ to 1 fluidrachm (2 to 4 Cc.).....per pint bottle, *net.* \$ 1 25

CEREBRIN.

This product was added to our list upon the supposition that Dr. Hammond's article in the New York Medical Journal of January 28th, 1893, was a purely scientific paper. Learning since that he claims a proprietary interest in "Cerebrine," we have been led to make therapeutic investigations which convince us that the product has no medicinal value. To those desiring it, however, we are prepared to supply it in ounce-stoppered vials, at \$1.50 per vial, *net.*

CEREUS GRANDIFLORUS, MILLER.

NIGHT-BLOOMING CEREUS.—Sedative and diuretic. Useful in functional diseases of the heart attended with much irregularity of action, in which it exerts a decided action, palliating or removing the symptoms; frequently giving prompt relief. It has been found serviceable in palpitation, angina pectoris, cardiac neuralgia, rheumatism, valvular disease; also in hæmoptysis, dropsy, and threatened apoplexy.

Fluid Extract of the fleshy branches with flowers, 10 to 30 mins.....per pint..\$ 4.00

CERIUM OXALATE.

Bears considerable reputation as a remedy in the vomiting of pregnancy, and has been used with advantage in many forms of gastric disturbances, such as occur in phthisis, hysteria, uterine disorder, etc.; also reputed a good nervine tonic, and to have been used with success in chorea. Dose, 1 to 10 grs.

Pills, see Appendix, "Pills," Nos. 166 to 168.

Tablet Triturates, see list in Appendix, Nos. 40, 330.

Granular Effervescent Salt Cerium Oxalate.....
per doz., 2 oz., \$4.00; 4 oz., \$ 6.00

CEVADILLA.

SCHÆNOCAULON OFFICINALE, Gray. POISONOUS.—A drastic and irritant cathartic. Has been used in articular rheumatism, ascites, and as a cardiac sedative, but is somewhat uncertain in action and requires to be exhibited with caution; externally finds favor in superficial neuralgias, myalgia, sciatica, and some forms of pruritus.

ANTIDOTES.—None reliable known. Use emetics (zinc sulphate, apomorphine, mustard), stimulants, coffee; combat symptoms as they arise; recumbent position.

Fluid Extract of the seeds, 2 to 4 mins.....per pint..\$ 1.80

Oleate Veratrine.....per oz.. .90

Pills, see Appendix, "Pills," Nos. 638 to 640.

Tablet Triturates, see list in Appendix, Nos. 173, 174, 608, 609.

Hypo. Tablets for veterinary use, see list in Appendix, Nos. 520, 521.

CHAMOMILE, GERMAN.

MATRICARIA CHAMOMILLA, Linné. PROPERTIES.—Tonic, anthelmintic, antispasmodic; in large doses emetic. Used in clonic spasms, irritability of teething children, flatulent colic, etc.; popularly as a diaphoretic in colds, and as an emmenagogue when suppression is due to functional derangement.

Fluid Extract of the flowers, 1-2 to 1 fluidrachm....per pint..\$ 1.20

CHAMOMILE, ROMAN.

ANTHEMIS NOBILIS, Linné.—Anti-spasmodic, stomachic and tonic. Is useful in the spasmodic and pseudo-neuralgic affections of hysterical origin; the warm infusion is largely employed as a stimulant diaphoretic in incipient inflammations of mucous tracts, and as an emmenagogue when the flow is absent or scanty owing to cold.

Fluid Extract of the flowers, 1-2 to 1 fluidrachm....per pint..\$ 1.20

Solid Extract, 8 to 12 grs.....per oz.. .46

Pill Anthemis Extract, 2 grs.....per 100, 40 cents; per 500.. 1.85

Pressed flowers, in ounces.

CHARCOAL.

Wood charred by exposure to red heat without access of air.

Absorbent of intestinal gases, antiseptic and deodorant. Used in flatulent dyspepsia, epidemic dysentery, gastralgia, etc. Dose, 20 grs. and upwards.

Pill Charcoal (willow), 3 grs.....per 100, 35 cents; per 500..\$ 1.60

Lozenge Bismuth subnitrate and Charcoal, 1 gr. of each.....

.....per lb.. .65

Lozenge Charcoal, (willow), 4 grs.....per lb.. .50

CHAULMOOGRA OIL.

The fixed oil expressed from the seeds of *GYNOCARDIA ODORATA*, R. Brown.—Is said to be the most powerful alterative known to medical science, and the only reliable remedy for leprosy; has been found of great service in many complaints, especially rheumatism, scrofulous swellings, sprains, lupus, and various skin diseases; is a very successful remedy in the third stage of eczema. Dose 10 to 20 mins.

Per lb. bot.....net..\$ 2.00

Per oz. vial.....net.. .20

Capsules, see list in Appendix, Nos. 7, 119, 120.

CHEKAN.

EUGENIA CHEQUEN, Molina.—Introduced from Chili, as a remedy in chronic catarrhal inflammation of the respiratory tract. Dr. Murrell, of London, specially commends it in winter cough, that annoying and intractable affection of elderly people; Dr. Dessaur, of the German Hospital, Valparaiso, speaks highly of its effects in the purulent form of bronchitis; and others who have tested its virtues, recommend it as a valuable addition to the list of remedies in chronic bronchitis.

A tonic expectorant with diuretic qualities.

Fluid Extract of the leaves, 1 to 3 fluidrachms.....per pint..\$ 4.00

CHESTNUT

CASTANEA VULGARIS, Lamarck, VAR. *AMERICANA*, A. DeCandolle.—An efficient remedy in relieving the symptoms of whooping-cough; it not only alleviates the severity of attacks, but sometimes breaks up the paroxysms, leaving merely a cough attended by mucous expectoration, which gradually yields to ordinary expectorants.

Fluid Extract of the leaves, U. S. P., 5 to 60 mins..per pint..\$.90

Pressed leaves, in ounces.

CHEWSTICK.

GOUANIA DOMINGENSIS, Linné.—Expectorant, tonic, laxative. A grateful aromatic, bitter tonic, useful in cases of debility, as a stomachic in feeble digestion, and also in gonorrhœa, from its tonic effect on the mucous membranes; diluted with water it may be used as a mouth-wash in cases of salivation, etc., being at once astringent and soothing in its effects; or as a dentifrice, imparting tone to the gums.

Fluid Extract of the bark, 1 to 2 fluidrachms.....per pint..\$ 2.00

CHIAN TURPENTINE.

OLEORESIN OF PISTACIA TEREBINTHUS, Linné.—Claimed to cure cancer of generative organs, and mammæ. It appears to act upon the periphery of the growth with great vigor, causing the speedy disappearance of what is usually termed cancerous infiltration. Dose, 5 to 20 grs.

Per oz.....net..\$.50

CHICKWEED.

STELLARIA MEDIA, Smith.—Demulcent and emollient. Used externally in the form of poultice in ophthalmia, and in bruises, inflammations, etc.

Pressed herb, in ounces.

CHIRATA.

SWERTIA CHIRATA, Hamilton.—A simple bitter tonic. Recommended in dyspepsia, in the debility of convalescence, and generally in cases where strengthening measures are indicated; in India is held to be stomachic, tonic, febrifuge, cholagogue and deobstruent, and efficient in chronic bronchitis.

NOTE.—One of the drugs which may be prescribed with iron.

Fluid Extract of the herb, 15 to 30 mins.....per pint..\$ 1.80

CHLORAL.

Superior to opium for the purpose of securing sleep in acute fevers, active congestion of the brain, cerebral inflammation, mania, delirium tremens, etc. Where, however, the sleeplessness is due to pain, opium is preferable. As an antispasmodic chloral is the most powerful known. In tetanus, strychnine poisoning, hysteria, severe chorea and functional and spinal convulsions, it is always indicated. Chloral should never be used as an anæsthetic or as an intravenous injection.

Elixirs, see list in Appendix, Nos. 40, 41.

Compressed Tablet, see list in Appendix, No. 13.

CHLOR-ANODYNE.

A combination of Morphine hydrochlorate, Cannabis Indica, Hydrocyanic Acid, Chloroform, Oil of Peppermint and Capsicum. The exact formula accompanies each bottle. An efficient and elegant remedy for colic, cholera morbus, neuralgia, spasmodic pains, etc. It is of great value where antispasmodics or anodynes are indicated. Concentrated in form and rapid in action, it is invaluable in the pocket cases of physicians. Per doz. oz. vials, *net*, \$3.50; per pint bottle, *net*, \$4.00.

CHLOROFORM.

Useful in flatulent colic and gastralgia, and for general narcotic effects, 10 to 25 mins.; locally an active counter-irritant and narcotic.

See also *Anodyne Pine Expectorant*, *Tincture Opium Comp.* and *Chloranodyne*.

Inhalant, No. 17, see list in Appendix.

CHOKE CHERRY.

PRUNUS VIRGINIANA Linné.—Tonic, antispasmodic, mildly astringent, and antiperiodic. Employed in the treatment of intermittent fevers, and as a tonic in all conditions of debility, convalescence from acute diseases, etc.

Concentration Cerasin, 2 to 8 grs.....per oz..\$.60

CINCHONA.

Pale, *C. OFFICINALIS*, Linné. Red, *CINCHONA SUCCIRUBRA*, Pavon. Yellow, *C. CALISAYA*, Weddell.—Tonic, febrifuge, anti-periodic. Having a wide range of use, it is specially indicated wherever there is any malarious influence, and in convalescence from acute diseases. All the symptoms which result from marsh miasm are more or less amenable to treatment by cinchona and its derivatives.

Any species is official which contains 5 per cent. total alkaloids.

Pale bark contains most cinchonine and least quinine; yellow bark contains most quinine and least cinchonine, while red bark contains these in nearly equal proportions.

NOTE.—Cinchona salts are precipitated from solution by alkalies.

ACTIVE PRINCIPLE (derivative). (For others see preparations below.)

Quinine and Urea Muriate; (*Quinia bimuriatica carbamidata*.)

This double salt is remarkable for its ready solubility in water; hence, it has been selected for hypodermic use. The saturated aqueous solution contains a grain in each minim, and, being perfectly neutral, causes comparatively little irritation. The effects produced are precisely those of the sulphate of quinine, and it is employed in the same doses—1 to 10 grs., see Hypodermic Tablets in Appendix.

Capsules, Nos. 73, 201 to 205, 213, 214.

Elixirs, see list in Appendix, Nos. 4, 7, 15 to 34, 44 to 46, 70, 72 to 78, 91, 94, 104, 108.

Fluid Extract Cinchona Aromatic. Combined with pleasant aromatics to modify the intense bitterness; 1-2 to 1 fluid-drachm.....per pint.. 1.80

Fluid Extract Cinchona, Pale. Said to be superior to either Calisaya or red bark as a tonic, being less obnoxious to the stomach and intestines; 1-2 to 1 fluidrachm.....per pint.. 1.25

Fluid Extract Cinchona, Pale, Comp; each pint represents Cinchona bark, pale, 8 ozs., Serpentaria., 1 1-2 ozs.; Bitter Orange peel, 6 ozs. Suited for the extemporaneous preparation of Huxham's Tincture; dose, 1-4 to 1 fluidrachm....per pint.. 1.50

Fluid Extract Cinchona, Red, prepared from the selected, true Red Cinchona, 1-2 to 1 fluidrachm.....per pint.. 1.50

Fluid Extract Cinchona, Red, Comp., each pint represents Red Cinchona bark (true), 7 1-2 oz.; Serpentaria, 1 1-2 ozs.; Bitter Orange peel, 6 ozs.; dose, 1-4 to 1 fluidrachm....per pint.. 1.50

Fluid Extract Cinchona, Red, (detannated). The ordinary fluid extracts of Cinchona bark, containing much cincho-tannic acid, are wholly incompatible with the salts of iron. This detannated extract, therefore, will be found convenient for the extemporaneous preparation of elixirs, etc., in which it is required to combine Cinchona bark with iron. The result-

CINCHONA—CONCLUDED.

ing elixirs will be found much superior in flavor to those in which alkaloids are substituted for the bark; 1-2 to 1 fluidrachm.....	per pint..	\$ 1.70
<i>Fluid Extract Cinchona, Calisaya</i> , 1-2 to 1 fluidrachm, per pint..		1.50
<i>Powdered Extract Calisaya</i> , 5 to 25 grs.....	per oz..	.75
<i>Solid Extract Cinchona, pale</i> , 5 to 20 grs.....	per oz..	.40
<i>Solid Extract Cinchona, red</i> , 5 to 20 grs.....	per oz..	.65
<i>Solid Extract Cinchona, (Calisaya)</i> , 5 to 20 grs.....	per oz..	.65
<i>Hypo. Tablet Quinine and Urea mur</i> ...per 25, 22 cts.; per 100..		.70
<i>Lozenge Quinine Sulphate</i> , 1-2 gr.....	per lb..	.75
<i>Normal Liquid, Cinchona Calisaya (yellow bark)</i> ; dose, 15 to 60 mins.....	per pint..	1.65
<i>Normal Liquid Cinchona, Red</i> ; dose, 15 to 60 mins....	per pint..	1.65
<i>Malt Extracts with Iron, Quinine and Strychnine</i> ,...per doz..		9.00
<i>Oleate Quinine</i>	per oz..	.50
<i>Pills</i> , see Appendix, "Pills," Nos. 8, 9, 47, 53, 55, 56, 63, 122, 156, 171 to 175, 178 to 193, 250, 260 to 262, 285, 316, 335, 344 to 348, 416, 417, 470 to 472, 480, 481, 484 to 488, 528 to 564, 742, 743, 629 to 632, 643, 644, 662, 707, 708, 784, 697, 786, 787.		
<i>Syrup No. 19 and Hæmatic Hypophosphites</i> ; see list in Appendix.		
<i>Tablet Triturates</i> , see list in Appendix, Nos. 230, 88 to 90, 184, 185, 146 to 151, 419, 453, 484, 485.		
<i>Compressed Tablets</i> , see list in Appendix, Nos. 15, 16, 25 to 29, 31.		
<i>Wines</i> , see list in Appendix, Nos. 5, 7, 15.		
<i>Compressed Tablet Cinchonidine Salicylate</i>		
.....2 1-2 grs, per 100, 36 cents; per 500..		1.60
.....5 grs., per 100, 61 cents; per 500..		2.85
See also <i>Warburg's Tincture</i> .		
See also <i>Esencia de Calisaya, Mosquera's</i> ,		

CINQUEFOIL.

POTENTILLA CANADENSIS, Linné.—Astringent and febrifuge. Useful in diarrhoea and other complaints for which astringents are usually indicated. Dose, wineglassful of an ounce to the pint infusion.

Pressed Herb, in ounces.

CLEAVERS.

GALIUM APARINE, Linné.—Aperient, diuretic, alterative. Used chiefly in dropsy, jaundice, and in treating skin diseases of scrofulous nature.

Fluid Extract Cleavers, 1 to 2 fluidrachms.....per pint..\$.90

Pressed Herb, in ounces.

CLOTBUR.

XANTHIUM STRUMARIUM, Linné.—Given internally as a hæmostatic where the bleeding surface can be reached only through the medium of the circulation; it is also a styptic when applied locally, and said to be an antidote to the bite of poisonous insects.

Fluid Extract Clotbur, 1 to 2 fluidrachmsper pint..\$ 2.00

CLOVES.

EUGENIA CARYOPHYLLATA, Thunberg.—Stimulant, anti-spasmodic, locally anæsthetic. Used as a corrective with griping purgatives, and as a flavoring for medicines and articles of diet.

Fluid Extract Cloves, 8 to 30 mins.....per pint..\$ 2.10

Also *Fluid Extracts Blackberry Comp.*, *Lavender Comp.*,
Orange Comp. and *Rhubarb Aromatic*.

Pills, see Appendix, "Pills," Nos. 754, 263, 721, 748.

COCA.

ERYTHROXYLON COCA, Lamarck.—Tonic, restorative, stimulant. The physiological effects of Coca are due to the presence of the alkaloid *Cocaine*, a local anæsthetic of great prominence. Probably the drug owes to this anæsthetic action its power of preventing the sensation of fatigue under extraordinary exertion, etc. The drug produces in health effects analogous to those of tea or coffee, but more powerful.

A writer in the *Centralblatt für Klinische Medicine* summarizes its therapeutic applications thus: 1. As a stimulant, if one wishes to do extra physical or mental work: 2. In gastric indigestion: 3. In the cachexiæ: 4. In combating the effects of morphine and alcohol: 5. In asthma: 6. As an aphrodisiac: 7. As a local anæsthetic. Its utility has thus far been more fully demonstrated as a local anæsthetic than in any other rôle. It is certainly the best agent at the command of the physician in facilitating minor surgical procedures, examinations, and operations of all kinds.

Cocaine remains thus far the only certain local anæsthetic of mucous membrane, and this fact renders this alkaloid one of the most precious therapeutic acquisitions of the age.

ACTIVE PRINCIPLE AND ITS SALTS.

Cocaine.—Crystals. The remarkable power of Coca to sustain the system, under extraordinary exertion, is due to this alkaloid. The drug itself, however, in the form of fluid extract, is better adapted in most cases for producing this effect; 1-8 to 1 gr., or more.....per 5 gr. vial, net..\$.15

Cocaine Hydrobromate; crystals.....per 5 gr. vial, net.. .15

COCA—CONCLUDED.

Cocaine Hydrochlorate,

large crystals.....	per 5 gr. vial, <i>net</i> ...	\$.15
small crystals.....	per 5 gr. vial, <i>net</i>14
4% solution.....	per oz., <i>net</i>50
4% solution, in 1-8 oz. vials.....	per oz., <i>net</i>60

The remarkable discovery has recently been made that this and other soluble salts of Cocaine, have the property, when applied to the mucous membrane, of completely deadening sensibility. A few drops of a 2 per cent. solution when applied to the eye produce complete anæsthesia of the cornea and conjunctiva, so that operations can be performed without chloroform or ether. The effect is transient, passing off within half an hour. The pupil of the eye is at the same time dilated, so that under the influence of the agent, ophthalmoscopic examinations can be made; this latter effect, likewise, passes off in a brief period.

Cocaine Salicylate, in 4 per cent. solution only; extremely hygroscopic.....per oz., *net*... .65

Coca Cordial, 2 to 4 fluidrachms.....per doz. pints, *net*... 9.00

Elixir, 120 grs. in each fl. oz.....per doz. pints... 9.75

Diurnule, see list in Appendix, No. 907.

Diurnal Tablet Triturate, see list in Appendix, No. 1007.

Fluid Extract of the leaves, 1 to 2 fluidrachms.....per pint.. 2.00

Powdered Extract, 10 to 25 grsper oz... .75

Solid Extract, 10 to 25 grsper oz... .65

Hypodermic Tablets, see list in Appendix, Nos. 5, 34, 47.

Hypodermic Tablet (for veterinary use) Cocaine Hydrochlorate, 1 gr.....per doz. tubes of 12 tablets.. 5.00

Normal Liquid Coca, 1 to 2 fluidrachms.....per pint.. 2.35

Oleate Cocaine, 5 per cent.....per oz., *net*... .90

Pills, see Appendix, "Pills," Nos. 194 to 196, 63, 594.

Tablet Triturates, see list in Appendix, Nos. 41 to 44, 331 to 337.

Compressed Tablet, see list in Appendix, No. 17.

Pressed leaves, in ounces.

Wines, see list in Appendix, Nos. 8 to 10.

See also *Esencia de Coca*.

Tablets Cocaine Hydrochlorate (for solutions),

2 1-4 grs.....12s, *net*, 60 cents; 100, *net*... 4.25

1 1-8 grs.....25s, *net*, 62 cents; 100, *net*... 2.10

See also *Emergency Case*.

COCCULUS.

ANAMIRTA COCCULUS, Wight & Arnott. POISONOUS.—Chiefly used in nervous diseases. Efficacious in partial palsies accompanied by giddiness; also in hysteria, choreic and epileptic hemiplegia; in nervous vomiting; externally as a parasiticide, particularly to destroy vermin in the hair, when great caution must be exercised in its use.

ANTIDOTES.—None reliable known. Use emetics (apomorphine, zinc sulphate, mustard), with copious draughts of warm water, etc. Treat symptoms as they arise on general principles. Anaesthetics antagonize its spasm-producing action.

<i>Fluid Extract of the fruit</i> , 1-4 to 1 min., cautiously increased.	
.....per pint..	\$ 1.20
<i>Hypodermic Tablet Picrotoxin</i> , 1-50 gr.....	25s, 22 cents; 100.. .70
<i>Pill Picrotoxin</i> , 1-60 gr.....	100, 45 cents; 500.. 2.10

COD-LIVER OIL.

A fixed oil from the fresh livers of *GADUS MORRHUA*, Linné.—A supplementary food—nutrient and alterative. It is the most easily digested and also the most rapidly diffusible through animal membrane, of any known oil or fat. In its use there is an increase of red blood-corpuscles and of body weight, also general stimulation of healthy cell-formation. Externally is successfully used to allay the itching of eczema and to assist in its cure. In pint bottles.....per dozen, *net.* \$ 4.00

Capsules, see list in Appendix, Nos. 9, 12, 16, 64 to 67, 103, 104.

Emulsion Cod-Liver Oil with Hypophosphites of Lime and Soda; dose, 1-2 fluidounce.....per doz. pints, *net.* 7.00

Malt Extract with Cod-Liver Oil, 10% & 40%, per doz. pints, *net.* 9.00

IMPROVED LOFOTEN COD-LIVER OIL, in 12-oz. bots., per doz, *net.* 9.00

COFFEE.

COFFEA ARABICA, Linné.—The physiological effects of coffee as a sustaining and restorative agent are well known, and depend mainly upon the Caffeine contained in the berry. Indicated in all conditions in which Caffeine is prescribed, particularly those of nervous headache, opium narcosis, spasmodic asthma, etc.; also in opium poisoning; more stimulating than coca, but less sustaining.

Fluid Extract of the freshly roasted Java berries. Chiefly used to make Coffee syrup for flavoring purposes, but may be used medicinally.....per pint.. \$ 1.50

Fluid Extract of the green berries. Originally introduced as a substitute for Fluid Extract Guarana, which is a much more expensive preparation, but also depending upon the Caffeine contained therein for its medicinal quality. Dose, 1-2 to 1 1-2 fluidrachms.....per pint.. 1.50

COFFEE—CONCLUDED.

Granular Effervescent Preparations. Each drachm represents ingredients specified.

Caffeine, Citrated, 1-2 gr. .per doz., 2 oz., \$3.00; per doz., 4 oz. \$ 4.75

Caffeine and Potassium Bromide. Caffeine, 1 gr.; Potassium bromide, 5 grs.....per doz., 2 oz., \$3.50; per doz., 4 oz. 5.00

Pills, see list in Appendix, Nos. 111, 796.

Tablet Triturates, see list in Appendix, Nos. 24 to 27, 299, 300.

Compressed Tablet, see list in Appendix, No. 5.

See also *Emergency Case*.

Hypodermic Tablet Caffeine, 1-2 gr...per 25, 15 cents; per 100.. .45

COLCHICUM.

COLCHICUM AUTUMNALE, Linné. POISONOUS.—Almost specific in acute gout—an alkali combination assists its action; small doses are nauseant, cathartic, diuretic, and diaphoretic, thus generally exciting the secretory organs. It increases tissue waste and promotes elimination of the products of such waste.

ANTIDOTES.—Tannin, to prevent absorption. Emetics—zinc sulphate, apomorphine, mustard. Demulcent drinks and opium, to allay irritation. Stimulants to prevent collapse.

Fluid Extract of the root, 2 to 8 mins.....per pint..\$ 1.20

Fluid Extract of the seed, 2 to 8 mins.....per pint.. 1.50

Powdered Extract of the root, 1-3 to 1 1-2 grs.....per oz.. .45

Solid Extract of the root, 1-3 to 1 1-2 grs.....per oz.. .31

Hypodermic Tablet Colchicine, 1-30 gr.....
.....per 25, 27 cents; per 100.. .90

Normal Liquid Colchicum root, 2 to 8 mins.....per pint.. 1.35

Normal Liquid Colchicum seed, 2 to 8 mins.....per pint.. 1.65

Pills, see Appendix, "Pills," Nos. 204, 205, 565.

Pressed root, in pounds.

Tablet Triturates, see list in Appendix, Nos. 47, 48, 340 to 345.

Wine Colchicum (root), 5 to 20 mins.....per doz. pints.. 9.75

Wine Colchicum (seed), 15 to 60 mins.....per doz. pints.. 9.75

Veterinary Hypodermic Tablets, see list in Appendix, Nos. 505, 506.

COLOCYNTH.

CITRULLUS COLOCYNTHIS, Schrader. POISONOUS.—A powerful hepatic stimulant and drastic hydragogue cathartic, producing, in overdoses, violent griping with dangerous inflammation. It is seldom used alone, but when given with other cathartics as an adjunct, is considered a standard remedy. It has been employed alone in obstinate dropsy, amenorrhœa, and in cerebral derangements.

COLOCYNTH—CONCLUDED.

ANTIDOTES.—Emetics (zinc sulphate, apomorphine, etc.), if the case is seen early. Later, demulcents and opiates, with stimulants to combat the tendency to collapse.

<i>Fluid Extract of the fruit</i> , 2 to 5 mins.....	per pint..\$ 1.75
<i>Powdered Extract</i> , 1 to 2 grs.....	per oz... .60
<i>Powdered Extract Colocynth Comp.</i> , 5 to 20 grs.....	per oz... .30
<i>Pills</i> , see Appendix, "Pills," Nos. 8, 42, 46, 50, 52, 58, 59, 62, 85, 96, 131, 133, 160 to 164, 197, 206 to 218, 300, 364, 365, 437, 518, 565, 677, 678, 721, 748, 722, 765.	
<i>Tablet Triturates</i> , see list in Appendix, Nos. 49, 320 to 328, 346, 347, 394.	

COLTSFOOT.

TUSSILAGO FARFARA, Linné.—Demulcent and slightly tonic. Generally used for coughs and colds, as indicated by its name (*tussis*, L. a cough.)

<i>Fluid Extract of the leaves</i> , 1 to 2 fluidrachms.....	per pint..\$.90
<i>Pressed leaves</i> , in ounces. <i>Pressed root</i> , in pounds.	

COLUMBO.

JATEORHIZA COLUMBA, Miers.—A mild non-astringent tonic, with very little stimulating power, and generally acceptable to the stomach. It answers admirably as a remedy in simple dyspepsia, and in the debility of convalescence, especially when the alimentary canal is left enfeebled, *e. g.*, after remittent fever, dysentery, diarrhoea, cholera morbus and cholera infantum; the absence of irritating properties renders it an appropriate tonic in the hectic fever of phthisis and kindred affections; and for vomiting unconnected with inflammation of the stomach, as in the sickness of pregnancy, it is often of service.

NOTE.—Contains no tannin, may therefore be prescribed with iron.

<i>Fluid Extract of the root</i> , 10 to 30 mins.....	per pint..\$ 1.25
<i>Powdered Extract</i> , 1 to 4 grs.....	per oz... .50
<i>Pressed root</i> in pounds.	
<i>Solid Extract</i> , 1 to 4 grs.....	per oz... .30
<i>Elixir</i> , see list in Appendix, No. 109.	

COMFREY.

SYMPHYTUM OFFICINALE, Linné.—Demulcent, slightly astringent and tonic. Useful in catarrhal affections of the mucous membranes, as in bronchial irritation, leucorrhœa, endometritis, etc.

<i>Fluid Extract of the root</i> , 1 to 2 fluidrachms.....	per pint..\$.90
See also <i>Fluid Extract Horehound Compound</i> .	
<i>Pressed root</i> , in pounds and ounces.	

CONDURANGO.

GONOLOBUS CONDURANGO, Triana.—Tonic, emetic, diuretic and deobstruent; likewise an alterative of considerable value. Has been employed in the treatment of chronic rheumatism, syphilis, non-specific cutaneous affections, etc.

Fluid Extract of the bark, 30 to 60 grs.....per pint..\$ 3.00

Wine Condurango.....per doz. pints.. 10.00

Pressed bark, in pounds.

CONIUM.

CONIUM MACULATUM, Linné. POISONOUS.—Conium is anodyne, antispasmodic, anaphrodisiac and discutient. In overdoses it produces motor paralysis. It is employed as a palliative in the treatment of cancerous and scrofulous ulcers, tumors, etc.; in chronic enlargement of the liver; also in various diseases of the skin, especially strumous; its most important use, perhaps, is controlling excitement in maniacs, and in the treatment of chorea, whooping-cough and other spasmodic affections.

ANTIDOTES.—Tannin (strong tea, decoction of oak bark or sumach). Emetics (apomorphine, zinc sulphate, mustard). Sustain the vital powers by stimulants, external heat, faradization; employ artificial respiration persistently as long as there is any sign of cardiac action.

Fluid Extract of the leaves, 5 to 20 mins. cautiously increased,
per pint.....\$ 1.20

Fluid Extract of the fruit, 5 to 20 mins.....per pint.. 1.50

Powdered Extract of the leaves, 2 to 5 grs.....per oz.. .40

Solid Extract of the leaves, 2 to 5 grs.....per oz.. .24

Solid Extract of the fruit, 1 to 3 grs.....per oz.. .27

Hypo. Tablet Coniine Hydrobrom., 1-8 gr., per 25, 27 cts.; per 100.. .90

NOTE.—The subcutaneous use of Coniine is indicated in tetanus, strychnine poisoning and acute mania.

Normal Liquid Conium fruit, 5 to 20 mins.....per pint.. 1.65

Pills, see Appendix, "Pills," Nos. 12, 219 to 222, 414, 415, 619, 724.

Tablet Triturates, see list in Appendix, Nos. 50 to 53, 348, 349.

Compressed Tablet, see list in Appendix, No. 35.

Veterinary Hypodermic Tablet Coniine Hydrobromate,

1 gr.....per doz. tubes of 12 each.. 6.00

Pressed leaves in ounces.

COOLWORT.

MITELLA NUDA, Linné.—Diuretic. Useful in strangury, and as a remedy in inflammatory and catarrhal affections of the kidneys and bladder.

Pressed leaves in ounces.

COPAIBA.

An oleoresin chiefly obtained from *COPAIFERA LANGSDORFFII*, Desfontaines.—In the treatment of chronic catarrh of the mucous membrane, is the most active and efficient of the balsams and oleoresins; given in gonorrhœa and cystitis after the acute inflammatory symptoms have subsided; also in leucorrhœa, bronchorrhœa and in chronic skin diseases, such as leprosy and psoriasis. Dose, 1-2 to 1 fluidrachm, administered in gelatin capsules; see below.

Capsules, see list in Appendix, Nos. 17 to 28, 37 to 39, 41, 85, 105 to 108, 114, 115.

Pills, see Appendix, "Pills," Nos. 225 to 229, 295, 582.

Compressed Tablet, see list in Appendix No. 18.

Inhalant, see list in Appendix, No. 2.

COPPER ARSENITE.

Recommended in bowel affections, and especially the diarrhœa of typhoid fever.

Tablet Triturates, see list in Appendix, Nos. 212, 215.

Diurnule, see list in Appendix, No. 911.

Diurnal Tablet Triturate, see list in Appendix, No. 1011.

COPPER OXIDE.

Employed in the form of ointment, 10 to 20 per cent. oleate, for the treatment of ringworms, etc.

Oleate.....per oz., 25 cents; per lb..\$ 3.00

Ointment of oleate, 20 per cent.....per lb.. 1.80

COPPER SULPHATE.

Irritant and mildly escharotic. In dilute solution, tonic, stimulant and astringent. In chronic diarrhœa, with ulceration, it is often useful, but is more generally employed as an emetic. Dose, as an astringent and tonic, 1-4 gr., gradually increased; as an emetic, 5 grs., repeated if necessary in fifteen minutes.

Tablet Triturate Copper and Opium, per 100, 16 cts.; per 1000..\$ 1.00

CORIANDER.

CORIANDRUM SATIVUM, Linné.—An agreeable stimulant, aromatic and carminative. Principally used as a flavoring to other remedies.

Fluid Extract of the seed. Not miscible with water. Dose,
10 to 30 mins.....\$ 1.20

CORN, MAIZE.

USTILAGO MAYDIS, Corda; *CORN SMUT* OR *CORN ERGOT*: *STIGMATA MAYDIS*, *CORN-SILK* (*PISTILS*).—Corn ergot closely resembles in medicinal properties the ergot of rye, and has been considered by many

CORN—CONCLUDED.

quite as efficient and more uniform. The uterine contraction from ergot is tonic; that from the *ustilago* seems to be regularly intermittent.

It has been pronounced superior to ergot in passive hæmorrhages, and also very effectual in spermatorrhœa, psoriasis, eczema, fibroid tumors and allied affections.

Corn-silk has been introduced on the recommendation of very eminent authorities as a remedy in inflammatory affections of the bladder, acute or chronic, idiopathic or traumatic. It is diuretic, demulcent and antiseptic and reported specially valuable where intra-vesical decomposition of urine has taken place giving rise to irritation.

Fluid Extract Corn Ergot (Ustilago); 10 to 20 mins.; per pint..\$ 1.75

Fluid Extract Corn-silk; 1 to 2 fluidrachms.....per pint.. 1.50

Compressed Tablet, see list in Appendix, No. 19.

COTO.

NECTANDRA (SP. INDET). NOTE.—Two distinct kinds of bark are now brought from Bolivia, distinguished as "Coto" and "Paracoto," respectively. The therapeutic properties ascribed to the two drugs are similar. There is reason to believe that the true Coto bark is at least as efficient as the Paracoto, but since our patrons have so generally expressed a preference for the latter, after having made its acquaintance under the name of Coto, we invariably supply the latter when coto bark is ordered.

An efficient remedy in cholera morbus, diarrhœa, acute or chronic dysentery, colic; is also recommended in gout, rheumatism and neuralgic toothache. Cases are reported of long standing diarrhœa, intestinal catarrh and dysenteric disease, unsuccessfully treated by tannin, opium and lead acetate, making complete recovery in from 12 hours to 6 days under hourly doses of 1-10 grain Cotoin.

Fluid Extract Paracoto (Coto) bark. Dose, 5 to 20 mins. four to six times a day.

In doses of 10 drops and upwards, it is liable to cause gastric irritation, hence, it is best to begin with the minimum dose, increasing, if well borne, until the desired effect is produced.

In all cases it should be well diluted before it is administered.....per pint..\$ 4.00

COTTON.

GOSSYPIMUM HERBACEUM, Linné.—The bark and also the leaves of Cotton are emmenagogue, oxytoxic and abortifacient.

It is said to promote uterine contraction with as much efficiency and more safely than ergot; has been used with success in chlorosis, amenorrhœa, dysmenorrhœa, etc.

Fluid Extract of the leaves, 1 to 4 fluidrachms.....per pint..\$ 1.50

Fluid Extract of the bark, 1-2 to 2 fluidrachms.....per pint.. 1.25

Fluid Extract of the green bark, 1-2 to 2 fluidrachms; per pint.. 1.25

COTTON—CONCLUDED.

<i>Powdered Extract</i> , 3 to 15 grs.....	per oz..\$.40
<i>Solid Extract</i> , 3 to 15 grs.....	per oz..	.33
<i>Concentration Gossypin</i> , 1 to 5 grs.....	per oz..	1.50
<i>Pills</i> , see Appendix, "Pills," Nos. 270, 280.		
<i>Pressed bark</i> , in pounds.		

COUCH-GRASS.

AGROPYRUM REPENS, Beauvois.—A feeble diuretic, but chiefly employed for its demulcent and emollient qualities in cystitis and irritable bladder.

<i>Fluid Extract of the rhizome</i> , 1 to 6 fluidrachms....	per pint..\$	1.05
<i>Solid Extract</i> , 20 grs.....	per oz..	.24
<i>Compressed Tablet</i> , see list in Appendix, No. 19.		
<i>Pressed root</i> , in ounces.		

CRAMP-BARK.

VIBURNUM OPULUS, Linné.—Tonic, antispasmodic and alterative, popularly known as "Cramp Bark" from its influence over painful spasmodic muscular contractions. Has been employed with benefit in asthma, and in the painful muscular spasms so frequently attacking the extremities of pregnant females; particularly beneficial in the treatment of neuralgic dysmenorrhœas, and that irritable condition of the uterus which predisposes to abortion; useful in the treatment of after-pains.

<i>Fluid Extract of the bark</i> , 1-2 to 1 fluidrachm.....	per pint..\$.90
See also <i>Fluid Extract Helonias Compound</i> .		
<i>Concentration Viburnin</i> , 1 to 3 grs.....	per oz..	1.00
<i>Elixirs</i> , see list in Appendix, Nos. 49, 65.		
<i>Compressed Tablet</i> , see list in Appendix, No. 50.		
<i>Pressed bark</i> , in pounds.		

CRANESBILL.

GERANIUM MACULATUM, Linné.—A powerful astringent. Used in dysentery, diarrhœa, cholera infantum, and excessive mucous discharges; also as a gargle for sore mouth, sore throat, and relaxation of the uvula. Highly recommended as a substitute for tannic acid, and, unlike that agent, does not cause dryness of mucous surfaces with which it comes in contact, but produces its influence without entirely checking secretion.

<i>Fluid Extract of the rhizome</i> , 1-2 to 1 fluidrachm....	per pint..\$	1.05
<i>Solid Extract</i> , 5 to 10 grs.....	per oz..	.27
<i>Concentration Geranin</i> , 1 to 4 grs.....	per oz..	.50
<i>Pill Geranin</i> , 1 gr.....	per 100, 35 cents; per 500..	1.60
<i>Pressed root</i> , in pounds.		

CRAWLEY.

CORALLORHIZA ODONTORHIZA, Nuttall.—A prompt, powerful and certain diaphoretic, with sedative properties. It promotes perspiration without causing excitement of any kind in the system, hence its use in typhus and other fevers, certain inflammatory diseases, acute erysipelas, cramps, flatulency, pleurisy, and night-sweats; it relieves hectic fever without debilitating the patient. Combined with blue cohosh, it forms an excellent agent in amenorrhœa, dysmenorrhœa, after-pains, suppression of lochia, and febrile symptoms which occur at the parturient period.

Fluid Extract of the rhizome, 15 to 30 mins.....per pint..\$ 4.50

Pressed root, in pounds.

CROTON OIL.

The oil expressed from the seeds of CROTON TIGLIUM, Linné.—A powerful hepatic stimulant and alterative; also violent irritant purgative; rubefacient externally. On account of the smallness of the dose and rapidity of action, it is found very useful in coma, tetanus, and the like, where the patient is unable to swallow; and in phrenitis where strong counter-action is required; also useful in obstinate constipation where, after the lower bowel has been emptied by enemata, milder purgatives fail; 1-3 to 2 mins.

Pills, see Appendix, "Pills," Nos. 635, 680

CUBEBA.

PIPER CUBEBA, Linné.—Local irritant, with a general stimulant action directed especially to mucous tissue; stimulant, diuretic and expectorant. Used in gonorrhœa, gleet, leucorrhœa, and chronic catarrhal inflammation of mucous tracts.

Capsules, see list in Appendix, Nos. 19 to 26, 30, 31, 38 to 41, 48, 85, 107, 108, 115.

Fluid Extract of the unripe fruit, 10 to 30 mins....per pint..\$ 2.50

Solid Extract, 2 to 8 grs.....per oz.. .52

Inhalants, see list in Appendix, Nos. 11, 20.

Lozenges, Bronchial; Cubeba.

Pills, see Appendix, "Pills," Nos. 227 to 229, 241 to 243, 295, 582.

Tablet Triturates, see list in Appendix, Nos. 182, 223, 224, 266, 348.

Compressed Tablets, see list in Appendix, Nos. 17, 18.

CUCUMBER-TREE.

MAGNOLIA ACUMINATA, Linné.—Used as a substitute for cinchona bark in the treatment of remittent and intermittent fever; its curative agency is said to be favored by the diaphoretic action following its administration. The flowers have the general character of an aromatic bitter tonic, and are particularly recommended in dyspepsia and chronic rheumatism.

Fluid Extract of the flowers, 1 to 2 fluidrachms.....per pint..\$ 3.00

CULVERS.

VERONICA VIRGINICA, Linné.—A mild cathartic somewhat resembling podophyllin in operation. It is indicated in diseases of the intestinal canal, and where there is constipation with insufficiency of biliary and intestinal secretions; an invaluable remedy to prevent the recurrence of intermittents after they have been broken up by quinine.

<i>Elixir Cathartic Comp</i>	per doz..\$	9.75
<i>Fluid Extract of the rhizome</i> , 1-4 to 1 fluidrachm....	per pint..	1.25
<i>Powdered Extract</i> , 3 to 10 grs.....	per oz..	.45
<i>Solid Extract</i> , 3 to 10 grs.....	per oz..	.86
<i>Concentration Leptandrin</i> ; in acute cases, 1-4 to 1 gr; in chronic cases, 1 to 4 grs.....	per oz..	.40
<i>Pills</i> , see Appendix "Pills," Nos. 95, 158, 160, 246, 301, 366 to 370, 373, 374, 376, 513, 514, 677, 692, 765.		
<i>Tablet Triturates</i> , see list in Appendix, Nos. 94, 320 to 322. 422 to 424.		
<i>Pressed root</i> , in pounds and ounces.		

DAMIANA.

TURNERA MICROPHYLLA, DeCandolle.—Stimulant, tonic, laxative, diuretic and aphrodisiac. Has been extensively prescribed with reference to the last named property, and is less objectionable than the intestinal irritants to which the same virtue is ascribed. A more important property is its general tonic action which appears to be exerted primarily on the nervous system.

<i>Elixirs</i> , see list in Appendix, Nos. 50 to 53, 97.		
<i>Fluid Extract of the leaves</i> , 1-2 to 1 fluidrachm.....	per pint..\$	2.40
<i>Powdered Extract</i> , 5 to 15 grs.....	per oz..	.75
<i>Solid Extract</i> , 5 to 15 grs.....	per oz..	.42
<i>Pills</i> , see Appendix "Pills," Nos. 245, 477.		
<i>Tablet Triturates</i> , see list in Appendix, Nos. 356, 357.		
<i>Compressed Tablets</i> , see list in Appendix, Nos. 10, 20.		

DANDELION.

TARAXACUM OFFICINALE, Weber.—Tonic, alterative, diuretic and laxative. Is chiefly employed as a hepatic stimulant, especially in chronic functional derangement of the liver; it is especially of use in dyspepsia, and in the treatment of cutaneous eruptions associated with hepatic derangements; also in gout, hectic fever, etc.

<i>Elixirs</i> , see list in Appendix, Nos. 54 to 56.		
<i>Fluid Extract of the root</i> , 1 to 3 fluidrachms.....	per pint..\$	1.25
<i>Fluid Extract Dandelion Compound</i> . Each pint represents: Dandelion, 13 1-2 ozs.; Conium leaves, 1 1-8 ozs.; Mandrake, 2 1-4 ozs. Dose, 1 to 2 fluidrachms	per pint..	1.25

DANDELION—CONCLUDED.

- Fluid Extract Dandelion and Senna.* Each pint represents:
 Dandelion, 8 ozs.; Senna, 8 ozs. Tonic and laxative, with
 slight action on liver. Dose, 1 to 2 fl. drs.....per pint..\$ 1.20
- Fluid Extract Sarsaparilla and Dandelion,* 1-2 to 1 fluid-
 drachm.....per pint.. 1.50
- Powdered Extract,* 10 to 30 grs.....per oz.. .40
- Solid Extract,* 10 to 30 grs.....per oz.. .17
- Pills,* see Appendix, "Pills," Nos. 246, 544, 623.
- Pressed herb,* in ounces. *Pressed root,* in pounds and ounces.

DEER-TONGUE.

TRILISA ODORATISSIMA, Cassini.—Aromatic. stimulant, tonic, diaphoretic. An agreeable addition to nauseating or griping mixtures; the infusion (one ounce to a pint of hot water), taken freely, is useful in colds with suppressed secretions.

- Fluid Extract of the leaves,* 1-2 to 1 fluidrachm.....per pint..\$ 1.20
- Pressed leaves,* in ounces.

DEWBERRY.

RUBUS CANADENSIS, Linné.—Tonic and strongly astringent. May be employed with advantage wherever a vegetable astringent is indicated, but chiefly in summer complaint and infantile diarrhoea; it very closely resembles blackberry (*q. v.*) in medicinal properties.

- Fluid Extract of the root,* 1-4 to 1 fluidrachm.....per pint..\$ 1.20

DISINFECTANT POWDER.

In the presence of air and moisture, oxides of iron are formed, an excess of lime remaining present. These two chemicals alone would act as powerful disinfectants, but with them are combined Carbolic acid and Naphthalin. thus leaving nothing to be desired in a preparation of this nature. In 10 cartonsper doz., *net.*..\$ 3.00

DIGESTIVE TABLETS, R "A" & "B."

Useful in all forms of indigestion, dependent upon any deficiency in the activity of the secretions or upon indiscretion in eating.

Physiologists sometimes criticise the formula on the ground that pepsin requires an acid medium, and pancreatin an alkaline one, to exert their digestive action, so that either one or the other must necessarily be wasted. We admit the seeming force of the objection, but we contend that the positive experience which has approved these and similar combinations, is more significant than all theoretical considerations of a merely negative character. We employ in these tablets our regular Pepsin Aseptic, which is ten times as strong as the saccharated pepsin, and a pancreatin equal in digestive activity to any.

DIGESTIVE TABLETS—CONCLUDED.

Each tablet, R "A," contains Pepsin Aseptic (1-3000) 1 gr.; pure Pancreatin, 1 gr.; Calcium lactophosphate, 2 grs.

Per bottle of 100, \$.56; per dozen bottles of 30, \$4.00, *net*;
per dozen bottles of 65.....*net*..\$ 8.00

Each tablet, R "B," contains Pepsin Aseptic (1-3000) 3 grs.; Diastase, $\frac{1}{4}$ gr.; Ext. Nux vomica, 1-8 gr.; Powd. Ipecac, 1-12 gr.

Per bottle of 100, 66 cents; per bottle of 500.....\$ 3.10

DITTANY.

CUNILA MARIANA, Linné.—Carminative and diaphoretic. Used popularly in colds in flatulency, also as an emmenagogue. Dose, a wine-glassful of an ounce to the pint infusion.

Pressed herb, in ounces.

DOGWOOD.

CORNUS FLORIDA, Linné.—Tonic, astringent, slightly stimulant, and anti-periodic. May be used where quinine is indicated and cannot be administered, owing to idiosyncrasy or other causes, and is valuable in all cases where tonics are required, as periodic and typhoid fevers, in pyrosis, etc; it increases the strength and frequency of the pulse.

Concentration Cornin, 2 to 4 grs.....per oz..\$.50

Fluid Extract of the bark of root, 1-4 to 1 fluidrachm.per pint.. .90

Solid Extract, 2 to 8 grs.....per oz.. .25

Pills, see Appendix, "Pills," Nos. 230, 231, 632.

Pressed bark of root, in pounds. *Pressed flowers*, in ounces.

DUBOISIA MYOPOROIDES, R. BROWN.

POISONOUS.—An efficient substitute for atropia. The solid extract and the alkaloid Duboisine are now largely employed as being less irritating to mucous membranes, more prompt in mydriatic action, with effects of shorter duration than those of atropine. The fluid extract meets the demand for a preparation adapted to internal administration. Constitutional effects are similar to those of belladonna, but it is less of a cerebral excitant and more of a calmative and hypnotic. Has been found useful in relieving night-sweats of phthisis, puerperal mania, vesical tenesmus, etc.

ANTIDOTES.—Emetics (sulphate of zinc, mustard, etc.). Morphine to combat nervous disturbances as they arise.

Fluid Extract of the leaves, 5 to 10 mins.....per pint..\$ 4.00

Solid Extract, 1-4 to 3-4 gr.....per oz.. 3.00

DWARF ELDER.

ARALIA HISPIDA, Ventenat.—A valuable diuretic. Employed in dropsy, gravel, suppression of urine and other urinary disorders.

Fluid Extract of the rhizome, 1 to 2 fluidrachms....per pint..\$ 1.00

Pressed root, in pounds.

ECHINACEA.

ECHINACEA ANGUSTIFOLIA, DeCandolle. — Very strong claims have been recently made for this drug as an alterative of great value in all strumous and syphilitic indications. It is also stated to be a specific remedy in the treatment of blood-poisoning, of snake bites, and as a prophylactic and curative agent in hydrophobia.

Fluid Extract of the root, 1-4 to 1-2 fluidrachm.....per pint..\$ 4.00

ELATERIUM.

The sediment deposited by the expressed juice of ECBALLIUM ELATERIUM, A. Richard.—The most powerful of hydragogue cathartics; in large doses produces nausea, vomiting and great depression. Most frequently employed in abdominal dropsy, but should be used with great caution. Dose, 1-10 to 1-2 gr.

Pills, see Appendix, "Pills," Nos. 264 to 267.

Tablet Triturates, see list in Appendix, Nos. 69 to 71, 369 to 372.

ELDER.

(SEE ALSO "EUROPEAN ELDER.")

SAMBUCUS CANADENSIS, Linné.—Bark: Hydragogue cathartic; has been long in use as a remedy in dropsy. Flowers: Stimulant, diaphoretic, and somewhat diuretic; externally as fomentations in erysipelas, glandular engorgements, etc.

Fluid Extract of the flowers, 1-2 to 2 fluidrachms...per pint..\$.90

Solid Extract of the flowers, 10 to 20 grs.....per oz.. .23

Pressed bark, in pounds. *Pressed flowers*, in ounces.

ELECAMPANE.

INULA HELENIUM, Linné.—Aromatic, stimulant, expectorant emmenagogue, diaphoretic, tonic to mucous membrane. Used principally in hæmorrhoids and pulmonary affections attended with weakness of the digestive organs, or with general debility; it has also been highly recommended both an external and as an internal remedy in psora, and other diseases of the skin.

Fluid Extract of the root, 1-2 to 1 fluidrachm.....per pint..\$.90

Concentration Inulain, 2 to 5 grs.....per oz.. 1.00

Syrup Horehound Comp.....per doz. pints.. 7.20

Pressed root, in pounds and ounces.

ELEPHANT'S-FOOT.

ELEPHANTOPUS TOMENTOSUS, Linné.—Diaphoretic, expectorant, and, in large doses, emetic.

Fluid Extract of the herb, 5 to 30 mins.....per pint..\$ 3.00

EMBELIA RIBES, BURMAN.

Said to be effective as an anthelmintic in cases of *tænia solium*; also reported beneficial in rheumatism, and as an alterative in chronic skin diseases.

Fluid Extract of the fruit, 1 to 4 fluidrachms.....per pint..\$ 2.50

EPHEDRA ANTISYPHILITICA, C. A MEYER.

Long familiar to the residents of Arizona and adjacent country as a remedy in venereal affections; seems to be specially indicated as a remedy in gonorrhœa.

Fluid Extract of the herb, 1 to 2 fluidrachms.....per pint..\$ 3.50

ERGOT.

CLAVICEPS PURPUREA, Tulasne. — Uterine motor stimulant; causes tonic contraction of involuntary muscular fibre, and is thus hæmostatic through action on capillaries. Used to aid parturition; to control internal hæmorrhages, wherever located; to relieve local congestions and promote absorption of morbid growths.

Ergotin. Bonjean's formula; almost identical with the Extract of Ergot of the German Pharmacopœia. Dose, 1-3 to 3 grs;per oz., *net*..\$.60

Ergotin Purified. For hypodermic injection. One minim represents 5 grs. of selected Ergot. It may be diluted with water if desired, for administration. Dose, 2 to 6 mins....per oz., *net*.. 1.00

Sclerotic Acid. Ergotinic acid of Kobert. According to Dr. Podwyssotzki, it is the chief active constituent of ergot. 1 grain represents about 25 grains of good ergot. Dose, 1-2 to 2 grs. Solution, 18 grs. to 1 fl. oz., corresponds in strength to the fluid extract of ergot. The solution.....per pint, *net*.. 4.00

Fluid Extract Ergot. Dose, 5 to 60 minims. In inertia uteri 20 to 60 minims, repeated every 15 to 20 minutes until desired effect is obtained.....per pint.. 2.50

Fluid Extract Ergot, Ethereal. Dose, same as above.....per pint.. 2.50

Solid Extract Ergot. Dose, 1 to 5 grains.....per oz.. .65

Normal Liquid Ergot. Dose, 5 to 60 minims.....per pint.. 2.75

Pills, see Appendix, "Pills," Nos. 268, 270, 272 to 277, 737, 683.

Tablet Triturates, see list in Appendix, Nos. 72, 73, 373, 374.

Compressed Tablets, see list in Appendix, Nos. 24, 25.

Wine Ergot, U.S.P. Dose, 1 to 3 fluidrachms...per doz. pints.. 12.75

See also *Emergency Case*.

ESCHSCHOLTZIA

ESCHSCHOLTZIA CALIFORNICA, Chamisso.—An excellent soporific and analgesic, and above all, harmless. A very useful anodyne, and a good substitute for opium for administration to children.

Fluid Extract of the plant, 15 to 30 mins.....per pint..\$ 3.00

ESENCIA DE CALISAYA, MOSQUERA'S.

Each fluidounce of Esencia contains the equivalent of 40 grains of Calisaya Bark. The prevailing preparations of Cinchona are most unpleasant and in many instances repugnant to the patient by reason of their intense bitterness. This quality is very thoroughly masked by the combination of aromatics employed, and consequently it has been found most acceptable where other Calisaya products have been rejected. Esencia de Calisaya may be exhibited in every instance where Cinchona is indicated, inasmuch as it possesses all the qualities of this drug in the proportions above described. In 12-fl.oz. bottles.....per doz., *net*..\$10.00

ETHER.

Rarely exhibited internally, but exercises a sedative or stimulant action, according to dose. Employed in nausea dependent upon gastric depression and in flatulent colic. Dose, 10 to 60 mins.

Inhalants, see list in Appendix, Nos. 2, 12, 19.

EUCALYPTUS GLOBULUS, LABILLARDIÉRE.

Stimulant, antiperiodic, anti-spasmodic, eminently antiseptic. It is recommended in the treatment of septic fevers, diphtheria, chronic gastric and intestinal catarrh, chronic bronchitis, etc. As an anti-spasmodic it is useful in asthma, but its chief uses depend upon its antiseptic character; thus it is employed in the treatment of foetid breath; ulcers (syphilitic and otherwise); purulent catarrhal affections of the bladder, urethra and vagina; spongy and bleeding gums, etc. Externally, suitably diluted, the fluid extract is employed as a disinfectant lotion in gangrenous or foetid suppuration, foul ulcers and offensive discharges of all kinds.

Eucalyptus Oil, 5 to 30 mins.; per oz. *net*, 18 cts.; per pint, *net*..\$ 1.75

Capsules, see list in Appendix, Nos. 43, 110.

Fluid Extract of the leaves, 15 to 60 mins.....per pint.. 1.15

Powdered Extract, 3 to 10 grs.....per oz.. .50

Solid Extract, 3 to 10 grsper oz.. .31

Elixir, see list in Appendix, No. 56.

Inhalants, see list in Appendix, Nos. 7, 19.

Lozenge Eucalyptus, containing: Ext. Eucalyptus, true, 3 grs.;

Ext. Licorice, 1 gr.....per doz. boxes of 36, \$1.50; per lb.. 1.00

Pills, see Appendix, "Pills," Nos. 278, 279, 285.

Compressed Tablets, see list in Appendix, No. 34.....
.....50s, 25 cents; 1,000.. 4.00

Tablet Triturates, see list in Appendix, Nos. 375, 376.

See *Eucalyptus and Thymol Antiseptic*.

EUCALYPTUS AND THYMOL ANTISEPTIC.

A liquid preparation of wide utility, and by reason of being neither poisonous, irritant nor escharotic, perfectly safe in any form of administration, whether internal or external. It possesses an agreeable odor, and may be substituted for iodoform and carbolic acid, which it equals in antiseptic power without possessing their objectionable characteristics. The formula will indicate its wide range of usefulness. Each fluidounce contains: Oil eucalyptus, 3-8 minim; oil gaultheria, 9-32 minim; fluid extract wild indigo, 1 1-4 minims; boric acid, 10 15-16 grs.; menthol, 5-64 gr.; thymol, 15-32 gr. This article should not be exposed to cold. Use as a spray; or internally, in doses of one fluidrachm (4 Cc.) three or more times daily.....per doz. pint bottles, net..\$ 7.50

EUPHORBIA PILULIFERA, LINNÉ.

This herb is a favorite domestic remedy in Australia, where it is a common roadside weed. It is regarded as infallible for colds, coughs, bronchial affections, in short, all diseases of the respiratory tract; especially esteemed for the prompt and complete relief it affords sufferers from asthma.

Fluid Extract of the herb, 1-4 to 1 fluidrachm.....per pint..\$ 4.00

EUROPEAN CENTAURY.

ERYTHRÆA CENTAURIUM, Persoon.—Diaphoretic and slightly tonic. Used in the debility following malaria, and as a hot drink in colds. Dose, a wineglassful of an ounce to the pint infusion.

Pressed herb, in ounces.

EUROPEAN ELDER.

(SEE ALSO "ELDER.")

SAMBUCUS NIGRA, Linné.—Alterative, and in sufficient doses cathartic. It is regarded as a valuable adjunct to tonics in the convalescence from malarial fever, and in chronic rheumatic, gouty and syphilitic affections.

Fluid Extract of the bark, 1-4 to 1 fluidrachm.....per pint..\$ 1.80

Solid Extract. Dose, 2 to 10 gr.....per oz.. .49

EVENING PRIMROSE.

ŒNOTHERA BIENNIS, Linné.—A mild but efficient sedative to nervous sensibility, acting more especially upon the pneumogastric. Indicated in such cases of respiratory or gastric troubles as involve a morbid sensitiveness either in the laryngeal, pulmonary or gastric branches of that nerve, whether of an acute or chronic character. Worthy of trial in the treatment of such affections as whooping-cough, spasmodic asthma and certain morbidly sensitive conditions of the stomach interfering with healthy digestion. An ointment of Evening Primrose has been found very efficacious in porrigo and other cutaneous affections of infants; it has also proved of value as an application to ulcers.

Fluid Extract of the leaves, 1-2 to 1 fluidrachm; per pint..\$ 1.50

Pressed leaves, in ounces.

EYEBRIGHT.

EUPHRASIA OFFICINALIS, Linné.—Of utility in catarrhal conjunctivitis through its mild astringency, and also in chronic catarrhs. It mitigates the catarrhal symptoms of hay-fever, and will abort an attack of nasal catarrh with lachrymation; for the latter purpose it should be given every two hours. Dose, of an ounce to the pint infusion, 1-2 to 2 fluidounces.

Pressed leaves, in ounces.

FALSE BITTERSWEET.

CELASTRUS SCANDENS, Linné.—Alterative, diaphoretic, diuretic, with some narcotic power. Used in scrofula, secondary syphilis, chronic hepatic and cutaneous affections, leucorrhœa, rheumatism and obstructed menstruation; externally, in the form of ointment, for inflamed and indurated breasts of nursing women, pruritus vulvæ, burns, excoriations, etc.

Fluid Extract of the bark of root, 1 to 2 fluidrachms; per pint..\$ 1.05

Pressed bark of root, in pounds.

FENNEL.

FÆNICULUM VULGARE, Gaertner.—Carminative and aromatic. Used with advantage in flatulent colic, and as a corrigent of unpleasant medicines, particularly senna and rhubarb; is recommended for these purposes because of the absence of any exciting property.

Fluid Extract Fennel seed, 10 to 30 mins.....per pint..\$ 1.20

FEVERFEW.

CHRYSANthemum PARTHENIUM, Smith.—Carminative, emmenagogue, tonic. Much used in cases of flatulent or atonic dyspepsia, amenorrhœa, dysmenorrhœa, hysteria, and some febrile diseases; externally as a fomentation to local inflammations.

Fluid Extract of the herb, 1 to 2 fluidrachms.....per pint..\$ 1.00

Pressed herb, in ounces.

FIREWEED.

ERECThITES HIERACIFOLIA, Rafinesque.—Tonic and astringent. Has acquired a reputation in diseases of the mucous tissue, whether of lungs, stomach or intestinal canal; successfully used in summer complaints of children, when other means have failed; its greatest reputation, however, has been obtained as a remedy for piles, administered internally as a fluid extract, and externally in the form of ointment.

Fluid Extract of the leaves, 1-2 to 1 fluidrachm.....per pint..\$.90

Pressed leaves, in ounces.

FIT-ROOT.

MONOTROPA UNIFLORA, Linné.—Astringent, tonic, diuretic and nervine. Used in epilepsy, nervous irritability, etc.

Pressed herb, in ounces.

FIVE-FLOWERED GENTIAN.

GENTIANA QUINQUEFLORA, Lamarck.—A new and reliable cholagogue. This plant has been found of value in liver affections, jaundice, etc.; is well adapted to chronic ague when there is much debility, and has succeeded where quinine has failed—no preparatory treatment need precede its use; in hepatic disorders there are few medicines of more worth.

Fluid Extract of the herb, 10 to 30 mins.....per pint..\$ 2.50

FLEABANE.

ERIGERON CANADENSE, Linné.—Slightly tonic, with active diuretic and astringent properties. Useful in diarrhoea, dropsical affections, uterine hæmorrhage, strangury, dysuria of children, and many nephritic affections; it owes its virtue to the volatile oil it contains.

Capsules Nos. 5, 42.

Fluid Extract of the leaves, 1-2 to 1 fluidrachm.....per pint..\$ 1.20

Pressed leaves, in ounces.

FLORIDA ALLSPICE.

CALYCANTHUS FLORIDUS, Linné.—Aromatic stimulant, making an agreeable and valuable addition to diarrhoea mixtures; useful in the colic of surfeit.

Fluid Extract of the bark, 10 to 30 mins.....per pint..\$ 1.20

FLOWERING SPURGE.

EUPHORBIA COROLLATA, Linné.—Emetic, diaphoretic, expectorant and epispastic; in large doses produces irritation of the stomach and bowels, with hypercatharsis. Has been used with success in chronic bronchitis, laryngitis and vesical catarrh; in obstinate bilious dysentery, in dropsical diseases, especially hydrothorax and ascites; will sometimes remove fluid when other agents are useless.

Fluid Extract of root; as emetic, 20 mins.; as cathartic, 10 mins.; as diaphoretic, 5 mins.....per pint..\$ 1.80

FLY AGARIC.

AGARICUS MUSCARIUS, Linné. POISONOUS.—Respiratory and cardiac depressant; intoxicant to cerebrum; its action is similar to that of physostigmine, and antagonistic to that of atropine; it stimulates powerfully the salivary and cutaneous secretions, contracts pupils, etc. It has proved valuable in night-sweats of phthisis, in diabetes insipidus, incipient pulmonary congestion, and in constipation due to intestinal torpor and deficient secretion. Generally exhibited in the form of the alkaloid Muscarine or its salts.

ANTIDOTE.—Atropine is a perfect antagonist; so are also to some extent digitalin and pilocarpine.

Pill Muscarine Sulphate, 1-100 gr.....per 25, 50 cents; per 100..\$ 1.80

FOOD PRODUCTS.

Beef Cacao.
Beef, Iron and Wine.
Beef Meal.
Beef Jelly.
Powdered Bone.
Taro Flour.
Hæmoglobin Compound.
Malt Extracts.

FOXGLOVE.

DIGITALIS PURPUREA, Linné. POISONOUS.—In small doses a cardiac tonic, diminishing the frequency and increasing the force of the heart's contractions; in overdoses, poisonous, and peculiarly liable to produce toxic effects from so-called cumulative action. Used in cardiac affections generally where the heart's action is abnormally weak; indirectly, in infusion, it is diuretic also, hence may be made especially useful in dropsies dependent upon cardiac embarrassment or renal obstruction.

ANTIDOTES.—Tannin (strong tea, decoction of oak bark). Emetics, early, if needed. Alcoholic stimulants, opium, rest in recumbent position; aconite.

Concentration Digitalin, 1-16 to 1-4 gr;.....per oz..\$.90
Fluid Extract of the leaves, 1 to 2 mins.....per pint.. 1.25
Powdered Extract, 1-4 to 1-2 gr.....per oz.. .40
Solid Extract (strictly alcoholic), 1-6 to 1-3 gr.....per oz.. .40
Solid Extract, 1-4 to 1-2 gr.....per oz.. .23
Hypo. Tablet Digitalin, 1-100 gr.....per 25, 12 cents; per 100.. .30
Normal Liquid, 1 to 2 mins.....per pint.. 1.35
Pills, see Appendix, "Pills," Nos. 251 to 253, 464 to 467, 482, 483, 487, 546, 681.

Tablet Triturates, see list in Appendix, Nos. 61 to 66, 358 to 365.

Veterinary Hypo. Tablets, see list in Appendix, Nos. 508, 509.

Compressed Tablet, see list in Appendix, No. 25.

See also *Emergency Case*.

Pressed leaves, in ounces.

FRINGE-TREE.

CHIONANTHUS VIRGINICA, Linné. — Aperient, alterative and diuretic, with some narcotic properties. It has been found efficacious in bilious remittents, as well as in obstinate intermittents, and an excellent tonic in convalescence from exhausting diseases; being a cholagogue of some value, is one of the most eligible remedies in jaundice, if associated with podophyllin or leptandrin; in the form of poultice, an excellent local application to inflammations, ulcers and wounds.

Fluid Extract of the bark of root, 1-4 to 1 fluidrachm..per pint.\$ 1.50
Solid Extract, 5 to 20 grs.....per oz.. .27
Pressed bark of root, in pounds.

FROSTWORT.

HELIANTHEMUM CANADENSE, Michaux.—Astringent, tonic, alterative; in large doses emetic. Has long been used, either alone or in combination, in scrofulous diseases; diluted with water the fluid extract is used as a gargle in sore throat, particularly in scarlatina; also as a lotion in prurigo.

Fluid Extract of the herb, 5 to 20 mins.....per pint..\$ 1.00

Pressed herb, in ounces.

GALANGAL.

ALPINIA OFFICINARUM, Hance.—A stimulant aromatic, somewhat resembling ginger. Used as a stomachic to promote digestion and relieve flatulence. Dose, 2 fluidounces, of an ounce to the pint infusion.

Pressed root, in pounds.

GALBANUM.

Gum-resin from *FERULA GALBANIFLUA*, Boissier & Buhse.—Stimulant, carminative, expectorant. Chiefly used in chronic affections of the bronchial mucous membranes, and in uterine and vaginal catarrh; externally, in plaster form, is mildly stimulant and irritant. Dose, 5 to 20 grs.

Pills, see Appendix, "Pills," Nos. 287, 747, 720.

GALLS.

Excrescences caused by puncture and deposited ova of an insect in the bark of *QUERCUS INFECTORIA*, Olivier.—Powerfully astringent, owing to the large amount of tannic acid present. Seldom used internally, though occasionally prescribed in chronic diarrhoea and chronic dysentery, and in cases of poisoning by the vegetable alkaloids; in the form of an infusion (1 to 30) used as an astringent gargle, lotion and injection.

Fluid Extract Nut-Galls, 10 to 30 mins.....per pint..\$ 1.50

Tablet Triturate Gallic Acid, 1 gr....per 100, 16 cts.; per 1000.. 1.00

GAMBOGE.

Gum-resin from *GARCINIA HANBURI*, Hooker filius.—Cathartic, apt to occasion much sickness and griping, but acts better in combination. Useful in obstinate costiveness, amenorrhoea, and dropsy attended with torpidity of bowels. Dose, 1 to 4 grs.

Pills, see Appendix, "Pills," Nos. 42, 158, 161 to 163, 197, 288, 373,

374, 376, 678, 684, 723.

Tablet Triturates, see list in Appendix, Nos. 323 to 325.

GARDEN CELANDINE.

CHELIDONIUM MAJUS, Linné.—A drastic purgative, resembling gamboge in its action. Applied externally to subdue traumatic inflammations.

Fluid Extract of the herb, 1-2 to 1 fluidrachm.....per pint..\$ 1.00

Pressed herb, in ounces.

GARLIC.

ALLIUM SATIVUM, Linné.—A general stimulant; it quickens the circulation, excites the nervous system, promotes expectoration in debility of the lungs, produces diaphoresis or diuresis accordingly as the patient is kept warm or cool, and acts upon the stomach as a tonic or carminative; also said to be anthelmintic. Has been employed with advantage in dyspepsia, flatulence, chronic catarrh and other pectoral affections, in the nervous and spasmodic coughs peculiar to very young children, old atonic dropsies, calculous disorders, and ascarides. Externally, acts as an irritant and rubefacient besides imparting its effects to the system by absorption. It is applied to the soles of the feet as a revulsive in disorders of the head, and used for quieting restlessness in the febrile complaints of children. The fluid extract, diluted, may be applied as a liniment in infantile convulsions, etc.

Fluid Extract of the bulb, 1-2 to 2 fluidrachms.....per pint..\$ 1.20


GELATIN.

A purified form of glue, the principal value of which in medicine, is for the manufacture of capsules. Capsules are largely manufactured by us both empty and filled (soluble elastic and hard).


EMPTY CAPSULES.

In seven sizes for oral exhibition; three sizes for rectal and vaginal administration; Veterinary (horse) capsules, three sizes.

IMPROVED EMPTY GELATIN CAPSULES.



RECTAL CAPSULES.




Our empty capsules, for oral, rectal, and vaginal administration, and for veterinary purposes are simply perfect as regards those qualities which

GELATIN—CONCLUDED.

commend to the practitioner these aids to the exhibition of medicines. Their solubility is perfect, and the fear of passing undigested through the alimentary tract, as has been charged against other brands of these articles, is absolutely groundless. They cannot be excelled in quality by any in use. As a matter of professional interest, we append a table showing the capacity of our Improved Empty Gelatin Capsules, when filled by hand. Larger quantities can be enclosed by using capsule fillers.

For further information upon capsules and other gelatin products, please apply to us for printed matter and samples.

HORSE CAPSULES.



APPROXIMATE CAPACITY OF EMPTY CAPSULES.

The capacity of empty capsules varies according to the degree of compression exerted in filling and the known variation in weight of the same bulk of different samples of the same powdered drug or alkaloid.

SIZES.	00	0	1	2	3	4	5
	grs.	grs.	grs.	grs.	grs.	grs.	grs.
Quinine sulphate.....	8	6	4	3	2	1½	¾
Cinchonidine sulphate.....	8	6	4	3	2	1½	¾
Powdered Ipecac Comp. (U. S. P., 1880).....	12	8	6	4	3	2	1
Powdered Aloes.....	10	7	5	4	3	2	1
Bismuth subnitrate.....	20	14	10	8	6	4	2
Salicin.....	10	7	5	4	3	2	1
Powdered Rhubarb.....	12	8	6	4	3	2	1
Salicylic Acid.....	8	6	4	3	2	1½	¾

For list of Soluble Elastic and Hard Filled Capsules, see Appendix.

Empty Capsules. For oral or rectal use, any size.....
 ..in boxes of 100, per doz., \$1.10; in boxes of 1,000, per doz..\$ 9.00

Horse Capsules. Adapted also for vaginal use; ounce size, in
 boxes of 10, per doz., \$2.50; 1-2 ounce size; in boxes of 10,
 per doz., \$2.25; 1-4 ounce size, in boxes of 10, per doz..... 2.00

GELSEMIUM.

GELSEMIUM SEMPERVIRENS, Aiton. POISONOUS.—Gelsemium and its alkaloids are antipyretic and in some degree antizymotic; they produce not only paralysis of sensibility but also of motility; contra-indicated where cardiac action is weak. Useful whenever exaltation of function exists in sensory or motor nerve; recommended in neuralgia, especially trigeminal and ovarian, in dysmenorrhœa, after-pains, etc.

ANTIDOTES.—Emetics (apomorphine, zinc sulphate, etc.). Sustain vital powers by stimulants (ammonia, alcohol, etc.). Morphine is the most complete physiological antagonist; atropine is also recommended.

<i>Fluid Extract of the rhizome</i> , 1 to 10 mins.....	per pint..	\$ 1.25
<i>Fluid Extract from the green root</i> , 1 to 15 mins....	per pint..	1.25
<i>Solid Extract</i> , 1-5 to 2 grs.....	per oz..	.31
<i>Powdered Extract Gelsemium</i> , 1-5 to 2 grs.....	per oz..	.50
<i>Concentration Gelsemperin</i> , 1-8 to 1 gr.....	per oz..	1.50
<i>Hypodermic Tablet Gelsemine Hydrochlorate</i> , 1-50 gr.....		
.....	per 25, 40 cents; per 100..	1.40
<i>Normal Liquid</i> , 1 to 10 mins.....	per pint..	1.40
<i>Pills</i> , see "Appendix, "Pills," Nos. 9, 55, 56, 259, 289, 290, 685.		
<i>Tablet Triturates</i> , see list in Appendix, Nos. 197, 383 to 388.		

GENTIAN.

GENTIANA LUTEA, Linné.—Gentian possesses in a high degree, the powers which characterize the simple bitters; it excites the appetite, invigorates digestion, moderately increases the force of the circulation, and operates in fact as a general stimulant tonic; in very large doses, however, it is apt to disturb the stomach and bowels. Without reference to the disease, Gentian is indicated in all atonic conditions unattended with active fever.

Elixirs, see list in Appendix. Nos. 56 to 61.

<i>Fluid Extract of the root</i> , 10 to 40 mins.....	per pint..	\$ 1.00
<i>Fluid Extract Gentian Comp.</i> 16-fl.ozs. represent: Gentian, 9 1-7 ozs.; orange peel, 4 4-7 ozs.; cardamom seed, 2 2-7 ozs.	per pint..	1.15
<i>Powdered Extract</i> , 3 to 10 grs.....	per oz..	.40
<i>Solid Extract</i> , 5 to 10 grs.....	per oz..	.16
<i>Pills</i> , see Appendix, "Pills," Nos. 50, 149, 754, 156, 160, 250, 291, 292, 677, 739, 740, 765.		

Tablet Triturates, see list in Appendix, Nos. 320 to 322.

Compressed Tablet, see list in Appendix, No. 47.

Pressed root, in pounds.

GINGER, JAMAICA.

ZINGIBER OFFICINALE, Roscoe.—A grateful stimulant and carminative, often employed in dyspepsia, flatulent colic, and the feeble state of the

GINGER, JAMAICA—CONCLUDED.

alimentary canal attendant upon atonic gout. It is an excellent addition to bitter infusions and tonic mixtures, imparting to them an agreeable warmth and exercising a cordial influence on the stomach; much used in diarrhoea, dysentery, cholera morbus, cholera infantum, hysteria, to relieve nausea, pain and cramps in the stomach and bowels, and to obviate tenesmus.

Fluid Extract Ginger, 5 to 20 mins.....per pint..\$ 1.25

Fluid Ginger, Soluble, one-half the strength of the official fluid extract.....per pint.. 1.00

Lozenge Ginger.....per lb., 60 cents; per doz. boxes of 36.. 95

Syrup Ginger, U. S. P. (15 grs. to the fluidounce)....per pint.. .60

See also *Syrup* No. 34.

Pills, see list in Appendix, Nos. 12, 162, 250, 281, 436, 599, 734, 736.

GINGER, MEXICAN.

AMOMUM ZINGIBER, Linné.—Aromatic, stimulant, carminative. Similar to Jamaica Ginger, but in many respects preferable, especially in colic, owing to a larger percentage of the aromatic principles.

Fluid Extract of the green root, 5 to 20 mins.....per pint..\$ 1.50

GLYCERIN.

Rarely used internally except as a vehicle for other medicaments. Externally, valuable in certain forms of skin disease.

Glycerin Suppositories, containing 95 per cent. glycerin. A convenient substitute for glycerin enemata. These suppositories have been successfully employed in the treatment of certain forms of constipation, both in adults and children. Experience has shown that perfect solution is not necessary to their activity, but that they are capable of producing a laxative effect without any considerable loss of weight. They are insoluble in water at the temperature of the body, and we therefore direct special attention to the fact that their activity is not dependent upon their ready solubility. They can be safely employed for infants as well as adults, producing easy and copious evacuations. Each suppository contains about 3 grammes (46 grains) glycerin; we make only one size, but this may be divided to meet any size desired for children.
.....per doz. bots. of 6, *net*, \$2.00; per doz. bots. of 12, *net*..\$ 3.50

GOANESE IPECAC.

NAREGAMIA ALATA, Wight & Arnott.—Largely employed in India for the same purpose, and to meet the same indications which determine the use of ipecac.

Fluid Extract of the root and stem. As an alterative and expectorant, 5 to 10 mins; as an emetic, 1-4 to 1-2 fl.dr..per pt..\$ 4.00

GOA POWDER.

A substance found deposited in the wood of the trunk of *ANDIRA ARARоба*, Aguiar. Is employed successfully in ring-worm, psoriasis and in all skin diseases of a fungous parasitic nature; internally is cathartic, but seldom used.....per oz., net..\$.40

GOLD AND SODIUM CHLORIDE.

Alterative and tonic. Used *per os* in hysteria, ovarian irritation, ovarian neuralgia and chronic ovaritis; said also to relieve bad cases of recent syphilis. Dose, 1-12 gr. Administered hypodermically with iodine, it is now the most approved treatment of phthisis.

Pill Gold and Sodium Chloride, 1-20 gr., per 100, 75c.; per 500..\$ 3.60

Solution for hypodermic use.....per oz., net.. 1.00

GOLDEN-ROD.

SOLIDAGO ODORA, Aiton.—Aromatic, gently stimulant and carminative. Given in warm infusion as a diaphoretic and to allay colic; also used to disguise the taste of other medicines.

Fluid Extract of the leaves, 1 to 2 fluidrachms.....per pint..\$.90

Pressed leaves, in ounces.

GOLDEN-SEAL.

HYDRASTIS CANADENSIS, Linné.—A valuable tonic, possessing pronounced anti-periodic properties; also increases the secretion of intestinal mucous membrane, the glandular intestinal appendages, and promotes flow of bile, whereby the stools become softer and more frequent; is a valuable remedy for the gastric catarrh of chronic alcoholism, and the best substitute for alcoholic stimulants, when their use to be abandoned. Useful in stomatitis, follicular pharyngitis, chronic coryza, syphilitic affections of the mouth, throat and nares, and atonic dyspepsia. Its action on the mucous tissue seems to depend more particularly on the white alkaloid, Hydrastine. Its general tonic influence is derived from the yellow alkaloid, Berberine [frequently called hydrastine (yellow) alkaloid]. A concentrated powdered preparation of Golden-seal, representing all the properties of the drug, is prepared under the name of Hydrastin. See below.

Berberine Hydrochlorate. Berberine is an alkaloid which occurs in a number of different plants, notably in the various of *Berberis*, in golden-seal, gold thread, yellow root, and columbo. The yellow color and the bitterness of all these are dependent, in part at least, on the presence of this alkaloid. From its occurrence in golden-seal, it has sometimes been improperly called hydrastine. Properties: tonic, hepatic, stimulant, anti-periodic, etc. Solubility, 1 in 500. Dose, 1 to 4 grs.....per oz..\$ 2.00

Berberine Phosphate. More soluble in water than the last named, but properties, therapeutic uses, and doses are the same. Solubility, 1 to 10.....per oz.. 4.00

GOLDEN-SEAL—CONCLUDED.

Berberine Sulphate. Neutral. Of equal solubility with the Phosphate, and with similar properties and dose....per oz..\$ 4.00

Hydrastine.—The white alkaloid of *Hydrastis canadensis*. It exerts a peculiar stimulating and alterative action upon the mucous membrane, is a valuable remedy in atonic conditions of the bowels, and in all catarrhal affections of mucous tracts. Specially useful in chronic affections of the bladder and genito-urinary system. Dose, 1-16 to 1-4 gr.....per oz., *net.* 8.50

Hydrastine Hydrochlorate. Pure Hydrastine is soluble in alcohol and chloroform, but not in water. The hydrochlorate, or muriate, is freely soluble, and is therefore to be preferred in prescribing. It is much used by oculists in solutions containing 1 to 5 grains to the ounce. Also a valuable local remedy in gonorrhœa (1-4 to 1 gr. or more to the oz.). Dose, 1-16 to 1-4 gr.....per oz., *net.* 7.50

Hydrastine Sulphate. Properties, uses and doses identical with those of Hydrastine hydrochlorate.....per oz., *net.* 7.50

Elixirs, see list in Appendix, Nos. 5, 111, 112.

Fluid Extract of the rhizome, 10 to 30 mins.....per pint.. 2.00

Fluid Extract Golden-Seal without Alcohol, 10 to 30 mins.....
.....per pint.. 1.40

Fluid Golden-Seal, colorless, 10 to 60 mins.....per pint.. 1.25

See also *Fluid Rhubarb Compound with Potassa*, under *Rhubarb*.

Normal Liquid Golden-seal.....per pint.. 2.15

Powdered Extract, 2 to 10 grs.....per oz.. .65

Solid Extract, 2 to 10 grs.....per oz.. .55

See also *Liquor Sedans*.

Concentration Hydrastin, 1 to 3 grs.....per oz.. 1.50

Pills, see Appendix, "Pills," Nos. 90 to 92, 282, 303, 418, 438, 686.

Tablet Triturates, see list in Appendix, Nos. 74 to 77, 396 to 399.

Compressed Tablet, see list in Appendix, No. 6.

Pressed root, in pounds and ounces.

GOLDTHREAD.

COPTIS TRIFOLIA, Salisbury.—A pure, bitter tonic, without astringency, resembling columbo and gentian in effects. The infusion is in general use as a wash or gargle for ulceration of the mouth and fauces.

Fluid Extract of the plant, 1-2 to 1 fluidrachm.....per pint..\$ 2.25

Pressed plant, in ounces.

GRAVEL-PLANT.

EPIGÆA REPENS, Linné.—This plant is diuretic, astringent, and said to be highly beneficial in lithic acid gravel, in strangury, and in vesical catarrh. Has been freely used to advantage in diseases where uva ursi and buchu are indicated; has given relief where both the latter failed.

Fluid Extract of the leaves, 1-2 to 1 fluidrachm.....per pint..\$.90

Pressed leaves, in ounces.

GREAT LAUREL.

RHODODENDRON MAXIMUM, Linné.—Expectorant, stimulant, astringent. Highly recommended in cases of obstinate cough.

Fluid Extract of the leaves, 5 to 15 mins.....per pint..\$ 1.20

GREEN-DRAGON.

ARISÆMA DRACONTIUM, Schott.—Expectorant and diaphoretic. Said to be a certain remedy in dry, hacking coughs where there is considerable irritation; is best administered in small doses well diluted.

Fluid Extract of the corm, 1 to 10 mins.....per pint..\$ 1.20

GREEN OSIER.

CORNUS CIRGINATA, L'Heritier.—Tonic, astringent and febrifuge. Is chiefly employed as a stomachic, its medicinal properties being similar to those of Dogwood (*Cornus florida*, Linné).

Fluid Extract of the bark, 20 to 60 mins.....per pint..\$ 1.05

Pressed bark, in pounds.

GRINDELIA.

GRINDELIA ROBUSTA, Nuttall.—Grindelia robusta has attained a good deal of reputation of late years in the treatment of asthma, giving prompt relief, it is said, when other remedies have failed. It has also been recommended in bronchial affections, in pertussis, and in some renal maladies.

Elixir Grindelia Robusta (120 grs. to fl.oz).....per doz pints..\$ 8.25

Fluid Extract of the herb, 1-2 to 1 fluidrachm.....per pint.. 1.90

Fluid Extract Grindelia Comp. Efficacious in the treatment of asthma where there is a torpid condition of the bowels. Each pint represents: Grindelia, 10 2-3 ozs.; senna, 2 2-3 ozs.; Rhubarb, 2 2-3 ozs. Dose 1 fluidrachm repeated every three or four hours.....per pint.. 2.00

Solid Extract, 5 to 15 grs.....per oz.. .31

Pill Grindelia Robusta Extract, 3 grs.....100, 50 cents; 500.. 2.35

See also *Glycerole Yerbine Comp.* .

GRINDELIA SQUARROSA, DUNAL.

A Spanish-American remedy for intermittent fevers and, of value in paludal diseases of any kind. For cystitis, leucocythæmia, enlargement of the spleen, torpidity of the liver, and, (in combination with yerba santa), anasarca, it is of growing value; it has also been found useful in chronic rheumatic affections.

Fluid Extract of the herb, 15 to 30 mins.....per pint..\$ 2.00

GROUND IVY.

NEPETA GLECHOMA, Benth. — Said to be stimulant, tonic, and expectorant. Has been recommended in diseases of the kidneys, asthma, jaundice, and hypochondria; painters use it as a remedy for, and to prevent, lead colic. Dose, wineglassful of infusion of an ounce to the pint.

Pressed herb, in ounces.

GUACO.

Leaves from MIKANIA GUACO, Humboldt & Bonpland. Botanical source of the root not yet determined. — Guaco leaves are somewhat tonic in their action, stimulating also the secretions. Used as a prophylactic in epidemic cholera and for their remedial action in chronic diarrhœa; also with success in chronic rheumatism and atonic deafness; highly recommended in connection with local applications in gouty paroxysms.

Guaco root is regarded in Mexico as a specific in rheumatic affections.

Fluid Extract Guaco leaves, 1-2 to 1 fluidrachm.....per pint..\$ 2.40

Fluid Extract Guaco root, 15 to 30 mins.....per pint.. 2.40

GUAIAIC.

GUAIAICUM OFFICINALE, Linné. — Alterative, stimulant, diaphoretic, anti-rheumatic and anti-syphilitic. Formerly held in high repute as a remedy in constitutional syphilis, but is now replaced by potassium iodide. It is found efficient in promoting menstruation in all atonic conditions of the uterus, hence is employed in certain dysmenorrhœas, and amenorrhœas. For rheumatism it should be taken in conjunction with Rochelle salt; the patient should be covered warm in bed and abundantly provided with warm drinks to excite profuse perspiration.

Fluid Extract Guaiac Wood, 10 to 20 mins.....per pint..\$.90

Powdered Extract Guaiac Wood, 2 to 10 grs.....per oz.. .4

See also *Fluid Extract Sarsaparilla Comp.*, for syrup.

Pills, see Appendix "Pills" Nos. 54, 130, 227, 258, 363, 731.

See also *Syrups*, Nos. 44, 45.

Lozenge Guaiac resin, 2 grs.....

.....per lb., 60 cents; per doz. boxes of 36.. 1.10

Tablet Triturate Antimony Comp....per 100, 16 cents; per 1000.. 1.00

GUARANA.

PAULLINIA SORBILIS, Martius.—The special use of Paullinia is in the treatment of sick headache or migraine; it is adapted to the so-called nervous form but is less efficient when the attacks are due to stomach troubles. As it possesses, directly or indirectly, restorative powers, it may be employed to promote constructive metamorphosis; administered with this view, it may be given with advantage in convalescence from acute maladies, incipient phthisis, and in wasting diseases generally.

Elixirs, see list in Appendix, Nos. 39, 63.

Fluid Extract Guarana, 5 to 30 mins.....per pint..\$ 5.00

Normal Liquid Guarana.....per pint.. 5.40

Powdered Extract Guarana, assayed, 3 to 10 grs.....per oz.. 1.60

Solid Extract Guarana, assayed, 3 to 10 grs.....per oz.. 1.50

Pills, see Appendix, "Pills," Nos. 297, 298.

GURJUN BALSAM.

An oleoresin obtained from various trees of the DIPTEROCARPEÆ.—Properties similar to those of copaiba, but less nauseous; communicates no unpleasant odor to the breath. One of the best dressings in blennorrhagic vaginitis (one part of the balsam to two of lime-water); has been successfully used in leprosy.....per lb., net..\$.60

Soluble Elastic Capsules Gurjun Balsam, 10 mins.....

.....per doz. boxes of 1 doz., \$2.00; per 100.. 1.15

HAIRCAP MOSS.

POLYTRICHUM JUNIPERUM, Hedwig.—A powerful diuretic. In full doses every half hour is said to have removed twenty to forty pounds of water in twenty-four hours, from a dropsical patient; it may be used in connection with hydragogue cathartics, or even alone; useful in uric acid and phosphatic lithiasis.

Fluid Extract of the plant, 1 to 2 fluidrachms.....per pint..\$ 1.20

Pressed plant, in ounces.

HARDHACK.

SPIRÆA TOMENTOSA, Linné.—Astringent and tonic. An excellent remedy in summer complaints of children, being less offensive to the stomach than other astringents; used in diarrhoea and dysentery, and well adapted to disordered digestion. The fluid extract is useful as an astringent lotion.

Fluid Extract of the leaves, 1-2 to 1 fluidrachm.....per pint..\$.90

Pressed leaves, in ounces.

HELIANTHELLA TENUIFOLIA, TORREY & GRAY.

Aromatic, expectorant, anti-spasmodic, diuretic, diaphoretic, and in large doses emetic. Indicated in chronic bronchitis, asthma, and as an expectorant in consumption and in dropsy; advantageously added to syrupy cough mixtures.

Fluid Extract of the root, 5 to 30 mins.....per pint..\$ 3.00

HELONIAS.

CHAMÆLIRIUM LUTEUM, Gray. NOTE.—Helonias and Stargrass are now used for False Unicorn and Unicorn respectively as being names less liable to confusion.

Tonic and diuretic; in large doses, emetic. Has been found to be beneficial in dyspepsia, loss of appetite, atonicity of generative organs, spermatorrhœa caused by excesses, impaired memory, mental apathy, etc.; also as a uterine tonic in leucorrhœa, amenorrhœa and dysmenorrhœa.

Elixirs, see list in Appendix, Nos. 64, 65

Fluid Extract of the rhizome, 1-2 to 2 fluidrachms..per pint..\$ 1.80

Fluid Extract Helonias Comp., (or *Squaw Vine Comp.*).

The several remedies composing this preparation possess tonic, alterative and anti-spasmodic virtues, and act particularly upon the female reproductive organs. Said to render parturition safe and easy. Each pint represents: Squaw vine, 9 1-7 ozs.; cramp bark, 2 2-7 ozs.; helonias, 2 2-7 ozs.; blue cohosh, 2 2-7 ozs. Dose, 1-2 to 1 fluidrachm.....per pint.. 1.50

Concentration Helonin, 2 to 4 grs.....per oz.. 1.50

Pill Helonin, 1-8 gr.....per 100, 30 cents; per 500.. 1.35

Pressed root, in pounds.

HEMATIC HYPOPHOSPHITES.

Each fluidounce contains: Potassium Hypophosphite, 1 1-2 grains; Manganese Hypophosphite, 1 grain; Strychnine Hypophosphite, 1-8 grain; Iron Hypophosphite, 1 1-4 grains; Calcium Hypophosphite, 1 grain; Quinine hypophosphite, 7-16 grain.

In the debilitated conditions in which the preparations of the hypophosphites are usually prescribed, minute doses often exert a more favorable influence than the full doses which the physician is tempted to prescribe. In cases of nervous exhaustion especially, recuperation is necessarily slow, and medication, to be successful must be based on the maxim *festina lente*. The combination of remedies is one adapted to a great variety of diseased conditions. It is likely to prove useful wherever there is debility or depraved nutrition, but it is specially appropriate in cases of anæmia and nervous prostration, in consumption, and in all scrofulous and tubercular affections.

In pint bottles..... per doz., *net*..\$ 7.00

HEMLOCK SPRUCE.

TSUGA CANADENSIS, Carrière.—Astringent and tonic. Beneficial as an injection in leucorrhœa and prolapsus uteri; administered internally and in enema, has been found useful in chronic diarrhœa due to simple relaxation; also of service as a local application in gangrene.

Fluid Extract of the bark, 1-4 to 1 fluidrachm.....per pint..\$.75

Pressed bark, in pounds.

HEMOGLOBIN COMPOUND.

A highly nutritive agent and nerve tonic, specially indicated in cases where there is a lack of nerve force or vital energy. It contains all the elements of Bullock's Blood, from which it is prepared, and therefore is capable of supplying nearly all substances essential to perfect nutrition; it also contains extract of malt, the diastatic properties of which greatly enhance its value.

In 1-2 pint bottles.....per doz., *net*, \$9.00

HENBANE.

HYOSCYAMUS NIGER, Linné. **POISONOUS**.—Deliriant narcotic, anodyne, anti-spasmodic and hypnotic. Is employed chiefly to relieve pain, and quiet irregular nervous action; often prescribed for children who do not bear opiates well; used in asthma, whooping-cough, functional palpitation of the heart, chorea, hypochondriasis, mania, etc. Like belladonna, it dilates the pupil, and occasionally produces a cutaneous rash. Employed as a sedative when opium, from its constipating properties, is not advisable.

ANTIDOTES.—Same as for belladonna. Emetics (sulphate of zinc or copper), warmth to extremities, cold to the head. Stimulants, particularly coffee, and morphia hypodermically in small and repeated doses.

NOTE.—Caustic alkalies decompose the active principles of Henbane.

Fluid Extract of the leaves, 5 to 10 mins.....per pint..\$ 1.25

Powdered Extract, 1-2 to 2 grs.....per oz.. .45

Solid Extract, 1-2 to 2 grs.....per oz.. .31

Concentration Hyonigrin, 1-16 to 1-2 gr.....per oz.. 1.75

Hypodermic Tablets, see list in Appendix, Nos. 11, 12, 51.

Normal Liquid, 5 to 10 mins.....per pint.. 1.40

Pills, see Appendix, "Pills," Nos. 43, 48, 50, 51, 58, 59, 62, 95, 96, 133, 135, 140, 143, 157 to 161, 176, 211 to 215, 300, 304 to 308, 313, 325, 365, 414, 415, 464, 465, 511, 518, 565, 593, 661, 663, 677, 687, 722, 765, 776.

Inhalant, No. 4, see list in Appendix.....per pint.. 1.25

Tablet Triturates, see list in Appendix, Nos. 225, 226, 234, 235, 78, 79, 267, 320 to 322, 389 to 394, 400.

Compressed Tablets, see list in Appendix, Nos. 7, 13, 14, 31, 35.

Veterinary Hypodermic Tablet Hyoscyamine, 1-8 gr.....
.....per doz. tubes of one doz.. 3.00

HOANG NAN.

STRYCHNOS MALACCENSIS, Bentham. **POISONOUS**.—An alterative and cerebro-spinant. Has the reputation of possessing specific virtues in leprosy, while the eruptions of constitutional syphilis, eczema and various skin diseases often yield to it with promptness. The most important use to which it is applied is in the treatment of paralysis. In relaxation of the members in hemiplegia, and where paralysis is recent, this remedy is

HOANG NAN—CONCLUDED.

peculiarly efficacious. In rheumatismal, paludal, or syphilitic paralysis, it achieves important results.

ANTIDOTES.—Emetics or stomach-pump, followed by perfect quiet. Treat with strychnine antagonists—chloral, tobacco, chloroform, inhalations of ether, etc.

<i>Hoang Nan</i> , powdered bark.....	per oz., <i>net.</i> ..	\$ 1.25
<i>Pill Hoang Nan</i> , 3 grs.....	per 100, \$1.55; per 500..	7.60
<i>Concentrated Tincture Hoang Nan</i> . Four parts of tincture equal one of bark. Dose, 3 to 10 mins.....	per pint..	6.00

HOLLYHOCK.

ALTHÆA ROSEA, Cavanilles. Demulcent. Used in irritation and inflammation of the mucous membranes.

Pressed leaves, in ounces.

HOPS.

HUMULUS LUPULUS, Linné.—Tonic, hypnotic, and said to possess anthelmintic, anti-lithic, anti-periodic and diuretic properties; principally used for sedative or hypnotic action, producing sleep by removing restlessness. Prescribed in nervous tremors, wakefulness, and in the delirium of drunkards; useful as an anaphrodisiac in the treatment of gonorrhœa, spermatorrhœa and other irritated conditions of the genito-urinary apparatus.

Lupulin. Being convinced that no preparation can be prepared which shall contain in the form of a permanent powder a larger proportion of the oleo-resinous constituents to which hops chiefly owe their activity, we have omitted from our list the concentration Humulin, and supply in its place a select article of Lupulin, of a recent crop; 5 to 10 grs. per oz..\$.40

Fluid Extract Hops, 15 to 60 mins.....per pint.. 1.70

Fluid Extract Lupulin, 10 to 15 mins.....per pint.. 2.50

Fluid Extract Lupulin Comp. Largely used as a therapeutic substitute for opium, and as a corrective of the opium habit. It is tonic, anti-spasmodic, nervine and hypnotic, and possessing the most important properties of opium, leaves none of the objectionable sequelæ, *i. e.*, nervous exhaustion, disordered stomach and constipation; may be used to advantage in chorea, delirium tremens, nervous irritability, wakefulness, neuralgia, teething of children, etc. Each pint represents 5 1-2 ounces each of lupulin, lettuce and scullcap; 1-4 to 1 fluidrachm.....per pint.. 1.80

Powdered Extract Hops, 3 to 10 grs.....per oz.. .60

Solid Extract Hops, 3 to 10 grs.....per oz.. .38

Pills, see Appendix, "Pills," Nos. 104, 377, 493.

Tablet Triturates, see list in Appendix, Nos. 430, 431.

Pressed Hops, in ounces, and 4 and 8 ounce packages.

HOREHOUND.

MARRUBIUM VULGARE, Linné.—A bitter tonic; laxative when given in large doses; said to increase the secretions from the skin and kidneys. Is employed in catarrhal and other chronic affections of the lungs attended with cough and copious expectoration.

Fluid Extract of the leaves, 1-2 to 1 fluidrachm.....per pint..\$.90

Fluid Extract Horehound Comp. Demulcent, expectorant. A valuable combination in coughs and colds. Its mild diaphoretic and sedative properties particularly fit it for administration to children. Each pint represents: Horehound, 8 ozs.; Senega, 2 ozs.; Comfrey, 4 ozs.; Wild Cherry, 2 ozs. 1-4 to 1 fluidrachm.....per pint.. 1.25

Solid Extract, 5 to 15 grs.....per oz.. .25

Syrup Horehound Comp......per pint.. .60

Pressed leaves, in ounces.

HORSE-CHESTNUT.

ÆSCULUS HIPPOCASTANUM, Linné.—Horse-chestnut bark is tonic, astringent, febrifuge, narcotic and antiseptic. Given in doses of a teaspoonful from four to six times a day, has relieved intermittent fever; contains a principle isomeric with quinoidine—a principle existing in cinchona leaves—and has been long used in Europe as a substitute for Peruvian bark.

The properties of the nuts are similar to those of the bark, being tonic, slightly astringent, anti-spasmodic. Employed with especial benefit in neuralgic affections.

Fluid Extract of bark, 1-2 to 2 fluidrachms.....per pint..\$ 1.20

Fluid Extract of nuts, 5 to 15 mins.....per pint.. 1.50

HORSEMINT.

MONARDA PUNCTATA, Linné.—Stimulant, diaphoretic, diuretic and carminative. The hot infusion is popular as a household remedy for affections arising from colds, such as catarrh, rheumatism, diarrhoea, etc., and also as an emmenagogue. Dose, a wineglassful of infusion one ounce to the pint.

Pressed leaves, in ounces.

HORSE-NETTLE.

SOLANUM CAROLINENSE, Linné.—In non-traumatic tetanus, convulsions and epilepsy, this remedy gives promise of great usefulness; also in convulsions due to albuminuria of pregnancy.

Fluid Extract of the fruit, 2 to 15 mins.....per pint..\$ 2.00

HORSE-RADISH.

NASTURTIUM ARMORACIA, Fries.—Stimulant, diuretic, anti-scorbutic, rubefacient; stimulates urinary secretion and excites the flow of gastric juice. It has been efficaciously employed in chronic atony of the digestive apparatus, as a stimulant in general systemic debility, and as an anti-scorbutic; externally rubefacient.

HORSE-RADISH—CONCLUDED.

Fluid Extract of the root, 1 to 2 fluidrachms.....per pint..\$ 1.20

Pressed leaves, in ounces. *Pressed root*, in pounds.

HOUND'S-TONGUE.

CYNOGLOSSUM OFFICINALE, Linné.—Hound's-tongue is said to be anodyne, demulcent and astringent. It is recommended as valuable in the treatment of coughs, catarrhs, hæmoptysis and dysentery; the fluid extract diluted with its volume of water, applied on cloths to scrofulous tumors, burns, inflammations, excoriated feet, and irritated, chafed or bruised parts, will afford relief, sometimes permanently.

Fluid Extract of the leaves, 1-2 to 1 fluidrachm.....per pint..\$ 1.35

Pressed leaves, in ounces.

HYDRANGÆA ARBORESCENS, LINNÉ.

Cathartic, diuretic, diaphoretic, and a solvent of gravel deposits in bladder; alleviates pain attendant on passage of calculi through the ureter. It is especially useful when there is an alkaline condition of the urine occasioning a tendency to phosphatic deposits; its free elimination renders it valuable in cutaneous and strumous disorders.

Fluid Extract of the root, 10 to 30 mins.....per pint..\$ 1.05

Compressed Tablet, see list in Appendix, No. 19.

Pressed root, in pounds.

HYDRIODIC ACID.

The use of the dilute acid has been advocated with a view to obtaining the therapeutic effect of iodine, its chief constituent, without the unpleasant effects that so often inhibit the use of the pure element or its alkaline salts.

Syrup, 1 per cent, per pint, *net*, 80c.; 2 per cent, per pint, *net*..\$ 1.25

HYDROCYANIC ACID.

A dangerously potent distillate of potassium ferrocyanide and sulphuric acid. In medicinal doses valuable as an antispasmodic and sedative; a valuable remedy in cholera and angina pectoris.

See *Chloranodyne*.

HYSSOP.

HYSSOPUS OFFICINALIS, Linné.—Stimulant, aromatic, carminative and tonic. Principally used in quinsy and other sore throats as a gargle, combined with sage and alum, sweetened with honey; also recommended in atonic and flatulent dyspepsia, chronic bronchitis—especially of the aged—amenorrhœa, etc.; likewise may be applied externally for the relief of muscular rheumatism, bruises, ecchymoses, etc.

Fluid Extract of the leaves, 1 to 2 fluidrachms.....per pint..\$1.00

Pressed leaves, in ounces.

HYSTERIONICA.

HAPLOPAPPUS BAYLAHUEN, Remy.—A balsam of considerable efficiency in the treatment of acute and chronic affections of the respiratory apparatus; has also been found to act as a stomachic, and as intestinal antiseptic of great value in the treatment of flatulent dyspepsia, the diarrhoea accompanying certain forms of digestive trouble, etc.

It has an excellent effect in dysentery, both chronic and acute, and its balsamic nature gives promise of further usefulness in diseases of the genito-urinary apparatus that are accompanied by muco-purulent discharges.

Fluid Extract of the plant, 5 to 15 mins.....per pint..\$ 2.00

IGNATIA.

STRYCHNOS IGNATI, Bergius. POISONOUS.—Properties similar to those of nux vomica, and depends on the presence of the same alkaloids, strychnine and brucine (see nux vomica). A powerful tonic, indicated especially where there is impairment of nerve function, hence useful in all forms of general or local paralysis, in neuralgia, impotence, neurasthenia, chronic constipation, etc.

ANTIDOTES.—The same as for strychnine. Emetics or stomach pump, followed by perfect quiet. Chloral, tobacco, ether, and chloroform (inhaled) are true physiological antagonists.

NOTE.—Bromides, chlorides and iodides precipitate strychnine from solutions.

Fluid Extract of the seed, 1 to 10 mins.....per pint..\$ 2.10

Powdered Extract, 1-6 to 1 gr.....per oz.. 1.00

Solid Extract, 1-6 to 1 gr.....per oz.. .75

Pills, see Appendix, "Pills," Nos. 97, 261, 310 to 312, 414, 415.

Tablet Triturates, see list in Appendix, Nos. 80, 81, 183, 401 to 406.

Compressed Tablet, see list in Appendix, No. 35.

INDIAN BLACK-ROOT.

PTEROCaulON PYCNOSTACHYUM, Elliott.—This remedy is used largely among the Indians as an alterative; it is also said to be cathartic, but its value as a therapeutic agent has not yet been scientifically defined.

Fluid Extract of the root, 15 to 30 mins.....per pint..\$ 1.80

INDIAN PHYSIC.

GILLENIA TRIFOLIATA, Moench.—A mild efficient emetic and cathartic, said to possess tonic properties. Used by some practitioners as a substitute for ipecac, which it is claimed to resemble in action.

Fluid Extract of the bark of rhizome, 10 to 40 mins..per pint..\$ 1.00

Pressed bark of rhizome, in ounces,

INDIAN TURNIP.


ARISÆMA TRIPHYLLUM, Torrey.—Acrid expectorant and diaphoretic. Recommended in croup, whooping-cough, asthma, chronic laryngitis, bronchitis; to relieve flatulence and colic; and as an application in aphthous sore mouth.

Fluid Extract of the fresh root, 1-4 to 1 fluidrachm..per pint..\$ 1.20

Pressed root, in pounds.

INHALER, SEMPLE'S ATOMIZING.

The value of medicated vapor in the topical treatment of affections of the nose, mouth, larynx, bronchi and lungs, has long been recognized; but the various inhalers that have heretofore been placed before the profession, very imperfectly fulfilled the purposes for which they were designed, and physicians and patients have been discouraged by failures to supply a spray which would admit of continuous inhalation without irritation of the membrane intended to medicate.



SEMPLER'S ATOMIZING INHALER.

It is, therefore, with special pleasure we offer the profession Dr. Semple's apparatus, which is immeasurably superior to any now in use, and will, we believe, be largely employed in future, not only by specialists

INHALER, SEMPLE'S ATOMIZING—CONCLUDED.

in diseases of the respiratory tract, but also by the general practitioner. This new invention is unquestionably the most perfect apparatus ever presented for the application of medicated vapor to the respiratory tract. It combines simplicity of construction, durability, and a fineness of spray unapproached by any atomizing inhaler hitherto introduced. It provides a constant supply of vapor in a reservoir, and secures more effectually than any other the topical effects of medicated vapor on the whole respiratory tract. In consumption, asthma, catarrh, bronchitis, hay fever and, indeed, all diseases in which it is desired to topically medicate the mucous membrane, this atomizing inhaler forms an indispensable addition to the armamentarium of the physician. Price for Inhaler....*net.* \$ 4.00

For Inhalants suitable for use in this inhaler, see list in Appendix.

IODINE.

Alterative. Rarely exhibited internally uncombined, but very valuable under the form of iodide when associated with other products, notably alkalies, as iodide of potassium, etc; topically used in solution as a counter-irritant.

The subcutaneous use of solutions of Iodine and Gold in the treatment of pulmonary consumption has proved of value in the practice of Drs. Shurly and Gibbes, and is further verified by many specialists in this disorder. Dose internally, 1-2 to 1 grain.

Soluble Elastic Capsule Cod Liver Oil and Iodine.....

.....per 100, 70 cents; per doz. boxes of one doz..\$ 1.35

Inhalants, Nos. 8, 10, 11, 13.

Solution, for hypodermic use..per oz., *net.* 1.00

IODOFORM.

Alterative and antiseptic. Has been found valuable in the treatment of goitre, scrofula, rickets, amenorrhœa, glandular tumors and cutaneous eruptions; its principal value is as a topical application in the dressing of ulcers and wounds, and in the treatment of uterine diseases. Dose, 1 to 3 grains.

Pills, see Appendix, "Pills," Nos. 314 to 316, 688.

Soluble Elastic Capsule Cod Liver Oil and Iodoform

.....per 100, \$1.15; per doz. boxes of one doz..\$ 2.00

Bougies, containing 1, 2, 3, 5 & 10 grs.

Inhalant, see list in Appendix, No. 19.

IPECAC.

CEPHAËLIS IPECACUANHA, A. Richard. Emetic in large doses; in small doses alterative, expectorant, diaphoretic; in minute doses, tonic stimulant, increasing the appetite and promoting digestion. In dysentery it exercises peculiar powers. As a diaphoretic, combined with opium, it is applicable to all cases not attended with much fever. Narcotics hinder its emetic action.

IPECAC—CONCLUDED.

Fluid Extract Ipecac, as an emetic, 25 mins., repeated if necessary; as a diaphoretic, 1 to 2 mins.; as an expectorant, 1-4 to 1 min.....per pint..\$ 5.00

Fluid Extract Ipecac and Senega. Emetic in large doses. In small doses, a stimulating expectorant and diaphoretic. Each pint represents 8 ozs. each of Ipecac and Senega; 5 to 20 mins.....per pint.. 3.00

See also *Fluid Extract Black Cohosh Compound*.

Powdered Extract, 1-20 to 1-2 gr.....per oz.. 2.25

Solid Extract, 1-20 to 1-2 gr.....per oz.. 2.00

Lozenges.

Ipecac, U. S. P., 1-4 gr.....per lb.. .60

Ipecac and Morphine (Powd. Ipecac, 1-8 gr.; Morphine Sulphate, 1-32 gr).....per lb.. .75

Pectoral, Dr. Jackson's (Ipecac, 1-20 gr.; Antimony, sulphurated, 1-40 gr.; Morphine muriate, 1-33 gr).....per lb.. .95

Normal Liquid; as an emetic, 25 mins., repeated if necessary; as a diaphoretic, 1 to 3 mins.; as an expectorant, 1-4 to 1 min.....per pint.. 5.40

Pills, see Appendix, "Pills," Nos. 30, 51, 52, 60, 85, 110, 149, 754, 210, 216, 222, 248, 249, 259, 317 to 321, 362, 365, 372, 375, 739, 482, 483, 487, 518, 546, 548, 630, 631, 682, 689, 724, 725.

Elixir Cimicifuga Comp......per doz. pints.. 8.25

Tablet Triturates, see list in Appendix, "Nos. 67, 68, 202, 219, 293, 309, 229, 310, 211, 195, 382, 395, 82 to 84, 366 to 368, 407 to 410, 606

Syrups.

Syrup Dover's Powder, see *Opium*.

Syrup Ipecac, U. S. P.; as an emetic for a young child, 30 to 60 mins., repeated; as an expectorant for adult, 30 to 60 mins.; as an expectorant for a child, 1 to 10 mins.....per pint.. .80

Syrup Potassium Citrate and Ipecac. Formula suggested by Prof. H. C. Wood, in the *Therapeutic Gazette*, Jan. 15, 1885. Dose, for an adult, a tablespoonful 4 to 6 times a day. Prof. Wood, as the result of long experience, has settled on this combination of Potassium citrate with Ipecac as the best sedative cough mixture he has ever used. If there is much cough, Dr. Wood is accustomed to add to the mixture an opiate, and such an addition can easily be made whenever the case seems to demand. The mixture is intended to be used only during the first or dry stage of the cold. After the first two or three days the more stimulating expectorants come into play, and here Prof. Wood finds the oil of eucalyptus in capsules the most serviceable remedy.....per pint.. 1.00

Wine Ipecac, U. S. P., 15 to 60 mins.....per doz. pints.. 16.50

Compressed Tablets, see list in Appendix, Nos. 9, 22, 23.

IRON AND AMMONIA CITRATE.

A very soluble form of Iron and a pleasant chalybeate. Dose, 5 to 30 grains.

Elixir Cinchona ferratedper doz..\$ 9.75.

Wines, Nos. 5, 6, 10. See also *Beef, Iron and Wine*, Nos. 15, 16.

Capsules, Nos. 18, 108

IRON AND SODIUM ALBUMINATE.

Claimed to be superior to other forms of Iron by reason of its ready absorption. Used in chlorosis and anæmia. Dose, 5 to 30 grs.

Syrup.....per doz..\$ 9.75

IRON ARSENIATE.

Useful in chronic affections of the skin, more particularly such as are of a scaly character, *e. g.*, lepra, psoriasis and some forms of eczema. Dose, 1-10 gr.

Tablet Triturates, see list in Appendix, Nos. 87, 189, 411, 412.

IRON BROMIDE.

Tonic and alterative. Used with advantage in psoriasis, scrofulous tumors, erysipelas and amenorrhœa; often employed with benefit in phthisis and other tubercular diseases; also in bronchocele. Dose, 1 to 5 grs.

Pills, see Appendix, "Pills," Nos. 63, 327.

Syrup.....per doz..\$16.50

IRON CHLORIDE.

One of the most active and certain of the preparations of Iron. Particularly useful in scrofula, gleet, gonorrhœa, leucorrhœa, erysipelas and any affection of the blood. Most commonly used as a tincture.

Elixirs, see list in Appendix, Nos. 58, 59.

Wine Wild Cherry and Iron.....per doz..\$ 9.75

Capsule Copaiba, Cubeb and Iron.....
.....per doz. boxes of 1 doz., \$2.40; per 100.. 1.35

See also *Emergency Case*.

Syrup Iron Chloride (Weld's formula). This is the only known preparation of Iron Chloride which can be taken without damage to the teeth.....per doz., *net.* 9.00

IRON CITRATE.

A pleasant chalybeate formed by combining Iron and citric acid. Dose, 5 grains several times a day.

Pills, see Appendix, "Pills," Nos. 227, 229, 328, 329, 344 to 348.

Tablet Triturates, see list in Appendix, Nos. 88 to 93, 417.

Wine of Iron Citrate.....per doz..\$ 8.25

IRON, DIALYZED, AND GLYCERATED DIALYZED IRON.

Each fluidounce contains 24 grains ferric oxide, or 16.79 grains metallic Iron. Free from disagreeable taste, having no injurious action on the teeth, stomach or bowels, it is suited to cases where other forms of Iron are not tolerated.

Dialyzed Iron has the disadvantage of liability to congeal under exposure at low degrees of temperature, thus rendering its transportation during the winter months very hazardous and unprofitable. To overcome this difficulty, we furnish our GLYCERATED DIALYZED IRON, which is a solution of the peroxide rendered perfectly pure and natural by careful dialysis, and united with a small percentage of chemically pure glycerin, which prevents it from congealing and permits shipment in any weather with perfect safety. It is permanent and will not gelatinize or mould. The dose of this preparation is the same as that of ordinary dialyzed Iron, viz.: from 5 to 30 drops, containing 5 per cent. of peroxide.

<i>Dialyzed Iron</i>	per bottle, net..\$.45
<i>Dialyzed Iron, Glycerated</i>	per bottle, net.. .50

IRON FERROCYANIDE.

Tonic, febrifuge, alterative. Sometimes employed as an application to ill conditioned ulcers. Dose, internally, 3 to 5 grains several times a day.

Pills, see Appendix, "Pills," Nos. 47, 53, 285, 331, 662.

IRON HYPOPHOSPHITE.

This salt may be given in conditions of the economy where there is deficient cerebral power dependent upon anæmia. Dose, 5 to 10 grs.

Syrups, Nos. 12, 14; *Hematic Hypophosphites*.

Malt Extract, with Hypophosphites.....per doz..\$ 7.00

IRON BY HYDROGEN.

One of the best chalybeate tonics, nearly free from astringency. Dose, 3 to 6 grs., several times a day.

Pills, see Appendix, "Pills," Nos. 81, 185 to 187, 315, 332, 333, 343, 349, 740, 416, 443, 444, 466, 467, 469, 471, 472, 479, 481, 486, 543, 545, 549, 749, 629 to 631, 690.

Tablet Triturates, see list in Appendix, Nos. 85, 86, 183, 203, 230, 184, 413 to 416, 419, 185.

IRON IODIDE.

Tonic, alterative, diuretic, emmenagogue. Chiefly employed in scrofulous complaints, chlorosis, atonic amenorrhœa, dysmenorrhœa and leucorrhœa. Dose, 1 to 8 grs.

Pills, see Appendix, "Pills," Nos. 334, 335, 444, 727.

Syrups, Nos. 16, 39.

Capsules, Nos. 12, 104

IRON LACTATE.

Possesses the general properties of ferruginous preparations. Has been found particularly valuable in the treatment of chlorosis. Dose, 1 to 10 grs.

Pill Iron Lactate, 1 gr.....per 100, 30 cents; per 500...\$ 1.35

Tablet Triturate Iron Lactate, 1 gr...per 100, 19 cents; per 1000 1.25

Compressed Tablet, see list in Appendix, No. 31.

IRON LACTOPHOSPHATE.

Combines the medicinal values of Iron phosphate and lactic acid.

Syrups, Nos. 5, 8, 15, 24.

IRON PHOSPHATE.

Possesses the general properties of ferruginous preparations, and has been given with advantage in amenorrhoea and dyspepsia. Dose, 1 to 10 grs.

Pills, see Appendix, "Pills," Nos. 338, 478, 553, 802.

Elixirs, see list in Appendix, Nos. 67, 74, 77, 78, 104.

Syrups, see list in Appendix, Nos. 17, 19, 23, 26.

Malt Extract with Iron, Quinine and Strychnine...per doz...\$ 7.00

IRON PROTOCARBONATE.

Admirably adapted to cases where a pure chalybeate preparation is indicated, such as anæmia and chlorosis. Dose, 3 to 5 grs.

Pills, see Appendix, "Pills," Nos. 188, 316, 339 to 341, 337, 468, 470, 480, 491, 550 to 552, 749, 594, 616, 708, 726.

Lozenge Iron Carbonate, 2 and 4 grs.....per lb...\$. 60

IRON PYROPHOSPHATE.

A very good chalybeate, mild yet efficient in action, and owing to its solubility easily administered in any form that may be desirable. Dose, 1 to 5 grs.

Pill Iron Pyrophosphate, 1 gr.....per 100, 25 cents; per 500...\$ 1.10

Elixir, see list in Appendix Nos. 5, 19 to 29, 46, 51, 52, 60, 66, 69 to 72, 75, 76, 82, 90, 91, 101, 102, 121.

Syrup Iron Pyrophosphate.....per doz.. 9.00

Tablet Triturate Iron Pyrophosphate, 1 gr.....
.....per 100, 19 cents; per 1000.. 1.20

IRON SUCCINATE, (HYDRATED.)

This form of iron is particularly valuable by reason of the facility with which it parts with the large proportion of nascent oxygen possessed.

Elixir Iron Succinate.....per doz...\$ 8.00

IRON SULPHATE.

A very astringent chalybeate, especially useful where anæmia is conjoined with marked relaxation, as in passive hæmorrhages, catarrh, etc. Dose, 1 to 2 grs.

Pills, see Appendix, "Pills, Nos. 8, 12, 13, 16, 55, 56, 79, 175, 268 to 270, 280, 281, 283, 284, 750, 295, 326, 330, 350 to 352, 439, 452, 492, 544, 571, 753, 760, 717, 745, 801.

IRON SUPERPHOSPHATE.

A very soluble form of the phosphate, free from disagreeable or inky taste. Dose, 1 to 10 grs.

Syrup Iron Superphosphate.....per doz..\$ 8.25

IRON VALERIANATE.

Combines the chalybeate properties of Iron with the nervine principles of valerian. Useful in hysterical affections complicated with chlorosis. Dose, 1 gr., repeated several times a day.

Pills, see Appendix "Pills," Nos. Nos. 353, 554, 555.

IRON-WOOD.

OSTRYA VIRGINICA, Willdenow.—Tonic, anti-periodic, alterative. Prescribed in intermittent fevers, neuralgic affections, dyspepsia, scrofula and wherever a tonic anti-periodic is indicated.

Fluid Extract of the Heart-wood, 1-2 to 1 fluidrachm; per pint..\$ 1.50

JABORANDI.

PILOCARPUS PINNATIFOLIUS, Lemaire.—A powerful expectorant, deobstruent, diaphoretic and sialagogue, having also the power of increasing the bronchial, lachrymal and nasal secretions; decreases temperature. Has been used with advantage in diabetes insipidus, uræmia, renal dropsies, as a galactagogue, etc.; is apt to produce nausea on an empty stomach; resembles atropine in action on the pulse, exerts a more decided influence on adults than children, but is diametrically opposed to it in its action on the salivary, sudoral and mammary secretions, on the pupil, on the minute arteries, and in delirium. The sweating induced may be prevented or checked by subcutaneous injection of 1-100 of a grain of atropine.

NOTE.—Atropine and pilocarpine are true physiological antagonists.

Fluid Extract of the leaves, 20 to 60 mins.....per pint..\$ 1.75

Powdered Extract, 3 to 10 grs.....per oz.. .75

Solid Extract, 3 to 10 grs.....per oz.. .40

Hypodermic Tablets, see list in Appendix, Nos. 18, 19, 37, 66.

Pills, see Appendix, "Pills," Nos. 354, 499 to 501.

Tablet Triturates, see list in Appendix, Nos. 138 to 141, 420, 421, 475 to 479.

Veterinary Hypodermic Tablet Pilocarpine Hydrochlorate, 1-4 gr.....per doz. tubes of 1 doz.. 3.25

JACOB'S LADDER.

SMILAX HERBACEA, Linné.—Alterative. Popularly employed in scrofulous diseases, and as a general alterative. Dose, a wineglassful of an ounce to the pint infusion.

Pressed leaves, in ounces.

JALAP.

IPOMŒA PURGA, Hayne.—A drastic hydragogue cathartic, operating quickly, producing copious watery discharges; its action is modified by combination with other cathartics. United with bitartrate of potassium its hydragogue properties are much increased, and this combination is often prescribed in dropsy; about ten grains of bitartrate of potassium may be added to the minimum dose of the fluid extract.

ACTIVE PRINCIPLE.—*Jalapin*. Resin Jalap, U. S. P. It is now generally believed that the resin is the sole purgative principle of Jalap. To obviate its occasional harshness, it has been advised to triturate it with other substances calculated to separate its particles; 2 to 5 grs.....per oz..\$.90

Fluid Extract of the tuber, laxative, 2 to 10 mins.; cathartic, 10 to 25 mins.....per pint.. 2.00

See also *Fluid Extracts*, Nos. 418, 419.

Powdered Extract, 2 to 5 grs.....per oz.. .45

Solid Extract, 2 to 5 grs.....per oz.. .38

Pills, see Appendix, "Pills," Nos. 85, 96, 158 to 163, 255, 355 to 357, 373, 374, 376, 677, 678, 691, 734, 765.

Tablet Triturates, see list in Appendix, Nos. 320 to 325.

JAMAICA DOGWOOD.

PISCIDIA ERYTHRINA, Linné.—Anodyne, sedative, analgesic, hypnotic; a valuable substitute for opium, producing natural refreshing sleep, without subsequent depressing effects, suppression of secretions, constipation, headache, etc. As an analgesic it is inferior to opium, which, indeed, stands as yet unrivalled in this regard, but as a remedy for the sleeplessness caused by nervous exhaustion, or by minor constitutional disturbances, it is of great utility; applied locally, the fluid extract relieves toothache, and taken internally, often allays pain, rendering unnecessary the administration of more powerful narcotics.

Fluid Extract of the bark of root, 1-2 to 2 fl. dms....per pint..\$ 3.00

Powdered Extract, 2 to 10 grs.....per oz.. 1.50

Solid Extract 2 to 10 grs.....per oz.. .77

Pill Jamaica Dogwood Extract, 3 grs..per 100, 80 cts.; per 500.. 3.85

See also *Liquor Sedans*.

JAMBU ASSU.

PIPER JABORANDI, Vellozo—Information regarding the therapeutic uses of this drug is as yet very meagre; said to be employed in Brazil as a

JAMBU ASSU—CONCLUDED.

stimulant and febrifuge, particularly in low forms of fever. It is believed to have specific action upon the uterus, and employed for the relief of painful affections of that organ. The drug contains an alkaloidal principle, but its peculiar pungent properties reside in an oleoresin, which is doubtless closely connected with its medicinal activity. We solicit from physicians reports of such clinical experience as they may possess, or be able to record.

Fluid Extract of the root, 10 to 30 mins.....per pint..\$ 4.00

JAMBUL.

EUGENIA JAMBULANA, Lamarck.—This drug is the product of a tree well known in the East Indies for its edible fruit. All parts of the plant are astringent. The juice of the fresh bark and leaves is much used by the natives in diarrhoeas, especially of children, and the bark, root and seeds employed in the preparation of astringent injections, gargles and lotions. Recently the discovery was made that both the bark and seeds possess the unique property of arresting the formation of sugar in diabetes, the seeds, however, being slightly more efficient. Clinical experiments conducted both in Europe and America confirm this discovery, which is one of great importance, and demonstrate it has a positive inhibitory influence upon the action of diastatic ferments.

Powdered Jambul Bark, 5 to 10 grs.....per oz., net..\$.30

Powdered Jambul Seeds, 5 to 10 grs.....per oz., net.. .35

Fluid Extract of the seed, 5 to 10 mins.....per pint.. 5.00

JATROPHA.

JATROPHA MACRORHIZA, Benth.—An alterative and cholagogue; a household remedy of the Mexicans. Recently advocated as a laxative on account of its comparative tastelessness.

Fluid Extract of the root, 1-2 to 2 fluidrachms.....per pint.. \$ 2.00

JEQUIRITY.

ABRUS PRECATORIUS, Linné.—Jequirity, when applied to the eye in the form of an infusion, produces a peculiar form of inflammation attended with pain and a copious muco-purulent discharge. By using weak solutions, a moderate action may be induced which can be easily held under control, and has been claimed to be curative in cases of pannus and trachoma of long standing.

Jequirity seeds, in ounce packages.....per oz., net..\$.20

Jequirity seeds, powdered.....per oz., net.. .25

Fluid Jequirity; 100 parts represent 12 of seed....per oz., net.. .25

JERSEY TEA.

CEANOTHUS AMERICANUS, Linné.—Astringent, expectorant, anti-spasmodic, sedative. Used in gonorrhœa, dysentery, asthma, chronic bronchitis and other catarrhal affections; as a gargle and wash in sore mouth

JERSEY TEA—CONCLUDED.

of children subsequent to fevers and the ulceration of fauces attendant on scarlatina.

Fluid Extract of the root.....per pint..\$ 1.20

Pressed root, in pounds.

JERUSALEM OAK.

CHENOPODIUM BOTRYS, Linné. — Anthelmintic. Most used for the expulsion of round worms, in the form of a decoction, one ounce to the pint of hot milk. Dose, a wineglassful.

Pressed leaves, in ounces.

JOHN'S-WORT.

HYPERICUM PERFORATUM, Linné.—Reputed diuretic, astringent and sedative. Has been employed in a great variety of diseases, but especially esteemed in affections of the urinary passages; used in hot infusion as an emmenagogue.

Fluid Extract of the herb, 1-2 to 1 fluidrachm.....per pint..\$ 1.00

Pressed herb, in ounces.

JUDAS-TREE.

CERCIS CANADENSIS, Linné.—Astringent. Said to be useful in the treatment of diarrhoea and dysentery, especially when chronic, as it can be administered where there is irritable condition of the stomach; it also makes an excellent injection for leucorrhœa and gleet where there is an atonic condition of the mucous membrane.

Fluid Extract of the bark, 1-4 to 1 fluidrachm.....per pint..\$ 3.00

JUNIPER.

JUNIPERUS COMMUNIS, Linné.—Diuretic and gently stimulant, producing, when largely taken, disagreeable irritation of the urinary passages. Chiefly employed as an adjuvant to more powerful diuretics in dropsical complaints; is also used in scorbutic and cutaneous diseases, catarrh of the bladder, atonic conditions of the alimentary canal and uterus, gonorrhœa, cystorrhœa, etc.

Elixirs, Nos. 10 to 12.

Fluid Extract of the berries, 1 to 2 fluidrachms.....per pint..\$.90

Also *Fluid Extracts*, Nos. 85 to 87.

Solid Extract, 20 to 30 grs.....per oz.. .20

Pill, Diuretic.....per 100, 35 cents; per 500.. 1.60

JURUBEBA.

SOLANUM PANICULATUM, Linné.—Much valued in Brazil, its native country, as a remedy in all cases of obstruction of the abdominal viscera, particularly of the liver; also in vesical catarrh (its chief use), and in constipation. In large doses it is employed as a diuretic and hydragogue cathartic in jaundice and dropsical affections; in small doses is claimed

JURUBEBA—CONCLUDED.

to be tonic, alterative, anti-blenorrhagic and anti-syphilitic. Combined with iron, Brazilians call it the *Tonico por excellencia*.

Fluid Extract of the root, 5 to 30 mins.....per pint..\$ 3.00

KAMALA.

MALLOTUS PHILIPPINENSIS, Müller—Actively purgative in full doses; it has long been used in India for tape-worm. Dr. C. MacKinnon of the British E. I. Army, reports that used in fifty cases it failed to expel the worm in but two, and the testimony of other physicians is equally favorable. If the first dose fails to operate on the bowels, it may be repeated in four hours, followed by a dose of castor oil; it requires no preparatory treatment. As an external remedy, Kamala is used in various affections of the skin, particularly scabies and herpes.

Capsules, Nos. 14, 111.

Fluid Extract of the Capsule glands.....per pint..\$ 3.00

KAVA KAVA.

PIPER METHYSTICUM, Forster.—Used beneficially in gout, bronchitis, catarrhal affections, erysipelatous eruptions, and especially in spasmodic cystitis, and acute gonorrhœa; the action appears to vary with the amount taken. In small doses it acts as a stimulant and tonic, but in large it produces an intoxication which differs from that caused by alcohol in being of a silent and drowsy nature accompanied by incoherent dreams—the drinker not being quarrelsome or excited. As a remedy for gonorrhœa, two or three doses should be given during the day, each with a full goblet of water. It is said that twenty minutes after the first dose, a pressing desire to urinate is experienced; the quantity is abundant, limpid and clear almost as water; the pain that was present during previous micturitions disappears, and a sensation of comfort is experienced in urinating. Kava moreover, acts like a bitter tonic; it is pleasant to take, stimulates the appetite, does not derange the digestive functions, and produces neither diarrhœa nor constipation.

Fluid Extract of the root, 20 to 60 mins.....per pint..\$ 2.00

Solid Extract, 2 to 6 grs.....per oz.. .46

KERMES MINERAL—OXYSULPHURET OF ANTIMONY.

Alterative, diaphoretic and emetic. Rarely used, as sulphurated antimony possesses the same qualities. Dose, 1 to 3 grs.

Pill Kermes Mineral, 1-4 gr.....per 100, 55 cents; per 500..\$ 2.60

KINO.

Inspissated juice from the trunk of PTEROCARPUS MARSUPIUM, Roxburgh.—Kino probably owes its virtues entirely to a peculiar kind of tannic acid. It is employed in various complaints on account of its energetic astringent properties; it has been recommended internally in menorrhagia and as a topical application in leucorrhœa, relaxed sore throat, and aphthæ of the mouth or fauces; is sometimes used as a styptic to stop

KINO—CONCLUDED.

hæmorrhage, especially that from the Schneiderian membrane; also to check diarrhoea, and in the treatment of chronic dysentery.

Fluid Kino. Each pint represents 8 1-2 ozs. av. of the crude drug; 10 to 50 mins.....per pint..\$ 1.60

Pills, see Appendix, "Pills," 134.

Lozenge Alum and Kino, 1 gr. each of alum and kino..per lb... .55

KOLA.

COLA ACUMINATA, R. Brown.—Highly prized by the natives of Africa for its stimulating and sustaining properties, which are analogous to those of coca. The active constituents of the nuts are caffeine and theobromine, together with a variety of tannic acid. Therapeutically, Kola resembles guarana and coca, and is said to have almost a specific effect in combating the intoxicating influence of alcohol; it is employed also in diarrhoeas, and in all depressed conditions of the nervous system where caffeine is indicated.

Fluid Extract of the nuts, 10 to 30 mins.....per pint..\$ 5.00

KOOSSO.

BRAYERA ANTHELMINTICA, Kunth.—Tæniifuge; of all the remedies for tape-worm none is more efficient or certain. Its other effects when taken internally are not very striking. It appears to be equally effectual against all kinds of tapeworm, and should be taken in the morning upon an empty stomach, and a previous evacuation of the bowels with castor oil or other cathartic is recommended. It is also advised that lemon juice or tamarind water be freely taken before and after the Koosso. The alcohol may be in part removed from the extract by evaporating at a low temperature, when the dose is large.

Fluid Extract of Koosso flowers, 2 to 8 fluidrachms..per pint..\$ 2.40

LABARRAQUE'S SOLUTION.

Labarraque's Solution of Chlorinated Soda, U. S. P. A wonderful oxydizing and bleaching agent, containing 3 per cent. available Chlorine; rapidly destroys foul odors. A true germicide. Per doz. quarts, *net*, \$2.50.

LABRADOR TEA.

LEDUM LATIFOLIUM, Aiton.—Demulcent, expectorant, tonic. May be employed with benefit in the different varieties of bronchitis requiring combined tonic and expectorant treatment.

Fluid Extract of the leaves, 1 to 2 fluidrachms.....per pint..\$ 2.00

Pressed leaves, in ounces.

LACTUCARIUM.

LACTUCA VIROSA, Linné.—Reputed hypnotic and anodyne. For infants and susceptible patients it is employed as a substitute for opium, especially for nervous insomnia. Is almost exclusively prescribed in the form of the syrup.

LACTUCARIUM—CONCLUDED.

Fluid Extract Lactucarium, 4 to 16 mins.....per pint..\$15.00

Pills, see Appendix, "Pills," No. 619.

LADIES' BED-STRAW.

GALIUM VERUM, Linné.—Refrigerant diuretic. Used in many diseases of urinary organs, as suppression, calculous affections, inflammation of kidneys and bladder, scalding of urine in gonorrhœa, etc. Contra-indicated in maladies of passive character on account of its refrigerant and sedative effects, but may be used freely in fevers and all acute diseases; also recommended in scorbutic and nervous maladies, and as a wash in cutaneous diseases—freckles, lepra, psoriasis, lichen, etc.—especially if combined with a strumous diathesis.

Fluid Extract of the herb, 1-2 to 1 fluidrachm.....per pint..\$ 1.50

LADIES' SLIPPER.

CYPRIPEDIUM PUBESCENS, Willdenow.—Tonic, stimulant, diaphoretic and anti-spasmodic. It is said to be valuable in all cases of nervous excitability unconnected with organic lesions, allaying the irritability, lessening pain, producing a calm and cheerful condition of body and mind, and consequently favoring mental tranquillity or sleep; it has been used in hysteria, chorea, nervous headache, wakefulness and morbid sensitiveness of the nervous system generally; valuable as a substitute for opium in the treatment of children.

Concentration Cypripedin, 1-2 to 3 grs.....per oz..\$ 1.50

Fluid Extract of the rhizome, 1-4 to 1 fluidrachm....per pint.. 2.00

Fluid Extract Scullcap Comp. Combines the tonic and nervine properties of its several ingredients. Indicated in the nervous disturbances of hysterical females, and in the debility of children following an attack of summer complaint. Each pint represents: Scullcap, 5 1-2 ozs.; Ladies' Slipper, 5 1-2 ozs.; Hops, 2 1-2 ozs.; Lettuce, 2 1-2 ozs.; 1-2 to 1 fluidrachms.....per pint.. 1.25

Solid Extract, 3 to 10 grs.....per oz.. .52

Pills, see Appendix, "Pills," Nos. 244, 298.

Pressed root, in pounds and ounces.

LAMIUM ALBUM, LINNÉ.

Said to possess considerable merit as a hæmostatic, and has been long in use on the continent of Europe for this purpose.

Tincture of the flowers, 1 to 2 fluidrachms.....per pint..\$ 2.50

LANOLIN.

The oil or fat of sheep's wool.—According to Prof. Liebreich, of Berlin, who has recently perfected methods of extracting and purifying this cholesterin fat, it presents the following advantages as a basis of ointments: 1. It is capable of absorbing and intimately blending with

LANOLIN—CONCLUDED.

large amounts of water, standing thus in marked contrast to popular notions of the mutual relations of water and fats.—The Lanolin of commerce is a combination of neutral cholesterin fat, with about thirty per cent. of water: 2. It is neutral to test paper, is not liable to rancidity, and not easily saponified by alkalis: 3. It is miscible with glycerin, unlike other fats: 4. In a remarkable degree it possesses the power of rapidly penetrating the epidermis: 5. Hence, Lanolin greatly facilitates the absorption, through the skin, of drugs mixed with it. So marked is this that, with poisonous drugs, such as the toxic alkaloids, less (about half) than the usual proportion, should be prescribed in ointments. The vaselins and paraffins hinder, rather than favor, the passage of drugs into the skin. Per lb.....net..\$ 1.00

LARKSPUR.

DELPHINIUM CONSOLIDA, Linné. POISONOUS.—Acrid, irritant, in overdoses producing dangerous vomiting and purging; in minute doses, reputed diuretic, emmenagogue and anti-spasmodic. Has been found useful in spasmodic asthma and dropsy; employed externally to destroy vermin.

ANTIDOTES.—None reliable known; emetics, then treat symptoms as they arise on general principles. Tannin or compound tincture of iodine may be given to retard absorption of the poison.

Fluid Extract of the seed, 1 min., or less, gradually increased.

.....per pint..\$ 3.50

LAVENDER.

LAVANDULA VERA, Linné.—Stimulant, aromatic and carminative. The official compound tincture Lavender is chiefly employed as a remedy for nausea, flatulent colic, and gastric distress after taking food.

Fluid Lavender Comp. Four times the strength of Tincture

Lavender comp., U. S. P. Each pint represents: Oil Laven-

der, 1-2 fl.oz.; Cinnamon, 1 1-8 oz.; Nutmeg, 5-8 oz.; Oil

Rosemary, 1 fl.dr.; Cloves, 1-4 oz., Red Saunders, 1-2 oz; 8 to

15 mins.....per pint..\$ 1.60

Pressed flowers, in ounces.

LEAD ACETATE.

POISONOUS.—Powerful astringent and topical sedative. Used in the treatment of diarrhoea, dysentery and yellow fever. Dose, 1 to 3 grs.

Pills, see Appendix, "Pills," Nos. 141, 434, 435, 728.

LEAD SUBACETATE.

POISONOUS.—This is rarely administered *per os*, but is useful as an external application in bruises, burns and sprains. Its properties are those of lead acetate.

Glycerole.....per lb..\$.90

LEMON.

CITRUS LIMONUM, Risso.—Aromatic. Used only for flavoring purposes.

Fluid Extract of the peel, as desired for flavor.....per pint..\$ 1.20

LEMON BALM.

MELISSA OFFICINALIS, Linné.—Diaphoretic, anti-spasmodic and moderately stimulant. Has been found beneficial in slight febrile conditions, in painful menstruation, and to assist the action of other diaphoretics.

Fluid Extract of the herb, 1-4 to 1 fluidrachm.....per pint..\$ 1.20

Pressed herb, in ounces.

LETTUCE.

(SEE ALSO "WILD LETTUCE.")

LACTUCA SATIVA, Linné.—Faintly narcotic and antispasmodic. Used popularly to allay nervous irritability and excitement from mental worry. Dose, a wineglassful of a one ounce to the pint infusion.

Pressed leaves, in ounces.

LICORICE.

GLYCYRRHIZA GLABRA, Linné.—Licorice root is emollient and demulcent acting upon mucous surfaces; lessens irritation. Is consequently useful in cough, catarrhs, irritation of the urinary organs, and in pain of diarrhoea; its chief use is in bronchitis or bronchial irritation. It is pleasant to the taste and has the property of slightly obtunding the gustatory nerves, hence one of its uses is to cover the taste of other medicines such as quinine, quassia, aloes, cascara sagrada, etc.

Elixir Licorice Aromatic, for Quinine. An elegant vehicle for the administration of quinine and other remedies possessing disagreeable taste. Place the quinine in powder in a wineglass, add a dessertspoonful of the Elixir, stir briskly until thoroughly mixed, then let the mixture be taken, and followed immediately by about a teaspoonful of the clear Elixir.....per doz..\$ 7.50

See also *Elixirs*, Nos. 36, 43, 55, 56.

Fluid Extract of the root, 1 to 5 fluidrachms.....per pint.. .90

Fluid Extract Licorice for Quinine, etc. Identical in strength with the official preparation, but free from the bitter extractive which the latter contains, and therefore especially adapted for disguising the taste of bitter and nauseous medicines. It forms clear mixtures with aqueous and alcoholic solutions, but the Glycyrrhizin it contains is precipitated by acids. Hence, in quinine mixtures containing Licorice, acid must not be prescribed to effect solution of the alkaloids. Dose, 1-2 to 2 fluidrachms.....per pint.. 1.20

Lozenges: Bronchial with Cubeb, Eucalyptus, Licorice, Opium and Licorice (Wistar's), Yerba Santa Comp.

LICORICE—CONCLUDED.

Compressed Tablets.

Brown Mixture.....per lb. bot., net..\$.60

Licorice Powder Compound.....per lb. bot., net.. .55

Tablet Triturates, see list in Appendix, 182, 266, 294, 295, 348, 607.

Syrups, Nos. 44, 45.

Glycerole Yerbine Comp.

LIFE-EVERLASTING.

GNAPHALIUM POLYCEPHALUM, Michaux.—Tonic, mildly astringent, anodyne. Sometimes used as a diaphoretic in fevers, and as an astringent tonic in chronic diarrhoeas; locally employed in the treatment of unhealthy ulcers.

Fluid Extract of the herb, 1-4 to 1 fluidrachm.....per pint..\$.90

Pressed herb, in ounces.

LIFE-ROOT.

SENECIO AUREUS, Linné.—Life-root is diuretic, expectorant, diaphoretic tonic, and exerts a peculiar influence on the female reproductive organs. Is very efficacious in promoting menstrual flow, and may be given alone or in combination with equal parts of asarum and savin, in functional amenorrhœa; is useful, combined with raspberry leaves and cinnamon, in menorrhagia; also of value in dysmenorrhœa, gravel and other urinary affections, strangury and dysentery.

Fluid Extract of the herb, 1-2 to 1 fluidrachm.....per pint..\$.90

Solid Extract, 5 to 10 grs.....per oz.. .24

Concentration Senecin, 1 to 3 grs.....per oz.. .85

Pressed herb, in ounces.

LILY OF THE VALLEY.

CONVALLARIA MAJALIS, Linné.—This is one of the most powerful diuretics known, especially applicable to dropsy coincident with mitral disease; and it diminishes the number of pulsations of the heart while augmenting the amplitude of the contractions; calms also palpitations and disorders which are purely functional in character. Albuminuria prevents or lessens its diuretic action. Preparations of this medicament are not toxic or possess cumulative effects so far as observed.

Fluid Extract of the flowers, 10 to 30 mins., which may be gradually increased until effects are secured. This is claimed to be stronger than the fluid extract of the herb or root; per pt..\$ 2.00

Fluid Extract of the herb, 10 to 30 mins., gradually increased.
.....per pint.. 1.25

Fluid Extract of the root, 10 to 30 mins.....per pint.. 1.25

Pill Convallamarin, 1-12 gr.....per 25, 75 cents; per 100.. 2.80

Tablet Triturate Convallamarin, 1-50 gr..per 100, 26c.; per 1000.. 2.00

LIME.

CITRUS LIMETTA, Risso.—A grateful refrigerant tonic and powerful anti-scorbutic. The juice is a popular beverage, especially with persons of bilious habit. We only list it under the combination:

Lime Juice and Pepsin. Each fluidounce represents: Lime juice, pure, 1 fluidrachm; pepsin aseptic (1 to 4,000) 1-8 gr. This is an admirable remedy in conditions of general debility attended with loss of appetite and dyspeptic symptoms. It should be taken at meal time, clear or in a little water. Commended for all the minor derangements of digestion, and as a substitute for the alcoholic bitters and liquors so frequently used to promote it. Being strictly a physiological remedy it is adapted to a wide range of cases that do not require any medication, and physicians will find occasion frequently to prescribe it for this very reason; 1 to 2 fluidrachms.....per doz., net..\$10.00

LIME BROMIDE.

Sometimes employed as an adjuvant in epilepsy and hysteria. It acts as a sedative to the nerve centres, but does not depress cardiac action like potassium bromide. Dose, 1-2 to 2 drachms.

Elixir Calcium bromide.....per doz..\$ 9.00

LIME CARBONATE.

Antacid. Adapted to the treatment of diarrhoea accompanied with acidity, and acidity of stomach attending dyspepsia and gout when a laxative effect is to be avoided. Dose, 10 to 40 grains.

Pills, see Appendix, "Pills." Nos. 32, 749.

Compressed Tablets, see *Antacid Tablets*.

See also *Emergency Case*.

LIME HYPOPHOSPHITE.

Largely used in the treatment of chronic phthisis, in conjunction with the hypophosphite of soda and cod liver oil. Highly recommended in scrofulous diseases and in cases of defective nutrition of nerve centres. Dose, 10 to 30 grains.

Syrups, see list in Appendix, Nos. 2, 6, 11, 12; also *Hematic Hypophosphites*.

Glycerole Hypophosphites.....per lb..\$ 1.25

Malt Extract with Hypophosphites.....per doz., net.. 7.00

LIME IODIDE.

Considered preferable to any iodic compound in tuberculosis. Dose, 1 to 4 grains.

Syrup Calcium Iodide.....per doz..\$12.75

LIME LACTOPHOSPHATE.

Combines the therapeutic actions of calcium phosphate and lactic acid.

Syrups, see list in Appendix, Nos. 4, 5, 7, 8, 24.

Compressed Tablets, Digestive..per 100, 75 cents; 30s, per doz..\$ 4.00

Lozenge Pepsin and Lime Lactophosphate.

LIME PHOSPHATE.

Of use in defective nutrition, such as scrofula, rickets, and some forms of chronic phthisis. Dose, 10 to 30 grains.

Pills, see Appendix, "Pills," No. 749.

Syrups, see list in Appendix, Nos. 23, 26.

LIME SULPHIDE.

Has been successfully used as a remedy for furuncular eruptions, and for acne. Dose, 1-10 to 1-2 gr.

Pills, see Appendix, "Pills," Nos. 113 to 121, 764.

Tablet Triturates, see list in Appendix, Nos. 28 to 30, 303 to 305.

LINSEED OIL.

Laxative in large doses, but by reason of its objectionable taste, rarely used in medicine. Sometimes added to purgative enemata; most useful when mixed with an equal volume of lime water, as an application to burns—then known as Carron Oil.

Soluble Elastic Capsules, Linseed Oil, 10 mins

.....per 100, 75 cents; per doz. boxes of 1 doz..\$ 1.50

LIPPIA MXICANA.

LIPPIA DULCIS, Treviranus.—Demulcent and expectorant, exercising an alterative influence over bronchial mucous membrane. It is an excellent remedy in chronic bronchitis as well as in acute catarrhal affections of the respiratory tract.

Concentrated Tincture of the leaves, four parts of tincture

equal one of drug; 1-2 to 1 fluidrachm.....per pint..\$ 3.20

LIQUOR SEDANS.

A utero-ovarian sedative and anodyne; a scientific substitute for certain copyrighted preparations in the market. Each fluidounce represents black haw, 60 grains; golden-seal, 60 grains; Jamaica dogwood, 30 grains, combined with aromatics. Please send for Dr. R. W. Wilcox's article on hydrastis, viburnum and piscidia in the treatment of diseases of female organs of generation, reprinted from *New York Medical Journal*.

Per doz.....net..\$ 9.00

LITHIUM BENZOATE.

The action of Lithium as an antilithic is well known. In combination with benzoic acid, it seems to exercise yet more satisfactory powers, the antiseptic influence of benzoin being added thereto. Dose, 5 to 30 grs.

Granular Effervescent Salt Lithium Benzoate.....
2 oz. bottles, per doz., \$7.25; 4 oz. bottles, per doz..\$12.00

LITHIUM CARBONATE.

Possesses the usual properties of alkaline carbonates, and in a very high degree the power of dissolving or disintegrating uric acid calculi; is also a powerful diuretic. Is indicated in gouty diathesis. Dose, 5 to 15 grs.

Tablet Triturates, see list in Appendix, Nos. 95, 425, 426.

LITHIUM CITRATE.

Possesses practically the same properties as the carbonate, but has the advantage of being less disagreeable to taste and less disposed to irritate the stomach.

Elixir Lithium Citrate.....per doz..\$18.00
Granular Effervescent Salt Lithium Citrate.....
2 oz. bottles, per doz., \$7.25; 4 oz. bottles, per doz.. 12.00

LIVERWORT.

ANEMONE HEPATICA, Linné.—A mild, mucilaginous astringent, useful in fevers and lung complaints.

Fluid Extract of the leaves, 2 to 3 fluidrachms.....per pint..\$ 1.50
Pressed leaves, in ounces.

LOBELIA.

LOBELIA INFLATA, Linné. POISONOUS.—Lobelia is an emetic, occasionally cathartic, and in small doses diaphoretic and expectorant; it is also possessed of some narcotic properties. In large and repeated doses produces severe vomiting, attended with distressing nausea, copious sweating and general relaxation, followed by extreme prostration, great anxiety and distress, convulsions and death. It has been successfully employed in spasmodic asthma, catarrh, croup, pertussis and other laryngeal and bronchial affections, but should be used with caution. Its poisonous effects resemble those of tobacco.

ANTIDOTES.—Tannin or the compound tincture of iodine largely diluted, may be administered to retard absorption of the poison. Emetics if needed. Stimulants: alcohol, opium, external heat, friction, etc.; recumbent posture.

Fluid Extract of the herb. As an expectorant, 1 to 5 mins.;
 as an emetic, 10 to 20 mins.....per pint..\$ 1.05
Fluid Extract of the seed. As an expectorant, 1 to 10 mins.;
 as an emetic, 10 mins. to 1 fluidrachm.....per pint.. 2.50

LOBELIA—CONCLUDED.

- Fluid Extract Lobelia Comp.* Diaphoretic, expectorant, anti-spasmodic and emetic. As an expectorant, 3 to 20 mins.; as an emetic, 20 to 60 mins. Each pint represents: Lobelia herb, 8 ozs.; Skunk Cabbage, 4 ozs.; Blood root, 4 ozs...per pint..\$ 1.05
- Powdered Extract Lobelia herb*, 1-2 to 2 grs.....per oz.. .40
- Solid Extract Lobelia herb*, 1-2 to 2 grs.....per oz.. .27
- Concentration Lobeliin.* As an emetic, 1 to 3 grains, repeated if necessary; as an expectorant, 1-4 to 1-2 grain.....per oz.. 1.25
- Tablet Triturates*, see list in Appendix, Nos. 427 to 429.
- Pressed herb*, in ounces.

LOGWOOD.

HÆMATOXYLON CAMPECHIANUM, Linné.—Tonic, astringent. Used in diarrhoea, dysentery, and in relaxation of bowels following cholera infantum.

Fluid Extract of the heart, 10 to 60 mins,.....per pint..\$.75

LOVAGE.

LEVISTICUM OFFICINALE, Koch.—A stimulant aromatic. Employed in hot infusion as a carminative diaphoretic and emmenagogue; is somewhat diuretic.

Fluid Extract of the root, 1 to 2 fluidrachms.....per pint..\$ 1.20

Pressed leaves, in ounces. *Pressed root*, in pounds.

LOW MALLOW.

MALVA ROTUNDIFOLIA, Linné.—Demulcent. In infusion, one ounce to the pint, forms an excellent remedy in coughs, irritation of the air passages, catarrhal affections of the bladder, etc. Dose, wineglassful. The bruised flowers form a good emollient cataplasm for boils and local inflammations.

Pressed herb (flowering), in ounces.

LUNG MOSS.

STICTA PULMONARIA, Acharius.—A simple bitter tonic possessed of expectorant properties. Used in chronic pulmonary affections with debility. Dose, a tablespoonful or two, of an ounce to the pint infusion.

Pressed plant, in ounces.

LUNGWORT.

PULMONARIA OFFICINALIS, Linné.—Expectorant, demulcent, mucilaginous. Has been used in hæmoptysis, bronchial and catarrhal maladies, and other affections of the respiratory organs.

Fluid Extract of the leaves, 1-2 to 1 fluidrachm.....per pint..\$ 1.00

Pressed leaves, in ounces.

MACE.

MYRISTICA FRAGRANS, Houttuyn.—Carminative, stimulant; in large doses narcotic, producing effects similar to those of camphor. Is chiefly used for flavoring purposes, but sometimes as an anodyne and astringent in diarrhœas and dysentery.

Fluid Extract Mace, 5 to 30 mins.....per pint..\$ 2.50

MAGNESIA ACETATE.

Aperient, very deliquescent. Possesses the same qualities as the citrate. Dose, 1-2 to 2 drachms.

Elixir Magnesia and Rhubarb.....per doz..\$ 9.00

MAGNESIA CALCINED.

Antacid and laxative. Valuable in dyspepsia, sick headache, gout, and complaints generally that are attended with sour stomach and constipation; is also anti-lithic. Dose, as a laxative, 30 to 60 grains; as an antacid and anti-lithic, 10 to 30 grains.

Pills, see Appendix, "Pills," Nos. 380, 381.

See also *Emergency Case*.

MAGNESIA CARBONATE.

Laxative, antacid and anti-lithic, Dose 30 to 60 grains.

Compressed Tablet, see list in Appendix, No. 8.

MAGNESIA CITRATE.

Cooling cathartic—very acceptable to the stomach.

Granular Effervescent Salt Magnesia Citrate.....
.....2 oz. bottles, per doz., \$3.45; 4 oz. bottles, per doz..\$ 5.00

MAGNOLIA.

MAGNOLIA GLAUCA, Linné.—Diaphoretic, tonic, anti-periodic. In remittent and intermittent fevers is of considerable value, succeeding occasionally where cinchona preparations fail.

Pressed bark, in pounds.

MAIDEN-HAIR.

ADIANTUM PEDATUM, Linné.—Expectorant, demulcent, slightly tonic. Is much used in pulmonary catarrh, hoarseness, bronchitis, etc. Dose, wineglassful of an ounce to the pint infusion.

Pressed leaves, in ounces.

MALE-FERN.

ASPIDIUM FILIX-MAS, Swartz.—Tonic, astringent, anthelmintic; is celebrated as a specific for tape-worm. The extract should be admin-

MALE-FERN—CONCLUDED.

istered in the morning on an empty stomach, followed by an ounce and a half of castor oil at interval of an hour.

Capsules, Nos. 44, 70, 111.

Fluid Extract of the rhizome, 1 to 4 fluidrachms....per pint..\$ 1.25

Solid Extract, 20 to 40 grs.....per oz... .31

Pressed root, in pounds.

MALT PREPARATIONS.

We are desirous of directing attention to the general excellence of our improved preparations of Malt, and particularly to certain qualities possessed which mark their superiority over any similar preparations heretofore offered.

Our plain Extract of Malt is an exceedingly active diastatic agent, being capable of converting five times its weight of dry starch into maltose. Aside from this important property, it contains all of the nutritive constituents of malted barley, thus affording a food of rare value, and one eminently adapted to the use of convalescents and invalids.

Owing to its palatability, our Malt Extract may be used to advantage as a vehicle for many remedies, which, if administered alone, seriously offend the sense of taste.

The following list embraces nearly all of the forms in which Malt Extract is commonly prescribed. Each fluidounce contains ingredients specified :

Malt Extract, plain, (without medication).

Malt Extract with Beef Peptone, 1 part in 10.

Malt Extract with Cascara Sagrada. Cascara Sagrada, 60 grs

Malt Extract with Cod Liver Oil, 10 per cent.

Malt Extract with Cod Liver Oil, 40 per cent.

Malt Extract, ferrated. Iron pyrophosphate, 8 grs.

Malt Extract with Hypophosphites. Calcium Hypophosphite, 1 1-2 grs.; Sodium Hypophosphite, 1 1-2 grs.; Iron Hypophosphite, 1-2 gr.

Malt Extract with Iron, Quinine and Strychnine. Iron Phosphate, 4 grs.; Quinine Sulphate, 1 gr.; Strychnine, 2-75 gr.

Malt Extract with Pepsin and Pancreatin. Saccharated Pepsin, U. S. P., 15 grs.; Pancreatin, Saccharated, 15 grs.

Malt Extract with Yerba Santa, 30 grs.

Any of above per doz.....:.....net..\$ 7.00

MALTALE (MOSQUERA'S.)

A RELIABLE PREPARATION OF BREWED MALT POSSESSING THE NUTRITIVE PROPERTIES OF MALT, COMBINED WITH THE TONIC VALUE OF HOPS.

We are aware that under certain conditions the medical profession has long felt the necessity of suitable nutritive stimulants, and that

MALTALE (MOSQUERA'S)—CONCLUDED.

many physicians have refrained from the employment of ordinary beers or porter because, in very many instances, they are so adulterated and otherwise unreliable as to render them unfit, if not positively harmful, for medical use; besides, their nutritive value, in comparison with bulk, is so slight that little if any effect is secured by their exhibition.

Under these circumstances we have been prompted to offer Maltale to the profession, and, since it is perfectly harmless, and free from the objections hitherto complained of in similar products, it may be prescribed without hesitation. It is made from carefully selected materials, and represents a reliable concentrated extract of the best Canadian Malt, combined with sufficient English and Bavarian hops. Maltale, therefore, exhibits the nutritive properties of malt with the tonic value of hops, in a very marked degree; likewise the appetizing flavor so desirable in products of this character. Being palatable, it is agreeable to the great majority, and tolerant to the most fastidious; besides, it retains its peculiar therapeutic properties under nearly every condition.

To sum up, Maltale is a food, a tonic and a mild stimulant.

Per doz.....net..\$ 2.75

MANACA.

BRUNFELSIA HOPEANA, Benth. —Anti-syphilitic, anti-arthritic, purgative, diuretic. From extended exhibition in scrofula, syphilis, chronic and acute rheumatism, Manaca has come to be considered one of the most powerful alteratives in the materia medica; it is employed with remarkable success for rheumatic arthritis.

Elixir Manaca and Salicylates. For formula see list; per doz..\$22.00

Fluid Extract of the root, 10 to 60 mins.....per pint.. 3.50

MANDRAKE.

PODOPHYLLUM PELTATUM, Linné.—Cathartic or laxative according to dose; sometimes apt to gripe if taken alone. One of our best remedies in chronic constipation, especially when dependent on torpidity of liver.

ACTIVE PRINCIPLES.—*Podophyllin.* This preparation represents the properties of Mandrake root in a highly concentrated form. In small doses it possesses aperient and alterative properties. In large doses it is a valuable cathartic. Dose, as a laxative, 1-8 to 1-4 grain; as a purgative; 1-4 to 1 grain;per oz..\$.40

Podophyllin, Phar. Ger. This differs from the above in the use of water alone for precipitation of the resin. Although the color is much paler, its medicinal character and activity are the same. It answers the German Pharmacopœial test in every particular except one, in which that authority is itself at fault; perchloride of iron does not produce in the aqueous solution a brown color, and will not do so with any sample of pure resin.....per oz.. .60

MANDRAKE—CONCLUDED.

- Podophyllin Soluble.* This preparation contains the essential ingredients of Podophyllin in such a form as to render it adapted to administration in a fluid form provided the menstruum be alkaline. It is entirely soluble in aqueous liquids, and being quite tasteless in solutions of moderate strength, is adapted to combinations of neutral character, such as alterative syrups or mixtures. Dose, same as that of Podophyllin, U. S. P.....per oz..\$.50
- Podophyllotoxin.* The active constituent of the resin of podophyllum. It is about twice as strong as Podophyllin. Dose, 1-16 to 1-2 gr.....per oz., *net*.. 2.25
- Capsules*, Nos. 6, 102
- Fluid Extract of the rhizome*, 10 to 20 mins.....per pint.. 1.05
- Fluid Extract Mandrake Comp.* Each pint represents: Mandrake, 6 ozs.; Senna, 4 ozs.; Jalap, 2 ozs. Dose, as a laxative, 1 fl. dr.; as a cathartic, 1 to 3 fl. drms.....per pint.. 1.05
- Powdered Extract*, 2 to 4 grs.....per oz.. .40
- Solid Extract*, 2 to 4 grs.....per oz.. .30
- Lozenges: Santonin and Podophyllin: Santonin Comp. and Podophyllin.*
- Normal Liquid*, 10 to 20 mins.....per pint.. 1.20
- Pills*, see Appendix "Pills," Nos. 24, 25, 46, 48, 50, 55, 56, 61, 92, 96, 104, 157 to 160, 164, 176, 214, 215, 217, 263, 301, 313, 324, 325, 363 to 365, 370, 374 to 376, 502 to 504, 741, 505 to 516, 589, 634, 663, 677, 703, 765, 776, 780, 781.
- Tablet Triturates*, see list in Appendix, Nos. 142 to 145, 220, 221, 217, 261, 313, 320 to 322, 326 to 328, 395, 480, 481.
- Compressed Tablets*, see list in Appendix, Nos. 9, 12.
- Pressed root*, in pounds and ounces.

MANGANESE BINOXIDE.

Tonic, alterative, emmenagogue. Has some reputation in the treatment of syphilis, scurvy, various skin diseases, amenorrhœa, chlorosis, and pyrosis and other purely functional states of the stomach. Dose, 3 to 20 grains.

Pills, see Appendix, "Pills, Nos. 378, 379.

Tablet Triturates, see list in Appendix, Nos. 96, 97.

MANGANESE CARBONATE.

Exhibited in cases of anæmia, and has the effect of exciting the functions to a more healthy action, increasing strength and giving tone to the circulation. Dose, 1 to 3 grains.

Pill Iron and Manganese.....per 100, 45 cents; per 500..\$ 2.10

MANGANESE HYPOPHOSPHITE.

Indicated in the treatment of phthisis, and wherever Manganese in conjunction with hypophosphites is demanded.

Syrup Hematic Hypophosphites.

Compressed Tablets, see list in Appendix, Nos. 27 to 29.

MANGANESE IODIDE.

Particularly useful in anæmia attendant on scrofula, phthisis and cancer; also in combination with cinchona salts to reduce enlargement of the spleen. Dose, 1 to 2 grains.

Pill, Bilious—Junge's, per 100, 45 cents; per 500..\$ 2.10

Syrups, Nos. 16, 25.

MANGANESE LACTOPHOSPHATE.

Combining the therapeutic properties of Manganese phosphate with lactic acid.

Syrup Lactophosphate Comp.....per doz..\$15.00

MANGOSTEEN.

GARCINIA MANGOSTANA, Linné. Astringent. Employed in the treatment of nasal catarrh, diarrhoea, dysentery, leucorrhœa, menorrhagia, tonsillitis; and properly diluted, as a lotion for foul ulcers, for prolapse of rectum or vagina, etc.

Fluid Extract of the pericarp, 1-4 to 1 fluidrachm...per pint..\$ 3.00

MAN-ROOT.

IPOMŒA PANDURATA, Meyer.—Feebly cathartic. Claimed as excellent diuretic when employed in infusion.

Pressed root, in pounds.

MANZANITA.

ARCTOSTAPHYLOS GLAUCA, Lindley. — Astringent and tonic, with specific predilection for the renal and reproductive organs. It is employed in diarrhoea, but chiefly used in treating diseases of the genito-urinary apparatus; is prescribed in gonorrhœa and gleet, vesical catarrh, incontinence of urine, chronic nephritis, diabetes insipidus, as well as in leucorrhœa and menorrhagia; resembles uva ursi in its range of action.

Fluid Extract of the leaves, 20 to 60 mins.....per pint..\$ 2.40

MARSHMALLOW.

ALTHÆA OFFICINALIS, Linné.—Chiefly used as a demulcent in inflammatory affections of the mucous tissues, as bronchitis, vesical catarrh, renal irritation, etc.

MARSHMALLOW—CONCLUDED.

- Fluid Extract of the root*, 1 to 2 fluidrachms.....per pint..\$ 1.00
Lozenge Marshmallow.
Pill, Catarrh, Hager's.....per 100, 45 cents; per 500.. 2.10
Pressed flowers, in ounces. *Pressed leaves*, in ounces.
Pressed root, in pounds.

MARSH ROSEMARY.

STATICE LIMONIUM, Linné; var. CAROLINIANA, Gray.—A strong astringent, very efficacious in the treatment of passive and chronic diarrhoeas. The decoction (one ounce to the pint), or the fluid extract diluted, may be used as a gargle in ulcerations of the mouth and throat, scarlatina anginosa, etc., and as an injection in chronic gonorrhœa, gleet, leucorrhœa, prolapsus ani and uteri, and in some ophthalmic affections.

- Fluid Extract of the root*, 1-2 to 1 fluidrachm.....per pint..\$ 1.00
Pressed root, in pounds.

MASTERWORT.

HERACLEUM LANATUM, Michaux.—Stimulant, anti-spasmodic and carminative. Used in flatulence and dyspepsia; in full daily doses, has proved efficacious in epilepsy; also recommended in asthma, colic, dysmenorrhœa, palsy, apoplexy, intermittents, etc.

- Fluid Extract of the root*, 1 to 2 fluidrachms.....per pint..\$ 1.20
Pressed leaves, in ounces. *Pressed root*, in pounds.

MASTIC.

RESIN FROM PISTACIA LENTISCUS, Linné.—Stimulant to the bronchial and urinary passages. In pill in combination with aloes, its slower solubility delays the action of the latter so that it may act chiefly upon the large intestine.

Pills, see Appendix, "Pills," Nos. 14, 254, 256.

MATICO.

PIPER ANGUSTIFOLIUM, Ruiz and Pavon.—Matico has some reputation as an aromatic, stimulant, and astringent; somewhat resembles cubeb in its action on the urinary organs. It has been used with advantage in leucorrhœa, gonorrhœa, catarrh of the bladder, chronic mucous discharges, menorrhagia and passive hæmorrhages generally; also in dyspepsia due to chronic mucous affection of the stomach.

Capsules, Nos. 36 to 40.

- Fluid Extract of the leaves*, 1-4 to 1 fluidrachm.....per pint..\$ 1.80
Elixir Matico Comp.....per doz.. 9.75
Pressed leaves, in ounces.

MAYWEED.

ANTHEMIS COTULA, Linné.—Popularly used as a sudorific and antispasmodic in the form of infusion, one ounce to the pint. Dose, a wine-glassful. Flatulent colic and dysmenorrhœa are said to be relieved by it; externally is rubefacient.

Pressed leaves, in ounces.

MENTHOL.

A camphoraceous substance derived from the Japanese plant MENTHA ARVENSIS, Linné.—It is employed externally for the relief of neuralgic pains, headache, toothache, etc.; is a valuable antiseptic inhalation in acute or infusorial catarrh; also a germicide in scarlet fever, diphtheria, typhoid fever, etc.....per oz., net..\$.45

Menthol Pencils, or cones of menthol inserted in neat aluminium cases. These afford a means of carrying this remedy in the pocket, and at the same time greatly facilitating its local application.....per doz., net.. 1.75

Compressed Tablet, see list in Appendix, No. 34.

MERCURY.

BLUE MASS.—The mildest form of Mercury; much employed for producing sialogogue and alterative action without undue disturbance of the digestive organs. Cathartic dose, 3 to 15 grains; as an alterative, 1-2 to 3 grains.

Pills, see Appendix, "Pills," Nos. 30, 52, 105 to 110, 157, 208 to 210, 213, 255, 259, 300, 510, 540, 568, 634, 635, 729, 730.

Tablet Triturates, see list in Appendix, Nos. 290 to 293, 394.

CALOMEL.—The most valuable form of Mercury, inasmuch as it combines the general properties of all mercurial salts with those of a purgative and anthelmintic. Dose; as an alterative, 1-2 to 1 grain; as a purgative, 5 to 20 grains. Children bear large and oft-repeated doses vastly better than adults. As a purgative, 2 to 3 grains, in some instances will require to be repeated.

Pills, see Appendix, "Pills," Nos. 44, 54, 85, 123 to 133, 161 to 163, 224, 249, 355, 364, 372, 373, 410, 518, 565, 588, 669, 670, 678, 731, 766 to 770.

Tablet Triturates, see list in Appendix, Nos. 193 238, 31 to 35, 204, 229, 211, 195, 216, 156, 306 to 313, 323 to 325, 395.

Compressed Tablet, see list in Appendix, No. 11.

Lozenges: Santonin and Calomel (chocolate); *Worm Candy* (pink and white); *Santonin Comp.*

CORROSIVE SUBLIMATE. A powerful corrosive preparation of Mercury operating quickly, and in some instances violently, even in small doses. A valuable remedy in some cases of syphilis, and more especially in the advanced stages of that disorder; externally, is stimulant and escharotic,

MERCURY—CONCLUDED.

and requires careful watching, as toxic effects have been observed from comparatively small applications. As a germicide, corrosive sublimate is, perhaps, most valuable, and a solution in the form of a spray applied to wounds or dressings, treated with the salt, renders operations thoroughly antiseptic. Dose, for internal administration, 1-100 to 1-8 grain.

Pills, see Appendix "Pills," Nos. 57, 232 to 240, 258, 679, 771 to 775.

Hypodermic Tablets, see list in Appendix, Nos. 36, 49, 35, 50, 8.

Tablet Triturates, see list in Appendix, Nos. 55 to 60, 350 to 355.

Compressed Tablets, see list in Appendix, Nos. 26, 45, 46.

See also *Antiseptic Tablets*.

MERCURY BINIODIDE.—Red Iodide of Mercury. Mercuric iodide is a powerful sedato-narcotic poison, resembling aconite in toxic results; is much more active than mercurous iodide in the place of which it is sometimes used in scrofula and syphilis. Especially valuable in old obstinate cases of specific rheumatism and syphilitic diseases of bone. Dose, 1-16 to 1-4 grain. Mercuric iodide is considered a valuable topical application in lupus.

Pills, see Appendix "Pills," Nos. 382 to 385, 777.

Tablet Triturates, see list in Appendix, Nos. 190, 101 to 103, 432 to 435.

Compressed Tablets. Potassio-mercuric iodide, 1 gr. .per 100..\$.85

MERCURY PROTIODIDE.—Used very extensively in advanced stages of syphilis. The dose is 1 grain daily, gradually increased. It should never be given at the same time as potassium iodide, which reduces the Mercury to the biniodide and metallic form.

Pills, see Appendix, "Pills," Nos. 313, 386 to 394, 619, 694, 695, 776, 778.

Tablet Triturates, see list in Appendix, Nos. 104 to 111, 436 to 440.

MERCURY WITH CHALK.—A very mild mercurial, similar in action to blue mass but much weaker. Sometimes used as an alterative, especially for children. Dose, 5 to 30 grains; children's dose, 2 or 3 grains.

Pills, see Appendix, "Pills," Nos. 738 to 740, 693.

Tablet Triturates, see list in Appendix, Nos. 98 to 100, 441.

MERCURY, YELLOW OXIDE.—Powerful antiseptic, preventing the putrefactive changes which often take place in ingestia, thus indirectly insuring nutrition, restoring appetite and removing dyspeptic symptoms. Useful in all acute or chronic derangements of the alimentary tract, in typhoid fever, phthisis, convalescence from surgical diseases, and where the functions of liver are deranged. Dose, 1-200 to 1-64 gr.

Tablet Triturates, see list in Appendix, Nos. 191, 442.

Compressed Tablet Yellow Oxide of Mercury, 1-3 mgrm. (1-200 gr.)..... per 100..\$.40

MERCURY-WEED.

MERCURIALIS ANNUA, Linné.—Has been employed from most ancient times as a purgative and emmenagogue; also considered by some a diuretic; has been used in the treatment of syphilitic affections.

Fluid Extract of the herb. Dose, no definite statement has yet been published regarding it. We would be pleased to receive clinical reports of its therapeusis.....per pint..\$ 3.50

MEZEREON.

DAPHNE MEZEREUM, Linné.—Externally, Mezereum is used for vesicating purposes; internally, as a stimulant capable of being diverted to the skin or kidneys; in large doses is apt to excite purging, nausea and vomiting; in over-doses has the effect of an acrid poison. It is used in the treatment of secondary syphilis, scrofulous affections, chronic rheumatism, palsy, and obstinate diseases of the skin.

Fluid Extract of the bark, 5 to 20 mins.....per pint..\$ 1.50

Solid Extract, 1 to 2 grs.....per oz.. .36

Pressed bark, in pounds.

MISTLETOE.

PHORADENDRON FLAVESCENS, Nuttall.—Its anti-spasmodic properties are taken advantage of in asthma, epilepsy, palsy and the neuroses; extraordinary virtues are claimed for it as an oxytocic, and it acts more promptly and surely than ergot, inducing intermittent contractions instead of tonic, hence, may be used in any stage of labor, or in primiparæ, where the rye smut is not permissible; it can always be obtained fresh, and does not deteriorate by keeping. This drug has also been used with success in many cases of menorrhagia and postpartum hæmorrhage.

Fluid Extract of the leaves, 1-4 to 1 fluidrachm, repeated every twenty minutes when given in labor.....per pint..\$ 1.20

Pressed leaves, in pounds.

MOTHERWORT.

LEONURUS CARDIACA, Linné.—Bitter tonic, stomachic, emmenagogue, nervine and anti-spasmodic. Usually given in warm infusions (one ounce to the pint) in amenorrhœa, or suppressed lochia. Dose, a wineglassful.

Fluid Extract of the leaves, 1-2 to 2 fluidrachms....per pint..\$ 1.05

Pressed leaves, in ounces.

MOUNTAIN-ASH.

PYRUS AMERICANA, DeCandolle.—Very astringent, and in infusion, efficacious whenever such effect is required in throat, rectum or vagin is also given internally to check diarrhœa.

Pressed bark, in pounds.

MOUNTAIN LAUREL.

KALMIA LATIFOLIA, Linné. POISONOUS.—In medicinal doses is anti-syphilitic, sedative and somewhat astringent. Efficacious in primary and secondary syphilis; allays febrile and inflammatory conditions by lessening the action of the heart; also useful in obstinate diarrhoea. Diluted with water, the fluid extract can be employed for tinea capitis, psora and other cutaneous affections, but must be used with caution.

Fluid Extract of the leaves, 10 to 30 mins.....per pint..\$ 1.20

MOUNTAIN-MINT.

PHYCNANTHEMUM MONTANUM, Michaux.—Stimulant, carminative, tonic. Useful particularly as an adjuvant in the treatment of intestinal troubles attended by griping.

Fluid Extract of the leaves, 1-4 to 1 fluidrachm.....per pint..\$.90

Pressed leaves, in ounces.

MOUNTAIN-SAGE.

ARTEMISIA FRIGIDA, Willdenow.—First introduced as a substitute for quinine in the treatment of periodic fevers. A teaspoonful of the fluid extract is given in a glass of strong, hot lemonade, one hour before the expected chill, and repeated in thirty minutes if perspiration does not supervene; in rheumatism, scarlet fever, diphtheria, etc., it is used hot, as above, and repeated every half hour until perspiration and urination are established.

Fluid Extract of the herb, 1 to 2 fluidrachms.....per pint..\$ 2.50

MUGWORT.

ARTEMISIA VULGARIS, Linné.—Alterative, tonic, anthelmintic, narcotic. In considerable repute in Germany as an emmenagogue, in the treatment of epilepsy in connection with asafetida, and in chorea; locally, for bruises, sprains, etc.

Fluid Extract of the leaves, 20 to 60 mins.....per pint..\$.90

Pressed leaves, in ounces.

MUIRAPUAMA.

Botanical source not yet determined. Assurance comes to us from Brazil that this plant is highly valued as an aphrodisiac and nerve stimulant, and is, perhaps, more powerful than damiana.

Fluid Extract of the root, 1-4 to 1 fluidrachm.....per pint..\$ 4.00

MULLEIN.

VERBASCUM THAPSUS, Linné.—Demulcent, diuretic, anodyne and antispasmodic, popularly employed for the relief of coughs, catarrh, cystitis, diarrhoea, dysentery and hæmorrhoids. Its diuretic properties are weak, yet by its demulcent action useful in correcting the acidity of the urine present in many diseases; in phthisis pulmonalis, is said not only to relieve the cough and troublesome diarrhoea, but to improve general nutrition so that patients actually gain in weight.

MULLEIN—CONCLUDED.

<i>Fluid Extract of the leaves</i> , 1 to 4 fluidrachms.....per pint..\$.75
<i>Fluid Extract of the root</i> , 1-2 to 2 fluidrachms.....per pint..	1.20
<i>Pressed leaves</i> , in ounces.	

MUSK-ROOT.

FERULA SUMBUL, Hooker filius.—A nerve stimulant in typhoid condition, in asthenic cases of dysentery and diarrhoea, and in malignant cholera; exercises a calming influence in delirium superior to that of opium. Recommended in gastric spasms, hysteria, chlorosis, amenorrhoea, dysmenorrhoea, epilepsy and other nervous disorders; has been found useful in chronic bronchitis, in pneumonia slow of resolution, in the moist asthma of aged, anæmic and scorbutic patients, and in hypochondriasis; resembles valerian in general range of its therapeutic indications, but is more powerful and less disagreeable.

<i>Fluid Extract of the root</i> , 10 to 30 mins.....per pint..\$	3.25
<i>Solid Extract</i> , 2 to 5 grs.....per oz..	.90
<i>Pills</i> , see Appendix, "Pills," Nos. 593, 760.	

MUTISIA VICIÆFOLIA, CAVANILLES.

Employed in the countries of its habitat as the standard resource in cardiac weakness brought on by over-exertion in rarified atmosphere; is also much used as a sedative and anti-spasmodic in hysterical conditions, and to allay the irritability of respiratory affections attended with convulsive cough.

<i>Fluid Extract of the flowers</i> . Dose, as experimentally established, 1-4 to 1 fluidrachm.....per pint..\$	3.00
---	------

MYRRH.

GUM-RESIN FROM BALSAMODENDRON KATAF, Kunth.—A stimulating tonic, with some tendency to the lungs, and, perhaps, also, to the uterus. It is employed as an expectorant and emmenagogue in debilitated states of the system, in absence of febrile excitement or acute inflammation; in chronic catarrh, phthisis pulmonalis and other pectoral maladies in which the secretion of mucus is abundant but not easily expectorated; in chlorosis, amenorrhoea, and various affections connected with the uterine functions. It is generally combined with chalybeate and other tonics, and very frequently with aloes for amenorrhoea; used also as an application to spongy gums, in aphthous sore throat of children, and various kinds of unhealthy ulcers.

<i>Fluid Aloes and Myrrh</i> (for formula see <i>Aloes</i>), 15 to 30 mins.;per pint..\$	1.75
<i>Fluid Extract Myrrh</i> , 10 to 30 mins.....per pint..	2.10
<i>Fluid Myrrh and Capsicum</i> . For making the Tincture popularly known as, "Hot Drops," "Number Six," Etc. Each pint represents: Myrrh, 8 ozs.; Capsicum, 2 ozs...per pint..	2.00
<i>Pills</i> , see Appendix, "Pills," Nos. 15, 16, 281, 287, 330. 369, 570, 635, 718, 746, 720, 747, 733.	

NASAL TABLETS.

Each tablet contains: Sodium bicarb., 5 grs.; sodium borate, 5 grs.; sodium chloride, 5 grs.; sodium benzoate, 7-24 gr.; sodium salicylate, 7-24 gr.; oil eucalyptus, 7-48 gr.; thymol, 7-48 gr.; menthol, 7-96 gr.; oil wintergreen, 7-96 gr. These tablets possess deodorizing and antiseptic properties, and are especially adapted for the extemporaneous preparation of an antiseptic liquid, for general medical and surgical purposes. In the treatment of certain affections of the nasal, urethral and vaginal passages, when a mild antiseptic and an efficient deodorizing agent is required, they will be found especially serviceable. One tablet dissolved in from two to four ounces of water will form a satisfactory solution for catarrh and other affections of the nasal passages as well as for general use.....per doz. bots. of 50, \$3.00; per bot. of 100..\$.46

NETTLE.

URTICA DIOICA, Linné.—Astringent, tonic, and one of the purest and most powerful diuretics in materia medica. Its effects are increased, when rheumatic pains or much dropsy exist, by combining with potassium acetate; is also used to advantage in gravel and nephritic difficulties, in summer complaints of children and bowel affections of adults; an excellent remedy in both passive and symptomatic uterine hæmorrhage.

Fluid Extract of the root, 20 to 40 mins.....per pint..\$ 1.20

Pressed flowers, in ounces. *Pressed leaves*, in ounces.

Pressed root, in pounds.

NEWBOULDIA LÆVIS, SEEMANN.

Brought to the attention of European practitioners as a somewhat specific remedy in dysentery and diarrhoea; is a native of tropical Africa, and in its habitat credited with relieving these troublesome and dangerous diseases when all other astringents fail. Useful in menorrhagia and whenever a venous astringent is indicated.

Fluid Extract of the bark, 20 to 60 mins.....per pint..\$ 3.00

NITROGLYCERIN.

The value of this agent in the treatment of angina pectoris is well known. It is preferable to nitrite of amyl, inasmuch as it does not so powerfully impress the heart, while its influence is much more permanent. Dose, 1-200 to 1-10 grain.

Pills, see Appendix, "Pills," Nos. 419 to 425.

Hypodermic Tablets, see list in Appendix, Nos. 31, 64, 65.

Tablet Triturates, see list in Appendix, Nos. 122, 123, 300, 455 to 458.

Compressed Tablet, see list in Appendix, No. 14.

Capsule Nitroglycerin, 1-100 gr.....

.....per 100, 95 cents; per doz. boxes of 1 doz..\$ 1.80

Solution, one per cent.....per pint, net, \$1.25; per oz., net.. .14

NUTMEGS.

Kernel of the seed of MYRISTICA FRAGRANS, Houttuyn.—Aromatic, stimulant, stomachic, in large doses narcotic. Although stimulating to the digestive process, it is almost solely used for flavoring purposes.

Fluid Extract Nutmeg, 15 to 60 mins.....per pint..\$ 3.00

Pills, see Appendix, "Pills," No. 719.

NUX-VOMICA.

STRYCHNOS NUX-VOMICA, Linné. POISONOUS.—In small doses, stimulant tonic, especially to nervous system. It is used in general and local paralyses, in neuralgia, impotence, neurasthenia, in chronic constipation dependent on deficient peristaltic action, and as a general tonic.

ANTIDOTES.—Iodine (compound tincture, diluted), tannin. Use emetics (apomorphine, zinc sulphate, mustard). Chloral with potassium bromide or, better, inhalations of chloroform to control spasms. Artificial respiration.

NOTE.—The Strychnine of Nux-vomica preparations is precipitated from solutions on addition of bromides, chlorides, or iodides.

Capsules, No. 56.

Elixirs, see list in Appendix, Nos. 8, 22, 23, 27 to 29, 32 to 34, 46, 52, 53, 66, 71, 75 to 78, 81, 82, 92, 95, 97, 99 to 102, 106.

Fluid Extract of the seed, 1 to 10 mins.....per pint..\$ 1.25

Powdered Extract, 1-10 to 1 gr.....per oz.. .40

Solid Extract, 1-10 to 1 gr.....per oz.. .31

Granular Effervescent Preparation Pepsin, Bismuth and Strychnine. Each drachm represents ingredients specified: Pepsin, pur., 1-2 gr.; strychnine, 1-60 gr.; bismuth and ammon. cit., 2 grs.

Hypodermic Tablets, see list in Appendix, Nos. 22, 23, 68 to 72.

Compressed Tablets, see list in Appendix, 9, 10, 20, 22, 28, 29, 31.

Veterinary Hypo. Tablets, see list in Appendix, Nos. 518, 519.

Normal Liquid, 1 to 10 mins.....per pint.. 1.40

Malt Extract with Iron, Quinine and Strychnine.

Oleate Strychnine.....per oz.. .35

Pills containing Nux-vomica or its alkaloids, see Appendix, "Pills," Nos. 17, 18 25, to 29, 755, 48 to 52, 56, 58, 60, 61, 63, 80, 98, 149, 754, 150, 154, 155, 157, 159, 186, 188, 207, 263, 301, 313, 324, 325, 329, 343, 348, 349, 362, 365, 740, 416, 417, 426 to 428, 439, 441, 442, 452 to 454, 459 to 463, 472, 475 to 481, 485, 486, 488 to 492, 494, 511, 512, 518, 545, 551 to 553, 556, 594, 606 to 616, 757, 758, 629 to 631, 652, 653, 663, 697, 698, 708, 711, 788, 776, 801, 802, 807.

Syrup Hematic Hypophosphites.

Syrup Iron, Quinine and Strychnine Phosphatesper doz.. 11.25

Tablet Triturates, see list in Appendix, Nos. 181, 201, 218, 219, 221, 222, 203, 184, 91 to 93, 185, 124 to 127, 160 to 166, 237, 416, 453, 454, 459 to 465, 603.

OIL, SWEET ALMONDS.

Possesses the same properties as olive oil, and is useful in pulmonary affections attended with cough. Dose, 1 fluidrachm to 1 fluidounce.

Capsules, Nos. 43, 45, 82, 74.

Inhalant, No. 19.....per pint..\$ 2.50

OLIVE OIL.

Nutritious and mildly laxative. Claimed as satisfactory in treatment of gall stones, in which case it should be administered in doses of 1-2 to 1 fluidounce. Externally, useful as a dressing for burns.

Capsules, Nos. 1, 69, 83, 68, 75 to 77, 50, 100, see list in Appendix.

OPIUM.

Concrete milky exudation from the capsules of *PAPAVR SOMNIFERUM*, Linné. POISONOUS.—A stimulant narcotic. It diminishes pain (sensitivity), induces sleep, and inhibits all secretions excepting of the skin, which it promotes; apt to produce nausea and constipation; in overdoses death results from paralysis of the respiratory muscles.

ANTIDOTES.—Atropine, caffeine. Evacuate the stomach by emetics (apomorphine, zinc sulphate, mustard, with copious draughts of lukewarm water) or stomach pump. Maintain respiration (Faradization, flagellation, cold douche, etc.). Give strong tea or coffee (fluid extracts best, in drachm doses); belladonna or atropine, watching effect on pupil and on respiration. Alcoholic stimulants in stage of depression; artificial respiration so long as there are signs of cardiac action.

Tinctures.

Ipecac and Opium, assayed. A liquid form of Dover's Powder, representing 1 grain in each minim. Dose, 2 to 12 mins.....per pint, net..\$ 1.75

Opium. Laudanum. Each fluidounce contains by assay 6 grs. Morphine, equivalent to 7 1-2 grs. Morphine sulphate. Dose, corresponding to 1 grain powdered Opium, 10 mins. Of the same strength as Tincture Opium, Phar. Ger.....
.....per pint, net.. 2.00

Opium Camphorated, U. S. P. Each fluidounce contains by assay, 1-4 gr. of Morphine, alkaloid. Dose, for an adult, 1 to 2 fluidrachms; for an infant, 5 to 20 mins..per pint, net.. .65

Opium Compound. Diarrhoea mixture, Squibb's formula. Each fluidrachm contains: Tincture opium, 12 mins.; spirit camphor, 12 mins.; tincture capsicum, 12 mins.; pur. chloroform, 4 1-2 mins.; alcohol fort., 19 1-2 mins.; Dose, for adult, 1-2 to 1 fluidrachm, in water; per pint, net.. .90

Opium Deodorized. (Fluid Opium, aqueous and deodorized). A preparation which is not liable to nauseate delicate stomachs, nor to produce the unpleasant after-effects so often experienced from other opiates. It is a substitute for

OPIUM—CONTINUED.

- McMunn's Elixir, and in appropriate doses for Battley's Sedative Drops. Each fluidounce contains by assay 6 grains of Morphine. Dose, 4 to 15 mins., (10.5 minims represent 1 gr. of powdered Opium).....per pint..\$ 2.00
- Vinegar Opium, U. S. P.* Each fluidounce contains by assay 6 grs. of Morphine, equivalent to 7 1-2 grs. of Morphine sulphate. Dose, equivalent to 1 gr. of powdered Opium, 10 mins.....per pint, *net*.. 1.25
- Wine Opium, U. S. P.* Each fluidounce contains by assay 6 grs. of Morphine, equivalent to 7 1-2 grs. of Morphine sulphate. Dose, equivalent to 1 gr. of powdered Opium, 10 mins.....per doz.. 22.50
- See also *Poppy Heads*.
- Anodyne Pine Expectorant.*
- Inhalant, No. 3*.....per pint.. 1.40
- Compressed Tablets* see list in Appendix, Nos. 6, 7, 14, 23, 30, 35, 45.
- See also *Emergency Case*.
- Lozenges: Ammonia, Dr. Jackson's; Ipecac and Morphine; Opium and Licorice, Wistar's Cough; Pectoral, Dr. Jackson's.*
- Oleate Morphine.* Containing 10 per cent. of the alkaloid; per oz. 1.15
- Morphine and Mercury.* Containing 5 per cent. of the alkaloid and 20 per cent. of mercuric oxide. Useful where these remedies cannot be administered in the usual way, or when local action is desired..... .70
- Pills* containing Opium or its derivatives, see Appendix, "Pills," Nos. 30, 43, 78, 110, 132, 134, 139 to 142, 198 to 203, 248, 249, 258, 260, 318 to 320, 394 to 412, 414 to 416, 429 to 435, 473, 474, 482, 483, 487, 546, 548, 594, 597, 619, 661, 664, 672, 673, 682, 696, 697, 699, 728, 735, 739.
- Syrup Dover's Powder.* Each fluidounce representing 40 grs. Dover's Powder, U. S. P., or 0.56 gr. Morphine alkaloid, equivalent to 3-4 gr. Morphine sulphate. Dose, for adults, 1 to 2 fluidrachms.....per doz.. 9.00
- Tablet Triturates*, see list in Appendix, Nos. 14, 15, 229, 45, 46, 205, 67, 68, 112 to 121, 128, 129, 202, 236, 266, 268, 269, 293 to 295, 309, 338, 339, 366 to 368, 382, 443 to 448, 450 to 453, 466 to 471, 607.
- See *Bronchial Sedative*.
- Chlor-anodyne.* An efficient and elegant remedy for Asiatic cholera, colic, cholera morbus, neuralgia, spasmodic pains, etc. Adult dose, 15 mins. in repeated doses according to the indications.....per doz., ozs., *net*.. 3.50
- Elixir Ammonium and Morphine valerianates*.....per doz.. 13.00

OPIUM—CONCLUDED.

Fluid Opium, aqueous and deodorized, see *Opium, deodorized*, U. S. P.

Fluid Opium, assayed, for making U. S. P. tincture...per pint..\$ 5.50

Fluid Opium Camphorated. Eight times the strength of tincture Opium camphorated, U. S. P. (Paregoric), for the preparation of which it may be employed. Anodyne, carminative, anti-spasmodic. Much used to allay cough in chronic catarrh, asthma, consumption, pertussis, etc.; to relieve nausea and slight pains in the stomach and bowels; to check diarrhoea in teething, and in irritative febricula of infants. Dose, for an adult, 8 to 20 mins.; for an infant, 1 to 3 mins.....per pint.. 1.75

Powdered Extract. Contains 20 per cent. Morphine by assay. Dose, 1-4 to 1 gr.....per oz.. 1.50

Solid Extract Opium. Contains 20 per cent. Morphine by assay. Dose, 1-4 to 1 gr.....per oz.. 1.30

Hypodermic Tablets, see list in Appendix, Nos. 2, 13 to 16, 24 to 29, 33, 38, 39, 48, 52 to 63.

Veterinary Hypo. Tablets, see list in Appendix, Nos. 511 to 513.

ORANGE, BITTER.

CITRUS VULGARIS, Risso.—A mild tonic, carminative, stomachic. A pleasant and useful addition to preparations of the bitter tonics, such as quassia, gentian, columbo, etc.

Fluid Extract Bitter Orange Peel. Dose, 1-4 to 1 fluidrachm.

See also Fluid Extracts, 141, 145, 218.....per pint..\$ 1.05

ORANGE, SWEET.

CITRUS AURANTIUM, Linné.—Aromatic, tonic. Usually combined with bitters to impart an agreeable flavor, to correct nauseating influence, and to assist stimulating properties. As an agreeable flavor, the rind of the sweet orange is preferable; as a tonic, that of the Seville or bitter orange.

Fluid Extract Sweet Orange Peel.....per pint..\$ 1.05

Fluid Extract Sweet Orange Comp. Each pint represents:

Orange peel, 12 ozs.; cloves, 3-8 oz.; caraway, 3-8 oz.; orris root, 1 1-2 ozs; mace, 3-8 oz.; cinnamon, 3-8 oz.; anise, 3-8 ozs.; tonka bean, 3-4 oz.....per pint.. 1.80

NOTE.—Both of these fluid extracts are used exclusively as flavoring agents.

ORRIS.

IRIS FLORENTINA, Linné.—Mild digestive stimulant, slightly cathartic and diuretic. It is largely used for its odoriferous properties.

Fluid Extract of the root, 1-2 to 1 fluidrachm.....per pint.. \$ 1.25

ORTHOSIPHON STAMINEUS, BENTHAM.

This drug, now receiving some attention in Europe, has long been known and used in Java, for its action on the kidneys and bladder. Dr. C. L. Van der Burg, of Batavia, Java, speaks very highly of it as a diuretic, especially of its beneficial effects in gravel, chronic cystitis and pyonephrosis.

Fluid Extract of the leaves. Dose, 20 to 30 mins, largely diluted.....per pint..\$ 3.50

OX-EYE DAISY.

CHRYSANTHEMUM LEUCANTHEMUM, Linné.—Claimed in many cases as successful in checking night sweats of phthisis. This property is a valuable one, and with a view of permitting further investigation as to medicinal value, we introduce the fluid extract as representing the activity of the drug.

Fluid Extract of the root. Dose, 1-4 to 1 fl. dr.....per pint..\$ 2.50

OX-GALL.

The gall or bile of *Bos TAURUS*, Linné.—Purgative, antiseptic, tonic. Has been found serviceable in constipation, and in jaundice dependent upon catarrh of bile ducts, partly through its purgative action and by affording aid to duodenal digestion; too nauseous to be given in the natural state. The following should be directed to be taken some time after eating, and in pill or capsule form, so as to delay admixture of the bile until the food is ready to pass into the duodenum.

Ox-gall, Desiccated. Scales; 5 to 10 grs.....per lb., net..\$ 2.75

Ox-gall, Inspissated, U. S. P. Prepared by evaporating the fresh Gall after straining, to the consistency of a solid extract. Dose, 5 to 10 grs.....per oz., net.. .15

Ox-gall, Inspissated, powdered. Prepared by drying the above more thoroughly and powdering; suitable for administration in capsules. Dose, 5 to 10 grs.....per oz., net.. .25

Ox-gall, Purified, U. S. P., 5 to 10 grs.....per oz., net.. .25

Pills, see Appendix, "Pills," Nos. 436 to 439.

Tablet Triturate Ox-Gall, 1 gr.....per 100, 60 cents; per 1000.. 1.00

PANCREATIN.

EXTRACTIVE FROM THE PANCREAS OR "SWEETBREAD."—It transforms starch into sugar, emulsifies fats, and peptonizes albuminoids. Its beneficial effects are generally best secured by causing it to act on the food before it enters the stomach, since the acid normally present in that organ suspends its activity until it passes into the duodenum, and meanwhile it may be itself digested and lost. Indicated in intestinal dyspepsia and torpor, in defective nutrition, and in convalescence from acute diseases.

PANCREATIN—CONCLUDED.

Pancreatin, pure. There is of course no such thing made as pure Pancreatin, hence this is simply a highly concentrated preparation containing the various digestives ferments of the pancreatic secretion. Five grains with 20 grains of sodium bicarbonate will peptonize a pint of milk in about half an hour at 110° F. Dose, 1 to 2 grs.....per oz., net..\$ 1.50

Pancreatin, saccharated. Diluted with sugar of milk, 1-4 the strength of pure Pancreatin. Dose, 4 to 8 grs..per oz., net.. .40

Compressed Tablets, see *Digestive Tablets.*

Peptonizing Tablets. Put up in boxes of two vials each. One of these vials contains 30 tablets of sodium bicarbonate, 10 grs.; and the other 30 tablets of pure pancreatin, 2 1-2 grs., with sugar of milk q. s. ad 10 grs. They are used for preparing peptonized milk, gruel, beef-tea, etc...per box, net.. .50

Elixirs, see list in Appendix, Nos. 93, 95, 98, 112.

Liquid Pancreatin, concentrated. One teaspoonful will peptonize a pint of milk. Dose, 1-4 to 2 fluidrachms..per doz.. 12.00

Pill Pancreatin.—Enteric coated, 1 gr....per 100, 50c.; per 500.. 2.35

See also *Lactated Pepsin* and *Lactated Pepsin Tablets.*

Malt Extract with Pepsin and Pancreatin.....per doz.. 7.00

PANSY.

VIOLA TRICOLOR, Linné.—Mucilaginous, emollient and slightly laxative. Possesses considerable reputation in Europe as a blood purifier and as a remedy in bronchial and intestinal catarrh, and in cutaneous eruptions; has recently been held an almost specific in eczema in adults and in the crusta lactea of infants; also used as an expectorant in pectoral affections.

Fluid Extract of the leaves. Dose, for young children, in acute forms of eczema, 1 to 5 mins; in subacute and chronic forms, 10 to 15 mins.; for adults, 1-2 to 2 fluidrachms. Administered on an empty stomach and half an hour before meals if possible. When used in cases of eczema, if aggravation occurs, the remedy should be discontinued for a few days and resumed in smaller doses.....per pint.. \$1.20

Pressed leaves, in ounces.

PAPAW.

ASIMINA TRILOBA, Dunal.—Said to be useful in asthma, and also employed as an emetic.

Fluid Extract of the seeds, 10 to 30 mins.....per pint..\$ 1.20

PAPAW JUICE.

CARICA PAPAYA, Linné.—The inspissated juice of the unripe fruit possesses the remarkable power of digesting albuminoid substances in like manner with pepsin, and is consequently sometimes employed as a

PAPAW JUICE—CONCLUDED.

substitute therefor, especially in treatment of diphtheria. A committee of the Royal Society of New South Wales, appointed to investigate the properties of this drug, claim the greatest efficiency for *Carica papaya* as a galactagogue; their experiments show that the mammary secretion can be stimulated, in cases where the flow has decreased, either by internal administration or by topical application.

Papaw juice. Papain. A true digestive ferment. A ten-per-cent. solution in water and glycerin, equal parts, frequently applied with a camel's hair pencil to diphtheritic membrane, causes it to soften and become detached. It may be employed to assist digestion, and also as a galactagogue.
Dose, 1 to 5 grs.....per grm., *net.* \$.25

Papayotin. The active principle of Papaw juice. Its uses are the same as those of the crude juice. For use in diphtheria, mix one part of papayotin with four parts of water and four parts of glycerin, and apply hourly with brush or feather. Dose, 1-4 to 1 gr.....per grm., *net.* .80

PARAGUAY TEA.

Ilex paraguayensis, St. Hilaire. Extensively consumed as a beverage in South America, under the name of *maté*. The leaves are diuretic, exhilarant and, in large doses, emetic and drastic. the peculiar characteristic properties of this drug depending on the caffeine contained. It does not exalt the peripheric nerves like tea, nor the cerebriac like coffee, but induces rather indolence and drowsiness; it accelerates cardiac contractions and peristaltic movements.

Fluid Extract of the leaves, 1-2 to 1 fluidrachm.....per pint..\$ 1.80

PAREIRA BRAVA.

Chondodendron tomentosum, Ruiz & Pavon.—Tonic, slightly aperient and diuretic. Very useful in chronic cystitis in allaying irritability of the bladder and correcting tendency to too profuse mucous secretion; has now an established reputation in the treatment of chronic affections of the urinary tract, especially those of muco-purulent character.

Elixir Buchu and Pareira Brava.....per doz..\$ 9.00

Fluid Extract of the root, 1-2 to 2 fluidrachms.....per pint.. 1.50

Fluid Extract Buchu and Pareira Brava, see *Buchu*.

Pressed root, in pounds.

PARSLEY.

Carum petroselinum, Bentham & Hooker.—Aperient diuretic, tonic, antiperiodic, emmenagogue; sedative to genito-urinary tract. Often used in nephritic and dropsical affections. The root is most diuretic and is also prescribed for the relief of strangury produced by cantharides, and for dysuria attending attacks of gravel. The seed is sometimes used as a substitute for quinine in marsh miasm, and Apiol, its camphoraceous principle has been found of service in intermittent neuralgia.

PARSLEY—CONCLUDED.

The most important use of the seed (or of Apiol) is as an emmenagogue in certain amenorrhœas and dysmenorrhœas. In these affections the fluid extract should be taken night and morning, in doses of half a fluidrachm, for three days prior to the menstrual period, and continued during the presence of the flux.

Capsules, Nos. 1, 100.

Fluid Extract of the root, 1-4 to 1 fluidrachm.....per pint..\$ 1.20

Fluid Extract of the seed, 1-4 to 1 fluidrachm.....per pint.. 1.35

Pressed leaves, in ounces.

Pressed root, in pounds and ounces.

PEACH.

PRUNUS PERSICA, Siebold and Zuccarini. Sedative (from the presence of hydrocyanic acid), mildly laxative, diuretic and anthelmintic. Recommended in morbid irritability of the bladder and urethra, ischuria, hæmaturia, pertussis, inflammation of stomach and bowels, and for the relief of nausea; to allay the pain of nephritic colic, to promote the discharge of calculi by causing diuresis, and as a remedy in intermittent fevers. Poisonous effects may be induced by excessive doses owing to the prussic acid, or amygdalin, contained.

Fluid Extract of the leaves, 10 to 25 mins.....per pint..\$ 1.25

Pressed bark, in pounds.

Pressed leaves, in ounces.

PELLITORY.

ANACYCLUS PYRETHRUM, DeCandolle. — A powerful irritant, used almost exclusively as a sialagogue in certain forms of headache, rheumatic and neuralgic affections of the face; as a local stimulant in paralysis of tongue and throat, and relaxation of the uvula; an excellent remedy for toothache, and employed by dentists as a local application to carious teeth with a view to benumbing prior to filling.

Fluid Extract of the root, 1-2 to 1 fluidrachm, to be held in the mouth but not swallowed.....per pint..\$ 1.20

Pressed root, in pounds.

PENGAWAR DJAMBI.

The stem hairs of several species of Java ferns. A mechanical or absorbent hæmostatic, formerly much used, but to which interest has been again directed by recent articles in the European press.

It is claimed to have been used with advantage in cases of capillary hæmorrhage and bleeding from small vessels, either cut, torn, or laid open by sloughing—in some instances even on very extensive surfaces,—and for plugging. It is recommended to be slightly crushed before using.

Per oz.....net..\$.25

PENNYROYAL.

HEDEOMA PULEGIOIDES, Persoon.—Stimulant, diaphoretic, diuretic and slightly emmenagogue. Used chiefly in the form of hot infusion (one ounce to the pint of boiling water) in threatened inflammation of the throat and bronchi, in muscular rheumatism, and especially in connection with hot hip and foot baths to promote the menses.

Capsules, Nos. 75, 76.

Fluid Extract of the leaves, 1-2 to 2 fluidrachms.....per pint..\$.90

Pressed leaves, in ounces.

PEONY.

PÆONIA OFFICINALIS, Linné.—At one time possessed of considerable reputation in epilepsy and, from its astringency, in diarrhoea. Very little information of a modern nature is to be found regarding it, but occasionally it is used as an antispasmodic and nerve sedative as in chorea and whooping-cough. Dose, 1-2 to 2 fluidounces of an ounce to the pint infusion.

Pressed root, in pounds.

PEPPERMINT.

MENTHA PIPERITA, Linné.—Diffusible stimulant, carminative and antispasmodic. Used in flatulent colic and to check nausea and vomiting.

Fluid Extract of the leaves, 1 to 2 fluidrachms.....per pint..\$ 1.00

Pills, see Appendix, "Pills," Nos. 158, 160, 161, 569, 570, 677, 700, 733, 765.

Compressed Tablet Soda Mint, in screw cap vials.....

.....per lb., 50 cents; 40s, per doz., 90 cents; 65s, per doz.. 1.00

Chloranodyne.

Tablet Triturates, see list in Appendix, Nos. 320 to 322.

Compressed Tablet, see list in Appendix, No. 14.

Pressed leaves, in ounces.

PEPSIN.

AN ARTICLE REPRESENTING THE ACTIVE PRINCIPLE OF THE GASTRIC JUICE.—Pepsin is that digestive ferment which dissolves albuminoids, such as white of egg, meat fibrin, etc. It differs from pancreatin in not being able to act upon the starchy or fatty substances, and in being active only in an acid instead of an alkaline solution. Used as a substitute for the natural digestive fluid in atony of the stomach from functional derangement or organic disease.

Pepsin, lactated. This contains all of the principal agents contributing to the process of digestion in its several stages. It converts starch into soluble glucose, digests albuminous and fibrous matter, and renders fatty foods more easily assimilated. Dose, from 1 to 5 grs.....per oz., *net*..\$.50

PEPSIN—CONTINUED.

- Pepsin, Aseptic.* A soluble, scale Pepsin. Digestive strengths from 1,000 up to 15,000 times its weight of coagulated egg albumen. The price of this Pepsin is based on the scale of \$4.00 per pound per 1000 of digestive power, the price per ounce being determined by finding price per pound, adding \$1.00, dividing by 16 and then taking the number next highest to the result which is a multiple of 5.
- Pepsin, Aseptic, powdered.* Is identical in character with above, except that it is in powdered form.
- Pepsin Saccharated, U. S. P.* One grain dissolves 50 grs. albumen. Dose, 5 to 10 grs.....per oz., net..\$.20
- Rennin.* A ferment distinct from but associated with Pepsin in gastric juice. One grain will curdle a pint of milk. Useful for preparing junket, and curds and whey for dietetic purposes.....per oz.. 1.50
- Capsule Salol Compound*
..... per 100, \$3.00; per doz. boxes of 1 doz.. 5.00
- Compressed Tablets.*
- Digestive, see Digestive Tablets.*
- Lactated Pepsin, 3 grs...*per 100, net, 55c.; 30s, per doz., net.. 3.50
- Pepsin and Bismuth....*per 100, net, 85c.; 30s, per doz., net.. 4.50
- Pepsin, 1 gr., (sugar coated).* Each tablet contains 1 gr. Pepsin Aseptic, 1-2000, or a quantity sufficient to dissolve 2,000 grains of coagulated egg-albumen, according to the U. S. P. test. Per doz. bots. of 30, net, \$3.00; per doz. bots. of 65, net, \$6.00; per bot. of 100, net, 50 cents.
- See also list in Appendix, Nos. 21, 22, 36 to 38.
- Elixirs, see list in Appendix, Nos. 21, 22, 24, 29 to 33, 59, 61, 76, 78 to 82, 88 to 103.*
- Pepsin Cordial.* An artificial gastric juice containing all the elements which are essential to gastric digestion. In point of activity it surpasses the elixirs, essences and wines of Pepsin commonly met with in the market, while its flavor and general palatability will commend it to the most fastidious palate. Aside from its proteolytic action, it possesses the property of curdling milk, and is therefore useful for the preparation of junket or curds and whey.....per doz., net.. 8.00
- Glycerols.* Each fluidounce represents ingredients specified.
- Pepsin, concentrated, (960 grs. Pepsin, sacch., U. S. P.);* per 4-fl.oz. bot., net, \$1.00; per 8-fl.oz. bot., net, \$1.50; per 12-fl.oz. bot., net, \$2.00.
- Pepsin and Wafer Ash (Pepsin, sacch., U. S. P., 80 grs.; Wafer Ash, 30 grs.)*per lb.. .90

PEPSIN—CONCLUDED.

Granular Effervescent Preparations. Ingredients stated per drachm:

Pepsin and Bismuth (Pepsin, 1 gr.; Bismuth and Ammon. cit., 1 gr.).....per doz., 2 oz., \$6.90; 4 oz..\$11.75

Pepsin, Bismuth and Strychnine (Pepsin, 1 gr.; Strychnine, 1-60 gr.; Bismuth and Ammon. cit., 2 grs).....
.....per doz., 2 oz., \$7.25; 4 oz.. 12.00

Liquid Pepsin, U. S. P. Representing 4%. Sacch. Pepsin, U. S. P., per fluidounce. Dose, 1-2 to 1 fl. oz..per doz., net.. 7.50

Lozenges: Pepsin Aseptic, 1 gr.: *Pepsin and Bismuth*; *Pepsin and Calcium lactophosphate*.

Malt Extract with Pepsin and Pancreatin.....per doz.. 7.00

Pills, see Appendix, "Pills," Nos. 250, 298, 361, 418, 439 to 444.

Syrups, Nos. 1, 22, 23.

Tablet Triturates, see list in Appendix, Nos. 130 to 132, 194, 473.

Wines, Nos. 6, 18.

PERSIMMON.

DIOSPYROS VIRGINIANA, Linné.—Astringent. Employed in diarrhoea, dysentery and uterine hæmorrhage; as a gargle in ulcerated sore throat, and as a wash in stomatitis; the bark is claimed to be used advantageously in intermittents.

Fluid Extract of the bark, 1-4 to 1 fluidrachm.....per pint..\$ 1.20

Fluid Extract of the green fruit, 1-2 to 2 fluidrachms; per pint.. 2.00

Pressed bark, in pounds.

PETROLEUM.

Taken internally it possesses a reputation as a remedy for incipient phthisis and bronchitis. It also soothes irritation, and consequently is useful in inflammations of gastro-intestinal mucous membrane; when perfectly purified, is a valuable vehicle for remedies to be applied to mucous membrane of throat and lungs, either directly or in the form of inhalants. Dose, 5 to 20 grains.

The crude mass put up in bottles of 1 oz., 1-4, 1-2 and 1 lb.....
.....per pound in ounces, net..\$ 1.50

Capsule Petroleum Mass, 10 mins.....
.....per 100, 95 cents; per doz. boxes of 1 doz.. 1.80

Inhalants.

PHOSPHORIC ACID.

Tonic and refrigerant. Valuable in some forms of dyspepsia; a nerve and brain food in the same way as phosphorus. Dose, 20 to 60 mins., largely diluted.

Syrup Acid Phosphate and Pepsin.....per doz..\$10.00

Liquid Acid Phosphates, see *Acid Phosphates. Liquid*.

PHOSPHORUS.

A nutritive stimulant to the nervous system. Used in sexual exhaustion and in failure of the mental powers from similar cause; has been employed with advantage in neuralgia, mania, melancholia and some affections of the skin. Dose, 1-100 to 1-20 grain.

Pills, see Appendix, "Pills," Nos. 63, 446 to 495, 616, 701, 732.

Elixirs, see list in Appendix, Nos. 105, 25, 51 to 53, 97, 106.

Compressed Tablet, see list in Appendix, No. 20.

Capsules, Nos. 15, 16, 51 to 56.

PICI.

FABIANA IMBRICATA, Ruiz & Pavon.—Diuretic, tonic, terebinthinate. In cases of acute or chronic vesical catarrh, following upon mechanical cause such as gravel or a uric acid diathesis, this remedy will quickly modify the renal secretion and favor the expulsion of such concretions as can be passed through the urethra. It modifies and permanently relieves also chronic purulent mucous secretions. It acts upon the liver indirectly, probably through its diuretic properties, hence, is recommended for icterus, hydropsy, and dyspepsia due to biliary derangements; the essential oil, when absorbed and carried into circulation, acts as a stimulant to secretory apparatus in general. Contra-indicated where there is organic kidney disease:

Capsule Pichi, 5 grs.....per 100, \$1.20; per doz. boxes of 1 doz..\$ 2.10

Fluid Extract of the stem and leafy branchlets, 1-2 to 2 fl. drs.. 4.00

Solid Extract, 2 to 10 grs.....per oz.. .46

Powdered Extract, 2 to 10 grs.....per oz.. .50

PIMENTO.

PIMENTA OFFICINALIS, Berg. DeCandolle.—Carminative and stimulant. An agreeable addition to diarrhoea mixtures, and useful as a stomachic in atonic dyspepsia and flatulence; largely used as a condiment.

Fluid Extract of the fruit, 10 to 40 mins.....per pint..\$ 1.20

Fluid Extract of the leaves, 10 to 20 mins.....per pint.. 2.00

Pills, see Appendix, "Pills," No. 250.

PINE-APPLE.

ANANAS SATIVA, Schultes.—It has been recently discovered the juice of fruits of different members of the natural order Bromeliaceæ have the faculty of digesting proteids and forming peptones without the bitterness that develops under the use of other digestive ferments. We have become sole agents for the products manufactured by the aid of pineapple ferment by the Mosquera-Julia Food Co., which we commend to the attention of our patrons.

Bromelin. The concentrated juice of the Pine-apple. It possesses all the properties of pepsin, with the advantage that the peptone resulting from its action is entirely devoid of bitterness, while it is equally potent in alkaline, neutral or

PINE-APPLE—CONCLUDED.

acid media; for the latter reason it will be found of especial value for the solution of diphtheritic membrane and similar abnormal growths.....per oz., *net*..\$ 2.00

PINK-ROOT.

SPIGELIA MARILANDICA, Linné.—Pink-root is a powerful anthelmintic, and in overdoses excites the circulation; it has a decided narcotic action, which may be counteracted by combining with some cathartic, such as senna, etc.

Fluid Extract of the root, 1 to 2 fluidrachms; children, 10 to 20 mins.....per pint..\$ 1.50

Fluid Extract Pink-root Comp. An efficacious combination as a specific for worms; combines both anthelmintic and laxative properties. Each pint represents: Pink root, 7 ozs.; Senna, 7 ozs.; Savin, 1 oz.; Manna, 1 oz. Dose, 1-2 to 1 fluidrachm.....per pint.. 1.50

Fluid Extract Pink-root and Senna. An excellent vermifuge, combining the anthelmintic action of Pink-root with the cathartic action of Senna. Each pint represents: Pink root, 10 ozs.; Senna, 6 ozs., Oil Anise, 20 minims.; Oil Caraway, 20 mins.; Dose, for a child two years old, 30 to 60 mins.; for an adult, 2 to 4 fluidrachms.....per pint.. 1.50

Pressed root, in pounds.

PIPSISSEWA.

CHIMAPHILA UMBELLATA, Nuttall.—Astringent, alterative, tonic, diuretic. Useful in scrofula, in chronic rheumatism, and in nephritic affection; employed as a substitute for uva ursi in urinary disorders, being less obnoxious to the stomach.

Concentration Chimaphilin, 1 to 4 grs.....per oz..\$.75

Elixir, see list in Appendix, No. 118.

Fluid Extract of the leaves, 1-2 to 1 fluidrachm.....per oz.. 1.00

Fluid Extract Stillingia Comp. For formula, see *Stillingia*;
.....per pint.. 1.50

Solid Extract, 3 to 10 grs.....per oz.. .23

Pill Chimaphila Extract, 3 grs.....per 100, 45 cents; per 500.. 2.10

Syrup, No. 51.

Pressed leaves, in ounces.

PITCHER-PLANT.

SARRACENIA PURPUREA, Linné.—Stimulant, diuretic; tonic to mucous surfaces and to the system generally. It is effective in sluggish or torpid conditions of the stomach, intestines liver, kidneys, that induce costiveness, dyspepsia, sick-headache, etc.

Fluid Extract of the rhizome, 15 to 30 mins.....per pint..\$ 1.50

Pressed root, in pounds.

PLANTAIN.

PLANTAGO MAJOR, Linné. — Alterative, diuretic, refrigerant, hæmostatic. Prescribed in dropsy, diarrhoea, dysentery, hæmorrhoids, hæmaturia, menorrhagia, etc.; a reputed antidote to bites of venomous serpents, spiders, etc.

Fluid Extract of the leaves, 1-2 to 1 fluidrachm.....per pint..\$.90

Pressed leaves, in ounces.

PLEURISY-ROOT.

ASCLEPIAS TUBEROSA, Linné.—Diaphoretic, antispasmodic, tonic, diuretic, carminative. Has attained a reputation in diseases of the respiratory organs, more particularly pleurisy, pneumonia and catarrhal affections; also beneficial in acute rheumatism, febrile diseases, and flatulence.

Concentration Asclepidin, 1 to 5 grs.....per oz..\$.75

Fluid Extract of the root, 20 to 60 mins.....per pint.. 1.20

Pressed root, in pounds and ounces.

POISON OAK.

RHUS TOXICODENDRON, Linné. POISONOUS.—Stimulant narcotic; promotes the secretory functions of the skin and kidneys, and produces a stupefying effect upon the nervous system; when ingested produces, more or less, irritation of the stomach and bowels. Used in the treatment of obstinate cutaneous disorders, dropsy, nocturnal incontinence, chronic paralysis, chronic rheumatism, and certain diseases of the eye; is said to produce twitchings of paralyzed muscles and prickings of affected limb, similar to strychnine or Nux-vomica.

ANTIDOTES.—Use emetics followed by demulcents and alkalies, and treat symptoms as they arise on general principles.

Fluid Extract of the leaves, 6 to 30 mins.....per pint..\$ 1.80

Powdered Extract, 1-4 to 5 grs.....per oz.. .65

Tablet Triturate Rhus Toxicodendron tincture, 1 min.....

.....per 100, 16 cents; per 1000.. 1.00

Pressed leaves, in ounces.

POKE-ROOT.

PHYTOLACCA DECANDRA, Linné.—Emetic, cathartic, alterative and somewhat narcotic. Has acquired some reputation in syphilitic and rheumatic affections, in acute and chronic catarrhal affections of mucous membranes, in headache, dysmenorrhœas, and passive congestions of the uterus, liver, spleen and other organs; has lately been heralded as a remedy for excessive adipose, it being claimed to rapidly reduce the diseased condition without affecting the general health.

See also *Alterative Compound* and *Trifolium Cccompound*,

Fluid Extract of Poke-berries, 10 mins. to 1 fluidrachm according to the effect desired.....per pint..\$ 1.50

POKE-ROOT—CONCLUDED.

<i>Fluid Extract Poke-root.</i> As an alterative, 2 to 10 mins; as an emetic, 20 to 30 mins.....	per pint..\$ 1.00
<i>Powdered Extract Poke-root,</i> 1 to 5 grs.....	per oz.. .40
<i>Solid Extract Poke-root,</i> 1 to 5 grs.....	per oz.. .28
<i>Concentration Phytolaccin</i>	per oz.. .75
<i>Pills,</i> see Appendix "Pills," Nos. 31, 497.	
<i>Compressed Tablet,</i> see list in Appendix, No. 48.	

POLYPODY.

POLYPODIUM VULGARE, Linné.—Expectorant, demulcent, purgative, anthelmintic. Dose, 2 fluidrachms of an ounce to the pint infusion.

Pressed leaves, in ounces.

POMEGRANATE.

PUNICA GRANATUM, Linné.—The bark of pomegranate root has long been held an efficient remedy for tape-worm; without the aid of castor oil or other cathartics it effects the destruction and expulsion of the parasite. Should it not have a purgative effect, a brisk cathartic is advisable, that the tænia may not be allowed time to recover from the effects of the pomegranate. Its virtues are due to the alkaloid Pelletierine

Fluid Extract of the bark of root, 1-4 to 2 fl. drs....per pint..\$ 1.25

Pressed bark of root, in pounds.

PONGAMIA GLABRA OIL, VENTENAT.

Long employed by natives of India as a local application for scabies, herpes and sundry other affections of the skin, and for the relief of rheumatism; is reputed an excellent remedy in pityriasis versicolor and porrigo capitis.....per oz., net..\$.40

POPPY.

PAPAVER SOMNIFERUM, Linné.—Anodyne, calming irritation and inducing sleep. Used in pulmonary affections; is a favorite ingredient in soothing syrups for children.

For other products from the Poppy, see *Opium*.

Fluid Extract of the heads, 10 to 40 mins.....per pint..\$ 1.05

Solid Extract of the heads, 2 to 5 grs.....per oz.. .25

Pill Poppy Extract, 2 grs.....per 100, 40 cents; per 500.. 1.85

POTASSIUM ARSENIATE AND ARSENITE.

Action is very similar to the sodium salt and should be exhibited in like doses.

Pink Granule Potassium arsenite, 1-100 gr....per 100, 20c; 500..\$.85

Tablet Triturate Potassium arseniate, 1-20 gr..per 100, 15c; 1000.. .85

POTASSIUM BICARBONATE.

Possesses same properties as the carbonate, but more acceptable to stomach and palate. Dose, 20 to 60 grains.

Elixirs, see list in Appendix, Nos. 111, 112.

Granular Effervescent Salt Potassium bicarbonate.....

.....2 oz. bottles, per doz., \$3.45; 4 oz. bottles, per doz..\$ 5.00

Compressed Tablet Potassium bicarbonate, 5 grs.....

.....40s, per doz. boxes, 90 cents; per lb., *net*.. .80

See also list in Appendix, No. 19.

POTASSIUM BITARTRATE.

Diuretic and refrigerant. Employed in dropsical affections.

Lozenge Sulphur Comp.

POTASSIUM BROMIDE.

Chiefly valuable as a means of quieting non-inflammatory excitement of the reflex centres of the cord, of the genital function, of the cerebrum, and of peripheral afferent nerves; has been found of value in epilepsy.

Pills, see Appendix, "Pills," Nos. 519, 520, 705

Elixirs, see list in Appendix, Nos. 107, 41.

Glycerole Yerbine Comp.

Granular Effervescent Salt Caffeine and Potassium bromide..

.....2 oz. bottles, per doz., \$5.00; 4 oz. bottles, per doz..\$ 8.50

Compressed Tablet Potassium bromide, 5 grs.....

.....40s, per doz. boxes, *net*, \$1.50; per lb., *net*.. 1.50

Also see list in Appendix, Nos. 13, 49.

POTASSIUM CARBONATE.

Occasionally used as an antacid in dyspepsia, as a diuretic in dropsy, and antilithic in gravel; also employed in some cases of jaundice to excite hepatic function. Dose, 10 to 30 grains.

Pills, see Appendix, "Pills," Nos. 283, 284, 749, 750, 753.

Syrups, Nos. 40, 42.

POTASSIUM CHLORATE.

Externally applied to indolent and scrofulous ulcers and to ulcerated surfaces of the mouth or throat; is also employed as an injection in gonorrhœa, leucorrhœa, chronic cystitis, etc. An excellent remedy for hæmorrhoids is claimed for a saturated solution of the salt, combined with equal portions of laudanum, injected into the bowel twice daily. The internal dose is, 10 to 20 grains in lemonade or water, every three or four hours when administered as a prophylactic to mercurial salivation. Its more common use is as a palliative in sore throat, when a lozenge or tablet containing the salt may be slowly dissolved in the mouth.

POTASSIUM CHLORATE—CONCLUDED.

Lozenges: Potassium chlorate, 2 and 5 grs., either unflavored or with chocolate; *Potassium chlorate*, 2 grs., lemon or winter-green flavor; *Potassium chlorate and Ammonium chloride*.

Compressed Tablets.—

<i>Potassium Chlorate</i> , 5 grs.....	
.....per doz. bottles of 40, <i>net</i> , 90 cents; per lb., <i>net</i> ..\$.50
<i>Potassium Chlorate and Borax</i> , 2 1-2 grs. each.....	
.....per doz. boxes of 40, <i>net</i> , 90 cents; per lb., <i>net</i> ..	.70
<i>Potassium Chlorate</i> , 3 1-2 grs., and <i>Muriate of Ammonia</i> , 1 1-2 grs..per doz. boxes of 40, <i>net</i> , 90 cents; per lb., <i>net</i> ..	.80

See also list in Appendix, No. 17.

POTASSIUM CITRATE.

A refrigerant diaphoretic, acceptable as an effervescent drink, and especially agreeable when dissolved in an excess of lemon juice. Of value wherever an alkaline salt of potash is indicated, as in rheumatism, uric acid diathesis, etc. Dose, 20 grains.

Syrup Potassium citrate and Ipecacper doz..\$12.00

POTASSIUM AND IRON TARTRATE.

An agreeable chalybeate, reputed to be more readily absorbed than any other ferruginous preparation; from its slight taste and ready solubility, is one of the best ferruginous preparations for children. Adult dose, 10 to 30 grains.

Pill Potassium and Iron tartrate, 2 grs..per 100, 40c.; per 500..\$ 1.85

POTASSIUM HYPOPHOSPHITE.

Claimed of value in phthisis, or where there is deficiency of nerve power due to debility of brain; also exhibited in scrofulous diseases of children. Dose, 10 to 30 grains.

Syrups, Nos. 11, 12; also *Hematic Hypophosphites*.

Glycerole Hypophosphites.....per pint..\$ 1.25

Compressed Tablets, see list in Appendix, Nos. 27 to 29.

POTASSIUM IODIDE.

An eliminative of great value. Used in conjunction with mercurial salts in the treatment of syphilis; also in dropsy, muscular rheumatism, asthma and paralysis. Dose, 2 to 10 grains.

Elixirs, see list in Appendix, Nos. 48, 113.

Syrups, Nos. 35, 45.

Pills, see Appendix, "Pills," Nos. 57, 521, 522.

Compressed Tablets, see list in Appendix, Nos. 45, 46.

Syrup Trifolium Comp.

POTASSIUM LACTOPHOSPHATE.

Combines the therapeutic properties of potassium phosphate and lactic acid.

Syrups, Nos. 8, 28.

POTASSIUM NITRATE.

Refrigerant, diuretic, diaphoretic, powerfully antiseptic; locally an irritant or stimulant, according to concentration. The inhalation of the fumes of nitre from blotting paper dipped into a solution thereof, affords relief in some cases of asthma. It is best administered in liquid form; half an ounce may be dissolved in two pints of barley-water and taken at intervals during the twenty four hours.

Pills, see Appendix, "Pills," Nos. 248, 253, 706.

POTASSIUM PERMANGANATE.

A powerful stimulant, antiseptic, readily parting with its contained oxygen; for external use, may be applied in a powdered form or in solution, though care should be exercised, as it sometimes acts as a caustic. It has proved beneficial as a dressing in hospital gangrene, ulcers, diphtheria, and in the management of simple wounds; also as an injection in leucorrhœa, ozœna, etc.; internally it is claimed a very valuable remedy for atonic amenorrhœa; lauded subcutaneously in snake-bites. Dose, *per os*, for amenorrhœa, 1 to 2 grains.

Pills, see Appendix, "Pills," Nos. 524 to 526.

POTASSIUM SALICYLATE.

Possesses practically the same properties as the sodium salt. Dose, 5 to 20 grains.

Elixir Manaca and Salicylates.....per doz..\$22.00

POTASSIUM AND SODIUM TARTRATE.

A gentle and cooling laxative, seldom disagreeing with the stomach; is particularly acceptable in the form of seidlitz powders; valuable as an antilithic. Dose, as a febrifuge, 20 to 50 grains; as an antilithic, 60 to 120 grains, largely diluted, several times a day; as a cathartic, about one ounce.

Pill, Aperient, Bauer's.....per 100, 45 cents; per 500..\$ 2.10

Elixirs, see list in Appendix, No. 38, 83.

POTASSIUM SULPHATE.

Formerly much used as a purgative, but has fallen into disuse, except in combination. Dose, as a purgative, 2 to 4 drachms.

Pills, see Appendix, "Pills," Nos. 197, 749, 721, 748.

PRICKLY ASH.

XANTHOXYLUM AMERICANUM, Miller.—Stimulant, tonic, alterative, diaphoretic, sialagogue, carminative, galactagogue. Is used as a stimulant in languid states of the system, and said to be highly beneficial in chronic rheumatism, flatulent colic, syphilitic and hepatic affections.

See also *Alterative Compound* and *Trifolium Compound*.

Elixirs, see list in Appendix, Nos. 48, 118.

Fluid Extract of the bark, 10 to 40 mins.....per pint..\$ 1.05

Fluid Extract of the berries, 5 to 10 mins.....per pint.. 2.50

Fluid Extract Stillingia Comp., see *Stillingia*.

Solid Extract of the bark, 3 to 10 grs.....per oz.. .31

Pills, see Appendix, "Pills," Nos. 9, 31, 150, 632.

Syrups, see *Stillingia*.

Concentration Xanthoxylin, 1 to 4 grs.per oz.. .85

Compressed Tablet, see list in Appendix, No. 48.

Pressed bark, in pounds and ounces.

PRIDE OF CHINA.

MELIA AZEDARACH, Linné.—Cathartic, emetic, and in large doses, said to induce narcotic effects similar to pink-root; it is also, by many, held equally efficient with the latter as an anthelmintic.

Fluid Extract of the bark of root, 1-4 to 1 fl. dr.....per pint..\$ 2.00

PRIVET.

LIGUSTRUM VULGARE, Linné.—Astringent. Valuable in chronic bowel complaints, ulceration of stomach and intestines, and as a gargle for ulcers of mouth and throat. Dose, 2 to 4 ounces of an ounce to the pint infusion.

Pressed leaves, in ounces.

PULSATILLA.

ANEMONE PULSATILLA, Linné.—Alterative and antispasmodic. Administered with benefit in secondary manifestations of syphilis, and chronic cutaneous eruptions of a non-specific nature, and highly esteemed in chronic catarrhal affections of mucous membrane; for the relief of "nervousness" of exhaustion especially as the result of menstrual derangements and sedentary habits, and for the various nervous manifestations of hysteria it has been found very useful.

Fluid Extract of the herb, 1 to 5 mins.....per pint..\$ 1.50

Powdered Extract, 1-4 to 1 gr.....per oz.. .50

Tablet Triturate Pulsatilla tincture, 1 min.....

.....per 100, 15 cents; per 1000.. .85

Pressed herb, in ounces.

PUMPKIN.

CUCURBITA PEPO, Linné.—Pumpkin seeds are mucilaginous and diuretic, and deemed specific in tape-worm. Recommended in the treatment of strangury and urinary affections, in gastritis, enteritis, febrile diseases and gonorrhœa. When given for tape-worm, follow after two hours with a brisk cathartic.

Fluid Extract of the seed. For tape-worm, evaporate, at a gentle heat, two fluidrachms of the fluid extract to one-half fluidounce; let the patient take this at one dose, fasting, in the morning. Dose, 1-2 to 2 fluidrachms...per pint..\$ 1.80

Solid Extract. An efficient tænifuge; may be combined with oleoresin of male fern or other anthelmintics.....per oz.. 1.25

PURSLANE.

PORTULACA OLERACEA, Linné.—Refrigerant, diuretic. Indicated in chronic catarrhal affections of the genito-urinary tract; also recommended in scurvy, and thought by some to possess anthelmintic properties; likewise claims a place in the treatment of ascites, as a mild and efficient diuretic.

Fluid Extract of the herb, 1 to 3 fluidrachms.....per pint..\$ 2.50

QUASSIA.

PICRÆNA EXCELSA, Lindley.—A purely bitter tonic, invigorating the system without increasing action of heart. It is particularly adapted to debilitated states of the digestive organs succeeding acute diseases.

Fluid Extract of the wood, 5 to 15 mins.....per pint..\$ 1.00

Powdered Extract, 1 grain and upwards.....per oz.. .50

Solid Extract, 1 grain and upwards.....per oz.. .35

Pills, see Appendix, "Pills," Nos. 343, 527.

Compressed Tablet, see list in Appendix, No. 47.

QUEBRACHO.

ASPIDOSPERMA QUEBRACHO, Schlechtendal.—Quebracho has lately been introduced as a remedy in dyspnœa. Given in proper doses, it relieves the cyanosis and sense of suffocation due to embarrassed respiration, as in emphysema, capillary bronchitis, phthisis, chronic pneumonic processes, and in asthma; it appears to assist oxygenation of the blood as well as to stimulate the respiratory centres.

Fluid Extract of the bark, 15 mins. to 1 fluidrachm; per pint..\$ 2.50

Solid Extract, 1 to 3 grs.....per oz.. .65

QUEEN-OF-THE-MEADOW.

EUPATORIUM PURPUREUM, Linné.—A most excellent diuretic and tonic, withal somewhat stimulant and astringent. Has acquired a reputation in gravel, strangury and all chronic diseases of the urinary organs, and may be used with excellent effect in dropsical affections, hæmaturia, gout and rheumatism.

QUEEN-OF-THE-MEADOW—CONCLUDED.

<i>Concentration Eupurpurin</i> , 1 to 4 grs.....per oz..	\$ 1.25
<i>Fluid Extract of the root</i> , 30 to 60 mins.....per pint..	.90
<i>Solid Extract</i> , 3 to 10 grs.....per oz..	.27
<i>Pressed leaves</i> , in ounces. <i>Pressed root</i> , in pounds.	

QUININE-FLOWER.

SABBATIA ELLIOTTH, Steudel.—Tonic, febrifuge, antiperiodic. It seems to have much the same properties as cinchona barks hence, its name. In its habitat is much employed for the relief of different types of malarial fever, being pushed until it produces *tinnitus aurium*; its reputation as an antiperiodic was gained during the late war owing to the scarcity of quinine.

Fluid Extract of the root, 1-2 to 1 fluidrachm every two hours.

To be increased in quantity in obstinate cases.....per pint..\$ 2.25

RAGWEED.

AMBROSIA ARTEMISLEFOLIA, Linné.—Astringent. Employed as an application to fresh wounds and inflammations of the soft parts arising from injuries, also to hæmorrhoids; is said to exert a stimulant action in the typhoid state.

Pressed leaves, in ounces.

RASPBERRY.

RUBUS STRIGOSUS, Michaux.—Similar in medicinal properties to the bark of the root of the other varieties of the same genus—the dewberry and blackberry. Is found useful in the treatment of diarrhoea, dysentery, relaxed conditions of the intestines in children, passive hæmorrhages from primæ viæ and uterus; as an injection, is serviceable in gonorrhœa, gleet, leucorrhœa and prolapsus ani; combined with aromatics, employed in cholera morbus, cholera infantum and diarrhoea; is said, will increase the activity of uterine contractions when feeble, even in instances where ergot has failed, and has been found serviceable to relieve after-pains.

Fluid Extract of the leaves, 20 to 60 mins.....per pint..\$ 1.00

Solid Extract, 5 to 10 grs.....per oz.. .24

Pressed leaves, in ounces.

RED CLOVER.

TRIFOLIUM PRATENSE, Linné.—Deobstruent, alterative, sedative. The blossoms of this plant have long been used in the form of an infusion in whooping-cough, which they are said to relieve promptly; has also been used with success in the treatment of scrofula, and externally as a wash for ill-conditioned ulcers.

See also *Trifolium Compound*.

Fluid Extract of the blossoms, 1-2 to 2 fluidrachms..per pint..\$ 1.20

Solid Extract, 5 to 25 grs.....per oz. .27

Pressed blossoms, in pounds.

RED COHOSH.

ACTÆA SPICATA, Linné; VAR. RUBRA, Aiton.—A violent purgative, that must be used with caution; said also to be emmenagogue; the root is believed to possess narcotic properties that may prove useful. Diluted with water and applied locally, the fluid extract acts as an insecticide.

Fluid Extract of the root, 5 to 20 mins.....per pint..\$ 1.20

Pressed root, in pounds.

RED MAPLE.

ACER RUBRUM, Linné.—A mild astringent. Long used by the Indians as a remedy for sore eyes; its virtues otherwise are not known.

Pressed bark, in pounds.

RED OAK.

QUERCUS RUBRA, Linné.—Contains much tannin and therefore is useful wherever an astringent is indicated, such as chronic diarrhœa, chronic mucous discharges, etc., and externally to indolent ulcers, rough hæmorrhoids, as an injection for leucorrhœa, and as a gargle for relaxed uvula, etc.

Pressed bark, in pounds.

RED OSIER.

CORNUS SERICEA, Linné.—Tonic and astringent. May be used as a substitute for Florida dogwood in same doses; is said to check vomiting of pregnancy, and recommended in dropsy, ulcers, and malignant fevers.

Fluid Extract of the bark, 30 to 60 mins.....per pint..\$ 1.05

Pressed bark, in pounds.

RED POPPY.

PAPAVER RHÆAS, Linné.—Said to be anodyne and carminative; an uncertain but very weak opiate.

Pressed flowers, in ounces.

RENNIN.

It was formerly believed that the property of curdling milk was an inherent attribute of pepsin, but this opinion is no longer tenable, since it has been plainly proven that casein is curdled by *Rennin*, a ferment distinct from, but associated with, pepsin in gastric juice. We take pleasure in placing at the disposal of the medical profession a superior soluble Rennin in pulverulent form—one grain is capable of curdling one pint of milk, and it will be found a valuable agent for the preparation of Junket or Curds and Whey for dietic purposes.

In ounce vials.....per oz., *net*..\$ 1.50

Rennin Tablets, 1 gr.....

.....per bot. of 100, *net*, 50 cents; per bot. of 500, *net*..\$ 2.25

RHAMNUS WIGHTII, WIGHT & ARNOTT.

Reported to be a tonic and astringent, and from chemical examinations made it has been suggested the bark may possess properties like others of the same order, viz:—buckthorn and cascara sagrada.

Fluid Extract of the bark, 10 to 30 mins.....per pint..\$ 3.00

RHATANY.

KRAMERIA TRIANDRA, Ruiz & Pavon.—Rhatany is a powerful astringent, with slight tonic virtues. It may be employed internally with advantage in menorrhagia, hæmatemesis, passive hæmorrhages, chronic diarrhœa, leucorrhœa, chronic mucous discharges, colliquative perspiration, and incontinence of urine; as an energetic styptic in epistaxis, hæmorrhage following extraction of teeth or from the surface of a wound; as a local application in prolapsus ani, anal fissure and leucorrhœa; also for spongy and bleeding gums, it will be found unsurpassed.

Capsules, Nos. 23, 27.

Fluid Extract of the root, 15 to 30 mins.....per pint..\$ 1.10

Powdered Extract, 2 to 4 grains.....per oz.. .40

Solid Extract, 2 to 4 grs.....per oz.. .23

Pills, see Appendix, "Pills," Nos. 243, 260.

Compressed Tablet, see list in Appendix, No. 30.

RHUBARB.

RHEUM OFFICINALE, Baillon. — Cathartic, tonic and astringent; its astringency is exerted after its cathartic effect is produced, thus making it a very valuable remedy in bowel complaints. Its tonic power render useful in habitual constipation and dyspepsia.

Elixirs, see list in Appendix, Nos. 109 to 112.

Fluid Extract of the root, 5 to 30 mins.....per pint..\$ 2.25

Fluid Rhubarb Aromatic.—Twice the strength of the official aromatic tincture of Rhubarb, U. S. P., which it otherwise resembles in every particular. It is employed for the extemporaneous preparation of aromatic syrup of Rhubarb, and for this purpose is preferable to the official tincture, as it does not introduce so large a proportion of alcohol. Each pint represents: Rhubarb, 6 1-2 ozs.; Cloves, 1 1-4 ozs.; Cinnamon, 1 1-4 ozs.; Nutmeg, 2-3 oz. Dose, 1-4 to 1 fl.dr..per pt., 2.00

Fluid Extract Rhubarb Comp. with Potassa.—Tonic antacid and laxative. Used principally in diarrhœa; dysentery, cholera morbus, cholera infantum, and in the same diseases as compound powder of Rhubarb. It is frequently of use in correcting acidity of stomach, and may be employed as a gentle laxative, especially during pregnancy, and when piles are present. Each pint represents: Rhubarb, 8 ozs.; Cassia, 4 ozs.; Golden seal, 4 ozs.; Potass. Carb., 1 oz.; Oil Peppermint, 30 mins. Dose, 15 to 60 mins.....per pint.. 1.80

RHUBARB—CONCLUDED.

<i>Fluid Extract Rhubarb and Senna.</i> —A mild cathartic, well adapted to cases of costiveness with gastric uneasiness in persons of a gouty habit. Each pint represents: 8 ozs. each of Rhubarb and Senna. Dose, 15 to 60 mins..per pint..		\$1.80
<i>Fluid Rhubarb, sweet.</i> —Four times the strength of the official sweet tincture of Rhubarb. Each pint represents: Rhubarb, 5 ozs.; Anise seed, 2 1-2 ozs.; Licorice root, 2 1-2 ozs.; Cardamom seed, 5-8 oz. Dose, 1-4 to 1 1-2 fluidrachms ..per pint..		1.80
<i>Powdered Extract Rhubarb</i> , 2 to 10 grains,.....per oz..		.45
<i>Solid Extract of Rhubarb</i> , 2 to 10 grains,.....per oz..		.40
<i>Solid Extract Rhubarb Compound, Phar. Ger.</i> Ext. Rhubarb, 6 parts; Ext. Aloes, 2 parts; Resin Jalap, 1 part; Soap, 4 parts. Dose, 3 to 10 mins.....per oz..		.36
<i>Normal Liquid Rhubarb</i> , 5 to 25 mins.....per pint..		2.50
<i>Pills</i> , see Appendix, "Pills," Nos. 49, 60, 62, 81, 133, 162, 176, 224, 254, 261, 262, 291, 355, 372, 381, 566, to 571, 733.		
<i>Rhubarb Fingers.</i> A first-class grade of root pressed into small blocks.....per lb. (90 pieces), <i>net</i> ..		1.50
<i>Concentration Rhein</i> , 10 grs.....per oz..		3.00
<i>Syrups, Rhubarb, U. S. P.</i> , 1 to 4 fluidrachms.....per lb..		.60
<i>Rhubarb, aromatic, U. S. P.</i> Dose, for an infant, 1 fluidrachm repeated every two hours till the passages indicate by their color the medicine has operated.....per lb..		.60
<i>Rhubarb and Potassium Comp.</i> Neutralizing cordial. Dose, for an adult, 1-2 fluidounce.,.....per lb..		.75
<i>Tablet Triturates</i> , see list in Appendix, Nos. 227, 228, 486.		

RHUS AROMATICA, AITON.

Deemed a remedy in those conditions of the bladder which give rise to incontinence of urine. Its astringency renders it serviceable in passive hæmorrhages, atonic diarrhœa, dysentery, and summer complaints of children; it acts as an excitant on the non-striated muscles of bladder, uterus, and inferior portion of the digestive canal.

<i>Fluid Extract of the bark of root</i> , 5 to 30 mins.....per pint..	\$ 3.00
<i>Solid Extract</i> , 1 to 5 grs.....per oz..	.71

ROSE.

Pale, U. S. P., ROSA CENTIFOLIA—Red, U. S. P., ROSA GALLICA, Linné.—Pale rose petals are seldom employed medicinally; those of the red rose are used for their pleasant astringency in aphthæ and ulcers of mouth, ears, anus, etc., inflammation of eyes, hæmorrhages, and wherever a mild astringent is indicated.

<i>Lozenge Rose-leaf and Alum</i>per lb..	\$.60
<i>Syrups</i> , Nos. 44, 45.	

ROSE—CONCLUDED.

Pills, see Appendix, "Pills," Nos. 13, 14, 256, 715, 744, 716, 717, 745, 719, 726, 728, 738.

Pressed Pale petals, in ounces.

ROSEMARY.

ROSMARINUS OFFICINALIS, Linné. — Formerly considered useful in functional nervous disorders, and as an emmenagogue, galactagogue and diuretic; externally, employed in fomentations for relief of local pains.

Pressed flowers, in ounces. *Pressed leaves*, in ounces.

ROSIN-WEED

SILPHIUM LACINIATUM, Linné. — Tonic, diaphoretic, alterative, emetic. Very beneficial in dry, obstinate coughs and intermittent fevers; its action is perhaps analogous to that of grindelia robusta, and it is said to relieve "heaves" in horses.

Fluid Extract of the herb, 1-2 to 1 fluidrachm.....per pint..\$ 1.80

Pressed herb, in ounces. *Pressed root*, in pounds.

RUE.

RUTA GRAVEOLENS, Linné. — A powerful emmenagogue in cases of functional inactivity of the uterus; is of service in hysteria, convulsions and flatulence, the oil of rue being preferred for the latter.

Fluid Extract of the leaves, 10 to 30 mins.....per pint..\$ 1.00

Solid Extract, 2 to 5 grs.....per oz.. .27

Pill, Emmenagogue, Rigaud's.....per 100, 45 cents; per 500.. 2.10

SABBATIA CAMPESTRIS, NUTTALL.

Said to relieve sick-headache when caused by deranged digestion; useful also as an antiperiodic and preventative of miasmatic fevers; and in drachm doses, every four hours, is a reliable tonic in convalescence from fevers and general debility of the system from any cause.

Fluid Extract of the plant, 1-4 to 1 fluidrachm....per pint..\$ 2.40

SAFFLOWER.

CARTHAMUS TINCTORIUS, Linné. Used popularly to favor the efflorescence of measles and other exanthemata, as a diaphoretic (in warm infusion), and to dissipate commencing catarrh and muscular rheumatism. Laxative in large doses.

Fluid Extract of the florets, 5 to 20 mins.....per pint..\$ 2.40

Pills, see Appendix, "Pills," Nos. 271, 718, 746

Pressed florets, in ounces.

SAGE.

SALVIA OFFICINALIS, Linné.—Stimulant aromatic, tonic, astringent; a well-known diaphoretic in the form of "tea." Its astringency is of service as a gargle for the mouth or throat, and its aromatic quality is useful in flatulence.

Fluid Extract of the leaves, 1-2 to 1 fluidrachm....per pint..\$.90

Pressed leaves, in ounces, 1-4 and 1-2 pound packages.

SAMPSON SNAKE-ROOT.

GENTIANA OCHROLEUCA, Frölich.—Astringent, tonic, antiperiodic. Useful in all cases of enfeebled mucous tissues attended with discharge, as in chronic catarrhal affections; especially applicable to subacute irritations of the alimentary canal where the mesenteric glands are somewhat involved and there is diarrhoea.

Pressed root, in pounds.

SANDALWOOD.

SANTALUM ALBUM, Linné.—Employed as a substitute for copaiba in the treatment of gonorrhoea, chronic bronchitis and chronic diarrhoea. The fluid extract of the wood is more readily tolerated by some patients than the oil.

Capsules, Nos. 39, 23, 28, 46 to 48; 112 to 115.

Fluid Extract Sandalwood. Cinnamon adds to its palatability.

Dose, 1-2 to 2 fluidrachms.....per pint..\$ 3.00

Pills, see Appendix, "Pills," Nos. 582, 156.

Compressed Tablet, see list in Appendix, No. 18.

Inhalant, No. 20.....per pint.. 5.00

SANGUIS BOVINUS EXSICCATUS.

This preparation (*Dried Bullock's Blood, defibrinated*), with the addition of water, is in all essential respects similar to the fresh bullock's blood. It affords a ready means for the extemporaneous preparation of this aliment, thus placing a valuable method in the hands of those who cannot resort to the abattoirs for the natural fluid. In 1-4-pound cans, per doz., *net*, \$9.00.

SARACA INDICA. LINNÉ.

Astringent, uterine sedative. Much employed by Hindus in uterine affections, especially menorrhagia; also in the treatment of hæmorrhoids.

Fluid Extract of the bark, 1-4 to 1 fluidrachm,....per pint..\$ 4.00

SARSAPARILLA.

HONDURAS: SMILAX OFFICINALIS, Humboldt, Bonpland & Kunth. Extensively employed in secondary syphilis and conditions following the imprudent use of mercury; also in chronic rheumatism, scrofulous affections, and certain cutaneous diseases.

SARSAPARILLA—CONCLUDED.

<i>Capsule Copaiba, Cubeb and Sarsaparilla</i> , No. 24	
.....per 100, 95 cents; per doz. boxes of one doz..	\$ 1.80
<i>Fluid Extract Sarsaparilla</i> , 30 to 60 mins.....per pint..	1.50
<i>Fluid Extract Sarsaparilla</i> , (<i>Para.</i>) This valuable species of Sarsaparilla is comparatively unknown in the American markets, the supplies being carried through the usual channels of trade from Brazil to Europe. Dose, 30 to 60 mins;	1.80
<i>Fluid Extract Sarsaparilla Comp.</i> Each pint represents Sarsaparilla, 12 ozs.; Sassafras, 1 2-3 ozs.; Licorice root, 2 ozs.; Mezereon, 1-2 oz.....per pint..	1.50
NOTE.—The ingredients of this fluid extract differ somewhat from those of the syrup Sarsaparilla Comp., U. S. P.. For the especial purpose of convenience in making the latter see below.	
<i>Fluid Extract Sarsaparilla Comp. (for Syrup).</i> Each pint represents: Sarsaparilla, 13 ozs.; Pale Rose, 1 oz.; Senna, 1 oz.; Oil Sassafras, 3 minims; Guaiac wood, 1 5-8 ozs.; Licorice, 1 oz.; Oil Anise, 3 minims; Oil Wintergreen, 2 minims. Dose, 30 to 60 mins.....per pint..	1.50
<i>Fluid Extract Sarsaparilla and Dandelion.</i> Useful in eruptive diseases depending chiefly on derangements of the hepatic functions. Each pint represents: 8 ozs. each of Sarsaparilla and Dandelion. Dose, 1-2 to 1 fluidrachm....per pint..	1.50
<i>Powdered Extract Sarsaparilla</i> , 4 to 10 grains.....per oz..	.65
<i>Solid Extract Sarsaparilla</i> , 4 to 10 grs.....per oz..	.36
<i>Solid Extract Sarsaparilla Comp.</i> , 4 to 10 grains.....per oz..	.27
<i>Pill Sarsaparilla Extract</i> , 3 grs.....per 100, 45 cents; per 500..	2.10
<i>Syrups.</i>	
<i>Sarsaparilla</i>per lb..	.50
<i>Sarsaparilla Comp., U. S. P.</i> , 1 to 4 fluidrachms three to four times a day.....per lb..	.50
<i>Sarsaparilla Comp. with Potassium Iodide</i>per lb..	.75
<i>Pressed root Sarsaparilla, Honduras, in pounds.</i>	
<i>Pressed root Sarsaparilla, Mexican, in pounds.</i>	

SASSAFRAS.

SASSAFRAS OFFICINALE, Nees.—Aromatic, stimulant, diaphoretic, diuretic. Used in combination with other remedies, chiefly to impart flavor.

Fluid Extract of the bark of root, 1-2 to 1 fl. dr.....per pint..\$.90

Anodyne Pine Expectorant.

Syrups, Nos. 44, 45.

Lozenge Bronchial with Cubeb.

Pressed bark of root, in pounds.

SASSY-BARK.

ERYTHROPHLÆUM GUINEENSE, DON. POISONOUS.—The ordeal poison of Angola; experiments conducted with a view to fix its value in medicine have shown it to be emetic, astringent, narcotic. It is said to have been successfully employed in diarrhoea, dysentery and in colic; in heart affections, it strengthens and moderates like digitalis.

ANTIDOTES.—Emetics or stomach pump, if sufficiently early. Use stimulants and treat on general principles. Nux vomica has been recommended as a physiological antidote.

Fluid Extract of the bark, 5 to 15 mins., used with caution;
.....per pint..\$ 2.50

SAVIN.

JUNIPERUS SABINA, Linné. POISONOUS.—Emmenagogue, diuretic, diaphoretic, in large doses producing gastro-enteritis; contra-indicated where general or local inflammation is present. In small doses, it is reputed efficacious in checking a tendency to abort, and also beneficial in menorrhagia.

ANTIDOTES.—Emetics, castor oil, opiates, linseed meal poultice to abdomen.

Fluid Extract of the tops, 5 to 20 mins.....per pint..\$ 1.00
Solid Extract, 1 to 4 grs.....per oz.. .20
Pills, see Appendix, "Pills," Nos. 268, 270, 271, 591.
Compressed Tablets, see list in Appendix, No. 24.
Pressed tops, in ounces.

SAW PALMETTO.

SERENOA SERRULATA, Bentham & Hooker.—A valuable remedy in catarrh, ozoena, chronic bronchitis, acute and chronic laryngitis, asthma and hæmoptysis. The first stage of whooping cough, also, under its use is claimed to be cut short. A most remarkable effect of its use is, that while controlling the cough and lung trouble, it appears to act as a nutrient tonic, and to aid digestion and assimilation, so that the patient very rapidly regains strength.

More recently attention has been called to its special vitalizing action upon the glands of the reproductive apparatus as the mammæ, ovaries, prostate, testes, etc. It is specially recommended in all cases of wasting of the testes, such as follow varicocele; in atrophy of the prostate, so very common in cases of sexual perversion; and in uterine atrophy dependent upon ovarian blight.

Fluid Extract of the fresh berries, 1-2 to 2 fluidrachms.....
.....per pint..\$ 2.00
Solid Extract of the fresh berries, 5 grs. and upwards...per oz.. .33
Soluble Elastic Capsules. Each capsule represents 30 grains of
the fresh berries...per dozen boxes of 12, 75 cents; per 100.. 1.50

SAXIFRAGE..

PIMPINELLA SAXIFRAGA, Linné.—Diuretic, diaphoretic and stomachic. Useful in chronic catarrh, asthma, dropsy, amenorrhœa, etc.; also recommended as a masticatory in toothache, and as a gargle in palsy of the tongue, and to remove collections of viscid mucus in throat.

Fluid Extract of the root, 15 to 30 minims.....per pint..\$ 1.50

Pressed root, in pounds.

SCAMMONY.

RESINOUS EXUDATION FROM THE ROOT OF CONVULVULUS SCAMMONIA, Linné. A powerful intestinal, but a feeble hepatic stimulant, with tendency to occasion griping. Said to be somewhat uncertain as a purgative; best given in combination. Only mentioned for the preparation into which it enters. Dose, 5 to 10 grains..

Pills, see Appendix, "Pills," Nos. 164, 197, 635, 721, 748, 734.

Powdered Extract Colocynth Comp., see *Colocynth*.

Tablet Triturates, see list in Appendix, Nos. 326 to 328.

SCARLET PIMPERNEL.

ANAGALLIS ARVENSIS, Linné.—This plant has considerable reputation in California as a remedy in rheumatism, and has been used with some apparent success in epilepsy, mania, and nervous affections.

Fluid Extract of the herb, 1 fluidrachm, gradually increased;
.....per pint..\$ 2.50

SCOPOLIA CARNIOLICA, JACQUIN.

Anodyne. Employed in lieu of belladonna, where latter is indicated it quickens and steadies the circulation after the manner of the latter drug in similar doses, but is, in some respects, superior in that no enlargement of the pupils or dryness of the fauces have been observed as the result of employment.

Fluid Extract of the rhizome, 1 to 3 mins.....per pint..\$ 1.50

SCOURING RUSH.

EQUISETUM HYEMALE, Linné.—Diuretic and astringent. Taken freely in the form of decoction, it has been found useful in dropsy, suppression of urine, hæmaturia, gravel, nephritic affections, gonorrhœa and gleet.

Fluid Extract of the plant, 20 to 30 mins.....per pint..\$ 1.80

SCULLCAP.

SCUTELLARIA LATERIFLORA, Linné.—Tonic, nervine, antispasmodic. Recommended in chorea, convulsions, tremors, neuralgia and nerve affections generally; in all cases of nervous excitability, restlessness, or wakefulness, either idiopathic or accompanying acute or chronic diseases, it may be freely administered with favorable results.

SCULLCAP—CONCLUDED.

<i>Fluid Extract of the leaves</i> , 1-2 to 1 fluidrachm.....per pint..	\$ 1.10
<i>Fluid Extract Scullcap Comp.</i> Combines the tonic and nervine properties of its several ingredients. Indicated in the nervous disturbances of hysterical females, and in the debility of children following an attack of summer complaint. Each pint represents: Scullcap, 5½ ozs.; Ladies slipper, 5½ ozs; Hops, 2½ ozs.; Lettuce, 2½ ozs. Dose, 1-2 to 1 fl.dr..per pt..	
	1.25
<i>Powdered Extract Scullcap</i> , 4 to 15 grs.....per oz..	.50
<i>Solid Extract Scullcap</i> , 4 to 15 grs.....per oz..	.27
<i>Concentration Scutellarin</i> , 1 to 3 grs.....per oz..	1.00
<i>Elixir</i> , see list in Appendix, No. 49.	
<i>Pressed leaves</i> , in ounces.	

SEDUM ACRE, LINNÉ.

Emetic, local irritant, astringent. Great success has been recently claimed for it in the treatment of diphtheria. Whether given in weak solution and swallowed, or in a more concentrated form and applied locally, it appears to act: 1. By infiltrating the false membrane and so loosening or destroying its connections with the mucous membrane that it is readily ejected by vomiting: 2. By cleaning or disinfecting the cleared mucous surface and also the healthy parts, new diphtheritic foci are prevented from forming: 3. By its astringency reducing tumefaction: 4. By its superior emetic properties.—The emesis produced is copious, causing little pain or fatigue. Dr. P. O. Wagener advises:

Fluid ext. sedum acre, fl. ʒj.
Spirits turpentine.
Lactic acid.
Fluid ext. aconite, ää fl. ʒij. Mix.

Application made with a brush every three minutes for twenty minutes, when emesis, if not already commenced, should be induced by a glass of warm water, when the membrane will be entirely expelled. To prevent liability of ulceration from any bleeding points, they should then be touched with Monsel's solution.

NOTE.—Sedum acre has no specific power to cure diphtheria, consequently it is of no value in the first stage of the disease; it should only be employed after false membrane has developed.

Fluid Extract of the plant, 15 to 30 mins., diluted; per pint..\$ 1.50

SENEGA.

POLYGALA SENECA, Linné.—Senega is a stimulating expectorant, diuretic, in large doses emetic and cathartic; it appears, indeed, to excite more or less all the secretions, proving occasionally diaphoretic, and sialagogue. It has been employed as an expectorant in cases not attended with acute inflammatory action, or in which the inflammation has been in a great measure subdued; used with reputed advantage in chronic catarrhal affections, secondary stages of croup, diseases of bronchial passages, pneumonia, asthma, rheumatism, dropsy and amenorrhœa.

SENEGA—CONCLUDED.

- Elixir Cimifuga Comp.*, see Elixirs in Appendix, No. 43.
Fluid Extract Black Cohosh Comp., see *Black Cohosh*.
Fluid Extract Horehound Comp., see *Horehound*.
Fluid Extract Ipecac and Senega, see *Ipecac*.
Fluid Extract Senega, 10 to 20 mins.....per pint..\$ 2.40
Fluid Extract Squill Comp., see *Squill*.
Lozenges: Tar Compound; Yerba Santa Compound.
Syrups.
Senega, U. S. P., 1-2 to 1 fluidrachm.....per lb.. .75
Squill Comp., U. S. P., see *Squill*.
Pressed root, in pounds.

SENNA, ALEXANDRIA.

CASSIA ACUTIFOLIA, Delile.—A prompt, efficient and safe cathartic, acting principally upon the small intestines; is apt to cause griping pains, which are modified by combining with aromatics as correctives, and also by the mode of preparing it for use.

The use of the pods has been recently advocated. It is stated that this part of the plant contains 25 per cent. more Cathartin than the leaves, and is thereby more active; preparations made from the pods are also said to be less nauseous and to possess less tendency to gripe than those made from the leaves.

- Compressed Tablet Licorice Powder Comp.*
Elixirs, see list in Appendix, Nos. 38, 83.
Fluid Extract Dandelion and Senna, see *Dandelion*.
Fluid Extract Grindelia Comp., see *Grindelia*.
Fluid Extract Mandrake Comp., see *Mandrake*.
Fluid Extract Pink-root Comp., see *Pink-root*.
Fluid Extract Pink-root and Senna, see *Pink-root*.
Fluid Extract Rhubarb and Senna, see *Rhubarb*.
Fluid Extract Senna, 1 to 2 fluidrachms.....per pint..\$ 1.50
Fluid Extract Senna, Aqueous. Less apt than the hydro-alcoholic (official) extract to cause griping pains. Dose, 1 to 4 fluidrachms.....per pint.. 1.75
Fluid Extract Senna Comp. An excellent mild purgative, useful in constipation attended with flatulence. Each pint represents: Senna, 7 ozs.; Jalap, 7 ozs.; Coriander seed, 2 ozs. Dose, 1-2 to 1 fluidrachm.....per pint.. 1.50
Fluid Extract Senna and Jalap. Each pint represents 8 oz. each of Senna and Jalap, 1-2 to 2 fl. drs.....per pint.. 1.50
Fluid Extract Senna Pods, 1-2 to 1 fluidrachm.....per pint.. 1.75
Powdered Extract Senna, 10 to 20 grs.....per oz.. .50

SENNA, ALEXANDRIA—CONCLUDED.

- Solid Extract Senna*, 10 to 20 grs.....per oz..\$.30
Pill Senna Extract, 2 grs.....per 100, 40 cents; per 500.. 1.85
Syrup Sarsaparilla Comp., see *Sarsaparilla*.

SERPENTARIA.

ARISTOLOCHIA SERPENTARIA, Linné.—Stimulant, tonic, diaphoretic, diuretic, according to mode of employment. Is adapted to the treatment of typhoid fever, idiopathic or symptomatic, and useful in other fevers and dyspepsia; the infusion it is an excellent gargle for putrid sore throat.

- Fluid Extract Cinchona Comp.*, see *Cinchona*.
Fluid Extract Cinchona, Red, Comp., see *Cinchona*.
Fluid Extract Serpentina, 15 to 30 mins.....per pint..\$ 1.75
Pressed root, in pounds.

SHEEP SORREL.

RUMEX ACETOSELLA, Linné.—Refrigerant, diuretic. Useful in febrile, inflammatory and scorbutic affections.

- Fluid Extract of the leaves*, 1 to 2 fluidrachms.....per pint..\$ 1.20
Solid Extract, 10 grains.....per oz.. .30
Pressed leaves, in ounces.

SHEPHERD'S PURSE.

CAPSELLA BURSA-PASTORIS, Moench.—A diuretic, possessing tonic and stimulant powers. Has been employed in ascites, œdema glottidis, chronic diarrhoea, etc.

- Fluid Extract of the herb*, 1-4 to 1 fluidrachm.....per pint..\$ 1.20

SILKWEED.

ASCLEPIAS SYRIACA, Linné.—Tonic, alterative, diuretic. Found of considerable value in scrofula, and its expectorant powers render it beneficial in asthma and bronchial disorders; likewise is employed in scarlatina and rheumatism; appears to have specific power in dispelling dropsical effusions.

- Fluid Extract of the rhizome*, 10 to 60 mins.....per pint..\$ 1.20
Pressed root, in pounds.

SILVER IODIDE.

Employed in typhoid fever and ulcerations of the alimentary tract; also in certain nervous affections, such as epilepsy; and as a tonic in chronic spinal inflammation; claimed to have been advantageously used in the treatment of whooping cough. Adult dose, 1 or 2 grains.

- Pill Silver iodide*, 1-4 gr.....per 100, 45 cents; per 500..\$ 2.10

SILVER NITRATE.

Employed locally as a counter-irritant and internally in inflammations and ulcerations of the alimentary tract; also as an alterative in certain nervous affections such as epilepsy and chronic spinal inflammation. Dose, as an antiphlogistic, 1-4 to 1 grain; as an alterative, 1 to 6 grains.

Pill Silver Nitrate, 1-4 grain.....per 100, 40 cents; per 500..\$ 1.85

SIMARUBA.

SIMARUBA AMARA, Aubl.—Used in dysentery and chronic diarrhoea. It operates simply as a tonic, and though apparently beneficial in relaxed and debilitated states of the alimentary canal, would do harm if used indiscriminately in all dysenteric cases. In large doses it causes purging and diaphoresis, and sometimes diuresis.

Fluid Extract of the bark of root, 10 to 30 mins.....per pint..\$ 1.80

SKUNK CABBAGE.

SYMPLOCARPUS FÆTIDUS, Salisbury.—Stimulant, antispasmodic, narcotic; in large doses occasions nausea and vomiting, with headache, vertigo and dimness of vision. Used in asthma, whooping-cough, nervous irritability, hysteria, and convulsive affections; also in catarrhal bronchial and pulmonary affections, to allay the irritation.

Fluid Extract Lobelia Comp., see *Lobelia*.

Fluid Extract Skunk Cabbage, 10 to 40 mins.....per pint..\$ 1.00

Elixir Cramp-bark Comp., see list in Appendix, No. 49.

Pressed root, in pounds.

SLIPPERY ELM.

ULMUS FULVA, Michaux.—Highly demulcent, slightly astringent and tonic, and somewhat nutritious. Used wherever a demulcent is desired; externally in poultice form to relieve local inflammations.

Slippery Elm bark flour, compressed in 1-8 lb. packages for retailing purposes.

Lozenge Slippery Elm, 5 grs.....per lb..\$.35

SOAP-TREE.

QUILLAIA SAPONARIA, Molina.—Internally, is esteemed as a substitute for senega. Experience shows it to be better borne, in that, it seldom induces vomiting or diarrhoea; its sweeter taste renders it more acceptable to children; it is more powerful since it contains five times the proportion of the same two glucosides that are present in senega, with the additional advantage of being more constant in quantity.

Fluid Extract of the bark. Dose, for a child, 2 mins.; for adults, 8 mins., taken hourly.....per pint..\$ 1.20

Pressed bark, in pounds,

SOAPWORT.

SAPONARIA OFFICINALIS, Linné.—Diaphoretic, diuretic, and said to be an alterative superior to sarsaparilla. Used in Germany for venereal and cutaneous eruptions, and in visceral obstructions.

Fluid Extract of the root, 1 to 4 fluidrachms.....per pint..\$ 1.00

Pressed leaves, in ounces. *Pressed root*, in pounds.

SODIUM ARSENIATE.

Possesses much the same properties as other arsenical preparations. Useful in rheumatic gout, both acute and chronic.

Hypo. Tablet Sodium arseniate, 1-10 gr.....25, 12 cents; 100..\$.30

Tablet Triturates, see list in Appendix, Nos. 157 to 159, 426, 493, 454.

SODIUM ARSENITE.

Tonic, antiperiodic, alterative.

Veterinary Hypo. Tablet Sodium arsenite, 1 gr.....

.....per doz. tubes of 1 doz..\$ 1.15

SODIUM BICARBONATE.

Bicarbonate of soda has the same general medicinal properties as the carbonate, but is milder and less irritating, hence, more acceptable to palate and stomach. It has been used in true croup, in doses of a grain every five minutes to promote the expulsion of false membrane. Valuable for the reduction of glucose in the urine of diabetic patients. 10 to 60 grains.

Pills, see Appendix "Pills," Nos. 298, 598.

Tablet Triturates, see list in Appendix, Nos. 195, 216, 311 to 313.

Lozenge Sodium bicarbonate, 3 grs.

Compressed Tablets.

Soda bicarbonate, 5 grs., in pound bottles, per lb., *net*, 55 cts.;

in bottles of 40.....per doz., *net*..\$.90

Soda Mint, in pound bottles, per lb., *net*, 50 cts.; in bottles of

40, per doz., *net*, 90 cts.; in bottles of 65.....per doz., *net*.. 1.10

See also list in Appendix, Nos. 11, 34.

See also, under "*Pancreatin*," *Peptonizing Tablets*.

SODIUM BORATE, BORAX.

Is mildly stimulant, alterative, and antiseptic. Valuable for aphthæ and other mild ulcerous conditions of the mouth, and as a dressing for wounds.

Compressed Tablets.

Borax, 5 grs., in pound boxes, per lb., *net*, .55; in boxes of 40,

per doz.....*net*..\$.90

See also *Potassium Chlorate* and *Nasal Tablets*.

SODIUM BENZOATE.

Employed in gout and rheumatism, and in puerperal fever and tuberculosis; also topically as an antiseptic and deodorant. Dose, 1 to 2 drms.

Compressed Tablets, see list in Appendix, No. 34.

SODIUM BROMIDE.

Medical properties, practically the same as potassium bromide.

Elixir Sodium bromide.....per doz..\$ 9.75

Compressed Tablets, see list in Appendix, Nos. 43, 44, 49.

SODIUM CARBONATE.

Renders the urine distinctly alkaline and increases the fluidity of the bile; is sometimes used locally in skin diseases, especially those of a papulous and moist character. Dose, 10 to 30 grains.

Pills, see Appendix "Pills," Nos. 257, 330, 749.

SODIUM CHLORIDE.

In small doses, a stomachic tonic; in large doses, emetic. Dose, as a tonic, 10 to 60 grains; as emetic, 2 to 4 drachms.

Pill, Saline and Chalybeate Tonic, Flint's..per 100, 50c.; 500..\$ 2.35

Compressed Tablets, see list in Appendix, Nos. 8, 34.

SODIUM HYPOPHOSPHITE.

Dr. Churchill, of Paris, first directed the attention of the medical profession to the value of hypophosphites in the treatment of phthisis. They are now largely prescribed in combination with cod liver oil, or in syrup form, and deemed useful in all diseases characterized by scrofulous diathesis and defective nerve nutrition.

Syrups, Nos. 6, 11, 12, 29.

Glycerole Hypophosphites.....per lb..\$ 1.25

Malt Extract with Hypophosphites.....per doz.. 7.00

Compressed Tablets, see list in Appendix, Nos. 27 to 29.

SODIUM LACTOPHOSPHATE.

Combines the medicinal properties of phosphate of sodium with lactic acid.

Syrups, Nos. 7, 8.

SODIUM SALICYLATE.

Therapeutic action and dose identical with salicylic acid; less irritating and more rapidly absorbed. Dose, 15 to 30 grains three or four times a day.

Tablet Triturates, see list in Appendix, Nos. 186, 449.

Elixirs, see list in Appendix, Nos. 117, 86.

Compressed Tablets, see list in Appendix, No. 34.

SOLIDAGO VIRGAUREA, LINNÉ.

Has recently been used in Europe as a diuretic. Its most beneficial effect appears to be in ascites arising from cirrhosis of the liver; by it diuresis has been secured in heart disease when other diuretics failed.

Fluid Extract of the flowering herb. Dose, for diuretic effects, 1-2 to 1 fluidounce extended over the 24 hours;
per pint.....\$ 1.00

SOLOMON'S SEAL.

POLYGONATUM OFFICINALE, Allioni.—Mucilaginous, tonic, and mildly astringent. Of value in uterine debility and pectoral affections; likewise in irritable conditions of the intestines; in cutaneous affections of erysipelatous nature, etc.; affords direct relief in maladies of the skin produced by poison ivy, etc.

Fluid Extract of the root, 1 to 2 fluidrachms.....per pint..\$.90
Pressed root, in pounds.

SOUR WOOD.

OXYDENDRON ARBOREUM, DeCandolle.—Tonic, refrigerant, diuretic, containing free acid in large quantity. Has been employed in the treatment of dropsy.

Fluid Extract of the leaves, 1-2 to 2 fluidrachms.....per pint..\$ 2.50
Solid Extract, 5 to 15 grains.....per oz.. .40

SOUTHERNWOOD.

ARTEMISIA ABROTANUM, Linné.—Anthelmintic, tonic, narcotic. Used in intermittent fever, jaundice, atonic dyspepsia, obstinate diarrhoea, and as a vermifuge; combined with a fixed alkali is said to be powerfully diuretic.

Fluid Extract of the herb, 10 to 20 mins.....per pint..\$ 1.20
Pressed herb, in ounces.

SPANISH NEEDLES.

BIDENS BIPINNATA, Linné.—Claimed to have a special tendency to the uterus, and consequently an efficient emmenagogue; also a stimulating expectorant.

Fluid Extract of the herb, 1-4 to 1 fluidrachm.....per pint..\$ 1.20

SPEARMINT.

MENTHA VIRIDIS, Linné.—An aromatic, stimulant, antispasmodic and carminative. Of milder properties than peppermint, and therefore often preferred in infantile cases.

Fluid Extract of the leaves, 1 to 3 fluidrachms.....per pint..\$.90
Pressed leaves, in ounces.

SPEEDWELL.

VERONICA OFFICINALIS, Linné.—Alterative, diuretic, expectorant. Employed in catarrh of bladder, and as an aromatic expectorant in acute colds, in the form of infusion (one ounce to the pint of hot water).

Pressed herb, in ounces.

SPICE-BUSH.

LINDERA BENZOIN, Meissner.—All parts of the shrub are diaphoretic (in hot infusion), aromatic, stimulant and tonic. The bark is also used as an exhilarant and refrigerant. The berries have been employed in flatulence, flatulent colic, etc., and externally in rheumatism.

Fluid Extract of the bark, 1 to 2 fluidrachms.....per pint..\$ 1.20

Fluid Extract of the berries, 20 to 60 mins.....per pint.. 1.20

Pressed leaves, in ounces.

SPIKENARD.

ARALIA RACEMOSA, Linné.—Gently stimulant, diaphoretic, alterative. Used in chronic rheumatism, syphilis and cutaneous affections.

Fluid Extract of the rhizome, 1 to 2 fluidrachms....per pint..\$.90

Syrup Horehound Comp., see *Horehound*.

Anodyne Pine Expectorant.

Pressed root in pounds and ounces.

SPINY CLOTBUR.

XANTHIUM SPINOSUM, Linné.—Diaphoretic, sialagogue and diuretic. Dr. Grzymala, in the *British Medical Journal*, states the drug is a specific in hydrophobia. It deserves further investigation.

Fluid Extract of the herb, 10 to 20 mins.....per pint..\$ 1.50

SQUAW-VINE.

MITCHELLA REPENS, Linné.—Diuretic and astringent. Used in dropsy, suppression of urine, diarrhoea, derangement of uterine function, etc.

Elixir Helonias Comp., see *Helonias*.

Fluid Extract of the herb, 1-2 to 2 fluidrachm.....per pint..\$ 1.20

Fluid Extract Squaw-vine Comp. (or Helonias Comp.) Uterine tonic and antispasmodic. May be used in all cases where the functions of the female reproductive organs are deranged, as in amenorrhoea, dysmenorrhoea, menorrhagia, leucorrhoea; and to overcome the tendency to habitual abortion. Said to render parturition safe and easy. Dose, 1-2 to 1 fluidrachm. Each pint represents: Squaw-vine, 9 1-7 ozs.; Cramp-bark, 2 2-7 ozs.; Helonias, 2 2-7 ozs.; Blue Cohosh, 2 2-7 ozs..per pt.. 1.50

Syrup Squaw-vine Comp. Mother's Cordial (King). Dose, 2 to 4 fluidrachms three times a day.....per pint.. .60

Compressed Tablets, see list in Appendix, No. 50.

Pressed herb, in ounces.

SQUILL.

URGINEA SCILLA, Steinheil.—In medicinal doses, diuretic, expectorant; in over doses occasions hypercatharsis, strangury, bloody urine and fatal inflammation of stomach and bowels. Used chiefly in the form of syrup as an expectorant; is often prescribed in dropsy, especially where the pulse is weak and the heart feeble; as a diuretic, is not adapted to renal diseases.

Fluid Extract of the bulb, 1 to 5 mins.....per pint..\$ 1.00

Fluid Extract Squill Comp. Expectorant, diuretic, diaphoretic and, in large doses, emetic. Much used in inflammatory affections of the air passages, asthma and incipient croup. Each pint represents 8 ozs. each of Squill and Senega. Dose, 5 to 20 mins.....per pint.. 1.75

Pills, see Appendix, "Pills," Nos. 253, 321, 592, 599, 725, 736.

Syrup Squill.....per lb.. .50

Syrup Squill Comp. (Hive Syrup, Croup Syrup), Dose, for children, 10 mins to 1-2 fluidrachm; for adults, 20 mins. to 1 fluidrachm as an expectorantper lb.. .60

Tablet Triturates, see list in Appendix, Nos. 499, 600.

STAR-GRASS.

ALETRIS FARINOSA, Linné.—Tonic, diuretic, vermifuge. Used extensively in diseases of the reproductive organs, and supposed to impart tone and vigor to the uterus.

Concentration Aletrin, 1-2 to 4 grs.....per oz..\$.50

Fluid Extract of the root, 10 to 30 mins.....per pint.. 1.80

Solid Extract, 2 to 5 grs.....per oz.. .43

Pressed root, in pounds.

STAVESACRE.

DELPHINIUM STAPHISAGRIA, Linné. POISONOUS.—Emetic, cathartic, narcotic, vermifuge, parasiticide. Is employed in various disorders of the urino-genital apparatus resulting from masturbation, and in chronic irritation of the neck of the bladder when a sequel to gonorrhœa and associated with temporary enlargement or irritation of the prostate.

ANTIDOTES. Emetics (mustard, sulphate of zinc or apomorphine) and combat symptoms as they arise. Stimulants are generally indicated.

Fluid Extract of the seed, 1 to 2 mins.....per pint..\$ 2.50

STILLINGIA.

STILLINGIA SILVATICA, Linné.—In large doses emetic and cathartic; in some instances leaving a disagreeable sensation in the stomach and alimentary canal, with more or less general prostration. In small doses,

STILLINGIA—CONCLUDED.

a powerful alterative, and as such used extensively as a remedy for scrofulous and syphilitic affections.

See also *Alterative Compound* and *Trifolium Compound*.

Elixirs, see list in Appendix. Nos. 48, 118.

Fluid Extract Stillingia Comp. Each pint represents: Stillingia, 4 ozs.; Turkey-corn, 4 ozs.; Pipsissewa, 2 ozs.; Blue Flag, 2 ozs.; Elder flowers, 2 ozs.; Prickly-ash berries, 1 oz.; Coriander seed, 1 oz.; 1-2 to 1 fluidrachm.....per pint..\$ 1.50

Fluid Extract Stillingia, 15 to 30 mins.....per pint.. 1.50

Powdered Extract Stillingia, 2 to 5 grs.....per oz.. .50

Solid Extract Stillingia, 2 to 5 grs.....per oz.. .30

Pills, see Appendix, "Pills," Nos. 31, 600.

Concentration Stillingin, 1 to 3 grs.....per oz.. 1.10

Syrups.

Corydalis Compound, see *Turkey Corn*.

Trifolium Compound.

Stillingia. King's formula. Dose, 1 to 4 fluidrachms..per lb.. .60

Stillingia Compound. King's formula. Dose, 1 to 4 fluidrachms three or four times a day..... per lb.. .60

Compressed Tablets, see list in Appendix, No. 48.

Pressed root, in pounds.

STONE-ROOT.

COLLINSONIA CANADENSIS, Linné.—Diuretic, alterative, and tonic to mucous tissues. Has been employed in chronic catarrhal affections of the bladder, uterus and stomach.

Concentration, Collinsonin, 1 to 4 grains.....per oz..\$ 1.20

Elixir Buchu and Pareira Brava, see *Buchu*.

Fluid Extract Buchu and Pareira Brava, see *Buchu*.

Fluid Extract Stone-root, 1-2 to 1 fluidrachm.....per pint.. 1.05

Solid Extract Stone-root, 2 to 5 grains.....per oz.. 30

Pressed root, in pounds.

STRAMONIUM.

DATURA STRAMONIUM, Linné. POISONOUS.—A powerful narcotic, antispasmodic and anodyne. Used the same as belladonna, but is more particularly recommended as a remedy for attacks of asthma.

ANTIDOTES.—Promptly empty the stomach by emetics (sulphate of zinc or copper), and combat the nervous disturbances as they arise by physostigma and opium.

NOTE.—All official preparations are made from the seed.

Fluid Extract of the leaves, 1 to 5 mins.....per pint..\$ 1.05

STRAMONIUM—CONCLUDED.

<i>Fluid Extract of the seed</i> , 1 to 4 mins.....	per pint..\$ 1.05
<i>Powdered Extract of the leaves</i> , 1-4 to 1 gr.....	per oz.. .40
<i>Solid Extract of the leaves</i> , 1-4 to 1 gr.....	per oz.. .23
<i>Solid Extract of the seed</i> , 1-8 to 1 gr.....	per oz.. .36
<i>Normal Liquid Stramonium leaves</i> . Dose 1 to 4 minims, per pint.....	1.20
<i>Normal Liquid Stramonium seed</i> . Dose, 1 to 4 minims, per pint.....	1.20
<i>Pills</i> see Appendix, "Pills," Nos. 247, 414, 415, 438, 601 to 603.	
<i>Inhalant</i> . No. 4.....	per pint.. 1.25
<i>Tablet Triturate Stramonium Leaves Tincture</i> , 1 min.....	
.....	per 100, 15 cents.; per 1,000,.. .85
<i>Compressed Tablets</i> , see list in Appendix, No. 35.	
<i>Pressed leaves</i> , in ounces.	

STRAWBERRY.

FRAGARIA VESCA, Linné.—Mildly astringent and diuretic. Dose, 2 fluidounces of an ounce to the pint infusion.

Pressed leaves, in ounces.

STROPHANTHUS KOMBE, OLIVER.

POISONOUS.—A powerful cardiac stimulant, more energetic than digitalis, while its action on the blood-vessels is less intense. Drs. C. L. Dana and Beverly Robinson report success after other cardiac tonics had failed.

ANTIDOTES.—Emetics or stomach-pump if sufficiently early. Aconite and American hellebore have been suggested as physiological antagonists.

Tincture Strophanthus.—Prepared after Prof. Fraser's formula, strength being 1 in 20, or one imperial pint representing the virtues of one ounce, av., of the drug; anything stronger has been found too concentrated for convenient use. Dose, 1 to 10 mins.....per pint..\$ 1.50

Pills, see Appendix, "Pills," Nos. 604, 605, 753.

Tablet Triturates, see list in Appendix, Nos. 365, 449, 602.

STYLOSANTHES.

STYLOSANTHES ELATIOR, Swartz.—This plant has been employed empirically to relieve irritability of the uterus, and abnormal pains occurring during the later months of gestation; is also said to facilitate parturition.

Fluid Extract of the herb, 10 to 20 mins.....per pint..\$ 4.00

SULPHUR.

Laxative, diaphoretic, resolvent. Employed in atonic gout, chronic rheumatism, chronic catarrh, asthma and piles; also as a local application in cutaneous affections, and to patches of false membrane in diphtheria. Dose, 1 to 3 drachms.

<i>Pill, Laxative</i>	per 100, 35 cents; per 500..\$	1.60
<i>Lozenge Sulphur Compound</i>	per lb..	1.60
<i>Sulphur Pastilles</i> , 1 lb. each; contain 70 per cent. of their weight of sulphur; give off during combustion abundant fumes of sulphurous acid gas.....	per doz., net..	2.25
<i>Compressed Tablet Compound Licorice powder</i>	per lb., 55 cents; per doz., slide boxes..	1.10

SULPHUR IODIDE.

Recommended in scrofulous and cutaneous diseases and as an ointment for lupus, lepra, tinea capitis, etc Dose, internally, 1-25 to 1-2 grain.

<i>Pill Sulphur iodide</i> , 1-25 gr.....	per 100, 35 cents; per 500..\$	1.60
---	--------------------------------	------

SUMACH.

RHUS GLABRA, Linné.—Tonic, astringent, antiseptic. Employed as an astringent in gonorrhœa, leucorrhœa, diarrhœa, dysentery, and in profuse perspiration from debility and as a gargle; the berries are also diuretic and refrigerant.

<i>Fluid Extract of the bark</i> , 1-2 to 2 fluidrachms.....	per pint..\$.75
<i>Fluid Extract of the berries</i> , 1 to 2 fluidrachms.....	per pint..	.75
<i>Concentration Rhusin</i> , 1 to 2 grs.....	per oz..	.65
<i>Pressed bark</i> , in pounds. <i>Pressed leaves</i> , in ounces.		

SUMMER SAVORY.

SATUREIA HORTENSIS, Linné.—Stimulant, carminative. Employed in warm infusion in colds and flatulent colic; is a gentle stimulating tonic suitable for use during convalescence from fevers.

<i>Fluid Extract of the leaves</i> , 1 to 4 fluidrachms.....	per pint..\$.90
<i>Pressed leaves</i> , in ounces.		

SUNDEW.

DROSERA ROTUNDIFOLIA, Linné.—Expectorant, antispasmodic. Employed in pertussis, asthma, incipient phthisis, chronic bronchitis; has been recommended in certain phases of dyspepsia, especially the flatulent form.

<i>Fluid Extract of the plant</i> , 5 to 20 mins.....	per pint..\$	2.50
<i>Solid Extract</i> , 1 to 4 grs.....	per oz..	.46
<i>Pill Sundew Extract</i> , 3 grs.....	per 100, 55 cents; per 500..	2.60

SUNFLOWER.

HELIANTHUS ANNUUS, Linné.—Mild diuretic and expectorant. Used with some apparent benefit in pulmonary and laryngeal affections.

Fluid Extract of the seeds, 1 to 2 fluidrachms.....per pint..\$ 1.20

SWEET BASIL.

OCIMUM BASILICUM, Linné.—Aromatic, tonic and stimulant. Used in Europe principally as a condiment; in Spanish America, as a carminative and nervine; in India, in catarrhal affections of mucous membrane.

Pressed leaves in ounces.

SWEET CICELY.

OSMORRHIZA LONGISTYLIS, DeCandolle.—Aromatic, stomachic, carminative, expectorant. Employed in coughs, in flatulence, and as a gentle stimulant tonic to debilitated stomachs. The sweetened infusion (1 to 10) may be taken freely for cough.

Fluid Extract of the root, 1 to 2 fluidrachms.....per pint..\$ 1.25

Pressed root, in pounds.

SWEET CLOVER.

MELILOTUS OFFICINALIS, Desrousseaux.—Stimulant, antispasmodic. Employed in strong infusion (one ounce to the pint) in whooping-cough, in 1 to 2 fluidounce doses; is sometimes used as an anodyne application in the form of hot poultice or infusion.

Pressed herb, in ounces.

SWEET FERN.

MYRICA ASPLENIFOLIA, Endl.—Astringent, carminative, alterative. Used in diarrhoea, dysentery, hæmoptysis, rheumatism, debility succeeding fever, etc.

Fluid Extract of the leaves, 1-2 to 2 fluidrachms....per pint..\$ 1.00

Pressed leaves, in ounces.

SWEET FLAG.

ACORUS CALAMUS, Linné.—Carminative, slightly tonic, excitant, and a useful adjunct to other tonics and stimulants. Has been employed in flatulent colic, dyspepsia, feebleness of the digestive organs, and to aid the action of bark and quinine in intermittents; externally as an application to indolent ulcers, and to keep up the discharge from blistered surfaces and issues.

Fluid Extract of the rhizome. Dose, 5 to 40 mins. Exhibited in syrup it is stated to be used as a substitute for Godfrey's Cordial.....per pint..\$ 1.20

Pressed root, in pounds.

SWEET-GUM.

LIQUIDAMBAR STYRACIFLUA, Linné.—Mucilaginous astringent. It has been employed in diarrhoea and dysentery, and was much used during the late war in camp hospitals.

Fluid Extract of the bark, 1-2 to 1 fluidrachm.....per pint..\$ 2.50

Pressed bark, in pounds.

SWEET MARJORAM.

ORIGANUM MAJORANA, Linné.—Stimulant, tonic. The hot infusion is sometimes used to stimulate the menstrual function. Dose, a wineglassful of an ounce to the pint infusion.

Pressed leaves, in ounces.

SYRINGES.

HYPODERMIC.

We are prepared to supply a very superior hypodermic syringe, either separately, or in case, with assortment of tablets, at a very low figure.


We would mention the following points of excellence in the syringe supplied:

1. *The arrangement which provides against leakage should the plunger become dry through disuse.*—Attached to the piston rod on the upper side of the plunger is a small nut which, on the rod being drawn up to the cap, fits there into a socket. If the rod is now turned toward the left, the nut, prevented from turning with the rod by the recess into which it fits, is forced against the leather to the degree necessary to spread the plunger so as to prevent leakage.

2. *The ease with which the needle is cleansed.*—On insertion of the wire into the screw cap, it is immediately guided by bevelled sides to the opening into the needle proper. Other syringes have the floor of the cap chamber cut so squarely that it is only after many probings and much vexatious delay that the wire can be guided to the opening.

3. *The fortified needle.*—The needle is strengthened in the part most liable to give way by a sheath embracing the upper half.

4. *The facility with which new parts can be supplied to replace others which have been broken or lost.* We append herewith a sectional cut of the syringe, with references to indicate the names of the several parts:



A, Expanding nut. B, Needle and cap. C, Leather cups.
D, Rod head. E, e, Rod, nut washer. F, Top cap.

Besides these are the metal barrel, the glass barrel and the needles, which can be readily ordered by their names

Hypodermic Syringe—Complete.....net..\$ 1.35

SYRINGES—CONTINUED.

THE INDISPENSABLE CUP SYRINGE.

This instrument has been constructed to meet the demand created for an improved method of irrigation in the treatment of uterine and vaginal disorders, and is especially recommended, because:

It is a complete syringe for *vagina or rectum*, as it is accompanied by an extra tube for rectal injections, and therefore no other syringe is necessary in the family:

As a vaginal douch it can be used without rising from the bed:


Any quantity of water can be used without fatigue:

No assistant is needed:

It does not soil the bed or clothing.

The syringe may be detached, when the cup with the drainage tube forms a perfect urinal.

Completenet..\$ 3.00




CHAMBERLIN'S VAGINAL SYRINGE.

This instrument shown in the cut, for which we are the manufacturer's sole agents, is constructed as follows:

The vaginal tube is six inches in length; the surface is divided into ten longitudinal grooves, one-eighth of an inch in depth, with an orifice at the termination of each at the base of the dome for a reverse stream. In the dome are *orifices for direct and diverging streams*. Being nearly an inch in diameter, it acts as a "repositor" in prolapsus uteri. It

presses the organ up to its normal position, at the same time distending the folds by gently rotating the tube while the liquid is being injected. The grooves detach the tenacious mucus that adheres to the membrane, and the reverse streams passing down between the instrument and the vagina effectually remove it.

As a consequence, two important results are obtained, viz.: The unhealthy secretions are removed, and all injury therefrom obviated: The mucous membranes of the vagina and cervix uteri are effectually cleansed. If disease exists, medicine may now be directed and thoroughly applied to the affected part. Complete with two additional tubes.....net..\$ 1.60



SYRINGES—CONCLUDED.

VETERINARY HYPODERMIC SYRINGE.

We are in the position to supply the veterinary practitioner with a very satisfactory syringe of the most approved pattern, a veterinary trocar and canula, or any part separately if desired. These can also be provided in a very handsome case, complete with full line of our Veterinary Hypodermic Tablets. For list of Veterinary Hypodermic Tablets, see Appendix. *Syringe—Complete*.....net..\$ 2.50

SYRUP TRIFOLIUM COMPOUND.

This syrup is recommended as superior in efficacy to the combination of alteratives that has recently acquired considerable notoriety under the name of bamboo brier root compound, succus alterans, or simply alterative compound. Experience with this latter combination led to the belief that the formula could be greatly improved, and, after much clinical experience, was adopted the combination represented in Syrup Trifolium Compound, as best adapted for general use. It is prescribed in all cases of secondary syphilis, and its restorative action in nearly every case is prompt and unequivocal. Dose, 1 to 2 fluidrachms three times a day.

Per doz.....net..\$ 9.00

TAG ALDER.

ALNUS SERRULATA, Willdenow.—Emetic, astringent, alterative. Employed in scrofulous and syphilitic diathesis, and in the treatment of cutaneous diseases due to constitutional dyscrasia.

Concentration Alnuin, 1 to 8 grs.....per oz..\$.60

Fluid Extract of the bark, 1-2 to 1 fluidrachm.....per pint.. .75

Pressed bark, in pounds and ounces.

TAMARAC.

LARIX AMERICANA, Michaux.—Astringent and gently stimulant, acting especially on mucous membranes. Has been employed in chronic bronchitis, in obstruction of the liver, diarrhoea, dysentery, and certain cutaneous diseases.

Fluid Extract of the bark, 1 to 2 fluidrachms.....per pint..\$ 1.20

Pressed bark, in pounds and ounces.

TANNIC ACID.

The chief principle of astringent vegetable extracts. Employed in diarrhoea and relaxed conditions of mucous tissue; as an application to diphtheritic membrane; in ulceration of the mouth, chapped nipples, chilblains, piles, etc. Dose, internally, 3 to 10 grains.

Pills, see Appendix, "Pills," Nos. 142, 620 to 622, 673, 712.

Lozenge Tannic acid, 1 gr.....per lb..\$.65

See also *Emergency Case*.

Tablet Triturate Tannic acid, 1 gr...per 100, 16 cts.; per 1000.. 1.00

TANSY.

TANACETUM VULGARE, Linné.—Tonic, anthelmintic, diaphoretic. In small doses has proved beneficial in convalescence from exhausting diseases; in dyspepsia with troublesome flatulence, hysteria, jaundice, and worms; in larger doses, administered in hot water, has been employed in suppressed menstruation, tardy labor pains, and as a preventive of gout paroxysms.

Fluid Extract of the leaves, 20 to 60 mins.....per pint..\$.75

Pressed leaves, in ounces.

TAR.

A complex empyreumatic oleo-resin obtained by the destructive distillation of wood of the genus pinus, principally *Pinus palustris* (Miller). A general stimulant in small doses, of decided benefit in bronchitis, laryngitis and winter cough. Externally is irritant, rubefacient or mildly stimulant, according to degree of dilution.

CREASOTE.—A derivative of Pine Tar, which recently has been heralded as an almost specific in some stages of phthisis. Dose, 1-2 to 3 grs.

SALOL, or Salicylate of Phenol, is a white body, slightly greasy to the touch, having faint aromatic odor, but no taste; almost insoluble in alcohol. Dose, 3-4 to 5 grs. It is recommended as a substitute for salicylate of sodium in the treatment of rheumatism, and may also replace many of the other antiseptics.

PHENACETIN.—A very powerful antiseptic derivative of coal tar. Best administered in pill form for any disorder of the digestive tract where antiseptics is indicated, Dose, 1 to 5 grs.

ACETANILID.—An antipyretic, analgesic, spinal depressant. Its use, except by the authority of the medical profession, is deprecated. Dose, 5 to 15 grs.

ICHTHYOL.—A tarry product obtained by dry distillation of mineral products containing fossil fish. Claimed to be wonderfully potent as a alterative when exhibited internally, with special value in rheumatism and lepra; also as a local application to sprains, burns, ulcers, etc.

SACCHARIN.—A product of coal tar 300 times sweeter than sugar. Employed where cane sugar is inadmissible, as in diabetes and obesity.

Capsules, Nos. 57, 211, 212, 83, 86, 85.

Compressed Tablets, see list in Appendix, Nos. 1 to 5, 40 to 42.

Glycerole Tar. Containing 30 grains to the fluidounce. Dose,
1 to 2 fluidrachms.....per lb..\$.65

Inhalants, Nos. 6, 10, 11, 15, 18, 19.

Lozenges: Carbolic acid, 1 gr.; *Tar*, 1-7 gr.; *Tar Comp.*; *Yerba Santa Comp.*

Pills, see Appendix, "Pills," 1, 309, 782, 783, 445, 761, 580, 581, 756.

Tablet Triturates, see list in Appendix, Nos. 213, 214, 239, 492, 250, 614, 488, 489.

Glycerole Yerbine Comp.

TARO FLOUR.

From the bulbous root or corm of *COLOCASIA ESCULENTA*, Schott.—Physicians residing in the Hawaiian Islands recommend for their dyspeptic and consumptive patients an exclusive diet of cooked taro flour, or "poi," the native food of the aborigines.

It may be employed in a great variety of ways as an article of staple food, but to enlarge on its merits in this respect would be here out of place. We are glad to aid in its general introduction, believing the claims made for it as a dietetic agent entitle it to the attention of the medical profession. Printed matter giving detailed information regarding its use, etc., will be sent on application.

The flour in 5 lb. sacks.....per sack, *net*..\$ 1.00

TARTARIC ACID.

Refrigerant and diuretic. Used principally as an ingredient in acid drinks for fever and other wasting diseases. Dose, 5 to 30 grains.

Pink Granule Tartaric acid, 1-10 gr...per 100, 20 cts.; per 500..\$.85

TEA.

CAMELLIA THEA, Link.—Well known as a sustaining and restorative agent, producing its effects chiefly through the Theine contained; is decidedly astringent, and in China employed, mixed with vinegar, as a remedy for diarrhoea. A valuable remedy in nervous headaches, exerting a remarkable influence as a restorative in all conditions of fatigue and exhaustion; diluted with water may be employed as an astringent gargle or wash.

Fluid Extract of the leaves, 20 to 60 mins.....per pint..\$ 1.55

Solid Extract, 5 to 10 grs.....per oz.. .43

THAPSIA GARGANICA, LINNÉ.

Employed chiefly as a counter-irritant in the localized pains of rheumatism, in gout, and in dyspnoea; internally is tonic, and in over-doses cathartic.

Fluid Extract of the root, 10 to 30 mins.....per pint..\$ 3.50

THIMBLE-WEED.

RUDBECKIA LACINIATA, Linné.—Diuretic, tonic, balsamic. It is recommended in chronic catarrhal inflammation of the urinary tract.

Fluid Extract of the herb, 1-4 to 1 fluidrachm.....per pint..\$ 1.20

Pressed herb, in ounces.

THYME.

THYMUS VULGARIS, Linné.—Tonic, antispasmodic. The essential oil is somewhat antiseptic owing to presence of thymol.

See *Eucalyptus and Thymol Antiseptic*.

THYME—CONCLUDED.

<i>Capsule Origanum Oil</i> , 5 mins.....	
.....per 100, 95 cents; per doz. boxes of 1 doz..	\$ 1.80
<i>Fluid Extract of the leaves</i> , 1-4 to 1 fluidrachm.....	per pint.. 1.00
<i>Compressed Tablets. Nasal Tablets</i> ; per 500, \$2.15; 50s, per doz..	3.00
<i>Pressed leaves</i> in ounces.	

TOBACCO.

NICOTIANA TABACUM. Linné. POISONOUS.—A potent acro-narcotic, possessing sedative, emetic, diuretic, expectorant, and antispasmodic properties. Has been used in renal dropsy, tetanus, strangulated hernia, obstinate constipation from spasm of the bowels, etc.; also as an ointment in tinea capitis, psora, and other cutaneous affections. Care must be observed in its use. It is physiologically antagonistic to strychnine.

ANTIDOTES.—Use an emetic and after the evacuation of the poison, support the system by internal and external stimulants, allaying the irritation of the stomach with opiates.

<i>Fluid Extract of the leaves</i> , 5 mins., gradually increased.....	
.....per pint..	\$ 1.20

TOLU.

From MYROXYLON TOLUIFERUM, Humboldt, Bonpland & Kunth.—Stimulant to bronchial mucous membrane.

<i>Fluid Tolu, Soluble</i> .—Containing in a concentrated form, those constituents of balsam of tolu which give flavor and medicinal virtue to the official syrup, which may be prepared from it instantaneously, according to the formula in Appendix. It commends itself especially to the prescriber as being much more concentrated than the syrup, and hence particularly useful in extemporaneous cough mixtures.	
Dose, 1-2 to 1 fluidrachm.....	per pint.. \$ 1.00

Lozenges: Bronchial (with Cubeb); Wistar's Cough.

Inhalants, Nos. 9 to 11.

Pills, see Appendix, "Pills," No. 732.

TOMATO.

LYCOPERSICUM ESCULENTUM, Miller.—The fluid extract is claimed to exert special action upon ulcerative affections of mucous membrane. It may be given internally, and also applied locally to the affected parts.

<i>Fluid Extract of the fruit</i> , 30 to 60 mins.....	per pint.. \$ 1.50
--	--------------------

TONCA-BEAN.

DIPTERIX ODORATA, Willdenow.—Chiefly used as a flavoring agent; medicinally, is claimed to possess anodyne properties.

<i>Fluid Extract of the bean</i>	per pint.. \$ 5.00
--	--------------------

TONGA.

PREMNA TAITENSIS, Schau. RAPHIDOPHORA VITIENSIS, Schott.—Employed by the natives of the Fiji Islands as a remedy for neuralgia, and recommended by Drs. Ringer and Murrell, corroborated by many practitioners.

Fluid Extract of the bark and root, 30 mins. to 1 fluidrachm;
per pint.....\$ 5.50

TORMENTILLA.

POTENTILLA TORMENTILLA, Scopoli.—Tonic and powerfully astringent. Used for constringing relaxed tissues, arresting passive hæmorrhages and chronic diarrhœas, and as a wash for indolent ulcers.

Fluid Extract of the rhizome, 1 to 2 fluidrachms....per pint..\$ 1.20
Pressed root, in pounds.

TRUMPET PLANT.

SARRACENIA FLAVA, Linné.—Claimed to possess extraordinary power in the cure of diarrhœa. In uncomplicated cases is said to seldom fail to relieve, although it has no influence over dysentery; has also been recommended in dyspepsia, sick-headache, gastralgia, abdominal distention, etc.

Fluid Extract of the rhizome, 5 to 15 mins.....per pint..\$ 2.50

TULIP-TREE.

LIRIODENDRON TULIPIFERA, Linné.—Aromatic, stimulant, tonic, anti-spasmodic. Used in intermittents, chronic rheumatism and hysteria.

Fluid Extract of the bark, 1 to 2 fluidrachms.....per pint..\$.75
Pressed bark, in pounds.

TURKEY-CORN.

DICENTRA CANADENSIS, DeCandolle.—Tonic, diuretic, alterative. Its tonic properties resemble those of gentian, columbo and other simple bitter tonics.

Concentration Corydalin, 1 to 5 grs.....per oz..\$.75

Elixirs, see list in Appendix, Nos. 48, 118.

Fluid Extract Stillingia Comp., see *Stillingia*.

Fluid Extract Turkey-corn, 10 to 40 mins.....per pint.. 1.80

Syrups, see list in Appendix, Nos. 35, 51.

Pressed root, in pounds.

TURMERIC.

CURCUMA LONGA, Linné.—An aromatic stimulant, employed chiefly however, to impart color to pharmaceutical preparations.

Fluid Extract of the rhizome, 15 to 60 mins.....per pint..\$ 1.20

TURPENTINE.

An oleoresin obtained principally from the *PINUS PALUSTRIS*, Miller.—Applied externally is a valuable rubefacient and counter-irritant; internally is valuable as an anthelmintic, stimulant and hæmostatic. Has been employed in paralysis of the bladder, catarrh of the urinary passages, lymphatics, etc. Best exhibited in gelatin capsules. Dose, as hæmostatic, diuretic, etc., 5 to 30 minims; as an anthelmintic, 1-3 to 1 fluidounce.

Terebene. Prepared by the action of sulphuric acid on oil of turpentine. Its properties are similar to those of the ordinary oil, but its odor is entirely different and not disagreeable. Dr. Murrell, of London, regards it as one of the best remedies for winter cough. It is expectorant and antiseptic, and of value internally and in form of a spray. It is a remedy also for flatulence. Dose, 5 to 20 minims.....
..... per oz., *net*..\$.15

Haarlem Oil. An empirical combination of balsamic products, to some extent administered for the relief of renal colic, and generally as a diuretic.

Capsules, see list in Appendix, Nos. 78, 84, 49, 53, 109, 25.

Inhalant, No. 20.....per pint.. 5.00

Lozenge Terebene, 2 mins.....per lb.. .75

Pills, see Appendix, "Pills," Nos. 104, 269, 295, 628.

Compressed Tablet, see list in Appendix, No. 42.

TWIN-LEAF.

JEFFERSONIA DIPHYLLA, Persoon.—Diuretic, alterative, antispasmodic, and stimulating diaphoretic. It has been used in secondary syphilis, in dropsy, many nervous affections, spasms, cramps, nervous excitability; as a gargle is deemed beneficial in diseases of the throat.

Fluid Extract of the rhizome, 20 to 60 mins.....per pint..\$ 1.35

Pressed Root, in pounds.


URECHITES SUBERECTA, J. MUELLER.

POISONOUS.—The effects of the drug resemble those of aconite. The symptoms observed are depression of circulation, salivation, diaphoresis, vomiting, diarrhoea. It has been used with remarkable success, so said, in Jamaica, in the treatment of intermittent fever, and is also claimed of value in yellow fever.

ANTIDOTES.—Use emetics or stomach-pump promptly. Sustain vitality by stimulants—alcohol, ammonia, strong coffee, the battery, etc. Digitalis and strophanthus have been suggested as in the case of aconite.

Fluid Extract of the leaves, 2 to 10 mins., cautiously increased.....per pint..\$ 2.50

UREOMETER.



A simple, convenient, accurate and inexpensive apparatus for the determination of urea in urine. The amount of urea excreted by the patient in a given time, furnishes the physician information of the greatest importance as bearing upon diagnosis, prognosis, and treatment. It is in general an index of the manner in which the various physiological functions are performed, and in particular in certain kidney diseases, it enables the physician to foresee and guard against danger. No new principle is involved in our ureometer. The urea is decomposed as usual by the action of an alkaline solution of chlorine or bromine, and determined by the volume of gas (nitrogen) generated in the reaction. The original features in the apparatus are (a) the form of the receiver in which the gas is collected and measured, and (b) the graduation of this receiver in such a way that the results are read off directly in percentage of urea. The apparatus consists of:

1. A bottle provided with perforated rubber cork and delivery tube; in this the decomposition of the urea is effected.
2. A small test tube to contain the urine, graduated to hold 4 C. c., the quantity employed in each experiment.
3. A graduated jar for measuring the gas evolved. This jar is provided with an overflow tube, and a vent tube closed by a rubber cap, to secure accurate adjustment of the level of fluid in the jar at the commencement of the experiment.

Each ureometer is accompanied by a descriptive circular containing full and explicit instructions. The estimation of urea by it consumes very little time, and the results for all practical purposes are as accurate as could be wished. Illustrated circular furnished upon application.

Apparatus complete.....net...\$ 1.00

URINARY TESTS.

REAGENT CASE.

UREOMETER.

URINARY TEST TABLETS.—The urinary tests in paper form as devised by Dr. G. Oliver, and introduced to the medical profession of this country

URINARY TESTS—CONCLUDED.

by us, had one serious objection that was especially apparent in tests depending upon the production of a precipitate.

If one of these reagent papers be boiled with a quantity of water, the agitation incident to ebullition is sufficient to disintegrate it, and the fibres of the paper, floating through the liquid, are liable to be mistaken for a precipitate, and thereby lead to error in diagnosis.

In substituting tablets for these papers, consisting of a soluble inert base combined with the reagent, we have not only obviated this defect, but in several instances have been enabled to simplify the tests themselves, at the same time enhancing their permanency.

In testing for sugar, the urine should be slightly alkaline; in testing for albumen, slightly acid; the condition should be determined by the use of the litmus. For more detailed directions see our descriptive circular.

We furnish the following tests: Bismuth subnitrate; Citric acid; Indigo and Sodium carbonate; Picric acid; Potassium ferrocyanide; Potassio-mercuric iodide; Sodium carbonate; Sodium tungstate; Litharge; Litmus Paper.

Any test in tubes of 25 (except Bismuth subn., *net* .20)...*net*..\$.15

UVA-URSI.

ARCTOSTAPHYLOS UVA-URSI, Sprengel.—Astringent and tonic with a specific predilection for the urinary organs. It has some reputation as an antilithic, is undoubtedly of service in gravel, and used in chronic nephritis, catarrh of bladder, incontinence of urine, gleet, etc.

Elixirs, see list in Appendix, Nos. 10, 87.

Fluid Extract Buchu Comp., see *Buchu*.

Fluid Extract Uva-ursi, 1-4 to 1 fluidrachm.....per pint..\$ 1.00

Solid Extract Uva-ursi, 5 to 15 grs.....per oz.. .23

Pill Uva-ursi Extract, 2 grs.....per 100, 40 cents; per 500.. 1.85

VACCINIUM CRASSIFOLIUM, ANDRZEJOWSKI.

Astringent and diuretic, resembling uva-ursi to some degree. Useful in catarrhal inflammation of the genito-urinary tract, gleet, chronic cystitis, etc.; in dropsy, from whatever source, assists the removal of the effused fluid; has also been given with benefit in chronic diarrhoea and dysentery.

Fluid Extract of the plant, 30 mins. to 1 fluidrachm; per pint..\$ 1.25

VALERIAN.

VALERIANA OFFICINALIS, Linné.—Gentle stimulant, with an especial direction to the nervous system, but without narcotic effects. Is useful in cases of irregular nervous action, when not connected with inflammation or an excited condition of the system; recommended in hysteria, hypochondria, hemicrania, and low forms of fever attended with restlessness, and other nervous disorders; has also been used with advantage in the treatment of intermittents and acute rheumatism (in hot water baths).

VALERIAN—CONCLUDED

<i>Capsule Valerian Oil</i> , 2 mins.....	
.....per 100, \$1.35; per doz. boxes of 1 doz..	\$ 2.40
<i>Fluid Extract of the root</i> , 1-2 to 1 fluidrachm.....	per pint.. 1.10
<i>Powdered Extract</i> , 5 to 10 grs.....	per oz.. .40
<i>Solid Extract</i> , 5 to 10 grs.....	per oz.. .27
<i>Pills</i> , see Appendix, "Pills," Nos. 53, 143, 495, 594, 637, 593.	
<i>Pressed root</i> , in pounds.	

VIRGINIA STONE-CROP.

PENTHORUM SEDOIDES, Linné.—Astringent, demulcent, laxative. Affections of mucous membrane of the throat, nares, etc.—pharyngitis, catarrh, laryngitis—are relieved by this remedy; recommended also in diarrhoea (in 1-2 fluidrachm doses), chronic bronchitis with increased secretion, and as an injection in chronic vaginitis and diseases of the cervix uteri.

<i>Fluid Extract of the herb</i> , 10 to 30 mins.....	per pint..\$ 2.40
---	-------------------

WAFER ASH.

PTELEA TRIFOLIATA, Linné.—Tonic, antiperiodic, and reputed anthelmintic. Has been highly recommended in debility following low fevers, especially those connected with gastro-intestinal irritation, to which it seems to be particularly applicable from its mild and non-irritating qualities; it exercises a soothing influence on the stomach, which accepts it when rejecting other tonics, and at the same time promotes appetite, invigorates digestion, and helps to establish convalescence.

Elixirs, see list in Appendix, Nos. 96, 103.

<i>Fluid Extract of the Bark of Root</i> , 10 to 30 mins....	per pint..\$ 1.00
<i>Glycerole Pepsin and Wafer Ash</i> . Of service where the absence of alcohol is desirable.....	per lb.. .90
<i>Concentration Ptelein</i> , 1 to 3 grs.....	per oz.. 1.20
<i>Pressed bark of root</i> .	

WAHOO.

EUONYMUS ATROPURPUREUS, Jacquin.—The experiments of Rutherford have fixed this drug as one of the most direct cholagogues in the materia medica; is also tonic, alterative laxative, and is especially indicated in hepatic derangements, whether accompanying or preceding intermittents, or occurring independently of malaria. In constipation due to hepatic torpor it is highly recommended; it is not nearly so active an irritant of the intestines as podophyllin.

Elixirs, see list in Appendix, Nos. 119 and 120

<i>Concentration Euonymin</i> , brown and green. Euonymin brown being from bark of root, Euonymin green from the bark of the twigs. 1-2 to 4 grs.....	either, per oz..\$ 1.10
<i>Fluid Extract of the bark of root</i> , 1 to 2 fluidrachms,	per pint.. 1.50

WAHOO—CONCLUDED.

<i>Powdered Extract</i> , 5 to 15 grs.....	per oz..\$.45
<i>Solid Extract.</i> Though the U. S. P. does not so specify, this extract is prepared from the bark of the root, without any addition of the bark of the twigs, as the former is much richer in active principle and results in a more active and desirable preparation. Dose, 5 to 15 grs.....		
	per oz..	.31
<i>Pill Cascara Comp., D'Ary's...</i>	per 100, 60 cents; per 500, <i>net..</i>	2.85
<i>Tablet Triturates</i> , see list in Appendix, Nos. 377 to 381, 395.		
<i>Pressed bark of root</i> , in pounds and ounces.		
<i>Pressed bark of tree</i> , in pounds.		

WARBURG'S TINCTURE.

A combination of aromatics and antispasmodics, depending for its action, in its original form, upon aloes and quinine sulphate. We now prepare this remedy, both with and without aloes, and likewise a special tincture wherein the cheaper cinchona alkaloids have been substituted for quinine.

<i>Warburg's Tincture, with or without Aloes</i> , per doz. ozs., <i>net..</i>	\$	2.75
<i>Warburg's Tincture, special.....</i>	per doz. ozs., <i>net..</i>	1.60
<i>Pills</i> , see Appendix "Pills," Nos. 643, 644, 786, 787.		
<i>Soluble Elastic Capsule Warburg's Tincture.....</i>		
.....	per 100, \$4.50; per doz. boxes of 1 doz..	7.20
<i>Solid Extract, with or without Aloes.....</i>	per oz..	1.00

WATER AVENS.

GEUM RIVALE, Linné.—Very astringent and more or less tonic; apt to derange the digestion and cause vomiting if too freely given. Employed in diseases of the mucous membranes depending upon relaxation and attended with excessive and altered secretions, including atonic dyspepsia, diarrhoea, bronchorrhoea, etc.; has also been used in menstrual derangements depending on debility. If administered in the form of infusion or decoction it may be taken ad libitum.

<i>Fluid Extract of the root</i> , 1-4 to 1 fluidrachm.....	per pint..\$	1.00
<i>Pressed root</i> , in pounds.		

WATER ERYNGO.

ERYNGIUM YUCCÆFOLIUM, Michaux.—Diaphoretic, expectorant, in large doses occasionally emetic, and is said to be diuretic and stimulant; used by some physicians as a substitute for senega. Employed in dropsy, nephritis, pulmonary diseases, chronic laryngitis and bronchitis; is said to exert an influence on the reproductive organs, allaying cystic and urethral irritation, pain in the testes and lessening erectile power, proving effectual in cases of seminal losses.

<i>Fluid Extract of the rhizome</i> , 20 to 40 mins.....	per pint..\$	1.05
<i>Pressed root</i> , in pounds.		

WATER FENNEL.

CENANTHE PHELLANDRIUM, Lamarck.—A mild narcotic stimulant, expectorant, alterative and diuretic. In large doses produces dizziness, inebriation and pains in head. Medicinally is held valuable in chronic affections of the air passages, hæmoptysis, catarrh, etc.; and in periodical febrile diseases, dyspeptic affections and indolent ulcerations; in consumption and bronchitis, it is said to allay troublesome cough, to lessen and render easier expectoration, and to produce sleep at night.

Fluid Extract of the seed, 4 to 12 mins.....per pint..\$ 1.80

WATER GERMANDER.

TEUCRIUM SCORDIUM, Linné.—The ancient writers on therapeutics attribute to this plant extraordinary virtues as an alexipharmic, sudorific and antiseptic. It is used as a corroborant in low forms of disease, and in cases where there is want of tone in the stomach, in flatulence, anasarca, amenorrhœa and moist asthma.

Fluid Extract of the herb, 1-2 to 1 fluidrachm.....per pint..\$ 1.50

WATER HEMLOCK.

CICUTA MACULATA, Linné. **POISONOUS**.—Often confounded with conium, and has been employed as a substitute for the latter; its action, however, appears to be different, though its therapeutic value has not yet been fully established. It has been recommended as a specific in nervous and sick-headaches.

ANTIDOTES.—Empty the stomach thoroughly by use of prompt emetics, and then support the system with stimulants.

Fluid Extract of the leaves, 3 to 15 mins.....per pint..\$ 1.50

WATER-MELON.

CITRULLUS VULGARIS, Schrader.—Diuretic and demulcent. Useful in irritation of kidneys or bladder, and especially where there is retention of urine induced by cold.

Fluid Extract of the seed, 1-2 to 2 fluidrachms.....per pint..\$ 1.80

WATER-PEPPER.

POLYGONUM ACRE—Humboldt, Bonpland & Kunth.—Stimulant, diuretic, emmenagogue, antiseptic, diaphoretic and vesicant. It has been recommended in amenorrhœa (20 drops 4 or 5 times a day), gravel, colic and colds; externally, in choleraic seizures (the patient being wrapped in a sheet previously soaked in a hot decoction of the drug), in gangrene, chronic ulcers, hæmorrhoids, erysipelatous inflammations, and (as a fomentation) in tympanites, and flatulent colic; also as a wash in the sore mouth of nursing woman and of mercurial ptyalism.

Fluid Extract of the herb, 1 to 2 fluidrachms.....per pint..\$.75

**Fluid Extract of Blue Cohosh Comp.*, see *Blue Cohosh*.

Pressed herb, in ounces.

WHITE ASH.

FRAXINUS AMERICANA, Linné.—Introduced as a remedy for some uterine diseases dependent on pathological plethora. White Ash, it is claimed, arouses the benumbed or torpid vaso-motor system to new vitality.

Fluid Extract of the Bark, 1 to 2 fluidrachms....per pint..\$ 1.20

Wine White Ash. Each fluidounce represents 120 grains White

Ash bark. Dose, 2 fluidrachms and upwards.....per doz.. 9.75

Pressed bark, in pounds.

WHITE BRYONY.

BRYONIA ALBA, Linné. Hydragogue cathartic, resembling jalap in action; in large doses an irritant poison. Chiefly employed as a remedy in dropsy; also recommended in chronic intermittent fever with enlargement of the spleen, in chronic bronchitis, and in catarrhal stage of whooping-cough.

Fluid Extract of the root, 10 to 60 mins.....per pint..\$ 1.50

Tablet Triturates, see list in Appendix, Nos. 188, 296 to 298.

Pressed root, in pounds.

WHITE CLOVER.

TRIFOLIUM REPENS, Linné.—Employed in pertussis and other forms of spasmodic cough. Generally used as an infusion, one ounce to the pint. Dose, ad. lib.

Pressed tops, in ounces.

WHITE COHOSH.

ACTÆA ALBA, Bigelow.—Violently purgative, sometimes producing gastro-intestinal disorders by its irritant and emetic action.

Pressed root, in pounds.

WHITE HELLEBORE.

VERATRUM ALBUM, Linné. POISONOUS.—A vaso-motor depressant. Used in cases of irritable heart, hypertrophy of the cardiac muscle, etc. When snuffed up the nostrils, occasions severe coryza, and when swallowed, severe vomiting with profuse diarrhœa. When it proves fatal, narcotic symptoms are superadded. Great care should be taken in its use, even externally. An infusion of 1-2 ounce to the pint is used as a wash in parasitic diseases of the skin, etc.

ANTIDOTES.—Coffee, as a drink, stimulants to overcome the depressed condition, and opiates and demulcents to relieve internal inflammation. Recumbent position.

Fluid Extract of the rhizome, 2 to 4 mins.....per pint..\$ 1.20

Tablet Triturate Veratrum album tincture, 1 min.....

.....per 100, 15 cents; per 500.. .85

Pressed root, in pounds.

WHITE INDIAN-HEMP.

ASCLEPIAS INCARNATA, Linné.—Anthelmintic. Recommended also in rheumatic, asthmatic, catarrhal and syphilitic affections.

Fluid Extract of the rhizome, 10 to 40 mins.....per pint..\$ 1.05

Solid Extract, 2 to 8 grs.....per oz.. .25

Pressed root, in pounds.

WHITE OAK.

QUERCUS ALBA, Linné.—Astringent and somewhat tonic. Has been used in obstinate chronic diarrhoea and certain forms of passive hæmorrhage; externally as an astringent wash, gargle or injection.

Fluid Extract of the bark, 1 to 2 fluidrachms.....per pint..\$.75

Solid Extract, 3 to 10 grains.....per oz.. .20

Pressed bark, in pounds and ounces.

WHITE PINE.

PINUS STROBUS, Linné.—Balsamic expectorant. Useful as an emollient in chronic affections of the air passages, and in catarrh of the bladder.

See also *Anodyne Pine Expectorant*.

Fluid Extract of the bark, 1-2 to 1 fluidrachm.....per pint..\$.90

Pressed bark, in pounds.

WHITE POND-LILY.

CASTALIA ODORATA, Greene.—Astringent, demulcent, anodyne and alterative. Used in dysentery, diarrhoea, gonorrhoea, leucorrhoea, scrofula, and (combined with wild cherry), in bronchial affections; externally may be applied to boils, tumors, scrofulous ulcers and inflamed skin; the fluid extract diluted is used as a gargle in ulcers of the mouth and throat, and as an injection in leucorrhoea.

Fluid Extract of the rhizome, 1-2 to 1 fluidrachm....per pint..\$ 1.00

Pressed root, in pounds.

WHITE POPLAR.

POPULUS TREMULOIDES, Michaux.—Tonic, diuretic and febrifuge; contains an active principle, Populin, analagous to the salicin of willow bark. Has been employed in urinary affections, gonorrhoea, gleet, etc.

Fluid Extract of the bark, 1-2 to 1 fluidrachm.....per pint..\$.90

Concentration Populin, 2 to 5 grs.....per oz.. .50

Pressed bark, in pounds and ounces.

WHITE SNAKE-ROOT.

EUPATORIUM AROMATICUM, Linné.—Diaphoretic, antispasmodic, expectorant. Has been employed in pleurisy, chronic bronchitis, nervous irritability, flatulence, hysteria, wakefulness of low fevers and chronic irritation of the bladder.

Pressed root, in pounds.

WHITE VERVAIN.

VERBENA URTICÆFOLIA, Linné.—Has been used in the treatment of intermittent and remittent fevers, and credited with cure of the opiumhabit.

Fluid Extract of the root, 30 to 40 mins.....per pint..\$ 2.50

WHITE WILLOW.

SALIX ALBA, Linné.—Tonic, febrifuge, astringent; possessing also antimalarial properties which have led to its use in intermittents. Its active principle, Salicin, along with the derivative, salicylic acid, have, however, to a large extent, taken the place of the bark on account of more condensed dosage; they have been used advantageously in rheumatism.

Salicylic Acid, pure, from Oil of Wintergreen. Dose, 5 to 20 grs.....per oz., net..\$.70

Fluid Extract of the bark, 1-2 to 1 fluidrachm.....per pint.. .90

Lozenge Salicylic Acid, 1 grain.....per lb.. .75

Pills, see Appendix, "Pills," Nos. 418, 572 to 579, 709.

Tablet Triturates, see list in Appendix, Nos. 152, 153; 490, 491.

Elixir Salicylic Acid Comp.....per doz.. 11.25

See also *Glycerole Yerbine Comp*.

Pressed bark, in pounds.

WILD BERGAMOT.

MONARDA FISTULOSA, Linné.—First introduced as a substitute for quinine in intermittents; in large doses diaphoretic, and considered by some only inferior to jaborandi. Used in flatulent colic, cholera infantum and low forms of fever; also in liniments for relief of local paralyses.

Fluid Extract of the leaves, 15 to 60 mins.....per pint..\$ 2.00

WILD CARROT.

DAUCUS CAROTA, Linné.—Stimulant, carminative, diuretic.

Pressed leaves, in ounces.

WILD CELANDINE.

IMPATIENS PALLIDA, Nuttall.—Alterative and diuretic. Has been employed for scrofula and chronic rheumatism in the form of an infusion, one ounce to the pint. Dose, a wineglassful.

Pressed leaves, in ounces.

WILD CHERRY.

PRUNUS SEROTINA, Ehrhart.—Tonic and stimulant to digestive apparatus, with sedative action upon nervous system. Valuable where it is desirable to give tone and strength, as during convalescence from pleurisy, pneumonia, etc.; also in colliquative diarrhoea, some forms of dyspepsia, whooping-cough, and phthisis.

WILD CHERRY—CONCLUDED.

- Elixirs*, see list in Appendix, Nos. 43, 55, 56, 121.
- Fluid Extract Black Cohosh Comp.*, see *Black Cohosh*.
- Fluid Extract Horehound Comp.*, see *Horehound*.
- Fluid Extract of Wild Cherry, alcoholic.* This fluid extract, styled alcoholic, differs from that of the Pharmacopœia of 1880, in not containing glycerin. Dose, 1-2 to 1 fl. dr..per pt..\$ 1.05
- Fluid Extract of Wild Cherry Comp.* Each fluidounce represents: Cherry, 8 ozs.; Horehound, 3 1-2 ozs.; Veratrum viride, 1-2 oz.; Lettuce, 3 ozs.; Blood-root, 1 oz. Indicated in convalescence from acute inflammatory and pulmonary diseases. 1-4 to 1 fluidrachm.....per pint.. 1.05
- Fluid Extract of Wild Cherry, detannated*,—Chiefly employed in making elixirs of Wild Cherry Bark, into which iron enters as an ingredient. Dose 1-2 to 1 fluidrachm; per pint, 1.40
- Fluid Extract Wild Cherry for Syrup.* Specially adapted for the preparation of a bright clear Syrup of Wild Cherry, of full medicinal activity. Dose, 1-2 to 1 fl. dr.....per pint.. 1.05
- Fluid Extract Wild Cherry*, Dose 1-2 to 1 fluidrachm..per pint.. 1.05
- See also *Glycerole Yerbine Comp.*
- Lozenges: Tar Comp.; Wild Cherry*, 1 gr.; *Yerba Santa Comp.*
- Concentration Prunin*, 1 to 3 grs.....per oz.. .50
- Syrups*, Nos. 37, 53.
- Wines*, Nos. 19, 20.
- See also *Anodyne Pine Expectorant*.
- Pressed bark*, in pounds and ounces.

WILD GINGER.

ASARUM CANADENSE, Linné.—Aromatic, stimulant, carminative, diaphoretic. Used in low forms of fever as a substitute for serpentaria; has some reputation as an anthelmintic and diuretic,

- Fluid Extract of the rhizome*, 15 to 30 mins.....per pint..\$ 1.05
- Pressed root*, in pounds.

WILD INDIGO.

BAPTISIA TINCTORIA, R. Brown.—Purgative, emetic, astringent, antiseptic; used principally on account of its antiseptic virtues. Employed in atonic diseases; in scarlatina, typhus and all cases where there is a tendency to septicæmia; externally as a wash, or ointment for ill conditioned ulcers.

- Concentration Baptisin*, 1 to 4 grs.....per oz..\$.75
- Fluid Extract of the root*, 5 to 15 mins.....per pint.. .90
- Tablet Triturate Baptisia tinct.*, 1 min.....per 100, 15c.; 1000.. .85
- Pressed root*, in pounds.

WILD LETTUCE.

(SEE ALSO "LETTUCE.")

LACTUCA CANADENSIS, Linné.—Mildly soporific, often producing a soothing effect, preferable to that of opiates; oftenest prescribed for children.

<i>Fluid Extract of the leaves</i> , 20 mins.....	per pint..\$ 1.20
<i>Powdered Extract</i> , 4 to 12 grs.....	per oz.. .60
<i>Solid Extract</i> , 4 to 12 grs.....	per oz.. .25
<i>Pill Lettuce Ext.</i> , 2 grs.....	per 100, 35 cents; per 500.. 1.60
<i>Pressed leaves</i> , in ounces.	

WILD YAM.

DIOSCOREA VILLOSA, Linné.—Expectorant, diaphoretic, antispasmodic. A valuable remedy in bilious colic, in most cases, giving prompt and permanent relief; useful in flatulence, cramp of the stomach, etc.

<i>Concentration Dioscorein</i> , 1-2 to 3 grs.....	per oz..\$ 1.00
<i>Fluid Extract of the rhizome</i> , 1-4 to 1 fluidrachm....	per pint.. .90
<i>Pressed root</i> , in pounds.	

WILLOW-HERB.

EPILOBIUM SPICATUM, Lam.—Tonic, astringent, demulcent. Has been employed in chronic diarrhoea, dysentery, leucorrhœa, etc.

<i>Fluid Extract of the herb</i> , 1-2 to 1 fluidrachm.....	per pint..\$ 1.20
<i>Pressed herb</i> , in ounces.	

WINTERGREEN.

GAULTHERIA PROCUMBENS, Linné.—Stimulant, aromatic, astringent; the essential oil has been used preferably in cases of putrefactive fermentation, and is also claimed to be of service in articular or acute rheumatism, on account of the large quantity of methyl salicylate contained. The fluid extract is used in chronic diarrhoea as an astringent; in dysuria, as a diuretic; in infantile colic as a carminative.

<i>Acid Salicylic</i> , pure from Oil Wintergreen, in ounce. vials.....	
.....	per oz., net..\$.75
<i>Soluble Elastic Capsules</i> , Nos. 72, 77.	
<i>Fluid Extract of the leaves</i> , 1-2 to 1 fluidrachm....	per pint.. .90
<i>Syrups</i> , Nos. 44, 45.	
<i>Compressed Tablets</i> , <i>Nasal Tablets</i> .	
<i>Pressed leaves</i> , in ounces.	

WITCH HAZEL.

HAMAMELIS VIRGINIANA, Linné.—Tonic, astringent. Popularly held of considerable value for hæmorrhoids; may be used externally as an ointment or in decoction, and also administered internally; it is also

WITCH HAZEL—CONCLUDED.

recommended in the treatment of varicocele, venous congestion, and hæmorrhages of all kinds, as well as in diarrhœa, dysentery, excessive mucous discharges, etc.; in relieving local inflammations it is much superior to arnica, especially in the form of distilled extract.

<i>Distilled Extract Witch-Hazel</i> (bark). The best preparation for external use in sprains, bruises, prevention of ecchymosis, etc. It may be used internally in the same doses as the fluid extract; in pints bottles.....per doz., net..\$ 3.50	
<i>Fluid Extract of the Leaves</i> , 1 to 2 fluidrachms.....per pint..	.90
<i>Powdered Extract</i> , 5 to 15 grs.....per oz..	.40
<i>Solid Extract</i> , 5 to 15 grs.....per oz..	.23
<i>Concentration Hamamelin</i> , 1 to 3 grs.....per oz..	.65
<i>Pill, Female, leucorrhœa</i>per 100, 55 cents; per 500..	2.60
<i>Pressed bark</i> , in pounds. <i>Pressed leaves</i> , in ounces.	

WOOD BETONY.

STACHYS BETONICA, Bentham. It is claimed to have alterative properties that render it valuable in constitutional syphilis, scrofula, etc.

<i>Fluid Extract of the leaves</i> 1-4 to 1 fluidrachm....per pint..\$ 2.50
<i>Pressed leaves</i> , in ounces.

WORMSEED, AMERICAN.

CHENOPODIUM AMBROSIoidES, Linné; VAR. ANTHELMINTICUM, Gray.—Anthelmintic, antispasmodic; considered one of the indigenous remedies for the expulsion of round worms. A dose is usually given before breakfast and again at bedtime, for three or four days successively, and then followed by a brisk cathartic; repeat if necessary.

<i>Soluble Elastic Capsule Wormseed Oil</i> , 2 mins.....
.....per 100, \$1.20; per doz. boxes of 1 doz..\$ 2.10
<i>Fluid Extract of the seed</i> , 1-4 to 1 fluidrachm.....per pint..
.90

WORMSEED, LEVANT.

ARTEMISIA MARITIMA, Linné.—A certain remedy for lumbricoids and in a less degree ascarides. Generally employed in the form of the active principle, Santonin.

<i>Capsule Santonin and Castor Oil</i>per doz. boxes of 1-2 doz..\$ 2.10
<i>Lozenges</i> . A favorite form of exhibiting Santonin to children.
<i>Chocolate Worm; Santonin</i> , 1-2 and 1 gr.; <i>Santonin and Calomel</i> , in two colors, pink and white; <i>Santonin Comp.</i> ;
<i>Santonin and Podophyllin</i> .

Pills, see Appendix, "Pills," Nos. 44, 586 to 589, 710.

Tablet Triturates, see list in Appendix, Nos. 154 to 156.

WORMWOOD.

ARTEMISIA ABSINTHIUM, Linné.—Tonic, anthelmintic, narcotic. Used in dyspepsia to promote tone and appetite.

Fluid Extract of the leaves, 5 mins. to 1 fluidrachm; per pint..\$.90

Solid Extract, 1 to 10 grs.....per oz.. .25

Pressed leaves, in ounces.

YARROW.

ACHILLEA MILLEFOLIUM, Linné—Aromatic, tonic, mildly stimulant and astringent. Used in dysentery and in low fevers.

Fluid Extract of the herb, 30 to 60 mins.....per pint..\$.75

Pressed leaves, in ounces.

YELLOW DOCK.

RUMEX CRISPUS, Linné.—Alterative, tonic, mildly laxative, not unlike rhubarb in action. Employed in cutaneous disorders, and appears of service in strumous diathesis.

Fluid Extract of the root, 1-2 to 1 fluidrachm.....per pint..\$ 1.10

Fluid Extract Yellow Dock Comp. Has long held a high place as an alterative compound in the form of the syrup, for the making of which it is specially adapted. Each pint represents: Yellow dock, 8 ozs.; False Bittersweet, 4 ozs.; American Ivy, 2 ozs.; Carpenter's square, 2 ozs. Dose, 1-2 to 1 fluidrachm.....per pint.. 1.50

Solid Extract Yellow Dock, 5 to 20 grains.....per oz.. .23

Concentration Rumicin. Dose, 2 to 4 grs.....per oz.. .60

Pressed root, in pounds and ounces.

YELLOW PARILLA.

MENISPERMUM CANADENSE, Linné.—Tonic, laxative, alterative, diuretic; in large doses increases both cardiac and peristaltic action and improves appetite; in excessive doses, induces vomiting and purging. Said to be superior to imported sarsaparilla, and is put to the same uses.

Fluid Extract of the root, 1-2 to 1 fluidrachm.....per pint..\$ 1.20

Concentration Menispermin, 1 to 4 grs.....per oz.. .65

Pressed root, in pounds.

YELLOW POND-LILY.

NUPHAR ADVENA, Aiton.—Astringent, anodyne, demulcent. Has been employed in dysentery, diarrhoea, and, combined with wild cherry, in bronchial affections; externally is sometimes of value applied to boils, tumors, indolent ulcers, etc., and in form of decoction may be used as a gargle.

Fluid Extract of the rhizome, 1-2 fluidrachm.....per pint..\$.90

Pressed root, in pounds.

YERBA BUENA.

MICROMERIA DOUGLASSII, Benth. —Aromatic, stimulant, tonic and anthelmintic. Has been employed in atonic dyspepsia, gastrodynia, to expel flatus, and to reduce the force and frequency of the pulse in fevers; is also an excellent anthelmintic, well adapted to the expulsion of round worms.

Fluid Extract of the leaves, 1-2 to 2 fluidrachms.....per pint..\$ 2.50

YERBA REUMA.

FRANKENIA GRANDIFOLIA, Chamisso & Schlechtendahl. —As its Spanish name (*flux herb*) implies, it is chiefly used in catarrhal affections. It contains a peculiar astringent principle and a large percentage of saline ingredients, to the combination of which its therapeutic properties are largely attributable.

Fluid Extract of the herb. When used as an injection or a gargle, it must be diluted with three times its bulk in water.
Dose, 10 to 20 mins.....per pint..\$ 2.50

YERBA SANTA.

ERIODICTYON GLUTINOSUM, Benth. —A tonic expectorant, agreeable to the palate. Seems of especial value in chronic subacute inflammation of bronchial mucous membrane; its effects are similar to the combined action of ipecac and balsam of Peru, its stimulating properties preponderating. One of the most remarkable properties is its power of obtunding the taste against quinine, and it is often prescribed with reference to this alone.

Fluid Extract of the leaves. May be made to form a clear mixture with syrups and aqueous fluids by adding a little alkali. Dose, 1-4 to 1 fluidrachm.....per pint..\$ 2.50

Fluid Yerba Santa, aromatic. The strength of the fluid is just four times that of the Syrup of Yerba Santa, aromatic, and specially adapted for the extemporaneous preparation of the latter by simply diluting one part with three parts of syrup. It enjoys a high reputation as a vehicle for quinine, completely overcoming the bitterness of this alkaloid. Dose, 15 to 60 mins.....per pint.. 1.75

NOTE.—This preparation is incompatible with acids and acid salts; exhibit quinine in suspension, not in solution.

Solid Extract, 3 to 12 grs.....per oz.. .31

Glycerole Yerba Santaper lb.. 1.50

Glycerole Yerbine Comp. Each fluidounce represents: Yerba santa, 90 grs.; Licorice, 90 grs.; Wild cherry bark, 30 grs.; Salicylic acid, 2 grs.; Potass. bromide, 7 1-2 grs.; Grindelia robusta, 30 grs; Tar, 2 3-4 grs.....per doz.. net.. 9.50

Inhalant, No. 3.....per pint.. 1.25

Lozenge Yerba Santa Comp.

YERBA SANTA—CONCLUDED.

Pill Yerba Santa Ext., 3 grs.....per 100, 50 cents; per 500.. 2.35

Syrup Yerba Santa, aromatic. Each fluidounce representing 16 grains Yerba Santa in combination with aromatics. A teaspoonful completely masks the bitterness of 5 grains of quinine sulphate. It may be prepared extemporaneously from Fluid Yerba Santa, aromatic, *q.v.*.....per doz., *net.*.. 7.00

ZINC OXIDE.

Tonic, antispasmodic, astringent. Employed in chorea, epilepsy, whooping cough and the diarrhoea of infants; used externally as an exsiccant to inflamed or excoriated surfaces. Dose, 2 to 8 grains.

Pills, see Appendix "Pills," Nos. 418, 646.

ZINC PHOSPHIDE.

Acts very similarly to phosphorus, combining therewith the tonic action of zinc. Dose, 1-20 grain, gradually increased.

Pills, see Appendix "Pills," Nos. 647 to 653.

Tablet Triturates, see list in Appendix, Nos. 192, 175 to 179, 237, 454, 611 to 613.

Compressed Tablets, see list in Appendix, No. 10.

ZINC SULPHATE.

Tonic, astringent, antispasmodic; also a prompt emetic. Useful in small doses in dyspepsia, and in combination with belladonna or henbane to check the night sweats of phthisis; occasionally used in epilepsy. Dose, as a tonic, 1 to 2 grains; as an emetic, 10 to 30 grains.

Pills, see Appendix "Pills," Nos. 493, 495.

Compressed Tablets, see list in Appendix, No. 6.

See also *Emergency case*.

ZINC SULPHOCARBOLATE.

Topically useful as a disinfectant, and the tablets dissolved in water are valuable as a vaginal wash in leucorrhoea, etc.; also as a gargle in sore throat, diphtheria, etc. Has also been suggested as a disinfectant of the intestinal tract, being administered in appropriate doses *per os*. Dose, as a local application, 20 grains to the ounce of water. As an intestinal disinfectant, 2 to 10 grains.

Compressed Tablets, see list in Appendix, Nos. 51, 52.

ZINC VALERIANATE.

Antispasmodic. Has been used to advantage in neuralgia, epilepsy and the nervous affections accompanying chlorosis. Dose, 1 to 2 grs.

Pills, see Appendix "Pills," Nos. 53, 473, 474, 494, 555, 654 to 656,

FORMULAS FOR MAKING OFFICIAL PREPARATIONS FROM FLUID EXTRACTS.

TINCTURES.

ACONITE.

B. P.—

Fluid Extract Aconite root, P., D. & Co's.....1 fl. oz., Imp.
Alcohol.....7 fl. ozs., Imp.

FLEMING'S.—

Fluid Extract Aconite root, P., D. & Co's.....2 fl. ozs.
Alcohol.....1 fl. oz.

LEAVES (UNOFFICIAL).—

Fluid Extract Aconite leaves, P., D. & Co's.....2 fl. ozs.
Diluted Alcohol.....14 fl. ozs.

P. G.—

Fluid Extract Aconite root, P. D. & Co's.....1 fl. oz.
Alcohol.....10 fl. ozs.

U. S. P. (ROOT).—

Fluid Extract Aconite root, P. D. & Co's.....6 fl. ozs.
Alcohol.....11 1-2 fl. ozs.

ALOES.

B. P.—

Fluid Aloes, P., D. & Co's.....1½ fl. oz., Imp.
Extract Licorice.....1½ oz., av.
Diluted Alcohol.....sufficient to make 20 fl. ozs., Imp.

U. S. P.—

Fluid Aloes, P., D. & Co's.....6 fl. ozs.
Fluid Extract Licorice, P., D. & Co's.....10 fl. ozs.
Diluted Alcohol.....5 fl. ozs.

ALOES AND MYRRH, U. S. P. (ELIXIR PROPRIETATIS.)

Fluid Aloes and Myrrh, P. D. & Co's.....4 fl. ozs.
Alcohol.....12 fl. ozs.

TINCTURES—CONTINUED.

AMERICAN HELLEBORE.

U. S. P.—

Fluid Extract American Hellebore, P., D. & Co's.....	10 fl. ozs.
Alcohol.....	13 fl. ozs.
This preparation is nearly the same strength as Norwood's Tincture.	

B. P.—

Fluid Extract American Hellebore, P., D. & Co's.....	4 fl. ozs., Imp.
Alcohol.....	16 fl. oz., Imp.

ARNICA.

FLOWERS, U. S. P.—

Fluid Extract Arnica flowers, P., D. & Co's.....	3 fl. ozs.
Diluted Alcohol.....	13 fl. ozs.

ROOT, U. S. P.—

Fluid Extract Arnica root, P., D. & Co's.....	2 fl. ozs.
Diluted Alcohol.....	19 fl. ozs.

ROOT, B. P.—

Fluid Extract of Arnica root, P., D. & Co's.....	1 fl. oz., Imp.
Alcohol.....	19 fl. ozs., Imp.

ASAFETIDA.

U. S. P.—

Fluid Asafetida, P., D. & Co's.....	6 fl. ozs.
Alcohol.....	11 fl. ozs.

B. P.—

Fluid Asafetida, P., D. & Co's.....	5 fl. ozs., Imp.
Alcohol.....	15 fl. ozs., Imp.

BELLADONNA.

U. S. P.—

Fluid Extract Belladonna leaves, P., D. & Co's.....	2 fl. ozs.
Dilute Alcohol.....	12 fl. ozs.

B. P.—

Fluid Extract Belladonna leaves, P., D. & Co's.....	1 fl. oz., Imp.
Diluted Alcohol.....	19 fl. ozs., Imp.

BENZOIN.

U. S. P.—

Fluid Benzoin, P. D. & Co's.....	4 fl. ozs.
Alcohol.....	12 fl. ozs.

COMPOUND, U. S. P.—

Fluid Benzoin Comp., P., D. & Co's.....	4 fl. ozs.
Alcohol.....	12 fl. ozs.

TINCTURES—CONTINUED.

BITTER ORANGE PEEL.

U. S. P.—

Fluid Extract Bitter Orange peel, P., D. & Co's.....	2 fl. ozs.
Diluted Alcohol.....	8½ fl. ozs.

BLACK COHOSH.

U. S. P.—

Fluid Extract Black Cohosh, P., D. & Co's.....	4 fl. ozs.
Alcohol.....	14½ fl. ozs.
Water.....	5 fl. ozs.

B. P.—

Fluid Extract Black Cohosh, P. D. & Co's.....	1 fl. oz., Imp.
Diluted Alcohol.....	7 fl. ozs., Imp.

COMPOUND.

Fluid Extract Black Cohosh, P., D. & Co's.....	2 fl. ozs.
Fluid Extract Blood Root, P. D. & Co's.....	1 fl. oz.
Fluid Extract Poke Root, P. D. & Co's.....	½ fl. oz.
Alcohol.....	9 fl. ozs.
Water.....	3 fl. ozs.

BLACK HELLEBORE.

U. S. P., 1870—

Fluid Extract Black Hellebore, P., D. & Co's.....	2 fl. ozs.
Diluted Alcohol.....	14 fl. ozs.

BLOOD ROOT.

U. S. P.—

Fluid Extract Blood root, P., D. & Co's.....	3 fl. ozs.
Diluted Alcohol.....	19 fl. ozs.

BUCHU.

B. P.—

Fluid Extract Buchu, P., D. & Co's.....	1 fl. oz., Imp.
Alcohol.....	7 fl. ozs., Imp.

CALABAR BEAN.

U. S. P.—

Fluid Extract Calabar Bean, P., D. & Co's.....	1 fl. oz.
Alcohol.....	11 fl. ozs.

CALENDULA.

U. S. P.—

Fluid Extract Calendula, P., D. & Co's.....	4 fl. ozs.
Alcohol.....	10 fl. ozs.
Water.....	7 fl. ozs.
After standing for a day or two, decant the clear tincture.	

TINCTURES—CONTINUED.

CANNABIS INDICA.

U. S. P.—

Fluid Extract Cannabis Indica, P., D. & Co's.....	4 fl. ozs.
Alcohol.....	19 fl. ozs.

CANTHARIDES.

U. S. P.—

Fluid Extract Cantharides, P., D. & Co's.....	1 fl. oz.
Diluted Alcohol.....	23 fl. ozs.

CAPSICUM.

U. S. P.—

Fluid Extract Capsicum, P., D. & Co's.....	1 fl. oz.
Alcohol.....	22 fl. ozs.
Water.....	1 fl. oz.

B. P.—

Fluid Extract Capsicum, P., D. & Co's.....	$\frac{3}{4}$ fl. oz., Imp
Alcohol.....	$19\frac{1}{4}$ fl. ozs., Imp

CARDAMOM.

U. S. P.—

Fluid Extract Cardamom seed, P., D. & Co's.....	2 fl. ozs.
Alcohol.....	9 fl. ozs.
Water.....	3 fl. ozs.

COMPOUND, U. S. P.—

Fluid Cardamom Comp., P., D. & Co's.....	1 fl. oz.
Diluted Alcohol.....	20 fl. ozs.
Glycerin.....	1 fl. oz.

CASCARILLA.

B. P.—

Fluid Extract Cascarilla, P., D. & Co's.....	1 fl. oz., Imp.
Diluted Alcohol.....	7 fl. ozs., Imp.

CATECHU.

P. G. & FR. COD.—

Fluid Catechu, P., D. & Co's.....	2 fl. ozs.
Diluted Alcohol.....	8 fl. ozs.

COMPOUND, U. S. P.—

Fluid Catechu, P., D. & Co's.....	3 fl. ozs.
Fluid Extract Cassia, P., D. & Co's.....	1 fl. oz.
Diluted Alcohol.....	9 fl. ozs.

NOTE.—The B. P. Tincture is almost identical.

TINCTURES—CONTINUED

CHIRATA.

U. S. P.—

Fluid Extract Chirata, P., D. & Co's.....	2 fl. ozs.
Diluted Alcohol.....	19 fl. ozs.

CINCHONA.

U. S. P.—

Fluid Ext. or Normal Liquid Cinchona Calisaya, P., D. & Co's..	4 fl. ozs.
Alcohol.....	13 fl. ozs.
Water.....	4 fl. ozs.
Glycerin.....	1 fl. oz.

COMPOUND, U. S. P.—

Fluid Extract Cinchona, (red), Comp., P., D. & Co's.....	3 fl. ozs.
Alcohol.....	8 fl. ozs.
Water.....	2 fl. ozs.
Glycerin.....	2 fl. ozs.

COMPOUND, (HUXHAM'S) B. P.—

Fluid Extract Cinchona, (pale), Comp., P., D. & Co's.....	3 fl. ozs.
Alcohol.....	8 fl. ozs.
Water.....	4 fl. ozs.

CINNAMON.

U. S. P.—

Fluid Extract Cassia, P., D. & Co's.....	2 fl. ozs.
Alcohol.....	17 fl. ozs.
Water.....	3 fl. ozs.

COLCHICUM SEED.

P. G.—

Fluid Extract Colchicum seed, P., D. & Co's.....	1 fl. oz.
Alcohol.....	7 fl. ozs.
Water.....	3 fl. ozs.

U. S. P.—

Fluid Extract Colchicum seed, P., D. & Co's.....	2 fl. ozs.
Alcohol.....	8 fl. ozs.
Water.....	4 fl. ozs.

COLOCYNTH.

P. G.—

Fluid Extract Colocynth, P., D. & Co's.....	1 fl. oz.
Alcohol.....	11 fl. ozs.

COLUMBO.

U. S. P.—

Fluid Extract Columbo, P., D. & Co's.....	2 fl. ozs.
Diluted Alcohol.....	20 fl. ozs.

TINCTURES—CONTINUED.

CONIUM.

U. S. P.—

Fluid Extract Conium seed, P., D. & Co's.....	2½ fl. ozs.
Diluted Alcohol.....	15½ fl. ozs.

CUBEB.

U. S. P.—

Fluid Extract Cubeb, P., D. & Co's.....	2 fl. ozs.
Alcohol.....	19½ fl. ozs.

B. P.—

Fluid Extract Cubeb, P. D. & Co's.....	2½ fl. ozs., Imp.
Alcohol	17½ fl. ozs., Imp.

ERGOT.

B. P.—

Fluid Extract Ergot, P., D. & Co's.....	5 fl. ozs., Imp.
Diluted Alcohol.....	15 fl. ozs., Imp.

FOXGLOVE.

B. P.—

Fluid Extract Foxglove, P., D. & Co's.....	1 fl. oz., Imp.
Diluted Alcohol.....	7 fl. ozs., Imp.

P. G.—

Fluid Extract Foxglove, P., D. & Co's.....	1 fl. oz.
Diluted Alcohol.....	10 fl. ozs.

U. S. P.—

Fluid Extract Foxglove, P., D. & Co's.....	2 fl. ozs.
Diluted Alcohol.....	12 fl. ozs.

GALLS.

U. S. P.—

Fluid Extract Galls, P., D. & Co's.....	4 fl. ozs.
Diluted Alcohol.....	15 fl. ozs.
Glycerin.....	1½ fl. ozs.

B. P.—

Fluid Extract Galls, P., D. & Co's.....	2½ fl. ozs., Imp.
Diluted Alcohol.....	17½ fl. ozs., Imp.

GELSEMIUM.

U. S. P.—

Fluid Extract Gelsemium, P., D. & Co's.....	2 fl. ozs.
Alcohol.....	10½ fl. ozs.
Water.....	3½ fl. ozs.

TINCTURES—CONTINUED.

GELSEMIUM—CONCLUDED.

B. P.—

Fluid Extract Gelsemium, P., D. & Co's.....	1 fl. oz., Imp.
Diluted Alcohol.....	7 fl. ozs., Imp.

GENTIAN.

P. G.—

Fluid Extract Gentian, P., D. & Co's.....	3 fl. ozs.
Diluted Alcohol.....	12 fl. ozs.

COMPOUND, U. S. P.

Fluid Extract Gentian comp., P., D. & Co's.....	2 fl. ozs.
Diluted Alcohol.....	13 fl. ozs.

GINGER.

B. P.—

Fluid Extract Ginger, P., D. & Co's.....	2½ fl. ozs., Imp.
Alcohol.....	17½ fl. ozs., Imp.

P. G.—

Fluid Extract Ginger, P., D. & Co's.....	1 fl. oz.
Alcohol.....	3 fl. ozs.

U. S. P.—

Fluid Extract Ginger, P., D. & Co's.....	4 fl. ozs.
Alcohol.....	19 fl. ozs.

GOLDEN SEAL.

U. S. P.—

Fluid Extract Golden Seal, P., D. & Co's.....	4 fl. ozs.
Diluted Alcohol.....	17 fl. ozs.

HENBANE.

B. P.—

Fluid Extract Henbane, P., D. & Co's.....	1 fl. oz., Imp.
Diluted Alcohol.....	7 fl. ozs., Imp.

U. S. P.—

Fluid Extract Henbane, P., D. & Co's.....	2 fl. ozs.
Alcohol.....	8 fl. ozs.
Water.....	4 fl. ozs.

HOPS.

U. S. P.—

Fluid Extract Hops, P., D. & Co's.....	4 fl. ozs.
Diluted Alcohol.....	16½ fl. ozs.

B. P.—

Fluid Extract Hops, P., D. & Co's.....	2½ fl. ozs., Imp.
Diluted Alcohol.....	17½ fl. ozs., Imp.

TINCTURES—CONTINUED.

HOREHOUND.

Fluid Extract Horehound, P., D. & Co's.....	1 fl. oz.
Diluted Alcohol.....	4 fl. ozs.

IGNATIA.

U. S. P.—

Fluid Extract Ignatia, P., D. & Co's.....	1 fl. oz.
Alcohol.....	10 fl. ozs.
Water.....	$\frac{3}{4}$ fl. oz.

IPECAC AND OPIUM.

U. S. P.—

Fluid Extract Ipecac, P., D. & Co's.....	1 fl. oz.
Fluid Opium, (aqueous), P., D. & Co's.....	10 fl. ozs.
Reduce fluid opium to $8\frac{1}{2}$ fl. ozs. by careful evaporation, add the fluid extract ipecac, filter and add dilute alcohol through filter to make 10 fl. ozs.	

KINO.

B. P.—

Fluid Kino, P., D. & Co's.....	4 fl. ozs., Imp.
Glycerin.....	3 fl. ozs., Imp.
Distilled Water.....	3 fl. ozs., Imp.
Alcohol.....	10 fl. ozs., Imp.

U. S. P.—

Fluid Kino, P., D. & Co's.....	5 fl. ozs.
Alcohol.....	$18\frac{1}{2}$ fl. ozs.
Glycerin.....	3 fl. ozs.

LAVENDER COMPOUND.

U. S. P.—

Fluid Lavender comp., P., D. & Co's.....	4 fl. ozs.
Alcohol.....	9 fl. ozs.
Water.....	3 fl. ozs.

LOBELIA.

U. S. P.—

Fluid Extract Lobelia herb, P. D. & Co's.....	3 fl. ozs.
Diluted Alcohol.....	13 fl. ozs.

P. G.—

Fluid Extract Lobelia herb, P., D. & Co's.....	1 fl. oz.
Diluted Alcohol.....	10 fl. ozs.

P.—

Fluid Extract Lobelia herb, P., D. & Co's.....	$2\frac{1}{2}$ fl. ozs., Imp.
Diluted Alcohol.....	$17\frac{1}{2}$ fl. ozs., Imp.

TINCTURES—CONTINUED.

MATICO.

U. S. P.—

Fluid Extract Matico, P., D. & Co's.....	2 fl. ozs.
Diluted Alcohol.....	19½ fl. ozs.

MUSK ROOT.

U. S. P.—

Fluid Extract Musk Root, P., D. & Co's.....	2 fl. ozs.
Alcohol.....	21 fl. ozs.

MYRRH.

U. S. P.—

Fluid Extract Myrrh, P., D. & Co's.....	2 fl. ozs.
Alcohol.....	9½ fl. ozs.

NUX VOMICA.

P. G.—

Fluid Extract Nux Vomica, P., D. & Co's.....	1 fl. oz.
Alcohol.....	7 fl. ozs.
Water.....	3 fl. ozs.

U. S. P.—

Fluid Extract Nux Vomica, P., D. & Co's.....	3 fl. ozs.
Alcohol.....	10 fl. ozs.
Water.....	4¼ fl. ozs.

OPIUM.

CAMPHORATED—U. S. P.—

Fluid Opium, Camphorated, P., D. & Co's.....	4 fl. ozs.
Glycerin	1 fl. oz.
Diluted Alcohol.....	27 fl. ozs.

COMPOUND—DIARRHŒA MIXTURE, SQUIBB'S FORMULA.

Each fluidrachm represents: Tincture opium, 12 minims; spirit camphor, 12 minims; tincture capsicum, 12 minims; purified chloroform, 4¼ minims; alcohol, 19½ minims.

PELLITORY.

U. S. P.—

Fluid Extract Pellitory, P., D. & Co's.....	2 fl. ozs.
Alcohol.....	9½ fl. ozs.

QUASSIA.

U. S. P.—

Fluid Extract Quassia, P., D. & Co's.....	2 fl. ozs.
Diluted Alcohol.....	19½ fl. ozs.

TINCTURES—CONTINUED.

RHATANY.

U. S. P.—

Fluid Extract Rhatany, P., D. & Co's.....	4 fl. ozs.
Diluted Alcohol.....	17 fl. ozs.
This also represents the tinctures of the P. G., and French Codex.	

B. P.—

Fluid Extract Rhatany, P., D. & Co's.....	2½ fl. ozs., Imp.
Diluted Alcohol.....	17½ fl. ozs., Imp.

RHUBARB.

U. S. P.—

Fluid Extract Rhubarb, P., D. & Co's.....	1½ fl. ozs.
Fluid Extract Cardamom, P., D. & Co's.....	¼ fl. oz.
Diluted Alcohol.....	11½ fl. ozs.

AROMATIC—U. S. P.—

Fluid Rhubarb, aromatic, P., D. & Co's.....	8 fl. ozs.
Diluted Alcohol.....	8 fl. ozs.

SWEET—U. S. P.—

Fluid Extract Rhubarb, sweet, P., D. & Co's.....	4 fl. ozs.
Diluted Alcohol.....	12 fl. ozs.

SAVIN.

B. P.—

Fluid Extract Savin, P., D. & Co's.....	1 fl. oz., Imp.
Diluted Alcohol.....	7 fl. ozs., Imp.

SENEGA.

B. P.—

Fluid Extract Senega.....	2½ fl. ozs., Imp.
Diluted Alcohol.....	17½ fl. ozs., Imp.

SENNA.

B. P.—

Fluid Extract Senna, P., D. & Co's.....	2½ fl. ozs.
Fluid Extract Caraway, P., D. & Co's.....	½ fl. oz.
Fluid Extract Coriander, P., D. & Co's.....	½ fl. oz.
Raisins, (free from seeds).....	2 ozs.
Diluted Alcohol.....	16½ fl. ozs.

NOTE.—Mix the fluids; add the raisins; macerate for one week and filter.

SERPENTARIA.

U. S. P.—

Fluid Extract Serpentaria, P., D. & Co's.....	2 fl. ozs.
Diluted Alcohol.....	19 fl. ozs.

TINCTURES—CONCLUDED.

SQUILL.

U. S. P.—

Fluid Extract Squill, P., D. & Co's.....	2 fl. ozs.
Diluted Alcohol.....	12 fl. ozs.

B. P.—

Fluid Extract Squill, P., D. & Co's.....	2½ fl. ozs., Imp.
Diluted Alcohol.....	17½ fl. ozs., Imp.

STRAMONIUM.

U. S. P.—

Fluid Extract Stramonium seed, P., D. & Co's.....	2 fl. oz.
Diluted Alcohol.....	12 fl. ozs.
Water.....	7 fl. ozs.

B. P.—

Fluid Extract Stramonium seed, P., D. & Co's.....	2½ fl. ozs., Imp.
Diluted Alcohol.....	17½ fl. ozs., Imp.

SWEET ORANGE PEEL.

U. S. P.—

Fluid Extract Sweet Orange peel, P., D. & Co's.....	2 fl. ozs.
Diluted Alcohol.....	9½ fl. ozs.

VALERIAN.

U. S. P.—

Fluid Extract Valerian, P., D. & Co's.....	2 fl. ozs.
Alcohol.....	9 fl. ozs.

AMMONIATED.—

Fluid Extract Valerian, P., D. & Co.....	3 fl. ozs.
Aromatic Spirit of Ammonia.....	14 fl. ozs.

WHITE BRYONY.

U. S. P.—

Fluid Extract White Bryony, P. D. & Co's.....	2 fl. ozs.
Alcohol.....	21½ fl. ozs.

—:—

ABSTRACTS.

In the preparation of the Pharmacopœial compounds under this name, it is only necessary to take a fluid ounce of the Normal Liquid or Fluid Extract of the required drug, evaporate it nearly to dryness by a very gentle heat, add about 150 grains of sugar of milk and triturate thoroughly. Reduce the mixture to complete dryness and weigh, adding more sugar of milk, until the compound weighs 228 grains. Finally powder the product and keep in a well corked bottle.

SYRUPS.

ALTERATIVE COMPOUND.

Fluid Extract Alterative Compound, P., D. & Co's.....	1 fl. oz.
Fluid Cardamon Comp., P., D. & Co's.....	1 fl. drm.
Simple Syrup.....	3 fl. ozs.

ASAFETIDA.

Fluid Asafetida, P., D. & Co's.....	1 fl. ozs.
Simple Syrup.....	9 fl. ozs.

BLACKBERRY.

U. S. P.—

Fluid Extract Blackberry, P., D. & Co's.....	4 fl. ozs.
Simple Syrup.....	12 fl. ozs.

AROMATIC.—

Fluid Extract Blackberry Comp., P., D. & Co's.....	4 fl. ozs.
Simple Syrup.....	12 fl. ozs.

BLOODROOT.

Fluid Extract Bloodroot, P., D. & Co's.....	2 fl. ozs.
Acetic Acid.....	1 fl. oz.
Simple Syrup.....	14 fl. ozs.

BUCKTHORN.

Fluid Extract Buckthorn berries, P., D. & Co's.....	4 fl. ozs.
Fluid Extract Ginger, P., D. & Co's	96 minims.
Fluid Extract Pimento, P., D. & Co's.....	96 minims.
Simple Syrup.....	12 fl. ozs.

COFFEE.

Fluid Extract Coffee, for syrup, P., D. & Co's.....	2 fl. ozs.
Hot Syrup.....	14 fl. ozs.

GARLIC.

Fluid Extract Garlic, P., D. & Co's.....	6 fl. ozs.
Acetic Acid.....	3 fl. ozs.
Simple Syrup.....	23 fl. ozs.

GINGER.

U. S. P.—

Fluid Ginger, Soluble, P., D. & Co's.....	1 fl. oz.
Simple Syrup.....	15 fl. ozs.

SYRUPS—CONTINUED.

IPECAC.

U. S. P.—	
Fluid Extract Ipecac, P., D. & Co's.....	2 fl. ozs.
Simple Syrup.....	29 fl. ozs.

LACTUCARIUM.

U. S. P.—	
Fluid Extract Lactucarium, P., D. & Co's.....	1 fl. oz.
Simple Syrup.....	15 fl. ozs.

LICORICE.

Fluid Extract Licorice, (for Quinine mixtures), P., D. & Co's..	2 fl. ozs.
Simple Syrup.....	14 fl. ozs.

MARSH-MALLOW.

Fluid Extract Marshmallow, P., D. & Co's.....	1 fl. oz.
Simple Syrup.....	19 fl. ozs.

ORANGE PEEL.

U. S. P.—	
Fluid Extract Sweet Orange, P., D. & Co's.....	1 fl. oz.
Hot Syrup.....	14 fl. ozs.

POPPY HEADS.

B. P.—	
Fluid Extract Poppy heads, P., D. & Co's.....	9 fl. ozs.
Syrup.....	17 fl. ozs.
Evaporate the fluid extract by a gentle heat to 3 fl.ozs., add syrup and mix thoroughly.	

RHATANY.

U. S. P.—	
Fluid Extract Rhatany, P., D. & Co's.....	7 fl. ozs.
Hot Syrup.....	10 fl. ozs.

RHUBARB.

U. S. P.—	
Fluid Extract Rhubarb, P., D. & Co's.....	2½ fl. ozs.
Fluid Extract Cassia, P., D. & Co's.....	½ fl. oz.
Carbonate of Potassium.....	73 grs.
Simple Syrup.....	17½ fl. ozs.

AROMATIC, U. S. P.—

Fluid Extract Rhubarb, aromatic, P., D. & Co's.....	1 fl. oz.
Simple Syrup.....	15 fl. ozs.

AND POTASSA COMPOUND—NEUTRALIZING CORDIAL.—

Fluid Extract Rhubarb comp. with Potassa, P., D. & Co's....	4 fl. ozs.
Brandy	6 fl. ozs.
Simple Syrup.....	6 fl. ozs.

SYRUPS—CONTINUED.

SAFFRON.

AMERICAN.—

Fluid Extract American Saffron, P., D. & Co's.....	2 fl. ozs.
Simple Syrup.....	14 fl. ozs.

SARSAPARILLA

COMPOUND—U. S. P.—

Fluid Extract Sarsaparilla Comp., for syrup, P., D. & Co's....	4 fl. ozs.
Simple Syrup.....	12 fl. ozs.

SENEGA.

U. S. P.—

Fluid Extract Senega, P., D. & Co's.....	4 fl. ozs.
Hot Syrup.....	14 fl. ozs.
Water of Ammonia.....	45 mins.

SENNA.

U. S. P.—

Fluid Extract Senna, P., D. & Co's.....	8 fl. ozs.
Fluid Extract Coriander, P., D. & Co's.....	1 fl. oz.
Simple Syrup.....	9 fl. ozs.

SQUILL.

U. S. P.—

Fluid Extract Squill, P., D. & Co's.....	1 fl. oz.
Acetic Acid.....	1¾ fl. ozs.
Simple Syrup.....	17 fl. ozs.

COMPOUND—HIVE SYRUP—U. S. P.—

Fluid Extract Squill Comp., P., D. & Co's.....	2 fl. ozs.
Tartar Emetic.....	12 grs.
Boiling Water.....	3 fl. drs.
Simple Syrup.....	11 fl. ozs.
Dissolve tartar emetic in the boiling water and mix with other ingredients.	

STILLINGIA.

KING'S.—

Fluid Extract Stillingia, P., D. & Co's.....	3 fl. ozs.
Fluid Extract Prickly Ash berries, P., D. & Co's.....	1½ fl. ozs.
Hot Syrup.....	18½ fl. ozs.

COMPOUND—KING'S

Fluid Extract Stillingia Comp., P., D. & Co's.....	4 fl. ozs.
Simple Syrup.....	12 fl. ozs.

TOLU.

U. S. P.—

Fluid Tolu, soluble, P., D. & Co's.....	1 fl. oz.
Simple Syrup.....	15 fl. ozs.

SYRUPS—CONCLUDED.

WILD CHERRY.

U. S. P.—

Fluid Extract Wild Cherry (for Syrup), P., D. & Co's.....	6 fl. ozs.
Simple Syrup.....	12½ fl. ozs.

WILD LETTUCE.

Fluid Extract Wild Lettuce, P., D. & Co's.....	2 fl. ozs.
Simple Syrup.....	14 fl. ozs.

—:—

VINEGARS.

BLOODROOT.

U. S. P.—

Fluid Extract Bloodroot, P. D. & Co's.....	2 fl. ozs.
Diluted Acetic Acid.....	18 fl. ozs.

LOBELIA.

U. S. P.—

Fluid Extract Lobelia, P., D. & Co's.....	2 fl. ozs.
Diluted Acetic Acid.....	18 fl. ozs.

SQUILL.

U. S. P.—

Fluid Extract Squill, P., D. & Co's.....	2 fl. ozs.
Diluted Acetic Acid.....	18 fl. ozs.

B. P.—

Fluid Ext Squill, P., D. & Co's.....	2½ fl. ozs., Imp.
Diluted Acetic Acid, B. P.....	17½ fl. ozs., Imp.

—:—

WINES.

ALOES.

U. S. P.—

Fluid Aloes, P., D. & Co's.....	2½ fl. ozs.
Fluid Extract Cardamom, P., D. & Co's.....	1 fl. dr.
Fluid Extract Ginger, P., D. & Co's.....	1 fl. dr.
Stronger White Wine.....	10 fl. ozs.

WINES—CONCLUDED.

COLCHICUM.

ROOT—U. S. P.—

Fluid Extract Colchicum root, P., D. & Co's.....	4 fl. ozs.
Stronger White Wine.....	6 fl. ozs.

ROOT—B. P.—

Fluid Extract Colchicum root, P., D. & Co's.....	4 fl. ozs., Imp.
Sherry Wine.....	16 fl. ozs., Imp.

SEED—U. S. P.—

Fluid Extract Colchicum seed.....	2 fl. ozs.
Stronger White Wine.....	11 fl. ozs.

ERGOT.

U. S. P.—

Fluid Extract Ergot, P., D. & Co's.....	2 fl. ozs.
Stronger White Wine.....	11 fl. ozs.

GENTIAN.

COMPOUND.—

Fluid Extract Gentian Comp., P., D. & Co's.....	1 fl. oz.
Sherry Wine.....	14 fl. ozs.
Alcohol.....	1 fl. oz.

IPECAC.

U. S. P.—

Fluid Extract Ipecac, P., D. & Co's.....	1 fl. oz.
Stronger White Wine.....	14 fl. ozs.

B. P.—

Fluid Extract Ipecac, P., D. & Co's.....	1 fl. oz., Imp.
Sherry Wine.....	19 fl. ozs., Imp.

RHUBARB.

U. S. P.—

Fluid Extract Rhubarb, P., D. & Co.'s.....	2 fl. ozs.
Fluid Extract Sweet Flag, P., D. & Co's.....	96 minims.
Stronger White Wine.....	18 fl. ozs.

B. P.—

Fluid Extract Rhubarb, P., D. & Co's.....	1½ fl. ozs., Imp.
Fluid Extract Canella, P., D. & Co's.....	1 fl. dr., Imp.
Sherry Wine.....	18¾ fl. ozs., Imp.

WHITE ASH.

Fluid Extract White Ash, P., D. & Co's.....	4 fl. ozs.
Sherry Wine.....	12 fl. ozs.

TABLES OF WEIGHTS AND MEASURES.

EQUIVALENTS OF WEIGHT UNITS.

1 GR.=	<div> Gm..... .0648 scruple..... .05 drachm..... .0167 oz. av..... .00229 oz. tr..... .00208 lb. tr..... .000174 lb. av..... .000143 m..... 1.0535 C. C..... .0649 fl. dr..... .0176 cu. in..... .00396 fl. oz..... .00219 pint..... .000137 </div>	1 OZ.=	<div> Gm..... 28.349 drachm..... 7.292 oz. tr..... .911 lb. tr..... .076 lb. av..... .0625 m..... 460.905 C. C..... 28.375 cu. in..... 1.733 fl. oz..... .96 pint..... .06 Liter..... .0284 </div>
1 GM.=	<div> gr..... 15.432 scruple..... .772 drachm..... .257 oz. av..... .0353 oz. tr..... .0322 lb. tr..... .00268 lb. av..... .0022 m..... 16.258 C. C..... 1.001 fl. dr..... .271 cu. in..... .061 fl. oz..... .0339 pint..... .00212 Liter..... .001 </div>	1 OZ.=	<div> Gm..... 31.103 oz. av..... 1.0971 lb. tr..... .0833 lb. av..... .0686 m..... 505.679 C. C..... 31.132 cu. in..... 1.901 fl. oz..... 1.0535 pint..... .0658 Liter..... .0311 </div>
1 SC.=	<div> Gm..... 1.296 drachm..... .333 oz. av..... .0457 oz. tr..... .0417 lb. tr..... .00347 lb. av..... .00286 m..... 21.07 C. C..... 1.297 fl. dr..... .351 cu. in..... .0792 fl. oz..... .0439 pint..... .00274 </div>	1 LB.=	<div> Gm..... 373.242 oz. av..... 13.166 lb. av..... .823 C. C..... 373.578 cu. in..... 22.815 fl. oz..... 12.642 pint..... .79 Liter..... .374 gal..... .0988 </div>
1 DR.=	<div> Gm..... 3.888 oz. av..... .137 oz. tr..... .125 lb. tr..... .0104 lb. av..... .00857 m..... 63.21 C. C..... 3.891 fl. dr..... 1.0535 cu. in..... .238 fl. oz..... .132 pint..... .00823 </div>	1 LB.=	<div> Gm..... 453.593 oz. tr..... 14.583 lb. tr..... 1.215 C. C..... 454.001 cu. in..... 27.726 fl. oz..... 15.363 pint..... .96 Liter..... .454 gal..... .12 </div>

EQUIVALENTS OF MEASURE UNITS.

1 M.=	gr.....	.949
	Gm.....	.0615
	scruple.....	.0475
	drachm.....	.0158
	oz. av.....	.00217
	oz. tr.....	.00198
	lb. tr.....	.000165
	lb. av.....	.000136
	C. C.....	.0616
	fl. dr.....	.0167
	cu. in.....	.00376
	fl. oz.....	.00208
	pint.....	.00013

1 C.C.=	gr.....	15.418
	Gm.....	.999
	scruple.....	.771
	drachm.....	.257
	oz. av.....	.0352
	oz. tr.....	.0321
	lb. tr.....	.00268
	lb. av.....	.0022
	m.....	16.243
	fl. dr.....	.271
	cu. in.....	.061
	fl. oz.....	.0338
	pint.....	.00212

1 FL.= DR.	gr.....	56.953
	Gm.....	3.691
	scruple.....	2.848
	drachm.....	.949
	oz. av.....	.13
	oz. tr.....	.119
	lb. tr.....	.00989
	lb. av.....	.00814
	C. C.....	3.694
	cu. in.....	.226
	fl. oz.....	.125
	pint.....	.00781
	Liter.....	.00369

1 C. in=	gr.....	252.468
	Gm.....	16.36
	scruple.....	12.623
	drachm.....	4.208
	oz. av.....	.577
	oz. tr.....	.526
	lb. tr.....	.0438
	lb. av.....	.0361
	m.....	265.974
	C. C.....	16.374
	fl. dr.....	4.433
	fl. oz.....	.554
	pint.....	.0346
	Liter.....	.0164
	gal.....	.00433

1 FL.= OZ.	gr.....	455.625
	Gm.....	29.524
	oz. av.....	1.0414
	oz. tr.....	.949
	lb. tr.....	.0791
	lb. av.....	.0651
	C. C.....	29.551
	cu. in.....	1.805
	pint.....	.0625
	Liter.....	.0295

1 PT.=	gr.....	7290.
	Gm.....	472.384
	oz. av.....	16.663
	oz. tr.....	15.188
	lb. tr.....	1.266
	lb. av.....	1.0414
	C. C.....	472.81
	cu. in.....	28.875
	Liter.....	.473

1 L.=	gr.....	15418.44
	Gm.....	999.1
	scruple.....	770.922
	drachm.....	256.974
	oz. av.....	35.242
	oz. tr.....	32.122
	lb. tr.....	2.677
	lb. av.....	2.203
	m.....	16243.295
	C. C.....	1000.
	fl. dr.....	270.722
	cu. in.....	61.027
	fl. oz.....	33.84
	pint.....	2.115
	gal.....	.264

1 GAL.=	lb. tr.....	10.125
	lb. av.....	8.331
	cu. in.....	231.
	Liter.....	3.782

EQUIVALENTS OF IMPERIAL MEASURE UNITS.

IMPERIAL MEASURE, B. P.	WINE MEASURE, U. S. P.	APOTHECARIES' WEIGHT.	AVOIRDUPOIS WEIGHT.	METRIC WEIGHT AND MEASURE.	CUBIC INCH.
1 minim=	m. .96	gr. .912	gr. .912	Gm. .0591 } C. C. .0592 }	.00361
1 fl. dr.=	{ m. 57.606 fl. dr. .96 }	gr. 54.69 dr. .912	gr. 54.69 oz. .125	Gm. 3.544 } C. C. 3.547 }	.217
1 fl. oz.=	{ fl. dr. 7.681 fl. oz. .96 }	dr. 7.292 } oz. .912 }	oz. 1	{ Gm. 28.351 C. C. 28.376 }	1.733
1 pint=	{ fl. oz. 19.202 pint 1.2 }	oz. 18.64 lb. 1.519	oz. 20. lb. 1.25 }	{ Gm. 567.012 C. C. 567.522 Liter .568 }	34.659
1 gal.=	{ pint 9.601 gal. 1.2 }	lb. 12.154	lb. 10.	{ Gm. 4536.095 C. C. 4540.177 Liter 4.54 }	277.274

SPECIAL TABLES OF APPROXIMATE EQUIVALENTS.

GRAINS.	GRAMMES.	OZ. TROY.	GRAMMES.	C. C.	M.	FL. DR.
1-100	.00065	1	31.1	1	16	.27
1-64	.00101	2	62.2	2	32	.54
1-50	.00130	3	93.3	3	49	.81
1-40	.00162	4	124.4	4	65	1.28
1-36	.00180	5	155.5	5	81	1.35
1-30	.00216	6	186.6	6	97	1.62
1-24	.00270	7	217.7	7	114	1.90
1-20	.00324	8	248.8	8	130	2.17
1-18	.00360	9	279.9	9	146	2.44
1-16	.00405					
1-15	.00432	MINIMS.	C. C.	OZ. AV.		GRAINS.
1-12	.00540	1	0.06	.1		44
1-10	.00648	2	0.12	.2		88
1-8	.00810	3	0.18	.3		131
1-6	.01080	4	0.25	.4		175
1-5	.01296	5	0.30	.5		219
1-4	.0162	6	0.36	.6		263
1-3	.0216	7	0.42	.7		306
1-2	.0324	8	0.50	.8		350
3-4	.0486	9	0.55	.9		394
1	.065	10	0.62			
2	.130	11	0.67	FL. OZ.	=	PINT.
3	.195	12	0.73		OR	
4	.260	13	0.80	OZ. AV.	=	LB. AV.
5	.324	14	0.85	1-8		.00781
6	.389	15	0.92	1-4		.0156
7	.454	16	1.00	1-2		.0313
8	.518	17	1.05	3-4		.0469
9	.583	18	1.11	1		.063
10	.648	19	1.17	2		.125
11	.713	20	1.23	3		.188
12	.778	25	1.54	4		.25
13	.842	30	1.85	5		.313
14	.907	50	3.08	6		.375
15	.972			7		.438
16	1.037	FL. DR.	C. C.	8		.5
17	1.102	1	3.69	9		.563
18	1.166	2	7.39	10		.625
19	1.231	3	11.08	11		.688
20	1.296	4	14.78	12		.75
30	1.944	5	18.47	13		.813
40	2.592	6	22.16	14		.875
50	3.240	7	25.86	15		.938
DRACHMS.	GRAMMES.	FL. OZ.	C. C.	OZ. TR.		LB. AV.
1	3.89	1	29.6	1-8		.00857
2	7.78	2	59.1	1-4		.0171
3	11.66	3	88.7	1-2		.0343
4	15.55	4	118.2	3-4		.0514
5	19.44	5	147.8	1		.0686
6	23.33	6	177.3	2		.137
7	27.22	7	206.9	3		.206
		8	236.4	4		.274
		9	266.	5		.343
				6		.411
OZ. TROY.	GRAINS.	GRAMMES.	GRAINS.	7		.481
.1	48	1	15	8		.549
.2	96	2	31	9		.617
.3	144	3	46	10		.686
.4	192	4	62	11		.754
.5	240	5	77	12		.823
.6	288	6	93	13		.891
.7	336	7	108	14		.96
.8	384	8	123	15		1.0286
.9	432	9	139	16		1.0971

WEIGHT AND MEASURE EQUIVALENTS.

These tables, for the use of physicians, chemists, pharmacists and others, are designed to economize time and labor, and ensure accuracy in calculations relating to Weight and Measure.

A UNIT of each denomination of apothecaries' and avoirdupois weights, wine and imperial measures, as also the metric gram, cubic centimeter and liter, and the cubic inch are represented by equivalent quantities being given in every important denomination of each system; beginning with the lowest denomination, and following with the next larger successively. The plan and arrangement not only render the "tables" convenient and susceptible of all the varied uses that the quantities are capable of, but simplifies and shortens nearly all calculations to mere multiplication. Multiples of several of the more useful denominations are also tabulated.

When making use of the equivalents, for most practicable purposes, one or more figures beyond the decimal point may be dropped,—according to the degree of accuracy required—or, if any figure of the second or third decimal place is five or more, the preceding figure can be increased by one. The same method can apply to the results of calculations.

TO CONVERT TROY OUNCES INTO AVOIRDUPOIS OUNCES.

It is required for example to convert 23 tr. ozs. into av. ozs. This may be done by ascertaining the tr. oz. equivalent from the table, that is, 1.0971 and this $\times 23 = 25.233$. This differs but very slightly from 23×1.1 (which is the same as adding 1-10) = 25.3 so that for all practical purposes the addition of 1-10 will transform tr. ozs. into av. ozs.

TO CONVERT AVOIRDUPOIS OUNCES INTO TROY OUNCES.

Similarly to the foregoing, instead of consulting the table of equivalents, it is useful at times to remember that deducting 1-11 from a number representing av. ozs. will give the equivalent weight in tr. ozs. Thus taking the result of the previous example, 25.3 av. ozs., how many tr. ozs.? $25.3 - 1.11$ or $2.3 = 23$ tr. ozs.

TO ESTIMATE COST.

Find the commercial equivalent of a unit of the given denomination; multiply by the required quantity, then by the cost; thus, a formula directs 30 Gm. of a substance valued at 80 cents per av. oz., the equivalent of 1 Gm. in av. ozs., is .0353 and this $\times 30 \times 80 = .847$, practically 85 cents cost. When formulæ express quantities in the troyounce denomination, and values are quoted for the av. lb., use the "special table" of troyounce in av. lb. equivalents; thus, 7 troyounces = .48 av. lb. \times lb. value. If a formula directs fluid measure, and the price is quoted for the pint, pursue the same general method; using the "special table" of fl. oz. in pint equivalents, when convenient.

To enlarge formulæ and prescriptions, and change their quantities to other equivalents, follow the foregoing general method. Figures beyond the decimal point can be reduced to grains by means of the appropriate special tables.

WEIGHT AND MEASURE EQUIVALENTS.

TO ASCERTAIN THE WEIGHT OF A GIVEN MEASURE OF ANY LIQUID OR SOLID.

Find the water-weight of the measure in any desired denomination, which multiply by the specific gravity of the substance; thus, 1 pint of water = 1.0414 av. lb. \times .85 the supposed s. g. = .885 av. lb.; or if the equivalent in av. oz. is multiplied, the weight of 1 pint is practically 14 av. oz.

TO ASCERTAIN THE MEASURE OF A GIVEN WEIGHT OF ANY LIQUID OR SOLID.

Divide the weight by the specific gravity and multiply by the measure of the water-weight "unit" in any desired denomination; thus, 1 av. lb. \div .85 the supposed s. g. \times .96 pint (the measure of 1 av. lb. of water) = 1.13 pints; or if the equivalent in fl. oz. is employed, the measure is practically 18 fl. oz. Or, instead of dividing the weight by the s. g., multiply it by the specific volume if this is known. See below.

APPROXIMATE MEASURES.

These are subject to considerable elasticity of interpretation owing to the varying sizes of the domestic utensils in use, but the following are understood to be the quantities always intended when the popular names are employed:

A teaspoonful.....	1 fluidrachm.
A dessertspoonful.....	2 fluidrachms.
A tablespoonful.....	$\frac{1}{2}$ fluidounce.
A wineglassful.....	2 fluidounces.
A teacupful.....	4 fluidounces.
A tumblerful.....	8 fluidounces.

SPECIFIC VOLUME.

Special volume is the ratio of the bulk of any liquid, contrasted with the bulk of an equal weight of water, which is taken as the standard. It is found by dividing 1 (the sp. gr. of water) by the specific gravity of the liquid whose sp. vol. is sought. Thus the sp. vol. of alcohol at 25° C. (77° F.) is 1.231, found thus: $\frac{1}{.812 \text{ (sp. gr.)}}$ Since the U. S. P. directs all quantities by weight the utility of sp. vol. in calculations of the equivalent fluid measure is at once apparent. Thus, for example, 100 parts by weight of alcohol are directed to be taken for a given formula; by the weight unit equivalent (see table) 1 av. oz. .96 fl. oz., therefore 100 av. oz. 96 fl. ozs. This is the fluid measure equivalent if the liquid happened to be water, but the alcohol being so much lighter than the water in the proportion of sp. gr. .812 : 1, a greater bulk of it in the proportion of the sp. vols. 1.231 : 1 will be equivalent to the given weight, The quantity of alcohol necessary for the formula is therefore $96 \times 1.231 = 118.176$ fl. ozs.

TABLE OF THERMOMETRIC EQUIVALENTS.

CENTIGRADE AND FAHRENHEIT SCALES.

Centigrade.	Fahrenheit.	Centigrade.	Fahrenheit.	Centigrade.	Fahrenheit.	Centigrade.	Fahrenheit.	Centigrade.	Fahrenheit.
100	212.	74	165.2	48	118.4	34	93.2	8.	46.4
99	210.2	73	163.4	47	116.6	33	91.4	7.	44.6
98	208.4	72	161.6	46	114.8	32	89.6	6.	42.8
97	206.6	71	159.8	45	113.	31	87.8	5.	41.
96	204.8	70	158.	44	111.2	30	86.	4.	39.2
95	203.	69	156.2	43	109.4	29	84.2	3.	37.4
94	201.2	68	154.4	42	107.6	28	82.4	2.	35.6
93	199.4	67	152.6	41.66	107.	27	80.6	1.	33.8
92	197.6	66	150.8	41.11	106.	26	78.8	0.	32.
91	195.8	65	149.	41	105.8	25	77.	-1.	30.2
90	194.	64	147.2	40.55	105.	24	75.2	-2.	28.4
89	192.2	63	145.4	40	104.	23	73.4	-3.	26.6
88	190.4	62	143.6	39.46	103.	22	71.6	-4.	24.8
87	188.6	61	141.8	39	102.2	21	69.8	-5.	23.
86	186.8	60	140.	38.88	102.	20	68.	-6.	21.2
85	185.	59	138.2	38.33	101.	19	66.2	-7.	19.4
84	183.2	58	136.4	38	100.4	18	64.4	-8.	17.6
83	181.4	57	134.6	37.77	100.	17	62.6	-9.	15.8
82	179.6	56	132.8	37.50	99.5	16	60.8	-10.	14.
81	177.8	55	131.	37.22	99.	15	59.	-15.	5.
80	176.	54	129.2	37	98.6	14	57.2	-17.78	0.
79	174.2	53	127.4	36.66	98.	13	55.4	-20.	-4
78	172.4	52	125.6	36.11	97.	12	53.6	-25.	-13
77	170.6	51	123.8	36	96.8	11	51.8	-30.	-22
76	168.8	50	122.	35.55	96.	10	50.	-35.	-31
75	167.	49	120.2	35	95.	9	48.2	-40.	-40

To reduce Centigrade degrees to those of Fahrenheit:

Multiply by 9, divide by 5, and add 32.

To reduce Fahrenheit's degrees to those of the Centigrade scale:

Subtract 32, multiply by 5, and divide by 9.

POSOLOGY.

FROM THE PHYSICIAN'S PERFECT CALL-BOOK AND RECORD, BY DR. G. ARCHIE STOCKWELL.

AXIOMS FOR REMEMBRANCE.

1. **Affinity of botanical characters** is no evidence of like therapeutic action; the same also holds good of *chemical composition*. Neither are *sensible properties* a test of physiological value.

2. **Like anatomical characteristics** are far from being evidence of like physiological functions. The action of medicines on lower animals, instead of being *guideposts*, are merely *landmarks*.

3. **Polypharmacy** is not medical science. The fewer ingredients in a prescription, and the more simple it can be made, the better.

4. **The action of medicines** is modified by *sex, age, temperament and diathesis, idiosyncrasies, habits of life, race and mental impressions*.

5. **Women**, as possessed of more delicate organization than men, rarely require the same doses. Avoid aloes during *pregnancy*; sulphuric acid during *lactation*; and mercury in *anæmic chlorosis*.

6. **Old age and children** do not bear doses proportionately to manhood and youth. *Excepting under urgent circumstances, an opiate should never be administered to an infant*. Blisters and leeches make more decided impressions on children than adults—all things being equal—and the former are especially apt to induce ulceration and gangrene in the youth. *Per contra*, mercury is better borne proportionately in childhood (and old age) than in middle life; it is all but impossible to salivate a child under ten years of age. The following is the scale of doses employed at Guy's Hospital, London, one being the unit or adult dose:*

AGE	DOSE.	AGE	DOSE.
1 month.....	1-20	7 and 8 years.....	1-2
3 months.....	1-15	10 to 12 years.....	2-3
6 months.....	1-10	13 to 15 years.....	3-4
9 months.....	1-9	18 to 20 years.....	5-6
1 year.....	1-7	21 to 45 years.....	1
2 years.....	1-6	50 years.....	5-6
3 years.....	1-5	60 to 70 years.....	3-4
4 years.....	1-4	80 to 90 years.....	2-3
5 and 6 years.....	1-3	100.....	1-2

*What is known as Dr. Cowling's rule approximates this very closely and has the advantage of being easily remembered:—Given the dose for an adult, the dose for a child is obtained by dividing the number of the following birthday by 24. For example: the dose for an adult is 16 grains; for a child of two years of age the dose will be $3 \div 24 = 1.8$ of 16 is 2 (grains). [Ed.]

POSOLOGY.

7. **Sanguine and sanguino-nervous temperaments** bear *anti-phlogistics*, and *loss of blood*, readily; the reverse is true as to *stimulants*. *Antispasmodics* are more strikingly beneficial to *nervous temperaments*.

8. **Always inquire as to idiosyncrasies**, especially toward mercury and opium.

9. **Denizens of cities**, especially in overcrowded quarters and tenement houses, cannot bear doses to which those of rural and out-door life are accustomed. (*Mark this as to children especially.*) The same active treatment necessary to relieve acute disease in the latter will probably tend to *fatality among the former*.

10. **Habit inculcates tolerance** even of poison. Mustapha Shatoor was accustomed to take three drachms of opium at a dose; Suleyman Yenen a third as much corrosive sublimate during every twenty-four hours; and certain of the inhabitants of Northern India are accustomed to consume an entire nux vomica, (about twenty grains), every twelve hours.

11. **Blondes require a larger dose than Brunettes**. Indians, Negroes, Malays, Hindoos, and the dark and yellow races are for the most part amenable to *half* Anglo-Saxon doses.

12. **Passions and affections of the mind** markedly influence the action of remedies, especially narcotics. Faith in the *prescription* or the *prescriber*, may remove *mountains of difficulties*, since faith is the foundation of the miraculous.

13. **Judicious combinations of medicines** are often more effective than remedies employed singly; but combinations are to be avoided except when great gain is to be had. **Digitalis** frequently fails to act as a diuretic until combined with squills or carbonate of ammonia; the **resinoids** are rendered more efficiently purgative by the action of mercury; and diaphoresis is more certainly induced by a combination of opium and ipecac than by either singly.

14. **Chemical incompatibles** in the main are to be avoided; yet, because of such incompatibility, the resulting compound is not necessarily rendered inert. Here a trifle of chemical knowledge is sometimes invaluable. Of all unchemical combinations, perhaps the most signally useful is opium and acetate of lead; they react, procuring the acetate of morphia and meconate of lead.

15. **Regulation of dose**.—Almost every article in the *materia medica* operates differently when given in a large or small dose. **Tar-tar emetic**, for example, in dose of one-twelfth to one-sixth grain, acts as a *diaphoretic* and *expectorant*; but increased to two or three grains, is powerfully *emetic*. **Opium** is a *stimulant* in small, and *narcotic* in large, doses; and **oil of turpentine** in doses of *one or two drachms*, acts as an acrid irritant of the kidneys and genito-urinary organs, whilst in dose of *one to two ounces* it operates freely upon the bowels without renal or vesical irritation. There is a source of error in the regulation of doses, to which little attention is paid,—viz., the differ-

POSOLOGY.

ence between the *drop* and the *minim*. Reference to the following list show how erroneous is the common estimate that both are one-sixtieth of a drachm, and is convincing evidence of the value of *metric prescribing*:

APPROXIMATE TABLE OF DROPS TO FLUIDRACHM.

	DROPS.		DROPS.
Acid, Acetic.....	120	Oil of Orange.....	120
“ Hydrocyanic, dilute.....	45	“ Olive.....	76
“ Muriatic.....	54	“ Peppermint.....	103
“ Nitric.....	84	“ Rosemary.....	104
“ “ dilute.....	51	“ Sassafras.....	102
“ Sulphuric.....	90	“ Savin.....	
“ “ dilute.....	51	“ Wintergreen.....	
Alcohol (rectified).....	138	Syrup of Acacia.....	58
“ (proof).....	120	“ Squills.....	85
Ammonia Water, strong.....	50	Tincture of Aconite.....	118
“ “ weak.....	40	“ Asafetida.....	120
Creasote.....	91	“ Belladonna.....	110
Chloroform.....	180	“ Digitalis.....	120
Ether, sulphuric.....	150	“ Guaiac.....	130
“ Hoffman's.....	90	“ Iodine.....	144
“ Spirits of Nitrous.....	90	“ Iron, Muriate.....	106
Glycerine.....	55	“ Opium.....	147
Liquor, Iodine Comp.....	76	“ “ Camphor... ..	110
“ Donovan's Solution.....	52	“ Tolu.....	130
“ Fowler's Solution.....	60	Vinegar, Distilled.....	78
Oil of Sweet Almonds.....	120	“ Colchicum.....	80
“ Anise.....	85	“ Opium.....	89
“ Caraway.....	105	“ Squills.....	80
“ Cloves.....	103	Wine, Sherry, Madeira.....	78
“ Chenopodium.....	97	“ Antimony.....	72
“ Cinnamon.....	100	“ Colchicum.....	75
“ Croton.....	80	“ Opium.....	78
“ Cubeb.....	86	“ Aromatic.....	64
“ Fennel.....	103	Water, Distilled.....	45
“ Parsley (Apiol).....	55	“ Spring.....	64

N. B.—Drops tend to vary according to the size of the lip of the bottle poured from. Patients should provide themselves with *minim pipette-tube*, and the physician may carry the same in a thermometer-case.

16. **The dose of any given medicine, particularly a narcotic or purgative,** should be regulated rather in accordance with the effect produced in each individual case than from the published tables; the latter are given as *guides* merely, and are not infallible.

17. **The character, period and form of disease** influence the operations of medicine in no slight degree. He who treats a disease by name only, is, to say the least, guilty of great indiscretion. Again, in epidemics it is worthy of note that a remedy which is highly beneficial at one period appears to possess no efficacy at another. Usually while the onset and fastigium of an epidemic is marked by the multitude of deaths, with its wane recoveries are the rule; hence, the *period* of an epidemic influences the action of medicines,—the physiology of which cannot here be discussed.

18. **Certain morbid conditions of body, or intensity**

POSOLOGY.

of disease, also modify the action of remedies. Note the tolerance of opium in spasmodic affections, and mercury in yellow fever or suppurative hepatitis.

19. The same is true of **deranged conditions of functions** also, especially where the digestive organs are involved. Perhaps quinine may cease to act as an antiperiodic; digitalis as a diuretic; or tonics prove distressing irritants.

20. **Diet.**—The influence of diet is marked. **Antiphlogistics** refuse to act in the presence of animal foods along with stimulants; the latter notoriously interfere with the action of mercurials. **Salt** retards the action of nitrate of silver; **amylaceous foods** neutralize iodic preparations; and **iron salts** are inoperative when confronted with vegetable acids during the febrile condition.

21. **The period of the day** at which remedies should be administered;—**Narcotics, emetics, and diaphoretics** operate most favorably when administered *an hour or two before bedtime*. **Diuretics** are best given during the day, when the body may be kept cool; **resinous cathartics** just *at bedtime*; other cathartics, such as neutral salts, oil, and those whose operation is speedy, *early in the morning*. **Quinine** acts best on an *empty stomach*; **arsenic** on a *full one*.

22. **Light, air, and exercise** in the main possess more therapeutical power than drugs,—at all events they are very necessary adjuvants. **Confinement in close, dark, and ill-ventilated apartments effectually counteracts any benefit that otherwise might be had from tonics**. Exposure to the sun, however, hastens the physiological effect of nitrate of silver; and **violent physical action retards the effect of diuretics**.

23. **Season** also is a modifying agent. Some diseases, independent of all remedial measures, improve at certain seasons and retrograde at others. Scrofulous patients almost invariably improve in *summer*, remain stationary in *winter* and decline in the spring. Again, **turpentine** should *never be given in large doses during cold or damp weather*, because it then tends to supply fuel for the evolution of animal heat rather than exert any therapeutic properties.

24. **The form** in which the remedy is administered may influence its action. Where a speedy effect is required, liquid form is usually desirable; especially is this the case with quinine and morphine. **Tannin**, when desired to act upon the stomach and bowels, is most suitably exhibited in form of pill; but solution is to be preferred if the general circulation is the goal. **Digitalis** in *tincture* is a direct heart sedative; in *infusion* a diuretic. Insoluble remedies, such as **calomel** and **iron peroxide**, are best given in form of powder or pill, and the pill form usually is improved by the addition of soap, as it hastens solution in the intestines and renders the action of purgatives milder and at the same time more certain. Powders may be given in honey, syrup, wafers, tissue-paper, or gelatin capsules,—*the latter, however, are insoluble in the presence of an excess of acids*.

25. **Disguising the taste of medicines** is often a matter of

POSOLOGY.

consideration. **Castor and cod-liver oils** are rendered palatable by chewing orange-peel or aromatics for a few moments before taking; **senna** may be drunk as *tea*, with milk and sugar; **tannin** covers the taste of **quinine**;* liquorice, of **aloes**; infusion of roses, **Epsom salts**.

TABLE OF QUANTITIES

NOT TO BE EXCEEDED IN PRESCRIPTIONS WITHOUT CAUTION MARK (!)
TO INDICATE THAT THE DOSE IS AN UNUSUAL ONE.

ARTICLES.	SINGLE DOSES.	AGGREGATE IN ONE DAY.
Acid, Arsenious.....	1-6 grain.	1½ grain.
Acid, Hydrocyanic, Diluted.....	10 minims.	30 minims.
Acid, Nitro-muriatic.....	5 minims.	30 minims.
Aconite Leaf, Extract of.....	1½ grains.	10 grains.
Aconite Root, Fluid Extract of.....	5 minims.	15 minims.
Aconite Root, Tincture of.....	6 minims.	15 minims.
Aconite Root, Fleming's Tincture of.....	3 minims.	10 minims.
Aconitine and its Salts.....	1-50 grain.	1-10 grain.
American Hellebore, Fluid Extract of.....	3 minims.	10 minims.
American Hellebore, Tincture of.....	5 minims.	12 minims.
Antimony and Potassium, Tartrate of.....	2 grains.	
Arsenate of Sodium.....	½ grain.	1 grain.
Arsenic, Solution of Chloride of.....	6 minims.	15 minims.
Arsenic, Iodide of.....	1-6 grain.	½ grain.
Arsenic and Mercury, Solution of Iodides of..	20 minims.	60 minims.
Arsenite of Potassium, Solution of.....	15 minims.	45 minims.
Atropine and its Salts.....	1-60 grain.	1-20 grain.
Belladonna, Extract of.....	1 grain.	5 grains.
Calabar Bean, Extract of.....	¼ grain.	1 grain.
Codeine.....	2 grains.	1-20 grains.
Coniine.....	1-16 grain.	½ grain.
Conium, Extract of.....	2 grains.	8 grains.
Croton Oil.....	2 minims.	
Cyanide of Potassium.....	¼ grain.	1 grain.
Digitalin.....	1-50 grain.	1-20 grain.
Digitalis, Extract of.....	½ grain.	1 grain.
Hyoscyamus, Extract of.....	3 grains.	10 grains.
Ignatia, Extract of.....	3 grains.	10 grains.
Indian Cannabis, Extract of.....	1 grain.	5 grains.
Mercury, Corrosive Chloride of.....	¼ grain.	¾ grain.
Mercury, Iodide of, Red.....	1-6 grain.	1 grain.
Mercury, Iodide of, Yellow.....	½ grain.	3 grains.
Morphine and its Salts.....	½ grain.	2 grains.
Nux Vomica, Extract of.....	2 grains.	8 grains.
Opium.....	2 grains.	10 grains.
Opium, Extract of.....	1 grain.	4 grains.
Opium, Tincture of.....	30 minims.	120 minims.
Phosphorus.....	1-5 grain.	½ grain.
Stramonium Leaves, Extract of.....	2 grains.	5 grains.
Stramonium Seed, Extract of.....	1 grain.	3 grains.
Strychnine and its Salts.....	1-12 grain.	¼ grain.

*In this instance lack of bitterness is lack of therapeutic value, since the resulting quinine tannate is an almost insoluble salt (see *National Dispensatory*, 4th ed., p. 1291.) It would be better to recommend some article such as Yerba santa, *q. v.*, which effects no chemical reaction, but simply obtunds the nerves of taste.

POSOLOGY.

N. B.—Drugs per rectum or vagina may be administered in *three* times the dose by the mouth. The same holds good in the preparation of oleates and unguents employed **endermically**.

For hypodermic use, drugs should be decreased until but one-sixth to one-fourth the dose ordinarily administered by the mouth. Hypodermic fluids may be employed as follows:

Morphine.—0.80 gramme to 32 grammes of camphor water; the acetate or muriate is to be preferred to the sulphate. 5 minims represent $\frac{1}{8}$ grain of morphine.

Atropia.—0.13 gramme in 4 grammes of water; 5 minims represent 1.45 grain. *Be cautious in administering to flaxen-haired, light-complexioned, nervous females.*

Hydrocyanic Acid.—Give 2 to 4 minims in water.

Physostigma.—Make fresh solution of solid extract, 0.13 gramme to 4 grammes of water, and filter; 5 minims represent $\frac{1}{4}$ grain.

Strychnine.—0.13 gramme in 8 grammes of water; 1 minim—1.60 grain.

THERMOMETRY.

IN CHILDREN the temperature is normally *one to two degrees higher* than in adults.

THE TEMPERATURE IS NORMALLY ONE DEGREE HIGHER under the tongue than in the axilla. It is *highest* upon awakening in the morning; *lowest* at midnight.

A rise of one degree in temperature usually marks an increase of the pulse from six to ten beats a minute.

Continued temperature above 98.5° indicates *prostration and illness*; 101° to 105°, *severe fever*; 105° to 108°, *danger*; 108° to 109°, *impending death*.

A temperature of 105° or 106° on first day of illness is *prima facie* evidence of ephemeral fever; it is *not typhoid or typhus*, but probably *malarial*.

Though the typical evidences of *pneumonia* are present, if the thermometer fails to reach 101.7°, it may be concluded no soft infiltration of lungs is present.

A high temperature after the eruption of **measles** has faded, indicates complications. An evening typhoid temperature of 103.5° indicates a mild course of fever. 105° in the evening or 104° in the morning, in the third week, indicates danger. A temperature of 104° and upwards, in pneumonia, indicates a severe attack. A temperature of 104° is always alarming in acute rheumatism; look for cardiac complications. In jaundice a rise of temperature is unfavorable. A rise of temperature in a puerperal female indicates the approach of pelvic inflammation. An increase of temperature in tuberculosis shows an advance of the disease or rise of complications.

Daily fluctuations of temperature are associated with malarial fever, typhus, typhoid, exanthemata, rheumatism, pyæmia, pneumonia, and

THERMOMETRY.

acute tuberculosis. An even temperature from morning until evening is *favorable*. A high temperature from evening until morning is *unfavorable*. A falling temperature from evening until morning is *favorable*. A rising temperature from evening until morning is dangerous. The temperature of the body must be normal before convalescence begins.

N. B.—*Mercurial thermometers increase in readings with age*. During the first year of their manufacture this amounts to as much as one degree, and sometimes more. This is why manufacturers advertise their wares as "*Seasoned*," which, however, if true, does not altogether do away with the error.

Thermometers whose readings vary more than 0.25° at the same temperature are in every way unreliable.

RESPIRATION.

Two months to two years.....	35 per minute.
Two to six years.....	23 " "
Six to twelve years.....	20 " "
Twelve to fifteen years.....	18 " "
Fifteen to twenty-one years.....	16 to 18 " "

Respiration in the adult female is usually a trifle faster than in the male, especially during pregnancy.

RECTAL ALIMENTATION.

Remember that any excess of *four fluidounces* will promote disturbance. Half a teacupful is the usual amount, which may be repeated *not oftener* than every *eighth* hour.

FACTS REGARDING CHILDREN.

1. A healthy infant should **sleep** eighteen to twenty hours of the twenty-four.

2. As a rule a child cannot **raise its head** from the pillow before the *second* or *third* month, and cannot **sit erect** before the *fifth* month.

3. The *tenth* month is the usual time for walking to begin, but a longer delay is no evidence of disease.

4. An infant should be **nursed** at *regular* intervals, and also supplied with water. Should be **weaned** from tenth to 14th month, *but not in early summer*.

5. A child does not **cry** from viciousness before the sixth month.

6. If **pulse** is 140 and child ill, cause *overfeeding*; if 40 and ill, cause, *meningitis*.

7. **Tongue** furred with whitish curd, *intestinal irritation*; red, dry, and hot, *intestinal inflammation*; pale and flabby, *great debility*, and if tremulous, *nervous debility*; white fur, *fever*; yellow, *disturbance of liver and stomach*; brown and dry, *typhoid condition or blood-poison*.

FACTS REGARDING CHILDREN.

ing; bright strawberry, look out for *scarlatina*; glazed, *indigestion*; with blue appearance, *congenital syphilis*.

8. **Congestion** of cheeks, without cachexia or chronic condition, means *inflammatory or febrile condition*; of face, ears and forehead, of brief duration along with strabismus, oscillation of iris, irregularity of pupil, and falling of upper lip, *cerebral affection*.

9. Progressive and marked **emaciation**, *grave subacute or chronic affection*.

10. **Bulbar hypertrophy of fingers and curving nails** are signs of *interference in functions of circulation*; hypertrophy of spongy portion of bones, or lividity of feet and hands with hypertrophy of connective tissue, *rachitis*.

11. **Pertinacious lividity**, or lividity procured by emotion and excitement, if respiration is normal, denotes *heart fault or fault in trunk vessels*; temporary lividity, *grave acute disease*, probably of respiratory organs.

12. Absence of **tears** in children of six months and under is to suspect *disease that will prove fatal*; piercing and acute cries are suggestive of *cerebro-spinal trouble*.

13. **Thick, purulent secretion between the eyelids**, as derived from Meibomian glands, affords evidence of *grave prostration*; and passive congestion of conjunctival vessels, of *approaching death*.

14. **Irregular muscular movements**, partially controlled by the will, *chorea*; contraction of eyebrows and avoidance of light, *cephalalgia*.

15. **When hand is constantly pressed to the head**, or head against parent or nurse, suspect *ear disease*; if fingers are carried to mouth with great agitation, look for *abnormal condition of larynx*; and if head is constantly turned from side to side, suspect *laryngeal obstruction*.

16. **Hoarse and indistinct voice** is usually indicative of *laryngitis*; feeble and plaintive one, of *abdominal trouble*.

17. **Strong and sonorous cough**, *spasmodic croup*; hoarse and rough, *membranous croup*; suppressed and painful, *pleurisy* or *pneumonia*; convulsive, *pertussis*. Dry and painless cough may accompany *indigestion*, *difficult dentition*, or *febrile condition*.

18. **Respiration** slow or intermittent and accelerated, *capillary bronchitis*; superficial and accelerated, *inflammatory condition of larynx and trachea*. The normal rate is, two months to two years, 35 per minute; two to six years, 23 per minute; six to twelve years, 20 per minute; twelve to 15 years, 18 per minute.

19. **Normal pulse**, *in utero*, 140 to 150 per minute; of newborn, 130 to 140; first year, 115 to 130; second year, 106 to 115; third year, 95 to 105; fifth to twelfth year, 80 to 90; thirteenth to twenty-first year, 75 to 85; twenty-first to sixtieth year, 70 to 75; in old age, 75 to 85.

20. **Acute fevers** always bring *remissions* in children; chronic fevers, *intermissions*.

21. **In early childhood** there is no relation between the intensity of the symptoms and the material lesion. The most intense fever,

FACTS REGARDING CHILDREN.

with restlessness, cries and spasmodic movements, may disappear without leaving a trace in less than twenty-four hours.

22. **A child grows** most rapidly during its first year—six to seven inches; from four to sixteen, about *two inches* annually; seventeen to twenty, *one inch*. Commonly, a child at two and a half years has attained half its ultimate adult stature. The diseases of youth always accelerate growth.

23. **First Dentition.**—The *central incisors* appear from the fifth to eighth month; *lateral incisors*, from seventh to ninth month; *first molars*, from tenth to twelfth month; *canines*, sixteenth to twentieth month; *second molars*, twentieth to thirtieth month; and, as a rule, teeth in the lower jaw precede corresponding teeth in the upper.

24. **Second Dentition.**—*First molars*, fifth to seventh year; *central incisors*, seventh to eighth year; *lateral incisors*, eighth to ninth year; *first bicuspid*s, ninth to tenth year; *second bicuspid*s, tenth to eleventh year; *canines*, eleventh to twelfth year; *second molars*, twelfth to thirteenth year; *third molars*, seventeenth to twenty-fifth year.

25. **N. B.**—While children bear *cathartics* and *mercurials* better proportionately to age than adults, *narcotics*, on the contrary, are not borne so well; the latter are especially apt to act *cumulatively*.

26. GRADUATED TABLE FOR ADMINISTERING LAUDANUM

	MINIMS.		MINIMS.
At birth up to 1 month.....	1-2 to 1	1 to 10 years.....	5 to 15
Under 1 year.....	1-2 to 3	10 to 15 years.....	10 to 20
1 to 2 years.....	1 to 5	At 15 years.....	15 to 20
2 to 5 years.....	2 to 8	Adult.....	25 to 30

It is important that *laudanum* be of *known* strength. [Tinct. Opii should always be endorsed, U. S. P., when prescribing.—Ed.]

INCOMPATIBILITY.

THIS MAY BE 1, CHEMICAL; 2, PHARMACEUTICAL; 3, THERAPEUTIC AND PHYSIOLOGICAL.

Chemical incompatibility, as has already been pointed out (Posology) need not and does not always signify therapeutic inertness. Substances which decompose others on admixture or are chemically incompatible are sometimes intentionally combined in order to obtain and make use of the resulting compound; such an instance occurs in the old familiar "Black Wash" or *Lotio nigra*, where Calomel and Lime water react on each other.

The infinite number of combinations possible makes it difficult to give but a few of the most general rules to be observed in exhibiting chemicals in order to avoid incompatibility of admixture.

Alkalies and alkaline salts precipitate alkaloids and their salts.

Caustic alkalies decompose salts of the metals proper.

Tannic and gallic acids and substances containing them precipitate albumen and alkaloids and form 'inks' with tincture iron chloride,

INCOMPATIBILITY.

Glucosides such as digitalin, cannabin, etc., are decomposed or incompatible with free acids and with emulsin.

Pharmaceutical incompatibility. This applies to articles physically incapable of mixing—such as spirits of nitrous ether with tincture of guaicum—a gelatinous mass is the result; fixed oils and copaiba with aqueous liquids—unless excipients accompany; an acid with a quinine and licorice mixture—the acid precipitates the glycyrrhizin of the licorice, and as the latter is present merely to mask the taste of the quinine, throwing it out of solution frustrates this object; fluid extracts containing resinous principles will be precipitated on addition of aqueous liquids—they should be dispensed with acacia or some other emulsifier or with simple elixir, if the presence of alcohol is not contra-indicated.

Therapeutic or physiological incompatibility: Applied to substances which if administered together would neutralize each other's action more or less perfectly. Thus chloral hydrate is physiologically incompatible and should not be prescribed with nux vomica. Antagonists like these are not necessarily incompatible in other respects. They are also sometimes intentionally combined as in the hypodermic administration of morphine with atropine as a supposed safeguard—entirely a supposition by the way, according to recent authorities.* Space prevents here giving an extended list, but very many incompatibles of this class will be found under Poisons and Antidotes, *q.v.*

*See *Therapeutic Gazette*, Sept. 15, 1887.

LATIN WORDS, PHRASES, ETC.,

USED IN WRITING PRESCRIPTIONS; WITH THEIR CONTRACTIONS AND
CORRESPONDING ENGLISH EQUIVALENTS.

WORD OR PHRASE.	AS GENERALLY WRITTEN.	ENGLISH EQUIVALENT.
Ad (with accus. case)	Ad	To, or up to.
Ad duas vices	Ad 2 vic.	At twice taking.
Ad libitum	Ad lib.	At pleasure.
Ad tertiam vicem	Ad 3tiam vic.	For three times.
Adde	Add.	Add.
Ad gratam aciditatem	Ad grat. acid.	To an agreeable sourness.
Adhibendus	Adhib.	To be administered.
Admove	Admov.	Apply.
Alternis horis	Alt. hor.	Every other hour.
Alvo adstricta	Alv. adst.	The bowels being confined.
Ana	aa	Of each.
Ante cibum	Ante cib.	Before eating.
Aqua	Aq.	Water
Aqua astricta	Aq. astr.	Frozen water.
Aqua bulliens	Aq. bull.	Boiling water.
Aqua fervens	Aq. ferv.	Hot water.
Aqua fontana or fontis	Aq. font.	Spring water.
Bene	Bene	Well.

LATIN WORDS, PHRASES, ETC.

WORD OR PHRASE.	AS GENERALLY WRITTEN.	ENGLISH EQUIVALENT.
Bis in die or dies	Bis die or Bisind	Twice a day.
Bulliat or Bulliant	Bull.	Let boil.
Capiat	Cap.	Let him take.
Caute	Caute.	Cautiously.
Cibus	Cib.	Food.
Cochleare magnum	Coch. mag.	A tablespoonful ($\frac{3}{4}$ ss).
Cochleare medium, or modicum	Coch. med. or mod.	A dessertspoonful (3 ij).
Cochleare parvum	Coch. parv.	A teaspoonful (3 j).
Cola or Coletur	Col. or Colet.	Strain.
Collyrium	Collyr.	An eye-wash.
Coloretur	Coloret.	Let it be colored.
Congius	Cong.	A gallon.
Continuantur remedia	Cont. rem.	Let the medicines be continued.
Coque, Coquantur	Coq.	Boil, let them be boiled.
Cras, Crastinus	Crast.	To-morrow.
Cras mane sumendus	Cras mane sumend.	To be taken to-morrow morning.
Cujus, Cujus-libet	Cuj.	Of which, of any.
Cum (with abl. case)	C.	With.
Debita spissitudo	Deb. spiss.	A proper consistence.
Decubitus	Decub.	Lying down.
De die in diem	De d. in d.	From day to day.
Diebus alternis	Dieb. alt.	Every other day.
Diebus tertiis	Dieb. tert.	Every third day.
Dilue, Dilutus	Dil.	Dilute (thou), Diluted.
Dimidius	Dim.	One-half.
Dividatur in partes æquales	D. in p. æq.	Let it be divided into equal parts.
Donec alvus soluta fuerit	Donec alv. sol. ft.	Until the bowels shall be open
Dosis	D.	A dose.
Drachma	Dr. or 3	A drachm (60 grains).
Eadem (fem.)	Ead.	The same.
Ejusedem	Ejused.	Of the same.
Fac or Fiat	F. or Ft.	Make, let be made.
Fac pilulas duodecim	F. pil. xij.	Make 12 pills.
Fiant chartulæ xij	Ft. chart. xij.	Let 12 powders be made.
Fiat emplastrum vesicatorum	Ft. emp. vesic.	Let a blister be made.
Fiat massa, et divide in pilulas xij	Ft. mas. div. in pil. xij.	Let a mass be made and divide it into 12 pills.
Fiant pilulæ xij	Ft. pil. xij.	Let 12 pills be made.
Fiat pulvis in chartulas xij dividenda	Ft. pulv. in chart. xij div.	Let a powder be made to be divided into xij papers.
Gradatim	Grad.	By degrees, gradually.
Gutta, Guttæ	Gtt.	A drop, Drops.
Guttatim	Guttat	By drops.
Harum pilularum sumantur tres	Har. pil. sum. iij.	Let three of these pills be taken.
Haustus	Haust	A draught.
Horâ decubitûs	Hor. decub.	At bedtime.
Horâ somni	Hor. som.	At the hour of sleep.
Horæ unius spatium	Hor. j. spat.	After one hour.
Idem	Id.	The same.
In dies	Ind.	Daily or From day to day.
Mane	Mane	In the morning.
Mica panis	Mic. Pan.	Crumb of bread.
Misce	M.	Mix.
Mitte	Mitt.	Send.

LATIN WORDS, PHRASES, ETC.

WORD OR PHRASE.	AS GENERALLY WRITTEN.	ENGLISH EQUIVALENT.
Modo præscripto	Mod. præsc.	In the manner prescribed.
More dictu	Mor. dict.	In the manner directed.
More solito	Mor. sol.	In the usual manner.
Ne tradas sine nummo	Ne tr. s. num.	Do not deliver without the money.
Nocte manequē	Noct. maneq.	At night and in the morning.
Non repetatur	Non repetat	Let it not be repeated.
Nox, noctis	Nox. Noct.	The night, of the night.
Octarius	O., Oct.	A pint ($\frac{3}{4}$ xvj).
Omni horâ	Omn. hor.	Every hour.
Omni bihorio	Omn. bih.	Every two hours.
Omni quadrante horæ	Omn. quadr. hor.	Every $\frac{1}{4}$ hour.
Omni mane	Omni mane	Every morning.
Omni nocte	Omn. noct.	Every night.
Partes æquales	Pt. æq.	Equal parts.
Penicillum camelinum	Penicil. cam.	A camel's-hair pencil or brush
Per. (with accus. case)	Per	Through, By.
Phiala prius agitata	P. P. A.	The bottle having been first shaken.
Post cibum	Post cib.	After eating.
Pro (with abl. case)	Pro	For.
Pro ratione ætatis	Pro rat. æt.	According to the age of the patient.
Pro re nata	P. r. n.	According to circumstances.
Quantum libet	Q. lib.	As much as you please.
Quantum sufficiat	Q. s.	As much as is sufficient.
Quâquâ horâ	Qq. hor.	Every hour.
Quoque	Q. q.	Also.
Quorum	Quor.	Of which.
Quotidie	Quotid.	Daily.
Recipe	R	Take.
Redactus in pulverem	Red. in pulv.	Let it be reduced to powder.
Repetatur	Rept.	Let it be repeated.
Scrupulum	Scrup. or \varnothing	A scruple (20 grains.)
Secundum artem	S. A.	According to the art.
Semis, or Semissis	Ss.	A half.
Semi-hora	Semih	Half an hour.
Sesqui	Sesqui.	As much again by half.
Sesquihora	Sesqh.	An hour and a half.
Sigua	Sig.	Write, or mark (thou.)
Simul	Sim.	Together.
Sine (with abl. case)	Sin.	Without.
Singulorum	Sing.	Of each.
Si opus sit	Si op. sit.	If necessary.
Solve	Solv.	Dissolve.
Spiritus vini rectificatus	Spt. vin. rect.	Rectified spirit of wine (<i>i. e.</i> alcohol).
Statim	Stat.	Immediately.
Stet, or Stent	St.	Let it (or them) stand.
Subinde	Subind.	Frequently.
Sumat talem	Sum. tal.	Take one such.
Sumatur	Sum.	Let it be taken.
Summo mane	Summo mane	Early in the morning.
Talis	Tal.	Such a one.
Ter in die, or Ter die	T. i. d. or T. d.	Thrice daily.
Tussis	Tus	A cough.
Ultimus præscriptus	Ult. præsc.	The last ordered.
Uncia	Unc. or $\frac{3}{4}$	An ounce.
Ut dictum	Ut dict.	As directed.
Vel	Vel.	Or
Vesper, -eris.	Vesp.	The evening.

DIFFERENTIAL DIAGNOSIS OF ERUPTIVE FEVERS.

NAME.	PERIOD OF INCUBATION.	OCCURRENCE OF ERUPTION.	CHARACTER OF ERUPTION.	FADING OR DISAPPEARANCE OF ERUPTION.	DURATION OF ILLNESS.
SCARLATINA*.....	4 to 10 days.	Usually second or third day of fever (within thirty-six hours of actual commencement of illness.)	Bright scarlet and diffused.	Fifth day of fever, commonly.	8 to 15 days.
MEASLES.....	10 to 14 days.	Fourth day of fever, or after seventy-two hours of illness.	Small red dots like flea-bites; crescentic.	On seventh day of fever.	6 to 10 days.
ROTHELM.....	7 to 14 days.	Fourth to sixth day.	Like measles, but less distinct; patches more irregular and brightest near centre.	Fourth day after appearance. Often desquamates in bran-like scales, but is uncertain.	8 to 10 days.
VARIOLA.....	12 days.	Third day of fever.	Small red pimples, becoming vesicular and subsequently pustular; umbilicated.	Pustules mature on the eighth or ninth day; scabs follow on tenth or twelfth, falling off two days later.	14 to 21 days.
VARICELLA.....	4 days.	Second day of fever.	Small red pimples, becoming vesicles.	Slight scabs form on the fourth day of fever.	6 to 7 days.
ERYSIPELAS.....	3 to 7 days.	Second or third day.	Diffuse redness and swelling.	Uncertain.	Uncertain.
TYPHUS FEVER.....	1 to 12 days.	Fourth to eighth day.	Mulberry color, usually over abdomen.	Uncertain.	14 to 21 days.
TYPHOID FEVER.....	10 to 14 days or (sometimes) suddenly.	Seventh to fourteenth day.	Rose colored spots, few in number and far apart.	Uncertain (may be wholly wanting.)	20 to 30 days.

*Scarlatina presents a great variety of irregular forms; hence, the practitioner should ever be on his guard.

THERAPEUTIC SUGGESTIONS,

OR DISEASES AND THEIR REMEDIES.

This is necessarily a condensed list of diseases as well as of remedies. Pharmaceutical preparations are given only in a very few instances, since not only does space forbid but the physician can much better determine the suitability of the several preparations of any desired remedy to the case in hand.

ABORTION, THREATENED.—Black Haw, Black Cohosh, Iron, Opium.

ABSCCESS.—Belladonna, Calcium sulphide, Calcium lactophosphate.

ACIDITY OF STOMACH.—Bismuth, Charcoal, Hydrochloric acid, Liquid Acid Phosphate, Nux Vomica, Sodium bicarbonate, (temporary only.)

ACNE—Alkalies, Arsenic, Calcium sulphide, Hypophosphites, Phosphorus.

ACUTE MANIA.—Bittersweet, Bromides, Conium, Henbane, Indian Hemp, Jamaica Dogwood, Valerian.

ADYNAMIA (Debility; Deficiency of vital power).—Arsenic, Bloodroot, Cinchona, Gentian, Golden-seal, Hypophosphites, Iron, Liquid Acid Phosphate, Strychnine.

AFTER-PAINS.—Black Cohosh, Button-snake root, Ergot, Gelsemium, Viburnum.

AGUE.—See Intermittent Fever.

ALCOHOLISM.—Ajowan, Black Cohosh, Capsicum, Cinchona, Coca, Lupulin.

AMAUROSIS (Impaired vision due to cerebral causes).—Arnica, Santonin, Strychnine.

AMENORRHOEA (Suppression of the menses).—Aconite, Aloes, Apiol, Black Cohosh, Blue Cohosh, Button-snake root, Iron, Potassium permanganate, Pulsatilla, Squaw-vine, Water-pepper.

ANÆMIA (Deficiency or insufficient formation of the red corpuscles of the blood).—Calcium lactophosphate, Hypophosphites, Iron, Quinine, Strychnine.

ANEURISM (Also dilatation of the walls of the heart).—American Hellebore, Ergot, Foxglove, Potassium iodide.

ANGINA PECTORIS (An affection often connected with ossification of the heart or great vessels, characterized by most excruciating pain in chest and arms).—Aconite, Amyl nitrite, Arsenic, Nitroglycerin, Sodium nitrite.

APHONIA (Loss of voice).—Atropine, Borax, Ignatia, Ipecac, Inhalants.

APHTHÆ.—Alum root, Agrimony, Baycuru, Borax, Potassium chlorate, Rhatany, Tonics.

APOPLEXY (Effusion of blood into the substance of any organ producing unconsciousness, loss of sensation and voluntary motion).—Aconite, Colocynth, Croton oil, Elaterium.

THERAPEUTIC SUGGESTIONS.

- ARTHRITIS** (Inflammation of joints).—Arsenic, Cod-liver oil, Iodine, Oil of Wintergreen, Salicylates.
- ASCARIDES**.—American Wormseed, Pink-root, Santonin, Yerba Buena.
- ASCITES** (Accumulation of serous fluid in peritoneum).—American Ivy, Canadian Hemp, Elaterium, Flowering spurge, Foxglove, Gravel plant, Hair-cap Moss, Nettle, Plantain, Purslane.
- ASTHMA** (Spasmodic stricture of the bronchial tubes).—*Ailanthus glandulosa*, Amyl nitrite, Ammoniac, Black Cohosh, Blood-root, *Euphorbia pilulifera*, *Grindelia robusta*, Musk-root, Quebracho, Sundew, Water Fennel, Yerba santa.
- BILIOUSNESS**.—Aloes, Blue Flag, Jurubeba, Lime-juice and Pepsin, Mandrake, Mercury, Mineral acids, Wahoo.
- BLADDER, CATARRH OF**.—Balsam Fir, Balsam Poplar, Boldo, Buchu, Cubeb, Eucalyptus, Juniper berries, Kava Kava, Manzanita, Marsh-mallow, Pareira Brava, Pichi, Pipsissewa, Queen of the Meadow, *Rhus aromatica*, Stone root, *Uva ursi*.
- BLADDER, IRRITABLE**.—Belladonna, Buchu, Couch-grass, Cubeb, Indian Hemp, Pichi, Stavesacre.
- BOILS**.—Arsenic, Calcium sulphide, Hypophosphites, Silver nitrate, Syrup Trifolium comp.
- BREATH, FETID**.—Charcoal, Eucalyptus, Potassium permanganate, (as a wash for the mouth).
- BRIGHT'S DISEASE**.—Aconite, Ammonium and Potassium bromides, for restlessness (no opiates); Button-snake root, Foxglove, Indian Hemp, Milk diet, Tincture Iron chloride.
- BRONCHIECTASIS** (Dilatation of bronchi).—Hypophosphites, Liquid Acid Phosphate, Quinine.
- BRONCHITIS**.—Aconite, Abscess root, Agrimony, Ammoniac, Ammonium carbonate and chloride, Angelica, Apomorphine (the best of all expectorants), Asafetida, Balsam Fir, Balsam Peru, Balsam Poplar, Benzoin, Black Cohosh, Bloodroot, Button-bush, Chekan, Eucalyptus, *Grindelia robusta*, Inhalations, Indian Turnip, Ipecac, Kava Kava, *Lippia Mexicana*, Lobelia, Squill, Tolu, Yerba Santa.
- BRONCHORRHOEA** (Catarrh of bronchi; chronic bronchitis).—Asafetida, Ammonium iodide with arsenic, Beth root, Eucalyptus, *Grindelia robusta*, Myrtol.
- BRUISES**.—Arnica, Distilled Ext. Witch-hazel.
- BUNION**.—Iodine tincture, Mercury plaster, Silver nitrate.
- CACHEXIA**.—Arnica, Arsenic, Black Walnut, Cod-liver oil, Hypophosphites, Iron, Quinine, Strychnine, Liquid Acid Phosphate, Syrup Trifolium comp. (see Red Clover).
- CALCULI, BILIARY** (Gall stones).—Alkaline mineral water, Sodium choleate, Sodium phosphate, Iron succinate.
- CALCULI, RENAL AND VESICAL** (Gravel).—Ammonium benzoate, Buchu, Button bush, Corn-silk, Dwarf Elder, Gravel-plant, Hair-cap Moss, Hydrangea, Pareira Brava, Pichi, Potassium citrate.
- CANCER**.—Alveloz milk, Chaulmoogra oil, Chian turpentine, Iodoform, Syrup Trifolium comp. for systematic treatment (see Red Clover).

THERAPEUTIC SUGGESTIONS.

- CATARRH, ACUTE NASAL (Coryza).—Aconite, Black Cohosh, Eye-bright, Jaborandi.
- CATARRH, CHRONIC NASAL (Ozæna).—Ammoniac, Bloodroot, Golden-seal, Inhalations, Senega, Virginia Stone-crop.
- CEREBRAL ANÆMIA.—Amyl nitrite, Hypophosphites, Iron, Liquid Acid Phosphate, Phosphorus, Sanguis bovinus exsiccatus.
- CEREBRAL CONGESTION.—Aconite, American Hellebore, Belladonna, Bromides in large doses, Cathartics, Gelsemium.
- CHILBLAINS.—Tincture Benzoin comp., Tincture Iodine diluted, Turpentine.
- CHLOROSIS (The green sickness; see also Anæmia).—Arsenic, Hypophosphites, Iron, Quinine, Iron succinate, Strychnine, Phosphorus, Syrup Trifolium comp..
- CHOLERA AND CHOLERA MORBUS.—Ajowan, Camphor, Chlor-anodyne, Coto-bark, Ginger, Jamaica Dogwood, Musk root, Tincture Opium comp., Wild Yam.
- CHOREA.—Ailanthus glandulosa, Asafetida, Black Cohosh, Calabar bean, Cod-liver oil, Conium, Henbane, Hypophosphites with iron, Indian Hemp, Iron, Ladies' Slipper, Mistletoe, Mugwort, Musk-root, Scull-cap, Skunk Cabbage, Strychnine, Valerian.
- COLIC, INTESTINAL.—Ajowan, Asafetida, Blue Cohosh, Capsicum, Chamomile oil, Chlor-anodyne, Chloroform, Crawley-root, Dewee's Carminative (for infants), Cocculus Indicus, Jamaica Dogwood, Nux vomica, Spirits of Ammonia, Wild Yam.
- CONSTIPATION.—Aloes, Berberis aquifolium, Buckeye-bark, Buckthorn, Butternut, Calabar bean, Cascara sagrada, Colocynth, Five-flowered Gentian, Golden-seal, Iron succinate, Jurubeba, Mandrake, Nux-vomica.
- CONVALESCENCE.—American Centaury, American Columbo, Balmony, Blue Gentian, Boneset, Buckhorn Brake, Coca elixir, Eucalyptus, Fringe-tree, Golden-seal, Guarana, Hypophosphites, Liquid Acid Phosphate, Quinine.
- COUGH.—Arbor vitæ, Bloodroot, Bronchial Sedative, Bronchial Lozenges, Buckhorn Brake, Button-bush, Gelsemium, Grindelia robusta, Helianthella tenuifolia, Ipecac, Lobelia, Pulsatilla, Senega, Soap tree, Squill, Wild Cherry, Yerba Santa.
- CROUP, MEMBRANOUS.—Alum (as an emetic dislodges false membrane and prevents it forming), Belladonna, Bloodroot, Hot fomentations, Ipecac, Mercury subsulphate, Potassium chlorate with iron chloride.
- CYANOSIS (The general venous congestion with bluish appearance consequent upon affections of the lungs or hearts).—Amyl nitrite, Nitroglycerin, Quebracho.
- CYSTITIS (Inflammation of bladder).—Apiol, Buchu, Cantharides, Corn-silk, Couch-grass, Cubeb, Eucalyptus, Kava Kava, Pareira Brava, Pichi, Pipsissewa, Uva ursi.
- DELIRIUM TREMENS.—Belladonna, Black Cohosh, Capsicum, Chloroform, Henbane, Hops, Indian Hemp, Jamaica Dogwood, Musk-root, Stramonium, Strychnine.

THERAPEUTIC SUGGESTIONS.

DIABETES INSIPIDUS.—Alum root, Cantharides, Ergot, Jaborandi, Opium with gallic acid.

DIABETES MELLITUS.—Jambul seed, *Rhus aromatica*, Milk diet; Starches and sugars forbidden.

DIARRHŒA.—Agrimony, *Ailanthus glandulosa*, Bael, Baycuru, Beech-drop (Cancer root), Bistort, Black Alder, Blackberry, Buckhorn Brake, Canada Thistle, Cascarilla, Catechu, Chlor-anodyne, Coto bark, Cranesbill, Hardhack, Ipecac, Irisin, Judas-tree, Kino, Lep-tandrin, Logwood, Mountain Laurel, Musk-root, Opium, Plantain, Rhatany, Rhubarb, *Rhus aromatica*, Squaw vine, Sumach, Trumpet plant, Wahoo, White Oak, White Pond-lily, Willow herb.

DIPHTHERIA.—Belladonna, Brandy (as a stimulant freely), Carica, Corrosive sublimate, Inhalants, Pepsin, Potassium chlorate and iron, Sedum acre.

DROPSY.—American Ivy, Arsenic, Blue Cohosh, Blue Flag, Bryonia, Broom, Buchu, Buckthorn berries, Canadian Hemp, Cantharides, Carpenter's Square, Colocynth, Digitalis, Dwarf Elder, Elaterium, Flowering spurge, Hair-cap Moss, Hellebore, Jalap, Juniper berries, Pipsissewa, Shepherd's Purse, Silkweed, Squill, *Strophanthus*, White Bryony.

DYSENTERY (An affection of the mucous membrane of the large intestine, characterized by frequent bloody or mucous stools).—*Ailanthus glandulosa*, Angustura, Bael, Benne, Benzoin, Blackberry, Buckhorn Brake, Canada Thistle, Cascarilla, Castor oil, Coto bark, Cranesbill, Ergot, Hardhack, Ipecac, Logwood, New Jersey Tea, Nux Vomica, Opium, Plantain, *Rhus aromatica*. Willow herb, Witch-hazel, Yarrow.

DYSMENORRŒA (Painful menstruation).—Aconite, Apiol, Belladonna, Black Cohosh, Black Haw, Black Willow, Blue Cohosh, Button-snake root, Cramp bark, Gelsemium, Helonias, Life-root, Squaw-vine.

DYSPEPSIA (Difficult or depraved digestion).—Ajowan, Angustura, Bismuth and Charcoal lozenges, Bloodroot, Boneset, Buckbean, Carica Papaya (Papain and Papayotin), Cascara sagrada, Chamomile oil, Chirata, Gentian, Golden-seal, Ipecac, Iron succinate, Helonias, Nux Vomica, Mercury yellow oxide (tablets), Pancreatin, Pepsin, Pulsatilla, Sweet Flag.

DYSPNŒA (Difficulty in breathing).—Amyl nitrite, Asafetida, Black Cohosh, Chloroform (a few inhalations), *Grindelia robusta*, Nitroglycerin.

DYSURIA (Strangury; Difficulty or pain in passing urine).—Cantharides, Gelsemium, Indian Hemp, Pipsissewa, Potassium citrate, *Rhus aromatica*, Spirits Nitrous Ether, Squill, Wintergreen.

ECCHYMOSIS (Livid or black marking from extravasation of blood).—Ammonium chloride, Arnica, Witch-hazel.

ECZEMA.—Arsenic, Burdock seed, Cascara amarga, Chaulmoogra oil, Cod-liver oil (internally and externally), Oil of Cade (externally—diluted with castor oil), Pansy (*Viola tricolor*).

THERAPEUTIC SUGGESTIONS.

ENTERITIS (Inflammation of the intestines).—Aconite, Chloral, Cerium oxalate, Jamaica Dogwood, Opium.

ENURESIS (Incontinence of urine).—Belladonna, Buchu, Cantharides, Ergot, Iron iodide, Rhus aromatica, Scullcap.

EPILEPSY (Convulsions accompanied with unconsciousness).—Amyl nitrite, Ailanthus glandulosa, Blue Cohosh, Chloroform (inhalations), Coccus Indicus, Ignatia, Indian Hemp, Mistletoe, Mugwort, Nitroglycerin, Strychnine, Valerian.

EPISTAXIS (Hæmorrhage from the nose).—Aconite, Alum root, Belladonna, Cranesbill, Ipecac, Matico, Witch-hazel distilled extract (internally and externally).

ERYSIPELAS—Aconite, Ammonium carbonate, Beech-drop (Cancer root), Belladonna, Crawley root, Iodized Collodion, Poison Oak, Silver nitrate lotion (20 grains to the fluidounce), Tincture Iron chloride.

FEVER.—Acid drinks, Aconite, American Hellebore, Arsenic, Belladonna, Gelsemium, Quinine.

FLATULENCE.—Ajowan, Anise, Buchu, Columbo, Crawley root, Eucalyptus oil, Ginger, Nux-vomica, Pepsin (to promote digestion), Wintergreen oil.

GASTRALGIA (Cardialgia or Heartburn).—Ajowan, Arsenic, Bismuth, Cerium oxalate, Nux-vomica, Pepsin, Soda Mint tablets, Trumpet plant.

GASTRODYNIA (Spasmodic or neuralgic pain in the stomach).—Belladonna, Chloral, Chlor-anodyne, Ether, Jamaica Dogwood, Nitroglycerin, Nux-vomica, Opium.

GASTRIC DILATATION.—Bismuth with Magnesia, Eucalyptus oil, Ignatia, Nux-vomica, Wintergreen oil, Concentrated Food free of starches and sugars.

GLANDS, ENLARGED (Parotitis).—Bearsfoot, Bitter Bugleweed, Calcium sulphide, Carpenter's Square, Corrosive sublimate, Golden-seal, Iodine and the iodides, Syrup Trifolium comp.

GLEET (A serous, mucous, or muco-purulent discharge from the urethra, not accompanied with scalding).—Balsam Fir, Balsam Poplar, Beech-drop (Cancer root), Buchu, Button snake-root, Cantharides, Copaiba, Eucalyptus oil, Judas-tree, Kava Kava, Sandalwood oil, Scouring-rush, Yerba Reuma.

GONORRHOEA (A contagious discharge of muco-pus from the mucous membrane of the generative organs and accompanied with scalding).—Aconite (acute stage) Balsam Fir, Balsam Peru, Balsam Poplar, Boldo, Buchu, Button-snake-root, Chewstick, Copaiba, Golden-seal (Fluid Golden-seal colorless best for injections), Gurjun Balsam, Iron chloride tincture, Manzanita, Matico, Pareira Brava, Pipsissewa, Pulsatilla, Sandalwood, Scouring rush, Uva ursi, White Poplar, Yerba Reuma.

GOUT (An inflammation of the fibrous and ligamentous parts of the joints).—Aconite, Belladonna, Bittersweet, Burdock, Colchicum, Guaiac, Lithium citrate, Potassium iodide, Strychnine, Sulphides.

THERAPEUTIC SUGGESTIONS.

HAY FEVER.—Aconite, Arsenic, Belladonna, Cocaine (solution 4 to 20 per cent. painted or sprayed) Eyebright, Grindelia robusta, Ignatia, Ipecac, Lobelia, Quinine.

HEART DISEASE.—Aconite, Adonis vernalis, Amyl nitrite, American Hellebore, Arsenic, Black Cohosh, Digitalis, Lily of the Valley (safer than Digitalis), Night-blooming Cereus, Nux-vomica, Strophanthus.

HEMATEMESIS (Vomiting of blood).—Alum, Ergot, Gallic acid, Ipecac, Iron subsulphate (Monsel's salt), Lead acetate, Tannin, Turpentine, Witch-hazel.

HEMATURIA (Bloody urine).—Buchu, Ergot (Ergotin hypodermically), Gallic acid, Ipecac, Iron chloride tincture, Pipsissewa, Queen of the Meadow, Scouring-rush, Sulphuric acid, Witch-hazel.

HEMOPTYSIS (Spitting of blood).—Aconite, Arnica, Beth root, Bugleweed, Iron (sprayed), Water Fennel, also in addition remedies above, under Hematemesis.

HEMORRHOIDS (Piles).—Alum root, Black Oak, Buckthorn bark, Ergot, Erigeron, Golden-seal (internally and externally), Iron subsulphate (Monsel's salt), Nutgall, Nux-vomica, Opium (externally), Saraca Indica, Stillingia, Sulphur and sulphides, Witch-hazel (distilled extract).

HEPATIC DISORDERS.—Aconite (in acute inflammation), Ammonium chloride (in chronic torpidity—20 grain every 4 hours), Balmony, Barberry, Bitter root, Blue Flag, Boldo, Buckeye, Butternut, Colchicum, Colocynth, Culver's root, Five-flowered Gentian, Garden Celandine, Grindelia squarrosa, Ipecac, Stillingia, Wahoo, White Bryony, Wood Betony.

HYPOCHONDRIASIS.—Arsenic, Asafetida, Black Cohosh, Bromides, Coca, Conium, Henbane, Ignatia, Jamaica Dogwood, Musk-root, Opium (stimulant doses) Valerian.

HYSTERIA.—Arsenic, Asafetida, Black Cohosh, Bloodroot (in hysteria from chronic hepatitis), Blue Cohosh, Chamomile oil, Ether, Eucalyptus, Ignatia, Indian Hemp, Iron, Ladies' Slipper, Musk-root, Phosphorus, Potassium bromide, Strychnine, Scullcap, Skunk Cabbage, Valerian, Zinc valerianate.

MPOTENCE.—Arsenic, Bloodroot, Cantharides, Coca, Damiana, Indian Hemp, Iron, Liquid Acid Phosphate, Phosphorus, Strychnine, Water-pepper.

INSOMNIA (Sleeplessness), Belladonna, Bromides, Chamomile, Chloral, Henbane, Hops, Ignatia, Indian Hemp, Jamaica Dogwood, Ladies' Slipper, Musk-root, Phosphorus, Scullcap.

INTERMITTENT FEVER.—Alstonia constricta, American Centaury, Apiol, Apple-tree bark, Arbor vitæ, Arsenic, Boneset, Black Alder, Black Cohosh, Button-bush, California Fever-bush, Canadian Hemp, Cascarilla, Cedron seed, Cinchona, Dita, Five-flowered Gentian, Golden-seal, Grindelia squarrosa, Iron succinate, Nux-vomica, Quinine flower, Salicin, Spice bush, Strychnine, Warburg's Tincture, White Poplar.

THERAPEUTIC SUGGESTIONS.

IRRITABILITY.—Asafetida, Black Cohosh, Bugleweed, Catnep, Chamomile, Ignatia, Ladies' Slipper, Pulsatilla, Scullcap, Skunk Cabbage, Strychnine, Twin-leaf.

JAUNDICE.—Arsenic, Ammonium chloride, Balmony, Barberry, Bayberry, Bitter root, Blue Flag, Boldo, Carpenter's Square, Colocynth, Culver's root, Garden Celandine, Golden-seal, Ipecac, Iron succinate, Jurubeba, Rhubarb (chiefly for children), Sodium phosphate, Stillingia, Wahoo.

LACTATION (Secretion of milk).—*Diminishing flow:* Belladonna, Camphor (saturated solution in oil), Potassium iodide, Quinine, Sulphuric acid (diluted), Tannin. *Increasing flow:* Anise, Carica Papaya, Castor-oil plant, Jaborandi, Tea (black), Prickly Ash, Wintergreen.

LARYNGITIS.—Abscess root, Aconite, Belladonna, Catechu, Indian Turnip, Inhalants, Ipecac, Sumach, Virginia Stone-crop, Water Eryngo, Water Fennel.

LEUCORRHOEA.—Agrimony, Balsam of Peru, Bayberry, Beech-drop (Cancer-root), Bistort, Button-snake-root, Canada Thistle, Cantharides, Ergot, Golden-seal, Helonias, Hemlock, Judas-tree, Manzanita, Matico, Musk-root, Pulsatilla, Rhus aromatica, Sumach, Virginia Stone-crop, Water Avens, White Pond Lily, White-oak Bark, Willow herb, Witch-hazel, Yerba Reuma.

LOCOMOTOR ATAXIA (Loss of power of coördinate voluntary motion).—Belladonna, Calabar bean, Electricity, Phosphorus, Potassium iodide, Silver nitrate, Strychnine, Systemic tonics—Cod-liver oil, Iron, etc.

LUMBAGO (Rheumatism of the loins).—Aconite (internally and externally), Chloroform liniment, Electricity, Jamaica Dogwood, Morphine with Atropine, Poison Oak, Potassium iodide (if of syphilitic origin), Potassium nitrate (10 grain doses if the urine is dark colored), Diet and Rest.

MANIA (Insanity).—American Hellebore, Belladonna, Black Cohosh, Chloral, Digitalis, Duboisia, Ergot, Gelsemium, Henbane, Hops, Indian Hemp, Jamaica Dogwood, Potassium bromide, Stramonium.

MASTITIS (Inflammation of the breasts).—Belladonna (internally and externally), Camphor, Conium, Iodine (to remove consequent induration), Poke-root (internally and externally).

MELANCHOLIA.—Black Cohosh, Caffeine citrate, Camphor monobromated, Chloral, Coca, Ignatia, Indian Hemp, Iron chloride tincture, Liquid Acid Phosphate, Opium (in stimulant doses), Potassium bromide, Valerian.

MENINGITIS.—Aconite, American Hellebore, Belladonna, Calabar bean, California Laurel, Ergot, Gelsemium, Henbane, Opium, Potassium bromide, Potassium iodide, Pulsatilla, Depletion, Purgatives, Cold.

MENORRHAGIA.—Black Cohosh, Black Haw, Cotton-root bark, Digitalis, Ergot, Fleabane oil, Iron, Kino, Potassium bromide, Quinine, Rhatany, Saraca Indica, Witch-hazel.

THERAPEUTIC SUGGESTIONS.

MYALGIA.—Ammonium chloridē, Arnica (internally and externally), Belladonna with Opium (externally), Black Cohosh, Coca, Chloroform liniment, Jamaica Dogwood, Prickly Ash.

NERVOUS EXHAUSTION.—Aromatic Spirits of Ammonia, Caffeine citrate, Coca, Hypophosphites, Liquid Acid Phosphate, Strychnine, Valerian, Zinc phosphate.

NEURALGIA.—Aconite (internally and externally).—American Hellebore, Arsenic, Belladonna, Black Cohosh, Calabar bean (neuralgia of the eye-ball), California Laurel, Chamomile, Gelsemium, Horsechestnut, Ignatia, Indian Hemp, Jamaica Dogwood, Menthol, Osmic acid, Phosphorus, Pink-root, Quinine, Saw Palmetto, Scullcap, Strychnine, Tonga, Zinc valerianate.

NIGHT-SWEATS.—Belladonna, Camphor monobromated, Crawley-root, Duboisia, Ergot, White Agaric.

NYMPHOMANIA.—Bittersweet, Black Willow, Bromides, Camphor monobromated, Henbane, Hops, Sodium borate (externally and internally), Stramonium.

OBESITY.—Alkaline mineral waters, Bladder-wrack, Potassium permanganate, Avoidance of starches and sugars.

ODONTALGIA.—Aconite, California Laurel, Chloral, Cocaine, Coto, Ethereal solution of Tannin, Jamaica Dogwood.

PARALYSIS.—Belladonna, Calabar bean, Cantharides, Coccus Indicus, Colocynth, Conium, Ergot, Gelsemium, Henbane, Hoang-nan, Ignatia, Indian Hemp, Mistletoe, Poison Oak, Phosphorus with Cod-liver oil, Strychnine.

PERTUSSIS (Whooping-cough).—Ammonium bromide, Amyl nitrite, Asafetida, Belladonna, Button-root, Cochineal, Conium, Duboisia, Gelsemium, Horsechestnut, Indian Turnip, Jamaica Dogwood, Lobelia, Pulsatilla, Saw Palmetto, Skunk Cabbage, Stramonium.

PHARYNGITIS.—Ammonium chloride, Black Cohosh, Glycerin, pure or with Tannin, (externally), Golden-seal, (internally and externally), Inhalation, Pomegranate bark (gargle), Potassium chlorate, Prickly Ash, Virginia Stone-crop, Zinc sulphate (gargle).

PHTHISIS (Consumption.)—Arsenic, Belladonna, Black Cohosh, Cod-liver oil, Creasote, Eulachon oil, Sodium borate (externally and internally), Gold and sodium chloride, Inhalations, Iodine internally and externally, Iron iodide, Mullein, Quebracho, Sundew, Water Fennel.

PLEURITIS (Pleurisy).—Abscess root, Aconite, American Hellebore, Crawley root, Digitalis, Iodine, Jaborandi, Opium, Pleurisy root, Potassium iodide, Squill, Sinapisms, White Bryony.

PNEUMONIA (Inflammation of lung substance).—Aconite, American Hellebore, Ammonium carbonate, Bloodroot, Digitalis, Iodine and iodides, Ipecac, Opium, Phosphorus, Senega, Serpentaria.

POLYURIA.—See Diabetes insipidus.

THERAPEUTIC SUGGESTIONS.

PSORIASIS.—Arsenic, Berberis aquifolium, Burdock seed, Goa powder, Phosphorus, Tar.

PTYALISM (Salivation).—Belladonna, Iodine tincture (gargle), Sulphuric acid dilute (gargle), Potassium chlorate, Potassium iodide.

PUERPERAL CONVULSIONS.—Aconite, American Hellebore, Amyl nitrite, Belladonna, Chloral, Chloroform inhalations, Nitroglycerin.

PUERPERAL FEVER.—Aconite, American Hellebore, Opium, Stramonium, Warburg's Tincture.

PUERPERAL MANIA.—Aconite, Black Cohosh, Iron chloride tincture, Jamaica Dogwood, Potassium bromide, Stramonium.

PYÆMIA (Septicæmia, or blood-poisoning).—Arsenic, Iodine, Potassium permanganate, Quinine, Salicin, Salicylic acid, Stimulants.

PYROSIS (Waterbrash; a hot sensation in the stomach with eruptions of acrid burning liquid causing distressing sensations in the parts over which it passes).—Ajowan, Bismuth with Magnesia, Capsicum, Pulsatilla, Strychnine, Mineral acids.

RACHITIS (Rickets).—Cod-liver oil, Iron iodide, Lime-water, Sweet Fern, Phosphatic foods.

REMITTENT FEVER.—Aconite, Alstonia constricta, American Centaury, Black Cohosh, Button-bush, Canadian Hemp, Gelsemium, Iron succinate, Morphine (hypodermically), Quinine, Serpentaria, Warburg's Tincture,

RHEUMATIC ARTHRITIS.—Aconite (internally and externally). Arsenic, Black Cohosh, Cod-liver oil, Colchicum, Guaiac, Iodine and iodides, Lithium salts, Manaca.

RHEUMATISM.—Aconite, American Hellebore, Arnica, Belladonna, Bitter-sweet, Black Cohosh, Blue Cohosh, Buchu, Burdock, California Laurel, Chaulmoogra oil, Cod-liver oil (internally and externally), Colchicum, Conium, Digitalis, Guaiac, Hydriodic Acid (syrup), Iron chloride tincture, Jaborandi, Kava Kava, Lithium salts, Manaca, Mezereum, Nettle, Poke-root, Poison Oak, Pongamia glabra oil, Potassium bicarbonate, Potassium iodide, Prickly Ash, Pulsatilla, Salicin, Salicylic acid and salicylates, Soapwort, Yellow Parilla, White Bryony.

SCABIES (Itch).—Balsam of Peru, Ichthyol, Stavesacre, Sulphur, Sulphurous acid (gaseous), Tar ointment.

SCARLATINA (Scarlet fever).—Aconite, Ammonium carbonate, Chlorinated Soda solution in sloughing, Digitalis, Iron chloride tincture, Potassium chlorate, Potassium iodide, Potassium permanganate (internally and also locally to the throat), Quinine, Sodium benzoate, Sulphurous acid inhalation.

SCIATICA.—Aconite, Belladonna (or preferably Atropine with Morphine hypodermically), Black Cohosh, Chloroform (intra-muscular injections), Cocaine hypodermically, Guaiac, Iodides, Osmic acid, Poison Oak, Tonga, Aquapuncture, Acupuncture.

THERAPEUTIC SUGGESTIONS.

- SCROFULOSIS.**—American Sarsaparilla, Bayberry, *Berberis aquifolium*, Bittersweet, Black Walnut, Burdock, Button-snake root, Carpenter's Square, Carrion flower, Cod-liver oil, Eulachon oil, False Bitter-sweet, Hoang-nan, Iodides, Mezereum, Mountain Laurel, Poke-root, Prickly Ash bark, Red Clover tops, Sarsaparilla, Soapwort, *Stillingia*, Tag Alder, Turkey-corn, Twin-leaf, Water Eryngo, White Pond-lily, Yellow Dock, Yellow Parilla.
- SPERMATORRHOEA.**—Belladonna, Black Cohosh, Black Willow, *Cantharides*, Conium, Damiana, *Digitalis*, Gelsemium, Helonias, Hops, Hygienic measures, Hypophosphites, Indian Hemp, Kava Kava, Potassium bromide, Star-grass, Strychnine.
- SPLEEN, ENLARGED.**—Arsenic and Mercury iodide, Bearsfoot, Belladonna, Bitter Bugleweed, Ergot, *Grindelia squarrosa*, Iodine, Quinine.
- SPRAINS.**—Aconite, Ammonium chloride, Arnica, Mugwort, Witch-hazel (distilled extract).
- STERILITY.**—Damiana, Gold chloride, Hypophosphites.
- STOMATITIS.**—Bismuth subcarbonate, Blackberry, Cranesbill, Eucalyptus, Golden-seal, Potassium chlorate in solution, Rhatany, Compressed tablets,—Borax, Potassium chlorate, Potassium chlorate and Borax.
- SYCOSIS** (Barber's Itch.) Boracic acid locally, Donovan's Solution internally, Mercurial ointment or oleate externally, Sodium sulphite lotion.
- SYNCOPE** (Diminution or suspension of the heart's action, accompanied with cessation of respiration, and loss of sensation).—Ammonia (internally or inhaled), Amyl nitrite, Atropine hypodermically, Stimulants.
- SYPHILIS.**—Bamboo Brier, *Berberis aquifolium*, Burdock, Carnauba, Caroba, Cascara amarga, Iodides, Manaca, Mercurials, Mountain Laurel, Poke-root, Pulsatilla, *Stillingia*, Syrup Trifolium comp., White Indian-hemp, Yellow Dock, Yellow Parilla, Yerba Buena.
- TETANUS.**—Aconite, Amyl nitrite, Belladonna, Calabar bean, Chloral, Curare, Gelsemium, Henbane, Hoang-nan, Indian Hemp, Potassium bromide, Strychnine.
- TIC DOULOUREUX** (Neuralgia of the branches of the fifth pair of nerves).—Aconite, Black Cohosh, Gelsemium, Phosphorus, Pink-root, Tonga (also see neuralgia).
- TONSILLITIS.**—Aconite, Gargles (Alum, Tannin or Capsicum), Guaiac, Silver nitrate (locally), Compressed tablets of Ammonium chloride or Potassium chlorate.
- TYPHOID FEVER.**—American Hellebore, Arnica, Belladonna, Boneset, Cinchona, *Digitalis*, Ergot, Golden-seal (for excessive sweating), Ipecac, Nitro-hydrochloric acid, Potassium bromide, *Serpentaria*, Turpentine, Wild Indigo, Scalded-milk diet.

THERAPEUTIC SUGGESTIONS.

ULCERS.—*Systemetic remedies:* Arsenic, Belladonna, Golden-seal Syrup Trifolium, comp.; *Local remedies:* Chlorinated soda solution, Poke-root, Potassium chlorate, Witch-hazel (distilled extract), Zinc sulphate, Zinc chloride (a very strong caustic.)

URÆMIA.—Colchicum, Digitalis, Hydragogue and Saline cathartics, Manaca, Diaphoresis, Transfusion.

URTICARIA (Hives).—Acetic or Nitric acid, largely diluted as a lotion, Benzoin compound tinct. externally, Sodium salicylate, Strychnine.

UVULA, RELAXED.—Bistort, Cranesbill, etc. (diluted as gargles); Lozenges of Alum and Kino, Rose-leaf and Tannin.

VARICOSIS (Varicose or enlarged and tortuous condition of veins).—Bandaging, Ergot, Witch-hazel (distilled extract).

VARIOLA (Small-pox).—*Systematic remedies:* Belladonna, Black Cohosh, Quinine; *Externally:* Tincture of Iodine, Mercurial ointment, Collodion, Silver nitrate solution (20 grains to the fluidounce.)

VERTIGO.—Bromides, Cod-liver oil, Coccus Indicus, Digitalis, Skunk Cabbage, Strychnine with Iron.

VOMITING.—Aconite, Adrue, Arsenic, Bismuth subcarbonate, Capsicum, Cerium oxalate, Golden-seal, Hydrocyanic acid, Quinine, Stavesacre.

OBSTETRIC CALENDAR.

NINE CALENDAR MONTHS.			TEN LUNAR MONTHS	
FROM.	TO	DAYS.	TO	DAYS.
January 1	September.... 30	273	October..... 7	280
February 1	October 31	273	November..... 7	280
March 1	November 30	275	December 5	280
April 1	December..... 31	275	January 5	280
May..... 1	January 31	276	February..... 4	280
June..... 1	February 28	273	March..... 7	280
July 1	March 31	274	April..... 6	280
August 1	April 30	273	May..... 7	280
September..... 1	May 31	273	June..... 7	280
October 1	June..... 30	273	July 7	280
November 1	July 31	273	August..... 7	280
December..... 1	August 31	274	September.... 6	280

The above calendar may be read as follows: a patient has ceased to menstruate on the 1st of July; her confinement may be expected at soonest, about the 31st of March, [*the end of the nine calendar months*] or at latest, on the 6th of April [*the end of ten lunar months*]. Another has ceased to menstruate on the 20th of January, her confinement may be expected on the 30th of September, plus 20 days [*the end of nine calendar months*], at soonest; or on the 7th of October, plus 20 days, [*the end of ten lunar months,*] at latest.

POISONS AND ANTIDOTES.


—:—

Stomach pump to be employed when available.


POISON.	ANTIDOTE.
ACIDS, MINERAL.....	{ Chalk, magnesia, (plaster off wall in emergency), solution of carbonate of soda, emollient drinks, fixed oils.
ACONITE.....	{ Emetics, stimulants externally and internally.
ANTIMONY TARTRATE....	{ Vegetable acids, tannic acid, catechu.
ARSENIC.....	{ Moist peroxide of iron (per chloride of iron and calcined magnesia), elix. succinate of iron, dialyzed iron, charcoal, ammonia, artificial respiration, cold affusion.
ATROPINE.....	See BELLADONNA.
ARGENTI NIT.(silver nitrate)	{ Solution of common salt in demulcent fluid.
BELLADONNA.....	{ Emetics, cold to head, active cathartics, ammonia and other stimulants externally and internally, Opium.
CANNABIS INDICA.....	See INDIAN HEMP.
CANTHARIDES.....	{ Emetics, emollient drinks, opiates by mouth and rectum, followed by 15 grain doses oil eucalyptus or parsley.
CARBOLIC ACID.....	{ Fixed oils.
CHLOROFORM INHALATION	{ Artificial respiration, galvanism of pneumogastric and through diaphragm, brandy and ammonia enemata, amyl nitrite inhalation.
COLCHICUM.....	{ Emetics followed by demulcent drinks; if coma supervene, brandy, ammonia, coffee.
CONIUM	{ Emetics, followed by stimulants externally and internally.
CORROSIVE SUBLIMATE...	{ Albumen (white of 1 egg to 4 grs. of sublimate), flour, milk, protochloride of tin.
CROTON OIL.....	{ Emetics, followed by mucilaginous fluids containing opium.
COPPER SULPH.....	Albumen or white of egg.
DIGITALIS	{ Recumbent posture after emetics, stimulants internally and externally.
ELATERIUM	{ Demulcent drinks and enemata, small doses of opium, and the warm bath.
FOXGLOVE	See DIGITALIS.

POISONS AND ANTIDOTES.

POISON.	ANTIDOTE.
HYDROCYANIC ACID.....	{ Artificial respiration, with cold affusion, fresh precipitated oxide of iron with alkaline carbonate, elixir iron succinate.
HYOSCYAMUS	{ Emetics, stimulants externally and internally, lemon juice.
INDIAN HEMP.....	{ Faradization of respiratory muscles and strychnine cautiously; rarely fatal.
IODINE.....	{ Emetics and demulcent drinks,—starch or flour diffused in water.
LEAD SALTS.....	{ Sulphate or phosphate of soda, Epsom salts, succeeded by emetics, Hunyadi water, afterwards opium and milk.
LOBELIA.....	{ Stimulants externally and internally.
MORPHINE	Same as OPIUM.
NUX VOMICA.....	{ Enema, 1-2 oz. tobacco to 20 oz. boiling water, given until spasms abate; nicotine, one drop in warm sherry and water; vinegar.
OPIUM	{ Emetic, stimulants externally and internally, strong coffee, cold affusion, galvanism, artificial respiration, forced prolonged and active exercise, belladonna or atropine.
TOBACCO.....	{ Emetic, stimulants externally and internally, strychnine.
ZINC SALTS.....	{ Carbonate of soda, emetics, warm demulcent drinks.



APPENDIX.



SUGAR COATED AND GELATIN COATED PILLS.

OVIFORM.

The following pills are made entirely by hand, from the purest materials and are coated by a method avoiding the application of any degree of heat which could impair their efficacy.

We direct special attention to the homogeneous character and ready solubility of the mass.

Some pills are intentionally made of a firm consistence, in order to insure their permanency, but this condition does not impair the solubility of the mass, as the excipient employed is readily dissolved, especially by the gastric juice.


For superiority of finish and uniformity of coating, our pills are unexcelled. *Particular attention is directed to the absence of the unsightly needle holes in our gelatin-coated pills, and the perfect protection from deleterious atmospheric influences to the mass, secured by the employment of a new process of manufacturing, which enables us to completely envelope the pill in a gelatin coating.*

The formula in each instance is strictly followed, irrespective of cost, and the entire process conducted under scientific management, and by improved methods.

Particular care is taken to ensure the preservation of the drug.

They are put up for the market in bottles of 100 to 500 pills each, *excepting a few pills of Rare Alkaloids*, which are put up in bottles of 25 each, as noted in each instance.

Please refer also to our new line of Enteric Pills, i.e., pills so coated as to pass the stomach intact and be dissolved in the duodenum or intestinal tract.

 *Special quotations for pills of special formulas or for pills in bulk.*

The doses given below are minimum and maximum, the first column being the former and the second the latter. When only one dose is given, it may be increased, provided it is found in the first column; *but not if found in the second.*

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A	B
			Per Bot. of 100.	Per Bot. of 500.
1	Acetanilid, 4 gr.....	1 to 2	\$ 40	\$ 1 85
2	Aconite Ext., 1-4 gr. (<i>of the leaves</i>).....	1 to 4	20	85
3	Aconite Ext., 1-2 gr. (<i>of the leaves</i>).....	1 to 2	25	1 10
4	Aconite Ext., 1 gr. (<i>of the leaves</i>).....	2	30	1 35
5	Aconitine, cryst., 1-200 gr.....	1 to 2	25	1 10
6	Aconitine, cryst., 1-500 gr.....	1 to 5	25	1 10

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
7	Adonidin, 1-10 gr., (per bot. of 25 each, \$1) Gelatin-coated only.	1 to 4	\$ 3 80	\$
8	Ague..... Chinoidin, 2 gr. Ext. Coloc. co., 1-3 gr. Oleoresin Black Pepper, 1-6 gr. Iron sulph. exsic., 1-2 gr.	2 to 4	40	1 85
9	Ague, Improved..... Cinchonidine sulph., 1 gr. Xanthoxylin, 1 gr. Gelsemperin, 1-16 gr. Powd. Capsicum, 1-16 gr.	2 to 4	50	2 35
10	Aloes Purified Aloes, 2 gr. Soap, 2 gr.	1 to 2	25	1 10
11	Aloes and Asafetida..... Purified Aloes, 1 1-3 gr. Soap, 1 1-3 gr. Asafetida, 1 1-3 grain.	2 to 5	25	1 10
291	Aloes and Ext. Gentian, see Gentian Co..	2 to 4	30	1 35
12	Aloes and Iron, R "A"[see also Iron and Aloes]..... Purified Aloes, 1 gr. Iron sulph. exsic., 1 gr. Jam. Ginger, 1-2 gr. Ext. Conium fruit, 1-2 gr.	2 to 3	30	1 35
13	Aloes and Iron, R "B"..... Purified Aloes, 1 gr. Iron sulph. exsic., 1 gr. Aromatic Powder, 1 gr. Confection Rose, q. s.	2 to 3	25	1 10
14	Aloes and Mastic..... Purified Aloes, 2 gr. Mastic, 1-2 gr. Powd. Red Rose, 1-2 gr.	1 to 2	30	1 35
15	Aloes and Myrrh..... Purified Aloes, 2 gr. Myrrh, 1 gr. Aromatic Powder, 1-2 gr.	2 to 5	25	1 10
16	Aloes, Myrrh and Iron..... Powd. Aloes Soc., 2 gr. Powd. Myrrh, 1 gr. Iron Sulph. exsic., 1 gr.	2 to 4	25	1 10
17	Aloes and Nux Vomica. Purified Aloes, 1 1-2 gr. Ext. Nux Vomica, 1-2 gr.	1 to 2	30	1 35
18	Aloes, Nux Vomica and Belladonna..... Purified Aloes, 1 1-2 gr. Ext. Nux Vomica, 1-2 gr. Ext. Belladonna, 1-8 gr.	1 to 2	35	1 60
10	Aloetic, see Aloes.....	1 to 2	25	1 10
19	Aloin, 1-10 gr.....	1 to 10	20	85
20	Aloin, 1-5 gr.....	1 to 5	25	1 10
21	Aloin, 1-4 gr.....	1 to 4	25	1 10
22	Aloin, 1-2 gr.....	1 to 2	35	1 60

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
23	Aloin, 1 gr.....	1	\$ 60	\$ 2 85
24	Aloin Comp..... Aloin, 1-8 gr. Podophyllin, 1-8 gr. Ext. Belladonna, 1-4 gr.	1 to 2	30	1 35
25	Aloin Comp. and Strychnine..... Aloin, 1-8 gr. Podophyllin, 1-8 gr. Ext. Belladonna, 1-8 gr. Strychnine, 1-80 gr. Oleoresin Capsicum 1-10 gr.	1 to 2	45	2 10
26	Aloin and Strychnine..... Aloin, 1-5 gr. Strychnine, 1-60 gr.	1 to 2	40	1 85
27	Aloin, Strychnine and Belladonna, R 1.. Aloin, 1 5 gr. Strychnine, 1-60 gr. Ext. Belladonna, 1-8 gr.	1 to 2	40	1 85
28	Aloin, Strychnine and Belladonna, R 2.. Aloin, 1-10 gr. Strychnine, 1-50 gr. Ext. Belladonna, 1-6 gr.	1 to 2	40	1 85
755	Aloin, Strychnine and Belladonna, R 3.. Aloin, 1-5 gr. Strychnine, 1-120 gr. Ext. Belladonna, 1-8 gr.	1 to 2	40	1 85
29	Aloin, Strychnine and Belladonna Comp.. Aloin, 1-5 gr. Ext. Belladonna, 1-8 gr. Strychnine, 1-60 gr. Ext. Cascara sag., 1-2 gr.	1 to 2	50	2 35
362	Aloin, Strych., Belladonna, and Ipecac, (See Lapactic).....	1 to 2	40	1 85
30	Alterative Blue Mass, 1 gr. Powdered Ipecac, 1-8 gr. Powdered Opium, 1-8 gr.	1 to 3	25	1 10
31	Alterative Compound Extract..... Ext. Bamboo-brier, 2-3 gr. Ext. Stillingia, 2-3 gr. Ext. Prickly Ash bark, 1-3 gr. Ext. Poke root, 2-3 gr. Ext. Burdock root, 2-3 gr.	3	50	2 35
32	Aluminium Comp. (<i>S. C. only</i>)..... Metallic aluminium, 1 gr. Hydrate aluminium, 5-8 gr. Calcium carb., 5-8 gr.	1 to 2	1 50	7 35
33	Ammonium bromide, 1 gr. (<i>S. C. only</i>)...	1	45	2 10
34	Ammonium chloride, 3 gr. (<i>S. C. only</i>)...	1	30	1 35
35	Ammonium picrate, 1-8 gr.....	1 to 24	25	1 10
36	Ammonium picrate, 1-4 gr.....	1 to 12	30	1 35
37	Ammonium picrate, 1-2 gr.....	1 to 6	35	1 60
38	Ammonium picrate, 1 gr.....	1 to 3	45	2 10
39	Ammonium picrate, 2 gr.....	1	60	2 85

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
40	Ammonium picrate, 3 gr.....	1	\$ 75	\$ 3 60
41	Ammonium valerianate, 1 gr. (<i>S. C. only</i>)	1 to 4	40	1 85
42	Anderson's Scot's	2 to 5	25	1 10
	Purified Aloes, 1 3-5 gr.			
	Powdered Colocynth, 4-15 gr.			
	Powdered Gamboge, 1-15 gr.			
	Powdered Soap, 1-15 gr.			
	Oil Anise, 1-30 gr.			
43	Anodyne.....	1 to 2	45	2 10
	Ext. Hyoscyamus, 1 gr.			
	Camphor, 1 gr.			
	Oleoresin Capsicum, 1-20 gr.			
	Morphine acetate, 1-20 gr.			
44	Anthelmintic.....	1 to 2	55	2 60
	Santonin, 1 gr.			
	Calomel, 1 gr.			
45	Anthemis Ext., 2 grs.....	2 to 5	40	1 85
46	Anti-Bilious.....	2 to 3	40	1 85
	Ext. Coloc. Comp., 2 1-2 gr.			
	Podophyllin, 1-4 gr.			
47	Anti-Chill.....	1 to 2	40	1 85
	Chinoidin, 1 gr.			
	Iron ferrocyanide, 2 gr.			
	Arsenious acid, 1-20 gr.			
	Oleoresin Black Pepper, 1 gr.			
48	Anti-Constipation, Brundage's.....	1 to 3	40	1 85
	Podophyllin, 1-10 gr.			
	Ext. Nux-vomica, 1-4 gr.			
	Powd. Capsicum, 1-4 gr.			
	Ext. Belladonna, 1-10 gr.			
	Ext. Hyoscyamus, 1-4 gr.			
49	Anti-Constipation, Carson's (<i>G. C. only</i>)..	1 to 2	60	2 85
	Ext. Cascara sagrada, 1 gr.			
	Ext. Rhubarb, 1 gr.			
	Ext. Nux-vomica, 1-4 gr.			
	Aloin, 1-3 gr.			
50	Anti-Constipation, Goss'.....	1 to 3	40	1 85
	Podophyllin, 1-4 gr.			
	Ext. Coloc., 1-4 gr.			
	Ext. Butternut, 1-2 gr.			
	Ext. Nux-vomica, 1-8 gr.			
	Ext. Hyoscyamus, 1-8 gr.			
	Ext. Gentian, 1-4 gr.			
	Ext. Cascara sagrada, 1-4 gr.			
	Powd. Canadian Hemp, 1-2 gr.			
51	Anti-Constipation, Palmer's.....	1 to 2	35	1 60
	Purified Aloes, 1 gr.			
	Ext. Hyoscyamus, 1 gr.			
	Ext Nux-vomica, 1-3 gr.			
	Powd. Ipecac, 1-10 gr.			
149	Anti-Dyspeptic, Fothergill's, see Carmina- tive	1	45	2 10
754	Anti-Dyspeptic, Fothergill's Modified, see Carminative Modified.....	1 to 3	45	2 10

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A	B
			Per Bot. of 100.	Per Bot. of 500.
52	Anti-Dyspeptic Strychnine, 1-40 gr. Ext. Belladonna, 1-10 gr. Powd. Ipecac, 1-10 gr. Blue Mass, 2 gr. Ext. Coloc. co., 2 gr.	1 to 2	\$ 35	\$ 1 60
53	Anti-Epileptic..... Iron ferrocyanide, 1-2 gr. Quinine valerianate, 1 gr. Zinc valerianate, 1-2 gr. Ext. Valerian, 1 gr.	1	1 40	6 85
54	Antimony Comp., (Plummer's Pills)..... Sulphurated Antimony, 1-2 gr. Calomel, 1-2 gr. Powd. Guaiac, 1 gr.	1 to 2	30	1 35
55	Anti-Malarial, McCaw's..... Quinine sulphate, 1 gr. Iron sulphate exsic., 1-4 gr. Gelsemperin, 1-4 gr. Arsenious Acid, 1-80 gr. Podophyllin, 1-4 gr. Oleoresin Black Pepper, 1-16 gr.	1 to 3	1 00	4 85
56	Anti-Periodic..... Cinchonidine sulph., 1 gr. Iron sulph. exsic., 1-2 gr. Podophyllin, 1-20 gr. Strychnine sulph., 1-33 gr. Gelsemperin, 1-20 gr. Oleoresin Capsicum. 1-10 gr.	1 to 2	45	2 10
57	Anti-Syphilitic (<i>S. C. only</i>)..... Potass. iodide. 2 1-2 gr. Corrosive Sublimate, 1-40 gr.	1 to 3	65	3 10
58	Aperient..... Ext. Nux-vomica, 1-3 gr. Ext. Coloc. co., 2 gr. Ext. Hyoscyamus, 1-2 gr.	1 to 2	50	2 35
59	Aperient, Bauer's..... Ext. Hyoscyamus, 1-2 gr. Potass. and Sodium tart., 1 1-2 grs. Ext. Coloc. co., 1 gr. Ext. Aloes, 1 gr.	1 to 3	45	2 10
60	Aperient, Drysdale's..... Powd. Rhubarb, 1 1-4 gr. Powd. Ipecac, 5-12 gr. Purified Aloes, 1 1-4 gr. Powd. Nux-vomica, 1-2 gr.	1 to 2	35	1 60
61	Aperient Granules..... Podophyllin, 1-4 gr. Aloin, 1-10 gr. Ext. Nux-vomica, 1-10 gr. Oleoresin Capsicum, 1-40 gr.	1 to 3	25	1 10
62	Aperient, Mild..... Ext. Coloc. co., 1-2 gr. Ext. Hyoscyamus, 5-6 gr. Powd. Rhubarb, 2 gr. Oil Caraway, 1-20 gr.	1 to 2	35	1 60

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
477	Aphrodisiac, see Phosphorus, Nux-vomica and Damiana.....	1 to 4	\$ 1 00	\$ 4 85
63	Aphrodisiac Comp..... Ext. Coca, 1 gr. Cinchonidine sulph., 1-2 gr. Phosphorus, 1-200 gr. Ext. Nux-vomica, 1-8 gr. Iron bromide, 1 gr.	1 to 3	90	4 35
64	Apocynum Ext., 2 gr.....	1 to 2	40	1 85
805	Arsenic sulphide, 1-100 gr.....	1 to 3	20	85
806	Arsenic sulphide, 1-60 gr.....	1 to 2	20	85
65	Arsenious acid, 1-100 gr.....	1 to 10	20	85
66	Arsenious acid, 1-60 gr.....	1 to 6	20	85
67	Arsenious acid, 1-50 gr.....	1 to 5	20	85
68	Arsenious acid, 1-40 gr.....	1 to 4	20	85
69	Arsenious acid, 1-32 gr.....	1 to 3	20	85
70	Arsenious acid, 1-30 gr.....	1 to 3	20	85
71	Arsenious acid, 1-20 gr.....	1 to 2	20	85
72	Arsenious acid, 1-12 gr.....	1	20	85
73	Asafetida, 1-gr.....	2 to 15	20	85
74	Asafetida, 2 gr.....	1 to 8	25	1 10
75	Asafetida, 3 gr..... Asafetida, 3 gr. Powd Soap, 1 gr.	1 to 5	25	1 10
76	Asafetida, 4 gr.....	1 to 4	25	1 10
77	Asafetida, 5 gr. (<i>G. C. only</i>).....	1 to 3	35	1 60
78	Asafetida Comp..... Opium, 4-5 gr. Asafetida, 4-5 gr. Ammonium carb., 4-5 gr.	1 to 2	45	2 10
79	Asafetida and Iron..... Asafetida, 2 gr. Iron sulph., exsic., 1 gr.	2 to 5	25	1 10
80	Asafetida and Nux-vomica..... Asafetida, 3 gr. Ext. Nux-vomica, 1-4 gr.	1 to 2	35	1 60
81	Asafetida and Rhubarb..... Asafetida, 1 gr. Powd. Rhubarb, 1 gr. Iron by hydrogen, 1 gr.	2 to 4	40	1 85
82	Atropine, 1-120 gr.....	1 to 2	30	1 35
83	Atropine, 1-100 gr.....	1 to 2	30	1 35
84	Atropine, 1-60 gr.....	1	40	1 85
85	Ballou..... Ext. Coloc. co., 1 gr. Ext. Jalap, 1 gr. Calomel, 1 gr. Powd. Ipecac, 1-8 gr.	1 to 2	45	2 10
86	Belladonna Ext., 1-8 gr.....	1 to 8	25	1 10
87	Belladonna Ext., 1-4 gr.....	1 to 4	25	1 10
88	Belladonna Ext., 1-2 gr.....	1 to 2	30	1 35

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A	B
			Per Bot. of 100.	Per Bot. of 500.
89	Belladonna Ext., 1 gr.....	1	\$ 35	\$ 1 60
90	Berberine hydrochlorate, 1 gr.....	1 to 4	95	4 60
91	Berberine sulphate, 2 gr.....	1 to 2	1 50	7 35
92	Berberine and Podophyllin..... Berberine sulphate, 1-4 gr Podophyllin, 1-20 gr.	1 to 4	50	2 35
93	Berberis Aquifolium Ext., 3 gr.....	1 to 3	45	2 10
94	Berberis Comp..... Ext. Berberis aquifol., 2 gr. Ext. Cascara sagrada, 1 gr.	1 to 2	45	2 10
95	Bilious, Junge's..... Manganese iod., 1-2 gr. Leptandrin, 3-10 gr. Juglandin, 3-10 gr, Sanguinariin, 1-5 gr. Ext. Hyoscyamus, 3-5 gr.	1 to 3	45	2 10
96	Bilious, Wann's..... Ext. Coloc. co., 1 gr. Podophyllin, 1-4 gr. Ext. Jalap, 1-4 gr. Ext. Hyoscyamus, 1-8 gr. Powd. Capsicum, 1-4 gr.	1 to 3	30	1 35
97	Bismuth and Ignatia..... Bismuth subnitrate, 4 gr. Ext. Ignatia bean, 1-4 gr.	1 to 2	75	3 60
98	Bismuth and Nux-vomica..... Bismuth subnitrate, 5 gr. Ext. Nux-vomica, 1-2 gr.	1 to 2	80	3 85
99	Bismuth subcarbonate, 3 gr.....	1	55	2 60
100	Bismuth subnitrate, 2 gr.....	1	40	1 85
101	Bismuth subnitrate, 3 gr.....	1	45	2 10
102	Black Haw Ext., 3 gr.....	1 to 3	35	1 60
103	Black Hellebore Ext., 1 gr.....	1 to 4	40	1 85
104	Blennorrhagic, (<i>S. C. only</i>)..... Ext. Hops, 3-4 gr. Podophyllin, 1-8 gr. Turpentine, 1 1-2 gr. Camphor monobromated, 3-4 gr.	1 to 2	65	3 10
105	Blue Mass, 1-2 gr.....	1 to 20	20	85
106	Blue Mass, 1 gr.....	1 to 10	20	85
107	Blue Mass, 2 gr.....	1 to 5	20	85
108	Blue Mass, 3 gr.....	1 to 3	25	1 10
109	Blue Mass, 5 gr.....	1 to 2	30	1 35
110	Blue Mass Compound..... Blue Mass, 1 gr. Powd. Ipecac, 1-4 gr. Powd. Opium, 1-2 gr.	1 to 3	45	2 10
510	Blue and Podoph., see Podoph. and Blue.	1 to 3	30	1 35
111	Caffeine citrate, 1 gr.....	1 to 3	40	1 85
796	Caffeine citrate, 2 grs	1	70	3 35
112	Calabar bean Ext., 1-12 gr.....	1 to 2	35	1 60
113	Calcium sulphide, 1-20 gr.....	1 to 60	25	1 10

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A	B
			Per Bot. of 100.	Per Bot. of 500.
114	Calcium sulphide, 1-10 gr.....	1 to 30	\$ 30	\$ 1 35
115	Calcium sulphide, 1-8 gr.....	1 to 24	30	1 35
116	Calcium sulphide, 1-5 gr.....	1 to 15	30	1 35
117	Calcium sulphide, 1-4 gr.....	1 to 12	30	1 35
118	Calcium sulphide, 1-2 gr.....	1 to 6	30	1 35
119	Calcium sulphide, 1 gr.....	1 to 3	35	1 60
120	Calcium sulphide, 2 gr.....	1	40	1 85
121	Calcium sulphide, 3 gr.....	1	45	2 10
122	Calisaya Alkaloids.....	1 to 2	50	2 35
	Quinine sulph., 1-2 gr.			
	Cinchonine sulph., 1-2 gr.			
	Quinidine sulph., 1-2 gr.			
	Cinchonidine sulph., 1-2 gr.			
123	Calomel, 1-10 gr.....	1 to 100	20	85
124	Calomel, 1-4 gr.....	1 to 40	20	85
125	Calomel, 1-2 gr.....	1 to 20	20	85
126	Calomel, 1 gr.....	1 to 10	20	85
127	Calomel, 2 gr.....	1 to 5	25	1 10
128	Calomel, 3 gr.....	1 to 3	25	1 10
129	Calomel, 5 gr.....	1 to 2	35	1 60
130	Calomel Compound.....	2 to 3	30	1 35
	Calomel, 3-4 gr.			
	Resin Guaiac, 1 1-2 gr.			
	Sulphurated Antimony, 3-4 gr.			
131	Calomel and Ext. Coloc. co.....	2 to 3	45	2 10
	Calomel, 1 gr.			
	Ext. Coloc. co., 2 1-2 gr.			
132	Calomel and Opium	1	50	2 35
	Calomel, 2 gr.			
	Opium, 1 gr.			
133	Calomel and Rhubarb.....	1	40	1 85
	Calomel, 1-3 gr.			
	Ext. Rhubarb, 1-2 gr.			
	Ext. Coloc. co., 1-2 gr.			
	Ext. Hyoscyamus, 1-6 gr.			
134	Camphor Comp.....	1	50	2 35
	Camphor, 1 gr.			
	Powd. Opium, 1 gr.			
	Powd. Kino, 1 gr.			
	Ext. Capsicum, 1-16 gr.			
135	Camphor and Hyoscyamus.....	1 to 2	30	1 35
	Camphor, 1 gr.			
	Ext. Hyoscyamus, 1 gr.			
136	Camphor monobromated, 1 gr.....	1 to 10	45	2 10
137	Camphor monobromated, 2 gr.....	1 to 5	75	3 60
138	Camphor monobromated, 3 gr.....	1 to 3	1 00	4 85
785	Camphor monobromated, 5 gr.....	1 to 2	1 25	6 10
139	Camphor and Opium.....	1	50	2 35
	Camphor, 2 gr.			
	Powd. Opium, 1 gr.			

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A	B
			Per Bot. of 100.	Per Bot. of 500.
140	Camphor, Opium and Hyoscyamus..... Camphor, 1 gr. Powd. Opium, 1-2 gr. Ext. Hyoscyamus, 1 gr.	1 to 2	\$ 40	\$ 1 85
141	Camphor, Opium and Lead acetate..... Camphor, 1 gr. Opium, 1 gr. Lead Acetate, 1 gr.	1	50	2 35
142	Camphor, Opium and Tannin..... Camphor, 1 gr. Opium, 1-4 gr. Tannin, 2 gr.	1 to 3	35	1 60
143	Camphor, Valerian and Hyoscyamus..... Camphor, 1 gr. Powd. Valerian, 1-2 gr. Ext. Hyoscyamus, 1-2 gr.	1 to 3	35	1 60
144	Cannabis Indica Ext., 1-4 gr.....	1 to 4	35	1 60
145	Cannabis Indica Ext., 1-2 gr.....	1 to 2	55	2 60
146	Cannabis Indica, Ext., 1 gr.....	1	95	4 60
147	Capsicum, 1 gr.....	1 to 3	35	1 60
148	Capsicum Ext., 1-2 gr.....	1 to 2	45	2 10
149	Carminative..... Strychnine, 1-20 gr. Powd. Ipecac, 2-3 gr. Powd. Black Pepper, 1 1-2 gr. Ext. Gentian, 1 gr.	1	45	2 10
754	Carminative, Modified (<i>G. C. only</i>)..... Strychnine sulph., 1-50 gr. Powd. Black Pepper, 1 1-4 gr. Oil Cloves, 1-20 gr. Powd. Ipecac, 2-3 gr. Ext. Gentian, 1 gr.	1 to 3	45	2 10
150	Cascara Comp. Pellets, D'Ary's..... Ext Cascara sagrada, 4-15 gr. Ext. Belladonna, 1-60 gr. Oleoresin Capsicum, 1-20 gr. Ext. Nux vomica., 1-30 gr. Euonymin, 1-5 gr. Xanthoxylin, 4-15 gr.	5 to 10	60	2 85
151	Cascara sagrada Ext., 1 gr ..Lax. 2 to 4, Cath. 4 to 8		30	1 35
152	Cascara sagrada Ext., 2 gr...Lax. 1 to 2, Cath. 2 to 4		40	1 85
153	Cascara sagrada Ext., 3 gr...Lax. 1, Cath. 2		50	2 35
154	Cascara sagrada and Nux vomica..... Ext. Cascara sagrada, 2 gr. Ext. Nux vomica, 1-5 gr.	1 to 2	60	2 85
155	Cascara sagrada, Nux vomica and Bella- donna..... Ext. Cascara sagrada, 2 gr. Ext. Nux vomica, 1-8 gr. Ext. Belladonna, 1-16 gr.	1 to 2	60	2 85
156	Catarrh, Hager's..... Quinidine sulph., 3-8 gr. Cinchonidine sulph., 3-8 gr. Powd. Gentian, 1-4 gr. Powd. Red Sandalwood, 1-12 gr. Hydrochloric acid, 1-4 gr.	2 to 6	45	2 10

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
157	Cathartic Comp., Cholagogue..... Podophyllin, 1-2 gr. Ext. Hyoseyamus, 1-8 gr. Oleoresin Capsicum, 1-8 gr. Blue Mass, 1-4 gr. Ext. Nux vomica, 1-16 gr.	1 to 2	\$ 30	\$ 1 35
158	Cathartic Comp. Granules, 3-4 gr..... Jalapin, 1-16 gr. Leptandrin, 1-16 gr. Aloin, 1-8 gr. Podophyllin, 1-4 gr. Powd. Gamboge, 1-32 gr. Powd. Capsicum, 1-64 gr. Ext. Hyoseyamus, 1-8 gr. Oil Peppermint, 1-128 gr.	1 to 4	25	1 10
159	Cathartic Comp. Granules, R 2..... Aloin, 1-10 gr. Jalapin, 1-10 gr. Podophyllin, 1-5 gr. Ext. Nux vomica, 1-20 gr. Ext. Hyoseyamus, 1-20 gr. Oleoresin Capsicum, 1-20 gr.	1 to 3	25	1 10
160	Cathartic Comp., Improved..... Ext. Coloc. co., 1 gr. Ext. Jalap, 1-2 gr. Podophyllin, 1-4 gr. Ext. Gentian, 1-2 gr. Leptandrin, 1-4 gr. Ext. Hyoseyamus, 1-4 gr. Oil Peppermint, q. s.	2 to 4	25	1 10
161	Cathartic Comp., Mild..... Ext. Coloc. co., 1 gr. Jalap res., 1-2 gr. Calomel, 1-2 gr. Gamboge, 1-4 gr. Ext. Hyoseyamus, 1-2 gr. Oil Peppermint, q. s.	1 to 2	25	1 10
162	Cathartic Comp., Modified..... Ext. Coloc. co., 1 gr. Ext. Jalap, 3-4 gr. Calomel, 3-4 gr. Powd. Gamboge, 1-6 gr. Powd. Rhubarb, 1-2 gr. Powd. Jam. Ginger, 1-4 gr.	1 to 4	30	1 35
163	Cathartic Comp., U. S. P.....at night Ext. Coloc. co., 1 3-10 gr. Ext. Jalap, 1 gr. Calomel, 1 gr. Powd. Gamboge, 1-4 gr.	1 to 3	25	1 10
164	Cathartic Comp. Vegetable Ext. Coloc., 1-3 gr. Podophyllin, 1-4 gr. Powd. Soap, 1-8 gr. Powd. resin Scammony, 1-3 gr. Powd. Cardamom, 1-8 gr. Purified Aloes, 1 1-4 grs.	1 to 3	30	1 35
165	Caulophyllin, 1-8 gr.....	1	25	1 10
166	Cerium oxalate, 1-4 gr.....	1 to 20	80	1 35

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A	B
			Per Bot. of 100.	Per Bot. of 500.
167	Cerium oxalate, 1 gr.....	1 to 5	\$ 75	\$ 3 60
168	Cerium oxalate, 2 gr.....	1 to 3	1 00	4 85
801	Chalybeate Comp., Improved (Jarvis')... Ext. Nux vomica, 1-10 gr. Iron sulph. exsic., 1 1-2 grs. Potassium carbon., 1 1-2 grs.		30	1 35
169	Charcoal willow, 3 gr.....	1	35	1 60
170	Chimaphila Ext., 3 gr.....	1 to 3	45	2 10
171	Chinoidin, 1-2 gr.....	1 to 20	20	85
172	Chinoidin, 1 gr.....	1 to 10	25	1 10
173	Chinoidin, 2 gr.....	1 to 5	30	1 35
174	Chinoidin, 3 gr.....	1 to 3	35	1 60
175	Chinoidin Comp..... Chinoidin, 2 grs. Piperine, 1-2 gr. Iron sulph. exsic., 1 gr.	1 to 2	50	2 35
176	Cholagogue..... Podophyllin 1-4 gr. Ext. Hyoscyamus, 1-2 gr. Powd. Capsicum, 1-4 gr. Purified Aloes, 1 gr. Powd. Rhubarb, 1 gr.	1 to 3	35	1 60
177	Cimicifugin, 1 gr.....	1 to 4	30	1 35
178	Cinchonidine salicylate, 2 1-2 grs.....	1 to 2	60	2 85
179	Cinchonidine sulphate, 1-2 gr.....	1 to 20	20	80
180	Cinchonidine sulphate, 1 gr.....	1 to 10	25	1 05
181	Cinchonidine sulphate, 2 grs.....	1 to 5	30	1 30
182	Cinchonidine sulphate, 3 grs.....	1 to 3	40	1 80
183	Cinchonidine sulphate, 4 grs. (<i>G. C. only</i>)	1 to 2	50	2 30
184	Cinchonidine sulphate, 5 grs. (<i>G. C. only</i>)	1 to 2	60	2 80
185	Cinchonidine Comp..... Cinchonidine sulph., 1 gr. Arsenious acid, 1-32 gr. Iron by hydrogen, 1 gr.	1 to 2	50	2 35
186	Cinchonidine Comp. and Strychnine..... Cinchonidine sulph., 1 gr. Arsenious acid, 1-20 gr. Iron by hydrogen 1 gr. Strychnine, 1-20 gr.	1	50	2 35
187	Cinchonidine and Iron..... Cinchonidine sulph., 1 gr. Iron by hydrogen 1 gr.	1 to 5	50	2 35
188	Cinchonidine, Iron and Strychnine..... Cinchonidine sulph., 1 gr. Iron proto-carb., Vallet's, 2 grs. Strychnine sulph., 1-60 gr.	1 to 3	50	2 35
189	Cinchonine sulphate, 1 1-2 grs.....	1	35	1 60
190	Cinchonine sulphate, 3 grs.....	1	45	2 10
191	Cincho-Quinine, 1 gr.....	1 to 6	40	1 85
192	Cincho-Quinine, 2 grs.....	1 to 3	50	2 35
193	Cincho-Quinine, 3 grs.....	1 to 2	60	2 85

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
194	Coca Ext., 3 grs.....	1	\$ 60	\$ 2 85
195	Cocaine hydrochlorate, 1-16 gr. (<i>G. C. only</i>)	1 to 16	50	2 35
196	Cocaine hydrochlorate, 1-8 gr. (<i>G. C. only</i>)	1 to 8	65	3 10
197	Cochia..... Ext. Coloc. co., 1 gr. Purified Aloes, 1 gr. Powd. Potass. sulph., 1-2 gr. Powd. Gamboge, 1-2 gr. Powd. Scammony, 1-2 gr.	1 to 2	50	2 35
198	Codeine, 1-16 gr.....	1 to 16	50	2 35
199	Codeine, 1-8 gr.....	1 to 8	65	3 10
200	Codeine, 1-5 gr.....	1 to 5	90	4 35
201	Codeine, 1-4 gr.....	1 to 4	1 00	4 85
202	Codeine, 1-2 gr. (<i>G. C. only</i>).....	1 to 2	1 60	7 85
203	Codeine, 1 gr. (<i>G. C. only</i>).....	1	2 70	13 35
204	Colchicine, 1-60 gr., (<i>G. C. only</i>); per bottle of 25, 20c.....	1 to 4	60	
205	Colchicum Ext., 1-2 gr.....	1 to 3	40	1 85
206	Colocynth comp. Ext., 3 grs.....	1 to 4	40	1 85
207	Colocynth comp. Ext., Belladonna and Nux vomica, (<i>G. C. only</i>)..... Ext. Coloc. comp., 3 grs. Ext. Belladonna, 1-4 gr. Ext. Nux vomica, 1-2 gr.	1	60	2 85
208	Colocynth comp. Ext. and Blue, 3 grs... Ext. Coloc. comp., 2 1-2 grs. Blue Mass, 1-2 gr.	1 to 3	45	2 10
209	Colocynth comp. Ext. and Blue, 5 grs.... Ext. Coloc. comp. 2 1-2 grs. Blue Mass, 2 1-2 grs.	1 to 3	50	2 35
210	Colocynth co. Ext., Blue Mass and Ipecac Ext. Coloc. co., 2 grs. Powd. Ipecac, 1-6 gr. Blue Mass, 2 grs.	1 to 3	45	2 10
211	Colocynth co. Ext. and Hyoscyamus, 3 gr Ext. Coloc. comp., 2 grs. Ext. Hyoscyamus, 1 gr.	1 to 3	45	2 10
212	Colocynth co. Ext. and Hyoscyamus, 5 gr Ext. Coloc. co., 3 1-3 grs. Ext. Hyoscyamus, 1 2-3 grs.	1 to 2	55	2 60
213	Colocynth comp. Ext., Hyoscyamus and Blue Mass., (<i>G. C. only</i>)..... Ext. Coloc. comp. 3 grs. Ext. Hyoscyamus, 1 gr. Blue Mass, 1 gr.	1 to 2	55	2 60
214	Colocynth comp., Ext., Hyoscyamus and Podophyllin, R "A."..... Ext. Coloc. comp., 3 grs. Ext. Hyoscyamus, 1 gr. Podophyllin, 1-4 gr.	1 to 2	55	2 60
215	Colocynth comp. Ext., Hyoscyamus and Podophyllin, R "B."..... Ext. Coloc. comp., 3 grs. Ext. Hyoscyamus, 1 gr. Podophyllin, 1-8 gr.	1 to 2	50	2 35

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
216	Colocynth comp. Ext. and Ipecac..... Ext. Coloc. comp., 2 1-2 grs. Powd. Ipecac, 1-2 gr.	1 to 2	\$ 45	\$ 2 10
217	Colocynth comp. Ext. and Podophyllin... Ext. Coloc. comp., 2 1-2 grs. Podophyllin, 1-4 gr.	1 to 2	45	2 10
218	Colocynthin, 1-8 gr.; per bottle of 25 each, 40c; (<i>G. C. only</i>).....	1 to 2	1 40	
219	Conium Ext., 1-4 gr. (<i>of the fruit</i>).....	1 to 12	25	1 10
220	Conium Ext., 1-2 gr. (<i>of the fruit</i>).....	1 to 6	30	1 35
221	Conium Ext., 1 gr. (<i>of the fruit</i>).....	1 to 3	35	1 60
222	Conium Ext. and Ipecac..... Ext. Conium fruit, 1-2 gr. Powd. Ipecac, 1-2 gr.	1 to 2	35	1 60
223	Convallamarin, 1-12 gr.; per bottle of 25, 75c; (<i>G. C. only</i>)	1	2 80	
224	Cook's..... Purified Aloes, 1 gr. Powd. Rhubarb, 1 gr. Powd. Soap, 1-2 gr. Calomel, 1-2 gr.	1 to 4	25	1 10
225	Copaiba, 3 grs.....	3 to 4 & upwards	30	1 35
226	Copaiba, 4 grs.....	3 to 4 & upwards	35	1 60
227	Copaiba comp..... Copaiba mass, 1 1-2 grs. Resin Guaiac, 3-8 gr. Iron citrate, 3-8 gr. Ext. Cubeb, 5-8 gr.	2 to 4	45	2 10
228	Copaiba and Oleo-resin Cubeb..... Copaiba mass, 2 grs. Oleo-resin Cubeb, 1 gr.	1 to 3	55	2 60
229	Copaiba, Cubeb and Iron citrate..... Copaiba mass, 3-4 gr. Ext. Cubeb, 1 1-2 grs. Iron citrate, 3-4 gr.	1 to 3	55	2 60
230	Cornin, 2 gr.....	1 to 2	45	2 10
231	Cornus florida Ext., 2 gr.....	1 to 4	25	1 10
232	Corrosive Sublimate, 1-100 gr.....	1 to 12	20	85
233	Corrosive Sublimate, 1-60 gr.....	1 to 8	20	85
234	Corrosive Sublimate, 1-50 gr.....	1 to 6	20	85
235	Corrosive Sublimate, 1-40 gr.....	1 to 5	20	85
236	Corrosive Sublimate, 1-30 gr.....	1 to 4	20	85
237	Corrosive Sublimate, 1-20 gr.....	1 to 3	20	85
238	Corrosive Sublimate, 1-16 gr.....	1 to 2	20	85
239	Corrosive Sublimate, 1-12 gr.....	1	20	85
240	Corrosive Sublimate. 1-8 gr.....	1	20	85
241	Cubeb Ext., 2 gr.....	1 to 4	80	3 85
242	Cubeb and Alum..... Oleo-resin Cubeb, 2 gr. Powd. Alum, 1 gr.	1 to 4	85	4 10

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
243	Cubeb Ext., Rhatany and Iron..... Ext. Cubeb, 1 1-2 gr. Iron sulph. exsic., 1 gr. Ext. Rhatany, 1-2 gr.	1 to 3	\$ 75	\$ 3 60
244	Cypripedium Ext., 2 gr.....	1 to 5	45	2 10
245	Damiana Ext., 3 gr.....	1 to 5	55	2 60
623	Dandelion Ext., 3 grs.....		45	2 10
246	Dandelion and Leptandrin..... Ext. Dandelion, 1 1-3 gr. Leptandrin, 2-3 gr.	1 to 3	30	1 35
247	Daturine sulph., 1-100 gr.; per bottle of 25, 20c. (<i>G. C. only</i>).....	1	60	
248	Diaphoretic..... Morphine acetate, 1-25 gr. Powd. Ipecac, 1-4 gr. Powd. Potass. nitrate, 1 gr. Powd. Camphor, 1-4 gr.	1	45	2 10
249	Diarrhœa Pellets..... Calomel, 1-8 gr. Morphine sulph. 1-16 gr. Powd. Capsicum, 1-16 gr. Powd. Ipecac, 1-32 gr. Powd. Camphor, 1-16 gr.	2 to 4	25	1 10
250	Digestive Pellets, Hager's..... Cinchonidine sulph, 1-5 gr. Pepsinum purum, 1 1-5 gr. Powd. Ginger, 3-25 gr. Powd. Cardamom, 3-25 gr. Powd. Pimento, 3-25 gr. Powd. Gentian root, 6-25 gr. Hydrochloric acid, 6-25 gr.	2 to 4	50	2 35
251	Digitalin, pure, 1-60 gr.....	1	40	1 85
252	Digitalis Extract.....	1	35	1 60
253	Digitalis Comp..... Powd. Digitalis, 1 gr. Powd. Squill, 1 gr. Powd. Potass. nitrate, 2 gr.	1	30	1 35
254	Dinner, Chapman's..... Purified Aloes, 1 gr. Gum Mastic, 1 gr. Powd. Rhubarb, 1 gr.	1 to 2	30	1 35
255	Dinner, Cole's, (<i>G. C. only</i>)..... Blue Mass, 1 1-5 gr. Purified Aloes, 1 1-5 gr. Powd. Jalap, 1 1-5 gr. Ant. and Pot. tart., 1-50 gr.	1 to 2	40	1 85
256	Dinner, Lady Webster's..... Purified Aloes, 1 4-5 gr. Gum Mastic, 3-5 gr. Rose leaves, 2-5 gr.	1 to 2	25	1 10
807	Dipsomania, Mann's..... Quinine sulphate, 2 grs. Zinc oxide, 2 grs. Strychnine, 1-40 gr. Arsenious acid, 1-100 gr. Aloes, capsicum, 1-5 gr.	1	60	2 85

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
257	Diuretic..... Powd. Soap, 1 1-2 gr. Oil Juniper berries, 1-16 gr. Sodium carb., 1 1-2 gr.	1 to 2	\$ 35	\$ 1 60
804	Diuretic Comp..... Caffeine citrate, 1 gr. Ext. digitalis, 1-4 gr.	1 to 3	45	2 10
258	Dupuytren..... Powd. Guaiac, 3 gr. Powd. Opium, 1-8 gr. Corrosive Sublimate, 1-10 gr.	1 to 2	30	1 35
259	Dysentery Blue Mass, 1 gr. Gelsemperin, 1-6 gr. Powd. Ipecac, 1 gr.	1	30	1 35
260	Dysmenorrhœa, Alvord's..... Morphine sulph., 1-10 gr. Cimicifugin, 2-3 gr. Quinine sulph., 2-3 gr.	1 to 2	75	3 60
261	Dyspepsia Ext. Ignatia bean, 1-4 gr. Ext. Cinchona bark, 1 gr. Ext. Rhubarb, 1-4 gr. Powd. Capsicum, 1-2 gr.	1 to 2	45	2 10
262	Dyspepsia, Moore's..... Cinchonidine sulph., 1-2 gr. Ext. Capsicum, 1-3 gr. Powd. Rhubarb, 1 gr.	2 to 4	60	2 85
263	Eccoprotic..... Ext. Aloes Soc., 2 gr. Ext. Nux vomica, 1-5 gr. Podophyllin, 3-10 gr. Oil Cloves, 1-10 gr.	1 to 2	40	1 85
264	Elaterin, 1-20 gr., per bot. of 25, 30c. (<i>G. C. only</i>).....	1 to 2	1 00	
265	Elaterium (Clutterbuck's), 1-10 gr.....	1 to 5	50	2 35
266	Elaterium (Clutterbuck's) 1-8 gr.....	1 to 4	55	2 60
267	Elaterium (Clutterbuck's), 1-4 gr.....	1 to 2	1 00	4 85
268	Emmenagogue, Improved..... Ergotin, 1 gr. Purified Aloes, 1 gr. Oil Savin, 1-2 gr. Ext. Black Hellebore, 1 gr. Iron sulph. exsic., 1 gr.	1 to 3	70	3 35
269	Emmenagogue, Mutter's..... Iron sulph. exsic., 1 1-2 gr. Turpentine, U. S. P., 1 1-2 gr. Purified Aloes, 1-2 gr.	1 to 3	25	1 10
270	Emmenagogue No. 4..... Ergotin, 1 gr. Ext. Cotton root, 1 gr. Purified Aloes, 1 gr. Iron sulph. exsic., 1 gr. Oil Savin, 1-2 gr.	1 to 3	75	3 60

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A	B
			Per Bot. of 100.	Per Bot. of 500.
271	Emmenagogue, Rigaud's..... Purified Aloes, 1 1-2 gr. Powd. Rue, 3-4 gr. Powd. Saffron, 3-4 gr. Powd. Savin, 3-4 gr.	1 to 3	\$ 45	\$ 2 10
272	Ergotin, 1-2 gr.....	1 to 6	45	2 10
273	Ergotin, 1 gr.....	1 to 3	65	3 10
274	Ergotin, 2 gr.....	1	1 15	5 60
275	Ergotin, 3 gr.....	1	1 55	7 60
276	Ergotin, and Cannabis Indica R "A"..... Ergotin, 1 gr. Ext. Cannabis Ind, 1-2 gr.	1 to 2	1 10	5 35
737	Ergotin and Cannabis Indica, R "B"..... Ergotin, 1 gr. Ext. Cannabis Indica, 1-6 gr.	1 to 3	90	4 35
277	Ergotin and Cannabis Ind., half-strength Ergotin, 1-2 gr. Ext. Cannabis Indica, 1-4 gr.	1 to 3	60	2 85
278	Eucalyptus Comp..... Ext. Eucalyptus, 1 gr. Ext. Canadian Hemp, 1-2 gr. Sanguinariin, 1-8 gr.	1 to 2	50	2 35
279	Eucalyptus Ext., 2 grs.....	1 to 5	40	1 85
280	Female, Amenorrhœa..... Ext. Black Cohosh, 1 gr. Iron sulph. exsic., 1 gr. Ext. Cotton root, 1 gr. Purified Aloes, 1 gr.	1 to 2	55	2 60
281	Female, Hooper's..... Purified Aloes, 1 gr. Iron sulph. exsic., 1-2 gr. Ext. Black Hellebore, 1-4 gr. Powd. Jam. Ginger, 1-8 gr. Gum Myrrh, 1-4 gr. Castile Soap, 1-8 gr. Powd. Canella, 1-8 gr.	1 to 3	20	85
282	Female, Leucorrhœa..... Hamamelin, 2 grs Senecin, 1-2 gr. Hydrastin, 1-2 gr.	1 to 2	55	2 60
283	Ferruginous, Bland's 3 grs..... Iron sulph. exsic., 1 1-2 grs. Potass. carb., 1 1-2 grs.	1 to 4	25	1 10
284	Ferruginous, Bland's, 5 grs..... Iron sulph. exsic., 2 1-2 grs. Potass. carb., 2 1-2 grs.	1 to 2	30	1 35
750	Ferruginous, Bland's modified..... Iron sulph. exsic., 2 1-2 grs. Potass. carb., 2 1-2 grs. Arsenious acid, 1-40 gr.	1 to 2	30	1 35
285	Fever and Ague..... Ext. Eucalyptus, 1-4 gr. Chinoidin, 1 gr. Iron ferrocyanide, 1-2 gr. Powd. Capsicum, 1-4 gr. Arsenious acid, 1-200 gr.	2 to 4	40	1 85

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
749	Flint's Saline and Chalybeate. (See Saline and C., Flint.....)		\$ 40	\$ 1 85
286	Fucus vesiculosus Ext., 3 grs.....	2	50	2 35
287	Galbanum comp..... Galbanum, 1 1-2 grs. Asafetida, 1-2 gr. Myrrh, 1 1-2 grs.	2 to 4	35	1 60
288	Gamboge comp..... Powd. Gamboge, 3-5 gr. Powd. Cinnamon comp., 3-5 gr. Purified Aloes, 3-5 gr. Soap, 1 1-5 grs.	1 to 3	25	1 10
289	Gelsemerin, 1-8 gr.....	1 to 8	30	1 35
290	Gelsemerin, 1-4 gr.....	1 to 4	45	2 10
291	Gentian comp..... Ext. Gentian, 2-3 gr. Purified Aloes, 2-3 gr. Powd. Rhubarb, 1 1-3 grs. Oil Caraway, 1-10 gr.	2 to 4	30	1 35
292	Gentian Ext. 2 grs.....	2 to 4	30	1 35
293	Geranin, 1 gr..... Glonoin, see Nitroglycerin.	1 to 4	35	1 60
759	Gold and Sodium chloride, 1-20 gr.....	1 to 5	75	3 60
295	Gonorrhoea..... Powd. Cubeb, 1 1-4 gr. Solid. Copaiba, 1 1-4 gr. Iron sulph. exsic., 1-4 gr. Venice Turpentine, 1-4 gr.	1 to 3	30	1 35
296	Grindelia robusta Ext., 3 gr.....	2 to 5	50	2 35
297	Guarana Ext., 3 gr.....	1 to 4	1 50	7 35
298	Headache..... Lactated Pepsin, 1 gr. Guarana, 1-2 gr. Sodium bicarb., 1 gr. Cypripedin, 1-2 gr.	1 to 3	50	2 35
299	Helonin, 1-8 gr.....	2	30	1 35
300	Hepatica..... Blue Mass, 2 gr. Ext. Hyoscyamus, 2-3 gr. Ext. Coloc. co., 2-3 gr.	1 to 3	45	2 10
301	Hepatic Eclectic..... Podophyllin, 1-4 gr. Leptandrin, 1-2 gr. Irisin, 1-4 gr. Ext. Nux vomica, 1-16 gr. Powd. Capsicum, 1-3 gr.	1 to 2	60	2 85
302	Hoang-Nan, 3 gr.....	1 to 2	1 55	7 60
281	Hooper's see Female, Hooper's.....	1 to 3	20	85
90	Hydrastin mur., see Berberine hydrochl.	1 to 4	95	4 60
303	Hydrastin (neutral), 1 gr.....	1	70	3 35
91	Hydrastin sulph., see Berberine sulph.....	1 to 2	1 50	7 35
92	Hydrastin and Podoph., see Berberine and Podophyllin.....	1 to 4	50	2 35

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A	B
			Per Bot. of 100.	Per Bot. of 500.
304	Hyoscine hydrobrom., 1-400 gr. (per bottle of 25, 15c.) (<i>S. C. only</i>).....	1 to 4	\$ 40	\$
305	Hyoscyamine pure, 1-200 gr. (per bottle of 25, 15c.) (<i>G. C. only</i>).....	1 to 2	40	
306	Hyoscyamus Ext., 1-4 gr.....	1 to 8	25	1 10
307	Hyoscyamus Ext., 1-2 gr.....	1 to 4	30	1 35
308	Hyoscyamus Ext., 1 gr.....	1 to 2	35	1 60
309	Ichthyol, 1 1-2 gr.....	1 to 3	75	3 60
310	Ignatia amara Ext., 1-4 gr.....	1 to 4	30	1 35
311	Ignatia amara Ext., 1-2 gr.....	1 to 2	35	1 60
312	Ignatia amara Ext., 1 gr.....	1	60	2 85
313	Intestinal Antiseptic..... Mercury protiodide, 1-8 gr. Podophyllin, 1-16 gr. Aloin, 1-16 gr. Ext. Nux vomica, 1-16 gr. Ext. Hyoscyamus, 1-16 gr.	1 to 2	40	1 85
314	Iodoform, 1 gr.....	1 to 4	60	2 85
315	Iodoform and Iron..... Iron by hydrogen 1 gr. Iodoform, 1 gr.	1 to 2	70	3 35
316	Iodoform, Iron and Quinine..... Iodoform, 1 gr. Iron proto-carb., Vallet's, 2 gr. Quinine sulphate, 1-2 gr.	1 to 2	90	4 35
317	Ipecac Ext., 1-4 gr.....	1 to 2	30	1 35
318	Ipecac and Opium, 1-2 gr..... Powd. Opium, 1-4 gr. } Equal to 2 1-2 gr. Powd. Ipecac, 1-4 gr. } Dover's Powder.	1 to 3	30	1 35
319	Ipecac and Opium, 1 gr..... Powd. Opium, 1-2 gr. } Equal to 5 gr. Powd. Ipecac, 1-2 gr. } Dover's Powder.	1 to 2	50	2 35
320	Ipecac and Opium, 2 gr..... Powd. Opium, 1 gr. } Equal to 10 gr. Powd. Ipecac, 1 gr. } Dover's Powder..	1	90	4 35
321	Ipecac and Squill..... Powd. Ipecac co., 2 gr. Gum Ammoniac, 2-3 gr. Powd. Squill, 2-3 gr.	1 to 4	35	1 60
322	Irisin, 1-2 gr.....	1 to 6	40	1 85
323	Irisin, 1 gr.....	1 to 3	45	2 10
324	Irisin Comp..... Irisin, 1-4 gr. Podophyllin, 1-10 gr. Strychnine, 1-40 gr.	1 to 3	30	1 35
325	Irisin Co. and Hyoscyamus (<i>G. C. only</i>).. Irisin, 1-4 gr. Strychnine, 1-100 gr. Podophyllin, 1-10 gr. Ext. Hyoscyamus, 1-2 gr.	1 to 3	45	2 10
326	Iron and Aloes, 2 gr..... Purified Aloes, 2 gr. Iron sulph. exsic., 1 gr.	1 to 3	30	1 35
327	Iron bromide, 1 gr.....	1 to 2	45	2 10

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
328	Iron citrate, 2 gr.....	2	\$ 30	\$ 1 35
329	Iron citrate and Strychnine citrate..... Iron citrate, 2 gr. Strychnine citrate, 1-50 gr.	1	40	1 85
330	Iron Compound..... Myrrh, 1 1-2 gr. Iron sulph., 3-4 gr. Sodium carb., 3-4 gr.	2 to 6	25	1 10
331	Iron ferrocyanide, 3 gr.....	1	30	1 35
332	Iron by hydrogen (Quevenne's), 1 gr.....	1 to 5	25	1 10
333	Iron by hydrogen (Quevenne's), 2 gr.....	1 to 3	40	1 85
334	Iron iodide, 1 gr.....	1 to 4	40	1 85
335	Iron iodide and Quinine, 1 gr..... Iron iodide, 1 1-2 gr. Quinine sulph., 1-4 gr.	1 to 2	50	2 35
336	Iron lactate, 1 gr.....	1 to 3	30	1 35
337	Iron and Manganese..... Iron carb., 2 gr. Manganese carb., 1 gr.	1 to 2	45	2 10
338	Iron phosphate (ferrous), 2 gr.....	2 to 4	40	1 85
339	Iron proto-carb., Vallet's, 2 gr.....	1 to 2	25	1 10
340	Iron proto-carb., Vallet's, 3 gr.....	1	25	1 10
341	Iron proto-carb., Vallet's, 5 gr.....	1	30	1 35
342	Iron pyrophosphate, 1 gr.....	1 to 4	25	1 10
523	Iron and potassium tartrate, 2 grs.....	2 to 5	40	1 85
343	Iron, Quassia and Nux vomica..... Iron by hydrogen, 1-2 gr. Ext. Quassia, 1 gr. Ext. Nux vomica, 1-4 gr. Powd. Soap, 1-2 gr.	1 to 2	45	2 10
344	Iron and Quinine citrate, 1 gr.....	1 to 6	45	2 10
345	Iron and Quinine citrate, 2 gr.....	1 to 3	80	3 85
346	Iron and Quinine citrate, 3 gr.....	1 to 2	1 00	4 85
347	Iron and Quinine citrate, 5 gr (<i>G.C. only</i>)	1	1 50	7 35
348	Iron, Quinine and Strychnine citrate..... Iron and Quinine citrate, 2 gr. Strychnine citrate, 1-50 gr.	1 to 3	1 00	4 85
349	Iron and Strychnine..... Strychnine, 1-60 gr. Iron by hydrogen, 2 gr.	1	45	2 10
350	Iron sulphate exsic., 1 gr.....	1 to 4	25	1 10
351	Iron sulphate exsic., 2 gr.....	1 to 2	25	1 10
352	Iron sulphate exsic., 4 gr.....	1	25	1 10
353	Iron valerianate, 1 gr.....	1 to 3	50	2 35
354	Jaborandi Ext., 3 gr.....	1 to 3	50	2 35
355	Jalap Comp..... Powd. Jalap, 3-4 gr. Powd. Rhubarb, 3-4 gr. Oil Caraway, 1-8 gr. Castile Soap, 3-4 gr. Pil. Calomel comp., 1 1-8 gr.	1 to 3	50	2 35
356	Jalap Ext., 1 gr.....	2 to 5	50	2 35

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
357	Jalapin, 1 gr.....	2 to 5	\$ 60	\$ 2 85
358	Jamaica Dogwood Ext., 2 gr.....	1 to 4	80	3 85
359	Kermes mineral, 1-4 gr.....	1 to 3	55	2 60
360	Krameria Ext., 2 gr.....	1 to 2	40	1 85
361	Lactated Pepsin and Bismuth..... Lactated Pepsin, 2 gr. Bismuth subnitrate, 2 gr.	1 to 2	1 00	4 85
362	Lapactic..... Aloin, 1-4 gr. Strychnine, 1-60 gr. Ext. Belladonna, 1-8 gr. Ipecac, 1-16 gr.	1 to 2	40	1 85
363	Laxative..... Purified Aloes, 1 gr. Sulphur, 1-5 gr. Podophyllin, 1-5 gr. Resin Guaiac, 1-2 gr. Syrup Buckthorn, q. s.	1 to 2	35	1 60
364	Laxative, Cole's..... Podophyllin, 1-10 gr. Calomel, 1 gr. Ext. Coloc. comp., 3 gr.	1	40	1 85
365	Laxative, "Special"..... Ext. Hyoscyamus, 1 1-4 gr. Soc. Aloes, powd., 5-6 gr. Ext. Nux vomica, 5-12 gr. Ext. Coloc. co., 1 2-3 gr. Podophyllin, 1-12 gr. Powd. Ipecac, 1-12 gr.	1	45	2 10
366	Leptandrin, 1-8 gr.....	1 to 32	20	85
367	Leptandrin, 1-4 gr.....	1 to 16	20	85
368	Leptandrin, 1-2 gr.....	1 to 8	25	1 10
369	Leptandrin, 1 gr.....	1 to 4	40	1 85
370	Leptandrin Comp..... Leptandrin, 1 gr. Irisin, 1-4 gr. Podophyllin, 1-8 gr.	1 to 2	55	2 60
371	Lettuce Ext., 2 gr.....	2 to 5	35	1 60
372	Liver, Christopher's..... Calomel, 2 gr. Powd. Ipecac, 1-2 gr. Rhubarb, 1 gr.	1 to 2	35	1 60
373	Liver, Improved..... Purified Aloes, 1 gr. Powd. Jalap, 1 gr. Powd. Gamboge, 1-8 gr. Leptandrin, 1-8 gr. Calomel, 1-8 gr. Oleoresin Capsicum, 1-48 gr. Tinct. Verat. viride, 1-4 gr.	2 to 4	25	1 10
374	Liver, Improved, Vegetable..... Purified Aloes, 1 gr. Powd. Jalap, 1 gr. Powd. Gamboge, 1-8 gr. Leptandrin, 1-8 gr. Podophyllin, 1-8 gr. Oleoresin Capsicum, 1-48 gr. Tinct. Veratrum viride, 1-4 gr.	2 to 4	25	1 10

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A- Per Bot. of 100.	B Per Bot. of 500.
375	Liver, Dr. Taylor's..... Podophyllin, 1 gr. Powd. Ipecac, 1 gr. Powd. Camphor, 4-5 gr.	1	\$ 35	\$ 1 60
376	Liver, Waxham's..... Ext. Culver's-root, 1 gr. Powd. Capsicum, 1-2 gr. Podophyllin 1-4 gr. Ext. Jalap, 3-8 gr. Powd. Gamboge, 1-8 gr.	1 to 5	30	1 35
377	Lupulin, 3 gr.....	1 to 3	35	1 60
378	Manganese biniodide, 1 gr.....	1 to 10	50	2 35
379	Manganese biniodide, 2 gr.....	1 to 5	70	3 35
380	Magnesia calcined, 2 gr.....	1	30	1 35
381	Magnesia and Rhubarb..... Magnesia calcined, 1 gr. Powd. Rhubarb, 1 gr.	1 to 2	30	1 35
382	Mercury biniodide, 1-25 gr.....	1 to 6	20	85
383	Mercury biniodide, 1-16 gr.....	1 to 4	20	85
384	Mercury biniodide, 1-8 gr.....	1 to 2	20	85
385	Mercury biniodide, 1-4 gr.....	1	20	85
386	Mercury protiodide, 1-16 gr.....	1 to 16	20	85
387	Mercury protiodide, 1-10 gr.....	1 to 10	20	85
388	Mercury protiodide, 1-8 gr.....	1 to 8	20	85
389	Mercury protiodide, 1-6 gr.....	1 to 6	20	85
390	Mercury protiodide, 1-5 gr.....	1 to 5	20	85
391	Mercury protiodide, 1-4 gr.....	1 to 4	20	85
392	Mercury protiodide, 1-3 gr.....	1 to 3	25	1 10
393	Mercury protiodide, 1-2 gr.....	1 to 2	25	1 10
394	Mercury protiodide and Opium..... Mercury protiodide, 1 gr. Powd. Opium, 1-3 gr.	1	50	2 35
738	Mercury with Chalk, Hutchinson's R 1 (<i>G. C. only</i>)..... Mercury with chalk, 1 gr. Confect. Rose, q. s.	1	35	1 60
739	Mercury with Chalk, R 2 (<i>G. C. only</i>).... Mercury with chalk, 1 gr. Dover's powder, 1 gr. Ext. Gentian, q. s.	1	50	2 35
740	Mercury with Chalk, R 3 (<i>G. C. only</i>).... Mercury with chalk, 1 gr. Ext. Nux vomica, 1-4 gr. Iron by hydrogen, 2 gr. Ext. Gentian, q. s.	1 to 4	65	3 10
800	Migraine..... Acetanilid, 2 gr. Camphor monobromated, 1-2 gr.	1 to 5	50	2 35
395	Morphine acetate, 1-8 gr.....	1 to 4	35	1 60
396	Morphine acetate, 1-4 gr.....	1 to 2	50	2 35
397	Morphine and Atropine..... Morphine sulphate, 1-8 gr. Atropine sulphate, 1-100 gr.	1 to 2	60	2 85

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A	B
			Per Bot. of 100.	Per Bot. of 500.
398	Morphine hydrochlorate, 1-8 gr.....	1 to 8	\$ 35	\$ 1 60
399	Morphine hydrochlorate, 1-4 gr.....	1 to 4	50	2 35
400	Morphine sulphate, 1-32 gr.....	1 to 32	20	85
401	Morphine sulphate, 1-20 gr.....	1 to 20	20	85
402	Morphine sulphate, 1-16 gr.....	1 to 16	20	85
403	Morphine sulphate, 1-10 gr.....	1 to 10	25	1 10
404	Morphine sulphate, 1-8 gr.....	1 to 8	30	1 35
405	Morphine sulphate, 1-6 gr.....	1 to 6	35	1 60
406	Morphine sulphate, 1-4 gr.....	1 to 4	40	1 85
407	Morphine sulphate, 1-2 gr.....	1 to 2	65	3 10
408	Morphine sulphate and Belladonna, R 1.. Morphine sulphate, 1-6 gr. Ext. Belladonna, 1-8 gr.	1 to 3	60	2 85
409	Morphine sulphate and Belladonna, R 2.. Morphine sulphate, 1-4 gr. Ext. Belladonna, 1-4 gr.	1 to 2	75	3 60
410	Morphine comp..... Morphine sulphate, 1-4 gr. Antimony and Potass. tart., 1-4 gr. Calomel, 1-4 gr.	1	75	3 60
411	Morphine valerianate, 1-8 gr.....	1 to 4	50	2 35
412	Morphine valerianate, 1-4 gr.....	1 to 2	90	4 35
413	Muscarine sulph., 1-100 gr.; per bottle of 25, 50c. (<i>G. C. only</i>).....	1 to 5	1 80	
414	Neuralgic Idiopathic, Brown-Sequard's... Ext. Hyoseyamus, 2-3 gr. Ext. Ignatia, 1-2 gr. Ext. Opium, 1-2 gr. Ext. Belladonna, 1-6 gr. Ext. Conium fruit, 2-3 gr. Ext. Stramonium seed, 1-5 gr. Ext. Aconite leaves, 1-3 gr. Ext. Cannabis Indica, 1-4 gr.	1 to 2	1 05	5 10
415	Neuralgic Idiopathic, Brown-Sequard's, half strength.....	1 to 3	65	3 10
416	Neuralgic, Dr. Gross'..... Quinine sulphate, 2 gr. Morphine sulphate, 1-20 gr. Arsenious acid, 1-20 gr. Ext. Aconite leaves, 1-2 gr. Strychnine, 1-30 gr.	1 to 2	1 10	5 35
417	Neuralgic without morphine, Dr. Gross'..	1 to 2	1 00	4 85
418	Night Sweat..... Zinc oxide, 1-2 gr. Salicin, 1 gr. Ext. Belladonna, 1-25 gr. Hydrastin, 1 gr. Lactated Pepsin, 1-2 gr.	2 to 4	55	2 60
419	Nitroglycerin, 1-200 gr.....	1 to 20	50	2 35
420	Nitroglycerin, 1-150 gr.....	1 to 15	50	2 35
421	Nitroglycerin, 1-100 gr.....	1 to 10	50	2 35
422	Nitroglycerin, 1-50 gr.....	1 to 5	50	2 35

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A		B	
			Per Bot. of 100.		Per Bot. of 500.	
423	Nitroglycerin, 1-33 gr.....	1 to 3	\$ 50		\$ 2 35	
424	Nitroglycerin, 1-25 gr.....	1 to 2	50		2 35	
425	Nitroglycerin, 1-10 gr.....	1	50		2 35	
426	Nux vomica Ext., 1-8 gr.....	1 to 8	20		85	
427	Nux vomica Ext., 1-4 gr.....	1 to 4	20		85	
428	Nux vomica Ext., 1-2 gr.....	1 to 2	25		1 10	
429	Opium, 1-2 gr.....	1 to 2	25		1 10	
	Powd. Opium, 1-2 gr.					
	Soap, 1-8 gr.					
430	Opium, U. S. P., 1 gr.....	1	40		1 85	
	Powd. Opium, 1 gr.					
	Soap, 1-4 gr.					
597	Opium with Soap.....	1	35		1 60	
	Powd. Opium, 3-5 gr.					
	Soap, 2 2-5 gr.					
139	Opium & Camph., see Camph. & Opium	1	50		2 35	
	Opium and Camphor Compounds, see					
	Camphor and Opium Compounds.....					
431	Opium Ext., 1-4 gr.....	1 to 4	40		1 85	
432	Opium Ext., 1-2 gr.....	1 to 2	55		2 60	
433	Opium Ext., 1 gr.....	1	75		3 60	
434	Opium and Lead acetate.....	1 to 2	40		1 85	
	Opium, 1 gr.					
	Lead acetate, 1 gr.					
435	Opium and Lead acetate, R "B".....	1 to 2	35		1 60	
	Opium, 1-2 gr.					
	Lead acetate, 1 1-2 gr.					
436	Ox Gall.....	1 to 2	35		1 60	
	Ox Gall, inspissated, 2 gr.					
	Powd. Jamaica Ginger, 1 gr.					
437	Ox Gall, Craig's.....	1 to 2	45		2 10	
	Ox Gall, inspissated, 2 gr.					
	Ext. Colocynth comp., 1 gr.					
438	Ox Gall Comp., Andrew's.....	1 to 2	55		2 60	
	Ox Gall, inspissated, 2 gr.					
	Purified Aloes, 1-10 gr.					
	Ext. Stramonium seed, 1-6 gr.					
	Berberine hydrochlorate, 1-12 gr.					
439	Ox Gall and Pepsin, Dr. Armor's.....	1 to 2	80		3 85	
	Purified Aloes, 1 gr.					
	Iron sulph. exsic., 1-2 gr.					
	Ext. Nux vomica, 1-12 gr.					
	Ox Gall, inspissated, 1 1-2 gr.					
	Pepsinum purum, 1 gr.					
440	Pepsin and Bismuth.....	1 to 3	75		3 60	
	Pepsinum purum, 1 1-2 gr.					
	Bismuth subcarb., 3-4 gr.					
441	Pepsin, Bismuth and Strychnine, R 1					
	(G. C. only).....	1 to 2	1 35		6 60	
	Pepsinum purum, 2 1-2 gr.					
	Bismuth subnitrate, 2 1-2 gr.					
	Strychnine, 1-60 gr.					

PILLS.

List No.	SUGAR COATED AND		A	B
	GELATIN COATED—OVIFORM.	DOSE.	Per Bot. of 100.	Per Bot. of 500.
442	Pepsin, Bismuth and Strychnine, R 2 (G. C. Only).....	1 to 2	\$ 1 00	\$ 4 85
	Pepsinum purum, 1 gr.			
	Bismuth subnitrate, 5 gr.			
	Strychnine, 1-60 gr.			
443	Pepsin and Iron by hydrogen.....	1 to 3	55	2 60
	Pepsinum purum, 1 1-2 gr.			
	Iron by hydrogen, 3-4 gr.			
444	Pepsin and Iron iodide.....	1 to 3	75	3 60
	Pepsinum purum, 1 1-2 gr.			
	Iron by hydrogen, 1 1-2 gr.			
	Iron iodide, 3-4 gr.			
445	Phenacetine, Bayer, 2 gr.....	1 to 4	1 00	4 85
761	Phenacetine, Bayer, 5 gr.....	1	2 00	9 85
446	Phosphorus, 1-100 gr.....	1 to 10	20	85
447	Phosphorus, 1-50 gr.....	1 to 5	20	85
448	Phosphorus, 1-33 gr.....	1 to 3	20	85
449	Phosphorus, 1-25 gr.....	1 to 2	20	85
450	Phosphorus, 1-20 gr.....	1 to 2	20	85
451	Phosphorus and Aconite.....	1 to 2	25	1 10
	Phosphorus, 1-50 gr.			
	Ext. Aconite leaves, 1-16 gr.			
452	Phosphorus, Aloes, Iron and Strychnine..	1 to 2	45	2 10
	Phosphorus, 1-50 gr.			
	Ext. Aloes, 1 gr.			
	Iron sulph. exsic., 1 1-2 gr.			
	Strychnine, 1-30 gr.			
453	Phosphorus, Aloes and Nux vomica.....	1 to 2	30	1 35
	Phosphorus, 1-50 gr.			
	Ext. Aloes, 1-2 gr.			
	Ext. Nux vomica, 1-4 gr.			
454	Phosphorus, Aloes and Nux vom., R "B" 1	1	30	1 35
	Phosphorus, 1-20 gr.			
	Ext. Aloes, 1-2 gr.			
	Ext. Nux vomica, 1-2 gr.			
455	Phosphorus and Belladonna.....	1 to 2	25	1 10
	Phosphorus, 1-100 gr.			
	Ext. Belladonna, 1-8 gr.			
456	Phosphorus and Belladonna, R "B".....	1 to 2	30	1 35
	Phosphorus, 1-33 gr.			
	Ext. Belladonna, 1-4 gr.			
457	Phosphorus and Cannabis Indica.....	1 to 2	40	1 85
	Phosphorus, 1-50 gr.			
	Ext. Cannabis Indica, 1-4 gr.			
458	Phosphorus and Cannabis Indica, R "B" 1	1	40	1 85
	Phosphorus, 1-25 gr.			
	Ext. Cannabis Indica, 1-4 gr			
459	Phosphorus and Cantharides Comp.....	1	45	2 10
	Phosphorus, 1-50 gr.			
	Cantharides, 1 gr.			
	Powd. Nux vomica, 1 gr.			
460	Phosphorus and Cantharides Co., R "B." 1	1	45	2 10
	Phosphorus, 1-33 gr.			
	Powd. Nux vomica, 1 gr.			
	Cantharides, 1 gr.			

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A		B	
			Per Bot. of 100.		Per Bot. of 500.	
461	Phosphorus Comp., R 1..... Phosphorus, 1-100 gr. Ext. Nux vomica, 1-4 gr.	1 to 2	\$	25	\$	1 10
462	Phosphorus Comp., R 2..... Phosphorus, 1-60 gr. Ext. Nux vomica, 1-4 gr.	1 to 2		25		1 10
463	Phosphorus Comp., R 3..... Phosphorus, 1-50 gr. Ext. Nux vomica, 1-8 gr.	1 to 2		25		1 10
464	Phosphorus and Digitalis Comp..... Phosphorus, 1-50 gr. Powd. Digitalis, 1 gr. Ext. Hyoscyamus, 1 gr.	1 to 2		40		1 85
465	Phosphorus, Digitalis and Hyoscyamus.. Phosphorus, 1-33 gr. Powd. Digitalis, 1 gr. Ext. Hyoscyamus, 2 gr.	1		50		2 35
466	Phosphorus, Digitalis and Iron..... Phosphorus, 1-50 gr. Powd. Digitalis, 1 gr. Iron by Hydrogen, 1 gr.	1 to 2		45		2 10
467	Phosphorus, Digitalis and Iron, R "B"... Phosphorus, 1-33 gr. Iron by Hydrogen, 3 gr. Powd. Digitalis, 1 gr.	1		50		2 35
468	Phosphorus and Iron..... Phosphorus, 1-100 gr. Iron proto-carb., Vallet's, 1 gr.	1 to 2		30		1 35
469	Phosphorus and Iron, R "B"..... Phosphorus, 1-50 gr. Iron by hydrogen, 3 gr.	1 to 2		40		1 85
470	Phosphorus, Iron and Quinine..... Phosphorus, 1-100 gr. Iron proto-carb., Vallet's, 1 gr. Quinine sulph., 1 gr.	1 to 3		55		2 60
471	Phosphorus, Iron and Quinine, R "B".. Phosphorus, 1-50 gr. Iron by hydrogen, 3 gr. Quinine sulph., 1-2 gr.	1 to 2		60		2 85
472	Phosphorus, Iron, Quinine and Strych... Phosphorus, 1-50 gr. Iron by hydrogen, 3 gr. Quinine sulph., 1-2 gr. Strychnine, 1-40 gr.	1 to 2		60		2 85
473	Phosphorus, Morph. and Zinc valerianate Phosphorus, 1-50 gr. Morphine sulph., 1-12 gr. Zinc valerianate, 1 gr.	1 to 2		1 00		4 85
474	Phosphorus, Morphine and Zinc valerian- ate, R "B"..... Phosphorus, 1-25 gr. Morphine hydrochlorate, 1-12 gr. Zinc valerianate, 1 gr.	1		1 00		4 85
475	Phosphorus and Nux vomica..... Phosphorus, 1-50 gr. Ext. Nux vomica, 1-4 gr.	1 to 2		25		1 10

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
476	Phosphorus and Nux vomica, R _x "B"..... Phosphorus, 1-3 gr. Ext. Nux vomica, 1-2 gr.	1	\$ 30	\$ 1 35
477	Phosphorus, Nux vom. and Damiana (Aphrodisiac) Phosphorus, 1-100 gr. Ext. Nux vomica, 1-8 gr. Ext. Damiana, 2 gr.	1 to 4	1 00	4 85
478	Phosphorus, Nux vomica and Iron..... Phosphorus, 1-100 gr. Ext. Nux vomica, 1-4 gr. Iron phosphate, precip., 1-2 gr.	1 to 2	30	1 35
479	Phosphorus, Nux vomica & Iron, R _x "B." Phosphorus, 1-33 gr. Iron by hydrogen, 3 gr. Ext. Nux vomica, 1-3 gr.	1 to 2	40	1 85
480	Phosphorus, Nux vomica, Iron & Quinine Phosphorus, 1-100 gr. Ext. Nux vomica, 1-8 gr. Iron proto-carb., Vallet's, 1 gr. Quinine sulph., 1 gr.	1 to 2	65	3 10
481	Phosphorus, Nux vomica, Iron and Qui- nine, R _x "B."..... Phosphorus, 1-25 gr. Ext. Nux vomica, 1-3 gr. Iron by hydrogen, 2 gr. Quinine sulph., 1 gr.	1	80	3 85
482	Phosphorus, Opium and Digitalis..... Phosphorus, 1-50 gr. Powd. Ipecac, 1-4 gr. Powd. Opium, 1-4 gr. Powd. Digitalis, 1-2 gr.	1 to 2	50	2 35
483	Phosphorus, Opium and Digitalis, R _x "B." Phosphorus, 1-33 gr. Powd. Ipecac, 1-4 gr. Powd. Opium, 1-4 gr. Powd. Digitalis, 1-2 gr.	1	45	2 10
484	Phosphorus and Quinine..... Phosphorus, 1-50 gr. Quinine sulph., 1 gr.	1 to 2	50	2 35
485	Phosphorus, Quinine, Aloes and Nux vom. Phosphorus, 1-33 gr. Quinine sulph., 1-2 gr. Ext. Aloes, 1-2 gr. Ext. Nux vomica, 1-3 gr.	1	60	2 85
486	Phosphorus and Quinine Comp..... Phosphorus, 1-50 gr. Iron by hydrogen, 1 gr. Quinine sulph., 1-2 gr. Strychnine, 1-60 gr.	1 to 2	50	2 35
487	Phosphorus, Quinine and Digitalis Comp. Phosphorus, 1-50 gr. Quinine sulph., 1-2 gr. Powd. Ipecac, 1-4 gr. Powd. Digitalis, 1-2 gr. Powd. Opium, 1-4 gr.	1 to 2	60	2 85

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
488	Phosphorus, Quinine and Nux vomica.... Phosphorus, 1-50 gr. Quinine sulph., 1 gr. Ext. Nux vomica, 1-4 gr.	1 to 2	\$ 60	\$ 2 85
489	Phosphorus and Strychnine..... Phosphorus, 1-50 gr. Strychnine, 1-60 gr.	1 to 2	45	2 10
490	Phosphorus and Strychnine, R "B."..... Phosphorus, 1-25 gr. Strychnine, 1-30 gr.	1	50	2 35
491	Phosphorus, Strychnine and Iron..... Phosphorus, 1-100 gr. Strychnine, 1-60 gr. Iron proto-carb., Vallet's, 1 gr.	1 to 2	50	2 35
492	Phosphorus, Strychnine and Iron sulph.. Phosphorus, 1-100 gr. Strychnine, 1-100 gr. Iron sulph., 1 gr.	1 to 2	45	2 10
493	Phosphorus and Zinc Comp..... Phosphorus, 1-50 gr. Lupulin, 1 gr. Zinc sulph., 1 gr.	1	45	2 10
494	Phosphorus, Zinc and Strychnine..... Phosphorus, 1-70 gr. Zinc Valerianate, 3-4 gr. Strychnine, 1-30 gr.	1 to 2	50	2 35
495	Phosphorus, Zinc and Valerian..... Phosphorus, 1-40 gr. Ext. Valerian, 2 gr. Zinc sulph., 1 gr.	1	45	2 10
496	Physostigmine salicyl., 1-100 gr.; per bot- tle of 25, 25c. (<i>G. C. only</i>).....	1 to 2	80	
497	Phytolaccin, 1-2 gr.....	1 to 4	40	1 85
498	Picrotoxin, 1-60 gr.....	1 to 4	45	2 10
499	Pilocarpine muriate, 1-30 gr.; per bottle of 25, 25c.....	1 to 8	75	
500	Pilocarpine muriate, 1-16 gr.; per bottle of 25, 30c.....	1 to 4	1 00	
501	Pilocarpine nitrate, 1-16 gr.....	1 to 4	1 00	4 85
502	Podophyllin, 1-20 gr.....	1 to 20	20	85
503	Podophyllin, 1-10 gr.....	1 to 10	20	85
504	Podophyllin, 1-8 gr.....	1 to 8	20	85
741	Podophyllin, 1-6 gr.....	1 to 6	20	85
505	Podophyllin, 1-4 gr.....	1 to 4	20	85
506	Podophyllin, 1-2 gr.....	1 to 2	25	1 10
507	Podophyllin, 1 gr.....	1	40	1 85
508	Podophyllin and Belladonna..... Podophyllin, 1-4 gr. Powd. Capsicum, 1-2 gr. Ext. Belladonna, 1-8 gr.	1 to 2	45	2 10
509	Podophyllin, Belladonna and Calabar..... Podophyllin, 1-4 gr. Ext. Belladonna, 1-4 gr. Ext. Calabar bean, 1-4 gr.	1 to 2	50	2 35

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
510	Podophyllin and Blue..... Podophyllin, 1-4 gr. Blue Mass, 2 gr.	1 to 3	\$ 30	\$ 1 35
511	Podophyllin Comp..... Podophyllin, 1-2 gr. Ext. Nux vomica, 1-16 gr. Ext. Hyoscyamus, 1-8 gr.	1 to 2	40	1 85
512	Podophyllin Comp., Dr. Janeway's..... Podophyllin, 1-2 gr. Powd. Soc. Aloes, 1 gr. Ext. Belladonna leaves, 1-4 gr. Ext. Nux vomica, 1-4 gr.	1 to 2	60	2 85
513	Podophyllin Comp., Eclectic..... Podophyllin, 1-8 gr. Juglandin, 1-16 gr. Oleoresin Capsicum, 1-32 gr. Leptandrin, 1-16 gr. Cimicifugin, 1-32 gr.	1 to 4	40	1 85
514	Podophyllin and Leptandrin..... Podophyllin, 1-2 gr. Leptandrin, 1 gr.	1 to 2	45	2 10
515	Podophyllotoxin, 1-8 gr. (<i>S. C. only</i>).....	1 to 4	30	1 35
516	Podophyllum Ext., 1 gr.....	1 to 4	35	1 60
517	Poppy Ext., 2 grs.....	1 to 2	40	1 85
518	Postpartum, Dr. Fordyce Barker's..... Ext. Coloc. comp., 1 1-2 gr. Calomel, 1 1-2 gr. Ext. Nux vomica, 1-6 gr. Powd. Aloes, 1-6 gr. Powd. Ipecac, 1-6 gr. Ext. Hyoscyamus, 1-3 gr.	1 to 2	65	3 10
519	Potassium bromide, 1 gr. (<i>S. C. only</i>)....	1	45	2 10
520	Potassium bromide, 5 gr. (<i>S. C. only</i>)....	1	75	3 60
521	Potassium iodide, 2 gr. (<i>S. C. only</i>).....	1	55	2 60
522	Potassium iodide, 5 gr. (<i>S. C. only</i>).....	1	85	4 10
523	Potassium and Iron tartrate, see Iron and Potassium	2 to 5	40	1 85
524	Potassium permanganate, 1-2 gr. (<i>S. C. only</i>)	1 to 4	40	1 85
525	Potassium permang., 1 gr. (<i>S. C. only</i>)..	1 to 2	50	2 35
526	Potassium permang., 2 gr. (<i>S. C. only</i>)..	1	75	3 60
527	Quassia Ext., 1 gr.....	1 to 3	55	2 60
528	Quinidine sulphate, 1 gr.....	1	30	1 30
529	Quinidine sulphate, 2 gr.....	1	40	1 80
530	Quinidine sulphate, 3 gr.....	1	50	2 30
531	Quinine and Aloes..... Quinine sulph., 3-4 gr. Purified Aloes, 1-4 gr.	1 to 5	60	2 85
532	Quinine bisulphate, 1-4 gr.....	1-4 gr. & up.	*15	*55
533	Quinine bisulphate, 1-2 gr.....	1-4 gr. & up.	*16	*60
534	Quinine bisulphate, 1 gr.....	1-4 gr. & up.	*19	*70

*These prices are *net*.

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
535	Quinine bisulphate, 2 gr.....1-4 gr. & up.		\$ *27	\$ *1 15
536	Quinine bisulphate, 3 gr.....1-4 gr. & up.		*34	*1 50
537	Quinine bisulphate, 4 gr. (<i>G. C. only</i>)...1-4 gr. & up.		*42	*1 90
538	Quinine bisulphate, 5 gr. (<i>G. C. only</i>)...1-4 gr. & up.		*50	*2 30
539	Quinine bisulphate and Capsicum..... 1 to 2 Quinine bisulphate, 2 gr. Powd. Capsicum, 1-2 gr.		70	3 35
540	Quinine and Blue Mass..... 1 to 2 Quinine sulphate, 1 gr. Oleoresin Black Pepper, 1-4 gr. Blue Mass, 2 gr.		65	3 10
541	Quinine bromide, 2 gr..... 1 to 3		75	3 60
542	Quinine and Capsicum..... 1 to 2 Quinine sulphate, 2 gr. Powd. Capsicum, 1-2 gr.		60	2 85
543	Quinine Comp..... 1 to 2 Quinine sulphate, 1 gr. Arsenious acid, 1-32 gr Iron by hydrogen, 1 gr.		60	2 85
544	Quinine Comp. and Ext. Dandelion..... 1 Quinine bisulphate, 1 1-4 gr. Iron sulphate, exsic., 2 gr. Arsenious acid, 1-24 gr. Ext. Dandelion, 1 1-4 gr.		70	3 35
545	Quinine Comp. and Strychnine. (Strych. Comp., R "A") 1 Quinine sulph., 1 gr. Arsenious Acid, 1-20 gr. Iron by hydrogen, 1 gr. Strychnine, 1-20 gr.		65	3 10
546	Quinine, Digitalis, Ipecac and Opium, Heim's. 1 to 2 Quinine sulph., 1 gr Powd. Ipecac, 1-4 gr. Powd. Digitalis, 1-2 gr. Powd. Opium, 1-4 gr.		80	3 85
547	Quinine and Ext. Belladonna..... 1 to 2 Quinine sulph., 1 gr. Ext. Belladonna, 1-2 gr.		70	3 35
548	Quinine, Ipecac and Opium..... 1 to 3 Quinine hydrobromate, 2 gr. Powd. Ipecac., 1-4 gr. Powd. Opium, 1-4 gr.		1 25	6 10
549	Quinine and Iron..... 1 to 3 Quinine sulph., 1 gr. Iron by hydrogen, 1 gr.		60	2 85
550	Quinine and Iron carbonate..... 1 to 3 Quinine sulph., 1 gr. Iron proto-carb., Vallet's, 1 gr.		55	2 60
551	Quinine, Iron and Nux vomica..... 1 to 2 Quinine sulph., 1 gr. Iron proto-carb., Vallet's, 2 gr. Ext. Nux vomica, 1-4 gr.		60	2 85

*These prices are *net*.

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
552	Quinine, Iron and Strychnine..... Quinine sulph., 1 gr. Iron proto-carb., Vallet's, 2 gr. Strychnine sulph., 1-60 gr.	1 to 2	\$ 60	\$ 2 85
553	Quinine, Iron, and Strych. phosphates... Quinine phosphate 1 gr. Iron phosphate precip., 1 gr. Strychnine phosphate, 1-60 gr.	1 to 2	80	3 85
802	Quinine, Iron and Strych. phosph., No. 2. Quinine phosphate, 1 gr. Iron phosphate, 2 gr. Strychnine phosphate, 1-30 gr.	1 to 2	75	3 60
554	Quinine and Iron valerianate..... Quinine sulph., 1 1-2 gr. Iron valerianate, 1-2 gr.	1 to 2	80	3 85
555	Quinine, Iron and Zinc valerianates..... Quinine valerianate, 1 gr. Iron valerianate, 1 gr. Zinc valerianate, 1 gr.	1	1 35	6 60
742	Quinine muriate, 2 gr. (<i>G. C. only</i>).....	1 to 3	75	3 55
743	Quinine muriate, 3 gr. (<i>G. C. only</i>).....	1 to 2	1 00	4 80
556	Quinine and Strychnine..... Quinine sulph., 1 gr. Strychnine, 1-60 gr.	1 to 2	50	2 35
557	Quinine sulphate, 1-4 gr.....	1-4 gr. up.	*15	*55
558	Quinine sulphate, 1-2 gr.....	1-4 gr. up.	*16	*60
559	Quinine sulphate, 1 gr.....	1-4 gr. up.	*19	*70
560	Quinine sulphate, 2 gr.....	1-4 gr. up.	*27	*1 15
561	Quinine sulphate, 3 gr.....	1-4 gr. up.	*34	*1 50
552	Quinine sulphate, 4 gr. (<i>G. C. only</i>).....	1-4 gr. up.	*42	*1 90
563	Quinine sulphate, 5 gr. (<i>G. C. only</i>).....	1-4 gr. up.	*50	*2 30
564	Quinine valerianate, 1-2 gr.....	1 to 4	50	2 35
784	Quinine valerianate, 2 gr.....	1	1 50	7 35
565	Rheumatic..... Ext. Coloc. co., 1 1-2 gr. Ext. Colchicum, 1 gr. Ext. Hyoscyamus, 1-3 gr. Calomel, 1-3 gr.	1 to 3	55	2 60
566	Rhubarb Ext., 1 gr.....	1 to 5	60	2 85
567	Rhubarb..... Powd. Rhubarb, 3 gr. Soap, 1 gr.	1 to 5	40	1 85
568	Rhubarb and Blue..... Blue Mass, 1 3-4 gr. Sodium bicarb., 1-2 gr. Powd. Rhubarb, 1 gr.	1 to 3	40	1 85
569	Rhubarb Comp., R "A"..... Powd. Rhubarb, 1 1-2 gr. Powd. Myrrh, 3-4 gr. Purified Aloes, 1 1-8 gr. Oil Peppermint, 1-128 gr.	1 to 4	40	1 85

*These prices are *net*.

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
570	Rhubarb Comp., R "B"..... Powd. Rhubarb, 2 gr. Purified Aloes, 1 1-2 gr. Powd. Myrrh, 1 gr. Oil Peppermint, 1-10 gr.	1 to 3	\$ 40	\$ 1 85
571	Rhubarb and Iron..... Powd. Rhubarb, 2 gr. Iron sulph. exsic., 1 gr.	1 to 3	50	2 35
572	Salicin, 1 gr.....	1 to 5	50	2 35
573	Salicin, 2 gr.....	1 to 3	75	3 60
574	Salicin, 3 gr.....	1 to 2	1 00	4 85
575	Salicin, 5 gr. (<i>G. C. only</i>).....	1	1 35	6 60
576	Salicylic acid, 1 gr.....	1 to 10	30	1 35
577	Salicylic acid, 2 1-2 gr.....	1 to 4	50	2 35
578	Salicylic acid, 3 gr.....	1 to 3	60	2 85
579	Salicylic acid, 5 gr. (<i>G. C. only</i>).....	1 to 2	90	4 35
749	Saline and Chalybeate Tonic, Flint's..... Sodium chloride, 3 gr. Potass. chloride, 3-20 gr. Potassium sulph., 1-10 gr. Potassium carb., 1-20 gr. Sodium carb., 3-5 gr. Magnesium carb., 1-20 gr. Calcium phos. precip., 1-2 gr. Calcium carb. precip., 1-20 gr. Iron by hydrogen, 9-20 gr. Iron protocarb., Vallet's, 1-20 gr. (<i>S. C. only</i>).	1 to 4	40	1 85
580	Salol, 2 1-2 gr.....	1 to 4	70	3 30
581	Salol, 5 gr. (<i>G. C. only</i>).....	1 to 2	1 00	4 80
756	Salol and Phenacetine, (<i>G. C. only</i>)..... Salol, 2 1-2 gr. Phenacetine, Bayer's, 2 1-2 gr.	1 to 2	2 00	9 85
582	Sandal-wood Comp..... Oil Sandal-wood, 1 gr. Balsam Copaiba, 1 gr. Ext. Cubeb, 1 gr.	2 to 5	70	3 35
583	Sanguinaria Ext., 1-2 gr.....	1	40	1 85
584	Sanguinariin (conc.), 1-2 gr.....	1 to 2	35	1 60
585	Sanguinariin (conc.), 1 gr.....	1	45	2 10
586	Santonin, 1-2 gr.....	1	35	1 60
587	Santonin, 1 gr.....	1	50	2 35
588	Santonin and Calomel..... Santonin, 1-2 gr. Calomel, 1-2 gr.	1	55	2 60
589	Santonin and Podophyllin..... Santonin, 1-2 gr. Podophyllin, 1-20 gr.	1	40	1 85
590	Sarsaparilla Ext., 3 gr.....	1 to 3	45	2 10
591	Savin Ext., 1 gr.....	1 to 3	40	1 85
592	Scillitoxin, 1-300 gr.; per bottle of 25 each, 20c. (<i>G. C. only</i>).....	1	60	

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
593	Sedative Ext. Musk root, 1-2 gr. Ext. Hyoscyamus, 1-2 gr. Ext. Valerian, 1-2 gr. Ext. Cannabis Ind., 1-10 gr.	1 to 2	\$ 50	\$ 2 35
594	Sedative, Mann's, (<i>S. C. only</i>) Ext. Coca, 1-2 gr. Ext. Valerian, 1-2 gr. Ext. Cannabis Ind., 1-4 gr. Iron protocarb., Vallet's, 1 gr. Arsenious acid, 1-80 gr. Strychnine, 1-80 gr. Codeine, 1-8 gr.	1 to 2	1 00	4 85
595	Senna Alex. Ext., 2 gr.	2	40	1 85
596	Silver iodide, 1-4 gr.	1 to 3	45	2 10
803	Silver nitrate, 1-4 gr.	1	40	1 85
597	See Opium with Soap.			
598	Sodium bicarbonate, 4 gr.	1	30	1 35
599	Squill Comp. Powd. Squill, 3-8 gr. Powd. Jam. Ginger, 3-4 gr. Powd. Soap, 1 1-8 gr. Ammoniac, 3-4 gr.	1 to 3	30	1 35
600	Stillingin, 1 gr.	1 to 3	35	1 60
601	Stramonium Ext., 1-4 gr. (<i>of the seed</i>) ...	1 to 4	25	1 10
602	Stramonium Ext., 1-2 gr. (<i>of the seed</i>) ...	1 to 2	35	1 60
603	Stramonium Ext., 1 gr. (<i>of the seed</i>)	1	40	1 85
604	Strophanthus (<i>powdered seed</i>), 1-20 gr. ...	1	50	2 35
605	Strophanthus (<i>powdered seed</i>), 1-4 gr.	1 to 2	1 00	4 85
753	Strophanthus and Iron. Strophanthus seed, 1-4 gr. Potassium carb., 1 1-2 gr. Iron sulph., 1 1-2 gr.	1 to 2	1 00	4 85
606	Strychnine, 1-100 gr.	Max. 1-8 gr.	20	85
607	Strychnine, 1-60.	Max. 1-8 gr.	20	85
608	Strychnine, 1-50 gr.	Max. 1-8 gr.	20	85
609	Strychnine, 1-48 gr.	Max. 1-8 gr.	20	85
610	Strychnine, 1-40 gr.	Max. 1-8 gr.	20	85
611	Strychnine, 1-32 gr.	Max. 1-8 gr.	20	85
612	Strychnine, 1-30 gr.	Max. 1-8 gr.	20	85
613	Strychnine, 1-20 gr.	Max. 1-8 gr.	20	85
614	Strychnine, 1-16 gr.	Max. 1-8 gr.	20	85
788	Strychnine nitrate, 1-60 gr.	Max. 1-8 gr.	20	85
798	Strychnine nitrate, 1-40 gr.	Max. 1-8 gr.	20	85
757	Strychnine sulphate, 1-200 gr.	Max. 1-8 gr.	20	85
615	Strychnine sulphate, 1-100 gr.	Max. 1-8 gr.	20	85
758	Strychnine sulphate, 1-60 gr.	Max. 1-8 gr.	20	85
545	Strychnine Comp., R "A," see Quinine Comp. and Strychnine.	1	65	3 10

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A	B
			Per Bot. of 100.	Per Bot. of 500.
616	Strychnine Comp., R "B."..... Strychnine, 1-100 gr. Ext. Cannabis Ind., 1-16 gr. Iron proto-carb., Vallet's, 1 gr. Phosphorus, 1-100 gr.	1 to 2	\$ 45	\$ 2 10
617	Sulphur iodide, 1-25 gr.....	1 to 2	35	1 60
760	Sumbul Comp..... Ext. Sumbul, 1 gr. Iron sulph. exsic., 1 gr. Asafetida, 2 gr. Arsenious acid, 1-40 gr.	1 to 3	1 00	4 85
618	Sundew Ext., 3 gr.....	1 to 2	55	2 60
619	Syphilitic, Ricord's, Modified..... Mercury protiodide, 1-2 gr. Ext. Conium fruit, 1 1-2 gr. Lactucarium, 1-2 gr. Ext. Opium, 1-10 gr.	1 to 2	1 00	4 85
620	Tannin, 1 gr.....	1 to 10	50	2 35
621	Tannin, 3 gr.....	1 to 3	60	2 85
622	Tannin, 5 gr. (<i>G. C. only</i>).....	1 to 2	85	4 10
623	Taraxacum Ext., 3 gr.....	2	45	2 10
624	Tartar emetic, 1-16 gr.....	1 to 16	20	85
625	Tartar emetic, 1-10 gr.....	1 to 10	20	85
626	Tartar emetic, 1-8 gr.....	1 to 8	20	85
627	Tartar emetic, 1-4 gr.....	1 to 4	20	85
628	Terpin hydrate, 2 gr.....	1 to 3	40	1 85
799	Terpin hydrate, 5 gr. (<i>G. C. only</i>).....	1	75	3 60
629	Tonic, Aiken's..... Quinine sulphate, 1 gr. Arsenious acid, 1-50 gr. Iron by hydrogen, 2-3 gr. Strychnine, 1-50 gr.	1 to 2	60	2 85
630	Tonic Hæmatic, Andrews'..... Quinine sulph., 1 gr. Iron by hydrogen, 1 1-2 gr. Arsenious acid, 1-40 gr. Powd. Ipecac, 1-8 gr. Strychnine sulph., 1-40 gr.	1 to 2	75	3 60
631	Tonic Hæmatic with Cinchonidine..... Cinchonidine sulph., 1 gr. Powd. Ipecac, 1-8 gr. Arsenious acid, 1-40 gr. Iron by hydrogen, 1 1-2 gr. Strychnine sulph., 1-40 gr.	1 to 2	50	2 35
632	Tonic, Waxham's..... Cinchonine sulph., 1 gr. Ext. Prickly Ash bark., 1-4 gr. Ext. Cinchona bark, red, 1-4 gr. Ext. Dogwood bark, 1-4 gr. Powd. Capsicum, 1-4 gr.	1 to 4	40	1 85
633	Trilliin, 1-8 gr.....	2	30	1 35
634	Triplex..... Purified Aloes, 2 gr.†Podophyllin, 1-4 gr. Blue Mass, 1 gr.	1 to 4	40	1 85

PILLS.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
635	Triplex, Dr. Francis'..... Purified Aloes, 1 1-5 gr. Blue Mass, 1 1-5 gr. Oil Caraway, 1-5 gr. Res. Scammony, 1 1-5 gr. Oil Croton, 1-20 gr. Tincture Aloes and Myrrh, 1-4 gr.	1 to 2	\$ 40	\$ 1 85
636	Uva-ursi Ext., 2 gr.....	2 to 6	40	1 85
637	Valerian Ext., 2 gr.....	2 to 4	55	2 60
638	Veratrine, 1-60 gr.....	1 to 5	25	1 10
639	Veratrine, 1-32 gr.....	1 to 3	30	1 35
640	Veratrine, 1-12 gr.....	1	35	1 60
641	Veratrum viride Ext., 1-4 gr.....	1 to 2	30	1 35
642	Veratrum viride Ext., 1-2 gr.....	1	40	1 85
643	Warburg's Tincture, R "A"..... Each pill equals 1 fluidrachm of the tincture.	1 to 2	1 20	5 85
786	Warburg's Tincture, R "B"..... Each pill equals 1-2 fluidrachm of the tincture.	1 to 4	75	3 60
644	Warburg's Tincture, no Aloes, R "C".. Each pill equals one fluidrachm of the tincture without aloes.	1 to 2	1 20	5 85
787	Warburg's Tincture, no Aloes, R "D".. Each pill equals 1-2 fluidrachm of the tincture without aloes.	1 to 4	75	3 60
645	Yerba santa Ext., 3 gr.....	1 to 4	50	2 35
646	Zinc oxide, 1 gr.....	1 to 4	40	1 85
647	Zinc phosphide, 1-10 gr.....	1 to 5	45	2 10
648	Zinc phosphide, 1-8 gr.....	1 to 4	45	2 10
649	Zinc phosphide, 1-6 gr.....	1 to 3	45	2 10
650	Zinc phosphide, 1-4 gr.....	1 to 2	50	2 35
651	Zinc phosphide, 1-2 gr.....	1	65	3 10
652	Zinc phosphide Comp..... Zinc phosphide, 1-8 gr. Ext. Nux vomica, 1-8 gr. Ext. Cannabis Ind., 1-8 gr.	1 to 2	65	3 10
653	Zinc phosphide and Nux vomica..... Zinc phosphide, 1-10 gr. Ext. Nux vomica, 1-4 gr.	1 to 2	50	2 35
654	Zinc Valerianate, 1-2 gr.....	1 to 4	50	2 35
655	Zinc Valerianate, 1 gr.....	1 to 2	60	2 85
656	Zinc Valerianate, 2 gr.....	1	75	3 60
657	to 714 Pink Granules.			
715	to 736 Pills of British Pharmacopœia.			
737	Ergotin and Cannabis Indica, see page 252.			
738	Mercury with Chalk, R 1, see page 257.			
739	Mercury with Chalk, R 2, see page 257.			
740	Mercury with Chalk, R 3, see page 257.			
741	Podophyllin, 1-6 gr., see page 263.			

PILLS.

- 742 Quinine muriate, 2 gr., see page 266.
 743 Quinine muriate, 3 gr., see page 266.
 744 Aloes and Asafetida, 5 gr., see page 274.
 745 Aloes and Iron, 5 gr., see page 274.
 746 Aloes and Myrrh, 5 gr., see page 274.
 747 Asafetida Comp., 5 gr., see page 274.
 748 Colocynth Comp., 5 gr., see page 275.
 749 Saline and Chalybeate Tonic, see page 267.
 750 Ferruginous, Bland's, modified, see page 252.
 751 Appears in our Spanish price list only.
 752 Appears in our Spanish price list only.
 753 Strophanthus and Iron, see page 268.
 754 Carminative, modified, see page 245.
 755 Aloin, Strychnine and Belladonna, R 3, see page 239.
 756 Salol and Phenacetine, see page 267.
 757 Strychnine sulphate, 1-200 gr., see page 268.
 758 Strychnine sulphate, 1-60 gr., see page 268.
 759 Gold and Sodium chloride, 1-20 gr., see page 253.
 760 Sumbul Compound, see page 269.
 761 Phenacetine, Bayer's, 5 gr., see page 260.
 762 to 783 Enteric Pills, see page 276.
 784 Quinine valerianate, 2 gr., see page 266.
 785 Camphor monobromated, 5 gr., see page 244.
 786 and 787. Warburg's Tincture, see page 270.
 788 Strychnine nitrate, 1-60 gr., see page 268.
 789 Appears in our Spanish price list only.
 790 to 793. Creasote, see page 276, Enteric Pills.
 794 Appears in our Spanish price list only.
 795 Hydronaphthol, 3 gr., see page 276, Enteric Pills.
 796 Caffeine citrate, 2 gr., see page 243.
 797 Aloes and Iron, R A, 1-2 strength, dose, 2 to 6 gr; per bottle of 100,
 25c; per bottle of 500, \$1.10.
 Purified aloes, 1-2 gr. Jamaica ginger, 1-4 gr.
 Iron sulph. exsic., 1-2 gr. Ext. conium fruit, 1-4 gr.
 798 Strychnine nitrate, 1-40 gr., see page 268.
 799 Terpin hydrate, 5 gr., see page 269.
 800 Migraine, see page 257.
 801 Chalybeate Comp., Improved (Jarvis), see page 247.
 802 Quinine, Iron and Strychnine phosphate, No. 2, see page 266.
 803 Silver nitrate, 1-4 gr., see page 268.
 804 Diuretic Comp., see page 251.
 805 Arsenic sulphide, 1-100 gr., see page 242.
 806 Arsenic sulphide, 1-60 gr., see page 242.
 807 Dipsomania, Mann, see page 250.

PINK GRANULES, SUGAR-COATED.

These granules are intended to supply the needs of physicians in such cases as require *minute or frequently repeated doses*. A glance at the list will show that they are distinguished from our regular line of pills in that *they represent doses suitable for children*. This diminishes the risk there might otherwise be of giving to a child an overdose of some powerful remedy. At the same time their distinctive color renders them attractive to the class of patients for which they are intended.

As we have not the protection of a government copyright or trade mark on the name "Pink Granules" we are enabled to offer these granules at a lower price than similar articles in the market. We guarantee the material to be unqualifiedly the best.

List No.		A Per bot. of 100.	B Per bot. of 500.
657	Aconite root, 1-20 gr.....	\$ 20	\$ 85
658	Aloin, 1-10 gr.....	20	85
659	Alum, 1-10 gr.....	20	85
660	Ammonium chloride, 1-10 gr.....	20	85
661	Anodyne	20	85
	Camphor, 1-8 gr.		
	Ext. Hyoscyamus, 1-8 gr.		
	Morphine acetate, 1-160 gr.		
	Oleoresin Capsicum, 1-160 gr.		
662	Anti-Chill.....	20	85
	Chinoidin, 1-16 gr.		
	Iron ferrocyanide, 1-8 gr.		
	Arsenious acid, 1-320 gr.		
	Oleoresin Blk. Pepper, 1-16 gr.		
663	Anti-Constipation.....	20	85
	Podophyllin, 1-40 gr.		
	Ext. Belladonna, 1-40 gr.		
	Ext. Nux vomica, 1-16 gr.		
	Ext. Hyoscyamus, 1-16 gr.		
	Powd. Capsicum, 1-16 gr.		
664	Apomorphine hydrochlorate, 1-60 gr.....	20	85
665	Arnica flowers, 1-5 gr.....	20	85
666	Arsenic iodide, 1-100 gr.....	20	85
667	Arsenious acid, 1-100 gr.....	20	85
668	Belladonna leaves, 1-20 gr.....	20	85
669	Calomel, 1-20 gr.....	20	85
670	Calomel, 1-10 gr.....	20	85
671	Camphor, 1-20 gr.....	20	85
672	Camphor and Opium.....	20	85
	Camphor, 1-6 gr.		
	Powd. Opium, 1-12 gr.		
673	Camphor, Opium and Tannin.....	20	85
	Camphor, 1-16 gr.		
	Opium, 1-64 gr.		
	Tannin, 1-8 gr.		
674	Cantharides, 1-50 gr.....	20	85
675	Capsicum, 1-20 gr.....	20	85
676	Cascarin, 3-16 gr.....	20	85
677	Cathartic Comp., Improved.....	20	85
	Ext. Coloc. co. 1 1-12 gr.		
	Leptandrin, 1-48 gr.		
	Ext. Jalap, 1-24 gr.		
	Ext. Hyoscyamus, 1-48 gr.		
	Podophyllin, 1-48 gr.		
	Ext. Gentian, 1-24 gr.		
	Oil Peppermint, q. s.		

PINK GRANULES, SUGAR-COATED.

List No.		A Per Bot. of 100.	B Per Bot. of 500.
678	Cathartic Comp., U. S. P.....	\$ 20	\$ 85
	Ext. Coloc. comp., 13-140 gr.		
	Ext. Jalap, 1-14 gr.		
	Calomel, 1-14 gr.		
	Gamboge, 1-50 gr.		
679	Corrosive sublimate, 1-100 gr.....	20	85
680	Croton Oil, 1-50 gr.....	20	85
681	Digitalis leaves, 1-20 gr.....	20	85
682	Dover's Powder, 1-4 gr.....	20	85
683	Ergotin, 1-10 gr.....	20	85
684	Gamboge, 1-32 gr.....	20	85
685	Gelsemium root, 1-50 gr.....	20	85
686	Hydrastin, 1-20 gr.....	20	85
687	Hyoscyamus Ext., 1-8 gr.....	20	85
688	Iodoform, 1-10 gr.....	20	85
689	Ipecac, 1-50 gr.....	20	85
690	Iron by hydrogen, 1-10 gr.....	20	85
691	Jalapin, 1-16 gr.....	20	85
692	Leptandrin, 1-16 gr.....	20	85
693	Mercury with Chalk, 1-10 gr.....	20	85
694	Mercury protiodide, 1-40 gr.....	20	85
695	Mercury protiodide, 1-20 gr.....	20	85
696	Morphine sulphate, 1-50 gr.....	20	85
697	Neuralgic, Dr. Gross'.....	20	85
	Quinine sulph., 1-5 gr.		
	Arsenious acid, 1-200 gr.		
	Strychnine, 1-300 gr.		
	Morphine sulph., 1-200 gr.		
	Ext. Aconite leaves, 1-20 gr.		
698	Nux vomica, 1-50 gr.....	20	85
699	Opium, 1-40.....	20	85
700	Peppermint Oil, 1-128 gr.....	20	85
701	Phosphorus, 1-200 gr.....	20	85
702	Piperine, 1-20 gr.....	20	85
703	Podophyllin, 1-40 gr.....	20	85
704	Potassium arsenite, 1-100 gr.....	20	85
705	Potassium bromide, 1-5 gr.....	20	85
706	Potassium nitrate, 1-10 gr.....	20	85
707	Quinine sulphate, 1-10 gr.....	20	85
708	Quinine, Iron and Strychnine.....	20	85
	Quinine sulph., 1-16 gr.		
	Strychnine sulph., 1-960 gr.		
	Iron proto-carb., Vallet's, 1-8 gr.		
709	Salicylic acid, 1-10 gr.....	20	85
710	Santonin, 1-10 gr.....	20	85
711	Strychnine, 1-100 gr.....	20	85
712	Tannic acid, 1-20 gr.....	20	85
713	Tartaric acid, 1-10 gr.....	20	85
714	Tartar emetic, 1-100 gr.....	20	85

PILLS OF THE BRITISH PHARMACOPŒIA.

To meet the demands of our trade in Great Britain and her colonies, we have prepared the following line of pills official in the British Pharmacopœia, 1885 :

List No	OVIFORM.	DOSE.	A	B
			Per Bot. of 100.	Per Bot. of 500.
715	Aloes and Asafetida (<i>S. C. only</i>)..... Soc. Aloes, 1 gr. Asafetida, 1 gr. Soap, 1 gr. Confect. Rose, 1 gr.	2 to 6	\$ 20	\$ 85
744	Aloes and Asafetida, 5 gr. (<i>G. C. only</i>)... Soc. Aloes, 1 1-4 gr. Asafetida, 1 1-4 gr. Soap, 1 1-4 gr. Confect. Rose, 1 1-4 gr.	2 to 5	35	1 60
716	Aloes, Barbadoes (<i>S. C. only</i>)..... Barb. Aloes, 2 gr. Soap, 1 gr. Oil Caraway, 1-8 gr. Confect. Rose, 1 gr.	1 to 3	30	1 35
717	Aloes and Iron (<i>S. C. only</i>)..... Iron sulph., 1-2 gr. Barb. Aloes, 2-3 gr. Powd. Cinnamon comp., 1 gr. Confect. Rose, 1 1-3 gr.	2 to 6	30	1 35
745	Aloes and Iron, 5 gr. (<i>G. C. only</i>)..... Barb. Aloes, 20-21 gr. Iron sulph., 5-7 gr. Powd. Cinnamon comp., 1 3-7 gr. Confect. Rose, 1 19-21 gr.	1 to 3	50	2 35
718	Aloes and Myrrh (<i>S. C. only</i>)..... Soc. Aloes, 2 gr. Saffron, dried, 5-7 gr. Myrrh, 1 gr.	1 to 5	25	1 10
746	Aloes and Myrrh, 5 gr. (<i>G. C. only</i>)..... Soc. Aloes, 2 6-7 gr. Saffron, dried, 5-7 gr. Myrrh, 1 3-7 gr.	1 to 3	40	1 85
719	Aloes, Soc. (<i>S. C. only</i>)..... Soc. Aloes, 2 gr. Soap, 1 gr. Oil Nutmeg, 1-8 gr. Confect. Rose, 1 gr.	1 to 3	25	1 10
720	Asafetida Comp. (<i>S. C. only</i>)..... Asafetida, 1 gr. Myrrh, 1 gr. Galbanum, 1 gr.	2 to 4	30	1 35
747	Asafetida Comp. 5 gr. (<i>G. C. only</i>)..... Asafetida, 1 2-3 gr. Myrrh, 1 2-3 gr. Galbanum, 1 2-3 gr.	1 to 3	50	2 35
721	Colocynth Comp. (<i>S. C. only</i>)..... Colocynth pulp., 1-2 gr. Barb. Aloes, 1 gr. Scammony, 1 gr. Potass. sulph., 1-8 gr. Oil Cloves, 1-8 gr.	1 to 3	40	1 85

PILLS OF THE BRITISH PHARMACOPŒIA.

List No.	OVIFORM.	DOSE.	A Per Bot. of 100.	B Per Bot. of 500.
			\$	\$
748	Colocynth Comp., 5 gr. (<i>G. C. only</i>)..... Colocynth pulp., 10-11 gr. Scammony resin, 1 9-11 gr. Oil Cloves, 5-22 gr. Barb. Aloes, 1 9-11 gr. Potass. sulph., 5-22 gr.	1 to 2	70	3 35
722	Colocynth and Hyoscyamus (<i>S. C. only</i>). Pil. Colocynth comp., 2 gr. Ext. Hyoscyamus, 1 gr.	1 to 2	45	2 10
723	Gamboge Comp. (<i>S. C. only</i>)..... Gamboge Comp. 3-5 gr. Barb. Aloes, 3-5 gr. Powd. Cinnamon Comp., 3-5 gr. Soap, 1 1-5 gr.	1 to 3	20	85
724	Hemlock Comp. (Conium) (<i>S. C. only</i>)... Ext. Conium leaves, 3-4 gr. Ipecac, 3-20 gr.	1 to 2	40	1 85
725	Ipecac and Squill (<i>S. C. only</i>)..... Powd. Ipecac comp., 2 gr. Ammoniac, 2-3 gr. Squill, 2-3 gr.	1 to 4	30	1 35
726	Iron carbonate (<i>S. C. only</i>)..... Iron carb. sacch., 2 1-2 gr. Confect. Rose, 5-8 gr.	2 to 4	20	85
727	Iron iodide, 1 gr. (<i>S. C. only</i>).....	1 to 4	35	1 60
728	Lead and Opium (<i>S. C. Only</i>)..... Lead acetate, 2 gr. Confect. Rose, 1-3 gr. Opium powd., 1-3 gr.	1 to 2	50	2 35
729	Mercurial pill, 3 gr., (<i>S. C. only</i>).....	1 to 3	20	85
730	Mercurial pill, 5 gr., (<i>S. C. only</i>).....	1 to 2	25	1 10
731	Mercury subchloride Comp. (<i>S. C. only</i>).. Mercury subchloride, 3-4 gr. Antimony sulphurated, 3-4 gr. Guaiac resin, 1 1-2 gr. Castor Oil, 3-4 gr.	1 to 3	35	1 60
732	Phosphorus, (<i>S. C. only</i>)..... Phosphorus, 1-30 gr. Bals. Tolu, 1 1-3 gr. Yellow Wax, 2-3 gr. Curd Soap, 1 gr.	1 to 2	30	1 35
733	Rhubarb Comp. (<i>S. C. only</i>)..... Powd. Rhubarb, 1 gr. Myrrh, 1-2 gr. Soc. Aloes, 3-4 gr. Soap, 1-2 gr. Oil Peppermint, 1-16 gr.	2 to 6	40	1 85
734	Scammony Comp., (<i>S. C. only</i>)..... Resin Scammony, 1 gr. Resin Jalap, 1 gr. Soap, 1 gr. Tinct. Ginger, 1 m.	1 to 2	40	1 85
735	Soap Comp. (<i>S. C. only</i>)..... Powd. Opium, 1-2 gr. Soap, 2 gr.	1 to 4	55	2 60
736	Squill Comp. (<i>S. C. only</i>)..... Powd. Squill, 5-8 gr. Powd. Ginger, 1-2 gr. Powd. Gum Ammoniac, 1-2 gr. Powd. Soap, 1-2 gr.	1 to 3	25	1 10

ENTERIC PILLS.

PILLS SO COATED AS TO PASS THE STOMACH INTACT, AND DISSOLVE IN THE DUODENUM OR INTESTINAL TRACT.

Prepared at the suggestion of Wm. H. Flint, M. D., of New York, to be employed when drugs are prescribed which irritate the gastric mucous membrane; also when substances are given which neutralize the acidity of the stomach, or which in any way impair its activity.

This coating is likewise desirable for remedies which are destroyed by the acid gastric juice, and especially valuable when vermicides are given, which, if introduced in the ordinary way, undergo absorption and set up alarming symptoms, while their vermifugal action is reduced.

These pills have been successfully tested by Dr. Flint, a reprint of whose experiments as reported in the Therapeutic Gazette of February, 1891, we will mail on request.

List No.		Dose.	A Per bot. of 100.	B Per bot. of 500.
762	Arsenious acid, 1-100 gr., <i>manufacture discontinued.</i>			
763	Arsenious acid, 1-50 gr., <i>manufacture discontinued.</i>			
764	Calcium sulphide, 1-4 gr.....	1	\$ 50	\$ 2 35
765	Cathartic Comp., Improved.....	2 to 4	50	2 35
	Ext. Coloc. co., 1 gr. Ext. Jalap, 1-2 gr.			
	Ext. Gentian, 1-2 gr. Leptandrin, 1-4 gr.			
	* Podophyllin, 1-4 gr. Ext. Hyosecy., 1-4 gr.			
	Oil Peppermint, q. s.			
766	Calomel, 1-4 gr.....	1 to 40	50	2 35
767	Calomel, 1-2 gr.....	1 to 20	50	2 35
758	Calomel, 1 gr.....	1 to 10	50	2 35
769	Calomel, 2 gr.....	1 to 5	50	2 35
770	Calomel, 3 gr.....	1 to 3	50	2 35
771	Corrosive sublimate, 1-100 gr.....	1 to 12	50	2 35
772	Corrosive sublimate, 1-50 gr.....	1 to 6	50	2 35
773	Corrosive sublimate, 1-20 gr.....	1 to 3	50	2 35
774	Corrosive sublimate, 1-16 gr.....	1 to 2	50	2 35
775	Corrosive sublimate, 1-8 gr.....	1	50	2 35
782	Creasote, 1-2 gr.....	1 to 20	50	2 35
783	Creasote, 1 gr.....	1 to 10	50	2 35
790	Creasote, 2 gr.....	1 to 5	60	2 85
791	Creasote, 3 gr.....	1 to 3	70	3 35
792	Creasote, 4 gr.....	1 to 3	80	3 85
793	Creasote, 5 gr.....	1 to 2	90	4 35
795	Hydronaphthol, 3 gr.....	1 to 3	75	3 60
776	Intestinal Antiseptic.....	1 to 2	50	2 35
	Mercury protiod., 1-8 gr. Podophyllin, 1-16 gr.			
	Aloin, 1-16 gr. Ext. Nux vom., 1-16 gr.			
	Ext. Hyoscyamus, 1-16 gr.			
777	Mercury biniodide, 1-4 gr.....	1	50	2 35
778	Mercury protiodide, 1-4 gr.....	1 to 4	50	2 35
779	Pancreatin, 1 gr.....	1 to 2	50	2 35
780	Podophyllin, 1-4 gr.....	1 to 4	50	2 35
781	Podophyllin, 1-2 gr.....	1 to 4	50	2 35

DIURNULES AND DIURNAL TABLET TRITURATES.

In an article published in the *Revue de Thérapeutique*, M. Trouette has suggested a new mode of administering toxic drugs.

Additions are constantly being made to the already long list of alkaloids, glucosides and similar active principles, and it is almost impossible for the practitioner to have at finger's end the ordinary, minimum and maximum doses of each.

It is, therefore, proposed to furnish a new line of granules and tablets which shall overcome this difficulty, as follows: The maximum internal (full daily) dose of the substance for the adult is subdivided into 12 equal doses. We exhibit these subdivisions in the shape of granules, under the name of DIURNULES, with the coating colored yellow, to distinguish them from parvules, pink granules and regular white granules; also in the shape of DIURNAL TABLET TRITURATES, for list of which see page 311.

When it is desirable to administer or prescribe the full daily dose for an adult of any such active principle, one diurnule or diurnal tablet triturate is to be administered every two hours. If health or age of patient does not warrant full daily dose, the physician can readily decide whether two-thirds or one-half the full daily dose shall be prescribed, and in accordance with his decision, one diurnule or diurnal tablet triturate can be administered every three or four hours respectively, etc.

The diurnal triturate admits of smaller subdivision, each tablet being marked by lines, so that it may be divided into two or four equal parts in cases where smaller doses than one-twelfth of the full daily dose are to be administered. These tablet triturates also commend themselves for administration to children, and to such patients as cannot take pills, as they can be crushed into powder, or dissolved in water.

DIURNULES.

(SUGAR-COATED, YELLOW.)

Twelve diurnules represent in absolutely equal subdivision the FULL DAILY INTERNAL DOSE for an adult.

List No.	Adult daily dose.	Equal to about	Per bot. of 100	Per bot. of 500.
900 Aconitine crystals, pure.	0.0013 Gm.	(1-50 gr.)	\$ 25	\$ 1 10
901 Arsenic bromide.....	0.02 Gm.	(3-10 gr.)	25	1 10
902 Arsenic iodide.....	0.02 Gm.	(3-10 gr.)	25	1 10
903 Arsenic sulphide.....	0.02 Gm.	(3-10 gr.)	25	1 10
904 Arsenous acid.....	0.02 Gm.	(3-10 gr.)	20	85

DIURNULES.

List No.	Adult daily dose.	Equal to about	Per bot. of 100.	Per bot. of 500.
905	Atropine sulphate.....0.00216	Gm. (1-30 gr.)	\$ 25	\$ 1 10
906	Brucine.....0.15	Gm. (2 3-10 gr.)	40	1 85
907	Cocaine hydrochlorate...0.15	Gm. (2 3-10 gr.)	70	3 35
908	Colchicine.....0.02	Gm. (3-10 gr.)	40	1 85
909	Colocynthis.....0.02	Gm. (3-10 gr.)	50	2 35
910	Coniine hydrobromate...0.01	Gm. (3-20 gr.)	25	1 10
911	Copper arsenite.....0.02	Gm. (3-10 gr.)	20	85
912	Corrosive sublimate (Mercuric chloride, corrosive).....0.008	Gm. (1-8 gr.)	20	85
913	Curarine— <i>Discontinued.</i>			
914	Daturine.....0.00216	Gm. (1-30 gr.)	40	1 85
915	Digitalin, pure.....0.002	Gm. (3-100 gr.)	25	1 10
916	Elaterin.....0.03	Gm. (1-2 gr.)	60	2 85
917	Gelsemine hydrochlorate.0.006	Gm. (1-10 gr.)	40	1 85
	Glonoïn, <i>see Nitroglycerin.</i>			
918	Hydrastine sulphate.....0.06	Gm. (1 gr.)	50	2 35
919	Hydrastinine hydrochlor.0.2	Gm. (3 gr.)	1 75	8 60
920	Hyoscyne hydrobromate .0.002	Gm. (3-100 gr.)	55	2 60
921	Hyoscyamine, pure0.002	Gm. (3-100 gr.)	30	1 35
922	Iron arsenate.....0.03	Gm. (1-2 gr.)	20	85
923	Mercury and arsenic iodide (substitute for Donovan's solution).....0.008	Gm. (1-8 gr.)	25	1 10
924	Mercuric iodide, red.....0.015	Gm. (1-4 gr.)	20	85
925	Mercurous iodide, yellow.0.2	Gm. (3 gr.)	20	85
926	Morphine acetate.....0.1	Gm. (1 1-2 gr.)	35	1 60
927	Morphine hydrochlorate.0.1	Gm. (1 1-2 gr.)	35	1 60
928	Morphine sulphate.....0.1	Gm. (1 1-2 gr.)	30	1 35
929	Nitroglycerin (Glonoïn).0.003	Gm. (1-20 gr.)	50	2 35
930	Phosphorus.....0.0013	Gm. (1-50 gr.)	20	85
931	Physostigmine sulphate .0.003	Gm. (1-20 gr.)	50	2 35
932	Podophyllum resin.....0.1	Gm. (1 1-2 gr.)	20	85
933	Potassium arsenate.....0.02	Gm. (3-10 gr.)	25	1 10
934	Potassium bichromate...0.1	Gm. (1 1-2 gr.)	25	1 10
935	Potassium cyanide.....0.0108	Gm. (1-6 gr.)	25	1 10
936	Potassium osmate.....0.01	Gm. (3-20 gr.)	75	3 60
937	Quinine arsenate.....0.02	Gm. (3-10 gr.)	25	1 10
938	Scillitoxin.....0.002	Gm. (3-100 gr.)	50	2 35
939	Sodium arsenate.....0.03	Gm. (1-2 gr.)	25	1 10
940	Sparteine sulphate.....0.06	Gm. (1 gr.)	35	1 60
941	Strophanthin.....0.00065	Gm. (1-100 gr.)	50	2 35
942	Strychnine nitrate.....0.006	Gm. (1-10 gr.)	20	85
943	Veratrine sulphate.....0.006	Gm. (1-10 gr.)	25	1 11

For list of Diurnal Tablet Triturates, see page 311.

TABLET TRITURATES.

Particular attention is directed to the list of Tablet Triturates given in the following pages, and comprising over 550 formulæ. Each tablet bears its number, which identifies the formula independent of the label on the bottle, so that if it should become separated from the container in any way it may be recognized and used with the certainty that its composition corresponds to the number on the list.

Formulæ not mentioned here we are prepared to supply upon special order, provided the nature of the material will permit of presentation in this form, and the number required will enable us to manufacture to order at a satisfactory price. Correspondence in this regard is solicited.

Only the purest materials are used in the manufacture of these triturates, while all processes are the best approved, thus securing the highest standards of permanency, solubility, and therapeutic efficiency.

SPECIAL NOTICE.

In the following list each formula appears both in its alphabetical and numerical order. In the alphabetical arrangement, which appears on pages 280 to 295, the number follows the name of the tablet, while in the numerical list on pages 295 to 310 the number appears in front. This method of listing these tablets will accommodate patrons seeking formulæ by number, as well as busy physicians wishing to consult the list to ascertain whether a particular drug is offered in triturate form. By referring to the alphabetical list appearing on pages 280 to 295, which comprises all the tablet triturates which we manufacture, the doctor will learn at a glance all the available formulæ of the drug he is looking for, and the proper number of the triturate being given as well as the prices thereof, he can then order of his druggist "by number and letter." On the other hand, the numerical arrangement will be of great convenience to bill-clerks, stock-clerks, order-clerks, etc.

INSTRUCTIONS FOR ORDERING.

These tablet triturates are put up in glass-stoppered bottles of 1,000; in cork-stoppered bottles of 500; and in cork-stoppered bottles of 100; which are designated in the following list by the letters "M," "D," and "C" respectively. It will be noted that the price *per thousand* is the same whether supplied in one glass-stoppered bottle of 1000, or in two cork-stoppered bottles of 500 each.

In ordering please designate by number the formulæ, and by letter the container desired, thus: "500 No. 10, C," will mean 500 Aloin, 1-10 gr., in cork-stoppered bottles of 100; "2,000 No. 10, M," will mean 2,000 Aloin, 1-10 gr., in glass-stoppered bottles of 1,000; "2,000 No. 10, D," will mean 2,000 Aloin, 1-10 gr., in cork-stoppered bottles of 500.

TABLET TRITURATES.

(The price per 1000 in c.-s. bottles of 500 ("D")) (is the same as that for g.-s. bottles of 1000 ("M").) PLEASE ORDER BY NUMBER AND LETTER.		M or D Per 1000.	C Per 100.
Acetanilid, 1 gr.....	No. 239..	\$ 85	\$ 15
Aconite, fluid extract, 1-10 ℥.....	5..	85	15
Aconite, fluid extract, 1 ℥.....	6..	85	15
†Aconite, fluid extract, 1-2 ℥.....	253..	85	15
Aconite, tincture, 1-4 ℥.....	254..	85	15
Aconite, tincture, 1-2 ℥.....	255..	85	15
Aconite, tincture, 3-4 ℥.....	256..	85	15
†Aconite, tincture, 1 ℥.....	257..	85	15
Aconite, tincture, 2 ℥.....	258..	1 00	16
Aconitine, crystals, 1-500 gr.....	7..	1 50	21
†Aconitine, crystals, 1-200 gr.....	8..	2 00	26
Aconitine, crystals, 1-100 gr.....	259..	4 50	51
Agaricin, 1-20 gr.....	9..	2 00	26
Aloin, 1-10 gr.....	10..	85	15
Aloin, 1-5 gr.....	260..	85	15
†Aloin, 1-4 gr.....	11..	85	15
Aloin, 1-2 gr.....	12..	1 20	18
†Aloin and Belladonna Comp., R "A".....	181..	1 00	16
Aloin, 1-5 gr. Strychnine sulphate, 1-60 gr. Ext. Belladonna lvs., 1-8 gr.			
Aloin and Belladonna Comp., R "B".....	201..	1 00	16
Aloin, 1-5 gr. Strychnine sulphate, 1-120 gr. Ext. Belladonna lvs., 1-8 gr.			
Aloin, Belladonna and Nux vomica.....	218..	1 00	16
Aloin, 1-5 gr. Ext. Nux vomica, 1-6 gr. Ext. Belladonna lvs., 1-8 gr.			
Aloin, Belladonna and Podophyllin.....	220..	1 00	16
Aloin, 1-8 gr. Podophyllum resin, 1-8 gr. Ext. Belladonna lvs., 1-8 gr.			
Aloin, Belladonna, Podophyllin and Nux Vomica.....	221..	1 00	16
Aloin, 1-10 gr. Podophyllum resin, 1-10 gr. Ext. Belladonna lvs., 1-10 gr. Ext. Nux vomica, 1-10 gr.			
Aloin, Belladonna, Strychnine and Cascara Sagrada.....	222..	1 00	16
Aloin, 1-5 gr. Strychnine, 1-120 gr. Ext. Belladonna lvs., 1-8 gr. Ext. Cascara sagrada, 1-2 gr.			
Aloin, Belladonna, Strychnine and Ipecac.....	219..	1 00	16
Aloin, 1-5 gr. Strychnine, 1-60 gr. Ext. Belladonna lvs., 1-8 gr. Powd. Ipecac, 1-16 gr.			
†Aloin Comp., R "A".....	217..	1 50	16
Aloin, 1-8 gr. Podophyllum resin, 1-8 gr.			
Aloin Comp., R "B".....	261..	1 25	19
Aloin, 1-4 gr. Podophyllum resin, 1-4 gr.			
Alum, 1-10 gr.....	262..	85	15
†Alum, 1-5 gr.....	263..	85	15
Ammonium chloride, 1-10 gr.....	264..	85	15
†Ammonium chloride, 1-2 gr.....	265..	85	15
Ammonium chloride, 1 gr.....	13..	85	15
Ammonium chloride Compound.....	182..	85	15
Ammonium chloride, 1-4 gr. Ext. Glycyrrhiza, 1-10 gr. Powd. Cubeb, 1-8 gr.			

For Numerical Arrangement, see pages 295 to 310.

TABLET TRITURATES.

{The price for 1000 in c.-s. bottles of 500 ("D") } {is the same as that for g.-s. bottles of 1000 ("M"). } PLEASE ORDER BY NUMBER AND LETTER.		M or D Per 1000.	G Per 100.
Ammonium chloride and Codeine Compound.....No. 266..		\$ 1 50	\$ 21
Ammonium chloride, 1-4 gr.	Ext. Glycyrrhiza, 1-10 gr.		
Powdered Cubeb, 1-3 gr.	Codeine, 1-25 gr.		
Ammonium chloride and Hyoscyamus Compound.....267..		1 00	16
Ammonium chloride, 1 gr.	Ext. Hyoscyamus, 1-6 gr.		
Antimony and Potassium tartrate, 1-24 gr.			
Antimony Comp. (Plummer's), 1-10 gr.....193..		1 00	16
Sulphurated Antimony, 1-40 gr.	Powd. Guaiac, 1-20 gr.		
Mercurous chloride, mild, 1-40 gr.			
Antiseptic Tablets (<i>for external use only</i>), see page 15.			
Apomorphine hydrochlorate, 1-100 gr.....14..		1 50	21
Apomorphine hydrochlorate, 1-50 gr.....15..		2 00	26
Apomorphine hydrochlorate, 1-20 gr.....268..		3 25	39
†Apomorphine hydrochlorate, 1-10 gr.....269..		5 00	56
Arsenic bromide, 1-200 gr.....270..		85	15
†Arsenic bromide, 1-100 gr.....271..		85	15
Arsenic bromide, 1-60 gr.....272..		85	15
Arsenic bromide, 1-30 gr.....273..		85	15
Arsenic iodide, 1-200 gr.....274..		85	15
Arsenic iodide, 1-100 gr.....16..		85	15
†Arsenic iodide, 1-50 gr.....275..		85	15
Arsenic iodide, 1-35 gr.....276..		85	15
Arsenic iodide, 1-20 gr.....277..		85	15
†Arsenic sulphide, 1-100 gr.....278..		85	15
Arsenic sulphide, 1-30 gr.....39..		85	15
Arsenous acid, 1-200 gr.....187..		85	15
†Arsenous acid, 1-100 gr.....1..		85	15
Arsenous acid, 1-60 gr.....240..		85	15
Arsenous acid, 1-50 gr.....2..		85	15
Arsenous acid, 1-40 gr.....241..		85	15
Arsenous acid, 1-30 gr.....3..		85	15
Arsenous acid, 1-20 gr.....4..		85	15
Atropine sulphate, 1-500 gr.....17..		85	15
Atropine sulphate, 1-200 gr.....18..		85	15
†Atropine sulphate, 1-100 gr.....19..		1 10	17
Atropine sulphate, 1-50 gr.....279..		1 35	20
Baptisia, tincture, 1 ℥.....206..		85	15
Belladonna leaves, fluid extract, 1-2 ℥.....20..		85	15
†Belladonna leaves, fluid extract, 1 ℥.....21..		85	15
Belladonna leaves, extract, 1-8 gr.....231..		85	15
Belladonna leaves, extract, 1-6 gr.....232..		85	15
†Belladonna leaves, extract, 1-4 gr.....233..		85	15
Belladonna leaves, tincture, 1-2 ℥.....280..		85	15
†Belladonna leaves, tincture, 1 ℥.....281..		85	15
Belladonna leaves, tincture, 2 ℥.....282..		1 00	16
Belladonna leaves, tincture, 5 ℥.....283..		1 25	19
Benzoic acid, 1-10 gr.....242..		85	15

For Numerical Arrangement, see pages 295 to 310.

TABLET TRITURATES.

[The price per 1000 in c.-s. bottles of 500 ("D")
is the same as that for g.-s. bottles of 1000 ("M").]

PLEASE ORDER BY NUMBER AND LETTER.

	M or D	C
	Per	Per
	1000.	100.
†Benzoic acid, 1-4 gr.....	No. 243.. \$ 85	\$ 15
Benzoic acid, 1-2 gr.....	244.. 85	15
Benzoic acid, 1 gr.....	245.. 85	15
Bismuth subcarbonate, 1 gr.....	284.. 1 40	20
†Bismuth subcarbonate, 2 grs.....	22.. 2 00	26
Bismuth subnitrate, 1 gr.....	285.. 1 35	20
†Bismuth subnitrate, 2 grs.....	23.. 1 75	24
Bismuth and Calomel Compound.....	655.. 1 50	21
Bismuth subnitrate, 1 gr. Powd. Ipecac, 1-60 gr.		
Mercurous chloride, mild, 1-40 gr.		
Bismuth and Cerium oxalate.....	487.. 2 00	26
Bismuth subnitrate, 1 gr. Cerium oxalate, 1-2 gr.		
Bismuth Compound.....	625.. 1 50	21
Bismuth subnitrate, 1-2 gr. Cerium oxalate, 1-2 gr.		
Blood-root, <i>see Sanguinaria</i> .		
Blue Mass, 1-4 gr.....	290.. 85	15
(Mass of Mercury.)		
Blue Mass, 1-2 gr.....	291.. 85	15
†Blue Mass, 1 gr.....	292.. 1 00	16
Blue Mass Compound.....	293.. 1 25	19
Mass of Mercury, 1-2 gr. Powd. Opium, 1-8 gr.		
Powd. Ipecac, 1-8 gr.		
Boric acid, 1-10 gr.....	246.. 85	15
Boric acid, 1-5 gr.....	247.. 85	15
†Boric acid, 1-2 gr.....	248.. 85	15
Boric acid, 1 gr.....	249.. 85	15
Brown Mixture, 30 ℥.....	294.. 1 00	16
Ext. Glycyrrhiza, 9-10 gr. Powd. Opium, 3-200 gr.		
Benzoic acid, 3-200 gr. Camphor, 3-200 gr.		
Antimony and Potassium tartrate, 3-400 gr.		
Oil Anise, 3-200 ℥.		
†Brown Mixture, 60 ℥.....	295.. 1 25	19
Ext. Glycyrrhiza, 53-80 gr. Powd. Opium, 3-100 gr.		
Benzoic acid, 3-100 gr. Camphor, 3-100 gr.		
Antimony and Potass. tartrate, 3-200 gr.		
Oil Anise, 3-100 ℥.		
Bryonia, tincture, 1-2 ℥.....	296.. 85	15
†Bryonia, tincture, 1 ℥.....	297.. 85	15
Bryonia, tincture, 2 ℥.....	298.. 1 00	16
Bryonia, tincture, 5 ℥.....	188.. 1 25	19
Caffeine, 1-2 gr.....	24.. 2 00	26
†Caffeine, 1 gr.....	25.. 3 25	39
Caffeine, citrated, 1-10 gr.....	299.. 1 25	19
†Caffeine, citrated, 1-2 gr.....	26.. 2 00	26
Caffeine, citrated, 1 gr.....	27.. 3 25	39
Caffeine Compound.....	300.. 3 50	41
Citrated Caffeine, 1 gr. Glonoin (Nitroglycerin), 1-200 gr.		
†Calabar Bean, tincture, 1 ℥.....	301.. 85	15
(Tinct. Physostigma.)		
Calabar Bean, tincture, 2 ℥.....	302.. 1 00	16
Calcium sulphide, 1-20 gr.....	303.. 85	15

For Numerical Arrangement, see pages 295 to 310.

TABLET TRITURATES.

<p>(The price per 1000 in c.-s. bottles of 500 ("D").) is the same as that for g.-s. bottles of 1000 ("M").)</p>		M or D	C
PLEASE ORDER BY NUMBER AND LETTER.		Per 1000.	Per 100.
Calcium sulphide, 1-10 gr.....	No. 28..	\$ 85	\$ 15
Calcium sulphide, 1-8 gr.....	304..	85	15
+Calcium sulphide, 1-4 gr.....	29..	85	15
Calcium sulphide, 1-2 gr.....	30..	85	15
Calcium sulphide, 1 gr.....	305..	1 00	16
Calomel, 1-100 gr..... (Mercurous chloride, mild.)	31..	85	15
Calomel, 1-50 gr.....	306..	85	15
Calomel, 1-20 gr.....	238..	85	15
+Calomel, 1-10 gr.....	32..	85	15
Calomel, 1-8 gr.....	307..	85	15
Calomel, 1-6 gr.....	308..	85	15
Calomel, 1-4 gr.....	33..	85	15
Calomel, 1-2 gr.....	34..	85	15
Calomel, 1 gr.....	35..	1 00	16
Calomel, 2 grs.....	204..	1 25	19
+Calomel and Dover's Powder, R "A"..... Mercurous chlor., mild, 1-4 gr. Ipecac and Opium pdr., 1 gr.	309..	1 00	16
Calomel and Dover's Powder, R "B"..... Mercurous chlor., mild, 1-2 gr. Ipecac and Opium pdr., 1 gr.	229..	1 00	16
+Calomel and Ipecac, R "A"..... Mercurous chlor., mild, 1-8 gr. Powd. Ipecac, 1-8 gr.	310..	85	15
Calomel and Ipecac, R "B"..... Mercurous chloride, mild, 1-4 gr. Powd. Ipecac, 1-4 gr.	211..	1 00	16
Calomel, Ipecac and Sodium bicarbonate..... Mercurous chloride, mild, 1-5 gr. Powd. Ipecac, 1-10 gr. Sodium bicarbonate, 1 gr.	195..	85	15
+Calomel and Sodium bicarbonate, R "A"..... Mercurous chloride, mild, 1-10 gr. Sodium bicarb., 1 gr.	216..	85	15
Calomel and Sodium bicarbonate, R "B"..... Mercurous chloride, mild, 1-4 gr. Sodium bicarb., 1 gr.	311..	85	15
Calomel and Sodium bicarbonate, R "C"..... Mercurous chloride, mild, 1 gr. Sodium bicarb., 1 gr.	312..	1 00	16
Calomel and Sodium bicarbonate, R "D"..... Mercurous chloride, mild, 1-2 gr. Sodium bicarb., 1-2 gr.	649..	1 00	16
Calomel and Sodium bicarbonate Compound..... Mercurous chloride, mild, 1-2 gr. Sodium bicarb., 1-2 gr. Podophyllum resin, 1-12 gr.	313..	1 00	16
+Calomel and Sodium bicarbonate Comp., R "B"..... Mercurous chloride, mild, 1-4 gr. Sodium bicarb., 1-2 gr. Podophyllum resin, 1-12 gr.	626..	1 00	16
Camphor monobromated, 1-10 gr.....	646..	85	15
+Camphor monobromated, 1 gr.....	314..	1 25	19
Cannabis Indica, extract, 1-20 gr. (Ind. Cannabis, ext.)..	36..	85	15
Cannabis Indica, extract, 1-10 gr.....	37..	85	15
+Cannabis Indica, extract, 1-8 gr.....	315..	85	15
Cannabis Indica, extract, 1-4 gr.....	316..	1 00	16
Cannabis Indica, tincture, 1-2 ℥.....	317..	85	15
+Cannabis Indica, tincture, 1 ℥.....	318..	85	15
Cannabis Indica, tincture, 2 ℥.....	319..	1 00	16

For Numerical Arrangement, see pages 295 to 310.

TABLET TRITURATES.

<p>(The price per 1000 in c.-s. bottles of 500 ("D").) (is the same as that for g.-s. bottles of 1000 ("M").)</p>			M or D	C
PLEASE ORDER BY NUMBER AND LETTER.			Per 1000.	Per 100
Cannabis Indica, Arsenic and Iron.....No. 616..			\$ 1 50	\$ 21
Ext. Indian Cannabis, 1-6 gr.	Arsenous acid, 1-60 gr.			
Reduced Iron, 1 gr.				
Cannabis Indica, Digitalis and Iron.....617..			1 50	21
Ext. Indian Cannabis, 1-6 gr.	Fl. ext. Digitalis, 1-2 ℥.			
Reduced Iron, 2 grs.				
Capsicum, 1 gr.....38..			85	15
Carbolic acid, 1-10 gr.....250..			85	15
Cardiac Compound.....647..			5 25	59
Caffeine hydrobrom., 1 gr.	Glonoin (Nitroglycerin), 1-100 gr.			
Tinct. Digitalis, 2 ℥.	Tinct. Strophanthus, 2 ℥.			
Carminative (Fothergill).....650..			2 00	26
Strychnine, 1-40 gr.	Powd. Ipecac, 1-3 gr.			
Powd. Black Pepper, 1-3 gr.	Powd. Gentian, 1-2 gr.			
Oleoresin Capsicum, 1-8 ℥.				
Cascara Sagrada, extract, 1 gr.....620..			1 50	21
Cathartic, Active.....627..			85	15
Aloin, 1-10 gr.	Ext. Nux vomica, 1-10 gr.			
Podophyllum resin, 1-5 gr.	Oleores. Capsicum, 1-120 ℥.			
Ext. Colocynth comp., 1-10 gr.	Croton oil, 1-15 ℥.			
Cathartic Comp., Improved, 1-10 gr.....320..			85	15
Ext. Coloc. comp., 1-30 gr.	Ext. Jalap, 1-60 gr.			
Podophyllum resin, 1-120 gr.	Ext. Gentian, 1-60 gr.			
Leptandrin, 1-120 gr.	Ext. Hyoscyamus, 1-120 gr.			
Oil Peppermint, q. s.				
Cathartic Comp., Improved, 1-5 gr.....321..			85	15
Ext. Coloc. comp., 1-15 gr.	Ext. Jalap, 1-30 gr.			
Podophyllum resin, 1-60 gr.	Ext. Gentian, 1-30 gr.			
Leptandrin, 1-60 gr.	Ext. Hyoscyamus, 1-60 gr.			
Oil Peppermint, q. s.				
+Cathartic Comp., Improved, 1 gr.....322..			1 00	16
Ext. Coloc. comp., 1-3 gr.	Ext. Jalap, 1-6 gr.			
Podophyllum resin, 1-12 gr.	Ext. Gentian, 1-6 gr.			
Leptandrin, 1-12 gr.	Ext. Hyoscyamus, 1-12 gr.			
Oil Peppermint, q. s.				
Cathartic Comp. (U. S. P. mass), 1-10 gr.....323..			85	15
Ext. Coloc. comp., 1-24 gr.	Mercurous chlor., mild, 1-30 gr.			
Ext. Jalap, 1-60 gr.	Powd. Gamboge, 1-120 gr.			
Cathartic Comp. (U. S. P. mass), 1-5 gr.....324..			85	15
Ext. Coloc. comp., 1-12 gr.	Mercurous chlor., mild, 1-15 gr.			
Ext. Jalap, 1-30 gr.	Powd. Gamboge, 1-60 gr.			
+Cathartic Comp. (U. S. P. mass), 1 gr.....325..			1 00	16
Ext. Coloc. comp., 5-12 gr.	Mercurous chlor., mild, 1-3 gr.			
Ext. Jalap, 1-6 gr.	Powd. Gamboge, 1-12 gr.			
Cathartic Comp., Vegetable, 1-10 gr.....326..			85	15
Ext. Colocynth, 2-145 gr.	Podophyllum resin, 3-290 gr.			
Powd. Scammony resin, 2-145 gr.	Powd. Soap, 3-580 gr.			
Powd. Cardamom, 3-580 gr.	Purified Aloes, 3-58 gr.			
Cathartic Comp., Vegetable, 1-5 gr.....327..			85	15
Ext. Colocynth, 4-145 gr.	Podophyllum resin, 3-145 gr.			
Powd. Scammony resin, 4-145 gr.	Powd. Soap, 3-290 gr.			
Powd. Cardamom, 3-290 gr.	Purified Aloes, 3-29 gr.			
+Cathartic Comp., Vegetable, 1 gr.....328..			1 00	16
Ext. Colocynth, 4-29 gr.	Podophyllum resin, 3-29 gr.			
Powd. Scammony resin, 4-29 gr.	Powd. Soap, 3-58 gr.			
Powd. Cardamom, 3-58 gr.	Purified Aloes, 15-29 gr.			

For Numerical Arrangement, see pages 295 to 310.

TABLET TRITURATES.

(The price per 1000 in c.-s. bottles of 500 ("D")
is the same as that for g.-s. bottles of 1000 ("M").)
PLEASE ORDER BY NUMBER AND LETTER.

	M or D Per 1000.	C Per 100.
Caulophyllin, 1-10 gr.....No. 329..	\$ 1 00	\$ 16
Cerium oxalate, 1-2 gr.....330..	1 00	16
†Cerium oxalate, 1 gr.....40..	1 20	18
Cimicifuga, tincture, 1 ℥.....207..	85	15
Coca, fluid extract, 1-2 ℥.....331..	1 00	16
†Coca, fluid extract, 1 ℥.....332..	1 00	16
Cocaine hydrobromate, 1-16 gr.....41..	2 50	31
†Cocaine hydrobromate, 1-8 gr.....42..	4 25	49
Cocaine hydrochlorate, 1-100 gr.....333..	1 25	19
Cocaine hydrochlorate, 1-50 gr.....334..	1 50	21
Cocaine hydrochlorate, 1-20 gr.....335..	2 20	28
†Cocaine hydrochlorate, 1-16 gr.....43..	2 50	31
Cocaine hydrochlorate, 1-10 gr.....336..	3 50	41
Cocaine hydrochlorate, 1-8 gr.....44..	4 25	49
Cocaine hydrochlorate, 1-5 gr.....337..	6 00	66
Codeine, 1-8 gr.....338..	4 00	46
Codeine, 1-5 gr.....339..	5 00	56
†Codeine, 1-4 gr.....45..	6 00	66
Codeine, 1-2 gr.....46..	11 50	1 21
†Colchicine, 1-100 gr.....47..	1 50	21
Colchicine, 1-50 gr.....48..	2 00	26
Colchicum root, fluid extract, 1-2 ℥ .. 340..	85	15
†Colchicum root, fluid extract, 1 ℥.....341..	85	15
†Colchicum, tincture, 1 ℥.....342..	85	15
Colchicum, tincture, 2 ℥.....343..	1 00	16
Colchicum, tincture, 3 ℥.....344..	1 00	16
Colchicum, tincture, 5 ℥.....345..	1 25	19
†Colocynth Comp., extract, 1-4 gr.....346..	85	15
Colocynth Comp., extract, 1-2 gr.....347..	1 00	16
Colocynthin, 1-20 gr.....49..	6 50	71
Coniine hydrobromate, 1-20 gr.....50..	2 50	31
†Coniine hydrobromate, 1-10 gr.....51..	3 50	41
Coniine hydrochlorate, 1-20 gr.....52..	4 00	46
†Coniine hydrochlorate, 1-10 gr.....53..	6 00	66
Conium Compound.....348..	1 00	16
Ext. Conium fruit, 1-30 gr. Ext. Glycyrrhiza, 1-10 gr.		
Ext. Cubeb, 1-10 gr.		
Conium, tincture, 1 ℥.....349..	85	15
Convallamarin, 1-50 gr.....54..	2 00	26
Copper arsenite, 1-5000 gr.....215..	85	15
†Copper arsenite, 1-100 gr.....212..	85	15
Copper and Opium.....205..	1 00	16
Copper sulphate, 1-30 gr. Tinct. Opium deod., 1-4 ℥.		
Corrosive sublimate, 1-1000 gr.....55..	85	11
(Mercuric chloride, corrosive.)		
Corrosive sublimate, 1-500 gr.....56..	85	15

For Numerical Arrangement, see pages 295 to 310.

TABLET TRITURATES.

[The price per 1000 in c.-s. bottles of 500 ("D")
is the same as that for g.-s. bottles of 1000 ("M").]

		M or D		C
		Per	Per	
		1000.	100.	
Corrosive sublimate, 1-200 gr.....	No. 350..	\$ 85	\$ 15	
+Corrosive sublimate, 1-100 gr.....	57..	85	15	
Corrosive sublimate, 1-60 gr.....	351..	85	15	
Corrosive sublimate, 1-50 gr.....	58..	85	15	
Corrosive sublimate, 1-40 gr.....	352..	85	15	
Corrosive sublimate, 1-30 gr.....	353..	85	15	
Corrosive sublimate, 1-20 gr.....	59..	85	15	
Corrosive sublimate, 1-16 gr.....	60..	85	15	
Corrosive sublimate, 1-12 gr.....	354..	85	15	
Corrosive sublimate, 1-10 gr.....	355..	85	15	
Creosote, Beechwood, 1-10 ℥.....	614..	85	15	
Cubeb, fluid extract, 1-2 ℥.....	223..	1 00	16	
+Cubeb, fluid extract, 1 ℥.....	224..	1 25	19	
Damiana, fluid extract, 1-2 ℥.....	356..	1 00	16	
+Damiana, fluid extract, 1 ℥.....	357..	1 25	19	
Diarrhoea.....	628..	1 40	20	
Mercurous chloride, mild, 1-8 gr. Powd. Ipecac, 1-32 gr. Morphine sulphate, 1-16 gr. Camphor, 1-16 gr. Powd. Capsicum, 1-16 gr.				
Digitalin, pure, 1-500 gr.....	358..	85	15	
Digitalin, pure, 1-200 gr.....	359..	1 00	16	
+Digitalin, pure, 1-100 gr.....	61..	1 20	18	
Digitalin, pure, 1-75 gr.....	62..	1 25	19	
Digitalin, pure, 1-60 gr.....	360..	1 30	19	
Digitalin, pure, 1-50 gr.....	63..	1 40	20	
Digitalis, fluid extract, 1-10 ℥.....	64..	85	15	
Digitalis, fluid extract, 1-2 ℥.....	65..	85	15	
+Digitalis, fluid extract, 1 ℥.....	66..	85	15	
Digitalis, tincture, 1-2 ℥.....	361..	85	15	
+Digitalis, tincture, 1 ℥.....	362..	85	15	
Digitalis, tincture, 3 ℥.....	363..	1 00	16	
Digitalis, tincture, 5 ℥.....	364..	1 25	19	
Digitalis and Strophanthus.....	365..	2 00	26	
Tinct. Digitalis, 3 ℥. Tinct. Strophanthus, 2 ℥.				
Dover's Powder, 1-4 gr.....	67..	85	15	
(Ipecac and Opium powder.)				
Dover's Powder, 1-2 gr.....	366..	85	15	
+Dover's Powder, 1 gr.....	68..	85	15	
Dover's Powder, 1 1-4 grs.....	367..	85	15	
Dover's Powder, 2 1-2 grs.....	202..	1 25	19	
Dover's Powder, 3 1-3 grs.....	368..	1 50	21	
Dyspeptic (Dr. E. B. Haworth).....	629..	1 40	20	
Strychnine sulphate, 1-40 gr. Powd. Ipecac, 1-8 gr. Powd. Rhubarb, 1-4 gr. Powd. Capsicum, 1-8 gr.				
Elaterin, 1-40 gr.....	69..	3 00	36	
+Elaterin, 1-20 gr.....	70..	5 50	61	
Elaterin, 1-10 gr.....	71..	10 50	1 11	
Elaterium (Clutterbuck), 1-32 gr.....	369..	1 50	21	

For Numerical Arrangement, see pages 295 to 310.

TABLET TRITURATES.

[The price per 1000 in c.-s. bottles of 500 ("D") is the same as that for g.-s. bottles of 1000 ("M").]		M or D	C
PLEASE ORDER BY NUMBER AND LETTER.		Per 1000.	Per 100.
Elaterium (Clutterbuck), 1-16 gr.....	No. 370..	\$ 2 00	\$ 26
Elaterium (Clutterbuck), 1-10 gr.....	371..	2 50	31
†Elaterium (Clutterbuck), 1-8 gr.....	372..	3 00	36
Ergot, extract, 1 gr.....	621..	2 50	31
Ergot, fluid extract, 1-2 ℥.....	373..	85	15
†Ergot, fluid extract, 1 ℥.....	374..	1 00	16
Ergotin (Bonjean), 1-10 gr.....	72..	85	15
†Ergotin (Bonjean), 1-4 gr.....	73..	1 25	19
Eucalyptus, fl. ext., 1-2 ℥.....	375..	85	15
†Eucalyptus, fl. ext., 1 ℥.....	376..	1 00	16
Euonymin brown, 1-10 gr.....	377..	1 00	16
Euonymin brown, 1-8 gr.....	378..	1 00	16
†Euonymin brown, 1-4 gr.....	379..	1 00	16
Euonymin brown, 1-2 gr.....	380..	1 20	18
Euonymin brown, 1 gr.....	381..	1 50	21
Ferric pyrophosphate, soluble, <i>see Iron pyrophosphate.</i>			
Fever.....	623..	1 40	20
Tinct. Aconite, 1 ℥. Morphine sulphate, 1-20 gr.			
Antimony and Potassium tartrate, 1-50 gr.			
Fever (Dr. T. G. Davis).....	630..	85	15
Tinct. Aconite, 1-5 ℥. Tinct. Bryonia, 1-10 ℥.			
Tinct. Belladonna, 1-10 ℥.			
†Fever (Dr. J. H. Kenyon).....	382..	1 50	21
Tinct. Aconite, 1 ℥. Antim. and Potass.tart., 1-50 gr.			
Powd. Ipecac, 1-8 gr. Morphine sulphate, 1-20 gr.			
Gallic acid, 1 gr.....	251..	1 00	16
Gelsemin, <i>see Gelsemperin.</i>			
†Gelsemium, tincture, 1 ℥.....	197..	85	15
Gelsemium, tincture, 3 ℥.....	387..	1 00	16
Gelsemium, tincture, 5 ℥.....	388..	1 25	19
Gelsemperin, 1-16 gr.....	383..	1 00	16
(Gelsemin, concentration.)			
Gelsemperin, 1-10 gr.....	384..	1 25	19
†Gelsemperin, 1-8 gr.....	385..	1 25	19
Gelsemperin, 1-4 gr.....	386..	1 50	21
Glonoin, <i>see Nitroglycerin.</i>			
†Hepatic.....	394..	1 25	19
Mass of Mercury, 1-2 gr. Ext. Coloc. comp., 1-2 gr.			
Ext. Hyoscyamus, 1-8 gr.			
Hepatic (Dr. J. H. Kenyon).....	395..	1 25	19
Euonymin, 1-8 gr. Powd. Ipecac, 1-8 gr.			
Podophyllum resin, 1-20 gr. Aloin, 1-12 gr.			
Mercurous chloride, mild, 1-8 gr.			
Hydrastin (concentration) 1-20 gr.....	396..	1 50	21
Hydrastin Compound.....	631..	2 40	30
Podophyllum resin, 1-20 gr. Hydrastin, 1-10 gr.			
Hydrastine (white alkaloid), 1-25 gr.....	74..	1 50	21
Hydrastine (white alkaloid), 1-16 gr.....	75..	2 00	26
†Hydrastine (white alkaloid), 1-8 gr.....	76..	3 75	44

For Numerical Arrangement, see pages 295 to 310.

TABLET TRITURATES.

(The price per 1000 in c.-s. bottles of 500 ("D") is the same as that for g.-s. bottles of 1000 ("M").)			M or D	C
PLEASE ORDER BY NUMBER AND LETTER.			Per 1000.	Per 100.
Hydrastine (white alkaloid), 1-4 gr.	No. 77..	\$ 7 50	\$	81
†Hydrastis, tincture, 1 ℥.....	397..	85		15
Hydrastis, tincture, 2 ℥.....	398..	1 00		16
Hydrastis, tincture, 3 ℥.....	399..	1 00		16
Hyoscyamine crystals, 1-200 gr.....	78..	2 50		31
†Hyoscyamine crystals, 1-100 gr.....	79..	3 00		36
Hyoscyamine crystals, 1-50 gr.....	400..	4 00		47
Hyoscyamus, fluid extract, 1-2 ℥.....	225..	85		15
†Hyoscyamus, fluid extract, 1 ℥.....	226..	85		15
Hyoscyamus, extract, 1-6 gr.....	389..	85		15
†Hyoscyamus, extract, 1-4 gr.....	234..	85		15
Hyoscyamus, extract, 1-2 gr.....	235..	1 00		16
†Hyoscyamus, tincture, 1 ℥.....	390..	85		15
Hyoscyamus, tincture, 2 ℥.....	391..	1 00		16
Hyoscyamus, tincture, 3 ℥.....	392..	1 00		16
Hyoscyamus, tincture, 5 ℥.....	393..	1 25		19
Ignatia bean, 1-100 gr.....	401..	85		15
†Ignatia bean, 1-20 gr.....	80..	85		15
Ignatia bean, 1-10 gr.....	81..	85		15
†Ignatia, extract, 1-4 gr.....	402..	85		15
Ignatia, extract, 1-2 gr.....	403..	1 00		16
†Ignatia, tincture, 1 ℥.....	404..	85		15
Ignatia, tincture, 3 ℥.....	405..	1 00		16
Ignatia, tincture, 5 ℥.....	406..	1 25		19
Ipecac, fluid extract, 1-2 ℥.....	409..	1 25		19
†Ipecac, fluid extract, 1 ℥.....	410..	1 75		24
Ipecac and Opium, <i>see Dover's Powder.</i>				
Ipecac, powdered, 1-100 gr.....	407..	85		15
Ipecac, powdered, 1-50 gr.....	408..	85		15
†Ipecac, powdered, 1-10 gr.....	82..	85		15
Ipecac, powdered, 1-4 gr.....	83..	1 00		16
Ipecac, powdered, 1-2 gr.....	84..	1 25		19
Iron arsenate, 1-16 gr.....	189..	85		15
†Iron arsenate, 1-10 gr.....	87..	85		15
Iron arsenate, 1-8 gr.....	411..	85		15
Iron arsenate, 1-4 gr.....	412..	1 00		16
†Iron and Arsenic, R "A".....	413..	85		15
Reduced Iron, 1 gr.	Arsenous acid, 1-100 gr.			
Iron and Arsenic, R "B".....	414..	85		15
Reduced Iron, 1 gr.	Arsenous acid, 1-60 gr.			
Iron and Arsenic, R "C".....	415..	85		15
Reduced Iron, 1 gr.	Arsenous acid, 1-30 gr.			
Iron and Arsenic Compound.....	183..	85		15
Reduced Iron, 1 gr.	Arsenous acid, 1-100 gr.			
Powd. Ignatia, 1-40 gr.....				
†Iron, Arsenic and Strychnine, R "A".....	203..	85		15
Reduced Iron, 1 gr.	Arsenous acid, 1-100 gr.			
Strychnine sulphate, 1-60 gr.....				

For Numerical Arrangement, see pages 295 to 310.

TABLET TRITURATES.

[The price per 1000 in c.-s. bottles of 500 ("D") is the same as that for g.-s. bottles of 1000 ("M").]		M or D	C
PLEASE ORDER BY NUMBER AND LETTER.		Per 1000.	Per 100.
Iron, Arsenic and Strychnine, R "B".....No. 416..		\$ 85	\$ 15
Reduced Iron, 1 gr.	Arsenous acid, 1-50 gr.		
Strychnine sulphate, 1-60 gr.			
Iron, Arsenic and Strychnine, R "C".....622..		85	15
Reduced Iron, 1 gr.	Arsenous acid, 1-50 gr.		
Strychnine sulphate, 1-120 gr.			
Iron by hydrogen, 1-2 gr.....	85..	85	15
(Reduced Iron.)			
†Iron by hydrogen, 1 gr.....	86..	85	15
Iron citrate, 1 gr. (Ferric citrate.).....	417..	1 25	19
Iron lactate, 1 gr. (Ferrous lactate).....	198..	1 25	19
Iron pyrophosphate, 1 gr. (Soluble Ferric pyrophos.).....	418..	1 25	19
Iron and Quinine citrate, soluble, 1-4 gr.....	88..	1 00	16
†Iron and Quinine citrate, soluble, 1-2 gr.....	89..	1 25	19
Iron and Quinine citrate, soluble, 1 gr.....	90..	1 50	21
Iron and Quinine.....	230..	1 75	24
Reduced Iron, 1-2 gr.	Quinine sulphate, 1-2 gr.		
Iron, Quinine and Arsenic.....	419..	1 75	54
Reduced Iron, 1-2 gr.	Quinine sulphate, 1-2 gr.		
Arsenous acid, 1-100 gr.			
Iron, Quinine and Strychnine.....	184..	1 75	24
Reduced Iron, 1-2 gr.	Quinine sulphate, 1-2 gr.		
Strychnine sulphate, 1-120 gr.			
Iron and Strychnine citrate, 1-4 gr.....	91..	85	15
†Iron and Strychnine citrate, 1-2 gr.....	92..	1 00	16
Iron and Strychnine citrate, 1 gr.....	93..	1 25	19
Iron and Strychnine Compound.....	185..	1 90	25
Reduced Iron, 1-2 gr.	Arsenous acid, 1-100 gr.		
Strychnine sulphate, 1-120 gr.	Quinine sulphate, 1-2 gr.		
†Jaborandi, fluid extract, 1-2 ℥.....	420..	85	15
Jaborandi, fluid extract, 1 ℥.....	421..	1 00	16
Leptandrin, 1-16 gr.....	94..	85	15
Leptandrin, 1-8 gr.....	422..	85	15
†Leptandrin, 1-4 gr.....	423..	85	15
Leptandrin, 1-2 gr.....	424..	1 00	16
Lime sulphurated, <i>see Calcium sulphide</i> .			
Lithium carbonate, 1-2 gr.....	425..	1 00	16
†Lithium carbonate, 1 gr.....	95..	1 40	20
Lithium carbonate and Sodium arsenate.....	426..	1 50	21
Lithium carbonate, 1 gr.	Sodium arsenate, 1-30 gr.		
†Lobelia, tincture, 1 ℥.....	427..	85	15
Lobelia, tincture, 2 ℥.....	428..	1 00	16
Lobelia, tincture, 3 ℥.....	429..	1 00	16
Lupulin, fluid extract, 1-2 ℥.....	430..	85	15
†Lupulin, fluid extract, 1 ℥.....	431..	1 00	16
Manganese dioxide, 1-2 gr.....	96..	85	15
†Manganese dioxide, 1 gr.....	97..	85	15
Mercuric iodide, red, 1-100 gr.....	101..	85	15
Mercuric iodide, red, 1-50 gr.....	190..	85	15

For Numerical Arrangement, see pages 295 to 310.

TABLET TRITURATES.

[The price per 1000 in c.-s. bottles of 500 ("D")
is the same as that for g.-s. bottles of 1000 ("M").]

PLEASE ORDER BY NUMBER AND LETTER.

		M or D Per 1000.	C Per 100.
Mercuric iodide, red, 1-30 gr.....	No. 432..	\$ 85	\$ 15
†Mercuric iodide, red, 1-25 gr.....	433..	85	15
Mercuric iodide, red 1-20 gr.....	434..	85	15
Mercuric iodide, red, 1-16 gr.....	102..	85	15
Mercuric iodide, red, 1-12 gr.....	435..	85	15
Mercuric iodide, red, 1-8 gr.....	103..	85	15
†Mercuric oxide, yellow, 1-200 gr.....	191..	85	15
Mercuric oxide, yellow, 1-100 gr.....	442..	85	15
Mercurous iodide, yellow, 1-1000 gr.....	633..	85	15
Mercurous iodide, yellow, 1-500 gr.....	634..	85	15
Mercurous iodide, yellow, 1-200 gr.....	635..	85	15
Mercurous iodide, yellow, 1-100 gr.....	104..	85	15
Mercurous iodide, yellow, 1-50 gr.....	105..	85	15
Mercurous iodide, yellow, 1-25 gr.....	436..	85	15
Mercurous iodide, yellow, 1-20 gr.....	437..	85	15
Mercurous iodide, yellow, 1-16 gr.....	106..	85	15
Mercurous iodide, yellow, 1-10 gr.....	438..	85	15
†Mercurous iodide, yellow, 1-8 gr.....	107..	85	15
Mercurous iodide, yellow, 1-6 gr.....	108..	85	15
Mercurous iodide, yellow, 1-5 gr.....	439..	85	15
Mercurous iodide, yellow, 1-4 gr.....	109..	85	15
Mercurous iodide, yellow, 1-3 gr.....	440..	1 00	16
Mercurous iodide, yellow, 1-2 gr.....	110..	1 25	19
Mercurous iodide, yellow, 1 gr.....	111..	2 20	28
Mercurous iodide, yellow, and Opium	632..	1 00	16
Mercurous iodide, yellow, 1-5 gr. Powd. Opium, 1-12 gr.			
Mercury with chalk, 1-10 gr.....	98..	85	15
†Mercury with chalk, 1-5 gr.....	99..	85	15
Mercury with chalk, 1-3 gr.....	441..	85	15
Mercury with chalk, 1 gr.....	100..	85	15
Mercury with chalk and Dover's Powder.....	652..	1 00	16
Mercury with chalk, 1 gr. Powd. Ipecac, 1-10 gr.			
Powd. Opium, 1-10 gr.			
Mercury protiodide, <i>see Mercurous iodide, yellow.</i>			
†Morphine acetate, 1-8 gr.....	447..	2 25	29
Morphine acetate, 1-4 gr	448..	3 40	40
†Morphine hydrochlorate, 1-8 gr.....	114..	2 00	26
Morphine hydrochlorate, 1-4 gr.....	115..	3 00	36
Morphine sulphate, 1-50 gr.....	450..	1 00	16
Morphine sulphate, 1-20 gr.....	116..	1 10	17
Morphine sulphate, 1-16 gr.....	117..	1 25	19
Morphine sulphate, 1-10 gr.....	451..	1 50	21
Morphine sulphate, 1-8 gr.....	118..	2 15	28
Morphine sulphate, 1-6 gr.....	119..	2 40	30
†Morphine sulphate, 1-4 gr.....	120..	3 30	39
Morphine sulphate, 1-3 gr.....	452..	3 80	44

For Numerical Arrangement, see pages 295 to 310.

TABLET TRITURATES.

(The price per 1000 in c.-s. bottles of 500 ("D")) (is the same as that for g.-s. bottles of 1000 ("M")).		M or D	C
PLEASE ORDER BY NUMBER AND LETTER.		Per 1000.	Per 100.
Morphine sulphate, 1-2 gr	No. 121..	\$ 5 70	\$ 63
Morphine and Aconite.....	443..	1 25	19
Morphine sulphate, 1-32 gr. Tinct. Aconite, 1 ℥.			
Morphine and Atropine, R "A".....	444..	2 50	31
Morphine sulphate, 1-8 gr. Atropine sulphate, 1-200 gr.			
Morphine and Atropine, R "B".....	112..	2 50	31
Morphine sulphate, 1-8 gr. Atropine sulphate, 1-150 gr.			
Morphine and Atropine, R "C".....	445..	2 75	34
Morphine sulphate, 1-6 gr. Atropine sulphate, 1-180 gr.			
†Morphine and Atropine, R "D".....	446..	3 50	41
Morphine sulphate, 1-4 gr. Atropine sulphate, 1-150 gr.			
Morphine and Atropine, R "E".....	113..	3 50	41
Morphine sulphate, 1-4 gr. Atropine sulphate, 1-120 gr.			
†Nerve Tonic, No. 1 (Dr. Westbrook).....	636..	1 80	24
Zinc phosphide, 1-10 gr. Reduced Iron, 1 gr.			
Ext. Nux vomica, 1-4 gr.			
Nerve Tonic, No. 5.....	637..	1 40	20
Zinc phosphide, 1-10 gr. Ext. Ind. Cannabis, 1-8 gr.			
Hyoscyamine, 1-400 gr.			
Neuralgic, (Dr. Dunlap).....	453..	1 75	24
Quinine sulphate, 1-2 gr. Morphine sulph., 1-80 gr.			
Strychnine sulphate, 1-120 gr. Arsenous acid, 1-80 gr.			
Ext. Aconite, 1-8 gr.			
†Neuralgic, (Dr. J. H. Kenyon).....	454..	1 50	21
Zinc phosphide, 1-16 gr. Strychnine, 1-60 gr.			
Ext. Ind. Cannabis, 1-8 gr. Sodium arsenate, 1-20 gr.			
Aconitine, 1-400 gr.			
Nitroglycerin, 1-200 gr.....	455..	85	15
(Glonoin.)			
Nitroglycerin, 1-150 gr.....	456..	85	15
†Nitroglycerin, 1-100 gr.....	122..	85	15
Nitroglycerin, 1-50 gr.....	123..	85	15
Nitroglycerin, 1-25 gr.....	457..	85	15
Nitroglycerin, 1-20 gr.....	458..	85	15
†Nitroglycerin Compound.....	618	2 00	26
Glonoin (Nitroglycerin), 1-100 gr. Tr. Strophanthus, 2 ℥.			
Tinct. Digitalis, 2 ℥. Tr. Belladonna lvs., 1-4 ℥.			
Nitroglycerin Comp., R "B".....	619..	2 00	26
Glonoin (Nitroglycerin), 1-200 gr. Strychnine, 1-60 gr.			
Fl. ext. Digitalis, 1 ℥. Iron by hydrogen, 1 gr.			
Tinct. Strophanthus, 3 ℥.			
Nitroglycerin Comp., R "C".....	638..	1 00	16
Glonoin (Nitroglycerin), 1-100 gr. Tr. Digitalis, 2 ℥.			
Nitroglycerin Comp., R "D".....	639..	1 20	18
Glonoin (Nitroglycerin), 1-100 gr. Tr. Strophanthus, 2 ℥.			
Nux Vomica, powdered, 1-100 gr.....	124..	85	15
Nux Vomica, powdered, 1-50 gr.....	125..	85	15
Nux Vomica, powdered, 1-20 gr.....	459..	85	15
Nux Vomica, powdered, 1-10 gr.....	126..	85	15
†Nux Vomica, powdered, 1-4 gr.....	127..	85	15
Nux Vomica, extract, 1-8 gr.....	460..	85	15
†Nux Vomica, extract, 1-4 gr.....	461..	85	15

For Numerical Arrangement, see pages 295 to 310.

TABLET TRITURATES.

<p>(The price per 1000 in c.-s. bottles of 500 ("D") is the same as that for g.-s. bottles of 1000 ("M").)</p>		M or D	C
PLEASE ORDER BY NUMBER AND LETTER.		Per 1000.	Per 100.
Nux Vomica, extract, 1-2 gr.....	No. 462..	\$ 1 00	\$ 16
Nux Vomica, tincture, 1 ℥.....	463 .	85	15
+Nux Vomica, tincture, 2 ℥.....	464 .	1 00	16
Nux Vomica, tincture, 3 ℥.....	465..	1 00	16
Nux Vomica and Pepsin (Dr. Skiff).....	640..	1 00	16
Powd. Nux vomica, 1-100 gr. Pepsin aseptic (1:3000), 1-10 gr.			
Opium, powdered, 1-8 gr.....	466..	85	15
+Opium, powdered, 1-4 gr.....	128..	85	15
Opium, powdered, 1-2 gr.....	129 .	1 25	19
+Opium, tincture, assayed, 2 ℥.....	467..	1 25	19
Opium, tincture, assayed, 3 ℥.....	468..	1 50	21
Opium camphorated, tincture, 2 ℥.....	469..	1 00	16
+Opium camphorated, tincture, 5 ℥.....	470..	1 25	19
Opium camphorated, tincture, 10 ℥.....	471..	1 50	21
+Opium and Lead acetate.....	236..	1 50	21
Powdered Opium, 1-2 gr. Lead acetate, 1 gr.			
Opium and Lead acetate, R "B".....	624..	85	15
Powdered Opium, 1-4 gr. Lead acetate, 3-4 gr.			
Ox Gall, pure, 1 gr.....	472..	1 00	16
Paregoric Compound... ..	648..	1 35	20
Tr. Opium, camphorated, 10 ℥. Powd. Ipecac, 1-50 gr.			
Powd. Squill, 1-25 gr.			
Pepsin Aseptic, (1-3000) 1-4 gr*.....	130..	1 25	19
Pepsin Aseptic, (1-3000) 1-2 gr*.....	131..	1 75	24
+Pepsin Aseptic, (1-3000) 1 gr*.....	132..	2 75	34
Pepsin, Lactated, 1 gr.....	194..	1 50	21
Pepsin and Pancreatin.....	641..	3 80	44
*Pepsin aseptic, (1-3000) 1-4 gr. Pancreatin pure, 1-4 gr.			
Pepsin, Saccharated, U. S. P., 1890, 1 gr.....	473..	1 25	16
Physostigma, see Calabar Bean.			
Physostigmine salicylate, 1-500 gr.....	133..	1 50	21
Physostigmine salicylate, 1-400 gr.....	134..	1 75	24
Physostigmine salicylate, 1-300 gr.....	135..	2 25	29
Physostigmine salicylate, 1-200 gr.....	136..	3 00	36
+Physostigmine salicylate, 1-100 gr.....	137..	4 25	49
+Physostigmine sulphate, 1-100 gr.....	474..	4 25	49
Physostigmine sulphate, 1-50 gr.....	642..	7 75	84
Picrotoxin and Belladonna.....	643..	2 70	33
Picrotoxin, 1-60 gr. Ext. Belladonna lvs., 1-6 gr.			
Pilocarpine hydrochlorate, 1-100 gr.....	475..	2 00	26
Pilocarpine hydrochlorate, 1-50 gr.....	476..	3 25	39
Pilocarpine hydrochlorate, 1-20 gr.....	477..	7 00	76
+Pilocarpine hydrochlorate, 1-10 gr.....	478..	13 50	1 41
Pilocarpine hydrochlorate, 1-5 gr.....	479..	26 50	2 71
Pilocarpine nitrate, 1-100 gr.....	138..	2 26	26
Pilocarpine nitrate, 1-50 gr.....	139..	3 25	39

*One gr. equals 60 grs. Saccharated Pepsin, U. S. P., 1880, or 10 grs. U. S. P., 1890.

For Numerical Arrangement, see pages 295 to 310.

TABLET TRITURATES.

<p>(The price per 1000 in c.-s. bottles of 500 ("D") is the same as that for g.-s. bottles of 1000 ("M").)</p>			
		M or D Per 1000.	C Per 100.
PLEASE ORDER BY NUMBER AND LETTER.			
Pilocarpine nitrate, 1-25 gr.....	No. 140..	\$ 5 50	\$ 61
†Pilocarpine nitrate, 1-10 gr.....	141..	13 50	1 41
Podophyllin, 1-20 gr.....	480..	85	15
(Podophyllum resin.)			
Podophyllin, 1-16 gr.....	142..	85	15
Podophyllin, 1-10 gr.....	481..	85	15
Podophyllin, 1-8 gr.....	143..	85	15
†Podophyllin, 1-4 gr.....	144..	85	15
Podophyllin, 1-2 gr.....	145..	1 25	19
Potassium arsenate, 1-20 gr.....	483..	85	15
Pulsatilla, tincture, 1 ℥.....	208..	85	15
Quinine bisulphate, 1-10 gr.....	484..	1 00	16
Quinine bisulphate, 1-4 gr.....	146..	1 10	17
†Quinine bisulphate, 1-2 gr.....	147..	1 25	19
Quinine bisulphate, 1 gr.....	148..	1 50	21
Quinine sulphate, 1-10 gr.....	485..	1 00	16
Quinine sulphate, 1-4 gr.....	149..	1 10	17
†Quinine sulphate, 1-2 gr.....	150..	1 25	19
Quinine sulphate, 1 gr.....	151..	1 50	21
Reduced Iron, <i>see Iron by hydrogen.</i>			
Rennin, 1 gr.....	482..	5 00	56
Rhinitis (half strength, Dr. Lincoln).....	644..	1 70	23
Powd. Camphor, 1-4 gr.	Quinine sulphate, 1-4 gr.		
Fl. ext. Belladonna, 1-8 ℥.			
Rhubarb, fluid extract, 1-2 ℥.....	227..	85	15
†Rhubarb, fluid extract, 1 ℥.....	228..	1 00	16
Rhubarb Compound.....	486..	85	15
Powd. Rhubarb, 5-23 gr.	Powd. Myrrh, 5-46 gr.		
Powd. Aloes, 15-92 gr.	Oil Peppermint, 1-92 ℥.		
Rhus Toxicodendron, tincture, 1 ℥.....	199..	1 00	16
†Saccharin, 25 milligrammes.....	488..	2 75	34
With Sodium bicarbonate, q. s.			
Saccharin, 65 milligrammes.....	489..	6 00	66
With Sodium bicarbonate, q. s.			
Saccharin, 1-2 gr.....	651..	3 50	41
With Sodium bicarbonate, q. s.			
Salicin, 1 gr.....	490..	1 50	21
Salicylic acid, 1-4 gr.....	152..	1 00	16
Salicylic acid, 1-2 gr.....	153..	1 10	17
†Salicylic acid, 1 gr.....	491..	1 25	19
Salol, 1-10 gr.....	214..	1 00	16
Salol, 1-2 gr.....	492..	1 50	21
†Salol, 1 gr.....	213..	2 10	27
†Sanguinaria tincture, 1 ℥.....	286..	85	15
Sanguinaria tincture, 2 ℥.....	287..	1 00	16
Sanguinaria tincture, 3 ℥.....	288..	1 00	16
Sanguinaria tincture, 5 ℥.....	289..	1 25	19

For Numerical Arrangement, see pages 295 to 310.

TABLET TRITURATES.

(The price per 1000 in c.-s. bottles of 500 ("D")) [is the same as that for g.-s. bottles of 1000 ("M").] PLEASE ORDER BY NUMBER AND LETTER.		M or D Per 1000.	C Per 100.
Santonin, 1-2 gr.....	No. 154	\$ 1 75	\$ 24
†Santonin, 1 gr.....	155..	2 50	31
Santonin and Calomel.....	156..	2 00	26
Santonin, 1-2 gr. Mercurous chloride, mild, 1-2 gr.			
Sodium arsenate, 1-100 gr.....	493..	85	15
†Sodium arsenate, 1-25 gr.....	157..	85	15
Sodium arsenate, 1-15 gr.....	158..	85	15
Sodium arsenate, 1-10 gr.....	159..	85	15
Sodium salicylate, 1-2 gr.....	494..	1 25	19
†Sodium salicylate, 1 gr.....	186..	1 50	21
Sparteine sulphate, 1-50 gr.....	495..	85	15
†Sparteine sulphate, 1-20 gr.....	496..	1 25	19
Sparteine sulphate, 1-10 gr.....	497..	2 25	29
Sparteine sulphate, 1-4 gr.....	498..	4 00	46
Squill, tincture, 1 ℥.....	499..	85	15
†Squill, tincture, 2 ℥.....	600..	1 00	16
Stramonium leaves, tincture, 1 ℥.....	601..	85	15
†Strophanthus, tincture, 1 ℥.....	602..	1 25	19
Strophanthus, tincture, 2 ℥.....	449..	1 50	21
Strychnine sulphate, 1-200 gr.....	603..	85	15
Strychnine sulphate, 1-100 gr.....	160..	85	15
†Strychnine sulphate, 1-60 gr.....	161..	85	15
Strychnine sulphate, 1-50 gr.....	162..	85	15
Strychnine sulphate, 1-40 gr.....	163..	85	15
Strychnine sulphate, 1-30 gr.....	164..	85	15
Strychnine sulphate, 1-20 gr.....	165..	85	15
Strychnine sulphate, 1-16 gr.....	166..	85	15
Tannic acid, 1 gr.....	252..	1 00	16
Tartar emetic, 1-100 gr.....	167..	85	15
(Antimony and Potassium tartrate.)			
Tartar emetic, 1-50 gr.....	168..	85	15
Tartar emetic, 1-25 gr.....	169..	85	15
†Tartar emetic, 1-20 gr.....	604..	85	15
Tartar emetic, 1-16 gr.....	170..	85	15
Tartar emetic, 1-10 gr.....	605..	85	15
Tartar emetic, 1-8 gr.....	171..	85	15
Tartar emetic, 1-4 gr.....	172..	85	15
Tartar emetic and Ipecac.....	606..	85	15
Antim. and Potass. tart., 1-100 gr. Powd. Ipecac, 1-100 gr.			
Three Iodides.....	654..	1 20	18
Mercuric iodide, red, 1-30 gr. Arsenic iodide, 1-40 gr. Ferrous iodide, 1-12 gr.			
Throat (Dr. Quinlan).....	653..	1 50	21
Benzoic acid, 1-5 gr. Tr. Belladonna, 1 ℥. Tr. Opium camphorated, 10 ℥. Ext. Glycyrrhiza, q. s.			
Tonsillitis.....	645..	1 20	18
Tinct. Aconite, 1-5 ℥ Tinct. Belladonna, 1-10 ℥. Mercuric iodide, red, 1-100 gr. Tinct. Bryonia, 1-10 ℥.			

For Numerical Arrangement, see pages 295 to 310.

TABLET TRITURATES.

List No.	(The price per 1000 in c.-s. bottles of 500 ("D") } is the same as that for g.-s. bottles of 1000 ("M").)	M or D Per 1000.	C Per 100.
PLEASE ORDER BY NUMBER AND LETTER.			
Tully's Powder, 1 gr.....	No. 607..	\$ 1 00	\$ 16
+Veratrine, 1-32 gr.....	173..	1 25	19
Veratrine, 1-12 gr.....	174..	1 50	21
+Veratrine sulphate, 1-20 gr.....	608..	1 40	20
Veratrine sulphate, 1-10 gr.....	609..	2 00	26
Veratrum album, tincture, 1 ℥.....	209..	85	15
+Veratrum viride, tincture, 1 ℥.....	210..	85	15
Veratrum viride, tincture, 2 ℥.....	610 .	1 00	16
Zinc phosphide, 1-100 gr.....	611..	85	15
Zinc phosphide, 1-50 gr.....	612..	85	15
Zinc phosphide, 1-25 gr.....	613..	85	16
Zinc phosphide, 1-20 gr.....	192..	85	15
+Zinc phosphide, 1-10 gr.....	175..	85	15
Zinc phosphide, 1-8 gr.....	176..	1 00	16
Zinc phosphide, 1-6 gr.....	177..	1 25	19
Zinc phosphide, 1-4 gr.....	178..	1 60	22
Zinc phosphide, 1-2 gr.....	179..	2 00	26
Zinc Phosphide and Nux Vomica	237..	1 00	16
Zinc phosphide, 1-10 gr.	Ext. Nux vomica, 1-4 gr.		
Zinc sulphocarbolate, 1-6 gr.....	200..	85	15



HERE ENDS THE ALPHABETICAL ARRANGEMENT.

Numerical Arrangement.

1+Arsenous acid, 1-100 gr.....	\$ 85	\$ 15
2 Arsenous acid, 1-50 gr.....	85	15
3 Arsenous acid, 1-30 gr.....	85	15
4 Arsenous acid, 1-20 gr.....	85	15
5 Aconite, fluid extract, 1-10 ℥.....	85	15
6 Aconite, fluid extract, 1 ℥.....	85	15
7 Aconitine crystals, 1-500 gr.....	1 50	21
8+Aconitine crystals, 1-200 gr....	2 00	26
9 Agaricin, 1-20 gr.....	2 00	26
10 Aloin, 1-10 gr.....	85	15
11+Aloin, 1-4 gr.....	85	15
12 Aloin, 1-2 gr.....	1 20	18
13 Ammonium chloride, 1 gr.....	85	15
14 Apomorphine hydrochlorate, 1-100 gr.....	1 50	21
15 Apomorphine hydrochlorate, 1-50 gr.....	2 00	26
16 Arsenic iodide, 1-100 gr.....	85	15
17 Atropine sulphate, 1-500 gr.....	85	15
18 Atropine sulphate, 1-200 gr.....	85	15
19+Atropine sulphate, 1-100 gr.....	1 10	17
20 Belladonna leaves, fluid extract, 1-2 ℥.....	85	15
21+Belladonna leaves, fluid extract, 1 ℥.....	85	15
22+Bismuth subcarbonate, 2 grs.....	2 00	26

For Alphabetical Arrangement, see pages 280 to 295.

TABLET TRITURATES.

List No.	The price per 1000 in c.-s. bottles of 500 ("D") } is the same as that for g.-s. bottles of 1000 ("M"). }	M or D	C
		Per 1000.	Per 100.
PLEASE ORDER BY NUMBER AND LETTER.			
23†	Bismuth subnitrate, 2 grs.....	\$ 1 75	\$ 24
24	Caffeine, 1-2 gr.....	2 00	26
25†	Caffeine, 1 gr.....	3 25	39
26†	Caffeine citrated, 1-2 gr..	2 00	26
27	Caffeine citrated, 1 gr.....	3 25	39
28	Calcium sulphide, 1-10 gr	85	15
29†	Calcium sulphide, 1-4 gr.....	85	15
30	Calcium sulphide, 1-2 gr.....	85	15
31	Calomel, 1-100 gr..... (Mercurous chloride, mild.)	85	15
32†	Calomel, 1-10 gr.....	85	15
33	Calomel, 1-4 gr.....	85	15
34	Calomel, 1-2 gr.....	85	15
35	Calomel, 1 gr.....	1 00	16
36	Cannabis Indica, extract, 1-20 gr.....	85	15
37	Cannabis Indica, extract, 1-10 gr	85	15
38	Capsicum, 1 gr.....	85	15
39	Arsenic sulphide, 1-30 gr.....	85	15
40†	Cerium oxalate, 1 gr.....	1 20	18
41	Cocaine hydrobromate, 1-16 gr.....	2 50	31
42†	Cocaine hydrobromate, 1-8 gr.....	4 25	49
43†	Cocaine hydrochlorate, 1-16 gr.....	2 50	31
44	Cocaine hydrochlorate, 1-8 gr.....	4 25	49
45†	Codeine, 1-4 gr.....	6 00	66
46	Codeine, 1-2 gr.....	11 50	1 21
47†	Colchicine, 1-100 gr.	1 50	21
48	Colchicine, 1-50 gr.....	2 00	26
49	Colocynthin, 1-20 gr.....	6 50	71
50	Coniine hydrobromate, 1-20 gr....	2 50	31
51†	Coniine hydrobromate, 1-10 gr...	3 50	41
52	Coniine hydrochlorate, 1-20 gr.....	4 00	46
53†	Coniine hydrochlorate, 1-10 gr.....	6 00	66
54	Convallamarin, 1-50 gr....	2 00	26
55	Corrosive sublimate, 1-1000 gr..... (Mercuric chloride, corrosive.)	85	15
56	Corrosive sublimate, 1-500 gr.....	85	15
57†	Corrosive sublimate, 1-100 gr.....	85	15
58	Corrosive sublimate, 1-50 gr.....	85	15
59	Corrosive sublimate, 1-20 gr.....	85	15
60	Corrosive sublimate, 1-16 gr.....	85	15
61†	Digitalin, pure, 1-100 gr.	1 20	18
62	Digitalin, pure, 1-75 gr.....	1 25	19
63	Digitalin, pure, 1-50 gr.....	1 40	20
64	Digitalis, fluid extract, 1-10 ʒ.....	85	15
65	Digitalis, fluid extract, 1-2 ʒ.....	85	15
66†	Digitalis, fluid extract, 1 ʒ.....	85	15
67	Dover's Powder, 1-4 gr.....	85	15

For Alphabetical Arrangement, see pages 280 to 295,

TABLET TRITURATES.

List No.	(The price per 1000 in c.-s. bottles of 500 ("D") is the same as that for g.-s. bottles of 1000 ("M").)	M or D	C
		Per 1000.	Per 100.
PLEASE ORDER BY NUMBER AND LETTER.			
68+	Dover's Powder, 1 gr.....	\$ 85	\$ 15
69	Elaterin, 1-40 gr.....	3 00	36
70+	Elaterin, 1-20 gr.....	5 50	61
71	Elaterin, 1-10 gr.....	10 50	1 11
72	Ergotin (Bonjean), 1-10 gr.....	85	15
73+	Ergotin (Bonjean), 1-4 gr.....	1 25	19
74	Hydrastine [white alkaloid], 1-25 gr.....	1 50	21
75	Hydrastine [white alkaloid], 1-16 gr.....	2 00	26
76+	Hydrastine [white alkaloid], 1-8 gr.....	3 75	44
77	Hydrastine [white alkaloid], 1-4 gr.....	7 50	81
78	Hyoscyamine, crystals, 1-200 gr.....	2 50	31
79+	Hyoscyamine, crystals, 1-100 gr.....	3 00	36
80+	Ignatia bean, 1-20 gr.....	85	15
81	Ignatia bean, 1-10 gr.....	85	15
82+	Ipecac powdered, 1-10 gr.....	85	15
83	Ipecac powdered, 1-4 gr.....	1 00	16
84	Ipecac powdered, 1-2 gr.....	1 25	19
85	Iron by hydrogen, 1-2 gr..... (Reduced iron.)	85	15
86+	Iron by hydrogen, 1 gr.....	85	15
87+	Iron arsenate, 1-10 gr.....	85	15
88	Iron and Quinine citrate, soluble, 1-4 gr.....	1 00	16
89+	Iron and Quinine citrate, soluble, 1-2 gr.....	1 25	19
90	Iron and Quinine citrate, soluble, 1 gr.....	1 50	21
91	Iron and Strychnine citrate, 1-4 gr.....	85	15
92+	Iron and Strychnine citrate, 1-2 gr.....	1 00	16
93	Iron and Strychnine citrate, 1 gr.....	1 25	19
94	Leptandrin, 1-16 gr.....	85	15
95+	Lithium carbonate, 1 gr.....	1 40	20
96	Manganese dioxide, 1-2 gr.....	85	15
97+	Manganese dioxide, 1 gr.....	85	15
98	Mercury with chalk, 1-10 gr.....	85	15
99+	Mercury with chalk, 1-5 gr.....	85	15
100	Mercury with chalk, 1 gr.....	85	15
101	Mercuric iodide, red, 1-100 gr.....	85	15
102	Mercuric iodide, red, 1-16 gr.....	85	15
103	Mercuric iodide, red, 1-8 gr.....	85	15
104	Mercurous iodide, yellow, 1-100 gr.....	85	15
105	Mercurous iodide, yellow, 1-50 gr.....	85	15
106	Mercurous iodide, yellow, 1-16 gr.....	85	15
107+	Mercurous iodide, yellow, 1-8 gr.....	85	15
108	Mercurous iodide, yellow, 1-6 gr.....	85	15
109	Mercurous iodide, yellow, 1-4 gr.....	85	15
110	Mercurous iodide, yellow, 1-2 gr.....	1 25	19
111	Mercurous iodide, yellow, 1 gr.....	2 20	28
112	Morphine and Atropine, B "B".....	2 50	31
	Morphine sulphate, 1-8 gr. Atropine sulphate, 1-150 gr.		

For Alphabetical Arrangement, see pages 280 to 295.

TABLET TRITURATES.

List No.	The price per 1000 in c.-s. bottles of 500 ("D") is the same as that for g.-s. bottles of 1000 ("M").	M or D	C
		Per 1000.	Per 100.
PLEASE ORDER BY NUMBER AND LETTER.			
113	Morphine and Atropine, R "E".....	\$ 3 50	\$ 41
	Morphine sulphate, 1-4 gr. Atropine sulphate, 1-120 gr.		
114†	Morphine hydrochlorate, 1-8 gr.....	2 00	26
115	Morphine hydrochlorate, 1-4 gr.....	3 00	36
116	Morphine sulphate, 1-20 gr.....	1 10	17
117	Morphine sulphate, 1-16 gr.....	1 25	19
118	Morphine sulphate, 1-8 gr.....	2 15	28
119	Morphine sulphate, 1-6 gr.....	2 40	30
120†	Morphine sulphate, 1-4 gr.....	3 30	39
121	Morphine sulphate, 1-2 gr.....	5 70	63
122†	Nitroglycerin, 1-100 gr..... (Glonoin.)	85	15
123	Nitroglycerin, 1-50 gr.....	85	15
124	Nux Vomica, powdered, 1-100 gr.....	85	15
125	Nux Vomica, powdered, 1-50 gr.....	85	15
126	Nux Vomica, powdered, 1-10 gr.....	85	15
127†	Nux Vomica, powdered, 1-4 gr.....	85	15
128†	Opium powdered, 1-4 gr.....	85	15
129	Opium powdered, 1-2 gr.....	1 25	19
130	Pepsin Aseptic (1-3000), 1-4 gr.....	1 25	19
131	Pepsin Aseptic (1-3000), 1-2 gr.....	1 75	24
132†	Pepsin Aseptic (1-3000), 1 gr.....	2 75	34
133	Physostigmine salicylate, 1-500 gr.....	1 50	21
134	Physostigmine salicylate, 1-400 gr.....	1 75	24
135	Physostigmine salicylate, 1-300 gr.....	2 25	29
136	Physostigmine salicylate, 1-200 gr.....	3 00	36
137†	Physostigmine salicylate, 1-100 gr.....	4 25	49
138	Pilocarpine nitrate, 1-100 gr.....	2 00	26
139	Pilocarpine nitrate, 1-50 gr.....	3 25	39
140	Pilocarpine nitrate, 1-25 gr.....	5 50	61
141†	Pilocarpine nitrate, 1-10 gr.....	13 50	1 41
142	Podophyllin, 1-16 gr..... (Podophyllum resin.)	85	15
143	Podophyllin, 1-8 gr.....	85	15
144†	Podophyllin, 1-4 gr.....	85	15
145	Podophyllin, 1-2 gr.....	1 25	19
146	Quinine bisulphate, 1-4 gr.....	1 10	17
147†	Quinine bisulphate, 1-2 gr.....	1 25	19
148	Quinine bisulphate, 1 gr.....	1 50	21
149	Quinine sulphate, 1-4 gr.....	1 10	17
150†	Quinine sulphate, 1-2 gr.....	1 25	19
151	Quinine sulphate, 1 gr.....	1 50	21
152	Salicylic acid, 1-4 gr.....	1 00	16
153	Salicylic acid, 1-2 gr.....	1 10	17
154	Santonin, 1-2 gr.....	1 75	24
155†	Santonin, 1 gr.....	2 50	31
156	Santonin and Calomel.....	2 00	26
	Santonin, 1-2 gr. Mercurous chloride, mild, 1-2 gr.		

For Alphabetical Arrangement, see pages 280 to 295.

TABLET TRITURATES.

List (The price per 1000 in c.-s. bottles of 500 ("D") } No. (is the same as that for g.-s. bottles of 1000 ("M").)		M or D Per 1000.	C Per 100.
PLEASE ORDER BY NUMBER AND LETTER.			
157+	Sodium arsenate, 1-25 gr.....	\$ 85	\$ 15
158	Sodium arsenate, 1-15 gr.....	85	15
159	Sodium arsenate, 1-10 gr.....	85	15
160	Strychnine sulphate, 1-100 gr.....	85	15
161+	Strychnine sulphate, 1-60 gr.....	85	15
162	Strychnine sulphate, 1-50 gr.....	85	15
163	Strychnine sulphate, 1-40 gr.....	85	15
164	Strychnine sulphate, 1-30 gr.....	85	15
165	Strychnine sulphate, 1-20 gr.....	85	15
166	Strychnine sulphate, 1-16 gr.....	85	15
167	Tartar emetic, 1-100 gr..... (Antimony and Potassium tartrate.)	85	15
168	Tartar emetic, 1-50 gr.....	85	15
169	Tartar emetic, 1-25 gr.....	85	15
170	Tartar emetic, 1-16 gr.....	85	15
171	Tartar emetic, 1-8 gr.....	85	15
172	Tartar emetic, 1-4 gr.....	85	15
173+	Veratrine, 1-32 gr.....	1 25	19
174	Veratrine, 1-12 gr.....	1 50	21
175+	Zinc phosphide, 1-10 gr.....	85	15
176	Zinc phosphide, 1-8 gr.....	1 00	16
177	Zinc phosphide, 1-6 gr.....	1 25	19
178	Zinc phosphide, 1-4 gr.....	1 60	22
179	Zinc phosphide, 1-2 gr.....	2 00	26
180+	Antiseptic Tablets (<i>for external use only</i>), see page 15.		
181+	Aloin and Belladonna Comp., B "A"..... Aloin, 1-5 gr. Strychnine sulph., 1-60 gr. Ext. Belladonna lvs., 1-8 gr.	1 00	16
182	Ammonium chloride Compound..... Ammonium chloride, 1-4 gr. Powd. Cubeb, 1-8 gr. Ext. Glycyrrhiza, 1-10 gr.	85	15
183	Iron and Arsenic Compound..... Reduced Iron, 1 gr. Powd. Ignatia, 1-40 gr. Arsenous acid, 1-100 gr.	85	15
184	Iron, Quinine and Strychnine..... Reduced Iron, 1-2 gr. Strychnine sulph., 1-120 gr. Quinine sulphate, 1-2 gr.	1 75	24
185	Iron and Strychnine Compound..... Reduced Iron, 1-2 gr. Quinine sulphate, 1-2 gr. Arsenous acid, 1-100 gr. Strychnine sulph., 1-120 gr.	1 90	25
186+	Sodium salicylate, 1 gr.....	1 50	21
187	Arsenous acid, 1-200 gr.....	85	15
188	Bryonia, tincture, 5 ℥.....	1 25	19
189	Iron arsenate, 1-16 gr.....	85	15
190	Mercuric iodide, red, 1-50 gr.....	85	15
191+	Mercuric oxide, yellow, 1-200 gr.....	85	15
192	Zinc phosphide, 1-20 gr.....	85	15
193	Antimony Comp. (Plummer's), 1-10 gr..... Sulphurated Antimony, 1-40 gr. Powd. Guaiac, 1-20 gr. Mercurous chloride, mild, 1-40 gr.	1 00	16

For Alphabetical Arrangement, see pages 280 to 295.

TABLET TRITURATES.

List No.	The price per 1000 in c.-s. bottles of 500 ("D") is the same as that for g.-s. bottles of 1000 ("M").	M or D	C
		Per 1000.	Per 100.
PLEASE ORDER BY NUMBER AND LETTER.			
194	Pepsin, Lactated, 1 gr.....	\$ 1 50	\$ 21
195	Calomel, Ipecac and Sodium bicarbonate	85	15
	Mercurous chloride, mild, 1-5 gr. Powd. Ipecac, 1-10 gr.		
	Sodium bicarbonate, 1 gr.		
196	Chamomile tincture— <i>Discontinued.</i>		
197+	Gelsemium, tincture, 1 ℥.....	85	15
198	Iron lactate (Ferrous lactate), 1 gr.....	1 25	19
199	Rhus Toxicodendron, tincture, 1 ℥.....	1 00	16
200	Zinc sulphocarbolate, 1-6 gr.....	85	15
201	Aloin and Belladonna Comp., R "B".....	1 00	16
	Aloin, 1-5 gr. Strychnine sulphate, 1-120 gr.		
	Ext. Belladonna lvs., 1-8 gr.		
202	Dover's Powder, 2 1-2 grs.....	1 25	19
203+	Iron, Arsenic and Strychnine, R "A".....	85	15
	Reduced Iron, 1 gr. Strychnine sulphate, 1-60 gr.		
	Arsenous acid, 1-100 gr.		
204	Calomel, 2 grs.....	1 25	19
205	Copper and Opium.....	1 00	16
	Copper sulphate, 1-30 gr. Tinct. Opium deod., 1-4 ℥.		
206	Baptisia, tincture, 1 ℥.....	85	15
207	Cimicifuga, tincture, 1 ℥.....	85	15
208	Pulsatilla, tincture, 1 ℥.....	85	15
209	Veratrum album, tincture, 1 ℥.....	85	15
210+	Veratrum Viride, tincture, 1 ℥.....	85	15
211	Calomel and Ipecac, R "B".....	1 00	16
	Mercurous chloride, mild, 1-4 gr. Powd. Ipecac, 1-4 gr.		
212+	Copper arsenite, 1-100 gr.....	85	15
213+	Salol, 1 gr.....	2 10	27
214	Salol, 1-10 gr.....	1 00	16
215	Copper arsenite, 1-5000 gr.....	85	15
216+	Calomel & Sodium bicarbonate, R "A".....	85	15
	Mercurous chlor., mild, 1-10 gr. Sodium bicarb., 1 gr.		
217+	Aloin Comp., R "A".....	1 00	16
	Aloin, 1-8 gr. Podophyllum resin, 1-8 gr.		
218	Aloin, Belladonna and Nux Vomica.....	1 00	16
	Aloin, 1-5 gr. Ext. Belladonna lvs., 1-8 gr.		
	Ext. Nux vomica, 1-6 gr.		
219	Aloin, Belladonna, Strychnine and Ipecac.....	1 00	16
	Aloin, 1-5 gr. Ext. Belladonna lvs., 1-8 gr.		
	Strychnine, 1-60 gr. Powd. Ipecac, 1-16 gr.		
220	Aloin, Belladonna and Podophyllin.....	1 00	16
	Aloin, 1-8 gr. Ext. Belladonna lvs., 1-8 gr.		
	Podophyllum resin, 1-8 gr.		
221	Aloin, Belladonna, Podophyllin and Nux Vomica.....	1 00	16
	Aloin, 1-10 gr. Ext. Belladonna, 1-10 gr.		
	Podophyllum resin, 1-10 gr. Ext. Nux vomica, 1-10 gr.		
222	Aloin, Belladonna, Strychnine and Cascara Sagrada...	1 00	16
	Aloin, 1-5 gr. Ext. Belladonna lvs., 1-8 gr.		
	Strychnine, 1-120 gr. Ext. Cascara sagr., 1-2 gr.		
223	Cubeb, fluid extract, 1-2 ℥.....	1 00	16

For Alphabetical Arrangement, see pages 280 to 295.

TABLET TRITURATES.

List No.	[The price per 1000 in c.-s. bottles of 500 ("D") is the same as that for g.-s. bottles of 1000 ("M").]	M or D	C
		Per 1000.	Per 100.
PLEASE ORDER BY NUMBER AND LETTER.			
224+	Cubeb, fluid extract, 1 ℥.....	\$ 1 25	\$ 19
225	Hyoscyamus, fluid extract, 1-2 ℥.....	85	15
226+	Hyoscyamus, fluid extract, 1 ℥.....	85	15
227	Rhubarb, fluid extract, 1-2 ℥.....	85	15
228+	Rhubarb, fluid extract, 1 ℥.....	1 00	16
229	Calomel and Dover's Powder, R "B".....	1 00	16
	Mercurous chlor., mild, 1-2 gr. Ipecac and Opium pdr., 1 gr.		
230	Iron and Quinine.....	1 75	24
	Reduced Iron, 1-2 gr. Quinine sulphate, 1-2 gr.		
231	Belladonna leaves, extract, 1-8 gr.....	85	15
232	Belladonna leaves, extract, 1-6 gr.....	85	15
233+	Belladonna leaves, extract, 1-4 gr.....	85	15
234+	Hyoscyamus, extract, 1-4 gr.....	85	15
235	Hyoscyamus, extract, 1-2 gr.....	1 00	16
236+	Opium and Lead acetate.....	1 50	21
	Powd. Opium, 1-2 gr. Lead acetate, 1 gr.		
237	Zinc phosphide and Nux Vomica.....	1 00	16
	Zinc phosphide, 1-10 gr. Ext. Nux vomica, 1-4 gr.		
238	Calomel (Mercurous chloride, mild), 1-20 gr.....	85	15
239	Acetanilid, 1 gr.....	85	15
240	Arsenous acid, 1-60 gr.....	85	15
241	Arsenous acid, 1-40 gr.....	85	15
242	Benzoic acid, 1-10 gr.....	85	15
243+	Benzoic acid, 1-4 gr.....	85	15
244	Benzoic acid, 1-2 gr.....	85	15
245	Benzoic acid, 1 gr.....	85	15
246	Boric acid, 1-10 gr.....	85	15
247	Boric acid, 1-5 gr.....	85	15
248+	Boric acid, 1-2 gr.....	85	15
249	Boric acid, 1 gr.....	85	15
250	Carbolic acid, 1-10 gr.....	85	15
251	Gallic acid, 1 gr.....	1 00	16
252	Tannic acid, 1 gr.....	1 00	16
253+	Aconite, fluid extract, 1-2 ℥.....	85	15
254	Aconite, tincture, 1-4 ℥.....	85	15
255	Aconite, tincture, 1-2 ℥.....	85	15
256	Aconite, tincture, 3-4 ℥.....	85	15
257+	Aconite, tincture, 1 ℥.....	85	15
258	Aconite, tincture, 2 ℥.....	1 00	16
259	Aconitine crystals, 1-100 gr.....	4 50	51
260	Aloin, 1-5 gr.....	85	15
261	Aloin Comp., R "B".....	1 25	19
	Aloin, 1-4 gr. Podophyllum resin, 1-4 gr.		
262	Alum, 1-10 gr.....	85	15
263+	Alum, 1-5 gr.....	85	15
264	Ammonium chloride, 1-10 gr.....	85	15
265+	Ammonium chloride, 1-2 gr.....	85	15

For Alphabetical Arrangement, see pages 280 to 295.

TABLET TRITURATES.

List No.	The price per 1000 in c.-s. bottles of 100 ("D") is the same as that for g.-s. bottles of 1000 ("M").	M or D	C
		Per 1000.	Per 100.
PLEASE ORDER BY NUMBER AND LETTER.			
266	Ammonium chloride and Codeine Compound	\$ 1 50	\$ 21
	Ammonium chloride, 1-4 gr. Cubeb, 1-3 gr.		
	Ext. Glycyrrhiza, 1-10 gr. Codeine, 1-25 gr.		
267	Ammonium chloride and Hyoscyamus Compound.....	1 00	16
	Ammonium chloride, 1 gr. Antimony and Potassium		
	Ext. Hyoscyamus, 1-6 gr. tartrate, 1-24 gr.		
268	Apomorphine hydrochlorate, 1-20 gr.....	3 25	39
269+	Apomorphine hydrochlorate, 1-10 gr.....	5 00	56
270	Arsenic bromide, 1-200 gr.....	85	15
271+	Arsenic bromide, 1-100 gr.....	85	15
272	Arsenic bromide, 1-60 gr.....	85	15
273	Arsenic bromide, 1-30 gr.....	85	15
274	Arsenic iodide, 1-200 gr.....	85	15
275+	Arsenic iodide, 1-50 gr.	85	15
276	Arsenic iodide, 1-35 gr.....	85	15
277	Arsenic iodide, 1-20 gr.....	85	15
278+	Arsenic sulphide, 1-100 gr.....	85	15
279	Atropine sulphate, 1-50 gr.....	1 85	20
280	Belladonna leaves, tincture, 1-2 ℥.....	85	15
281+	Belladonna leaves, tincture, 1 ℥.....	85	15
282	Belladonna leaves, tincture, 2 ℥.....	1 00	16
283	Belladonna leaves, tincture, 5 ℥.....	1 25	19
284	Bismuth subcarbonate, 1 gr.....	1 40	20
285	Bismuth subnitrate, 1 gr.....	1 35	20
286+	Sanguinaria, tincture, 1 ℥.....	85	15
287	Sanguinaria, tincture, 2 ℥.....	1 00	16
288	Sanguinaria tincture, 3 ℥.....	1 00	16
289	Sanguinaria tincture, 5 ℥.....	1 25	19
290	Blue Mass, 1-4 gr	85	15
	(Mass of Mercury.)		
291	Blue Mass, 1-2 gr.....	85	15
292+	Blue Mass, 1 gr.....	1 00	16
293	Blue Mass Compound	1 25	19
	Mass of Mercury, 1-2 gr. Powd. Opium, 1-8 gr.		
	Powd. Ipecac, 1-8 gr.		
294	Brown Mixture, 30 ℥.....	1 00	16
	Ext. Glycyrrhiza, 9-10 gr. Powd Opium, 3-200 gr.		
	Benzoic acid, 3-200 gr. Camphor, 3-200 gr.		
	Antimony and Potassium tartrate, 3-400 gr.		
	Oil Anise, 3-200 ℥.		
295+	Brown Mixture, 60 ℥.....	1 25	19
	Ext. Glycyrrhiza, 53-80 gr. Powd. Opium, 3-100 gr.		
	Benzoic acid, 3-100. Camphor, 3-100 gr.		
	Antimony and Potassium tartrate, 3-200 gr.		
	Oil Anise, 3-100 ℥.		
296	Bryonia, tincture, 1-2 ℥.....	85	15
297+	Bryonia, tincture, 1 ℥.....	85	15
298	Bryonia, tincture, 2 ℥.....	1 00	16
299	Caffeine, citrated, 1-10 gr	1 25	19

For Alphabetical Arrangement, see pages 280 to 295.

TABLET TRITURATES.

List No.	[The price per 1000 in c.-s. bottles of 500 ("D") is the same as that for g.-s. bottles of 1000 ("M").]	M or D Per 1000.	C Per 100.
PLEASE ORDER BY NUMBER AND LETTER.			
300	Caffeine Compound	\$ 3 50	\$ 41
	Citrated Caffeine, 1 gr. Glonoin (Nitroglycerin), 1-200 gr.		
301+	Calabar Bean, tincture, 1 ℥.....	85	15
302	Calabar Bean, tincture, 2 ℥.....	1 00	16
303	Calcium sulphide, 1-20 gr.....	85	15
304	Calcium sulphide, 1-8 gr.....	85	15
305	Calcium sulphide, 1 gr.....	1 00	16
306	Calomel, 1-50 gr..... (Mercurious chloride, mild.)	85	15
307	Calomel, 1-8 gr.....	85	15
308	Calomel, 1-6 gr.....	85	15
309+	Calomel and Dover's Powder, R "A"..... Mercurous chlor., mild, 1-4 gr. Ipecac & Opium pdr., 1-4 gr.	1 00	16
310+	Calomel and Ipecac, R "A"..... Mercurous chlor., mild, 1-8 gr. Powd. Ipecac, 1-8 gr.	85	15
311	Calomel and Sodium bicarbonate, R "B"..... Mercurous chlor., mild, 1-4 gr. Sodium bicarb., 1 gr.	85	15
312	Calomel and Sodium bicarbonate, R "C"..... Mercurous chlor., mild, 1 gr. Sodium bicarb., 1 gr.	1 00	16
313	Calomel and Sodium bicarbonate Comp..... Mercurous chlor., mild, 1-2 gr. Sodium bicarb., 1-2 gr. Podophyllum resin, 1-12 gr.	1 00	16
314+	Camphor monobromated, 1 gr.....	1 25	19
315+	Cannabis Indica, extract, 1-8 gr.....	85	15
316	Cannabis Indica, extract, 1-4 gr.....	1 00	16
317	Cannabis Indica, tincture, 1-2 ℥.....	85	15
318+	Cannabis Indica, tincture, 1 ℥.....	85	15
319	Cannabis Indica, tincture, 2 ℥.....	1 00	16
320	Cathartic Comp., Improved, 1-10 gr..... Ext. Coloc. comp., 1-30 gr. Ext. Jalap, 1-60 gr. Podophyllum resin, 1-120 gr. Ext. Gentian, 1-60 gr. Leptandrin, 1-120 gr. Ext. Hyoscyamus, 1-120 gr. Oil Peppermint, q. s.	85	15
321	Cathartic Comp., Improved, 1-5 gr..... Ext. Coloc. comp., 1-15 gr. Ext. Jalap, 1-30 gr. Podophyllum resin, 1-60 gr. Ext. Gentian, 1-30 gr. Leptandrin, 1-60 gr. Ext. Hyoscyamus, 1-60 gr. Oil Peppermint, q. s.	85	15
322+	Cathartic Comp., Improved, 1 gr..... Ext. Coloc. comp., 1-3 gr. Ext. Jalap, 1-6 gr. Podophyllum resin, 1-12 gr. Ext. Gentian, 1-6 gr. Leptandrin, 1-12 gr. Ext. Hyoscyamus, 1-12 gr. Oil Peppermint, q. s.	1 00	16
323	Cathartic Comp. (U. S. P. mass), 1-10 gr..... Ext. Coloc. comp., 1-24 gr. Ext. Jalap, 1-60 gr. Mercurous chlor., mild, 1-30 gr. Powd. Gamboge, 1-120 gr.	85	15
324	Cathartic Comp. (U. S. P. mass), 1-5 gr..... Ext. Coloc. comp., 1-12 gr. Ext. Jalap, 1-30 gr. Mercurous chlor., mild, 1-15 gr. Powd. Gamboge, 1-60 gr.	85	15
325+	Cathartic Comp. (U. S. P. mass), 1 gr..... Ext. Coloc. comp., 5-12 gr. Ext. Jalap, 1-6 gr. Mercurous chlor., mild, 1-3 gr. Powd. Gamboge, 1-12 gr.	1 00	16

For Alphabetical Arrangement, see pages 280 to 295.

TABLET TRITURATES.

List No.	[The price per 1000 in c.-s. bottles of 500 ("D").] [is the same as that for g.-s. bottles of 1000 ("M").]	M or D Per 1000.	C Per 100.
PLEASE ORDER BY NUMBER AND LETTER.			
326	Cathartic Comp., Vegetable, 1-10 gr..... Ext. Colocynth, 2-145 gr. Podophyllum resin, 3-290 gr. Powd. Soap, 3-580 gr. Scammony resin, 2-145 gr. Powd. Cardamom, 3-580 gr. Purified Aloes, 3-58 gr.	\$ 85	\$ 15
327	Cathartic Comp. Vegetable, 1-5 gr..... Ext. Colocynth, 4-145 gr. Podophyllum resin, 3-145 gr. Powd. Soap, 3-290. Scammony resin, 4-145 gr. Powd. Cardamom, 3-290 gr. Purified Aloes, 3-29.	85	15
328†	Cathartic Comp., Vegetable, 1 gr..... Ext. Colocynth, 4-29 gr. Podophyllum resin, 3-29 gr. Powd. Soap, 3-58 gr. Scammony resin, 4-29 gr. Powd. Cardamom, 3-58 gr. Purified Aloes, 15-29 gr.	1 00	16
329	Caulophyllin, 1-10 gr.....	1 00	16
330	Cerium oxalate, 1-2 gr.....	1 00	16
331	Coca, fluid extract, 1-2 ℥.....	1 00	16
332†	Coca, fluid extract, 1 ℥.....	1 00	16
333	Cocaine hydrochlorate, 1-100 gr.....	1 25	19
334	Cocaine hydrochlorate, 1-50 gr.....	1 50	21
335	Cocaine hydrochlorate, 1-20 gr.....	2 20	28
336	Cocaine hydrochlorate, 1-10 gr.....	3 50	41
337	Cocaine hydrochlorate, 1-5 gr.....	6 00	66
338	Codeine, 1-8 gr.....	4 00	46
339	Codeine, 1-5 gr.....	5 00	56
340	Colchicum, fluid extract, 1-2 ℥.....	85	15
341†	Colchicum, fluid extract, 1 ℥.....	85	15
342†	Colchicum, tincture, 1 ℥.....	85	15
343	Colchicum, tincture, 2 ℥.....	1 00	16
344	Colchicum, tincture, 3 ℥.....	1 00	16
345	Colchicum, tincture, 5 ℥.....	1 25	19
346†	Colocynth Comp., extract, 1-4 gr.....	85	15
347	Colocynth Comp., extract, 1-2 gr.....	1 00	16
348	Conium Compound..... Ext. Conium fruit, 1-30 gr. Ext. Glycyrrhiza, 1-10 gr. Ext. Cubeb, 1-10 gr.	1 00	16
349	Conium fruit, tincture, 1 ℥.....	85	15
350	Corrosive sublimate, 1-200 gr..... (Mercuric chloride, corrosive.)	85	15
351	Corrosive sublimate, 1-60 gr.....	85	15
352	Corrosive sublimate, 1-40 gr.....	85	15
353	Corrosive sublimate, 1-30 gr.....	85	15
354	Corrosive sublimate, 1-12 gr.....	85	15
355	Corrosive sublimate, 1-10 gr.....	85	15
356	Damiana, fluid extract, 1-2 ℥.....	1 00	16
357†	Damiana, fluid extract, 1 ℥.....	1 25	19
358	Digitalin, pure, 1-500 gr.....	85	15
359	Digitalin, pure, 1-200 gr.....	1 00	16
360	Digitalin, pure, 1-60 gr.....	1 30	19
361	Digitalis, tincture, 1-2 ℥.....	85	15
362†	Digitalis, tincture, 1 ℥.....	85	15

For Alphabetical Arrangement, see pages 280 to 295.

TABLET TRITURTAES.

List No.	The price per 1000 in c.-s. bottles of 500 ("D") is the same as that for g.-s. bottles of 1000 ("M").	M or D Per 1000.	C Per 100.
PLEASE ORDER BY NUMBER AND LETTER.			
363	Digitalis, tincture, 3 ℥.....	\$ 1 00	\$ 16
364	Digitalis, tincture, 5 ℥.....	1 25	19
365	Digitalis and Strophanthus..... Tinct. Digitalis, 3 ℥. Tinct. Strophanthus, 2 ℥.	2 00	26
366	Dover's Powder, 1-2 gr..... (Ipecac and Opium powder.)	85	15
367	Dover's Powder, 1 1-4 grs.....	85	15
368	Dover's Powder, 3 1-3 grs.....	1 50	21
369	Elaterium (Clutterbuck), 1-32 gr.....	1 50	21
370	Elaterium (Clutterbuck), 1-16 gr.....	2 00	26
371	Elaterium (Clutterbuck), 1-10 gr.....	2 50	31
372+	Elaterium (Clutterbuck), 1-8 gr.....	3 00	36
373	Ergot, fluid extract, 1-2 ℥.....	85	15
374+	Ergot, fluid extract, 1 ℥.....	1 00	16
375	Eucalyptus, fluid extract, 1-2 ℥.....	85	15
376+	Eucalyptus, fluid extract, 1 ℥.....	1 00	16
377	Euonymin brown, 1-10 gr.....	1 00	16
378	Euonymin brown, 1-8 gr.....	1 00	16
379+	Euonymin brown, 1-4 gr.....	1 00	16
380	Euonymin brown, 1-2 gr.....	1 20	18
381	Euonymin brown, 1 gr.....	1 50	21
382+	Fever (Dr. J. H. Kenyon)..... Tinct. Aconite, 1 ℥. Morphine sulph., 1-20 gr. Antim. and Potass. tart., 1-50 gr. Powd. Ipecac, 1-8 gr.	1 50	21
383	Gelsemperin, 1-16 gr. (see note 60).....	1 00	16
384	Gelsemperin, 1-10 gr.....	1 25	19
385+	Gelsemperin, 1-8 gr.....	1 25	19
386	Gelsemperin, 1-4 gr.....	1 50	21
387	Gelsemium, tincture, 3 ℥.....	1 00	16
388	Gelsemium, tincture, 5 ℥.....	1 25	19
389	Hyoscyamus, extract, 1-6 gr.....	85	15
390+	Hyoscyamus, tincture, 1 ℥.....	85	15
391	Hyoscyamus, tincture, 2 ℥.....	1 00	16
392	Hyoscyamus, tincture, 3 ℥.....	1 00	16
393	Hyoscyamus tincture, 5 ℥.....	1 25	19
394+	Hepatic..... Mass of Mercury, 1-2 gr. Ext. Coloc. comp., 1-2 gr. Ext. Hyoscyamus, 1-8 gr.	1 25	19
395	Hepatic (Dr. J. H. Kenyon)..... Euonymin, 1-8 gr. Aloin, 1-12 gr. Podophyllum resin, 1-20 gr. Powd. Ipecac, 1-8 gr. Mercurous chlor., mild, 1-8 gr.	1 25	19
396	Hydrastin, concentration, 1-20 gr.....	1 50	21
397+	Hydrastis, tincture, 1 ℥.....	85	15
398	Hydrastis, tincture, 2 ℥.....	1 00	16
399	Hydrastis, tincture, 3 ℥.....	1 00	16
400	Hyoscyamine, crystals, 1-50 gr.....	4 00	47
401	Ignatia bean, 1-100 gr.....	85	15

For Alphabetical Arrangement, see pages 280 to 295.

TABLET TRITURATES.

List No.	(The price per 1000 in c.-s. bottles of 500 ("D"). is the same as that for g.-s. bottles of 1000 ("M").)	M or D Per 1000.	C Per 100.
PLEASE ORDER BY NUMBER AND LETTER.			
402+	Ignatia, extract, 1-4 gr.....	\$ 85	\$ 15
403	Ignatia, extract, 1-2 gr.....	1 00	16
404+	Ignatia, tincture, 1 ℥.....	85	15
405	Ignatia, tincture, 3 ℥.....	1 00	16
406	Ignatia, tincture, 5 ℥.....	1 25	19
407	Ipecac, powdered, 1-100 gr.....	85	15
408	Ipecac, powdered, 1-50 gr.....	85	15
409	Ipecac, fluid extract, 1-2 ℥.....	1 25	19
410+	Ipecac, fluid extract, 1 ℥.....	1 75	24
411	Iron arsenate, 1-8 gr.....	85	15
412	Iron arsenate, 1-4 gr.....	1 00	16
413+	Iron and Arsenic, R "A".....	85	15
	Reduced Iron, 1 gr. Arsenous acid, 1-100 gr.		
414	Iron and Arsenic, R "B".....	85	15
	Reduced Iron, 1 gr. Arsenous acid, 1-60 gr.		
415	Iron and Arsenic, R "C".....	85	15
	Reduced Iron, 1 gr. Arsenous acid, 1-30 gr.		
416	Iron, Arsenic and Strychnine, R "B".....	85	15
	Reduced Iron, 1 gr. Arsenous acid, 1-50 gr.		
	Strychnine sulphate, 1-60 gr.		
417	Iron citrate (Ferric citrate), 1 gr.....	1 25	19
418	Iron pyrophosphate, 1 gr.....	1 25	19
419	Iron, Quinine and Arsenic.....	1 75	24
	Reduced Iron, 1-2 gr. Quinine sulphate, 1-2 gr.		
	Arsenous acid, 1-100 gr.		
420+	Jaborandi, fluid extract., 1-2 ℥.....	85	15
421	Jaborandi, fluid extract, 1 ℥.....	1 00	16
422	Leptandrin, 1-8 gr.....	85	15
423+	Leptandrin, 1-4 gr.....	85	15
424	Leptandrin, 1-2 gr.....	1 00	16
425	Lithium carbonate, 1-2 gr.....	1 00	16
426	Lithium carbonate and Sodium arsenate.....	1 50	21
	Lithium carbonate, 1 gr. Sodium arsenate, 1-30 gr.		
427+	Lobelia, tincture, 1 ℥.....	85	15
428	Lobelia, tincture, 2 ℥.....	1 00	16
429	Lobelia, tincture, 3 ℥.....	1 00	16
430	Lupulin, fluid extract, 1-2 ℥.....	85	15
431+	Lupulin, fluid extract, 1 ℥.....	1 00	16
432	Mercuric iodide, red, 1-30 gr.....	85	15
433+	Mercuric iodide, red, 1-25 gr....	85	15
434	Mercuric iodide, red, 1-20 gr.....	85	15
435	Mercuric iodide, red, 1-12 gr.....	85	15
436	Mercurous iodide, yellow, 1-25 gr.....	85	15
437	Mercurous iodide, yellow, 1-20 gr.....	85	15
438	Mercurous iodide, yellow, 1-10 gr.....	85	15
439	Mercurous iodide, yellow, 1-5 gr.....	85	15
440	Mercurous iodide, yellow, 1-3 gr ..	1 00	16
441	Mercury with chalk, 1-3 gr.....	85	15

For Alphabetical Arrangement, see pages 280 to 295.

TABLET TRITURATES.

List (The price per 1000 in c.-s. bottles of 500 ("D")) No. (is the same as that for g.-s. bottles of 1000 ("M")).		M or D Per 1000.	C Per 100.
PLEASE ORDER BY NUMBER AND LETTER.			
442	Mercuric oxide, yellow, 1-100 gr.....	\$ 85	\$ 15
443	Morphine and Aconite..... Morphine sulphate, 1-32 gr. Tincture Aconite, 1 ⅓	1 25	19
444	Morphine and Atropine, R "A" Morphine sulphate, 1-8 gr. Atropine sulph., 1-200 gr.	2 50	31
445	Morphine and Atropine R "C" Morphine sulphate, 1-6 gr. Atropine sulph., 1-180 gr.	2 75	34
446+	Morphine and Atropine, R "D" Morphine sulphate, 1-4 gr. Atropine sulph., 1-150 gr.	3 50	41
447+	Morphine acetate, 1-8 gr.....	2 25	29
448	Morphine acetate, 1-4 gr.....	3 40	40
449	Strophanthus, tincture, 2 ⅓.....	1 50	21
450	Morphine sulphate, 1-50 gr.....	1 00	16
451	Morphine sulphate, 1-10 gr.....	1 50	21
452	Morphine sulphate, 1-3 gr.....	3 80	44
453	Neuralgic (Dr. Dunlap)..... Quinine sulphate, 1-2 gr. Morphine sulph., 1-80 gr. Strychnine sulphate, 1-120 gr. Arsenous acid, 1-80 gr. Ext. Aconite, 1-8 gr.	1 75	24
454+	Neuralgic (Dr. J. H. Kenyon)..... * Zinc phosphide, 1-16 gr. Strychnine, 1-60 gr. Ext. Indian Cannabis, 1-8 gr. Sodium arsenate, 1-20 gr. Aconitine, 1-400 gr.	1 50	21
455	Nitroglycerin, 1-200 gr..... (Glonoin.)	85	15
456	Nitroglycerin, 1-150 gr.....	85	15
457	Nitroglycerin, 1-25 gr.....	85	15
458	Nitroglycerin, 1-20 gr.....	85	15
459	Nux vomica, powdered, 1-20 gr.....	85	15
460	Nux vomica, extract, 1-8 gr.....	85	15
461+	Nux vomica, extract, 1-4 gr.....	85	15
462	Nux vomica, extract, 1-2 gr.....	1 00	16
463	Nux vomica, tincture, 1 ⅓.....	85	15
464+	Nux vomica, tincture, 2 ⅓.....	1 00	16
465	Nux vomica, tincture, 3 ⅓.....	1 00	16
466	Opium, powdered, 1-8 gr.....	85	15
467+	Opium, tincture, assayed, 2 ⅓.....	1 25	19
468	Opium, tincture, assayed, 3 ⅓.....	1 50	21
469	Opium camphorated, tincture, 2 ⅓.....	1 00	16
470+	Opium camphorated, tincture, 5 ⅓.....	1 25	19
471	Opium camphorated, tincture, 10 ⅓.....	1 50	21
472	Ox Gall, pure, 1 gr.....	1 00	16
473	Pepsin, Saccharated, U. S. P., 1890, 1 gr.....	1 25	19
474+	Physostigmine sulphate, 1-100 gr.....	4 25	49
475	Pilocarpine hydrochlorate, 1-100 gr.....	2 00	26
476	Pilocarpine hydrochlorate, 1-50 gr.....	3 25	39
477	Pilocarpine hydrochlorate, 1-20 gr.....	7 00	76
478+	Pilocarpine hydrochlorate, 1-10 gr.....	13 50	1 41
479	Pilocarpine hydrochlorate, 1-5 gr.....	26 50	2 71

For Alphabetical Arrangement, see pages 280 to 295.

TABLET TRITURATES.

List (The price per 1000 in c.-s. bottles of 500 ("D")) No. (is the same as that for g.-s. bottles of 1000 ("M").)		M or D Per 1000.	C Per 100.
PLEASE ORDER BY NUMBER AND LETTER.			
480 Podophyllin, 1-20 gr.....	(Podophyllum resin.)	\$ 85	\$ 15
481 Podophyllin, 1-10 gr		85	15
482 Rennin, 1 gr.....		5 00	56
483 Potassium arsenate, 1-20 gr.		85	15
484 Quinine bisulphate, 1-10 gr.....		1 00	16
485 Quinine sulphate, 1-10 gr.....		1 00	16
486 Rhubarb Comp., ½ gr.....		85	15
Powd. Rhubarb, 5-23 gr. Powd. Aloes, 15-92 gr.			
Powd. Myrrh, 5-46 gr. Oil Peppermint, 1-92 ℥.			
487 Bismuth and Cerium oxalate.....		2 00	26
Bismuth subnitrate, 1gr. Cerium oxalate, 1-2 gr.			
488+Saccharin, 25 milligrammes.....		2 75	34
With Sodium bicarbonate, q. s.			
489 Saccharin, 65 milligrammes.....		6 00	66
With Sodium bicarbonate, q. s.			
490 Salicin, 1 gr.....		1 50	21
491+Salicylic acid, 1 gr.....		1 25	19
492 Salol, 1-2 gr.....		1 50	21
493 Sodium arsenate, 1-100 gr.....		85	15
494 Sodium salicylate, 1-2 gr.....		1 25	19
495 Sparteine sulphate, 1-50 gr.....		85	15
496+Sparteine sulphate, 1-20 gr.....		1 25	19
497 Sparteine sulphate, 1-10 gr.....		2 25	29
498 Sparteine sulphate, 1-4 gr.....		4 00	46
499 Squill, tincture, 1 ℥.....		85	15
500 to 521. See Veterinary Hypodermic Tablets, page 318.			
522 to 599. No tablets of these numbers yet made.			
600+Squill, tincture, 2 ℥.....		1 00	16
601 Stramonium leaves, tincture, 1 ℥.		85	15
602+Strophanthus, tincture, 1 ℥.....		1 25	19
603 Strychnine sulphate, 1-200 gr.....		85	15
604+Tartar emetic, 1-20 gr.....	(Antimony and Potassium tartrate.)	85	15
605 Tartar emetic, 1-10 gr.....		85	15
606 Tartar emetic and Ipecac.....		85	15
Antimony and Potassium tartrate, 1-100 gr.			
Powd. Ipecac, 1-100 gr.			
607 Tully's Powder, 1 gr.....		1 00	16
608+Veratrine sulphate, 1-20 gr.....		1 40	20
609 Veratrine sulphate, 1-10 gr.....		2 00	26
610 Veratrum Viride, tincture, 2 ℥		1 00	16
611 Zinc phosphide, 1-100 gr.....		85	15
612 Zinc phosphide, 1-50 gr.....		85	15
613 Zinc phosphide, 1-25 gr.....		85	15
614 Creosote, Beechwood, 1-10 ℥.....		85	15
615 Antiseptic Tablets, {R "B" (for external use only), see page 15.			

For Alphabetical Arrangement, see pages 280 to 295.

TABLET TRITURATES.

List No.	The price per 1000 in c.-s. bottles of 500 ("D") is the same as that for g.-s. bottles of 1000 ("M")	M or D Per 1000	C Per 100.
PLEASE ORDER BY NUMBER AND LETTER.			
616	Cannabis Indica, Arsenic and Iron..... Ext. Indian Cannabis, 1-6 gr. Arsenous acid, 1-60 gr. Reduced Iron, 1 gr.	\$ 1 50	\$ 21
617	Cannabis Indica, Digitalis and Iron..... Ext. Indian Cannabis, 1-6 gr. Fl. ext. Digitalis, 1-2 ℥. Reduced Iron, 2 grs.	1 50	21
618+	Nitroglycerin Compound..... Glonoin (Nitroglycerin), 1-100 gr. Tr. Strophanthus, 2 ℥. Tr. Belladonna lvs., 1-4 ℥. Tr. Digitalis, 2 ℥.	2 00	26
619	Nitroglycerin Comp., R "B"..... Glonoin (Nitroglycerin,) 1-200 gr. Strychnine, 1-60 gr. Fl. ext. Digitalis, 1 ℥. Reduced Iron, 1 gr. Tinct. Strophanthus, 3 ℥.	2 00	26
620	Cascara Sagrada extract, 1 gr.....	1 50	21
621	Ergot extract, 1 gr.....	2 50	31
622	Iron, Arsenic and Strychnine, R "C"..... Reduced Iron, 1 gr. Arsenous acid, 1-50 gr. Strychnine sulphate, 1-120 gr.	85	15
623	Fever..... Tinct. aconite, 1 ℥. Morphine sulphate, 1-20 gr. Antim. and Potass. tart., 1-50 gr.	1 40	20
624	Opium and Lead Acetate, R "B"..... Powd. Opium, 1-4 gr. Lead acetate, 3-4 gr.	85	15
625	Bismuth Compound..... Bismuth subnitrate, 1-2 gr. Cerium oxalate, 1-2 gr.	1 50	21
626	Calomel and Sodium bicarbonate Comp., R "B"..... Mercurous chloride, mild, 1-4 gr. Sodium bicarb., 1-2 gr. Podophyllum resin, 1-12 gr.	1 00	16
627	Cathartic, active..... Aloin, 1-10 gr. Podophyllum resin, 1-5 gr. Ext. Coloc. comp., 1-10 gr. Croton oil, 1-15 ℥. Ext. Nux vomica, 1-10 gr. Oleores. Capsicum, 1-120 gr.	85	15
628	Diarrhoea..... Mercurous chloride, mild, 1-8 gr. Powd. Ipecac, 1-32 gr. Morphine sulphate, 1-16 gr. Camphor, 1-16 gr. Powd. Capsicum, 1-16 gr.	1 40	20
629	Dyspeptic (Dr. E. B. Haworth)..... Strychnine sulphate, 1-40 gr. Powd. Rhubarb, 1-4 gr. Powd. Ipecac, 1-8 gr. Powd. Capsicum, 1-8 gr.	1 40	20
630	Fever (Dr. T. G. Davis)..... Tinct. Aconite, 1-5 ℥. Tinct. Bryonia, 1-10 ℥. Tinct. Belladonna lvs., 1-10 ℥.	85	15
631	Hydrastin Compound..... Podophyllum resin, 1-20 gr. Hydrastin (conc'n), 1-10 gr.	2 40	30
632	Mercurous iodide, yellow, and Opium..... Mercurous iodide, yellow, 1-5 gr. Powd. Opium, 1-12 gr.	1 00	16
633	Mercurous iodide, yellow, 1-1000 gr.....	85	15
634	Mercurous iodide, yellow, 1-500 gr.....	85	15
635	Mercurous iodide, yellow, 1-200 gr.....	85	15
636+	Nerve Tonic, No. 1 (Dr. Westbrook)..... Zinc phosphide, 1-10 gr. Reduced Iron, 1 gr. Ext. Nux vomica, 1-4 gr.	1 80	24

For Alphabetical Arrangement, see pages 280 to 295.

TABLET TRITURATES.

List No.	[The price per 1000 in c.-s. bottles of 500 ("D") (is the same as that for g.-s. bottles of 1000 ("M"))]	M or D Per 1000.	C Per 100.
PLEASE ORDER BY NUMBERS AND LETTERS.			
637	Nerve Tonic, No. 5..... Zinc phosphide, 1-10 gr. Ext. Ind. Cannabis, 1-8 gr. Hyoscyamine, 1-400 gr.	\$ 1 40	\$ 20
638	Nitroglycerin Comp., R "C"..... Glonoin (Nitroglycerin,) 1-100 gr. Tinct. Digitalis, 2 ℥.	1 00	16
639	Nitroglycerin Comp., R "D"..... Glonoin (Nitroglycerin), 1-100 gr. Tr. Strophanthus, 2 ℥.	1 20	18
640	Nux Vomica and Pepsin (Dr. Skiff)..... Nux vomica, 1-100 gr. Pepsin aseptic (1-3000), 1-10 gr.	1 00	16
641	Pepsin and Pancreatin Pepsin aseptic (1-3000), 1-4 gr. Pancreatin, pure, 1-4 gr.	3 80	44
642	Physostigmine sulphate, 1-50 gr.....	7 75	84
643	Picrotoxin and Belladonna..... Picrotoxin, 1-60 gr. Ext. Belladonna lvs., 1-6 gr.	2 70	33
644	Rhinitis, (half-strength, Dr. Lincoln)..... Powd. Camphor, 1-4 gr. Quinine sulphate, 1-4 gr. Fl. ext. Belladonna lvs., 1-8 ℥.	1 70	23
645	Tonsillitis. Tinct. Aconite, 1-5 ℥. Tinct. Belladonna lvs., 1-10 ℥. Tinct. Bryonia, 1-10 ℥. Mercuric iodide, red, 1-100 gr.	1 20	18
646	Camphor monobromated, 1-10 gr.....	85	15
647	Cardiac Compound. Caffeine hydrobromate, 1 gr. Tinct. Digitalis, 2 ℥. Glonoin (Nitroglycerin), 1-100 gr. Tinct. Strophanthus, 2 ℥.	5 25	59
648	Paregoric Comp Tr. Opium camphorated, 10 ℥. Powd. Ipecac, 1.50 gr. Powd. Squill, 1-25 gr.	1 35	20
649	Calomel and Sodium bicarbonate, R "D"..... Mercurous chloride, mild, 1-2 gr. Sodium bicarb., 1-2 gr.	1 00	16
650	Carminative (Fothergill)..... Strychnine, 1-40 gr. Powd. Black Pepper, 1-3 gr. Powd. Gentian, 1-2 gr. Powd. Ipecac, 1-3 gr. Oleoresin Capsicum, 1-8 gr.	2 00	26
651	Saccharin, 1-2 gr..... With Sodium bicarbonate, q. s.	3 50	41
652	Mercury with chalk and Dover's Powder..... Mercury with chalk, 1 gr. Powd. Ipecac, 1-10 gr. Powd. Opium, 1-10 gr.	1 00	16
653	Throat (Dr. Quinlan)..... Benzoic acid, 1-5 gr. Tr. Belladonna lvs., 1 ℥. Tr. Opium, camphor'd, 10 ℥. Ext. Glycyrrhiza, q. s.	1 50	21
654	Three Iodides..... Mercuric iodide, red, 1-30 gr. Arsenic iodide, 1-40 gr. Ferrous iodide, 1-12 gr.	1 20	18
655	Bismuth and Calomel Compound..... Bismuth subnitrate, 1 gr. Powd. Ipecac, 1-60 gr. Mercurous chloride, mild, 1-40 gr.	1 50	21

For Alphabetical Arrangement, see pages 280 to 295.

Before ordering, please see note on Formulæ Nomenclature, page 342.

DIURNAL TABLET TRITURATES.

Twelve diurnal tablet triturates represent a FULL DAILY DOSE for an adult of the substance selected, in absolutely accurate subdivision of 1-12 part in each. Put up in glass-stoppered bottles of 1000 ("M"), in cork-stoppered bottles of 500 ("D"), and in cork-stoppered bottles of 100 ("C"). The price per 1000 in cork-stoppered bottles of 500 ("D") is the same as that for glass-stoppered bottles of 1000 ("M").

For further information, see Diurnules, page 277. Send for descriptive circular.

List No.	Adult daily dose.	Equal to about	M or D Per 1000	C Per 100
1000	Aconitine crystals, pure. 0.0013	Gm. (1-50 gr.)	\$1 40	\$ 20
1001	Arsenic bromide. 0.02	Gm. (3-10 gr.)	90	15
1002	Arsenic iodide. 0.02	Gm. (3-10 gr.)	90	15
	Arsenic and Mercuric iodide (similar to Donovan's sol'n.).. (1023) .. 0.008	Gm. (1-8 gr.)	1 90	25
1003	Arsenic sulphide. 0.02	Gm. (3-10 gr.)	90	15
1004	Arsenous acid. 0.02	Gm. (3-10 gr.)	90	15
1005	Atropine sulphate. 0.00216	Gm. (1-30 gr.)	90	15
1006	Brucine. 0.15	Gm. (2 3-10 gr.)	3 40	40
1007	Cocaine hydrochlorate... 0.15	Gm. (2 3-10 gr.)	6 40	70
1008	Colchicine. 0.02	Gm. (3-10 gr.)	2 90	35
1009	Colocynthis. 0.02	Gm. (3-10 gr.)	3 90	45
1010	Coniine hydrobromate... 0.01	Gm. (3-20 gr.)	1 90	25
1011	Copper arsenite. 0.02	Gm. (3-10 gr.)	90	15
1012	Corrosive sublimate. 0.008 (Mercuric chloride, corrosive.)	Gm. (1-8 gr.)	90	15
1013	Curarine— <i>Discontinued.</i>			
1014	Daturine. 0.00216	Gm. (1-30 gr.)	2 90	35
1015	Digitalin, pure. 0.002	Gm. (3-100 gr.)	1 40	20
1016	Elaterin. 0.03	Gm. (1-2 gr.)	4 90	55
	Eserine, <i>see Physostigmine.</i>			
1017	Gelsemine hydrochlor.... 0.006	Gm. (1-10 gr.)	3 40	40
	Glonoin, <i>see Nitroglycerin.</i>			
1018	Hydrastine sulphate. 0.06	Gm. (1 gr.)	3 40	40
1019	Hydrastinine hydrochlor. 0.2	Gm. (3 gr.)	16 00	1 70
1020	Hyoscyne hydrobrom.... 0.002	Gm. (3-100 gr.)	3 90	45
1021	Hyoscyamine, pure. 0.002	Gm. (3-100 gr.)	1 90	25
1022	Iron arsenate. 0.03	Gm. (1-2 gr.)	90	15
1023	Mercuric and Arsenic iodide, <i>see Arsenic and Mercuric iodide.</i> 0.008	Gm. (1-8 gr.)	1 90	25
1024	Mercuric iodide, red. 0.015	Gm. (1-4 gr.)	90	15
1025	Mercurous iodide, yellow. 0.2	Gm. (3 gr.)	90	15
1026	Morphine acetate. 0.1	Gm. (1 1-2 gr.)	2 40	30
1027	Morphine hydrochlor.... 0.1	Gm. (1 1-2 gr.)	2 40	30
1028	Morphine sulphate. 0.1	Gm. (1 1-2 gr.)	1 90	25
1029	Nitroglycerin (Glonoin).. 0.003	Gm. (1-20 gr.)	1 40	20

DIURNAL TABLET TRITURATES.

List No.	Adult daily dose.	Equal to about	M or D Per 1000	C Per 100
1030 Phosphorus.....	0.0013	Gm. (1-50 gr.)	\$1 40	\$ 20
1031 Physostigmine sulphate..	0.003	Gm. (1-20 gr.)	3 40	40
1032 Podophyllin	0.1	Gm. (1 1-2 gr.)	90	15
1033 Potassium arsenate.....	0.02	Gm. (3-10 gr.)	90	15
1034 Potassium bichromate...0.1		Gm. (1 1-2 gr.)	90	15
1035 Potassium cyanide.....0.0108		Gm. (1-6 gr.)	90	15
1036 Potassium osmate	0.01	Gm. (3-20 gr.)	5 90	65
1037 Quinine arsenate.....0.02		Gm. (3-10 gr.)	1 90	25
1038 Scillitoxin.....0.002		Gm. (3-100 gr.)	3 90	45
1039 Sodium arsenate.....0.03		Gm. (1-2 gr.)	90	15
1040 Sparteine sulphate.....0.06		Gm. (1 gr.)	2 40	30
1041 Strophanthin.....0.00065		Gm. (1-100 gr.)	3 40	40
1042 Strychnine nitrate.....0.006		Gm. (1-10 gr.)	90	15
1043 Veratrine sulphate.....0.006		Gm. (1-10 gr.)	1 40	20

HYPODERMIC TABLETS.

SOLUBLE.

ACCURATE.

PERMANENT.

We beg leave to advise our friends of the medical profession and drug trade, that *we have added to our list of hypodermic tablets, bottles of 100 tablets each.* We shall still retain, however, the vials of 25 tablets; also the boxes containing four vials of 25 tablets, and on unspecified orders for 100's will supply the four vials. *Where the bottles of 100 are desired, therefore, please specify: "IN BOTTLES OF 100" or "C."*

We prefer to supply the tablets in tubes of 25 each, in which package they will be less apt to break or crumble, as they fit closely in the tube. This package also enables the druggist to sell the tablets in original packages when smaller quantities than 100 are called for. In tubes of 25 the tablets are less subjected to the influence of the weather as the container will not be opened so frequently.

We manufacture, on order, any tablets that may be desired, provided the quantity required and the nature of the material employed, do not preclude their manufacture.

A hypodermic case adapted to these tablets is provided with or without the syringe. For description and price, see page 43.

For Hypodermic Tablets for Veterinary purposes, see page 318.

PLEASE ORDER BY NUMBER AND LETTER.		A Per tube of 25 each.	B Per 100 in tubes of 25.	C Per bot. of 100.
1	Aconitine, crystals, 1-120 gr.....	\$ 22	\$ 80	\$ 70
	Apomorphine hydrochlorate, 1-20 gr..(33)	19	70	60
2	†Apomorphine hydrochlorate, 1-10 gr.....	24	90	80
NOTE—The peculiarly perishable nature of apomorphine salts necessitates the very careful preservation of these tablets in closely corked dark containers. We cannot hold ourselves responsible for their deterioration.				
	Atropine (crystals), 1-200 gr.....(42)	12	40	30
	†Atropine (crystals), 1-150 gr.....(41)	12	40	30
	Atropine (crystals), 1-60 gr.....(40)	14	50	40
	Atropine sulphate, 1-200 gr.....(45)	12	40	30
	Atropine sulphate, 1-150 gr.....(32)	12	40	30
	Atropine sulphate, 1-120 gr.....(44)	12	40	30
	†Atropine sulphate, 1-100 gr.....(4)	12	40	30
	Atropine sulphate, 1-60 gr.....(43)	12	40	30
3	Atropine sulphate, 1-50 gr.....	14	50	40
4	†Atropine sulphate, 1-100 gr.....	12	40	30
	Caffeine, 1-2 gr.....(46)	15	55	45

HYPODERMIC TABLETS.

PLEASE ORDER BY NUMBER AND LETTER.		A Per tube of 25 each.	B Per 100 in tubes of 25.	C Per bot. of 100.
	Cocaine hydrochlorate, 1-8 gr.....(34)	\$ 16	\$ 60	\$ 50
5	†Cocaine hydrochlorate, 1-4 gr.....	22	80	70
	Cocaine hydrochlorate, 1-2 gr.....(47)	38	1 40	1 30
	Codeine, 1-8 gr.....(48)	27	1 00	90
	Codeine phosphate, 1-4 gr.....(75)	33	1 20	1 10
	Codeine phosphate, 1-2 gr.....(76)	37	1 45	1 35
6	Coniine hydrobromate, 1-8 gr.....	27	1 00	90
7	Colchicine, 1-30 gr.....	27	1 00	90
	†Corrosive sublimate, 1-100 gr.....(50) (Mercuric chloride, corrosive.)	12	40	30
	Corrosive sublimate, 1-60 gr.....(35)	12	40	30
	Corrosive sublimate, 1-50 gr.....(49)	12	40	30
	Corrosive sublimate, 1-30 gr.....(36)	12	40	30
8	Corrosive sublimate, 1-25 gr., with Urea..	16	60	50
9	Digitalin, pure, 1-100 gr.....	12	40	30
	Ergotin.			
	Owing to the extremely hygroscopic nature of ergotin, we have discontinued the manufacture of hypodermic tablets containing it. In our experience we have found that it was only a question of a few weeks when they would melt and become entirely unfit for use.			
10	Gelsemine hydrochlorate, 1-50 gr..... Glonoïn, <i>see Nitroglycerin</i> .	40	1 50	1 40
11	Hyoscine hydrobromate, 1-100 gr.....	20	75	65
	†Hyoscyamine, pure, 1-100 gr.....(51)	14	50	40
12	Hyoscyamine, pure, 1-50 gr.....	16	60	50
	Morphine and Atropine, R "A".....(57) Morphine sulphate, 1-8 gr. Atropine sulphate, 1-300 gr.	15	55	45
	Morphine and Atropine, R "B".....(15) Morphine sulphate, 1-8 gr. Atropine sulphate, 1-200 gr.	15	55	45
	Morphine and Atropine, R "C".....(58) Morphine sulphate, 1-8 gr. Atropine sulphate, 1-150 gr.	15	55	45
	Morphine and Atropine, R "D".....(28) Morphine sulphate, 1-8 gr. Atropine sulphate, 1-100 gr.	15	55	45
	Morphine and Atropine, R "E".....(24) Morphine sulphate, 1-6 gr. Atropine sulphate, 1-180 gr.	15	55	45
	Morphine and Atropine, R "F".....(59) Morphine sulphate, 1-6 gr. Atropine sulphate, 1-150 gr.	15	55	45
	Morphine and Atropine, R "G".....(60) Morphine sulphate, 1-4 gr. Atropine sulphate, 1-200 gr.	16	60	50
	†Morphine and Atropine, R "H".....(16) Morphine sulphate, 1-4 gr. Atropine sulphate, 1-150 gr.	16	60	50

HYPODERMIC TABLETS.

PLEASE ORDER BY NUMBER AND LETTER.		A Per tube of 25 each.	B Per 100 in tubes of 25.	C Per bot. of 100.
Morphine and Atropine, R "I".....(29)		\$ 16	\$ 60	\$ 50
Morphine sulphate, 1-4 gr. Atropine sulphate, 1-100 gr.				
Morphine and Atropine, R "J".....(61)		19	70	60
Morphine sulphate, 1-3 gr. Atropine sulphate, 1-200 gr.				
Morphine and Atropine, R "K".....(38)		19	70	60
Morphine sulphate, 1-3 gr. Atropine sulphate, 1-120 gr.				
Morphine and Atropine, R "L".....(62)		23	85	75
Morphine sulphate, 1-2 gr. Atropine sulphate, 1-200 gr.				
Morphine and Atropine, R "M".....(63)		23	85	75
Morphine sulphate, 1-2 gr. Atropine sulphate, 1-120 gr.				
Morphine and Atropine, R "N".....(39)		23	85	75
Morphine sulphate, 1-2 gr. Atropine sulphate, 1-100 gr.				
†Morphine hydrochlorate, 1-8 gr.....(53)		13	45	35
Morphine hydrochlorate, 1-4 gr.(52)		15	55	45
Morphine sulphate, 1-12 gr.....(56)		12	40	30
Morphine sulphate, 1-8 gr.....(14)		12	40	30
Morphine sulphate, 1-6 gr.....(25)		13	45	35
Morphine sulphate, 1-5 gr.....(55)		14	50	40
13 †Morphine sulphate, 1-4 gr.....		14	50	40
Morphine sulphate, 1-3 gr.....(27)		15	55	45
Morphine sulphate, 3-8 gr.....(54)		16	60	50
Morphine sulphate, 1-2 gr.....(26)		20	75	65
14 Morphine sulphate, 1-8 gr.....		12	40	30
15 Morphine and Atropine, R "B".....		15	55	45
Morphine sulphate, 1-8 gr. Atropine sulphate, 1-200 gr.				
16 †Morphine and Atropine, R "H".....		16	60	50
Morphine sulphate, 1-4 gr. Atropine sulphate, 1-150 gr.				
Nitroglycerin, 1-200 gr.....(65)		12	40	30
(Glonoin.)				
†Nitroglycerin, 1-100 gr.....(31)		12	40	30
Nitroglycerin, 1-50 gr.....(64)		12	40	30
Physostigmine sulphate, 1-100 gr.....(20)		15	55	45
17 Picrotoxin, 1-50 gr.....		22	80	70
Pilocarpine hydrochlorate, 1-8 gr.....(74)		45	1 70	1 60
Pilocarpine hydrochlorate, 1-6 gr.....(37)		58	2 25	2 15
18 †Pilocarpine hydrochlorate, 1-3 gr.....		1 02	4 00	3 90
Pilocarpine nitrate, 1-4 gr.....(66)		85	3 30	3 20
19 †Pilocarpine nitrate, 1-3 gr.....		1 02	4 00	3 90
Quinine and Urea muriate.....(30)		22	80	70
Sodium arsenate, 1-10 gr.....(21)		12	40	30
Sparteine sulphate, 1-30 gr.....(67)		13	45	35
Strychnine nitrate, 1-100 gr.....(68)		13	45	35

HYPODERMIC TABLETS.

PLEASE ORDER BY NUMBER AND LETTER.		A	B	C
		Per tube of 25 each.	Per 100 in tubes of 25.	Per bot. of 100.
Strychnine nitrate, 1-60 gr.....	(77)	\$ 13	\$ 45	\$ 35
†Strychnine nitrate, 1-40 gr.....	(72)	13	45	35
Strychnine sulphate, 1-150 gr.....	(71)	12	40	30
†Strychnine sulphate, 1-100 gr.....	(23)	12	40	30
Strychnine sulphate, 1-60 gr.....	(70)	12	40	30
Strychnine sulphate, 1-50 gr.....	(22)	12	40	30
Strychnine sulphate, 1-40 gr.....	(78)	12	40	30
Strychnine sulphate, 1-32 gr.....	(69)	12	40	30
Strychnine sulphate, 1-30 gr.....	(73)	12	40	30

HERE ENDS THE ALPHABETICAL ARRANGEMENT.

20	Physostigmine sulphate, 1-100 gr.....	15	55	45
21	Sodium arsenate, 1-10 gr.....	12	40	30
22	Strychnine sulphate, 1-50 gr.....	12	40	30
23	†Strychnine sulphate, 1-100 gr.....	12	40	30
24	Morphine and Atropine, R "E"..... Morphine sulphate, 1-6 gr. Atropine sulphate, 1-180 gr.	15	55	45
25	Morphine sulphate, 1-6 gr.....	13	45	35
26	Morphine sulphate, 1-2 gr.....	20	75	65
27	Morphine sulphate, 1-3 gr.....	15	55	45
28	Morphine and Atropine, R "D"..... Morphine sulphate, 1-8 gr. Atropine sulphate, 1-100 gr.	15	55	45
29	Morphine and Atropine, R "I"..... Morphine sulphate, 1-4 gr. Atropine sulphate, 1-100 gr.	16	60	50
30	Quinine and Urea muriate.....	22	80	70
31	†Nitroglycerin (Glonoin), 1-100 gr.....	12	40	30
32	Atropine sulphate, 1-150 gr.....	12	40	30
33	Apomorphine hydrochlorate, 1-20 gr.....	19	70	60
34	Cocaine hydrochlorate, 1-8 gr.....	16	60	50
35	Corrosive sublimate, 1-60 gr..... (Mercuric chloride, corrosive.)	12	40	30
36	Corrosive sublimate, 1-30 gr.....	12	40	30
37	Pilocarpine hydrochlorate, 1-6 gr.....	58	2 25	2 15
38	Morphine and Atropine, R "K"..... Morphine sulphate, 1-3 gr. Atropine sulphate, 1-120 gr.	19	70	60
39	Morphine and Atropine, R "N"..... Morphine sulphate, 1-2 gr. Atropine sulphate, 1-100 gr.	23	85	75
40	Atropine (crystals), 1-60 gr.....	14	50	40
41	†Atropine (crystals), 1-150 gr.....	12	40	30
42	Atropine (crystals), 1-200 gr.....	12	40	30
43	Atropine sulphate, 1-60 gr.....	12	40	30
44	Atropine sulphate, 1-120 gr.....	12	40	30

HYPODERMIC TABLETS.

PLEASE ORDER BY NUMBER AND LETTER.		A	B	C
		Per tube of 25 each.	Per 100 in tubes of 25.	Per bot. of 100.
45	Atropine sulphate, 1-200 gr.....	\$ 12	\$ 40	\$ 30
46	Caffeine, 1-2 gr.....	15	55	45
47	Cocaine hydrochlorate, 1-2 gr.....	38	1 40	1 30
48	Codeine, 1-8 gr.....	27	1 00	90
49	Corrosive sublimate, 1-50 gr..... (Mercuric chloride, corrosive.)	12	40	30
50	+Corrosive sublimate, 1-100 gr.....	12	40	30
51	+Hyoscyamine, pure, 1-100 gr.....	14	50	40
52	Morphine hydrochlorate, 1-4 gr.....	15	55	45
53	+Morphine hydrochlorate, 1-8 gr.....	13	45	35
54	Morphine sulphate, 3-8 gr.....	16	60	50
55	Morphine sulphate, 1-5 gr.....	14	50	40
56	Morphine sulphate, 1-12 gr.....	12	40	30
57	Morphine and Atropine, R "A."..... Morphine sulphate, 1-8 gr. Atropine sulphate, 1-300 gr.	15	55	45
58	Morphine and Atropine, R "C."..... Morphine sulphate, 1-8 gr. Atropine sulphate, 1-150 gr.	15	55	45
59	Morphine and Atropine, R "F"..... Morphine sulphate, 1-6 gr. Atropine sulphate, 1-150 gr.	15	55	45
60	Morphine and Atropine, R "G"..... Morphine sulphate, 1-4 gr. Atropine sulphate, 1-200 gr.	16	60	50
61	Morphine and Atropine, R "J"..... Morphine sulphate, 1-3 gr. Atropine sulphate, 1-200 gr.	19	70	60
62	Morphine and Atropine, R "L"..... Morphine sulphate, 1-2 gr. Atropine sulphate, 1-200 gr.	23	85	75
63	Morphine and Atropine, R "M"..... Morphine sulphate, 1-2 gr. Atropine sulphate, 1-120 gr.	23	85	75
64	Nitroglycerin, 1-50 gr..... (Glonoin.)	12	40	30
65	Nitroglycerin, 1-200 gr.....	12	40	30
66	Pilocarpine nitrate, 1-4 gr.....	85	3 30	3 20
67	Sparteine sulphate, 1-30 gr.....	13	45	35
68	Strychnine nitrate, 1-100 gr.....	13	45	35
69	Strychnine sulphate, 1-32 gr.....	12	40	30
70	Strychnine sulphate, 1-60 gr.....	12	40	30
71	Strychnine sulphate, 1-150 gr.....	12	40	30
72	+Strychnine nitrate, 1-40 gr.....	13	45	35
73	Strychnine sulphate, 1-30 gr.....	12	40	30
74	Pilocarpine hydrochlorate, 1-8 gr.....	45	1 70	1 60
75	Codeine phosphate, 1-4 gr.....	33	1 20	1 10
76	Codeine phosphate, 1-2 gr.....	37	1 45	1 35
77	Strychnine nitrate, 1-60 gr.....	13	45	35
78	Strychnine sulphate, 1-40 gr.....	12	40	30

HYPODERMIC TABLETS FOR VETERINARY USE.

At the suggestion of influential veterinary surgeons, we have added to our list this line of Veterinary Hypodermic Tablets, put up in tubes of 1 dozen tablets.

They are exceedingly convenient for the medicine case of the Veterinary Surgeon, who can readily prepare, as needed, solutions of definite strengths for hypodermic injection.

We also supply a Veterinary Hypodermic Case, complete. For price, etc., see page 45.

List No.	IN TUBES OF 12 EACH. PLEASE ORDER BY NUMBER.	Per doz. tubes.
500	†Aconitine crystals, 1-40 gr.....	\$ 1 15
501	Aconitine crystals, 1-20 gr.....	1 50
502	†Atropine sulphate, 1-4 gr.....	1 50
503	Atropine sulphate, 1-2 gr.....	2 50
504	Cocaine hydrochlorate, 1 gr.....	4 00
505	†Colchicine, 1-4 gr.....	2 50
506	Colchicine, 1-2 gr.....	4 00
507	Coniine hydrobromate, 1 gr.....	6 00
508	†Digitalin, pure, 1-8 gr.....	1 25
509	Digitalin, pure, 1-4 gr.....	1 50
	Eserine, <i>see Physostigmine.</i>	
510	Hyoscyamine, 1-8 gr.....	3 00
511	†Morphine sulphate, 1 gr.....	2 40
512	Morphine sulphate, 2 grs.....	4 50
513	Morphine and Atropine.....	4 50
	Morphine sulphate, 1 1-2 gr. Atropine sulphate, 1-2 gr.	
514	Physostigmine salicylate, 1-4 gr.....	6 50
515	Pilocarpine hydrochlorate, 1-2 gr.....	8 50
516	Sodium arsenite, 1 gr.....	1 15
518	†Strychnine sulphate, 1-2 gr.....	1 50
519	Strychnine sulphate, 1 gr.....	2 00
520	†Veratrine hydrochlorate, 1-4 gr.....	1 25
521	Veratrine hydrochlorate, 1-2 gr.....	1 50

GELATIN-COATED BOUGIES.

In Boxes of Twelve Bougies. Price per Dozen Boxes.

Iodoform, 1 grain.	\$4 20	Iodoform, 5 grains.....	\$5 70
Iodoform, 2 " 	4 50	Iodoform, 10 " 	7 50
Iodoform, 3 " 	4 80		

In ordering please state number of BOXES (*not bougies*) wanted.

COMPRESSED TABLETS.

Put up in bottles of 1000 ("M"), in bottles of 500 ("D"), and in bottles of 100 ("C").

We furnish to order any other desired formula, the nature and quantity of which will permit of being presented in this form. Additions will constantly be made as demand may necessitate.

No.	M Per 1000	D Per 500	C Per 100
1 Acetanilid, 2 grs.....	\$ 1 20	\$ 70	\$ 18
2 Acetanilid, 3 grs	1 40	80	20
3 Acetanilid, 4 grs.....	1 60	90	22
4†Acetanilid, 5 grs.....	1 80	1 00	24
Acetanilid, Aromatic.....(53)..	2 00	1 10	26
Acetanilid, 5 grs.			
Oil Gaultheria, q. s.			
Acetanilid Compound, <i>see Migraine</i> .			
5 Migraine.....	2 50	1 35	31
Acetanilid, 2 grs.			
Camphor monobromated, 1-2 gr.			
Citrated Caffeine, 1-2 gr.			
†Acetanilid Compound, R 1.....(127)..	1 30	75	19
Acetanilid, 2 grs.			
Fl. Ext. Gelsemium, 1 ℥.			
Acetanilid Compound, R 2.....(128)..	1 80	1 00	24
Acetanilid, 4 grs.			
Fl. Ext. Gelsemium, 2 ℥.			
Acetanilid Compound, R 3.....(129)..	2 40	1 30	30
Acetanilid, 3 grs.			
Morphine comp. powder, 3 grs.			
Acetanilid Compound, R 4.....(130)..	2 40	1 30	30
Acetanilid, 2 1-2 grs.			
Citrated Caffeine, 1 gr.			
Gelsemerin, 1-10 gr.			
†Acetanilid and Sodium Comp....(106)..	2 50	1 35	31
Acetanilid, 3 1-2 grs.			
Sodium bicarbonate, 9-10 gr.			
Sodium bromide, 1-10 gr.			
Citrated Caffeine, 1-2 gr.			
Acetanilid and Sodium Compound, R 2			
.....(131)..	2 60	1 40	32
Acetanilid, 2 1-2 grs.			
Sodium bicarbonate, 2 1-2 grs.			
Citrated Caffeine, 1 gr.			
Tinct. Gelsemium, 3 ℥.			
6 Alum Compound (for injection).....	2 40	1 30	30
Alum, 2 1-2 grs.			
Zinc sulphate, 2 grs.			
Fl. Golden-seal, colorless, 1 ℥.			
Morphine sulphate, 1-32 gr.			

COMPRESSED TABLETS.

No.			
	M Per 1000	D Per 500	C Per 100
Ammonium salicylate Compound.. (132) ..	\$ 8 00	\$ 4 10	\$ 86
Ammonium salicylate, 3 grs.			
Phenacetine (Bayer), 1 gr.			
Caffeine, 1-2 gr.			
Salicin, 1 1-2 grs.			
7 Anodyne	3 50	1 85	41
Camphor, 1 gr.			
Ext. Hyoscyamus, 1 gr.			
Morphine acetate, 1-20 gr.			
Oleoresin Capsicum, 1-20 ℥.			
8 Antacid (Sir Wm. Roberts, M. D.).....	1 80	1 00	24
Calcium carbonate, precip., 3 1-2 grs.			
Magnesium carbonate, 2 1-2 grs.			
Sodium chloride, 1 gr.			
See note 13.			
†Anti-Asthmatic (Hare)..... (55) ..	5 20	2 70	58
Sodium iodide, 2 grs.			
Sodium bromide, 2 grs.			
Fl. ext. Euphorbia pil., 3 ℥.			
Glonoin (Nitroglycerin), 1-200 gr.			
Tr. Lobelia, 2 ℥.			
Anti-Asthmatic, R 2..... (133) ..	6 20	3 20	68
Potassium iodide, 5 grs.			
Solution Potassium arsenite, 1 ℥.			
Tinct. Lobelia, 4 ℥.			
Tinct. Belladonna leaves, 1 1-2 ℥.			
Tinct. Opium deodorized, 1-2 ℥.			
Oil Gaultheria, q. s.			
9 Anti-Constipation.....	2 20	1 20	28
Ext. Cascara sagrada, 1 gr.			
Ext. Nux vomica, 1-8 gr.			
Ext. Belladonna leaves, 1-8 gr.			
Powd. Ipecac, 1-8 gr.			
Podophyllum resin, 1-8 gr.			
Anti-Dyspeptic..... (134) ..	2 40	1 30	30
Powd. Ipecac, 1-10 gr.			
Mass of Mercury, 2 grs.			
Ext. Colocynth comp. 2 grs.			
†Anti-Dyspeptic, R 2..... (135) ..	1 20	70	18
Strychnine sulphate, 1-60 gr.			
Powd. Ipecac, 1-10 gr.			
Powd. Capsicum, 1-4 gr.			
Ext. Rhubarb, 1-4 gr.			
Ext. Gentian, 1-2 gr.			
Sodium bicarbonate, 2 grs.			
Anti-Dyspeptic, R 3 (Fothergill's Im- proved)..... (136) ..	2 00	1 10	26
Ext. Gentian, 1 gr.			
Mass of Mercury, 1 gr.			
Powd. Ipecac, 1-10 gr.			
Powd. Capsicum, 1-10 gr.			
Strychnine, 1-40 gr.			
Anti-Lithic (Dr. Hewish)..... (137) ..	3 00	1 60	36
Sodium phosphate, 4 grs.			
Lithium benzoate, 1 gr.			
Sodium bicarbonate, 1 gr.			
Potassium bicarbonate, 1 gr.			
Sodium chloride, 1 gr.			

COMPRESSED TABLETS.

No.		M Per 1000	D Per 500	C Per 100
	Anti-Malarial..... (56) ..	\$ 5 00	\$ 2 60	\$ 56
	Powd. Nux vomica, 1-4 gr.			
	Powd. Capsicum, 1-2 gr.			
	Ext. Hyoscyamus, 1-2 gr.			
	Quinine sulphate, 3 grs.			
	Antimonial Powder (James' Powder), 3 grs..... (138) ..	1 20	70	18
	†Antipyrine, 3 grs..... (111) ..	20 00	10 10	2 06
	Antipyrine, 5 grs..... (112) ..	32 00	16 10	3 26
	†Anti-Vomiting, R 1, <i>see Creosote Comp.</i>			
	Anti-Vomiting, R 2, <i>see Nausea, R 2.</i>			
10	Aphrodisiac.....	3 50	1 85	41
	Ext. Damiana, 2 grs.			
	Ext. Nux vomica, 1-8 gr.			
	Zinc phosphide, 1-10 gr.			
	Cantharides, 1-25 gr.			
	Bismuth and Calomel..... (139) ..	2 20	1 20	28
	Bismuth subnitrate, 2 grs.			
	Mercurous chloride, mild, 1-10 gr.			
	Aromatic powder, 1 gr.			
	Bismuth and Charcoal..... (57) ..	2 00	1 10	26
	Bismuth subnitrate, 2 grs. Charcoal, 5 grs.			
	Bismuth and Creosote..... (122) ..	4 40	2 30	50
	Bismuth subnitrate, 5 grs.			
	Creosote, 1-10 ℥.			
	Milk sugar, 2 grs.			
	Bismuth and Ipecac Compound... (140) ..	2 20	1 20	28
	Bismuth subnitrate, 2 grs.			
	Mercurous chloride, mild, 1-20 gr.			
	Powd. Ipecac, 1-50 gr.			
	Aromatic powder, 1 gr.			
	Bismuth, Opium and Carbolic acid. (141) ..	5 40	2 80	60
	Bismuth subnitrate, 3 grs.			
	Powd. Opium, 1-2 gr.			
	Aromatic powder, 1 gr.			
	Carbolic acid, 1-2 gr.			
	Blaud's Mass, <i>see Ferrous carb. (Blaud's).</i>			
	Blaud's with Nux Vomica..... (142) ..	1 60	90	22
	Ferrous carbonate mass (Blaud's), 3 grs.			
	Ext. Nux vomica, 1-6 gr.			
	Blaud's and Sumbul Compound... (143) ..	3 00	1 60	36
	Ferrous carbonate mass (Blaud's), 3 grs.			
	Ext. Sumbul, 1 gr.			
	Arsenous acid, 1-60 gr.			
	Strychnine sulphate, 1-60 gr.			
	Bromide and Caffeine Compound. (144) ..	3 00	1 60	36
	Sodium bromide, 5 grs.			
	Caffeine, 1-2 gr.			
	Acetanilid, 2 grs.			
	Tinct. Gelsemium, 3 ℥.			

COMPRESSED TABLETS.

No.		M Per 1000	D Per 500	C Per 100
	Brown Mixture Compound..... (60) ..	\$ 1 50	\$ 85	\$ 21
	Ext. Glycyrrhiza, 1 4-5 grs.			
	Powd. Opium, 3-100 gr.			
	Benzoic acid, 3-100 gr.			
	Camphor, 3-100 gr.			
	Antimony and Potassium tartrate, 3-200 gr.			
	Oil Anise, 3-100 ℥.			
	Ammonium chloride, 1 gr.			
	Cactus Grandiflorus Compound, <i>see Heart Tonic.</i>			
	Calomel, 4 grs..... (125) ..	1 70	95	23
	(Mercurous chloride, mild.)			
	†Calomel, 5 grs..... (61) ..	2 00	1 10	26
	Calomel and Capsicum..... (62) ..	1 50	85	21
	Mercurous chloride, mild, 2 grs.			
	Capsicum, 1-2 gr.			
	Calomel and Rhubarb Compound. (145) ..	1 90	1 05	25
	Mercurous chloride, mild, 1-3 gr.			
	Ext. Rhubarb, 1-2 gr.			
	Ext. Colocynth comp., 1-2 gr.			
	Ext. Hyoscyamus, 1-6 gr.			
	†Calomel and Sodium bicarbonate, R 1			
 (146) ..	1 20	70	18
	Mercurous chloride, mild, 1 gr.			
	Sodium bicarbonate, 1 gr.			
11	Calomel and Sodium bicarbonate, R 2....	1 90	1 05	25
	Mercurous chloride, mild, 2 1-2 grs.			
	Sodium bicarbonate, 2 1-2 grs.			
	Calomel and Sodium bicarbonate Com- pound..... (147) ..	2 00	1 10	26
	Mercurous chloride, mild, 2 grs.			
	Sodium bicarbonate, 2 grs.			
	Podophyllum resin, 1-3 gr.			
	Camphor, Hyoscyamus & Valerian. (148) ..	2 40	1 30	30
	Camphor, 1 gr.			
	Ext. Hyoscyamus, 1-2 gr.			
	Ext. Valerian, 1-2 gr.			
12	Cascarin Compound.....	2 50	1 35	31
	Aloin, 1-4 gr.			
	Podophyllum Resin, 1-4 gr.			
	Cascarin, 1-4 gr.			
	Cathartic Comp., U. S. P..... (149) ..	1 70	95	23
	Ext. Colocynth comp. Gm. 0.08 about 1 1-4 grs.			
	Mercurous chlor., mild Gm. 0.06 " 1 gr.			
	Ext. Jalap..... Gm. 0.03 " 1-2 gr.			
	Powd. Gamboge..... Gm 0.015 " 1-4 gr.			
	Cathartic Vegetable..... (150) ..	1 70	95	23
	Ext. Colocynth, 1-3 gr.			
	Podophyllum resin, 1-4 gr.			
	Scammony resin, 1-3 gr.			
	Aloes Socotrine. 1 1-4 grs.			
	Powd. Cardamom, 1-4 gr.			
	Powd. Soap, 1-2 gr.			
	Cereus Grandiflorus Compound, <i>see Heart Tonic.</i>			

COMPRESSED TABLETS.

No.	M Per 1000	D Per 500	C Per 100
Charcoal, 5 grs..... (63) ..	\$ 80	\$ 50	\$ 14
†Charcoal, 10 grs..... (64) ..	80	50	14
Charcoal and Pepsin..... (115) ..	1 00	60	16
Charcoal, 5 grs. Sacch. Pepsin, U. S. P., 1890. 2 grs.			
Chloral, 5 grs..... (123) ..	3 00	1 60	36
13 Chloral Comp. (Anti-Spasmodic)	3 50	1 85	41
Chloral, 2 1-2 grs. Potassium bromide, 2 1-2 grs. Ext. Indian Cannabis, 1-4 gr. Ext. Hyoscyamus, 1-2 gr. Zinc bromide, 1-20 gr.			
14 Chlorodyne	4 00	2 10	46
Morphine hydrochlorate, 1-6 gr. Ext. Indian Cannabis, 1-4 gr. Glonoin (Nitroglycerin), 1-300 gr. Ext. Hyoscyamus, 1-2 gr. Oleoresin Capsicum, 1-10 ℥. Oil Peppermint, 1-10 ℥.			
15 Cinchonidine salicylate, 2 1-2 grs.....	3 00	1 60	36
16†Cinchonidine salicylate, 5 grs.....	5 50	2 85	61
17 Cocaine and Cubeb Compound.....	4 00	2 10	46
Cocaine hydrochlorate, 1-12 gr. Potassium chlorate, 2 grs. Ammonium chloride, 1 gr. Ext. Glycyrrhiza, 2 grs. Oleoresin Cubeb, 1-8 ℥.			
Cold, No. 3..... (65) ..	4 00	2 10	46
Quinine sulphate, 2 grs. Ipecac and Opium powder, 2 grs. Capsicum, 1-4 gr. Tinct. Aconite, 1 ℥.			
Creosote Compound..... (152) ..	3 00	1 60	36
Creosote, 1-12 ℥. Cocaine hydrochlorate, 1-20 gr. Cerium oxalate, 2 grs. Pepsin aseptic (1-3000), 1-4 gr. Tinct. Nux vomica, 1-4 ℥.			
18 Cubeb Compound (Gonorrhœa)	2 50	1 35	31
Powd. Cubeb, 3-4 gr. Dried Ferrous sulphate, 1-8 gr. Copaiba mass, 1-2 gr. Venice Turpentine, 1-4 gr. Oil Santal, 1-4 ℥. Oil Gaultheria, 1-10 ℥.			
19†Cystitis No. 1.....	4 00	2 10	46
Boric acid, 2 grs. Potassium bicarbonate, 2 grs. Ext. Buchu, 1 gr. Ext. Triticum, 1 gr. Ext. Corn-silk, 1-2 gr. Ext. Hydrangea, 1-2 gr. Atropine sulphate, 1-500 gr.			

COMPRESSED TABLETS.

No.	M Per 1000	D Per 500	C Per 100
Cystitis, No. 2.....(153) ..	\$ 4 40	\$ 2 30	\$ 50
Benzoic acid, 3 grs.			
Sodium borate, 2 grs.			
Ext. Buchu, 1 gr.			
Ext. Triticum, 1 gr.			
Ext. Corn-silk, 1-2 gr.			
Ext. Hydrangea, 1-2 gr.			
Atropine sulphate, 1-500 gr.			
20†Damiana Compound.....	3 00	1 60	36
Ext. Damiana, 2 grs.			
Phosphorus, 1-30 gr.			
Ext. Nux vomica, 1-4 gr.			
Damiana Compound, R 2 (Dr. La Ma- drid).....(154) ..	3 00	1 60	36
Zinc phosphide, 1-10 gr.			
Ext. Indian Cannabis, 1-4 gr.			
Strychnine sulphate, 1-40 gr.			
Ext. Damiana, 1 1-2 grs.			
21 Diarrhoea.....	3 40	1 80	40
Bismuth subnitrate, 3 grs.			
Sacch. Pepsin, U. S. P., 1890, 2 grs.			
Arom. Chalk powder, 2 grs.			
†Digestive, R "A,"(66) ..	5 00	2 60	56
Pepsin aseptic (1-3000), 1 gr.			
Pure Pancreatin, 1 gr.			
Calcium lactophosphate, 2 grs.			
22 Digestive, R "B"	6 00	3 10	66
Pepsin aseptic (1-3000), 3 grs.			
Diastase, 1-4 gr.			
Ext. Nux vomica, 1-8 gr.			
Powd. Ipecac, 1-12 gr.			
Dipsomania..... (155) ..	3 40	1 80	40
Gold and Sodium chloride, 1-24 gr.			
Strychnine nitrate, 1-60 gr.			
Glonoin (Nitroglycerin), 1-200 gr.			
Atropine, 1-200 gr.			
Tinct. Digitalis, 3 ℥.			
Oleoresin Capsicum, 1-8 ℥.			
Diuretic.....(126) ..	1 40	80	20
Powd. Digitalis, 1 gr.			
Ext. Buchu, 1 gr.			
Potassium nitrate, 1 gr.			
Powd. Squill, 1 gr.			
23 Dover's Powder, 5 grs.... per ℥., \$3.50..	2 50	1 35	31
(Ipecac and Opium Powder.)			
24 Emmenagogue.....	3 50	1 85	41
Ergotin (Bonjean), 1 gr.			
Dried Ferrous sulphate, 1 gr.			
Ext. Black Hellebore, 1 gr.			
Aloes Socotrine, 1 gr.			
Oil Savine, 1-4 ℥.			
†Emmenagogue, Improved.....(156) ..	2 80	1 50	34
Ext. Cotton root bark, 1 gr.			
Ergotin (Bonjean), 1 gr.			
Dried Ferrous sulphate, 1 gr.			
Ext. Black Hellebore, 1 gr.			
Aloes Socotrine, 1 gr.			
Oil Savine, 1-4 ℥.			

COMPRESSED TABLETS.

No.	M Per 1000	D Per 500	C Per 100
Emmenagogue, Modified (Dewees'). (157)	\$ 2 40	\$ 1 30	\$ 30
Tinct. Guaiac comp., 40 ℥.			
Tinct. Cantharides, 5 ℥.			
Tinct. Aloes, 20 ℥.			
Dried Ferrous sulphate, 2 grs.			
25 Ergotin Compound.....	3 40	1 80	40
Ergotin (Bonjean), 1 1-2 grs.			
Tr. Digitalis, 1-2 ℥.			
Quinine sulphate, 1-2 gr.			
Expectorant (Tonic)..... (158) ..	3 40	1 80	40
Strychnine sulphate, 1-60 gr.			
Tinct. Digitalis, 2 ℥.			
Terpin hydrate, 3 grs.			
Powd. Opium, 1-24 gr.			
Ext. Hyoscyamus, 1-4 gr.			
Fel Bovis, <i>see Ox Gall</i> .			
Ferrous carbonate (Blaud's), 3 grs.. (67) ..	1 50	85	21
†Ferrous carbonate (Blaud's), 5 grs.. (68) ..	1 70	95	23
Ferrous carbonate (Blaud's), Modified (69) ..	1 80	1 00	24
Ferrous carbonate mass (Blaud's), 5 grs.			
Arsenous acid, 1-40 gr.			
Ferrous Lactate Compound (Dr. S. W. Mitchell) (159) ..	3 00	1 60	36
Ferrous lactate, 2 grs.			
Quinine sulphate, 1 gr.			
Ext. Ignatia amara, 1-4 gr.			
Ferrous Lactate and Cinchonine Com- pound..... (31) ..	1 50	85	21
Ferrous lactate, 1 gr.			
Cinchonine sulphate, 1 gr.			
Ext. Hyoscyamus, 1-5 gr.			
Arsenous acid, 1-30 gr.			
Strychnine sulphate, 1-60 gr.			
26†Four Chlorides (Univ. Hosp. Pharm.)....	2 80	1 50	34
Ferric chloride, 2-3 gr. (equal to 5 ℥			
Tinct. Ferric chloride).			
Quinine hydrochlorate, 1 gr.			
Arsenic chloride, 1-64 gr.			
Mercuric chloride, corrosive, 1-48 gr.			
Four Chlorides (without Mercury). (160) ..	2 80	1 50	34
Ferric chloride, 2-3 gr. (equal to 5 ℥			
Tinct. Ferric chloride).			
Quinine hydrochlorate, 1 gr.			
Arsenic chloride, 1-64 gr.			
Ammonium chloride, 2 grs.			
Four Chlorides, Modified..... (161) ..	1 70	95	23
Ferric chloride, 2-3 gr. (equal to 5 ℥			
Tinct. Ferric chloride).			
Quinine hydrochlorate, 1-2 gr.			
Arsenic chloride, 1-100 gr.			
Mercuric chloride, corrosive, 1-100 gr.			
Gonorrhœa, <i>see Cubeb Compound</i> .			

COMPRESSED TABLETS.

	M Per 1000	D Per 500	C Per 100
Guaiac, 2 grs..... (110) ..	\$ 1 10	\$ 65	\$ 17
Guaiac and Hydrastis Compound (Throat)..... (162) ..	2 00	1 10	26
Guaiac, 2 grs.			
Ammonium chloride, 2 grs.			
Fluid Golden-seal (colorless), 1 ℥.			
Ext. Glycyrrhiza, 2 grs.			
Guaiacol and Hypophosphites Comp. (Dr. R. G. Curtin)..... (163) ..	8 00	4 10	86
Guaiacol, 1-2 gr.			
Quinine hypophosphite, 1 gr.			
Calcium hypophosphite, 1 gr.			
Ferric hypophosphite, 1-2 gr.			
Sodium hypophosphite, 1-2 gr.			
Potassium hypophosphite, 1-4 gr.			
Manganese hypophosphite, 1-4 gr.			
Strychnine hypophosphite, 1-64 gr.			
Heart Tonic (Cactus grandiflor. Co.).. (70)	5 00	2 60	56
Fl. Ext. Cereus grandiflorus, 5 ℥.			
Tinct. Digitalis, 2 ℥.			
Citrated Caffeine, 2 grs.			
Hydrastine Compound..... (164) ..	3 00	1 60	36
Lead acetate, 2 grs.			
Zinc sulphate, 2 grs.			
Hydrastine hydrochlorate, 1-20 gr.			
Morphine acetate, 1-32 gr.			
27 Hypophosphites and Quinine Compound without Strychnine.....	4 80	2 50	54
Quinine hypophosphite, 1 gr.			
Ferric hypophosphite, 1-2 gr.			
Calcium hypophosphite, 1-2 gr.			
Sodium hypophosphite, 1-4 gr.			
Potassium hypophosphite, 1-4 gr.			
Manganese hypophosphite, 1-4 gr.			
28 Hypophosphites and Quinine Compound with Strychnine.....	5 00	2 60	56
Formula as above, adding to each tablet, Strychnine hypophosphite, 1-64 gr.			
29 Hypophosphites and Quinine Compound with Creosote.....	5 50	2 85	61
Same as R of No. 28, with addition of Beechwood Creosote 1-2 ℥. to each tablet.			
Injection Compound..... (165) ..	3 00	1 60	36
Lead acetate, 2 grs.			
Tannic acid, 2 grs.			
Zinc sulphate, 2 grs.			
Copper sulphate, 2 grs.			
30 Krameria Compound	2 00	1 10	26
Fl. ext. Krameria, 1 ℥.			
Bismuth subnitrate, 1 gr.			
Powd. Opium, 1-4 gr.			
Powd. Glycyrrhiza, 1-4 gr.			

COMPRESSED TABLETS.

No.	M Per 1000	D Per 500	C Per 100
31 Ferrous Lactate and Cinchonine Comp.	\$ 1 50	\$ 85	\$ 21
Ferrous lactate, 1 gr. Cinchonine sulphate, 1 gr. Ext. Hyoscyamus, 1-5 gr. Arsenous acid, 1-30 gr. Strychnine sulphate, 1-60 gr.			
Lacto-ferric and Cinchonine Compound, <i>see Ferrous Lactate and Cinchonine Com- pound.</i>			
Lupulin and Bromide Compound. (200) ..	3 00	1 60	36
Lupulin, 1-2 gr. Scutellarin, 1-2 gr. Ergotin (Bonjean), 1-4 gr. Atropine sulphate, 1-2000 gr. Zinc bromide, 1-10 gr.			
32 Mercuric iodide	3 00	1 60	36
Potassio-Mercuric iodide, 1 gr. See note 123.			
33 Mercuric oxide, yellow, about 1-200 gr. (1-3 milligramme)	2 00	1 10	26
Migraine	2 50	1 35	31
(5) .. Acetanilid, 2 grs. Camphor monobromated, 1-2 gr. Citratd Caffeine, 1-2 gr.			
Mixed Treatment	3 20	1 70	38
(166) .. Potassium iodide, 2 grs. Syrup Ferrous iodide, 5 ℥. Mercuric chloride, corrosive, 1-64 gr. Solution Arsenic and Mercuric iodide, 2 ℥. Tinct. Nux vomica, 2 ℥.			
34 Nasal	3 40	1 80	40
bots. of 50, \$2.50 per doz .. Sodium bicarbonate, 5 grs. Sodium borate, 5 grs. Sodium chloride, 5 grs. Sodium benzoate, 7-24 gr. Sodium salicylate, 7-24 gr. Oil Eucalyptus, 7-48 ℥. Thymol, 7-48 gr. Menthol, 7-96 gr. Oil Gaultheria, 7-96 ℥.			
Nausea, R 2	5 00	2 60	56
(167) .. Bismuth subnitrate, 2 grs. Cerium oxalate, 2 grs. Cocaine hydrochlorate, 1-12 gr.			
† Neuralgic	4 00	2 10	46
(168) .. Quinine sulphate, 1 1-2 grs. Morphine sulphate, 1-20 gr. Strychnine sulphate, 1-30 gr. Ext. Aconite leaves, 1-4 gr.			
Neuralgic Headache (Dr. Myers). (124) ..	2 20	1 20	28
Sodium bromide, 5 grs. Citratd Caffeine, 1-2 gr. Acetanilid (<i>Antifebrin</i>), 1 gr. Ext. Hyoscyamus, 1-2 gr. Morphine sulphate, 1-50 gr.			

COMPRESSED TABLETS.

No.	M Per 1000	D Per 500	C Per 100
35 Neuralgic Idiopathic (Brown-Sequard) ..	\$ 5 00	\$ 2 60	\$ 56
Ext. Hyoscyamus, 2-3 gr.			
Ext. Conium fruit, 2-3 gr.			
Ext. Ignatia amara, 1-2 gr.			
Ext. Opium, 1-2 gr.			
Ext. Aconite leaves, 1-3 gr.			
Ext. Indian Cannabis, 1-4 gr.			
Ext. Stramonium seed, 1-5 gr.			
Ext. Belladonna leaves, 1-6 gr.			
Neuralgic, Improved..... (169) ..	4 40	2 30	50
Quinine sulphate, 2 grs.			
Acetanilid, 2 grs.			
Ext. Hyoscyamus, 1-2 gr.			
Ext. Indian Cannabis, 1-4 gr.			
Arsenous acid, 1-100 gr.			
Nux Vomica and Ignatia Comp.... (170) ..	3 00	1 60	36
Equal to 10 ℥ of Dr. Freligh's Tonic.			
Tinct. Nux vomica, 1 ℥.			
Tinct. Ignatia amara, 1 ℥.			
Tinct. Cinchona, 5 ℥.			
Tinct. German Chamomile, 1 ℥.			
Tinct. Gentian, 1 ℥.			
Tinct. Calumba, 1-2 ℥.			
Phosphorus, 1-300 gr.			
Aromatic powder, 1 gr.			
Opium, Camphor and Tannin (s.-c.). (171)	2 40	1 30	30
Camphor, 1 gr.			
Tannic acid, 2 grs.			
Opium, 1-4 gr.			
Opium and Hyoscyamus..... (172)	2 40	1 30	30
Opium, 1-2 gr.			
Ext. Hyoscyamus, 1 gr.			
Ox Gall Compound (Gastric Dyspepsia)			
..... (173) ..	4 00	2 10	46
Inspissated Ox Gall, 1 gr.			
Pure Pancreatin, 1 gr.			
Ext. Colocynth comp., 1-4 gr.			
Quinine hydrochlorate, 1-2 gr.			
Ext. Nux vomica, 1-8 gr.			
Ext. Taraxacum, 1 gr.			
Ox Gall and Ginger..... (174) ..	1 40	80	20
Inspissated Ox Gall, 2 grs.			
Jamaica Ginger, 1 gr.			
Ox Gall, Pepsin and Pancreatin... (175) ..	4 70	2 45	53
Inspissated Ox Gall, 2 grs.			
Pepsin aseptic (1-3000), 2 grs.			
Pure Pancreatin, 2 grs.			
36† Pepsin and Bismuth., R "A".....	4 00	2 10	46
Pepsin aseptic (1-3000), 1 gr.			
Bismuth subnitrate, 3 grs.			
37 Pepsin and Bismuth., R "B".....	5 00	2 60	56
Pepsin aseptic (1-3000), 2 1-2 grs.			
Bismuth subnitrate, 2 1-2 grs.			
38 Pepsin and Bismuth., R "C".....	2 20	1 20	28
Pepsin aseptic (1-3000), 1-4 gr.			
Bismuth subnitrate, 1 gr.			

COMPRESSED TABLETS.

No.	M Per 1000	D Per 500	C Per 100
Pepsin, Bismuth and Charcoal..... (72) ..	\$ 6 00	\$ 3 10	\$ 66
Pepsin aseptic (1-3000), 2 grs.			
Bismuth subnitrate, 2 grs.			
Charcoal, 2 grs.			
Pepsin, Sacchar., U.S.P., 1890, 5 grs. (75) ..	2 20	1 20	28
Phenacetine (Bayer), 1 gr..... (107) ..	5 00	2 60	56
Phenacetine (Bayer), 2 grs..... (108) ..	9 00	4 60	96
†Phenacetine (Bayer), 3 grs..... (109) ..	12 50	6 35	1 31
Phenacetine (Bayer), 5 grs..... (201) ..	20 00	10 10	2 06
Phenacetine and Salol..... (114) ..	15 00	7 60	1 56
Phenacetine (Bayer), 2 1-2 grs.			
Salol, 2 1-2 grs.			
Phosphates Comp. (Nutritive).... (176) ..	3 00	1 60	36
Phosphoric acid, 1 gr.			
Potassium phosphate, 7-8 gr.			
Magnesium phosphate, 1-2 gr.			
Calcium phosphate precip., 3-8 gr.			
Ferric phosphate, soluble, 1-2 gr.			
Quinine hydrochlorate, 1-8 gr.			
Strychnine, 1-240 gr.			
Pinus Alba Compound..... (151) ..	2 00	1 10	26
Syrup White Pine Bark, 5 ℥.			
Syrup Wild Cherry, 5 ℥.			
Syrup Squill, 3 ℥.			
Syrup Senega, 3 ℥.			
Syrup Ipecac, 2 ℥.			
Syrup Sanguinaria, 1 ℥.			
Camphorated Tr. Opium, 10 ℥.			
Potassium nitrate, 1 gr.			
Oil Gaultheria, q. s.			
Potassium bicarbonate.....	} See Part II of our regular Price List.		
Potassium bromide.....			
Potassium chlorate.....			
Potassium chlorate and Ammonium chloride.....			
Potassium chlorate and Borax.....			
Potassium iodide, 5 grs..... (119) ..	5 80	3 00	64
Potassium nitrate, 5 grs..... (121) ..	80	50	14
Potassium permanganate, 1-2 gr.. (177) ..	1 00	60	16
Potassium permanganate, 1 gr.... (178) ..	1 10	65	17
†Potassium permanganate, 2 grs... (120) ..	1 40	80	20
Potassium permanganate, 5 grs... (179) ..	1 90	1 05	25
Quinine arsenate, 1-3 gr..... (180) ..	2 00	1 10	26
Quinine, Iron and Zinc valerianates (half- strength) .. (sugar-coated) (181) ..	4 00	2 10	46
Quinine valerianate, 1-2 gr.			
Ferric valerianate, 1-2 gr.			
Zinc valerianate, 1-2 gr.			

COMPRESSED TABLETS.

No.	M Per 1000	D Per 500	C Per 100
Rheumatic, No. 1.....(182) ..	\$ 4 00	\$ 2 10	\$ 46
Quinine sulphate, 1 gr.			
Ext. Colchicum root, 1 gr.			
Ext. Colocynth comp., 1-2 gr.			
Ext. Hyoscyamus, 1-4 gr.			
Powd. Opium, 1-4 gr.			
Mass of Mercury, 1 gr.			
†Rheumatic, No. 2.....(183) ..	2 40	1 30	30
Ext. Colocynth comp., 1 1-2 grs.			
Ext. Colchicum root, 1 gr.			
Ext. Hyoscyamus, 1-3 gr.			
Mercurous chloride, mild, 1-3 gr.			
Rhubarb and Soda.....(98) ..	1 00	60	16
Rhubarb, 1 1-2 grs.			
Sodium bicarbonate, 1 1-2 grs.			
Oil Peppermint, q. s.			
39 Salicin, 5 grs.....	3 50	1 85	41
†Salicylic acid and Morphine, R 1....(184) ..	2 90	1 15	35
Salicylic acid, 2 1-2 grs.			
Morphine sulphate, 1-12 gr.			
Salicylic acid and Morphine, R 2...(185) ..	4 00	2 10	46
Salicylic acid, 5 grs.			
Morphine sulphate, 1-8 gr.			
Saline and Chalybeate Tonic, Flint's (<i>Sugar-coated, brown</i>).....(118) ..	3 40	1 80	40
Sodium chloride, 3 grs.			
Potassium chloride, 3-20 gr.			
Potassium sulphate, 1-10 gr.			
Potassium carbonate, 1-20 gr.			
Sodium carbonate, 3-5 gr.			
Magnesium carbonate, 1-20 gr.			
Calcium phosphate, precip., 1-2 gr.			
Calcium carbonate, precip., 1-20 gr.			
Reduced Iron, 9-20 gr.			
Ferrous carbonate mass (Vallet's), 1-20 gr.			
Saline Tonic (Laxative).....(186) ..	2 00	1 10	26
Magnesium sulphate 20 grs.			
Ferrous sulphate, 1-4 gr.			
Diluted Sulphuric acid, 2 ℥.			
Tinct. Quassia, 5 ℥.			
40 Salol, 2 1-2 grs.....	4 50	2 35	51
41 Salol, 5 grs.....	7 50	3 85	81
42 Salol and Terpin hydrate.....	7 00	3 60	76
Salol, 3 grs.			
Terpin hydrate, 3 grs.			
Saw Palmetto Compound.....(199) ..	3 00	1 60	36
Ext. Saw Palmetto, 3 grs.			
Tr. Cantharides, 2 ℥.			
Tr. Belladonna leaves, 2 ℥.			
Ext. Corn silk, 1-2 gr.			
Sedative (Dr. B. F. Baer).....(187) ..	3 00	1 60	36
Ext. Valerian, 1 gr.			
Ext. Sumbul, 1 gr.			
Asafetida, purified, 1 gr.			

COMPRESSED TABLETS.

No.		M Per 1000	D Per 500	C Per 100
	Sedative Compound.....(188) ..	\$ 3 40	\$ 1 80	\$ 40
	Dried Ferrous sulphate, 1 gr.			
	Ext. Valerian, 1 gr.			
	Ext. Sumbul, 1 gr.			
	Asafetida, purified, 1 gr.			
	Arsenous acid, 1-60 gr.			
	Senega Compound.....(189) ..	2 00	1 10	26
	Ammonium carbonate, 1 gr.			
	Ammonium bromide, 1 gr.			
	Tinct. Squill, 2 ℥.			
	Tinct. Senega, 2 ℥.			
	Tinct. Aconite, 1-4 ℥.			
	Fl. ext. Grindelia, 2 ℥.			
	Fluid Guaiac, concentrated, 1-2 ℥.			
43†	Sodium bromide, 5 grs.....	1 30	75	19
44	Sodium bromide, 10 grs.....	1 75	98	24
	Sodium salicylate, 3 grs.....(190) ..	2 40	1 30	30
†	Sodium salicylate, 5 grs.....(101) ..	3 20	1 70	38
	Sodium salicylate Compound.....(191) ..	3 00	1 60	36
	Sodium salicylate, 3 grs.			
	Ext. Colchicum root, 1-2 gr.			
	Tinct. Digitalis, 1 ℥.			
	Sodium sulphite Compound (Anti-Fer- ment).....(192) ..	2 00	1 10	26
	Sodium sulphite, 1 gr.			
	Salicylic acid, 1 gr.			
	Ext. Nux vomica, 1-8 gr.			
	Powd. Capsicum, 1-8 gr.			
	Powd. Ipecac, 1-10 gr.			
	Sodium sulphite Compound with Pepsin(193) ..	3 00	1 60	36
	Sodium sulphite, 1 gr.			
	Salicylic acid, 1 gr.			
	Ext. Nux vomica, 1-8 gr.			
	Powd. Capsicum, 1-8 gr.			
	Powd. Ipecac, 1-10 gr.			
	Pepsin aseptic (1-3000), 1 gr.			
	Sulphur, 5 grs.....(102) ..	85	55	15
	Sulphur Compound.....(116) ..	1 50	85	21
	Sulphur sublimed, 5 grs.			
	Ext. Ipecac, 1-100 gr.			
	Ext. Capsicum, 1-500 gr.			
	Potassium bitartrate, 2 grs.			
	Arsenous acid, 1-1000 gr.			
	Calcium sulphide, 1-8 gr.			
	Sulphur and Cream of Tartar....(103) ..	1 00	60	16
	Sulphur, sublimed, 4 grs.			
	Potassium bitartrate, 2 grs.			
	Sumbul Compound (Goodell's)....(194) ..	4 00	2 10	46
	Ext. Sumbul, 1 gr.			
	Asafetida, 2 grs.			
	Ferrous sulphate, dried, 1 gr.			
	Arsenous acid, 1-40 gr.			

COMPRESSED TABLETS.

No.		M Per 1000	D Per 500	C Per 100
	Sun Cholera..... (104) ..	\$ 2 40	\$ 1 30	\$ 30
	Tinct. Opium, 3 ℥.			
	Tinct. Rhubarb, 3 ℥.			
	Tinct. Capsicum, 3 ℥.			
	Spirit Camphor, 3 ℥.			
	Oil Peppermint, q. s.			
45†	Syphilitic R "A"	4 25	2 22	48
	Potassium iodide, 2 1-2 grs.			
	Mercuric chloride, corrosive, 1-40 gr.			
	Powd. Opium, 1-10 gr.			
46	Syphilitic, R "B"	3 75	1 97	43
	Potassium iodide, 2 1-2 grs.			
	Mercuric chloride, corrosive, 1-40 gr.			
	Terpin hydrate Compound..... (195) ..	4 00	2 10	46
	Terpin hydrate, 3 grs.			
	Tinct. Guaiac, ammoniated, 6 ℥.			
	Tinct. Opium, camphorated, 10 ℥.			
	Fl. ext. Wild Cherry, 5 ℥.			
	Powd. Belladonna leaves, 1-16 gr.			
	Tonic (Aiken's)	4 00	2 10	46
	Quinine sulphate, 1 gr.			
	Reduced iron, 2-3 gr.			
	Arsenous acid, 1-50 gr.			
	Strychnine sulphate, 1-50 gr.			
	Ext. Gentian, 1-4 gr.			
	Tonic Sedative (Climacteric)..... (197) ..	4 40	2 30	50
	Quinine hydrochlorate, 1 gr.			
	Tinct. Ferric chloride, 5 ℥.			
	Arsenous acid, 1-60 gr.			
	Gold and Sodium chloride, 1-16 gr.			
47	Tonic, Vegetable.....	1 40	80	20
	Ext. Gentian, 1-2 gr.			
	Ext. Quassia, 1-2 gr.			
48	Trifolium Compound (Alterative).....	3 00	1 60	36
	Ext. Red Clover, 1-2 gr.			
	Ext. Stillingia, 1-2 gr.			
	Ext. Xanthoxylum, 1-8 gr.			
	Ext. Lappa, 1-2 gr.			
	Ext. Phytolacca root, 1-2 gr.			
	Ext. Iris, 1-4 gr.			
49	Triple Bromides.....	1 40	80	20
	Sodium bromide, 2 1-2 grs.			
	Potassium bromide, 2 1-2 grs.			
	Ammonium bromide, 2 1-2 grs.			
	Uterine Astringent and Antiseptic. (198) ..	2 40	1 30	30
	Alum, 3 grs.			
	Zinc sulphate, 2 grs.			
	Fluid Golden-seal (colorless), 1 1-2 ℥.			
	Morphine sulphate, 1-20 gr.			
	Tannic acid, 2 grs.			
	Boric acid, 6 grs.			
50	Viburnum Compound (Uterine Tonic)...	4 50	2 35	51
	Ext. Viburnum Prunifolium, 1 gr.			
	Ext. Viburnum Opulus, 1 gr.			
	Ext. Star-grass, 1-2 gr.			
	Ext. Helonias (False Unicorn), 1-2 gr.			
	Ext. Squaw-vine, 1-2 gr.			
	Caulophyllin, 1-4 gr.			

COMPRESSED TABLETS.

No.		M Per 1000	D Per 500	C Per 100
	Voice..... (105) ..	\$ 2 40	\$ 1 30	\$ 30
	Potassium chlorate, 2 1-2 grs.			
	Sodium borate, 2 1-2 grs.			
	Cocaine hydrochlorate, 1-50 gr.			
51	Zinc sulphocarbolate, 2 grs.....	1 40	80	20
52†	Zinc sulphocarbolate, 5 grs.....	2 40	1 30	30

HERE ENDS THE ALPHABETICAL ARRANGEMENT.

53	Acetanilid, Aromatic.....	2 00	1 10	26
	Acetanilid, 5 grs.			
	Oil Gaultheria, q. s.			
55†	Anti-Asthmatic (Hare)	5 20	2 70	58
	Sodium iodide, 2 grs.			
	Sodium bromide, 2 grs.			
	Fl. ext. Euphorbia pil., 3 ℥.			
	Glonoin (Nitroglycerin), 1-200 gr.			
	Tr. Lobelia, 2 ℥.			
56	Anti-Malarial.....	5 00	2 60	56
	Powd. Nux vomica, 1-4 gr.			
	Powd. Capsicum, 1-2 gr.			
	Ext. Hyoscyamus, 1-2 gr.			
	Quinine sulphate, 3 grs.			
57	Bismuth and Charcoal.....	2 00	1 10	26
	Bismuth subnitrate, 2 grs.			
	Charcoal, 5 grs.			
60	Brown Mixture Compound.....	1 50	85	21
	Ext. Glycyrrhiza, 1 4-5 grs.			
	Powd. Opium, 3-100 gr.			
	Benzoic acid, 3-100 gr.			
	Camphor, 3-100 gr.			
	Antimony and Potassium tartrate, 3-200 gr.			
	Oil Anise, 3-100 ℥.			
	Ammonium chloride, 1 gr.			
61†	Calomel, 5 grs.....	2 00	1 10	26
62	Calomel and Capsicum.....	1 50	85	21
	Mercurous chloride, mild, 2 grs.			
	Capsicum, 1-2 gr.			
63	Charcoal, 5 grs.....	80	50	14
64†	Charcoal, 10 grs.....	80	50	14
65	Cold, No. 3.....	4 00	2 10	46
	Quinine sulphate, 2 grs.			
	Ipecac and Opium powder, 2 grs.			
	Powd. Capsicum, 1-4 gr.			
	Tinct. Aconite, 1 ℥.			
66†	Digestive, R "A"	5 00	2 60	56
67	Ferrous carbonate (Blaud's), 3 grs.....	1 50	85	21
68†	Ferrous carbonate (Blaud's), 5 grs.....	1 70	95	23

COMPRESSED TABLETS.

No.	M Per 1000	D Per 500	C Per 100
69 Ferrous carbonate (Blaud's), Modified..	\$ 1 80	\$ 1 00	\$ 24
Ferrous carbonate mass (Blaud's), 5 grs. Arsenous acid, 1-40 gr.			
70 Heart Tonic (Cactus grandiflor. Comp).	5 00	2 60	56
Fl. Ext. Cereus grandiflorus, 5 ℥. Tinct. Digitalis, 2 ℥. Citratd Caffeine, 2 grs.			
72 Pepsin, Bismuth and Charcoal.....	6 00	3 10	66
Pepsin aseptic (1-3000), 2 grs. Bismuth subnitrate, 2 grs. Charcoal, 2 grs.			
74 Pepsin, Lactated— <i>Discontinued</i> .			
75 Pepsin, Saccharated, U.S.P., 1890, 5 grs.	2 20	1 20	28
76 Peptonizing, Improved	} See Part II of our regular Price List.		
77 Potassium bicarbonate.....			
78 Potassium bromide			
79 Potassium chlorate.....			
80 Potassium chlorate and Borax.....			
81 Potassium chlorate and Ammonium chloride.....			
82 to 97 Quinine.....			
98 Rhubarb and Soda.....	1 00	60	16
Rhubarb, 1 1-2 grs. Sodium bicarbonate, 1 1-2 grs. Oil Peppermint, q. s.			
101† Sodium salicylate, 5 grs.....	3 20	1 70	38
102 Sulphur, 5 grs.....	85	55	15
103 Sulphur and Cream of Tartar.....	1 00	60	16
Sulphur. sublimed, 4 grs. Potassium bitartrate, 2 grs.			
104 Sun Cholera.....	2 40	1 30	30
Tinct. Opium, 3 ℥. Tinct. Rhubarb, 3 ℥. Tinct. Capsicum, 3 ℥. Spirit Camphor, 3 ℥. Oil of Peppermint, q. s.			
105 Voice.....	2 40	1 30	30
Potassium chlorate, 2 1-2 grs. Sodium borate, 2 1-2 grs. Cocaine hydrochlorate, 1-50 gr.			
106† Acetanilid and Sodium Compound.....	2 50	1 35	31
Acetanilid, 3 1-2 grs. Sodium bicarbonate, 9-10 gr. Sodium bromide, 1-10 gr. Citratd Caffeine, 1-2 gr.			
107 Phenacetine (Bayer), 1 gr.....	5 00	2 60	56
108† Phenacetine (Bayer), 2 grs.....	9 00	4 60	96
109 Phenacetine (Bayer), 3 grs.....	12 50	6 35	1 31

COMPRESSED TABLETS.

No.	M Per 1000	D Per 500	C Per 100
110 Guaiac, 2 grs.....	\$ 1 10	\$ 65	\$ 17
111†Antipyrine, 3 grs.....	20 00	10 10	2 06
112 Antipyrine, 5 grs.....	32 00	16 10	3 26
114 Phenacetine and Salol.....	15 00	7 60	1 56
Phenacetine (Bayer), 2 1-2 grs.			
Salol, 2 1-2 grs.			
115 Charcoal and Pepsin.....	1 00	60	16
Charcoal, 5 grs.			
Sacch. Pepsin, U. S. P. 1890, 2 grs.			
116 Sulphur Compound.....	1 50	85	21
Sulphur, sublimed, 5 grs.			
Ext. Ipecac, 1-100 gr.			
Ext. Capsicum, 1-500 gr.			
Potassium bitartrate, 2 grs.			
Arsenous acid, 1-1000 gr.			
Calcium sulphide, 1-8 gr.			
118 Saline and Chalybeate Tonic, Flint's (<i>Sugar-coated, brown</i>).....	3 40	1 80	40
Sodium chloride, 3 grs.			
Potassium chloride, 3-20 gr.			
Potassium sulphate, 1-10 gr.			
Potassium carbonate, 1-20 gr.			
Sodium carbonate, 3-5 gr.			
Magnesium carbonate, 1-20 gr.			
Calcium phosphate, precip., 1-2 gr.			
Calcium carbonate, precip., 1-20 gr.			
Reduced Iron, 9 20 gr.			
Ferrous carbonate mass (Vallet's), 1-20 gr.			
119 Potassium iodide, 5 grs.....	5 80	3 00	64
120†Potassium permanganate, 2 grs.....	1 40	80	20
121 Potassium nitrate, 5 grs.....	80	50	14
122 Bismuth and Creosote.....	4 40	2 30	50
Bismuth subnitrate, 5 grs.			
Creosote, 1-10 ℥.			
Milk sugar, 2 grs.			
123 Chloral, 5 grs.....	3 00	1 60	36
124 Neuralgic Headache (Dr. Myers).....	2 20	1 20	28
Sodium bromide, 5 grs.			
Citratd Caffeine, 1-2 gr.			
Acetanilid (<i>Antifebrin</i>), 1 gr.			
Ext. Hyoscyamus, 1-2 gr.			
Morphine sulphate, 1-50 gr.			
125 Calomel, 4 grs.....	1 70	95	23
126 Diuretic.....	1 40	80	20
Powd. Digitalis, 1 gr. Ext. Buchu, 1 gr.			
Potassium nitrate, 1 gr. Powd. Squill, 1 gr.			
127†Acetanilid Compound, R 1.....	1 30	75	19
Acetanilid, 2 grs.			
Fl. Ext. Gelsemium, 1 ℥.			
128 Acetanilid Compound, R 2.....	1 80	1 00	24
Acetanilid, 4 grs.			
Fl. Ext. Gelsemium, 2 ℥.			

COMPRESSED TABLETS.

No.	M Per 1000	D Per 500	C Per 100
129 Acetanilid Compound, R 3.....	\$ 2 40	\$ 1 30	\$ 30
Acetanilid, 3 grs.			
Morphine comp. powder, 3 grs.			
130 Acetanilid Compound, R 4.....	2 40	1 30	30
Acetanilid, 2 1-2 grs.			
Citrated Caffeine, 1 gr.			
Gelsemperin, 1-10 gr.			
131 Acetanilid and Sodium Comp., R 2.....	2 60	1 40	32
Acetanilid, 2 1-2 grs.			
Sodium bicarbonate, 2 1-2 grs.			
Citrated Caffeine, 1 gr.			
Tinct. Gelsemium, 3 ℥.			
132 Ammonium salicylate Compound.....	8 00	4 10	86
Ammonium salicylate, 3 grs.			
Phenacetine (Bayer), 1 gr.			
Caffeine, 1-2 gr.			
Salicin, 1 1-2 gr.			
133 Anti-Asthmatic, R 2.....	6 20	3 20	68
Potassium iodide, 5 grs.			
Solution Potassium arsenite, 1 ℥.			
Tinct. Lobelia, 4 ℥.			
Tinct. Belladonna leaves, 1 1-2 ℥.			
Tinct. Opium, deodorized, 1-2 ℥.			
Oil Gaultheria, q. s.			
134 Anti-Dyspeptic.....	2 40	1 30	30
Powd. Ipecac, 1-10 gr.			
Mass of Mercury, 2 grs.			
Ext. Colocynth comp., 2 grs.			
135† Anti-Dyspeptic, R 2.....	1 20	70	18
Strychnine sulphate, 1-60 gr.			
Powd. Ipecac, 1-10 gr.			
Powd. Capsicum, 1-4 gr.			
Ext. Rhubarb, 1-4 gr.			
Ext. Gentian, 1-2 gr.			
Sodium bicarbonate, 2 grs.			
136 Anti-Dyspeptic, R 3 (Fothergill's Im- proved)	2 00	1 10	26
Ext. Gentian, 1 gr.			
Mass of Mercury, 1 gr.			
Powd. Ipecac, 1-10 gr.			
Powd. Capsicum, 1-10 gr.			
Strychnine, 1-40 gr.			
137 Anti-Lithic (Dr. Hewish).....	3 00	1 60	36
Sodium phosphate, 4 grs.			
Lithium benzoate, 1 gr.			
Sodium bicarbonate, 1 gr.			
Potassium bicarbonate, 1 gr.			
Sodium chloride, 1 gr.			
138 Antimonial Powder (James' Powder), 3 grs.....	1 20	70	18
139 Bismuth and Calomel.....	2 20	1 20	28
Bismuth subnitrate, 2 grs.			
Mercurous chloride, mild, 1-10 gr.			
Aromatic Powder, 1 gr.			

COMPRESSED TABLETS.

No.	M Per 1000	D Per 500	C Per 100
140 Bismuth and Ipecac Compound.....	\$ 2 20	\$ 1 20	\$ 28
Bismuth subnitrate, 2 grs. Mercurous chloride, mild, 1-20 gr. Powd. Ipecac. 1-50 gr. Aromatic powder, 1 gr.			
141 Bismuth, Opium and Carbolic acid.....	5 40	2 80	60
Bismuth subnitrate, 5 grs. Powdered Opium, 1-2 gr. Aromatic powder, 1 gr. Carbolic acid, 1-2 gr.			
142 Bland's with Nux Vomica.....	1 60	90	22
Ferrous carbonate mass (Bland's), 3 grs. Ext. Nux vomica, 1-6 gr.			
143 Bland's and Sumbul Compound.....	3 00	1 60	36
Ferrous carbonate mass (Bland's), 3 grs. Ext. Sumbul. 1 gr. Arsenous acid. 1-60 gr. Strychnine sulphate, 1-60 gr.			
144 Bromide and Caffeine Compound.....	3 00	1 60	36
Sodium bromide, 5 grs. Caffeine, 1-2 gr. Acetanilid. 2 grs. Tinct. Gelsemium, 3 ℥.			
145 Calomel and Rhubarb Compound.....	1 90	1 05	25
Mercurous chloride, mild, 1-3 gr. Ext. Rhubarb, 1-2 gr. Ext. Colocynth comp., 1-2 gr. Ext. Hyoscyamus, 1-6 gr.			
146† Calomel and Sodium bicarbonate, R 1.	1 20	70	18
Mercurous chloride, mild, 1 gr. Sodium bicarbonate, 1 gr.			
147 Calomel and Sodium bicarbonate Comp.	2 00	1 10	26
Mercurous chloride, mild, 2 grs. Sodium bicarbonate, 2 grs. Podophyllum resin, 1-3 gr.			
148 Camphor, Hyoscyamus and Valerian...	2 40	1 30	30
Camphor, 1 gr. Ext. Hyoscyamus, 1-2 gr. Ext. Valerian, 1-2 gr.			
149 Cathartic Compound, U. S. P.....	1 70	95	23
Ext. Colocynth comp..Gm. 0.08 about 1 1-4 grs. Mercurous chlor., mild.Gm. 0.06 " 1 gr. Ext. Jalap.....Gm. 0.03 " 1-2 gr. Powd. Gamboge.....Gm. 0.015 " 1-4 gr.			
150 Cathartic Vegetable.....	1 70	95	23
Ext. Colocynth, 1-3 gr. Podophyllum resin, 1-4 gr. Scammony resin, 1-3 gr. Aloes Socotrine, 1 1-4 grs. Powd. Cardamom, 1-4 gr. Powd. Soap, 1-2 gr.			

COMPRESSED TABLETS.

No.	M Per 1000	D Per 500	C Per 100
151 Pinus Alba Compound.....	\$ 2 00	\$ 1 10	\$ 26
Syrup White Pine bark, 5 ℥.			
Syrup Wild Cherry, 5 ℥.			
Syrup Squill, 3 ℥.			
Syrup Senega, 3 ℥.			
Syrup Ipecac, 2 ℥.			
Syrup Sanguinaria, 1 ℥.			
Tinct. Opium, camphorated, 10 ℥.			
Potassium nitrate, 1 gr.			
Oil Gaultheria, q. s.			
152 Creosote Compound	3 00	1 60	36
Creosote, 1-12 ℥.			
Cocaine hydrochlorate, 1-20 gr.			
Cerium oxalate, 2 grs.			
Pepsin aseptic (1-3000), 1-4 gr.			
Tinct. Nux vomica, 1-4 ℥.			
153 Cystitis, R 2.....	4 40	2 30	50
Benzoic acid, 3 grs.			
Sodium borate, 2 grs.			
Ext. Buchu, 1 gr.			
Ext. Triticum, 1 gr.			
Ext. Corn-silk, 1-2 gr.			
Ext. Hydrangea, 1-2 gr.			
Atropine sulphate, 1-500 gr.			
154 Damiana Comp., R 2 (Dr. LaMadrid)...	3 00	1 60	36
Zinc phosphide, 1-10 gr.			
Ext. Indian Cannabis, 1-4 gr.			
Strychnine sulphate, 1-40 gr.			
Ext. Damiana, 1 1-2 grs.			
155 Dipsomania	3 40	1 80	40
Gold and Sodium chloride, 1-24 gr.			
Strychnine nitrate, 1-60 gr.			
Glonoin (Nitroglycerin), 1-200 gr.			
Atropine, 1-200 gr.			
Tinct. Digitalis, 3 ℥.			
Oleoresin Capsicum, 1-8 ℥.			
156† Emmenagogue, Improved.....	2 80	1 50	34
Ext. Cotton root bark, 1 gr.			
Ergotin (Bonjean), 1 gr.			
Dried Ferrous sulphate, 1 gr.			
Ext. Black Hellebore, 1 gr.			
Aloes Socotrine, 1 gr.			
Oil Savine, 1-4 ℥.			
157 Emmenagogue, Modified (Dewees')	2 40	1 30	30
Tinct. Guaiac comp., 40 ℥.			
Tinct. Cantharides, 5 ℥.			
Tinct. Aloes, 20 ℥.			
Dried Ferrous sulphate, 2 grs.			
158 Expectorant (Tonic).....	3 40	1 80	40
Strychnine sulphate, 1-60 gr.			
Tinct. Digitalis, 2 ℥.			
Terpin hydrate, 3 grs.			
Powd. Opium, 1-24 gr.			
Ext. Hyoscyamus, 1-4 gr.			
159 Ferrous Lactate Compound (Dr. S. W. Mitchell)	3 00	1 60	36
Ferrous lactate, 2 grs.			
Quinine sulphate, 1 gr.			
Ext. Ignatia amara, 1-4 gr.			

COMPRESSED TABLETS.

No.	M Per 1000	D Per 500	C Per 100
160 Four Chlorides (without Mercury).....	\$ 2 80	\$ 1 50	\$ 34
Ferric chloride, 2-3 gr. (equal to 5 ℥ Tr. Ferric chloride).			
Quinine hydrochlorate, 1 gr.			
Arsenic chloride, 1-64 gr.			
Ammonium chloride, 2 grs.			
161 Four Chlorides (Modified).....	1 70	95	23
Ferric chloride, 2-3 gr. (equal to 5 ℥ Tr. Ferric chloride).			
Quinine hydrochlorate, 1-2 gr.			
Arsenic chloride, 1-100 gr.			
Mercuric chloride, corrosive, 1-100 gr.			
162 Guaiac and Hydrastis Comp., (Throat).	2 00	1 10	26
Guaiac, 2 grs.			
Ammonium chloride, 2 grs.			
Fluid Golden-seal (colorless), 1 ℥.			
Ext. Glycyrrhiza, 2 grs.			
163 Guaiacol and Hypophosphites Comp. (Dr. R. G. Curtin).....	8 00	4 10	86
Guaiacol, 1-2 gr.			
Quinine hypophosphite, 1 gr.			
Calcium hypophosphite 1 gr.			
Ferric hypophosphite, 1-2 gr.			
Sodium hypophosphite, 1-2 gr.			
Potassium hypophosphite, 1-4 gr.			
Manganese hypophosphite, 1-4 gr.			
Strychnine hypophosphite, 1-64 gr.			
164 Hydrastine Compound.....	3 00	1 60	36
Lead acetate, 2 grs.			
Zinc sulphate, 2 grs.			
Hydrastine hydrochlorate, 1-20 gr.			
Morphine acetate, 1-32 gr.			
165 Injection Compound.....	3 00	1 60	36
Lead acetate, 2 grs.			
Tannic acid, 2 grs.			
Zinc sulphate, 2 grs.			
Copper sulphate, 2 grs.			
166 Mixed Treatment.....	3 20	1 70	38
Potassium iodide, 2 grs.			
Syrup Ferrous iodide, 5 ℥.			
Mercuric chloride, corrosive, 1-64 gr.			
Solution Arsenic and Mercuric iodide, 2 ℥.			
Tinct. Nux vomica, 2 ℥.			
167 Nausea, R 2.....	5 00	2 60	56
Bismuth subnitrate, 2 grs.			
Cerium oxalate, 2 grs.			
Cocaine hydrochlorate, 1-12 gr.			
168 Neuralgic.....	4 00	2 10	46
Quinine sulphate, 1 1-2 grs.			
Morphine sulphate, 1-20 gr.			
Strychnine sulphate, 1-30 gr.			
Ext. Aconite leaves, 1-4 gr.			
169 Neuralgic, Improved.....	4 40	2 30	50
Quinine sulphate, 2 grs.			
Acetanilid 2 grs.			
Ext. Hyoscyamus, 1-2 gr.			
Ext. Indian Cannabis, 1-4 gr.			
Arsenous acid, 1-100 gr.			

COMPRESSED TABLETS.

No.	M Per 1000	D Per 500	C Per 100
170 Nux Vomica and Ignatia Compound...\$ 3 00	\$ 3 00	\$ 1 60	\$ 36
Equal to 10 ℥ of Dr. Freligh's Tonic.			
Tinct. Nux vomica, 1 ℥.			
Tinct. Ignatia amara, 1 ℥.			
Tinct. Cinchona, 5 ℥.			
Tinct. Chamomile, German, 1 ℥.			
Tinct. Gentian, 1 ℥.			
Tinct. Calumba, 1-2 ℥.			
Phosphorus, 1-300 gr.			
Aromatic powder, 1 gr.			
171 Opium, Camphor and Tannin (s.-c.)	2 40	1 30	30
Camphor, 1 gr.			
Opium, 1-4 gr.			
Tannic acid, 2 grs.			
172 Opium and Hyoscyamus.....	2 40	1 30	30
Opium, 1-2 gr.			
Ext. Hyoscyamus, 1 gr.			
173 Ox Gall Compound (Gastric Dyspepsia)	4 00	2 10	46
Inspissated Ox Gall, 1 gr.			
Pure Pancreatin, 1 gr.			
Ext. Colocynth comp., 1-4 gr.			
Quinine hydrochlorate, 1-2 gr.			
Ext. Nux vomica, 1-8 gr.			
Ext. Taraxacum, 1 gr.			
174 Ox Gall and Ginger.....	1 40	80	20
Inspissated Ox Gall, 2 grs.			
Jamaica Ginger, 1 gr.			
175 Ox Gall, Pepsin and Pancreatin.....	4 70	2 45	53
Inspissated Ox Gall, 2 grs.			
Pepsin aseptic (1-3000), 2 grs.			
Pure Pancreatin, 2 grs.			
176 Phosphates Compound (Nutritive).....	3 00	1 60	36
Phosphoric acid, 1 gr.			
Potassium phosphate, 7-8 gr.			
Magnesium phosphate, 1-2 gr.			
Calcium phosphate, precipitated, 3-8 gr.			
Ferric phosphate, soluble, 1-2 gr.			
Quinine hydrochlorate, 1-8 gr.			
Strychnine, 1-240 gr.			
177 Potassium permanganate, 1-2 gr.....	1 00	60	16
178 Potassium permanganate, 1 gr.....	1 10	65	17
179 Potassium permanganate, 5 grs.....	1 90	1 05	25
180 Quinine arsenate, 1-3 gr.....	2 00	1 10	26
181 Quinine, Iron and Zinc valerianates (half-strength) .. (sugar-coated).....	4 00	2 10	46
Quinine valerianate, 1-2 gr.			
Ferric valerianate, 1-2 gr.			
Zinc valerianate, 1-2 gr.			
182 Rheumatic, R I.....	4 00	2 10	46
Quinine sulphate, 1 gr.			
Ext. Colchicum root, 1 gr.			
Ext. Colocynth comp., 1-2 gr.			
Ext. Hyoscyamus, 1-4 gr.			
Powdered Opium, 1-4 gr.			
Mass of Mercury, 1 gr.			

COMPRESSED TABLETS.

No.	M Per 1000	D Per 500	C Per 100
183† Rheumatic, R 2.....	\$ 2 40	\$ 1 30	\$ 30
Ext. Colocynth comp., 1 1-2 grs.			
Ext. Colchicum root 1 gr.			
Ext. Hyoscyamus, 1-3 gr.			
Mercurous chloride, mild, 1-3 gr.			
184† Salicylic acid and Morphine, R 1.....	2 90	1 55	35
Salicylic acid, 2 1-2 grs.			
Morphine sulphate, 1-12 gr.			
185 Salicylic acid and Morphine, R 2.....	4 00	2 10	46
Salicylic acid, 5 grs.			
Morphine sulphate, 1-8 gr.			
186 Saline Tonic (Laxative).....	2 00	1 10	26
Magnesium sulphate, 20 grs.			
Ferrous sulphate, 1-4 gr.			
Diluted Sulphuric acid, 2 ℥.			
Tinct. Quassia, 5 ℥.			
187 Sedative (Dr. B. F. Baer).....	3 00	1 60	36
Ext. Valerian, 1 gr.			
Ext. Sumbul, 1 gr.			
Asafetida, purified, 1 gr.			
188 Sedative Compound.....	3 40	1 80	40
Dried Ferrous sulphate, 1 gr.			
Ext. Valerian, 1 gr.			
Ext. Sumbul, 1 gr.			
Asafetida, purified, 1 gr.			
Arsenous acid, 1-60 gr.			
189 Senega Compound.....	2 00	1 10	26
Ammonium carbonate, 1 gr.			
Ammonium bromide, 1 gr.			
Tinct. Squill, 2 ℥.			
Tinct. Senega, 2 ℥.			
Tinct. Aconite, 1-4 ℥.			
Fl. ext Grindelia, 2 ℥.			
Fluid Guaiac, concentrated, 1-2 ℥.			
190 Sodium salicylate, 3 grs.....	2 40	1 30	30
191 Sodium salicylate Compound.....	3 00	1 60	36
Sodium salicylate, 3 grs.			
Ext. Colchicum root, 1-2 gr.			
Tinct. Digitalis, 1 ℥.			
192 Sodium sulphite Compound (Anti-Ferment).....	2 00	1 10	26
Sodium sulphite, 1 gr.			
Salicylic acid, 1 gr.			
Ext. Nuxvomica, 1-8 gr.			
Powd. Capsicum, 1-8 gr.			
Powd. Ipecac, 1-10 gr.			
193 Sodium sulphite Compound with Pepsin.	3 00	1 60	36
Sodium sulphite, 1 gr.			
Salicylic acid, 1 gr.			
Ext. Nux vomica, 1-8 gr.			
Powd. Capsicum, 1-8 gr.			
Powd. Ipecac, 1-10 gr.			
Pepsin aseptic (1-3000), 1 gr.			

COMPRESSED TABLETS.

No.	M Per 1000	D Per 500	C Per 100
194 Sumbul Compound (Goodell's).....	\$ 4 00	\$ 2 10	\$ 46
Ext. Sumbul, 1 gr.			
Asafetida, 2 grs.			
Ferrous sulphate, dried, 1 gr.			
Arsenous acid, 1-40 gr.			
195 Terpin hydrate Compound.....	4 00	2 10	46
Terpin hydrate, 3 grs.			
Tinct. Guaiac, ammoniated, 6 ℥.			
Tinct. Opium, camphorated, 10 ℥.			
Fl. ext. Wild Cherry, 5 ℥.			
Powd. Belladonna leaves, 1-16 gr.			
196 Tonic (Aiken's.).....	4 00	2 10	46
Quinine sulphate, 1 gr.			
Reduced Iron, 2-3 gr.			
Arsenous acid, 1-50 gr.			
Strychnine sulphate, 1-50 gr.			
Ext. Gentian, 1-4 gr.			
197 Tonic Sedative (Climacteric).....	4 40	2 30	50
Quinine hydrochlorate, 1 gr.			
Tinct. Ferric chloride, 5 ℥.			
Arsenous acid, 1-60 gr.			
Gold and Sodium chloride, 1-16 gr.			
198 Uterine Astringent and Antiseptic.....	2 40	1 30	30
Alum, 3 grs.			
Zinc sulphate, 2 grs.			
Fluid Golden-seal (colorless), 1 1-2 ℥.			
Morphine sulphate, 1-20 gr.			
Tannic acid, 2 grs.			
Boric acid, 6 grs.			
199 Saw Palmetto Compound.....	3 00	1 60	36
Ext. Saw Palmetto, 3 grs.			
Tr. Cantharides, 2 ℥.			
Tr. Belladonna leaves, 2 ℥.			
Ext. Corn-silk, 1-2 gr.			
200 Lupulin and Bromide Compound.....	3 00	1 60	36
Lupulin, 1-2 gr.			
Scutellarin, 1-2 gr.			
Ergotin (Bonjean), 1-4 gr.			
Atropine sulphate, 1-2000 gr.			
Zinc bromide, 1-10 gr.			
201 Phenacetine (Bayer), 5 grs.....	20 00	10 10	2 06

*Additions Will be Made to this List from Time to Time, as
Circumstances May Demand.*

CAUTION.—Inasmuch as there exists no uniform system of designating the various combinations of formulæ of Pills, Tablets and other lines, which contain the same component parts but differ in the proportion of each employed, a formula listed by us as R "B," for instance, may be named by others R "C," No. 1, or otherwise.

Great care therefore should be taken to examine each formula before ordering.

MEDICINAL ELIXIRS,

WINES AND SYRUPS DESIGNED TO PRESENT MEDICINES IN
A FORM AGREEABLE TO THE PALATE.

—o—

Manufacturers have hitherto exercised their discretion in regard to the quantity and proportions of the medicinal ingredients in preparations of this class. Hence has arisen endless confusion in formulæ and nomenclature, resulting in unwillingness on the part of the physician to prescribe remedies so uncertain in composition. To remedy this evil the American Pharmaceutical Association has authorized the issue of a National Formulary of Unofficial Preparations. We have observed the standards prescribed in this work when the demands of the trade would permit. For example: Our various wines and elixirs containing pepsin in combination were made to conform to the National Formulary standard until January, 1894, when the digestive power of these preparations was increased by us so as to contain 16 grains of Saccharated Pepsin, U. S. P., 1890 (1-300), in each fluidounce.

NOTE ON CONTAINERS.—Elixirs, wines and syrups are put up in *pint* and *half-gallon* bottles.

MEDICINAL ELIXIRS.

Each fluidounce of Elixir represents the quantity of ingredients specified.	Per gallon in ½-gal. bottles, inclusive.	Per dozen pints.
1 Ammonium bromide, 40 grs.....	\$ 5 50	\$ 9 75
2 Ammonium valerianate, 16 grs.....	6 00	10 50
3 Ammonium and Morphine valerianates.....	8 00	13 00
Ammonium valerianate, 16 grs.		
Morphine valerianate, 1-2 gr.		
4 Ammonium and Quinine valerianates.....	6 50	11 25
Ammonium valerianate, 16 grs.		
Quinine valerianate (equivalent), 4 grs.		
5 Berberine and Iron.....	7 00	12 00
Berberine sulphate (neutral), 8 grs.		
Ferric pyrophosphate, soluble, 8 grs.		
6 Bismuth and Ammonium citrate, 16 grs.....	6 00	10 50
7 Bismuth and Quinine.....	6 00	10 50
Bismuth and Ammonium citrate, 16 grs.		
Quinine sulphate, 2 grs.		

MEDICINAL ELIXIRS.

Each fluidounce of Elixir represents the quantity of ingredients specified.	Per gallon in ½-gal. bottles, inclusive.	Per dozen pints.
8 Bismuth and Strychnine.....	\$ 5 50	\$ 9 75
Bismuth and Ammonium citrate, 8 grs. Strychnine, 8-100 gr.		
Black Cohosh, <i>see Cimicifuga</i> (42) ..	4 50	8 25
9 Buchu, 120 grs.....	5 00	9 00
10 Buchu Compound.....	6 00	10 50
Buchu, 60 grs. Juniper berries, 15 grs. Cubeb. 15 grs. Uva ursi, 15 grs. Spirit Nitrous ether, 15 ℥		
11 Buchu, Juniper and Potassium acetate.....	6 00	10 50
Buchu, 45 grs. Juniper berries, 12 grs. Potassium acetate, 16 grs.		
12 Buchu and Pareira Compound.....	5 00	9 00
Buchu, 30 grs. Juniper berries, 15 grs. Pareira, 7 1-2 grs. Stone-root, 7 1-2 grs.		
13 Buckthorn bark, 120 grs.....	5 00	9 00
14 Calcium bromide, 40 grs.....	5 00	9 00
15 Calisaya alkaloids, representing 40 grs. of the bark.....	4 00	7 50
16 Calisaya bark, 40 grs.....	4 50	8 25
17 Calisaya and Bismuth.....	5 00	9 00
Calisaya bark (active principles), 40 grs. Bismuth and Ammonium citrate, 8 grs.		
18 Calisaya and Iron protoxide.....	4 00	7 50
12½ grs. Calisaya bark (active principles) and the equiv. of ⅞ gr. ferrous sulphate in the form of citrate of Iron protoxide.		
19 Calisaya and Iron pyrophosphate.....	4 00	7 50
Calisaya bark (active principles), 40 grs. Ferric pyrophosphate, soluble, 8 grs.		
20 Calisaya, Iron and Bismuth.....	5 00	9 00
Calisaya bark (active principles), 40 grs. Ferric pyrophosphate, soluble, 8 grs. Bismuth and Ammonium citrate, 8 grs.		
21 Calisaya, Iron, Bismuth and Pepsin.....	9 00	15 00
Calisaya bark (active principles), 40 grs. Sacch. Pepsin, U. S. P. 1890, 16 grs. Ferric pyrophosphate, soluble, 8 grs. Bismuth and Ammonium citrate, 8 grs.		
22 Calisaya, Iron, Bismuth, Pepsin and Strychnine	9 00	15 00
Calisaya bark (active principles), 40 grs. Ferric pyrophosphate, soluble, 8 grs. Bismuth and Ammonium citrate, 8 grs. Sacch. Pepsin, U. S. P. 1890, 16 grs. Strychnine, 8-100 gr.		
23 Calisaya, Iron, Bismuth and Strychnine.....	5 00	9 00
Calisaya bark (active principles), 40 grs. Ferric pyrophosphate, soluble, 8 grs. Bismuth and Ammonium citrate, 8 grs. Strychnine, 8-100 gr.		
24 Calisaya, Iron and Pepsin.....	7 00	12 00
Calisaya bark (active principles), 40 grs. Ferric pyrophosphate, soluble, 8 grs. Sacch. Pepsin, U. S. P., 1890, 16 grs.		

MEDICINAL ELIXIRS.

Each fluidounce of Elixir represents the quantity of ingredients specified.		Per gallon in ½-gal. bottles, inclusive.	Per dozen pints.
25	Calisaya, Iron and Phosphorus..... Calisaya bark (active principles), 40 grs. Ferric pyrophosphate, soluble, 8 grs. Phosphorus, 8-200 gr.	\$ 5 00	\$ 9 00
26	Calisaya, Iron and Quinine..... Calisaya bark (active principles), 40 grs. Ferric pyrophosphate, soluble, 8 grs. Quinine sulphate, 2 grs.	7 00	12 00
27	Calisaya, Iron, Quinine and Strychnine..... Calisaya bark (active principles), 40 grs. Ferric pyrophosphate, soluble, 8 grs. Quinine sulphate, 2 grs. Strychnine, 8-100 gr.	7 00	12 00
28	Calisaya, Iron and Strychnine..... Calisaya bark (active principles), 40 grs. Ferric pyrophosphate, soluble, 8 grs. Strychnine, 8-100 gr.	4 50	8 25
29	Calisaya, Iron, Strychnine and Pepsin..... Calisaya bark (active principles), 40 grs. Ferric pyrophosphate, soluble, 8 grs. Sacch. Pepsin, U. S. P., 1890, 16 grs. Strychnine, 8-100 gr.	8 00	13 50
30	Calisaya and Lactated Pepsin..... Calisaya bark (active principles), 40 grs. Lactated Pepsin, 40 grs.	8 00	13 50
31	Calisaya, Pepsin and Bismuth..... Calisaya bark (active principles), 40 grs. Sacch. Pepsin, U. S. P. 1890, 16 grs. Bismuth and Ammonium citrate, 8 grs.	8 50	14 25
32	Calisaya, Pepsin, Bismuth and Strychnine.... Calisaya bark (active principles), 40 grs. Sacch. Pepsin, U. S. P. 1890, 16 grs. Bismuth and Ammonium citrate, 8 grs. Strychnine, 8-100 gr.	7 50	12 75
33	Calisaya, Pepsin and Strychnine..... Calisaya bark (active principles), 40 grs. Sacch. Pepsin, U. S. P., 1890, 16 grs. Strychnine, 8-100 gr.	7 50	12 75
34	Calisaya and Strychnine..... Calisaya bark, 40 grs. Strychnine, 8-100 gr.	5 00	9 00
35	Cascara Sagrada, 120 grs.....	5 50	9 75
36	Cascara Sagrada Compound..... Cascara sagrada, 60 grs. Glycyrrhiza, 60 grs. Berberis Aquifolium, 30 grs. Aromatics.	5 50	9 75
37	Cascara Sagrada, tasteless, 120 grs.....	5 50	9 75
38	Cathartic Compound..... Senna, 16 grs. Juglans, 16 grs. Cascara sagrada, 32 grs Leptandra, 16 grs. Potass. and Sodium tartrate, 32 grs.	5 50	9 75
39	Celery and Guarana..... Celery seed, 60 grs. Guarana, 60 grs.	7 50	12 75
40	Chloral, 80 grs.....	8 00	13 50
41	Chloral and Potassium bromide..... Chloral, 40 grs. Potassium bromide, 40 grs.	8 00	13 50

MEDICINAL ELIXIRS.

Each fluidounce of Elixir represents the quantity of ingredients specified.		Per gallon in ½-gal. bottles, inclusive.	Per dozen pints.
42	Cimicifuga, 120 grs.....	\$ 4 50	\$ 8 25
43	Cimicifuga Compound— <i>Discontinued.</i>		
44	Cinchona, detannated..... Contains the equivalent of 40 grs. Red Cinchona bark, combined with choice aromatics; specially adapted for combination with the salts of iron.	6 00	10 50
45	Cinchona ferrated..... Contains the equivalent of Red Cinchona bark, 40 grs. Iron and Ammon. citrate, 16 grs.	5 50	9 75
46	Cinchonidine, Iron and Strychnine..... Cinchonidine sulphate, 4 grs. Ferric pyrophosphate, soluble, 8 grs. Strychnine, 8-100 gr.	4 50	8 25
47	Coca, 120 grs.....	5 50	9 75
48	Corydalis Compound..... Turkey-corn, 30 grs. Potassium iodide, 8 grs. Stillingia, 30 grs. Iris, 40 grs. Xanthoxylum, 15 grs.	4 50	8 25
49	Cramp-bark Compound..... Viburnum Opulus, 28 grs. Skunk Cabbage, 14 grs. Scutellaria, 28 grs. Aromatics.	6 00	10 50
50	Damiana, 120 grs.....	6 00	10 50
51	Damiana, Iron and Phosphorus..... Damiana, 60 grs. Phosphorus, 8-200 gr. Ferric pyrophosphate, sol., 8 grs.	7 00	12 00
52	Damiana, Nux Vomica, Iron and Phosphorus..... Damiana, 60 grs. Nux vomica, 8 grs. Ferric pyrophosphate, sol., 8 grs. Phosphorus, 8-200 gr.	7 00	12 00
53	Damiana, Phosphorus and Nux Vomica..... Damiana, 60 grs. Nux vomica, 8 grs. Phosphorus, 8-200 gr.	7 00	12 00
54	Dandelion, 180 grs.....	5 00	9 00
55	Dandelion Compound..... Taraxacum, 10 grs. Glycyrrhiza, 20 grs. Wild Cherry, 10 grs. Aromatics.	4 50	8 25
56	Eucalyptus Compound..... Eucalyptus, 15 grs. Wild Cherry, 16 grs. Gentian, 4 grs. Glycyrrhiza, 15 grs. Taraxacum, 20 grs. Syr. Yerba santa arom., 30 ℥.	5 00	9 00
57	Gentian, 20 grs.....	4 00	7 50
58	Gentian and Iron chloride..... Gentian, 16 grs. Tinct. Iron citro-chloride, 16 ℥.	4 50	8 25
59	Gentian, Iron chloride and Lactated Pepsin.. Gentian, 16 grs. Lactated Pepsin, 20 grs. Tinct. Iron citro-chloride, 16 ℥.	7 00	12 00
60	Gentian and Iron pyrophosphate..... Gentian, 20 grs. Ferric pyrophosphate, soluble, 8 grs.	4 50	8 25
61	Gentian and Lactated Pepsin..... Gentian, 20 grs. Lactated Pepsin, 20 grs.	7 00	12 00
62	Grindelia, 120 grs.....	4 50	8 25
63	Guarana, 120 grs.....	9 00	15 00

MEDICINAL ELIXIRS.

Each fluidounce of Elixir represents the quantity of ingredients specified.		Per gallon in ½-gal. bottles, inclusive.	Per dozen pints.
64	Helonias, 120 grs.....	\$ 5 50	\$ 9 75
65	Helonias Compound.....	5 50	9 75
	Helonias, 15 grs. Squaw-vine, 60 grs. Viburnum Opulus, 15 grs. Caulophyllum, 15 grs.		
66	Iron, Bismuth and Strychnine.....	5 50	9 75
	Ferric pyrophosphate, soluble, 8 grs. Bismuth and Ammonium citrate, 8 grs. Strychnine, 8-100 gr.		
67	Iron phosphate— <i>Discontinued</i> .		
68	Iron protoxide (equivalent to ferrous sulphate, 8 grs).....	4 50	8 25
69	Iron pyrophosphate.....	4 50	8 25
	Ferric pyrophosphate, soluble, 16 grs.		
70	Iron pyrophosphate and Quinine.....	6 00	10 50
	Ferric pyrophosphate, soluble, 8 grs. Quinine sulphate, 2 grs.		
71	Iron pyrophosphate and Strychnine.....	5 00	9 00
	Ferric pyrophosphate, soluble, 8 grs. Strychnine, 8-100 gr.		
72	Iron, Quinine and Arsenic.....	6 00	10 50
	Ferric pyrophosphate, soluble, 8 grs. Quinine sulphate, 2 grs. Arsenous acid, 8-32 gr.		
73	Iron and Quinine citrate— <i>Discontinued</i> .		
74	Iron and Quinine phosphates....	6 50	11 25
	Ferric phosphate, soluble, 16 grs. Quinine phosphate (equivalent), 4 grs.		
75	Iron, Quinine and Strychnine.....	6 00	10 50
	Ferric pyrophosphate, soluble, 8 grs. Quinine sulphate, 2 grs. Strychnine, 8-240 gr.		
76	Iron, Quinine, Strychnine and Pepsin.....	8 00	13 50
	Ferric pyrophosphate, soluble, 8 grs. Quinine sulphate, 2 grs. Strychnine, 8-240 gr. Sacch. Pepsin, U. S. P., 1890, 16 grs.		
77	Iron, Quinine and Strychnine phosphates....	6 50	11 25
	Ferric phosphate, soluble, 16 grs. Strychnine phosphate, 8-60 gr. Quinine phosphate (equivalent), 4 grs.		
78	Iron, Quinine and Strychnine phosphates with Lactated Pepsin.....	10 00	16 50
	Ferric phosphate, soluble, 16 grs. Quinine phosphate (equivalent), 4 grs. Strychnine phosphate, 8-60 gr. Lactated Pepsin, 20 grs.		
79	Lactated Pepsin, 40 grs.....	7 00	12 00
80	Lactated Pepsin and Bismuth.....	7 00	12 00
	Lactated Pepsin, 20 grs. Bismuth and Ammonium citrate, 8 grs.		
81	Lactated Pepsin, Bismuth and Strychnine....	7 00	12 00
	Lactated Pepsin, 20 grs. Strychnine, 8-100 gr. Bismuth and Ammonium citrate, 8 grs.		

MEDICINAL ELIXIRS.

Each fluidounce of Elixir represents the quantity of ingredients specified.		Per gallon in ½-gal. bottles, inclusive.	Per dozen pints.
82	Lactated Pepsin, Bismuth, Strych. and Iron. Lactated Pepsin, 20 grs. Bismuth and Ammonium citrate, 8 grs. Ferric pyrophosphate, soluble, 8 grs. Strychnine, 8-100 gr.	\$ 7 00	\$ 12 00
83	Laxative..... Senna, 60 grs. Juglans, 30 grs. Potassium and Sodium tartrate, 60 grs.	6 00	10 50
84	Licorice Aromatic (Quinine elixir).....	4 00	7 50
85	Lithium citrate, 16 grs.....	11 00	18 00
86	Manaca and Salicylates..... Manaca, 80 grs. Sodium salicylate, 64 grs. Potassium salicylate, 32 grs. Lithium salicylate, 8 grs.	13 00	22 00
87	Matico Compound Matico, 40 grs. Hydrangea, 40 grs. Uva-ursi, 40 grs	5 50	9 75
88	Pepsin..... Sacch. Pepsin, U. S. P., 1890, 16 grs.	7 50	12 75
89	Pepsin and Bismuth..... Sacch. Pepsin, U. S. P., 1890, 16 grs. Bismuth and Ammonium citrate, 8 grs.	7 50	12 75
90	Pepsin, Bismuth and Iron..... Sacch. Pepsin, U. S. P., 1890, 16 grs. Bismuth and Ammonium citrate, 8 grs. Ferric pyrophosphate, soluble, 8 grs.	7 50	12 75
91	Pepsin, Bismuth, Iron and Quinine..... Sacch. Pepsin, U. S. P. 1890, 16 grs. Bismuth and Ammonium citrate, 8 grs. Ferric pyrophosphate, soluble, 8 grs. Quinine sulphate, 2 grs.	9 00	15 00
92	Pepsin, Bismuth and Nux Vomica..... Sacch. Pepsin, U. S. P., 1890, 16 grs. Bismuth and Ammonium citrate, 8 grs. Nux vomica, 15 grs.	7 50	12 75
93	Pepsin, Bismuth and Pancreatin..... Sacch. Pepsin, U. S. P. 1890, 16 grs. Saccharated Pancreatin, 4 grs. Bismuth and Ammonium citrate, 8 grs.	10 00	16 50
94	Pepsin, Bismuth and Quinine Sacch. Pepsin, U. S. P., 1890, 16 grs. Bismuth and Ammonium citrate, 8 grs. Quinine sulphate (equivalent), 2 grs.	8 50	14 25
95	Pepsin, Bismuth, Strychnine and Pancreatin. Sacch. Pepsin, U. S. P., 1890, 16 grs. Bismuth and Ammonium citrate, 8 grs. Strychnine, 8-100 gr. Saccharated Pancreatin, 4 grs.	10 00	16 50
96	Pepsin, Bismuth and Wafer Ash— <i>Discontinued.</i>		
97	Pepsin, Damiana, Phosphorus and Nux Vomica Sacch. Pepsin, U.S.P., 1890, 16 grs. Nux vomica, 8 grs. Damiana, 60 grs. Phosphorus, 8-200 gr.	10 00	16 50

MEDICINAL ELIXIRS.

Each fluidounce of Elixir represents the quantity of ingredients specified.		Per gallon in ½-gal. bottles, inclusive.	Per dozen pints.
98 Pepsin and Pancreatin.....	Sacch. Pepsin, U. S. P., 1890, 16 grs. Saccharated Pancreatin, 4 grs.	\$10 00	\$ 16 50
99 Pepsin and Strychnine.....	Sacch. Pepsin, U. S. P., 1890, 16 grs. Strychnine, 8-100 gr.	7 50	12 75
100 Pepsin, Strychnine and Bismuth.....	Sacch. Pepsin, U. S. P., 1890, 16 grs. Bismuth and Ammonium citrate, 8 grs. Strychnine, 8-100 gr.	7 50	12 75
101 Pepsin, Strychnine and Bismuth with Iron...	Sacch. Pepsin, U. S. P. 1890, 16 grs. Bismuth and Ammonium citrate, 8 grs. Ferric pyrophosphate, soluble, 8 grs. Strychnine, 8-100 gr.	7 50	12 75
102 Pepsin, Strychnine and Iron.....	Sacch. Pepsin, U. S. P., 1890, 16 grs. Ferric pyrophosphate, soluble, 8 grs. Strychnine, 8-100 gr.	7 50	12 75
103 Pepsin and Wafer Ash.....	Sacch. Pepsin, U. S. P., 1890, 16 grs. Wafer Ash, 60 grs.	8 00	13 50
104 Phosphates Compound and Calisaya	Calisaya bark (active principles), 40 grs. Ferric phosphate, soluble, 2 grs. Calcium phosphate, 2 grs. with small excess of phosphoric acid.	4 50	8 25
105 Phosphorus, 8-100 gr.....		5 00	9 00
106 Phosphorus and Strychnine.....	Phosphorus, 8-100 gr. Strychnine, 8-100 gr.	5 50	9 75
107 Potassium bromide, 80 grs.....	Quinine elixir, <i>see Licorice aromatic</i> (84) ..	5 00 4 00	9 00 7 50
108 Quinine sulphate— <i>Discontinued</i> .			
109 Rhubarb and Calumba— <i>Discontinued</i> .			
110 Rhubarb and Magnesium.....	Rhubarb, 60 grs. Magnes. acetate, 10 grs.	5 00	9 00
111 Rhubarb and Potassium.....	Rhubarb, 18 grs. Potass. bicarb., 18 grs. Hydrastis, 9 grs.	5 00	9 00
112 Rhubarb and Potassium with Pancreatin....	Rhubarb, 18 grs. Potass. bicarb., 18 grs. Hydrastis, 9 grs. Sacch. Pancreatin, 4 grs.	5 00	9 00
113 Salicylic Acid Compound.....	Salicylic acid, 40 grs. Gelsemium, 15 grs. Cimicifuga, 15 grs. Potassium iodide, 4 grs.	6 50	11 25
114 Simple, red.....		3 00	6 00
115 Simple, white.....		3 00	6 00
116 Sodium bromide, 40 grs.....		5 50	9 75
117 Sodium salicylate, 20 grs.....		4 00	7 50
118 Stillingia Compound.....	Stillingia, 30 grs. Turkey-corn, 30 grs. Chimaphila, 15 grs. Sambucus, 15 grs. Iris, 15 grs. Prickly Ash berries, 7½ grs. Coriander, 7½ grs.	4 50	8 25

MEDICINAL ELIXIRS.

Each fluidounce of Elixir represents the quantity of ingredients specified.	Per gallon in ½-gal. bottles, inclusive.	Per dozen pints.
119 Wahoo, 160 grs.....	\$ 5 50	\$ 9 75
120 Wahoo and Blue Flag.....	5 00	9 00
Euonymus, 80 grs. Iris, 40 grs.		
121 Wild Cherry and Iron.....	5 00	9 00
Wild Cherry, 60 grs. Ferric pyrophosphate, soluble, 8 grs.		

MEDICINAL WINES.

Each fluidounce represents the quantity of ingredients specified.		
1 American White Ash, 120 grs.....	\$ 5 50	\$ 9 75
2 Antimony.....	6 00	10 50
Antimony & Potass. tartrate, 4 Gm. in 1000 Cc.		
3 Aromatic.....	7 00	12 00
4 Beef and Wine.....	5 00	9 00
A placebo containing the soluble constituents of beef combined with superior sherry wine.		
5 Beef, Iron and Wine with Cinchona.....	5 50	9 75
Calisaya bark (active principles), 40 grs. in each fluidounce of Beef, Iron and Wine.		
6 Beef, Iron and Wine with Pepsin.....	7 00	12 00
Sacch. Pepsin, U. S. P., 1890, 16 grs. in each fluid- ounce of Beef, Iron and Wine.		
7 Calisaya bark (active principles), 40 grs.....	4 50	8 25
8 Coca, 60 grs.....	5 50	9 75
9 Coca and Beef.....	7 00	12 00
Coca, 60 grs. in each fluidounce of Beef and Wine.		
10 Coca, Beef and Iron.....	7 00	12 00
Coca, 60 grs. in each fluidounce of Beef, Iron and Wine.		
11 Colchicum root, U. S. P., 40 Gm. in 100 Cc....	5 50	9 75
12 Colchicum seed, U. S. P., 15 Gm. in 100 Cc....	5 50	9 75
13 Ergot, U. S. P., 15 Gm. in 100 Cc.....	7 50	12 75
14 Ipecac, U. S. P., 10 Gm. in 100 Cc.....	10 00	16 50
15 Iron—Bitter.....	5 50	9 75
Calisaya bark (active principles), 40 grs. Iron and Ammonium citrate, 16 grs.		
16 Iron citrate, (Iron and Am. citrate, 18 grs.)....	4 50	8 25
17 Opium, assayed.....	14 00	22 50
Each fluidounce contains by assay 6 grs. crystal- lized morphine, equal to 7 1-2 grs. morphine sulphate.		
18 Pepsin.....	7 50	12 75
Sacch. Pepsin, U. S. P., 1890, 16 grs. White Ash, <i>see American White Ash</i> (1) ..	5 50	9 75
19 Wild Cherry, 120 grs.....	5 00	9 00
20 Wild Cherry and Iron.....	5 50	9 75
Wild Cherry, 110 grs. Tinct. Iron citro-chloride, 40 ℥.		

MEDICINAL SYRUPS.

We formerly marketed a line of Medicated Syrups which were sold by weight. In future we shall supply all syrups under our label in pint and $\frac{1}{2}$ gallon bottles.

Each fluidounce of Syrup represents the quantity of ingredients specified.		Per gallon in $\frac{1}{2}$ -gal. bottles, inclusive.	Per dozen pints.
1 Acid Phosphates and Pepsin.....		\$ 6 00	\$ 10 50
Sacch. Pepsin, U. S. P. 1890, 16 grs. Liquid acid phosphates, 120 m l.			
Alterative Compound.....	(31) ..	5 00	9 00
Fl. ext. Alterative comp., 120 m l. Fl. Cardamom comp., 15 m l.			
Blackberry (Rubus), 120 grs.....	(32) ..	3 80	7 20
Blackberry Aromatic, 120 grs.....	(33) ..	3 80	7 20
Buckthorn berries.....	(34) ..	3 80	7 20
Buckthorn berries, 120 grs. Ginger, 6 grs. Pimenta, 6 grs.			
2 Calcium hypophosphite, 32 grs.....		4 50	8 25
3 Calcium iodide, 16 grs.....		7 50	12 75
4 Calcium lactophosphate, 16 grs.....		8 00	13 50
5 Calcium and Iron lactophosphates.....		8 00	13 50
Calcium lactophosphate, 8 grs. Ferric lactophosphate, 4 grs.			
6 Calcium and Sodium hypophosphites.....		5 50	9 75
Calcium hypophosphite, 24 grs. Sodium hypophosphite, 16 grs.			
7 Calcium and Sodium lactophosphates.....		8 00	13 50
Calcium lactophosphate, 16 grs. Sodium lactophosphate, 8 grs.			
8 Calcium, Sodium, Iron and Potassium lactophosphates.....		9 00	15 00
Calcium lactophosphate, 8 grs. Sodium lactophosphate, 2 grs. Ferric lactophosphate, 4 grs. Potassium lactophosphate, 2 grs.			
9 Dover's Powder, 40 grs.....		5 00	9 00
10 <i>Discontinued.</i>			
Horehound Compound.....	(37) ..	3 80	7 20
Red root, 18 grs. Wild Cherry, 18 grs. Inula, 18 grs. Marrubium, 18 grs. Spikenard, 18 grs. Sanguinaria, 9 grs. Comfrey, 18 grs.			
11 Hypophosphites, (Churchill's).....		5 00	9 00
Calcium hypophosphite, 16 grs. Sodium hypophosphite, 16 grs. Potassium hypophosphite, 8 grs.			

MEDICINAL SYRUPS.

Each fluidounce of Syrup represents the quantity of ingredients specified.		Per gallon in ½-gal bottles, inclusive.	Per dozen pints.
12 Hypophosphites Compound.....		\$ 5 00	\$ 9 00
Calcium hypophosphite, 16 grs.			
Sodium hypophosphite, 16 grs.			
Potassium hypophosphite, 8 grs.			
Ferrous hypophosphite, 2 grs.			
Ipecac, 30 grains..... (38) ..		5 50	9 60
13 Iron bromide, 60 grs.....		10 00	16 50
14 Iron hypophosphite.....		4 50	8 25
Ferrous hypophosphite, 16 grs.			
15 Iron lactophosphate, 16 grs.....		9 00	15 00
16 Iron and Manganese iodides.....		7 50	12 75
Ferrous iodide 16 grs.			
Manganese iodide, 8 grs.			
17 Iron phosphate.....		6 00	10 50
(Ferric phosphate, soluble, 24 grs.)			
18 Iron pyrophosphate.....		5 00	9 00
(Ferric pyrophosphate, soluble, 24 grs.)			
19 Iron, Quinine and Strychnine phosphates.....		6 50	11 25
Ferric phosphate, 16 grs.			
Quinine phosphate (equivalent), 8 grs.			
Strychnine phosphate, 8-60 gr.			
20 Iron and Sodium albuminates— <i>Discontinued.</i>			
21 Iron superphosphate— <i>Discontinued.</i>			
22 Lactated Pepsin, 40 grs.....		8 00	13 50
23 Lactated Pepsin Compound.....		9 00	15 00
Lactated Pepsin, 24 grs. Ferric phosph., sol., 8 grs.			
Calcium phosphate, 8 grs. Potass. phosphate, 8 grs.			
Sodium phosphate, 8 grs.			
24 Lactophosphates Compound.....		9 00	15 00
Calcium lactophosphate, 16 grs.			
Ferric lactophosphate, 8 grs.			
Manganese lactophosphate, 4 grs.			
25 Manganese iodide, 16 grs.....		10 00	16 50
Neutralizing Cordial, see Rhubarb Comp. with			
Potassium..... (42) ..			
		5 00	9 00
26 Phosphates Compound (Chemical Food).....		5 50	9 75
Ferric phosphate, 8 grs.			
Calcium phosphate, 20 grs., and smaller quantities of Sodium and Potassium phosphates.			
27 Potassium citrate and Ipecac.....		7 00	12 00
Potassium citrate, 80 grs. Syrup Ipecac, 40 ℥.			
Lemon juice, 160 ℥.			
28 Potassium lactophosphate, 16 grs.....		6 00	10 50
Rhubarb, U. S. P..... (40) ..		3 80	7 20
1000 Cc. represents:			
Fl. ext. Rhubarb..... 100 Cc.			
Spirit Cinnamon..... 4 Cc.			
Potassium carbonate..... 10 Gm.			

MEDICINAL SYRUPS.

Each fluidounce of Syrup represents the quantity of ingredients specified.		Per gallon in ½-gal. bottles, inclusive.	Per dozen pints.
Rhubarb Aromatic, U. S. P.	(41) ..	\$ 3 80	\$ 7 20
100 Cc. represents:			
Aromatic Tinct. Rhubarb. 15 Cc.			
Rhubarb Comp. with Potassium (Neutralizing Cordial)	(42) ..	5 00	9 00
Fl. ext. Rhubarb comp. with Potassium, 120 ℥.			
Rubus, <i>see Blackberry</i> .			
Sarsaparilla, 120 grs.	(43) ..	3 80	7 20
Sarsaparilla Compound, U. S. P.	(44) ..	3 80	7 20
1000 Cc. represents:			
Fl. ext. Sarsaparilla.....200 Cc.			
Fl. ext. Glycyrrhiza..... 15 Cc.			
Fl. ext. Senna..... 15 Cc.			
Oil Sassafras.....0.1 Cc.			
Oil Anise.....0.1 Cc.			
Oil Gaultheria.....0.1 Cc.			
Sarsaparilla Comp. with Potass. iodide..	(45) ..	6 25	10 80
16 grs. Potassium iodide in each fluidounce of Syrup Sarsaparilla compound.			
29 Sodium hypophosphite, 32 grs.	4 50		8 25
Squaw-vine Comp. (Mother's Cordial) ..	(47) ..	3 80	7 20
Squaw-vine, 60 grs. Viburnum Opulus, 15 grs.			
Helonias, 15 grs. Caulophyllum, 15 grs.			
Squill, U. S. P.	(48) ..	3 00	6 00
100 Cc. represents:			
Vinegar Squill..... 45 Cc.			
Squill Compound, U. S. P.	(49) ..	3 80	7 20
1000 Cc. represents:			
Fl. ext. Squill..... 80 Cc.			
Fl. ext. Senega. 80 Cc.			
Antim. & Potass. tartrate. 2 Gm.			
Stillingia.....	(50) ..	4 75	8 40
Stillingia, 88 grs. Prickly Ash berries, 44 grs.			
Stillingia Compound.....	(51) ..	3 80	7 20
Stillingia. 30 grs. Chimaphila, 15 grs.			
Turkey-corn, 30 grs. Iris, 15 grs.			
Sambucus, 15 grs. Prickly Ash berries, 7 1-2 grs.			
Coriander, 7 1-2 grs.			
Tolu.....	(52) ..	3 80	7 20
Wild Cherry, U. S. P. (15 Gm. in 100 Cc.) ..	(53) ..	3 80	7 20

HERE ENDS THE ALPHABETICAL ARRANGEMENT.

31 Alternative Compound.....	5 00	9 00
Fl. ext. Alternative comp., 120 ℥.		
Fl. Cardamon comp., 15 ℥.		
32 Blackberry (Rubus), 120 grs.	3 80	7 20
33 Blackberry Aromatic, 120 grs.	3 80	7 20
34 Buckthorn Berries.....	3 80	7 20
Buckthorn berries, 120 grs. Pimenta, 6 grs.		
Ginger, 6 grs.		

MEDICINAL SYRUPS.

Each fluidounce of Syrup represents the quantity of ingredients specified.		Per gallon in ½-gal. bottles, inclusive.	Per dozen pints.
35	Corydalis Compound— <i>Discontinued</i> .		
36	Ginger— <i>Discontinued</i> .		
37	Horehound Compound.....	\$ 3 80	\$ 7 20
	Red root, 18 grs. Wild Cherry, 18 grs.		
	Inula, 18 grs. Marrubium, 18 grs.		
	Spikenard, 18 grs. Sanguinaria, 9 grs.		
	Comfrey, 18 grs.		
38	Ipecac, 30 grs.....	5 50	9 60
40	Rhubarb, U. S. P.....	3 80	7 20
	1000 Cc. represents:		
	Fl. ext. Rhubarb.....100 Cc.		
	Spirit Cinnamon..... 4 Cc.		
	Potassium carbonate..... 10 Gm.		
41	Rhubarb Aromatic, U. S. P.....	3 80	7 20
	100 Cc. represents:		
	Aromatic Tinct. Rhubarb. 15 Cc.		
42	Rhubarb Comp. with Potassium (Neutralizing Cordial).....	5 00	9 00
	Fl. ext. Rhubarb comp. with Potassium, 120 ℥.		
43	Sarsaparilla, 120 grs.....	3 80	7 20
44	Sarsaparilla Compound, U. S. P.....	3 80	7 20
	1000 Cc. represents:		
	Fl. ext. Sarsaparilla.....200 Cc.		
	Fl. ext. Glycyrrhiza..... 15 Cc.		
	Fl. ext. Senna..... 15 Cc.		
	Oil Sassafras.....0.1 Cc.		
	Oil Anise.....0.1 Cc.		
	Oil Gaultheria.....0.1 Cc.		
45	Sarsaparilla Comp. with Potassium iodide.....	7 25	10 80
	16 grs. Potassium iodide in each fluidounce of Syrup Sarsaparilla compound.		
46	Senega— <i>Discontinued</i> .		
47	Squaw-vine Compound (Mother's Cordial)....	3 80	7 20
	Squaw-vine, 60 grs. Viburnum Opulus, 15 grs.		
	Helonias, 15 grs. Caulophyllum, 15 grs.		
48	Squill, U. S. P.....	3 00	6 00
	100 Cc. represents:		
	Vinegar Squill..... 45 Cc.		
49	Squill Compound, U. S. P.....	3 80	7 20
	1000 Cc. represents:		
	Fl. ext. Squill..... 80 Cc.		
	Fl. ext. Senega..... 80 Cc.		
	Antim. & Potass. tartrate. 2 Gm.		
50	Stillingia.....	4 75	8 40
	Stillingia, 88 grs. Prickly Ash berries, 44 grs.		
51	Stillingia Compound.....	3 80	7 20
	Stillingia, 30 grs. Chimaphila, 15 grs.		
	Turkey-corn, 30 grs. Iris, 15 grs.		
	Sambucus, 15 grs. Prickly-Ash berries, 7 1-2 grs.		
	Coriander, 7 1-2 grs.		
52	Tolu.....	3 80	7 20
53	Wild Cherry, U. S. P. (15 Gm. in 100 Cc.).....	3 80	7 20

SOLUBLE GELATIN CAPSULES.

1. Soluble Elastic Capsules Filled,

See pages 356 to 362.

2. Soluble Elastic Capsules Filled, Extra-sized,

See page 363.

3. Hard Filled Capsules,


See pages 363 and 364.

**Prepared from the Finest French Gelatin by Improved Processes and
Apparatus; Very Soluble and Easy to Swallow;
Unexcelled in Quality.**

We offer here a superior means for the administration of drugs possessing pungent, acrid or oily properties. The enclosure of such substances in an envelope of flexible gelatin not only avoids giving offense to the palate, but allows the medicine to be exhibited with greater ease, and in larger single doses.

When drugs of this nature are taken in the ordinary way, it becomes a difficult matter to avoid the occurrence of nausea, which often seriously interferes with the production of the proper remedial effect.

We desire to state, with reference to the drugs which are presented in this form, that, whether or not of our own manufacture, they are of the best quality the market affords.



SOLUBLE ELASTIC CAPSULES, FILLED

*These Capsules are Prepared from the Finest Material,
and Are Not Surpassed by Any Brand in Use.*

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz. boxes of 1 doz. each.	B Per doz. boxes of 2 doz. each.	D Bulk per box of one hund'd.
1	Apiol, 5 ℥..... With Olive oil, 5 ℥. See also Hard Filled Capsules.	\$ 3 60	\$ 6 90	\$ 2 20
2	Balsam Fir, 10 ℥	1 35	2 40	70
3	Balsam Peru, 10 ℥.....	1 65	3 00	90
	Cascara Sagrada Extract, 1 gr.... (81)	1 50	2 70	80
	Cascara Sagrada Extract, 2 grs... (79)	1 80	3 30	1 00
	Cascara Sagrada Extract, 3 grs... (80)	2 00	3 70	1 15
4	Castor Oil, 10 ℥..... See also Extra Sized and Hard Caps.	1 20	2 10	60
5	Castor Oil and Oil of Fleabane..... Castor oil, 5 ℥. Oil Erigeron, 5 ℥.	1 35	2 40	70
6	Castor Oil and Podophyllin..... Castor oil, 10 ℥. Podophyllum resin, 1-8 gr. See also Hard Filled Capsules.	1 20	2 10	60
7	Chaulmoogra Oil, 10 ℥. See also Hard Filled Capsules.	2 40	4 50	1 40
8	Chloroform— <i>Discontinued.</i>			
9	Cod Liver Oil, Norwegian, 10 ℥. See also Extra Sized and Hard Caps.	1 20	2 10	60

SOLUBLE ELASTIC CAPSULES.

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz boxes of 1 doz. each.	B Per doz. boxes of 2 doz. each.	D Bulk per box of one hund'd.
10	and 11 Cod-Liver Oil and Creosote, 2 and 4 grs.— <i>Discontinued.</i>			
12	Cod Liver Oil and Iron Iodide Cod Liver oil, Norwegian, 10 ℥. Ferrous iodide, 1-2 gr. See also Hard Filled Capsules.	\$ 1 35	\$ 2 40	\$ 70
13	Cod Liver Oil and Iodine Cod Liver oil, Norwegian, 10 ℥. Iodine, 1-4 gr.	1 35	2 40	70
14	Cod Liver Oil and Iodoform Cod Liver oil, Norwegian, 10 ℥. Iodoform, 2 grs.	2 00	3 70	1 15
15	Cod Liver Oil and Phosphorus (1-30) .. Cod Liver oil, Norwegian, 10 ℥. Phosphorus, 1-30 gr.	1 20	2 10	60
16	Cod Liver Oil and Phosphorus (1-60).. Cod Liver oil, Norwegian, 10 ℥. Phosphorus, 1-60 gr.	1 20	2 10	60
	Cod Liver Oil and Creosote (86) Cod Liver oil, Norwegian, 10 ℥. Beechwood Creosote, 1 ℥.	1 65	3 00	90
17	Copaiba, Para, 10 ℥. See also Hard Filled Capsules.	1 20	2 10	60
	Copaiba Resin (69) Copaiba, deprived of volatile oil, 5 ℥. Olive oil, 5 ℥.	1 65	3 00	90
18	Copaiba and Iron Copaiba, Para, 10 ℥. Iron and Am. cit. (equivalent) 2 grs. See also Hard Filled Capsules.	1 35	2 40	70
19	Copaiba and Oleoresin Cubeb Copaiba, Para, 7 ℥. Oleoresin Cubeb, 3 ℥. See also Hard Filled Capsules.	1 80	3 30	1 00
20	Copaiba, Cubeb and Buchu Copaiba, Para, 6 ℥. Oleoresin Cubeb, 2 ℥. Ext. Buchu, 2 grs.	1 80	3 30	1 00
21	Copaiba, Cubeb and Iron Copaiba, Para, 6 ℥. Oleoresin Cubeb, 2 ℥. Tr. Ferric chloride (equivalent), 2 ℥.	1 80	3 30	1 00
22	Copaiba, Cubeb and Rhatany Copaiba, Para, 6 ℥. Oleoresin Cubeb, 2 ℥. Ext. Krameria, 2 grs.	1 80	3 30	1 00
23	Copaiba, Cubeb and Santal Copaiba, Para, 6 ℥. Oil Cubeb, 2 ℥. Oil Santal, East India, 2 ℥. See also Hard Filled Capsules.	2 40	4 50	1 40
24	Copaiba, Cubeb and Sarsaparilla Copaiba, Para, 6 ℥. Oleoresin Cubeb, 2 ℥. Ext. Sarsaparilla, 2 grs.	1 80	3 30	1 00

SOLUBLE ELASTIC CAPSULES.

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz. boxes of 1 doz. each.	B Per doz. boxes of 2 doz. each.	D Bulk per box of one hund'd.
25	Copaiba, Cubeb and Turpentine Copaiba, Para, 4 ℥. Oil Cubeb, 2 ℥. Oil Turpentine, 4 ℥.	\$ 1 80	\$ 3 30	\$ 1 00
26	Copaiba and Oil of Cubeb..... Copaiba, Para, 7 ℥. Oil Cubeb, 3 ℥.	2 00	3 70	1 15
27	Copaiba and Rhatany Copaiba, Para, 8 ℥. Ext. Krameria, 2 grs.	1 35	2 40	70
28	Copaiba and Santal..... Copaiba, Para, 5 ℥. Oil Santal, East India, 5 ℥. See also Hard Filled Capsules.	2 40	4 50	1 40
	Copaiba and Matico (37) Copaiba, Para, 7 ℥. Oleoresin Matico, 3 ℥.	2 10	3 90	1 20
	Copaiba, Cubeb and Matico..... (38) Copaiba, Para, 6 ℥. Oleoresin Cubeb, 3 ℥. Oleoresin Matico, 1 ℥.	2 00	3 70	1 15
	Copaiba, Cubeb, Matico and Santal. (39) Copaiba, Para, 3 ℥. Oleoresin Cubeb, 3 ℥. Oleoresin Matico, 1 ℥. Oil Santal, East India, 3 ℥.	2 70	5 10	1 60
	Copaiba Oil and Oil of Cubeb.... (41) Oil Copaiba, 6 ℥. Oil Cubeb, 4 ℥. See also Hard Filled Capsules.	2 50	4 70	1 45
	Creosote, Beechwood, 1 ℥..... (83) With Olive oil, 4 ℥.	1 80	3 30	1 00
	Cubeb Oil, 10 ℥..... (30)	3 75	7 20	2 30
	Cubeb Oleoresin, 10 ℥..... (31)	3 00	5 70	1 80
	Cubeb and Matico..... (40) Oleoresin Cubeb, 7 ℥. Oleoresin Matico, 3 ℥.	3 50	6 70	2 10
	Cubeb and Santal..... (48) Oil Cubeb, 5 ℥. Oil Santal, East India, 5 ℥.	3 25	6 20	1 95
	Erigeron Oil, 10 ℥..... (42)	2 10	3 90	1 20
	Eucalyptus Oil, 5 ℥..... (43) With Sweet Almond oil, 5 ℥. See also Hard Filled Capsules.	2 00	3 70	1 15
	Gaultheria, <i>see Wintergreen.</i>			
	Glonoin, <i>see Nitroglycerin.</i>			
	Gurjun Balsam, 10 ℥..... (32)	2 00	3 70	1 15
	Haarlem Oil, 10 ℥..... (33) See also Hard Filled Capsules.	1 35	2 40	70
	Linseed Oil, 10 ℥..... (35)	1 20	2 10	60
	Liquor Sedans..... (87) Each capsule represents 1 fluidrachm of Liquor Sedans.	2 10	3 90	1 20

SOLUBLE ELASTIC CAPSULES.

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz. boxes of 1 doz. each.	B Per doz. boxes of 2 doz. each.	D Bulk per box of one hund'd.
	Male-fern and Kamala (44) Oleoresin Aspidium, 7 ℥. Kamala, sifted, 4 grs. Olive oil, 1 ℥. See also Hard Filled Capsules.	\$ 4 00	\$ 7 70	\$ 2 45
	Matico Oleoresin, 10 ℥..... (36)	3 60	6 90	2 20
	Nitroglycerin (Glonoin), 1-100 gr... (68) With Olive oil, 8 ℥. Castor oil, 2 ℥.	1 65	3 00	90
	Origanum Oil, 5 ℥..... (45) With Sweet Almond oil, 5 ℥.	1 50	2 70	80
	Pennyroyal Oil, 1 ℥..... (75) With Olive oil, 9 ℥.	1 35	2 40	70
	Pennyroyal Oil, 2 ℥..... (76) With Olive oil, 8 ℥.	1 65	3 00	90
29	Petroleum Mass, 10 ℥.....	1 35	2 40	70
	Phosphorated Oil, 1-10 gr..... (51) Phosphorus, 1-10 gr. in 10 ℥ of oil.	1 20	2 10	60
	Phosphorated Oil Compound..... (56) Phosphorus, 1-60 gr. in 10 ℥ of oil. Ext. Nux vomica, 1-4 gr.	1 50	2 70	80
	Pichi Extract, 5 grs..... (82) With Sweet Almond oil, 5 ℥.	2 10	3 90	1 20
	Salol, 2 1-2 grs..... (211)	1 65	3 00	90
	Salol, 5 grs..... (212)	2 40	4 50	1 40
	Salol Compound..... (85) Salol, 3 1-2 grs. Oleores. Cubeb, 5 ℥. Copaiba, Para, 10 ℥. Pepsin aseptic (1-3000), 1 gr.	3 75	7 20	2 30
	Salol and Santal Compound..... (92) Salol, 4 grs. Oleoresin Cubeb, 5 ℥. Santal oil, E. India, 5 ℥. Pepsin aseptic (1-3000), 1 gr.	4 00	7 70	2 45
	Santal Oil, East India, 5 ℥..... (89)	2 00	3 70	1 15
	Santal Oil, East India, 10 ℥..... (46) See also Hard Filled Capsules.	3 60	6 90	2 20
	Santal and Cassia..... (47) Oil Santal, East India, 9 ℥. Oil Cassia, 1 ℥. See also Hard Filled Capsules.	3 25	6 20	1 95
	Saw Palmetto..... (88) Each capsule represents: Saw Palmetto berries, fresh, 30 grs.	1 50	2 70	80
	Saw Palmetto and Santal..... (91) Each capsule represents: Saw Palmetto berries, fresh, 15 grs. Oil Santal, 2 ℥.	1 50	2 70	80

SOLUBLE ELASTIC CAPSULES.

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz. boxes of 1 doz. each.	B Per doz. boxes of 2 doz. each.	D Bulk per box of one hund'd.
	Tæniafuge..... (90) Oleoresin Aspidium, 7 ℥. Erigeron oil, 1 ℥. Chloral, 3 grs. Castor oil, 8 ℥. Croton oil, 1-16 ℥.	\$ 4 00	\$ 7 70	\$ 2 45
	Tar, purified, 10 ℥..... (57)	1 20	2 10	60
	Terebene, 10 ℥..... (78)	2 00	3 70	1 15
	Turpentine Oil, 5 ℥..... (84)	1 20	2 10	60
	Turpentine Oil, 10 ℥..... (49)	1 20	2 10	60
	Valerian Oil, 2 ℥..... (74) With Sweet Almond Oil, 8 ℥.	2 00	3 70	1 15
	Warburg's Tincture..... (73) Each capsule represents 2 fluidrachms of Warburg's Tincture.	4 00	7 70	2 45
	Wintergreen Oil, 5 ℥..... (77) With Olive oil, 5 ℥.	1 80	3 30	1 00
	Wintergreen Oil, 10 ℥..... (72)	2 40	4 50	1 40
	HERE ENDS THE ALPHABETICAL ARRANGEMENT.			
30	Cubeb Oil, 10 ℥.....	3 75	7 20	2 30
31	Cubeb Oleoresin, 10 ℥.....	3 00	5 70	1 80
32	Gurjun Balsam, 10 ℥.....	2 00	3 70	1 15
33	Haarlem Oil, 10 ℥..... See also Hard Filled Capsules.	1 35	2 40	70
34	Kava Kava— <i>Discontinued</i> .			
35	Linseed Oil, 10 ℥.....	1 20	2 10	60
36	Matico Oleoresin, 10 ℥.....	3 60	6 90	2 20
37	Copaiba and Matico..... Copaiba, Para, 7 ℥. Oleoresin Matico, 3 ℥.	2 10	3 90	1 20
38	Copaiba, Cubeb and Matico..... Copaiba, Para, 6 ℥. Oleoresin Cubeb, 3 ℥. Oleoresin Matico, 1 ℥.	2 00	3 70	1 15
39	Copaiba, Cubeb, Matico and Santal.... Copaiba, Para, 3 ℥. Oleoresin Cubeb, 3 ℥. Oleoresin Matico, 1 ℥. Oil Santal, East India, 3 ℥.	2 70	5 10	1 60
40	Cubeb and Matico..... Oleoresin Cubeb, 7 ℥. Oleoresin Matico, 3 ℥.	3 50	6 70	2 10
41	Copaiba Oil and Oil of Cubeb..... Oil Copaiba, 6 ℥. Oil Cubeb, 4 ℥. See also Hard Filled Capsules.	2 50	4 70	1 45
42	Erigeron Oil, 10 ℥.....	2 10	3 90	1 20

SOLUBLE ELASTIC CAPSULES.

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz boxes of 1 doz. each.	B Per doz boxes of 2 doz. each.	D Bulk per box of one hund'd.
43	Eucalyptus Oil, 5 ℥..... With Sweet Almond oil, 5 ℥. See also Hard Filled Capsules.	\$ 2 00	\$ 3 70	\$ 1 15
44	Male-fern and Kamala Oleoresin Aspidium, 7 ℥. Kamala, sifted, 4 grs. Olive oil, 1 ℥. See also Hard Filled Capsules.	4 00	7 70	2 45
45	Origanum Oil, 5 ℥..... With Sweet Almond oil, 5 ℥.	1 50	2 70	80
46	Santal Oil, East India, 10 ℥ See also Hard Filled Capsules.	3 60	6 90	2 20
47	Santal and Cassia..... Oil Santal, East India, 9 ℥. Oil Cassia, 1 ℥. See also Hard Filled Capsules.	3 25	6 20	1 95
48	Cubeb and Santal..... Oil Cubeb, 5 ℥. Oil Santal, East India, 5 ℥.	3 25	6 20	1 95
49	Turpentine Oil, 10 ℥.....	1 20	2 10	60
50	Wormseed Oil— <i>Discontinued</i> .			
51	Phosphorated Oil, 1-10 gr..... Phosphorus, 1-10 gr. in 10 ℥ of oil.	1 20	2 10	60
52	to 55 Phosphorated Oil, 1-30, 1-50, 1-60, 1-100 gr.— <i>Discontinued</i> .			
56	Phosphorated Oil Compound..... Phosphorus, 1-60 gr. in 10 ℥ of oil. Ext. Nux vomica, 1-4 gr.	1 50	2 70	80
57	Tar, purified, 10 ℥.....	1 20	2 10	60
58	Taraxacine— <i>Discontinued</i> .			
59	Xylol— <i>Discontinued</i> .			
60	to 67. See Extra Sized Capsules.			
68	Nitroglycerin (Glonoin), 1-100 gr..... With Olive oil, 8 ℥. Castor oil, 2 ℥.	1 65	3 00	90
69	Copaiba Resin Copaiba, deprived of volatile oil, 5 ℥. Olive oil, 5 ℥.	1 65	3 00	90
70	and 71. See Extra Sized Capsules.			
72	Wintergreen Oil, 10 ℥.....	2 40	4 50	1 40
73	Warburg's Tincture..... Each capsule represents 2 fluidrachms. of Warburg's Tincture.	4 00	7 70	2 45
74	Valerian Oil, 2 ℥..... With Sweet Almond oil, 8 ℥.	2 00	3 70	1 15
75	Pennyroyal Oil, 1 ℥..... With Olive oil, 9 ℥.	1 35	2 40	70
76	Pennyroyal Oil, 2 ℥..... With Olive oil, 8 ℥.	1 65	3 00	90
77	Wintergreen Oil, 5 ℥..... With Olive oil, 5 ℥.	1 80	3 30	1 00

SOLUBLE ELASTIC CAPSULES.

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz boxes of 1 doz. each.	B Per doz boxes of 2 doz. each.	D Bulk per box of one hund'd.
78	Terebene, 10 ⅓.....	\$ 2 00	\$ 3 70	\$ 1 15
79	Cascara Sagrada Extract, 2 grs..... With Olive oil, 5 ⅓.	1 80	3 30	1 00
80	Cascara Sagrada Extract, 3 grs..... With Olive oil, 7 ⅓.	2 00	3 70	1 15
81	Cascara Sagrada Extract, 1 gr..... With Olive oil, 6 ⅓.	1 50	2 70	80
82	Pichi Extract, 5 grs..... With Oil Sweet Almond, 5 ⅓.	2 10	3 90	1 20
83	Creosote, Beechwood, 1 ⅓..... With Olive oil, 4 ⅓.	1 80	3 30	1 00
84	Turpentine Oil, 5 ⅓.....	1 20	2 10	60
85	Salol Compound..... Salol, 3 1-2 grs. Oleoresin Cubeb, 5 ⅓. Copaiba, Para, 10 ⅓. Pepsin aseptic (1-3000), 1 gr.	3 75	7 20	2 30
86	Cod Liver Oil and Creosote..... Cod Liver Oil, Norwegian, 10 ⅓. Beechwood Creosote, 1 ⅓.	1 65	3 00	90
87	Liquor Sedans..... Each capsule represents 1 fluidrachm of Liquor Sedans.	2 10	3 90	1 20
88	Saw Palmetto..... Each capsule represents: Saw Palmetto berries, fresh, 30 grs.	1 50	2 70	80
89	Santal Oil, East India, 5 ⅓.....	2 00	3 70	1 15
90	Tæniafuge..... Oleoresin Aspidium, 7 ⅓. Erigeron oil, 1 ⅓. Castor oil, 8 ⅓. Chloral, 3 grs. Croton oil, 1-16 ⅓.	4 00	7 70	2 45
91	Saw Palmetto and Santal..... Each capsule represents: Saw Palmetto berries, fresh, 15 grs. Oil Santal, 2 ⅓.	1 50	2 70	80
92	Salol and Santal Compound..... Salol, 4 grs. Ol' res. Cubeb, 5 ⅓. Santal oil. E. India, 5 ⅓. Pepsin aseptic (1-3000), 1 gr.	4 00	7 70	2 45
93	to 99. Not yet added.			
100	to 121. See Hard Filled Capsules.			
122	to 200. Not yet added.			
206	to 210 Cinchonidine sulphate, 1, 2, 3, 4 and 5 grs.— <i>Discontinued.</i>			
211	Salol, 2 1-2 grs.....	1 65	3 00	90
212	Salol, 5 grs.....	2 40	4 50	1 40

SOLUBLE ELASTIC CAPSULES, FILLED, EXTRA SIZED.

These capsules are easy to swallow, and present a very pleasant method for administration of Castor and Cod Liver Oils to patients who have an aversion for these substances in an undisguised form. For full-sized illustrations, see page 355.

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz. boxes of ½ doz. each.	B Per doz. boxes of 1 doz. each.
60	Castor Oil, 2 1-2 Gm.....	\$ 1 50	\$ 2 70
61	Castor Oil, 5 Gm.....	1 80	3 30
62	Castor Oil, 10 Gm.....	2 40	4 50
63	Castor Oil, 15 Gm.....	3 00	5 70
64	Cod Liver Oil, Norwegian, 2 1-2 Gm.....	1 50	2 70
65	Cod Liver Oil, Norwegian, 5 Gm.....	1 80	3 30
66	Cod Liver Oil, Norwegian, 10 Gm.....	2 40	4 50
67	Cod Liver Oil, Norwegian, 15 Gm.....	3 00	5 70
70	Male-fern and Castor Oil..... Oleores. Aspidium, 1 Gm. Castor oil, 1 1-2 Gm. (16 ℥.) (25 ℥.)	3 00	5 70
71	Santonin and Castor Oil..... Santonin, 0.0162 Gm. Castor oil, 2 1-2 Gm. (1-4 gr.) (40 ℥.)	2 10	3 90

HARD FILLED CAPSULES.

These capsules are prepared from the finest material, and are not surpassed by any brand in use.

All the formulæ mentioned in this list of Hard Filled Capsules will also be found in Soluble Elastic Capsules, pages 355 to 360.

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz. boxes of 1 doz. each.	B Per doz. boxes of 2 doz. each.	D Bulk Per box of one hundred.
100	Apiol, 5 ℥..... With Olive oil, 5 ℥.	\$ 3 30	\$ 6 30	\$ 2 00
101	Castor Oil, 10 ℥.....	1 20	2 10	60
102	Castor Oil and Podophyllin..... Castor oil, 10 ℥. Podophyllum resin, 1-8 gr.	1 20	2 10	60
	Chaulmoogra Oil, 5 ℥..... (119)	2 00	3 70	1 15
	Chaulmoogra Oil, 10 ℥..... (120)	2 25	4 20	1 30
103	Cod Liver Oil, Norwegian, 10 ℥.....	1 20	2 10	60
104	Cod Liver Oil and Iron Iodide..... Cod Liver oil, Norwegian, 10 ℥. Ferrous iodide, 1-2 gr.	1 35	2 40	70
105	Copaiba, Para, 10 ℥.....	1 20	2 10	60

HARD FILLED CAPSULES.

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A	B	D
		Per doz. boxes of 1 doz. each.	Per doz. boxes of 2 doz. each.	Bulk, Per box of one hundred.
106	Copaiba and Iron..... Copaiba, Para, 10 ℥. Iron and Am. cit., (equivalent) 2 grs.	\$ 1 35	\$ 2 40	\$ 70
107	Copaiba and Oleoresin Cubeb..... Copaiba, Para, 7 ℥. Oleoresin Cubeb, 3 ℥.	1 80	3 30	1 00
108	Copaiba and Oil Cubeb (black).... Copaiba, Para, 7 ℥. Oil Cubeb, 3 ℥. Copaiba and Santal..... (114) Copaiba, Para, 5 ℥. Oil Santal, East India, 5 ℥. Copaiba, Cubeb and Santal.... (115) Copaiba, Para 6 ℥. Oil Cubeb, 2 ℥. Oil Santal, East India, 2 ℥. Eucalyptus Oil, 5 ℥..... (110) With Sweet Almond oil, 5 ℥.	1 80 2 25 2 30 1 35	3 30 4 20 4 30 2 40	1 00 1 30 1 35 70
109	Haarlem Oil, 10 ℥..... Male-fern and Kamala..... (111) Oleoresin Aspidium, 7 ℥. Kamala, sifted, 4 grs. Olive oil, 1 ℥. Santal Oil, East India, 5 ℥.... (121) Santal Oil, East India, 10 ℥... (112) Santal and Cassia..... (113) Oil Santal, East India, 9 ℥. Oil Cassia, 1 ℥.	1 20 3 50 1 85 3 30 3 00	2 10 6 70 3 40 6 30 5 70	60 2 10 1 05 2 00 1 80
110	Eucalyptus Oil, 5 ℥..... With Sweet Almond oil, 5 ℥.	1 35	2 40	70
111	Male-fern and Kamala..... Oleoresin Aspidium, 7 ℥. Kamala, sifted, 4 grs. Olive oil, 1 ℥.	3 50	6 70	2 10
112	Santal Oil, East India, 10 ℥.....	3 30	6 30	2 00
113	Santal and Cassia..... Oil Santal, East India, 9 ℥. Oil Cassia, 1 ℥.	3 00	5 70	1 80
114	Copaiba and Santal..... Copaiba, Para, 5 ℥. Oil Santal, East India, 5 ℥.	2 25	4 20	1 30
115	Copaiba, Cubeb and Santal..... Copaiba, Para, 6 ℥. Oil Cubeb, 2 ℥. Oil Santal, East India, 2 ℥.	2 30	4 30	1 35
116	Turpentine Oil, 10 ℥— <i>Discontinued.</i>			
117	Tar, purified, 10 ℥— <i>Discontinued.</i> See S. E. Capsules.			
118	Xylol, 10 ℥— <i>Discontinued.</i>			
119	Chaulmoogra Oil, 5 ℥.....	2 00	3 70	1 15
120	Chaulmoogra Oil, 10 ℥.....	2 25	4 20	1 30
121	Santal Oil, East India, 5 ℥.....	1 85	3 40	1 05

MEDICATED LOZENGES.

We supply lozenges of any formula, shape, color or flavor, and will cheerfully furnish estimates on any desired combination not in the list. Send for descriptive circular containing diagrams of different shapes for special formulæ.

} For prices in bulk, deduct 3 cents per pound { } from prices in lb. boxes.		Per lb.	Per doz.
		in 1 lb. boxes.	boxes of 36 each.
Ammonium chloride, 2 grs. (Chocolate)	round..	\$ 60	\$ 1 10
Bismuth and Charcoal	round..	65	1 20
Bismuth subnitrate, 1 gr.			
Charcoal, 1 gr.			
Bronchial	small round..	50	75
Ext. Glycyrrhiza, 1 gr.			
Balsam Tolu, 1-20 gr.			
Powd. Cubeb, 3-10 gr.			
Oil Sassafras, 1-40 ℥.			
Bronchial—Improved	tabular..	50	75
Powd. ext. Glycyrrhiza, 2 grs.			
Balsam Tolu, 1-10 gr.			
Fl. ext. Coltsfoot, 1-10 ℥.			
Fl. ext. Capsicum, 1-100 ℥.			
Oleoresin Cubeb, 1-100 ℥.			
Oil Anise, 1-15 ℥.			
Oil Peppermint, 1-15 ℥.			
Carbolic acid, 1 gr	large oval..	50	1 00
Charcoal, 4 grs.	round..	50	90
Cubeb.	small oval..	60	70
Ext. Glycyrrhiza, 3-4 gr.			
Oil Sassafras, 1-32 ℥.			
Oleoresin Cubeb, 1-16 ℥.			
Guaiac, 2 grs.	large oval..	60	1 10
Ipecac, 1-4 gr.	small oval..	60	70
Iron carbonate, 2 grs. (Chocolate)	round..	60	1 00
Iron carbonate, 4 grs. (Chocolate)	round..	60	1 00
Licorice (Glycyrrhiza), uncoated.	cylindrical..	40	60
Marshmallow	small oval..	50	75
Powd. Althæa, 1-3 gr.			
Opium and Licorice, see Wistar's.		85	90
Pectoral, Dr. Jackson's	small oval..	95	1 00
Ipecac, 1-20 gr.			
Morphine hydrochlorate, 1-33 gr.			
Sulphurated Antimony, 1-40 gr.			
Pepsin Aseptic (1-3000), 1 gr.	large oval..	70	1 50
Potassium chlorate, 2 grs.	tabular..	40	75
Potassium chlorate, 5 grs.	tabular..	45	75
Potassium chlorate, 2 grs. (Chocolate)	tabular..	50	80
Potassium chlorate, 5 grs. (Chocolate)	tabular..	55	85
Potassium chlorate, 2 grs. (Wintergreen)	tabular..	45	75

MEDICATED LOZENGES.

{ For prices in bulk deduct 3 cents per pound } { from prices in lb. boxes. }		Per lb. in 1 lb. boxes.	Per doz. boxes of 36 each.
Potassium chlorate and Ammonium chlor- ide (Chocolate).....	tabular..	\$ 55	\$ 1 00
Potassium chlorate, 1 gr. Ammonium chloride, 1 gr.			
Quinine sulphate, 1-2 gr. (Chocolate) ..	round..	75	1 50
Rose leaf and Alum.....	small oval..	50	70
Powd. Red Rose, 1-4 gr. Powd. Alum, 1-4 gr.			
Santonin, 1-2 gr.....	round..	55	1 10
Santonin, 1 gr.....	round..	85	1 35
Santonin and Calomel (Chocolate).....	round..	65	1 10
Santonin, 1-2 gr. Chocolate, q. s. Mercurous chloride, mild, 1-2 gr.			
Santonin and Calomel (pink).....	round..	65	1 00
Santonin, 1-2 gr. Mercurous chloride, mild, 1-2 gr.			
Santonin and Calomel (white).....	oval..	65	1 25
Santonin, 1-2 gr. Mercurous chloride, mild, 1-2 gr.			
Santonin Compound.....	round..	65	1 10
Santonin, 1-2 gr. Mercurous chloride, mild, 1-2 gr. Podophyllum resin, 1-20 gr.			
Santonin and Podophyllum.....	round..	65	1 20
Santonin, 1-2 gr. Podophyllum resin, 1-20 gr.			
Sulphur Compound.....	large round..	50	1 00
Sublimed Sulphur, 5 grs. Potassium bitartrate, 1 gr.			
Tar Compound.....	round..	50	1 00
Pine Tar, 7-48 gr. Senega, 7-24 gr. Wild Cherry, 2 1-3 grs.			
Wistar's Cough.....	cylindrical..	80	90
Powd. Opium, 1-10 gr. Oil Anise, 1-32 gr. Ext. Glycyrrhiza, 1 gr. Tinct. Tolu, 1-16 ℥.			
Yerba Santa Compound.....	cylindrical..	75	80
Ext. Glycyrrhiza, 1 gr. Senega, 3-16 gr. Pine Tar, 1-32 gr. Wild Cherry, 1-4 gr. Eriodictyon, 1 gr.			


INHALANTS

FOR USE IN ATOMIZING INHALERS.

[SEE PAGE 89.]

Put up in pint, half-pint and quarter-pint bottles. Prices given are for pint bottles. For half-pint bottles an additional charge of 10 cents, and for quarter-pint bottles of 20 cents per pint will be made.

	Per Pint.
Inhalant No. 1.	\$ 35
A petroleum product specially adapted for inhalation and for use as a base, or diluent, for inhalants. It is free from irritating properties, on account of which it is much to be preferred to similar preparations from which the sulphuric acid or other objectionable agents, used in process of purification, have been imperfectly removed.	
Inhalant No. 2.	1 00
Copaiba, 1-2 fl.oz.	Ether, 1 fl.oz.
Inhalant No. 1, sufficient to make 4 fl.ozs.	
Inhalant No. 3.	1 25
Fl. ext. Eriodictyon, 1 fl.oz.	Glycerin, 1 fl.oz.
Tinct. Opium, 60 ℥.	Alcohol, sufficient to make 3 fl.ozs.
Inhalant No. 4.	1 25
Fl. ext. Stramonium seed, 60 ℥.	Glycerin, 1 fl.oz.
Fl. ext. Hyoscyamus, 60 ℥.	Alcohol, sufficient to make 3 fl.ozs.
Fl. ext. Belladonna leaves, 30 ℥.	
Inhalant No. 5.	1 00
Tinct. Benzoin comp., Glycerin, Alcohol, of each 1 fl.oz.	
Inhalant No. 6.	60
Oil of Tar, 30 ℥.	Inhalant No. 1, 1 fl.oz.
Inhalant No. 7.	1 00
Oil Eucalyptus, 60 ℥.	Inhalant No. 1, 1 fl.oz.
Inhalant No. 8.	1 00
Tinct. Iodine, 90 ℥.	Glycerin, 1 fl.oz.
Alcohol, sufficient to make 3 fl.ozs.	
Inhalant No. 9.	1 00
Fl. ext. Sanguinaria, 60 ℥.	Glycerin, 1 fl.oz.
Fl. Tolu, soluble, 1-2 fl.oz.	Alcohol, sufficient to make 3 fl.ozs.
Inhalant No. 10.	1 00
Tinct. Iodine, 120 ℥.	Fluid Tolu, soluble, 1 fl.oz.
Carbolic acid, 120 grs.	Glycerin, 1 fl.oz.
Alcohol, sufficient to make 3 fl.ozs.	
Inhalant No. 11.	1 25
Fl. ext. Cubeb, 60 ℥.	Tinct. Camphor, 60 ℥.
Fluid Tolu, soluble, 60 ℥.	Carbolic acid, 60 grs.
Tinct. Iodine, 60 ℥.	Glycerin, 1 1-3 fl.ozs.
Alcohol, sufficient to make 4 fl.ozs.	
Inhalant No. 12.	1 25
Ether, 1 fl.oz.	Inhalant No. 1, 1 fl.oz.
Inhalant No. 13.	1 00
Tinct. Iodine, 120 ℥.	Glycerin, 1 fl.oz. Water, 1 fl.oz.
Inhalant No. 14.	60
Acid Carbolic, 10 grs.	Inhalant No. 1, 1 fl.oz.
Inhalant No. 17.	1 25
Chloroform, 1 fl.oz.	Inhalant No. 1, 1 fl.oz.
Inhalant No. 18.	1 00
Beechwood Creosote, 30 ℥.	Inhalant No. 1, 1 fl.oz.
Inhalant No. 19.	2 50
Iodoform, 20 grs.	Oil Eucalyptus, 20 ℥.
Beechwood Creosote, 10 ℥.	Ether, 120 ℥.
Oil Sweet Almond, sufficient to make 1 fl.oz.	
Inhalant No. 20.	5 00
Terebene, 60 ℥.	Oil Santal, 60 ℥.
Oil Cubeb, 60 ℥.	Inhalant No. 1, sufficient to make 1 fl.oz.



INDEX.

	PAGE		PAGE
<i>Abies balsamea</i>Balsam Fir	18	Alterative Compound.....	10
Abscess root,		<i>Althæa officinalis</i> ,	
<i>Polemonium reptans</i>	7	Marshmallow	113
Abstracts, Formulas for.....	195	<i>rosea</i>Hollyhock	85
<i>Acacia Catechu</i>Catechu	46	Alum, Aluminium and Potas-	
<i>Acer rubrum</i>Red Maple	142	sium sulphate.....	10
Acetanilid.....see Tar	166	Aluminium hydrate.....	10
<i>Achillea Millefolium</i> ...Yarrow	182	oxide.....	11
Acid, Arsenious.....	17	and Potassium sul-	
Benzoic.....	22	phate.....	10
Boric.....	31	Alum root,	
Hydriodic.....	87	<i>Heuchera americana</i>	11
Hydrocyanic.....	87	Alveloz milk,	
Phosphates, Liquid.....	7	<i>Euphorbia heterodoxa</i>	11
Acme Capsule Filler.	39	<i>Ambrosia artemisiæfolia</i> ,	
<i>Aconapeliin</i>	7	Ragweed	141
<i>Aconite</i> <i>Aconitum Napellus</i>	7	American Centaury,	
<i>Aconitum Napellus</i> <i>Aconite</i>	7	<i>Sabbatia angularis</i>	11
<i>Acorus Calamus</i> ...Sweet Flag	162	Columbo.... <i>Frasera</i>	
<i>Actæa alba</i>White Cohosh	176	<i>carolinensis</i>	11
<i>spicata</i>Red Cohosh	142	Hellebore,	
Adder's tongue		<i>Veratrum viride</i>	11
<i>Erythronium americanum</i>	8	Ivy..... <i>Vitis</i>	
<i>Adhatoda vasica</i> ..Malabar Nut	8	<i>quinquefolia</i>	12
<i>Adiantum pedatum</i> ,		wormseed.....	181
Maiden-hair	109	Ammoniac,	
<i>Adonis vernalis</i> ,		<i>Dorema Ammoniacum</i>	12
False Hellebore	8	Ammonium Bromide.....	12
Adrue..... <i>Cyprus articulatus</i>	8	Carbonate.....	12
<i>Ægle Marmelos</i>Bael	18	Carbazotate..Am-	
<i>Æsculus glabra</i>Buckeye	33	monium Picrate	13
Hippocastanum.		Chloride.....	13
Horse-chestnut	86	Picrate.....	13
Agaric.... <i>Polyporus officinalis</i>	8	Valerianate.....	13
<i>Agaricus muscarius</i> , Fly Agaric	71	Amomum Zingiber,	
<i>Agrimonia Eupatoria</i> ,		Ginger Mexican	77
Agrimony	9	Ampelopsin.....American Ivy	12
Agrimony,		Amyl Nitrite.....	13
<i>Agrimonia Eupatoria</i>	9	Anacyclus Pyrethrum,	
<i>Agropyrum repens</i> ,		Pellitory	128
Couch-Grass	61	Anagallis arvensis,	
<i>Ailanthus glandulosa</i> ,		Scarlet Pimpernel	149
Tree of Heaven	9	Anamirta Cocculus,	
Ajowan.... <i>Carum copticum</i>	9	Cocculus Indicus	55
Alder, Black.....	25	<i>Ananas sativa</i>Pine-Apple	132
Tag....	165	<i>Andira Araroba</i> ...Goa Powder	78
<i>Aletris farinosa</i>Star Grass	158	<i>Anemone Hepatica</i> ..Liverwort	107
Alkanet..... <i>Alkanna tinctoria</i>	9	<i>Pulsatilla</i> .. <i>Pulsatilla</i>	139
<i>Alkanna tinctoria</i>Alkanet	9	Angelica.....	13
Alligator Pear,		<i>Angustura</i> ... <i>Galipea Cusparia</i>	14
<i>Persea gratissima</i>	9	<i>Anhalonium Lewinii</i>	14
<i>Allium sativum</i>Garlic	74	Anise..... <i>Pimpinella Anisum</i>	14
Allspice, Florida.....	71	Anodyne Pine Expectorant....	14
Almonds, Oil Sweet.....	122	Antacid Tablets.....	14
<i>Alnus serrulata</i>Tag alder	165	<i>Anthemis Cotula</i>Mayweed	115
Aloe Perryi.....Aloes	9	nobilis,	
Aloes.....Aloe Perryi	9	Chamomile, Roman	48
<i>Alpinia officinarum</i> ...Galangal	73	Antidotes to Poisons.....	232
<i>Alstonia constricta</i> ,		Antimony and Potassium Tar-	
Australian Fever Bark	10	trate,	
<i>Alstonia scholaris</i>Dita	64	Tartar Emetic	15

INDEX.

	PAGE		PAGE
Antimony oxysulphuret.....	99	Atomizing Inhaler, Semple's..	89
sulphurated	15	Atropa Belladonna, Belladonna	21
Antiseptic Liquid.....	15	Atropine.....	21
Tablets.	15	Australian Fever Bark,	
Apiol.....	See Parsley 128	<i>Alstonia constricta</i>	10
Apium graveolens.....	Celery 47	Bael.....	<i>Ægle Marmelos</i> 18
Apocynin	Bitter Root 24	Balm, Lemon.....	103
Apocynum androsæmifolium,		Balmoney.....	<i>Chelone glabra</i> 18
Bitter Root 24		Balsam Apple.....	<i>Momor-</i>
cannabinum,		<i>dica Balsamina</i>	18
Canadian Hemp	37	Copaiba.....	59
Apple Tree.....	<i>Pyrus Malus</i> 16	Fir.....	<i>Abies balsamea</i> 18
Aralia hispida.....	Dwarf Elder 65	Gurjun.....	82
Aralia racemosa.....	Spikenard 157	of Peru,	
Arbor Vitæ,		<i>Myroxylon Pereiræ</i>	19
<i>Thuja occidentalis</i>	16	Poplar,	
Archangelica officinalis,		<i>Populus balsamifera</i>	19
Angelica European	13	Balsamodendron Kataf, Myrrh	119
Arctium Lappa.....	Burdock 34	Bamboo Brier,	
Arctostaphylos glauca,		<i>Smilax Pseudo-China</i>	19
Manzanita	113	Brier Compound,	
Arctostaphylos Uva-Ursi,		Alterative Compound	10
Uva-Ursi	172	Banana.....	<i>Musa sapientum</i> 19
Areca.....	<i>Areca Catechu</i> 16	Baptisia tinctoria..	Wild Indigo 179
Arisæma Dracontium,		Baptisin.....	Wild Indigo 179
Green-Dragon	80	Barberry.....	<i>Berberis vulgaris</i> 19
Arisæma triphyllum,		Barosma betulina.....	<i>Buchu</i> 32
Indian Turnip	89	Barosmin.....	<i>Buchu</i> 32
Aristolochia Serpentaria,		Basil, Sweet.....	162
Serpentaria	152	Basswood.....	<i>Tilia americana</i> 19
Arnica.....	<i>Arnica Montana</i> 16	Bayberry.....	<i>Myrica cerifera</i> 19
Aromatic.....	16	Bay Laurel.....	<i>Pimento acris</i> 20
Arsenic bromide.....	17	Laurel.....	<i>Laurus nobilis</i> 20
iodide.....	17	Bearsfoot..	<i>Polymnia Uvedalia</i> 20
sulphide.....	17	Beech.....	<i>Fagus ferruginea</i> 20
Arsenious Acid.....	17	Beech-drop,	
Artemisia Abrotanum,		<i>Epiphegus virginiana</i>	20
Southernwood	156	Beef.....	20
Absinthium,		Cacao (Mosquera's).....	20
Wormwood	182	Iron and Wine.....	20
frigida,		Jelly (Mosquera's).....	21
Mountain Sage	118	Jelly, Fluid (Mosquera's).	21
maritima....	Worm-	Meal (Mosquera's).....	21
seed, Levant	181	Belladonna, Atropa Belladonna	21
vulgaris....	<i>Mugwort</i> 118	Belladonnin.....	Belladonna 21
Asafetida.....	<i>Ferula Narthex</i> 18	Benne.....	<i>Sesamum indicum</i> 22
Asarum canadense.	Wild Ginger 179	Benzoic Acid.....	22
Asclepias curassavica,		Benzoin.....	<i>Styrax Benzoin</i> 22
Blood Flower	28	Berberin.....	<i>Barberry</i> 19
incarnata	White	Berberine Hydrochlorate,	
Indian Hemp	177	Golden Seal	78
syriaca.....	<i>Silkweed</i> 152	Phosphate,	
tuberosa,		Golden Seal	78
Pleurisy-root	134	Sulphate.	
Asclepidin.....	<i>Pleurisy-root</i> 134	Golden Seal	79
Ash, Black.....	25	Berberis Aquifolium.....	23
Wafer.....	173	vulgaris.....	<i>Barberry</i> 19
White.....	176	Bergamot, Wild.	178
Asimina triloba.....	Papaw 126	Beth Root....	<i>Trillium erectum</i> 23
Asparagus,		Betula lenta.....	<i>Black Birch</i> 25
Asparagus officinalis	18	Bidens bipinnata,	
Aspidium Filix-mas..	Male-fern 109	Spanish Needles	156
Aspidosperma Quebracho,		Birch, Black.....	25
Quebracho	140		

INDEX.

	PAGE		PAGE
Bismuth and ammonium cit- rate.....	23	Brunfelsia Hopeana... Manaca	111
oxide.....	24	Bryonia alba.... White Bryony	176
subcarbonate.....	23	Bryony, White.....	176
subnitrate.....	23	Buchu..... Barosma betulina	32
Bistort.... Polygonum Bistorta	24	Buckbean, Menyanthes trifoliata	33
Bitter Bugleweed, Lycopus europæus	24	Buckeye..... Æsculus glabra	33
Root..... Apocy- num androsæmifolium	24	Buckhorn Brake, Osmunda regalis	33
Bittersweet, Solanum Dulca- mara.....	24	Buckthorn Bark..... Rhamnus Frangula.....	33
False.....	70	Berries, Rham- nus catharticus	33
Black Alder.... Ilex verticillata	25	Bugleweed, Lycopus virginicus	33
Ash..... Fraxinus sambucifolia	25	Bullock's Blood Defibrinated..	34
Birch..... Betula lenta	25	Butternut..... Juglans cinerea	34
Cohosh, Cimicifuga racemosa	26	Burdock..... Arctium Lappa	34
Haw, Viburnum Prunifolium	26	Button-Bush, Cephalanthus occidentalis	35
Hellebore, Helleborus niger	26	Button Snakeroot, Liatris spicata	35
Indian Hemp, Canadian Hemp	37	Cactus grandiflorus, see Cereus grandiflorus	47
Oak... Quercus tinctoria	27	Caffeine and its salts.....	56
Pepper.... Piper nigrum	27	Calabar Bean, Physostigma venenosum	35
Sampson, Echinacea angustifolia	66	Calcium and its salts.....	105, 106
Walnut... Juglans nigra	27	Calendula, Calendula officinalis	36
Willow..... Salix nigra	27	California Fever Bush, Garrya Fremontii	36
Blackberry..... Rubus villosus	25	Laurel.... Umbellu- laria californica	36
Bladder Wrack, Fucus vesiculosus	28	Calisaya, Esencia de, Mosquera's	68
Blessed Thistle, Carbenia benedicta	28	Calomel..... see Mercury	115
Blood-flower, Asclepias curassavica	28	Calycanthus floridus, Florida Allspice	71
root, Sanguinaria canadensis	28	Camellia Thea..... Tea	167
Blue Cardinal-flower, Lobelia syphilitica	29	Camphor..... Cinna- momum camphora	36
Cohosh..... Caulo- phyllum thalictroides	29	monobromated	36
Flag..... Iris versicolor	29	solution	36
Gentian, Gentiana puberula	30	Canada Balsam.... Balsam Fir	18
Vervain.. Verbena hastata	30	Snakeroot, see Wild Ginger	179
Boldo..... Peumus Boldus	30	Thistle, Cnicus arvensis	37
Bone, Powdered.....	30	Canadian Hemp, Apocynum cannabinum	37
Boneset, Eupatorium perfoliatum	31	Cancer Root..... Beech-drop	20
Borage..... Borago officinalis	31	Canella..... Canella alba	37
Borago officinalis..... Borage	31	Cannabis Indica.. Indian Hemp	37
Boric acid.....	31	sativa, Cannabis Indica	37
Bougies, Iodoform.....	90	Cantharides, Cantharis vesicatoria	38
Boxwood, see Dogwood.....	65	Cantharis vesicatoria, Cantharides	38
Brayera anthelmintica.. Kooso	100	Capsella Bursa-pastoris, Shepherd's-purse	152
British Pharmacopœia, Pills of	274	Capsicum, Capsicum fastigiatum	38
Bromelin..... Pine-Apple	31	Capsule Filler, Acme.....	39
Bronchial Sedative.....	31	Reymond's.....	39
Broom..... Cytisus scoparius	32		
Broom-corn, Sorghum saccharatum	32		

INDEX.

	PAGE		PAGE
Capsules, Empty	74	Cerium oxalate.....	47
Hard Filled.....	363	Cevadilla,	
Horse	75	Schoenocaulon officinale	48
Soluble Elastic.....	356	Chamælorium luteum, Helon-	
Veterinary	75	ias	83
Caraway..... Carum Carvi	40	Chamberlin's Utero - Vaginal	
Carbenia benedicta,		Syringe.....	164
Blessed Thistle	28	Chamomile, German.. Matrica-	
Carbolic Acid.....see Tar	166	ria Chamomilla	48
Cardamom,		Roman,	
Elettaria Cardamomum	40	Anthemis nobilis	48
Carica Papaya.... Papaw Juice	126	Charcoal.....	48
Caroba..... Jacaranda procera	40	Chaulmoogra Oil,	
Carpenter's square,		Gynocardia odorata	49
Scrofularia nodosa	40	Chekan..... Eugenia Chequen	49
Carron Oil.....see Linseed Oil	106	Chelidonium majus,	
Carrot, Wild.....	178	Garden Celandine	73
Carthamus tinctorius,		Chelone glabra..... Balmony	18
Safflower	145	Chelonin..... Balmony	18
Carum Carvi..... Caraway	40	Chenopodium ambrosioides,	
copticum	Ajowan	Wormseed, American	181
Petroselinum.... Parsley	127	Chenopodium Botrys,	
Cascara Amarga.... Picramnia	41	Jerusalem Oak	98
Cordial	41	Cherry, Wild.....	178
Cascara Sagrada,		Chestnut.... Castanea vulgaris	49
Rhamnus Purshiana	41	Chewstick,	
Cascarilla..... Croton Eluteria	42	Gouania domingensis	49
Cascarin..... Cascara Sagrada	42	Chian Turpentine,	
Case, Emergency.....	42	Pistacia terebinthus	49
Hypodermic.....	42	Chickweed..... Stellaria media	50
Pharmacognosy	44	Children, Facts regarding.....	214
Reagent	44	Chimaphila umbellata,	
Veterinary Hypodermic.	45	Pipsissewa	133
Cassia.... Cinnamomum Cassia	45	Chimaphilin....see Pipsissewa	133
acutifolia,		Chionanthus virginica,	
Senna, Alexandria	151	Fringe Tree	72
Castalia odorata,		Chirata..... Swertia Chirata	50
White Pond-Lily	177	Chloral Hydrate.....	50
Castanea vulgaris.... Chestnut	49	Chlor-Anodyne	50
Castor Oil... Ricinus communis	46	Chlorinated Soda, Solution of,	
Catechu..... Acacia Catechu	46	see Labarraque's Solution	100
Catnep..... Nepeta Cataria	46	Chloroform.....	50
Caulophyllin..... Blue Cohosh	29	Choke Cherry,	
Caulophyllum thalictroides,		Prunus virginiana	50
Blue Cohosh	29	Chondodendron tomentosum,	
Ceanothus americanus,		Pareira Brava	127
Jersey Tea	97	Chrysanthemum Leucanthe-	
Cedron Seed.... Simaba Cedron	46	mum..... Ox-eye Daisy	125
Celandine, Garden.....	73	Chrysanthemum Parthenium,	
Celandine, Wild.....	178	Feverfew	70
Celastrus scandens,		Cicely, Sweet.....	162
False bitter-sweet	70	Cicuta maculata,	
Celery..... Apium graveolens	47	Water Hemlock	175
Centauray, American.....	11	Cimicifuga racemosa,	
European.....	69	Black Cohosh	26
Cephaelis Ipecacuanha.. Ipecac	90	Cimicifugin..... Black Cohosh	26
Cephalanthus occidentalis,		Cinchona Calisaya,	
Button-bush	35	Cinchona, Yellow	51
Cerasin..... Choke Cherry	50	officinalis,	
Cercis canadensis.. Judas-Tree	98	Cinchona, Pale	51
Cerebral Sedative, Compound..	47	Pale,	
Cerebrin.....	47	Cinchona officinalis	51
Cereus grandiflorus,		Red..... Cin-	
Night Blooming Cereus	47	chona succirubra	51

INDEX.

	PAGE		PAGE
<i>Cinchona succirubra</i> ,		<i>Copaiba</i> ,	
<i>Cinchona</i> , Red	51	<i>Copaifera Langsdorffii</i>	59
Yellow,		<i>Copaifera Langsdorffii</i> ,	
<i>Cinchona Calisaya</i>	51	<i>Copaiba</i>	59
<i>Cinchonidine</i> and its salts.....	52	<i>Copper arsenite</i>	59
<i>Cinnamomum camphora</i> ,		oxide.....	59
Camphor	36	sulphate.....	59
Cassia....Cassia	45	<i>Coptis trifolia</i>Goldthread	79
<i>Cinquefoil</i> ,		<i>Corallorhiza odontorhiza</i> ,	
<i>Potentilla canadensis</i>	52	Crawley	62
<i>Citrullus Colocynthis</i> ,		<i>Cordial</i> , Mothers'	
<i>Colocynth</i>	56	see Squaw Vine	157
<i>vulgaris</i> , Watermelon	175	Neutralizing,	
<i>Citrus Aurantium</i> ,		see Rhubarb	144
Orange, Sweet	124	<i>Coriander</i> ,	
limetta.....Lime	105	<i>Coriandrum sativum</i>	59
Limonum.....Lemon	103	<i>Coriandrum sativum</i> ,	
<i>vulgaris</i> ..Orange, bitter	124	<i>Coriander</i>	59
<i>Claviceps purpurea</i>Ergot	67	<i>Corn</i>	59
<i>Cleavers</i> <i>Galium Aparine</i>	52	Ergot.....	59
<i>Clotbur</i> , <i>Xanthium strumarium</i>	53	Silk.....	59
<i>Clover</i> , Red.....	141	<i>Cornin</i>Dogwood	65
Sweet.....	162	<i>Cornus circinata</i> ..Green Osier	80
White.....	176	Florida.....Dogwood	65
<i>Cloves</i> .. <i>Eugenia caryophyllata</i>	53	sericea.....Red Osier	142
<i>Cnicus arvensis</i> , Canada Thistle	37	<i>Corrosive sublimate</i> ,	
<i>Coca</i> <i>Erythroxylon Coca</i>	53	see Mercury	115
<i>Cordial</i>	54	<i>Corydalin</i>Turkey-Corn	169
<i>Cocaine</i> and its salts.....	53	<i>Coto</i>Nectandra	60
<i>Cocculus Indicus</i> ,		<i>Cotton</i> , <i>Gossypium herbaceum</i>	60
<i>Anamirta Cocculus</i>	55	<i>Couch-Grass</i> ,	
<i>Cod Liver Oil</i> ,		<i>Agropyrum repens</i>	61
Ol. <i>Gadus Morrhuæ</i>	55	<i>Cramp Bark</i> , <i>Viburnum Opulus</i>	61
<i>Coffee</i> <i>Coffea arabica</i>	55	<i>Cranesbill</i> ,	
<i>Coffea arabica</i>Coffee	55	<i>Geranium maculatum</i>	61
<i>Cohosh</i> , Black.....	26	<i>Crawley</i> ,	
Blue.....	29	<i>Corallorhiza odontorhiza</i>	62
Red.....	142	<i>Creasote</i>see Tar	166
White.....	176	<i>Croton Eluteria</i>Cascarilla	42
<i>Cola acuminata</i>Kola	100	Oil..... <i>Croton Tiglium</i>	62
<i>Colchicine</i>	56	<i>Cubeb</i> <i>Piper Cubeba</i>	62
<i>Colchicum</i> <i>Colchi-</i>		<i>Cucumber Tree</i> ,	
<i>cum autumnale</i>	56	<i>Magnolia acuminata</i>	62
<i>autumnale</i> , <i>Colchicum</i>	56	<i>Cucurbita Pepo</i>Pumpkin	140
<i>Collinsonia canadensis</i> ,		<i>Culvers</i> <i>Veronica virginica</i>	63
Stone-Root	159	<i>Cunila mariana</i>Dittany	65
<i>Colocasia esculenta</i> ,		<i>Curcuma longa</i>Turmeric	169
Taro Flour	167	<i>Cynoglossum officinale</i> ,	
<i>Colocynth</i> ,		Hound's-tongue	87
<i>Citrullus Colocynthis</i>	56	<i>Cyperus articulatus</i>Adrue	8
<i>Coltsfoot</i> <i>Tussilago Farfara</i>	57	<i>Cypripedin</i>Ladies'-slipper	101
<i>Columbo</i> , <i>Jateorrhiza Columba</i>	57	<i>Cypripedium pubescens</i> ,	
American.....	11	Ladies'-slipper	101
<i>Comfrey</i> , <i>Symphytum officinale</i>	57	<i>Cytisus scoparius</i>Broom	32
<i>Compound Cerebral Sedative</i> ..	47	<i>Damiana</i> , <i>Turnera microphylla</i>	63
<i>Compressed Tablets</i>	319	<i>Dandelion</i> ,	
<i>Condurango</i> ,		<i>Taraxacum officinale</i>	63
<i>Gonolobus Condurango</i>	58	<i>Daphne Mezereum</i> ...Mezereon	117
<i>Conium</i> ... <i>Conium maculatum</i>	58	<i>Datura Stramonium</i> ,	
<i>Convallaria majalis</i> ,		<i>Stramonium</i>	159
Lily-of-the-valley	104	<i>Daucus carota</i>Wild Carrot	178
<i>Convolvulus Scammonia</i> ,		<i>Deer Tongue</i> ,	
Scammony	149	<i>Trilisa odoratissima</i>	64
<i>Coolwort</i> <i>Mitella nuda</i>	58		

	PAGE		PAGE
Delphinium consolida,		Equivalents, Weights and	
Larkspur	102	[Measures	201
Staphisagria,		Erechthites hieracifolia,	
Stavesacre	158	Fireweed	70
Dewberry.... Rubus canadensis	64	Ergot.....Claviceps purpurea	67
Dialyzed Iron.....	93	Ergotin.....Ergot	67
Dicentra canadensis,		Erigeron canadense..Fleabane	71
Turkey-corn	169	Eriodictyon glutinosum,	
Digestive Tablets.....	64	Yerba santa	183
Digitalin.....Foxglove	72	Eryngium yuccæfolium,	
Digitalisin.....Foxglove	72	Water Eryngo	174
Digitalis purpurea...Foxglove	72	Erythræa Centaurium,	
Dioscorea villosa....Wild Yam	180	European Centaury	69
Dioscorein.....Wild Yam	180	Erythronium americanum,	
Diospyros virginiana,		Adder's-tongue	8
Persimmon	131	Erythrophloeum guineense,	
Dipteryx odorata..Tonca Bean	168	Sassy Bark	148
Diseases and their remedies....	221	Erythroxyton Coca.....Coca	53
Disinfectant Powder.....	64	Eschscholtzia californica.....	68
Dittany.....Cunila mariana	65	Esencia de Calisaya (Mosque-	
Diurnal Tablet Triturates....	311	ra's).....	68
Diurnules.....	277	Ether.....	68
Dogwood.....Cornus florida	65	Eucalyptus Globulus	68
Jamaica.....	96	and Thymol Anti-	
Dorema Ammoniacum,		septic.....	69
Ammoniac	12	Eugenia caryophyllata..Cloves	53
Dover's Powder... see Opium	123	Chequen.....Chekan	49
Drosera rotundifolia...Sundew	161	Jambulana....Jambul	97
Duboisia Myoporoides.....	65	Euonymin.....Wahoo	173
Dwarf Elder....Aralia hispida	65	Euonymus atropurpureus,	
		Wahoo	173
Ecballium Elaterium,		Eupatorium.....Boneset	31
see Elaterium	66	aromaticum,	
Echinacea angustifolia,		White Snake-root	179
Black Sampson	66	perfoliatum,	
Elastic Capsules, Soluble.....	329	Boneset	31
Elaterium,		purpureum, Queen-	
Momordica Elaterium	66	of-the-meadow	140
Elixirs.....	343	Euphorbia corollata,	
Elder...Sambucus canadensis	66	Flowering Spurge	71
European.....	69	heterodoxa,	
Elecampane..Inula Helenium	66	Alveloz milk	11
Elephantopus tomentosus,		pilulifera.....	69
Elephant's-foot	66	Euphrasia officinalis, Eyebright	70
Elephant's-foot,		Eupurpurin,	
Elephantopus tomentosus	66	Queen-of-the-meadow	140
Elettaria Cardamomum,		European Centaury, Erythræa	
Cardamom	40	Centaurium	69
Elm, Slippery.....	153	Elder.....Sam-	
Embelia Ribes.....	67	bucus nigra	69
Emergency Case.....	42	Evening Primrose,	
Empty Capsules.....	74	Oenothera biennis	69
Emulsion Cod Liver Oil.....	55	Eyebright, Euphrasia officinalis	70
Enteric Pills.....	276		
Ephedra antisyphilitica.....	67	Fabiana imbricata	Pichi 132
Epigæa repens....Gravel-plant	80	Facts regarding children.....	214
Epilobium spicatum,		Fagus ferruginea.....Beech	20
Willow-Herb	180	False Bittersweet,	
Epiphegus virginiana,		Celastrus scandens	70
Beech-drop	20	Hellebore,	
Equisetum hyemale,		Adonis vernalis	8
Scouring Rush	149	Unicorn....see Helonias	83
Equivalents, Theometric.....	207	Fennel....Foeniculum vulgare	70
		Fern, Sweet.....	162

INDEX.

	PAGE		PAGE
<i>Ferula galbaniflua</i> .. Galbanum	73	<i>Gaultheria procumbens</i> ,	
Narthex.....Asafetida	18	Wintergreen	180
Sumbul.....Musk-root	119	Gelatin	74
Fever Bark, Australian,		Gelsemium,	
Alstonia constricta	10	Gelsemium sempervirens	76
Feverfew.....Chrysan-		Gelsemperin.....Gelsemium	76
themum Parthenium	70	Gentian.....Gentiana lutea	76
Figwort....Carpenter's-square	40	Gentiana ochroleuca,	
Fireweed.....Erech-		Sampson Snake-root	146
thites hieracifolia	70	Gentiana puberula,	
Fit-root.....Monotropa uniflora	70	Blue Gentian	30
Five-flowered Gentian,		quinqueflora....Five-	
Gentiana quinqueflora	71	flowered Gentian..	71
Flag, Sweet.....	162	Gentian, Blue.....	30
Fleabane..Erigeron canadense	71	Gentian, Five-flowered.....	71
Florida Allspice,		Geranin.....Cranesbill	61
Calycanthus floridus	71	Geranium maculatum,	
Flowering Spurge,		Cranesbill	61
Euphorbia corollata	71	German Chamomile.....	48
Fly Agaric, Agaricus muscarius	71	Geum rivale.....Water Avens	174
Foeniculum vulgare....Fennel	70	Gillenia trifoliata,	
Food Products.....	72	Indian Physic	88
Formulas for Abstracts.....	195	Ginger, Jamaica,	
Syrups.....	196	Zingiber officinale	76
Tinctures.....	185	Mexican,	
Vinegars.....	199	Amomum Zingiber	77
Wines.....	199	Wild.....	179
Foxglove...Digitalis purpurea	72	Glonoin.....see Nitroglycerin	120
Fragaria vesca.....Strawberry	160	Glycerated Dialyzed Iron.....	93
Frankenia grandifolia,		Glycerin.....	77
Yerba Reuma	183	Glycerole Yerbine Comp.,	
Fraseria carolinensis,		see Yerba Santa	183
American Columbo	11	Glycyrrhiza glabra....Licorice	103
Fraserin.. American Columbo	11	Gnaphalium polycephalum,	
Fraxinus americana,		Life-everlasting	104
White Ash	176	Goanese Ipecac,	
Fraxinus sambucifolia,		Naregamia alata	77
Black Ash	25	Goa Powder...Andira Araroba	78
Fringe Tree,		Gold and Sodium chloride.....	78
Chionanthus virginica	72	Golden-rod.....Solidago odora	78
Frostwort,		Golden-seal,	
Helianthemum canadense	73	Hydrastis canadensis	78
Fucus vesiculosus,		Goldthread.....Coptis trifolia	79
Bladder wrack	28	Gonolobus Condurango,	
		Condurango	58
Gadus Morrhuae Ol.,		Gossypin.....Cotton	60
Cod Liver Oil	55	Gossypium herbaceum..Cotton	60
Galangal..Alpinia officinarum	73	Gouania domingensis,	
Galbanum..Ferula Galbaniflua	73	Chewstick	49
Galipea Cusparia.. Angustura	14	Gravel-plant....Epigaea repens	80
Galium Aparine.....Cleavers	52	Great Laurel,	
verum.....Ladies'-		Rhododendron maximum	80
bedstraw	101	Green Dragon,	
Gallic Acid.....see Galls	73	Arisæma Dracontium	80
Galls.....Quercus infectoria	73	Green Osier...Cornus circinata	80
Gamboge....Garcinia Hanburii	73	Grindelia robusta.....	80
Garcinia Hanburii....Gamboge	73	squarrosa.....	81
Mangostana,		Ground Ivy..Nepeta Glechoma	81
Mangosteen	113	Guaco.....Mikania Guaco	81
Garden Celandine,		Guaiac....Guaiacum officinale	81
Chelidonium majus	73	Guaiacum officinale.....Guaiac	81
Garlic.....Allium sativum	74	Guarana.....Paullinia sorbilis	82
Garrya Fremontii,		Gum, Sweet.	163
California Fever-Bush	36	Gurjun Balsam.....	82

INDEX.

	PAGE		PAGE
<i>Gynocardia odorata</i> ,		<i>Hydrastis canadensis</i> ,	
<i>Chaulmoogra</i> oil	49	Golden-seal	78
<i>Haarlem Oil</i> see Turpentine	170	Hydriodic acid, Syrup.....	87
<i>Hæmatoxylon campechianum</i> ,		<i>Hyonigrin</i>	84
Logwood	108	<i>Hyoscyamine</i>	84
<i>Haircap Moss</i> ,		<i>Hyoscyamus niger</i> ... Henbane	84
<i>Polytrichum juniperinum</i>	82	<i>Hypericum perforatum</i> ,	
<i>Hamamelis virginiana</i> ,		John's-wort	98
Witch-Hazel	180	Hypodermic Case.....	42
<i>Haplopappus Baylahuen</i> ,		Syringe	163
<i>Hysterionica</i>	88	Tablets.....	313
<i>Hardhack</i> ... <i>Spiræa tomentosa</i>	82	Veterinary	318
<i>Haw, Black</i>	26	<i>Hyssop</i> <i>Hyssopus officinalis</i>	87
<i>Hedeoma pulegioides</i> ,		<i>Hyssopus officinalis</i> Hyssop	87
Pennyroyal	129	<i>Hysterionica</i> ,	
<i>Helianthella tenuifolia</i>	82	<i>Haplopappus Baylahuen</i>	88
<i>Helianthemum canadense</i> ,		<i>Ichthyol</i> see Tar	166
Frostwort	73	<i>Ignatia</i> <i>Strychnos Ignatii</i>	88
<i>Helianthus annuus</i> .. Sunflower	162	<i>Ilex paraguaiensis</i> ,	
<i>Hellebore, American</i> , see Amer- ican Hellebore	11	Paraguay Tea	127
Black	26	<i>verticillata</i> ... Black Alder	25
False	8	<i>Impatiens pallida</i> ,	
White.....	176	Wild Celandine	178
<i>Helleborus niger</i> ,		Incompatibility.....	216
Black Hellebore	26	Indian Black-root.... <i>Pterocau-</i> lon <i>pycnostachyum</i>	88
<i>Helonias, Chamæirium luteum</i>	83	Hemp.. <i>Cannabis Indica</i>	37
<i>Helonin</i> <i>Helonias</i>	83	Black..... Cana- dian Hemp	37
<i>Hematic Hypophosphites</i>	83	White.....	177
<i>Hemlock Spruce</i> ,		Physic..... <i>Gil-</i> lenia <i>trifoliata</i>	88
<i>Tsuga canadensis</i>	83	Turnip..... <i>Arisæma</i> <i>triphyllum</i>	89
<i>Hemoglobin Compound</i>	84	<i>Indigo, Wild</i>	179
<i>Henbane</i> <i>Hyoscyamus niger</i>	84	<i>Indispensable Cup Syringe</i>	164
<i>Heracleum lanatum</i> ,		<i>Inhalants</i>	367
Masterwort	114	<i>Inhaler, Semple's Atomizing</i> ...	89
<i>Heuchera americana</i> ,		<i>Inula Helenium</i> <i>Elecampane</i>	66
Alum Root	11	<i>Inulin</i> <i>Elecampane</i>	66
<i>Hive Syrup</i> see Squill	158	<i>Iodine</i>	90
<i>Hoang Nan</i> ,		<i>Iodoform</i> 90,	318
<i>Strychnos malaccensis</i>	84	<i>Ipecac, Goanese</i>	77
<i>Hollyhock</i> <i>Althæa rosea</i>	85	<i>Ipecacuanha</i> ,	
<i>Hops</i> <i>Humulus Lupulus</i>	85	<i>Cephaëlis Ipecacuanha</i>	90
<i>Horehound</i> ,		<i>Ipomœa pandurata</i> ... Man-root	113
<i>Marrubium vulgare</i>	86	<i>purga</i> Jalap	96
<i>Horse Capsules</i>	75	<i>Iris florentina</i> <i>Orris</i>	124
-chestnut..... <i>Æsculus</i> <i>hippocastanum</i>	86	<i>versicolor</i> Blue Flag	29
mint.. <i>Monarda punctata</i>	86	<i>Irisin</i> Blue Flag	30
-nettle,		<i>Iron, Dialyzed</i>	93
<i>Solanum carolinense</i>	86	salts..... 92-95	
<i>Nasturtium Armoracia</i>	86	Wood.... <i>Ostrya virginica</i>	95
"Hot Drops"..... see Myrrh	119	<i>Ivy, American</i>	12
<i>Hound's-tongue</i> ,		Ground.....	81
<i>Cynoglossum officinale</i>	87	<i>Jaborandi</i> <i>Pilocar-</i> pus <i>pinnatifolius</i>	95
<i>Humulus Lupulus</i> Hops	85	<i>Jacaranda procera</i> Caroba	40
<i>Hydrangea arborescens</i>	87	<i>Jacob's ladder</i> ,	
<i>Hydrocyanic acid</i>	87	<i>Smilax herbacea</i>	96
<i>Hydrastin</i> Golden-seal	79	<i>Jalap</i> <i>Ipomœa purga</i>	96
<i>Hydrastine and its salts</i> ,		<i>Jalapin</i> Jalap	96
Golden-seal	79		
<i>Hydrastinine hydrochlorate</i> ,			
Golden-seal	79		

INDEX.

	PAGE		PAGE
Jamaica Dogwood,		Lead acetate.....	102
<i>Piscidia Erythrina</i>	96	subacetate.....	102
Ginger.....see Ginger	76	Ledum latifolium,	
Jambu Assu...Piper Jaborandi	96	Labrador Tea	100
Jambul.... <i>Eugenia Jambulana</i>	97	Lemon.....Citrus Limonum	103
Jateorhiza Columba...Columbo	57	Balm... <i>Melissa officinalis</i>	103
Jatropha, <i>Jatropha macrorhiza</i>	97	Leonurus cardiaca, Motherwort	117
Jeffersonia diphylla, Twin-leaf	170	Leptandrin.....Culvers	63
Jequirity.... <i>Abrus precatorius</i>	97	Lettuce..... <i>Lactuca sativa</i>	103
Jersey Tea,		Wild	180
<i>Ceanothus americanus</i>	97	Levant Wormseed.....	181
Jerusalem Oak,		Liatris spicata,	
<i>Chenopodium Botrys</i>	98	Button Snakeroot	35
Jessamine.....see <i>Gelsemium</i>	76	Licorice.... <i>Glycyrrhiza glabra</i>	103
John's-wort..... <i>Hypericum perforatum</i>	98	Life-everlasting..... <i>Gnaphalium polycephalum</i>	104
Judas-tree.... <i>Cercis canadensis</i>	98	-root..... <i>Senecio aureus</i>	104
Juglandin.....Butternut	34	Ligustrum vulgare.....Privet	139
Juglans cinerea.....Butternut	34	Lily-of-the-valley,	
<i>nigra</i>Black Walnut	27	<i>Convallaria majalis</i>	104
Juniper... <i>Juniperus communis</i>	98	Lime.....Citrus limetta	105
Juniperus Sabina.....Savin	148	and its salts.....	105, 106
Jurubeba,		Juice and Pepsin....Lime	105
<i>Solanum paniculatum</i>	98	Lindera Benzoin....Spice-bush	157
Kalmia latifolia,		Linseed Oil.....	106
Mountain Laurel	118	Lippia dulcis.....	106
Kamala,		<i>Mexicana</i>	106
<i>Mallotus philippinensis</i>	99	Liquid Acid Phosphates.....	7
Kava Kava,		Liquidambar styraciflua,	
<i>Piper methysticum</i>	99	Sweet Gum	163
Kermes Mineral.....	99	Liquor Sedans.....	106
Kino... <i>Pterocarpus Marsupium</i>	99	Liriodendron tulipifera,	
Kola..... <i>Cola acuminata</i>	100	Tulip-tree	169
Koosso, <i>Brayera anthelmintica</i>	100	Lithium and its salts.....	107
Krameria triandra....Rhatany	143	Liverwort... <i>Anemone Hepatica</i>	107
Labarraque's Solution.....	100	Lobelia..... <i>Lobelia inflata</i>	107
Labrador Tea,		syphilitica.....Blue	
<i>Ledum latifolium</i>	100	Cardinal-Flower	29
Lactated Pepsin....see Pepsin	129	Lobeliin..... <i>Lobelia</i>	107
Lactuca canadensis,		Logwood..... <i>Hæmatoxylon campechianum</i>	108
Wild Lettuce	180	Lovage... <i>Levisticum officinale</i>	108
<i>sativa</i>Lettuce	103	Low Mallow, <i>Malva rotundifolia</i>	108
<i>virosa</i> ... <i>Lactucarium</i>	100	Lozenges	365
Lactucarium... <i>Lactuca virosa</i>	100	Lung Moss... <i>Sticta pulmonaria</i>	108
Ladies'-bedstraw,		Lungwort,	
<i>Galium verum</i>	101	<i>Pulmonaria officinalis</i>	108
Ladies'-slipper,		Lupulin.....Hops	85
<i>Cypripedium pubescens</i>	101	Lycopersicum esculentum,	
Lamium album.....	101	Tomato	168
Lanolin.....	101	Lycopin.....Bugleweed	34
Larix americana....Tamarac	165	Lycopus europæus,	
Larkspur,		Bitter Bugleweed	24
<i>Delphinium Consolida</i>	102	<i>virginicus</i> , Bugleweed	33
Latin directions.....	217	Mace..... <i>Myristica fragrans</i>	109
Laudanum,		Macrotoxin (Cimicifugin),	
see Opium tincture	122	Black Cohosh	26
Laurel, Bay.....	20	Magnesia salts.....	109
California.....	36	Magnolia..... <i>Magnolia glauca</i>	109
Great	80	<i>acuminata</i> ,	
Laurus nobilis....Bay Laurel	20	Cucumber Tree	62
Lavandula vera.....Lavender	102	Maiden-hair,	
Lavender..... <i>Lavandula vera</i>	102	<i>Adiantum pedatum</i>	109

INDEX.

	PAGE		PAGE
Maize.....see Corn	59	Mitchella repens...Squaw Vine	157
Malabar Nut..Adhatoda vasica	8	Mitella nuda.....Coolwort	58
Male-Fern, Aspidium Filix-mas	109	Mormordica Balsamina,	
Mallotus philippensis...Kamala	99	Balsam Apple	18
Maltale.....	110	Elaterium,	
Malt and its combinations.....	110	Elaterium	66
Malva rotundifolia,		Monarda fistulosa,	
Low Mallow	108	Wild Bergamot	178
Maple, Red.....	142	punctata, Horsemint	86
Manaca....Brunfelsia Hopeana	111	Monotropa uniflora.....Fit-root	70
Mandrake,		Mosquera—Julia Food Pro-	
Podophyllum peltatum	111	ducts.....20, 21, 68	
Manganese, salts of.....112, 113		Mother's Cordial,	
Mangosteen,		see Squaw Vine	157
Garcinia Mangostana	113	Motherwort,	
Man-Root..Ipomœa pandurata	113	Leonurus cardiaca	117
Manzanita,		Mountain-ash,	
Arctostaphylos glauca	113	Pyrus americana	117
Marigold Flowers....Calendula	36	-Laurel.....Kal-	
Marjoram, Sweet.....	163	mia latifolia	118
Marrubium vulgare,		-Mint.....Pycnan-	
Horehound	86	themum montanum	118
Marshmallow,		-Sage.....Arte-	
Althæa officinalis	113	misia frigida	118
Marsh Rosemary,		Mugwort....Artemisia vulgaris	118
Statice Limonium	114	Muirapuama.....	118
Masterwort,		Mullein...Verbascum Thapsus	118
Heracleum lanatum	114	Musa sapientum.....Bauana	19
Mastic.....Pistacia Lentiscus	114	Muscarine.....see Fly agaric	71
Mate.....see Paraguay Tea	127	Musk-Root.....Ferula Sumbul	119
Materia Medica Cabinet,		Mutisia viciæfolia.....	119
see Pharmacognosy Case	44	Myrica asplenifolia, Sweet Fern	162
Matico....Piper angustifolium	114	Myrica cerifera..... Bayberry	19
Matricaria Chamomilla,		Myricin Bayberry	20
Chamomile, German	48	Myristica fragrans.....Mace	109
Mayweed.....Anthemis Cotula	115	...Nutmegs	121
Melia Azedarach,		Myroxylon Pereiræ,	
Pride of China	139	Balsam of Peru	19
Melilotus officinalis,		Toluiiferum...Tolu	168
Sweet Clover	162	Myrrh..Balsamodendron Katak	119
Melissa officinalis, Lemon Balm	103	Naregamia alata,	
Menispermum canadense,		Goanese Ipecac	77
Yellow Parilla	182	Nasal Tablets.....	120
Mentha arvensis.....Menthol	115	Nasturtium Armoracia,	
piperita...Peppermint	129	Horse-Radish	86
viridis.....Spearmint	156	NectandraCoto	60
Menthol.....Mentha arvensis	115	Nepeta Cataria.....Catnep	46
Menyanthes trifoliata,		Glechoma..Ground Ivy	81
Buckbean	33	Nettle.....Urtica dioica	120
Mercurialis annua,		Neutralizing Cordial,	
Mercury-weed	117	see Rhubarb	144
Mercury and its salts.....115, 116		Newbouldia lævis.....	120
-weed,		Nicotiana Tabacum...Tobacco	168
Mercurialis annua	117	Night-Blooming Cereus,	
Mexican Ginger.....see Ginger	77	Cereus grandiflorus	47
Mezereon...Daphne Mezereum	117	Nitrite of Amyl.....	13
Micromeria Douglasii,		Nitroglycerin.....	120
Yerba Buena	183	"Number Six,".....see Myrrh	119
Mikania Guaco.....Guaco	81	Nuphar advena,	
Milkweed.....see Silkweed	152	Yellow Pond-Lily	182
Mistletoe,		Nutmegs....Myristica fragrans	121
Phoradendron flavescens	117	Nux-vomica,	
Mistura Smilacis Compound,		Strychnos Nux-vomica	121
Alterative Compound	10		

INDEX.

	PAGE		PAGE
Oak, Black.....	27	Pengawar Djambi.....	128
Red.....	142	Pennyroyal,	
White.....	177	<i>Hedeoma pulegioides</i>	129
Obstetric calender.....	231	Peony..... <i>Pæony officinalis</i>	129
Ocimum Basilicum,		Penthorum sedoides,	
Sweet Basil	162	<i>Virginia Stone-crop</i>	173
Oenanthe Phellandrium,		Pepper, black.....	27
Water Fennel	175	Peppermint... <i>Mentha piperita</i>	129
Oenothera biennis,		Pepper, red..... <i>Capsicum</i>	38
Evening Primrose	69	Pepsin.....	129
Oil, Carron.... see Linseed Oil	106	Peptonizing Tablets,	
Castor.....	46	see Pancreatin	126
Chaulmoogra.....	49	Persea gratissima,	
Cod Liver.....	55	Alligator Pear	9
Croton.....	62	Persimmon,	
Eucalyptus.....	68	<i>Diospyros virginiana</i>	131
Linseed.....	106	Petroleum.....	131
Olive.....	122	Peumus Boldus..... <i>Boldo</i>	30
Origanum..... see Thyme	168	Pharmacognosy case.....	44
Pongamia glabra.....	135	Phenacetin..... see Tar	166
Sweet Almonds.....	122	Phoradendron flavescens,	
Olive Oil.....	122	Mistletoe	117
Opium.... <i>Papaver somniferum</i>	122	Phosphoric Acid.....	131
Orange, Bitter.. <i>Citrus vulgaris</i>	124	Phosphorus.....	132
Sweet,		Physostigma venenosum,	
<i>Citrus Aurantium</i>	124	Calabar Bean	35
Origanum Majorana,		Phytolacca decandra,	
Sweet Marjoram	163	Poke-root	134
Oil..... see Thyme	168	Pichi..... <i>Fabiana imbricata</i>	132
Orris..... <i>Iris florentina</i>	124	Picræna excelsa..... <i>Quassia</i>	140
Orthosiphon stamineus.....	125	Picramnia.... <i>Cascara amarga</i>	41
Osier, Green.....	80	Picrotoxin.... <i>Cocculus Indicus</i>	55
Red.....	142	Pills, List of.....	237
Osmorrhiza longistylis,		British Pharmacopœia...	274
Sweet Cicely	162	Enteric.....	276
Osmunda regalis,		Pilocarpus pinnatifolius,	
Buckhorn Brake	33	Jaborandi	95
Ostrya virginica.... <i>Iron-Wood</i>	95	Pimenta acris..... <i>Bay Laurel</i>	20
Ox-eye Daisy... <i>Chrysanthemum</i>		<i>officinalis</i> <i>Pimento</i>	132
<i>Leucanthemum</i>	125	Pimento.... <i>Pimenta officinalis</i>	132
Ox-Gall.....	125	Pimpernel, Scarlet.....	149
Oxydendron arboreum,		Pimpinella Anisum..... <i>Anise</i>	14
Sour Wood	156	<i>saxifraga</i> ,	
		<i>Saxifrage</i>	149
<i>Pæonia officinalis</i> <i>Peony</i>	129	Pine-Apple..... <i>Ananas sativa</i>	132
Pale Rose.....	144	Pine, White.....	177
Pancreatin.....	125	Pink Granules, List of.....	272
Pansy..... <i>Viola tricolor</i>	126	Pink-Root, <i>Spigelia marilandica</i>	133
Papaver Rhœas.... <i>Red Poppy</i>	142	Pinus palustris.... <i>Turpentine</i>	170
<i>somniferum</i>	122, 135	<i>strobis</i> <i>White Pine</i>	177
Papaw..... <i>Asimina triloba</i>	126	Piper augustifolium.... <i>Matico</i>	114
juice..... <i>Carica Papaya</i>	126	<i>Cubeba</i> <i>Cubeb</i>	62
Papayotin..... see Papaw	126	Jaborandi... <i>Jambu assu</i>	96
Paracoto..... see Coto	60	<i>methisticum</i> .. <i>KavaKava</i>	99
Paraguay Tea,		<i>nigrum</i> <i>Black Pepper</i>	27
<i>Ilex Paraguaiensis</i>	127	Pipsissewa,	
Paregoric,		<i>Chimaphila umbellata</i>	133
see Opium Camphorated	122	Piscidia Erythrina,	
Pareira Brava,		<i>Jamaica Dogwood</i>	96
<i>Chondodendron tomentosum</i>	127	Pistacia Lentiscus..... <i>Mastic</i>	114
Parsley... <i>Carum Petroselinum</i>	127	<i>terebinthus</i> ,	
Paullinia sorbilis..... <i>Guarana</i>	82	<i>Chian turpentine</i>	49
Peach..... <i>Prunus Persica</i>	128	Pitcher-Plant,	
Pellitory, <i>Anacyclus Pyrethrum</i>	128	<i>Sarracenia purpurea</i>	133

INDEX.

	PAGE		PAGE
Plantago major.....Plantain	134	Pulmonaria officinalis,	
Plantain.....Plantago major	134	Lungwort	108
Pleurisy-root,		Pulsatilla..Anemone Pulsatilla	139
Asclepias tuberosa	134	Pumpkin.....Cucurbita Pepo	140
Podophyllin.....Mandrake	111	Punica Granatum,	
Podophyllotoxin.....Mandrake	112	Pomegranate	135
Podophyllum peltatum,		Purslane...Portulacca oleracea	140
Mandrake	111	Pycnanthemum montanum,	
Poison Oak,		Mountain-Mint	118
Rhus Toxicodendron	134	Pyrus americana, Mountain-Ash	117
Poisons and their antidotes....	232	Malus.....Apple Tree	16
Poke-berries.....see Poke-root	134	Quassia.....Picraena excelsa	140
-root.....Phyto-		Quebracho,	
lacca decandra	134	Aspidosperma Quebracho	140
Polemonium reptans,		Queen-of-the-meadow,	
Abscess root	7	Eupatorium purpureum	140
Polygala Senega.....Senega	150	Queen's Delight..see Stillingia	158
Polygonatum officinale,		Root.....see Stillingia	158
Solomon's seal	156	Quercus alba.....White Oak	177
Polygonum acre,		infectoria.....Galls	73
Water Pepper	175	rubra.....Red Oak	142
Bistorta...Bistort	24	tinctoria..Black Oak	27
Polymnia Uvedalia ..Bearsfoot	20	Quillaja saponaria...Soap-Tree	153
Polypody, Polypodium vulgare	135	Quinine and its salts.....	52
Polyporus officinalis....Agaric	8	Urea muriate.....	51
Polytrichum juniperinum,		-Flower,	
Haircap Moss	82	Sabbatia Elliottii	141
Pomegranate,		Ragweed,	
Punica Granatum	135	Ambrosia artemisiæfolia	141
Pond-Lily, White.....	177	Raphidophora vitiensis, Tonga	169
Pond-Lily, Yellow.....	182	Raspberry....Rubus strigosus	141
Pongamia Glabra, Oil.....	135	Reagent Case.....	44
Poplar, White.....	177	Red Clover, Trifolium pratense	141
Poppy....Papaver somniferum	135	Cohosh.....Actæa spicata	142
Red.....	142	Maple.....Acer rubrum	142
Populus Balsamifera,		Oak.....Quercus rubra	142
Balsam Poplar	19	Osier.....Cornus sericea	142
tremuloides,		Poppy....Papaver Rhœas	142
White Poplar	177	Rose.....	144
Portulacca oleracea...Purslane	140	Rennin.....	130, 142
Posology.....	208	Reymond's Capsule Filler.....	39
Potassium and its salts....	135-138	Rhamnus catharticus,	
Potentilla canadensis,		Buckthorn Berries	33
Cinquefoil	52	Frangula Buck-	
Tormentilla,		thorn Bark	33
Tormentilla	169	Purshiana,	
Powder, Disinfectant.....	64	Cascara Sagrada	41
Premna taitensis.....Tonga	169	Wightii.....	143
Prickly Ash.....Xanthoxy-		Rhatany....Krameria triandra	143
lum americanum	139	Rhein.....Rhubarb	144
Pride of China,		Rheum officinaleRhubarb	143
Melia Azedarach	139	Rhododendron maximum,	
Princes Pine....see Pipsissewa	133	Great Laurel	80
Privet.....Ligustrum vulgare	139	Rhubarb....Rheum officinale	143
Prunin.....see Wild Cherry	179	Rhus aromatica.....	144
Prunus persica.....Peach	128	Rhus glabra.....Sumach	161
serotina...Wild Cherry	178	Rhusin.....Sumach	161
virginiana,		Rhus Toxicodendron,	
Choke Cherry	50	Poison Oak	134
Ptelea trifoliata....Wafer-Ash	173	Ricinus communis...Castor Oil	46
Pteliin.....Wafer-Ash	173	Roman Chamomile.....	48
Pterocarpus Marsupium..Kino	99	Rosemary,	
Pterocaulum pycnostachyum,		Rosmarinus officinalis	145
Indian Black-Root	88		

INDEX.

	PAGE		PAGE
Rose, Pale.....	Rosa centifolia 145	Satureia hortensis,	
Red.....	Rosa Gallica 144	Summer Savory 161	
Rosinweed,		Savin.....	Juniperus Sabina 148
Silphium laciniatum 145		Saw Palmetto,	
Rosmarinus officinalis,		Serenoa serrulata 148	
Rosemary 145		Saxifrage,	
Rubus canadensis....	Dewberry 64	Pimpinella Saxifraga 149	
strigosus.....	Raspberry 141	Scammony,	
villosus.....	Blackberry 25	Convolvulus Scammonia 149	
Rudbeckia laciniata,		Scarlet Pimpernel,	
Thimble-weed 167		Anagallis arvensis 149	
Rue.....	Ruta graveolens 145	Schoenocaulon officinale,	
Rumex Acetosella,		Cevadilla 48	
Sheep Sorrel 152		Scopolia Carniolica.....	149
crispus... Yellow Dock 182		Scouring Rush,	
Rumicin.....	Yellow Dock 182	Equisetum hyemale 149	
Ruta graveolens.....	Rue 145	Scrophularia nodosa,	
Sabbatia angularis....	Ameri-	Carpenter's square 40	
can Centaury 11		Scullcap..Scutellaria lateriflora 149	
campestris.....	145	Scutellaria lateriflora..Scullcap 149	
Elliottii,		Secale cornutum.....	see Ergot 67
Quinine-flower 141		Sedative...Compound Cerebral 47	
Saccharin.....	see Tar 166	Sedum acre.....	Stonecrop 150
Safflower,		Semple's Atomizing Inhaler... 89	
Carthamus tinctorius 145		Senecin.....	Life-root 104
Saffron, American,		Senecio aureus.....	Life-root 104
see Safflower 145		Senega.....	Polygala Senega 150
Sage.....	Salvia officinalis 146	Senna, Alexandria,	
Salicylic Acid,		Cassia acutifolia 151	
see White Willow 178		Serenoa serrulata,	
Salix alba.....	White Willow 178	Saw Palmetto 148	
nigra.....	Black Willow 27	Serpentaria,	
Salol.....	see Tar 166	Aristolochia Serpentaria 152	
Salvia officinalis.....	Sage 146	Sesamum indicum.....	Benne 22
Sambucus canadensis....	Elder 66	Sheep Laurel,	
nigra,		see Mountain Laurel 118	
European Elder 69		Sheep Sorrel,	
Sampson Snak -root,		Rumex Acetosella 152	
Gentiana ochroleuca 146		Shepherd's purse,	
Sandalwood..Santalum album 146		Capsella Bursa-pastoris 152	
Sanguinaria canadensis,		Sierra Salvia,	
Blood root 28		see Mountain-Sage 118	
Sanguinarine.....	Blood root 28	Silkweed.....	Asclepias syriaca 152
Sanguinariin.....	Blood root 29	Silphium laciniatum,	
Sanguis Bovinus Exsiccatus 34, 146		Rosin-Weed 145	
Santalum album..Sandalwood 146		Silver iodide.....	152
Santonin, see Wormseed, Le-		nitrate.....	153
vant.....	181	Simaba Cedron....	Cedron Seed 46
Saponaria officinalis, Soapwort 154		Simaruba.....	Simaruba amara 153
Saraca indica.....	146	Skunk Cabbage,	
Sarracenia flava,		Symplocarpus foetidus 153	
Trumpet plant 169		Slippery Elm.....	Ulmus fulva 153
purpurea,		Smilax herbacea,	
Pitcher plant 133		Jacob's ladder 96	
Sarsaparilla, Honduras,		Pseudo-china,	
Smilax officinalis 146		Bamboo Brier 19	
Mexican,		(spec. indet.),	
Smilax medica 147		Sarsaparilla, Para 147	
Para.....	Smi-	Snakeroot, Button.....	35
lax (spec.indt.) 147		Canada,	
Sassafras officinale.....	147	see Wild Ginger 179	
Sassy Bark,		Sampson.....	146
Erythrophloeum guineense 148		White.....	177
		Soap-tree....	Quillaja saponaria 153

INDEX.


	PAGE		PAGE
Soapwort, <i>Saponaria officinalis</i>	154	Styrax Benzoin.....Benzoin	22
Soda, chlorinated, Solution of, see Labarraque's Solution	100	Succus Alterans, Alterative Compound	10
Sodium and its salts.....	154, 155	Sulphur.....	161
Solanum carolinense, Horse-nettle	86	iodide.....	161
Dulcamara, Bittersweet	24	Sumach.....	Rhus glabra 161
paniculatum, Jurubeba	98	Sumbul.....	see Musk-root 119
Solidago odora.....Golden Rod	78	Summer Savory, Satureia hortensis	161
Virgaurea.....	156	Sundew... <i>Drosera rotundifolia</i>	161
Solomon's seal, <i>Polygonatum officinale</i>	156	Sunflower... <i>Helianthus annuus</i>	162
Soluble Elastic Capsules.....	329	Suppositories, Glycerin.....	77
Solution, Gold and Sodium [chloride]	78	Sweet Basil, <i>Ocimum Basilicum</i>	162
Solution Iodine.....	90	Sweet Cicely, <i>Osmorrhiza longistylis</i>	162
Sorghum saccharatum, Broom-Corn	32	Sweet Clover, <i>Melilotus officinalis</i>	162
Sour Wood, <i>Oxydendron arboreum</i>	156	Sweet Fern, <i>Myrica asplenifolia</i>	162
Southernwood, <i>Artemisia Abrotanum</i>	156	Sweet Flag.... <i>Acorus Calamus</i>	162
Spanish Needles, <i>Bidens bipinnata</i>	156	Sweet Gum, <i>Liquidambar styraciflua</i>	163
Sparteine.....	Broom 32	Sweet Marjoram, <i>Origanum Majorana</i>	163
Spearmint..... <i>Mentha viridis</i>	156	Swertia Chirata..... <i>Chirata</i>	50
Speedwell... <i>Veronica officinalis</i>	157	Symphytum officinale, Comfrey	57
Spice-Bush... <i>Lindera Benzoin</i>	157	Symplocarpus foetidus, Skunk Cabbage	153
Spigelia marilandica, Pink-root	133	Syringes.....	163
Spikenard.... <i>Aralia racemosa</i>	157	Syrup Hematic Hypophosphites	83
Spiny Clotbur, <i>Xanthium spinosum</i>	157	Syrup <i>Trifolium Comp.</i>	165
Spiræa tomentosa...Hardhack	82	Syrups.....	351
Spurge, Flowering.....	71	, Formulas for prepar- ing.....	196
Squaw Vine... <i>Mitchella repens</i>	157	Tablet Triturates.....	279
Squibb's mixture, see Opium Compound	122	, Diurnal.....	311
Squill..... <i>Urginea Scilla</i>	158	Tablets, Hypodermic.....	277
Stachys Betonica, Wood Betony	181	Veterinary	282
Star Grass.... <i>Aletris farinosa</i>	158	, Compressed.....	314
Statice Limonium, Marsh Rosemary	114	Tag Alder..... <i>Alnus serrulata</i>	165
Stavesacre, <i>Delphinium Staphisagria</i>	158	Tamarac.... <i>Larix americana</i>	165
Stellaria media.....Chickweed	50	Tanacetum vulgare.....Tansy	166
Sticta pulmonaria..Lung Moss	108	Tannic acid.....	165
Stillingia.... <i>Stillingia silvatica</i>	158	Tansy..... <i>Tanacetum vulgare</i>	166
Stonecrop, Virginia.....	173	Tar.....	166
Stone-root, <i>Collinsonia canadensis</i>	159	Taraxacum officinale, Dandelion	63
Stramonium, <i>Datura Stramonium</i>	159	Taro Flour, <i>Colocasia esculenta</i>	167
Strawberry..... <i>Fragaria vesca</i>	160	Tartar Emetic.....Antimony and Potassium Tartrate	15
Strophanthus Kombe.....	160	Tartaric Acid.....	167
Strychnos Ignatia..... <i>Ignatia</i>	88	Tea..... <i>Camellia Thea</i>	167
malaccensis, Hoang Nan	84	Terebene....	see Turpentine 170
Nux-vomica, Nux-vomica	121	Tests, Urinary.....	171
Stylosanthes, <i>Stylosanthes elatior</i>	160	Teucrium Scordium, Water Germander	175
		Thapsia garganica.....	167
		Therapeutic suggestions.....	221
		Thermometric Equivalents....	207
		Thermometry.....	213
		Thimble-weed, <i>Rudbeckia laciniata</i>	167
		Thuya occidentalis, <i>Arbor vitæ</i>	16


INDEX.

	PAGE		PAGE
Thyme.....Thymus vulgaris	167	Veratrine.....see Cevadilla	48
Thymus vulgaris.....Thyme	167	Veratrum album,	
Tilia americana.....Basswood	19	White Hellebore	176
Tinctures, Formulas for pre-		viride.....Ameri-	
paring.....	185	can Hellebore	11
Tincture, Warburg's.....	174	Verbascum Thapsus...Mullein	118
Tobacco....Nicotiana Tabacum	168	Verbena hastata, Blue Vervain	30
Tolu....Myroxylon Toluifera..	168	urticæfolia,	
Tomato.....Lycopersi-		White Vervain	178
cum esculentum	168	Veronica officinalis..Speedwell	157
Tonca-Bean..Di teryx odorata	168	virginica.....Culvers	62
Tonga { Premna taitensis.... }		Vervain, Blue.....	30
{ Rhaphidophora viti- }	169	White.....	178
{ ensis..... }		Veterinary Capsules.....	75
Tormentilla		Hypodermic Case..	45
Potentilla Tormentilla	169	Syringe	165
Tree of Heaven,		Viburnin.....Cramp Bark	61
Ailanthus glandulosa	9	Viburnum Opulus, Cramp Bark	61
Trifolium Comp., Syrup.....	165	prunifolium,	
pratense, Red Clover	141	Black Haw	26
repens, White Clover	176	Vinegars, Formulas for pre-	
Trilisa odoratissima,		paring.....	199
Deer-tongue	64	Viola tricolor.....Pansy	126
Trilliin.....Beth root	23	Virginia Stone-crop,	
Trillium erectum.....Beth root	23	Penthorum sedoides	173
Trinitrin.....see Nitroglycerin	120	Vitis quinquefolia,	
Triticum repens,		American Ivy	12
see Couch-Grass	61	Wafer-Ash....Ptelea trifoliata	173
Triturates, Tablet.....	283	Wahoo,	
Tsuga canadensis,		Euonymus atropurpureus	173
Hemlock Spruce	83	Walnut, Black.....	27
Trumpet-plant,		Warburg's Tincture.....	174
Sarracenia flava	169	Water Avens.....Geum rivale	174
Tulip-tree,		Eryngo,	
Liriodendron tulipifera	169	Eryngium yuccæfolium	174
Turkey-corn,		Fennel,	
Dicentra canadensis	169	Cenanthe Phellandrium	175
Turmeric.....Curcuma longa	169	Germander,	
Turnera microphylla, Damiana	63	Teucrium Scordium	175
Turpentine.... Pinus palustris	170	Hemlock,	
Turpentine, chian.....	49	Cicuta maculata	175
Tussilago Farfara....Coltsfoot	57	Melon,Citrullus vulgaris	175
Twin-leaf, Jeffersonia diphylla	170	Pepper,Polygonum acre	175
Ulmus fulva.....Slippery Elm	153	Weights and measures.....	201
Umbellularia californica,		White Ash,	
California Laurel	36	Fraxinus americana	176
Unicorn-root.....see Star Grass	158	Bryony....Bryonia alba	176
Urechites suberecta.....	170	Clover,	
Ureometer.....	171	Trifolium repens	176
Urginea Scilla.....Squill	158	Cohosh.....Actæa alba	176
Urinary Test Case,		Hellebore,	
see Reagent Case	44	Veratrum album	176
Urinary Tests.....	171	Indian Hemp,	
Urtica dioica.....Nettle	120	Asclepias incarnata	177
Ustilago Maïdis.....Corn	59	Oak.....Quercus alba	177
Utero-vaginal Syringe,		Pine.....Pinus strobus	177
Chamberlin's	164	Pond-Lily,	
Uva-Ursi,		Castalia odorata	177
Arctostaphylos Uva-Ursi	172	Poplar,	
Vaccinium crassifolium.....	172	Populus tremuloides	177
Valerian...Valeriana officinalis	172	Snake-root,	
Veratriin..American Hellebore	12	Eupatorium aro-	
		[maticum	177

INDEX.

	PAGE		PAGE
White Vervain,		Wormseed, Levant,	
<i>Verbena urticæfolia</i>	178	<i>Artemisia maritima</i>	181
Willow..... <i>Salix alba</i>	178	Wormwood,	
Wild Bergamot,		<i>Artemisia Absinthium</i>	182
<i>Monarda fistulosa</i>	178	<i>Xanthium spinosum</i> ,	
Carrot.... <i>Daucus Carota</i>	178	Spiny Clotbur	157
Celandine,		<i>strumarium</i> ,	
<i>Impatiens pallida</i>	178	Clotbur	53
Cherry.. <i>Prunus serotina</i>	178	<i>Xanthoxylum americanum</i> ,	
Ginger,		Prickly Ash	139
<i>Asarum canadense</i>	179	<i>Yam</i> , Wild.....	180
Indigo, <i>Baptisia tinctoria</i>	179	<i>Yarrow</i> ... <i>Achillea Millefolium</i>	182
Lettuce,		<i>Yellow Dock</i> ... <i>Rumex Crispus</i>	182
<i>Lactuca canadensis</i>	180	<i>Parilla</i> <i>Menisper-</i>	
<i>Yam</i> <i>Dioscorea villosa</i>	180	[mum canadense	182
Willow, Black.....	27	Pond-Lily,	
Herb,		<i>Nuphar advena</i>	182
<i>Epilobium spicatum</i>	180	<i>Yerba Buena</i> .	
White.....	178	<i>Micromeria Douglasii</i>	183
Wines.....	350	Reuma,	
, Formulas for preparing	199	<i>Frankenia grandifolia</i>	183
Wintergreen,		<i>Yerba Santa</i> ,	
<i>Gaultheria procumbens</i>	180	<i>Eriodictyon glutinosum</i>	183
Witch Hazel,		<i>Zinc salts</i>	184
<i>Hamamelis virginiana</i>	180	<i>Zingiber officinale</i> <i>Ginger</i>	76
Wood Betony,			
<i>Stachys Betonica</i>	181		
Wormseed, American,			
<i>Chenopodium ambrosioides</i>	181		





Accession no.

Author Parke, Davis
Descriptive Catalogue.

Call no. 19th cent

RS355

P27

1894

