Record of private practice: for the years 1858 and 1859; and mortuary record of the city of Troy, N. Y. for the years 1858 and 1859.

Contributors

Brinsmade, Thomas Clark. Harvey Cushing/John Hay Whitney Medical Library

Publication/Creation

Albany: Van Benthuysen, 1860.

Persistent URL

https://wellcomecollection.org/works/hvp7zuua


License and attribution

This material has been provided by This material has been provided by the Harvey Cushing/John Hay Whitney Medical Library at Yale University, through the Medical Heritage Library. The original may be consulted at the Harvey Cushing/John Hay Whitney Medical Library at Yale University. where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.





YALE MEDICAL LIBRARY



HISTORICÁL LIBRÁRY

The Harvey Cushing Fund





RECORD OF PRIVATE PRACTICE.

MORTUARY RECORD OF TROY.

1858, 1859.

and the area of the con-

for the Frank 1858 and into

MORTITARY RECORD

THE OF THE ST. N. T.

Lor the Veges dute and 1859.

RECORD

OF

PRIVATE PRACTICE,

For the Years 1858 and 1859;

AND

MORTUARY RECORD.

OF THE

CITY OF TROY, N.Y.

For the Years 1858 and 1859.

BY THOMAS C. BRINSMADE, M. D., OF TROY.

ALBANY:
PRINTED BY C. VAN BENTHUYSEN.
1860.

Reprint from the Transactions of the Medical Society of the State of New York, for 1860.

REGISTRATION OF DISEASES.

Perhaps I ought to apologize to the Society, and to the public, for again offering to them another small contribution of statistics; at least, I feel that it is due to myself to say, that although I am an advocate for the systematic registration of facts, for the advancement towards positivity in medicine, I do not wish the Society or the profession to infer that I believe statistics are entirely reliable sources of accuracy in science, or that I attach an undue importance to them.

I have no expectation that absolute positivity will ever be found in medicine, but an approach to it is an advance in the right direction, and one of the steps in that way is to make facts available; and these cannot be presented to the profession, if they are not written. They may seem, at the time, small, unimportant, and isolated, but some industrious individual, skillful in deducing generalizations, may find even in the record of the humblest physician, materials worthy of being added to others. Returns, even lacking in accuracy, afford some approximation to truth, and throw considerable light on the fluctuations of disease, on the influence of weather, and on the retrograde or progressive state of the public health.

The registration of births, deaths and marriages, was originated two hundred years ago by Capt. John Graunt, of London, and since incalculable benefits have resulted, and deductions most interesting to science have been made, although there are immense deficiencies in the care and completeness of records.

The suggestions of Drs. Orton and Palmer, although seconded by the action of several State Societies, and of the American Medical Association, seem not to have been adopted by physicians in their individual capacity, or if they have, no returns, that I am aware of, have been made to the committees to whom the subject was assigned. It is probable, however, that some individuals have been induced by the recommendations of these societies, to make more notes of cases, in some form; and I still hope that there will be a gradual accumulation of registers from various parts of the country, furnishing a large stock of materials which will eventually ripen into a valuable harvest.

I have persisted in the practice of making the daily record, of what has come under my notice, and am willing to submit the result of my labors to the profession, and leave the effect to be seen.

It will at least be an instance, that a man of moderate industry, with a full practice, may be able to make some minutes of his daily observations,

and arrange them in order, and the example may excite similar or better efforts in others of more leisure and ability.

To cite an illustrious instance, I may mention the fact that Sir John Pringle, the earliest health reformer in Great Britain, deposited in the library of the Royal College of Physicians of Edinburgh, in 1781, a year before his death, ten large folios of MSS., entitled "Medical Annotations," forming a most remarkable record of the active intelligence and industry of a physician, in the course of an immense London practice.

I submit the tables, therefore, without much comment, to the committee on publication, and rely upon their judgment in regard to the utility of

printing them.

If my practice may be taken as typical of that of other physicians in the city of Troy, it will be seen that no serious epidemic has prevailed during the years 1858 and 1859. This has been the case throughout the country, with a few limited exceptions, as far as I have been able to learn.

While diptheria was extensively prevalent in Albany, only five miles dis-

tant, there was only a very few sporadic cases with us.

Bronchitis, and other pulmonary affections, were as usual most frequent in the winter and vernal months, and diseases of the digestive organs during the summer and autumnal months.

The fatality from cholera infantum and dysentery was less than for several previous years.

This paper, and through it, the Transactions have been delayed by the sickness and death of Dr. Wm. C. Rogers, of Green Island. I cannot, in justice to my own feelings, or the memory of a most worthy member of the profession, let this occasion pass without a short notice of the life of one to whose unwearied and intelligent industry I was largely indebted, in preparing the results of my practice, as presented in my annual address in the Transactions of 1858.

His intimate friend, Prof. W. P. Seymour, has kindly written, at my request, the following brief tribute to his memory, in which I cordially join; and from my almost daily intercourse with him, for several years, I can testify to his honor as a physician, his nobleness as a man, and his inestimable worth as a friend, whose loss I deplore with the deepest sorrow.

Dr. Rogers' disease was acute pneumonia, which he attributed to violent exertion, in exercising with heavy dumb-bells, at a gymnasium. He was in perfect health until the moment that he was conscious of a severe pain in the right side of the chest, while trying to raise the bell, causing such a shock as to produce a feeling of faintness. The pain continued for two or three days, but as the inflammation was confined to the right lung, it was hoped that he would recover, until about thirty-six hours before his death, when evidences of the occurrence of the disease having invaded the other side of the chest, became manifest, it extended rapidly, and he expired just eight days after the first attack.

Dr. Rogers was born in Utica, October 3d, 1830. He moved to Schenectady while quite young, and entered Union College. Leaving college, at the end of the Sophomore year, he spent a number of months teaching in Scotia. He began the study of medicine with Dr. Vedder, of Schenectady, and after six months came to Troy in September, 1849, to take charge of St. Paul's Parish School, continuing his medical studies under the direction of Dr. Brinsmade. In the fall of 1852 he commenced attending lectures at Albany, and was assistant physician to the almshouse, while an undergraduate. After graduating in June, 1854, he settled on Green Island, and began the practice of medicine in July of that year. From that time to the day of his death, on the morning of the 7th of April, he was untiring in the prosecution of his studies and the practical duties of the profession.

His natural inclination, and the pressure of limited means, led him early to write for various literary publications, and for the daily press, as a means of acquiring books, upon professional and kindred subjects. These were highly valued—perhaps the more from the difficulty of their acquisition—closely studied, and their contents systematically stored in a remarkably retentive memory, until he became a strong example of the truth of the aphorism, "Beware of the man of one book."

Being chosen health officer of the Island, he was led to the study of disease, in the broader relations of its classification, causes, and savitary prevention; and possessing a philosophical mind of the highest order, with a ready pen, great power of expression, and a love for statistical investigations and deductions, he was gradually laying up the materials for future contributions to our medical journals. He had already opened a correspondence with many leading members of the profession in other States, and written articles for the journals upon subjects of general interest and practical importance. To many of his correspondents this notice will be the first, of the death of one who bid fair to throw new light upon old fields, and open up the investigation of new. His more private virtues, and social qualities, this is not the place to dwell upon, and his intimate friends will be the first to feel the difficulty of my adequately expressing his loss.

TROY, April 26th, 1860.

Died. Cured. 28 200 14 50 18 18 Total. Totul. 338 M. July. August. Sept'ber. October. Nov'ber. Dec'ber. : M. E. ABSTRACT of cases occurring in the practice of Dr. T. C. Brinsmade, in 1858. M. 04 M. 9 E. M. F. M. 63 H. M. **** CA June. E. ::: CH M. ::: 12 E. May. 2 64 24 M. 000 H. January. Febru'y. March. April. M. F. ::: - 01 M. CA E M. F. M. Erythema Dysentery Whooping cough. Erysipelas..... CLASS 1-ZYMOTIC DISEASES. Vaccinia. Gonorrhæa Fever, typhoid Measles Mumps Diphtheria Varricella Cholera morbus..... Porrigo Infantile, remittent Tonsillitis Total Zymotic diseases.... Goitre Small pox Intermittent fever..... Influenza Varioloid Cholera infantum..... Cancer Remittent fever..... Anemia Atrophy SPORADIC DISEASES. DISEASES CLASS 2.

4 : : :	1:	:::::::::::::::::::::::::::::::::::::	11
::::	:	Tititi i i i i i i i i i i i i i i i i i	t
11 31	53	82 1 1 4 5 1 1 1 1 1 2 1 2 1 1 1 1 1 1 1 1 1 1 1	
8 ::1	43	51 54 84 84 84 84 84 8 1 1 1 1 1 1 8 1 8 1 8	Ī
8 - 8	10	21 : 10000 : 21 4000 4000 400 11 11 1	Ī
-	1:	T S S T T T T T T T	Ī
64	1	- a - a - a - a - a - a - a - a - a - a	Ì
eo : : :	1	H . 6	Ì
-	1:	H : 0 H : H : H : H : H : H : H : H : H	1
64 : : :	1	8 : 10 10 10 10 10 10 10 10	İ
Tiiii	1	8 4 1 1 1 HH 1 1 1 1 1 1 HH 1 1 1 1 1 1 HH 1	İ
-:::	1	ю : он мн	-
11-1	1	H : : : : : : : : : : : : : : : : : : :	1
iiiii	1	н : ю : н : : : : : : : : : : : : : : :	1
1111		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1
-		ю ; ю ; нн ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	
Tiii	:	H; [5-H;] #]]]]]]]]]]]]]]]]]	-
1111		9 8	-
-	:	— — — — — — — — — — — — — — — — — — —	-
Tiii		н : 9 : . н :	Ī
			-
		64 1 1 64 64 64 64 64 64 64 64 64 64 64 64 64	-
-		2 0-1 1 2 2 3	-
-		10 1 10	Î
Tiiii		:::::::::::::::::::::::::::::::::::	-
	i	64 90	
		:::aan::::::::::::::::::::::::::::::::	-
		Η ∞ ∞Η Η	
::::		4 1411 01111	-
	:		-
Dropsy (anasarca)	Total Sporadic diseases		
3	dise;	S	
sarce 	oradic dis	NEB NEB NEB NEB NEB NEB NEB NEB NEB NEB	
(ana	Spoi	Es of limits services signification in true services solution in true services servic	
Dropsy (anasarca) Gout Hæmorrhage Varicose veins	Total	DISEASE OF NERVOUS SYST Ophthalmia Syncope Incubus Neuralgia Neuralgia Neuralgia Neuralgia Corvulsions Convulsions Cophalitis Ottitis, Apoplexy Mania Hiccup Palsy Epilepsy Felicup Palsy Corprise Cerebro spinal meningitis Encephalitis Coup de soliel Chorea Meningitis Meningitis Hemiplegia Spinal irritation Amaurosis Narcotism Hydroceplalus Congestion of brain Myelitis Asphyxia Total Nervous diseases	
Go Ha		A MOHNA WHE COE COE CHO COUNTY OF THE PROPERTY	

0
P
9
ned
F
-25
7
~
(Con
~
1
1
1
CT
ACT
1

Die					
Cur		:	:::	:	111111111
Tota	372 312 121 121 14 14 1	460	121	4	13 15 11 15 15 10 10 10 10 10 10 10 10 10 10 10 10 10
F.	771 20 9 6 6 6 1 1 2 2 1 2 1 2 1 2 1 2 1 2 1 2 1	217	1 2 1	60	864 268 26 38 88 88 88 88 88 88
M.	10: 4488800	243		1	257 25 41 21
F.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	:			61616 161
M.	-81	:		:	HH04 4
E.	12 12 12	:	1	1	101 4 00
M.	1 1 1 3 3 2 2 1	:			1 10 61 1
F.	12 12	:		:	14 31 1
M.	51 : : : : : : : : : : : : : : : : :	:			1 1 9
F.	=	:			
M.	#	:	1		1 10 10
F.	64	:			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
M.	n n n	:		:	8
E.	œ :- : : : : : : : : : : : : : : : : : :	:		:	100
M.	9		1111	:	00 LO 64
F.	0161		-		80 BB
M.	200				64 54 64 1
F.	200		-		
M.	21 co 1 d 1 d 1 d 1 d 1 d 1 d 1 d 1 d 1 d 1	:	-::		H 12 4014
E.	g4 : : : : : : : : : : : : : : : : : : :	:	1111		0 PH4H ::
M.	The state of the s		-	_	
E.					11 30 - 81 8
M.	The second secon	_		-	
E.			The second second second		- 0
M.	The second secon	_	THE RESERVE OF THE PARTY OF THE	:	H HH 8 H
F.		_		i	884684
M.		:			1000 000-
		tion .		ion .	- No - No - No - No - No - No - No - No
Diographic.	CLASS 4.—DISEASES OF OGANS OF RESPIRATION. Bronchiis Preumonia Pheurisy. Catarrh Asthma Pyemia. Pyemia. Pyewia. Pyewia.	Total diseases of respirati	LASS 5.—DISEASES OF OGANS OF CIRCULATION. isease of heart arditis	Total diseases of circulati	CLASS 6.—DISEASES OF ORGANS OF DIGESTION. Stomatitis. Gastralgia. Painful dentition Dyspepsia. Constipation Colic. Hæmorrhoids Peritonitis.
	M. F. M. F. M. F. M. F. M. F. M. F. M. F. M. F. M. F. M. F. M. F. M. F. M. F. M. F. M. F. M. F. M. F.	K. F. M. F.	ES OP ON- RS OP ON- RATION. 16 19 18 13 32 34 38 22 12 12 11 9 6 8 5 2 11 11 12 12 27 15 7 20 195 177 2 1 1 1 2 2 1 3 4 3 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M. F. M. F.	16 19 18 13 32 34 38 22 12 12 11 9 6 8 5 2 11 11 2 1 1 1 2 1

11111111111111111				
113211333113222	384	11222313	40	11355
80 H 4 80 H 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	193	H001 101	14	1 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
F. 0 - 0 - 1 - 1 - 1	161	1200111	26	
			:	61-4
н : : : : - н : : : : : : : : : : : : :				H 00 04
61 H H		H 64		
	i	.00		-00
H 64 : : : : : : : : : : : : : : : : : :		11-1111		1111111
-::::::::::::::::::::::::::::::::::::::				-4-
		H 64	:	
				61 -
111111111111111111				ю не н · · · · · · · · · · · · · · · · ·
HO1::::H::::::H::::				
©:::::::::::::::::::::::::::::::::::::				60 : 61 H : : :
:::a:::::a::::::::::::::::::::::::::::		:::-:	:	1 111111
ingeringer		: :::::::::::::::::::::::::::::::::::::	:	-4
			:	1 1 1 1 1 1 1
T: *::::: :::::::::::::::::::::::::::::			:	ene :::::
				::::
:::::::::::		1 1 1	:	10 01 01
:: ::::::::::::::::::::::::::::::::::::		: :::::	:	1::::
7::7:::::::::::::::::::::::::::::::::::			:	
				L:4
		-4	:	
-::::::::::::::::::::::::::::::::::::::	:	64-	:	400
60		- 60		
Follicular inflam. of throat. 3 Jaundice Vomiting Wortus Wortus Splenitis Flympanitis Frolapsus ani Frympanitis Frotero-colitis Glossitis Disease of stomach Stricture of cesophagus Hepatitis Ascites Fissure of anus.	Total diseases of digestion,	CLASS 7.—DISEASES OF URI- NARY ORGANS. Incontinence of urine. Dysuria Gravel Nephritis Hæmaturia Ischuria. Cystitis	Total urinary discases	CLASS 8.—DISEASES OF ORGANS OF GENERATION. Leucorrhæa
Follicular inflam. of throat. Jaundice Vomiting Worms Enteritis Splenitis Flernia inguinal Frolapsus ani Tympanitis Entero-colitis Glossitis Disease of stomach Stricture of œsophagus Hepatitis Ascites Fissure of anus.	liges	8	ases	CLASS 8.—DISEASES OF GANS OF GENERATION. Leucorrhæa
p had had	Jo	GAN GAN GAN	disc	ERA
lam nal se se se se se se se se se se se se se	3868	on	ary	GEN GEN Cea.
gui gui gui gui tis oliti of f	lise	T.—DISEASES ON NARY ORGANS. nence of urine. tis. uria.	arin	or or hoes agis orrhis is .
ting it is in it is it is it is it is it is it is it is it is it is it is it is it is it is it is it is it is it is it is it is it it is it it is it it is it it is it it is it it is it it is it it is it i	tal o	N N N N N N N N N N N N N N N N N N N	tal	ANS orrh norr orrh nenc erit rfor
ollic ominical forum rola ymp miter loss iisea trict cepa scit	To	CLASS 7.—DISEASES OF NARY ORGANS. Incontinence of urine. Dysuria Gravel Repartitis Nephritis Ischuria. Ischuria. Uremia.	To	JEAN General Jenes Jen Jenes Jenes Jenes Jenes Jenes Jenes Jenes Jenes Jenes J
ZAPPAZHAHABAZHABA		о нномнюю		о наминь
*				

ABSTRACT-(Continued.)

(l 'p	l Die	:::::::	:	::::1	:	
11.	Cur	1.111111		::::	:	
.le	Tot		101	11 12	19	23 26 26 27 111 111 111 111 111 111 111 111 111
al.	E.	1 9 1	94	25	26	1252034
Total.	M.	1 2 1 1 1	-	39	41	81 44471912209
m'r.	F.		:	64		
Decem'r.	M.			1 2		*
m'r.	F.			1		
Novem'r.	M.			00	:	8
Der.	E.		:	1 2		
October.	M.		1	60		-:
	F.		:	1	1	2
Sept.	M.		:	1 2		-
ust.	F.		:	T		-
August.	M.		1	64	1 :	6
. Y	F.	- 67	1	- : : :		
July.	M.		1:		1 ::	
June.	F.		1:	61		H : H + 100 100 H
Ju	M.		1:	9 : : :	1	- : : : : : : : : : : : : : : : : : : :
May.	F.		1:	4 : : :	1	64 4 1
Ma	M.	-	1	4 : : :	1	F 63
April.	F.			4 ! ! !	1:	
Ap	M.				1:	64 65 17 17 17 17 17 17 17 1
ch.	E.		1	-	1:	© ⊢ 010101
Mar	M.		1	9	1 :	
January. Febru'y. March.	F.		1 :	-:::	1	+
Febr	M.		1	-:::	1:	4
ary.	F.		1:	10	1:	
Janu	M.		Total dise's of generative org	6		
			org.		Tot'l digea's of locom. organs	
		Spermatorrhea. Disease of testicle Paraphymosis. Polypus of womb Orchitis Prolapsus uteri. Abortion.	ative	CLASS 9—DISEASES OF ORGANS OF LOCOMOTION. Rheumatism	org.	CLASS 10—DISEASES OF INTEGRAM. TEGUMENTARY SYSTEM. Acne. Vloers. Ulders. Prurigo Abscess Petcehia Roscola Hare lip Whitlow Lymphadenitis Alopeciae
	DISEASES.	Spermatorrhea Disease of testicle Paraphymosis Polypus of womb Orchitis Prolapsus uteri Abortion	ener	CONC	осош	CLASS 10—DISEASES OF TEGUMENTARY SYSTEN Acne
	SEA	Spermatorrhœa Disease of testicle Paraphymosis Polypus of womb. Orchitis Prolapsus uteri Abortion	of g	F LO	1 Jo	TEGUMENTARY ECZEMA
1	ī	ymo ymo s of s of s of s of	8,08	9- or so or artist spin d to	sea.s	10 MEN 88 .
-		sease raph lypus shitis ortio	al di	GAN GAN eumi rved urve	1 dis	CLASS 10—DISE TEGUMENTAR ECZEMA Acne. Ulcers. Ulcers. Prurigo. Abscess. Petechia Roseola Hare lip Whitlow Lymphadenitis
11		Pho Pho Pho Hy	Tot	Rh Cun Inc	Tot	Eer Abs Pru Pet Ros Har Wh

2,294

External causes

qo

1111111111	1:	:::::::	1:1	No. 1 Control of the
111111111	1:		:	
8-8-1-14-18	149	058-424	43	
9 : 5 - 1 - 2 - 5	83		10	
614 614	99	04	33	
111111111	1 :		:	Name of the last o
			븜	
111111111	1:	-::::::::::::::::::::::::::::::::::::::	1:	
61 61 61 -	1 !		::	
	1:	- : : : - : : : : -	:	700 53 460 460 40 101 101 149
	1			
7111111111	1		:	
111111111	:			
		- : : : : : : : : : : : : : : : : : : :	:	
	·			
	1			
1111111111	1			
-:::::	1	::::-:-:::		
- ! ! ! ! - ! ! !	:	H : : : : : : : : : : : : : : : : : : :		
-	:	нн : ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;		nns. System
111111111	:	8 - : : : : : : : : : : : : : : : : : :		Sys
- : : : : : : : : : : : : : : : : :	:			organs tary Sy
: :::::				tion tion tion tion
17 11111111	:			Symotic Diseases
-:::::::				lisea Gir Cin Disea f Ge
				tic I dic ons ses o rry D
2			Total external causes	Total number of Zymotic Diseases do Sporadic do do Nervous do do Diseases of Respi do do Circu do Urinary Diseases do Diseases of Gener do do do Locon do do Integ
				of DI
		-		nber
		-		
2			÷	Pota
			-:	
	:			
Ecthyma Strophulus Psoriasis Bunion Hordeolum Purpura Rupia Urticaria	Total diseases of integ. syst'm	CLASS 12—EXTERN'L CAUSES. Wounds Sprains Sprains Dislocation of patella Contusions. Injury of eye Burns Crushed Loose cartilage in knee joint. Fractures.	:	P. S. STEERS IN CO.
	5. 83	cAt		
Strophulus Strophulus Psorfasis Bunion Hordcolum Purpura Rupia Urticaria	nte	rella	nse	
	ofi	pat pat ge in	1 08	
	ses	rec n of	rna	The state of the s
is	isea	in in tion one of constant	xte	
phu ias ion leol leol our ia	n d	ss I	11 6	
Ecthyma Strophul Psoriasis Bunion . Hordeolu Purpura Rupia . Urticaria	Tota	Vound Wound Sprain Spenge Coistor Cornts Crushe Crushe Crushe Concus Concus	lota	3352233
новинивон	-	оришноннонно	-	

DISEASES.	-	-			UN	UNDER					1		.1	d.		
	1 5	10	20	30	40	20	09	70	80	90 100	M O	E.	Tota	Cure	Died	
Whooping cough Dysentery Dysentery Dysentery Diarrhoea Vaccinia Genorrhoea Syphilis Scarlatina Boils Fever typhoid Croup Measles Frythema Croup Measles Frythema Frythema Croup Measles Frythema Frythema Frythema Croup Measles Frythema Frythema Frythema Frythema Frythema Frythema Frythema Frythema Frythema Frythema Frythema Frythema Frythema Measles Frythema Frythema Measles Frythema Frythema Frythema Frythema Frythema Frythema Frythema Frythema Frythema Frythema Frythema Frythema Frythema Frythema Frythema	24.22.33 25.22.25 25.23.25 25.25 25.23.	2 3 1 1 2 3 1 1 1 2 3 1 1 1 1 1 1 1 1 1	4 :4-1-196 :68 : 59 : 11 : 69 : 11 : 69 : 11	24-21 -0-40 E0	10010 100000 4 10000 1 H	40 1 10 12 2 2 1 1 1	161 14 1-61 1 1-60	101 14 11 8	H010 10 11 11 10 10 11 11 11 11 11 11 11		011014404404040404040404040404040404040	42222 22228 8 442880 10000 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	45.552 25.552			
Total Zymotic diseases	:					1			:	:	338	8 362	200	:	1:	
Cancer. Anemia Atrophy.			:=:	13	-4	64		-			1 1 1	1:23	288	1 1 1 1		

AGES-1858.

82181	53	81-481 248 88 88 88 88 88 88 88 88 88 88 88 88 8
00 00	43	51 52 4 8 4 5 4 8 4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
80 10 80	10	1 1 1 2 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1
111111	:	
111111	:	
	1	н 4нн н м
:		64 10 00
11-11		8 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
H 63 64		w : 1-0101 : 01-1-1 : 1
	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
6.0		7 98 961 8 11 11 11 11 11 11 11 11 11 11 11 11
61 61	1	10 10 10 10 10 10 10 10 10 10 10 10 10 1
-	1	H 6 8 H 9 H 9 H 9 H 9 H 9 H 9 H 9 H 9 H 9 H
Tilli	1	
THILL	1	- I - I - I - I - I - I - I - I - I - I
		Orns. I Meningitis In the series of nervous system. In the series of nervous system. In the series of nervous system.
Goitre Dropsy (Anasarca) Gout Hæmorrhage	Total Sporadic diseases	Ophthalmia. CLASS 3D—DISEASES OF NERVOUS SYSTEM. Syncopo Synco

-		Died	100	:	153:	:	
	.h	Cure		:		1	
	.1	Total	272 31 21 21 21 12 14 14	460	-61-	4	13 36 11 159 13 20 20 20 25 9
		F.	771 20 00 14 01 17 17 17 17 17 17 17 17 17 17 17 17 17	217	123	60	864 886 886 886 886 886 886 886 886 886
		M.	195 195 195 195 195 195 195 195 195 195	243	1	1	201 12 27 27 28 11 11 11 11 11 11 11 11 11 11 11 11 11
		100		:			
		90	100	:			m
		80	1 1 1 2 2 2	:			4 -
		7.0	18 11 18	:		:	64 68 14
		09	31 1 2 1 1 2 1 1 2 1 1 2 1 1 1 1 1 1 1 1				-5 8 -04-0
	ER	20	044 144				19 08 88 441
	UNDER	40	4004 40	:		:	H- 6000-000-14
		30	5424116111		- :		7 5001000001
		20	14 8 11 13		-		21 01411 82
<u>-</u>			39				H 64 64 64
one		10	2° 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	:			r 6119 1
onti		-	9	:			64 11 83 11 12
AGES-(Continued.)	DISEASES.		Bronchitis CLASS 4TH—DISEASES OF ORGANS OF RESPIRATION. Pneumonia Phthisis Hamoptysis Pleurisy Catarrh Asthma Pyemia Epistaxis Hay fever	Total diseases of Respiration	Disease of heart	Total diseases of Circulation	Stomatitis Gastralgia Painful dentition Dyspeptia Constipation Colic Hemorrhoids Peritonitis Peritonitis Gastritis Jaundice Vomiting

			:	
:d-00	384		40	211111130
	193		14	13 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
0	161	120021	26	
THEFT			:	-::::::::::
THEFT				
-::::::::::::::::::::::::::::::::::::::				
111-1-111111				
- - - -		4-		4 61
	1	. 60		ю i- i i- i- i i
		0-0-		11: 1: 1: 1: 1: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2:
	1	m 64		10000401
1111-111111111	1		1	88 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
1111111111111111				
0	1		1	
111111-111111	1	-	1	
11111111111111111	1		1	
	-			
			1	
	1		:	, !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
		CLASS TTH—DISEASES OF URINARY ORGANS.	:	CLASS STH—DISEASES OF ORGANS OF GENERATION. gina icle nb
	1	CLASS TH-DISEASES OF URINARY ORGANS.		N E B
		, , , , , , , , , , , , , , , , , , ,	:	ANS OF GEN
	:	INAL		8
		B	-	ξ
	-	8	:	Ö : : : : : : : : : : : : : : : : : : :
	:	8		EASES OF ORG
	1	SIG	1	SEAS
	tion	# : : : : : : :	:	Ā : : : : : : : : : : : : : : : : : : :
	iges	g : : : : : : : : : : : : : : : : : : :	3868	#
s s s s s s s s s s s s s s s s s s s	of D	CLA	dise	S S S S S S S S S S S S S S S S S S S
ach pha	808	T	ary	gina gina icle.
uina nii. tis. ttom ceso nus.	Total diseases of Digestion	ce of urine	Total Urinary diseases	aea gia hœa rarts rhœa testi ois
isis ing	tal	a tis uria	tal	rhoe nrrho nrrha intis orat sal w intora e of nyme is of
Worms Enteritis Splenitis Splenitis Hernia inguinal Prolapsus ani Tympanitis Entero-colitis Glossitis Disease of stomach Stricture of cesophagus Ascites Fissure of anus Hæmetamesis	To	Incontinence of urine. Dysuria Gravel. Nephritis. Hæmaturia Cystitis Cystitis Uremia.	To	Leucorrhœa. Leucorrhœa. Amenorrhæa. Manorrhæa. Dysmenorrhæa. Hysteritis Imperforate vagina. Spermatorrhæa. Disease of testicle. Paraphymois. Polypus of womb.
Web Ren Ber Ber Ber Ber Ber Ber Ber Ber Ber Ber		GO E B S C C		OPPUS VEHUELS

.i						
	Cure		1 :		1	
•	Total	9 - 1	101	20	67	82 00 00 00 00 00 00 00 00 00 00 00 00 00
	14	91:	94	25	26	PH0 612 0 10 10 10 11
	M.	::-	1-	39	44	8 :444F10100000H :::0
	100				1	
	06	111			1	
	80	64	:		1	
	0,2	111	:	80 H	1	N N
	09			14	1	H . WH . WH
ER	20	- : :	:	12	1	H H 1004 H H H H H H H H H
UND	40	:		17	:	844 84
	30	64		6 1		4
	20			-	1	
	10	111		61 :		w : w : 4 : w : w : w : i i i i
	10	-				# 01 0 0 1
	-		:			9
DISEASES		olapsus uteriydrocele	Total diseases of Generative organs	curved spine	Total diseases of Locomotive organs	Eczema CLASS 10TH—DISEASES OF INTEGUMENTARY SYSTEM. A cne Ulcers Ulcers Herpes Prurigo A baccess Roscola Hare lip Whitlow Lymphadenitis Alopeciae Sethyma Strophulus Bunion Hordeolum Paurpura
	UNDER	UNDER 5 10 20 30 40 50 60 70 80 90 100 M. F.	1 5 10 20 30 40 50 60 70 80 90 100 M. F. 1 1 1 1 1 1 1 1 1 1 1	1 5 10 20 30 40 50 60 70 80 90 100 M. F. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 5 10 20 30 40 50 60 70 80 90 100 M. F. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 5 10 20 30 40 50 60 70 80 90 100 M. F. 1

:::1	:	::	::	::	-:	:::	:
	-:-	::	::	**	::	: : :	-:
50 = 50		::	::	::	::	:::	1 :
# 82	3 149		_ :	- 63	:_	_ : :	43
	83				:-	- ! !	10
-	. 66	0.4	:-		<u>- :</u>	44-	33
	:			::	::	111	
<u> </u>	:						
		-					
1					11	111	
III	:	-	::		11		1:
		61		-	11	1	
-			-	63	11	-	
-		-	-	- 61		61	
-		6161	::	-	11	- 1	
-::					11	:	Ti
60 ::	<u> </u>	C1 -		60	11	- 61	
TiT		-:			1	101	1
111	:	::			::		1:
						: : :	
Rupia. Urticaria Tumors.	Total diseases of Integumentary system	Wounds	Sponge in rectum	Contusions	Crushed	Fractures	Total External causes
						111	:
			: :		::	111	:
111	-	ES.					
		CLASS 12TH—EXTERNAL CAUSES.			::		:
111	:	9::	: :		::	:::	:
111	8	RNA					
	yste	XTE					
1 4	8 8	7	: :		::	:::	:
	ıtar	H.			: :	111	:
111	mei	s 12	: :		::		
	egu	EV3			int		
111	Int	· ::			e j		aus
	Jo !				kne	: ::	al c
	ases		um nat		:in	bra	ern
	lise		ect	: :	lage.	of ye.	Ext
d	alc		in	ons	- tra	ion of e	lal
ia. cari	Tot	ing	oge	tusi ne	she c	cus	To
Sup Jrti		Vou	por	Con	Joo.	Frac	
HDH		200	2	.01	0		

Died. Cured. 714 2=22-0122-.IstoI Total. 345 64 60 40000 ×. August. Sept'ber. October. Nov'ber. Dec'ber. 1 M. ABSTRACT of cases occurring in the practice of DR. T. C. BRINSMADE, Troy, in 1859. E. M. M. ¢3 M. E. M. July. H. M. 0 E. June. 04 M. 50 H. May. 21 M. April. 64 M. E. January. Feb'ary. March. M. E. M. Z. M. Erysipelus
Cholera morbus
Diphtheria
Cholera infantum
Intermittent fever
Vaccinia
Gonorrhea Erythema Varricella Whooping cough Typhoid fever
Mensles
Porrigo
Varioloid Total Zymotic diseases CLASS 2-SPORADIC DISEASES Dropsy (anasarea) Croup Gout Quinsy CLASS 1-ZYMOTIC DISEASES. MumpsInfantile remittent Anæmia Influenza Boils Serofula DISEASES. Dysentery Schirrus of breast Diarrhoen Scarlatina

en : : 1	: 1	: • : : : : : : : : : : : : : : : : :	. 1	
:::	:	1::::::::::::::::::::::::::::::::::::::		1111
61	39	#08888-r-000401-00000-00-01	263	30 8 3 3
:	62	6.2.5.2.1 111 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	191	124
	1-	∞ c t t c	102	88 4 4 5
		61-61:0		H :-61
-				#- i-
TIII		4 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		2 H : 03
1111	:			2 : 12
-		φ (φ φ () () () () () () () () (9 -11
TIII		п (8)		9 : :01
111		64 [2-4]]]]]]]		∞ :-:
Tiii				4 : : :
-		© -		4 : : :
TII		[H@ [6]]]] [H [H [H [H [H [H [H [H [H [H [H [H [H		10 : : :
TIT	Ħ	64 64 64 64 64 64 64 64 64 64 64 64 64 6		- : -
111		[010 [01 [m]]] [010]		6 ::1
TIT		192		oo : : :
-::				1::10
Tiii	i	- <u> </u>		61 :: 60
###	÷			116
TIT				123 17
	İ	0 - 0		91 -61
		:::::::::::::::::::::::::::::::::::::::	İ	8
111				r
111				12 12
		64 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		2 6
		6/20 -	1	8 : 1
		:-:::::::::::::::::::::::::::::::::		0
			Total Nervous discases	
111	ease	S OF NER	ses.	S OF
	Total of Sporadic diseases .	Vous system. vous system. yours system. canvalsions Neuralgia Hysteria Yertigo Otorboea Catoropedal spasms Poisoning Somnambulism Congestion of brain Syncope Insanity Amaurosis Apoplexy Narcotism Spinal irritation Encephalitis Outtitis	isea	CLASS 4—DISEASES OF ORGANS OF RESPIRATION. Bronchitis Epistaxis Pleurisy Preumonia
	adic	PASES SYSTES SYSTES Pasens Pasens III Parin II	ns d	RESI
	por	vous system. vous system. your system. convalsions Neuralgia Hysteria Vertigo Otorhoea Epilepsy Meningitis Chorea Carpo pedal spasms Deafness Hydrocephalus Poisoning Somnambulism Congestion of brain Syncope Insanity Amaurosis Apoplexy Narcotism Spinal irritation Encephalitis	rvoi	1 3
hag	of S	vous vous vous vous vous vous vous vous	Ne	ss 4 sitis cis.
norr ber	tal	LASS 3— Phithalm Chulsio Neuralgia Hysteria Vertigo. Jtorrhoea Epilepsy Meningiti Chorea Carpo pee Deafness Phigrocep Phisore Congestio Syncope Insanity Amaurosi Narcotisi Spinal ir	otal	CLA tGA; nch sta; uris
Cancer	To	CLASS 3—DISEASES OF NER vous System. Convulsions Neuralgia Hysteria Vertigo Otorrhœa Epilepsy Meningitis Chorea Hemiplegia Cataract Carract Spinanity Amaurosis Apoplexy Amaurosis Apoplexy Narcotism Epicephalitis Ottitis	H	Bro Epi Pler
CHI		o comprehensive and the second		0

Cured. 6 23370 40 7004 .IntoT :00 あるののは 164 Total. ä · 00 00 - 00 00 00 M. 185 400 October. Novem'r. Decem'r. E. M. 00 H 00 01 M. 5 M. Septe'r. . M. |F August. E. 64 M. 63 2 ::: : July. 63 2 00 M. :: ::: ... ::: 50 00 **** **** **** : :: : 8 -June. M. : : 04 古印 : E. ::: May. 63 64 15 : M. 64 E. April. CA M. : ::: F. ... January. Febru'y. March. M. 02 ... E. - 01 000000 : M. : H Inflammation of coecum..... ---4-000---Total diseases of respiration Total diseases of circulation M. Angina pectoris
Disease of heart. Congestion of lungs..... Hypertrophy of heart..... Hæmoptysis Phthisis Asthma Catarrh Peritonitis Hæmorrhoids Painful dentition Worms Colie Stomatitis Gastritis Constipation Vomiting Dyspepsia Hernia Fol. inflammation of throat. CLASS 5-DISEASES OF OR-CLASS 6-DISEASES OF DI-GANS OF CIRCULATION. GESTIVE ORGANS. DISEASES Gastralgia Jaundice

ABSTRACT-(Continued.)

Died.

					. 11
1111111					
	345	4-440	28	0140011112	64
	161	8	6	111250111	49
	48	4-54	19	0 4 1 1	15
THITT		111111-		64 : 69 : : :	
TIIII-		00 1 104	:	- :- : : : : : : :	
		11111111	i	(n) (n) (n)	
11111-1		eo : : : : :	i	1111111111	
1111-11		н	i		
111-111		11-1111	i		
11-1111			:	-::::::::::::::::::::::::::::::::::::::	
1111111			÷		
<u> </u>	:		:		
	:			::::aa::::::	
		H:::::::::			:
1 1 1 1 1 1 1				::::::::::::::::::::::::::::::::::::::	• 11
			::		
	:	111111111	:		:
1111111			:		
				61	:
				: . :	
				117 11111111	
				64 64	
	1			64 1-64 65	
			:	2	
THEFT	1	- -	:	64	
THILL			:	m -	
Fistula in ano Typhlitis Enteritis Hæmatamesis Hepatitis Pyrosis Ascites	Total diseases of digestion	a	Total urinary diseases		Total diseases of generation
Fistula in ano Typhlitis Enteritis Hæmatamesis Hepatitis Pyrosis Ascites	Stion	CLASS 7—DISEASES OF URINARY ORGANS. Gravel Enuresis Dysuria Diuresis Anuria Albuminuria Nephritis Cystitis		CLASS 8—DISEASES OF OR- GANS OF GENERATION. Orchitis	erati
	dig	ASS 7—DISEASES OURINARY ORGANS. Issis ria sis minuria ritis	case	CLASS 8—DISEASES OF GANS OF GENERATIO Orchitis Amenorrhoa Spermatorrhoa Menorrhagia Prolapsus uteri Leucorrhoa Dysmenorrhoa Puerperal fever Balanitis	r gen
ano	os of	s 7—pisea	y dis	GEN GEN 1003 teri con	cs o
s s	seas	SS 7-	inar	s or rhoc n hagi	seas
Fistula in Typhlitis Enteritis Hæmatam Hepatitis Pyrosis . Ascites .	al di	CLASS TURING Gravel Enuresis Dysuria Diuresis Anuria Albuminur Nephritis Cystitis	al ur	CLASS 8—DIS GANS OF G GANS OF G Orehitis Amenorrhæa Abortion Prolapsus ute Leucorrhæa. Dysmenorrhæ Puerperal fev Balanitis	al di
Fistula Typhliti Enteriti Hæmata Hepatiti Pyrosis	Tota	A Diu	Tota	Ore Spe Aby Me Pro Lev Dys Bal	Tot

ABSTRACT.-(Continued.)

11-	-	Die		:		-:	-:
11-	.fal.	1	5-0-000	11	58787881-FF81-	911	17
1	<u>-: </u>	E.	13-11-13-13	32	14×44×20110	99	2
	Total.	M.	4 6 61	39	4004000 : 41-01-	50	13
-	÷.	E.		:			-
	Decem'r.	M.	64	:	H 64		
	Nov'ber.	E.	61	:	H4H		
	Nov	M.	φ	:			61
1	October.	F.	-	:	600		-
	Oct	M.	19 Cu	:	7		-
	Sep'ber.	4		:	∞		
	Sep	M.	-				
	August.	F.	60	:			
	Aug	M.	63	:			
	July.	F.	60	:	φ		
	J.	M.	8	:			
	June.	F.		1	89-1-8		-
	Ju	M.	4	:			-
	May.	F.	6 1		8		
-	N	M.	-,			:	1
	April.	F.	es 1	1			
-		M.	4		- : N : : : : - : : : - : : : : - :	:	
	January. Feb'ary. March.	M. F.			.01		
1	Mo						
	ary.	M. F.		1	H 60 60H H		
-	. Feb		61		P 64 L 64		60
	uary	F.	81	1	HH 80 H		64
1	Jan	M.	" : : : : : : : : : : : : : : : : : : :	1:		1:	63
	DIST VETO	DISEASES.	CLASS 9.—DISEASES OF ORGANS OF LOCOMOTION. Rheumatism Curved spine. Periostitis Synovitis Disease of joints. Inflammation of foot.	Total of locomotive organs,	CLASS 10.—DISEASES OF INTEGUMENTARY DISEASE. Whitlow. Abscess Eczema Lymphadenitis Prurigo. Urticaria Fethyma Tumours. Roseola Ulcers. Herpes Acne. Nævus	Tot. integumentary diseases	CLASS 12.—EXTERNAL CAUSES.

********	:	
794581181	99	
4000 ::: 100	20	
5000401	36	
HILLIFE		

61	-:	
	-:	
		714 394 349 345 345 28 64 71 71 71 56
		01
1111111-1		
-		spiration
	-:	
	-:	
<u>:::::::</u>	:	
- -	:	
		otion .
844	:	do do respiration circulation digestive organs urinary do generative do organs of locomotion integumentary system external causes.
TITALITIE		rgan do do locor tary ause
		ation ition itive of itive of itive of
		eases do do respirat circulat digestiv urinary generat organs cxterna
		do do do digueras diseas diseas diseas di digueri di digueri di digueri di di di di di di di di di di di di di
		Zymotic dises Sporadic de Nervous do Diseases of re do do do di do go do do do oo do do do co
		Zymotic Sporadic Nervous Diseases do do do do do do do do do do do do do
		of I
8	:	iber
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Total number of Zymotic diseases do Sporadic do do Nervous do do Diseases of respiration do do circulation do do do digestive organs do do do urinary do do do generative do do do organs of locomotion do do do integumentary system do do external causes
04	:	Cotal
	-:	F
	-:	
	:	
	uses	
rain victe	al ca	
of b	term	
sion dog in n f bee	l ex	
Wounds 3 1 2 1 <td>Total external causes</td> <td></td>	Total external causes	
Pri Ban	-1	

Died. Cured. TOTAL. 37 Tetal. 369 Female. 345 Male. MF 90 80 M C4 0 × 09 M 'n 50 . 60 × UNDER 224 F 40 × m 30 M 1 20 M 1 × 10 M M. F. Dysentery..... Group.....
Erysipelas..... Typhoid fever..... Hooping cough..... Measles..... Porrigo Total zymotic diseases Gonorrhean CLASS 1ST-ZYMOTIC DISEASES. Boils Erythema Intermittent fever..... Syphilis..... Remittent fever..... Diarrhoan Diphtheria Influenza Cholera infantum..... Scarlatina.... DISEASES. Varioloid

AGES .- (Continued.)

	::	
	1:	
222222	39	70 80 80 12 12 12 12 12 12 12 12 12 12 12 12 12
87-1 4-1	32	191
1 1000	7	807 4 911 1811113 1818 1118 1118
1111-111	:	
	:	
	1	
	:	(c)
-		64 14 11 11 11 11
	1	64
-::::::::	1	6 1 1 1 1 1 1 1 1 1
64 1-1	1	
21		2 6 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		F 64 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
нон !!!!		8 33 33 33 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	:	1 91 4 11
61		L 528 4
		- 6 0 - 1 - 1 - 1 - 1 - 1 - 1 - 1
PH H		ω Leα Η
		64 14 64 80 14 14
	:	
64 14	:	61-10
	:	
		H4 1 1 H
	:	
	:	
CLASS 2—SPORADIC DISEASES Anemia Scrofula Scrofula Schirras of breath Gout Dropsy (anasarca) Cancer Hemorrhage Lumbar abscess	Total Sporadic diseases	CLASS 3—DISEASES OF NERVOUS SYSTEM. Ophthalmia Convulsions Neuralgia Hysteria Hysteria Corrigo Epilepsy Meningitis Chorea Carpo pedal spasms Carpo pedal spasms Dearfless Hemiplegia Hydrocephalus Deisoning Somnambulism Congestion of brain Syncope Insanity Amaurosis Apoplexy Narcotism Spinal irritation Encephalitis Ottitis Total of Nervous System.

Died.

.... Cured. 362 38 30 111 17 14 .IstoT :00 8440-8 45000004 4 Total. E. 90 :: ::: 63 80 **** 64 :: H 20 :: ::: 09 : :: 18 :: : 15 UNDER ::: ... 31 40 N. 36 17 C3 -1 30 16 60 13 20 ::: Dyspepsia..... 13 10 ::: 04 : 1 : : : 09 6 13 40 14 : 10 : || Worms Follicular infl. of throat. : : :: : 11 Hemoptysis Asthma...... Phthisis Catarrh..... Congestion of lungs-----Total Diseases of Circulation CLASS 6-DISEASES OF ORGANS OF CLASS 4-DISEASES OF ORGANS OF CLASS 5-DISEASES OF ORGANS OF RESPERATION. CIRCULATION. DISEASES

AGES-(Continued.)

	1		1:1	
8347854484 1	345	4-440	28	01400111
4120 61 L	197	64 64 54 64 64	6	11 12 20 11 1
11 1211223138	148	21-21-2	19	o 4
	:			
+	:			
	:			
		11-1111		
н и				
F		1 12		- 4
-::::::::::::::::::::::::::::::::::::::		н (а		
H 60 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				60 64
		64 1		A
44		11-11-1		8 1 8
64		60		
H 60		61		
C : 10 : 100 100 : 100 : 100		н (а		ю :00 : : :
HH H 8				∞ н
64 14 15		-::-::::		64
H 8				
H H4 H : : : : : H : : :	:	11111111		1111111
e4 : : :: : : : : : : : : : : : :	-:	: : : : : : : : : : : : : : : : :		-:::::::
· :::::::::::	: 1	1:::::::	:	1111111
· ::::::::::::::::	: 1	1:::::::	:	:::::::
		2 1111111		RGANS
		NAR		3 :::::::
	n.	ž ::::::::		ğ :::::::
:::::::::::::::::::::::::::::::::::::::	sti	B :::::::	:	A 2
H	ge	N NS. OF URI	ses	° 6
	P 3	GANS.	ses	BEAT
	0 8	GANS.	di.	NE NE
:::::::::::::::::::::::::::::::::::::::	Total diseases of digestion	S	Total urinary diseases	GENERATION.
ids no oon no iior and	ises	A	rin	gia ut rhe
de de de de de de de de de de de de de d	PI	r. sis. s. s. s. s. s. s. s. s. s. s. s. s. s	n I	es. rto
fully print trip print	ota	ss res uri res um um hri	ota	hit hit rrm rrm rrti rorr lap
Colic. Hemorrhoids Rainful dentition Stomatitis Hernia Gastritis Constipation Jaundice Inflammation of cœcum Fistula in ano Typhlitis Enteritis. Hemetamesis Hemetamesis Pyrosis Ascites	H	CLASS 7.—DISEASES OF URINARY ORGANICS CLASS 7.—DISEASES OF URINARY ORGANICS CANS. GANS. GANS. Dysuria Anuria Albuminaria Nephritis Cystitis.	H	Archites
одиминания чини		оприничего		O TTWTAHAA

AGES-(Continued.)

		Died	-:			:	<u> </u>
Cured.					:		
Total.		12	64	5101000	11	3335	
	rjes.	Lem	1	49	212223	32	1148 4 4 4 5 5 1 1 8
	*86	Male	64	15	34 24 24	39	4004000 41-14
	_	E.	::	:		:	
	90	M.				:	
	•	F.		:	-	:	
	80	M.				:	н
		E.				:	::::-::::
	70	M.			-		Н
		14			-	i	64
	9	M.			-	:	H 64 164
		H.	11	i	ю : : : : н :		LO
R	20	M.			0 8		
UNDER		14			9 11 11		12 11 11
P	40	M.	-		6		H 64
		E.	-		0 01		00 e4 e4 : e4 : e4 :
	30	M.			ю ! ! ! н !	1	
		Fi			64	1	440 00
	8	M.		1	64 64		63 1691
		1		1	64		
	10	M.		1	61	1	64 11 601
	10	1	::	1:	::: -:: :: :: :: :: :: :: :: :: :: :: ::		
		FM	1 :::	1:		1:	::41:91:10
	-	M	1::	1:		1	
SEXES.		Peurperal fever		CLASS 9TH—DISEASES OF ORGANS OF LOCOMOTION. Rheumatism. Curved spine Periostitis. Synovitis. Disease of joints. Inflam. of foot.	Total diseases of Locomotive organs	CLASS 10TH—DISEASES OF INTEGU- MENTARY SYSTEM. Whitlow Abscesses Eczema. Lymphadenitis. Prurigo. Urticaria Ecthyma. Tumors Herpes. Herpes.	
			Peur	To	Rheu Cury Perio Synov Disea Inflat Hip d	Tot	White Absort Eczen Lymp Pruri Urtica Ecthy Tumo Ulcers Herpe Acne.

:::1	: 1	::::::::	:
	:		
	:		
	116	77 c4 c c c c c c c c c c c c c c c c c	99
11 11 11	99	7480 HO	20
:	90	510000401HH	36
1111	_		
111	:		
1111		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		1 1 1	
:::		1 1	-
111		1 1	
111		1 1 2 1 1	
		7 7 7 1 1 1	
111			:
		1 2 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1 2 1 1 1 2 1	1
111		1 2 2 1 1 2 1 1 2 1	:
		: : : : :	:
111		4 1 11	
::-			-
Nævus. 1 <td>Total Integumentary diseases</td> <td>Contusions 2 1 1 1 3 4 1 Wounds 3 2 1 1 1 3 Wounds 3 2 1 1 1 3 Wounds 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1</td> <td>Total External causes</td>	Total Integumentary diseases	Contusions 2 1 1 1 3 4 1 Wounds 3 2 1 1 1 3 Wounds 3 2 1 1 1 3 Wounds 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Total External causes
:::	:		:
1111			1 :
111	:	-ca	:
111	:	88044 :44 :4 :	1:
:::	:	::::::::::	:
7::	:	::: - ::::::	1:
111			-
111		CLASS 12TH—EXTERNAL CAUSES. ntusions ounds. nrns. nrcussion of brain. rains te of dog. ntton in nose. ing of bee. racture of clavicle.	:
	ase	7::::::::::::::::::::::::::::::::::::::	:
:::	ise	4::::::::::::::::::::::::::::::::::::::	:
	p d	×	es
:::	ar	M ::::::::::	sna
	ent	xx asin	l ce
	H	all br	na
	ige	of ose ose ose sk	ter
	nt	12, 12, 12, 12, 13, 15, 16, 16, 16, 16, 16, 16, 16, 16, 16, 16	Ex
ise	1	inor in in in in in in in in in in in in in	-
ped	ota	tus unn unn unn cun icu icu icu icu icu icu icu icu icu icu	ota
Næ Alo Ros	H	Woo But But Brit Brit Fra	-
-		or new manner	

six days. I think I may possibly do a kindness to some, by giving a formula for a compound which justly bears the name of its distinguished inventor, and which is now extensively used in many parts of the country, as a substitute for Dover's powder. For those who wish to know his reasons for its value, I will refer them to Tully's book as the mild form of diphtheria. In most of the cases there has been general feverish symptoms, attended with pain in the head, back and limbs, so marked as to be characteristic, and in some of them there was a deposit of the diphtheritic crust like a delicate pellicle, diffused to a greater or less extent, removed by the ings with nitrate of silver solutions, sometimes tincture mur. iron and chlo. potash, and rest, constituted the treatment under which all recovered within from three to Nore .- Erythema. - Under this name is included eyrthema of the throat, which has been quite prevalent for the year 1859, and which I have noted in my case slightest touch of the pencil, or the gentlest gargle. I estimate, with tolerable accuracy, that fifty of the sixty-two cases were erythema of the throat, attended with such constitutional symptoms, as to justify the name of the erythementous form of diphtheria. A laxative, followed by Tully's powder, alum gargle, or a few pencil-Materia Medica, Vol. 1, page 1260.

R. morphia sulphatis, gr. ii; pulvis glycyrrhize; creta preparata camphora, of each two scruples. Pulverize and mix carefully. It will be seen that ten grains contain one-sixth of a grain of sulphate of morphia, equivalent to one grain of opium.

REMARKS.

ZYMOTIC DISEASES.

Chol. Infantum.

A German child, eleven months old. It was in a small and badly ventilated room. The surroundings were such, and my directions so imperfectly carried out, that treatment was ineffectual.

Diarrhaa.

A female child four months old. It was nourished with milk, &c., from a bottle, and did tolerably well until within the last month, when it had chronic dysentery, purely local, cured by N. Arg. injections. On the 14th of February it seemed much better. On the 18th, I was again called and found it with moderate diarrhœa, without bile, and the discharges very offensive. Hyd. cret. and op. cret. was given; the next day tr. rhei. and carminative, and at nine o'clock, P. M., ½ gr. cal. camph. and 1-40 gr. C. M. At that time, its countenance was haggard; the discharges very offensive, and destitute of bile. The left hand and arm were entirely cold; the other hand and feet only slightly cool. It had taken a little more food during the day. It died from exhaustion, at six o'clock, A. M., the next day, soon after a discharge from the bowels.

This coldness of one arm and hand is almost a fatal symptom.

Dysentery.

An old gentleman aged 78 years. For years he had been subject to diarrhœa, which had been moderated by careful diet and opium. For some months his health had been failing.

Typhoid Fever.

A young man of the age 32 years. The attack was mild, and progressed without any unfavorable symptoms until within three or four days of his death. Cerebral determination then became more marked, and hemorrhage from the bowels took place, but not to so large an amount as often occurs. He became more delirious, with partial spasms, and a few hours before death, a general tonic convulsion This case, probably, partook, in some degree, of the cerebro spinal meningitis, which, at the time, prevailed in Waterford.

Scarlatina.

An Irish boy, twelve years old. I saw him about twenty-four hours before he died. He had been ailing about twelve hours, with soreness of the throat, fever and scarlet-rash. He had vomited, and complained of headache; gentle stimulants were advised, and astringent gargles. The next day I found him sinking from general congestion, and ordered stimulants, but they were probably not given. I learned from his mother, that he seemed well and bright until six o'clock in the morning, when he became stupid, and since then, had been unable to swallow.

He was in a damp basement, and was probably badly nourished and neglected, his mother being intemperate.

Small Pox.

A female child of four months. It had never been vaccinated. The disease was confluent on the face, and it died on the eleventh day of the eruption. It was not well nursed.

SPORADIC DISEASES.

Cancer of Womb.

This occurred in a woman of forty years of age. I was consulted about four months before her death. The nature of the disease was apparent; the uterus being large, hard and pressing upon the rectum and neck of the bladder, so as to interfere very seriously with the evacuations from these organs. At first there was leucorrhoeal discharge, but this soon ceased, and the suffering arose principally from the pressure of the tumour upon the adjacent parts. Six days before death, an opening took place, into the rectum, allowing the passage of several matters through the vagina.

Dropsy.

Case No. 1, a farmer seventy years of age.

He had had disease of the heart, ossification of the valves of the heart, &c., for several years, and had been dropsical for a year or more. For the last nine months, he was insane, during which time the dropsical symptoms disappeared entirely, and returned only within a few weeks of his death, The mania was acute, and he once attempted suicide by wounding his throat.

Case No. 2, a shoemaker, aged seventy.

He had chronic disease of the heart. He first consulted me in June, and then he suffered from hurried breathing after exercise, cough and anasarca. Diuretics and alteratives had but little effect; the anasarca continued to increase, and effusion into the chest and abdomen ensued. He sunk about two months after I first saw him.

- No. 3. A girl of the age of fifteen years. In this case there was general anasarca from rheumatic disease of the heart; also pulmonary ædema; rheumatism occurred about ten months before her death, in a feeble scrofulous constitution.
- No. 4. A married woman, 33 years of age. The dropsy, in this case, was from disease of the liver, of several years' duration. There was an abscess opening externally and into the lungs, and she expectorated pus, from this source, for months. I attended her only during the last few days, and considering her case hopeless, used only mild alteratives, diuretics and anodynes.

DISEASES OF NERVOUS SYSTEM.

Apoplexy.

Case No. 1, a gentleman aged 70. Palsy had come on gradually for six or seven years; and for the last year or two, he had been unable to walk or feed himself. He had never suffered from pain or distress of any kind.

The apoplectic seizure was sudden, while asleep, at three o'clock in the morning. I saw him an hour or two after. The insensibility was complete, and he seemed to be sinking for twelve hours, when reaction took

place. Leeches and sinaplasms were used, but he was never able to swallow, nor was there the slightest manifestation of sensibility. He died sixty-four hours after the attack.

Case No. 2. A female, forty-eight years old. I saw her on Friday evening December 10th. She had a boil on the nose, and some erysipelas extending towards the eye. She had taken cathartics, having been ill a week. I gave her Tully's powder at night. On Sunday, at 3 o'clock, P. M., I found her with neuralgia on the back of the neck and head, but no extension of the erysipelas. She had not slept much, but was not delerious; I gave her valerian at bed time. On Monday, at 10 o'clock, P. M., she was entirely insensible with stertor respiration, frequent and feeble pulse. I bled her a little, applied sinaplasms, and administered carb. ammon., cal., &c., but nothing had any effect in relieving the congestion.

Epilepsy.

This case occurred in a man aged 62, of somewhat intemperate habits, excited by indigestible food taken at bed time. The convulsions returned frequently for three or four days, and resulting in apoplexy 48 hours before death. As there had been amurosis and partial palsy of some other nerves, for some months, there had, probably, been chronic softening of the brain.

Phthisis.

Case No. 1. A female, 31 years of age.

Disease of two years duration. She came under my care four months before her death. There was then tuberculosis, but no excavation. I treated her with mild tonics, anodynes nutritious food, iron, nux. vom., cod liver oil, &c.

No. 2. A laborer in a brewery, aged sixty years. Of intemperate habits and had tuberculosis for more than a year, and large excavation. Life was prolonged, and made tolerable by moderate stimulation with ale and S. C. rum. He died very suddenly in the brewery, where he had worked for more than twenty-five years, from hemorrhage from the lungs. He had previously had several attacks of hemorrhage of a profuse character.

No. 3. A mulatto girl, four years old.

She had fever and gradual decline for some weeks, with hurried breathing and slight cough. Symptoms much aggravated during the last week, and nothing seemed to arrest the steady progress of tuberculosis of the lungs.

No. 4. A merchant aged, forty-eight years.

He had been treated by quacks a long time before I saw him. Cod liver oil benefited him for a time; afterwards anodynes, tonics and exercise in the open air relieved some of the symptoms. He then fell into the hands of a clairvoyant "doctor," who purged him, &c.; diarrhæa ensued, and he sunk rapidly. Extensive obstruction from tubercular deposit was manifest when I first saw him, and finally excavations followed. When he died he was unusually emaciated, and probably there was tuberculous ulceration of the intestines.

No. 5. A married woman, aged thirty-five years.

This case was of more than three years' duration, but some of that time she was comfortable. The symptoms were worse and steadily progressive for some six or eight months before the fatal termination. Diarrhœa had been severe and persistent for several months, held in check, temporarily only, by means of various astringents, tonics, and anodynes.

No. 6. A German, thirty-five years old.

He was in the last stage of the disease when I first saw him, five weeks before his death. Only palliatives and stimulants were indicated.

No. 7. A merchant, aged forty-eight.

This case was of two years duration, and there was hereditary predisposition to the disease. He spent the first winter at Aiken, S. C., and exercised much in the open air. He took tonics and anodynes, and cod liver oil was useful for a time. He tried no nostrums or new systems, and was under my charge from the first. His mind was clear till the last minute of his life, and during the whole progress of his disease there was no delirium.

DISEASES OF ORGANS OF RESPIRATION.

Pneumonia.

A poor man, aged sixty-five years. He had been ill for seven or eight days, before I saw him, with double pneumonia, without any medical advice, or any remedial means. He was almost suffocated and very feeble. I gave him stimulants, expectorants, wine, and beef tea, but with only temporary benefit.

Congestion of the Lungs.

A negro, aged sixty years. He was a broken down servant, of intemperate habits, was sinking when I saw him, and I am unable to say what was the previous disease, of which the congestion was the sequence and termination.

DISEASES OF THE ORGANS OF CIRCULATION.

Angina Pectoris.

A man of the age of forty-five years. This man first consulted me on the 14th of October, for neuralgic pain on the left side, extending from the cartilages of the short ribs around to the spine. This had troubled him for more than a year. There was no swelling or dullness on percussion, but some tenderness of the muscles. The bowels were very costive, but there was no irregular action of the heart, or difficulty of respiration. I advised tr. of Actosa and Stram. and Nux vomica and Al. pills as lax., and anodyne liniment. I visited him three or four times at his house, and at one o'clock on the 20th left him very comfortable. He sat up during the afternoon, talking quietly with his friends, when he suddenly appeared faint, and soon ceased breathing.

DISEASES OF THE DIGESTIVE ORGANS.

Gastritis.

Case No. 1. A married woman of thirty-eight eight years of age. She died just fifty-eight hours after her confinement with her fifth child, which occurred prematurely six weeks. During her pregnancy she had suffered from various symptoms, such as local neuralgia of the thigh, and of the head, and some nausea, during the first months. From the third to the sixth month, she had irritation of the rectum, with bloody mucous discharges, without much pain, and with no constitutional symptoms. This was nearly cured by tannin and laudanum injections, laxatives of magnesia, rhubarb, &c.

No. 2. A boy five years old. He had been sick three weeks before I saw him, and I, therefore, cannot say what was the cause of the disease.

No. 3. A female child, eleven days old. It had convulsions for the first thirty-six hours of its life, and was then permitted to nurse freely a woman whose milk disturbed the stomach, and induced inflammation, aphtha, &c.

DISEASES OF THE URINARY ORGANS.

Cystitis.

A male child two years old. This case was chronic, of several months' duration. The child was very much reduced by the long continued pain, and finally sunk from cerebral oppression and spasms.

FROM EXTERNAL CAUSES.

Coup de soleil.

An Irish laborer, aged 30 years. He died within three hours after the attack. He came in from his work, in the hot sun, about 3 o'clock, P. M., complaining of "weakness all over." I saw him at 7 o'clock, P. M., in a very small, hot, illy ventilated room. He was perfectly conscious, suffered no pain, but a feeling of weakness; pulse frequent, not feeble or full, but soft and without any capillary attraction. There was no diarrhea or vomiting. He had taken brandy enough to flush his face. I advised him to take blue pills, cooling drinks, and to get into a better ventilated apartment. At 10 o'clock, P. M., I was sent for, and found him insensible, and dying from congestion of the brain, caused, I think, by the brandy and the heat of the room.

KILLED ACCIDENTALLY.

An Irish laborer. An iron casting, weighing two tons and a quarter, fell upon his chest and abdomen, causing intense distress in the abdomen, extensive emphysenca, and great prostration. Anodynes, stimulants, fomentations, &c., were used, but no reaction ensued, and he died twelve hours after the accident.

This brief condensation of notes made at the time of recording fatal cases in 1858, is presented as a fair statement, to show how few deaths are caused by acute and uncomplicated diseases, and in how many instances

the result is attributable to influences which are well known to the profession to be detrimental, and which it is not in the power of the physician to prevent.

The percentage of fatality, for 1858, was 1.34 per cent of the cases noted; the examination of the register, for 1859, exhibits a similar list of diseases incurable in their nature, according to the present state of medical knowledge, and about the same rate of mortality.

156 15 34 24 .IstoI 6110 Total. M. H 100 M. 90 M. E. 80 M. 20 M. 04 H 09 M. -50 M. UNDER. F. 04 04 40 M. E. 30 W. F. 20 M. E. 10 M. E 10 M. 5000 E. by railroad ears killed by wagon ... parried M. Cholera morbus..... 03 stabbed fracture of skull .. by powder drowned Accidents-from blows by a fall..... suffocation Brain, softening of..... Apoplexy Abscess Asuites Arthritis Asthma..... congestion of Consumption Brain, disease of inflammation of Cancer Cyanosis concussion of Convulsions DISEASES Bowels, diseases of

MORTUARY RECORD of the city of Troy for the year 1858.

8444444
8 0 40 8-84-44 80 80 4 8-8-6- 8 F4-95
#
11111111111111111111111111111111111111
<u> </u>
П п п п п п п п п п п п п п п п п п п п
::a:::::::::::::::::::::::::::::::::::
<u> </u>
H : : : : : : : : : : : : : : : : : : :
H H 1000 H 1 HO 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
F
6: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1:
ens ens gh. f. of tion of
antum remens remens oid us oid us mittent mittent ranse of ranse o
Cholera infantum Cholera Dropsy Dropsy Debility Dysentery Diarrhoea Dispepsia Erysipelas Enteritis Epilepsy Enteritis Epilepsy Enteritis Epilepsy Enteritis Epilepsy Enteritis Epilepsy Enteritis Epilepsy Enteritis Epilepsy Enteritis Epilepsy Enteritis Epilepsy Enteritis Epilepsy Enteritis Epilepsy Enteritis Epilepsy Enteritis Enteritis Indeposit cough Heart, disease of Heart, disease of Hemorrhage Hemorrhage Insanity Intemperance Jaundice Jaundice Liver, disease of Insanity Intemperance Jaundice Liver, disease of Insanity Intemperance Jaundice Jaundice Jaundice Liver, disease Jaundice Jaundi
Cholera infan Cholera Dropsy Dropsy Drivium tren Debility Dysentery Epilepsy Gastritis Gastritis Gravel Gout Gout Epilepsy Epi
Partin High High High High High High High High

MORTUARY RECORD.—(Continued.)

	.le	Tot	8408118414818888	855
1.			21.21.422 124.22 124.22	409
1	Total.	M.	4 :: 52 :: 64 - 65 - 64 - 64	446
		E.		
	100	M.		:
	-	E.		:
	90	M.		:
	-	E.		:
	80	M.		
	-	F. 1		:
	70	M.	-	
	-	B. 1		-
	99	M	2	-
	-	E. 1	-	-
R.	50	M. 1		-:
UNDER	-	E.		:
D	40	M.		-
		B.		:
	30	M.		-:
	-	E.		
	20	M. 1		:
	-	E.		-:
	10	M. I	61	-
	-	B.	2 - 4	:
	5	M. 1	p p p p p p p p p p	:
	-	E.		
	-	M. I		-:
-)	12		
DISEASES.			Poisoned Paralysis Rheumatism Rupture of blood vessel. Scarlatina Still-born. Suicide Spine, disease of Storfula Suppression of menses Sun stroke Stricture of casophagus Small pox Teething. Tuberculosis Unknown.	Total

45040001212 Total. Total. M. | F. 100 90 80 20 M 9 M 20 UNDER H 40 30 × 20 M 10 10 M Congestion, (not specified) do compression of.....do congestion of....do disease of..... Cholera morbus..... Caneer Diphtheria Dropsy.... Killed by a fall. Drowned.....Railroad cars..... Apoplexy compression of Croup....... Consumption Childbirth Cholera infantum..... Burned Asthma..... Convulsions Fracture of skull..... Bronchitis..... Bowels, disease of Brain, inflammation of Dysentery DISEASES. ACCIDENTS. Diarrhoea

MORTUARY RECORD of the city of Troy for the year 1859.

Total. 100 9 80 20 MORTUARY RECORD-(Continued.) 09 M. F. 50 UNDER 40 M. | F. 30 20 10 10 Epilepsy Hooping cough Jaundice Marasmus..... Hydrocephalus Hemorrhage..... Intemperance Liver, disease of Lumbar abscess...... Malformation.... Necusia..... Fever, of all kinds, Heart, disease of Lyngs, disease of Measles.... Paralysis Pneumonia..... Puerperal convulsions Pleurisy Peritonitis Premature birth..... fever. Searlatina..... Rheumatism Erysipelas DISEASES Enteritis..... Kidneys, disease of

Still-born SS 29 1 1 2 1 1 1 1 1 1 1	19	-	-	9	9	-	-	63	09	109	2	-	9	25	-	198
	29	:	-	1	-	:		63			63	-	4	13	-	388
Still-born 38 29 29 29 20 20 20 20 20	. 38	-	:	9	2	-	1	:	64	64	60	-	C	12	:	473
Still-born Sti	:	:	:	:	:	:	:		:	:				:	:	:
Still-born 38 29 29 29 20 30 30 30 30 30 30 30	1	:	:	:	:	:	:	:	:	:	:	:	:	:	1	:
Still-born Still-born Still-born Still-born Still-born Still-born Stand Discussion Discussi	1	:	:	:	:	:	:	:	:	:	:	:	:	:	1	-
Still-born Still-born Still-born Spinal port	1	:	:	:	:	:	:	1	:	:	:	:	:	:	-	
Still-born Still-born Still-born Spinal port Spinal port Spinal port Stomach, disease of 1	ī	:	:	:	:	-	:	:	:	:	:	:	:	:	:	-
Still-born 38 29 Spinal irritation 1 2 1	1	:	:	::	:	:	:	-	:	:	. :	:	:	:	:	
Still-born Still-born Still-born Spinal irritation Spinal irritation Spinal irritation Small pox. Stomach, disease of 1	1	:	:	:	:	:	:	:		:	:	:	:	1	1	
Still-born SS 29	T	:	:	:	:	:	:					::	:	:	:	:
Still-born Still-born Still-born Spinal irritation Spinal irritation Spinal irritation Small pox. Small pox. Stomach, disease of 1	Ī	1	:	:	:	:	:	:	:	:	i	:	-	1	:	
Still-born Signature Sig	İ	i	i	:	:	:	:	:	:	:	:	:	:	_	i	
Still-born 38 29 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 2 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 <t< td=""><td>÷</td><td>÷</td><td>:</td><td>:</td><td>:</td><td>:</td><td>:</td><td>÷</td><td>:</td><td>i</td><td>i</td><td>:</td><td>i</td><td>:</td><td>:</td><td></td></t<>	÷	÷	:	:	:	:	:	÷	:	i	i	:	i	:	:	
Still-born 38 29 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 3 3 1 <t< td=""><td>÷</td><td>÷</td><td>:</td><td>÷</td><td>:</td><td>-</td><td>÷</td><td>:</td><td>:</td><td>:</td><td>:</td><td>:</td><td>:</td><td>i</td><td>:</td><td></td></t<>	÷	÷	:	÷	:	-	÷	:	:	:	:	:	:	i	:	
Still-born SS 29 1 1 2 1 1 1 1 2 1 1	÷	i	:	:	Ė	:	:	÷	:	÷	:	:	:	:	:	:
Still-born SS 29	÷	:	:	-	:	:	:	:	:	· ·	:	:	÷	:	:	:
Still-born	÷	-	-	:	:	:	:	:	:	:	:	:	:	:	:	
Still-born	÷	:	:	:	:	:	÷	:	:	:	:		÷	:	:	-:
Still-born	÷	:			:	:	:	:	:	:	<u>:</u>	:	-	:	•	-:
Still-born Still-born Still-born Spinal irritation Spinal irritation Small pox. Schomach, disease of 1 2 1 1 2 1 1 2 1 1	-	-	:	:	-	:	:	÷	:	:	:	+	:	:	-	-:
Still-born Secondary Secondary Secondary Secondary Stomach, disease of 1 2 1 2 1 1 2 1 1 2 2	÷	:	:	:	:	:	<u>:</u>	:	:	:	:	:	<u>:</u>	:	:	-:
Still-born Secondary Secondary Secondary Secondary Stomach, disease of 1 2 1 2 1 2 1 2 1 2 3 4 10 8 3 4 10 8 3 4 10 8 3 4 10 8 3 4 10 8 1 4 10 8 1 4 10 8 1 4 10 8 1 4 10 8 1 4 10 8 1 4 10 8 1 4 10 8 1 4 10 8 1 4 10 8 1 4 10 8 1 4 10 8 1 4 10 8 1 4 10 8 1 4 10 8 1 4 10 8 1 4 10 1 1 1 1 1 1 1 1	÷	:	<u>:</u>	:	:	<u>:</u>	+	:	:	<u>:</u>	<u>:</u>	<u>:</u>	:	:	:	-:
Still-born Spinal irritation Small pox. Small pox. Stomach, disease of 1 2 Stomach, disease of 1 2 Surjelis Sur	+	:	:	: '	-	:	:	:	:	:	:	:	:	:	:-	-:
Still-born Spinal irritation Small pox Small pox Stomach, disease of Stomach, disease of Syphilis Sucope Syphilis Sucope Stroc	+	:	: 0	:	4	:	:	:	:	:	:	:	:	0	:	-:
Still-born. Spinal irritation. Small pox. Stomach, disease of 1 Scrofula. Syphilis. Syphilis. Sylcope. Syncope. Syncope. Stomatitis. Sun stroke. Throat, disease of 1 Throat. Throat. Throat. Throat. Throat. Total.		:	: '	-	:	:	-	:	:	:	7	:	-	2	-	-:
Still-born. Spinal irritation. Small pox. Stomach, disease of Scrofula. Syphilis. Suicide. Syncope. Stomatitis. Stomatitis. Throat, disease of Throat, disease of Throat. Throat. Throat.	88	:	:		:	:	:	:	:	:	-	:	. 60	*	:	
Still-born. Spinal irritation. Small pox. Stomach, disease of Scrofula. Syphilis. Suicope Sucope Stomatitis. Throat, disease of Throat, disease of Throat. Thornor Teething.	-						:					:		•	-	
Still-born Spinal irritation Small pox Small pox Stomach, disease of Scrofula Syphilis Suicide Syncope Stomatitis Sun stroke Throat, disease of Tumor Teething Total								:		:						
Still-born Spinal irritation Small pox Small pox Stomach, disease of Scrofula Syphilis Suicide Syncope Stomatitis Sun stroke Throat, disease of Tumor Unknown Teething Worms	:				:	•									:	:
Still-born Spinal irritatio Small pox Stomach, disea Scrofula Syphilis Syphilis Sucope Throat, diseas Throat, diseas Throat Thesthing Teething Total	:			20 01	:						e of .					
Still-born Spinal irri Small pox Stomach, Scoroula. Syphilis. Syphilis. Syphilis. Syphilis. Throat, d Throat, d Throat, d Throat, d Throat, d Throat, d Throat, d Throat, d		18110		disea							iseas				-	tal
Still. Spin. Spin. Spin. Ston Ston Ston Thr Tun Unk	born	1	T por	ach,	ula.	illis.	op	obe .	atiti	strol	nat, d	10r	DOWD	hing	ms	To
	Still	Spins	Small Sinal	Stom	Serot	Syph	Suici	Sync	Ston	Bun	Thre	Ton	Unk	Teet	Wor	

NOTES ON THE CAUSES OF DEATH.

There is a law of the city of Troy requiring physicians to give certificates of the causes of death, but in some instances they fail to comply with its requisitions, and then the returns are made by the undertaker, or friends, and in other cases the so called "practitioners" are not especially qualified to make out an accurate diagnosis, or an intelligible certificate.

This may account for some indefinite terms, as "unknown," hemorrhage," "disease of the throat," &c., for which physicians are not directly responsible. During the year 1859 there were 861 deaths in the city of Troy, which is six more than in 1858, and 137 less than in 1857. The estimated population of the city is 40,000, making for the year a mortality of 17.16 in every 1000 inhabitants or one in about 46. An average mortality of one in 50 is assumed by statisticians as a fixed and natural standard, and such would doubtless be the standard in Troy if proper sanitary measures were adopted and carried out, still it is not a high rate for cities of this size. The mortality in the city of London and of Boston is one in 40. The average mortality of the city of New York according to the census returns of 1850, was 1 in 43, for 1859 1 in 26; of Albany 1 in 39.9.

The average mortality of the city of Providence is 1 in 51. The following table shows the total number of deaths in the city of Troy for the five years indicated.

1855. 1856. 1857. 1858. 1859. Total. Average. 886 770 998 855 861 4,369 8734

It is thus evident that 1859 was slightly above the average standard of health.

There were no prevailing epidemics, not a single death from cholera is recorded, and but twenty-eight deaths from diarrhœa, twenty-three from cholera infantum, one from cholera morbus, twenty-five from dysentery, the chief source of mortality in cities, especially during the summer months. The number of deaths from scarlatina was forty-nine, which is rather less than the average. There was but a single fatal case of small-pox, and from diligent inquiry, I am of the opinion that the disease prevailed much less than in other years, notwithstanding so much was said of its prevalence in the city in the last quarter of the year. The epidemic sore throat, diphtheria, which prevailed to such an alarming extent in the city of Albany in the years 1858 and '59 has spared our city. But two cases of "disease of throat" are recorded, while disease of the throat in a very mild form has been very prevalent for a number of months.

The number of deaths from consumption for five years are shown in the following table:

1855. 1856. 1857. 1858. 1859. Total, Average. 191 146 159 156 150 801 160%

The past year has thus been favorable for those afflicted with this scourge of our race.

Accidents, there were nineteen deaths in Troy in 1857 from accidental causes, or about 2.72 per cent of all the deaths from known causes; of this number sixteen were males, three females.

Apoplexy.—There were eleven deaths in 1859 from this cause, of whom there were seven males and four females.

Cancer.—Five deaths in 1859, one male and four females; the local appearance of the disease in 1859 was as follows: Stomach 1, womb 1, neck 1, breast 2.

Croup—deaths from this disease in 1859 were 29, of which there were 18 males and 11 females. During the two years 1858 and '59 there were 63 deaths, 37 males and 26 females.

Fevers—including intermittent, typhoid and typhus, caused 30 deaths in 1859, or two less than in 1858; of these 17 were males and 13 females.

Heart, Diseases of.—There were nineteen deaths from this cause in 1859 which is six more than in 1858; of this number there were 10 males and 9 females.

Whooping cough—was not as prevalent in 1859 as in the preceding year; there were but 7 deaths from this disease, 3 males and 4 females.

Measles—but few deaths occurred from this disease during the last two years, there having been but 3 in 1859 (2 males, 1 female), and 2 in 1858, (males).

Old age—8 deaths from this cause in 1859, 2 males and 6 females, in 1858 there were 28 deaths, of whom 11 were males and 17 females.

Scarlatina.—There were 49 deaths from this disease in 1859, of whom 28 were males and 21 females, 8 more than in the preceding year; 48 of the deaths in 1859, were children under 10 years of age.

Suicide.—One male destroyed himself in the year 1859 by hanging.

Still born.—During the year 1859, there were 67 still born children in Troy, 2 more than in 1858; of this number there were 38 males and 29 females.

Unknown cause.—This head includes 6 deaths in 1859, 2 males and 4 females; 3 were under the age of one year.









Date Due									
Demco 293-5									

PHOTOMOUNT
PAMPHLET BINDER

Manufactured by
GAYLORD BROS. Inc.
Syracuse, N. Y.
Stockton, Calif.

Accession no. 15581

Author Brinsmade, T.C. Record of private practice ... 1858 & Call no. 1859. 1860.

2011

