The concordance repertory of the more characteristic symptoms of the materia medica / by William D. Gentry.

Contributors

Gentry, William D. 1836-
Francis A. Countway Library of Medicine

Publication/Creation

1890-1892

Persistent URL

https://wellcomecollection.org/works/d7gv58yw

License and attribution

This material has been provided by This material has been provided by the Francis A. Countway Library of Medicine, through the Medical Heritage Library. The original may be consulted at the Francis A. Countway Library of Medicine, Harvard Medical School. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.

wellcome collection

Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
https://wellcomecollection.org



6. F. 216.

BOSTON MEDICAL LIBRARY

PURCHASED FROM THE INCOME OF THE

OLIVER F. WADSWORTH FUND



Digitized by the Internet Archive
in 2010 with funding from
Open Knowledge Commons and Harvard Medical School

http://www.archive.org/details/concordancereper00gent6

THE

CONCORDANCE REPERTORY

OF THE

MORE CHARACTERISTIC SYMPTOMS OF THE MATERIA MEDICA

BY

WILLIAM D. GENTRY, M.D.

VOLUME VI.

NEW YORK

PUBLISHED BY A. L. CHATTERTON & CO.,

78 MAIDEN LANE

1890

14507 Had

COPYRIGHT, 1891,

BY

WILLIAM D. GENTRY.



TO ALL STUDENTS OF MATERIA MEDICA,

AND TO ALL ENGAGED IN THE PRACTICE OF MEDICINE, ACCORDING TO THE LAW OF "SIMILIA SIMILIBUS CURANTUR," THIS WORK IS MOST AFFECTIONATELY DEDICATED

BY THE AUTHOR.

CONTENTS.

	PAGE
Neck and Back,	17
Upper Extremities,	161
Lower Extremities,	291
Bones and Limbs in General,	525
The Nerves,	609
Generalities and Key Notes,	771

LIST OF ABBREVIATIONS.

Abies-c. Abies canadensis.
Abies-n. Abies nigra.
Abrot. Abrotanum.
Absinth. Absinthium.
Acaly. Acalypha indica.
Acet-ac. Acetic acid.
Acon. Aconite.
Actea-s. Actea spicata.
Æsc. Æsculus hippocastanum.
Æth. Æthusa cynapium.
Agar. Agaricus muscarius.
Agn. Agnus castus.
Ailanth. Ailanthus glandulosus.
Alet. Aletris farinosa.
Al-cep. Allium cepa.
Al-sat. Allium sativum.
Alnus. Alnus rubra.
Aloe. Aloe socrotina.
Alst. Alstonia scholaris.
Alum. Alumen.
Alu. Alumina.
Ambra. Ambra grisea.
Ammoniac. Ammoniacum.
Am-brom. Ammonium bromidum.
Am-c. Ammonium carbonicum.
Am-caust. Ammonium causticum.
Am-m. Ammonium muriaticum.
Am-n. Ammonium nitricum.
Am-ph. Ammonium phosphoricum.
Amyl. Amyl nitrite.
Anac. Anacardium.
Ang. Angustria.
Anthrak. Anthrakokali.
Ant-c. Antimonium crudum.
Antipy. Antipyrine.
Apis. Apis mellifica.
Apium. Apium graveolens.
Apoc-and. Apocynum androsæmifolium.
Apoc. Apocynum cannabinum.
Aqua-m. Aqua marina.
Aralia. Aralia quadrifolium.
Aralia-rac. Aralia racemosa.
Arg-m. Argentum metallicum.
Arg-mur. Argentum muriaticum.
Arg-n. Argentum nitricum.
Arn. Arnica montana.
Ars. Arsenicum album.
Ars-jod. Arsenicum iodatum.
Artem. Ambrosia artemesifolia (the Rag-weed).
Arum. Arum triphyllum.
Asaf. Asafœtida.
Asar. Asarum europæum.
Asclep. Asclepias cornuti (syriaca)
Asclep-tub. Asclepias tuberosa.
Aspar. Asparagus officinalis.
Aster. Asterias rubrens.
Atrop. Atropinum.
Aur. Aurum metallicum.
Bad. Badiaga.
Bapt. Baptisia tinctoria.
Bar-ac. Baryta acetica.
Bar-c. Baryta carbonica.
Bar-m. Baryta muriatica.
Bell. Belladonna.
Benz-ac. Benzoic acid.
Berb. Berberis vulgaris.
Berb-aq. Berberis aquifolium.
Bism. Bismuthum subnitricum.
Blatta. Blatta americana.
Bor-ac. Boracicum acidum.
Borax. Borax.
Bov. Bovista (lycoperdon).

Brachyg. Brachyglottis repens.
Brom. Bromium.
Bry. Bryonia alba.
Bufo. Rana bufo.
Cact. Cactus grandiflorus.
Cad. Cadmium sulphuricum.
Calad. Caladium seguinum.
Calc-c. Calcara carbonica.
Calc-flu. Calcarea fluorata.
Calc-jod. Calcarea iodatum.
Calc-ph. Calcarea phosphorica.
Calc-s. Calcarea sulphurica.
Calend. Calendula.
Camph. Camphora.
Can-ind. Cannabis indica.
Can-sat. Cannabis sativa.
Canth. Cantharis vesicatoria.
Caps. Capsicum annum.
Carbo-an. Carbo animalis.
Carbo-v. Carbo vegetabilis.
Carb-ac. Carbolic acid.
Carbon. Carboneum sulphuratum.
Carls. Carlsbad.
Casc. Cascarilla.
Castan. Castanea vesca.
Cast-eq. Castor equi.
Cast. Castoreum.
Caul. Caulophyllum.
Caust. Causticum.
Ceanoth. Ceanothus.
Cedron. Simaba cedron.
Cham. Chamomilla (matricaria).
Chelid. Chelidonium majus.
Chenop-a. Chenopodium anthelmin ticum.
Chenop-v. Chenopodium vulvaria.
Chim. Chimaphilla uballata.
China. Cinchona calisaya.
Chin-ars. Cinchona arsenicum.
Chin-s. Quinine (sulphate).
Chionan. Chionanthus virginica.
Chloralum. Chloral hydrate.
Chlor. Chlorine gas.
Chrom-ac. Chromic acid.
Cic-m. Cicuta maculata.
Cic-v. Cicuta virosa.
Cimex. Cimex lectularius.
Cimicif. Cimicifuga.
Cina. Flores cinæ.
Cinnab. Mercuric sulphide (Cinna baris).
Cinna. Laurus cinnamomum.
Cist. Cistus canadensis.
Citr-ac. Citric acid.
Clem. Clematis erecta.
Coca. Erythroxylon coca.
Cocc. Cocculus.
Cocc-c. Coccus cacti.
Cochl. Cochlearia armoracia.
Cod. Codeinum.
Coff. Coffea cruda.
Colch. Colchicum autumnale.
Collins. Collinsonia canadensis.
Coloc. Colocynthis (citrilus).
Coni. Conium maculatum.
Cop. Copaifera officinalis.
Cor-r. Corallum rubrum.
Corn-c. Cornus circinata.
Corn-fl. Cornus florida.
Croc. Crocus sativus.
Crotal. Crotalus horridus.
Croton-tig. Croton tiglium.
Cub. Piper cubeba.
Cund. Cundurango.
Cupr. Cuprum metallicum.
Cupr-ac. Cuprum aceticum.
Curare. Curare.
Cycl. Cyclamen europæum.
Cyprip. Cypripedium pubescens.
Daph. Daphne indica.
Diad. Aranea diadema.
Dict. Dictamnus fraxinella.
Dig. Digitalis purpurea.
Dios. Dioscorea villosa.
Dolich. Dolichos pruriens.
Dros. Drosera rotundifolia.
Dulc. Solanum dulcamara.
Elaps. Elaps corallinus.
Elat. Momordica elaterium.
Equiset. Equisetum hyemale.
Erig. Erigeron canadense.
Eugen. Eugenia jambos.

Eucalp. Eucalyptus globulus.
Euony. Euonymus europæus.
Eupat-perf. Eupatorium perfoliatum.
Eupat-purp. Eupatorium purpureum.
Euphorb. Euphorbium.
Euphr. Euphrasia officinalis.
Ferr. Ferrum.
Ferr-jod. Ferrum iodatum.
Ferr-mag. Ferrum magneticum.
Ferr-ph. Ferrum phosphoricum.
Ferr-s. Ferrous sulphate.
Fluor-ac. Hydrofluoric acid.
Form. Formica rufa.
Gal-ac. Gallicum acidum.
Gels. Gelsemium sempervirens.
Gins. Ginseng.
Glon. Glonoine.
Gnaphal. Gnaphalium polycephalum.
Gossyp. Gossypium herbaceum.
Gran. Punica granatum.
Graph. Graphites.
Grat. Gratiola officinalis.
Guaj. Guaiacum officinale.
Gum-gut. Gambogia.
Gymnoc. Gymnocladus canadensis.
Hæmatox. Hæmatoxylon campechianum.
Ham. Hamamelis virginica.
Hell. Helleborus niger.
Helon. Helonias dioica.
Hep-s. Hepar sulphuris calcareum.
Hydrang. Hydrangea arborescens.
Hydr. Hydrastis canadensis.
Hydroc-ac. Hydrocyanic acid.
Hydroph. Hydrophobinum.
Hyos. Hyoscyamus niger.
Hyper. Hypericum perforatum.
Ign. Strychnos ignatia.
Illic-an. Illicium anisetum.
Ind. Indigo.
Iod. Iodum.
Ipec. Cephælis ipecacuanha.
Iris. Iris versicolor.
Jabor. Jaborandi.
Jac-car. Jacaranda caroba.
Jalap. Jalapa.
Jatr. Jatropha curcus.
Juglans. Juglans cinerea.
Kali-bi. Kali bichromicum.
Kali-brom. Kali bromatum.
Kali-c. Kali carbonicum.
Kali-chl. Kali chloratum.
Kali-jod. Kali iodatum.
Kali-n. Kali nitricum (nitrum).
Kali-s. Kali sulphuratum.
Kalm. Kalmia latifolia.
Kino. Eucalyptus rostrata.
Kobalt. Kobaltum.
Kreas. Kreasotum.
Lach. Trigonocephalus lachesis.
Lachn. Lachnanthes tinctoria.
Lact-ac. Lactic acid.
Lact. Lactuca viroca.
Lam. Lamium album.
Lappa. Lappa major.
Laur. Prunus laurocerasus.
Led. Ledum palustre.
Lept. Leptandra virginica.
Lil-tig. Lilium tigrinum.
Lith-c. Lithium carbonate.
Lob. Lobelia inflata.
Lup. Humulus lupulus.
Lyc. Lycopodium clavatum.
Lycop-v. Lycopus virginicus.
Macrot. Macrotinum.
Magn-c. Magnesia carbonica.
Magn-m. Magnesia muriatica.
Magn-ph. Magnesia phosphoricum.
Magn-s. Magnesia sulphuricum.
Magnolia. Magnolia grandiflora.
Mancin. Hippomane Manzanilla.
Mang. Manganum.
Mel. Melilotus officinalis.
Meny. Menyanthes trifoliata.
Meph. Mephitis putorius.
Merc. Mercurius vivus. (Pure quick silver).
Merc-cor. Mercurius corrosivus.
Merc-cyan. Mercurius cyanatus

Merc-dulc. Calomel (Mercurius chloride).
Merc-jod. Mercurius iodatus flavus.
Merc-bij. Mercurius iodatus ruber.
Merc-sol. Soluble Mercury (Black oxide).
Mez. Daphne mezereum.
Millef. Achillea millefolium.
Morph. Morphium.
Mosch. Moschus moschiferus.
Murex. Murex purpurea.
Mur-ac. Muriaticum acidum.
Myg. Mygale lasiodora cubana.
Myrica. Myrica cerifera.
Naja. Naja tripudians.
Narc. Narcissus poeticus.
Natr-ars. Natrum arsenicatum.
Natr-brom. Natrum bromatum.
Natr-c. Natrum carbonicum.
Natr-m. Natrum muriaticum.
Natr-n. Natrum nitricum.
Natr-ph. Natrum phosphoricum.
Natr-sal. Natrum salicylicum.
Natr-s. Natrum sulphuricum.
Nicc. Niccolum.
Nitr-ac. Nitricum acidum.
Nitr. Nitrum (Kali nitricum).
Nuph. Nuphar luteum.
Nux-m. Nux moschata.
Nux-v. Nux vomica.
Œnanth. Œnanthe crocata.
Œnonth. Œnonthera biennis.
Oleand. Oleander (Nerium).
Ol-an. Oleum animale.
Ol-jec. Oleum jecoris aselli.
Opi. Opium.
Origan. Origanum marjorana.
Osm. Osmium.
Ox-ac. Oxalicum acidum.
Oxytrop. Oxytropis lamberti.
Pæon. Pæonia officinalis.
Pallad. Palladium.
Pap. Papaya vulgaris.
Pareira. Pareira brava.
Paris. Paris quadrifolia.
Paul-p. Paullinia pinnata.
Paul-s. Paullinia sorbilis (Guarana)
Petr. Petroleum.
Petros. Petroselinum sativum.
Phell. Phellandrium aquaticum.
Phos-ac. Phosphoricum acidum.
Phos. Phosphorus.
Physos. Physostigma venenosum.
Phyt. Phytolacca decandra.
Pic-ac. Picricum acidum.
Pilocarp. Pilocarpinum (Alkaloid).
Pinus-l. Pinus lambertiana.
Pinus-s. Pinus silvestris.
Piper-m. Piper methysticum.
Piper-n. Piper nigrum.
Plant-maj. Plantago major.
Plant-min. Plantago minor.
Plat. Platinum.
Plumb. Plumbum metallicum.
Podo. Podophyllum peltatum.
Polyp. Polyporus officinalis.
Populus. Populus candicans.
Populus-trem. Populus tremuloides.
Poth. Pothos fœtidus.
Prun-s. Prunus spinosa.
Psor. Psorinum.
Ptel. Ptelea trifoliata.
Puls. Anemone pratensis (Pulsatilla).
Ran-b. Ranunculus bulbosus.
Ran-sc. Ranunculus sceleratus.
Raph. Raphanus sativus.
Rat. Ratanhia.
Rheum. Rheum officinale.
Rhod. Rhododendron chrysanthemum.
Rhus-a. Rhus aromatica (Fragrant sumach).
Rhus-gla. Rhus glabra (Smooth sumach).
Rhus-r. Rhus radicans (Poison ivy).
Rhus-t. Rhus toxicodendron (Poison oak).
Rhus-v. Rhus venenata (Poison elder).
Ric. Ricinus communis.
Robin. Robinia pseud-acacia.

Rumex. Rumex crispus.
Ruta. Ruta graveolens.
Sabad. Sabadilla officinarum.
Sabin. Juniperus sabina.
Salic-ac. Salicylicum acidum.
Samb. Sambucus nigra.
Samb-c. Sambucus canadensis.
Sang. Sanguinaria canadensis.
Sang-nit. Sanguinaria nitrate.
Santonin. Santoninum (Cinæic acid).
Sapo. Saponinum (Alkaloid).
Sarra. Sarracenia purpurea.
Sars. Sarsaparilla (Smilax officinal).
Scut. Scutellaria lateriflora.
Sec. Secale cornutum.
Selen. Selenium.
Senecio. Senecio aurens.
Seneg. Polygala senega.
Senna. Cassia officinalis (Acutifolia).
Sep. Sepia officinalis.
Sil. Terra silicea.
Solan. Solaninum (Alkaloid).
Solan-m. Solanum mammosum.
Solan-nig. Solanum nigrum.
Solan-tub. Solanum tuberosum.
Spig. Spigelia anthelmia.
Spong. Spongia tosta.
Squilla. Scilla maritima.
Stann. Stannum.
Staph. Staphisagria (Delphinium).
Sticta. Sticta pulmonaria.
Still. Stillingia sylvatica.
Stram. Datura stramonium.
Stront. Strontium carbonate.
Strych. Strychninum.
Sulph. Sulphur.
Sulph-ac. Sulphuric acid.
Sumb. Sumbul.
Symph. Symphytum.
Tabac. Tabacum.
Tan. Tanacetum.
Tarax. Taraxacum (Dandelion).
Tarent. Tarentula.
Tart-ac. Tartaric acid.
Tart-em. Tartarus emeticus.
Tax. Taxus baccata.
Tellur. Tellurium.
Tereb. Terebinthina.
Teucr. Teucrium (Marum verum).
Thal. Thallium.
Thea. Pekœ-tea.
Therid. Theridion.
Thlapsi. Thlapsi bursa pastoris.
Thuja. Thuja occidentalis.
Tilia. Tilia europæa.
Tong. Tonka bean.
Trill. Trillium.
Trif-rep. Trifolium repens.
Trif-pr. Trifolium pratense.
Uran-n. Uranium nitrate.
Urtica. Urtica urens.
Ustil. Ustilago maidis.
Uva. Uva ursi.
Vaccin. Vaccininum.
Valer. Valeriana officinalis.
Ver-a. Veratrum album.
Ver-V. Veratrum viride.
Verb. Verbascum thapsus.
Vib-op. Viburnum opulous.
Vib-prun. Viburnum prunifolium.
Vinca. Vinca minor.
Viola-od. Viola odorata.
Viola-tr. Viola tricolor.
Vipera-r. Vipera redi.
Vipera-t. Vipera torva.
Wyeth. Wyethia helenioides.
Xanth. Xanthoxylum americanum.
Yucca. Yucca filamentosa.
Zinc. Zincum.
Zinc-ac. Zincum aceticum.
Zinc-cyan. Zincum cyanatum.
Zinc-ferr. Zincum ferrocyanatum.
Zinc-m. Zincum muriaticum.
Zinc-ph. Zincum phosphoricum
Zinc-s. Zincum sulphuricum.
Zing. Zingeber officinale.
Ziz. Zizia aurea.

CONCORDANCE REPERTORY

OF THE

MOST RELIABLE SYMPTOMS FOUND IN THE HOMŒOPATHIC MATERIA MEDICA.

THE NECK AND BACK.

Abdomen (see section on Abdomen).—Blotches and ulcers on scapulæ and a. Merc.

Erysipelas from back around a. (zona). Merc. (Rhus-t.)

Pain in loins, kidneys and a., so great on attempting to urinate that could not pass a single drop without moaning and screaming. Canth.

Pain in lumbar region, as if were being pinched with pincers, extending gradually towards a. Can-sat.

Pain in small of back, with pressure in stomach and constriction in a. Lyc.

Pains in small of back extending over a., with distention of a. Cimex.

Soreness in small of back, followed by pressing or bearing down in a. Caust.

Abortion (see section on Parturition).—Severe pain in back and loins (in threatened a. or premature labor). Caul.

Above.—Painful jerking a. left scapula. Squilla.

Painless drawing a. left scapula. Squilla.

Abscess (see section on Skin).—A. near lumbar vertebræ. Calc-ph.

Psoas a. Phos-ac., Sil.

Ache.—Back and hips very stiff and painful; a severely. Bapt.

Aches.—Small of back a. as if bruised. Graph.

Aching.—A. and dull pain in lumbar and sacral regions extending to thighs and legs. Sep.

A. and stiffness in small of back. Lyc.

A. between shoulders. Æsc., Ailanth.

A. from sacrum to coccyx. Carbo-v.

A. in back, as if flesh were loose from bones. Acon., Kali-bi.

A. in coccyx. Kali-bi.

A. in loins. Naja.

A. in loins shooting down legs. Sil.

A. in loins when lying in bed at night. Rhus-t.

A. in lumbar region. Brachyg.

A. in nape of neck. Bar-c.

A. in nape of neck and shoulders. Ver-v.
A. in nape of neck on either side of vertebræ. Guaj.
A. in sacrum. Calc-c., Ign., Lach., Merc., Nux-v., Puls., Rhus-t., Sulph.
A. in small of back, as if bruised. Cinnab.
A. in spine extending to lower extremities. Agar.
A. or tensive tearing or sticking in region of loins and kidneys, sometimes extending down into calves, with feeling of lameness or swelling in back. Berb.
A. pain between shoulders and under left scapula extending to left lung; worse on expiration. Sep.
A. pain in lumbar region. Samb.
A. pain in nape of neck. Ran-b.
A. pain in nape of neck disappearing on bending head backward. Cycl.
A. pain in region of kidneys. Crotal.
A. pain in small of back (in women at climacteric). Hydr.
A. pain in small of back when standing or sitting. Mur-ac.
A. pain through small of back. Cocc-c.
A. pains in glands of neck. Ign.
A., shooting, burning and throbbing in lumbo-sacral region. Sil.
Burning about hips and scapulæ, with a. along spine. Carbo-v.
Burning and tired, a. feeling in lumbar and sacral regions. Helon.
Coldness and a. of lumbar region and extremities. Carbo-an.
Constant a. in lumbar region. Sil.
Cutting and a. pain about lower dorsal vertebræ. Asclep.
Dragging, piercing, drawing, a. pains in sacral region through to uterus. Helon.
Drawing, a. pains in left scapula and shoulder joint. Ptel.
Dull a. pain in lumbar region. Indium.
Intense a. pain in back and limbs; extremities feel as if broken. Eupat-perf.
Lumbago: cold feeling in gluteal region, with a. and with frequent sensation of coldness on top of head. Calc-c.
Lumbago: pain from above crest of ilium downward and inward to sacrum, with a. pain in bladder before and after urination. Berb.
Rheumatic, drawing pains and a. from loins to coccyx. Carbo-v.
Severe a. in lumbar and sacral regions. Ptel.
Severe a. pain in small of back, through hips and down thighs. Cimicif.
Sore, a. pain in sacral region, worse walking. Lact-ac.
Stiffness and a., with bruised pain in small of back when sitting still or when lying (Berb.); better from motion or when lying on something hard. Rhus-t. (Natr-m.)
Tired a. across small of back and limbs. Hydr. (Sep.)
Tired a. in small of back, as after long ride in a carriage. Calc-flu.

Across.—Dull, boring, pricking pain in left scapula extending a. spine. Meny.

Dull, heavy, dragging pain and stiffness of back, especially a. lumbar region, necessitating use of arms in rising; must move about before being able to straighten up. Hydr.

Dull pain a. loins and sacrum. Lil-tig.

Pressure as with a cutting edge a. small of back while standing and bending backward. Rhus-t.

Pricking, tearing, pressing pain running a. back. Hell.

Tired aching a. small of back and limbs. Hydr. (Sep.)

Adenitis (see Glands and Inflammation).—A.: glands of neck swollen and painful. Dulc.

Afternoon.—Violent pain and drawing in lateral muscles of neck which feel as if swollen; is giddy and head feels heavy as if drawn to one side periodically every a. Chin-s.

Aggravated (see Worse).—Backache a. by lying and immediately relieved by rising and moving. Apium graveolens.

Backache a. by walking and stooping forward. Æsc.

Cramp-like pain in small of back as if bruised and crushed; a. on least motion. China. (Bry.)

Spasmodic drawing pain in muscles of nape of neck extending to scapulæ; a. by stooping, exerting arms, turning head to left. Ant-c.

Tenderness of lower cervical and upper dorsal vertebræ with stiffness of neck; pressure causes pain which extends through chest, causing irritation to cough, a. on every exertion or strain npon spine. Sec.

Air.—Exposing back to slightest draught of a. causes patient to take cold. Sil.

Feeling as if cold a. were blowing on back. Camph.

Neck stiff on exposure to cold a., with pain on moving hands. Cimicif.

Sensation as if warm a. streamed up spine into head. Ars.

Along.—Burning a. spine. Ver-a.

Burning a. whole spine, worse when sitting. Zinc.

Pressing stitches a. spine, more in sacrum, with dyspnœa. Tarax.

Tearing pain a. spine. Natr-s.

Alternation.—Lumbago in a. with headache. Aloe.

Amenorrhœa (see section on Menstruation).—Pain and stiffness in small of back (in a.). Kali-c.

Violent pains in small of back, with great coldness (in a.). Am-ben.

Anæmia.—Spinal a. (after exhausting diseases). Kali-ph.

Spinal a. (after sexual excess). Phos.

Anæsthesia.—Myelitis: severe spinal pains worse on pressure; restless and sleepless, with a. of skin. Merc.

Annoyance (see section on Mind).—Weak feeling in back after mental a. Calc-c.

Anterior.—Non-lobulated tumor, like goitre, in a. and median portion of neck large as child's head; tumor becomes more swollen and painful during menses, which are irregular and painful. Iod.

Ants (see Insects).—Feeling as if a. were creeping along spine. Agar.

Anus (see section on Anus).—Boring and burrowing in sacrum and a. Calad.

Arch.—Back spasmodically curved like an a. Nux-v., Opi. (Cic-v.)

Opisthotonos: bending backward like an a. Cic-v.

Arm (see section on Upper Extremities).—Pain in a spot size of palm of hand below right scapula (worse: evening; after exertion; on deep inspiration; moving right a.; better from pressure). Ruta.

Painful drawing in neck and shoulders and down left a. Pallad.

Sudden stitch darting from side of neck into upper a. Berb.

Arms.—Drawing stitches between shoulders extending to chest on moving a. Camph.

Dull, heavy, dragging pain and stiffness of back, especially across lumbar region, necessitating use of a. in rising; must move about before being able to straighten up. Hydr.

Opisthotonos with convulsive motions of a. over head. Stram.

Pain from small of back into a. Rhod.

Pains in neck and back when raising a. Graph.

Rheumatic pain in neck, shoulders and a., worse at night. Sang.

Rheumatic pains in scapulæ darting along a., shoulders and face. Valer.

Small boils on neck, back and a. Graph.

Soreness and tenderness of spine; slightest motion of a. or neck extorts cries. Hyper.

Spasmodic drawing pain in muscles of nape of neck extending to scapulæ; aggravated by stooping, exerting a., or turning head to left. Ant-c.

Stitching pains in small of back so severe on motion that patient gets upon a. and knees to find relief. Coloc.

Around.—Contraction a. lower part of neck. Glon.

Swelling under jaw and a. neck. Crotal.

Tight feeling as if tight cravat were drawn a. neck. Asar.

Asphyxia.—Excitement of spinal nervous system causing tetanic convulsions, dyspnœa, a. and death. Ign.

Asleep.—Pain in cervical muscles as if a. or as if head had been too long in uncomfortable position. Rhus-t.

Warm feeling in small of back as if lumbar region were a., extending into sacrum, hips and thighs. Berb.

Atrophy.—A. of neck; throat and neck rapidly emaciate (in cholera infantum). Natr-m.

Awaking (see section on Sleep).—Dull backache every morning on a. Ptel.

Electric shocks in neck above larynx a. patient. Mancin.

Feeling of lameness or as if bruised in small of back, felt on a., worse when sitting or lying. Berb.

Pain in small of back at night a. patient. Am-m.

Pain in small of back at night on a. or on stooping. Kali-n.

Rheumatic pain between scapulæ early in morning on a. Ran-b.

Sharp stitching pains in back shooting from loins into nates, a. patient about three o'clock in morning. Kali-c.

Axillæ (see section on Upper Extremities).—Painful swelling of glands of neck and a. Staph.

Swelling of glands of neck and a. Nitr-ac., Sil. (Bar-c., Calc-c., Iod., Staph.)

Backache.—B. (after parturition). Hyper.

B. aggravated by lying and immediately relieved by rising and moving. Apium graveolens.

B. aggravated by walking and stooping forward. Æsc.

B., better after stool. Ox-ac.

B., especially at night, with great weakness of extremities. Arg-n.

B. extending to feet. Borax.

B.: must sit up to turn in bed. Nux-v.

B.: pain in small of back as if would break. Bell. (Aloe, Cimicif., Kali-c., Natr-m., Nux-v., Plat.)

B. while riding in carriage. Nux-m.

B. with emissions. Kobalt.

B. with stiffness after stooping. Bov.

B. with tired lameness in legs (after emissions). Kali-brom.

B. worse at night. Am-m.

B. worse when walking; unable to stoop. Kali-c. (Unable to rise. Sulph.)

B. worse while sitting or lying; difficulty in rising from seat. Berb. (Rhus-t.)

Constant dull b., pain extending to hips (with hæmorrhoids) making walking difficult. Æsc.

Dull b. every morning on awaking. Ptel.

Excessive b. Psor.

Severe b. preventing exertion. Asaf.

Severe b. relieved after passing urine. Lyc.

Violent b. after walking. Natr-c.

Backward.—Contraction of muscles of back drawing head b. Ver-v.

Cracking in cervical vertebræ (Nicc.), especially on bending head b. Sulph.

Feeling as if vertebræ were being torn asunder when stooping forward and then bending b., also when walking. Chelid.

Neck stiff; head stretched out and bent b. Tart-em.

Neck stiff; impossible to turn head to left or b. Chrom-ac.

Opisthotonos: bending b. like an arch. Cic-v.

Pain in neck when throwing head b. Cic-v.
Pain in small of back on bending b. Mang.
Pressure as with a cutting edge across small of back while standing and bending b. Rhus-t.
Torticollis: neck stiff, head drawn to one side, pain in nape as if dislocated when turning neck or bending head b. Lachn.

Band.—Labor-like pains in small of back (Caul., Cimicif., Kreas.), as if constricted by tight b. Puls.

Bar.—Feeling as of a b. in back. Ars., Lach.

Bearing down (see section on Uterus).—B. in small of back (before menses). Apis.
B. pains in sacrum, as if parts would be forced out, worse when moving. Sec.
Soreness in small of back followed by pressing or b. in abdomen. Caust.

Beaten.—B., bruised, lame feeling in back, with stitches and feeling of cutting and pulsating. Natr-m.
Great soreness and pain in back, as if b. Arn.
Pain as if b. and lame in spine. Ruta.
Pain in back, as if b. or broken. Agar., Arn., Magn-c., Merc., Nux-m., Nux-v., Phos., Ruta, Ver-a.
Pain in cervical vertebræ, as if b. or broken. Gels., Sabin.
Pain in coccyx, as if b. or broken. Cist.
Pain in lumbar and sacral regions, as if b. Bry.
Pain in nape of neck, as if b. or broken. Acon., Agar., Caust., Nux-v., Sabin., Thuja.
Pain in sacrum, as if b. or broken. Acon., Agar., Alu., Am-m., Arn., Graph., Hep-s., Nux-m., Nux-v., Plat., Rhus-t., Ruta, Ver-a.
Pain in scapulæ, as if b. or broken. Hell., Kreas., Merc., Merc-jod., Ran-b., Sil.
Pain in small of back and knees, as if b. and bruised. Nux-v.
Sore pain, as if b., in small of back, especially about last lumbar vertebræ. Acon.
Soreness in nape of neck, as if had been b. Ars-jod.
Ulcerating pains in lumbar vertebræ, as if flesh were b. off bones. Kreas.

Bed.—Aching in loins when lying in b. at night. Rhus-t.
Backache: must sit up to turn in b. Nux-v.
Great tenderness over sacrum; cannot even bear pressure of soft pillow; sits up in b. leaning forward to avoid contact with bed-clothes. Lob.
Itching on back and shoulders, as from crawling insects; worse on going to b. Osm.
Myelitis: chilliness, with dull pain in region of lower cervical and upper dorsal vertebræ; difficulty in raising head or turning in b.; cervical portion of spine stiff and painful when turning. Dulc.

Neck stiff; worse on right side and in b. after midnight. Phyt.
Rheumatic pain between shoulders; difficult to turn in b. Calad.
Softening of vertebræ: sensation as if vertebræ were gliding over each other when turning in b. Sulph.
Stiffness and pain in small of back when rising from seat or on getting out of b. in morning. Sil.

Bedclothes.—Great tenderness over sacrum; cannot even bear pressure of soft pillow; sits up in bed leaning forward to avoid contact with b. Lob.

Bed sores (see section on Skin).—Ulcerations and b. on back burn like fire. Ars.

Beetles.—Crawling in spine, as from b. Acon.

Belching (see section on Stomach).—B. relieves pain in back. Sep.

Below (see Under).—Burning and itching on a spot b. and to right of scapula. Pallad.
Pain in a spot size of palm of hand b. right scapula (worse: evening; after exertion; on deep inspiration; moving right arm; better from pressure). Ruta.
Stitching pains b. right scapula aggravated when throwing shoulders back and chest forward. Bad.

Bend.—Constant paralytic pain in small of back causing patient to b. back inward. Sabin.
During chill excruciating, tearing pains in back, extorting cries and causing patient to b. up like a hedgehog. Caps.

Bending.—Cracking in cervical vertebræ (Nicc.); especially on b. head backward. Sulph.
Feeling as if vertebræ were being torn asunder when stooping forward and then b. backward, also when walking. Chelid.
Glands on side of neck down to shoulder swollen and painful, as if contracted and stiff when b. neck or lying. Graph.
Opisthotonos: b. backward, like an arch. Cic-v.
Pain in back, as though lower vertebræ were broken asunder, when b. forward. Chelid.
Pain in left trapeze muscle, as from b. forward; worse from turning head to left. Pallad.
Pain in small of back on b. backward. Mang.
Pressure as with a cutting edge across small of back while standing and b. backward. Rhus-t.
Torticollis: neck stiff, head drawn to one side, pain in nape, as if dislocated, when turning neck or b. head backward. Lachn.

Bent.—Constant, violent pain in small of back; it feels as if in a vise; cannot lie still night or day; has to sit b. forward. Kali-jod.
Curvature of spine; patient stands b. forward. Thuja.
Neck stiff; head stretched out and b. back. Tart-em.
Sudden, violent, concussive, stitching pain in region of coccyx, as if spine were b. back. Magn-c.

Better (see Relieved).—Backache, b. after stool. Ox-ac.
Lumbago: pains in small of back, b. when lying on something hard. Rhus-t.
Pain in back while sitting, b. from motion or lying on something hard. Rhus-t. (Natr-m.)
Pain in small of back when lying on it. China. (B. when lying on it. Natr-m.)
Pain in small of back when sitting or when in act of sitting down; b. by walking. Zinc.
Pain in a spot size of palm of hand below right scapula (worse: evening; after exertion; on deep inspiration; moving right arm; b. from pressure). Ruta.
Pressure and heaviness in sacral region while sitting; b. on motion. Aloe.
Stiffness and aching, with bruised pain in small of back when sitting still or when lying (Berb.); b. from motion or when lying on something hard. Rhus-t. (Natr-m.)
Stiffness of back, b. when walking. Sep.
Stitches in small of back when sitting, stooping or walking; b. by pressure and when lying. Ruta.
Weight in lower part of sacrum and coccyx, b. standing, worse sitting and at stool. Arg-n.
When stooping sudden pain in back, as if struck by hammer; b. by pressing against something hard. Sep.
Between.—Aching b. shoulders. Æsc., Ailanth.
Aching pain b. shoulders and under left scapula extending to left lung; worse on expiration. Sep.
Bruised and sprained pain b. scapulæ. Am-m.
Bruised pain b. scapulæ. Hell.
Bruised pain b. shoulders. Acon. (Rhus-t.)
Burning and heat in lower portion of the dorsal region b. scapulæ. Helon.
Burning and soreness b. scapulæ. Phos-ac.
Burning, as from hot coals b. scapulæ. Lyc.
Burning from small of back to b. scapulæ. Thuja. (Phos.)
Burning pain b. scapulæ. Phos.
Chilliness b. scapulæ. Caps.
Coldness over back. Croc. (B. shoulders. Am-c., Lachn.)
Constant pain b. scapulæ and down back. Sep.
Contractive pain b. scapulæ. Graph.
Cutting pain b. scapulæ. Hyper., Meny.
Cutting, stabbing pain b. shoulders. Natr-s.
Drawing and stinging b. scapulæ. Zinc.
Drawing or tingling b. scapulæ. Viola-tr.
Drawing pain b. scapulæ. Guaj.
Drawing, shooting or cutting pain b. scapulæ. Calc-c.

Drawing stitches b. shoulders extending to chest on moving arms. Camph.

Feeling of cold water b. shoulders. Abies-c.

Feeling of coldness b. shoulder blades. Am-m. (As from ice. Lachn. As from hot coals. Lyc.)

Heat, with inward vibrations from neck and b. shoulders into limbs. Camph.

Hot sensation down back with heat or burning b. scapulæ. Glon. (Lyc.)

Icy coldness b. shoulders not relieved by thick covering, terminating in itching. Am-m.

Lumps b. shoulders. Calc-c.

Pain and soreness b. scapulæ. Podo.

Pain and soreness b. scapulæ, also in lumbar region. Natr-ars.

Pain b. scapulæ. Kobalt., Magn-s., Naja.

Pain b. scapulæ and in lumbar region. Coni.

Pain b. scapulæ drawing to small of back. Dros.

Pain b. scapulæ extending to loins. Ox-ac.

Pain b. shoulders only when swallowing. Rhus-t.

Pain in nape of neck and b. scapulæ. Eupat-perf.

Pain with stiffness from neck extending down spine to b. shoulders. Apis.

Painful pricking in or b. scapulæ through chest to pit of stomach. Cast.

Painful stiffness of neck (Acon., Agar.), with pain from nape to b. b. shoulders on turning. Am-m.

Pressing pain b. scapulæ. Seneg.

Pressure, as from a weight, b. scapulæ. China.

Pressure b. and under shoulder blades. Calc-c.

Pressure b. scapulæ during motion, causing arrest of breathing. Calc-c. (Sil.)

Rheumatic pain b. scapulæ. Bry.

Rheumatic pain b. scapulæ early in morning on awaking. Ran-b.

Rheumatic pain b. scapulæ from nape of neck to small of back during exercise. Ver-a.

Rheumatic pain b. shoulders. Camph.

Rheumatic pain b. shoulders; difficult to turn in bed. Calad.

Rheumatic pain b. scapulæ and in right shoulder. Lob.

Sensation as if piece of ice were lying b. scapulæ or on back. Lachn. (Heat b. scapulæ. Glon., Lyc. Coldness b. scapulæ. Am-c., Am-m.)

Shooting b. scapulæ. Nitr-ac., Nux-v.

Soreness b. scapulæ. Sil.

Stabbing pain b. scapulæ. Natr-s.

Sticking pain b. scapulæ during motion preventing breathing. Puls.

Stiff pain, like drawing in nape of neck and b. scapulæ. Ang.

Stiffness b. scapulæ when rising. Caust.

Stiffness in back and b. shoulders. Chelid.
Stiffness b. scapulæ. Cocc-c., Paris, Ran-b.
Stitches b. scapulæ during motion. Ipec.
Stitches b. scapulæ on drawing long breath. Prun-s.
Stitches b. scapulæ, with dyspnœa. Kali-n.
Stitches in and b. scapulæ. Nitr-ac.
Stitching and jerking with pressing pain b. scapulæ, extending through to stomach when sitting. Bry.
Stitching or lancinating pains in back b. shoulder blades. Asclep-tub.
Stitching with drawing b. scapulæ. Colch.
Tearing in and b. scapulæ, with oppression of chest. Berb.
Tearing pain b. and under scapulæ. Sil.
Tearing pains b. scapulæ extending downward, especially on deep inspiration. Meny.
Tearing pains in dorsal vertebræ b. scapulæ. Caust.
Tension and drawing b. scapulæ. Natr-c.
Throbbing and burning b. scapulæ. Phos.
Throbbing pain in small spot b. scapulæ. Phos.
Violent cutting pain b. scapulæ. Kali-n.

Bladder (see section on Urinary Organs).—Coxalgia with pain in b., with stranguary. Canth.
Lumbago: pain from above crest of ilium downward and inward to sacrum, with aching pain in b. before and after urination. Berb.

Blindness (see section on Eyes).—Locomotor ataxia preceded by twitching and trembling of muscles and partial b.; will is strong, but difficulty lies in carrying out its purpose. Physos.

Blisters.—B. on back. Calc-c.

Blood boils (see section on Skin).—B. on back. Caust., Graph., Hep-s., Thuja.
B. on neck. Carbo-an.
B. on right side of spine, painful on motion. Kali-bi.
B. on shoulders and region of liver. Nux-j.
B. on small of back. Iris.

Blotches.—B. and ulcers on scapulæ and abdomen. Merc.
Itching red b. on back. Asclep-tub.

Blow.—Heaviness and pressure in small of back while sitting, as if had received b. Rhus-t.
Pain at side of lumbar vertebræ, as if caused by b. from fist. Nux-m.

Blowing.—Creeping sensation in back, as if gentle wind were b. through it. Sec.
Feeling as if cold air were b. on back. Camph.

Blows.—Violent pain in back, as from b. or bruises. Kali-c.

Board.—Back painful and stiff as a b. Puls.
Bruised, sore feeling in sacral region; feels as if lying on b., changes position often (in typhoid). Bapt.

Boil.—Bruised feeling in back as if b. were forming. Hep-s.

Boils (see section on Skin).—B. on back. Natr-m.
B. on neck (Graph.) painful to touch. Hep-s.
Carbuncles, b., pustules, pimples on neck or back. Crotal.
Large b. or bullæ half inch in diameter, near spine, with violent burning and throbbing pains. Lach.
Small b. on back, with prickling pain on motion. Mur-ac.
Small b. on neck, back and arms. Graph.

Bone.—Caries of dorsal vertebræ, with swelling of b. to size of fist. Bufo.
Coccyx pains, as if on b., worse on rising from sitting. Euphorb.

Bones.—Ulcerating pains in lumbar vertebræ, as if flesh were beaten off b. Kreas.
Weakness in sacro-iliac symphysis, as if b. were loose. Arg-n.

Boring.—Acute, b., darting, neuralgic pains in back. Magn-ph.
B. and burrowing in sacrum and anus. Calad.
B. pain in back. Acon., Agar., Bar-c., Bism., Cocc., Laur., Natr-c., Thuja.
B. pain in sacral region. Acon.
B. pain in scapulæ. Acon., Meny.
Dull, b., pricking pain in left scapulæ extending across spine. Meny.
Painful b. on left side of lumbar vertebræ. Acon.
Sharp, shooting, b., shifting, remittent pains in nape of neck. Magn-ph.

Bound.—Neck and throat stiff and painful, muscles feeling as if b.; could move head only with difficulty. Caust.
Sensation in nape of neck across occiput as if b. tightly. Plat.
Stiffness of nape of neck with pain in occiput; muscles feel as if b. so that patient is unable to move head. Caust.

Bowels.—Pain in small of back, as if b. did not move. Al-cep.

Brain (see section on Head).—Chill creeping up spine from sacrum to base of b. Gels.
Opisthotonos, with congestion to b. and spine. Ver-v.

Break.—Backache: pain in small of back, as if back would b. Bell. (Aloe, Cimicif., Kali-c., Natr-m., Nux-v., Plat.)
Pain in dorsal vertebræ, as if back would b. Lil-tig.
Pain in small of back as if would b., with hard stool and colic, as if intestines would burst. Lyc.
Pain in small of back as if would b.; worse during rest. Kreas.
Pain in spine as if it would b. Kalm.
Pains in small of back, like labor-pains, as if back would b. Kreas. (Cimicif., Puls.)
Tearing pains in small of back, with feeling as if it would b. Ham.

Breath (see section on Chest).—Pain all over back, down to loins, worse on drawing long b. Cinnab. (Bry.)
Pain under right scapulæ when coughing or drawing long b. Seneg.
Stitches between scapulæ on drawing long b. Prun-s.
Stitches in region of kidneys on drawing long b. Cycl.

Breathing.—Darting, shooting pains in small of back arresting b. Caust.

Dull pain in inner edge of left scapula, worse on b. Sang.

Pain in back preventing b. Can-sat. (Berb., Led., Ruta, Sulph., Tart-em.)

Pain in sacral region when b. Berb., Ruta, Sulph., Tarax.

Pain in scapulæ preventing b. Can-sat., Calc-c., Kali-n., Sulph.

Pressure between scapulæ during motion causing arrest of b. Calc-c. (Sil.)

Pricking in small of back when b. Merc.

Soreness down muscles of back, pain shifting about, worse from deep b. Sang.

Sticking pain between scapulæ during motion, preventing b. Puls.

Stitches and tearing in right scapula on b. Kali-c.

Stitches from back toward chest when b. Psor.

Stitches in back when b. Spig.

Broken.—Intense aching pain in back and limbs; extremities feel as if b. Eupat-perf.

Lumbago: small of back feels as if b., with pain shooting down back to thighs. Kali-c.

Pain across loins, as if b., with loss of sexual power. Cocc-c.

Pain in back and small of back, as if bruised or b. Plat.

Pain in back, as if beaten or b. Agar., Arn., Magn-c., Merc., Nux-m., Nux-v., Phos., Ruta, Ver-a.

Pain in back, as if b., with burning in spine. Ars.

Pain in back, as though lower vertebræ were b. asunder when bending forward. Chelid.

Pain in cervical vertebræ, as if beaten or b. Gels., Sabin.

Pain in coccyx, as if beaten or b. Cist.

Pain in nape of neck, as if beaten or b. Acon., Agar., Caust., Nux-v., Sabin., Thuja.

Pain in sacrum, as if beaten or b. Acon., Agar., Alu., Am-m., Arn., Graph., Hep-s., Nux-m., Nux-v., Plat., Rhus-t., Ruta, Ver-a.

Pain in scapulæ, as if beaten or b. Hell., Kreas., Merc., Merc-jod., Ran-b., Sil.

Pain in small of back, as if b. Cor-r., Natr-m., Ox-ac.

Pain in small of back, as if b. after riding in carriage. **Nux-m.**

Pain in small of back, as if b. (especially during parturition). Magn-c.

Pain in small of back, as if b., with drawing; worse when stooping. Clem.

Pressing, drawing and stiffness in small of back, as if b. Carbo-an.

Sensation as if back were b. Nux-v.

Soreness in sacro-iliac symphysis, as if b. and separated. Calc-ph.

Bronchocele.—B.: hypertrophy of thyroid gland. Iod.

B.: left side of neck swollen, with smooth, livid appearance, and feeling of suffocation caused by touching neck. Lach.

Brown.—B. spots on back. Sep.
Skin of neck b. and greasy. Apis, Sep., Thuja.
Bruise.—Pain as from a b. in small of back when walking. Hep-s.
Pain in back, as from a b. Eupat-perf.
Pain in coccyx, as from b. when sitting. Am-m.
Bruised.—Aching in small of back, as if b. Cinnab.
Beaten, b., lame feeling in back, with stitches and feeling of cutting and pulsating. Natr-m.
B. and sprained pain between scapulæ. Am-m.
B., burning pain in coccyx, preventing sitting; worse from contact. Cist. (Kali-bi., Lachn.)
B. feeling in back, as if boil were forming. Hep-s.
B. feeling in sacral region. Calad., Ver-a.
B. feeling in small of back and sacral region. Sabad.
B. feeling in small of back when sitting. Merc.
B. feeling in spine. Spig.
B. pain and pressure in small of back. Ang.
B. pain between scapulæ. Hell.
B. pain between shoulders. Acon. (Rhus-t.)
B. pain in back. Dros., Plat.
B. pain in back during rest. Kali-c.
B. pain in back, worse on pressure. Nux-v.
B. pain in coccyx. Am-m.
B. pain in coccyx, as from a fall. Kali-jod.
B. pain in coccyx, burning when touched; pain like that of subcutaneous ulceration; worse when sitting or lying. Carbo-an.
B. pain in loins. Graph.
B. pain in region of scapulæ and hips. Natr-m.
B. pain in sacral region when lying on side. Actea-s.
B. pain in sacrum. Fluor-ac.
B. pain in small of back. Alu., Kali-jod.
B. pain in small of back and in region of kidneys. Cocc-c.
B. pain in small of back and sacrum. Natr-s.
B. pain in small of back preventing motion; worse three or four o'clock in morning. Nux-v.
B. pain in small of back when touching part. Graph.
B. pain in small of back, with feeling as if sprained. Gum-gut.
B. pain in small of back, worse when stooping or walking. Meny.
B. pain, with stiffness and lameness in small of back. Berb.
B. sensation in muscles of loins and back. Cham.
B., sore feeling in sacral region; feels as if lying on board; changes position often (in typhoid). Bapt.
Cramp-like pain in small of back, as if b. and crushed; aggravated on least motion. China. (Bry.)
Darting or b. pain in coccyx. Caust.
Dull, drawing or b. pain in coccyx. Caust.

Feeling of lameness or as if b. in small of back, felt on awaking, worse when sitting or lying. Berb.
Muscles of neck feel b. Gels.
Nape of neck stiff, as if b. or sprained. Ars.
Neck stiff and sore, as if b. Ferr.
Pain as if b. in pelvic region, worse on touch. Magn-m.
Pain as if sprained and b. in small of back when standing. Agar.
Pain as if sprained or b. in nape of neck and shoulder. Ruta.
Pain in back and small of back, as if b. or broken. Plat.
Pain in back or coccyx, as if b. Ruta.
Pain in back with lassitude and pain, as if b. in region of short ribs. Ran-b.
Pain in small of back and knees, as if beaten and b. Nux-v.
Pain in small of back, as if b. Cina.
Pain, as if b., in small of back relieved by lying on something hard. Natr-m. (Rhus-t.)
Pains in small of back, as if b. China.
Pressive, b. pain in small of back and sacral region. Meny.
Progressive locomotor ataxia (Pinus sylv.); congestion of spinal cord; perspiration, languor; cannot walk, muscles feel b. and will not obey will. Gels.
Small of back aches as if b. Graph.
Small of back feels b. Nux-v.
Small of back painful and lame, as if b. Arn.
Sore, b. feeling in all muscles in back, with profound debility. Bapt.
Sore, b. pain in small of back when lying on it. Bry.
Spinal disease, with b. pain in small of back and paralysis of lower extremities. Ars.
Stiffness and aching, with b. pain in small of back when sitting still or when lying (Berb); better from motion or when lying on something hard. Rhus-t. (Natr-m.)
Stiffness in small of back, with pain as if b. whenever lies quietly upon it or sits still; on moving about feels nothing. Rhus-t
Tired, b. feeling in back, as after exertion. Apis.
Violent, b. pain in small of back and in coccyx, especially when stooping or rising from seat. Sulph. (Rhus-t.)
Violent pain in back for several nights, with b. sensation in small of back preventing sleep. Sulph.

Bruises.—Pain in side of neck, as from b. Carbo-v.
Violent pain in back, as from blows or b. Kali-c.

Bubbling.—B. sensation in back. Petros., Tarax.
B. sensation or pulsating stitches in sacrum and region of kidneys. Berb.

Bugs (see Insects).—Crawling in spine, as from b. Acon.

Bullæ (see Boils).—Large boils or b., half inch in diameter, near spine, with violent burning and throbbing pains. Lach.

Burn.—Ulcerations and bed sores on back b. like fire. Ars.

Burning.—Aching, shooting, b. and throbbing in lumbo-sacral region. Sil.

Bruised, b. pain in coccyx preventing sitting; worse from contact. Cist. (Kali-bi., Lachn.)

Bruised pain in coccyx b. when touched; pain like that of subcutaneous ulceration; worse when sitting or lying. Carbo-an.

B. about hips and scapulæ with aching along spine. Carbo-v.

B. along spine. Asaf., Ver-a.

B. along whole spine, worse when sitting. Zinc.

B. and cutting pains in back. Nux-v.

B. and heat in lower portion of dorsal region between scapulæ. Helon.

B. and heat like prickly heat in back. Apis.

B. and itching on a spot below and to right of scapula. Pallad.

B. and pressure in regon of coccyx, worse when sitting. Apis.

B. and soreness between scapulæ. Phos-ac.

B. and tired aching feeling in lumbar and sacral regions. Helon.

B. as from hot coals between scapulæ. Lyc.

B. from small of back to between scapulæ. Thuja. (Phos.)

B. heat in back with numbness and clumsy feeling of extremities which tremble from every exertion. Phos.

B. in back. Ars.

B. in right scapula. Carbo-v.

B. in right scapula, also in region of left kidney. Lachn.

B. in sacral and lumbar region. Lachn.

B. in scapulæ. Zinc.

B. in small of back. Kreas.

B. in spots along spine. Phos.

B. on neck. Bar-c., Merc.

B. over left scapula. Ambr., Bar-c., Natr-m., Sil., Teucr., Zinc.

B. over right scapula. Bar-c., Can-sat., Caust., Iod., Laur., Seneg., Sulph., Ver-a.

B. over scapulæ. Lachn., Sil., Sulph.

B. pain between scapulæ. Phos.

B. pain in spine. Bell.

B. pains in small of back. Phos.

B. pressure in spine extending across dorsal region and in scapulæ like that produced by sewing. Sep.

B. stitches in sacrum causing patient to start. Mur-ac.

B. stitches in small of back. Arg-m.

Drawing and b. in small of back. Aloe.

Drawing, b. and throbbing pain in spine with drownsiness, but unable to sleep. Bell.

Drawing, b. pains commencing in the coccyx and extending upward. Mur-ac.

Fine b. stitches under right scapula extending toward ribs. Asaf.

Herpetic eruption on neck and behind ears; worse from heat, which causes b. Coni.

Hot sensation down back with heat or b. between scapulæ. Glon. (Lyc.)

Large boils or bullæ half inch in diameter near spine, with violent b. and throbbing pains. Lach.

Lumbago: pain in lumbar region with great heat and b. Kalm.

Pain in back as if broken with b. in spine. Ars.

Pressure and b. in back relieved by motion. Kali-n.

Stitches in right lumbar region when walking, with slight b. sensation. Ran-b.

Stitches, tearing and b. in small of back. Magn-m.

Throbbing and b. between scapulæ. Phos.

Violent b. and itching under skin of back. Seneg.

Violent b. in nape of neck in morning. Am-ben.

Violent shooting, b. pains deep in spine. Agar.

Burns.—Pimple on right side of neck which b. and itches. Pallad.

Burrowing.—Boring and b. in sacrum and anus. Calad.

Buttock (see Nates).—Lumbago: pain in back and small of back finally locating in a small spot on upper part of thigh and b. Coloc.

Calves.—Aching or tensive tearing or sticking in region of loins and kidneys, sometimes extending down into c., with feeling of lameness or swelling in back. Berb.

Carbuncle (see section on Skin).—C. on left side of back extending from upper border of scapulæ downward about six inches, surrounded by small pustules with scanty, offensive pus; pain is intense, with great weakness and prostration. Hep-s.

C. on nape of neck. Anthrak.

C. on nape of neck, purple or gangrenous, exceedingly sensitive to touch. Lach.

C. on nape of neck; surrounding parts inflamed and sensitive to touch. Hep-s.

Carbuncles.—C., boils, pustules, pimples on neck or back. Crotal.

C. or ulcers on nape or back surrounded by little pimples or ulcers. Lach.

Caries.—C. of dorsal vertebrae with swelling of bone to size of fist. Bufo.

C. of vertebræ (in scrofulous children). Phos.

Carotid.—C. tumors. Calc-c.

Carriage.—Backache while riding in c. Nux-m.

Coccyx painful as after long c. ride. Sil.

Pain in small of back as if broken after riding in c. Nux-m.

Tired aching in small of back as after long ride in c. Calc-flu.

Carrying.—Drawing pain in nape of neck as if c. a load. Nux-v.

Catching.—C. and stitching pains in lumbar region. Staph.
Cerebro-spinal congestion.—Pains in neck with c. Gels.
Cerebro-spinal meningitis (see section on Head).—C. with congestion, wild incoherent delirium, trembling and weakness of limbs. Gels.
Great sensitiveness of cervical and upper dorsal vertebræ, with soreness of all muscles (in c.). Cimicif.
Head and neck retracted (in c. or spotted fever). Cimicif.
Neck stiff (in c.). Hell.
Neck stiff, with pain along spine (in c.). Cedron.
Cervical.—C. and first four dorsal vertebræ very tender on pressure; pressure brings on attack of neuralgia. Coloc.
Constant pain in c. and upper dorsal vertebræ. Stram.
Great sensitiveness of c. and upper dorsal vertebræ, with soreness of all muscles (in cerebro-spinal meningitis). Cimicif.
Myelitis: Chilliness with dull pain in region of lower c. and upper dorsal vertebaæ; difficulty in raising head or turning in bed; c. portion of spine stiff and painful when turning. Dulc.
Painful sensitiveness of spine from last c. to fifth dorsal vertebræ. Tellur.
Stabbing pain from third c. to fifth dorsal vertebræ. Kali-bi.
Tenderness of lower c. and upper dorsal vertebræ with stiffness of neck; pressure causes pain which extends through chest causing irritation to cough, aggravated on every exertion or strain upon spine. Sec.
Cervical gland.—Jerking, tearing pains in right c. Caps.
Cervical glands—C. and parotids swollen and indurated. Sil.
C. enormously enlarged, hard and tender. Coni.
C. swollen. Aur., Calc-c., Natr-c.
C. swollen and indurated (in scrofulous children). Coni.
C. swollen and painful, especially those near nape of neck. Carbo-v.
Indurated swelling of c. Calc-c. (Bar-c.)
Inflammation and swelling of c. Sulph.
Submaxillary and c. swollen to size of pigeon's egg; very hard and painful to slightest pressure. Bar-m.
Swelling and induriation of c. Iod. (Bar-c.)
Swelling and induration of c. studding neck like a row of pearls. Lava.
Swelling, enlargement and induration of c. with otorrhœa. Bar-m.
Swelling in c. Lach., Lyc.
Swelling in c. with drawing pain when turning head. Mur-ac.
Swelling of c. Ant-c., Astacus-fluviatilis., Hell., Puls.
Swelling of c., mostly on right side. Nitr-ac.
Swelling of c. with itching eruption. Am-ben.
Swelling of c. with painful closing of jaws. Merc.
Swollen and indurated c. Calc-flu.

Cervical muscles.—A sort of paralysis of c. Lyc.
C. so weak can hardly hold up head; it falls to every side. Arn.
C. stiff. Hell.
C. stiff and lame. Bapt.
Contraction and stiffness of c. drawing neck to one side. Hyos.
Contraction of c. drawing head back during sleep. Alu.
Nape of neck and c. stiff and painful. Mez.
Pain in c., as if asleep, or as if head had been too long in uncomfortable position. Rhus-t.
Pain in right c. and in region of right clavicle. Chelid.
Paralysis of c. Plumb.
Spinal irritation, with stiffness of c. and great weakness. Cocc.
Tearing and cutting pains in c. Cupr.
Tearing in c. Canth., Carbo-v.
Weakness of c.; head feels too heavy; unable to support it. Cocc.

Cervical region.—Dull, aching pain in lumbar and c. Gels.
Remarkable sensitiveness along spine in c.; slightest pressure caused violent outcries and raving. Stram.
Tonic spasms in muscles of neck and c. Cic-v.

Cervical vertebræ.—C. very sensitive to touch. Hyper.
Cracking in c. Cocc.
Cracking in c. (Nicc.), especially on bending head backward. Sulph.
Cracking in c. when moving head. Natr-c., Nicc., Petr.
First dorsal vertebræ and last c. sensitive to pressure. Chin-s.
Hyperæsthesia and great sensitiveness of spine from sixth c. to small of back. Cupr.
Intense pain in c. (in influenza). Al-cep.
Pain in c., as if beaten or broken. Gels., Sabin.
Pain in fifth, sixth and seventh c., worse on moving head. Camph.
Pain in third c. Fluor-ac.
Painful soreness of c. Ham.
Painful throbbing in one of c. Kali-n.
Rheumatism in lower c. Sil.
Tenderness of c. to pressure. Arn.
Tenderness of dorsal and c. to touch. Card.

Cervico-brachial.—C. neuralgia; worse in morning, after eating, and from touch. Nux-v.

Changes.—Bruised, sore feeling in sacral region; feels as if lying on board; c. position often (in typhoid). Bapt.

Changing.—Pressing pain in small spot in nape of neck, on left side and near mastoid process, c. to right side. Card.

Cheeks (see Face).—Tearing pains in sides of neck in alternation with tearing in c. Am-m.

Cherry.—Pedicled tumors of bluish color in central part of back, large as a c. Coni.

Chest (see section on Chest).—Chronic rheumatism of c. and back, worse at night. Kali-jod.

Coldness through c. to back. Carbo-an.

Constant pain in or under right scapula (Abies-c., Æsc., Podo.); may extend to c. or stomach. Chelid.

Drawing stitches between shoulders extending to c. on moving arms. Camph.

Pain along inner edge of left scapula, sometimes extending through lower half of left side of c. Ran-b.

Pain in first dorsal vertebra extending through c. to sternum. Bry.

Painful pricking in or between scapulæ through c. to pit of stomach. Cast.

Rheumatic pain and drawing in back and right side of c., more violent during inspiration. Lyc.

Rheumatic pains in loins and hips, extending to left shoulder and c., worse in evening. Colch.

Shooting stitches in back through to c. Bry.

Spinal irritation: third dorsal vertebra painful to touch, with oppression of c. Chin-s.

Stitches from back toward c. when breathing. Psor.

Stitches from c. into scapulæ. Ox-ac.

Stitching pains below right scapula, aggravated when throwing shoulders baek and c. forward. Bad.

Swelling of glands of neck extending to c. Natr-ph.

Tearing in and between scapulæ, with oppression of c. Berb.

Tenderness of lower cervical and upper dorsal vertebræ, with stiffness of neck; pressure causes pain which extends through c. causing irritation to cough, aggravated on every exertion or strain upon spine. Sec.

Child.—Weakness of neck; c. can scarcely keep head erect (Coni.); especially in whooping-cough. Ver-a.

Children.—Caries of vertebræ (in scrofulous c.). Phos.

Cervical glands swollen and indurated (in scrofulous c.). Coni.

Neck emaciated (in marasmus of c.). Sars.

Neck so weak c. cannot hold up their heads. Æth.

Perspiration on neck (in c.). Samb.

Chill (see section on Chill and Fever).—C. begins in lower dorsal region and runs up back. Eupat-purp.

C. commences in back. Arg-m.

C. commences in back (in intermittent); coldness so great patient draws himself together like a hedgehog. Caps.

C. creeping up spine from sacrum to base of brain. Gels.

C. running down back. Caps.

During c., excruciating, tearing pains in back extorting cries and causing patient to bend up like a hedgehog. Caps.

Chilliness.—C. between scapulæ. Caps.
C. in small of back. Lyc.
C. over back in evening. Am-ben.
C. over back lasting for hours (in intermittents). Natr-m.
Myelitis: c., with dull pain in region of lower cervical and upper dorsal vertebræ; difficulty in raising head or turning in bed; cervical portion of spine stiff and painful when turning. Dulc.
Pain in back and c. (from suppression of menses). Puls.

Chills.—C. in back. Rhus-t.
C. run down back. Abies-c.
C. run up back (during whooping-cough). Al-cep.
C. crawling up and down back followed by fever and thirst. Al-cep.
Creeping c. over back. Eupat-perf.

Chilly.—Cold, c. feeling in small of back. Dulc.

Chin (see section on Face).—Contraction in neck drawing c. down to sternum. Can-ind.

Cholera infantum (see section on Stool).—Atrophy of neck; throat and neck rapidly emaciate (in c.). Natr-m.

Clavicle.—Pain in right cervical muscle and in region of right c. Chelid.
Scrofulous ulcer on left part of neck from hair to c. with hard and elevated edges. Aster.

Climacteric (see section on Uterus).—Aching pain in small of back (in women at c.). Hydr.

Clothing.—Neck feels large and c. too tight. Kali-c.

Clumsy.—Burning heat in back with numbness and c. feeling of extremities which tremble from every exertion. Phos.

Coals.—Burning as from hot c. between scapulæ. Lyc.

Coccyodynia.—C. (during menses). Cic-v.

Coccyx.—Aching from sacrum to c. Carbo-v.
Aching in c. Kali-bi.
Bruised, burning pain in c. preventing sitting; worse from contact. Cist. (Kali-bi., Lachn.)
Bruised pain in c. Am-m.
Bruised pain in c., as from a fall. Kali-jod.
Bruised pain in c., burning when touched; pain like that of subcutaneous ulceration; worse when sitting or lying. Carbo-an.
Burning and pressure in region of c., worse when sitting. Apis.
C. painful, as after long carriage ride. Sil.
C. pains, as if in bone; worse on rising from sitting. Euphorb.
Cutting and tearing in c. Canth.
Darting or bruised pain in c. Caust.
Drawing, burning pains commencing in c. extending upward. Mur-ac.
Drawing pain in c. to rectum and vagina. Kreas.
Dull, drawing or bruised pain in c. Caust.
Dull, drawing pain in region of c. Caust.

Feeling as if heavy load were hanging to end of c., constantly dragging downward. Tart-em.
Gnawing in c. Gum-gut.
Heat about c. Calc-c.
Intense, cramp-like pain in small of back and c.; can only sit for a short time; unable to lie on back and relieved mostly by standing and walking about slowly. Bell.
Intense, crampy pain in small of back and c. Bell.
Itching about c., must scratch till parts become raw and sore. Bov.
Itching of c. Borax, Bov.
Itching stitch in c. when sitting. Dros.
Lumbago: intensely painful, crampy sensation in lumbo-sacral region and c.; can only sit few minutes and while sitting becomes quite stiff and unable to rise again. Bell.
Numbness in sacrum and c. while sitting. Plat.
Pain in back or c., as if bruised. Ruta.
Pain in c. as from bruises, when sitting. Am-m.
Pain in c., as if beaten or broken. Cist.
Pain in c. as if ulcerated, preventing motion, followed by painful stiffness of neck. Phos.
Pain in c. while sitting. Kali-bi., Petr. (Cist., Lach.)
Painful cramps in c. Grat.
Painful drawing in sacrum, c. and thighs while sitting. Thuja.
Pains in c. Mur-ac.
Pressure as with a sharp point in c. Can-sat.
Rheumatic drawing pains and aching from loins to c. Carbo-v.
Sensation of numbness in nape of neck and c. Berb., Plat.
Sensation of pulling upward from tip of c. Lil-tig.
Sharp stitches in and on left side of spine, near c. and sacrum. Agn.
Sore, moist places on c. Arum.
Sore, pressive pain under c. Carbo-v.
Sticking pain in c. when sitting. Lach.
Stiffness of spine commencing in region of c. Ars.
Stinging in c., painful to pressure. Sil.
Sudden, violent, concussive, stitching pain in region of c., as if spine were bent back. Magn-c.
Tearing and jerking in c. Cic-v.
Tearing pains in c. relieved by pressure. Merc.
Violent bruised pain in small of back and in c., especially when stooping or rising from seat. Sulph. (Rhus-t.)
Violent pains with inability to walk or stoop (after fall on c.). Hyper.
Weariness and weakness in back from c. upward, with dull pain in region of kidneys. Brachyg.
Weight in lower part of sacrum and c., better standing, worse sitting and at stool. Arg-n.

Cold.—C., chilly feeling in small of back. Dulc.
C., numb and tight sensation in small of back. **Carbo-v.**
C. rigors creep over back. Ars.
Coldness in back and icy c. hands. Cact.
Exposing back to slightest draft of air causes patient **to take c.** Sil.
Feeling as if c. air were blowing on back. Camph.
Feeling as if c. water were dropping down back. **Caps.**
Feeling of c. water between shoulders. Abies-c.
Lameness in small of back after taking c. Dulc.
Lumbago: c. feeling in gluteal region, with aching and with frequent sensation of coldness on top of head. Calc-c.
Lumbago: slightest effort to move causes retching, c., clammy perspiration and excruciating pain. Tart-em.
Myelitis after taking c. (during menses). Dulc.
Nape of neck stiff, as from taking c. Natr-c.
Neck c. in evening. Spong.
Neck stiff and painful after taking c. Dulc.
Neck stiff and sore after least c. Nitr-ac.
Pain in back after c. Nitr-ac. (Calc-c.)
Pain in loins as from c. or over-lifting. Valer.
Pain in nape of neck as after taking c. Bry.
Sacrum feels c. Dulc.
Sensation as of c. water poured down back. **Puls.**

Coldness.—C. and aching of lumbar region and extremities. **Carbo-an.**
C. and weakness in back. Ox-ac.
C. down spine. Ruta.
C. in back and icy-cold hands. Cact.
C. in small of back and loins. Camph.
C. over back. Croc. (Between shoulders. **Am-c., Lachn.**)
C. through chest to back. Carbo-an.
Feeling of c. about sacrum. Benz-ac.
Feeling of c. between shoulder blades. Am-m. (As from ice. Lachn. As from hot coals. Lyc.)
Icy c. between shoulders not relieved by thick covering, terminating in itching. Am-m.
Pain in back and hips, with c. of limbs. Pallad.
Pain in lumbar region with sensation of c., worse at night and from motion. Podo.
Sensation as if piece of ice were lying between scapulæ or on back. Lachn. (Heat between scapulæ. Glon., Lyc. C. between scapulæ. Am-c., Am-m.)
Violent pains in small of back with great c. (in amenorrhœa). Am-ben.

Colic (see section on Abdomen).—Pain in small of back as if would break, with hard stool and c., as if intestines would burst. Lyc.
Pain in small of back followed by c. in umbilical region. Ver-a.

Commences.—Chill c. in back. Arg-m.

Commencing.—Stiffness of spine c. in region of coccyx Ars.

Concussions.—C. in spine. Hyper.

Concussive.—Sudden, violent, c., stitching pain in region of coccyx, as if spine were bent back. Magn-c.

Congestion.—Cerebro-spinal meningitis with c., wild incoherent delirium, trembling and weakness of limbs. Gels.

C. to neck; it feels large and cravat feels too tight. Glon.

C. to neck with full feeling. Kali-c.

Opisthotonos with c. to brain and spine. Ver-v.

Pain in back and right side with c. to liver. Lyc.

Pains in neck with cerebro-spinal c. Gels.

Progressive locomotor ataxia (Pinus-sylv.); c. of spinal cord; prostration, languor; cannot walk, muscles feel bruised and will not obey will. Gels.

Constipation (see section on Stool).—Chronic spinal meningitis when paralyzed parts quickly fall away in flesh and limbs are painfully contracted, with obstinate c. Plumb.

Pain in lumbar region (with dysentery or c.). Nux-v.

Spinal irritation with c., cold feet, and symptoms of paralysis. Sil.

Constricted.—Labor-like pains in small of back (Caul., Cimicif., Kreas.) as if c. by tight band. Puls.

Constriction.—Feeling of c. in goitre. Iod.

Pain in small of back, with pressure in stomach and c. of abdomen. Lyc.

Contact (see Touch, Pressure).—Bruised, burning pain in coccyx preventing sitting; worse from c. Cist. (Kali-bi., Lachn.)

Goitre sensitive to c. Kali-jod.

Great tenderness over sacrum; cannot even bear pressure of soft pillow; sits up in bed leaning forward to avoid c. with bedclothes. Lob.

Neck painful and sensitive to c. and pressure even of linen. Lach.

Contracted.—Chronic spinal meningitis when paralyzed parts quickly fall away in flesh and limbs are painfully c., with obstinate constipation. Plumb.

Drawing internally in region of right scapula, as if nerves and vessels were c. Coloc.

Glands on side of neck down to shoulder swollen and painful, as if c. and stiff when bending neck or lying. Graph.

Rheumatic pains in scapulæ; muscles feel c. and as if swollen, preventing motion. Mez.

Torticollis: right sterno-cleido-mastoid muscle c. Bell.

Contraction.—C. around lower part of neck. Glon.

C. and stiffness of cervical muscles drawing neck to one side. Hyos.

C. in neck drawing chin down to sternum. Can-ind.

C. of cervical muscles drawing head back during sleep. Alu.

C. of muscles of back drawing head backward. Ver-v.

C. of muscles of neck. Natr-c. (Natr-m.)

Drawing or c. in muscles of neck; after turning head can not turn it back again without great pain. Cic-v.

Pain in the shoulder blades and back extending into the neck, with c. Coloc.

Rheumatic pains in muscles of neck and back, with feeling of stiffness and c. Cimicif.

Contractive.—C. pain between scapulæ. Graph.

C. pain in nape of neck. Cupr.

C., spasmodic pain in small of back. Magn-m.

C. sticking in right loin during inspiration (Bry.); worse when lying on back. Coloc.

Convulsions.—Excitement of spinal nervous system causing tetanic c., dyspnœa, asphyxia and death. Ign.

Paralysis of spinal motor nerves, with tetanic c. Cocc.

Paralysis of spine, with muscular twitchings, convulsive movements, c. and great weakness of legs, with staggering gait. Hyos.

Spinal meningitis, with c. and jerking of muscles. Hyos.

Convulsive.—Opisthotonos, with c. motion of arms over head. Stram.

Paralysis of spine, with muscular twitchings, c. movements, convulsions and great weakness of legs with staggering gait. Hyos.

Cord.—Hyperæmia of spinal c. Dulc.

Hyperæthesia of spinal c. Eupat-purp.

Inflammation of spinal c. Calc-c.

Paralysis from inflammation of spinal c., with stiffness of limbs. Ox-ac.

Paralysis of lower third of spinal c. Ars.

Progressive locomotor ataxia (Pinus sylv.); congestion of spinal c.; prostration, languor; cannot walk, muscles feel bruised and will not obey will. Gels.

Reflex irritation of spinal c., with great hyperæsthesia and pains in almost every part of body. Dios.

Softening of spinal c. Crotal.

Softening of spinal c. producing complete paralysis of motion and sensation. Phos.

Softening of spinal c., with loss of power; stumbles and trips when walking. Kali-ph. (Rhus-t.)

Cough (see section on Cough).—Fourth dorsal vertebra very tender on pressure, followed by violent, dry c., red face, headache, photophobia and perspiration. Bell.

Pain in back through to sternum, with c. and expectoration of thick, black mucus. Kali-bi.

Shooting and gnawing pain in spine, with c. Bell.

Spinal irritation, with reflex action, causing c., laryngismus, and sometimes spasmodic stricture of œsophagus. Naja.

Tenderness of lower cervical and upper dorsal vertebræ, with stiffness of neck; pressure causes pain which extends through chest, causing irritation to c., aggravated on every exertion or strain upon spine. Sec.

Coughing.—Pain in back when c. Bry., Cocc., Kali-n.

Pain in sacrum extending down sciatic nerve to right thigh, worse when standing at stool: c.; laughing; when lying on left side (in sciatica). Tellur.

Pain under right scapula when c. or drawing long breath. Seneg.

Pulsations in back when c. Nitr-ac.

Stitches in sacral region when c. Bry.

Violent pain in nape of neck when c. Bell.

Coxalgia.—C. Kali-jod.

C.: hip joint feels as if femur were fastened to os innominatum, with darting pains from sacro-lumbalis muscle into thigh. Coloc.

C. with cutting and tearing pains. Calc-c.

C. with pain in bladder, with strangury. Canth.

Cracking.—C. in cervical vertebræ. Cocc.

C. in cervical vertebræ (Nicc.); especially on bending head backward. Sulph.

C. in vertical vertebræ when moving head. Natr-c., Nicc., Peter.

Cramp.—C. in neck and left side of throat. Bar-c.

Cramp-like.—C., oppressive sensation in middle of spine. Bell.

C. pain in nape of neck. Asar.

C. pain in neck, first on one side, then on other. Calc-ph.

C. pain in sacral region, as after long standing; when attempting to walk feels as if would fall. Thuja.

C. pain in small of back, as if bruised and crushed; aggravated on least motion. China. (Bry.)

C., pressing pain in region of kidneys. Caust.

Intense, c. pain in small of back and coccyx; can only sit for a short time; unable to lie on back and relieved mostly by standing and walking about slowly. Bell.

Cramps.—Painful c. in coccyx. Grat.

Crampy.—C. pains in back; cannot rise. Sil. (Rhus-t.)

C. pains in hands and sudden jerking of limbs on going to sleep. Physos.

Intense, c. pain in small of back and coccyx. Bell.

Lumbago: intensely painful, c. sensation in lumbo-sacral region and coccyx; can only sit few minutes, and while sitting becomes quite stiff and unable to rise again. Bell.

Shooting, c. pain from right kidney down thigh to knee. Ipec.

Cravat.—Congestion to neck; it feels large and c. feels too tight. Glon.

Tight feeling, as if tight c. were drawn around neck. Asar.

Crawling.—Chilly c. up and down back, followed by fever and thirst. Al-cep.

C. in spine, as from bugs. Acon.
C. on back, as of fleas. Pallad.
C. pressure in small of back. Samb.
Itching on back and shoulders, as from c. insects; worse on going to bed. Osm.

Creep.—Cold rigors c. over back. Ars.

Creeping.—Chill c. up spine from sacrum to base of brain. Gels.
C. and itching formication over whole back. Natr-c.
C. chills over back. Eupat-perf.
C. numbness from occiput down spine. Physos.
C. sensation in back, as if gentle wind were blowing through it. Sec.
Feeling as if ants were c. along spine. Agar.

Crest of ilium.—Lumbago: pain from above c. downward and inward to sacrum, with aching pain in bladder before and after urination. Berl.

Crick.—C. in back. Calc-ph.
Sudden, violent stitch, a sort of c., in sacrum while walking, extending to nape of neck. Agar.
Wry neck, stiff neck, or c. in neck; sterno-cleido-mastoid muscles rigid, hard and swollen; least attempt to turn neck attended with great pain. Acon., Bell., Dulc., Eupat-purp.

Cries.—During chill excruciating, tearing pains in back extorting c. and causing patient to bend up like a hedgehog. Caps.
Sore pain in back (during parturition); patient c. "Oh, my back!" many times. Caust.
Soreness and tenderness of spine; slightest motion of arms or neck extorts c. Hyper.

Cries out.—On pressure upon dorsal vertebræ has nausea, eructations, belches wind, gets pale, c. Bell.

Crural.—Great pain between sacrum and hip joint, sometimes darting or shooting down anterior c., and sometimes down sciatic nerve. Coloc.

Crushed.—Cramp-like pain in small of back, as if bruised and c.; aggravated on least motion. China. (Bry.)

Cure.—Feeling of pressure in goitre relieved in three to five days, and in some cases c. was effected. Natr-ph.

Curvature.—C. of dorsal vertebræ. Rhus-t. (Calc-c.)
C. of spine (Calc-c., Sulph.); blood boils on back. Sulph-ac., Thuja.
C. of spine; patient stands bent forward. Thuja.
C. of spine to left. Calc-ph. (Calc-c.)
Swelling of spine and c. to right, painful to touch and motion. Sil.

Curved.—Back spasmodically c. like an arch. Nux-v., Opi. (Cic-v.)

Cutting.—Beaten, bruised, lame feeling in back, with stitches and feeling of c. and pulsating. Natr-m.
Burning and c. pains in back. Nux-v.
Coxalgia with c. and tearing pains. Calc-c.

C. and aching pain about lower dorsal vertebræ. Asclep.
C. and tearing in coccyx. Canth.
C., digging pain and pressure in back. Sep.
C. or shooting pains between shoulders; has to straighten up for relief. Bov.
C. pain between scapulæ. Hyper., Meny.
C. pain in nape of neck. Grat.
C. pain in neck. Samb.
C. pain through loins. Kali-bi.
C. pains along spinal column. Mang.
C., shooting, throbbing in small of back. Natr-m. (Ars.)
C., stabbing pain between shoulders. Natr-s.
Deep, c. pain in right loin, disappearing when pressed upon. Dulc.
Drawing and c. pains in right side of spine. Guaj.
Drawing, shooting or c. pain between scapulæ. Calc-c.
Jerking, rending, c., shooting pain in back. Calc-ph.
Pressure as with a c. edge across small of back while standing and bending backward. Rhus-t.
Tearing and c. in back. Colch.
Tearing, c. pain in nape of neck. Graph.
Violent c. in lumbar vertebræ, worse during stool. Rheum.
Violent c. pain between scapulæ. Kali-n.

Damp (see Wet).—Rheumatic pains in back like myelitis (after getting wet or sleeping on d. ground). Rhus-t.
Stiff neck after exposure to draughts. Acon. (From exposure to d. weather. Dulc.)
Dark.—Pains in back; cannot walk with eyes closed or in d. (in locomotor ataxia). Arg-n.
Darting (see Shooting.).—Acute boring, d., neuralgic pains in back. Magn-ph.
Coxalgia: hip joint feels as if femur were fastened to os innominatum with d. pains from sacro-lumbalis muscle into thigh. Coloc.
D. or bruised pain in coccyx. Caust.
D. pain from left scapula to shoulder and mammæ. Grat.
D., shooting pains in small of back arresting breathing. Caust.
Great pain between sacrum and hip joint; sometimes d. or shooting down the anterior crural and sometimes down the sciatic nerve. Coloc.
Sudden stitch d. from side of neck into upper arm. Berb.
Death.—Excitement of spinal nervous system causing tetanic convulsions, dyspnœa, asphyxia and d. Ign.
Debility.—D. in small of back; it is very weak. Ars.
Sore, bruised feeling in all muscles in back, with profound d. Bapt.
Deep-seated.—D., sensitive, sticking pain in one or other side, about an inch from spine, extending obliquely toward sacrum. Berb.

Delirium —Cerebro-spinal meningitis with congestion, wild incoherent d., trembling and weakness of limbs. Gels.

Digging.—Cutting, d. pain and pressure in back. Sep.

Diphtheria (see section on Throat).—Glands of neck swollen with stiffness of neck (in d.). Apis.

Disease.—Spinal d. with bruised pain in small of back and paralysis of lower extremities. Ars.

Disappearance.—D. of old hard or soft swelling of thyroid gland and also of large goitre. Iod.

Disappearing.—Deep, cutting pain in right loin, d. when pressed upon. Dulc.

Lumbago: pains in lumbar region all night, d. on rising. Ferr.

Dislocated.—Torticollis: neck stiff, head drawn to one side, pain in nape as if d. when turning neck or bending head backward. Lachn.

Distention.—Pains in small of back extending over abdomen, with d. of abdomen. Cimex.

Dorsal.—Tenderness of d. and cervical vertebræ to touch. Card.

Dorsal muscles.—Stitches in d. Dros.

Dorsal region.—Burning and heat in lower portion of d. between scapulæ. Helon.

Burning pressure in spine extending across d. and in scapulæ, like that produced by sewing. Sep.

Chill begins in lower d. and runs up back. Eupat-purp.

Flying pains in d. Coloc.

Sharp, shooting pains from d. into occiput (during parturition). Petr.

Dorsal vertebræ.—Caries of d. with swelling of bone to size of fist. Bufo.

Cervical and first four d. very tender on pressure; pressure brings on attack of neuralgia. Coloc.

Constant pain in cervical and upper d. Stram.

Curvature of d. Rhus-t. (Calc-c.)

Cutting and aching pain about lower d. Asclep.

D. painful to great pressure. Arg-n.

D. sensitive to pressure. Phos. (Agar.)

First d. and last cervical vertebræ sensitive to pressure. Chin-s.

Fourth d. very tender on pressure, followed by violent dry cough, red face, headache, photophobia and perspiration. Bell.

Great sensitiveness of cervical and upper d., with soreness of all muscles (in cerebro-spinal meningitis). Cimicif.

Myelitis: chilliness with dull pain in region of lower cervical and upper d.; difficulty in raising head or turning in bed; cervical portion of spine stiff and painful when turning. Dulc.

On pressure upon d. has nausea, eructations, belches wind, gets pale, cries out. Bell.

Pain in d. as if back would break. Lil-tig.

Pain first d. extending through chest to sternum. Bry.
Pain in last d. Zinc.
Painful sensitiveness of spine from last cervical to fifth d. Tellur.
Pressure on d. causes great pain extending to stomach. Bell.
Spinal irritation; third d. painful to touch, with oppression of chest. Chin-s.
Stabbing pain from third cervical to fifth d. Kali-bi.
Tearing pains in d. between scapulæ. Caust.
Tenderness of lower cervical and upper d. with stiffness of neck; pressure causes pain which extends through chest causing irritation to cough, aggravated on every exertion or strain upon spine. Sec.
Violent pain in three upper d. extending through scapulæ. Kalm.

Down.—Chill running d. back. Caps.
Chills run d. back. Abies-c.
Coldness d. spine. Ruta.
Constant pain between scapulæ and d. back. Sep.
Creeping numbness from occiput d. spine. Physos.
Frequent shudderings and rigors d. back (in dysentery). Colch.
Hot sensation d. back with heat or burning between scapulæ. Glon. (Lyc.)
Pain in occiput, nape of neck and d. spine. Æth.
Pain with stiffness from neck extending d. spine to between shoulders. Apis.
Soreness in neck and d. spine. Natr-s.

Downward.—Carbuncle on left side of back extending from upper border of scapula d., about six inches surrounded by small pustules with scanty, offensive pus; pain is intense, with great weakness and prostration, Hep-s.
Feeling as if heavy load were hanging to end of coccyx constantly dragging d. Tart-em.
Lumbago: pain from above crest of ilium d. and inward to sacrum with itching pain in bladder before and after urination. Berb.
Shooting and stitching pains in the back extending d. toward the hips. Kali-c.
Tearing in back from above d. Mang.
Tearing pains between scapulæ extending d., especially on deep inspiration. Meny.

Dragging.—D. pain in small of back; cannot laugh or move. Phos.
D., piercing, drawing, aching pains in sacral region through to uterus. Helon.
Drawing pains and d. in small of back extending to pubic region. Sabin.
Dull, heavy, d. pain and stiffness of back, especially across lumbar region, necessitating use of arms in rising; must move about before being able to straighten up. Hydr.

Feeling as if heavy load were hanging to end of coccyx constantly d. downward. Tart-em.

Pressing, d. pain in sacro-lumbar region, relieved by sitting or lying, worse when walking, extending over sacrum and hips. Sep.

Draught.—Exposing back to slightest d. of air causes patient to take cold. Sil.

Stiff neck, after exposure to d. Acon. (From exposure to damp weather. Dulc.)

Drawing.—Contraction and stiffness of cervical muscles d. neck to one side. Hyos.

Contraction in neck d. chin down to sternum. Can-ind.

Contraction of muscles of back d. head backward. Ver-v.

Dragging, piercing, d., aching pains in sacral region through to uterus. Helon.

D., aching pains in left scapula and shoulder joint. Ptel.

D. and burning in small of back. Aloe.

D. and cutting pains in right side of spine. Guaj.

D. and pain about scapulæ. Cimex.

D. and pain in small of back when stooping. Meny.

D. and stiffness of muscles of right side of neck. Bry.

D. and stinging between scapulæ. Zinc.

D. and tearing in scapulæ. Berb.

D., burning and throbbing pain in spine, with drowsiness, but unable to sleep. Bell.

D., burning pains commencing in coccyx extending upward. Mur-ac.

D. in muscles of neck. Acon.

D. in muscles of neck under right angle of jaw. Abrot.

D. in neck. Coloc.

D. in neck extending to ears when moving head. Plumb.

D. in neck extending upward. Can-sat.

D. in shoulders compelling patient to lie down. Ars.

D. in small of back. Dulc.

D. or contraction in muscles of neck; after turning head cannot turn it back again without great pain. Cic-v.

D. or tingling between scapulæ. Viola-tr.

D. pain between scapulæ. Guaj.

D. pain from below upward. Natr-m.

D. pain in back. Cham.

D. pain in coccyx to rectum and vagina. Kreas.

D. pain in loins. Puls.

D. pain in nape of neck and occiput. Lyc.

D. pain in nape of neck and on each side of spine. China.

D. pain in nape of neck, as if carrying a load. Nux-v.

D. pain in nape of neck, with feeling of dryness in fauces. Coni.

D. pain in one side of neck, as if swollen. Sep.

D. pain in region of kidneys. Kali-n.

D. pain in sacrum. Ant-c., Aster.
D. pain in small of back. Kali-c., Lyc.
D. pain in spine. Stram.
D. pain in whole back. Hep-s.
D. pain internally in region of right scapula, as if nerves and vessels were contracted. Coloc.
D. pains and dragging in small of back extending to pubic region. Sabin.
D. pains in back followed by fatigue. Card.
D. pains in nape of neck extending to left shoulder and scapula. Borax.
D. pains in small of back. Lach.
D., pressure and swelling of left side of neck. Alu.
D. rheumatic pain in left side of neck. Cycl.
D., shooting or cutting pain between scapulæ. Calc-c.
D. stitches between shoulders extending to chest on moving arms. Camph.
D., tearing pain along spine. Cina.
D., tearing pain in scapulæ. Acon.
D., tearing pain in and near spine. Caps.
Dull, d. or bruised pain in coccyx. Caust.
Dull, d. pain in region of coccyx. Caust.
Heavy, d. pain in nape of neck extending to occiput. Petr.
Intolerable d. pain in small of back and down extremities, especially in ischia. Lach.
Lateral d. pain, as if hips were being drawn together. Poly.
Nape of neck stiff, with rheumatic, d. pain. Puls.
Neck stiff, with d. pain on stooping. Canth.
Neck stiff, with feeling of d. and tension. Physos.
Neck stiff, with painful d. when moving. Rhus-t.
Pain in nape of neck, with spasmodic d. of head backward. Cic-v.
Pain in neck, as if someone were d. head back forcibly. Kali-n.
Pain in small of back as if broken, with d.; worse when stooping. Clem.
Painful d. in neck and shoulders and down left arm. Pallad.
Painful d. in sacrum, coccyx and thighs while sitting. Thuja.
Painless d. above left scapula. Squilla.
Periodical d. of neck to one side (as if from malaria). China. (Eucalyp.)
Pressing, d. and stiffness in small of back, as if broken. Carbo an.
Pressure and d. in scapulæ. Caust.
Rheumatic, d. pains and aching from loins to coccyx. Carbo-v.
Rheumatic, d. pains in neck and back. Carbo-v.
Rheumatic pain and d. in back and right side of chest, more violent during inspiration. Lyc.
Rheumatic pain with d. and stiffness in neck. Staph.
Severe d. pain in sterno-cleido-mastoid muscle d. head to left. Caul.

Side of neck stiff and painful, with d. Camph.
Spasmodic d. pain in muscles of nape of neck extending to scapulæ; aggravated by stooping, exerting arms, turning head to left. Ant-c.
Stiff pain like drawing in nape of neck and between scapulæ. Ang.
Stitches in small of back, with d. through lumbar vertebræ when standing. Coni.
Stitching with d. between scapulæ. Colch.
Swelling in cervical glands, with d. pain when turning head. Mur-ac.
Swelling of glands of neck, with tension and d. Bov.
Tension and d. between scapulæ. Natr-c.
Violent d. of tendons of nape of neck. Cast.
Violent pain and d. in lateral muscles of neck which feel as if swollen; is giddy and head feels heavy as if drawn to one side periodically every afternoon. Chin-s.

Drawn.—Lateral, drawing pain, as if hips were being d. together. Poly.
Pott's disease of spine; patient lies on back with knees d. up. Merc-cor.
Sensation as if tape were tightly d. from ear to ear around nape of neck. Anac.
Tight feeling, as if tight cravat were d. around neck. Asar.
Torticollis: head d. to left side. Nux-v.
Torticollis: neck stiff, head d. to one side, pain in nape as if dislocated when turning neck or bending head backward. Lachn.
Torticollis or stiff neck; neck is d. to one side. Lachn.
Violent pain and drawing in lateral muscles of neck which feel as if swollen; is giddy and head feels heavy as if d. to one side periodically every afternoon. Chin-s.

Draws.—Chill commences in back (in intermittent); coldness so great patient d. himself together like a hedgehog. Caps.

Drowsiness (see section on Sleep).—Drawing, burning and throbbing pain in spine, with d., but unable to sleep. Bell.

Dull.—D., boring, pricking pain in left scapula extending across spine. Meny.
D., drawing or bruised pain in coccyx. Caust.
D., drawing pain in region of coccyx. Caust.
D., heavy, dragging pain and stiffness of back, especially across lumbar region, necessitating use of arms in rising; must move about before being able to straighten up. Hydr.
D., heavy pain and great weakness in small of back (with displacement of uterus). Lil-tig.
D. pain across loins and sacrum. Lil-tig.
Pressure as from a d. point at different places in sacral region. Lith-c.

Dullness.—Rheumatic pain and stiffness of neck, with d. of head. Calc-ph.

Dysentery (see section on Stool).—Frequent shudderings and rigors down back (in d.). Colch.
Pain in lumbar region (with d. or constipation). Nux-v.
Pain in sacrum or small of back (in d.). Caps.
Dyspnœa (see section on Chest).—Excitement of spinal nervous system causing tetanic convulsions, d., asphyxia and death. Ign.
Heavy feeling, as of a weight in back and shoulders, with d. Natr-m.
Pressing stitches along spine, more in sacrum, with d. Tarax.
Stitches between scapulæ with d. Kali-n.

Ear (see section on Ears).—Sensation as if tape were tightly drawn from e. to e. around nape of neck. Anac.
Tearing pain from e. down to neck. Tarax.
Ears.—Drawing in neck extending to e. when moving head. Plumb.
Herpetic eruption on neck and behind e.; worse from heat, which causes burning. Coni.
Eating (see section on Stomach).—Cervico-brachial neuralgia; worse in morning after e. and from touch. Nux-v.
Edges.—Scrofulous ulcer on left part of neck from hair to clavical, with hard and elevated e. Aster.
Electric shocks.—E. in neck above larynx awaking patient. Mancin.
Twitching and jerking along spine like e. Ang.
Elevated.—Scrofulous ulcer on left part of neck from hair to clavicle, with hard and e. edges. Aster.
Emaciate.—Atrophy of neck; throat and neck rapidly e. (in cholera infantum). Natr-m.
Emaciated.—Neck e. (in marasmus of children). Sars.
Emissions (see section on Male Sexual Organs).—Backache with e. Kobalt.
Backache with tired lameness in legs (after e.). Kali-brom.
Excessive weakness in spine and extremities (after e.). Sabad.
Spinal irritation (after sexual excesses or onanism) with weariness and stiffness of back, excited sexual desire and seminal e., with stiff feeling of whole body. Puls.
Emprosthotonos.—E. Canth., Ipec. (Coloc.)
Encysted.—E. tumors on both sides of neck. Brom.
Enlarge.—Cervical glands enormously e., hard and tender. Coni.
Enlargement.—E. and painful induration of goitre. Iod.
E. of neck. Iod.
E. of thyroid gland. Calc-c.
Swelling, e. and induration of cervical glands with otorrhœa. Bar-m.
Epilepsy.—Jerking in nape of neck at commencement of attack of e. Bufo.
Eructations (see section on Stomach).—On pressure upon dorsal vertebræ has nausea, e., belches wind, gets pale, cries out. Bell.

Eruption (see section on Skin).—Biting e. on back. Bry.
Burning e. on back. Cist.
Dry e. on nape of neck peeling off in fine mealy scales. Graph.
E. in groups on back. Berb.
E. on back. Ant-c., Ars., Bar-c., Bell., Berb., Carbo-v., Caust., Cina, Cist., Clem., Lach., Led., Merc., Natr-m., Nitr-ac., Petr., Phos-ac., Sep., Squilla, Staph., Tabac., Tart-em.
E. on back, like zoster. Cist.
E. on nape of neck. Ant-c., Bell., Berb., Caust., Hep-s., Petr., Sec., Sil., Staph., Tart-em.
E. on neck. Bry., Clem., Gels., Lyc., Phos-ac., Puls., Spig., Squilla, Verb.
Glands of neck swollen, with e. on head. Calc-c.
Herpetic e. on neck and behind ears; worse from heat, which causes burning. Coni.
Itching e. on back. Bry., Carbo-v., Caust., Cham., Lyc., Puls., Sep., Squilla, Staph., Tabac.
Miliary e. on back. Ant-c., Bry., Caust., Phos-ac., Psor., Sec., Tart-em.
Moist e. on back extending to neck. Clem.
Oozing e. on back. Clem., Natr-m.
Painful e. on back. Lyc., Spig. (Cist., Hep-s., Phos-ac., Psor., Spig., Squilla, Verb.)
Pustular e. on back. Bell., Berb., Clem.
Red e. on back. Bell., Bry., Spig., Tabac., Verb.
Red miliary e. on neck. Chelid.
Smarting e. on back. Bry.
Sore, smarting e. on back. Spig.
Spinal meningitis (during scarlatina or measles when e. does not appear). Dulc.
Swelling of cervical glands with itching e. Am-ben.
Vesicular e. on back very sensitive to touch. Lach.

Erysipelas (see section on Skin).—E. from back around abdomen (zona). Merc. (Rhus-t.)
E. from nape of neck to face. Graph.

Evening.—Chilliness over back in e. Am-ben.
Neck cold in e. Spong.
Pain on a spot size of palm of hand below right scapula (worse: e.; after exertion; on deep inspiration; moving right arm; better from pressure). Ruta.
Pressive pains in sacrum, as from fatigue, in e. Puls.

Excitement.—E. of spinal nervous system causing tetanic convulsions, dyspnœa, asphyxia and death. Ign.

Exercise.—Rheumatic pain between scapulæ from nape of neck to small of back during e. Ver-a.
Soreness in every muscle, passes off during e. Rhus-t.

Exertion.—Burning heat in back, with numbness and clumsy feeling of extremities which tremble from every e. Phos.

Great soreness and pain from sacrum to shoulders, worse on making e. Berb.

Nape of neck feels tired after writing or any e. Zinc.

Pain on a spot size of palm of hand below right scapula (worse: evening; after e.; on deep inspiration; moving right arm; better from pressure. Ruta.)

Severe backache preventing e. Asaf.

Tenderness of lower cervical and upper dorsal vertebræ, with stiffness of neck; pressure causes pain which extends through chest, causing irritation to cough, aggravated on every e. or strain upon spine. Sec.

Tired, bruised feeling in back, as after e. Apis.

Violent pain in small of back on making least e. Calc-ph.

Weakness in spine and spinal nerves causing great fatigue on e., with frequent desire to urinate. Phos-ac.

Exhausting.—Spinal anæmia (after e. diseases). Kali-ph.

Exhaustion.—Pulling and tearing in back and extremities with great e. (after sexual excesses). Ars.

Spinal e. with feeling of lightness in body. Gels.

Spinal weakness (from e. or onanism). Gels.

Exostosis.—Painful e. on sacrum. Rhus-t.

Expectoration (see section on Cough).—Pain in back through to sternum with cough and e. of thick, black mucus. Kali-bi.

Expiration (see section on Chest).—Aching pain between shoulders and under left scapula extending to left lung; worse on e. Sep.

Exposing.—E. back to slightest draught of air causes patient to take cold. Sil.

Exposure.—Stiff neck after e. to draughts. Acon. (From e. to damp weather. Dulc.)

Extremities (see section on Extremities).—Aching in spine extending to lower e. Agar.

Backache, especially at night, with great weakness of e. Arg-n.

Burning heat in back, with numbness and clumsy feeling of e. which tremble from every exertion. Phos.

Coldness and aching of lumbar region and e. Carbo-an.

Drawing pain from small of back to lower e. Am-ben.

Excessive weakness in spine and e. (after emissions). Sabad.

Intense aching pain in back and limbs; e. feel as if broken. Eupat-perf.

Intolerable drawing pain in small of back and down e., especially in ischia. Lach.

Irritation of spine; pressure between vertebræ makes patient wince: numbness of e. Physos.

Itching of neck and lower e., with night-sweats. Mang.

Numbness in small of back extending to lower e. Acon.

Pain and lameness in back and e. Meph.
Pain in back and weakness of e. Brachyg.
Paralysis of spine and lower e. (in horses after eating leaves). Brachyg.
Pulling and tearing in back and e., with great exhaustion (after sexual excesses). Ars.
Rheumatic pains in back extending to e. Lach.
Severe pain in sacral region extending to lower e. Am-m.
Spinal disease, with bruised pain in small of back and paralysis of lower e. Ars.
Stitches in small of back extending to e. Stann.
Stitching pains, as from a sharp knife in back, through loins extending to e. Ign.
Weakness of back and paralyzed feeling in e. making walking difficult. Sil.
Wheals or large red patches, like urticaria, about neck, back and e. Chloral.

Eye (see section on Eyes).—Sharp, shooting pain in left side of neck, across temple and over e., with liver sore to touch, and nausea. Chelid.

Eyes.—Disease of spine causing paralysis; cannot walk with e. closed. Alu.
Pains in back; cannot walk with e. closed or in dark (in locomotor ataxia). Arg-n.

Face (see section on Face).—Erysipelas from nape of neck to f. Graph.
Fourth dorsal vertebra very tender on pressure, followed by violent dry cough, red f., headache, photophobia and perspiration. Bell.
Rheumatic pains in scapulæ darting along arms, shoulders and f. Valer.
Swelling of glands of left side of f., throat and neck, nearly as large as hen's eggs; some hard, some suppurating (scrofulous). Bad.

Fall.—Bruised pain in coccyx, as from a f. Kali-jod.
Cramp-like pain in sacral region, as after long standing; when attempting to walk feels as if would f. Thuja.
Violent pains with inability to walk or stoop (after f. on coccyx). Hyper.

Fatigue.—Drawing pains in back followed by f. Card., Puls.
Pressive pains in sacrum, as from f. in evening. Puls.
Weakness in spine and spinal nerves causing great f. on exertion, with frequent desire to urinate. Phos-ac.

Fatiguing.—F. pain in loins, as if had been standing long time. Cina.

Fatty.—F. tumors about neck. Bar-c.

Fauces (see section on Throat).—Drawing pain in nape of neck, with feeling of dryness in f. Coni.

Feet (see section on Lower Extremities).—Backache extending to f. Borax.

Spinal irritation with constipation, cold f. and symptoms of paralysis. Sil.

Femur.—Coxalgia: hip joint feels as if f. were fastened to os innominatum, with darting pains from sacro-lumbalis muscle into thighs. Coloc.

Fever (see section on Fever).—Chilly crawling up and down back followed by f. and thirst. Al-cep.

Spine painful on pressure in all stages of f. Chin-s.

Trembling in back (during f.). Eupat-perf.

Finger joints (see section on Upper Extremities).—Painful stiffness of small of back and f. Mancin.

Fingers.—Tingling in back, with numbness extending to tip of f. and toes. Sec. (Acon.)

Fire.—Ulcerations and bed sores on back burn like f. Ars.

Fist.—Caries of dorsal vertebræ, with swelling of bone to size of f. Bufo.

Pain at side of lumbar vertebræ, as if caused by blow from f. Nux-m.

Flatus (see section on Stool).—Pain in back relieved by emission of f. Berb.

Pain in sacrum from f. Agn.

Stitches in back as from incarcerated f. Calad.

Fleas (see Insects).—Crawling on back as of f. Pallad.

Flesh.—Aching in back, as if f. were loose from bones. Acon., Kali-bi.

Pain in small of back, as if f. were loose. Lyc.

Ulcerating pains in lumbar vertebræ, as if f. were beaten off bones. Kreas.

Fluttering.—Sensation in small of back, sometimes in one side, sometimes in other, in region of kidneys, as if something were f. within. Chim.

Flying (see Darting, Shooting).—F. pains in dorsal region. Coloc.

Neck stiff, with f. pain in all portions of body. Rhod.

Forced out.—Bearing-down pains in sacrum, as if parts would be f.; worse when moving. Sec.

Forehead (see section on Head).—Pain from nape of neck through centre of head to f. Fluor-ac. (Sil.)

Pain in neck when pressing f. Brachyg.

Formication (see Creeping).—Creeping and itching f. over whole back. Natr-c.

F. on back. Graph.

Forward.—Constant violent pain in small of back; it feels as if in a vise; cannot lie still night or day; has to sit bent f. Kali-jod.

Curvature of spine; patient stands bent f. Thuja.

Feeling as if vertebræ were being torn asunder when stooping f. and then bending backward, also when walking. Chelid.

Great tenderness over sacrum; cannot even bear pressure of soft pillow; sits up in bed leaning f. to avoid contact with bedclothes. Lob.

Pain in back, as though lower vertebræ were broken asunder when bending f. Chelid.

Pain in left trapeze muscle, as from bending f.; worse from turning head to left. Pallad.

Tearing pain in nape of neck moving up and f. to frontal region. Caust.

Weakness in nape of neck; head sinks f. Plat. (Aloe, Cimicif., Kali-c., Natr-m.)

Frontal region.—Tearing pain in nape of neck moving up and forward to f. Caust.

Full.—Congestion to neck, with f. feeling. Kali-c.

Furuncles (see Boils).—F. on back. Caust., Graph., Hep-s., Thuja.

F. on nape of neck. Nitr-ac., Phos., Sil.

F. on sacrum. Æth., Thuja.

F. over scapulæ. Am-c., Bell., Led., Lyc., Nitr-ac., Zinc.

Gangrenous.—Carbuncle on nape of neck, purple or g., exceedingly sensitive to touch. Lach.

Gastritis (see section on Stomach).—Stitches in scapulæ and in small of back (in g.). Cocc.

Giddy (see section on Head).—Violent pain and drawing in lateral muscles of the neck which feel as if swollen; is g. and head feels heavy, as if drawn to one side periodically every afternoon. Chin-s.

Gives out.—Back g. when walking. Æsc.

Glands.—Aching pains in g. of neck. Ign.

Adenitis: g. of neck swollen and painful. Dulc.

G. in nape of neck and occiput swollen. Bar-c.

G. of neck and throat swollen (in scarlatina). Arum.

G. of neck hard and swollen. Merc-cor.

G. of neck indurated. Arg-n., Cupr.

G. of neck indurated, swollen and painful. Carbo-an.

G. of neck inflamed, hard, swollen, with pressing pain and stitches. Merc.

G. of neck sore to touch. Bry.

G. of neck swollen. Brom., Ign., Kali-jod., Kali-chl., Kreas., Merc-bij.

G. of neck swollen and painful. Bell., Caps.

G. of neck swollen with eruption on head. Calc-c.

G. of neck swollen with stiffness of neck (in diphtheria). Apis.

G. of right side of neck hard. Phyt.

G. of throat and neck badly swollen (in scarlatina). Lach.

G. of throat and neck swollen. Ambr.

G. on left side of neck swollen. Graph.

G. on side of neck down to shoulder swollen and painful as if contracted and stiff when bending neck or lying. Graph

Itching in nape of neck and stitches in g. of right side of neck. Alu.

Pain in nape of neck shooting to occiput, with stiffness and hard swelling of g. Cinnab.

Painful scrofulous induration of g. of neck. Carbo-an.

Painful swelling of g. of neck and axillæ. Staph.

Scrofulous swelling and suppuration of g. of neck. Cist. (Iod.)

Soreness in g. of neck with pain under left scapula. Ailanth.

Swelling and induration of g. of neck. Spong.

Swelling and suppuration of submaxillary and other g. of neck. Kali-jod.

Swelling of g. of left side of face, throat and neck, nearly as large as hen's eggs; some hard, some supppurating (scrofulous). Bad.

Swelling of g. of neck and axillæ. Nitr-ac., Sil. (Bar-c., Calc-c., Iod., Staph.)

Swelling of g. of neck extending to chest. Natr-ph.

Swelling of g. of neck with tension and drawing. Bov.

Swelling of g. with aching. Calc-c.

Swollen g. of neck painful on swallowing. Merc.

Tickling in g. of neck which are swollen. Kali-c.

Glandular.—G. swelling like goitre. Caust.

Gliding.—Softening of vertebræ; sensation as if vertebræ were g. over each other when turning in bed. Sulph.

Gluteal region.—Lumbago: cold feeling in g. with aching and with frequent sensation of coldness on top of head. Calc-c.

Gnawing.—Acute pain with g. in small of back. Naja.

G. in coccyx. Gum-gut.

G. pain in sacrum relieved by stretching. Alu.

G. pain in small of back. Sulph.

Shooting and g. pain in spine with cough. Bell.

Goitre (see also section on Throat).—Constrictive pain in g., which is large. Iod., Spong.

Disappearance of old hard or soft swelling of thyroid gland and also of large g. Iod.

Enlargement and painful induration of g. Iod.

Feeling of constriction in g. Iod.

Feeling of pressure in g. relieved in three to five days, and in some cases cure was effected. Natr-ph.

Glandular swelling, like g. Caust.

G. Aur.

G. Calc-c. (A number of cases cured.)

G. Fluor-ac. (Many cases have been cured with this remedy).

G. Brom. (G. not affected by iodum or other remedies disappeared after this remedy in the 30th potency was given twice daily for three months. Another case disappeared in sixteen weeks.)

G. or struma. Brom., Calc-c., Iod., Kali-c., Natr-c., Spong.
G. sensitive to contact. Kali-jod.
G. with marked hardness. Iod.
Hard g. Iod., Natr-c.
Itching and stinging in g. Spong.
Itching in g. Ambr., Magn-c.
Non-lobulated tumor like g. in anterior and median portion of neck large as child's head; tumor becomes more swollen and painful during menses, which are irregular and painful. Iod.
Pressing pain in and increase of g. Natr-c.
Round, hard swelling with pressing pain like g. on upper and right side of thyroid gland. Natr-c.
Stinging, tingling, pressing stitching pains in g. Spong.
Stitching, piercing pain in g. Squilla.
Ulcerative pain in g. Carbo-v., Iod.

Gonorrhœa (see section on Sexual Organs).—Pain in small of back (with secondary g.). Calad.

Grasped.—Feeling as if neck were tightly g. with hand. Grat.
When lying down sensation as if neck were g. Glon.

Greasy.—Skin of neck brown and g. Apis, Sep., Thuja.

Griping.—G. pain in small of back when standing. Merc.

Ground.—Rheumatic pains in back like myelitis (after getting wet or sleeping on damp g.). Rhus-t.

Hæmorrhage.—Pain in back with h. from uterus. Trill.

Hæmorrhoidal colic.—Pains in sacrum with h. Abrot.

Hæmorrhoids (see section on Stool).—Constant dull backache, pain extending to hips (with h.) making walking difficult. Æsc.

Hair.—Scrofulous ulcer on left part of neck from h. to clavicle with hard and elevated edges. Aster.

Hammer.—When stooping sudden pain in back, as if struck by h.; better by pressing against something hard. Sep.

Hand.—Feeling as if neck were tightly grasped with h. Grat.

Hands (see section on Upper Extremities).—Coldness in back and icy-cold h. Cact.
Crampy pains in h. and sudden jerking of limbs on going to sleep. Physos.
Neck stiff on exposure to cold air, with pain on moving h. Cimicif.

Hanging.—Feeling as if heavy load were h. to end of coccyx constantly dragging downward. Tart-em.

Hard (see Indurated).—Cervical glands enormously enlarged, h. and tender. Coni.
Glands of neck h. and swollen. Merc-cor.
Glands of neck inflamed, h., swollen, with pressing pain and stitches. Merc.
Glands of right side of neck h. Phyt.

Lumbago: pains in small of back, better when lying on something h. Rhus-t.

Pain in back while sitting, better from motion or lying on something h. Rhus-t. (Natr-m.)

Pain in neck as if had been lying on something h. Thuja.

Pains as if bruised in small of back relieved by lying on something h. Natr-m. (Rhus-t.)

Scrofulous ulcer on left part of neck from hair to clavicle with h. and elevated edges. Aster.

Stiffness and aching with bruised pain in small of back when sitting still or when lying (Berb.); better from motion or when lying on something h. Rhus-t. (Natr-m.)

Submaxillary and cervical glands swollen to size of pigeon's egg; very h. and painful to slightest pressure. Bar-m.

Swelling of glands of left side of face, neck and throat, nearly as large as hen's eggs; some h., some suppurating (scrofulous). Bad.

When stooping sudden pain in back, as if struck by hammer; better by pressing against something h. Sep.

Wry neck, stiff neck or crick in neck; sterno-cleido-mastoid muscles rigid, h. and swollen; least attempt to turn neck attended with great pain. Acon., Bell., Dulc., Eupat-purp.

Hardness (see Induration).—Goitre with marked h. Iod.

Head (see section on Head).—Aching pain in nape of neck disappearing on bending h. backward. Cycl.

Cervical muscles so weak can hardly hold up h.; it falls to every side. Arn.

Contraction of the cervical muscles drawing h. back during sleep. Alu.

Contraction of muscles of back drawing h. backward. Ver-v.

Cracking in cervical vertebræ (Nicc.); especially on bending h. backward. Sulph.

Cracking in cervical vertebræ when moving h. Natr-c., Nicc., Petr.

Drawing in neck extending to ears when moving h. Plumb.

Drawing or contraction in muscles of neck; after turning h. cannot turn it back again without great pain. Cic-v.

Glands of neck swollen with eruption on h. Calc-c.

H. and neck retracted (in cerebro-spinal meningitis or spotted fever). Cimicif.

Lumbago: cold feeling in gluteal region with aching and with frequent sensation of coldness on top of h. Calc-c.

Muscles of nape of neck feel stiff when moving h. Coloc. (Chelid.)

Myalgia: pains from spine to h. and shoulders. Gels.

Myelitis: chilliness with dull pain in region of lower cervical and upper dorsal vertebræ; difficulty in raising h. or turning in bed; cervical portion of spine stiff and painful when turning. Dulc.

Nape of neck stiff when bending h. Kali-bi.
Neck and throat stiff and painful, muscles feeling as if bound; could move h. only with difficulty. Caust.
Neck feels weak and tired as if h. were too heavy. Glon.
Neck so weak children cannot hold up their h. Æth.
Neck stiff; impossible to turn h. to left or backward. Chrom-ac.
Neck stiff on turning h. Selen.
Neck stiff, with soreness over h. Brachyg.
Opisthotonos with convulsive motions of arms over h. Stram.
Pain from nape of neck through center of h. to forehead. Fluor-ac. (Sil.)
Pain in cervical muscles as if asleep, or as if h. had been too long in uncomfortable position. Rhus-t.
Pain in fifth, sixth and seventh cervical vertebræ, worse on moving h. Camph.
Pain in left trapeze muscle, as from bending forward; worse from turning h. to left. Pallad.
Pain in nape of neck, as if h. had been lying in uncomfortable position. Dulc.
Pain in nape of neck, with spasmodic drawing of h. backward. Cic-v.
Pain in neck, as if someone were drawing h. back forcibly. Kali-n.
Pain in neck on turning h., as if tumor would protrude. Calc-c.
Pain in neck when throwing h. back. Cic-v.
Painful stiffness of muscles of right side of neck, worse on moving or turning h. toward shoulder. Bry.
Rheumatic pain and stiffness of neck, with dullness of h. Calc-ph.
Sensation as if warm air streamed up spine into h. Ars.
Severe drawing pain in sterno-cleido-mastoid muscle drawing h. to left. Caul.
Spasmodic drawing pain in muscles of nape of neck extending to scapulæ; aggravated by stooping, exerting arms, turning h. to left. Ant-c.
Stiffness of nape of neck, with pain in occiput; muscles feel as if bound so that patient is unable to move h. Caust.
Swelling in the cervical glands, with drawing pain when turning the h. Mur-ac.
Tearing from nape of neck up either side to top of h. Lach.
Torticollis: h. drawn to left side. Nux-v.
Torticollis: left side of neck stiff, with h. drawn to left side. Lyc.
Torticollis: neck stiff, h. drawn to one side, pain in nape as if dislocated when turning neck or bending h. backward. Lachn.
Violent pain and drawing in lateral muscles of neck, which feel as if swollen; is giddy and h. feels heavy as if drawn to one side periodically every afternoon. Chin-s.
Weakness in nape of neck; h. sinks forward Plat. (Aloe, Cimicif., Kali-c., Natr-m.)

Weakness of cervical muscles; h. feels too heavy; unable to support it. Cocc.

Weakness of neck; child can scarcely keep h. erect (Coni.); especially in whooping-cough. Ver-a.

Headache (see section on Head).—Constant h. extending to and affecting sacrum and hips making it almost impossible to stoop or rise after sitting. Æsc.

Lumbago in alternation with h. Aloe.

Nape of neck stiff, with h. Sil. (Chelid.)

Neck becomes stiff and rigid, with h. (after lifting or straining). Calc-c.

Weakness in small of back, with h. Coloc.

Heart (see section on Heart).—Stitches under left scapula through to h. Bry.

Heat.—Burning h. in back, with numbness and clumsy feeling of extremities which tremble from every exertion. Phos.

Burning and h. in lower portion of dorsal region between scapulæ. Helon.

Burning and h., like prickly h., in back. Apis.

Feeling of intense h. running up back (in locomotor ataxia). Phos.

H. about coccyx. Calc-c.

H. in lumbar region. Berb.

H. with inward vibrations from neck and between shoulders into limbs. Camph.

Herpetic eruption on neck and behind ears; worse from h., which causes burning. Coni.

Hot sensation down back, with h. or burning between scapulæ. Glon. (Lyc.)

Itching and h. in nape of neck. Coloc.

Lumbago: pain in lumbar region, with great h. and burning. Kalm.

Sensation as if piece of ice were lying between scapulæ or on back. Lachn. (H. between scapulæ. Glon., Lyc. Coldness between scapulæ. Am-c., Am-m.)

Heaviness.—H. and pressure in small of back while sitting, as if had received blow. Rhus-t.

H. in muscles of neck. Meny.

Neck swollen and stiff, with difficulty in turning it, accompanied by feeling of h. Merc.

Pressure and h. in sacral region while sitting; better on motion. Aloe.

Sensation of h. in back. Ambr., Paris.

Sensation of h. in nape of neck. Meny., Nux-v., Paris., Samb.

Sensation of h. in neck. Meny., Nux-v.

Heavy.—Dull, h., dragging pain and stiffness of back, especially across lumbar region, necessitating use of arms in rising; must move about before being able to straighten up. Hydr.

Dull, h. pain and great weakness in small of back (with displacement of uterus). Lil-tig.

Feeling as if h. load were hanging to end of coccyx constantly dragging downward. Tart-em.

H. feeling, as of a weight in back and shoulders, with dyspnœa. Natr-m.

Neck feels weak and tired, as if head were too h. Glon.

Neck stiff, with h. feeling. Nux-v.

Pain in small of back, as if from a h. load, or after long stooping. China. (Dulc., Puls.)

Violent pain and drawing in lateral muscles of neck, which feel as if swollen; is giddy and head feels h., as if drawn to one side periodically every afternoon. Chin-s.

Hedgehog.—Chill commences in back (in intermittent); coldness so great patient draws himself together like a h. Caps.

During chill excruciating, tearing pains in back, extorting cries and causing patient to bend up like a h. Caps.

Hen's egg.—Swelling of glands of left side of face, neck and throat, nearly as large as h.; some hard, some suppurating (scrofulous). Bad.

Herpes (see section on Skin).—H. on back. Ars., Lach., Zinc.

H. on nape of neck. Carbo-an., Caust., Clem., Kali-n., Lyc., Natr-m., Petr., Sep., Sulph.

H. or impetigo on nape of neck and occiput. Petr.

Itching h. on back. Caust., Zinc.

Herpetic.—H. spots on nape of neck. Hyos.

H. spots on neck and back. Sep.

Red, itching, h. spots on both sides of neck. Sep.

Hip (see section on Lower Extremities).—Dull, heavy pain in lumbar region and left h. Physos.

Intense pain in left lumbar region above h., as if strained, worse when standing. Valer.

Pain in small of back extending to right h. Pallad.

Hip bone.—Shooting pain in small of back extending into left h. Chrom-ac.

Hip joint.—Coxalgia: h. feels as if femur were fastened to os innominatum, with darting pains from sacro-lumbalis muscle into thighs. Coloc.

Great pain between sacrum and h. sometimes darting or shooting down anterior crural and sometimes down sciatic nerve. Coloc.

Hips.—Back and h. very stiff and painful; ache severely. Bapt.

Bruised pain in region of scapulæ, with aching along spine. Carbo-v.

Constant dull backache, pain extending to h. (with hæmorrhoids) making walking difficult. Æsc.

Constant headache extending to and affecting sacrum and h. making walking difficult. Æsc.

Constant headache extending to and affecting sacrum and h. making it almost impossible to stoop or rise after sitting. Æsc.

Lateral drawing pain, as if h. were being drawn together. Poly.
Pain in back and h., with coldness of limbs. Pallad.
Pain in small of back, down spermatic cords, across h., and down thighs, with difficult urination. Sars.
Pain shooting from sacrum down both h. Phyt.
Pressing, dragging pain in sacro-lumbar region, relieved by sitting or lying; worse when walking, extending over sacrum and h. Sep.
Rheumatic pains in loins and h. extending to left shoulder and chest; worse in evening. Colch.
Severe aching pain in small of back, through h. and down thighs. Cimicif.
Shooting and stitching pains in back extending downward toward h. Kali-c.
Stiffness in sacrum and h.; cannot walk straight. Rheum.
Tearing in small of back and h., when walking. Æsc.
Warm feeling in small of back, as if lumbar region were asleep, extending into sacrum, h. and thighs. Berb.

Hold up.—Neck so weak children cannot h. their heads. Æth.

Hot.—Burning as from h. coals between scapulæ. Lyc.
Feeling of coldness between shoulder blades. Am-m. (As from ice. Lachn. As from h. coals. Lyc.)
H. sensation down back, with heat or burning between scapulæ. Glon. (Lyc.)
Pain in back, as if h. iron were thrust through lower vertebræ. Alu.

Humid.—Itching, h. tetter on nape of neck. Caust.

Hyperæmia.—H. of spinal cord. Dulc.

Hyperæsthesia (see Tenderness, Sensitiveness).—H. and great sensitiveness of spine from sixth cervical vertebra to small of back. Cupr.
H. of spinal cord. Eupat-purp.
H. of spine. Ign.
Reflex irritation of spinal cord, with great h. and pains in almost every part of body. Dios.

Hypertrophy.—Bronchocele: h. of thyroid gland. Iod.

Ice.—Feeling of coldness between shoulder blades. Am-m. (As from i. Lachn. As from hot coals. Lyc.)
Sensation as if piece of i. were lying between scapulæ or on back. Lachn. (Heat between scapulæ. Glon., Lyc. Coldness between scapulæ. Am-c., Am-m.)

Impetigo (see section on Skin).—Herpes or i. on nape of neck and occiput. Petr.

Inability.—Violent pains, with i. to walk or stoop (after fall on coccyx). Hyper.

Incarcerated flatus (see section on Stool).—Stitches in back, as from i. Calad.

Increase (see Enlargement).—Gradual and enormous i. in size of neck, especially on right side. Iod.

Pressing pain in and i. of goitre. Natr-c.

Indurated (see Hard).—Cervical glands and parotids swollen and i. Sil.

Cervical glands swollen and i. (in scrofulous children). Coni.

Glands of neck i. Arg-n., Cupr.

Glands of neck i., swollen and painful. Carbo-an.

I. swelling of cervical glands. Calc-c. (Bar-c.)

Swollen and i. cervical glands. Calc-flu.

Induration.—Enlargement and painful i. of goitre. Iod.

Painful scrofulous i. of glands of neck. Carbo-an.

Swelling and i. of cervical glands. Iod. (Bar-c.)

Swelling and i. of cervical glands studding neck like a row of pearls. Lava.

Swelling and i. of glands of neck. Spong.

Swelling, enlargement and i. of cervical glands, with otorrhœa. Bar-m.

Infants.—Spina bifida (in new-born i.). Calc-c.

Inflamed.—Carbuncle on nape of neck; surrounding parts i. and sensitive to touch. Hep-s.

Glands of neck i., hard, swollen, with pressing pain and stitches. Merc.

Inflammation.—I. and swelling of cervical glands. Sulph.

I. of spinal cord. Calc-c.

I. of spine, with spasms. Acon.

Paralysis from i. of spinal cord, with stiffness of limbs. Ox-ac.

Syphilitic i. of spine. Kali-jod.

Traumatic i. of spine, vertebræ very sensitive to pressure. Arn.

Influenza (see section on Nose).—Intense pain in cervical vertebræ (in i.). Al-cep.

Injured.—Back stiff, as if had been i. by over-lifting. Prun-s.

Insects.—Itching of back and shoulders, as from crawling i.; worse on going to bed. Osm.

Inspiration (see section on Chest).—Contractive sticking in right loin during i. (Bry.); worse when lying on back. Coloc.

Kink in back preventing deep i. Acon., Ferr-ph.

Pain in back preventing deep i. Acon.

Pain on a spot size of palm of hand below right scapula (worse: evening; after exertion; on deep i.; moving right arm; better from pressure). Ruta.

Rheumatic pain and drawing in back and right side of chest, more violent during i. Lyc.

Stitches in small of back on i. Carbo-an.

Tearing pains between scapulæ extending downward, especially on deep i. Meny.

Intermittent (see section on Fever).—Chill commences in back (in i.); coldness so great patient draws himself together like a hedgehog. Caps.

Chilliness over back lasting for hours (in i.). Natr-m.

Internally.—Drawing pain i. in region of right scapula, as if nerves and vessels were contracted. Coloc.

Inward.—Constant, paralytic pain in small of back causing patient to bend back i. Sabin.

Feeling as if small of back were pressed i. Kali-c.

Lumbago: pain from above crest of ilium downward and i. to sacrum, with aching pain in bladder before and after urination. Berb.

Shooting, lancinating pains in vertebræ from without i., like stabs from a knife. Bell.

Iron.—Pain in back, as if hot i. were thrust through lower vertebræ. Alu.

Irritation.—I. of spine at commencement of typhoid fever. Valer.

I. of spine: pressure between vertebræ makes patient wince; numb- of extremities. Physos.

Reflex i. of spinal cord with great hyperæsthesia and pains in almost every part of body. Dios.

Spinal i. Phos.

Spinal i. (after sexual excess or onanism), with weariness and stiffness of back, excited sexual desire and seminal emissions, with stiff feeling of whole body. Puls.

Spinal i.: third dorsal vertebra painful to touch, with oppression of chest. Chin-s.

Spinal i. with constipation, cold feet, and symptoms of paralysis. Sil.

Spinal i. with reflex action causing cough, laryngismus, and sometimes spasmodic stricture of œsophagus. Naja.

Spinal i. with stiffness of cervical muscles and great weakness. Cocc.

Tenderness of lower cervical and upper dorsal vertebræ with stiffness of neck; pressure causes pain which extends through chest causing i. to cough, aggravated on every exertion or strain upon spine. Sec.

Ischia.—Intolerable drawing pain in small of back and down extremities, especially in i. Lach.

Itching (see section on Skin).—Burning and i. on a spot below and to right of scapula. Pallad.

Corrosive i. of back. Guaj.

Creeping and i. formication over whole back. Natr-c.

Icy coldness between shoulders not relieved by thick covering, terminating in i. Am-m.

I. about coccyx; must scratch till parts become raw and sore. Bov.

I. and heat in nape of neck. Coloc.

I. herpes on back. Zinc.

I., humid tetter on nape of neck. **Caust.**
I. in lumbar region. Berb.
I. in the nape of the neck and stitches in gland of right side of neck. Alu.
I. moist tetter on neck. **Caust.**
I. of back. Lyc.
I. of coccyx. Borax, Bov.
I. of nape of neck. Berb.
I. of neck and back. **Ant-c.**
I. of neck and lower extremities, with night-sweats. **Mang.**
I. on back and shoulders, as from crawling insects; worse on going to bed. Osm.
I. red blotches on back. Asclep-tub.
I., stinging of scapulæ. Bell.
I. stitch in coccyx when sitting. Dros.
Pimple on right side of neck which burns and i. **Pallad.**
Pimples and i. on small of back. Nicc.
Red, i., herpetic spots on both sides of neck. Sep.
Swelling of cervical glands with i. eruption. Am-ben.
Violent burning and i. under skin of back. Seneg.
Violent i. of back. **Ant-c.**
Violent i. on nape of neck. Benz-ac., Pallad.

Jaw (see section on Face).—Drawing in muscles of neck under right angle of j. Abrot.
Neck stiff and moves j. with difficulty. Lach.
Swelling under j. and around neck. Crotal.
Jaws.—Swelling of cervical glands with painful closing of j. Merc.
Jerking.—Crampy pains in hands and sudden j. of limbs on going to sleep. Physos.
J. in nape of neck at commencement of attack of epilepsy. Bufo.
J. pain in back. China. (Ang., Cinnab.)
J. pain in nape of neck. China. (Æth., Tarax.)
J. pain in sacral region. China.
J., rending, cutting, shooting pain in back. Calc-ph.
J., stitching pains in small of back. Euphorb.
J., tearing pains in right cervical gland. Caps.
Painful j. above left scapula. Squilla.
Spinal meningitis with convulsions and j. of muscles. **Hyos.**
Stitching and j. with pressing pain between scapulæ extending through to stomach when sitting. Bry.
Tearing and j. in coccyx. Cic-v.
Tearing, j. pains in lumbar region. Cina.
Twitching and j. along spine like electric shocks. **Ang.**
Jerks.—Shocks and j. in spine. Nux-v.
Stitch-like j. in small of back when walking. Ferr.

Joints.—Stiffness, tearing and tenderness in j. and muscles of lumbar region preventing motion or stooping. Bry.

Kidney (see section on Urinary Organs).—Burning in right scapula, also in region of left k. Lachn.

Shooting, crampy pain from right k. down thigh to knee. Ipec.

Tenderness in region of right k. on pressure. Am-ben.

Kidneys.—Aching or tensive tearing or sticking in region of loins and k., sometimes extending down into calves, with feeling of lameness or swelling in back. Berb.

Aching pain in region of k. Crotal.

Bruised pain in small of back and in region of k. Cocc-c.

Bubbling sensation or pulsating stitches in sacrum and region of k. Berb.

Cramp-like, pressing pain in region of k. Caust.

Drawing pain in region of k. Kali-n.

Dull pain in region of k. Benz-ac.

Pain in loins, k. and abdomen, so great on attempting to urinate that could not pass a single drop without moaning and screaming. Canth.

Painful pressure and tension in lumbar region and region of k., sometimes with feeling of numbness, puffness, warmth, stiffness and lameness. Berb.

Pressing pain in region of k. Thuja.

Pressure in region of k. Lyc.

Pressure in region of both k. Kali-c.

Pulsative stitches in region of k. and loins. Sulph.

Sensation in small of back, sometimes in one side, sometimes in other, in region of k. as if something were fluttering within. Chim.

Sharp, sticking pain in region of k. Kali-bi.

Sticking pain with pressure in lumbar region or in region of k. Berb.

Stitches in back in region of k. Hep-s.

Stitches in loins with tenderness in region of k. Cocc-c.

Stitches in region of k. on drawing long breath. Cycl.

Throbbing in region of k. Actea-s. (Berb.)

Violent pain in region of k. when blowing nose or lifting. Calc-ph.

Weariness and weakness in back from coccyx upward, with dull pain in region of k. Brachyg.

Kink.—K. in back. Sec.

K. in back preventing deep inspiration. Acon., Ferr-ph.

Knee (see section on Lower Extremities).—Shooting, crampy pain from right kidney down thigh to k. Ipec.

Knees.—Pain in small of back and k. as if beaten and bruised. Nux-v.

Pains in back with weakness in small of back and k. Nux-m.

Pott's disease of spine; patient lies on back with k. drawn up. Merc-cor.

Stitching pains in small of back so severe on motion that patient gets upon arms and k. to find relief. Coloc.

Tabes dorsalis: feeling of unsteadiness from k. downward; must step carefully, especially when eyes are closed. Physos.

Knife.—Stitching pains as from a sharp k. in back through loins extending to extremities. Ign.

Labor (see section on Parturition).—Severe pain in back and loins (in threatened abortion or premature l.). Caul.

Labor-like.—L. pains in small of back (Caul., Cimicif., Kreas.), as if constricted by tight band. Puls.

L. stitches in spine. Physos.

Sharp, shooting pains in small of back with acute l. pains extending through to front every few minutes. Kali-c.

Labor-pains.—Frequent pains in small of back and lumbar vertebræ like l. with strong urging to urinate. Kreas.

Pains in small of back, like l., as if back would break. Kreas. (Cimicif., Puls.)

Lame.—Back l. and painful. Abrot.

Beaten, bruised, l. feeling in back, with stitches and feeling of cutting and pulsating. Natr-m.

Cervical muscles stiff and l. Bapt.

Pain as if beaten and l. in spine. Ruta.

Small of back painful and l. as if bruised. Arn.

Sore, l. feeling in small of back. Lept.

Lameness.—Aching or tensive, tearing or sticking in region of loins and kidneys, sometimes extending down into calves, with feeling of l. or swelling in back. Berb.

Bruised pain with stiffness and l. in small of back. Berb.

Backache with tired l. in legs (after emissions). Kali-brom.

Feeling of l. or as if bruised in small of back, felt on awaking; worse when sitting or lying. Berb.

L. in small of back. Nux-v.

L. in small of back after taking cold. Dulc.

L. in sacral region. Sil.

L. in small of back on rising in morning. Natr-m.

Numbness and l. in sacrum. Calc-ph.

Pain and l. in back and extremities. Meph.

Pain as from l. in small of back in morning. Selen.

Painful pressure and tension in lumbar region and region of kidneys sometimes with feeling of numbness, puffiness, warmth, stiffness and l. Berb.

Lancinating (see Cutting).—Shooting, l. pains in vertebræ from without inward, like stabs from a knife. Bell.

Stitching or l. pains in back between shoulder blades. Asclep-tub.

Languor.—Progressive locomotor ataxia (Pinus sylv.); congestion of spinal cord; prostration, l., cannot walk, muscles feel bruised and will not obey will. Gels.

Large.—Congestion to neck; it feels l. and cravat feels too tight. Glon.

Neck feels l. and clothing too tight. Kali-c.

Laryngismus (see section on Larynx).—Spinal irritation with reflex action causing cough, l. and sometimes spasmodic stricture of œsophagus. Naja.

Lassitude.—Pain in back, with l. and pain as if bruised in region of short ribs. Ran-b.

Laugh.—Dragging pain in small of back; cannot l. or move. Phos.

Laughing.—Pain in sacrum extending down sciatic nerve to right thigh, worse when standing; at stool; coughing; l.; when lying on left side (in sciatica). Tellur.

Leaning.—Great tenderness over sacrum; cannot even bear pressure of soft pillow; sits up in bed l. forward to avoid contact with bedclothes. Lob.

Left.—Aching pain between shoulders and under l. scapula extending to l. lung; worse on expiration. Sep.

Bronchocele: l. side of neck swollen, with smooth, livid appearance, and feeling of suffocation caused by touching neck. Lach.

Burning over l. scapula. Ambr., Bar-c., Natr-m., Sil., Teucr., Zinc.

Carbuncle on l. side of back extending from upper border of scapula downward about six inches surrounded by small pustules, with scanty, offensive pus; pain is intense, with great weakness and prostration. Hep-s.

Curvature of spine to l. Calc-ph. (Calc-c.)

Darting pain from l. scapula to shoulder and mamma. Grat.

Drawing, aching pains in l. scapula and shoulder joint. Ptel.

Drawing pains in nape of neck extending to l. shoulder and scapula. Borax.

Drawing, pressure and swelling of l. side of neck. Alu.

Drawing, rheumatic pain in l. side of neck. Cycl.

Dull, boring, pricking pain in l. scapula extending across spine. Meny.

Dull pain at inner angle of l. scapula. Chrom-ac.

Dull pain in inner edge of l. scapula, worse on breathing. Sang.

Dull stitches in l. scapula. Anac.

Glands on l. side of neck swollen. Graph.

L. half of neck stiff. Chelid.

Neck stiff; impossible to turn head to l. or backward. Chrom-ac.

Neuralgic pains in back, especially on l. side. Nitr-ac.

Pain along inner edge of l. scapula sometimes extending through lower half of l. side of chest. Ran-b.

Pain, as from a sprain, in l. side of back and neck. Coni.
Pain in neck and under l. shoulder blade. Gels.
Pain in l. shoulder blade, with palpitation of heart. Cact.
Pain in spot about one-third of an inch in diameter under l. scapula. Ox-ac.
Pain under l. scapula. Chenop-v. (Right. Chelid.)
Painful boring on l. side of lumbar vertebræ. Acon.
Painful jerking above l. scapula. Squilla.
Painless drawing above l. scapula. Squilla.
Pressing pain in small spot in nape of neck on l. side and near mastoid process, changing to right side. Card.
Red swollen streak on l. side of neck. Mang.
Rheumatic, painful stiffness of l. side of back from nape of neck down to sacrum; worse on slightest motion. Guaj.
Scrofulous ulcer on l. part of neck from hair to clavicle, with hard and elevated edges. Aster.
Severe pain under l. scapula. Indium.
Sharp, shooting pain in l. side of neck, across temple and over eye, with liver sore to touch, and nausea. Chelid.
Sharp stitches in and on l. side of spine, near coccyx and sacrum. Agn.
Sharp stitches in l. lumbar region. Caust.
Soreness in glands of neck, with pain under l. scapula. Ailanth.
Stitches in l. scapula. Am-m.
Stitches under l. scapula through to heart. Bry.
Stitches in l. side of nape of neck, from scapula to occiput. Guaj.
Swelling of glands of l. side of face, throat and neck, nearly as large as hen's eggs; some hard, some suppurating (scrofulous). Bad.
Torticollis: head drawn to l. side. Nux-v.
Torticollis: l. side of neck stiff, with head drawn to l. side. Lyc.
Twitching and dull sticking in l. side of nape of neck. Tarax.

Legs (see section on Lower Extremities).—Aching and dull pain in lumbar and sacral regions extending to thighs and l. Sep.
Aching in loins shooting down l. Sil.
Backache with tired lameness in l. (after emissions). Kali-brom.
Paralysis of spine, with muscular twitchings, convulsive movements. convulsions and great weakness of l., with staggering gait. Hyos,
Tabes dorsalis, especially in women with great weakness of l. and back. Graph.

Lie.—Constant violent pain in small of back; it feels as if in a vise; cannot l. still night or day; has to sit bent forward. Kali-jod.
Intense, cramp-like pain in small of back and coccyx; can sit only for a short time; unable to l. on back and relieved mostly by standing and walking about slowly. Bell.

Lie down.—Drawing in shoulders compelling patient to l. Ars.
Pain in back causing patient to l. Ars.
Pain in sacral region causing patient to l. Sil.

Lies.—Pott's disease of spine: patient l. on back with knees drawn up. Merc-cor.

Stiffness in small of back, with pain as if bruised whenever l. quietly upon it or sits still; on moving about feels nothing. Rhus-t.

Lifting.—Lumbago or myalgia of great muscles of back; pain as from l. Sang.

Neck becomes stiff and rigid, with headache (after l. or straining). Calc-c.

Pain in sacrum, as from l. Sang. (Calc-c., Rhus-t.)

Pain in small of back, as after l. Sulph.

Violent pain in region of kidneys when blowing nose or l. Calc-ph.

Lightness.—Spinal exhaustion, with feeling of l. in body. Gels.

Lightning-like.—Tabes dorsalis: l. sticking pains in spine. Nitr-ac.

Limbs (see Extremities).—Cerebro-spinal meningitis, with congestion, wild, incoherent delirium, trembling and weakness of l. Gels.

Crampy pains in hands and sudden jerking of l. on going to sleep. Physos.

Heat with inward vibrations from neck and between shoulders into l. Camph.

Intense aching pain in back and l.; extremities feel as if broken. Eupat-perf.

Numbness and weakness in back and l. Ox-ac.

Pain in back and hips with coldness of l. Pallad.

Paralysis from inflammation of spinal cord, with stiffness of l. Ox-ac.

Tired aching across small of back and l. Hydr. (Sep.)

Linen.—Neck painful and sensitive to contact and pressure even of l. Lach.

Liver (see section on Hypochondria).—Blood boils on shoulders and region of l. Nux-j.

Pain in back and right side with congestion to l. Lyc.

Sharp, shooting pain in left side of neck, across temple, and over eye with l. sore to touch, and nausea. Chelid.

Livid.—Bronchocele: left side of neck swollen, with smooth, l. appearance, and feeling of suffocation caused by touching neck. Lach.

L. spots on nape of neck. Lyc.

Load (see Weight).—Drawing pain in nape of neck, as if carrying a l. Nux-v.

Feeling as if heavy l. were hanging to end of coccyx constantly dragging downward. Tart-em.

Pain in small of back, as if from a heavy l., or after long stooping. China. (Dulc., Puls.)

Locomotor ataxia.—Feeling of intense heat running up back (in l.). Phos.

L. preceded by twitching and trembling of muscles and partial blindness; will is strong, but difficulty lies in carrying out its purpose. Physos.

Pains in the back; cannot walk with eyes closed or in dark (in l.). Arg-n.

Progressive l. (Pinus sylv.); congestion of spinal cord; prostration, languor; cannot walk, muscles feel bruised and will not obey will. Gels.

Loin.—Contractive sticking in right l. during inspiration (Bry.); worse when lying on back. Coloc.

Deep, cutting pain in right l., disappearing when pressed upon. Dulc.

Loins.—Aching in l. Naja.

Aching in l. shooting down legs. Sil.

Aching in l. when lying in bed at night. Rhus-t.

Aching or tensive tearing or sticking in region of l. and kidneys, sometimes extending down into calves, with feeling of lameness or swelling in back. Berb.

Bruised pain in l. Graph.

Bruised sensation in muscles of l. and back. **Cham.**

Coldness in small of back and l. Camph.

Cutting pain through l. Kali-bi.

Drawing pain in l. Puls.

Dull pain across l. and sacrum. **Lil-tig.**

Fatiguing pain in l., as if had been standing long time. **Cina.**

Myelitis, with sudden tearing and shooting pains in l. Colch.

Lumbago: sharp pain in l. near sacrum. Asclep-tub.

Pain across l., as if broken, with loss of sexual power. Cocc-c.

Pain between scapulæ extending to l. Ox-ac.

Pain all over back, down to l., worse on drawing long breath. Cinnab. (Bry.)

Pain in back and l., as if sprained. Calc-c. (Rhus-t.)

Pain in back and l. Petr., Senecio.

Pain in l., kidneys and abdomen, so great on attempting to urinate that could not pass a single drop without moaning and screaming. Canth.

Pain in l., especially on first moving parts. Rhus-t.

Pain in l., as from cold or over-lifting. Valer.

Pain in l., with constant desire to urinate. Canth.

Pain in small of back and in region of sacrum and l.; worse when sitting. Cimex.

Painful stiffness of l. when rising from seat. Led. (Berb., Rhus-t.)

Pulsation in l. Coloc.

Pulsative stitches in region of kidneys and l. Sulph.

Rheumatic, drawing pains and aching from l. to coccyx. Carbo-v.

Rheumatic pains in l. and hips extending to left shoulder and chest; worse in evening. Colch.

Severe pain in back and l. (in threatened abortion or premature labor). Caul.

Severe pain in l., with feeling of weight on standing. Colch

Sharp, stitching pains in back, shooting from l. into nates, awaking patient about three o'clock in morning. Kali-c.

Stitches in l., with tenderness in region of kidneys. Cocc-c.

Stitching pains, as from a sharp knife, in back through l. extending to extremities. Ign.

Loose.—Aching in back, as if flesh were l. from bones. Acon., Kali-bi.

Pain in small of back, as if flesh were l. Lyc.

Weakness in sacro-iliac symphysis, as if bones were l. Arg-n.

Loss.—L. of strength in small of back; it is very weak. Ars.

Great weariness and l. of strength in spine, with disposition to yawn and stretch. Dios.

Softening of spinal cord, with l. of power; stumbles and trips when walking. Kali-ph. (Rhus-t.)

Lower.—Cutting and aching pain about l. dorsal vertebræ. Asclep.

Contraction around l. part of neck. Glon.

Paralysis of l. third of spinal cord. Ars.

Sudden, sharp, stabbing pains in l. part of spine. Alu.

Lumbago.—L. Bry., Nux-v., Tart-em.

L. (after strains). Calc-flu.

L.: back very stiff every morning. Phyt.

L.: cold feeling in gluteal region, with aching and with frequent sensation of coldness on top of head. Calc-c.

L. in alternation with headache. Aloe.

L.: intensely painful, crampy sensation in lumbo-sacral region and coccyx; can only set few minutes, and while sitting becomes quite stiff and unable to rise again. Bell.

L.: must move, but motion does not relieve. Puls.

L. or myalgia of great muscles of back; pain as from lifting. Sang.

L.: pain from above crest of ilium downward and inward to sacrum, with aching pain in bladder before and after urination. Berb.

L.: pain in back and small of back finally locating in a small spot in upper part of thigh and buttock. Coloc.

L.: pain in lumbar region, with great heat and burning. Kalm.

L.: pains in lumbar region all night, disappearing on rising. Ferr.

L.: pains in small of back, better when lying on something hard. Rhus-t.

L.: sharp pain in loins near sacrum. Asclep-tub.

L.: slightest effort to move causes retching, cold, clammy perspiration and excruciating pain. Tart-em.

L.: small of back feels as if broken, with pain shooting down back to thighs. Kali-c.

L.: violent pain in sacro-lumbar region; slightest effort to move causes retching and cold, clammy sweat. Tart-em.

Lumbar.—Aching and dull pain in l. and sacral regions extending to thighs and legs. Sep.

Burning and tired aching feeling in l. and sacral regions. Helon.

Constant, dull, heavy pain in l. and sacral regions. Phyt.
Dull aching pain in l. and cervical regions. Gels.
Pain in l. and sacral regions (with displacement of uterus). Podo.
Pain in l. and sacral regions, worse during and after stool. Podo.
Pain in l. and sacral regions, as if beaten. Bry.
Paralytic condition of l. and sacral muscles (in onanists). Gels.
Severe aching in l. and sacral regions. Ptel.

Lumbar muscles.—Tearing in l. making respiration painful. Kali-c.

Lumbar region.—Aching in l. Brachyg.
Aching pain in l. Samb.
Burning in sacral and l. Lachn.
Catching and stitching pains in l. Staph.
Constant aching in l. Sil.
Coldness and aching of l. and extremities. Carbo-an.
Dull aching pain in l. Indium.
Dull, heavy, dragging pain and stiffness of back, especially across l., necessitating use of arms in rising; must move about before being able to straighten up. Hydr.
Dull, heavy pain in l. and left hip. Physos.
Dull pain in l. Senecio.
Heat in l. Berb.
Heavy pain in l. extending to testicles. Abrot.
Intense pain in left l. above hip, as if strained; worse when standing. Valer.
Itching in l. Berb.
Lumbago: pain in l., with great heat and burning. Kalm.
Lumbago: pains in l. all night, disappearing on rising. Ferr.
Muscles of l. stiff. Hydr.
Pain and soreness between scapulæ, also in l. Natr-ars.
Pain and rigidity in l. Rhus-t.
Pain, as if from foreign body, in l. Nux-v.
Pain between scapulæ and in l. Coni.
Pain in l. and sacrum, especially while sitting. Agar.
Pain in l. Sulph.
Pain in l., with sensation of coldness, worse at night and from motion. Podo.
Pain in l. (with dysentery or constipation). Nux-v.
Pain in l., as if were being pinched with pincers, extending gradually towards abdomen. Can-sat.
Painful pressure and tension in l. and region of kidneys, sometimes with feeling of numbness, puffiness, warmth, stiffness and lameness. Berb.
Sharp stitches in l. Caust.
Stitches in right l. when walking, with slight burning sensation. Ran-b.
Sticking pain, with pressure in l. or in region of kidneys. Berb.

Stiffness, tearing and tenderness in joints and muscles of l. preventing motion or stooping. Bry.

Tearing, jerking pains in l. Cina.

Warm feeling in small of back, as if l. were asleep, extending into sacrum, hips and thighs. Berb.

Weekness in l. with prolapsus recti. Ruta.

Lumbar vertebræ.—Abscess near l. Calc-ph.

Frequent pains in small of back and l., like labor pains, with strong urging to urinate. Kreas.

L. tender with pain on pressure. Apis.

Pain at side of l. as if caused by blow from fist. Nux-m.

Painful boring on left side of l. Acon.

Sore pain, as if beaten, in small of back, especially about last l. Acon.

Stitches in small of back with drawing through l. when standing. Coni.

Ulcerating pains in l. as if flesh were beaten off bones. Kreas.

Violent cutting in l., worse during stool. Rheum.

Lumbo-dorsal.—Feeling of heavy weight in l. region. Coloc.

Lumbo-sacral.—Aching, shooting, burning and throbbing in l. region. Sil.

Lumbago: intensely painful, crampy sensation in l. region and coccyx; can only sit few minutes and while sitting becomes quite stiff and unable to rise again. Bell.

Severe pains in l. region. Am-m.

Stiffness in l. articulation. Caust.

Lump.—Sensation of l. in back. Arn.

Lumps.—L. between shoulders. Calc-c.

Painful l. in neck. Hep-s.

Lung (see section on Chest).—Aching pain between shoulders and under left scapula extending to left l.; worse on expiration. Sep.

Lying.—Aching in loins when l. in bed at night. Rhus-t.

Backache aggravated by l. and immediately relieved by rising and moving. Apium graveolens.

Backache worse while sitting or l.; difficulty in rising from seat. Berb. (Rhus-t.)

Bruised pain in coccyx burning when touched; pain like that of subcutaneous ulceration; worse sitting or l. Carbo-v.

Bruised pain in sacral region when l. on side. Actea-s.

Bruised, sore feeling in sacral region; feels as if l. on board; changes position often (in typhoid). Bapt.

Contractive sticking in right loin during inspiration (Bry.); worse when l. on back. Coloc.

Feeling of lameness or as if bruised in small of back, felt on awaking, worse when sitting or l. Berb.

Glands on side of neck down to shoulders swollen and painful as if contracted and stiff when bending neck or l. Graph.

Lumbago: pain in small of back, better when l. on something hard. Rhus-t.

L. on back produces nightmare. Card.

Neck and shoulder painful when l. on right side. Ferr.

Pain in back while sitting, better from motion or l. on something hard. Rhus-t. (Natr-m.)

Pain in nape of neck and back when l. down and sitting still. Agar.

Pain in neck as if had been l. on something hard. Thuja.

Pain in sacrum, especially when l. on back. Ign.

Pain in sacrum extending down sciatic nerve to right thigh, worse when standing; at stool; coughing; laughing; when l. on left side (in sciatica). Tellur.

Pain in small of back, worse when sitting and l. (during menses). Berb.

Pain in small of back when l. on it. China. (Better when l. on it. Natr-m.)

Pains as if bruised in small of back; relieved by l. on something hard. Natr-m. (Rhus-t.)

Pressing, dragging pain in sacro-lumbar region; relieved by sitting or l.; worse when walking, extending over sacrum and hips. Sep.

Rheumatic pain in nape of neck with numbness; worse l. Spig.

Sore, bruised pain in small of back when l. on it. Bry.

Stiffness and aching with bruised pain in small of back when sitting still or when l. (Berb.); better from motion or when l. on something hard. Rhus-t. (Natr-m.)

Stitches in small of back when sitting, stooping or walking; better by pressure and when l. Ruta.

Lying down.—When l. sensation as if neck were grasped. Glon.

Malaria.—Periodical drawing of neck to one side (as from m.). China. (Eucalyp.)

Mamma (see section on Mammary Glands).—Darting pain from left scapula to shoulder and m. Grat.

Marasmus.—Neck emaciated (in m. of children). Sars.

Mastoid process.—Pressing pain in small spot in nape of neck on left side and near m., changing to right side. Card.

Measles (see section on Skin).—Spinal meningitis (during scarlatina or m. when eruption does not appear). Dulc.

Median.—Non-lobulated tumor like goitre in anterior and m. portion of neck large as child's head; tumor becomes more swollen and painful during menses, which are irregular and painful. Iod.

Meningitis (see also section on Head).—Cerebro-spinal m. with congestion, wild incoherent delirium, trembling and weakness of limbs. Gels.

Chronic spinal m. when paralyzed parts quickly fall away in flesh and limbs are painfully contracted, with obstinate constipation. Plumb.

Great sensitiveness of cervical and upper dorsal vertebræ, with soreness af all muscles (in cerebro-spinal m.). Cimicif.

Head and neck retracted (in cerebro-spinal m. or spotted fever). Cimicif.

M. with shooting pains in small of back. Kali-jod.

M. with violent pains in spine. Merc.

Spinal m. Nux-v.

Spinal m. (during scarlatina or measles when eruption does not appear. Dulc.

Spinal m. with convulsions and jerking of muscles. Hyos.

Traumatic m. Hyper.

Menses (see section on Menstruation).—Bearing down in small of back (before m.). Apis.

Coccyodinia (during m.). Cic-v.

Great pressure in back from within outward during m. Nux-m.

Myelitis after taking cold (during m.). Dulc.

Non-lobulated tumor like goitre in anterior and median portion of neck large as child's head; tumor becomes more swollen and painful during m. which are irregular and painful. Iod.

Pain in back and chilliness (from suppression of m.). Puls.

Pain in small of the back; worse when sitting and lying (during m.). Berb.

Violent pain in small of back at commencement of m. Asar.

Mental.—Weak feeling in back after m. annoyance. Calc-c.

Middle.—Cramp-like oppressive sensation in m. of spine. Bell.

Violent stitch in m. of back. Alu.

Midnight.—Periodical pains in back returning about m. Chin-s.

Miliary.—Red m. eruption on neck. Chelid.

Moaning.—Pain in loins, kidneys and abdomen, so great on attempting to urinate that could not pass a single drop without m. and screaming. Canth.

Moist.—Itching m. tetter on neck. Caust.

Sore, m. places on coccyx. Arum.

Morning.—Bruised pain in small of back preventing motion; worse three or four o'clock in m. Nux-v.

Cervico-brachial neuralgia; worse in m. after eating, and from touch. Nux-v.

Dull backache every m. on awaking. Ptel.

Lameness in small of back on rising in m. Natr-m.

Lumbago: back very stiff every m. Phyt.

Neck stiff in m. Bov.

Pain as from lameness in small of back in m. Selen.

Pain in small of back, especially in m. Kali-bi.

Rheumatic pain between scapulæ early in m. on awaking. Ran-b.

Sharp stitching pains in back shooting from loins into nates awaking patient about three o'clock in m. Kali-c.

Stiffness and pain in small of back when rising from seat or on getting out of bed in m. Sil.

Stiffness in back on rising in m. Sulph-ac.

Violent burning in nape of neck in m. Am-ben.

Motion.—Blood boils on right side of spine painful on m. Kali-bi.

Bruised pain in small of back preventing m.; worse three or four o'clock in morning. Nux-v.

Cramp-like pain in small of back, as if bruised and crushed; aggravated on least m. China. (Bry.)

Neck stiff and painful on m. Dros.

Opisthotonos, with convulsive m. of arms over head. Stram.

Pain in back while sitting, better from m. or lying on something hard. Rhus-t. (Natr-m.)

Pain in coccyx, as if ulcerated, preventing m., followed by painful stiffness of neck. Phos.

Pain in lumbar region, with sensation of coldness, worse at night and from m. Podo.

Pain in sacral region worse on m. Physos.

Pain in small of back preventing m. Petr.

Pressure and burning in back relieved by m. Kali-n.

Pressure and heaviness in sacral region while sitting; better on m. Aloe.

Pressure between scapulæ during m. causing arrest of breathing. Calc-c. (Sil.)

Profuse perspiration on neck and back from least m. or when sleeping. China.

Rheumatic pain in small of back, worse on every m., making walking or turning difficult. Bry.

Rheumatic, painful stiffness of left side of back from nape of neck down to sacrum; worse on slightest m. Guaj.

Rheumatic pains in scapulæ; muscles feel contracted and as if swollen, preventing m. Mez.

Severe pain in small of back, worse from touch or m. Colch.

Small boils on back, with pricking pain on m. Mur-ac.

Soreness and tenderness of spine; slightest m. of arms or neck extorts cries. Hyper.

Sticking pain between scapulæ during m., preventing breathing. Puls.

Stiffness and aching, with bruised pain in small of back when sitting still or when lying (Berb.); better from m. or when lying on something hard. Rhus-t. (Natr-m.)

Stiffness, tearing and tenderness in joints and muscles of lumbar region, preventing m. or stooping. Bry.

Stitches between scapulæ during m. Ipec.

Stitches in back from least m. Sars.

Stitches in spine on m. Meph.

Stitching pains in small of back so severe on m. that patient gets upon arms and knees to find relief. Coloc.

Swelling of spine and curvature to right, painful to touch and m. Sil.

Motor.—M. and sensory paralysis of spinal nerves. Bell.

Motor nerves.—Paralysis of spinal m., with tetanic convulsions. Cocc.

Move.—Dragging pain in small of back; cannot laugh or m. Phos.

Dull, heavy, dragging pain and stiffness of back, especially across lumbar region, necessitating use of arms in rising; must m. about before being able to straighten up. Hydr.

Lumbago: must m., but motion does not relieve. Puls.

Lumbago: violent pain in sacro-lumbar region; slightest effort to m. causes retching and cold, clammy sweat. Tart-em.

Neck and throat stiff and painful, muscles feeling as if bound; could m. head only with difficulty. Caust.

Stiffness of nape of neck, with pain in occiput; muscles feel as if bound so that patient is unable to m. head. Caust.

Movement.—Muscles of neck pain on m. and are sensitive to pressure. Rhus-t.

Movements.—Paralysis of spine, with muscular twitchings, convulsive m., convulsions and great weakness of legs, with staggering gait. Hyos.

Stitches in sacrum during certain m., especially when walking. Calad.

Moves.—Neck stiff and m. jaw with difficulty. Lach.

Moving.—Backache aggravated by lying and immediately relieved by rising and m. Apium graveolens.

Bearing-down pains in sacrum, as if parts would be forced out; worse when m. Sec.

Cracking in cervical vertebræ when m. head. Natr-c., Nicc.

Drawing in neck extending to ears when m. head. Plumb.

Muscles of neck sore to touch and on m. Kalm.

Neck stiff and painful, worse on m., pain extending to right shoulder. Acon. (Gels.)

Neck stiff, with painful drawing when m. Rhus-t.

Pain in fifth, sixth and seventh cervical vertebræ, worse on m. head. Camph.

Pain in nape of neck when m. Sabad.

Pain in loins, especially on first m. parts. Rhus-t.

Pain on a spot size of palm of hand below right scapula (worse: evening; after exertion; on deep inspiration; m. right arm; better from pressure). Ruta.

Painful stiffness of muscles of right side of neck; worse on m. or turning head toward shoulder. Bry.

Pains in small of back worse on m. Natr-s.

Rheumatic pain in back when m. it. Acon. (Cimicif.)

Swelling of psoas muscle, very painful on m. body. Lyc.

Tearing pain in nape of neck m. up and forward to frontal region. Caust.
Violent pain in small of back on m. Kali-jod.

Mucus.—Pain in back through to sternum, with cough and expectoration of thick, black m. Kali-bi.

Muscle.—Pain in neck affecting more prominently upper part of trapeze m., extending to shoulders. Brachyg.
Severe drawing pain in sterno-cleido-mastoid m. drawing head to left. Caul.
Soreness in every m., passes off during exercise. Rhus-t.

Muscles.—Bruised sensation in m. of loins and back. Cham.
Contraction of m. of back drawing head backward. Ver-v.
Contraction of m. of neck. Natr-c. (Natr-m.)
Drawing and stiffness of m. of right side of neck. Bry.
Drawing in m. of neck. Acon.
Drawing in m. of neck under right angle of jaw. Abrot.
Drawing or contraction in m. of neck; after turning head cannot turn it back again without great pain. Cic-v.
Great sensitiveness of cervical and upper dorsal vertebræ, with soreness of all m. (in cerebro-spinal meningitis). Cimicif.
Heaviness in m. of neck. Meny.
Locomotor ataxia preceded by twitching and trembling of m. and partial blindness; will is strong, but difficulty lies in carrying out its purpose. Physos.
Lumbago or myalgia of great m. of back; pain, as from lifting. Sang.
M. of back feel sore. Hydr.
M. of back rigid. Physos.
M. of lumbar region stiff. Hydr.
M. of nape of neck feel stiff when moving head. Coloc. (Chelid.)
M. of nape of neck seem paralyzed. Ver-a.
M. of neck feel bruised. Gels.
M. of neck pain on movement and are sensitive to pressure. Rhus-t.
M. of neck sore to touch and on moving. Kalm.
Nape of neck stiff, with soreness in m. of neck and shoulders. Podo.
Neck and throat stiff and painful, m. feeling as if bound; could move head only with difficulty. Caust.
Neck feels swollen and stiff, with pain in m. proceeding from teeth. Mang.
Painful stiffness in m. of neck. Spong.
Painful stiffness of m. of right side of neck, worse on moving or turning head toward shoulder. Bry.
Paralysis of m. of back up to neck. Cupr.
Progressive locomotor ataxia (Pinus sylv.); congestion of spinal cord; prostration, languor; cannot walk, m. feel bruised and will not obey will. Gels.
Rheumatic pains in m. of neck and back, with feeling of stiffness and contraction. Cimicif.

Rheumatic pains in scapulæ; m. feel contracted and as if swollen, preventing motion. Mez.

Sore, bruised feeling in all m. in back, with profound debility. Bapt.

Soreness down m. of back, pains shifting about, worse from deep breathing. Sang.

Spasmodic drawing pain in m. of nape of neck extending to scapulæ; aggravated by stooping, exerting arms, turning head to left. Ant-c.

Spinal meningitis with convulsions and jerking of m. Hyos.

Stiffness of nape of neck with pain in occiput; m. feel as if bound so that patient is unable to move head. Caust.

Stiffness, tearing and tenderness in joints and m. of lumbar region preventing motion or stooping. Bry.

Tonic spasms in m. of neck and cervical region. Cic-v.

Tremulous and uneasy sensation in m. of neck. Ang.

Twitching and stinging of m. of neck. Tarax.

Twitching in m. of back. Ang.

Violent pain and drawing in lateral m. of neck which feel as if swollen; is giddy and head feels heavy, as if drawn to one side periodically every afternoon. Chin-s.

Wry neck, stiff neck or crick in neck; sterno-cleido-mastoid m. rigid, hard and swollen; least attempt to turn neck attended with great pain. Acon., Bell., Dulc., Eupat-purp.

Myalgia.—Lumbago or m. of great muscles of back; pain as from lifting. Sang.

M. (Muriate of Ammonia in ten to twenty grains has been used by Eclectics and is said to be specific.)

M.: pains from spine to head and shoulders. Gels.

Myelitis.—M. Bell., Benz-ac.

M. (after sexual excesses or getting wet). Phos.

M. after taking cold (during menses). Dulc.

M., chilliness with dull pain in region of lower cervical and upper dorsal vertebræ; difficulty in raising head or turning in bed; cervical portion of spine stiff and painful when turning. Dulc.

M.: severe spinal pains, worse on pressure; restless and sleepless with anæsthesia of skin. Merc.

M. with sudden tearing and shooting pains in loins. Colch.

M. with tetanic spasms. Physos.

Rheumatic pains in back like m. (after getting wet or sleeping on damp ground). Rhus-t.

Nape of Neck.—Aching in n. Bar-c.

Aching in n. and shoulders. Ver-v.

Aching pain in n. disappearing on bending head backward. Cycl.

Aching in n. on either side of vertebra. Guaj.

Aching pain in n. Ran-b.

Carbuncle on n. Anthrak.

Carbuncle on n., purple or gangrenous, exceedingly sensitive to touch. Lach.
Carbuncle on n.; surrounding parts inflamed and sensitive to touch. Hep-s.
Carbuncles or ulcers on n. surrounded by little pimples or ulcers. Lach.
Cervical glands swollen and painful, especially those near n. Carbo-v.
Contractive pain in n. Cupr.
Cramp like pain in n. Asar.
Cutting pain in n. Grat.
Cutting pain in n. and right shoulder. Gum-gut.
Dry eruption on n. peeling off in fine mealy scales. Graph.
Dull pain in n. Dios., Paris.
Drawing pain in n. and occiput. Lyc.
Drawing pain in n. and on each side of spine. China.
Drawing pain in n., as if carrying a load. Nux-v.
Drawing pains in n. extending to left shoulder and scapula. Borax.
Drawing pain in n. with feeling of dryness in fauces. Coni.
Eruption on n. Ant-c., Bell., Berb., Caust., Hep-s., Petr., Sec., Sil., Staph., Tart-em.
Erysipelas from n. to face. Graph.
Feeling of stiffness in n. with restlessness and nausea. Thuja.
Furuncles on n. Nitr-ac., Phos., Sil.
Glands in n. and occiput swollen. Bar-c.
Heavy, drawing pain in n. extending to occiput. Petr.
Herpes on n. Carbo-an., Caust., Clem., Kali-n., Lyc., Natr-m. Petr. Sep., Sulph.
Herpes or impetigo on n. and occiput. Petr.
Herpetic spots on n. Hyos.
Itching and heat in n. Coloc.
Itching humid tetter on n. Caust.
Itching in n. and stitches in gland of right side of neck. Alu.
Itching of n. Berb.
Jerking in n. at commencement of attack of epilepsy. Bufo.
Jerking pain in n. China. (Æth., Tarax.)
Livid spots on n. Lyc.
Muscles of n. seem paralyzed. Ver-a.
Muscles of n. feel stiff when moving head. Coloc. (Chelid.)
N. and cervicle muscles stiff and painful. Mez.
N. and upper part of back stiff and rigid. Natr-m.
N. feels tired after writing or any exertion. Zinc.
N. rigid. Nitr-ac.
N. stiff. Ign., Kali-c., Kali-n., Phos., Sep.
N. stiff. (Ign., Kali-c., Phos., Rhus-t.) and sensitive to external pressure. Lach.
N. stiff, as from cold. Natr-c.

N. stiff, as if bruised or sprained. Ars.
N. stiff when bending head. Kali-bi.
N. stiff, with headache. Sil. (Chelid.)
N. stiff, with rheumatic, drawing pains. Puls.
N. stiff, with soreness in muscles of neck and shoulders. Podo.
N. weary, as if a great weight were lying on it. Paris.
Pain and stiffness in sacrum and n. Bar-c.
Pain as if sprained or bruised in n. and shoulder. Ruta.
Pain from n. through center of head to forehead. Fluor-ac. (Sil.)
Pain in n. Graph., Sang.
Pain in n. and back when lying down and sitting still. Agar.
Pain in n. and between scapulæ. Eupat-perf.
Pain in n., as if beaten or broken. Acon., Agar., Caust., Nux-v., Sabin., Thuja.
Pain in n. as after taking cold. Bry.
Pain in n. as if the head had been lying in an uncomfortable position. Dulc.
Pain in n. at night. Oleand.
Pain in n. relieved by external warmth. Rhus-t.
Pain in n. shooting to occiput, with stiffness and hard swelling of glands. Cinnab.
Pain in n. when moving. Sabad.
Pain in n. when sneezing. Arn.
Pain in n. with spasmodic drawing of head backward. Cic-v.
Pain in occiput, n. and down spine. Æth.
Painful stiffness of n. and small of back. Laur.
Painful stiffness of neck (Acon., Agar.), with pain from n. to between shoulders on turning. Am-m.
Paroxysms of tearing pain in n. Nux-v.
Pressing pain in small spot in n. on left side and near mastoid process, changing to right side. Card.
Pressure in scapulæ and n. Cocc.
Rheumatic pain between scapulæ from n. to small of back during exercise. Ver-a.
Rheumatic pain in n. Sang.
Rheumatic pain in n. with numbness, worse lying. Spig.
Rheumatic, painful stiffness of left side of back from n. down to sacrum; worse on slightest motion. Guaj.
Sensation as if a tape were tightly drawn from ear to ear around n. Anac.
Sensation in n. across occiput as if bound tightly. Plat.
Sensation of heaviness in n. Meny., Nux-v., Paris, Samb.
Sensation of numbness in n. and coccyx. Berb., Plat.
Sharp, shooting, boring, shifting, remittent pains in n. Magn-ph.
Soreness in n. as if had been beaten. Ars-jod.
Soreness with stitches in n. Bad.

Spasmodic drawing pain in muscles of n. extending to scapulæ; aggravated by stooping, exerting arms, turning head to left. Ant-c.

Sticking pains in n. and back. Puls.

Stiff pain like drawing in n. and between scapulæ. Ang.

Stiffness in n. Anac. (Rhus-t.)

Stiffness of n. with pain in occiput; muscles feel as if bound so that patient was unable to move head. Caust.

Stiffness or rigidity of n. Flour-ac.

Stitches in left side of n. from scapula to occiput. Guaj.

Sudden violent stitch, a sort of crick, in sacrum while walking, extending to n. Agar.

Swelling of n. Puls.

Tearing, cutting pain in n. Graph.

Tearing from n. up either side to top of head. Lach.

Tearing pain in n. Acon.

Tearing pain in n. and in back. Nux-v.

Tearing pain in n. moving up and forward to frontal region. Caust.

Throbbing pain in n. and occiput. Eupat-perf.

Torticollis: neck stiff, head drawn to one side, pain in n. asif dislocated when turning neck or bending head backward. Lachn.

Twitching and dull sticking in left side of n. Tarax.

Violent burning in n. in morning. Am-ben.

Violent drawing of tendons of n. Cast.

Violent itching on n. Benz-ac., Pallad.

Violent pain in n. Natr-s.

Violent pain in n. when coughing. Bell.

Violent pains and stiffness in n. Graph.

Weakness in n. Stann.

Weakness in n.; head sinks forward. Plat. (Aloe, Cimicif, Kali-c., Natr-m.)

Nates (see section on Stool).—Sharp stitching pains in back, shooting from loins into n. awaking patient about three o'clock in morning. Kali-c.

Nausea (see section on Stomach).—Feeling of stiffness in nape of neck with restlessness and n. Thuja.

On pressure on dorsal vertebræ has n., eructations, belches wind, gets pale, cries out. Bell.

Sharp, shooting pain in left side of neck, across temple, and over eye, with liver sore to touch, and n. Chelid.

Nerve (see section on Nerves).—Great pain between sacrum and hip joint sometimes darting or shooting down anterior crural and sometimes down sciatic n. Coloc.

Nerves.—Drawing pain internally in region of right scapula, as if n. and vessels were contracted. Coloc.

Motor and sensory paralysis of spinal n. Bell.

Weakness in spine and spinal n. causing great fatigue on exertion, with frequent desire to urinate. Phos-ac.

Nervous.—Excitement of spinal n. system causing tetantic convulsions, dyspnœa, asphyxia and death. Ign.

Neuralgia.—Cervical and first four dorsal vertebræ very tender on pressure; pressure brings on attack of n. Coloc.

Cervico-brachial n.; worse in morning, after eating and from touch. Nux-v.

Neuralgic.—Acute, boring, darting, n. pains in back. Magn-ph.

N. pains in back, especailly on left side. Nitr-ac.

Night.—Aching in loins when lying in bed at n. Rhus-t.

Backache, especially at n., with great weakness of extremities. Arg-n.

Backache worse at n. Am-m.

Chronic rheumatism of chest and back, worse at n. Kail-jod.

Feeling of great weakness in sacrum at n. Lith-c.

Fugitive pains in shoulders at n. Abrot.

Lumbago: pains in lumbar region all n. disappearing on rising. Ferr.

Pain in back and thighs at n. Magn-s.

Pain in back at n. Ferr.

Pain in lumbar region with sensation of coldness, worse at n. and from motion. Podo.

Pain in nape of neck at n. Oleand.

Pain in sacral region at n. Am-c., Magn-c., Staph.

Pain in small of back at n. awaking patient. Am-m.

Pain in small of back at n. on awaking or on stooping. Kali-n.

Pain in small of back, especially at n. Cham.

Pain in small of back whole n., as if ulcerated. Natr-s.

Rheumatic pain in neck, shoulders and arms, worse at n. Sang.

Violent pain in back, worse at n. Natr-c.

Nightmare (see section on Sleep).—Lying on back produces n. Card.

Nights.—Violent pain in back for several n., with bruised sensation in small of back preventing sleep. Sulph.

Night-sweats (see section on Skin).—Itching of neck and lower extremities, with n. Mang.

Non-lobulated.—N. tumor like goitre in anterior and median portion of neck large as child's head; tumor becomes more swollen and painful during menses, which are irregular and painful. Iod.

Nose (see section on Nose).—Violent pain in region of kidneys when blowing n. or lifting. Calc-ph.

Numb.—Cold, n. and tight sensation in small of back. Carbo-v.

Numbness.—Burning heat in back with n. and clumsy feeling of extremities which tremble from every exertion. Phos.

Creeping n. from occiput down spine. Physos.

Irritation of spine; pressure between vertebræ makes patient wince; n. of extremities. Physos.

N. and lameness in sacrum. Calc-ph.

N. and weakness in back and limbs. Ox-ac.
N. in sacrum and coccyx while sitting. Plat.
N. in small of back extending to lower extremities. Acon.
Painful pressure and tension in lumbar region and region of kidneys, sometimes with feeling of n., puffiness, warmth, stiffness and lameness. Berb.
Rheumatic pain in nape of neck with n., worse lying. Spig.
Sensation of n. in nape of neck and coccyx. Berb., Plat.
Sensation of n. in sacral region. Berb., Ox-ac., Spong.
Tingling in back with n. extending to tips of fingers and toes. Sec. (Acon.)

Nursing (see section on Lactation).—Pain through scapulæ when n. child. Croton-tig.

Occiput (see section on Head).—Constant shooting pain from back through body to both sides and along spine to o. Cocc.
Creeping numbness from o. down spine. Physos.
Cutting pain from o. to sacrum. Elaps.
Drawing pain in nape of neck and o. Lyc.
Glands in nape of neck and o. swollen. Bar-c.
Heavy, drawing pain in nape of neck extending to o. Petr.
Herpes or impetigo on nape of neck and o. Petr.
Pain in nape of neck shooting to o., with stiffness and hard swelling of glands. Cinnab.
Pain in o., nape of neck and down spine. Æth.
Sensation in nape of neck across o., as if bound tightly. Plat.
Sharp, shooting pains from dorsal region into o. (during parturition). Petr.
Stiffness of nape of neck with pain in o.; muscles feel as if bound so that patient was unable to move head. Caust.
Stitches in left side of nape of neck from scapula to o. Guaj.
Stitches in neck and o. Natr-m.
Throbbing pain in nape of neck and o. Eupat-perf.

Œsophagus (see section on Throat).—Spinal irritation with reflex action causing cough, laryngismus, and sometimes spasmodic stricture of œ. Naja.

Old.—Disappearance of o. hard or soft swelling of thyroid gland and also of large goitre. Iod.

Onanists.—Paralytic condition of lumbar and sacral muscles (in o.). Gels.

Onanism (see section on Sexual Organs).—Spinal irritation (after sexual excesses or o.) with weariness and stiffness of back, excited sexual desire and seminal emissions, with stiff feeling of whole body. Puls.
Spinal weakness (from exhaustion or o.). Gels.

Opisthotonos.—O. Canth., Nux-v., Opi. (Bell., Cic-v., Ign., Stram.)
O.: bending backward like an arch. Cic-v.
O., with congestion to brain and spine. Ver-v.
O., with convulsive motions of arms over head. Stram.

Oppression (see section on Chest).—Spinal irritation: third dorsal vertebra painful to touch, with o. of chest. Chin-s.
Tearing in and between scapulæ, with o. of chest. Berb.

Oppressive.—Cramp-like, o. sensation in middle of spine. Bell.

Os innominatum.—Coxalgia: hip-joint feels as if femur were fastened to o., with darting pains from sacro-lumbalis muscle into thighs. Coloc.

Otorrhœa (see section on Ears).—Swelling, enlargement and induration of cervical glands, with o. Bar-m.

Outcries.—Remarkable sensitiveness along spine in cervical region; slightest pressure caused violent o. and raving. Stram.

Outward.—Great pressure in back from within o. (during menses). Nux-m.

Ovaries (see section on Uterus).—Back weak with pains in o. Abrot.

Overlifting.—Back stiff, as if had been injured by o. Prun-s.
Pain in back, as from a sprain (after o.). Staph. (Rhus-t.).
Pain in loins, as from cold or o. Valer.

Pain.—Aching and dull p. in lumbar and sacral regions extending to thighs and legs. Sep.
Aching p. between shoulders and under left scapula extending to left lung; worse on expiration. Sep.
Aching p. in lumbar region. Samb.
Aching p. in nape of neck. Ran-b.
Aching p. in nape of neck disappearing on bending head backward. Cycl.
Aching p. in region of kidneys. Crotal.
Aching p. in small of back (in women at climacteric). Hydr.
Aching p. in small of back when standing or sitting. Mur-ac.
Aching p. through small of back. Cocc-c.
Acute p., with gnawing in small of back. Naja.
Backache: p. in small of back as if would break. Bell. (Aloe, Cimicif., Kali-c., Natr-m., Nux-v., Plat.)
Belching relieves p. in back. Sep.
Boring p. in back. Acon., Agar., Bar-c., Bism., Cocc., Laur., Natr-c., Thuja.
Boring p. in sacral region. Acon.
Boring p. in scapulæ. Acon., Meny.
Bruised and sprained p. between scapulæ. Am-m.
Bruised, burning p. in coccyx preventing sitting; worse from contact. Cist. (Kali-bi., Lachn.)

Bruised p. and pressure in small of back. **Ang.**
Bruised p. between scapulæ. Hell.
Bruised p. between shoulders. Acon. (Rhus-t.)
Bruised p. in back. Dros.
Bruised p. in back, worse on pressure. Nux-v.
Bruised p. in back. Plat.
Bruised p. in coccyx burning when touched; p. like that of subcutaneous ulceration; worse when sitting or lying. Carbo-an.
Bruised p. in coccyx, as from a fall. Kali-jod.
Bruised p. in coccyx. Am-m.
Bruised p. in loins. Graph.
Bruised p. in region of scapulæ and hips. Natr-m.
Bruised p. in sacrum. Fluor-ac.
Bruised p. in small of back, with feeling as if sprained. Gum-gut.
Bruised p. in small of back and in region of kidneys. Cocc-c.
Bruised p. in back during rest. Kali-c.
Bruised p. in small of back, worse when stooping or walking. Meny.
Bruised p. in small of back and sacrum. Natr-s.
Bruised p. in sacral region when lying on side. Actea-s.
Bruised p. in small of back. Alu., Kali-jod.
Bruised p. in small of back preventing motion; worse three or four o'clock in morning. Nux-v.
Bruised p. in small of back when touching part. Graph.
Bruised p., with stiffness and lameness in small of back. Berb.
Burning p. between scapulæ. Phos.
Burning p. in small of back. Phos.
Burning p. in spine. Bell.
Bursting p. under right scapula. Seneg.
Carbuncle on left side of back extending from upper border of scapula downward about six inches surrounded by small pustules, with scanty, offensive pus; p. is intense, with great weakness and prostration. Hep-s.
Constant dull backache, p. extending to hips (with hæmorrhoids) making walking difficult. Æsc.
Constant dull, heavy p. in lumbar and sacral regions. Phyt.
Constant p. between scapulæ and down back. Sep.
Constant p. in cervical and upper dorsal vertebræ. Stram.
Constant p. in or under right scapula (Abies-c., Æsc., Podo.); may extend to chest or stomach. Chelid.
Constant paralytic p. in small of back causing patient to bend back inward. Sabin.
Constant shooting p. from back through body to both sides and along spine to occiput. Cocc.
Constant violent p. in small of back; it feels as if in a vise; cannot lie still night or day; has to sit bent forward. Kali-jod.
Contractive p. between scapulæ. Graph.

Contractive p. in nape of neck. Cupr.
Contractive, spasmodic p. in small of back. Magn-m.
Coxalgia with p. in bladder, with strangury. Canth.
Cramp-like p. in nape of neck. Asar.
Cramp-like p. in neck, first on one side, then on other. Calc-ph.
Cramp-like p. in sacral region, as after long standing; when attempting to walk feels as if would fall. Thuja.
Cramp-like p. in small of back, as if bruised and crushed; aggravated on least motion. China (Bry.)
Cramp-like, pressing p. in region of kidneys. Caust.
Cutting and aching p. about lower dorsal vertebræ. Asclep.
Cutting, digging p. and pressure in back. Sep.
Cutting p. between scapulæ. Hyper.
Cutting p. from occiput to sacrum. Elaps.
Cutting p. in nape of neck. Grat.
Cutting p. in nape of neck and in right shoulder. Gum-gut.
Cutting p. in neck. Samb.
Cutting p. through loins. Kali-bi.
Cutting, stabbing p. between shoulders. Natr-s.
Darting or bruised p. in coccyx. Caust.
Darting p. from left scapula to shoulder and mamma. Grat.
Deep, cutting p. in right loin, disappearing when pressed upon. Dulc.
Deep-seated, sensitive, sticking p. in one or other side, about an inch from spine, extending obliquely toward sacrum. Berb.
Dragging p. in small of back; cannot laugh nor move. Phos.
Drawing and p. about scapulæ. Cimex.
Drawing and p. in small of back when stooping. Meny.
Drawing, burning and throbbing p. in spine, with drowsiness, but unable to sleep. Bell.
Drawing p. between scapulæ. Guaj.
Drawing p. from below upward. Natr-m.
Drawing p. from small of back to lower extremities. Am-ben.
Drawing p. in back. Cham.
Drawing p. in coccyx to rectum and vagina. Kreas.
Drawing p. internally in region of right scapula, as if nerves and vessels were contracted. Coloc.
Drawing p. in loins. Puls.
Drawing p. in nape of neck and occiput. Lyc.
Drawing p. in nape of neck, as if carrying a load. Nux-v.
Drawing p. in nape of neck, with feeling of dryness in fauces. Coni.
Drawing p. in nape of neck and on each side of spine. China.
Drawing p. in region of kidneys. Kali-n.
Drawing p. in small of back. Lyc.
Drawing p. in sacrum. Ant-c.
Drawing p. in one side of neck, as if swollen. Sep.
Drawing p. in spine. Stram.

Drawing p. in small of back. Kali-c.
Drawing p. in sacrum. Aster.
Drawing p. in whole back. Hep-s.
Drawing, tearing p. along spine. Cina.
Drawing, tearing p. in scapulæ. Acon.
Drawing, tearing p. in and near spine. Caps.
Drawing, rheumatic p. in left side of neck. Cycl.
Drawing, shooting or cutting p. between scapulæ. Calc-c.
Dull aching p. in lumbar and cervical regions. Gels.
Dull aching p. in lumbar region. Indium.
Dull, boring, pricking p. in left scapula extending across spine. Meny.
Dull, drawing or bruised p. in coccyx. Caust.
Dull, drawing p. in region of coccyx. Caust.
Dull, heavy, dragging p. and stiffness of back, especially across lumbar region, necessitating use of arms in rising; must move about before being able to straighten up. Hydr.
Dull, heavy p. and great weakness in small of back (with displacement of uterus). Lil-tig.
Dull, heavy p. in lumbar region and left hip. Physos.
Dull p. across loins and sacrum. Lil-tig.
Dull p. at inner angle of left scapula. Chrom-ac.
Dull p. in inner edge of left scapula; worse on breathing. Sang.
Dull p. in lumbar region. Senecio.
Dull p. in nape of neck. Dios., Paris.
Dull p. in region of kidneys. Benz-ac.
Fatiguing p. in loins, as if had been standing long time. Cina.
Glands of neck inflamed, hard, swollen, with pressing p. and stitches. Merc.
Gnawing p. in sacrum relieved by stretching. Alu.
Gnawing p. in small of back. Sulph.
Great p. between sacrum and hip joint sometimes darting or shooting down anterior crural and sometimes down sciatic nerve. Coloc.
Great p. in back gradually extending down thighs. Ox-ac.
Great soreness and p. from sacrum to shoulders, worse on making exertion. Berb.
Great soreness and p. in back, as if beaten. Arn.
Great weakness and p. in small of back. Psor.
Griping p. in small of back when standing. Merc.
Heavy, drawing p. in nape of neck extending to occiput. Petr.
Heavy p. in lumbar region extending to testicles. Abrot.
Intense aching p. in back and limbs; extremities feel as if broken. Eupat-perf.
Intense crampy p. in small of back and coccyx. Bell.
Intense, cramp-like p. in small of back and coccyx; can only sit for a short time; unable to lie on back and relieved mostly by standing and walking about slowly. Bell.

Intense p. in cervical vertebræ (in influenza). Al-cep.
Intense p. in left lumbar region above hip, as if strained; worse when standing. Valer.
Intolerable drawing p. in small of back and down extremities, especially in ischia. Lach.
Jerking p. in back. China. (Ang., Cinnab.)
Jerking p. in nape of neck. China. (Æth., Tarax.)
Jerking p. in sacral region. China.
Jerking, rending, cutting, shooting p. in back. Calc-ph.
Lateral drawing p. as if hips were being drawn together. Poly.
Lumbago: slightest effort to move causes retching, cold clammy perspiration and excruciating p. Tart-em.
Lumbago or myalgia of great muscles of back; p. as from lifting. Sang.
Lumbago: p. from above crest of ilium downward and inward to sacrum with aching p. in bladder before and after urination. Berb.
Lumbago: p. in back and small of back finally locating in a small spot in upper part of thigh and buttock. Coloc.
Lumbago: p. in lumbar region with great heat and burning. Kalm.
Lumbago: sharp p. in loins near sacrum. Asclep-tub.
Lumbago: small of back feels as if broken, with p. shooting down back to thighs. Kali-c.
Lumbago: violent p. in sacro-lumbar region; slightest effort to move causes retching and cold, clammy sweat. Tart-em.
Lumbar vertebræ tender, with p. on pressure. Apis.
Muscles of neck p. on movement and are sensitive to pressure. Rhus-t.
Myelitis: chilliness with dull p. in region of lower cervical and upper dorsal vetebræ; difficulty in raising head or turning in bed; cervical portion of spine stiff and painful when turning. Dulc.
Neck feels swollen and stiff with p. in muscles proceeding from teeth. Mang.
Neck stiff and painful; worse on moving, p. extending to right shoulder. Acon. (Gels.)
Neck stiff on exposure to cold air, with p. on moving hands. Cimicif.
Neck stiff, with drawing p. on stooping. Canth.
Neck stiff, with flying p. in all portions of body. Rhod.
Neck stiff, with p. along spine (in cerebro-spinal meningitis). Cedron.
P. across loins, as if broken, with loss of sexual power. Cocc-c.
P. across shoulders and spine causing patient to stoop. Can-ind.
P. all over back, down to loins; worse on drawing long breath. Cinnab. (Bry.)
P. along inner edge of left scapula sometimes extending through lower half of left side of chest. Ran-b.
P. along spine when stooping. Agar.

P. and lameness in back and extremities. **Meph.**
P. and rigidity in lumbar region. Rhus-t.
P. and soreness between scapulæ. Podo.
P. and soreness between scapulæ, also in lumbar region. Natr-ars.
P. and stiffness in sacrum and nape of neck. Bar-c.
P. and stiffness in small of back (in amenorrhœa). Kali-c.
P. as from bruise in small of back when walking. **Hep-s.**
P. as from lameness in small of back in morning. **Selen.**
P. as from sprain in left side of back and neck. **Coni.**
P. as from sprain in right side of spine. Bell.
P., as if beaten, and lame in spine. Ruta.
P. as if bruised in pelvic region; worse on touch. **Magn-m.**
P. as if from foreign body in lumbar region. Nux-v.
P. as if sprained and bruised in small of back when standing. Agar.
P., as if sprained, in small of back. Sep.
P., as if sprained, in small of back; could scarcely rise from seat. Calc-c. (Lyc., Rhus-t.)
P., as if sprained or bruised, in nape of neck and shoulder. Ruta.
P. at side of lumbar vertebræ as if caused by blow from fist. Nux-m.
P. between scapulæ. Kobalt., Magn-s., Naja.
P. between scapulæ and in lumbar region. Coni.
P. between scapulæ drawing to small of back. **Dros.**
P. between scapulæ extending to loins. Ox-ac.
P. between shoulders only when swallowing. Rhus-t.
P. from nape of neck through center of head to forehead. Fluor-ac. (Sil.)
P. from small of back into arms. Rhod.
P. in back after cold. Nitr-ac. (Calc-c.)
P. in back and chilliness (from suppression of menses). **Puls.**
P. in back and hips with coldness of limbs. **Pallad.**
P. in back and loins. Petr., Senecio.
P. in back and loins as if sprained. Calc-c. (Rhus-t.)
P. in back and lower ribs (during pregnancy). Arg-n.
P. in back and right side with congestion to liver. **Lyc.**
P. in back and shoulders. Hydr.
P. in back and small of back, as if bruised or broken. **Plat.**
P. in back and thighs at night. Magn-s.
P. in back and weakness of extremities. **Brachyg.**
P. in back arresting breathing. Can-sat.
P. in back as from a bruise. Eupat-perf.
P. in back as from a sprain. Nicc.
P. in back as from a sprain (after overlifting). Staph. (Rhus-t.)
P. in back as if beaten or broken. Agar., Arn., Magn-c., Merc., Nux-m., Nux-v., Phos., Ruta, Ver-a.
P. in back as if broken, with burning in spine. Ars.
P. in back, as if hot iron were thrust through lower vertebræ. Alu.

P. in back, as though lower vertebræ were broken asunder when bending forward. Chelid.
P. in back at night. Ferr.
P. in back causing patient to lie down. **Ars.**
P. in back, like from pressure. Borax.
P. in back only when sitting. Sep.
P. in back or coccyx, as if bruised. Ruta.
P. in back preventing breathing. Can-sat. (Berb., **Led.**, **Ruta**, Sulph., Tart-em.)
P. in back preventing deep inspiration. Acon.
P. in back relieved by emission of flatus. Berb.
P. in back relieved by external warmth. Cinnab.
P. in back relieved when walking. Arg-n., Bar-c., **Kobalt.**, **Magn-s.**, Phos., Rhus-t., Ruta, Stront.
P. in back through to sternum, with cough and expectoration of thick, black mucus. Kali-bi.
P. in back when at rest. Dulc., Kali-c., Kali-n., **Kreas.**, **Mang.**, Samb., Spig.
P. in back when coughing. Bry., Cocc., Kali-n.
P. in back when speaking. Cocc.
P. in back while sitting, better from motion or lying on something hard. Rhus-t. (Natr-m.)
P. in back, with hæmorrhage from uterus. Trill.
P. in back, with lassitude and p., as if bruised, in region of short ribs. Ran-b.
P. in back worse when sitting. Kobalt.
P. in cervical muscles, as if asleep or as if head had been too long in uncomfortable position. Rhus-t.
P. in cervical vertebræ, as if beaten or broken. **Gels.**, Sabin.
P. in coccyx, as from bruise, when sitting. Am-m.
P. in coccyx, as if beaten or broken. Cist.
P. in coccyx, as if ulcerated preventing motion, followed by painful stiffness of neck. Phos.
P. in coccyx while sitting. Kali-bi., Petr. (Cist., Lach.)
P. in dorsal vertebræ, as if back would break. Lil-tig.
P. in fifth, sixth and seventh cervical vertebræ; worse on moving head. Camph.
P. in first dorsal vertebra extending through chest to sternum. Bry.
P. in last dorsal vertebra. Zinc.
P. in left shoulder blade, with palpitation of heart. **Cact.**
P. in left trapeze muscle, as from bending forward; worse from turning head to left. Pallad.
P. in loins, as from cold or overlifting. Valer.
P. in loins, kidneys and abdomen so great on attempting to urinate that could not pass a single drop without moaning and screaming. Canth.

P. in loins, especially on first moving parts. Rhus-t.
P. in loins, with constant desire to urinate. Canth.
P. in lumbar and sacral regions, as if beaten. Bry.
P. in lumbar and sacral regions (with displacement of uterus). Podo.
P. in lumbar and sacral regions, worse during and after stool. Podo.
P. in lumbar region. Sulph.
P. in lumbar region and sacrum, especially while sitting. Agar.
P. in lumbar region, as if were being pinched with pincers, extending gradually toward abdomen. Can-sat.
P. in lumbar region (with dysentery or constipation). Nux-v.
P. in lumbar region with sensation of coldness, worse at night and from motion. Podo.
P. in nape of neck. Graph., Sang.
P. in nape of neck and back when lying down and sitting still. Agar.
P. in nape of neck and between scapulæ. Eupat-perf.
P. in nape of neck, as after taking cold. Bry.
P. in nape of neck, as if beaten or broken. Acon., Agar., Caust., Nux-v., Sabin., Thuja.
P. in nape of neck, as if head had been lying in uncomfortable position. Dulc.
P. in nape of neck at night. Oleand.
P. in nape of neck relieved by external warmth. Rhus-t.
P. in nape of neck shooting to occiput, with stiffness and hard swelling of glands. Cinnab.
P. in nape of neck when moving. Sabad.
P. in nape of neck when sneezing. Arn.
P. in nape of neck, with spasmodic drawing of head backward. Cic-v.
P. in neck affecting more prominently upper part of trapeze muscle extending to shoulders. Brachyg.
P. in neck and under left shoulder blade. Gels.
P. in neck, as if had been lying on something hard. Thuja
P. in neck, as if someone were drawing head back forcibly. Kali-n.
P. in neck on turning head, as if tumor would protrude. Calc-c.
P. in neck when pressing forehead. Brachyg.
P. in neck when throwing head back. Cic-v.
P. in occiput, nape of neck and down spine. Æth.
P. in right cervical muscle and in region of right clavicle. Chelid.
P. in right scapula toward spine, as if had had violent shock or fall. Arn.
P. in sacral region at night. Am-c., Magn-c., Staph.
P. in sacral region causing patient to lie down. Sil.
P. in sacral region when breathing. Berb., Ruta, Sulph., Tarax.
P. in sacral region worse on motion. Physos.
P. in sacrum. Absinth., Poly.
P. in sacrum and small of back (in dysentery). Caps.
P. in sacrum, as from lifting. Sang. (Calc-c., Rhus-t.)

P. in sacrum, as if beaten or broken. Acon., Agar., Alu., Am-m., Arn., Graph., Hep-s., Nux-m., Nux-v., Plat., Rhus-t., Ruta, Ver-a.
P. in sacrum, especially when lying on back. Ign.
P. in sacrum extending down sciatic nerve to right thigh; worse: when standing; at stool; coughing; laughing; when lying on left side (in sciatica). Tellur.
P. in sacrum from flatus. Agn.
P. in scapulæ, as if beaten or broken. Hell., Kreas., Merc., Merc-jod., Ran-b., Sil.
P. in scapulæ preventing breathing. Can-sat., Calc-c., Kali-n. (Sulph.)
P. in shoulder and back with stiffness, as from a sprain. Rhus-t.
P. in shoulder blades and back extending into neck, with contraction. Coloc.
P. in side of neck, as from bruises. Carbo-v.
P. in small of back. Abies-n., Am-m., Bar-c., Borax, Can-sat., Crotal., Lach. (Bell., Caul., Cimicif., Kreas., Puls., Sep.)
P. in small of back and in region of sacrum and loins; worse when sitting. Cimex.
P. in small of back and knees, as if beaten and bruised. Nux-v.
P. in small of back, as after lifting. Sulph.
P. in small of back, as from long stooping (Arn., China), or from sprain. Puls. (Sulph.)
P. in small of back, as from stooping long time. Dulc.
P. in small of back, as if bowels did not move. Al-cep.
P. in small of back, as if broken. Cor-r., Natr-m., Ox-ac.
P. in small of back, as if broken, after riding in carriage. Nux-m.
P. in small of back, as if broken (especially during parturition). Magn-c.
P. in small of back, as if broken, with drawing; worse when stooping. Clem.
P. in small of back, as if bruised. Cina.
P. in small of back, as if flesh were loose. Lyc.
P. in small of back, as if from a heavy load, or after long stooping. China. (Dulc., Puls.)
P. in small of back, as if stiff. Nitr-ac.
P. in small of back, as if would break, with hard stool and colic, as if intestines would burst. Lyc.
P. in small of back, as if would break; worse during rest. Kreas.
P. in small of back at night awaking patient. Am-m.
P. in small of back at night on awaking or on stooping. Kali-n.
P. in small of back disappearing on rising from seat. Cycl.
P. in small of back, down spermatic cords, across hips, and down thighs, with difficult urination. Sars.
P. in small of back, especially at night. Cham.
P. in small of back, especially in morning. Kali-bi.
P. in small of back extending into shoulders. Lact-ac.

P. in small of back extending to right hip. Pallad.
P. in small of back followed by colic in umbilical region. Ver-a.
P. in small of back on bending backward. Mang.
P. in small of back on sitting or walking. Zinc. (Kobalt.)
P. in small of back preventing motion. Petr.
P. in small of back preventing patient from standing erect. Sulph. (Rhus-t.)
P. in small of back relieved when standing or walking, but severe when rising from seat. Arg-n.
P. in small of back when lying on it. China. (Better when lying on it. Natr-m.)
P. in small of back when rising after stooping. Phos.
P. in small of back when sitting or standing. Coff.
P. in small of back when sitting or when in act of sitting down; better by walking. Zinc.
P. in small of back when walking. Am-m.
P. in small of back whole night, as if ulcerated. Natr-s.
P. in small of back, with pressure in stomach and constriction of abdomen. Lyc.
P. in small of back (with secondary gonorrhœa). Calad.
P. in small of back; worse when sitting and lying (during menses). Berb.
P. in spine as if it would break. Kalm.
P. in spot, about one-third of an inch in diameter, under left scapula. Ox-ac.
P. in third cervical vertebra. Fluor ac.
P. in whole spinal column. Glon.
P. on a spot size of palm of hand below right scapula (worse: evening; after exertion; on deep inspiration; moving right arm; better from pressure). Ruta.
P. over sacrum, with urgency to stool. Am-ben.
P. shooting from sacrum down both hips. Phyt.
P. through scapulæ when nursing child. Croton-tig.
P. under left scapula. Chenop-v. (Right. Chelid.)
P. under right scapula. Abies-c., Chelid., Podo., Physos.
P. under right scapula when coughing or drawing long breath. Seneg.
P. with stiffness from neck extending down spine to between shoulders. Apis.
P. with weakness and weariness in small of back (with displacement of uterus). Sep.
P. with weakness in sacrum. Calad.
Painful stiffness of neck (Acon., Agar.), with p. from nape to between shoulders on turning. Am-m.
Paralytic p. in small of back. Cocc.
Paralytic p. in small of back; worse when rising. Natr-m.
Paroxysms of tearing p. in nape of neck. Nux-v.

Pinching p. in back. Lyc.
Pressing, dragging p. in sacro-lumbar region; relieved by sitting or lying; worse when walking, extending over sacrum and hips. Sep.
Pressing p. between scapulæ. Seneg.
Pressing p. in and increase of goitre. Natr-c.
Pressing p. in back, as from sprain, or as if had stood stooped too long. Mur-ac.
Pressing p. in region of kidneys. Thuja.
Pressing p. in small of back. Spong.
Pressing p. in small spot in nape of neck, on the left side and near mastoid process, changing to right side. Card.
Pressive, bruised p. in small of back and sacral region. Meny.
Pressure on dorsal vertebræ causes great p. extending to stomach. Bell.
Pricking, tearing, pressing p. running across back. Heli.
Rheumatic p. and drawing in back and right side of chest, more violent during inspiration. Lyc.
Rheumatic p. and stiffness of neck, with dullness of head. Calc-ph.
Rheumatic p. between scapulæ. Bry.
Rheumatic p. between scapulæ early in morning on awaking. Ran-b.
Rheumatic p. between scapulæ, from nape of neck to small of back, during exercise. Ver-a.
Rheumatic p. between shoulders. Camph.
Rheumatic p. between shoulders; difficult to turn in bed. Calad.
Rheumatic p. in back and shoulders. Rhod.
Rheumatic p. in back when moving it. Acon. (Cimicif.)
Rheumatic p. in nape of neck. Sang.
Rheumatic p. in nape of neck, with numbness; worse lying. Spig.
Rheumatic p. in neck, shoulders and arms; worse at night. Sang.
Rheumatic p. in scapulæ. Graph.
Rheumatic p. in small of back; worse on every motion, making walking or turning difficult. Bry.
Rheumatic p., with drawing and stiffness in neck. Staph.
Round, hard swelling, with pressing p., like goitre, on upper and right side of thyroid gland. Natr-c.
Severe aching p. in small of back, through hips and down thighs. Cimicif.
Severe drawing p. in sterno-cleido-mastoid muscle drawing head to left. Caul.
Severe p. in back and loins (in threatened abortion or premature labor). Caul.
Severe p. in loins, with feeling of weight on standing. Colch.
Severe p. in sacral region extending to lower extremities. Am-m.
Severe p. in sacral region extending to pubis. Laur.
Severe p. in small of back; worse from touch or motion. Colch.
Severe p. under left scapula. Indium.

Sharp, shooting p. in left side of neck, across temple and over eye, with liver sore to touch, and nausea. Chelid.
Sharp, sticking p. in region of kidneys. Kali-bi.
Shooting and gnawing p. in spine, with cough. Bell.
Shooting, crampy p. from right kidney down thigh to knee. Ipec.
Shooting p. from back to pit of stomach. Rhod.
Shooting p. in small of back. Natr-c.
Shooting p. in small of back extending into left hip bone. Chrom-ac.
Small boils on back, with pricking p. on motion. Mur-ac.
Sore, aching p. in sacral region, worse walking. Lact-ac.
Sore, bruised p. in small of back when lying on it. Bry.
Sore p., as if beaten, in small of back, especially about last lumbar vertebra. Acon.
Sore p. in back (during parturition); patient cries, "Oh, my back!" many times. Caust.
Sore p. in small of back. Natr-c.
Sore, pressive p. under coccyx. Carbo-v.
Soreness in glands of neck, with p. under left scapula. Ailanth.
Spasmodic drawing p. in muscles of nape of neck extending to scapulæ; aggravated by stooping, exerting arms, turning head to left. Ant-c.
Spinal disease, with bruised p. in small of back and paralysis of lower extremities. Ars.
Stabbing p. between scapulæ. Natr-s.
Stabbing p. from third cervical to fifth dorsal vertebræ. Kali-bi.
Sticking p. between scapulæ during motion, preventing breathing. Puls.
Sticking p. in coccyx when sitting. Lach.
Sticking p., with pressure in lumbar region or in region of kidneys. Berb.
Stiff p., like drawing, in nape of neck and between scapulæ. Ang.
Stiffness and aching, with bruised p. in small of back when sitting still or when lying (Berb.); better from motion or when lying on something hard. Rhus-t. (Natr-m.)
Stiffness and p. in small of back when rising from seat or on getting out of bed in morning. Sil.
Stiffness in small of back, with p. as if bruised whenever lies quietly upon it or sits still; on moving about feels nothing. Rhus-t.
Stiffness in nape of neck, with p. in occiput; muscles feel as if bound so that patient was unable to move head. Caust.
Stinging p. in neck. Bar-c.
Stitching and jerking, with pressing p. between scapulæ extending through to stomach, when sitting. Bry.
Stitching p. in sacrum when standing. Lith-c.
Sudden, violent, concussive, stitching p. in region of coccyx, as if spine were bent back. Magn-c.

Swelling in cervical glands with drawing p. when turning head. Mur-ac.
Tearing, cutting p. in nape of neck. Graph.
Tearing p. along spine. Natr-s.
Tearing p. between and under scapulæ. Sil.
Tearing p. from ear down to neck. Tarax.
Tearing p. in nape of neck. Acon.
Tearing p. in nape of neck and in back. Nux-v.
Tearing p. in nape of neck moving up and forward to frontal region. Caust.
Tearing p. in side of neck. Berb.
Tenderness of lower cervical and upper dorsal vertebræ with stiffness of neck; pressure causes p. which extends through chest causing irritation to cough, aggravated on every exertion or strain upon spine. Sec.
Tension and p. in right side of neck. Meph.
Throbbing p. in nape of neck and occiput. Eupat-perf.
Throbbing p. in small spot between scapulæ. Phos.
Torticollis: neck stiff, head drawn to one side, p. in nape, as if dislocated, when turning neck or bending head backward. Lachn.
Turning body causes p. in spine. Agar.
Violent bruised p. in small of back and in coccyx, especially when stooping or rising from seat. Sulph. (Rhus-t.)
Violent cutting p. between scapulæ. Kali-n.
Violent p. and drawing in lateral muscles of neck which feel as if swollen; is giddy and head feels heavy, as if drawn to one side periodically every afternoon. Chin-s.
Violent p. in back, as from blows or bruises. Kali-c.
Violent p. in back for several nights with bruised sensation in small of back preventing sleep. Sulph.
Violent p. in back, worse at night. Natr-c.
Violent p. in nape of neck. Natr-s.
Violent p. in nape of neck when coughing. Bell.
Violent p. in region of kidneys when blowing nose or lifting. Calc-ph.
Violent p. in sacrum. Berb.
Violent p. in small of back. Sec., Sil.
Violent p. in small of back at commencement of menses. Asar.
Violent p. in small of back on making least exertion. Calc-ph.
Violent p. in small of back on moving. Kali-jod.
Violent p. in spine as from sudden rising after long stooping. Arn.
Violent p. in three upper dorsal vertebræ extending through scapulæ. Kalm.
Weakness and tired p. in small of back when walking. Sep.
Weariness and weakness in back from coccyx upward, with dull p. in region of kidneys. Brachyg.
When stooping sudden p. in back, as if struck by hammer; better by pressing against something hard. Sep.

Wry neck, stiff neck or crick in neck; sterno-cleido-mastoid muscles rigid, hard and swollen; least attempt to turn neck attended with great p. Acon., Bell., Dulc., Eupat-purp.

Painful.—Adenitis: glands of neck swollen and p. **Dulc.**

Back and hips very stiff and p.; ache severely. **Bapt.**

Back lame and p. Abrot.

Back p. and stiff as a board. Puls.

Blood boils on right side of spine p. on motion. **Kali-bi.**

Boils on neck (Graph.) p. to touch. Hep-s.

Cervical glands swollen and p., especially those near nape of neck. Carbo-v.

Coccyx p. as after long carriage ride. Sil.

Dorsal vertabræ p. to great pressure. Arg-n.

Enlargement and p. induration of goitre. Iod.

Glands of neck indurated, swollen and p. **Carbo-an.**

Glands of neck swollen and p. Bell., Caps.

Glands on side of neck down to shoulder swollen and p. as if contracted and stiff when bending neck or lying. Graph.

Lumbago: intensely p., crampy sensation in lumbo-sacral region and coccyx; can only sit few minutes and while sitting becomes quiet stiff and unable to rise again. Bell.

Myelitis: chilliness with dull pain in region of lower cervical and upper dorsal vertebræ; difficulty in raising head or turning in bed; cervical portion of spine stiff and p. when turning. Dulc.

Nape of neck and cervical muscles stiff and p. Mez.

Neck and shoulder p. when lying on right side. Ferr.

Neck and throat stiff and p., muscles feeling as if bound; could move head only with difficulty. Caust.

Neck p. and sensitive to contact and pressure even of linen. **Lach.**

Neck stiff and p. Natr-m.

Neck stiff and p. after taking cold. Dulc.

Neck stiff and p. on motion. Dros.

Neck stiff and p., worse on moving, pain extending to right shoulder. Acon. (Gels.)

Neck stiff, with p. drawing when moving. Rhus-t.

Neck very stiff; p. on turning head. Bad.

Non-lobulated tumor, like goitre, in anterior and median portion of neck large as child's head; tumor becomes more swollen and p. during menses, which are irregular and p. Iod.

Pain in coccyx as if ulcerated preventing motion, followed by p. stiffness of neck. Phos.

P. boring on left side of lumbar vertebræ. Acon.

P. cramps in coccyx. Grat.

P. drawing in neck and shoulders and down left arm. Pallad.

P. drawing in sacrum, coccyx and thighs while sitting. Thuja.

P. exostosis on sacrum. Rhus-t.

P. jerking above left scapula. Squilla.
P. lumps in neck. Hep-s.
P. pressure and tension in lumbar region and region of kidneys, sometimes with feeling of numbness, puffiness, warmth, stiffness and lameness. Berb.
P. pricking in or between scapulæ through chest to pit of stomach. Cast.
P. scrofulous induration of glands of neck. Carbo-an.
P. sensitiveness of spine from last cervical to fifth dorsal vertebræ. Tellur.
P. soreness of cervical vertebræ. Ham.
P. stiffness in back. Carbo-v.
P. stiffness in muscles of neck. Spong.
P. stiffness of back and sacrum, especially when rising from seat. Caust.
P. stiffness of back and scapulæ. Led.
P. stiffness of loins when rising from seat. Led. (Berb., Rhus-t.)
P. stiffness of muscles of right side of neck, worse on moving or turning head toward shoulder. Bry.
P. stiffness of nape of neck and small of back. Laur.
P. stiffness of neck (Acon., Agar.), with pain from nape to between shoulders on turning. Am-m.
P. stiffness of small of back. Am-m.
P. stiffness of small of back and finger joints. Mancin.
P. swelling of glands of neck and axillæ. Staph.
P. throbbing in one of cervical vertebra. Kali-n.
Pustules on small of back p. to touch. Natr-c.
Red vesicle over right scapula p. to touch. Cic-v.
Rheumatic p. stiffness of left side of back from nape of neck down to sacrum; worse on slightest motion. Guaj.
Side of neck stiff and p., with drawing. Camph.
Small of back p. and lame as if bruised. Arn.
Spinal irritation: third dorsal vertebra p. to touch, with oppression of chest. Chin-s.
Spine p. on pressure in all stages of fever. Chin-s.
Spine sore and p. Merc-bij.
Stinging in coccyx p. to pressure. Sil.
Submaxillary and servical glands swollen to size of pigeon's egg; very hard and p. to slightest pressure. Bar-m.
Swelling of cervical glands with p. closing of jaws. Merc.
Swelling of psoas muscle, very p. on moving body. Lyc.
Swelling of spine and curvature to right, p. to touch and motion. Sil.
Swollen glands of neck p. on swallowing. Merc.

Painless.—P. drawing above left scapula. Squilla.

Pains.—Aching p. in glands of neck. Ign.
Acute, boring, darting, neuralgic p. in back. Magn-ph.

Back weak, with p. in ovaries. Abrot.
Bearing-down p. in sacrum, as if parts would be forced out; worse when moving. Sec.
Burning and cutting p. in back. Nux-v.
Catching and stitching p. in lumbar region. Staph.
Coccyx p., as if on bone; worse on rising from sitting. Euphorb.
Coxalgia: hip joint feels as if femur were fastened to os innominatum, with darting p. from sacro-lumbalis muscle into thigh. Coloc.
Coxalgia with cutting and tearing p. Calc-c.
Crampy p. in back; cannot rise. Sil. (Rhus-t.)
Crampy p. in hands and sudden jerking of limbs on going to sleep. Physos.
Cutting or shooting p. between shoulders; has to straighten up for relief. Bov.
Cutting p. along spinal column. Mang.
Cutting p. between scapulæ. Meny.
Darting, shooting p. in small of back arresting breathing. Caust.
Dragging, piercing, drawing, aching p. in sacral region through to uterus. Helon.
Drawing, aching p. in left scapula and shoulder joint. Ptel.
Drawing and cutting p. in right side of spine. Guaj.
Drawing, burning p., commencing in coccyx, extending upward. Mur-ac.
Drawing p. and dragging in small of back extending to pubic region. Sabin.
Drawing p. in back followed by fatigue. Card.
Drawing p. in nape of neck extending to left shoulder and scapula. Borax.
Drawing p. in small of back. Lach.
Dull, heavy p. in sacral region. Gels.
During chill excruciating, tearing p. in back, extorting cries and causing patient to bend up like a hedgehog. Caps.
Flying p. in dorsal region. Coloc.
Frequent p. in small of back and lumbar vertebræ, like labor p., with strong urging to urinate. Kreas.
Fugitive p. in shoulders at night. Abrot.
Jerking, stitching p. in small of back. Euphorb.
Jerking, tearing p. in right cervical gland. Caps.
Labor-like p. in small of back (Caul., Cimicif., Kreas.), as if constricted by tight band. Puls.
Large boils or bullæ half inch in diameter near spine, with violent burning and throbbing p. Lach.
Lumbago: p. in lumbar region all night, disappearing on rising. Ferr.
Lumbago: p. in small of back, better when lying on something hard. Rhus-t.
Meningitis with shooting p. in small of back. Kali-jod.

Meningitis with violent p. in spine. Merc.
Myalgia: p. from spine to head and shoulders. Gels.
Myelitis: severe spinal p., worse on pressure; restless and sleepless with anæsthesia of skin. Merc.
Myelitis with sudden tearing and shooting p. in loins. Colch.
Nape of neck stiff, with rheumatic, drawing p. Puls.
Neuralgic p. in back, especially on left side. Nitr-ac.
On pressure upon dorsal vertebræ has nausea, eructations, belches wind, gets pale, cries out. Bell.
P. as if bruised in small of back, relieved by lying on something hard. Natr-m. (Rhus-t.)
P. in back; cannot walk with eyes closed or in dark (in locomotor ataxia). Arg-n.
P. in back with weakness in small of back and knees. Nux-m.
P. in coccyx. Mur-ac.
P. in neck and back when raising arms. Graph.
P. in neck with cerebro-spinal congestion. Gels.
P. in sacrum with hæmorrhoidal colic. Abrot.
P. in shoulders. Carbo-v.
P. in small of back. Kali-n.
P. in small of back, as if bruised. China.
P. in small of back extending over abdomen, with distention of abdomen. Cimex.
P. in small of back like labor p., as if back would break. Kreas. (Cimicif., Puls.)
P. in small of back, worse on moving. Natr-s.
P. in small of back, worse when sitting and in wet weather. Rhod.
Periodical p. in back returning about midnight. Chin-s.
Pressive p. in sacrum, as from fatigue, in evening. Puls.
Pricking p. in spine as from splinters. Nitr-ac.
Reflex irritation of spinal cord, with great hyperæsthesia and p. in almost every part of body. Dios.
Rheumatic, drawing p. and aching from loins to coccyx. Carbo-v.
Rheumatic drawing p. in neck and back. Carbo-v.
Rheumatic p. and stiffness in neck and back. Rhus-t.
Rheumatic p. between scapulæ and in right shoulder. Lob.
Rheumatic p. in back extending to extremities. Lach.
Rheumatic p. in back like myelitis (after getting wet or sleeping on damp ground). Rhus-t.
Rheumatic p. in loins and hips extending to left shoulder and chest, worse in evening. Colch.
Rheumatic p. in muscles of neck and back; with feeling of stiffness and contraction. Cimicif.
Rheumatic p. in neck and back. Colch., Naja.
Rheumatic p. in scapulæ darting along arms, shoulders and face. Valer.

Rheumatic p. in scapulæ; muscles feel contracted and as if swollen, preventing motion. Mez.

Rheumatic p. in spine from below upward, with great restlessness. Eupat-purp.

Severe p. in lumbo-sacral region. Am-m.

Sharp, shooting, boring, shifting, remittent p. in nape of neck. Magn-ph.

Sharp, shooting p. from dorsal region into occiput (during parturition). Petr.

Sharp, shooting p. in small of back with acute labor-like p. extending through to front every few minutes. Kali-c.

Sharp, stitching p. in back shooting from loins into nates, awaking patient about three o'clock in morning. Kali-c.

Shooting and stitching p. in back extending downward toward hips. Kali-c.

Shooting, lancinating p. in vertebræ from without inward, like stabs from a knife. Bell.

Soreness down muscles of back, p. shifting about; worse from deep breathing. Sang.

Sticking p. in nape of neck and back. Puls.

Stinging p. in small of back. Aur.

Stinging, tingling, pressing, stitching p. in goitre. Spong.

Stitching or lancinating p. in back between shoulder blades. Asclep-tub.

Stitching p., as from a sharp knife, in back through loins extending to extremities. Ign.

Stitching p. below right scapula aggravated when throwing shoulders back and chest forward. Bad.

Stitching p. in small of back so severe on motion that patient gets upon arms and knees to find relief. Coloc.

Sudden, sharp, stabbing p. in lower part of spine. Alu.

Tabes dorsalis: lightning-like, sticking p. in spine. Nitr-ac.

Tearing and cutting p. in cervical muscles. Cupr.

Tearing, jerking p. in lumbar region. Cina.

Tearing p. between scapulæ extending downward, especially on deep inspiration. Meny.

Tearing p. in cervical muscles. Carbo-v.

Tearing p. in coccyx relieved by pressure. Merc.

Tearing p. in dorsal vertebræ between scapulæ. Caust.

Tearing p. in sides of neck in alternation with tearing in cheeks. Am-m.

Tearing p. in small of back, with feeling as if it would break. Ham.

Ulcerating p. in lumbar vertebræ, as if flesh were beaten off bones. Kreas.

Violent p. and stiffness in nape of neck. Graph.

Violent p. in small of back. Graph.

Violent p. in small of back, with great coldness (in amenorrhœa). Am-ben.
Violent p., with inability to walk or stoop (after fall on coccyx). Hyper.
Violent shooting, burning p. deep in spine. Agar.

Palpitation of heart (see section on Heart).—Pain in shoulder blade, with p. Cact.

Palsy (see Paralysis, also section on Nerves).—P. of back. Cocc., Sil.
P. of neck. Lyc.
P. of sacral region. Cocc., Natr-m.

Paralysis.—A sort of p. of cervical muscles. Lyc.
Disease of spine causing p.; cannot walk with eyes closed. Alu.
Feeling of p. in sacrum. Kalm.
Motor and sensory p. of spinal nerves. Bell.
P. from inflammation of spinal cord, with stiffness of limbs. Ox-ac.
P. of cervical muscles. Plumb.
P. of lower third of spinal cord. Ars.
P. of muscles of back up to neck. Cupr.
P. of spinal motor nerves, with tetanic convulsions. Cocc.
P. of spine and lower extremities (in horses after eating leaves). Brachyg.
P. of spine with muscular twitchings, convulsive movements, convulsions and great weakness of the legs, with staggering gait. Hyos.
Softening of spinal cord producing complete p. of motion and sensation. Phos.
Spinal disease, with bruised pain in small of back and p. of lower extremities. Ars.
Spinal irritation, with constipation, cold feet, and symptoms of p. Sil.

Paralytic.—Constant p. pain in small of back causing patient to bend back inward. Sabin.
P. condition of lumbar and sacral muscles (in onanists). Gels.
P. pain in small of back. Cocc.
P. pain in small of back, worse when rising. Natr-m.
Stiffness and p. feeling in back. Kali-c.

Paralyzed.—Chronic spinal meningitis when p. parts quickly fall away in flesh and limbs are painfully contracted, with obstinate constipation. Plumb.
Muscles of nape of neck seem p. Ver-a.
P. feeling in neck and back. Kali-n.
Weakness of back and p. feeling in extremities making walking difficult. Sil.

Parotids (see section on Throat).—Cervical glands and p. swollen and indurated. Sil.

Parotitis.—P. Bell., Bar-c., Bar-m., Merc-jod., Phyt.

Paroxysms.—P. of tearing pain in nape of neck. Nux-v.

Parturition (see section on Parturition).—Backache (after p.). Hyper.

Pain in small of back, as if broken (especially during p.). Magn-c.

Sharp, shooting pains from dorsal region into occiput (during p.). Petr.

Sore pain in back (during p.); patient cries, "Oh, my back!" many times. Caust.

Patches (see Spots).—Wheals or large red p., like urticaria, about neck, back and extremities. Chloral.

Pearls.—Swelling and induration of cervical glands studding neck like a row of p. Lava.

Pediceled.—P. tumors of bluish color in central part of back, large as a cherry. Coni.

Peeling off (see section on Skin).—Dry eruption on nape of neck p. in fine, mealy scales. Graph.

Pelvic region.—Pain, as if bruised, in p., worse on touch. Magn-m.

Periodical.—P. drawing of neck to one side (as if from malaria). China. (Eucalyp.)

P. pains in back returning about midnight. Chin-s.

Periodically.—Violent pain and drawing in lateral muscles of neck, which feel as if swollen; is giddy and head feels heavy, as if drawn to one side p. every afternoon. Chin-s.

Perspiration (see section on Skin).—Fourth dorsal vertebra very tender on pressure, followed by violent, dry cough, red face, headache, photophobia and p. Bell.

Lumbago: slightest effort to move causes retching, cold, clammy p. and excruciating pain. Tart-em.

P. on neck (in children). Samb.

Profuse p. on neck and back from least motion or when sleeping. China.

Photophobia (see section on Eyes).—Fourth dorsal vertebra very tender on pressure, followed by violent dry cough, red face, headache, p. and perspiration. Bell.

Piercing.—Dragging, p., drawing, aching pains in sacral region through to uterus. Helon.

Pigeon's egg.—Submaxillary and cervical glands swollen to size of p.; very hard and painful to slightest pressure. Bar-m.

Pillow.—Great tenderness over sacrum; cannot even bear pressure of soft p.; sits up in bed leaning forward to avoid contact with bedclothes. Lob.

Pimple.—P. on right side of neck which burns and itches. Pallad.

Pimples (see section on Skin).—Carbuncles, boils, pustules, p. on neck or back. Crotal.

Carbuncles or ulcers on nape or back surrounded by little p. or ulcers. Lach.

P. and itching on small of back. Nicc.

Pinched—Pincers.—Pain in lumbar region, as if were being p. with p., extending gradually toward abdomen. Can-sat.

Pinching.—P. pain in back. Lyc.

Plug.—Feeling as if p. were in back. Carbo-v.

Point.—Pressure as from a dull p. at different places in sacral region. Lith-c.

Pressure as with a sharp p. in coccyx. Can-sat.

Position.—Bruised, sore feeling in sacral region; feels as if lying on board; changes p. often (in typhoid). Bapt.

Pain in cervical muscles, as if asleep or as if head had been too long in uncomfortable p. Rhus-t.

Pott's disease.—P. of spine. Calc-c. (Syphilinum.)

P. of spine: patient lies on back with knees drawn up. Merc-cor.

Poured.—Sensation as of cold water p. down back. Puls.

Power.—Softening of spinal cord, with loss of p.; stumbles and trips when walking. Kali-ph. (Rhus-t.)

Pregnancy (see section on Pregnancy).—Pain in back and lower ribs (during p.). Arg-n.

Pressed.—Deep, cutting pain in right loin, disappearing when p. upon. Dulc.

Feeling as if small of back were p. inward. Kali-c.

Pressing.—Cramp-like, p. pain in region of kidneys. Caust.

Glands of neck inflamed, hard, swollen, with p. pain and stitches. Merc.

Pain in neck when p. forehead. Brachyg.

P., dragging pain in sacro-lumbar region; relieved by sitting or lying; worse when walking, extending over sacrum and hips. Sep.

P., drawing and stiffness in small of back, as if broken. Carbo-an.

P. pain between scapulæ. Seneg.

P. pain in and increase of goitre. Natr-c.

P. pain in back, as from sprain, or as if had stood stooped too long. Mur-ac.

P. pain in region of kidneys. Thuja.

P. pain in small of back. Spong.

P. stitches along spine, more in sacrum, with dyspnœa. Tarax.

Pricking, tearing, p. pain running across back. Hell.

Soreness in small of back followed by p. or bearing down in abdomen. Caust.

Stinging, tingling, p., stitching pains in goitre. Spong.

Stitching and jerking, with p. pain between scapulæ extending through to stomach, when sitting. Bry.

When stooping sudden pain in back, as if struck by hammer; better by p. against something hard. Sep.

Pressive.—P. pains in sacrum, as from fatigue, in evening. Puls.

Sore, p. pain under coccyx. Carbo-v.

Pressure.—Bruised pain and p. in small of back. Ang.

Bruised pain in back; worse on p. Nux-v.

Burning and p. in region of coccyx; worse when sitting. Apis.

Burning p. in spine extending across dorsal region and in scapulæ, like that produced by sewing. Sep.

Cervical and first four dorsal vertebræ very tender on p.; p. brings on attack of neuralgia. Coloc.

Crawling p. in small of back. Samb.

Cutting, digging pain and p. in back. Sep.

Dorsal vertebræ painful to great p. Arg-n.

Dorsal vertebræ sensitive to p. Phos. (Agar.)

Drawing, p. and swelling of left side of neck. Alu.

Feeling of p. in goitre relieved in three to five days, and in some cases cure was effected. Natr-ph.

First dorsal vertebra and last cervical vertebra sensitive to p. Chin-s.

Fourth dorsal vertebra very tender on p., followed by violent, dry cough, red face, headache, photophobia and perspiration. Bell.

Great p. in back from within outward (during menses). Nux-m.

Great tenderness over sacrum; cannot even bear p. of soft pillow; sits up in bed leaning forward to avoid contact with bedclothes. Lob.

Heaviness and p. in small of back while sitting, as if had received blow. Rhus-t.

Irritation of spine: p. between vertebræ makes patient wince; numbness of extremities. Physos.

Lumbar vertebræ tender, with pain on p. Apis.

Muscles of neck pain on movement and are sensitive to p. Rhus-t.

Myelitis: severe spinal pains; worse on p.; restless and sleepless, with anæsthesia of skin. Merc.

Nape of neck stiff (Ign., Kali-c., Phos., Rhus-t.) and sensitive to external p. Lach.

Neck painful and sensitive to contact and p. even of linen. Lach.

On p. upon dorsal vertebræ has nausea, eructations, belches wind, gets pale, cries out. Bell.

Pain in back, like from p. Borax.

Pain in small of back, with p. in stomach and constriction of abdomen. Lyc.

Pain on a spot size of palm of hand below right scapula (worse: evening; after exertion; on deep inspiration; moving right arm; better from p). Ruta.

Painful p. and tension in lumbar region and region of kidneys, sometimes with feeling of numbness, puffiness, warmth, stiffness and lameness. Berb.

P. and burning in back; relieved by motion. Kali-n.

P. and drawing in scapulæ. Caust.

P. and heaviness in sacral region while sitting; better on motion. Aloe.

P., as from a dull point at different places in sacral region. Lith c.
P., as from a weight between scapulæ. China.
P., as with a cutting edge across small of back while standing and bending backward. Rhus-t.
P., as with a sharp point, in coccyx. Can-sat.
P. between and under shoulder blades. Calc-c.
P. between scapulæ during motion, causing arrest of breathing. Calc-c. (Sil.)
P. in region of both kidneys. Kali-c.
P. in region of kidneys. Lyc.
P. in scapulæ and nape of neck. Cocc.
P. in small of back. Graph.
P. on dorsal vertebræ causes great pain, extending to stomach. Bell.
Remarkable sensitiveness along spine in cervical region; slightest p. caused violent outcries and raving. Stram.
Side of neck sensitive to p. Rhus-t.
Spine painful on p. in all stages of fever. Chin-s.
Sticking pain, with p. in lumbar region, or in region of kidneys. Berb.
Stinging in coccyx painful to p. Sil.
Stitches in small of back when sitting, stooping or walking; better by p. and when lying. Ruta.
Submaxillary and cervical glands swollen to size of pigeon's egg; very hard and painful to slightest p. Bar-m.
Tearing and p. in small of back. Carbo-v.
Tearing pains in coccyx; relieved by p. Merc.
Tenderness in region of right kidney on p. Am-ben.
Tenderness of cervical vertebræ to p. Arn.
Tenderness of lower cervical and upper dorsal vertebræ, with stiffness of neck; p. causes pain which extends through chest, causing irritation to cough, aggravated on every exertion or strain upon spine. Sec.
Thyroid gland swollen and sensitive to touch or p. Kali-jod.
Traumatic inflammation of spine, vertebræ very sensitive to p. Arn.

Preventing.—Pain in back p. deep inspiration. Acon.
Pain in small of back p. motion. Petr.
Rheumatic pains in scapulæ; muscles feel contracted and as if swollen, p. motion. Mez.

Pricking.—Dull, boring, p. pain in left scapula, extending across spine. Meny.
Painful p. in or between scapulæ, through chest to pit of stomach. Cast.
P. in small of back when breathing. Merc.
P. pains in spine, as from splinters. Nitr-ac.
P., tearing, pressing pain running across back. Hell.
Small boils on back, with p. pain on motion. Mur-ac.

Prickly heat.—Burning and heat, like p., in back. Apis.

Prolapsus recti (see section on Rectum).—Weakness in lumbar region. with p. Ruta.

Prostration.—Carbuncle on left side of back extending from upper border of scapula downward about six inches, surrounded by small pustules, with scanty, offensive pus; pain is intense, with great weakness and p. Hep-s.

Progressive locomotor ataxia (Pinus sylv.): congestion of spinal cord; p., languor; cannot walk; muscles feel bruised and will not obey will. Gels.

Weakness and sometimes complete p. of spine (after sexual excesses). Nux-v.

Psoas abscess.—P. Phos-ac., Sil.

Psoas muscle.—Swelling of p. followed by suppuration. Staph. (Sil.)

Swelling of p., very painful on moving body. Lyc.

Pubic region.—Drawing pains and dragging in small of back extending to p. Sabin.

Pubis.—Severe pain in sacral region extending to p. Laur.

Puffiness.—Painful pressure and tension in lumbar region and region of kidneys, sometimes with feeling of numbness, p., warmth, stiffness and lameness. Berb.

Pulling.—P. and tearing in back and extremities, with great exhaustion (after sexual excesses). Ars.

Sensation of p. upward from tip of coccyx. Lil-tig.

Pulsating.—Beaten, bruised, lame feeling in back, with stitches and feeling of cutting and p. Natr-m.

Bubbling sensation or p. stitches in sacrum and region of kidneys. Berb.

Pulsation (see Throbbing).—P. in loins. Coloc.

Pulsations.—Frequent p. in small of back. Caust.

P. in back when coughing. Nitr-ac.

Violent p. in small of back. Natr-m.

Pulsative.—P. stitches in region of kidneys and loins. Sulph.

Purple.—Carbuncle on nape of neck p. or gangrenous, exceedingly sensitive to touch. Lach.

P. stripe two inches wide on each side of spine. Chloral.

Pus.—Carbuncle on left side of back extending from upper border of scapula downward about six inches, surrounded by small pustules with scanty, offensive p.; pain is intense, with great weakness and prostration. Hep-s.

Pustules (see section on Skin).—Carbuncle on left side of back extending from upper border of scapula downward about six inches, surrounded by small p. with scanty, offensive pus; pain is intense, with great weakness and prostration. Hep-s.

Carbuncles, boils, p., pimples on neck or back. Crotal.

Painless, dark-red p. on back and thighs. Chim.

P. on small of back painful to touch. Natr-c.

Quietly.—Stiffness in small of back, with pain as if bruised whenever lies q. upon it or sits still; on moving about feels nothing. Rhus-t.

Raising.—Myelitis: chilliness, with dull pain in region of lower cervical and upper dorsal vertebræ; difficulty in r. head or turning in bed; cervical portion of spine stiff and painful when turning. Dulc.

Raving.—Remarkable sensitiveness along spine in cervical region; slightest pressure caused violent outcries and r. Stram.

Raw.—Itching about coccyx; must scratch until parts become r. and sore. Bov.

Rectum (see section on Rectum).—Drawing pain in coccyx to r. and vagina. Kreas.

Red.—Itching, r. blotches on back. Asclep-tub.

Painless, dark r. pustules on back and thighs. Chim.

R., itching, herpetic spots on both sides of neck. Sep.

R., miliary eruption on neck. Chelid.

R., swollen streak on left side of neck. Mang.

R. vesicles over right scapula painful to touch. Cic-v.

Single, scattered, r. spots on neck. Carbo-v.

Wheals or large r. patches, like urticaria, about neck, back and extremities. Chloral.

Reflex.—R. irritation of spinal cord, with great hyperæsthesia and pains in almost every part of body. Dios.

Spinal irritation, with r. action causing cough, laryngismus, and sometimes spasmodic stricture of œsophagus. Naja.

Relief.—Cutting or shooting pains between shoulders; has to straighten up for r. Bov.

Stitching pains in small of back so severe on motion that patient gets upon arms and knees to find r. Coloc.

Relieved (see Better).—Backache aggravated by lying and immediately r. by rising and moving. Apium graveolens.

Feeling of pressure in goitre; r. in three to five days, and in some cases cure was effected. Natr-ph.

Gnawing pain in sacrum; r. by stretching. Alu.

Intense, cramp-like pain in small of back and coccyx; can sit only for a short time; unable to lie on back, and r. mostly by standing and walking about slowly. Bell.

Pain in back; r. by emission of flatus. Berb.

Pain in back; r. by external warmth. Cinnab.

Pain in back; r. when walking. Arg-n., Bar-c., Kobalt., Magn-s., Phos., Rhus-t., Ruta, Stront.

Pain in nape of neck; r. by external warmth. Rhus-t.

Pain in small of back; r. when standing or walking, but severe when rising from seat. Arg-n.

Pains, as if bruised, in small of back; r. by lying on something hard. Natr-m. (Rhus-t.)

Pressing, dragging pain in sacro-lumbar region; r. by sitting or lying; worse when walking, extending over sacrum and hips. Sep.

Pressure and burning in back; r. by motion. Kali-n.

Severe backache; r. after passing urine. Lyc.

Tearing pains in coccyx; r. by pressure. Merc.

Relives.—Belching r. pain in back. Sep.

Remittent.—Sharp, shooting, boring, shifting, r. pains in nape of neck. Magn-ph.

Rending (see Tearing).—Jerking, r., cutting, shooting pain in back. Calc-ph.

Respiration (see Breathing).—Tearing in lumbar muscles making r. painful. Kali-c.

Rest.—Bruised pain in back during r. Kali-c.

Pain in back when at r. Dulc., Kali-c., Kali-n., Kreas., Mang., Samb., Spig.

Pain in small of back, as if would break; worse during r. Kreas.

Restless.—Myelitis: severe spinal pains; worse on pressure; r. and sleepless, with anæsthesia of skin. Merc.

Restlessness.—Feeling of stiffness in nape of neck, with r. and nausea. Thuja.

Rheumatic pains in spine from below upward, with great r. Eupat-purp.

Retching (see section on Stomach).—Lumbago: slightest effort to move causes r., cold, clammy perspiration and excruciating pain. Tart-em.

Lumbago: violent pain in sacro-lumbar region; slightest effort to move causes r. and cold, clammy sweat. Tart-em.

Retracted.—Head and neck r. (in cerebro-spinal meningitis or spotted fever). Cimicif.

Rheumatic.—Drawing, r. pain in left side of neck. Cycl.

Nape of neck stiff, with r., drawing pains. Puls.

R., drawing pains and aching from loins to coccyx. Carbo-v.

R. drawing pains in neck and back. Carbo-v.

R. pain and drawing in back and right side of chest, more violent during inspiration. Lyc.

R. pain and stiffness of neck, with dullness of head. Calc-ph.

R. pain between scapulæ. Bry.

R. pain between scapulæ early in morning on awaking. Ran-b.

R. pain between scapulæ, from nape of neck to small of back, during exercise. Ver-a.

R. pain between shoulders. Camph.

R. pain between shoulders; difficult to turn in bed. Calad.

R. pain in back when moving it. Acon. (Cimicif.)

R. pain in nape of neck. Sang.

R. pain in nape of neck, with numbness; worse lying. Spig.
R. pain in neck, shoulders and arms; worse at night. Sang.
R. pain in scapulæ. Graph.
R. pain in small of back; worse on every motion, making walking or turning difficult. Bry.
R. pain, with drawing and stiffness in neck. Staph.
R., painful stiffness of left side of back, from nape of neck down to sacrum; worse on slightest motion. Guaj.
R. pains and stiffness in neck and back. Rhus-t.
R. pains between scapulæ and in right shoulder. Lob.
R. pains in back and shoulders. Rhod.
R. pains in back extending to extremities. Lach.
R. pains in back, like myelitis (after getting wet or sleeping on damp ground). Rhus-t.
R. pains in loins and hips extending to left shoulder and chest; worse in evening. Colch.
R. pains in muscles and back, with feeling of stiffness and contraction. Cimicif.
R. pains in neck and back. Colch., Naja.
R. pains in scapulæ darting along arms, shoulders and face. Valer.
R. pains in scapulæ; muscles feel contracted and as if swollen, preventing motion. Mez.
R. pains in spine from below upward, with great restlessness. Eupat-purp.
R. stiffness and swelling of neck. Merc.

Rheumatism.—Chronic r. of chest and back; worse at night. Kali-jod.
R. in lower cervical vertebræ. Sil.

Ribs.—Fine burning stitches under right scapula extending toward r. Asaf.
Pain in back and lower r. (during pregnancy). Arg-n.
Pain in back, with lassitude and pain, as if bruised, in region of short r. Ran-b.

Ride.—Coccyx painful, as after long carriage r. Sil.
Tired aching in small of back, as after long r. in carriage. Calc-flu.

Riding.—Backache while r. in carriage. Nux-m.
Pain in small of back, as if broken after r. in carriage. Nux-m.

Right.—Burning in r. scapula. Carbo-v.
Burning in r. scapula; also in region of left kidney. Lachn.
Burning over r. scapula. Bar-c., Can-sat., Caust., Iod., Laur., Seneg., Sulph., Ver-a.
Bursting pain under r. scapula. Seneg.
Constant pain in or under r. scapula (Abies-c., Æsc., Podo.); may extend to chest or stomach. Chelid.
Contractive sticking in r. loin during inspiration (Bry.); worse when lying on back. Coloc.
Cutting pain in nape of neck and in r. shoulder. Gum-gut.

Drawing and cutting pains in r. side of spine. Guaj.
Drawing and stiffness of muscles of r. side of neck. Bry.
Drawing in muscles of neck under r. angle of jaw. Abrot.
Drawing pain internally in region of r. scapula, as if nerves and vessels were contracted. Coloc.
Fine burning stitches under r. scapula extending toward ribs. Asaf.
Glands of r. side of neck hard. Phyt.
Gradual and enormous increase in size of neck, especially on r. side. Iod.
Itching in nape of neck and stitches in glands of r. side of neck. Alu.
Jerking, tearing pains in r. cervical gland. Caps.
Large, suppurating swelling of r. side of neck. Sulph-ac.
Nape of neck r. Nitr-ac.
Neck and shoulder painful when lying on r. side. Ferr.
Neck stiff; worse on r. side and in bed after midnight. Phyt.
Pain, as from sprain, in r. side of spine. Bell.
Pain in r. cervical muscle and in region of r. clavicle. Chelid.
Pain in r. scapula toward spine, as if had had violent shock or fall. Arn.
Pain on a spot, size of palm of hand, below r. scapula (worse: evening; after exertion; on deep inspiration; moving right arm; better from pressure). Ruta.
Pain under left scapula. Chenop-v. (R. Chelid.)
Pain under r. scapula. Physos. (Chelid.)
Pain under r. scapula when coughing or drawing long breath. Seneg.
Pain under r. shoulder blade. Abies-c. (Chelid., Podo.)
Painful stiffness of muscles of r. side of neck; worse on moving or turning head toward shoulder. Bry.
Pimple on r. side of neck which burns and itches. Pallad.
Pressing pain in small spot in nape of neck on left side and near mastoid process, changing to r. side. Card.
Red vesicle over r. scapula painful to touch. Cic-v.
Rheumatic pains between scapulæ and in r. shoulder. Lob.
Shooting, crampy pain from r. kidney down thigh to knee. Ipec.
Stitches and tearing in r. scapula on breathing. Kali-c.
Stitches under r. scapula. Chelid.
Stitching pains below r. scapula aggravated when throwing shoulders back and chest forward. Bad.
Swelling of cervical glands, mostly on r. side. Nitr-ac.
Swelling of spine and curvature to r., painful to touch and motion. Sil.
Tension and pain in r. side of neck. Meph.
Throbbing in r. side of spine. Brachyg.
Torticollis: r. sterno-cleido-mastoid muscle contracted. Bell.

Rigid.—Muscles of back r. Physos.
Nape of neck and upper part of back stiff and r. Natr-m.

Neck becomes stiff and r., with headache (after lifting or straining). Natr-m.

Wry neck, stiff neck or crick in neck; sterno-cleido-mastoid muscles r., hard and swollen; least attempt to turn neck attended with great pain. Acon., Bell., Dulc., Eupat-purp.

Rigidity.—Pain and r. in lumbar region. Rhus-t.

R. of neck. Caust.

R. of spine. Bell.

Stiffness or r. of nape of neck. Fluor-ac.

Rigors.—Cold r. creep over back. Ars.

Frequent shudderings and r. down back (in dysentery). Colch.

Rise.—Backache worse when walking; unable to stoop. Kali-c. (Unable to r. Sulph.)

Constant headache extending to and affecting sacrum and hips making it almost impossible to stoop or r. after sitting. Æsc.

Crampy pains in back; cannot r. Sil. (Rhus-t.)

Lumbago: intensely painful, crampy sensation in lumbo-sacral region and coccyx; can only sit few minutes, and while sitting becomes quite stiff and unable to r. again. Bell.

Pain, as if sprained, in small of back; could scarcely r. from seat. Calc-c. (Lyc., Rhus-t.)

Rising.—Backache aggravated by lying and immediately relieved by r. and moving. Apium graveolens.

Backache worse while sitting or lying; difficulty in r. from seat. Berb. (Rhus-t.)

Coccyx pains as if on bone; worse on r. from sitting. Euphorb.

Dull, heavy, dragging pain and stiffness of back, especially across lumbar region, necessitating use of arms in r.; must move about before being able to straighten up. Hydr.

Lameness in small of back on r. in morning. Natr-m.

Pain in small of back disappearing on r. from seat. Cycl.

Pain in small of back relieved when standing or walking, but severe when r. from seat. Arg-n.

Pain in small of back when r. after stooping. Phos.

Painful stiffness of back and sacrum, when r. from seat. Caust.

Painful stiffness of loins when r. from seat. Led. (Berb., Rhus-t.)

Paralytic pain in small of back, worse when r. Natr-m.

Stiffness and pain in small of back when r. from seat or on getting out of bed in morning. Sil.

Stiffness between scapulæ when r. Caust.

Stiffness in back on r. in morning. Sulph-ac.

Violent bruised pain in small of back and in coccyx, especially when stooping or r. from seat. Sulph. (Rhus-t.)

Violent pain in spine as from sudden r. after long stooping. Arn.

Sacral muscles.—Paralytic condition of lumbar and s. (in onanists). Gels.

Sacral region.—Aching and dull pain in lumbar and s. extending to thighs and legs. Sep.
Boring pain in s. Acon.
Bruised feeling in s. Calad., Ver-a.
Bruised feeling in small of back and s. Sabad.
Bruised pain in s. when lying on side. Actea-s.
Bruised, sore feeling in s., feels as if lying on board; changes position often (in typhoid). Bapt.
Burning and tired aching feeling in lumbar and s. Helon.
Burning in lumbar and s. Lachn.
Constant dull, heavy pain in lumbar and s. Phyt.
Cramp-like pain in s., as after long standing; when attempting to walk feels as if would fall. Thuja.
Dragging, piercing, drawing, aching pains in s. through to uterus. Helon.
Dull, heavy pains in s. Gels.
Feeling of weakness in s. Abies-c.
Jerking pain in s. China.
Lameness in s. Sil.
Pain in lumbar and s., as if beaten. Bry.
Pain in lumbar and s. (with displacement of uterus). Podo.
Pain in lumbar and s., worse during and after stool. Podo.
Pain in s. at night. Am-c., Magn-c., Staph.
Pain in s. causing patient to lie down. Sil.
Pain in s. when breathing. Berb., Ruta, Sulph., Tarax.
Pain in s., worse on motion. Physos.
Palsy of s. Cocc., Natr-m.
Pressive, bruised pain in small of back and s. Meny.
Pressure and heaviness in s. while sitting; better on motion. Aloe.
Pressure as from a dull point at different places in s. Lith-c.
Sensation of numbness in s. Berb., Ox-ac., Spong.
Severe aching in lumbar and s. Ptel.
Severe pain in s. extending to lower extremities. Am-m.
Severe pain in s. extending to pubis. Laur.
Sore, aching pain in s., worse walking. Lact-ac.
Stitches in s. when coughing. Bry.

Sacro-iliac symphysis.—Soreness in s., as if broken and separated. Calc-ph.
Weakness in s., as if bones were loose. Arg-n.

Sacro-lumbalis muscle.—Coxalgia: hip-joint feels as if femur were fastened to os innominatum, with darting pains from s. into thigh. Coloc.

Sacro-lumbar region.—Lumbago: violent pain in s.; slightest effort to move causes retching and cold, clammy sweat. Tart-em.
Pressing, dragging pain in s.; relieved by sitting or lying; worse when walking, extending over sacrum and hips. Sep.

Sacrum.—Aching from s. to coccyx. Carbo-v.
Aching in s. Calc-c., Ign., Lach., Merc., Nux-v., Puls., Rhus-t., Sulph.
Bearing-down pains in s., as if parts would be forced out; worse when moving. Sec.
Boring and burrowing in s. and anus. Calad.
Bruised pain in s. Fluor-ac.
Bruised pain in small of back and s. Natr-s.
Bubbling sensation or pulsating stitches in s. and region of kidneys. Berb.
Burning stitches in s. causing patient to start. Mur-ac.
Chill creeping up spine from s. to base of brain. Gels.
Constant headache extending to and affecting s. and hips making it almost impossible to stoop or rise after sitting. Æsc.
Cutting pain from occiput to s. Elaps.
Deep-seated, sensitive, sticking pain in one or other side, about an inch from spine, extending obliquely toward s. Berb.
Drawing pain in s. Ant-c., Aster.
Dull pain across loins and s. Lil-tig.
Feeling of coldness about s. Benz-ac.
Feeling of great weakness in s. at night. Lith-c.
Feeling of paralysis in s. Kalm.
Furuncles on s. Æth., Thuja.
Gnawing pain in s.; relieved by stretching. Alu.
Great pain between s. and hip-joint sometimes darting or shooting down anterior crural and sometimes down sciatic nerve. Coloc.
Great soreness and pain from s. to shoulders, worse on making exertion. Berb.
Great tenderness over s.; cannot even bear pressure of soft pillow; sits up in bed leaning forward to avoid contact with bedclothes. Lob.
Lumbago: pain from above crest of ilium downward and inward to s., with aching pain in bladder before and after urination. Berb.
Lumbago: sharp pain in loins near s. Aselep-tub.
Numbness and lameness in s. Calc-ph.
Numbness in s. and coccyx while sitting. Plat.
Pain and stiffness in s. and nape of neck. Bar-c.
Pain in lumbar region and s., especially while sitting. Agar.
Pain in s. Absinth., Poly.
Pain in s. and small of back (in dysentery). Caps.
Pain in s., as from lifting. Sang. (Calc-c., Rhus-t.)
Pain in s., as if beaten or broken. Acon., Agar., Alu., Am-m., Arn., Graph., Hep-s., Nux-m., Nux-v., Plat., Rhus-t., Ruta, Ver-a.
Pain in s., especially when lying on back. Ign.
Pain in s. extending down sciatic nerve to right thigh; worse: when standing; at stool; coughing; laughing; when lying on left side (in sciatica). Tellur.

Pain in s. from flatus. Agn.
Pain in small of back and in region of s. and loins; worse when sitting. Cimex.
Pain over s., with urgency to stool. Am-ben.
Pain shooting from s. down both hips. Phyt.
Pain with weakness in s. Calad.
Painful drawing in s., coccyx and thighs while sitting. Thuja.
Painful exostosis on s. Rhus-t.
Painful stiffness of back and s., especially when rising from seat. Caust.
Pains in s., with hæmorrhoidal colic. Abrot.
Pressing, dragging pain in sacro-lumbar region; relieved by sitting or lying; worse when walking, extending over s. and hips. Sep.
Pressing stitches along spine, more in s., with dyspnœa. Tarax.
Pressive pains in s., as from fatigue, in evening. Puls.
Rheumatic, painful stiffness of left side of back from nape of neck down to s.; worse on slightest motion. Guaj.
S. feels cold. Dulc.
Sharp stitches in and on left side of spine, near coccyx and s. Agn.
Spots on s. feel sore, as if ulcerated; very sensitive to touch. Colch.
Stiffness in neck and s. Am-m.
Stiffness in s. and hips; cannot walk straight. Rheum.
Stitches in s. during certain movements, especially when walking. Calad.
Stitching pain in s. when standing. Lith-c.
Sudden violent stitch, a sort of crick, in s. while walking, extending to nape of neck. Agar.
Violent pain in s. Berb.
Warm feeling in small of back, as if lumbar region were asleep, extending into s., hips and thighs. Berb.
Weight in lower part of s. and coccyx; better standing; worse sitting and at stool. Arg-n.

Scales (see section on Skin).—Dry eruption on nape of neck peeling off in fine, mealy s. Graph.

Scapula.—Aching pain between shoulders and under left s. extending to left lung; worse on expiration. Sep.
Burning and itching on a spot below and to right of s. Pallad.
Burning in right s. Carbo-v.
Burning in right s., also in region of left kidney. Lachn.
Burning over left s. Ambr., Bar-c., Natr-m., Sil., Teucr., Zinc.
Burning over right s. Bar-c., Can-sat., Caust., Iod., Laur., Seneg., Sulph., Ver-a.
Bursting pain under right s. Seneg.
Carbuncle on left side of back extending from upper border of s. downward about six inches, surrounded by small pustules with scanty, offensive pus; pain is intense, with great weakness and prostration. Hep-s.

Constant pain in or under right s. (Abies-c., Æsc., Podo.); may extend to chest or stomach. Chelid.
Darting pain from left s. to shoulder and mamma. Grat.
Drawing, aching pains in left s. and shoulder joint. Ptel.
Drawing pain internally in region of right s., as if nerves and vessels were contracted. Coloc.
Drawing pains in nape of neck extending to left shoulder and s. Borax.
Dull, boring, pricking pain in left s. extending across spine. Meny.
Dull pain at inner angle of left s. Chrom-ac.
Dull pain in inner edge of left s.; worse on breathing. Sang.
Dull stitches in left s. Anac.
Fine burning stitches under right s. extending toward ribs. Asaf.
Muscular pain about lower margin of s. (in females who follow sedentary employments); it is a burning pain, often over only a small spot, aggravated by long-continued needle-work or writing. Ran-b. (Ox-ac.)
Pain along inner edge of left s. sometimes extending through lower half of left side of chest. Ran-b.
Pain in spot about one-third of an inch in diameter under left s. Ox-ac.
Pain in spot size of palm of hand below right s.; worse evening; after exertion; on deep inspiration; moving right arm; better from pressure. Ruta.
Pain under left s. Chenop-v. (Right, Chelid.)
Pain under right s. Abies-c., Physos. (Chelid., Podo.)
Pain under right s. when coughing or drawing long breath. Seneg.
Painful jerking above left s. Squilla.
Painless drawing above left s. Squilla.
Red vesicle over right s. painful to touch. Cic-v.
Severe pain under left s. Indium.
Soreness in glands of neck with pain under left s. Ailanth.
Stitches and tearing in right s. on breathing. Kali-c.
Stitches in left s. Am-m.
Stitches in left side of nape of neck from s. to occiput. Guaj.
Stitches under left s. through to heart. Bry.
Stitches under right s. Chelid.
Stitching pains below right s. aggravated when throwing shoulders back and chest forward. Bad.

Scapulæ.—Blotches and ulcers on s. and abdomen. Merc.
Boring pain in s. Acon., Meny.
Bruised and sprained pain between s. Am-m.
Bruised pain between s. Hell.
Bruised pain in region of s. and hips. Natr-m.
Burning about hips and s. with aching along spine. Carbo-v.
Burning and heat in lower portion of dorsal region between s. Helon.

Burning and soreness between s. Phos-ac.
Burning as from hot coals between s. Lyc.
Burning from small of back to between s. Thuja. (Phos.)
Burning in s. Zinc.
Burning over s. Lachn., Sil., Sulph.
Burning pain between s. Phos.
Burning pressure in spine extending across dorsal region and in s. like that produced by sewing. Sep.
Chilliness between s. Caps.
Constant pain between s. and down back. Sep.
Contractive pain between s. Graph.
Cutting pain between s. Hyper., Meny.
Drawing and pain about s. Cimex.
Drawing and stinging between s. Zinc.
Drawing and tearing in s. Berb.
Drawing or tingling between s. Viola-tr.
Drawing pain between s. Guaj.
Drawing, tearing pain in s. Acon.
Drawing, shooting or cutting pain between s. Calc-c.
Furuncles over s. Am-c., Bell., Led., Lyc., Nitr-ac., Zinc.
Hot sensation down back with heat or burning between s. Glon. (Lyc.)
Itching, stinging of s. Bell.
Pain and soreness between s. Podo.
Pain and soreness between s., also in lumbar region. Natr-ars.
Pain between s. Kobalt., Magn-s., Naja.
Pain between s. and in lumbar region. Coni.
Pain between s. drawing to small of back. Dros.
Pain between s. extending to loins. Ox-ac.
Pain in neck and between s. Eupat-perf.
Pain in right s. toward spine, as if had had a violent shock or fall. Arn.
Pain in s. as if beaten or broken. Hell., Kreas., Merc., Merc-jod., Ran-b., Sil.
Pain in s. preventing breathing. Calc-c., Can-sat., Kali-n., Sulph).
Pain through s. when nursing child. Croron-tig.
Painful pricking in or between s. through chest to pit of stomach. Cast.
Painful stiffness of back and s. Led.
Pressing pain between s. Seneg.
Fressure and drawing in s. Caust.
Pressure as from a weight between s. China.
Pressure between s. during motion causing arrest of breathing. Calc-c. (Sil.)
Pressure in s. and nape of neck. Cocc.
Rheumatic pain between s. Bry.

Rheumatic pain between s. early in morning on awaking. Ran-b.
Rheumatic pain between s. from nape of neck to small of back during exercise. Ver-a.
Rheumatic pain in s. Graph.
Rheumatic pains between s. and in right shoulder. Lob.
Rheumatic pains in s. darting along arms, shoulders and face. Valer.
Rheumatic pains in s.; muscles feel contracted and as if swollen, preventing motion. Mez.
Sensation as if piece of ice were lying between s. or on back. Lachn. (Heat between s. Glon., Lyc. Coldness between s. Am-c., Am-m.)
Shooting between s. Nitr-ac., Nux-v.
Shooting in s. Phos.
Soreness between s. Sil.
Spasmodic drawing pain in muscles of nape of neck extending to s.; aggravated by stooping, exerting arms, turning head to left. Ant-c.
Stabbing pain between s. Natr-s.
Sticking pain between s. during motion preventing breathing. Puls.
Stiff pain, like drawing, in nape of neck and between s. Ang.
Stiffness between s. when rising. Caust.
Stitches between s. Cocc-c., Paris, Ran-b.
Stitches between s. during motion. Ipec.
Stitches between s. on drawing long breath. Prun-s.
Stitches between s. with dyspnœa. Kali-n.
Stitches from chest into s. Ox-ac.
Stitches in and between s. Nitr-ac.
Stitches in s. Mur-ac.
Stitches in s. and small of back. Plumb., Sulph.
Stitches in s. and small of back (in gastritis). Cocc.
Stitching and jerking with pressing pain between s. extending through to stomach when sitting. Bry.
Stitching with drawing between s. Colch.
Tearing in and between s., with oppression of chest. Berb.
Tearing pain between and under s. Sil.
Tearing pains between s. extending downward, especially on deep inspiration. Meny.
Tearing pains in dorsal vertebræ between s. Caust.
Tension and drawing between s. Natr-c.
Throbbing and burning between s. Phos.
Throbbing pain in small spot between s. Phos.
Violent cutting pain between s. Kali-n.
Violent pain in three upper dorsal vertebræ extending through s. Kalm.

Scarlatina (see section on Skin).—Glands of neck and throat swollen (in s.). Arum.
Glands of throat and neck badly swollen (in s.). Lach.

Neck tender and swollen (in s.). Ailanth.

Spinal meningitis (during s. or measles when eruption does not appear). Dulc.

Sciatica (see section on Lower Extremities).—Pain in sacrum extending down sciatic nerve to right thigh; worse: when standing; at stool; coughing; laughing; when lying on left side (in s.). Tellur.

Sciatic nerve.—Great pain between sacrum and hip joint, sometimes darting or shooting down anterior crural and sometimes down s. Coloc.

Pain in sacrum extending down s. to right thigh; worse: when standing; at stool; coughing; laughing; when lying on left side (in sciatica). Tellur.

Scratch.—Itching about coccyx; must s. till parts become raw and sore. Bov.

Screaming.—Pain in loins, kidneys and abdomen so great on attempting to urinate that could not pass a single drop without moaning and s. Canth.

Scrofulous —Caries of vertebæ (in s. children). Phos.

Cervical glands swollen and indurated (in s. children). Coni.

Painful s. induration of glands of neck. Carbo-an.

S. swelling and suppuration of glands of neck. Cist. (Iod.)

S. ulcer on left part of neck from hair to clavicle with hard and elevated edges. Aster.

S. ulcers on neck. Cist.

Seat.—Backache worse while sitting or lying; difficulty in rising from s. Berb. (Rhus-t.)

Pain, as if sprained, in small of back; could scarcely rise from s. Calc-c. (Lyc., Rhus-t.)

Pain in small of back disappearing on rising from s. Cycl.

Pain in small of back relieved when standing or walking, but severe when rising from s. Arg-n.

Painful stiffness of back and sacrum, especially when rising from s. Caust.

Painful stiffness of loins when rising from s. Led. (Berb., Rhus-t.)

Stiffness and pain in small of back when rising from s. or on getting out of bed in morning. Sil.

Violent bruised pain in small of back and in coccyx, especially when stooping or rising from s. Sulph. (Rhus-t.)

Sensitive.—Carbuncle on nape of neck, purple or gangrenous, exceedingly s. to touch. Lach.

Carbuncle on nape of neck; surrounding parts inflamed and s. to touch. Hep-s.

Cervical vertebræ very s. to touch. Hyper.

Dorsal vertebræ s. to pressure. Phos. (Agar.)

First dorsal vertebra and last cervical vertebra s. to pressure. Chin-s.

Goitre s. to contact. Kali-jod.

Muscles of neck pain on movement and are s. to pressure. Rhus-t.
Nape of neck stiff (Ign., Kali-c., Phos., Rhus-t.) and s. to external pressure. Lach.
Neck painful and s. to contact and pressure even of linen. Lach.
Side of neck s. to pressure. Rhus-t.
Spine s. to touch. Agar., Arg-n. (Phos.)
Spots on sacrum feel sore, as if ulcerated; very s. to touch. Colch.
Thyroid gland swollen and s. to touch or pressure. Kali-jod.
Traumatic inflammation of spine, vertebræ very s. to pressure. Arn.
Vesicular eruption on back very s. to touch. Lach.

Sensitiveness.—Great s. of cervical and upper dorsal vertebræ, with soreness of all muscles (in cerebro-spinal meningitis). Cimicif.
Great s. of vertebræ; cannot bear touch. Therid.
Hyperæsthesia and great s. of spine from sixth cervical vertebra to small of back. Cupr.
Painful s. of spine from last cervical to fifth dorsal vertebra. Tellur.
Remarkable s. along spine in cervical region; slightest pressure caused violent outcries and raving. Stram.

Sensory.—Motor and s. paralysis of spinal nerves. Bell.

Separated.—Soreness in sacro-iliac symphysis, as if broken and s. Calc-ph.

Sewing.—Burning pressure in spine extending across dorsal region and in scapulæ, like that produced by s. Sep.

Sexual desire (see section on Sexual Organs).—Spinal irritation (after sexual excess or onanism) with weariness and stiffness of back, excited s. and seminal emissions, with stiff feeling of whole body. Puls.

Sexual excesses.—Myelitis (after s. or getting wet). Phos.
Pulling and tearing in back and extremities with great exhaustion (after s.). Ars.
Spinal anæmia (after s.). Phos.
Spinal irritation (after s. or onanism) with weariness and stiffness of back, excited sexual desire and seminal emissions, with stiff feeling of whole body. Puls.
Tabes dorsalis (after s.). Kali-brom.
Weakness and sometimes complete prostration of spine (after s.). Nux-v.

Sexual power.—Pain across loins, as if broken, with loss of s. Cocc.

Sharp.—Pressure, as with a s. point, in coccyx. Can-sat.
S., shooting, boring, shifting, remittent pains in nape of neck. Magn-ph.
S., shooting pain in left side of neck, across temple, and over eye, with liver sore to touch, and nausea. Chelid.
S., shooting pains from dorsal region into occiput (during parturition). Petr.
S., shooting pains in small of back with acute labor-like pains extending through to front every few minutes. Kali-c.

S., sticking pain in region of kidneys. Kali-bi.

S., stitching pains in back shooting from loins into nates awaking patient about three o'clock in morning. Kali-c.

Sudden, s., stabbing pains in lower part of spine. Alu.

Shifting.—Sharp, shooting, boring, s., remittent pains in nape of neck. Magn-ph.

Soreness down muscles of back, pains s. about; worse from deep breathing. Sang.

Shingles.—S. on back. Merc.

Shock.—Pain in right scapula toward spine, as if had had violent s. or fall. Arn.

Shocks.—Electric s. in neck above larynx, awaking patient. Mancin.

S. and jerks in spine. Nux-v.

Twitching and jerking along spine like electric s. Ang.

Shooting.—Aching in loins s. down legs. Sil.

Aching, shooting, burning and throbbing in lumbo-sacral region. Sil.

Constant s. pain from back through body to both sides and along spine to occiput. Cocc.

Cutting or s. pains between shoulders; has to straighten up for relief. Bov.

Cutting, s., throbbing in small of back. Natr-m. (Ars.)

Darting, s. pains in small of back arresting breathing. Caust.

Drawing, s. or cutting pain between scapulæ. Calc-c.

Great pain between sacrum and hip joint sometimes darting or s. down anterior crural and sometimes down sciatic nerve. Coloc.

Jerking, rending, cutting, s. pain in back. Calc-ph.

Lumbago: small of back feels as if broken, with pain s. down back to thighs. Kali-c.

Meningitis with s. pains in small of back. Kali-jod.

Myelitis with sudden tearing and s. pains in loins. Colch.

Pain in nape of neck s. to occiput, with stiffness and hard swelling of glands. Cinnab.

Pain s. from sacrum down both hips. Phyt.

Sharp, s., boring, shifting, remittent pains in nape of neck. Magn-ph.

Sharp, s. pain in left side of neck, across temple and over eye, with liver sore to touch, and nausea. Chelid.

Sharp, s. pains from dorsal region into occiput (during parturition). Petr.

Sharp, s. pains in small of back with acute labor-like pains extending through to front every few minutes. Kali-c.

S. and gnawing pain in spine, with cough. Bell.

S. and stitching pains in back extending downward toward hips. Kali-c.

S. between scapulæ. Nitr ac., Nux-v.

S., crampy pain from right kidney down thigh to knee. Ipec.

S. in scapulæ. Phos.

S., lancinating pains in vertebræ from without inward, like stabs from a knife. Bell.
S. pain from back to pit of stomach. Rhod.
S. pain in small of back. Natr-c.
S. stitches in back through to chest. Bry.
Violent s., burning pains deep in spine. Agar.

Shoulder (see also section on Upper Extremities).—Cutting pain in nape of neck and in right s. Gum-gut.
Darting pain from left scapula to s. and mamma. Grat.
Drawing pains in nape of neck extending to left s. and scapula. Borax.
Neck and s. painful when lying on right side. Ferr.
Neck stiff and painful, worse on moving, pain extending to right s. Acon. (Gels.)
Pain, as if sprained or bruised, in nape of neck and s. Ruta.
Pain in s. and back, with stiffness, as from a sprain. Rhus-t.
Rheumatic pains between scapulæ and in right s. Lob.
Rheumatic pains in loins and hips extending to left s. and chest; worse in evening. Colch.

Shoulder blade (see Scapula).—Pain in left s., with palpitation of heart. Cact.
Pain in neck and under left s. Gels.
Pain under right s. Abies-c. (Chelid., Podo.)

Shoulder blades (see Scapulæ). — Feeling of coldness between s. Am-m. (As from ice. Lachn. As from hot coals. Lyc.)
Pain in s. and back extending into neck, with contraction. Coloc.
Stitching or lancinating pains in back between s. Asclep-tub.

Shoulder joint.—Drawing, aching pains in left scapula and s. Ptel.

Shoulders.—Aching between s. Æsc., Ailanth.
Aching in nape of neck and s. Ver-v.
Aching pain between s. and under left scapula extending to left lung; worse on expiration. Sep.
Blood boils on s. and region of liver. Nux-j.
Bruised pain between s. Acon. (Rhus-t.)
Coldness over back. Croc. (Between s. Am-c., Lachn.)
Cutting or shooting pains between s.; has to straighten up for relief. Bov.
Cutting, stabbing pain between s. Natr-s.
Drawing in s. compelling patient to lie down. Ars.
Drawing stitches between s. extending to chest on moving arms. Camph.
Feeling of cold water between s. Abies-c.
Fugitive pains in s. at night. Abrot.
Great soreness and pain from sacrum to s.; worse on making exertion. Berb.
Heat, with inward vibrations from neck and between s. into limbs. Camph.

Heavy feeling, as of a weight, in back and s., with dyspnœa. Natr-m.
Icy coldness between s. not relieved by thick covering, terminating in itching. Am-m.
Itching on back and s., as from crawling insects; worse on going to bed. Osm.
Lumps between s. Calc-c.
Myalgia: pains from spine to head and s. Gels.
Nape of neck stiff, with soreness in muscles of neck and s. Podo.
Pain across s. and spine, causing patient to stoop. Can-ind.
Pain between s. only when swallowing. Rhus-t.
Pain in back and s. Hydr.
Pain in neck, affecting more prominently upper part of trapeze muscle, extending to s. Brachyg.
Pain in small of back extending into s. Lact-ac.
Pain, with stiffness from neck extending down spine to between s. Apis.
Painful drawing in neck and s. and down left arm. Pallad.
Painful stiffness of neck (Acon., Agar.), with pain from nape to between s. on turning. Am-m.
Pains in s. Carbo-v.
Rheumatic pain between s. Camph.
Rheumatic pain between s.; difficult to turn in bed. Calad.
Rheumatic pain in neck, s. and arms; worse at night. Sang.
Rheumatic pains in back and s. Rhod.
Rheumatic pains in scapulæ darting along arms, s. and face. Valer.
Stiffness in back and between s. Chelid.
Stiffness of neck and s. Indium.
Stitches in spine and s. China.
Stitching pains below right scapula aggravated when throwing s. back and chest forward. Bad.

Shudderings (see section on Chill and Fever). — Frequent s. and rigors down back (in dysentery). Colch.

Side.—Bruised pain in sacral region when lying on s. Actea-s.
Cramp-like pain in neck, first on one s., then on other. Calc-ph.
Deep-seated, sensitive, sticking pain in one or other s., about an inch from spine, extending obliquely toward sacrum. Berb.
Drawing pain in one s. of neck, as if swollen. Sep.
Hard swelling on s. of neck. Aur-m.
Neck stiff only on one s. Benz-ac.
Pain, as from sprain, in right s. of spine. Bell.
Pain in back and right s., with congestion to liver. Lyc.
Pain in sacrum extending down sciatic nerve to right thigh; worse when standing; at stool; coughing; laughing; when lying on left s. (in sciatica). Tellur.
Pain in s. of neck, as from bruises. Carbo-v.
Periodical drawing of neck to one s. (as if from malaria). China. (Eucalyp.)

Purple stripe two inches wide on each s. of spine. Chloral.
S. of neck sensitive to pressure. Rhus-t.
S. of neck stiff and painful, with drawing. Camph.
Sudden stitch darting from s. of neck into upper arm. Berb.
Tearing pain in s. of neck. Berb.
Throbbing in right s. of spine. Brachyg.
Torticollis: left s. of neck stiff, with head drawn to left s. Lyc.
Torticollis: neck stiff, head drawn to one s., pain in nape, as if dislocated when turning neck or bending head backward. Lachn.
Torticollis or stiff neck: neck is drawn to one s. Lachn.

Sides.—Constant, shooting pain from back through body to both s. and along spine to occiput. Cocc.
Encysted tumors on both s. of neck. Brom.
Red, itching, herpetic spots on both s. of neck. Sep.
Soreness in both s. of neck. Borax.
Tearing pains in s. of neck in alternation with tearing in cheeks. Am-m.

Sit.—Backache: must s. up to turn in bed. Nux-v.
Constant, violent pain in small of back; it feels as if in a vise; cannot lie still night or day; has to s. bent forward. Kali-jod.
Intense, cramp-like pain in small of back and coccyx; can only s. for a short time; unable to lie on back, and relieved mostly by standing and walking about slowly. Bell.
Lumbago: intensely painful, crampy sensation in lumbo-sacral region and coccyx; can only s. few minutes and while sitting becomes quite stiff and unable to rise again. Bell.

Sits.—Great tenderness over sacrum; cannot even bear pressure of soft pillow; s. up in bed leaning forward to avoid contact with bedclothes. Lob.
Stiffness in small of back, with pain, as if bruised, whenever lies quietly upon it or s. still; on moving about feels nothing. Rhus-t.

Sitting.—Aching in small of back when standing or s. Mur-ac.
Back stiff after s. Sil.
Backache worse while s. or lying; difficulty in rising from seat. Berb. (Rhus-t.)
Bruised, burning pain in coccyx preventing s.; worse from contact. Cist. (Kali-bi., Lachn.)
Bruised feeling in small of back when s. Merc.
Bruised pain in coccyx burning when touched; pain like that of subcutaneous ulceration; worse s. or lying. Carbo-v.
Burning along whole spine; worse when s. Zinc.
Burning and pressure in region of coccyx; worse when s. Apis.
Coccyx pains, as if on bone; worse on rising from s. Euphorb.
Feeling of lameness or as if bruised in small of back, felt on awaking; worse when s. or lying. Berb.
Heaviness and pressure in small of back, while s., as if had received blow. Rhus-t.

Itching stitch in coccyx when s. Dros.
Lumbago: intensely painful, crampy sensation in lumbo-sacral region and coccyx; can only sit few minutes and while s. becomes quite stiff and unable to rise again. Bell.
Numbness in sacrum and coccyx while s. Plat.
Pain in back only when s. Sep.
Pain in back while s., better from motion or lying on something hard. Rhus-t. (Natr-m.)
Pain in back worse when s. Kobalt.
Pain in coccyx, as from bruise when s. Am-m.
Pain in coccyx while s. Kali-bi., Petr. (Cist., Lach.)
Pain in lumbar region and sacrum, especially while s. Agar.
Pain in nape of neck and back when lying down and s. still. Agar.
Pain in small of back and in region of sacrum and loins; worse when s. Cimex.
Pain in small of back on s. or walking. Zinc. (Kobalt.)
Pain in small of back when s. or standing. Coff.
Pain in small of back when s. or when in act of s. down; better by walking. Zinc.
Pain in small of back, worse when s. and lying (during menses). Berb.
Painful drawing in sacrum, coccyx and thighs while s. Thuja.
Pains in small of back; worse when s. and in wet weather. Rhod.
Pressing, dragging pain in sacro-lumbar region; relieved by s. or lying; worse when walking, extending over sacrum and hips. Sep.
Pressure and heaviness in sacral region while s.; better on motion. Aloe.
Sticking pain in coccyx when s. Lach.
Stiffness and aching, with bruised pain in small of back when s. still or when lying (Berb.); better from motion or when lying on something hard. Rhus-t. (Natr-m.)
Stiffness in small of back after s. Ambr.
Stitches in small of back when s. Natr-c.
Stitches in small of back when s., stooping or walking; better by pressure and when lying. Ruta.
Stitching and jerking, with pressing pain between scapulæ extending through to stomach when s. Bry.
Weight in lower part of sacrum and coccyx; better standing; worse s. and at stool. Arg-n.

Size.—Gradual end enormous increase in s. of neck, especially on right side. Iod.

Skin (see section on Skin).—Myelitis: severe spinal pains; worse on pressure; restless and sleepless, with anæsthesia of s. Merc.
S. of neck brown and greasy. Apis, Sep., Thuja.
Violent burning and itching under s. of back. Seneg.

Sleep (see section on Sleep).—Contraction of cervical muscles drawing head back during s. Alu.

Crampy pains in hands and sudden jerking of limbs on going to s. Physos.

Drawing, burning and throbbing pain in spine, with drowsiness, but unable to s. Bell.

Violent pain in back for several nights, with bruised sensation in small of back preventing s. Sulph.

Sleeping.—Profuse perspiration on neck and back from least motion or when s. China.

Rheumatic pains in back, like myelitis (after getting wet or s. on damp ground). Rhus-t.

Sleepless.—Myelitis: severe spinal pains; worse on pressure; restless and s., with anæsthesia of skin. Merc.

Small of back.—Aching and stiffness in s. Lyc.

Aching in s., as if bruised. Cinnab.

Aching pain in s. (in women at climacteric). Hydr.

Aching pain in s. when standing or sitting. Mur-ac.

Aching pain through s. Cocc-c.

Acute pain, with gnawing in s. Naja.

Backache: pain in s., as if would break. Bell. (Aloe, Cimicif., Kali-c., Natr-m., Nux-v., Plat.)

Bearing down in s. (before menses). Apis.

Blood boils on s. Iris.

Bruised feeling in s. and sacral region. Sabad.

Bruised feeling in s. when sitting. Merc.

Bruised pain and pressure in s. Ang.

Bruised pain in s. Alu., Kali-jod.

Bruised pain in s. and region of kidneys. Cocc-c.

Bruised pain in s. and sacrum. Natr-s.

Bruised pain in s. preventing motion; worse three or four o'clock in morning. Nux-v.

Bruised pain in s. when touching part. Graph.

Bruised pain in s., with feeling as if sprained. Gum-gut.

Bruised pain in s., worse when stooping or walking. Meny.

Bruised pain, with stiffness and lameness in s. Berb.

Burning from s. to between scapulæ. Thuja. (Phos.)

Burning in s. Kreas., Phos.

Burning stitches in s. Arg-m.

Chilliness in s. Lyc.

Cold, chilly feeling in s. Dulc.

Cold, numb and tight sensation in s. Carbo-v.

Coldness in s. and loins. Camph.

Constant paralytic pain in s. causing patient to bend back inward. Sabin.

Constant violent pain in s.; it feels as if in a vise; cannot lie still night or day; has to sit bent forward. Kali-jod.

Contractive, spasmodic pain in s. Magn-m.

Cramp-like pain in s., as if bruised and crushed; aggravated on least motion. China. (Bry.)
Crawling pressure in s. Samb.
Cutting, shooting, throbbing in s. Natr-m. (Ars.)
Darting, shooting pains in s. arresting breathing. **Caust.**
Dragging pain in s.; cannot laugh or move. Phos.
Drawing and burning in s. Aloe.
Drawing and pain in s. when stooping. Meny.
Drawing pain from s. Dulc.
Drawing pain from s. to lower extremities. Am-ben.
Drawing pain in s. Kali-c., Lach., Lyc.
Drawing pains and dragging in s. extending to pubic region. **Sabin.**
Dull, heavy pain and great weakness in s. (with displacement of uterus). Lil-tig.
Feeling as if s. were in a vise. Æth.
Feeling as if s. were pressed inward. Kali-c.
Feeling of lameness or as if bruised in s.; felt on awaking; worse when sitting or lying. Berb.
Frequent pains in s. and lumbar vertebræ, like labor-pains, with strong urging to urinate. Kreas.
Frequent pulsations in s. **Caust.**
Gnawing pain in s. Sulph.
Great weakness and pain in s. Psor.
Griping pain in s. when standing. Merc.
Heaviness and pressure in s. while sitting as if had received blow. Rhus-t.
Hyperæsthesia and great sensitiveness of spine from sixth cervical vertebra to s. Cupr.
Intense, cramp-like pain in s. and coccyx; can only sit for a short time; unable to lie on back, and relieved mostly by standing and walking about slowly. Bell.
Intense crampy pain in s. and coccyx. Bell.
Intolerable drawing in s. and down extremities, especially in ischia. Lach.
Jerk ng, stitching pains in s. Euphorb.
Labor-like pains in s. (Caul., Cimicif., Kreas.), as if constricted by tight band. Puls.
Lameness in s. Nux-v.
Lameness in s. after taking cold. Dulc.
Lameness in s. on rising in morning. Natr-m.
Loss of strength in s.; it is very weak. Ars.
Lumbago: pain in back and s. finally locating in a small spot in upper part of thigh and buttock. Coloc.
Lumbago: pains in s., better when lying on something hard. Rhus-t.
Lumbago: s. feels as if broken, with pain shooting down back to thighs. Kali-c.

Meningitis with shooting pains in s. Kali-jod.
Numbness in s. extending to lower extremities. **Acon.**
Pain between scapulæ drawing to s. Dros.
Pain and stiffness in s. (in amenorrhœa). Kali-c.
Pain as from a bruise in s. when walking. Hep-s.
Pain as from lameness in s. in morning. Selen.
Pain as if sprained and bruised in s. when standing. **Agar.**
Pain as if sprained in s. Sep.
Pain as if sprained in s.; could scarcely rise from seat. **Calc-c.** (**Lyc.**, Rhus-t.)
Pain from s. into arms. Rhod.
Pain in back and s., as if bruised or broken. Plat.
Pain in sacrum and s. (in dysentery). Caps.
Pain in s. Abies-n., Am-m., Bar-c., Borax, Can-sat., **Crotal.**, **Lach.** (Bell., Caul., Cimicif., Kreas., Puls., Sep.)
Pain in s. and in region of sacrum and loins; worse when sitting. **Cimex.**
Pain in s. and knees as if beaten and bruised. Nux-v.
Pain in s. as after lifting. Sulph.
Pain in s. as from long stooping (Arn., China.) or from sprain. **Puls.** (Sulph.)
Pain in s. as from stooping long time. Dulc.
Pain in s. as if bowels did not move. Al-cep.
Pain in s. as if broken. Cor-r., Natr-m., Ox-ac.
Pain in s. as if broken, after riding in carriage. Nux-m.
Pain in s. as if broken (especially during parturition). **Magn-c.**
Pain in s. as if broken, with drawing; worse when stooping. **Clem.**
Pain in s. as if bruised. Cina.
Pain in s. as if flesh were loose. Lyc.
Pain in s. as if from a heavy load, or after long stooping. **China.** (Dulc., Puls.)
Pain in s. as if stiff. Nitr-ac.
Pain in s. as if would break, with hard stool and colic as if intestines would burst. Lyc.
Pain in s. as if would break; worse during rest. Kreas.
Pain in s. at night awaking patient. Am-m.
Pain in s. at night on awaking or on stooping. Kali-n.
Pain in s. disappearing on rising from seat. Cycl.
Pain in s., down spermatic cords, across hips and down thighs, with difficult urination. Sars.
Pain in s., especially at night. Cham.
Pain in s., especially in morning. Kali-bi.
Pain in s. extending into shoulders. **Lact-ac.**
Pain in s. extending to right hip. Pallad.
Pain in s. followed by colic in umbilical region. **Ver-a.**
Pain in s. on bending backward. Mang.

Pain in s. on sitting or walking. Zinc. (Kobalt).
Pain in s. preventing motion. Petr.
Pain in s. preventing patient from standing erect. Sulph. (Rhus-t.)
Pain in s. relieved when standing or walking, but severe when rising from seat. Arg-n.
Pain in s. when lying on it. China. (Better when lying on it. Natr-m.)
Pain in s. when rising after stooping. Phos.
Pain in s. when sitting or standing. Coff.
Pain in s. when sitting or when in act of sitting down; better by walking. Zinc.
Pain in s. when walking. Am-m.
Pain in s. whole night, as if ulcerated. Natr-s.
Pain in s. with pressure in stomach and constriction of abdomen. Lyc.
Pain in s. (with secondary gonorrhœa). Calad.
Pain in s.; worse when sitting and lying (during menses). Berb.
Pain with weakness and weariness in s. (with displacement of uterus). Sep.
Painful stiffness of nape of neck and s. Laur.
Painful stiffness of s. Am-m.
Painful stiffness of s. and finger joints. Mancin.
Pains as if bruised in s.; relieved by lying on something hard. Natr-m. (Rhus-t.)
Pains in back with weakness in s. and knees. Nux-m.
Pains in s. Kali-n.
Pains in s. as if bruised. China.
Pains in s. extending over abdomen, with distention of abdomen. Cimex.
Pains in s., like labor-pains, as if back would break. Kreas. (Cimicif, Puls.)
Pains in s.; worse on moving. Natr-s.
Pains in s.; worse when sitting and in wet weather. Rhod.
Paralytic pain in s. Cocc.
Paralytic pain in s.; worse when rising. Natr-m.
Pimples and itching on s. Nicc.
Pressing, drawing and stiffness in s. as if broken. Carbo-an.
Pressing pain in s. Spong.
Pressive, bruised pain in s. and sacral region. Meny.
Pressure as with a cutting edge across s. while standing and bending backward. Rhus-t.
Pressure in s. Graph.
Pricking in s. when breathing. Merc.
Pustules on s. painful to touch. Natr-c.
Rheumatic pain between scapulæ from nape of neck to s. during exercise. Ver-a.
Rheumatic pain in s.; worse on every motion, making walking or turning difficult. Bry.

Sensation in s., sometimes in one side, sometimes in other, in region of kidneys as if something were fluttering within. Chim.
Severe aching pain in s., through hips and down thighs. Cimicif.
Severe pain in s.; worse from touch or motion. Colch.
Sharp, shooting pains in s. with acute labor-like pains extending through to front every few minutes. Kali-c.
Shooting pain in s. Natr-c.
Shooting pain in s. extending into left hip bone. Chrom-ac.
S. aches as if bruised. Graph.
S. feels bruised. Nux-v.
S. painful and lame as if bruised. Arn.
Sore, bruised pain in s. when lying on it. Bry.
Sore, lame feeling in s. Lept.
Sore pain, as if beaten, in s., especially about last lumbar vertebræ. Acon.
Sore pain in s. Natr-c.
Soreness and weariness in s. Cimex.
Soreness in s. followed by pressing or bearing down in abdomen. Caust.
Spinal disease with bruised pain in s. and paralysis of lower extremities. Ars.
Stiffness and aching with bruised pain in s. when sitting still or when lying (Berb.); better from motion or when lying on something hard. Rhus-t. (Natr-m.)
Stiffness and pain in s. when rising from seat or on getting out of bed in morning. Sil.
Stiffness in s. after sitting. Ambr.
Stiffness in s. with pain as if bruised whenever lies quietly upon it or sits still; on moving about feels nothing. Rhus-t.
Stinging in s. Merc.
Stinging pains in s. Aur.
Stitches in scapulæ and s. Plumb., Sulph.
Stitches in scapulæ and s. (in gastritis). Cocc.
Stitches in s. Bry., Hyper., Lyc., Nicc., Puls.
Stitches in s. extending to extremities. Stann.
Stitches in s. on inspiration. Carbo-an.
Stitches in s. when sitting, stooping or walking; better by pressure and when lying. Ruta.
Stitches in s. while sitting. Natr-c.
Stitches in s. with drawing through lumbar vertebræ when standing. Coni.
Stitches, tearing and burning in s. Magn-m.
Stitching pains in s. so severe on motion that patient gets upon arms and knees to find relief. Coloc.
Stitch-like jerks in s. when walking. Ferr.
Tearing and pressure in s. Carbo-v.

Tearing in s. and hips when walking. Æsc.
Tearing pains in s. with feeling as if it would break. Ham.
Throbbing in s. Kali-c., Sep.
Tired aching across s. and limbs. Hydr. (Sep.)
Tired aching in s. as after long ride in carriage. Calc-flu.
Tired feeling in s. Pallad.
Violent, bruised pain in s. and in coccyx, especially when stooping or rising from seat. Sulph. (Rhus-t.)
Violent pain in back for several nights with bruised sensation in s. preventing sleep. Sulph.
Violent pain in s. Sec., Sil.
Violent pain in s. at commencement of menses. Asar.
Violent pain in s. on making least exertion. Calc-ph.
Violent pain in s. on moving. Kali-jod.
Violent pains in s. Graph.
Violent pains in s. with great coldness (in amenorrhœa). Am-ben.
Violent pulsation in s. Natr-m.
Violent tearing in s. Caust.
Warm feeling in s., as if lumbar region were asleep, extending into sacrum, hips and thighs. Berb.
Weakness and tired pain in s. when walking. Sep.
Weakness in s. Eupat-perf.
Weakness in s. with headache. Coloc.

Smooth.—Bronchocele: left side of neck swollen, with s., livid appearance, and feeling of suffocation caused by touching neck. Lach.

Sneezing.—Pain in nape of neck when s. Arn.

Softening.—S. of spinal cord. Crotal.
S. of spinal cord producing complete paralysis of motion and sensation. Phos.
S. of spinal cord with loss of power; stumbles and trips when walking. Kali-ph. (Rhus-t.)
S. of vertebræ: sensation as if vertebræ were gliding over each other when turning in bed. Sulph.

Sore.—Bruised, s. feeling in sacral region; feels as if lying on board; changes position often (in typhoid). Bapt.
Glands of neck s. to touch. Bry.
Itching, about coccyx; must scratch till parts become raw and s. Bov.
Muscles of back feels s. Hydr.
Muscles of neck s. to touch and on moving. Kalm.
Neck stiff and s. Natr ars.
Neck stiff and s. after least cold. Nitr-ac.
Neck stiff and s., as if bruised. Ferr.
Sharp, shooting pain in left side of neck, across temple and over eye, with liver s. to touch, and nausea. Chelid.
S., aching pain in sacral region; worse walking. Lact-ac.
S., bruised feeling in all muscles in back, with profound debility. Bapt.

S., bruised pain in small of back when lying on it. Bry.
S., lame feeling in small of back. Lept.
S., moist places on coccyx. Arum.
S. pain, as if beaten, in small of back, especially about last lumbar vertebra. Acon.
S. pain in back (during parturition); patient cries, "Oh, my back!" many times. Caust.
S. pain in small of back. Natr-c.
S., pressive pain under coccyx. Carbo-v.
Spine s. and painful. Merc-bij.
Spots on sacrum feel s., as if ulcerated; very sensitive to touch. Colch.

Soreness.—Burning and s. between scapulæ. Phos-ac.
Great sensitiveness of cervical and upper dorsal vertebræ, with s. of all muscles (in cerebro-spinal meningitis). Cimicif.
Great s. and pain from sacrum to shoulders; worse on making exertion. Berb.
Great s. and pain in back, as if beaten. Arn.
Nape of neck stiff, with s. in muscles of neck and shoulders. Podo
Neck stiff, with s. over head. Brachyg.
Pain and s. between scapulæ. Podo.
Pain and s. between scapulæ, also in lumbar region. Natr-ars.
Painful s. of cervical vertebræ. Ham.
S. and tenderness of spine; slightest motion of arms or neck extorts cries. Hyper.
S. and weariness in small of back. Cimex.
S. between scapulæ. Sil.
S. down muscles of back, pains shifting about; worse from deep breathing. Sang.
S. in both sides of neck. Borax.
S. in every muscle, passes off during exercise. Rhus-t.
S. in glands of neck with pain under left scapula. Ailanth.
S. in nape of neck, as if it had been beaten. Ars-jod.
S. in neck and down spine. Natr-s.
S. in sacro-iliac symphysis, as if broken and separated. Calc-ph.
S. in small of back followed by pressing or bearing down in abdomen. Caust.
S. with stitches in nape of neck. Bad.

Spasmodic.—Contractive, s. pain in small of back. Magn-m.
Pain in nape of neck with s. drawing of head backward. Cic-v.
S., drawing pain in muscles of nape of neck extending to scapulæ; aggravated by stooping, exerting arms, turning head to left. Ant-c.

Spasms.—Inflammation of spine with s. Acon.
Myelitis with tetanic s. Physos.
Tonic s. in muscles of neck and cervical region. Cic-v.

Speaking.—Pain in back when s. Cocc.

Spermatic cords (see section on Male Sexual Organs).—Pain in small of back, down s., across hips, and down thighs, with difficult urination. Sars.

Spina bifida.—S. Calc-ph., Sil. (Calc-c.)

S. (in new-born infants). Calc-c.

Splinters.—Pricking pains in spine, as from s. Nitr-ac.

Spot.—Burning and itching on a s. below and to right of scapula. Pallad.

Lumbago: pain in back and small of back finally locating in a small s. on upper part of thigh and buttock. Coloc.

Muscular pain about lower margin of scapulæ (in females who follow sedentary employments); it is a burning pain, often over only a small s., aggravated by long-continued needle work or writing. Ran-b. (Ox-ac.)

Pain in s. about one-third of an inch in diameter under left scapula. Ox-ac.

Pain on s. size of palm of hand below right scapula; worse: evening; after exertion; on deep inspiration; moving right arm; better from pressure. Ruta.

Pressing pain in small s. in nape of neck on left side and near mastoid process, changing to right side. Card.

Throbbing pain in small s. between scapulæ. Phos.

Spots.—Brown s. on back. Sep.

Burning in s. along spine. Phos.

Herpetic s. on nape of neck. Hyos.

Herpetic s. on neck and back. Sep.

Livid s. on nape of neck. Lyc.

Red, itching, herpetic s. on both sides of neck. Sep.

Single scattered red s. on neck. Carbo-v.

S. on sacrum feel sore, as if ulcerated; very sensitive to touch. Colch.

Spotted fever.—Head and neck retracted (in cerebro-spinal meningitis or s.). Cimicif.

Sprain.—Pain, as from a s., in left side of back and neck. Coni.

Pain, as from s., in right side of spine. Bell.

Pain in back as from s. Nicc.

Pain in back as from a s. (after over-lifting). Staph. (Rhus-t.)

Pain in shoulder and back with stiffness as from a s. Rhus-t.

Pain in small of back as from long stooping (Arn., China.) or from s. Puls. (Sulph.)

Pressing pain in back as from s., or as if had stood stooped too long. Mur-ac.

Sprained.—Bruised and s. pain between scapulæ. Am-m.

Bruised pain in small of back with feeling as if s. Gum-gut.

Nape of neck stiff as if bruised or s. Ars.

Pain as if s. and bruised in small of back when standing. Agar.

Pain as if s. in small of back. Sep.

Pain as if s. in small of back; could scarcely rise from seat. Calc-c. (Lyc., Rhus-t.)

Pain as if s. or bruised in nape of neck and shoulder. Ruta.

Pain in back and loins as if s. Calc-c. (Rhus-t.)

Stabbing.—Cutting, s. pain between shoulders. Natr-s.

S. pain between scapulæ. Natr-s.

Sudden, sharp, s. pains in lower part of spine. Alu.

Staggering.—Paralysis of spine with muscular twitchings, convulsive movements, convulsions, great weakness of legs with s. gait. Hyos.

Standing.—Aching pain in small of back when s. or sitting. Mur-ac.

Cramp-like pain in sacral region as after long s.; when attempting to walk feels as if would fall. Thuja.

Fatiguing pain in loins as if had been s. long time. Cina.

Griping pain in small of back when s. Merc.

Intense, cramp-like pain in small of back and coccyx; can sit only for a short time; unable to lie on back and relieved mostly by s. and walking about slowly. Bell.

Intense pain in left lumbar region above hip as if strained; worse when s. Valer.

Pain as if sprained and bruised in small of back when s. Agar.

Pain in sacrum extending down sciatic nerve to right thigh; worse when s.; at stool; coughing; laughing; when lying on left side (in sciatica). Tellur.

Pain in small of back preventing patient from s. erect. Sulph. (Rhus-t.)

Pain in small of back relieved when s. or walking, but severe when rising from seat. Arg-n.

Pain in small of back when sitting or s. Coff.

Pressure as with a cutting edge across small of back while s. and bending backward. Rhus-t.

Severe pain in loins with feeling of weight on s. Colch.

Stitching pain in sacrum when s. Litch-c.

Weight in lower part of sacrum and coccyx, better s.; worse sitting and at stool. Arg-n.

Stands.—Curvature of spine; patient s. bent forward. Thuja.

Start.—Burning stitches in sacrum causing patient to s. Mur-ac.

Sterno-cleido-mastiod muscle.—Severe drawing pain in s., drawing head to left. Caul.

Torticollis: right s. contracted. Bell.

Wry neck, stiff neck or crick in neck; s. rigid, hard and swollen; least attempt to turn neck attended with great pain. Acon., Bell., Dulc., Eupat-purp.

Sternum (see section on Chest).—Contraction in neck drawing chin down to s. Can-ind.

Pain in back through to s. with cough and expectoration of thick, black mucus. Kali-bi.

Pain in first dorsal vertebra extending through chest to s. Bry.

Sticking.—Aching or tensive tearing or s. in region of loins and kidneys, sometimes extending down into calves, with feeling of lameness or swelling in back. Berb.

Contractive s. in right loin during inspiration (Bry.); worse when lying on back. Coloc.

Deep-seated, sensitive, s. pain in one or other side, about an inch from spine, extending obliquely toward sacrum. Berb.

Sharp, s. pain in region of kidneys. Kali-bi.

S. pain between scapulæ during motion preventing breathing. Puls.

S. pain in coccyx when sitting. Lach.

S. pains in nape of neck and feet. Puls.

Tabes dorsalis: lightning-like, s. pains in spine. Nitr-ac.

Twitching and dull s. in left side of nape of neck. Tarax.

Stiff.—Back and hips very s. and painful; ache severely. Bapt.

Back painful and s. as a board. Puls.

Back s. after sitting. Sil.

Back s. as if had been injured by over-lifting. Prun-s.

Cervical muscles s. Hell.

Cervical muscles s. and lame. Bapt.

Glands on side of neck down to shoulder swollen and painful as if contracted and s. when bending neck or lying. Graph.

Left half of neck s. Chelid.

Lumbago: back very s. every morning. Phyt.

Lumbago: intensely painful, crampy sensation in lumbo-sacral region and coccyx; can only sit few minutes and while sitting becomes quiet s. and unable to rise again. Bell.

Muscles of lumbar region s. Hydr.

Muscles of the nape of the neck feel s. when moving head. Coloc. (Chelid.)

Myelitis: chilliness with dull pain in region af lower cervical and upper dorsal vertebræ; difficulty in raising head or turning in bed; cervical portion of spine s. and painful when turning. Dulc.

Nape of neck s. Ign., Kali-c., Kali-n., Phos., Sep.

Nape of neck and cervical muscles s. and painful. Mez.

Nape of neck s. (Ign., Kali-c., Phos., Rhus-t.) and sensitive to external pressure. Lach.

Nape of neck and upper part of back s. and rigid. Natr-m.

Nape of neck s. as from cold. Natr-c.

Nape of neck s. as if bruised or sprained. Ars.

Nape of neck s. when bending head. Kali-bi.

Nape of neck s., with headache. Sil. (Chelid.)

Nape of neck s., with rheumatic, drawing pains. Puls.

Nape of neck s., with soreness in muscles of neck and shoulders. Podo.

Neck and throat s. and painful, muscles feeling as if bound; could move head only with difficulty. Caust.

Neck becomes s. and rigid with headache (after lifting or straining). Natr-m.
Neck feels s. and swollen when turning it. Paris.
Neck feels swollen and s. with pain in muscles proceeding from teeth. Mang.
Neck s. Chelid., Cor-r., Guaj., Petr., Plumb., Squilla., Sulph., Zinc. (Lyc., Rhus-t.)
Neck s. and moves jaw with difficulty. Lach.
Neck s. and painful. Natr-m.
Neck s. and painful after taking cold. Dulc.
Neck s. and painful on motion. Dros.
Neck s. and painful; worse on moving, pain extending to right shoulder. Acon. (Gels.)
Neck s. and sore. Natr-ars.
Neck s. and sore after least cold. Nitr-ac.
Neck s. and sore as if bruised. Ferr.
Neck s.; head stretched out and bent back. Tart-em.
Neck s.; impossible to turn head to left or backward. Chrom-ac.
Neck s. (in cerebro-spinal meningitis). Hell.
Neck s. in morning. Bov.
Neck s. on exposure to cold air, with pain on moving hands. Cimicif.
Neck s. on turning head. Selen.
Neck s. only on one side. Benz-ac.
Neck s., with drawing pain on stooping. Canth.
Neck s. with feeling of drawing and tension. Physos.
Neck s., with flying pain in all portions of body. Rhod.
Neck s., with heavy feeling. Nux-v.
Neck s., with pain along spine (in cerebro-spinal meningitis). Cedron.
Neck s., with painful drawing when moving. Rhus-t.
Neck s., with soreness over head. Brachyg.
Neck s.; worse on right side and in bed after midnight. Phyt.
Neck swollen and s., with difficulty in turning it, accompanied by feeling of heaviness. Merc.
Neck very s.; painful on turning head. Bad.
Pain in small of back, as if s. Nitr-ac.
Side of neck s. and painful, with drawing. Camph.
S. neck after exposure to draughts. Acon. (From exposure to damp weather. Dulc.)
S. pain, like drawing, in nape of neck and between scapulæ. Ang.
Torticollis: left side of neck s., with head drawn to left side. Lyc.
Torticollis: neck s., head drawn to one side, pain in nape, as if dislocated when turning neck or bending head backward. Lachn.
Torticollis or s. neck; neck is drawn to one side. Lachn.
Wry neck, s. neck or crick in neck; sterno-cleido-mastoid muscles rigid, hard and swollen; least attempt to turn neck attended with great pain. Acon., Bell., Dulc., Eupat-purp.

Stiffness.—Aching and s. in small of back. Lyc.
Backache, with s. after stooping. Bov.
Bruised pain, with s. and lameness in small of back. Berb.
Contraction and s. of cervical muscles drawing neck to one side. Hyos.
Drawing and s. of muscles of right side of neck. Bry.
Dull, heavy, dragging pain and s. of back, especially across lumbar region, necessitating use of arms in rising; must move about before being able to straighten up. Hydr.
Feeling of s. in nape of neck, with restlessness and nausea. Thuja.
Glands of neck swollen, with s. of neck (in diphtheria). Apis.
Pain and s. in sacrum and nape of neck. Bar-c.
Pain and s. in small of back (in amenorrhœa). Kali-c.
Pain in coccyx, as if ulcerated, preventing motion, followed by painful s. of neck. Phos.
Pain in nape of neck shooting to occiput, with s. and hard swelling of glands. Cinnab.
Pain in shoulder and back, with s., as from a sprain. Rhus-t.
Pain with s. from neck extending down spine to between shoulders. Apis.
Painful pressure and tension in lumbar region and region of kidneys, sometimes with feeling of numbness, puffiness, warmth, s. and lameness. Berb.
Painful s. in back. Carbo-v.
Painful s. in muscles of neck. Spong.
Painful s. of back and sacrum, especially when rising from seat. Caust.
Painful s. of back and scapulæ. Led.
Painful s. of loins when rising from seat. Led. (Berb., Rhus-t.)
Painful s. of muscles of right side of neck; worse on moving or turning head toward shoulder. Bry.
Painful s. of nape of neck and small of back. Laur.
Painful s. of neck (Acon., Agar.), with pain from nape to between shoulders on turning. Am-m.
Painful s. of small of back. Am-m.
Painful s. of small of back and finger joints. Mancin.
Paralysis from inflammation of spinal cord, with s. of limbs. Ox-ac.
Pressing, drawing and s. in small of back, as if broken. Carbo-an.
Rheumatic pain and s. of neck, with dullness of head. Calc-ph.
Rheumatic pain, with drawing and s. in neck. Staph.
Rheumatic, painful s. of left side of back, from nape of neck down to sacrum; worse on slightest motion. Guaj.
Rheumatic pains and s. in neck and back. Rhus-t.
Rheumatic pains in muscles of neck and back, with feeling of s. and contraction. Cimicif.
Rheumatic s. and swelling of neck. Merc.

Spinal irritation (after sexual excesses or onanism), with weariness and s. of back, excited sexual desire and seminal emissions, with stiff feeling of whole body. Puls.

Spinal irritation, with s. of cervical muscles and great weakness. Cocc.

S. and aching, with bruised pain in small of back when sitting still or when lying (Berb.); better from motion or when lying on something hard. Rhus-t. (Natr-m.)

S. and pain in small of back when rising from seat or on getting out of bed in morning. Sil.

S. and paralytic feeling in back. Kali-c.

S. between scapulæ when rising. Caust.

S. in back and between shoulders. Chelid.

S. in back on rising in morning. Sulph-ac.

S. in lumbo-sacral articulation. Caust.

S. in nape of neck. Anac. (Rhus-t.)

S. in neck and sacrum. Am-m.

S. in sacrum and hips; cannot walk straight. Rheum.

S. in small of back after sitting. Ambr.

S. in small of back, with pain, as if bruised, whenever lies quietly upon it or sits still; on moving about feels nothing. Rhus-t.

S. of back. Acon. (Rhus-t.)

S. of back; better when walking. Sep.

S. of nape of neck, with pain in occiput; muscles feel as if bound so that patient was unable to move head. Caust.

S. of neck. Bell. (Rhus-t.)

S. of neck and shoulders. Indium.

S. of spine commencing in region of coccyx. Ars.

S. or rigidity of nape of neck. Fluor-ac.

S., tearing and tenderness in joints and muscles of lumbar region preventing motion or stooping. Bry.

Tenderness of lower cervical vertebræ, with s. of neck; pressure causes pain which extends through chest causing irritation to cough; aggravated on every exertion or strain upon spine. Sec.

Violent pains and s. in nape of neck. Graph.

Stinging.—Drawing and s. between scapulæ. Zinc.

Itching, s. of scapulæ. Bell.

S. in coccyx painful to pressure. Sil.

S. in small of back. Merc.

S. pain in neck. Bar-c.

S. pains in small of back. Aur.

S., tingling, pressing, stitching pains in goitre. Spong.

Twitching and s. of muscles of neck. Tarax.

Stitch.—Itching s. in coccyx when sitting. Dros.

Sudden, violent s., a sort of crick, in sacrum while walking, extending to nape of neck. Agar.

Sudden s. darting from side of neck into upper arm. Berb.
Violent s. in middle of back. Alu.

Stitches.—Beaten, bruised, lame feeling in back, with s. and feeling of cutting and pulsating. Natr-m.
Bubbling sensation or pulsating s. in sacrum and region of kidneys. Berb.
Burning s. in sacrum causing patient to start. Mur-ac.
Burning s. in small of back. Arg-m.
Drawing s. between shoulders extending to chest on moving arms. Camph.
Dull s. in left scapula. Anac.
Fine burning s. under right scapula extending toward ribs. Asaf.
Glands of neck inflamed, hard, swollen, with pressing pain and s Merc.
Itching in nape of neck and s. in glands of right side of neck. Alu.
Labor-like s. in spine. Physos.
Pressing s. along spine, more in sacrum, with dyspnœa. Tarax.
Pulsative s. in region of kidneys and loins. Sulph.
Sharp s. in and on left side of spine, near coccyx and sacrum. Agn.
Sharp s. in left lumbar region. Caust.
Shooting s. in back through to chest. Bry.
Soreness with s. in nape of neck. Bad.
S. and tearing in right scapula on breathing. Kali-c.
S. between scapulæ. Cocc-c., Paris, Ran-b.
S. between scapulæ during motion. Ipec.
S. between scapulæ on drawing long breath. Prun-s.
S. between scapulæ, with dyspnœa. Kali-n.
S. from back toward chest when breathing. Psor.
S. from chest into scapulæ. Ox-ac.
S. in and between scapulæ. Nitr-ac.
S. in back. Alu., Caust., Sep.
S. in back, as from incarcerated flatus. Calad.
S. in back from least motion. Sars.
S. in back in region of kidneys. Hep-s.
S. in back when breathing. Spig.
S. in dorsal muscles. Dros.
S. in left scapula. Am-m.
S. in left side of nape of neck from scapula to occiput. Guaj.
S. in loins, with tenderness in region of kidneys. Cocc-c.
S. in neck and occiput. Natr-m.
S. in region of kidneys on drawing long breath. Cycl.
S. in right lumbar region when walking, with slight burning sensation. Ran-b.
S. in sacral region when coughing. Bry.
S. in sacrum during certain movements, especially when walking. Calad.

S. in scapula. Mur-ac.
S. in scapula and small of back. Plumb., Sulph.
S. in scapulæ and small of back (in gastritis). Cocc.
S. in small of back. Bry., Hyper., Lyc., Nicc., Puls.
S. in small of back extending to extremities. Stann.
S. in small of back on inspiration. Carbo-an.
S. in small of back when sitting. Natr-c.
S. in small of back when sitting, stooping or walking; better by pressure and when lying. Ruta.
S. in small of back, with drawing through lumbar vertebræ when standing. Coni.
S. in spine and shoulders. China.
S. in spine on motion. Meph.
S., tearing and burning in small of back. Magn-m.
S. under left scapula through to heart. Bry.
S. under right scapula. Chelid.
S. upward in back. Staph.

Stitching.—Catching and s. pains in lumbar region. Staph.
Jerking, s. pains in small of back. Euphorb.
Sharp, s. pains in back shooting from loins into nates, awaking patient about three o'clock in morning. Kali-c.
Shooting and s. pains in back extending downward toward hips. Kali-c.
Stinging, tingling, pressing, s. pains in goitre. Spong.
S. and jerking with pressing pain between scapulæ extending through to stomach when sitting. Bry.
S. or lancinating pains in back between shoulder blades. Asclep-tub.
S. pain in sacrum when standing. Lith-c.
S. pains, as from a sharp knife, in back through loins extending to extremities. Ign.
S. pains below right scapula; aggravated when throwing shoulders back and chest forward. Bad.
S. pains in small of back so severe on motion that patient gets upon arms and knees to find relief. Coloc.
S. with drawing between scapulæ. Colch.
Sudden, violent, concussive, s. pain in region of coccyx, as if spine were bent back. Magn-c.

Stitch-like.—S. jerks in small of back when walking. Ferr.

Stomach (see section on Stomach).—Constant pain in or under right scapula (Abies-c., Æsc., Podo.); may extend to chest or s. Chelid.
Pain in small of back with pressure in s. and constriction of abdomen. Lyc.
Painful pricking in or between scapulæ through chest to pit of s. Cast.
Pressure on dorsal vertebræ causes great pain extending to s. Bell.
Shooting pain from back to pit of s. Rhod.

Stitching and jerking with pressing pain between scapulæ extending through to s. when sitting. Bry.

Stood.—Pressing pain in back as from sprain, or as if had s. stooped too long. Mur-ac.

Stool (see section on Stool).—Backache, better after s. Ox-ac.

Pain in lumbar and sacral regions; worse during and after s. Podo.

Pain in sacrum extending down sciatic nerve to right thigh; worse: when standing; at s.; coughing; laughing; when lying on left side (in sciatica). Tellur.

Pain in small of back as if it would break, with hard s. and colic, as if intestines would burst. Lyc.

Pain over sacrum with urgency to s. Am-ben.

Violent cutting in lumbar vertebræ; worse during s. Rheum.

Weight in lower part of sacrum and coccyx; better standing; worse sitting and at s. Arg-n.

Stoop.—Backache worse when walking; unable to s. Kali-c. (Unable to rise. Sulph.)

Constant headache extending to and affecting sacrum and hips making it almost impossible to s. or rise after sitting. Æsc.

Pain across shoulders and spine causing patient to s. Can-ind.

Violent pains with inability to walk or s. (after fall on coccyx). Hyper.

Stooping.—Backache aggravated by walking and s. forward. Æsc.

Backache with stiffness after s. Bov.

Bruised pain in small of back; worse when s. or walking. Meny.

Drawing and pain in small of back when s. Meny.

Feeling as if vertebræ were being torn asunder when s. forward and then bending backward, also when walking. Chelid.

Neck stiff, with drawing pain on s. Canth.

Pain along spine when s. Agar.

Pain in small of back, as from s. long time. Dulc.

Pain in small of back, as from long s. (Arn., China), or from sprain. Puls. (Sulph.)

Pain in small of back, as if broken, with drawing; worse when s. Clem.

Pain in small of back, as if from a heavy load, or after long s. China. (Dulc., Puls.)

Pain in small of back at night on awaking or on s. Kali-n.

Pain in small of back when rising after s. Phos.

Spasmodic, drawing pain in muscles of nape of neck extending to scapulæ; aggravated by s., exerting arms, turning head to left. Ant-c.

Stiffness, tearing and tenderness in joints and muscles of lumbar region preventing motion or s. Bry.

Stitches in small of back when sitting, s. or walking; better by pressure and when lying. Ruta.

Violent, bruised pain in small of back in coccyx, especially when s. or rising from seat. Sulph. (Rhus-t.)

Violent pain in spine, as from sudden rising after long s. Arn.

When s. sudden pain in back as if struck by hammer; better by pressing against something hard. Sep.

Straighten.—Cutting or shooting pains between shoulders; has to s. up for relief. Bov.

Dull, heavy, dragging pain and stiffness of back, especially across lumbar region, necessitating use of arms in rising; must move about before being able to s. up. Hydr.

Strain.—Tenderness of lower cervical and upper dorsal vertebræ with stiffness of neck; pressure causes pain which extends through chest causing irritation to cough, aggravated on every exertion or s. upon spine. Sec.

Strained.—Intense pain in left lumbar region above hip as if s.; worse when standing. Valer.

Lumbago (after s.). Calc flu.

Straining.—Neck becomes stiff and rigid, with headache (after lifting or s.). Calc-c.

Strangury (see section on Urinary Organs).—Coxalgia with pain in bladder with s. Canth.

Streamed.—Sensation as if warm air s. up spine into head. Ars.

Strength.—Great weariness and loss of s. in spine with disposition to yawn and stretch. Dios.

Loss of s. in small of back; it is very weak. Ars.

Stretch.—Great weariness and loss of strength in spine with disposition to yawn and s. Dios.

Stretching.—Gnawing pain in sacrum relieved by s. Alu.

Stripe.—Purple s. two inches wide on each side of spine. Chloral.

Struck.—When stooping sudden pain in back, as if s. by hammer; better by pressing against something hard. Sep.

Struma (see Goitre).—Goitre or s. Brom., Calc-c., Iod., Kali-c., Natr-c., Spong.

Stumbles.—Softening of spinal cord, with loss of power; s. and trips when walking. Kali-ph. (Rhus-t.)

Submaxillary glands.—S. and cervical glands swollen to size of pigeon's egg; very hard and painful to the slightest pressure. Bar-m.

Swelling and suppuration of s. and other glands of neck. Kali-jod.

Swelling of s. Calc-c.

Sudden.—Myelitis, with s. tearing and shooting pains in loins. Colch.

S. stitch darting from side of neck into upper arm. Berb.

S., violent, concussive, stitching pain in region of coccyx, as if spine were bent back. Magn-c.

Violent pain in spine, as from s. rising after long stooping. Arn.

Suffocation (see Dyspnœa),—Bronchocele: left side of neck swollen, with smooth, livid appearance, and feeling of s. caused by touching neck. Lach.

Suppurating.—Large, s. swelling of right side of neck. Sulph-ac.
Swelling of glands of left side of face, neck and throat, nearly as large as hen's eggs; some hard, some s. (scrofulous). Bad.
Suppuration.—Scrofulous swelling and s. of glands of neck. Cist. (Iod.)
Swelling and s. of submaxillary and other glands of neck. Kali-jod.
Swelling and s. of throat-pit. Ipec.
Swelling of psoas muscles, followed by s. Staph. (Sil.)
Swallowing (see section on Throat).—Pain between shoulders only when s. Rhus-t.
Swollen glands of neck painful on s. Merc.
Sweat (see Perspiration).—Lumbago: violent pain in sacro-lumbar region; slightest effort to move causes retching and cold, clammy s. Tart-em.
Swelling.—Aching or tensive tearing or sticking in region of loins and kidneys, sometimes extending down calves, with feeling of lameness or s. in back. Berb.
Caries of dorsal vertebræ, with s. of bone to size of fist. Bufo.
Disappearance of old, hard, or soft s. of thyroid gland and also of large goitre. Iod.
Drawing pressure and s. of left side of neck. Alu.
Glandular s., like goitre. Caust.
Hard s. on side of neck. Aur-m.
Indurated s. of cervical glands. Calc-c. (Bar-c.)
Inflammation and s. of cervical glands. Sulph.
Large, suppurating s. of right side of neck. Sulph-ac.
Pain in nape of neck shooting to occiput, with stiffness and hard s. of glands. Cinnab.
Painful s. of glands of neck and axillæ. Staph.
Rheumatic stiffness and s. of neck. Merc.
Round, hard s., with pressing pain, like goitre on upper and right side of thyroid gland. Natr-c.
Scrofulous s. and suppuration of glands of neck. Cist. (Iod.)
S. and induration of cervical glands. Iod. (Bar-c.)
S. and induration of cervical glands studding neck like a row of pearls. Lava.
S. and induration of glands of neck. Spong.
S. and suppuration of submaxillary and other glands of neck. Kali-jod.
S. and suppuration of throat pit. Ipec.
S., enlargement and induration of cervical glands, with otorrhœa. Bar-m.
S in cervical glands. Lach., Lyc.
S. in cervical glands, with drawing pain when turning head. Mur-ac.
S. of cervical glands. Ant-c., Astacus fluviatilis, Hell., Puls.
S. of cervical glands, mostly on right side. Nitr-ac.
S. of cervical glands, with itching eruption. Am-ben.

S. of cervical glands, with painful closing of jaws. Merc.
S. of glands of left side of face, throat and neck, nearly as large as hen's eggs; some hard, some suppurating (scrofulous). Bad.
S. of glands of neck and axillæ. Nitr-ac., Sil. (Bar-c., Calc-c., Iod., Staph.)
S. of glands of neck extending to chest. Natr-ph.
S. of glands of neck, with tension and drawing. **Bov.**
S. of glands, with aching. Calc-c.
S. of nape of neck. Puls.
S. of neck. Croc.
S. of psoas muscles, followed by suppuration. Staph. (Sil.)
S. of psoas muscle, very painful on moving body. Lyc.
S. of spine and curvature to right, painful to touch and motion. Sil.
S. of submaxillary glands. Calc-c.
S. under jaw and around neck. Crotal.

Swollen.—Adenitis: glands of neck s. and painful. Dulc.
Bronchocele: left side of neck s., with smooth, livid appearance, and feeling of suffocation caused by touching neck. Lach.
Cervical glands and parotids s. and indurated. Sil.
Cervical glands s. Aur., Calc-c., Natr-c.
Cervical glands s. and indurated (in scrofulous children). Coni.
Cervical glands s. and painful, especially those near nape of neck. Carbo-v.
Drawing pain in one side of neck, as if s. Sep.
Glands in nape of neck and occiput s. Bar-c.
Glands of neck and throat s. (in scarlatina). **Arum.**
Glands of neck hard and s. Merc-cor.
Glands of neck indurated, s. and painful. Carbo-an.
Glands of neck inflamed, hard, s., with pressing pain and stitches. Merc.
Glands of neck s. Brom., Ign., Kali-chl., Kali-jod., Kreas., Merc-bij.
Glands of neck s. and painful. Bell., Caps.
Glands of neck s., with eruption on head. Calc-c.
Glands of neck s., with stiffness of neck (in diphtheria). Apis.
Glands of throat and neck badly s. (in scarlatina). Lach.
Glands of throat and neck s. Ambr.
Glands on left side of neck s. Graph.
Glands on side of neck down to shoulder s. and painful, as if contracted and stiff, when bending neck or lying. Graph.
Neck feels stiff and s. when turning it. Paris.
Neck feels s. and stiff, with pain in muscles proceeding from teeth. Mang.
Neck s. and stiff, with difficulty in turning it, accompanied by feeling of heaviness. Merc.
Neck tender and s. (in scarlatina). Ailanth.

Non-lobulated tumor, like goitre, in anterior and median portion of neck, large as child's head; tumor becomes more s. and painful during menses, which are irregular and painful. Iod.

Red, s. streak on left side of neck. Mang.

Rheumatic pains in scapulæ; muscles feel contracted and as if s., preventing motion. Mez.

Submaxillary and cervical glands s. to size of pigeon's egg; very hard and painful to slightest pressure. Bar-m.

S. and indurated cervical glands. Calc-flu.

S. glands of neck painful on swallowing. Merc.

Thyroid gland s. and sensitive to touch or pressure. Kali-jod.

Tickling in glands of neck, which are s. Kali-c.

Violent pain and drawing in lateral muscles of neck, which feel as if s.; is giddy and head feels heavy, as if drawn to one side, periodically every afternoon. Chin-s.

Wry neck, stiff neck or crick in neck: sterno-cleido-mastoid muscles rigid, hard and s.; least attempt to turn neck attended with great pain. Acon., Bell., Dulc., Eupat-purp.

Symphysis.—Soreness in sacro-iliac s., as if broken and separated. Calc-ph.

Weakness in sacro-iliac s., as if bones were loose. Arg-n.

Syphilitic (see section on Sexual Organs).—S. inflammation of spine. Kali-jod.

Tabes dorsalis.—T. Phos.

T. (after sexual excesses). Kali-brom.

T., especially in women with great weakness of legs and back. Graph.

T.: feeling of unsteadiness from knees downward; must step carefully, especially when eyes are closed. Physos.

T.; lightning-like, sticking pains in spine. Nitr-ac.

Tape.—Sensation as if t. were tightly drawn from ear to ear around nape of neck. Anac.

Tearing.—Aching or tensive t. or sticking in region of loins and kidneys, sometimes extending down into calves, with feeling of lameness or swelling in back. Berb.

Coxalgia with cutting and t. pains. Calc-c.

Cutting and t. in coccyx. Canth.

Drawing and t. in scapulæ. Berb.

Drawing, t. pain along spine. Cina.

Drawing, t. pain in and near spine. Caps.

Drawing, t. pain in scapulæ. Acon.

Jerking, t. pains in right cervical gland. Caps.

Paroxysms of t. pain in nape of neck. Nux-v.

Pricking, t., pressing pain running across back. Hell.

Pulling and t. in back and extremities with great exhaustion (after sexual excesses). Ars.

Stiffness, t. and tenderness in joints and muscles of lumbar region preventing motion or stooping. Bry.
Stitches t. and burning in small of back. Magn-m.
Stitches and t. in right scapula on breathing. Kali-c.
T. and cutting in back. Colch.
T. and cutting pains in cervical muscles. Cupr.
T. and jerking in coccyx. Cic-v.
T. and pressure in small of back. Carbo-v.
T., cutting pain in nape of neck. Graph.
T. from nape of neck up either side to top of head. Lach.
T. in and between scapulæ with oppression of chest. Berb.
T. in back from above downward. Mang.
T. in cervical muscles. Canth., Carbo-v.
T. in lumbar muscles making respiration painful. Kali-c.
T. in small of back and hips when walking. Æsc.
T., jerking pains in lumbar region. Cina.
T. pain along spine. Natr-s.
T. pain between and under scapulæ. Sil.
T. pain between scapulæ extending downward, especially on deep inspiration. Meny.
T. pains in coccyx relieved by pressure. Merc.
T. pain from ear down to neck. Tarax.
T. pain in cervical muscles. Carbo-v.
T. pain in dorsal vertebra between scapulæ. Caust.
T. pain in side of neck. Berb.
T. pain in small of back with feeling as if it would break. Ham.
T. pain in sides of neck in alternation with t. in cheeks. Am-m.
T. pain in nape of neck moving up and forward to frontal region. Caust.
T. pain in nape of neck and in back. Nux-v.
Violent t. in small of back. Caust.

Teeth (see section on Mouth).—Neck feels swollen and stiff with pain in muscles proceeding from t. Mang.

Temple (see section on Head).—Sharp, shooting pain in left side of neck, across t., and over eye, with liver sore to touch, and nausea. Chelid.

Tender.—Cervical and first four dorsal vertebræ very t. on pressure; pressure brings on attack of neuralgia. Coloc.
Cervical glands enormously enlarged, hard and t. Coni.
Fourth dorsal vertebra very t. on pressure, followed by violent dry cough, red face, headache, photophobia and perspiration. Bell.
Lumbar vertebræ t. with pain on pressure. Apis.
Neck t. and swollen (in scarlatina). Ailanth.

Tenderness —Great t. over sacrum; cannot even bear pressure of soft pillow; sits up in bed leaning forward to avoid contact with bedclothes. Lob.

Soreness and t. of spine; slightest motion of arms or neck extorts cries. Hyper.

Stitches in loins with t. in region of kidneys. Cocc-c.

Stiffness, tearing and t. in joints and muscles of lumbar region preventing motion or stooping. Bry.

T. in region of right kidney on pressure. Am-ben.

T. of dorsal and cervical vertebræ to touch. Card.

T. of lower cervical and upper dorsal vertebræ with stiffness of neck; pressure causes pain which extends through chest causing irritation to cough, aggravated on every exertion or strain upon spine. Sec.

T. of cervical vertebræ to pressure. Arn.

Tendons.—Violent drawing of t. of nape of neck. Cast.

Tension.—Neck stiff with feeling of drawing and t. Physos.

Painful pressure and t. in lumbar region and region of kidneys, sometimes with feeling of numbness, puffiness, warmth, stiffness and lameness. Berb.

Swelling glands of neck with t. and drawing. **Bov.**

T. and drawing between scapulæ. Natr-c.

T. and pain in right side of neck. Meph.

T. in neck. Berb.

Tensive.—Aching or t. tearing or sticking in region of loins and kidneys, sometimes extending down into calves, with feeling of lameness or swelling in back. Berb.

Testicles (see section on Male Sexual Organs).—Heavy pain in lumbar region extending to t. Abrot.

Tetanic.—Excitement of spinal nervous system causing t. convulsions, dyspnœa, asphyxia and death. Ign.

Myelitis with t. spasms. Physos.

Paralysis of spinal motor nerves with t. convulsions. Cocc.

Tetter (see section on Skin).—Itching moist t. on nape of neck. Caust.

Thigh (see section on Lower Extremities).—Coxalgia: hip-joint feels as if femur were fastened to os innominatum, with darting pains from sacro-lumbalis muscle into t. Coloc.

Lumbago: pain in back and small of back finally locating in a small spot in upper part of t. and buttock. Coloc.

Pain in sacrum extending down sciatic nerve to right t.; worse when standing; at stool; coughing; laughing; when lying on left side (in sciatica). Tellur.

Shooting, crampy pain from right kidney down t. to knee. Ipec.

Thighs.—Aching and dull pain in lumbar and sacral regions extending to t. and legs. Sep.

Great pain in back gradually extending down t. Ox-ac.

Lumbago: small of back feels as if broken, with pain shooting down back to t. Kali-c.

Pain in back and t. at night. Magn-s.

Pain in small of back, down spermatic cords, across hips, and down t., with difficult urination. Sars.

Painful drawing in sacrum, coccyx and t. while sitting. Thuja.

Painless dark red pustules on back and t. Chim.

Severe aching pain in small of back, through hips and down t. Cimicif.

Warm feeling in small of back as if lumbar region were asleep, extending into sacrum, hips and t. Berb.

Thirst (see section on Stomach).—Chilly crawling up and down back back followed by fever and t. Al-cep.

Throat (see section on Throat).—Atrophy of neck; t. and neck rapidly emaciate (in cholera infantum). Natr-m.

Cramp in neck and left side of t. Bar-c.

Glands of t. and neck swollen. Ambr.

Glands of neck and t. swollen (in scarlatina). Arum.

Glands of t. and neck badly swollen (in scarlatina). Lach.

Neck and t. stiff and painful, muscles feeling as if bound; could move head only with cifficulty. Caust.

Swelling of glands of left side of face, neck and t., nearly as large as hen's egg; some hard, some suppurating (scrofulous). Bad.

Throat-pit.—Swelling and suppuration of t. Ipec.

Throbbing (see Pulsation).—Aching, shooting, burning and t. in lumbo-sacral region. Sil.

Cutting, shooting, t. in small of back. Natr-m. (Ars.)

Drawing, burning and t. pain in spine with drowsiness, but unable to sleep. Bell.

Large boils or bullæ half inch in diameter near spine with violent burning and t. pains. Lach.

Painful t. in one of cervical vertebra. Kali-n.

T. and burning between scapulæ. Phos.

T. in back. Thuja.

T. in region of kidneys. Actea-s. (Berb.)

T. in right right side of spine. Brachyg.

T. in small of back. Kali-c., Sep.

T. pain in nape of neck and occiput. Eupat-perf.

T. pain in small spot between scapulæ. Phos.

Thyroid gland.—Bronchocele: hypertrophy of t. Iod.

Disappearance of old hard or soft swelling of t. and also of large goitre. Iod.

Enlargement of t. Calc-c.

Round, hard swelling, with pressing pain, like goitre, on upper and right side of t. Natr-c.

T. swollen and sensitive to touch or pressure. Kali-jod.

Tickling.—T. in glands of neck, which are swollen. Kali-c.

Tight.—Cold, numb and t. sensation in small of back. Carbo-v.

Could not bear anything t. about neck. Lach.

Labor-like pains in small of back (Caul., Cimicif., Kreas.), as if constricted by t. band. Puls.
Neck feels large and clothing too t. Kali-c.
Sensation in nape of neck across occiput, as if bound t. Plat.
T. feeling, as if t. cravat were drawn around neck. Asar.

Tightness.—T. about neck. Glon.

Tinea (see section on Skin).—T. on neck. Bar-m.

Tingling.—Drawing or t. between scapulæ. Viola-tr.
Stinging, t., pressing, stitching pains in goitre. Spong.
T. in back. Natr-c.
T. in back, with numbness extending to tips of fingers and toes. Sec. (Acon.)
T. in spine. Arn.

Tired.—Backache, with t. lameness in legs (after emissions). Kali-brom.
Burning and t. aching feeling in lumbar and sacral regions. Helon.
Neck feels weak and t., as if head were too heavy. Glon.
Nape of neck feels weak and t., after writing or any exertion. Zinc.
T. aching in small of back, as after long ride in carriage. Calc-flu.
T. aching across small of back and limbs. Hydr. (Sep.)
T., bruised feeling in back, as after exertion. Apis.
T. feeling in small of back. Pallad.
Weakness and t. pain in small of back when walking. Sep.

Toes (see section on Lower Extremities).—Tingling in back, with numbness extending to tips of fingers and t. Sec. (Acon.)

Together.—Chill commences in back (in intermittent); coldness so great patient draws himself t. like a hedgehog. Caps.
Lateral drawing pain, as if hips were being drawn t. Poly.

Torn.—Feeling as if vertebræ were being t. asunder when stooping forward and then bending backward, also when walking. Chelid.

Torticollis.—T.: head drawn to left side. Nux-v.
T.: left side of neck stiff, with head drawn to left side. Lyc.
T.: neck stiff, head drawn to one side, pain in nape, as if dislocated, when turning neck or bending head backward. Lachn.
T.: or stiff neck: neck is drawn to one side. Lachn.
T.: right sterno-cleido-mastoid muscle contracted. Bell.

Touch (see Pressure).—Boils on neck (Graph.) painful to t. Hep-s
Carbuncle on nape of neck, purple or gangrenous, exceedingly sensitive to t. Lach.
Carbuncle on nape of neck; surrounding parts inflamed and sensitive to t. Hep-s.
Cervico-brachial neuralgia: worse in morning, after eating and from t. Nux-v.
Cervical vertebræ very sensitive to t. Hyper.
Glands of neck sore to t. Bry.
Great sensitiveness of vertebræ; cannot bear t. Therid.
Muscles of neck sore to t. and on moving. Kalm.

Pain, as if bruised, in pelvic region, worse on t. Magn-m.
Pustules on small of back painful to t. Natr-c.
Red vesicle over right scapula painful to t. Cic-v.
Severe pain in small of back; worse from t. or motion. Colch.
Sharp, shooting pain in left side of neck, across temple, and over eye, with liver sore to t., and nausea. Chelid.
Spinal irritation: third dorsal vertebra painful to t., with oppression of chest. Chin-s.
Spine sensitive to t. Agar., Arg-n. (Phos.)
Spots on sacrum feel sore, as if ulcerated; very sensitive to t. Colch.
Swelling of spine and curvature to right, palnful to t. and motion. Sil.
Tenderness of dorsal and cervical vertebræ to t. Card.
Thyroid gland swollen and sensitive to t. or pressure. Kali-jod.
Vesicular eruption on back very sensitive to t. Lach.

Touched.—Bruised pain in coccyx burning when t.; pain like that of subcutaneous ulceration; worse when sitting or lying. Carbo-an.

Touching.—Bronchocele: left side of neck swollen, with smooth, livid appearance, and feeling of suffocation caused by t. neck. Lach.
Bruised pain in small of back when t. part. Graph.

Trapeze muscle.—Pain in left t., as from bending forward; worse from turning head to left. Pallad.
Pain in neck affecting more prominently upper part of t. extending to shoulders. Brachyg.

Traumatic.—T. inflammation of spine, vertebræ very sensitive to pressure. Arn.
T. meningitis. Hyper.

Tremble.—Burning heat in back, with numbness and clumsy feeling of extremities which t. from every exertion. Phos.

Trembling.—Cerebro-spinal meningitis, with congestion, wild incoherent delirium, t. and weakness of limbs. Gels.
Locomotor ataxia preceded by twitching and t. of muscles and partial blindness; will is strong, but difficulty lies in carrying out its purpose. Physos.
T. in back. Cocc.
T. in back (during fever). Eupat-perf.

Tremulous.—T. and uneasy sensation in muscles of neck. Ang.

Trips.—Softening of spinal cord, with loss of power; stumbles and t. when walking. Kali-ph. (Rhus-t.)

Tumor (see section on Skin).—Pain in neck on turning head, as if t. would protrude. Calc-c.

Tumors.—Carotid t. Calc-c.
Encysted t. on both sides of neck. Brom.
Fatty t. about neck. Bar-c.
Non-lobulated t., like goitre, in anterior and median portion of neck, large as child's head; t. becomes more swollen and painful during menses, which are irregular and painful. Iod.

Pediceled t. of bluish color in central part of back, large as a cherry. Coni.

Small t. about neck. Graph.

T. in neck. Calc-ph.

Turn.—Backache: must sit up to t. in bed. Nux-v.

Drawing or contraction in muscles of neck; after turning head cannot t. it back again without great pain. Cic-v.

Rheumatic pain between shoulders; difficult to t. in bed. Calad.

Wry neck, stiff neck or crick in neck; sterno-cleido-mastoid muscles rigid, hard and swollen; least attempt to t. neck attended with great pain. Acon., Bell., Dulc., Eupat-purp.

Turning.—Cracking in cervical vertebræ when t. head. Petr.

Myelitis: chilliness, with dull pain in region of lower cervical and upper dorsal vertebra; difficulty in raising head or t. in bed; cervical portion of spine stiff and painful when t. Dulc.

Neck feels stiff and swollen when t. it. Paris.

Neck stiff on t. head. Selen.

Neck swollen and stiff, with difficulty in t. it, accompanied by feeling of heaviness. Merc.

Neck very stiff; painful on t. head. Bad.

Pain in left trapeze muscle, as from bending forward; worse from t. head to left. Pallad.

Painful stiffness of muscles of right side of neck; worse on moving or t. head toward shoulder. Bry.

Painful stiffness of neck (Acon., Agar.), with pain from nape to between shoulders on t. Am-m.

Pain in neck on t. head, as if tumor would protrude. Calc-c.

Rheumatic pain in small of back; worse on every motion, making walking or t. difficult. Bry.

Swelling in cervical glands with drawing pain when t. head. Mur-ac.

Softening of vertebræ; sensation as if vertebræ were gliding over each other when t. in bed. Sulph.

Torticollis: neck stiff, head drawn to one side, pain in nape as if dislocated when t. neck or bending head backward. Lachn.

T. body causes pain in spine. Agar.

Twitching.—Locomotor ataxia preceded by t. and trembling of muscles and partial blindness; will is strong, but difficulty lies in carrying out its purpose. Physos.

Paralysis of spine with muscular t., convulsive movements, convulsions and great weakness of legs with staggering gait. Hyos.

T. and dull sticking in left side of nape of neck. Tarax.

T. and jerking along spine like electric shocks. Ang.

T. and stinging of muscles of neck. Tarax.

T. in muscles of back. Ang.

T. in spine. Phos.

Typhoid (see section on Fever).—Bruised, sore feeling in sacral region; feels as if lying on board; changes position often (in t.). Bapt.

Irritation of spine at commencement of t. Valer.

Ulcer (see section on Skin).—Scrofulous u. on left part of neck from hair to clavicle with hard and elevated edges. Aster.

Ulcerated.—Pain in coccyx as if u. preventing motion, followed by painful stiffness of neck. Phos.

Pain in small of back whole night as if u. Natr-s.

Spots on sacrum feel sore as if u.; very sensitive to touch. Colch.

Ulcerating.—U. pains in lumbar vertebræ as if flesh were beaten off bones. Kreas.

Ulceration.—Bruised pain in coccyx burning when touched; pain like that of subcutaneous u.; worse sitting or lying. Carbo-v.

Ulcerations.—U. and bed sores on back burn like fire. Ars.

Ulcers.—Blotches and u. on scapulæ and abdomen. Merc.

Carbuncles or u. on nape or back surrounded by little pimples or u. Lach.

Scrofulous u. on neck. Cist.

Umbilical region (see section on Abdomen).—Pain in small of back followed by colic in u. Ver-a.

Unable.—Lumbago: intensely painful, crampy sensation in lumbo-sacral region and coccyx; can only sit few minutes and while sitting becomes quite stiff and u. to rise again. Bell.

Uncomfortable.—Pain in cervical muscles as if asleep or as if head had been too long in u. position. Rhus-t.

Uneasy.—Tremulous and u. sensation in muscles of neck. Ang.

Under.—Aching pain between shoulders and u. left scapula extending to left lung; worse on expiration. Sep.

Bursting pain u. right scapula. Seneg.

Constant pain in or u. right scapula (Abies-c., Æsc., Podo.); may extend to chest or stomach. Chelid.

Pain in spot about one-third of an inch in diameter u. left scapula. Ox-ac.

Pain u. right scapula. Physos. (Chelid.)

Pain u. right scapula when coughing or drawing long breath. Seneg.

Pressure between and u. shoulder blades. Calc-c.

Stitches u. right scapula. Chelid.

Tearing pain between and u. scapulæ. Sil.

Unsteadiness.—Tabes dorsalis: feeling of u. from knees downward; must step carefully, especially when eyes are closed. Physos.

Up.—Chill begins in lower dorsal region and runs u. back. Eupat-purp.

Chill creeping u. spine from sacrum to base of brain. Gels.

Chills run u. back (during whooping-cough). Al-cep.

Feeling of intense heat running u. back (in locomotor ataxia). Phos.
Tearing from nape of neck u. either side to top of head. Lach.
Tearing pain in nape of neck moving u. and forward to frontal region. Caust.

Up and down.—Chilly crawling u. followed by fever and thirst. Al-cep.

Upper.—Nape of neck and u. part of back stiff and rigid. Natr-m.
Violent pain in three u. dorsal vertebræ extending through scapulæ. Kalm.

Upward.—Drawing, burning pains commencing in coccyx extending u. Mur-ac.
Drawing in neck extending u. Can-sat.
Drawing pain from below u. Natr-m.
Rheumatic pains in spine from below u., with great restlessness. Eupat-purp.
Sensation of pulling u. from tip of coccyx. Lil-tig.
Stitches u. in back. Staph.
Weariness and weakness in back from coccyx u., with dull pain in region of kidneys. Brachyg.

Urinate (see section on Urinary Organs).—Frequent pains in small of back and lumbar vertebræ, like labor-pains, with strong urging to u. Kreas.
Pain in loins, kidneys and abdomen, so great on attemptiug to u. that could not pass a single drop without moaning and screaming. Canth.
Pain in loins with constant desire to u. Canth.
Weakness in spine and spinal nerves causing great fatigue on exertion, with frequent desire to u. Phos-ac.

Urination.—Lumbago: pain from above crest of ilium downward and inward to sacrum w.th aching pain in bladder before and after u. Berb.
Pain in small of back, down spermatic cords, across hips, and down thighs; with difficult u. Sars.

Urine.—Severe backache relieved after passing u. Lyc.

Urticaria (see section on Skin).—Wheals or large red patches like u. about neck, back and extremities. Chloral.

Uterus (see section on Uterus).—Dragging, piercing, drawing, aching pains in sacral region through to u. Helon.
Dull, heavy pain and great weakness in small of back (with displacement of u.). Lil-tig.
Pain in back with hæmorrhage from u. Trill.
Pain in lumbar and sacral regions (with displacement of u.). Podo.
Pain with weakness and weariness in small of back (with displacement of u.). Sep.

Vagina (see section on Uterus).—Drawing pain in coccyx to rectum and v. Kreas.

Vertebræ.—Caries of v. (in scrofulous children).—Phos.
Feeling as if v. were being torn asunder when stooping forward and then bending backward, also when walking. Chelid.
Great sensitiveness of v.; cannot bear touch. Therid.
Irritation of spine; pressure between v. makes patient wince; numbness of extremities. Physos.
Pain in back as if hot iron were thrust through lower v. Alu.
Pain in back as though lower v. were broken asunder when bending forward. Chelid.
Shooting, lancinating pains in v. from without inward, like stabs from a knife. Bell.
Softening of v.; sensation as if v. were gliding over each other when turning in bed. Sulph.
Traumatic inflammation of the spine, v. very sensitive to pressure. Arn.
Vesicle (see section on Skin).—Red v. over right scapula painful to touch. Cic-v.
Vessels.—Drawing pain internally in region of right scapula as if nerves and v. were contracted. Coloc.
Vibrations.—Heat with inward v. from neck and between shoulders into limbs. Camph.
Vise.—Constant violent pain in small of back; it feels as if in a v.; cannot lie still night or day; has to sit bent forward. Kali-jod.
Feeling as if small of back were in a v. Æth.

Walk.—Cramp-like pain in sacral region as after long standing; when attempting to w. feels as if would fall. Thuja.
Disease of spine causing paralysis; cannot w. with eyes closed. Alu.
Pains in back; cannot w. with eyes closed or in dark (in locomotor ataxia). Arg-n.
Progressive locomotor ataxia (Pinus sylv.); congestion of spinal cord; prostration, languor; cannot w., muscles feel bruised and will not obey will. Gels.
Violent pains, with inability to w. or stoop (after fall on coccyx). Hyper.
Walking.—Back gives out when w. Æsc.
Backache aggravated by w. and stooping forward. Æsc.
Backache worse when w.; unable to stoop. Kali-c. (Unable to rise. Sulph.)
Bruised pain in small of back, worse when stooping or w. Meny.
Feeling as if vertebræ were being torn asunder when stooping forward and then bending backward, also when w. Chelid.
Intense, cramp-like pain in small of back and coccyx; can sit only for a short time; unable to lie on back and relieved mostly by standing and w. about slowly. Bell.
Pain, as from a bruise, in small of back when w. Hep-s.

Pain in back, relieved when w. Arg-n., Bar-c., Kobalt., Magn s., Phos., Rhus-t., Ruta, Stront.

Pain in small of back when sitting or when in act of sitting down; better by w. Zinc.

Pain in small of back when w. Am-m.

Pain in small of back on sitting or w. Zinc. (Kobalt.)

Pain in small of back. relieved when standing or w., but severe when rising from seat. Arg-n.

Pressing, dragging pain in sacro-lumbar region, relieved by sitting or or lying, worse when w., extending over sacrum and hips. Sep.

Rheumatic pain in small of back, worse on every motion, making w. or turning difficult. Bry.

Softening of spinal cord, with loss of power; stumbles and trips when w. Kali-ph. (Rhus-t.)

Sore, aching pain in sacral region; worse w. Lact-ac.

Stiffness of back; better when w. Sep.

Stitch-like jerks in small of back when w. Ferr.

Stitches in right lumbar region when w., with slight burning sensation. Ran-b.

Stitches in sacrum during certain movements, especially when w. Calad.

Stitches in small of back when sitting, stooping or w.; better by pressure and when lying. Ruta.

Sudden, violent stitch, a sort of crick, in sacrum while w., extending to nape of neck. Agar.

Tearing in small of back and hips when w. Æsc.

Violent backache after w. Natr-c.

Weakness and tired pain in small of back when w. Sep.

Weakness of back, and paralyzed feeling in extremities, making w. difficult. Sil.

Warm.—Sensation as if w. air streamed up spine into head. Ars.

W. feeling in small of back, as if lumbar region were asleep, extending into sacrum, hips and thighs. Berb.

Warmth.—Pain in back, relieved by external w. Cinnab.

Pain in nape of neck, relieved by external w. Rhus-t.

Painful pressure and tension in lumbar region and region of kidneys, sometimes with feeling of numbness, puffiness, w., stiffness and lameness. Berb.

Water.—Feeling as if cold w. were dropping down back. Caps.

Feeling of cold w. between shoulders. Abies-c.

Sensation as of cold w. poured down back. Puls.

Weak.—Back feels too w. to support body. Ox-ac.

Back very w.; unable to stand erect. Physos.

Back w., with pain in ovaries. Abrot.

Cervical muscles so w. can hardly hold up head; it falls to every side. Arn.

Debility in small of back; it is very w. Ars.
Neck feels w. and tired, as if head were too heavy. Glon.
Neck so w. children cannot hold up their heads. Æth.
W. feeling in back after mental annoyance. Calc-c.
Weakness.—Backache, especially at night, with great w. of extremities. Arg-n.
Carbuncle on left side of back, extending from upper border of scapula downward about six inches, surrounded by small pustules with scanty, offensive pus; pain is intense, with great w. and prostration. Hep-s.
Cerebro-spinal meningitis, with congestion, wild, incoherent delirium, trembling and w. of limbs. Gels.
Coldness and w. in back. Ox-ac.
Dull, heavy pain and great w. in small of back (with displacement of uterus). Lil-tig.
Excessive w. in spine and extremities (after emissions). Sabad.
Feeling of great w. in sacrum at night. Lith-c.
Feeling of w. in sacral region. Abies-c.
Great w. and pain in small of back. Psor.
Great w. of spine. Hep-s.
Numbness and w. in back and limbs. Ox-ac.
Pain in back and w. of extremities. Brachyg.
Pain, with w. and weariness in small of back (with displacement of uterus). Sep.
Pain, with w. in sacrum. Calad.
Pains in back, with w. in small of back and knees. Nux-m.
Paralysis of spine, with muscular twitchings, convulsive movements, convulsions and great w. of legs, with staggering gait. Hyos.
Spinal irritation, with stiffness of cervical muscles and great w. Cocc.
Spinal w. (from exhaustion or onanism). Gels.
Tabes dorsalis, especially in women with great w. of legs and back. Graph.
W. and sometimes complete prostration of spine (after sexual excesses). Nux-v.
W. and tired pain in small of back when walking. Sep.
W. in lumbar region, with prolapsus recti. Ruta.
W. in nape of neck. Stann.
W. in nape of neck; head sinks forward. Plat. (Aloe, Cimicif., Kali-c., Natr-m.)
W. in sacro-iliac symphysis, as if bones were loose. Arg-n.
W. in small of back. Eupat-perf.
W. in small of back, with headache. Coloc.
W. in spine and spinal nerves, causing great fatigue on exertion, with frequent desire to urinate. Phos-ac.
W. of back and paralyzed feeling in extremities making walking difficult. Sil.

W. of cervical muscles: head feels too heavy; unable to support it. Cocc.

W. of neck; child can scarcely keep head erect (Coni.); especially in whooping-cough. Ver-a.

Weariness and w. in back from coccyx upward, with dull pain in region of kidneys. Brachyg.

Weariness.—Great w. and loss of strength in spine, with disposition to yawn and stretch. Dios.

Pain, with weakness and w. in small of back (with displacement of uterus). Sep.

Soreness and w. in small of back. Cimex.

Spinal irritation (after sexual excesses or onanism), with w. and stiffness of back, excited sexual desire and seminal emissions, with stiff feeling of whole body. Puls.

W. and weakness in back from coccyx upward, with dull pain in region of kidneys. Brachyg.

Weary.—Nape of neck w., as if a great weight were lying on it. Paris.

Weather.—Pains in small of back; worse when sitting and in wet w. Rhod.

Weight (see Heaviness).—Feeling of heavy w. in lumbo-dorsal region. Coloc.

Heavy feeling, as of a w., in back and shoulders, with dyspnœa. Natr-m.

Nape of neck weary, as if a great w. were lying on it. Paris.

Pressure, as from a w. between scapulæ. China.

Severe pain in loins, with feeling of w. on standing. Colch.

W. in lower part of sacrum and coccyx; better standing; worse sitting and at stool. Arg-n.

Wet.—Myelitis (after sexual excesses or getting w.). Phos.

Rheumatic pains in back, like myelitis (after getting w. or sleeping on damp ground). Rhus-t.

Wheals (see section on Skin).—W. or large, red patches, like urticaria, about neck, back and extremities. Chloral.

Whooping-cough (see section on Cough)—Chills run up back (during w.). Al-cep.

Weaknesss of neck: child can scarcely keep head erect (Coni.), especially in w. Ver-a.

Wince.—Irritation of spine: pressure between vertebræ makes patient w.; numbness of extremities. Physos.

Wind.—Creeping sensation in back as if gentle w. were blowing through it. Sec.

On pressure upon dorsal vertebræ has nausea, eructations, belches w., gets pale, cries out. Bell.

Within.—Sensation in small of back, sometimes in one side, sometimes in other, in region of kidneys, as if something were fluttering w. Chim.

Worse (ee Aggravated).—Aching pain between shoulders and under left scapula extending to left lung; w. on expiration. Sep.

Backache w. at night. Am-m.

Backache w. when walking; unable to stoop. Kali-c. (Unable to rise. Sulph.)

Backache w. while sitting or lying; difficulty in rising from seat. Berb. (Rhus-t.)

Bearing-down pains in sacrum, as if parts would be forced out; w. when moving. Sec.

Bruised, burning pain in coccyx, preventing sitting; w. from contact. Cist. (Kali-bi., Lachn.)

Bruised pain in back; w. on pressure. Nux-v.

Bruised pain in coccyx burning when touched; pain like that of subcutaneous ulceration; w. sitting or lying. Carbo-v.

Bruised pain in small of back, preventing motion; w. three or four o'clock in morning. Nux-v.

Bruised pain in the small of the back; w. when stooping or walking. Meny.

Burning along whole spine; w. when sitting. Zinc.

Burning and pressure in region of coccyx; w. when sitting. Apis.

Cervico-brachial neuralgia; w. in morning, after eating, and from touch. Nux-v.

Chronic rheumatism of chest and back; w. at night. Kali-jod.

Coccyx pains as if in bone; w. on rising from sitting. Euphorb.

Contractive sticking in right loin during inspiration (Bry.); w. when lying on back. Coloc.

Dull pain in inner edge of left scapula; w. on breathing. Sang.

Feeling of lameness or as if bruised in small of back, felt on awaking; w. when sitting or lying. Berb.

Great soreness and pain from sacrum to shoulders; w. on making exertion. Berb.

Herpetic eruption on neck and behind ears; w. from heat, which causes burning. Coni.

Intense pain in left lumbar region above hip, as if strained; w. when standing. Valer.

Itching on back and shoulders as from crawling insects; w. on going to bed. Osm.

Myelitis: severe spinal pains; w. on pressure; restless and sleepless, with anæsthesia of skin. Merc.

Neck stiff and painful; w. on moving; pain extending to right shoulder. Acon. (Gels.)

Neck stiff; w. on right side and in bed after midnight. Phyt.

Pain all over back, down to loins; w. on drawing long breath. Cinnab. (Bry.)

Pain, as if bruised, in pelvic region; w. on touch. Magn-m.

Pain in back w. when sitting. Kobalt.

Pain in fifth, sixth and seventh cervical vertebræ; w. on moving head. Camph.

Pain in left trapeze muscles, as from bending forward; w. from turning head to left. Pallad.

Pain in lumbar and sacral regions; w. during and after stool. Podo.

Pain in lumbar region with sensation of coldness; w. at night and from motion. Podo.

Pain in sacral region; w. on motion. Physos.

Pain in sacrum extending down sciatic nerve to right thigh; w.: when standing; at stool; coughing; laughing; when lying on left side (in sciatica). Tellur.

Pain in small of back and in region of sacrum and loins; w. when sitting. Cimex.

Pain in small of back, as if broken, with drawing; w. when stooping. Clem.

Pain in small of back as if would break; w. during rest. Kreas.

Pain it small of back; w. sitting and lying (during menses). Berb.

Pain in spot size of palm of hand below right scapula; w.: evening; after exertion; on deep inspiration; moving right arm; better from pressure. Ruta.

Painful stiffness of muscles of right side of neck; w. on moving or turning head toward shoulder. Bry.

Pains in small of back w. on moving. Natr-s.

Pains in small of back; w. when sitting and in wet weather. Rhod.

Paralytic pain in small of back; w. when rising. Natr-m.

Pressing, dragging pain in sacro-lumbar region, relieved by sitting or lying; w. when walking, extending over sacrum and hips. Sep.

Rheumatic pain in nape of neck with numbness; w. lying. Spig.

Rheumatic pain in neck, shoulders and arms; w. at night. Sang.

Rheumatic pain in small of back; w. on every motion, making walking or turning difficult. Bry.

Rheumatic, painful stiffness of left side of back from nape of neck down to sacrum; w. on slightest motion. Guaj.

Severe pain in small of back; w. from touch or motion. Colch.

Sore, aching pain in sacral region; w. walking. Lact-ac.

Soreness down muscles of back, pains shifting about; w. from deep breathing. Sang.

Violent cutting in lumbar vertebræ; w. during stool. Rheum.

Violent pain in back; w. at night. Natr-c.

Weight in lower part of sacrum and coccyx; better standing; w. sitting and at stool. Arg-n.

Writing.—Nape of neck feels tired after w. or any exertion. Zinc.

Wry.—W. neck. Eupat-purp., Lachn.

W. neck, stiff neck or crick in neck: sterno-cleido-mastoid muscles rigid, hard and swollen; least attempt to turn neck attended with great pain. Acon., Bell., Dulc., Eupat-purp.

Yawn (see section on sleep).—Great weariness and loss of strength in spine, with disposition to y. and stretch. Dios.

Zona (see section on Skin).—Erysipelas from back around abdomen (z.). Merc. (Rhus-t.)

Zoster (see section on Skin).—Eruption on back like z. Cist.

THE UPPER EXTREMITIES.

Absence.—A. of feeling in back of fingers. Sec.

Ache.—All bones of arms a., especially of thumbs. Calc-ph.

Aching.—A. from shoulder joint to elbow. Abrot.

A. in forearm above wrist joint during rest. Spig.

A. in left acromion process with shooting pains down arms. Æsc.

A. pain in bends of elbow when stretching arm. Clem.

A. pain in left forearm. Carb-ac.

A. pain in muscles of shoulder and right arm. Calc-c.

A. pain in shoulders. Nitr-ac.

A. pain in wrist. Rhus-r.

Constant rheumatic pain and a. in left arm. Gymnoc.

Contractive, a. pain in elbow. Nux-v.

Dull, a. pain in index finger of right hand extending to other fingers. Abrot.

Hard, a. pains in fingers of forearms and in wrist and hands. Dios.

Intense a. and soreness in arms, as if bruised or beaten. Eupat-perf.

Rheumatic pains and a. in bones. Abies-n.

Tearing, a. pains in arms (with diphtheria). Lach.

Acromion process (see Crazy-bone).—Aching in left a. with shooting pains down arms. Æsc.

Afternoons.—Rheumatism: excruciating pains in arms; worse a. and evenings. Cimicif.

Aggravated (see Worse).—Tearing in shoulder or in shoulder joints at night, with gnawing or bruised pain and sticking; at first a., afterwards relieved, by motion of arms. Sulph.

Air.—Pain in arm from cold a. Rhod.

Pain in right shoulder joint (Sang.) extending toward hand with sensation as if a. were passing down. Fluor-ac.

Panaritium: pain better in open a. Natr-ph.

Vesicular eruption on arms comes out in cold a. Dulc.

Alive.—Numb feeling in arms at night, with sensation as if something a. were running or crawling. Ign.

Alternate.—A. heat and coldness of hands. Cocc., Paris.

Alternating.—Drawing pain in muscle covering left radius a. with pain in same muscle on right side. Card.

Anxiety.—Tingling in fingers with a. and painful jerks of arms. Ver-a.

Arthralgia.—A.: pain in joints, worse on motion. Arg-n.

Arthritis.—A. with drawing pains in elbow and finger joints. Ant-c.

Chronic a. with swelling, immobility and deformity of joints. Brom.

Articular.—A. exostosis on fingers. Calc-flu.

Asleep.—Arms and hands fall a. Nux-v.

Arms and legs numb and feel as if a. in morning on waking. Aur.

Arms a. on waking in morning; can hardly move them. Calad.

Arms numb and fall a. Phos.

Arm on which he lies falls a. Rhus-t. (Rheum.)

Fingers frequently feel as if a. Paris.

Fingers numb as if a. Bar-c.

Hands alternately numb as if a. Cocc.

Hands fall a. Nitr-ac.

Hands fall a. at night. Sil.

Hands feel numb as if had been a. Lyc.

Hands feel as if too thick and as if a.; they are heavy and clumsy. Mancin.

Jerks of limbs on falling a. Ign.

Lameness and numbness of arms and fingers; they feel as if a. Sep.

Numb and heavy feeling in right forearm as if a. Am-m.

Numbness of limbs as if a. Arg-n.

Ring and fourth fingers fall a. if they get cold. Anac.

Atrophy.—A. of arms. China, Graph., Selen.

Numbness of hands when grasping anything, with muscular a. Calc-c.

Automatically.—Arms constantly moving a. except when asleep. Hell.

Autumn.—Pain in arm in a. Rhus-t.

Awaking.—Arms and legs numb and feel as if asleep in morniug on a. Aur.

Arms asleep on a. in morning; can hardly move them. Calad.

Numbness of arms in morning on a. Magn-m.

Sharp pain in left shoulder on a. Abrot.

Axilla.—Drawing and tearing pain from elbow to a. at night. Ars.

Drawing pain in right arm and a. Cast-eq.

Felon: violent, throbbing, gathering pain, occuring every winter for many years; lymphatics of arm inflamed; pain extending to a., where there is a lump. Hep-s. (Felon may be prevented by the application of the first decimal trituration of Hep-s. The diseased part of the finger should be well covered with the powder and saturated with water, and then well covered with oil silk to prevent evaporation.—W. D. G.)

Hard pressure in right a. and upper arm; worse on touch or motion. Agn.

Pain in right a. extending to pectoral muscle. Brachyg.

Strong-smelling perspiration in a.; smells like garlic. Lach.

Swelling and suppuration of glands of a. Coloc.
Swelling of gland in a. like a hard red ulcer separating into parts like large pimples. Am-m.
Throbbing pain through a. extending to teeth and side of head. Coloc.
Ulcer in left a. Borax.
Whitlow with red streak up arm and in a. **Am-c.**

Axillæ.—Boils in a. Phos-ac.
Disgusting, offensive sweat in a. **Sulph.**
Encysted tumors in a. Bar-c.
Fetid perspiration in a. Petr.
Fistulous ulcer in glands of a. **Calc-c.**
Glands of a. swollen. Lach.
Glandular nodosities in a. Nitr-ac.
Great swelling of glands of a. Sil. (Bar-c., Lyc.)
Hard swelling of glands in a. (Sil.) with pains in arms. **Bar-c.**
Herpes in a. Carbo-an.
Humid tetter in a. Sep.
Induration of glands in a. Carbo-an.
Inflammatory swelling of glands in a. **Aur.**
Itching in a. (before menses). Sang.
Offensive sweat in a. Sil.
Painful sensitiveness of glands of a. Sulph-ac.
Painful swelling of glands of a. Nitr-ac.
Papular eruption on forearms spreading over hands and wrists; arms red and glands of a. suppurated. Kali-bi.
Perspiration in a. smelling like garlic. Osm. (Tellur.) (Like honey. Thuja.)
Perspiration in a. smells like onions. Bov., Sulph.
Profuse sweat in a. Sabad., Squilla.
Scurfs in a. Natr-m.
Sharp stitches in a. from without inward. Arn.
Slight contusion in little finger followed by tearing pain and redness along lymphatic vessels over whole arm into a. causing painful swelling of glands. Bufo.
Suppuration of glands in a. Hep-s. (Sil.)
Swelling and inflammation of glands in a. Rhus-t.
Swelling and suppuration of glands of a. Sep. (Calc-c.)
Swelling of glands in a. Am-c., Clem., Coni., Iod., Kali-c., Lyc., Sulph. (Bar-c., Sil.)
Swelling of glands of a. with burning pain in arms. Phos.
Violent pain in left arm as if dislocated, and as if flesh were torn from bones, from a. to tips of fingers (in rheumatism). Tart-em.

Back (see Dorsum).—Swelling of b. of left hand; veins distended. China.
Violent prickling pain from b. of right hand to shoulder joint. Gymnoc.

Back of hands.—Brown discoloration on b. Iod.
Eruption on b. Berb., Kali-chl., Kreas., Mur-ac.
Eruption on b. and wrists and half way up to elbows. Mez.
Itching of b., in palms and on nuckles. Champ.
Large warts on b. Nitr-ac.
Perspiration on b. Lith-c.
Red swelling of b. Sulph-ac.
Rhagades on b. Rhus-t.
Small red petechiæ with white spots on forearm and b. Berb.
Warts on fingers and b. Ferr.

Backward.—Spasms in arms drawing them b. Am-c.
Cramp in right arm drawing it b. Am-c.
Dyspnœa on bending arms b. Sulph.
Fingers bent b. Sec.
Pain in shoulder joint when bending arm b. as if bruised or as after great bodily exertion. Ign.
Rheumatic pains in right deltoid muscle; worse on moving arm b. Agar.

Bean.—Gangloin on right wrist size of b. Calc-c.

Beaten.—Arms and whole body painful as if bruised or b. Led.
Intense aching and soreness in arms, as if bruised or b. Eupat-perf.
Numb and heavy feeling in arms as if b. Puls.
Pain as if b. in right upper arm. Cinnab.
Pain in arm as if humerus were b. in middle extending to thumb. Puls.
Pain in arms as if b. Acon., Arn., Croc., Ver-a.
Pain in hands as if b. Ruta.
Pain in shoulder joint as if b. Dros.
Pain in upper arm as if b. Cocc., Hep-s.
Pain in wrists as if b. Dros.
Pain under right shoulder joint as if b. Kali-c. (Left. Kali-jod.)
Pains in arms and joints, with numbness, as if b., or as after a blow or a fall. Ruta. (Arn., Bad.)
Soreness of integuments; flesh sore to touch, as if had been b. Bad.

Beating.—Panaritium: violent b. and sticking pains in fingers. Sep.
Spasmodic pain in arms, with chilliness, with internal b. after yawning and stretching. Nux-v.

Bed.—Coldness of hands in evening in b. Carbo-an.

Bedclothes.—Picking at b. and face. Hyos.

Bend.—Finger joints b. over easily. Bell., Hep-s., Nux-v., Teucr.

Bending.—Cutting pain in shoulder joint when b. arm forward. Ign.
Drawing pain in finger joints when b. them. Iod.
Dyspnœa on b. arms backward. Sulph.
Pain, as if ulcerated or sprained, at a small spot in back of wrist, when b. or pressing upon it. Bov.
Pain in shoulder joint when b. arm backward, as if bruised, or as after great bodily exertion. Ign.

Redness and swelling of finger joints, with tension on b. Spong.
Sticking rheumatic pain in shoulder joint when moving arm or b. head. Puls.

Bends of elbows.—Aching pain in b. when stretching arm. Clem.
Burning pain in b. Sulph.
Cramp from b. to hand, as after carrying a weight. Elaps.
Dry, tettery, scabby eruption in b., with red spots. Mez.
Eruption in b. and around wrists. Psor.
Herpes circinatus itching terribly in b. Graph.
Herpetic eruption in b. forming yellow scales and itching. Cupr.
Itching eruption in b. Sep.
Itching in b. Sep.
Moisture on b. Sep.
Pain as from bruise in b. Caust.
Pimples in b. Ol-an.
Stitches in b. and joints of hands and fingers. Spig.
Tearing pain in b. and in wrists. Kali-c.
Violent itching in b. Hep-s.

Bends of joints.—Deep rhagades on hands, fingers and in b., base of which looks sore and bleeding. Merc.
Rhagades in b. Mang.

Bent.—Fingers b. backward. Sec.
Fingers contracted, flexors b. inward (in leprosy). Tart-em.
Paralysis of fingers, they are drawn b. Phos.
Thumb and fingers b. inward (in convulsions of children). Æth.

Better (see Relieved).—Burning, pricking vesicles, filled with fluid, peeling off and leaving denuded spot on hand; worse from cold water; b. from warmth. Canth.
Jerking and tearing in elbows and wrist joints during rest; b. during motion. Rhus-t.
Pain in arm on which patient lies; b. from motion. Ars.
Painful lameness in forearm and hand; b. on motion. Bar-c.
Panaritium: pain b. in open air. Natr-ph.
Rheumatic pains in arms; b. on motion. Meph.

Between.—Desquamation b. fingers. Am-m.
Eruption b. fingers. Lyc., Puls., Sep., Sulph-ac.
Eczematous eruption upon dorsum of left hand b. and upon fingers. Canth.
Eczematous vesicles b. fingers itching and burning fearfully. Canth.
Herpes b. fingers. Ambr., Graph., Nitr-ac.
Herpetic eruption b. fingers. Nitr-ac.
Humid, painless eruption b. fingers. Hell.
Humid, painless vesicles b. fingers. Hell. (Graph.)
Itching b. fingers. Ran-sc.
Itching b. fingers and on palms; obliged to rub them, but itching increased by scratching, which causes great burning. Sulph.

Itch-like eruption on wrist and b. fingers. Oleand.
Muscles b. ring and little fingers very sore. Samb.
Raw, moist places b. fingers. Graph.
Soreness b. fingers. Ars., Graph.
Vesicles on and b. fingers. Selen.
Vesicular eruption, with itching b. fingers. Psor.

Biceps.—Quivering or twitching in deltoid muscle. Ign. (In b. or triceps. Fluor-ac.)

Biting.—Itching worse evenings, with b. and burning in arms. Bov.

Black.—Swelling of arm, with b. blisters having putrid smell. Ars.

Bleed.—Nails b. Crotal.
Small wounds b. much. Phos.

Bleeding.—Deep rhagades on hands, fingers and in bends of joints, base of which looks sore and b. Merc.
Moist, itch-like eruption on hands b. at night. Merc.

Blisters.—B. on fingers. Am-m.
B. on wrist forming scabs. Am-m.
Blue b. on fingers. Ran-b.
Eruptions, like b., on palms and fingers. Ran-b.
Itching b. on hands, first pale, then red. Gum-gut.
Large b. on palms. Bufo.
Large water b. on end of thumb, with smaller ones at side of finger nails. Ailanth.
Phagadenic b. on hands and fingers. Magn-c., Nitr-ac.
Spreading b. on hands and fingers; worse from cold water. Clem. (Sil.)
Swelling of arm, with black b. having putrid smell. Ars.

Bloated.—Fingers b. when arms hang down. Am-c., Phos.
Forearms and hands b. and dark blue. Samb.
Hands b. Cham.

Blood (see section on Heart).—Congestion of b. to arms. Sil.
Feeling as if all b. rushed to hands and as if string was tied tightly around arm. Nux-v.
Paresis, with shocks as if b. would start out of vessels. Nux-v.
Sensation as if b. ceased to circulate in arms; hands feel warm. Rhod.
Vesicles filled, with b. on tips of fingers. Ars.

Blood boils (see section on Skin).—B. on upper part of arm. Bar-c.
Large b. on shoulders. Nux-j.
Small b. on hands. Iris.

Blotches (see Spots).—B. on forearm and elbows, with violent burning and itching. Mur-ac.

Blow.—Pain in left elbow joint, as from a b. Ruta.
Pains in arms and joints, with numbness, as if beaten, or as after a b. or a fall. Ruta. (Arn., Bad.)

Blue.—B. blisters on fingers. Ran-b.
B. mottled appearance of hands. Lach.

B. spots, like suggillations on forearm. Sulph-ac.
B. spots on forearm, as if ecchymosed. Sulph-ac.
Cold hands with b. nails. Merc-sulph.
Cold hands with b. spots. Bar-c.
Forearms and hands bloated and dark b. Samb.
Hands b. Am-c., Apis, Bar-c., Elaps, Ver-a.
Hands b. and icy cold. Ver-a.
Hands look b. and veins distended after washing in cold water. Am-c.
Nails b. Aur., Chelid., China, Dig., Natr-m., Nux-v., Sil.
Nails b. (in intermittent fever). Ars.
Nails b., with numbness of finger tips. Arg-n.

Blueness.—B. of hands and nails (in tuberculosis). Chin-ars.
B. of nails. Acon. (Nux-v., Opi.)

Bluish.—B. marble skin. Cupr.
Finger nails b., lead-colored (in disease of heart). Apoc.
Lameness and dryness of hands; they look b. Zinc.
Panaritium: b. swelling becomes gangrenous, with pricking, tingling pain. Lach.

Blunt.—Deep impressions on fingers, from usuing b. instruments, as scissors or knife. Bov.

Boil.—Large, inflamed swelling, like erysipelas, on forearm below elbow passing into suppuration, like a b. Lyc.

Boils (see section on Skin).—B. and rhagades on fingers and hands (after working in water). Calc-c.
B. in axillæ. Phos-ac.
B. on arms. Brom., Calc-c., Kali-n., Mez., Sil.
B. on fingers. Calc-c., Lach.
B. on forearms. Calc-c., Lyc., Magn-m., Petr.
B. on hands. Calc-c., Lyc.
B. on shoulders. Kali-n.
B. on thumb. Kali-n.
B. on upper arms. Carbo-v., Zinc.
Small b. or pustules on forearms. Calc-c.

Bone.—Tearing in upper arm, as if in marrow of b. Magn-m.

Bone felons (see Felons).—B. Sil.

Bones.—All b. of arms ache, especially of thumbs. Calc-ph.
B. feel bruised, with cracking in joints from motion. Kali-bi.
B. of hands feel as if bruised when pressed. Kali-bi.
Cutting, drawing pain in upper arm and elbow; pain seems to be in b. Alu.
Drawing in periosteum of b. Rhod.
Drawing pain in limbs, as if b. were squeezed. Alu.
Gnawing pains in b. of forearms. Graph.
Gnawing, stinging pains in joints and along b. Dros.
Hard aching pain in b. of forearms and in wrists and hands. Dios.
Intolerable pains in b. and joints of arms. Ign.

Lameness in carpal b. and b. of hands. Bell.
Pain in b. of arm on which he lies at night. **Iod.**
Pains in b. of arms when coughing. Kali-bi.
Pain in left arm, as if b. were broken. **Gymnoc.**
Pain in shoulders and b. of arms on movement. **Cocc.**
Pains in b. of arms at intervals. Lach.
Periosteum of b. in hands, painful on pressure. **Led.**
Rheumatic pains and aching in b. Abies-n.
Sensation as if flesh were detached from b. Bry., Ign., Rhus-t., Sulph., Thuja.
Sudden, jerking pain in right wrist and b. of hand. Ox-ac.
Sudden stitch jerking and tearing in b. of upper arms. Berb.
Violent pain in left arm, as if dislocated, and as if flesh were torn from b., from axillæ to tips of fingers (in rheumatism). Tart-em.

Boring.—B. in finger tips. **Sulph.**
B. in humerus. Mang.
B. in nails. Colch.
B. in wrist. Hell.
B. sensation in shoulder joint. Rhod.
B., sticking pain in middle joint of index and middle fingers. Hell.
Stitching, b., gnawing pains in arms and fingers. Ran-sc.

Break.—Nails b. off. Graph., Merc., Sil., Sulph.
Pain in middle of upper part of right arm, as though it would b. Cinnab.

Brittle.—Finger nails b., exfoliate and fall off. Merc.
Nails b. Dios., Fluor-ac., Psor.
Nails b. and crumbling. Graph.
Panaritium in very old men; finger nails b., soft, elastic and pink. Ambr.
Panaritium: nails b., with cutting pains and disposition of tips of fingers to ulcerate. Alu.

Broken.—Pain in left arm, as if bones were b. Gymnoc.
Small pustules on hands secrete a watery fluid when b.; if not touched, fluid thickens into yellow, tough mass. Kali-bi.
Wrists pain, as if b. or dislocated. Eupat-perf. (Rhus-t.)

Brown.—B. discoloration on back of hands. Iod.
B. or yellow spots on arms. **Petr.**
B. skin of hands. Thuja.
B. spots on elbow. Cad., Sep.
B. spots on hands. Natr-m.
B. spots on palms. Iod., Natr-c., **Thuja.**
B. spots on wrist. Petr.

Bruise.—Pain, as from b., in bends of elbows. **Caust.**
Pain, as from b., in humerus. Hep-s.
Pain, as from b., under right shoulder. Kali-c. (Sang.)

Bruised.—Acute, b. pain in balls of thumbs. Arn.

Arms and whole body painful, as if b. or beaten. **Led.**
Arms feel b. on movement or touch. Calc-c.
Arms feel lame and b. Dros.
Arms feel weary and sore, as if b. Arn.
Arms painful, as if b. Sulph.
Bones feel b., with cracking in joints from motion. Kali-bi.
Bones of hands feel as if b. when pressed. Kali-bi.
B. pain in arms. Arn., Sep.
B. pain in elbow joints. Carbo-v.
B. pain in left shoulder. Sulph. (Ferr.)
Digging pain, with wave-like drawing in upper part of humerus, as if b. Cocc.
Forearm feels heavy and as if b. Croc.
Intense aching and soreness in arms, as if b. or beaten. Eupat-perf.
Pain and numbness in wrist joints and dorsum of hands, as if b. Ruta.
Pain, as if b., in upper arm. Sep.
Pain in shoulder joint when bending arm backward, as if b., or as after great bodily exertion. Ign.
Paralytic and b. pain in arms. Ver-a.
Paralytic, b. pain in left arm. Dulc.
Right thumb trembles, is sensitive and numb; feels as if b. Plat.
Shoulders feel b. Coni.
Shoulders pain, as if b., with paralytic weakness and heaviness. Nux-v.
Swelling of deltoid muscle, which when touched feels painful, as if b. Acon.
Tearing in shoulder or in shoulder joints at night, with gnawing or b. pain and sticking; first aggravated, afterwards relieved, by motion of arms. Sulph.
Upper arm painful, as if b. Nitr-ac.
Weakness and painful weariness in arms, with pain, as if b. Agar.
When extending arms sensation in shoulder as if b. Can-sat.

Bruises.—Pain, as from b., in upper arms. Natr-m.

Bruising.—B. pain from middle of forearm to wrist. Kali-bi.
B. pain in arms. Arn., Plat., Ruta.
B. pain in elbow joints. Ruta.
B. pain in forearm. Cic-v.
B. pain in hands and fingers. Bism., Oleand.
B. pain in left thumb. Kreas.
B. pain in shoulder. Cic-v.

Bubbling.—B. sensation in elbow joints. Rheum.
B. sensation in upper arm. Colch., Petros.

Burning.—B. and redness of dorsum. Natr-ph.
B. from shoulders to scapulæ and down arm and hand to fingers. Magn-m.

B. heat and redness of fingers, even from slight cold, as if they had been frosted. Borax. (Agar.)
B. in arms. Agar., Alu., Berb., Bry., Phos., Plat., Puls., Rhus-t.
B. in elbow. Plat.
B. in fingers. Agar.
B. in hands. Phos., Sec., Stann.
B. in hands and feet. Led., Sec.
B. in hands and feet, with weakness of whole body. Sulph.
B. in nails. Caust.
B. in palms. Lach., Lyc., Petr., Phos., Sep. (Sang., Stann., Sulph.)
B. in palms and soles. Carbo-v., Lachn., Lil-tig. (Sulph.)
B. in palms and soles at night. Sang.
B. in right shoulder. Carbo-v.
B. in shoulder joints. Graph.
B. in tips of fingers. Caust.
B. in upper arm. Agar.
B. in bends of elbows. Sulph.
B. pain in first joint of thumb. Led.
B., pricking vesicles, filled with fluid, peeling off and leaving denuded spots on hand; worse from cold water; better from warmth. Canth.
B. stitch in left thumb. Lith-c.
B., tearing pain in shoulders, with numbness of arm. Rhus-t.
B. ulcers on tips of fingers. Ars.
Cutting pain in forearm, followed by b. Mosch.
Deep rhagades on fingers, with b. pains. Sars.
Fingers red and swollen in various places, with b. and itching. Nux-v.
Great b. in palms. Sulph. (Lach.)
Heat and b. in palms and soles. Petr. (Sulph.)
Itching between fingers and on palms; obliged to rub them, but itching increased by scratching which causes great b. Sulph.
Itching, b., redness and swelling in the hands as if had been frozen. Agar.
Itching worse in evenings with biting and b. in arms. Bov.
Panaritium: b., stinging and throbbing, very sensitive to touch. Apis.
Pimples on shoulders with violent itching and b. after scratching. Kali-c.
Psoriasis palmaris, affecting whole palm (Skookum chuck); itching and b. so that it was impossible to do any work; thick scales. Petr.
Redness and b. of hands. Sang.
Round, b., itching spot on hand. Iod.
Stinging, itching, b., under skin of wrist joint. Arg-m.
Swelling, b. and stiffness of fingers. Oleand.

Buzzing.—B. in hands. Nux m.

Callosities.—Horny c. on hands. Graph.

Caries.—C. of forearms, wrist or fingers. **Sil.**

Ulcers of fingers with c. Kali-bi.

Carried.—Pain in right shoulder as if had c. something very heavy. Cast.

Carpus.—Painful swelling of c., itching when touched. Calc-c.

Carrying.—Arms go to sleep easily, especially when lying on them or when c. anything in hands. Ambr.

Cramp from bend of elbow to hand after c. a weight. Elaps.

Carpal bones.—Lameness in c. and bones of hands. Bell.

Tearing pain with lameness and pressure in right forearm, especially in c. Bism.

Cease.—Sharp pains in hands and fingers c. on pressure. Lith-c.

Ceased.—Sensation as if blood c. to circulate in arms; hands feel warm. Rhod.

Cellular tissue.—Induration of c. of forearm. Sil.

Chalky.—Finger joints enlarged and filled with c. deposit. **Lyc.**

Change.—Rheumatism: pains c. rapidly from one place to another, with constant chilliness; worse in evening. Puls.

Changing.—Rheumatic pain in right shoulder, right arm and hip, c. often and lasting but a short time. Ox-ac.

Severe drawing pains constantly and quickly c. in all joints, especially smaller. Iris.

Shooting pains rapidly c. about in bones of wrists and hands. Iris.

Chapped (see section on Skin).—Hands c. and covered with rhagades; especially in winter. Petr.

Skin of hands c. Magn-c.

Skin of hands rough and c. Kali-c.

Chest (see section on Chest).—Hands numb; fingers go to sleep (with affections of c.). Carbo-an.

Pain in right shoulder and anterior muscles of c. through arm down to nails. Cimex.

Rheumatic pains in right scapula (Chelid.) and right side of c.; worse during inspiration. Æsc.

Violent pain in shoulder and c. Cist.

Chicken-pox.—Eruption like c. on arms. **Led.**

Chilblains.—C. on hands. Sulph-ac.

C. on hands itch and swell. Zinc.

Painful c. on hands. Petr.

Thick, red c. on fingers. Sulph.

Children.—Thumb and fingers bent inward (in convulsions of c.). Æth.

Chill (see section on Chill and Fever).—C. begins in and spreads from arms. Hell.

During c. pain in hand and fingers. Nux-v.

Chilliness.—C. in arms. Bell., Ign.

Rheumatic pains change rapidly from one part to another, with constant c.; worse in evenings. Puls.

Rheumatic pains in arms with c., with internal beating after yawning and stretching. Nux-v.

Cholera (see section on Stool).—Hands and fingers pale, cold and wrinkled, as if had been long time in water (in c.). Sec.

Cholera infantum.—Convulsive rotary motion of right arm with thumb clenched (in c.). Camph.

Chorea.—C: twitching and jerking of muscles of one arm and leg (usually right); convulsive, uncontrollable movements of arms and legs; twitching of muscles and shrugging of shoulders returning every day; arms and limbs in constant motion, cannot keep hands in same position for a moment. Myg.

Twitching and jerking commencing in fingers (in c.). Cupr.

Chorea-like.—C., convulsive motions of arms. Arg-n.

Cicatrices (see section on Skin).—Deep, stinging c. in hands. Kali-bi.

Circulate.—Sensation as if blood ceased to c. in arms; hands feel warm. Rhod.

Clavicle.—Drawing, tearing pain from right c. to tips of fingers. Caps.

Pain in left shoulder between c. and scapula internally. Cinnab.

Clenched.—C. thumbs (in epileptiform spasms). Æth.

Convulsive rotary motion of right arm with thumb c. (in cholera infantum). Camph.

Hands c. (not thumbs). Stram.

Thumb c. across palms (in epilepsy). Cupr.

Clenching.—Convulsions of arms with c. of thumbs. Cocc.

Closing.—Rheumatism: severe pain in wrist and fingers with swelling; cutting in joints when c. hands; pains change to nape of neck with spasmodic rigidity; fingers stiff. Caul.

Clumsy.—Hands and fingers cold, numb, c. and stiff. Ptel.

Hands feel as if too thick and as if asleep; they are heavy and c. Mancin.

Hands feel larger than usual and c., with pricking numbness. Ptel.

Cobweb.—Sensation of c. on hands. Borax.

Cold.—Burning heat and redness of fingers even from slight c. as if they had been frosted. Borax. (Agar.)

Burning pricking vesicles, filled with fluid, peeling off and leaving denuded spot on hand; worse from c. water; better from warmth. Canth.

C. hands with blue nails. Merc-sulph.

C. hands with blue spots. Bar-c.

C. hands with warm feet. Aloe. (Cham.)

C. sweat on hands (Sulph.) with c. nose. Nux-v.

Deadness of fingers; they become icy c. and insensible. Caust.

Fingers alternately hot and c., as if dead, and have dead color. Paris.

Fingers become c. and feel as if would go to sleep when sitting. Cham.
Forearms icy c. (with diarrhœa). Brom.
Glands alternately hot and c. Cocc.
Hands and arms become c. and tremble with hereditary headache. Calc-c.
Hands and arms c. (in diarrhœa). Phos.
Hands and fingers c., numb, clumsy and stiff. Ptel.
Hands and fingers pale, c. and wrinkled, as if had been long time in water (in cholera). Sec.
Hands c. Dig., Eupat-perf., Iod., Ipec., Kali-c., Lach., Mancin., Mez., Natr-c., Ran-b., Sars., Sep., Squilla, Sulph.
Hands c. and moist. Tart-em.
Hands c. and shrunken. Abies-c.
Hands c., as if dead. Ox-ac.
Hands c. at night. Phos., Thuja.
Hands c., even in warm room; coldness extends through whole body. Sep.
Hands c., feet warm. Aloe.
Hands c. when coughing. Rumex.
Hands feel c., as if frozen, with tingling under nails on entering warm room. Nux-m.
Hands hot, feet c.; when feet get warm, hands get c. Sep.
Hands icy c. Acon., Carbo-v.
Hands icy c., body warm. Tabac.
Hands look blue and veins are distended after washing in c. water. Am-c.
Middle fingers become dead; are white, c. and senseless. Calc-c.
One hand pale and burning hot, other red and c. Mosch.
Pain in arm from c. air. Rhod.
Paralysis of arms; they are icy c. Dulc.
Right hand c. and dead, with yellowness of finger joints. Chelid.
Ring and fourth finger fall asleep if they get c. Anac.
Spreading blisters on hands and fingers; worse from c. water. Clem. (Sil.)
Tips of fingers c. Chelid.
Tips of fingers icy c. Tarax.
Tips of fingers icy c., as if dead. Tart-em.
Tips of fingers sensitive to c. Cist.
Trembling of hands, tips of fingers c. Tart-em., Tarax.
Vesicular eruption on arms comes out in c. air. Dulc.
Wrist stiff and feels as if sprained; worse in wet, c. weather. Ruta
Wrists and hands c. Gels.

Coldness.—Alternate heat and c. of hands. Cocc., Paris.
C. and numbness of fingers, as if dead. Thuja.
C. and numbness of hands. Ox-ac.

C. and numbness of right hand, with tingling of ring and little fingers. Sec.
C. of arms. Bell., Led., Opi., Plumb.
C. of fingers. Sulph.
C. of hands extending as far as elbows. Caust.
C. of hands in evening in bed. Carbo-an.
C. of hands while rest of body is warm. Coloc.
C. of one arm while other is warm. China. (Cham., Puls.)
C. of one hand, sweat of other. Ipec., Mosch.
C. of one hand while the other is hot. Ipec.
C. of right hand, with stiffness and numbness of thumb. Can-ind.
C. of right hand, with warmth of left. Mez.
C., rigidity and spasmodic contraction of fingers. Ferr.
Constant c. of hands. Ambr.
Great c. of hands, with sensation, as if fingers were dead (in intermittent fever). Sep.
Icy c. of one hand, other hot and red. Puls.
Numbness and c. of fingers. Mur-ac.
Numbness and c. of tips of fingers. Sec.
Trembling and c. of hands. Agar. (Phos.)

Colic (see section on Abdomen).—Felons, with tendency to c. Dios. (Whether met with thus or singly, Dios. will usually cure whitlow, if taken as soon as pricking is felt in finger, and greatly relieve and hasten termination if taken later.—J. B. Bell., M.D.).

Condyles (see section on Skin).—Gouty nodosities on c. Calc-c.

Congestion.—C. of blood to arms. Nux-v., Sil.

Constricted.—Cramp-like pain near shoulder, as if everything in chest were tightly c. (in hysterical affections). Plat.
Peculiar sensation in right hand and forearm, as if c., larger in size and not under control of will. Cupr.

Contracted.—Fingers c., flexors bent inward (in leprosy). Tart-em.
Fingers stiff, numb and c. Ferr.
Left arm feels stiff and fingers c. Paris.

Contraction.—C. and induration of tendons of fingers. Caust.
C. of arms. Lyc., Sec.
C. of fingers. Graph., Lyc., Merc., Natr-c., Ox-ac., Ruta. (Caust.)
C. of flexors of fingers. Spig.
C. of hands. Stram.
C. of muscles of hands. Coloc.
C. of right hand when writing. Euphorb.
C. of right thumb and index finger. Cycl.
Cramp-like c. of metacarpal bones. Can-sat.
Periodical c. of fingers, like cramp. Phos.
Sensation of c. in joints. Anac.
Spasmodic c. of arms and hands. Tabac.
Sensation of c. of tendons. Æth., Lach., Sep.

Contractions.—Coldness, rigidity and spasmodic c. of fingers. Ferr.
Cramp-like c. of hands and fingers. Merc.
Contractive.—C., aching pain in elbow. Nux-v.
Cramp-like, c. pain in hand extending to tips of fingers. Prun-s.
Contused.—C. pain in elbow, then in shoulder joint. Dros.
Contusion.—Pain, as from c., in elbow joints. Carbo-v.
Pain, as from c. in tips of fingers. Caust.
Slight c. in little finger followed by tearing pain and redness along lymphatic vessels over whole arm into axillæ causing painful swelling of glands. Bufo.
Swelling and wrenching pain in elbow, as after c. Puls.
Convulsions.—C. in arms. Bell., Cham., Iod., Opi.
C. of arms, with clenching of thumbs. Cocc.
C. of fingers. Ign.
C. of hands. Bell., Iod.
Thumb and fingers bent inward (in c. of children). Æth.
Thumbs drawn into palms (during c.). Glon.
Convulsive.—Chorea: twitching and jerking of muscles of one arm and leg (usually right); c., uncontrolable movements of arms and legs; twitching of muscles and shrugging of shoulders returning every day; arms and limbs in constant motion, cannot keep hands in same position for a moment. Myg.
Chorea-like, c. motions of arms. Arg-n.
C. jerking and jactitation in muscles of upper arms. Squilla.
C. jerking of arms and legs. Ign. (Stram.)
C. motion of arms over head; raises arms above head, clasps hands, makes graceful, gyratory motions. Stram.
C. movements, with trembling of arms. Plumb.
C. rotary motion of right arm, with thumb clenched (in cholera infantum). Camph.
C. shocks in muscles. Agar.
C. twitching of arms. Cham.
C. twitching of arms and legs. Squilla.
C. twitching of fingers. Ign.
Twitching and c. motions of arms. Bell.
Copper-colored.—C. spots on arms. Nitr-ac.
Smooth c. spots on palms and fingers. Cor-r.
Cough (see section on Cough).—Constant pain under inner angle of right scapula, frequently with c., diarrhœa, and pneumonia (during menses). Chelid.
Swelling of hands, with frequent paroxysms of c. Acon.
Twitching of fingers, with spasmodic c. Osm.
Coughing.—Hands cold when c. Rumex.
Pains in bones of arms when c. Kali-bi.
Crack.—Desire to stretch fingers and make them c. Meph.
Cracked.—Hangnails; skin around nails dry and c. Natr-m.

Palm of left hand c. and horny, with oozing rhagades. Merc-bij.
Rhagades: skin of hands c. and dry, even in mild weather. Zinc.
Skin of arms c., rough and dry. Hep-s. (Graph.)
Skin of hands c. and rough. Petr.
Skin of hands hard and c. in places. Graph. (Cist., Hep-s.)
Skin of hands hard, dry and c. Sulph. (Natr-m.)
Tips of fingers rough, c. and fissured, with stinging, cutting pains. Petr.

Cracking.—Bones feel bruised, with c. in joints from motion. Kali-bi.
C. in elbow joint. Kalm.
C. in finger joints. Merc.
C. in joints. Nitr-ac. (Croc.)
C. in joints of arms. Chin-s., Croc., Kali-bi., Merc., Tart-em., Thuja.
C. in joints of elbows. Kalm.
C. in joints of left arm. Brachyg.
C. in shoulder and elbow joints. Merc.
C. in shoulder joint. Croc., Ferr., Kali-c.
C. in shoulder joint when moving arm. Kali-c.
C. in wrist joint. Coni.
Tearing in hands at night, with c. in wrists. Selen.

Cracks (see Fissures).—Hard, thickened places on hands of workmen, with deep, oblique c. Cist.
Skin on hands c. Æsc.

Cramp.—C. from bend of elbow to hand, as after carrying a weight. Elaps.
C. in arms, hands, fingers and thumb. Natr-m.
C. in fingers of left hand. Arn.
C. in fingers when washing. Tabac.
C. in hands at night. Calc-c.
C. in right arm drawing it backward. Am-c.
C. in thumb drawing it down to palm. Brachyg.
C. in upper arm. Mur-ac.
Grapho-spasmus: c. in fingers, thumb and wrist when writing; soreness extending upward along flexor carpi ulnaris muscle. Brachyg.
Painful c. of fingers and hands. Merc.

Cramp-like.—C. contraction of metacarpal bones. Can-sat.
C. contraction of hands and fingers. Merc.
C., contractive pain in hand extending to tips of fingers. Prun-s.
C. drawing in arms and fingers. Oleand.
C. drawing in muscles. Ol-an.
C., drawing pain in forearm extending to fingers; soon passes off; worse on approach of wet weather. Rhod.
C. pain and lameness of hand on slight exertion. Sil.
C. pain and paralytic weakness of hand. Sil.
C. pain in arms. Plat.
C. pain in ball of right thumb; on motion of hand it extends to thumb. Spong.

C. pain in muscles of left forearm extending to palm. Meny.
C. pain in outer side of second third and fourth fingers of right hand. Card.
C. pain in right arm. Anac.
C. pain near shoulder as if every thing in chest were tightly constricted (in hysterical affections). Plat.
C. pain with twitching in muscles. Meny.

Cramps.—C. in arms. Calc-c., Cupr.
C. in arms and hands. Sec.
C. in hands, especially with grasping anything. **Ambr.**
Lameness and c. in joints. Natr-m.
Twiching and c. in fingers and hands. Cina.

Crawling.—C. and tingling in arms. Sec.
C. in hands. Sulph.
Gnawing under finger nails and c. along arm. **Alu.**
Itching as from c. of insects on arms. Osm.
Itching c., as from fleas on different spots. Ox-ac.
Numb feeling in arms at night with sensation as if something alive were running or c. Ign.
Prickling and c. sensation in palms and tips of fingers. Rhus-t.

Crazy bone (see Acromion process).—Sensation as if c. had been struck. Cinnab.

Creeping.—C. and pricking pain in tips of fingers. Sulph.
C. in left arm. Bell.
C. pain in fingers. Acon.
Tingling in arms, as if insects were c. over them, or as if arm would go to sleep. Ver-a.

Crepitation.—Fistulous ulcers and c. of joints. Calc-flu.

Crookedness.—Drawing and c. in left index finger. Lachn.

Crumbling.—C. of finger nails from slight knock against them. Cast-eq.
Discolored, c. nails. Thuja.
Nails brittle and c. Graph.
Yellow, misshaped, curved, c. finger nails. Nitr-ac.

Crural.—Great pain between sacrum and hip joint, sometimes darting and shooting down anterior c., and sometimes down sciatic nerve. Coloc.

Crushed.—C. finger nails grown in splits and are horny. Ant-c.

Cry out.—Slightest pressure on palm of hand near little finger causes patient to c. Actea-s.

Curved.—Yellow, misshaped, c., crumbling finger nails. Nitr-ac.

Cut.—Nails rough, yellow, very dry, fly to pieces when c. Sil.

Cutting —C. and tearing in muscles of right forearm. Bell.
C., drawing pain in upper arm and elbow; pain seems to be in bones. Alu.
C. pain in arms. Ambr., Anac.
C. pain in elbow, wrist and finger joints. Phos-ac.

C. pain in forearm and fingers. Mur-ac.
C. pain in forearm followed by burning. Mosch.
C. pain in hands. Mur-ac., Natr-c.
C. pain in shoulder joint when bending arm forward. **Ign.**
C. pains in arms. Iod.
C. pains in shoulders or shoulder joints, especially at night. Sulph.
C., rheumatic pains in left arm from shoulder or elbow to wrist. Guaj.
Panaritium: nails brittle, with c. pains and disposition of tips of fingers to ulcerate. Alu.
Tips of fingers rough, cracked and fissured, with stinging, c. pains. Petr.

Cystic.—C. tumors on hands. Bar-c.

Damp (see Wet).—Pain in arm in d. weather. Rhod.

Dark.—Hand and lower part of forearm d. and livid. **Ars.**

Darting.—D. pain in wrist joints. Squilla.
D. pains in arms. Bad.
Great pain between sacrum and hip joint, sometimes d. and shooting down anterior crural, and sometimes down sciatic nerve. Coloc.
Sharp d. pains through fingers. Bad.

Day.—Involuntary jerking of arms during d. Thuja.

Days.—Hands covered with small, dry, reddish pimples, disappear in a few d. Bov.

Dead.—Coldness and numbness of fingers as if d. Thuja.
Arms and fingers feel d. and stiff. Am-c.
Fingers feel as if d. Hep-s.
Fingers become d. (during an attack of epilepsy). Cupr.
Great coldness of hands with sensation as if fingers were d. (intermittent fever). Sep.
Hands cold as if d. Ox-ac.
Hands feel d., sense of feeling gone. Camph.
Middle fingers become d.; are white, cold and senseless. Calc-c.
Right hand cold and d. with yellowness of finger joints. Chelid.
Tips of fingers icy cold as if d. Tart-em.

Deadness.—D. of arms. Am-c., Thuja.
D. of fingers. Am-c., Am-m., Calc-c., Cic-v., Chelid., Sulph.
D. of fingers in morning. Sulph.
D. of fingers; they become icy cold and insensible. Caust.
D. of fingers which grow pale and insensible. Kreas.
D. of hands. Calc-c., Thuja, Zinc.

Death.—Insensibility of tips of fingers and toes followed by gangrene and d. of parts. Sec.

Deep-seated.—D. muscular pains in both arms. Gels.
Panaritium: inflammation of finger tips with d. pain. Am-c.

Deformity.—Cronic arthritis with swelling, immobility and d. of joints. Brom.

Deltoid muscles.—D. feel relaxed. Merc-cor.
Quivering or twitching in d. Ign. (In biceps or triceps. Fluor-ac.)
Pain at insertion of right d. with rheumatic pain in right side. Cedron.
Pain in d. Rhus-r.
Pain in d. when raising arms. Bar-c.
Pain in left then right d. Ox-ac.
Pressure in right shoulder and right d. hindering patient from raising arm. Prun-s.
Rheumatic pains in right d.; worse on moving arm backward. Agar.
Rheumatism of d. with tearing pain. Ferr.
Swelling of d., which when touched feels painful as if bruised. Acon.
Trembling in biceps and triceps of right arm. Fluor-ac. (In d. Ign.)
Violent rheumatic pains in right d. Card.

Denuded.—Burning, pricking vesicles, filled with fluid, peeling off and leaving d. spot on hand; worse from cold water; better from warmth. Canth.

Despair.—Panaritium: intolerable pain, driving to d. Stram.

Desquamation (see section on Skin).—D. about nails. Eugen., Merc., Sabad.
D. between fingers. Am-m.
D. of arms. Agar.
D. of fingers. Agar., Bar-c., Elaps, Merc., Sulph.
D. of hands. Alu., Am-c., Am-m., Bar-c., Ferr., Laur., Sulph.
D. of palms. Am-c.

Detached.—Pain in arm on motion, as if flesh had become d. Dros.
Sensation as if flesh were d. from bones. Bry., Ign., Rhus-t., Sulph., Thuja.

Diagonally.—Trembling or twitching, symptoms appearing d., right arm and left leg. Agar.

Diarrhœa (see section on Stool).—Constant pain under inner angle of right scapula, frequently with cough, d., pneumonia (during menses). Chelid.
Forearms icy-cold (with d.). Brom.
Hands and arms cold (in d.). Phos.

Difficult.—Weakness in shoulder joints makes moving of arm d. Bov.

Digging.—D. pain with wave-like drawing in upper part of humerus, as if bruised. Cocc.
Tearing or d. in right thumb, as if it would ulcerate. Ol-an.

Dinner (see section on Stomach).—Gnawing pain, with drawing and sticking after d.; apparently in bone of arm. Canth.

Diphtheria (see section on Throat).—Tearing, aching pains in arms (with d.). Lach.

Dirty-looking.—Skin of hands and fingers dry, sticky and d. Anagal.

Disappear.—Hands covered with small, dry, reddish pimples, d. in a few days. Bov.

Disappearing.—Violent pain from shoulder to elbow, d. on pressure or friction. Cast.

Discharge.—Vesicular eruption, with acrid, thin, yellowish d. Ran-sc.

Discoloration.—Brown d. on back of hands. Iod.

Discolored.—D., crumbling nails. Thuja.

Nails dirty, d. Ant-c., Ars., Graph., Nitr-ac.

Dislocated.—Feels in shoulder joint as if d. Agar.

Pain, as from a sprain, in right wrist, or as if had been wrenched or d. Calc-c. (Eupat-perf.)

Pain in glenoid cavity of forearm, as if d., during motion. Cocc.

Pain in shoulder, as if sprained or d., on moving arms. Ign.

Pain in shoulder joint, as if d., on moving it. Magn-c.

Pain in wrist, as if d. Bry. (Rhus-t., Ruta.)

Pain in wrist joint, as if sprained. Calc-c. (As if d. Bry., Ox-ac., Ruta.)

Pain on moving arm, as if head of humerus were loose and would be d. Croc.

Right wrist pains constantly, as if sprained or d.; wants to stretch it; cannot hold anything. Ox-ac.

Sensation as if shoulder were d. Croc., Mez.

Violent pain in left arm, as if d. and as if flesh were torn from bones, from axillæ to tips of fingers (in rheumatism). Tart-em.

Wrists pain, as if broken or d. Eupat-perf. (Rhus-t.)

Dislocation.—D. of wrist. Am-c., Ruta.

Pain, as from d. in shoulder joint. Sep.

Wrenching or d. of wrist. Am-c., Ruta.

Distended.—Hands hot, with d. veins. Cast.

Distorted.—Nails d. Graph., Sabad., Sep., Sil., Sulph.

Distortion.—Spasm and d. of arms. Bell., Sec.

Dorsum (see Back of hand).—Burning and redness of d. Natr-ph.

Eczematous eruption on d. of left hand between and upon fingers. Canth.

Itching on d. of fingers. Coni.

Pain and numbness in wrist joints and d. of hands, as if bruised. Ruta.

Red, herpetic, papular eruption on d. of hands, with drawing pain up arm. Petr.

Dots.—Forearm covered with d., like goose skin. Calc-c.

Down.—Aching in left acromion process, with shooting pain d. arms. Æsc.

Burning from shoulders to scapulæ and d. arm and hand to fingers. Magn-m.

Drawing in arms d. to fingers. Sep.

Frequent, shooting pain, like a streak, d. right arm. Mancin.

Neuralgic pains from neck d. right arm to little finger. Kalm.

Pain from face d. arms to tips of fingers. Coff.

Pain from shoulder d. to elbow. Rumex.
Pain in right shoulder and anterior muscles of chest through arm d. to nails. Cimex.
Pain in right shoulder joint (Sang.) extending toward hand, with sensation as if air were passing d. Flour-ac.
Pains from heart shooting d. left arm to ends of fingers. Cact.
Rheumatic pains in shoulder joints extending d. arm to hand; worse on motion. Magn-m.
Rheumatic pains in shoulders, with tingling d. to fingers. Magn-c.
Soreness of head of humerus extending d. arm to elbow. Gymnoc.

Downward.—Drawing in arms from above d. to fingers. Sep.
Rheumatic pains from elbow d. Nicc.
Sticking and tearing in left arm from above d. to tips of fingers. Rhus-t.

Drawing.—Spasm in arms d. them backward. Am-c.
Arthritic d. in finger joints. Sep.
Arthritis, with d. pains in elbow and finger joints. **Ant-c.**
Cramp in right arm d. it backward. Am-c.
Cramp in thumb d. it down to palm. Brachyg.
Cramp-like d. in arms and fingers. Oleand.
Cramp-like d. in muscles. Ol-an.
Cramp-like, d. pain in forearm extending to fingers; soon passes off; worse on approach of wet weather. Rhod.
Cutting, d. pain in upper arm and elbow; pain seems to be in bones. Alu.
Digging pain, with wave-like d., in upper part of humerus, as if bruised. Cocc.
D. and crookedness in left index finger. Lachn.
D. and sore feeling in tips of elbows. Stann.
D. and tearing from shoulder to wrist. Puls.
D. and tearing in arm and fingers. Sep. (Nux-v.)
D. and tearing pain from elbow to axilla, at night. **Ars.**
D. and tearing pains in arms and hands. Sulph.
D. and tightness in elbow joint. Mur-ac.
D. and weariness in wrist joint. Sulph-ac.
D. and tearing in arms and hands. Caust.
D. in and torpor of arms. Nux-v.
D. in arms, as from shortening of muscles. **Am-c.**
D. in arms from above downward to fingers. **Sep.**
D. in elbow joint. Sulph-ac.
D. in fingers and thumb. Ambr.
D. in metacarpal bone. Carbo-v.
D. in muscles. Æth.
D. in periosteum of bones. Rhod.
D. in shoulder joint, with weakness and rheumatic pains in arms. Agar.

D. in wrist joint. Bar-c.
D., jerking and tearing from tips of fingers into shoulders. **Ars.**
D. pain in arm from below upward. Nux-v.
D. pain in arms. Ign.
D. pain in arms; worse in wet weather. **Rhod.**
D. pain in both arms. Nitr-ac.
D. pain in elbow joints. Acon., Sulph.
D. pain in elbow joints and in lower arm. **Caust.**
D. pain in elbows. Natr-c.
D. pain in finger joints when bending them. Iod.
D. pain in forearm. Ang., Carbo-v., Dulc., Nitr-ac., Rhod., Staph.
D. pain in hands. Caust., Nitr-ac., Ol-an., Sulph.
D. pain in inner side of left upper arm. Bell.
D. pain in limbs, as if bones were squeezed. Alu.
D. pain in muscle covering left radius, alternating with pain in same muscle on right side. Card.
D. pain in right arm and axilla. Cast-eq.
D. pain in shoulder joints. Bry., Canth., Sulph.
D. pain in shoulders. Arg-n., Sulph., Zinc.
D. pain in tendons of elbow joint when moving arm. **Puls.**
D. pain in upper arm. Mur-ac., Staph.
D. pain in wrist joint. Caust.
D. pain in wrist joint when at rest. Coni.
D. pains in arms. Ferr., Mang., Nitr-ac., Nux-v., Oleand., Ol-an., Plat., Rheum, Rhod., Sep., Staph., Thuja, Zinc.
D. pains in fingers. Asar., Kreas., Ol-an.
D. pains in finger joints. Caust., Sulph.
D. pains in inner surface of arms. Lyc.
D. pains in joints of hands. Cina.
D. pains in muscles of arms. Caust.
D. pains in wrists. Asar.
D., tearing in right arm from shoulder to hand. Calc-c.
D., tearing pain from left elbow to hand. Carbo-v.
D., tearing pain from right clavicle to tips of fingers. Caps.
D., tearing pain in shoulder and elbow joints to forearm, wrists and fingers. Acon. (Bry., Rhod., Rhus-t., Puls.)
D., tearing pains in elbows. Kali-c.
Gnawing pain with d. and sticking after dinner; apparently in bone of arm. Canth.
Lameness and d. pain in elbow and fingers. Bell.
Paralytic, d., pressing pain in arms, with tearing pain in joints of fingers; pains come and go suddenly. Bell.
Paralytic feeling with d., tearing pains in arms. Ars.
Redness and swelling of hands and fingers, as if frozen, with itching in evening, with d. during motion. Sulph.

Rheumatic d. pain in shoulders and arms, especially in elbow and wrist joints. Grat.
Rheumatic, d., tearing pains in left shoulder, arms and fingers. Sulph.
Rheumatic, tearing, d. pains in arms. Coloc.
Severe d. pain in wrist and fingers. Caul.
Sharp d. pain in right shoulder; worse on motion, especially on raising arms. Iris.
Shooting pains in left shoulder with d. pains in inner side of arm, with great weakness of arm. Bell.
Slow, painful d. in forearm, as if in nerves. Sulph.
Tearing, d., stitching pain and numbness in fingers as if suppurating, or as if panaritium would form. Sil.

Draws.—D. fingers together making a fist (in beginning of intermittent). Cimex.

Driving.—When writing or d. pen or reins drop from hands unnoticed. Lyc.

Drop.—Weakness of hands; they let least thing d. Bov.
When writing or driving pen or reins d. from hands unnoticed. Lyc.
Wrist-drop; weakness of wrist; hands d. Plumb.

Drops.—D. things from hands as from weakness. Bov.

Drunkards.—Trembling of hands (as in d.). Opi.
Trembling of hands (in d.). Ars.

Dry.—D., bran-like, squamous, tettery eruption on hands and fingers, especially in forefinger and middle finger of right hand. Anagal.
Hands feel d. and hot, as if too large. Clem.
Hangnails; skin around nails d. and cracked. Natr-m.
Itching of hands with rough, d., graty skin. Hep-s.
Nails rough, yellow, very d., fly to pieces when cut. Sil.
Palms hot and d. Bad., Chin-ars.
Palms hot and d., with disease of kidneys. Can-sat.
Rhagades: skin of hands cracked and d., even in mild weather. Zinc.
Shriveled, d. skin of hands and fingers. Phos-ac.
Skin of arms cracked, rough and d. Hep-s. (Graph.)
Skin of hands and fingers d., sticky and dirty looking. Anagal.
Skin of hands d. and parched. Nitr-ac.
Skin of hands, especially about nails d. and cracked. Natr-m. (Rhus-t., Sulph.)
Skin of hands d. and cracked. Sulph. (Natr-m.)
Skin of hands red and d. Sulph.

Dryness.—D. of tips of fingers. Sil.
Great d. of hands. Anac.
Great d. of skin of hands. Lyc.
Lameness and d. of hands; they look bluish. Zinc.

Dyspnœa (see section on Chest).—D. on bending arms backward. Sulph

Ecchymosed.—Blue spots on forearm as if e. Sulph-ac.

Eczematous.—E. eruption on dorsum of left hand between and upon fingers. Canth.

E. vesicles between fingers, itching and burning fearfully. Canth.

Elastic.—Panaritium in very old men; finger nails brittle, soft, e., and pink. Ambr.

Elbow.—Aching from shoulder joint to e. **Abrot.**

Arthritis with drawing pains in e. and finger joints. **Ant-c.**

Brown spots on e. Cad., Sep.

Burning in e. Plat.

Contractive, aching pain in e. **Nux-v.**

Contused pain in e. then in shoulder joint. **Dros.**

Cutting, drawing pain in upper arm and e.; pain seems to be in bones. Alu.

Cutting pain in e., wrist and finger joints. Phos-ac.

Cutting rheumatic pains in the left arm from shoulder or e. to wrist. Guaj.

Drawing and tearing pain from e. to axilla at night. **Ars.**

Drawing tearing pain from left e. to hand. **Carbo-v.**

Eruption on e. Berb., Sep., Sulph.

Eruption on right e. Brom.

Gnawing in outer side of e. Dulc.

Herpetic eruption in bend of e. forming yellow scales and itching. Cupr.

Herpetic eruption with scabs on e. Staph.

Itching of outer surface of right arm just above e. Mang.

Itching scurf on posterior part of each e. Sep.

Jerking and tearing in e. and wrist joints during rest; better during motion. Rhus-t.

Lameness and drawing pain in e. and fingers. Bell.

Numbness of right arm from e. to little finger. **Cinnab.**

Pain, as if sprained, in right e. or wrist. Gels.

Pain from shoulder to e. Rumex.

Pain in e. Rhus-t.

Pulsating pain in right e. with soreness in evening. **Still.**

Red, hot swelling from e. to wrist. Merc.

Rheumatic drawing pain in shoulders and arms, especially in e. and wrist joints. Grat.

Rheumatic pains from e. downward. Nicc.

Rheumatic pains in right shoulder or e. **Lob.**

Soreness of head of humerus extending down arm to e. **Gymnoc.**

Stitches in e. and shoulder joints. Graph.

Stitches in left e. Cocc-c.

Suppurating eruption on e. Sulph.

Swelling and wrenching pain in e., as after contusion. **Puls.**

Tearing pain in left e. Iod. (Ars., Ferr.)

Violent pain from shoulder to e. disappearing on pressure or friction. Cast.
Wrenching pain in e. Ambr.

Elbow joint.—Bruising pain in e. **Ruta.**
Cracking in e. Kalm.
Drawing and tightness in e. Mur-ac.
Drawing in e. Sulph-ac.
Drawing pain in e. Sulph.
Drawing pain in e. and in lower arm. Puls.
Drawing pain in tendons of e. when moving arm. **Puls.**
Heaviness with paralytic feeling in e. Samb.
Lame feeling in e. Arg-m.
Pain in e. as if broken. Phos.
Pain in e. as if had knocked it against something. Caust.
Pain in left e. as from a blow. Ruta.
Painful pressure in right e., more violent when leaning it upon table, in which case pain extends to hands. Camph.
Rheumatic or gouty stiffness of left arm and e. Agar.
Stinging stitches in e. Spig.
Swelling of e. Bry.
Swelling of right e. with stitches. **Bry.**
Tension in e. Sep.

Elbow joints.—Bruised pain in e. Carbo-v.
Bubbling sensation in e. Rheum.
Cracking in shoulder and e. Merc.
Drawing pain in e. Acon.
Drawing, tearing pain in shoulder and e. to forearm, wrists and fingers. Acon. (Bry., Rhod., Rhus-t., Puls.)
Pain as from contusion in e. Carbo-v.
Swelling of e. from want of synovial fluid. Calc-flu.

Elbows.—Blotches on forearm and e., with violent burning and itching. Mur-ac.
Coldness of hands extending as far as e. Caust.
Cracking in joints of e. Kalm.
Drawing pain in e. Natr-c.
Drawing tearing pain in e. Kali-c.
Herpes on e. Thuja. (Sep.)
Herpetic, humid, scaly pustulous eruption in palms, e. and fingers. Kreas.
Pain in e. impedes exertion. Tabac.
Red, itching, rough, miliary eruption on both e. feeling like a grater. Cor-r.
Rheumatic pains in e. and wrist joints; stinging in left e. Kali-bi.
Scaling herpetic eruption on e. Sep.
Sticking pain in e. Laur.
Tearing pains in shoulder joints and e. Lyc.

Electricty.—Tickling and prickling in fingers and hands like that produced by e. Ptel.

Emaciation.—E. of arms. Nitr-ac.

E. of hands. Graph.

E. of hands and feet. Selen.

Enlarged.—Finger joints e. and filled with chalky deposit. Lyc.

Enlargement—Feeling of e. of hands. Lyc.

Sensation of e. of arms and hands at night. Diad.

Epilepsy.—Fingers become dead (during an attack of e.). Cupr.

Frequent involuntary jerking and stitches in arms and fingers. Cic-v. (In e. Cupr.)

Numbness of left arm (in e.). Bufo.

Thumb clenched across palms (in e.). Cupr.

Thumbs turn inward (in e.). Cic-v.

Epileptiform spasms.—Clenched thumbs (in e.). Æth.

Eruption (see section on Skin).—Burning e. on arms. Natr-c.

Dry, bran-like, squamous, tettery e. on hands and fingers, especially on forefinger and middle finger of right hand. Anagal.

Dry, scaly e., with itching of palms (syphilitic e.). Selen.

Dry, tettery, scaby e. in bends of elbows, with red spots. Mez.

Eczematous e. on dorsum of left hand between and upon fiingers. Canth.

E. between fingers. Lyc., Puls., Sep., Sulph-ac.

E. in bends of elbows and around wrists. Psor.

E. like blisters on palms and fingers. Ran-b.

E., like chicken-pox, on arms. Led.

E. on arms. Agar., Alu., Ant-c., Caust., Merc., Nux-v., Phos-ac., Rhus-t., Sulph., Tart-em., Valer.

E. on back of hand. Berb., Kali-chl., Kreas., Mur-ac.

E. on back of hands and wrists and half way up to elbows. Mez.

E. on elbow. Berb., Sep., Sulph.

E. on fingers. Lach.

E. on forearms. Alu., Bry., Selen., Spong.

E. on hands. Lach., Mur-ac.

E. on palms. Kali-c., Sep.

E. on right elbow. Brom.

E. on upper arms. Led., Merc., Nux-v., Sep., Tart-em.

E. on wrist. Am-m., Caust., Hep-s., Led., Rhus-t., Tart-em.

Exanthematous e. on forearms, hands and cheeks. Osm.

Fine itching e. on hands. Carbo-v.

Herpetic e. between fingers. Nitr-ac.

Herpetic e. in bend of elbow, forming yellow scales and itching. Cupr.

Herpetic e. on arms. Calc-c.

Herpetic e. on forearm. Merc.

Herpetic e. on hands. Dulc.

Herpetic e. on hands and fingers. Ran-b.
Herpetic e. on palms. Aur.
Herpetic e. with scabs on elbow. Staph.
Herpetic, humid, scaly pustulous e. in palms, on elbows and fingers. Kreas.
Humid, painless e. between fingers. Hell.
Itching e. in bends of elbows. Sep.
Itching e. on arms and hands. Daph.
Itch-like e. on arms. Lach., Sep.
Itch-like e. on wrist and between fingers. Oleand.
Moist, itch-like e. on hands bleeding at night. Merc.
Papular e. on forearms spreading over hands and wrists; arms red and glands of axillæ suppurated. Kali-bi.
Red, brown, papular e. on forearms, hands and cheeks. Osm.
Red, herpetic, papular e. on dorsum of hands with drawing pain up arm. Petr.
Red, itching, rough, miliary e. on both elbows feeling like a grater. Cor-r.
Rough rash or e. all over arm. Sec.
Scaling herpetic e. on elbows. Sep.
Suppurating e. on elbow. Sulph.
Vesicular e. on arms. Natr-c., Ran-b., Sep.
Vesicular e. on arms comes out in cold air. Dulc.
Vesicular e. with acrid, thin, yellowish discharge. Ran-sc.
Vesicular e. with itching between fingers. Psor.

Erysipelas (see section on Skin).—E. on arms. Rhus-t.
E. of fingers with tingling. Thuja.
E. on hands. Graph.
Inflamed swelling of little finger (after e.). Sulph-ac.
Large inflamed swelling like e. on forearm below elbow passing into suppuration like a boil. Lyc.

Erysipelatous.—E. swelling. Rhus-t.
Right arm red, swollen, e., with stinging pains. Apis.
Superficial e. inflammation around roots of nails. Hep-s.

Evening.—Coldness of hands in e. in bed. Carbo-an.
Itching worse in e. with bitting and burning in arms. Bov.
Pain in right shoulder in e. Rhus-t.
Pulsating pain in right elbow with soreness in e. Still.
Redness and swelling of hands and fingers, as if frozen, with itching in e., and with drawing during motion. Sulph.
Rheumatism: excruciating pains in arms; worse afternoons and e. Cimicif.
Rheumatism: pains change rapidly from one place to another, with constant chilliness; worse in e. Puls.

Exercise.—Hands numb and tingle after e. Ruta.
Trembling of arms after moderate e. Rhus-t.

Exertion.—Pain in elbows impedes e. Tabac.
Pain in hands and arms from e. Sep.
Pain in shoulder joint when bending arm backward as if bruised or as after great bodily e. Ign.
Weakness of arms; they sink down exhausted after slight e. Lach.
Exfoliate.—Finger nails brittle, e. and fall off. Merc.
Exhausted.—Weakness of arms; they sink down e. after slight exertion. Lach.
Exostoses.—Articular e. on fingers. Calc-flu.
E. on arms. Dulc., Mez., Rhus-t., Sil., Sulph.
Extending.—When e. arms sensation in shoulder as if bruised. Can-sat.
Extension.—E. and stretching of upper limbs. Bell.

Face (see section on Face).—Pain from f. down arms to tips of fingers. Coff.
Picking at bedclothes and f. Hyos.
Fall.—Pains in arms and joints withn umbness, as if beaten or as after a blow or f. Ruta. (Arn., Bad.)
Fall off.—Nails brittle, exfoliate and f. Merc.
Nails f. Graph., Hell., Merc., Sec., Squilla, Thuja.
Fatigue.—Swelling of joints after slight f. Actea-s.
Feeling.—Absence of f. in back of fingers. Sec.
Loss of muscular power and of f. in hands. Sec.
Feet (see section on Lower Extremities).—Burning in hands and f. Led., Sec.
Burning in hands and f., with weakness of whole body. Sulph.
Cold hands, with warm f. Aloe. (Cham.)
Emaciation of hands and f. Selen.
Hands cold, f. warm. Aloe.
Hands hot, f. cold; when f. get warm hands get cold. Sep.
Heaviness of hands and f. Bell.
Soreness of joints, especially of hands and fingers, f. and toes. Arg-m.
Subsultus tendinum of hands and f. Iod.
Swelling of hands and f. Natr-c., Sec., Stann.
Tearing pains and numbness in hands and f. Bism.
Trembling and heaviness of hands and f. Nicc.
Twitching of hands and f. during sleep. Natr-ph.
Violent pains, commencing in fingers, extending through arms, afterward in f., and finally affecting whole body. Plumb.
Felon.—F. Crotal., Sec.
F., with sloughing. Anthrak. (Has cured worst cases.)
F. with tendency to colic. Dios. (Whether met with thus or singly Dios. will usually cure whitlow if taken as soon as pricking is felt in finger, and greatly relieve and hasten termination if taken later.—J. B. Bell, M.D.)

F.: violent throbbing "gathering pain," occurring every winter for many years; lymphatic of arm inflamed; pain extending to axilla, where there is a lump. Hep-s. (F. may be prevented by the application of the first decimal trituration of Hep-s.; the diseased part of the finger should be well covered with the powder and saturated with water and then well covered with oil silk to prevent evaporation.—W. D. G.)

Fidgets.—F. in arms and legs preventing sleep. Meph.

Finger.—Hot, pale swelling in wrist joint and little f., with sticking on moving f. or on pressing it. Bry.

Numbness of single f. Ol-an.

One-half of f. feels lifeless. Phos-ac.

Pulsation in f. like that from panaritium. Am-m.

Ring and fourth f. fall asleep if they get cold. **Anac.**

Finger joints.—Arthritic drawing in f. Sep.

Arthritic nodosities of f. Clem.

Arthritic nodosities on hand and f. Calc-c.

Arthritis, with drawing pains in elbow and f. **Ant-c.**

Cracking in f. Merc.

Cutting pain in elbow, wrist and f. Phos-ac.

Drawing pain in f. when bending them. **Iod.**

Drawing pains in f. Caust., Sulph.

F. are swollen, red and hot. Cinnab.

F. bend over easily. Bell., Hep-s., Nux-v., **Teucr.**

F. enlarged and filled with chalky deposit. **Lyc.**

F. much swollen. Calc-c.

F. pain, as if swollen. Calc-c.

Gouty nodosities on hands and f. **Led.**

Hot, pale swelling of hands and f. **Bry.**

Jerking sensation in f. Natr-c.

Pain in f. Rhus-r.

Redness and swelling of f. with tension on bending. **Spong.**

Redness, inflammation and swelling of f. Lyc.

Rheumatic pains and swelling of f. Kali-bi.

Right hand cold and dead, with yellowness of f. Chelid.

Severe itching on back of f.; must scratch them violently. Borax.

Stiffness of f. Carbo-an., Sang.

Stinging stitches in f. Hell., Sep., Sulph.

Stitches in shoulder joint on lifting arm; also in f. Sulph-ac.

Swelling and sticking pain in f. (Colch.); worse on motion or touch. Bry.

Swelling of f., with lacerating pain. Agn.

Tension in f. Sep.

Swelling of f. Nitr-ac.

Thick, stiff, red f., as if frozen. Sulph.

Fingers.—Absence of feeling in back of f. **Sec.**

Arms and f. feel dead and stiff. Am-c.
Arms, hands and f. go to sleep. Kali-c.
Arthritic nodosities on f. Graph., Staph.
Arthritic pains in f. Ant-c.
Articular exostoses on f. Calc-flu.
Blisters on f. Am-m.
Blue blisters on f. Ran-b.
Boils and rhagades on f. and hands (after working in water). Calc-c.
Boils on f. Calc-c., Lach.
Bruised pain in hands and f. Bism., Oleand.
Burning from shoulders to scapulæ and down arm and hand to f. Magn-m.
Burning heat and redness of f. even from slight cold, as if they had been frosted. Borax. (Agar.)
Burning in f. Agar.
Caries of forearm, wrist or f. Sil.
Coldness and numbness of f., as if dead. Thuja.
Coldness of f. Sulph.
Coldness, rigidity and spasmodic contraction of f. Ferr.
Contraction and induration of tendons of f. Caust.
Contraction of f. Graph., Lyc., Merc., Natr-c., Ox-ac., Ruta. (Caust.)
Contraction of flexors of f. Spig.
Convulsions of f. Ign.
Convulsive twitching of f. Ign.
Cramp in arms, hands, f. and thumb. Natr-m.
Cramp in f. of left hand. Arn.
Cramp in f. when washing. Tabac.
Cramp-like contraction of hands and f. Merc.
Cramp-like drawing in arms and f. Oleand.
Cramp-like, drawing pain in forearm extending to f.; soon passes off; worse on approach of wet weather. Rhod.
Cramp-like pain in outer side of second, third and fourth f. on right hand. Card.
Creeping pain in f. Acon.
Cutting pain in forearm and f. Mur-ac.
Deadness of f. Am-c., Am-m., Calc-c., Chelid., Cic-v., Sulph.
Deadness of f. in morning. Sulph.
Deadness of f.; they become icy cold and insensible. Caust.
Deadness of f., which grow pale and insensible. Kreas.
Deep impressions on f. from using blunt instruments, as scissors or knife. Bov.
Deep rhagades on f., with burning pains. Sars.
Deep rhagades on hands, f. and in bends of joints, base of which looks sore and bleeding. Merc.
Desire to stretch f. and make them crack. Meph.
Desquamation between f. Am-m.

Desquamation of f. Agar., Bar-c., Elaps, Merc., Sulph.
Drawing and tearing in arm and f. Sep. (Nux-v.)
Drawing in arms down to f. Sep.
Drawing in arms from above downward to f. Sep.
Drawing in f. and thumb. Ambr.
Drawing pains in f. Asar., Kreas., Ol-an.
Drawing, tearing pain in shoulder and elbow joints to forearm, wrists and f. Acon. (Bry., Rhod., Rhus-t., Puls.)
Draws f. together making a fist (in beginning of intermittent). Cimex.
Dry, bran-like, squamous, tettery eruptions on hands and f., especially on forefinger and middle finger of right hand. Anagal.
Dull, aching pain in index finger of right hand extending to other f. Abrot.
Dull pain in arms, first left and then right, from shoulder to f. Calc-ph.
Dull pressure in forearms, hands and f. Oleand.
During chill pain in hand and f. Nux-v.
Eczematous eruption upon dorsum of left hand between and upon f. Canth.
Eczematous vesicles between f., itching and burning fearfully. Canth.
Eruption between f. Lyc., Puls., Sep., Sulph-ac.
Eruption, like blisters, on palms and f. Ran-b.
Eruption on f. Lach.
Erysipelas of f., with tingling. Thuja.
F. alternately hot and cold, as if dead, and have dead color. Paris.
F. and nails livid. Ox-ac.
F. become dead (during an attack of epilepsy). Cupr.
F. become cold and feel as if would go to sleep when sitting. Cham.
F. bent backward. Sec.
F. bloated when arms hang down. Am-c., Phos.
F. contracted, flexors bent inward (in leprosy). Tart-em.
F. convulsively drawn into palm clasping thumb. Sec.
F. feel as if dead. Hep-s.
F. feel large, like sausages, and as if going to be paralyzed. Calad.
F. frequently feel as if asleep. Paris.
F. go to sleep. Am-m., Iod., Sars.
F. go to sleep, with tingling. Natr-m.
F. numb, as if asleep. Bar-c.
F. pain when writing. Iris.
F. red and swollen in various places, with burning and itching. Nux-v.
F. spasmodically flexed but in constant motion. Colch.
F. stiff in morning. Calc-c.
F. stiff, numb and contracted. Ferr.
Formication in arms, hands and f. Acon.
Frequent involuntary jerking and stitches in arms and f. Cic-v. (In epilepsy. Cupr.)
Gangrene of f. Sep.

Grapho-spasms: cramp in f., thumb and wrist when writing; soreness extending upward along flexor carpi ulnaris muscle. Brachyg.
Great coldness of hands, with sensation as if f. were dead (in intermittent fever). Sep.
Hands and f. cold, numb, clumsy and stiff. Ptel.
Hands and f. in constant motion. Kali-brom.
Hands and f. pale, cold and wrinkled, as if had been long time in water (in cholera). Sec.
Hands numb; f. go to sleep (with affections of chest). Carbo-an.
Heaviness or paralytic weakness in left arm; f. frequently and easily go to sleep. Dig.
Herpes between f. Ambr., Graph., Nitr-ac.
Herpetic eruption between f. Nitr-ac.
Herpetic eruption on hands and f. Ran-b.
Herpetic, humid, scaly, pustulous eruption in palms, o⁻ elbow and f. Kreas.
Humid, painless vesicles between f. Hell. (Graph.)
Humid, painless eruption between f. Hell.
Itching between f. Ran-sc.
Itching between f. and on palms; obliged to rub them, but itching increased by scratching which causes great burning. Sulph.
Itching of f. Lyc.
Itching on dorsum of f. Coni.
Itching, throbbing pains in f. Lith-c.
Induration of tendons of f. Caust.
Inflammation of f. Magn-c.
Itch-like eruption on wrist and between f. Oleand.
Jerking in f. Cad.
Jerking in f. when holding pen. Stann.
Jerikng pain in f. Am-c., China.
Lameness and drawing pain in elbow and f. Bell.
Lameness and numbness of arms and f.; they feel as if asleep. Sep.
Left arm feels stiff and f. contracted. Paris.
Loss of power and stiffness of forearm and f. on moving. Rhus-t.
Little warts on hand and f. (with otorrhœa). Calc-c.
Numbness and coldness of f. Mur-ac.
Numbness and lameness of left hand, especially of f. Cupr-ac.
Numbness of arms, with pricking in f. Rhus-r.
Numbness of f., more in tips about roots of nails. Apis.
Numbness of hands and f. Rhus-r.
Numbness of f. Sulph.
Numbness of hands; arms and f. easily go to sleep. Lyc. (Cham.)
Numbness, insensibility and tightness of f. Caust.
Numbness of left arm: difficult to move hand; tingling in f. Acon.
Numb, tingling sensation of f. Acon.
Pain in f. while writing. Cist.

Pain in left arm down to f. (with disease of heart). Cact.
Pain in left index f.; whole f. painful internally. Fluor-ac.
Pain from arms in f. Arg-n.
Painful cramp of f. and hands. Merc.
Painful swelling of f. Sec.
Pale swelling of hands and f. Nux-v.
Panaritium: violent beating and sticking pains in f. Sep.
Paralysis of f.; they are drawn bent. Phos.
Paralysis of extensor muscles of f. of right hand. Plumb.
Paralytic pricking in hands and f. Lil-tig.
Periodical contraction of f., like cramp. Phos.
Phagadenic blisters on hands and f. Magn-c., Nitr-ac.
Prickling in f. Rhus-r.
Raw, moist places between f. Graph.
Red, hot swelling of joints of hands and f. Hep-s.
Red, inflammatory swelling of f. Magn-c.
Redness and swelling of hands and f., as if frozen, with itching in evening and with drawing during motion. Sulph.
Rheumatic, drawing, tearing pains in left shoulder, arms and f. Sulph.
Rheumatic pains in f. Nicc.
Rheumatic pain in shoulders, with tingling down to f. Magn-c.
Rheumatic pain in left forearm and f. Podo.
Rheumatism: severe pain in wrist and f., with swelling; cutting in joints when closing hands; pains change to nape of neck, with spasmodic rigidity; f. stiff. Caul.
Sensation of numbness in f. Abrot.
Severe drawing pain in wrist and f. Caul.
Sharp pains in hands and f. cease on pressure. Lith-c.
Sharp, darting pains through f. Bad.
Sharp pain in f. Rhus-r.
Sharp, shooting pain in arms extending to f. Still.
Skin of hands and f. dry, sticky and dirty looking. Anagal.
Skin peels off f. Am-m.
Smooth, copper-colored spots on palms and f. Cor-r.
Soreness between f. Ars., Graph.
Soreness in f. and thumb. Brachyg.
Soreness of joints, especially of hands and f., feet and toes. Arg-n.
Spasmodic pain in f. Euphr., Meny., Oleand.
Spasms of f. Calc-c., Can-sat., Lyc.
Spreading blisters on hands and f.; worse from cold water. Clem. (Sil.)
Stiffness of f., as from gout. Agar.
Stiffness of f. from anthritic nodosities. Lyc,
Stiffness of f.; they cannot be bent. Sil.
Stinging stitches in f. Am-m., Natr-s.
Stitches in arms, hands and f. Ran-b.
Stitches in bends of elbows and joints of hands and f. Spig.

Stitches in f. Natr-m.
Stitches in f., first right, then left hand. Ox-ac.
Stitches in joints of arms, hands and f. on motion. Sars.
Stitching, boring, gnawing pains in arms and f. Ran-sc.
Swelling, burning and stiffness of f. Oleand.
Swelling of f. Alu., Lyc., Magn-c., Ran-sc., Rhus-t., Thuja.
Swelling of f. on letting arms hang down. Am-c., Phos.
Tearing, drawing, stitching pain and numbness in f., as if suppurating, or as if panaritium would form. Sil.
Tearing pain in f. Sil., Sulph.
Tearing pain in f. of left hand. Carbo-v.
Tearing pain in wrist, palm and f. Carbo-v.
Tearing pains in joints of all f. Rhus-t.
Thick, red chilblains on f. Sulph.
Throbbing in f. Am-m.
Thumb and f. bent inward (in convulsions of children). Æth.
Tickling and prickling in f. and hands like that produced by electricity. Ptel.
Tingling in f. Acon., Am-m., Ran-b., Rhus-r.
Tingling in f., as if they had gone to sleep. Mur-ac.
Tingling in f. with anxiety and painful jerks of arms. Ver-a.
Tingling in skin of f. Ran-b.
Tingling pain in f. when writing. Acon.
Trembling of f. Glon.
Trembling of f. when writing. Cimicif. (Calc-c., China, Natr-m.)
Twitching and cramps in f. and hands. Cina.
Twitching and jerking commencing in f. (in chorea). Cupr.
Twitching in arms, hands and f. Rheum.
Twitching of f. Cic-v., Kali-brom.
Twitching of f. with spasmodic cough. Osm.
Twitching of hands and f. Cupr.
Ulcers about joints, especially small joints of f. Sep. (Borax.)
Ulcers on f. Plat., Ran-b.
Ulcers on f., with caries. Kali-bi.
Vesicles on and between f. Selen.
Vesicular eruption with itching between f. Psor.
Violent pains commencing in f. extending through arms, afterward in feet, and finally affecting whole body. Plumb.
Want of agility in f. Sep.
Warm sweat in palms and on f. Ign.
Warts on f. Berb., Lach., Lyc., Petr., Rhus-t., Sulph.
Warts on f. and backs of hands. Ferr.
Warts on hands and back of f. Dulc.
Weakness and lameness of arms and f. Calc-c.
Weakness in hand and f.; difficult to hold anything. Cina.
Weakness of arms and f. Cic-v.

Weakness of f. Carbo-v.
Weakness of f. on grasping anything. Carbo-v. (Natr-m.)
Yellow spots on f. Coni.
Yellow spots on hands and f. Elaps.

Fissured (see Cracked).—Nails thick and f. Sabad.
Tips of fingers rough, cracked and f., with stinging, cutting pains. Petr.

Fissures.—Deep f. in palms. Hep-s.
Sore and painful f. and rhagades in skin of hands, especially in joints. Sulph.

Fist.—Draws fingers together making a f. (in beginning of intermittent). Cimex.

Fleas.—Itching, crawling, as from f. on different spots. Ox-ac.

Flesh.—Nails grow into f. Sil., Sulph., Teucr.
Pain in arm on motion, as if f. had become detached. Dros.
Sensation as if f. were detached from bones. Bry., Ign., Rhus-t., Sulph., Thuja.
Soreness of f. of arms. Arg-n.
Soreness of integuments: f. sore to touch, as if had been beaten. Bad.
Violent pain in left arm, as if dislocated, and as if f. were torn from bones, from axillæ to tips of fingers (in rheumatism). Tart-em.

Flexed.—Fingers spasmodically f. but in constant motion. Colch.

Flexor carpi ulnaris.—Grapho-spasmas: cramp of fingers, thumb and wrist when writing; soreness extending upward along f. muscle. Brachyg.

Flexors.—Contraction of f. of fingers. Spig.
Fingers contracted, f. bent inward (in leprosy). Tart-em.

Fluid.—Burning, pricking vesicles, filled with f., peeling off and leaving denuded spots on hand; worse from cold water; better from warmth. Canth.
Small pustules on hands secrete a watery f. when broken; if not touched f. thickens into yellow, tough mass. Kali-bi.
Small vesicles on tips of fingers oozing watery f. Cupr.

Fly.—Nails rough, yellow, very dry, f. to pieces when cut. Sil.
Rheumatic pains in arms; f. from one place to another on touch. Sang.

Flying.—F. pains in shoulders. Coloc.

Foot (see section on Lower Extremities).—Sensation of paralysis of left arm and right f. Hyper.

Forearm.—Aching in f. above wrist joint during rest. Spig.
Aching pain in left f. Carb-ac.
Blotches on f. and elbows with violent burning and itching. Mur-ac.
Blue spots like suggillations on f. Sulph-ac.
Blue spots on f. as if ecchymosed. Sulph-ac.
Bruising pain from middle of f. to wrist. Kali-bi.
Bruising pain in f. Cic-v.

Caries of f., wrist or fingers. Sil.
Cramp-like, drawing pain in f. extending to fingers; soon passes off; worse on approach of wet weather. Rhod.
Cramp-like pain in muscles of left f. extending to palm. Meny.
Cutting and tearing in muscles of right f. Bell.
Cutting pain in f. and fingers. Mur-ac.
Cutting pain in f. followed by burning. Mosch.
Drawing pain in f. Ang., Carbo-v., Dulc., Nitr-ac., Rhod., Staph.
Drawing, tearing pain in shoulder and elbow joints to f., wrists and fingers. Acon. (Bry., Rhod., Rhus-t., Puls.)
F. covered with dots like goose skin. Calc-c.
F. feels heavy and as if bruised. Croc.
F. icy-cold (with diarrhœa). Brom.
Hand and lower part of f. dark and livid. Ars.
Herpetic eruption on f. Merc.
Hot and red swelling of f. Ant-c.
Induration of cellular tissue of f. Sil.
Lacerating pain in f. and hand. Æth.
Lameness in f. and right shoulder. Psor.
Large inflamed swelling like erysipelas on f. below elbow passing into suppuration like a boil. Lyc.
Large vesicles on f. Spong.
Loss of power and stiffness of f. and fingers on moving. Rhus-t.
Numb and heavy feeling in right f. as if asleep. Am-m.
Numbness of left hand and f., with pricking; worse on movement. Bad.
Numbness of right f. extending to fingers. Ox-ac.
Pain in f. along ulnar nerve. Podo.
Pain in glenoid cavity of f., as if dislocated, during motion. Cocc.
Pain in left f. Rhus-r.
Pain in right radius (f.); increased by motion or touch. Sabin.
Painful lameness in f. and hand; better on motion. Bar-c.
Painful pressure in right shoulder when at rest, with tearing pains in inner surface of f.; stitching pain from slightest motion. Bry.
Paralysis of f. Sil.
Paralytic tearing pain in f. Sars.
Peculiar sensation in right hand and f., as if constricted, larger in size and not under control of will. Cupr.
Red swelling of f. with pain, as if pressing on tumor. Sep.
Rhematic pain in left f. and fingers. Podo.
Slow, painful drawing in f., as if in nerves. Sulph.
Small itching pimples on f. Caust.
Small red petechiæ, with white spots on f. and back of hands. Berb.
Spasmodic pain in f. Phos-ac.
Stinging stitches in f. Ran-sc.
Swelling of f. Ant-c., Merc.

Swelling of f.: skin rough, with intolerable itching, with great heat and loss of power in arm. Rhus-t.
Tearing pain in f. Bry.
Tearing pain with lameness and pressure in right f., especially in carpal bones. Bism.
Tetter on f. (with leucorrhœa). Alu.
Tingling in f. Arn.

Forearms.—Boils on f. Calc-c., Lyc., Magn-m., Petr.
Dark-blue bloatedness of f. and hands. Samb.
Dull pressure in f., hands and fingers. Oleand.
Eruption on f. Alu., Bry., Selen., Spong.
Exanthematous eruption on f., hands and cheeks. Osm.
F. and hands bloated and dark-blue. Samb.
F. painful, as if bruised. Phos-ac.
Gnawing pains in bones of f. Graph.
Heaviness and trembling of f. and hands. Spong.
Heaviness in f. Croc.
Numbness, with sensation of swelling of hands and f. Opi.
Papular eruption on f. spreading over hands and wrists; arms red and glands of axillæ suppurated. Kali-bi.
Red, brown, papular eruption on f., hands and cheeks. Osm.
Small boils or pustules on f. Calc-c.
Tearing pains on inner surface of f. Bry.
Veins in f. and hands swollen. Puls.

Forefinger (see Index finger). — Dry, bran-like, squamous, tettery eruptions on hands and fingers, especially on the f. and middle finger of right hand. Anagal.

Formication (see Crawling, Creeping).—F. and numb feeling on tips of fingers. Can-sat.
F. in arms, hands and fingers. Acon.

Forward.—Cutting pain in shoulder joint when bending arm f. Ign.

Fourth finger (see Little finger).—Cramp-like pain in outer side of second, third and f. of right hand. Card.
Ring and f. fall asleep if they get cold. Anac.

Friction.—Violent pains from shoulder to elbow disappearing on pressure or f. Cast.

Frost-bitten.—Hands tingle, as if f. Colch.

Frosted.—Burning heat and redness of fingers even from slight cold, as if they had been f. Borax. (Agar.)

Frozen.—Hands feel cold, as if f., with tingling under nails on entering warm room. Nux-m.
Itching, burning, redness and swelling of hands, as if had been f. Agar.
Redness and swelling of hands and fingers, as if f., with itching in evening, and with drawing during motion. Sulph.

Slight redness of tips of fingers, with frequent itching on joints, as if they had been slightly f. Berb.

Thick, stiff, red finger joints, as if f. Sulph.

Full.—Arms feel as if f. and swollen. Ver-a.

Fullness.—Pain in fleshy part of thumb, with feeling of f., heat and numbness. Ox-ac.

Sensation of f. in arms. Ver-a.

Furrowed.—Nails f. Sabad., Sil.

Furuncles (see Boils).—F. on arms. Calc-c., Kali-n., Mez., Sil.

Fuzzy.—F. feeling in arms and hands. Sec.

Ganglion.—G. on right wrist, size of bean. Calc-c.

Gangrene.—G. of fingers. Sep.

Insensibility of tips of fingers and toes followed by g. and death of parts. Sec.

Gangrenous.—Panaritium: bluish swelling becomes g., with pricking, tingling pain. Lach.

Garlic.—Strong-smelling perspiration in axillæ; smells like g. Lach.

Perspiration in axillæ smells like g. Osm., Tellur. (Like honey. Thuja.)

Gathering.—Felon: violent throbbing "g. pain," occuring every winter for many years; lymphatic of arm inflamed; pain extending to axilla, where there is a lump. Hep-s.

Glands.—Fistulous ulcer in g. of axillæ. Calc-c.

G. of axillæ swollen. Lach.

Great swelling of g. of axillæ. Sil. (Bar-c., Lyc.)

Hard swelling of g. in axillæ (Sil.) with pains in arms. Bar-c.

Induration of g. in axillæ. Carbo-an.

Inflammatory swelling of g. in axillæ. Aur.

Painful sensitiveness of g. of axillæ. Sulph ac.

Painful swelling of g. of axillæ. Natr-c.

Papular eruption on forearms spreading over hands and wrists, arms red and g. of axillæ suppurated. Kali-bi.

Slight contusion in little finger followed by tearing pain and redness along lymphatic vessels over whole arm into axillæ causing painful swelling of g. Bufo.

Suppuration of g. in axillæ. Hep-s. (Sil.)

Swelling and inflammation of g. in axillæ. Rhus-t.

Swelling and suppuration of g. of axilla. Coloc., Sep. (Calc-c.)

Swelling of g. in axillæ. Am-c., Clem., Coni., Iod., Kali-c., Lyc., Sulph. (Bar-c., Sil.)

Swelling of g. in axilla, like a hard, red ulcer, separating into parts like large pimples. Am-m.

Swelling of g. of axillæ, with burning pain in arms. Phcs.

Glandular.—G. nodosities in axillæ. Nitr-ac.

Glass.—Sensation of splinter of g. under nail. Cocc-c.

Glenoid cavity.—Pain in g. of forearm, as if dislocated during motion. Cocc.

Gnawing.—G. in outer side of elbow. Dulc.

G. pains in bones of forearms. Graph.

G. pain, with drawing and sticking after dinner; apparently in bone of arm. Canth.

G., stinging pains in joints and along bones. Dros.

G. under finger nails and crawling along arm. Alu.

Stitching, boring, g. pains in arms and fingers. Ran-sc.

Tearing in shoulder or shoulder joints at night, with g. or violent bruised pain or sticking; at first aggravated, afterwards relieved by motion of arms. Sulph.

Gonorrhœa (see section on Sexual Organs).—Arthritic, rheumatic pains (after suppressed g.). Dalph.

Goose-skin.—Forearm covered with dots, like g. Calc-c.

Gout (see section on Lower Extremities).—Stiffness of fingers, as from g. Agar.

Gouty.—G. nodosities on condyles. Calc-c.

G. nodosities on hands and finger joints. Led.

G., rheumatic pain, with tight, hard swelling in joints. Led.

G. swelling of joints of fingers. Graph.

Rheumatic or g. stiffness of left arm and elbow joint. Agar.

Grapho-spasmus.—G. Hyper. (An application of dilution composed of equal parts of the mother tincture of Hyper., alcohol (60 per cent) and water will cure many cases. It should be made by saturating a soft cloth in the fluid and wrapping hand and arm up to elbow and covering this securely with oil silk. The application should be made every night at first and as soon as better ever other night and extend the time as improvement continues. —W. D. G.)

G.: cannot open thumb and index fingers. Cycl.

G.: cramp in fingers, thumb and wrist when writing; soreness extending upward along flexor carpi ulnaris muscle. Brachyg.

Mogigraphia, g., Scrivner's palsy, penman's paralysis, writer's cramp, telegrapher's cramp. Anac.

Grasped.—Trembling of arms when anything is g. Ver-a.

Grasping.—Arms go to sleep on g. anything firmly. Cham.

Cramps in hands, especially when g. anything. Ambr.

G. about with hands, as if reaching or searching for things. Stram.

Great trembling of hands, as from old age, on moving them or on g. anything. Led.

Involuntary g. Sulph.

Numbness of hands when g. anything, with muscular atrophy. Calc-c.

Weakness of fingers on g. anything. Carbo-v. (Natr-m.)

Wrist painful, as if sprained, when g. anything. Rhus-t.

When g. anything feels as if pins were pricking tips and under surface of fingers. Rhus-t.

Grasps.—G. throat. Stram.

Grater.—Red, itching, rough, miliary eruption on both elbows, feeling like a g. Cor-r.

Graty.—Itching of hands, with rough, dry, g. skin. Hep-s.

Gray.—G. color of nails. Merc-cor.

Grow.—Nails g. slowly. Ant-c.

Nails g. into flesh. Sil., Sulph., Teucr.

Growing.—Nails almost stop g. and skin beneath nails very sensitive. Ant-c.

Growth.—Horny g. under finger nails. Ant-c.

Gyratory.—Convulsive motions of arms over head; raises arms above head, clasps hands, makes graceful, g. motions. Stram.

Hairs.—Sensation of h. on back of hand and fingers. Aloe.

Hand.—H. powerless, as if paralyzed (in meningitis). Acon.

Arthritic nodosities on h. and finger joints. Calc-c.

Burning from shoulders to scapulæ and down arm and h. to fingers. Magn-m.

Burning, pricking vesicles, filled with fluid, peeling off and leaving denuded spot on h.; worse from cold water; better from warmth. Canth.

Coldness of one h., sweat of other. Ipec., Mosch.

Coldness of one h. while the other is hot. Ipec.

Coldness of right h., with stiffness and numbness of thumb. Can-ind.

Coldness of right h., with warmth of left. Mez.

Contraction of right h. when writing. Euphorb.

Cramp from bend of elbow to h., as after carrying a weight. Elaps.

Cramp in fingers of left h. Arn.

Cramp-like pain and paralytic weakness of h. Sil.

Cramp-like pain in ball of right thumb; on motion of h. it extends to thumb. Spong.

Cramp-like, contractive pain in h. extending to tips of fingers. Prun-s.

Dry, bran-like, squamous, tettery eruption on h. and fingers, especially on forefinger and middle finger of right h. Anagal.

Drawing, tearing in right arm from shoulder to h. Calc-c.

Drawing, tearing pain from left elbow to h. Carbo-v.

Dull, aching pain in index finger of right h. extending to other fingers. Abrot.

During chill, pain in h. and fingers. Nux-v.

Eczematous eruption on dorsum of left h. between and upon fingers. Canth.

Fine tingling pain in finger tips of right h., especially under nails. Bism.

Flat, smooth warts on inside of h. Ruta.

H. and lower part of forearm dark and livid. Ars.
H. trembles when holding anything. Can-sat.
Icy coldness of one h., other hot and red. Puls.
Inflammation of lymphatic vessels from h. to shoulder, with violent swelling of hands. Cupr.
Lacerating pain in forearm and h. Æth.
Numbness and lameness of left h., especially of fingers. Cupr-ac.
Numbness of arm and h. Merc-sulph.
Numbness of left h. and forearm, with pricking; worse on movement. Bad.
Numbness of left arm; difficult to move h.; tingling in fingers. Acon.
Œdema of left h. Cact.
One h. pale and burning hot, other red and cold. Mosch.
Pain in right shoulder joint (Sang.) extending towards h., with sensation as if air were passing down. Fluor-ac.
Pain in shoulder joint, as if sprained; worse on moving h. Alu.
Painful lameness in forearm and h.; better on motion. Bar-c.
Painful stiffness in wrist when moving it, as if h. were sprained or strained. Puls.
Paralytic feeling in right h. Caust.
Paralytic, tearing pain from upper arm to h. Sabin.
Paralytic weakness of left h., with pain in wrist. Kalm.
Peculiar sensation in right h. and forearm, as if constricted, larger in size and not under control of will. Cupr.
Pompholyx in h. returning every year. Bufo.
Rheumatic pain in shoulder joint extending down arm to h.; worse on motion. Magn-m.
Right h. cold and dead, with yellowness of finger joints. Chelid.
Round, burning itching spot on h. Iod.
Sensation of paralysis in h. China, Tabac.
Sudden jerking pain in right wrist and bones of h. Ox-ac.
Swelling of back of left h.; veins distended. China.
Tearing pain in fingers of left h. Carbo-v.
Throbbing pain in h. Carbo-v.
Tingling in h., as if had gone to sleep. Ver-a.
Trembling of h. when writing. Sabad.
Violent, prickling pain from back of right h. to shoulder joint. Gymnoc.
Weakness in h. and fingers; difficult to hold anything. Cina.
Wrenching pain in h. Ambr., Am-c., Bry., Ruta.

Hands.—Alternate heat and coldness of h. Cocc., Paris.
Arms and h. go to sleep. Graph., Nux-v.
Arms, h. and fingers go to sleep. Kali-c.
Arthritic, hot swelling of h. Cocc.
Blue mottled appearance of h. Lach.
Blueness of h. and nails (in tuberculosis). Chin-ars.

Boils and rhagades on fingers and h. (after working in water). Calc-c.
Boils on h. Calc-c., Lyc.
Bones of h. feel as if bruised when pressed. Kali-bi.
Bran-like herpes on h. and arms. Borax.
Brown spots on h. Natr-m.
Brown skin of h. Thuja.
Bruising pain in h. and fingers. Bism., Oleand.
Burning in h. Phos., Sec., Stann.
Burning in h. and feet. Led., Sec.
Burning in h. and feet, with weakness of whole body. Sulph.
Buzzing in h. Nux-m.
Chilblains on h. Sulph-ac.
Chilblains on h. itch and swell. Zinc.
Cold h. Iod.
Cold h., with blue nails. Merc-sulph.
Cold h., with blue spots. Bar-c.
Cold h., with warm feet. Aloe. (Cham.)
Cold sweat on h. Carbo-v., Cimicif.
Cold sweat on h. (Sulph.), with cold nose. Nux-v.
Coldness and numbness of right h., with tingling of ring and little fingers. Sec.
Coldness of h. extending as far as elbows. Caust.
Coldness of h. in evening, in bed. Carbo-an.
Coldness of h. while rest of body is warm. Coloc.
Constant coldness of h. Ambr.
Constant jerking and twitching of arms and h. Coff.
Contraction of h. Stram.
Contraction of muscles of h. Coloc.
Convulsions of h. Bell., Iod.
Copious cold sweat on h. Bell.
Crawling in h. Sulph.
Cramp in arms, h., fingers and thumb. Natr-m.
Cramp in h. at night. Calc-c.
Cramps in arms and h. Sec.
Cramps in h., especially when grasping anything. Ambr.
Cramp-like contractions of h. and fingers. Merc.
Cutting pain in h. Mur-ac., Natr-c.
Cystic tumors on h. Bar-c.
Dark-blue bloatedness of forearm and h. Samb.
Deadness of h. Calc-c., Thuja, Zinc.
Deep rhagades on h., fingers and in bends of joints, base of which looks sore and bleeding. Merc.
Deep, stinging cicatrices in h. Kali-bi.
Desquamation of h. Alu., Am-c., Am-m., Bar-c., Ferr., Laur., Sulph.
Drawing and tearing pains in arms and h. Sulph.
Drawing pain in h. Caust., Nitr-ac., Ol-an., Sulph.

Dry, bran-like, squamous, tettery eruptions on h. and fingers, especially on forefinger and middle finger of right hand. Anagal.
Dull drawing and tearing in arms and h. Caust.
Dull pressure in forearms, h. and fingers. Oleand.
Dull tearing pains in h. and arms. Caust.
Emaciation of h. Graph.
Emaciation of h. and feet. Selen.
Eruption on h. Lach., Mur-ac.
Erysipelas of h. Graph.
Exanthematous eruption on forearms, h. and cheeks. Osm.
Feeling as if all blood rushed to h. and as if string were tied tightly around arm. Nux-v.
Feeling of enlargement of h. Lyc.
Fine itching eruption on h. Carbo-v.
Forearms and h. bloated and dark blue. Samb.
Formication in arms, h. and fingers. Acon.
Fuzzy feeling in arms and h. Sec.
Gouty nodosities on h. and finger joints. Led.
Grasping about with h., as if reaching or searching for things. Stram.
Great coldness of h., with sensation as if fingers were dead (in intermittent fever). Sep.
Great dryness of h. Anac.
Great dryness of skin of h. Lyc.
Great heaviness and weakness in h. and arms. Caust.
Great trembling of h. Tabac.
Great trembling of h., as from old age, on moving them or on grasping anything. Led.
Great weakness of h. Kali-bi.
H. alternately hot and cold. Cocc.
H. alternately numb, as if asleep. Cocc.
H. and arms become cold and tremble, with hereditary headache Calc-c.
H. and arms covered with purplish spots. Kali-c.
H. and arms tremble. Stram.
H. and fingers cold, numb, clumsy and stiff. Ptel.
H. and fingers in constant motion. Kali-brom.
H. and fingers pale, cold and wrinkled, as if had been long time in water (in cholera). Sec.
H. bloated. Cham.
H. blue. Am-c., Apis, Bar-c., Elaps, Ver-a.
H. blue and icy-cold. Ver-a.
H. chapped and covered with rhagades, especially in winter. Petr.
H. clenched (not thumbs). Stram.
H. cold. Cupr., Dig., Eupat-purp., Ipec., Kali-c., Lach., Mancin., Mez., Natr-c., Ran-b., Sars., Sep., Squilla, Sulph.
H. cold and moist. Tart-em.

H. cold and shrunken. Abies-c.
H. cold, as if dead. Ox-ac.
H. cold at night. Phos., Thuja.
H. cold, even in warm room; coldness extends through whole body. Sep.
H. cold, feet warm. Aloe.
H. cold when coughing. Rumex.
H. constantly hot. Lyc.
H. covered with small, dry, reddish pimples; disappear in a few days. Bov.
H. deathly pale. Sec.
H. fall asleep. Crotal., Nitr-ac.
H. fall asleep at night. Sil.
H. feel as if too thick and as if asleep; they are heavy and clumsy. Mancin.
H. feel cold, as if frozen, with tingling under nails on entering warm room. Nux-m.
H. feel dead, sense of feeling gone. Camph.
H. feel dry and hot, as if too large. Clem.
H. feel heavy as lead. Phos.
H. feel larger than usual and clumsy, with pricking numbness. Ptel.
H. feel numb, as if had been asleep. Lyc.
H. feel stiff. Coloc.
H. hot. Tarax.
H. hot, feet cold; when feet get warm, h. get cold. Sep.
H. hot, with distended veins. Cast.
H. icy cold. Acon., Carbo-v.
H. icy cold, body warm. Tabac.
H. look blue and the veins are distended after washing in cold water. Am-c.
H. numb and tingle after exercise. Ruta.
H. numb; fingers go to sleep (with affections of chest). Carbo-an.
H. painful but not swollen. Sars.
H. stiff and insensible. Ars.
H. tingle as if frost-bitten. Colch.
H. tremble when trying to hold them still. Coff.
H. tremble when writing. Kali-c., Natr-m., Natr-ph., Oleand., Samb., Zinc.
Hard aching pains in bones of forearms and in wrist and in h. Dios.
Hard thickened places on h. of workmen, with deep oblique cracks Cist.
Heat on h. Carbo-v.
Heaviness and trembling of forearms and h. Spong.
Heaviness of h. Natr-c., Ran-b.
Heaviness of h. and feet. Bell.
Herpetic eruption on h. Dulc.

Herpetic eruption on h. and fingers. Ran-b.
Herpetic spots on arms and h. Natr-m., Zinc.
Horny callosities on h. Graph.
Horny warts on h. Ant-c.
Hot, pale swelling of h. and finger joints. Bry.
Hygroma on h. Bov.
Inflammation of lymphatic vessels from hand to shoulder, with violent swelling of h. Cupr.
Itch and scabs on h. Sep.
Itching blisters on h., first pale, then red. Gum-gut.
Itching, burning, redness and swelling of h., as if had been frozen. Agar.
Itching eruption on arms and h. Daph.
Itching of h. Bell., Nitr-ac., Phos.
Itching of h. with rough, dry, graty skin. Hep-s.
Itching pimples on h. Lyc.
Jerking and twitching of muscles of arms and h. Cupr. (Cic-v.)
Lameness and dryness of h.; they look bluish. Zinc.
Lameness in carpal bones and bones of h. Bell.
Little warts on h. and fingers (with otorrhœa). Calc-c.
Loss of muscular power and of feeling in h. Sec.
Moist, itch-like eruption on h. bleeding at night. Merc.
Numbness and lameness of arms and h. Cupr.
Numbness and insensibility of h. Sec.
Numbness of h. and fingers. Rhus-t.
Numbness of h. when grasping anything, with muscular atrophy. Calc-c.
Numbness of h.; arms and fingers easily go to sleep. Lyc. (Cham.)
Numbness of h. and prickling in arms. Sil.
Numbness, weakness and tremor of h. when writing or during menses. Zinc.
Numbness with sensation of swelling of h. and forearms. Opi.
Œdema of arms and h. Antipy.
Œdema of h. Apis, Merc.
Œdematous swelling of h. Colch.
Pains, as from paralytic weakness in h. Actea-s.
Pain in arms and h. when taking hold of anything. Am-c., Arn., Calc-c., Carbo-v., Caust., Cham., Dros., Led., Plat., Ver-a.
Pain in h. and arms from exertion. Sep.
Pain in h., as if beaten. Ruta.
Painful chilblains on h. Petr.
Painful cramp of fingers and h. Merc.
Painful pressure in right elbow joint, more violent when leaning it upon table, in which case pain extends to h. Camph.
Pains first in knuckles and then in whole h. Guaj.
Pale swelling of h. and fingers. Nux-v.

Papular eruption on forearms spreading over h. and wrists; arms red and glands of axillæ suppurated. Kali-bi.
Paralysis of arms and h. Caust.
Paralysis of h. Sil., Zinc.
Paralytic pricking in h. and fingers. Lil-tig.
Periosteum of bones in h., painful on pressure. Led.
Perspiration on h. Calc-c., Glon., Natr-m., Nux-v., Sulph., Thuja.
Phagadenic blisters on h. and fingers. Magn-c., Nitr-ac.
Pleasant thrill through arms and h. Can-ind.
Profuse sweat on h. Sil., Sticta.
Quivering of h. and wrists during headache. Glon.
Red brown papular eruption on forearms, h. and cheeks. Osm.
Red, hot swelling of joints of h. and fingers. Hep-s.
Red spots or stripes on arms and h. Sabad.
Redness and burning of h. Sang.
Redness and swelling of h. and fingers, as if frozen, with itching in evening and with drawing during motion. Sulph.
Rhagades on back of h. Sulph.
Rhagades on h. Alu., Aur., Calc-c., Hep-s., Natr-m., Petr., Rhus-t., Sulph., Zinc.
Rhagades: skin of h. cracked and dry, even in mild weather. Zinc.
Rheumatic pains in h. Clem.
Rheumatic swelling of h. after wet weather. Rhus-t.
Rigor of h. Hyos.
Sensation as if arms and h. were enormously swollen. Diad.
Sensation as if blood ceased to circulate in arms; h. feel warm. Rhod.
Sensation of cobweb on h. Borax.
Sensation of enlargement of arms and h. at night. Diad.
Shaking and trembling of h. Magn-ph.
Sharp pains in h. and fingers cease on pressure. Lith-c.
Shooting pains rapidly changing about in bones of wrists and h. Iris.
Shriveled, dry skin of h. and fingers. Phos-ac.
Skin of h. and fingers dry, sticky and dirty looking. Anagal.
Skin of h. chapped. Magn-c.
Skin of h. cracked and rough. Petr.
Skin of h. cracks. Æsc.
Skin of h. dry and parched. Natr-c.
Skin of h., especially about nails, dry and cracked. Natr-m. (Rhus-t., Sulph.)
Skin of h. hard and cracked in places. Graph. (Cist., Hep-s)
Skin of h. hard, dry and cracked. Sulph. (Natr-m.)
Skin of h. red and dry. Sulph.
Skin of h. rough and chapped. Kali-c.
Small blood boils on h. Iris.
Small pustules on h. secrete a watery fluid when broken; if not touched fluid thickens into yellow, tough mass. Kali-bi.

Small vesicles on h. and arms itching violently. Daph.
Sore and painful fissures and rhagades in skin of h., especially in joints. Sulph.
Soreness of joints, especially of h. and fingers, feet and toes. Arg-m.
Spasmodic contraction of arms and h. Tabac.
Spasmodic pain in h. Euphr., Meny.
Spasmodic pains, trembling and weakness of arms and h. Nitr-ac.
Spasmodic sensation in h. Caust.
Spasmodic throwing about of h. and feet, followed by severe pains. Mosch.
Spasms of h. Bell.
Spreading blisters on h. and fingers; worse from cold water. Clem. (Sil.)
Stinging in arms and h. Berb.
Stitches in joints of arms, h. and fingers on motion. Sars.
Stitches in arms, h. and fingers. Ran-b.
Stitches in muscles of arms and h. Sabad.
Stinging stitches in h. Natr-s., Sulph., Verb.
Subsultus tendinum of h. and feet. Iod.
Sudden swelling of h., with itching and tingling. Lach.
Suppurating pustules on h. near tips of fingers. Psor.
Swelling and redness of arms and h. Bell.
Swelling and stiffness of h. Spong.
Swelling of h. Bell., Bry., Cocc., Ferr., Hep-s., Lach., Phos., Rhus-r., Stann.
Swelling of h. and feet. Natr-c., Sec., Stann.
Swelling of h., with frequent paroxysms of cough. Acon.
Swelling, redness and inflammation of h., with heat. Rhus-r.
Tearing in h. at night, with cracking in wrists. Selen.
Tearing pain in arm and h. Colch.
Tearing pains and numbness in h. and feet. Bism.
Tearing pains in shoulders, arms, wrists and h. Magn-m.
Tetter on h. Cist.
Tickling and pricking in fingers and h., like that produced by electricity. Ptel.
Tingling in arms and h.; they feel as if paralyzed. Natr-ph.
Tingling in h. Lach., Ver-a. (Acon.)
Trembling and coldness of h. Agar. (Phos.)
Trembling and heaviness of h. and feet. Nicc.
Trembling and jerking of arms and h. Iod.
Trembling and twitching of h. Natr-c.
Trembling of arms and h. Sabad.
Trembling of h. Anac., Caust., Coff., Lach., Phyt., Psor., Sars., Sil., Tart-em.
Trembling of h. and arms. Hyos.
Trembling of h. and tongue. Merc.

Trembling of h., as from old age, especially when holding anything. Agar.
Trembling of h. (as in drunkards). Opi.
Trembling of h. (in drunkards). Ars.
Trembling of h.; they go to sleep easily. Calc-c. (Sil.)
Trembling of h., tips of fingers cold. Tart-em., Tarax.
Trembling of h. when at rest. Crotal.
Trembling of h. when lifting them. Gels.
Trembling of h. when writing. Calc-c., China, Natr-m., Sulph., Zinc.
Tremor of h. Agar., Anac., Hyos., Iod., Lach., Nux-v., Phos., Sulph., Tart-em., Zinc.
Tremor of h. and knees. Led.
Tremor of h. in morning. Natr-c.
Tremor of h., with great weakness. Merc.
Troublesome itching of h. Colch.
Twitching and cramps in fingers and h. Cina.
Twitching in arms, h. and fingers. Rheum.
Twitching of h. and feet. Stram. (Bell., Hyos.)
Twitching of h. and feet during sleep. Natr-ph.
Twitching of h. and fingers. Cupr.
Twitching of muscles of h. Asaf.
Twitching of muscles of left h. Spong.
Twitching, spasmodic movements of arms and h. Opi.
Veins in forearms and h. swollen. Puls.
Veins in h. distended. Thuja.
Vesicles on h. and wrists. Rhus-r.
Want of agility or nimbleness in h. Graph., Plumb., Sil.
Warts on arms and h. Calc-c.
Warts on h. Dulc., Natr-c., Natr-m.
Warts on h. and back of fingers. Dulc.
Weakness of h. Bov., Carbo-v., Natr-ph.
Weakness of h.; they let least thing drop. Bov.
Weakness of h. when writing. Brachyg.
Weariness of both h. Hell.
Wens on h. between metacarpal bones. Phos-ac.
Wrist-drop; weakness of wrist; h. drop down. Plumb.
Wrists or h. cold. Gels.
Yellow spots on h. and fingers. Elaps.

Hang.—Right wrist pains, as if sprained, and on allowing to h. pain radiates to ring and little fingers. Cast-eq.

Hang down.—Arthritic swelling and stiffnsss of wrist joint, with tearing and stinging; worse on letting arm h. Sabin. (Puls.)
Fingers bloated when arms h. Am-c., Phos.
Swelling of fingers on letting arms h. Am-c., Phos.

Hanging down.—Pain in arms when h. Alu., Berb., Sabin., Thuja.

Hangnails.—H. Natr-m., Sil., Sulph. (Calc-c., Rhus-t., Stann.)
H.: skin around nails dry and cracked. Natr-m.
Painful h. Stann.

Hard.—H., thickened places on hands of workmen, with deep, oblique cracks. Cist.
Skin of hands h. and cracked in places. Graph. (Cist., Hep-s.)
Skin of hand h., dry and cracked. Sulph. (Natr-m.)

Head (see section on Head).—Convulsive motions of arms over h.; raises arms above h., clasps hands, makes graceful, gyratory motions. Stram.
Sticking rheumatic pain in shoulder joint when moving arm or bending h. Puls.
Throbbing pain through axilla extending to teeth and side of h. Coloc.

Headache.—Hands and arms become cold and tremble with hereditary h. Calc-c.
Pains in shoulders, with h. Calad.
Quivering of hands and wrists during h. Glon.
Weakness of wrists after h. Glon.

Head of humerus (see Humerus).—Pain on moving arm as if h. were loose and would be dislocated. Croc.
Soreness of h. extending down arm to elbow. Gymnoc.

Heart (see section on Heart).—Finger nails bluish, lead-colored (in disease of h.). Apoc.
Numbness of left arm (with enlargement of h.). Cact.
Pain in left arm down to fingers (with disease of h.). Cact.
Pains from h. shooting down left arm to ends of fingers. Cact.
Rheumatic pain in left shoulder with symptoms of metastasis to h. Ferr.
Trembling of arms and jerking of h. Nux-v.

Heat.—Alternate h. and coldness of hands. Cocc., Paris.
Burning h. and redness of fingers even from slight cold as if they had been frosted. Borax. (Agar.)
H. and burning in palms and soles. Petr. (Sulph.)
H. and sweat of palms. Fluor-ac.
H. in palms with thirst. Zinc.
H. on hands. Carbo-v.
Pain in fleshy part of right thumb with feeling of fullness, h. and numbness. Ox-ac.
Rheumatic pains in joints with h. and swelling. Cimicif. (Bry.)
Swelling of forearm; skin rough, with intolerable itching, with great h. and loss of power in arms. Rhus-t.
Swelling, redness and inflammation of hands, with h. Rhus-r.

Heaviness.—Arms swollen and œdematous with feeling of great h. and weakness. Am-c.

Great h. and weakness in hands and arms. **Caust.**
H. and trembling of forearms and hands. Spong.
H. and weakness in right arm; feels as if weighed a hundred pounds, and without strength to raise it. Am-c.
H. in arms. Alu., Bell., Ferr., Mur-ac., Puls., Sil., **Stann.**
H. in forearms. Croc.
H. in hands. Natr-c., **Ran-b.**
H. in shoulder. Puls.
H. of hands and feet. **Bell.**
H. of right arm. Aloe.
H. or paralytic weakness in left arm; fingers frequently and easily go to sleep. Dig.
H. with paralytic feeling in elbow joint. Samb.
Languor, h. and sinking of arms. Natr-m.
Painful h. in arms. Ver-a.
Shoulders pain as if bruised, with paralytic weakness and h. **Nux-v.**
Trembling and h. of hands and feet. **Nicc.**
Weakness and h. of arms. Sil.
Weakness and h. of arms, especially right; worse on motion. Stann.
Weakness and paralytic h. of arms. Natr-m.

Heavy.—Forearm feels h. and as if bruised. Croc.
Hands feel as if too thick and as if asleep; they are h. and clumsy. Mancin.
Hands feel h. as lead. Phos.
Numb and h. feeling in arms, as if beaten. Puls.
Numb and h. feeling in right forearm, as if asleep. **Am-m.**
Pain in right shoulder as if had carried something very h. Cast.
Right arm feels h. and rigid. Am-m.
Tired h. feeling in left arm. Carb-ac.

Herpes (see section on Skin).—Bran-like h. on hands and arms. Borax.
H. between fingers. Ambr., Graph., Nitr-ac.
H. in axillæ. Carbo-an.
H. on elbows. Thuja. (Sep.)

Herpes circinatus.—H. itching terribly in bends of elbows. Graph.

Herpetic.—H. spots on arms and hands. Natr-m., Zinc.

Hip.—Rheumatic pain in right shoulder, right arm and h., changing often and lasting but a short time. Ox-ac.

Hold.—Right wrist pains constantly as if sprained or dislocated; wants to stretch it: cannot h. anything. Ox-ac.

Holding (see Grasping).—Hand trembles when h. anything. Can-sat.
Trembling of hands as from old age, especially when h. anything. Agar.

Honey.—Perspiration in axillæ smells like onions. Sulph. (Like garlic. Tellur. Like h. Thuja.)

Horny.—Crushed finger nails grow in splits and are h. Ant-c.
H. callosities on hands. Graph.

H. growth under finger nails. Ant-c.
H. warts on hands. Ant-c.

Hot.—Arthritic h. swelling of hands. Cocc.
Coldness of one hand while the other is h. Ipec.
Fingers alternately h. and cold, as if dead, and have dead color. Paris.
Hands alternately h. and cold. Cocc.
Hands constantly h. Lyc.
Hands feel dry and h. as if too large. Clem.
Hands h. Tarax.
Hands h., feet cold; when feet get warm, hands get cold. Sep.
H. and red swelling of forearm. Ant-c.
H., pale swelling in wrist joint and little finger, with sticking on moving finger or on pressing it. Bry.
H., pale swelling of hands and finger joints. Bry.
Icy coldness of one hand, other h. and red. Puls.
Joints of fingers are swollen red and h. Cinnab.
One hand pale and burning h., other red and cold. Mosch.
Palms h. Acon.
Palms h. and dry. Bad., Chin-ars.
Palms h. and dry with disease of Kidneys. Can-sat.
Red, h. swelling of joints of hands and fingers. Hep-s.

Humerus.—Boring in h. Mang.
Digging pain with wave like drawing in upper part of h. as if bruised. Cocc.
Jerking pain in h. China.
Pain as from bruise in h. Hep-s.
Pain in arm as if h. were beaten in middle extending to thumb. Puls.
Rheumatic pain in h. at night. Dros.
Tearing pain in shoulder joints, h. and wrist joints; worse at night. Merc.

Hydrocephalus (see section on Head).—Involuntary motion of one arm and one leg (in h.). Apoc.

Hygroma.—H. on hands. Bov.

Hysterical.—Cramp-like pain near shoulder as if everything in chest were tightly constricted (in h. affections). Plat.
Left arm feels paralyzed (in h. women). Plat.

Immobility.—Chronic arthritis with swelling, i. and deformity of joints. Brom.

Impressions.—Deep i. on fingers, from using blunt instruments, as scissors or knife. Bov.

Inactivity.—Indolence or i. of arms. Nux-v.

Inco-ordination.—I. of muscles of both upper and lower extremities similar to movements observed in first stage of progressive paralysis of insane persons. Bell.

Increased.—Pain in right radius (forearm); i. by motion or touch. Sabin.

Indolence.—I. or in activity of arms. Nux-v.

Index finger (see Forefinger).—Boring, sticking pain in middle joint of index and middle fingers. Hell.

Contraction of right thumb and i. Cycl.

Drawing and crookedness in left i. Lachn.

Dull, aching pain in i. of right hand extending to other fingers. Abrot.

Pain in left i.; whole finger painful internally. Fluor-ac.

Small ulcers on i., moist, itching and painful to touch, surrounded by small vesicles. Calc-c.

Stiffness of i. Calc-c.

Tearing in metacarpal bones of right i. and middle fingers. Bism.

Thumb and i. feel as if sprained. Lachn.

Induration.—Contraction and i. of tendons of fingers. Caust.

I. of cellular tissue of forearm. Sil.

I. of glands in axillæ. Carbo-an.

I. of tendons of fingers. Caust.

Inflamed.—I. swelling of little finger (after erysipelas). Sulph-ac.

Large, i. swelling, like erysipelas, on forearm below elbow, passing into suppuration, like a boil. Lyc.

Inflammation.—I. of arm. Rhus-t.

I. of fingers. Magn-c.

I. of nails. Coni., Hell., Kali-c., Lyc., Natr-m., Phos-ac., Teucr.

I. of lymphatic vessels from hand to shoulder, with violent swelling of hands. Cupr.

Panaritium: i. of finger tips, with deep-seated pain. Am-c.

Redness, i. and swelling of finger joints. Lyc.

Superficial erysipelatous i. around roots of nails. Hep-s.

Swelling and i. of glands in axillæ. Rhus-t.

Swelling, redness and i. of hands, with heat. Rhus-r.

Inflammatory.—I. swelling of glands in axillæ. Aur.

Red, i. swelling of fingers. Magn-c.

Insects.—Itching, as from crawling of i. on arms. Osm.

Tingling in arms, as if i. were creeping over them, or as if arm would go to sleep. Ver-a.

Insensibility.—I. of tips of fingers and toes, followed by gangrene and death of parts. Sec.

Numbness and i. of hands. Sec.

Insensible.—Deadness of fingers; they become icy cold and i. Kreas.

Hands stiff and i. Ars.

Numbness i. and tightness of fingers. Caust.

Tips of fingers feel numb and i., as if they were all thumbs. Phos.

Inside (see Palm).—Flat smooth warts on i. of hand. Ruta.

Inspiration (see section on Chest).—Rheumatic pains in right scapula (Chelid.) and right side of chest; worse during i. Æsc.

Instruments.—Deep impressions on fingers from using blunt i., as scissors or knife. Bov.

Intermittent fever (see section on Fever).—Draws fingers together making a fist (in beginning of i.). Cimex.

Great coldness of hands, with sensation as if fingers were dead (in i.). Sep.

Nails blue (in i.). Ars.

Integuments (see Skin).—Soreness of i.; flesh sore to touch, as if had been beaten. Bad.

Intervals.—Neuralgic pains at i. in right arm. Kalm.

Pains in bones of arms at i. Lach.

Pulsative pain in upper arm at i. Kali-c.

Involuntary.—I. grasping. Sulph.

Frequent, i. jerking and stitches in arms and fingers. Cic-v. (In epilepsy. Cupr.)

I. jerking of arm in daytime. Thuja.

I. motion of one arm and one leg (in hydrocephalus). Apoc.

Inward.—Fingers contracted, flexors bent i. (in leprosy). Tart-em.

Sharp stitches in axillæ, from without i. Arn.

Thumb and fingers bent i. (in convulsions of children). Æth.

Thumbs turned i. (in epilepsy). Cic-v.

Irregular.—Constant, i. motion of left arm. Cimicif.

Itch (see section on Skin).—Chilblains on hands i. and swell. Zinc.

Dry i. Cupr.

I. and scabs on hands. Sep.

Itching.—Blotches on forearms and elbows, with violent burning and i. Mur-ac.

Dry, scaly eruption, with i. of palms (syphilitic eruption). Selen.

Dull i. in palms. Ran-b.

Fine i. eruption on hands. Carbo-v.

Herpes circinatus i. terribly in bends of elbows. Graph.

Herpetic eruption in bend of elbow forming yellow scales and i. Cupr.

I., as from crawling of insects on arms. Osm.

I. between fingers. Ran-sc.

I. between fingers and on palms; obliged to rub them, but i. increased by scratching, which causes great burning. Sulph.

I. blisters on hands, first pale, then red. Gum-gut.

I., burning, redness and swelling of hands, as if had been frozen. Agar.

I., crawling, as from fleas on different spots. Ox-ac.

I. eruption on arms and hands. Daph.

I. in axillæ (before menses). Sang.

I. in bends of elbows. Sep.

I. in palms. Cinnab., Selen.

I. of arms. Caust.

I. of back of hands, in palms and on knuckles. **Camph.**
I. of fingers. Lyc.
I. of hands. Bell., Nitr-ac., Phos.
I. of hands, with rough, dry, graty skin. Hep-s.
I. of nails. Hep-s.
I. of outer surface of right arm just above elbow. **Mang.**
I. on dorsum or finger. Coni.
I. pimples on hands. **Lyc.**
I. scurf on posterior part of each elbow. Sep.
I., throbbing pains in fingers. **Lith-c.**
I. worse in evenings, with biting and burning in arms. **Bov.**
Painful swelling of carpus, i. when touched. **Calc-c.**
Pimples on shoulders, with violent i. and burning after scratching. Kali-c.
Psoriasis palmaris affecting whole palm (Skookum chuck); i. and burning so that it was impossible to do any work; thick scales. Petr.
Red, i., rough, miliary eruption on both elbows feeling like a grater. Cor-r.
Redness and swelling of hands and fingers, as if frozen, with i. in evening, and with drawing during motion. Sulph.
Round, burning, i. spot on hand. Iod.
Severe i. on back of finger joints; must scratch them violently. Borax.
Slight redness of tips of fingers, with frequent i. on joints, as if they had been slightly frozen. Berb.
Small i. pimples on forearm. Caust.
Small ulcer on index finger, moist, i. and painful to touch, surrounded b small vesicles. Calc-c.
Small vesicles on hands and arms i. violently. Daph.
Stinging, i., burning under skin of wrist joint. Arg-m.
Sudden swelling of hands, with i. and tingling. Lach.
Swelling of forearm; skin rough, with intolerable i., with great heat and loss of power in arms. Rhus-t.
Troublesome i. of hands. Colch.
Vesicular eruption, with i. between fingers. Psor.
Violent i. in bends of elbows. Hep-s.

Itch-like.—I. eruption on arms. Lach., Sep.

Jactitation.—Convulsive jerking and j. in muscles of upper arms. Squilla.
J. of muscles of upper arms. Meny.

Jerking.—Chorea: twitching and j. of muscle of one arm and leg (usually right); convulsive, uncontrollable movements of arms and legs; twitching of muscles and shrugging of shoulders returning every day; arms and limbs in constant motion, cannot keep hands in same position for a moment. Myg.

Constant j. and twitching of arms and hands. Coff.
Convulsive j. and jactitation in muscles of upper arms. Squilla.
Convulsive j. of arms and legs. Ign. (Stram.)
Drawing, j. and tearing from tips of fingers into shoulders. Ars.
Frequent involuntary j. and stitches in arms and fingers. Cic-v. (In epilepsy. Cupr.)
Involuntary j. of arm in daytime. Thuja.
J. and tearing in elbow and wrist joint during rest; better during motion. Rhus-t.
J. and twitching of muscles in arms and hands. Cupr. (Cic-v.)
J. in fingers. Cad.
J. in fingers when holding pen. Stann.
J. in muscles of arm when resting it. Stann.
J. of limbs on falling asleep. Ign.
J. pain in arms. China, Phos-ac., Puls.
J. pain in fingers. Am-c., China.
J. pain in humerus. China.
J. sensation in finger joints. Natr-c.
Paralytic, j., tearing pains in arms. China.
Sudden j. pain in right wrist and bones of hand. Ox-ac.
Sudden stitching, j. and tearing in bones of upper arms. Berb.
Trembling and j. of arms and hands. Iod.
Twitching and j. commencing in fingers (in chorea). Cupr.
Trembling of arms and j. of heart. Nux-v.

Jerks.—J. or shocks in left arm. Cic-v.
Tingling in fingers, with anxiety and painful j. of arms. Ver-a.

Joint.—Tearing in wrist j. Bov.

Joints.—Arthralgia: pain in j., worse on motion. Arg-n.
Bones feel bruised, with cracking in j. from motion. Kali-bi.
Chronic arthritis, with swelling, immobility and deformity of j. Brom.
Cracking in j. Nitr-ac. (Croc.)
Cracking in j. of left arm. Brachyg.
Feeling as if j. of arms and wrists were sprained. Arn.
Fistulous ulcers and crepitation of j. Calc-flu.
Gnawing, stinging pains in j. and along bones. Dros.
Gouty, rheumatic pain, with tight, hard swelling in j. Led.
Great weakness of j. Bov.
J. painful on motion. Paris.
Lameness and cramps in j. Natr-m.
Pain in all j. during motion. Rheum.
Pains in arms, j. and numbness, as if beaten, or as after a blow or a fall. Ruta. (Arn., Bad.)
Red, hot swelling of j. of hands and fingers. Hep-s.
Rhagades in j. Sulph.
Rheumatic pain in j., with red, shiny swelling. Mang.
Rheumatic pains in arms and j. Zinc.

Rheumatic pains in j., with heat and swelling. Cimicif. (Bry.)
Rheumatic tearing pains in j. Led. (Bry., Puls., Rhus-t., Spig.)
Rheumatism of limbs, especially of j. Kali-bi.
Rheumatism of small j. Actea-s., Caul.
Rheumatism: severe pain in wrist and finger, with swelling; cutting in j. when closing hands; pains change to nape of neck, with spasmodic rigidity; fingers stiff. Caul.
Sensation of contraction in j. Anac.
Severe drawing pains constantly and quickly changing in all j., especially smaller. Iris.
Slight redness of tips of fingers, with frequent itching on j., as if they had been slightly frozen. Berb.
Sore and painful fissures and rhagades in skin of hands, especially in j. Sulph.
Soreness of j., especially of hands and fingers, feet and toes. Arg-m.
Stiffness of j. Coloc.
Stiffness, with stitches in j. Sep.
Stinging pains in arms and j. Thuja.
Stitches and stiffness in j. Rhus-t.
Stitches in bends of elbows and j. of hands and fingers. Spig.
Stitches in j. of arms, hands and fingers on motion. Sars.
Stitches in j. on motion. Bry.
Swelling of j. after slight fatigue. Actea-s.
Swelling of limbs and j.; becomes red and very sensitive to touch and motion; relieved by warmth. Bry.
Tearing pains in j. Sulph.
Tearing pains in first j. and phalanges of fingers. Zinc.
Tearing pains in j. of all fingers. Rhus-t.
Tearing pains in shoulders and all j., with spasmodic motion of arms. Aur.
Ulcers about j., especially small j. of fingers. Sep. (Borax.)
Weakness in j., as if they would not hold together. Psor.

Joints of arms.—Cracking in j. Chin-s., Croc., Kali-bi., Merc., Tart-em., Thuja.
Intolerable pains in bones and j. Ign.
Stinging stitches in j. Sulph., Thuja.
Tension in j. Sep.

Joints of elbows.—Cracking in j. Kalm.

Joints of fingers.—Drawing pains in j. Cina.
Gouty swelling of j. Graph.
Paralytic, drawing, pressing pains in arms, with tearing pains in j.; pains come and go suddenly. Bell.
Rheumatic pains in arms and j. Colch.
Tearing in tips and j., especially under nails. Bism.

Joints of thumb.—Sensation in j., as if sprained. Camph.
Tearing pain in j. Spig.

Kidneys (see section on Urinary Organs).—Palms hot and dry, with disease of k. Can-sat.

Knees (see section on Lower Extremities).—Tremor of hands and k. Led.

Weakness of arms and k. Anac.

Knife.—Deep impressions on fingers from using blunt instruments, as scissors or k. Bov.

Knobby.—Tips of fingers k. and larger than other portions of extremities. Laur.

Knock.—Crumbling of finger nails from slight k. against them. Cast-eq.

Knocked.—Pain in the elbow j., as if it had k. it against something. Caust.

Knuckles.—Itching of back of hands, in palms and on k. Camph.

Pains first in k. and then in whole hand. Guaj.

Warts on k. Ox-ac., Pallad.

Lacerating.—L. pain in forearm and hand. Æth.

Swelling of finger joints, with l. pain. Agn.

Lame.—Arms feel l. and bruised. Dros.

L. feeling in elbow joint. Arg-m.

Lameness.—Cramp-like pain and l. of hand on slight exertion. Sil.

L. and cramps in joints. Natr-m.

L. and pressure in arms, with weakness. Bell.

L. and dryness of hands; they look bluish. Zinc.

L. and drawing pain in elbow and fingers. Bell.

L. and great weakness in arms. Colch.

L. and languor of right arm. Bism.

L. and numbness of arms and fingers; they feel as if asleep. Sep.

L. in carpal bones and bones of hands. Bell.

L. in forearm and right shoulder. Psor.

L. in left shoulder. Lach. (Ferr.)

L. in right arm. Kali-bi. (Left arm. Acon., Lach., Rhus-t.)

L. of left arm, as if sprained, with difficulty in lifting it. Bov.

L. of shoulders. Nux-v.

Numbness and l. of arms and hands. Cupr.

Numbness and l. of left hand, especially of fingers. Cupr-ac.

Painful l. in forearm and hand; better on motion. Bar-c.

Tearing pain, with l. and pressure in right forearm, especially violent in carpal bones. Bism.

Weakness and l. of arms and fingers. Calc-c.

Languor.—Lameness and l. of right arm. Bism.

L., heaviness and sinking of arms. Natr-m.

L. in arms. Ang., Calc-c., Natr-c., Natr-m.

Large.—Fingers feel l., like sausages, and as if going to be paralyzed. Calad.

Hands feel dry and hot, as if too l. Clem.

Larger.—Arms feel as if had grown l. Alu.
Hands feel l. than usual and clumsy, with pricking numbness. Ptel.
Peculiar sensation in right hand and forearm as if constricted, l. in size and not under control of will. Cupr.
Tips of fingers knobby and l. than other portions of extremities. Laur.
Lead colored.—Finger nails bluish, l. (in disease of heart). Apoc.
Leaning.—Painful pressure in right elbow joint, more violent when l. it upon table, in which case pain extends to hands. Camph.
Trembling of arm when l. on it. Meph.
Left.—Aching in l. acromion process with shooting pain down arms. Æsc.
Aching pain in l. forearm. Carb-ac.
Bruised pain in l. shoulder. Sulph. (Ferr.)
Bruising pain in l. thumb. Kreas.
Burning stitch in l. thumb. Lith-c.
Coldness of right hand, with warmth of l. **Mez.**
Constant irregular motion of l. arm. Cimicif.
Constant rheumatic pain and aching in l. arm. **Gymnoc.**
Cracking in joints of l. arm. Brachyg.
Cramp in fingers of l. hand. Arn.
Cramp-like pain in muscles of l. forearm extending to palm. Meny.
Creeping in l. arm. Bell.
Cutting, rheumatic pains in l. arm from shoulder or elbow to wrist. Guaj.
Drawing and crookedness in l. index finger. Lachn.
Drawing pain in inner side of l. upper arm. Bell.
Drawing pain in l. muscle covering l. radius, alternating with pain in same muscle on right side. Card.
Drawing, tearing pain from l. elbow to hand. Carbo-v.
Eczematous eruption on dorsum of l. hand between and upon fingers. Canth.
Heaviness or paralytic weakness in l. arm; fingers frequently and easily go to sleep. Dig.
Jerks or shocks in l. arm. Cic-v.
Lameness in l. shoulder. Lach. (Ferr.)
Lameness in right arm. Kali-bi. (L. arm. Acon., Lach., Rhus-t.)
Lameness of l. arm, as if sprained, with difficulty in lifting it. Bov.
L. arm feels numb, as if paralyzed. Ox-ac.
L. arm feels paralyzed (in hysterical women). Plat.
L. arm feels stiff and fingers contracted. Paris.
L. thumb pains, as if sprained and stiff. Kreas.
Numbness and lameness of l. hand, especially of fingers. **Cupr-ac.**
Numbness, especially of l. arm. Ambr.
Numbness in l. arm as if gone to sleep. Apis.
Numbness of l. arm; difficult to move hand; tingling in fingers. Acon.
Numbness of l. arm (in epilepsy). Bufo.

Numbness of l. arm (with enlargement of heart). Cact.
Numbness of l. hand and forearm, with pricking; worse on movement. Bad.
Œdema of l. hand. Cact.
Pain in l. arm, as if bones were broken. Gymnoc.
Pain in l. arm down to fingers (with disease of heart). Cact.
Pain in l. elbow joint as from a blow. Ruta.
Pain in l. forearm. Rhus-r.
Pain in l. index finger; whole finger painful internally. Flour-ac.
Pain in l. middle finger. Lith-c.
Pain in l. shoulder. Dios., Kali-jod. (Ferr.)
Pain in l. shoulder between clavicle and scapula internally. Cinnab.
Pain in l. upper arm, as if muscles or tendons were strained, when limb is raised. Rhus-t.
Pain under right shoulder joint, as if beaten. Kali-c. (L. Kali-jod.)
Painful sticking and tearing in l. shoulder. Graph.
Pains from heart shooting down l. arm to ends of fingers. Cact.
Palm of l. hand cracked and horny, with several oozing rhagades. Merc-bij.
Paralytic, bruised pain of l. arm. Dulc.
Paralytic weakness of l. hand with pain in wrist. Kalm.
Rheumatic, drawing, tearing pains in l. shoulder, arm and fingers. Sulph.
Rheumatic or gouty stiffness of l. arm and elbow joint. Agar.
Rheumatic or paralytic pain in l. shoulder joint preventing motion of arm. Ferr. (Right shoulder. Sang.)
Rheumatic pain in l. forearm and fingers. Podo.
Rheumatic pain in l. shoulder extending to scapula. Merc-cor.
Rheumatic pain in l. shoulder with symptoms of metastasis to heart. Ferr.
Rheumatic pains in elbow and wrist joints; stinging in l. elbow. Kali-bi.
Sensation of paralysis of l. arm and right foot. Hyper.
Sharp pain in l. shoulder on waking. Abrot.
Shooting pains in l. shoulder, with drawing pains in inner side of arm, with great weakness of arm. Bell.
Sticking and tearing in l. arm from above downward to tips of fingers. Rhus-t.
Stitches in l. elbow. Cocc-c.
Stitching pain, with pressure on top of l. shoulder. Bell.
Swelling of back of l. hand; veins distended. China.
Tearing pain in l. elbow. Iod. (Ars., Ferr.)
Tearing pain in fingers of l. hand. Carbo-v.
Tearing pain in l. shoulder joint. Ambr., Kali-c.
Tearing pain in l. upper arm. Card.
Tired, heavy feeling in l. arm. Carb ac.

Trembling or twitching, symptoms appearing diagonally, right arm and l. leg. Agar.
Twitching of muscles of l. hand. Spong.
Ulcer in l. axilla. Borax.
Violent pain in l. arm, as if dislocated and as if flesh were torn from bones, from axillæ to tips of fingers (in rheumatism). Tart-em.
Weakness with feeling of paralysis in l. arm. Calc-c.

Leg (see section on lower Extremities).—Chorea: twitching and jerking of muscles of one arm and l. (usually right); convulsive, uncontrollable movements of arms and legs; twitching of muscles and shrugging of shoulders returning every day; arms and limbs in constant motion, cannot keep hands in same position for a moment. Myg.
Involuntary motion of one arm and one l. (in hydrocephalus). Apoc.
Trembling or twitching, symptoms appearing diagonally, right arm and left l. Agar.

Legs.—Arms and l. numb and feel as if asleep in morning on waking. Aur.
Convulsive jerking of arms and l. Ign. (Stram.)
Convulsive twitching of arms and l. Squilla.
Fidgets in arms and l. preventing sleep. Meph.
Great weariness in arms and l. Iod.
Paralytic feeling in arms; also in spine and l. Æsc.

Lepra vulgaris (see section on Skin).—Obstinate l. on arms. Iris.

Leprosy.—Fingers contracted, flexors bend inward (in l.). Tart-em.

Leucorrhœa (see section on Female Sexual Organs).—Tetter on forearm (with l.). Alu.

Lies.—Arm on which he l. falls asleep. Rhus-t. (Rheum.)
Pain in arm on which patient l.; better from motion. Ars.
Pain in bones of arm on which he l. at night. Iod.

Lifeless.—One half of finger feels l. Phos-ac.

Lifting (see Raising).—Sticking pain in shoulder on l. arm. Led.
Stitches in shoulder joint on l. arm; also in finger joints. Sulph-ac.
Trembling of hands when l. them. Gels.

Lightness.—Sensation of l. in limbs. Coff.

Lightning-like.—L. pains in right shoulder. Daph.

Little finger (see Fourth).—Coldness and numbness of right hand with tingling of ring and l. Sec.
Hot pale swelling in wrist joint and l. with sticking on moving finger or on pressing it. Bry.
Inflamed swelling of l. (after erysipelas). Sulph-ac.
Muscles between ring and l. very sore. Samb.
Neuralgic pain from neck down right arm to l. Kalm.
Numbness of right arm from elbow to l. Cinnab.
Numbness of l. Plat.
Pressing pain in middle, ring and l. of right hand. Tarax.

Right wrist pains as if sprained, and on allowing to hang, pain radiates to ring and l. Cast-eq.

Ring and l. of both hands feel as if they had gone to sleep. Diad.

Slight contusion in l., followed by tearing pain and redness along lymphatic vessels over whole arm into axillæ, causing painful swelling of glands. Bufo.

Slightest pressure on palm of hands near l. causes patient to cry out. Actea-s.

Swelling and suppuration of l. Mang.

Liver (see section Hypochondria).—Pain in right shoulder and arm (with disease of l.). Lept.

Livid.—Fingers and nails l. Ox-ac.

Hand and lower part of forearm dark and l. Ars.

Nails l. Colch., Eupat-purp.

Loose.—Nails feel l. Apis.

Pain on moving arm, as if head of humerus were l. and would be dislocated. Croc.

Looseness.—Sense of l. in shoulder. Croc.

Loss.—L. of muscular power and of feeling in hands. Sec.

Loss of power.—L. and stiffness of forearm and fingers on moving. Rhus-t.

Swelling of forearm; skin rough, with intolerable itching, with great heat and l. in arms. Rhus-t.

Lower.—Drawing pain in elbow joints and in l. arm. Caust.

Hand and l. part of forearm dark and livid. Ars.

Spasmodic, tearing pain in outer part of l. arm. Calc-c.

Lump.—Felon: violent throbbing "gathering pain," occurring every winter for many years; lymphatics of arm inflamed; pain extending to axillæ, where there is a l. Hep-s.

Lying.—Arm goes to sleep and pains when l. on it. Calc-c.

Arms go to sleep easily, especially when l. on them or when carrying anything in hands. Ambr.

Numbness of arms; go to sleep when l. on them. Carbo-v.

Lymphatics.—Felon: violent throbbing "gathering pain," occurring every winter for many years; l. of arm inflamed; pain extending to axillæ, where there is a lump. Hep-s.

Lymphatic vessels.—Inflammation of l. from hand to shoulder, with violent swelling of hands. Cupr.

Slight contusion in little finger, followed by tearing pain and redness along l. over whole arm into axillæ, causing painful swelling of glands. Bufo.

Marble.—Bluish m. skin. Cupr.

Marrow.—Tearing in upper arm, as if in m. of bone. Magn-m.

Meningitis (see sections on Head and Back).—Arms hang powerless, as if paralyzed (in m.). Acon.

Menses (see section on Menstruation).—Constant pain under inner angle of right scapula, frequently with cough, diarrhœa, pneumonia (during m.). Chelid.

Itching in axillæ (before m.). Sang.

Numbness, weakness and tremor of hands, sitting or during m. Zinc.

Metacarpal.—Pains in m. and phalangeal articulations, especially of thumbs. Calc-ph.

Metacarpal bones.—Cramp-like contraction of m. Can-sat.

Drawing in m. Carbo-v.

Tearing in m. of right index and middle fingers. Bism.

Tearing pain along m. Berb.

Metastasis.—Rheumatic pain in left shoulder, with symptoms of m. to heart. Ferr.

Middle finger.—Boring, sticking pain in middle joint of index and m. Hell.

Dry, bran-like squamous, tettery eruptions on hands and fingers, especially on the index finger and m. of right hand. Anagal.

M. become dead; are white, cold and senseless. Calc-c.

Pain, as if ulcerated, around finger nails, especially in m. of right hand. Calc-ph.

Pain in left m. Lith-c.

Pressing pain in m., ring and little finger of right hand. Tarax.

Tearing in metacarpal bones of right index and m. Bism.

Mogigraphia (see Grapho-spasmus).—M., grapho-spasmus, Scrivner's palsy, penman's paralysis, writer's cramp, telegrapher's cramp. Anac.

Moist.—Hands cold and m. Tart-em.

Raw, m. places between fingers. Graph.

Small ulcer on index finger, m., itching and painful to touch, surrounded by small vesicles. Calc-c.

Moisture.—M. on bend of elbow. Sep.

Morning.—Arms and legs numb feel as if asleep in m. on waking. Aur.

Arms asleep on awakening in m.; can hardly move them. Calad.

Deadness of fingers in m. Sulph.

Fingers stiff in m. Calc-c.

Numbness of arms in m. on awakening. Magn-m.

Numbness of tips of fingers in m. Lach.

Tremor of hands in m. Natr-c.

Motion.—Acute, rheumatic pain in right shoulder; worse from m. Iris.

Arthralgia: pain in joints; worse on m. Arg-n.

Bones feel bruised, with cracking in joints from m. Kali-bi.

Chorea: twitching and jerking of muscles of one arm and leg (usually right); convulsive, uncontrolable movements of arms and legs; twitching of muscles and shrugging of shoulders returning every day; arms and limbs in constant m., cannot keep hands in same position for a moment. Myg.

Constant, irregular m. of left arm. Cimicif.
Convulsive, rotary m. of right arm, with thumb clenched (in cholera infantum). Camph.
Cramp-like pain in ball of right thumb; on m. of hand it extends to thumb. Spong.
Fingers spasmodically flexed, but in constant m. Colch.
Hands and fingers in constant m. Kali-brom.
Hard pressure in right axilla and upper arm; worse on touch or m. Agn.
Involuntary m. of one arm and one leg (in hydrocephalus). Apoc.
Jerking and tearing in elbows and wrist joints during rest; better during m. Rhus-t.
Joints painful on m. Paris.
Pain in all joints during m. Rheum.
Pain in arm on m., as if flesh had become detached. Dros.
Pain in arm on which patient lies; better from m. Ars.
Pain in glenoid cavity of forearm, as if dislocated, during m. Cocc.
Pain in right radius (forearm); increased by m. or touch. Sabin.
Pain in wrists, as if wrenched or sprained, on every m. Bry., Eupat-perf.
Painful pressure in right shoulder when at rest, with tearing pains in inner surface of forearm; stitching pain from slightest m. Bry.
Painful lameness in forearm and hand; better on m. Bar-c.
Pressing in shoulder joints; worse on m. Led.
Redness and swelling of hands and fingers, as if frozen, with itching in evening, and with drawing during m. Sulph.
Rheumatic or paralytic pain in left shoulder joint, preventing m. of arm. Ferr. (Right shoulder. Sang.)
Rheumatic pain in shoulder joint extending down arm to hand; worse on m. Magn-m.
Rheumatic pains in arms; better on m. Meph.
Rheumatism: intolerable pains in right wrist; with swelling; m. impossible. Actea-s.
Sharp, drawing pain in right shoulder; worse on m., especially on raising arms. Iris.
Stitches in joints of arms, hands and fingers on m. Sars.
Swelling and sticking pain in finger joints (Colch.); worse on m. or touch. Bry.
Swelling of limbs and joints; becomes red and very sensitive to touch and m. Bry.
Tearing in shoulders or in shoulder joints at night, with gnawing or bruised pain and sticking; at first aggravated, afterwards relieved by m. of arms. Sulph.
Tremor of right arm during m.; feels shaky. Plumb.
Weakness and heaviness of the arms, especially right; worse on m. Stann.

Motions.—Chorea-like, convulsive m. of arms. Arg-n.
Convulsive m. of arms over head; raises arms above head, clasps hands, makes graceful, gyratory m. Stram.
Tearing pains in shoulders and all joints, with spasmocic m. of arms. Aur.
Twitching and convulsive m. of arms. Bell.

Mottled.—Blue, m. appearance of hands. Lach.

Move.—Arms asleep on waking in morning; can hardly m. them. Calad.
Numbness of left arm; difficult to m. hand; tingling in fingers. Acon.

Movement.—Arms feel bruised on m. or touch. Calc-c.
Pain in shoulders and bones of arms on m. Cocc.

Movements.—Chorea: twitching and jerking of muscles of one arm and leg (usually right); convulsive, uncontrollable m. of arms and legs; twitching of muscles and shrugging of shoulders, returning every day; arms and limbs in constant motion, cannot keep hands in same position for a moment. Myg.
Convulsive m., with trembling of arms. Plumb.
Inco-ordination of muscles of both upper and lower extremities similar to m. observed in first stage of progressive paralysis of insane persons. Bell.
Twitching, spasmodic m. of arms and hands. Opi.

Moving.—Arms constantly m. automatically except when asleep. Hell.
Cracking in shonlder joints when m. arm. Kali-c.
Drawing pain in tendons of elbow joint when m. arm. Puls.
Great trembling of hands, as from old age, on m. them or on grasping anything. Led.
Hot, pale swelling in wrist joint and little finger, with sticking on m. finger or on pressing it. Bry.
Loss of power and stiffness of forearm and fingers on m. Rhus-t.
Numbness of left hand and forearm, with pricking; worse on m. Bad.
Pain in shoulder, as if sprained or dislocated on m. arm. Ign.
Pain in shoulder joint, as if dislocated, on m. it. Magn-c.
Pain in shoulder joint, as if sprained; worse on m. hand. Alu.
Pain in shoulder joint when m. arm outward. Croc.
Pain on m. arm, as if head of humerus were loose and would be dislocated. Croc.
Painful stiffness in wrist when m. it, as if hand were sprained or strained. Puls.
Rheumatic pains in right deltoid muscle; worse on m. arm backward. Agar.
Sticking, rheumatic pain in shoulder joint when m. arm or bending head. Puls.
Weakness in shoulder joints makes m. of arm difficult. Bov.

Muscle.—Grapho-spasmus: cramp in fingers, thumb and wrist when writing; soreness extending upward along flexor carpi ulnaris m. Brachyg.

Muscles.—Aching pain in m. of shoulder and arm. Calc-c.
Chorea: twitching and jerking of m. of one arm and leg; (usually right); convulsive, uncontrollable movements of arms and legs; twitching of muscles and shrugging of shoulders returning every day; arms and limbs in constant motion, cannot keep hands in same position for a moment. Myg.
Contraction of m. of hands. Coloc.
Convulsive jerking and jactitation in m. of upper arms. Squilla.
Convulsive shocks in m. Agar.
Cramp-like drawing in m. Ol-an.
Cramp-like pain in m. of left forearm extending to palm. **Meny.**
Cramp-like pain, with twitching in m. Meny.
Cutting and tearing in m. of right forearm. Bell.
Drawing in arms, as from shortening of m. **Am-c.**
Drawing in m. Æth.
Drawing pain in m. covering left radius alternating with pain in same m. on right side. Card.
Drawing pains in m. of arms. Caust.
Great soreness of m. Cimicif.
Inco-ordination of m. of both upper and lower extremities similar to movements observed in first stage of progressive paralysis of insane persons. Bell.
Jactitation of m. of upper arms. Meny.
Jerking and twitching of m. in arms and hands. Cupr. (Cic-v.)
Jerking in m. of arm when resting it. Stann.
M. between ring and little fingers very sore. Samb.
M. of right arm sore. Carb-ac.
M. relaxed. Caps.
Pain in left upper arm, as if m. or tendons were strained, when limb is raised. Rhus-t.
Paralysis of extensor m. of fingers of right hand. Plumb.
Single stitches in shoulder joints and m. of upper arms when at rest. Cocc.
Trembling and twitching of m. of arms. Stram.
Twitching of m. Coloc., Mez., Tart-em.
Twitching of m. of arms. Tarax., Thuja.
Twitching of m. of hands. Asaf.
Twitching of m. of left hand. Spong.
Muscular.—Deep-seated, m. pains in both arms. **Gels.**

Nail.—Pain as from splinter under n. Nitr-ac., Sil., Sulph.
Sensation of splinter of glass under n. Cocc-c.
Nails.—Blueness of hands and n. (in tuberculosis). **Chin-ars.**
Blueness of n. Acon. (Nux-v., Opi.)
Boring in n. Colch.
Brittleness of n. **Fluor-ac.**

Burning in n. Caust.
Cold hands with blue n. Merc-sulph.
Crumbling of n. from slight knock against them. **Cart-eq.**
Crushed n. grow in splits and are horny. Ant-c.
Desquamation about n. Eugen., Merc., Sabad.
Discolored, crumbling n. Thuja.
Fine, tearing pain in finger tips of right hand, especially under n. Bism.
Fingers and n. livid. Ox-ac.
Fleshy warts close to n. Caust.
Gnawing under n. and crawling along arm. **Alu.**
Gray color of n. Merc-cor.
Hands feel cold, as if frozen, with tingling under n. on entering warm room. Nux-m.
Hangnails: skin around n. dry and cracked. Natr-m.
Horny growth under n. Ant-c.
Inflammation of n. Coni., Hell., Kali-c., Lyc., Natr-m., Phos-ac., Teucr.
Itching of n. Hep-s.
Large water-blisters on end of thumb, with smaller ones at side of n. Ailanth.
N. almost stop growing and skin beneath n. very sensitive. **Ant-c.**
N. become thick. Graph.
N. bleed. Crotal.
N. blue. Aur., Chelid., China, Dig., Natr-m., Nux-v., **Sil.**
N. blue (in intermittent fever). Ars.
N. blue, with numbness of finger tips. Arg-n.
N. bluish, lead colored (in disease of heart). **Apoc.**
N. break off. Graph., Merc., Sil., Sulph.
N. brittle. Dios., Psor.
N. brittle and crumbling. Graph.
N. brittle, exfoliate and fall off. Merc.
N. dirty, discolored. Ant-c., Ars., Graph., **Nitr-ac.**
N. distorted. Graph., Sabad., Sep., Sil., Sulph.
N. encircled by dark ring. Sec.
N. fall off. Graph., Hell., Merc., Sec., Squilla, **Thuja.**
N. feel loose. Apis.
N. furrowed. Sabad., Sil.
N. grow into flesh. Sil., Sulph., **Teucr.**
N. grow slowly. Ant-c.
N. livid. Colch., Eupat-purp.
N. painful when touched, as if bruised. **Petr.**
N. rough, yellow, very dry, fly to pieces when cut. **Sil.**
N. sensitive. Nux-v., Sil.
N. sore. Graph. (Alu., Hep-s., Kali-c., Merc., Mez., Natr-m., **Nux-v.**, Puls., Sep., Sulph.)
N. sore and painful as if ulcerated. Graph.

N. split. Sil., Squilla.
N. spotted. Nitr-ac., Sep., Sil.
N. thick and fissured. Sabad.
N. thickened. Graph. (Sabad., Sil., Sulph.)
N. yellow. Coni., Sep. (Merc., Nitr-ac., Nux-v., Sil., Sulph.)
Obstinate ulcers about n. Phos.
Pain as if ulcerated around n., especially in middle finger of right hand. Calc-ph.
Pain in n. Ant-c., Caust., Graph., Hep-s., Merc., Nitr-ac., Sil., Squilla, Sulph.
Pain in right shoulder and anterior muscle of chest through arm down to n. Cimex.
Panaritium in very old men; n. brittle, soft elastic and pink. Ambr.
Panaritium: n. brittle, with cutting pains and disposition of tips of fingers to ulcerate. Alu.
Roughness of n. Sabad., Sil.
Skin of hands especially about n. dry and cracked. Natr-m. (Rhus-t., Sulph.)
Sticking pain in tips of fingers under n. Cocc-c.
Swelling around n. Natr-m.
Tearing in tips and joints of fingers, especially under n. Bism.
Tearing pains under n. Kali-c.
Ulceration around n. Hell., Sil.
Ulcers and scabs under n. Ars.
Ulcers at n. Hep-s., Sil., Sulph.
White spots in n. Nitr-ac., Sulph.
Yellow, misshaped, curved, crumbling n. Nitr-ac.

Neck (see section on Neck and Back).—Neuralgic pains from n. down right arm to little finger. Kalm.
Pains in shoulders running into arms and n. Antipy.

Nerve (see section on Nerves).—Numb pain in arms as if n. had been compressed. Cimicif.

Nerves.—Slow, painful drawing in forearm, as if in n. Sulph.

Nettle rash (see section on Skin).—N. on arms. Natr-c.

Neuralgic.—N. pains at intervals in right arm. Kalm.

Night.—Burning in palms and soles at n. Sang.
Cramp in hands at n. Calc-c.
Cutting pains in shoulders or shoulder joints, especially at n. Sulph.
Drawing and tearing pain from elbow to axilla at n. Ars.
Hands cold at n. Phos., Thuja.
Hands fall asleep at n. Sil.
Moist, itch-like eruption on hands, bleeding at n. Merc.
Numb feeling in arms at n. with sensation as if something alive were running or crawling. Ign
Numbness in arms at n. Ambr., Croc., Lyc., Nux-v.
Pain in arm at n. Calc-c., Lyc., Nux-v.

Pain in bones of arm on which he lies at n. Iod.
Pain in shoulder at n. Kali-n., Merc.
Pain in upper arm at n. Cast., Merc.
Rheumatic pain in humerus at n. Dros.
Rheumatic pain in right arm and shoulder; worse at n. Sang.
Rheumatic pain in shoulders; worse at n. Kali-bi.
Rheumatism in wrists or finger joints, with excruciating pains and very tender to touch; worse at n. Actea-s.
Rigidity or stiffness of arms at n. Nux-v.
Sensation of enlargement of arms and hands at n. Diad.
Sweat on palms, especially at n. Psor.
Tearing in hands at n. with cracking in wrists. Selen.
Tearing in shoulder or shoulder joints at n., with gnawing or violent bruised pain or sticking; at first aggravated, afterwards relieved, by motion of arms. Sulph.
Tearing pain in shoulder joints, humerus and wrist joints; worse at n. Merc.
Tearing pains in arms at n. Ferr.

Nodosities.—Arthritic n. Bry.
Arthritic n. on hand and finger joints. Calc-c.
Arthritic n. on finger joints. Clem.
Arthritic n. on fingers. Graph., Staph.
Gladdular n. in axillæ. Nitr-ac.
Gouty n. on condyles. Calc-c.
Gouty n. on hands and finger joints. Led.
Stiffness of fingers from arthritic n. Lyc.

Nose (see section on Nose).—Cold sweat on hands (Sulph.), with cold n. Nux-v.

Numb.—Arms and legs n. and feel as if asleep in morning on waking. Aur.
Arms become n. and fall asleep. Phos.
Arms weak, n. and become powerless. Gels.
Fingers n., as if asleep. Bar-c.
Fingers stiff, n. and contracted. Ferr.
Formication and n. feeling on tips of fingers. Can-sat.
Hands alternately n., as if asleep. Cocc.
Hands and fingers cold, n., clumsy, and stiff. Ptel.
Hands feel n., as if had been asleep. Lyc.
Hands n. and tingle after exercise. Ruta.
Hands n.; fingers go to sleep (with affections of chest). Carbo-an.
Left arm feels n., as if paralyzed. Ox-ac.
N. and heavy feeling in arms as if beaten. Puls.
N. and heavy feeling in right forearm as if asleep. Am-m.
N. feeling in arms at night with sensation as if something alive were running or crawling. Ign.
N. pain in arms as if nerve had been compressed. Cimicif.

N., tingling sensation of fingers. Acon.
Right thumb trembles, is sensitive and n., feels as if bruised. Plat.
Tips of fingers feel n. and insensible, as if they were all thumbs. Phos.
Tips of fingers n. and weak; cannot hold anything. Mez.

Numbness.—Burning, tearing pain in shoulders, with n. of arm. Rhus-t.
Coldness and n. of fingers, as if dead. Thuja.
Coldness and n. of hands. Ox-ac.
Coldness and n. of right hand with tingling of ring and little fingers. Sec.
Coldness of right hand with stiffness and n. of thumb. Can-ind.
Hands feel larger than usual and clumsy, with pricking n. Ptel.
Lameness and n. of arms and fingers; they feel as if asleep. Sep.
Nails blue, with n. of finger tips. Arg-n.
N. and coldness of fingers. Mur-ac.
N. and coldness of tips of fingers. Sec.
N. and insensibility of hands. Sec.
N. and lameness of arms and hands. Cupr.
N. and lameness of left hand, especially of fingers. Cupr-ac.
N. and paralytic feeling of arms. Cocc.
N., especially of left arm. Ambr.
N. from shoulders to tips of fingers. Ox-ac.
N. in arms. Cham., Croc., Kali-c., Lyc., Magn-m., Nux-v., Rhod., Sil.
N. in arms at night. Ambr., Croc., Lyc., Nux-v.
N. in left arm as if gone to sleep. Apis.
N. in tips of fingers. Staph.
N., insensibility and tightness of fingers. Caust.
N. of arms and hands. Merc-sulph.
N. of arms; go to sleep when lying on them. Carbo-v.
N. of arms in morning on awaking. Magn-m.
N. of arms with pricking in fingers. Rhus-r.
N. of fingers. Sulph.
N. of fingers, more in tips about roots of nails. Apis.
N. of hands and fingers. Rhus-r.
N. of hands and prickling in arms. Sil.
N. of hands; arms and fingers easily go to sleep. Lyc. (Cham.)
N. of hands when grasping anything, with muscular atrophy. Calc-c.
N. of left arm; difficult to move hand; tingling in fingers. Acon.
N. in left arm (in epilepsy). Bufo.
N. of left arm (with enlargement of heart). Cact.
N. of left hand and forearm, with pricking; worse on movement. Bad.
N. of limbs, as if asleep. Arg-m.
N. of little finger. Plat.
N. of right arm from elbow to little finger. Cinnab.

N. of right forearm extending to fingers. Ox-ac.
N. of single finger. Ol-an.
N. of tips of fingers. Spong.
N. of tips of fingers in morning. Lach.
N., weakness and tremor of hands when writing or during menses. Zinc.
N. with sensation of swelling of hands and forearms. Opi.
Pain and n. in wrist joints and dorsum of hands, as if bruised. Ruta.
Pains in arms, joints and n., as if beaten, or as after a blow or a fall. Ruta. (Arn., Bad.)
Pain in fleshy part of right thumb, with feeling of fullness, heat and n. Ox-ac.
Sensation of n. in fingers. Abrot.
Tearing, drawing, stitching pain and n. in fingers, as if suppurating, or as if panaritium would form. Sil.
Tearing pains and n. in hands feet. Bism.
Tingling, with n. in arms. Sec.

Œdema.—O. of arms and hands. **Antipy.**
Œ. of hands. Apis, Merc.
Œ. of left hand. Cact.
Œ. of right arm. Cinnab.
Œdematous.—Arms swollen and œ., with feeling of great heaviness and weakness. Am-c.
Œ. swelling of arms. Crotal.
Œ. swelling of hands. Colch.
Offensive.—O. smelling ulcers on tips of fingers. Petr.
Old age.—Great trembling of hands, as from o., on moving them or on grasping anything. Led.
Trembling of hands, as from o., especially when holding anything. Agar.
Old men.—Panaritium in very o.; finger nails brittle, soft, elastic and pink. Ambr.
Onions.—Perspiration in axillæ smells like o. Bov., Sulph. (Like garlic. Tellur. Like honey. Thuja.)
Perspiration smells like o. Lyc.
Onychitis.—O. Hep-s. (Arn.)
Oozing.—Palm of left hand cracked and horny, with several o. rhagades. Merc-bij.
Salt rheum: hands are raw from wrist to tips of fingers; they smart, with constant o. watery serum. Petr. (Skookum chuck.)
Small vesicles on tips of fingers o. watery fluid. Cupr.
Osseous.—O. tumors on limbs. Calc-flu.
Osteitis.—O. of phalanges. Staph.
Otorrhœa (see section on Ears).—Little warts on hands and fingers, with o. Calc-c.

Pain.—Aching in left acromion process, with shooting p. down arms. Æsc.
Aching p. in bends of elbows when stretching arms. **Clem.**
Aching p. in left forearm. Carb-ac.
Aching p. in muscles of shoulder and arm. Calc-c.
Aching p. in shoulder. Nitr-ac.
Aching p. in wrist. Rhus-r.
Acute, bruised p. in balls of thumbs. **Arn.**
Acute, rheumatic p. in right shoulder; worse from motion. **Iris.**
Arthralgia: p. in joints; worse on motion. Arg-n.
Arthritic p. in right shoulder. Calc-c.
Boring, sticking p. in middle joint of index and middle fingers. **Hell.**
Bruised p. in arms. Arn., Sep.
Bruised p. in elbow joints. Carbo-v.
Bruised p. in left shoulder. Sulph. (**Ferr.**)
Bruising p. from middle of forearm to wrist. **Kali-bi.**
Bruising p. in arms. Arn., Plat., Ruta.
Bruising p. in elbow joint. Ruta.
Bruising p. in forearm. Cic-v.
Bruising p. in hands and fingers. **Bism., Oleand.**
Bruising p. in left thumb. Kreas.
Bruising p. in shoulder. Cic-v.
Burning p. in bends of elbow. Sulph.
Burning p. in first joint of thumb. Led.
Burning, tearing p. in shoulders, with numbness of arm. **Rhus-t.**
Constant p. under inner angle of right scapula, frequently with cough, diarrhœa, pneumonia (during menses). Chelid.
Constant rheumatic p. and aching in left arm. **Gymnoc.**
Contractive, aching p. in elbow. Nux-v.
Contused p. in elbow, then in shoulder joint. Dros.
Cramp-like, contractive p. in hand extending to tips of fingers. Prun-s.
Cramp-like, drawing p. in forearm extending to fingers; soon passes off; worse on approach of wet weather. Rhod.
Cramp-like p. and lameness of hand on slight exertion. Sil.
Cramp-like p. and paralytic weakness of hand. Sil.
Cramp-like p. in arms. Plat.
Cramp-like p. in ball of right thumb; on motion of hand it extends to thumb. Spong.
Cramp-like p. in muscles of left forearm extending to palm. Meny.
Cramp-like p. in outer side of second, third and fourth fingers on right hand. Card.
Cramp-like p. in right arm. Anac.
Cramp-like p. near shoulder, as if everything in chest were tightly constricted (in hysterical affections). Plat.
Cramp-like p., with twitching in muscles. Meny.
Creeping and pricking p. in tips of fingers. Sulph.

Creeping p. in fingers. Acon.
Cutting, drawing p. in upper arm and elbows; pain seems to be in bones. Alu.
Cutting p. in arms. Ambr., Anac.
Cutting p. in elbow, wrist and finger joints. **Phos-ac.**
Cutting p. in forearm and fingers. Mur-ac.
Cutting p. in forearm followed by burning. **Mosch.**
Cutting p. in hands. Mur-ac., Natr-c.
Cutting p. in shoulder joint when bending arm forward. **Ign.**
Darting p. in wrist joints. Squilla.
Digging p., with wave-like drawing in upper part of humerus, as if bruised. Cocc.
Drawing and tearing p. from elbow to axilla at night. **Ars.**
Drawing p. in arms. Ign.
Drawing p. in arm from below upward. Nux-v.
Drawing p. in arms; worse in wet weather. **Rhod.**
Drawing p. in both arms. Nitr-ac.
Drawing p. in elbow joints. Acon., Nitr-ac., Sulph.
Drawing p. in elbow joints and in lower arm. Caust.
Drawing p. in finger joints when bending them. Iod.
Drawing p. in forearm. Ang., Carbo-v., Dulc., Nitr-ac., **Rhod.**, Staph.
Drawing p. in hands. Caust., Nitr-ac., Ol-an., Sulph.
Drawing p. in muscle, covering left radius, alternating with p. in same muscle on right side. Card.
Drawing p. in limbs, as if bones were squeezed. **Alu.**
Drawing p. in right arm and axilla. Cast-eq.
Drawing p. in shoulder joints. Bry., Canth., Sulph.
Drawing p. in shoulders. Arg-n., Sulph., Zinc.
Drawing p. in tendons of elbow joint when moving arm. **Puls.**
Drawing p. in wrist joint. Caust.
Drawing p. in wrist joint when at rest. Coni.
Drawing p. in upper arm. Paris, Mur-ac., Staph.
Drawing, tearing p. from left elbow to hand. **Carbo-v.**
Drawing, tearing p. from right clavicle to tips of fingers. Caps.
Drawing, tearing p. in shoulder and elbow joints to forearm, wrists fingers. Acon. (Bry., Rhod., Rhus-t., Puls.)
Dull, aching p. in index finger of right hand extending to other fingers. Abrot.
Dull p. in arms, first left and then right, from shoulder to fingers. Calc-ph.
During chill, p. in hand and fingers. Nux-v.
Felon: violent throbbing "gathering p.," occurring every winter for many years; lymphatics of arm inflamed; p. extending to axilla, where there is a lump. Hep-s.
Fine tearing p. in finger tips of right hand, especially under nails. Bism.

Finger joints p., as if swollen. Calc-c.
Fingers p. when writing. Iris.
Frequent, shooting p., like a streak, down right arm. Mancin.
Fugitive p. in shoulders preventing sleep. Abrot.
Gnawing p., with drawing and sticking after dinner; apparently in bone of arm. Canth.
Gouty, rheumatic p., with tight, hard swelling in joints. Led.
Great p. between sacrum and hip joint, sometimes darting and shooting down anterior crural, and sometimes down sciatic nerve. Coloc.
Hard aching p. in bones of forearms and in wrists and hands. Dios.
Jerking p. in arms. China, Phos-ac., Puls.
Jerking p. in fingers. Am-c., China.
Jerking p. in humerus. China.
Lacerating p. in forearm and hand. Æth.
Lameness and drawing p. in elbow and fingers. Bell.
Neuralgic p. from neck down right arm to little finger. Kalm.
Neuralgic p. in palm. Phyt.
Numb p. in arms, as if nerve had been compressed. Cimicif.
P. and numbness in wrist joint and dorsum of hands, as if bruised. Ruta.
P., as from bruise, in bend of elbow. Caust.
P., as from bruise, in humerus. Hep-s.
P., as from bruise, in upper arms. Natr-m., Sep.
P., as from bruise, under right shoulder. Kali-c. (Sang.)
P., as from contusion, in elbow joints. Carbo-v.
P., as from contusion, in tips of fingers. Caust.
P., as from dislocation, in shoulder joint. Sep.
P., as from paralytic weakness, in hands. Actea-s.
P., as from splinter, under nail. Nitr-ac., Sil., Sulph.
P., as from sprain, in right wrist, or as if had been wrenched or dislocated. Calc-c. (Eupat-perf.)
P., as if beaten, in right upper arm. Cinnab.
P., as if sprained, in shoulder. Natr-m.
P., as if sprained, in right elbow or wrist. Gels.
P., as if thumb were sprained. Prun-s.
P., as if ulcerated around nails, especially in middle finger of right hand. Calc-ph.
P., as if ulcerated or sprained, at a small spot in back of wrist, when bending or pressing upon it. Bov.
P. at insertion of right deltoid, with rheumatic p. in right side. Cedron.
P. from arms to fingers. Arg-n.
P. from face down arms to tips of fingers. Coff.
P. from shoulder down to elbow. Rumex.
P. in all joints during motion. Rheum.

P. in arms. Aloe.
P. in arms and hands when taking hold of anything. Am-c., Arn., Calc-c., Carbo-v., Caust., Cham., Dros., Led., Plat., Ver-a.
P. in arms and shoulders when writing. Merc-bij. (Merc-jod.)
P. in arms, as if beaten. Acon., Arn., Croc., Ver-a.
P. in arm, as if humerus were beaten, in middle extending to thumb. Puls.
P. in arms at night. Calc-c., Lyc., Nux-v.
P. in arm in autumn. Rhus-t.
P. in arm in damp weather. Rhod.
P. in arm from cold air. Rhod.
P. in arm on motion, as if flesh had become detached. Dros.
P. in arm on which patient lies; better from motion. Ars.
P. in arms when hanging down. Alu., Berb., Sabin., Thuja.
P. in bones of arm on which he lies at night. Iod.
P. in deltoid muscle. Rhus-r.
P. in deltoid muscle when raising arms. Bar-c.
P. in elbow. Rhus-r.
P. in elbow joint, as if had knocked it against something. Caust.
P. in elbow joint, as if broken. Phos.
P. in elbows impedes exertion. Tabac.
P. in finger joints. Rhus-r.
P. in fingers while writing. Cist.
P. in fleshy part of thumb, with feeling of fullness, heat and numbness. Ox-ac.
P. in forearm along ulnar nerve. Podo.
P. in glenoid cavity of forearm, as if dislocated during motion. Cocc.
P. in hands and arms from exertion. Sep.
P. in hands, as if beaten. Ruta.
P. in left arm, as if bones were broken. Gymnoc.
P. in left arm down to fingers (with disease of heart). Cact.
P. in left elbow joint, as from a blow. Ruta.
P. in left forearm. Rhus r.
P. in left index finger; whole finger painful internally. Flour-ac.
P. in left middle finger. Lith-c.
P. in left shoulder. Dios., Ferr., Kali-jod.
P. in left shoulder between clavicle and scapulæ internally. Cinnab.
P. in left, then right deltoid muscle. Ox-ac.
P. in left upper arm, as if muscles or tendons were strained, when limb is raised. Rhus-t.
P. in middle of upper part of right arm, as though it would break. Cinnab.
P. in nails. Ant-c., Caust., Graph., Hep-s., Merc., Nitr-ac., Sil., Squilla, Sulph.
P. in right axilla extending to pectoral muscle. Brachyg.
P. in right radius (forearm); increased by motion or touch. Sabin.

P. in right shoulder. Chelid., Laur. (Sang.)
P. in right shoulder joint. Mez.
P. in right shoulder and anterior muscle of chest through arm down to nails. Cimex.
P. in right shoulder and arm (with disease of liver). Lept.
P. in right shoulder, as if had carried something very heavy. Cast.
P. in right shoulder in evening. Rhus-t.
P. in right shoulder joint, as if sprained. Sabin.
P. in right shoulder joint (Sang.) extending toward hand, with sensation as if air were passing down. Flour-ac.
P. in shoulder, as if sprained or dislocated, on moving arms. Ign.
P. in shoulder, as if sprained. Sulph.
P. in shoulder at night. Kali-n., Merc.
P. in shoulder joint, as if beaten. Dros.
P. in shoulder joint when raising arm. Petr.
P. in shoulder joint when moving arm outward Croc.
P. in shoulder joint, as if sprained. Caps.
P. in shoulder joint when bending arm backward, as if bruised, or as after great bodily exertion. Ign.
P. in shoulder joint, as if dislocated, on moving it. Magn-c.
P. in shoulder joint, as if sprained; worse on moving hand. Alu.
P. in shoulders and bones of arms on movement. Cocc.
P. in shoulders, with headache. Calad.
P. in upper arm, as if beaten. Cocc., Hep-s.
P. in upper arm at night. Cast., Merc.
P. in wrist joint, as if sprained. Calc-c., Lach. (As if dislocated. Bry., Ox-ac., Rhus-t., Ruta.)
P. in wrist. Tart-em.
P. in wrist, as if wrenched or sprained, on every motion. Bry., Eupat-perf.
P. in wrists, as if sprained. Cist.
P. in wrists, as if beaten. Dros.
P. in wrists, with feeling as if had been used too much. Cor-r.
P. on moving arm, as if head of humerus were loose and would be dislocated. Croc.
P. under right shoulder joint, as if beaten. Kali-c. (Left. Kali-jod.)
Painful pressure in right elbow joint, more violent when leaning it upon table, in which case p. extends to hands. Camph.
Painful pressure in right shoulder when at rest, with tearing p. in inner surface of forearm; stitching p. from slightest motion. Bry.
Panaritium: bluish swelling becomes gangrenous, with pricking, tingling p. Lach.
Panaritium: inflammation of finger tips, with deep-seated p. Am-c.
Panaritium: intolerable p., driving to despair. Stram.
Panaritium: p. better in open air. Natr-ph.
Panaritium: p. runs in streaks up arm. Bufo.

Paralytic and bruised p. in arms. Ver-a.
Paralytic, bruised p. in left arm. Dulc.
Paralytic p. in shoulder joint. Lyc.
Paralytic, tearing p. from upper arm to head. **Sabin.**
Paralytic, tearing p. in forearm. Sars.
Paralytic weakness of left hand with p. in wrist. **Kalm.**
Pressing p. in arms. Arg-m., Cycl., Sars.
Pressing p. in middle, ring and little finger of right hand. **Tarax.**
Pulsating p. in right elbow with soreness in evening. Still.
Pressive p. in shoulders. Nitr-ac.
Pulsative p. in upper arm at intervals. Kali-c.
Red, herpetic, papular eruption on dorsum of hands with drawing p. up arm. Petr.
Red swelling of forearm, with p. as if pressing on tumor. Sep.
Rending p. in shoulder joints and upper parts of arms. Bry.
Rheumatic drawing p. in shoulders and arms, especially in elbow and wrist joints. Grat.
Rheumatic or paralytic p. in left shoulder joint preventing motion of arm. Ferr. (Right shoulder. Sang.)
Rheumatic p. in humerus at night. Dros.
Rheumatic p. in joints with red, shiny swelling. Mang.
Rheumatic p. in left forearm and fingers. Podo.
Rheumatic p. in left shoulder extending to scapula. Merc-cor.
Rheumatic p. in left shoulder with symptoms of metastasis to **heart.** Ferr.
Rheumatic p. in shoulder and arm. Calc-ph., Rhus-r.
Rheumatic p. in shoulders; worse at night. Kali-bi.
Rheumatic p. in right shoulder, right arm and hip, changing often and lasting but a short time. Ox-ac.
Rheumatic p. in right arm and shoulder; worse at night. Sang.
Rheumatic p. in shoulder joints. Ign.
Rheumatic p. in right shoulder. Phos.
Rheumatic p. in shoulders and arms. Cact.
Rheumatism of deltoid muscle, with tearing p. **Ferr.**
Rheumatism; severe p. in wrist and finger with swelling; cutting in joints when closing hands; pains change to nape of neck with spasmodic rigidity; fingers stiff. Caul.
Severe drawing p. in wrist and fingers. Caul.
Sharp drawing p. in right shoulder; worse on motion, especially on raising arms. Iris.
Shooting p. in arm. Cinnab.
Sharp p. in fingers. Rhus-t.
Sharp p. in left shoulder on waking. Abrot.
Sharp shooting p. in arms extending to fingers. **Still.**
Shoulders p. as if bruised, with paralytic weakness and **heaviness.** Nux-v.

Slight contusion in little finger followed by tearing p. and redness along lympathic vessels over whole arm into axilla causing painful swelling of glands. Bufo.
Spasmodic p. in arm. Cina.
Spasmodic p. in arms with chilliness, with internal beating after yawning and stretching. Nux-v.
Spasmodic p. in fingers. Euphr., Meny., Oleand.
Spasmodic p. in forearm. Phos-ac.
Spasmodic p. in hands. Euphr., Meny.
Spasmodic p. in wrist. Anac., Aur.
Spasmodic, tearing p. in outer part of lower arm. Calc-c.
Sticking p. in elbows. Laur.
Sticking p. in shoulder on lifting arm. Led.
Sticking p. in tips of fingers under nails. Cocc-c.
Sticking rheumatic p. in shoulder joint when moving arm or bending head. Puls.
Stinging p. in both upper arms. Sabin.
Stitching p. with pressure on top of left shoulder. Bell.
Stretching tearing p. in arm with paralytic feeling. Cina.
Sudden jerking p. in right wrist and bones of hand. Ox-ac.
Swelling and sticking p. in finger joints (Colch.), worse on motion or touch. Bry.
Swelling and wrenching p. in elbow, as after contusion. Puls.
Swelling of finger joints with lacerating p. Agn.
Swelling of glands of axillæ with burning p. in arms. Phos.
Tearing, drawing, stitching p. and numbness in fingers as if suppurating, or as if panaritium would form. Sil.
Tearing in shoulder or in shoulder joints at night, with gnawing or bruised p. and sticking; at first aggravated, afterwards relieved, by motion of arms. Sulph.
Tearing p. along metacarpal bones. Berb.
Tearing p. in arm from shoulder to wrist. Kali-c.
Tearing p. in arms. Psor.
Tearing p. in arm and hands. Colch.
Tearing p. in arms like rheumatism. Graph.
Tearing p. in bends of elbows and in wrists. Kali-c.
Tearing p. in fingers. Sulph.
Tearing p. in fingers of left hand. Carbo-v.
Tearing p. in forearm. Bry.
Tearing p. in joints of thumb. Spig.
Tearing p. in left elbow. Iod. (Ars., Ferr.)
Tearing p. in left shoulder joint. Ambr., Kali-c.
Tearing p. in left upper arm. Card.
Tearing p. in shoulder joint. Caust.
Tearing p. in shoulder joints, humerus and wrist joints; worse at night. Merc.

Tearing p. in tips of fingers. Chelid.
Tearing p. in upper arm. Natr-ph.
Tearing p. in wrist joint. Sulph.
Tearing p. in wrist, palm and fingers. Carbo-v.
Tearing p. with lameness and pressure in right forearm, especially violent in carpal bones. Bism.
Throbbing and shooting p. in wrist. Brachyg.
Throbbing p. as from an ulcer in thumb joint. Caust.
Throbbing p. in hand. Carbo-v.
Throbing p. in shoulders. Magn-m.
Throbbing p. through axilla extending to teeth and side of head. Coloc.
Tingling p. in fingers when writing. Acon.
Violent p. from shoulder to elbow disappearing on pressure or friction. Cast.
Violent p. in left arm as if dislocated, and as if flesh were torn from bones, from axillæ to tips of fingers (in rheumatism). Tart-em.
Violent p. in shoulder and chest. Cist.
Violent p. in tips of fingers. Sec.
Violent paralytic p. in arms; cannot hold anything firmly. Colch.
Violent pricking p. from back of right hand to shoulder joint. Gymnoc.
Violent, tearing p. in arm; most violent when still. Rhus-t.
Weakness and painful weariness in arms, with p. as if bruised. Agar.
Wrenching p. in arms. Ambr., Arn., Ign.
Wrenching p. in elbow. Ambr.
Wrenching p. in hand. Ambr., Am-c., Bry., Ruta.
Wrenching p. in shoulder. Ambr.
Wrenching p. in wrist. Arn., Bov., Bry., Rhod., Verb.
Wrists p. as if broken or dislocated. Eupat-perf. (Rhus-t.)
Wrists p. as if sprained. Carbo-an.

Painful.—Arms and whole body p. as if bruised or beaten. Led.
Arms p. as if bruised. Sulph.
Forearms p. as if bruised. Phos-ac.
Hands p. but not swollen. Sars.
Joints p. on motion. Paris.
Nails p. when touched as if bruised. Petr.
Nails sore and p., as if ulcerated. Graph.
Pain in left index finger; whole finger p. internally. Fluor-ac.
P. cramp of fingers and hands. Merc.
P. hangnails. Stann.
P. heaviness in arms. Ver-a.
P. lameness in forearm and hand; better on motion. Bar-c.
P. pressure in right elbow joint, more violent when leaning it upon table, in which case pain extends to hands. Camph.
P. pressure in right shoulder when at rest with tearing pains in inner surface of forearm; stitching pain from slightest motion. Bry.

P. pressure on both upper arms near elbow joint. Sabin.
P. sensitiveness of glands of axillæ. Sulph-ac.
P. sticking and tearing in left shoulder. Graph.
P. stiffness in wrist when moving it, as if hand were sprained or strained. Puls.
P. stiffness of wrist joints. Merc.
P. swelling of arms. Thuja.
P. swelling of carpus, itching when touched. Calc-c.
P. swelling of fingers. Sec.
P. swelling of glands of axillæ. Natr-c.
P. throbbing in right shoulder. Led.
Periosteum of bones in hands p. on pressure. Led.
Slight contusion in little finger followed by tearing pain and redness along lymphatic vessels over whole arm into axilla causing p. swelling of glands. Bufo.
Slow, p. drawing in forearm, as if in nerves. Sulph.
Small ulcers on index finger, moist, itching and p. to touch, surrounded by small vesicles. Calc-c.
Sore and p. fissures and rhagades in skin of hands, especially in joints. Sulph.
Stitches and p. throbbing under thumb nail. Am-m.
Swelling of deltoid muscle, which when touched feels p., as if bruised. Acon.
Tingling in fingers, with anxiety and p. jerks of arms. Ver-a.
Upper arm p., as if bruised. Nitr-ac.
Weakness and p. weariness in arms, with pain, as if bruised. Agar.
Wrist p., as if sprained, when grasping anything. Rhus-t.

Pains.—Aching p. in arms. Asaf., Benz-ac., Chin-s., Lach., Phos-ac., Raph., Staph.
Arm goes to sleep and p. when lying on it. Calc-c.
Arthritic p. in fingers. Ant-c.
Arthritic, rheumatic p. (after suppressed gonorrhœa). Daph.
Arthritis, with drawing p. in elbow and finger joints. Ant-c.
Cutting p. in arms. Iod.
Cutting p. in shoulders or shoulder joints, especially at night. Sulph.
Cutting, rheumatic p. in left arm from shoulder or elbow to wrist. Guaj.
Darting p. in arms. Bad.
Deep rhagades on fingers, with burning p. Sars.
Deep-seated, muscular p. in both arms. Gels.
Drawing and tearing p. in arms and hands. Sulph.
Drawing in shoulder joint, with weakness and rheumatic p. in arms. Agar.
Drawing p. in arms. Ferr., Mang., Nitr-ac., Nux-v., Oleand., Ol-an., Plat., Rheum, Rhod., Sep., Staph., Thuja, Zinc.
Drawing p. in finger joints. Caust., Sulph.

Drawing p. in fingers. Asar., Kreas., Ol-an.
Drawing p. in inner surface of arms. **Lyc.**
Drawing p. in joints of hands. **Cina.**
Drawing p. in muscles of arms. **Caust.**
Drawing p. in wrists. Asar.
Drawing, tearing p. in elbows. **Kali-c.**
Dull, tearing p. in hands and arms. **Caust.**
Flying p. in shoulders. Coloc.
Gnawing p. in bones of forearms. Graph.
Gnawing, stinging p. in joints and along bones. **Dros.**
Hard swelling of glands in axillæ (Sil.), with p. in arms. **Bar-c.**
Intolerable p. in bones and joints of arms. Ign.
Itching, throbbing p. in fingers. Lith-c.
Left thumb p., as if sprained and stiff. Kreas.
Lightning-like p. in right shoulder. Daph.
Neuralgic p. at intervals in right arm. Kalm.
P. from heart shooting down left arm to ends of fingers. Cact.
P. in joints and numbness, as if beaten, or as after a blow or a fall. Ruta. (Arn., Bad.)
P. in bones of arms at intervals. Lach.
P. in bones of arms when coughing. Kali-bi.
P. first in knuckles and then in whole hand. Guaj.
P. in metacarpal and phalangeal articulations, especially of thumbs. Calc-ph.
P. in shoulders running into arms and neck. Antipy.
Panaritium: nails brittle, with cutting p. and disposition of tips of fingers to ulcerate. Alu.
Panaritium: sharp and agonizing p. Dios.
Panaritium: violent beating and sticking p. in fingers. Sep.
Paralytic, drawing, pressing p. in arms, with tearing p. in joints of fingers; p. come and go suddenly. Bell.
Paralytic feeling, with drawing, tearing p. in arms. Ars.
Paralytic, jerking, tearing p. in arms. China.
Paralytic p. in arms. Calc-c., China, Colch., Cycl., Ferr., Ign., Plat., Sep., Sil., Tabac., Ver-a.
Rheumatic, drawing, tearing p. in left shoulder, arm and fingers. Sulph.
Rheumatic p. and aching in bones. Abies-n.
Rheumatic p. and swelling of finger joints. Kali-bi.
Rheumatic p. from elbow downward. Nicc.
Rheumatic p. in arms. Ant-c., Berb., Iod., Merc., Mur-ac., Natr-c., Rhod., Rhus-t., Sulph., Tart-em., Valer., Ver-a.
Rheumatic p. in arms and hands. Phyt.
Rheumatic p. in arms and joints. Zinc.
Rheumatic p. in arms and joints of fingers. Colch.
Rheumatic p. in arms; better on motion. Meph.
Rheumatic p. in arms; fly from one place to another on touch. Sang.

Rheumatic p. in arms or legs. Phos.
Rheumatic p. in elbow and wrist joints; stinging in left elbow. Kali-bi.
Rheumatic p. in fingers. Nicc.
Rheumatic p. in hands. Clem.
Rheumatic p. in joints, with heat and swelling. Cimicif. (Bry.)
Rheumatic p. in right deltoid muscle; worse on moving arm backward. Agar.
Rheumatic p. in right scapula (Chelid.) and right side of chest; worse during inspiration. Æsc.
Rheumatic p. in right shoulder. Berb.
Rheumatic p. in right shoulder or elbow. Lob.
Rheumatic p. in shoulder joint extending down arm to hand; worse on motion. Magn-m.
Rheumatic p. in shoulder joints. Merc-bij.
Rheumatic p. in shoulders and upper arms. Merc.
Rheumatic p. in shoulders, with tingling down to fingers. Magn-c.
Rheumatic, tearing, drawing p. in arms. Coloc.
Rheumatic, tearing p. in joints. Led. (Bry., Puls., Rhus-t., Spig.)
Rheumatism: excruciating p. in arms; worse afternoons and evenings. Cimicif.
Rheumatism in wrists or finger joints, with excruciating p. and very tender to touch; worse at night. Actea-s.
Rheumatism: intolerable p. in right wrist; with swelling; motion impossible. Actea-s.
Rheumatism: p. change rapidly from one part to another, with constant chilliness; worse in evening. Puls.
Right arm red, swollen, erysipelatous, with stinging p. Apis.
Right wrist p., as if sprained, and on allowing hand to hang pain radiates to ring and little fingers. Cast-eq.
Right wrist p. constantly, as if sprained or dislocated; wants to stretch it; cannot hold anything. Ox-ac.
Severe drawing p. constantly and quickly changing in all joints, especially smaller. Iris.
Sharp, darting p. through fingers. Bad.
Sharp p. in hands and fingers cease on pressure. Lith-c.
Shooting p. in left shoulder, with drawing p. in inner side of arm, with great weakness of arm. Bell.
Shooting p. rapidly changing about in bones of wrists and hands. Iris.
Spasmodic p., trembling and weakness of arms and hands. Nitr-ac.
Spasmodic, rheumatic p. in arms. Ran-b.
Spasmodic throwing about of hands and feet, followed by severe p. Mosch.
Stinging p. in arms and joints. Thuja.
Stinging, tearing p. in limbs. Laur.
Stitching, boring, gnawing p. in arms and fingers. Ran-sc.
Stitching, tearing, throbbing p. in shoulders. Berb.

Tearing, aching p. in arms (with diphtheria). Lach.
Tearing p. and numbness in hands and feet. Bism.
Tearing p. in arm. Grat.
Tearing p. in arms at night. Ferr.
Tearing p. in both arms. Sil.
Tearing p. in fingers. Sil.
Tearing p. in first joints and phalanges of fingers. Zinc.
Tearing p. in joints. Sulph.
Tearing p. in joints of all fingers. Rhus-t.
Tearing p. in shoulder joints and elbows. Lyc.
Tearing p. in shoulders and all joints with spasmodic motion of arms. Aur.
Tearing p. in shoulders, arms, wrists and hands. Magn-m.
Tearing p. in wrists and palms. Sil.
Tearing p. in inner surface of forearms. Bry.
Tearing p. under nails. Kali-c.
Tips of fingers rough, cracked and fissured, with stinging, cutting p. Petr.
Violent p. commencing in fingers extending through arms, afterward in feet, and finally affecting whole body. Plumb.
Violent rheumatic p. in right deltoid muscle. Card.
Violent tearing p. in arms. Cast.

Pale.—Deadness of fingers which grow p. and insensible. Kreas.
Hands and fingers p., cold and wrinkled, as if had been long time in water (in cholera). Sec.
Hands deathly p. Sec.
Hot, p. swelling in wrist joint and little finger, with sticking on moving finger or pressing it. Bry.
Hot, p. swelling of hands and finger joints. Bry.
One hand p. and burning hot, other red and cold. Mosch.
P. swelling of hands and fingers. Nux-v.

Palm.—Burning in p. Petr., Phos.
Cold sweat in p. Cham.
Cramp in thumb drawing it down to p. Brachyg.
Cramp-like pain in muscles of left forearm extending to p. Meny.
Fingers convulsively drawn into p. clasping thumb. Sec.
Neuralgic pain in p. Phyt.
P. of left hand cracked and horny with several oozing rhagades. Merc-bij.
Psoriasis palmaris affecting whole p. (Skookum chuck); itching and burning so that it was impossible to do any work; thick scales. Petr.
Tearing pain in wrist, p. and fingers. Carbo-v.
Thumb drawn into p. Hell.
Warts on p. Natr-m.

Palmaritis.—(Eczema, crusta lactea, p. and almost all chronic eruptions of the skin may be cured by frequently bathing or washing parts with a one-per-cent solution of Skookum chuck, or a cerate of the salt applied to the parts. The salt is obtained by evaporating the water of Medical lake, Washington, and the Indian name Skookum chuck, meaning strong water, was given it as being more distinctive.—W. D. G.)

Palms.—Brown spots on p. Iod., Natr-c., Thuja.

Burning in p. Lach., Lyc., Sep. (Sang., Stann., Sulph.)

Burning in p. and soles. Carbo-v., Lachn., Lil-tig., Sulph.

Burning in p. and soles at night. Sang.

Cold sweat on p. Acon., Rheum.

Deep fissures in p. Hep-s.

Desquamation of p. Am-c.

Dry, scaly eruption, with itching of p. (syphilitic eruption). Selen.

Dull itching in p. Ran-b.

Eruption like blisters on p. and fingers. Ran-b.

Eruption on p. Kali-c., Sep.

Great burning in p. Sulph. (Lach.)

Heat and burning in p. and soles. Petr. (Sulph.)

Heat and sweat of p. Flour-ac.

Heat in p., with thirst. Zinc.

Herpetic eruption on p. Aur.

Herpetic, humid, scaly, pustulous eruption in p., on elbows and fingers. Kreas.

Itching between fingers and on p.; obliged to rub them, but itching increased by scratching, which causes great burning. Sulph.

Itching in p. Cinnab., Selen.

Itching of back of hands, in p. and on knuckles. Camph.

Large blisters on p. Bufo.

P. hot. Acon.

P. hot and dry. Bad., Chin-ars.

P. hot and dry, with disease of kidneys. Can-sat.

Perspiration on p. Acon., Calc-c., Coni., Dulc., Led.

Prickling and crawling sensation in p. and tips of fingers. Rhus-t.

Skin of p. peel off. Sep.

Slightest pressure on p. near little finger causes patient to cry out. Actea-s.

Smooth copper-colored spots on p. and fingers. Cor-r.

Sweat on p., especially at night. Psor.

Swelling of p. Calc-c.

Tearing pains in wrists and p. Sil.

Thumb clinched across p. (in epilepsy). Cupr.

Thumb drawn into p. (during convulsions). Glon.

Titillation and prickling in p. Seneg.

Warm sweat in p. and on fingers. Ign.
Warts on p. Natr-m.

Panaritium.—P. Flour-ac., Hep-s., Phyt., Sil., Sulph.
P.: bluish swelling becomes gangrenous, with pricking, tingling pain. Lach.
P.: burning, stinging and throbbing, very sensitive to touch. Apis.
P.: first right, then left fingers. Sang.
P.: in very old men; finger nails brittle, soft elastic and pink. Ambr.
P.: inflammation of finger tips with deep-seated pain. Am-c.
P.: intolerable pain, driving to despair. Stram.
P.: nails brittle, with cutting pains and disposition of tips of fingers to ulcerate. Alu.
P.: pain better in open air. Natr-ph.
P.: pain runs in streaks up arm. Bufo.
P.: sharp and agonizing pains. Dios.
P.: violent beating and sticking pains in fingers. Sep.
Pulsation in fingers like that from p. Am-m.
Tearing, drawing, stitching pain and numbness in fingers, as if suppurating, or as if p. would form. Sil.

Paralysis.—Inco-ordination of muscles of both upper and lower extremities similar to movements observed in first stage of progressive p. of insane persons. Bell.
P. of arms. Bell., Cocc., Nux-v., Opi., Stann.
P. of arms and hands. Caust.
P. of arms; they are icy cold. Dulc.
P. of extensor muscles of fingers of right hand. Plumb.
P. of fingers; they are drawn bent. Phos.
P. of forearm. Sil.
P. of hand. Sil., Zinc.
P. of wrists. Acon.
P. with shocks in arms. Nux-v.
Sensation of p. in hand. China, Tabac.
Sensation of p. of left arm and right foot. Hyper.
Weakness, with feeling of p. in left arm. Calc-c.

Paralytic.—Cramp-like pain and p. weakness of hand. Sil.
Heaviness or p. weakness in left arm; fingers frequently and easily go to sleep. Dig.
Heaviness with p. feeling in elbow joint. Samb.
Numbness and p. feeling of arms. Cocc.
Pain as from p. weakness in hands. Actea-s.
P. and bruised pain in arms. Ver-a.
P. bruised pain in left arm. Dulc.
P. drawing, pressing pain in arms, with tearing pain in joints of fingers; pains come and go suddenly. Bell.
P. feeling in arms; also in spine and legs. Æsc.
P. feeling in right hand. Caust.

P. feeling, with drawing, tearing pains in arms. Ars.
P., jerking, tearing pains in arms. China.
P. pain in shoulder joint. Lyc.
P. pains in arms. Calc-c., China, Colch., Cycl., Ferr., Ign., Plat., Sep., Sil., Tabac., Ver-a.
P. pricking in hands and fingers. Lil-tig.
P. rheumatism; cannot lie still a minute. Caust.
P., tearing pain from upper arm to hand. Sabin.
P. tearing pain in forearm. Sars.
P. weakness and weariness in right arm. Bism.
P. weakness in arms. Kali-c.
P. weakness in right shoulder and arm. Carbo-v.
P. weakness of left hand with pain in wrist. Kalm.
Rheumatic or p. pain in left shoulder joint preventing motion of arm. Ferr. (Right shoulder. Sang.)
Shoulders pain as if bruised, with p. weakness and heaviness. Nux-v.
Stretching, tearing pain in arm with p. feeling. Cina.
Violent p. pain in arms; cannot hold anything firmly. Colch.
Weakness and p. heaviness of arms. Natr-m.

Paralyzed.—Arms hang powerless, as if p. (in meningitis). Acon.
Arms p. and swollen, white as putty. Apis.
Fingers feel large, like sausages, and as if going to be p. Calad.
Left arm feels numb, as if p. Ox-ac.
Left arm feels p. (in hysterical women). Plat.
Tingling in arms and hands; they feel as if p. Natr-ph.
Weakness and p. sensation in all limbs. Graph.

Parched.—Skin of hands dry and p. Natr-c.

Paresis.—P. with shocks, as if blood would start out of vessels. Nux-v.

Paronychia (see Whitlow).—P. Apis, Hep-s., Nitr-ac., Sil., Sulph. (The first decimal triturition of Hep-s., should be applied in the incipiency.)

Pectoral muscles (see section on Chest).—Pain in right axilla extending to p. Brachyg.

Peel off (see Desquamation).—Tips of fingers p. Elaps.

Peeling.—Burning, pricking vesicles, filled with fluid, p. off and leaving denuded spots on hand; worse from cold water; better from warmth. Canth.

Peels off.—Skin p. fingers. Am-m.
Skin of palms p. Sep.

Pen.—Jerking in fingers when holding p. Stann.
When writing or driving p. or reins drops from hands unnoticed. Lyc.

Penman's paralysis (see Grapho-spasmus).—Mogigraphia; grapho-spasmus, Scrivner's palsy, p., writer's cramp, telegrapher's cramp. Anac.

Periosteum.—Drawing in p. of bones. Rhod.
P. of bones in hands painful on pressure. Led.

Perspiration.—Fetid p. in axillæ. Petr.
P. in axillæ smells like onions. Sulph. (Like garlic. Lach., Osm., Tellur. Like honey. Thuja.)
P. on palms. Acon., Calc-c., Coni., Dulc., Led.
P. on arms. Eupat-purp.
P. on hands. Calc-c., Glon., Natr-m., **Nux-v., Sulph., Thuja.**
P. on back of hands. Lith-c.
P. smells like onions. Lyc.
Profuse p. on hands. Sticta.
Strong-smelling p. in axillæ, smells like garlic. Lach.

Petechiæ.—Small red p. with white spots on forearm and back of hands. Berb.

Phalanges.—Osteitis of p. Staph.
Tearing pains in first joints and p. of fingers. Zinc.

Phalangeal articulations.—Pains in metacarpal and p., especially of thumbs. Calc-ph.

Picking.—P. at bedclothes and face. Hyos.

Pieces.—Nails rough, yellow, very dry, fly to p. when cut. Sil.

Pimples (see section on Skin).—Hands covered with small, dry, reddish p., disappear in a few days. Bov.
Itching p. on hands. Lyc.
P. in bends of elbows. Ol-an.
P. on shoulders with violent itching and burning after scratching. Kali-c.
Small itching p. on forearm. Caust.
Swelling of gland in axilla like a hard red ulcer separating into parts like large p. Am-m.

Pinching.—Constant p. in upper arm. Arg-m.

Pink.—Panaritium in very old men; finger nails brittle, soft elastic and p. Ambr.

Pins.—When grasping anything feels as if p. were pricking tips and under surface of fingers. Rhus-t.

Pleasant.—P. thrill through arms and hands. Can-ind.

Pneumonia (see section on Fever).—Constant pain under inner angle of right scapula, frequently with cough, diarrhœa, p. (during menses). Chelid.

Pompholyx.—P. in hand returning every year. Bufo.

Powerless.—Arms hang p. as if paralyzed (in meningitis). Acon.
Arms weak, numb and become p. Gels.

Prairie itch (see section on Skin).—P. Sep.

Pressed.—Bones of hands feel as if bruised when p. Kali-bi.

Pressing.—Hot pale swelling in wrist joint and little finger, with sticking on moving finger or on p. it. Bry.
Pain as if ulcerated or sprained at a small spot in back of wrist when bending or p. upon it. Bov.

Paralytic, drawing, p. pain in arms with tearing pain in joints of fingers; pains come and go suddenly. Bell.

P. in shoulder joints; worse on motion. Led.

P. pain in arms. Arg-m., Cycl., Sars.

P. pain in middle, ring and little finger of right hand. Tarax.

Pressive.—P. pain in shoulders. Nitr-ac.

Pressure.—Dull p. in forearms hands and fingers. Oleand.

Hard p. in right axilla and upper arm; worse on touch or motion. Agn.

Lameness and p. in arms with weakness. Bell.

Painful p. in right elbow joint, more violent when leaning it upon table, in which case pain extends to hands. Camph.

Painful p. in right shoulder when at rest with tearing pains in inner surface of forearm; stitching pain from the slightest motion. Bry.

Painful p. on both upper arms near elbow joint. Sabin.

Periosteum of bones in hands painful on p. Led.

P. and stiffness in shoulders. Caust.

P. in right shoulder Nitr-ac.

P. in right shoulder and right deltoid muscle hindering patient from raising arm. Prun-s.

P. in upper arm from shoulder joint to elbow. Mosch.

P. on shoulders. Caust.

Sharp pains in hands and fingers cease on pressure. Lith-c.

Slightest p. on palm of hand near little finger causes patient to cry out. Actea-s.

Stitching pain with p. on top of left shoulder. Bell.

Tearing pain with lameness and p. in right forearm, especially violent in carpal bones. Bism.

Violent pain from shoulder to elbow disappearing on p. or friction. Cast.

Pricking.—Burning, p. vesicles, filled with fluid, peeling off and leaving denuded spots on hands; worse from cold water and better from warmth. Canth.

Creeping and p. pain in tips of fingers. Sulph.

Hands feel larger than usual and clumsy, with p. numbness. Ptel.

Numbness of arms with p. in fingers. Rhus-r.

Numbness of left hand and forearm, with p., worse on movement. Bad.

Panaritium: bluish swelling becomes gangrenous, with p. tingling pain. Lach.

Paralytic p. in hands and fingers. Lil-tig.

Tickling and p. in fingers and hands like that produced by electricity. Ptel.

When grasping anything feels as if pins were p. tips and under surface of fingers. Rhus-t.

Prickling.—Numbness of hands and p. in arms. Sil.
P. and crawling sensation in palms and tips of fingers. Rhus-t.
P. in fingers. Rhus-r.
Titillation and p. in palms. Seneg.
Violent p. pain from back of right hand to shoulder joint. Gymnoc.
Psoriasis palmaria.—P. affecting whole palm (Skookum chuck); itching and burning so that it was impossible to do any work; thick scales. Petr.
Pulsating (see Throbbing).—P. pain in right elbow, with soreness in evening. Still.
Pulsation.—P. in finger, like that from panaritium. Am-m.
Pulsative.—P. pain in upper arm at intervals. Kali-c.
Purplish.—Hands and arms covered with p. spots. Kali-c.
Pustules (see section on Skin).—Black p. on arms. Ars.
Small boils or p. on forearms. Calc-c.
Small p. on hands secrete a watery fluid when broken; if not touched, fluid thickens into yellow, tough mass. Kali-bi.
Suppurating p. on hands near tips of fingers. Psor.
Putrid.—Swelling of arm with black blisters having p. smell. Ars.

Quivering.—Q. of hands and wrists during headache. Glon.
Q. or twitching in deltoid muscle. Ign. (In biceps or triceps. Fluor-ac.)

Radiates.—Right wrist pains, as if sprained, and on allowing to hang pain r. to ring and little fingers. Cast-eq.
Radius (see Forearm).—Pain in right r. (forearm); increased by motion or touch. Sabin.
Drawing pain in muscle covering left r. alternating with pain in same muscle of right side. Card.
Raise.—Heaviness and weakness in right arm; feels as if weighed a hundred pounds and without strength to r. it. Am-c.
Raised.—Pain in left upper arm, as if muscle or tendons were strained when limb is r. Rhus-t.
Raises.—Convulsive motions of arms over head; r. arms above head, clasps hands, makes graceful, gyratory motions. Stram.
Raising.—Pain in deltoid muscle when r. arms. Bar-c.
Pressure in right shoulder and right deltoid muscle hindering patient from r. arm. Prun-s.
Sharp drawing pain in right shoulder; worse on motion, especially on r. arms. Iris.
Rash (see section on Skin).—Rough r. or eruption all over arm. Sec.
Raw.—R., moist places between fingers. Graph.
Salt rheum: hands are r. from wrists to tips of fingers; they smart, with constant oozing of watery serum. Petr. (Skookum chuck.)
Reaching.—Grasping about with hands, as if r. or searching for things. Stram.

Recedes.—Skin r. from thumb and suppurates. Eugen.

Red.—Fingers r. and swollen in various places, with burning and itching. Nux-v.

Hot and r. swelling of forearm. Ant-c.

Icy coldness of one hand, other hot and r. Puls.

Joints of fingers are swollen, r. and hot. Cinnab.

Papular eruption on forearms spreading over hands and wrists; arms r. and glands of axillæ suppurated. Kali-bi.

R. inflammatory swelling of fingers. Magn-c.

R., itching, rough, miliary eruption on both elbows feeling like a grater. Cor-r.

R., shiny swellings. Bry.

R. spots or stripes on arms and hands. Sabad.

R. swelling of arms. Merc., Thuja.

R. swelling of back of hands. Sulph-ac.

R. swelling of forearm, with pain as if pressing on tumor. Sep.

Right arm r., swollen, erysipelatous, with stinging pains. Apis.

Skin of hands r. and dry. Sulph.

Swelling of limbs and joints; becomes r. and very sensitive to touch and motion; relieved by warmth. Bry.

Thick, r. chilblains on fingers. Sulph.

Thick, stiff, r. finger joints, as if frozen. Sulph.

Whitlow, with r. streak up arm and in axilla. Am-c.

Redness.—Burning and r. of dorsum. Natr-ph.

Burning heat and r. of fingers even from slight cold, as if they had been frosted. Borax. (Agar.)

Itching, burning, r. and swelling of hands, as if had been frozen. Agar.

R. and burning of hands. Sang.

R. and swelling of finger joints, with tension on bending. Spong.

R. and swelling of hands and fingers, as if frozen, with itching in evening and with drawing during motion. Sulph.

R., inflammation and swelling of finger joints. Lyc.

Slight contusion in little finger followed by tearing pain and r. along lymphatic vessels over whole arm into axilla causing painful swelling of glands. Bufo.

Slight r. of tips of fingers, with frequent itching on joints, as if they had been slightly frozen. Berb.

Swelling and r. of arms and hands. Bell.

Swelling and r., with vesicles on arms up to shoulders. Merc-cor.

Swelling, r. and inflammation of hands, with heat. Rhus-r.

Reins.—When writing or driving pen or r. drop from hands unnoticed. Lyc.

Relaxation.—R. of arms. Guaj., Plat.

Relaxed.—Deltoid muscle feels r. Merc-cor.

Muscles r. Caps.

Relieved (see Better).—Tearing in shoulder or in shoulder joints at night, with gnawing or bruised pain and sticking; at first aggravated, afterwards r. by motion of arms. Sulph.

Rest.—Aching in forearm above wrist joint during r. Spig.

Drawing pain in wrist joint when at r. Coni.

Jerking and tearing in elbows and wrist joints during r.; better during motion. Rhus-t.

Painful pressure in right shoulder when at r., with tearing pains in inner surface of forearm; stitching pain from slightest motion. Bry.

Single stitches in shoulder joints and muscles of upper arms when at r. Cocc.

Trembling of hands when at r. Crotal.

Twitching in right shoulder when at r. Dros.

Resting.—Arms go to sleep when r. on them. Sil.

Jerking in muscles of arm when r. it. Stann.

Restlessness.—R. of arms. Ferr., Glon.

Rhagades (see section on Skin).—Boils and r. on fingers and hands (after working in water). Calc-c.

Deep r. on fingers, with burning pains. Sars.

Deep r. on hands, fingers and in bends of joints, base of which look sore and bleeding. Merc.

Hands chapped and covered with r., especially in winter. Petr.

Palm of left hand cracked and horny, with several oozing r. Merc-bij.

R. after washing. Sulph.

R. in bends of joints. Mang.

R. in joints. Sulph.

R. on arms. Sil.

R. on back of hands. Rhus-t., Sulph.

R. on hands. Alu., Aur., Calc-c., Hep-s., Natr-m., Petr., Rhus-t., Sulph., Zinc.

R.: skin of hands cracked and dry, even in mild weather. Zinc.

Sore and painful fissures and r. in skin of hands, especially in joints. Sulph.

Rheumatic.—Acute r. pain in right shoulder; worse from motion. Iris.

Arthritic, r. pains (after suppressed gonorrhœa). Daph.

Constant r. pain and aching in left arm. Gymnoc.

Cutting r. pains in left arm from shoulder or elbow to wrist. Guaj.

Drawing in shoulder joint, with weakness and r. pains in arms. Agar.

Gouty, r. pain, with tight, hard swelling in joints. Led.

Pain at insertion of right deltoid, with r. pain in right side. Cedron.

R. drawing pain in shoulder and arms, especially in elbow and wrist joints. Grat.

R., drawing, tearing pains in left shoulder, arm and fingers. Sulph.

R. or gouty stiffness in left arm and elbow joint. Agar.

R. or paralytic pain in left shoulder joint preventing motion of arm. Ferr. (Right shoulder. Sang.)
R. pain in humerus at night. Dros.
R. pain in joints, with red, shiny swelling. Mang.
R. pain in left forearm and fingers. Podo.
R. pain in left shoulder extending to scapula. Merc-cor.
R. pain in left shoulder, with symptoms of metastasis to heart. Ferr.
R. pain in right arm and shoulder; worse at night. Sang.
R. pain in right shoulder. Phos.
R. pain in right shoulder, right arm and hip, changing often and lasting but a short time. Ox-ac.
R. pain in shoulder and arm. Cact., Calc-ph., **Rhus-r.**
R. pain in shoulder joints. Ign.
R. pain in shoulders; worse at night. Kali-bi.
R. pains and aching in bones. Abies-n.
R. pains and swelling of finger joints. Kali-bi.
R. pains from elbow downward. Nicc.
R. pains in arms. Ant-c., Berb., Iod., Merc., **Mur-ac., Natr-c.,** Rhod., Rhus-t., Sulph., Tart-em., Valer., **Ver-a.**
R. pains in arms and hands. Phyt.
R. pains in arms and joints. Zinc.
R. pains in arms and joints of fingers. Colch.
R. pains in arms; better on motion. Meph.
R. pains in arms; fly from one place to another on touch. Sang.
R. pains in arms or legs. Phos.
R. pains in elbows and wrist joints; stinging in left elbow. Kali-bi.
R. pains in fingers. Nicc.
R. pains in hands. Clem.
R. pain in joints, with heat and swelling. Cimicif. (Bry.)
R. pains in right deltoid muscle; worse on moving arm backward. Agar.
R. pains in right scapula (Chelid.) and right side of chest; worse during inspiration. Æsc.
R. pains in right shoulder. Berb.
R. pains in right shoulder or elbow. **Lob.**
R. pains in shoulder joint extending down arm to hand; worse on motion. Magn-m.
R. pains in shoulder joints. Merc-bij.
R. pains in shoulders and upper arms. **Merc.**
R. pains in shoulders, with tingling down to fingers. **Magn-c.**
R. swelling of hands after wet weather. Rhus-t.
R., tearing, drawing pains in arms. Coloc.
R., tearing pains in joints. Led. (Bry., Puls., Rhus-t., Spig.)
Spasmodic, r. pains in arms. Ran-b.
Sticking, r. pain in shoulder joint when moving arm or bending head. Puls.

Violent r. pains in right deltoid muscle. Card.

Rheumatism.—Paralytic r.; cannot lie still a minute. Caust.

R.: excruciating pains in arms; worse afternoons and evenings. Cimicif.

R. in wrists or finger joints, with excruciating pains and very tender to touch; worse at night. Actea-s.

R. intolerable; pains in right wrist, with swelling; motion impossible. Actea-s.

R. of deltoid muscle, with tearing pain. Ferr.

R. of limbs, especially of joints. Kali-bi.

R. of right arm and shoulder. Apis.

R. of small joints. Actea-s. (Caul.)

R.: pains change rapidly from one part to another, with constant chilliness; worse in evening. Puls.

R.: severe pain in wrist and finger, with swelling; cutting in joints when closing hands; pains change to nape of neck, with spasmodic rigidity; fingers stiff. Caul.

Tearing pain in arms, like r. Graph.

Violent pain in left arm, as if dislocated, and as if flesh were torn from bones, from axillæ to tips of fingers (in r.). Tart-em.

Right.—Acute rheumatic pain in the r. shoulder; worse from motion. Iris.

Arthritic pain in r. shoulder. Calc-c.

Burning in r. shoulder. Carbo-v.

Chorea: twitching and jerking of muscles of one arm and leg (usually r.); convulsive, uncontrollable movements of arms and legs; twitching of muscles and shrugging of shoulders returning every day; arms and limbs in constant motion, cannot keep hands in same position for a moment. Myg.

Coldness and numbness of r. hand, with tingling of ring and little fingers. Sec.

Coldness of r. hand, with warmth of left. Mez.

Coldness of r. hand, with stiffness and numbness of thumb. Can-ind.

Constant pain under inner angle of r. scapula, frequently with cough, diarrhœa, pneumonia (during menses). Chelid.

Contraction of r. hand when writing. Euphorb.

Contraction of r. thumb and index finger. Cycl.

Convulsive, rotary motion of r. arm, with thumb clenched (in cholera infantum). Camph.

Cramp in r. arm drawing it backward. Am-c.

Cramp-like pain in ball of r. thumb; on motion of hand it extends to thumb. Spong.

Cramp-like pain in outer side of second, third and fourth fingers on r. hand. Card.

Cramp-like pain in r. arm. Anac.

Cutting and tearing in muscles of r. forearm. Bell.

Drawing pain in muscle covering left radius, alternating with pain in same muscle of r. side. Card.
Drawing pain in r. arm and axilla. Cast-eq.
Drawing, tearing in r. arm from shoulder to hand. Calc-c.
Drawing, tearing pain from r. clavicle to tips of fingers. Caps.
Dry, bran-like, squamous, tettery eruptions on hands and fingerc, especially on the index finger and middle finger of r. hand. Anagal.
Dull, aching pain in index finger of r. hand extending to other fingers. Abrot.
Eruption on r. elbow. Brom.
Fine tearing pain in finger tips of r. hand, especially under nails. Bism.
Frequent, shooting pain, like a streak, down r. arm. Mancin.
Ganglion on r. wrist size of bean. Calc-c.
Hard pressure in r. axilla and upper arm; worse on touch or motion. Agn.
Heaviness and weakness in r. arm; feels as if weighed a hundred pounds, and without strength to raise it. Am-c.
Heaviness of r. arm. Aloe.
Itching of outer surface of r. arm just above elbow. Mang.
Lameness and languor of r. arm. Bism.
Lameness in forearm and r. shoulder. Psor.
Lameness in r. arm. Kali-bi. (Left arm. Acon., Lach., Rhus-t.)
Lightning-like pains in r. shoulder. Daph.
Muscles of r. arm sore. Carb-ac.
Neuralgic pains at intervals in r. arm. Kalm.
Neuralgic pain from neck down r. arm to little finger. Kalm.
Numb and heavy feeling in r. forearm, as if asleep. Am-m.
Numbness of r. arm from elbow to little finger. Cinnab.
Numbness of r. forearm extending to fingers. Ox-ac.
Œdema of r. arm. Cinnab.
Pain, as from a sprain, in r. wrist, or as if had been wrenched or dislocated. Calc-c. (Eupat-perf.)
Pain, as from bruises, under r. shoulder. Kali-c. (Sang.)
Pain, as if beaten, in r. upper arm. Cinnab.
Pain, as if sprained, in r. elbow or wrist. Gels.
Pain, as if ulcerated, around finger nails, especially in middle finger of r. hand. Calc-ph.
Pain at insertion of r. deltoid, with rheumatic pain in r. side. Cedron.
Pain in fleshy part of r. thumb, with feeling of fullness, heat and numbness. Ox-ac.
Pain in middle of upper part of r. arm, as though it would break. Cinnab.
Pain in r. axilla extending to pectoral muscle. Brachyg.
Pain in r. radius (forearm); increased by motion or touch. Sabin.

Pain in r. shoulder. Chelid., Laur., Sang.
Pain in r. shoulder and anterior muscle of chest through arm down to nails. Cimex.
Pain in r. shoulder and arm (with disease of liver). Lept.
Pain in r. shoulder as if had carried something very heavy. Cast.
Pain in r. shoulder in evening. Rhus-t.
Pain in r. shoulder joint. Mez.
Pain in r. shoulder joint as if sprained. Sabin.
Pain in r. shoulder joint (Sang.) extending toward hand with sensation as if air were passing down. Flour-ac.
Pain under r. shoulder joint, as if beaten. Kali-c. (Left. Kali-jod.)
Painful pressure in r. elbow joint, more violent when leaning it upon table, in which case pain extends to hands. Camph.
Painful pressure in r. shoulder when at rest, with tearing pains in inner surface of forearm; stitching pain from slightest motion. Bry.
Painful throbbing in r. shoulder. Led.
Paralysis of extensor mucles of fingers of r. hand. Plumb.
Paralytic feeling in r. hand. Caust.
Paralytic weakness and weariness in r. arm. Bism.
Paralytic weakness in r. shoulder and arm. Carbo-v.
Peculiar sensation in r. hand and forearm as if constricted, larger in size and not under control of will. Cupr.
Pressing pain in middle, ring and little finger of r. hand. Tarax.
Pressure in r. shoulder. Nitr-ac.
Pressure in r. shoulder and r. deltoid muscle hindering patient from raising arm. Prun-s.
Pulsating pain in r. elbow with soreness in evening. Still.
Rheumatic or paralytic pain in left shoulder joint preventing motion of arm. Ferr. (R. shoulder. Sang.)
Rheumatic pain in r. arm and shoulder; worse at night. Sang.
Rheumatic pain in r. shoulder. Phos.
Rheumatic pain in r. shoulder, r. arm and hip, changing often and lasting but a short time. Ox-ac.
Rheumatic pains in r. deltoid muscle; worse on moving arm backward. Agar.
Rheumatic pains in r. scapula (Chelid.) and r. side of chest; worse during inspiration. Æsc.
Rheumatic pains in r. shoulder. Berb.
Rheumatic pains in r. shoulder or elbow. Lob.
Rheumatism: intolerable pains in r. wrist; with swelling; motion impossible. Actea-s.
Rheumatism of r. arm and shoulder. Apis.
R. arm feels heavy and rigid. Am-m.
R. arm red, swollen, erysipelatous, with stinging pains. Apis.
R. hand cold and dead, with yellowness of finger joints. Chelid.
R. thumb trembles, is sensitive and numb; feels as if bruised. Plat.

R. wrist pains as if sprained and on allowing hand to hang pain radiates to ring and little fingers. Cast-eq.
R. wrist pains constantly, as if sprained or dislocated; wants to stretch it; cannot hold anything. Ox-ac.
Sensation of paralysis of left arm and r. foot. Hyper.
Stitches in r. shoulder. Colch.
Stitches in r. thumb. Guaj.
Sudden jerking pain in r. wrist and bones of hand. Ox-ac.
Swelling of r. elbow joint with stitches. Bry.
Tearing in metacarpal bones of r. index and middle fingers. Bism.
Tearing or digging in r. thumb, as if it would ulcerate. Ol-an.
Tearing pain with lameness and pressure in r. forearm, especially violent in carpal bones. Bism.
Tenderness of r. triceps. Gymnoc.
Tickling in r. shoulder. Ox-ac.
Trembling in biceps and triceps of r. arm. Flour-ac. (In deltoid. Ign.)
Trembling or twitching, symptoms appearing diagonally, r. arm and left leg. Agar.
Tremor of r. arm during motion; feels shaky. Plumb.
Twitching in r. shoulder when at rest. Dros.
Violent prickling pain from back of r. hand to shoulder joint. Gymnoc.
Violent rheumatic pain in r. deltoid muscle. Card.
Weakness and heaviness of arms, especially r.; worse on motion. Stann.

Rigid.—Right arm feels heavy and r. Am-m.

Rigidity.—Coldness, r. and spasmodic contractions of fingers. Ferr.
R. or stiffness of arms at night. Nux-v.
Stiffness or r. of arms. Cham., Nux-v.

Rigor.—R. of hands. Hyos.

Ring.—Muscles between r. and little fingers very sore. Samb.
Nails encircled by dark r. Sec.
Pressing pain in middle, r. and little finger of right hand. Tarax.
Right wrist pains as if sprained, and on allowing hand to hang pain radiates to r. and little fingers. Cast-eq.
R. and fourth fingers fall asleep if they get cold. Anac.
R. and little fingers of both hands feel as if they had gone to sleep. Diad.

Roots of nails.—Numbness of fingers, more in tips and r. Apis.
Superficial erysipelatous inflammation around r. Hep-s.
Ulcerations at r. Sang.

Rotary (see Gyratory).—Convulsive r. motion of right arm, with thumb clenched (in cholera infantum). Camph.

Rough.—Itching of hands with r., dry, graty skin. Hep-s.
Nails r., yellow, very dry, fly to pieces when cut. Sil.
Red, itching, r., miliary eruption on both elbows feeling like a grater. Cor-r.

Skin of arms cracked, r. and dry. Hep-s. (Graph.)
Skin of hands cracked and r. Petr.
Skin of hands r. and chapped. Kali-c.
Swelling of forearm; skin r. with intolerable itching, with great heat and loss of power in arms. Rhus-t.
Tips of fingers r., cracked, fissured, with stinging cutting pains. Petr.

Roughness.—R. of nails. Sabad., Sil.

Rub.—Itching between fingers and on palms; obliged to r. them, but itching increased by scratching, which causes great burning. Sulhp.

Runaround (see Whitlow).—R. Apis.

Running.—Numb feeling in arms at night with sensation as if something alive were r. or crawling. Ign.

Runs.—Panaritium: pain r. in streaks up arm. Bufo.

Salt rheum (see section on Skin).—S.: hands are raw from wrists to tips of fingers; they smart, with constant oozing of watery serum. Petr. (Skookum chuck.)

Sausages.—Fingers feel large, like s., and as if going to be paralyzed. Calad.

Scabs.—Blisters on wrists forming s. Am-m.
Herpetic eruption with s. on elbow. Staph.
Itch and s. on hands. Sep.
Ulcers and s. under nails. Ars.

Scales.—Psoriasis palmaris affecting whole palm (Skookum chuck); itching and burning so that it was impossible to do any work; thick s. Petr.

Scapula (see section on Back).—Constant pain under inner angle of right s., frequently with cough, diarrhœa, pneumonia (during menses). Chelid.
Rheumatic pain in left shoulder extending to s. Merc-cor.
Rheumatic pains in right s. (Chelid), and right side of chest; worse during inspiration. Æsc.

Scapulæ.—Burning from shoulders to s. and down arm and hand to fingers. Magn-m.
Pain in left shoulder between clavicle and s. internally. Cinnab.

Scissors.—Deep impressions on fingers, from using blunt instruments, s. or knife. Bov.

Scratch.—Severe itching on back of finger joints; must s. them violently. Borax.

Scratching.—Itching between fingers and on palms; obliged to rub them, but itching increased by s., which canses great burning. Sulph.
Pimples on shoulders with violent itching and burning after s. Kali-c.

Scrivner's palsy (see Grapho-spasmus).—Mogigraphia, grapho-spasmus, S., penman's paralysis, writer's cramp, telegrapher's cramp. Anac.

Scurf.—Itching s. on posterior part of each elbow. Sep.
S. in axillæ. Natr-m.
Searching.—Grasping about with hands as if reaching or s. for things. Stram.
Senseless.—Middle fingers become dead; are white, cold and s. Calc-c.
Sensitive.—Finger nails almost stop growing and skin beneath nails very s. Ant-c.
Nails s. Nux-v., Sil.
Panaritium: burning, stinging and throbbing, very s. to touch. Apis.
Right thumb trembles, is s. and numb; feels as if bruised. Plat.
Swelling of limbs and joints; becomes red and very s. to touch and motion; relieved by warmth. Bry.
Tips of fingers s. to cold. Cist.
Sensitiveness.—Painful s. of glands of axillæ. Sulph-ac.
Separating.—Swelling of gland in axilla like a hard red ulcer, s. into parts like large pimples. Am-m.
Serum.—Salt rheum: hands are raw from wrists to tips of fingers; they smart, with constant oozing of watery s. Petr. (Skookum chuck.)
Shaking.—S. and trembling of hands. Magn-ph.
Shaky.—Tremor of right arm during motion; feels s. Plumb.
Sharp.—Panaritium: s. and agonizing pains. Dios.
S. darting pains through fingers. Bad.
S. drawing pain in right shoulder; worse on motion, especially on raising arms. Iris.
S. pain in fingers. Rhus-r.
S. pain in left shoulder on waking. Abrot.
S. pains in hands and fingers cease on pressure. **Lith-c.**
S. shooting pain in arms extending to fingers. Still.
S. stitches in axillæ from without inward. Arn.
Shiny.—Red, s. swellings. Bry.
Shocks.—Convulsive s. in muscles. Agar.
Jerks or s. in left arm. Cic-v.
Paralysis with s. in arms. Nux-v.
Paresis, with s. as if blood would start out of vessels. **Nuv-v.**
Shooting.—Aching in left acromion process with s. pains down arms. Æsc.
Frequent s. pain like a streak down right arm. Mancin.
Pains from heart s. down left arm to ends of fingers. Cact.
Sharp, s. pain in arms extending to fingers. Still.
S. pain in arm. Cinnab.
S. pains in left shoulder with drawing pains in inner side of arm, with great weakness of arm. Bell.
S. pains rapidly changing about in bones of wrists and hands Iris.
Throbbing and s. pain in wrist. Brachyg.

Short.—Rheumatic pain in right shoulder, right arm and hip, changing often and lasting but a s. time. Ox-ac.

Shortening.—Drawing in arms as from s. of muscles. Am-c.

S. of tendons. Coloc.

Shorter.—Sensation as if arms had become s. Æth.

Shoulder.—Aching pain in muscles of s. and arm. Calc-c.

Acute rheumatic pain in right s.; worse from motion. Iris.

Arthritic pain in right s. Calc-c.

Bruised pain in left s. Sulph. (Ferr.)

Bruising pain in s. Cic-v.

Burning from s. to scapula and down arm and hand to fingers. Magn-m.

Burning in right s. Carbo-v.

Cracking in s. and elbow joints. Merc.

Cramp-like pain near s. as if every thing in chest were tightly constricted (in hysterical affections). Plat.

Cutting rheumatic pains in left arm from s. or elbow to wrist. Guaj.

Drawing and tearing from s. to wrist. Puls.

Drawing, tearing in right arm from s. to hand. Calc-c.

Drawing, tearing pain in s. and elbow joints to forearm, wrists and fingers. Acon. (Bry., Puls., Rhod., Rhus-t.)

Dull pain in arms, first left then right, from s. to fingers. Calc-ph.

Heaviness in s. Puls.

Inflammation of lymphatic vessels from hand to s., with violent swelling of hand. Cupr.

Lightning-like pains in right s. Daph.

Lameness in left s. Lach. (Ferr.)

Lameness in forearm and right s. Psor.

Pain as from bruise under right s. Kali-c. (Sang.)

Pain, as if sprained, in s. Natr-m.

Pain from s. down to elbow. Rumex.

Pain in arm and s. when writing. Merc-bij. (Merc-jod.)

Pain in left s. Dios.

Pain in left s., between clavicle and scapula, internally. Cinnab.

Pain in left s. Kali-jod. (Ferr.)

Pain in right s. Chelid.

Pain in right s. and anterior muscle of chest through arm down to nails. Cimex.

Pain in right s. as if had carried something very heavy. Cast.

Pain in right s. in evening. Rhus-t.

Pain in right s. Laur. (Sang.)

Pain in right s. and arm (with disease of liver). Lept.

Pain in s. as if sprained. Sulph.

Pain in s. at night. Kali-n., Merc.

Pain in s., as if sprained or dislocated, on moving arm. Ign.

Painful pressure in right s. when at rest with tearing pains in inner surface of forearm; stitching pain from slightest motion. Bry.
Painful sticking and tearing in left s. Graph.
Painful throbbing in right s. Led.
Paralytic weakness in right s. and arm. Carbo-v.
Pressure in right s. Nitr-ac.
Pressure in right s. and right deltoid muscle hindering patient from raising arm. Prun-s.
Rheumatic drawing, tearing, pains in left s., arm and fingers. Sulph.
Rheumatic pains in right s. Berb.
Rheumatic pain in s. and arm. Calc-ph.
Rheumatic pain in left s. with symptoms of metastasis to heart. Ferr.
Rheumatic pains in right s. or elbow. Lob.
Rheumatic pain in left s. extending to scapula. Merc-cor.
Rheumatic pain in s. and arm. Rhus-r.
Rheumatic pain in righ arm and s.; worse at night. Sang.
Rheumatic pains in right s. Phos.
Rheumatic pain in right s., right arm and hip, changing often and lasting but a short time. Ox-ac.
Rheumatism of right arm and s. Apis.
Sensation as if s. were dislocated. Croc., Mez.
Sense of looseness in s. Croc.
Sharp drawing pain in right s.; worse on motion, especially on raising arms. Iris.
Sharp pain in left s. on waking. Abrot.
Shooting pains in left s. with drawing pains in inner side of arm, with great weakness of arm. Bell.
Sticking pain in s. on lifting arm. Led.
Stitches in right s. Colch.
Stitching pain with pressure on top of left s. Bell.
Tearing pain in arm from s. to wrist. Kali-c.
Tearing in s. or s. joints at night, with gnawing or violent bruised pain or sticking; at first aggravated, afterwards relieved by motion of arms. Sulph.
Tension in s. Bry.
Tickling in right s. Ox-ac.
Twitching in right s. when at rest. Dros.
Violent pain from s. to elbow, disappearing on pressure or friction. Cast.
Violent pain in s. and chest. Cist.
When extending arms sensation in s., as if bruised. Can-sat.
Wrenching pain in s. Ambr.

Shoulder joints.—Aching from s. to elbow. Abrot.
Boring sensation in s. Rhod.
Burning in s. Graph.
Contused pain in elbow, then in s. Dros.

Cracking in s. when moving arm. Kali-c.
Cracking in s. Croc., Ferr., Kali-c.
Cutting pains in shoulders or s., especially at night. Sulph.
Cutting pain in s. when bending arm forward. Ign.
Drawing in s., with weakness and rheumatic pains in arms. Agar.
Drawing pain in s. Bry., Canth., Sulph.
Feels in s. as if dislocated. Agar.
Pain, as from dislocation, in s. Sep.
Pain in right s. Mez.
Pain in right s., as if sprained. Sabin.
Pain in right s. (Sang.) extending toward hand, with sensation as if air were passing down. Fluor-ac.
Pain in s., as if sprained. Caps.
Pain in s. when moving arm outward. Croc.
Pain in s., as if sprained; worse on moving hand. Alu.
Pain in s. when raising arm. Petr.
Pain in s., as if beaten. Dros.
Pain in s., as if dislocated, on moving it. Magn-c.
Pain in s. when bending arm backward, as if bruised or as after great bodily exertion. Ign.
Pain under right s., as if beaten. Kali-c. (Left. Kali-jod.)
Paralytic pain in s. Lyc.
Pressing in s.; worse on motion. Led.
Rending pain in s. and upper parts of arms. Bry.
Rheumatic or paralytic pain in left s. preventing motion of arm. Ferr. (Right s. Sang.)
Rheumatic pains in s. Merc-bij., Ign.
Rheumatic pains in s. extending down arm to hand; worse on motion. Magn-m.
Single stitches in s. and muscles of upper arms when at rest. Cocc.
Sticking, rheumatic pain in s. when moving arm or bending head. Puls.
Stitches in elbow and s. Graph.
Stitches in s. on lifting arm; also in finger joints. Sulph-ac.
Tearing in shoulder or s. at night, with gnawing or violent bruised pain or sticking; at first aggravated, afterwards relieved by motion of arms. Sulph.
Tearing pain in left s. Ambr., Kali-c.
Tearing pain in s. Caust., Lyc.
Tearing pain in s., humerus and wrist joints; worse at night. Merc.
Weakness in s. make moving of arm difficult. Bov.

Shoulders.—Aching pain in s. Nitr-ac.
Boils on s. Kali-n.
Burning, tearing pain in s., with numbness of arm. Rhus-t.

Chorea: twitching and jerking of muscles of one arm and leg (usually right); convulsive, uncontrollable movements of arms and legs; twitching of muscles and shrugging of s. returning every day; arms and limbs in constant motion; cannot keep hands in same position for a moment. Myg.
Cutting pains in s. or shoulder joints, especially at night. Sulph.
Drawing, jerking and tearing from tips of fingers into s. **Ars.**
Drawing pain in s. Arg-n.
Flying pain in s. Coloc.
Fugitive pains in s. preventing sleep. **Abrot.**
Lameness of s. Nux-v.
Large blood boils on s. Nux-j.
Numbness from s. to tips of fingers. Ox-ac.
Pain in s., with headache. Calad.
Pain in s. and bones of arms on movement. **Cocc.**
Pains in s. running into arms and neck. Antipy.
Pimples on s., with violent itching and burning after scratching. **Kali-c.**
Pressure and stiffness in s. Caust.
Pressure on s. Caust.
Pressive pain in s. Nitr-ac.
Rheumatic, drawing pain in s. and arms, especially in elbow and wrist joints. Grat.
Rheumatic pain in s.; worse at night. Kali-bi.
Rheumatic pains in s., with tingling down to fingers. Magn-c.
Rheumatic pains in s. and upper arms. Merc.
Rheumatic pain in s. and arms. Cact.
S. pain, as if bruised, with paralytic weakness and heaviness. Nux-v.
S. feel bruised. Coni.
Stinging stitches in s. Bry.
Stitching, tearing, throbbing pains in s. Berb.
Swelling and redness with vesicles on arms up to s. Merc-cor.
Tearing pains in s., arms, wrists and hands. Magn-m.
Tearing pains in s. and all joints, with spasmodic motion of arms. Aur.
Throbbing pain in s. Magn-m.

Shriveled.—S., dry skin of hands and fingers. Phos-ac.

Shrunken.—Hands cold and s. Abies-c.

Side.—Pain at insertion of right deltoid, with rheumatic pain in right s. Cedron.

Sinking.—Languor, heaviness and s. of arms. Natr-m.

Sitting.—Fingers become cold and feel as if would go to sleep when s. Cham.

Skin (see section on Skin).—Bluish, marble s. Cupr.
Brown s. of hands. Thuja.
Finger nails almost stop growing and s. beneath nails very sensitive. Ant-c.
Great dryness of s. of hands. **Lyc.**

Itching of hands, with rough, dry, graty s. Hep-s.
Rhagades: s. of hands cracked and dry, even in mild weather. Zinc.
Shriveled, dry s. of hands and fingers. Phos-ac.
S. of arms cracked, rough and dry. Hep-s. (Graph.)
S. of hands and fingers dry, sticky and dirty looking. **Anagal.**
S. of hands chapped. Magn-c.
S. of hands cracked and rough. Petr.
S. of hands cracks. Æsc.
S. of hands dry and parched. Natr-c.
S. of hands, especially about nails, dry and cracked. **Natr-m.** (Rhus-t., Sulph.)
S. of hands hard and cracked in places. **Graph.** (Cist., Hep-s.)
S. of hands hard, dry and cracked. Sulph. (Natr-m.)
S. of hands red and dry. Sulph.
S. of hands rough and chapped. Kali-c.
S. of palms peels off. Sep.
S. peels off fingers. Am-m.
S. recedes from thumb and suppurates. Eugen.
Sore and painful fissures and rhagades in s. of hands, especially in joints. Sulph.
Stinging, itching, burning under s. of wrist joint. Arg-m.
Swelling of forearm; s. rough, with intolerable itching, with great heat and loss of power in arms. Rhus-t.
Tingling in s. of fingers. Ran-b.
Sleep (see section on Sleep).—Arm goes to s. and pains when lying on it. Calc-c.
Arms and hands go to s. **Graph.**
Arms go to s. Cocc.
Arms go to s. easily, especially when lying on them or when carrying anything in hands. Ambr.
Arms go to s. on grasping anything firmly. **Cham.**
Arms go to s. when resting on them. Sil.
Arms, hands and fingers go to s. Kali-c.
Fidgets in arms and legs preventing s. Meph.
Fingers become cold and feel as if would go to s. when sitting. **Cham.**
Fingers go to s. Am-m., Iod., Sars.
Fingers go to s., with tingling. Natr-m.
Fugitive pains in shoulders preventing s. Abrot.
Hands go to s. Crotal.
Hands numb; fingers go to s. (with affections of chest). Carbo-an.
Heaviness or paralytic weakness in left arm; fingers frequently and easily go to s. Dig.
Numbness in left arm as if gone to s. Apis.
Numbness of arms; go to s. when lying on them. Carbo-v.
Numbness of hands; arms and fingers easily go to s. Lyc. (Cham.)
Pains in upper arms on going to s. Kalm.

Ring and little fingers of both hands feel as if they had gone to s. Diad.

Tingling in arms as if insects were creeping over them, or as if arm would go to s. Ver-a.

Tingling in hand as if had gone to s. Ver-a.

Tingling in tips of fingers, as if had gone to s. Am-m.

Tingling of fingers, as if they had gone to s. Mur-ac.

Trembling of hands they go to s. easily. Calc-c. (Sil.)

Twitching of hands and feet during s. Natr-ph.

When laying arm on table it goes to s. Bar-c.

Sloughing.—Felon with s. Anthrak. (Has cured worst cases.)

Slowly.—Nails grow s. Ant-c.

Small joints.—Rheumatism of s. Actea-s. (Caul.)

Smart.—Salt rheum: hands are raw from wrists to tips of fingers; they s., with constant oozing of watery serum. Petr. (Skookum chuck.)

Smell.—Swelling of arm with black blisters having putid s. Ars.

Smells.—Perspiration in axillæ s. like onions. Sulph. (Like garlic. Tel ur. Like honey. Thuja.)

Perspiration s. like onions. Lyc.

Strong-smelling perspiration in axilla; s. like garlic. Lach.

Soft.—Panaritium (in very old men): finger nails brittle, s., elastic and pink. Ambr.

Soldier's itch (see section on Skin).—S. Sep.

Soles (see section on Lower Extremities).—Burning in palms and s. Corbo-v., Lachn., Lil-tig., Sulph.

Burning in palms and s. at night. Sang.

Sore.—Arms feel weary and s., as if bruised. Arn.

Deep rhagades on hands, fingers and bends of joints, base of which looks s. and bleeding. Merc.

Drawing and s. feeling in tip of elbow. Stann.

Muscles between ring and little fingers very s. Samb.

Muscles of right arm s. Carb-ac.

Nails s. Graph. (Alu., Hep-s., Kali-c., Merc., Mez., Natr-m., Nux-v., Puls., Sep., Sulph.)

Nails s. and painful, as if ulcerated. Graph.

S. and painful fissures and rhagades in skin of hands, especially in joints. Sulph.

Soreness of integuments; flesh s. to touch, as if had been beaten. Bad.

Tired, s. feeling of arms. Al-cep.

Wrists weak and s. to touch. Podo.

Soreness.—Grapho-spasmus; cramp in fingers, thumb and wrist when writing; s. extending upward along flexor carpi ulnaris muscle. Brachyg.

Great s. of muscles. Cimicif.

Intense aching and s. in arms, as if bruised or beaten. Eupat-perf.
Pulsating pain in right elbow with s. in evening. Still.
S. between fingers. Ars., Graph.
S. in fingers and thumb. Brachyg.
S. of flesh of arms. Arg-n.
S. of head of humerus extending down arm to elbow. Gymnoc.
S. of integuments; flesh sore to touch, as if had been beaten. Bad.
S. of joints, especially of hands and fingers, feet and toes. Arg-m.

Spasm.—S. and distortion of arms. Bell., Sec.

Spasmodic.—Coldness rigidity and s. contractions of fingers. Ferr.
S. contraction of arms and hands. Tabac.
S. pain in arm. Cina.
S. pain in arms with chilliness, with internal beating after yawning and stretching. Nux-v.
S. pain in fingers. Euphr., Meny., Oleand.
S. pain in forearm. Phos-ac.
S. pain in hands. Euphr., Meny.
S. pain in wrist. Anac., Aur.
S., rheumatic pains in arms. Ran-b.
S. sensation in hands. Caust.
S. stretching of arms. China.
S., tearing pain in outer part of lower arm. Calc-c.
S. throwing about of hands and feet, followed by severe pains. Mosch.
Tearing pains in shoulders and all joints with s. motions of arms. Aur.
Twitching, s. movements of arms and hands. Opi.

Spasmodically.—Fingers s. flexed but in constant motion. Colch.

Spasms.—S. in arms drawing them backward. Am-c.
S. of fingers. Calc-c., Can-sat., Lyc.
S. of hands. Bell.

Spine (see section on Back).—Paralytic feeling in arms; also in s. and legs. Æsc.

Splinter.—Pain as from s. under nail. Nitr-ac., Sil., Sulph.
Sensation of s. of glass under nail. Cocc-c.

Split.—Nails s. Sil., Squilla.

Splits.—Crushed finger nails grow in s. and are horny. Ant-c.

Spot.—Round, burning, itching s. on hand. Iod.

Spots.—Blue s. on forearm, as if ecchymosed. Sulph-ac.
Brown or yellow s. on arms. Petr.
Brown s. on elbow. Cad., Sep.
Brown s. on hands. Natr-m.
Brown s. on palms. Iod., Natr-c., Thuja.
Brown s. on wrist. Petr.
Cold hands with blue s. Bar-c.
Copper-colored s. on arms. Nitr-ac.

Dry, tettery, scabby eruption in bends of elbows, with red s. Mez.
Hands and arms covered with purplish s. Kali-c.
Herpetic s. on arms and hands. Natr-m., Zinc.
Pale-red s. on arms (with syphilis). Phyt.
Red s. or stripes on arms and hands. Sabad.
Small red petechiæ with white s. on forearm and back of hands. Berb.
Smooth copper-colored s. on palms and fingers. Cor-r.
White s. in finger nails. Nitr-ac., Sulph.
Yellow s. on fingers. Coni.
Yellow s. on hands and fingers. Elaps.

Spotted.—Nails s. Nitr-ac., Sep., Sil.

Sprain.—Pain as from a s. in right wrist, or as if had been wrenched or dislocated. Calc-c. (Eupat-perf.)

Sprained.—Feeling as if joints of arms and wrists were s. Arn.
Lameness of left arm, as if s., with difficulty in lifting it. Bov.
Left thumb pains as if s. and stiff. Kreas.
Pain as if s. in right elbow or wrist. Gels.
Pain, as if s., in shoulder. Natr-m.
Pain as if thumb were s. Prun-s.
Pain as if ulcerated or s. at a small spot in back of wrist when bending or pressing upon it. Bov.
Pain in right shoulder joint as if s. Sabin.
Pain in shoulder as if s. Sulph.
Pain in shoulder, as if s. or dislocated, on moving arms. Ign.
Pain in shoulder joint as if s. Caps.
Pain in shoulder joint as if s.; worse on moving hand. Alu.
Pain in wrist joint as if s. Calc-c., Lach. (As if dislocated. Bry., Ox-ac., Ruta.)
Pain in wrists as if s. Cist.
Pain in wrists, as if wrenched or s., on every motion. Bry., Eupat-perf.
Painful stiffness in wrist when moving it, as if hand were s. or strained. Puls.
Right wrist pains as if s. and on allowing hand to hang pain radiates to ring and little fingers. Cast-eq.
Right wrist pains constantly as if s. or dislocated; wants to stretch it; cannot hold anything. Ox-ac.
Sensation in joint of thumb as if s. Camph.
S. feeling in wrist. Am-m., Bry., Rhus-t., Ruta, Seneg.
S. feeling in wrist joints. Cina.
Thumb and index finger feel as if s. Lachn.
Wrist feels as if s. Petr., Rhod.
Wrist painful, as if s., when grasping anything. Rhus-t.
Wrist stiff and feels as if s.; worse in wet, cold weather. Ruta.
Wrists pain as if s. Carbo-an.

Squeezed.—Drawing pain in limbs, as if bones were s. Alu.

Sticking.—Gnawing pain with drawing and s. after dinner; apparently in bone of arm. Canth.

Hot, pale swelling in wrist joint and little finger, with s. on moving finger or on pressing it. Bry.

Painful s. and tearing in left shoulder. Graph.

Panaritium: violent beating and s. pains in fingers. Sep.

S. and tearing in left arm from above downward to tips of fingers. Rhus-t.

S. pain in elbows. Laur.

S. pain in shoulder on lifting arm. Led.

S. pain in tips of fingers under nails. Cocc-c.

S., rheumatic pain in shoulder joint when moving arm or bending head. Puls.

Swelling and s. pain in finger joints (Colch.); worse on motion or touch. Bry.

Tearing in shoulder or shoulder joints at night, with gnawing or bruised pain and s.; at first aggravated, afterwards relieved, by motion of arms. Sulph.

Sticky.—Skin of hands and fingers dry, s. and dirty looking. Anagal.

Stiff.—Arms and fingers feel dead and s. Am-c.

Arms feel s. Natr-c.

Fingers s. in morning. Calc-c.

Fingers s., numb and contracted. Ferr.

Hands and fingers cold, numb, clumsy and s. Ptel.

Hands feel s. Coloc.

Hands s. and insensible. Ars.

Left arm feels s. and fingers contracted. Paris.

Left thumb pains, as if sprained and s. Kreas.

Thick, s., red finger joints, as if frozen. Sulph.

Wrist s. and feels as if sprained; worse in wet, cold weather. Ruta.

Wrist joints feel s. and crampy. Phos-ac.

Stiffness.—Arthritic swelling and s. of wrist joint, with tearing and stinging; worse on letting arm hang down. Sabin. (Puls.)

Coldness of right hand with s. and numbness of thumb. Can-ind.

Loss of power and s. of forearm and fingers on moving. Rhus-t.

Painful s. in wrist when moving it, as if hand were sprained or strained. Puls.

Painful s. in wrist joints. Merc.

Pressure and s. in shoulders. Caust.

Rheumatic or gouty s. of left arm and elbow joint. Agar.

Rigidity or s. of arms at night. Nux-v.

S. in wrists. Chelid.

S. of finger joints. Carbo-an., Sang.

S. of fingers, as from gout. Agar.

S. of fingers from arthritic nodosities. Lyc.

S. of fingers; they cannot be bent. Sil.

S. of index finger. Calc-c.
S. of joints. Coloc.
S. of wrist joint. Sep.
S. or rigidity of arms. Cham. (Nux-v.)
S. with stitches in joints. Sep.
Stitches and s. in joints. Rhus-t.
Swelling and s. of hands. Spong.
Swelling, burning and s. of fingers. Oleand.
Tension and s. in limbs. Meny.

Still.—Violent, tearing pain in arm; most violent when s. Rhus-t.

Stinging.—Arthritic swelling and stiffness of wrist joint, with tearing and s.; worse on letting arm hang down. Sabin. (Puls.)
Deep, s. cicatrices in hands. Kali-bi.
Gnawing, s. pains in joints and along bones. Dros.
Panaritium: burning, s., and throbbing, very sensitive to touch. Apis.
Rheumatic pains in elbow and wrist joints; s. in left elbow. Kali-bi.
Right arm red, swollen, erysipelatous, with s. pains. Apis.
S. in arms and hands. Berb.
S. in tips of fingers. Lach.
S., itching, burning under skin of wrist joint. Arg-m.
S. pain in both upper arms. Sabin.
S. pains in arms and joints. Thuja.
S. stitches in arms. Cocc., Sars., Sep., Thuja.
S. stitches in elbow joint. Spig.
S. stitches in hands. Natr-s., Sulph., Verb.
S. stitches in finger joints. Hell., Sep., Sulph.
S. stitches in fingers. Am-m., Natr-m.
S. stitches in forearm. Ran-sc.
S. stitches in joints of arm. Sulph., Thuja.
S. stitches in shoulders. Bry.
S. stitches in upper arm. Bry., Sars.
S., tearing pains in limbs. Laur.
Tips of fingers rough, cracked and fissured, with s. cutting pains. Petr.

Stitch.—Burning s. in left thumb. Lith-c.
Sudden s. jerking and tearing in bones of upper arms. Berb.

Stitches.—Frequent involuntary jerking and s. in arms and fingers. Cic-c. (In epilepsy. Cupr.)
Sharp s. in axillæ from without inward. Arn.
Single s. in shoulder joints and muscles of upper arms when at rest. Cocc.
Stiffness with s. in joints. Sep.
Stinging s. in arms. Cocc., Sars., Sep., Thuja.
Stinging s. in elbow joint. Spig.
Stinging s. in finger joints. Hell., Sep., Sulph.
Stinging s. in fingers. Am-m., Natr-s.
Stinging s. in forearm. Ran-sc.

Stinging s. in hands. Natr-s., Sulph., Verb.
Stinging s. in joints of arm. Sulph., Thuja.
Stinging s. in shoulders. Bry.
Stinging s. in upper arm. Bry., Sars.
S. and painful throbbing under thumb nail. **Am-m.**
S. and stiffness in joints. Rhus-t.
S. in arms. Ambr., Paris.
S. in arms, hands and fingers. Ran-b.
S. in bends of elbows and joints of hands and fingers. **Spig.**
S. in elbow and shoulder joints. Graph.
S. in fingers. Natr-m.
S. in fingers, first right, then left hand. **Ox-ac.**
S. in joints of arms, hands, and fingers on motion. **Sars.**
S. in joints on motion. Bry.
S. in left elbow. Cocc-c.
S. in muscles of arms and hands. **Sabad.**
S. in right shoulder. **Colch.**
S. in right thumb. Guaj.
S. in shoulder joint on lifting arm; also in finger joints. Sulph-ac.
S. in wrists. Samb.
Swelling of right elbow joint with s. Bry.

Stitching.—Painful pressure in right shoulder when at rest, with tearing pains in inner surface of forearm; s. pain from slightest motion. Bry.
S., boring, gnawing pains in arms and fingers. Ran-sc.
S. pain, with pressure on top of left shoulder. Bell.
S., tearing, throbbing pains in shoulders. Berb.
Tearing, drawing, s. pain and numbness in fingers, as if suppurating, or as if panaritium would form. Sil.

Stopped (see Ceased).—Sensation in arms as if blood s. Rhod.

Strained.—Arms feel s. Rumex.
Pain in left upper arm, as if muscle or tendons were s., when limb is raised. Rhus-t.
Painful stiffness in wrist when moving it, as if hand were sprained or s. Puls.

Streak.—Frequent shooting pain, like a s., down right arm. Mancin.
Whitlow, with red s. up arm and in axilla. Am-c.

Streaks.—Panaritium: pain runs in s. up arm. Bufo.

Strength.—Heaviness and weakness in right arm; feels as if weighed a hundred pounds, and without s. to raise it. Am-c.

Stretch.—Desire to s. fingers and make them crack. Meph.
Right wrist pains constantly, as if sprained or dislocated; wants to s. it; cannot hold anything. Ox-ac.

Stretching.—Aching pain in bends of elbows when s. arm. **Clem.**
Extension and s. of upper limbs. Bell.

Spasmodic pains in arms, with chilliness, with internal beating after yawning and s. Nux-v.
Spasmodic s. of arms. China.
S., tearing pain in arm, with paralytic feeling. Cina.
String.—Feeling as if all blood rushed to hands and as if s. were tied tightly around arm. Nux-v.
Stripes.—Red spots or s. on arms and hands. Sabad.
Strong smelling.—S. perspiration in axillæ; smells like garlic. Lach.
Struck.—Sensation as if crazy bone had been s. Cinnab.
Subsultus tendinum (see Twitching).—S. of hands and feet. Iod.
Suddenly.—Paralytic, drawing, pressing pains in arms, with tearing pains in joints of fingers; pains come and go s. Bell.
Suggillations.—Blue spots, like s., on forearm. Sulph-ac.
Suppurate.—Small wounds s. and do not heal. Calc-c. (Hep-s.)
Suppurated.—Papular eruption on forearms spreading over hands and wrists; arms red and glands of axillæ s. Kali-bi.
Suppurates.—Skin recedes from thumb and s. Eugen.
Suppurating.—S. eruption on elbow. Sulph.
S. pustules on hands near tips of fingers. Psor.
Tearing, drawing, stitching pain and numbness in fingers, as if s. or as if panaritium would form. Sil.
Suppuration.—Large, inflamed swelling, like erysipelas, on forearm below elbow passing into s., like a boil. Lyc.
S. of glands in axillæ. Hep-s. (Sil.)
Swelling and s. of glands of axilla. Coloc., Sep. (Calc-c.)
Swelling and s. of little finger. Mang.
Sweat (see Perspiration).—Cold s. in palm. Cham., Rheum.
Cold s. on hands. Carbo-v., Cimicif.
Cold s. on hands (Sulph.), with cold nose. Nux-v.
Coldness of one hand, s. of other. Ipec., Mosch.
Cool s. on palms of hands. Acon.
Copious, cold s. on hands. Bell.
Disgusting, offensive s. in axillæ. Sulph.
Heat and s. of palms. Fluor-ac.
Offensive s. in axillæ. Sil.
Profuse s. in axillæ. Sabad., Squilla.
Profuse s. on hands. Sil.
S. in axillæ smells like onions. Bov. (Like garlic. Sulph.)
S. on palms, especially at night. Psor.
Warm s. in palms and on fingers. Ign.
Swell.—Chilblains on hands itch and s. Zinc.
Swelling.—Arthritic, hot s. of hands. Cocc.
Arthritic s. and stiffness of wrist joint, with tearing and stinging; worse on letting arm hang down. Sabin. (Puls.)
Chronic arthritis, with s., immobility and deformity of joint. Brom.
Erysipelatous s. Rhus t.

Gouty, rheumatic pain, with tight, hard s. in joints. **Led.**
Gouty s. of joints of fingers. Graph.
Great s. of glands of axillæ. Sil. (Bar-c., Lyc.)
Hard s. of glands in axillæ (Sil.), with pains in arms. Bar-c.
Hot and red s. of forearm. Ant-c.
Hot, pale s. in wrist joint and little finger, with sticking on moving finger or on pressing it. Bry.
Hot, pale s. of hands and finger joints. Bry.
Inflamed s. of little finger (after erysipelas). Sulph-ac.
Inflammation of lymphatic vessels from hand to shoulder, with violent s. of hands. Cupr.
Inflammatory s. of glands in axillæ. Aur.
Itching, burning, redness and s. of hands, as if had been frozen. Agar.
Large, inflamed s., like erysipelas, on forearm below elbow passing into suppuration, like a boil. Lyc.
Numbness, with sensation of s. of hands and forearms. Opi.
Œdematous s. of arm. Crotal.
Œdematous s. of hands. Colch.
Painful s. of arm. Thuja.
Painful s. of carpus, itching when touched. **Calc-c.**
Painful s. of fingers. Sec.
Painful s. of glands of axillæ. Natr-c.
Pale s. of hands and fingers. Nux-v.
Panaritium: bluish s. becomes gangrenous, with pricking, tingling pain. Lach.
Red, hot s. from elbow to wrist. Merc.
Red, hot s. of joints of hands and fingers. **Hep-s.**
Red, inflammatory s. of fingers. Magn-c.
Red, shiny s. Bry.
Red s. of arms. Merc., Thuja.
Red s. of back of hands. Sulph-ac.
Red s. of forearm, with pain as if pressing on tumor. **Sep.**
Redness and s. of finger joints, with tension on bending. Spong.
Redness and s. of hands and fingers, as if frozen, with itching in evening and with drawing during motion. Sulph.
Redness, inflammation and s. of finger joints. Lyc.
Rheumatic pains and s. of finger joints. Kali-bi.
Rheumatic pains in joints, with heat and s. Cimicif. (Bry.)
Rheumatic pain in joints, with red, shiny s. Mang.
Rheumatic s. of hands after wet weather. Rhus-t.
Rheumatism: intolerable pains in right wrist; with s.; motion impossible. Actea-s.
Rheumatism: severe pain in wrist and fingers, with s.; cutting in joints when closing hands; pains change to nape of neck, with spasmodic rigidity; fingers stiff. Caul.

Slight contusion in little finger followed by tearing pain and redness along lymphatic vessels over whole arm into axilla causing painful s. of glands. Bufo.
Sudden s. of hands, with itching and tingling. Lach.
S. and inflammation of glands in axillæ. Rhus-t.
S. and redness, with vesicles on arms up to shoulders. Merc-cor.
S. and redness of arms and hands. Bell.
S. and sticking pain in finger joints (Colch.); worse on motion or touch. Bry.
S. and stiffness of hands. Spong.
S. and suppuration of glands of axilla. Coloc., Sep. (Calc-c.)
S. and suppuration of little finger. Mang.
S. and wrenching pain in elbow, as after contusion. Puls.
S. around nails. Natr-m.
S., burning and stiffness of fingers. Oleand.
S. of arm, with black blisters having putrid smell. Ars.
S. of arms. Ars., Bell., Bry., Rhus-t., Sulph.
S. of back of left hand; veins distended. China.
S. of deltoid muscle which when touched feels painful, as if bruised. Acon.
S. of elbow joint. Bry.
S. of elbow joints from want of synovial fluid. Calc-flu.
S. of finger joints. Nitr-ac.
S. of finger joints, with lacerating pain. Agn.
S. of fingers. Alu., Lyc., Magn-c., Ran-sc., Rhus-t., Thuja.
S. of fingers on letting arms hang down. Am-c., Phos.
S. of forearm. Ant-c., Merc.
S. of forearm; skin rough, with intolerable itching, with great heat and loss of power in arm. Rhus-t.
S. of gland in axilla, like a hard, red ulcer, separating into parts, like large pimples. Am-m.
S. of glands in axillæ. Am-c., Clem., Coni., Iod., Kali-c., Lyc., Sulph. (Bar-c., Sil.)
S. of glands of axillæ, with burning pain in arms. Phos.
S. of hands. Bell., Bry., Cocc., Ferr., Hep-s., Lach., Phos., Rhus-r., Stann.
S. of hands and feet. Natr-c., Sec., Stann.
S. of hands, with frequent paroxysms of cough. Acon.
S. of joints after slight fatigue. Actea-s.
S. of limbs and joints; becomes red and very sensitive to touch or motion; relieved by warmth. Bry.
S. of palms. Calc-c.
S. of right elbow joint, with stitches. Bry.
S. of wrist. Sabin.
S., redness and inflammation of hands, with heat. Rhus-r.

Swollen.—Arms feel as if full and s. Ver-a.
Arms paralyzed and s., white as putty. Apis.
Arms s. and œdematous, with feeling of great heaviness and weakness. Am-c.
Finger joints much s. Calc-c.
Finger joints pain as if s. Calc-c.
Fingers red and s. in various places, with burning and itching. Nux-v.
Glands of axillæ s. Lach.
Joints of fingers are s., red and hot. Cinnab.
Right arm red, s., erysipelatous, with stinging pains. Apis.
Sensation as if arms and hands were enormously s. Diad.
Veins in forearms and hands s. Puls.
Synovial fluid.—Swelling of elbow joints from want of s. Calc-flu.
Syphilis (see section on Sexual Organs).—Pale-red spots on arms (with s.). Phyt.
Syphilitic.—Dry, scaly eruption, with itching of palms (s. eruption). Selen.

Table.—Painful pressure in right elbow joint, more violent when leaning it upon t., in which case pain extends to hands. Camph.
When laying arm on t. it goes to sleep. Bar-c.
Tearing.—Arthritic swelling and stiffness of wrist joint, with t. and stinging; worse on letting arm hang down. Sabin. (Puls.)
Burning, t., pain in shoulders, with numbness of arm. Rhus-t.
Cutting and t. in muscles of right forearm. Bell.
Drawing and t. from shoulder to wrist. Puls.
Drawing and t. in arm and fingers. Sep. (Nux-v.)
Drawing and t. pain, from elbow to axilla, at night. Ars.
Drawing and t. pains in arms and hands. Sulph.
Drawing, jerking and t. from tips of fingers into shoulders. Ars.
Drawing, t. in right arm from shoulder to hand. Calc-c.
Drawing, t. pain from elbow to hand. Carbo-v.
Drawing, t. pain from right clavicle to tips of fingers. Caps.
Drawing, t. pain in shoulder and elbow joints to forearm, wrists and fingers. Acon. (Bry., Puls., Rhod., Rhus-t.)
Drawing t. pains in elbows. Kali-c.
Dull drawing and t. in arms and hands. Caust.
Dull, t. pains in hands and arms. Caust.
Fine t. pain in finger tips of right hand, especially under nails. Bism.
Jerking and t. in elbow and wrist joints during rest; better during motion. Rhus-t.
Painful pressure in right shoulder when at rest with t. pains in inner surface of forearm; stitching pain from slightest motion. Bry.
Painful sticking and t. in left shoulder. Graph.
Paralytic feeling with drawing, t. pains in arms. Ars.
Paralytic, jerking, t. pains in arms. China.

Paralytic, t. pain from upper arm to hand. Sabin.
Paralytic t. pain in forearm. Sars.
Rheumatic, drawing, t. pains in left shoulder, arms and fingers. Sulph.
Rheumatic, t., drawing pains in arms. Coloc.
Rheumatic, t. pains in joints. Led. (Bry., Puls., Rhus-t., Spig.)
Rheumatism of deltoid muscle with t. pain. Ferr.
Slight contusion in little finger followed by t. pain and redness along lymphatic vessels over whole arm into axilla causing painful swelling of glands. Bufo.
Spasmodic, t. pain in outer part of lower arm. Calc-c.
Sticking and t. in left arm from above downward to tips of fingers. Rhus-t.
Stinging, t. pains in limbs. Laur.
Stitching, t., throbbing pains in shoulders. Berb.
Stretching, t. pain in arm with paralytic feeling. Cina.
Sudden stitch jerking and t. in bones of upper arms. Berb.
T., aching pains in arm (with diphtheria). Lach.
T., drawing, stitching pain and numbness in fingers as if suppurating, or as if panaritium would form. Sil.
T. in hands at night with cracking in wrists. Selen.
T. in metacarpal bones of right index and little fingers. Bism.
T. in shoulder or shoulder joints at night, with gnawing or violent bruised pain or sticking; at first aggravated, afterwards relieved by motion of arms. Sulph.
T. in tips and joints of fingers, especially under nails. Bism.
T. in upper arm as if in marrow of bone. Magn-m.
T. in wrist joint with paralytic weakness. Phos.
T. or digging in right thumb, as if would ulcerate. Ol-an.
T. pain along metacarpal bones. Berb.
T. pain in arm from shoulder to wrist. Kali-c.
T. pain in arms. Psor.
T. pain in arm and hands. Colch.
T. pain in arms like rheumatism. Graph.
T. pain in bends of elbows and wrists. Kali-c.
T. pain in fingers. Sulph.
T. pain in fingers of left hand. Carbo-v.
T. pain in forearm. Bry.
T. pain in joints of thumb. Spig.
T. pain in left elbow. Iod. (Ars., Ferr.)
T. pain in left shoulder joint. Ambr., Kali-c.
T. pain in left upper arm. Card.
T. pain in shoulder joints. Caust.
T. pain in shoulder joints, humerus and wrist joints; worse at night. Merc.
T. pain in tips of fingers. Chelid.
T. pain in upper arm. Natr-ph.

T. pain in wrist joint. Sulph.
T. pain in wrist, palm, and fingers. Carbo-v.
T. pain with lameness and pressure in right forearm, especially violent in carpal bones. Bism.
T. pains in arms. Grat.
T. pains in arms at night. Ferr.
T. pains in both arms. Sil.
T. pains in fingers. Sil.
T. pains in first joints and phalanges of fingers. Zinc.
T. pains in joints. Sulph.
T. pains in joints of all fingers. Rhus-t.
T. pains in shoulder joints and elbows. Lyc.
T. pains in shoulders and all joints with spasmodic motions of arms. Aur.
T. pains in shoulders, arms, wrists and hands. Magn-m.
T. pains in wrists and palms. Sil.
T. pains on inner surface of forearms. Bry.
T. pains under nails. Kali-c.
Violent t. pains in arms. Cast.
Violent, t. pain in arm; most violent when still. Rhus-t.

Teeth (see section on Mouth).—Throbbing pain through axilla extending to t. and side of head. Coloc.

Telegrapher's cramp (see Grapho-spasmus).—Mogigraphia, grapho-spasmus, Scrivner's palsy, penmen's paralysis, writer's cramp, t. Anac.

Tender (see Sensitive).—Rheumatism in wrists or finger joints, with excruciating pains and very t. to touch; worse at night. Actea-s.
Tips of fingers t. and feel as if ulcerated. Paris.

Tenderness.—T. of right triceps. Gymnoc.

Tendons.—Contraction and induration of t. of fingers. Caust.
Drawing pain in t. of elbow joint when moving arm. Puls.
Induration of t. of fingers. Caust.
Pain in left upper arm as if muscle or t. were strained when limb is raised. Rhus-t.
Sensation of contraction of t. Æth., Lach., Sep.
Shortening of t. Coloc.
Twitching of t. Stram. (Hyos., Kali-jod.)

Tension (see Drawing).—Redness and swelling of finger joints with t. on bending. Spong.
T. and stiffness in limbs. Meny
T. in arms. Sep.
T. in elbow joint. Sep.
T. in finger joints. Sep.
T. in joint of arm. Sep.
T. in shoulder. Bry.
T. in wrist. Mang.

Tetter (see section on Skin).—Humid t. in axillæ. Sep.
T. on forearm (with leucorrhœa). Alu.
T. on hands. Cist.

Tettery.—Dry, bran-like, squamous, t. eruption on hands and fingers, especially on index and middle fingers of right hand. Anagal.

Thick.—Hands feel as if too t. and as if asleep; they are heavy and clumsy. Mancin.
Nails become t. Graph.
Nails t. and fissured. Sabad.
T., red chilblains on fingers. Sulph.
T., stiff, red finger joints, as if frozen. Sulph.

Thickened.—Hard, t. places on hands of workmen, with deep, oblique cracks. Cist.
Nails t. Graph. (Sabad., Sil., Sulph.)

Third (see Ring).—Cramp-like pain in outer side of second, t. and fourth fingers of right hand. Card.

Thirst (see section on Stomach).—Heat in palms, with t. Zinc.

Thrill.—Pleasant t. through arms and hands. Can-ind.

Throat (see section on Throat).—Grasps t. Stram.

Throbbing (see Pulsating).—Felon: Violent t. "gathering pain," occurring every winter for many years; lymphatics of arm inflamed; pain extending to axilla, where there is a lump. Hep-s.
Itching, t. pains in fingers. Lith-c.
Painful t. in right shoulder. Led.
Panaritium: burning, stinging and t., very sensitive to touch. Apis.
Stitches and painful t. under thumb nail. Am-m.
Stitching, tearing, t. pains in shoulders. Berb.
T. and shooting pain in wrist. Brachyg.
T. in fingers. Am-m.
T. pain as from ulcer in thumb joint. Caust.
T. pain in hand. Carbo-v.
T. pain in shoulders. Magn-m.
T. pain through axilla extending to teeth and side of head. Coloc.

Throwing about.—Spasmodic t. of hands and feet, followed by severe pains. Mosch.

Thumb.—Boils on t. Kali-n.
Burning pain in first joint of t. Led.
Burning pain in left t. Kreas.
Burning stitch in left t. Lith-c.
Coldness of right hand with stiffness and numbness of t. Can-ind.
Contraction of right t. and index finger. Cycl.
Cramp in arms, hands, fingers and t. Natr-m.
Cramp in t. drawing it down to palm. Brachyg.
Cramp-like pain in ball of right t.; on motion of hand it extends to t. Spong.

Convulsive rotary motion of right arm with t. clenched (in cholera infantum). Camph.
Drawing in fingers and t. Ambr.
Fingers convulsively drawn into palm clasping t. Sec.
Grapho-spasmus: cramp in fingers, t. and wrist when writing; soreness extending upward along flexor carpi ulnaris muscle. Brachyg.
Large water blisters on end of t. with smaller ones at side of finger nails. Ailanth.
Left t. pains as if sprained and stiff. Kreas.
Pain as if t. were sprained. Prun-s.
Pain in arms, as if humerus were beaten in middle, extending to t. Puls.
Pain in fleshy part of t., with feeling of fullness, heat and numbness. Ox-ac.
Right t. trembles, is sensitive and numb; feels as if bruised. Plat.
Sensation in joint of t. as if sprained. Camph.
Skin recedes from t. and suppurates. Eugen.
Soreness in fingers and t. Brachyg.
Stitches in right t. Guaj.
Tearing or digging in right t., as if it would ulcerate. Ol-an.
Tearing pain in joints of t. Spig.
T. and fingers bent inward (in convulsions of children). Æth.
T. and index finger feel as if sprained. Lachn.
T. clenched across palms (in epilepsy). Cupr.
T. drawn into p. Hell.
Tingling in t. Ambr.

Thumb joint.—Throbbing pain as from an ulcer in t. Caust.

Thumb nail.—Stitches and painful throbbing under t. Am-m.

Thumbs.—Acute bruised pain in balls of t. Arn.
All bones of arms ache, especially of t. Calc-ph.
Clenched t. (in epileptiform spasms). Æth.
Convulsions of arms with clenching of t. Cocc.
Pains in metacarpal and phalangeal articulations, especially of t. Calc-ph.
T. drawn into palms (during convulsions). Glon.
T. turned inward (in epilepsy). Cic-v.
Tips of t. ulcerate and turn yellow. Kali-jod.

Tickling.—T. and pricking in fingers and hands like that produced by electricity. Ptel.
T. in right shoulder. Ox-ac.

Tightly.—Feeling as if all blood rushed to hands and as if string were tied t. around arm. Nux-v.

Tightness.—Drawing and t. in elbow joint. Mur-ac.
Numbness, insensibility and t. of fingers. Caust.

Tingle.—Hands numb and t. after exercise. Ruta.
Hands t. as if frost-bitten. Colch.

Tingling.—Coldness and numbness of right hand with t. of ring and little fingers. Sec.
Crawling and t. in arms. Sec.
Erysipelas of fingers with t. Thuja.
Fingers go to sleep, with t. Natr-m.
Hands feel cold, as if frozen, with t. under nails on entering warm room. Nux-v.
Numb, t. sensation of fingers. Acon.
Numbness of left arm; difficult to move hand; t. in fingers. Acon.
Panaritium: bluish swelling becomes gangrenous, with pricking, t. pain. Lach.
Rheumatic pains in shoulders with t. down to fingers. Magn-c.
Sudden swelling of hands with itching and t. Lach.
T. in arms and hands, they feel as if paralyzed. Natr-ph.
T. in arms, as if insects were creeping over them or as if arm would would go to sleep. Ver-a.
T. in fingers. Acon., Am-m., Ran-b., Rhus-r.
T. in fingers, with anxiety and painful jerks of arms. Ver-a.
T. in forearm. Arn.
T. in hands. Ver-a. (Acon.)
T. in hand, as if had gone to sleep. Ver-a.
T. in skin of fingers. Ran-b.
T. in thumb. Ambr.
T. in tips of fingers. Hep-s.
T. in tips of fingers, as if had gone to sleep. Am-m.
T. of fingers, as if they had gone to sleep. Mur-ac.
T. of hands. Lach.
T. pain in fingers when writing. Acon.
T. with numbness in arms. Sec.

Tips of elbows.—Drawing and sore feeling in t. Stann.

Tips of fingers.—Boring in t. Sulph.
Burning in t. Caust.
Burning ulcers on t. Ars.
Cramp-like, contractive pain in hand extending to t. Prun-s.
Creeping and pricking pain in t. Sulph.
Drawing, jerking and tearing from t. into shoulders. Ars.
Drawing, tearing pain from right clavicle to t. Caps.
Dryness of t. Sil.
Fine, tearing pain in t. of right hand, especially under nails. Bism.
Formication and numb feeling on t. Can-sat.
Insensibility of t. and toes followed by gangrene and death of parts. Sec.
Nails blue, with numbness of t. Arg-n.
Numbness and coldness of t. Sec.
Numbness from shoulders to t. Ox-ac.
Numbness of fingers, more in t. about roots of nails. Apis.

Numbness of t. Spong., Staph.
Numbness of t. in morning. Lach.
Offensive-smelling ulcers on t. Petr.
Pain, as from contusion, in t. Caust.
Pain from face down arms to t. Coff.
Pains from heart shooting down left arm to t. Cact.
Panaritium: inflammation of t., with deep-seated pain. Am-c.
Panaritium: nails brittle, with cutting pains and disposition of t. to ulcerate. Alu.
Prickling and crawling sensation in palms and t. Rhus-t.
Salt rheum: hands are raw from wrist to t.; they smart, with constant oozing of watery serum. Petr. (Skookum chuck.)
Slight redness of t., with frequent itching on joints, as if they had been slightly frozen. Berb.
Small vesicles on t. oozing watery fluid. Cupr.
Sticking and tearing in left arm from above downward to t. Rhus-t.
Sticking pain in t. under nails. Cocc-c.
Stinging in t. Lach.
Suppurating pustules on hands near t. Psor.
Tearing in t. and joints of fingers, especially under nails. Bism.
Tearing pain in t. Chelid.
Tingling in t. Hep-s.
Tingling in t., as if had gone to sleep. Am-m.
T. cold. Chelid.
T. feel as if ulcerated. Sars.
T. feel numb and insensible, as if they were all thumbs. Phos.
T. icy cold. Tarax.
T. icy cold, as if dead. Tart-em.
T. knobby and larger than other portions of extremities. Laur.
T. numb and weak; cannot hold anything. Mez.
T. peel off. Elaps.
T. rough, cracked and fissured, with stinging, cutting pains. Petr.
T. sensitive to cold. Cist.
T. tender and feel as if ulcerated. Paris.
Trembling of hands, t. cold. Tart-em., Tarax.
Vesicles filled with blood on t. Ars.
Violent pain in left arm, as if dislocated and as if flesh were torn from bones, from axilla to t. (in rheumatism). Tart-em.
Violent pain in t. Sec.
Warts on t. Caust.
When grasping anything, feels as if pins were pricking t. and under surface of fingers. Rhus-t.

Tired.—T., heavy feeling in left arm. Carb-ac.
T., sore feeling of arms. Al-cep.

Titillation.—T. and prickling in palms. Seneg.

Toes (see section on Lower Extremities). — Insensibility of tips of fingers and t. followed by gangrene and death of parts. Sec.

Soreness of joints, especially of hands and fingers, feet and t. Arg-m.

Together.—Draws fingers t. making a fist (in beginning of intermittent). Cimex.

Tongue (see section on Mouth).—Trembling of hand and t. Merc.

Torn.—Violent pain in left arm, as if dislocated and as if flesh were t. from bones, from axilla to tips of fingers (in rheumatism). Tart-em.

Torpor.—Drawing in and t. of arms. Nux-v.

Touch (see Pressure).—Arms feel bruised on movement or t. Calc-c.

Hard pressure in right axilla and upper arm; worse on t. or motion. Agn.

Pain in right radius (forearm); increased by motion or t. Sabin.

Panaritium: burning, stinging and throbbing, very sensitive to t. Apis.

Rheumatic pains in arms; fly from one place to another on t. Sang.

Rheumatism in wrists or finger joints, with excruciating pains and very tender to t.; worse at night. Actea-s.

Small ulcers on index finger, moist, itching and painful to t., surrounded by small vesicles. Calc-c.

Soreness of integuments; flesh sore to t., as if had been beaten. Bad.

Swelling and sticking pain in finger joints (Colch.); worse on motion or t. Bry.

Swelling of limbs and joints; becomes red and very sensitive to t. and motion. Bry.

Wrists weak and sore to t. Podo.

Touched.—Finger nails painful when t., as if bruised. Petr.

Painful swelling of carpus, itching when t. Calc-c.

Swelling of deltoid muscle which, when t., feels painful, as if bruised. Acon.

Tremble.—Hands and arms become cold and t., with hereditary headache. Calc-c.

Hands and arms t. Stram.

Hands t. when writing. Calc-c., China, Kali-c., Natr-m., Natr-ph., Oleand., Sabad., Samb., Sulph., Zinc.

Hands t. when trying to hold them still. Coff.

Trembles.—Hand t. when holding anything. Can-sat.

Right thumb t., is sensitive and numb; feels as if bruised. Plat.

Trembling.—Convulsive movement, with t. of arms. Plumb.

Great t. of hands. Tabac.

Great t. of hands, as from old age, on moving them or on grasping anything. Led.

Heaviness and t. of forearms and hands. Spong.

Shaking and t. of hands. Magn-ph.

Spasmodic pains, t. and weakness of arms and hands. Nitr-ac.

T. and coldness of hands. Agar. (Phos.)

T. and heaviness of hands and feet. Nicc.
T. and jerking of arms and hands. Iod.
T. and twitching of hands. Natr-c.
T. and twitching of muscles of arms. Stram.
T. and uneasiness of arms. Sil.
T. in biceps and triceps of right arm. Fluor-ac. (In deltoid. Ign.)
T. of arm when leaning on it. Meph.
T. of arms after moderate exercise. Rhus-t.
T. of arms and hands. Sabad.
T. of arms and jerking of heart. Nux-v.
T. of arms when anything is grasped. Ver-a.
T. of fingers. Glon.
T. of fingers when writing. Cimicif. (Calc-c., China, Natr-m.)
T. of hands. Anac., Caust., Coff., Lach., Phyt., Psor., Sars., Sil., Tart-em.
T. of hands and arms. Hyos.
T. of hands and tongue. Merc.
T. of hands, as from old age, especially when holding anything. Agar.
T. of hands (as in drunkards). Opi.
T. of hands (in drunkards). Ars.
T. of hands, they go to sleep easily. Calc-c. (Sil.)
T. of hands, tips of fingers cold. Tart-em., Tarax.
T. of hands when at rest. Crotal.
T. of hands when lifting them. Gels.
T. or twitching, symptoms appearing diagonally, right arm and left leg. Agar.
Weakness of arms and t. on every exertion. Phos.

Tremor.—Numbness, weakness and t. of hands, when writing or during menses. Zinc.
T. of arms. Iod., Opi., Phos., Sil.
T. of hands. Agar., Anac., Hyos., Iod., Lach., Nux-v., Phos., Sulph., Tart-em., Zinc.
T. of hands and knees. Led.
T. of hands in morning. Natr-c.
T. of hands with great weakness. Merc.
T. of right arm during motion; feels shaky. Plumb.

Triceps.—Quivering or twitching in deltoid muscle. Ign. (In biceps or t. Fluor-ac.)
Tenderness of right t. Gymnoc.
Trembling in biceps and t. of right arm. Fluor-ac. (In deltoid. Ign.)

Tubercles.—Hard t. on arms. Rhus-t.

Tuberculosis (see section on Lungs).—Blueness of hands and nails (in t.). Chin-ars.

Tumor (see section on Skin).—Red swelling of forearm, with pain as of pressing on t. Sep.

Tumors.—Cystic t. on hands. Bar-c.
Encysted t. in axillæ. Bar-c.
Osseous t. on limbs. Calc-flu.

Twitching.—Chorea: t. and jerking of muscles of one arm and leg (usually right); convulsive uncontrollable movements of arms and legs; t. of muscles and shrugging of shoulders returning every day; arms and limbs in constant motion, cannot keep hands in same position for a moment. Myg.
Constant jerking and t. of arms and hands. **Coff.**
Convulsive t. of arms. Cham.
Convulsive t. of arms and legs. Squilla.
Convulsive t. of fingers. Ign.
Cramp-like pain with t. in muscles. **Meny.**
Jerking and t. of muscles in arms and hands. **Cupr.** (Cic-v., Hyos.)
Quivering or t. in deltoid muscle. Ign. (In biceps or triceps). Fluor-ac.)
Trembling and t. of hands. Natr-c.
Trembling and t. of muscles of arms. Stram.
Trembling or t., symptoms appearing diagonally, right arm and left leg. Agar.
T. and convulsive motions of arms. Bell.
T. and cramps in fingers and hands. **Cina.**
T. and jerking commencing in fingers (in chorea). **Cupr.**
T. of arms. Cic-v., Sabad., Thuja.
T. of arms, hands and fingers. Rheum.
T. of fingers. Cic-v., Kali-brom.
T. of fingers with spasmodic cough. Osm.
T. of hands and feet. Stram. (Bell., Hyos.)
T. of hands and feet during sleep. Natr-ph.
T. of hands and fingers. Cupr.
T. of muscles. Coloc., Mez., Tart-em.
T. of muscles of arms. Asaf., Tarax., Thuja. **(Cupr., Mez., Natr-m.,** Oleand., Sil., Tart-em.)
T. of muscles of hands. Asaf.
T. of muscles of left hand. Spong.
T. of right shoulder when at rest. **Dros.**
T. of tendons. Stram. (Hyos., Kali-jod.)
T. of upper arms. Dulc.
T., spasmodic movements of arms and hands. **Opi.**

Ulcer (see section on Skin).—Fistulous u. in glands of axillæ. Calc-c.
Swelling of gland in axilla like a hard red u., separating into parts like large pimples. Am-m.
Throbbing pain as from an u. in thumb joint. Caust.
U. in left axilla. Borax.

Ulcerate.—Panaritium: nails brittle, with cutting pains and disposition of tips of fingers to u. Alu.
Tips of thumbs u. and turn yellow. Kali-jod.
Ulcerated.—Nails sore and painful as if u. Graph.
Pain as if u. around finger nails, especially in middle finger of right hand. Calc-ph.
Tips of fingers feel as if u. Sars.
Ulceration.—U. about nails. Hell., Sil.
U. at root of nails. Sang.
Ulcers.—Burning u. on tips of fingers. Ars.
Fistulous u. and crepitation of joints. Calc-flu.
Obstinate u. about nails. Phos.
Offensive-smelling u. on tips of fingers. Petr.
Small u. on index finger, moist, itching and painful to touch surrounded by small vesicles. Calc-c.
U. about joints, especially small joints of fingers. Sep. (Borax.)
U. and scabs under nails. Ars.
U. at nails. Hep-s., Sil., Sulph.
U. on fingers. Plat., Ran-b.
U. on fingers with caries. Kali-bi.
Ulnar nerve.—Pain in forearm along u. Podo.
Uneasiness.—Trembling and u. of arms. Sil.
U. in arms. Meph.
Up (see Upward).—Panaritium: pain runs in streaks u. arms. Bufo.
Red, herpetic, papular eruption on dorsum of hands with drawing pain u. arm. Petr.
Upper arm.—Bubbling sensation in u. Colch., Petros.
Burning in u. Agar.
Constant pinching in u. Arg-m.
Cramp in u. Mur-ac.
Cutting drawing pain in u. and elbow; pain seems to be in bones. Alu.
Drawing pain in inner side of left u. Bell.
Drawing pain in u. Mur-ac., Paris, Staph.
Hard pressure in right axilla and u.; worse on touch or motion. Agn.
Pain as if beaten in right u. Cinnab.
Pain as if bruised in u. Sep.
Pain in left u. as if muscles or tendons were strained when limb is raised. Rhus-t.
Pain in u. as if beaten. Cocc., Hep-s.
Pain in u. at night. Cast., Merc.
Paralytic, tearing pain from u. to hand. Sabin.
Pressure in u. from shoulder joint to elbow. Mosch.
Pulsative pain in u. at intervals. Kali-c.
Single stitches in shoulder joints and muscles of u. when at rest. Cocc.

Stinging stitches in u. Bry., Sars.
Tearing in u., as if in marrow of bone. Magn-m.
Tearing pain in left u. Card.
Tearing pain in u. Natr-ph.
U. painful, as if bruised. Nitr-ac.

Upper arms.—Boils on u. Carbo-v., Zinc.
Convulsive jerking and jactitation in muscles of u. Squilla.
Enlarged veins of u. Nux-v.
Eruption on u. Led., Merc., Nux-v., Sep., Tart-em.
Jactitation of muscles of u. Meny.
Pain, as from bruises, in u. Natr-m.
Painful pressure on both u. near elbow joint. Sabin.
Pains in u. on going to sleep. Kalm.
Rheumatic pains in shoulders and u. Merc.
Stinging pain in both u. Sabin.
Sudden stitch jerking and tearing in bones of u. Berb.
Twitching in u. Dulc.

Upper part.—Blood boils on u. of arm. Bar-c.
Rending pain in shoulder joints and u. of arms. Bry.

Upward (see Up).—Drawing pain in arm from below u. Nux-v.
Grapho-spasmus: cramp in fingers, thumb and wrist when writing; soreness extending u. along flexor carpi ulnaris muscle. Brachyg.

Used.—Pain in wrist with feeling as if had been u. too much. Cor-r.

Veins (see section on Heart).—Enlarged v. of upper arm. Nux-v.
Hands hot with distended v. Cast.
Hands look blue and v. distended after washing in cold water. Am-c.
Swelling of back of left hand; v. distended. China.
V. in forearms and hands swollen. Puls.
V. in hands distended. Thuja.
V. of hands enlarged. Cic-v.

Vesicles (see section on Skin).—Burning, pricking v., filled with fluid, peeling off and leaving denuded spots on hand; worse from cold water; better from warmth. Canth.
Eczematous v. between fingers itching and burning fearfully. Canth.
Humid, painless v. between fingers. Hell. (Graph.)
Large v. on forearm. Spong.
Small ulcers on index finger, moist, itching and painful to touch, surrounded by small v. Calc-c.
Small v. on hands and arms itching violently. Daph.
Small v. on tips of fingers oozing watery fluid. Cupr.
Swelling and redness, with v. on arms up to shoulders. Merc-cor.
V. filled with blood on tips of fingers. Ars.
V. on and between fingers. Selen.
V. on hands and wrists. Rhus-r.

Warm.—Cold hands with w. feet. Aloe. (Cham.)
Coldness of hands while rest of body is w. Coloc.
Coldness of one arm while other is w. China. (Cham., Puls.)
Hands feel cold, as if frozen, with tingling under nails on entering w. room. Nux-m.
Hands hot, feet cold; when feet get w., hands get cold. Sep.
Hands icy cold, body w. Tabac.
Sensation as if blood ceased to circulate in arms; hands feel w. Rhod.

Warmth.—Burning, pricking vesicles, filled with fluid, peeling off and leaving denuded spots on hand; worse from cold water, better from w. Canth.
Coldness of right hand, with w. of left. Mez.

Warts (see also section on Skin).—Flat, smooth w. on inside of hand. Ruta.
Fleshy w. close to nails. Caust.
Horny w. on hands. Ant-c.
Little w. on hands and fingers (with otorrhœa). **Calc-c.**
Large w. on back of hand. Nitr-ac.
W. Sars., Thuja.
W. on arm. Calc-c., Sep.
W. on arms and hands. Calc-c.
W. on fingers. Berb., Lach., **Lyc., Petr., Rhus-t., Sulph.**
W. on fingers and backs of hands. **Ferr.**
W. on hands. Dulc., Natr-c., Natr-m.
W. on hands and back of fingers. **Dulc.**
W. on knuckles. Ox-ac., Pallad.
W. on palms. Natr-m.
W. on tips of fingers. Caust.

Washing.—Cramp in fingers when w. **Tabac.**
Hands look blue and veins distended after w. in cold water. **Am-c.**
Rhagades after w. Sulph.

Water.—Boils and rhagades on fingers and hands (after working in w.). Calc-c.
Burning, pricking vesicles, filled with fluid, peeling off and leaving denuded spots on hand; worse from cold w.; better from warmth. Canth.
Hands and fingers pale, cold and wrinkled, as if had been long time in w. (in cholera). Sec.
Hands look blue and veins distended after washing in cold w. Am-c.
Spreading blisters on hands and fingers; worse from cold w. Clem. (Sil.)

Wave-like.—Digging pain, with w. drawing in upper part of humerus, as if bruised. Cocc.

Weak.—Arms so w. cannot hold anything. Stann.
Arms w., numb and become powerless. Gels.
Tips of fingers numb and w.; cannot hold anything. **Mez.**
Wrists w. and sore to touch. Podo.

Weakness.—Arms swollen and œdematous, with feeling of great heaviness and w. Am-c.
Burning in hands and feet, with w. of whole body. Sulph.
Cramp-like pain and paralytic w. of hand. Sil.
Drawing in shoulder joint, with w. and rheumatic pains in arms. Agar.
Drop things from hands, as from w. Bov.
Great heaviness and w. in hands and arms. Caust.
Great w. of arms and weariness of whole body. Coff.
Great w. of hands. Kali-bi.
Great w. or joint. Bov.
Heaviness and w. in right arm; feels as if weighed a hundred pounds and without strength to raise it. Am-c.
Heaviness or paralytic w. in left arm; fingers frequently and easily go to sleep. Dig.
Lameness and great w. in arms. Colch.
Lameness and pressure in arms, with w. Bell.
Numbness, w. and tremor of hands when writing or during menses. Zinc.
Pains, as from paralytic w., in hands. Actea-s.
Paralytic w. and weariness in right arm. Bism.
Paralytic w. in arms. Kali c.
Paralytic w. in right shoulder and arm. Carbo-v.
Paralytic w. of left hand, with pain in wrist. Kalm.
Shooting pains in left shoulder, with drawing pains in inner side of arm, with great w. of arm. Bell.
Shoulders, pain, as if bruised, with paralytic w. and heaviness. Nux-v.
Spasmodic pains, trembling and w. of arms and hands. Nitr-ac.
Tearing in wrist joint, with paralytic w. Phos.
Tremor of hands, with great w. Merc.
W. and heaviness of arms. Sil.
W. and heaviness of arms, especially right; worse on motion. Stann.
W. and lameness of arms and fingers. Calc-c.
W. and painful weariness in arms, with pain, as if bruised. Agar.
W. and painful heaviness of arms. Natr-m.
W. and paralyzed sensation in all limbs. Graph.
W. in hand and fingers; difficult to hold anything. Cina.
W. in hands when writing. Brachyg.
W. in joints, as if they would not hold together. Psor.
W. in shoulder joints makes moving of arms difficult. Bov.
W. of arms. Anac., Petr., Phos-ac., Plat.
W. of arms and fingers. Cic-v.
W. of arms and knees. Anac.
W. of arms and trembling on every exertion. Phos.
W. of arms; could not rest them. Phos.
W. of arms; they sink down exhausted after slight exertion. Lach.
W. of fingers. Carbo-v.

W. of fingers on grasping anything. Carbo-v. (Natr-m.)
W. of hands. Bov., Carbo-v., Natr-ph.
W. of hands; they let least thing drop. Bov.
W. of wrist joints. Aloe.
W. of wrists after headache. Glon.
W., with feeling of paralysis in left arm. Calc-c.
Wrist-drop: w. of wrist; hands drop down. Plumb.

Weariness.—Drawing and w. in wrist joint. Sulph-ac.
Great weakness of arms and w. of whole body. Coff.
Great w. in arms and legs. Iod.
Paralytic weakness and w. in right arm. Bism.
Weakness and painful w. in arms, with pain as if bruised. Agar.
W. of both hands. Hell.
W. of arms. Calad.

Weary (see Tired).—Arms feel w. and sore, as if bruised. Arn.

Weather.—Cramp-like, drawing pain in forearm extending to fingers; soon passes off; worse on approach of wet w. Rhod.
Drawing pain in arms; worse in wet w. Rhod.
Pain in arm in damp w. Rhod.
Rheumatic swelling of hands after wet w. Rhus-t.
Wrist stiff and feels as if sprained; worse in wet, cold w. Ruta.

Weighed.—Heaviness and weakness in right arm; feels as if w. a hundred pounds, and without strength to raise it. Am-c.

Weight (see Heaviness).—Cramp from bend of elbow to hand as after carrying a w. Elaps.

Wens (see section on Skin).—W. on hands between metacarpal bones. Phos-ac.

Wet.—Cramp-like, drawing pain in forearm extending to fingers; soon passes off; worse on approach of w. weather. Rhod.
Drawing pain in arms; worse in w. weather. Rhod.
Rheumatic swelling of hands after w. weather. Rhus-t.
Wrist stiff and feels as if sprained; worse in w., cold weather. Ruta.

White.—Arms paralyzed and swollen, w. as putty. Apis.
Middle fingers become dead; are w., cold and senseless. Calc-c.
Small, red petechiæ with w. spots on forearm and back of hands. Berb.
W. spots in finger nails. Nitr-ac., Sulph.

Whitlow.—W. Apis.
W. with red streak up arm and in axilla. Am-c.

Winter.—Felon: violent throbbing "gathering pain," occurring every w. for many years; lymphatics of arm inflamed; pain extending to axilla, where there is a lump. Hep-s.
Hands chapped and covered with rhagades, especially in w. Petr.

Work.—Psoriasis palmaris affecting whole palm (Skookum chuck); itching and burning so that it was impossible to do any w.; thick scales. Petr.

Workmen.—Hard, thickened places on hands of w., with deep oblique cracks. Cist.

Worse.—Acute rheumatic pain in right shoulder; worse from motion. Iris.

Arthralgia: pain in joints; w. on motion. Arg-n.

Arthritic swelling and stiffness of wrist joint, with tearing and stinging; w. on letting arm hang down. Sabin. (Puls.)

Burning, pricking vesicles, filled with fluid, peeling off and leaving denuded spots on hand; w. from cold water; better from warmth. Canth.

Cramp-like, drawing pain in forearm extending to fingers; soon passes off; w. on approach of wet weather. Rhod.

Drawing pain in arms; w. in wet weather. Rnod.

Hard pressure in right axilla and upper arm; w. on touch or motion. Agn.

Itching; w. in evenings with biting and burning in arms. Bov.

Numbness of left hand and forearm, with pricking; w. on moving. Bad.

Pain in shoulder joint, as if sprained; w. on moving hand. Alu.

Pressing on shoulder joints; w. on motion. Led.

Rheumatic pain in right arm and shoulder; w. at night. Sang.

Rheumatic pain in shoulder joints extending down arm to hand; w. on motion. Magn-m.

Rheumatic pain in shoulders; w. at night. Kali-bi.

Rheumatic pains in right deltoid muscle; w. on moving arm backward. Agar.

Rheumatic pains in right scapula (Chelid.) and right side of chest; w. during inspiration. Æsc.

Rheumatism: excruciating pains in arms; w. afternoons and evening. Cimicif.

Rheumatism in wrists or finger joints, with excruciating pains and very tender to touch; w. at night. Actea-s.

Rheumatism: pains change rapidly from one place to another, with constant chilliness; w. in evening. Puls.

Spreading blisters on hands and fingers; w. from cold water. Clem. (Sil.)

Swelling and sticking pain in finger joints (Colch.); w. on motion or touch. Bry.

Tearing pain in shoulder joints, humerus and wrist joints; w. at night. Merc.

Weakness and heaviness of arms, especially right; w. on motion. Stann.

Wrist stiff and feels as if sprained; w. in wet, cold weather. Ruta.

Wounds (see section on Skin).—Small w. bleed much. Phos.

Small w. suppurate and do not heal. Calc-c. (Hep-s.)

Wrenched.—Pain, as from a sprain, in right wrist, or as if had been w. or dislocated. Calc-c. (Eupat-perf.)

Pain in wrists, as if w. or sprained, on every motion. Bry., Eupat-perf.

Wrenching.—Swelling and w. pain in elbow, as after contusion. Puls.

W. or dislocation of wrist. Am-c., Ruta.

W. pain in arms. Ambr., Arn., Ign.

W. pain in elbow. Ambr.

W. pain in hand. Ambr., Bry., Ruta.

W. pain in shoulder. Ambr.

W. pain in wrist. Arn., Bov., Bry., Rhod., Verb.

Wrinkled.—Hands and fingers pale, cold and w., as if had been long time in water (in cholera). Sec.

Wrist.—Aching pain in w. Rhus-r.

Blisters on w. forming scabs. Am-m.

Boring in w. Hell.

Brown spots on w. Petr.

Bruising pain from middle of forearm to w. Kali-bi.

Caries of forearm, w. or fingers. Sil.

Cutting pain in elbow, w. and finger joints. Phos-ac.

Cutting rheumatic pains in left arm from shoulder or elbow to w. Guaj.

Dislocation of w. Am-c., Ruta.

Drawing and tearing from shoulder to w. Puls.

Eruption on w. Am-m., Caust., Hep-s., Led., Rhus-t., Tart-em.

Ganglion on right w. size of bean. Calc-c.

Grapho-spasmus: cramp in fingers, thumb and w. when writing; soreness extending upward along flexor carpi ulnaris muscle. Brachyg.

Itch-like eruption on w. and between fingers. Oleand.

Pain, as from a sprain, in right w., or as if had been wrenched or dislocated. Calc-c. (Eupat-perf.)

Pain, as if sprained, in right elbow or w. Gels.

Pain, as if ulcerated or sprained, at a small spot in back of w. when bending or pressing upon it. Bov.

Pain in w., as if dislocated. Bry. (Rhus-t., Ruta.)

Pain in w. with feeling as if it had been used too much. Cor-r.

Painful stiffness in w. when moving it, as if hand were sprained or strained. Puls.

Paralytic weakness of left hand with pain in w. Kalm.

Red, hot swelling from elbow to w. Merc.

Rheumatism: intolerable pains in right w.; with swelling; motion impossible. Actea-s.

Rheumatism: severe pain in w. and fingers with swelling; cutting in joints when closing hands; pains change to nape of neck with spasmodic rigidity; fingers stiff. Caul.

Right w. pains as if sprained, and on allowing hand to hang pain radiates to ring and little fingers. Cast-eq.

Right w. pains constantly, as if sprained or dislocated; wants to stretch it; cannot hold anything. Ox-ac.
Severe drawing pain in w. and fingers. Caul.
Spasmodic pain in w. Anac., Aur.
Sprained feeling in w. Am-m., Bry., Sang., Rhus-t., Ruta.
Sudden jerking pain in right w. and bones of hand. **Ox-ac.**
Swelling of w. Sabin.
Tearing pain in arm from shoulder to w. Kali-c.
Tearing pain in w., palm and fingers. Carbo-v.
Tension in w. Mang.
Throbbing and shooting pain in w. Brachyg.
Wrenching or dislocation of w. Am-c., Ruta.
Wrenching pain in w. Arn., Bov., Bry., Rhod., Verb.
W. feels as if sprained. Petr.
W. painful, as if sprained, when grasping anything. Rhus-t.
W. stiff and feels as if sprained; worse in wet, cold weather. Ruta.

Wrist drop.—W.; weakness of wrist; hands drop down. Plumb.

Wrist joint.—Arthritic swelling and stiffness of w., with tearing and stinging; worse on letting arm hang down. Sabin. (Puls.)
Cracking in w. Coni.
Drawing and weariness in w. Sulph-ac.
Drawing in w. Bar-c.
Drawing pain in w. Caust.
Drawing pain in w. when at rest. Coni.
Hot pale swelling in w. and little finger, with sticking on moving finger or on pressing it. Bry.
Pain in w. as if sprained. Calc-c., Lach. (As if dislocated. Bry., Ox-an., Ruta.)
Painful stiffness of w. Merc.
Stiffness of w. Sep.
Stinging, itching, burning under skin of w. Arg-m.
Tearing in w. Bov.
Tearing in w., with paralytic weakness. Phos.
Tearing pain in w. Sulph.

Wrist joints.—Jerking and tearing in elbow and w. during rest; better during motion. Rhus-t.
Darting pain in w. Squilla.
Pain and numbness in w. and dorsum of hands as if bruised. Ruta.
Rheumatic drawing pain in shoulders and arms, especially in elbow and w. Grat.
Rheumatic pains in elbows and w.; stinging in left elbow. Kali-bi.
Sprained feeling in w. Cina.
Tearing pain in shoulder joints, humerus and w.; worse at night. Merc.
Weakness of w. Aloe.
W. feel stiff and crampy. Phos-ac.

Wrists.—Drawing pains in w. Asar.
Drawing, tearing pain in shoulder and elbow joints to forearm, w. and fingers. Acon. (Bry., Puls., Rhod., Rhus-t.)
Eruption in bends of elbows and around w. Psor.
Eruption on back of hands and w. and half way up to elbows. Mez.
Feeling as if joints of arms and w. were sprained. Arn.
Hard aching pains in bones of forearms and in w. and hands. Dios.
Pain in w. Tart-em.
Pain in w., as if beaten. Dros.
Pain in w., as if sprained. Cist.
Pain in w., as if wrenched or sprained on every motion. Bry., Eupat-perf.
Papular eruption on forearms spreading over hands and w.; arms red and glands of axillæ suppurated. Kali-bi.
Paralysis of w. Acon.
Quivering of hands and w. during headache. Glon.
Rheumatism in w. or finger joints, with excruciating pains and very tender to touch; worse at night. Actea-s.
Salt rheum: hands are raw from w. to tips of fingers; they smart with constant oozing of watery serum. Petr. (Skookum chuck.)
Shooting pains rapidly changing about in bones of w. and hands. Iris.
Stiffness in w. Chelid.
Stitches in w. Samb.
Tearing in hands at night with cracking in w. Selen.
Tearing pains in bends of elbows and in w. Kali-c.
Tearing pains in shoulders, arms, w. and hands. Magn-m.
Tearing pains in w. and palms. Sil.
Vesicles on hands and w. Rhus-r.
Weakness of w. after headache. Glon.
W. and hands cold. Gels.
W. feel as if sprained. Rhod.
W. pain, as if broken or dislocated. Eupat-perf. (Rhus-t.)
W. pain, as if sprained. Carbo-an.
W. weak and sore to touch. Podo.

Writer's cramp (see Grapho-spasmus).—Mogigraphia, grapho-spasmus, Scrivner's palsy, penman's paralysis, w., telegrapher's cramp. Anac.

Writing.—Contraction of right hand when w. Euphorb.
Fingers pain when w. Iris.
Grapho-spasmus: cramp in fingers, thumb and wrist when w.; soreness extending upward along flexor carpi ulnaris muscle. Brachyg.
Numbness, weakness and tremor of hands when w. or during menses. Zinc.
Pain in fingers while w. Cist.
Pain in arm and shoulder when w. Merc-bij. (Merc j d.)

Tingling pain in fingers when w. Acon.
Trembling of fingers when w. Cimicif. (Calc-c., China, Natr-m.)
Trembling of hands when w. Calc-c., China, Kali-c., Natr-m., Natr-ph., Oleand., Sabad., Samb., Sulph., Zinc.
Weakness in hands when w. Brachyg.
When w. or driving pen or reins drop from hands unnoticed. Lyc.

Yawning (see section on Sleep).—Spasmodic pains in arms with chilliness, with internal beating after y. and stretching. Nux-v.

Year.—Pompholyx in hand returning every y. Bufo.

Yellow.—Brown or y. spots on arms. Petr.
Nails rough, y., very dry, fly to pieces when cut. Sil.
Nails y. Coni., Sep. (Merc., Nitr-ac., Nux-v., Sil., Sulph.)
Tips of thumbs ulcerate and turn y. Kali-jod.
Y., misshaped, curved, crumbling finger nails. Nitr-ac.
Y. spots on fingers. Coni.
Y. spots on hands and fingers. Elaps.

Yellowness.—Right hand cold and dead, with y. of finger joints. Chelid.

THE LOWER EXTREMITIES.

Abdomen (see section on Abdomen).—Great lameness, with drawing pain from a. to lower leg. Carbo-v.
Paralytic drawing pain from a. to left leg. Carbo-v.

Abscess.—A. on ankle joint. Ang.
A. of calf. China.
A. on heel. Lach.

Absorption.—A. of fluids in bursæ and ganglions. Sil.

Acetabulum.—Tearing pain in a. Caust.

Ache.—A. in legs (growing pains). Hyper.
Knees and legs feel weak and a. Hydr.
Legs a. Rumex.
Nates a. when sitting; pain extends to small of back, sacrum and hip joint. Staph.

Aching.—A., crampy pain in foot. Iod.
A. and soreness in thighs. Ham.
A. and stitching pain in ball of left great toe. Can-ind.
A., drawing pain in limbs, with great lassitude. Nux-v.
A: in all bones. Merc.
A. in joints and drawing pain in tibia. Kali-c.
A. in left sole. Hydr.
A. in legs. Bapt.

A. of limbs, with great lassitude, weariness and prostration of joints. Sep.
A. of toes. Mosch.
A. pain in and about knees. Gum-gut.
A. pain in back and legs, as if bones were broken, with soreness of flesh, before and during chill (in intermittent). Eupat-perf.
A. pain in heels, of a dull, wearing character. Phyt.
A. pain in hip. Thuja.
A. pain in hips, legs and feet; more on right side. Still.
A. pain in periosteum of tibia. Merc.
A. pain in sacro-ischiatic foramen, with tenderness on pressure (sciatic rheumatism). Podo.
A. pain in shin bones. Lach.
A. pains in ankles and hollow of feet when walking; must lie down after short walk. Rhus-t.
A. pains in back part of thighs. Ptel.
Constant a. pain in calves. Ptel.
Deep-seated, dull, a. pains in legs and joints; generally caused by cold. Gels.
Drawing, a. in left foot. Coloc.
Dull, a., burning pain in second joint of right great toe extending up leg. Cimicif.
Feet cold, with a. of legs. Am-brom.
Grasping pain or heavy a. in knees. Lil-tig.
Great a. and soreness in legs (before menses). Caul.
Great a. in back of legs, with feeling as if pounded, with great prostration. Phyt.
Heaviness and a. in all limbs, especially joints. Chin-s.
Jerking, a. pain in hip. Kali-bi.
Nodosity above knee, a. and tearing. Kali-c.
Pulsating, a. pain in right leg, with soreness in evening. Still.
Rheumatism: a. pains in legs; must change position every moment; pain on first moving but relieved by continued motion. Rhus-t.
Sciatica: a. in sacrum, lumbar region and down left leg. Cimicif.
Sciatica: dull, a. pain in right side; worse afternoon and evening; better from warmth. Pallad.
Sciatica: dull, a. pain in right side; worse at night and in cold or damp weather; relieved by heat, rubbing and by exercise. Rhus-t.
Sciatica: intense, stinging, a. and bruised pain in middle of posterior of thigh, extending to knee. Ind.
Sciatica: pressing, shooting, drawing, a. in thigh; pain external; with soreness in left groin; great lassitude and desire to lie down (syphilitic and gonorrhœal). Phyt.
Shooting, a. pains from thighs down to condyles. Cinnab.
Shooting and dull, a. pain in left thigh in course of sciatic nerve extending down to instep and toes. Elat.

Singular, pulsating pain, with feeling as if opening and shutting in middle of anterior portion of right thigh; leaving a severe a. and tenderness to pressure when lying down. Chim.

Soreness and a. of legs, with stiffness and general soreness when rising to walk. Eupat-perf.

Stiffness and a. of knees. Can-ind.

Tearing, a. pains in legs (in diphtheria). Lach.

Tiresome a. in legs. Rhus-r.

Wandering, erratic, sharp pain in knee and hip joint, with a. and trembling in leg. Kali-bi.

Acrid.—Feet cold and sweat easily; sweat so a. that it corrodes skin. Iod.

Adheres.—Carious ulcers on tibia very sore, with greenish, offensive discharge; skin a. to bone; ulcers painful on edges; with high, hard edges; bleed easily and are very sensitive; pricking on circumference. Asaf.

Afternoon.—Acute, crampy, tearing pain in posterior muscles of calf; better in morning and from rubbing; worse in a. and when quiet. Valer.

Arthritic pains in feet; worse late in a. Arn.

Boring pain in heels in a. Puls.

Pulsative, tearing pain in right calf when sitting in a. Valer.

Sciatica: dull, aching pain in right side; worse a. and evening; better from warmth. Pallad.

Sciatica: pain running from hip to knee down outside of thigh; worse a. and evening and on any change of weather; pressure causes pain to shoot along entire length of nerve. Kali-bi.

Agony.—Neuralgia of limbs: pains burning, with a. and great restlessness; worse during rest at night; relieved by exercise. Ars.

Agreeable.—A. thrill from knees down, with sensation as if bird's claws were clasping knees. Can-ind.

Air.—Arthritis: drawing, tearing pains in toes, with red, shiny swelling, especially at night; cannot bear heated room; better in cold a. Sabin.

Heat in the knee, as if hot a. were blowing through the knee joint. Lach.

Knees shaky, with feeling as if hot a. were passing through knee joints. Lach.

Stinging, boring pain in coverings of bones; worse in cool a. Hell.

Alarm.—Sudden sinking of strength, with fear or a. Acon.

Albuminuria (see section on Urinary Organs).—Great œdema of legs (in dropsy, a., scarlatina, etc). Aur.

Legs and feet enormously swollen, numb and stiff; can hardly walk; with a. or general dropsy. Apis.

Œdema of ankles and feet, with heart disease or fatty degeneration of kidneys (a.). Phos.

Amenorrhœa (see section on Menstruation).—Œdema pedum (with a.). Graph.

Anæsthesia.—Paralysis or a. of legs, with convulsive jerks and shocks. Sec.

Anasarca.—Dropsy, especially if from stenosis of heart and arteries, or renal (with much general a.). Dig. ("As a rule the best form to administer is the infusion. Several days may elapse before decisive results are achieved; but the flow of urine is then often enormous."—Bartholow.)

Anchylosis.—Chronic inflammation of knee joint, with great swelling and partial a. Sil.

Ankle.—A. so weak that it gives way. Natr-c.

Cracking in a. when walking. Nitr-ac.

Dropsy: foot and a. swollen and stiff; swelling pale, clear, wax-like. Apis.

Foot turns under when walking, as from weak a. Carbo-an.

Furuncles on a. Merc.

Herpes on a. Cact., Cycl., Kreas., Natr-c., Natr-m., Petr., Sulph.

Itching around a. in evening. Selen.

Itching of left a. Pallad.

Lameness after sprains, especially of a. Ruta.

Œdema of foot and a. Hydr.

Pain in a., as if dislocated. Bry. (Rhus-t., Ruta.)

Pain in knee and a. Tart-em.

Pain in right a.; severe stitches from within outward. Chenop-v.

Pain in right hip joint and thigh, with pain in a., as if sprained when walking. Dros.

Pain, like a spasm, in a. while walking. Coloc.

Rheumatism: œdema of feet and around a.; swelling hard over inner a., and a little red, as if inflamed; least touch anywhere is painful. Chelid.

Right a. feels as if discolated; can scarcely walk; changes to left. Ver-v.

Sensation as if a cord were tied around right leg midway between hip and knee, causing limping and pain; pain subsequently shifting to left leg below knee and from thence into a. Am-brom.

Sharp pain in right a. and in joints of great toe. Sang.

Steady pain over foot and a. Ferr-ph.

Sudden swelling around a. in evening. Stann.

Swelling and pain in right a. Rhus-r.

Tearing pain in right a., as if sprained, when walking. Dros.

Ankle joint.—Abscess on a. Ang.

A. feels as if discolated. Calc-ph.

Burning pain in a. Puls.

Fistulous ulcers on a. Calc-ph.

Lame feeling in a. when sitting or walking. Natr-m.

Numbness of great toe extending to foot and a. **Ars.**
Pain in a. Acon., Kalm., Lith-c., Phos., Ran-b.
Pain in a. when ascending steps. Plumb.
Purplish-black swelling about a. Grind.
Rheumatism of a. Merc.
Rigidity of a. Sep.
Sensation of coldness below a. Berb.
Stinging pain in a. Bell., Ruta.
Tearing pain in left leg, especially in knee and a. **Carbo-an.**
Violent spasm, with twitching in a. at night. Iod.

Ankle joints.—Boring pain in knee and a. Hell.
Caries of a. Asaf.
Gout: inflamed and painful wrist and a. Abrot.
Rending, tearing in a. Arn., Teucr.
Rheumatic gout: swelling and heat of knee, a. and small joints of toes, with drawing, cohtractive pain and chilliness. Puls.
Severe pain and swelling of a. Podo.
Stiffness of a. Caust.
Stiffness of knee and a. Sulph.
Subacute, rheumatic pains in knee and a. Cod.
Weakness of a.; they turn easily when walking. **Arn.**

Ankles.—Aching pain in a. and hollow of feet when walking; must lie down after short walk. Rhus-t.
A. pain after sprain or discolation. Ruta.
A. so weak cannot walk. Sulph-ac.
A. swell after sitting too long. Rhus-t.
A. swollen, with cutting pains in feet (during chill). **Chin-s.**
A. weak and turn easily. Natr-m.
Burning pains in both legs from thighs to a. Apis.
Crawling sensation in a. Pallad.
Darting pain in a. Coloc.
Drawing pains in thighs, knees, a., feet and toes. **Caul.**
Drawing, pressing pains in a. Agar.
Easy dislocation and spraining of a. Natr-c.
Ecchymosis: small, purple spots on legs from knees to a. Crotal.
Eruption on a. Osm.
Gouty pains in a. and bones of feet. Lith-c.
Herpetic eruption on knees and a. Petr.
Hot swelling of a. and feet. Bry.
Itching and rash on thighs and a. Osm.
Knees and a. lame, weak and painful. Dios.
Knees and a. pain, as if sprained. Natr-m.
Œdema and swelling of a. (in people who travel much). **Rhus-t.**
Œdema of a. and feet, with heart disease or fatty degeneration of kidneys (albuminuria). Phos.
Œdema of a.; feet swollen. Phyt

Œdema of feet and a. (with bronchial catarrh). Squilla.
Œdema of feet and a., with general dropsy; legs very weak. **Apoc.**
Pain in a., as from a sprain or false step; worse on motion. **Led.** (Arn., Bry.)
Pain in knees, a., shins, hollow and ball of foot. **Natr-ph.**
Pains through a. and in dorsum of foot. **Phyt.**
Rheumatic pains in a. Acon.
Scarlet rash on thighs and a. Osm.
Severe pain in a.; worse in evening. **Rhus-r.**
Shooting, tearing pains in knees, a. and toes. **Acon.**
Sprained feeling in hips, knees and a. **Rhus-t.**
Stiffness of a. Chelid., Dros.
Stiffness of a. when walking. **Sulph-ac.**
Swelling around a. Lyc.
Swelling of a. Asaf., Stann.
Swelling of knees and feet, and around a. (with dyspnœa). **Hep-s.**
Tearing pains in knees and a.; worse during rest. Rhus-t.
Ulcers on a. Merc-sulph.
Ulcers on legs, usually about tibia and a., or other joints. Psor.
Weakness of a. (in children). Carbo-an.
Weakness of knees. China. (Of thighs. Ferr. Of a. Natr-c.)

Anxiety.—Great restlessness of limbs, with fear and a., and great exhaustion from exertion or movement; must lie down. Ars.
Left hip and hip joint swollen, hot and very painful to touch, with a., fear and great thirst. Acon.
Very red streaks following course of lymphatics from calf up to buttocks, with twitching in limbs and great a. Myg.

Areola.—White blotches with red a. on thighs. Dulc.

Arm (see section on Upper Extremities).—Involuntary motion of one a. and one leg (in hydrocephalus). Apoc.
Rheumatic pains in right shoulder, right a. and hip, changing often and lasting but a short time. Ox-ac.

Arms.—Frequent flying pains in legs and a.; remain only a few minutes in any one place. Caul.
Large red patches on a. and legs, exactly like nettle rash, in large raised wheals, with intense irritating itching. Chin-s.
Paralysis of legs (after suppression of eruption on a.). Psor.
Shifting pains in right a. and leg, then left leg. Hydr.

Arteries (see section on Heart).—Feels pulsation of a. down to tips of toes. Kali-c.

Arthritis (see Inflammation).—A.: drawing, tearing pains in toes, with red, shiny swelling, especially at night; cannot bear heated room; better in cold air. Sabin.

Ascending.—Drawing pain in both knees when a. Alu.
Extreme weakness on a. Iod.

Feeling in knees as of great fatigue when a. Dig.
Flexibility of knees when a. stairs. Can-sat.
Hamstrings feel shortened and weak; knees give way a. or descending. Ruta.
Knees totter when a. Canth.
Lassitude of limbs when a. Asar.
Pain as if sprained in right knee on moving or a. Nux-m.
Pain in ankle joint, hips and knees when a. steps. Plumb.
Patella glides out of position on a. Can-sat. (During breakfast. Gels.)
Sudden slipping of patella during breakfast. Gels. (On a. Can-sat.)
Toes contracted when walking or a. Hyos.
Weak feeling in feet when a. Borax.

Ascends (see Up).—Rheumatic gout: begins in the lower legs and a. Led.

Ascites (see Dropsy).—Œdema of feet, which extends until a. forms. Lyc.

Asleep.—Buttocks and back feel as if a. Calc-ph.
Crawling with sensation as if a. in legs. Ign.
Feet swollen and feel as if a. Sep.
Jerking in limbs when falling a. Kobalt.
Jerking of legs on falling a. Kali-c.
Legs fall a. Calc-ph., Carbo-v.
Legs fall a. while sitting quietly. Ant-c.
Limbs numb and fall a. Led.
Limbs upon which patient lies while a., seem a., with tingling on awaking. Puls.
Numbness of limbs as if a. Arg-m.
Pain in knee joints like neuralgia, sometimes extending to toes, with thrill as if foot had been a. Lact-ac.
Sensation in lower legs and feet as if a. Rhod.
Tingling under toes as if a. Staph.
Weakness of thighs and legs, with sensation in soles as if a. when walking. Oleand.

Atrophy.—A. of legs. China.
A. of muscles of legs. Ars.
Paralysis, with a. of legs (after parturition), with loss of motion and sensation. Plumb.
Sciatica: drawing, pressive pain down to knee, with great exhaustion and difficult walking; cramps in calves, and swollen feet; there is marked consecutive musclar a. Plumb.

Awaking (see section on Sleep).—Jerking of knees at night a. patient. Arg-n.
Limbs upon which patient lies while asleep, seem asleep, with tingling on a. Puls.

Back (see section on Neck and Back).—Aching pain in b. and legs as if bones were broken, with soreness of flesh, before and during chill (in intermittent). Eupat-perf.

Buttocks and b. feel as if asleep. Calc-ph.

Dry heat of thighs and small of b., with coldness of b. Sulph.

Severe pain in b., through hips and down thighs (during menses). Cimicif.

Stitches in b. and right hip causing limping walking. Rumex.

Tearing pains in b. and legs. Ign.

Tearing pains in soles, above knees and in b. Puls.

Violent itching on b. of fourth toe of each foot. Tarax.

When lying on side hips hurt and when lying on b. small of b. hurts. Rhus-t.

Back and forth (see To and Fro).—Pain like tingling in tibia at night when feet are crossed; moves legs b. and is unable to sleep. Rhus-t.

Back of toes.—Burning pain in sides of foot and b. Nux-v.

Stitches in b. Ran-b.

Backs.—Spasms in toes, especially b. Merc.

Tearing in b. of middle toes of left foot. Arg-m.

Backward.—Child draws feet spasmodically upward and b. upon nates. Cupr.

Drawing pain in hip joint; worse from touch, and on bending trunk b. Caps.

Ball.—Tearing in middle toe of left foot, also in b. of left little toe and sole. Mez.

Ball of heal (see Heel).—Convulsive pain in b. Ign.

Balls.—B. of heels and toes feel sore when pressing them to ground. Phos-ac.

Boring, itching stitch in b. of second and third toes. Spig.

Burning in heels and b. of either foot at night in bed. Kali-n.

Burning, jerking pains in b. of little and second toes, with itching after becoming warm in bed. Puls.

Balls of feet.—Pricking in b. as if toes would be drawn down on putting foot to ground. Staph.

Balls of toes.—Numb pain in soles and b. Puls.

Pain in b. and under heel, as from chronic chilblains. Rhod.

Swelling of toes and b. Graph.

Band.—Feeling of b. around bones of legs. Sulph.

Bandaged (see Bound).—Knees pain as if tightly b. when sitting. Aur.

Legs feel as if b., with stiffness and painful uneasiness about knees when sitting. Anac.

Pain in legs as if b. Anac.

Beaten.—Bones, joints and muscles sore, as if b. Lith-c.

Calves feel as if had been b. Eupat-perf.

Flesh feels as if b. off bones. Thuja.

Legs and whole body painful, as if bruised and b. Arn. (Bad., Led., Merc., Ruta.)

Legs pain as if b.; desires to sit down, but when sitting down desires to stand up. Sep.

Limbs painful, as if bruised or b. Led. (Arn., Bad., Ruta.)

Muscles of legs sore, as if b. or bruised. Bad.

Painful spots here and there on legs, as if had been b. Mosch.

Pains in legs, joints and bones, as if b. or as after a blow or fall. Ruta. (Arn., Bad.)

Rheumatism after exposure to wet; parts feel as if b., with severe pains when remaining in one position; relieved when moving about. Dulc. (Rhus-t.)

Violent pain in tibia as if b., or as if periosteum were torn off after midnight, disturbing sleep. Mez.

Bed.—Burning in heels and balls of either foot at night in b. Kali-n.

Burning in soles; wants them uncovered (Cham.); constantly keeps them out of b. to cool them off. Sulph.

Burning, jerking pain in balls of little and second toes, with itching after becoming warm in b. Puls.

Burning of soles at night; puts feet out of b. Cham. (Sulph.)

Chilliness of feet in evening, especially on going to b. Am-c.

Coldness of limbs in evening when in b. Sars.

Cramp in calf when in b. Caust.

Electric shocks in legs; worse in b.; must sit up and let legs hang out of bed, or walk about. Ver-a.

Feet cold in b. Kali-c. (Calc-c.)

Feet cold in evening in b. Am-m., Graph.

Feet icy cold (Sil., Ver-a). at night in b. Paris.

Itching of toes in evening in b., with sweat between toes. Clem.

Jerking, sore pain from hip joint to knee while in b. in morning; disappears on walking. Puls.

Legs drawn up in b. Merc-cor.

Pain as from bruises in thighs and legs in morning when in b. Caust.

Pain in legs from warmth of b. Sulph.

Pain in periosteum and along bones, especially tibia; worse at night in b. and in damp weather; least touch intolerable. Mez.

Pain in right hip joint; worse from stooping, rising from seat, or moving in b. Natr-s.

Pain in sciatic nerve when rising from sitting or turning in b. Natr-s.

Shooting and tearing in hip joint, which pains as if bruised when touched; worse evening in b.; must get up and walk about. Ferr. (Rhus-t.)

Violent cramp in calves at night in b. Sep.

Violent itching of legs from heat of b. Sulph.

Violent rheumatic pains drive patient out of b. at night and compel him to walk about. Cham.

Bedclothing.—Burning in soles and palms at night, compelling patient to throw off b. to cool feet. Sang. (Sulph.)

Bend.—Contractive, pressive pain in bend of left knee extending to heel. Rheum.

Feet b. under. Natr-c.

Inability to b. limbs. Ang.

Sprained feeling in groins causes patient to b. forward; cannot walk erect on account of pain there. Am-m.

Bending.—Cracking in joints when b. Selen.

Cramp in calves at night when b. knees. Cocc.

Drawing pain in hip joint; worse from touch, and on b. trunk backward. Caps.

Pain in knees when b. Spig.

Painful, cramp-like contraction in soles when b. legs. Nux-v.

Bend of foot.—Burning and throbbing stitches in b. Coni.

Pain in b. as if sprained; more at heel. Cycl.

Bend of knee.—B. chafed. Ambr.

Contraction in b. Natr-c.

Cramp in b. Calc-c., Can-sat.

Cramp in b. when stretching out leg. Calc-c.

Drawing in b. as if cords were too short. Natr-m. (Am-m.)

Drawing pain in flexors of leg from b. to tips of toes. Cycl.

Eruption in b. Kali-c.

Herpes in b. Ars., Graph., Led., Natr-c., Natr-m., Petr., Phos., Sulph.

Herpes or tetter in b. Graph.

Itching in b. Lyc.

Itching tetter in b. Ars.

Painful, hard swelling in b.; unable to extend limb. Magn-c.

Painful stiffness in b. Nitr-ac.

Red, herpetic eruption in b. Natr-m.

Stitching pain in b., and on shin. Mang.

Tension in b. Graph.

Tightness and stiffness in b. when walking. Caust.

Bends of joints.—Rhagades in b. Mang.

Soreness in b. Squilla.

Bends of knees.—B. painful on motion. Natr-c.

Contraction in b. Am-m., Natr-c., Natr-m., Tart-em.

Contraction in b. on stepping. Sulph.

Cramp in calves and b. when extending legs. Calc-c.

Dry herpes in b. Psor.

Eruption in b. Natr-m.

Feeling as if b. were swollen. Nitr-ac.

Feeling as if tendons were too short in b. Nux-v.

Furuncles in b. Sep.

Heaviness in b. Phos.

Heavy feeling in b. and in calves so that could not move feet. Rhus-t.
Itching of thighs and b. Zinc.
Knees felt swollen when sitting, with pinching in b. Ammoniac.
Pain, as if sprained, in b. and toes. Zinc.
Rigidity of b. when stepping. Sulph.
Sore and raw between thighs and in b. Ambr.
Stiffness and contraction in b. when standing. Nux-v.
Tightness in b. Dig.

Bends of legs.—Soreness and rawness in b. Graph.

Better (see Relieved).—Acute, crampy, tearing pain in posterior muscle of calf; b. in morning and from rubbing; worse in afternoon and when quiet. Valer.
Arthritis: drawing, tearing pains in toes, with red, shiny swelling, especially at night; cannot bear heated room; b. in cold air. Sabin.
Cutting stitches over right thigh; must get up for relief; pains worse from rising, but b. on walking slowly. Sep.
Dull pains darting or cutting from right hip joint posteriorly downward to foot; worse lying; b. sitting in chair. Gnaphal.
Gangrena senilis; worse from warmth. Sec. (B. from warmth. Ars.)
Gangrene; b. from heat. Ars. (Worse from heat. Sec.)
Lameness in joints; b. lying on painless side. Fluor-ac.
Pains in feet and knees, as if heavy stones were tied to parts; b. on movement. Ver-a.
Rheumatic pains in hips; worse during rest; b. from motion. Sabad.
Rheumatic pains in legs, rarely in joints; b. from motion. Valer.
Rheumatic pains, mostly in bones and joints; worse evenings; b. moving. Teucr.
Rheumatic pains; worse at rest and on beginning to move; b. from continued motion. Rhus-t.
Sciatica: dull, aching pain in right side; worse afternoon and evening; b. from warmth. Pallad.
Sciatica: stitching, contractive pain in hip joint; b. on motion and pressure; worse during rest. Meny.
Tearing pain when sitting; b. on movement. Agar.

Between.—Burning heat in soles, and soreness b. toes. Phos-ac.
Chafed b. thighs. China, Hep-s., Petr., Sep., Sulph.
Chafed b. toes. Graph.
Corns b. second and third toes of left foot. Psor.
Eruption b. thighs. Petr., Selen.
Eruption b. toes. Petr. (Calc-c., Nitr-ac., Nux-v., Sep.)
Excoriation b. legs. Graph.
Herpes b. thighs. Natr-m., Petr.
Herpes b. toes. Alu., Graph.
Horizontal fissures b. and under toes. Sabad.
Humid, painless vesicles b. toes. Hell.

Itching b. thighs. Petr.
Itching of toes in evening in bed, with sweat b. toes. Clem.
Itching on or b. toes. Natr-s.
Itch-like eruption b. nates. Oleand.
Offensive sweat on feet (Nitr-ac.) causing soreness b. toes. Sep. (Sil.)
Perspiration b. toes. Acon., Clem., Cycl., Ferr., Kali-c., Kobalt., Sil., Squilla, Tarax., Thuja.
Rhagades, or skin cracked like great cuts, b. and on toes. Lach.
Severe stitches in dorsum of foot and b. toes. Aur.
Smarting, excoriation and soreness b. toes. Natr-c.
Smarting soreness b. nates. Graph.
Sore and raw b. thighs and in bend of knees. Ambr.
Soreness and burning pain b. nates. Sep.
Soreness and stitches b. toes. Ran-b.
Soreness b. legs. Kali-c. (Graph.)
Soreness b. legs when walking. Nitr-ac.
Soreness b. thighs and genitals. Merc., Merc-sol. (Graph.)
Soreness b. thighs during and after walking. Graph.
Soreness b. toes. Fluor-ac., Phos-ac.
Soreness b. toes, with itching. Graph.
Soreness b. toes, with violent itching. Graph.
Soreness of toes, or b. toes. Natr-m.
Sweat on feet, especially b. toes, smelling sour, or like sole leather. Kobalt.

Big toe (see Great toe).—Pain in ball of right b. Apoc.

Birds claws.—Agreeable thrill from knees down, with sensation as if b. were clasping knees. Can-ind.

Biting.—Soreness in inner side of left thigh, with b. and itching extending to genitals. Lyc.

Black.—B., sore and painful spots on limbs. Nux-v. (Arn.)
Purplish b. swelling about ankle joint. Grind.
Swelling and burning of feet, with b. spots. Sec.
Swelling of feet, with hot, shining, burning, red spots, or b., blue blisters. Ars.
Ulcers on foot, with b. base. Ipec.

Bleed.—Carious ulcers on tibia, very sore, with greenish, offensive discharge; skin adheres to bone; ulcers painful on edges; with high, hard edges; b. easily and are very sensitive; pricking on circumference. Asaf.
Ulcers on legs, which b. easily and become putrid; spongy and bluish. Merc.
Varicose veins swell up and b. much. Puls.

Bleeding.—Chronic, indolent, flat ulcers on legs, with purplish or bluish skin; many small sores around main ulcer, having uneven, dirty bottom; burning and b., even when lightly touched; thin, ichorous, offensive discharge; very sensitive to touch. Lach.

Blister.—B. on the heel from rubbing of shoes, then a smarting ulcer. Lam.

Blisters.—B. on heel. Petr.

B. on thighs and legs after scratching. Lach.

B. on tips of toes, as if scalded. Natr-c.

B. on toes. Selen.

Eruption of b. full of serum on sole of right foot. Kali-bi.

Large b. on soles. Bufo.

Phagedenic b. on legs. Graph., Sep.

Spreading b. from ulcers on soles and toes. Ars.

Spreading b. on toes. Graph.

Swelling of feet, with hot, shining, burning, red spots, or black, blue b. Ars.

Bloatedness.—B. and swelling of leg. Dulc.

Blood (see section on Heart).—Feeling as of stagnation of b. in legs. Zinc.

Sensation as if b. rushed from head into legs, which feel paralyzed. Aur.

Sensation as if a knife pierced the calf, and as if b. trickled down. Natr-c.

Sensation of stagnation of b. in knees. Lact., Phell.

Blood vessels.—Numbness of lower limbs from pressure of uterus on nerves and b. in sacrum. Apis.

Blotches (see Spots).—B. on edge of tibia. Phos.

Itching b. on calves. Carbo-v.

White b., with red areola on thighs. Dulc.

Blow.—Pain as after severe b. in left knee. Plat.

Pain in right calf, as from b. Arn.

Pain in thigh when walking, as from b. Arn.

Pains in legs, joints and bones, as if beaten, or as after a b. or fall. Ruta. (Arn., Bad.)

Blowing.—Feeling as if cold wind were b. on legs, with starting of right leg. Lil-tig.

Heat in knee, as if hot air were b. through knee joint. Lach.

Blue.—Feet b. Arn., Elaps.

Left leg becomes b. from distended veins (during menses), with pressive pain in leg. Ambr.

Legs and feet cold and b.; on being touched leave white impress of finger (in cholera infantum). Kali-brom.

Legs b., cold and difficult to move. Ox-ac.

Nails b. Dig., Graph.

Spasmodic twitching of legs, which are b. and cold. Zinc.

Swelling of feet, with hot, shining, burning red spots, or black, b. blisters. Ars.

Bluish.—Chilblains b. Ham.

Chilblains inflamed, b. and itching. Puls.

Chronic, indolent, flat ulcers on legs, with purplish or b. skin; many small sores around main ulcer having uneven, dirty bottom; burning and bleeding, even when lightly touched; thin, ichorous, offensive discharge; very sensitive to touch. Lach.

Limbs cold, b. and emaciated. Nux-v.

Thrombosis: limbs immoveable, covered with reddish or b. streaks or spots; hard, elastic, hot and very painful, especially along crural vessels and nerves. Apis.

Ulcers on legs, which bleed easily and become putrid; spongy and b. Merc.

Boil (see section on Skin).—Throbbing in legs from knees to toes, as from a b.; worse in soles. Kreas.

Boils.—B. on buttocks. Cad., Calad.

B. on calves. Sil.

B. on feet. Stram.

B. on legs. Magn-c.

B. on nates. Phos-ac.

B. on thighs. Sep.

B. on thighs causing violent sticking pain. Nux-v.

Bone.—Extensive gangrenous periostitis of tibia; with severe febrile disturbance; periosteum peeled off in large area upward as far as knee joint; b. rough. Phos.

Severe pain in heel, as if b. were ulcerated. Am-c.

Bone pains.—Boring, tearing and bruised b. in legs. Aur.

Exostosis, with severe b. at night; periosteum very tender. Aur.

Nightly b. Merc.

Numbness of legs after or in conjunction with severe b. Eupat-purp.

Periostitis or periosteal inflammation of foot, with unbearable b. at night; worse from heat. Aur.

Bones.—Aching in all b. Merc.

Aching pain in back and legs, as if b. were broken, with soreness of flesh before and during chill (in intermittent). Eupat-perf.

B., joints and muscles sore, as if beaten. Lith-c.

Bruised pain in b. Puls.

Burning and corrosive pains in b. of feet during rest. Ruta.

Burning, gnawing, tearing pains in b. and legs. Phos-ac.

Burning pain in b. Euphorb.

Burning pains in b. of hip joint and in femur at night. Euphorb.

Caries of b., with fistulous openings discharging thin pus and bony fragments. Sil.

Chronic rheumatism: b. feel sore and bruised; limbs feel cold. Kali-bi.

Crawling in b. Guaj.

Drawing in long b. Sabin.

Drawing pain in b. China, Rhod.

Drawing pains in b. of thigh, as if periosteum had been scraped with knife. China.
Feeling of band around b. of legs. Sulph.
Fine, nervous vibrations in b. Meph.
Fine shooting and gnawing pains along b., with violent tearing in joints. Bell.
Flesh feels as if beaten off b. Thuja.
Gnawing pains along b. Bell.
Gouty pains in ankles and b. of feet. Lith-c.
Great pain in b., especially in joints, as if interior were cut and scraped with sharp knife. Sabad.
Hysterical rheumatism: feeling as if b. of leg had been smashed. Nux-m.
Inflammation and swelling of b. Mez., Sil.
Inflammation of b., with insupportable, digging pains in b. and periosteum; worse at night. Mang. (Merc., Phos-ac.)
Jerking, tearing in tarsal and metatarsal b., also in toes. China.
Pain in all b. Staph.
Pain in b. Berb.
Pain in b. around hip, as from bruise or fall. Ruta.
Pain in b., as if scraped. Sabad.
Pain in b. below knees, sometimes as if in periosteum. Agar.
Pain in b. of feet; cannot step heavily. Ruta.
Pain in periosteum and along b., especially tibia; worse at night in bed and in damp weather; least touch intolerable. Mez.
Painfulness of b., with softening and swelling of b. and periosteum. Asaf.
Pains, as if bruised, in all b. Ipec.
Pains in b., at night (with syphilis). Asaf.
Pains in b. of limbs. Rhod.
Pains in b. of thigh and leg. Mez.
Pains in legs, joints and b., as if beaten, or as after a blow or fall. Ruta. (Arn., Bad.)
Pains in middle of long b. or attachments of muscles. Phyt.
Periosteal rheumatism (of syphilitic origin); b. enlarged and intensely painful at night. Kali-jod.
Periostitis and swelling of b., especially tibia, with violent nightly pains. Mez.
Rending, tearing in b. Agar., Aur., Kali-n., Lyc., Merc., Teucr.
Rheumatic pains, mostly in b. and joints; worse evening; better moving. Teucr.
Softening of b. Lyc.
Sore pain in b. Led.
Swelling and caries of tibia and b. of feet. Asaf. (Hep-s., Sil.)
Swelling and softening of b. Guaj.

Swelling of b. Sulph.
Swelling of b. of legs. Merc.
Swelling, softening and caries of b. Merc. (Sil.)
Tearing, drawing, gnawing, stinging pains in b. Canth.
Tearing in b. of legs, especially at night. Nitr-ac.
Violent, drawing, cutting pains in middle of long b. Zinc.
Violent nightly pains in b. of feet. Mez.
Violent pain in b. of feet. Mez.
Wandering rheumatic pains in b. and joints at night. Gels.
Weariness and soreness in limbs and b.; pain as if flesh were torn off. Sulph.

Bony.—Hard, b. corn. Ant-c.
Rough, hard, b. swelling several inches long covering whole width of tibia. Calc-flu.

Borders of feet (see Margin).—Cutting and contraction in b. Zinc.

Boring.—B. and tearing in thighs. Sabad.
B., burrowing, or pressive pains in tibia. Clem.
B., drawing pain in tibia. Merc.
B., itching stitch in balls of second and third toes. Spig.
B. pain in feet and toes. Ran-sc.
B. pain in heels (in afternoon). Puls.
B. pain in knee and ankle joints. Hell.
B. pain in knee joint. Ind.
B. pain in knees. Canth.
B. pain in thighs. Ran-b.
B., pressing pains coming like lightning, leaving parts numb. Mez.
B. in right os calcis on first moving foot; disappears after continued motion. Diad.
B. stitch in left little toe. Phos-ac.
B. stitch in right tibia during rest. Staph.
B. stitches in tips of toes. China.
B., tearing and bruised bone-pains in legs. Aur.
B., tearing pains change from right hip joint to other parts; worse at night. Arn.
Continual b. or tearing pains in great toes. Sil.
Drawing, b. under toes, especially in evening. Paris.
Itching, b. burning of toes as if frozen, especially in warm room. Nux-v.
Stinging, b. and gnawing in great toe. Ran-sc.
Stinging, b. pain in coverings of bones; worse in cool air. Hell.
Stitching, b., stinging pains in corns. Natr-m.
Ulcerative, b. pains in heels. Zinc. (Puls.)

Bottom (see Sole).—Tearing pain in b. of right foot. Æth.

Bound (see Bandaged).—Cramp-like pain in hip as if b. with iron, or as if parts were screwed in a vise, with pains extending from lumbar region down to legs. Coloc.

Drawing in thighs as if b. or wrapped tightly. Plat.
Knee painful as if too tightly b. Sil.
Pain in great toe as if tightly b. Plat.
Pains around left knee as if b. with something tight. Magn-c.

Bowel trouble (see section on Stool).—Lameness, weariness and weakness of joints (with b.). Aloe.

Bow legs.—B. (of children). Calc-c.

Brain (see section on Head).—A misstep causes sensation of concussion to b. Led.
Paralysis of feet (with spinal or chronic nervous affection, as softening of b., or cerebral hæmorrhage). Zinc.
Weakness of legs on attempting to rise; could not stand (in affections of b. or after being exposed to hot sun). Glon.

Break.—Drawing and cutting in foot, with sensation as if joint would b., with swelling. Bov.
Pain in hip and thigh; intolerable when standing as if thigh would b.; worse when straightening out limb; has to support foot on affected side resting on chair. Valer.
Sciatica: unbearable, neuralgic pain when standing, with feeling as if thigh would b. off. Valer.
Weariness in internal muscles of both thighs, as if they would b. down. Thuja.

Breakfast.—Sudden slipping of patella during b. Gels. (On ascending. Can-sat.)

Breaking.—Inflammation and swelling of foot, b. open near toes. Carbo-an.

Breast (see section on Chest).—Bruise-like pain in thigh alternating with burning and presssure in b. Sang.

Broken.—Aching pain in back and legs as if bones were b., with soreness of flesh, before and during chill (in intermittent). Eupat-perf.
Pain in knee joint as if b. Cupr.
Pain in shin bones as if b. Ver-a.
Pain in thighs and legs as if b. Bell.

Brown.—Skin of legs b. (inside thighs). Thuja.

Bruise.—Pain as from b. in anterior muscle of thigh. Hep-s.
Pain as from b. in knee. Hep-s.
Pain as from b. in left knee; tearing when walking or standing. Coni.
Pain in bones and around hip as if from b. or fall. Ruta.
Red spots on legs turning livid as after a b. Coni.

Bruised.—Boring, tearing and b. bone-pains in legs. Aur.
B. feeling in all muscles. Hydroc.
B. feeling in joints. Calad.
B. feeling in legs. Lact.
B. pain as from fatigue. Nitr-ac.
B. pain in bones. Puls.

B. pain in calf. Bry.
B. pain in instep when stretching out foot. **Bry.**
B. pain in knee joint. Ars.
B. pain in legs; worse on motion. Sil.
B. pain in limbs. Kobalt.
B. pain in malleoli when walking. Crotal.
B. pain in periosteum of tibia, which is always sore to touch. Phos.
B. pain in thighs and legs. Caust.
Calves feel b. and pain at night. **Gels.**
Calves weak as if b. Ferr.
Chronic rheumatism; bones feel sore and b.; limbs feel cold. Kali-bi.
Feeling of weariness and as if legs were b.; sometimes with heaviness, lameness and stiffness. Benz-ac.
Hip bones feel b. Ruta.
Joints feel b. and weary, as if they would give way. Mez.
Knees feel b. Meph.
Legs and whole body painful as if b. and beaten. **Arn.** (Bad., **Led.**, Merc., Ruta.)
Legs feel b. Phos.
Limbs feel b. Ruta.
Limbs feel lame and b. **Dros.**
Limbs painful as if b. or beaten. **Led.** (Arn., Bad., Ruta.)
Middle and anterior surface of thighs feel b. and painful. Sabin.
Muscles of legs sore as if beaten or b. Bad.
Pain, as if b., in thighs. Am-c., Laur., Plat.
Pain as if b. or from subcutaneous ulceration on touching part. **Puls.**
Pain as if b. in left instep. Kali-jod.
Pain in knee, as if b. Sep.
Pain in muscles of thighs, as if b., when walking. **Calc-c.**
Pain in thighs and legs, as if b. Dig.
Pains, as if b., in all bones. Ipec.
Pains in limbs, as if b., or as after long running. **Kreas.**
Pains in soles, as if b., when walking. Led.
Paralysis from small of back downward, with numbness, stiffness and b. feeling. Cocc.
Sciatica: intense, stinging, aching and b. pain in middle of posterior of thigh, extending to knee. Ind.
Shooting and tearing in hip joint, which pains as if b. when touched; worse evening in bed; must get up and walk about. Ferr. (Rhus-t.)
Soles feel b. Bar-c.
Stiffness and b. feeling in joints. Physos.
Sudden pain, as if b., in outer malleolus of right foot; worse when standing; less when walking. Valer.
Tearing, stitching, throbbing or bruised pain in legs. Berb.
Tired and b. feeling in legs, with great sensitiveness to touch or pressure. Apis.

Weakness and b. feeling in knees. Hep-s.
Weakness, with b. feeling in thighs and legs. Murex.

Bruise-like.—B. pain in thigh alternating with burning and pressure in breast. Sang.

Bruises.—Pain, as from b., in all muscles; worse on motion or when sneezing. Kali-c.
Pain, as from b., in knee at night. Graph.
Pain, as from b., in thighs and legs in morning when in bed. Caust.

Bubbling.—B. sensation in muscles and joints. Rheum.

Bullæ (see section on Skin).—B. on soles burn like fire. Ars.

Bunions.—B. very painful. Hyper. (Apply locally.)

Burn.—All toes inflamed, shining, red and swollen; itch and b. after walking. Thuja.
Bullæ on soles b. like fire. Ars.
Corns smart and b. and are sensitive to touch. Ran-b.
Feet b. much at night (during climacteric). Sep.
Feet hot; b. much. Fluor-ac.
Legs hot; b. to knees. Natr-s.
Soles b. Ambr., Sulph.
Soles b.; must uncover them. Hep-s., Sulph.

Burning.—Bruise-like pain in thigh alternating with b. and pressure in breast. Sang.
B. about knee. Carbo-v.
B. and corrosive pains in bones of feet during rest. Ruta.
B. and crawling in heels. Graph.
B. and digging sensation in soles. Bell.
B. and itching of lower legs. Still.
B. and itching of nates. Am-c.
B. and stinging in toes, with redness. Apis.
B. and stitching pains in corns. Petr.
B. and swelling of feet. Petr.
B. and throbbing in corns. Ran-sc.
B. and throbbing stitches in bend of foot. Coni.
B. and tingling in feet. Croc.
B. corns. Am-c., Bar-c., Bry., Calc-c., Ign., Lith-c., Meph., Phos-ac., Ran-sc., Rhus-t., Thuja.
B. from toes to dorsum of right foot. Bapt.
B., gnawing, tearing pains in bones and legs. Phos-ac.
B. heat and redness of toes during colds, as if frost-bitten. Borax. (Agar.)
B. heat in soles and soreness between toes. Phos-ac.
B. in feet when walking. Natr-m.
B. in feet, with redness. Tart-em. (Agar.)
B. in heels and balls of either foot at night in bed. Kali-n.
B. in knees, legs and toes. Tarax.
B. in legs. Tarax.

B. in nates. Merc.
B. in right heel and tendo Achillis; part feels as if had gone to sleep. Arg-m.
B. in soles. Calc-c., Carbo-v., Caust., Cupr., Lachn., Lil-tig., Magn-m., Mang., Mur-ac., Sulph.
B. in soles and palms at night, compelling patient to throw off bed-clothing to cool feet. Sang. (Sulph.)
B. in soles; wants them uncovered (Cham.); constantly keeps them out of bed to cool them off. Sulph.
B. in soles, with dry feeling. Mancin.
B. in tips of toes. Mur-ac.
B. in tips of toes, which are sensitive to pressure. Sars.
B. itching in outer part of thighs. Dulc.
B. itching of legs: worse in evening; followed by desquamation of skin. Agar.
B. itching of little toes, painful when touched. Staph.
B. itching of toes. Pæon.
B., jerking pains in balls of little and second toes, with itching after becoming warm in bed. Puls.
B. of feet. Cocc., Dulc., Graph., Led., Lyc., Ox-ac., Sec., Stann.
B. of soles at night; puts feet out of bed. Cham. (Sulph.)
B. of soles (in women suffering from chronic endometritis, leucorrhœa and disordered vaginal discharges). Lyc.
B. of soles when walking. Natr-c.
B. or cold feet. Natr-m.
B. pain in ankle joint. Puls.
B. pain in bones. Euphorb.
B. pain in calf. Dig.
B. pain in feet. Kali-c., Phos-ac., Sep., Stann.
B. pain in hips. Bell., Carbo-v., Euphorb., Hell., Rhus-t., Valer.
B. pain in instep. Puls.
B. pain in left great toe. Actea-s.
B. pain in legs. Agar., Anac., Borax, Kali-c., Lyc., Prun-s., Tarax.
B. pain in sides of foot and on back of toes. Nux-v.
B. pain in soles. Ambr., Graph., Natr-c., Nux-v., Phos-ac., Sang.
B. pain in thighs. Bov., Croton-tig., Rat., Rhus-t.
B. pain in tibia. Zinc.
B. pain in toes. Agar., Staph.
B. pains in bones of hip joint and in femur at night. Euphorb.
B. pains in both legs from thighs to ankles. Apis.
B., sore pain in heels. Cycl.
B., sore pains in toes. Ruta.
B. stitches in soles. Fluor-ac.
B., tearing in toes and under nails. Caust.
B., tearing, stitching in corns. Thuja.

B. ulcers on legs. Plumb.

Chronic, indolent, flat ulcers on legs, with purplish or bluish skin; many small sores around main ulcer, having uneven, dirty bottom; b. and bleeding, even when lightly touched; thin, ichorous, offensive discharge; very sensitive to touch. Lach.

Corns, with b. pains. Meph.

Crawling, b. stitches and severe pressive pain in ball of great toe. Caust.

Cutting, b. in toes. Carbo-an.

Drawing and b. in thigh. Lyc.

Dry, superficial, angry-looking ulcers on legs, covered with yellow scabs, with stinging, b. pain; areola inflamed and covered with pimples, which frequently degenerate into ulcers. Hydr.

Dull aching, b. pain in second joint of right great toe extending to leg. Cimicif.

Feet puffed; with b. in soles. Phyt.

Flushes of heat and b. in soles. Cupr.

Great swelling of left leg from knee to ankle joint; purple, with intolerable itching and b. Petr.

Inflammation and b. of tibia. Sabad.

Inflammation and swelling of knee, with pricking and b. pain; worse from touch. Iod.

Iching and b. of toes, as if frozen. Nux-v.

Itching, boring, b. of toes, as if frozen, especially in warm room. Nux-v.

Itching, b. and redness of toes (Apis), as if frost-bitten. Agar.

Itching, b. pain in small spot in right hip, then in thigh, then in little toe. Lith-c.

Neuralgia of limbs: pains b., with agony and restlessness; worse during rest at night; relieved by exercise. Ars.

Old ulcers on legs, with b. and stinging; profuse sweat about knees at night. Ars.

Old ulcers on lower limbs, with b. and cutting pains. Ars.

Pain in legs at night, with b. in hands and feet. Am-c.

Pain in right knee, with b. and stiffness; worse on movement. Chelid.

Pricking, b. or crampy pain about hips. Caust.

Profuse, fetid sweat on feet, with b. of soles. Lyc.

Red, hot swelling of feet, with contracting, b. pain, increasing to stitching pain when standing. Puls.

Red, rash-like pimples on foot, with itching, b. pains. Bov.

Redness, inflammation and swelling of toe, with b. pain after getting wet. Nitr-ac.

Sciatica: shooting, b., laming pain in posterior femoral muscle shooting along left sciatic nerve to foot. Iris.

Sciatica, with severe, b., tearing and drawing pains. Ars.

Scrofulous inflammation, with hot, bright-red, shining swelling of knee; shooting, stitching and b. pains; least motion of body or foot or least touch or pressure upon swelling causes excruciating pain. Iod.

Sore, b. pain in corn. Calc-c.

Soreness and b. in soles. Sil., Sulph.

Soreness and b. pain between nates. **Sep.**

Stinging b. in toes. Dulc.

Stitches, b., itching, smarting and cold feeling in foot, as if frozen. Berb.

Swelling and b. of feet, with black spots. Sec.

Swelling and redness of tips of toes, with b. pain. Mur-ac.

Swelling of feet, with b. Crotal.

Swelling of feet, with b. and stinging, and sensation as if full of pins. Dory.

Swelling of feet, with b. pain. Coni.

Swelling of feet, with hot, shining, b., red spots, or black, blue blisters. Ars.

Swelling of legs, b. like fire. Crotal.

Tearing, b. pains, with cramp in thighs, calves and toes, with great weakness on movement. Ars.

Ulcers on legs, itching and b. at night. Lyc.

Ulcers on one foot, with stitching pains upward; other foot b. Puls.

Bursæ.—Absorption of fluids in b. and ganglions. Sil.

Housemaid's knee: enlargement of b. Natr-m.

Bursitis (see Inflammation).—B., especially about knee. Sticta.

B. or housemaid's knee. Ant-c., Apis, Arn., Ars., Puls., Sil., Sticta, Sulph.

Buttocks (see Nates).—Boils on b. Cad., Calad.

B. and back feel as if asleep. Calc-ph.

Itching of b., with red spots after scratching. Magn-c.

Pain in hip joints extending to b. Card.

Buzzing.—B. sensation in legs and joints. Oleand.

Humming, b. sensation in legs. Kreas.

Calcareous.—Rheumatism of joints, with concretions of c. or limy substances; pains shifting; urine excessively fetid. Benz-ac.

Calf.—Abscess of c. China.

Acute, crampy, tearing pain in posterior muscle of c.; better in morning and from rubbing; worse in afternoon and when quiet. Valer.

Bruised pain in c. Bry.

Burning pain in c. Dig.

C. painful when walking and setting down foot. Calc-c.

Cramp in c. Lyc., Phos.

Cramp in c. at night. Nitr-ac.

Cramp in c. when in bed. Caust.
Cramp in c., with contraction of toes. Gum-gut.
Cramp in c.; worse when at rest. Arg-m.
Cramp in left c. Coloc.
Cramp in right thigh and c. at night. Kali-c.
Crampy sensation in c. when drawing up knee. Coff.
Fine, cutting stitch in right c. when sitting; disappearing on walking. Dros.
Jerking pain in right c.; ceases quickly when touched. Tarax.
Numb feeling in c. Dulc.
Pain in c. when walking. Rhus-r.
Pain in right c. as from blow. Arn.
Pain in tendons of muscles of c., as if stretched, with lameness. Kali-bi.
Pressive pain in left c. Tarax.
Pricking in c. and in popliteal space. Ind.
Pulsative tearing pain in right c. when sitting, in afternoon. Valer.
Sensation as if knife pierced c., and as if blood trickled down. Natr-c.
Sharp, tearing, stinging or pricking in lower part of c. Ind.
Sticking pain in c. accompanied by jerking in petella when knees are stretched. Spig.
Stinging pain in left c. Am-m.
Tearing, cramp-like pain in dorsum of foot along outer surface, and along outer surface of c. Camph.
Tearing pain in c. extending downward. Caust.
Tearing pain in tendo Achillis and c., as if parts would be cut off; worse standing, walking, or exerting muscles. Ign.
Twinging pain in outer side of c. when sitting. Valer.
Varicose veins in c. become painful. Coloc.
Very red streaks following course of lymphatics from c. up to buttocks, with twitching in limbs and great anxiety. Myg.
Violent cramp in c. at night. Calc-c.

Callus.—Hard, c. skin of soles. Ant-c., Sil.

Callosities.—Large, horny c. on soles near toes, inflammed and very sensitive. Ant-c.

Calves.—Boils on c. Sil.
C. feel as if had been beaten. Eupat-perf.
C. feel bruised and pain at night. Gels.
C. feel too short when descending. Arg-m.
C. weak as if bruised. Ferr.
Chorea: tonic spasms in legs, muscles and c. **Tart-em.**
Constant aching pain in c. Ptel.
Contraction of c. Sabad.
Cramp and contraction in c. Ptel.
Cramp in c. Anac., Ars., Cad., Calc-c., Camph., Can-sat., Cham., Graph., Nitr-ac., Nux-v., Sep., Tart-em.
Cramp in c. and bends of knees when extending legs. Calc-c.

Cramp in c. at night. Carbo-v.
Cramp in c. at night when bending knees. Cocc.
Cramp in c.; cannot lie still at night; has to constantly change position of feet or walk to get relief. Ars.
Cramp in c. (Calc-c., Camph., Sulph.) when walking or rising from seat. Anac.
Cramp in c. (with dysentery). Merc-cor.
Cramp in legs and c. Cham., Natr-m.
Cramp in legs and c. nearly every night. Ambr.
Cramping pain in c. Anac., Euphr., Lyc.
Cramp-like, intermittent drawing from heels to c. Anac.
Cramp-like jerking in c., with painless diarrhœa. Jatr.
Cramp-like pains in c. Card.
Cramp-like pains in c., heels and toes. Crotal.
Cramp-like pains in c. when walking. Calc-ph.
Cramp-like pressure in both c. Anac.
Cramps in c. Acon., Alu., Calc-c., Camph., Cham., Cupr., Elaps, Ferr., Graph., Lachn., Natr-c., Nux-v., Plumb., Sil., Sulph., Ver-a.
Cramps in c. and feet. Am-c.
Cramps in c. and soles. Selen., Sil., Sulph. (Ver-a.)
Cramps in c. and soles, especially at night. Sulph. (Calc-c., Camph., Nux-v., Sil.)
Cramps in c. and thighs almost every night. Ambr.
Cramps in c. at night. Lyc., Magn-m., Nux-v. (Calc-c., Cupr., Magn-c., Nitr-ac., Sep., Sulph.)
Cramps in c. at night at rest. Ferr.
Cramps in c. (in cholera Asiatica). Camph., Jatr. (Cupr., Sulph.)
Cramps in c. in morning. Caust.
Cramps in c., thighs and feet, with diarrhœa of painless, watery stools. Podo.
Crawling and heaviness in c. Cham.
Cutting pain in c. Zinc.
Drawing in c. when walking. Natr-m.
Drawing pain in c. during motion. Cocc.
Eruption on c. Petr., Sil., Thuja.
Feet cold, coldness extending as far up as c. Croton-tig.
Formication in c. Zinc.
Furuncles on c. Sil.
Heavy feeling in bends of knees and in c. so that could not move feet. Rhus-t.
Herpes on c. Cycl., Lyc.
Itching blotches on c. Carbo-v.
Itching of c. Ipec.
Pain in c. Lach., Sulph.

Painful red spots on c., turning yellow or green, as after contusion, preventing movement of foot. Coni.
Painful stretching of c. Anac.
Painful tightness in c. when walking. Carbo-an.
Painful weariness in c. Aloe.
Paralytic drawing in muscles of thighs and c.; painful when walking. Nux-v.
Pressing pain in c. Anac.
Red spots on c. Sars.
Rigidity of c., with great debility and exhaustion as from fatigue. Arg-n.
Sciatica: drawing, pressive pain down to knee, with great exhaustion and difficult walking; cramps in c. and swollen feet; there is marked consecutive muscular atrophy. Plumb.
Soles and c. contracted in knots. Cupr.
Spasms and cramps in c. Cupr. (Sulph.)
Spasmodic jerking in muscles of c. Opi.
Stitches in thighs, c. and soles. Tarax.
Tearing, burning pains, with cramp in thighs, c. and toes, with great weakness on movement. Ars.
Tension in c. Bry., Sabad.
Tight and painful stiffness in c. Coni.
Veins in c. enlarged. Plumb.
Violent cramp in c. at night in bed. Sep.
Violent cramps in c. Sec. (Cupr.)
Violent pain as if stepping on spikes which penetrated soles and ran upward through limbs to hips on attempting to walk; worse in right leg and accompanied by drawing pains in both c. Can-ind.
Weariness of c., as after long journey. Arg-n. (China.)

Caries.—C. Guaj., Hep-s., Lyc.
C. of ankle joints. Asaf.
C. of bones with fistulous openings discharging thin pus and bony fragments. Sil.
C. of tibia. Lach., Sil. (Asaf., Kreas.)
C. of tibia and femur, especially of joints. Sil.
Suppuration and c. of hip joint. Sil. (Has cured many cases even where there has been so much destruction that the femoral head has completely escaped from the acetabulum. In from three months to one year it has effectually cured this disease, when used from the 3d to the 30th.)
Swelling and c. of tibia and bones of feet. Asaf. (Hep-s., Sil.)
Swelling, softening and c. of bones. Merc. (Sil.)

Carriage.—Soreness and pain after being jolted in c. Arn.

Catarrh (see section on Chest).—Œdema of feet and ankles (with bronchial c.). Squilla.

Rheumatism (following suppression of c.); relieved by catarrhal discharge. Puls.

Ceases.—Drawing pain in dorsum of right foot when standing; c. on sitting. Tarax.

Drawing, tearing pain in leg, as of an internal ulcer; worse on touch; but most peculiar pain is a contraction which increases until very acute, then c. suddenly with a snap; worse evening. Puls.

Jerking pain in right calf; c. quickly when touched. Tarax.

Rhenmatic, drawing pain in left glutæus maximus muscle near spine while sitting; c. on standing. Cycl.

Ceasing.—Pains in legs; worse walking, yet so much worse after c. to walk that patient must walk again. Lil-tig.

Cellular.—Hard, c. swellings of legs. Bad.

Chafed.—Bend of knee c. Ambr.

C. between thighs. China, Hep-s., Petr., Sep., Sulph.

C. between toes. Graph.

Legs c. Lach.

Sore pain in balls of toes while walking, as if **c.** Ars.

Chair.—Pain in hip and thigh; intolerable when standing, as if thigh would break; worse when straightening out limb; has to support foot on affected side resting on c. Valer.

Change —Boring, tearing pains c. from right hip joint to other parts; worse at night. Arn.

Cramp in calves; cannot lie still at night; has to constantly c. position of feet or walk to get relief. Ars.

Pains in limbs making patient c. position often to obtain relief. Natr-s. (Rhus-t.)

Rheumatism: aching pains in legs; must c. position every moment: pain on first moving but relieved by continued motion. Rhus-t.

Rheumatism: pains c. rapidly from one part to another, without swelling or redness; with constant chilliness; worse evening and night. Puls.

Changing.—C., rheumatic pains lasting but a short time. Pallad.

Rheumatic pains in right shoulder, right arm and hip, c. often and lasting but a short time. Ox-ac.

Sciatica: excruciating, spasmodic pains in right leg from hip to ankle, c. place quick and often; shooting, intermittent, rendering change of position necessary. Magn-ph.

Swelling and redness of joints, with erratic pains rapidly c. from one part to another. Puls.

Checked.—C. perspiration on feet. Bar-c.

Lameness after suddenly c. perspiration of feet. Colch.

Chest (see section on Chest).—Languor in legs, with oppression of c. Plat.

Pain above left knee extending into c. Pallad.

Chilblains.—C. Agar., Croc., Kali-c., Nitr-ac., Phos., Puls., Sulph., Thuja.

C. bluish. Ham.

C. inflamed, bluish and itching. Puls.

C. itch and are moist. Petr.

C. on toes. Croc., Nitr-ac. (Puls.)

C. or frost bites. Agar., Arn., Ars., Bell., Canth., Carbo-v., Hep-s., Kali c., Lach., Natr-m., Nitr-ac., Nux-v., Petr., Phos., Puls., Rhus-t., Ruta, Sec., Sulph., Zinc.

C.; worse from friction. Zinc.

Inflamed, red, aching c. on toes. Kali-c.

Itching c. Abrot.

Pain in balls of toes and under heel, as from chronic c. Rhod.

Painful c. Zinc.

Child.—C. draws feet spasmodically upward and backward upon nates. Cupr.

Children.—Bow legs (of c.). Calc-c.

C. kick off clothes to cool feet. Sulph.

C. learn to walk very slowly. Calc-c.

C. seem to forget how to walk. Calc-c.

C. slow in learning to walk. Natr-m.

Unsteady gait and easy falling (of c.). Caust.

Walking late and with difficulty (in c.). Calc-c. (Bell., Calc-ph., Sil., Sulph.)

Weakness of ankles (in c.). Carbo-an.

Chill.—Aching pain in back and legs, as if bones were broken, with soreness of flesh, before and during c. (in intermittent). Eupat-perf.

Ankles swollen, with cutting pains in feet (during c.). Chin-s.

Heaviness of legs (before c.). Cimex.

Legs feel tired (at end of c.). Cimex.

Pain in joints, with contraction of tendons (during c.). Cimex.

Pain in muscles of thighs, knee joints and legs (with c.). Cimex.

Chilliness (see section on Fever).—C. of feet in evening, especially on going to bed. Am-c.

Drawing and contraction in thighs and legs in evening, with great restlessness, sleeplessness and c. Puls.

Drawing pain in muscles of thigh at night forcing patient to move; does not know what to do, with sleeplessness and great c. Puls.

Drawing, tearing pains in one leg, with c. Puls.

Drawing, tearing pains in limbs, with c. Puls.

Erysipelatous inflammation and swelling of leg, with c. of body. Calc-c.

Rheumatic gout: swelling and heat of knee, ankle joints and small joints of toes, with drawing, contractive pain and c. Puls.

Rheumatism: pains change rapidly from one part to another, without swelling or redness; constant c.; worse evening and night. Puls.

Sciatica: incisive, throbbing, intermittent pains; first every other day, then daily; with c.; returns every winter (in mild, melancholy temperaments). Ign.

Chilly.—Creeping, c. sensation on shins. Kali-c.

Goose-flesh on legs, with c. feeling. Chin-ars.

Cholera (see section on Stool).—Cramps in calves (during c.). Jatr.

Cramps in calves (in c.). Camph. (Cupr., Sulph.)

Cholera infantum.—Feet icy cold (in c.). Camph.

Legs and feet cold and blue; on being touched leave white impress of finger (in c.). Kali-brom.

Chorea (see section on Nerves).—C.: convulsive twitching and contortion of toes. Ver-v.

C.: tonic spasms in legs, muscles and calves. Tart-em.

C., with desire to dance. Tarant.

Chorea-like.—C., convulsive motion of limbs. Arg-n.

Circulation (see section on Heart).—Numbness of legs, with sensation as if c. stopped. Lyc.

Sensation in legs, as if c. were stopped, when sitting. Lact.

Clammy.—Cold, c. feet up to knees. Laur.

Clasping.—Agreeable thrill from knees down, with sensation as if bird's claws were c. knees. Can-ind.

Climacteric (see section on Female Sexual Organs).—Feet burn much at night (during c.). Sep.

Clothes.—Children kick off c. to cool feet. Sulph.

Cold.—Aptness to take c. in feet. Sil.

Arthritic pains after taking c. in water or from suppression of gonorrhœa. Sars.

Burning or c. feet. Natr-m.

Burning, tearing, stitching in c. Thuja.

Chronic rheumatism: bones feel sore and bruised; limbs feel c. Kali-bi.

C., clammy feet up to knees. Laur.

C. knees, especially at night. Carbo-v.

C. sensation in right leg. Sabin.

Deep-seated, dull, aching pains in legs and joints; generally caused by c. Gels.

Feet and hands icy c., rest of body warm. Meny.

Feet and legs below knees habitually c. Meny.

Feet and legs c. Opi.

Feet and lower legs c. Ign., Ver-a.

Feet and lower legs icy c. Chin-ars.

Feet c. Absinth., Ambr., Anac., Carbo-an., Caust., Cist., Coni., Dory., Graph., Ipec., Iod., Kali-c., Lact., Merc-cor., Natr-c., Nitr-ac., Pic-ac., Puls., Rhod., Rhus-t., Sep., Sil., Sulph., Tart-em.

Feet c. (after suppression of foot sweat). Sil.
Feet c. and sweat easily; sweat so acrid that it corrodes skin. Iod.
Feet c. and sweaty. Lyc.
Feet c. and swollen. Hyos., Sulph-ac.
Feet c. as far up as knees, as if they were in c. water. Meny.
Feet c. at night. Zinc.
Feet c., coldness extending as far up as calves. Croton-tig.
Feet constantly c. Oleand.
Feet c. day and night. Cinnab.
Feet c., especially toes. Acon.
Feet c. in bed. Kali-c. (Calc-c.)
Feet c. (in chronic suppurations). Hep-s.
Feet c., in evening, in bed. Am-c., Am-m., Carbo-an., Graph., Kali-c., Nux-v., Paris, Sulph.
Feet c., numb and stiff. Ferr.
Feet c., with aching of legs. Am-brom.
Feet c., with sweat on toes and soles; hands hot. **Acon.**
Feet feel as if in c. water. Gels.
Feet icy c. Cedron, Elaps, Phos., Ver-a.
Feet icy c. (Sil., Ver-a.) at night in bed. Paris.
Feet icy c. before going to bed. Sars.
Feet icy c.; body warm. Samb.
Feet icy c. (in cholera infantum). Camph.
Feet icy c. in evening, continuing long after lying down. Rhod.
Feet numb and c., even when covered up warm in bed. Alum.
Feet œdematous, numb and c., with prostration. Ars.
Feet sweat easily and feel c. Indium.
Feet warm, with c. hands. Aloe. (Cham.)
Feet very c. Antipy.
Jerking pain in legs after taking c. Iod.
Knees and toes icy c. Tabac.
Knees c. Agn.
Legs and feet c., after suppression of sweat on feet. Sil.
Legs and feet c. and blue; on being touched leave white impress of finger (in cholera infantum). Kali-brom.
Legs and feet c., with excessive, fetid sweat on feet. Sil.
Legs and feet icy c. Sil., Ver-a.
Legs become c., pale and wrinkled, as if had been long time in water. Sec.
Legs blue, c. and difficult to move. **Ox-ac.**
Legs c., with hæmorrhages. Trill.
Legs icy c. Sep.
Legs stiff after taking c. Acon.
Liability of feet to take c. Sil.
Limbs c. and covered with sweat. **Aur.**
Limbs c. and trembling. Tabac.

Limbs c., bluish and emaciated. Nux-v.
Lower leg and feet c. Chenop-a.
Lower part of legs and feet c. Dig.
Œdema of left leg and knee, with icy c. foot. Cact.
Œdematous, white swelling of the feet; feel c. and heavy. **Kreas.**
One foot c., other red and hot. Puls.
One foot hot, other c. Lyc.
Pains in limbs and joints in c., damp weather. Nux-m. (Rhod.)
Sciatica: dull, aching pain in right side; worse at night and in c. or damp weather; relieved by heat, rubbing and by exercise. Rhus-t.
Skin of legs c., flaccid, with complete paraplegia and great fear of death. **Ars.**
Soles c. Coloc., Merc., Sulph.
Spasmodic twitching of legs, which are blue and c. Zinc.
Stitches, burning, itching, smarting and c. feeling in foot, as if **frozen.** Berb.
Takes c. in feet easily. Coni. (Sil.)
Thighs numb and c. (with fever). **Spong.**
Toes c. Acon., Meny., Sulph.

Coldness.—C. and numbness of limbs. **Aster.**
C. of extremities, with hot head. Bell.
C. of feet. Lach.
C. of feet and legs below knees, with feeling as if had on damp stockings. Calc-c.
C. of joints. Cinnab.
C. of knees. Ars., Benz-ac., Cimex, Coloc., Daph., Merc., Raph., Puls.
C. of knees, toes and fore part of feet. **Daph.**
C. of legs. Camph.
C. of legs from knees to toes. Tabac.
C. of limbs in evening when in bed. **Sars.**
C. of lower extremities. Bell., Nitr-ac.
C. of right leg. Elaps.
C. of soles. Sulph.
C. of soles, while rest of body is warm. **Coloc.**
Dry heat of the thighs and the small of the back, with c. in the back. Sulph.
Feeling of c. in knees, toes and soles. Card.
Feeling of c. in legs. Berb.
Feeling of c. in tibia. Mosch.
Heat of one foot, with c. of other. Lyc.
Intense and painful c. of legs, especially in evening. **Ambr.**
Jerking and twitching of limbs at night, with c. of body. **Am-c.**
Numbness and c. of left leg when sitting. Hyper.
Numbness, insensibility and c. of limbs. Opi., Sec.

Paroxysms of excruciating neuralgia in sciatic nerve and perinæal branches, preceded by great c. and shivering; worse at night, obliging patient to get up and walk about room; pain acute, tearing, digging, boring; lasts sixty to ninety minutes, then slowly disappears. Ign.

Sensation of c. in feet, though they are not cold. Sulph.

Stitches, sticking and drawing pains, with lassitude of legs and c. of feet, but sometimes only of knees. Sep.

Trembling c. of feet. Ver-a.

Colds.—Burning heat and redness of toes during c., as if frost-bitten. Borax. (Agar.)

Colic (see section on Abdomen).—Cramp, with c. Coloc.

Concretions.—Gouty nodosities and c. Benz-ac.

Rheumatic gout, with c. of lithic acid in joints. Aspar.

Rheumatism of joints, with c. of calcareous or limy substances; pains shifting; urine excessively fetid. Benz-ac.

Concussion.—A misstep causes sensation of c. to brain. Led.

Condyles.—Pains in hip joints and about c. Ver-a., Ver-v.

Congestion.—C. of blood to feet when standing. Graph.

Coition (see section on Sexual Organs).—Weakness and trembling of legs after c. Calc-c. (China, Phos-ac.)

Consciousness.—Jerking of limbs, with loss of c. Glon.

Contact.—Rheumatic inflammation of joints; worse evening and night; intense, bright-red, shining swelling, sensitive to least c. (Bry.); numbness and tingling in all parts. Acon.

Sticking and drawing from knee to groin; worse on motion or c. Nux-v.

Contracted.—Crampy, c. feeling in thighs and legs. Alu.

Gout: stiffness and immobility of c. legs. Guaj.

Hamstrings feel c. and painful when walking. Am-m.

Soles and calves c. in knots. Cupr.

Toes c. spasmodically when walking or ascending. Hyos.

Contracting.—C. pain in instep. Caust.

Red, hot swelling of feet, with c., burning pain, increasing to stitching pain when standing. Puls.

Contraction.—Arthritic, cutting pains, followed by c. of muscles. Guaj.

C. and pain in hip and knee joint when sitting, when rising from seat, or after over-exercise. Rhus-t.

C. from hip joint to groin and along posterior part of thigh down to knee. Thuja.

C. in bends of knees. Am-m., Natr-c., Natr-m., Tart-em.

C. in bends of knees on stepping. Sulph.

C. in joints. Oleand., Paris.

C. in knees. Zinc.

C. of calves. Sabad.

C. of feet and toes. Sec.
C. of muscles. Aster., Graph.
C. of muscles and tendons. Cupr.
C. of muscles of legs; has to walk on tips of toes. **Sep.**
C. of tendo Achillis, also swelling of tendons. **Sep.**
C. of tendons. Mez.
C. of tendons of muscles of legs. Valer.
Cramp and c. in calves. Sil.
Cramp in calf, with c. of toes. Gum-gut.
Cramp-like c. of toes, with tearing pains in limbs. Cham.
Cramp-like c. of toes. Merc.
Cramps in soles and toes (Sulph.), with painful c. of toes. Ferr.
Cutting and c. in borders of feet. Zinc.
Drawing and c. in thighs and legs in evening, with great restlessness, sleeplessness and chilliness. Puls.
Drawing in or c. of muscles or tendons, especially hamstrings. Natr-m.
Drawing, tearing pain in leg, as of an internal ulcer; worse on touch; but most peculiar pain is a c. which increases until very acute, then ceases suddenly with a snap; worse evening. Puls.
Inflammatory red swelling of dorsum of feet and toes, with c. when stepping on them. Thuja.
Pain in joints, with c. of tendons (during chill). Cimex.
Painful, cramp-like c. in soles when bending legs. Nux-v.
Sensation of c. in joints. Anac.
Sensation of c. in right thigh; leg feels shorter. Ambr.
Spasmodic c. of muscles. Kali-jod.
Spasmodic c. of toes. Cupr.
Stiffness and c. in bends of knees when standing. Nux-v.
Stiffness of and c. in knees, as if they were too short. Rhus-t.
Violent pain with c. of tendo Achillis and left foot. Can-sat.

Contractive.—C., pressive pain in bend of left knee extending to heel. Rheum.
Drawing and c. pains in gastrocnemius muscles of left leg. Gels.
Rheumatic, c. pains in legs. Gels.
Rheumatic gout: swelling and heat of knee, ankle joints and small joints of toes, with drawing, c. pain and chilliness. Puls.
Swelling of knees with c. pain in ligaments. Bry.
Violent c. pain in external tendons of left knee. Ox-ac.

Contused.—Red spot on great toe, as if c. Natr-c.

Contusion.—Pain as from sprain, strain or c. in left hip joint. Caust.
Painful red spots on calves, turning yellow or green, as after c., preventing movement of foot. Coloc.

Contusive.—C. pain in tip of left middle toe. Mez.

Convulsions.—C. of lower extremities. Ign., Ipec., Opi., Sec., Squilla.
Suddenly grasps knee with hands and screams, when c. ensue. Cic-v.

Convulsive.—Chorea: c. twitching and contortion of toes. Ver-v.
Chorea-like, c. motion of limbs. Arg-n.
C. jerking of legs. Ign. (Stram.)
C. pain in ball of heel. Ign.
C. rigidity of legs. Sang.
C. tremor of right foot; can neither lie, sit or walk. Hyos.
C. twitching of legs. Cham., Squilla.
C. twitching of muscles during sleep. Hell.
C. twitching of toes. Cupr.
C., uncontrollable movements of legs. Myg.
Paralysis or anæsthesia of legs, with c. jerks and shocks. Sec.
Cool.—Children kick off clothes to c. feet. Sulph.
Co-ordination.—Loss of c. of muscles. Bell.
Cord.—Sensation as if c. were tied around leg underneath. Alum.
Sensation as if a c. were tied around right leg midway between hip and knee, causing limping and pain; pain subsequently shifting to left leg below knee, and from thence into ankle. Am-brom.
Cords.—Drawing in bend of knee, as if c. were too short. Natr-m. (Am-m.)
Hamstrings sore; c. feel too short and stiff on rising. Natr-ph.
Corn.—Hard, bony c. Ant-c.
Pain in c. of left little toe. Arg-m.
Pain in c. when sitting. Ign.
Painful soreness of toe and c. Agar.
Sore, burning pain in c. Calc-c.
Corns.—Burning and stitching pains in c. Petr.
Burning and throbbing in c. Ran-sc.
Burning c. Am-c., Bar-c., Bry., Calc-c., Ign., Lith-c., Meph., Phos-ac., Ran-sc., Rhus-t., Thuja.
C. Acet-ac., Am-c., Ant-c., Bar-c., Calc-c., Lyc., Natr-m., Petr., Phos., Phos-ac.
C. Tereb. (Applied locally every night will cure in one week.—Burt.)
C. between second and third toes of left foot. Psor.
C. painful, as if sore. Ign.
C. painful to touch. Carbo-an.
C. smart and burn and are sensitive to touch. Ran-b.
C. sting. Rumex.
C., with burning pains. Meph.
Hard c. on soles. Ant-c.
Horny c. on soles. Ant-c.
Inflamed c. Sep.
Pain in knuckles of toes and c. Camph.
Stitches in c. Sulph-ac.
Stitching, boring, stinging pains in c. Natr-m.
Stitching pains in c. Sil., Sulph.

Sore, smarting c. Ambr., Bry., Calc-c., Fluor-ac., Graph., Lyc., Rhus-t., Ver-a.

Soreness of all c. Fluor-ac.

Corrodes.—Feet cold and sweat easily; sweat so acrid that it c. Iod.

Corroding.—Sour perspiration on feet. Calc-c. (Fetid and c. Sil.)

Coughing.—Sciatica: pain in sacrum extending down sciatic nerve to right thigh; worse when pressing; at stool; c.; laughing; lying on affected side. Tellur.

Shooting, tearing pains from hip to knee and foot, especially when c. Caps.

Crack.—Knee joints c. from dryness. Benz-ac.

Knee joints feel dry and c. when moved. Nux-v.

Cracked.—Rhagades, or skin c. like great cuts between and on toes. Lach.

Skin of feet c. Hep-s.

Cracking.—Arthritic swelling of joints, with c. on motion. Sulph.

C. and arthritic stiffness in joints. Petr.

C. in ankle when walking. Nitr-ac.

C. in hip joint and knee joint (Nitr-ac.), when stooping. Croc.

C. in joints. Ang., Benz-ac., Bry., Camph., Cocc., Coni., Croc., Led., Nitr-ac., Nux-v., Petr., Puls., Ran-b., Selen., Tabac., Thuja.

C. in joints when bending. Selen.

C. in joints when stooping. Croc.

C. in joints when walking or turning. Caul.

C. in knee and tarsal joints when stretching limb. Thuja.

C. in knee joint. Cham., Cocc., Coni., Ign., Ran-b., Sep.

C. in knees. Nux-v.

C. in knees during motion. Cocc.

C. in knees when walking and decending. Caust.

C. in tarsal joint at every step. Magn-s.

C. of hip, knee and tarsal joints. Camph.

Stiffness and c. in joints, with arthritic pains. Sep.

Stiffness of knees and c. in joints. Natr-s.

Cracks.—C. on skin. Hep-s.

Cramp.—C. and contraction in calves. Sil.

C. and soreness at every step. Sulph.

C. at night. Ambr., Rhus-t., Sulph.

C. in bend of knee. Calc-c., Can-sat.

C. in bend of knee when stretching out leg. Calc-c.

C. in calf. Lyc., Phos.

C. in calf at night. Nitr-ac.

C. in calf when in bed. Caust.

C. in calf, with contraction of toes. Gum-gut.

C. in calves. Anac., Ars., Cad., Calc-c., Camph., Can-sat., Cham., Graph., Nitr-ac., Nux-v., Sep., Tart-em.

C. in calves and bends of knees when extending legs. Calc-c.

C. in calves at night. Carbo-v.
C. in calves at night when bending knees. Cocc.
C. in calves; cannot lie still at night; has to constantly change position of feet or walk to get relief. Ars.
C. in calves (Calc-c., Camph., Sulph.) when walking or rising from seat. Anac.
C. in calves (with dysentery). Merc-cor.
C. in feet. Am-c., Berb., Camph., Caust., Graph., Lachn., Lyc., Meph., Natr-c., Nux-v., Petr., Ran-b., Rhus-t., Sec., Sil., Stram., Sulph.
C. in feet, toes and soles. Caust.
C. in fore part of lower leg near tibia. Carbo-an.
C. in hips. Coloc.
C. in left calf. Coloc.
C. in left toes. Arum.
C. in legs. Bar-c., Bov., Rhus-r.
C. in legs and calves. Cham.
C. in legs and feet; must walk about. Rhus-t.
C. in lower extremities. Calc-c.
C. in right thigh and calf at night. Kali-c.
C. in soles. Am-c., Calc-c., Phos., Sec., Sulph.
C. in soles at night. Petr., Sulph.
C. in soles (Sil.) in evening after lying down. Carbo-v. (Sulph.)
C. in thighs. Asar., Can-sat., Hyos.
C. in thighs when walking. Sep.
C. in toe joints suddenly, as if sprained. Ran-b.
C. in toes. Am-c., Bar-m., Calc-c., Lyc.
C. in toes and sole of left foot. Calc-c.
C. in toes when extending foot. Bar-c., Sulph.
C. when sitting. Rhus-t.
C. when sitting, after a walk. Rhus-t.
C. when walking. Lyc., Nitr-ac.
C. with colic. Coloc.
Frequent c. in toes during day. Carbo-an.
Tearing, burning pains, with c. in thighs, calves and toes, with great weakness on movement. Ars.
Violent c. in calf at night. Calc-c.
Violent c. in calves at night in bed. Sep.
Violent c. in leg and sole when walking. Carbo-v.

Cramping.—C. pain. Cina, Phos-ac.
C. pain in calves. Anac., Euphr., Lyc.
C. pain in feet. Ang.
C. pain in hips. Arg-m., Coloc.
C. pains in muscles. Ambr.
Rheumatism affecting bellies of muscles, with c., stitching pains. Cimicif.

Cramp-like.—C. contraction of toes. Merc.
C. contraction of toes, with tearing pains in limbs. Cham.
C. drawing and tearing pains from toes to dorsum of foot. Anac.
C., drawing pain in internal femoral region. Coloc.
C., intermittent drawing from heels to calves. Anac.
C., jerking, digging pain in left hip. Can-sat.
C. jerking in calves, with painless diarrhœa. Jatr.
C. pain in calves when walking. Calc-ph.
C. pain in feet. Ang.
C. pain in hip, as if bound with iron or as if parts were screwed in a vise, with pains extending from lumbar region down to legs. Coloc.
C. pain in muscles of right leg from below upward. Meny.
C. pain in posterior surface of thigh. Cycl.
C. pain in right thigh above popliteal space. Cycl.
C. pains and numbness in limbs and joints. Plat.
C. pains in calves. Card.
C. pains in calves, heels and toes. Crotal.
C. pressure in both calves. Anac.
C., stitching pain in left foot. Natr-m.
Painful, c. contraction in soles when bending legs. Nux-v.
Pains in lower legs down to toes, soon passing off, leaving c. drawing. Rhod.
Tearing, c. pain in dorsum of foot along outer surface and along outer surface of calf. Camph.

Cramps.—C. and spasms in legs. Hyos.
C. flex limbs and body tossed upward. Hyos.
C. in calf; worse when at rest. Arg-m.
C. in calves. Acon., Alu., Elaps, Graph., Natr-c., Lachn. (Calc-c., Camph., Cupr., Ferr., Nux-v., Plumb., Sil., Sulph., Ver-a.)
C. in calves and feet. Am-c.
C. in calves and soles. Selen., Sil., Sulph. (Ver-a.)
C. in calves and soles, especially at night. Sulph. (Calc-c., Camph., Nux-v., Sil.)
C. in calves and thighs almost every night. Ambr.
C. in calves at night. Lyc., Magn-m., Nux-v., Sep. (Calc-c., Cupr., Magn-c., Nitr-ac., Sulph.)
C. in calves at night at rest. Ferr.
C. in calves (during cholera). Jatr.
C. in calves (in cholera Asiatica). Camph. (Cupr., Sulph.)
C. in calves in morning. Caust.
C. in calves, thighs and feet, with diarrhœa of painless, watery stools. Podo.
C. in feet. Natr-c.
C. in feet at night. Lachn.
C. in legs. Colch. (Sulph.)
C. in legs and calves. Natr-m.

C. in legs and calves nearly every night. Ambr.
C. in legs and feet, with great restlessness. Cupr.
C. in legs and soles (in intermittents). Elat.
C. in legs and toes. Sec., Ver-v.
C. in legs (especially of old people). Cupr-ac.
C. in legs in evening after lying down. Puls., Sulph.
C. in soles and toes. Hep-s.
C. in soles and toes (Sulph.), with painful contraction of toes. Ferr.
C. in soles at night. Agar., Calad.
C. in thigh. Hyos.
C. with knots or lumps on thighs. Ipec.
Legs constantly jerked up with c. preventing sleep. Meny.
Sciatica: drawing, pressive pain down to knee, with great exhaustion and difficult walking; c. in calves and swollen feet; there is marked consecutive muscular atrophy. Plumb.
Spasms and c. in calves. Cupr. (Sulph.)
Stitches and c. in feet. Meph.
Violent c. in calves. Sec. (Cupr.)

Crampy.—Aching, c. pain in foot. Iod.
Acute, c., tearing pain in posterior muscle of calf; better in morning and from rubbing; worse in afternoon and when quiet. Valer.
C., contracted feeling in thighs and legs. Alu.
C., lacerating pain in hip joint. Kali-c.
C. pain in foot. Euphorb.
C. pain in hip joint. Sep.
C. pain in left toes and root of toes. Aster.
C. pains in muscles. Coloc.
C. sensation in calf when drawing up knee. Coff.
C. sensation in outer part of thighs, legs and feet. Berb.
C. sensation in thighs and legs when sitting. Iod.
Drawing, c. pain in dorsum of foot, especially during motion. Camph.
Pricking, burning or c. pain about hips. Caust.

Crawling.—Burning and c. in heels. Graph.
C. and heaviness in calves. Cham.
C. as if nerve were pulled in left sole. Arn.
C., burning stitches and severe pressive pain in ball of great toe. Caust.
C. in bones. Guaj.
C. in thighs. Guaj.
C. in tips of toes. Colch.
C. in toes. Am-c., Sec.
C. sensation in ankles. Pallad.
C., tingling in legs. Alum., Calc-ph.
C., with sensation as if asleep, in legs. Ign.
Drawing, c., spasmodic pains and formication in legs. Sec.
Numbness and c. in limbs and feet. Hyper.
Throbbing and c. in both heels. Natr-c.

Creeping.—C., chilly sensation on shins. Kali-c.
C. in feet when standing. Sep.
C. pain in right hip. Murex.
Sensation of c. in joints on moving. Rhus-r.
Tickling, c. in left toes. Euphr.
Tingling in legs, as if insects were c. over them, or as if they would go to sleep. Ver-a.

Crippled.—Nails c. Graph.

Crossed.—Cannot go to sleep or remain asleep unless legs are c. Rhod.
Pain, like tingling, in tibia at night when feet are c.; moves legs back and forth and is unable to sleep. Rhus-t.

Crossing.—Feet go to sleep when c. legs or sitting. Laur.
Legs go to sleep and tingle when sitting or when c. them. Crotal.
Pain in thigh when c. legs. Dig.

Crural vessels.—Thrombosis: limbs immovable, covered with reddish or bluish streaks or spots; hard, elastic, hot and very painful, especially along c. and nerves. Apis.

Crushed.—Weakness in region of head of femur, with feeling as if had been c., especially after lying down and sleeping. Acon.

Crusts.—Tuberculous erythematic lupus: dorsum of right foot covered with small indurations having large, thick c., some grayish white, others light yellow, resting on purple base. Hydroc.

Cry.—Pain in legs causing patient to c. out. Sep.

Cut.—Great pain in bones, especially in joints, as if interior were c. and scraped with sharp knife. Sabad.

Cutting.—Acute arthritic rheumatism: knees swollen, painful, throbbing, with c., stinging pains. Acon. (Also apply cloth saturated with dilution.)
Ankles swollen, with c. pains in feet (during chill). Chin-s.
Arthritic, c. pains, followed by contraction of muscles. Guaj.
C. and contraction in borders of feet. Zinc.
C. and darting pains in muscles of thigh when sitting. Bell.
C., burning in toes. Carbo-an.
C. in all joints, especially on motion. Hyos.
C. in knee. Ind.
C. in toes. Tarax.
C., knife-like pains in knee joint. Acon.
C. pain and drawing in legs down to heel. Bar-c.
C. pain, as if sprained, in knee joint when walking. Spig.
C. pain in calves. Zinc.
C. pain in heel. Sil.
C. pain in heels. Magn-m.
C. pain in limbs. Aster.
C. pain in right hip. Ver-v.
C. pain in sole when standing. Spig.

C. pain in thighs. Sulph-ac., Zinc.
C. pain in tibia. Magn-c.
C. pains in th ghs when walking. Sep.
C. stitches in outer muscles of right thigh, just above knee, when sitting. Bell.
C. stitches over right thigh; must get up for relief; pains worse from rising, but better on slowly walking. Sep.
Drawing and c. in foot, with sensation as if joint would break, with swelling. Bov.
Drawing and c. in knees; worse at commencement of walk. Coni.
Dull pains darting or c. from right hip joint posteriorly downward to foot; worse lying; better sitting in chair. Gnaphal.
Old ulcers on lower limbs, with burning and c. pains. Ars.
Sciatica: shooting, c. pains running like lightning from hip to knee and sometimes to heel, affecting right side more than left; worse at night (in neuralgic subjects). Coloc.
Sharp, c. pains darting along course of sciatic nerve, terminating in twisting or wrenching feeling in foot. Hyper.
Tearing, drawing and c. pains from heel through sole and toes. Kreas.
Tearing in toes, with c. pains toward tips. Canth.
Violent, c. pains in limbs at night. Bad.
Violent, drawing, c. pains in middle of long bones. Zinc.
Violent, drawing and c. pains through knees and tibia, especially in evening. Sulph.

Damp.—Chronic rheumatism of left hip; worse in d. weather. Phyt.
Coldness of feet and legs below knees, with feeling as if had on d. stockings. Calc-c.
Pains in limbs and joints in cold, d. weather. Nux-m. (Rhod.)
Pain in periosteum and along bones, especially tibia; worse at night in bed and in d. weather; least touch intolerable. Mez.
Dance.—Chorea, with desire to d. Tarant.
Dancing.—Erysipelatous inflammation and swelling of left leg and foot after d. Borax.
Pain in legs at night, as if had over-done, by excessive walking or d. Bar-c.
Darting.—Cutting and d. pains in muscles of thigh when sitting. Bell.
D. in left hip at every step. Kali-jod.
D. pain above knee. Kreas., Mang.
D. pain in ankles. Coloc.
D. pain in hip. Carbo-an.
D. pains from toes to hip, or from trochanter to bend of knee. Pallad.
D. pains in thighs and toes. Sticta.
Dull pains d. or cutting from right hip joint posteriorly downward to foot; worse lying; better sitting in chair. Gnaphal.

Frequent d. pains from feet to hips. Nux-v.
Great pain between sacrum and hip joint, sometimes d. and shooting down anterior crural and sometimes down sciatic nerve. Coloc.
Sharp, cutting pains d. along course of sciatic nerve, terminating in twisting or wrenching feeling in foot. Hyper.
Tearing, d. and gnawing pains in limbs (after Mercury or syphilis). Kali-jod.

Day.—Frequent cramp in toes during d. Carbo-an.
Swelling of feet by d., diminishing at night. Dig.

Daylight.—Unable to walk except with eyes open and in d. Alu.

Dead.—Numb, d. feeling in legs; they feel enlarged. Cedron.

Deadness.—D. of feet. Calc-c.
Numbness and d. of legs. Nux-v.

Death.—Insensibility and numbness of toes, followed by gangrene and d. of parts. Sec.
Skin of legs cold, flaccid, with complete paraplegia and great fear of d. Ars.

Debility.—D. and weakness of legs, with sick feeling and dread of work. Arg-n. (Nux-v.)
D. in joints when walking. Staph.
Great d. and stitching in limbs, with confusion of head. Seneg.
Great weariness in legs, with excessive d. Iod.
Paralytic heaviness and d. of legs. Arg-n.
Rigidity of calves, with great d. and exhaustion, as from fatigue. Arg-n.
Trembling in legs, followed by great d. Ver-a.

Deformed.—Thick and d. nails. Graph. (Ant-c.)
Thick, inflamed, d. nails. Sabad.

Deposits (see Concretions).—Rheumatic gout, with d. of lithic acid in joints. Aspar.

Descending.—Calves feel to short when d. Arg-m.
Cracking in knees when walking and d. Caust.
Hamstrings feel shortened and weak; knees give way ascending or d. Ruta.
Knees weak on d. Lact-ac.
Pain in knees when d. steps. Arg-m., Can-sat., Ver-a.

Desquamation.—Burning itching of legs; worse in evening, followed by d. of skin. Agar.

Diabetes mellitus (see section on Urinary Organs).—Œdema of feet (in d.). Arg-m.

Diaphragm (see section on Hypochondria).—Pain in hip joint, mostly behind trochanter major, with spasms of stomach and d. Phyt.

Diarrhœa (see section on Stool).—Cramp-like jerking in calves, with painless d. Jatr.
Cramps in calves, thighs and feet, with d. of painless, watery stools. Podo.
Jerking up of legs during sleep, with d. Tart-em.

Œdematous swelling, with d. Acet-ac.
Rheumatism (after suddenly checked d.); cannot move limbs. Abrot.
Suppuration of hip, with profuse perspiration and d. China.
Tearing, aching pains in legs (in d.). Lach.

Difficult.—D. motion and weariness of legs. Camph.

Difficulty.—Walking late and with d. (in children). Calc-c. (Bell., Calc-ph., Sil., Sulph.)

Digging.—Burning and d. sensation in soles. Bell.
Cramp-like, jerking, d. pain in left hip. Can-sat.
Paroxysms of excruciating neuralgia in sciatic nerve and perinæal branches, preceded by great coldness and shivering; worse at night, obliging patient to get up and walk about room; pain acute, tearing, d., boring; lasts sixty to ninety minutes, then slowly disappears. Ign.

Dirty.—Chronic, indolent, flat ulcers on legs, with purplish or bluish skin; many small sores around main ulcer, having uneven, d. bottom; burning and bleeding, even when lightly touched; thin, ichorous, offensive discharge; very sensitive to touch. Lach.

Disappears.—Great weariness of legs while sitting; d. on walking. Rhus-t.
Heaviness, weakness and weariness of legs while sitting; d. on walking. Rhus-t.
Jerking, sore pain from hip joint to knee while in bed in morning; d. on walking. Puls.

Discharge.—Burning ulcer on leg, with offensive d.; mottled, purple appearance. Carbo-v.
Carious ulcers on tibia, very sore, with greenish, offensive d.; skin adheres to bone; ulcers painful on edges; with high, hard edges; bleed easily and are very sensitive; pricking on circumference. Asaf.
Chronic, indolent, flat ulcers on legs, with purplish or bluish skin; many small sores around main ulcer, having uneven, dirty bottom; burning and bleeding, even when lightly touched; thin, ichorous, offensive d.; very senstive to touch. Lach.
Old indolent ulcers with callus borders and ichorous d. Sang. (Use Nitrate of Sanguinaria locally).
Rheumatism (following suppression of catarrh); relieved by catarrhal d. Puls.
Ulcers on tibia affecting periosteum, with profuse, watery, offensive d. Phos-ac.

Discharging.—Caries of bones with fistulous openings d. thin pus and bony fragments. Sil.
Fistulous openings in legs, with hard edges, d. greenish-yellow pus. Sil.
Scrofulus ulcers in hollow of sole, and over tarsal and metatarsal bones, d. pus and sanious matter. Hydr.

Discolored.—Nails d. Ars.

Dislocated.—Ankle joint feels as if d. Calc-ph.
Hip joint painful, as if d. Puls.
Pain, as if sprained or d., in joints of femur and knees. Ign.
Pain in ankle, as if d. Bry. (Rhus-t., Ruta.)
Pain in hip, as if d. Psor.
Right ankle feels as if d.; can scarcely walk; changes to left. Ver-v.
Sensation in femur as if d., on sitting. Ipec.

Dislocation (see Luxation).—Ankles pain after sprain or d. Ruta.
D. of patella. Gels.
D. of patella when going up stairs. Can-sat.
Easy d. and spraining of ankles. Natr-c.
Spontaneous d. of hip. Coloc., Rhus-t.

Dislocations.—Easy d. Phos.

Distention.—D. of joints. Berb.

Dorsum.—Acute painful suggillations on d. of foot. Ferr-ph.
Burning from toes to d. of right foot. Bapt.
Corrosive itching near tibia and on d. of both feet near joints; becoming more violent on scratching. Bism.
Cramp-like drawing and tearing pains from toes to d. of foot. Anac.
Drawing, crampy pain in d. of foot, especially during motion. Camph.
Drawing pain in d. of right foot when standing; ceases on sitting. Tarax.
Drawing pressure on d. of right foot when sitting; disappears on rising. Cycl.
Hard, nodulated tumor large as a walnut on d. of foot. Hydr.
Inflammatory, red swelling of d. of feet and toes, with contraction when stepping on them. Thuja.
Intense itching of d. of foot and instep; worse from scratching and warmth. Led.
Itching of d. of foot. Aur.
Itching pain on d. during rest. Ign.
Marbled skin of thighs, legs and d. of feet. Caust.
Pain in d. of right foot. Card.
Pains through ankles and in d. of foot. Phyt.
Severe stitches in d. of foot and between toes. Aur.
Swelling of d. of foot. Merc., Merc-sol., Puls.
Swelling of d. of foot, sometimes extending along leg to thigh, with great inclination to stretch out foot. Puls.
Tearing, cramp-like pain in d. of foot along outer surface, and along outer surface of calf. Camph.
Tuberculous erythematic lupus; d. of right foot covered with small indurations having large, thick crusts, some grayish white, others light yellow, resting on purple base. Hydroc.
Veins on d. of foot swollen, and between swollen veins red patches which do not disappear on pressure. Croton-tig.

Downward.—Drawing pain in thighs extending d. Ran-b.
Dull pains darting or cutting from right hip joint posteriorly d. to foot; worse lying; better sitting in chair. Graph.
Paralysis from small of back d., with numbness, stiffness and bruised feeling. Cocc.
Rheumatic pain from knees d. Nicc.
Tearing pain in calf extending d. Caust.
Tearing pains in legs, muscles and joints from above d. Sulph. (From below upward. Led.)
Dragged.—Locomotor ataxia; shuffling gait; feet d. along by lifting legs. Ars.
Shuffling gait, as if feet were being d. Sec.
Dragging.—D. from hip to groin, as if everything would be pressed out. Ox-ac.
D. of left foot when walking. Cupr.
Drags.—D. feet when walking. Nux-v.
Unsteady gait; d. feet. Nux-v.
Drawing.—Aching, d. pain in limbs, with great lassitude. Nux-v.
Aching in joints and d. pain in tibia. Kali-c.
Arthritis: d., tearing pains in toes, with red shiny swelling, especially at night; cannot bear heated room; better in cold air. Sabin.
Boring, d. pain in tibia Merc.
Cramp-like d. and tearing pains from toes to dorsum of foot. Anac.
Cramp-like, d. pain in internal femoral region. Coloc.
Cramp-like, intermittent d. from heels to calves. Anac.
Crampy sensation in calf when d. up knee. Coff.
Cutting pain and d. in legs down to heel. Bar-c.
D. aching in left foot. Coloc.
D. and burning in thigh. Lyc.
D. and contraction in thighs and legs in evening, with great restlessness, sleeplessness and chilliness. Puls.
D. and contractive pains in gastrocnemius muscles of left leg. Gels.
D. and cutting in foot, with sensation as if joint would break, with swelling. Bov.
D. and cutting in knees; worse at commencement of walk. Coni.
D. and shooting pains in legs. Bar-c., Carbo-an.
D. and swelling of feet in evening. Bry.
D. and tearing in all limbs; worse from warmth and at night. Merc.
D. and trembling sensation in muscles of legs. Cist.
D., boring under toes, especially in evening. Paris.
D., crampy pain in dorsum of foot, especially during motion. Camph.
D., crawling, spasmodic pains and formication in legs. Sec.
D. in and heaviness of legs. Ign.
D. in bend of knee as if cords were too short. Natr-m. (Am-m.)
D. in calves when walking. Natr-m.
D. in legs when sitting or lying. Am-m.

D. in long bones. Sabin.
D. in muscles. Natr-c.
D. in muscles of thigh, which is sensitive to touch. Dulc.
D. in or contraction of muscles or tendons, especially hamstrings. Natr-m.
D. in tarsal joint when sitting. Valer.
D. in thighs, as if bound or wrapped tightly. Plat.
D. in toes. Thuja.
D. pain at night in muscles of thighs. Puls.
D. pain below right knee. Coff.
D. pain down entire left leg. Bar-c.
D. pain from knees to feet. Phos.
D. pain from little toe along tibia. Tarax.
D. pain in bones. China, Rhod.
D. pain in both knees when ascending. Alu.
D. pain in calves during motion. Cocc.
D. pain in dorsum of right foot when standing; ceases on sitting. Tarax.
D. pain in feet. Ol-an., Rhod.
D. pain in flexors of leg from bend of knee to tips of toes. Cycl.
D. pain in foot when walking. Bar-c.
D. pain in hip bone. Kali-jod.
D. pain in hip joint extending to thighs. Carbo-v.
D. pain in hip joint when walking. Ant-c.
D. pain in hip joint; worse from touch and on bending trunk backward. Caps.
D. pain in inside of thighs. Natr-ph.
D. pain in knee. Caps.
D. pain in knees. Anac., Natr-m., Phos.
D. pain in knees; more stretching than when bending knees. Caust.
D. pain in left hip. Sulph.
D. pain in legs. Sep.
D. pain in legs, especially when walking, with feeling of paralysis in thighs. Hep-s.
D. pain in lower extremities. Ang., Ant c., Bar-c., Carbo-v., Cham., Graph., Merc., Nux-v., Sil., Sulph., Zinc.
D. pain in muscles of thigh at night forcing patient to move; does not know what to do, with sleeplessness and great chilliness. Puls.
D. pain in right thigh down to knee. Coloc.
D. pain in thigh. Sep.
D. pain in thighs. Arn., Natr-m., Ol-an., Ran-b.
D. pain in thighs extending downward. Ran-b.
D. pain in tibia. Anac.
D., painful stiffness of knees. Bry.
D. pains in bones of thigh, as if periosteum had been scraped with knife. China.

D. pains in feet. Can-sat., Rhus-r.
D. pains in legs and feet. Magn-c.
D. pains in thighs, knees, ankles, feet and toes. Caul.
D., pressing pains in ankles. Agar.
D , pressive pains in left hip joint, thigh being extended when sitting. Arn.
D. pressure in legs, even while sitting. Coloc.
D. pressure in toes. Colch.
D. pressure on dorsum of right foot when sitting; disappears on rising. Cycl.
D. stitches in thigh. Mang.
D., tearing and twitching in thighs. Magn-m.
D., tearing pain in leg, as of an internal ulcer; worse on touch, but most peculiar pain is a contraction which increases until very acute, then ceases suddenly with a snap; worse in the evening. Puls.
D., tearing pains in limbs, with chilliness. Puls.
D., tearing pain in muscles here and there when sitting. Staph.
D., tearing pain in patella. Cocc.
D., tearing pains in all joints and in thigh. Acon. (Bry., Rhus-t., Puls.)
D., tearing pains in joints. Cist.
D., tearing pains in legs. Cocc-c., Kali-c. (Rhus-t.)
D., tearing pains in legs and joints. Spig. (Bry., Led.)
D., tearing pains in one leg, with chilliness. Puls.
D. to and fro in left foot from toes to ankles. Can-sat.
D., twitching, with dull throbbing in left hip. Coloc.
D. with pressure in toes. Colch.
Gout: d. pain in knees; in lower part of left tibia; in left heel; tearing through right great toe. Ant-c.
Great lameness, with d. pain from abdomen to lower leg. Carbo-v.
Heaviness and d. in feet. Puls.
Heaviness and stiffness, with painful d. in legs. Ferr.
Heaviness in right foot, as if heavy weight were attached to tarsal bones d. foot down. Agn.
Intermittent, painful d. in bent knee. Croc.
Involuntary d. up of knees when walking. Ign.
Knees swollen, with tearing, d. pains. Puls.
Jerking in right thigh; relieved by standing or d. leg up. Meny.
Pain and d. in limbs, as if muscles were too short. Lach.
Painful d. and lameness behind left trochanter, extending to popliteal space. Iris.
Painful d. in joints of right toes; worse when walking. Sabin.
Painful d. in legs. Magn-c.
Painful d. in legs and heaviness of feet. Sabad.
Painful d. in legs when sitting quiet; relieved on walking. Valer.
Painful d. in toes. Ruta.

Pains in lower legs down to toes, soon passing off, leaving a cramp-like d. Rhod.
Paralytic d. in muscles of thighs and calves; painful walking. Nux-v.
Paralytic, d. pain from abdomen to left leg. Carbo-v.
Piercing, d., tearing pains in legs. Millef.
Pricking, dull, twitching, d. pains to knees. Aloe.
Rheumatic d. in left leg. Iod.
Rheumatic d. in right thigh and leg. Zinc.
Rheumatic, d. pain in left glutæus maximus muscle near spine while sitting; ceases on standing. Cycl.
Rheumatic, d. pains in joints. Lyc.
Rheumatic, d., tearing pains in legs; worse at rest and in rough weather. Rhod.
Rheumatic gout: swelling and heat of knee, ankle joints and small joints of toes, with d. contractive pain and chilliness. Puls.
Rheumatism: pains go from below upward; joints swollen, painful, hot and tense; d. pains; worse from warmth and motion. Led.
Sciatica: d., pressive pain down to knee, with great exhaustion and difficult walking; cramps in calves and swollen feet; there is marked consecutive muscular atrophy. Plumb.
Sciatica: pressing, shooting, d., aching in thigh; pain external; with soreness in left groin; great lassitude and desire to lie down (syphilitic and gonorrhœal). Phyt.
Sciatica, with severe, burning, tearing and d. pains. Ars.
Spasmodic d. up of toes. Lach.
Spasmodic separation and d. together of legs. Lyc.
Sticking and d. from knee to groin; worse on motion or contact. Nux-v.
Sticking and d. in thighs; worse at rest. Hyos.
Stiffness and d. in joints. Kali-n.
Stitches, sticking and d. pains, with lassitude of legs and coldness of feet, but sometimes only of knees. Sep.
Swelling of knee, with tearing, d. pains. Puls.
Swelling, with d., sticking pains in knee when walking. Led. (Bry.)
Tearing and d. pain in leg. Alu.
Tearing, d. and cutting pains from heel through sole and toes. Kreas.
Tearing, d., gnawing, stinging pains in bones. Canth.
Tearing, d. pains in joints. Rhod.
Tearing, jerking and d. pain in knees. Puls.
Violent d., cutting pains in middle of long bones. Zinc.
Violent d. and cutting pains through knees and tibia, especially in evening. Sulph.
Violent d. or tearing pain in both legs from toes and thighs. Caust.
Violent pain, as if stepping on spikes, which penetrated soles and ran upward through limbs to hips, on attempting to walk; worse in right leg and accompanied by d. pains in both calves. Can-ind.
Weakness of knees, with painful d. when walking and standing. Cupr.

Drawn.—Knees involuntarily d. up when walking. Ign.
Legs d. up in bed. Merc-cor.
Lies with knees d. up. Abies-c.
On going to sleep one leg is suddenly d. up and shot out, especially when rousing patient. Sulph.
Pricking in balls of feet, as if toes would be d. down on putting foot to ground. Staph.
Thighs spasmodically d. forward or backward. Spong.
Toes d. up toward dorsum. Sec.

Draws.—Child d. feet spasmodically upward and backward upon nates. Cupr.

Dread.—Weakness and pain in thighs, as from fatigue, with d. of motion. Guaj.

Dropsical.—D. swelling of legs and feet. Merc.
Œdema or d. swelling of legs. Merc.

Dropsy.—D., especially if from stenosis of heart and arteries, or renal (with much general anasarca). Dig. ("As a rule the best form to administer is the infusion. Several days may elapse before decisive results are achieved; but the flow of urine is then often enormous."—Bartholow.)
D.: foot and ankle swollen and stiff; swelling pale, clear, wax-like. Apis.
D. of abdomen and legs. Acet-ac.
D. of knee joints. Sulph.
D. of left knee joint. Tart-em.
Great œdema of legs (in d., albuminuria, scarlatina, etc.). Aur.
Legs and feet enormously swollen; numb and stiff; can hardly walk; with albuminuria or general d. Apis.
Œdema of feet and ankles, with general d.; legs very weak. Apoc.

Drunkards.—Gout (in habitual d.). Nux-v.

Dry.—Burning in soles, with d. feeling. Mancin.
Knee joints feel d. and crack when moved. Nux-v.

Dryness.—D. of knee joint. Nux-v.
Knee joints crack from d. Benz-ac.
Sensation of d. in knee joints. Benz-ac.

Dysentery (see section on Stool).—Cramp in calves (with d.). Merc-c.

Dyspnœa.—Swelling of knees, feet and around ankles (with d.). Hep-s.

Ecchymosis.—E.: small, purple spots on legs from knees to ankles. Crotal.

Edges.—Carious ulcers on tibia, very sore, with greenish, offensive discharge; skin adheres to bone; ulcers painful on e.; with high, hard e.; bleed easily and are very sensitive; pricking on circumference. Asaf.
Obstinate ulcers (syphilitic) on inner side of soles; appear as if punched out; round, with sharp e. and smooth sides, with lardaceous base. Phyt.

Effusion.—Acute synovitis of knee, followed by e. Apis.
E. into joints. Bry.
Elastic.—Thrombosis: limbs immoveable, covered with reddish or bluish streaks or spots; hard, e., hot and very painful, especially along crural vessels and nerves. Apis.
Electric-like.—Violent, e. shocks in limbs. Ver-v.
Electric shocks.—E. in legs; worse in bed; must sit up and let legs hang out of bed, or walk about. Ver-a.
E. upward through thigh, followed by numbness. Euphr.
Elephantiasis.—E. Hydroc.
E. (in leprous patients). Lach.
Elongated.—Legs become e. Thuja.
Emaciated.—Limbs cold, bluish and e. Nux-v.
Emaciation.—E. of feet. Caust.
E. of legs (in marasmus). Abrot.
E. of thighs and feet. Selen.
Paralysis of legs, with swelling and e. Plumb.
Swelling of feet, followed by rapid e. Iod.
Endometritis.—Burning of soles (in women suffering from chronic e., leucorrhœa and disordered vaginal discharges). Lyc.
Enlarged.—Numb, dead feeling in legs; they feel e. Cedron.
Veins in calves e. Plumb.
Enlargement.—Housemaid's knee: e. of bursæ. Natr-m.
Enlargements.—Exostosis and osseous e. (syphilitic). Mez.
Ulcers, eruptions and periosteal e. on legs. Still.
Epistaxis (see section on Nose).—Inflammation of leg, with e. Borax.
Eruption.—Black, pustular e. Ars.
E. about joints making walking difficult, with feeling as if incased in armor. Psor.
E. between thighs. Petr., Selen.
E. between toes. Petr. (Calc-c., Nitr-ac., Nux-v., Sep.)
E. in bend of knee. Kali-c., Natr-m.
E. of blisters full of serum on sole of right foot. Kali-bi.
E. on ankles. Osm.
E. on calves. Petr., Sil., Thuja.
E. on feet. Coni., Lach., Rhus-t., Sep.
E. on knees. Anac., Ant-c., Lach., Merc., Nux-v., Phos-ac., Thuja.
E. on legs. Alu., Bov., Daph., Lach., Merc., Mez., Phos-ac., Sep., Sulph.
E. on thigh. Rhus-r.
E. on thighs. Merc., Nitr-ac., Nux-v., Osm., Petr., Thuja.
E. on toes. Natr-c., Sulph.
Heaviness in legs, followed by leprous e. Tart-em.
Herpetic e. on knee. Dulc.
Herpetic e. on knees and ankles. Petr.
Herpetic e. on posterior surface of thigh. Merc.

Herpetic e. on tibia. Graph.
Itching, burning and moist e. on legs. Petr.
Itch-like e. between nates. Oleand.
Paralysis of legs (after suppression of e. on arms). Psor.
Red e. encircling lower part of legs. Rhus-r.
Red, herpetic e. in bend of knee. Natr-m.
Ulcers, e. and periosteal enlargements on legs. Still.

Erysipelas.—E. of feet. Arn., Dulc.
E. of legs. Hep-s., Rhus-t.

Erysipelatous.—E. inflammation and swelling of leg, with chilliness of body. Calc-c.
E. inflammation and swelling of the left leg and foot after dancing. Borax.

Evening.—Burning itching of legs; worse in e.; followed by desquamation ot skin. Agar.
Chilliness of feet in e., especially on going to bed. Am-c.
Coldness of limbs in e. when in bed. Sars.
Cramps in legs in e. after lying down. Puls., Sulph.
Cramp in soles (Sil.) in e. after lying down. Carbo-v. (Sulph.)
Drawing and contraction in thighs and legs in e., with great restlessness, sleeplessness and chilliness. Puls.
Drawing and swelling of feet in e. Bry.
Drawing, boring under toes, especially in e. Paris.
Drawing, tearing pain in leg, as of an internal ulcer; worse on touch; but most peculiar pain is a contraction which increases until very acute, then ceases suddenly with a snap; worse e. Puls.
Feet cold in e. in bed. Am-c., Am-m., Carbo-an., Graph., Kali-c., Nux-v., Paris, Sulph.
Feet icy cold in e., continuing long after lying down. Rhod.
Feet swell in e. Rhus-t.
Intense and painful coldness of legs, especially in e. Ambr.
Itching around ankle in e. Selen.
Itching of toes in e. Indium.
Itching of toes in e. in bed, with sweat between toes. Clem.
Legs go to sleep when sitting, in e. Calc-c.
Pulsating, aching pain in right leg, with soreness in e. Still.
Rheumatic inflammation of joints; worse e. and night; intense, bright-red, shining, swelling, sensitive to least contact (Bry.); numbness and tingling in all parts. Acon.
Rheumatism: pains change rapidly from one part to another, without swelling or redness; with constant chilliness; worse e. and night. Puls.
Rheumatic pains, mostly in bones and joints; worse e.; better moving. Teucr.
Sciatica: dull, aching pain in right side; worse afternoon and e.; better from warmth. Pallad.

Sciatica: pain running from hip to knee down outside of thigh; worse afternoon and e., and on any change in weather; pressure causes pain to shoot along entire length of nerve. Kali-bi.

Severe pain in ankles; worse in e. Rhus-r.

Shooting and tearing in hip joint, which pains as if bruised when touched; worse e. in bed; must get up and walk about. Ferr. (Rhus-t.)

Shooting and tearing pains in toes in e. Am-m.

Sudden swelling around ankle in e. Stann.

Swelling of feet in e., or when walking. Phos.

Swelling of foot in e. Cocc.

Violent drawing and cutting pains through knees and tibia, especially in e. Sulph.

Violent pain in legs affecting mostly muscular part of thigh; worse e. and night. Plumb.

Exanthema.—Pustulous, ichorous e. on feet. Viola-tr.

Excoriation.—E. between legs. Graph.

E. of thighs after walking. Æth.

Inflammation and e. of inside of nates. Rhus-r.

Smarting as from e. Berb.

Smarting, e. and soreness between toes. Natr-c.

Excrescences.—Large horny e. on soles near toes, inflamed and very sensitive. Ant-c.

Exercise.—Fatigue after slight e. Gels.

Neuralgia of limbs: pain burning, with agony and great restlessness; worse during rest at night; relieved by e. Ars.

Sciatica: dull, aching pain in right side; worse at night and in cold or damp weather; relieved by heat, rubbing and by e. Rhus-t.

Exerting.—Tearing pain in tendo Achillis and calf, as if parts would be cut off; worse standing, walking or e. muscles. Ign.

Exertion.—Great restlessness of limbs, with fear and anxiety, and great exhaustion from e. or movement; must lie down. Ars.

Great weakness of knees, with sleepiness; has to lie down after least e. Nux-m.

Trembling of legs from every e. Phos.

Weariness of thighs as after e. Rheum.

Exhausted.—Thighs and legs feel weary and e. Natr-s.

Exhaustion.—Excessive weakness and e. of legs obliging patient to lie down. Ars.

Great restlessness of limbs, with fear and anxiety, and great e. from exertion or movement; must lie down. Ars.

Œdema of feet, with great e. Ars.

Rigidity of calves, with great debility and e. as from fatigue. Arg-n.

Sciatica: drawing, pressive pain down to knee, with great e. and difficult walking; cramps in calves, and swollen feet; there is marked consecutive muscular atrophy. Plumb.

Exostosis.—E. and osseous enlargments (spyhilitic). Mez.
E., with severe bone-pains at night; periosteum very tender. Aur.

Exposure.—Rheumatism after e. to wet; parts feel as if beaten, with severe pains when remaining in one position; relieved when moving about. Dulc. (Rhus-t.)

Extend.—Painful, hard swelling in bend of knee; unable to e. limb. Magn-c.

Extended.—Drawing, pressive pains in left hip joint, thigh being e. when sitting. Arn.

Extending.—Cramps in calves and bend of knees when e. legs. Calc-c.
Cramps in toes when e. foot. Bar-c., Sulph.
Dull pain in side of knee when walking and especially when e. limb. Kali-c.

External.—Sciatica: pressing, shooting, drawing, aching in thigh; pain e.; with soreness of left groin; great lassitude and desire to lie down (syphilitic and gonorrhœal). Phyt.

Eyes (see section on Eyes).—Locomotor ataxia: staggering, tottering, irresolute gait; cannot walk with e. closed, or in dark; jerk ng of toes. Arg-n.
Unable to walk except with e. open and in daylight. Alu.
Unsteadiness from knees downward when walking, especially when e. are closed. Physos.

Fall.—Knees weak; totters and sinks down when walking; threatens to f. to one side. Cocc.
Liability to f. readily. Caust.
Pain in bones around hip as if from bruise or f. Ruta.
Pains in legs, joints and bones, as if beaten, or as after a blow or f. Ruta. (Arn., Bad.)

Falling.—Unsteady gait and easy f. (of children). Caust.

Falls.—Paralysis of legs; f. over own leg. Stram.
When about to sit down f. upon chair for want of strength. Stann.

Fatigue.—Bruised pain as from f. Nitr-ac.
Dull pain as from pressure and f., or from long stooping, extending from sacrum around hip and down right leg. Bapt.
F. after slight exercise. Gels.
F. from walking. Rhus-r.
F. of feet. Can-sat.
Feeling in knees as of great f. when ascending. Dig.
Great f. after a walk. Cor-r.
Heaviness and feeling of great f. in limbs. Magn-m.
Legs feel weary, as after long walk, and great f. Physos. (Calc-c., China.)
Rigidity of calves, with great debility and exhaustion as from f. Arg-n.
Swelling of joints after f. from walking. Actea-s.
Weakness and pain in thighs as from f., with dread of motion. Guaj.

Fatigued.—Easily f. when walking. Natr-c.
F., tired feeling and uneasiness in the legs, as after a long walk. China.

Fear.—Great restlessness of limbs, with f. and anxiety, and great exhaustion from exertion or movement; must lie down. Ars.
Left hip and hip joint swollen, hot and very painful to touch, with anxiety, f. and great thirst. Acon.
Skin of legs cold, flaccid, with complete paraplegia and great f. of death. Ars.
Sudden sinking of strength, with f. or alarm. Acon.

Febrile.—Extensive gangrenous periostitis of tibia, with severe f. disturbance; periosteum peeled off in large area upward as far as knee joint; bone rough. Phos.

Feet.—Aching pain in hips, legs and f.; more on right side. Still.
Ankles swollen, with cutting pains in f. (during chill). Chin-s.
Aptness to take cold in f. Sil.
Arthritic pains in f.; worse late in afternoon. **Arn.**
Arthritic swelling of f. China.
Arthritic tearing in feet and toes. **Graph.**
Boils on f. Stram.
Boring pain in f. and toes. Ran-sc.
Burning and swelling of f. Petr.
Burning and tingling in f. Croc.
Burning in f. when walking. Natr-m.
Burning in f., with redness. Tart-em. (Agar.)
Burning in soles and palms at night, compelling patient to throw off bedclothing to cool f. Sang. (Sulph.)
Burning of f. Cocc., Dulc., Graph., Led., Lyc., Ox-ac., Sec., Stram.
Burning or cold f. Natr-m.
Burning pain in f. Kali-c., Phos-ac., Sep., Stann.
Checked perspiration on f. Bar-c.
Child draws f. spasmodically upward and backward, upon the nates. Cupr.
Children kick off clothes to cool f. Sulph.
Chilliness of f. in evening, especially on going to bed. Am-c.
Chronic weakness of f. Hyos.
Cold perspiration on f. Cocc., Dros., Lyc., Merc., Sulph.
Coldness of f. Lach.
Coldness of f. and legs below knees, with feeling as if had on damp stockings. Calc-c.
Coldness of knees, toes and fore part of f. Daph.
Congestion of blood to f. when standing. Graph.
Constant trembling of f. Stram.
Contraction of f. and toes. Sec.
Cramp in calves: cannot lie still at night; has to constantly change position of f. or walk to get relief. Ars.

Cramp in f. Am-c., Berb., Camph., Caust., Graph., Lachn., Lyc., Meph., Natr-c., Nux-v., Petr., Ran-b., Rhus-t., Sec., Sil., Stram., Sulph.
Cramp in f., toes and soles. Caust.
Cramp in legs and f.; must walk about. Rhus-t.
Cramping pain in f. Ang.
Cramp-like pain in f. Ang.
Cramps in calves and f. Am-c.
Cramps in calves, thighs and f., with diarrhœa of painless, watery stools. Podo.
Cramps in f. at night. Lachn.
Cramps in legs and f., with great restlessness. Cupr.
Crampy sensation in outer part of thighs, legs and f. Berb.
Creeping in f. when standing. Sep.
Deadness of f. Calc-c.
Drags f. when walking. Nux-v.
Drawing and swelling of f. in evening. Bry.
Drawing pain in f. Ol-an., Rhod.
Drawing pain in hips, thighs, legs and f.; more on right side. Chelid.
Drawing pains in f. Can-sat., Rhus-r.
Drawing pains in legs and f. Magn-c.
Drawing pains in thighs, knees, ankles, f. and toes. Caul.
Dropsical swelling of legs and f. Merc.
Dull and humming sensation in legs and f., as if they had gone to sleep. Caust.
Emaciation of f. Caust.
Emaciation of thighs and f. Selen.
Eruption on f. Coni., Lach., Rhus-t., Sep.
Erysipelas of f. Arn., Dulc.
Fatigue of f. Can-sat.
F. and hands icy cold, rest of body warm. Meny.
F. and legs below knees habitually cold. Meny.
F. and legs cold. Opi.
F. and legs from knees down feel cold and numb. Lept.
F. and legs numb. Acon.
F. and legs very weak, as after long walks and over fatigue, or after long illness. Art-v.
F. and lower legs cold. Ign.
F. and lower legs icy cold. Chin-ars.
F. bend under. Natr-c.
F. blue. Arn., Elaps.
F. burn much at night (during climacteric). Sep.
F. cold. Absinth., Ambr., Anac., Calc-c., Carbo-an., Caust., Cist., Coni., Dory., Graph., Ipec., Iod., Kali-c., Lact., Merc-cor., Natr-c., Nitr-ac., Pic-ac., Puls., Rhod., Rhus-r., Sep., Sil., Sulph., Tart-em.

F. cold (after suppression of foot-sweat). Sil.
F. cold and sweat easily; sweat so acrid that it corrodes skin. Iod.
F. cold and sweaty. Lyc.
F. cold and swollen. Hyos., Sulph-ac.
F. cold as far up as knees, as if they were in cold water. Meny.
F. cold at night. Zinc.
F. cold, coldness extending as far up as calves. Croton-tig.
F. cold day and night. Cinnab.
F. cold in bed. Kali-c. (Calc-c.)
F. cold (in chronic suppurations). Hep-s.
F. cold in evening in bed. Am-c., Am-m., Carbo-an., Graph., Kali-c., Nux-v., Paris, Sulph.
F. cold, numb and stiff. Ferr.
F. cold, with aching of legs. Am-brom.
F. cold, with sweat on toes and soles; hands hot. Acon.
F. constantly cold. Oleand.
F. feel as if in cold water. Gels.
F. feel fuzzy. Hyper.
F. feel heavy. Mang.
F. feel heavy as lead. Phos.
F. feel heavy, with great lassitude of legs; can scarcely drag them; when walking staggers and has to sit down. Alu.
F. feel large and heavy and can be moved only by moving whole limb. Ars.
F. feel tired, as if had walked long distance. Eupat-purp.
F. feel weary and tired. Magn-c.
F. fidgety and nervous; must move them constantly. Zinc.
F. go to sleep. Nux-v.
F. go to sleep easily. Laur.
F. go to sleep when crossing legs or sitting. Laur.
F. go to sleep when sitting. Euphorb.
F. give way when walking. Sil.
F. hot; burn much. Fluor-ac.
F. icy cold. Cedron, Elaps, Phos., Ver-a.
F. icy cold (Sil., Ver-a.) at night in bed. Paris.
F. icy cold before going to bed. Sars.
F. icy cold, body warm. Samb.
F. icy cold (in cholera infantum). Camph.
F. icy cold in evening continuing long after lying down. Rhod.
F. numb and cold, even when covered up warm in bed. Alum.
F. œdematous, numb and cold, with prostration. Ars.
F. pain, as if sprained. Bry.
F. painful and feel as if sprained in morning on rising. Rhus-t.
F. painful when walking. Ambr., Natr-m.
F. puffed, with burning in soles. Phyt.
F. sore. Lyc.

F. sweat easily and feel cold. Indium.
F. swell and are painful on walking; feels every pebble. Sabad.
F. swell in evening. Rhus-t.
F. swollen and feel as if asleep. Sep.
F. swollen and stiff. Tart-em.
F. swollen, feel heavy and stiff. Apis.
F. swollen, with sensation as if gone to sleep. **Sep.**
F. tingle when lying. Hyper.
F. turn under when walking. **Agn.**
F. very cold. Antipy.
Fetid odor of f. Sep.
Fetid sweat on f. Bar-c., Graph., Kali-c., Plumb., Sil., **Tellur., Thuja.**
Fetid sweat on f., with soreness about toes. Zinc.
Formication in f. and toes. Phos.
Frequent darting pains from f. to hips. **Nux-v.**
Fungous growths on f. Phyt.
Furuncles on f. Calc-c.
Fuzzy feeling in lower legs and f. Sec.
Gangrene of lower legs and f. Sec.
Gout in f. Natr-s.
Gouty tearing in f. and toes. Graph.
Great lassitude of knee joints and heaviness of f. Caust.
Great weakness and paralytic heaviness of legs and f. Rhus-t.
Great weakness in f., especially when standing or walking. Kali-n.
Heaviness and drawing in f. Puls.
Heaviness and lameness of legs and f.; raises feet slowly and puts them down with force. Bell.
Heaviness and stiffness of f. Kali-c.
Heaviness and weakness of f. Ign.
Heaviness of f. Bell., Cad., Natr-c., Natr-m., Sabad.
Heaviness of legs and f. Natr-m.
Hot, inflammatory swelling of f., with redness. **Bry.**
Hot swelling of ankles and f. Bry.
Hot swelling of f. Cocc.
Hot swelling of f. extending as far up as calves. Puls.
Inflammation of f. Arn., Carbo-v.
Insensibility of f. Nux-v.
Intolerable, cadaverous, carrion-like odor of f., without sweat. Sil.
Itching and stinging in f. and toes. Puls.
Itching of f. Selen.
Itching of legs and f. Calc-c.
Jerking of f. Cic-v., Ipec., Sep.
Lameness after suddenly checked perspiration of f. Colch.
Legs and f. cold after suppression of sweat on f. Sil.
Legs and f. cold and blue; on being touched leave white impress of finger (in cholera infantum). Kali-brom.

Legs and f. cold, with excessive fetid sweat on f. Sil.
Legs and f. enormously swollen, numb and stiff; can hardly walk; with albuminuria or general dropsy. Apis.
Legs and f. feel too full. Opi.
Legs and f. icy cold. Sil., Ver-a.
Legs and f. œdematous, pale and wax-like. Apis. (Ars.)
Legs and f. waxy, pale and œdematous. Tart-em. (Ars.)
Liability of f. to take cold. Sil.
Locomotor ataxia: shuffling gait; f. dragged along by lifting legs. Ars.
Long-continued warm sweat on f. Led.
Lower leg and f. cold. Chenop-a.
Lower part of legs and f. cold. Dig.
Nodes on legs and f. Ang.
Numbness and crawling in limbs and f. Hyper.
Numbness and insensibility of f. Coni.
Numbness and weakness of f. Ars., Zinc.
Numbness in f. when sitting still; disappears on motion. Helon.
Offensive perspiration on f.; toes and soles are sore. Bar-c.
Offensive, profuse perspiration on f. (Sil.) causing soreness, with sticking pains, with feeling as if walking on pins. Nitr-ac.
Offensive smell of f. Sil.
Offensive sweat on f. (Nitr-ac.) causing soreness between toes. Sep. (Sil.)
Offensive sweat on f. (Nitr-ac.), with rawness between toes. Sil. (Sep.)
Œdema of ankles and f., with heart disease or fatty degeneration of kidneys (albuminuria). Phos.
Œdema of ankles; f. swollen. Phyt.
Œdema of f. Ferr., Natr-s.
Œdema of f. and ankles (with bronchial catarrh). Squilla.
Œdema of f. and ankles, with general dropsy; legs very weak. Apoc.
Œdema of f. (in diabetes mellitus). Arg-m.
Œdema of f. which extends until ascites forms. Lyc.
Œdema of f., with copious sweat on f. Kreas.
Œdema of f., with great exhaustion. Ars.
Œdema of legs and f., with disease of liver. Arg-n.
Œdematous swelling of legs and f. Colch., Iod., Rhod.
Œdematous swelling of lower legs and f. Samb.
Œdematous, white swelling of f.; feel cold and heavy. Kreas.
Pain gradually rising from tarsal joint to hips, necessitating constant motion and shifting of f. while sitting. Bell.
Pain in f. and toes at night. Caul.
Pain in f., as if sprained. Bry., Cycl., Dros., Rhus-t.
Pain in f., even when drawing on stockings; hurts so that it makes patient sick at stomach. Arum.
Pain in legs at night, with burning in hands and f. Am-c.
Painful drawing in legs and heaviness of f. Sabad.

Painful weariness in f., with feeling of heaviness. Croc.
Painful weariness of legs, especially thighs and f., as after long walk. Calc-c. (China.)
Painful weariness of legs (during menses); f. are heavy, languid and debilitated. Bov.
Pains in f. and knees, as if heavy stones were tied to parts; better on movement. Ver-a.
Paralysis of f. Bell., China, Nux-v., Oleand., Plumb.
Paralysis of f. after suppression of sweat on f. Zinc.
Paralysis of f. (with spinal or chronic nervous affection, as softening of brain, or cerebral hæmorrhage). Zinc.
Paralysis of legs and f. Oleand.
Paralytic pain in f. China, Plumb.
Paralyzed feeling in f., with great œdema. Phos.
Perspiration on f. Bar-c., Calc-c., Carbo-v., Hell., Kali-c., Lyc., Magn-m., Sep., Sil., Sulph.
Pressing pain in f. Oleand.
Prevents locked-jaw from wounds in f. Hyper.
Pricking in f. Dig., Sep., Thuja.
Profuse, fetid sweat on f., with burning of soles. Lyc.
Profuse perspiration on f. Carbo-v., Indium, Kali-c., Lact-ac. Petr.
Purple and mottled swelling of f. and legs up to knees; pitting on pressure; rending pains in periosteum; comfortable only when holding feet in ice water. Led.
Pustules on f. Coni.
Pustulous, ichorous, exanthema on f. Viola-tr.
Red, hot swelling of f. up to calves. Puls.
Red, hot swelling of f., with contracting, burning pain, increasing to stitching pain when standing. Puls.
Rending, tearing in f. China, Colch., Rhod.
Restlessness in legs and f. Anac., Nitr-ac.
Rhagades on f. Hep-s.
Rheumatism in both f.; instep puffy. Ruta.
Rheumatism: œdema of f. and around ankles; swelling hard over inner ankle and a little red, as if inflamed; least touch anywhere is painful. Chelid.
Sciatica: drawing, pressive pain down to knee, with great exhaustion and difficult walking; cramps in calves and swollen f.; there is marked consecutive muscular atrophy. Plumb.
Sensation in lower legs and f., as if asleep. Rhod.
Sensation of coldness in f., though they are not cold. Sulph.
Shuffling gait, as if f. were being dragged. Sec.
Skin of f. cracked. Hep-s.
Small, hard, white, deep vesicles on f. and legs, preceded by violent itching. Lach.
Soft and fungoid ulcer on legs and f. Pæon.

Sore and raw spots on f. especially heel. Al-cep.
Soreness in joints of f. and toes. Arg-m.
Sour perspiration on f. Calc-c. (Fetid and corroding. Sil.)
Spasmodic stretching and twitching of f. Cina.
Stiffness of f. Sep.
Stinging pain in f. Grat., Sulph.
Stitches and cramps in f. Meph.
Stitches in f. Bry., Kali-c.
Stitches in patella, tibia and f. Viola-tr.
Stitches, sticking and drawing pains, with lassitude of legs and coldness of f., but sometimes only of knees. Sep.
Subsultus tendinum in f. Iod.
Sweat on f. Magn-m.
Sweat on f., especially between toes, smelling sour, or like sole leather. Kobalt.
Swelling and burning of f., with black spots. Sec.
Swelling and caries of tibia and bones of f. Asaf. (Hep-s., Sil.)
Swelling and redness of f. Sil.
Swelling and stiffness of f. Sticta.
Swelling and weakness of f. Puls.
Swelling of f. Arg-m., Arn., Ars., Bell., Carbo-an., Caust., China, Cocc., Ferr., Graph., Kali-c., Lach., Led., Lyc., Natr-m., Opi., Phos., Plumb., Sars., Sec., Sep., Sil., Therid.
Swelling of f. and toes, with stinging in them when walking or stepping. Natr-c.
Swelling of f. and up to knees. Led. (Ars., Dig., Laur.)
Swelling of f. by day, diminishing at night. Dig.
Swelling of f., followed by rapid emaciation. Iod.
Swelling of f. in evening. Cocc.
Swelling of f. in evening, or when walking. Phos.
Swelling of f. makes varicose veins swell up. Puls.
Swelling of f., which are sensitive. Sabad.
Swelling of f., with burning. Crotal.
Swelling of f., with burning and stinging and sensation as if full of pins. Dory.
Swelling of f., with burning pain. Coni.
Swelling of f., with hot, shining, burning, red spots, or black, blue blisters. Ars.
Swelling of knees and f., and around ankles (with dyspnœa). Hep-s.
Swelling of legs and f. Graph.
Swollen or sweaty f. Phos-ac.
Takes cold in f. easily. Coni. (Sil.)
Tearing pain in f. after getting wet. Dulc.
Tearing pain in f. (of pregnant women). Phos.
Tearing pain in knees, over legs and f. Kali-c.
Tearing pains and numbness of f. Bism.

Tearing pains in lower limbs, mostly in knees and f. Natr-c.
Tingling commencing in f. and extending upward. Acon.
Trembling and heaviness of hands and f. Nicc.
Trembling and jerking of f. Iod.
Trembling coldness of f. Ver-a.
Trembling of f. Sars.
Tremor of f. Plat., Stram.
Tremulous restlessness and tired feeling in legs and f. when sitting. Plat.
Twitching in tendons of legs and f. Stram.
Uneasiness of f. when sitting. Bar-c.
Unsteady gait: drags f. Nux-v.
Violent nightly pains in bones of f. Mez.
Violent pain in bones of f. Mez.
Violent tingling in thighs, legs and f. Caust.
Weak feeling in f. when ascending. Borax.
Weakness of f. China, Oleand., Ol-an., Tabac.
When touched ever so slightly on f. jerks them up much frightened. Kali-c.

Femur.—Burning pains in bones of hip joint and in f., night. Euphorb.
Caries of tibia and f., especially of joints. Sil.
Pain as if sprained or dislocated in joints of f. and knees. Ign.
Rheumatic pain in hip joint and f., especially at night. Magn-s.
Right f. from knee to middle greatly swollen. Mez.
Sensation in f. as if dislocated, on sitting. Ipec.
Softening of f. Sil.

Femoral muscle.—Sciatica: shooting, burning, laming pain in posterior f., shooting along left sciatic nerve to foot. Iris.

Femoral region.—Cramp-like, drawing pain in internal f. Coloc.

Fetid.—F. perspiration on feet. Bar-c.

Fever (see section on Fever).—Acute articular rheumatism; rheumatism attacks one joint after another; they are puffy and red, with high f. Ferr-ph.
Rheumatism of hip and knee, with high f. and scanty red urine; flying pains, especially in joints; with shuddering. Ver-v.
Thighs numb and cold (with f.). Spong.

Fibula.—Pain in middle of tibia and f. down to great toe. Phyt.

Fidgety.—Feet f. and nervous; must move them constantly. Zinc.

Fire.—Bullæ on soles burn like f. Ars.
Swelling of legs burning like f. Crotal.

Fistula.—Inflammatory rheumatism of right knee, with tearing in f. Lob.

Fistulous.—Caries of bones with f. openings discharging thin pus and bony fragments. Sil.
F. openings in legs, with hard edges, discharging greenish-yellow pus. Sil.

Fissures.—Horizontal f. beween and under toes. Sabad.

Flesh.—Aching pain in back and legs as if bones were broken, with soreness of f., before and during chill (in intermittent). Eupat-perf.

F. feels as if beaten off bones. Thuja.

Soreness of f. of limbs. Arg-n.

Flex.—Cramps f., limbs and body tossed upward. Hyos.

Flexed.—Hamstrings feel too short; knees f.; attempting to stretch them causes pain in thighs (during intermittent). Cimex.

Flexibility.—F. of hips. China.

F. of knees. Nux-v., Ruta.

F. of knees when ascending stairs. Can-sat.

Flexor.—Drawing pain in f. of legs from bend of knee to tips of toes. Cycl.

Pain in f. of left knee and immediately above patella, extending upward and around thigh; pain as if limb were heavily grasped. Chim.

Fluids.—Absorption of f. in bursæ and ganglions. Sil.

Flushes.—F. of heat and burning in soles. Cupr.

F. of heat in limbs. Kobalt.

Skin of legs cold, f., with complete paraplegia and great fear of death. Ars.

Weakness of legs after loss of f. Phos-ac. (China.)

Fly.—Pains rapidly f. from one part to another. Kali-bi.

Rheumatism in places least covered by f.; not in joints; pains f. from one place to another on touch. Sang.

Flying.—F., stitching pains in limbs. Mez.

Frequent f. pains in legs and arms; remain only a few minutes in any one place. Caul.

Rheumatism of hip and knee, with high fever and scanty red urine; f. pains, especially at joints; with shuddering. Ver-v.

Foot.—Aching, crampy pain in f. Iod.

Burning bain in sides of f. and on back of toes. Nux-v.

Calf painful when walking and setting down f. Calc-c.

Cold, clammy f. up to knees. Laur.

Convulsive tremor of right f.; can neither lie, sit or walk. Hyos.

Cramp-like, stitching pain in left f. Natr-m.

Crampy pain in f. Euphorb.

Dragging of left f. when walking. Cupr.

Drawing aching in left f. Coloc.

Drawing and cutting in f., with sensation as if joint would break, with swelling. Bov.

Drawing pain in bend of right f., extending to great toe, where it is only felt during motion. Caust.

Drawing pain in f. when walking. Bar-c.

Drawing to and fro in left f. from toes to ankles. Can-sat.

Dropsy: f. and ankle swollen and stiff; swelling pale, clear, wax-like. Apis.
Eruption of blisters full of serum on sole of right f. Kali-bi.
Feeling as if toes and whole f. were too large. Apis.
Fine, tearing pain in muscles of left f. Spig.
F. cold, especially toes. Acon.
F. feel numb and pithy or woody, and as if pricked with needles. Hyper.
F. turns under when walking, as from weak ankle. Carbo-an.
F. warm, with cold hands. Aloe. (Cham.)
Great toe red, swollen and painful, especially at night, followed by swelling of whole f. Am-c.
Heat of one f. with coldness of other. Lyc.
Heaviness in right f., as if heavy weight were attached to tarsal bones drawing f. down. Agn.
Inflammation and swelling of f., breaking open near toes. Carbo-an.
Itching of toes and inner border of sole of right f. Ambr.
Left f. numb, with prickling. Bapt.
Numb feeling in left sole, then whole f., increasing to numbness of whole leg. Can-ind.
Numb pain in right f., with inability to raise it when sitting. Ars.
Numbness first in right f., then left. Coloc. (First left, then right. Millef.)
Numbness of great toe extending to f. and ankle joint. Ars.
Obstinate swelling of f. Led.
Œdema of f. and ankle. Hydr.
Œdema of left leg and knee, with icy-cold f. Cact.
One f. cold, other red and hot. Puls.
One f. hot, other cold. Lyc.
Pain in f., as if sprained. Cycl.
Pain in knee joint, like neuralgia, sometimes extending to toes, with thrill, as if f. had been asleep. Lact-ac.
Periostitis or periosteal inflammation of f., with unbearable bone-pains at night; worse from heat. Aur.
Pricking, as from needles in f. Kobalt.
Red, rash-like pimples on f., with itching, burning pains. Bov.
Rheumatic pain in knee and f. Phyt.
Scrofulous ulcers on leg and f. Hydr.
Sharp, cutting pains darting along course of sciatic nerve, terminating in twisting or wrenching feeling in f. Hyper.
Shooting, tearing pains from hip to knee and f., especially when coughing. Caps.
Steady pain over f. and ankle. Ferr-ph.
Stitches, burning, itching, smarting and cold feeling in f., as if frozen. Berb.
Stitches from left f. through thigh into testicle. Bar-c.

Swelling of sore f. Graph.
Tearing in margin of left f. Ambr.
Throbbing and pain, as from ulceration, in f. when walking. Am-m.
Ulcers on f., with black base. Ipec.
Ulcers on one f., with stitching pains upward; other f. burning. Puls.
Violent pain in left f. Kalm.
Violent stitch in f. extending to great toe. Hep-s.

Foot-sweat.—Feet cold (after suppression of f.). Sil.
F. Bar-c., Calc-c., Canth., Carbo-v., Cupr., Graph., Hell., Iod., Kali-c., Lyc., Mur-ac., Nitr-ac., Petr., Plumb., Podo., Sep., Sil., Squilla, Sulph., Thuja, Zinc. (For f. the Prussian military law prescribes Salycilic acid two parts and mutton suet one hundred parts. Another prescription is three parts Salycilic acid, ten parts starch, and eighty-seven parts tallow.)

Fore part.—Cramp in f. of lower leg near tibia. Carbo-an.

Forget.—Children seem to f. how to walk. Calc-c.

Formication.—Drawing, crawling, spasmodic pains and f. in legs. Sec.
F. in calves. Zinc.
F. in feet and toes. Phos.
F. on heel. Petr.

Forward.—Numbness of hip joint and thigh when walking, especially when moving leg f., with stitches when setting down foot. Arg-m.
Sprained feeling in groins causes patient to bend f.; cannot walk erect on account of pain there. Am-m.

Fossa poplitea.—Pain in sacral region corresponding to position of plexus ischiadicus thence extending through incisura ischiadica major toward hip joint down posterior portion of thigh into f., with sensibility of parts. Coloc.

Fourth.—Pain and soreness in f. toe of right foot. Dios.
Ulcer on f. toe. Graph.
Violent itching on back of f. toe of each foot. Tarax.

Friction.—Chilblains: worse from f. Zinc.

Fright.—Trembling, with shuddering in legs, as after severe f. Coloc.

Frightened.—When touched ever so slightly on feet jerks them up much f. Kali-c.

Frost-bites.—Chilblains or f. Agar., Arn., Ars., Bell., Canth., Carbo-v., Hep-s., Kali-c., Lach., Natr-m., Nitr-ac., Nux-v., Petr., Phos., Puls., Rhus-t., Ruta, Sec., Sulph., Zinc.

Frost-bitten.—Burning heat and redness of toes during colds, as if f. Borax. (Agar.)
Itching, burning and redness of toes (Apis), as if f. Agar.
Pain and inflammation of f. toes. Agar.
Tingling in toes, as if f. Colch. (Agar.)

Frosted.—Toes red, swollen and stinging, as if f. Carbo-v.

Frozen.—Itching and burning of toes, as if f. Nux-v.

Itching and redness of toes, as if f. Alu. (Agar.)
Itching, boring, burning of toes, as if f., especially in warm room. Nux-v.
Itching, burning and redness of toes, as if f. Agar.
Itching of parts formerly f. Sulph (Agar., Cycl., Puls.)
Itching of toes which have been f. Natr-c., Nux-v., Pæon., Staph., Sulph., Zinc.
Itching, tingling in toes, as after being f. Puls.
Pain and inflammation of f. toes. Agar.
Pain in toe, as if f. Phos.
Redness and swelling of toes, as if i. Carbo-v.
Stitches, burning, itching, smarting and cold feeling in foot, as if f. Berb.
Tingling in toes, as if f. Colch., Nux-m., Puls. (Agar.)
Toes painful, as if f. Asar.

Full.—Legs and feet feel too f. Opi.

Fungous.—F. growth on feet. Phyt.

Fungus articularis.—F.: fungous formations in joints. Ant-c.
F. on knee. Arn., Ant-c., Sil., Sulph.

Furuncles (see section on Skin).—F. in bend of knees. Sep.
F. on ankle. Merc.
F. on calves. Sil.
F. on feet. Calc-c.
F. on knees. Natr-m., Nux-v.
F. on right thigh painful on motion. Calc-c., Hell., Kali-c.
F. on soles. Rat.
F. on thighs. Cocc., Clem., Hyos., Ign., Lyc., Nitr-ac., Sil.

Fuzzy.—Feet feel f. Hyper.
F. feeling in lower legs and feet. Sec.

Gait.—Great weakness of legs, with staggering g. Hyos.
Heaviness of legs, with staggering g. Can-sat.
Locomotor ataxia: g. unsteady, staggering, as if drunk; looks to see if legs are really moving; with loss of sensibility; pinching or burning causes no pain. Kali-brom.
Locomotor ataxia: shuffling g.; feet dragged along by lifting legs. Ars.
Locomotor ataxia: staggering, tottering, irresolute g.; cannot wall with eyes closed, or in dark; jerking of toes. Arg-n.
Shuffling g., as if feet were being dragged. Sec.
Staggering g. Coni., Ign., Physos.
Tottering g. Opi.
Unsteady g. Sulph.
Unsteady g. and easy falling (of children). Caust.
Unsteady g.; drags feet. Nux-v.
Unsteady, staggering g., owing to weakness of thighs. Mur-ac.

Unsteady g.; staggers as if drunk on attempting to walk. Gels.
Unsteady, tottering g. Absinth.

Ganglions.—Absorption of fluids in bursæ and g. Sil.
G. on instep. Ferr.

Gangrena senilis.—G.: worse from warmth. Sec. (Better from warmth. Ars.)

Gangrene.—G. Tereb. (Applied locally on lint has cured many cases.—Burt.)
G.; better from heat. Ars. (Worse from heat. Sec.)
G. of lower legs and feet. Sec.
G. of toes. Sec.
Insensibility and numbness of toes, followed by g. and death of parts. Sec.

Gangrenous.—G. spots and vesicles. Hyos.
G. spots on legs. Hyos.

Garters.—Sensation in lower leg as if g. were tied too tightly, and as if leg would go to sleep and become stiff. China.

Gastric affections.—Rheumatic pains in legs (with g.). Ant-c.

Gastrocnemius muscle.—Drawing and contractive pains in g. of left leg. Gels.

Genitals (see section on Sexual Organs).—Soreness between thighs and g. Merc., Merc-sol. (Graph.)
Soreness in inner side of left thigh, with biting and itching extending to g. Lyc.

Get up.—Cutting stitches over right thigh; must g. for relief; pains worse from rising, but better on slowly walking. Sep.
Paroxysms of excruciating neuralgia in sciatic nerve and perinæal branches, preceded by great coldness and shivering; worse at night, obliging patient to g. and walk about room; pain acute, tearing, digging, boring; lasts sixty to ninety minutes, then slowly disappears. Ign.
Shooting and tearing in hip joint, which pains as if bruised when touched; worse evening in bed; must g. and walk about. Ferr. (Rhus-t.)

Getting up.—Lameness, stiffness and pain on first moving after sitting, or on g. in morning; relieved by continued motion. Rhus-t.

Give way.—Feet g. when walking. Sil.
Hamstrings feel shortened and weak; knees g. ascending or descending. Ruta.
Joints feel bruised and weary, as if they would g. Mez.
Knees g. Cupr.
Knees g., even while standing. Croc.
Knees g. when standing and walking. Chelid.
Knees weak and g. Psor.
Unsteadiness of knees; they totter and g. when walking. Acon.
Weakness of knees as if they would g. Natr-m.

Giving way.—Great weakness and g. in knees and legs. Merc-sol.

Gives way.—Ankle so weak that it g. Natr-c.

Glandular.—Hard, g. swelling of right thigh. Merc-sol.

Glides.—Patella g. out of position on ascending. Can-sat. (During breakfast. Gels.)

Gliding.—Feeling of lightness in limbs (Mez.); when walking seems to be g. lightly through air. Asar.

Gluteal muscles.—Stinging itching in g. Staph.

Twitching of g. Agar.

Ulcerative pain in g. and thighs when sitting. Kali-c.

Glutæus maximus muscle.—Rheumatic, drawing pain in left g. near spine while sitting; ceases on standing. Cycl.

Gnawing.—Burning, g., tearing pains in bones and legs. Phos-ac.

Fine shooting and g. pains along bones, with violent tearing in joints. Bell.

G., itching ulcers on outside of thigh. **Merc.**

G. pain in hip bone. Eupat-purp.

G. pain in toes. Cocc.

G. pains along bones. Bell.

Redness, inflammation and swelling of left leg, with violent itching and g. Natr-c.

Sciatica: deep-seated, tearing and g. pains in the hips and thighs. Elat.

Stinging, boring and g. in great toe. Ran-sc.

Tearing, darting and g. pains in limbs (after Mercury or syphilis). Kali-jod.

Tearing, drawing, g., stinging pains in bones. Canth.

When sitting, g. pain in hip bone. Am-m.

Gonorrhœa (see section on Sexual Organs).—Arthritic pains after taking cold in water, or from suppression of g. Sars.

Painful swelling of knee (succeeding g.). Clem.

Rheumatic and arthritic pains (especially after suppression of g.). Daph.

Rheumatism (following suppression of g.). Coni., Rhod., Sars.

Gonorrhœal.—G. rheumatism. Thuja.

Sciatica: pressing, shooting, drawing, aching in thigh; pain external; with soreness of left groin; great lassitude and desire to lie down (syphilitic and g.). Phyt.

Goose-flesh (see section on Skin).—G. on legs, with chilly feeling. Chin-ars.

Gout.—Chronic rheumatism and g. Phos.

G. Acon., Am-ph., Ant-c., Arn., Ars., Bry., Calc-c., Caust., Coloc., Graph., Guaj., Iod., Lith-c., Lyc., Natr-m., Sabin., Sil., Sulph.

G. and rheumatism. Arn.

G.: commencing in right great toe, with redness and tumefaction. Benz-ac.

G.: drawing pain; in knees; in lower part of left tibia; in left heel; tearing through right great toe. Ant-c.
G.: fine, tearing pains in toes. Led.
G. in feet. Natr-s.
G.: inflamed and painful wrist and ankle joints. Abrot.
G. (in habitual drunkards). Nux-v.
G. in toes. Ran-sc.
G. of great toe, first left, then right. Dulc.
G. of left great toe, with radiating pain upward. Mang.
G.: stiffness and immobility of contracted legs. Guaj.
G.: swelling, redness and stitches in great toe. Sabin.
G.: tearing in lower legs, especially in small joints of feet, with swelling. Caust.
Periodical attacks of g. Natr-m.
Rheumatic g.: begins in lower legs and ascends. Led.
Rheumatic g., with swelling and heat of knee, ankle joints and small joints of toes, with drawing, contractive pain and chilliness. Puls.
Rheumatic g., with concretions of lithic acid in joints. Aspar.

Gout stones.—Painful nodosities and "g." in joints. Led.

Gouty.—Calcareous deposits in joints, with painful, spasmodic jerking of legs (in g. persons). Meny.
G. nodosities and concretions. Benz-ac.
G. pain in great toe. Calc-ph.
G. pains in ankles and bones of feet. Lith-c.
G. pains in great toes. Gnaphal.
G., rheumatic pains in joints. Led.
G. swellings which are red and shining. Sabin.
G. tearing in feet and toes. Graph.
Sciatic or crural neuralgia (in g., rheumatic subjects), with tearing, stitching pain; worse on motion. Coff.

Grasped.—Pain in flexors of left knee and immediately above patella, extending upward and around thigh; pain as if limb were heavily g. Chim.

Grasping.—G. pain or heavy aching in knees. Lil-tig.

Grasps.—Suddenly g. knee with hands and screams, when convulsions ensue. Cic-v.

Grayish-white.—Tuberculous erythematic lupus; dorsum of right foot covered with small indurations having large, thick crusts, some g. others light yellow, resting on purple base. Hydroc.

Great toe (see Big toe).—Aching and stitching pain in ball of left g. Can-ind.
Arthritic pain in g. Elat.
Ball of g. painful and hot. Am-c.
Ball of g. painful and swollen; worse on stepping; tendons stiff. Led.
Burning pain in left g. Actea-s.
Continual boring or tearing pains in g. Sil.

Crawling, burning stitches and severe pressive pain in ball of g. Caust.

Drawing pain in bend of right foot, extending to g., where it is only felt during motion. Caust.

Dull, aching, burning pain in second joint of right g. extending up leg. Cimicif.

Frequent sensitive throbbing in left g. Asaf.

G. feels as if sprained. Aloe.

G. red, swollen and painful, especially at night; followed by swelling of whole foot. Am-c.

Gout: commencing in right g., with rednss and tumefaction. Benz-ac.

Gout: drawing pain in knees; in lower part of left tibia; in left heel; tearing through right g. Ant-c.

Gout of g., first left, then right. Dulc.

Gout of left g., with radiating pain upward. Mang.

Gout: swelling, redness and stitches in g. Sabin.

Gouty pain in g. Calc-ph. (Gnaphal.)

In-growing nails on g. Kali-c. (Graph., Teucr.)

Joint of g. red and feels sprained. Arn.

Numbness of g. extending to foot and ankle joint. Ars.

Pain in ball of left g., as if inflamed, with rheumatism. Colch.

Pain in ball of right g. Apoc.

Pain in g. Phyt.

Pain in g., as if being pinched off. Meph.

Pain in g., as if tightly bound. Plat.

Pain in large joints of g., with tumefaction and redness. Benz-ac.

Pain in soles spreading toward g., with sensation as if sprained. Croton-tig.

Painful swelling in ball of right g.; pain suddenly shoots into body to region of heart, or some other part. Daph.

Painful throbbing in tip of g. Asaf.

Painful turning up of g. Apis.

Pains in right hip, both knees and in first joint of g.; worse on right side. Iris.

Red spot on g., as if contused. Natr-c.

Sharp pain in right ankle and in joints of g. Sang.

Shooting pain in joints of left toes; worse in g. Can-ind.

Stinging, boring and gnawing in g. Ran-sc.

Stinging in heel of left foot and ball of g. Ambr.

Swelling, tearing and soreness in g. preventing sleep. Natr-c.

Tearing pain down leg into right g. Ars.

Ulceration of border of g. Graph.

Violent stitch in foot extending to g. Hep-s.

Green.—Painful red spots on calves, turning yellow or g., as after contusion, preventing movement of foot. Coloc.

Gressus gallinaceus.—G. Lach., Magn-ph.

Griping.—Frequent, g., ulcerative pains in soles. Kali-n.

Groin.—Contraction from h p joint to g. and along posterior part of thigh down to knee. Thuja.

Dragging from hip to g., as if everything would be pressed out. Ox-ac.

Pain in head of femur extending to g. Anac.

Sciatica: pressing, shooting, drawing, aching in thigh; pain external; with soreness of left g.; great lassitude and desire to lie down (syphilitic and gonorrhœal). Phyt.

Sticking and drawing from knee to g.; worse on motion or contact. Nux-v.

Tearing or shooting pains in hip, thigh and g. Ars.

Groins.—Cannot walk erect on account of pain in g. Am-c.

Pain in g. extending down inside of thighs. Antipy.

Sprained feeling in g. causes patient to bend forward; cannot walk erect on account of pain there. Am-m.

Ground.—Balls of heels and toes feel sore when pressing them to g. Phos-ac.

Numb pain in heel when pressing foot to g. Arg-m.

Pain in the sole when pressing it to g., as if it were soft and swollen. Alu.

Pain in soles when pressing them on g. Puls., Spig., Sulph.

Hæmorrhages.—Legs cold, with h. Trill.

Hamstrings.—Drawing in or contraction of muscles or tendons, especially h. Natr-m.

H. feel contracted and painful when walking. Am-m.

H. feel shortened and weak; knees give way ascending or descending. Ruta.

H. feel too short; knees flexed; attempting to stretch them causes pain in thighs (during intermittent). Cimex.

H. sore; cords feel too short and stiff on rising. Natr-ph.

Hands (see section on Upper Extremities).—Feet and h. icy cold, rest of body warm. Meny.

Feet cold, with sweat on toes and soles; h. hot. Acon.

Feet warm, with cold h. Aloe. (Cham.)

Pain in legs at night, with burning in h. and feet. Am-c.

Suddenly grasps knee with h. and screams, when convulsions ensue. Cic-v.

Trembling and heaviness of h. and feet. Nicc.

Hang.—Electric shocks in legs; worse in bed; must sit up and let legs h. out of bed, or walk about. Ver-a.

Hard.—H., bony corn. Ant-c.

H., callus skin of soles. Ant-c., Sil.

H., cellular swellings of legs. Bad.

H. corns on soles. Ant-c.

H., nodulated tumor, large as a walnut, on dorsum of foot. Hydr.

Phlebitis: pain and swelling of right leg to hip; veins sensitive to touch; cutaneous veins h., swollen and painful. Ham.

Rheumatism: œdema of feet and around ankles; swelling h. over inner ankle and a little red, as if inflamed; least touch anywhere is painful. Chelid.

Rough, h., bony swelling, several inches long, covering whole width of tibia. Calc-flu.

Small, h. lumps along shin bone. Bad.

Thrombosis: limbs immoveable, covered with reddish or bluish streaks or spots; h., elastic, hot and very painful, especially along crural vessels and nerves. Apis.

Head (see section on Head).—Coldness of extremities, with hot h. Bell.

Great debility and stitching in limbs, with confusion of h. Seneg.

Sensation as if blood rushed from h. into legs, which feel paralyzed. Aur.

Head of femur.—Great pain in right thigh, extending from h. along anterior surface of thigh to knee. Bry.

Pain in h. extending to groin. Anac.

Weakness in region of h., with feeling as if had been crushed, especially after lying down and sleeping. Acon.

Heart.—Dropsy, especially if from stenosis of h. and arteries or renal (with much general anasarca). Dig. ("As a rule the best form to administer is the infusion. Several days may elapse before decisive results are achieved; but the flow of urine is then often enormous."—Bartholow.)

Œdema of legs (in rheumatism) with pain in h. Cact.

Painful swelling in ball of right great toe; pain suddenly shoots into body to region of h., or some other part. Daph.

Trembling of limbs and jerking of h. Nux-v.

Heart disease.—Œdema of ankles and feet, with h. or fatty degeneration of kidneys (albuminuria). Phos.

Heat.—Burning h. and redness of toes during colds, as if frost-bitten. Borax. (Agar.)

Burning h. in soles and soreness between toes. Phos-ac.

Dry h. of thighs and small of back, with coldness in back. Sulph.

Feeling of h. in soles. Cub.

Flushes of h. and burning in soles. Cupr.

Flushes of h. in limbs. Kobalt.

Gangrene: better from h. Ars. (Worse from h. Sec.)

H. and throbbing pains in toes. Kali-bi.

H. in knee, as if hot air was blowing through knee joint. Lach.

H. of one foot with coldness of other. Lyc.

Inflammatory rheumatism: h. and circumscribed redness of joints. Sticta.

Periostitis or periosteal inflammation of foot, with unbearable bone pains at night; worse from h. Aur.

Pleurodynia: rheumatic pains in joints, with h. and swelling. Cimicif.
Rheumatic gout: swelling and h. of knee, ankle joints and small joints of toes, with drawing, contractive pain and chilliness. Puls.
Rheumatism: feeling of h. in painful limbs; swelling of joints; can bear no h. Guaj.
Sciatica: dull, aching pain in right side; worse at night and in cold or damp weather; relieved by h., rubbing, and by exercise. Rhus-t.
Tearing, pricking pains in legs, with h. Guaj.
Violent itching of legs from h. of bed. Sulph.

Heated.—Arthritis: drawing, tearing pains in toes, with red, shiny swelling, especially at night; cannot bear h. room; better in cold air. Sabin.

Heaviness.—Crawling and h. in calves. Cham.
Drawing in and h. of legs. Ign.
Feeeling of weakness, h. and instability in legs when walking. Rhus-r.
Feeling of weariness and as if legs were bruised, sometimes with h., lameness and stiffness. Benz-ac.
Great h. in legs. Natr-c.
Great lassitude of knee joints and h. of feet. Caust.
Great trembling, h. and paralytic weakness of legs. Stann.
Great weakness and paralytic h. of legs and feet. Rhus-t.
H. and aching in all limbs, especially joints. Chin-s.
H. and drawing in feet. Puls.
H. and feeling of great fatigue in limbs. Magn-m.
H. and lameness of legs and feet; raises feet slowly and puts them down with force. Bell.
H. and languor of knees. Gum-gut.
H. and stiffness of feet. Kali-c.
H. and stiffness with painful drawing in legs. Ferr.
H. and swelling of feet. Sep.
H. and weakness of feet. Ign.
H. and weariness of legs. Clem., Sil.
H. in bends of knee. Phos.
H. in legs. Ambr., Ars., Carbo-v., Ferr., Graph., Iod., Kali-c., Natr-m., Puls., Sulph.
H. in legs, followed by leprous eruption. Tart-em.
H. in lower extremities. Agar., Bell., Calc-c., Ign., Natr-c., Natr-m., Nux-v., Phos., Rhus-t., Stann., Sulph.
H. in right foot, as if heavy weight were attached to tarsal bones drawing foot down. Agn.
H. in thighs. Rhod.
H. of feet. Bell., Cad., Natr-c., Natr-m., Sabad.
H. of legs. Sulph.
H. of legs and feet. Natr-m.
H. of legs (before chill). Cimex.

H. of legs, with staggering gait. Can-sat.
H. of thighs and legs when walking, with stiffness of knee joints. Bell.
H., weakness and weariness of legs while sitting; disappears on walking. Rhus-t.
Painful drawing in legs and h. of feet. Sabad.
Painful h. of legs, as if weary. Ver-a.
Painful weariness in feet, with feeling of h. Croc.
Paralytic h. and debility of legs. Arg-n.
Paralytic h. and weakness in legs, especially in thighs and knee joints. Stann.
Rheumatism: weariness, stiffness and h. of joints; pain worse on movement. Bry.
Trembling and h. of hands and feet. Nicc.
Weariness and h. of legs. Sabad
Weakness and h. in legs when walking. Rhus-r.
Weariness, h. and pain in knees when walking. Magn-c.

Heavy.—Feet feel h. Mang.
Feet feel h. as lead. Phos.
Feet feel h., with great lassitude of legs, can scarcely drag them; when walking staggers and has to sit down. Alu.
Feet feel large and h. and can be moved only by moving whole limb. Ars.
Feet swollen, feel h. and stiff. Apis.
Grasping pain or h. aching in knees. Lil-tig.
Great weakness in region of hips and legs which tremble and feel h. like lead. Pic-ac.
H. feeling in bends of knees and in calves so that could not move feet. Rhus-t.
Legs feel h. Acon., Coloc.
Legs feels h. and tired. Sec.
Legs feel h. and weak, as if knocked from under person. Agar.
Legs feel so h. can scarcely walk. Merc-sol.
Legs feel h., stiff and lame. Chelid.
Legs weak, tired and h. Agar.
Œdematous, white swelling of feet; feel cold and h. Kreas.
Painful weariness of legs (during menses); feet are h., languid and debilitated. Bov.
Sensation as if legs were swollen and h. Lyc.
Weariness of legs; h. feeling below knees as if loaded. Indium.

Heel.—Abscesses on h. Lach.
Arthritic pain in h. Meph.
Black ulcerated pustules on h. Natr-c.
Blisters on h. Petr.
Blisters on h. from rubbing of shoes, then smarting ulcer. Lam.
Burning in right h. and tendo Achillis; part feels as if had gone to sleep. Arg-m.

Cutting pain and drawing in legs down to h. Bar-c.
Cutting pain in h. Sil.
Formication on h. Petr.
Gout: drawing pain in knees; in lower part of left tibia; in left h., tearing through right great toe. Ant-c.
Numb pain in h. when pressing foot to ground. Arg-m.
Numbness of h. when stepping. Alu.
Pain in balls of toes and under h., as from chronic chilblains. Rhod.
Pain in h. Agar., Calc-c., Cinnab., Diad., Ferr.
Pain in h. as from subcutaneous ulceration. Graph.
Pain in h., as if gone to sleep, on rising from bed. Thuja.
Pain in h. when standing or walking much. Am-c.
Severe pain in h. as if bone were ulcerated. Am-c.
Skin rubbed from h. by shoes. Al-cep.
Sore pain in h. as from subcutaneous ulceration. Euphorb.
Stinging in h. of left foot and ball of great toe. Ambr.
Stitches in h. above tendo Achillis. Thuja.
Stitches in petella and h. Nicc.
Stitches in thigh, knee and h., only at night. Calc-c.
Stitches under h. from without inward. Mancin.
Tearing, drawing and cutting pains from h. through sole and toes. Kreas.
Throbbing stitches in left h. when standing. Ran-b.
Ulcer on h. Natr-c., Sep.
Ulcer on left h. Diad.

Heels.—Aching pain in h., of a dull, wearing character. Phyt.
Balls of h. and toes feel sore when pressing them to ground. Phos-ac.
Burning and crawling in h. Graph.
Burning in h. and balls of either foot at night in bed. Kali-n.
Boring pain in h. Puls.
Boring pain in h. in afternoon. Puls.
Burning, sore pain in h. Cycl.
Cramp-like, intermittent drawing from h. to calves. Anac.
Cramp-like pains in calves, h. and toes. Crotal.
Constant pain in h. Valer.
Cutting pain in h. Magn-m.
H. swollen, red and painful, with stitches. Petr.
Pain and numbness of h. Osm.
Pain in h. Natr-s.
Rending, tearing in h. Am-m.
Sore and raw spots on feet, especially h. Al-cep.
Soreness of h. when walking. Kali-bi.
Stinging pain in h. Graph., Sep.
Stinging pains in h. when sitting. Valer.
Tearing pain in h. Natr-s.
Throbbing and crawling in both h. Natr-c.

Ulcerative, boring pains in h. Zinc. (Puls.)
Ulcerative pain in h. Am-m.
Ulcerative pain in h. and toes. Kali-jod.
Ulcerative pain in soles and h. Zinc.
Violent stitches in h. when stepping. Graph.
Violent, tearing pains in h., as from ulceration. **Am-m.**

Herpes.—Dry h. in bends of knees. Psor.
H. between thighs. Natr-m., Petr.
H. between toes. Alu., Graph.
H. in bend of knee. Ars., Graph., Led., Natr-c., Natr m., Petr., Phos., Sulph.
H. on ankle. Cact., Cycl., Kreas., Natr-c., Natr-m., Petr., Sulph.
H. on calves. Cycl., Lyc.
H. on knees. Carbo-v., Dulc., Petr., Phos.
H. on legs. Merc.
H. on nates. Borax.
H. on thighs. Clem., Graph.
H. or tetter in bend of knee. Graph.

Hip.—Aching pain in h. Thuja.
A kind of paralysis in left leg, with pain in h. and knee joint. Magn-c.
Chronic rheumatism of left h.; worse in damp weather. Phyt.
Contraction and pain in h. and knee joint when sitting, when rising from seat, or after over exercise. Rhus-t.
Cracking of h., knee and tarsal joints. Camph.
Cramp-like, jerking, digging pain in left h. Can-sat.
Cramp-like pain in h., as if bound with iron, or as if parts were screwed in a vise, with pains extending from lumbar region down to legs. Coloc.
Creeping pain in right h. Murex.
Cutting pain in right h. Ver-v.
Darting in left h. at every step. Kali-jod.
Darting pain in h. Carbo-an.
Dragging from h. to groin, as if everything would be pressed out. Ox-ac.
Drawing pain in left h. Sulph.
Drawing twitching, with dull throbbing in left h. Coloc.
Dull pain, as from pressure and fatigue, or from long stooping, extending from sacrum around h. and down right leg. Bapt.
Dull pressure in right h. Asar.
First right, then left h. feels paralyzed. Ver-a.
H. and knee joints stiff. Hell.
Itching, burning pain in small spot in right h., then in thigh, then in little toe. Lith-c.
Jerking, aching pain in h. Kali-bi.
Left h. and h. joint swollen, hot and very painful to touch, with anxiety, fear and great thirst. Acon.

Needle-like stitches in left h. Hell.
Nettle rash on h. Sulph.
Pain in bones around h., as if from bruise or fall. Ruta.
Pain in h. Rhus-r.
Pain in h. and thigh; intolerable when standing, as if thigh would break; worse when straightening out limb; has to support foot on affected side resting on chair. Valer.
Pain in h., as if dislocated. Psor.
Pain in h., as if sprained. Nitr-ac., Rhod.
Pain in left knee and h. Brom.
Pain in left h., as if tendons were too short; has to limp when walking. Am-m.
Pains in right h., both knees and in first joint of great toe; worse on right side. Iris.
Pain in right h. extending down to thigh. Lil-tig.
Pains as if left h. were wrenched. Iris.
Pricking in left h. Hell.
Rheumatic pain in left h. or on inside of right thigh. Sang.
Rheumatic pains in right shoulder, right arm and hip, changing often and lasting but a short time. Ox-ac.
Rheumatism of h. Phyt., Ver-v.
Rheumatism of h. and knee joints. Led.
Rheumatism of h. and knee, with high fever and scanty red urine; flying pains, especially in joints; with shuddering. Ver-v.
Sciatica: pain running from h. to knee down outside of thigh; worse afternoon and evening and on any change in weather; pressure causes pain to shoot along entire length of nerve. Kali-bi.
Sciatica: shooting, cutting pains running like lightning from h. to knee and sometimes to heel, affecting right side more than left; worse at night (in neuralgic subjects). Coloc.
Shocks in right h. Ver-a.
Shooting pains in h. Nux-v.
Shooting, tearing pains from h. to knee and foot, especially when coughing. Caps.
Spontaneous dislocation of h. Coloc., Rhus-t.
Stabbing pain in left h., as after a fall. Natr-s.
Stiffness in sacrum, h. and knee. Rheum.
Stinging pain in h. Bell., Ferr., Rhus-t., Sabin.
Stitches above right h., with sensitiveness. Sep.
Stitches in back and right h. causing limping walking. Rumex.
Stitches in h. extending to knee. Bry.
Stitches in left h. when sitting. Carbo-an.
Sudden unbearable stitch in left h. when walking. Natr-s.
Suppurating pains in h. and knee joints. Sil.
Suppuration of h., with profuse perspiration and diarrhœa. China.
Tearing and shooting pains in h., thigh and groin. Ars.

Tearing pain in h. Lach.
Violent pain behind left h. Arg-m.

Hip bone.—Drawing pain in h. Kali-jod.
Gnawing pain in h. Eupat-purp.
H. feels bruised. Ruta.
Pressive pain in right h., extending to middle and sacral bones. Hydroph.
When sitting, gnawing pain in h. Am-m.

Hip joint.—Boring, tearing pains change from right h. to other parts; worse at night. Arn.
Burning pains in bones of h. and in femur at night. Euphorb.
Contraction from h. to groin and along posterior part of thigh down to knee. Thuja.
Cracking in h. and knee joint (Nitr-ac.), when stooping. Croc.
Crampy, lacerating pain in h. Kali-c.
Crampy pain in h. Sep.
Drawing pain in h. extending to thighs. Carbo-v.
Drawing pain in h. when walking. Ant-c.
Drawing pain in h.; worse from touch and on bending trunk backward. Caps.
Drawing, pressive pains in left h., thigh being extended when sitting. Arn.
Dull pains darting or cutting from right h. posteriorly downward to foot; worse lying; better sitting in chair. Gnaphal.
Great pain between sacrum and h., sometimes darting and shooting down anterior crural and sometimes down sciatic nerve. Coloc.
H. painful, as if dislocated. Puls.
H. painful, as if sprained, when walking. Hep-s.
Jerking pain in h. and knee. Mez.
Jerking, sore pain from h. to knee while in bed in morning; disappears on walking. Puls.
Left hip and h. swollen, hot and very painful to touch, with anxiety, fear and great thirst. Acon.
Numbness of h. and thigh when walking, especially when moving leg forward, with stitches when setting down foot. Arg-m.
Osteo-myelitis in h. Phos-ac.
Pain, as from sprain, strain or contusion in left h. Caust.
Pain in h. Dig.
Pain in h. and tarsal joint during motion, as if sprained. Laur.
Pain in h., mostly behind trochanter major, with spasms of stomach and diaphragm. Phyt.
Pain in left h. Phos.
Pain in right h. and thigh, with pain in ankle, as if sprained, when walking. Dros.
Pain in right h.; worse from stooping, rising from seat on moving in bed. Natr-s.

Pain in sacral region corresponding to position of plexus ischiadicus, thence extending through incisura ischiadica major toward h. down posterior portion of thigh into fossa poplitea, with sensibility of parts. Coloc.

Paralytic pain in h. when stepping. Euphorb.

Paralytic weakness of h. Kali-c.

Pulsation in h., as from beginning of suppuration. Staph.

Rheumatic pain in h. and femur, especially at night. Magn-s.

Right h. very painful. Phos.

Sciatica: stitching, contractive pain in h.; better on motion and pressure; worse during rest. Meny.

Severe pain in h. when walking. Am-c.

Shooting and tearing in h., which pains as if bruised when touched; worse in evening in bed; must get up and walk about. Ferr. (Rhus-t.)

Sore pain in bend of h. Berb.

Spontaneous luxation of h. Coloc.

Stinging from h. to thigh at night. Ferr.

Stitches in h. when stooping. Calc-c.

Stitches in right h. Cocc-c., Merc-cor.

Suppuration and caries of h. Sil. (Has cured many cases, even where there has been so much destruction that the femoral head has completely escaped from the acetabulum. In from three months to one year it has effectually cured this disease, when used from the 3d to the 30th.)

Tearing pain in h. Magn-s., Merc.

Tearing pain in h. and knee before suppuration. Merc.

Throbbing pain in h. Staph.

Wandering, eratic, sharp pain in the knee and h., with aching and trembling in leg. Kali-bi.

Weak and relaxed feeling in h. Thuja.

Hip joints.—Pain in h. extending to buttocks. Card.

Pains in h. and about condyles. Ver-a., Ver-v.

Pains in h. on moving, as if sprained. Euphorb.

Pressive pain in both h. on every step, with paralyzed sensation in anterior muscles of thighs. Rhus-t.

Rheumatic pains in h. and knees; worse on movement. Kali bi.

Stinging in h. Sabin.

Hips.—Aching pain in h., legs and feet; more on right side. Still.

Arthritic tearing in h. Graph.

Burning pain in h. Bell., Carbo-v., Euphorb., Hell., Rhus-t., Valer.

Cramp in h. Coloc.

Cramping pain in h. Arg-m., Coloc.

Drawing pain in the h., thighs, legs and feet; more on the right side. Chelid.

Flexibility of h. China.

Great weakness in region of h. and legs which tremble and feel heavy like lead. Pic-ac.

Hard, dull, or tearing pains in h. Dios.

Pain, as if sprained, in h. Calc c., Caust., Euphorb., Natr-m., Phos.

Pain gradually rising from tarsal joint to h., necessitating constant motion and shifting of feet while sitting. **Bell.**

Pain in h. Acon., Bar-c., Bell., Berb., Rhus-t.

Pain in h. and knees impeding motion. **Nux-j.**

Pain in h. as from sprain. Arn.

Pain in h. causing restlessness. Natr-s.

Pain in h. when ascending steps. Plumb.

Pain in h. when moving limbs. Magn-c.

Pain through h. extending down right leg. **Sang.**

Pains in h. and thighs extending to knees. Sep.

Pains shooting from sacrum down outside of both h. **Phyt.**

Paralytic pain in h. and legs. Cocc.

Pricking, burning or crampy pain about h. Caust.

Rending, tearing in h. Ferr., Rhus-t.

Rheumatic pains in h.; worse during rest; better from motion. Sabad.

Sciatica: deep-seated, tearing, gnawing pains in h. and thighs. Elat.

Severe pain in back, through h. and down thighs (during menses). Cimicif.

Sharp, neuralgic pains in legs, mostly from h. to knees; pains in paroxysms. Plumb.

Sprained feeling in h., knees and ankles. Rhus-t.

Stitches in h. when walking. Arg-m.

Tearing pain in h. and knees, even when sitting. **Kali-c.**

Tearing pain in h. and legs. Nicc.

Tearing, stitching pain in h. and thighs. Sil.

Violent pain as if stepping on spikes which penetrated soles and ran upward through limbs to h. on attempting to walk; worse in right leg and accompanied by drawing pains in both calves. Can-ind.

Violent pain in h. Natr-s.

When lying on side h. hurt and when lying on back, small of back hurts. Rhus-t.

Hollow.—Aching pains in ankles and h. of feet when walking must lie down after short walk. Rhus-t.

Numbness in h. of right foot. Merc-sulph.

Pain in knees, ankles, shins, h. and ball of foot. Natr-ph.

Scrofulous ulcers in h. of sole, and over tarsal and metatarsal bones, discharging pus and sanious matter. Hydr.

Horn-like.—H. spots on soles. Ant-c., Sil.

Horny.—H. growths under nails painful and sensitive. Ant-c.

Large h. callosities on soles near toes, inflamed and very sensitive. Ant c.

Hot.—Ball of great toe painful and h. Am-c.
Coldness of extremities, with h. head. Bell.
Feet cold, with sweat on toes and soles; hand h. Acon.
Feet h.; burn much. Fluor-ac.
Heat in knee as if h. air were blowing through knee joint. Lach.
H., inflammatory swelling of feet, with redness. Bry.
H., inflammatory swelling of knee. Puls.
H. knees with cold nose. Ign.
H. pricking in toes; they go to sleep while walking. Acon.
H. swelling of ankles and feet. Bry.
H. swelling of feet. Cocc.
H. swelling of knees. Cocc-c.
H. swelling of right knee. China.
Knees shaky, with feeling as if h. air were passing through knee joints. Lach.
Left hip and hip joint swollen, h. and very painful to touch, with anxiety, fear and great thirst. Acon.
Legs h.; burn up to knees. Natr-s.
Numb and h. feeling in thigh. Craph.
One foot cold other red and h. Puls.
One foot h., other cold. Lyc.
Red, h. swelling of feet, with contracting, burning pain, increasing to stitching pain when standing. Puls.
Rheumatism: pains go from below upward; joints swollen, painful, h. and tense; drawing pains; worse from warmth and motion. Led.
Soles feel h. Ferr.
Swelling of feet, with h., shining, burning, red spots, or black, blue blisters. Ars.
Thrombosis: limbs immoveable, covered with reddish or bluish streaks or spots; hard, elastic, h. and very painful, especially along crural vessels and nerves. Apis.

Housemaid's knee.—Bursitis, or h. Ant-c., Apis, Arn., Ars., Puls., Sil., Sticta, Sulph.
H.: enlargement of bursæ. Natr-m.

Humming.—Dull and h. sensation in legs and feet, as if they had gone to sleep. Caust.
H., buzzing sensation in legs. Kreas.

Hydrocephalus.—Involuntary motion of one arm and one leg (in h.). Apoc.

Hygroma patella.—H. from traumatism. Arn.

Hysterical.—H. rheumatism: feeling as if bones of leg had been smashed. Nux-m.

Ilium.—Very painful, tremulous, jerking stitches in thigh and upper border of i. when sitting. Ang.
Violent pains on level with crest of left i. Millef.

Illness.—Feet and legs very weak, as after long walks and over-fatigue, or after long i. Art-v.

Immobility.—Gout: stiffness and i. of contracted legs. Guaj.

Immoveable.—Legs i. as if paralyzed. Sars.

Thrombosis: limbs i., covered with reddish or bluish streaks or spots; hard, elastic, hot and very painful, especially along crural vessels and nerves. Apis.

Inability.—I. to bend limbs. Ang.

Incisura.—Pain in sacral region corresponding to position of plexus ischiadicus thence extending through i. ischiadica major toward hip joint down posterior portion of thigh into fossa poplitea, with sensibility of parts. Coloc.

Increases.—Drawing, tearing pain in leg, as of an internal ulcer; worse on touch; but most peculiar pain is a contraction which i. until very acnte, then ceases suddenly with a snap; worse evening. Puls.

Increasing.—Red, hot swelling of feet, with contracting, burning pain, i. to stitching pain when standing. Puls.

Inflamed.—All toes i., shining, red and swollen; itch and burn after walking. Thuja.

Chilblains i., bluish and itching. Puls.

Gout: i. and painful wrist and ankle joints. Abrot.

I. corns. Sep.

Knees i. and swollen, with shooting pains. Puls.

Large horny callosities on soles near toes, i. and very sensitive. Ant-c.

Pain in ball of left great toe, as if i., with rheumatism. Colch.

Rheumatism: œdema of feet and around ankles; swelling hard over inner ankle and a little red, as if i.; least touch anywhere is painful. Chelid.

Shining, red, i. swelling of all toes. Thuja.

Small wounds become easily i. Plumb.

Thick, i., deformed nails. Sabad.

Inflammation.—Arthritic i. and swelling of knee. Nux-v.

Chronic i. of knee joint. Phyt.

Chronic i. of knee joint, with great swelling and partial anchylosis. Sil.

Erysipelatous i. and swelling of left leg and foot after dancing. Borax.

Erysipelatous i. and swelling of leg, with chilliness of body. Calc-c.

Erysipelatous i. of tendo Achillis. Zinc.

I. and burning of tibia. Sabad.

I. and excoriation of inside of nates. Rhus-r.

I. and itching of both little toes. Bov.

I. and swelling of bones. Mez., Sil.

I. and swelling of foot, breaking open near toes. Carbo-an.

I. and swelling of knee, with pricking and burning pain; worse from touch. Iod.

I. of bones, with insupportable, digging pain in bones and periosteum; worse at night. Mang. (Merc., Phos-ac.)
I. of feet. Arn., Carbo-v.
I. of knees. Cocc., Puls.
I. of leg, with epistaxis. Borax.
I. of legs. Acon., Calc-c.
I. of toes. Carbo-an.
Pain and i. of frost-bitten toes. Agar.
Periostitis or periosteal i. of foot, with unbearable bone-pains at night; worse from heat. Aur.
Redness, i. and swelling of left leg, with violent itching and gnawing. Natr-c.
Redness, i. and swelling of one toe. Nitr-ac.
Redness, i. and swelling of toe, with burning pain after getting wet. Nitr-ac.
Rheumatic i. of joints; worse evening and night; intense, bright-red, shining swelling, sensitive to least contact (Bry.); numbness and tingling in all parts. Acon.
Scrofulous i., with hot, bright-red, shining swelling of knee; shooting, stitching and burning pains; least motion of body or foot or least touch or pressure upon swelling causes excruciating pain. Iod.
Swelling and i. of joints. Lyc.

Inflammatory.—Hot, i. swelling of feet, with redness. Bry.

In-growing.—I. nails. Colch., Graph., Kali-c., Natr-m., Phos., Sil., Teucr., Thuja. (I have relieved many cases by the application of Perchloride of Iron on cotton, forcing cotton and leaving it under nail. In this way the adjacent parts are hardened.—W. D. G.)
I. nails on great toe. Kali-c. (Graph., Teucr.)

Insects.—Tingling in legs, as if i. were creeping over them, or as if they would go to sleep. Ver-a.

Insensibility.—I. and numbness of toes, followed by gangrene and death of parts. Sec.
I. of feet. Nux-v.
I. of lower extremities. Nux-v.
I. of thighs. Graph.
I. of toes. Chelid.
Numbness and i. of feet. Coni.
Numbness, i. and coldness of limbs. Opi., Sec.

Insensible.—Legs feel as if made of wood, or padded; i. to touch. Arg-n.
Legs restless, as if becoming i. Meph.
Limbs become stiff and i. Hydroc-ac.

Inside.—Feeling of weakness, heaviness and i. in legs when walking. Rhus-r.

Drawing pain in i. of thighs. Natr-ph.
Pain in groins extending down i. of thighs. Antipy.
Tearing pains in middle of i. of leg. Bell.
Violent itching nettle rash on thigh and i. of knee. Iod.

Instep.—Bruised pain in i. when stretching out foot. Bry.
Burning pain in i. Puls.
Contracting pain in i. Caust.
Ganglion on i. Ferr.
Intense itching of dorsum of foot and i.; worse from scratching and warmth. Led.
Œdema of i. Fluor-ac.
Pain, as if bruised, in left i. Kali-jod.
Pain in i. Ruta.
Puffiness about i. Ruta.
Rheumatism in both feet; i. puffy. Ruta.
Stinging pain in i. Puls.
Swelling of i. Puls., Thuja.
Tension in i. Bry.
Ulcers on i. Sep., Sulph.

Intermits.—Dull pressure and pain in thighs in rhythmical intermission; pain i. regularly, as beats of music. Anac.

Intermittent.—Aching pain in back and legs, as if bones were broken, with soreness of flesh before and during chill (in i.). Eupat-perf.
Cramp-like, i. drawing from heels to calves. Anac.
Hamstrings feel too short, knees flexed; attempting to stretch them causes pain in thighs (during i.). Cimex.
I., painful drawing in bent knee. Croc.
Sciatica: excruciating, spasmodic pains in right leg from hip to ankle, changing place quick and often; shooting, i., rendering change of position necessary. Magn-ph.
Sciatica: incisive, throbbing, i. pains; first every other day, then daily; with chilliness; returns every winter (in mild, melancholy temperaments). Ign.

Intermittents.—Cramps in legs and soles (in i.). Elat.

Involuntary.—I. drawing up of knees when walking. Ign.
I. limping. Bell., Calc-c., Coloc., Kali-jod., Lyc., Puls., Rhus-t., Zinc.
Violent, i. motion of limbs. Stram.

Inward.—Soles tilt i. interfering with walking, which is done on outer edge of foot. Cic-v.
Stitches under heel from without i. Mancin.

Irresolute.—Locomotor ataxia: staggering, tottering, i. gait; cannot walk with eyes closed or in dark; jerking in toes. Arg-n.

Ischiadicus.—Pain in sacral region corresponding to position of plexus i. thence extending through incisura ischiadica major toward hip down posterior portion of thigh into fossa poplitea, with sensibility of parts. Coloc.

Itch.—All toes inflamed, shining, red and swollen; i. and burn after walking. Thuja.

Chilblains i. and are moist. Petr.

Itching.—Boring, i. stitch in balls of second and third toes. Spig.

Burning and i. of lower legs. Still.

Burning and i. of nates. Am-c.

Burning, i. in outer part of thighs. Dulc.

Burning, i. of toes. Pæon.

Burning i. of legs; worse in evening; followed by desquamation of skin. Agar.

Burning i. of little toes, painful when touched. Staph.

Burning, jerking pain in balls of little and second toes, with i. after becoming warm in bed. Puls.

Chilblains inflamed, bluish and i. Puls.

Corrosive i. near tibia and on dorsum of both feet near joints; becoming more violent on scratching. Bism.

Corrosive i. of thighs. Euphorb.

Great i. of soles. Hydroc.

Great swelling of left leg from knee to ankle joint; purple, with intolerable i. and burning. Petr.

Indolent ulcers on lower legs slow to heal, with intolerable i. over whole body. Psor.

Inflammation and i. of both little toes. Bov.

Intense i. of dorsum of foot and instep; worse from scratching and warmth. Led.

I. and burning of toes, as if frozen. Nux-v.

I. and nodes on nates. Therid.

I. and rash on thighs and ankles. Osm.

I. and redness of toes, as if frozen. Alu. (Agar.)

I. and stinging in feet and toes. Puls.

I. and stinging in internal sides of thighs. Staph.

I. around ankle in evening. Selen.

I. between thighs. Petr.

I. blotches on calves. Carbo-v.

I., boring, burning of toes, as if frozen, especially in warm room. Nux-v.

I., burning and redness of toes (Apis.), as if frost-bitten. Agar.

I., burning pain in small spot in right hip, then in thigh, then in little toe. Lith-c.

I. chilblains. Abrot.

I. in bend of knee. Lyc.

I. in thighs and bends of knees. Zinc.

I. of buttocks, with red spots after scratching. Magn-c.

I. of calves. Ipec.

I. of dorsum of foot. Aur.

I. of feet. Selen.

I. of left ankle. Pallad.
I. of legs. Lach., Merc., Rhus-t., Sil., Spig.
I. of legs and feet. Calc-c.,
I. of nates. Sil.
I. of parts formerly frozen. Sulph. (Agar., Cycl., Puls).
I. of soles. Sil.
I. of tarsal joint. Cocc.
I. of thighs. Calc-c.
I. of thighs and bends of knees. Zinc.
I. of toes. Agar., Staph.
I. of toes and inner border of soles of right foot. Ambr.
I. of toes in evening. Indium.
I. of toes in evening in bed, with sweat between toes. Clem.
I. of toes which have been frozen. Natr-c., Nux-v., Pæon., Staph., Sulph., Zinc.
I. on or between toes. Natr-s.
I. pain on dorsum during rest. Ign.
I. stitch at root of two last left toes during rest. Merc-sol.
I. tetter in bend of knee. Ars.
I. tingling in toes as after being frozen. Puls.
I. ulcers on leg. Phos-ac.
Large red patches on arms and legs, exactly like nettle rash, in large raised wheals, with intense irritating i. Chin-s.
Red i. spots on tibia. Sulph-ac.
Red painful spot on tibia spreading lengthwise and i. when scaling off. Caust.
Red, rash-like pimples on foot, with i., burning pains. Bov.
Redness, inflammation and swelling of left leg, with violent i. and gnawing. Natr-c.
Small, hard, white, deep vesicles on feet and legs, preceded by violent i. Lach.
Soreness between toes, with violent i. Graph.
Soreness in inner side of left thigh, with bitting and i. extending to genitals. Lyc.
Stinging i. in glutei muscles. Staph.
Stitches, burning, i., smarting and cold feeling in foot as if frozen. Berb.
Tickling i. in center of right sole. Arum.
Troublesome i. of soles. Sil.
Ulcers on legs, i. and burning at night. Lyc.
Violent i. in knee joint. Zinc.
Violent i. nettle rash on thigh and inside of knee. Iod.
Violent i. on back of fourth toe of each foot. Tarax.
Violent i. of legs, especially knees. Asclep-tub.
Violent i. of legs, from heat of bed. Sulph.
Violent i. of thighs. Bar-c.

Itch-like.—I. eruption between nates. Oleand.

Jactitation (see Jerking).—J. of muscles of thighs. Kali-c.
Twitching and j. of muscles of both thighs. Asaf.
Jammed.—Pain in leg, as if j. Bell.
Jerk.—Legs move normally, but when at rest j. and twitch. Valer.
Tearing in inner side of knees as from a j. Acon.
Jerked.—Legs constantly j. up with cramps, preventing sleep. Meny.
Right thigh and leg spasmodically j. up while sitting. Meny.
Jerking.—Burning, j. pains in balls of little and second toes, with itching after becoming warm in bed. Puls.
Calcareous deposits in joints, with painful spasmodic j. of legs (in gouty persons). Meny.
Convulsive j. of legs. Ign. (Stram.)
Cramp-like, j., digging pain in left hip. Can-sat.
Cramp-like j. in calves, with painless diarrhœa. Jatr.
J., aching pain in hip. Kali-bi.
J. and twitching of limbs at night, with coldness of body. Ambr.
J. in front part of leg. Cina.
J. in legs and in parts of lower portion of body. Natr-c.
J. in limbs when falling asleep. Kobalt.
J. in muscles of thighs. Kali-c.
J. in right thigh; relieved by standing or drawing leg up. Meny.
J. of feet. Cic-v., Ipec., Sep.
J. of knees at night awaking patient. Arg-n.
J. of legs. Ign., Ipec., Nux-v.
J. of legs on falling asleep. Kali-c.
J. of limbs, with loss of consciousness. Glon.
J. of right leg. Mez.
J. pain in hip joint and knee. Mez.
J. pain in knees. Am-c., Anac.
J. pain in legs after taking cold. Iod.
J. pain in right calf; ceases quickly when touched. Tarax.
J. pain in toes. Am-m.
J., sore pain from hip joint to knee while in bed in morning; disappears on walking. Puls.
J., tearing in tarsal and metatarsal bones, also in toes. China.
J. tearing in tips of toes. Merc.
J., trembling, shaking, and paralytic weakness in legs at night. Rhus-r.
J. up of legs during sleep with diarrhœa. Tart-em.
Locomotor ataxia: staggering, tottering, irresolute gait; cannot walk with eyes closed, or in dark; j. of toes. Arg-n.
Painful, spasmodic j. of legs. Cod.
Quivering and j. in legs. Mancin.
Spasmodic j. and numbness of legs. Opi.
Spasmodic j. in muscles of calves. Opi.

Sticking pain in calf, accompanied by j. in patella when knees are stretched. Spig.
Tearing, j. and drawing pain in knees. Puls.
Trembling and j. of feet. Iod.
Twitching and j. in legs. Plumb.
Twitching and j. of muscles. Zinc., Myg., Plumb. (Agar.)
Very painful, tremulous, j. stitches in thigh and upper border of ilium when sitting. Ang.

Jerks.—Paralysis or anæsthesia of legs, with convulsive j. and shocks. Sec.
Tearing pains in knees, like j. Puls.
When touched ever so slightly on feet j. them up much frightened. Kali-c.

Joint.—Acute, articular rheumatism; rheumatism attacks one j. after another; they are puffy and red, with high fever. Ferr-ph.
Drawing and cutting in foot, with sensation as if j. would break, with swelling. Bov.
J. of great toe red and feels sprained. Arn.
Shifting rheumatism (metastasis). Acon., Colch., Ferr., Kalm., Mang., Merc., Puls. (Shifting from one j. to another without leaving first. Ferr-ph. Leaving first, without pain. Kali-s.)
Tearing in j. of left toes, most violent when walking. Agn.

Joints.—Aching in j. and drawing pain in tibia. Kali-c.
Aching of limbs, with great lassitude, weariness and prostration of j. Sep.
Acute articular, remitting or intermittent rheumatism; j. very sensitive. Chin-s. (China.)
Arthritic pains in j.; worse at night. Mang. (Merc.)
Arthritic swelling of j., with cracking on motion. Sulph.
Articular rheumatism, with swollen and painful j. Ham.
Bones, j. and muscles sore, as if beaten. Lith-c.
Bruised feeling in j. Calad.
Bubbling sensation in muscles and j. Rheum.
Buzzing sensation in legs and j. Oleand.
Calcareous deposits in j., with painful, spasmodic jerking of legs (in gouty persons). Meny.
Caries of tibia and femur, especially of j. Sil.
Chronic arthritic pains in j. at night. Iod.
Coldness of j. Cinnab.
Contraction in j. Oleand., Paris.
Corrosive itching near tibia and on dorsum of both feet near j.; becoming more violent on scratching. Bism.
Cracking and arthritic stiffness in j. Petr.
Cracking in j. Ang., Benz-ac., Bry., Camph., Cocc., Coni., Led., Nitr-ac., Nux-v., Petr., Puls., Ran-b., Selen., Tabac., Thuja. (Croc.)

Cracks in j. when bending. Selen.
Cracking in j. when stooping. Croc.
Cracking in j. when walking or turning. Caul.
Cramp-like pains and numbness in limbs and j. Plat.
Cutting in all j., especially on motion. Hyos.
Debility in j. when walking. Staph.
Deep-seated, dull, aching pains in legs and j.; generally caused by cold. Gels.
Distention of j. Berb.
Drawing, tearing pains in all j. and in thigh. Acon. (Bry., Rhus-t., Puls.)
Drawing, tearing pains in j. Cist.
Drawing, tearing pains in legs and j. Spig. (Bry., Led.)
Effusion into j. Bry.
Eruption about j. making walking difficult, with feeling as if incased in armor. Psor.
Fine shooting and gnawing pains along bones, with violent tearing in j. Bell.
Fungus articularis: fungous formations in j. Ant-c.
Gouty, rheumatic pains in j. Led.
Great pain in bones, especially in j., as if interior were cut and scraped with sharp knife. Sabad.
Heaviness and aching in all limbs, especially j. Chin-s.
Inflammatory rheumatism; heat and circumscribed redness of j. Sticta.
Inflammatory swelling of j. Rhus-t.
J. feel bruised and weary, as if they would give way. Mez.
J. stiff. Bry.
Lameness in j.; better lying on painless side. Fluor-ac.
Lameness, weariness and weakness of j. (with bowel trouble). Aloe.
Loss of power in legs, especially j. Phos.
Œdema about j. Thuja.
Pain, as from sprains, in j. Lach.
Pain, as if sprained or dislocated, in j. of femur and knees. Ign.
Pain in j., with contraction of tendons (during chill). Cimex.
Pain in large j. of great toe, with tumefaction and redness. Benz-ac.
Painful drawing in j. of right toes; worse when walking. Sabin.
Painful, hard tubercles of tophi in region of j. Led.
Painful nodosities and "gout stones" in j. Led.
Pains in j., as if sprained. Arn.
Pain in j., with swelling and redness. Natr-m.
Pains in legs, j. and bones, as if beaten, or as after a blow or fall. Ruta. (Arn., Bad.)
Pains in limbs and j. in cold, damp weather. Nux-m. (Rhod.)
Pains in limbs, especially in j., obliging patient to stretch body. Puls.
Pleurodynia: rheumatic pains in j., with heat and swelling. Cimicif.
Rheumatic affections of j., with red, shiny swelling. Mang.

Rheumatic and arthritic pains in j. and limbs, especially at night; or with copious sweats which do not afford relief. Merc.
Rheumatic, drawing pains in j. Lyc.
Rheumatic gout, with concretion of lithic acid in j. Aspar.
Rheumatic inflammation of j.; worse evening and night; intense, bright-red, shining swelling, sensitive to least contact (Bry.); numbness and tingling in all parts. Acon.
Rheumatic pain in all j. Asclep-tub. (Acon., Bry., Rhus-t., Sec.)
Rheumatic pains in j. at night. Kali-n.
Rheumatic pains in legs, with stitches in j. Hep-s.
Rheumatic pains, mostly in bones and j.; worse evening; better moving. Teucr.
Rheumatism, especially in j. Kali-bi.
Rheumatism: feeling of heat in painful limbs; swelling of j.; can bear no heat. Guaj.
Rheumatism of hip and knee, with high fever and scanty, red urine; flying pains, especially in j.; with shuddering. Ver-v.
Rheumatism of j., with concretions of calcareous or limy substances; pains shifting; urine excessively fetid. Benz-ac.
Rheumatism: pains go from below upward; j. swollen, painful, hot and tense; drawing pains; worse from warmth and from motion. Led.
Rheumatism: weariness, heaviness and stiffness of j.; pain worse on movement. Bry.
Sensation in j., as if sprained. Rhod.
Sensation of contraction in j. Anac.
Sensation of crepitation in j. on moving. Rhus-r.
Severe stitches in j. Dros.
Shifting pains in j. Benz-ac.
Shooting pain in j. of left toes; worse in great toe. Can-ind.
Soreness in j. of feet and toes. Arg-m.
Sprained feeling in j. Rhus-t.
Stiffness and bruised feeling in j. Physos.
Stiffness and cracking in j., with arthritic pains. Sep.
Stiffness and drawing in j. Kali-n.
Stiffness in j. Coloc., Dig., Lyc., Spong.
Stiffness of knees and cracking in j. Natr-s.
Stitches in j. Sars., Sep.
Stitches in j. and tendons. Kali-c.
Stitches in j. during rest. Hep-s.
Stitches in legs and j. Thuja.
Strumous ulceration of j., with long-continued or retarded suppuration. Hep-s.
Swelling and inflammation of j. Lyc.
Swelling and redness of j., with eratic pains rapidly changing from one part to another. Puls.

Swelling and stiffness of j. (after sprains, over-lifting or over-stretching). Rhus-t.
Swelling of j. Bry.
Swelling of j. after fatigue from walking. Actea-s.
Tearing, drawing pains in j. Rhod.
Tearing in anterior j. of left toes; worse when walking. Agn.
Tearing in j. Bell., Lachn.
Tearing pains in j. Sars.
Tearing pains in legs, muscles and j. from above downward. Sulph. (From below upward. Led.)
Tearing, shooting and rapidly shifting pains in j., especially smaller j. Iris.
Tension in j., as if muscles were shortened. Am-m.
Throbbing in j. of feet; worse when sitting. Arg-m.
Tuberculosis of j., or white swelling. Tuberculinum.
Ulcers on legs, usually about tibia and ankles, or other joints. Psor.
Wandering rheumatic pains in bones and j. at night. Gels.
Weakness and trembling in j. Sulph.
Weakness in all j. as if they would not hold together. Psor.
White swelling of j. Rhus-t.

Jolted.—Soreness and pain after being j. in carriage. Arn.

Journey.—Weariness of calves as after long j. Arg-n. (China.)

Kick.—Children k. off clothes to cool feet. Sulph.

Kidneys (see section on Urinary Organs).—Œdema of ankles and feet, with heart disease or fatty degeneration of k. (albuminuria). Phos.
Swelling of right knee, with pain as from ulceration in whole leg, with pains in k. Benz-ac.

Knee.—Acute synovitis of k., followed by effusion. Apis.
Arthritic inflammation and swelling of k. Nux-v.
Boring pain in k. and ankle joints. Hell.
Burning about k. Carbo-v.
Bursitis, especially about k. Sticta.
Contractive, pressive pain in bend of left k. extending to heel. Rheum.
Cracking in k. and tarsal joints when stretching limb. Thuja.
Cracking of hip, k. and tarsal joints. Camph.
Crampy sensation in calf when drawing up k. Coff.
Cutting in k. Ind.
Drawing pain in k. Caps.
Dull pain in k. when stepping. Coni.
Dull pain in side of k. when walking, and especially when extending limb. Kali-c.
Fatty swelling of k., with stinging pains. Dig.
Feeling of lameness from right k. to hip. Spong.
Fungus articulorum on k. Arn., Ant-c., Sil., Sulph.

Great pain in right thigh, extending from head of femur along anterior surface of thigh to k. Bry.
Great swelling of left leg from k. to ankle joint; purple, with intolerable itching and burning. Petr.
Heat in k., as if hot air were blowing through k. joint. Lach.
Herpetic eruption on k. Dulc.
Hot, inflamatory swelling of k. Puls.
Hot swelling of right k. China.
Inflammation and swelling of k., with pricking and burning pain; worse from touch. Iod.
Inflammatory rheumatism of right k., with tearing in fistula. Lob.
Inflammatory swelling of k. Sil.
Inflammatory swelling of k., with occasional stitches; slightest touch or motion causes intense pain. Cocc.
Intermittent painful drawing in bent k. Croc.
Jerking pain in hip joint and k. Mez.
K. painful, as if too tightly bound. Sil.
Lameness of k. Al-cep.
Left k. twice size of right; very stiff, sore and painful. Berb.
Œdema of left leg and k., with icy-cold foot. Cact.
Pain as after severe blow in left k. Plat.
Pain as from a bruise in left k.; tearing when walking or standing. Coni.
Pain as from bruise in k. Hep-s.
Pain as from bruises in k. at night. Graph.
Pain in flexors of left k. and immediately above patella, extending upward and around thigh; pain as if limb were heavily grasped. Chim.
Pain in k. and ankles. Tart-em.
Pain in k. as if sprained. Lyc.
Pain in left k. and hip. Brom.
Pain in right k., with burning and stiffness; worse on movement. Chelid.
Pain in right thigh and k. when sitting and walking. Cist.
Painful swelling of k. (succeeding gonorrhœa). Clem.
Painless swelling of k. Puls.
Pains around left k. as if bound with something tight. Magn-c.
Pains as from a sprain in right k. Lach.
Paralysis of left thigh and k. Chelid.
Pricking in k. when touched. Arn.
Pricking pain in left k. Laur.
Rheumatic gout: swelling and heat of k., ankle joints and small joints of toes, with drawing, contractive pain and chilliness. Puls.
Rheumatic pain in k. and foot. Phyt.
Rheumatism of hip and k., with high fever and scanty red urine; flying pains, especially in joints; with shuddering. Ver-v.

Rheumatism of k. Acon., Kreas.
Right femur from k. to middle greatly swollen. Mez.
Sciatica: pain running from hip to k. down outside of thigh; worse afternoon and evening, and on any change in weather; pressure causes pain to shoot along entire length of nerve. Kali-bi.
Scrofulous inflammation, with hot, bright-red, shining swelling of k.; shooting, stitching and burning pains; least motion of body or foot, or least touch or pressure upon swelling causes excruciating pain. Iod.
Shooting, tearing pain in k. Clem.
Shooting, tearing pains from hip to k. and foot, especially when coughing. Caps.
Soft, painless swelling of k. Sep.
Sticking and drawing from k. to groin; worse on motion or contact. Nux-v.
Stiffness and great lassitude of legs; scarcely able to walk; k. feels stiff and paralyzed. Anac.
Stiffness and stitches in k. Nitr-ac.
Stiffness in sacrum, hip and k. Rheum.
Stiffness of k. Ant-c.
Stiffness of k. and ankle joints. Sulph.
Stitches in k. Cocc., Petr.
Stitches in thigh, k. and heel, only at night. Calc-c.
Stitching pain through right k. when walking. Chenop-v.
Stitching pains in k. Arn.
Subacute, rheumatic pains in k. and ankle joints. Cod.
Sudden sharp pain running through and laming k., forcing patient to sit down. Bar-c.
Suddenly grasps k. with hand and screams, when convulsions ensue. Cic-v.
Swelling and pain in left k. Cic-v.
Swelling of k. Apis, Sulph. (Right k. Lyc.)
Swelling of k., with tearing, drawing pains. Puls.
Swelling of right k., with pain as from ulceration in whole leg, with pains in kidneys. Benz-ac.
Swelling, with drawing, sticking pains in k. when walking. Led. (Bry.)
Tearing and stiffness in k. Phos.
Tearing pain in hip joint and k. before suppuration. Merc.
Tearing pain in k. Euphorb., Millef.
Tearing pain in left k.; worse at night. Kali-jod.
Tearing pain in left leg, especially in k. and ankle joint. Carbo-an.
Trembling sensation in k. Coff.
Tumor or white swelling of k., with tearing pains. Ant-c.
Violent contractive pain in external tendons of left k. Ox-ac.
Violent, itching nettle rash on thigh and inside of k. Iod.
Violent pain on outside and to front of left k. Apis.

Violent stitch in k. Valer.
Wandering, erratic, sharp pain in k. and hip joint, with aching and trembling in leg. Kali-bi.
White swelling of k. Iod.
White swelling of k., with intolerable, tearing pains; worse during rest and at night. Rhod.
White swelling of k., with sweat on swollen k. Lyc.

Knee joint.—A kind of paralysis in left leg, with pain in hip and k. Magn-c.
Arthritic pain around k. Coni.
Boring pain in k. Ind.
Bruised pain in k. Ars.
Chronic inflammation of k. Phyt.
Chronic inflammation of k., with great swelling and partial anchylosis. Sil.
Contraction and pain in hip and k. when sitting, when rising from seat, or after over-exercise. Rhus-t.
Cracking in hip joint and k. (Nitr-ac.), when stooping. Croc.
Cracking in k. Cham., Cocc., Coni., Ign., Sep.
Cutting, knife-like pains in k. Acon.
Cutting pain, as if sprained, in k., when walking. Spig.
Dropsy of left k. Tart-em.
Dryness of k. Nux-v.
Dull stitches in region of k. near patella. Staph.
Heat in knee, as if hot air were blowing through k. Lach.
Lameness of k. after walking. Carbo-v.
Pain in k., as if broken. Cupr.
Rheumatic pain in right k.; worse when walking. Cinnab.
Rheumatic pains in k. on moving leg. Lact-ac.
Stitches in k. Magn-c.
Swelling of k. Nux-v.
Synovitis: k. red, swollen and excessively painful to touch and on motion. Bry.
Synovitis of k. Fluor-ac.
Violent itching in k. Zinc.

Knee joints.—Cracking in k. Ran-b.
Dropsy of k. Sulph.
Feeling of great weakness in and about k. Plat.
Great lassitude of k. and heaviness of feet. Caust.
Heaviness of thighs and legs when walking, with stiffness of k. Bell.
Hip and k. stiff. Hell.
K. crack from dryness. Benz-ac.
K. feel dry and crack when moved. Nux-v.
Knees shaky, with feeling as if hot air were passing through k. Lach.
Pain in k. like neuralgia, sometimes extending to toes, with thrill as if foot had been asleep. Lact-ac.

Pain in muscles of thighs, k. and legs (with chill). Cimex.
Paralytic heaviness and weakness in legs, especially in thighs and k. Stann.
Prostration of k. Lith-c.
Rheumatism of hip and k. Led.
Sensation of dryness in k. Benz-ac.
Stitches in knees and k. Staph.
Stitching pain in k. Bar-c.
Suppurating pain in hip and k. Sil.
Tearing pain in knees and k. Am-c.
Weakness in k. and tearing pain, with pressure when walking. Led.

Knees.—Aching pain in and about k. Gum-gut.
Acute, arthritic rheumatism; k. swollen, painful, throbbing, with cutting, stinging pains. Acon. (Also apply cloth saturated with dilution.)
Agreeable thrill from k. down, with sensation as if bird's claws were clasping k. Can-ind.
Arthritic stiffness in k., with paralytic weakness of legs. Phos.
Boring pain in k. Canth.
Burning in k., legs and toes. Tarax.
Cold k., especially at night. Carbo-v.
Coldness of k. Ars., Benz-ac., Cimex, Coloc., Daph., Merc., Raph., Puls.
Coldness of k., toes and fore part of feet. Daph.
Coldness of legs from k. to toes. Tabac.
Contraction in k. Zinc.
Cracking in k. Nux-v.
Cracking in k. during motion. Cocc.
Cracking in k. when walking and descending. Caust.
Cramp in calves at night when bending k. Cocc.
Drawing and cutting in k.; worse at commencement of walk. Coni.
Drawing pain fromk . to feet. Phos.
Drawing pain in both k. when ascending. Alu.
Drawing pain in k. Anac., Natr-m., Phos.
Drawing pain in k.; more stretching than when bending k. Caust.
Drawing, painful stiffness of k. Bry.
Drawing, pains in thighs, k., ankles, feet and toes. Caul.
Eruption on k. Anac., Ant-c., Lach., Merc., Nux-v., Phos-ac., Thuja.
Extreme weakness of legs; they tremble and k. knock together. Bry.
Feeling as if k. were palsied. Berb.
Feeling in k., as of great fatigue, when ascending. Dig.
Feeling of coldness in k., toes and soles. Card.
Flexibility of k. Nux-v., Ruta.
Flexibility of k. when ascending stairs. Can-sat.
Furuncles on k. Natr-m., Nux-v.

Gout: drawing pain; in k.; in lower part of left tibia; in left heel; tearing through right great toe. Ant-c.
Grasping pain or heavy aching in k. Lil-tig.
Great weakness and giving way in k. and legs. Merc-sol.
Great weakness in k. Ferr., Sep.
Great weakness of k., with sleepiness; has to lie down after least exertion. Nux-m.
Great weakness of legs, especially k. Lach.
Great weariness in k., as after long walk. Cocc.
Hamstrings feel shortened and weak; k. give way ascending or descending. Ruta.
Hamstrings feel too short; k. flexed; attempting to stretch them causes pain in thighs (during intermittent). Cimex.
Heaviness and languor of k. Gum-gut.
Herpes on k. Carbo-v., Dulc., Petr., Phos.
Herpetic eruption on k. and ankles. Petr.
Hot swelling of k. Cocc-c.
Inflammation of k. Cocc., Puls.
Involuntary drawing up of k. when walking. Ign.
Jerking of k. at night awaking patient. Arg-n.
Jerking pain in k. Am-c., Anac.
K. and ankles lame, weak and painful. Dios.
K. and ankles pain, as if sprained. Natr-m.
K. and legs feel weak and ache. Hydr.
K. and toes icy cold. Tabac.
K. cold. Agn.
K. feel bruised. Meph.
K. feel swollen when sitting, with pinching in bends of k. Ammoniac.
K. give way. Cupr.
K. give way, even while standing. Croc.
K. give way when standing and walking. Chelid.
K. go to sleep. Carbo-v.
K. inflamed and swollen, with shooting pains. Puls.
K. pain, as if sprained; painful when walking. Calc-ph.
K. pain as if tightly bandaged when sitting. Aur.
K. shaky, with feeling as if hot air were passing through knee joints. Lach.
K. stiff, especially when walking. China.
K. swollen, with tearing, drawing pains. Puls.
K. tired and weary, with prostration. Natr-s.
K. totter when ascending. Canth.
K. unsteady and trembling. Mang.
K. weak. Kobalt.
K. weak and give way. Psor.
K. weak and trembling. Dios.

K. weak on descending. Lact-ac.
K. weak; totters and sinks down when walking; threatens to fall to one side. Cocc.
K. weak when walking. Caul.
Legs feel as if bandaged, with stiffness and painful uneasiness about k. when sitting. Anac.
Lies with k. drawn up. Abies-c.
Moblity of k. Nux-v., Ruta.
Numbness and stiffness of thighs, k. and toes. Graph.
Old ulcers on legs, with burning and stinging; profuse sweat about k. at night. Ars.
Pain in both k. shooting down legs; worse on motion. Ferr-ph.
Pain in hips and k. impeding motion. Nux-j.
Pain in k. Ang., Benz-ac., Calc-ph., Can-sat., Caps., Cist., Kali-chl., Kalm., Nitr-ac., Nux-j., Rhus-r., Ruta, Zinc.
Pain in k., ankles, shins, hollow and ball of foot. Natr-ph.
Pain in k. as after long walk. Chelid.
Pain in k. as if bruised. Sep.
Pain as if sprained or dislocated in joints of femur and k. Ign.
Pain in k., as if stiff. Sulph.
Pain in k. at night. Lyc.
Pain in k., tibia and tarsal joint, as if had been used too much. Cor-r.
Pain in k. when ascending steps. Plumb.
Pain in k. when bending. Spig.
Pain in k. when descending steps. Arg-m., Can-sat., Ver-a.
Pain in k. when walking. Merc-sulph.
Painful stiffness of k., as after long walking. Lob.
Painful weakness in k. when standing, with painful shocks. Sulph-ac.
Painful weakness of k. Staph.
Pains in feet and k. as if heavy stones were tied to parts; better on movement. Ver-a.
Pains in k. at night. Gels. (Rhus-t.)
Pains in right hip, both k., and first joint of great toe; worse on right side. Iris.
Paralytic pain in k. China, Euony.
Paralytic weakness in thighs and k. when stepping. Chelid.
Pressive pains in k. Led.
Pricking, dull, drawing, twitching pains in k. Aloe.
Rending, tearing in k. Arn., Bell., Caust., China, Led., Lyc., Phos., Zinc.
Rheumatic pain from k. downward. Nicc.
Rheumatic pains in hip joints and k.; worse on movement. Kali-bi.
Rheumatic pains in k. at night. Gels.
Rheumatism: great swelling; pain and stiffness of k.; could not raise foot. Berb.
Sensation of stagnation of blood in k. Lact., Phell.

Shooting, tearing pains in k., ankles and toes. Acon.
Soreness about k. Caust.
Sprained feeling in hips, k. and ankles. Rhus-t.
Stiffness and aching of k. Can-ind.
Stiffness of and contraction in k., as if they were too short. Rhus-t.
Stiffness of k. Am-m., Apoc., Bry., Calc-c., Graph., Led., Sang., Sulph. (Rhus-t.)
Stiffness of k. and cracking of joints. Natr-s.
Stiffness of k. and tarsal joints, thighs and small of back in morning when rising. Ign.
Stiffness of k. preventing squatting down. Coloc., Graph.
Stinging pain in k. Hell., Lach., Petr., Puls., Sep., Staph., Sulph.
Stitches in hip extending to k. Bry.
Stitches in k. and knee joints. Staph.
Stitching pain in k. and tibia. Sulph.
Stitching pains in thighs, k. and legs. Sars.
Swelling and stiffness of k. Lyc.
Swelling and suppuration of k. Sil.
Swelling of k. Bry., Calc-c., Cocc., Hep-s., Iod., Led., Lyc., Puls., Sil.
Swelling of k. and feet, and around ankles (with dyspnœa). Hep-s.
Swelling of k. with contractive pain in ligaments. Bry.
Synovitis: soft, white, shining swelling of k. Puls.
Tearing, jerking and drawing pain in k. Puls.
Tearing pain from k. down to malleoli at night. Croc.
Tearing pains in hips and k., even when sitting. Kali-c.
Tearing in inner side of k., as from a jerk. Acon.
Tearing pain in k. Caust., Cist.
Tearing pain in k. and knee joints. Am-c.
Tearing pain in k. and tibia. Laur.
Tearing pain in k., over legs and feet. Kali-c.
Tearing pains in k. and ankle; worse during rest. Rhus-t.
Tearing pains in k., like jerks. Puls.
Tearing pains in lower limbs, mostly in k. and feet. Natr-c.
Tendons of k. seem too short. Caust.
Tension in k. Arn., Bry., Led.
Throbbing in legs from k. to toes, as from a boil; worse in soles. Kreas.
Trembling of k. Alu., Chelid.
Trembling of k. when standing. Oleand.
Tremor of k. Anac., Bell., Ruta.
Tremor of k. when sitting or walking. Led.
Unsteadiness and weakness of k. Puls.
Unsteadness of k.; they totter and give way when walking. Acon.
Violent drawing and cutting pains through k. and tibia, especially in evening. Sulph.

Violent itching of legs, especially k. Asclep-tub.
Violent, tearing pain in k. and patellæ, and from k. down to toes. Alu.
Want of stability in k. Acon., China.
Weakness and lassitude of legs and k. Dig.
Weakness and tremor of k. when walking. Led.
Weakness of k. Nitr-ac., Oleand., Ruta, Sep., Staph. (China.)
Weakness of k and legs. Rhus-r.
Weakness of k. as if they would give way. Natr-m.
Weakness of k., with painful drawing when walking and standing. Cupr.
Weakness of k., with pressure at stomach, especially after a meal. Lach.
Weakness of thighs and k. Sars.
Weakness, with sensation of trembling; muscles feel paralyzed; k. knock together and patient can hardly walk. Colch.
Weariness and lassitude of k. Dulc.
Weariness, heaviness and pain in k. when walking. Magn-c.
Weariness of thighs, with trembling of k. Puls.

Knife.—Drawing pains in bones of thigh, as if periosteum had been scraped with k. China.
Great pain in bones, especially in joints, as if interior were cut and scraped with sharp k. Sabad.
Sensation as if k. pierced calf, and as if blood trickled down. Natr-c.

Knife-like.—Cutting, k. pains in knee joint. Acon.

Knock.—Extreme weakness of legs; they tremble and knees k. together. Bry.
Weakness wish sensation of trembling; muscles feel paralyzed; knees k. together and patient can hardly walk. Colch.

Knots.—Cramps with k. or lumps on thighs. Ipec.
Soles and calves contracted in k. Cupr.

Knuckles.—Pain in k. of toes and corns. Camph.

Lacerating.—Crampy, l. pain in hip joint. Kali-c.

Lame.—Articular rheumatism: legs l., stiff and numb. Ox-ac.
Knees and ankles l., weak and painful. Dios.
L. feeling in ankle joint when sitting or walking. Natr-m.
Left leg l., with spinal irritation. Paris.
Legs feel heavy, stiff and l. Chelid.
Limbs feel l. and bruised. Dros.

Lameness.—Feeling of l. from right knee to hip. Spong.
Feeling of weariness and as if legs were bruised, sometimes with heaviness, l. and stiffness. Benz-ac.
Great l., with drawing pain from abdomen to lower leg. Carbo-v.
Great weakness and sensation of l. in legs. Colch.
Heaviness and l. of legs and feet; raises feet slowly and puts them down with force. Bell.

L. Apis, Carbo-v., Ferr., Rhus-t., Ruta, Zinc.
L. after sprains, especially of ankle. Ruta.
L. after suddenly checked perspiration of feet. Colch.
L. in joints; better lying on painless side. Fluor-ac.
L. of knee. Al-cep.
L. of knee joint after walking. Carbo-v.
L., stiffness and pain on first moving after sitting, or on getting up in morning; relieved by continued motion. Rhus-t.
L., weariness and weakness of joints (with bowel trouble). Aloe.
L., with loss of sensation in limbs. Laur.
Numbness and l. of left thigh. Acon.
Pain in tendons of muscles of calf, as if stretched, with l. Kali-bi.
Painful drawing and l. behind left trochanter extending to popliteal space. Iris.
Painful l. of legs. Agar.
Rheumatic, wandering pains in limbs, with l. Meph.
Soreness and l. in legs. Sil.
Tired l. of legs. Kali-brom.
Weakness and l. in legs. Seneg.

Languid.—Painful weariness of legs (during menses); feet are heavy, l. and debilitated. Bov.

Languor.—Great l. and weariness of legs. Plumb.
Heaviness and l. of knees. Gum-gut.
L. and prostration of legs. Helon.
L. and weakness of limbs. Hydroc-ac.
L. in legs, with oppression of chest. Plat.
L. or lassitude of left leg. Bar-c.

Large.—Feeling as if toes and whole foot were too l. Apis.
Feet feel l. and heavy and can be moved only by moving whole limb. Ars.
Sensation in toes and whole foot, as if too l. Tart-em.

Larger.—Sensation as if legs had grown l. Alu.

Lassitude.—Aching, drawing pain in limbs, with great l. Nux-v.
Aching of the limbs, with great l., weariness and prostration of joints. Sep.
Feet feel heavy, with great l. of legs; can scarcely drag them; when walking staggers and has to sit down. Alu.
Great l. and weariness of legs. Ham.
Great l. of knee joints and heaviness of feet. Caust.
Languor or l. of left leg. Bar-c.
L. of limbs when ascending. Asar.
Sciatica: pressing, shooting, drawing, aching in thigh; pain external; with soreness of left groin; great l. and desire to lie down (syphilitic and gonorrhœal). Phyt.
Stiffness and great l. of legs; scarcely able to walk; knees feel stiff and paralyzed. Anac.

Stitches, sticking and drawing pains, with l. of legs and coldness of feet, but sometimes only of knees. Sep.
Weakness and l. of legs and knees. Dig.
Weariness and l. of knees. Dulc.

Late.—Walking l. and with difficulty (in children). Calc-c. (Bell., Calc-ph., Sil., Sulph.)

Laughing.—Sciatica: pain in sacrum extending down sciatic nerve to right thigh; worse; when pressing; at stool; coughing; l.; lying on affected side. Tellur.

Learning.—Children slow in l. to walk. Natr-m.

Left.—Aching and stitching pain in ball of l. great toe. Can-ind.
Aching in l. sole. Hydr.
A kind of paralysis in l. leg, with pain in hip and knee joint. Magn-c.
Boring stitch in l. little toe. Phos-ac.
Burning pain in l. great toe. Actea-s.
Chronic rheumatism of l. hip; worse in damp weather. Phyt.
Contractive, pressive pain in bend of l. knee extending to heel. Rheum.
Contusive pain in tip of left middle toe. Mez.
Corns between second and third toes of l. foot. Psor.
Cramp in l. calf. Coloc.
Cramp in l. toes. Arum.
Cramp in toes and sole of l. foot. Calc c.
Cramp-like, jerking, digging pain in l. hip. Can-sat.
Cramp-like, stitching pain in l. foot. Natr-m.
Crampy pain in l. toes and root of toes. Aster.
Crawling, as if nerve were pulled, in l. sole. Arn.
Darting in l. hip at every step. Kali-jod.
Dragging of l. foot when walking. Cupr.
Drawing, aching in l. foot. Coloc.
Drawing and contractive pains in gastrocnemius muscle of l. leg. Gels.
Drawing pain down entire l. leg. Bar-c.
Drawing pain in l. hip. Sulph.
Drawing, pressive pains in l. hip joint, thigh being extended when sitting. Arn.
Drawing to and fro in l. foot from toes to ankles. Can-sat.
Drawing, twitching, with dull throbbing in l. hip. Coloc.
Dropsy of l. knee joint. Tart-em.
Dull pressure, as from a plug, in glutei muscles of l. side. Anac.
Erysipelatous inflammation and swelling of l. leg and foot after dancing. Borax.
Fine tearing in l. toes, especially underneath. Led.
Fine tearing pain in muscles of l. foot. Spig.
Frequent sensitive throbbing in l. great toe. Asaf.
Great soreness in l. thigh. Gels.

Great swelling of l. leg from knee to ankle joint; purple, with intolerable itching and burning. Petr.
Gout: drawing pain; in knees; in lower part of l. tibia; in l. heel; tearing through right great toe. Ant-c.
Gout of l. great toe, with radiating pain upward. Mang.
Itching of l. ankle. Pallad.
Itching stitch at root of two last l. toes during rest. Merc-sol.
Languor or lassitude of l. leg. Bar-c.
L. foot numb, with prickling. Bapt.
L. hip and hip joint swollen, hot and very painful to touch, with anxiety, fear and great thirst. Acon.
L. knee twice size of right; very stiff, sore and painful. Berb.
L. leg becomes blue from distended veins (during menses), with pressive pain in leg. Ambr.
L. leg goes to sleep easily. Fluor-ac.
L. leg lame, with spinal irritation. Paris.
L. lower leg feels paralyzed. Carbo-v.
Needle-like stitches in l. hip. Hell.
Numb feeling in l. sole, then whole foot, increasing to numbness of whole leg. Can-ind.
Numbness and coldness of left leg when sitting. Hyper.
Numbness and lameness of l. thigh. Acon.
Numbness first in right foot, then l. Coloc. (First l., then right.) Millef.
Œdema of l. leg and knee, with icy-cold foot. Cact.
Pain above l. knee extending into chest. Pallad.
Pain, as after severe blow, in l. knee. Plat.
Pain, as from a bruise, in l. knee; tearing when walking or standing. Coni.
Pain, as if from sprain, strain or contusion in l. hip joint. Caust.
Pain, as if bruised, in l. instep. Kali-jod.
Pain in ball of l. great toe, as if inflamed, with rheumatism. Colch.
Pain in corn of l. little toe. Arg-m.
Pain in flexors of l. knee and immediately above patella, extending upward and around thigh; pain as if limb were heavily grasped. Chim.
Pain in l. knee and hip. Brom.
Pain in l. hip, as if tendons were too short; has to limp when walking. Am-m.
Pain in l. hip joint. Phos.
Painful drawing and lameness behind l. trochanter, extending to popliteal space. Iris.
Pains around l. knee, as if bound with something tight. Magn-c.
Pains, as if l. hip were wrenched. Iris.
Paralysis of l. thigh and knee. Chelid.
Paralytic, drawing pain from abdomen to l. leg. Carbo-v.

Pressive pain in l. calf. Tarax.
Pricking in l. hip. Hell.
Pricking pain in l. knee. Laur.
Redness, inflammation and swelling of l. leg, with violent itching and gnawing. Natr-c.
Rheumatic drawing in l. leg. Iod.
Rheumatic, drawing pain in l. glutæus maximus muscle near spine while sitting; ceases on standing. Cycl.
Rheumatic pain in muscles of l. thigh just above knee. Daph.
Rheumatic pain in l. hip or on inside of right thigh. Sang.
Rheumatic pains in l. leg. Elaps.
Right ankle feels as if dislocated, can scarcely walk; changes to l. Ver-v.
Sciatica: aching in sacrum, lumbar region and down l. leg. Cimicif.
Sciatica: shooting, burning, laming pain in posterior femoral muscle shooting along l. sciatic nerve to foot. Iris.
Sensation as if a cord were tied around right leg midway between hip and knee, causing limping and pain; pain subsequently shifting to l. leg below knee and from thence into ankle. Am-brom.
Shooting and dull, aching pain in l. thigh in course of sciatic nerve extending down to instep and toes. Elat.
Shooting pain in joints of l. toes; worse in great toe. Can-ind.
Soreness in inner side of l. thigh, with biting and itching extending to genitals. Lyc.
Spasmodic sensation in l. little toe, as if turned about. Crotal.
Stabbing pain in l. hip, as after a fall. Natr-s.
Stinging in heel of l. foot and ball of great toe. Ambr.
Stinging pain in l. calf. Am-m.
Stitches from l. foot through thigh into testicle. Bar-c.
Stitches in l. hip when sitting. Carbo-an.
Stitching pain in l. thigh. Tarax.
Sudden unbearable stitch in l. hip when walking. Natr-s.
Swelling and pain in l. knee. Cic-v.
Tearing in anterior joints of l. toes; worse when walking. Agn.
Tearing in backs of middle toes of l. foot. Arg-m.
Tearing in margin of l. foot. Ambr.
Tearing in middle toe of l. foot, also in ball of l. little toe and sole. Mez.
Tearing in tips of l. toes and under nails when walking. Camph.
Tearing pain in l. knee; worse at night. Kali-jod.
Tearing pain in l. leg, especially in knee and ankle joint. Carbo-an.
Tearing pain in outer side of l. leg when sitting. Caust.
Tearing pain just above l. knee joint extending to point a hand's breadth above ankle. Ind.
Throbbing stitches in l. heel when standing. Ran-b.
Tickling, creeping in l. toes. Euphr.

Trembling of l. leg. Cic-v.
Ulcer on l. heel. Diad.
Varicose veins on l. leg. Fluor-ac.
Violent contractive pain in external tendons of **l. knee.** Ox-ac.
Violent pain behind l. hip. Arg-m.
Violent pain in l. foot. Kalm.
Violent pain on outside and to front of l. knee. Apis.
Violent pain with contraction of tendo Achillis and l. foot. Can-sat.
Violent pains on level with crest of l. ilium. Millef.

Leprosy.—L. Hydroc. (Tart-em.)

Leprous.—Elephantiasis (in l. patients). Lach.

Leucorrhœa (see section on Menstruation and Discharges).—Burning in soles (in women suffering from chronic endometritis, l. and disordered vaginal discharges). Lyc.
Sensation as if warm water were running down thighs (with l.). Borax.

Lie down.—Aching pains in ankles and hollow of feet when walking; must l. after short walk. Rhus-t.
Excessive weakness and exhaustion of legs obliging patient to l. Ars.
Great restlessness of limbs, with fear and anxiety, and great exhaustion from exertion or movement; must l. Ars.
Great weakness of knees, with sleepiness; has to l. after least exertion. Nux-m.
Sciatica: pressing, shooting, drawing, aching in thigh; pain external; with soreness of left groin; great lassitude and desire to l. (syphilitic and gonorrhœal). Phyt.

Lies.—L. with knees drawn up. Abies-c.
Limbs upon which patient l. while asleep, seem asleep, with tingling on awaking. Puls.

Ligaments.—Swelling of knees with contractive pain in l. Bry.

Lightness.—Feeling of l. in limbs (Mez.); when walking seems to be gliding lightly through air. Asar.

Limp.—Pain in left hip, as if tendons were too short; has to l. when walking. Am-m.
Pain in limbs obliging him to l. Dros.

Limping.—Involuntary l. Bell., Calc-c., Coloc., Kali-jod., Lyc., Puls., Rhus-t., Zinc.
Sensation as if a cord were tied around right leg midway between hip and knee, causing l. and pain; pain subsequently shifting to left leg below knee, and from thence into ankle. Am-brom.
Stitches in back and right hip causing l. walking. Rumex.

Limy.—Rheumatism of joints with concretions of calcareous or l. substances; pains shifting; urine excessively fetid. Benz-ac.

Lithic acid.—Rheumatic gout, with concretions of l. in joints. Aspar.

Little toe.—Boring stitch in left l. Phos-ac.
Burning, jerking pains in balls of l. and second toes, with itching after becoming warm in bed. Puls.

Burning, itching of l., painful when touched. Staph.
Drawing pain from l. along tibia. Tarax.
Inflammation and itching of both l. Bov.
Itching, burning pain in small spot in right hip, then in thigh, then in l. Lith-c.
Pain in corn of left l. Arg-m.
Spasmodic sensation in left l., as if turned about. Crotal.
Tearing in middle toe of left foot, also in ball of left l. and sole. Mez.
Violent tearing in ball of l. Mez.

Liver (see section on Hypochondria).—Œdema of legs and feet, with disease of l. Arg-n.
Shooting pain in thighs (from l.). Kobalt.

Livid.—Red spots on legs turning l., as after a bruise. Coni.

Loaded.—Weariness of the legs; heavy feeling below the knees, as if l. Indium.

Locked-jaw.—Prevents l. from wounds in feet. Hyper.

Locomotor ataxia (see section on Nerves).—L.: shuffling gait; feet dragged along by lifting legs. Ars.
L.: staggering, tottering, irresolute gait; cannot walk with eyes closed, or in dark; jerking in toes. Arg-n.
L.: gait unsteady, staggering, as if drunk; looks to see if legs are really moving; with loss of sensibility; pinching or burning causes no pain. Kali-brom.
Progressive l. Gels. (Pinus sylv.)

Loss.—Jerking of limbs, with l. of consciousness. Glon.
Lameness, with l. of sensation in limbs. Laur.
Locomotor ataxia: gait unsteady, staggering, as if drunk; looks to see if legs are really moving; with l. of sensibility; pinching or burning causes no pain. Kali-brom.
L. of co-ordination of muscles. Bell.
L. of muscular power in legs. Gels.
L. of power in legs. Sabad.
L. of power in legs, especially joints. Phos.
L. of voluntary motion. Gels.
Paralysis, with atrophy of legs (after parturition), with l. of motion and sensation. Plumb.
Weakness of legs after l. of fluids. Phos-ac. (China.)

Lower leg.—Cramp in fore part of l. near tibia. Carbo-an.
Great lameness, with drawing pain from abdomen to l. Carbo-v.
Left l. feels paralyzed. Carbo-v.
L. and feet cold. Chenop-a.
Sensation in l. as if garters were tied too tightly, and as if leg would go to sleep and become stiff. China.

Lower legs.—Feet and l. icy cold. Chin-ars.
Gout: tearing in l., especially in small joints of feet, with swelling. Caust.

Lumbar region.—Sciatica: aching in sacrum, l. and down left leg. Cimicif.

Lumps.—Cramps with knots or l. on thighs. Ipec.

Small hard l. along shin bone. Bad.

Lupus.—Tuberculous erythematic l.; dorsum of right feet covered with small indurations having large, thick crusts, some grayish white, others light yellow, resting on purple base. Hydroc.

Luxation (see Dislocation).—Feeling as of partial l. of patella when walking. Gels.

Spontaneous l. of hip joint. Coloc., Rhus-t.

Lying.—Drawing in legs when sitting or l. Am-m.

Dull pains darting or cutting from right hip joint posteriorly downward to foot; worse l.; better sitting in chair. Gnaphal.

Feet tingle when l. Hyper.

Lameness in joints; better l. on painless side. Fluor-ac.

Limbs go to sleep when l. on them, or when putting one over other. Rheum.

Pain in either side of great trochanter when l. on it. Ver-a., Ver-v.

Sciatica: pain in sacrum extending down sciatic nerve to right thigh; worse when pressing; at stool; coughing; laughing; l. on affected side. Tellur.

When l. legs immediately go to sleep. Sulph.

When l. on side hips hurt and when lying on back small of back hurts. Rhus-t.

Lying-down.—Cramp in soles (Sil.) in evening after l. Carbo-v. (Sulph.)

Cramps in legs in evening after l. Puls., Sulph.

Legs frequently go to sleep when sitting or l., or when resting upon them. Am-c.

Singular, pulsating pain, with feeling as if opening and shutting in middle of anterior portion of right thigh; leaving a severe aching and tenderness to pressure when l. Chim.

Weakness in region of head of femur, with feeling as if had been crushed, especially after l. and sleeping. Acon.

Lymphatics.—Very read streaks following course of l. from calf up to buttocks, with twitching in limbs and great anxiety. Myg.

Malleoli.—Bruised pain in m. when walking. Crotal.

Cold swelling around m. Asaf.

Malleolus.—Sudden pain as if bruised in outer m. of right foot; worse when standing; less when walking. Valer.

Ulcerative pain in region of m. Natr-m.

Marasmus.—Emaciation of legs (in m.). Abrot.

Marbled.—M. skin of legs. Caust.

M. skin of thighs, legs and dorsum of feet. Caust.

Margin.—Tearing in m. of left foot. Ambr.

Meal.—Weakness of knees, with pressure at stomach, especially after a m. Lach.

Menorrhagia (see section on Menstruation).—Pain and stiffness in right leg (in m.). Cocc-c.

Menses (see section on Menstruation).—Great aching and soreness in legs (before m.). Caul.

Painful weariness of legs (during m.); feet are heavy, languid and debilated. Bov.

Left leg becomes blue from distended veins (during m.), with pressive pain in leg. Ambr.

Severe pain in back, through hips and down thighs (during m.). Cimicif.

Metacarpal joints.—Pain as if sprained in m. of toes, with sensation of swelling. Berb.

Metastasis.—Shifting rheumatism (m.). Acon., Colch., Ferr., Kalm., Mang., Merc., Puls. (Shifting from one joint to another without leaving first. Ferr-ph. Leaving first without pain. Kali-s.)

Metatarsal bones.—Jerking, tearing in tarsal and m., also in toes. China.

Scrofulous ulcers in hollow of sole and over tarsal and m., discharging pus and sanious matter. Hydr.

Tearing pain in m. Sabin.

Middle toe.—Contusive pain in tip of left m. Mez.

Tearing in back of m. of left foot. Arg-m.

Tearing in m. of left foot, also in ball of left little toe and sole. Mez.

Misstep.—A m. causes sensation of concussion to brain. Led.

Mobility.—M. of knees. Nux-v., Ruta.

M. of lower extremities. Anac., China, Kreas., Lach., Opi., Rhus-t., Stram.

Moist.—Chilblains itch and are m. Petr.

Morning.—Acute, crampy, tearing pain in posterior muscle of calf; better in m. and from rubbing; worse in afternoon and when quiet. Valer.

Cold sweat on legs in m. Euphorb.

Cramps in calves in m. Caust.

Feet painful and feel as if sprained in m. on rising. Rhus-t.

Great weakness of legs when walking in m. Ran-b.

Jerking, sore pain from hip joint to knee while in bed in m.; disappears on walking. Puls.

Lameness, stiffness and pain on first moving after sitting, or on getting up in m.; relieved by continued motion. Rhus-t.

Limbs stiff, with shooting pains; worse in m. Kali-bi.

Pain, as from bruises, in thighs and legs in m. when in bed. Caust.

Paralytic feeling in limbs early in m. Natr-c.

Stiffness of knees and tarsal joints, thighs and small of back in m. when rising. Ign.

Motion.—Arthritic swelling of joints, with cracking on m. Sulph.
Bends of knees painful on m. Natr-c.
Bruised pain in legs; worse on m. Sil.
Chorea-like, convulsive m. of limbs. Arg-n.
Cracking in knees during m. Cocc.
Cutting in all joints, especially on m. Hyos.
Difficult m. and weariness of legs. Camph.
Drawing, crampy pain in dorsum of foot, especially during m. Camph.
Drawing pain in bend of right foot, extending to great toe, where it is only felt during m. Caust.
Drawing pain in calves during m. Cocc.
Furuncles on right thigh painful on m. Calc-c., Hell., Kali-c.
Hammering, tearing pain in thigh; worse from m. Sec.
Inflammatory swelling of knee, with occasional stitches; slightest touch or m. causes intense pain. Cocc.
Involuntary m. of one arm and one leg (in hydrocephalus). Apoc.
Lameness, stiffness and pain on first moving after sitting, or on getting up in morning; relieved by continued m. Rhus-t.
Loss of voluntary m. Gels.
Pain as from bruises in all muscles; worse on m. or when sneezing. Kali-c.
Pain gradually rising from tarsal joint to hips, necessitating constant m. and shifting of feet while sitting. Bell.
Pain in ankles, as from a sprain or false step; worse on m. Led. (Arn., Bry.)
Pain in both knees shooting down legs; worse on m. Ferr-ph.
Pain in hip joint and tarsal joint during m., as if sprained. Laur.
Pain in hips and knees impeding m. Nux-j.
Pain in patella preventing m. Nitr-ac.
Paralysis, with atrophy of legs (after parturition), with loss of m. and sensation. Plumb.
Rheumatic pains in hips; worse during rest; better from m. Sabad.
Rheumatic pains in legs, rarely in joints; better from m. Valer.
Rheumatic pains: worse at rest and on beginning to move; better from continued m. Rhus-t.
Rheumatism: aching pains in legs; must change position every moment; pain on first moving but relieved by continued m. Rhus-t.
Rheumatism: pains go from below upward; joints swollen, painful, hot and tense; drawing pains; worse from warmth and m. Led.
Sciatica of right hip; pain only during m.; rest bringing complete relief. Dios.
Sciatic or crural neuralgia (in gouty, rheumatic subjects), with tearing, stitching pain; worse on m. Coff.
Sciatica: stitching, contractive pain in hip joint; better on m. and pressure; worse during rest. Meny.

Scrofulous inflammation, with hot, bright-red, shining swelling of knee; shooting, stitching and burning pains; least m. of body or foot or least touch or pressure upon swelling causes excruciating pain. Iod.

Sticking and drawing from knee to groin; worse on m. or contact. Nux-v.

Stretching out or m. very painful. Bry.

Synovitis: knee joint red, swollen and excessively painful to touch and on m. Bry.

Tearing and stinging in limbs; worse on least m. Guaj.

Violent involuntary m. of limbs. Stram.

Violent pain in tarsal joint, as if sprained, during m. Cocc.

Weakness and pain in the thighs, as from fatigue, with dread of m. Guaj.

Mottled.—Burning ulcer on leg, with offensive discharge; m., purple appearance. Carbo-v.

Mouse.—Sensation of m. running over legs. Sep.

Move.—Drawing pain in muscles of thigh at night forcing patient to m.; does not know what to do, with sleeplessness and great chilliness. Puls.

Feet fidgety and nervous; must m. them constantly. Zinc.

Heavy feeling in bends of knees and in calves so that could not m. feet. Rhus-t.

Legs blue, cold and difficult to m. Ox-ac.

Legs restless; must m. them constantly. Mosch.

Moveable.—Tumor, size of an egg, above knee; hard on pressure, but m. Ign.

Moved.—Knee joints feel dry and crack when m. Nux-v.

Movement.—Crural neuralgia, with stinging, stitching pains on m. Staph.

Great restlessness of limbs, with fear and anxiety and great exhaustion from exertion or m.; must lie down. Ars.

Pain in right knee, with burning and stiffness; worse on m. Chelid.

Painful, red spots on calves, turning yellow or green, as after contusion, preventing m. of foot. Coloc.

Pains in feet and knees, as if heavy stones were tied to parts; better on m. Ver-a.

Rheumatic pains in hip joints and knees; worse on m. Kali-bi.

Rheumatism: weariness, heaviness and stiffness of joints; pain worse on m. Bry.

Tearing, burning pains, with cramp in thighs, calves and toes, with great weakness on m. Ars.

Tearing pain when sitting; better on m. Agar.

Movements.—Convulsive, uncontrollable m. of legs. Myg.

Subsultus and spasmodic m. of tendons. Canth.

Twitching, spasmodic m. of legs. Opi.

Moves.—Legs restless; m. them constantly. Natr-m.

Pain, like tingling, in tibia at night when feet are crossed; m. legs back and forth and is unable to sleep. Rhus-t.

Moving.—Boring in right os calcis on first m. foot; disappears after continued motion. Diad.

Constant m. of legs, with inability to do anything; cannot keep them quiet. Tarant.

Lameness, stiffness and pain on first m. after sitting or on getting up in morning; relieved by continued motion. Rhus-t.

Pain, as if sprained, in right knee on m. or ascending. Nux-m.

Pain in hips when m. limbs. Magn-c.

Pain in right hip joint; worse from stooping, rising from seat or m. in bed. Natr-s.

Pains in hip joints on m., as if sprained. Euphorb.

Rheumatic pains in knee joint on m. leg. Lact-ac.

Rheumatic pains, mostly in bones and joints; worse evening; better m. Teucr.

Rheumatism: aching pains in legs; must change position every moment; pain on first m. but relieved by continued motion. Rhus-t.

Rheumatism after exposure to wet; parts feel as if beaten, with severe pains when remaining in one position; relieved when m. about. Dulc. (Rhus-t.)

Sensation of crepitation in joints on m. Rhus-r.

Muscle.—Acute, crampy, tearing pain in posterior m. of calf; better in morning and from rubbing; worse in afternoon and when quiet. Valer.

Pain, as from bruise, in anterior m. of thigh. Hep-s.

Muscles.—Arthritic, cutting pains followed by contraction of m. Guaj.

Atrophy of m. of legs. Ars.

Bones, joints and m. sore, as if beaten. Lith-c.

Bruised feeling in all m. Hydroc.

Bubbling sensation in m. and joints. Rheum.

Chorea: tonic spasms in legs, m. and calves. Tart-em.

Contraction of m. Aster., Graph.

Contraction of m. and tendons. Cupr.

Contraction of m. of legs; has to walk on tips of toes. Sep.

Contraction of tendons of m. of legs. Valer.

Convulsive twitching of m. during sleep. Hell.

Cramping pains in m. Ambr.

Cramp-like pain in m. of right leg from below upward. Meny.

Cramp-like pains in m. Anac.

Crampy pains in m. Coloc.

Cutting and darting pains in m. of thigh, when sitting. Bell.

Cutting stitches in outer m. of right thigh just above knee when sitting. Bell.

Drawing and trembling sensation in m. of legs. Cist.
Drawing in m. Natr-c.
Drawing in m. of thigh, which is sensitive to touch. Dulc.
Drawing in or contraction of m. or tendons, especially hamstrings. Natr-m.
Drawing pain at night in m. of thighs. Puls.
Drawing pain in m. of thigh at night forcing patient to move; does not know what to do, with sleeplessness and great chilliness. Puls.
Drawing, tearing pain in m., here and there, when sitting. Staph.
Dull pressure, as from a plug in glutei m. of left side. Anac.
Jerking in m. of thighs. Kali-c.
Loss of co-ordination of m. Bell.
M. of legs feel relaxed. Merc-cor.
M. of legs sore, as if beaten or bruised. Bad.
Pain and drawing in limbs, as if m. were too short. Lach.
Pain, as from bruises, in all m.; worse on motion or when sneezing. Kali-c.
Pain in m. of thighs, as if bruised, when walking. Calc-c.
Pain in m. of thighs, knee joints and legs (with chill). Cimex.
Pain in tendons of m. of calf, as if stretched, with lameness. Kali-bi.
Paralytic drawing in m. of thighs and calves; painful when walking. Nux-v.
Pressive pain in both hip joints on every step, with paralyzed sensation in anterior m. of thighs. Rhus-t.
Relaxation of m. of legs. Opi.
Rheumatic pain in m. of left thigh just above knee. Daph.
Rheumatism affecting bellies of m., with cramping, stitching pains. Cimicif.
Rheumatism, with great soreness of m. Ham.
Shooting, tearing, rheumatic and arthritic pains in m. of legs. Ran-b.
Sore feeling in m. Bapt. (Arn., Bad., Led., Ruta.)
Spasmodic contraction of m. Kali-jod.
Spasmodic jerking in m. of calves. Opi.
Stitches in m. of thighs. Sabad.
Sudden relaxation of m. Hell.
Tearing pains in legs, m. and joints from above downward. Sulph. (From below upward. Led.)
Tension in joints, as if m. were shortened. Am-m.
Tension of m. Nux-v.
Throbbing of m. of legs. Asaf.
Tingling and stinging in m. Natr-c.
Twitching and jactitation of m. of both thighs. Asaf.
Twitching and jerking of m. Myg., Zinc. (Agar.)
Twitching in m. Ambr., Clem., Hyos.
Twitching in m. of legs Mez., Natr-c.
Twitching of m. of thigh. Iod.

Weakness of m. of legs. Acet-ac.
Weakness, with sensation of trembling; m. feel paralyzed; knees knock together and patient can hardly walk. Colch.
Weariness in internal m. of both thighs as if they would break down. Thuja.

Myalgia.—M. Bad., Merc., Rhus-t., Ruta.
M., especially after over-exertion. Arn.

Myelitis.—Osteo m. in hip joint. Phos-ac.

Nails (see section on Upper Extremities and Limbs in General).—Burning, tearing in toes and under n. Caust.
Horny growths under n. painful and sensitive. Ant-c.
Ingrowing n. Colch., Graph., Kali-c., Natr-m., Phos., Sil., Thuja, Teucr. (I have relieved many cases by the application of Perchloride of Iron on cotton, forcing cotton, and leaving it, under nail. In this way the adjacent parts are hardened.—W. D. G.)
In-growing n. on great toe. Kali-c. (Graph., Teucr.)
N. blue. Dig., Graph.
N. crippled. Graph.
N. discolored. Ars.
N. painful. Merc-sulph., Teucr.
N. thick. Graph.
Pricking under n. Elaps.
Tearing in tips of left toes and under n. when walking. Camph.
Tearing under n. Carbo-v.
Thick and deformed n. Graph. (Ant-c.)
Thick, inflamed, deformed n. Sabad.

Nates.—Boils on n. Phos-ac.
Burning and itching of n. Am-c.
Burning in n. Merc.
Herpes on n. Borax.
Inflammation and excoriation of inside of n. Rhus-r.
Itching and nodes on n. Therid.
Itching of n. Sil.
Itch-like eruption between n. Oleand.
N. ache when sitting; pain extends to small of back, sacrum and hip joint. Staph.
N. go to sleep when sitting. Alu.
Pain in n., as from subcutaneous ulceration. Phos.
Pricking in n., as if sitting on needles. Guaj.
Smarting soreness between n. Graph.
Soreness and burning pain between n. Sep.

Needle-like.—N. stitches in left hip. Hell.

Needles.—Feet feel numb and pithy or woody, and as if pricked with n. Hyper.
Pricking, as from n., in foot. Kobalt.

Pricking in nates, as if sitting on n. Guaj.
Stitches in soles, as if walking on n. Rhus-t.

Nerve.—Crawling, as if n. were pulled, in left sole. Arn.
Sciatica: pain running from hip to knee down outside of thigh; worse afternoon and evening, and on any change in weather; pressure causes pain to shoot along entire length of n. Kali-bi.

Nerves (see section on Nerves).—Intense pain along larger n. Tereb.
Numbness of lower limbs from pressure of uterus on n. and blood vessels in sacrum. Apis.
Thrombosis: limbs immoveable, covered with reddish or bluish streaks or spots; hard, elastic, hot and very painful, especially along crural vessels and n. Apis.

Nervous.—Feet fidgety and n.; must move them constantly. Zinc.
Fine, n. vibrations in bones. Meph.
N. pain in sole. Caust.
Paralysis of feet (with spinal or chronic n. affection, as softening of brain, or cerebral hæmorrhage). Zinc.

Nervousness.—Trembling of legs, with great n. Sil.

Nettle rash (see section on Skin).—Large red patches on arms and legs, exactly like n., in large raised wheals, with intense irritating itching. Chin-s., Chloral.
N. on hip. Sulph.
N. on thighs. Al-cep.
Violent itching n. on thigh and inside of knee. Iod.

Neuralgia (see section on Nerves).—Crural n., with stinging, stitching pains on movement. Staph.
N. of limbs; pains burning, with agony and great restlessness; worse during rest at night; relieved by exercise. Ars.
Pain in knee joints like n., sometimes extending to toes, with thrill, as if foot had been asleep. Lact-ac.
Paroxysms of excruciating n. in sciatic nerve and perinæal branches, preceded by great coldness and shivering; worse at night, obliging patient to get up and walk about room; pain acute, tearing, digging, boring; lasts sixty to ninety minutes, then slowly disappears. Ign.
Sciatica: n. on right side for many weeks. Chin-s.
Sciatic or crural n. (in gouty, rheumatic subjects), with tearing, stitching pain; worse on motion. Coff.

Neuralgic (see section on Nerves).—N. pain in toes. Phyt.
N. pains in thighs and legs. Cod.
Sciatica: n. pains in outer side of both thighs. Phyt.
Sciatica: unbearable, n. pain when standing, with feeling as if thigh would break off. Valer.
Sharp, n. pains in legs, mostly from hips to knees; pains in paroxysms. Plumb.

Night.—Arthritis: drawing, tearing pains in toes, with red, shiny swelling, especially at n.; cannot bear heated room; better in cold air. Sabin.

Arthritic pains in joints; worse at n. Mang. (Merc.)

Boring, tearing pains change from right hip joint to other parts; worse at n. Arn.

Burning in heels and balls of either foot at n. in bed. Kali-n.

Burning in soles and palms at n., compelling patient to throw off bedclothing to cool feet. Sang. (Sulph.)

Burning of soles at n.; puts feet out of bed. Cham. (Sulph.)

Burning pains in bones of hip joint and in femur at n. Euphorb.

Calves feel bruised and pain at n. Gels.

Chronic arthritic pains in joints at n. Iod.

Cold, clammy sweat on legs and thighs at n. **Merc.**

Cold knees, especially at n. Carbo-v.

Cramp at n. Ambr., Rhus-t., Sulph.

Cramp in calf at n. Nitr-ac.

Cramp in calves at n. when bending knees. **Cocc.**

Cramp in calves; cannot lie still at n.; has to constantly change position of feet or walk to get relief. Ars.

Cramp in right thigh and calf at n. Kali-c.

Cramps in calves and soles, especially at n. Sulph. (Calc-c., Camph., Nux-v., Sil.)

Cramps in calves and thighs almost every n. Ambr.

Cramps in calves at n. Carbo-v., Lyc., Magn-m., Sep., Sulph. (Calc-c., Cupr., Magn-c.)

Cramps in calves at n. at rest. Ferr.

Cramps in feet at n. Lachn.

Cramps in legs and calves nearly every n. Ambr.

Cramps in soles at n. Agar., Calad., Petr., Sulph.

Draw ng and tearing in all limbs; worse from warmth and at n. Merc.

Drawing pain at n. in muscles of thighs. Puls.

Drawing pain in muscles of thigh at n. forcing patient to move; does not know what to do, with sleeplessnes and great chilliness. Puls.

Exostosis, with severe bone-pains at n.; periosteum very tender. Aur.

Feet burn much at n. (during climacteric). Sep.

Feet cold at n. Zinc.

Feet icy cold (Sil., Ver-a.) at n. in bed. Paris.

Great pain in shin bones; worse at n. and during rest, obliging patient to walk about. Dulc.

Great toe red, swollen and painful, especially at n.; followed by swelling of whole foot. Am-c.

Hot pricking in toes at n. Acon.

Inflammation of bones, with insupportable, digging pains in bones and periosteum; worse at n. Mang. (Merc., Phos-ac.)

Jerking and twitching of limbs at n., with coldness of body. Ambr.
Jerking of knees at n. awaking patient. Arg-n.
Jerking, trembling or shaking and paralytic weakness in legs at n. Rhus-r.
Limbs go to sleep often at n. Croc.
Neuralgia of limbs; pains burning, with agony and great restlessness; worse during rest at n.; relieved by exercise. Ars.
Old ulcers on legs, with burning and stinging; profuse sweat about knees at n. Ars.
Pain as from bruises in knee at n. Graph.
Pain in feet and toes at n. Caul.
Pain in knees at n. Lyc.
Pain in legs at n., as if had over-done by excessive walking or dancing. Bar-c.
Pain in legs at n., with burning in hands and feet. Am-c.
Pain in limbs at n. Lyc., Merc., Sulph.
Pain in periosteum and along bones, especially tibia; worse at n. in bed and in damp weather; least touch intolerable. Mez.
Pain in toes at n. Am-c., Kali-c., Led., Natr-c., Plat.
Pain like tingling in tibia at n. when feet are crossed; moves legs back and forth and is unable to sleep. Rhus-t.
Pains in bones at n. (with syphilis). Asaf.
Pains in knees at n. Gels. (Rhus-t.)
Pains in limbs; worse at n. Hep-s.
Pains in tibia at n. Phos-ac., Phyt.
Paroxysms of excruciating neuralgia in sciatic nerve and perinæal branches, preceded by great coldness and shivering; worse at n., obliging patient to get up and walk about room; pain acute, tearing, digging, boring; lasts sixty to ninety minutes, then slowly disappears. Ign.
Periosteal rheumatism (of syphilitic origin); bones enlarged and intensely painful at n. Kali-jod.
Periostitis or periosteal inflammation of foot, with unbearable bone-pains at n.; worse from heat. Aur.
Rheumatic and arthritic pains in joints and limbs, especially at n.; or with copious sweats, which do not afford relief. Merc.
Rheumatic inflammation of joints; worse evening and n.; intense bright-red, shining swelling, sensitive to least contact (Bry.): numbness and tingling in all parts. Acon.
Rheumatic pain in hip joint and femur, especially at n. Magn-c.
Rheumatic pains in feet at n. Sars.
Rheumatic pains in joints at n. Kali-n.
Rheumatic pains in knees at n. Gels.
Rheumatism: pains change rapidly from one part to another, without swelling or redness; with constant chilliness; worse evening and n. Puls.

Rheumatism: tearing, stinging pains; worse at n.; with profuse perspiration. Merc.
Sciatica: dull, aching pain in right side; worse at n. and in cold or damp weather; relieved by heat, rubbing and by exercise. Rhus-t.
Sciatica: shooting, cutting pains running like lightning from hip to knee and sometimes to heel, affecting right side more than left; worse at n. (in neuralgic subjects). Coloc.
Stinging from hip joint to thigh at n. Ferr.
Stitches in thigh, knee and heel, only at n. Calc-c.
Stitching, rheumatic pains in limbs at n. Kali-n.
Sweat on thighs, only at n. Carbo-an.
Tearing in bones of legs, especially at n. Nitr-ac.
Tearing pain from knees down to malleoli at n. Croc.
Tearing pain in left knee; worse at n. Kali-jod.
Tearing pains in legs, especially at n. Nitr-ac.
Ulcers on legs, itching and burning at n. Lyc.
Violent cramp at n. Calc-c.
Violent cramp in calves at n. in bed. Sep.
Violent pain in legs affecting mostly muscular part of thigh; worse evening and n. Plumb.
Violent rheumatic pains drive patient out of bed at n. and compel him to walk about. Cham.
Violent spasm, with twitching in ankle joint at n. Iod.
Violent cutting pains in limbs at n. Bad.
Wandering rheumatic pains in bones and joints at n. Gels.
White swelling of knee, with intolerable, tearing pains; worse during rest and at n. Rhod.

Nightly.—N. bone-pains. Merc.
N. pains in periosteum of tibia. Phyt. (Merc.)
Nodes upon shin bones, with severe n. pains (syphilitic). Nitr-ac.
Periostitis and swelling of bones, especially tibia, with violent n. pains. Mez.
Violent n. pains in bones of feet. Mez.

Nodes.—Arthritic n. Am-ph., Benz-ac., Calc-ph., Graph., Kali-jod., Led., Meny., Sil.
Itching and n. on nates. Therid.
N. on legs and feet Ang.
N. on shin bones. Cinnab.
N. on shin bones, with severe nightly pains (syphilitic). Nitr-ac.
N. on tibia. Phyt.
Ulcers and n. on legs. Phyt.

Nodosities.—Gouty n. and concretions. Benz-ac.
Painful n. and "gout stones" in joints. Led.

Nodosity.—N. above knee, aching and tearing. Kali-c.

Numb.—Articular rheumatism; legs lame, stiff and n. Ox-ac.
Boring, pressing pains coming like lightning leaving parts n. Mez.

Feet and legs from knees down feel cold and n. Lept.
Feet and legs n. Acon.
Feet cold, n. and stiff. Ferr.
Feet feel n. and pithy or woody, and as if pricked with needles. Hyper.
Feet n. and cold, even when covered up warm in bed. Alum.
Feet œdematous, n., and cold, with prostration. Ars.
Left foot n. with prickling. Bapt.
Legs and feet enormously swollen, n. and stiff; can hardly walk, with albuminuria or general dropsy. Apis.
Legs feel n., as if gone to sleep. Stram.
Legs n. and almost powerless after sitting. Acon. (Rhus-t.)
Limbs n. and fall asleep. Led.
N. and hot feeling in thigh. Graph.
N., dead feeling in legs; they feel enlarged. Cedron.
N. feeling in calf. Dulc.
N. feeling in left sole, then whole foot, increasing to numbness of whole leg. Can-ind.
N. feeling in thighs and legs. Iod.
N. pain in heel when pressing foot to ground. Arg-m.
N. pain in right foot, with inability to raise it when sitting. Ars.
N. pain in soles and ball of toes. Puls.
Thighs n. and cold (with fever). Spong.

Numbness.—Coldness and n. of limbs. Aster.
Cramp-like pain and n. in limbs and joints. Plat.
Electric shock upward through thigh, followed by n. Euphr.
Insensibility and n. of toes, followed by gangrene and death of parts. Sec.
Numb feeling in left sole, then whole foot, increasing to n. of whole leg. Can-ind.
N. and coldness of left leg when sitting. Hyper.
N. and crawling in limbs and feet. Hyper.
N. and deadness of legs. Nux-v.
N. and insensibility of feet. Coni.
N. and lameness of left thigh. Acon.
N. and stiffness of thighs, knees and toes. Graph.
N. and tingling in legs. Kali-n.
N. and weakness of feet. Ars., Zinc.
N. below knees. Acon.
N. first in right foot, then left. Coloc. (First left, then right. Millef.)
N. in feet when sitting still; disappears on motion. Helon.
N. in hollow of right foot. Merc-sulph.
N. in legs when sitting. Lact.
N. in lower extremities. Ambr., China, Graph., Lyc., Petr., Puls., Rhus-t.

N., insensibility and coldness of limbs. Opi., Sec.
N. of great toe extending to foot and ankle joint. Ars.
N. of heel when stepping. Alu.
N. of hip joint and thigh when walking, especially when moving leg forward, with stitches when setting down foot. Arg-m.
N. of legs. Bar-c., Fluor-ac., Nux-m.
N. of legs after or in conjunction with severe bone-pains. Eupat-purp.
N. of legs after sitting. Ant-c.
N. of legs, with feeling as if they were going to sleep. Gels.
N. of legs, with sensation as if circulation stopped. Lyc.
N. of limbs, as if asleep. Arg-m.
N. of lower limbs from pressure of uterus on nerves and bloodvessels in sacrum. Apis.
N. of thighs. Cad., Ferr.
N. of toes. Cham.
Pain and n. of heels. Osm.
Paralysis from small of back downward, with n., stiffness and bruised feeling. Cocc.
Rheumatic inflammation of joints; worse evening and night; intense, bright-red, shining swelling, sensitive to least contact (Bry.); n. and tingling in all parts. Acon.
Sciatica: intense pain along sciatic nerve, with occasional feeling of n. Gnaphal.
Spasmodic jerking and n. of legs. Opi.
Tearing pains and n. of feet. Bism.
Tingling and n. in legs. Sec.

Odor.—Fetid o. of feet. Sep.
Intolerable, cadaverous, carrion-like o. of feet, without sweat. Sil.
Round ulcers with flat edges, without pus, with fetid o. Hydr.
Œdema.—Great œ. of legs (in dropsy, albuminuria, scarlatina, etc.). Aur.
Œ. about joints. Thuja.
Œ. and swelling of ankles (in people who travel much). Rhus-t.
Œ. of ankles and feet, with heart disease or fatty degeneration of kidneys (albuminuria). Phos.
Œ. of ankles; feet swollen. Phyt.
Œ. of feet. Ferr., Natr-s.
Œ. of feet and ankles (with bronchial catarrh). Squilla.
Œ. of feet and ankles, with general dropsy; legs very weak. Apoc.
Œ. of feet (in diabetes mellitus). Arg-m.
Œ. of feet, which extends until ascites forms. Lyc.
Œ. of feet, with copious sweat on feet. Kreas.
Œ. of feet, with great exhaustion. Ars.
Œ. of foot and ankle. Hydr.

Œ. of instep. Fluor-ac.
Œ. of left leg and knee, with icy-cold foot. **Cact.**
Œ. of legs. Apis.
Œ. of legs and feet, with disease of liver. Arg-n.
Œ. of legs (in rheumatism), with pain in heart. **Cact.**
Œ. or dropsical swelling of legs. Merc.
Paralyzed feeling in feet, with great œ. Phos.
Rheumatism: œ. of feet and around ankles; swelling hard over inner ankle and a little red, as if inflamed; least touch anywhere is painful. Chelid.

Œdema pedum.—Œ. (with amenorrhœa). Graph.

Œdematous.—Feet œ., numb and cold, with prostration. **Ars.**
Legs and feet œ., pale and wax-like. Apis. (Ars.)
Legs and feet waxy, pale and œ. Tart-em. (Ars.)
Legs œ. Hell., Zinc. (Apis, Ars., Rhus-t.)
Œ. swelling of legs and feet. Colch., Iod., Rhod.
Œ. swelling of legs up to abdomen. Fluor-ac.
Œ. swelling of limbs. Led., Merc-sulph. (Apis, Ars., Rhus-t.)
Œ. swelling of lower legs and feet. Samb.
Œ. swelling, with diarrhœa. Acet-ac.
Œ., white swelling of feet; feel cold and heavy. Kreas.
Oozing of water from sore places on œ. legs. Lyc.

Offensive.—O. perspiration on feet; toes and soles are sore. Bar-c.
O. smell of feet. Sil.

Old people.—Cramps in legs (especially of o.). Cupr-ac.

Oozing.—O. of water from sore places on œdematous legs. **Lyc.**

Opening and shutting.—Singular, pulsating pain, with feeling as if o. in middle of anterior portion of right thigh; leaving a severe aching and tenderness to pressure when lying down. Chim.

Os calcis.—Boring in right o. on first moving foot; disappears after continued motion. Diad.

Os ischium.—Stitches in o. on rising. Dros.

Osseous.—O. growths about patellæ. Calc-flu.

Outer edge.—Soles tilt inward interfering with walking, which is done on o. of foot. Cic-v.

Outer side.—Sciatica: neuralgic pains in o. of both thighs. Phyt.

Outside.—Pains shooting from sacrum down o. of both hips. Phyt.

Outward.—Pain in right ankle; severe stitche from within o. Chenop-v.

Overdone.—Pain in legs at night, as if had o. by excessive walking or dancing. Bar-c.

Over-exercise.—Contraction and pain in hip and knee joint when sitting, when rising from seat, or after o. Rhus-t.

Over-exertion.—Myalgia, especially after o. Arn.
Pain in legs, especially in tibia and soles, as after o. in walking; legs very restless. Psor.
Paralysis of legs (after o., getting wet, or sexual excesses). **Nux-v.**

Over-fatigue.—Feet and legs very weak, as after long walks and o. or after long illness. Art-v.

Over-lifting.—Swelling and stiffness of joints (after sprains, o. or over-stretching). Rhus-t.

Over-stretching.—Swelling and stiffness of joints (after sprains, over-lifting or o.). Rhus-t.

Padded.—Legs feel as if made of wood, or p.; insensible to touch. Arg-n.

Pain.—Aching and stitching p. in ball of left great toe. Can-ind.

Aching, crampy p. in foot. Iod.

Aching, drawing p. in limbs, with great lassitude. Nux-v.

Aching p. in and about knees. Gum-gut.

Aching p. in back and legs, as if bones were broken, with soreness of flesh, before and during chill (in intermittent). Eupaf-perf.

Aching p. in heels of a dull, wearing character. Phyt.

Aching p. in hip. Thuja.

Aching p. in hips, legs and feet; more on right side. Still.

Aching p. in periosteum of tibia. Merc.

Aching p. in sacro-ischiadic foramen, with tenderness on pressure (sciatic rheumatism). Podo.

Aching p. in shin bones. Lach.

Acute, crampy, tearing p. in posterior muscle of calf; better in morning and from rubbing; worse in afternoon and when quiet. Valer.

A kind of paralysis in left leg, with p. in hip and knee joint. Magn-c.

Ankles p. after sprain or dislocation. Ruta.

Arthritic p. around knee joint. Coni.

Arthritic p. in great toe. Elat.

Arthritic p. in heel. Meph.

Boils on thighs causing violent sticking p. **Nux-v.**

Boring, drawing p. in tibia. Merc.

Boring p. in feet and toes. Ran-sc.

Boring p. in heels. Puls.

Boring p. in heels in afternoon. Puls.

Boring p. in knee and ankle joints. Hell.

Boring p. in knee joint. Ind.

Boring p. in knees. Canth.

Boring p. in thighs. Ran-b.

Bruised p., as from fatigue. Nitr-ac.

Bruised p. in bones. Puls.

Bruised p. in calf. Bry., Dig.

Bruised p. in instep when stretching out foot. **Bry.**

Bruised p. in knee joint. Ars.

Bruised p. in legs; worse on motion. Sil.

Bruised p. in limbs. Kobalt.

Bruised p. in malleoli when walking. Crotal.

Bruised p. in periosteum of tibia, which is always sore to touch. Phos.
Bruised p. in thighs and legs. Caust.
Bruise-like p. in thigh alternating with burning and pressure in breast. Sang.
Burning p. in ankle joint. Puls.
Burning p. in bones. Euphorb.
Burning p. in feet. Kali-c., Phos-ac., Sep., **Stann.**
Burning p. in hips. Bell., Carbo-v., Euphorb., **Hell.**, Rhus-t., Valer.
Burning p. in instep. Puls.
Burning p. in left great toe. **Actea-s.**
Burning p. in legs. Agar., Anac., Borax, Kali-c., Lyc., Prun-s., **Tarax.**
Burning p. in sides of foot and on back of toes. **Nux-v.**
Burning p. in soles. Ambr., Graph., Natr-c., Nux-v., Phos-ac., Sang.
Burning p. in thighs. Bov., Croton-tig., Rhus-t., Rat.
Burning p. in tibia. Zinc.
Burning p. in toes. Agar., Staph.
Burning, sore p. in heels. Cycl.
Calves feel bruised and p. at night. **Gels.**
Cannot walk erect on account of p. in groins. **Am-c.**
Constant aching p. in calves. Ptel.
Constant p. in heels. Valer.
Contracting p. in instep. Caust.
Contraction and p. in hip and knee joint when sitting, when rising from seat, or after over-exercise. Rhus-t.
Contractive, pressive p. in bend of left knee extending to heel. **Rheum.**
Contusive p. in tip of left middle toe. **Mez.**
Convulsive p. in ball of heel. Ign.
Cramping p. Cina, Phos-ac.
Cramping p. in calves. Anac., **Euphr.**, **Lyc.**
Cramping p. in feet Ang.
Cramping p. in hips. Arg-m., Coloc.
Cramp-like, drawing p. in internal femoral region. **Coloc.**
Cramp-like, jerking, digging p. in left hip. Can-sat.
Cramp-like p. in calves when walking. Calc-ph.
Cramp-like p. in feet. Ang.
Cramp-like p. in hip, as if bound with iron, or as if parts were screwed in a vise, with pains extending from lumbar region down to legs. Coloc.
Cramp-like p. in muscles. Anac.
Cramp-like p. in muscles of right leg from below upward. **Meny.**
Cramp-like p. in posterior surface of thigh. Cycl.
Cramp-like p. in right thigh above popliteal space. **Cycl.**
Cramp-like, stitching p. in left foot. Natr-m.
Crampy, lacerating p. in hip joint. Kali-c.
Crampy p. in foot. Euphorb.
Crampy p. in hip joint. Sep.

Crampy p. in left toes and root of toes. Aster.
Crawling, burning stitches and severe pressive p. in ball of great toe. Caust.
Creeping p. in right hip. Murex.
Cutting p. and drawing in legs down to heel. Bar-c.
Cutting p., as if sprained, in knee joint when walking. Spig.
Cutting p. in calves. Zinc.
Cutting p. in heel. Sil.
Cutting p. in heels. Magn-m.
Cutting p. in limbs Aster.
Cutting p. in right hip. Ver-v.
Cutting p. in sole when standing. Spig.
Cutting p. in thighs. Sulph-ac., Zinc.
Cutting p. in tibia. Magn-c.
Darting p. above knee. Kreas.
Darting p. in ankles. Coloc.
Drawing and shooting p. in leg. Carbo-an.
Drawing, crampy p. in dorsum of foot, especially during motion. Camph.
Drawing p. at night in muscles of thighs. Puls.
Drawing p. below right knee. Coff.
Drawing p. down entire left leg. Bar-c.
Drawing p. from knees to feet. Phos.
Drawing p. from little toe along tibia. Tarax.
Drawing p. in bend of right foot, extending to great toe, where it is only felt during motion. Caust.
Drawing p. in bones. China, Rhod.
Drawing p. in both knees when ascending. Alu.
Drawing p. in calves during motion. Cocc.
Drawing p. in dorsum of right foot when standing; ceases on sitting. Tarax.
Drawing p. in feet. Ol-an., Rhod.
Drawing p. in flexors of leg from bend of knee to tips of toes. Cycl.
Drawing p. in foot when walking. Bar-c.
Darting p. in hip. Carbo-an.
Drawing p. in hip bone. Kali-jod.
Drawing p. in hip joint extending to thighs. Carbo-v.
Drawing p. in hip joint when walking. Ant-c.
Drawing p. in hip joint; worse from touch, and on bending trunk backward. Caps.
Drawing p. in hips, thighs, legs and feet; more on right side. Chelid.
Drawing p. in inside of thighs. Natr-ph.
Drawing p. in knee. Caps.
Drawing p. in knees. Anac., Natr-m., Phos.
Drawing p. in knees; more stretching than when bending knees. Caust.

Drawing p. in left hip. Sulph.
Drawing p. in legs. Sep.
Drawing p. in legs, especially when walking, with feeling of paralysis in thighs. Hep-s.
Drawing p. in lower extremities. Ang., Ant-c., Bar-c., Carbo-v., Cham., Graph., Merc., Nux-v., Sil., Sulph., Zinc.
Drawing p. in muscles of thigh at night forcing patient to move; does not know what to do, with sleeplessness and great chilliness. Puls.
Drawing p. in right thigh down to knee. Coloc.
Dull p. in side of knee when walking and especially when extending limb. Kali-c.
Drawing p. in thigh. Sep.
Drawing p. in thighs. Arn., Natr-m., Ol-an., Ran-b.
Drawing p. in thighs extending downward. Ran-b.
Drawing p. in tibia. Anac.
Drawing, tearing p. in leg, as of an internal ulcer; worse on touch, but most peculiar p., as a contraction which increases until very acute, then ceases suddenly with a snap; worse evening. Puls.
Drawing, tearing p. in muscles here and there when sitting. Staph.
Drawing, tearing p. in patella. Cocc.
Dry, superficial, angry-looking ulcers on legs, covered with yellow scabs, with stinging, burning p.; areola inflamed and covered with pimples, which frequently degenerate into ulcers. Hydr.
Dull, aching, burning p. in second joint of right great toe, extending up leg. Cimicif.
Dull pain, as from pressure and fatigue, or from long stooping, extending from sacrum around hip and down right leg. Bapt.
Dull p. in knee when stepping. Coni.
Dull pressure and p. in thighs, in rhythmical intermission; p. intermits regularly, as beats of music. Anac.
Feet p., as if sprained. Bry.
Feet p. when walking. Natr-m.
Fine, tearing p. in muscles of left foot. Spig.
Gnawing p. in hip bone. Eupat-purp.
Gnawing p. in toes. Cocc.
Gout: drawing p. in knees; in lower part of left tibia; in left heel; tearing through right great toe. Ant-c.
Gout of left great toe, with radiating p. upward. Mang.
Gouty p. in great toe. Calc-ph.
Grasping p. or heavy aching in knees. Lil-tig.
Great lameness, with drawing p. from abdomen to lower leg. Carbo-v.
Great p. between sacrum and hip joint, sometimes darting and shooting down anterior crural, and sometimes down sciatic nerve. Coloc.
Great p. in bones, especially in joints, as if interior were cut and scraped with sharp knife. Sabad.

Great p. in right thigh, extending from head of femur along anterior surface of thigh to knee. Bry.
Great p. in shin bones; worse at night and during rest, obliging patient to walk about. Dulc.
Hamstrings feel too short; knees flexed; attempting to stretch them causes p. in thighs (during intermittent). Cimex.
Hammering, tearing p. in thighs; worse from motion. Sec.
Inflammation and swelling of knee, with pricking and burning p.; worse from touch. Iod.
Inflammatory swelling of knee, with occasional stitches; slightest touch or motion causes intense p. Cocc.
Intense p. along larger nerves. Tereb.
Itching, burning p. in small spot in right hip, then in thigh, then in little toe. Lith-c.
Itching p. on dorsum during rest. Ign.
Jerking, aching p. in hip. Kali-bi.
Jerking p. in hip joint and knee. Mez.
Jerking p. in knees. Am-c., Anac.
Jerking p. in legs after taking cold. Iod.
Jerking p. in right calf; ceases quickly when touched. Tarax.
Jerking p. in toes. Am-m.
Jerking, sore p. from hip joint to knee while in bed in morning; disappears on walking. Puls.
Knees and ankles p. as if sprained. Natr-m.
Knees p. as if sprained; painful when walking. Calc-ph.
Knees p., as if tightly bandaged, when sitting. Aur.
Lameness, stiffness and p. on first moving after sitting, or on getting up in morning; relieved by continued motion. Rhus-t.
Left leg becomes blue from distended veins (during menses), with pressive p. in leg. Ambr.
Legs p., as if beaten; desires to sit down, but when sitting down desires to stand up. Sep.
Nervous p. in sole. Caust.
Neuralgic p. in toes. Phyt.
Numb p. in heel when pressing foot to ground. Arg-m.
Numb p. in right foot, with inability to raise it when sitting. Ars.
Numb p. in soles and ball of toes. Puls.
Œdema of legs (in rheumatism) with p. in heart. Cact.
P. above left knee extending into chest. Pallad.
P. along tibia, as from subcutaneous ulceration. Iod.
P. and drawing in limbs, as if muscles were too short. Lach.
P. and inflammation of frozen toes. Agar.
P. and numbness of heels. Osm.
P. and soreness in fourth toe of right foot. Dios.
P. and soreness in legs. Psor.
P. and stiffness in right leg (in menorrhagia). Cocc-c.

P., as after severe blow, in left knee. Plat.
P., as from bruise, in anterior muscle of thigh. Hep-s.
P., as from bruise, in knee. Hep-s.
P., as from bruise, in left knee; tearing when walking or standing. Coni.
P., as from bruises, in all muscles; worse on motion or when sneezing. Kali-c.
P., as from bruises, in knee, at night. Graph.
P., as from bruises, in thighs and legs, in morning when in bed. Caust.
P., as from sprain, in tarsal joints. Arn.
P., as from sprain, strain or contusion, in left hip joint. Caust.
P., as from sprains, in joints. Lach.
P., as if bruised, in left instep. Kali-jod.
P., as if bruised, in thighs. Am-c., Laur.
P., as if bruised, or from subcutaneous ulceration, on touching part. Puls.
P., as if sprained, in bends of knees and toes. Zinc.
P., as if sprained, in hips. Calc-c., Caust., Euphorb., Natr-m., Phos.
P., as if sprained, in metacarpal joints of toes, with sensation of swelling. Berb.
P., as if sprained, in right knee on moving or ascending. Nux-v.
P., as if sprained or dislocated, in joints of femur and knees. Ign.
P. at roots of nails when touched, as if they would come off by ulceration. Nux-v.
P. gradually rising from tarsal joint to hips, necessitating constant motion and shifting of feet while sitting. Bell.
P. in all bones. Staph.
P. in all toes. Fluor-ac.
Pain in ankle, as if dislocated. Bry. (Rhus-t., Ruta.)
P. in ankle joint. Acon., Kalm., Lith-c., Phos., Ran-b.
P., in ankle joint when ascending steps. Plumb.
P. in ankles, as form a sprain or false step; worse on motion. Led. (Arn., Bry.)
P. in ball of left great toe, as if inflamed, with rheumatism. Colch.
P. in ball of right great toe. Apoc.
P. in balls of toes and under heel, as from chronic chilblains. Rhod
P. in bend of foot, as if sprained; more at heel. Cycl.
P. in bones. Berb.
P. in bones around hip, as if from bruise or fall. Ruta.
P. in bones as if scraped. Sabad.
P. in bones below knees, sometimes as if in periosteum. Agar.
P. in bones of feet; cannot step heavily. Ruta.
P. in both knees shooting down legs; worse on motion. Ferr-ph.
P. in calf when walking. Rhus-r.
P. in calves. Lach., Sulph.
P. in corn of left little toe. Arg-m.

P. in corn when sitting. Ign.
P. in dorsum of right foot. Card.
P. in either great trochanter when lying on it. Ver-a.
P. in feet and toes at night. Caul.
P. in feet, as if sprained. Bry., Cycl., Dros., Rhus-t.
P. in feet, even when drawing on stockings; hurts so that it makes patient sick at stomach. Arum.
P. in flexors of left knee and immediately above patella, extending upward and around thigh; p. as if limb were heavily grasped. Chim.
P. in foot as if sprained. Cycl.
P. in great toe. Phyt.
P. in great toe as if being pinched off. Meph.
P. in great toe as if tightly bound. Plat.
P. in groins extending down inside of thighs. Antipy.
P. in head of femur extending to groin. Anac.
P. in heel. Agar., Calc-c., Cinnab., Diad.
P. in heel as from subcutaneous ulceration. Graph.
P. in heel as if gone to sleep. Thuja.
P. in heel, as if gone to sleep, on rising from bed. Thuja.
P. in heel when standing or walking much. Am-c.
P. in heels. Natr-s.
P. in hip. Rhus-r.
P. in hip and thigh; intolerable when standing, as if thigh would break; worse when straightening out limb; has to support foot on affected side resting on chair. Valer.
P. in hip as if dislocated. Psor.
P. in hip as if sprained. Nitr-ac., Rhod.
P. in hip joint. Dig.
P. in hip joint and tarsal joint during motion as if sprained. Laur.
P. in hip joint mostly behind trochanter major, with spasms of stomach and diaphragm. Phyt.
P. in hip joints extending to buttocks. Card.
P. in hips. Acon., Bar-c., Bell., Berb., Rhus-t.
P. in hips and knees impeding motion. Nux-j.
P. in hips as from sprain. Arn.
P. in hips causing restlessness. Natr-s.
P. in hips when ascending steps. Plumb.
P. in hips when moving limbs. Magn-c.
P. in instep. Ruta.
P. in joints, with contraction of tendons (during chill). Cimex.
P. in knee and ankles. Tart-em.
P. in knee as if sprained. Lyc.
P. in knee joint as if broken. Cupr.
P. in knee joints like neuralgia, sometimes extending to toes, with thrill as if foot had been asleep. Lact-ac.

P. in knees. Benz-ac., Calc-ph., Can-sat., Caps., Cist., Kali-chl., Kalm., Nitr-ac., Nux-j., Rhus-r., Ruta, Zinc.
P. in knees, ankles, shins, hollow and ball of foot. Natr-ph.
P. in knees as after long walk. Chelid.
P. in knees as if bruised. Sep.
P. in knees as if stiff. Sulph.
P. in knees at night. Lyc.
P. in knees, tibia and tarsal joint, as if had been used too much. Cor-r.
P. in knees when ascending steps. Plumb.
P. in knees when bending. Spig.
P. in knees when descending steps. Arg-m., Can-sat., Ver-a.
P. in knees when walking. Merc-sulph.
P. in knuckles of toes and corns. Camph.
P. in large joints of great toe with tumefaction and redness. Benz-ac.
P. in left hip as if tendons were too short; has to limp when walking. Am-m.
P. in left hip joint. Phos.
P. in left knee and hip. Brom.
P. in leg as if jammed. Bell.
P. in legs as if bandaged. Anac.
P. in legs at night as if had overdone by excessive walking or dancing. Bar-c.
P. in legs at night with burning in hands and feet. Am-c.
P. in legs causing patient to cry out. Sep.
P. in legs, especially in tibia and soles, as after over-exertion in walking; legs very restless. Psor.
P. in legs from warmth of bed. Sulph.
P. in limbs at night. Lyc., Merc., Sulph.
P. in limbs obliging him to limp. Dros.
P. in middle of tibia and fibula down to great toe. Phyt.
P. in muscles of thighs, as if bruised, when walking. Calc-c.
P. in muscles of thighs, knee joints and legs (with chill). Cimex.
P. in nates as from subcutaneous ulceration. Phos.
P. in patella preventing motion. Nitr-ac.
P. in periosteum. Mez.
P. in periosteum and along bones, especially tibia; worse at night in bed and in damp weather; least touch intolerable. Mez.
P. in right ankle; severe stitches from within outward. Chenop-v.
P. in right calf as from blow. Arn.
P. in right hip extending down to thigh. Lil-tig.
P. in right hip joint and thigh with p. in ankle, as if sprained, when walking. Dros.
P. in right hip joint; worse from stooping, rising from seat, or moving in bed. Natr-s.
P. in right knee, with burning and stiffness; worse on movement. Chelid.

P. in right thigh and knee when sitting and walking. Cist.
P. in right thigh when walking, as if psoas magnus muscle were shortened. Coloc.
P. in sacral region corresponding to position of plexus ischiadicus thence extending through incisura ischiadica major toward hip joint down posterior portion of thigh into fossa poplitea, with sensibility of parts. Coloc.
P. in sciatic nerve when rising from sitting or turning in bed. Natr-s.
P. in shin bones as if broken. Ver-a.
P. in sole when pressing it to ground, as if it were soft and swollen. Alu.
P. in sole when walking. Gels.
P. in soles. Ars., Canth., Croc., Graph., Lith-c., Lyc., Magn-s., Merc-jod., Prun-s.
P. in soles and toes. Pareira.
P. in sole on stepping (Ant-c.), as if it were too soft and swollen. Alu.
P. in soles spreading toward great toe, with sensation as if sprained. Croton-tig.
P. in soles when pressing them on ground. Puls., Spig., Sulph.
P. in soles when walking. Lyc. (Led., Sulph.)
P. in tendons of muscles of calf as if stretched, with lameness. Kali-bi.
P. in tendons of tarsal joints, as if too short, when walking. Sep.
P. in thigh when crossing legs. Dig.
P. in thigh when walking as from blow. Arn.
P. in thighs. Ars., Merc., Mez., Murex, Nitr-ac., Pareira, Phyt.
P. in thighs and legs as if broken. Bell.
P. in thighs and legs as if bruised. Dig.
P. in thighs as if bruised. Plat.
P. in thighs as if sprained. Mosch.
P. in thighs when walking. Staph.
P. in toe as if frozen. Phos.
P. in toes. Am-c., Calc-c., Lact., Lith-c.
P. in toes as if shoe pinched. Puls.
P. in toes as if sprained. Am-c.
P. in toes at night. Am-c., Kali-c., Led., Natr-c., Plat.
P. in uterine region shooting down thighs to knees. Cimicif.
P. like a spasm in ankle while walking. Coloc.
P. like tingling in tibia at night when feet are crossed; moves legs back and forth and is unable to sleep. Rhus-t.
P. through hips extending down right leg. Sang.
P. under toes when sitting. Coni.
Painful swelling in ball of right great toe; p. suddenly shoots into body to region of heart, or some other part. Daph.
Paralytic, drawing p. from abdomen to left leg. Carbo-v.
Paralytic p. in feet. China, Plumb.

Paralytic p. in hip joint when stepping. Euphorb.
Paralytic p. in hips and legs. Cocc.
Paralytic p. in knees. China, Euony.
Paralytic p. in lower extremities. Am-m., Natr-m., Seneg., Sep., Sil., Stann., Sulph.
Paralytic p. in thighs. China.
Paralytic p. in toes. China.
Paroxysms of excruciating neuralgia in sciatic nerve and perinæal branches, preceded by great coldness and shivering; worse at night, obliging patient to get up and walk about room; p. acute, tearing, digging, boring; lasts sixty to ninety minutes, then slowly disappears. Ign.
Phlebitis: great p. and swelling of right leg to hip; veins sensitive to touch; cutaneous veins hard, swollen and painful. Ham.
Pressing p. in calves. Anac.
Pressing p. in feet. Oleand.
Pressing p. in lower extremities. Arg-m., Oleand., Phos-ac., Sars., Stann., Staph., Ver-a.
Pressing p. in tarsal bones. Bism.
Pressing p. in thighs. Anac., Guaj., Oleand.
Pressive p. in both hip joints on every step, with paralyzed sensation in anterior muscles of thighs. Rhus-t.
Pressive p. in left calf. Tarax.
Pressive p. in right hip bone extending to middle and sacral bones. Hydroph.
Pricking, burning or crampy p. about hips. Caust.
Pricking p. in left knee. Laur.
Pulsating, aching p. in right leg, with soreness in evening. Still.
Pulsative, tearing p. in right calf when sitting, in afternoon. Valer.
Red, hot swelling of feet, with contracting burning p., increasing to stitching p. when standing. Puls.
Redness, inflammation and swelling of toe, with burning p. after getting wet. Nitr-ac.
Rheumatic gout: swelling and heat of knee, ankle joints and small joints of toes, with drawing, contractive p. and chilliness. Puls.
Rheumatic p. from knees downward. Nicc.
Rheumatic p. in hip joint and femur, especially at night. Magn-c.
Rheumatic p. in inner and lower edge of patellæ extending into knee joints. Rhus-r.
Rheumatic p. in knee and foot. Phyt.
Rheumatic p. in left hip or on inside of right thigh. Sang.
Rheumatic p. in legs. Magn-c.
Rheumatic p. in muscles of left thigh just above knee. Daph.
Rheumatic p. in right knee joint; worse when walking. Cinnab.
Rheumatism: great swelling; p. and stiffness of knee; could not raise foot. Berb.

Rheumatism: weariness, heaviness and stiffness of joints; p. worse on movement. Bry.

Sciatica: drawing, pressive p. down to knee, with great exhaustion and difficult walking; cramps in calves, and swollen feet; there is marked consecutive muscular atrophy. Plumb.

Sciatica: dull, aching p. in right side; worse afternoon and evening; better from warmth. Pallad.

Sciatica: dull, aching p. in right side; worse at night and in cold, damp weather; relieved by heat, rubbing and by exercise. Rhus-t.

Sciatica: intense p. along sciatic nerve, with occasional feeling of numbness. Gnaphal.

Sciatica: intense, stinging, aching and bruised p. in middle of posterior of thigh, extending to knee. Ind.

Sciatica of right hip; p. only during motion; rest bringing complete relief. Dios.

Sciatic or crural neuralgia (in gouty, rheumatic subjects), with tearing, stitching p.; worse on motion. Coff.

Sciatica: p. in sacrum extending down sciatic nerve to right thigh; worse: when pressing; at stool; coughing; laughing; lying on affected side. Tellur.

Sciatica: p. running from hip to knee down outside of thigh; worse afternoon and evening; and on any change in weather; pressure causes p. to shoot along entire length of nerve. Kali-bi.

Sciatica: pressing, shooting, drawing, aching in thigh; p. external; with soreness of left groin; great lassitude and desire to lie down (syphilitic and gonorrhœal). Phyt.

Sciatica: shooting, burning, laming p. in posterior femoral muscle shooting along left sciatic nerve to foot. Iris.

Sciatica: stitching, contractive p. in hip joint; better on motion and pressure; worse during rest. Meny.

Sciatica: unbearable, neuralgic p. when standing, with feeling as if thigh would break off. Valer.

Sciatica, with p. in spine. Petr.

Scrofulous inflammation, with hot, bright-red, shining swelling of knee; shooting, stitching and burning p.; least motion of body or foot, or least touch or pressure upon swelling causes excruciating p. Iod.

Sensation as if a cord were tied around right leg midway between hip and knee, causing limping and p.; p. subsequently shifting to left leg below knee, and from thence into ankle. Am-brom.

Severe p. and swelling of ankle joints. Podo.

Severe p. in ankles; worse in evening. Rhus-r.

Severe p. in back, through hips and down thighs (during menses). Cimicif.

Severe p. in heel, as if bone were ulcerated. Am-c.

Severe p. in hip joint when walking. **Am-c.**
Sharp p. in right ankle and in joints of great toe. Sang.
Shooting and dull, aching p. in left thigh in course of sciatic nerve extending down to instep and toes. Elat.
Shooting p. in joints of left toes; worse in great toe. **Can-ind.**
Shooting p. in thighs (from liver). **Kobalt.**
Shooting, tearing p. in knee. Clem.
Singular, pulsating p., with feeling as if opening and shutting in middle of anterior portion of right thigh; leaving a severe aching and tenderness to pressure when lying down. **Chim.**
Soles p. when walking on pavement. Aloe.
Sore, burning p. in corn. Calc-c.
Sore p. in balls of toes while walking, as if chafed. **Ars.**
Sore p. in bend of hip joint. Berb.
Sore p. in bones. Led.
Sore p. in heel, as from subcutaneous ulceration. Euphorb.
Sore p. in tips of toes. Ran-b.
Soreness and burning p. between nates. Sep.
Soreness and p. after being jolted in a carriage. **Arn.**
Stabbing p. in left hip, as after a fall. Natr-s.
Steady p. over foot and ankle. Ferr-ph.
Sticking p. in calf accompanied by jerking in patella when knee is stretched. Spig.
Stinging, boring p. in coverings of bones; worse in cool air. **Hell.**
Stinging p. in ankle joint. Hell., **Ruta.**
Stinging p. in feet. Grat., Sulph.
Stinging p. in heels. Graph., Sep.
Stinging p. in hip. Bell., Ferr., Rhus-t., **Sabin.**
Stinging p. in instep. Puls.
Stinging p. in knee joints. Bar-c.
Stinging p. in knees. Hell., Lach., Petr., Puls., Sep., Staph., Sulph.
Stinging p. in left calf. Am-m.
Stinging p. in legs. Bry., Kali-c., Lyc., Spig.
Stinging p. in lower extremities. Grat., Kali-c., Merc., Nux-v., Sars., Sulph., Thuja.
Stinging p. in soles. Puls.
Stinging p. in thighs. Bry., Sep., Spig.
Stinging p. in toes. Am-m., Puls., Ran-sc., Ver-a.
Stitching p. in bend of knee and on shin. Mang.
Stitching p. in knees and tibia. Sulph.
Stitching p. through right knee when walking. Chenop-v.
Sudden p., as if bruised, in outer malleolus of right foot; worse when standing; less when walking. Valer.
Sudden, sharp p. running through and laming knee, forcing patient to sit down. Bar-c.
Swelling and p. in left knee. Cic-v.

Swelling and p. in right ankle. Rhus-r.
Swelling and redness of tips of toes, with burning p. Mur-ac.
Swelling of feet, with burning p. Coni.
Swelling of knees, with contractive p. in ligaments. Bry.
Swelling of right knee, with p. as from ulceration in whole leg, with p. in kidneys. Benz-ac.
Swelling of soles; p. when walking. Lyc.
Tearing and drawing p. in leg. Alu.
Tearing, cramp-like p. in dorsum of foot along outer surface and along outer surface of calf. Camph.
Tearing, jerking and drawing p. in knees. Puls.
Tearing p. down leg into right great toe. Ars.
Tearing p. from knees down to malleoli at night. Croc.
Tearing p. in acetabulum. Caust.
Tearing p. in back of legs. Ign.
Tearing p. in sole of right foot. Æth.
Tearing p. in calf extending downward. Caust.
Tearing p. in feet after getting wet. Dulc.
Tearing p. in feet (of pregnant women). Phos.
Tearing p. in heels. Natr-s.
Tearing p. in hip. Lach.
Tearing p. in hip joint. Magn-s., Merc.
Tearing p. in hip joint and knee, before suppuration. Merc.
Tearing p. in hips and knees, even when sitting. Kali-c.
Tearing p. in hips and legs. Nicc.
Tearing p. in knees. Euphorb., Millef.
Tearing p. in knees. Caust., Cist.
Tearing p. in knees and knee joints. Am-c.
Tearing p. in knees and tibia. Laur.
Tearing p. in knees, over legs and feet. Kali-c.
Tearing p. in left knee; worse at night. Kali-jod.
Tearing p. in left leg, especially in knee and ankle joint. Carbo-an.
Tearing p. in metatarsal bones. Sabin.
Tearing p. in middle of right thigh. Lyc.
Tearing p. in outer side of left leg when sitting. Caust.
Tearing p. in right ankle, as if sprained, when walking. Dros.
Tearing p. in tendo Achillis and calf, as if parts would be cut off; worse standing, walking or exerting muscles. Ign.
Tearing p. in tibia (from tertiary syphilis). Kali-bi.
Tearing p. in tips of toes; worse when walking. Agn.
Tearing p. in toes; worse when walking. Carbo-v.
Tearing p. just above left knee joint extending to point hand's breadth above ankle. Ind.
Tearing p. when sitting; better on movement. Agar.
Tearing, stitching p. in hips and thighs. Sil.
Tearing, stitching, throbbing or bruised p. in legs. Berb.

Throbbing and p., as from ulceration, in foot when walking. Am-m.
Throbbing p. in hip joint. Staph.
Ulcerative p. in glutei muscles and thighs, when sitting. Kali-c.
Ulcerative p. in heels. Am-m.
Ulcerative p. in heels and toes. Kali-jod.
Ulcerative p. in region of malleolus. Natr-m.
Ulcerative p. in soles. Canth., Graph., Puls.
Ulcerative p. in soles and heels. Zinc.
Violent contractive p. in external tendons of left knee. Ox-ac.
Violent drawing or tearing p. in both legs from toes to thighs. Caust.
Violent p., as if stepping on spikes which penetrated soles and ran upward through limbs to hips, on attempting to walk; worse in right leg and accompanied by drawing p. in both calves. Can-ind.
Violent p. behind left hip. Arg-m.
Violent p. in bones of feet. Mez.
Violent p. in hips. Natr-s.
Violent p. in left foot. Kalm.
Violent p. in legs affecting mostly muscular part of thigh; worse evening and night. Plumb.
Violent p. in small spots, only discovered on touching them. Ign.
Violent p. in tarsal joint, as if sprained, during motion. Cocc.
Violent p. in tibia, as if beaten, or as if periosteum were torn off after midnight, disturbing sleep. Mez.
Violent p. on outside and to front of left knee. Apis.
Violent, tearing p. in knees and patellæ, and from knees down to toes. Alu.
Violent p., with contraction of tendo Achillis and left foot. Can-sat.
Wandering, erratic, sharp p. in knee and hip joint, with aching and trembling in leg. Kali-bi.
Weakness and p. in thighs, as from fatigue, with dread of motion. Guaj.
Weakness in knee joints and tearing p., with pressure when walking. Led.
Weariness and soreness in limbs and bones; p. as if flesh were torn off. Sulph.
Weariness, heaviness and p. in knees when walking. Magn-c.
When sitting, gnawing p. in hip bone. Am-m.

Painful.—Acute arthritic rheumatism: knees swollen, p., throbbing, with cutting, stinging pains. Acon. (Also apply cloth saturated with dilution.)
Acute, p. suggillations on dorsum of foot. Ferr-ph.
Articular rheumatism, with swollen and p. joints. Ham.
Ball of great toe p. and hot. Am-c.
Ball of great toe p. and swollen; worse on stepping; tendons stiff. Led.
Bends of knees p. on motion. Natr-c.
Bunions very p. Hyper. (Apply locally.)
Burning itching of little toes, p. when touched. Staph.

Calcareous deposits in joints, with p. spasmodic jerking of legs (in gouty persons). Meny.
Calf p. when walking and setting down foot. Calc-c.
Carious ulcers on tibia, very sore, with greenish, offensive discharge; skin adheres to bone; ulcers p. on edges; with high, hard edges; bleed easily and are very sensitive; pricking on circumference. Asaf.
Corns p., as if sore. Ign.
Corns p. to touch. Carbo-an.
Cramps in soles and toes (Sulph), with p. contraction of toes. Ferr.
Drawing, p. stiffness of knees. Bry.
Feet p. and feel as if sprained in morning on rising. Rhus-t.
Feet p. when walking. Ambr.
Feet swell and are p. on walking; feels every pebble. Sabad.
Furuncles on right thigh p. on motion. Calc-c., Hell., Kali-c.
Gout: inflamed and p. wrist and ankle joints. Abrot.
Great toe red, swollen and p., especially at night; followed by swelling of whole foot. Am-c.
Hamstrings feel contracted and p. when walking. Am-m.
Heaviness and stiffness, with p. drawing in legs. Ferr.
Heels swollen, red and p., with stitches. Petr.
Hip joint p., as if dislocated. Puls.
Hip joint p., as if sprained, when walking. Hep-s.
Horny growths under nails p. and sensitive. Ant-c.
Intense and p. coldness of legs, especially in evening. Ambr.
Intermittent, p. drawing in bent knee. Croc.
Knee p., as if too tightly bound. Sil.
Knees and ankles lame, weak and p. Dios.
Knees pain, as if sprained; p. when walking. Calc-ph.
Left hip and hip joint swollen, hot and very p. to touch, with anxiety, fear and great thirst. Acon.
Left knee twice size of right; very stiff, sore and p. Berb.
Legs and whole body p., as if bruised and beaten. Arn. (Bad., Led., Merc., Ruta.)
Legs feel as if bandaged, with stiffness and p. uneasiness about knees when sitting. Anac.
Legs p. to touch when out of position. Tarax.
Limbs p., as if bruised or beaten. Led. (Arn., Bad., Ruta.)
Limbs p. in parts on which one is resting. Kali-c.
Middle and anterior surface of thighs feel bruised and p. Sabin.
Nails p. Merc-sulph., Teucr.
P. and excessive weakness and weariness of thighs and legs. Agar.
P. chilblains. Zinc.
P., cramp-like contraction in soles when bending legs. Nux-v.
P. drawing and lameness behind left trochanter, extending to popliteal space. Iris.

P. drawing in joints of right toes; worse when walking. Sabin.
P. drawing in legs. Magn-c.
P. drawing in legs and heaviness of feet. Sabad.
P. drawing in legs when sitting quiet; relieved on walking. Valer.
P. drawing in toes. Ruta.
P., hard swelling in bend of the knee; unable to extend the limb. Magn-c.
P., hard tubercles of tophi, in region of joints. Led.
P. heaviness of legs, as if weary. Ver-a.
P. lameness of legs. Agar.
P. nodosities and "gout stones" in joints. Led.
P. red spots on calves, turning yellow or green, as after contusion, preventing movement of foot. Coni.
P. soreness of toe and corn. Agar.
P. spasmodic jerking of legs. Cod.
P. spots here and there on legs, as if had been beaten. Mosch.
P. spots on tibia. Ambr.
P. stiffness in bend of knee. Nitr-ac.
P. stiffness of knees, as after long walking. Lob.
P. stiffness of patella when rising. Caust.
P. stretching of calves. Anac.
P. swelling in ball of right great toe; pain suddenly shoots into body to region of heart, or some other part. Daph.
P. swelling of knee (succeeding gonorrhœa) Clem.
P. throbbing in tip of great toe. Asaf.
P. tightness in calves when walking. Carbo-an.
P. turning up of big toes. Apis.
P. weakness in knees when standing, with p. shocks. Sulph-ac.
P. weariness in calves. Aloe.
P. weariness in feet, with feeling of heaviness. Croc.
P. weariness of legs (during menses); feet are heavy, languid and debilitated. Bov.
P. weariness of legs, especially thighs and feet, as after long walk. Calc-c. (China.)
P. weight in tarsal joint. Cupr.
Paralytic drawing in muscles of thighs and calves; p. when walking. Nux-v.
Periosteal rheumatism (of syphilitic origin); bones enlarged and intensely p. at night. Kali-jod.
Phlebitis: pain and swelling of right leg to hip; veins sensitive to touch; cutaneous veins hard, swollen and p. Ham.
Rheumatism: feeling of heat in p. limbs; swelling of joints; can bear no heat. Guaj.
Rheumatism: œdema of feet and around ankles; swelling hard over inner ankle, and a little red, as if inflamed; least touch anywhere is p. Chelid.

Rheumatism: pains go from below upward; joints swollen, p., hot and tense; drawing pains; worse from warmth and motion. Led.
Right hip joint very p. Phos.
Stretching out or motion very p. Bry.
Synovitis: knee joint red, swollen, and excessively p. to touch and on motion. Bry.
Thrombosis: limbs immoveable, covered with reddish or bluish streaks or spots; hard, elastic, hot and very p., especially along crural vessels and nerves. Apis.
Tight and p. stiffness in calves. Coni.
Tips of toes p. when walking. Kali-c.
Toes p. as if frozen. Asar.
Varicose veins in calf become p. Coloc.
Very p., tremulous, jerking stitches in thigh and upper border of ilium when sitting. Ang.
Weakness of knees, with p. drawing when walking and standing. Cupr.

Painfulness.—P. of bones, with softening and swelling of bones and periosteum. Asaf.

Pains.—Aching p. in ankles and hollow of feet when walking; must lie down after short walk. Rhus-t.
Aching p. in back part of thighs. Ptel.
Acute arthritic rheumatism: knees swollen, painful, throbbing, with cutting, stinging p. Acon. (Also apply cloth saturated with dilution.)
Ankles swollen, with cutting p. in feet (during chill). Chin-s.
Arthritic and rheumatic p. Ars.
Arthritic, cutting p., followed by contraction of muscles. Guaj.
Arthritic p. after taking cold in water, or from suppression of gonorrhœa. Sars.
Arthritic p. in feet; worse late in afternoon. Arn.
Arthritic p. in joints; worse at night. Mang. (Merc.)
Arthritis: drawing, tearing p. in toes, with red, shiny swelling, especially at night; cannot bear heated room; better in cold air. Sabin.
Boring, burrowing, or pressive p. in tibia. Clem.
Boring, pressing p. coming like lightning leaving parts numb. Mez.
Boring, tearing p. change from right hip joint to other parts; worse at night. Arn.
Burning and corrosive p. in bones of feet during rest. Ruta.
Burning and stitching p. in corns. Petr.
Burning, gnawing, tearing p. in bones and legs. Phos-ac.
Burning in soles and p. at night, compelling patient to throw off bedclothing to cool feet. Sang. (Sulph.)
Burning, jerking p. in balls of little and second toes, with itching after becoming warm in bed. Puls.
Burning p. in bones of hip joint and in femur at night. Euphorb.

Burning p. in both legs from thighs to ankles. Apis.
Burning sore p. in toes. Ruta.
Changing rheumatic p. lasting but a short time. Pallad.
Chronic arthritic p. in joints at night. Iod.
Continual boring or tearing p. in great toes. Sil.
Corns, with burning p. Meph.
Cramping p. in muscles. Ambr.
Cramp-like contraction of toes, with tearing p. in limbs. Cham.
Cramp-like, drawing and tearing p. from toes to dorsum of foot. Anac.
Cramp-like p. and numbness in limbs and joints. Plat.
Cramp-like p. in calves, heels and toes. Crotal.
Cramp-like p. in calves. Card.
Crampy p. in muscles. Coloc.
Crural neuralgia, with stinging, stitching p. on movement. Staph.
Cutting and darting p. in muscles of thigh when sitting. Bell.
Cutting, knife-like p. in knee joint. Acon.
Cutting p. in thighs when walking. Sep.
Darting p. from toes to hip, and from trochanter to bend of knee. Pallad.
Darting p. in thighs and toes. Sticta.
Deep-seated, dull, aching p. in legs and joints; generally caused by cold. Gels.
Drawing and contractive p. in gastrocnemius muscle of left leg. Gels.
Drawing and shooting p. in legs. Bar-c.
Drawing, crawling, spasmodic p. and formication in legs. Sec.
Drawing p. in bones of thigh, as if periosteum had been scarped with a knife. China.
Drawing p. in feet. Can-sat., Rhus-r.
Drawing p. in thighs, knees, ankles, feet and toes. Caul.
Drawing, pressing p. in ankles. Agar.
Drawing, pressive p. in left hip joint, thigh being extended when sitting. Arn.
Drawing, tearing p. in all joints and in thigh. Acon. (Bry., Rhus-t., Puls.)
Drawing, tearing p. in joints. Cist.
Drawing, tearing p. in legs. Cocc-c., Kali-c. (Rhus-t.)
Drawing p. in legs and feet. Magn-c.
Drawing, tearing p. in legs and joints. Spig. (Bry., Led.)
Drawing, tearing p. in limbs, with chilliness. Puls.
Dull p. darting or cutting from right hip joint posteriorly downward to foot; worse lying; better sitting in chair. Gnaphal.
Fatty swelling of knee, with stinging p. Dig.
Fine shooting and gnawing p. along bones, with violent tearing in joints. Bell.
Flying, stitching p. in limbs. Mez.
Frequent darting p. from feet to hips. Nux-v.

Frequent flying p. in legs and arms; remain only a few minutes in any one place. Caul.
Frequent griping, ulcerative p. in soles. Kali-n.
Gnawing p. along bones. Bell.
Gout: fine, tearing p. in toes. Led.
Gouty p. in ankles and bones of feet. Lith-c.
Gouty p. in great toes. Gnaphal.
Gouty, rheumatic p. in joints. Led.
Growing p. in limbs. Ruta.
Hard, dull, or tearing p. in hips. Dios.
Heat and throbbing p. in toes. Kali-bi.
Inflammation of bones, with insupportable, digging p. in bones and periosteum; worse at night. Mang. (Merc., Phos-ac.)
Knees inflamed and swollen, with shooting p. Puls.
Knees swollen, with tearing, drawing p. Puls.
Lightning-like p. in chest. Plumb.
Limbs stiff, with shooting p.; worse in morning. Kali-bi.
Nodes upon shin bones, with severe nightly p. (syphilitic). Nitr-ac.
Neuralgia of limbs; p. burning, with agony and great restlessness; worse during rest at night; relieved by exercise. Ars.
Neuralgic p. in thighs and legs. Cod.
Nightly p. in periosteum of tibia. Phyt. (Merc.)
Offensive, profuse perspiration on feet (Sil.) causing soreness, with sticking p., with feeling as if walking on pins. Nitr-ac.
Old ulcers on lower limbs, with burning and cutting p. Ars.
P. above knee. Calc-ph.
P. around left knee as if bound with something tight. Magn-c.
P. as from a sprain in right knee. Lach.
P. as if bruised in all bones. Ipec.
P. as if left hip were wrenched. Iris.
P. behind tendo Achillis. Calad.
P. in bones at night (with syphilis). Asaf.
P. in bones of limbs. Rhod.
P. in bones of thigh and leg. Mez.
P. in feet and knees as if heavy stones were tied to parts; better on movement. Ver-a.
P. in heel. Ferr.
P. in hip joints and about condyles. Ver-a., Ver-v.
P. in hip joints on moving as if sprained. Euphorb.
P. in hips and thighs extending to knees. Sep.
P. in joints as if sprained. Arn.
P. in joints, with swelling and redness. Natr-m.
P. in knees. Ang.
P. in knees at night. Gels. (Rhus-t.)
P. in legs, joints and bones as if beaten, or as after a blow or fall. Ruta. (Arn., Bad.)

P. in legs; worse walking, yet so much worse after ceasing to walk that patient must walk again. Lil-tig.
P. in limbs. Hyos.
P. in limbs and joints in cold, damp weather. Nux-m. (Rhod.)
P. in limbs, as if bruised or as after long running. Kreas.
P. in limbs, especially in joints, obliging patient to stretch body. Puls.
P. in limbs making patient change position often to obtain relief. Natr-s. (Rhus-t.)
P. in limbs; worse at night. Hep-s.
P. in lower legs down to toes, soon passing off, leaving a cramp-like drawing. Rhod.
P. in middle of long bones or attachments of muscles. Phyt.
P. in right hip, both knees, and in first joint of great toe; worse on right side. Iris.
P. in soles as if bruised when walking. Led.
P. in thighs. Nux-m.
P. in tibia at night. Phos-ac., Phyt.
P. in toes as if ulcerated. Berb.
P. rapidly fly from one part to another. Kali-bi.
P. shooting from sacrum down outside of both hips. Phyt.
P. through ankles and in dorsum of foot. Phyt.
Paralytic p. like rigidity in leg. Mosch.
Periostitis and swelling of bones, especially tibia, with violent nightly p. Mez.
Piercing, drawing, tearing p. in legs. Millef.
Pleurodynia: rheumatic p. in joints, with heat and swelling. Cimicif.
Pressive p. in knees. Led.
Pricking, dull, drawing, twitching p. in knees. Aloe.
Purple and mottled swelling of feet and legs up to knees; pitting on pressure; rending p. in periosteum; comfortable only when holding feet in ice water. Led.
Red, rash-like pimples on foot, with itching, burning p. Bov.
Rheumatic and arthritic p. (especially after suppression of gonorrhœa). Daph.
Rheumatic and arthritic p. in joints and limbs, especially at night; or with copious sweats, which do not afford relief. Merc.
Rheumatic, contractive p. in legs. Gels.
Rheumatic, drawing p. in joints. Lyc.
Rheumatic, drawing, tearing p. in legs; worse at rest and in rough weather. Rhod.
Rheumatic p. in all joints. Asclep-tub. (Acon., Bry., Rhus-t.)
Rheumatic p. in ankles. Acon.
Rheumatic p. in feet at night. Sars.
Rheumatic p. in hip joints and knees; worse on movement. Kali-bi.
Rheumatic p. in hips; worse during rest; better from motion. Sabad.

Rheumatic p. in joints. Sec.
Rheumatic p. in joints at night. Kali-n.
Rheumatic p. in knee joints on moving leg. Lact-ac.
Rheumatic p. in knees at night. Gels.
Rheumatic p. in left leg. Elaps.
Rheumatic p. in legs. Calad., Clem., Euphorb., Lith-c.
Rheumatic p. in legs down to toes. Colch.
Rheumatic p. in legs, rarely in joints; better from motion. Valer.
Rheumatic p. in legs (with gastric affections). Ant-c.
Rheumatic p. in legs, with stitches in joints. Hep-s.
Rheumatic p. in the lower part of the legs; worse on going to sleep. Kalm.
Rheumatic p. in right shoulder, right arm and hip, changing often and lasting but a short time. Ox-ac.
Rheumatic p. in tibia and soles. Chenop-a.
Rheumatic p. in toe joints. Aur., Teucr.
Rheumatic p., mostly in bones and joints; worse evening; better moving. Teucr.
Rheumatic p. shifting from one place to another. Puls.
Rheumatic p., with sweat, which does not relieve. Tart-em.
Rheumatic p. worse at rest and on beginning to move; better from continued motion. Rhus-t.
Rheumatic, tearing p. in legs. Benz-ac.
Rheumatic, wandering p. in limbs, with lameness Meph.
Rheumatism: aching p. in legs; must change position every moment; pain on first moving but relieved by continued motion. Rhus-t.
Rheumatism affecting bellies of muscles, with cramping, stitching p. Cimicif.
Rheumatism after exposure to wet; parts feel as if beaten, with severe p. when remaining in one position; relieved when moving about. Dulc. (Rhus-t.)
Rheumatism of hip and knee, with high fever and scanty, red urine; flying p., especially in joints; with shuddering. Ver v.
Rheumatism of joints, with concretions of calcareous or limy substances; p. shifting; urine excessively fetid. Benz-ac.
Rheumatism: p. change rapidly from one part to another, without swelling or redness; with constant chilliness; worse evening and night. Puls.
Rheumatism: p. go from below upward; joints swollen, painful, hot and tense; drawing p.; worse from warmth and motion. Led.
Rheumatism: p. in places least covered by flesh; not in joints; p. fly from one place to another on touch. Sang.
Rheumatism: tearing, stinging p.; worse at night; with profuse perspiration. Merc.
Sciatica: deep-seated, tearing and gnawing p. in hips and thighs. Elat.

Sciatica: excruciating, spasmodic p. in right leg from hip to ankle, changing place quick and often; shooting, intermittent, rendering change of position necessary. Magn-ph.

Sciatica: incisive, throbbing, intermittent p.; first every other day, then daily; with chilliness; returns every winter (in mild, melancholy temperaments). Ign.

Sciatica: neuralgic p. in outer side of both thighs. Phyt.

Sciatica: p. at rest and when beginning to walk. Gels.

Sciatica: shooting, cutting p. running like lightning from hip to knee and sometimes to heel, affecting right side more than left; worse at night (in neuralgic subjects). Coloc.

Sciatica, with severe, burning, tearing and drawing p. Ars.

Severe, or fine stitching p. in right sole. Tarax.

Sharp, cutting p. darting along course of sciatic nerve, terminating in twisting or wrenching feeling in foot. Hyper.

Sharp, neuralgic p. in legs, mostly from hips to knees; p. in paroxysms. Plumb.

Sharp p. in legs, coming on suddenly and leaving suddenly. Iris. (Bell.)

Shifting p. in joints. Benz-ac.

Shifting p. in right arm and leg, then left leg. Hydr.

Shooting, aching p. from thighs down to condyles. Cinnab.

Shooting and tearing in hip joint, which p. as if bruised when touched; worse evening in bed; must get up and walk about. Ferr. (Rhus-t.).

Shooting and tearing p. in toes in evening. Am-m.

Shooting p. in hip. Nux-v.

Shooting p. up inside of leg. Ferr-ph.

Shooting, tearing p. from hip to knee and foot, especially when coughing. Caps.

Shooting, tearing p. in knees, ankles and toes. Acon.

Shooting, tearing, rheumatic and arthritic p. in muscles of legs. Ran-b.

Stiffness and cracking in joints, with arthritic p. Sep.

Stinging p. in heels when sitting. Valer.

Stinging p. in legs. Paris.

Stinging, tearing p. in limbs. Laur.

Stitches, sticking and drawing p., with lassitude of legs and coldness of feet, but sometimes only of knees. Sep.

Stitching, boring, stinging p. in corns. Natr-m.

Stitching p. in corns. Sil., Sulph.

Stitching p. in knee. Arn.

Stitching p. in left thigh. Tarax.

Stitching p. in thighs, knees and legs. Sars.

Stitching, rheumatic p. in limbs at night. Kali-n.

Subacute, rheumatic p. in knee and ankle joint. Cod.

Suppurating p. in hip and knee joint. Sil.
Swelling and redness of joints, with erratic p. rapidly changing from one part to another. Puls.
Swelling of knee, with tearing, drawing p. Puls.
Swelling, with drawing, sticking p. in knee when walking. Led. (Bry.)
Synovitis: much swelling, with erratic, tearing p. Iod.
Tearing, aching p. in legs (in diphtheria). Lach.
Tearing and shooting p. in hip, thigh and groin. Ars.
Tearing, burning p., with cramp in thighs, calves and toes, with great weakness on movement. Ars.
Tearing, darting and gnawing p. in limbs (after Mercury or syphilis). Kali-jod.
Tearing, drawing and cutting p. from heel through sole and toes. Kreas.
Tearing, drawing, gnawing, stinging p. in bones. Canth.
Tearing, drawing p. in joints. Rhod.
Tearing in toes, with cutting p. toward tips. Canth.
Tearing p. and numbness of feet. Bism.
Tearing p. in back and legs. Ign.
Tearing p. in front part of thigh when sitting. Am-m.
Tearing p. in joints. Sars.
Tearing p. in knees and ankles; worse during rest. Rhus-t.
Tearing p. in knees, like jerks. Puls.
Tearing p. in legs below knees. Cinnab.
Tearing p. in legs, especially at night. Nitr-ac.
Tearing p. in legs, muscles and joints from above downward. Sulph. (From below upward. Led.)
Tearing p. in limbs; relieved by rubbing. Canth.
Tearing p. in lower limbs, mostly in knees and feet. Natr-c.
Tearing p. in middle of inside of leg. Bell.
Tearing p. in soles, above knees and in back. Puls.
Tearing p. in toes. Kali-c.
Tearing, pricking p. in legs, with heat. Guaj.
Tearing, shooting and rapidly shifting p. in joints, especially smaller joints. Iris.
Tearing, shooting p. in thighs. Berb.
Tingling p. in soles when stepping. Coni.
Tumor or white swelling of knee, with tearing p. Ant-c.
Twinging p. in outer side of calf when sitting. Valer.
Ulcerative, boring p. in heels. Zinc. (Puls.)
Ulcerative p. in tips of toes. Coni.
Ulcers on one foot, with stitching p. upward; other foot burning. Puls.
Violent, cutting p. in limbs at night. Bad.
Violent, drawing and cutting p. through knees and tibia, especially in evening. Sulph.

Violent, drawing, cutting p. in middle of long bones. Zinc.
Violent, nightly p. in bones of feet. Mez.
Violent p. on level with crest of left ilium. Millef.
Violent, rheumatic p. drive patient out of bed at night and compel him to walk about. Cham.
Violent, tearing p. in heels, as from ulceration. Am-m.
Wandering, rheumatic p. in bones and joints at night. Gels.
White swelling of knee, with intolerable, tearing p.; worse during rest and at night. Rhod.

Pale.—Legs and feet œdematous, p. and wax-like. Apis. (Ars.)
Legs and feet waxy, p. and œdematous. Tart-em. (Ars.)
Legs become cold, p. and wrinkled, as if had been long time in water. Sec.
Dropsy: foot and ankle swollen and stiff; swelling, p., clear, wax-like. Apis.

Palsied.—Feeling as if knees were p. Berb.

Paralysis (see section on Generalities).—A kind of p. in left leg, with pain in hip and knee joint. Magn-c.
Drawing pain in legs, especially when walking, with feeling of p. in thighs. Hep-s.
Painless p. of limbs. Laur., Opi., Rhus-t.
Painless stiffness and p. of legs. Oleand.
P. from small of back downward, with numbness, stiffness and bruised feeling. Cocc.
P. of feet. Bell., China, Nux-v., Oleand., Plumb.
P. of feet after suppression of sweat on feet. Zinc.
P. of feet (with spinal or chronic nervous affection, as softening of brain, or cerebral hæmorrhage). Zinc.
P. of left thigh and knee. Chelid.
P. of legs. Can-ind., Iod., Nux-v. (Use Strychnia.)
P. of legs (after over-exertion, getting wet, or sexual excesses). Nux-v.
P. of legs (after suppression of eruption on arms). Psor.
P. of leg and feet. Oleand.
P. of legs; falls over own legs. Stram.
P. of legs from spinal exhaustion. Actea-s.
P. of legs, with swelling and emaciation. Plumb.
P. of lower extremities. Bell., Cocc., Nux-v., Oleand., Opi., Plumb., Sil., Stann., Sulph.
P. of spine and limbs: loss of all control over legs (in horses after eating leaves of young shrubs). Brachyg.
P. or anæsthesia of legs, with convulsive jerks and shocks. Sec.
P., with atrophy of legs (after parturition), with loss of motion and sensation. Plumb.
Weakness, stiffness and p. of legs. Ox-ac.

Paralytic.—Arthritic stiffness in knees, with p. weakness of legs. Phos.
Great trembling, heaviness and p. weakness of legs. Stann.

Great weakness and p. heaviness of legs and feet. Rhus-t.
Jerking, trembling or shaking and p. weakness in legs at night. Rhus-r.
P. condition of tarsal joints. Natr-m.
P. drawing in muscles of thighs and calves; painful when walking. Nux-v.
P., drawing pain from abdomen to left leg. Carbo-v.
P. feeling in limbs early in morning. Natr-c.
P. heaviness and debility of legs. Arg-n.
P. heaviness and weakness in legs, especially in thighs and knee joints. Stann.
P. pain in feet. China, Plumb.
P. pain in hip joint when stepping. Euphorb.
P. pain in hips and legs. Cocc.
P. pain in knees. China, Euony.
P. pain in lower extremities. Am-m., Natr-m., Seneg., Sep., Sil., Stann., Sulph.
P. pain in thighs. China.
P. pain in toes. China.
P. pains, like rigidity, in leg. Mosch.
P. rheumatism: cannot lie still a minute. Caust.
P. stiffness in legs. Lith-c.
P. weakness in thighs and knees when stepping. Chelid.
P. weakness of hip joint. Kali-c.

Paralyzed.—First right, then left hip feels p. Ver-a.
P. feeling in feet, with great œdema. Phos.
Pressive pain in both hip joints on every step, with p. sensation in anterior muscles of thighs. Rhus-t.
Left lower leg feels p. Carbo-v.
Legs feel p. Chelid.
Legs immoveable, as if p. Sars.
Sensation as if blood rushed from head into legs, which feel p. Aur.
Stiffness and great lassitude of legs; scarcely able to walk; knees feel stiff and p. Anac.
Weakness of legs, as if p. Phos.
Weakness, with sensation of trembling; muscles feel p.; knees knock together and patient can hardly walk. Colch.

Paraplegia.—Skin of legs cold, flaccid, with complete p. and great fear of death. Ars.

Paroxysms.—Sharp, neuralgic pains in legs, mostly from hips to knees; pains in p. Plumb.

Parturition (see section on Parturition).—Paralysis, with atrophy of legs (after p.), with loss of motion and sensation. Plumb.

Patches.—Large, red p. on arms and legs, exactly like nettle rash, in large raised wheals, with intense, irritating itching. Chin-s.
Veins on dorsum of foot swollen, and between swollen veins red p. which do not disappear on pressure. Croton-tig.

Pavement.—Soles pain when walking on p. **Aloe.**

Patella.—Dislocation of p. Gels.

Dislocation of p. when going up stairs. **Can-sat.**

Drawing, tearing pain in p. Cocc.

Dull stitches in region of knee joint, near p. Staph.

Feeling as of partial luxation of p., when walking. **Gels.**

Osseous growths about p. Calc-flu.

P. glides out of position on ascending. **Can-sat.** (During breakfast. Gels.)

Pain in p. preventing motion. Nitr-ac.

Painful stiffness of p. when rising. Caust.

Rheumatic pain in inner and lower edge of p. extending into knee joints. Rhus-r.

Sticking pain in calf, accompanied by jerking in p. when knees are stretched. Spig.

Stitches in p. and heel. Nicc.

Stitches in p., tibia and feet. Viola-tr.

Violent, tearing pain in knees and p., and from knees down to toes. **Alu.**

Peeled.—Extensive gangrenous periostitis of tibia; with severe febrile disturbance; periosteum p. off in large area upward as far as knee joint; bone rough. Phos.

Periodical.—P. attacks of gout. Natr-m.

Periosteal.—P. rheumatism (of syphilitic origin); bones enlarged and intensely painful at night. Kali-jod.

Periosteum.—Bruised pain in p. of tibia, is always sore to touch. Phos.

Drawing pains in bones of thigh, as if p. had been scraped with knife. China.

Exostosis, with severe bone-pains at night; p. very tender. Aur.

Extensive gangrenous periostitis of tibia, with severe, febrile disturbance; p. peeled off in large area upward as far as knee joint; bone rough. Phos.

Inflammation of bones, with insupportable digging pains in bones and p.; worse at night. Mang. (Merc., Phos-ac.)

Nightly pains in p. of tibia. Phyt. (Merc.)

Pain in bones below knees, sometimes as if in p. Agar.

Pain in p. Mez.

Pain in p. and along bones, especially tibia; worse at night in bed and in damp weather; least touch intolerable. Mez.

Purple and mottled swelling of feet and legs up to knees; pitting on pressure; rending pains in p.; comfortable only when holding feet in ice water. Led.

Ulcers on tibia affecting p., with profuse, watery, offensive discharge. Phos-ac.

Violent pain in tibia, as if beaten, or as if p. were torn off after midnight disturbing sleep. Mez.

Periostitis.—P. Phyt.

Extensive gangrenous p. of tibia, with severe febrile disturbance; periosteum peeled off in large area upward as far as knee joint; bone rough. Phos.

P. or periosteal inflammation of foot, with unbearable bone-pains at night; worse from heat. Aur.

Perspiration.—Checked p. on feet. Bar-c.

Cold p. on feet. Lyc., Sulph.

Fetid p. on feet. Bar-c., Graph., Kali-c., Sil., Thuja.

Lameness after suddenly-checked p. of feet. Colch.

Offensive p. on feet; toes and soles are sore. Bar-c.

Offensive, profuse p. on feet (Sil.) causing soreness, with sticking pains, with feeling as if walking on pins. Nitr-ac.

P. between toes. Acon., Clem., Cycl., Ferr., Kali-c., Kobalt., Sil., Squilla, Tarax., Thuja.

P. on feet. Bar-c., Calc-c., Carbo-v., Hell., Kali-c., Lyc., Magn-m., Sep., Sil., Sulph.

Profuse p. on feet. Carbo-v.

Rheumatism: tearing, stinging pains; worse at night; with profuse p. Merc.

Sour p. on feet. Calc-c. (Fetid and corroding. Sil.)

Suppuration of hip, with profuse p. and diarrhœa. China.

Petechiæ.—P. on legs. Phos.

Phlebitis.—P.: great pain and swelling of the right leg to hip; veins sensitive to touch; cutaneous veins hard, swollen and painful. Ham.

Phlegmasia alba dolens.—P. Lach., Sulph.

P.: cannot bear to be touched. Bell.

Pierced.—Sensation as if knife p. calf, and as if blood trickled down. Natr c.

Piercing.—P., drawing, tearing pains in legs. Millef.

Pimples.—Dry, superficial, angry-looking ulcers on legs, covered with yellow scabs, with stinging, burning pains; areola inflamed and covered with p., which frequently degenerate into ulcers. Hydr.

Legs covered with rash of small red p. Rumex.

Red, rash-like p. on foot, with itching, burning pains. Bov.

Pinched.—Pain in great toe as if being p. off. Meph.

Pain in toes as if shoe p. Puls.

Pinching.—Knees felt swollen when sitting, with p. in bend of knees. Ammoniac.

Pins.—Offensive, profuse perspiration on feet (Sil.), causing soreness, with sticking pains, with feeling as if walking on p. Nitr-ac.

Swelling of feet, with burning and stinging and sensation as if full of p. Dory.

Pithy.—Feet feel numb and p. or woody, and as if pricked with needles. Hyper.

Pitting.—Purple and mottled swelling of feet and legs up to knees; p. on pressing; rending pains in periosteum; comfortable only when holding feet in ice water. Led.

Pleurodynia.—P.: rheumatic pains in joints, with heat and swelling. Cimicif.

Plug.—Dull pressure as from a p. in glutei muscles of left side. Anac.

Podagra (see Gout).—P. Arn., Bufo, Led., Sabin., Sulph.

Popliteal space.—Painful drawing and lameness behind left trochanter extending to p. Iris.

Pricking in calf and in p. Ind.

Pounded.—Great aching in back of legs, with feeling as if p., with great prostration. Phyt.

Power.—Loss of muscular p. in legs. Gels., Sabad.

Loss of p. in legs, especially joints. Phos.

Pregnant (see section on Parturition).—Tearing pain in feet (of p. women). Phos.

Pressed.—Dragging from hip to groin as if everything would be p. out. Ox-ac.

Pressing.—Balls of heels and toes feel sore when p. them to ground. Phos-ac.

Boring, p. pains coming like lightning leaving parts numb. Mez.

Numb pain in heel when p. foot to ground. Arg-m.

Pain in sole when p. it to ground, as if it were soft and swollen. Alu.

Pain in soles when p. them on ground. Puls., Spig., Sulph.

Sciatica: pain in sacrum extending down sciatic nerve to right thigh; worse when p. at stool; coughing; laughing; lying on affected side. Tellur.

Sciatica: p., shooting, drawing, aching in thigh; pain external; with soreness in left groin; great lassitude and desire to lie down (syphilitic and gonorrhœal). Phyt.

Pressive.—Boring, burrowing, or p. pains in tibia. Clem.

Contractive, p. pain in bend of left knee extending to heel. Rheum.

Drawing, p. pains in left hip joint, thigh being extended when sitting. Arn.

Left leg becomes blue from distended veins (during menses), with p. pain in leg. Ambr.

P. pain in left calf. Tarax.

P. pains in knees. Led.

Sciatica: drawing, p. pain down to knee, with great exhaustion and difficult walking; cramps in calves, and swollen feet; there is marked consecutive muscular atrophy. Plumb.

Pressure.—Aching pain in sacro-ischiadic foramen, with tenderness on p. (sciatic rheumatism). Podo.

Bruise-like pain in thigh alternating with burning and p. in breast. Sang.

Burning in tips of toes, which are sensitive to p. Sars.

Cramp-like p. in both calves. Anac.

Drawing p. in legs, even while sitting. Coloc.

Drawing p. on dorsum of right foot when sitting; disappears on rising. Cycl.

Drawing with p. in toes. Colch.

Dull pain as from p. and fatigue, or from long stooping, extending from sacrum around hip and down right leg. Bapt.

Dull p. and pain in thighs, in rhythmical intermission; pain intermits regularly as beats of music. Anac.

Dull p. as from a plug in glutei muscles of left side. Anac.

Dull p. in right hip. Asar.

P. about thigh, with feeling of weakness. Mosch.

Purple and mottled swelling of feet and legs up to knees; pitting on p.; rending pains in periosteum; comfortable only when holding feet in ice water. Led.

Sciatica: pain running from hip to knee down outside of thigh; worse afternoon and evening, and on any change in weather; p. causes pain to shoot along entire length of nerve. Kali-bi.

Sciatica: stitching, contractive pain in hip joint; better on motion and p.; worse during rest. Meny.

Scrofulous inflammation, with hot, bright-red, shining swelling of knee; shooting, stitching and burning pains; least motion of body or foot, or least touch or p. upon swelling causes excruciating pain. Iod.

Tired and bruised feeling in legs, with great sensitiveness to touch or p. Apis.

Weakness in knee joints, and tearing pain, with p. when walking. Led.

Prevents.—P. locked-jaw from wounds in feet. Hyer.

Pricked.—Feet feel numb and pithy or woody, as if p. with needles. Hyper.

Pricking.—Carious ulcers on tibia, very sore, with greenish, offensive discharge; skin adheres to bone; ulcers painful on edges; with high hard edges; bleed easily and are very sensitive; p. on circumference. Asaf.

Hot p. in toes at night. Acon.

Hot p. in toes; they go to sleep while walking. Acon.

Inflammation and swelling of knee, with p. and burning pain; worse from touch. Iod.

P. as from needles in foot. Kobalt.

P., burning or crampy pain about hips. Caust.

P., dull, drawing, twitching pains in knees. Aloe.

P. in balls of feet, as if toes would be drawn down on putting foot to ground. Staph.

P. in calf and in popliteal space. Ind.

P. in feet. Dig., Sep., Thuja.

P. in knee when touched. Arn.
P. in left hip. Hell.
P. in nates, as if sitting on needles. Guaj.
P. in soles. Natr-c.
P. in tips of toes, as if they had gone to sleep. Am-m.
P. in toes. Sabad.
P. pain in left knee. Laur.
P. sensation in soles. Cub.
P. under nails. Elaps.
Sharp, tearing, stinging or p. in lower part of calf. Ind.
Tearing, p. pains in legs, with heat. Guaj.
Ulcers on legs, with stinging or p. Ham.

Prickling.—Left foot numb, with p. Bapt.

Prostration.—Aching of limbs, with great lassitude, weariness and p. of joints. Sep.
Feet œdematous, numb and cold, with p. Ars.
Great aching in back of legs, with feeling as if pounded, with great p. Phyt.
Knees tired and weary, with p. Natr-s.
Languor and p. of legs. Helon.
P. of knee joints. Lith-c.
Sudden sinking of strength, with complete p. Ars.

Psoas magnus muscle.—Pain in right thigh when walking, as if p. were shortened. Coloc.

Puffed.—Feet p., with burning in soles. Phyt.

Puffiness.—P. about instep. Ruta.

Puffy.—Acute articular rheumatism: rheumatism attacks one joint after another; they are p. and red, with high fever. Ferr-ph.
Rheumatism in both feet; instep p. Ruta.

Pulled.—Crawling, as if nerves were p., in left sole. Arn.

Pulsating.—P., aching pain in right leg, with soreness in evening. Still.
Singular, p. pain, with feeling as if opening and shutting in middle of anterior portion of right thigh; leaving a severe aching and tenderness to pressure when lying down. Chim.

Pulsation.—Feels p. of arteries down to tips of toes. Kali-c.
P. in hip joint, as from beginning of suppuration. Staph.

Pulsative.—P., tearing pain in right calf when sitting, afternoon. Valer.

Purple.—Burning ulcer on leg, with offensive discharge; mottled, p. appearance. Carbo-v.
Ecchymosis: small p. spots on legs from knees to ankles. Crotal.
Great swelling of left leg from knee to ankle joint; p., with intolerable itching and burning. Petr.
Intolerable itching and burning. Petr.
P. and mottled swelling of feet and legs up to knees; pitting on pressure; rending pains in periosteum; comfortable only when holding feet in ice water. Led.

Tuberculous erythematic lupus; dorsum of right foot covered with small indurations having large, thick crusts, some grayish-white others light yellow, resting on p. base. Hydroc.

Purplish.—Chronic, indolent, flat ulcers on legs, with p. or bluish skin; many small sores around main ulcer, having uneven, dirty bottom; burning and bleeding, even when lightly touched; thin, ichorous, offensive discharge; very sensitive to touch. Lach.

P. black swelling about ankle joint. Grind.

Pus.—Fistulous openings in legs, with hard edges, discharging greenish-yellow p. Sil.

Pustules.—Black ulcerated p. on heel. Natr-c.

P. on feet. Coni.

Putrid.—Ulcers on legs, which bleed easily and become p.; spongy and bluish. Merc.

Quiet.—Acute, crampy, tearing pain in posterior muscle of calf; better in morning and from rubbing; worse in afternoon and when q. Valer.

Quivering.—Q. and jerking in legs. Mancin.

Rapidly.—Pains r. fly from one part to another. Kali-bi.

Rheumatism: pains change r. from one part to another, without swelling or redness; with constant chilliness; worse evening and night. Puls.

Rash.—Itching r. on legs. Daph.

Itching r. on thighs and ankles. Osm.

Legs covered with r. of small red pimples. Rumex.

Scarlet r. on thighs and ankles. Osm.

Rash-like.—Red, [illegible] pimples on foot, with itching, burning pains. Bov.

Raw.—Sore and r. between thighs and in bend of knees. Ambr.

Sore and r. spots on feet, especially heel. Al-cep.

Rawness.—Soreness and r. in bends of legs. Graph.

Red.—Acute articular rheumatism: rheumatism attacks one point after another; they are puffy and r., with high fever. Ferr-ph.

All toes inflamed, shining, r., and swollen; itch and burn after walking. Thuja.

Arthritis: drawing, tearing pains in toes, with r., shiny swelling, especially at night; cannot bear heated room; better in cold air. Sabin.

Gouty swellings which are r. and shining. Sabin.

Great toe r., swollen and painful, especially at night; followed by swelling of whole foot. Am-c.

Great toe r., with tearing or stinging when walking or standing. Natr-m.

Heels swollen, r. and painful, with stitches. Petr.

Itching of buttocks, with r. spots after scratching. Magn-c.

Joint of great toe r. and feels sprained. Arn.
Large r. patches on arms and legs, exactly like nettle-rash, in large raised wheals, with intense irritating itching. Chin-s.
Legs covered with rash of small r. pimples. Rumex.
One foot cold, other r. and hot. Puls.
Painful r. spots on calves, turning yellow or green, as after contusion, preventing movement of foot. Coni.
R., hot swelling of feet, with contracting, burning pain, increasing to stitching pain when standing. Puls.
R., itching spots on tibia. Sulph-ac.
R., painful spot on tibia spreading lengthwise and itching when scaling off. Caust.
R., rash-like pimples on foot, with itching, burning pains. Bov.
R., shining, hard swelling in right tibia. Merc-sol.
R. spots on calves. Sars.
R. spots on great toe, as if contused. Natr-c.
R. spots on legs. Coni.
R. spots on legs turning livid, as after a bruise. Coni.
Rheumatic affections of joints, with r., shiny swelling. Mang.
Rheumatic, r., shining swelling, with stitches. Bry.
Rheumatism: œdema of feet and around ankles; swelling hard over inner ankle, and a little r., as if inflamed; least touch anywhere is painful. Chelid.
Scrofulous inflammation, with hot, bright r., shining swelling of knee; shooting, stitching and burning pains; least motion of body or foot, or least touch or pressure upon swelling causes excruciating pain. Iod.
Shining, r., inflamed swelling of all toes. Thuja.
Swelling of feet, with hot, shining, burning, r. spots, or black, blue blisters. Ars.
Synovitis: knee joint r., swollen, and excessively painful to touch and on motion. Bry.
Toes r., swollen, and stinging, as if frosted. Carbo-v.
Veins on dorsum of foot swollen, and between swollen veins r. patches which do not disappear on pressure. Croton-tig.
Very r. streaks following course of lymphatics from calf up to buttocks, with twitching in limbs and great anxiety. Myg.
White blotches with r. areola on thighs. Dulc.

Reddish.—Thrombosis: limbs immoveable; covered with r. or bluish streaks or spots; hard, elastic, hot and very painful, especially along crural vessels and nerves. Apis.

Redness.—Burning and stinging in toes, with r. Apis.
Burning heat and r. of toes during colds, as if frost-bitten. Borax. (Agar.)
Burning in feet, with r. Tart-em. (Agar.)

Gout: commencing in right great toe, with r. and tumefaction. Benz-ac.
Gout: swelling, r. and stitches in great toe. Sabin.
Hot, inflammatory swelling of feet, with r. Bry.
Inflammatory rheumatism; heat and circumscribed r. of joints. Sticta.
Itching and r. of toes, as if frozen. Alu. (Agar.)
Itching, burning and r. of toes (Apis), as if frost-bitten. Agar.
Pain in large joints of great toe, with tumefaction and r. Benz-ac.
Pains in joints, with swelling and r. Natr-m.
R. and swelling of toes, as if frozen. Carbo-v.
R., inflammation and swelling of left leg, with violent itching and gnawing. Natr-c.
R., inflammation and swelling of toe, with burning pain after getting wet. Nitr-ac.
R. of toes. Agar., Carbo-v.
Swelling and r. of feet. Sil.
Swelling and r. of joints, with erratic pains rapidly changing from one part to another. Puls.
Swelling and r. of tips of toes, with burning pain. Mur-ac.

Relaxed.—Muscles of legs feel r. Merc-cor.
Weak and r. feeling in hip joint. Thuja.

Relaxation.—R. of muscles of legs. Opi.
Sudden r. of muscles. Hell.

Relief.—Cutting stitches over right thigh; must get up for r.; pains worse from rising, but better on slowly walking. Sep.
Pains in limbs making patient change position often to obtain r. Natr-s. (Rhus-t.)

Relieved.—Jerking in right thigh; r. by standing or drawing leg up. Meny.
Lameness, stiffness and pain on first moving after sitting or on getting up in morning; r. by continued motion. Rhus-t.
Neuralgia of limbs: pains burning, with agony and great restlessness; worse during rest at night; r. by exercise. Ars.
Painful drawing in legs when sitting quiet; r. on walking. Valer.
Rheumatism: aching pains in legs; must change position every moment; pain on first moving but r. by continued motion. Rhus-t.
Rheumatism after exposure to wet; parts feel as if beaten, with severe pains when remaining in one position; r. when moving about. Dulc. (Rhus-t.)
Rheumatism (following suppression of catarrh); r. by catarrhal discharge. Puls.
Sciatica: dull, aching pain in right side; worse at night and in cold or damp weather; r. by heat, rubbing and by exercise. Rhus-t.
Stiffness r. by walking. Dig.
Tearing pains in limbs; r. by rubbing. Canth.

Rending.—R., tearing in ankle joints. Arn., Teucr.
R., tearing in bones. Agar., Aur., Kali-n., Lyc., Merc., Teucr.
R., tearing in feet. China, Colch., Rhod.
R., tearing in heels. Am-m.
R., tearing in hips. Ferr., Rhus-t.
R., tearing in knees. Arn., Bell., Caust., China, Led., Lyc., Phos., Zinc.
R., tearing in legs. Am-m., China, Kali-c., Lyc., Rhod.
R., tearing in lower extremities. Agar., Ambr., Ars., Bell., Canth., Cham., China, Ign., Kali-c., Kali-n., Lyc., Puls., Rhus-t., Sil., Sulph., Ver-a., Zinc.
R., tearing in tarsal bones. Arg-m., Bism., China, Teucr.
R., tearing in thighs. China, Kali-c., Rhus-t., Zinc.
R., tearing in toes. Am-m., Arg-m., China, Colch., Ol-an., Teucr.

Renal.—Dropsy, especially if from stenosis of heart and arteries, or r. (with much general anasarca). Dig. ("As rule the best form to administer is the infusion. Several days may elapse before decisive results are achieved, but the flow of urine is then often enormous."—Bartholow.)

Rest.—Boring stitch in right tibia during r. Staph.
Burning and corrosive pains in bones of feet, during r. Ruta.
Cramps in calf; worse when at r. Arg-n.
Cramps in calves at night at r. Ferr.
Great pain in shin bones; worse at night and during r. obliging patient to walk about. Dulc.
Itching pain on dorsum during r. Ign.
Itching stitch at root of two last left toes during r. Merc-sol.
Legs move normally, but when at r. jerk and twitch. Valer.
Neuralgia of limbs: pains burning, with agony and great restlessness; worse during r. at night; relieved by exercise. Ars.
Rheumatic, drawing, tearing pains in legs; worse at r. and in rough weather. Rhod.
Rheumatic pains in hips; worse during r.; better from motion. Sabad.
Rheumatic pains: worse at r. and on beginning to move; better from continued motion. Rhus-t.
Sciatica: pains at r. and when beginning to walk. Gels.
Sticking and drawing in thighs; worse at r. Hyos.
Stitches in joints during r. Hep-s.
Stitches in soles and tips of toes during r. Puls.
Tearing pains in knees and ankles; worse during r. Rhus-t.
Tired feeling in legs when at r. Acon. (Rhus-t.)
White swelling of knee, with intolerable, tearing pains; worse during r. and at night. Rhod.

Resting.—Legs frequently go to sleep when sitting or lying down, or when r. upon them. Am-c.
Limbs painful in parts on which one is r. Kali-c.

Restless.—Legs tired, weak, r. Calc-ph.
Legs r. Am-c.
Legs r., as if becoming insensible. Meph.
Legs r.; moves them constantly. Mosch., Natr-m.
Pain in legs, especially in tibia and soles, as after over-exertion in walking; legs very r. Psor.

Restlessness.—Cramps in legs and feet, with great r. Cupr.
Drawing and contraction in thighs and legs in evening, with great r., sleeplessness and chilliness. Puls.
Great r. of legs. Phos.
Great r. of limbs, with fear and anxiety and great exhaustion from exertion or movement; must lie down. Ars.
Neuralgia of limbs: pains burning, with agony and great r.; worse during rest at night; relieved by exercise. Ars.
Pain in hips causing r. Natr-s.
R. in legs and feet. Anac., Nitr-ac.
R. of legs. Magn-c.
R. of legs; cannot keep them still. Cact.
Tremulous r. and tired feeling in legs and feet when sitting. Plat.
Uneasy feeling in legs causing r. Cimicif.
Weariness and r. of thighs in evening. Merc.

Rhagades.—R. in bends of joints. Mang.
R. in skin. Hep-s.
R. on feet. Hep-s.
R., or skin cracked, like great cuts between and on toes. Lach.

Rheumatic.—Arthritic and r. pains. Ars.
Changing, r. pains lasting but a short time. Pallad.
Gouty, r. pains in joints. Led.
Pleurodynia: r. pains in joints, with heat and swelling. Cimicif.
R. affections of joints, with red, shiny swelling. Mang.
R. and arthritic pains (especially after suppression of gonorrhœa). Daph.
R. and arthritic pains in joints and limbs, especially at night; or with copious sweats, which do not afford relief. Merc.
R., contractive pains in legs. Gels.
R. drawing in left leg. Iod.
R. drawing in right thigh and leg. Zinc.
R., drawing pain in left glutæus maximus muscle near spine, while sitting; ceases on standing. Cycl.
R., drawing pains in joints. Lyc.
R., drawing, tearing pains in legs; worse at rest and in rough weather. Rhod.
R. gout: begins in lower legs and ascends. Led.
R. gout: swelling and heat of knee, ankle joints and small joints of toes, with drawing, contractive pain and chilliness. Puls.
R. gout, with concretions of lithic acid in joints. Aspar.

R. inflammation of joints; worse evening and night; intense, bright-red, shining swelling, sensitive to least contact (Bry.); numbness and tingling in all parts. Acon.
R. pain from knees downward. Nicc.
R. pain in hip joint and femur, especially at night. Magn-s.
R. pain in inner and lower edge of patellæ extending into knee joints. Rhus-r.
R. pain in knee and foot. Phyt.
R. pain in left hip or on inside of right thigh. Sang.
R. pain in muscles of left thigh just above knee. Daph.
R. pain in right knee joint; worse when walking. Cinnab.
R. pains in all joints. Asclep-tub. (Acon., Bry., Rhus-t.)
R. pains in ankles. Acon.
R. pains in feet at night. Sars.
R. pains in hip joints and knees; worse on movement. Kali-bi.
R. pains in hips; worse during rest; better from motion. Sabad.
R. pains in joints. Sec.
R. pains in joints at night. Kali-n.
R. pains in knee joint on moving leg. Lact-ac.
R. pains in knees at night. Gels.
R. pains in left leg. Elaps.
R. pains in legs. Calad., Clem., Euphorb., Lith-c., Magn-c.
R. pains in legs down to toes. Colch.
R. pains in legs, rarely in joints; better from motion. Valer.
R. pains in legs (with gastric affections). Ant-c.
R. pains in legs, with stitches in joints. Hep-s.
R. pains in lower part of legs; worse on going to sleep. Kalm.
R. pains in right shoulder, right arm and hip, changing often and lasting but a short time. Ox-ac.
R. pains in tibia and soles. Chenop-a.
R. pains in toe joints. Aur., Teucr.
R. pains, mostly in bones and joints; worse evening; better moving. Teucr.
R. pains shifting from one place to another. Puls.
R. pains, with sweat, which does not relieve. Tart-em.
R. pains: worse at rest and on beginning to move; better from continued motion. Rhus-t.
R., red, shining swelling, with stitches. Bry.
R., tearing pains in legs. Benz-ac.
R., wandering pains in limbs, with lameness. Meph.
Sciatic or crural neuralgia (in gouty, r. subjects), with tearing, stitching pain; worse on motion. Coff.
Shooting, tearing, r., and arthritic pains in muscles of legs. Ran-b.
Stitching, r. pains in limbs at night. Kali-n.
Subacute, r. pains in knee and ankle joints. Cod.

Violent, r. pains drive patient out of bed at night and compel him to walk about. Cham.

Wandering, r. pains in bones and joints at night. Gels.

Rheumatism (see section on Upper Extremities and Limbs in General). —Aching pain in sacro-ischiadic foramen, with tenderness on pressure (sciatic r.). Podo.

Acute, arthritic r. Acon., Ant-c., Bry., Cimicif., Ferr-ph., Ham., Plat., Puls., Rhus-t., Sticta, Tarant., Tilia, Ver-v., Zinc.

Acute arthritic r.: knees swollen, painful, throbbing, with cutting, stinging pains. Acon. (Also apply cloth saturated with dilution.)

Acute, articular, remitting or intermittent r.; joints very sensitive. Chin-s. (China.)

Acute, articular r.: r. attacks one joint after another; they are puffy and red, with high fever. Ferr-ph.

Acute, inflammatory r. Bry.

Arthritic, inflammatory r. of small joints. Caul.

Articular r.: legs lame, stiff and numb. Ox-ac.

Articular r., with swollen and painful joints. Ham.

Chronic r. and gout. Phos.

Chronic r.: bones feel sore and bruised; limbs feel cold. Kali-bi.

Chronic r. of left hip; worse in damp weather. Phyt.

Gonorrhœal r. Thuja.

Gout and r. Arn.

Hysterical r.: feeling as if bones of leg had been smashed. Nux-v.

Inflammatory r. before swelling commences. Abrot.

Inflammatory r.: heat and circumscribed redness of joints. Sticta.

Inflammatory r. of right knee, with tearing in fistula. Lob.

Œdema of legs (in r.), with pain in heart. Cact.

Pain in ball of left great toe, as if inflamed, with r. Colch.

Paralytic r.: cannot lie still a minute. Caust.

Periosteal r. (of syphilitic origin); bones enlarged and intensely painful at night. Kali-jod.

R.: aching pains in legs; must change position every moment; pain on first moving, but relieved by continued motion. Rhus-t.

R. affecting bellies of muscles, with cramping, stitching pains. Cimicif.

R. after exposure to wet; parts feel as if beaten, with severe pains when remaining in one position; relieved when moving about. Dulc. (Rhus-t.)

R. (after suddenly checked diarrhœa); cannot move limbs. Abrot.

R., especially in joints. Kali-bi.

R.: feeling of heat in painful limbs; swelling of joints; can bear no heat. Guaj.

R. (following suppression of catarrh); relieved by catarrhal discharge. Puls.

R. (following suppression of gonorrhœa). Coni., Rhod., Sars.

R.: great swelling, pain and stiffness of knee; could not raise foot. Berb.

R. in both feet; instep puffy. Ruta.

R.: œdema of feet and around ankles; swelling hard over inner ankle, and a little red, as if inflamed; least touch anywhere is painful. Chelid.

R. of ankle joint. Merc.

R. of hip. Phyt., Ver-v.

R. of hip and knee joints. Led.

R. of hip and knee, with high fever and scanty, red urine; flying pains, especially in joints; with shuddering. Ver-v.

R. of joints, with concretions of calcareous or slimy substances; pains shifting; urine excessively fetid. Benz-ac.

R. of knee. Acon., Kreas.

R. of small joints. Caul., Dig., Sticta, Zinc.

R.: pains change rapidly from one part to another, without swelling or redness; with constant chilliness; worse evening and night. Puls.

R.: pains go from below upward; joints swollen, painful, hot and tense; drawing pains; worse from warmth and motion. Led.

R.: pains in places least covered by flesh; not in joints; pains fly from one place to another on touch. Sang.

R.: tearing, stinging pains; worse at night; with profuse perspiration. Merc.

R.: weariness, stiffness and heaviness of joints; pain worse on movement. Bry.

R. with great soreness of muscles. Ham.

Shifting r. (metastasis). Acon., Colch., Ferr., Kalm., Mang., Merc., Puls. (Shifting from one joint to another without leaving first. Ferr-ph. Leaving first without pain. Kali-s.)

Rhythmical intermission (see section on Heart).—Dull pressure and pain in thighs, in r.; pain intermits regularly, as beats of music. Anac.

Right.—Aching pain in hips, legs and feet; more on r. side. Still.

Boring in r. os calcis on first moving foot; disappears after continued motion. Diad.

Boring stitch in r. tibia during rest. Staph.

Boring, tearing pains change from r. hip joint to other parts; worse at night. Arn.

Burning from toes to dorsum of r. foot. Bapt.

Burning in r. heel and tendo Achillis; part feels as if had gone to sleep. Arg-m.

Cold sensation in r. leg. Sabin.

Coldness of r. leg. Elaps.

Convulsive tremor of r. foot; can neither lie, sit nor walk. Hyos.

Cramp in r. thigh and calf at night. Kali-c.

Cramp-like pain in muscles of r. leg from below upward. Meny.
Cramp-like pain in r. thigh above popliteal space. Cycl.
Creeping pain in r. hip. Murex.
Cutting pain in r. hip. Ver-v.
Cutting stitches in outer muscles of r. thigh just above knee when sitting. Bell.
Cutting stitches over r. thigh; must get up for relief; pains worse from rising, but better on slowly walking. Sep.
Drawing pain below r. knee. Coff.
Drawing pain in bend of r. foot, extending to great toe, where it is only felt during motion. Caust.
Drawing pain in dorsum of r. foot when standing; ceases on sitting. Tarax.
Drawing pain in hips, thighs, legs and feet; more on r. side. Chelid.
Dull pressure in r. hip. Asar.
Drawing pain in r. thigh down to knee. Coloc.
Drawing pressure on dorsum of r. foot when sitting; disappears on rising. Cycl.
Dull, aching, burning pain in second joint of r. great toe extending up leg. Cimicif.
Dull pain as from pressure and fatigue, or from long stooping, extending from sacrum around hip and down r. leg. Bapt.
Dull pains darting or cutting from r. hip joint posteriorly downward to foot; worse lying; better sitting in chair. Gnaphal.
Eruption of blisters full of serum on sole of r. foot. Kali-bi.
Feeling as if cold wind were blowing on legs, with smarting of r. leg. Lil-tig.
Feeling of lameness from r. knee to hip. Spong.
Fine, cutting stitch in r. calf when sitting; disappearing on walking. Dros.
Furuncles on r. thigh painful on motion. Calc-c., Hell., Kali-c.
Gout: commencing in r. great toe, with redness and tumefaction. Benz-ac.
Gout: drawing pain in knees; in lower part of left tibia; in left heel; tearing through r. great toe. Ant-c.
Great pain in r. thigh, extending from head of femur along anterior surface of thigh to knee. Bry.
Hard glandular swelling of r. thigh. Merc-sol.
Heaviness in r. foot as if heavy weight were attached to tarsal bones drawing foot down. Agn.
Hot swelling of r. knee. China.
Inflammatory rheumatism of r. knee, with tearing in fistula. Lob.
Itching, burning pain in small spot in r. hip, then in thigh, then in little toe. Lith-c.
Itching of toes and inner border of soles of r. foot. Ambr.
Jerking in r. thigh; relieved by standing or drawing leg up. Merv.

Jerking of r. leg. Mez.
Jerking pain in r. calf; ceases quickly when touched. Tarax.
Needle-like stitches in sole of r. foot. Natr-c.
Numb pain in r. foot, with inability to raise it when sitting. Ars.
Numbness first in r. foot, then left. Coloc. (First left, then r. Millef.)
Numbness in hollow of r. foot. Merc-sulph.
Occasional stitches in anterior middle of r. thigh. Dros.
Pain and soreness in fourth toe of r. foot. Dros.
Pain and stiffness in r. leg (in menorrhagia). Cocc-c.
Pain as if sprained in r. knee on moving or ascending. Nux-m.
Pain in ball of r. great toe. Apoc.
Pain in dorsum of r. foot. Card.
Pain in r. ankle; severe stitches from within outward. Chenop-v.
Pain in r. calf as from blow. Arn.
Pains in r. hip, both knees, and in first joint of great toe; worse on r. side. Iris.
Pain in r. hip extending down to thigh. Lil-tig.
Pain in r. hip joint and thigh with pain in ankle as if sprained when walking. Dros.
Pain in r. hip joint; worse from stooping, rising from seat, or moving in bed. Natr-s.
Pain in r. knee, with burning and stiffness; worse on movement Chelid.
Pain in r. thigh and knee when sitting and walking. Cist.
Pain in r. thigh when walking as if psoas magnus muscle were shortened. Coloc.
Pain through hips extending down r. leg. Sang.
Painful drawing in joints of r. toes; worse when walking. Sabin.
Painful swelling in ball of r. great toe; pain suddenly shoots into body to region of heart, or some other part. Daph.
Pains as from a sprain in r. knee. Lach.
Phlebitis: great pain and swelling of r. leg to hip; veins sensitive to touch; cutaneous veins hard, swollen and painful. Ham.
Pressive pain in r. hip bone, extending to middle and sacral bones. Hydroph.
Pulsating, aching pain in r. leg, with soreness in evening. Still.
Pulsative, tearing pain in r. calf when sitting in afternoon. Valer.
Red, shining, hard swelling in r. tibia. Merc-sol.
Rheumatic drawing in r. thigh and leg. Zinc.
Rheumatic pain in left hip or on inside of r. thigh. Sang.
Rheumatic pain in r. knee joint; worse when walking. Cinnab.
Rheumatic pains in r. shoulder, r. arm and hip, changing often and lasting but a short time. Ox-ac.
R. ankle feels as if dislocated; can scarcely walk; changes to left. Ver-v.

R. femur from knee to middle greatly swollen. Mez.
R. hip joint very painful. Phos.
R. thigh and leg spasmodically jerked up while sitting. Meny.
Sciatica: dull, aching pain in r. side; worse afternoon and evening; better from warmth. Pallad.
Sciatica: dull, aching pain in r. side; worse at night and in cold, or damp weather; relieved by heat, rubbing and by exercise. Rhus-t.
Sciatica: excruciating, spasmodic pains in r. leg from hip to ankle, changing place quick and often; shooting, intermittent, rendering change of position necessary. Magn-ph.
Sciatica: neuralgia on r. side for many weeks. Chin-s.
Sciatica of r. hip; pain only during motion: rest bringing complete relief. Dios.
Sciatica: pain in sacrum extending down sciatic nerve to r. thigh; worse when pressing at stool; coughing; laughing; lying on affected side. Tellur.
Sciatica: shooting, cutting pains running like lightning from hip to knee and sometimes to heel, affecting r. side more than left; worse at night (in neuralgic subjects). Coloc.
Sensation as if a cord were tied around r. leg midway between hip and knee, causing limping and pain; pain subsequently shifting to left leg below knee and from thence into ankle. Am-brom.
Sensation of contraction in r. thigh; leg feels shorter. Ambr.
Sensation of trembling and weakness in r. thigh when walking. Coni.
Severe, or fine stitching pains in r. sole. Tarax.
Sharp pain in r. ankle and in joints of great toe. Sang.
Shocks in r. hip. Ver-a.
Singular, pulsating pain, with feeling as if opening and shutting in middle of anterior portion of r. thigh; leaving severe aching and tenderness to pressure when lying down. Chim.
Stitches above r. hip, with sensitiveness. Sep.
Stitches in back and r. hip causing limping walking. Rumex.
Stitches in r. hip joint. Cocc-c., Merc-cor.
Stitches in toes of r. foot. Mez.
Stitching pain through knee when walking. Chenop-v.
Sudden pain, as if bruised, in outer malleolus of r. foot; worse when standing; less when walking. Valer.
Swelling and pain in r. ankle. Rhus-r.
Swelling of knee. Sulph. (R. knee. Lyc.)
Swelling of r. knee, with pain as from ulceration in whole leg, with pains in kidneys. Benz-ac.
Tearing pain down leg into r. great toe. Ars.
Tearing pain in middle of r. thigh. Lyc.
Tearing pain in r. ankle, as if sprained when walking. Dros.
Tearing pain in sole of r. foot. Æth.

Tickling itching in center of r. sole. Arum.

Tuberculous erythematic lupus: dorsum of r. foot covered with small indurations having large, thick crusts, some grayish white, others light yellow, resting on purple base. Hydroc.

Violent pain as if stepping on spikes which penetrated soles and ran upward through limbs to hips on attempting to walk; worse in r. leg and accompanied by drawing pains in both calves. Can-ind.

Rigid.—R. and stiff feeling in tarsal joints. Dros.

R. feeling in legs. Carbo-v.

Rigidity.—Convulsive r. of legs. Sang.

Paralytic pains like r. in leg. Mosch.

R. of ankle joint. Sep.

R. of bends of knees, when stepping. Sulph.

R. of calves, with great debility and exhaustion, as from fatigue. Arg-n.

R. of legs. Cina.

Rise.—Weakness of legs on attempting to r., could not stand (in affections of brain or after being exposed to hot sun). Glon.

Rising.—Contraction and pain in hip and knee joint when sitting, when r. from seat, or after over-exercise. Rhus-t.

Cramp in calves (Calc-c., Camph., Sulph.) when walking or r. from seat. Anac.

Cutting stitches over right thigh; must get up for relief; pains worse from r., but better on walking slowly. Sep.

Feet painful and feel as if sprained, in morning on r. Rhus-t.

Hamstrings sore: cords feel too short, and stiff on r. Natr-ph.

Pain in heel, as if gone to sleep, on r. from bed. Thuja.

Pain in right hip joint; worse from stooping, r. from seat, or moving in bed. Natr-s.

Pain in sciatic nerve when r. from sitting or turning in bed. Natr-s.

Painful stiffness of patellæ when r. Caust.

Soreness and aching of legs, with stiffness and general soreness when r. to walk. Eupat-perf.

Stitches in os ischium on r. Dros.

Root.—Itching stitch at r. of last two left toes, during rest. Merc-sol.

Root of toes.—Crampy pain in left toes and r. Aster.

Roots of nails.—Pain at r. when touched, as if they would come off by ulceration. Nux-v.

Rough.—Extensive gangrenous periostitis of tibia; with severe febrile disturbance; periosteum peeled off in large area upward as far as knee joint; bone r. Phos.

R., hard, bony swelling, several inches long, covering whole width of tibia. Calc-flu.

Round.—Obstinate ulcers (syphilitic) on inner side of soles; appear as if punched out; r., with sharp edges and smooth sides, with lardaceous base. Phyt.

Rubbing.—Acute, crampy, tearing pain in posterior muscles of calf; better in morning and from r.; worse in afternoon and when quiet. Valer.

Sciatica: dull, aching pain in right side; worse at night and in cold or damp weather; relieved by heat, r. and by exercise. Rhus-t.

Tearing pains in limbs; relieved by r. Canth.

Running.—Pains in limbs, as if bruised, or as after long r. Kreas.

Sacral bones.—Pressive pains in right hip bone, extending to middle and s. Hydroph.

Sacral region (see section on Neck and Back).—Pain in s. corresponding to position of plexus ischiadicus, thence extending through incisura ischiadica major toward hip joint down posterior portion of thigh into fossa poplitea, with sensibility of parts. Coloc.

Sacro-ischiadic.—Aching pain in s. foramen, with tenderness on pressure (sciatic rheumatism). Podo.

Sacrum (see section on Neck and Back).—Dull pain, as from pressure and fatigue, or from long stooping, extending from s. around hip and down right leg. Bapt.

Numbness of lower limbs from pressure of uterus on nerves and bloodvessels in s. Apis.

Pains shooting from s. down outside of both hips. Phyt.

Sciatica: aching in s., lumbar region and down left leg. Cimicif.

Sciatica: pain in s. extending down sciatic nerve to right thigh; worse: when pressing; at stool; coughing; laughing; lying on affected side. Tellur.

Stiffness in s., hip and knee. Rheum.

Scabs.—Dry, superficial, angry-looking ulcers on legs, covered with yellow s., with stinging, burning pains; areola inflamed and covered with pimples, which frequently degenerate into ulcers. Hydr.

Scalded.—Blisters on tips of toes, as if s. Natr-c.

Scaling off.—Red, painful spot on tibia spreading lengthwise and itching when s. Caust.

Scarlatina.—Great œdema of legs (in dropsy, albuminuria, s., etc.). Aur.

Sciatic.—Aching pain in sacro-ischiadic foramen, with tenderness on pressure (s. rheumatism). Podo.

Sciatica.—S.: aching in sacrum, lumbar region and down left leg. Cimicif.

S.: deep-seated, tearing and gnawing pains in hips and thighs. Elat.

S.: drawing, pressive pain down to knee, with great exhaustion and difficult walking; cramps in calves and swollen feet; there is marked consecutive muscular atrophy. Plumb.

S.: dull, aching pain in right side; worse afternoon and evening; better from warmth. Pallad.

S.: dull, aching pain in right side; worse at night and in cold or damp weather; relieved by heat, by rubbing and by exercise. Rhus-t.

S.: excruciating, spasmodic pains in right leg from hip to ankle, changing place quick and often; shooting, intermittent, rendering change of position necessary. Magn-ph.

S.: incisive, throbbing intermittent pains; first every other day, then daily; with chilliness; returns every winter (in mild, melancholy temperaments). Ign.

S.: intense pain along sciatic nerve, with occasional feeling of numbness. Gnaphal.

S.: intense, stinging, aching and bruised pain in middle of posterior of thigh, extending to knee. Ind.

S.: neuralgia on right side for many weeks. Chin-s.

S.: neuralgic pains in outer side of both thighs. Phyt.

S. of right hip; pain only during motion; rest bringing complete relief. Dios.

S. or crural neuralgia (in gouty, rheumatic subjects), with tearing, stitching pain; worse on motion. Coff.

S.: pain in sacrum extending down sciatic nerve to right thigh; worse: when pressing; at stool; coughing; laughing; lying on affected side. Tellur.

S.: pain running from hip to knee down outside of thigh; worse afternoon and evening and on any change in weather; pressure causes pain to shoot along entire length of nerve. Kali-bi.

S.: pains at rest and when beginning to walk. Gels.

S.: pressing, shooting, drawing, aching in thigh; pain external; with soreness in left groin; great lassitude and desire to lie down (syphilitic and gonorrhœal). Phyt.

S.: shooting, burning, laming pain in posterior femoral muscle shooting along left sciatic nerve to foot. Iris.

S.: shooting, cutting pains running like lightning from hip to knee and sometimes to heel, affecting right side more than left; worse at night (in neuralgic subjects). Coloc.

S.: stitching, contractive pain in hip joint; better on motion and pressure; worse during rest. Meny.

S.: unbearable, neuralgic pain when standing, with feeling as if thigh would break off. Valer.

S., with pain in spine. Petr.

S., with severe, burning, tearing and drawing pains. Ars.

Sciatic nerve.—Great pain between sacrum and hip joint, sometimes darting and shooting down anterior crural and sometimes down s. Coloc.

Pain in s. when rising from sitting or turning in bed. Natr-s.

Paroxysms of excruciating neuralgia in s. and perinæal branches, preceded by great coldness and shivering; worse at night, obliging patient to get up and walk about room; pain acute, tearing, digging, boring; lasts sixty to ninety minutes, then slowly disappears. Ign.

Sciatica: intense pain along s., with occasional feeling of numbness. Gnaphal.

Sciatica: pain in sacrum extending down s. to right thigh; worse: when pressing; at stool; coughing; laughing; lying on affected side. Tellur.

Sciatica: shooting, burning, laming pain in posterior femoral muscle shooting along left s. to foot. Iris.

Sharp, cutting pains darting along course of s., terminating in twisting or wrenching feeling in foot. Hyper.

Shooting and dull, aching pain in left thigh in course of s., extending down to instep and toes. Elat.

Scraped.—Drawing pains in bones of thigh, as if periosteum had been s. with a knife. China.

Great pain in bones, especially in joints, as if interior were cut and s. with sharp knife. Sabad.

Pain in bones, as if s. Sabad.

Scratching.—Blisters on thighs and legs after s. Lach.

Corrosive itching near tibia and on dorsum of both feet near joints; becoming more violent on s. Bism.

Intense itching of dorsum of foot and instep; worse from s. and warmth. Led.

Itching of buttocks, with red spots after s. Magn-c.

Voluptuous tickling on sole after s. Sil.

Screams.—Suddenly grasps knee with hands and s., when convulsions ensue. Cic-v.

Scrofulous.—S. inflammation, with hot, bright-red, shining swelling of knee; shooting, stitching and burning pains; least motion of body or foot, or least touch or pressure upon swelling causes excruciating pain. Iod.

Seat.—Cramp in calves (Calc-c., Camph., Sulph.), when walking or rising from s. Anac.

Second.—Boring, itching stitch in balls of s. and third toes. Spig.

Burning, jerking pain in balls of little and s. toes, with itching after becoming warm in bed. Puls.

Sensation.—Lameness, with loss of s. in limbs. Laur.

Paralysis, with atrophy of legs (after parturition), with loss of motion and s. Plumb.

S. as if legs were swollen and heavy. Lyc.

Sensibility.—Locomotor ataxia: gait unsteady, staggering, as if drunk; looks to see if legs are really moving: with loss of s.; pinching or burning causes no pain. Kali-brom.

Pain in sacral region corresponding to position of plexus ischiadicus thence extending through incisura ischiadica major toward hip joint down posterior portion of thigh into fossa poplitea, with s. of parts. Coloc.

Sensitive.—Acute, articular, remitting or intermittent rheumatism; joints very s. Chin-s. (China.)

Burning in tips of toes, which are s. to pressure. Sars.

Carious ulcers on tibia, very sore, with greenish, offensive discharge; skin adheres to bone; ulcers painful on edges; with high, hard edges; bleed easily and are very s.; pricking on circumference. Asaf.

Chronic, indolent, flat ulcers on legs, with purplish or bluish skin; many small sores around main ulcer, having uneven, dirty bottom; burning and bleeding, even when lightly touched; thin, ichorous, offensive discharge; very s. to touch. Lach.

Corns smart and burn and are s. to touch. Ran-b.

Drawing in muscles of thigh, which is s. to touch. Dulc.

Horny growths under nails painful and s. Ant-c.

Large, horny callosities on soles near toes, inflamed and very s. Ant-c.

Phlebitis: pain and swelling of right leg to hip; veins s. to touch; cutaneous veins hard, swollen and painful. Ham.

Rheumatic inflammation of joints; worse evening and night; intense bright-red, shining swelling, s. to least contact (Bry.); numbness and tingling in all parts. Acon.

Sensitiveness.—Great tenderness and s. of soles when walking. Anac.

Stitches above right hip, with s. Sep.

Tired and bruised feeling in legs, with great s. to touch or pressure. Apis.

Separation.—Spasmodic s. and drawing together of legs. Lyc.

Setting down.—Calf painful when walking or s. foot. Calc-c.

Numbness of hip joint and thigh when walking, especially moving leg forward, with stitches when s. foot. Arg-m.

Sexual excesses (see section on Sexual Organs).—Paralysis of legs (after over-exertion, getting wet, or s.). Nux-v.

Shaking.—Jerking, trembling, or s. and paralytic weakness in legs at night. Rhus-r.

Shaky.—Knees s., with feeling as if hot air were passing through knee joints. Lach.

Sharp.—S., cutting pains darting along course of sciatic nerve, terminating in twisting or wrenching feeling in foot. Hyper.

S., deep stitches in tibia. Samb.

S., neuralgic pains in legs, mostly from hips to knees; pains in paroxysms. Plumb.

S. pain in right ankle and in joints of great toe. Sang.

S. pains in legs, coming on suddenly and leaving suddenly. Iris. (Bell.)

S., tearing, stinging or pricking in lower part of calf. Ind.

Wandering, erratic, s. pain in knee and hip joint, with aching and trembling in leg. Kali-bi.

Shifting.—Pain gradually rising from tarsal joint to hips, necessitating constant motion and s. of feet while sitting. Bell.

Rheumatic pains s. from one place to another. Puls.

Rheumatism of joints with concretions of calcareous or limy substances; pains s.; urine excessively fetid. Benz-ac.

Sensation as if a cord were tied around right leg midway between hip and knee, causing limping and pains; pain subsequently s. to left leg below knee and from thence into ankle. Am-brom.

S. pains in joints. Benz-ac.

S. pains in right arm and leg, then left leg. Hydr.

S. rheumatic pains (metastasis). Acon., Colch., Ferr., Kalm., Mang., Merc., Puls. (S. from one joint to another without leaving first. Ferr-ph. Leaving first without pain. Kali-s.)

Tearing, shooting and rapidly s. pains in joints, especially smaller joints. Iris.

Shin.—Stitching pain in bend of knee, and on s. Mang.

Shin bone.—Rough, hard, bony swelling several inches long covering whole width of s. Calc-flu.

Small, hard lumps along s. Bad.

Shin bones.—Aching pain in s. Lach.

Great pain in s.; worse at night and during rest, obliging patient to walk about. Dulc.

Nodes on s. Cinnab.

Nodes upon s., with severe nightly pains (syphilitic). Nitr-ac.

Pains in s., as if broken. Ver-a.

Shining.—Gouty swellings which are red and s. Sabin.

Swelling of feet, with hot, s., burning, red spots, or black, blue blisters. Ars.

Shins.—Creeping, chilly sensation on s. Kali-c.

Pain in knees, ankles, s., hollow and ball of foot. Natr-ph.

Shivering.—Paroxysms of excruciating neuralgia in sciatic nerve and perinæal branches, preceded by great coldness and s.; worse at night, obliging patient to get up and walk about room; pain acute, tearing, digging, boring; lasts sixty to ninety minutes, then slowly disappears. Ign.

Shock.—Electric s. upward through thigh, followed by numbness. Euphr.

Shocks.—Electric s. in legs; worse in bed; must sit up and let legs hang out of bed, or walk about. Ver-a.

Painful weakness in knees when standing, with painful s. Sulph-ac.

Paralysis or anæsthesia of legs, with convulsive jerks and s. Sec.

S. in right hip. Ver-a.

Violent, electric-like s. in limbs. Ver-v.

Shoes.—Blisters on heel from rubbing of s., then smarting ulcer. Ham.
Pain in toes as if s. pinched. Puls.
Skin rubbed from heel by s. Al-cep.

Shoot.—Sciatica: pain running from hip to knee down outside of thigh; worse afternoon and evening, and on any change in weather; pressure causes pain to s. along entire length of nerve. Kali-bi.

Shooting.—Drawing and s. pains in legs. Bar-c., Carbo-an.
Fine s. and gnawing pains along bones, with violent tearing in joints. Bell.
Great pain between sacrum and hip joint, sometimes darting and s. down anterior crural, and sometimes down sciatic nerve. Coloc.
Knees inflamed and swollen, with s. pains. Puls.
Limbs stiff, with s. pains; worse in morning. Kali-bi.
Pain in both knees s. down legs; worse on motion. **Ferr-ph.**
Pain in uterine region s. down thighs to knees. Cimicif.
Pains s. from sacrum down outside of both hips. Phyt.
Sciatica: excruciating, spasmodic pains in right leg, from hip to ankle, changing place quick and often; s., intermittent, rendering change of position necessary. Magn-ph.
Sciatica: s., burning, laming pain in posterior femoral muscle, s. along left sciatic nerve to foot. Iris.
Sciatica: pressing, s., drawing, aching in thigh; pain external; with soreness in left groin; great lassitude and desire to lie down (syphlitic and gonorrhœal). Phyt.
S., aching pains from thighs down to condyles. Cinnab.
S. and dull, aching pain in left thigh in course of sciatic nerve extending down to instep and toes. Elat.
S. and tearing in hip joint, which pains as if bruised when touched; worse evening in bed; must get up and walk about. Ferr. (Rhus-t.)
S. and tearing in toes when sitting and standing. **Am-m.**
S. and tearing pains in toes in evening. Am-m.
S. pain in joints of left toes; worse in great toe. **Can-ind.**
S. pain in thighs (from liver). Kobalt.
S. pains in hip. Nux-v.
S. pains up inside of leg. Ferr-ph.
S., tearing pain in knee. Clem.
S., tearing pains from hip to knee and foot, especially when coughing. Caps.
S., tearing pains in knees, ankles and toes. Acon.
S., tearing, rheumatic and arthritic pains in muscles of legs. Ran-b.
Scrofulous inflammation, with hot, bright-red, shining swelling of knee; s., stitching and burning pains; least motion of body or foot, or least touch or pressure upon swelling causes excruciating pain. Iod.

Tearing and s. pains in hip, thigh and groin. Ars.
Tearing, s. pains in thighs. Berb.

Shoots.—Painful swelling in ball of right great toe; pain suddenly s. into body to region of heart, or some other part. Daph.

Short.—Calves feel too s. when descending. Arg-m.
Drawing in bend of knee as if cords were too s. Natr-m. (Am-m.)
Feeling as if tendons were too s. in bends of knees. Nux-v.
Feeling as if tendons were too s. on rising. Nux-v.
Hamstrings feel too s.; knees flexed; attempting to stretch them causes pain in thighs (during intermittent). Cimex.
Hamstrings sore; cords feel too s., and stiff on rising. Natr-ph.
Pain and drawing in limbs as if muscles were too s. Lach.
Pain in left hip as if tendons were too s.; has to limp when walking. Am-m.
Pain in tendons of tarsal joints, as if too s., when walking. Sep.
Stiffness of and contraction in knees as if they were too s. Rhus-t.
Tendons of knees seem too s. Caust.

Shortened.—Hamstrings feel s. and weak; knees give way ascending or descending. Ruta.
Legs feel as if s. Mez.
Pain in right thigh when walking, as if psoas magnus muscles were s. Coloc.
Tendons feel as if s. Ruta.
Tension in joints as if muscles were s. Am-m.

Shortening.—Sensation of s. of tendons. Ambr., Am-c., Bar-c., Caust., Natr-c., Phos., Puls., Sil., Zinc.
S. of tendons. Coloc.

Shorter.—Sensation of contraction in right thigh; leg feels s. Ambr.

Shot out.—On going to sleep one leg is suddenly drawn up and s., especially when rousing patient. Sulph.

Shoulder.—Rheumatic pains in right s., right arm and hip, changing often and lasting but a short time. Ox-ac.

Shriveled.—Skin s. Rhod.

Shuddering.—Rheumatism of hip and knee, with high fever and scanty red urine; flying pains, especially in joints; with s. Ver-v.
Trembling with s. in legs after severe fright. Coloc.

Shuffling.—Locomotor ataxia: s. gait; feet dragged along by lifting legs. Ars.
S. gait as if feet were being dragged. Sec.

Sick.—Debility and weakness of legs, with s. feeling and dread of work. Arg-n. (Nux-v.)
Pain in feet, even when drawing on stockings; hurts so that it makes patient s. at stomach. Arum.

Side.—Lameness in joints; better lying on painless s. Fluor-ac.
When lying on s. hips hurt and when lying on back small of back hurts. Rhus-t.

Sinking.—Sudden s. of strength, with complete prostration. Ars.

Sinks down.—Knees weak; totters and s. when walking; threatens to fall to one side. Cocc.

Sit down.—Legs pain as if beaten; desires to s., but when sitting down desires to stand up. Sep.

Sudden sharp pain running through and laming knee, forcing patient to s. Bar-c.

Sitting.—Ankles swell after s. too long. Rhus-t.

Contraction and pain in hip and knee joint when s., when rising from seat, or after over-exercise. Rhus-t.

Cramp when s. Rhus-t.

Cramp when s., after a walk. Rhus-t.

Crampy sensation in thighs and legs when s. Iod.

Cutting and darting pains in muscles of thigh when s. Bell.

Cutting stitches in outer muscles of right thigh just above knee when s. Bell.

Drawing in legs when s. or lying. Am-m.

Drawing in tarsal joint when s. Valer.

Drawing pain in dorsum of right foot when standing; ceases on s. Tarax.

Drawing, pressive pains in left hip joint, thigh being extended when s. Arn.

Drawing pressure in legs, even while s. Coloc.

Drawing, tearing pain in muscles here and there when s. Staph.

Dull pains darting or cutting from right hip joint posteriorly downward to foot; worse lying; better s. in chair. Gnaphal.

Feet go to sleep when crossing legs or s. Laur.

Feet go to sleep when s. Euphorb.

Fine, cutting stitch in right calf when s.; disappearing on walking. Dros.

Great weakness of legs when s. Alu.

Great weariness of legs while s.; disappears on walking. Rhus-t.

Heaviness, weakness and weariness of legs while s; disappears on walking. Rhus-t.

Knees feel swollen when s., with pinching in bend of knees. Ammoniac.

Knees pain as if tightly bandaged when s. Aur.

Lame feeling in ankle joint when s. or walking. Natr-m.

Legs fall asleep while s. quietly. Ant-c.

Legs feel as if bandaged, with stiffness and painful uneasiness about knees when s. Anac.

Legs frequently go to sleep when s. or lying down, or when resting upon them. Am-c.

Legs go to sleep and tingle when s. (Teucr.) or when crossing them. Crotal.

Legs numb and almost powerless after s. Acon. (Rhus-t.)
Limbs go to sleep when s. Puls., Sep.
Nates ache when s.; pain extends to small of back, sacrum and hip joint. Staph.
Nates go to sleep when s. Alu.
Numb pain in right foot, with inability to raise it when s. Ars.
Numbness and coldness of left leg when s. Hyper.
Numbness in feet when s. still; disappears on motion. Helon.
Numbness in legs when s. Lact.
Numbness of legs after s. Ant-c.
Pain gradually rising from tarsal joint to hips, necessitating constant motion and shifting of feet while s. Bell.
Pain in corn when s. Ign.
Pain in right thigh and knee when s. and walking. Cist.
Pain under toes when s. Coni.
Painful drawing in legs when s. quiet; relieved on walking. Valer.
Pulsative, tearing pain in right calf when s. in afternoon. Valer.
Rheumatic drawing pain in left glutæus maximus muscle near spine, while s.; ceases on standing. Cycl.
Right thigh and leg spasmodically jerked up, while s. Meny.
Sensation in femur, as if dislocated, on s. Ipec.
Sensation in legs, as if circulation were stopped, when s. Lact.
Shooting and tearing in toes when s. and standing. Am-m.
Soles go to sleep while s. Cocc.
Stiffness of limbs after s. Sep.
Stinging pains in heels when s. Valer.
Stitches in left hip when s. Carbo-an.
Swelling of legs rising as far as knees when s. and standing. Sep.
Tearing pain in hips and knees, even when s. Kali-c.
Tearing pain in outer side of left leg when s. Caust.
Tearing pain when s.; better on movement. Agar.
Tearing pains in front part of thigh when s. Am-m.
Throbbing in joints of feet; worse when s. Arg-m.
Tingling in soles when s. Magn-m.
Tremor of knees when s. or walking. Led.
Tremulous restlessness and tired feeling in legs and feet when s. Plat.
Twinging pain in outer side of calf when s. Valer.
Ulcerative pain in glutei muscles and thighs when s. Kali-c.
Uneasiness of feet when s. Bar-c.
Very painful, tremulous, jerking stitches in thigh and upper border of ilium, when s. Ang.
When s., gnawing pain in hip bone. Am-m.

Sit up.—Electric shocks in legs; worse in bed; must s. and let legs hang out of bed or walk about. Ver-a.

Size.—Left knee twice s. of right; very stiff, sore and painful. Berb.

Skin (see section on Skin).—Carious ulcers on tibia, very sore, with greenish, offensive discharge; s. adheres to bone; ulcers painful on edges; with high, hard edges; bleed easily and are very sensitive; pricking on circumference. Asaf.

Cracks in s. Hep-s.

Hard, callus s. of soles. Ant-c., Sil.

Marbled s. of legs. Caust.

Marbled s. of thighs, legs and dorsum of feet. **Caust.**

S. of feet cracked. Hep-s.

S. of legs brown (inside thighs). Thuja.

S. of legs cold, flaccid, with complete paraplegia and great fear of death. Ars.

S. rubbed from heel by shoes. Al-cep.

S. shriveled. Rhod.

S. wrinkles on lower legs. Rhod.

Sleep.—Burning in right heel and tendo Achillis; part feels as if had gone to s. Arg-n.

Cannot go to s. or remain asleep unless legs are crossed. Rhod.

Convulsive twitching of muscles during s. Hell.

Dull and humming sensation in legs and feet, as if they had gone to s. Caust.

Feeling as if legs had gone to s. Merc-cor.

Feet go to s. Nux-v.

Feet go to s. easily. Laur.

Feet go to s. when crossing legs or sitting. Laur.

Feet go to s. when sitting. Euphorb.

Feet swollen, with sensation as if had gone to s. Sep.

First left then right foot goes to s.; disappears on walking. Millef.

Hot pricking in toes; they go to s. while walking. Acon.

Jerking up of legs during s., with diarrhœa. Tart-em.

Knees go to s. Carbo-v.

Left leg goes to s. easily. Fluor-ac.

Legs constantly jerked up, with cramps preventing s. Meny.

Legs feel numb, as if had gone to s. Stram.

Legs frequently go to s. Euphorb.

Legs frequently go to s. when sitting or lying down, or when resting upon them. Am-c.

Legs go to s. and become stiff. Petr.

Legs go to s. and tingle when sitting or when crossing them. Crotal.

Legs go to s. when not lying on them. Fluor-ac.

Legs go to s. when sitting, in evening. Calc-c.

Legs go to s. when walking. Sep.

Legs go to s., with tingling when sitting. Teucr.

Legs tingle and go to s. while walking. Acon.

Limbs go to s. Stram.

Limbs go to s. easily. Kali c., Sep., Sulph. (Rhus-t., Sil.)

Limbs go to s. often at night. Croc.
Limbs go to s. when lying on them, or when putting one over other. Rheum.
Limbs go to s. when sitting. Puls., Sep.
Nates go to s. when sitting. Alu.
Numbness of legs, with feeling as if they were going to s. Gels.
One leg and then other goes to s. Canth.
On going to s. one leg is suddenly drawn up and shot out, especially when rousing patient. Sulph.
Pain in heel, as if had gone to s., on rising from bed. Thuja.
Pricking in tips of toes, as if they had gone to s. Am-m.
Rheumatic pains in lower part of legs; worse on going to s. Kali-c.
Sensation as if legs had gone to s. Ambr.
Sensation in lower leg, as if garters were tied too tightly, and as if leg would go to s. and become stiff. China.
Single startings of limbs when going to s. Ign.
Soles go to s. Nux-v.
Soles go to s. while sitting. Cocc.
Swelling, tearing and soreness in great toe preventing s. Natr-c.
Tingling in legs, as if insects were creeping over them, or as if they would go to s. Ver-a.
Tingling in limbs, as if had gone to s. Ign.
Violent pain in tibia, as if beaten or as if periosteum were torn off, after midnight, disturbing s. Mez.
When lying, legs immediately go to s. Sulph.

Sleepiness.—Great weakness of knees, with s.; has to lie down after least exertion. Nux-m.

Sleeping.—Weakness in region of head of femur, with feeling as if had been crushed, especially after lying down and s. Acon.

Sleeplessness.—Drawing and contraction in thighs and legs in evening, with great restlessness, s. and chilliness. Puls.
Drawing pain in muscles of thigh at night forcing patient to move, does not know what to do, with s. and great chilliness. Puls.

Slipping.—Sudden s. of patella during breakfast. Gels. (On ascending. Can-sat.)

Slow.—Children s. in learning to walk. Natr-m.

Small joints.—Arthritic inflammatory rheumatism of s. Caul.
Gout: tearing in lower legs, especially in s. of feet, with swelling. Caust.
Rheumatism of s. Caul., Dig., Sticta, Zinc.
Tearing, shooting and rapidly-shifting pains in joints, especially s. Iris.

Small of back.—Dry heat of thighs and s., with coldness in back. Sulph.
Paralysis from s. downward, with numbness, stiffness and bruised feeling. Cocc.

Stiffness of knees and tarsal joints, thighs and s. in morning when rising. Ign.

Smart.—Corns s. and burn and are sensitive to touch. Ran-b.

Smarting.—Feeling as if cold wind were blowing on legs, with s. of right leg. Lil-tig.

S., as from excoriation. Berb.

S., excoriation and soreness between toes. Natr-c.

S. soreness between nates. Graph.

Sore, s. corns. Ambr., Bry., Calc-c., Fluor-ac., Graph., Lyc., Rhus-t., Ver-a.

Stitches, burning, itching, s. and cold feeling in foot, as if frozen. Berb.

Smashed.—Hysterical rheumatism: feeling as if bones of leg had been s. Nux-m.

Smell (see Odor).—Offensive s. of feet. Sil.

Smelling.—Sweat on feet, especially between toes, s. sour or like sole leather. Kobalt.

Snap.—Drawing, tearing pain in leg, as of an internal ulcer; worse on touch; but most peculiar pain is a contraction which increases until very acute, then ceases suddenly with a s.; worse evening. Puls.

Sneezing.—Pain as from bruises in all muscles; worse on motion or when s. Kali-c.

Soft.—Pain in soles on stepping (Ant-c.), as if it were too s. and swollen. Alu.

Pain in sole when pressing it to ground, as if it were s. and swollen. Alu.

Softening.—Painfulness of bones, with s. and swelling of bones and periosteum. Asaf.

S. of bones. Lyc.

S. of femur. Sil.

Swelling and s. of bones. Guaj.

Swelling, s. and caries of bones. Merc. (Sil.)

Sole.—Aching in left s. Hydr.

Cramp in toes and s. of left foot. Calc-c.

Crawling as if nerve were pulled, in left s. Arn.

Cutting pain in s. when standing. Spig.

Needle-like stitches in s. of right foot. Natr-c.

Nervous pain in s. Caust.

Numb feeling in left s., then whole foot, increasing to numbness of whole leg. Can-ind.

Offensive perspiration on feet; toes and s. are sore. Bar-c.

Pain in s. on stepping (Ant-c.), as if it were too soft and swollen. Alu.

Pain in s. when pressing it to ground, as if it were soft and swollen. Alu.

Pain in s. when walking. Gels.

Severe or fine stitching pains in right s. Tarax.
Sudden swelling of one foot and of s. Cham.
Tearing, drawing and cutting pains from heel through s. and toes. Kreas.
Tearing in middle toe of left foot, also in ball of left little toe and s. Mez.
Tearing pain in s. of right foot. Æth.
Tickling itching in center of right s. Arum.
Violent cramp in leg and s. when walking. Carbo-v.
Voluptous tickling on s. after scratching. Sil.

Sole leather.—Sweat on feet, especially between toes, smelling sour, or like s. Kobalt.

Soles.—Bullæ on s. burn like fire. Ars.
Burning and digging sensation in s. Bell.
Burning heat in s. and soreness between toes. Phos-ac.
S. burn. Ambr., Calc-c., Carbo-v., Caust., Cupr., Lachn., Magn-m., Mang., Mur-ac., Sulph.
Burning in s. and palms at night, compelling patient to throw off bed-clothing to cool feet. Sang. (Sulph.)
Burning in s.; wants them uncovered (Cham.); constantly keeps them out of bed to cool them off. Sulph.
Burning in s., with dry feeling. Mancin.
Burning of s. at night; puts feet out of bed. Cham. (Sulph).
Burning of soles (in women suffering from chronic endometritis, leucorrhœa, and disordered vaginal discharges). Lyc.
Burning of s. when walking. Natr-c.
Burning pain in s. Ambr., Graph., Natr-c., Nux-v., Phos-ac., Sang.
Burning stitches in s. Fluor-ac.
Coldness of s. Sulph.
Coldness of s., while rest of body is warm. Coloc.
Cramp in feet, toes and s. Caust.
Cramp in s. Am-c., Calc-c., Phos., Sil., Sulph.
Cramps in s. at night. Agar., Calad., Petr., Sulph.
Cramp in s. (Sil.) in evening after lying down. Carbo-v. (Sulph.)
Cramps in calves and s. Selen., Sil., Sulph. (Ver-a.)
Cramps in calves and s., especially at night. Sulph. (Calc-c., Camph., Nux-v., Sil.)
Cramps in legs and s. (in intermittents). Elat.
Cramps in s. and toes. Hep-s.
Cramps in s. and toes (Sulph.), with painful contraction of toes. Ferr.
Feeling of coldness in knees, toes and s. Card.
Feeling of heat in soles. Cub.
Feet cold, with sweat on toes and s.; hands hot. Acon.
Feet puffed, with burning in s. Phyt.
Flushes of heat and burning in s. Cupr.
Frequent, griping, ulcerative pains in s. Kali-n.

Furuncles on s. Rat.
Great itching of s. Hydroc.
Great soreness of s. Calc-c.
Great tenderness and sensitiveness of s. when walking. Ant-c.
Hard, callus skin of s. Ant-c., Sil.
Hard corns on s. Ant-c.
Horn-like spots on s. Ant-c., Sil.
Horny corns on s. Ant-c.
Itching of s. Sil.
Itching of toes and inner border of s. of right foot. Ambr.
Large blisters on s. Bufo.
Large horny callosities on s. near toes, inflamed and very sensitive. Ant-c.
Numb pain in s. and balls of toes. Puls.
Obstinate ulcers (syphilitic) on inner side of s.; appear as if punched out; round, with sharp edges and smooth sides, with lardaceous base. Phyt.
Pain in legs, especially tibia and s., as after over-exertion in walking; legs very restless. Psor.
Pain in s. Ars., Canth., Croc., Graph., Lith-c., Lyc., Magn-s., Merc-jod., Prun-s.
Pain in s. and toes. Pareira.
Pain in s. spreading toward great toe, with sensation as if sprained. Croton-tig.
Pain in s. when pressing them on ground. Puls., Spig., Sulph.
Pain in s. when walking. Lyc. (Led., Sulph.)
Painful, cramp-like contraction in s. when bending legs. Nux-v.
Pains in s., as if bruised, when walking. Led.
Pricking in s. Natr-c.
Pricking sensation in s. Cub.
Profuse, fetid sweat on feet, with burning of s. Lyc.
Rheumatic pains in tibia and s. Chenop-a.
S. and calves contracted in knots. Cupr.
S. burn; must uncover them. Hep-s., Sulph.
S. cold. Coloc., Merc., Sulph.
S. feel bruised. Bar-c.
S. feel hot. Ferr.
S. go to sleep. Nux-v.
S. go to sleep while sitting. Cocc.
S. pain when walking on pavement. Aloe.
S. sore when walking. Hep-s.
S. tilt inward interfering with walking, which is done on outer edge of foot. Cic-v.
Soreness and burning in s. Sil., Sulph.
Spreading blister from ulcers on s. and toes. Ars.
Sticking in s. Kali-n.

Stinging pain in s. Puls.
Stitches in s. Borax, Nux-v.
Stitches in s. and tips of toes during rest. Puls.
Stitches in s. as if walking on needles. Rhus-t.
Stitches in thighs, calves and s. Tarax.
Stitches in toes and s. Ang.
Sweat on s. making them sore. Nitr-ac.
Swelling of s.; pain when walking. Lyc.
Tearing pains in s., above knees and in back. Puls.
Throbbing in legs from knees to toes, as from a boil; worse in s. Kreas.
Tickling in s. Hep-s.
Tingling in s. when sitting. Magn-m.
Tingling in toes and s. Kali-c.
Tingling pains in s. when stepping. Coni.
Troublesome itching of s. Sil.
Ulcerated vesicles on s. Sulph.
Ulcerative pain in s. Canth., Graph., Sulph.
Ulcerative pain in s. and heels. Zinc.

Sore.—Balls of heels and toes feel s. when pressing them to ground. Phos-ac.
Bones, joints and muscles s., as if beaten. Lith-c.
Bruised pain in periosteum of tibia, which is always s. to touch. Phos.
Burning, s. pain in heels. Cycl.
Burning, s. pain in toes. Ruta.
Carious ulcers on tibia, very s., with greenish, offensive discharge; skin adheres to bone; ulcers painful on edges; with high, hard edges; bleed easily and are very sensitive; pricking on circumference. Asaf.
Chronic rheumatism: bones feel s. or bruised; limbs feel cold. Kali-bi.
Corns painful, as if s. Ign.
Feet s. Lyc.
Hamstrings s.; cords feel too short, and stiff on rising. Natr-ph.
Jerking, s. pain from hip joints to knees while in bed in morning; disappears on walking. Puls.
Left knee twice size of right; very stiff, s. and painful. Berb.
Muscles of legs s., as if beaten or bruised. Bad.
Offensive perspiration on feet; toes and soles are s. Bar-c.
Oozing of water from s. places on œdematous legs. Lyc.
Soles s. when walking. Hep-s.
S. and raw between thighs and in bend of knees. Ambr.
S. and raw spots on feet, especially heel. Al-cep.
S. burning pain in corn. Calc-c.
S. feeling in muscles. Bapt. (Arn., Bad., Led., Ruta.)
S. pain in balls of toes while walking, as if chafed. Ars.

S. pain in heel, as from subcutaneous ulceration. Euphorb.
S. pain in tips of toes. Ran-b.
S. smarting corns. Ambr., Bry., Calc-c., Fluor-ac., Graph., Lyc., Rhus-t., Ver-a.
Sweat on soles making them s. Nitr-ac.
Swelling of s. foot. Graph.
Thighs s. to touch. Merc.

Soreness.—Aching and s. in thighs. Ham.
Aching pain in back and legs, as if bones were broken, with s. of flesh, before and during chill (in intermittent). Eupat-perf.
Burning heat in soles and s. between toes. Phos-ac.
Cramp and s. at every step. Sulph.
Fetid sweat on feet, with s. about toes. Zinc.
Great aching and s. in legs (before menses). Caul.
Great s. in left thigh. Gels.
Great s. of soles. Calc-c.
Offensive, profuse perspiration on feet (Sil.) causing s., with sticking pains, with feeling as if walking on pins. Nitr-ac. (Sep.)
Pain and s. in fourth toe of right foot. Dios.
Pain and s. in legs. Psor.
Painful s. of toe and corn. Agar.
Pulsating, aching pain in right leg, with s. in evening. Still.
Rheumatism, with great s. of muscles. Ham.
Sciatica: pressing, shooting, drawing, aching in thigh; pain external; with s. of left groin; great lassitude and desire to lie down (syphilitic and gonorrhœal). Phyt.
Smarting, excoriation and s. between toes. Natr-c.
Smarting s. between nates. Graph.
S. about knees. Caust.
S. and aching of legs, with stiffness and general s. when rising to walk. Eupat-perf.
S. and burning in soles. Sil., Sulph.
S. and burning pain between nates. Sep.
S. and lameness in legs. Sil.
S. and pain after being jolted in carriage. Arn.
S. and rawness in bends of legs. Graph.
S. and stitches between toes. Ran-b.
S. between legs. Kali-c. (Graph.)
S. between legs when walking. Nitr-ac.
S. between thighs and genitals. Merc., Merc-sol. (Graph.)
S. between thighs during and after walking. Graph.
S. between toes. Fluor-ac., Phos-ac.
S. between toes, with violent itching. Graph.
S. in bends of joints. Squilla.
S. in inner side of left thigh, with biting and itching extending to genitals. Lyc.

S. in joints of feet and toes. Arg-m.
S. of all corns. Fluor-ac.
S. of flesh of limbs. Arg-n.
S. of heels when walking. Kali-bi.
S. of toes, or between toes. Natr-m.
Swelling, tearing and s. in great toe preventing sleep. Natr-c.
Weariness and s. in limbs and bones; pain as if flesh were torn off. Sulph.

Sour.—S. perspiration on feet. Calc-c. (Fetid and corroding. Sil.)
Sweat on feet, especially between toes, smelling s., or like sole leather. Kobalt.

Spasm.—Pain like a s. in ankle while walking. Coloc.
Violent s., with twitching in ankle joint at night. Iod.

Spasmodic.—Calcareous deposits in joints, with painful, s. jerking of legs (in gouty persons). Meny.
Drawing, crawling, s. pains and formication in legs. Sec.
Painful, s. jerking of legs. Cod.
S. contraction of muscles. Kali-jod.
S. jerking and numbness of legs. Opi.
S. jerking in muscles of calves. Opi.
S. sensation in left little toe, as if turned about. Crotal.
S. separation and drawing together of legs. Lyc.
S. stretching and twitching of feet. Cina.
S. twitching of legs, which are blue and cold. Zinc.
Subsultus and s. movements of tendons. Canth.
Twitching, s. movements of legs. Opi.

Spasmodically.—Child draws feet s. upward and backward upon nates. Cupr.
Right thigh and leg s. jerked up while sitting. Meny.
Thighs s. drawn forward and backward. Spong.

Spasms.—Chorea: tonic s. in legs, muscles and calves. Tart-em.
Cramps and s. in legs. Hyos.
Pain in hip joint, mostly behind trochanter major, with s. of stomach and diaphragm. Phyt.
S. and cramps in calves. Cupr. (Sulph.)
S. in toes, especially backs. Merc.
Twitching or clonic s. in limbs. Chin-s.

Spikes.—Violent pain, as if stepping on s., which penetrated soles and ran upward through limbs to hips on attempting to walk; worse in right leg and accompanied by drawing pains in both calves. Can-ind.

Spinal (see section on Back).—Paralysis of feet (with s. or chronic nervous affection, as softening of brain, or cerebral hæmorrhage). Zinc.

Spinal exhaustion.—Paralysis of legs from s. Actea-s.

Spinal irritation.—Left leg lame, with s. Paris.

Spine (see section on Back).—Paralysis of s. and limbs; loss of all control over legs (in horses after eating leaves of young shrubs). Brachyg.

Sciatica, with pain in s. Petr.

Splinter.—S. run deep into sole months ago, producing proud flesh, came out after internal and external use. Arn.

Spongy.—Ulcers on legs, which bleed easily and become putrid; s. and bluish. Merc.

Spot.—Itching, burning pain in small s. in right hip, then in thigh, then in little toe. Lith-c.

Red, painful s. on tibia spreading lengthwise and itching when scaling off. Caust.

Red s. on great toe, as if contused. Natr-c.

Spots.—Black and painful s. on limbs. Nux-v. (Arn.)

Gangrenous s. and vesicles. Hyos.

Gangrenous s. on legs. Hyos.

Horn-like s. on soles. Ant-c., Sil.

Itching of buttocks, with red s. after scratching. Magn-c.

Painful, red s. on calves, turning yellow or green, as after contusion, preventing movement of foot. Coni.

Painful s. here and there on legs, as if had been beaten. Mosch.

Painful s. on tibia. Ambr.

Red, itching s. on tibia. Sulph-ac.

Red s. on calves. Sars.

Red s. on legs. Coni.

Red s. on legs turning livid, as after a bruise. Coni.

Small s., like freckles, on lower part of tibia. Phos.

Sore and raw s. on feet, especially on heel. Al-cep.

Swelling and burning of feet, with black s. Sec.

Swelling of feet, with hot, shining, burning, red s., or black, blue blisters. Ars.

Thrombosis: limbs immoveable, covered with reddish or bluish streaks or s.; hard, elastic, hot and very painful, especially along crural vessels and nerves. Apis.

Violent pain in small s., only discovered on touching them. Ign.

Yellowish s. on legs. Hydroc.

Sprain.—Ankles pain after s. or dislocation. Ruta.

Pain, as from s., in tarsal joints. Arn.

Pain, as from s., strain or contusion, in left hip joint. Caust.

Pain in ankles, as from s. or false step; worse on motion. Led. (Arn., Bry.)

Pain in hips, as from s. Arn.

Pains, as from s., in right knee. Lach.

Sprained.—Cramps in toe joints suddenly, as if s. Ran-b.

Cutting pain, as if s., in knee joint, when walking. Spig.

Feet pain, as if s. Bry.

Feet painful and feel as if s., in morning on rising. Rhus-t.
Great toe feels as if s. Aloe.
Hip joint painful, as if s., when walking. Hep-s.
Joint of great toe red and feels s. Arn.
Knees and ankles pain, as if s. Natr-m.
Knees pain, as if s.; painful when walking. Calc-ph.
Pain, as if s., in bends of knees and toes. Zinc.
Pain, as if s., in hips. Calc-c., Caust., Euphorb., Natr-m., Phos.
Pain, as if s., in metacarpal joints on toes, with sensation of swelling. Berb.
Pain, as if s., in right knee, on moving or ascending. Nux-m.
Pain, as if s. or dislocated, in joints of femur and knees. Ign.
Pain in bend of foot, as if s.; more at heel. Cycl.
Pain in feet, as if s. Bry., Cycl., Dros., Rhus-t.
Pain in foot, as if s. Cycl.
Pain in hip, as if s. Nitr-ac., Rhod.
Pain in hip joint and tarsal joint during motion, as if s. Laur.
Pain in knee, as if s. Lyc.
Pains in hip joints on moving, as if s. Euphorb.
Pains in joints, as if s. Arn.
Pain in right hip joint and thigh, with pain in ankle, as if s., when walking. Dros.
Pain in soles spreading toward great toe, with sensation as if s. Croton-tig.
Pain in thighs, as if s. Mosch.
Pain in toes, as if s. Am-c.
Sensation in joints, as if s. Rhod.
S. feeling in groins causes patient to bend forward; cannot walk erect on account of pain there. Am-m.
S. feeling in hips, knees and ankles. Rhus-t.
S. feeling in joints. Rhus-t.
Tearing pain in right ankle, as if s., when walking. Dros.
Violent pain in tarsal joint, as if s., during motion. Cocc.

Spraining.—Easy dislocation and s. of ankles. Natr-c.

Sprains.—Lameness after s., especially of ankle. Ruta.
Pain, as from s., in joints. Lach.
Swelling and stiffness of joints (after s., over-lifting or over-stretching). Rhus-t.

Squatting down.—Stiffness of knees preventing s. Coloc., Graph.

Stabbing.—S. pain in left hip, as after a fall. Natr-s.

Stability.—Want of s. in knees. Acon., China.

Staggering.—Great weakness of legs, with s. gait. Hyos.
Heaviness of legs, with s. gait. Can-sat.
Locomotor ataxia: gait unsteady, s., as if drunk; looks to see if legs are really moving; with loss of sensibility; pinching or burning causes no pain. Kali-brom.

Locomotor ataxia: s., tottering, irresolute gait; cannot walk with eyes closed, or in dark; jerking in toes. Arg-n.
S. gait. Coni., Ign., Physos.
Unsteady, s. gait, owing to weakness of thighs. Mur-ac.
Staggers.—Feet feel heavy, with great lassitude of legs; can scarcely drag them; when walking s. and has to sit down. Alu.
Unsteady gait; s., as if drunk, on attempting to walk. Gels.
Stagnation.—Feeling as of s. of blood in legs. Zinc.
Sensation of s. of blood in knees. Lact., Phell.
Stand.—Great weakness of legs; difficult to s. firmly. Cocc.
Legs pain as if beaten; desires to sit down, but when sitting desires to s. up. Sep.
Limbs feel weak, and finds it difficult to s. or walk. Croc.
Standing.—Congestion of blood to feet when s. Graph.
Creeping in feet when s. Sep.
Cutting pain in sole when s. Spig.
Drawing pain in dorsum of right foot when s.; ceases on sitting. Tarax.
Great toe red, with tearing or stinging when walking or s. Natr-m.
Great weakness in feet, especially when s. or walking. Kali-n.
Jerking in right thigh; relieved by s. or drawing leg up. Meny.
Knees give way, even while s. Croc.
Knees give way when s. and walking. Chelid.
Pain, as from a bruise, in left knee; tearing when walking or s. Coni.
Pain in heel when s. or walking much. Am-c.
Pain in hip and thigh; intolerable when s., as if thigh would break; worse when straightening out limb; has to support foot on affected side resting on chair. Valer.
Painful weakness in knees when s., with painful shocks. Sulph-ac.
Red, hot swelling of feet, with contracting, burning pain, increasing to stitching pain when s. Puls.
Sciatica: unbearable, neuralgic pain when s., with feeling as if thigh would break off. Valer.
Shooting and tearing in toes when sitting and s. Am-m.
Stiffness and contraction in bends of knees when s. Nux-v.
Sudden pain, as if bruised, in outer malleolus of right foot; worse when s.; less when walking. Valer.
Swelling of legs rising as far as knees when sitting and s. Sep.
Tearing pain in tendo Achillis and calf, as if parts would be cut off; worse s., walking, or exerting muscles. Ign.
Throbbing stitches in left heel when s. Ran-b.
Trembling of knees when s. Oleand.
Weakness of knees, with painful drawing when walking and s. Cupr.
Starting.—Single s. of limbs when going to sleep. Ign.
Step.—Cracking in tarsal joint at every s. Magn-s.
Cramp and soreness at every s. Sulph.

Darting in left hip at every s. Kali-jod.
Pain in ankles, as from a sprain or false s.; worse on motion. Led. (Arn., Bry.)
Pressive pain in both hip joints on every s., with paralyzed sensation in anterior muscles of thighs. Rhus-t.

Stepping.—Ball of great toe painful and swollen; worse on s.; tendon stiff. Led.
Contraction in bends of knee on s. Sulph.
Dull pain in knee when s. Coni.
Inflammatory, red swelling of dorsum of feet and toes, with contraction when s. on them. Thuja.
Numbness of heel when s. Alu.
Pain in sole on s. (Ant-c.), as if it were too soft and swollen. Alu.
Paralytic pain in hip joint when s. Euphorb.
Paralytic weakness in thighs and knees when s. Chelid.
Rigidity of bends of knees when s. Sulph.
Swelling of feet and toes, with stinging in them when walking or s. Natr-c.
Tingling pains in soles when s. Coni.
Violent pain, as if s. on spikes which penetrated soles and ran upward through limbs to hips on attempting to walk; worse in right leg and accompanied by drawing pains in both calves. Can-ind.
Violent stitches in heels when s. Graph.

Sticking.—Boils on thighs causing violent s. pain. Nux-v.
Offensive, profuse perspiration on feet (Sil.) causing soreness, with s. pains, with feeling as if walking on pins. Nitr-ac.
S. and drawing from knee to groin; worse on motion or contact. Nux-v.
S. and drawing in thighs; worse at rest. Hyos.
S. in soles. Kali-n.
S. pain in calf, accompanied by jerking in patellæ when knees are stretched. Spig.
Stitches, s. and drawing pains, with lassitude of legs and coldness of feet, but sometimes only of knees. Sep.
Swelling, with drawing, s. pains in knee when walking. Led. (Bry.)

Stiff.—Articular rheumatism: legs lame, s. and numb. Ox-ac.
Ball of great toe painful and swollen; worse on stepping; tendons s. Led.
Dropsy: foot and ankle swollen and s.; swelling pale, clear, wax-like. Apis.
Feet cold, numb and s. Ferr.
Feet swollen and s. Tart-em.
Feet swollen, feel heavy and s. Apis.
Hamstrings sore: cords feel too short, and s. on rising. Natr-ph.
Hip and knee joints s. Hell.
Joints s. Bry.
Knees s. Apoc.

Knees s., especially when walking. China.
Left knee twice size of right; very s., sore and painful. Berb.
Legs and feet enormously swollen, numb and s.; can hardly walk; with albuminuria or general dropsy. Apis.
Legs feel heavy, s. and lame. Chelid.
Legs go to sleep and become s. Petr.
Legs s. after taking cold. Acon.
Limbs become s. and insensible. Hydroc-ac.
Limbs s., with shooting pains; worse in morning. Kali-bi.
Pain in knees, as if s. Sulph.
Rigid and s. feeling in tarsal joints. Dros.
Sensation in lower leg, as if garters were tied too tightly, and as if leg would go to sleep and become s. China.
Stiffness and great lassitude of legs; scarcely able to walk; knees feel s. and paralyzed. Anac.
Toes s. Ars.

Stiffness.—Arthritic s. in knees, with paralytic weakness of legs. Phos.
Cracking and arthritic s. in joints. Petr.
Drawing, painful s. of knees. Bry.
Feeling of weariness and as if legs were bruised, sometimes with heaviness, lameness and s. Benz-ac.
Gout: s. and immobility of contracted legs. Guaj.
Heaviness and s. of feet. Kali-c.
Heaviness and s., with painful drawing in legs. Ferr.
Heaviness of thighs and legs when walking, with s. of knee joints. Bell.
Lameness, s. and pain on first moving after sitting, or on getting up in morning; relieved by continued motion. Rhus-t.
Legs feel as if bandaged, with s. and painful uneasiness about knees when sitting. Anac.
Numbness and s. of thighs, knees and toes. Graph.
Pain and s. in right leg (in menorrhagia). Cocc-c.
Pain in right knee, with burning and s.; worse on movement. Chelid.
Painful s. in bend of knee. Nitr-ac.
Painful s. of knees, as after long walking. Lob.
Painful s. of patella when rising. Caust.
Painless s. and paralysis of legs. Oleand.
Paralytic s. in legs. Lith-c.
Paralysis from small of back downward, with s. and bruised feeling. Cocc.
Rheumatism: great swelling, pain and s. of knees; could not raise foot. Berb.
Rheumatism: weariness, s. and heaviness of joints; pain worse on movement. Bry.
S. and aching of knees. Can-ind.
S. and bruised feeling in joints. Physos.

S. and contraction in bends of knees when standing. Nux-v.
S. and cracking in joints, with arthritic pains. Sep.
S. and drawing in joints. Kali-n.
S. and great lassitude of legs; scarcely able to walk; knees feel stiff and paralyzed. Anac.
S. and stitches in knee. Nitr-ac.
S. in joints. Coloc., Dig., Spong.
S. in sacrum, hip and knee. Rheum.
S. of all joints. Lyc.
S. of and contraction in knees, as if they were too short. Rhus-t.
S. of ankle joints. Caust.
S. of ankles. Chelid., Dros.
S. of ankles when walking. Sulph-ac.
S. of feet. Sep.
S. of knee. Ant-c.
S. of knee and ankle joints. Sulph.
S. of knees. Am-m., Bry., Coloc., Graph., Led., Rhus-t., Sang., Sulph.
S. of knees and cracking in joints. Natr-s.
S. of knees and tarsal joints, thigh and small of back in morning when rising. Ign.
S. of knees preventing squatting down. Coloc., Graph.
S. of limbs. Nux-v.
S. of limbs after sitting. Sep.
S. of lower extremities. Anac., Plat., Sep.
S. of tarsal joint. Ambr.
S. of thighs. Graph.
S. of toes. Graph.
S.; relieved by walking. Dig.
Swelling and s. of feet. Sticta.
Swelling and s. of joints (after sprains, over-lifting and over-stretching). Rhus-t.
Swelling and s. of knees. Lyc.
Tearing and s. in knee. Phos.
Tight and painful s. in calves. Coni.
Tightness and s. in bend of knee when walking. Caust.
Weakness, s. and paralysis of legs. Ox-ac.

Sting.—Corns s. Rumex.

Stinging.—Acute arthritic rheumatism: knees swollen, painful, throbbing, with cutting, s. pains. Acon. (Also apply cloth saturated with dilution.)
Burning and s. in toes with redness. Apis.
Crural neuralgia, with stitching pains on movement. Staph.
Dry, superficial, angry-looking ulcers on legs, covered with yellow scabs, with s., burning pain; areola inflamed and covered with pimples, which frequently degenerate into ulcers. Hydr.
Fatty swelling of knee, with s. pains. Dig.

Great toe red, with tearing or s. when walking or standing. Natr-m.
Itching and s. in feet and toes. Puls.
Itching and s. in internal sides of thighs. Staph.
Old ulcers on legs, with burning and s.; profuse sweat about knees at night. Ars.
Rheumatism: tearing, s. pains; worse at night; with profuse perspiration. Merc.
Sciatica: intense, s., aching and bruised pain in middle of posterior of thigh, extending to knee. Ind.
Sharp, tearing, s. or pricking in lower part of calf. Ind.
S., boring and gnawing in great toe. Ran-sc.
S., boring pain in coverings of bones; worse in cool air. Hell.
S. burning of toes. Dulc.
S. from hip joint to thigh at night. Ferr.
S. in heel of left foot and ball of great toe. Ambr.
S. in hip joints. Sabin.
S. in toes. Kali-n.
S. itching in glutei muscles. Staph.
S. pain in ankle joint. Hell., Ruta.
S. pain in feet. Grat., Sulph.
S. pain in heels. Graph., Sep.
S. pains in heels when sitting. Valer.
S. pain in hip. Bell., Ferr., Rhus-t., Sabin.
S. pain in instep. Puls.
S. pain in knees. Hell., Lach., Petr., Puls., Sep., Staph., Sulph.
S. pain in left calf. Am-m.
S. pain in legs. Bry., Grat., Kali-c., Lyc., Merc., Nux-v., Paris, Spig.
S. pain in soles. Puls.
S. pain in thighs. Bry., Sep., Spig.
S. pain in toes. Am-m., Puls., Ran-sc., Ver-a.
S. sensation in both thighs. Sabad.
S., tearing pains in limbs. Laur.
Stitching, boring, s. pains in corns. Natr-m.
Swelling of feet and toes, with s. in them when walking or stepping. Natr-c.
Tearing and s. in limbs; worse on least motion. Guaj.
Tearing, drawing, gnawing, s. pains in bones. Canth.
Tingling and s. in muscles. Natr-c.
Toes red, swollen and s., as if frosted. Carbo-v.
Ulcers on legs, with s. or pricking. Ham.

Stitch.—Boring, itching s. in balls of second and third toes. Spig.
Boring s. in left toe. Phos-ac.
Boring s. in right tibia during rest. Staph.
Fine, cutting s. in right calf when sitting; disappearing on walking. Dros.
Itching s. at root of two last left toes during rest. Merc-sol.

Sudden, unbearable s. in left hip when walking. Natr-s.
Violent s. in foot, extending to great toe. Hep-s.
Violent s. in knee. Valer.

Stitches.—Boring s. in tips of toes. China.
Burning and throbbing s. in bend of foot. Coni.
Burning s. in soles. Fluor-ac.
Crawling, burning s. and severe, pressive pain in ball of great toe. Caust.
Cutting s. in outer muscles of right thigh just above knee when sitting. Bell.
Cutting s. over right thigh; must get up for relief; pains worse from rising, but better on slowly walking. Sep.
Drawing s. in thigh. Mang.
Dull s. in region of knee joint near patella. Staph.
Gout: swelling, redness and s. in great toe. Sabin.
Heels swollen, red and painful, with s. Petr.
Inflammatory swelling of knee, with occasional s.; slightest touch or motion causes intense pain. Cocc.
Needle-like s. in left hip. Hell.
Needle-like s. in sole of right foot. Natr-c.
Numbness of hip joint and thigh when walking, especially when moving leg forward, with s. when setting down foot. Arg-m.
Occasional s. in anterior middle of right thigh. Dros.
Pain in right ankle; severe s. from within outward. Chenop-v.
Rheumatic pains in legs, with s. in joints. Hep-s.
Rheumatic, red, shining swelling, with s. Bry.
Severe s. in dorsum of foot and between toes. Aur.
Severe s. in joints. Dros.
Sharp, deep s. in tibia. Samb.
Soreness and s. between toes. Ran-b.
Stiffness and s. in knee. Nitr-ac.
S. above right hip, with sensitiveness. Sep.
S. and cramps in feet. Meph.
S., burning, itching, smarting and cold feeling in foot, as if frozen. Berb.
S. from left foot through thigh into testicle. Bar-c.
S. in back and right hip causing limping walking. Rumex.
S. in back of toes. Ran-b.
S. in corns. Sulph-ac.
S. in feet. Bry., Kali-c.
S. in heel above tendo Achillis. Thuja.
S. in hip extending to knees. Bry.
S. in hip joint when stooping. Calc-c.
S. in hips when walking. Arg-m.
S. in joints. Sep., Sars.
S. in joints and tendons. Kali-c.

S. in joints during rest. Hep-s.
S. in knee. Cocc., Petr.
S. in knee joint. Magn-c.
S. in knees and knee joints. Staph.
S. in left hip when sitting. Carbo-an.
S. in legs. Kobalt.
S. in legs and joints. Thuja.
S. in muscles of thighs. Sabad.
S. in os ischium on rising. Dros.
S. in patella and heel. Nicc.
S. in patellæ, tibia and feet. Viola-tr.
S. in right hip joint. Cocc-c., Merc-cor.
S. in soles. Borax, Nux-v.
S. in soles and tips of toes during rest. Puls.
S. in soles, as if walking on needles. Rhus-t.
S. in thigh, knee and heel, only at night. Calc-c.
S. in thighs, calves and soles. Tarax.
S. in toe joints. Merc.
S. in toes and soles. Ang.
S. in toes of right foot. Mez.
S., sticking and drawing pains, with lassitude of legs and coldness of feet, but sometimes only of knees. Sep.
S. through tips of toes. Caps.
S. under heel from without inward. Mancin.
Throbbing s. in left heel when standing. Ran-b.
Very painful, tremulous, jerking s. in thigh and upper border of ilium when sitting. Ang.
Violent s. in heels when stepping. Graph.
Violent s. in toes when walking. Arn.

Stitching.—Aching and s. pain in ball of left great toe. Can-ind.
Burning and s. pains in corns. Petr.
Burning, tearing, s. in corns. Thuja.
Cramp-like, s. pain in left foot. Natr-m.
Crural neuralgia, with stinging, s. pains on movement. Staph.
Flying s. pains in limbs. Mez.
Great debility and s. in limbs, with confusion of head. Seneg.
Red, hot swelling of feet, with contracting, burning pain, increasing to s. pain when standing. Puls.
Rheumatism affecting bellies of muscles, with cramping, s. pains. Cimicif.
Sciatic or crural neuralgia (in gouty, rheumatic subjects), with tearing, s. pain; worse on motion. Coff.
Scrofulous inflammation, with hot, bright-red, shining swelling of knee; shooting, s. and burning pains; least motion of body or foot, or least touch or pressure upon swelling causes excruciating pain. Iod.

Severe, or fine s. pains in right sole. Tarax.
S., boring, stinging pains in corns. Natr-m.
S. pain in bend of knee, and on shin. Mang.
S. pain in knee joints. Bar-c.
S. pain in knees and tibia. Sulph.
S. pain in left thigh. Tarax.
S. pain through right knee when walking. Chenop-v.
S. pains in corns. Sil., Sulph.
S. pains in knee. Arn.
S. pains in thighs, knees and legs. Sars.
S., rheumatic pains in limbs at night. Kali-n.
Tearing, s. pain in hips and thighs. Sil.
Tearing, s., throbbing, or bruised pain in legs. Berb.
Ulcers on one foot, with s. pains upward; other foot burning. Puls.

Stockings.—Coldness of feet and legs below knees, with feeling as if had on damp s. Calc-c.
Pain in feet, even when drawing on s.; hurts so that it makes patient sick at stomach. Arum.

Stomach (see section on Stomach).—Pain in hip joint, mostly behind trochanter major, with spasms of s. and diaphragm. Phyt.
Weakness of knees, with pressure at s., especially after a meal. Lach.

Stones.—Pains in feet and knees as if heavy s. were tied to parts; better on movement. Ver-a.

Stool (see section on Stool).—Sciatica: pain in sacrum extending down sciatic nerve to right thigh; worse: when pressing; at s.; coughing; laughing; lying on affected side. Tellur.

Stooping.—Cracking in hip joint and knee joint (Nitr-ac.), when s. Croc.
Cracking in joints when s. Croc.
Dull pain as from pressure and fatigue, or from long s., extending from sacrum around hip and down right leg. Bapt.
Pain in right hip joint; worse from s., rising from seat, or moving in bed. Natr-s.
Stitches in hip joint when s. Calc-c.

Stopped.—Numbness of legs, with sensation as if circulation s. Lyc.
Sensation in legs as if circulation were s., when sitting. Lact.

Straightening.—Pain in hip and thigh; intolerable when standing, as if thigh would break; worse when s. out limb; has to support foot on affected side resting on chair. Valer.

Strain.—Pain as from sprain, s. or contusion in left hip joint. Caust.

Streaks.—Thrombosis: limbs immoveable, covered with reddish or bluish s. or spots; hard, elastic, hot and very painful, especially along crural vessels and nerves. Apis.
Very red s. following course of lymphatics from calf up to buttocks, with twitching in limbs and great anxiety. Myg.

Strength.—Sudden sinking of s., with fear or alarm. Acon.

Stretch.—Hamsrings feel too short; knees flexed; attempting to s. them causes pain in thighs (during intermittent). Cimex.
Inclination to s. legs. Cina, Sulph-ac.
Pains in limbs, especially in joints, obliging patient to s. body. Puls.
Swelling of dorsum of foot, sometimes extending along leg to thigh, with great inclination to s. out foot. Puls.

Stretched.—Pain in tendons of muscles of calf as if s., with lameness. Kali-bi.
Sticking pain in calf accompanied by jerking in patella when knees are s. Spig.

Stretching.—Bruised pain in instep when s. out foot. Bry.
Cracking in knee and tarsal joints when s. limb. Thuja.
Cramp in bend of knee when s. out leg. Calc-c.
Drawing pain in knee; more s. than when bending knees. Caust.
Painful s. of calves. Anac.
Spasmodic s. and twitching of feet. Cina.
S. out or motion very painful. Bry.

Subsultus.—S. and spasmodic movements of tendons. Canth.

Subsultus tendinum.—S. in feet. Iod.

Sudden.—S. pain as if bruised in outer malleolus of right foot; worse when standing; less when walking. Valer.
S. sharp pain running through and laming knee, forcing patient to sit down. Bar-c.
S. sinking of strength, with complete prostration. Ars.
S. sinking of strength, with fear or alarm. Acon.
S. swelling of one foot and of sole. Cham.
S. unbearable stitch in left hip when walking. Natr-s.

Suddenly.—Cramps in toe joints s. as if sprained. Ran-b.
Sharp pains in legs, coming on s. and leaving s. Iris. (Bell.)

Suggilations.—Acute painful s. on dorsum of foot. Ferr-ph.

Sun.—Weakness of legs on attempting to rise; could not stand (in affections of brain, or after being exposed to hot s.). Glon.

Suppressed.—Fetid or s. sweat on feet. Nitr-ac.

Suppression.—Feet cold (after s. of foot sweat). Sil.
S. of sweat on feet. Thuja. (Sil.)

Suppurating.—S. pains in hip and knee joints. Sil.

Suppuration.—Pulsation in hip joint as from beginning of s. Staph.
Strumous ulceration of joints, with long-continued or retarded s. Hep-s.
S. and caries of hip joint. Sil. (Has cured many cases, even where there has been so much destruction that the femoral head has completely escaped from the acetabulum. In from three months to one year it has effectually cured this disease, when used from the 3d to the 30th.)
S. of hip, with profuse perspiration and diarrhœa. China.
Swelling and s. of knees. Sil.

Suppurations.—Feet cold (in chronic s.). Hep-s.

Sweat.—Cold, clammy s. on legs and thighs at night. Merc.
Cold s. on feet. Cocc., Dros., Merc., Sulph.
Cold s. on legs in morning. Euphorb.
Cold s. on upper part of legs. Caps.
Feet cold and s. easily (Indium); s. so acrid it corrodes skin. Iod.
Feet cold, with s. on toes and soles; hands hot. Acon.
Fetid or suppressed s. on feet. Nitr-ac.
Fetid s. on feet. Plumb., Sil., Tellur.
Fetid s. on feet, with soreness about toes. Zinc.
Fetid s. on toes. Thuja. (Sil.)
Itching of toes in evening in bed, with s. between toes. Clem.
Legs and feet cold, after suppression of s. on feet. Sil.
Legs and feet cold, with excessive fetid s. on feet. Sil.
Limbs cold and covered with s. Aur.
Long-continued, warm s. on feet. Led.
Œdema of feet, with copious s. on feet. Kreas.
Offensive s. on feet (Nitr-ac.) causing soreness with rawness between toes. Sep. (Sil.)
Old ulcers on legs, with burning and stinging; profuse s. about knees at night. Ars.
Paralysis of feet after suppression of s. on feet. Zinc.
Profuse, fetid s. on feet, with burning of soles. Lyc.
Profuse inoffensive s. on feet. Lact-ac.
Profuse s. on feet. Indium, Kali-c., Petr.
Profuse s. when walking. Sep.
Rheumatic pains, with s., which does not relieve. Tart-em.
Suppression of s. on feet. Thuja. (Sil.)
S. on feet. Magn-m.
S. on feet, especially between toes, smelling sour, or like sole leather. Kobalt.
S. on soles making them sore. Nitr-ac.
S. on thighs, only at night. Carbo-an.
S. under toes. Tarax.
White swelling of knee, with s. on swollen knee. Lyc.

Sweats.—Rheumatic and arthritic pains in joints and limbs, especially at night; or with copious s., which do not afford relief. Merc.

Sweaty.—Feet cold and s. Lyc.
Swollen or s. feet. Phos-ac.

Swell.—Ankles s. after sitting too long. Rhus-t.
Feet s. and are painful on walking; feels every pebble. Sabad.
Feet s. in evening. Rhus-t.
Swelling of feet make varicose veins s. up. Puls.
Varicose veins s. up and bleed much. Puls.

Swelling.—Arthritis: drawing, tearing pains in toes, with red, shiny s., especially at night; cannot bear heated room; better in cold air Sabin.

Arthritic inflammation and s. of knee. Nux-v.
Arthritic s. Natr-m.
Arthritic s. of feet. China.
Arthritic s. of joints, with cracking on motion. Sulph.
Bloatedness and s. of leg. Dulc.
Burning and s. of feet. Petr.
Chronic inflammation of knee joint, with great s. and partial anchylosis. Sil.
Cold s. around malleoli. Asaf.
Contraction of tendo Achillis, also s. of tendons. Sep.
Drawing and cutting in foot, with sensation as if joint would break, with s. Bov.
Drawing and s. of feet in evening. Bry.
Dropsical s. of legs and feet. Merc.
Erysipelatous inflammation and s. of left leg and foot after dancing. Borax.
Erysipelatous inflammation and s. of leg, with chilliness of body. Calc-c.
Fatty s. of knee, with stinging pains. Dig.
Gout: s., redness and stitches in great toe. Sabin.
Gout: tearing in lower legs, especially in small joints of feet, with s. Caust.
Great s. of left leg from knee to ankle joint; purple, with intolerable itching and burning. Petr.
Great toe red, swollen and painful, especially at night; followed by s. of whole foot. Am-c.
Hard glandular s. of right thigh. Merc-sol.
Heaviness and s. of feet. Sep.
Hot, inflammatory s. of feet, with redness. Bry.
Hot, inflammatory s. of knee. Puls.
Hot s. of ankles and feet. Bry.
Hot s. of feet. Cocc.
Hot s. of feet extending as far up as calves. Puls.
Hot s. of knees. Cocc-c.
Hot s. of right knee. China.
Inflammation and s. of bones. Mez., Sil.
Inflammation and s. of foot, breaking open near toes. Carbo-an.
Inflammation and s. of knee, with pricking and burning pain; worse from touch. Iod.
Inflammatory red s. of dorsum of feet and toes, with contraction when stepping on them. Thuja.
Inflammatory s. of joints. Rhus-t.
Inflammatory s. of knee. Sil.
Inflammatory s. of knee, with occasional stitches; slightest touch or motion causes intense pain. Cocc.
Obstinate s. of foot. Led.

Œdema and s. of ankles (in people who travel much). Rhus-t.
Œdema or dropsical s. of legs. Merc.
Œdematous s. of legs. Merc-sulph.
Œdematous s. of legs and feet. Colch., Iod., Rhod.
Œdematous s. of legs up to abdomen. Fluor-ac.
Œdematous s. of limbs. Led. (Apis, Ars., Rhus-t.)
Œdematous s. of lower legs and feet. Samb.
Œdematous s., with diarrhœa. Acet-ac.
Œdematous, white s. of feet; feel cold and heavy. Kreas.
Pain, as if sprained, in metacarpal joints of toes, with sensation of s. Berb.
Painful, hard s. in bend of knee; unable to extend limb. Magn-c.
Painful s. in ball of right great toe; pain suddenly shoots into body to region of heart, or some other part. Daph.
Painful s. of knee (succeeding gonorrhœa). Clem.
Painfulness of bones, with softening and s. of bones and periosteum. Asaf.
Painless s. of knee. Puls.
Pains in joints, with s. and redness. Natr-m.
Paralysis of legs, with s. and emaciation. Plumb.
Periotitis and s. of bones, especially tibia, with violent nightly pains. Mez.
Phlebitis: great pain and s. of right leg to hip; veins sensitive to touch; cutaneous veins hard, swollen and painful. Ham.
Pleurodynia: rheumatic pains in joints, with heat and s. Cimicif.
Purple and mottled s. of feet and legs up to knees; pitting on pressure; rending pains in periosteum; comfortable only when holding feet in ice water. Led.
Purplish black s. about ankle joint. Grind.
Red, hot s. of feet up to calves. Puls.
Red, hot s. of feet, with contracting, burning pain, increasing to stitching pain when standing. Puls.
Red, shining, hard s. in right tibia. Merc-sol.
Redness, and s. of toes, as if frozen. Carbo-v.
Redness, inflammation and s. of left leg, with violent itching and gnawing. Natr-c.
Redness, inflammation and s. of toe, with burning pain after getting wet. Nitr-ac.
Rheumatic affections of joints, with red, shining s. Mang.
Rheumatic gout: s. and heat of knee, ankle joints and small joints of toes, with drawing, contractive pain and chilliness. Puls.
Rheumatic, red, shining s., with stitches. Bry.
Rheumatism: feeling of heat in painful limbs; s. of joints; can bear no heat. Guaj.
Rheumatism: great s., pain and stiffness of knee; could not raise foot. Berb.

Rough, hard, bony s. several inches long covering whole width of tibia. Calc-flu.

Scrofulous inflammation, with hot, bright-red, shining s. of knee; shooting, stitching and burning pains; least motion of body or foot, or least touch or pressure upon s. causes excruciating pain. Iod.

Severe pain and s. of ankle joints. Podo.

Shining, red, inflamed s. of all toes. Thuja.

Soft, painless s. of knee. Sep.

Sudden s. around ankle in evening. Stann.

Sudden s. of one foot and of sole. Cham.

S. and burning of feet, with black spots. Sec.

S. and caries of tibia and bones of feet. Asaf. (Hep-s., Sil.)

S. and inflammation of joints. Lyc.

S. and pain in left knee. Cic-v.

S. and pain in right ankle. Rhus-r.

S. and redness of feet. Sil.

S. and redness of joints, with erratic pains rapidly changing from one part to another. Puls.

S. and redness of tips of toes, with burning pain. Mur-ac.

S. and softening of bones. Guaj.

S. and stiffness of feet. Sticta.

S. and stiffness of joints (after sprains, over-lifting or over-stretching.) Rhus-t.

S. and stiffness of knees. Lyc.

S. and suppuration of knees. Sil.

S. and weakness of feet. Puls.

S. around ankles. Lyc.

S. of ankles. Asaf., Stann.

S. of bones. Sulph.

S. of bones of legs. Merc.

S. of dorsum of foot. Merc., Merc-sol., Puls.

S. of dorsum of foot, sometimes extending along leg to thigh, with great inclination to stretch out foot. Puls.

S. of feet. Arn., Ars., Bell., Carbo-an., Caust., China, Cocc., Ferr., Graph., Kali-c., Lach., Led., Lyc., Natr-m., Opi., Phos., Plumb., Sars., Sec., Sep., Sil., Therid.

S. of feet and toes, with stinging in them when walking or stepping. Natr-c.

S. of feet and up to knees. Led. (Ars., Dig., Laur.)

S. of feet by day, diminishing at night. Dig.

S. of feet, followed by rapid emaciation. Iod.

S. of feet in evening, or when walking. Phos.

S. of feet makes varicose veins swell up. Puls.

S. of feet, which are sensitive. Sabad.

S. of feet, with burning. Crotal.

S. of feet, with burning and stinging, and sensation as if full of pins. Dory.
S. of feet, with burning pain. Coni.
S. of feet, with hot, shining, burning, red spots, or black, blue blisters. Ars.
S. of foot in evening. Cocc.
S. of instep. Puls., Thuja.
S. of joints. Bry.
S. of joints after fatigue from walking. Actea-s.
S. of knee. Apis, Sulph. (Right knee. Lyc.)
S. of knee joint. Nux-v.
S. of knee, with tearing, drawing pains. Puls.
S. of knees. Bry., Calc-c., Cocc., Hep-s., Iod., Lach., Led., Lyc., Puls., Sil.
S. of the knees and feet, and around the ankles (with dyspnœa). Hep-s.
S. of knees, with contractive pain in ligaments. Bry.
S. of leg. Graph.
S. of legs. Acon., Bry., Calc-c., Colch., Led., Lyc., Merc., Puls., Sep., Sil., Sulph.
S. of legs and feet. Graph.
S. of legs burning like fire. Crotal.
S. of legs rising as far as knees when sitting and standing. Sep.
S. of right knee, with pain as from ulceration in whole leg, with pains in kidneys. Benz-ac.
S. of soles; pain when walking. **Lyc.**
S. of sore foot. Graph.
S. of tarsal bones. **Merc.**
S. of thighs. Coni.
S. of tibia. Phos.
S. of toes. Arn., Carbo-an., Carbo-v., Graph., Merc., Merc-sol., Led., Pæon., Sulph., Thuja.
S. of toes and balls of toes. Graph.
S., softening and caries of bones. Merc. (Sil.)
S., tearing and soreness in great toe preventing sleep. Natr-c.
S., with drawing, sticking pains in knee when walking. Led. (Bry.)
Synovitis: much s., with erratic, tearing pains. Iod.
Synovitis: soft, white, shining s. of knees. Puls.
White s. of joints. Rhus-t.
White s. of knee. Iod.
White s. of knee, with intolerable, tearing pains; worse during rest and at night. Rhod.
White s. of knee, with sweat on swollen knee. Lyc.

Swellings.—Gouty s. which are red and shining. Sabin.
Hard, cellular s. of legs. Bad.
Varicose s. Acet-ac.

Swollen.—Acute arthritic rheumatism; knees s., painful, throbbing, with cutting, stinging pains. **Acon.** (Also apply cloth saturated with dilution.)

All toes inflamed, shining, red and s.; itch and burn after walking. Thuja.

Ankles s., with cutting pains in feet (during chill). Chin-s.

Articular rheumatism, with s. and painful joints. Ham.

Ball of great toe painful and s.; worse on stepping; tendons stiff. Led.

Dropsy: foot and ankle s. and stiff; swelling pale, clear, wax-like. Apis.

Feeling as if bends of knees were s. **Nitr-ac.**

Feet cold and s. Hyos., Sulph-ac.

Feet s. Arg-m.

Feet s. and feel as if asleep. Sep.

Feet s. and stiff. Tart-em.

Feet s., feel heavy and stiff. Apis.

Feet s., with sensation as if gone to sleep. **Sep.**

Great toe red, s. and painful, especially at night; followed by swelling of whole foot. Am-c.

Heels s., red and painful, with stitches. Petr.

Knees feel s. when sitting, with pinching in bends of knees. Ammoniac.

Knees inflamed and s., with shooting pains. Puls.

Left hip and hip joint s., hot and very painful to touch, with anxiety, fear and great thirst. Acon.

Legs and feet enormously s., numb and stiff; can hardly walk; with albuminuria or general dropsy. Apis.

Œdema of ankles; feet s. Phyt.

Pain in sole on stepping (Ant-c.), as if it were too soft and s. Alu.

Pain in sole when pressing it to ground, as if it were soft and s. Alu.

Phlebitis: pain and swelling of right leg to hip; veins sensitive to touch; cutaneous veins hard, s. and painful. Ham.

Rheumatism: pains go from below upward; joints s., painful, hot and tense; drawing pains; worse from warmth and motion. Led.

Right femur from knee to middle greatly s. Mez.

Sciatica: drawing, pressive pain down to knee, with great exhaustion and difficult walking; cramps in calves, and s. feet; there is marked consecutive muscular atrophy. Plumb.

S. or sweaty feet. Phos-ac.

Synovitis: knee joint red, s. and excessively painful to touch and on motion. Bry.

Toes red, s. and stinging, as if frosted. Carbo-v.

Veins on dorsum of foot s., and between s. veins red patches which do not disappear on pressure. Croton-tig.

Synovitis.—Acute s. of knee, followed by effusion. Apis.

Subacute and chronic s. Sulph.

S.: knee joint red, swollen and excessively painful to touch and on motion. Bry.
S.: much swelling, with erratic, tearing pains. Iod.
S. of knee joint. Fluor-ac.
S.: soft, white, shining swelling of knees. Puls.
Syphilis (see section on Sexual Organs).—Pains in bones at night (with s.). Asaf.
Tearing, darting and gnawing pains in limbs (after Mercury or s.). Kali-jod.
Tearing pain in tibia (from tertiary s.). Kali-bi.
Syphilitic.—Exostosis and osseous enlargements (s.). Mez.
Nodes upon shin bones, with severe nightly pains (s.). Nitr-ac.
Obstinate ulcers (s.) on inner side of soles; appear as if punched out; round, with sharp edges and smooth sides, with lardaceous base. Phyt.
Periosteal rheumatism (of s. origin); bones enlarged and intensely painful at night. Kali-jod.
Sciatica: pressing, shooting, drawing, aching in thigh; pain external; with soreness in left groin; great lassitude and desire to lie down (s. and gonorrhœal). Phyt.

Tarsal.—Jerking, tearing in t. and metatarsal bones, also in toes. China.
Scrofulous ulcers in hollow of sole, and over t. and metatarsal bones, discharging pus and sanious matter. Hydr.
Tarsal bones.—Heaviness in right foot, as if heavy weight were attached to t. drawing foot down. Agn.
Pressing pain in t. Bism.
Rending, tearing in t. Arg-m., Bism., China, Teucr.
Swelling of t. Merc.
Tarsal joint.—Cracking in t. at every step. Magn-s.
Drawing in t. when sitting. Valer.
Itching of t. Cocc.
Pain gradually rising from t. to hips, necessitating constant motion and shifting of feet while sitting. Bell.
Pain in hip joint and t. during motion, as if sprained. Laur.
Pain in knees, tibia and t., as if had been used too much. Cor-r.
Painful weight in t. Cupr.
Stiffness of t. Ambr.
Tearing in t. Ammoniac.
Tarsal joints.—Cracking in knee and t. when stretching limb. Thuja
Cracking of hip, knee and t. Camph.
Frequent tearing in t. Kali-c.
Pain, as from sprain, in t. Arn.
Pain in tendons of t., as if too short, when walking. Sep.
Paralytic condition of t. Natr-m.

Rigid and stiff feeling in t. Dros.

Stiffness of knees and t., thighs and small of back in morning when rising. Ign.

Violent pain in t., as if sprained, during motion. Cocc.

Tearing.—Acute, crampy, t. pain in posterior muscles of calf; better in morning and from rubbing; worse in afternoon and when quiet. Valer.

Arthritic t. in feet and toes. Graph.

Arthritic t. in hips. Graph.

Arthritis: drawing, t. pains in toes, with red, shiny swelling, especially at night; cannot bear heated room; better in cold air. Sabin.

Boring and t. in thighs. Sabad.

Boring, t. and bruised bone pains in legs. Aur.

Boring, t. pains change from right hip joint to other parts; worse at night. Arn.

Burning, gnawing, t. pains in bones and legs. Phos-ac.

Burning, t. in toes and under nails. Caust.

Burning, t., stitching in corns. Thuja.

Continual boring or t. pains in great toes. Sil.

Cramp-like contraction of toes, with t. pains in limbs. Cham.

Cramp-like, drawing and t. pains from toes to dorsum of foot. Anac.

Drawing, t. and twitching in thighs. Magn-m.

Drawing, t. pain in leg, as of an internal ulcer; worse on touch, but most peculiar pain is a contraction which increases until very acute, then ceases suddenly with a snap; worse evening. Puls.

Drawing, t. pain in muscles here and there when sitting. Staph.

Drawing, t. pain in patella. Cocc.

Drawing, t. pains in all joints and in thigh. Acon. (Bry., Rhus-t., Puls.)

Drawing, t. pains in joints. Cist.

Drawing, t. pains in legs. Cocc., Kali-c. (Rhus-t.)

Drawing, t. pains in legs and joints. Spig. (Bry., Led.)

Drawing, t. pains in limbs, with chilliness. Puls.

Drawing, t. pains in one leg, with chilliness. Puls.

Fine shooting and gnawing pains along bones, with violent t. in joints. Bell.

Fine, t. in left toes, especially underneath. Led.

Fine, t. pain in muscles of left foot. Spig.

Frequent t. in tarsal joints. Kali-c.

Gout: drawing pain in knees; in lower part of left tibia; in left heel; t. through right great toe. Ant-c.

Gout: t. in lower legs, especially in small joints of feet, with swelling Caust.

Gouty t. in feet and toes. Graph.

Great toe red, with t. or stinging when walking or standing. Natr-m.

Hammering, t. pain in thighs; worse from motion. Sec.

Hard, dull, or t. pains in hips. Dios.
Inflammatory rheumatism of right knee, with t. in fistula. Lob.
Jerking, t. in tarsal and metatarsal bones, also in toes. China.
Jerking, t. in tips of toes. Merc.
Knees swollen, with t., drawing pains. Puls.
Nodosity above knee, aching and t. Kali-c.
Pain, as from a bruise, in left knee; t. when walking or standing. Coni.
Paroxysms of excruciating neuralgia in sciatic nerve and perinæal branches, preceded by great coldness and shivering; worse at night, obliging patient to get up and walk about room; pain acute, t., digging, boring; lasts sixty to ninety minutes, then slowly disappears. Ign.
Piercing, drawing, t. pains in legs. Millef.
Pulsative, t. pain in right calf when sitting, in afternoon. Valer.
Rending, t. in ankle joints. Arn., Teucr.
Rending, t. in bones. Agar., Aur., Kali-c., Lyc., Merc., Teucr.
Rending, t. in feet. China, Colch., Rhod.
Rending, t. in heels. Am-m.
Rending, t. in knees. Arn., Bell., Caust., China, Led., Lyc., Phos., Zinc.
Rending, t. in lower extremities. Agar., Am-m., Ambr., Ars., Bell., Canth., Cham., China, Ign., Kali-c., Kali-n., Lyc., Puls., Rhod., Rhus-t., Sil., Sulph., Ver-a., Zinc.
Rending, t. in tarsal bones. Arg-m., Bism., China, Teucr.
Rending, t. in thighs. China, Kali-c., Rhus-t., Zinc.
Rending, t. in toes. Am-m., Arg-m., China, Colch., Ol-an., Teucr.
Rheumatic drawing, t. pains in legs; worse at rest and in rough weather. Rhod.
Rheumatic, t. pains in legs. Benz-ac.
Rheumatism: t., stinging pains; worse at night; with profuse perspiration. Merc.
Sciatic or crural neuralgia (in gouty, rheumatic subjects), with t., stitching pain; worse on motion. Coff.
Sciatica, with severe, burning, t. and drawing, pains. Ars.
Sharp, t., stinging or pricking in lower part of calf. Ind.
Shooting and t. in hip joint, which pains as if bruised when touched; worse evening in bed; must get up and walk about. Ferr. (Rhus-t.)
Shooting and t. in toes when sitting and standing. Am-m.
Shooting and t. pains in toes in evening. Am-m.
Shooting, t. pain in knee. Clem.
Shooting, t. pains from hip to knee and foot, especially when coughing. Caps.
Shooting, t. pains in knees, ankles and toes. Acon.
Shooting, t., rheumatic and arthritic pains in muscles of legs. Ran-b.

Stinging, t. pains in limbs. Laur.
Swelling of knee, with t., drawing pains. Puls.
Synovitis: much swelling, with erratic, t. pains. Iod.
Swelling, t. and soreness in great toe preventing sleep. **Natr-c.**
T., aching pains in legs (in diphtheria). Lach.
T. and drawing pain in leg. Alu.
T. and shooting pains in hip, thigh and groin. Ars.
T. and stiffness in knee. Phos.
T. and stinging in limbs; worse on least motion. Guaj.
T., burning pains, with cramp in thighs, calves and toes, with great weakness on movement. Ars.
T., cramp-like pain in dorsum of foot along outer surface, and along outer surface of calf. Camph.
T., darting and gnawing pains in limbs (after Mercury or syphilis). Kali-jod.
T., drawing and cutting pains from heel through sole and toes. Kreas.
T., drawing, gnawing, stinging pains in bones. Canth.
T., drawing pains in joints. Rhod.
T. in anterior joints of left toes; worse when walking. **Agn.**
T. in backs of middle toes of left foot. Arg-m.
T. in bones of legs, especially at night. Nitr-ac.
T. in inner side of knees, as from a jerk. Acon.
T. in joints of left toes, most violent when walking. **Agn.**
T. in joints. Bell., Lachn.
T. in limbs. Lach.
T. in margin of left foot. Ambr.
T. in middle toe of left foot, also in ball of left little toe and sole. Mez.
T. in tarsal joint. Ammoniac.
T. in tips of left toes and under nails when walking. **Camph.**
T. in toes. Kali-c.
T. in toes with cutting pains toward tips. Canth.
T., jerking and drawing pain in knees. Puls.
T. pain from knees down to malleoli at night. **Croc.**
T. pain in acetabulum. Caust.
T. pain in back of legs. Ign.
T. pain in calf extending downward. Caust.
T. pain in feet after getting wet. Dulc.
T. pain in feet (of pregnant women). Phos.
T. pain in heels. Natr-s.
T. pain in hip. Lach.
T. pain in hip joint. Magn-s., Merc.
T. pain in hip joint and knee before suppuration. **Merc.**
T. pain in hips and knees, even when sitting. Kali-c.
T. pain in hips and legs. Nicc.
T. pain in knee. Millef.

T. pain in knees. Caust., Cist., Euphorb.
T. pain in knees and knee joints. Am-c.
T. pain in knees and tibia. Laur.
T. pain in knees, over legs and feet. Kali-c.
T. pain in left knee; worse at night. Kali-jod.
T. pain in left leg, especially in knee and ankle joint. Carbo-an.
T. pain in metatarsal bones. Sabin.
T. pain in middle of right thigh. Lyc.
T. pain in outer side of left leg when sitting. Caust.
T. pain in right ankle, as if sprained, when walking. Dros.
T. pain in sole of right foot. Æth.
T. pain in tendo Achillis and calf, as if parts would be cut off; worse standing, walking, or exerting muscles. Ign.
T. pain in tibia (from tertiary syphilis). Kali-bi.
T. pain in tips of toes; worse when walking. Agn.
T. pain in toes; worse when walking. Carbo-an.
T. pain just above left knee joint extending to point hand's breadth above ankle. Ind.
T. pain when sitting; better on movement. Agar.
T. pains and numbness of feet. Bism.
T. pains in back and legs. Ign.
T. pains in front part of thigh when sitting. Am-m.
T. pains in joints. Sars.
T. pains in knees and ankles; worse during rest. Rhus-t.
T. pains in knees like jerks. Puls.
T. pains in legs below knees. Cinnab.
T. pains in legs, especially at night. Nitr-ac.
T. pains in legs, muscles and joints from above downwards. Sulph. (From below upward. Led.)
T. pains in limbs; relieved by rubbing. Canth.
T. pains in lower limbs, mostly in knees and feet. Natr-c.
T. pains in middle of inside leg. Bell.
T. pains in soles, above knees and in back. Puls.
T. pains in toes. Kali-c.
T., pricking pains in legs, with heat. Guaj.
T., shooting and rapidly-shifting pains in joints, especially smaller joints. Iris.
T., shooting pains in thighs. Berb.
T., stitching pain in hips and thighs. Sil.
T., stitching, throbbing, or bruised pain in legs. Berb.
T. under nails. Carbo-v.
Tumor or white swelling of knee, with t. pains. Ant-c.
Violent drawing or t. pain in both legs from toes to thighs. Caust.
Violent, t. in ball of little toe. Mez.
Violent, t. pain in knees and patellæ, and from knees down to toes. Alu.

Violent, t. pains in heels, as from ulceration. Am-m.
Weakness in knee joints and t. pain, with pressure when walking. Led.
White swelling of knee, with intolerable, t. pains; worse during rest and at night. Rhod.

Temperature. — Legs weak after every change of t. Actea-s.

Tender. — Exostosis, with severe bone-pains at night; periosteum very t. Aur.

Tenderness. — Aching pain in sacro-ischiadic foramen, with t. on pressure (sciatic rheumatism). Podo.
Great t. and sensitiveness of soles when walking. Ant-c.
Singular, pulsating pain, with feeling as if opening and shutting in middle of anterior portion of right thigh; leaving a severe aching and t. to pressure when lying down. Chim.

Tendo Achillis. — Burning in right heel and t.; part feels as if had gone to sleep. Arg-n.
Contraction of t. also swelling of tendons. Sep.
Erysipelatous inflammation of t. Zinc.
Pains behind t. Calad.
Stitches in heel above t. Thuja.
Tearing pain in t. and calf, as if parts would be cut off; worse standing, walking, or exerting muscles. Ign.
Violent pain with contraction of t. and left foot. Can-sat.

Tendons. — Ball of great toe painful and swollen; worse on stepping; t. stiff. Led.
Contraction of muscles and t. Cupr.
Contraction of tendo Achillis, also swelling of t. Sep.
Contraction of t. Mez.
Contraction of t. of muscles of legs. Valer.
Drawing in or contraction of muscles of t., especially hamstrings. Natr-m.
Feeling as if t. were too short in bend of knees on rising. Nux-v.
Pain in joints, with contraction of t. (during chill). Cimex.
Pain in left hip, as if t. were too short; has to limp when walking. Am-m.
Pain in t. of the muscles of the calf, as if stretched, with lameness. Kali-bi.
Pain in t. of tarsal joints, as if too short, when walking. Sep.
Sensation of shortening of t. Ambr., Am-c., Bar-c., Caust., Natr-c., Phos., Puls., Sil., Zinc.
Shortening of t. Coloc.
Stitches in joints and t. Kali-c.
Subsultus and spasmodic movements of t. Canth.
T. feel as if shortened. Ruta.
T. of knees seem too short. Caust.
Violent, contractive pain in external t. of left knee. Ox-ac.

Tension.—T. in bend of knee. Graph.
T. in calves. Bry., Sabad.
T. in instep. Bry.
T. in joints, as if muscles were shortened. Am-m.
T. in knees. Arn., Bry., Led.
T. in legs. Bry. (Bar-c.)
T. of muscles. Nux-v.

Testicles (see section on Male Sexual Organs).—Stitches from left foot through thigh into t. Bar-c.

Tetter.—Herpes or t. in bend of knee. Graph.
Itching t. in bend of knee. Ars.

Thick.—T. and deformed nails. Graph. (Ant-c.)
T., inflamed, deformed nails. Sabad.

Thigh.—Bruise-like pain in t. alternating with burning and pressure in breast. Sang.
Contraction from hip joint to groin and along posterior part of t. down to knee. Thuja.
Cramp in right t. and calf at night. Kali-c.
Cramp-like pain in posterior surface of t. Cycl.
Cramp-like pain in right t. above popliteal space. Cycl.
Cramps in t. Hyos.
Cutting and darting pains in muscles of t. when sitting. Bell.
Cutting stitches in outer muscles of right t. just above knee when sitting. Bell.
Cutting stitches over right t.; must get up for relief; pains worse from rising, but better on slowly walking. Sep.
Drawing and burning in t. Lyc.
Drawing in muscles of t., which is sensitive to touch. Dulc.
Drawing pain in muscles of t. at night forcing patient to move, does not know what to do, with sleeplessness and great chilliness. Puls.
Drawing pain in right t. down to knee. Coloc.
Drawing pain in t. Sep.
Drawing pains in bones of t., as if periosteum had been scraped with knife. China.
Drawing, pressive pains in left hip joint, t. being extended when sitting. Arn.
Drawing stitches in t. Mang.
Drawing, tearing pains in all joints and in t. Acon. (Bry., Rhus-t., Puls.)
Electric shock upward through t., followed by numbness. Euphr.
Eruption on t. Rhus-r.
Furuncles on right t., painful on motion. Calc-c., Hell., Kali-c.
Gnawing, itching ulcers on outside of t. Merc.
Great pain in right t., extending from head of femur along anterior surface of t. to knee. Bry.

Great soreness in left t. Gels.
Hard, glandular swelling of right t. Merc-sol.
Herpetic eruption on posterior surface of t. Merc.
Itching, burning pain in small spot in right hip, then in t., then in little toe. Lith-c.
Jerking in right t.; relieved by standing or drawing leg up. Meny.
Numb and hot feeling in t. Graph.
Numbness and lameness of left t. Acon.
Numbness of hip joint and t. when walking, especially when moving leg forward, with stitches when setting down foot. Arg-m.
Occasional stitches in anterior middle of right t. Dros.
Pain, as from bruise, in anterior muscle of t. Hep-s.
Pain in bones of t. and leg. Mez.
Pain in flexors of left knee and immediately above patella, extending upward and around t.; pain as if limb were heavily grasped. Chim.
Pain in hip and t.; intolerable when standing, as if t. would break; worse when straightening out limb; has to support foot on affected side resting on chair. Valer.
Pain in right hip joint and t., with pain in ankle, as if sprained, when walking. Dros.
Pain in right t. and knee when sitting and walking. Cist.
Pain in right t. when walking, as if psoas magnus muscle were shortened. Coloc.
Pain in sacral region corresponding to position of plexus ischiadicus, thence extending through incisura ischiadica major toward hip joint down posterior portion of t. into fossa poplitea, with sensibility of parts. Coloc.
Pain in t. when crossing legs. Dig.
Pain in t. when walking, as from a blow. Arn.
Paralysis of left t. and knee. Chelid.
Pressure about t., with feeling of weakness. Mosch.
Rheumatic drawing in right t. and leg. Zinc.
Rheumatic pain in left hip or on inside of right t. Sang.
Rheumatic pain in muscles of left t. just above knee. Daph.
Right t. and leg spasmodically jerked up while sitting. Meny.
Sciatica: intense, stinging, aching and bruised pain in middle of posterior of t., extending to knee. Ind.
Sciatica: pain in sacrum extending down sciatic nerve to right t.; worse: when pressing; at stool; coughing; laughing; lying on affected side. Tellur.
Sciatica: pain running from hip to knee down outside of t.; worse afternoon and evening and on any change in weather; pressure causes pain to shoot along entire length of nerve. Kali-bi.
Sciatica: pressing, shooting, drawing, aching in t.; pain external; with soreness in left groin; great lassitude and desire to lie down (syphilitic and gonorrhœal). Phyt.

Sciatica: unbearable, neuralgic pain when standing, with feeling as if t. would break off. Valer.
Sensation of contraction in right t.; leg feels shorter. Ambr.
Sensation of trembling and weakness in right t. when walking. Coni.
Shooting and dull, aching pain in left t. in course of sciatic nerve, extending down to instep and toes. Elat.
Singular, pulsating pain, with feeling as if opening and shutting in middle of anterior portion of right t.; leaving a severe aching and tenderness to pressure when lying down. Chim.
Soreness in inner side of left t., with biting and itching extending to genitals. Lyc.
Stitching pain in left t. Tarax.
Stitches from left foot through t. into testicle. Bar-c.
Stitches in t., knee and heel, only at night. Calc-c.
Tearing and shooting pains in hip, t. and groin. Ars.
Tearing pain in middle of right t. Lyc.
Tearing pains in front part of t. when sitting. Am-m.
Twitching of muscles of t. Iod.
Uneasy feeling in t. and leg. Carbo-v.
Violent itching nettle rash on t. and inside of knee. Iod.
Violent pain in legs affecting mostly muscular part of t., worse evening and night. Plumb.
Very painful, tremulous, jerking stitches in t. and upper border of ilium when sitting. Ang.

Thighs.—Aching and soreness in t. Ham.
Aching pains in back part of t. Ptel.
Blisters on t. and legs after scratching. Lach.
Boils on t. Sep.
Boils on t. causing violent sticking pain. Nux-v.
Boring and tearing in t. Sabad.
Boring pain in t. Ran-b.
Bruised pain in t. and legs. Caust.
Burning itching in outer part of t. Dulc.
Burning pain in t. Bov., Croton-tig., Rat., Rhus-t.
Burning pains in both legs from t. to ankles. Apis.
Chafed between t. China, Hep-s., Petr., Sep., Sulph.
Cold, clammy sweat on legs and t. at night. Merc.
Corrosive itching of t. Euphorb.
Cramp in t. Asar., Can-sat., Hyos.
Cramp in t. when walking. Sep.
Cramps in calves and t. almost every night. Ambr.
Cramps in calves, t. and feet, with diarrhœa of painless, watery stools. Podo.
Cramps, with knots or lumps on t. Ipec.
Crampy, contracted feeling in t. and legs. Alu.
Crampy sensation in outer part of t., legs and feet. Berb.

Crampy sensation in t. and legs when sitting. Iod.
Crawling in t. Guaj.
Cutting pain in t. Sulph-ac., Zinc.
Cutting pains in t. when walking. Sep.
Darting pains in t. and toes. Sticta.
Drawing and contraction in t. and legs in evening, with great restlessness, sleeplessness and chilliness. Puls.
Drawing in t., as if bound or wrapped tightly. Plat.
Drawing pain at night in muscles of t. Puls.
Drawing pain in hip joint extending to t. Carbo-v.
Drawing pain in hips, t., legs and feet; more on right side. Chelid.
Drawing pain in inside of t. Natr-ph.
Drawing pain in legs, especially when walking, with feeling of paralysis in t. Hep-s.
Drawing pain in t. Arn., Natr-m., Ol-an., Ran-b.
Drawing pain in t. extending downward. Ran-b.
Drawing pains in t., knees, ankles, feet and toes. Caul.
Drawing, tearing and twitching in t. Magn-m.
Dry heat of t. and small of back, with coldness in back. Sulph.
Dull pressure and pain in t., in rhythmical intermission; pain intermits regularly as beats of music. Anac.
Emaciation of t. and feet. Selen.
Eruption between t. Petr., Selen.
Eruption on t. Merc., Nitr-ac., Nux-v., Osm., Petr., Thuja.
Excoriation of t. after walking. Æth.
Furuncles on t. Cocc., Clem., Hyos., Ign., Lyc., Nitr-ac., Sil
Hammering, tearing pain in t.; worse from motion. Sec.
Hamstrings feel too short; knees flexed; attempting to stretch them causes pain in t. (during intermittent). Cimex.
Heaviness in t. Rhod.
Heaviness of t. and legs when walking, with stiffness of knee joints. Bell.
Herpes between t. Natr-m., Petr.
Herpes on t. Clem., Graph.
Insensibility of t. Graph.
Itching and rash on t. and ankles. Osm.
Itching and stinging in internal sides of t. Staph.
Itching between t. Petr.
Itching in t. and bends of knees. Zinc.
Itching of t. Calc-c.
Jerking in muscles of t. Kali-c.
Marbled skin of t., legs and dorsum of feet. Caust.
Middle and anterior surface of t. feel bruised and painful. Sabin.
Nettle rash on t. Al-cep.
Neuralgic pains in t. and legs. Cod.
Numb feeling in t. and legs. Iod.

Numbness and stiffness of t., knees and toes. Graph.
Numbness of t. Cad., Ferr.
Pain as from bruises in t. and legs in morning when in bed. Caust.
Pain as if bruised in t. Am-c., Laur.
Pain in groins extending down inside of t. Antipy.
Pain in muscles of t. as if bruised, when walking. Calc c.
Pain in muscles of t., knee joints and legs (with chill). Cimex.
Pain in uterine region shooting down t. to knees. Cimicif.
Pain in t. Ars., Merc., Mez., Murex, Nitr-ac., Pareira, Phyt.
Pain in t. and legs as if broken. Bell.
Pain in t. and legs as if bruised. Dig.
Pain in t. as if bruised. Plat.
Pain in t. as if sprained. Mosch.
Pain in t. when walking. Staph.
Painful and excessive weakness and weariness of t. and legs. Agar.
Painful weariness of legs, especially t. and feet, as after long walk. Calc-c. (China.)
Pains in hips and t. extending to knees. Sep.
Pains in t. Nux-m.
Paralytic, drawing in muscles of t. and calves; painful when walking. Nux-v.
Paralytic heaviness and weakness in legs, especially in t. and knee joints. Stann.
Paralytic pain in t. China.
Paralytic weakness in t. and knees when stepping. Chelid.
Pressing pain in t. Anac., Guaj., Oleand.
Pressive pain in both hip joints on every step, with paralyzed sensation in anterior muscles of t. Rhus-t.
Rending, tearing in t. China, Kali-c., Rhus-t., Zinc.
Scarlet rash on t. and ankles. Osm.
Sciatica: deep-seated, tearing and gnawing pains in hips and t. Elat.
Sciatica: neuralgic pains in outer side of both t. Phyt.
Sensation as if warm water were running down t. (with leucorrhœa). Borax.
Severe pain in back, througn hips and down t. (during menses). Cimicif.
Shooting, aching pains from t. down to condyles. Cinnab.
Shooting pain in t. (from liver). Kobalt.
Skin of legs brown (inside t.). Thuja.
Sore and raw between t. and in bend of knees. Ambr.
Soreness between t. during and after walking. Graph.
Soreness between t. and genitals. Merc., Merc-sol. (Graph.)
Sticking and drawing in t.; worse at rest. Hyos.
Stiffness of t. Graph.
Stinging sensation in both t. Sabad.
Stinging pain in t. Bry., Sep., Spig.

Stitches in muscles of t. Sabad.
Stitches in t., calves and soles. Tarax.
Stitching pains in t., knees and legs. Sars.
Sweat on t., only at night. Carbo-an.
Swelling of t. Coni.
Tearing, shooting pains in t. Berb.
Tearing, stitching pain in hips and t. Sil.
T. and legs feel weary and exhausted. Natr-s.
T. numb and cold (with fever). Spong.
T. sore to touch. Merc.
T. spasmodically drawn forward or backward. Spong.
Throbbing in t. Berb.
Twitching and jactitation of muscles of both t. Asaf.
Ulcerative pain in glutei muscles and t. when sitting. Kali-c.
Unsteady, staggering gait, owing to weakness of t. Mur-ac.
Varices on legs. Puls. (Carbo-v., Zinc). (On t. Ferr.)
Violent drawing or tearing pain in both legs from toes to t. Caust.
Violent itching of t. Bar-c.
Violent tingling in t., legs and feet. Caust.
Weakness and pain in t. as from fatigue, with dread of motion. Guaj.
Weakness of t. China, Ferr., Merc., Plat., Ruta.
Weakness of t. and knees. Sars.
Weakness of t. and legs, with sensation in soles as if asleep when walking. Oleand.
Weakness, with bruised feeling in t. and legs. Murex.
Weariness and restlessness of t. in evening. Merc.
Weariness in internal muscles of both t. as if they would break down. Thuja.
Weariness in t. Sars.
Weariness of t. as after exertion. Rheum.
Weariness of t., with trembling of knees. Puls.
White blotches with red areola on t. Dulc.

Third.—Boring, itching stitch in balls of second and t. toes. Spig.

Thirst.—Left hip and hip joint swollen, hot and very painful to touch, with anxiety, fear and great t. Acon.

Thrill.—Agreeable t. from knees down, with sensation as if bird's claws were clasping knees. Can-ind.
Pain in knee joints like neuralgia, sometimes extending to toes with t. as if foot had been asleep. Lact-ac.

Throbbing.—Acute arthritic rheumatism; knees swollen, painful, t. with cutting, stinging pains. Acon. (Also apply cloth saturated with dilution.)
Burning and t. in corns. Ran-sc.
Burning and t. stitches in bend of foot. Coni.
Drawing twitching, with dull, t. in left hip. Coloc.
Frequent sensitive t. in left great toe. Asaf.

Heat and t. pains in toes. Kali-bi.
Painful t. in tip of great toe. Asaf.
Sciatica: incisive, t., intermittent pains; first every other day, then daily; with chilliness; returns every winter (in mild, melancholy temperaments). Ign.
Tearing, stitching, t., or bruised pain in legs. Berb.
T. and crawling in both heels. Natr-c.
T. and pain, as from ulceration, in foot when walking. Am-m.
T. in joints of feet; worse when sitting. Arg-m.
T. in legs from kness to toes, as from a boil; worse in soles. Kreas.
T. of muscles of legs. Asaf.
T. pain in hip joint. Staph.
T. stitches in left heel when standing. Ran-b.

Thrombosis.—T.: limbs immoveable, covered with reddish or bluish streaks or spots; hard, elastic, hot and very painful. especially along crural vessels and nerves. Apis.

Tibia.—Aching in joints and drawing pain in t. Kali-c.
Aching pain in periosteum of t. Merc.
Blotches on edge of t. Phos.
Boring, burrowing or pressive pains in t. Clem.
Boring, drawing pain in t. Merc.
Boring stitch in right t. during rest. Staph.
Bruised pain in periosteum of t., which is always sore to touch. Phos.
Burning pain in t. Zinc.
Caries of t. Lach., Sil. (Asaf., Kreas.)
Caries of t. and femur, especially of joints. Sil.
Carious ulcers on t., very sore, with greenish, offensive discharge; skin adheres to bone; ulcers painful on edges; with high, hard edges; bleed easily and are very sensitive; pricking on circumference. Asaf.
Cramp in fore part of lower leg near t. Carbo-an.
Cutting pain in t. Magn-c.
Drawing pain from little toe along t. Tarax.
Drawing pain in t. Anac.
Extensive gangrenous periostitis of t., with severe febrile disturbance; periosteum peeled off in large area upward as far as knee joint; bone rough. Phos.
Feeling of coldness in t. Mosch.
Gout: drawing pain in knees; in lower part of left t.; in left heel; tearing through right great toe. Ant-c.
Herpetic eruption on t. Graph.
Inflammation and burning of t. Sabad.
Nightly pains in periosteum of t. Phyt. (Merc.)
Nodes on t. Phyt.
Pain along t., as from subcutaneous ulceration. Iod.
Pain in knees, t. and tarsal joint, as if had been used too much. Cor-r.

Pain in legs, especially in t. and soles, as after over-exertion in walking; legs very restless. Psor.
Pain in middle of t. and fibula down to great toe. Phyt.
Pain in periosteum and along bones, especially t.; worse at night in bed and in damp weather; least touch intolerable. Mez.
Pain, like tingling, in t. at night when feet are crossed; moves legs back and forth and is unable to sleep. Rhus-t.
Painful spots on t. Ambr.
Pains in t. at night. Phos-ac., Phyt.
Periotitis and swelling of bones, especially t., with violent nightly pains. Mez.
Red, itching spots on t. Sulph-ac.
Red, painful spot on t. spreading lengthwise and itching when scaling off. Caust.
Red, shining, hard swelling in right t. Merc-sol.
Rheumatic pains in t. and soles. Chenop-a.
Rough, hard, bony swelling, several inches long, covering whoel width of shin bone (t.). Calc-flu.
Sharp, deep stitches in t. Samb.
Small spots, like freckles, on lower part of t. Phos.
Stitches in patellæ, t. and feet. Viola-tr.
Stitching pain in knees and t. Sulph.
Swelling and caries of t. and bones of feet. Asaf. (Hep-s., Sil.)
Swelling of t. Phos.
Tearing pain in knees and t. Laur.
Tearing pain in t. (from tertiary syphilis). Kali-bi.
Ulcers on legs, usually about t. and ankles or other joints. Psor.
Ulcers on t. Sabin. (Grind.)
Ulcers on t. affecting periosteum, with profuse, watery, offensive discharge. Phos-ac.
Ulcers on t., with lardaceous bottom. Sabin.
Violent drawing and cutting pains through knees and t., especially in evening. Sulph.
Violent pain in t., as if beaten, or as if periosteum were torn off after midnight, disturbing sleep. Mez.

Tickling.—T. creeping in left toes. Euphr.
T. in soles. Hep-s.
T. itching in center of right sole. Arum.
Voluptuous t. on sole after scratching. Sil.

Tied.—Sensation as if cord were t. around leg underneath. Alum.
Sensation as if cord were t. around right leg midway between hip and knee, causing limping and pain; pain subsequently shifting to left leg below knee and from thence into ankle. Am-brom.

Tight.—Pains around left knee, as if bound with something t. Magn-c.
T. and painful stiffness in calves. Coni.

Tightly.—Drawing in thighs, as if bound or wrapped t. Plat.

Knee painful, as if too t. bound. Sil.
Pain in great toe, as if t. bound. Plat.
Sensation in lower leg, as if garters were tied too t. and as if leg would go to sleep and become stiff. China.

Tightness.—T. and stiffness in bend of knee when walking. Caust.
T. in bends of knees. Dig.
Painful t. in calves when walking. Carbo-an.

Tingle.—Feet t. when lying. Hyper.
Legs go to sleep and t. when sitting or when crossing them. Crotal.
Legs t. and go to sleep while walking. Acon.

Tingling.—Burning and t. in feet. Croc.
Crawling, t. in legs. Alum., Calc-ph.
Itching t. in toes, as after being frozen. Puls.
Legs go to sleep, with t. when sitting. Teucr.
Limbs upon which patient lies while asleep seem asleep, with t. on awaking. Puls.
Numbness and t. in legs. Kali-n.
Pain, like t., in tibia at night when feet are crossed; moves legs back and forth and is unable to sleep. Rhus-t.
Rheumatic inflammation of joints; worse evening and night; intense, bright-red, shining swelling, sensitive to least contact (Bry.); numbness and t. in all parts. Acon.
T. and numbness in legs. Sec.
T. and stinging in muscles. Natr-c.
T. commencing in feet and extending upward. Acon.
T. in legs. Sec., Ver-v.
T. in legs, as if insects were creeping over them, or as if they would go to sleep. Ver-a.
T. in limbs, as if had gone to sleep. Ign.
T. in soles when sitting. Magn-m.
T. in toes. Lach.
T. in toes and soles. Kali-c.
T. in toes, as if frost-bitten. Colch., Nux-v., Puls. (Agar.)
T. of toes. Hep-s.
T. pains in soles when stepping. Coni.
T. under toes, as if asleep. Staph.
Violent t. in thighs, legs and feet. Caust.

Tip.—Contusive pain in t. of left middle toe. Mez.

Tips.—Tearing in t. of left toes and under nails when walking. Camph.

Tips of toes.—Blisters on t., as if scalded. Natr-c.
Boring stitches in t. China.
Burning in t. Mur-ac.
Burning in t., which are sensitive to pressure. Sars.
Contraction of muscles of legs; has to walk on t. Sep.
Crawling in t. Colch.
Jerking tearing in t. Merc.

Pricking in t., as if they had gone to sleep. Am-m.
Sore pain in t. Ran-b.
Stitches in soles and t. during rest. Puls.
Stitches through t. Caps.
Swelling and redness of t., with burning pain. Mur-ac.
Tearing pain in t.; worse when walking. Agn.
T. painful when walking. Kali-c.
Ulceration of t. Carbo-v.
Ulcerative pains in t. Coni.

Tired.—Fatigued, t. feeling and uneasiness in legs, as after long walk. China.
Feet feel t., as if had walked long distance. Eupat-purp.
Feet feel weary and t. Magn-c.
Knees t. and weary, with prostration. Natr-s.
Legs feel heavy and t. Sec.
Legs feel t. (at end of chill). Cimex.
Legs t., weak, restless. Calc-ph.
Legs, weak, t. and heavy. Agar.
T. and bruised feeling in legs, with great sensitiveness to touch or pressure. Apis.
T. feeling in legs when at rest. Acon. (Rhus-t.)
T. lameness of legs. Kali-brom.
Tremulous restlessness and t. feeling in legs and feet when sitting. Plat.
Weak, t. feeling in legs. Gels.

To and fro.—Drawing t. in left foot from toes to ankles. Can-sat.

Toe.—Great t. red, with tearing or stinging when walking or standing. Natr-m.
Pain in t. as if frozen. Phos.
Painful soreness of t. and corn. Agar.
Redness, inflammation and swelling of t., with burning pain after getting wet. Nitr-ac.

Toe joints.—Cramps in t. suddenly, as if sprained. Ran-b.
Rheumatic pains in t. Aur., Teucr.
Stitches in t. Merc.

Toes.—Aching of t. Mosch.
All t. inflamed, shining red, and swollen; itch and burn after walking. Thuja.
Arthritic tearing in feet and t. Graph.
Arthritis: drawing, tearing pains in t., with red, shiny swelling, especially at night; cannot bear heated room; better in cold air. Sabin.
Balls of heels and t. feel sore when pressing them to ground. Phos-ac.
Blisters on t. Selen.
Boring, itching stitch in balls of second and third t. Spig.
Boring pain in feet and t. Ran sc.

Burning and stinging in t. with redness. Apis.
Burning from t. to dorsum of right foot. Bapt.
Burning heat and redness of t. during colds, as if frost-bitten. Borax. (Agar.)
Burning heat in soles and soreness between t. Phos-ac.
Burning in knees, legs and t. Tarax.
Burning itching of t. Pæon.
Buring pain in t. Agar., Staph.
Burning, sore pains in t. Ruta.
Burning tearing in t. and under nails. Caust.
Chilblains on t. Croc., Nitr-ac. (Puls.)
Chafed between t. Graph.
Chorea: convulsive twitching and contortion of t. Ver-v.
Coldness of knees, t. and fore part of feet. Daph.
Coldness of legs from knees to t. Tabac.
Contraction of feet and t. Sec.
Convulsive twitching of t. Cupr.
Corns between second and third t. of left foot. Psor.
Cramp in calf, with contraction of t. Gum-gut.
Cramp in feet, t. and soles. Caust.
Cramp in left t. Arum.
Cramp in t. Am-c., Bar-m., Calc-c., Lyc.
Cramp in t. and sole of left foot. Calc-c.
Cramp in t. when extending foot. Bar-c., Sulph.
Cramp-like contraction of t. Merc.
Cramp-like contraction of t., with tearing pains in limbs. Cham.
Cramp-like drawing and tearing pains from t. to dorsum of foot. Anac.
Cramp-like pains in calves, heels and t. Crotal.
Cramps in legs and t. Sec., Ver-v.
Cramps in soles and t. (Hep-s., Sulph.), with painful contraction of t. Ferr.
Crampy pain in left t. and root of t. Aster.
Crawling in t. Am-c., Am-m., Sec.
Cutting burning in t. Carbo-an.
Cutting in t. Tarax.
Darting pains from t. to hip, or from trochanter to bend of knee. Pallad.
Darting pains in thighs and t. Sticta.
Drawing, boring under t., especially in evening. Paris.
Drawing in t. Thuja.
Drawing pains in thighs, knees, ankles, feet and t. Caul.
Drawing pressure in t. Colch.
Drawing to and fro in left foot from t. to ankles. Can-sat.
Drawing with pressure in t. Colch.
Eruption between t. Petr. (Calc-c., Nitr-ac., Nux-v., Sep.)

Eruption on t. Natr-c., Sulph.
Feeling as if t. and whole foot were too large. Apis.
Feeling of coldness in knees, t. and soles. Card.
Feet cold, especially t., with sweat on t. and soles; hands hot. Acon.
Fetid sweat on feet, with soreness about t. Zinc.
Fetid sweat on t. Thuja. (Sil.)
Fine tearing in left t., especially underneath. Led.
Formication in feet and t. Phos.
Frequent cramp in t. during day. Carbo-an.
Gangrene of t. Sec.
Gnawing pain in t. Cocc.
Gout: fine, tearing pains in t. Led.
Gout in t. Ran-sc.
Gouty tearing in feet and t. Graph.
Heat and throbbing pains in t. Kali-bi.
Herpes between t. Alu., Graph.
Horizontal fissures between and under t. Sabad.
Hot pricking in t. at night; they go to sleep while walking. Acon.
Humid, painless vesicles between t. Hell.
Inflamed, red, aching chilblains on t. Kali-c.
Inflammation and swelling of foot, breaking open near t. Carbo-an.
Inflammation of t. Carbo-an.
Inflammatory red swelling of dorsum of feet and t., with contraction when stepping on them. Thuja.
Insensibility and numbness of t., followed by gangrene and death of parts. Sec.
Insensibility of t. Chelid.
Itching and burning of t. as if frozen. Nux-v.
Itching and redness of t. as if frozen. Alu. (Agar.)
Itching and stinging in feet and t. Puls.
Itching, boring, burning of t. as if frozen, especially in warm room. Nux-v.
Itching, burning and redness of t. (Apis), as if frost-bitten. Agar.
Itching of t. Agar., Staph.
Itching of t. and inner border of sole of right foot. Ambr.
Itching of t. in evening. Indium.
Itching of t. in evening in bed, with sweat between t. Clem.
Itching of t. which have been frozen. Natr-c., Nux-v., Pæon., Staph., Sulph., Zinc.
Itching on or between t. Natr-s.
Itching stitch at root of last two left t. during rest. Merc-sol.
Itching, tingling in t. as after being frozen. Puls.
Jerking pain in t. Am-m.
Jerking, tearing in tarsal and metatarsal bones, also in t. China.
Knees and t. icy cold. Tabac.

Locomotor ataxia: staggering, tottering, irresolute gait; cannot walk with eyes closed, or in dark; jerking of t. Arg-n.
Neuralgic pain in t. Phyt.
Numbness and stiffness of thighs, knees and t. Graph.
Numbness of t. Cham.
Offensive perspiration on feet; t. and soles are sore. Bar-c.
Offensive sweat on feet (Nitr-ac.) causing soreness between t. Sep. (Sil.)
Pain and inflammation of frozen t. Agar.
Pain, as if sprained, in bends of knees and t. Zinc.
Pain in feet and t. at night. Caul.
Pain in soles and t. Pareira.
Pain in t. Am-c., Calc-c., Lact., Lith-c.
Pain in t., as if shoe pinched. Puls.
Pain in t., as if sprained. Am-c.
Pain in t., as if ulcerated. Berb.
Pain in t. at night. Am-c., Kali-c., Led., Natr-c., Plat.
Pain under t. when sitting. Coni.
Painful drawing in joints of right t.; worse when walking. Sabin.
Painful drawing in t. Ruta.
Paralytic pain in t. China.
Perspiration between t. Acon., Clem., Cycl., Ferr., Kali-c., Kobalt, Sil., Squilla, Tarax., Thuja.
Pricking in balls of feet, as if t. would be drawn down, on putting foot to ground. Staph.
Pricking in t. Sabad.
Redness and swelling of t., as if frozen. Carbo-v.
Redness of t. Agar., Carbo-v.
Rending, tearing in t. Am-m., Arg-m., China, Colch., Ol-an., Teucr.
Rhagades, or skin cracked like great cuts between and on t. Lach.
Rheumatic gout: swelling and heat of knee, ankle joints and small joints of t., with drawing, contractive pain and chilliness. Puls.
Sensation in t. and whole foot, as if too large. Tart-em.
Sensation in t., as if wind were rushing out. Cupr.
Severe stitches in dorsum of foot and between t. Aur.
Shining, red, inflamed swelling of all t. Thuja.
Shooting and tearing in t. when sitting and standing. Am-m.
Shooting and tearing pains in t. in evening. Am-m.
Shooting pain in joints of left t.; worse in great toe. Can-ind.
Small ulcers on tips of t. Tart-em.
Smarting, excoriation and soreness between t. Natr-c.
Sore pain in balls of t. while walking, as if chafed. Ars.
Soreness and stitches between t. Ran-b.
Soreness between t. Flour-ac., Phos-ac.
Soreness between t., with itching. Graph.

Soreness in joints of feet and t. Arg-m.
Soreness of t., or between t. Natr-m.
Spasmodic contraction of t. Cupr.
Spasmodic drawing up of t. Lach.
Spasms in t., especially backs. Merc.
Spreading blisters from ulcers on soles and t. **Ars.**
Spreading blisters on t. Graph.
Stiffness of t. Graph.
Stinging burning in t. Dulc.
Stinging in t. Kali-n.
Stitches in t. of right foot. Mez.
Stinging pain in t. Am-m., Puls., Ran-sc., Ver-a.
Stitches in t. and soles. Ang.
Sweat on feet, especially between t., smelling sour, or like sole leather. Kobalt.
Sweat under t. Tarax.
Swelling of feet and t., with stinging in them when walking or stepping. Natr c.
Swelling of t. Arn., Carbo-an., Carbo-v., Graph., Led., Merc., Merc-sol., Pæon., Sulph., Thuja.
Swelling of t. and balls of t. Graph.
Tearing, burning pains, with cramp in thighs, calves and t., with great weakness on movement. Ars.
Tearing, drawing, cutting pains from heel through sole and t. Kreas.
Tearing in anterior joints of left t.; worse when walking. Agn.
Tearing in t. Kali-c.
Tearing in t., with cutting pains toward tips. Canth.
Tearing pain in t.; worse when walking. Carbo-v.
Tearing pains in t. Kali-c.
Tickling creeping in left t. Euphr.
Tingling in t. and soles. Kali-c.
Tingling in t., as if frozen. Colch., Nux-m., Puls. (Agar.)
Tingling of t. Hep-s., Lach.
Tingling under t., as if asleep. Staph.
T. cold. Acon., Meny., Sulph.
T. contracted spasmodically when walking or ascending. Hyos.
T. drawn up toward dorsum. Sec.
T. painful, as if frozen. Asar.
T. red, swollen and stinging, as if frosted. Carbo-v.
T. stiff. Ars.
Ulcerative pain in heels and t. Kali-jod.
Ulcers on t. Graph., Petr., Plat., Sep., Sil., Sulph.
Violent drawing or tearing pain in both legs from t. to thighs. Caust.
Violent stitches in t. when walking. Arn.
Violent, tearing pain in knees and patellæ, and from knees down to t. Alu.

Together.—Spasmodic separation and drawing t. of legs. Lyc.

Tophi.—Painful, hard tubercles, on t., in region of joints. Led.

Torn.—Violent pain in tibia, as if beaten, or as if periosteum were t. off, after midnight, disturbing sleep. Mez.

Weariness and soreness in limbs and bones; pain, as if flesh were t. off. Sulph.

Totter.—Knees t. when ascending. Canth.

Unsteadiness of the knees; they t. and give way when walking. Acon.

Tottering.—Locomotor ataxia: staggering, t., irresolute gait; cannot walk with eyes closed or in dark; jerking in toes. Arg-n.

T. and unsteadiness of legs. Nux-v.

T. gait. Opi.

Unsteady, t. gait. Absinth.

Totters.—Knees weak; t. and sinks down when walking; threatens to fall to one side. Cocc.

Touch.—Bruised pain in periosteum of tibia, which is always sore to t. Phos.

Chronic, indolent, flat ulcers on legs, with purplish or bluish skin; many small sores around main ulcer, having uneven, dirty bottom; burning and bleeding, even when lighty touched; thin, ichorous, offensive discharge; very sensitive to t. Lach.

Corns painful to t. Carbo-an.

Corns smart and burn and are sensitive to t. Ran-b.

Drawing in muscles of thigh, which is sensitive to t. Dulc.

Drawing pain in hip joint; worse from t., and on bending trunk backward. Caps.

Drawing, tearing pain in leg, as of an internal ulcer; worse on t., but most peculiar pain is a contraction which increases until very acute, then ceases suddenly with a snap; worse in the evening. Puls.

Inflammatory swelling of knee, with occasional stitches; slightest t. or motion causes intense pain. Cocc.

Left hip and hip joint swollen, hot and very painful to t., with anxiety, fear and great thirst. Acon.

Legs feel as if made of wood, or padded; insensible to t. Arg-n.

Legs painful to t. when out of position. Tarax.

Pain in periosteum and along bones, especially tibia; worse at night in bed and in damp weather; least t. intolerable. Mez.

Phlebitis: pain and swelling of right leg to hip; veins sensitive to t.; cutaneous veins hard, swollen and painful. Ham.

Rheumatism: œdema of feet and around ankles; swelling hard over inner ankle and a little red, as if inflamed; least t. anywhere is painful. Chelid.

Rheumatism: pains in places least covered by flesh; not in joints; pains fly from one place to another on t. Sang.

Scrofulous inflammation, with hot, bright-red, shining swelling of knee; shooting, stitching and burning pains; least motion of body or foot, or least t. or pressure upon swelling causes excruciating pain. Iod.

Swelling and inflammation of knee, with pricking and burning pain; worse from t. Iod.

Synovitis: knee joint red, swollen, and excessively painful to t. and on motion. Bry.

Thighs sore to t. Merc.

Tired and bruised feeling in legs, with great sensitiveness to t or pressure. Apis.

Touched.— Burning, itching of little toes, painful when t. Staph.

Chronic, indolent, flat ulcers on legs, with purplish or bluish skin; many small sores around main ulcer, having uneven, dirty bottom; burning and bleeding, even when lightly t.; thin, ichorous, offensive discharge; very sensitive to t. Lach.

Jerking pain in right calf; ceases quickly when t. Tarax.

Pain at roots of nails when t., as if they would come off by ulceration. Nux-v.

Phlegmasia alba dolens: cannot bear to be t. Bell.

Pricking in knee when t. Arn.

Shooting and tearing in hip joint, which pains as if bruised when t.; worse evening in bed; must get up and walk about. Ferr. (Rhus-t.)

When t. ever so slightly on feet jerks them up much frightened. Kali-c.

Touching.— Pain as if bruised or from subcutaneous ulceration on t. part. Puls.

Violent pain in small spots, only discovered on t. them. Ign.

Traumatism.—T. Arn.

Mygroma patellæ from t. Arn.

Travel.— Œdema and swelling of ankles (in people who t. much). Rhus-t.

Tremble.— Extreme weakness of legs; they t. and knees knock together. Bry.

Great weakness in region of hips and legs which t. and feel heavy like lead. Pic-ac.

Legs t. when walking. Caust., Nux-v.

Trembling.—Constant t. of feet. Stram.

Drawing and t. sensation in muscles of legs. Cist.

Feeling of weakness and t. in limbs. Hyper.

Great t., heaviness and paralytic weakness of legs. Stann.

Great weakness and t. of legs. Ptel.

Jerking, t. or shaking and paralytic weakness of legs at night. Rhus-t.

Knees unsteady and t. Mang.

Knees weak and t. Dios.

Limbs cold and t. Tabac.

Sensation of t. and weakness in right thigh when walking. Coni.
T. and heaviness of hands and feet. Nicc.
T. and jerking of feet. Iod.
T. and twitching of limbs. Hell.
T. coldness of feet. Ver-a.
T. in legs, followed by great debility. Ver-a.
T. in legs; scarcely able to walk. Cimicif.
T. of feet. Sars.
T. of knees. Alu., Chelid.
T. of knees when standing. Oleand.
T. of left leg. Cic-v.
T. of legs from every exertion. Phos.
T. of legs, with great nervousness. Sil.
T. of limbs. Arg-n., Calad., Dory., Hyos., Ign., Lach., Laur., Phyt., Plumb., Puls., Stram. (Cocc., Coff., Coni., Gels.)
T. of limbs and jerking of heart. Nux-v.
T. with shuddering in legs as after severe fright. Coloc.
Twitching, t. and great weakness of legs. Ars.
Violent t. and twitching of legs. Zinc.
Wandering, erratic, sharp pain in knee and hip joint, with aching and t. in leg. Kali-bi.
Weakness and t. in joints. Sulph.
Weakness and t. of legs. Chin-s.
Weakness and t. of legs after coition. Calc-c. (China, Phos-ac.)
Weakness, with sensation of t.; muscles feel paralyzed; knees knock together and patient can hardly walk. Colch.
Weariness of thighs, with t. of knees. Puls.

Tremor.—Convulsive t. of right foot, can neither lie, sit nor walk. Hyos.
T. in legs. Lyc., Puls., Ruta, Tabac.
T. of feet. Plat., Stram.
T. of knees. Anac., Bell., Ruta.
T. of knees when sitting or walking. Led.
Weakness and t. of knees when walking. Led.

Tremulous.—T. restlessness and tired feeling in legs and feet when sitting. Plat.
Very painful, t., jerking stitches in thigh and upper border of ilium when sitting. Ang.

Trochanter.—Darting pains from toes to hip, or from t. to bend of knee. Pallad.
Pain in either side of great t. when lying on it. Ver-a., Ver-v.
Pain in hip joint, mostly behind t. major, with spasms of stomach and diaphragm. Phyt.
Painful drawing and lameness behind left t., extending to popliteal space. Iris.

Tubercles.—Painful, hard t. on tophi, in region of joints. Led.

Tuberculosis.—T. of joints, or white swelling. Tuberculinum.
Tumefaction.—Gout: commencing in right great toe, with redness and t. Benz-ac.
Pain in large joints of great toe with t. and redness. Benz-ac.
Tumor.—Hard, nodulated t. large as a walnut on dorsum of foot. Hydr.
T. or white swelling of knee, with tearing pains. Ant-c.
T., size of an egg, above the knee; hard on pressure, but moveable. Ign.
Turn.—Ankles weak and t. easily. Natr-m.
Feet t. under when walking. Agn.
Weakness of ankle joints; they t. easily when walking. Arn.
Turned.—Spasmodic sensation in left little toe as if turned about. Crotal.
Turning.—Cracking in joints when walking or t. Caul.
Pain in sciatic nerve when rising from sitting or t. in bed. Natr-s.
Painful t. up of big toes. Apis.
Turns.—Foot t. under when walking, as from weak ankle. Carbo-an.
Twinging.—T. pain in outer side of calf when sitting. Valer.
Twitch.—Legs move normally, but when at rest jerk and t. Valer.
Twitching.—Chorea: convulsive t. and contortion of toes. Ver-v.
Convulsive t. of legs. Cham., Squilla.
Convulsive t. of muscles during sleep. Hell.
Convulsive t. of toes. Cupr.
Drawing, tearing and t. in thighs. Magn-m.
Drawing, t., with dull throbbing in left hip. Coloc.
Involuntary t. of legs. Cod.
Jerking and t. of limbs at night, with coldness of body. Ambr.
Pricking, dull, drawing, t. pains in knees. Aloe.
Sharp, cutting pains darting along course of sciatic nerve, terminating in t. or wrenching feeling in foot. Hyper.
Spasmodic stretching and t. of feet. Cina.
Spasmodic t. of legs, which are blue and cold. Zinc.
Trembling and t. of limbs. Bell.
T. and jerking of legs. Plumb.
T. and jerking of muscles. Myg., Zinc. (Agar.)
T. and jerking of muscles of both thighs. Asaf.
T. in muscles. Ambr., Clem., Hyos.
T. in muscles of legs. Mez., Natr-c.
T. in tendons of legs and feet. Stram.
T. of gluteal muscles. Agar.
T. of legs. Coff., Ipec., Petr., Plumb.
T. of muscles of thigh. Iod.
T. or clonic spasms in limbs. Chin-s.
T., spasmodic movements of legs. Opi.
T., trembling and great weariness of legs. Ars.

Very red streaks following course of lymphatic from calf up to buttocks, with t. in limbs and great anxiety. Myg.
Violent spasm, with t. in ankle joint at night. Iod.
Violent trembling and t. of legs. Zinc.

Ulcer.—Blister on heel from rubbing of shoes, then smarting u. Lam.
Burning u. on leg, with offensive discharge; mottled, purple appearance. Carbo-v.
Drawing, tearing pain in leg, as of an internal u.; worse on touch, but most peculiar pain as a contraction which increases until very acute, then ceases suddenly with a snap; worse evening. Puls.
Soft and fungoid u. on legs and feet. Pæon.
U. on fourth toe. Graph.
U. on heel. Natr-c.
U. on left heel. Diad.

Ulcerated.—Pains in toes, as if u. Berb.
Severe pain in heel, as if bone were u. Am-c.
U. vesicles on soles. Sulph.

Ulceration.—Pain along tibia as from subcutaneous u. Iod.
Pain, as if bruised or from subcutaneous u. on touching part. Puls.
Pain at roots of nails when touched, as if they would come off by u. Nux-v.
Pain in heel, as from subcutaneous u. Graph.
Pain in nates, as from subcutaneous u. Phos.
Sore pain in heel, as from subcutaneous u. Euphorb.
Strumous u. of joints, with long-continued or retarded suppuration. Hep-s.
Swelling of right knee, with pain as from u. in whole leg, with pains in kidneys. Benz-ac.
Throbbing and pain, as from u., in foot when walking. Am-m.
U. of border of great toe. Graph.
U. of tips of toes. Carbo-v.
Violent, tearing pains in heels, as from u. Am-m.

Ulcerative.—Frequent, griping, u. pains in soles. Kali-n.
U. pain in glutei muscles and thighs when sitting. Kali-c.
U. pain in heels and toes. Kali-jod.
U. pain in soles. Canth., Graph.
U. pain in soles and heels. Zinc.
U. pains in tips of toes. Coni.

Ulcers.—Atonic old u. on legs. Hydr.
Black, gangrenous u. and wounds on legs. Lach.
Burning u. on legs. Plumb.
Carious u. on tibia, very sore, with greenish, offensive discharge; skin adheres to bone; u. painful on edges; with high, hard edges; bleed easily and are very sensitive; pricking on circumference. Asaf.

Chronic, indolent, flat u. on legs, with purplish or bluish skin; many small sores around main ulcer, having uneven, dirty bottom; burning and bleeding, even when lightly touched; thin, ichorous, offensive discharge; very sensitive to touch. Lach.

Dry, superficial, angry-looking u. on legs, covered with yellow scabs, with stinging, burning pain; areola inflamed and covered with pimples, which frequently degenerate into u. Hydr.

Fistulous u. on ankle joint. Calc-ph.

Fistulous u. on legs. Ruta.

Flat u. on lower legs. Selen.

Gnawing, itching u. on outside of thigh. Merc.

Indolent u. on lower legs slow to heal, with intolerable itching over whole body. Psor.

Irritable, indolent or scrofulous u. on legs. Hydr.

Itching u. on leg. Phos-ac.

Obstinate u. (syphilitic) on inner side of soles; appear as if punched out; round, with sharp edges and smooth sides, with lardaceous base. Phyt.

Old, indolent u., with callus borders and ichorous discharge. Sang. (Use Nitrate of Sanguinaria locally.)

Old u. on legs, with burning and stinging; profuse sweat about knees at night. Ars.

Old u. on lower limbs, with burning and cutting pains. Ars.

Phagadenic u. on limbs. Ars.

Round u. with flat edges, without pus, with fetid odor. Hydr.

Scrofulous u. in hollow of sole and over tarsal and metatarsal bones, discharging pus and sanious matter. Hydr.

Scrofulous u. on legs and foot. Hydr.

Small u. on tips of toes. Tart-em.

Spreading blisters from u. on soles and toes. Ars.

U. and nodes on legs. Phyt.

U., eruptions and periosteal enlargements on legs. Still.

U. on ankles. Merc-sulph.

U. on foot, with black base. Ipec.

U. on heel. Sep.

U. on instep. Sep., Sulph.

U. on leg. Graph.

U. on legs. Ars., Calc-c., Lyc.

U. on legs, itching and burning at night. Lyc.

U. on legs, usually about tibia, ankles, or other joints. Psor.

U. on legs, which bleed easily and become putrid; spongy and bluish. Merc.

U. on legs, with stinging or pricking. Ham.

U. on lower leg. Phyt.

U. on one foot, with stitching pains upward; other foot burning. Puls.

U. over tibia. Grind.

U. on tibia. Sabin.
U. on tibia affecting periosteum, with profuse, watery, offensive discharge. Phos-ac.
U. on tibia, with lardaceous bottom. Sabin.
U. on toes. Graph., Petr., Plat., Sep., Sil., Sulph.
Varicose u. Ham.
Varicose u. on legs. Hydroc-ac.

Uncovered.—Burning in soles; wants them u. (Cham.); constantly keeps them out of bed to cool them off. Sulph.

Under.—Burning tearing in toes and u. nails. Caust.
Drawing, boring u. toes, especially in evening. Paris.
Feet bend u. Natr-c.
Feet turn u. when walking. Agn.
Feet turn u. when walking, as from weak ankle. Carbo-an.
Horizontal fissures between and u. toes. Sabad.
Pain in balls of toes and u. heel, as from chronic chilblains. Rhod.
Pain u. toes when sitting. Coni.
Sweat u. toes. Tarax.
Tearing in tips of left toe and u. nails when walking. Camph.
Tearing u. nails. Carbo-v.
Tingling u. toes, as if asleep. Staph.

Underneath.—Fine tearing in left toes, especially u. Led.
Sensation as if cord were tied around leg u. Alum.

Uneasiness.—Fatigue, tired feeling and u. in legs, as after long walk. China.
Great u. in one leg. Graph.
Legs feel as if bandaged, with stiffness and painful u. about knees when sitting. Anac.
U. in legs. Am-c.
U. of feet when sitting. Bar-c.

Uneasy.—U. feeling in legs causing restlessness. Cimicif.
U. feeling in thigh and leg. Carbo-v.

Uneven.—Chronic, indolent, flat ulcers on legs, with purplish or bluish skin; many small sores around main ulcer, having u., dirty bottom; burning and bleeding, even when lightly touched; thin, ichorous, offensive discharge; very sensitive to touch. Lach.

Unsteadiness.—Tottering and u. of leg. Nux-v.
U. and weakness of knees. Puls.
U. from knees downward when walking, especially when eyes are closed. Physos.
U. of knees; they totter and give way when walking. Acon.

Unsteady.—Knees u. and trembling. Mang.
Locomotor ataxia: gait u., staggering, as if drunk; looks to see if legs are really moving; with loss of sensibility; pinching or burning causes no pain. Kali-brom.
U. gait. Sulph.

U. gait and easy falling (of children). Caust.
U. gait; drags feet. Nux-v.
U. gait; staggers as if drunk on attempting to walk. Gels.
U., staggering gait, owing to weakness of thighs. Mur-ac.
U., tottering gait. Absinth.

Up.—Dull, aching, burning pain in second joint of right great toe extending u. leg. Cimicif.
Very red streaks following course of lymphatics from calf u. to buttocks, with twitching in limb and great anxiety. Myg.

Upper part.—Cold sweat on u. of legs. Caps.

Up stairs.—Dislocation of patella when going u. Can-sat.

Upward.—Child draws feet spasmodically u. and backward upon nates. Cupr.
Cramp-like pain in muscles of right leg from below u. Meny.
Cramps flex limbs and body tossed u. Hyos.
Electric shock u. and through thigh, followed by numbness. Euphr.
Extensive gangrenous periostitis of tibia; with severe febrile disturbance; periosteum peeled off in large area u., as far as knee joint; bone rough. Phos.
Gout of left great toe, with radiating pain u. Mang.
Pain in flexors of left knee and immediately above patella, extending u. and around thigh; pain as if limb were heavily grasped. Chim.
Rheumatism: pains go from below u.; joints swollen, painful, hot and tense; drawing pains; worse from warmth and motion. Led.
Tearing pains in legs, muscles and joints from above downward. Sulph. (From below u. Led.)
Tingling commencing in feet and extending u. Acon.
Ulcers on one foot, with stitching pains u.; other foot burning. Puls.
Violent pain as if stepping on spikes which penetrated soles and ran u. through limbs to hips on attempting to walk; worse in right leg and accompanied by drawing pains in both calves. Can-ind.

Urine (see section on Urinary Organs).—Rheumatism of hip and knee, with high fever and scanty red u.; flying pains, especially in joints; with shuddering. Ver-v.
Rheumatism of joints, with concretions of calcareous or limy substances; pains shifting; u. excessively fetid. Benz-ac.

Urticaria.—U. on thighs. Al-cep.

Uterine region (see section on Uterus and Appendages).—Pain in u. shooting down thighs to knees. Cimicif.

Uterus.—Numbness of lower limbs from pressue of u. on nerves and bloodvessels in sacrum. Apis.

Vaginal discharges (see section on Female Sexual Organs).—Burning of soles in women suffering from chronic endometritis, leucorrhœa, and disordered v. Lyc.

Varices.—V. on legs. Puls. (Carbo-v., Zinc). (On thighs. Ferr.)
Varicose.—V. swellings. Acet-ac.
V. ulcers. Ham.
V. ulcers on legs. Hydroc-ac.
Varicose veins.—Swelling of feet makes v. swell up. Puls.
V. (Puls.) above knee. Ham.
V. in calf become painful. Coloc.
V. on left leg. Flour-ac.
V. on legs. Lyc.
V. swell up and bleed much. Puls.
Veins.—Left leg becomes blue from distended v. (during menses), with pressive pain in leg. Ambr.
Phlebitis: great pain and swelling of right leg to hip; v. sensitive to touch; cutaneous v. hard, swollen and painful. Ham.
V. in calves enlarged. Plumb.
V. on dorsum of foot swollen, and between swollen v. red patches which do not disappear on pressure. Croton-tig.
Vesicles.—Gangrenous spots on v. Hyos.
Humid, painless v. between toes. Hell.
Small, hard, white, deep v. on feet and legs, preceded by violent itching. Lach.
Ulcerated v. on soles. Sulph.
Vibrations.—Fine, nervous v. in bones. Meph.
Vise.—Cramp-like pain in hip as if broken with iron, or as if parts were screwed in a v., with pains extending from lumbar region down to legs. Coloc.

Walk.—Cannot w. erect on account of pain in groins. Am-c.
Children seem to forget how to w. Calc-c.
Children slow in learning to w. Natr-m. (Calc-c.)
Contraction of muscles of legs; has to w. on tips of toes. Sep.
Cramp in calves; cannot lie still at night; has to constantly change position of feet or w. to get relief. Ars.
Cramp in legs and feet; must w. about. Rhus-t.
Cramp when sitting, after a w. Rhus-t.
Electric shocks in legs; worse in bed; must sit up and let legs hang out of bed, or w. about. Ver-a.
Fatigue, tired feeling and uneasiness in legs as after long w. China.
Great fatigue after a w. Cor-r.
Great pain in shin bones; worse at night and during rest, obliging patient to w. about. Dulc.
Great weariness in knees, as after long w. Cocc.
Legs feel weary, as after long w. and great fatigue. Physos. (Calc-c., China.)
Limbs feel weak, and finds it difficult to stand or w. Croc.
Pain in knees as after long w. Chelid.

Painful weariness of legs, especially thighs and feet, as after long w. Calc-c. (China.)

Paroxysms of excruciating neuralgia in sciatic nerve and perinæal branches, preceded by great coldness and shivering; worse at night, obliging patient to get up and and w. about room; pain acute, tearing, digging, boring; lasts sixty to ninety minutes, then slowly disappears. Ign.

Unable to w. except with eyes open and in daylight. Alu.

Unsteady gait; staggers as if drunk on attempting to w. Gels.

Violent pain as if stepping on spikes which penetrated soles and ran upward through limbs to hips on attempting to w.; worse in right leg and accompanied by drawing pains in both calves. Can-ind.

Violent rheumatic pains drive patient out of bed at night and compel him to w. about. Cham.

Walked.—Feet feel tired as if had w. long distance. Eupat-purp.

Walking.—Aching pains in ankles and hollow of feet when w.; must lie down after short walk. Rhus-t.

All toes inflamed, shining red, and swollen; itch and burn after w. Thuja.

Bruised pain in malleoli when w. Crotal.

Burning in feet when w. Natr-m.

Burning in soles when w. Natr-c.

Calf painful when w. and setting down foot. Calc-c.

Cracking in ankle when w. Nitr-ac.

Cracking in joints when w. or turning. Caul.

Cracking in knees when w. and descending. Caust.

Cramp in calves (Calc-c., Camph., Sulph.) when w. or rising from seat. Anac.

Cramp in thighs when w. Sep.

Cramp when w. Lyc., Nitr-ac.

Cramp-like pain in calves when w. Calc-ph.

Cutting pains, as if sprained, in knee joint when w. Spig.

Cutting pains in thighs when w. Sep.

Cutting stitches over right thigh; must get up for relief; pains worse from rising, but better on w. slowly. Sep.

Debility in joints when w. Staph.

Dragging of left foot when w. Cupr.

Drags feet when w Nux-v.

Drawing in calves when w. Natr-m.

Drawing pain in foot when w. Bar-c.

Drawing pain in hip joint when w. Ant-c.

Drawing pain in legs, especially when w., with feeling of paralysis in thighs. Hep-s.

Dull pain in side of knee when w., and especially when extending limb. Kali-c.

Easily fatigued when w. Natr-c.
Eruption about joints making w. difficult, with feeling as if incased in armor. Psor.
Excoriation of thighs after w. Æth.
Fatigue from w. Rhus-r.
Feeling as of partial luxation of patella when w. Gels.
Feeling of lightness in limbs (Mez.); when w. seems to be gliding lightly through air. Asar.
Feeling of weakness, heaviness and instability in legs when w. Rhus-r.
Feet feel heavy, with great lassitude of legs; can scarcely drag them; when w. staggers and has to sit down. Alu.
Feet give way when w. Sil.
Feet painful when w. Ambr., Natr-m.
Feet swell and are painful on w.; feels every pebble. Sabad.
Feet turn under when w. Agn.
Fine, cutting stitch in right calf when sitting; disappearing on w. Dros.
First left then right foot goes to sleep; disappears on w. Millef.
Foot turns under when w., as from weak ankle. Carbo-an.
Great tenderness and sensitiveness of soles when w. Ant-c.
Great toe red, with tearing or stinging when w. or standing. Natr-m.
Great weakness in feet, especially when standing or w. Kali-n.
Great weakness of legs when w. in morning. Ran-b.
Great weariness of legs while sitting; disappears on w. Rhus-t.
Great weariness when w. Lach.
Hamstrings feel contracted and painful when w. Am-m.
Heaviness of thighs and legs when w., with stiffness of knee joints. Bell.
Heaviness, weakness and weariness of legs while sitting; disappears on w. Rhus-t.
Hip joint painful, as if sprained, when w. Hep-s.
Hot pricking in toes; they go to sleep while w. Acon.
Involuntary drawing up of knees when w. Ign.
Jerking, sore pain from hip joint to knee while in bed in morning; disappears on w. Puls.
Knees give way when standing and w. Chelid.
Knees involuntarily drawn up when w. Ign.
Knees pain, as if sprained; painful when w. Calc-ph.
Knees stiff, especially when w. China.
Knees weak; totters and sinks down when w.; threatens to fall to one side. Cocc.
Knees weak when w. Caul.
Lame feeling in ankle joint when sitting or w. Natr-m.
Lameness of knee joint after w. Carbo-v.
Legs go to sleep when w. Sep.
Legs tingle and go to sleep while w. Acon.

Legs tremble when w. Caust., Nux-v.
Limbs feel as if made of wood when w. Kali-n., Plumb., Rhus-t., Thuja.
Numbness of hip joint and thigh when w., especially when moving leg forward, with stitches when setting down foot. Arg-m.
Pain in calf when w. Rhus-r.
Pain in heel when standing or w. much. Am-c.
Pain in knees when w. Merc-sulph.
Pain in legs at night, as if had overdone by excessive w. or dancing Bar-c,
Pain in legs, especially in tibia and soles, as after over-exertion in w.; legs very restless. Psor.
Pain in muscles of thighs, as if bruised, when w. Calc-c.
Pain in right hip joint and thigh, with pain in ankle, as if sprained, when w. Dros.
Pain in right thigh and knee when sitting and w. Cist.
Pain in right thigh when w., as if psoas magnus muscle were shortened. Coloc.
Pain in soles when w. Gels., Lyc. (Led., Sulph.)
Pain in tendons of tarsal joints, as if too short, when w. Sep.
Pain in thighs when w. Staph.
Pain like a spasm, in ankle while w. Coloc.
Painful drawing in joints of right toes; worse when w. Sabin.
Painful drawing in legs when sitting quiet; relieved on w. Valer.
Painful stiffness of knees, as after long w. Lob.
Painful tightness in calves when w. Carbo-an.
Pains in legs; worse w., yet so much worse after ceasing to walk that patient must walk again. Lil-tig.
Pains in soles, as if bruised, when w. Led.
Paralytic drawing in muscles of thighs and calves; painful when w. Nux-v.
Profuse sweat when w. Sep.
Rheumatic pain in right knee joint; worse when w. Cinnab.
Sciatica: drawing, pressive pain down to knee, with great exhaustion and difficult w.; cramps in calves and swollen feet; there is marked consecutive muscular atrophy. Plumb.
Sensation of trembling and weakness in right thigh when w. Coni.
Severe pain in hip joint when w. Am-c.
Soles pain when w. on pavement. Aloe.
Soles sore when w. Hep-s.
Soles tilt inward interfering with w., which is done on outer edge of foot. Cic-v.
Sore pain in balls of toes while w., as if chafed. Ars.
Soreness between legs when w. Nitr-ac.
Soreness between thighs during and after w. Graph.
Soreness of heels when w. Kali-bi.

Stiffness of ankles when w. Sulph-ac.
Stiffness; relieved by w. Dig.
Stitches in back and right hip causing limping w. Rumex.
Stitches in hips when w. Arg-m.
Stitching pain through right knee when w. Chenop-v.
Sudden pain, as if bruised, in outer malleolus of right foot: worse when standing; less when w. Valer.
Sudden, unbearable stitch in left hip when w. Natr-s.
Swelling of feet and toes, with stinging in them when w. or stepping. Natr-c.
Swelling of feet in evening, or when w. Phos.
Swelling of joints after fatigue from w. Actea-s.
Swelling of soles; pain when w. Lyc.
Swelling, with drawing, sticking pains in knee when w. Led. (Bry.)
Tearing in anterior joints of left toes; worse when w. Agn.
Tearing in tips of left toes and under nails when w. Camph.
Tearing pain in right ankle, as if sprained, when w. Dros.
Tearing pain in tendo Achillis and calf, as if parts would be cut off; worse standing, w. or exerting muscles. Ign.
Tearing pain in tips of toes; worse when w. Agn.
Tearing pain in toes; worse when w. Carbo-v.
Thighs and legs feel weary and exhausted. Natr-s.
Throbbing and pain, as from ulceration, in foot when w. Am-m.
Tightness and stiffness in bend of knee when w. Caust.
Tips of toes painful when w. Kali-c.
Toes contracted spasmodically when w. or ascending. Hyos.
Tremor of knees when sitting or w. Led.
Unsteadiness from knees downward when w., especially when eyes are closed. Physos.
Unsteadiness of knees, they totter and give way when w. Acon.
Violent cramp in leg and sole when w. Carbo-v.
Violent stitches in toes when w. Arn.
W. late and with difficulty (in children). Calc-c. (Bell., Calc-ph., Sil., Sulph.)
Weakness and heaviness in legs when w. Rhus-r.
Weakness and tremor of knees when w. Led.
Weakness in knee joints, and tearing pain, with pressure when w. Led.
Weakness of ankle joints; they turn easily when w. Arn.
Weakness of knees, with painful drawing when w. and standing. Cupr.
Weakness, with impaired power of w. Coca.
Weariness and weakness after w. Ruta.
Weariness, heaviness and pain in knees when w. Magn-c.
When walking legs feel as if made of wood. Thuja. (Led.)

Walks.—Feet and legs very weak, as after long w. and over-fatigue, or after long illness. Art-v.

Want.—W. of stability in knees. Acon., China.

Warm.—Burning, jerking pain in balls of little and second toes, with itching after becoming w. in bed. Puls.

Coldness of soles, while rest of body is w. Coloc.

Feet and hands icy cold, rest of body w. Meny.

Feet icy cold, body w. Samb.

Feet w., with cold hands. Aloe. (Cham.)

Itching, boring, burning of toes, as if frozen, especially in w. room. Nux-v.

Sensation as if w. water were running down thighs (with leucorrhœa). Borax.

Warmth.—Drawing and tearing in all limbs; worse from w. and at night. Merc.

Gangrena senilis; worse from w. Sec. (Better from w. Ars.)

Intense itching of dorsum of foot and instep; worse from scratching and w. Led.

Pain in legs from w. of bed. Sulph.

Rheumatism: pains go from below upward; joints swollen, painful, hot and tense; drawing pains; worse from w. and motion. Led.

Sciatica: dull, aching pain in right side; worse afternoon and evening; better from w. Pallad.

Water.—Arthritic pains after taking cold in w., from suppression of gonorrhœa. Sars.

Feet cold as far up as knees, as if they were in cold w. Meny.

Feet feel as if in cold w. Gels.

Legs become cold, pale and wrinkled as if had been long time in w. Sec.

Oozing of w. from sore places on œdematous legs. Lyc.

Sensation as if warm w. were running down thighs (with leucorrhœa). Borax.

Wax-like.—Dropsy: foot and ankle swollen and stiff; swelling pale, clear, w. Apis.

Legs and feet œdematous, pale and w. Apis. (Ars.)

Waxy.—Legs and feet w., pale and œdematous. Tart-em. (Ars.)

Weak.—Ankle so w. that it gives way. Natr-c.

Ankles so weak cannot w. Sulph-ac.

Ankles w. and turn easily. Natr-m.

Calves w., as if bruised. Ferr.

Feet and legs very w., as after long walks and over-fatigue, or after long illness. Art-v.

Foot turns under when walking, as from w. ankle. Carbo-an.

Hamstrings feel shortened and w.; knees give way ascending or descending. Ruta.

Knees and ankles lame, w. and painful. Dios.

Knees and legs feel w. and ache. Hydr.

Knees w. Kobalt.

Knees w. and give way. Psor.
Knees w. and trembling. Dios.
Knees w. on descending. Lact-ac.
Knees w.; totters and sinks down when walking; threatens to fall to one side. Cocc.
Knees w. when walking. Caul.
Legs feel heavy and w. as if knocked from under person. Agar.
Legs feel w. Calad., Rhus-r.
Legs so w. can hardly walk. Actea-s.
Legs so w. cannot support body. Stann.
Legs tired, w., restless. Calc-ph.
Legs w. after every change in temperature. Actea-s
Legs w., tired and heavy. Agar.
Legs w.; unable to stand erect. Kali-brom.
Limbs feel w., and finds it difficult to stand or walk. Croc.
Œdema of feet and ankles, with general dropsy; legs very w. Apoc.
W. and relaxed feeling in hip joint. Thuja.
W. feeling in feet when ascending. Borax.
W., tired feeling in legs. Gels.

Weakness.—Arthritic stiffness in knees, with paralytic w. of legs. Phos.
Cannot sit down for w.; has to drop down. Stann.
Chronic w. of feet. Hyos.
Debility and w. of legs, with sick feeling and dread of work. Arg-n. (Nux-v.)
Excessive w. and exhaustion of legs obliging patient to lie down. Ars.
Extreme w. of legs; they tremble and knees knock together. Bry.
Extreme w. on ascending. Iod.
Feeling of great w. in and about knee joints. Plat.
Feeling of w. and trembling in limbs. Hyper.
Feeling of w., heaviness and instability in legs when walking. Rhus-r.
Great trembling, heaviness and paralytic w. of legs. Stann.
Great w. and giving way in knees and legs. Merc-sol.
Great w. and paralytic heaviness of legs and feet. Rhus-t.
Great w. and sensation of lameness in legs. Colch.
Great w. and trembling of legs. Ptel.
Great w. in feet, especially when standing or walking. Kali-n.
Great w. in knees. Ferr., Sep. (Kobalt.)
Great w. in region of hips and legs which tremble and feel heavy like lead. Pic-ac.
Great w. of knees, with sleepiness; has to lie down after least exertion. Nux-m.
Great w. of legs; difficult to stand firmly. Cocc. (Merc.)
Great w. of legs, especially knees. Lach.
Great w. of legs when sitting. Alu.
Great w. of legs when walking in morning. Ran-b.
Great w. of legs, with staggering gait. Hyos.

Heaviness and w. of feet. Ign.
Heaviness, w. and weariness of legs while sitting; disappears on walking. Rhus-t.
Jerking, trembling or shaking and paralytic w. in legs at night. Rhus-r.
Lameness, weariness and w. of joints (with bowel trouble). Aloe.
Languor and w. of limbs. Hydroc-ac.
Numbness and w. of feet. Ars., Zinc.
Painful and excessive w. and weariness of thighs and legs. Agar.
Painful w. in knees when standing, with painful shocks. Sulph-ac.
Painful w. of knees. Staph.
Paralytic heaviness and w. in legs, especially in thighs and knee joints. Stann.
Paralytic w. in thighs and knees when stepping. Chelid.
Paralytic w. of hip joint. Kali-c.
Pressure about thigh, with feeling of w. Mosch.
Sensation of trembling and w. in right thigh when walking. Coni.
Swelling and w. of feet. Puls.
Tearing, burning pains, with cramp in thighs, calves and toes, with great w. on movement. Ars.
Unsteadiness and w. of knees. Puls.
Unsteady, staggering gait, owing to w. of thighs. Mur-ac.
W. and bruised feeling in knees. Hep-s.
W. and heaviness in legs when walking. Rhus-r.
W. and lameness in legs. Seneg.
W. and lassitude of legs and knees. Dig.
W. and pain in thighs, as from fatigue, with dread of motion. Guaj.
W. and trembling in joints. Sulph.
W. and trembling of legs. Chin-s.
W. and trembling of legs after coition. Calc-c. (China, Phos-ac.)
W. and tremor of knees when walking. Led
W. and weariness of legs (Phos.), after walking. Ruta.
W. in all joints, as if they would not hold together. Psor.
W. in knee joints, and tearing pain, with pressure when walking. Led.
W. in legs. Cupr., Euphorb., Kali-n., Merc., Oleand., Staph.
W. in lower extremities. Am-m., Anac., China, Nux-v., Ol-an., Phos., Sec., Sulph.
W. in region of head of femur, with feeling as if had been crushed, especiallly after lying down and sleeping. Acon.
W. of ankle joints; they turn easily when walking. Arn.
W. of ankles (in children). Carbo-an.
W. in knees. China, Nitr-ac., Oleand., Ruta, Sep., Staph., Tabac.
W. of knees and legs. Rhus-r.
W. of knees, as if they would give way. Natr-m.
W. of knees, with painful drawing when walking and standing. Cupr.
W. of knees, with pressure at the stomach, especially after a meal. Lach.

W. of legs after loss of fluids. Phos-ac. (China.)
W. of legs, as if paralyzed. Phos.
W. of legs; can scarcely walk. Sil.
W. of legs from hips to knees. Brachyg.
W. of legs on attempting to rise; could not stand (in affections of brain, or after being exposed to hot sun). Glon.
W. of muscles of legs. Acet-ac.
W. of thighs. China, Ferr., Merc., Plat., Ruta.
W. of thighs and knees. Sars.
W. of thighs and legs, with sensation in soles as if asleep when walking. Oleand.
W., stiffness and paralysis of legs. Ox-ac.
W., with bruised feeling in thighs and legs. Murex.
W., with impaired power of walking. Coca.
W., with sensation of trembling; muscles feel paralyzed; knees knock together and patient can hardly walk. Colch.

Weariness.—Aching of limbs, with great lassitude, w. and prostration of joints. Sep.
Difficult motion and w. of legs. Camph.
Feeling of w. and as if legs were bruised, sometimes with heaviness, lameness and stiffness. Benz-ac.
Great languor and w. of legs. Plumb.
Great lassitude and w. of legs. Ham.
Great w. in knees, as after long walk. Cocc.
Great w. in legs, with excessive debility. Iod.
Great w. of legs while sitting; disappears on walking. Rhus-t.
Great w. of limbs. Ver-a.
Great w. when walking. Lach.
Heaviness and w. of legs. Clem., Sil.
Heaviness, weakness and w. of legs while sitting; disappears on walking. Rhus-t.
Lameness, w. and weakness of joints (with bowel trouble). Aloe.
Painful and excessive weakness and w. of thighs and legs. Agar.
Painful w. in calves. Aloe.
Painful w. in feet, with feeling of heaviness. Croc.
Painful w. of legs (during menses); feet are heavy, languid and debilitated. Bov.
Painful w. of legs, especially thighs and feet, as after long walk. Calc-c. (China.)
Rheumatism. w., stiffness and heaviness of joints; pain worse on movement. Bry.
Twitching, trembling and great w. of legs. Ars.
Weakness and w. of legs. Phos.
W. and heaviness of legs. Sabad.
W. and lassitude of knees. Dulc.
W. and restlessness of thighs in evening. Merc.

W. and soreness in limbs and bones; pain as if flesh were torn off. Sulph.

W. and weakness after walking. Ruta.

W., heaviness and pain in knees when walking. Magn-c.

W. in internal muscles of both thighs, as if they would break down. Thuja.

W. in thighs. Sars.

W. of calves, as after long journey. Arg-n. (China.)

W. of legs. Chin-ars. (Sabad.)

W. of legs; heavy feeling below knees as if loaded. Indium.

W. of thighs as after exertion. Rheum.

W. of thighs, with trembling of knees. Puls.

Weary.—Feet feel w. and tired. Magn-c.

Joints feel bruised and w., as if they would give way. Mez.

Knees tired and w., with prostration. Natr-s.

Legs feel w. Dig.

Legs feel w., as after long walk and great fatigue. Physos. (Calc-c., China.)

Painful heaviness of legs, as if w. Ver-a.

Thighs and legs feel w. and exhausted. Natr-s.

Weather.—Chronic rheumatism of left hip; worse in damp w. Phyt.

Pain in periosteum and along bones, especially tibia, worse at night in bed and in damp w.; least touch intolerable. Mez.

Pains in limbs and joints in cold, damp w. Nux-m. (Rhod.)

Rheumatic, drawing, tearing pains in legs; worse at rest and in rough w. Rhod.

Sciatica: dull, aching pain in right side; worse at night and in cold or damp w.; relieved by heat, rubbing and by exercise. Rhus-t.

Sciatica: pain running from hip to knee down outside of thigh; worse afternoon and evening, and on any change in w.; pressure causes pain to shoot along entire length of nerve. Kali-bi.

Weight.—Heaviness in right foot as if heavy w. were attached to tarsal bones drawing foot down. Agn.

Painful w. in tarsal joint. Cupr.

Wet.—Paralysis of legs (after over-exertion, getting w., or sexual excesses). Nux-v.

Redness, inflammation and swelling of toe, with burning pain after getting w. Nitr-ac.

Rheumatism after exposure to w.; parts feel as if beaten, with severe pains when remaining in one position; relieved when moving. Dulc. (Rhus-t.)

Tearing pain in feet after getting w. Dulc.

Wheals.—Large red patches on arms and legs, exactly like nettle rash, in large raised w., with intense irritating itching. Chin-s.

White.—Œdematous, w. swelling of feet; feel cold and heavy. Kreas.

W. blotches with red areola on thighs. Dulc.

W. swelling of joints. Rhus-t.
W. swelling of knee. Iod.
W. swelling of knee, with intolerable, tearing pain; worse during rest and at night. Rhod.
W. swelling of knee, with sweat on swollen knee. Lyc.

White swelling.—Tuberculosis of joints, or w. Tuberculinum.
Tumor or w. of knee, with tearing pains. Ant-c.
W. on knee. Arn., Ant-c., Sil., Sulph.

Wind.—Feeling as if cold w. were blowing on legs, with smarting of right leg. Lil-tig.
Sensation in toes as if w. were rushing out. Cupr.

Winter.—Sciatica: incisive, throbbing, intermittent pains; first every other day, then daily; with chilliness; returns every w. (in mild, melancholy temperaments). Ign.

Wood.—Legs feel as if made of w. Kali-n.
Legs feel as if made of w., or padded; insensible to touch. Arg-n.
Limbs feel as if made of w. when walking. Kali-n., Plumb., Rhus-t., Thuja.

Woody.—Feet feel numb and pithy or w., and as if pricked with needles. Hyper.

Work.—Debility and weakness of legs, with sick feeling and dread of w. Arg-n. (Nux-v.)

Worse.—Acute, crampy, tearing pain in posterior muscle of calf; better in morning and from rubbing; w. in afternoon and when quiet. Valer.
Arthritic pains in feet; w. late in afternoon. Arn.
Arthritic pain in joint; w. at night. Mang. (Merc.)
Ball of great toe painful and swollen; worse on stepping; tendons stiff. Led.
Boring, tearing pains change from right hip joint to other points; w. at night. Arn.
Bruised pain in legs; w. on motion. Sil.
Burning itching of legs; w. in evening; followed by desquamation of skin. Agar.
Chilblains; w. from friction. Zinc.
Chronic rheumatism of left hip; w. in damp weather. Phyt.
Cramps in calf; w. at rest. Arg-m.
Cutting stitches over right thigh; must get up for relief; pains w. from rising, but better on walking slowly. Sep.
Drawing and cutting in knees; w. at commencement of walk. Coni.
Drawing and tearing in all limbs; w. from warmth and at night. Merc.
Drawing pain in hip joint; w. from touch and on bending trunk backward. Caps.
Drawing, tearing pain in legs, as of an internal ulcer; w. on touch; but most peculiar pain is a contraction which increases until very acute, then ceases suddenly with a snap; w. evening. Puls.

Dull pains darting or cutting from right hip joint posteriorly downward to foot; w. lying; better sitting in chair. Gnaphal.

Electric shocks in legs; w. in bed; must sit up and and let legs hang out of bed or walk about. Ver-a.

Gangrene: better from heat. Ars. (W. from heat. Sec.)

Gangrena senilis; w. from warmth. Sec. (Better from warmth. Ars.)

Great pain in shin bones; w. at night and during rest, obliging patient to walk about. Dulc.

Hammering, tearing pain in thighs; w. from motion. Sec.

Inflammation and swelling of knee, with pricking and burning pain; w. from touch. Iod.

Inflammation of bones, with insupportable, digging pains in bones and periosteum; w. at night. Mang. (Merc., Phos-ac.)

Intense itching of dorsum of foot and instep; w. from scratching and warmth. Led.

Limbs stiff, with shooting pains; w. in morning. Kali-bi.

Neuralgia of limbs; pains burning, with agony and great restlessness; w. during rest at night; relieved by exercise. Ars.

Pain as from bruises in all muscles; w. on motion or when sneezing. Kali-c.

Pain in ankles, as from a sprain or false step; w. on motion. Led. (Arn., Bry.)

Pain in both knees shooting down legs; w. on motion. Ferr-ph.

Pain in hip and thigh; intolerable when standing, as if thigh would break; w. when straightening out limb; has to support foot on affected side on chair. Valer.

Pain in periosteum and along bones, especially tibia; w. at night in bed and in damp weather; least touch intolerable. Mez.

Pain in right hip joint; w. from stooping, rising from seat, or moving in bed. Natr-s.

Pain in right knee, with burning and stiffness; w. on motion. Chelid.

Painful drawing in joints of right toes; w. when walking. Sabin.

Pains in legs; w. walking, yet so much w. after ceasing walk that patient must walk again. Lil-tig.

Pains in limbs; w. at night. Hep-s.

Pains in right hip, both knees and in first joint of great toe; w. on right side. Iris.

Paroxysms of excruciating neuralgia in sciatic nerve and perinæal branches, preceded by great coldness and shivering, w. at night, obliging patient to get up and walk about room; pain acute, tearing, digging, boring; lasts sixty to ninety minutes, then slowly disappears. Ign.

Periostitis or periosteal inflammation of foot, with unbearable bone-pains at night; w. from heat. Aur.

Rheumatic, drawing, tearing pains in legs; w. at rest and in rough weather. Rhod.

Rheumatic inflammation of joints; w. evening and night, intense, bright-red, shining swelling, sensitive to least contact (Bry.); numbness and tingling in all parts. Acon.

Rheumatic pain in right knee joint; w. when walking. Cinnab.

Rheumatic pains in hip joints and knees; w. on movement. Kali-bi.

Rheumatic pains in hips; w. during rest; better from motion. Sabad.

Rheumatic pains in lower part of legs; w. on going to sleep. Kalm.

Rheumatic pains, mostly in bones and joints; w. evening; better moving. Teucr.

Rheumatic pains: w. at rest and on beginning to move; better from continued motion. Rhus-t.

Rheumatism: pains change rapidly from one part to another, without swelling or redness; with constant chilliness; w. evening and night. Puls.

Rheumatism: pains go from below upward; joints swollen, painful, hot and tense; drawing pains; w. from warmth and motion. Led.

Rheumatism: tearing, stinging pains; w. at night; with profuse perspiration. Merc.

Rheumatism: weariness, heaviness and stiffness of joints; pain w. on movement. Bry.

Sciatica: dull, aching pain in right side; w. afternoon and evening; better from warmth. Pallad.

Sciatica: dull, aching pain in right side; w. at night and in cold or damp weather; relieved by heat, rubbing and by exercise. Rhus-t.

Sciatica: pain in sacrum extending down sciatic nerve to right thigh; w.: when pressing; at stool; coughing; laughing; lying on affected side. Tellur.

Sciatica: pain running from hip to knee down outside of thigh; w. afternoon and evening and on any change in weather; pressure causes pain to shoot along entire length of nerve. Kali-bi.

Sciatica: shooting, cutting pains running like lightning from hip to knee and sometimes to heel, affecting right side more than left; w. at night (in neuralgic subjects). Coloc.

Sciatica: stitching, contractive pain in hip joint; better on motion and pressure; w. during rest. Meny.

Sciatica or crural neuralgia (in gouty, rheumatic subjects), with tearing, stitching pain; w. on motion. Coff.

Severe pain in ankles; w. in evening. Rhus-r.

Shooting and tearing in hip joint, which pains as if bruised when touched; w. evening in bed; must get up and walk about. Ferr. (Rhus-t.)

Shooting pain in joints of left toes; w. in great toe. Can-ind.

Sticking and drawing from knee to groin; w. on motion or contact. Nux-v.

Sticking and drawing in thighs; w. at rest. Hyos.

Stinging, boring pain in coverings of bones; w. in cool air. Hell.

Sudden pain, as if bruised, in outer malleolus of right foot; w. when standing; less when walking. Valer.

Tearing and stinging in limbs; w. on least motion. Guaj.

Tearing in anterior joints of left toes; w. when walking. Agn.

Tearing pain in left knee; w. at night. Kali-jod.

Tearing pain in tendo Achillis and calf, as if parts would be cut off; w. standing, walking or exerting muscles. Ign.

Tearing pain in tips of toes; w. when walking. Agn.

Tearing pain in toes; w. when walking. Carbo-v.

Tearing pains in knees and ankles; w. during rest. Rhus-t.

Throbbing in joints of feet; w. when sitting. Arg-m.

Throbbing in legs from knees to toes, as from a boil; w. in soles. Kreas.

Violent pain, as if stepping on spikes, which penetrated soles and ran upward through limbs to hips on attempting to walk; w. in right leg and accompanied by drawing pains in both calves. Can-ind.

Violent pain in legs affecting mostly muscular part of thigh; w. evening and night. Plumb.

White swelling of knee, with intolerable, tearing pains; w. during rest and at night. Rhod.

Wounds.—Black, gangrenous ulcers and w. on legs. Lach.

Prevents locked-jaw from w. in feet. Hyper.

Small w. become easily inflamed. Plumb.

Wrapped.—Drawing in thighs, as if bound or w. tightly. Plat.

Wrenched.—Pains as if left hip were w. Iris.

Wrenching.—Sharp, cutting pains darting along course of sciatic nerve, terminating in twisting or w. feeling in foot. Hyper.

Wrinkled.—Legs become cold, pale and w., as if had been long time in water. Sec.

Wrinkles.—Skin w. on lower legs. Rhod.

Wrist (see section on Upper Extremities).—Gout: inflamed and painful w. and ankle joints. Abrot.

Yellow.—Dry, superficial, angry-looking ulcers on legs, covered with y. scabs, with stinging, burning pains; areola inflamed and covered with pimples, which frequently degenerate into ulcers. Hydr.

Painful red spots on calves, turning y. or green, as after contusion, preventing movement of feet. Coloc.

Tuberculosis erythematic lupus: dorsum of right foot covered with small indurations having large, thick crusts, some grayish-white others light y., resting on purple base. Hydroc.

Yellowish.—Y. spots on legs. Hydroc.

BONES AND LIMBS IN GENERAL.

Abdomen (see section on Abdomen).—Cold hands, feet and knees, or a.; even hottest weather does not relieve. Asar.

Abscess.—A. in joints. Merc.

Gouty a. Guaj.

Ache.—All bones a. Merc.

Limbs a. and are tired (with catarrh). Hydr.

Aching.—A., bruised feeling in muscles and joints on awaking. Ptel.

A., drawing or bruised pain in limbs. Nux-v.

A. in bones of limbs, with soreness of flesh and bones. Eupat-perf.

A. in bones, with swelling. Guaj.

A. in limbs. Cimicif.

A. in limbs, with weariness. Calc-ph.

A. pain in elbows, alternating with pain in knees. Dios.

A. pain in bones early in morning (before paroxysm in intermittent). Eupat-perf.

Deep-seated, dull, a. in muscles of limbs and joints. Gels.

Feeling of lameness in flexors and sudden a. in extensors; extensors more affected than flexors. Calc-ph.

Heaviness and a. in all limbs, especially in joints. Chin-s.

Intense a. in limbs, as if bones were broken. Eupat-purp.

Intense soreness and a. in limbs, as if bruised and beaten. Eupat-perf. (Arn., Bad.)

Joints stiff, a. and painful. Æsc.

Lassitude, a. in all limbs. Cham.

Limbs feel bruised and stiff, with drawing, a. pains in thighs and knees. Cycl.

Pains and a. in all bones. Abies-n.

Severe a. in limbs. Bapt.

Soreness in limbs and a. in all bones, as after taking cold. Al-cep.

Violent a. in limbs and back, as if bones were broken (in influenza, grip, or intermittents). Bad., Eupat-perf.

Afternoon.—Great stiffness in joints at eleven a. m.; better a. Brom.

Aged persons.—Rheumatic pains shifting from place to place, always from below upward (especially in a.), with sensation of soreness in bones, leaving ankles and feet swollen. Eupat-purp.

Air.—Acute, rheumatic pains in limbs (Rhus-t.), affecting articulation and tendons; worse on motion and in cold a. Lycop-v.

Feeling of coldness in joints, as if water were trickling over them, in open a. Natr-m.

Great weakness in limbs, especially in bends of knees, when walking in open a. Zinc.

Stinging, boring pains in periosteum; worse in cool a. Hell.

Amputations.—Neuralgia of stomach (after a.), with violent burning, stinging pains. Al-cep.

Anger.—Trembling of limbs, with oppression of breathing (after fright or a.) Ran-b.

Ankle (see section on Lower Extremities).—Pain, as if dislocated, in wrist and a. Bry. (Rhus-t., Ruta.)

Ankles.—Gout in wrists and a. Abrot.

Pain in fingers, a., feet and toes causing restlessness at night. Caul.

Pustular tumors on wrists and a., with excessive sensitiveness and irritability of skin. Cupr-ars.

Rheumatic pains shifting from place to place, always from below upward (especially in aged persons), with sensation of soreness in limbs, leaving a. and feet swollen. Eupat-purp.

Rheumatism: swelling of wrists, and a., which have bluish appearance and are very tender. Lach.

Stiffness in wrists and a. Chelid.

Tearing pain in wrists and a., followed by swelling of toes and fingers. Ammoniac.

Anthrodynia.—A. in several joints. Kali-n.

Anxiety.—Articular rheumatism: intense bright-red, shining swelling and inflammation of joints; sensitive to least contact; with high fever, restlessness and a. (especially when caused by suddenly checked sweat). Acon.

Aponeuroses.—Drawing in joints and a. Acon.

Arm (see section on Upper Extremities).—Chorea: twitching and jerking of muscles of one a. and one leg, usually right. Myg.

Constant involuntary motion of one a. and one leg, in hydrocephalus. Apoc.

Constant threshing with left a. and leg, in hydrocephalus. Bry.

Great heaviness of left a. and leg, like paralysis. Carbo-v.

Involuntary throwing or whirling about of one a. and one leg. Hell.

Left a. and leg feel as if would go to sleep. Nicc.

Paralysis of right a. and lower limbs. Can-ind.

Rheumatic pain in right shoulder, right a. and hip, changing often and lasting but a short time. Ox-ac.

Shifting pains in right a. and leg, then left leg. Hydr.

Trembling in right a. and leg. Dory.

Arms.—A. and legs feel heavy. Alu.

A., hands and soles go to sleep. Nux-v.

Chorea-like, convulsive motions of limbs; legs drawn up, a. jerked outward and backward. Arg-n.

Contraction of a., hands and feet. Ferr-s.

Convulsive twitching of a. and legs. Squilla.

Cramp in a. and legs. Calc-c.

Cramp in a., hands and calves. Natr-m.

Dark bluish swelling of cellular tissues of hands, arms and legs, which are very sensitive, threatening gangrene. Lach.
Drawing pain in a. and legs. Bapt.
Great heaviness and paralytic weakness in a. and legs. Stann.
Heaviness of a., with weakness and heaviness of legs. Natr-c.
Itching of a. and legs. Cupr-ars.
Languor and heaviness of limbs, followed by trembling of a., hands and knees. Caps.
Rheumatic pains in a., joints of fingers, and in legs down to toes. Colch.
Rheumatic pains in shoulders, a. hips and legs. Cact.
Rheumatic pains which seem to be in bones of a. and in right hip, radiating thence to calf and knee (after taking cold). Coloc.
Rheumatism: pains below knees and to a., pains shift rapidly; joints swollen and red. Phyt.
Sleepless from fidgets in left side, both a. and legs. Meph.
Stiffness of a. and legs, with jerking of hands and feet. Hyos.
Tearing in a. and legs in small places. Calc-c.
Tearing pains in a. and legs at night. Ferr.
Uneasiness in a. and legs. Meph.

Arthritis.—Rheumatic a. Natr-ph.

Arthritis vaga.—A., or wandering gout, passing from one joint and place to another, with swelling and redness. Phyt.

Articulation.—Rheumatism: least touch anywhere very painful; sweat without relief; worse in lower limbs, espcially in right tarso-tibial a. Chelid.

Articulations.—Acute rheumatic pains in limbs (Rhus-t.), affecting a. and tendons; worse on motion and in cold air. Lycop-v.

Ascending.—Languor in all limbs, especially on a. Nux-v.
Weariness of limbs when a.; wants to sit down. Calc-ph.

Ascends.—Rheumatism begins in lower limbs and a. Led.

Asleep.—Crawling in limbs, with sensation as if a. Ign.
Jerks in limbs when falling a. Ign.
Limbs feel as if a. Diad.
Numbness of limbs, as if a. Arg-m.

Atony.—A. and weakness of muscles. Hydr.

Atrophied.—Muscles a. Sars.

Atrophy.—Muscular a. of limbs. Bov.
Muscular a., or wasting of muscles of back and limbs. Calc-c.

Autumn.—Rheumatism and gastric affections alternating; pains change and fly rapidly from one place to another; one comes in a., other in spring; weariness in limbs as pains subside. Kali-bi.
Rheumatism, especially in cold weather; getting well in spring, but returning next a. Calc-ph.

Awake.—Involuntary movements while a.; cease during sleep. Agar.

Awaking.—Aching, bruised feeling in muscles and joints on a. Ptel.
Limbs numb and insensible on a. Aur.

Back (see section on Back).—Heavy, weak feeling and formication in b. and limbs; worse at rest, and in stormy weather. Rhod.
Muscular atrophy, or wasting of muscles of b. and limbs. Calc-c.
Violent aching in limbs and b., as if bones were broken (in influenza, grip, or intermittents). Bad., Eupat-perf.

Backward.—Chorea-like, convulsive motions of limbs; legs drawn up, arms jerked outward and b. Arg-n.

Band.—Sensation as if joint was encircled by b. or ring. Lyc.
Sensation as of tight b. around limbs. China.

Beaten.—Bones, joints and muscles sore, as if b. Lith-c. (Arn., Bad., Led., Ruta.)
Feeling as if limbs had been b. after exercise. Agar.
Hands and feet bruised and sore, as if b. Lil-tig.
Intense soreness and aching in limbs, as if bruised and b. Eupat-perf. (Arn., Bad.)
Joints feel as if b. Arg-m.
Joints pain, as if b. Coni.
Limbs and whole body painful, as if bruised and b. Arn. (Bad., Merc., Ruta.)
Limbs feel lame and bruised, as if b. (in catarrhal fever). Dros. (Bad.)
Pain in limbs, joints and bones, as if b., or as after blow or fall. Ruta. (Arn., Bad., Led.)
Sore and bruised feeling in muscles, as if b. Bad. (Arn., Led., Merc., Ruta.)

Bed.—All bones feel bruised and paralyzed, as if had lain upon hard b. Bry.
Drawing and tearing pains in limbs (Sulph.); worse at night in warm b. Merc.
Pains in periosteum and long bones, especially tibia; worse at night in b. Mez.
Rheumatic and arthritic stinging, tearing pains; worse at night in warm b.; with profuse sweat. Merc.
Violent rheumatic pains in limbs drive patient out of b. at night. Cham.

Belong.—Feeling as if limbs did not b. to patient. Agar.

Bend.—Tendency of bones to b. or curve. Calc-ph.

Bends of joints.—Dry, herpetic, itching eruption in b. Hep-s.
Herpetic and itching eruption in b. Psor.
Rhagades in b. Mang.

Bends of knees (see section on Lower Extremities).—Eruption in b. and elbows. Natr-m.
Great weakness in limbs, especially in b., when walking in open air. Zinc.

Bends of limbs.—Painful contraction in b. Natr-m.
Soreness and rawness in b. Graph.

Better (see Relieved).—Drawing and tearing pains in limbs, with inability to lie on affected part; b. when moving. Ars.
Great stiffness in all joints at eleven a. m.; b. in afternoon. Brom.
Joints pain, as if bruised; worse at night; b. moving. China.
Rheumatic pains in limbs, rarely in joints; worse during rest; b. from motion. Valer.
Rheumatism: contracting, drawing and tearing pains in limbs; worse during rest; b. when walking. Rhus-t.
Rheumatism: joints weak or stiff, swollen, red and shining; stitches when touched; worse on beginning to move; b. from continued motion. Rhus-t.
Tearing in limbs; worse at night; b. by moving. Agar.
Tearing pains in limbs during rest; b. on motion. Mur-ac.
Wandering, erratic pains shifting rapidly from one part to another, with swelling and redness of joints; with chilliness; worse at night and from warmth; b. from uncovering. Puls.

Black.—B. and blue spots on limbs (caused either by bruise or by disease). Arn.

Bloated.—Hands and feet b. and blue. Samb.

Blow.—Pain in limbs, joints and bones, as if beaten, or as after b. or fall. Ruta. (Arn., Bad., Led.)

Blows.—Bruised pains, as if flesh had been detached from bone by b. Rhus-t.

Blue.—B. color of forearm and thighs. Bell.
Hands and feet bloated and b. Samb.
Nails b. from coldness. Ver-a.

Bluish.—B. swelling of joints after sprains. Lach.
Rheumatism: swelling of wrists and ankles, which have b. appearance and are very tender. Lach.
Dark, b. swelling of cellular tissues of hands, arms and legs, which are very sensitive, threatening gangrene. Lach.

Bone-pains.—B. at night going from above downward. Mez.
B.; worse at night. Merc.
Rheumatism (after suppressed gonorrhœa), with b.; pains worse at night and in damp weather, or after taking cold in water. Sars.
Syphilitic b. Nitr-ac.

Boring.—B., cutting pain in bones, with feeling as if scraped. Sabad. (Rhus-t.)
B. pain in limbs, as if in marrow of bones (in intermittent). Carbo-v.
B. pains in exostosis. Merc.
B., tearing and bruised pains in bones of limbs. Aur.
Periosteal rheumatism, with b., pressing pains coming like lightning and leaving parts numb. Mez.
Stinging, b. pains in periosteum; worse in cool air. Hell.

Bound.—Drawing and contraction of limbs, as if tightly b. Plat.
Feeling as if bones of limbs were tightly b. Coni.

Break.—Violent cramps in muscles; flexors contracted, with feeling as if joints would b. Cupr.

Breathing (see section on Chest).—Trembling of limbs, with oppression of b. (after fright or anger). Ran-b.

Broken.—Intense aching in limbs, as if bones were b. Eupat-purp.
Joints swollen, pale, or slightly red, puffy, or œdematous; pains are drawing, shooting, pressing, in bones, as if b., and in joints, as if sprained; accompanied by profuse, sour, offensive sweat. Merc.
Pains in bones, as if b. Merc.
Violent aching in limbs and back, as if bones were b. (in influenza, grip, or intermittents). Eupat-perf.

Bruise.—Pains in limbs, like a b.; worse during wet, cold weather. Ver-a.

Bruised.—Aching, b. feeling in muscles and joints on awaking. Ptel.
Aching, drawing or b. pain in limbs. Nux-v.
All bones feel b. and paralyzed, as if had lain upon hard bed. Bry.
Boring, tearing and b. pains in bones or limbs. Aur.
B. feeling in all muscles. Hydroc.
B. feeling in every joint. Calad.
B. feeling in limbs. Lact.
B. feeling, with drawing, tearing pains in limbs. Sulph.
B. pain, as from fatigue. Cist.
B. pain in joints. Arg-n., Arn., Aur., China, Puls.
B. pain in joints and bones. Crotal.
B. pain in limbs. Kreas., Sil.
B. pains, as if flesh had been detached from bone by blows. Rhus-t.
B. sensation in, and weakness, weariness and heaviness of limbs. Clem.
B. sensation in limbs, especially on motion. Carbo-an.
B. sensation, with weakness and weariness in limbs. Merc-sol.
Great debility and b. feeling in limbs. Puls.
Great soreness and b. feeling of muscles; worse on motion. Ham.
Hands and feet b. and sore as if pounded. Lil-tig.
Heaviness of limbs and painful lameness of all joints during motion, as if joints were b. Arn.
Intense soreness and aching in limbs, as if b. and beaten. Eupat-purf. (Arn., Bad.)
Joints feel b. Hyper., Mur-ac.
Joints feel b. and weary, as if they would give way. Mez.
Joints feel b.; relieved by stretching. Carbo-v.
Joints pain as if b.; worse at night; better moving. China.
Joints sore as if b. and tired. Cham.
Limbs and whole body painful, as if b. and beaten. Arn., Led. (Bad., Merc., Ruta.)

Limbs feel b. Phos.
Limbs feel b. and are weak. Hep-s.
Limbs feel b. and paralyzed, with difficulty in walking. Coni.
Limbs feel b. and stiff, with drawing, aching pains in thighs and knees. Cycl.
Limbs feel lame and b., as if beaten (in catarrhal fever). Dros. (Bad.)
Limbs feel paralyzed and b. Cocc.
Pain in bones as if b. Ipec.
Pains in joints as if b. Nux-v.
Paralytic b. pain in long bones and joints. Calc-c.
Paralytic pain in joints, as if b., during motion. Arn.
Rheumatic drawing in periosteum of long bones as if b. Can-sat.
Sore and b. feeling in muscles as if beaten. Bad. (Arn., Led., Merc., Ruta.)
Tearing, stitching or throbbing pains, or b. feeling in limbs. Berb.
Tired, and feeling as if b. in every limb. Spig.
Weakness and b. feeling in limbs. Ferr-jod.
Weakness, weariness and b. feeling in limbs. Zinc.

Bubbling.—B. sensation in muscles and joints. Rheum.

Burning.—B., cutting pain like sting of a wasp in knee and elbow. Arg-n.
B. in bones. Carbo-v.
B. in hands and feet. Am-c.
B. in hands and feet; worse at night. Sang.
B. in hands and tearing in legs, alternately in knee and hip joint. Calc-c.
B. in palms and soles. Calc-c., Canth., Carbo-v., Lachn., Lil-tig., Mur-ac.
B. in palms and soles at night. Lach.
B. in palms and soles (during menses). Carbo-v.
Neuralgia of stomach (after amputations), with violent b., stinging pains. Al-cep.
Periosteal inflammation, with b., gnawing, tearing pains. Phos-ac.
Periostitis, with throbbing and b. pain as from ulceration. Coni.

Calf (see section on Lower Extremities).—Rheumatic pains which seem to be in bones of arms and in right hip, radiating thence to c. and knee (after taking cold). Coloc.

Calves.—Cramps in arms, hands and c. Natr-m.
Limbs very painful, especially feet and c. Ferr-s.

Caries.—C. Mez., Sil.
C. and necrosis (after syphilis or abuse of Mercury). Kali-jod.
C. and necrosis (especially of psoric and syphilitic nature). Fluor-ac.
C. and spongy affections of bones. Guaj.
C. of bones, with sloughing, phagedæna and gangrene. Nitr-ac.
Swelling, softening or c. of bones. Merc. (Sil.)

Carpal (see section on Upper Extremities).—Osseous growths in tarsal and c. articulations. Calc-flu.

Carriage.—Painful concussion of limbs, felt when c. in which one is riding shakes, or when one treads too hard in walking. Arn.

Catarrh (see section on Chest).—Limbs ache and are tired (with c.). Hydr.

Catarrhal fever (see section on Fever).—Limbs feel lame and bruised, as if beaten (in c.). Dros. (Bad.)

Cease.—Involuntary movements while awake; c. during sleep. Agar.

Ceased.—Numbness in limbs, with sensation as if circulation had c. Lyc.

Chalk stones.—Gout or rheumatism, with concretion of "c." in joints. Coff-t.

Change.—Acute articular rheumatism; joints red, hot and swollen; pains c. from place to place; metastasis to legs or heart. Kalm.

Pains in limbs which are restless, compelling patient to c. position often to obtain relief. Natr-s. (Rhus-t.)

Rheumatism and gastric affections alternating; pains c. and fly rapidly from one place to another; one comes in fall, other in spring; weariness in limbs as pains subside. Kali-bi.

Changing (see Shifting).—Rheumatic pain in right shoulder, right arm and hip, c. often and lasting but a short time. Ox-ac.

Rheumatic, tearing pains, frequently c. about, in muscles. Colch.

Chilblains (see also section on Skin).—C. on hands and feet. Petr.

Chill (see section on Chill and Fever).—Hands and feet get cold and numb as if dead during c. (in intermittent). Cimex.

Pains in all joints as if tendons were contracted and too short during c. (in intermittent). Cimex.

Tearing in limbs; they are drawn up during c. (in intermittent). Caps.

Chilliness.—Pains in limbs alternating with c. and heat. Brom.

Tearing pain in limbs, with c. Bar-c.

Trembling of limbs (Coni., Gels., Merc.), with c. even in warm room. Cocc.

Violent contraction in limbs, with shuddering and c. Cupr-ac.

Violent rheumatic pains in limbs every evening and night, preceded by c. Kali-jod.

Wandering, erratic pains shifting rapidly from one part to another, with swelling and redness of joints; with c.; worse at night and from warmth; better from uncovering. Puls.

Chlorosis.—Muscles have a doughy feeling and are powerless (in c.). Cycl.

Choking.—Convulsions beginning with cramps in lower limbs; drawing in fingers and toes, throwing about of limbs, frothing at mouth and c. in throat. Cupr.

Chorea (see section on Nerves).—C.: twitching and jerking of muscles of one arm and one leg, usually right. Myg.

Twitching of muscles, with jerking in limbs; limbs in constant motion (in c.). Myg.

Chorea-like.—C., convulsive motions of limbs; legs drawn up, arms jerked outward and backward. Arg-n.

Chronic.—C. arthritic affections, with violent pains in joints at night; without swelling. Iod.

Circulation.—Numbness in limbs, with sensation as if c. had ceased. Lyc.

Clammy.—Limbs cold and c. when excited or nervous. Lil-tig.

Clumsy.—Hands and feet feel heavy as lead; are numb and c. Phos.

Cold.—Arthritic pains brought on by least c., with irritable cough. Phos-ac.

C. hands and c. feet up to knees. Ign.

C. hands and feet. Gels., Ipec., Lach., Natr-m., Phyt., Plumb., Sep.

C. hands and feet, with occasional feeling of coldness all over. Ars.

C. hands and warm feet. Aloe, Calc-c. (Cham.)

C. hands, feet and knees, or abdomen; even hottest weather does not relieve. Asar.

C. limbs, with hot head. Bell.

Constant c. hands and feet. Merc.

Hands and feet get c. and numb as if dead during chill (in intermittent). Cimex.

Limbs c. and clammy when excited or nervous. Lil-tig.

Limbs c. and covered with c. sweat. Sec.

Limbs feel heavy, stiff, lame, paralyzed and c. Chelid.

Limbs icy c. (in tuberculosis). Chin-ars.

Pains in joints after taking c. Caps.

Pains in limbs, like a bruise; worse during wet, c. weather. Ver-a.

Rheumatism after slightest c. Coca.

Rheumatism (after suppressed gonorrhœa), with bone-pains; pains worse at night and in damp weather, or after taking c. in water. Sars.

Rheumatism, especially in c. weather; getting well in spring, but returning next autumn. Calc-ph.

Soreness in limbs and aching in all bones, as after taking c. Al-cep.

Coldness.—C. of hands and feet, with thirst. Cina.

C. of hands and soles while rest of body is warm. Coloc.

C. of limbs. Dig., Mur-ac., Opi., Zinc. (Ver-a.)

C. of limbs, hands and feet. Coff.

C. of limbs, which look purple. Merc-cor.

C. of limbs, with clammy sweat and great prostration. Camph.

C., stiffness and paralysis of limbs. Oleand.

Constant c. of hands and feet (with epistaxis). Croc.

Feeling of **c.** in joints, as if water were trickling over them, in open air. Natr-m.

Icy c. of hands and feet. **Dory.**, Mancin., Ver-a. (Sil.)

Icy c. of hands and feet, with warmth of rest of body. **Meny.**

Nails blue from **c.** Ver-a.

Numbness, insensibility and **c.** of limbs, especially fingers and tips of toes. Sec.

Sensible, though invisible trembling of limbs, with sensation of **c.** China.

Concretions (see Deposits).—Gout or rheumatism, with **c.** of "chalk-stones" in joints. Coff-t.

Gouty **c.** Benz-ac.

Painful, hard nodes and calcareous **c.** on joints. **Led.**

Concussion.—Inflammation of joints, with excessive hyperæsthesia; slightest **c.** of air, floor or bed makes pain unbearable. Colch.

Painful **c.** of limbs, felt when carriage in which one is riding shakes, or when one treads too hard in walking. Arn.

Concussive.—Spasmodic rigidity of limbs, with **c.** jerking of head. Hell.

Constriction.—**C.** in joints. Anac., Aur., Graph., Natr-m., Nitr-ac.

Contact (see Touch).—Articular rheumatism: intense, bright-red, shining swelling and inflammation of joints; sensitive to least **c.**; with high fever, restlessness and anxiety (especially when caused by suddenly-checked sweat). Acon.

Rheumatic and gouty pains in limbs, with tension; worse from motion and **c.** Bry.

Contortions.—Convulsive twitchings and **c.** of muscles. **Ver-v.**

Contract.—Hands and feet **c.** spasmodically. Bism.

Contracted.—Muscles **c.** and tightly drawn. Hydroc-ac.

Violent cramps in muscles; flexors **c.**, with feeling as if joints would break. Cupr.

Contracting.—Rheumatism: **c.**, drawing and tearing pains in limbs; worse during rest; better when walking. **Rhus-t.**

Contraction.—**C.** and stiffness in joints. **Lyc.**

C. in joints, as if muscles were shortened. **Am-m.**

C. in muscles. Natr-c., Natr-m.

C. of arms, hands and feet. **Ferr-s.**

C. of flexor tendons. **Caust.**

C. of flexors. Crotal.

C. of joints. Merc.

C. of limbs. Acon., Calc-c., **Graph.**, **Lyc.**, Sec.

C. of muscles and tendons. Cupr. (Stram., Zinc.)

C. or twitching of muscles. Kali-jod.

C., stiffness and immobility of limbs. Guaj.

Convulsive muscular **c.**, with paralytic sensation and partial temporary paralysis of limbs. Cina.

Drawing and c. of limbs, as if tightly bound. Plat.
Painful c. in bends of limbs. Natr-m.
Painful c. in flexor muscles. Sec.
Pains in all joints, as if tendons were c. and too short during chill (in intermittent). Cimex.
Paralysis and c. of limbs. Millef.
Periodic, spasmodic, painful c. of fingers and toes, frequently so severe that fingers could not be extended without great force. Cupr-ac.
Rheumatic and arthritic inflammation, with c. of flexors and stiffness of joints. Caust.
Tearing pain in limbs, with c. and stiffness of joints. Lach.
Twitching and c. in muscles. Mez.
Twitching, shortening or c. of muscles or tendons. Natr-m.
Violent c. in limbs, with shuddering and chilliness. Cupr-ac.

Convulsions.—C. beginning with cramps in lower limbs; drawing in fingers and toes, throwing about of limbs, frothing at mouth and choking in throat. Cupr.
C., with intermittent, tetanic rigidity of muscles; during intermission muscles relax. Nux-v.
C., with trembling of limbs. Ant-c.
Convulsive movements and distortions of limbs, with general c. Cupr.
Cramps and c. in limbs. Cupr-ac.

Convulsive.—Chorea-like, c. motions of limbs; legs drawn up, arms jerked outward and backward. Arg-n.
C. jerking of hands and feet. Bar-m.
C. jerks and starts in paralyzed limbs. Sec.
C. motions of limbs. Stram.
C. movements and distortions of limbs, with general convulsions. Cupr.
C. movements of limbs. Bell., Chlor.
C. muscular contraction, with paralytic sensation and partial temporary paralysis of limbs. Cina.
C. twitching of arms and legs. Squilla.
C. twitching of limbs. Cham.
C. twitching of muscles during sleep. Hell.
C. twitchings and contortions of muscles. Ver-v.
C., uncontrollable movements of limbs. Myg.

Cough (see section on Lungs).—Arthritic pains brought on by least cold, with irritable c. Phos-ac.
Rheumatic pain in limbs, with c. Caps.

Crack.—Joints c. when walking or turning. Caul.
Joints stiff, painful and c. on beginning to move. Caps.

Cracking.—C. and arthritic stiffness in joints. Petr.
C. and creaking in joints. Cocc.
C. in joints. Ang., Camph., Caps., Croc., Ferr., Led., Natr-s., Nitr-ac., Petr.

C. in joints, especially in jaw and shoulders. Chin-s.
C. in joints from least motion. Kali-bi.
C. in joints on motion. Kali-c., Natr-m.
C. in joints when limb is stretched. **Thuja.**
C. in joints when stretched. Lyc.
C. in knee and shoulder. Calc-c.
Nodes on joints, with c. on motion. Benz-ac.
Painful c. in joints on motion. Croc.

Cramp.—C. and great pain in flexor tendons of fingers and toes, alternating with false labor-pains (in pregnant women). Dios.
C. in arms and legs. Calc-c.
C. in hands and feet. Agar.
Violent and severe c. in limbs. Cupr-ac.

Cramped.—C. drawing or jerking in limbs and joints. Plat.
Muscles of all parts of body become painfully c. Coloc.
Swelling of joints, rather pale; muscles palpitate and are c. Nux-v.

Cramping.—Cutting and c. pains in muscles. Ambr.
Rheumatism affecting bellies of muscles, with c., stitching pains. Cimicif.

Cramp-like.—Numbness in limbs and joints, with c. pain. Plat.
Pains in limbs from forearm and leg down to fingers and toes; soon passing off; resembling c. drawing. Rhod.
Sharp, c. twitchings near joints. Lact.

Cramps.—Convulsions beginning with c. in lower limbs; drawing in fingers and toes, throwing about of limbs, frothing at mouth and choking in throat. Cupr.
C. and convulsions in limbs. Cupr-ac.
C. in arms, hands and calves. Natr-m.
C. in hands and toes. Sec.
C. in joints. Calc-c., Plat.
C. in limbs, fingers and toes. Cupr., Ver-v.
Violent c. in muscles; flexors contracted, with feeling as if joints would break. Cupr.

Crampy.—C. pain in limbs, especially in ball of thumb, or feet. Oleand.
Rheumatism: tearing, lameness and trembling, or c. pains, or twisting in affected limbs and frequent jerking of whole body during sleep. Zinc.

Crawling.—C. and tingling in limbs. Sec. (Acon.)
C. in hands and feet, as if nnmb, with fuzzy feeling. Hyper.
C. in limbs, with sensation as if asleep. Ign.

Creaking.—Cracking and c. in joints. Cocc.

Crepitation.—C. and sore feeling in joints. Natr-ph.
Feeling of c. in joint when moving it. Rhus-r.

Crooked.—Limbs deformed and c. (rachitis). Calc-c.

Crosswise.—Rheumatism: pain in joints, with red, shiny swelling; shifting from joint to joint, generally c. Mang.

Curvature.—C. of bones, especially of spine and long bones. Calc-c.
Curve.—Tendency of bones to bend or c. Calc-ph.
Cutting.—Boring, c. pain in bones, with feeling as if scraped. Sabad. (Rhus-t.)
Burning, c. pain, like sting of a wasp, in knee and elbow. Arg-m.
C. and cramping pains in muscles. Ambr.
Deep, tearing and c. pains in limbs. Can-sat.
Shooting and c. pains in tips of fingers and toes. Am-m.
Stiffness in joints, with sharp, c. pains above joints; always transversely, not lengthwise. Zinc.
Violent c. pains in limbs at night. Bad.

Damp.—Pains in middle of long bones and attachment of muscles; worse in d. weather, or at night. Phyt.
Rheumatism (after suppressed gonorrhœa), with bone-pains; pains worse at night and in d. weather, or after taking cold in water. Sars.
Dance.—Feet and legs would d. and jump around involuntarily; had to hold them. Sticta.
Darting.—D. and shooting pains in limbs, mostly on left side. Æsc.
D. pains in limbs. Sticta.
Vivid neuralgic or rheumatic pains in limbs d. about; shifting and intermittent. Magn-ph.
Dead.—Hands and feet get cold and numb, as if d. during chill (in intermittent). Cimex.
Deadness.—Numbness and d. of limbs. China.
Debility.—D., with weariness of limbs. Lact-ac.
Excessive d., vertigo and trembling of limbs. Canth.
Great d. and bruised feeling in limbs. Puls.
Great d., heaviness and trembling of limbs, especially in morning. Nitr-ac.
Great weakness and d. in limbs. Ferr-m.
Decay.—D. and destruction of osseous system. Calc-ph.
Deformed.—D. nails. Sep. (Graph.)
D. nails of fingers and toes. Caust., Nitr-ac.
Limbs d. and crooked (rachitis). Calc-c.
Deposits (see Concretions).—Arthritic d. Aur.
Subacute and chronic rheumatism of joints, with calcareous d., muscular weakness and paralytic symptoms. Colch.
Descending.—Joints feel weak and sore, especially on d. Arg-m.
Despair.—Intolerable pain in bones at night driving patient to d. Kali-jod.
Destroy.—Leprosy: ulcers on tips of fingers and toes; they spread and d. one joint after another, and one phalanx after another falls; finally hands and feet are separated in their joints. Tart-em.
Destruction.—Decay and d. of osseous system. Calc-ph.

Detached.—Bruised pains, as if flesh had been d. from bone by blows. Rhus-t.

Diarrhœa (see section on Stool).—Jerking up of limbs during sleep (with d.). Tart-em.

Rheumatism after acute eruptions, or when chronic forms alternate with acute attacks of d. Dulc.

Rheumatism: with high fever; after suddenly checked d.; cannot move head or limbs; great pain and no swelling. Abrot.

Digging.—Wandering, d., pressing pains in small spots, lasting but a short time and soon returning. Nux-m.

Disappearing.—Pains in muscles on first moving; d. after continued motion. Rhus-r.

Rheumatism: articular, acute or chronic; appearing and d. suddenly; acute merging into chronic form, and during chronic form acute attacks set in; metastasis to heart. Colch.

Disappears.—Drawing or tearing in limbs; continues when sitting or standing, but d. during motion. Agar.

Dislocated.—Pain as if d. in wrist and ankle. Bry. (Rhus-t., Ruta.)

Pain in joints, as if sprained or d. Ign.

Dislocation.—Easy d. of joints. Ferr-s., Phos.

Lameness in hips or knees after sprains or d. Rheum.

Distended.—Bones d. Mez.

Distortion.—Convulsive movements and d. of limbs, with general convulsions. Cupr.

Spasmodic d. of limbs. Cic-v. (Cina.)

D. of limbs. Bell., Plat., Stram.

Jerking and d. of limbs. Cina.

Doughy.—Muscles have a d. feeling and are powerless (in chlorosis). Cycl.

Downward.—Bone-pains at night going from above d. Mez.

Rheumatic pains from elbows or knees d. Nicc.

Tearing in limbs, muscles and joints, from above d. Sulph.

Drawing.—Aching, d. or bruised pain in limbs. Nux-v.

Bruised feeling, with d., tearing pains in limbs. Sulph.

Convulsions beginning with cramps in lower limbs; d. in fingers and toes, throwing about of limbs, frothing at mouth and choking in throat. Cupr.

Cramped d. or jerking in limbs and joints. Plat.

D. and contraction of limbs, as if tightly bound. Plat.

D. and pressive pains in joints. Ang.

D. and pressure in all joints, especially knees. Lyc.

D. and shortening of muscles. Caust.

D. and stiffness in limbs. Meny.

D. and tearing pains in bones of limbs; more in joints. Dros.

D. and tearing pains in limbs. Carbo-v., Kali-c., Merc-sol. (Bry., Coloc., Lyc., Merc.)

D. and tearing pains in limbs, with inability to lie on affected part; better when moving. Ars.
D. and tearing pains in limbs (Sulph.); worse at night in warm bed. Merc.
D. in almost all limbs and joints. Bry.
D. in joints and aponeuroses. Acon.
D. in limbs. Alu.
D. in limbs, with soreness. Ang.
D. or tearing in limbs; continues when sitting or standing, but goes off during motion. Agar.
D. pain in arms and legs. Bapt.
D. pain in bones, with paralytic condition of limbs. Cocc.
D. pain in joints. Arg-m.
D. pain in limbs. Hep-s.
D. pains in limbs in evening. Sulph.
D. pains in limbs on every attempt to stretch them. Cimex.
D. pains through long bones. Sabin.
D., paralytic pains and weakness in limbs, especially in joints. Sep.
D. pressure in joints. Calc-c.
D., tearing jerks in long bones of limbs, or in tendons. Cham.
D., tearing pains in joints. Cist.
D., tearing pains in limbs. Cocc-c., Lyc., Zinc. (Puls., Sulph.)
D., tearing pains in limbs and joints. Natr-s., Spig. (Bry., Led.)
D., tearing pains in limbs, especially at night. Sabin.
D., tearing pains in periosteum; worse at night and in wet, stormy weather. Rhod.
D., with inflammation of periosteum. Merc-cor.
Gnawing, or d. pain in bones. Graph.
Involuntary d. and trembling feeling in muscular parts of hands and in lower limbs. Cist.
Joints swollen, pale, or slightly red, puffy or œdematous; pains are d., shooting, pressing in bones as if broken, and in joints as if sprained; accompanied by profuse, sour, offensive sweat. Merc.
Limbs feel bruised and stiff, with d., aching pains in thighs and knees. Cycl.
On stretching or moving extensor muscles there is tightening or d. pain in tendons and extensors. Cimex.
Pains in limbs from forearm and leg down to fingers and toes; soon passing off; resembling cramp-like d. Rhod.
Paralytic d. and tearing in limbs. Magn-m.
Paralytic d. through limbs. Sabad.
Rheumatic d. in periosteum of long bones, as if bruised. Can-sat.
Rheumatic or arthritic, piercing, d., tearing pains. Millef.
Rheumatic, tearing, d. pains in limbs. Coloc. (Bry., Led., Lyc., Merc.)
Rheumatism: contracting, d. and tearing pains in limbs; worse during rest; better when walking. Rhus-t.

Rheumatism: d., tearing pains, with sensation of lameness and numbness; more in tendons, ligaments and bones (not in muscles). Cham.

Rheumatism: d., tearing pains, with tight feeling. Phos.

Rheumatism: pains go from below upward; joints swollen, painful, hot and tense; d. pains; worse from warmth and motion. Led.

Severe d. pains in joints. Caul.

Sticking, d. jerking through periosteum, with lameness and actual paralysis of limbs. Colch.

Tearing, d. or gnawing pains in bones. Kali-jod.

Tearing or d. pains in limbs and in both thighs. Coloc.

Violent d. and tearing in middle of long bones; pains so great they seem unable to hold together. Zinc.

Drawn (see Contracted). — Muscles are contracted and tightly d. Hydroc-ac.

Drawn up.—Chorea-like, convulsive motions of limbs; legs d., arms jerked outward and backward. Arg-n.

Tearing in limbs; they are d. during chill (in intermittent). Caps.

Dropsical.—D. swelling of hands and feet. Canth.

Dropsy.—D. of synovial membranes. Tart-em.

Drunkards.—Trembling of limbs (in d.). Ars.

Dry.—D. sensation in joints. Nux-v., Puls.

Hands and feet hot, d. and feverish. Ptel.

Dryness.—D. of palms and soles. Bism., Sulph. (Crotal.)

Dyspnœa (see section on Chest). — Arthritic rheumatism, with d. Can-sat.

Eating (see section on Stomach).—Feels tired in all muscles immedietely after e. Can-sat.

Elbow (see section on Upper Extremities).—Burning, cutting pain, like sting of a wasp, in knee and e. Arg-n.

Sticking pains in left e. or knee. Laur.

Elbows.—Aching pain in e., alternating with pain in knees. Dios.

Eruption in bends of knees and e. Natr-m.

Rheumatic pains from e. or knees downward. Nicc.

Rheumatism: soreness of muscles, with inflammation of e., knees and small joints; worse at night and from motion; with acrid and profuse sweat. Lact-ac.

Electric-like.—Violent e. shocks in limbs. Ver-v.

Emaciation.—Relaxation and weakness of muscles, with e. Ferr.

Encircled.—Sensation as if joint was e. by band or ring. Lyc.

Endocarditis (see section on Heart). — Acute rheumatism, with e. Kali-n.

Ends of fingers (see Tips of Fingers).—E. and toes enlarged and knob-like (with disease of heart). Laur.

Enlarged.—Ends of fingers and toes e. and knob-like (with disease of heart). Laur.
E. joints or scrofulous tumors. Ammoniac.
Enlargements.—Indurated e. of fascia and capsular ligaments of joints. Calc-flu.
Tardy development of bony tissues, with lymphatic e. Calc-c.
Epileptic attack (see section on Nerves).—Spasms of limbs (during e.); throws limbs about. Absinth.
Epistaxis (see section on Nose).—Constant coldness of hands and feet (with e.). Croc.
Eruption (see section on Skin).—Dry, herpetic, itching e. in bends of joints. Hep-s.
Dry, tettery e. on limbs, resembling zona. Dolich.
E. in bends of knees and elbows. Natr-m.
Heaviness in limbs, followed by leprous e. Tart-em.
Herpetic and itching e. in bends of joints. Psor.
Rheumatism after acute e., or when chronic forms alternate with acute attacks of diarrhœa. Dulc.
Erysipelatous.—E. swelling of limbs. Ananth.
Evening.—Drawing pains in limbs in e. Sulph.
Rheumatic inflammation of joints; worse e. and night. Acon.
Rheumatism of all joints, with much pain, stiffness and swelling; worse in e., and again in morning on first rising. Cact.
Swelling of feet in e. Stann.
Uneasiness of limbs in e. Caust.
Violent pains in limbs, especially of muscular part; worse e. and night. Plumb.
Violent rheumatic pains in limbs every e. and night, preceded by chilliness. Kali-jod.
Excitability.—Muscular or articular rheumatism, with great nervous e. Cham.
Excited.—Limbs cold and clammy when e. or nervous. Lil-tig.
Exercise.—Feeling as if limbs had been beaten after e. Agar.
Great weakness after little e. Can-sat.
Tired feeling and heaviness in limbs after little e. Ammoniac.
Exertion.—Muscles feeble and easily exhausted from slight e. Ferr.
Trembling in limbs from every e. Phos.
Weakness of joints, with feeling as if could not bear e. of lifting. Sep.
Exhausted.—Muscles feeble and easily e. from slight exertion. Ferr.
Exhaustion.—Great weakness and e. of limbs, obliging patient to lie down. Ars.
Exostosis.—Boring pains in e. Merc.
E., osteophytes and similar new growths of bones. Calc-ph.
E., with stitching, pressing or dull pain; worse at night. Daph.
Exposure.—Sudden pain and stiffness in limbs (after e). Merc.

Extensors.—Feeling of lameness in flexors and sudden aching in e.; more affected than flexors. Calc-ph.

On stretching or moving there is tightening or drawing pain in tendons and e. Cimex.

Exudations.—E. from surface of bones assume a nodulated, jagged form. Calc-flu.

Fall.—Pain in limbs, joints and bones, as if beaten, or as after blow or f. Ruta. (Arn., Bad., Led.)

Falls.—Leprosy: ulcers on tips of fingers and toes; they spread and destroy one joint after another and one phalanx after another f.; finally hands and feet are separated in their joints. Tart-em.

Fatigue.—Bruised pain, as from f. Cist.

Heaviness in limbs and great f. on walking. Calc-c.

Small joints swell after walking or slight f. Actea-s.

Stiffness and feeling of f. in joints on motion. Staph.

Feeble (see Weak).—Muscles f. and easily exhausted from slight exertion. Ferr.

Feet (see section on Lower Extremities).—Arthritic pains in limbs, with stiffness of joints and swelling of hands and f. Colch.

Burning in hands and f. Am-c.

Burning in hands and f.; worse at night. Sang.

Chilblains on hands and f. Petr.

Cold hands and cold f. up to knees. Ign.

Cold hands and f. Gels., Ipec., Lach., Natr-m., Phyt., Plumb., Sep.

Cold hands and f., with occasional feeling of coldness all over. Ars.

Cold hands and warm f. Aloe, Calc-c. (Cham.)

Cold hands, f. and knees, or abdomen; even hottest weather does not relieve. Asar.

Coldness of hands and f., with thirst. Cina.

Coldness of limbs, hands and f. Coff.

Constant cold hands and f. Merc.

Constant coldness of hands and f. (with epistaxis). Croc.

Continual warm sweat on hands and f. Led.

Contraction of arms, hands and f. Ferr-s.

Convulsive jerking of hands and f. Bar-m.

Cramp in hands and f. Agar.

Crampy pain in limbs, especially in ball of thumb, or f. Oleand.

Crawling in hands and f. as if numb, with fuzzy feeling. Hyper.

Dropsical swelling of hands and f. Canth.

Feeling of soreness in joints, especially of hands and f., fingers and toes. Arg-m.

F. and legs would dance and jump around involuntarily; had to hold them. Sticta.

Hands and f. bloated and blue. Samb.

Hands and f. bruised and sore, as if beaten. Lil-tig.

Hands and f. contract spasmodically. Bism.
Hands and f. feel heavy as lead; are numb and clumsy. Phos.
Hands and f. get cold and numb as if dead, during chill (in intermittent). Cimex.
Hands and f. go to sleep. Calc-c.
Hands and f. go to sleep alternately. Cocc.
Hands and f. hot, dry and feverish. Ptel.
Hands and f. moist. Fluor-ac.
Heat of hands and f. Psor.
Heaviness of hands and f. Bell.
Icy coldness of hands and f. Dory., Mancin., Ver-a. (Sil.)
Icy coldness of hands and f., with warmth of rest of body. Meny.
Joints of hands and f. feel sore. Arg-m.
Leprosy: ulcers on tips of fingers and toes; they spread and destroy one joint after another, and one phalanx after another falls; finally hands and f. are separated in their joints. Tart-em.
Limbs very painful, especially f. and calves. Ferr-s.
Numbness and prickling of hands and f. Colch.
Numbness and weakness in hands and f. Zinc.
Numbness of hands and f. Coca.
Œdema of hands and f., especially left. Cact.
Œdematous swelling of hands and f. Colch.
Pain in fingers, ankles, f. and toes causing restlessness at night. Caul.
Rheumatic pains shifting from place to place, always from below upward (especially in aged persons), with sensation of soreness in limbs, leaving ankles and f. swollen. Eupat-purp.
Rheumatism after getting f. wet. Nux-m., Rhus-t.
Rheumatism of hands and f. Aur.
Rheumatism of right wrist and both f.; instep puffy. Ruta.
Spasms of hands and f. Art-v.
Stiffness of arms and legs, with jerking of hands and f. Hyos.
Subsultus tendinum of both hands and f. Iod.
Sweat on hands and f. (after fever). Sil.
Swelling and stiffness of hands and f. Sticta.
Swelling of f. in evening. Stann.
Swelling of hands and f. Bar-m., Lach., Natr-c.
Tearing pains in bones of hands and f. Bism.
Tearing pains in limbs, with swelling of bones of f. and hands Phos-ac.
Tingling in hands and f. and tearing pain in joints. Arn.
Trembling and heaviness of hands and f. Nicc.
Trembling of limbs, especially of hands and f. Merc.
Twitching of hands and f. Hyos.
Twitching of hands and f., and of tendons. Stram.
Twitching of hands and f. during sleep. Natr-s.
Weakness and trembling of limbs, especially hands and f. Sulph.

Fever (see section on Fever).—Acute articular rheumatism attacking one joint after another; joints puffy, but little red; with high f. Ferr-ph.

Articular rheumatism: intense, bright-red, shining swelling and inflammation of joints; sensitive to least contact; with high f., restleessness and anxiety (especially when caused by suddenly-checked sweat). Acon.

Muscular rheumatism, with high f. Acon.

Rheumatism: with high f.; after suddenly-checked diarrhœa; cannot move head or limbs; great pain and no swelling. Abrot.

Sweat on hands and feet (after f.). Sil.

Trembling of limbs. with f. Cist.

Feverish.—Hands and feet hot, dry and f. Petl

Fidgets.—Sleepless from f. in left side, both arms and legs. Meph.

Finger (see section on Upper Extremities).—Periostitis in one f. and two toes. Ferr-jod.

Fingers.—Convulsions beginning with cramps in lower limbs; drawing in f. and toes, throwing about of limbs, frothing at mouth and choking in throat. Cupr.

Cramp and great pain in flexor tendons of f. and toes, alternating with false labor-pains (in pregnant women). Dios.

Cramps in limbs, f. and toes. Cupr., Ver-v.

Deformed nails of f. and toes. Caust., Nitr-ac.

Feeling of soreness in joints, especially of hands and feet, f. and toes. Arg-m.

Gout in f. and toes. Ran-sc.

Numbness and insensibility and coldness of limbs, especially f. and tips of toes. Sec.

Pain in f., ankles, feet and toes causing restlessness at night. Canl.

Pains in limbs from forearm and leg, down to f. and toes; soon passing off; resembling cramp-like drawing. Rhod.

Periodic, spasmodic, painful contraction of f. and toes, frequently so severe that f. could not be extended without great force. Cupr-ac.

Phagedenic ulcers on joints of f. and toes. Borax. (Sep.)

Rheumatic pains in arms, joints of f., and in legs down to toes. Colch.

Tearing pain in wrists and ankles, followed by swelling of toes and f. Ammoniac.

Ulcers on f. and toes. Bry.

Flabby.—Limbs f. Chelid.

Muscles f. and lax. Phos.

Muscles soft and f. Fluor-ac.

Flesh.—Aching in bones of limbs, with soreness of f. and bones. Eupat-perf.

Bruised pains as if f. had been detached from bone by blows. Rhus-t.

Feeling as if f. were torn from bones. Nitr-ac.

Soreness in f. of limbs. Arg-n.

Flexor muscles.—Painful contraction in f. Sec.

Flexors.—Contraction of f. Crotal.

Feeling of lameness in f. and sudden aching in extensors; extensors more affected than f. Calc-ph.

Jerks of f. Opi.

Rheumatic and arthritic inflammation, with contraction of f. and stiffness of joints. Caust.

Violent cramps in muscles; f. contracted, with feeling as if joints would break. Cupr.

Flexor tendons.—Contraction of f. Caust.

Cramp and great pain in f. of fingers and toes, alternating with false labor-pains (in pregnant women). Dios.

Fly.—Rheumatism and gastric affections alternating; pains change and f. rapidly from one place to another; one comes in fall, other in spring; weariness in limbs as pains subside. Kali-bi.

Flying.—Constant f. pains in limbs; remain only few minutes in one place. Caul.

F. pains in limbs after getting wet in rain. Calc-ph.

Fontanelles (see section on Head).—F. remain open too long and skull very large. Calc-c.

Forearm (see section on Upper Extremities).—Blue color of f. and thighs. Bell.

Pains in limbs from f. and leg, down to fingers and toes; soon passing off; resembling cramp-like drawing. Rhod.

Forearms (see section on Upper Extremities).—Lassitude and weariness of f. and legs. Arg-n.

Formication.—F. in limbs, as if had gone to sleep. Agar.

Heavy, weak feeling and f. in back and limbs; worse at rest and in stormy weather. Rhod.

Prickling, tingling numbness and f. in limbs. Sec.

Fright.—Trembling of limbs after f. Opi.

Trembling of limbs, with oppression of breathing (after f. or anger). Ran-b.

Frost-bitten.—Limbs f. Abrot., Agar.

Frothing.—Convulsions beginning with cramps in lower limbs; drawing in fingers and toes, throwing about of limbs, f. at mouth and choking in throat. Cupr.

Frozen.—F. limbs. Agar., Nitr-ac., Puls.

Fungous.—F. formations in joints. Ant-c.

Fuzzy.—Crawling in hands and feet as if numb, with f. feeling. Hyper.

Gangrene.—Caries of bones, with sloughing, phagedæna and g. Nitr-ac.

Dark-bluish swelling of cellular tissues of hands, arms and legs, which are very sensitive, threatening g. Lach.

G. of limbs. Sec. (Ars., Anthrak.)

Gangrenous.—Limbs inflamed, swollen and g. Crotal.

Gaping (see Yawning).—G., with stretching of limbs. Chin-ars.

Gastric (see section on Stomach).—Great trembling of limbs (with g. derangements). Dory.

Rheumatic or gouty pains, with g. symptoms. Ant-c.

Rheumatism and g. affections alternating; pains change and fly rapidly from one place to another; one comes in fall, other in spring; weariness in limbs as pains subside. Kali-bi.

Give way.—Joints feel bruised and weary, as if they would g. Mez.

Gnawing.—G. in joints. Ran-sc.

G. or drawing pain in bones. Graph.

G., stinging pains in joints and long bones. Dros.

Periosteal inflammation, with burning, g., tearing pains. Phos-ac.

Tearing, drawing or g. pains in bones. Kali-jod.

Gonorrhœa (see section on Sexual Organs).—Rheumatic and arthritic pains (after suppression of g.). Daph.

Rheumatic pains (after suppression of g.). Merc-cor.

Rheumatism (after suppressed g.), with bone-pains; pains worse at night and in damp weather, or after taking cold in water. Sars.

Rheumatism following suppression of g. Coni., Rhod., Sars.

Gout.—Arthritis vaga, or wandering g., passing from one joint and place to another, with swelling and redness. Phyt.

G. in fingers and toes. Ran-sc.

G. in wrists and ankles. Abrot.

G. not developing in usual form of attacks, but disturbing general health. Ammoniac.

G. or rheumatism, with concretion of "chalk stones" in joints. Coff-t.

G. or rheumatism, with very severe paroxysms of pain. Hydroc.

G., with arthritic nodosities. Benz-ac.

Rheumatic g.: alternate swelling of knees and joints of hands, with feeling of numbness and stiffness of limbs. Kreas.

Gouty.—G. abscess. Guaj.

G. concretions. Benz-ac.

G. nodosities. Agn.

G. pains in limbs. Caust.

G., rheumatic pains in joints. Led.

G., shining, red swellings. Merc.

Hard swellings of g. nodosities in joints. Led.

Rheumatic and g. affections of joints. Clem.

Rheumatic and g. pains in limbs, with tension; worse from motion and contact. Bry.

Rheumatic and g. pains in muscles and bones. Daph.

Rheumatic and g. pains, with gastric symptoms. Ant-c.

Grip (see section on Nose).—Violent aching in limbs and back, as if bones were broken (in influenza, g., or intermittents). Eupat-perf.

Growing pains.—G. Ruta.

G. in limbs. Phos-ac. (Hyper)

Hand (see section on Upper Extremities).—Numbness of left h. and sole. Cupr-ac.

Pain in right knee and left h. Agar.

Rheumatic pain in right shin bone; also in bones of left wrist and h. Bapt.

Hands.—Arms, h. and soles go to sleep. Nux-v.

Arthritic pain in limbs, with stiffness of joints and swelling of h. and feet. Colch.

Burning in h. and feet. Am-c.

Burning in h. and feet; worse at night. Sang.

Burning in h. and tearing in legs, alternately in knee and hip joint. Calc-c.

Chilblains on h. and feet. Petr.

Constant cold h. and feet. Merc.

Constant coldness of h. and feet (with epistaxis). Croc.

Continual warm sweat on h. and feet. Led.

Contraction of arms, h. and feet. Ferr-s.

Convulsive jerking of h. and feet. Bar-m.

Cold h. and cold feet up to knees. Ign.

Cold h. and feet. Gels., Ipec., Lach., Natr-m., Phyt., Plumb., Sep.

Cold h. and feet, with occasional feeling of coldness all over. Ars.

Cold h. and warm feet. Aloe, Calc-c. (Cham.)

Cold h., feet and knees, or abdomen; even hottest weather does not relieve. Asar.

Coldness of h. and feet, with thirst. Cina.

Coldness of h. and soles while rest of body is warm. Coloc.

Coldness of limbs, h. and feet. Coff.

Cramp in h. and feet. Agar.

Cramps in arms, h. and calves. Natr-m.

Cramps in h. and toes. Sec.

Crawling in h. and feet, as if numb, with fuzzy feeling. Hyper.

Dark-bluish swelling of cellular tissues of h., arms and legs, which are very sensitive, threatening gangrene. Lach.

Dropsical swelling of h. and feet. Canth.

Feeling of soreness in joints, especially of h. and feet, fingers and toes. Arg-n.

H. and feet bloated and blue. Samb.

H. and feet bruised and sore, as if beaten. Lil-tig.

H. and feet contract spasmodically. Bism.

H. and feet feel heavy as lead; are numb and clumsy. Phos.

H. and feet get cold and numb, as it dead, during chill (in intermittent). Cimex.

H. and feet go to sleep. Calc-c.

H. and feet go to sleep alternately. Cocc.

H. and feet hot, dry and feverish. Ptel.

H. and feet moist. Fluor-ac.

Hard nodosities on h. and toes. Spig.
Heat of h. and feet. Psor.
Heaviness of h. and feet. Bell.
Icy-coldness of h. and feet. Dory., Mancin., Ver-a. (Sil.)
Icy-coldness of h. and feet, with warmth of rest of body. Meny.
Involuntary drawing and trembling feeling in muscular parts of h. and in lower limbs. Cist.
Joints of h. and feet feel sore. Arg-m.
Languor and heaviness of limbs, followed by trembling of arms, h. and knees. Caps.
Legs feel shaky and h. tremble. Arg-n.
Leprosy: ulcers on tips of fingers and toes; they spread and destroy one joint after another, and one phalanx after another falls; finally h. and feet are separated in their joints. Tart-em.
Numbness and prickling of h. and feet. Colch.
Numbness and weakness in h. and feet. Zinc.
Numbness of h. and feet. Coca.
Œdema of h. and feet, especially left. Cact.
Œdematous swelling of h. and feet. Colch.
Rheumatic gout: alternate swelling of knees and joints of h., with feeling of numbness and stiffness of limbs. Kreas.
Rheumatism of h. and feet. Aur.
Spasms of h. and feet. Art-v.
Stiffness of arms and legs, with jerking of h. and feet. Hyos.
Subsultus tendinum of both h. and feet. Iod.
Sweat on h. and feet (after fever). Sil.
Swelling and stiffness of h. and feet. Sticta.
Swelling of h. and feet. Bar-m., Lach., Natr-c.
Swelling of h. and legs up to knees. Ferr. (Ars., Led.)
Tearing pains in bones of h. and feet. Bism.
Tearing pains in limbs, with swelling of bones of feet and h. Phos-ac.
Tingling in h. and feet and tearing pain in joints. Arn.
Tingling in h. or toes. Lach.
Trembling and heaviness of h. and feet. Nicc.
Trembling of limbs, especially h. Merc.
Trembling of limbs, especially of h. and feet. Merc.
Twitching of h. and feet. Hyos.
Twitching of h. and feet and of tendons. Stram.
Twitching of h. and feet during sleep. Natr-s.
Ulcers on limbs, h. and soles. Ananth.
Weakness and trembling of limbs, especially h. and feet. Sulph.

Hard.—All bones feel bruised and paralyzed, as if had lain upon h. bed. Bry.
Nodes and h. bone-swellings. Calc-flu.

Head (see section on Head).—Cold limbs with hot h. Bell.
Jerking and twitching of h. and limbs. Sep.

Pains in shoulder and hip joints and in all bones, with difficulty in moving h. and tongue. Colch.

Spasmodic rigidity of limbs, with concussive jerking of h. Hell.

Healed.—Limb upon which ulcer was h. cannot bear its own weight. Hep-s.

Heart (see section on Heart).—Acute articular rheumatism: joints red, hot and swollen; pains change from place to place; metastasis to legs or h. Kalm.

Ends of fingers and toes enlarged and knob-like (with disease of h.). Laur.

Rheumatism: articular, acute or chronic; appearing and disappearing suddenly; acute merging into chronic form, and during chronic form acute attacks set in; metastasis to h. Colch.

Trembling of limbs and jerking of h. Nux-v.

Heat (see Burning).—H. of hands and feet. Psor.

H. in palms and soles. Petr.

Inflammatory rheumatism, with h. and circumscribed redness of joints. Sticta.

Joints swollen and painful; can bear no h. Guaj.

Pains in limbs alternating with chilliness and h. Brom.

Rheumatic pains in joints, with h. and swelling. Cimicif.

Rheumatic swelling, with h., redness and sensation as if sprained. Hep-s.

Heaviness.—Bruised sensation in with weakness, weariness and h. of limbs. Clem.

Great debility, h. and trembling of limbs, especially in morning. Nitr-ac.

Great h. and paralytic weakness in arms and legs. Stann.

Great h. of left arm and leg, like paralysis. Carbo-v.

H. and aching in all limbs, especially in joints. Chin-s.

H. and weakness of limbs. Bell.

H. and weariness in limbs. Coni.

H. in all limbs. Arum.

H. in limbs and great fatigue on walking. Calc-c.

H. in limbs, followed by leprous eruption. Tart-em.

H. of arms, with weakness, unsteadiness and h. of legs. Natr-c.

H. of hands and feet. Bell.

H. of limbs. Can-ind., Iod., Merc., Sep.

H. of limbs and painful lameness of all joints during motion, as if joints were bruised. Arn.

H. of limbs, especially thighs. China.

H. of limbs; scarcely able to lift feet. Kali-c.

H., trembling and lassitude of limbs. Sec.

Inco-ordination of muscles of limbs, with h. Bell.

Languor and h. of limbs, followed by trembling of arms, hands and knees. Caps.

Numbness and sensation of h. in limbs. Ars.
Tired feeling and h. in limbs after little exercise. Ammoniac.
Trembling and h. of hands and feet. Nicc.
Weariness and h. in limbs. Sabad.
Weariness, weakness, stiffness and h. of limbs. Bry.

Heavy.—Arms and legs feel h. Alu.
Hands and feet feel h. as lead; are numb and clumsy. Phos.
H., weak feeling and formication in back and limbs; worse at rest and in stormy weather. Rhod.
Limbs feel h., as if could not move them. Cycl.
Limbs feel h., stiff, lame, paralyzed and cold. Chelid.
Weakness and h. feeling in limbs, with paralytic sensation. Ang.

Hip (see section on Lower Extremities).—Acute rheumatism going from joint to joint; right shoulder to h.; left h. to right. Rheum.
Rheumatic pain in right shoulder, right arm and h., changing often and lasting but a short time. Ox-ac.
Rheumatic pains which seem to be in bones of arms and in right h., radiating thence to calf and knee (after taking cold). Coloc.

Hip joint.—Burning in hands and tearing in legs, alternating in knee and h. Calc-c.

Hip joints.—Pains in shoulder and h. and in all bones, with difficulty in moving head and tongue. Colch.

Hips.—Lameness in h. or knees after sprain or dislocation. Rheum.
Rheumatic pains in shoulders, arms, h. and legs. Cact.

Hot.—Acute articular rheumatism: joints h., red and swollen; pains change from place to place; metastasis to legs or heart. Kalm.
Cold limbs, with h. head. Bell.
Hands and feet h., dry and feverish. Ptel.
Rheumatism: pains go from below upward; joints swollen, painful, h. and tense; drawing pains; worse from warmth and motion. Led.

Hunger (see section on Stomach).—Sudden feeling of weakness in limbs, with great h. Zinc.

Hydrocephalus.—Constant, involuntary motion of one arm and one leg in h. Apoc.
Constant threshing with left arm and leg in h. Bry.

Hyperæsthesia (see Sensitiveness).—H. of limbs, with hysterical vertigo. Cycl.
Inflammation of joints, with excessive h.; slightest concussion of air, floor or bed makes pain unbearable. Colch.

Hysterical (see section on Nerves).—Hyperæsthesia of limbs, with h. vertigo. Cycl.
Numbness, with feeling as if limbs were going to sleep (in nervous, h. subjects). Gels.

Immobility.—Contraction, stiffness and i. of limbs. Guaj.
Rigidity and i. of limbs, although can be easily moved by others. Merc.
Stiffness and i. of limbs. Ars.

Inability.—Drawing and tearing pains in limbs, with i. to lie on affected part; better when moving. Ars.

Weakness of limbs, with i. to take even a few steps without sinking. Ars.

Inco-ordinate.—Muscles irritated and rendered i. and then paralyzed. Kali-brom.

Inco-ordination.—I. of muscles of limbs, with heaviness. Bell.

Inflamed.—Bones i. and swollen, especially shafts of cylindrical bones. Mez.

Bones i. and swollen; pains worse at night. Phyt.

Limbs i., swollen and gangrenous. Crotal.

Inflammation.—Articular rheumatism: intense, bright-red, shining swelling and i. of joints; sensitive to least contact; with high fever, restlessness and anxiety (especially when caused by suddenly-checked sweat). Acon.

Drawing, with i. of periosteum. Merc-cor.

Erysipelatous i. of joints. Bry.

I. and swelling of bones. Sil.

I. and swelling of long bones. Rhus-t.

I. of bones and periosteum, with intolerable digging pains at night. Mang.

I. of joints, with excessive hyperæsthesia; slightest concussion of air, floor or bed makes pain unbearable. Colch.

I. of periosteum and of bones. Nitr-ac.

Interstitial i. of bones. Phos-ac.

Pain and i. of ligaments, tendons and synovial membranes. Rhus-t.

Pain in all joints, as if attacked by rheumatic i. Acon.

Periosteal i., with burning, gnawing, tearing pains. Phos-ac.

Rheumatic and arthritic i., with contraction of flexors and stiffness of joints. Caust.

Rheumatic i. of joints; worse evening and night. Acon.

Rheumatic i., with pain and swelling of parts. Cact.

Rheumatism: soreness of muscles, with i. of elbows, knees and small joints; worse at night and from motion; with acrid and profuse sweat. Lact-ac.

Swelling and i. of joints. Lyc.

Influenza (see section on Nose).—Violent aching in limbs and back, as if bones were broken (in i., grip or intermittents). Eupat-perf.

Injuries.—Feeling as if periosteum were being scraped with knife (after i.). Phos-ac.

Insensibility.—Numbness, i. and coldness of limbs, especially fingers and tips of toes. Sec.

Insensible.—Limbs become i. and stiff. Hydroc-ac.

Limbs numb and i. on awaking. Aur.

Instep (see section on Lower Extremities).—Rheumatism of right wrist and both feet; i. puffy. Ruta.

Intermission.—Convulsions, with intermittent, tetanic rigidity of muscles; during i. muscles relax. Nux-v.

Intermittent (see section on Fever).—Aching pain in shin bones early in morning (before paroxysm in i.). Eupat-perf.

Boring pain in limbs, as if in marrow of bones (in i.). Carbo-v.

Hands and feet cold and numb, as if dead, during chill (in i.). Cimex.

Inflammatory rheumatism, especially of joints, which are very sensitive, with i. or remitting fever. Chin-s.

Pains in all joints, as if tendons were contracted and too short during chill (in i.). Cimex.

Tearing in limbs; they are drawn up during chill (in i.). Caps.

Violent aching in limbs and back, as if bones were broken (in influenza, grip or i.). Eupat-perf.

Vivid neuralgic or rheumatic pains in limbs, darting about; shifting and i. Magn-ph.

Irritability.—Pustular tumors on wrists and ankles, with excessive sensitiveness and i. of skin. Cupr-ars.

Irritated.—Muscles i. and rendered inco-ordinate and then paralyzed. Kali-brom.

Itching (see section on Skin).—Constant i. of soles and palms. Hep-s.

I. of arms and legs. Cupr-ars.

Violent i. in joints. Zinc.

Jactitation.—J. of muscles. Tart-em.

Jagged.—Exudation from surface of bones assume a nodulated, j. form. Calc-flu.

Jaw (see section on Face).—Cracking in joints, especially in j. and shoulders. Chin-s.

Jerk.—Limbs move normally, but when at rest j. and twitch. Valer.

Jerking.—Chorea: twitching and j. of muscles of one arm and one leg, usually right. Myg.

Convulsive j. of hands and feet. Bar-m.

Cramped drawing or j. in limbs and joints. Plat.

Involuntary j. in limbs. Merc.

J. and distortion of limbs. Cina.

J. and twitching of head and limbs. Sep.

J. and twitching of muscles. Ign.

J. of limbs (in basilar meningitis). Cic-v.

J., trembling and numbness of limbs. Plumb.

J., trembling or shaking, with paralytic weakness in limbs, especially at night. Rhus-r.

J. up of limbs during sleep (with diarrhœa). Tart-em.

Painful j. in limbs at night. Sec.

Rheumatism: tearing, lameness, and trembling, or crampy pains, or twisting in affected limbs, and frequent j. of whole body during sleep. Zinc.

Spasmodic j. and numbness of limbs. Opi.
Spasmodic rigidity of limbs, with concussive j. of head. Hell.
Stiffness of arms and legs, with j. of hands and feet. Hyos.
Twitching and j. in limbs. Phyt.
Twitching and j. in various muscles. Zinc.
Twitching and j. of muscles of limbs. Cupr.
Twitching of muscles, with j. in limbs; limbs in constant motion (in chorea). Myg.

Jerks.—Convulsive j. and starts in paralyzed limbs. Sec.
Drawing, tearing j. in long bones of limbs, or in tendons. Cham.
J. and twitches in limbs. Ambr.
J. in limbs. Cupr-ac.
J. in limbs when falling asleep. Ign.
J. of flexors. Opi.
J. of single muscles or sets of muscles. Hyos.
Sticking, drawing j. through periosteum, with lameness and actual paralysis of limbs. Colch.
Sudden j., with loss of power in limbs. Cic-v.

Joint.—Acute articular rheumatism, attacking one j. after another; joints puffy, but little red; with high fever. Ferr-ph.
Acute rheumatism going from j. to j.; right shoulder to hip, left hip to right. Rheum.
Arthritis vaga, or wandering gout, passing from one j. and place to another, with swelling and redness. Phyt.
Bruised feeling in every j. Calad.
Feeling of crepitation in j. when moving it. Rhus-r.
Leprosy: ulcers on tips of fingers and toes; they spread and destroy one j. after another, and one phalanx after another falls; finally hands and feet are separated in their joints. Tart-em.
Pain as if strained in every j. and in periosteum, especially in thighs and knees. China.
Sensation as if j. was encircled by band or ring. Lyc.

Joints.—Abscess in j. Merc.
Aching, bruised feeling in muscles and j. on awaking. Ptel.
Acute articular rheumatism: all j. swollen; could not stay in bed. Kali-chl.
Acute articular rheumatism: j. hot, red and swollen; pains change from place to place; metastasis to legs or heart. Kalm.
Acute articular rheumatism: pains in j., going from one joint to another. Tart-em.
Anthrodynia in several j. Kali-n.
Arthritic nodosities on j. Staph.
Arthritc nodosities, with stiff j. Calc-c.
Arthritic pain and stiffness in j. Lyc.
Arthritic pains in j. Sep.
Arthritic pains in j.; worse at night. Mang. (Merc.)

Arthritic pains in limbs, with stiffness of j. and swelling of hands and feet. Colch.

Articular rheumatism: intense bright-red, shining swelling and inflammation of j.; sensitive to least contact; with high fever, restlessness and anxiety (especially when caused by suddenly-checked sweat). Acon.

Bluish swelling of j. after sprains. Lach.

Bones, j. and muscles sore as if beaten. Lith-c. (Arn., Bad., Led., Ruta.)

Bruised pain in j. Arg-n., Arn., Aur., China, Puls.

Bruised pain in j. and bones. Crotal.

Bubbling sensation in muscles and j. Rheum.

Chronic arthritic affections, with violent pains in j. at night; without swelling. Iod.

Constriction in j. Anac., Aur., Graph., Natr-m., Nitr-ac.

Contraction and stiffness in j. Lyc.

Contraction in j. as if muscles were shortened. Am-m.

Contraction of j. Merc.

Cracking arthritic stiffness in j. Petr.

Cracking and creaking in j. Cocc.

Cracking in j. Ang., Caps., Camph., Croc., Ferr., Led., Nitr-ac., Petr.

Cracking in j., especially in jaw and shoulders. Chin-s.

Cracking in j. from least motion. Kali-bi.

Cracking in j. on motion. Kali-c., Natr-m.

Cracking in j. when limb is stretched. Thuja.

Cracking in j. when stretched. Lyc.

Cramped drawing or jerking in limbs and j. Plat.

Cramps in j. Calc-c., Plat.

Crepitation and sore feeling in j. Natr-ph.

Deep-seated dull aching in muscles of limbs and j. Gels.

Drawing and pressive pains in j. Ang.

Drawing and pressure in all j., especially knees. Lyc.

Drawing and tearing pains in in bones of limbs; more in j. Dros.

Drawing in almost all limbs and j. Bry.

Drawing in j. and aponeuroses. Acon.

Drawing pain in j. Arg-m.

Drawing, paralytic pains and weakness in limbs, especially in j. Sep.

Drawing pressure in j. Calc-c.

Drawing, tearing pains in j. Cist.

Drawing, tearing pains in limbs and j. Natr-s., Spig. (Bry., Led.)

Dry sensation in j. Nux-v., Puls.

Easy dislocation of j. Ferr-s., Phos.

Enlarged j. or scrofulous tumors. Ammoniac.

Erysipelatous inflammation of j. Bry.

Feeling in j. as if sprained, with swelling and redness. Rhod.

Feeling of coldness in j., as if water were trickling over them, in open air. Natr-m.
Feeling of soreness in j., especially of hands and feet, fingers and toes. Arg-m.
Fungous formations in j. Ant-c.
Gnawing in j. Ran-sc.
Gnawing, stinging pains in j. and long bones. Dros.
Gout or rheumatism, with concretion of "chalk stones" in j. Coff-t.
Gouty, rheumatic pains in j. Led.
Great stiffness in all j. at eleven a. m.; better in afternoon. Brom.
Hard swellings or gouty nodosities on j. Led.
Heaviness and aching in all limbs, especially in j. Chin-s.
Heaviness of limbs and painful lameness of all j. during motion as if j. were bruised. Arn.
Indurated enlargements of fascia and capsular ligaments of j. Calc-flu.
Inflammation of j., with excessive hyperæsthesia; slightest concussion of air, floor or bed makes pain unbearable. Colch.
Inflammatory, rheumatic swelling of j. Agn.
Inflammatory rheumatism, especially of j., which are very sensitive, with intermitting or remitting fever. Chin-s.
Inflammatory rheumatism, with heat and circumscribed redness of j. Sticta.
Intense pain in all bones, especially j. Sabad.
J. crack when walking or turning. Caul.
J. feel as if beaten. Arg-m.
J. feel bruised. Hyper., Mur-ac.
J. feel bruised and weary, as if they would give way. Mez.
J. feel bruised; relieved by stretching. Carbo-v.
J. feel stiff in morning as if had worked hard day before. Cimicif.
J. feel weak and sore, especially on descending. Arg-m.
J. of hands and feet feel sore. Arg-m.
J. pain as if beaten. Coni.
J. pain as if bruised; worse at night; better moving. China.
J. pain as if sprained. Lyc.
J. red, swollen and stiff, with stitching pains on slightest motion. Bry
J. sore as if bruised and tired. Cham.
J. stiff, aching and painful. Æsc.
J. stiff after sitting. Ang.
J. stiff and painful. Lyc.
J. stiff, painful and crack on beginning to move. Caps.
J. swollen and painful; can bear no heat. Guaj.
J. swollen, pale, or slightly red, puffy, or œdematous; pains are drawing, shooting, pressing in bones as if broken, and in j. as if sprained; accompanied by profuse, sour, offensive sweat. Merc.
J. weak and easily sprained. Carbo-an.
Knees and other j. stiff and painful. Lact-ac.

Lameness in j. Rhus-t.
Lameness in j. of left side. Brom.
Nodes on j., with cracking on motion. Benz-ac.
Numbness in limbs and j., with cramp-like pain. Plat.
Œdema of j. Thuja.
Pain as if sprained in j. Natr-m.
Pain in all j. as if attacked by rheumatic inflammation. Acon.
Pain in j., afterward in bones. Calc-ph.
Pain in j. as if sprained or dislocated. Ign.
Pain in j. as when limbs go to sleep. Ipec.
Pain in j. during motion. Rheum.
Pain in limbs, j. and bones as if beaten, or as after blow or fall. Ruta. (Arn., Bad.)
Painful cracking in j. on motion. Croc.
Painful hard nodes and calcareous concretions on j. Led.
Painful stiffness in j. Cocc.
Pains in all j. as if tendons were contracted and too short, during chill (in intermittent). Cimex.
Pains in bones and j. Diad.
Pains in j. after taking cold. Caps.
Pains in j. as if bruised. Nux-v.
Pains in limbs as if bones were squeezed, with pressure in j. Alu.
Paralytic, bruised pain in long bones and j. Calc-c.
Paralytic pain in j., as if bruised during motion. Arn.
Phagedenic ulcers on j. of fingers and toes. Borax. (Sep.)
Piercing pain in j. Dig.
Rheumatic and arthritic inflammation, with contraction of flexors and stiffness of j. Caust.
Rheumatic and gouty affections of j. Clem.
Rheumatic inflammation of j.; worse evening and night. Acon.
Rheumatic pain in all j. Asclep-tub. (Acon., Bry., Rhus-t.)
Rheumatic pains in j. Kali-bi.
Rheumatic pains in j., with heat and swelling. Cimicif.
Rheumatic pains in limbs and stitches in j. Hep-s.
Rheumatic pains in muscles, tendons and j. Merc-cor.
Rheumatic swelling of j. Guaj.
Rheumatism, especially of large j. and muscles. Nux-v.
Rheumatism: j. weak or stiff, swollen, red and shining; stitches when touched; worse on beginning to move; better from continued motion. Rhus-t.
Rheumatism of all j., with much pain, stiffness and swelling; worse in evening, and again in morning on first rising. Cact.
Rheumatism of all j., with swelling and spasmodic pain. Sang.
Rheumatism of j., bones and periosteum. Merc.
Rheumatism: pain in j., with red, shiny swelling; shifting from joint to joint, generally crosswise. Mang.

Rheumatism: pains below knees and in arms; pains shift rapidly; j. swollen and red. Phyt.
Rheumatism: pains go from below upward; j. swollen, painful, hot and tense; drawing pains; worse from warmth and from motion. Led.
Rigidity of j. Bry., Petr., Rhus-t., Sep., Sil., Sulph.
Severe drawing pains in j. Caul.
Severe, sharp pains in j. Lact-ac.
Sharp, cramp-like twitchings near j. Lact.
Softness of j. Guaj.
Sprained feeling in j. Rhus-t.
Sticking in j. Rhus-t.
Stiffness and feeling of fatigue in j. on motion. Staph.
Stiffness and pain in all j. on beginning to walk. Caps.
Stiffness in j., which are very painful and much swollen. Chin-s.
Stiffness in j., with sharp, cutting pains above j.; always transversely, not lengthwise. Zinc.
Stiffness of all j. Caust.
Stiffness of j. Natr-m., Rhus-r., Sep.
Stiffness of j. in morning. Chlor.
Stinging or stitching in j. Spig.
Stinging pains in j. Kali-c.
Stitches in j. Kreas.
Stitches in j. and tendons. Kali-c.
Stitches in j. on motion or touch. Bry.
Stitches in j., they feel relaxed. Bar-c.
Stitches in limbs and j. Thuja.
Subacute and chronic rheumatism of j., with calcareous deposits, muscular weakness and paralytic symptoms. Colch.
Suppuration of bones and j. Calc-ph.
Swelling and inflammation of j. Lyc.
Swelling of j., rather pale; muscles palpitate and are cramped. Nux-v.
Swelling, stiffness and paralyzed sensation in j., as from sprains, over-lifting or straining. Rhus-t.
Tearing in limbs, muscles and j., from above downward. Sulph.
Tearing pain in limbs, with contraction and stiffness of j. Lach.
Tearing pains, especially in j. and bones. Caust.
Tearing pains in j. Colch.
Tearing pains in muscles and j. Colch.
Tearing, shooting here and there in j. Camph.
Tearing, stinging in j. after they become swollen. Sabin.
Tingling in hands and feet and tearing pain in j. Arn.
Violent cramps in muscles; flexors contracted, with feeling as if j. would break. Cupr.
Violent itching in j. Zinc.
Violent stitches in j. Dros.

Wandering, erratic pains shifting rapidly from one part to another, with swelling and redness of j.; with chilliness; worse at night and from warmth; better from uncovering. Puls.

Wandering, rheumatic pains in bones and j. at night. Gels.

Weakness and trembling in j. Sulph.

Weakness of j. Bov., Murex.

Weakness of j., with feeling as if could not bear exertion of lifting. Sep.

Weariness and lameness in limbs, with weakness of j. Aloe.

Journey.—Painful weariness in limbs, as after long j., with constant disposition to stretch, move or change position. China.

Jump.—Feet and legs would dance and j. around involuntarily; had to hold them. Sticta.

Jumping.—Frequent j. in muscles of limbs. Agar.

Knee (see section on the Lower Extremities).—Articular rhetmatism, especially of the wrist and k.; worse from the slightest motion. Ferr-ph.

Burning, cutting pain, like sting of a wasp, in k. and elbow. Arg-n.

Burning in hands and tearing in legs, alternately in k. and hip joint. Calc-c.

Cracking in k. and shoulder. Calc-c.

Pain in right k. and left hand. Agar.

Rheumatic pains which seem to be in bones of arms and in right hip, radiating thence to calf and k. (after taking cold). Coloc.

Sticking pains in left elbow or k. Laur.

Knees.—Aching pain in elbows, alternating with pain in k. Dios.

Cold hands, feet and k., or abdomen; even hottest weather does not relieve. Asar.

Drawing and pressure in all joints, especially k. Lyc.

K. and other joints stiff and painful. Lact-ac.

Lameness in hips or k. after sprains or dislocations. Rheum.

Languor and heaviness of limbs, followed by trembling of arms, hands and k. Caps.

Limbs feel bruised and stiff, with drawing, aching pains in thighs and k. Cycl.

Pain, as if strained in every joint and in periosteum, especially in thighs and k. China.

Pressive pain in k. and wrists. Led.

Rheumatic gout: alternate swelling of k. and joints of hands, with feeling of numbness and stiffness of limbs. Kreas.

Rheumatic pains from elbows or k. downward. Nicc.

Rheumatism: k. stiff, with sharp, sticking pains. Petr.

Rheumatism: soreness of muscles, with inflammation of elbows, k. and small joints; worse at night and from motion; with acrid and profuse sweat. Lact-ac.

Knife.—Feeling as if periosteum were being scraped, with k. (after injuries). Phos-ac.

Knob-like.—Ends of fingers and toes enlarged and k. (with disease of heart). Laur.

Knotting.—K. of muscles. Cupr.

Labor-pains (see section on Female Sexual Organs).—Cramp and great pain in flexor tendons of fingers and toes, alternating with false l. (in pregnant women). Dios.

Lame.—Limbs feel heavy, stiff, l., paralyzed and cold. Chelid.

Limbs feel l. and bruised, as if beaten (in catarrhal fever). Dros. (Bad.)

Lameness.—Feeling of l. in flexors and sudden aching in extensors; extensors more affected than flexors. Calc-ph.

Great weakness, with sensation of l. in limbs. Colch.

Heaviness of limbs and painful l. of all joints during motion, as if joints were bruised. Arn.

L. in hips or knees after sprains or dislocations. Rheum.

L. in joints. Rhus-t.

L. in joints of left side. Brom.

L. of limbs. Cocc.

L., stiffness and pain on first moving after rest; relieved by constant motion. Rhus-t.

Numb feeling and l. in limbs. Acon.

Painful feeling of l. in ligaments. Puls.

Pains in limbs, with l. and numbness. Agar.

Rheumatism: drawing, tearing pains, with sensation of l. and numbness; more in tendons, ligaments and bones (not in muscles). Cham.

Rheumatism: tearing, l. and trembling, or crampy pains, or twisting in affected limbs and frequent jerking of whole body during sleep. Zinc.

Sticking, drawing jerks through periosteum, with l. and actual paralysis of limbs. Colch.

Trembling, l. and paralytic feeling in limbs. Kali-n.

Weariness and l. in limbs, with weakness of joints. Aloe.

Languor.—Great l., with weakness of limbs. Nux-m.

L. and heaviness of limbs, followed by trembling of arms, hands and knees. Caps.

L. and weakness of limbs. Hydroc-ac.

L. in all limbs, especially on ascending. Nux-v.

Trembling and l. in limbs. Ign.

Larger.—Limbs feel as if had grown l. Alu.

Large joints.—Rheumatism, especially of l. and muscles. Nux-v.

Lassitude.—Great soreness and l. of limbs. Natr-c.

Heaviness, trembling and l. of limbs. Sec.

L. and aching in all limbs. Cham.

L. and weariness of forearms and legs. Arg-n.

Lax.—Muscles flabby and l. Phos.

Left.—Acute rheumatism going from joint to joint; right shoulder to hip, l. hip to right. Rheum.

Constant threshing with l. arm and leg, in hydrocephalus. Bry.

Darting and shooting pains in limbs, mostly on l. side. Æsc.

Great heaviness of l. arm and leg, like paralysis. Carbo-v.

Lameness in joints of l. side. Brom.

L. arm and leg feel as if would go to sleep. Nicc.

Numbness of l. hand and sole. Cupr-ac.

Œdema of hands and feet, especially l. Cact.

Pain in right knee and l. hand. Agar.

Rheumatic pain in right shin bone; also in bones of l. wrist and hand. Bapt.

Shifting pains in right ankle and leg, then l. leg. Hydr.

Sleepless from fidgets in l. side, both arms and legs. Meph.

Sticking pains in l. elbow or knee. Laur.

Leg (see section on Lower Extremities).—Chorea: twitching and jerking of muscles of one arm and one l., usually right. Myg.

Constant involuntary motion of one arm and one l., in hydrocephalus. Apoc.

Constant threshing with left arm and l., in hpdrocephalus. Bry.

Great heaviness of left arm and l., like paralysis. Carbo-v.

Involuntary throwing or whirling about of one arm and one l. Hell.

Left arm and l. feel as if would go to sleep. Nicc.

Pains in limbs from forearm and l. down to fingers and toes; soon passing off; resembling cramp-like drawing. Rhod.

Shifting pains in right arm and l., then left l. Hydr.

Trembling in right arm and l. Dory.

Legs.—Acute articular rheumatism: joints red, hot and swollen; pains change from place to place; metastasis to l. or heart. Kalm.

Arms and l. feel heavy. Alu.

Burning in hands and tearing in l., alternately in knee and hip joint. Calc-c.

Chorea-like, convulsive motions of limbs; l. drawn up, arms jerked outward and backward. Arg-n.

Convulsive twitching of arms and l. Squilla.

Cramp in arms and l. Calc-c.

Dark-bluish swelling of cellular tissues of hands, arms and l., which are very sensitive, threatening gangrene. Lach.

Drawing pain in arms and l. Bapt.

Feet and l. would dance and jump around involuntarily; had to hold them. Sticta.

Great heaviness and paralytic weakness in arms and l. Stann.

Heaviness of arms, with weakness, unsteadiness and heaviness of l. Natr-c.

Itching of arms and l. Cupr-ars.
Lassitude and weariness of forearms and l. Arg-n.
L. feel shaky and hands tremble. Arg-n.
Rheumatic pains in arms, joints of fingers, and in l. down to toes. Colch.
Rheumatic pains in shoulders, arms, hips and l. Cact.
Sleepless from fidgets in left side, both arms and l. Meph.
Stiffness of arms and l., with jerking of hands and feet. Hyos.
Swelling of hands, and l. up to knees. Ferr. (Ars., Led.)
Tearing in arms and l. in small places. Calc-c.
Tearing pains in arms and l. at night. Ferr.
Uneasiness in arms and l. Meph.

Leprosy (see section on Skin).—L.: ulcers on tips of fingers and toes; they spread and destroy one joint after another, and one phalanx after another falls; finally hands and feet are separated in their joints. Tart-em.

Lie.—Drawing and tearing pains in limbs, with inability to l. on affected part; better when moving. Ars.
Great weakness and exhaustion of limbs, obliging patient to l. down. Ars.

Lies.—Limb upon which patient l. goes to sleep easily. Carbo-v.

Lifting.—Liability to strain a part by l. Calc-c.
Weakness of joints, with feeling as if could not bear exertion of l. Sep.

Ligaments.—Indurated enlargements of fascia and capsular l. of joints. Calc-flu.
Pain and inflammation of the l., tendons and synovial membranes. Rhus-t.
Painful feeling of lameness in l. Puls.
Relaxation of l. Ferr-s.
Rheumatism: drawing, tearing pains, with sensation of lameness and numbness; more in tendons, l. and bones (not in muscles). Cham.

Lightness.—Feeling of l. in limbs. Asar.

Lightning.—Periosteal rheumatism, with boring, pressing pains coming like l. and leaving parts numb. Mez.

Loss.—L. of will power over limbs. Ars.
Muscles refuse to act, with loss of power. Crotal.
Muscular rheumatism and l. of muscular power. Colch.
Sensation of sudden l. of power in limbs in morning. Nux-v.
Sudden jerks, with l. of power in limbs. Cic-v.
Sudden l. of strength while walking. Coni.

Lower legs (see section on Lower Extremities).—Rheumatic pains, mostly in upper arms and l.; worse going to sleep. Kalm.

Lying.—Limbs go to sleep on l. down. Ver-a. (Sulph.)
Limbs go to sleep, especially when l. on them. Sulph.
Limbs go to sleep when l. on them. China.

Limbs go to sleep when l. on them or putting one over other. Rheum. (Puls.)

Parts on which one is l. go to sleep. Rhus-t.

Lymphatic.—Tardy development of bony tissues, with **l. enlargements.** Calc-c.

Marrow.—Boring pain in limbs, as if in m. of bones (in intermittent). Carbo-v.

Meningitis (see section on General).—Jerking of limbs (in basilar m.). Cic-v.

Menses. (see section on Menstruation).—Burning in palms and soles (during m.). Carbo-v.

Metastasis.—Acute articular rheumatism: joints red, hot and swollen; pains change from place to place; m. to legs or heart. Kalm.

Rheumatism: articular, acute or chronic; appearing and disappearing suddenly; acute merging into chronic form, and during chronic form acute attacks set in; m. to heart. Colch.

Moist.—Hands and feet m. Fluor-ac.

Morning.—Aching pain in shin bones early in m. (before paroxysm intermittent). Eupat-perf.

Great debility, heaviness and trembling of limbs, especially in m. Nitr-ac.

Joints feel stiff in m., as if had worked hard day before. Cimicif.

Rheumatism of all joints, with much pain, stiffness and swelling; worse in evening, and again in m. on first rising. Cact.

Sensation of sudden loss of power in limbs in m. Nux-v.

Stiffness of joints in m. Chlor.

Weariness and stretching of limbs in m. Carbo-v.

Motion.—Acute rheumatic pains in limbs (Rhus-t.), affecting articulation and tendons; worse on m. and in cold air. Lycop-v.

Articular rheumatism, especially of wrist and knee; worse from slightest m. Ferr-ph.

Bruised sensation in limbs, especially on m. Carbo-an.

Constant involuntary m. of one arm and one leg, in hydrocephalus. Apoc.

Cracking in joints from least m. Kali-bi.

Cracking in joints on m. Kali-c.

Difficult m. of limbs. Camph.

Drawing or tearing in limbs; continues when sitting or standing, but goes off during m. Agar.

Great soreness and bruised feeling of muscles; worse on m. Ham.

Heaviness of limbs and painful lameness of all joints during m., as if joints were bruised. Arn.

Joints red, swollen and stiff, with stitching pains on slightest m. Bry.

Lameness, stiffness and pain on first moving after rest; relieved by constant m. Rhus-t.

Nodes on joints, with cracking on m. Benz-ac.
Pain in joints during m. Rheum.
Painful cracking in joints on m. Croc.
Pains in muscles on first moving; disappearing after continued m. Rhus-r.
Paralytic pain in joints, as if bruised, during m. Arn.
Rheumatic and gouty pains in limbs, with tension; worse from m. and contact. Bry.
Rheumatic pains in limbs, rarely in joints; worse during rest; better from m. Valer.
Rheumatism: joints weak or stiff, swollen, red and shining; stitches when touched; worse on beginning to move; better from continued m. Rhus-t.
Rheumatism: pains go from below upward; joints swollen, painful, hot and tense; drawing pains; worse from warmth and m. Led.
Rheumatism: soreness of muscles, with inflammation of elbows, knees and small joints; worse at night and from m.; with acrid and profuse sweat. Lact-ac.
Stiffness and feeling of fatigue in joints on m. Staph.
Stitches in joints on m. or touch. Bry.
Tearing pains in limbs during rest; better on m. Mur-ac.
Twitching of muscles, with jerking in limbs; limbs in constant m. (in chorea). Myg.

Motions.—Chorea-like, convulsive m. of limbs; legs drawn up; arms jerked outward and backward. Arg-n.
Convulsive m. of limbs. Stram.
Involuntary m. of limbs. Merc.

Move.—Joints stiff, painful, and crack on beginning to m. Caps.
Painful weariness in limbs, as after long journey, with constant disposition to stretch, m. or change position. China.
Rheumatism: joints weak or stiff, swollen, red and shining; stitches when touched; worse on beginning to m.; better from continued motion. Rhus-t.
Rheumatism: with high fever; after suddenly-checked diarrhœa; cannot m. head or limbs; great pain and no swelling. Abrot.
Uneasiness in limbs; must m. Chelid.

Moved.—Limbs restless; have to be m. constantly. Natr-m.

Movements.—Convulsive m. and distortions of limbs, with general convulsions. Cupr.
Convulsive m. of limbs. Bell., Chlor.
Convulsive, uncontrollable m. of limbs. Myg.
Involuntary m. while awake; cease during sleep. Agar.

Moving.—Cracking in joints on m. Natr-m.
Drawing and tearing pains in limbs, with inability to lie on affected part; better when m. Arn.
Feeling of crepitation in joint when m. it. Rhus-r.

Joints pain, as if bruised; worse at night; better m. China.
Lameness, stiffness and pain on first m. after rest; relieved by constant motion. Rhus-t.
On stretching or m. extensor muscles there is tightening or drawing pain in tendons and extensors. Cimex.
Pains in muscles on first m., disappearing after continued motion. Rhus-r.
Pains in shoulder and hip joints, and in all bones, with difficulty in m. head and tongue. Colch.
Rheumatism, with numb feeling; worse from warmth, or from m. Thuja.
Stiffness in limbs after first m. limb after rest. Rhus-t.
Tearing in limbs; worse at night; better by m. Agar.

Muscles.—Aching, bruised feeling in m. and joints on awaking. Ptel.
Atony and weakness of m. Hydr.
Bones, joints and m. sore as if beaten. Lith-c. (Arn., Bad., Led., Ruta.)
Bruised feeling in all muscles. Hydroc.
Bubbling sensation in m. and joint. Rheum.
Chorea: twitching and jerking of m. of one arm and one leg, usually right. Myg.
Complete relaxation and prostration of m., with entire motor paralysis. Gels.
Contraction in joints, as if m. were shortened. Am-m.
Contraction in m. Natr-c., Natr-m.
Contraction of m. and tendons. Cupr. (Stram., Zinc.)
Contraction or twitching of m. Kali-jod.
Convulsions, with intermittent tetanic rigidity of m.; during intermission, m. relax. Nux-v.
Convulsive twitchings and contortions of m. Ver-v.
Convulsive twitching of m. during sleep. Hell.
Cutting and cramping pains in m. Ambr.
Deep-seated, dull aching in m. of limbs and joints. Gels.
Drawing and shortening of m. Caust.
Feels tired in all m. immediately after eating. Can-sat.
Frequent jumping in m. of limbs. Agar.
Great soreness and bruised feeling of m.; worse on motion. **Ham.**
Inco-ordination of m. of limbs, with heaviness. Bell.
Involuntary trembling of voluntary m. Merc.
Jerking and twitching of m. Ign.
Jerks of single m. or sets of m. Hyos.
Knitting of m. Cupr.
M. atrophied. Sars.
M. contracted and righly drawn. Hydroc-ac.
M. feeble and easily exhausted from slight exertion. **Ferr.**
M. feel as if torn from bones. Natr-m.
M. feel relaxed. Merc-cor.

M. flabby and lax. Phos.
M. have a doughy feeling and are powerless (in chlorosis). Cycl.
M. irritated and rendered inco-ordinate and then paralyzed. Kali-brom.
M. of all parts of body become painfully cramped. Coloc.
M. of limbs feel too short. Bov.
M. refuse to act, with loss of power. Crotal.
M. soft and flabby. Fluor-ac.
M. will not obey will. Gels.
Muscular atrophy, or wasting of m. of back and limbs. Calc-c.
Pains in middle of long bones or attachment of m.; worse in damp weather, or at night. Phyt.
Pains in m. on first moving; disappearing after continued motion. Rhus-r.
Pains where tendons are connected with m. of bones, especially during movement. Rhus-r.
Relaxation and weakness of m., with emaciation. Ferr.
Relaxation of m. Ferr-ph.
Relaxation of m. and limbs. Opi.
Rheumatic and gouty pains in m. and bones. Daph.
Rheumatic pains in m., tendons and joints. Merc-cor.
Rheumatic, tearing pains, frequently changing about, in m. Colch.
Rheumatism affecting bellies of m., with cramping, stitching pains. Cimicif.
Rheumatism, especially of large joints and m. Nux-v.
Rheumatism: soreness of m., with inflammation of elbows, knees and small joints; worse at night and from motion; with acrid and profuse sweat. Lact-ac.
Rheumatism, with soreness of m. Ham.
Sore and bruised feeling in m., as if beaten. Bad. (Arn., Led., Merc., Ruta.)
Soreness in all m. Phyt.
Soreness of m. Cimicif. (Arn.)
Spasms of m. of limbs. Æsc., Cic-v.
Sudden relaxation of m. Hell.
Swelling of joints, rather pale; m. palpitate and are cramped. Nux-v.
Tearing in limbs, m. and joints, from above downward. Sulph.
Tearing in m. Sep.
Tearing pains in m. and joints. Colch.
Tingling and stinging in m. Natr-c.
Tremor and twitching of m. of limbs. Asaf.
Twitching and contraction of m. Mez.
Twitching and jerking in various m. Zinc.
Twitching and jerking of m. of limbs. Cupr.
Twitching and trembling of m. Kali-n.
Twitching of m. Calc-c, Kali-c., Mur-ac.
Twitching of m. and limbs. Natr-c., Rhus-t.

Twitching of m., with jerking in limbs; limbs in constant motion (in chorea). Myg.
Twitching, shortening or contraction of m. or tendons. Natr-m.
Violent cramps in m.; flexors contracted, with feeling as if joints would break. Cupr.
Weakness and relaxation of m. after being in open air. Nux-v.
With rheumatic pains welts are felt in m. Calc-c.

Muscular.—Convulsive m. contraction, with paralytic sensation and partial temporary paralysis of limbs. Cina.
Great m. weakness. Plumb.
Involuntary drawing and trembling feeling in m. parts of hands and in lower limbs. Cist.
M. atrophy of limbs. Bov.
M. atrophy, or wasting of muscles of back and limbs. Calc-c.
M. or articular rheumatism, with great nervous excitability. Cham.
M. prostration. Lach.
M. rheumatism and loss of m. power. Colch.
Subacute and chronic rheumatism of joints, with calcareous deposits, m. weakness, and paralytic symptoms. Colch.
Violent m. twitching. Agar. (Physos., Stram.)
Violent pains in limbs, especially of m. parts; worse evening and night. Plumb.

Nails.—Deformed n. Sep. (Graph.)
Deformed n. of fingers and toes. Caust., Nitr-ac.
N. blue from coldness. Ver-a.

Necrosis.—Caries and n. (after syphilis or the abuse of Mercury). Kali-jod.
Caries and n. (especially of psoric and syphilitic natures). Fluor-ac.
N., with offensive pus. Sil.

Needles.—Pains in bones like stitches from sharp n. Kali-bi.

Nerves (see section on Nerves).—Rheumatism affecting periosteum and sheaths of n. Phyt.

Nervous.—Limbs cold and clammy when excited or n. Lil-tig.
Muscular or artificial rheumatism, with great n. excitability. Cham.
Numbness, with feeling as if limbs were going to sleep (in n., hysterical subjects). Gels.

Neuralgia (see section on Nerves).—N. in limbs. Chelid.
N. of stomach (after amputations), with violent burning, stinging pains. Al-cep.

Neuralgic.—N. or rheumatic pains in limbs. Gels. (Bry., Cimicif., Rhus-t.)
N. pains in limbs. Can-sat.
Rheumatic or n. pains. Crotal.
Vivid n. or rheumatic pains in limbs, darting about; shifting and intermittent. Magn-ph.

New growths.—Exostosis, osteophytes and similar n. of bones. Calc-ph.

Night.—Arthritic pains in joints; worse at n. Mang. (Merc.)
Bone-pains at n. going from above downward. Mez.
Bone-pains; worse at n. Merc.
Bones inflamed and swollen; pains worse at n. Phyt.
Burning in hands and feet; worse at n. Sang.
Burning in palms and soles at n. Lach.
Chronic arthritic affections, with violent pains in joints at n.; without swelling. Iod.
Drawing and tearing pains in limbs (Sulph.); worse at n. in warm bed. Merc.
Drawing, tearing pains in limbs, especially at n. Sabin.
Drawing, tearing pains in periosteum; worse at n. and in wet, stormy weather. Rhod.
Exostosis, with stitching, pressing or dull pain; worse at n. Daph.
Inflammation of bones and periosteum, with intolerable, digging pains at n. Mang.
Intolerable pain in bones at n. driving patient to despair. Kali-jod.
Jerking, trembling or shaking, with paralytic weakness in limbs, especially at n. Rhus-r.
Joints pain as if bruised; worse at n.; better moving. China.
Limbs go to sleep often at n. Croc.
Limbs on which one rests at n. go to sleep. Croc.
Pain in fingers, ankles, feet and toes causing restlessness at n. Caul.
Pain in limbs at n. Am-c.
Painful jerking in limbs at n. Sec.
Pains in bones at n. Iod. (Merc.)
Pains in middle of long bones or attachment of muscles; worse in damp weather, or at n. Phyt.
Pains in periosteum and long bones, especially tibia; worse at n. in bed. Mez.
Periostitis and swelling of bones, especially tibia, with violent pain at n. Mez.
Restless; cannot keep limbs still at n. Spig.
Rheumatic and arthritic stinging, tearing pains; worse at n. in warm bed; with profuse sweat. Merc.
Rheumatic inflammation of joints; worse evening and n. Acon.
Rheumatic pains in limbs; worse at n. Magn-s.
Rheumatic pains; worse at n. Dios.
Rheumatism (after suppressed gonorrhœa), with bone-pains; pains worse at n. and in damp weather, or after taking cold in water. Sars.
Rheumatism: soreness of muscles, with inflammation of elbows, knees and small joints; worse at n. and from motion; with acrid and profuse sweat. Lact-ac.

Smarting in bones of limbs at n. Phos-ac.
Stinging in limbs at n. Sil.
Swelling of bones and periosteum, with pains at n. Kali-jod.
Tearing in limbs; worse at n.; better by moving. Agar.
Tearing pains in arms and legs at n. Ferr.
Violent cutting pains in limbs at n. Bad.
Violent pains in limbs, especially of muscular part; worse evening and n. Plumb.
Violent rheumatic pains in limbs driving patient out of bed at n. Cham.
Violent rheumatic pains in limbs every evening and n., preceded by chilliness. Kali-jod.
Wandering, erratic pains shifting rapidly from one part to another, with swelling and redness of joints; with chilliness; worse at n. and from warmth; better from uncovering. Puls.
Wandering rheumatic pains in knees and joints at n. Gels.

Nodes.—Arthritic stiffness and n. Carbo-an.
N. and hard bone-swellings. Calc-flu.
N. on joints, with cracking on motion. Benz-ac.
Painful hard n. and calcareous concretions on joints. Led.

Nodosities.—Arthritic n. Rhod., Sabin.
Arthritic n. on joints. Staph.
Arthritic n., with stiff joints. Calc-c.
Gout, with arthritic n. Benz-ac.
Gouty n. Agn.
Hard n. on hands and toes. Spig.
Hard swellings or gouty n. on joints. Led.

Nodulated.—Exudations from surface of bones assume a n., jagged form. Calc-fiu.

Numb.—Crawling in hands and feet, as if n., with fuzzy feeling. Hyper.
Hands and feet feel heavy as lead; are n. and clumsy. Phos.
Hands and feet get cold and n., as if dead, during chill (in intermittent). Cimex.
Limbs n. and go to sleep. Led.
Limbs n. and insensible on awaking. Aur.
N. feeling and lameness in limbs. Acon.
Periosteal rheumatism, with boring, pressing pains coming like lightning and leaving parts n. Mez.
Rheumatism, with n. feeling; worse from warmth or from moving. Thuja.

Numbness.—Jerking, trembling and n. of limbs. Plumb.
N. and deadness of limbs. China.
N. and prickling of hands and feet. Colch.
N. and sensation of heaviness in limbs. Ars.
N. and weakness in hands and feet. Zinc.
N. and weakness of limbs. Œnanth.

N. in limbs. Carbo-an.
N. in limbs and joints, with cramp-like pain. Plat.
N. in limbs, with sensation as if circulation had ceased. Lyc.
N., insensibility and coldness of limbs, especially fingers and tips of toes. Sec.
N. of hands and feet. Coca.
N. of left hand and sole. Cupr-ac.
N. of limbs as if asleep. Arg-m.
N., with feeling as if limbs were going to sleep (in nervous, hysterical subjects). Gels.
Pains in limbs, with lameness and n. Agar.
Prickling, tingling, n. and formication in limbs. Sec.
Rheumatic gout: alternate swelling of knees and joints of hands, with feeling of n. and stiffness of limbs. Kreas.
Rheumatism: drawing, tearing pains, with sensation of lameness and n.; more in tendons, ligaments and bones (not in muscles). Cham.
Small joints swollen and stiff, with sensation of n. Colch.
Spasmodic jerking and n. in limbs. Opi.
Strained sensation and n. in limbs. Ox-ac.
Tearing pain, with soreness, n., swelling or tingling. Arn.
Weakness, n. and pain in limbs. Flour-ac.

Œdema.—Œ. of hands and feet, especially left. Cact.
Œ. of joints. Thuja.
Œdematous.—Joints swollen, pale, or slightly red, puffy, or œ.; pains are drawing, shooting, pressing, in bones as if broken, and in joints as if sprained; accompanied by profuse, sour, offensive, sweat. Merc.
Œ. swelling of hands and feet. Colch.
Oppression.—Trembling of limbs, with o. of breathing (after fright or anger). Ran-b.
Osseous.—Decay and destruction of o. system. Calc-ph.
O. growths in tarsal and carpal articulations. Calc-flu.
Osteitis.—O. Fluor-ac.
Osteophytes.—Exostoses, o. and similar new growths of bones. Calc-ph.
Over-lifting.—Swelling, stiffness and paralyzed sensation in joints as from sprains, o. or straining. Rhus-t.
Outward.—Chorea-like, convulsive motions of limbs; legs drawn up, arms jerked o. and backward. Arg-n.

Pain.—Aching, drawing or bruised p. in limbs. Nux-v.
Aching p. in elbows, alternating with p. in knees. Dios.
Aching pain in shin bones early in morning (before paroxysm in intermittent). Eupat-perf.

Arthritic p. and stiffness in joints. Lyc.
Boring, cutting p. in bones, with feeling as if scraped. Sabad. (Rhus-t.)
Boring p. in limbs, as if in marrow of bones (in intermittent). Carbo-v.
Bruised p. as from fatigue. Cist.
Bruised p. in joints. Arg-n., Arn., Aur., China, Puls.
Bruised p. in joints and bones. Crotal.
Bruised p. in limbs. Kreas., Sil.
Burning, cutting p. like sting of a wasp in knee and elbow. Arg-n.
Cramp and great p. in flexor tendons of fingers and toes, alternating with false labor-pains (in pregnant women). Dios.
Crampy p. in limbs, especially in ball of thumb, or feet. Oleand.
Drawing p. in arms and legs. Bapt.
Drawing p. in bones, with paralytic condition of limbs. Cocc.
Drawing p. in joints. Arg-m.
Drawing p. in limbs. Hep-s.
Exostosis, with stitching, pressing or dull p.; worse at night. Daph.
Gnawing, or drawing p. in bones. Graph.
Gout or rheumatism, with very severe paroxysms of p. Hydroc.
Great p. in limbs. Antipy.
Inflammation of joints, with excessive hyperæsthesia; slightest concussion of air, floor or bed makes p. unbearable. Colch.
Intense p. in all bones, especially joints. Sabad.
Intolerable p. in bones at night driving patient to despair. Kali-jod.
Joints p. as if beaten. Coni.
Joints p. as if bruised; worse at night; better moving. China.
Joints p. as if sprained. Lyc.
Lameness, stiffness and p. on first moving after rest; relieved by constant motion. Rhus-t.
Limbs p. when resting them upon any object. Kali-c.
Numbness in limbs and joints, with cramp-like p. Plat.
On stretching or moving extensor muscles there is tightening or drawing p. in tendons and extensors. Cimex.
P. and inflammation of ligaments, tendons and synovial membranes. Rhus-t.
P. as if dislocated in wrist and ankle. Bry. (Rhus-t., Ruta.)
P. as if sprained in joints. Natr-m.
P. as if strained in every joint and in periosteum, especially in thighs and knees. China.
P. in all joints as if attacked by rheumatic inflammation. Acon.
P. in bones as if bruised. Ipec.
P. in fingers, ankles, feet and toes causing restlessness at night. Caul.
P. in joints, afterward in bones. Calc-ph.
P. in joints as if sprained or dislocated. Ign.
P. in joints as when limbs go to sleep. Ipec.
P. in joints during motion. Rheum.
P. in limbs at night. Am-c.

P. in limbs, joints and bones as if beaten, or as after a blow or fall. Ruta. (Arn., Bad., Led.)
P. in periosteum. Graph.
P. in periosteum, with paralytic weakness. Cham.
P. in right knee and left hand. Agar.
Paralytic, bruised p. in long bones and joints. Calc-c.
Paralytic p. in joints as if bruised during motion. Arn.
Paralytic p. in limbs. Cocc.
Periostitis and swelling of bones, especially tibia, with violent p. at night. Mez.
Periostitis, with throbbing and burning p. as from ulceration. Coni.
Piercing p. in joints. Dig.
Pressing p. in bones. Guaj.
Pressive p. in knees and wrists. Led.
Rheumatic inflammation, with p. and swelling of parts. Cact.
Rheumatic p. in all joints. Asclep-tub. (Acon., Bry., Rhus-t.)
Rheumatic p. in limbs, with cough. Caps.
Rheumatic p. in right shin bone; also in bones of left wrist and hand. Bapt.
Rheumatic p. in right shoulder, right arm and hip, changing often and lasting but a short time. Ox-ac.
Rheumatism of all joints, with much p., stiffness and swelling; worse in evening, again in morning on first rising. Cact.
Rheumatism of all joints, with swelling and spasmodic p. Sang.
Rheumatism: p. in joints, with red, shiny swelling; shifting from joint to joint, generally crosswise. Mang.
Rheumatism: p. worse in places least covered with flesh, but not in joints; on touching painful part, p. vanishes and appears in some other part. Sang.
Rheumatism: with high fever; after suddenly checked diarrhœa; cannot move head or limbs; great p. and no swelling. Abrot.
Stiffness and p. in all joints on beginning to walk. Caps.
Stiffness and stretching of limbs, with clenched thumbs, preceded by yawning, and p. in small of back. Merc.
Stinging, pinching p. in limbs. Meny.
Sudden p. and stiffness in limbs (after exposure). Merc.
Tearing p. in limbs, with chilliness. Bar-c.
Tearing p. in limbs, with contraction and stiffness of joints. Lach.
Tearing p. in wrists and ankles, followed by swelling of toes and fingers. Ammoniac.
Tearing p., with soreness, numbness, swelling or tingling. Arn.
Tenderness, with tearing p. and pressure in bones. Arg-m.
Tingling in hands and feet and tearing p. in joints. Arn.
Weakness, numbness and p. in limbs. Fluor-ac.

Painful.—Heaviness of limbs and p. lameness of all joints during motion, as if joints were bruised. Arn.

Joints stiff, aching and p. Æsc.
Joints stiff, and p. Lyc.
Joints stiff, p. and crack on beginning to move. Caps.
Joints swollen and p.; can bear no heat. Guaj.
Knees and other joints stiff and p. Lact-ac.
Limbs and all soft parts of body p. when touched or pressed. Lyc.
Limbs and whole body p., as if bruised and beaten. Arn. (Bad., Led., Merc., Ruta.)
Limbs very p., especially feet and calves. Ferr-s.
P. concussion of limbs, felt when carriage in which one is riding shakes, or when one treads too hard in walking. Arn.
P. contraction in bends of limbs. Natr-m.
P. contraction in flexor muscles. Sec.
P. cracking in joints on motion. Croc.
P. feeling of lameness in ligaments. Puls.
P., hard nodes and calcareous concretions on joints. Led.
P. jerking in limbs at night. Sec.
P., paralytic weakness in limbs. Ver-a.
P. stiffness in joints. Cocc.
P. weariness in limbs, as after long journey, with constant disposition to stretch, move or change position. China.
Periodic, spasmodic, p. contractions of fingers and toes, frequently so severe that fingers could not be extended without great force. Cupr-ac.
Rheumatism: least touch anywhere very p.; sweat without relief; worse in lower limbs, especially in right tarso-tibial articulation. Chelid.
Rheumatism: pains go from below upward; joints swollen, p., hot and tense; drawing pains; worse from warmth and motion. Led.
Stiffness in joints, which are very p. and much swollen. Chin-s.

Painfully.—Muscles of all parts of body become p. cramped. Coloc.

Pains.—Acute articular rheumatism: joints red, hot and swollen; p. change from place to place; metastasis to legs or heart. Kalm.
Acute articular rheumatism: p. in joints, going from one joint to another. Tart-em.
Acute rheumatic p. in limbs (Rhus-t.), affecting articulation and tendons; worse on motion and in cold air. Lycop-v.
Arthritic p. brought on by least cold, with irritable cough. Phos-ac.
Arthritic p. in joints. Sep.
Arthritic p. in joints; worse at night. Mang. (Merc.)
Arthritic p. in limbs, with stiffness of joints and swelling of hands and feet. Colch.
Bones inflamed and swollen; p. worse at night. Phyt.
Boring p. in exostosis. Merc.
Boring, tearing and bruised p. in bones of limbs. Aur.
Bruised feeling, with drawing, tearing p. in limbs. Sulph.

Bruised p., as if flesh had been detached from bones by blows. Rhus-t.
Chronic arthritic affections, with violent p. in joints at night; without swelling. Iod.
Constant flying p. in limbs; remain only few minutes in one place. Caul.
Cutting and cramping p. in muscles. Ambr.
Darting and shooting p. in limbs, mostly on left side. Æsc.
Darting p. in limbs. Sticta.
Deep, tearing and cutting p. in limbs. Can-sat.
Drawing and pressive p. in joints. Ang.
Drawing and tearing p. in limbs, with inability to lie on affected part; better when moving. Ars.
Drawing and tearing p. in limbs (Sulph); worse at night in warm bed. Merc.
Drawing p. in limbs in evening. Sulph.
Drawing p. through long bones. Sabin.
Drawing, paralytic p. and weakness in limbs, especially in joints. Sep.
Drawing, tearing p. in bones of limbs; more in joints. Dros.
Drawing, tearing p. in joints. Cist.
Drawing, tearing p. in limbs. Bry., Carbo-v., Cocc-c., Coloc., Kali-c., Lyc., Merc-sol., Zinc. (Puls., Sulph.)
Drawing, tearing p. in limbs and joints. Natr-s., Spig. (Bry., Led.)
Drawing, tearing p. in limbs, especially at night. Sabin.
Drawing, p. in limbs, on every attempt to stretch them. Cimex.
Drawing, tearing p. in periosteum; worse at night and in wet, stormy weather. Rhod.
Erratic, tearing p. in limbs. Rhod.
Flying p. in limbs after getting wet in rain. Calc-ph.
Gnawing, stinging p. in joints and long bones. Dros.
Gouty p. in limbs. Caust.
Gouty, rheumatic p. in joints. Led.
Growing p. in limbs. Phos-ac., Ruta. (Hyper.)
Inflammation of bones and periosteum, with intolerable p. at night. Mang.
Joints red, swollen and stiff, with stitching p. on slightest motion. Bry.
Joints swollen, pale or slightly red, puffy or œdematous; p. are drawing, shooting, pressing in bones as if broken, and in joints as if sprained; accompanied by profuse, sour, offensive sweat. Merc.
Limbs feel bruised and stiff, with drawing, aching pain in thighs and knees. Cycl.
Neuralgia of stomach (after amputations), with violent burning, stinging p. Al-cep.
Neuralgic or rheumatic p. in limbs. Gels. (Bry., Cimicif., Rhus-t.)
Neuralgic p. in limbs. Can-sat.
Occasional rheumatic p. in limbs. Lith-c.
P. and aching in all bones. Abies-n.

P. in all joints, as if tendons were contracted and too short, during chill (in intermittent). Cimex.
P. in bones. Colch., Fluor-ac.
P. in bones and joints. Diad.
P. in bones, as if broken. Merc.
P. in bones at night. Iod. (Merc.)
P. in bones, like stitches, from sharp needles. Kali-bi.
P. in joints after taking cold. Caps.
P. in joints, as if bruised. Nux-v.
P. in limbs. Asclep., Aster.
P. in limbs alternating with chilliness and heat. Brom.
P. in limbs, as if bones were squeezed, with pressure in joints. Alu.
P. in limbs from forearm and leg, down to fingers and toes; soon passing off; resembling cramp-like drawing. Rhod.
P. in limbs, like a bruise; worse during wet, cold weather. Ver-a.
P. in limbs, which are restless, compelling patient to change position often tc obtain relief. Natr-s. (Rhus-t.)
P. in limbs, with lameness and numbness. Agar.
P. in middle of long bones or attachment of muscles; worse in damp weather, or at night. Phyt.
P. in muscles on first moving; disappearing after continued motion. Rhus-r.
P. in periosteum and long bones, especially tibia; worse at night in bed. Mez.
P. in periosteum of all bones. Camph.
P. in shoulder and hip joints and in all bones, with difficulty in moving head and tongue. Colch.
P. where tendons are connected with muscles of bones, especially during movement. Rhus-r.
Periosteal inflammation, with burning, gnawing, tearing p. Phos-ac.
Periosteal rheumatism, with boring, pressing p. coming like lightning and leaving parts numb. Mez.
Rheumatic and arthritic p. Guaj.
Rheumatic and arthritic p. (after suppression of gonorrhœa). Daph.
Rheumatic and arthritic stinging, tearing p.; worse at night in warm bed; with profuse sweat. Merc.
Rheumatic and gouty p. in limbs, with tension; worse from motion and contact. Bry.
Rheumatic and gouty p. in muscles and bones. Daph.
Rheumatic or arthritic, piercing, drawing, tearing p. Millef.
Rheumatic or gouty p., with gastric symptoms. Ant-c.
Rheumatic or neuralgic p. Crotal.
Rheumatic p. (after suppression of gonorrhœa). Merc-cor.
Rheumatic p. from elbows or knees downward. Nicc.
Rheumatic p. in arms, joints of fingers and in legs down to toes. Colch.

Rheumatic p. in joints. Kali-bi.
Rheumatic p. in joints, with heat and swelling. Cimicif.
Rheumatic p. in limbs. Arg-m., Magn-c., Phos.
Rheumatic p. in limbs and stitches in joints. Hep-s.
Rheumatic p. in limbs, rarely in joints; worse during rest; better from motion. Valer.
Rheumatic p. in limbs; worse at night. Magn-s.
Rheumatic p. in muscles, tendons and joints. Merc-cor.
Rheumatic p. in shoulders, arms, hips and legs. Cact.
Rheumatic p., mostly in upper arms and lower legs; worse going to sleep. Kalm.
Rheumatic p. shifting from place to place, always from below upward (especially in aged persons), with sensation of soreness in bones, leaving ankles and feet swollen. Eupat-purp.
Rheumatic p. which seem to be in bones of arms and in right hip radiating thence to calf and knee (after taking cold). Coloc.
Rheumatic p., with swelling. Kali-c.
Rheumatic p.; worse at night. Dios.
Rheumatic, tearing, drawing p. in limbs. Coloc. (Bry., Led., Lyc., Merc.)
Rheumatic, tearing, p., frequently changing about, in tne muscles. Colch.
Rheumatic, wandering p. in limbs. Meph.
Rheumatism affecting bellies of muscles, with cramping, stitching p. Cimicif.
Rheumatism (after suppressed gonorrhœa), with bone p.; p. worse at night and in damp weather, or after taking cold in water. Sars.
Rheumatism and gastric affections alternating; p. change and fly rapidly from one place to another; one comes in fall, other in spring; weariness in limbs as p. subside. Kali-bi.
Rheumatism: contracting, drawing and tearing p. in limbs; worse during rest; better when walking. Rhus-t.
Rheumatism: drawing, tearing p., with sensation of lameness and numbness; more in tendons, ligaments and bones (not in muscles). Cham.
Rheumatism: drawing, tearing p., with tight feeling. Phos.
Rheumatism: knees stiff, with sharp, sticking p. Petr.
Rheumatism: p. accompanied by sweat, which does not relieve. Tart-em.
Rheumatism: p. below knees and in arms; p. shift rapidly; joints swollen and red. Phyt.
Rheumatism: p. go from below upward; joints swollen, painful, hot and tense; drawing p.; worse from warmth and motion. Led.
Rheumatism: p. worse in places least covered with flesh, but not in joints; on touching painful part, pain vanishes and appears in some other part. Sang.

Rheumatism: tearing, lameness and trembling, or crampy p., or twisting in affected limbs, and frequent jerking of whole body during sleep. Zinc.
Severe, drawing p. in joints. Caul.
Severe, sharp p. in joints. Lact-ac.
Shifting p. in right arm and leg, then left leg. Hydr.
Shooting and cutting p. in tips of fingers and toes. Am-m.
Shooting p. in limbs. Daph.
Shooting p. through limbs, with fear of rheumatic fever. Calc-c.
Sticking p. in left elbow or knee. Laur.
Stiffness in joints, with sharp, cutting p. above joints; always transversely, not lengthwise. Zinc.
Stinging, boring p. in periosteum; worse in cool air. Hell.
Stinging p. in joints. Kali-c.
Swelling of bones and periosteum, with p. at night. Kali-jod.
Tearing and twitching p. in limbs. Cedron.
Tearing, drawing or gnawing p. in bones. Kali-jod.
Tearing or drawing p. in limbs aud in both thighs. Coloc.
Tearing p., especially in joints and bones. Caust.
Tearing p. in arms and legs at night. Ferr.
Tearing p. in bones of hands and feet. Bism.
Tearing p. in joints. Colch.
Tearing p. in limbs. Nicc.
Tearing p. in limbs during rest. Rhus-t.
Tearing p. in limbs during rest; better on motion. Mur-ac.
Tearing p. in limbs during warm weather. Colch.
Tearing p. in limbs, with swelling of bones of feet and hands. Phos-ac.
Tearing p. in muscles and joints. Colch.
Tearing, stitching or throbbing p., or bruised feeling in limbs. Berb.
Trembling and tingling in limbs, accompanied by shooting p. Acon.
Violent, cutting p. in limbs at night. Bad.
Violent drawing and tearing in middle of long bones; p. so great they seem unable to hold together. Zinc.
Violent p. in limbs, especially of muscular part; worse evening and night. Plumb.
Violent rheumatic p. in limbs drive patient out of bed at night. Cham.
Violent rheumatic p. in limbs every evening and night, preceded by chilliness. Kali-jod.
Vivid neuralgic or rheumatic p. in limbs, darting about; shifting and intermittent. Magn-ph.
Wandering, digging, pressing p. in small spots, lasting but a short time and soon returning. Nux-m.
Wandering, erratic p. shifting rapidly from one part to another, with swelling and redness of joints; with chilliness; worse at night and from warmth; better from uncovering. Puls.

Wandering, rheumatic p. in bones and joints at night. Gels.
With rheumatic p. welts are felt in muscles. Calc-c.

Pale.—Joints swollen, p., or slightly red, puffy, or œdematous; pains are drawing, shooting, pressing, in bones as if broken, and in joints as if sprained; accompanied by profuse, sour, offensive sweat. Merc.
Limbs become p. and wrinkled, as after being long time in hot water. Sec.
Swelling of joints, rather p.; muscles palpitate and are cramped. Nux-v.

Palms (see section on Upper Extremities).—Burning in p. and soles. Calc-c., Canth., Carbo-v., Lil-tig., Mur-ac.
Burning in p. and soles (during menses). Carbo-v.
Burning in p. and soles at night. Lach.
Constant itching of soles and p. Hep-s.
Dryness of p. and soles. Bism., Crotal., Sulph.
Heat in p. and soles. Petr.

Palpitate.—Swelling of joints, rather pale; muscles p. and are cramped. Nux-v.

Paralysis.—Coldness, stiffness and p. of limbs. Oleand.
Complete relaxation and prostration of muscles, with entire motor p. Gels.
Great heaviness of left arm and leg, like p. Carbo-v.
Painless p. of limbs. Laur.
P. and contraction of limbs. Millef.
P., first of lower, then of upper limbs. Hydroc-ac.
P. of limbs. Agar., Bar-c., Cocc., Kali-n., Merc-cor., Plumb., Rhus-t., Sil., Sulph.
P. of right arm and lower limbs. Can-ind.
Sticking, drawing jerks through periosteum, with lameness and actual p. of limbs. Colch.

Paralytic.—Convulsive muscular contraction, with p. sensation and partial temporary paralysis of limbs. Cina.
Drawing pain in bones, with p. condition of limbs. Cocc.
Drawing, p. pains and weakness in limbs, especially in joints. Sep.
Great heaviness and p. weakness in arms and legs. Stann.
Jerking, trembling or shaking, with p. weakness in limbs, especially at night. Rhus-r.
Pain in periosteum, with p. weakness. Cham.
Painful p. weakness in limbs. Ver-a.
P. bruised pain in long bones and joints. Calc-c.
P. drawing and tearing in limbs. Magn-m.
P. drawing through limbs. Sabad.
P. feeling in limbs and spine. Æsc.
P. pain in joints, as if bruised, during motion. Arn.
P. pain in limbs. Cocc.

P. stiffness in limbs. Lith-c.
P. weakness in limbs. Caust., Plumb.
Subacute and chronic rheumatism of joints, with calcareous deposits, muscular weakness, and p. symptoms. Colch.
Trembling, lameness and p. feeling in limbs. Kali-n.
Weakness and heavy feeling in limbs, with p. sensation. Ang.

Paralyzed.—All bones feel bruised and p., as if had lain upon hard bed. Bry.
Convulsive jerks and starts in p. limbs. Sec.
Limbs feel bruised and p., with difficulty in walking. Coni.
Limbs feel heavy, stiff, lame, p. and cold. Chelid.
Limbs feel p. Chelid.
Limbs feel p. and bruised. Cocc.
Muscles irritated and rendered inco-ordinate and then p. Kali-brom.
Swelling, stiffness and p. sensation in joints, as from sprains, over-lifting, or straining. Rhus-t.
Weakness, with p. feeling in limbs. Graph., Phos.

Pericarditis.—Rheumatic p. and rheumatism in small joints. Colch.

Periosteum.—Drawing, tearing pains in p.; worse at night and in wet, stormy weather. Rhod.
Drawing, with inflammation of p. Merc-cor.
Feeling as if p. were being scraped with a knife (after injuries). Phos-ac.
Inflammation of bones and p., with intolerable digging pains at night. Mang.
Inflammation of p. and of bones. Nitr-ac.
Pain, as if strained in every joint and in p., especially in thighs and knees. China.
Pain in p. Graph.
Pain in p., with paralytic weakness. Cham.
Pains in p. and long bones, especially tibia; worse at night in bed. Mez.
Pains in p. of all bones. Camph.
Rheumatic drawing in p. of long bones as if bruised. Can-sat.
Rheumatism affecting p. and sheaths of nerves. Phyt.
Rheumatism of joints, bones and p. Merc.
Sticking, drawing jerks through p., with lameness and actual paralysis of limbs. Colch.
Stinging, boring pains in p.; worse in cool air. Hell.
Swelling and suppuration of bones and of p. Staph.
Swelling of bones and p., with pains at night. Kali-jod.
Syphilitic or mercurial rheumatism; p. affected. Phyt.

Periostitis.—P. and swelling of bones, especially tibia, with violent pain at night. Mez.
P. in one finger and two toes. Ferr-jod.
P., with throbbing and burning pain, as from ulceration. Coni.

Phagedæna.—Caries of bones, with sloughing, p. and gangrene. Nitr-ac.

Phalanx.—Leprosy: ulcers on tips of fingers and toes; they spread and destroy one joint after another, and one p. after another falls; finally the hands and feet are separaied in their joints. Tart-em.

Piercing.—P. pain in joints. Dig.

Rheumatic or arthritic, p., drawing, tearing pains. Millef.

Pinching.—Stinging, p. pain in limbs. Meny.

Pounded.—Hands and feet bruised and sore as if p. Lil-tig.

Power.—Muscles refuse to act, with loss of p. Crotal.

Muscular rheumatism and loss of muscular p. Colch.

Sensation of sudden loss of p. in limbs in morning. Nux-v.

Sudden jerks, with loss of p. in limbs. Cic-v.

Powerless.—Muscles have a doughy feeling and are p. (in chlorosis). Cycl.

Pregnant.—Cramp and great pain in flexor tendons of fingers and toes, alternating with false labor-pains (in p. women). Dios.

Pressed.—Limbs and all soft parts of body painful when touched or p. Lyc.

Pressing.—Exostosis, with stitching, p. or dull pain; worse at night. Daph.

Joints swollen, pale or slightly red, puffy or œdematous; pains are drawing, shooting, p., in bones as if broken, and in the joints as if sprained; accompanied by profuse, sour, offensive sweat. Merc.

Wandering, digging, p. pains in small spots, lasting but a short time and soon returning. Nux-m.

Pressive.—Drawing and p. pains in joints. Ang.

P. pain in knees and wrists. Led.

Pressure.—Drawing and p. in all joints, especially knees. Lyc.

Drawing p. in joints. Calc-c.

Pains in limbs, as if bones were squeezed, with p. in joints. Alu.

Tenderness, with tearing pain and p. in bones. Arg-m.

Prickling.—Numbness and p. of hands and feet. Colch.

P., tingling, numbness and formication in limbs. Sec.

Prostration.—Coldness of limbs, with clammy sweat and great p. Camph.

Complete relaxation and p. of muscles, with entire motor paralysis. Gels.

Muscular p. Lach.

Weakness and p. of limbs. Cocc-c.

Psoric.—Caries and necrosis (especially of p. and syphilitic natures). Fluor-ac.

Puffy.—Acute articular rheumatism attacking one joint after another; joints p., but little red; with high fever. Ferr-ph.

Joints swollen, pale or slightly red, p. or œdematous; pains are drawing, shooting, pressing, in bones as if broken, and in joints as if sprained; accompanied by profuse, sour, offensive sweat. Merc.

Rheumatism of right wrist and both feet; instep p. Ruta.

Purple.—Coldness of limbs, which look p. Merc-cor.

Pus.—Necrosis, with offensive p. Sil.

Rachitis.—Limbs deformed and crooked (r.) Calc-c.

R. Calc-ph.

Rain.—Flying pains in limbs after getting wet in r. Calc-ph.

Rapidly.—Rheumatism and gastric affections alternating; pains change and fly r. from one place to another; one comes in fall, other in spring; weariness in limbs as pains subside. Kali-bi.

Rheumatism: pains below knees and in arms; pains shift r.; joints swollen and red. Phyt.

Wandering, erratic pains shifting r. from one part to another, with swelling and redness of joints; with chilliness; worse at night and from warmth; better from uncovering. Puls.

Rawness.—Soreness and r. in bends of limbs. Graph.

Red.—Acute articular rheumatism; joints hot, r. and swollen; pains change from place to place; metastasis to legs or heart. Kalm.

Articular rheumatism: intense bright r., shining swelling and inflammation of joints; sensitive to least contact; with high fever, restlessness and anxiety (especially when caused by suddenly-checked sweat). Acon.

Joints r., swollen and stiff, with stitching pains on slightest motion. Bry.

Rheumatism: joints weak or stiff, swollen, r. and shining; stitches when touched; worse on beginning to move; better from continued motion. Rhus-t.

Rheumatism: pain in joints, with r., shiny swelling; shifting from joint to joint, generally crosswise. Mang.

Rheumatism: pains below knees and in arms; pains shift rapidly; joints swollen and r. Phyt.

Redness.—Arthritis vaga, or wandering gout, passing from one joint and place to another, with swelling and r. Phyt.

Feeling in joints, as if sprained, with swelling and r. Rhod.

Inflammatory rheumatism, with heat and circumscribed r. of joints. Sticta.

Rheumatic swelling, with heat, r. and sensation as if sprained. Hep-s.

Wandering, erratic pains shifting rapidly from one part to another, with swelling and r. of joints; with chilliness; worse at night and from warmth; better from uncovering. Puls.

Relax.—Convulsions, with intermittent, tetanic rigidity of muscles; during intermission muscles r. Nux-v.

Relaxation.—Complete r. and prostration of muscles, with entire motor paralysis. Gels.
R. and weakness in limbs. Kali-c.
R. and weakness of muscles, with emaciation. Ferr.
R. of ligaments. Ferr-s.
R. of muscles. Ferr-ph.
R. of muscles and limbs. Opi.
Sudden r. of muscles. Hell.
Weakness and r. of muscles after being in open air. Nux-v.

Relaxed.—Muscles feel r. Merc-cor.
Stitches in joints, they feel r. Bar-c.

Relief.—Pains in limbs, which are restless, compelling patient to change position often to obtain r. Natr-s. (Rhus-t.)

Relieved.—Joints feel bruised; r. by stretching. Carbo-v.
Lameness, stiffness and pain on first moving after rest; r. by constant motion. Rhus-t.

Remitting fever.—Inflammatory rheumatism, especially of joints, which are very sensitive, with intermitting or r. Chin-s.

Rest.—Heavy, weak feeling and formication in back and limbs; worse r. and in stormy weather. Rhod.
Limbs move normally, but when at r. jerk and twitch. Valer.
Rheumatic pains in limbs, rarely in joints; worse during r.; better from motion. Valer.
Rheumatism: contracting, drawing and tearing pains in limbs; worse during r.; better when walking. Rhus-t.
Tearing pains in limbs during r. Rhus-t.
Tearing pains in limbs during r.; better on motion. Mur-ac.

Resting.—Limbs pain when r. them upon any object. Kali-c.

Restless.—Limbs r.; have to be moved constantly. Natr-m.
Pains in limbs, which are r., compelling patient to change positior often to obtain relief. Natr-s. (Rhus-t.)
R.: cannot keep limbs still at night. Spig.
Tearing in limbs, with r. sleep and profuse sweat (after getting wet). Dulc.

Restlessness.—Articular rheumatism: intense, bright-red, shining swelling and inflammation of joints; sensitive to least contact; with high fever, r. and anxiety (especially when caused by suddenly-checked sweat). Acon.
Pain in fingers, ankles, feet and toes causing r. at night. Caul.
R. of limbs. Ars., Stann.
Tearing and r. in limbs. Squilla.
Uneasy feeling in limbs causing r. Cimicif.

Rests.—Limbs on which one r. at night go to sleep. Croc.

Returning.—Wandering, digging, pressing pains in small spots, lasting but a short time and soon r. Nux-m.

Rhagades.—R. in bends of joints. Mang.

Rheumatic.—Acute, r. pains in limbs (Rhus-t.), affecting articulation and tendons; worse on motion and in cold air. Lycop-v.

Gouty, r. pains in joints. Led.

Inflammatory, r. swelling of joints. Agn.

Neuralgic or r. pains in limbs. Gels. (Bry., Cimicif., Rhus-t.)

Occasional r. pains in limbs. Lith-c.

Pain in all joints, as if attacked by r. inflammation. Acon.

R. and arthritic inflammation, with contraction of flexors and stiffness of joints. Caust.

R. and arthritic pains. Guaj.

R. and arthritic pains (after suppression of gonorrhœa). Daph.

R. and arthritic stinging, tearing pains; worse at night in warm bed; with profuse sweat. Merc.

R. arthritis. Natr-ph.

R. and gouty affections of joints. Clem.

R. and gouty pains in limbs, with tension; worse from motion and contact. Bry.

R. and gouty pains in muscles and bones. Daph.

R. drawing in periosteum of long bones, as if bruised. Can-sat.

R. gout: alternate swelling of knees and joints of hands, with feeling of numbness and stiffness of limbs. Kreas.

R. inflammation of joints; worse evening and night. Acon.

R. inflammation, with pain and swelling of parts. Cact.

R. or arthritic, piercing, drawing, tearing pains. Millef.

R. or gouty pains, with gastric symptoms. Ant-c.

R. or neuralgic pains. Crotal.

R. pain in all joints. Asclep-tub. (Acon., Bry., Rhus-t.)

R. pain in limbs, with cough. Caps.

R. pain in the right shin bone; also in bones of left wrist and hand. Bapt.

R. pain in right shoulder, right arm and hip, changing often and lasting but a short time. Ox-ac.

R. pain (after suppression of gonorrhœa). Merc-cor.

R. pains from elbows or knees downward. Nicc.

R. pains in arms, joints of fingers and in legs down to toes. Colch.

R. pains in joints. Kali-bi.

R. pains in joints, with heat and swelling. Cimicif.

R. pains in limbs. Arg-m., Magn-c., Phos.

R. pains in limbs and stitches in joints. Hep-s.

R. pains in limbs, rarely in joints; worse during rest; better from motion. Valer.

R. pains in limbs; worse at night. Magn-s.

R. pains in muscles, tendons and joints. Merc-cor.

R. pains in shoulders, arms, hips and legs. Cact.

R. pains, mostly in upper arms and lower legs; worse going to sleep. Kalm.

R. pains shifting from place to place, always from below upward (especially in aged persons), with sensation of soreness in bones, leaving ankles and feet swollen. Eupat-purp.

R. pains which seem to be in bones of arms and in right hip, radiating thence to calf and knee (after taking cold). Coloc.

R. pains, with swelling. Kali-c.

R. pains; worse at night. Dios.

R. pericarditis, and rheumatism in small joints. Colch.

R. swelling of joints. Guaj.

R. swelling, with heat, redness and sensation as if sprained. Hep-s.

R., tearing, drawing pains in limbs. Coloc. (Bry., Led., Lyc., Merc.)

R., tearing pains, frequently changing about in muscles. Colch.

R., wandering pains in limbs. Meph.

Vivid neuralgic or r. pains in limbs, darting about; shifting and intermittent. Magn-ph.

Violent r. pains in limbs drive patient out of bed at night. Cham.

Violent r. pains in limbs every evening and night, preceded by chilliness. Kali-jod.

Wandering, r. pains in bones and joints at night. Gels.

With r. pains welts are felt in muscles. Calc-c.

Rheumatism.—Acute articular r.: all joints swollen; could not stay in bed. Kali-chl.

Acute articular r.: attacking one joint after another; joints puffy, but little red; with high fever. Ferr-ph.

Acute articular r.: joints hot, red and swollen; pains change from place to place: metastasis to legs or heart. Kalm.

Acute articular r.: pains in joints, going from one joint to another. Tart-em.

Acute r. going from joint to joint; right shoulder to hip; left hip to right. Rheum.

Acute r., with endocarditis. Kali-n.

Arthritic r., with dyspnœa. Can-sat.

Articular r., especially of wrist and knee; worse from slightest motion. Ferr-ph.

Articular r.: intense, bright-red, shining swelling and inflammation of joints; sensitive to least contact; with high fever, restlessness and anxiety (especially when caused by suddenly-checked sweat). Acon.

Articular r. without swelling. Arg-m.

Chronic articular r. Calc-ph.

Chronic periosteal r. of syphilitic or mercurial origin. Kali-jod.

Chronic r. Bad.

Gout or r., with concretion of "chalk stones" in joints. Coff-t.

Gout or r. with every severe paroxysm of pain. Hydroc.

Inflammatory r., especially of joints, which are very sensitive, with intermitting or remitting fever. Chin-s.

Inflammatory r., with heat and circumscribed redness of joints. Sticta.
Muscular or articular r., with great nervous excitability. Cham.
Muscular r. and loss of muscular power. Colch.
Muscular r., with high fever. Acon.
Periosteal r., with boring, pressing pains coming like lightning and leaving parts numb. Mez.
Rheumatic pericarditis, and r. in small joints. Colch.
R. Abies-n.
R. affecting bellies of muscles, with cramping, stitching pains. Cimicif.
R. affecting periosteum and sheaths of nerves. Phyt.
R. after acute eruptions, or when chronic form alternates with acute attacks of diarrhœa. Dulc.
R. after getting feet wet. Nux-m., Rhus-t.
R. after getting wet, or after protracted wet weather. Puls.
R. after slightest cold. Coca.
R. (after suppressed gonorrhœa), with bone-pains; pains worse at night and in damp weather, or after taking cold, in water. Sars.
R. and gastric affections alternating; pains change and fly rapidly from one place to another; one comes in fall, other in spring; wearinesss in limbs as pains subside. Kali-bi.
R.: articular, acute or chronic; appearing and disappearing suddenly; acute merging into chronic form, and during chronic form acute attacks set in; metastasis to heart. Colch.
R. begins in lower limbs and ascends. Led.
R.: contracting, drawing and tearing pains in limbs; worse during rest; better when walking. Rhus-t.
R.: drawing, tearing pains, with sensation of lameness and numbness; more in tendons, ligaments and bones (not in muscles). Cham.
R.: drawing, tearing pains with tight feeling. Phos.
R., especially in cold weather; getting well in spring, but returning next autumn. Calc-ph.
R., especially of large joints and muscles. Nux-v.
R. (following suppression of gonorrhœa). Coni., Rhod., Sars.
R.: joints weak or stiff, swollen, red and shining; stitches when touched; worse on beginning to move; better from continued motion. Rhus-t.
R.: knees stiff, with sharp, sticking pains. Petr.
R.: least touch anywhere very painful; sweat without relief; worse in lower limbs, especially in right tarso-tibial articulation. Chelid.
R. of all joints, with much pain, stiffness and swelling; worse in evening, and again in morning on first rising. Cact.
R. of all joints, with swelling and spasmodic pain. Sang.
R. of hands and feet. Aur.
R. of joints, bones and periosteum. Merc.
R. of right wrist and both feet; instep puffy. Ruta.

R. of small joints. Actea-s., Caul., Led.
R.: pain in joints, with red, shiny swelling; shifting from joint to joint, generally crosswise. Mang.
R.: pains accompanied by sweat, which does not relieve. Tart-em.
R.: pains below knees and in arms; pains shift rapidly; joints swollen and red. Phyt.
R.: pains go from below upward; joints swollen, painful, hot and tense; drawing pains; worse from warmth and motion. Led.
R.: pains worse in places least covered with flesh, but not in joints; on touching painful part, pain vanishes and appears in some other part. Sang.
R.: soreness of muscles, with inflammation of elbows, knees and small joints; worse at night and from motion; with acrid and profuse sweat. Lact-ac.
R.: swelling of wrists and ankles, which have bluish appearance and are very tender. Lach.
R.: tearing, lameness and trembling, or crampy pains, or twisting in affected limbs, and frequent jerking of whole body during sleep. Zinc.
R.: with high fever; after suddenly-checked diarrhœa; cannot move head or limbs; great pain and no swelling. Abrot.
R., with numb feeling: worse from warmth, or from moving. Thuja.
R. with soreness of muscles. Ham.
R. without fever. Ferr-jod.
Subacute and chronic r. of joints, with calcareous deposits, muscular weakness and paralytic symptoms. Colch.
Syphilitic or mercurial r.; periosteum affected. Phyt.

Rice-bodies.—Supernumerary bones, or "r". Calc-flu.

Right.—Acute rheumatism: going from joint to joint; r. shoulder to hip; left hip to r. Rheum.
Chorea: twitching and jerking of muscles of one arm and one leg, usually r. Myg.
Pain in r. knee and left hand. Agar.
Paralysis of r. arm and lower limbs. Can-ind.
Rheumatic pain in r. shin bone; also in bones of left wrist and hand. Bapt.
Rheumatic pain in r. shoulder, r. arm and hip, changing often and lasting but a short time. Ox-ac.
Rheumatic pains which seem to be in bones of arms and in r. hip, radiating thence to calf and knee (after taking cold). Coloc.
Rheumatism: least touch anywhere very painful; sweat without relief; worse in lower limbs, especially in r. tarso-tibial articulation. Chelid.
Rheumatism of r. wrist and both feet; instep puffy. Ruta.
Shifting pains in r. arm and leg, then left leg. Hydr.
Trembling in r. arm and leg. Dory.

Rigidity.—Convulsions, with intermittent tetanic r. of muscles; during intermission muscles relax. Nux-v.

R. and immobility of limbs, although they can be easily moved by others. Merc.

R. of joints. Bry., Petr., Rhus-t., Sep., Sil., Sulph.

Spasmodic r. of limbs, with concussive jerking of head. Hell.

Ring.—Sensation as if joint was encircled by hand or r. Lyc.

Rising.—Trembling of the limbs when r. from a recumbent position. Bry.

Scraped.—Boring, cutting pain in bones, with feeling as if s. Sabad. (Rhus-t.)

Feeling as if periosteum were being s. with knife (after injuries). Phos-ac.

Scrofulous.—Enlarged joints or s. tumors. Ammoniac.

Sensitive.—All bones s. to touch. Mang.

Articular rheumatism: intense, bright-red, shining swelling and inflammation of joints; s. to least contact; with high fever, restlessness and anxiety (especially when caused by suddenly-checked sweat). Acon.

Dark-bluish swelling of cellular tissues of hands, arms and legs, which are very s., threatening gangrene. Lach.

Inflammatory rheumatism, especially of joints, which are very s., with intermittent or remittent fever. Chin-s.

Sensitiveness.—Pustular tumors on wrist and ankles, with excessive s. and irritability of skin. Cupr-ars.

Shakes.—Painful concussion of limbs, felt when carriage in which one is riding s., or when one treads too hard in walking. Arn.

Shaking.—Jerking, trembling or s., with paralytic weakness in limbs, especially at night. Rhus-r.

Shaky.—Legs feel s. and hands tremble. Arg-n.

Sharp.—Rheumatism: knees stiff, with s., sticking pains. Petr.

Severe, s. pains in joints. Lact-ac.

S., cramp-like twitchings near joints. Lact.

Stiffness in joints, with s., cutting pains above joints; always transversely, not lengthwise. Zinc.

Shift.—Rheumatism: pains below knees and in arms; pains s. rapidly; joints swollen and red. Phyt.

Shifting.—Rheumatic pains s. from place to place, always from below upward (especially in aged persons), with sensation of soreness in bones, leaving ankles and feet swollen. Eupat-purp.

Rheumatism: pain in joints, with red, shiny swelling; s. from joint to joint, generally crosswise. Mang.

S. pains in right arm and leg, then left leg. Hydr.

Vivid neuralgic or rheumatic pains in limbs, darting about; s. and intermittent. Magn-ph.

Wandering, erratic pains s. rapidly from one part to another, with swelling and redness of joints; with chilliness; worse at night and from warmth; better from uncovering. Puls.

Shin bone.—Rheumatic pain in right s.; also in bones of left wrist and hand. Bapt.

Shin bones.—Aching pain in s. early in morning (before paroxysm in intermittent). Eupat-perf.

Shocks.—Violent, electric-like s. in limbs. Ver-v.

Shooting.—Darting and s. pains in limbs, mostly on left side. Æsc.

Joints swollen, pale, or slightly red, puffy, or œdematous; pains are drawing, s., pressing, in bones as if broken, and in joints as if sprained; accompanied by profuse, sour, offensive sweat. Merc.

S. and cutting pains in tips of fingers and toes. Am-m.

S. pains in limbs. Daph.

S. pains through limbs, with fear of rheumatic fever. Calc-c.

Tearing, s. here and there in joints. Camph.

Trembling and tingling in limbs, accompanied by s. pains. Acon.

Short.—Muscles of limbs feel too s. Bov.

Pains in all joints, as if tendons were contracted and too s., during chill (in intermittent). Cimex.

Shortened.—Contraction in joints as if muscles were s. Am-m.

Shortening.—Drawing and s. of muscles. Caust.

Twitching, s. or contraction of muscles or tendons. Natr-m.

Shoulder.—Acute rheumatism: going from joint to joint; right s. to hip, left hip to right. Rheum.

Cracking in knee and s. Calc-c.

Pains in s. and hip joints, and in all bones, with difficulty in moving head and tongue. Colch.

Rheumatic pain in right s., right arm and hip, changing often and lasting but a short time. Ox-ac.

Shoulders.—Cracking in joints, especially in jaw and s. Chin-s.

Rheumatic pains in s., arms, hips and legs. Cact.

Shuddering.—Violent contraction in limbs, with s. and chilliness. Cupr-ac.

Sit down.—Weariness of limbs when ascending; wants to s. Calc-ph.

Sitting.—Drawing or tearing in limbs; continues when s. or standing, but goes off during motion. Agar.

Joints stiff after s. Ang.

Skull.—Fontanelles remain open too long and s. very large. Calc-c.

Sleep.—Arms, hands and soles go to s. Nux-v.

Convulsive twitching of muscles during s. Hell.

Disposition of limbs to go to s. Kali-c.

Feeling as if limbs had gone to s. Natr-m.

Formication in limbs, as if had gone to s. Agar.

Hands and feet go to s. Calc-c.

Hands and feet go to s. alternately. Cocc.

Involuntary movements while awake; cease during s. Agar.
Jerking up of limbs during s. (with diarrhœa). Tart-em.
Left arm and leg feel as if would go to s. Nicc.
Limbs go to s. Aur., Calc-c., Carbo-v., Guaj., Sulph., **Thuja.**
Limbs go to s. and become stiff. Petr.
Limbs go to s. easily. Ambr., Sep., Sil.
Limbs go to s., especially when lying on them. **Sulph.**
Limbs go to s. often at night. Croc.
Limbs go to s. on lying down. Ver-a. (Sulph.)
Limbs go to s. when lying on them. Carbo-v., China.
Limbs go to s. when lying on them or putting one over other. **Rheum.** (Puls.)
Limbs go to s. when not lying on them. Flour-ac.
Limbs numb and go to s. Led.
Limbs on which one rests at night go to s. Croc.
Numbness, with feeling as if limbs were going to s. (in nervous, hysterical subjects). Gels.
Pain in joints, as when limbs go to s. Ipec.
Parts on which one is lying go to s. Rhus-t.
Rheumatic pains, mostly in upper arms and lower legs; worse going to s. Kalm.
Rheumatism: tearing, lameness and trembling, or crampy pains, or twisting in affected limbs, and frequent jerking of whole body during s. • Zinc.
Sensation as if limbs would go to s. Caps.
Tearing in limbs, with restless s. and profuse sweat (after getting wet). Dulc.
Tingling in limbs, as if they had gone to s. Ign.
Tingling in limbs, as if they would go to s. Caust.
Twitching of hands and feet during s. Natr-s.

Sleepiness.—Great weariness of limbs, with s. Cimex.

Sleepless.—S. from fidgets in left side, both arms and legs. **Meph.**

Sloughing.—Caries of bones, with s., phagedæna and gangrene. Nitr-ac.

Small joints.—Rheumatic pericarditis, and rheumatism in s. Colch.
Rheumatism of s. Actea-s., Caul., Led.
Rheumatism: soreness of muscles, with inflammation of elbows, knees and s.; worse at night and from motion; with acrid and profuse sweat. Lact-ac.
S. swell after walking or slight fatigue. Actea-s.
S. swollen and stiff, with sensation of numbness. Colch.

Small of back.—Stiffness and stretching of limbs, with clenched thumbs, preceded by yawning, and pain in s. **Merc.**

Smarting.—S. in bones of limbs at night. Phos-ac.

Soft.—Muscles s. and flabby. Fluor-ac.

Softening.—S. of bones. Calc-c., Lyc.

Swelling and s. of bones. Guaj.
Swelling, s. or caries of bones. Merc. (Sil.)

Softness.—S. of joints. Guaj.

Sole.—Numbness of left hand and s. Cupr-ac.

Soles.—Arms, hands and s. go to sleep. Nux-v.
Burning in palms and s. Calc-c., Carbo-v., Lachn., Lil-tig., Mur-ac.
Burning in palms and s. at night. Lach.
Burning in palms and s. (during menses). Carbo-v.
Coldness of hands and s. while rest of body is warm. Coloc.
Constant itching of s. and palms. Hep-s.
Dryness of palms and s. Sulph. (Bism., Crotal.)
Heat in palms and s. Petr.
Ulcers on limbs, hands and s. Ananth.

Sore.—Bones, joints and muscles s., as if beaten. Lith-c. (Arn., Bad., Led., Ruta.)
Crepitation and s. feeling in joints. Natr-ph.
Hands and feet bruised and s., as if beaten. Lil-tig.
Joints feel weak and s., especially on descending. Arg-m.
Joints of hands and feet feel s. Arg-m.
Joints s., as if bruised and tired. Cham.
S. and bruised feeling in muscles, as if beaten. Bad. (Arn., Led. Merc., Ruta.)

Soreness.—Aching in bones of limbs, with s. of flesh and bones. Eupat-perf.
Drawing in limbs, with s. Ang.
Feeling of s. in joints, especially of hands and feet, fingers and toes. Arg-n.
Great s. and bruised feeling of muscles; worse on motion. Ham.
Great s. and lassitude of limbs. Natr-c.
Intense s. and aching in limbs, as if bruised and beaten. Eupat-perf. (Arn., Bad.)
Rheumatic pains shifting from place to place, always from below upward (especially in aged persons), with sensation of s. in limbs, leaving ankles and feet swollen. Eupat-purp.
Rheumatism: s. of muscles, with inflammation of elbows, knees and small joints; worse at night and from motion; with acrid and profuse sweat. Lact-ac.
Rheumatism, with s. of muscles. Ham.
S. and rawness in bends of limbs. Graph.
S. in all muscles. Phyt.
S. in flesh of limbs. Arg-n.
S. in limbs. Arn.
S. in limbs and aching in all bones, as after taking cold. Al-cep.
S. of muscles. Cimicif. (Arn.)
S. of tendons when flexing or extending. Calc-ph.
Tearing pain, with s., numbness, swelling or tingling. Arn.

Spasmodic. — Periodic, s., painful contraction of fingers and toes, frequently so severe that fingers could not be extended without great force. Cupr-ac.

S. distortions of limbs. Cic-v. (Cina.)

S. jerking and numbness of limbs. Opi.

S. rigidity of limbs, with concussive jerking of head. Hell.

S. twitchings of limbs. Cod.

Spasms.—S. of hands and feet. Art-v.

S. of limbs (during epileptic attack); throws limbs about. Absinth.

S. of muscles of limbs. Æsc., Cic-v.

Twitching or clonic s. of limbs. Chin-s.

Spine.—Curvature of bones, especially of s. and long bones. Calc-c.

Paralytic feeling in limbs and s. Æsc.

Spongy.—Caries and s. affections of bones. Guaj.

Tibia and tarsal bones s.; cannot bear slightest touch. Guaj.

Spots.—Black and blue s. on limbs (caused either by bruise or by disease). Arn.

Wandering, digging, pressing pains in small s., lasting but a short time and soon returning. Nux-m.

Sprained.—Feeling in the joints as if s., with swelling and redness. Rhod.

Joints pain as if s. Lyc., Natr-m.

Joints swollen, pale or slightly red, puffy or œdematous; pains are drawing, shooting, pressing, in bones as if broken, and in joints as if s.; accompanied by profuse, sour, offensive sweat. Merc.

Joints weak and easily s. Carbo-an.

Pain in joints as if s. or dislocated. Ign.

Rheumatic swelling, with heat, redness and sensation as if s. Hep-s.

S. feeling in joints. Rhus-t.

Sprains.—Bluish swelling of joints after s. Lach.

Lameness in hips or knees after s. or dislocations. Rheum.

Swelling, stiffness and paralyzed sensation in joints, as from s., overlifting or straining. Rhus-t.

Spread.—Leprosy: ulcers on tips of fingers and toes; they s. and destroy one joint after another, and one phalanx after another falls; finally hands and feet are separated in their joints. Tart-em.

Spring.—Rheumatism and gastric affections alternating; pains change and fly rapidly from one place to another; one comes in fall, other in s.; weariness in limbs as pains subside. Kali-bi.

Rheumatism, especially in cold weather; getting well in s., but returning next autumn. Calc-ph.

Squeezed.—Pains in limbs, as if bones were s., with pressure in joints. Alu.

Standing.—Drawing or tearing in limbs; continues when sitting or s., but goes off during motion. Agar.

Starts.—Convulsive jerks and s. in paralyzed limbs. Sec.

Sticking.—Rheumatism: knees stiff, with sharp, s. pains. Petr.
S., drawing jerks through periosteum, with lameness and actual paralysis of limbs. Colch.
S. in joints. Rhus-t.
S. pains in left elbow or knee. Laur.

Stiff.—Arthritic nodosities, with s. joints. Calc-c.
Joints feel s. in morning, as if had worked hard day before. Cimicif.
Joints red, swollen and s., with stitching pains on slightest motion. Bry.
Joints s., aching and painful. Æsc.
Joints s. after sitting. Ang.
Joints s. and painful. Lyc.
Joints s., painful, and crack on beginning to move. Caps.
Knees and other joints s. and painful. Lact-ac.
Limbs become insensible and s. Hydroc-ac.
Limbs feel bruised and s., with drawing, aching pains in thighs and knees. Cycl.
Limbs feel heavy, s., lame, paralyzed and cold. Chelid.
Limbs go to sleep and become s. Petr.
Rheumatism: joints weak or s., swollen, red and shining; stitches when touched; worse on beginning to move; better from continued motion. Rhus-t.
Rheumatism: knees s., with sharp, sticking pains. Petr.
Small joints swollen and s., with sensation of numbness. Colch.

Stiffness.—Arthritic pain and s. in joints. Lyc.
Arthritic pains in limbs, with s. of joints and swelling of hands and feet. Colch.
Arthritic s. and nodes. Carbo-an.
Coldness, s. and paralysis of limbs. Oleand.
Contraction and s. of joints. Lyc.
Contraction, s. and immobility of limbs. Guaj.
Cracking and arthritic s. in joints. Petr.
Drawing and s. in limbs. Meny.
Great s. in all joints at eleven a. m.; better in afternoon. Brom.
Lameness, s. and pain on first moving after rest; relieved by constant motion. Rhus-t.
Painful s. in joints. Cocc.
Paralytic s. in limbs. Lith-c.
Rheumatic arthritic inflammation, with contraction of flexors and s. of joints. Caust.
Rheumatic gout: alternate swelling of knees and joints of hands, with feeling of numbness and s. of limbs. Kreas.
Rheumatism of all joints, with much pain, s. and swelling; worse in evening, and again in morning on first rising. Cact.
S. and feeling of fatigue in joints on motion. Staph.
S. and immobility of limbs. Ars.

S. and pain in all joints on beginning to walk. Caps.
S. and stretching of limbs, with clenched thumbs, preceded by yawning and pain in small of back. Merc.
S. in joints, which are very painful and much swollen. Chin-s.
S. in joints, with sharp, cutting pains above joints; always transversely, not lengthwise. Zinc.
S. in limbs after first moving limb after rest. Rhus-t.
S. in wrists and ankles. Chelid.
S. of all joints. Caust., China, Natr-m., Rhus-r., Sep., Spong.
S. of arms and legs, with jerking of hands and feet. Hyos.
S. of joints in morning. Chlor.
Sudden pain and s. in limbs (after exposure). Merc.
Swelling and s. of hands and feet. Sticta.
Swelling, s. and paralyzed sensation in joints, as from sprains, overlifting or straining. Rhus-t.
Tearing pain in limbs, with contraction and s. of joints. Lach.
Wearinesss, weakness, s. and heaviness of lmbs. Bry.

Sting.—Burning, cutting pain, like s. of a wasp, in knee and elbow. Arg-n.

Stinging.—Gnawing, s. pains in joints and long bones. Dros.
Neuralgia of stomach (after amputations), with violent burning, s. pains. Al-cep.
Rheumatic and arthritic s., tearing pains; worse at night in warm bed; with profuse sweat. Merc.
S. and tearing in limbs. Laur.
S., boring pains in periosteum; worse in cool air. Hell.
S. in limbs at night. Sil.
S. or stitching in joints. Spig.
S. pains in joints. Kali-c.
S., pinching pain in limbs. Meny.
Tearing and s. in limbs. Guaj.
Tearing, s. in joints after they become swollen. Sabin.
Tingling and s. in muscles. Natr-c.

Stitches.—Pains in bones like s. from sharp needles. Kali-bi.
Rheumatic pains in limbs and s. in joints. Hep-s.
Rheumatism: joints weak or stiff, swollen, red and shining; s. when touched; worse on beginning to move; better from continued motion. Rhus-t.
S. in joints. Kreas.
S. in joints and tendons. Kali-c.
S. in joints on motion or touch. Bry.
S. in joints, they feel relaxed. Bar-c.
S. in limbs and joints. Thuja.
Violent s. in joints. Dros.

Stitching.—Exostosis, with s., pressing or dull pain; worse at night. Daph.

Joints red, swollen and stiff, with s. pains on slightest motion. Bry.
Rheumatism affecting bellies of muscles, with cramping, s. pains. Cimicif.
Stinging or s. in joints. Spig.
Tearing, s. or throbbing pains, or bruised feeling in limbs. Berb.

Stomach (see section on Stomach).—Neuralgia of s. (after amputations), with violent burning, stinging pains. Al-cep.

Stormy.—Drawing, tearing pains in periosteum; worse at night, and in wet, s. weather. Rhod.
Heavy, weak feeling and formication in back and limbs; worse at rest, and in s. weather. Rhod.

Strain.—Liability to s. a part by lifting. Calc-c.

Strained.—Pain as if s. in every joint and in periosteum, especially in thighs and knees. China.
S. sensation and numbness in limbs. Ox-ac.

Straining.—Swelling, stiffness and paralyzed sensation in joints as from sprains, over-lifting or s. Rhus-t.

Strength.—Sudden loss of s. while walking. Coni.

Stretch.—Desire to s. limbs. Am-c.
Drawing pains in limbs on every attempt to s. them. Cimex.
Painful weariness in limbs, as after long journey, with constant disposition to s., move or change position. China.

Stretched.—Cracking in joints when s. Lyc. (Thuja.)

Stretching.—Gaping, with s. of limbs. Chin-ars.
Joints feel bruised; relieved by s. Carbo-v.
On s. or moving extensor muscles there is tightening or drawing pain in tendons and extensors. Cimex.
Stiffness and s. of limbs, with clinched thumbs, preceded by yawning, and pain in small of back. Merc.
S. of limbs. Meph.
Tormenting s. of limbs. Art-v.
Weariness and s. of limbs in morning. Carbo-v.

Subsultus tendium.—S. of both hands and feet. Iod.

Suddenly.—Rheumatism: articular, acute or chronic; appearing and disappearing s.; acute merging into chronic form, and during chronic form acute attacks set in; metastasis to heart. Colch.

Supernumerary.—S. bones, or "rice bodies." Calc-flu.

Suppuration.—S. of bones. Calc-flu., Calc-ph., Sil.
S. of bones and joints. Calc-ph.
Swelling and s. of bones and of periosteum. Staph.

Sutures.—Bones affected along s. or at symphysis. Calc-ph.

Sweat.—Articular rheumatism: intense, bright-red, shining swelling and inflammation of joints; sensitive to least contact; with high fever, restlessness and anxiety (especially when caused by suddenly-checked s.). Acon.
Coldness of limbs, with clammy s. and great prostration. Camph.

Continual warm s. on hands and feet. Led.

Joints swollen, pale, or slightly red, puffy, or œdematous; pains are drawing, shooting, pressing, in bones as if broken, and in joints as if sprained; accompanied by profuse, sour, offensive s. Merc.

Limbs cold and covered with cold s. Sec.

Rheumatic and arthritic stinging, tearing pains; worse at night in warm bed; with profuse s. Merc.

Rheumatism: least touch anywhere very painful; s. without relief; worse in lower limbs, especially in right tarso-tibial articulation. Chelid.

Rheumatism: pains accompanied by s., which does not relieve. Tart-em.

Rheumatism: soreness of muscles, with inflammation of elbows, knees and small joints; worse at night and from motion; with acrid and profuse s. Lact-ac.

S. on hands and feet (after fever). Sil.

Tearing in limbs, with restless sleep and profuse s. (after getting wet). Dulc.

Swell.—Small joints s. after walking or slight fatigue. Actea-s.

Swelling.—Aching in bones, with s. Guaj.

Arthritic pains in limbs, with stiffness of joints and s. of hands and feet. Colch.

Arthritis vaga, or wandering gout, passing from one joint and place to another, with s. and redness. Phyt.

Articular rheumatism: intense, bright-red, shining s. and inflammation of joints; sensitive to least contact; with high fever, restlessness and anxiety (especially when caused by suddenly-checked sweat). Acon.

Bluish s. of joints after sprains. Lach.

Dark-bluish s. of cellular tissues of hands, arms and legs, which are very sensitive, threatening gangrene. Lach.

Dropsical s. of hands and feet. Canth.

Erysipelatous s. of limbs. Ananth.

Feeling in joints as if sprained, with s. and redness. Rhod.

Inflammation and s. of bones. Sil.

Inflammation and s. of long bones. Rhus-t.

Inflammatory, rheumatic s. of joints. Agn.

Œdematous s. of hands and feet. Colch.

Periostitis, s. of bones, especially tibia, with violent pain at night. Mez.

Rheumatic gout: alternate s. of knees and joints of hands with feeling of numbness and stiffness of limbs. Kreas.

Rheumatic inflammation, with pain and s. of parts. Cact.

Rheumatic pains in joints, with heat and s. Cimicif.

Rheumatic pains, with s. Kali-c.

Rheumatic s. of joints. Guaj.

Rheumatic s., with heat, redness and sensation as if sprained. Hep-s.
Rheumatism of all joints, with much pain, stiffness and s.; worse in evening, and again in morning on first rising. Cact.
Rheumatism of all joints, with s. and spasmodic pain. Sang.
Rheumatism: pain in joints, with red, shiny s.; shifting from joint to joint, generally crosswise. Mang.
Rheumatism: s. of wrists and ankles, which have bluish appearance and are very tender. Lach.
S. and inflammation of joints. Lyc.
S. and softening of bones. Guaj.
S. and stiffness of hands and feet. Sticta.
S. and suppuration of bones and of periosteum. Staph.
S. of bones. Fluor-ac., Lact-ac., Phos.
S. of bones and periosteum, with pains at night. Kali-jod.
S. of feet in evening. Stann.
S. of hands and feet. Bar-m., Lach., Natr-s.
S. of hands and legs up to knees. Ferr. (Ars., Led.)
S. of joints, rather pale; muscles palpitate and are cramped. Nux-v.
S., softening or caries of bones. Merc. (Sil.)
S., stiffness and paralyzed sensation in joints, as from sprains, over-lifting or straining. Rhus-t.
Tearing pain in wrists and ankles, followed by s. of toes and fingers. Ammoniac.
Tearing pain, with soreness, numbness, s. or tingling. Arn.
Tearing pains in limbs, with s. of bones of feet and hands. Phos-ac.
Tearing, stinging in joints after they become s. Sabin.
Wandering, erratic pains shifting rapidly from one part to another, with s. and redness of joints; with chilliness; worse at night and from warmth; better from uncovering. Puls.

Swellings.—Gouty, shining, red s. Merc.
Hard, s. or gouty nodosities on joints. Led.
Nodes and hard bone s. Calc-flu.

Swollen.—Acute articular rheumatism: all joints s.; could not stay in bed. Kali-chl.
Acute articular rheumatism: joints hot, red and s.; pains change from place to place; metastasis to legs or heart. Kalm.
Bones inflamed and s., especially shafts of cylindrical bones. Mez.
Bones inflamed and s.; pains worse at night. Phyt.
Joints s. and painful; can bear no heat. Guaj.
Joints s., pale or slightly red, puffy or œdematous; the pains are drawing, shooting, pressing, in bones as if broken, and in joints as if sprained; accompanied by profuse, sour, offensive sweat. Merc.
Joints red, s. and stiff, with stitching pains on slightest motion. Bry.
Limbs inflamed, s. and gangrenous. Crotal.
Limbs s. Antipy.

Rheumatism: joints weak or stiff, s., red and shining; stitches when touched; worse on beginning to move; better from continued motion. Rhus-t.

Rheumatism: pains below knees and in arms; pains shift rapidly; joints s. and red. Phyt.

Rheumatism: pains go from below upward; joints s., painful, hot and tense; drawing pains; worse from warmth and motion. Led.

Rheumatic pains shifting from place to place, always from below upward (especially in aged persons), with sensation of soreness in limbs, leaving ankles and feet s. Eupat-purp.

Small joints s. and stiff, with sensation of numbness. Colch.

Stiffness in joints, which are very painful and much s. Chin-s.

Symphysis.—Bones affected along sutures or at s. Calc-ph.

Synovial membrane.—Dropsy of s. Tart-em.

Pain and inflammation of ligaments, tendons and s. Rhus-t.

Syphilitic (see section on Sexual Organs).—Caries and necrosis (especially of psoric and s. nature). Fluor-ac.

Chronic periosteal rheumatism of s. or mercurial origin. Kali-jod.

S. bone-pains. Nitr ac.

S. or mercurial rheumatism; periosteum affected. Phyt.

Syphilis (see section on Sexual Organs).—Caries and necrosis (after s. or abuse of Mercury). Kali-jod.

Tarsal.—Osseous growths in t. and carpal articulations. Calc-flu.

Tarsal bones.—Tibia and t. spongy; cannot bear slightest touch. Guaj.

Tarso-tibial.—Rheumatism: least touch anywhere very painful; sweat without relief; worse in lower limbs, especially in right t. articulation. Chelid.

Tearing.—Boring, t. and bruised pains in bones of limbs. Aur.

Bruised feeling, with drawing, t. pains in limbs. Sulph.

Burning in hands and t. in legs, alternately in knee and hip joint. Calc-c.

Deep, t. and cutting pains in limbs. Can-sat.

Drawing and t. pains in bones of limbs; more in joints. Dros.

Drawing and t. pains in limbs. Carbo-v., Kali-c., Merc-sol. (Bry., Coloc., Lyc., Merc.)

Drawing and t. pains in limbs, with inability to lie on affected part; better when moving. Ars.

Drawing and t. pains in limbs (Sulph.); worse at night in warm bed. Merc.

Drawing or t. in limbs; continues when sitting or standing, but goes off during motion. Agar.

Drawing, t. jerks in long bones of limbs, or in tendons. Cham.

Drawing, t. pains in joints. Cist.

Drawing, t. pains in limbs. Cocc-c., Lyc., Puls., Rhod., Sulph., Zinc.

Drawing, t. pains in limbs and joints. Natr-s., Spig. (Bry., Led.)

Drawing, t. pains in limbs, especially at night. Sabin.
Drawing, t. pains in periosteum; worse at night and in wet, stormy weather. Rhod.
Paralytic drawing and t. in limbs. Magn-m.
Rheumatic and arthritic stinging, t. pains; worse at night in warm bed; with profuse sweat. Merc.
Rheumatic or arthritic, piercing, drawing, t. pains. Millef.
Rheumatic, t., drawing pains in limbs. Coloc. (Bry., Led., Lyc., Merc.)
Rheumatism: t. pains, frequently changing about in muscles. Colch.
Rheumatism: contracting, drawing and t. pains in limbs; worse during rest; better when walking. Rhus-t.
Rheumatism: drawing, t. pains, with sensation of lameness and numbness; more in tendons, ligaments and bones (not in muscles). Cham.
Rheumatism: drawing, t. pains, with tight feeling. Phos.
Rheumatism: t., lameness and trembling, or crampy pains, or twisting in affected limbs and frequent jerking of whole body during sleep. Zinc.
Stinging and t. in limbs. Laur.
T. and restlessness in limbs. Squilla.
T. and stinging in limbs. Guaj.
T. and twitching pains in limbs. Cedron.
T., drawing or gnawing pains in bones. Kali-jod.
T. in arms and legs in small places. Calc-c.
T. in limbs, muscles and joints, from above downward. Sulph.
T. in limbs; they are drawn up during chill (in intermittent). Caps.
T. in limbs, with restless sleep and profuse sweat (after getting wet). Dulc.
T. in limbs; worse at night; better by moving. Agar.
T. in muscles. Sep.
T. or drawing pains in limbs and in both thighs. Coloc.
T. pain in limbs, with chilliness. Bar-c.
T. pain in limbs, with contraction and stiffness of joints. Lach.
T. pain in wrists and ankles, followed by swelling of toes and fingers. Ammoniac.
T. pain, with soreness, numbness, swelling or tingling. Arn.
T. pains, especially in joints and bones. Caust.
T. pains in arms and legs at night. Ferr.
T. pains in bones of hands and feet. Bism.
T. pains in joints. Colch.
T. pains in limbs. Nicc.
T. pains in limbs during rest. Rhus-t.
T. pains in limbs during rest; better on motion. Mur-ac.
T. pain in limbs during warm weather. Colch.
T. pains in limbs, with swelling of bones of feet and hands. Phos-ac.

T. pains in muscles and joints. Colch.
T., shooting here and there in joints. Camph.
T., stinging in joints after they become swollen. Sabin.
T., stitching or throbbing pains, or bruised feeling in limbs. Berb.
Tenderness, with t. pain and pressure in bones. Arg-m.
Tingling in hands and feet and t. pain in joints. Arn.
Violent drawing and t. in middle of long bones; pains so great they seem unable to hold together. Zinc.

Tender.—Rheumatism: swelling of wrists and ankles, which have bluish appearance and are very t. Lach.

Tenderness.—T., with tearing pain and pressure in bones. Arg-m.

Tendons.—Acute rheumatic pains, in limbs (Rhus-t.), affecting articulation and t.; worse on motion and in cold air. Lycop-v.
Contraction of muscles and t. Cupr. (Stram., Zinc.)
Drawing, tearing jerks in long bones of limbs, or in t. Cham.
On stretching or moving extensor muscles there is tightening or drawing pain in t. and extensors. Cimex.
Pain and inflammation of ligaments, t. and synovial membranes. Rhus-t.
Pains in all joints, as if tendons were contracted and too short during chill (in intermittent). Cimex.
Pains where t. are connected with muscles of bones, especially during movement. Rhus-r.
Rheumatic pains in muscles, t. and joints. Merc-cor.
Rheumatism: drawing, tearing pains, with sensation of lameness and numbness; in t., ligaments and bones (not in muscles). Cham.
Soreness of t. when flexing or extending. Calc-ph.
Stitches in joints and t. Kali-c.
Twitching of hands and feet, and of t. Stram.
Twitching, shortening or contraction of muscles or t. Natr-m.

Tension.—Rheumatic and gouty pains in limbs, with t.; worse from motion and contact. Bry.

Tetanic.—Convulsions, with intermittent t. rigidity of muscles; during intermission muscles relax. Nux-v.

Thighs.—Blue color of forearm and t. Bell.
Heaviness of limbs, especially t. China.
Limbs feel bruised and stiff, with drawing, aching pains in t. and knees. Cycl.
Pain, as if strained, in every joint and in periosteum, especially in t. and knees. China.
Tearing or drawing pains in limbs and in both t. Coloc.

Thirst.—Coldness of hands and feet, with t. Cina.

Threshing.—Constant t. with left arm and leg, in hydrocephalus. Bry.

Throbbing.—Periostitis, with t. and burning pain, as from ulceration Coni.
Tearing, stitching or t. pains, or bruised feeling in limbs. Berb.

Throwing.—Convulsions beginning with cramps in lower limbs; drawing in fingers and toes, t. about of limbs, frothing at mouth and choking in throat. Cupr.

Involuntary t. or whirling about of one arm and one leg. Hell.

Throws.—Spasms of limbs (during epileptic attack); t. limbs about. Absinth.

Thumb.—Crampy pain in limbs, especially in ball of t. or feet. Oleand.

Thumbs.—Stiffness and stretching of limbs, with clenched t., preceded by yawning, and pain in small of back. Merc.

Tibia.—Pains in periosteum and long bones, especially t.; worse at night in bed. Mez.

Periostitis and swelling of bones, especially t., with violent pain at night. Mez.

T. and tarsal bones spongy; cannot bear slightest touch. Guaj.

Tight.—Rheumatism: drawing, tearing pains with t. feeling. Phos.

Sensation as of a t. band around limbs. China.

Tightly.—Drawing and contraction of limbs, as if t. bound. Plat.

Feeling as if bones of limbs were t. bound. Coni.

Muscles contracted and t. drawn. Hydroc ac.

Tightening.—On stretching or moving extensor muscles there is t. or drawing pain in tendons and extensors. Cimex.

Tingling.—Crawling and t. in limbs. Sec. (Acon.)

Prickling, t., numbness and formication in limbs. Sec.

Tearing pain, with soreness, numbness, swelling or t. Arn.

T. and stinging in muscles. Natr-c.

T. in hands and feet, and tearing pain in joints. Arn.

T. in hands or toes. Lach.

T. in limbs, as if they had gone to sleep. Ign.

T. in limbs, as if they would go to sleep. Caust.

T. in tips of fingers and toes. Natr-m.

Trembling and t. in limbs, accompanied by shooting pains. Acon.

Tips of fingers.—Leprosy: ulcers on t. and toes; they spread and destroy one joint after another, and one phalanx after another falls; finally hands and feet are separated in their joints. Tart-em.

Shooting and cutting pains in t. and toes. Am-m.

Tingling in t. and toes. Natr-m.

Tips of toes.—Numbness, insensibility and coldness of limbs, especially fingers and t. Sec.

Tired.—Feels t. in all muscles immediately after eating. Can-sat.

Joints sore, as if bruised and t. Cham.

Limbs ache and are t. (with catarrh). Hydr.

T., and feeling as if bruised in every limb. Spig.

T. feeling and heaviness in limbs after little exercise. Ammoniac.

T. feeling in all limbs. Al-cep., Gels., Ham.

Tissues.—Tardy development of bony t., with lymphatic enlargements. Calc-c.

Toes.—Convulsions beginning with cramps in lower limbs; drawing in fingers and t., throwing about of limbs, frothing at mouth and choking in throat. Cupr.

Cramp and great pain in flexor tendons of fingers and t., alternating with false labor pains (in pregnant women). Dios.

Cramps in hands and t. Sec.

Cramps in limbs, fingers and t. Cupr., Ver-v.

Deformed nails of fingers and t. Caust., Nitr-ac.

Ends of fingers and t. enlarged and knob-like (with disease of heart). Laur.

Feeling of soreness in joints, especially of hands and feet, fingers and t. Arg-m.

Gout in fingers and t. Ran-sc.

Hard nodosities on hands and t. Spig.

Leprosy: ulcers on tips of fingers and t.; they spread and destroy one joint after another, and one phalanx after another falls; finally hands and feet are separated in their joints. Tart-em.

Pain in fingers, ankles, feet and t. causing restlessness at night. Caul.

Pains in limbs from forearm and leg, down to fingers and t.; soon passing off; resembling cramp-like drawing. Rhod.

Periodic, spasmodic, painful contraction of fingers and t., frequently so severe that fingers could not be extended without great force. Cupr-ac.

Periostitis in one finger and two t. Ferr-jod.

Phagedenic ulcers on joints of fingers and t. Borax. (Sep.)

Shooting and cutting pains in tips of fingers and t. Am-m.

Tearing pain in wrists and ankles, followed by swelling of t. and fingers. Ammoniac.

Tingling in hands or t. Lach.

Tingling in tips of fingers and t. Natr-m.

Ulcers on fingers and t. Bry.

Tongue (see section on Mouth).—Pains in shoulder and hip joints, and in all bones, with difficulty in moving head and t. Colch.

Torn.—Feeling as if flesh were t. from bones. Nitr-ac.

Muscles feel as if t. from bones. Natr-m.

Touch.—All bones sensitive to t. Mang.

Rheumatism: least t. anywhere very painful; sweat without relief; worse in lower limbs, especially in right tarso-tibial articulation. Chelid.

Stitches in joints on motion or t. Bry.

Tibia and tarsal bones spongy; cannot bear slightest t. Guaj.

Touched.—Limbs and all soft parts of body painful when t. or pressed. Lyc.

Rheumatism: joints weak or stiff, swollen, red and shining; stitches when t.; worse on beginning to move; better from continued motion. Rhus-t.

Touching.—Rheumatism: pains worse in places least covered with flesh, but not in joints; on t. painful part, pain vanishes and appears in some other part. Sang.

Transversely.—Stiffness in joints, with sharp, cutting pain above joints; always t., not lengthwise. Zinc.

Treads.—Painful concussion of limbs, felt when carriage in which one is riding shakes, or when one t. too hard in walking. Arn.

Trembling.—Convulsions, with t. of limbs. Ant-c.

Excessive debility, vertigo, and t. of limbs. Canth.

Great debility, heaviness and t. of limbs, especially in morning. Nitr-ac.

Great t. of limbs (with gastric derangements). Dory.

Heaviness, t. and lassitude of limbs. Sec.

Involuntary drawing and t. feeling in muscular parts of hands and in lower limbs. Cist.

Involuntary t. of voluntary muscles. Merc.

Jerking, t. and numbness of limbs. Plumb.

Jerking, t. or shaking, with paralytic weakness in limbs, especially at night. Rhus-r.

Languor and heaviness of limbs, followed by t. of arms, hands and knees. Caps.

Legs feel shaky and hands t. Arg-n.

Rheumatism: tearing, lameness, and t., or crampy pains, or twisting in affected limbs, and frequent jerking of whole body during sleep. Zinc.

Sensible though invisible t. of limbs, with sensation of coldness. China.

T. and heaviness of hands and feet. Nicc.

T. and languor in limbs. Ign.

T. and tingling in limbs, accompanied by shooting pains. Acon.

T. and twitching of limbs. Bell.

T. and weakness of limbs. Cic-v.

T. in limbs from every exertion. Phos.

T. in right arm and leg. Dory.

T., lameness and paralytic feeling in limbs. Kali-n.

T. of limbs. Acon., Arg-n., Benz-ac., Coni., Gels., Hyos., Iod., Lach., Mez., Spong., Stram.

T. of limbs after fright. Opi.

T. of limbs and jerking of heart. Nux-v.

T. of limbs, especially of hands and feet. Merc.

T. of limbs (in drunkards). Ars.

T. of limbs when rising from recumbent position. Bry.

T. of limbs (Coni., Gels., Merc.), with chilliness, even in warm room. Cocc.

T. of limbs, with fever. Cist.

T. of limbs, with oppression of breathing (after fright or anger). Ran-b.

T., or sensation of t. in limbs. Rhus-t.
Twitching and t. of muscles. Kali-n.
Twitching, tremor, t. and weariness of limbs. **Ars.**
Twitching, tremor, t. in joints. Sulph.
Weakness and t. of limbs. Canth., Caust., Hyper.
Weakness and t. of limbs, especially hands and feet. **Sulph.**

Tremor.—T. and twitching of muscles of limbs. **Asaf.**
T. of limbs. Coni., Lyc.
Twitching, t., trembling and weariness of limbs. **Ars.**

Tuberculosis.—Limbs icy-cold (in t.). Chin-ars.

Tumors.—Bony t. Kali-jod.
Enlarged joints or scrofulous t. Ammoniac.
Pustular t. on wrists and ankles, and excessive sensitiveness and irritability of skin. Cupr-ars.

Turning.—Joints crack when walking or t. Caul.

Twisting.—Rheumatism: tearing, lameness and trembling, or crampy pains, or t. in affected limbs, and frequent jerking of whole body during sleep. Zinc.

Twitch.—Limbs move normally, but when at rest jerk and t. Valer.

Twitches.—Jerks and t. in limbs. Ambr.

Twitching.—Chorea: t. and jerking of muscles of one arm and one leg, usually right. Myg.
Contraction or t. of muscles. Kali-jod.
Convulsive t. of arms and legs. Squilla.
Convulsive t. of limbs. Cham.
Convulsive t. of muscles during sleep. **Hell.**
Jerking and t. of head and limbs. Sep.
Jerking and t. of muscles. Ign.
Tearing and t. pains in limbs. Cedron.
Trembling and t. of limbs. Bell.
Tremor and t. of muscles of limbs. **Asaf.**
T. and contraction in muscles. **Mez.**
T. and jerking in limbs. Phyt.
T. and jerking in various muscles. Zinc.
T. and jerking of muscles of limbs. Cupr.
T. and trembling of muscles. Kali-n.
T. of hands and feet. Hyos.
T. of hands and feet, and of tendons. **Stram.**
T. of hands and feet during sleep. **Natr-s.**
T. of limbs. Cina, Coff., Petr.
T. of limbs day and night. Sil.
T. of muscles. Calc-c., Kali-c., Mur-ac.
T. of muscles and limbs. Natr-c., Rhus-t.
T. of muscles, with jerking in limbs; limbs in constant motion (in chorea). Myg.
T., or clonic spasms of limbs. Chin-s.

T., shortening or contraction of muscles or tendons. Natr-m.
T., tremor, trembling and weariness of limbs. Ars.
Violent muscular t. Agar. (Physos., Stram.)

Twitchings.—Convulsive t. and contortions of muscles. Ver-v.
Sharp, cramp-like t. near joints. Lact.
Spasmodic t. of limbs. Cod.

Ulcer.—Limb upon which u. was healed cannot bear its own weight. Hep-s.

Ulceration.—Periostitis, with throbbing and burning pain, as from u. Coni.

Ulcers.—Leprosy: u. on tips of fingers and toes; they spread and destroy one joint after another, and one phalanx after another falls; finally hands and feet are separated in their joints. Tart-em.
Phagedenic u. on joints of fingers and toes. Borax. (Sep.)
U. on fingers and toes. Bry.
U. on limbs, hands and soles. Ananth.

Uncovering.—Wandering, erratic pains shifting rapidly from one part to another, with swelling and redness of joints; with chilliness; worse at night and from warmth; better from u. Puls.

Uneasiness.—U. in arms and legs. Meph.
U. in limbs. Iod.
U. in limbs; must move. Chelid.
U. of limbs in evening. Caust.

Uneasy.—U. feeling in limbs causing restlessness. Cimicif.

Unsteadiness.—Heaviness of arms, with weakness, u. and heaviness of legs. Natr-c.

Upper arms.—Rheumatic pains, mostly in u. and lower legs; worse going to sleep. Kalm.

Upward.—Rheumatic pains shifting from place to place, always from below u. (especially in aged persons), with sensation of soreness in bones, leaving ankles and feet swollen. Eupat-purp.
Rheumatism: pains go from below u.; joints swollen, painful, hot and tense; drawing pains; worse from warmth and motion. Led.

Uterus (see section on Female Sexual Organs).—Great weakness in limbs (with displacement of u.). Magn-m.

Vanishes.—Rheumatism: pains worse in places least covered with flesh, but not in joints; on touching painful part, pain v. and appears in some other part. Sang.

Vertigo.—Excessive debility, v., and trembling of limbs. Canth.
Hyperæsthesia of limbs, with hysterical v. Cycl.

Walk.—Stiffness and pain in all joints on beginning to w. Caps.

Walking.—Great weakness in limbs, especially in bends of knees, when w. in open air. Zinc.

Heaviness in limbs and great fatigue on w. Calc-c.
Joints crack when w. or turning. Caul.
Limbs feel bruised and paralyzed, with difficulty in w. Coni.
Painful concussion of limbs, felt when carriage in which one is riding shakes, or when one treads to hard when w. Arn.
Rheumatism: contracting, drawing and tearing pains in limbs; worse during rest; better when w. Rhus-t.
Small joints swell after w. or slight fatigue. Actea-s.
Sudden loss of strength while w. Coni.

Wandering.—Arthritis vaga, or w. gout, passing from one joint and place to another, with swelling and redness. Phyt.
W., digging, pressing pains in small spots, lasting but a short time and soon returning. Nux-m.
W., erratic pains shifting rapidly from one part to another, with swelling and redness of joints; with chilliness; worse at night, and from warmth; better from uncovering. Puls.

Warm.—Cold hands and w. feet. Aloe, Calc-c. (Cham).
Coldness of hands and soles while rest of body is w. Coloc.
Drawing and tearing pains in limbs (Sulph.); worse at night in w. bed. Merc.
Rheumatic and arthritic stinging, tearing pains; worse at night in w. bed; with profuse sweat. Merc.
Tearing pains in limbs during w. weather. Colch.

Warmth.—Icy coldness of hands and feet, with w. of rest of body. Meny.
Rheumatism: pains go from below upward: joints swollen, painful, hot and tense; drawing pains; worse from w. and motion. Led.
Rheumatism, with numb feeling; worse from w., or from moving. Thuja.
Wandering, erratic pains shifting rapidly from one part to another, with swelling and redness of joints; with chilliness; worse at night and from w.; better from uncovering. Puls.

Wasting.—Muscular atrophy, or w. of muscles of back and limbs. Calc-c.

Water.—Feeling of coldness in joints, as if w. were trickling over them, in open air. Natr-m.
Limbs become pale and wrinkled as after being long time in hot w. Sec.
Rheumatism (after suppressed gonorrhœa), with bone-pains; pains worse at night and in damp weather, or after taking cold in w. Sars.

Weak.—Heavy, w. feeling and formication in back and limbs; worse at rest, and in stormy weather. Rhod.
Joints feel w. and sore, especially on descending. Arg-m.
Joints w. and easily sprained. Carbo-an.
Limbs feel bruised and are w. Hep-s.

Rheumatism: joints w. or stiff, swollen, red and shining; stitches when touched; worse on beginniug to move; better from continued motion. Rhus-t.

Weakness.—Atony and w. of muscles. Hydr.

Bruised sensation in and w., weariness and heaviness of limbs. Clem. (Merc-sol.)

Drawing, paralytic pains and w. in limbs, especially in joints. Sep.

Great heaviness and paralytic w. in arms and legs. Stann.

Great languor, with w. of limbs. Nux-m.

Great muscular w. Plumb.

Great w. after little exercise. Can-sat.

Great w. and debility in limbs. Ferr-m.

Great w. and exhaustion of the limbs, obliging patient to lie down. Ars.

Great w. in limbs, especially in bends of knees, when walking in open air. Zinc.

Great w. in limbs (with displacement of uterus). Magn-m.

Great w., with sensation of lameness in limbs. Colch.

Heaviness and w. of limbs. Bell.

Heaviness of arms, with w., unsteadiness and heaviness of legs. Natr-c.

Jerking, trembling or shaking, with paralytic w. in limbs, especially at night. Rhus-r.

Languor and w. of limbs. Hydroc-ac.

Numbness and w. in hands and feet. Zinc.

Numbness and w. of limbs. Œnanth.

Pain in periosteum, with paralytic w. Cham.

Painful paralytic w. in limbs. Ver-a.

Paralytic w. in limbs. Caust., Plumb.

Relaxation and w. in limbs. Kali-c.

Relaxation and w. of muscles, with emaciation. Ferr.

Subacute and chronic rheumatism of joints, with calcareous deposits, muscular w., and paralytic symptoms. Colch.

Sudden feeling of w. in limbs, with great hunger. Zinc.

Trembling and w. of limbs. Cic-v.

W. and heavy feeling in limbs, with paralytic sensation. Ang.

W. and prostration of limbs. Cocc-c.

W. and relaxation of muscles after being in open air. Nux-v.

W. and trembling in joints. Sulph.

W. and trembling of limbs. Canth., Caust., Hyper.

W. and trembling of limbs, especially hands and feet. Sulph.

W. in limbs as if paralyzed. Phos.

W., numbness and pain in limbs. Flour-ac.

W. of joints. Bov., Murex.

W. of joints, with feeling as if could not bear exertion of lifting. Sep.

W. of limbs. Apoc.

W. of limbs, with inability to take even a few steps without sinking. Ars.
W., weariness and bruised feeling in limbs. Zinc. (Ferr-jod.)
W., with paralyzed feeling in limbs. Graph.
Weariness and lameness of limbs, with w. of joints. Aloe.
Weariness and w. of limbs. Brachyg., Calc-c., Cupr., Merc.
Weariness, w., stiffness and heaviness of limbs. Bry.

Weariness.—Aching in limbs, with w. Calc-ph.
Bruised sensation in and weakness, w. and heaviness of limbs. Clem.
Bruised sensation, with weakness and w. in limbs. Merc-sol.
Debility, with w. of limbs. Lact-ac.
Great w. of limbs, with sleepiness. Cimex.
Heaviness and w. in limbs. Coni.
Lassitude and w. of forearms and legs. Arg-n.
Painful w. in limbs, as after long journey, with constant disposition to stretch, move or change position. China.
Rheumatism and gastric affections alternating; pains change and fly rapidly from one place to another; one comes in fall, other in spring; w. in limbs as pains subside. Kali-bi.
Twitching, tremor, trembling and w. of limbs. Ars.
Weakness and w. in limbs. Cupr., Merc.
Weakness, w. and bruised feeling in limbs. Zinc.
W. and heaviness in limbs. Sabad.
W. and lameness in limbs, with weakness of joints. Aloe.
W. and stretching of limbs in morning. Carbo-v.
W. and weakness of limbs. Brachyg., Calc-c., Cupr., Merc.
W. of limbs. Can-sat., Hydroc-ac.
W. of limbs when ascending; wants to sit down. Calc-ph.
W., weakness, stiffness and heaviness of limbs. Bry.

Weary.—Joints feel bruised and w., as if they would give way. Mez.

Weather.—Drawing, tearing pains in periosteum; worse at night and in wet, stormy w. Rhod.
Heavy, weak feeling and formication in back and limbs; worse at rest and in stormy w. Rhod.
Pains in limbs, like a bruise; worse during wet, cold w. Ver-a.
Pains in middle of long bones or attachment of muscles; worse in damp w., or at night. Phyt.
Rheumatism after getting wet or after protracred wet w. Puls.
Rheumatism (after suppressed gonorrhœa), with bone-pains; pains worse at night and in damp w., or after taking cold in water. Sars.
Rheumatism, especially in cold w.; getting well in spring, but returning next autumn. Calc-ph.
Tearing pains in limbs during warm w. Colch.

Weight.—Limb upon which ulcer was healed cannot bear its own w. Hep-s.

Welts.—With rheumatic pains w. are felt in muscles. Calc-c.

Wet.—Drawing, tearing pains in periosteum; worse at night and in w., stormy weather. Rhod.

Flying pains in limb after getting w. in rain. Calc-ph.

Pains in limbs, like a bruise; worse during w., cold weather. Ver-a.

Rheumatism after getting feet w. Nux-m., Rhus-t.

Rheumatism after getting w., or after protracted w. weather. Puls.

Tearing in limbs, with restless sleep and profuse sweat (after getting w.). Dulc.

Whirling.—Involuntary throwing or w. about of one arm and one leg. Hell.

Will power.—Loss of w. over limbs. Ars.

Wood.—Limbs feel as if made of w. Kali-n.

Worked.—Joints feel stiff in morning, as if had w. hard day before. Cimicif.

Worse.—Acute, rheumatic pains in limbs (Rhus-t.), affecting articulation and tendons; w. on motion and in cold air. Lycop-v.

Arthritic pains in joints; w. at night. Mang. (Merc.)

Articular rheumatism, especially of wrist and knee; w. from slightest motion. Ferr-ph.

Bone pains; w. at night. Merc.

Bones inflamed and swollen; pains w. at night. Phyt.

Burning in hands and feet; w. at night. Sang.

Drawing and tearing pains in limbs (Sulph.); w. at night in warm bed. Merc.

Drawing, tearing pains in periosteum; w. at night and in wet, stormy weather. Rhod.

Exostosis, with stitching, pressing or dull pain; w. at night. Daph.

Great soreness and bruised feeling of the muscles; w. on motion. Ham.

Heavy, weak feeling and formication in back and limbs; w. at rest and in stormy weather. Rhod.

Joints pain, as if bruised; w. at night; better moving. China.

Pains in limbs, like a bruise; w. during wet, cold weather. Ver-a.

Pains in middle of long bones or attachment of muscles; w. in damp weather, or at night. Phyt.

Pains in periosteum and long bones, especially tibia; w. at night in bed. Mez.

Rheumatic and arthritic stinging, tearing pains; w. at night in warm bed; with profuse sweat. Merc.

Rheumatic and gouty pains in limbs, with tension; w. from motion and contact. Bry.

Rheumatic inflammation of joints; w. evening and night. Acon.

Rheumatic pains in limbs, rarely in joints; w. during rest; better from motion. Valer.

Rheumatic pains in limbs; w. at night. Magn-s.

Rheumatic pains, mostly in upper arms and lower legs; w. going to sleep. Kalm.

Rheumatic pains; w. at night. Dios.

Rheumatism (after suppressed gonorrhœa), with bone-pains; pains w. at night and in damp weather or after taking cold in water. Sars.

Rheumatism: contracting, drawing and tearing pains in limbs; w. during rest; better when walking. Rhus-t.

Rheumatism: joints weak or stiff, swollen, red and shining; stitches when touched; w. on beginning to move; better from continued motion. Rhus-t.

Rheumatism: least touch anywhere very painful; sweat without relief; w. in lower limbs, especially in right tarso-tibial articulation. Chelid.

Rheumatism of all joints, with much pain, stiffness and swelling; w. in evening and again in morning on first rising. Cact.

Rheumatism: pains go from below upward; joints swollen, painful, hot and tense; drawing pains; w. from warmth and motion. Led.

Rheumatism: pains w. in places least covered with flesh, but not in joints; on touching painful part, pain vanishes and appears in some other part. Sang.

Rheumatism: soreness of muscles, with inflammation of elbows, knees and small joints; w. at night and from motion; with acrid and profuse sweat. Lact-ac.

Rheumatism, with numb feeling; w. from warmth or from moving. Thuja.

Stinging, boring pains in periosteum; w. in cool air. Hell.

Tearing in limbs; w. at night; better by moving. Agar.

Violent pains in limbs, especially of muscular part; w. evening and night. Plumb.

Wandering, erratic pains shifting rapidly from one part to another, with swelling and redness of joints; with chilliness; w. at night and from warmth; better from uncovering. Puls.

Wrapped.—Drawing and contraction of limbs, as if tightly w. Plat.

Wrinkled.—Limbs become pale and w., as after being long time in hot water. Sec.

Wrist.—Articular rheumatism, especially of w. and knee; worse from slightest motion. Ferr-ph.

Pain, as if dislocated, in w. and ankle. Bry. (Rhus-t., Ruta.)

Rheumatic pain in right shin bone; also in bones of left w. and hand. Bapt.

Rheumatism of right w. and both feet; instep puffy. Ruta.

Wrists.—Gout in w. and ankles. Abrot.

Pressive pain in knees and w. Led.

Pustular tumors on w. and ankles, with excessive sensitiveness and irritability of skin. Cupr-ars.

Rheumatism: swelling of w. and ankles, which have bluish appearance and are very tender. Lach.

Stiffness in w. and ankles. Chelid.

Tearing pain in w. and ankles, followed by swelling of toes and fingers. Ammoniac.

Yawning.—Stiffness and stretching of limbs, with clenched thumbs, preceded by y., and pain in small of back. Merc.

Zona.—Dry, tettery eruption on limbs, resembling z. Dolich.

THE NERVES.

Abdomen (see section on Abdomen).—Epilepsy: before paroxysm, chewing motion of mouth, stretching of limbs, great restlessness, palpitation of heart, feeling as if something were running in arm, or from pit of stomach down through a. to feet. Calc-c.

Epilepsy: before paroxysm, nausea, retching and throwing up phlegm; bloated a. Cupr.

Epilepsy: during interval, anxiety; tendency to be frightened; burning in chest and a., with chilliness of rest of body. Cupr.

Epilepsy: during interval, stupid, peevish, anxious, pale, puffed face, perspiration on head, difficult hearing, eats heartily, yet looses flesh; enlarged a.; swelling of glands about neck. Calc-c.

Epilepsy: painful spot in a. in region of solar plexus; pressure upon this spot renews paroxysm; during interval, constipation. Nux-v.

Epileptiform spasms: before menses, which are too light and scanty, with swelling of a. Puls.

Hysteria: spasms with pain to a. and diaphragm. Stann.

Tetanus: a. rises and falls rapidly, with rumbling. Ars.

Trismus and tetanus: pains run up limb through spine to neck and face; muscles of neck and jaw, chest and a. become rigid. Hyper.

Abdominal.—Epilepsy: originating from plexus solaris, or from a. ganglia, or from a cold or fright. Ind.

Neuralgia: especially facial, a., lumbar, femoral, ovarian and sciatic. Coloc.

Trismus and tetanus: stiffness of body, with full consciousness; spasms in a. muscles. Mosch.

Absence.—Paralysis: a. of vital reaction and susceptibility to drugs. Opi.

Absentminded.—Epilepsy: before paroxysm, a.; confused. Lach.

Abstinence.—Hysteria and hypochondriasis (in consequence of a. from sexual intercourse). Coni.

Abuse.—Paralysis: a. of alcohol. Nux-v.

Activity.—Chorea: cutaneous anæsthesia with loss of reflex a. Kali-brom.

Acuteness.—Chorea: entire nervous system morbid, excited and sensitive, with intense a. of all special senses and increase of susceptibility to external impressions mentally and physically. Ign.

Nervous trembling, with great a. and sensitiveness. Cupr. (Cham., China, Coff.)

After.—Epilepsy: a. paroxysm, delirious rage, jumping about and striking those near. Arg-m.

Epilepsy: a. paroxysm, dizziness or vertigo. Tarant.

Epilepsy: a. paroxysm, extreme prostration and loss of memory. Gels.

Epilepsy: a. paroxysm, great debility and prostration, with anxiety and distress in epigastrium. Aster.

Epilepsy: a. paroxysm, hæmoptysis and sleep. Dros.

Epilepsy: a. paroxysm, headache, dizziness, sweat on head, thirst, hunger, vomiting and diarrhœa. Calc-c.

Epilepsy: a. paroxysm, laceration of tongue, left side numb. Art-v.

Epilepsy: a. paroxysm, lassitude, sleep. Œnanth.

Epilepsy: a. paroxysm, sopor. Cham.

Epilepsy: a. paroxysm, soporous condition; closing of eyes; exhaustion; noise in head. Caust.

Epilepsy: a. paroxysm, soporous; snoring. Hyos.

Epilepsy: a. paroxysm, stupid feeling in head and prolonged snoring sleep; consciousness returns slowly and symptoms of paralysis remain; earthy color of face; stupor. Plumb.

Epilepsy: a. paroxysm, warm perspiration; drowsiness. Sil.

Epilepsy: a. paroxysm, weeping; profuse discharge of clear watery urine; trembling and jerking of right hand; sleep. Cupr.

Epilepsy: a. paroxysm, when breathing has become free, there is loss of consciousness, patient lying as if dead, remaining insensible, even when touched or pinched. Cic-v.

Epileptiform spasms: a. paroxysm, cold sweat, loud eructations and great prostration. Chin-ars.

Epileptiform spasms: a. paroxysm, rises without speaking to anyone or answering any questions; clenches teeth; looks at those around; tries to push away those surrounding; face having expression of wild rage; finally groans and moans. Cocc.

Afternoon.—Chorea: gesticulations a. Natr-s.

Agitation.—Chorea: general muscular a. Sep.

Great a. and restlessness. Coff.

Jerking, twitching, trembling, with a. of all nerves. Valer.

Air.—Chorea: when lying down limbs feel as light as a feather and as if floating in a. Sticta.

Epilepsy: convulsions preceded by sensation of warm a. streaming up spine into head. Ars.

Epilepsy: feeling as if floating in a. Sep.
Epileptiform spasms: exposure to least breath of a., even by person passing, would induce spasm. Physos.
Hysteria: respiration suspended, throat swells, mouth open, head retracted, body tossed about in efforts to get a. Mosch.
Neuralgia, with congestions (from dry, cold a. and checked sweat). Acon.
Tetanus, with spasms produced by exposure to least breath of a. Physos.

Albuminuric.—Chorea: in rheumatic, gouty, a. or amenorrhœic subjects. Cub.

Alcohol.—Paralysis: abuse of a. Nux-v.

Alone.—Epilepsy: gloomy but endeavoring to hide it; spending night a. to hide it. Ind.
Epilepsy: indifferent to surroundings, prefers to be a. Opi.
Epilepsy: low-spirited; fear of death; desire to be a. Stram.

Alternate.—Epilepsy: a. redness and paleness of face. Œnanth.

Alternating.—Chorea: convulsions a. with suppressed breathing. Ign.
Convulsions a. with suppressed breathing. Ign.
Hysteria: physical symptoms a. with mental symptoms. Plat.
Hysteria: spasms a. with catalepsy or dyspnœa; sexual erethism. Plat.
Hysterical mania: excessive mirth and cheerfulness a. with melancholy; childish follies; pleasant dementia. Croc.
Trismus and tetanus: opisthotonos a. with spasms. Plat.

Alteration.—Hysteria: laughing and weeping in a. Phos.

Amenorrhœa.—Chorea: in rheumatic, gouty, albuminuric or a. subjects. Cub.

Anæmia.—Neuralgia: in many parts of body, with a., weakness and emaciation. Phos.
Paraplegia: with emaciation; a. and general debility. Caul.

Anæsthesia.—Chorea: cutaneons a., with loss of reflex activity. Kali-brom.
Epilepsy: a. or excessive hyperæsthesia. Plumb.
Paralysis: loss of sensation in lower arms as far as elbow and in lower limbs to gluti, taking place progressively, first in tips of fingers and toes, then in hands and feet, with complete a. of nervous sensations. Phos.

Anger.—Catalepsy: after a. and vexation. Cham., Bry.
Chorea: after intermittents, sexual excesses or nervous exhaustion, a. or emotions. Natr-m.
Convulsions: after a. or other emotions. Nux-v.
Convulsions: spasms in children following emotion, fright, a., continual crying. Opi.
Epileptiform spasms: with oppression of breathing after fright or a. Ran-b.

Hysteria: after a. or quarreling. Ign.
Neuralgia: after a. or vexation. Cham.
Paralysis: on one side after a.; twitching at night. Staph.
Spasms: after fright, a. or other emotional causes in plethoric persons, or in women at time of menses; during parturition, or sexual excitement or excessive sexual indulgence (venery). Kali-brom.

Angered.—Epilepsy: easily a. during interval. Ind.

Angry.—Chorea: getting a. when not understood. Laur.
Epilepsy: after and during intervals between paroxysms, peevish, a., scolding, swearing, fearful and full of anxiety. Bell.

Anguish.—Great restlessness and a.; finds no rest in any position. Coloc.
Hysteria: with a. and fear of death. Mosch.
Hysteria: with a., shrieks for help. Ign.
Hysterical spasms, with a. and sadness. Cocc.

Ankles (see section on Lower Extremities).—Stitches jumping from place to place, especially in knees and a. (Puls.); disappearing on motion. Cham.

Answer.—Chorea: cannot be persuaded to a. questions. Myg.

Answering.—Epileptiform spasms: after paroxysm, rises without speaking to anyone or a. any questions. Cocc.

Anxiety.—Convulsions: also of children, with a., pale face, cold sweat on forehead; cough before or after spasms; sometimes syncope after spasms. Ver-a.
Epilepsy: after and during intervals between paroxysms, peevish, angry, scolding, swearing, fearful and full of a. Bell.
Epilepsy: after paroxysm great debility and prostration, with a. and distress in epigastrium. Aster.
Epilepsy: during interval, a.; tendency to be frightened; burning in chest and abdomen, with chilliness of rest of body; burning and tearing in small of back; numbness of arms. Cupr.
Great restlessness, with fear and a.; cannot rest in any place; constantly changing position; wants to go from one bed to another; constant moving of head and limbs, while trunk is still, on account of weakness. Ars.
Hysteria: crawling in hands and feet extending to epigastrium where there is pressure, a. and nausea, extending to throat causing choking sensations, thence goes to head and patient loses consciousness. Nux-v.
Nervous depression (after over-work, mental a., sexual excesses, or abuse of tobacco). Coca.
Nervous restlessness and a., with rapid emaciation and burning thirst for small quantities of water. Ars.
Neuralgia: pains burning, with great restlessness, fear and a. Ars.
Neurasthenia: nervous exhaustion after over-work and a. Hydroc-ac.

Anxious.—Epilepsy: during interval, stupid, peevish, a., pale, puffed face, perspiration on head, difficult hearing, eats heartily, yet loses flesh; enlarged abdomen; swelling of glands about neck. Calc-c.

Apart.—Paralysis: on standing keeps legs wide a.; looks steadily at an object as if unable to make it out; limbs feel as if bound by an elastic bandage. Pic-ac.

Apoplexy.—Paralysis after a. Arn., Anac., Bar-c., Caust., Cupr., Lach., Nux-v., Plumb., Sec., Stann., Stram., Zinc.

Paralysis: after a. in drunkards. Opi.

Paralysis: left side, after a. from cerebral exhaustion. Lach.

Appetite.—Chorea: ravenous a. Cina.

Chorea: ravenous a., but difficult swallowing. Agar.

Hysteria: in mild, tearful, yielding, timid, peevish, changeable subjects, with loss of smell and taste, a. and thirst. Puls.

Hysteria: several days before attack there is loss of a., nausea and headache. Kali-c.

Paraplegia: with morbid a. and unnatural hunger. Cina.

Apprehension.—Epilepsy: menstruation exceedingly painful, a. of which fills patient with fear. Plumb.

Arm (see section on Upper Extremities).—Chorea: attacks crosswise and in the right upper arm and left lower leg, and vice versa. Agar.

Chorea: commences in one a. and spreads all over body, causing most terrible contortions and awkward movements. Cupr.

Chorea: convulsive movements of one or other a. to and fro. Opi.

Chorea: involuntary motion of right a. and leg, cease during sleep. Cocc.

Epilepsy: before paroxysm, chewing motion of mouth, stretching of limbs, great restlessness, palpitation of heart, feeling as if something were running in a., or from pit of stomach down through abdomen into feet. Calc-c.

Epilepsy: before paroxysm, nausea, retching and throwing up phlegm; bloated abdomen; drawing sensation in left a., a. drawn involuntarily close to body; formication and tearing in right hand; shuddering; goose-flesh; palpitation of heart. Cupr.

Epilepsy: burning in stomach and spinal marrow, with sensation as if paroxysm commenced in spinal marrow and moved thence to behind ears and into brain, after which patient becomes giddy, with vertigo, loss of consciousness and falling down; or paroxysm commences with beating about of a. and ends with jerk through whole body. Ars.

Epilepsy: continual rotary motion with left a. Stram.

Epilepsy: convulsions commence in a. Bell.

Epilepsy: shaking and twitching of left a. Sil.

Epileptiform spasms: before paroxysm, lightning-like rushing through brain and down right side of neck into a., which is distorted and wrenched, so as to crack; muscles of face convulsively drawn; sight, speech and consciousness lost; patient falls to ground. Chin-ars.

Hemiplegia: especially of left side, with feeling of a heavy load on the affected a. and side of the chest, with frequent night-sweat. Stann.

Numbness and deadness, with coldness of fingers extending to middle of upper a., with paralysis. Graph.

Paralysis: mostly on left side, feeling of load in affected a. and corresponding side of chest. Stann.

Paralysis of right a. and left leg. Tereb.

Paralysis of tongue and extremities; a. feels icy cold. Dulc.

Arms.—Chorea: after fright, twitching of facial muscles and quick movements in a. so that hands are constantly engaged in some sort of voluntary work. Ign.

Chorea: almost inconceivable motions of a., head and legs, distorting whole body and jumping about room regardless of furniture. Natr-m.

Chorea: constant throwing about of a. Ign.

Chorea: trembling and jactitation of a. and legs. Aster.

Chorea: twitching and trembling of head and a. Opi.

Chorea: twitching of face; a. Myg.

Chorea: twitching of muscles of back and a. Myg.

Chorea: twitchings more in face and a. Bell.

Chorea: with violent motions which are often crosswise; a. are rotated over head. Stram.

Convulsions: throws limbs or stretches a. to right angles to body. Opi.

Convulsions: twitching and trembling of head, a. and hands, with occasional jerking of flexor. Opi.

Convulsions: twitching of muscles of face, a. and limbs. Merc-cor.

Epilepsy: before paroxysm, sensation of crawling and running, as if a mouse were running up a. to back, or sudden feeling as if mouse were running from right foot up leg to right side of abdomen. Sulph.

Epilepsy: during interval, anxiety; tendency to be frightened; burning in chest and abdomen, with chilliness of rest of body; burning and tearing in small of back; numbness of a. Cupr.

Epilepsy: during paroxysm, convulsive motions; weeping; soporous sleep; great exhaustion; jerking in a. and about mouth. Sulph.

Epilepsy: during paroxysm, patient lies as if dead, pale but warm, thumbs clenched, fists turned to and fro, a. slowly drawn up and down, mouth distorted. Ars.

Epileptiform spasms: twitching of a., after which child is covered with sweat and has every symptom of congestion of brain, followed by soporous sleep from which it is wakened by renewed spasms. Ign.

Hysteria: paroxysm ends with belchings; crawling sensations in a. Mosch.

Paralysis: loss of sensation in lower a. as far as elbow and in lower limbs to gluti, taking place progressively, first in tips of fingers and toes, then in hands and feet, with complete anæsthesia of nervous sensations. Phos.

Paralysis of the a. Acon., Æsc., Arn., Bell., Calc-c., Caust., China, Cocc., Colch., Dulc., Lyc., Merc., Nitr., Nux-v., Rhus-t., Sep., Tart-em., Ver-a.

Paralytic feeling in a., legs and spine. Æsc.

Spasms of a. and hands; thumbs drawn in. Arum.

Ascends.—Epilepsy: aura begins in knees, a. to hypogastric region, when unconsciousness occurs. Cupr-ac.

Atonic.—Weakness, debility and a. condition of nervous system, especially in females after protracted illness or defective nutrition. Alet.

Atrophy.—Paralysis: a. following severe excitement. Phos.

Paralysis: complete, with a. of the affected parts, preceded by trembling. Plumb.

Paralysis: of left hand, with a. and numbness in fingers. Sil.

Paralysis: with a. Sep.

Paralysis: with a. of muscles. Sars.

Aura.—Convulsions: with a., from epigastrium. Nux-v.

Epilepsy: a. begins in knees, ascends to hypogastric region, when unconsciousness occurs. Cupr-ac.

Epilepsy: a. begins in toes or feet and extends upward. Gels.

Epilepsy: involuntary stools and urination without a. Œnanth.

Epilepsy: no a. but sighing may precede attack. Plumb.

Epileptiform symptoms with a. epileptica, with congestion to head and heart. Glon.

Awake.—Chorea: emotional, with fearful contortions and jactitations when a. Laur.

Chorea: twitchings when a. Magn-ph.

Easily startled when a.; afterwards has throbbing and palpitation. Camph.

Involuntary movements while a.; cease during sleep. Agar. (Continue during sleep. Ign., Nux-v.)

Awkward.—Chorea: commences in one arm and spreads all over body, causing most terrible contortions and a. movements. Cupr.

Chorea: nervous weakness, is a., hesitates and drops things. Natr-m.

Hysteria: a. gait. Lach.

Back (see section on Neck and Back).—Chorea: better when lying on b. Ign.

Chorea: twitching of muscles of b. and arms. Myg.

Epilepsy: before paroxysm, sensation of crawling and running, as if a mouse were running up arms to b., or sudden feeling as if mouse were running from right foot up leg to right of abdomen. Sulph.

Epilepsy: during interval, anxiety; tendency to be frightened; burning in chest and abdomen, with chilliness of rest of body; burning and tearing in small of b.; numbness of arms. Cupr.

Epilepsy: during interval, sour or sweetish, badly-tasting eructations, like ink, or rotten wood; pain in small of b.; constant coldness of shoulders and joints of feet; great restlessness; wanting to run away; small, round, soft lumps on scalp; sweat on head; nose stopped; tongue coated white on both sides. Caust.

Paraplagia: in weak and nervous subjects inclined to fits of fainting and palpitation of heart, originating in small of b. after taking cold; with cold feeling in extremities and œdema of feet; rheumatic lameness. Cocc.

Paralysis: with spinal disease or after sexual excesses; tingling and tearing pain in b. down through limbs. Phos.

Tetanus: commencing with tremulousness of muscles of neck; pains from injured foot up to b. and neck; jaws stiff; opisthotonos. Ang.

Backward.—Chorea: throws body b. and forward while lying; like constant change from opisthotonos to emprosthotonos. Bell.

Chorea: throws head b. and forward, with jerking and twitching it around to right side. Myg.

Chorea: spasmodic motion of body, generally b. Bell.

Convulsions during dentition: child becomes still, rolls eyes, distorts face, twitches, throws limbs about, clenches thumbs, bends body b. and sideways, rattling breathing, foam at mouth, moves legs up and down alternately, grasps and reaches with hands; mouth drawn from side to side. Cham.

Epilepsy: during paroxysm throws head b. Lach.

Hysteria: body bends b. Ipec.

Ball.—Hysteria: sensation of b. in inner parts. Sep.

Bandage—Paralysis: on standing keeps the legs wide apart; looks steadily at an object as if unable to make it out; limbs feel as if bound by an elastic b. Pic-ac.

Battery.—Tremor of whole body, with violent twitchings, as if galvanic b. were applied to spine. Agar. (Cic-v., Physos., Stram.)

Beating.—Epilepsy: burning in stomach and spinal marrow and moved thence to behind ears and into brain, after which patient becomes giddy, with vertigo, loss of consciousness and falling down; or paroxysm commences with beating about of arms and hands, with jerk through whole body. Ars.

Epilepsy: during interval, tearing and b. in right eye, which weeps and seems protruded. Hyos.

Epilepsy: during paroxysm, severe spasms of glottis; feeling as if must move about or heart would stop b. Gels.

Bed.—Epileptiform spasms: often occurring without apparent cause or appear after child has been reprimanded and put to bed. Ign.

Paralysis: could sit on b. or chair but on attempting to stand knees give way and have to be supported. Phos.

Before.—Epilepsy: b. and at time of spasm, congestion to head, with throbbing in temples. Bell.

Epilepsy: b. paroxysm, absentminded; confused. Lach.

Epilepsy: b. paroxysm, chewing motion of mouth, stretching of limbs, great restlessness, palpitation of heart, feeling as if something were running in arm, or from pit of stomach down through abdomen into feet. Calc-c.

Epilepsy: b. paroxysm, colic. Cham.

Epilepsy: b. paroxysm, feeling of great coldness of left side. Sil.

Epilepsy: b. paroxysm, imbecility; heat of head followed by sweat all over; pressure in pit of stomach extending over chest and hindering breathing; colic and headache. Caust.

Epilepsy: b. paroxysm, nausea, retching and throwing up phlegm; bloated abdomen; drawing sensation in left arm, arm drawn involuntarily close to body; formication and tearing in right hand; shuddering; goose-flesh; palpitation of heart. Cupr.

Epilepsy: b. paroxysm, pain at base of brain, with prostration and tired feeling. Gels.

Epilepsy: b. paroxysm, sensation of crawling and running, as if mouse were running up arms to back or sudden feeling as if mouse were running from the right foot up leg to right side of abdomen. Sulph.

Epilepsy: b. paroxysm, sparks from eyes; ringing in ears; vertigo; gnawing and sensation of hunger at pit of stomach. Hyos.

Epilepsy: b. paroxysm, staring of the eyes, turning head to left side. Sep.

Epilepsy: b. paroxysm, vertigo; swelling of tongue which hangs from mouth and is bitten. Plumb.

Epilepsy: exaltation of all powers of mind and body b. paroxysm. Can-ind.

Epileptiform spasms: b. menses, which are too light and scanty, with swelling of abdomen. Puls.

Epileptiform spasms: b. paroxysm, hands get lame. Kali-bi.

Epileptiform spasms: paroxysm lightning-like, rushing through brain and down right side of neck into arm, which is distorted and wrenched, so as to crack; muscles of face convulsively drawn; sight, speech, and consciousness lost; patient falls to ground. Chin-ars.

Epileptiform spasms: b. paroxysm, stares at one spot then loses consciousness, falls down writhing and muttering incoherent words; involuntary discharge of urine; spasmodic, paroxysmal, convulsive movements of limbs and body; clenching of fingers, hand being stretched out; choking in throat; mouth half open; with foam at mouth in shape of bubble; hands cold; face covered with cold sweat and distorted; eyes look glassy and protruded. Cocc.

Hysteria: b. paroxysm, constriction of throat, great restlessness, impatience, oppressed chest, cannot bear to be covered. Mosch.

Hysteria: several days b. attack there is loss of appetite, nausea and headache. Kali-c.

Belchings (see Eructations).—Hysteria: paroxysm ends with b., crawling sensations in arms. Mosch.

Bends.—Convulsions during dentition: child becomes stiff, rolls eyes, distorts face, twitches, throws limbs about, clenches thumbs, b. body backward and sideways, rattling breathing, foam at mouth, moves legs up and down alternately, grasps and reaches with hands; mouth drawn from side to side. Cham.

Hysteria: body b. backward. Ipec.

Bent—Convulsions: spasms flex limbs, and b. body is tossed upward. Hyos.

Better (see Relieved).—Chorea: b. when lying on back. Ign.

Neuralgia: better by warmth. Magn-ph.

Bites.—Epilepsy: b. tongue. Bufo.

Biting.—Epilepsy: b. of tongue. Opi.

Epilepsy: b. of tongue, loud cries, falls. Œnanth.

Epilepsy: during paroxysm, red face; b. of tongue; drawing head to one side; involuntary discharge of urine; screams; violent movements of limbs; gnashing of teeth; smiling or weeping; eyes half open (paresis of upper lids), with staring look. Caust.

Epilepsy: falling down unconscious; distortion of features; spasms of limbs; bloody foam at mouth; b. of tongue; throwing of limbs about (Cic-v.); very weak afterward. Absinth.

Violent convulsions with trismus or tetanus; risus sardonicus; rigors followed by coma or deep sleep; foam at mouth; face livid; b. of tongue. Œnanth.

Epileptiform spasms: frothing at mouth, b. tongue or cheeks, teeth firmly clinched and immovable. Ign.

Bitten.—Epilepsy: before paroxysm, vertigo; swelling of tongue which hangs from mouth and is b. Plumb.

Bladder (see section on Urine).—Paralysis of the b. Bell., Canth., Dulc., Gels., Hyos., Lach., Lyc., Natr-c., Opi.

Bloated.—Epilepsy: face b. and livid, with frothy, sanguineous saliva Crotal.

Epilepsy: stomach and bowels b. Lach.

Blood.—Epilepsy: congestion of b. to head. Glon.
Hysteria: sudden congestion of b. to head. Mosch.

Bloody.—Convulsions: with swollen livid face, b. mouth and nostrils. Œnanth.
Epilepsy: falling down unconscious: distortions of features; spasms of limbs; b. foam at mouth; biting of tongue; throwing of limbs about (Cic-v.); very weak afterward. Absinth.
Epilepsy: when occurring during day patient falls to ground unconscious, with wild, startling cry followed by spasms in limbs, turgescence and distortions of muscles of face, face livid, grinding of teeth and b. foam or saliva at mouth, ending in loud, snoring sleep. Bufo.

Blue.—Severe clonic spasms every few moments; lips b., protruded; lower limbs stiff; loud, piercing cry with every spasm; foam at mouth; least motion, moving fingers or eyes, touching lips with spoon, brought on spasm. Nux-v.

Blueness.—Hysteria: with b. of hands and nails. **Nux-v.**

Bluish.—Chorea: face puffed, and somewhat b. **Cocc.**
Epilepsy: b. face. Cic-v.
Epilepsy: during paroxysm, fingers become dead; involuntary discharge of urine; b. color at pit of stomach and over chest; chest and head covered with perspiration. Cupr.
Trismus and tetanus: face b. and puffed or deathly pale and cold; eyes fixed and staring at one point; foam at mouth. Cic-v.
Tetanus: with spasmodic jerks or rigidity of body with b. redness of face and convulsive twitching in limbs. Ipec.

Brain (see section on Head).—After suppressed scabies or eruption, protracted, intermittent or softening of b. Caust.
Chorea: centering upon cerebellum, or arising from functional disease of b., in which convulsive movements cease during sleep. Agar. (Do not cease during sleep. Ign., Nux-v.)
Clonic spasms (with b. affections). Cupr. (Bell., Hell., Hyos., Stram.)
Epilepsy: before paroxysm, pain at base of b., with prostration and tired feeling. Gels.
Epilepsy: burning in stomach and spinal marrow, with sensation as if paroxysm commenced in spinal marrow and moved thence to behind ears and into b., after which patient becomes giddy, with vertigo, loss of consciousness and falling down; or paroxysm commences with beating about of arm and ends with jerk through whole body. Arn.
Epilepsy: undulating sensations spring from solar plexus to b. Sil.
Epileptiform spasms: before paroxysm, lightning-like rushing through b. and down right side of neck into arm, which is distorted and wrenched, so as to crack; muscles of face convulsively drawn; sight, speech, and consciousness lost; patient falls to ground. Chin-ars.

Epileptiform spasms: twitching of arms, after which child is covered with sweat and has every symptom of congestion of b. followed by soporous sleep from which it is wakened by renewed spasms. Ign.

Paralysis from traumatism or in consequence of exudation into b. and spine. Arn.

Breath (see section on Chest and Lungs).—Chorea: in attempting to control voluntary motions respiratory muscles are affected so greatly that patient cannot get b. until takes a deep inspiration. Myg.

Epileptiform spasms: after paroxysm takes deep b. but trembles all over. Laur.

Exhaustion of vital forces (Caps., Carb-ac., Laur.), with cold surface, especially below knees to feet; lies as if dead; b. cold; cold sweat on limbs. Carbo-v.

Breathing (see section on Chest and Lungs).—Chorea: convulsions alternating with suppressed b. Ign.

Chorea: frequent feeling of oppression and difficult b. Myg.

Convulsions: after spasms, deep sleep with soporous b. Opi.

Convulsions: alternating with suppressed b. Ign.

Convulsions during dentition: child becomes still, rolls eyes, distorts face, twitches, throws limbs about, clinches thumbs, bends body backward and sideways, rattling b., foam at mouth, moves legs up and down alternately, grasps and reaches with hands; mouth drawn from side to side. Cham.

Convulsions: great languor or sleep, stertorous b. after or during fever. Ign.

Convulsions: with rigidity of limbs and difficult b. Millef.

Epilepsy: after paroxysm, when b. has become free, there is loss of consciousness, patient lying as if dead, remaining insensible, even when touched or pinched. Cic-v.

Epilepsy: before paroxysm, imbecility; heat of head, followed by sweat all over; pressure in pit of stomach extending over chest and hindering b.; colic and headache. Caust.

Epileptiform spasms, with oppression of b. after fright or anger. Ran b.

Bright.—Convulsions: on seeing b. dazzling objects or water or on touch. Stram.

Bruised.—Neuralgia: erratic pains which fly or change from one part of body or limbs to another; they are short and sharp and attended by b., sore sensation and chilliness. Puls.

Bottle.—Convulsions (of children with worms); child suddenly stiffens out straight; there is a clucking noise as if water were poured out of a b. from throat to stomach. Cina.

Bound.—Paralysis: on standing keeps legs wide apart; looks steadily at an object as if unable to make it out; limbs feel as if b. by an elastic bandage. Pic-ac.

Bowels.—Epilepsy: stomach and b. bloated. Lach.

Bubble.—Epileptiform spasms: before paroxysm, stares at one spot, then loses consciousness, falls down writhing and muttering incoherent words; involuntary discharge of urine; spasmodic, paroxysmal, convulsive movements of limbs and body; clinching of fingers, hand being stretched out; choking in throat; mouth half open; with foam at mouth in shape of b.; hands cold; face covered with cold sweat and distorted; eyes look glassy and protruded. Cocc.

Burning.—Epilepsy: b. in stomach and spinal marrow, with sensation as if paroxysm commenced in spinal marrow and moved thence to behind ears and into brain, after which patient becomes giddy, with vertigo, loss of consciousness and falling down; or paroxysm commences with beating about of arm and ends with jerk through whole body. Ars.

Neuralgia: pains b., with great restlessness, fear and anxiety. Ars.

Buttocks.—Spasms in b. when stretching out limbs. Sep.

Buttons.—Epileptiform spasms: tears clothing or cuts b. off; this condition continues for a few minutes when recovers normal condition as quickly as it was lost and remembers nothing of what occurred. Œnanth.

Calf.—Chorea: eruption on lower extremities, generally on c. Kali-brom.

Carry.—Chorea: it is with great difficulty can c. anything to mouth. Myg.

Catalepsy.—C.: after anger and vexation. Cham., Bry.

C.: after disappointed love. Ign., Lach.

C.: after fright. Acon., Bell., Gels., Ign., Opi.

C.: after grief. Ign., Phos-ac.

C.: after religious excitement. Stram., Sulph., Ver-a.

C.: after sudden joy. Coff.

C.: conscious, but without power to move or speak. Graph.

C.: during menstruation; clonic and tonic spasms with convulsive laughter. Plat.

C.: hippocratic countenance; cold extremities; half-closed eyes, with dilated pupils. Cham.

C.: limbs can be moved by others; tonic spasms; paralysis of one side, convulsions of the other; loss of nerve power; muscles will not obey will; left side paralyzed; weeps, sheds tears, stammering, words disconnected. Stram.

C.: remaining in same position, with fixed, staring eyes; after attack much exhausted and obliged to sit. Art-v.

C.: with jealousy. Hyos., Lach.

C.: with sexual erethism. Plat., Stram.

Hysteria: convulsive trembling or c. in children with worms. Sabad.

Hysteria: lies in state resembling c. Chloral.

Ceiling.—Epilepsy: soon as patient goes into high c. room head reels and loses consciousness. Cupr-ac.

Cerebellum.—Chorea: centering upon c., or arising from functional disease of brain, in which convulsive movements cease during sleep. Agar. (Do not cease during sleep. Ign., Nux-v.)

Cerebral.—Depression of c. and ganglionic nerves, causing loss of energy, both mental and physical. Bar-c.

Epileptiform spasms: c. congestion. Glon.

Paralysis: with c. or spinal softening. Phos.

Cerebro-spinal.—Neurasthenia or c. exhaustion from over-work. Opi.

Cervical glands.—Chorea: c. swollen. Agar.

Chair.—Epilepsy: falls down or out of c. convulsed all over. Ind.

Paralysis: could sit on bed or c., but on attempting to stand knees give way and have to be supported. Phos.

Chalk.—Hysteria: craving c. Nux-v.

Hysteria: craving for fat, herring, c., lime, earth. Nitr-ac.

Champing.—Chorea: with foam on lips, continual grinding or c. of teeth; inability to swallow. Ver-v.

Change.—Chorea: constant desire to c. position and place. Sep.

Neuralgia: erratic pains which fly or c. from one part of body or limbs to another; they are short and sharp and attended by bruised, sore sensation and chilliness. Puls.

Neuralgia: worse on c. of weather. Gels.

Restlessness, must c. position often. Rhus-t.

Changeable.—Hysteria: in mild, tearful, yielding, timid, peevish, c. subjects, with loss of smell and taste, also of appetite and thirst. Puls.

Changing.—Epileptiform spasms: face c. in color, now pale, now red. Kali-bi.

Great restlessness, with fear and anxiety; cannot rest in any place; constantly c. position; wants to go from one bed to another; constant moving of head and limbs while trunk is still, on account of weakness. Ars.

Chattering.—Nervous chills, with shivering and c. of teeth; dependent upon irritation of motor nerves; in very weak, sensitive subjects; after fear or fright. Gels.

Cheeks.—Epileptiform spasms: frothing at mouth, biting tongue or c., teeth finally clinched and immovable. Ign.

Cheerfulness.—Hysterical mania: excessive mirth and c. alternating with melancholy; childish follies; pleasant dementia. Croc.

Chest.—Epilepsy: after paroxysm, deep heavy sleep, with loud snoring and rattling in c. Opi.

Epilepsy: before paroxysm, imbecility; heat of head, followed by sweat all over; pressure in pit of stomach extending over c. and hindering breathing; colic and headache. Caust.

Epilepsy: during interval, anxiety; tendency to be frightened; burning in c. and abdomen, with chilliness of rest of body; burning and tearing in small of back; numbness of arms. Cupr.

Epilepsy: during paroxysm, fingers become dead; involuntary discharge of urine; bluish color at pit of stomach and over c.; c. and head covered with perspiration; limbs spread to sides and mouth open; or limbs and trunk become rigid and jaws closed. Cupr.

Hysteria: before paroxysms, constriction of throat, great restlessness, impatience, oppressed c., cannot bear to be covered. Mosch.

Hysteria: choking in throat and constriction of c., with sighing respiration. Ign.

Hysteria: constriction of c. and general sweat. Kal-c. (Kali-brom.)

Hysteria: suffocating sensation, with constant efforts to remove all external pressure from throat and c. Lach.

Paralysis: mostly on left side, feeling of load in affected arm and corresponding side of c. Stann.

Trismus and tetanus: pains run up limb through spine to neck and face; muscles of neck and jaw, c. and abdomen become rigid. Hyper.

Trismus and tetanus: spasms of c. afterwards trembling. Cic-v.

Chewing.—Epilepsy: before paroxysm, c. motion of mouth, stretching of limbs, great restlessness, palpitation of heart, feeling as if something were running in arm, or from pit of stomach down through abdomen into feet. Calc-c.

Child.—Chorea: spasms, c. cross before attack, body hot. Zinc.

Convulsions: after scarlatina; c. trembles as if frightened and on the verge of a spasm. Ver-v.

Convulsions during dentition: c. becomes stiff, rolls eyes, distorts face, twitches, throws limbs about, clinches thumbs, bends body backward and sideways, rattling breathing, foam at mouth, moves legs up and down alternately, grasps and reaches with hands; mouth drawn from side to side. Cham.

Convulsions (of children with worms); c. suddenly stiffens out straight; there is a clucking noise as if water were poured out of a bottle from throat to stomach. Cina.

Epileptiform spasms: c. is suddenly seized with spasms resembling epilepsy. Ign.

Epileptiform spasms: often occurring without apparent cause or appear after c. has been reprimanded and put to bed. Ign.

Epileptiform spasms: twitching of arms, after which c. is covered with sweat and has every symptom of congestion of brain followed by soporous sleep from which it is waked by renewed spasms. Ign.

Spasms during dentition: c. constantly moans or dozes, with half-open eyes, or is cross and sleepless. Kreas.

Childish.—Hysterical mania: excessive mirth and cheerfulness alternating with melancholy; c. follies; pleasant dementia. Croc.

Children.—C. have convulsions in sleep after punishment. Ign.

Chorea: in c. who are growing too fast. Phos. (Fluor-ac.)

Convulsions: also of c., with anxiety, pale face, cold sweat on forehead; cough before or after spasms; sometimes syncope after spasms. Ver-a.

Convulsions and other nervous affections (of c. during dentition). Dolich.

Convulsions in fat, chubby, short-necked c. Kali-bi.

Convulsions in nursing c., with extreme coldness. Hell.

Convulsions (of c.) after fright or after meals; child sickens after eating, vomits and shows signs of distress at stomach; sudden shriek and then becomes insensible. Hyos.

Convulsions of c., during dentition or from retrocession of eruptions. Cupr.

Convulsions (of c.): paroxysm preceded by drowsiness; paroxysm commences with clinching and jerking upward of fists and legs; face red; eyes rolled outward and upward. Glon.

Convulsions of c., with much tenacious mucus in throat, sometimes thick, gelatinous, which can be drawn out in strings. Kali-bi.

Convulsions (of c., with worms): child suddenly stiffens out straight; there is a clucking noise, as if water were poured out of a bottle, from throat to stomach. Cina.

Convulsions (of c., with worms): sudden rigidity, with jerks; afterward relaxation and weakness. Cic-v.

Convulsions (of teething c.): child gnaws fist, frets and cries. Acon.

Convulsions or spasms of nervous c. during dentition. Mel.

Convulsions: spasms in c. following emotion, fright, anger, continual crying. Opi.

Eclampsia (in c.). Bell.

Eclampsia (of suckling or teething c.). Art-v.

Epilepsy: emotional, with fright or suppressed grief, especially in c. Ign.

Epilepsy: in c., with intestinal irritation. Cina.

Epileptiform spasms: in c. during dentition, or even at an earlier period. Ign.

Epileptiform spasms (of c.). Art-v.

Hysteria: convulsive trembling or catalepsy in c., with worms. Sabad.

Nervousness and nightly restlessness (in c. during dentition). Coca.

Spasms: in c. after fright or from worms; pale, cold; fixed, staring look; occasional screams; vomits food, preceded by hasty drinking. Ign.

Weakness and prostration and a species of hectic fever (in c. after la grippe). Abies-n.

Chill (see section on Chill and Fever).—Epileptiform spasms: nausea followed by c. Kali-bi.

Chilliness.—Epilepsy: during interval, anxiety; tendency to be frightened; burning in chest and abdomen, with c. of rest of body; burning and tearing in small of back; numbness of arms. Cupr.

Neuralgia: erratic pains which fly or change from one part of body or limbs to another; they are short and sharp and attended by bruised, sore sensation and c. Puls.

Chills.—Nervous c., with shivering and chattering of teeth; dependent upon irritation of motor nerves; in very weak, sensitive subjects; after fear or fright. Gels.

Choking.—Convulsions commencing with cramps in lower extremities and drawing in of fingers and toes, throwing about of limbs, frothing at mouth and c. in throat. Cupr.

Hysteria: c. in throat and constriction of chest, with sighing respiration. Ign.

Hysteria: crawling in hands and feet extending to epigastrium, where there is pressure, anxiety and nausea, extending to throat, causing c. sensations, thence goes to head and patient loses consciousness. Nux-v.

Cholera.—Paralysis: after c. Cupr., Sec., Sulph., Ver-a.

Chorea.—C.: after coition (in female). Cedron.

C.: after fright; commences in one arm and spreads all over body, causing most terrible contortions and awkward movements; without ability to speak, or only imperfectly; horrible distortions of eyes and face; neck drawn to right shoulder. Cupr.

C.: after fright; creeping in limbs; with violent motions which are often crosswise; arms are rotated over head; jumping up, climbing over table; inclination to pray; loss of memory; stammering; loss of speech; putting hands to genitals. Stram.

C.: after fright; twitching and trembling of head and arms; throws limbs and stretches arms at right angles to body; convulsive movements of one or other arm to and fro. Opi.

C.: after intermittents, sexual excesses or nervous exhaustion, anger or emotions. Natr-m.

C.: at puberty, or at approach of menses. Caul.

C.: centering upon cerebellum, or arising from functional disease of brain, in which convulsive movements cease during sleep (do not cease during sleep. Ign., Nux-v.); twitching and convulsive movements excited by exercise of will; spasmodic motions, from simple, involuntary motions or jerks of single muscles, to a dancing of whole body; attacks crosswise and in upper right arm and left lower extremity, and vice versa; nictitation of eyelids, redness of inner canthus of eyes, flowing of tears from eyes; sensitiveness of lumbar vertebræ; ravenous appetite, but difficult swallowing; cervical glands swollen; worse on approach of thunder storm. Agar.

C.: constant restlessness. Myg.

C.: contractions commence in muscles of face and spread over body, increasing even to motions, as if dancing or jumping. Sec.

C.: convulsions; constrictions of almost all muscles of body and feeling as if would go crazy if did not hold tight upon self. Lil-tig.

C.: convulsive motions of head and limbs; stammering when talking; jerking of muscles of face; general muscular aggitation; constant desire to change position and place; eruptions like ringworms on skin every spring. Sep.

C.: distortion, twisting and jerking in limbs, even at night, preventing sleep; paralysis of tongue and right side of body. Caust.

C.: distortions commence with a shriek, tongue, œsophagus and larynx are involved, continuing through night; dark rings around eyes; itching of nose; pale, yellowish, earthy face; ravenous appetite; pain around umbilicus; hard stools; turbid urine; emaciation. Cina.

C.: during second teething; sometimes only one-sided, involuntary motions; sometimes amounting to falling down; violent motions of head and limbs; exceedingly headstrong. Calc-c.

C.: emaciation. Cina, Myg.

C.: emotional, with fearful contortions and jactitations when awake; cannot keep still; speech indistinct; getting angry when not understood; tears clothing; strikes at everything; spasmodic jactitation; idiotic expressions of face; feet and legs cold and clammy up to knees; can neither sit, stand or lie down on account of incessant motion; emaciation or wasting away. Laur.

C.: every seven days; with great debility; jerking in muscles; spasmodic contraction of single sets of muscles; jumping, laughing, dancing, whistling, wants to kiss everybody. Croc.

C.: exceedingly headstrong. Calc-c.

C.: frequent, profuse, clear urine. Aster.

C.: hard stools. Cina.

C.: in children who are growing too fast (Fluor-ac.); very weak; walk as if paralyzed; twitching of limbs; exhaustion during second dentition. Phos.

C.: in girls who have been frightened by threats or punishment; constant throwing about of arms; objects drop from hands; twitching of eyes and shaking of head; after fright, twitching of facial muscles and quick movements in arms, so that hands are constantly engaged in some sort of voluntary work; all sorts of motions and contortions of limbs; by fright or other mental excitement; worse after eating; better when lying on back; tetanic convulsions and dyspnœa; entire nervous system excited and sensitive, with intense acuteness of all special senses and increase of susceptibility to external impressions mentally and physically; convulsions, twitching and spasms, or torpor and

depression; jerking and twitching in various parts (Stram.); convulsive twitchings, especially after fright or grief (Gels., Opi.); convulsions alternating with suppressed breathing. Ign.

C.: jerking and jumping; almost inconceivable motions of arms, head and legs, distorting whole body, and jumping about room regardless of furniture; jumping a foot and a half high from floor; movements extremely rapid and accompanied by peculiar distortions of face, followed by prostration and sleep; nervous weakness; is awkward, hesitates and drops things; paralysis after intermittents, sexual excesses or nervous exhaustion, anger or emotions; hysterical debility; craving for salt; great thirst; worse during full moon. Natr-m.

C.: jerking upper part of body. Thuja.

C.: limbs in constant motion; cannot keep hands in same position for a minute; constant restlessness; cannot be persuaded to answer questions; distortion of face; headache; vertigo; grating teeth at night; quiet during sleep; constant jerking head to right side; drops head suddenly on shoulder; throwing head backward then forward, with jerking and twitching it around to right side; puts tongue out with great difficulty; twitching of muscles of back and arms; pain in knees when walking; in attempting to control voluntary motions respiratory muscles are affected so greatly that patient cannot get breath until takes a deep inspiration; twitching of face, arms; convulsive movements of shoulders; drags legs in moving and walking; mouth and eyes open and shut in rapid succession over which has no control; it is with great difficulty can carry anything to mouth; frequent feeling of oppression and difficult breathing; legs in constant motion while sitting; restlessness at night during sleep; emaciation. Myg.

C.: nictitation of eyelids, redness of inner canthus of eyes, flowing of tears from eyes. Agar.

C.: of right side; tongue feels swollen and paralyzed. Physos.

C. or other clonic spasms (during pregnancy): paroxysm commences in finger or limb and gradually extends over body. Cupr.

C.: sometimes amounting to falling down. Calc-c.

C.: tetanus of left and trembling of right side Natr-s.

C.: throws body backward and forward while lying, like constant change from opisthotonos to emprosthotonos. Bell.

C.: throws limbs and stretches arms at right angles to body. Opi.

C.: trembling and jactitation of arms and legs; unable to feed self or walk; frequent, profuse, clear urine; after fright and mental depression. Aster.

C.: trembling of body; limbs in constant motion, can run better than walk; spasms subside on hearing notes of hornpipe, music lessens symptoms. Tarant.

C.: trembling of limbs; involuntary motion of right arm and leg, cease during sleep; face puffed, and somewhat bluish; hands look as if frozen. Cocc.

C.: twitchings more in face and arms; difficult articulation; throws head back, rolling of head; spasmodic motion of body, generally backward; throws body forward and backward while lying, like constant change from emprosthotonos to opisthotonos; grating of teeth; boring head in cushion; numbness in fingers; soreness of last lumbar and first dorsal vertebræ; after mental excitement or fright. Bell.

C.: twitchings when awake; speech defective; heart's action exhilarated; pupils dilated; appears frightened, as if looking for sympathy; upper part of body affected latterly and downward; jerking of mouth; snapping of eyelids; constant jerking forward and other irregular movements; paralysis agitans. Magn-ph.

C.: unable to feed self or walk. Aster.

C.: very weak. Phos.

C.: violent distortions of body, unaffected by sleep; with foam on lips, continual grinding or champing of teeth; inability to swallow; sexual excitement; violent spasms, like galvanic shocks. Ver-v.

C.: when traceable to septic or toxæmic influences; in rheumatic, gouty, albuminuric or amenorrhœic subjects. Crotal.

C. with depression of spirits; after fright or suppressed eruptions; spasms, child cross before attack, body hot; twitching of right side; fidgety feet. Zinc.

C., with fright; acts as if crazy; trembling; hands unsteady; reeling, staggering gait, as if drunk; eruption on lower extremities, generally on calf; paralysis of nerves of spinal cord; cutaneous anæsthesia with loss of reflex activity. Kali-brom.

C., with great debility. Croc.

C.: with hysteria; jumping and dancing of feet and legs as soon as night came on, had to hold them; when lying down limbs feel as light as a feather and as if floating in air. Sticta.

C.: with retarded stools; tetanus of left and trembling of right side; convulsions; gesticulations afternoon; locomotor ataxia. Natr-s.

C., with rheumatic pains, attended with endocarditis or pericarditis. Agar. (Cimicif., Iod.)

C., with seminal emissions. Dios.

Paralysis, after c., from debilitating losses. Ver-a.

Paralysis, emotional c. Opi.

Chorea-like.—Convulsive, c. motions of limbs. Arg-n.

Chronic.—Neuralgia: c., intermittent, recurring in paroxysms, with great regularity. Cedron.

Chubby.—Convulsions in fat, c., short-necked children. Kali-bi.

Climbing.—Chorea: jumping up, c. over table. Stram.

Clinched.—Epilepsy: during paroxysm patient lies as if dead, pale but warm, thumbs c., fists turned to and fro, arms slowly drawn up and down, mouth distorted. Ars.

Epilepsy: frothing at mouth, rolling eyes, c. thumbs. Œnanth.

Epileptiform spasms: hands c. but not drawn in. Laur.

Epileptiform spasms: hands c., thumbs in palms. Glon.

Spasms, with blue face and thumbs c. across palms. Cupr.

Clinches.—Convulsions: during dentition, child becomes stiff, rolls eyes, distorts face, twitches, throws limbs about, c. thumbs, bends body backward and sideways, rattling breathing, foam at mouth, moves legs up and down alternately, grasps and reaches with hands; mouth drawn from side to side. Cham.

Epileptiform spasms: after paroxysm, rises without speaking to anyone or answering any questions; c. teeth; looks at those around; tries to push away those surrounding; face having expression of wild rage; finally groans and moans. Cocc.

Clinching.—Convulsions (of children): paroxysm preceded by drowsiness; paroxysm commences with c. and jerking upward of fists and legs; face red; eyes rolled outward and upward. Glon.

Epilepsy: c. of thumbs. Cupr.

Epilepsy: during paroxysm, tossing limbs, c. thumbs. Stann.

Hysteria: c. of jaws; confused talking. Mosch.

Clonic.—Catalepsy: c. and tonic spasms, with convulsive laughter. Plat.

Chorea or other c. spasms (during pregnancy); paroxysm commences in finger or limb and gradually extends over body. Cupr.

C. spasms of extremities, with loss of consciousness. Dolich.

C. spasms (with brain affections). Cupr. (Bell., Hell., Hyos., Stram.)

Epilepsy: c. spasms of limbs. Œnanth.

Severe c. spasms every few months; lips blue, protruded; lower limbs stiff; loud piercing cry with every spasm; foam at mouth; least motion, moving fingers or eyes, touching lips with spoon, brought on spasm. Nux-v.

Twitching and c. spasms in limbs. Chin-s.

Closed.—Tetanus: extremities stiff; hands firmly c.; feet extended and toes flexed. Phyt.

Clothing.—Chorea: tears c. Laur.

Epileptiform spasms: tears c. or cuts buttons off; this condition continues for a few minutes when recovers normal condition as quickly as it was lost and remembers nothing of what occurred. Œnanth.

Clucking.—Convulsions (of children with worms): child suddenly stiffens out straight; there is a c. noise, as if water were poured out of a bottle, from throat to stomach. Cina.

Clutches.—Epilepsy: during spasm right hand c. at thumb. Bell.

Coffee.—Great nervous debility of all senses following night-watching, excessive use of c., wine, etc.; cannot walk on account of giving way of lower limbs; knees knock together. Nux-v.

Coition (see section on Sexual Organs).—Chorea: after c. (in female). Cedron.

Cold.—Catalepsy: c. extremities. Cham.

Chorea: feet and legs c. and clammy up to knees. Laur.

Epilepsy: originating from plexus solaris, or from abdominal ganglia, or from c. or fright. Ind.

Epilepsy: renewal of paroxysm by c. water. Caust.

Epilepsy: spasmodic and violent palpitation of heart; body and limbs c. Kali-bi.

Epileptiform spasms: before paroxysm, stares at one spot, then loses consciousness, falls down writhing and muttering incoherent words; involuntary discharge of urine; spasmodic, paroxysmal, convulsive movements of limbs and body; clinching of fingers, hand being stretched out; choking in throat; mouth half open, with foam at mouth in shape of bubble; hands c.; face covered with c. sweat and distorted; eyes look glassy and protruded. Cocc.

Exhaustion of vital forces (Caps., Carb-ac., Laur.), with c. surface, especially below knees to feet; lies as if dead; breath c.; c. sweat on limbs. Carbo-v.

Facial paralysis following c. Ruta.

Feeling as if ice c. needles were piercing skin. Agar.

Hemiplegia: with giddiness; drawing, lame feeling in affected parts after exposure to c.; suppressed itch or other clonic eruption. Caust.

Paralysis: after taking c. Arn., Caust., Colch., Dulc., Merc., Rhus-t.

Paralysis: of tongue and extremities; arm feels icy c. Dulc.

Spasms, in children, after fright or from worms; child pale, c. Ign.

Trismus and tetanus: face bluish and puffed or earthly pale and c.; eyes fixed and staring at one point; foam at mouth. Cic-v.

Coldness.—Convulsions (during dentition); with grinding of teeth, and c. of limbs (after over-excitement or sudden emotions). Coff.

Convulsions in nursing children with extreme c. Hell.

Epilepsy: before paroxysm, feeling of great c. of left side. Sil.

Epilepsy: c. of hands and feet. Cupr.

Epilepsy: during interval, sour or sweetish, badly-tasting eructations, like ink, or rotten wood; pain in small of back; constant c. of shoulders and joints of feet. Caust.

Hysteria: fainting fits; shivering; c. Puls.

Numbness and deadness, with c. of fingers extending to middle of arm, with paralysis. Graph.

Tetanus: icy c. from head down spine. Ars.

Trismus and tetanus: cyanotic appearances; c. on surface; heart beats slower and slower until it almost ceases then it suddenly increases in frequency on approach of another paroxysm. Hydroc-ac.

Colic.—Epilepsy: before paroxysm, c. Cham.

Epilepsy: before paroxysm, imbecility; heat of head, followed by sweat all over; pressure in pit of stomach extending over chest and hindering breathing; c. and headache. Caust.

Collapse.—Exhaustion of vital forces (Caps., Carbo-v., Laur.), with profound prostration or c.; surface pale and bathed in cold sweat. Carb-ac.

Coma.—Tetanic or epileptiform convulsions, followed by c. Canth.

Violent convulsions, with trismus or tetanus; risus sardonicus; rigors, followed by c. or deep sleep; foam at mouth; face livid; bitting of tongue. Œnanth.

Confinement.—Hysteria: after dissipation or over-work, with close c. Sil.

Confused.—Epilepsy: before paroxysm, absentminded; c. Lach.

Congestion.—Epilepsy: before and at time of spasm, c. to head, with throbbing in temples. Bell.

Epilepsy: c. of blood to head. Glon.

Epileptiform spasms: twitching of arms, after which child is covered with sweat and has every symptom of c. of brain followed by soporous sleep from which it is wakened by renewed spasms. Ign.

Epileptiform symptoms with aura epileptica, with c. to head and heart. Glon.

Hysteria: sudden c. of blood to head. Mosch.

Neuralgia, with c. (from dry, cold air, and checked sweat). Acon.

Paralysis: with c. of spinal cord attended with numbness of parts. Acon.

Trismus and tetanus: with c. to head. Stram.

Conscious.—Catalepsy: c., but without power to move or speak. Graph.

Consciousness.—Clonic spasms of extremities, with loss of c. Dolich.

Convulsions: with loss of c. and temporary inability to speak. Ign.

Convulsions: with loss of c., frightful distortions of limbs and whole body. Cic-v. (Agar.)

Epilepsy: after paroxysm, when breathing has become free, there is loss of c., patient lying as if dead, remaining insensible, even when touched or pinched. Cic-v.

Epilepsy: burning in stomach and spinal marrow, with sensation as if paroxysm commenced in spinal marrow and moved thence to behind ears and into brain, after which patient becomes giddy, with vertigo, loss of c. and falling down; or paroxysm commences with beating about of arm and ends with jerk through whole body. Ars.

Epilepsy: frequent and sudden falling down, with c. Magn-c.
Epilepsy: great thirst after c. is restored. Ign.
Epilepsy: loss of c. Cic-v., Crotal., Glon., Sep., Staph.
Epilepsy: paroxysm commences with shocks in limbs; sudden falling; livid face; convulsive motion of jaws; froth at mouth and loss of c. Aster.
Epilepsy: paroxysm commences with vertigo, loss of c., sometimes without convulsions, pharyngeal spasm, followed by desire to swallow. Calc-c.
Epilepsy: soon as patient goes into high ceiling room head reels and loses c. Cupr-ac.
Epileptiform spasms: before paroxysm, lightning-like rushing through brain and down right side of neck into arm, which is distorted and wrenched, so as to crack; muscles of face convulsively drawn; sight, speech and c. lost; patient falls to ground. Chin-ars.
Epileptiform spasms: before paroxysm, stares at one spot, then loses c., falls down writhing and muttering incoherent words. Cocc.
Epileptiform spasms: faint feeling and headache with loss of c. Kali-bi.
Epileptiform spasms: loss of self-control and c. to a degree. Œnanth.
Hysteria: crawling in hands and feet extending to epigastrium where there is pressure, anxiety and nausea, extending to throat causing choking sensations, thence goes to head and patient loses c. Nux-v.
Tetanus: spasms with full c. followed by great exhaustion. Sec.
Tetanus with loss of c. Ars.
Trismus and tetanus: stiffness of body with full c.; spasms in abdominal muscles. Mosch.
Trismus and tetanus: with full c. Plat.

Constipation (see section on Stool).—Epilepsy: obstinate c. Stram.
Epilepsy: painful spot in abdomen in region of solar plexus; pressure upon this spot renews paroxysm; during interval, c. Nux-v.

Constriction.—Chorea: convulsions; c. of almost all muscles of body and feeling as if would go crazy if did not hold tight upon self. Lil-tig.
Epilepsy: sensation of tight c. of throat. Crotal.
Hysteria: with suffocating c. of throat or œsophagus. Ign.
Restlessness: moving about; subsultus tendinum (Hyos., Stram.), or c. of muscles and tendons. Kali-jod.

Contortions.—Chorea: all sorts of motions and c. of limbs. Ign.
Chorea: commences in one arm and spreads all over body, causing most terrible c. and awkward movements. Cupr.
Chorea: emotional with fearful c. and jactitations when awake. Laur.
Epilepsy: wonderful distortion and c. of limbs and upper portion of body and head, jerking patient a distance of two feet. Cic-v.
Tetanus: spasms or convulsions, with frightful c. of limbs. Ars.

Contraction.—Chorea: spasmodic c. of single sets of muscles. Croc.
Morbid excitability of the nervous system producing c. of muscles. Apis.
Twitching and c. of body unaffected by sleep; jerking or continual nodding of head. Ver-v.

Contractions.—Chorea: c. commence in muscles of face and spread over body, increasing even to motions, as if dancing or jumping. Sec.
Paralysis: incomplete, power of motion not entirely gone but prevented by painful twitchings and spasmodic c. whenever affected parts are exercised. Nux-v.
Tonic spasms, with c. of palms of hands and soles of feet. Ver-a.
Violent spasmodic c. of muscles; with trembling; painless paralysis. Oleand.

Contracts.—Paralysis: staggering walk; c. feet when walking, cannot lift them. Nux-v.

Control.—Chorea: in attempting to c. voluntary motions respiratory muscles are affected so greatly that patient cannot get breath until takes a deep inspiration. Myg.
Chorea: mouth and eyes open and shut in rapid succession over which has no c. Myg.
Epileptiform spasms: loss of self c. and consciousness to a degree. Œnanth.

Controlled.—Hysteria: tickling cough which may be c. by effort of will. Ign.
Trembling of hands and tongue; trembling and weakness after least excitement; tremors always commencing in fingers; involuntary motions which cannot be momentarily c. by the will; paralysis agitans. Merc.

Convulsions (see Spasms).—Catalepsy: paralysis of one side, c. of other. Stram.
Children have c. in sleep after punishment. Ign.
Chorea: c. Natr-s.
Chorea: c. alternating with suppressed breathing. Ign.
Chorea: c.; constrictions of almost all muscles of body and feeling as if would go crazy if did not hold tight upon self. Lil-tig.
Chorea: c., twitching and spasms or torpor and depression. Ign.
Chorea: tetanic c. and dyspnœa. Ign.
C. Camph.
C.: after anger or other emotions; with indigestion; with constipation; with jaundice; with aura from epigastrium; opisthotonos and emprosthotonos with consciousness; limbs rigid and go to sleep; with numbness; renewed by bright light, sudden jar or noise, or least touch, followed by deep sleep. Nux-v.
C.: after labor. Millef.
C.: after over-excitement. Coff. (Gels.)

C.: after religious excitement; also of children, with anxiety, pale face, cold sweat on forehead; cough before or after spasms; sometimes syncope after spasms. Ver-a.

C.: after scarlatina; child trembles as if frightened and on the verge of spasms; with opisthotonos. Ver-v.

C.: after spasms deep sleep with soporous breathing. Opi.

C.: alternating with suppressed breathing; with loss of consciousness and temporary inability to speak; during dentition with frothing at mouth; kicking with legs; in children after punishment; after fear or fright returning at same hour daily; twitchings, especially after fright or grief; very sensitive to pain; great languor or sleep, stertorous breathing after or during fever. Ign.

C. and other nervous affections (of children during dentition). Dolich.

C. and tetanic spasms after mechanical injuries. Arn.

C., commencing in face. Dulc.

C. commencing with cramps in lower extremities and drawing in of fingers and toes, throwing about of limbs, frothing at mouth and choking in throat. Cupr.

C.: convulsive respiration. Œnanth.

C. during dentition: child becomes stiff, rolls eyes, distorts face, twitches, throws limbs about, clinches thumbs, bends body backward and sideways, rattling breathing, foam at mouth, moves legs up and down, alternately grasps and reaches with hands; mouth drawn from side to side. Cham.

C. (during dentition): with grinding of teeth and coldness of limbs (after over-excitement or sudden emotions). Coff.

C.: feeble pulse. Œnanth.

C. followed by delirium. Kali-chl.

C.: from reflex irritation during dentition, with rolling of head and varigated, slimy stools. Podo.

C.: in new-born infants; during dentition; after labor; with rigidity of limbs and difficult breathing. Millef.

C. in nursing children, with extreme coldness. Hell.

C.: in whooping-cough, from suppressed eruption or indigestible food. Ipec.

C., neuralgia, paralysis and debility, in gouty constitutions. Colch.

C. (of children) after fright or after meals; child sickens after eating, vomits, and shows signs of distress at stomach; sudden shriek and then becomes insensible. Hyos.

C. of children, during dentition or from retrocession of eruptions. Cupr.

C. of children with much tenacious mucus in throat, sometimes thick, gelatinous, which can be drawn out in strings. Kali-bi.

C. (of teething children): childs gnaws fist, frets and cries. Acon.

C.: on seeing bright, dazzling objects or water, or on touch; with opisthotonos. Stram.

C. or numb, suffocating attacks during parturition. Hyos.
C. or spasms of nervous children during dentition. Mel.
C., preceded by great restlessness (during pregnancy). Arg-n.
C.: spasms in children following emotion, fright, anger, continual crying; throws limbs or stretches arms to right angles to body; opisthotonos; spasms begin with loud scream; foam at mouth; trembling of limbs; suffocation; puffed and livid face; after spasms deep sleep with soporous breathing; spasms in nursing infants after fright of mother; twitching and trembling of head, arms and hands, with occasional jerking of flexor; tetanic spasms beginning with loud screams; trembling of limbs; frothing at mouth; pupils dilated and insensible to light, face dark red and hot. Opi.
C.: twitching of muscles of face, arms and limbs. Merc-cor.
C.: with constipation. Nux-v.
C. (with dysuria): bright light, drink or sound of falling water, touching larynx or painful part cause renewal of spasms. Canth.
C.: with indigestion. Nux-v.
C.: with jaundice. Nux-v.
C.: with loss of consciousness, frightful distortions of limbs and whole body. Cic-v. (Agar.)
C.: with numbness. Nux-v.
C.: with opisthotonos. Cic-v. (Nux-v., Opi.)
C.: with screams, gnashing of teeth and violent movements of limbs. Caust.
C.: with swollen, livid face, bloody mouth and nostrils; convulsive respiration; with insensibility; feeble pulse; with prostration. Œnanth.
Eclampsia or c. in children during dentition. Cupr.
Epilepsy: c. after vaccination. Sil. (Thuja.)
Epileptiform c. (caused by worms). Asaf.
Epilepsy: c. commence in arm. Bell.
Epilepsy: c. preceded by sensation of warm air streaming up spine into head. Ars.
Hysteria: c. or tetanic spasms. Mosch.
Hysteria: c., with spasms of glottis. Gels.
Hysteria, with epileptiform convulsions (during menses); paroxysms come on morning and evening at same hours; giddiness followed by falling down and most distressing c., with insensibility, closed teeth and frothy secretions from mouth. Cedron.
Paralysis: after c. Hyos.
Tetanus: c. may be excited by violent pains in bottom of feet. Ars.
Trembling, jerking, puerperal c. Ver-a.
Violent c., with trismus or tetanus; risus sardonicus; rigors, followed by coma or deep sleep; foam at mouth; face livid; biting of tongue. Œnanth.

Convulsed.—Epilepsy: falls down or out of chair c. all over. Ind.
Epilepsy: foaming at mouth and falling down c. Cupr-ac.

Convulsive.—Chorea: centering upon cerebellum, or arising from functional disease of brain, in which c. movements cease during sleep. Agar. (Do not cease during sleep. Ign., Nux-v.)
Chorea: c. motions of head and limbs. Sep.
Chorea: c. movements of one or other arm to and fro. Opi.
Chorea: c. movements of shoulders. Myg.
Chorea: c. twitchings, especially after fright or grief. Ign.
Chorea: twitching and c. movements excited by exercise of will. Agar.
C., chorea-like motions of limbs. Arg-n.
C. shocks, like electricity, through body. Arg-m.
C. twitchings (Agar., Cic-v., Cupr.), during sleep. Hell.
Epilepsy: c. agitation of mouth and eyes. Bufo.
Epilepsy: c. movements followed by rigid condition of body. Ind.
Epilepsy: during paroxysm, c. motions; weeping; soporous sleep; great exhaustion; jerking in arms and about mouth. Sulph.
Epileptiform spasms: before paroxysm, stares at one spot, then loses consciousness, falls down writhing and muttering incoherent words; involuntary discharge of urine; spasmodic, paroxysmal, c. movements of limbs and body. Cocc.
Hysteria: c. motions. Nux-m.
Hysteria: c. physical irritability. Nitr-ac.
Tetanus: c. action of muscles of face and neck followed by partial relaxation, again succeeded by tetanic condition. Phyt.
Tetanus: with spasmodic jerks or rigidity of body, with bluish-redness of face and c. twitching in limbs. Ipec.
Trismus and tetanus: c. action of muscles of face and neck. Phyt.
Trismus and tetanus: twitching of muscles of face and limbs; squinting; inability to swallow followed by c. motions; spasmodic respiration; dilated pupils; staring, open eyes. Bell.
Twitching and irregular c. movements and desire to dance. Agar. (Tarant.)

Cooling.—Epilepsy: after c. off while over-heated from dancing. Art-v.

Cord.—Paralysis from softening of c. Pic-ac.

Corners.—Epileptiform spasms: twitching begins at c. of mouth so child appears to smile, then spasms affect muscles of face, forehead and eyes. Ign.

Cough.—Convulsions: also of children, with anxiety, pale face, cold sweat on forehead; c. before or after spasms; sometimes syncope after spasms. Ver-a.
Hysteria: tickling c. which may be controlled by effort of will. Ign.

Countenance.—Convulsions or spasms after fright, with pallid or livid c. Kali-ph.

Covered.—Hysteria: before paroxysm, constriction of throat, great restlessness, impatience, oppressed chest, cannot bear to be c. Mosch.

Crack.—Epileptiform spasms: before paroxysm, lightning-like rushing through brain and down right side of neck into arm, which is distorted and wrenched, so as to c. Chin-ars.

Cramps.—Convulsions commencing with c. in lower extremities and drawing in of fingers and toes, throwing about of limbs, frothing at mouth, and choking in throat. Cupr.

Trembling, paralytic weakness; c. in hands; also paralytic weakness in hip joints. Kali-c.

Craving.—Chorea: c. for salt. Natr-m.

Hysteria: c. chalk. Nux-v.

Hysteria: c. for fat, herring, chalk, lime, earth. Nitr-ac.

Crawling.—Chorea: with numbness in affected parts, with c. sensations. Nux-v.

Epilepsy: before paroxysm, sensation of c. and running, as if mouse were running up arms to back, or sudden feeling as if mouse were running from right foot up leg to right side of abdomen. Sulph.

Hysteria: c. in hands and feet extending to epigastrium where there is pressure, anxiety and nausea, extending to throat causing choking sensations, thence goes to head and patient loses consciousness. Nux-v.

Hysteria: paroxysm ends with belchings; c. sensations in arms. Mosch.

Crazy.—Chorea: acts as if c. Kali-brom.

Chorea: convulsions; constriction of about all muscles of body and feeling as if would go c. if did not hold tight upon self. Lil-tig.

Creeping.—Chorea: c. in limbs. Stram.

Epilepsy: c. sensations from nape of the neck down spinal column. Lach.

Cries.—Convulsions (of teething children); child gnaws fist, frets and c. Acon.

Convulsions with piercing c. Cupr.

Epilepsy: biting of tongue, loud c., falls. Œnanth.

Cross.—Chorea: spasms, child c. before attack, body hot. Zinc.

Spasms during dentition: child constantly moans or dozes with half-open eyes or is cross and sleepless. Kreas.

Crosswise.—Chorea: attacks c. and in right upper arm and left lower leg, and vice versa. Agar.

Chorea: with violent motions which are often c.; arms are rotated over head. Stram.

Crural.—Neuralgia: pain sometimes darting down anterior c., sometimes down sciatic trunks even to feet. Coloc.

Cry.—Epilepsy: when occurring during day patient falls to ground unconscious with wild, startling c. followed by spasms of limbs, turgescence and distortions of muscles of face, face livid, grinding of teeth and bloody foam or saliva at mouth, ending in loud snoring sleep. Bufo.

Severe clonic spasms every few moments; lips blue, protruded; lower limbs stiff; loud piercing c. with every spasm. Nux-v.

Crying.—Convulsions: spasms in children, following emotion, fright, anger, continual c. Opi.

Hypochondriasis and hysteria: alternate laughter and c. Aur. (Ign., Nux-m.

Curved.—Violent tonic spasms: c. limbs could not be straightened nor straight limbs c.; renewed by slightest touch, by opening door and from loud talking; each muscle perfectly rigid. Cic-v.

Cushion.—Chorea: boring head into c. Bell.

Cutaneous.—Chorea: c. anæsthesia, with loss of reflex activity. Kali-brom.

Cutting.—Neuralgia: pains are shooting, c., and run like lightning. Coloc.

Cuts.—Epileptiform spasms: tears clothing or c. buttons off; this condition continues for a few minutes when recovers normal condition as quickly as it was lost and remembers nothing of what occurred. Œnanth.

Cyanotic.—Trismus and tetanus: c. appearance Hydroc-ac.

Damp.—Paralysis: rheumatic, after getting wet or lying on d. ground. Rhus-t.

Dance.—Twitching and irregular convulsive movements and desire to d. Agar. (Tarant.)

Dancing.—Chorea: jumping and d. of feet and legs as soon as night comes on, had to hold them. Sticta.

Chorea: jumping, laughing, d., whistling; wants to kiss everybody. Croc.

Chorea: spasmodic motions, from supple involuntary motions or jerks of single muscles, to a d. of whole body. Agar.

Epilepsy: after cooling off while over-heated from d. Art-v.

Tetanus: eyes blurred and d.; pupils contracted; teeth clinched. Phyt.

Darting.—Neuralgia: acute, sudden, d. pains, shooting and tearing along tracks of nerves. Gels.

Neuralgia: pains d. and shooting, sticking. Kali-c.

Neuralgia: sometimes d. down anterior crural, sometimes down sciatic trunks, even to feet. Coloc.

Paralysis: preceded by mental derangement; trembling or tremor, spasms or by shooting, d., intense, tearing pains along large nerves, with emaciation of parts affected. Plumb.

Day.—Epilepsy: is listless and drowsy during d., with itching of skin without eruption. Opi.

Epilepsy: when occurring during d. patient falls to ground unconscious with wild, startling cry followed by spasms of limbs, turgescence and distortions of muscles of face, face livid, grinding of teeth and bloody foam or saliva at mouth, ending in loud, snoring sleep. Bufo.

Neuralgia: every d. at same hour. Kali-bi.

Twitching and jerking through body during d. **Bar-c.**

Days.—Chorea: every seven d. Croc.

Dazzling.—Convulsions: on seeing bright, d. objects or water, or on touch. Stram.

Dead.—Epilepsy: after paroxysm, when breathing has become free, there is loss of consciousness, patient lying as if d., remaining insensible, even when touched or pinched. Cic-v.

Epilepsy: during paroxysm, fingers become d.; involuntary discharge of urine; bluish color at pit of stomach and over chest; chest and head covered with perspiration; limbs spread to sides and mouth open; or limbs and trunk become rigid and jaws closed. Cupr.

Epilepsy: during paroxysm, patient lies as if d., pale but warm, thumbs clinched, fists turned to and fro, arms slowly drawn up and down, mouth distorted. Ars.

Deadness.—Numbness and d., with coldness of fingers extending to middle of upper arm, with paralysis. Graph.

Paralysis: numbness and d. of lower limbs. Nux-v.

Death.—Epilepsy: low-spirited; fear of d.; desire to be alone. Stram.

Hemiplegia: with giddiness; weakness of sides; weeping mood; hopeless; fear of d.; drawing, lame feeling in the affected parts after exposure to cold, suppressed itch or other chronic eruption. Caust.

Hysteria: with anguish and fear of d. Mosch.

Debilitated.—Nervous excitement and restlessness followed by sick and d. feeling. Myrica.

Debility.—Chorea: hysterical d. Natr-m.

Convulsions, neuralgia, paralysis and d. in gouty constitutions. Colch.

Epilepsy: after paroxysm, great d. and prostration, with anxiety and distress in epigastrium. Aster.

Epilepsy: with neurasthenia or nervous d. Phos.

Frequent spasmodic jerking; trembling, with great d. Sulph.

Great nervous d. of all senses following night-watching, excessive use of coffee, wine, etc.; cannot walk on account of giving way of lower limbs; knees knock together. Nux-v.

Paraplegia: with emaciation, anæmia and general d. Caul.

Trembling and d., with paralytic weakness. Anac.

Trembling of limbs; nervous d. Viola-tr.

Twitching and numbness through body and limbs; nervous exhaustion (neurasthenia) and d., with prostration of mind and body. Lyc.

Weakness, d. and atonic condition of nervous system, especially in females after protracted illness or defective nutrition. Alet.

Declaiming. — Trismus and tetanus: during attack singing and d. Stram.

Deep.—Convulsions: after spasms, d. sleep with soporous breathing. Opi.

Epilepsy: after paroxysm, d., heavy sleep, with loud snoring and rattling in chest. Opi.

Deglutition.—Hysteria: with difficult d. Ign.

Paralysis of the organs of d. Bell., Canth., Caust., Cocc., Cupr., Gels., Lach., Sil., Stram.

Paralysis of vocal cords and organs of d. Gels.

Delirium.—Convulsions followed by d. Kali-chl.

Nervous tremors, in tonic and clonic spasms, epileptiform in character, with foaming at mouth, involuntary defecation, and discharge of semen, together with hallucinations and d. Absinth.

Delirium tremens (see section on Mind).—Nervous weakness; locomotor ataxia; inco-ordination; unsteady gait; reeling as if drunk; rolling and staggering; d. in first or initiative stage; face flushed; eyes red; active delirium; horrible illusions; hard, quick pulse. Kali-brom. (Give five to thirty grains once in two hours.—Burt.)

Dentition (see section on Mouth).—Chorea: exhaustion during second d. Phos.

Convulsions and other nervous affections (of children during d.). Dolich.

Convulsions during d. Millef.

Convulsions during d.; child becomes stiff, rolls eyes, distorts face, twitches, throws limbs about, clinches thumbs, bends body backwards and sideways, rattling breathing, foam at mouth, moves legs up and down alternately, grasps and reaches with hands; mouth drawn from side to side. Cham.

Convulsions during d., or from retrocession of eruptions. Cupr.

Convulsions during d., with frothing at mouth. Ign.

Convulsions (during d.), with grinding of teeth, and coldness of limbs (after over-excitement or sudden emotions). Coff.

Convulsions from reflex irritation during d., with rolling of head and varigated slimy stools. Podo.

Convulsions or spasms of nervous children during d. Mel.

Eclampsia or convulsions in children during d. Cupr.

Epileptiform spasms: in children during d., or even at an earlier period. Ign.

Epilepsy: unconsciousness, with sexual complications or during d., with symptoms of worms. Stann.

Nervousness and nightly restlessness (in children during d.). Coca.

Spasms during d.: child constantly moans or doses with half-open eyes or is cross and sleepless. Kreas.

Depression.—Chorea: convulsions, twitching and spasms of torpor and d. Ign.

Chorea: with d. of spirits. Zinc.

D. of cerebral and ganglionic nerves, causing loss of energy, both mental and physical. Bar-c.

D. of trophic system. Kreas.

Hysteria: d. and ill-feeling. Mosch.

Nervous d. (after over-work, mental anxiety, sexual excesses, or abuse of tobacco). Coca.

Derangement.—Epilepsy: mental d. Opi.

Paralysis: preceded by mental d.; trembling or tremor, spasms or by shooting, darting, intense tearing pains along large nerves with emaciation or parts affected. Plumb.

Descending.—Hysteria: feeling faint when d. Stann.

Despair.—Epilepsy: loss of memory; is low-spirited and frequently sits in d.: strabismus. Plumb.

Develop.—Epilepsy: in young persons who d. rapidly. Calc-ph.

Diaphragm.—Epilepsy: swelling of stomach as from violent spasms of d. Cic-v.

Hysteria: spasms with pain in abdomen and d. Stann.

Diarrhœa (see section on Stool).—Epilepsy: after paroxysm, headache, dizziness, sweat on head, thirst, hunger, vomiting and d. Calc-c.

Starting on being touched or on hearing sudden noise; great irritability after exhausting d. Kali-ph.

Diet.—Neuralgia: after bad d., fat pastries, gravies or fats. Puls.

Difficult.—Tetanus: respiration d. and oppressed. Phyt.

Hysteria: with d. deglutition. Ign.

Trismus and tetanus: respiration d. and oppressed. Phyt.

Difficulty.—Chorea: put tongue out with great d. Myg.

Dilated.—Catalepsy: half closed eyes, with d. pupils. Cham.

Epileptiform spasms: eyes turned downward, pupils d., staring and immoveable. Æth.

Dinner.—Hysteria: with fainting fits at d.; nausea and tremors relieved by eruption. Magn-m.

Diphtheria (see section on Throat).—Paralysis after d. Ars., Gel., Lach., Natr-m.

Paralysis after spasms or after d. Hyos.

Paralysis: during d. Phyt.

Disagreeable.—Excessive sensibility of all nerves when merely thinking (which must be continually) that someone might with finger tip or nail scratch even lightly on linen or similar material; causing a most d. sensation which thrills through patient arresting momentarily all thoughts and actions. Asar.

Disappearing.—Stitches jumping from place to place, especially in knees and ankles (Puls.); d. on motion. Cham.

Disconnected.—Catalepsy: weeps, sheds tears, stammering, words d. Stram.

Dissipation.—Hysteria: after d. or over-work with close confinement. Sil.

Distorted.—Epileptiform spasms: before paroxysm, lightning-like rushing through brain and down right side of neck into arm, which is d. and wrenched, so as to crack; muscles of face convulsively drawn; sight, speech, and consciousness lost; patient falls to ground. Chin-ars.

Epilepsy: during paroxysm patient lies as if dead, pale but warm, thumbs clinched, fists turned to and fro, arms slowly drawn up and down, mouth d. Ars.

Distorting.—Chorea: almost inconceivable motions of arms, head and legs, d. whole body and jumping about room regardless of furniture. Natr-m.

Distortion.—Chorea: d. of fac . Myg.

Chorea: d., twisting and jerking in limbs, even at night preventing sleep. Caust.

Epilepsy: wonderful d. and contortions of limbs and upper portion of body and head, jerking the patient a distance of two feet. Cic-v.

Hysteria: groaning with d. and paleness of face. Ipec.

Twitching, jerking and d. of limbs. Cina.

Distortions.—Chorea: d. commence with a shriek; tongue, œsophagus and larynx are involved, continuing through night. Cina.

Chorea: horrible d. of eyes and face. Cupr.

Chorea: movements extremely rapid and accompanied by peculiar d. of face followed by prostration and sleep. Natr-m.

Chorea: violent d. of body unaffected by sleep. Ver-v.

Convulsions, with loss of consciousness, frightful d. of limbs and whole body. Cic-v. (Agar.)

Epilepsy: falling down uncounscious; d. of features. Absinth.

Distress.—Epilepsy: after paroxysm, great debility and prostration, with anxiety and d. in epigastrium. Aster.

Disturbances.—Tremors of young persons from emotional or physical d. Physos.

Dizziness.—Epilepsy: after paroxysm, d. or vertigo. Tarant.

Epilepsy: after paroxysm, headache, d., sweat on head, thirst, hunger, vomiting and diarrhœa. Calc-c.

Trismus and tetanus: drawing of head to right side with stiffness of neck, face and jaw; d., heaviness in head; eyes weak. Lyc.

Downward.—Epileptiform spasms: eyes turned d., pupils dilated, staring and immoveable. Æth.

Shiverings of body, running from above d. Agar.

Door.—Trismus and tetanus: spasms renewed by slightest touch even from opening d. and loud talking. Cic-v.

Violent tonic spasms: curved limbs could not be straightened, nor straight limbs curved; renewed by slightest touch, by opening d. and from loud talking; each muscle perfectly rigid. Cic-v.

Dozes.—Spasms during dentition; child constantly moans or d., with half open eyes or is cross and sleepless. Kreas.

Dragging.—Epilepsy: jerking of head; d. speech with slight frothing of mouth while talking. Plumb.

Drags.—Chorea: d. legs in moving and walking. Myg.

Drawing.—Convulsions commencing with cramps in lower extremities and d. in of fingers and toes, throwing about of limbs, frothing at mouth, and choking in throat. Cupr.

Trismus and tetanus: d. of head to right side with stiffnesss of neck, face and jaw; dizziness; heaviness of head; eyes weak. Lyc.

Drawn.—Convulsions of children with much tenacious mucus in throat, sometimes thick, gelatinous, which can be d. out in strings. Kali-bi.

Epileptiform spasms: before paroxysm; muscles of face convulsively d.; sight, speech, and consciousness lost; patient falls to ground. Chin-ars.

Neuralgia: pains as if red-hot wire were d. along nerve. Ars.

Spasms of arms and hands; thumbs d. in. Arum.

Draws.—Tetanus: stretches and writhes and then d. limbs together. Ars.

Dreams (see section on Sleep).—Epilepsy: during interval, vertigo; headache; heat in head; trembling of tongue and limbs; curious d. at night. Lach.

Trismus and tetanus: dry and stuffed-up nose; sleep restless and full of anxious d. Lyc.

Drink.—Convulsions (with dysuria), bright light, d. or sound of falling water, touching larynx or painful part cause renewal of spasms. Canth.

Drinking.—Spasms in children after fright or from worms; child pale, cold; fixed, staring look; occasional screams; vomits food; preceded by d. Ign.

Drop.—Chorea: objects d. from hands. Ign.

Drops.—Chorea: d. head suddenly to shoulder. Myg.

Chorea: nervous weakness, is awkward, hesitates and d. things. Natr-m.

Hysteria: cannot sit down slowly, d. down, but raises without difficulty. Stann.

Drowsiness.—Convulsions (of children); paroxysm preceded by d. Glon.

Epilepsy: after paroxysm, warm perspiration: d. Sil.

Epilepsy: attack very severe lasting for hours followed with great d. and lassitude. Plumb.

Epilepsy: d. with starting, screaming, groaning, weeping, tears drop out of eyes; foam at mouth. Sil.

Drowsy.—Epilepsy: is listless and d. during day with itching of skin without eruption. Opi.

Drugs.—Paralysis: absence of vital reaction and susceptibility to d. Opi.

Drunk.—Chorea: reeling, staggering gait, as if d. Kali-brom.

Nervous weakness: locomotor ataxia; inco-ordination; unsteady gait; reeling as if d.; rolling and staggering; delirium tremens in first or initiative stage; face flushed; eyes red; active delirium; horrible illustions; hard quick pulse. Kali-brom. (Give five to thirty grains once in two hours.—Burt.)

Drunkards.—Paralysis: after apoplexy in d. Opi.

Trembling all over, mostly in hands of d.; great excitement with trembling of bowels generally. Nux-v.

Dry.—Trismus and tetanus: contorted eyes, face changing color, now red and again pale, throat feels d. and stiff. Acon.

Dryness.—Hysteria: great d. of mouth. Nux-m.

During.—Epilepsy: d. interval, anxiety; tendency to be frightened; burning in chest and abdomen, with chilliness of rest of body; burning and tearing in small of back; numbness of arms. Cupr.

Epilepsy: d. interval, tearing and beating in right eye, which weeps and seems protruded. Hyos.

Epilepsy: d. paroxysm, convulsive motions; weeping; soporous sleep; great exhaustion; jerking in arms and about mouth. Sulph.

Epilepsy: d. paroxysm, face livid or purple; falls suddenly to ground with shrieks; projecting eyes; grinding of teeth; foaming at mouth; urination. Hyos.

Epilepsy: d. paroxysms, fingers become dead; involuntary discharge of urine; bluish color at pit of stomach and over chest; chest and head covered with perspiration; limbs spread to sides and mouth open; or limbs and trunk become rigid and jaws closed. Cupr.

Epilepsy: d. paroxysms, patient lies as if dead, pale but warm, thumbs clinched, fists turned to and fro, arms slowly drawn up and down, mouth distorted. Ars.

Epilepsy: d. paroxysm, red face; biting of tongue; drawing head to one side; involuntary discharge of urine; screams; violent movements of limbs; gnashing of teeth; smiling or weeping; eyes half open (paresis of upper lids), with staring look. Caust.

Epilepsy: d. paroxysm, rigidity, with twitching of limbs. Dros.

Epilepsy: d. paroxysm, severe spasms of glottis; feeling as if must move about or heart would stop beating. Gels.

Epilepsy: d. paroxysm, squinting of eyes which remain open. Tarant.

Epilepsy: d. paroxysm, tossing limbs, clinching thumbs. Stann.

Dyspepsia.—Nervous exhaustion; neurasthenia (Ambr., Ars., Aur., Bar-c., Bism., Bry., Can-ind., Cina, Clem., Coff., Gels., Ign., Mosch., Nux-m., Nux-v., Opi., Phos., Plumb., Rhus-t., Zinc.), with d. Hydroc-ac.

Nervousness, with d. Abies-n.

Dyspnœa (see section on Chest).—Chorea; tetanic convulsions and d. Ign.

Hysteria: spasms alternating wirh catalepsy or d.; sexual erethism. Plat.

Dysuria (see section on Urinary Organs).—Convulsions (with d.): bright light, drink or sound of falling water, touching larynx or painful part cause renewal of spasms. Canth.

Ears (see section on Ears).—Epilepsy: before paroxysm, sparks from eyes; ringing in e.; vertigo; gnawing and sensation of hunger at pit of stomach. Hyos.

Epilepsy: burning in stomach and spinal marrow, with sensation as if paroxysm commenced in spinal marrow and moved thence to behind e. and into brain, after which patient becomes giddy, with vertigo. Ars.

Epilepsy: ringing in e. Bell.

Paralysis: of legs, worse in morning, with heaviness of head and ringing in e. Sil.

Earth.—Hysteria: craving for fat, herring, chalk, lime, e. Nitr-ac.

Earthy.—Chorea: pale, yellowish, e. face. Cina.

Epilepsy: after paroxysm, e. color of face. Plumb.

Eating (see section on Stomach).—Chorea: worse after e. Ign.

Epileptiform spasms: globus hystericus which causes nausea when e. Puls.

Hysteria: headache every morning without appetite for breakfast and nausea after e. Nux-v.

Eats.—Epilepsy: during interval, e. heartily, yet loses flesh; enlarged abdomen. Calc-c.

Eclampsia (see Convulsions, Spasms).—E. (in children). Bell.

E. (of suckling or teething children). Art-v.

E. or convulsions in children during dentition. Cupr.

Eczema (see section on Skin).—Epilepsy: with or followed by suppression of e. Kali-chl.

Efforts.—Hysteria: suffocating sensations, with constant e. to remove all external pressure from throat and chest. Lach.

Elastic.—Paralysis: limbs feel as if bound by an e. bandage. Pic-ac.

Elbow (see section on Upper Extremities).—Paralysis: loss of sensation in lower arms as far as e. and in lower limbs to gluti. Phos.

Electric.—Epilepsy: e. shocks. Cic-v.

Epilepsy: spasms through whole body coming like e. shocks. Cocc.

Epilepsy: suddenly seized with e. shock, becoming insensible, foaming at mouth, which is drawn to left side. Art-v.

Electricity.—Convulsive shocks, like e., through body. Arg-m.

Emaciation (see section on Generalities). — Chorea: e. or wasting away. Laur.

Nervous restlessness and anxiety, with rapid e. and burning thirst for small quantities of water. Ars.

Neuralgia: in many parts of body, with anæmia, weakness and e. Phos.

Paralysis: preceded by darting, intense tearing pains along large nerves, with e. of parts affected. Plumb.

Paraplegia: with e.; anæmia and general debility. Caul.

Emissions (see section on Male Sexual Organs).—Epilepsy: nightly e. or onanism, with great weakness of genitals. Dig.

Epileptiform convulsions: leucorrhœa or seminal e. Lach.

Emotion.—Convulsions: spasms in children following e., fright, anger, continual crying. Opi.

Paralysis after great mental e. and night-watching. Ign.

Emotional (see section on Mind).—Chorea: e., with fearful contortions and jactitations when awake. Laur.

Paralysis: e. chorea. Opi.

Spasms after fright, anger or other e. causes in plethoric persons. Kali-brom.

Tremors of young persons from e. or physical disturbances. Physos.

Emotions (see section on Mind).—Chorea: after intermittent, sexual excesses or nervous exhaustion, anger or e. Natr-m.

Convulsions: after anger or other e. Nux-v.

Convulsions: after over-excitement or sudden e. Coff.

Epilepsy: with jealousy, disappointed love, grief, great e. or intemperance. Hyos.

Paralysis: after e., spasms, or onanism. Stann.

Paralysis: after mental e. Arn., Ign., Natr-m., Stann.

Emprosthotonos.—Convulsions: opisthotonos and e., with consciousness. Nux-v.

Chorea: throws body backward and forward while lying, like constant change from opisthotonos to e. Bell.

Endocarditis (see section on Heart).—Chorea, with rheumatic pains, attended with acute e. or pericarditis. Agar. (Cimicif., Iod.)

Endurance.—Stimulation of nerve center, causing great physical vigor and e. in spite of slight nourishment or little sleep. Coca.

Energy.—Depression of cerebral and ganglionic nerves, causing loss of e., both mental and physical. Bar-c.

Engorgement. — Paraplegia: with misplacement or e. of uterus. Caul.

Enteric.—Infantile paralysis, with complete relaxation of whole muscular system with e. paralysis. Gels.

Epigastrium (see section on Abdomen). — Convulsions: with aura from e. Nux-v.

Epilepsy: after paroxysm, great debility and prostration, with anxiety and distress in e. Aster.

Hysteria: crawling in hands and feet extending to e. where there is pressure, anxiety and nausea. Nux-v.

Epilepsy.—E.: after fright (Agar., Arg-m., Art-v., Bufo, Gels., Opi., Stram.); during menses. Arg-n. (Cimicif.)

E.: after fright; sudden paroxysm with screaming; constantly thrusting head in quick succession to right side; continual rotary motion with left arm; pain in pit of stomach; obstinate constipation; deep snoring sleep; low-spirited; fear of death; desire to be alone. Stram.

E.: after grief. Art-v.

E.: after local irritation of nerves or when very much excited; stiffness of limbs; hands and feet clinched; twitchings. Magn-ph.

E.: after sexual excess or onanism. Phos.

E.: after paroxysm, extreme prostration and loss of memory. Gels.

E.: after paroxysm, soporous condition; closing of eyes; exhaustion; noise in head. Caust.

E.: after vexation, fright, onanism, or suppression of eruption; before paroxysm, chewing motion of mouth, stretching of limbs, great restlessness, palpitation of heart, feeling as if something were running in arm, or from pit of stomach down through abdomen into feet; paroxysm commences with vertigo, loss of consciousness, sometimes without convulsions, pharyngeal spasm, followed by desire to swallow; after paroxysm, headache, dizziness, sweat on head, thirst, hunger, vomiting and diarrhœa; during interval, stupid, peevish, anxious, pale puffed face, perspiration on head, difficult hearing, eats heartily, yet loses flesh, enlarged abdomen, swelling of glands about neck. Calc-c.

E.: alternate redness and paleness of face. Œnanth.

E.: at puberty, occurring every forty-eight hours; with menstrual disturbances; after cooling off while over-heated from dancing; after fright; after grief; constantly picking with fingers; day before attack excitable and irritable; suddenly seized with electric shock, becoming insensible, foaming at mouth, which is drawn to left side; after paroxysm, laceration of tongue and left side numb. Art-v.

E.: attacks followed by delirious rage, jumping about and striking those near. Arg-m.

E.: aura begins in knees, ascends to hypogastric region when unconsciousness occurs; foaming at month and falling down convulsed; soon as patient goes into high ceiling room head reels and loses consciousness. Cupr-ac.

E.: aura begins in toes or feet and extends upwards. Gels.

E.: becomes suddenly sleepy and falls to floor, sleep lasts one or two minutes when subject rises and goes to work; painful spot in abdomen in region of solar plexus; pressure upon this spot renews paroxysm; during interval, constipation; headache every morning without appetite for breakfast and nausea after eating. Nux-v.

E.: before and at time of spasm, congestion to head, with throbbing in temples; convulsions commence in arm; during spasm, right hand clutches at thumb; after and during intervals between paroxysms, peevish, angry, scolding, swearing, fearful and full of anxiety; vertigo; ringing in ears; headache, with twitching in face; red face; dilated pupils; jerking and starting during sleep. Bell.

E.: before attack frequent twitching for several days over body; paroxysm commences with shocks in limbs, sudden falling, livid face, convulsive motion of jaws, froth at mouth and loss of consciousness; after paroxysm, great debility and prostration, with anxiety and distress in epigastrium. Aster.

E.: before or during menses. Cupr.

E.: before paroxysm, absentminded; confused; patient goes to sleep and is seized with spasms; creeping sensation from nape of neck down spinal column; giddy headache; feeling of obstruction about throat, as if must tear it away; stomach and bowels bloated; feet cold; during paroxysm throws head backward; froth at mouth; clinched hands; throwing and striking about with hands and feet; during interval, vertigo; headache; heat in head; trembling of tongue and limbs; curious dreams at night. Lach.

E.: before paroxysm, colic; after paroxysm, sopor; during paroxysm, foam at mouth. Cham.

E.: before paroxysm, furious, excitable; easily angered during interval; exceeding melancholy and timid; gloomy, but endeavoring to hide it; spending night alone to hide it; paroxysm begins suddenly; falls down or out of chair convulsed all over; convulsive movements followed by rigid condition of body; originating from plexus solaris or from abdominal ganglia, or from cold or fright; exceeding nervous irritation (subsultus tendinum); jerking and twitching. Ind.

E.: before paroxysm, nausea, retching and throwing up phlegm; bloated abdomen; drawing sensation in left arm, arm drawn involuntarily close to body; formication and tearing in right hand; shuddering; goose-flesh; palpitation of heart; paroxysm commences with sudden shrieks and falling, sometimes without any premonitory signs; during paroxysm, fingers become dead; involuntarily discharge of urine; bluish color at pit of stomach and over chest; chest and head covered with perspiration; limbs

spread to sides and mouth open; or limbs and trunk become rigid and jaws closed; after paroxysm, weeping; profuse discharge of clear watery urine; trembling and jerking of right hand; sleep; during interval, anxiety; tendency to be frightened; burning in chest and abdomen, with chilliness of rest of body; burning and tearing in small of back; numbness of arms; recurring at short intervals. Cupr.

E.: before paroxysm, pain at base of brain, with prostration and tired feeling; aura begins in toes or feet and extends upwards; during paroxysm, severe spasms of glottis; feeling as if must move about or heart would stop beating; after paroxysm, extreme prostration and loss of memory. Gels.

E.: before paroxysm, sparks from eyes; ringing in ears; vertigo; gnawing and sensation of hunger at pit of stomach. Hyos.

E.: before paroxysm, vertigo; swelling of tongue which hangs from mouth and is bitten; heaviness and numbness of legs; long-continued, stupid feeling in head, with semi-consciousness; no aura, but sighing may precede attack; after paroxysm, stupid feeling in head and prolonged snoring sleep; consciousness returns slowly and symptoms of paralysis remain; earthy color of face; stupor; paroxysm at first seldom and irregular but soon become regular and coincident with menses; attack very severe, lasting for hours, followed with great drowsiness and lassitude; menstruation exceedingly painful, apprehensien of which fills patient with fear; loss of memory; is low-spirited and frequently sits in despair; strabismus; jerking of head; dragging speech, with slight frothing of mouth while talking; anæsthesia or excessive hyperæsthesia. Plumb.

E.: biting of tongue; loud cries, falls; clonic spasms of limbs; frothing at mouth, rolling of eyes, clinched thumbs; alternate redness and paleness of face; involuntary stools and urination without aura; after paroxysm, lassitude, sleep; with prostration; memory impaired. Œnanth.

E.: commencing with sudden scream. Cupr.

E.: congestion of blood to head; loss of consciousness; jerking of limbs; during paroxysm, spreads fingers and toes. Glon.

E.: convulsions preceded by sensation of warm air streaming up spine into head; burning in stomach and spinal marrow, with sensation as if paroxysm commenced in spinal marrow and moved thence to behind ears and into b., after which patient becomes giddy, with vertigo, loss of consciousness and falling down; or paroxysm commences with beating about of arm and ends with jerk through whole body; opisthotonos; foaming at mouth; during paroxysm, patient lies as if dead, pale but warm, thumbs clinched, fists turned to and fro, arms slowly drawn up and down, mouth distorted. Ars.

E.: convulsive agitation of mouth and eyes. Bufo.

E.: dreadful shrieks; throwing body backward; endeavoring to tear everything within reach. Camph.

E.: during interval, anxiety; tendency to be frightened; burning in chest and abdomen, with chilliness of rest of body; burning and tearing in small of back; numbness of arms. Cupr.

E.: during paroxysm foam at mouth. Cham.

E.: during paroxysm, fingers become dead; involuntary discharge of urine; bluish color at pit of stomach and over chest; chest and head covered with perspiration; limbs spread to sides and mouth open, or limbs and trunk become rigid and jaws closed. Cupr.

E.: during paroxysm, rigidity, with twitching of limbs; after paroxysm, hæmoptisis and sleep. Dros.

E.: during paroxysm, spreads fingers and toes. Glon.

E.: during paroxysm, squinting of eyes which remain open; after paroxysm, dizziness or vertigo. Tarant.

E.: during paroxysm, tossing of limbs, clinching thumbs; opisthotonos; unconsciousness, with sexual complications or during dentition, with symptoms of worms. Stann.

E.: during puberty or new moon; scanty menses and leucorrhœa; after suppressed scabies or eruption, protracted intermittent, or softening of brain; before paroxysm, imbecility; heat of head, followed by sweat all over; pressure in pit of stomach extending over chest and hindering breathing; colic and headache; during paroxysm, red face; biting of tongue; drawing head to one side; involuntary discharge of urine; screams; violent movements of limbs; gnashing of teeth; smiling or weeping; eyes half open (paresis of upper lids), with staring look; after paroxysm, soporous condition; closing of eyes; exhaustion; noise in head; during interval, sour or sweetish, badly-tasting eructations, like ink, or rotten wood; pain in small of back; constant coldness of shoulders and joints of feet; great restlessness; wanting to run away; small, round, soft lumps on scalp; sweat on head; nose stopped; tongue coated white on both sides; trembling of limbs; sometimes two paroxysms in succession, or attack lasting twelve hours; renewal of paroxysm by cold water. Caust.

E.: emotional, with fright or suppressed grief, especially in children; after fright; convulsive movements in limbs; spasmodic closure of jaws; faillng down unconscious; thumbs turned into palms; foaming in mouth, terminating in great lassitude or sleep; melancholy expression of face; great thirst after consciousness is restored; during interval, silent, stupid, with jerking and twitching of muscles; trembling of tongue; neuralgic pains and other morbid sensations over different parts of body. Ign.

E.: especially in nervous women, with paralytic weakness and suppressed or scanty menses. Cocc.

E.: endeavoring to tear everything within reach. Camph.
E.: every seven days. Agar.
E.: exaltation of all powers of mind and body before paroxysm. Can-ind.
E.: extraordinary strength of muscles; after fright; every seven days; from suppressed eruptions; falls and lies almost motionless; attacks preceded by nictitation of eyelids. Agar.
E.: falling down unconscious; distortions of features; spasms of limbs; bloody foam at mouth; biting of tongue; throwing of limbs about (Cic-v.); very weak afterward. Absinth.
E.: following nervous shock, ending in falling down rigid and pulseless, reviving after half hour and acting as if insane; trembling, especially hands while writing, all over body or single limbs; with neurasthenia or nervous debility; with weakness or paralysis; after sexual excess or onanism. Phos.
E. from suppressed eruptions. Agar.
E.: hiccough. Cic-v.
E.: in children with intestinal irritation; paroxysms occurring at night. Cina.
E.: in persons of psoric taint or after suppressed itch; before paroxysm, sensation of crawling and running, as if a mouse were running up arms to back, or sudden feeling as if mouse were running from right foot up leg to right side of abdomen; during paroxysm, convulsive motions; weeping; soporous sleep; great exhaustion; jerking in arms and about mouth. Sulph-ac.
E.: involuntary stools and urination without aura. Œnanth.
E.: in young persons who develop rapidly. Calc-ph.
E.: loss of consciousness; retractions of thumbs; foam at mouth. Staph.
E.: low-spirited; fear of death; desire to be alone. Stram.
E.: nightly emissions or onanism, with great weakness of genitals. Dig.
E.: occurring at onset of septic, zymotic, exanthematous, or puerperal disease; face bloated and livid, with frothy, sanguineous saliva; trembling of limbs; loss of consciousness; sensation of tight constriction of throat. Crotal.
E.: originating from plexus solaris or from abdominal ganglia, or from cold or fright. Ind.
E.: paroxysm at night, generally at eleven o'clock, after a little sleep; mental derangement; biting of tongue; face puffed, purple; eyes dull and turned upward, lids half closed; after paroxysm, deep, heavy sleep with loud snoring and rattling in chest; paroxysm repeated frequently during night, wakens morning lame and tired but unconscious of not having had a quiet night's sleep; is listless and drowsy during day, with itching of skin without eruption; indifferent to surroundings, prefers to be alone; constipated. Opi.

E.: paroxysm at night, returning at regular intervals; before or during menses; commencing with sudden scream; unconsciousness; throwing body upward and forward; coldness of hands and feet; face livid; clinching of thumbs; emission of urine; piercing, violent screaming. Cupr.

E.: paroxysm comes on while standing or walking; frequent and sudden falling down with consciousness. Magn-c.

E.: paroxysm commences with vertigo, loss of consciousness, sometimes without convulsions, pharyngeal spasms, followed be desire to swallow. Calc-c.

E.: paroxysms come on in sleep and are followed by severe pain and pressure in top of head; are very severe and followed by deep sleep; when occurring during day patient falls to ground unconscious, with wild, startling cry, followed by spasms in limbs, turgescence and distortion of muscles of face, face livid, grinding of teeth and bloody foam or saliva at mouth ending in loud, snoring sleep; usually occurring in those who have practiced masturbation, or after fright; convulsive agitation of mouth and eyes; bites tongue; involuntary emission of urine; shocks through body; copious perspiration running down face. Bufo.

E.: paroxysm every two or three weeks, usually in morning; before paroxysm, staring of eyes, turning head to left side; feeling as if floating in air; loss of consciousness; noise in head and difficult hearing; with deep sleep; during intervals flushes of heat; is restless must move about. Sep.

E.: paroxysms followed by deep sleep. Hell.

E.: piercing, violent screaming. Cupr.

E.: recurring at short intervals. Cupr.

E.: screaming (Cic-v.); foaming at mouth; unconsciousness; tossing about; great tendency to start; feels frightened at least noise. Lyc.

E.: sometimes two paroxysms in succession lasting twelve hours. Caust.

E.: spasms through whole body coming like electric shocks; especially in nervous women, with paralytic weakness and suppressed or scanty menses. Cocc.

E.: swelling of stomach, as from violent spasms of diaphragm; hiccough; screaming; redness of face; trismus; loss of consciousness; wonderful distortions and contortions of limbs and upper portion of body and head, jerking patient a distance of two feet; bluish face; irregular respiration; froth at mouth; eyes staring upon one point; electric shocks; trembling; limbs, head and upper portion of body move in a strange manner with jaws set; after paroxysm when breathing has become free, there is loss of consciousness, patient lying as if dead, remaining insensible, even when touched or pinched. Cic-v.

E.: unconsciousness. Cupr.

E.: undulating sensations spring from solar plexus to brain; spasms appear at night or during new moon; before paroxysm, feeling of great coldness of left side; shaking and twitching of left arm; drowsiness, with starting, screaming, groaning, weeping, tears drop out of eyes; foam at mouth; after paroxysm, warm perspiration; drowsiness; paralysis of right side; convulsions after vaccination. S.l. (Thuja.)

E.: with jealousy, disappointed love, grief, great emotions or intemperance; before paroxysm, sparks from eyes; ringing in ears; vertigo; gnawing and sensation of hunger at pit of stomach; during paroxysm, face livid or purple; falls suddenly to ground with shrieks; projecting eyes; grinding of teeth; foaming at mouth; urination; after paroxysm, soporous snoring; during interval, tearing and beating in right eye, which weeps and seems protruded; paroxysms so violent that it seems as if joints or spine would be broken; renewed by attempt to swallow fluids. Hyos.

E.: with or followed by suppression of eczema. Kali-c.

E.: with prostration. Œnanth.

Epileptiform.—E. symptoms with aura epileptica, with congestion to head and heart. Glon.

Nervous tremors, in tonic and clonic spasms, e. in character, with foaming at mouth, involuntary defecation, and discharges of semen, together with hallucinations and delirium. Absinth.

Epileptiform spasms.—E.: after suppression of menses. Millef.

E.: before menses, which are too light and scanty, with swelling of abdomen; headache, more over right eye; globus hystericus which causes nausea when eating; violent tossing of limbs followed by relaxation; desire to vomit and eructations after suppression of menses; violent trembling all over. Puls.

E.: before paroxysm hands get lame; nausea, followed by chill; gaping; faint feeling and headache with loss of consciousness; during paroxysm, winking with eyelids, twisting of head, loud screaming; face changing in color, now pale, nor red; froth at mouth; collections of tough tenacious mucus in mouth and throat which can be drawn out in strings. Kali-bi.

E.: before paroxysm, lightning-like, rushing through brain and down right side of neck into arm, which is distorted and wrenched, so as to crack; muscles of face convulsively drawn; sight, speech, and consciousness lost; patient falls to ground; after paroxysm, cold sweat, loud eructations and great prostration. Chin-ars.

E.: before paroxysm, stares at one spot then loses consciousness, falls down writhing and muttering incoherent words; involuntary discharge of urine; spasmodic, paroxysmal, convulsive movements of limbs and body; clinching of fingers, hand being stretched out; choking in throat; mouth half open; with foam at mouth

in shape of bubble; hands cold; face covered with cold sweat and distorted; eyes look glassy and protruded; after paroxysm, rises without speaking to anyone or answering any questions; clinches teeth; looks at those around; tries to push away those surroundlng; face having expression of wild rage; finally groans and moans. Cocc.

E.: cerebral congestion; scanty or suppressed menses; hands clinched, thumbs in palms; face red; eyes turned upward. Glon.

E.: clinched thumbs; red face; eyes turned down, pupils dilated, staring and immoveable; foam at mouth; teeth set. Æth.

E.: following onanism or otherwise connected with sexual functions; with great lewdness; jealousy; leucorrhœa or seminal emissions; during climacteric. Lach.

E.: frequent and violent spasms. Kali-brom.

E.: hot and viscid sweat on forehead and scalp. Camph.

E.: in children during dentition, or even at an earlier period; child is suddenly seized with spasms resembling epilepsy; often occurring without apparent cause or appear after child has been reprimanded and put to bed; twitching begins at corners of mouth so the child appears to smile, then spasms affect muscles of face, forehead and eyes; fixed or staring look, with dilated pupils; frothing at mouth, biting tongue or cheeks, teeth firmly clinched and immoveable; trismus; twitching of arms, after which child is covered with sweat and has every symptom of congestion of brain, followed by soporous sleep from which it is wakened by renewed spasms. Ign.

E.: loss of self-control and consciousness to a degree; jumps up suddenly; turns over objects; tears clothing or cuts buttons off; this condition continues for a few minutes when recovers normal condition as quickly as it was lost and remembers nothing of what occurred; sometimes persons are subject to "funny spells," sudden shrieks, throws up hands; eye-balls twitch or turn up, and body and limbs jerk and twitch, this condition produced by diseased condition of ovaries or uterus. Œnanth.

E. (of children). Art-v.

E.: scanty or suppressed menses. Glon.

E.: twitching of limbs, tongue and muscles of face; hot and viscid sweat on forehead and scalp; sopor after attack. Camph.

E.: twitching of muscles; trembling of limbs with oppression of breathing after fright or anger. Ran-b.

E.: with foam at mouth; limbs stiff; hands clinched but not drawn in; grinding of teeth; after paroxysm, takes deep breath but trembles all over; complains of great lassitude and severe headache. Laur.

E.: with shrieks; opisthotonos; face pale, puffed; nausea and vomiting. Ipec.

Hysteria, with e. (during menses); paroxysms come on in morning and evening at same hours; giddiness followed by falling down and most distressing convulsions, with insensibility, closed teeth and frothy secretions from mouth. Cedron.

Hysterical or e. at puberty. Caul.

Tetanic or e., followed by coma. Canth.

Eructation (see section on Stomach).—Hysteria: with fainting fits at dinner; nausea and tremors relieved by e. Magn-m.

Epilepsy: during interval, sour or sweetish, badly-tasting e., like ink, or rotten wood. Caust.

Epileptiform spasms: after paroxysm, cold sweat, loud e. and great prostration. Chin-ars.

Epileptiform spasms: desire to vomit and e. after suppression of menses. Puls.

Eruption (see section on Skin).—Chorea: e. on lower extremities, generally on calf. Kali-brom.

Convulsions: in whooping-cough, from suppressed e., or indigestible food. Ipec.

Epilepsy: after vexation, fright, onanism, or suppression of e. Calc-c.

Hemiplegia: suppressed itch or other chronic e. Caust.

Eruptions.—Chorea: after fright or suppressed e. Zinc.

Chorea: e. like ring-worms on skin every spring. Sep.

Convulsions of children during dentition, or from retrocession of e. Cupr.

Paralysis: after suppressed e. Caust., Dulc., Hep-s.

Evening (see section on Generalities).—Hysteria, with epileptiform convulsions (during menses); paroxysms come on morning and e. at same hour. Cedron.

Exaltation.—Epilepsy: e. of all powers of mind and body before paroxysm. Can-ind.

Hysteria: nervous e. Lach.

Exanthematous.—Epilepsy: occurring at onset of septic, zymotic, e., or puerperal disease. Crotal.

Excesses.—Paralysis: after e. Nux-v.

Excitable.—Epilepsy: before paroxysm, furious, e. Ind.

Epilepsy: day before attack e. and irritable. Art-v.

Excitability.—Excessive nervous e. Coff.

Great nervous e.; jerking, twitching and trembling. Camph.

Irritability, e. and sensitiveness of nervous system; twitching of nervous system; twitching of muscles. Iod.

Morbid e. of nervous system producing contraction of muscles. Apis.

Reflex e. or sleeplessness during teething or whooping-cough or laryngismus stridulus or nephritis. Kali-brom.

Excited (see section on Mind).—Chorea: e. and sensitive, with intense acuteness of all special senses and increase of susceptibility to external impressions mentally and physically. Ign.

Epilepsy: after local irritation of nerves or when very much e. Magn-ph.

Trembling when e., with weak, sickly feeling. Abies-n.

Excitement.—Catalepsy: after religious e. Stram., Sulph., Ver-a.

Chorea: after mental e. or fright. Bell.

Chorea: by fright or other mental e. Ign.

General nervous e. Coff-t.

Great nervous e. Caul.

Hysteria: nervous e. of heart. Mosch.

Hysteria: sexual e. Stram.

Nervous e. and restlessness, followed by sick and debilitated feeling. Myrica.

Nervous e., followed by weakness, tremulousness and exhaustion. Coca. (China.)

Paralysis: atrophy following severe e. Phos.

Trembling all over, mostly in hands of drunkards; great e., with trembling of bowels generally. Nux-v.

Trembling of hands and tongue; trembling and weakness after least e.; tremors always commencing in fingers; involuntary motions which cannot be momentarily controlled by the will; paralysis agitans. Merc.

Trembling with e. after over-exertion and pain. Cocc.

Trismus and tetanus: great e. and nervousness. Bell.

Exercise.—Chorea: twitching and convulsive movements excited by e. of will. Agar.

Paralysis; worse after slow e. Stann.

Weak and nervous, with palpitation after little e. Chin-s.

Exercised.—Paralysis: incomplete, power of motion not entirely gone but prevented by painful twitchings and spasmodic contractions whenever affected parts are e. Nux-v.

Exertion.—Neurasthenia or cerebro-spinal exhaustion from over-work; after continued grief; over e. of mind and body; or sexual excesses; or in young persons growing too rapidly. Opi.

Paralysis: after bodily e. Ars., Arn., Rhus-t.

Exhausted.—Catalepsy: after attack much e. and obliged to sit. Art-v.

Exhaustion.—Chorea: e. during second dentition. Phos.

Chorea: paralysis after intermittents, sexual excesses or nervous e., anger or emotions. Natr-m.

Epilepsy: after paroxysm, soporous condition; closing of eyes; e.; noise in head. Caust.

Epilepsy: during paroxysm, great e. Sulph.

E. and faintness, as if paralyzed. Coni.

E. of vital forces (Caps., Carb-ac., Laur.), with cold surface, especially below knees to feet; lies as if dead; breath cold; cold sweat on limbs. Carbo-v.

E. of vital forces, with loss of power to react. Caps. (Carbo-v., Laur.)

E. of vital forces (Caps., Carbo-v., Laur.), with profound prostration or collapse; surface pale and bathed in cold sweat. Carb-ac.

Nervous excitement, followed by weakness, tremulousness and e. Coca. (China.)

Nervous e. after long-continued grief. Ign.

Nervous e.; neurasthenia (Ambr., Ars., Aur., Bar-c., Bism., Bry., Can-ind., Cina, Clem., Coff., Gels., Ign., Mosch., Nux-m., Nux-v., Opi., Phos., Plumb., Rhus-t., Zinc.), with dyspepsia. Hydroc-ac.

Neurasthenia: nervous e. after over-work and anxiety. Hydroc-ac.

Neurasthenia or cerebro-spinal e. from over-work; after continued grief; over-exertion of mind and body; or sexual excesses; or in young persons growing too rapidly. Opi.

Paraplegia from e. Arg-n.

Paralysis: left side, after apoplexy from cerebral e. Lach.

Sudden and great prostration, e. of vital forces. Crotal.

Tetanus: spasms with full consciousness, followed by great e. Sec.

Exposure.—Epileptiform spasms: e. to least breath of air, even by person passing would induce spasm. Physos.

Hemiplegia: drawing, lame feeling in affected parts after e. to cold. Caust.

Tetanus, with spasms produced by e. to least breath of air. Physos.

Expression.—Chorea: idiotic e. of face. Laur.

Epilepsy: melancholy e. of face. Ign.

Epileptiform spasms: after paroxysm, face has e. of wild rage. Cocc.

Extended.—Tetanus: extremities stiff; hands firmly closed, feet e. and toes flexed. Phyt.

External.—Chorea: entire nervous system morbid, excited and sensitive, with intense acuteness of all special senses and increase of susceptibility to e. impressions, mentally and physically. Ign.

Great sensitiveness of nervous system to all e. impressions, so that slightest pressure on skin produces intense and long-continued pain. Agar.

Extremities (see section on Extremities).—Catalepsy: cold e. Cham.

Clonic spasms of e., with loss of consciousness. Dolich.

Convulsions commencing with cramps in lower e. and drawing in of fingers and toes, throwing about of limbs, frothing at mouth and choking in throat. Cupr.

Great trembling of e., with gastric derangement. Dory.

Paralysis of tongue and e.; arm feels icy cold. Dulc.

Paraplegia: with cold feeling in e. and œdema of feet. Cocc.

Trismus and tetanus: e. stiff; hands firmly closed; feet extended and toes flexed; pupils dilated; teeth clinched; lips firmly everted. Phyt.

Exudation.—Paralysis: from traumatism or in consequence of e. in brain and spine. Arn.

Eye (see section on Eyes).—Epilepsy: during interval, tearing and beating in right e., which weeps and seems protruded. Hyos.

Eyeballs.—Epileptiform spasms: e. twitch or turn up, and body and limbs violently jerk and twitch this condition produced by diseased condition of ovaries or uterus. Œnanth.

Eyelids.—Chorea: nictitation of e., redness of inner canthus of eyes, flowing of tears from eyes. Agar.

Chorea: snaping of e. Magn-ph.

Epileptiform spasms: during paroxysm, winking with e., twisting of head, loud screaming. Kali-bi.

Epilepsy: attacks preceded by nictitation of e. Agar.

Hysteria, with paresis of upper e. Caust. (Gels.)

Paralysis: of e. Caust., Gels., Sep., Spig., Ver-a.

Eyes.—Catalepsy: half-closed e., with dilated pupils. Cham.

Chorea: dark rings around e. Cina.

Chorea: horrible distortions of e. and face. Cupr.

Chorea: mouth and e. open and shut in rapid succession over which has no control. Myg.

Chorea: twitching of e. and shaking of head. Ign.

Convulsions during dentition; child becomes stiff, rolls e. Cham.

Convulsions: frothing at mouth, e. half open, pupils dilated and insensible to light, face dark red and hot. Opi.

Convulsions of children: e. rolled outward and upward. Glon.

Epilepsy: after paroxysm, soporous condition; closing of e.; exhaustion; noise in head. Caust.

Epilepsy: before paroxysm, sparks from e. Hyos.

Epilepsy: before paroxysm, staring of e., turning head to left side. Sep.

Epilepsy: convulsive agitation of mouth and e. Bufo.

Epilepsy: weeping, tears drop out of e.; foam at mouth. Sil.

Epilepsy during paroxysm, projecting e. Hyos.

Epilepsy: during paroxysm, red face; e. half open (paresis of upper lids), with staring look. Caust.

Epilepsy: during paroxysm, squinting of e. which remain open. Tarant.

Epilepsy: e. dull and turned upward, lids half closed. Opi.

Epilepsy; e. staring upon one point. Cic-v.

Epilepsy: frothing at mouth, rolling e., clinched thumbs. Œnanth.

Epileptiform spasms: before paroxysm, stares at one spot, e. look glassy and protruded. Cocc.

Epileptiform spasms: e. turned downward, pupils dilated, staring and immoveable. Æth.

Epileptiform spasms: e. turned upwards. Glon.

Epileptiform spasms: twitching begins at corners of mouth so child appears to smile, then spasms affect muscles of face, forehead and e. Ign.

Hysteria: staring of e. Mosch.

Hysteria: suddenly becomes rigid, twitching in face, constriction of fingers, distorted e. Mosch.

Paralysis from disease of spine; cannot walk with e. closed. Alu.

Paralysis: jerking and twitching of nerves in face around e. Phos.

Severe clonic spasms every few moments; least motion, moving fingers or e., touching lips with spoon brought on spasm. Nux-v.

Spasms during dentition: child constantly moans or dozes with half-open e. or is cross and sleepless. Kreas.

Tetanus: e. blurred and dancing; pupils contracted; teeth clinched. Phyt.

Trismus and tetanus: contorted e., face changing color, now red and again pale, throat feels dry and stiff. Acon.

Trismus and tetanus: face bluish and puffed or deathly pale and cold; e. fixed and staring at one point; foam at mouth. Cic-v.

Trismus and tetanus: dilated pupils; staring, open e. Bell.

Face (see section on Face). — Chorea: contractions commence in muscles of f. and spread over body increasing even to motions as if dancing or jumping. Sec.

Chorea: distortion of f. Myg.

Chorea: f. puffed, and somewhat bluish. Cocc.

Chorea: horrible distortions of eyes and f. Cupr.

Chorea: idiotic expressions of f. Laur.

Chorea: jerking of muscles of f. Sep.

Chorea: movements extremely rapid and accompanied by peculiar distortions of f., followed by prostration and sleep. Natr-m.

Chorea: pale, yellowish, earthy f. Cina.

Chorea: twitchings more in f. and arms. Bell.

Chorea: twitching of f., arms. Myg.

Convulsions: also of children, with anxiety, pale f., cold sweat on forehead; cough before or after spasms; sometimes syncope after spasms. Ver-a.

Convulsions commencing in f. Dulc.

Convulsions during dentition; child becomes stiff, rolls eyes, distorts f., twitches, throws limbs about, clenches thumbs, bends body backward and sideways, rattling breathing, foam at mouth, moves legs up and down alternately, grasps and reaches with hands; mouth drawn from side to side. Cham.

Convulsions (of children); paroxysm preceded by drowsiness; paroxysm commences with clenching and jerking upward of fists and legs; f. red; eyes rolled outward and upward. Glon.

Convulsions: spasms begin with loud scream; foam at mouth; trembling of limbs: suffocation; puffed and livid f. Opi.

Convulsions: twitching of muscles of f., arms and limbs. Merc-cor.

Convulsions: with swollen, livid f., bloody mouth and nostrils. Œnanth.

Epilepsy: after paroxysm, stupid feeling in head and prolonged snoring sleep; consciousness returns slowly and symptoms of paralysis remain; earthy color of f.; stupor. Plumb.

Epilepsy: alternate redness and paleness of f. Œnanth.

Epilepsy: bluish f. Cic-v.

Epilepsy: during interval, stupid, peevish, anxious, pale, puffed f., perspiration on head, difficult hearing, eats heartily, yet loses flesh, enlarged abdomen, swelling of glands about neck. Calc-c.

Epilepsy: during paroxysm, f. livid or purple; falls suddenly to ground, with shrieks; projecting eyes; grinding of teeth; foaming at mouth; urination. Hyos.

Epilepsy: during paroxysm, red f.; biting of tongue; drawing head to one side; involuntary discharge of urine; screams; violent movements of limbs; gnashing of teeth; smiling or weeping; eyes half open (paresis of upper lids), with staring look. Caust.

Epilepsy: f. bloated and livid, with frothy, sanguineous saliva. Crotal.

Epilepsy: f. livid. Cupr.

Epilepsy: f. puffed and purple. Opi.

Epilepsy: headache, with twitching in f. Bell.

Epilepsy: melancholy expression of f. Ign.

Epilepsy: paroxysm commences with shocks in limbs, sudden falling; livid f., convulsive motion of jaws, froth at mouth and loss of consciousness. Aster.

Epilepsy: red f. Bell., Cic-v.

Epilepsy: when occuring during day patient falls to ground unconscious, with wild, startling cry, followed by spasms in limbs, turgescence and distortions of muscles of f. l., grinding of teeth and bloody foam or saliva at mouth, ending in loud, snoring sleep. Bufo.

Epileptiform spasms: after paroxysm, rises without speaking to anyone or answering any questions; clinches teeth; looks at those around; tries to push away those surrounding; f. having expression of wild rage; finally groans and moans. Cocc.

Epileptiform spasms: before paroxysm, lightning-like rushing through brain and down right side of neck into arm, which is distorted and wrenched, so as to crack; muscles of f. convulsively drawn; sight, speech and consciousness lost; patient falls to ground. Chin-ars.

Epileptiform spasms: before paroxysm, f. covered with cold sweat and distorted; eyes look glassy and protruded. Cocc.

Epileptiform spasms: f. changing in color, now pale, now red. Kali-bi.

Epileptiform spasms: f. pale, puffed; nausea and vomiting. Ipec.
Epileptiform spasms: f. red. Glon.
Epileptiform spasms: twitching begins at corners of month so child appears to smile, then spasms affect muscles of f., forehead and eyes. Ign.
Epileptiform spasms: twitching of limbs, tongue and muscles of f. Camph.
Epileptiform spasms, with red f. Æth.
Hysteria: groaning with distortion and paleness of f. Ipec.
Hysteria: pale f. Mosch.
Hysteria: suddenly becomes rigid, twitching in f., constriction of fingers, distorted eyes. Mosch.
Nervous weakness: locomotor ataxia; inco-ordination; unsteady gait; reeling as if drunk; rolling and staggering; delirium tremens in first or initiative stage; f. flushed; eyes red; active delirium; horrible illusions; hard, quick pulse. Kali-brom. (Give five to thirty grains once in two hours.—Burt.)
Neuralgia of f. Agar., Mez.
Neuralgia: pains along nerves, which feel like long thread, in f., head, neck and elsewhere. Al-cep.
Paralysis: jerking and twitching of nerves in f. around eyes. Phos.
Paralysis of f. Bell., Caust., Cocc., Graph., Nux-v., Opi.
Paralysis of f., tongue or pharynx. Cocc.
Peripheric paralysis of f. Graph.
Spasms, with blue f. and thumbs clinched across palms. Cupr.
Tetanus: convulsive action of muscles of f. and neck followed by partial relaxation, again succeeded by tetanic condition. Phyt.
Tetanus: with spasmodic jerks or rigidity of body, with bluish-redness of f. and convulsive twitching in limbs. Ipec.
Trismus and tetanus: convulsive action of muscles of f. and neck. Phyt.
Trismus and tetanus: drawing of head to right side, with stiffness of neck, f. and jaw; dizziness; heaviness in head; eyes weak. Lyc.
Trismus and tetanus: f. bluish and puffed or deadly pale and cold; eyes fixed and staring at one point; foam at mouth. Cic v.
Trismus and tetanus: pains run up limb through spine to neck and f.; muscles of neck and jaw, chest and abdomen become rigid. Hyper.
Trismus and tetanus: red f. Stram.
Trismus and tetanus: twitching of muscles of f. and limbs; squinting; inability to swallow followed by convulsive motions; spasmodic respiration; dilated pupils; staring, open eyes. Bell.
Twitching of muscles, especially about f. and head. Kali-chl.
Violent convulsions, with trismus or tetanus; risus sardonicus; rigors, followed by coma or deep sleep; foam at mouth; f. livid; biting of tongue. Œnanth.

Facial.—Chorea: after fright twitching of f. muscles and quick movements in arms so that hands are constantly engaged in some sort of voluntary work. Ign.

F. paralysis following cold. Ruta.

Neuralgia: especially f., abdominal, lumbar, femoral, ovarian and sciatic. Coloc.

Paralysis: f.; mouth drawn to one side. Phos.

Faint.—Epileptiform spasms: f. feeling and headache, with loss of consciousness. Kali-bi.

Hysteria: feeling f. when descending. Stann.

Hysteria: thinks will f. or sink down from weakness. Lach.

Weak, f., nervous, trembling (during fever). Eupat-perf.

Fainting.—F. fits, with nervous weakness. Coca.

Over-sensitiveness to pain; f. from slight pain. Hep-s. (Nux-m.)

Paraplegia: in weak and nervous subjects inclined to fits of f. and palpitation of heart originating in small of back after taking cold; with cold feeling in extremities and œdema of feet; rheumatic lameness. Cocc.

Hysteria: f. fits; shivering; coldness. Puls.

Hysteria: spasms; f., with previous sweat. Sep.

Hysteria: with f. fits at dinner; nausea aud tremors relieved by eructation. Magn-m.

Faintness.—Exhaustion and f., as if paralyzed. Coni.

Falling down.—Epilepsy: burning in stomach and spinal marrow, with sensation as if paroxysm commenced in spinal marrow and moved thence to behind ears and into brain, after which patient becomes giddy, with vertigo, loss of consciousness and f.; or paroxysm commences with beating about of arm and ends with jerk through whole body. Ars.

Epilepsy: f. unconscious (Ign.); distortions of features; spasms of limbs; bloody foam at mouth; biting of tongue; throwing of limbs about (Cic-v.); very weak afterward. Absinth.

Epilepsy: foaming at mouth and f. convulsed. Cupr-ac.

Epilepsy: following nervous shock, ending in f. rigid and pulseless, reviving after half hour and acting as if insane. Phos.

Epilepsy: frequent and sudden f., with consciousness. Magn-c.

Epilepsy: paroxysm commences with shocks in limbs, sudden f., livid face, convulsive motion of jaws, froth at mouth and loss of consciousness. Aster.

Epilepsy: paroxysm commences with sudden shrieks and f., sometimes without any premonitory signs. Cupr.

Hysteria, with epileptiform convulsions (during menses); paroxysms come on morning and evening at same hours; giddiness followed by f. and most distressing convulsions, with insensibility, closed teeth and frothy secretions from mouth. Cedron.

Falls.—Epilepsy: becomes suddenly sleepy and f. to floor, sleep lasts one or two minutes when subject rises and goes to work. Nux-v.

Epilepsy: biting of tongue, loud cries, f. Œnanth.

Epilepsy: during paroxysm, face livid or purple; f. suddenly to ground with shrieks; projecting eyes; grinding of teeth; foaming at mouth; urination. Hyos.

Epilepsy: f. and lies almost motionless. Agar.

Epilepsy: f. down or out of chair convulsed all over. Ind.

Epilepsy: when occurring during day patient f. to ground unconscious with wild, startling cry followed by spasms of limbs, turgescence and distortions of muscles of face, face livid, grinding of teeth and bloody foam or saliva at mouth, ending in loud, snoring sleep. Bufo.

Epileptiform spasms: before paroxysm, lightning-like rushing through brain and down right side of neck into arm, which is distended and wrenched, so as to crack; muscles of face convulsively drawn; sight, speech and consciousness lost; patient f. to ground. Chin-ars.

Epileptiform spasms: before paroxysm, stares at one spot, then loses consciousness, f. down writhing and muttering incoherent words. Cocc.

Fat.—Convulsions in f., chubby, short-necked children. Kali-bi.

Hysteria: craving for f., herring, chalk, lime, earth. Nitr-ac.

Neuralgia: after bad diet, f., pastries, gravies or fats. Puls.

Fauces (see section on Throat).—Paralysis of tongue, f., pharynx, œsophagus, stomach and intestinal canal. Caps.

Fear.—Convulsions: after f. or fright, returning at same hour daily. Ign.

Epilepsy: low-spirited; f. of death; desire to be alone. Stram.

Epilepsy; menstruation exceedingly painful, apprehension of which fills patient with f. Plumb.

Great restlessness, with f. and anxiety; cannot rest in any place; constantly changing position; wants to go from one bed to another; constant moving of head and limbs, while trunk is still, on account of weakness. Ars.

Hysteria: with anguish and f. of death. Mosch.

Nervous chills, with shivering and chattering of teeth; dependent upon irritation of motor nerves; in very weak, sensitive subjects; after f. or fright. Gels.

Neuralgia: pains burning, with great restlessness, f. and anxiety. Ars.

Fearful.—Epilepsy: after and during intervals between paroxysms, peevish, angry, scolding, swearing, f. and full of anxiety. Bell.

Feather.—Chorea: when lying down limbs feel as light as a f. and as if floating in air. Sticta.

Feed.—Chorea: unable to f. self or walk. Aster.

Feet (see section on Lower Extremities).—Chorea: f. and legs cold and clammy up to knees. Laur.

Chorea: fidgety f. Zinc.

Chorea: jumping and dancing of f. and legs as soon as night came on, had to hold them. Sticta.

Epilepsy: aura begins in toes or f. and extends upwards. Gels.

Epilepsy: coldness of hands and f. Cupr.

Epilepsy: during interval, constant coldness of shoulders and joints of f. Caust.

Epilepsy: f. cold. Lach.

Epilepsy: throwing and striking about with hands and f. Lach.

Epilepsy: stiffness of limbs, hands and f. clinched. Magn-ph.

Exhaustion of vital forces (Caps., Carb-ac., Laur.), with cold surface, especially below knees to f.; lies as if dead; breath cold; cold sweat on limbs. Carbo-v.

Hysteria: crawling in hands and f. extending to epigastrium where there is pressure, anxiety and nausea, extending to throat causing choking sensation, thence goes to head and patient loses consciousness. Nux-v.

Hysteria: spasmodic motion of hands and f.; spasms brought on by touch, motion or slightest noise. Nux-v.

Neuralgia: pain sometimes darting down anterior crural, sometimes down sciatic trunks, even to f. Coloc.

Paralysis: after sudden suppression of general perspiration or sweat on f. Colch.

Paralysis: loss of sensation in lower arms as far as elbow and in lower limbs to gluti, taking place progressively, fist in tips of fingers and toes, then in hands and f., with complete anæsthesia of nervous sensation. Phos.

Paralysis of the f. Ars., Chin., Oleand., Plumb.

Paralysis: staggering walk; contracts f. when walking, cannot lift them. Nux-v.

Tetanus: convulsions may be excited by violent pains in bottom of f. Ars.

Tetanus: extremities stiff; hands firmly closed, f. extended and toes flexed. Phyt.

Tingling commencing in f. and spreading upward. Acon.

Tonic spasms with contraction of palms of hands and soles of f. Ver-a.

Trismus and tetanus: extremities stiff; hands firmly closed; f. extended and toes flexed; pupils dilated; teeth clinched; lips firmly everted. Phyt.

Twitching of hands and f. during sleep. Natr-s.

Twitching of muscles; cannot bear to be touched; starts when touched ever so lightly, especially on f. Kali-c.

Female.—Chorea: after coition (in f.). Cedron.

Superficial functional disturbances, affecting especially f. sexual organs, producing irritation and giving rise to various nervous and hysterical symptoms. Ambr.

Weakness, debility and atonic condition of nervous system, especially in f. after protracted illness or defected nutrition. Alet.

Femoral.—Neuralgia: especially facial, abdominal, lumbar, f., ovarian and sciatic. Coloc.

Fever (see section on Fever).—Convulsions: great languor or sleep, stertorous breathing after or during f. Ign.

Paralysis: after typhus f. Cocc., Cupr., Nux-v., Rhus-t., Sulph.

Weak, faint, nervous, trembling (during f.). Eupat-perf.

Weakness and prostration, and species of hectic f. (in children after la grippe). Abies-n.

Fidgets.—Uneasy, restlessness and "f." in limbs; worse during rest. Zinc.

Fidgety.—Chorea: f. feet. Zinc.

Restless, f. Sep.

Restlessness: f.; starts at least noise. Sil.

Fingers (see section on Upper Extremities).—Chorea or other clonic spasms (during pregnancy); paroxysm commences in f. or limb and gradually extends over body. Cupr.

Convulsions: twitching and trembling of head, arms and hands with occasional jerking of f. Opi.

Chorea: numbness of f. Bell.

Convulsions commencing with cramps in lower extremities and drawing in of f. and toes, throwing about of limbs, frothing at mouth, and choking in throat. Cupr.

Epilepsy: constantly picking with f. Art-v.

Epilepsy: during paroxysm, f. become dead; involuntary discharge of urine; bluish color at pit of stomach and over chest; chest and head covered with perspiration; limbs spread to sides and mouth open; or limbs and trunk become rigid and jaws closed. Cupr.

Epilepsy: during paroxysm, spreads f. and toes. Glon.

Epileptiform spasms: before paroxysm, stares at one spot, then loses consciousness, falls down writhing and muttering incoherent words; involuntary discharge of urine; spasmodic, paroxysmal, convulsive movements of limbs and body; clinching of f., hand being stretched out; choking in throat; mouth half open; with foam at mouth in shape of bubble; hands cold; face covered with cold sweat and distorted; eyes look glassy and protruded. Cocc.

Hysteria: spasmodic flexion of f. Kali-c.

Numbness and deadness, with coldness of f. extending to middle of upper arm, with paralysis. Graph.

Paralysis: could grasp large objects with f. but could not hold them fast. Phos.

Paralysis of left hand with atrophy and numbness in f. Sil.

Severe clonic spasms every few moments; lips blue, protruded; lower limbs stiff; loud, piercing cry with every spasm; foam at mouth; least motion, moving f. or eyes, touching lips with spoon brought on spasm. Nux-v.

Spasmodic twitchings and irregular movements of whole body; spasms with f. spread out. Sec.

Tonic spasms in flexors of f. and toes. Chelid.

Trembling of hands and tongue; trembling and weakness after least excitement; tremors always commencing in f.; involuntary motions which cannot be controlled by the will; paralysis agitans. Merc.

Fist.—Convulsions (of teething children); child gnaws f., frets and cries. Acon.

Fists.—Convulsions (of children); paroxysm is preceded by drowsiness; paroxysm commences with clinching and jerking upward of f. and legs; face red; eyes rolled outward and upward. Glon.

Epilepsy: during paroxysm, patient lies as if dead, pale but warm, thumbs clinched, f. turned to and fro, arms slowly drawn up and down, mouth distorted. Ars.

Fits.—Fainting f., with nervous weakness. Coca.

Fixed.—Epileptiform spasms: f. or staring look with dilated pupils. Ign.

Trismus and tetanus: face bluish and puffed or deathly pale and cold; eyes f. and staring at one point; foam at mouth. Cic-v.

Flacidity.—Paralysis: f. of muscles. Phos.

Flesh.—Epilepsy: during interval, stupid, peevish, anxious, pale, puffed face, perspiration on head, difficult hearing, eats heartily, yet loses f., enlarged abdomen; swelling of glands about neck. Calc-c.

Flex.—Convulsions: spasms f. limbs, and bent body is tossed upward. Hyos.

Flexed.—Tetanus: extremities stiff; hands firmly closed, feet extended and toes f. Phyt.

Flexion.—Hysteria: spasmodic f. of fingers. Kali-c.

Flexors.—Tonic spasms in f. of fingers and toes. Chelid.

Floating.—Chorea: when lying down limbs feel as light as a feather and as if f. in air. Sticia.

Epilepsy: feeling as if f. in air. Sep.

Fluids.—Epilepsy: paroxysms so violent that it seemed as if joints or spine would be broken; renewed by attempt to swallow f. Hyos.

Flushes.—Epilepsy: during intervals, f. of heat; is restless, must move about. Sep.

Fly.—Neuralgia: erratic pains which f. or change from one part of body or limbs to another; they are short and sharp and attended by bruised, sore sensation and chilliness. Puls.

Neuralgia: pains f. all over body (with gastritis). Carbo-v.

Foam.—Chorea: with f. on lips, continual grinding or champing of teeth; inability to swallow. Ver-v.

Convulsions during dentition; child becomes stiff, rolls eyes, distorts face, twitches, throws limbs about, clinches thumbs, bends body backward and sideways, rattling breathing, f. at mouth, moves legs up and down alternately; grasps and reaches with hands; mouth drawn from side to side. Cham.

Convulsions: spasms begin with loud scream; f. at mouth; trembling of limbs; suffocation; puffed and livid face. Opi.

Epilepsy: drowsiness, with starting, screaming, groaning, weeping; tears drop out of eyes; f. at mouth. Sil.

Epilepsy: during paroxysm, f. at mouth. Cham.

Epilepsy: falling down unconscious; distortion of features; spasms of limbs; bloody f. at mouth; biting of tongue; throwing of limbs about (Cic-v.); very weak afterwards. Absinth.

Epilepsy: f. at mouth. Staph.

Epilepsy: when occurring during day patient falls to ground unconscious, with wild, startling cry, followed by spasms in limbs, turgescence and distortions of muscles of face; face livid; grinding of teeth and bloody f. or saliva at mouth, ending in loud, snoring sleep. Bufo.

Epileptiform spasms, with f. at mouth. Æth., Laur.

Severe clonic spasms every few moments; lips blue, protruded; lower limbs stiff; loud, piercing cry with every spasm; f. at mouth; least motion, moving fingers or eyes, touching lips with spoon brought on spasm. Nux-v.

Violent convulsions with trismus or tetanus; risus sardonicus; rigors, followed by coma or deep sleep; f. at mouth; face livid; biting of tongue. Œnanth.

Foaming.—Epilepsy: f. at mouth. Ars.

Epilepsy: f. at mouth and falling down convulsed. Cupr-ac.

Epilepsy: f. at mouth terminating in great lassitude or sleep. Ign.

Epilepsy: screaming; f. at mouth; unconsciousness; tossing about; great tendency to start; feels frightened at least noise. Lyc.

Nervous tremors, in tonic and clonic spasms, epileptiform in character, with f. at mouth, involuntary defecation, and discharge of semen, together with hallucinations and delirium. Absinth.

Food.—Convulsions: in whooping-cough from suppressed eruption or indigestible f. Ipec.

Foot.—Epilepsy: before paroxysm, sensation of crawling and running, as if a mouse were running up arms to back, or sudden feeling as if mouse were running from right f. up leg to right side of abdomen. Sulph.

Tetanus: commencing with tremulousness of muscles of neck; pains from injured f. up to back and neck. Ang.

Foot-sweat.—Paralysis (after sudden suppression of sweat, especially f.). Colch.

Follies.—Hysterical mania: excessive mirth and cheerfulness alternating with melancholy; childish f.: pleasant dementia. Croc.

Forehead.—Convulsions: also of children, with anxiety, pale face, cold sweat on f.; cough before or after spasms; sometimes syncope after spasms. Ver-a.

Epileptiform spasms: twitching begins at the corners of mouth so the child appears to smile, then spasms affect muscles of face, f. and eyes. Ign.

Formication.—Epilepsy: before paroxysm, nausea, retching and throwing up phlegm; bloated abdomen; drawing sensation in left arm; arm drawn involuntarily close to body; f. and tearing in right hand; shuddering; goose-flesh; palpitation of heart. Cupr.

Numbness, tingling and f. Acon.

Paralysis: tingling and f. in limbs, with heat in paralyzed part. Phos.

Forward.—Chorea: constant jerking f. and other irregular movements. Magn-ph.

Chorea: throws body backward and f. while lying, like constant change from opisthotonos to emprosthotonos. Bell.

Chorea: throws head backward then f. with jerking, and twitching it around to right side. Myg.

Frets.—Convulsions (of teething children); child gnaws fist, f. and cries. Acon.

Fright.—Catalepsy: after f. Acon., Bell., Gels., Ign., Opi.

Chorea: after f. Cupr., Stram.

Chorea: after f. and mental depression. Aster.

Chorea: after f. or suppressed eruptions. Zinc.

Chorea: after f., twitching of facial muscles and quick movements in arms so that hands are constantly engaged in some sort of voluntary work. Ign.

Chorea: after mental excitement or f. Bell.

Chorea: by f. or other mental excitement. Ign.

Chorea: convulsive twitchings, especially after f. or grief. Ign.

Chorea: with f. Kali-brom.

Convulsions: after fear or f., returning at the same hour daily. Ign.

Convulsions (of children): after f. or after meals; child sickens after eating, vomits, and shows signs of distress at stomach; sudden shriek, and then becomes insensible. Hyos.

Convulsions or spasms after f., with pallid or livid countenance. Kali-ph.

Convulsions: spasms in children, following emotion, f., anger, continual crying. Opi.

Convulsions: spasms in nursing infants after f. of mother. Opi.

Convulsions: twitchings, especially after f. or grief. Ign.

Epilepsy: after f. (Agar., Art-v., Bufo, Gels., Opi., Stram.); during menses. Arg-n. (Cimicif.)

Epilepsy: after f.; convulsive movements in limbs; spasmodic closure of jaws. Ign.

Epilepsy: after vexation, f., onanism, or suppression of eruption. Calc-c.

Epilepsy: emotional, with f. or suppressed grief, especially in children. Ign.

Epilepsy: originating from plexus solaris or from abdominal ganglia or from cold or f. Ind.

Epilepsy: usually occurring in those who have practiced masturbation, or after f. Bufo.

Epileptiform spasms: with oppression of breathing after f. or anger. Ran-b.

Hysteria: after f. Sabad.

Nervous chills, with shivering and chattering of teeth; dependent upon irritation of motor nerves; in very weak, sensitive subjects; after fear or f. Gels.

Spasms: after f., anger or other emotional causes in plethoric persons, or in women at time of menses; during parturition, or sexual excitement or excessive sexual indulgences. Kali-brom.

Spasms (after vexation or f.). Cupr.

Spasms in children after f. or from worms; child pale, cold; fixed, staring look; occasional screams; vomits food; preceded by hasty drinking. Ign.

Frightened.—Chorea: appears f., as if looking for sympathy. Magn-ph.

Chorea: in girls who have been f. by threats or punishment. Ign.

Convulsions: after scarlatina; child trembles as if f. and on verge of a spasm. Ver-v.

Epilepsy: during interval, anxiety; tendency to be f.; burning in chest and abdomen, with chilliness of rest of body; burning and tearing in small of back; numbness of arms. Cupr.

Epilepsy: screaming; foaming at mouth; unconsciousness; tossing about; great tendency to start; feels f. at least noise. Lyc.

Froth.—Epilepsy: f. at mouth. Cic-v., Laur.

Epileptiform spasms: f. at mouth. Kali-bi.

Frothing.—Convulsions: commencing with cramps in lower extremities and drawing in of fingers and toes, throwing about of limbs, f. at mouth and choking in throat. Cupr.

Convulsions: during dentition, with f. at mouth. Ign.
Convulsions: f. at mouth; eyes half open, pupils dilated and insensible to light; face dark red and hot. Opi.
Epilepsy: f. at mouth, rolling eyes, clinched thumbs. Œnanth.
Epilepsy: jerking of head; dragging speech, with slight f. of mouth while talking. Plumb.
Epileptiform spasms: f. at mouth, biting tongue or cheeks, teeth firmly clinched and immoveable. Ign.

Frothy.—Epilepsy: face bloated and livid, with f., sanguineous saliva. Crotal.

Frozen.—Chorea: hands look as if f. Cocc.

Furious.—Epilepsy: before paroxysm, f., excitable. Ind.

Gait.—Chorea: reeling, staggering g., as if drunk. Kali-brom.
Hysteria: awkward g. Lach.
Nervous weakness; locomotor ataxia; inco-ordination; unsteady g.; reeling, as if drunk; rolling and staggering. Kali-brom.

Galvanic.—Chorea: violent spasms, like g. shocks. Ver-v.

Ganglionic.—Depression of cerebral and g. nerves, causing loss of energy, both mental and physical. Bar-c.

Gaping.—Epileptiform spasms: g. Kali-bi.

Gastric.—Great trembling of extremities, with g. derangement. Dory.

Gastritis.—Neuralgia: pains fly all over body (with g.). Carbo-v.

Genitals (see section on Sexual Organs).—Chorea: putting hands to g. Stram.
Epilepsy: nightly emissions or onanism, with great weakness of g. Dig.

Gentle.—Hysteria: characterized by mild, g., yielding though whimsical. Ign.

Gesticulations.—Chorea: g. afternoon. Natr-s.

Get up.—Neuralgia: must g. and rush about. Cham.

Giddiness.—Hemiplegia: with g. Caust.
Hysteria, with epileptiform convulsions (during menses); paroxysms come on morning and evening at same hours; g., followed by falling down and most distressing convulsions, with insensibility, closed teeth and frothy secretions from mouth. Cedron.

Giddy.—Epilepsy: burning in stomach and spinal marrow, with sensation as if paroxysm commenced in spinal marrow and moved thence to behind ears and into brain, after which patient becomes g., with vertigo, loss of consciousness and falling down; or paroxysm commences with beating about of arm and ends with jerk through whole body. Ars.
Epilepsy: g. headache. Lach.

Girls.—Chorea: in g. who have been frightened by threats or punishment. Ign.

Glands.—Epilepsy: during interval, stupid, peevish, anxious, pale, perspiration on head, difficult hearing, eats heartily, yet loses flesh, enlarged abdomen; swelling of g. about neck. Calc-c.

Glass.—Tetanus: after slight injury in palm of hand by a fragment of g. Physos.

Glassy.—Epileptiform spasms: before paroxysm, stares at one spot, then loses consciousness, falls down writhing and muttering incoherent words; involuntary discharge of urine; spasmodic, paroxysmal, convulsive movements of limbs and body; clinching of fingers, hand being stretched out; choking in throat; mouth half open; with foam at mouth in shape of bubble; hands cold; face covered with cold sweat and distorted; eyes look g. and protruded. Cocc.

Gluti.—Paralysis: loss of sensation in lower arms as far as elbow and in lower limbs to g., taking place progressively, first in tips of fingers and toes, then in hands and feet, with complete anæsthesia of nervous sensations. Phos.

Globus hystericus—Epileptiform spasms: g. which causes nausea when eating. Puls.

Hysteria: g. Mosch.

Hysteria: g. or sudden toothache in a healthy tooth. Ign.

Hysteria: with well-marked g. and much trouble about throat or œsophagus. Asaf.

Gloomy.—Epilepsy: g. but endeavoring to hide it; spending night alone to hide it. Ind.

Glottis.—Epilepsy: during paroxysm, severe spasms of g.; feeling as if must move about or heart would stop beating. Gels.

Hysteria: convulsions, with spasms of g. Gels.

Gnashing.—Epilepsy: during paroxysm, red face; biting of tongue; drawing head to one side; involuntary discharge of urine; screams; violent movements of limbs; g. of teeth; smiling or weeping; eyes half open (paresis of upper lids), with staring look. Caust.

Gnawing.—Epilepsy: before paroxysm, sparks from eyes; ringing in ears; vertigo; g. and sensation of hunger at pit of stomach. Hyos.

Hysteria: feeling of goneness and g. in pit of stomach. Ign.

Gnaws.—Convulsions (of teething children); child g. fist, frets and cries. Acon.

Goneness.—Hysteria: feeling of g. and gnawing in pit of the stomach. Ign.

Goose-flesh.—Epilepsy: before paroxysm, nausea, retching and throwing up phlegm: bloated abdomen; drawing sensation in left arm; arm drawn involuntarily close to body; formication and tearing in right hand; shuddering; g.; palpitation of heart. Cupr.

Gouty.—Chorea: in rheumatic, g., albuminuric, or amenorrhœic subjects. Cub.

Convulsions, neuralgia, paralysis and debility, in g. constitutions.

Graphospasmus.—G. (see section on Upper Extremities): writer's, telegraph operator's, piano or violin player's cramps. Magn-ph.

Grasp.—Paralysis: could g. large objects with fingers but could not hold them fast. Phos.

Grasps.—Convulsions during dentition; child becomes stiff, rolls eyes, distorts face, twitches, throws limbs about, clinches thumbs, bends body backward and sideways, rattling breathing, foam at mouth, moves legs up and down, alternately g. and reaches with hands; mouth drawn from side to side. Cham.

Grating.—Chorea: g. of teeth. Bell.

Gravies.—Neuralgia: after bad diet, fat pastries, g. or fats. Puls.

Grief.—Catalepsy: after g. Ign., Phos-ac.

Chorea: convulsive twitchings, especially after fright or g. Ign.

Convulsions: twitchings, especially after fright or g. Ign.

Epilepsy: emotional, with fright or suppressed g., especially in children. Ign.

Epilepsy: with jealousy, disappointed love, g., great emotions or intemperance. Hyos.

Hysteria: full of g. Ign.

Nervous exhaustion after long-continued g. Ign.

Neurasthenia or cerebro-spinal exhaustion from over-work; after continued g.; over-exertion of mind and body; or sexual excesses; or in young persons growing too rapidly. Phos-ac.

Grinding.—Chorea: with foam on lips, continual g. or champing of teeth; inability to swallow. Ver-v.

Groaning.—Epilepsy: drowsiness, with starting, screaming, g., weeping, tears drop out of eyes; foam at mouth. Sil.

Hysteria: g., with distortion and paleness of face. Ipec.

Groans.—Epileptiform spasms: after paroxysm, rises without speaking to anyone or answering any questions; clinches teeth; looks at those around; tries to push away those surrounding; face having expression of wild rage; finally g. and moans. Cocc.

Ground.—Paralysis: rheumatic after getting wet or lying on damp g. Rhus-t.

Growing.—Chorea: in children who are g. too fast. Phos. (Fluor-ac.)

Neurasthenia or cerebro-spinal exhaustion from over-work; after continued grief; over-exertion of mind and body; or sexual excesses; or in young persons g. too rapidly. Phos-ac.

Hæmoptysis.—Epilepsy: after paroxysm, h. and sleep. Dros.

Half hour.—Epilepsy: following nervous shock, ending in falling down rigid and pulseless, reviving after h. and acting as if insane. Phos.

Hallucinations.—Hysteria: h. Stram.

Nervous tremors, in tonic and clonic spasms, epileptiform in character, with foaming at mouth, involuntary defecation and discharge of semen, together with h. and delirium. Absinth.

Hand (see section on Upper Extremities).—Convulsions: twitching and trembling of arms, and h., with occasional jerking of flexor. Opi.

Epilepsy: after paroxysm, weeping; profuse discharge of clear watery urine; trembling and jerking of right h.; sleep. Cupr.

Epilepsy: before paroxysm, nausea, retching and throwing up phlegm; bloated abdomen; drawing sensation in left arm; arm drawn involuntarily close to body; formication and tearing in right h.; shuddering; goose-flesh; palpitation of heart. Cupr.

Epilepsy: during paroxysm, fingers become dead; involuntary discharge of urine; bluish color at pit of stomach and over chest; chest and h. covered with perspiration; limbs spread to sides and mouth open; or limbs and trunk become rigid and jaws closed. Cupr.

Paralysis: of left h., with atrophy and numbness in fingers. Sil.

Tetanus: after slight injury in palm of h. by a fragment of glass. Physos.

Hands.—Chorea: after fright, twitching of facial muscles and quick movements in arms so that h. are constantly engaged in some sort of involuntary work. Ign.

Chorea: cannot keep h. in same position for a minute. Myg.

Chorea: h. look as if frozen. Cocc.

Chorea: h. unsteady. Kali-brom.

Chorea: objects drop from h. Ign.

Chorea: putting h. to genitals. Stram.

Chorea: constant trembling of arms and legs; quit only when h. are in pockets. Aster.

Convulsions during dentition: child grasps and reaches with h. Cham.

Epilepsy: clinched h. Lach.

Epilepsy: coldness of h. and feet. Cupr.

Epilepsy: stiffness of limbs; h. and feet clinched. Magn-ph.

Epilepsy: throwing and striking about with h. and feet. Lach.

Epilepsy: trembling, especially h. while writing, all over body or in single limbs. Phos.

Epileptiform spasms: h. clinched but not drawn in. Laur.

Epileptiform spasms: before paroxysm, h. get lame. Kali-bi.

Epileptiform spasms: h. clinched, thumbs in palms. Glon.

Epileptiform spasms: h. cold. Cocc.

Epileptiform spasms: h. get lame. Kali-bi.

Epileptiform spasms: sudden shrieks, throws up h. Œnanth.

Hysteria: spasmodic motion of h. and feet; spasms brought on by touch, motion or slightest noise. Nux-v.

Hysteria: crawling in h. and feet extending to epigastrium where there is pressure, anxiety and nausea, extending to throat causing choking sensations, thence goes to head and patient loses consciousness. Nux-v.

Hysteria: with blueness of h. and nails. Nux-v.

Paralysis agitans: trembling of knees when standing and h. when writing, preceded by occasional attacks of vertigo for some time before paralysis is developed. Oleand.

Paralysis: loss of sensation in lower arms as far as elbow and in lower limbs to gluti, taking place progressively, first in tips of fingers and toes, then in h. and feet, with complete anæsthesia of nervous sensations. Phos.

Paralysis of h. Ambr., Ars., Caust., Cupr., Ferr., Natr-m., Rhus-t., Ruta, Sil.

Spasms of arms and h.; thumbs drawn in. Arum.

Tetanus: extremities stiff; h. firmly closed, feet extended and toes flexed. Phyt.

Tonic spasms, with contraction of palms of h. and soles of feet. Ver-a.

Trembling all over, mostly in h. of drunkards; great excitement, with trembling of bowels generally. Nux-v.

Trembling and twitching in whole body; more in h., with nausea and weakness of joints. Borax.

Trembling in all limbs, especially in h., with extreme nervousness. Sil.

Trembling of h. and other motions. Tart-em.

Trembling of h. and tongue; trembling and weakness after least excitement; tremors always commencing in fingers; involuntary motions which cannot be momentarily controlled by the will; paralysis agitans. Merc.

Trembling of whole body; of h. on waking and when writing. Natr-s.

Tremor of h., with palpitation of h. Bov.

Trismus and tetanus: extremities stiff; h. firmly closed; feet extended and toes flexed; pupils dilated; teeth clinched; lips firmly everted. Phyt.

Twitching of h. and feet during sleep. Natr-s.

Hang.—Catalepsy: limbs h. down relaxed and appear lifeless. Cic-v.

Hangs.—Epilepsy: before paroxysm, vertigo; swelling of tongue which h. from mouth and is bitten. Plumb.

Haughtiness.—Hysteria: with great pride, h., illusions. Plat.

Head (see section on Head).—Chorea: almost inconceivable motions of arms, h. and legs distorting whole body, and jumping about room regardless of furniture. Natr-m.

Chorea: boring h. into cushion. Bell.

Chorea: constant jerking h. to right side. Myg.

Chorea: convulsive motions of h. and limbs. Sep.

Chorea: drops h. suddenly to shoulder. Myg.

Chorea: throws h. back, or rolling of h. Bell.

Chorea: throws h. backward then forward, with jerking and twitching it around to right side. Myg.

Chorea: twitching and twembling of h. and arms. Opi.

Chorea: twitching of eyes and shaking of h. Ign.

Chorea: violent motions of h. and limbs. Calc-c.

Chorea: with violent motions which are often crosswise; arms are rotated over h. Stram.

Constant moving of h. and limbs, while trunk lies still, on account of weakness. Ars.

Convulsions: from reflex irritation during dentition, with rolling of h. and variegated slimy stools. Podo.

Epilepsy: after paroxysm, headache, dizziness, sweat on h., thirst, hunger, vomiting and diarrhœa. Calc-c.

Epilepsy: after paroxysm, soporous condition; closing of eyes; exhaustion; noise in h. Caust.

Epilepsy: after paroxysm, stupid feeling in h. and prolonged snoring sleep; consciousness returns slowly and symptoms of paralysis remain; earthy color of face; stupor. Plumb.

Epilepsy: before paroxysm, imbecility; heat of h. followed by sweat all over; pressure in pit of stomach extending over chest and hindering breathing; colic and headache. Caust.

Epilepsy: before paroxysm, staring of eyes; turning h. to left side. Sep.

Epilepsy: congestion of blood to h. Glon.

Epilepsy: constantly thrusting h. in quick succession to right side. Stram.

Epilepsy: during interval stupid, peevish, anxious, pale puffed face, perspiration on h., diffcult hearing; eats heartily, yet loses flesh, enlarged abdomen, swelling of glands about neck. Calc-c.

Epilepsy: during interval, sweat on h. Caust.

Epilepsy: during interval, vertigo; headache; heat in h.; trembling of tongue and limbs; curious dreams at night. Lach.

Epilepsy: during paroxysm, drawing h. to one side. Caust.

Epilepsy: during paroxysm, throws h. backward. Lach.

Epilepsy: jerking of h.; dragging speech, with slight frothing of mouth while talking. Plumb.

Epilepsy: limbs, h. and upper part of body move in a strange manner, with jaws set. Cic-v.

Epilepsy: long-continued stupid feeling in h., with semi-consciousness. Plumb.

Epilepsy: noise in h. and difficult hearing. Sep.

Epilepsy: soon as patient goes into high-ceiling room h. reels and loses consciousness. Cupr-ac.

Epilepsy: wonderful distortions and contortions of limbs and upper portion of body and h., jerking patient a distance of two feet. Cic-v.

Epileptiform spasms: during paroxysm, winking with eyelids, twisting of h., loud screaming. Kali-bi.

Epileptiform symptoms with aura epiliptica, with congestion to h. and heart. Glon.

Hysteria: crawling in hands and feet extending to epigastrium where there is pressure, anxiety and nausea, extending to throat causing choking sensations, thence goes to h. and patient loses consciousness. Nux-v.

Hysteria: profuse sweat about h. Mosch.

Hysteria: respiration suspended, throat swells, mouth open, h. retracted, body tossed about in efforts to get air. Mosch.

Hysteria: sudden congestion of blood to the h. Mosch.

Jerking and twitching of h. and limbs. Sep.

Neuralgia: pains along nerves, which feel like long thread in face, h., neck and elsewhere. Al-cep.

Paralysis: of legs; worse in morning, with heaviness of h. and ringing in ears. Sil.

Tetanus: icy coldness from h. down spine. Ars.

Trismus and tetanus: drawing of h. to right side with stiffness of neck, face and jaw; dizziness; heaviness in h.; eyes weak. Lyc.

Trismus and tetanus: with congestion to h. Stram.

Twitching and contraction of body unaffected by sleep; jerking or constant nodding of h. Ver-v.

Twitching of muscles, especially about face and h. Kali-chl.

Headache.—Epilepsy: after paroxysm, h., dizziness, sweat on head, thirst, hunger, vomiting and diarrhœa. Calc-c.

Epilepsy: before paroxysm, imbecility; heat of head, followed by sweat all over; pressure in pit of stomach extending over chest and hindering breathing; colic and h. Caust.

Epilepsy: during interval, vertigo; h.; heat in head; trembling of tongue and limbs; curious dreams at night. Lach.

Epilepsy: giddy h. Lach.

Epilepsy: h. with twitching in face. Bell.

Epileptiform spasms: complains of great lassitude, severe h. Laur.

Epileptiform spasms: faint feeling and h. with loss of consciousness. Kali-bi.

Epileptiform spasms: h., more over right eye. Puls.

Hysteria: h. every morning without appetite for breakfast and nausea after eating. Nux-v.

Healthy.—Hysteria: globus hystericus or sudden toothache in a h. tooth. Ign.

Hearing (see section on Ears).—Epilepsy: during interval, stupid, peevish, anxious, pale, puffed face, perspiration on head, difficult h., eats heartily, yet loses flesh, enlarged abdomen, swelling of glands about neck. Calc-c.

Epilepsy: noise in head and difficult h. Sep.

Heart.—Epilepsy: before paroxysm, chewing motion of mouth, stretching of limbs, great restlessness, palpitation of h., feeling as if something were running in arm, or from pit of stomach down through abdomen into feet. Calc-c.

Epilepsy: before paroxysm, palpitation of h. Cupr.

Epilepsy: during paroxysm, severe spasms of glottis feeling as if must move about or h. would stop beating. Gels.

Epilepsy: spasmodic and violent palpitation of h.; body and limbs cold. Kali-ph.

Epileptiform symptoms with aura epileptica, with congestion to head and h. Glon.

Hysteria: nervous excitement of h. Mosch.

Neuralgia: with great weakness; trembling; thrilling; strumming with palpitation of h. Kalm.

Spasmodic, painless twitching about h. Arg-m.

Trismus and tetanus: cyanotic appearances; coldness on surface; h. beats slower and slower until it almost ceases then it suddenly increases in frequency on approach of another paroxysm. Hydroc-ac.

Heart's.—Chorea: h. action exhilarated. Magn-ph.

Heat.—Epilepsy: before paroxysm, h. of head, followed by sweat all over. Caust.

Epilepsy: during interval, flushes of h.; is restless, must move about. Sep.

Epilepsy: during interval, vertigo; headache; h. in head; trembling of tongue and limbs; curious dreams at night. Lach.

Paralysis: tingling and formication in limbs with h. in paralyzed part. Phos.

Heaviness.—Epilepsy: h. and numbness of legs. Plumb.

Paralysis of legs, worse in morning with h. of head and ringing in ears. Sil.

Trismus and tetanus: drawing of the head to right side with stiffness of neck, face and jaw; dizziness; h. in head; eyes weak. Lyc.

Help.—Hysteria: with anguish, shrieks for h. Ign.

Hemiplegia.—H. Thuja.

H.: especially of left side with feeling of a heavy load on affected arm and side of chest with frequent night-sweat. Stann.

H. of right side. Sang.

H.: paralysis of one side and spasms of the other. Bell., Phos.

H.: paralysis of right side of body (after apoplexy). Arn.

H.: spasms of one side and paralysis of the other. Stram.

H.: with giddiness; weakness of sides; weeping mood; hopeless; fear of death; drawing, lame feeling in the affected parts after exposure to cold, suppressed itch or other chronic eruption. Caust.

Left-sided h. Arn., Caust., Lach.

Paralysis: h.; right side, with sensation as if parts were gone to sleep. Rhus-t.

Right-sided h. Arn., Bell., Caust., Rhus-t.

Herpes zoster.—Neuralgia: following h. Dolich.

Herring.—Hysteria: craving for fat, h., chalk, lime, earth. Nitr-ac.

Hesitates.—Chorea: nervous weakness, is awkard, h. and drops things Natr-m.

Hide.—Epilepsy: gloomy but endeavoring to h. it; spending night alone to h. it. Ind.

Hip joint.—Trembling, paralytic weakness; cramps in hands; also paralytic weakness in h. Kali-c.

Hold.—Chorea: convulsions; constrictions of almost all muscles of body and feeling as if would go crazy if did not h. tight upon self. Lil-tig.

Chorea: jumping and dancing of feet and legs, as soon as night came on had to h. them. Sticta.

Paralysis: could grasp large objects with fingers but could not h. them fast. Phos.

Hopeless.—Hemiplegia: with giddiness; weakness of side; weeping mood; h.; fear of death; drawing, lame feeling in affected parts after exposure to cold, suppressed itch or other chronic eruption. Caust.

Hornpipe.—Chorea: spasms subside on hearing notes of h. (music lessens symptoms). Tarant.

Hot.—Neuralgia: burns as if red h. wire were drawn along nerve. Ars.

Very nervous: cannot bear anything; is h., irritable and restless. Chim-m.

Hour.—Convulsions: after fear or fright, returning same h. daily. Ign.

Neuralgia: every day at same h. Kali-bi.

Hours.—Epilepsy at puberty, occurring every forty-eight h. Art-v.

Epilepsy: attack very severe, lasting for h., followed with great drowiness and lassitude. Plumb.

Epilepsy: sometimes two paroxysms in succession lasting twelve h. Caust.

Hysteria, with epileptiform convulsions (during menses); paroxysms come on morning and evening at same h.; giddiness followed by falling down and most distressing convulsions, with insensibility, closed teeth and frothy secretions from mouth. Cedron.

Hunger (see section on Stomach).—Epilepsy: after paroxysm, headache, dizziness, sweat on head, thirst, h., vomiting and diarrhœa. Calc-c.

Epilepsy: before paroxysm, sparks from eyes; ringing in ears; vertigo; gnawing and sensation of h. at pit of stomach. Hyos.

Paraplegia: with morbid appetite and unnatural h. Cina.

Hydrocephalus.—Trembling and jerking of limbs (in h.). Apis.

Hyperæsthesia.—Epilepsy: anæsthesia or excessive h. Plumb.

Hypochondriasis.—H. and hysterical: alternate laughter and crying. Aur. (Ign., Nux-m.)

Hysteria aud h. (in consequence of abstinence from sexual intercourse). Coni.

Hypogastric region (see section on Abdomen).—Epilepsy: aura begins in knees, ascends to h., when unconsciousness occurs. Cupr-ac.

Hysteria.—Chorea: with h. Sticta.

Hypochondriasis and h.: alternate laughter and crying. Aur. (Ign., Nux-m.)

H.: after anger or quarreling; with anguish, shrieks for help; with suffocating constriction of throat or œsophagus; with difficult deglutition; with deep sighing; characterized by mild, gentle yielding though whimsical; choking in throat and constriction of chest, with sighing respiration; tickling cough which may be controlled by effort of will; globus hystericus or sudden toothache in a healthy tooth; tendency to start; jerking and twitching in various parts of muscles; full of grief; feeling of goneness and gnawing in pit of stomach. Ign.

H.: after dissipation or over-work, with close confinement. Sil.

H.: after fright; twitching; convulsive trembling or catalepsy in children with worms. Sabad.

H.: and hypochondriasis (in consequence of abstinence from sexual intercourse). Coni.

H.: body bends backward. Ipec.

H.: complete anæsthesia. Nux-v.

H.: convulsive, physical irritability; twitching in various parts; trembling; weakness; craving for fat, herring, chalk, lime, earth. Nitr-ac.

H.: convulsions, with spasms of glottis; epileptiform spasms; excessive irritability of mind and body; semi stupor, with languor and prostration. Gels.

H.: every fresh developement excites nausea; body bends backward; groaning, with distortion and paleness of face. Ipec.

H.: globus hystericus. Nux-m.

H.: headache every morning, without appetite for breakfast, and nausea after eating. Nux-m.

H.: inclined to laughter. Nux-m.

H.: in mild, tearful, yielding, timid, peevish, changeable subjects, with loss of smell and taste, appetite and thirst; increased mucus secretion from different orifices; fainting fits; shivering; coldness. Puls.

H.: internal spasms; convulsive motions: inclined to laughter; great dryness of mouth; leucorrhœa in place of menses; too late and scanty; feeling as if stick of wood was lying across sacradotal region; globus hystericus. Nux-m.

H.: in uterine troubles. Magn-m.

H.: laughing and weeping in alternation; feeling weak, with dry, hard stools; increased sexual desire. Phos.

H.: lies in state resembling catalepsy. Chloral.

H.: limbs restless; music has soothing influence. Tarant.

H.: nervous exaltation; feeling as of a lump in throat which descends on swallowing, but returns at once; suffocating sensations, with constant effort to remove all external pressure from throat and chest; oppression soon after falling asleep, which wakens; jealousy; trembling in whole body; thinks will faint or sink down from weakness; progressive locomotor ataxia; awkward gait; left side weak. Lach.

H.: preceded by great sensitiveness; weeping and laughing alternatingly; sexual excitement; hallucinations; desire for light. Stram.

H.: sensation of something twisting about stomach with raising in throat; stiffness of tongue and rigidity all over; spasms; fainting, with previous sweat; sensation of ball in inner parts. Sep.

H.: several days before attack there is loss of appetite, nausea and headache; spasmodic flexion of fingers; constriction of chest and general sweat. Kali-c. (Kali-brom.)

H.: spasms, with pain in abdomen and diaphragm; feeling faint when descending; cannot sit down slowly, drops down, but raises without difficulty. Stann.

H.: with anguish and fear of death; swooning; syncope; tetanic spasms; globus hystericus; nervous excitement of heart; simulating tetanic spasms; weeping one moment and next bursts out in uncontrollable laughter; complains of pain all over body without locating it in any particular place; depression and ill-feeling; sudden congestion of blood to head; staring of eyes; clinching of jaws; confused talking; pale face; profuse sweat about head convulsions of tetanic spasms; before paroxysms, constriction of throat, great restlessness, impatience, oppressed chest, cannot bear to be covered; suddenly becomes rigid, twitching in face, constriction of fingers, distorted eyes; respiration suspended, throat swells, mouth open, head retracted, body tossed about in effort to get air; paroxysm ends with belchings, crawling sensations in arms. Mosch.

H.: with epileptiform convulsions (during menses); paroxysms come on morning and evening at same hour; giddiness, followed by falling down and most distressing convulsions, with insensibility, closed teeth and frothy secretions from mouth. Cedron.

H.: with fainting fits at dinner; nausea and tremors relieved by eructation; in uterine troubles. Magn-m.

H.: with great pride, haughtiness, illusions; spasms alternating with catalepsy or dyspnœa; sexual erethism; physical symptoms alternating with mental symptoms. Plat.

H.: with paresis of upper eyelids. Caust. (Gels.)

H.: with pressure and pain in pit of stomach; craving chalk; with numbness; crawling in hands and feet extending to epigastrium, where there is pressure, anxiety and nausea; extending to throat causing choking sensations, thence goes to head and patient loses consciousness; spasmodic motion of hands and feet; spasms brought on by touch, motion or slightest noise; great anxiety; with great trembling; with blueness of hands and nails; complete anæsthesia; with profuse menses. Nux-v.

H.: with well-marked globus hystericus, and much trouble about throat or œsophagus. Asaf.

Hysterical.—Chorea: h. debility. Natr-m.

H. mania: excessive mirth and cheerfulness alternating with melancholy; childish follies; pleasant dementia. Croc.

H. or epileptiform spasms at puberty. Caul.

H. spasms, with anguish and sadness. Cocc.

Superficial, functional disturbances, affecting especially female sexual organs, producing irritation and giving rise to various nervous and h. symptoms. Ambr.

Icy.—Paralysis: of tongue and extremities; arm feels i. cold. Dulc.

Idiotic.—Chorea: i. expressions of face. Laur.

Ill-feeling.—Hysteria: depression and i. Mosch.

Illness.—Weakness, debility and atonic condition of nervous system, especially in females after protracted i. or defective nutrition. Alet.

Illusions.—Hysteria, with great pride, haughtiness, i. Plat.

Delirium tremens, in first or initiative stage; horrible i. Kali-brom. (Give five to thirty grains once in two hours.—Burt.)

Imbecility.—Epilepsy: before paroxysm, i. Caust.

Impatience.—Hysteria: before paroxysm, constriction of throat, i. Mosch.

Impression.—Chorea: entire nervous system morbid, excited and sensitive, with intense acuteness of all special senses and increase of susceptibility to external i., mentally and physically. Ign.

Great sensitiveness of nervous system to all external i., so that slightest pressure on skin produces intense and long-continued pain. Agar.

Incoherent.—Epileptiform spasms: falls down writhing and muttering i. words. Cocc.

Incomplete.—Paralysis: i., power of motion not entirely gone but prevented by painful twitchings and spasmodic contractions whenever affected parts are exercised. Nux-v.

Inco-ordination.—Nervous weakness: locomotor ataxia; i. Kali-brom. (Give five to thirty grains once in two hours.—Burt.)

Indifferent.—Epilepsy: i. to surroundings, prefers to be alone. Opi.

Indigestible food.—Convulsions: in whooping-cough from suppressed eruption or i. Ipec.

Indistinct.—Chorea: speech i. Laur.

Infantile.—I. paralysis, with complete relaxation of whole muscular system, with enteric paralysis. Gels.

Infants.—Convulsions: in new-born i. Millef.

Convulsions: spasms in nursing i. after fright of mother. Opi.

Trismus and tetanus, with inflamed umbilicus in i. Calc-c.

Injuries.—Convulsions and tetanic spasms after mechanical i. Arn.

Injury.—Tetanus: after slight i. in palm of hand by a fragment of glass. Physos.

Trismus and tetanus: parts become cold and icy and spasms begin in wound after peripheral i. Led.

Ink.—Epilepsy: during interval, sour or sweetish, badly-tasting eructations, like i., or rotten wood. Caust.

Inner.—Paralysis of i. organs. Absinth.

Insane.—Epilepsy: following nervous shock, ending in falling down rigid and pulseless, reviving after half hour and acting as if i. Phos.

General paralysis of the i. Physos.

Neuralgia: patient acts as if i., is wild and unruly. Cham.

Insensible.—Convulsions: frothing at mouth, eyes half open, pupils dilated and i. to light, face dark red and hot. Opi.

Convulsions (of children) after fright or after meals; child sickens after eating, vomits and shows signs of distress at stomach; sudden shriek and then becomes i. Hyos.

Epilepsy: after paroxysm, when breathing has become free there is loss of consciousness, patient lying as if dead, remaining i., even when touched or pinched. Cic-v.

Epilepsy: suddenly seized with electric shock, becoming i., foaming at mouth, which is drawn to left side. Art-v.

Insensibility.— Hysteria, with epileptiform convulsions (during menses); with i., closed teeth and frothy secretions from mouth. Cedron.

I. of nervous system without reaction. Opi. (Carbo-v.)

Insomnia (see section on Sleep).—Nervous excitement causing i. Coca.

Nervousness, with i. Camph.

Intermittent.—After suppressed scabies or eruption, protracted i. or softening of brain. Caust.

Neuralgia: chronic, i., recurring in paroxysms, with great regularity. Cedron.

Neuralgia: i.; pains return with great regularity. Chin-s. (Cedron.)

Intermittents.—Chorea: after i. Natr-m.

Intermitting.—Trismus and tetanus: spasms i. Nux-v.

Internal.—Chorea: jactitations of muscles, i. twitching, recovers with a start. Nux-m.

Hysteria: i. spasms. Nux-m.

Internally.—Trembling i. or whole body paralytic. Tart-em.

Interval.—Epilepsy; during i., anxiety; tendency to be frightened; burning in chest and abdomen, with chilliness of rest of body; burning and tearing in small of back; numbness of the arms. Cupr.

Epilepsy: during i., silent, stupid, with jerking and twitching of muscles. Ign.

Epilepsy: during i., sour or sweetish, badly-tasting eructations, like ink, or rotten wood; pain in small of back; constant coldness of shoulders and joints of feet; great restlessness; wanting to run away; small, round, soft lumps on scalp; sweat on head; nose stopped; tongue coated white on both sides. Caust.

Epilepsy: during i., stupid, peevish, anxious, pale puffed face, perspiration on head, difficult hearing, eats heartily, yet loses flesh, enlarged abdomen; swelling of glands about neck. Calc-c.

Epilepsy: during i., tearing and beating in right eye, which weeps and seems protruded. Hyos.

Epilepsy: during i., vertigo; headache; heat in head; trembling of tongue and limbs; curious dreams at night. Lach.

Intervals.—Epilepsy: after and during i. between paroxysms, peevish, angry, scolding, swearing, fearful and full of anxiety. Bell.

Epilepsy: during i., flushes of heat; is restless must move about. Sep.

Epilepsy: paroxysms at night, returning at regular i. Cupr.

Epilepsy: recurring at short i. Cupr.

Neuralgia appearing at i. Magn-ph.

Intestinal.—Epilepsy in children, with i. irritation. Cina.

Nervousness from i. irritation. Sabad.

Paralysis of tongue, fauces, pharynx, œsophagus, stomach and i. canal. Caps.

Involuntary.—Chorea: i. motion of right arm and leg, cease during sleep. Cocc.

Chorea: sometimes only one-sided, i. motions. Calc-c.

Chorea: spasmodic motions, from simple i. motions or jerks of single muscles to a dancing of whole body. Agar.

Epilepsy: during paroxysm, i. discharge of urine. Caust., Cupr.

I. movements while awake; cease during sleep. Agar. (Continue during sleep. Ign., Nux-v.)

Nervous tremors, in tonic and clonic spasms, epileptiform in character, with foaming at mouth, i. stool and discharge of semen, together with hallucinations and delirium. Absinth.

Trembling of hands and tongue; i. motions which cannot be momentarily controlled by the will. Merc.

Irregular.—Epilepsy: paroxysm at first seldom and i. but soon become regular and coincident with menses. Plumb.

Spasmodic twitchings and i. movements of whole body; spasms with fingers spread out. Sec.

Irritability.—Great i. of nervous system. Cham.

Great i., with pains; sensitive to slightest touch; least vibration renders pain unbearable. Colch.

Hysteria; convulsive physical i. Nitr-ac.

Hysteria: excessive i. of mind and body. Gels.

I., excitability and sensitiveness of nervous system; twitching of muscles. Iod.

Starting on being touched or on hearing sudden noise; great i. after exhausting diarrhœa. Kali-ph.

Irritable.—Epilepsy: day before attack excitable and i. Art-v.

Restless and i. Calc-c.

Very nervous: cannot bear anything; is hot, i. and restless. Chim-m.

Irritation.—Convulsions: from reflex i. during dentition, with rolling of head and variegated slimy stools. Podo.

Epilepsy: after local i. of nerves or when very much excited. Magn-ph.

Epilepsy: exceeding nervous i. (subsultus tendinum). Ind.

Epilepsy: in children, with intestinal i. Cina.

First i., and second paralysis of peripheral sensory nerves and posterior roots of spinal nerves. Acon.

Nervous chills, with shivering and chattering of teeth; dependent upon i. of motor nerves; in very weak, sensitive subjects; after fear or fright. Gels.

Nervousness from intestinal i. Sabad.

Superficial functional disturbances, affecting especially female sexual organs, producing i. and giving rise to various nervous and hysterical symptoms. Ambr.

Itch.—Epilepsy: in persons of psoric taint or after suppressed i. Sulph.

Itching.—Chrorea: i. of nose. Cina.

Epilepsy: is listless and drowsy during day, with i. of skin without eruption. Opi.

Jactitation (see Jerking).—Chorea: trembling and j. of arms and legs. Aster.

J. and twitching. Asaf.

J. of muscles. Gels.

Jactitations.—Chorea: emotional, with fearful contortions and j. when awake. Laur.

Chorea: j. of muscles, internal twitching, recovers with a start. Nux-m.

Chorea: spasmodic j. Laur.

Jar.—Convulsions: renewed by bright light, sudden j. or noise, or least touch followed by deep sleep. Nux-v.

Jaw (see section on Face).—Trismus and tetanus: drawing of head to right side with stiffness of neck, face and j.; dizziness; heaviness in head; eyes weak. Lyc.

Trismus and tetanus: pains run up limb through spine to neck and face; muscles of neck and j., chest and abdomen become rigid. Hyper.

Jaws.—Epilepsy: after fright; convulsive movements in limbs; spasmodic closure of j. Ign.

Epilepsy: during paroxysm, limbs and trunk become rigid and j. closed. Cupr.

Epilepsy: limbs, head and upper part of body move in a strange manner, with j. set. Cic-v.

Epilepsy: paroxysm commences with shocks in limbs; sudden falling; livid face; convulsive motion of j.; froth at mouth and loss of consciousness. Aster.

Hysteria: clinching of j.; confused talking. Mosch.

Tetanus: commencing with tremulousness of muscles of neck; pains from injured foot up to back and neck; j. stiff; opisthotonos. Ang.

Jealousy.—Catalepsy: with j. Hyos., Lach.

Epilepsy: with j., disappointed love, grief, great emotions or intemperance. Hyos.

Hysteria: j. Lach.

Jerk.—Epilepsy: paroxysm commences with beating about of arms and ends with j. through whole body. Ars.

Epileptiform spasms; eyeballs twitch or turn up, and body and limbs violently j. and twitch; this condition is produced by diseased condition of ovaries or uterus. Œnanth.

Jerking.—Chorea: constant j. forward and other irregular movements. Magn-ph.

Chorea: constant j. head to right side. Myg.

Chorea: distortion, twisting and j. in limbs, even at night, preventing sleep. Caust.

Chorea: j. and jumping. Natr-m.

Chorea: j. and twitching in various parts. Ign. (Stram.)

Chorea: j. in muscles. Croc.

Chorea: j. of mouth. Magn-ph.

Chorea: j. of muscles of face. Sep.

Chorea: j. upper part of body. Thuja.

Chorea: throws head backward then forward, with j. and twitching it around to right side. Myg.

Convulsions (of children): paroxysm commences with clinching and j. upward of fists and legs. Glon.

Convulsions: twitching and trembling of head, arms and hands, with occasional j. of flexor. Opi.

Epilepsy: during interval, silent, stupid, with j. and twitching of muscles. Ign.

Epilepsy: during paroxysm convulsive motion; weeping; soporous sleep; great exhaustion; j. in arms and about mouth. Sulph.

Epilepsy: j. and starting during sleep. Bell.

Epilepsy: j. and twitching. Ind.

Epilepsy: j. of head; dragging speech, with slight frothing of mouth while talking. Plumb.

Epilepsy: j. of limbs. Glon.

Epilepsy: wonderful distortion and contortion of limbs and upper part of body and head, j. patient a distance of two feet. Cic-v.

Frequent, spasmodic j.; trembling, with great debility. Sulph.

Great nervous excitability; j., twitching and trembling. Camph.

Hysteria: j. and twitching in various parts of muscles. Ign.

J. and twitching of head and limbs. Sep.

J. through body. Glon.

J., twitching, trembling and agitation of all nerves. Valer.

Paralysis: j. and twitching of nerves in face around eyes. Phos.

Paralysis: j. of single muscles. Phos.

Peculiar numbness, approaching paralysis; transient j., stitching pain in nerve center. Ox-ac.

Trembling and j. of limbs (in hydrocephalus). Apis.

Trembling, j., puerperal convulsions. Ver-a.

Twitching and contraction of body unaffected by sleep; j. or continual nodding of head. Ver-v.

Twitching and j. through body during day. Bar-c.

Twitching, j. and distortion of limbs. Cina.

Twitching of limbs and j. in different muscles. China.

Jerks.—Chorea: spasmodic motions from simple, involuntary motions or j. of single muscles, to a dancing of whole body. Agar.

Convulsions (of childrem with worms): sudden rigidity, with j.; afterward relaxation and weakness. Cic-v.

J. of single muscles or sets of muscles. Hyos.

Tetanus: with spasmodic j. or rigidity of body, with bluish-redness of face and convulsive twitching in limbs. Ipec.

Trismus and tetanus: sudden j. during sleep. Bell.

Whole body j. during sleep; twitching of muscles. Zinc.

Joints.—Epilepsy: paroxysm so violent that it seemed as if j. or spine would be broken; renewed by attempt to swallow fluids. Hyos.

Joy.—Catalepsy: after sudden j. Coff.

Jumping.—Chorea: jerking and j. Natr-m.

Chorea: j. a foot and a half high from floor. Natr-m.

Chorea: j. and dancing of feet and legs as soon as night comes on, had to hold them. Sticta.

Chorea: j., laughing, dancing, whistling, wants to kiss everybody. Croc.

Chorea: j. up, climbing over table. Stram.

Epilepsy: attacks followed by delirious rage, j. and striking those near. Arg-m.

J. of nerves causing sensation as if something living were moving about in various parts. Croc.

Stitches j. from place to place, especially in knees and ankles (Puls.); disappearing on motion. Cham.

Jumps.—Epileptiform spasms: j. up suddenly; turns over objects. Œnanth.

Kicking.—Convulsions: k. with legs. Ign.

Kiss.—Chorea: jumping, laughing, dancing, whistling, wants to k. everybody. Croc.

Knees (see section on Lower Extremities).—Chorea: feet and legs cold and clammy up to k. Laur.

Chorea: pain in k. when walking. Myg.

Epilepsy: aura begins in k., ascends to hypogastric region, when unconsciousness occurs. Cupr-ac.

Exhaustion of vital forces (Caps., Carb-ac., Laur.), with cold surface, especially below k. to feet; lies as if dead; breath cold; cold sweat on limbs. Carbo-an.

Great nervous debility of all senses following night watching, excessive use of coffee, wine, etc.; cannot walk on account of giving way of lower limbs; k. knock together. Nux-v.

Paralysis agitans; trembling of k. when standing and hands when writing, preceded by occasional attacks of vertigo for some time before paralysis is developed. Oleand.

Paralysis: could sit on bed or chair but on attempting to stand k. give way and have to be supported Phos.

Stitches jumping from place to place, especially in k. and ankles (Puls.); disappearing on motion. Cham.

La grippe.—Weakness and prostration, and a species of hectic fever (in children after l.). Abies-n.

Lame.—Epilepsy: paroxysm repeated frequently during night, wakens morning l. and tired but unconscious of not having had a quiet night's sleep. Opi.

Epileptiform spasms: before paroxysm, hands get l. Kali-bi.

Hemiplegia: with giddiness; weakness of side; weeping mood; hopeless; fear of death; drawing, l. feeling in the affected parts after exposure to cold, suppressed itch or other chronic eruption. Caust.

Paralysis: parts are painful, stiff and l., with tearing pains, tingling and numbness. Rhus-t.

Lameness.—Paraplegia: in weak and nervous subjects inclined to fits of fainting and palpitation of heart, originating in small of back after taking cold; with cold feeling in extremities and œdema of feet; rheumatic l. Cocc.

Languor.—Convulsions: great l. or sleep, stertorous breathing after or during fever. Ign.

Hysteria: semi stupor, with l. and prostration. Gels.

Laryngismus.—Reflex excitability or sleeplessness during teething or whooping-cough or l. stridulus or nephritis. Kali-brom.

Larynx (see section on Larynx and Trachea).—Chorea: distortions commence with a shriek; tongue, œsophagus and l. are involved, continuing through night. Cina.

Convulsions (with dysuria): bright light, drink or sound of falling water, touching l. or painful part cause renewal of spasms. Canth.

Lassitude.—Epilepsy: after paroxysm, l., sleep. Œnanth.

Epilepsy: attack very severe, lasting for hours, followed with great drowsiness and l. Plumb.

Epilepsy: foaming in mouth; terminating in great l. or sleep. Ign.

Epileptiform spasms: complains of great l. and severe headache. Laur.

Laterally.—Chorea: upper part of body affected l. and downward. Magn-ph.

Laughing.—Chorea: jumping, l., dancing, whistling, wants to kiss everybody. Croc.

Hysteria: l. and weeping in alternation. Phos., Stram.

Laughter.—Catalepsy: clonic and tonic spasms with convulsive l. Plat.

Hypochondriasis and hysteria: alternate l. and crying. Aur. (Ign., Nux-m.)

Hysteria: weeping one moment and next bursts out in uncontrollable l. Mosch.

Left.—Catalepsy: l. side paralyzed. Stram.

Chorea: tetanus of l. and trembling of right side. Natr-s.

Epilepsy: before paroxysm, feeling of great coldness of l. side. Sil.

Epilepsy: before paroxysm, staring of eyes, turning head to l. side. Sep.

Epilepsy: continual rotary motion with l. arm. Stram.

Epilepsy: shaking and twitching of l. arm. Sil.

Epilepsy: suddenly seized with electric shock, becoming insensible, foaming at mouth, which is drawn to l. side. Art-v.

Hemiplegia: especially of l. side with feeling of a heavy load on affected arm and side of chest with frequent night-sweat. Stann.

Paralysis: of l. hand with atrophy and numbness in fingers. Sil.

Paralysis: l. side after apoplexy from cerebral exhaustion. Lach.

Paralysis of right arm and l. leg. Tereb.

Left-sided.—L. hemiplegia. Arn., Caust., Lach.

Leg (see section on Lower Extremities).—Chorea: attacks crosswise and in the right upper arm and the left lower l., and vice versa. Agar.

Chorea: involutary motions of right arm and l., cease during sleep. Cocc.

Epilepsy: before paroxysm, sensation of crawling and running as if a mouse were running up arms to back, or sudden feeling as if mouse were running from right foot up l. to right side of abdomen. Sulph.

Paralysis of right arm and left l. Tereb.

Legs.—Chorea: almost inconceivable motions of arms, head and l., distorting whole body and jumping about room regardless of furniture. Natr-m.

Chorea: drags l. in moving and walking. Myg.

Chorea: eruption on l., generally on calf. Kali-brom.

Chorea: feet and l. cold and clammy up to knees. Laur.

Chorea: jumping and dancing of feet and l., as soon as night came on had to hold them. Sticta.

Chorea: l. in constant motion while sitting. Myg.

Chorea: trembling and jactitation of arms and l. Aster.

Convulsions: kicking with l. Ign.

Convulsions (of children): paroxysm commences with clinching and jerking upward of fists and l.; face red; eyes rolled outward and upward. Glon.

Epilepsy: heaviness and numbness of l. Plumb.

Paralysis of l. Alum., Arn., Bell., Bry., China, Cocc., Colch., Dulc., Kali-c., Merc., Nux-v., Phos., Plumb., Rhust-t., Sec., Sulph., Ver-a.

Paralysis of l., worse in morning with heaviness of head and ringing in ears. Sil.

Paralysis: on standing keeps l. apart; looks steadily at an object as if unable to make it out; limbs feel as if bound by an elastic bandage. Pic-ac.

Paralytic feeling in arms, l. and spine. Æsc.

Leucorrhœa (see section on Female Organs).—Epilepsy: scanty menses and l. Caust.

Epileptiform convulsions: l. or seminal emissions. Lach.

Hysteria: l. in place of menses; menses too late and scanty. Nux-m.

Lewdness.—Epileptiform convulsions: with great l. Lach.

Lids.—Epilepsy: during paroxysm, eyes half open (paresis of upper l.), with staring look. Caust.

Epilepsy: eyes dull and turned upward, l. half closed. Opi.

Lie.—Chorea: can neither sit, stand or l. down on account of incessant motion. Laur.

Lies.—Epilepsy: falls and l. almost motionless. Agar.

Lifeless.—Catalepsy: limbs hang down relaxed and appear l. Cic-v.

Lift.—Paralysis: staggering walk; contracts feet when walking, cannot l. them. Nux-v.

Light.—Chorea: desire for l. Stram.

Chorea: when lying down limbs feel as l. as a feather and as if floating in air. Sticta.

Convulsions: frothing at mouth, eyes half open, pupils dilated and insensible to l., face dark red and hot. Opi.

Convulsions: renewed by bright l., sudden jar or noise, or least touch, followed by deep sleep. Nux-v.

Convulsions (with dysuria): bright l., drink or sound of falling water, touching larynx or painful part cause renewal of spasms. Canth.

Lightning.—Neuralgia: pains are shooting, cutting, and run like l. Coloc.

Lightning-like.—Epieptiform spasms: before paroxysm, l. rushing through brain and down right side of neck into arm, which is distorted and wrenched, so as to crack. Chin-ars.

Neuralgia: pains l.; worse during rest; must move about. Magn-c.

Limb (see section on Lower Extremities).—Chorea or other clonic spasms (during pregnancy); paroxysm commences in finger or l. and gradually extends over body. Cupr.

Trembling and twitching of l. Chelid.

Trismus and tetanus: pains run up l. through spine to neck and face; muscles of neck and jaw, chest and abdomen become rigid. Hyper.

Limbs.—Catalepsy: l. can be moved by others. Stram.

Catalepsy: l. hang down relaxed and appear lifeless. Cic-v.

Chorea: all sorts of motions and contortions of l. Ign.

Chorea: creeping in l. Stram.

Chorea: convulsive motions of head and l. Sep.

Chorea: distortion, twisting and jerking in l., even at night preventing sleep. Caust.

Chorea: l. in constant motion. Myg.

Chorea: trembling of body; l. in constant motion, can run better than walk. Tarant.

Chorea: trembling of l. Cocc.

Chorea: twitching of l. Phos.

Chorea: violent motions of head and l. Calc-c.

Chorea: when lying down l. feel as light as a feather and as if floating in air. Sticta.

Convulsions commencing with cramps in lower extremities and drawin of fingers and toes, throwing about of l., frothing at mouth and choking in throat. Cupr.

Convulsions during dentition: child becomes stiff, rolls eyes, distorts face, twitches, throws l. about. Cham.

Convulsions (during dentition), with grinding of teeth and coldness of l. (after over-excitement or sudden emotions). Coff.

Convulsions: l. rigid and go to sleep. Nux-v.
Convulsions: spasms begin with loud scream; foam at mouth, trembling of l.; suffocation; puffed and livid face. Opi.
Convulsions: spasms flex l. and bent body is tossed upward. Hyos.
Convulsions: throws l. or stretches arms to right angles to body. Opi.
Convulsions: trembling of l. Opi.
Convulsions: twitching of muscles of face, arms and l. Merc-cor.
Convulsions, with loss of consciousness, frightful distortions of l. and whole body. Cic-v. (Agar.)
Convulsions, with rigidity of l. and difficult breathing. Millef.
Convulsions, with screams, gnashing of teeth and violent movement of l. Caust.
Convulsive, chorea-like motions of l. Arg-n.
Epilepsy: after fright; convulsive movements in l.; spasmodic closure of jaws. Ign.
Epilepsy: before paroxysm, chewing motion of mouth, stretching of l., great restlessness. Calc-c.
Epilepsy: clonic spasms of l. Œnanth.
Epilepsy: during interval, vertigo; headache; heat in head; trembling of tongue and l.; curious dreams at night. Lach.
Epilepsy: during paroxysm, l. spread to sides and mouth open; or l. and trunk become rigid and jaws closed. Cupr.
Epilepsy: during paroxysm, rigidity, with twitching of l. Dros.
Epilepsy: during paroxysm, tossing l., clinching thumbs. Stann.
Epilepsy: during paroxysm, violent movements of l. Caust.
Epilepsy: falling down unconscious; distortions of features; spasms of l.; bloody foam at mouth; biting of tongue; throwing of l. about (Cic-v.); very weak afterward. Absinth.
Epilepsy: jerking of l. Glon.
Epilepsy: l., head and upper part of body move in a strange manner, with jaws set. Cic-v.
Epilepsy: paroxysm commences with shocks in l., sudden falling, livid face, convulsive motion of jaws, froth at mouth and loss of consciousness. Aster.
Epilepsy: spasmodic and violent palpitation of heart; body and l. cold. Kali-ph.
Epilepsy: stiffness of l., hands and feet clinched. Magn-ph.
Epilepsy: trembling of l. Caust., Crotal.
Epilepsy: when occurring during day, patient falls to ground unconscious, with wild, startling cry, followed by spasms of l., turgescence and distortions of muscles of face, face livid, grinding of teeth and bloody foam or saliva at mouth, ending in loud, snoring sleep. Bufo.
Epilepsy: wonderful distortion and contortions of l. and upper portion of body and head, jerking patient a distance of two feet. Cic-v.

Epileptiform spasms: before paroxysm, convulsive movements of l. and body; clinching of fingers, hand being stretched out. Cocc.

Epileptiform spasms: eye-balls twitch or turn up and body and l. violently jerk and twitch; this condition produced by diseased condition of ovaries or uterus. Œnanth.

Epileptiform spasms: l. stiff. Laur.

Epileptiform spasms: twitching of l., tongue and muscles of face. Camph.

Epileptiform spasms: twitching of muscles; trembling of l. Ran-b.

Epileptiform spasms: violent tossing of l., followed by relaxation, desire to vomit and eructations after suppression of menses. Puls.

Great restlessness, with fear and anxiety; cannot rest in any place constantly changing position; wants to go from one bed to another; constant moving of head and l., while trunk lies still, on account of weakness. Ars.

Hysteria: l. restless; music has soothing influence. Tarant.

Jerking and twitching of head and l. Sep.

Neuralgia: erratic pains which fly or change from one part of body or l. to another; they are short and sharp and attended by bruised, sore sensation and chilliness. Puls.

Numbness and tingling in left side, with paralysis of l. Acon.

Paralysis agitans: in old age; senile; with loss of memory and trembling of l. Bar-c.

Paralysis of all l. Arn., Ars., Colch., Dulc., Gels., Merc., Nux-v., Rhus-t., Sang.

Paralysis of l. (Plumb.), with incipient softening of spinal marrow. Agar.

Paralysis: on standing keeps legs wide apart; looks steadily at an object, as if unable to make it out; l. feel as if bound by an elastic bandage. Pic-ac.

Paralysis: tingling, formication in l., with heat in paralyzed part. Phos.

Paralysis: with spinal disease or after sexual excesses; tingling and tearing pain in back down through l. Phos.

Restlessness, cannot keep l. still at night. Spig.

Spasms in buttocks when stretching out l. Sep.

Tetanic spasms of upper l. and body. Can-sat.

Tetanus: spasms or convulsions, with frightful contortions of l. Ars.

Tetanus: stretches and writhes and then draws l. together. Ars.

Tetanus, with spasmodic jerks or rigidity of body, with bluish-redness of face and convulsive twitching in l. Ipec.

Trembling in all l., especially in hands, with extreme nervousness. Sil.

Trembling in l.; feeling of numbness in lower half of body. Spong.

Trembling of l.; nervous debility. Viola-tr.

Trismus and tetanus: twitching of muscles of face and l.; squinting; inability to swallow, followed by convulsive motions; spasmodic respiration; dilated pupils; staring, open eyes. Bell.

Twitching and clonic spasms in l. Chin-s.

Twitching and numbness through body and l.; nervous exhaustion (neurasthenia) and debility, with prostration of mind and body. Lyc.

Twitching in l. during sleep. Sep.

Twitching, jerking and distortion of l. Cina.

Twitching of l. and jerking in different muscles. China.

Uneasy, restlessness and "fidgets" in l.; worse during rest. Zinc.

Violent tonic spasms: curved l could not be straightened, nor straight l. curved; renewed by slightest touch, by opening door and from loud talking; each muscle perfectly rigid. Cic-v.

Weakness and trembling in l. Chin-s.

Lime.—Hysteria: craving for fat, herring, chalk, l., earth. Nitr-ac.

Linen.—Excessive sensibility of all nerves when merely thinking (which must be continually) that someone might with finger tip or nail scratch even lightly on l. or similar material; causing a most disagreeable sensation which thrills through patient, arresting momentarily all thoughts and actions. Agar.

Lips.—Chorea: with foam on l., continual grinding or champing of teeth; inability to swallow. Ver-v.

Severe clonic spasms every few moments; l. blue, protruding. Nux-v.

Trismus and tetanus: extremities stiff; hands firmly closed; feet extended and toes flexed; pupils dilated; teeth clinched; l. firmly everted. Phyt.

Listless.—Epilepsy: is l. and drowsy during day, with itching of skin without eruption. Opi.

Liver.—Nervous twitchings due to spinal irritation, with great soreness, uneasiness and weakness down spine, with or without derangement or enlargement of l. Agar.

Livid.—Convulsions or spasms after fright, with pallid or l. countenance. Kali-ph.

Convulsions: spasms begin with loud screams; foam at the mouth; trembling of limbs; suffocation; puffed and l. face. Opi.

Convulsions: with swollen, l. face, bloody mouth and nostrils. Œnanth.

Epilepsy: face bloated and l., with frothy, sanguineous saliva. Crotal.

Epilepsy: paroxysm commences with shocks in limbs, sudden falling, l. face, convulsive motion of jaws, froth at mouth and loss of consciousness. Aster.

Violent convulsions, with trismus or tetanus; risus sardonicus; rigors, followed by coma or deep sleep; foam at mouth; face l.; biting of tongue. Œnanth.

Living.—Jumping of nerves causing sensation as if something l. were moving about in various parts. Croc.

Load.—Hemiplegia, especially of left side, with feeling of a heavy l. on affected arm and side of chest, with frequent night-sweat. Stann.

Locomotor ataxia.—Chorea: l. Natr-s.

L. Bell.

Nervous weakness; l.; inco-ordination; unsteady gait; reeling as if drunk; rolling and staggering; delirium tremens in first or initiative stage; face flushed; eyes red; active delirium; horrible illusions; hard, quick pulse. Kali-brom. (Give five to thirty grains once in two hours.—Burt.)

Progressive l. Gels., Lach., Pic-ac., Plumb., Sil. (Pinus-s.)

Look.—Spasms: in children, after fright or from worms; child pale, cold; fixed, staring l.; occasional screams; vomits food; preceded by hasty drinking. Ign.

Looks.—Epileptiform spasms: after paroxysm, rises without speaking to anyone or answering any questions; clinches teeth; l. at those around; tries to push away those surrounding; face having expression of wild rage; finally groans and moans. Cocc.

Paralysis: on standing keeps legs wide apart; l. steadily at an object as if unable to make it out; limbs feel as if bound by an elastic bandage. Pic-ac.

Loss.—Catalepsy: l. of nerve power. Stram.

Chorea: cutaneous anæsthesia, with l. of reflex activity. Kali-brom.

Chorea: l. of memory. Stram.

Chorea: l. of speech. Stram.

Clonic spasms of extremities, with l. of consciousness. Dolich.

Convulsions (after l. of sleep). Cocc.

Convulsions, with l. of consciousness and temporary inability to speak. Ign.

Convulsions, with l. of consciousness, frightful distortions of limbs and whole body. Cic-v. (Agar.)

Epilepsy: after paroxysm, extreme prostration and l. of memory. Gels.

Epilepsy: after paroxysm, when breathing has become free, there is l. of consciousness, patient lying as if dead, remaining insensible even when touched or pinched. Cic-v.

Epilepsy: followed by profuse sweat; l. of power to make voluntary motions. Sec.

Epilepsy: l. of consciousness. Cic-v., Crotal., Sep., Staph.

Epilepsy: l. of consciousness and falling down; or paroxysm commences with beating about of arm and ends with jerk through whole body. Ars.

Epilepsy: l. of memory; is low-spirited and frequently sits in despair; strabismus. Plumb.

Epilepsy: paroxysm commences with shocks in limbs, sudden falling; livid face; convulsive motion of jaws; froth at mouth and l. of consciousness. Aster.

Epilepsy: paroxysm commences with vertigo, l. of consciousness, sometimes without convulsions; pharyngeal spasm, followed by desire to swallow. Calc-c.

Epileptiform spasms: faint feeling and headache, with l. of consciousness. Kali-bi.

Epileptiform spasms: l. of self-control and consciousness to a degree. Œnanth.

Exhaustion of vital forces, with l. of power to react. Caps. (Carbo-v., Laur.)

Hysteria: in mild, tearful, yielding, timid, peevish, changeable subjects, with loss of smell and taste, appetite and thirst. Puls.

Hysteria: several days before attack there is l. of appetite, nausea and headache. Kali-c.

Paralysis after l. of fluids. Ferr. (China.)

Paralysis agitans: in old age; senile; with l. of memory and trembling of limbs. Bar-c.

Paralysis: l. of sensation in lower arms as far as elbow and in lower limbs to gluti, taking place progressively, first in tips of fingers and toes, then in hands and feet, with complete anæsthesia of nervous sensations. Phos.

Paraplegia: with painful l. of sensation in limbs. Caust.

Trismus and tetanus: l. of memory. Cic-v.

Losses.—Paralysis: after chorea; from debilitating l. Ver-a.

Loud.—Convulsions: spasms begin with l. screams; foams at mouth; trembling of the limbs; suffocation; puffed and livid face. Opi.

Epileptiform spasms: after paroxysm cold sweat, l. eructations and great prostration. Chin-ars.

Paralysis of vocal cords; cannot speak a l. word. Caust.

Love.—Catalepsy: after disappointed l. Ign., Lach.

Epilepsy: with jealousy, disappointed l., grief, great emotions or intemperance. Hyos.

Lower limbs.—Convulsions commencing with cramps in l. and drawing in of fingers and toes, throwing about of limbs, frothing at mouth, and choking in throat. Cupr.

Great nervous debility of all senses following night-watching, excessive use of coffee, wine, etc.; cannot walk on account of giving way of l.; knees knock together. Nux-v.

Paralysis: loss of sensation in lower arms as far as elbow and in l. to gluti, taking place progressively, first in tips of fingers and toes, then in hands and feet, with complete anæsthesia of nervous sensations. Phos.

Paralysis: numbness and deadness of l. Nux-v.

Severe clonic spasms every few moments; lips blue, protruded; l. stiff; loud piercing cry with every spasm; foam at mouth; least motion, moving fingers or eyes, touching lips with spoon brought on spasm. Nuv-v.

Low-spirited.—Epilepsy: loss of memory; is l. and frequently sits in despair; strabismus. Plumb.

Lumbar.—Chorea: sensitiveness of l. vertebræ. Agar.
Chorea: soreness of last l. and first dorsal vertebræ. Bell.
Neuralgia: especially facial, abdominal, l., femoral, ovarian and sciatic. Coloc.

Lump.—Hysteria: feeling of a l. in throat which descends on swallowing but returns at once. Lach.

Lumps.—Epilepsy: during interval, small round, soft l. on scalp; sweat on head. Caust.

Lying.—Chorea: better when l. on back. Ign.
Chorea: when l. down limbs feel as light as a feather and as if floating in air. Sticta.
Epilepsy: after paroxysm, when breathing has become free, there is loss of consciousness, patient l. as if dead, remaining insensible, even when touched or pinched. Cic-v.

Mania.—Hysterical m.: excessive mirth and cheerfulness alternating with melancholy; childish follies; pleasant dementia. Croc.

Marrow.—Paralysis of limbs (Plumb.), with incipent softening of spinal m. Agar.

Masturbation (see section on Sexual Organs).—Epilepsy: usually occurring in those who have practiced m., or after fright. Bufo.

Meals.—Convulsions (of children) after fright or after m.; child sickens after eating, vomits, and shows signs of distress at stomach; sudden shriek, and then becomes insensible. Hyos.

Melancholy.—Epilepsy: exceeding m. and timid. Ind.
Epilepsy: m. expression of face. Ign.
Hysterical mania: excessive mirth and cheerfulness alternating with m.; childish follies; pleasant dementia. Croc.

Memory.—Chorea: loss of m. Stram.
Epilepsy: after paroxysm, extreme prostration and loss of m. Gels.
Epilepsy: loss of m.; is low-spirited and frequently sits in despair; strabismus. Plumb.
Epilepsy: m. impaired. Œnanth.
Paralysis agitans: inold age; senile; with loss of m. and trembling of limbs. Bar-c.
Trismus and tetanus: loss of m. Cic-v.

Menses (see section on Female Sexual Organs).—Chorea: at puberty, or at approach of m. Caul.
Epilepsy: after fright (Agar., Art-v., Bufo, Gels., Opi., Stram.); during m. Arg-n. (Cimicf.)
Epilepsy: especially in nervous women, with paralytic weakness and suppressed or scanty m. Cocc.
Epilepsy: paroxysm at first seldom and irregular but soon becomes regular and coincident with m. Plumb.
Epilepsy: scanty m. and leucorrhœa. Caust.
Epileptiform spasms: after suppression of m. Millef.

Epileptiform spasms: before m. which are too light and scanty with swelling of abdomen. Puls.

Epileptiform s.: during m. Lach.

Epileptiform spasms: violent tossing of limbs followed by relaxation, desire to vomit and eructation after suppression of m. Puls.

Hysteria: leucorrhœa in place of m.; m. too late and scanty. Nux-m.

Hysteria, with epileptiform convulsions (during m.): paroxysms come on morning and evening at same hours; giddiness followed by falling down and most distressing convulsions, with insensibility, closed teeth and frothy secretions from mouth. Cedron.

Spasms after fright, anger or other emotional causes in plethoric persons, or in women at time of m.; during parturition, or sexual excitement or excessive sexual indulgences. Kali-brom.

Trismus and tetanus: profuse m. Plat.

Menstruation.—Catalepsy: during m. Plat.

Epilepsy: m. exceeding painful, apprehension of which fills patient with fear. Plumb.

Mental (see section on Mind).—Chorea: after fright and m. depression. Aster.

Chorea: after m. excitement or fright. Bell.

Chorea: by fright or other m. excitement. Ign.

Epliepsy: m. derangement. Opi.

Hysteria: physical symptoms alternating with m. symptoms. Plat.

Nervous depression (after over-work, m. anxiety, sexual excesses, or abuse of tobacco). Coca.

Paralysis after great m. emotion and night watching. Ign.

Paralysis: preceded by m. derangement; trembling or tremor, spasms or by shooting, darting, intense, tearing pains along large nerves, with emaciation of parts affected. Plumb.

Mild.—Hysteria: characterized by m., gentle, yielding though whimsical. Ign.

Hysteria in m., tearful, yielding, timid, peevish, changeable subjects, with loss of smell and taste, appetite and thirst. Puls.

Mind (see section on Mind).—Epilepsy: exhaltation of all powers of m. and body before paroxysm. Can-ind.

Hysteria: excessive irritability of m. and body. Gels.

Neurasthenia or cerebro-spinal exhaustion from over-work; after continued grief; over-exertion of m. and body; or sexual excesses; or in young persons growing too rapidly. Phos-ac.

Twitching and numbness through body and limbs; nervous exhaustion (neurasthenia) and debility with prostration of m. and body. Lyc.

Mirth.—Hysterical mania: excessive m. and cheerfulness alternating with melancholy; childish follies; pleasant dementia. Croc.

Misplacement.—Paraplegia: with m. or engorgement of uterus. Caul.

Moaning.—Restlessness m., and tossing about. Eupat-purp.

Moans.—Epileptiform spasms: after paroxysm, rises without speaking to anyone or answering any questions; clinches teeth; looks at those around; tries to push away those surrounding; face having expression of wild rage; finally groans and m. Cocc.

Spasms during dentition; child constantly m. or dozes with half-open eyes or is cross and sleepless. Kreas.

Moon.—Chorea: worse during full m. Natr-m.

Epilepsy: during puberty or new m. Caust.

Epilepsy: spasms appear at night or during new m. Sil.

Morbid.—Chorea: entire nervous system m., excited and sensitive with intense acuteness of all special senses and increase of susceptibility to external impressions, mentally and physically. Ign.

Epilepsy: neuralgic pains and other m. sensations over different parts of body. Ign.

Morning.—Epilepsy: paroxysm every two or three weeks usually in m. Sep.

Epilepsy: paroxysm repeated frequently during night, wakens m. lame and tired but unconscious of not having had a quiet night's sleep. Opi.

Hysteria: headache every m. without appetite for breakfast and nausea after eating. Nux-v.

Hysteria, with epileptiform convulsions (during menses); paroxysms come on m. and evening at same hours; giddiness followed by falling down and most distressing convulsions, with insensibility, closed teeth and frothy secretions from mouth. Cedron.

Paralysis of legs; worse in m. with heaviness of head and ringing in ears. Sil.

Mother.—Convulsions: spasms in nursing infants after fright of m. Opi.

Motion.—Chorea: can neither sit, stand or lie down on account of incessant m. Laur.

Chorea: legs in constant m. while sitting. Myg.

Chorea: spasmodic m. of body, generally backward. Bell.

Chorea: trembling of body; limbs in constant m., can run better than walk. Tarant.

Epilepsy: before paroxysm, chewing m. of mouth, stretching of limbs great restlessness, palpitation of heart, feeling as if something, were running in arm, or from pit of stomach down through abdomen into feet. Calc-c.

Epilepsy: continual rotary m. with left arm. Stram.

Hysteria: spasmodic m. of hands and feet; spasms brought on by touch, m. or slightest noise. Nux-v.

Neuralgia: worse during rest at night, relieved by m. Ars.

Severe clonic spasms every few moments; lips blue, protruded; lower limbs stiff; loud piercing cry with every spasm; foam at mouth; least m., moving fingers or eyes, touching lips with spoon brought on spasm. Nux-v.

Stitches, jumping from place to place, especially in knees and ankles (Puls.); disappearing on m. Cham.

Motionless.—Epilepsy: falls and lies almost m. Agar.

Motions.—Chorea: all sorts of m. and contortions of limbs. Ign.

Chorea: almost inconceivable m. of arms, head and legs, distorting whole body and jumping about room regardless of furniture. Natr-m.

Chorea: contractions commence in muscles of face and spread over body increasing even to m., as if dancing or jumping. Sec.

Chorea: convulsive m. of head and limbs. Sep.

Chorea: involuntary m. of right arm and leg, cease during sleep. Cocc.

Chorea: sometimes only one-sided, involuntary m. Calc-c.

Chorea: spasmodic m. from simple involuntary motions or jerks of single muscles, to a dancing of whole body. Agar.

Chorea: violent m. of head and limbs. Calc-c.

Chorea: with violent m., which are often crosswise; arms are rotated over head. Stram.

Convulsive, chorea-like m. of limbs. Arg-n.

Epilepsy: during paroxysm, convulsive m.; weeping; soporous sleep; great exhaustion; jerking in arms and about mouth. Sulph.

Epilepsy: followed by profuse sweat; loss of power to make voluntary m. Sec.

Hysteria: convulsive m. Nux-m.

Trembling of hands and other m. Tart-em.

Trembling of hands and tongue; trembling and weakness after least excitement; involuntary m. which cannot be momentarily controlled by the will. Merc.

Trismus and tetanus twitching of muscles of face and limbs; squinting; inability to swallow, followed by convulsive m.; spasmodic respiration; dilated pupils; staring, open eyes. Bell.

Motor.—Complete relaxation and prostration of whole muscular system with entire m. paralysis. Gels.

Nervous chills, with shivering and chattering of teeth; dependent upon irritation of m. nerves; in very weak, sensitive subjects; after fear or fright. Gels.

Paralytic weakness of m. nerves. Ang.

Mouse.—Epilepsy: before paroxysm, sensation of crawling and running, as if m. were running up arms to back or sudden feeling as if m. were running from right foot up leg, or right side to abdomen Sulph.

Mouth (see section on Mouth).—Chorea: it is with great difficulty can carry anything to m. Myg.

Chorea: jerking of m. Magn-ph.

Chorea: m. and eyes open and shut in rapid succession over which has no control. Myg.

Convulsions commencing with cramps in lower extremities and drawing in of fingers and toes, throwing about of limbs, frothing at m. and choking in throat. Cupr.

Convulsions during dentition: child becomes still, rolls eyes, distorts face, twitches, throws limbs about, clinches thumbs, bends body backward and sideways, rattling breathing, foam at m., moves legs up and down alternately, grasps and reaches with hands; m. drawn from side to side. Cham.

Convulsions during dentition, with frothing at m. Ign.

Convulsions: frothing at m., eyes half open, pupils dilated and insensible to light, face dark red and hot. Opi.

Convulsions: spasms begin with loud scream; foam at m.; trembling of limbs; suffocation; puffed and livid face. Opi.

Convulsions, with swollen, livid face, bloody m. and nostrils. Œnanth.

Epilepsy: before paroxysm, chewing motion of m., stretching of limbs, great restlessness, palpitation of heart, feeling as if something were running in arm, or from pit of stomach down through abdomen into feet. Calc-c.

Epilepsy: before paroxysm, vertigo; swelling of tongue which hangs from m. and is bitten. Plumb.

Epilepsy: convulsive agitation of m. and eyes. Bufo.

Epilepsy: drowsiness, with starting, screaming, groaning, weeping, tears drop out of eyes; foam at m. Sil.

Epilepsy: during paroxysm, convulsive motions; weeping; soporous sleep; great exhaustion; jerking in arms and about m. Sulph.

Epilepsy: during paroxysm, fingers become dead; limbs spread to sides and m. open; or limbs and trunk become rigid and jaws closed. Cupr.

Epilepsy: during paroxysm, foam at m. Cham.

Epilepsy: during paroxysm, patient lies as if dead, pale but warm, thumbs clinched, fists turned to and fro, arms slowly drawn up and down, m. distorted. Ars.

Epilepsy: falling down unconscious; distortions of features; spasms of limbs; bloody foam at m.; biting of tongue; throwing of limbs about (Cic-v.); very weak afterward. Absinth.

Epilepsy: foaming at m. Ars., Cic-v., Lach., Staph.

Epilepsy: foaming at m. and falling down convulsed. Cupr-ac.

Epilepsy: foaming in m. terminating in great lassitude or sleep. Ign.

Epilepsy: frothing at mouth, rolling eyes, clinched thumbs. Œnanth.

Epilepsy: jerking of head; dragging speech, with slight frothing of m. while talking. Plumb.

Epilepsy: paroxysm commences with shocks in limbs, sudden falling, livid face, convulsive motion of jaws, froth at m. and loss of consciousness. Aster.

Epilepsy: screaming; foaming at m.; unconsciousness; tossing about: great tendency to start; feels frightened at least noise. Lyc.

Epilepsy: suddenly seized with electric shock, becoming insensible, foaming at m., which is drawn to left side. Art-v.

Epilepsy: when occuring during day patient falls to ground unconscious, with wild, startling cry, followed by spasms in limbs, turgescence and distortions of muscles of face, face livid, grinding of teeth and bloody foam or saliva at m., ending in loud, snoring sleep. Bufo.

Epileptiform spasms: before paroxysm, m. half open; with foam at m. in shape of bubble. Cocc.

Epileptiform spasms: collection of tough, tenacious mucus in m. and throat which can be drawn out in strings. Kali-bi.

Epileptiform spasms: frothing at m., biting tongue or cheeks, teeth firmly clinched and immovable. Ign.

Epileptiform spasms: twitching begins at the corners of m. so the child appears to smile, then spasms effect muscles of face, forehead and eyes. Ign.

Epileptiform spasms, with foam at m. Æth., Laur. (Kali-bi.)

Hysteria: great dryness of m. Nux-m.

Hysteria: respiration suspended, throat swells, m. open, head retracted, body tossed about in efforts to get air. Mosch.

Hysteria, with epileptiform convulsions (during menses); paroxysms come on morning and evening at same hours; giddiness followed by falling down and most distressing convulsions, with insensibility, closed teeth and frothy secretions from m. Cedron.

Paralysis: facial paralysis, m. drawn to one side. Phos.

Severe clonic spasms every few moments; lips blue, protruded; lower limbs stiff; loud piercing cry with every spasm; foam at m.; least motion, moving fingers or eyes, touching lips with spoon brought on spasm. Nux-v.

Trismus and tetanus: face bluish and puffed or deathly pale and cold; eyes fixed and staring at one point; foam at m. Cic-v.

Violent convulsions, with trismus or tetanus; risus sardonicus; rigors, followed by coma or deep sleep; foam at m.; face livid; biting of tongue. Œnanth.

Move.—Catalepsy: conscious, but without power to m. or speak. Graph.

Epilepsy: during intervals, flushes of heat; is restless, must m. about. Sep.

Epilepsy: during paroxysm, severe spasms of glottis; feeling as if must m. about or heart would stop beating. Gels.

Epilepsy: limbs, head and upper part of body m. in a strange manner, with jaws set. Cic-v.

Nervous: restless; cannot sit still; must m. about or be otherwise constantly occupied, especially in nervous women; thought of having something to do causes patient to shake or tremble all over. Kali-brom.

Neuralgia: pains lightning-like; worse during rest; must m. about. Magn-c.

Restlessness; must m. about. Nux-m.

Moved.—Catalepsy: limbs can be m. by others. Stram.

Movements.—Chorea: centering upon cerebellum, or arising from functional disease of brain, in which convulsive m. cease during sleep. Agar. (Do not cease during sleep. Ign., Nux-v.)

Chorea: commences in one arm and spreads all over body, causing most terrible contortions and awkward m. Cupr.

Chorea: constant jerking forward and other irregular m. Magn-ph.

Chorea: convulsive m. of one or other arm to and fro. Opi.

Chorea: convulsive m. of shoulders. Myg.

Chorea: m. extremely rapid and accompanied by peculiar distortions of face, followed by prostration and sleep. Natr-m.

Chorea: twitching and convulsive m. excited by exercise of will. Agar

Convulsions: with screams, gnashing of teeth and violent m. of limbs. Caust.

Epilepsy: after fright; convulsive m. in limbs; spasmodic closure of jaws. Ign.

Epilepsy: convulsive m., followed by rigid condition of body. Ind.

Epilepsy: during paroxysm, screams; violent m. of limbs; gnashing of teeth. Caust.

Epileptiform spasms: before paroxysm, spasmodic, paroxysmal, convulsive m. of limbs and body. Cocc.

Involuntary m. while awake; cease during sleep. Agar. (Continue during sleep. Ign., Nux-v.)

Spasmodic twitchings and irregular m. of whole body; spasms with fingers spread out. Sec.

Twitching and irregular convulsive m. and desire to dance. Agar. (Tarant.)

Moving.—Chorea: drags legs in m. and walking. Myg.

Great restlessness, with fear and anxiety; cannot rest in any place; constantly changing position; wants to go from one bed to another; constant m. of head and limbs while trunk lies still, on account of weakness. Ars.

Jumping of nerves causing sensations as if something living were m. about in various parts. Croc.

Restlessness: m. about; subsultus tendinum (Hyos., Stram.); or constriction of muscles and tendons. Kali-jod.

Mucous.—Hysteria: increased m. secretion from different orifices. Puls.

Mucus.—Convulsions of children, with much tenacious m. in the throat, sometimes thick, gelatinous, which can be drawn out in strings. Kali-bi.

Epileptiform spasms: collection of tough, tenacious m. in mouth and throat which can be drawn out in strings. Kali-bi.

Muscles.—Catalepsy: m. will not obey will. Stram.

Chorea: contractions commence in m. of face and spread over body increasing even to motions, as if dancing or jumping. Sec.

Chorea: convulsions: constrictions of almost all m. of body and feeling as if would go crazy if did not hold tight upon self. Lil-tig.

Chorea: jactitations of m., internal twitching, recovers with a start. Nux-m.

Chorea: jerking in m. Croc.

Chorea: jerking in m. of face. Sep.

Chorea: spasmodic contraction of single sets of m. Croc.

Chorea: spasmodic motions, from simple involuntary motions or jerks of single m. to a dancing of whole body. Agar.

Chorea: twitching of m. of back and arms. Myg.

Convulsions: twitching of m. of face, arms and limbs. Merc-cor.

Epilepsy: with extraordinary strength of m. Agar.

Epileptiform spasms: before paroxysm, lightning-like rushing through brain and down right side of neck into arm, which is distorted and wrenched, so as to crack; m. of face convulsively drawn; sight, speech and consciousness lost; patient falls to ground. Chin-ars.

Epileptiform spasms: twitching begins at corners of mouth so child appears to smile, then spasms affect m. of face, forehead and eyes. Ign.

Epileptiform spasms: twitching of m.; trembling of limbs. Ran-b.

Hysteria: jerking and twitching in various parts of m. Ign.

Irritability, excitability and sensitiveness of nervous system; twitching of m. Iod.

Jactitation of m. Gels.

Jerks of single m. or sets of m. Hyos.

Morbid excitability of nervous system producing contraction of m. Apis.

Paralysis: flaccidity of m. Phos.

Paralysis: jerking of single m. Phos.

Paralysis: with atrophy of m. Sars.

Restlessness: moving about; subsultus tendinum (Hyos., Stram.); or constriction of m. and tendons. Kali-jod.

Subsultus tendinum: twitching and tension in m. Mez.

Tetanus: commencing with tremulousness of m. of neck; pains from injured foot up to back and neck; jaws stiff; opisthotonos. Ang.

Tetanus: convulsive action of m. of face and neck, followed by partial relaxation, again succeeded by tetanic condition. Phyt.

Trismus and tetanus: convulsive action of m. of face and neck. Phyt.

Trismus and tetanus: pain runs up limb through spine to neck and face; m. of neck and jaw, chest and abdomen become rigid. Hyper.

Trismus and tetanus: relaxation of m. Amyl.

Trismus and tetanus: stiffness of body, with full consciousness; spasms in abdominal m. Mosch.

Trismus and tetanus: twitching of m. of face and limbs; squinting; inability to swallow, followed by convulsive motions; spasmodic respiration; dilated pupils; staring, open eyes. Bell.

Twitching of limbs and jerking in different m. China.

Twitching of m. Dolich.

Twitching of m.; cannot bear to be touched; starts when touched ever so lightly, especially on feet. Kali-c.

Twitching of m., especially about face and head. Kali-chl.

Twitching of single m., with trembling and shivering. Plat.

Violent spasmodic contractions of m., with trembling; painless paralysis. Oleand.

Violent tonic spasms: curved limbs could not be straightened, nor straight limbs curved; renewed by slightest touch, by opening door and from loud talking; m. perfectly rigid. Cic-v.

Whole body jerks during sleep; twitching of m. Zinc.

Muscular.—Chorea: general m. agitation. Sep.

Complete relaxation and prostration of whole m. system, with entire motor paralysis. Gels.

Great prostration of nervous and m. systems. Coni.

Infantile paralysis, with complete relaxation of whole m. system, with enteric paralysis. Gels.

M. prostration and paralytic condition through nerves. Gels.

Music.—Chorea: spasms subside on hearing notes of hornpipe; m. lessens symptoms. Tarant.

Hysteria: limbs restless; m. has soothing influence. Tarant.

Muttering.—Epileptiform spasms: before paroxysm, stares at one spot, then loses consciousness, falls down writhing and m. incoherent words. Cocc.

Nails.—Hysteria: with blueness of hands and n. Nux-v.

Nausea.—Epilepsy: before paroxysm, n., retching and throwing up phlegm. Cupr.

Epileptiform spasms: face pale, puffed; n. and vomiting. Ipec.

Epileptiform spasms: globus hystericus which causes n. when eating. Puls.

Epileptiform spasms: n. followed by chill. Kali-bi.

Hysteria: crawling in hands and feet extending to epigastrium where there is pressure, anxiety and n., extending to throat causing choking sensations, thence goes to head and patient loses consciousness. Nux-v.

Hysteria: every fresh development excites n. Ipec.

Hysteria: headache every morning without appetite for breakfast and n. after eating. Nux-v.

Hysteria: with fainting fits at dinner; n. and tremors relieved by eructation. Magn-m.

Trembling and twitching in whole body; more in hands, with n. and weakness of knees. Borax.

Neck (see section on Neck and Back).—Chorea: n. drawn to right shoulder. Cupr.

Epilepsy: creeping sensations from nape of n. down spinal column. Lach.

Epilepsy: during interval, stupid, peevish, anxious, pale, puffed face, perspiration on head, difficult breathing, eats heartily, yet looses flesh, enlarged abdomen; swelling of glands about n. Calc-c.

Epileptiform spasms: before paroxysm, lightning-like rushing through brain and down right side of n. into arm, which is distended and wrenched, so as to crack. Chin ars.

Neuralgia: pains along nerves, which feel like long thread, in face, head, n. and elsewhere. Al-cep.

Tetanus; commencing with tremulousness of muscles of n., pains from injured foot up to back and neck; jaws stiff; opisthotonos. Ang.

Tetanus: convulsive action of muscles of face and neck followed by partial relaxation, again succeeded by tetanic condition. Phyt.

Trismus and tetanus: convulsive action of muscles of face and n. Phyt.

Trismus and tetanus: drawing the head to right side, with stiffness of n., face and jaw; dizziness; heaviness in head; eyes weak. Lyc.

Trismus and tetanus: pains run up limb through spine to n. and face; muscles of n. and jaw, chest and abdomen become rigid. Hyper.

Needles.—Feeling as if ice-cold n. were piercing skin. Agar.

Nephritis.—Reflex excitability or sleeplesness during teething or whooping-cough, or laryngismus stridulus or n. Kali-brom.

Nervous.—Chorea: after intermittents, sexual excesses or n. exhaustion, anger or emotion. Natr-m.

Convulsions: after severe n. shocks. Phos.

Convulsions and other n. affections (of children during dentition). Dolich.

Convulsions or spasms of n. children during dentition. Mel.

Depression of trophic n. system. Kreas.

Epilepsy: especially in n. women, with paralytic weakness and suppressed or scanty menses. Cocc.

Epilepsy: exceeding n. irritation (subsultus tendinum). Ind.

Excessive n. excitability. Coff.

Fainting fits, with n. weakness. Coca.

Fine n. vibrations causing great uneasiness. Meph.

General n. excitement. Coff-t.

Great irritability of n. system. Cham.

Great n. debility of all senses following night-watching, excessive use of coffee, wine, etc.; cannot walk on account of giving way of lower limbs; knees knock together. Nux-v.

Great n. excitability; jerking, twitching and trembling. Camph.

Great n. excitement. Caul.

Great n. weakness. Aur.

Great n. weakness (with sexual degeneration). Agn.

Great sensitiveness of n. system. China.

Hysteria: n. excitement of heart. Mosch.

Hysteria: n. exaltation. Lach.

N. chills: with shivering and chattering of teeth; dependent upon irritation of motor nerves; in very weak, sensitive subjects; after fear or fright. Gels.

N. depression (after over-work, mental anxiety, sexual excesses, or abuse of tobacco). Coca.

N. excitement and restlessness followed by sick and debilitated feeling. Myrica.

N. excitement causing insomnia. Coca.

N. excitement followed by weakness, tremulousness and exhaustion. Coca. (China.)

N. exhaustion after long-continued grief. Ign.

N. exhaustion: neurasthenia (Ambr., Ars., Aur., Bar-c., Bism., Bry., Can-ind., Cina, Clem., Coff., Gels., Ign., Mosch., Nux-m., Nux-v., Opi., Phos., Plumb., Rhus-t., Zinc.), with dyspepsia. Hydroc-ac.

N.: restless; cannot sit still; must move about or otherwise continually occupied, especially in n. women; thought of having something to do causes patient to shake or tremble all over. Kali-brom.

N. restlessness and anxiety, with rapid emaciation and burning thirst for small quantities of water. Ars.

N. restlessness, twitching and spasms. Dory.

N. trembling, with great acuteness and sensitiveness. Cupr. (Cham., China, Coff.)

N. tremors, in tonic and clonic spasms, epileptiform in character, with foaming at mouth, involuntary defecation and discharge of semen, together with hallucinations and delirium. Absinth.

N. twitchings due to spinal irritation, with great soreness, uneasiness and weakness down spine, with or without derangement or enlargement of liver. Agar.

N. weakness. Staph.

N. weakness: locomotor ataxia; inco-ordination; unsteady gait; reeling as if drunk; rolling and staggering. Kali-brom.

Neurasthenia: n. exhaustion after over-work and anxiety. Hydroc-ac.

Paraplegia: in weak and n. subjects inclined to fits of fainting and palpitation of heart originating in small of back after taking cold; with cold feeling in extremities and œdema of feet; rheumatic lameness. Cocc.

Prostration of n. system. Cocc.
Restless, n., weak and tremulous, as if recovering from severe illness. Bapt.
Restlessness and great n. weakness. Dig.
Superficial functional disturbances, affecting especially female sexual organs, producing irritation and giving rise to various n. and hysterical symptoms. Ambr.
Trembling, n. and weak, with uterine trouble. Lil-tig.
Trembling of limbs; n. debility. Viola-tr.
Twitching and numbness through body and limbs; n. exhaustion (neurasthenia) and debility, with prostration of mind and body. Lyc.
Very n.: cannot bear anything; is hot, irritable and restless. Chim-m.
Weak and n., with palpitation after little exercise. Chin-s.
Weak, faint, n., trembling (during fever). Eupat-perf.

Nervousness.—N. after excessive use of tobacco. Plant-maj. (Ars., Kali-brom.)
N. and nightly restlessness (in children during dentition). Coca.
N.: excessive restlessness and tossing about for hours. Acon.
N. from intestinal irritation. Sabad.
N., with dyspepsia. Abies-n.
N., with insomnia. Camph.
Trembling in all limbs, especially in hands, with extreme n. Sil.
Trismus and tetanus: great excitement and n. Bell.

Neuralgia.—Convulsions, n., paralysis and debility in gouty constitutions. Colch.
N.: acute, sudden, darting pains shooting and tearing along tracks of nerves; worse on change of weather. Gels.
N.: after anger or vexation; pain excruciating; patient acts as if insane, is wild and unruly; wants relief at once; must get up and rush about. Cham.
N.: after bad diet, fat pastries, gravies or fats; erratic pains which fly or change from one part of body or limbs to another; they are short and sharp and attended by bruised, sore sensation and chilliness. Puls.
N.: appearing at intervals; better by warmth. Magn-ph.
N.: chronic, intermittent, recurring in paroxysms, with great regularity. Cedron.
N.: especially facial, abdominal, lumbar, femoral, ovarian and sciatic; pain sometimes darting down anterior crural, sometimes down sciatic trunks, even to feet; pains are shooting, cutting and run like lightning. Coloc.
N.: every day at the same hour. Kali-bi.
N.: excessively painful. Coff.
N.: external; especially right supraorbital. Chelid.
N.: following herpes zoster. Dolich.

N.: intermittent; pains return with great regularity. Chin-s. (Cedron.)
N.: of face. Agar.
N.: of face; subsultus tendinum. Mez.
N.: often intermittent. Ars.
N.: pain excruciating. Cham.
N.: pains along nerves, which feel like long thread, in face, head, neck and elsewhere. Al-cep.
N.: pains burning, with great restlessness, fear and agony; often intermittent; worse during rest at night and relieved by motion; pains as if red-hot wire were drawn along nerve. Ars.
N.: pains come on slowly and pass off slowly. Stann.
N.: pains darting, shooting, sticking; sudden tremulousness. Kali-c.
N.: pains in various parts of body. Pallad.
N.: pains lightning-like; worse during rest; must move about. Magn-c.
N.: pains tearing, worse during rest. Kali-ph.
N.: with congestions (from dry, cold air and checked sweat). Acon.
N.: with great tenderness; pricking, pulsating, tearing pains. Lach.
Paralysis: associated with great prostration and n. pains. Ars.

Neurasthenia.—Epilepsy: with n. or nervous debility. Phos.
Nervous exhaustion; n. (Ambr., Ars., Aur., Bar-c., Bism., Bry., Can-ind., Cina, Clem., Coff., Gels., Ign., Mosch., Nux-m., Nux-v., Opi., Phos., Plumb., Rhus-t., Zinc.), with dyspepsia. Hydroc-ac.
N.: nervous exhaustion after over-work and anxiety. Hydroc-ac.
Twitching and numbness through body and limbs; nervous exhaustion (n.) and debility, with prostration of mind and body. Lyc.

Nictitation.—Chorea: n. of eyelids, redness of inner canthus of eyes, flowing of tears from eyes. Agar.
Epilepsy: attacks preceded by n. of eyelids. Agar.

Night.—Chorea: distortion, twisting and jerking in limbs, even at n., preventing sleep. Caust.
Chorea: distortions commence with a shriek; tongue, œsophagus and larynx are involved, continuing through n. Cina.
Chorea: grating of teeth at n. Myg.
Chorea: jumping and dancing of feet and legs as soon as n. came on, had to hold them. Sticta.
Chorea: restlessness at n. during sleep. Myg.
Epilepsy: gloomy but endeavoring to hide it; spending n. alone to hide it. Ind.
Epilepsy: paroxysm at n., generally at eleven o'clock, after a little sleep. Opi.
Epilepsy: paroxysms at n., returning at regular intervals. Cupr.
Epilepsy: paroxysms occurring at n. Cina.
Epilepsy: paroxysms repeated frequently during n., wakens morning lame and tired but unconscious of not having had a quiet night's sleep Opi.
Epilepsy: spasms appear at n. or during new moon. Sil.

Great nervous debility of all senses following n. watching, excessive use of coffee, wine, etc.; cannot walk on account of giving way of lower limbs; knees knock together. Nux-v.

Neuralgia: worse during rest at n. and relieved by motion. Ars.

Paralysis after great mental emotion and n. watching. Ign.

Paralysis: on one side after anger; twitching at n. Staph.

Restlessness at n.; cannot get quiet or lie still a minute. Caust.

Restlessness, cannot keep limbs still at n. Spig.

Nightly.—Nervousness and n. restlessness (in children during dentition). Coca.

Nodding.—Twitching and contraction of body unaffected by sleep; jerking or constant n. of head. Ver-v.

Noise.—Convulsions (of children with worms); child suddenly stiffens out straight; there is a clucking n., as if water were poured out of a bottle, from throat to stomach. Cina.

Convulsions: renewed by bright light, sudden jar or n., or least touch, followed by deep sleep. Nux-v.

Epilepsy: after paroxysm, soporous condition; closing of eyes; exhaustion; n. in head. Caust.

Epilepsy: n. in head and difficult hearing. Sep.

Epilepsy: screaming; foaming at mouth; unconsciousness; tossing about; great tendency to start; feels frightened at least n. Lyc.

Hysteria: spasmodic motion of hands and feet; spasms brought on by touch, motion or slightest n. Nux-v.

Restlessness: fidgety; starts at least n. Sil.

Starting on being touched or on hearing sudden n.; great irritability after exhausting diarrhœa. Kali-ph.

Nose (see section on Nose).—Chorea: itching of n. Cina.

Trismus and tetanus: dry and stuffed-up n.; sleep restless and full of anxious dreams. Lyc.

Nostrils.—Convulsions, with swollen, livid face, bloody mouth and n. Œnanth.

Notes.—Chorea: spasms subside on hearing n. of hornpipe; music lessens symptoms. Tarant.

Nourishment.—Stimulation of nerve center, causing great physical vigor and endurance, in spite of slight n. or little sleep. Coca.

Numb.—Convulsions or n., suffocating attacks during parturition. Hyos.

Paralytic sensations with tearing, drawing pain, with n. sensation in part. Cham.

Paralyzed, n. sensations. Dios.

Numbness.—Chorea: n. of fingers. Bell.

Chorea, with n. in affected parts, with crawling sensations. Nux-v.

Epilepsy: during interval, anxiety; tendency to be frightened; burning in chest and abdomen, with chilliness of rest of body; burning and tearing in small of back; n. of arms. Cupr.

Epilepsy: heaviness and n. of legs. Plumb.
N. and deadness, with coldness of fingers extending to middle of upper arm, with paralysis. Graph.
N. and tingling in left side, with paralysis of limbs. Acon.
N., tingling and formication. Acon.
Paralysis: n. and deadness of lower limbs. Nux-v.
Paralysis of left hand, with atrophy and n. in fingers. Sil.
Paralysis: parts are painful, stiff and lame, with tearing pains, tingling and n. Rhus-t.
Paralysis, with congestion of spinal cord attended with n. of parts. Acon.
Peculiar n. approaching paralysis; transient jerking, stitching pain in nerve center. Ox-ac.
Trembling in limbs; feeling of n. in lower half of body. Spong.
Twitching and n. through body and limbs; nervous exhaustion (neurasthenia) and debility with prostration of mind and body. Lyc.

Nursing.—Convulsions in n. children with extreme coldness. Hell.
Convulsions: spasms in n. infants after fright of mother. Opi.

Obey.—Catalepsy: muscles will not o. will. Stram.

Objects.—Convulsions: on seeing bright dazzling o. or water or on touch. Stram.
Paralysis: could grasp large o. with fingers but could not hold them fast. Phos.

Obstruction.—Epilepsy: feeling of o. about throat as if must tear it away. Lach.

Occupied.—Nervous; restless; cannot sit still; must move about or be otherwise constantly o., especially in nervous women; thought of having something to do causes patient to shake or tremble all over. Kali-brom.

Œdema.—Paraplegia: in weak and nervous subjects inclined to fits of fainting and palpitation of heart, originating in small of back after taking cold; with cold feeling in extremities and o. of feet; rheumatic lameness. Cocc.

Œsophagus.—Chorea: distortions commence with a shriek; tongue, o. and larynx are involved, continuing through night. Cina.
Hysteria: with suffocating constriction of throat or o. Ign.
Hysteria: with well marked globus hystericus, and much trouble about throat or o. Asaf.
Paralysis of tongue, fauces, pharynx, o., stomach and intestinal canal. Caps.

Old age.—Paralysis agitans: in o.; senile; with loss of memory and trembling of limbs. Bar-c.

Old people.—Paralysis: in o., with urine and stools retained. Opi.

Onanism (see section on Sexual Organs).—Epilepsy: after sexual excess or o. Phos.

Epilepsy: after vexation, fright, o. or suppression of eruption. Calc-c.

Epilepsy: nightly emissions or o., with great weakness of genitals. Dig.

Epileptiform spasms: following o. or otherwise connected with sexual functions. Lach.

Paralysis: after emotions, spasms, or o. Stann.

Paralysis: after o., sexual excesses. China, Cocc., Ferr., Natr-m., Nux-v., Sulph.

One-sided.—Chorea: sometimes only o. involuntary motions. Calc-c.

O. paralysis. Cocc.

O. paralysis: paralysis of tongue; of sphincter ani. Mur-ac.

Opisthotonos.—Chorea: throws body backward and forward while lying like constant change from o. to emprosthotonos. Bell.

Convulsions: o. and emprosthotonos with consciousness. Nux-v.

Convulsions, with o. Cic-v., Stram., Ver-a. (Nux-v., Opi.)

Epilepsy with o. Ars., Stann.

Epileptiform spasms: o. Ipec.

Tetanus: commencing with tremulousness of muscles of neck; pains from injured foot up to back and neck; jaws stiff; o. Ang.

Tetanus: o. Ipec., Phyt.

Trismus and tetanus: o. Cic-v., Hydroc-ac., Phyt., Stram.

Trismus and tetanus: o. alternating with spasms. Plat.

Oppressed.—Hyteria: before paroxysms, constriction of throat, great restlessness, impatience, o. chest, cannot bear to be covered. Mosch.

Trismus and tetanus: respiration difficult and o. Phyt.

Oppression.—Chorea: frequent feeling of o. and difficult breathing. Myg.

Epileptiform spasms: with o. of breathing after fright or anger. Ran-b.

Hysteria; o. soon after falling asleep, which wakens. Lach.

Orifices.—Hysteria: increased mucous secretion from different o. Puls.

Outward.—Convulsions (of children): paroxysm preceded by drowsiness; paroxysm commences with clinching and jerking upwards of fists and legs; face red; eyes rolled o. and upward. Glon.

Ovarian (see section on Female Sexual Organs).—Neuralgia: especially facial, abdominal, lumbar, femoral, o. and sciatic. Coloc.

Ovaries.—Epileptiform spasms: eyeballs twitch or turn up, body and limbs violently jerk and twitch; this condition produced by diseased condition of o. or uterus. Œnanth.

Overbearing.—Trismus and tetanus: o., proud disposition. Plat.

Over-excitement.—Convulsions after o. Coff. (Gels.)
Convulsions (during dentition), with grinding of teeth, and coldness of limbs (after o. or sudden emotions). Coff.
Over-exertion.—Neurasthenia or cerebro-spinal exhaustion from over-work; after continued grief; o. of mind and body; or sexual excesses; or in young persons growing too rapidly. Phos-ac.
Trembling with excitement after o. and pain. Cocc.
Over-heated.—Epilepsy: after cooling off while o. from dancing. Art-v.
Over-sensitiveness.—O. Cham.
O. to pain (Ferr.); fainting from slight pain. Hep-s. (Nux-m.)
Over-work.—Hysteria: after dissipation or o. with close confinement. Sil.
Nervous depression (after o., mental anxiety, sexual excesses, or abuse of tobacco). Coca.
Neurasthenai: nervous exhaustion after o. and anxiety. Hydroc-ac.
Neurasthenia or cerebro-spinal exhaustion from o.; after continued grief; over-exertion of mind and body; or sexual excesses; or in young persons growing too rapidly. Opi.

Pain.—Chorea: p. around umbilicus. Cina.
Chorea: p. in knees when walking. Myg.
Convulsions: very sensitive to p. Ign.
Epilepsy: p. in pit of stomach. Stram.
Epilepsy: paroxysms come on in sleep and are followed by severe p. and pressure in top of head, are very severe and followed by deep sleep. Bufo.
Great irritability with pains; sensitive to slightest touch; least vibration renders p. unbearable. Colch.
Great sensitiveness and p. of affected parts. Coff.
Great sensitiveness of nervous system to all external impressions so that slightest pressure on skin produces intense and long-continued p. Agar.
Hysteria: complains of p. all over body without locating it in any particular place. Mosch.
Hysteria: spasms with p. in abdomen and diaphragm. Stann.
Hysteria: with pressure and p. in pit of stomach. Nux-v.
Neuralgia: p. sometimes darting down anterior crural, sometimes down sciatic trunks, even to feet. Coloc.
Over-sensitiveness to p. (Ferr.); fainting from slight p. Hep-s. (Nux-m.)
Paralysis: with spinal disease or after sexual excesses; tingling and tearing p. in back down through limbs. Phos.
Paralytic sensations with tearing, drawing p., with numb snsation in part. Cham.

Peculiar numbness approaching paralysis; transient jerking, stitching p. in nerve center. Ox-ac.

Trembling with excitement after over-exertion and p. Cocc.

Trismus and tetanus: p. runs up limb through spine to neck and face; muscles of neck and jaw, chest and abdomen become rigid. Hyper.

Painful.—Convulsions (with dysuria), bright light, drink, or sound of falling water, touching larynx or p. part cause renewal of spasms. Canth.

Epilepsy: menstruation exceedingly p., apprehension of which fills patient with fear. Plumb.

Neuralgia: excessively p. Coff.

Paralysis: incomplete, power of motion not entirely gone but prevented by p. twitchings and spasmodic contractions whenever affected parts are exercised. Nux-v.

Paralysis: parts are p., stiff and lame, with tearing pains, tingling and numbness. Rhus-t.

Paraplegia: with p. loss of sensation in limbs. Caul.

Painless.—Violent spasmodic contractions of muscles; with trembling; p. paralysis. Oleand.

Pains.—Chorea, with rheumatic p., attended with acute endocarditis or pericarditis. Agar. (Cimicif., Iod.)

Epilepsy: neuralgic p. and other morbid sensations over different parts of body. Ign.

Great irritability, with p.; sensitive to slightest touch; least vibration renders pain unbearable. Colch.

Neuralgia: acute, sudden, darting p. shooting and tearing along tracks of nerves. Gels.

Neuralgia: erratic p. which fly or change from one part of body or limbs to another; they are short and sharp and attended by bruised, sore sensation and chilliness. Puls.

Neuralgia: intermittent; p. return with great regularity. Chin-s. (Cedron.)

Neuralgia: p. along nerves, which feel like long thread, in face, head, neck and elsewhere. Al-cep.

Neuralgia: p. are shooting, cutting, and run like lightning. Colch.

Neuralgia: p., as if red-hot wire were drawn along nerve. Ars.

Neuralgia: p. burning, with great restlessness, fear and anxiety. Ars.

Neuralgia: p. come on slowly and pass off slowly. Stann.

Neuralgia: p. darting, shooting, sticking. Kali-c.

Neuralgia: p. fly all over body (with gastritis). Carbo-v.

Neuralgia: p. in various parts of body. Pallad.

Neuralgia: p. lightning-like; worse during rest; must move about. Magn-c.

Neuralgia: p. tearing; worse during rest. Kali-ph.

Neuralgia: with great tenderness; pricking, pulsating, tearing p. Lach.

Paralysis: associated with great prostration and neuralgic p. Ars.

Paralysis: parts are painful, stiff and lame, with tearing p., tingling and numbness. Rhus-t.

Paralysis: preceded by mental derangement; trembling or tremor, spasms or by shooting, darting, intense tearing p. along large nerves, with emaciation of parts affected. Plumb.

Tetanus: commencing with tremulousness of muscles of neck; p. from injured foot up to back and neck; jaws stiff; opisthotonos. Ang.

Tetanus: convulsions may be excited by violent p. in bottom of feet. Ars.

Pale.—Chorea: p., yellowish, earthy face. Cina.

Epilepsy: during interval, stupid, peevish, anxious, p., puffed face; perspiration on head; difficult hearing; eats heartily, yet looses flesh; enlarged abdomen; swelling of glands about neck. Calc-c.

Exhaustion of vital forces (Caps., Carbo-v., Laur.), with profound prostration or collapse; surface p. and bathed in cold sweat. Carb-ac.

Spasms, in children, after fright or from worms: child p., cold; fixed, staring look; occasional screams; vomit food; preceded by hasty drinking. Ign.

Paleness.—Hysteria: groaning, with distortion and p. of face. Ipec.

Palms (see section on Upper Extremities).—Epilepsy: thumbs turned into p. Ign.

Spasms, with blue face, and thumbs clinched across p. Cupr.

Tonic spasms, with contractions of p., of hands and soles of feet. Ver-a.

Palpitation.—Epilepsy: before paroxysm, chewing motion of mouth; stretching of limbs; great restlessness; p. of heart; feeling as if something were running in arm, or from pit of stomach down through abdomen into feet. Calc-c.

Epilepsy: before paroxysm, p. of heart. Cupr.

Epilepsy: spasmodic and violent p. of heart; body and limbs cold. Kali-ph.

Neuralgia: with great weakness; trembling, thrilling, strumming and p. of heart. Kalm.

Paraplegia: in weak and nervous subjects inclined to fits of fainting and p. of heart. Cocc.

Tremor of hands, with p. of heart. Bov.

Weak and nervous, with p. after little exercise. Chin-s.

Palsy.—Wasting p. Pic-ac.

Paralysis.—Catalepsy: p. of one side, convulsions of other. Stram.

Chorea: p. of nerves of spinal cord. Kali-brom.

Chorea: p. of tongue and right side of body. Caust.

Complete relaxation and prostration of whole muscular system, with entire motor p. Gels.

Convulsions, neuralgia, p. and debility, in gouty constitutions. Colch.

Epilepsy: after paroxysm, stupid feeling in head and prolonged, snoring sleep; consciousness returns slowly and symptoms of p. remain; earthy color of face; stupor. Plumb.

Epilepsy: p. of right side. Sil.

Epilepsy: with weakness or p. Phos.

Facial p. following cold. Ruta.

First irritation, and second p. of peripheral sensory nerves and posterior roots of spinal nerves. Acon.

General p. of the insane. Physos.

Hemiplegia: p. of one side and spasms of other. Bell., Phos.

Hemiplegia: spasms of one side and p. of other. Stram.

Infantile p., with complete relaxation of whole muscular system, with enteric p. Gels.

Numbness and deadness, with coldness of fingers extending to middle of upper arm, with p. Graph.

Numbness and tingling in left side, with p. of limbs. Acon.

One-sided p. Cocc.

One-sided p.; p. of tongue; of sphincter ani. Mur-ac.

P.: after apoplexy. Arn., Anac., Bar-c., Caust., Cupr., Lach., Nux-v., Plumb., Sec., Stann., Stram., Zinc.

P.: after bodily exertions. Ars., Arn., Rhus-t.

P.: after cholera. Cupr., Sec., Sulph., Ver-a.

P.: after chorea; from debilitating losses. Ver-a.

P.: after convulsions. Hyos.

P.: after diphtheria. Ars., Gels., Lach., Natr-m.

P.: after emotions, spasms, or onanism; mostly on left side, feeling of load in affected arm and corresponding side of chest; trembling; worse after slow exercise. Stann.

P.: after getting wet. Caust., Nux-v., Rhus-t.

P.: after great mental emotion and night-watching. Ign.

P.: after loss of fluids. Ferr. (China.)

P.: after mental emotions. Arn., Ign., Natr-m., Stann.

P.: after onanism, sexual excesses. China, Cocc., Ferr., Natr-m., Nux-v., Sulph.

P.: after parturition; rheumatic atter getting wet or lying on damp ground; sexual excesses; parts are painful, stiff and lame, with tearing pains, tingling and numbness; hemiplegia; right side with sensation as if parts were gone to sleep. Rhus-t.

P.: after rheumatism. Arn., Bar-c., Bry., Canth., Caust., Cocc., Ferr., Gels., Lyc., Ruta, Sulph., Tart-em.

P.: after spasms. Ars., Caust., Cocc., Cupr., Hyos., Laur., Nux-v., Plumb., Rhus-t., Sec., Sil., Stann., Stram., Sulph.

P.: after spasms or after diphtheria. Hyos.

P. (after sudden suppression of sweat, especially foot-sweat). Colch.
P.: after suppressed eruptions. Caust., Dulc., Hep-s., Sulph.
P.: after taking cold. Arn., Caust., Colch., Dulc., Merc., Rhus-t.
P.: after typhus fever. Cocc., Cupr., Nux-v., Rhus-t., Sulph.
P.: associated with great prostration and neuralgic pains. Ars.
P.: complete, with atrophy of affected parts, preceded by trembling. Plumb.
P.: during diphtheria. Phyt.
P.: facial paralysis, mouth drawn to one side. Phos.
P.: from disease of spine; cannot walk with eyes closed. Alu.
P: from softening of cord. Pic-ac.
P.: from traumatism, or in consequence of exudation in brain and spine. Arn.
P.: in old people, with urine and stools retained. Opi.
P.: insensibility; after apoplexy in drunkards; in old people, with urine and stools retained; absence of vital reaction and susceptibility to drugs; emotional chorea. Opi.
P.: left side, after apoplexy from cerebral exhaustion. Lach.
P.: of all limbs. Arn., Ars., Colch., Dulc., Gels., Merc., Nux-v., Rhus-t., Sang.
P. of arms. Acon., Æsc., Arn., Bell., Calc-c., Caust., China, Cocc., Colch., Dulc., Lyc., Merc., Nitr-ac., Nux-v., Rhus-t., Sep., Tart-em., Ver-a.
P. of bladder. Bell., Canth., Dulc., Gels., Hyos., Lach., Lyc., Natr-m., Opi.
P. of eyelids. Caust., Gels., Sep., Spig., Ver-a.
P. of face. Bell., Caust., Cocc., Graph., Nux-v., Opi.
P. of face, tongue or pharynx. Cocc.
P. of feet. Ars., China, Oleand., Plumb.
P. of fingers. Ambr., Calc-c., Cupr., Natr-m., Sec., Sil.
P. of hands. Ambr., Ars., Caust., Cupr., Ferr., Natr-m., Rhus-t., Ruta, Sil.
P. of inner organs. Absinth.
P. of left hand, with atrophy and numbness in fingers. Sil.
P. of legs. Alum., Arn., Bell., Bry., China, Cocc., Colch., Dulc., Kali-c., Merc., Nux-v., Phos., Plumb., Rhus-t., Sec., Sulph., Ver-a.
P. of legs; worse in morning, with heaviness of head and ringing in ears. Sil.
P. of limbs (Plumb.), with incipient softening of spinal marrow. Agar.
P. of one side and spasms of the other. Bell., Lach., Stram.
P. of one side, the other twitching. Apis.
P. of organs of deglutition. Bell., Canth., Caust., Cocc., Cupr., Gels., Lach., Sil., Stram.
P. of rectum and sphincter ani. Caust., Coloc., Hyos., Lyc., Opi., Phos., Sulph., Ruta, Zinc.
P. of right arm and left leg. Tereb.

P.: hemiplegia; of right side of body (after apoplexy). Arn.
P. of tongue and organs of speech. Acon., Arn., Ars., Bar-c., Bell., Caust., Cocc., Cupr., Dulc., Hep-s., Hydroc-ac., Hyos., Lach., Mur-ac., Opi., Plumb., Stram.
P. of tongue, fauces, pharynx, œsophagus, and intestinal canal. Caps.
P. of vocal cords and organs of deglutition. Gels.
P. of vocal cords; cannot speak a loud word. Caust.
P.: on standing keeps legs wide apart; looks steadily at an object as if unable to make it out; limbs feel as if bound by an elastic bandage. Pic-ac.
P.: parts cold, numb, emaciated; following apoplexy, with cerebral softening, with weak memory; after sexual excesses; abuse of alcohol; incomplete power of motion, not entirely gone, but prevented by painful twitchings and spasmodic contractions whenever affected parts are exercised; staggering walk; contracts feet when walking, cannot lift them; numbness and deadness of lower limbs. Nux-v.
P.: preceded by mental derangement; trembling or tremor, spasms or by shooting, darting, intense tearing pains along large nerves, with emaciation of parts affected. Plumb.
P.: with atrophy. Sep.
P.: with atrophy of muscles. Sars.
P.: with cerebral or spinal softening; atrophy following severe excitement; tingling and formication in limbs with heat in paralyzed part; loss of sensation in lower arms as far as elbow and in lower limbs to gluti, taking place progressively, first in tips of fingers and toes, then in hands and feet, with complete anæsthesia of nervous sensations; could grasp large objects with fingers but could not hold them fast; could sit on bed or chair but on attempting to stand knees give way and have to be supported; flaccidity of muscles; jerking and twitching of nerves in face around eyes; facial paralysis; mouth drawn to one side; jerking of single muscles. Phos.
P.: with congestion of spinal cord attended with numbness of parts. Acon.
P.: with spinal disease or after sexual excesses; tingling and tearing pain in back down through limbs. Phos.
Spasms and convulsions: paroxysms lasting ten minutes or longer, ending in perfect relaxation, like p., followed by sleep. Art-v.
Spasms of one and p. of other side. Bell.
Peculiar numbness approaching p.; transient jerking, stitching pain in nerve center. Ox-ac.
Peripheric p. of face. Graph.

Paralysis agitans.—P. Hyos.

P.: in old age; senile; with loss of memory and trembling of limbs. Bar-c.

P.: trembling of knees when standing and hands when writing, preceded by occasional attacks of vertigo for some time before paralysis is developed. Oleand.

Trembling of hands and tongue: trembling and weakness after least excitement; tremors always commencing in fingers; involuntary motions which cannot be momentarily controlled by the will; p. Merc.

Paralytic.—Epilepsy: especially in nervous women, with p. weakness and suppressed or scanty menses. Cocc.

Muscular prostration and p. condition through nerves. Gels.

P. feeling in arms, legs and spine. Æsc.

P. sensations, with tearing, drawing pain, with numb sensation in part. Cham.

P. weakness of motor nerves. Ang.

Trembling and debility, with p. weakness. Anac.

Trembling internally or whole body p. Tart-em.

Trembling, p. weakness; cramps in hands; also p. weakness in hip joints. Kali-c.

Paralyzed.—Catalepsy: left side p. Stram.

Chorea: of right side; tongue feels swollen and p. Physos.

Chorea: walk as if p. Phos.

Exhaustion and faintness, as if p. Coni.

One side twitching and other p. (in meningitis). Apis.

Paralysis: tingling and formication in limbs, with heat in p. part. Phos.

P., numb sensations. Dios.

Paraplegia.—P. Cocc., Laur., Nux-v., Sec.

P. from exhaustion. Arg-n.

P.: in weak and nervous subjects inclined to fits of fainting and palpitation of heart originating in small of back after taking cold; with cold feeling in extremities and œdema of the feet; rheumatic lameness. Cocc.

P.: with misplacement or engorgement of uterus; with painful loss of sensation in limbs; with emaciation; anæmia and general debility. Caul.

P.: with morbid appetite and unnatural hunger. Cina.

P.: with painful loss of sensation in limbs. Caul.

Paresis.—Hysteria, with p. of upper eyelids Caust. (Gels.)

Paroxysm.—Convulsions (of children): p. preceded by drowsiness; p. commences with clinching and jerking upwards of fists and legs; face red; eyes rolled outward and upward. Glon.

Epilepsy: after p., deep, heavy sleep with loud snoring and rattling in chest. Opi.

Epilepsy: after p., delirious rage, jumping about and striking those near. Arg-m.

Epilepsy: after p., dizziness or vertigo. Tarant.

Epilepsy: after p., hæmoptisis and sleep. Dros.

Epilepsy: after p., laceration of tongue and left side numb. Art-v.
Epilepsy: after p., lassitude, sleep. Œnanth.
Epilepsy: after p., sopor. Cham.
Epilepsy: after p., soporous snoring. Hyos.
Epilepsy: after p., stupid feeling in head and prolonged snoring sleep; consciousness returns slowly and symptoms of paralysis remain; earthy color of face; stupor. Plumb.
Epilepsy: after p., warm perspiration; drowsiness. Sil.
Epilepsy: after p., weeping; profuse discharge of clear, watery urine; trembling and jerking of right hand; sleep. Cupr.
Epilepsy: before p., absentminded; confused. Lach.
Epilepsy: before p., chewing motion of mouth, stretching of limbs, great restlessness, palpitation of heart, feeling as if something were running in arm, or from pit of stomach down through abdomen into feet. Calc-c.
Epilepsy: before p., colic. Cham.
Epilepsy: before p., feeling of great coldness of left side. Sil.
Epilepsy: before p., furious, excitable. Ind.
Epilepsy: before p., imbecility; heat of head, followed by sweat all over; pressure in pit of stomach extending over chest and hindering breathing; colic and headache. Caust.
Epilepsy: before p., pain at base of brain, with prostration and tired feeling. Gels.
Epilepsy: before p., sensation of crawling and running, as if mouse were running from right foot up leg or right side to abdomen. Sulph.
Epilepsy: before p., staring of eyes, turning head to left side. Sep.
Epilepsy: before p., vertigo; swelling of tongue which hangs from mouth and is bitten. Plumb.
Epilepsy: during p., convulsive motions; weeping; soporous sleep; great exhaustion; jerking in arms and about mouth. Sulph.
Epilepsy: during p., fingers become dead; involuntary discharge of urine; bluish color at pit of stomach and over chest; chest and head covered with perspiration; limbs spread to sides and mouth open; or limbs and trunk become rigid and jaws closed. Cupr.
Epilepsy: during p., foam at mouth. Cham.
Epilepsy: during p., patient lies as if dead, pale but warm, thumbs clinched, fists turned to and fro, arms slowly drawn up and down, mouth distorted. Ars.
Epilepsy: during p., red face; biting of tongue; drawing head to one side; involuntary discharge of urine; screams; violent movements of limbs; gnashing of teeth; smiling or weeping, eyes half open (paresis of upper lids), with staring look. Caust.
Epilepsy: during p., right hand clutches at thumb. Bell.
Epilepsy: during p., severe spasms of glottis; feeling as if must move about or heart would stop beating. Gels.

Epilepsy: during p., spreads fingers and toes. Glon.
Epilepsy: during p., squinting of eyes which remain open. Tarant.
Epilepsy: during p., throws head backward. Lach.
Epilepsy: during p., tossing limbs, clinching thumbs. Stann.
Epilepsy: exaltation of all powers of mind and body before p. Can-ind.
Epilepsy: p. at first seldom and irregular but soon becomes regular and coincident with menses. Plumb.
Epilepsy: p. at night, generally at eleven o'clock, after a little sleep. Opi.
Epilepsy: p. comes on while standiug or walking. Magn-c.
Epilepsy: p. begins suddenly. Ind.
Epilepsy: p. commences with sudden shrieks and falling, sometimes without any premonitory signs. Cupr.
Epilepsy: p. commences with vertigo, loss of consciousness, sometimes without convulsions, pharyngeal spasms, followed by desire to swallow. Calc-c.
Epilepsy: p. every two or three weeks, usually in morning. Sep.
Epilepsy: p. repeated frequently during night, wakens in morning lame and tired, but unconscious of not having had a quiet night's sleep. Opi.
Epilepsy: p. so violent that it seemed as if joints or spine would be broken; renewed by attempt to swallow fluids. Hyos.
Epilepsy: renewal of p. by cold water. Caust.
Epilepsy: sudden p. with screaming. Stram.
Epileptiform spasms: after p., takes deep breath but trembles all over. Laur.
Epileptiform spasms: before p., hands get lame. Kali-bi.
Epileptiform spasms: before p., stares at one spot, then loses consciousness, falls down writhing and muttering incoherent words; involuntary discharge of urine; spasmodic, paroxysmal, convulsive movements of limbs and body; clinching of fingers, hand being stretched out; choking in throat; mouth half open; with foam at mouth in shape of bubble; hands cold; face covered with cold sweat and distorted; eyes look glassy and protruded. Cocc.
Epileptiform spasms: during p., winking with eyelids, twisting of head, loud screaming. Kali-bi.
Hysteria: p. ends with belchings, crawling sensations in arms. Mosch.

Paroxysmal.—Epileptiform spasms: before paroxysm, spasmodic, p., convulsive movements of limbs and body. Cocc.

Paroxysms.—Epilepsy: p. at night, returning at regular intervals. Cupr.
Epilepsy: p. come on in sleep and are followed by severe pain and pressure in top of head, are very severe and followed by deep sleep. Bufo.

Epilepsy: p. followed by deep sleep. Hell.
Epilepsy: p. occurring at night. Cina.
Epilepsy: sometimes two p. in succession lasting twelve hours. Caust.
Hysteria: before p., constriction of throat, great restlessness, impatience, oppressed chest, cannot bear to be covered. Mosch.
Hysteria, with epileptiform convulsions (during menses); p. come on morning and evening at same hours; giddiness followed by falling down and most distressing convulsions, with insensibility, closed teeth and frothy secretions from mouth. Cedron.
Neuralgia: chronic, intermittent, recurring in p., with great regularity Cedron.
Spasms and convulsions: p. lasting ten minutes or longer, ending in perfect relaxation, like paralysis, followed by sound sleep. Art-v.

Parturition (see section on Parturition).—Convulsions or numb, suffocating attacks during p. Hyos.
Paralysis: after p. Rhus-t.
Spasms after fright, anger or other emotional causes in plethoric persons, or in women at time of menses; during p. or sexual excitement or excessive sexual indulgences. Kali-brom.

Passing.—Epileptiform spasms: exposure to the least breath of air, even by person p., would induce spasm. Physos.

Pastries.—Neuralgia: after bad diet, fat p., gravies or fats. Puls.

Peevish.—Epilepsy: during intervals between paroxysms, p., angry, scolding, swearing, fearful and full of anxiety. Bell.
Epilepsy: during interval, stupid, p., anxious, pale, puffed face, perspiration on head, difficult hearing, eats heartily, yet loses flesh, enlarged abdomen; swelling of glands about neck. Calc-c.
Hysteria: in mild, tearful, yielding, timid, p., changeable subjects, with loss of smell and taste, appetite and thirst. Puls.

Pericarditis.—Chorea, with rheumatic pains, attended with acute endocarditis or p. Agar. (Cimicif., Iod.)

Peripheral.—First irritation and second paralysis of p. sensory nerves and posterior roots of spinal nerves. Acon.
Trismus and tetanus: parts become cold as ice and spasms begin in wound after p. injury. Led.

Perspiration.—Epilepsy: after paroxysms, warm p.; drowsiness. Sil.
Epilepsy: during interval, stupid, peevish, anxious, pale, puffed face, p. on head, difficult hearing, eats heartily, yet loses flesh; enlarged abdomen, swelling of glands about neck. Calc-c.
Epilepsy: during paroxysm, fingers become dead; involuntary discharge of urine; bluish color at pit of stomach and over chest; chest and head covered with p.; limbs spread to sides and mouth open; or limbs and trunk become rigid and jaws closed. Cupr.
Paralysis: after sudden suppression of general p. or sweat on feet. Colch.

Persuaded.—Chorea: cannot be p. to answer questions. Myg.

Pharyngeal.—Epilepsy: paroxysm commences with vertigo, loss of consciousness, sometimes without convulsions, p. spasms, followed by desire to swallow. Calc-c.

Pharynx.—Paralysis of tongue, fauces, p., œsophagus, stomach and intestinal canal. Caps.

Phlegm.—Epilepsy: before paroxysm, nausea, retching and throwing up p. Cupr.

Physical.—Hysteria: convulsive p. irritability. Nitr-ac.

Hysteria: p. symptoms altenating with mental symptoms. Plat.

Stimulation of nerve center, causing great p. vigor and endurance in spite of slight nourishment or little sleep. Coca.

Tremors of young persons from emotional or p. disturbances. Physos.

Piano.—Graphospasmus: writer's, telegraph operator's, p. or violin player's cramp. Magn-ph.

Picking.—Epilepsy: constantly p. with fingers. Art-v.

Piercing.—Convulsions with p. screams. Cupr.

Feeling as if ice-cold needles were p. skin. Agar.

Pinched.—Epilepsy: after paroxysm, when breathing has become free, there is loss of consciousness, patient lying as if dead, remaining insensible, even when touched or p. Cic-v.

Place.—Chorea: constant desire to change position and p. Sep.

Pleasant.—Hysterical mania: excessive mirth and cheerfulness alternating with melancholy; childish follies; p. dementia. Croc.

Plethoric.—Spasms: after fright; anger or other emotional causes in p. persons, or in women at time of menses; during parturition, or sexual excitement or excessive sexual indulgences (venery). Kali-brom.

Plexus solaris.—Epilepsy: originating from p. or from abdominal ganglia or from cold or fright. Ind.

Pockets.—Constant trembling of arms and legs; chorea; quiet only when hands are in p. Aster.

Point.—Epilepsy: eyes staring upon one p. Cic-v.

Position.—Chorea: constant desire to change p. and place. Sep.

Great restlessness and anguish; finds no rest in any p. Coloc.

Great restlessness, with fear and anxiety; cannot rest in any place; constantly changing p.; wants to go from one bed to another; constant moving of head and limbs, while trunk lies still on account of weakness. Ars.

Restlessness, must change p. often. Rhus-t.

Poured.—Covulsions (of children with worms); child suddenly stiffens out straight; there is a clucking noise, as if water were p. out of a bottle, from throat to stomach. Cina.

Power.—Catalepsy: conscious, but without p. to move or speak. Graph.

Catalepsy: loss of nerve p. Stram.

Epilepsy: followed by profuse sweat; loss of p. to make voluntary motions. Sec.

Exhaustion of vital forces, with loss of p. to react. Caps. (Carbo-v., Laur.)

Paralysis: incomplete, p. of motion not entirely gone but prevented by painful twitchings and spasmodic contractions whenever affected parts are exercised. Nux-v.

Powers.—Epilepsy: exaltation of all p. of mind and body before paroxysm. Can-ind.

Pray.—Chorea: inclination to p. Stram.

Preceded.—Epilepsy: convulsions p. by sensation of warm air streaming up spine into head. Ars.

Pregnancy (see section on Pregnancy).—Chorea or other clonic spasms (during p.); paroxysm commences in finger or limb and gradually extends over body. Cupr.

Convulsions, preceded by great restlessness (during p.). Arg-n.

Excessive sensibility of all nerves (especially during p.). Asar.

Pressure.—Epilepsy: before paroxysm, imbecility; p. in pit of stomach extending over chest and hindering breathing. Caust.

Epilepsy: painful spot in abdomen in region of solar plexus; p. upon this spot renews the paroxysm; during interval, constipation. Nux-v.

Great sensitiveness of nervous system to all external impressions so that slightest p. on skin produces intense and long-continued pain. Agar.

Hysteria: crawling in hands and feet extending to epigastrium where there is p., anxiety and nausea, extending to throat causing choking sensations, thence goes to head and patient loses consciousness. Nux-v.

Hysteria: suffocating sensations with constant efforts to remove all external p. from throat and chest. Lach.

Hysteria: with p. and pain in pit of stomach. Nux-v.

Pricking.—Neuralgia: with great tenderness; p., pulsating, tearing pains. Lach.

Pride.—Hysteria: with great p., haughtiness, illusions. Plat.

Prostration.—Chorea: movements extremely rapid and accompanied by peculiar distortions of face followed by p. and sleeep. Natr-m.

Complete relaxation and p. of whole muscular system, with entire motor paralysis. Gels.

Epilepsy: after paroxysm extreme p. and loss of memory. Gels.

Epilepsy: after paroxysm, great debility and p. with anxiety and distress in epigastrium. Aster.

Epilepsy: before paroxysm, pain at base of brain, with p. and tired feeling. Gels.

Epileptiform spasms: after paroxysm, cold sweat, loud eructations and great p. Chin-ars.

Exhaustion of vital forces (Caps., Carbo-v., Laur.), with profound p. or collapse; surface pale and bathed in cold sweat. Carb-ac.

Extreme p. of nervous system; very weak, cannot stand up. Merc-cyan.

Great p. of nervous and muscular systems. Coni.

Hysteria: semi stupor, with languor and p. Gels.

Muscular p. and paralytic condition through nerves. Gels.

Paralysis: associated with great p. and neuralgic pains. Ars.

P. of nervous system. Cocc.

Sudden and great p.; exhaustion of vital forces. Crotal.

Twitching and numbness through body and limbs; nervous exhaustion (neurasthenia) and debility with p. of mind and body. Lyc.

Weakness and p., and species of hectic fever (in children after la grippe). Abies-n.

Protruded.—Severe clonic spasms every few moments; lips blue, p.; lower limbs stiff; loud piercing cry with every spasm; foam at mouth; least motion, moving fingers or eyes, touching lips with spoon brought on spasm. Nux-v.

Proud.—Trismus and tetanus: overbearing, p. disposition. Plat.

Psoric.—Epilepsy: in persons of p. taint or after suppressed itch. Sulph.

Puberty.—Chorea: at p., or at approach of menses. Caul.

Epilepsy: at p., occurring every forty-eight hours. Art-v.

Epilepsy: during p. or new moon. Caust.

Hysterical or epileptiform spasms at p. Caul.

Puerperal (see section on Parturition).—Epilepsy: occurring at onset of septic, zymotic, exanthematous, or p. disease. Crotal.

Trembling, jerking, p. convulsions. Ver-a.

Puffed.—Chorea: face p., and somewhat bluish. Cocc.

Convulsions: spasms begin with loud screams, foam at mouth; trembling of limbs; suffocation; p. and livid face. Opi.

Epilepsy: face p. and purple. Opi.

Trismus and tetanus: face bluish and p. or deathly pale and cold; eyes fixed and staring at one point; foam at mouth. Cic-v.

Pulsating.—Neuralgia: with great tenderness; pricking, p., tearing pains. Lach.

Pulse.—Nervous weakness: locomotor ataxia; hard, quick p. Kali-brom. (Give five to twenty grains once in two hours. —Burt.)

Pulseless.—Epilepsy: following nervous shock, ending in falling down rigid and p., reviving after half hour and acting as if insane. Phos.

Punishment.—Children have convulsions in sleep after p. Ign.

Chorea: in girls who have been frightened by threats of p. Ign.

Convulsions: in children after p. Ign.

Pupils.—Catalepsy: half-closed eyes, with dilated p. Cham.
Chorea: p. dilated. Magn-ph.
Epilepsy: dilated p. Bell.
Epileptiform spasms: fixed or staring look, with dilated p. Ign.
Trismus and tetanus: twitching of muscles of face and limbs; squinting; inability to swallow, followed by convulsive motions; spasmodic respiration; dilated p.; staring, open eyes. Bell.
Trismus and tetanus: extremities stiff; hands firmly closed; feet extended and toes flexed; p. dilated; teeth clinched; lips firmly everted. Phyt.

Purple.—Epilepsy: during paroxysm, face livid or p.; falls suddenly to ground with shrieks; projecting eyes; grinding of teeth; foaming at mouth; urination. Hyos.
Epilepsy: face puffed and p. Opi.

Push.—Epileptform spasms: after paroxysm, rises without speaking to anyone or answering any questions; clinches teeth; looks at those around; tries to p. away those surrounding; face having expression of wild rage; finally groans and moans. Cocc.

Quarreling.—Hysteria: after anger or q. Ign.

Questions.—Chorea: cannot be persuaded to answer q. Myg.
Epileptiform spasm: after paroxysm, rises without speaking to anyone or answering any q.; clinches teeth. Cocc.

Quick.—Chorea: after fright, twitching of facial muscles and q. movements in arms so that hands are constantly engaged in some sort of voluntary work. Ign.

Quiet.—Chorea: q. during sleep. Myg.
Epilepsy: paroxysm repeated frequently during night, wakens morning lame and tired but unconscious of not having had a q. night's sleep. Opi.
Restlessness at night; cannot get q. or lie still a minute. Caust.

Rage.—Epilepsy: attacks followed by delirous r., jumping about and striking those near. Arg-m.
Epileptiform spasms: after paroxysm, rises without speaking to anyone or answering questions; face having expression of wild r.; finally groans and moans. Cocc.

Raising.—Hysteria: sensation of something twisting about stomach, with r. in throat. Sep.

Rapid.—Chorea: movements extremely r. and accompanied by peculiar distortions of face, followed by prostration and sleep. Natr-m.
Trismus and tetanus: sudden and r. establishment of attack. Hydroc-ac.

Rapidly.—Epilepsy: in young persons who develop r. Calc-ph.
Neurasthenia or cerebro-spinal exhaustion from over-work; after continued grief; over-exertion of mind and body; or sexual excesses; or in young persons growing too r. Phos-ac.

Rattling.—Convulsions during dentition: child becomes stiff, rolls eyes; r. breathing; foam at mouth; moves legs up and down alternately; grasps and reaches with hands. Cham.

Epilepsy: after paroxysm, deep, heavy sleep, with loud snoring and r. in chest. Opi.

Ravenous.—Chorea: r. appetite. Cina.

Reaches.—Convulsions during dentition: child becomes stiff; rolls eyes; distorts face; twitches; throws limbs about; clinches thumbs; bends body backward and sideways; rattling breathing; foam at mouth; moves legs up and down alternately; grasps and r. with hands; mouth drawn from side to side. Cham.

React.—Exhaustion of vital forces, with loss of power to r. Caps. (Carbo-v., Laur.)

Reaction.—Insensibility of nervous system without r. Opi. (Carbo-v.)

Recovering.—Restless, nervous, weak and tremulous, as if r. from severe illness. Bapt.

Recovers.—Chorea: jactitation of muscles; internal twitching; r. with a start. Nux-m.

Rectum (see section on Rectum).—Paralysis: of r. and sphincter ani. Caust., Coloc., Hyos., Lyc., Opi., Phos., Ruta, Zinc., Sulph.

Red.—Epilepsy: r. face. Bell., Cic-v.

Epileptiform spasms: face r. Glon.

Trismus and tetanus: r. face. Stram.

Redness.—Chorea: nictitation of eyelids, r. of inner canthus of eyes, flowing of tears from eyes. Agar.

Reeling.—Chorea: r., staggering gait, as if drunk. Kali-brom.

Reels.—Epilepsy: soon as patient goes into high ceiling room head r. and loses consciousness. Cupr-ac.

Reflex.—Chorea: cutaneous anæsthesia, with loss of r. activity. Kali-brom.

Convulsions: from r. irritation during dentition, with rolling of head and variegated, slimy stools. Podo.

R. excitability or sleeplessness during teething or whooping-cough or laryngismus stridulus or nephritis. Kali-brom.

Trismus and tetanus: spasms intermitting; irregular respiration, with full consciousness; renewal of spasms from slight r. irritation. Nux-v.

Regular.—Epilepsy: paroxysms at first seldom and irregular, but soon become r. and coincident with menses. Plumb.

Epilepsy: paroxysms at night, returning at r. intervals. Cupr.

Regularity.—Neuralgia: intermittent; pains return with great r. Chin-s. (Cedron.)

Relaxed.—Catalepsy: limbs hang down r. and appear lifeless. Cic-v.

Relaxation.—Complete r. and prostration of whole muscular system, with entire motor paralysis. Gels.

Convulsions (of children, with worms): sudden rigidity, with jerks; afterward r. and weakness. Cic-v.

Epileptiform spasms: violent tossing of limbs, followed by r., desire to vomit and eructations, after suppression of menses. Puls.

Infantile paralysis, with complete r. of whole muscular system, with enteric paralysis. Gels.

Spasms and convulsions: paroxysms lasting ten minutes or longer, ending in perfect r., like paralysis, followed by sound sleep. Art-v.

Tetanus: convulsive action of muscles of face and neck, followed by partial r., again succeeded by tetanic condition. Phyt.

Trismus and tetanus: r. of muscles. Amyl.

Relieved.—Hysteria: with fainting fits at dinner; nausea and tremors, r. by eructation. Magn-m.

Neuralgia: worse during rest at night, and r. by motion. Ars.

Religious.—Catalepsy: after r. excitement. Stram., Sulph., Ver-a.

Remembers.—Epileptiform spasms: tears clothing or cuts buttons off; this condition continues for a few minutes when recovers normal condition as quickly as it was lost and r. nothing of what occurred. Œnanth.

Remove.—Hysteria: suffocating sensations, with constant effort to r. all external pressure from throat and chest. Lach.

Renewed.—Convulsions: r. by bright light, sudden jar or noise, or least touch, followed by deep sleep. Nux-v.

Trismus and tetanus: spasms r. by slightest touch, even from opening door and loud talking. Cic-v.

Renews.—Epilepsy: painful spot in abdomen in region of solar plexus; pressure upon this spot r. paroxysm; during interval, constipation. Nux-v.

Repeated.—Epilepsy: paroxysm r. frequently during night, wakens morning lame and tired but unconscious of not having had a quiet night's sleep. Opi.

Reprimanded.—Epileptiform spasms: often occurring without apparent cause or appear after child has been r. and put to bed. Ign.

Respiration.—Epilepsy: irregular r. Cic-v.

Hysteria: choking in throat and constriction of chest, with sighing r. Ign.

Hysteria: r. suspended, throat swells, mouth open, head retracted, body tossed about in efforts to get air. Mosch.

Trismus and tetanus: r. difficult and oppressed. Phyt.

Trismus and tetanus: spasms intermitting; irregular r., with full consciousness; renewal of spasms from slight reflex irritation. Nux-v.

Trismus and tetanus: twitching of muscles of face and limbs; squinting; inability to swallow followed by convulsive motions; spasmodic r.; dilated pupils; staring, open eyes. Bell.

Respiratory muscles.—Chorea: in attempting to control voluntary motions r. are affected so greatly that patient cannot get breath until takes a deep inspiration. Myg.

Rest.—Great restlessness, with fear and anxiety; cannot r. in any place; constantly changing position; wants to go from one bed to another; constant moving of head and limbs while trunk is still, on account of weakness. Ars.

Neuralgia: pains lightning-like; worse during r.; must move about. Magn-c.

Neuralgia: pains tearing; worse during r. Kali-ph.

Neuralgia: worse during r. at night, and relieved by motion. Ars.

Uneasy, restlessness and "fidgets" in the limbs; worse during r. Zinc.

Restless.—Epilepsy: during intervals, flushes of heat; is r., must move about. Sep.

Hysteria: limbs r.; music has soothing influence. Tarant.

Nervous; r.; cannot sit still; must move about or be otherwise constantly occupied, especially in nervous women; thought of having something to do causes patient to shake or tremble all over. Kali-brom.

R. and irritable. Calc-c.

R. fidgety. Sep.

R.: must walk slowly about. Ferr.

R., nervous, weak and tremulous, as if recovering from severe illness. Bapt.

Trismus and tetanus: dry and stuffed-up nose; sleep r. and full of anxious dreams. Lyc.

Very nervous; cannot bear anything; is hot, irritable and r. Chim-m.

Very r.; cannot keep still. Eupat-perf.

Restlessness.—Chorea: r. at night during sleep. Myg.

Convulsions, preceded by great r. (during pregnancy). Arg-n.

Epilepsy: before paroxysm, chewing motion of mouth, stretching of limbs; great r. Calc-c.

Epilepsy: during interval, great r.; wanting to run away. Caust.

Great agitation and r. Coff.

Great r. and anguish; finds no rest in any position. Coloc.

Great r., with fear and anxiety; cannot rest in any place; constantly changing position; wants to go from one bed to another; constant moving of head and limbs, while trunk is still on account of weakness. Ars.

Hysteria: before paroxysm, constriction of throat, great r., impatience, connot bear to be covered. Mosch.

Nervous excitement and r. followed by sick and debilitated feeling. Myrica.

Nervous r. and anxiety, with rapid emaciation and burning thirst for small quantities of water. Ars.

Nervous r., twitching and spasms. Dory.
Nervous and nightly r. (in children during dentition). Coca.
Nervousness: excessive r. and tossing about for hours. Acon.
Neuralgia: pains burning, with great r., fear and anxiety. Ars.
R. and great nervous weakness. Dig.
R. at night; cannot get quiet or lie still a minute. Caust.
R., cannot keep limbs still at night. Spig.
R., constant uneasiness and tossing about. Cupr.
R.: fidgety; starts at least noise. Sil.
R., moaning and tossing about. Eupat-purp.
R.: moving about; subsultus tendinum (Hyos., Stram.) or constriction of muscles and tendons. Kali-jod.
R., must change position. Rhus-t.
R., must move about. Nux-m.
Uneasy, r. and "fidgets" in limbs; worse during rest. Zinc.
Weakness and r. (with urinary difficulties). Canth.

Restored.—Epilepsy: great thirst after consciousness is r. Ign.

Retching.—Epilepsy: before paroxysm, nausea, r. and throwing up phlegm. Cupr.

Retraction.—Epilepsy: r. of thumbs. Staph.

Returning.—Convulsions: after fear or fright r. at the same hour daily. Ign.

Returns.—Hysteria: feeling as of a lump in throat which descends on swallowing but r. at once. Lach.

Rheumatic.—Chorea: in r., gouty, albuminuric, or amenorrhœic subjects. Cub.
Chorea, with r. pains attended with acute endocarditis or pericarditis. Agar. (Cimicif., Iod.)
Paralysis: r., after getting wet or lying on damp ground. Rhus-t.
Paraplegia: in weak and nervous subjects inclined to fits of fainting and palpitation of heart originating in small of back after taking cold; with cold feeling in extremities and œdema of feet; r. lameness. Cocc.

Rheumatism.—Paralysis: after r. Arn., Bar-c., Bry., Canth., Caust., China, Cocc., Ferr., Gels., Lyc., Ruta, Sulph., Tart-em.

Right.—Chorea: attacks crosswise and in r. upper arm and left lower leg, and vice versa. Agar.
Chorea: neck drawn to r. shoulder. Cupr.
Chorea: of r. side; tongue feels swollen and paralyzed. Physos.
Chorea: tetanus of left and trembling of r. side. Natr-s.
Chorea: throws head backward then forward, with jerking and twitching it around to r. side. Myg.
Chorea: twitching of r. side. Zinc.
Epilepsy: paralysis of r. side. Sil.
Neuralgia: especially r. supraorbital. Chelid.
R. sided hemiplegia. Arn., Bell., Caust., Rhus-t., Sang.

Trimus sand tetanus: drawing of the head to r. side, with stiffness of neck, face and jaw; dizziness; heaviness of head; eyes weak. Lyc.

Right angle.—Convulsions: throws limbs or stretches arms to r. of body. Opi.

Rigid.—Convulsions: limbs r. and go to sleep. Nux-v.

Epilepsy: convulsive movements followed by r. condition of body. Led.

Epilepsy: during paroxysm, limbs spread to sides and mouth open; or limbs and trunk become r. and jaws closed. Cupr.

Epilepsy: following nervous shock, ending in falling down r. and pulseless, reviving after half hour and acting as if insane. Phos.

Hysteria: suddenly becomes r., twitching in face, constriction of fingers, distorted eyes. Mosch.

Trismus and tetanus: pains run up limb through spine to neck and face; muscles of neck and jaw, chest and abdomen become r. Hyper.

Violent tonic spasms: each muscle perfectly r. Cic-v.

Rigidity.—Convulsions (of children with worms): sudden r., with jerks; afterward relaxation and weakness. Cic-v.

Convulsions: with r. of limbs and difficult breathing. Millef.

Epilepsy: during paroxysm, r., with twitching of limbs. Dros.

Hysteria: stiffness of tongue and r. all over. Sep.

Tetanus: with spasmodic jerks or r. of body, with bluish-redness of face and convulsive twitching in limbs. Ipec.

Trismus and tetanus: general muscular r. Phyt.

Ringing.—Epilepsy: before paroxysm, sparks from eyes; r. in ears; vertigo; gnawing and sensation of hunger at pit of the stomach. Hyos.

Epilepsy: r. in ears. Bell.

Paralysis: of legs, worse in morning, with heaviness of head and r. in ears. Sil.

Ringworms.—Chorea: eruptions, like r., on skin, every spring. Sep.

Rings.—Chorea: dark r. around the eyes. Cina.

Rises.—Epileptiform spasms: after paroxysm, r. without speaking to anyone or answering any questions; clinches teeth; looks at those around; tries to push away those surrounding; face having expression of wild rage; finally groans and moans. Cocc.

Hysteria: cannot sit down slowly, drops down, but r. without difficulty. Stann.

Risus sardonicus.—Violent convulsions, with trismus or tetanus; r.; rigors, followed by coma or deep sleep; foam at mouth; face livid; biting of tongue. Œnanth.

Rolled.—Convulsions (of children): paroxysm preceded by drowsiness; paroxysm commences with clinching and jerking upwards of fists and legs; face red; eyes r. outward and upward. Glon.

Rolling.—Nervous weakness: locomotor ataxia; inco-ordination; unsteady gait; reeling as if drunk; r. and staggering; delirium tremens in first or initiative stage; face flushed; eyes red; active delirium; horrible illusions; hard, quick pulse. Kali-brom. (Give five to thirty grains once in two hours.—Burt.)

Rolls.—Convulsions during dentition; child becomes stiff, r. eyes, distorts face, twitches, throws limbs about, clinches thumbs, bends body backward and sideways. Cham.

Room.—Epilepsy: soon as patient goes into high ceiling r. head reels and loses consciousness. Cupr-ac.

Rotary.—Epilepsy: continual r. motion with left arm. Stram.

Rotated.—Chorea: with violent motions which are often crosswise; arms are r. over head. Stram.

Rotten.—Epilepsy: during interval, sour or sweetish, badly-tasting eructation, like ink, or r. wood. Camph.

Rumbling.—Tetanus: abdomen rises and falls rapidly, with r. Ars.

Run.—Chorea: trembling of body; limbs in constant motion, can r. better than walk. Tarant.

Epilepsy: during interval, great restlessness; wanting to r. away Caust.

Running.—Epilepsy: before paroxysm, feeling as if something were r. in arm, or from pit of stomach down through abdomen into feet. Calc-c.

Epilepsy: before paroxysm, sensation of crawling and r., as if mouse were running from right foot up leg or right side to abdomen. Sulph.

Rush.—Neuralgia: must get up and r. about. Cham.

Rushing.—Epileptiform spasms: before paroxysm, lightning-like r. through brain and down side of neck into arm, which is distorted and wrenched, so as to crack. Chin-ars.

Sadness.—Hysterical spasms, with anguish and s. Cocc.

Saliva.—Epilepsy: face bloated and livid, with frothy, sanguineous s. Crotal.

Salt.—Chorea: craving for s. Natr-m.

Scabies.—After suppressed s. or eruption, protracted intermittent or softening of brain. Caust.

Scalp.—Epilepsy: during interval, soft lumps on s.; sweat on head; nose stopped; tongue coated white on both sides. Caust.

Scarlatina (see section on Fever).—Convulsions: after s.; child trembles as if frightened and on the verge of a spasm. Ver-v.

Sciatic.—Neuralgia: especially facial, abdominal, lumbar, femoral, ovarian and s. Coloc.

Scolding.—Epilepsy: after and during intervals between paroxysms, peevish, angry, s., swearing, fearful and full of anxiety. Bell.

Scratch. — Excessive sensibility of all nerves when merely thinking (which must be continually) that someone might with finger tip or nail s. even lightly on linen or similar material; causing a most disagreeable sensation which thrills through patient arresting momentarily all thoughts and actions. Asar.

Scream.—Convulsions: spasms begin with loud s.; foam at mouth; trembling of limbs; suffocation; puffed and livid face. Opi.

Epilepsy: commencing with sudden s. Cupr.

Screaming.—Epilepsy: drowsiness with starting, s., groaning, weeping, tears drop out of eyes; foam at mouth. Sil.

Epilepsy: s.; foaming at mouth; unconsciousness; tossing about; great tendency to start; feels frightened at least noise. Lyc.

Epilepsy: sudden paroxysm, with s. Stram.

Epileptiform spasms: during paroxysm, winking with eyelids, twisting of head, loud s. Kali-bi.

Screams.—Convulsions: tetanic spasms beginning with loud s. Opi.

Convulsions with piercing s. Cupr.

Convulsions, with s., gnashing of teeth and violent movement of limbs. Caust.

Epilepsy: during paroxysm, red face; biting of tongue; drawing head to one side. Caust.

Secretions.—Hysteria, with epileptiform convulsions (during menses); paroxysms come on morning and evening at same hours; giddiness, followed by falling down and most distressing convulsions, with insensibility, closed teeth and frothy s. from mouth. Cedron.

Semen.—Nervous tremors, in tonic and clonic spasms, epileptiform in character, with foaming at mouth, involuntary defecation and discharge of s., together with hallucinations and delirium. Absinth.

Semi-consciousness. — Epilepsy: long-continued stupid feeling in head, with s. Plumb.

Senile.—Paralysis agitans: in old age; s.; with loss of memory and trembling of limbs. Bar-c.

Sensation.—Hysteria: paroxysm ends with belchings, crawling s. in arms. Mosch.

Paraplegia: with painful loss of s. in limbs. Caul.

Senses.—Chorea: entire nervous system morbid, excited and sensitive with intense acuteness of all special s. and increase of susceptibility to external impressions, mentally and physically. Ign.

Great nervous debility of all s. following night-watching, excessive use of coffee, wine, etc.; cannot walk on account of giving way of lower limbs; knees knock together. Nux-v.

Sensibility.—Excessive s. of nerves, especially during pregnancy. Asar.

Sensitive.—Chorea: entire nervous system morbid, excited and s., with intense acuteness of all special senses and increase of susceptibility to external impressions, mentally and physically. Ign

Convulsions: very s. to pain. Ign.

Great irritability, with pains; s. to slightest touch; least vibration renders pain unbearable. Colch.

Nervous chills, with shivering and chattering of teeth; dependent upon irritation of motor nerves; in very weak, s. subjects; after fear or fright. Gels.

Sensitiveness.—Chorea: s. of lumbar vertebræ. Agar.

Great s. and pain of affected parts. Coff.

Great s. of nervous system. China.

Great s. of nervous system to all external impressions, so that slightest pressure on the skin produces intense and long-continued pain. Agar.

Hysteria: preceded by great s. Stram.

Nervous trembling, with great acuteness and s. Cupr. (Cham., China, Coff.)

Chorea: when traceable to s. or toxæmic influence. Crotal.

Epilepsy: occurring at onset of s., zymotic, exanthematous, or puerperal disease. Crotal.

Severe.—Epilepsy: attack very s., lasting for hours, followed with great drowsiness and lassitude. Plumb.

Sexual.—Catalepsy, with s. erethism. Plat., Stram.

Chorea: s. excitement. Ver-v.

Epilepsy: unconsciousness, with s. complications or during dentition, with symptoms of worms. Stann.

Epileptiform convulsions: following onanism or otherwise connected with s. functions. Lach.

Great nervous weakness (with s. degeneration). Agn.

Spasms: after fright, anger or other emotional causes in plethoric persons, or in women at time of menses; during parturition, or s. excitement or excessive s. indulgences. Kali-brom.

Superficial functional disturbances, affecting especially the female s. organs, producing irritation and giving rise to various nervous and hysterical symptoms. Ambr.

Sexual excesses.—Chorea: after intermittents, s. or nervous exhaustion, anger or emotions. Natr-m.

Epilepsy: after s. or onanism. Phos.

Nervous depression (after over-work, mental anxiety, s. or abuse of tobacco). Coca.

Neurasthenia or cerebro-spinal exhaustion from over-work; after continued grief; over-exertion of mind and body; or s.; or in young persons growing too rapidly. Phos-ac.

Paralysis: after onanism, s. China, Cocc., Ferr., Natr-m., Nux-v., Rhus-t., Sulph.

Paralysis: with spinal disease or after s.; tingling and tearing pain in back down through limbs. Phos.

Shake.—Nervous; restless; cannot sit still; must move about or be otherwise constantly occupied, especially in nervous women; thought of having something to do causes patient to s. or tremble all over. Kali-brom.

Shaking.—Epilepsy: s. and twitching of left arm. Sil.

Sharp.—Neuralgia: erratic pains which fly or change from one part of body or limbs to another; they are short and s. and attended by bruised, sore sensation and chilliness. Puls.

Shivering.—Hysteria: fainting; s.; coldness. Puls.

Nervous chills, with s. and chattering of teeth; dependent upon irritation of motor nerves; in very weak, sensitive subjects; after fear or fright. Gels.

Twitching of single muscles with trembling and s. Plat.

Shocks.—Chorea: violent spasms like galvanic s. Ver-v.

Convulsions: after severe nervous s. Phos.

Convulsive s., like electricity, through body. Arg-m.

Epilepsy: electric s. Cic-v.

Epilepsy: following nervous s., ending in falling down rigid and pulseless, reviving after half an hour and acting as if insane. Phos.

Epilepsy: paroxysm commences with s. in limbs, sudden falling, livid face, convulsive motion of jaws, froth at mouth and loss of consciousness. Aster.

Twitches like electric s. through one side of body. Colch.

Shooting.—Neuralgia: acute, sudden, darting pains, s. and tearing along tracks of nerves. Gels.

Neuralgia: pains are s., cutting, and run like lightning. Colch.

Neuralgia: pains darting, s., sticking. Kali-c.

Paralysis: preceded by mental derangement; trembling or tremor, spasms or by s., darting, intense tearing pains along large nerves with emaciation of parts affected. Plumb.

Short.—Neuralgia: erratic pains which fly or change from one part of body or limbs to another; they are s. and sharp and attended by bruised, sore sensation and chilliness. Puls.

Short-necked.—Convulsions in fat, chubby, s. children. Kali-bi.

Shoulder.—Chorea: drops head suddenly to s. Myg.

Chorea: neck drawn to right s. Cupr.

Shoulders.—Chorea: convulsive movements of s. Myg.

Epilepsy: during interval, constant coldness of s. and joints of feet. Caust.

Shriek.—Chorea: distortions commence with a s.; tongue, œsophagus and larynx are involved, continuing through night. Cina.

Convulsions (of children): after fright or after meals; child sickens after eating, vomits, and shows signs of distress at stomach; sudden s., and then becomes insensible. Hyos.

Shrieks.—Epilepsy: during paroxysm, face livid or purple; falls suddenly to ground with s.; projecting eyes; grinding of teeth; foaming at mouth; urination. Hyos.

Epilepsy: paroxysm commences with sudden s. and falling, sometimes without any premonitory signs. Cupr.

Epileptiform spasms: sudden s., throws up hands. Œnanth.

Epileptiform spasms: with s. Ipec.

Hysteria: with anguish, s. for help. Ign.

Shuddering.—Epileps: ybefore paroxysm, s.; goose-flesh; palpitation of heart. Cupr.

Sick.—Nervous excitement and restlessness followed by s. and debilitated feeling. Myr ca.

Sickens.—Convulsions (of children): after fright or after meals; child s. after eating, vomits, and shows signs of distress at stomach; sudden shriek, and then becomes insensible. Hyos.

Sickly.—Trembling when excited, with weak, s. feeling. Abies-n.

Side.—Catalepsy: left s. paralyzed. Stram.

Catalepsy: paralysis of one s., convulsions of the other. Stram.

Chorea: of right s.; tongue feels swollen and paralyzed. Physos.

Chorea: paralysis of tongue and right s. of body. Caust.

Chorea: twitching of right s. Zinc.

Convulsions during dentition; child becomes stiff, rolls eyes, distorts face, twitches, throws limbs about, clinches thumbs, bends body backward and sideways, rattling breathing, foam at mouth, moves legs up and down alternately, grasps and reaches with hands; mouth drawn from s. to s. Cham.

Epilepsy: after paroxysm, laceration of tongue and left s. numb. Art-v.

Epilepsy: before paroxysm, feeling of great coldness of left s. Sil.

Epilepsy: before paroxysm, sensation of crawling and running, as if a mouse were running up arms to back, or sudden feeling as if mouse were running from right foot up leg to right s. of abdomen. Sulph.

Epilepsy: before paroxysm, staring of eyes, turning head to left s. Sep.

Epilepsy: during paroxysm, red face; biting of tongue; drawing head to one s. Caust.

Epilepsy: paralysis of one s. Sil.

Epilepsy: suddenly seized with electric shock, becoming insensible, foaming at mouth, which is drawn to left s. Art-v.

Epileptiform spasms: before paroxysm, lightning-like rushing through brain and down right s. of neck into arm, which is distorted and wrenched, so as to crack. Chin-ars.

Hemiplegia: especially of left s., with feeling of a heavy load on affected arm and s. of chest with frequent night-sweat. Stann.

Hemiplegia of right s. Sang.
Hemiplegia: paralysis of one s. and spasms of the other. Bell., Phos.
Hemiplegia: spasms of one s. and paralysis of the other. Stram.
Hemiplegia: with giddiness; weakness of s.; weeping mood; hopeless; fear of death; drawing, lame feeling in affected parts after exposure to cold, suppressed itch or other chronic eruption. Caust.
Hysteria: left s. weak. Lach.
Numbness and tingling in left s. with paralysis of limbs. Acon.
One s. twitching and other paralyzed (in meningitis). Apis.
Paralysis: facial; mouth drawn to one s. Phos.
Paralysis: hemiplegia; right s., with sensation as if parts were gone to sleep. Rhus-t.
Paralysis: mostly on left s., feeling of load in affected arm and corresponding s. of chest. Stann.
Paralysis: of one s. and spasms of the other. Bell., Lach., Stram.
Paralysis of one s., the other twitching. Apis.
Paralysis of right s. of body (after apoplexy). Arn.
Spasms of one and paralysis of other s. Bell.
Twitches, like electric shocks, through one s. of body. Colch.

Sideways.—Convulsions during dentition: child becomes still, rolls eyes, distorts face, twitches, throws limbs about, clinches thumbs, bends body backward and s., rattling breathing, foam at mouth, moves legs up and down alternately, grasps and reaches with hands; mouth drawn from side to side. Cham.

Sighing.—Epilepsy: no aura but s. may precede attack. Plumb.
Hysteria: choking in throat and constriction of chest with s. respiration. Ign.
Hysteria: with deep s. Ign.

Sight.—Epileptiform spasms: before paroxysm, s., speech and consciousness lost; patient falls to ground. Chin-ars.

Signs.—Epilepsy: paroxysm commences with sudden shrieks and falling, sometimes without any premonitory s. Cupr.

Silent.—Epilepsy: during interval, s., stupid, with jerking and twitching of muscles. Ign.

Simulating.—Hysteria: s. tetanic spasms. Mosch.

Singing.—Trismus and tetanus: during attack, s. and declaiming. Stram.

Sink.—Hysteria: thinks will faint or s. down from weakness. Lach.

Sit.—Catalepsy: after attack, much exhausted and is obliged to s. Art-v.
Chorea: can neither s., stand or lie down on account of incessant motion. Laur.
Hysteria: cannot s. down slowly, drops down, but raises without difficulty. Stann.

Nervous; restless; cannot s. still; must move about or be otherwise constantly occupied, especially in nervous women; thought of having something to do causes patient to shake or tremble all over. Kali-brom.

Paralysis: could s. on bed or chair, but on attempting to stand knees give way and have to be supported. Phos.

Sitting.—Chorea: legs in constant motion while s. Myg.

Skin (see section on Skin).—Chorea: eruptions, like ringworms, on s. every spring. Sep.

Epilepsy: is listless and drowsy during day, with itching of s. without eruption. Opi.

Great sensitiveness of nervous system to all external impressions so that slightest pressure on s. produces intense and long-continued pain. Agar.

Sleep (see section on Sleep).—Children have convulsions in s. after punishment. Ign.

Chorea: centering upon cerebellum, or arising from functional disease of brain, in which convulsive movements cease during s. Agar. (Do not cease during sleep. Ign., Nux-v.)

Chorea: distortion, twisting and jerking in limbs, even at night, preventing s. Caust.

Chorea: involuntary motion of right arm and leg, cease during s. Cocc.

Chorea: movements extremely rapid and accompanied by peculiar distortions of face, followed by prostration and s. Natr-m.

Chorea: quiet during s. Myg.

Chorea: restlessness at night during s. Myg.

Chorea: violent distortions of body, unaffected by s. Ver-v.

Convulsions (after loss of s.). Cocc.

Convulsions: after spasms, deep s., with soporous breathing. Opi.

Convulsions: great languor or s., stertorous breathing after or during fever. Ign.

Convulsions: limbs rigid and go to s. Nux-v.

Convulsions: renewed by bright light, sudden jar or noise, or least touch, followed by deep s. Nux-v.

Convulsive twitchings (Agar., Cic-v., Cupr.) during s. Hell.

Epilepsy: after paroxysm, deep, heavy s., with loud snoring and rattling in chest. Opi.

Epilepsy: after paroxysm, hæmoptysis and s. Dros.

Epilepsy: after paroxysm, lassitude; s. Œnanth.

Epilepsy: after paroxysm, stupid feeling in head and prolonged snoring s.; consciousness returns slowly and symptoms of paralysis remain; earthy color of face; stupor. Plumb.

Epilepsy: after paroxysm, weeping; profuse discharge of clear, watery urine; trembling and jerking of right hand; s. Cupr.

Epilepsy: deep snoring s. Stram.

Epilepsy: during paroxysm, convulsive motions; weeping; soporous s.; great exhaustion; jerking in the arms and about the mouth. Sulph.

Epilepsy: foaming in mouth terminating in great lassitude or s. Ign.

Epilepsy: jerking and starting during s. Bell.

Epilepsy: patient goes to s. and is seized with spasms. Lach.

Epilepsy: paroxysm at night, generally at eleven o'clock, after a little s. Opi.

Epilepsy: paroxysms come on in s. and are followed by severe pain and pressure in top of head, are very severe and followed by deep s. Bufo.

Epilepsy: paroxysms followed by deep s. Hell.

Epilepsy: when occurring during day patient falls to ground unconscious, with wild, startling cry, followed by spasms in limbs, turgescence and distortions of muscles of face; face livid; grinding of teeth and bloody foam or saliva at mouth, ending in loud, snoring s. Bufo.

Epilepsy: with deep s. Sep.

Hysteria: oppression soon after going to s., which wakens. Lach.

Involuntary movements while awake; cease during s. Agar. (Continue during s. Ign., Nux-v.)

Paralysis: hemiplegia; right side, with sensation as if parts were gone to s. Rhus-t.

Spasms and convulsions: paroxysms lasting ten minutes or longer, ending in perfect relaxation, like paralysis, followed by sound s. Art-v.

Startings and twitchings on going to s. Agar. (Bell., Hyos.)

Stimulation of nerve centers, causing great physical vigor and endurance in spite of slight nourishment or little s. Coca.

Trismus and tetanus: deep, snoring s. Stram.

Trismus and tetanus: dry and stuffed-up nose; s. restless and full of anxious dreams. Lyc.

Trismus and tetanus: sudden jerks during s. Bell.

Twitching and contraction of body unaffected by s.; jerking or continual nodding of head. Ver-v.

Twitching in limbs during s. Sep.

Twitching of hands and feet during s. Natr-s.

Violent convulsions, with trismus or tetanus; risus sardonicus; rigors, followed by coma or deep s.; foam at mouth; face livid; biting of tongue. Œnanth.

Whole body jerks during s.; twitching of muscles. Zinc.

Sleepless.—Spasms during dentition: child constantly moans, or dozes with half open eyes, or is cross and s. Kreas.

Sleeplessness.—Reflex excitability or s. during teething or whooping-cough or laryngismus stridulus or nephritis. Kali-brom.

Sleepy.—Epilepsy: becomes suddenly s. and falls to floor, sleep lasts one or two minutes when the subject rises and goes to work. Nux-v.

Slowly.—Hysteria: cannot sit down s., drops down, but raises without difficulty. Stann.

Neuralgia: pains come on s. and pass off s. Stann.

Smell.—Hysteria: in mild, tearful, yielding, timid, peevish changeable subjects, with loss of s. and taste, appetite and thirst. Puls.

Smile.—Epileptiform spasms: twitching begins at corners of mouth so child appears to s., then spasms affect muscles of face, forehead and eyes. Ign.

Smiling.—Epilepsy: during paroxysm, red face; biting of tongue; drawing head to one side; s. or weeping; eyes half open (paresis of upper lids), with staring look. Caust.

Snapping.—Chorea: s. of eyelids. Magn-ph.

Snoring.—Epilepsy: after paroxysm, deep, heavy sleep, with loud s. and rattling in chest. Opi.

Epilepsy: after paroxysm, soporous, s. Hyos.

Epilepsy: after paroxysm, stupid feeling in head and prolonged s. sleep; consciousness returns slowly and symptoms of paralysis remain; earthy color of face; stupor. Plumb.

Epilepsy: deep, s. sleep. Stram.

Trismus and tetanus: deep, s. sleep. Stram.

Softening.—After suppressed scabies or eruption, protracted intermittent or s. of brain. Caust.

Paralysis from s. of cord. Pic-ac.

Paralysis of the limbs (Plumb.), with incipient s. of spinal marrow. Agar.

Solar plexus.—Epilepsy: painful spot in abdomen in region of s., pressure upon this spot renews paroxysm; during interval, constipation. Nux-v.

Epilepsy: undulating sensations spring from s. to brain. Sil.

Soles.—Tonic spasms with contractions of hands and s. of feet. Ver-a.

Sopor.—Epilepsy: after paroxysm, s. Cham.

Soporous.—Convulsions: after spasms, deep sleep, with s. breathing. Opi.

Epilepsy: after paroxysm, s. condition; closing of eyes; exhaustion; noise in head. Caust.

Epilepsy: after paroxysm, s. snoring. Hyos.

Sore.—Neuralgia: erratic pains which fly or change from one part of body or limbs to another; they are short and sharp and attended by bruised, s. sensation and chilliness. Puls.

Soreness.—Chorea: s. of last lumbar and first dorsal vertebræ. Bell.

Nervous twitchings due to spinal irritation, with great s., uneasiness and weakness down spine, with or without derangement or enlargement of liver. Agar.

Sound.—Convulsions (with dysuria): bright light, drink or s. of falling water, touching larynx or painful part cause renewal of spasms. Canth.

Sparks.—Epilepsy: before paroxysm, s. from eyes; ringing in ears; vertigo; gnawing and sensation of hunger at pit of stomach. Hyos.

Spasm.—Convulsions: after scarlatina; child trembles as if frightened and on verge of a s. Ver-v.

Epilepsy: before and at time of s., congestion to head, with throbbing in temples. Bell.

Epileptiform spasms: exposure to least breath of air, even by person passing, would induce s. Physos.

Spasmodic.—Chorea: s. contraction of single sets of muscles. Croc.

Chorea: s. jactitations. Laur.

Chorea: s. motion of body, generally backward. Bell.

Epilepsy: after fright; convulsive movements in limbs; s. closure of jaws. Ign.

Epilepsy: s. and violent palpitation of heart; body and limbs cold. Kali-ph.

Epileptiform spasms: before paroxysm, stares at one spot, then loses consciousness; s., paroxysmal, convulsive movements of limbs and body. Cocc.

Frequent s. jerking; trembling, with great debility. Sulph.

Hysteria: s. motion of hands and feet; spasms brought on by touch, motion or slightest noise. Nux-v.

Paralysis: incomplete power of motion, not entirely gone, but prevented by painful twitchings and s. contractions whenever affected parts are exercised. Nux-v.

S., painless twitchings about heart. Arg-m.

Tetanus: with s. jerks or rigidity of body, with bluish-redness of face and convulsive twitching in limbs. Ipec.

Violent s. contractions of muscles; with trembling; painless paralysis. Oleand.

Spasms (see Convulsions).—Catalepsy: clonic and tonic s., with convulsive laughter. Plat.

Catalepsy: tonic s. Stram.

Chorea: convulsions, twitching and s. or torpor and depression. Ign.

Chorea: s., child cross before attack, body hot. Zinc.

Chorea: s. subside on hearing notes of hornpipe, music lessens symptoms. Tarant.

Chorea: violent s., like galvanic shocks. Ver-v.

Clonic s. of extremities, with loss of consciousness. Dolich.

Convulsions: also of children, with anxiety, pale face, cold sweat on forehead; cough before or after s.; sometimes syncope after s. Ver-a.

Convulsions and tetanic s. after mechanical injuries. Arn.

Convulsions or s. after fright, with pallid or livid countenance. Kali-ph.
Convulsions: s. flex limbs, and bent body is tossed upward. Hyos.
Convulsions: s. in children following emotion, fright, anger, continual crying. Opi.
Convulsions (with dysuria): bright light, drink or sound of falling water, touching larynx or painful part cause renewel of s. Canth.
Epilepsy: during paroxysm, severe s. of glottis; feeling as if must move about or heart would stop beating. Gels.
Epilepsy: falling down unconscious; distortions of features; s. of limbs; bloody foam at mouth; biting of tongue; throwing of limbs about (Cic-v.); very weak afterward. Absinth.
Epilepsy: patient goes to sleep and is seized with s. Lach.
Epilepsy: paroxysm commences with vertigo, loss of consciousness, sometimes without convulsions; pharyngeal s., followed by desire to swallow. Calc-c.
Epilepsy: s. appear at night or during new moon. Sil.
Epilepsy: s. through whole body coming like electric shocks. Cocc.
Epilepsy: swelling of stomach, as from violent s. of diaphragm. Cic-v.
Epilepsy: when occurring during day patient falls to ground unconscious, with wild, startling cry followed by s. of limbs, turgescence and distortion of muscles of face; face livid; grinding of teeth and bloody foam or saliva at mouth, ending in loud snoring sleep. Bufo.
Epileptiform spasms: child is suddenly seized with s. resembling epilepsy. Ign.
Hemiplegia: paralysis of one side and s. of other. Bell., Phos.
Hemiplegia: s. of one side and paralysis of other. Stram.
Hysteria: convulsions, with s. of glottis. Gels.
Hysteria: internal s. Nux-m.
Hysteria: spasmodic motion of hands and feet; s. brought on by touch, motion or slightest noise. Nux-v.
Hysteria: s. alternating with catalepsy or dyspnœa; sexual erethism. Plat.
Hysteria: s.; fainting, with previous sweat. Sep.
Hysteria: s. with pain in abdomen and diaphragm. Stann.
Hysteria: tetanic s. Mosch.
Hysterical s., with anguish and sadness. Cocc.
Nervous restlessness, twitching and s. Dory.
Nervous tremors, in tonic and clonic s., epileptiform in character, with foaming at mouth, involuntary defecation and discharge of semen, together with hallucinations and delirium. Absinth.
Paralysis: after emotions, s. or onanism. Stann.
Paralysis: after s. Ars., Caust., Cocc., Cupr., Hyos., Laur., Nux-v., Plumb., Rhus-t., Sec., Sil., Stann., Stram., Sulph.
Paralysis: after s. or after diphtheria. Hyos.
Paralysis of one side and s. of other. Bell., Lach., Stram.

S. Camph.
S. (after vexation or fright). Cupr.
S. in buttocks when stretching out limbs. Sep.
S. in children: after fright or from worms; child pale, cold; fixed, staring look; occasional screams; vomits food; preceded by hasty drinking. Ign.
S. of arms and hands; thumbs drawn in. Arum.
S., with blue face and thumbs clinched across palms. Cupr.
Tetanus, s. or convulsions, with frightful contortions of limbs. Ars.
Tetanus: s. with full consciousness, followed by great exhaustion. Sec.
Tetanus: with s. produced by exposure to least breath of air. Physos.
Tonic and clonic s. Bufo.
Tonic s. in flexors of fingers and toes. Chelid.
Tonic s., with contractions of palms of hands and soles of feet. Ver-a.
Trismus and tetanus: opisthotonos alternating with s. Plat.
Trismus and tetanus: parts become cold as ice and s. begin in wound after peripheral injury. Led.
Trismus and tetanus: s. intermitting; irregular respiration, with full consciousness; renewal of s. from slight reflex irritation. Nux-v.
Trismus and tetanus: s. renewed by slightest touch, even from opening door and loud talking. Cic-v.
Trismus and tetanus: stiffness of body, with full consciousness; s. in abdominal muscles. Mosch.
Twitching and clonic s. in limbs. Chin-s.
Violent tonic s.: curved limbs could not be straightened, nor straight limbs curved; renewed by slightest touch, by opening door and from loud talking; each muscle perfectly rigid. Cic-v.

Speak.—Catalepsy: conscious, but without power to move or s. Graph.
Chorea: without ability to s., or only imperfectly. Cupr.
Convulsions: with loss of consciousness and temporary inability to s. Ign.
Paralysis of vocal cords; cannot s. a loud word. Caust.

Speaking.—Epileptiform spasms: after paroxysm, rises without s. to anyone or answering any questions. Cocc.

Speech.—Chorea: loss of s. Stram.
Chorea: s. indistinct. Laur. (Magn-ph.)
Epilepsy: jerking of head; dragging s., with slight frothing of mouth while talking. Plumb.
Epileptiform spasms: before paroxysm, lightning-like rushing through brain and down right side of neck into arm, which is distorted and wrenched, so as to crack; sight, s. and consciousness lost. Chin-ars.
Paralysis of tongue and organs of s. Acon., Arn., Ars., Bar-c., Bell., Caust., Cocc., Cupr., Dulc., Hep-s., Hydroc-ac., Hyos., Lach., Mur-ac., Opi., Plumb., Stram.

Sphincter ani.—One-sided paralysis; paralysis of tongue; s. Mur-ac.
Paralysis of rectum and s. Caust., Coloc., Hyos., Lyc., Opi., Phos., Ruta, Zinc., Sulph.

Spinal.—Chorea: paralysis of nerves of s. cord. Kali-brom.
Epilepsy: creeping sensations from nape of neck down s. cord. Lach.
First irritation and second paralysis of peripheral sensory nerves and posterior roots of s. nerves. Acon.
Nervous twitchings due to s. irritation, with great soreness, uneasiness and weakness down spine, with or without derangement or enlargement of liver. Agar.
Paralysis: with cerebral or s. softening. Phos.
Paralysis: with congestion of s. cord, attended with numbness of parts. Acon.
Paralysis: with s. disease or after sexual excesses; tingling and tearing pain in back down through limbs. Phos.

Spinal marrow.—Epilepsy: burning in stomach and s., with sensation as if paroxysm commenced in s. and moved thence to behind ears and into brain, after which patient becomes giddy, with vertigo, loss of consciousness and falling down, or paroxysms commencing with beating about of arm and ends with jerk through whole body. Ars.

Spine (See section on Neck and Back).—Epilepsy: convulsions preceded by sensation of warm air streaming up s. into head. Ars.
Epilepsy: paroxysm so violent that it seemed as if joints or s. would be broken; renewed by attempt to swallow fluids. Hyos.
Paralysis from disease of s.; cannot walk with eyes closed. Alu.
Paralysis: from traumatism or in consequence of exudation in brain and s. Arn.
* Paralytic feeling in arms, legs and s. Æsc.
Tetanus: icy coldness from head down s. Ars.
Tremor of whole body, with violent twitchings, as if galvanic battery were applied to s. Agar. (Cic-v., Physos., Stram.)
Trismus and tetanus: pains run up limb through s. to neck and face; muscles of neck and jaw, chest and abdomen become rigid. Hyper.

Spirits.—Chorea: with depression of s. Zinc.

Spoon.—Severe clonic spasms every few moments; lips blue, protruded; lower limbs stiff; loud piercing cry with every spasm; foam at mouth; least motion, moving fingers or eyes, touching lips with s. brought on spasm. Nux-v.

Spot.—Epilepsy: painful s. in abdomen in region of solar plexus; pressure upon this spot renews paroxysm; during interval, constipation. Nux-v.
Epileptiform spasms: before paroxysm, stares at one s., then loses consciousness, falls down writhing and muttering incoherent words. Cocc.

Spread.—Chorea: contractions commenced in muscles of face and s. over body, increasing even to motions as if dancing or jumping. Sec.

Epilepsy: during paroxysm, fingers become dead; limbs s. to sides and mouth open; or limbs and trunk become rigid and jaws closed. Cupr.

Spasmodic twitchings and irregular movements of whole body; spasms with fingers s. out. Sec.

Spreads.—Chorea: commences in one arm and s. all over body, causing the most terrible contortions and awkward movements. Cupr.

Epilepsy: during paroxysm, s. fingers and toes. Glon.

Spring.—Chorea: eruptions, like ringworms, on skin, every s. Sep.

Squinting.—Epilepsy: during paroxysm, s. of eyes which remain open. Tarant.

Trismus and tetanus: twitching of muscles of face and limbs; s.; inability to swallow, followed by convulsive motions; spasmodic respiration; dilated pupils; staring, open eyes. Bell.

Staggering.—Chorea: reeling, s. gait, as if drunk. Kali-brom.

Paralysis: s. walk; contracts feet when walking, cannot lift them. Nux-v.

Stammering.—Catalepsy: weeps, sheds tears, s., words disconnected. Stram.

Chorea: s. when talking. Sep., Stram.

Stand.—Chorea: can neither sit, s. or lie down on account of incessant motion. Laur.

Extreme prostration of nervous system; very weak, cannot s. up. Merc-cyan.

Paralysis: could sit on bed or chair, but on attempting to s. knees give way and have to be supported. Phos.

Standing.—Epilepsy: paroxysm comes on while s. or walking. Magn-c.

Paralysis agitans: trembling of knees when s. and hands when writing, preceded by occasional attacks of vertigo for some time before paralysis is developed. Oleand.

Paralysis on s. keeps legs wide apart; looks steadily at an object, as if unable to make it out; limbs feel as if bound by an elastic bandage. Pic-ac.

Stares.—Epileptiform spasms: before paroxysm, s. at one spot, then loses consciousness, falls down writhing and muttering incoherent words. Cocc.

Staring.—Epilepsy: before paroxysm, s. of eyes, turning head to left side. Sep.

Epilepsy: during paroxysm, red face; eyes half open (paresis of upper lids), with s. look. Caust.

Epileptiform spasms: fixed or s. look, with dilated pupils. Ign.

Hysteria: s. of eyes. Mosch.

Start.—Chorea: jactitations of muscles, internal twitching recovers with a s. Nux-m.

Epilepsy: screaming; foaming at mouth; unconsciousness; tossing about; great tendency to s.; feels frightened at least noise. Lyc.

Hysteria: tendency to s. Ign.

Starting.—Epilepsy: drowsiness, with s. screaming, groaning, weeping, tears drop out of eyes; foam at mouth. Sil.

Epilepsy: jerking and s. during sleep. Bell.

S. and twitching on falling asleep. Agar. (Bell., Hyos.)

S. on being touched or on hearing sudden noise; great irritability after exhausting diarrhœa. Kali-ph.

Startled.—Easily s. when awake; afterward has throbbing and palpitation. Camph.

Starts.—Restlessness; fidgety; s. at least noise. Sil.

Twitching of muscles; cannot bear to be touched; s. when touched ever so lightly, especially on feet. Kali-c.

Stick.—Hysteria: feeling as if s. of wood was lying across sacradotal region. Nux-m.

Sticking.—Neuralgia: pains darting, shooting, s. Kali-c.

Stiff.—Convulsions during dentition: child becomes s., rolls eyes, distorts face, twitches, throws limbs about, clinches thumbs, bends body backward and sideways, rattling breathing, foam at mouth, moves legs up and down alternately, grasps and reaches with hands; mouth drawn from side to side. Cham.

Epileptiform spasms: limbs s. Laur.

Paralysis: parts are painful, s. and lame, with tearing pains, tingling and numbness. Rhus-t.

Severe, clonic spasms every few moments; lips blue, protruded; lower limbs s.; loud, piercing cry with every spasm; foam at mouth; least motion, moving fingers or eyes, touching lips with spoon brought on spasm. Nux-v.

Tetanus: commencing with tremulousness of muscles of neck; pains from injured foot up to back and neck; jaws s.; opisthotonos. Ang.

Trismus and tetanus: extremities s.; hands firmly closed; feet extended and toes flexed; pupils dilated; teeth clinched; lips firmly everted. Phyt.

Stiffens.—Convulsions (of children with worms): child suddenly s. out straight; there is a clucking noise, as if water were poured out of a bottle, from throat to stomach. Cina.

Stiffness.—Epilepsy: s. of limbs; hands and feet clinched. Magn-ph.

Hysteria: s. of tongue and rigidity all over. Sep.

Trismus and tetanus: drawing of head to right side, with s. of neck, face and jaw; dizziness; heaviness of head; eyes weak. Lyc.

Trismus and tetanus: s. of body (Cic-v.), with full consciousness; spasms in abdominal muscles. Mosch.

Still.—Chorea: cannot keep s. Laur.

Nervous; restless; cannot sit s.; must move about or be otherwise constantly occupied, especially in nervous women; thought of having something to do causes patient to shake or tremble all over. Kali-brom.

Restlessness at night; cannot get quiet or lie s. a minute. Caust.

Restlessness; cannot keep limbs s. at night. Spig.

Very restless; cannot keep s. Eupat-perf.

Stimulation.—S. of nerve centers, causing great physical vigor and endurance in spite of slight nourishment or little sleep. Coca.

Stitches.—S. jumping from place to place, especially in knees and ankles (Duls.); disappearing on motion. Cham.

Stitching.—Peculiar numbness approaching paralysis; transient jerking, s. pain in nerve center. Ox-ac.

Stomach (see section on Stomach).—Convulsions (of children): after fright or after meals; child sickens after eating, vomits and shows signs of distress at s.; sudden shriek and then becomes insensible. Hyos.

Convulsions (of children with worms): child suddenly stiffens out straight; there is a clucking noise, as if water were poured out of a bottle, from throat to s. Cina.

Epilepsy: before paroxysm, feeling as if something were running in arm, or from pit of s. down through abdomen into feet. Calc-c.

Epilepsy: before paroxysm, imbecility; heat of head, followed by sweat all over; pressure in pit of s. extending over chest and hindering breathing; colic and headache. Caust.

Epilepsy: before paroxysm, sparks from eyes; ringing in ears; vertigo; gnawing and sensation of hunger at pit of s. Hyos.

Epilepsy: burning in s. and spinal marrow, with sensation as if paroxysm commenced in spinal marrow and moved thence to behind ears and into brain, after which, patient becomes giddy, with vertigo, loss of consciousness and falling down; or paroxysm commences with beating about of arm and ends with jerk through whole body. Ars.

Epilepsy: during paroxysm, fingers become dead; bluish color at pit of s. and over chest. Cupr.

Epilepsy: pain in pit of s. Stram.

Epilepsy: s. and bowels bloated. Lach.

Epilepsy: swelling of s., as from violent spasms of diaphragm. Cic-v.

Hysteria: feeling of goneness and gnawing in pit of s. Ign.

Hysteria: sensation of something twisting about s., with raising in throat. Sep.

Hysteria: with pressure and pain in pit of s. Nux-v.

Paralysis of tongue, fauces, pharynx, œsophagus, s. and intestinal canal. Caps.

Stool.—Tremulous weakness after every s. Coni.

Stools.—Chorea: with retarded s. Natr-s.
Convulsions: from reflex irritation during dentition, with rolling of head and veriegated, slimy s. Podo.
Epilepsy: involuntary s. and urination, without aura. Œnanth.
Hysteria: feeling weak, with dry, hard s. Phos.
Nervous tremors, in tonic and clonic spasms, epileptiform in character, with foaming at mouth, involuntary s. and discharge of semen, together with hallucinations and delirium. Absinth.
Paralysis: in old people, with urine and s. retained. Opi.

Stop.—Epilepsy: during paroxysm, severe spasms of glottis; feeling as if must move about or heart would s. beating. Gels.

Strabismus.—Epilepsy: loss of memory; is low-spirited and frequently sits in despair; s. Plumb.

Straight.—Curved limbs could not be straightened, nor s. limbs curved. Cic-v.

Strength.—Epilepsy: with extraordinary s. of muscles. Agar.

Stretches.—Convulsions: throws limbs or s. arms at right angles to body. Opi.
Tetanus: s. and writhes and then draws limbs together. Ars.

Stretching.—Epilepsy: before paroxysm, chewing motion of mouth; s. of limbs; great restlessness. Calc-c.
Spasms in buttocks when s. out limbs. Sep.

Stridulus.—Reflex excitability or sleeplessness during teething or whooping-cough or laryngismus s. or nephritis. Kali-brom.

Strikes.—Chorea: s. at everything. Laur.

Striking.—Epilepsy: throwing and s. about with hands and feet. Lach.

Strings.—Convulsions: of children, with much tenacious mucus in throat, sometimes thick, gelatinous, which can be drawn out in s. Kali-bi.

Strumming.—Neuralgia: with great weakness; trembling; thrilling; s., with palpitation of heart. Kalm.

Stupid.—Epilepsy: after paroxysm, s. feeling in head and prolonged snoring sleep; consciousness returns slowly and symptoms of paralysis remain; earthy color of face; stupor. Plumb.
Epilepsy: during interval, silent, s., with jerking and twitching of muscles. Ign.
Epilepsy: during interval, s.; peevish; anxious; pale, puffed face; perspiration on head; difficult hearing; eats heartily, yet loses flesh; enlarged abdomen; swelling of the glands about the neck. Calc-c.
Epilepsy: long-continued, s. feeling in head, with semi-consciousness. Plumb.

Stupor.—Epilepsy: after paroxysm, stupid feeling in head and prolonged snoring sleep; consciousness returns slowly and symptoms of paralysis remain; earthy color of face; s. Plumb.
Hysteria: semi s., with languor and prostration. Gels.

Subsultus tendinum.—Epilepsy: exceeding nervous irritation (s.). Ind.

Neuralgia: s. Mez.

Restlessness: moving about; s. (Hyos., Stram.) or constriction of muscles and tendons. Kali-jod.

S. Hyos.

S.: twitching and tension in muscles. Mez.

Suffocating.—Convulsions or numb, s. attacks during parturition. Hyos.

Hysteria: s. sensations with constant efforts to remove all external pressure from throat and chest. Lach.

Hysteria: with s. constriction of throat or œsophagus. Ign.

Suffocation.—Convulsions: spasms begin with loud scream; foam at mouth; trembling of limbs; s.; puffed and livid face. Opi.

Suppressed.—After s. scabies or eruption, protracted intermittent or softening of brain. Caust.

Convulsions: in whooping-cough from s. eruption or indigestible food. Ipec.

Chorea: after fright or s. eruptions. Zinc.

Epilepsy: emotional, with fright or s. grief, especially in children. Ign.

Paralysis, after s. eruptions. Dulc.

Suppression.—Epilepsy: after vexation, fright, onanism, or s. of eruption. Calc-c.

Epilepsy: with or followed by s. of eczema. Kali-chl.

Epileptiform spasms: after s. of menses. Millef.

Paralysis: after sudden s. of general perspiration or sweat on feet. Colch.

Supraorbital.—Neuralgia: especially right s. Chelid.

Susceptibility.—Chorea: entire nervous system morbid, excited and sensitive, with intense acuteness of all special senses and increase of s. to external impressions, mentally and physically. Ign.

Swallow.—Chorea: with foam on lips, continual grinding or champing teeth; inability to s. Ver-v.

Epilepsy: paroxysm commences with vertigo, loss of consciousness, sometimes without convulsions; pharyngeal spasms, followed by desire to s. Calc-c.

Epilepsy: paroxysm so violent that it seemed as if joints or spine would be broken; renewed by attempt to s. fluids. Hyos.

Trismus and tetanus: twitching of muscles of face and limbs; squinting; inability to s., followed by convulsive motions; spasmodic respiration; dilated pupils; staring, open eyes. Bell.

Swallowing.—Chorea: ravenous appetite, but difficult s. Agar.

Hysteria: feeling as of a lump in throat which decends on s. but returns at once. Lach.

Swearing.—Epilepsy: after and during intervals between paroxysms, peevish, angry, scolding, swearing, fearful and full of anxiety. Bell.

Sweat.—Convulsions: also of children, with anxiety, pale face, cold s. on forehead; cough before or after spasms; sometimes syncope after spasms. Ver-a.

Epilepsy: after paroxysm, headache, dizziness, s. on head, thirst, hunger, vomiting and diarrhœa. Calc-c.

Epilepsy: before paroxysm, imbecility; heat of head, followed by s. all over; pressure in pit of stomach extending over chest and hindering breathing; colic and headache. Caust.

Epilepsy: followed by profuse s.; loss of power to make voluntary motion. Sec.

Epileptiform spasms: after paroxysm, cold s., loud eructations and great prostration. Chin-ars.

Epileptiform spasms: before paroxysm, stares at one spot, then loses consciousness, falls down writhing and muttering incoherent words; face covered with cold s. and distorted; eyes look glassy and protruded. Cocc.

Epileptiform spasms: twitching of arms, after which child is covered with s. and has every symptom of congestion of brain, followed by soporous sleep from which it is wakened by renewed spasms. Ign.

Exhaustion of vital forces (Caps., Carb-ac., Laur.), with cold surface, especially below knees to feet; lies as if dead; breath cold; cold s. on limbs. Carbo-v.

Hysteria: constriction of chest and general s. Kali-c. (Kali-brom.)

Hysteria: profuse s. about head. Mosch.

Hysteria: spasms; fainting, with previous s. Sep.

Neuralgia, with congestions (from dry, cold air, and checked s.). Acon.

Paralysis: after sudden suppression of general perspiration or s. on feet. Colch.

Sweetish.—Epilepsy: during interval, sour or s., badly-tasting eructations, like ink or rotten wood. Caust.

Swelling.—Epilepsy: before paroxysm, vertigo; s. of tongue which hangs from mouth and is bitten. Plumb.

Epilepsy: during interval, stupid, peevish, anxious, pale puffed face, perspiration on the head, difficult hearing, eats heartily, yet looses flesh, enlarged abdomen; s. of the glands about the neck. Calc-c.

Epilepsy: s. of the stomach as from violent spasms of the diaphragm. Cic-v.

Swollen.—Chorea: cervical gland s. Agar.

Convulsions: with s., livid face, bloody mouth and nostrils. Œnanth.

Swooning.—Hystera: s. Mosch.

Sympathy.—Chorea: appears frightened, as if looking for s. Magn-ph.

Syncope.—Convulsions: also of children; with anxiety, pale face cold, sweat on forehead; cough before or after spasms; sometimes s. after spasms. Ver-a.

Hysteria: s. Glon., Mosch.

Table.—Chorea: jumping up, climbing over t. Stram.

Tabes dorsalis.—Paralysis: with t. Sil.

Talking.—Chorea: stammering when t. Sep.

Hysteria: clinching of jaws; confused t. Mosch.

Violent tonic spasms: curved limbs could not be straightened, nor straight limbs curved; renewed by slightest touch, by opening door and from loud t.; each muscle perfectly rigid. Cic-v.

Taste.—Hysteria: in mild, tearful, yielding, timid, peevish, changeable snbjects, with loss of smell and t., appetite and thirst. Puls.

Tear. — Epilepsy: feeling of obstruction about throat as if must t. it away. Lach.

Tearing.—Epilepsy: before paroxysm, nausea, retching and throwing up phlegm; bloated abdomen; drawing sensation in left arm, t. in right hand; shuddering; goose-flesh; palpitation of heart. Cupr.

Epilepsy: during interval, t. and beating in right eye, which weeps and seems protruded. Hyos.

Neuralgia: acute, sudden, darting pains shooting and t. along tracks of nerves. Gels.

Neuralgia: pains t., worse during rest. Kali-ph.

Neuralgia: with great tendernesss; pricking, pulsating, t. pains. Lach.

Paralysis: parts are painful, stiff and lame, with t. pains, tingling and numbness. Rhus-t.

Paralysis: preceded by mental derangement; trembling or tremor, spasms or by shooting, darting, intense t. pains along large nerves, with emaciation of parts affected. Plumb.

Paralysis: with spinal disease or after sexual excesses; tingling and t. pain in back down through limbs. Phos.

Paralytic sensations with t., drawing pain, with numb sensation in part. Cham.

Tears.—Epileptiform spasms: t. clothing or cuts buttons off; this condition continues for a few minutes when recovers normal condition as quickly as it was lost and remembers nothing of what occurred. Œnanth.

Tearful.—Hysteria: in mild, t., yielding, timid, peevish, changeable subjects with loss of smell and taste, appetite and thirst. Puls.

Tears.—Catalepsy: sheds t.; stammering; words disconnected. Stram.

Chorea: nictitation of eyelids, redness of inner canthus of eyes, flowing of t. from eyes. Agar.

Epilepsy: drowsiness and staring, screaming, groaning, weeping, t. drop out of eyes; foam at mouth. Sil.

Teeth.—Chorea: grating of t. Bell.

Chorea: grating of t. at night. Myg.

Chorea: with foam on lips, continual grinding or champing of t.; inability to swallow. Ver-v.

Convulsions (during dentition), with grinding of t. and coldness of limbs (after over-excitement or sudden emotions). Coff.

Convulsions, with screams, gnashing of t. and violent movement of limbs. Caust.

Epilepsy: during paroxysm, falls suddenly to ground, with shrieks; projecting eyes; grinding of t. Hyos.

Epilepsy: during paroxysm, red face; biting of tongue; drawing head to one side; involuntary discharge of urine; screams; gnashing of t. Caust.

Epilepsy: when occurring during day, patient falls to ground unconscious, with wild, startling cry, followed by spasms in limbs, turgescence and distortions of muscles of face, face livid, grinding of t. and bloody foam or saliva at mouth, ending in loud, snoring sleep. Bufo.

Epileptiform spasms: frothing at mouth, biting of tongue or cheeks, t. firmly clinched and immovable. Ign.

Epileptiform spasms: grinding of t. Laur.

Epileptiform spasms: after paroxysm, rises without speaking to anyone or answering any questions; clinches t.; looks at those around; tries to push away those surrounding; face having expression of wild rage; finally moans and groans. Cocc.

Hysteria: with epileptiform convulsions (during menses); paroxysms come on morning and evening at same hours; giddiness, followed by falling down and most distressing convulsions, with insensibility, closed t. and frothy secretions from mouth. Cedron.

Nervous chills: with shivering and chattering of t.; dependent upon irritation of motor nerves; in very weak, sensitive subjects; after fear or fright. Gels.

Trismus and tetanus: extremities stiff; hands firmly closed; feet extended and back flexed; pupils dilated; t. clinched; lips firmly everted. Phyt.

Teething (see Dentition).—Convulsions (of t. children): child gnaws fist, frets and cries. Acon.

Eclampsia (of suckling or t. children). Art-v.

Reflex irritability or sleeplessness, during t. or whooping-cough or laryngismus stridulus or nephritis. Kali-brom.

Telegraph operator's (see section on Upper Extremities).—Graphospasmus: t., writer's, piano or violin player's cramp. Magn-ph.

Tenacious.—Convulsions of children: with much t. mucus in throat, sometimes thick, gelatinous, which can be drawn out in strings. Kali-bi.

Tenderness.—Neuralgia: with great t.; pricking, pulsating, tearing pains. Lach.

Tendon.—Restlessness; moving about; subsultus tendinum (Hyos., Stram.); or constriction of muscles and t. Kali-jod.

Tension.—Subsultus tendinum: twitching and t. in muscles. Mez.

Tetanic.—Chorea: t. convulsions and dyspnœa. Ign.

Convulsions and spasms after mechanical injuries. Arn.

Convulsions: t. spasms beginning with loud screams. Opi.

Hysteria: convulsions or t. spasms. Mosch.

T. or epileptiform convulsions, followed by coma. Canth.

T. spasms of upper limbs and body. Can-sat.

Tetanus (see Trismus and Tetanus).—Chorea: t. of left and trembling of right side. Natr-s.

Spasmodic twitchings (in t.). Ang.

T.: after slight injury in palm of hand by a fragment of glass; with spasms produced by exposure to least breath of air. Physos.

T.: extremities stiff; hands firmly closed; feet extended and toes flexed; eyes blurred and dancing; pupils contracted; teeth clinched; rigid muscles; opisthotonos; respiration difficult and oppressed; convulsive action of muscles of face and neck followed by partial relaxation, again succeeded by tetanic condition. Phyt.

T.: opisthotonos; with spasmodic jerks or rigidity of body, with bluish-redness of the face and convulsive twitching in the limbs. Ipec.

T.: spasms or convulsions, with frightful contortions of limbs; convulsions may be excited by violent pains in bottom of feet; icy-coldness from head down spine; loss of consciousness; stretches and writhes and then draws limbs together; abdomen rises and falls rapidly, with rumbling. Ars.

T.: spasms, with full consciousness, followed by great exhaustion. Sec.

T.: stretches and writhes and then draws limbs together. Ars.

Thinking.—Excessive sensibility of all nerves when merely t. (which must be continually) that someone might with finger tip or nail scratch even lightly on linen or similar material; causing a most disagreeable sensation, which thrills through patient, arresting momentarily all thoughts and actions. Asar.

Thirst (see section on Stomach).—Chorea: great t. Natr-m.

Epilepsy: after paroxysm, headache; dizziness; sweat on head; t.; hunger; vomiting and diarrhœa. Calc-c.

Epilepsy: great t. after consciousness is restored. Ign.

Hysteria: in mild, tearful, yielding, timid, peevish changeable subjects, with loss of smell and taste, appetite and t. Puls.

Nervous restlessness and anxiety, with rapid emaciation and burning t. for small quantities of water. Ars.

Thought.—Nervous; restless; cannot sit still; must move about or be otherwise constantly occupied, especially in nervous women; t. of having something to do causes patient to shake or tremble all over. Kali-brom.

Thread.—Neuralgia: pains along nerves, which feel like long t., in face, head, neck and elsewhere. Al-cep.

Threats.—Chorea: in girls who have been frightened by t. or punishment. Ign.

Thrills.—Excessive sensibility of all nerves when merely thinking (which must be continually) that someone might with finger tip or nail scratch even lightly on linen or similar material; causing a most disagreeable sensation, which t. through patient, arresting momentarily all thoughts and actions. Asar.

Throat (see section on Throat).—Convulsions: commencing with cramps in lower extremities and drawing in of fingers and toes, throwing about of limbs, frothing at mouth and choking in t. Cupr.

Convulsions: of children, with much tenacious mucus in t., sometimes thick, gelatinous, which can be drawn out in strings. Kali bi.

Convulsions (of children with worms): child suddenly stiffens out straight; there is a clucking noise, as if water were poured out of a bottle, from t. to stomach. Cina.

Epilepsy: feeling of obstruction about t., as if must tear it away. Lach.

Epilepsy: sensation of tight constriction of t. Crotal.

Epileptiform spasms: collection of tough, tenacious mucus in mouth and t., which can be drawn out in strings. Kali-bi.

Hysteria: before paroxysm, constriction of t.; great restlessness; impatience; oppressed chest; cannot bear to be covered. Mosch.

Hysteria: choking in t. and constriction of chest, with sighing respiration. Ign.

Hysteria: crawling in hands and feet extending to epigastrium, where there is pressure, anxiety and nausea extending to t., causing choking sensations, thence goes to head and patient loses consciousness. Nux-v.

Hysteria: feeling as of a lump in t., which descends on swallowing, but returns at once. Lach.

Hysteria: respiration suspended, t. swells, mouth open, head retracted, body tossed about in effort to get air. Mosch.

Hysteria: sensation of something twisting about stomach, with raising in t. Sep.

Hysteria: suffocating sensations, with constant effort to remove all external pressure from t. and chest. Lach.

Hysteria: with suffocating constriction of t. or œsophagus. Ign.

Hysteria: with well-marked globus hystericus, and much trouble about t. or œsophagus. Asaf.

Trismus and tetanus: contorted eyes, face changing color, now red and again pale, t. feels dry and stiff Acon.

Throbbing.—Easily startled when awake; afterward has t. and palpitation. Camph.

Epilepsy: before and at time of spasm, congestion to head, with t. in temples. Bell.

Trembling feeling through whole body, with t. in veins. Plat.

Throwing.—Convulsions: commencing with cramps in lower extremities and drawing in of fingers and toes, t. about of limbs, frothing at mouth and choking in throat. Cupr.

Epilepsy: falling down unconscious; distortions of features; spasms of limbs; bloody foam at mouth; biting of tongue; t. of limbs about (Cic-v.); very weak afterward. Absinth.

Epilepsy: t. and striking about with hands and feet. Lach.

Epilepsy: t. body backward. Camph.

Epilepsy: t. body upward and forward. Cupr.

Throws.—Epileptiform spasms: sudden shrieks; t. up hands. Œnanth.

Thrusting.—Epilepsy: constantly t. head in quick succession to right side. Stram.

Thumbs.—Convulsions: during dentition, child becomes stiff; rolls eyes; distorts face; twitches; throws limbs about; clinches t.; bends body backward and sideways; rattling breathing; foam at mouth; moves legs up and down alternately; grasps and reaches with hands; mouth drawn from side to side. Cham.

Epilepsy: clinching of t. Cupr.

Epilepsy: during paroxysm, patient lies as if dead; pale, but warm; t. clinched; fists turned to and fro; arms slowly drawn up and down; mouth distorted. Ars.

Epilepsy: during paroxysm, tossing limbs; clinching t. Stann.

Epilepsy: during spasm, right hand clutches at t. Bell.

Epilepsy: frothing at mouth; rolling eyes; clinched t. Œnanth.

Epilepsy: retraction of t. Staph.

Epilepsy: t. turned into palms. Ign.

Epileptiform spasms: hands clinched, t. in palms. Glon.

Spasms of arms and hands; t. drawn in. Arum.

Spasms, with blue face and t. clinched across palms. Cupr.

Thunder storm.—Chorea: worse on approach of t. Agar.

Tight.—Chorea: convulsions; constrictions of almost all muscles of body and feeling as if would go crazy if did not hold t. upon self. Lil-tig.

Timid.—Epilepsy: exceeding melancholy and t. Ind.

Hysteria: in mild, tearful, yielding, t., peevish, changeable subjects, with loss of smell and taste, appetite and thirst. Puls.

Tingling.—Numbness and t. in left side, with paralysis of limbs. Acon.

Paralysis: t. and formication in limbs, with heat in paralyzed part. Phos.

Paralysis: with spinal disease or after sexual excesses; t. and tearing pain in back down through limbs. Phos.

T. commencing in feet and spreading upward. Acon.

Tips of fingers.—Paralysis: loss of sensation in lower arms as far as elbow and in lower limbs to gluti, taking place progressively, first in t. and toes, then in hands and feet, with complete anæsthesia of nervous sensations. Phos.

Tired.—Epilepsy: before paroxysm, pain at base of brain, with prostration and t. feeling. Gels.

Epilepsy: paroxysm repeated frequently during night, wakens morning lame and t., but unconscious of not having had a quiet night's sleep. Opi.

To and fro.—Chorea: convulsive movements of one or other arm t. Opi.

Epilepsy: during paroxysm, patient lies as if dead; pale, but warm, thumbs clinched; fists turned t.; arms slowly drawn up and down; mouth distorted. Ars.

Tobacco.—Nervous depression (after over-work, mental anxiety, sexual excesses or abuse of t.). Coca.

Nervousness, after excessive use of t. Plant-maj. (Ars., Kali-brom.)

Toes.—Convulsions: commencing with cramps in lower extremities and drawing in of fingers and t.; throwing about of limbs; frothing at mouth and choking in throat. Cupr.

Epilepsy: aura begins in t. or feet and extends upward. Gels.

Epilepsy: during paroxysm, spreads fingers and t. Glon.

Paralysis: loss of sensation in lower arms as far as elbow and in lower limbs to gluti, taking place progressively, first in tips of fingers t., then in hands and feet with complete anæsthesia of nervous sensations. Phos.

Tetanus: extremities stiff; hands firmly closed, feet extended and t. flexed. Phyt.

Tonic spasms in flexors of fingers and t. Chelid.

Trismus and tetanus; extremities stiff; hands firmly closed; feet extended and t. flexed; pupils dilated; teeth clinched; lips firmly everted. Phyt.

Tongue (see section on Mouth).—Chorea: distortions commence with a shriek; t., œsophagus and larynx are involved, continuing through night. Cina.

Chorea: of right side; t. feels swollen and paralyzed. Physos.

Chorea: paralysis of t. and right side of body. Caust.

Chorea: puts t. out with great difficulty. Myg.

Epilepsy: after paroxysm, laceration of t. and left side numb. Art-v.

Epilepsy: before paroxysm, vertigo; swelling of t. which hangs from mouth and is bitten. Plumb.

Epilepsy: bites t. Bufo, Opi.

Epilepsy: biting of t.; loud cries; falls. Œnanth.

Epilepsy: during interval, vertigo; headache; heat in the head; trembling of t. and limbs; curious dreams at night. Lach.

Epilepsy: during paroxysm, red face; biting of t.; drawing head to one side; involuntary discharge of urine; screams; violent movements of limbs; gnashing of teeth; smiling or weeping; eyes half open (paresis of upper lids), with staring look. Caust.

Epilepsy: falling down unconscious; distortion of features; spasms of limbs; bloody foam at mouth; biting of t.; throwing of limbs about (Cic-v.); very weak afterward. Absinth.

Epilepsy: trembling of t. Ign.

Epileptiform spasms: frothing at mouth, biting t. or cheeks, teeth firmly clinched and immovable. Ign.

Tpileptiform spasms: twitching of limbs, t. and muscles of face. Camph.

Hysteria: stiffness of t. and rigidity all over. Sep.

One-sided paralysis: paralysis of t.; of sphincter ani. Mur-ac.

Paralysis: of face, t. or pharynx. Cocc.

Paralysis: of t. Bar-c.

Paralysis: of t. and extremities; arm feels icy cold. Dulc.

Paralysis: of t. and organs of speech. Acon., Arn., Ars., Bar-c., Bell., Caust., Cocc., Cupr., Dulc., Hep-s., Hydroc-ac., Hyos., Lach., Mur-ac., Opi., Plumb., Stram.

Paralysis of t., fauces, pharynx, œsophagus, stomach and intestinal canal. Caps.

Trembling of hands and t.; trembling and weakness after least excitement; tremors always commencing in fingers; involuntary motions which cannot be momentarily controlled by the will; paralysis agitans. Merc.

Violent convulsions, with trismus and tetanus; risus sardonicus; rigors, followed by coma or deep sleep; foam at mouth; face livid; biting of t. Œnanth.

Tonic.—Catalepsy: clonic and t. spasms, with convulsive laughter. Plat.

Catalepsy: t. spasms. Stram.

T. spasms in flexors of fingers and toes. Chelid.

T. spasms, with contractions of palms of hands and soles of feet. Ver-a.

Violent t. spasms: curved limbs could not be straightened, nor straight limbs curved; renewed by slightest touch, by opening door and from loud talking; each muscle perfectly rigid. Cic-v.

Toothache.—Hysteria: globus hystericus or sudden t. in a healthy tooth. Ign.

Torpor.—Chorea: convulsions, twitching and spasms or t. and depression. Ign.

Tossed.—Convulsions: spasms flex limbs and bent body is t. upward. Hyos.

Tossing.—Epilepsy: during paroxysm, t. limbs, clinching thumbs. Stann.

Epilepsy: screaming; foaming at mouth; unconsciousness; t. about; great tendency to start; feels frightened at least noise. Lyc.

Epileptiform spasms: violent t. of limbs, followed by relaxation, desire to vomit and eructations after suppression of the menses. Puls.

Nervousness: excessive restlessness and t. about for hours. Acon.

Reslessness, constant uneasiness and t. about. Cupr.

Restlessness, moaning and t. about. Eupat-purp.

Touch.—Convulsions: on seeing bright, dazzling objects or water or on t. Stram.

Convulsions: renewed by bright light, sudden jar or noise, or least t., followed by deep sleep. Nux-v.

Great irritability with pains; sensitive to slightest t.; least vibration renders pain unbearable. Colch.

Hysteria: spasmodic motion of hands and feet; spasms brought on by t., motion or slightest noise. Nux-v.

Trismus and tetanus: spasms renewed by slightest t., even from opening door and loud talking. Cic-v.

Touched.—Epilepsy: after paroxysm, when breathing has become free, there is loss of consciousness, patient lying as if dead, remaining insensible, even when t. or pinched. Cic-v.

Starting on being t. or on hearing sudden noise; great irritability after exhausting diarrhœa. Kali-ph.

Twitching of muscles; cannot bear to be t.; starts when t. ever so lightly, especially on feet. Kali-c.

Touching.—Severe, clonic spasms every few moments; lips blue, protruded; lower limbs stiff; loud, piercing cry with every spasm; foam at mouth; least motion, moving fingers or eyes, t. lips with spoon, brought on spasm. Nux-v.

Tough.—Epileptiform spasms: collection of t., tenacious mucus in mouth and throat which can be drawn out in strings. Kali-bi.

Toxæmic.—Chorea: when traceable to septic or t. influence. Crotal.

Traumatism.—Paralysis: from t. or in consequence of exudation in brain and spine. Arn.

Tremble.—Nervous; restless; cannot sit still; must move about or be otherwise constantly occupied, especially in nervous women; thought of having something to do causes patient to shake or t. all over. Kali-brom.

Trembles.—Convulsions: after scarlatina; child t., as if frightened and on the verge of a spasm. Ver-v.

Epileptiform spasms: after paroxysm, takes deep breath but t. all over. Laur.

Trembling.—Chorea: tetanus of left and t. of right side. Natr-s.

Chorea: t. (Kali-brom.) and jactitation of arms and legs. Aster.

Chorea: t. of body; limbs in constant motion, can run better than walk. Tarant.

Chorea: t. of limbs. Cocc.

Chorea: twitching and t. of head and arms. Opi.

Convulsions: spasms begin with loud scream; foam at mouth; t. of limbs; suffocations; puffed and livid face. Opi.

Convulsions: t. of limbs. Opi.

Convulsions: twitching and t. of head, arms and hands, with occasional jerking of flexor. Opi.

Epilepsy: t., especially hands while writing, all over body or in single limbs. Phos.

Epilepsy: t. of limbs. Caust., Crotal.

Epileptiform spasms: twitching of muscles; t. of limbs. Ran-b.

Epileptiform spasms: violent t. all over. Puls.

Frequent spasmodic jerking; t. with great debility. Sulph.

Great nervous excitability; jerking, twitching and t. Camph.

Great t. of extremities, with gastric derangement. Dory.

Hysteria: convulsive t. or catalepsy in children with worms. Sabad.

Hysteria: t. Nitr-ac.

Hysteria: t. in whole body. Lach.

Jerking, twitching, t., with agitation of all nerves. Valer.

Nervous t., with great acuteness and sensitiveness. Cupr. (Cham., China, Coff.)

Paralysis agitans: in old age; senile; with loss of memory and t. of limbs. Bar-c.

Paralysis: complete, with atrophy of the affected parts, preceded by t. Plumb.

Paralysis: preceded by mental derangement; t. or tremor, spasms or by shooting, darting, intense tearing pains along large nerves, with emaciation or parts affected. Plumb.

Paralysis: t. Stann.

Periodical t. of body. Arg-n.

T. all over, mostly in hands, of drunkards; great excitement, with t. of bowels generally. Nux-v.

T. and debility, with paralytic weakness. Anac.

T. and jerking of limbs (in hydrocephalus). Apis.

T. and twitching in whole body; more in hands, with nausea and weakness of knees. Borax.

T. and twitching of limb. Chelid.

T. and weakness. Gels., Phos-ac.

T. feeling through whole body with throbbing in veins. Plat.

T. in all limbs, especially in hands with extreme nervousness. Sil.

T. in limbs; feeling of numbness in lower half of body. Spong.
T. internally or whole body paralytic. Tart-em.
T., jerking, puerperal convulsions. Ver-a.
T., nervous and weak with uterine trouble. Lil-tig.
T., of hands and other motions. Tart-em.
T. of hands and tongue; t. and weakness after least excitement; tremors always commencing in fingers; involuntary motions which cannot be momentarily controlled by the will; paralysis agitans. Merc.
T. of limbs, nervous debility. Viola-tr.
T. of whole body; of hands and on waking and when writing. Natr-s.
T., paralytic weakness; cramps in hands; also paralytic weakness in hip joints. Kali-c.
T. when excited, with weak, sickly feeling. Abies-n.
T. with excitement after over-exertion and pain. Cocc.
Trismus and tetanus: spasms of chest, afterwards t. Cic-v.
Twitching of single muscles with t. and shivering. Plat.
Violent spasmodic contractions of muscles; with t. painless paralysis. Oleand.
Weak, faint, nervous, t. (during fever). Eupat-perf.
Weakness and t. in limbs. Chin-s.
Weakness and t. through whole system. Gels.

Tremor.—T. of hands, with palpitation of heart. Bov.
T. of whole body, with violent twitchings, as if galvanic battery were applied to spine. Agar. (Cic-v., Physos., Stram.)

Tremors.—Hysteria: with fainting fits at dinner; nausea and t., relieved by eructation. Magn-m.
Nervous t., in tonic and clonic spasms, epileptiform in character, with foaming at mouth, involuntary defecation and discharge of semen, together with hallucinations and delirium. Absinth.
Trembling of hands and tongue; trembling and weakness after least excitement; t. always commencing in fingers; involuntary motions which cannot be momentarily controlled by the will; paralysis agitans. Merc.
T. of young persons from emotional or physical disturbances. Physos.

Tremulous.—Restless, nervous, weak and t., as if recovering from severe illness. Bapt.
T. sensation through whole body. Graph.
T. weakness after every stool. Coni.
T. weakness over body. Caul.

Trismus.—Epileptiform spasms: t. Ign.
T. and tetanus: contorted eyes, face changing color, now red and again pale, throat feels dry and stiff. Acon.
T. and tetanus: drawing of head to right side with stiffness of neck, face and jaw; dizziness; heaviness in head; eyes weak; dry and puffed-up nose; sleep restless and full of anxious dreams. Lyc.

T. and tetanus: great excitement and nervousness; sudden, jerks during sleep; twitching of muscles of face and limbs; squinting; inability to swallow, followed by convulsive motions; spasmodic respiration; dilated pupils; staring, open eyes. Bell.

T. and tetanus: extremities stiff; hands firmly closed; feet extended and toes flexed; pupils dilated; teeth clinched; lips firmly everted; general muscular rigidity; opisthotonos; respiration difficult and oppressed; convulsive action of muscles of face and neck. Phyt.

T. and tetanus: opisthotonos alternating with spasms; with full consciousness; profuse menses; overbearing, proud disposition. Plat.

T. and tetanus: pains run up limb through spine to neck and face; muscles of neck and jaw, chest and abdomen become rigid. Hyper.

T. and tetanus: parts become cold as ice and spasms begin in wound after peripheral injury. Led.

T. and tetanus: relaxation of muscles. Amyl.

T. and tetanus: spasms intermitting; irregular respiration with full consciousness; renewal of spasms from slight reflex irritation. Nux-v.

T. and tetanus: stiffness of body with full consciousness; spasms in abdominal muscles. Mosch.

T. and tetanus: stiffness of whole body; opisthotonos; face bluish and puffed or deathly pale and cold; eyes fixed and staring at one point; foam at mouth; spasms of chest, afterwards trembling; loss of memory; spasms renewed by slightest touch, even from opening door and loud talking. Cic-v.

T. and tetanus: sudden and rapid establishment of attack; with opisthotonos; cyanotic appearance; coldness of surface; heart beats slower and slower until it almost ceases then it increases in frequency on approach of another paroxysm. Hydroc-ac.

T. and tetanus: with congestion to head; opisthotonos; red face; profuse urine; deep snoring sleep; during attack singing and declaiming. Stram.

T. and tetanus: with inflamed umbilicus, in infants. Calc-c.

Violent convulsions, with t. or tetanus; risus sardonicus; rigors, followed by coma or deep sleep; foam at mouth; face livid; bitting of tongue. Œnanth.

Twisting.—Chorea; distortion, t. and jerking in limbs, even at night preventing sleep. Caust.

Hysteria: sensation of something t. about stomach with raising in throat. Sep.

Twitch.—Epileptiform spasms: eyeballs t. or turn up; body and limbs violently jerk and t.; this condition produced by diseased condition of ovaries or uterus. Œnanth.

Twitches.—Convulsions during dentition: child becomes stiff, rolls eyes, distorts face, t., throws limbs about, clinches thumbs, bends body backward and sideways, rattling breathing, foam at mouth, moves legs up and down alternately, grasps and reaches with hands; mouth drawn from side to side. Cham.

T., like electric shocks, through one side of body. Colch.

Twitching.—Chorea: convulsions, t. and spasms or torpor and depression. Ign.

Chorea: jactitations of muscles, internal t., recovers with a start. Nux-m.

Chorea: jerking and t. in various parts. Ign. (Stram.)

Chorea: throws head backward then forward with jerking and t. turns it around to right side. Myg.

Chorea: t. and convulsive movements excited by exercise of will. Agar.

Chorea: t. and trembling of head and arms. Opi.

Chorea: t. of limbs. Phos.

Chorea: t. of muscles of back and arms. Myg.

Chorea: t. of right side. Zinc.

Convulsions: t. and trembling of head, arms and hands, with occasional jerking of flexor. Opi.

Convulsions: t. of muscles of face, arms and limbs. Merc-cor.

Epilepsy: during interval, silent, stupid, with jerking and t. of muscles. Ign.

Epilepsy: during paroxysm, rigidity, with t. of limbs. Dros.

Epilepsy: headache with t. in face. Bell.

Epilepsy: jerking and t. Ind.

Epilepsy: shaking and t. of left arm. Sil.

Epileptiform spasms: t. begins at the corners of mouth so the child appears to smile, then spasms affect muscles of face, forehead and eyes. Ign.

Epileptiform spasms: t. of arms, after which child is covered with sweat and has every symptom of congestion of brain, followed by soporous sleep from which it is wakened by renewed spasms. Ign.

Epileptiform spasms: t. of muscles; trembling of limbs. Ran-b.

Great nervous excitability; jerking, t. and trembling. Camph.

Hysteria: jerking and t. in various parts of muscles. Ign.

Hysteria: suddenly becomes rigid, t. in face, constriction of fingers, distorted eyes. Mosch.

Hysteria: t. Sabad.

Hysteria: t. in various parts. Nitr-ac.

Irritability, excitability and sensitiveness of nervous system; t. of muscles. Iod.

Jactitation and t. Asaf.

Jerking and t. of head and limbs. Sep.

Jerking, t., trembling, with agitation of all nerves. Valer.
Nervous restlessnes, t. and spasms. Dory.
One side twitching and other paralyzed (in meningitis). Apis.
Paralysis: jerking and t. of nerves in face around eyes. Phos.
Paralysis of one side, the other t. Apis.
Paralysis on one side, after anger; t. at night. Staph.
Subsultus tendinum: t. and tension in muscles. Mez.
Trembling and t. in whole body; more in hands, with nausea and weakness of knees. Borax.
Tetanus: with spasmodic jerks or rigidity of body, with bluish-redness of face and convulsive t. in limbs. Ipec.
Trembling and t. of limb. Chelid.
Trismus and tetanus: t. of muscles of face and limbs; squinting; inability to swallow, followed by convulsive motions; spasmodic respiration; dilated pupils; staring, open eyes. Bell.
T. and clonic spasms in limbs. Chin-s.
T. and contraction of body unaffected by sleep; jerking or continual nodding of head. Ver-v.
T. and irregular, convulsive movement and desire to dance. Agar. (Tarant.)
T. and jerking through body during day. Bar-c.
T. and numbness through body and limbs; nervous exhaustion (neurasthenia) and debility, with prostration of mind and body. Lyc.
T. in limbs during sleep. Sep.
T., jerking and distortion of limbs. Cina.
T. of hands and feet during sleep. Natr-s.
T. of isolated groups of nerves. Cocc.
T. of limbs and jerking in different muscles. China.
T. of muscles (Dolich.); cannot bear to be touched; starts when touched ever so lightly, especially on feet. Kali-c.
T. of single muscles, with trembling and shivering. Plat.
T., with vibratory sensation through body after lying down. Clem.
Whole body jerks during sleep; t. of muscles. Zinc.

Twitchings.—Chorea: convulsive t., especially after fright or grief. Ign.
Chorea: t. more in face and arms. Bell.
Chorea: t. when awake. Magn-ph.
Convulsive t. (Agar., Cic-v., Cupr.) during sleep. Hell.
Convulsions: t., especially after fright or grief. Ign.
Epilepsy: t. Magn-ph.
Nervous t. due to spinal irritation, with great soreness, uneasiness and weakness down spine, with or without derangement or enlargement of liver. Agar.
Paralysis: incomplete, power or motion not entirely gone but prevented by painful t. and spasmodic contractions whenever affected parts are exercised. Nux-v.

Spasmodic, painless t. about heart. Arg-m.
Spasmodic t. and irregular movements of whole body; spasms, with fingers spread out. Sec.
Spasmodic t. (in tetanus). Ang.
Startings and t. on falling asleep. Agar. (Bell., Hyos.)
Tremor of whole body, with violent t., as if galvanic battery were applied to spine. Agar. (Cic-v., Physos., Stram.)
Two.—Epilepsy: sometimes t. paroxysms in succession lasting twelve hours. Caust.

Umbilicus (see section on Abdomen).—Chorea: pain around u. Cina.
Trismus and tetanus: with inflamed u., in infants. Calc-c.
Unconscious.—Epilepsy: falling down u. Absinth., Bufo, Ign. (Cic-v.)
Epilepsy: paroxysm repeated frequently during night, wakens morning lame and tired but u. of not having had a quiet night's sleep. Opi.
Unconsciousness.—Epilepsy: aura begins in knees, ascends to hypogastric region, when u. occurs. Cupr-ac.
Epilepsy: screaming; foaming at mouth; u.; tossing about; great tendency to start; feels frightened at least noise. Lyc.
Epilepsy: u., with sexual complications or during dentition with symptoms of worms. Stann.
Understood.—Chorea: getting angry when not u. Laur.
Uneasiness.—Fine, nervous vibrations causing great u. Meph.
Undulating.—Epilepsy: u. sensations spring from solar plexus to brain. Sil.
Nervous twitchings due to spinal irritation, with great soreness, u. and weakness down spine, with or without derangement or enlargement of liver. Agar.
Restlessness, constant u. and tossing about. Cupr.
Uneasy.—U., restlessness and "fidgets" in limbs; worse during rest. Zinc.
Unruly.—Neuralgia: patient acts as if insane, is wild and u. Cham.
Unsteady.—Nervous weakness: locomotor ataxia; inco-ordination; u. gait; reeling as if drunk; rolling and staggering. Kali-brom.
Up and down.—Convulsions during dentition: child becomes stiff, rolls eyes, distorts face, twitches, throws limbs about, clinches thumbs, bends body backward and sideways, rattling breathing, foam at mouth, moves legs u. alternately, grasps and reaches with hands; mouth drawn from side to side. Cham.
Upper.—Chorea: jerking in u. part of body. Thuja.
Chorea: u. part of body affected laterally and downward. Magn-ph.
Epilepsy: wonderful distortions and contortions of limbs and u. portion of body and head, jerking patient a distance of two feet. Cic-v.

Upward.—Convulsions (of children): paroxysm preceded by drowsiness; paroxysm commences with clinching and jerking upwards of fists and legs; face red; eyes rolled outward and u. Glon.
Convulsions: spasms flex limbs and bent body is tossed u. Hyos.
Epilepsy: aura begins in toes or feet and extends u. Gels.
Epilepsy: eyes dull and turned u., lids half closed. Opi.
Epilepsy: throwing body u. and forward. Cupr.
Epileptiform spasms: eyes turned u. Glon.
Tingling commencing in feet and spreading u. Acon.

Urinary (see section on Urinary Organs).—Weakness and restlessness (with u. difficulties). Canth.

Urination.—Epilepsy: during paroxysm, u. Hyos.
Epilepsy: involuntary stools and u. without aura. Œnanth.

Urine.—Epilepsy: after paroxysm, weeping; profuse discharge of clear watery u.; trembling and jerking of right hand; sleep. Cupr.
Epilepsy: during paroxysm, fingers become dead; involuntary discharge of u.; chest and head covered with perspiration. Caps.
Epilepsy: during paroxysm, red face; biting of tongue; drawing head to one side; involuntary discharge of u. Caust.
Epileptiform spasms: before paroxysm, stares at one spot then loses consciousness, falls down writhing and muttering incoherent words; involuntary discharge of u. Cocc.
Paralysis: in old people, with u. and stools retarded. Opi.
Trismus and tetanus: profuse u. Stram.

Uterine (see section on Female Sexual Organs).—Trembling, nervous and weak, with u. trouble. Lil-tig.

Uterus.—Epileptiform spasms, eyeballs twitch or turn up; body and limbs violently jerk and twitch; this condition produced by diseased condition of ovaries and u. Œnanth.
Paraplegia: with misplaced or engorgment of u. Caul.

Vaccination.—Epilepsy: convulsions after v. Sil. (Thuja.)

Veins.—Trembling feeling through whole body, throbbing in v. Plat.

Vertebræ.—Chorea: sensitiveness of lumbar v. Agar.
Chorea: soreness of last lumbar and first dorsal v. Bell.

Vertigo.—Epilepsy: after paroxysm, dizziness or v. Tarant.
Epilepsy: before paroxysm, sparks from eyes; ringing in ears; v.; gnawing and sensation of hunger at pit of stomach. Hyos.
Epilepsy: before paroxysm, v.; swelling of tongue which hangs from mouth and is bitten. Plumb.
Epilepsy: burning in stomach and spinal marrow, with sensation as if paroxysm commenced in spinal marrow and moved thence to behind ears and into brain, after which patient becomes giddy, with v., loss of consciousness and falling down; or paroxysm commences with beating about of arm and ends with jerk through whole body. Ars.

Epilepsy: during interval, v.; headache; heat in head; trembling of tongue and limbs; curious dreams at night. Lach.

Epilepsy: paroxysm commences with v., loss of consciousness, sometimes without convulsions; pharyngeal spasm, followed by desire to swallow. Calc-c.

Epilepsy, with v. Bell.

Paralysis agitans: trembling of knees when standing and hands when writing, preceded by occasional attacks of v. for some time before paralysis is developed. Oleand.

Vexation.—Catalepsy: after anger and v. Bry., Cham.

Epilepsy: after v., fright, onanism, or suppression of eruption. Calc-c.

Neuralgia: after anger or v. Cham.

Spasms (after v. or fright). Cupr.

Vibration.—Great irritability with pains; sensitive to slightest touch; least v. renders pain unbearable. Colch.

Vibrations.—Fine nervous v., causing great uneasiness. Meph.

Vibratory.—Twitching, with v. sensation through body after lying down. Clem.

Vigor.—Stimulation of nerve centers, causing great physical v. and endurance in spite of slight nourishment or little sleep. Coca.

Violin.—Graphospasmus: writer's, telegraph operator's, piano or v. player's cramp. Magn-ph.

Vital.—Exhaustion of v. forces (Caps., Carb-ac., Laur.), with cold surface, especially below knees to feet; lies as if dead; breath cold; cold sweat on limbs. Carbo-v.

Paralysis: absence of v. reaction and susceptibility to drugs. Opi.

Vocal cords.—Paralysis of v. and organs of deglutition. Gels.

Paralysis of v.; cannot speak a loud word. Caust.

Volition.—Trembling of hands and tongue; trembling and weakness after least excitement; tremors always commencing in fingers; involuntary motions which cannot be momentarily controlled by the will; v.; paralysis agitans. Merc.

Voluntary.—Chorea: in attempting to control v. motions, respiratory muscles are affected so greatly that patient cannot get breath until takes a deep inspiration. Myg.

Vomit.—Epileptiform spasm: violent tossing of limbs followed by relaxation, desire to v. and eructations after suppressed menses. Puls.

Vomiting.—Epilepsy: after paroxysm, headache, dizziness, sweat on head, thirst, hunger, v. and diarrhœa. Calc-c.

Epileptiform spasms: face pale, puffed; nausea and v. Ipec.

Vomits.—Convulsions (of children): after fright or after meals; child sickens after eating, v., and shows signs of distress at stomach; sudden shriek, and then becomes insensible. Hyos.

Spasms: in children, after fright or from worms; child pale, cold; fixed, staring look; occasional screams; v. food; preceded by hasty drinking. Ign.

Wakens.—Hysteria: oppression soon after falling asleep which w. Lach.

Waking.—Trembling of whole body; of hands on w. and when writing. Natr-s.

Walk.—Chorea: trembling of body; limbs in constant motion, can run better than w. Tarant.

Chorea: unable to feed self or w. Aster.

Chorea: w. as if paralyzed. Phos.

Great nervous debility of all senses following night-watching, excessive use of coffee, wine, etc.; cannot w. on account of giving way of lower limbs; knees knock together. Nux-v.

Paralysis from disease of spine; cannot w. with eyes closed. Alu.

Paralysis: staggering w.; contracts feet when walking, cannot lift them. Nux-v.

Restless: must w. slowly about. Ferr.

Walking.—Chorea: drags legs in moving and w. Myg.

Chorea: pain in knees when w. Myg.

Epilepsy: paroxysm comes on while standing or w. Magn-c.

Paralysis: staggering walk; contracts feet when w., cannot lift them. Nux-v.

Warm.—Epilepsy: convulsions preceded by sensation of w. air streaming up spine into head. Ars.

Warmth.—Neuralgia: better by w. Magn-ph.

Wasting.—Chorea: emaciation or w. away. Laur.

W. palsy. Pic-ac.

Water.—Convulsions (of children with worms): child suddenly stiffens out straight; there is a clucking noise, as if w. were poured out of a bottle, from throat to stomach. Cina.

Convulsions: on seeing bright dazzling objects, or w., or on touch. Stram.

Convulsions (with dysuria): bright light, drink or sound of falling w., touching larynx or painful part cause renewal of spasms. Canth.

Epilepsy: renewal of paroxysm by cold w. Caust.

Nervous restlessness and anxiety, with rapid emaciation and burning thirst for small quantities of w. Ars.

Watery.—Epilepsy: after paroxysm, weeping; profuse discharge of clear w. urine; trembling and jerking of the right hand; sleep. Cupr.

Weak.—Epilepsy: falling down unconscious; distortions of features; spasms of limbs; bloody foam at mouth; biting of tongue; throwing of limbs about (Cic-v.); very w. afterward. Absinth.

Extreme prostration of nervous system; very w., cannot stand up. Merc-cyan.

Hysteria: feeling w., with dry, hard stools. Phos.

Hysteria: left side w. Lach.

Nervous chills, with shivering and chattering of teeth; dependent upon irritation of motor nerves; in very w., sensitive subjects; after fear or fright. Gels.

Paraplegia: in nervous subjects inclined to fits of fainting and palpitation of heart originating in small of back after taking cold; with cold feeling in extremities and œdema of feet; rheumatic lameness. Cocc.

Restless, nervous, w. and tremulous, as if recovering from severe illness. Bapt.

Trembling, nervous and w., with uterine trouble. Lil-tig.

Trembling when excited, with w., sickly feeling. Abies-n.

W. and nervous, with palpitation after little exercise. Chin-s.

W., faint, nervous, trembling (during fever). Eupat-perf.

Weakness.—Chorea: nervous w., is awkward, hesitates and drops things. Natr-m.

Convulsions (of children with worms): sudden rigidity, with jerks; afterward relaxation and w. Cic-v.

Epilepsy: especially in nervous women, with paralytic w. and suppressed or scanty menses. Cocc.

Epilepsy: nightly emissions or onanism, with great w. of genitals. Dig.

Epilepsy: with w. or paralysis. Phos.

Fainting fits, with nervous w. Coca.

Great nervous w. Aur.

Great nervous w. (with sexual degeneration). Agn.

Great restlessness, with fear and anxiety; cannot rest in any place; constantly changing position; wants to go from one bed to another; constant moving of head and limbs, while trunk lies still, on account of w. Ars.

Hemiplegia: with giddiness; w. of side; weeping mood; hopeless; fear of death; drawing, lame feeling in affected parts after exposure to cold, suppressed itch or other chronic eruption. Caust.

Hysteria: thinks will faint or sink down from w. Lach.

Hysteria: w. Nitr-ac.

Nervous excitement, followed by w., tremulousness and exhaustion. Coca. (China.)

Nervous twitchings due to spinal irritation, with great soreness, uneasiness and w. down spine, with or without derangement or enlargement of liver. Agar.

Nervous w. Staph.

Nervous w.: locomotor ataxia; inco-ordination; unsteady gait; reeling as if drunk; rolling and staggering. Kali-brom.

Neuralgia: in many parts of body, with anæmia, w. and emaciation. Phos.

Neuralgia: with great w.; trembling; thrilling; strumming, with palpitation of heart. Kalm.

Paralytic w. of motor nerves. Ang.

Restlessness and great nervous w. Dig.

Trembling and debility, with paralytic w. Anac.

Trembling and twitching in whole body; more in hands, with nausea and w. of knees. Borax.

Trembling and w. Gels. (Phos-ac.)

Trembling, paralytic w.; cramps in hands; also paralytic w. in hip joints. Kali-c.

Tremulous w. after every stool. Coni.

Tremulous w. over body. Caul.

W. and prostration, and a species of hectic fever (in children after la grippe). Abies-n.

W. and restlessness (with urinary difficulties). Canth.

W. and trembling in limbs. Chin-s.

W. and trembling through whole system. Gels.

W., debility and atonic condition of nervous system, especially in females after protracted illness or defective nutrition. Alet.

W. of nerves. Bar-c.

Weather.—Neuralgia: worse on change of w. Gels.

Weeks.—Epilepsy: paroxysm every two or three w., usually in morning. Sep.

Weeping.—Epilepsy: after paroxysm, w.; profuse discharge of clear, watery urine; trembling and jerking of right hand; sleep. Cupr.

Epilepsy: drowsiness, with starting, screaming, groaning, w., tears drops out of eyes; foam at mouth. Sil.

Epilepsy: during paroxysm, convulsive motions; w.; soporous sleep; great exhaustion; jerking in arms and about mouth. Sulph.

Epilepsy: during paroxysm, red face; smiling or w.; eyes half open (paresis of upper lids), with staring look. Caust.

Hemiplegia: with giddiness; weakness of side; w. mood; hopeless; fear of death; drawing, lame feeling in affected parts after exposure to cold, suppressed itch or other chronic eruption. Caust.

Hysteria: laughing and w. alternately. Phos.

Hysteria: w. and laughing alternately. Stram.

Hysteria: w. one moment and next bursts out in uncontrollable laughter. Mosch.

Weeps.—Catalepsy: w., sheds tears, stammering, words unconnected. Stram.

Epilepsy: during interval, tearing and beating in right eye, which w. and seems protruded. Hyos.

Wet.—Paralysis: after getting w. Caust., Nux-v., Rhus-t.

Paralysis: rheumatic after getting w. or lying on damp ground. Rhus-t.

Whimsical. — Hysteria: characterized by mild, gentle, yielding, though w. Ign.

Whistling.—Chorea: jumping, laughing, dancing, w., wants to kiss everybody. Croc.

Whooping-cough.—Convulsions: in w. from suppressed eruption or indigestible food. Ipec.

Reflex excitability or sleeplessness during teething or w. or laryngismus stridulus or nephritis. Kali-brom.

Wild.—Neuralgia: patient acts as if insane, is w. and unruly. Cham.

Will.—Catalepsy: muscles will not obey w. Stram.

Hysteria: tickling cough, which may be controlled by effort of w. Ign.

Trembling of hands and tongue; trembling and weakness after least excitement; tremors always commencing in fingers; involuntary motions which cannot be momentarily controlled by w.; paralysis agitans. Merc.

Wine.—Great nervous debility of all senses, following night-watching, excessive use of coffee, w., etc.; cannot walk on account of giving way of lower limbs; knees knock together. Nux-v.

Winking.—Epileptiform spasms: during paroxysm, w. with eyelids, twisting of head, loud screaming. Kali-bi.

Wire.—Neuralgia: pains, as if red-hot w. were drawn along nerve. Ars.

Women.—Epilepsy: especially in nervous w., with paralytic weakness and suppressed or scanty menses. Cocc.

Nervous; restless; cannot sit still; must move about or be otherwise constantly occupied, especially in nervous w.; thought of having something to do causes patient to shake or tremble all over. Kali-brom.

Spasms: after fright, anger or other emotional causes in plethoric persons, or in w. at time of menses; during parturition or sexual excitement or excessive sexual indulgences. Kali-brom.

Wood.—Hysteria: feeling as if a stick of w. was lying across sacral region. Nux-m..

Words.—Catalepsy: weeps; sheds tears; stammering; w. disconnected. Stram.

Work.—Epilepsy: becomes suddenly sleepy and falls to floor, sleep lasts one or two minutes when subject rises and goes to w. Nux-v.

Worms.—Convulsions (of children with w.): child suddenly stiffens out straight; there is a clucking noise, as if water were poured out of a bottle, from throat to stomach. Cina.

Convulsions (of children with w.): sudden rigidity, with jerks; afterward relaxation and weakness. Cic-v.

Epilepsy: unconsciousness, with sexual complications or during dentition, with symptoms of w. Stann.

Epileptiform convulsions (caused by w.). Asaf.

Hysteria: convulsive trembling or catalepsy in children with w. Sabad.

Spasms: in children, after fright or from w.; child pale, cold; fixed, staring look; occasional screams; vomits food; preceded by hasty drinking. Ign.

Worse.—Chorea: worse after eating. Ign.

Chorea: w. during full moon. Natr-m.

Chorea: w. on approach of thunder storm. Agar.

Neuralgia: pains lightning-like; w. during rest; must move about. Magn-c.

Neuralgia: pains tearing; w. during rest. Kali-ph.

Neuralgia: w. during rest at night, and relieved by motion. Ars.

Neuralgia: w. on change of weather. Gels.

Paralysis of legs; w. in morning with heaviness of head and ringing in ears. Sil.

Paralysis: w. after slow exercise. Stann.

Uneasy, restlessness and "fidgets" in limbs; w. during rest. (Zinc.)

Wound.—Trismus and tetanus: parts become cold as ice and spasms begin in w. after peripheral injury. Led.

Writer's.—Graphospasmus: w., telegraph operator's, piano or violin player's cramp. Magn-ph.

Writing.—Epilepsy: trembling, especially hands while w., all over body or in single limbs. Phos.

Paralysis agitans: trembling of knees when standing and hands when w., preceded by occasional attacks of vertigo for some time before paralysis is developed. Oleand.

Trembling of whole body; of hands, on awaking and when w. Natr-c.

Writhes.—Tetanus: stretches and w., then draws limbs together. Ars.

Writhing.—Epileptiform spasms: before paroxysm, stares at one spot, then loses consciousness, falls down w. and muttering incoherent words; involuntary discharge of urine. Cocc.

Yellowish.—Chorea: pale, y., earthy face. Cina.

Yielding.—Hysteria: characterized by mild, gentle, y. though whimsical. Ign.

Hysteria: in mild, tearful, y., timid, peevish, changeable subjects, with loss of smell and taste, appetite and thirst. Puls.

Young.—Epilepsy: in y. persons who develop too rapidly. Calc-ph.

Neurasthenia or cerebro-spinal exhaustion from over-work; after continued grief; over-exertion of mind and body; or sexual excesses; or in y. persons growing too rapidly. Phos-ac.

Tremors of y. persons from emotional or physical disturbances. Physos.

Zymotic.—Epilepsy: occurring at onset of septic, z., exanthematous, or puerperal disease. Crotal.

GENERALITIES AND KEY NOTES.

Abandon.—Victim seeks solitude to a. himself to onanism. Bufo.

Abdomen (see section on Abdomen).—Child lies on a. and spasmodically thrusts breach up. Cupr.

Chilliness, shivers or rigors over back and a., or between shoulders and down back. Acon.

Congestion of blood to head, chest, and especially to a. Aloe.

During fever or pains in a., patient covers up, but afterwards skin becomes cold and patient uncovers. Camph.

Faintness with sensation of emptiness in a. after stool. Podo.

Sensation as if hot water were poured from chest into a. Sang.

Soreness about a., sides and back. Natr-s.

Throbbing in bloodvessels of whole body (Glon., Sep.), especially in a. Selen.

Ability.—Children do not learn to walk; lose a. to do so. Calc-ph. (Sil.)

Increased a. to exercise muscles without fatigue. Fluor-ac. (Coca).

Abscesses.—Tendency to formation of a. Hep-s.

Ache.—Parts on which patient lies a. as if sore. Nux-m.

Aching.—Stitching, with burning, a. pains. Al-cep.

Tired all over, as if had walked a great distance, with a. in limbs; can stand only with difficulty. Lact-ac.

Wandering, a. pains, only in small spots, returning often. Nux-m.

Acids.—Worse from a. Merc-cor.

Acuteness.—Increased a. of all senses. Caps.

Irritability and a. of senses. Bell.

Nervous trembling, with great a. of senses. Cupr.

Unnatural a. of senses. Cham.

Affected.—Is less a. by excessive heat in summer or cold in winter. Fluor-ac.

Pains come on when lying on back, and are relieved by turning to one or other side, or by lying on a. side. Puls.

Affections.—A. after a cold. Acon., Bell., Cham., Coff., Dulc., Ipec., Meny., Nitr-ac., Nux-v.

Afternoon.—Darting and lacerating in whole body, a. and evening. Ind.

Worse in a. Anac., Alu., Am-c., Ant-c., Asaf., Canth., Chelid., Laur., Lyc., Mosch., Nitr-ac., Sars., Thuja.

Ages.—Exaggeration of duration of time and extent of space; seconds seem a.; a few rods an immense distance. Can-ind.

Aggravated (see Worae).—Very anxious, restless, with forebodings; sometimes definite anticipations of time of death; drawing, tearing or tingling pains; symptoms a. at night, also by warmth and motion. Acon.

Aggravates.—Over-sensitiveness to external impressions, such as odors, light, noise or music, slight current of air; every harmless word offends; even suitable medicine a. Nux-v.

Agitation.—Fainting with a. of chest. Acon., Bell.

Great a. and restlessness. Coff.

Air.—Better in cold a. Asar., Iod., Puls.

Light and airy feeling; legs feel as if floating in a. Sticta.

Longing for fresh a. Puls. (Lyc.)

Sensitiveness to a. Cist.

Sensitiveness to cold a. Am-c., Calc-c., Cham., Caust., Cocc., Coff., Phos., Sabad., Sep.

Sensitiveness to warm a. Cocc.

Takes cold easily from exposure, but especially in warm, moist a. Ham.

Worse in cold a. Ars., Aur., Camph., Caust., Dulc., Hell., Hep-s., Kali-c., Mosch., Nux-m., Nux-v., Rhus-t., Sabad., Stront.

Worse in draft of a. Graph. (China, Nux-v., Selen.)

Worse in dry, cold a. Asar., Caust., Hep-s., Nux-v.

Worse in wet, cold a. Am-c., Dulc., Nux-m., Rhus-t.

Airy.—Light and a. feeling; legs feel as if floating in air. Sticta.

Alæ nasi.—Deep furrows in forehead or face, with flabby, fan-like motion of a. Lyc.

Alive.—Feeling as of something a. in glands. Spong.

Jumping or moving like something a. in different parts. Croc., Mosch.

Sensation as of something a. in different parts of body. Croc.

Alone.—Great languor, with inclination to sit or lie down and be a. Nux-v.

Worse when a. Phos., Stram.

Alternate.—Periodical return of symptoms on a. days, or they antepone. Chin-s.

Rheumatic and gastric affections a. Kali-bi.

Worse on a. days. Alu.

Alternating.—Contraction of single parts, a. with extension. Lyc.

Convulsions a. with oppressed breathing. Ign.

Heaviness a. with sensation of lightness. Nux-v.

Trembling of whole body a. with convulsive movements of limbs. Arn.

Alternation.—A. of contrary complaints. Croc., Ign., Plat., Puls.

A. of mental and bodily symptoms. Croc., Plat.

Anæmia.—A. Plumb., Ign., Calc-ph.

A. and debility from loss of fluids. Carbo-v. (China.)

A. and emaciation. Chloral.

A. in laryngeal phthisis. Mang.

A. or atrophy from prolonged hæmorrhage. Helon.

A. or chlorosis, with too rapid growth. Phos.

A., with chlorosis; defective menstruation; poverty of blood after hæmorrhages, deficiency of light, air or suitable food, or after exhausting diseases. Ferr.

A., with great irritability; skin watery and milky white. Kali-c.

General a., with œdematous feet. Arg-m.

Red parts become white; a. Hell. (Ferr.)

Anæsthesia.—A. or excessive hyperæsthesia. Plumb.

General a. or general hyperæsthesia. Absinth.

Anasarca.—A. Colch., Hell., Samb.

A. and dropsical affections. Acet-ac. (Ars.)

Complete a. without thirst, with very pale, clear, wax-like appearance. Apis.

General a. Merc-cor. (Ars., Apis, Apoc.)

General a., with pale, waxy or earth-colored skin and great thirst. Ars.

General inclination to dropsical effusions and a., with stinging pains. Apis.

Anger.—Indignation or a., followed by inflammation or colic. Coloc.

Worse from a. Cham., Coloc., Cupr., Staph.

Worse from a., grief or sorrow. Staph.

Anguish.—A., tremor and sweat during pains. Natr-c.

Burning pains, with great a. and fear of death. Ars.

Animal.—Constant want of a. heat; constant chilliness. Coni.

Answer.—Always out of humor; impatient, snappish, spiteful; will not give a civil a.; excessive irritability. Cham.

Anthrax.—A. burning like fire, with cold, blue skin, dry as parchment, peeling off in large scales. Ars.

Antepone.—Periodical return of symptoms on alternate days, or they a. Chin-s.

Anticipations.—Very anxious; restless, with forebodings; sometimes definite a. of time of death; drawing, tearing or tingling pains; symptoms aggravated at night, also by warmth and motion. Acon.

Anxiety.—A. when lying on left side at night. Phos.

Ebullitions, with a. and weakness, as if paralyzed, with sore feeling in various parts. Am-m.

Excessive restlessness, with tossing about, shivering and a. accompanying many symptoms. Acon.

Extreme exhaustion and heaviness after slight exertion, with great a., nausea, pale face and difficult breathing. Spong.

Nervous vibrations through body, causing a. and uneasiness. Meph.

Restless, changing position often; great a. Ars.

Trembling all over, with a. and ebullitions of blood. Samb.

Anxious.—Faint, a. and weak; pale in morning. Ars.

Very a.; restless with forebodings; sometimes definite anticipations of time of death; drawing, tearing or tingling pains; symptoms aggravated at night, also by warmth and motion. Acon.

Apathy.—Great indifference and a., discouraged, irritable and fidgety. Apis.

Apoplexy.—Paralysis, with numbness and coldness of paralyzed parts after a., sexual excesses, dissipation. Nux-v.

Appear.—Pains suddenly a. and gradually disappear. Puls.

Appearing.—Frequent, drawing pains, constantly a. and disappearing, in almost all parts of body. Nitr-ac.

Appetite.—Asthenopia: nervous deafness; loss of a.; flatulence and nervous, hacking cough, with irritable nerves in anæmic, nervous persons. Asar.

Atrophy of children, with inordinate a. Iod.

Depressed condition of mind and body, with great a. Natr-m.

Emaciation and loss of a. Kali-jod.

Emaciation, with marked a. Petr.

Approach.—Pains appear at a. of rough, windy weather or thunder storm. Rhod.

Approaching.—Internal feeling as of a. illness. Chin-s.

Arm.—Better carrying child on a. Bell., Cham., Coloc., Kali-c., Mur-ac., Tart-em.

Arms.—Body rigid, stretched out stiff (Hyos.), followed by spasmodic jerking of a. Ipec.

Paralytic feeling in a., legs and spine. Æsc.

Trembling emotions and tremor of whole body, especially in a. Coni.

Aroused.—Lowest passions are a., making man beastly. Bufo.

Arteries.—Feels pulsations of all a. down to tips of toes. Kali-c.

Arthralgic.—A. and neuralgic pains in trunk and limbs. Plumb.

Arthritic.—A. nodes. Calc-c., Dig., Graph., Led., Lyc., Rhod., Sabin., Staph.

Rheumatic and a. pains. Guaj.

Ascend.—Faintness when going down stairs, can a. without difficulty. Stann.

Unusual buoyancy, enabling one to a. great heights, or run rapidly without sense of fatigue or loss of breath. Coca.

Ascending.—Great weakness and loss of breath on a. stairs. Iod.

Weariness on a. Calc-ph.

Worse on a. Am-c., Ars., Bry., Calc-c., Iod., Spong. (Reverse, Borax.)

Ascites.—A. Ars., Lyc.

Asks.—Painlessness of all ailments; complains of nothing and a. for nothing. Opi.

Assimilation.—Cachectic state from faulty nutrition and a. Ferr.

Æsthenopia.—A.: nervous deafness; loss of appetite; flatulence and nervous, hacking cough, with irritable nerves in anæmic, nervous persons. Asar.

Asthma.—Fainting, with a. Berb., Kreas., Lach.

Asthmatic.—Œdematous swelling of whole body, with a. complaints. Lact.

Atrophy.—Anæmia or a. from prolonged hæmorrhage. Helon.
A. China, Carbo-v.
A. of children. Ferr.
A. of children; child tall, slender, emaciated, big-bellied. Phos.
A. of children with inordinate appetite. Iod.
A. of glands, especially testes and mammæ. Iod., Kali-jod.
Muscular a. Plumb.

Aversion.—A. to all exercise. Caps.
A. to cold water; omits bath on account of it. Physos.
A. to heat and being covered. Sec.
A. to open air. Petr. (Am-c., Cocc., Nux-v., Sep., Sil.)
A. to open air, least cold, damp air goes right through, and patient is constantly taking cold. Calc-c.
A. to washing. Am-c., Ant-c., Bry., Cham., Rhus-t., Sep., Spig., Sulph.
A. to water. Sulph. (Am-c., Ant-c., Bry., Cham., Rhus-t., Sep., Spig.)
Great a. to water; cannot bear to touch it. Am-c.
Great weakness, with a. to all food. Ipec.
Sensitiveness and a. to open air. Nux-v. (Rumex.)

Awake.—Easily startled when a. and then feels throbbing and palpitation. Camph.

Awakes.—Heaviness in whole body, as when one a. from deep sleep. Rheum.

Awaking.—Better on a. China.
Giddy fluttering on a.; must rise or smother. Kali-jod.
Worse on a. Ambr., Ars., Calc-c., Caust., Hep-s., Nitr-ac., Phos.

Awkwardness.—A. Ambr., Apis, Ars., Bov., Calc-c., Caps., Caust., Hep-s., Natr-c., Natr-m., Nitr-ac., Phos., Puls., Sep., Staph.

Back (see section on Neck and Back).—Better when lying on b. Bry., Puls., Stann.
Better when lying on b. or on painful side. Ign.
Cannot bear pressure on any part; could not rest b. against chair; obliged to change position often; feet painful from resting on floor. Bapt.
Chilliness, shivers or rigors over b. and abdomen, or between shoulders and down b. Acon.
Lies on b. with knees drawn up. Merc-cor.
Lies on b. with limbs drawn up. Hell.
Lies on left side (Spong.) or on b. with left hand under head; cannot lie on right side or back. Acon. (Nux-v.)
Paralytic weakness with pain in b. Cocc.
Soreness about abdomen, sides and b. Natr-s.
Worse from lying on b. Arg-m., Nux-v., Phos.
Worse lying on b., or left side. Phos.

Backward.—Better from bending b. Æth.
Catalepsy, with body bent b. Ang., Ign.

Restless, constantly changing position or throwing body to and fro, forward and b., especially hands and feet. Bell.

Balancing—Giddy, as if drunk, as if b. to and fro. Ferr.

Ball.—Sensation as of a b. rolling in internal parts. Lach.

Band.—Feeling as if a hoop or b. were around different parts. Anac.

Sensation of hoop or b. around parts. Anac., Cact., Coni., Gels., Nitr-ac., Plat., Puls., Sulph.

Bath.—Aversion to cold water; omits b. on account of it. Physos.

Bathed.—Child dislikes to be washed and b. Sulph. (Ant-c.)

Bathing.—Child smells sour, even after washing or b. every day. Rheum.

Worse after b. Ant-c.

Worse from cold b. Kreas.

Worse from washing or b. Sulph.

Bear.—Cannot b. heat of sun. Ant-c. (Bell.)

Cannot b. to be uncovered; coughs when any part of body is uncovered. Hep-s.

Beaten.—Bruised pain, as if b. Arn., Bad., Bapt., Carbo-v., Cic-v., Cupr., Dros., Guaj., Natr-m., Natr-s., Nux-v., Olean., Plat., Ruta, Staph., Ver-a.

Feeling of soreness, as if b. or pounded, with prostration. Phyt.

Soreness of muscles and integuments, as if bruised or b.; flesh sore to touch, even of clothes. Bad. (Arn., Led., Ruta.)

Flesh feels as if beaten off of bones. Thuja.

Bed.—B. feels hard, makes patient feel sore and bruised. Bapt. (Arn.)

Better in b. Caust.

Bruised pain in b. Nux-v.

Greater weariness in morning after rising than in evening on going to b. Nux-v.

Pains force patient to get out of b. at night and walk slowly about. Ferr.

Sick and faint in morning in b. Coni.

Slides down in b. Hell.

Weary, tired, bruised, sore; great weakness; must lie down, yet b. feels too hard. Arn.

Worse from heat of b. Clem.

Worse from warmth of b. Gels.

Bee stings.—Burning, stinging pains, like b. Apis.

Beer.—B. intoxicates easily. Coloc. (China.)

Beginning (see Commencing).—Worse at b. of exercise. Caps.

Worse on b. to walk. Lyc.

Worse on b. to move. Caps., Coni., Euphr., Ferr., Lyc., Puls. Rhus-t.

Behaves.—Does foolish things; b. like one mad. Hyos.

Belong.—Feeling as if divided into halves, as if left side did not b. to patient. Sil.

Below.—Contractive, drawing sensation from b. upward. Ind.

Bend.—Worse when sitting bent, yet there is a feeling that must b. Kalm.

Bending.—Better from b. Coloc., Squilla.

Worse on b. down. Spig.

Bent.—Catalepsy, with body b. backwards. Ang., Ign.

Worse when sitting b., yet there is a feeling that must bend. Kalm.

Belching.—Better after b. Kali-c.

Big bellied.—Atrophy of children; child tall, slender, emaciated, b. Phos.

Bile (see section on Hypochondria).—Chronic, gastric and intestinal catarrhs, with increased secretion of b. Chelid.

Biting.—B., pricking pains. Carbo-v., Nux-v., Ran-sc., Sep., Sulph., Zinc.

Bruised, burning, cutting, stinging, b. or contractive pains. Sulph.

Itching, boring, b., tingling, gnawing, in various parts of body. Ran-sc.

Throbbing, pulsating, b. through whole body (Glon.), especially in left chest. Sep.

Better.—B.: after breakfast; on rising; in dry weather; when lying on painful side. Calc-c. (Bry.)

B.: after breakfast; while at rest. Merc-cor.

B. after commencing to move. Rhus-t.

B.: after eating; when lying down. Chelid.

B. after lying down. Kali-n.

B. at night, before midnight. Ars., Can-sat., Dros., Ferr., Kali-c., Kali-n., Magn-c.

B. at night, when walking. Ang.

B. after sleep. Croton-tig.

B. by sitting or standing erect. Kalm.

B. carrying child on arm. Bell., Cham., Coloc., Kali-c., Mur., Tart-em.

B. during day. Merc.

B.: during motion; after walking. Sulph.

B. during motion in open air. Gum-gut.

B.: during repose; in open air. Colch.

B.: during rest; in open air. Anthrak.

B.: during warm weather; after perspiring. Kali-n.

B. from bending. Squilla.

B. from bending backward. Æth.

B.: from bending double; from hard pressure; from discharge of flatus. Coloc.

B. from cold. Iod.

B. from cold application and during cold weather. Aloe.

B. from cold water. Clem., Stram.

B. from continued motion. Iris.

B.: from continuous exercise; from warmth. Caps.

B. from dancing. Sep.
B. from drinking. Cupr.
B. from eating. Croc.
B. from eating and drinking. Cist.
B. from exertion of body. Sep.
B. from exertion of mind. Croc., Natr-c.
B. from fresh air. Can-ind., Cist., Lil-tig.
B.: from getting cold; from continuing to walk (Rhus-t.); from eructations; from warm food and drink. Lyc.
B. from heat. Ars., Caust., Kali-bi.
B. from motion. Agar., Brom., Dulc., Kali-jod., Magn-m., Natr-c., Rhus-t., Samb.
B. from motion, especially walking. Coni.
B.: from motion; in open air. Calad., Plat.
B. from perspiring. Natr-m.
B. from pressure at night. Phos-ac.
B. from pressure, touch or motion. Arn.
B. from rest. Cimicif.
B. from rubbing. Canth., Plumb.
B. from sitting erect. Natr-m.
B.: from sleep; from sweat after walking in open air. Chin-s.
B.: from slight exercise; from solitude. Ferr.
B. from stooping. Hyos.
B. from walking. Valer.
B: from warmth; from motion. Kreas.
B.: from warmth; from wrapping up warmly. Hep-s.
B.: from warmth; from rest; from rising; from fasting. Cham.
B.: from warmth; from sitting up; lying head against something; after belching. Kali-c.
B.: from warmth or heat; from lying with head high; from motion. Ars.
B.: from wrapping head; from warmth; in warm room; from rest. Sil.
B.: from wrapping up; from warm food; while riding; after perspiration; when walking in open air. Graph.
B. in cold air. Asar., Iod., Puls.
B. in cold water. Apis.
B. in cold weather. Borax.
B.: in cold weather, cold room, or from cold food; when lying on painful side. Bry.
B. in company. Lyc., Stram.
B. in dark. Calc-c., Euphr., Graph., Phos.
B.: in dark; lying on left side; from rubbing; from cold food; from wine. Phos.
B.: in morning; in dry weather and warmth; from pressure; from lying on stomach or on painful side. Am-c.

B. in open air. Al-cep., Apis, Bry., Camph., Glon., Mez., Nicc., Ox-ac., Physos., Plat., Puls., Sabin.
B.: in open air; after dinner. Coca.
B.: in open air; after sleep; from bending backward; from motion. Æth.
B. in open air (except roughness of throat, which is worse). Laur.
B.: in open air; from cold washing; while eating warm food. Alu.
B.: in open air; from motion. Natr-s.
B.: in open air; from perspiration. Cocc-c.
B.: in open air; in cool air (Bry., Opi., Puls.); after eating (Puls.); after sweat (Rhus-t.); after vomiting (Dig., Sec.); after drinking. Acon. (Cedron.)
B.: in open air; while fasting; from sitting erect; from perspiring. Natr-m.
B.: in open air; while lying on back. Puls.
B.: in room; from warm air; lying on painless side. Nux-m.
B. in warm, open air. Hell.
B. lying down. Ipec.
B.: lying down; in open air. Dig.
B. lying on left side. Cina.
B.: lying on painful side; from cold food and drink; after sleep. Sep.
B.: lying on painless side (worse, Bry.); from motion; while walking. Fluor-ac.
B.: lying on right side; from eructations; in open air; after dinner. Cinnab.
B.: on awaking; lying on left side; in dry weather; from hard pressure; warm room. China.
B. on becoming cold. Iod., Lyc., Puls.
B. walking in open air. Am-m., Bar-c., Naja, Rhus-r., Stann.
B. when eating and during digestion. Anac.
B. when looking fixedly at an object. Natr-c.
B. when lying down. Bry., Nux-v., Pallad., Phyt., Sabad., Spong.
B.: when lying down; from little sleep; from walking in open air. Nux-v.
B. when lying on back. Bry.
B.: when lying on back or on painful side; from change of position; from hard pressure. Ign.
B. when lying on painfnl side. Bry., Calc-c., Cham., Coloc., Puls.
B. when lying on right side. Am-m., Bry., Chelid., Tarax.
B. when lying on side. Nux-v.
B.: when lying quiet; in dark room. Sang.
B.: when riding in carriage; on lying down; from eructations. Nitr-ac.
B.: when sitting erect; when walking in open air. Lact.
B. when sitting or lying. Ver-a.
B.: when wrapped up; from warmth. Rheum.
B. when wrapped up well in warm room. Bell.

Child b. from fast rocking. Cina. (Acon.)
Symptoms coming on indoors are b. in open air, and vice versa. Mang.

Between.—Pains seem to be b. skin and flesh. Zinc.

Bleed.—Hæmorrhages: small wounds b. much. Kreas. (Lach., Phos.)
Small wounds b. profusely. Lach. (Kreas., Phos.)

Blisters.—B. from burns. Canth.

Black.—Body turning b. Ars., Cupr., Merc., Sec., Ver-a.
Ecchymosis: b. and blue spots all over. Æth. (Arn.)
External parts become b. Ign.
Sphacelus: parts look b. and burn like fire, with fetid odor. Ars.
Ulcers: burning like fire, and pain often during sleep; discharging copious, bloody pus, or ichor; with blue, b., lardaceous bases. Ars.

Bloating.—B. of body in morning. Natr-c.

Blood.—Acute inflammation: inflammatory fever; hæmorrhages of bright-red b. Acon.
Anæmia, with chlorosis; defective menstruation; poverty of b. after hæmorrhages, deficiency of light, air or suitable food, or after exhausting diseases. Ferr.
Chlorosis after great loss of b. Ferr.
Congestion of b. Acon., Am m., Bell., China, Ferr., Glon., Nux-v., Phos., Puls., Sulph., Ver-a.
Congestion of b. to head, chest, and especially to abdomen. Aloe.
Erectile tumors, which have now an increase and then a decrease of b. Lyc.
Fainting after loss of b. or other animal fluids, with ringing in ears, cold skin, cold perspiration. China.
Hæmorrhage: b. lumpy and coagulates easily. Ferr.
Hæmorrhage of black b. from all orifices. Sulph-ac.
Hæmorrhage of bright-red b. Kali-n. (Erig., Ham., Sec.)
Hæmorrhage of bright-red b. from orifices. Ipec.
Hæmorrhage over various parts, of black, viscid, clotted b., forming into long, black strings, and hanging from bleeding orifices. Croc.
Pain, with thirst and redness of cheeks; fainting; congestion of b. to head. Acon.
Stagnation of b. in capillaries, causing blueness, coldness, ecchymosis. Carbo-v.
Trembling all over, with anxiety and ebullitions of b. Samb.

Bloody.—Ulcers: burning like fire, and pain often during sleep; discharging copious, b. pus, or ichor; with blue, black, lardaceous bases. Ars.

Blood-poisoning.—Gangrene or carbuncles after b. Lach.

Bloodvessels.—B. distended, especially those of head, face and feet. Ferr.
Throbbing and pulsating in all b. of body. Tart-em.

Throbbing in b. of whole body (Glon., Sep.), especially in abdomen. Selen.

Sensation in whole body as if b. were vibrating. Phell.

Blow.—Bruised, sore feeling all over, as from a fall or b. (Arn., Bad., Led.); worse in limbs and joints. Ruta.

Blows.—Convulsions after b. or concussions. Hyper.

Pain, as if contused or sprained, with sensation as if flesh were loose on bones in consequence of b. Ign.

Blue.—Anthrax, burning like fire, with cold, b. skin, dry as parchment, peeling off in large scales. Ars.

Ecchymosis; black and b. spots all over. Æth. (Arn.)

Scars become blood-red or b. and are painful. Sulph-ac.

Ulcers: burning like fire, and pain often during sleep; discharging copious, bloody pus, or ichor; with b., black, lardaceous bases. Ars.

Blueness.—Stagnation of blood in capillaries, causing b., coldness, ecchymosis. Carbo-v.

Bluish.—B. color of affected parts. Lach.

Board.—Sensation as if lying on a b. Bapt. (Arn.)

Boiling.—Trembling, like b. and seething, as if parts were going to sleep, with unpleasant sensation of coldness. Acon.

Bones.—Cutting pain where b. are least covered with flesh (not in joints); on touch pain goes to another part. Sang.

Drawing pains in periosteum, or where skin covers b. Cycl.

Faint, nervous vibrations, seeming to reach interior of b. Meph.

Flesh feels as if beaten off of b. Thuja.

Joints, b. and periosteum feel sprained. China.

Loss of power, with sensation as if marrow of b. had become stiff and coagulated. Ang.

Pain, as if contused or sprained, with sensation as if flesh were loose on b. in consequence of blows. Ign.

Pain as if flesh were torn loose from b., or as if b. were being scraped. Rhus-t.

Pains at night, as if b. were being scraped with knife. Phos-ac. (China.)

Pains where tendons are connected with muscles of b., especially during action of muscles. Rhus-r.

Softening of b. Calc-c.,

Tardy development of b., with lymphatic enlargements. Calc-c.

Whole body feels bruised, with soreness in all b. Merc.

Boring.—B. pains. Ars., Carbo-v., Caust., Nux-v., Phos., Phos-ac., Rhus-t., Stann., Sulph.

B., piercing pains. Bell., Bism., Ran-sc., Spig.

B., stinging, gnawing pains, with faintness. Ran-sc.

Itching, b., biting, tingling, gnawing, in various parts of body. Ran-sc.

Brain (see section on Head).—Any attempt of b. workers to use mind brings on headache. Pic-ac.

Dropsical effusion to serous membranes, especially b., thorax and peritoneum. Hell.

Brandy.—Worse from b. or wine. Opi.

Worse from tobacco, coffee or b. Ign.

Breach.—Child lies on abdomen and spasmodically thrusts b. up. Cupr.

Breakfast.—Better after b. Calc-c.

Breath.—Fetid discharge and exhalations, b., stools, urine, sweat, ulcers. Bapt.

Great weakness and loss of b. on ascending stairs. Iod.

Unusual buoyancy, enabling one to ascend great heights, or run rapidly without sense of fatigue or loss of b. Cocc.

Breathing.—Convulsions alternating with oppressed b. Ign.

Extreme exhaustion and heaviness after slight exertion, with great anxiety, nausea, pale face and difficult b. Spong.

Oppression of b. accompanies most complaints. Kali-c.

Worse when b. deeply. Æsc.

Broken.—Bruised feeling, as if broken all over body. Eupat-perf.

Feeling as if all joints were b., swelled, or dislocated at every motion. Paris.

Brown.—Livid, b. vesicles, size of pea, all over body. Millef.

Bruised.—All parts of body on which patient lies are painful, as if b. Ruta.

Bed feels hard, makes patient feel sore and b. Bapt. (Arn.)

Body feels b., with sensation of coldness. Phos.

B., burning, cutting, stinging, biting or contractive pains. Sulph.

B. feeling, as if broken all over body. Eupat-perf.

B. feeling with soreness in whole body. Am-c.

B. pain after rising. Carbo-v,

B. pain, as if beaten. Arn., Bad., Bapt., Carbo-v., Cic-v., Cupr., Dros., Guaj., Natr-m., Natr-s., Nux-v., Oleand, Plat., Ruta, Staph., Ver-a.

B. pains in all joints. Mosch.

B. pain in bed. Nux-v.

B. pain in lower extremities. Berb., Ruta.

B. pain when moving. Ign.

B. pain when touched. Hep-s.

B. pain when uncovered. Aur.

B. sensation when walking. Staph.

B., sore feeling all over, as from a fall or blow (Arn., Bad., Led.); worse in limbs and joints. Ruta.

B., sore feeling of body. Hep-s.

B. soreness. Ham.

Dull stitches, sometimes with crampy sensation, sometimes pressing, sometimes conveying sensation of shock or jerk, sometimes itching in different parts of body, in limbs, arms, feet, toes, in side or in back, always in outer parts; places are painful on pressure, as if sore or b. Cina.

General b. feeling of body, as if sore. Cimicif.

Limbs and joints on which patient is lying feel painful, as if b. Rhus-t.

Limbs and whole body painful as if b. and beaten. Led. (Arn., Bad., Ruta.)

Pain as if b. in outer parts, which makes patient cross. Nux-v.

Painful, b. feeling over whole body. Sil.

Pains, as if sore and ulcerated, or as if b. and contused. Kreas.

Pains in muscular portions of body, composed of pressure and b. feeling. Ver-a.

Paralytic pains in all joints during motion, as if b. Arn.

Parts upon which patient lies feel b. Caust.

Sensitiveness of whole body (Plat.) and of all joints on motion; b. pain over whole body. Arn.

Soreness of muscles and integuments, as if b. or beaten; flesh sore to touch, even of clothes. Bad. (Arn., Led., Ruta.)

Tired, b., sick feeling all over body. Bapt.

Weakness and b. feeling through whole body. Croton-tig.

Weary, tired, b., sore; great weakness; must lie down, yet bed feels too hard. Arn.

Whole body feels b. Ran-b.

Whole body feels b., with soreness in all bones. Merc.

Whole body feels painful, as if b. Magn-m.

Bruises.—B. and shocks in spine and glands. Coni.

Bubbling.—B. in different parts. Berb., Rheum, Squill.

B. sensation in parts. Berb.

Buoyancy.—Unusual b., enabling one to ascend great heights or run rapidly without sense of fatigue or loss of breath. Coca.

Burdensome.—B. to move even a limb. Cycl.

Burn.—Sphacelus: parts look black and b. like fire, with fetid odor. Ars.

Burning.—Anthrax, b. like fire, with cold, blue skin, dry as parchment, peeling off in large scales. Ars.

Bruised, b., cutting, stinging, biting or contractive pains. Sulph.

B., corroding discharges, often extremely offensive. Ars.

B., itching pains, with heat. Clem.

B. of inner and outer parts. Acet-ac. (Ars.)

B. pain, especially in inner organs. Ars. (Sec.)

B. pain in internal organs. Euphorb.

B. pain in old cicatrix. Graph.

B. pains accompanied by chilliness. Caps.

B. pains in glands. Ars.
B. pains in interior parts. Acon., Ars., Bell., Bry., Canth., Phos., Sabad., Sep., Sulph.
B. pains, with great anguish and fear of death. Ars.
B., smarting pains in different parts. Caps.
B., stinging pains, like bee stings. Apis.
B., throbbing pain, with chilliness. Hep-s.
Dryness, with b. of mucous membranes. Tereb.
Fine stinging or b. pains in different parts. Acon.
Induration, swelling and inflammation of glands, with lancinating, cutting, b. pains. Carbo-an.
Inflammation with b. and stinging. Apis.
Inflammatory swelling, with b., lancinating pains. Ars.
Internal b. and external coldness. Mez.
Itching, b. and redness of parts, as if frozen. Agar.
Mucous membranes dry, swollen, b. and raw. Æsc.
Neuralgic pains in different parts of body, as if touched by pieces of ice, or as if icy-cold needles were piercing skin; pricking as from a pin, and itching and b. all over with great distress; pains as from splinters. Agar.
Periosteal inflammation (Staph.), with b., gnawing, tearing pains. Phos-ac.
Pricking, b. pains. Ipec.
Stinging, b., sensations. Urtica.
Stitching, with b., aching pains. Al-cep.
Swelling, induration or suppuration of lymphatic glands, with b. pains. Carbo-v.
Throbbing or b. through body. Calad.
Ulcers, b. like fire, and paining often during sleep, discharging copious, bloody pus, or ichor, with blue, black, lardaceous bases. Ars.
Violent, destructive inflammations, with b. pains. Canth.
Violent, jerking, b. pains, confined to a small spot. Coca.

Burns.—Blisters, from b. Canth.

Bursting.—Pain as from b. Bell., Calc-c., Caust., Ign., Ran-b., Sep., Spig.

Busy.—Better when keeping b. Lil-tig.

Cachectic.—C. state from faulty nutrition and assimilation. Ferr.
Low, c. condition, with profound debility and great emaciation; almost like a skeleton. Iod.

Cancerous.—C. glands. Ars., Coni., Sulph.

Capillaries.—Stagnation of blood in c., causing blueness, coldness, ecchymosis. Carbo-v.

Carbuncles.—C. Anthrak., Apis.
Gangrene or c. after blood-poisoning. Lach.

Caresses.—Worse after c. Bell., Calc-c., China, Ign.

Carriage.—Better when riding in c. Nitr-ac.
Fainting from riding in c. Berb.
Worse from riding in c. or ship. Petr.
Worse riding in c. Arg-m., Iod., Nux-v.

Carried.—Child must be c.; it cries if touched; will not allow pulse to be felt. Tart-em.
Child wants to be c. all the time. China.
Child will not be quiet unless c. on point of mother's shoulder. Coloc.

Carrying.—Better c. child on arm. Bell., Cham., Coloc., Kali-c., Mur-ac., Tart-em.

Carrion-like.—C. odor with discharges. Psor.

Carious.—Deep, fistulous, c. ulcers. Calc-c.

Catalepsy.—C. Bell., Cic-v., Ign., Mosch., Opi., Petr., Plat., Stram., Ver-v.
C. with body bent backwards. Ang., Ign.

Catarrh.—C. of mucous surfaces, especially stomach. Abies-c.
Chronic gastric and intestinal c., with increased secretions of bile. Chelid.

Catarrhal.—C., rheumatic and other complaints, caused by exposure to damp, cold weather. Dulc.

Cavities.—Dropsy in internal c. Spong.

Cease.—Pains come and go suddenly, and after a shorter or longer duration, c. suddenly. Bell.

Ceasing.—Slowly increasing, suddenly c. pain. Sulph-ac.
Worse when walking, yet pains so much after c. to walk must walk again. Lil-tig.

Chagrin.—Ill-effects from envy, pride or c. Staph.
Worse from c. Cham.

Chair.—Cannot bear pressure on any part; could not rest back against c.; obliged to change position often; feet painful from resting on floor. Bapt.

Change.—Better from c. of position. Ign.
Cannot bear pressure on any part; could not rest back against chair; obliged to c. position often; feet painful from resting on floor. Bapt.
Great restlessness and uneasiness; must constantly c. position, especially at night. Rhus-t.
Great restlessness; constantly compelled to c. position. Nicc.
Pains c. often and last but a short time. Pallad.
Pains constantly c. location. Led. (Benz-ac., Kali-bi.)
Pains quickly c. from one part to another. Arn.
Pains suddenly c. location (Puls.), appear first on left, later on right side. Benz-ac.
When lying long becomes restless, but c. is painful and it is very difficult to find new position which gives relief. Natr-s.
Worse after c. of weather. Dulc.

Worse from c. of weather. Calc-ph., Carbo-v., Chelid., Gels., Mang. Natr-s., Nitr-ac., Phos., Ran-b., Rhod., Tabac.

Changes.—Sudden c. in sensation, as from gaiety to sadness. Croc.

Susceptibility to electric c. Petr.

Worse from sudden c. in weather from warm to cold. Bell.

Changing.—Pains shifting, c. quickly from one part to another. Kali-bi. (Apoc-and., Bell., Puls.)

Quick, stitching, shooting pains, appearing at intervals and c. location. Magn-ph.

Restless, c. position often; great anxiety. Ars.

Restless, constantly c. position or throwing body to and fro, forward and backward, especially hands and feet. Bell.

Restless, uneasy, c. position often. Cad.

Shifting, c. pains. Lil-tig. (Puls.)

Symptoms ever c. Puls.

Tearing, drawing pains, quickly c. location. Colch. (Puls.)

Worse after c. position. Caps., Euphr., Ferr., Puls. (Ran-b.)

Cheeks (see section on Face).—Fainting, with paleness of c., which are red when lying. Acon., Lach.

Pain, with thirst and redness of c.; fainting; congestion of blood to head. Acon.

Chest (see section on Chest).—Congestion, especially of c., heart and head. Acon.

Congestion of blood to the head, chest, and epecially to abdomen. Aloe.

Fainting with agitation of c. Acon., Bell.

Pains and other symptoms are often attended by chilliness and oppression of c. Puls.

Sensation as if hot water were poured from c. into abdomen. Sang.

Throbbing, pulsating, biting through whole body (Glon.), especially in left c. Sep.

Child.—Better carrying c. on arm. Bell., Cham., Coloc., Kali-c., Mur-ac., Tart-em.

C. better from fast rocking. Cina. (Acon.)

C. dislikes to be washed and bathed. Sulph. (Ant-c.)

C. lies on abdomen and spasmodically thrusts breach up. Cupr.

C. looks plump and fat, yet flesh is flabby. Hep-s.

C. must be carried; it cries if touched; will not allow pulse to be felt. Tart-em.

C. smells sour. Robin. (Rheum.)

C. smells sour, even after washing or bathing every day. Rheum.

C. wants to be carried all the time. China.

C. will not be quiet unless carried on point of mother's shoulder. Coloc.

Marasmus: c. wrinkles and looks like little, dried-up, old man. Opi. (Arg-n.)

Children.—Atrophy of c. Ferr.
Atrophy of c.; child tall, slender, emaciated, big-bellied. Phos.
Atrophy of c. with inordinate appetite. Iod.
C. cannot bear to be washed. Am-c.
C. do not learn to walk, lose ability to do so. Calc-ph. (Sil.)
C. slow in learning to walk. Sil. (Calc-c., Calc-ph.)
C. too weak to hold up their heads. Æth.
C., when growing, suffer with violent pains. Sil.
Emaciation of c.; face has very old look. Sulph. (Arg-n., Opi.)
Extreme sensitiveness, especially in c.; would like to scratch or rub part, but it is too sensitive. Coff.
Flabby, shrunken, emaciated c. Calc-ph.
Restless tossing about and moaning in c. with sore throat. Lach.
Scrofulous eruptions and ulcers in c. Calc-c.
Sensation of falling in c.; child starts and grasps nurse or crib and screams out for fear of falling. Gels.
Tendency in c. and young persons to grow very fat. Calc-c.

Chill (see section on Chill and Fever).—Tearing, drawing, tensive pains excited by slightest c. Phos.
Uneasiness, as if from suppressed respiration, or in consequence of a c. Acon.

Chilliness.—Burning pains accompanied by c. Caps.
Burning, throbbing pain, with c. Hep-s.
C. Cist.
C. over whole body. Stann.
C., shivers or rigors over back and abdomen, or between shoulders and down back. Acon.
C. with pain. Ars., Bar-c., Bry., Calc-c., Dulc., Euphr., Graph., Ign., Kali-c., Kali-n., Led., Lyc., Mez., Natr-m., Puls., Rhus-t., Squilla, Sep.
Constant want of animal heat; constant c. Coni.
Great c. in open air; desires to be covered even in warm room. Hep-s.
Pains and other symptoms are often attended by c. and oppression of chest. Puls.
Restlessness, with c.; has to move limbs constantly. Natr-m.
Sensitiveness to open air, with c. and frequent nausea. Hep-s.
Sudden c. over body. Mez. (Puls.)
Whole side of body on which patient lies is painful, as if lacerated, with c. on uncovering. Sil.

Chilly.—Body painful; sensitive to touch; parts touched feel c. Spig.
Daily attacks of indescribable, sudden debility, commencing with c., creeping sensations under right leg. Hep-s.

Chlorosis.—Anæmia or c., with too rapid growth. Phos.
Anæmia with c.; defective menstruation; poverty of blood after hæmorrhages; deficiency of light, air, or suitable food, or after exhausting diseases. Ferr.

C. Bell., Calc-c., Cocc., Coni., Ferr., Helon., Lyc., Nitr-ac., Plat., Puls., Sulph.

C. after great loss of blood. Ferr.

C. in sensitive, nervous and hysterical women, inclined to spasmodic and intermittent complaints, induced by mental emotions, such as grief, fright, or disappointed love. Ign.

Erethitic c.; worse during cold weather. Ferr.

Cicatrices.—Old c. become red around edges and itch violently. Fluor-ac.

Cicatrix.—Burning pain in old c. Graph.

Circulation.—C. excited by every motion of body. Natr-m.

Circumference.—Ulcers corrode and become deep without spreading in c. Kali-bi.

Civil.—Always out of humor; impatient, snappish, spiteful; will not give a c. answer; excessive irritability. Cham.

Climacteric.—Flushes of heat during c. age. Sulph-ac. (Lach., Puls.)

Climbing.—Great lightness while c. a mountain, without any respiratory trouble. Coca.

Clock.—Cannot bear a downward motion, as in swing, rocking chair, or running down stairs; even seeing water running, or pendulem of c. moving, causes dizziness. Borax.

Close.—Worse in c. room. Acon., Apis. (Iod., Puls.)

Clothes.—Ill-effects from washing c. Phos.

Picking about c. (carphologia). Arn., Ars., Bell., Cham., China, Cocc., Coloch., Hep-s., Hydro-ac., Hyos., Iod., Lyc., Mur-ac., Opi., Phos., Phos-ac., Psor., Rhus-t., Stram., Sulph., Zinc.

Soreness of muscles and integuments, as if bruised or beaten; flesh sore to touch, even of c. Bad. (Arn., Led., Ruta.)

Worse from pressure of c. Lyc.

Clothing.—Cannot bear contact; obliged to wear c. loose. Lach.

Extreme tenderness; cannot bear least pressure of c. Helon.

Feels uneasy and encumbered by c. Nux-v.

Coagulates.—Hæmorrhages; blood lumpy and c. easily. Ferr.

Coffee.—Worse from drinking c. Cist.

Worse from drinking c. or cold water. Canth.

Worse from sugar, c., wine. Ox-ac.

Worse from tobacco, c. or brandy. Can-ind., Ign.

Coition (see section on Sexual Organs).—Worse after c. Spig. (Staph.)

Worse during and after c. Calc-c.

Cold.—Affections after a c. Acon., Bell., Cham., Coff., Dulc., Ipec., Meny., Nitr-ac., Nux-m.

Ailments from west or northwest wind, or dry, c. wind, or soon after. Hep-s.

Anthrax, burning like fire, with c., blue skin, dry as parchment, peeling off in large scales. Ars.

Aversion to open air, least c., damp air goes right through, and patient is constantly taking c. Calc-c.
Better from c. applications and during c. weather. Aloe.
Better from c. food. Phos.
Better from c. washing. Alu.
Better on becoming c. Iod., Lyc., Puls.
Drawing pains after a c. Nitr-ac.
During fever or pains in abdomen, patient covers up, but afterwards skin becomes c. and patient uncovers. Camph.
Fainting after loss of blood or other animal fluids, with ringing in ears, c. skin, c. perspiration. China.
Feeling as if had taken violent c. Carb-ac.
Feels c., but gets sick on approaching warm stove. Laur.
Inflammation and fever following a c. Acon.
Is less affected by excessive heat in summer or c. in winter. Fluor-ac.
Liability to take c. easily. Petr.
Liability to take c., with great sensitiveness to c. air. Bell.
Neuralgic pains in different parts of body, as if touched by pieces of ice, or as if icy c. needles were piercing skin; pricking, as from a pin, and itching and burning all over, with great distress; pains, as from splinters. Agar.
Over-sensitiveness to heat and c. Ipec.
Pains are felt severely, making patient c. and weak. Cor-r. (Agar.)
Sensitiveness to c., open air. Rhus-t., Sep. (Rumex.)
Sore and stiff all over, as from a c. Physos.
Takes c. easily from exposure, but especially in warm, moist air. Ham.
Tendency or liability to take c. Coni., Graph.
Tendency to take c. after over-heating. Kali-c.
Tendency to take c. easily. Magn-m., Natr-c., Natr-m., Nitr-ac., Nux-v. (Calc-c., Kali-c., Phos., Sulph., Sil.)
Tendency to take c. in head and feet. Sil.
Tendency to take c. when uncovering feet. Sil.
Worse from c. Calc-ph., Cham., Caust., Iod., Kali-c., Mosch., Nux v., Sabad., Thuja.
Worse from c. and c. air. Calc-c., Camph., Carbo-an.
Worse from anything c. Ars.
Worse from c., damp weather. Nux-m.
Worse from c., especially c. washing. Lob.
Worse from c. food. Kreas.
Worse from getting c. Graph.
Worse from sudden changes in weather from warm to c. Bell.
Worse from uncovering in c. Rheum.
Worse in c., damp weather. Rhod.
Worse in c., wet weather. Sulph-ac.

Worse on becoming c. Ars., Am-m., Kali-c., Mosch., Nux-v.
Worse on feet becoming c. Sil.
Worse on going into a c. place. Ars., Ran-b.
Worse on head becoming c. Bell., Sep.,

Cold air.—Better in c. Asar., Can-sat., Iod., Puls.
Great sensitiveness to c. Bar-c., Sabad. (Acon., Calc-c., Cocc., Sep., Sil.)
Liability to take cold, with great sensitiveness to c. Bell.
Over-sensitiveness to all pain and c. Aur.
Sensitiveness to c. Am-m., Calc-c., Cham., Caust., Cocc., Coff., Mez., Phos., Sabad., Sep.
Very sensitive to c. Bar-c. (Acon., Calc-c., Cocc., Sep., Sil.)
Worse from c. Bell., Cist., Hep-s., Rumex.
Worse in c. Agar., Ars., Aur., Camph., Caps., Cocc., Caust., Dulc., Hell., Hep-s., Kali-c., Kali-jod., Mosch., Nux-m., Nux-v., Rhus-t., Sabad., Stront.
Worse in dry c. Asar., Caust., Hep-s., Nux-v.
Worse in wet c. Am-c., Calc-c., Dulc., Nux-m., Rhus-t.
Worse: in wet weather and in c. outdoors; from lying on stomach or on painful side. Am-c.

Coldness.—Body feels bruised, with sensation of c. Phos.
C. of whole body in morning, after rising. Lach.
Fainting, with c. of external parts. Coloc.
Fainting, with c. of limbs. Acon., Calc-c., Coloc., Ver-a.
Feeling of c. in various parts. Berb.
Gangrena senilis sicca, with c. and desire for warm covering. Ars.
Greet c. of suffering parts. Sil. (Great heat. Fluor-ac.)
Icy c. of whole body. Camph. (Tabac.)
Internal burning and external c. Mez.
Laxness and weakness of whole muscular system, with emaciation, weakness of digestion and c. of extremities. Ferr.
Pain seems intolerable and is frequently accompanied by other minor symptoms, such as shuddering, c. Ars.
Rapid and complete prostration, with waxy paleness and c. of skin. Ars.
Sensation of numbness, with great weakness and c. in whole left side of body. Elaps.
Stagnation of blood in capillaries, causing blueness, c., ecchymosis. Carbo-v.
Sudden weakness with c. Apis.
Trembling, like boiling and seething, as if parts were going to sleep, with unpleasant sensation of c. Acon.

Cold water.—Aversion to c.; omits bath on account of it. Physos.
Better from c. Apis, Can-ind., Clem., Stram.
Sensation as if drops of c. were falling on head, or from heart or anus. Can-sat.

Worse after drinking c. Rhus-r.
Worse from drinking coffee or c. Canth.

Cold weather.—Better in c. Borax.
Better in c., cold room, or from cold food. Bry.
Catarrhal, rheumatic and other complaints, caused by exposure to damp, c. Dulc.
Erethitic chlorosis; worse during c. Ferr.
Worse during c. Ammoniac., Magn-c., Kreas., Rhus-t.
Worse during wet c. Kali-n.
Worse in damp c. Ruta.
Worse in raw, c. Rumex.

Colic.—Indignation or anger followed by inflammation or c. Coloc.

Colicky.—C. or crampy pains. Coloc.

Come and go.—Pains c. suddenly, and after a shorter or longer duration, cease suddenly. Bell.

Coming and going.—Stitches c. like pulse, terminating with a jerk. Ind.

Commence.—Pains, especially drawing pains, with pressure, c. slowly, increase gradually to a very high degree, and decrease as slowly. Stann.

Commencing.—Better after c. to move. Rhus-t.

Company.—Better in c. Lyc., Stram.
Faints on going into room full of c. Plumb.
Feels pain in c. Pallad.
Worse in c. Sep., Bar-c., Magn-c., Plumb.

Complains.—Painlessness of all ailments; c. of nothing and asks for nothing. Opi.

Complaints.—Alternation of contrary c. Croc., Ign., Plat., Puls.

Conception (see section on Uterus and Appendages).—Promotes c. Anagal., Puls.

Concern.—Over-sensitive to least impression; is very indignant, with great c. for future. Staph.

Concussions.—Convulsions after blows or c. Hyper.

Confusion.—Great debility, with stretching of limbs and c. of head. Senecio.

Congestion.—Active or passive c. Gels.
C. Ver-v.
C. and inflammation. Cact.
C., especially of chest, heart and head. Acon.
C. of blood. Acon., Am., Bell., China, Ferr., Glon., Nux-v., Phos., Puls., Sulph., Ver-a.
C. of blood to head, chest, and especially to abdomen. Aloe.
Pain with thirst and redness of cheeks; fainting; c. of blood to head. Acon.
Venous c.; hæmorrhages. Ham.

Congestions.—Ebullitions and c. Phos.

Congestive.--C. condition of head and lungs, with palpitation of heart. Ind.

Connected.—Pains where tendons are c. with muscles or bones, especially during action of muscles. Rhus-r.

Conscious.—Patient c., yet lies as if dead. Carbo-v.

Consciousness.—Intoxication ending in entire loss of c. Agar.

Constricting.—C. pains. Alu., Cocc., Ign., Plat.

Constriction.—Sensation of c. in external parts. Sil. (Internal parts. Bell., Cact.)

Sensations of c. in different parts. Caps. (Cact.)

Tired and drowsy; feeling of c. in internal organs. Alu.

Trembling and twitching of muscles, and sensation of c. in different parts. Cact.

Constrictive.—C. or contractive pains. Gum-gut.

Formication, or c. feeling, in many parts. Kali-n.

Contact.—Cannot bear c.; obliged to wear clothing loose. Lach.

Extreme sensitiveness and dread of c. Hep-s.

Worse from c. Cupr., Euphorb., Euphr., Ran-b.

Worse from touching parts or c. China.

Contract.—Feeling as if wanted to creep into self and could not sufficiently draw, c. or crouch. Cimex.

Contracted.—Sensation as if tendons were c., too short. Cimex.

Contraction.—C. of single parts, alternating with extension. Lyc.

Involuntary, spasmodic, alternate extension and c. of muscles. Lyc.

Sensation of c. Graph., Nux-v., Rhus-t., Sep.

Spasmodic c. of internal organs. Plumb.

Contractions.—Involuntary, spasmodic c. Tabac.

Painful cramps and cramp like c. in different portions of body. Coloc.

Spasmodic c. of almost all muscles, with feeling as if would go crazy if did not hold tightly upon self. Lil-tig. (Associated with diseases of uterus.)

Twitches and c. of body unaffected by sleep. Ver-a.

Contractive.—Bruised, burning, cutting, stinging, biting or c. pains. Sulph.

Constrictive or c. pains. Gum-gut.

C., drawing sensation from below upwards. Ind.

Painful, spasmodic, c. sensation through body. Nux-v.

Contrary.—Alternation of c. complaints. Croc., Ign., Plat., Puls.

Contused.—Pain as if c. or sprained, with sensation as if flesh were loose on bones in consequence of blows. Ign.

Pains as if sore and ulcerated, or as if bruised and c. Kreas.

Contusion.—Feeling as of c. in glands. Coni.

Convalescence.—Easy to relapse during c. Calc-c.

Convulsions.—C. after blows or concussions. Hyper.

C. alternating with oppressed breathing. Ign.

Convulsive.—C. jerks. Alu., Ambr., Calc-c., Cina, Hyos., Iod., Laur., Lyc., Natr-c., Natr-m., Petr., Plat., Puls., Sec., Solan-nig., Spig., Stann., Stram.

Startings, like c. shocks, in affected parts, on going to sleep in evening. Ars.

Trembling of whole body alternating with c. movements of limbs. Arn.

Cool air.—Better in c. Acon. (Bry., Opi., Puls.)

Cool weather.—Sensitiveness to c. Phos.

Corrode.—Ulcers c. and become deep without spreading in circumference. Kali-bi.

Corroding.—Burning, c. discharges, often extremely offensive. Ars.

C. pain. Merc.

Corrosive.—Glands suppurate and discharge thin, c. or curdy substance. Kali-jod.

Cough (see section on Cough).—Asthenopia: nervous deafness; loss of appetite; flatulence, and nervous, hacking c., with irritable nerves in anæmic, nervous persons. Asar.

Progressive emaciation, with dry, c. and hæmoptysis. Acaly.

Coughs.—Cannot bear to be uncovered; c. when any part of body is uncovered. Hep-s.

Covered.—Aversion to heat and being c. Sec.

Cutting pain where bones are least c. with flesh (not in joints); on touch pain goes to another part. Sang.

Great chilliness in open air; desires to be c., even in warm room. Hep-s.

Covers.—Drawing pains in periosteum, or where skin c. bones. Cycl.

During fever or pains in abdomen, patient c. up, but afterwards skin becoms cold and patient uncovers. Camph.

Cramping.—C. pain in inner parts. Ang., Coloc., Cupr., Plat.

Cramp-like.—C. dragging in all joints. Paris.

C. or dull, pressing pains, coming on gradually and disappearing in same manner. Plat. (Stann.) (Reverse, Bell.)

C. pains in various parts. Euphr.

C. sensation in various parts. Graph.

Painful c. contractions in different portions of body. Coloc.

Tenderness and c. drawing and tearing in variaus parts. Mang.

Cramps.—Painful c. and cramp-like contractions in different portions of body. Coloc.

Crampy.—Colicky or c. pains. Coloc.

Dull stitches, sometimes with a c. sensation, sometimes pressing, sometimes conveying sensation of shock or jerk, sometimes itching in different parts of body, in limbs, arms, feet, toes, in side or in back, always in outer parts; places are painful on pressure, as if sore or bruised. Cina.

Craves.—C. boiled eggs.

Crawling.—C., creeping sensation, accompanied with sense of numbness, followed with feeling of swelling. Acon.

C., formication or tingling of hands. Ign.

C. over body, as from a fly, from below upwards in a straight line, followed by numbness of parts. Euphr.

Formication, c. and numbness, with all sorts of pains. Coloc.

Itching and c., as from fleas, on different parts of body. Pallad.

Crazy.—Spasmodic contractions of almost all muscles, with feeling as if would go c. if did not hold tightly upon self. Lil-tig. (Associated with diseases of uterus.)

Creep.—Feeling as if wanted to c. into self and could not sufficiently draw, contract or crouch. Cimex.

Creeping.—Crawling, c. sensation, accompanied with sense of numbness, followed with feeling of swelling. Acon.

Daily attacks of indescribable, sudden debility, commencing with chilly, c. sensations under right leg. Hep-s.

Sensation of c., like a mouse. Alu., Laur., Nux-v.

Sensation of c., like a mouse, in limbs. Calc-c., Sulph.

Crepitation.—Sensation of c. in joints on moving. Rhus-r.

Cries.—Child must be carried; it c. if touched; will not allow pulse to to be felt. Tart-em.

Slightest motion after a fall extorts c. Hyper.

Crooked.—Worse from sitting c. Tart-em.

Cross.—Pain as if bruised in outer parts, which makes patient c. Nux-v.

Crowd.—Fainting in a c., company. Plumb.

Crusts.—Thick c. all over body. Dulc.

Curdy.—Glands suppurate and discharge thin, corrosive or c. substance. Kali-jod.

Cured.—Despairs of being c. and is very restless and exhausted, very weak on attempting to move. Ars.

Current.—Over-sensitive to external impressions, such as odors, light, noise or music, slight c. of air; every harmless word offends; even suitable medicine aggravates. Nux-v.

Cutting.—Bruised, burning, c., stinging, biting or contractive pains. Sulph.

C., as from a knife. Ign.

C. pain in inner parts. Calc-c., Canth., Kali-c., Merc., Sulph.

C. pain in outer parts. Bell., Calc-c., Dros., Natr-c.

C. pain where bones are least covered with flesh (not in joints); on touch pain goes to another part. Sang.

Induration, swelling and inflammation of glands, with lancinating, c., burning pains. Carbo-an.

Tearing, c., wandering pain, with rheumatism. Acon.

Cyanosis.—C. Cupr., Dig., Lach., Opi., Ver-a.

Cystic.—C. swellings. Calc-c.

Daily.—D. attacks of indescribable, sudden debility, commencing with chilly, creeping sensations under right leg. Hep-s.

Damp.—Catarrhal, rheumatic and other complaints, caused by exposure to d., cold weather. Dulc.

Damp air.—Aversion to open air, least cold, d. goes right through, and patient is constantly taking cold. Calc-c.

Worse from d. Still.

Dampness.—Worse from d. Natr-s.

Damp weather.—Great sensitiveness to d. Mur-ac.

Worse during hot, d. Aloe.

Worse from cold, d. Nux-m., Ruta.

Worse in cold, d. Rhod.

Worse in d. Gels.

Worse in warm, d. Carbo-v.

Dancing.—Better from d. Sep.

Dark.—Better in d. Calc-c., Euphr., Graph., Phos.

Better in d. room. Sang.

Eyes fixed upon d. side of room away from light. Stram.

Worse as soon as it gets d. Camph.

Worse in d. Am-m., Carbo-an., Caust., Stram., Valer.

Darting.—D. and lacerating in whole body, afternoon and evening. Ind.

D., lacerating pains, or lacerating with pressure. China.

D. pains in various parts. Abrot.

D., stinging pain in different parts of body at same time. Canth.

Jerking, rending, d. pains. Am-m., China.

Lacerating, lancinating or d. pains. Berb.

Sticking, stitching, d. pains. Kali-c.

Day.—Better during d. Merc.

Desire to lie down during d. Can-ind.

Tired and weary all d. Am-c.

Worse after midnight and during d. Anac.

Days.—Periodical return of symptoms on alternate d., or they antepone. Chin-s.

Dead.—Patient conscious, yet lies as if d. Carbo-v.

Deadness.—Emaciation and d. of affected parts. Thuja.

Sensation of d. in injured parts. Arn.

Deafness (see section on Ears).—Asthenopia: nervous d.; loss of appetite; flatulence, and nervous, hacking cough, with irritable nerves in anæmic, nervous persons. Asar.

Death.—Burning pains, with great anguish and fear of d. Ars.

Very anxious; restless, with forebodings; sometimes definite anticipations of time of d.; drawing, tearing or tingling pains; symptoms aggravated at night, also by warmth and motion. Acon.

Death-like.—Œdema, or swelling of whole body, with pallid, d. appearance. Apis.

Debilitating.—Tardy reaction after d. illness or sickness. Caps.

Debility.—Anæmia and d. from loss of fluids. Carbo-v. (China.)

Daily attacks of indescribable, sudden d., commencing with chilly, creeping sensations under right leg. Hep-s.

D. after gastric, billious and typhoid fevers. Hydr.

D. after pain, compelling patient to groan. Graph.

D. and great exhaustion. Sulph-ac.

D. and weakness; must lie down. Am-c.

D., exhaustion. Kali-jod.

D. of whole body, especially arms and hands. Ver-a.

D. of whole body, with listlessness and heavy head. Anthrak.

D.: patients want to be mesmerized; they are starving, without vital energy. Calc-ph.

D., with heaviness and relaxation of body. Sabad.

D., with sleepiness, from least exertion. Nux-m.

Emaciation and d. after loss of fluids. Lyc.

Emaciation, lassitude, d. Gum-gut.

Extreme d., prostration and restlessness. Sec. (Ars.)

Fainting and d., with perspiration. Dig.

Fainting fits, with hysterical d. Ign. (Nux-m.)

Frequent exhaustion; d.; must lie down. Kali-c.

General d. and impaired mental energy, with great drowsiness. Corn.

General d.; great prostration. Plumb.

General d., with sensation of heaviness in legs. Petr.

General d., with nervousness and irritability. Kali-ph.

Great d. Arg-n., Clem., Croton-tig., Iris, Mur-ac., Phos-ac., Rhus-t., Rumex.

Great d. after any exertion. Natr-c. (Ars.)

Great d. after loss of fluids, or severe illness, especially typhus, if patient is hopeless or despairs of recovery. Psor.

Great d. and emaciation. Acet-ac.

Great d. and lassitude, languor and faintness, weariness and indolence. Chelid.

Great d. and lassitude when walking, in morning. Chelid.

Great d. and prostration. Iod., Spong. (Ars., Bry., Phos., Graph., Natr-c.)

Great d. and trembling. Sulph. (Alu., China.)

Great d. and weakness. Sang.

Great d. and weakness on making least exertion. Carbo-v. (Ars.)

Great d., especially of females after protracted illness or defective nutrition. Alet.

Great d.; languor, with painful feeling of weight and sensitiveness in all limbs. Agar.

Great d., lassitude and trembling while standing up and without moving. Merc-cor.

Great d., with stitching of limbs and confusion of head. Senecio.

Great exhaustion and d. Kali-n.
Great internal d. Lyc.
Great lassitude and d. after eating, talking, or walking in open air. Actea-s.
Great nervous d. and sensibility. Nux-v.
Great weakness and d. Tabac.
Great weakness and d., with heaviness and trembling. Nitr-ac.
Languor, lassitude and d. Bov.
Lassitude, exhaustion and d., after severe illness. Ant-c.
Low, cachectic condition, with profound d. and great emaciation; almost like a skeleton. Iod.
Numbness, d., languor, fainting. Cedron.
Profound d., as after severe, acute diseases. Helon.
Rapid emaciation, with great loss of flesh, cold sweat and d. Ars.
Restlessness and d. Apoc.
Rheumatic and gouty affections of joints and nerves, accompanied by slight fever and great d. Ind.
Straining and over-lifting produces great d. Carbo-an.
Trembling and tremulous sensation, with general d. Arg-n. (Gels., Cupr., Merc.)
Trembling d. China.
Tremulousness, languor and d. Brom.
Weakness and d. after loss of animal fluids. Chin-s.
Weakness, d., languor, lassitude. Alu., Am-c., Anac., Ars., Bar-c., Calc-c., Carbo-v., Caust., China, Coni., Cupr., Dig., Ferr., Hyos., Iod., Kali-c., Laur., Lyc., Magn-c., Mur-ac., Nitr-ac., Nux-m., Nux-v., Olean., Petr., Phos., Phos-ac., Rhus-t., Ruta, Sec., Sep., Stann., Therid., Ver-a.

Deceptive.—Senses are d. Bell.

Declining.—Worse when moon is d. Dulc.

Decrease.—Erectile tumors, which have now an increase, and then a d. of blood. Lyc.

Decreasing.—Worse when moon is d. Alu., Thuja.

Deep.—Ulcers corrode and become d. without spreading in circumference. Kali-bi.

Dejection.—Lethargy and listlessness, with utter d. of mind. Am-c.

Dentition.—Reflex irritation during d. Podo.

Depressed.—D. condition of mind and body, with great appetite Natr-m.

Depression.—D. of both mental and physical powers. Naja.
Excessive d. and exhaustion. Ant-c.
Great d. and prostration of strength. Cic-v.
Great weakness, d., perspiration and sleeplessness. Cact.
Lassitude and d. Apis, Cist.
Mental dullness and physical d. Am-brom.
Physical and mental d. Grat.

Weakness, inactivity and general d. Am-m.
Weariness, d., heaviness and dull feeling. Hydroc.
Descending.—Faintness when d.; can ascend without difficulty. Stann.
Worse when d. Stann.
Desire.—D. for open air. Lyc. (Puls.)
D. to lie down during day. Can-ind.
D. to stretch and yawn; faint, weak and weary; fullness, with throbbing in various organs, as if they contained too much blood. Æsc.
Irresistible d. to lie down and sleep; the strength suddenly fails. Selen.
Despair.—Pains unendurable, driving patient to d. Coff.
Despairs.—D. of being cured and is very restless and exhausted, and very weak on attempting to move. Ars.
Great debility after loss of fluids, or severe illness, especially typhus, if patient is hopeless or d. of recovery. Psor.
Destructive.—Violent, d. inflammations, with burning pains. Canth.
Deterioration.—Inflammation, d., and sometimes gangrene of mucous surfaces. Agar.
Develop.—Exhaustion; not able to d. exanthemata. Zinc.
Development.—Tardy d. of bones, with lymphatic enlargements. Calc-c.
Digestion.—Better when eating and during d. Anac.
Laxness and weakness of whole muscular system, with emaciation, weakness of d. and coldness of extremities. Ferr.
Mucous membranes loaded with mucus, causing defective d. Ant-c.
Diminished.—Excretions, especially urine and sweat, d. Apoc.
Diminution.—D. of senses of smell, sight and hearing. Anac.
Dinner.—Better after d. Cinnab., Coca.
Dirty.—Discharges thin, offensive and excoriating, and if purulent are of a d., yellowish-green color and very offensive. Nitr-ac.
Disappear.—Pains appear and d. suddenly, rapidly, quickly. Kali-bi. (Bell.)
Pains d. when thinking of them. Camph. (Bar-c., Ox-ac.)
Pains d. when walking and return immediately when at rest. Stann.
Pains increase gradually, d. suddenly. Arg-m.
Pains suddenly appear and gradually d. Puls.
Disappearing.—Frequent, drawing pains constantly appearing and d. in almost all parts of body. Nitr-ac.
Discharge.—Glands suppurate and d. thin, corrosive or curdy substance. Kali-jod.
Discharges.—Burning, corroding d., often extremely offensive. Ars.
Carrion-like odor with d. Psor.
D. and excretions offensive. Sil.
D. from mucous membranes of tough, stringy mucus. Kali-bi.

D. thin, offensive and excoriating, and if purulent are of a dirty, yellowish-green color, and very offensive. Nitr-ac.

Fetid d. and exhalations, breath, stools, urine, sweat, ulcers. Bapt.

Putrid d. from orifices. Carb-ac.

Discharging.—Ulcers, burning like fire, and paining often during sleep, d. copious, bloody pus, or ichor, with blue, black, lardaceous bases. Ars.

Discomfort.—Feeling of d. in whole body in morning after rising, disappearing on moving about. Puls.

General feeling of d., lassitude and malaise. Card.

Discouraged.—Great indifference and apathy, d., irritable and fidgety. Apis.

Diseases.—Profound debility, as after severe, acute d. Helon.

Subject to fainting after debilitating d. Carbo-v.

Disinclination.—Great languor and d. to physical and mental exertion. Aspar.

Indifference and d. for any mental or physical work. Pic-ac.

Dislocated.—Feeling as if all joints were broken, swelled or d., at every motion. Paris.

Feeling in joints as if d. Agar.

Dislocation.—Sensation as of d. in joints. Ign.

Dissipation.—Paralysis, with numbness and coldness of paralyzed parts after apoplexy, sexual excesses, d. Nux-v.

Distance.—Exaggeration of duration of time and extent of space; seconds seem ages, a few rods an immense d. Can-ind.

Tired all over, as if had walked a great d., with aching in limbs; can stand only with difficulty. Lact-ac.

Distended.—Bloodvessels d., especially those of head, face and feet. Ferr.

Distention.—Feeling of d. in body. Cinnab.

Œdematous d. of all tissues by interstitial infiltration. Kali-jod.

Distortions.—D. Ign., Calc-c., Lyc., Natr-c., Natr-m., Petr., Phos., Rhus-t.

Distress.—Malaise, drowsiness, general feeling of d. Still.

Divided.—Feeling as if d. into halves, as if left side did not belong to patient. Sil.

Dizziness.—Cannot bear a downward motion, as in swing, rocking chair, or running down stairs; even seeing water running or pendulum of clock moving causes d. Borax.

D., with feeling of intoxication. Hydroc-ac. (Hydr.)

D., with yawning. Kali-c.

Doctor.—Goes into violent rage on seeing d.; says, "Go home, I am not sick; I did not send for you." Arn., Apis.

Down.—Physical and mental exhaustion and trembling in whole body; thinks will faint or sink d. from weakness. Lach.

Slides d. in bed. Hell.

Down stairs.—Faintness when going d., can ascend without difficulty. Stann.

Downward.—Cannot bear a d. motion, as in swing, rocking chair or running down stairs; even seeing water running or pendulum of clock moving causes dizziness. Borax.

Draft.—Sensitiveness to d. of air. Acon., Calc-c., Caust., Cham., Hep-s., Ign., Lach., Lyc., Nux-m., Nux-v., Sil., Stram.

Very sensitive to least d. of air. Acon. (Cocc., Nux-m.)

Worse in d. of air. Graph. (China, Nux-v., Selen.)

Dragging.—Cramp-like d. in all joints. Paris.

Draw.—Feeling as if wanted to creep into self and could not sufficiently d., contract or crouch. Cimex.

Drawn.—Lies on back with limbs d. up. Hell. (Merc-cor.)

Drawing.—Contractive, d. sensation from below upwards. Ind.

D. in many places, like transient jerks. Valer.

D., lacerating pains, here and there, in muscles of whole body, when sitting. Staph.

D. pains. Ant-c., Bry., Carbo-v., Caust., Cham., Cina, Hell., Hep-s., Kali-c., Kali-m., Lyc., Mang., Merc., Mur-ac., Nux-v., Plat., Plumb., Puls., Rhod., Rhus-t., Sabad., Stann., Staph., Stram., Tart-em., Tereb.

D. pains after a cold. Nitr-ac.

D. pains in various portions of body, while sitting. Staph.

D. pains in periosteum, or where skin covers bones. Cycl.

D. pains relieved when at rest. Bry., Sabad.

D. pains when at rest. Mur-ac., Rhod., Rhus-t.

D., rheumatic pains in different parts of body. Bry.

D. sensation, as before intermittents. Puls.

D. sensation through whole body. Bry., Graph., Merc-cor., Rhus-t

D., tearing pains. Actea-s.

Frequent d. pains, constantly appearing and disappearing, in almost all parts of body. Nitr-ac.

Painful, d. tension of whole body. Graph.

Pains, especially d., with pressure, commence slowly, increase gradually to a very high degree and decrease as slowly. Stann.

Paralytic sensations, accompanied by d., tearing pains and numbness. Cham.

Pressive, d., tearing pains, often ending in a stitch. Guaj.

Tearing, d. pains in various parts of body. Carbo-v.

Tearing, d. pains, quickly changing location. Colch. (Puls.)

Tearing, d., tensive pains excited by slightest chill. Phos.

Tenderness and cramp-like d. and tearing in various parts. Mang.

Very anxious; restless, with forebodings; sometimes definite anticipations of time of death; d., tearing or tingling pains; symptoms aggravated at night, also by warmth and motion. Acon.

Dread.—D. of exertion. **Natr-m.**
Great d. of open air. Kali-c.
Laziness and d. of motion. **Nux-v.**
Dreads.—Shuns all motion and d. exercise. **Caps.**
Dried up.—Marasmus: child wrinkles and looks like little, d. old man. Opi. (Arg-n.)
Drinking.—Better after d. Acon., Cedron., Cocc., Graph., Hyos., Ver-a.
Better from d. Cupr.
Worse after d. cold water. Rhus-r.
Worse after eating and d. Ars., Caps., China, Coloc., Ferr., Nux-m.
Worse from d. Cina, Plumb.
Worse from eating and d. Cist.
Drops.—Sensation as if d. of cold water were falling on head, or from heart or anus. Can-sat.
Dropsical.—Anasarca and d. affections. Acet-ac. (Ars.)
D. effusion to serous membranes, especially brain, thorax and peritoneum. Hell.
D. swelling of body. Dulc.
D. swellings. Calad.
General inclination to d. effusions and anasarca, with stinging pains. Apis.
Œdema or d. swelling of body. Samb.
Sudden d. swelling. Hell.
Dropsy.—Emaciation and d. Chin-s.
D. in internal cavities. Spong.
D. of internal and external parts. Dig.
D. of internal organs. Senecio. (Apis.)
Drowsiness.—D., torpor, lethargy. Nux-m.
Exhilaration, as after morphine, followed by d. Am-brom.
General debility and impaired mental energy, with great d. Corn.
Great languor, with weakness of knees and d. Nux-m.
Great prostration, languor and d. Æth.
Malaise: d.; general feeling of distress. Still.
Weakness and prostration, with irresistible d. Laur.
Drowsy.—D. and exhausted. Anagal.
Tired and d.; feeling of constriction in internal organs. Alu.
Weary, d.; malaise. Helon.
Drugs.—Want of susceptibility to d. Opi.
Drunk.—Giddy, as if d., as if balancing to and fro. Ferr.
Dry.—Ailments from west or northwest wind or d., cold wind or soon after. Hep-s.
Anthrax, burning like fire, with cold, blue skin, d. as parchment, peeling off in large scales. Ars.
Better in d. weather. Calc-c., China.

Better in d. weather and warmth. Am-c.
Mucous membranes d., swollen, burning and raw. Æsc.
Worse during d. weather. Sep. (Caust.)
Worse from d. weather. Caust.
Worse in d., cold air. Asar., Caust., Hep-s., Nux-v.

Dryness.—D. and inflammation of mucous membranes. Calad.
D. and erosions of mucous membranes. Natr-m.
D. of eyes, nose, lips, mouth, tongue and throat. Nux-m.
D. of inner parts. Bell., Calad., Calc-c., Phos., Seneg., Sulph.
D., with burning of mucous membanes. Tereb.
Sensation of d. Nux-m., Rhus-t.

Dull.—Weariness, depression, heaviness and d. feeling. Hydroc.

Dullness.—D. and languor, with sensation of heaviness through whole body. Chenop-v.
Mental d. and physical depression. Am-brom.

Duration.—Exaggeration of d. of time and extent of space; seconds seem ages, a few rods an immense distance. Can-ind.

Dwarfish.—D., defective mental and physical growth. Bar-c.

Dwarfishness.—D. Bar-c.

Ears.—Fainting after loss of blood or other animal fluids, with ringing in e., cold skin, cold perspiration. China.

Earth-colored.—General anasarca, with pale, waxy or e. skin and great thirst. Ars.

East.—Worse from e. wind. Hep-s., Spong.

Eating.—Better after e. Acon., Chelid., Cimicif., Iod., Puls.
Better while e. warm food. Aloe.
Fainting after e. Nux-v.
Weariness and heaviness after e. Staph.
Worse after e. Æsc., Æth., Agar., Aloe, Ant-c., Arg-n., Calc-c., Calc-ph., Clem., Coff., Hyos., Kali-c., Lach., Natr-m., Sep.
Worse after e. and drinking. Ars., Coloc., Cist., Ferr.
Worse after e., especially oysters. Lyc.
Worse after e. or drinking. Caps., China, Nux-m. (Ars.)
Worse during and after e. Am-c.
Worse from e. potatoes. Alu.
Worse from e. sweet things. Natr-c.
Better when e. and during digestion. Anac.
Worse while e. Can-ind., Corn.

Ebullitions.—E. and congestions. Phos.
E., with anxiety and weakness, as if paralyzed, with sore feeling in various parts. Am-m.
Trembling all over, with anxiety and e. of blood. Samb.

Ecchymosis.—E.: black-and-blue spots all over. Æth. (Arn).
Stagnation of blood in capillaries, causing blueness, coldness, e. Carbo-v.

Effusion.—Exudations after inflammation, with e. of lymph. Kali-chl.
Dropsical e. to serous membranes, especially brain, thorax and peritoneum. Hell.

Effusions.—Chronic inflammation of serous membranes, with profuse serous e. Ars.
General inclination to dropsical e. and anasarca, with stinging pains. Apis.

Egg.—Weariness, weakness and faintness, associated with indigestion, gastric derangements and distress, as if a hard-boiled e. or something were knotted in the stomach. Abies-n.

Eggs.—Craves boiled e. Calc-c.

Electric.—Shooting pains, like e. shocks, here and there. Cimicif.
Susceptibility to e. changes. Petr.
Twitching, like e. shocks, through one side of body. Colch.

Electricity.—Shocks of pain, as from e. Ver-a.

Emaciated.—Atrophy of children; child tall, slender, e., big-bellied. Phos.
Flabby, shrunken, e. children. Calc-ph.

Emaciation—Anæmia and e. Chloral.
E. Am-c., Ant-c., Ars., Asclep-tub., Bar-c., Calc-c., China, Cocc., Ferr., Graph., Iod., Lyc., Natr-m., Nitr-ac., Nux-v., Petr., Phos., Phos-ac., Plumb., Puls., Sars., Sec., Sil., Stann., Sulph., Tabac., Tereb., Ver-a.
E. and deadness of affected parts. Thuja.
E. and debility after loss of fluids. Lyc.
E. and dropsy. Chin-s.
E. and loss of appetite. Kali-jod.
E., especially of upper arms and thighs. Nitr-ac.
E., irritability. Petr.
E., lassitude, debility. Gum-gut.
E. of children; face has very old look. Sulph. (Arg-n., Opi.)
E. of suffering parts. Graph., Led.
E., sensitiveness to cold air. Natr-ars.
E., with marked appetite. Petr.
E., with withered, old-man look. Arg-n.
Extreme e. Plumb., Sulph. (Ars., Phos., Natr-m.)
Extreme e. with great hunger. Iod.
Extreme, rapid e.; is reduced almost to a skeleton. Phos.
General e., most conspicuous about neck, which is very thin and shrunken. Natr-m.
Gradual or rapid e. Iod.
Great debility and e. Acet-ac.
Great e. Ars., Canth., Iod., Phos., Stram.
Great e., especially face, thighs and hands. Selen.
Great e.; skin becomes shriveled or lies in folds. Sars.
Great e.; weight reduced seventy pounds. Hydr. (Phytolacca berries).

Laxness and weakness of whole muscular system, with e., weakness of digestion and coldness of extremities. Ferr.

Low, cachectic condition, with profound debility and great e.; almost like a skeleton. Iod.

Muscular relaxation and e. Lach.

Nervous restlessness, with e. and constant thirst for small quantities of water. Ars.

Progressive e., with dry cough and hæmoptysis. Acaly.

Rapid e. Kreas.

Rapid e. and prostration. Ars-jod.

Rapid e. of paralyzed parts. Sec.

Rapid e. with great loss of flesh, cold sweat and debility. Ars.

Emotions.—Affections from sudden e. Coff.

Chlorosis in sensitive, nervous and hysterical women, inclined to spasmodic and intermittent complaints, induced by mental e., such as grief, fright or disappointed love. Ign.

Fainting from sudden e. Coff.

Trembling e. and tremor of whole body, especially in arms. Coni.

Emptiness.—Faintness with sensation of e. in abdomen after stool. Podo.

Feeling of e. in internal parts. Cocc.

Feeling of e. in whole body, as if were hollow. Kali-c.

Encumbered.—Feels uneasy and e. by clothing. Nux-v.

Endurance.—Great physical vigor and great e., in spite of slight nourishment and little sleep. Coca.

Energy.—Debility: patients want to be mesmerized; they are starving, without vital e. Calc-ph.

General debility and impaired mental e., with great drowsiness. Corn.

Loss of e. Eryng.

Want of e. Carbo-an.

Enervation.—E. of whole body. Cycl.

Engorgment.—E. of glands. Bell. (Merc-jod.)

Impaired nutrition and tendency to glandular e. Calc-c.

Enlargement.—Tardy developement of bones, with lymphatic e. Calc-c.

Enovial membranes.—Pains in ligaments, tendons and e.; worse at rest and on beginning to move, and better from continued motion. Rhus-t.

Envy.—Ill-effects from e., pride or chagrin. Staph.

Epistaxis.—Fainting with e. Croc., Lach.

Erect.—Better when sitting e. Lact.

Stoop-shouldered; cannot walk e. Sulph.

Erosions.—Dryness and e. of mucous membranes. Natr-m.

Eructations.—Better from e. Cinnab., Nitr-ac.

Eruption.—Exhaustion; not able to develop e. Zinc.

Eruptions.—Scrofulous e. and ulcers in children. Calc-c.

Ether.—Feeling as if inhaling e. Glon.

Evening.—Darting and lacerating in whole body, afternoon and e. Ind.

Greater weariness in morning after rising than in e. on going to bed. Nux-v.

Lassitude in e.

Startings, like convulsive shocks, in affected parts, on going to sleep in e. Ars.

Trembling, like shivering, in e. Anagal.

Very tired in e. Pallad.

Worse e. and night. Acon., Am-c.

Worse in morning, or from e. till midnight. Anac.

Worse in e. Acon., Ambr., Am-c., Ant-c., Am-m., Asaf., Bell., Caps., Caust., Colch., Cycl., Euphr., Guaj., Hell., Hyos., Kali-c., Kali-n., Lach., Lyc., Magn-c., Meny., Merc., Mez., Nitr-ac., Phos., Plat., Puls., Ran-b., Ran-sc., Sep., Stann., Stront., Sulph., Sulph-ac., Tart-em., Zinc.

Exaggeration.—E. of duration of time and extent of space; seconds seem ages, a few rods an immense distance. Can-ind.

Exaltation.—E. of all powers of mind and body. Can-ind.

Physical excitement through mental e. Coff.

Exalted.—Great hyperæsthesia of all senses and e. susceptibility to impressions. Cocc.

Exanthemata—Exhaustion; not able to develop e. Zinc.

Excitable.—E.; over-sensitive; least unpleasant impression prostrates. Phos.

Excitability.—Congestion followed by inflammation, with full bounding pulse; great heat; restlessness; thirst; great nervousness and e.; anguish of mind and fear of death. Acon.

E. and sensibility of all organs. Merc.

Excited.—Weak, sick feeling, with trembling when e.; lame and sore all over. Abrot.

Excitement.—Excessive irritability of mind and body; vascular e. Gels.

Ill-effects from loss of sleep and night-watching, and mental e. Cocc. (Nux-v.)

Physical e. through mental exaltation. Coff.

Trembling over whole body from e., exercise and pain. Cocc.

Worse after mental e. Cist.

Excoriating.—Discharges thin, offensive and e., and if purulent are of a dirty, yellowish-green color and very offensive. Nitr-ac.

Excoriation.—E. of mucous membranes. Kreas. (Hydr.)

Excretions.—Discharges and e. offensive. Sil.

E., especially urine and sweat, diminished. Apoc.

Offensive e. Guaj.

Suppression of all secretions and e. Stram.

Exercise.—Aversion to all e. Caps.
Better from continuous e. Caps.
Better from slight e. Ferr.
Easily fatigued by least e. Carb-ac.
Fainting from e. Nux-v.
Great weakness after little e. Can-sat.
Ill-effects from over-lifting or from e. Millef.
Lassitude, with perspiration, after least e. Cocc-c.
Shuns all motion and dreads e. Caps.
Trembling over whole body from excitement, e. and pain. Cocc.
Weak and nervous; a little e. causes palpitation. Chin-s.
Worse at beginning of e. Caps.
Worse from e. Apis, Physos.
Worse during e. Merc.
Worse when sitting after long e., or on rising after having been sitting for a long time. Puls.

Exertion.—Great weakness and exhaustion after e. Colch.
Better from e. of body. Sep.
Better from e. of mind. Croc., Natr-c.
Debility, with sleepiness, from least e. Nux-m.
Dread of e. Natr-m.
Easily tired by bodily e. Calc-c.
Exhaustion, as after great e., especially in arms and thighs. Gauj.
Exhaustion from slightest e.; must lie down. Ars.
Extreme exhaustion and heaviness after slight e., with great anxiety, nausea, pale face and difficult breathing. Spong.
Faints after every e. Therid.
Fainting after least e. Ver-a.
Fainting fits after making least e. Nux-v.
Fatigue from slightest e. Cycl., Sep.
Great debility and weakness on making least e. Carbo-v.
Great debility after any e. Natr-c. (Ars.)
Great weakness and relaxation of all physical and mental powers after e. or after long talking. Natr-m.
Great weakness, as after great e. Kali-n.
Great weakness from least e. Natr-m. (Ars.)
Tired feeling on least e. Pic-ac.
Weakness from e. Lyc. (Ars.)
Worse after least e. Natr-c.
Worse from e. Natr-m.
Worse from e. of body. Arn., Ars., Bry., Cocc., Croc., Lyc., Rhus-t., Sulph.
Worse from e. of mind. Calc-c., Ign., Nux-v., Sep.
Worse from motion and e. Pallad.

Exhalation.—Constant vaporous e. from body. Grat.

Exhalations.—Fetid discharges and e., breath, stools, urine, sweat, ulcers. Bapt.

Exhausted.—Despairs of being cured and is very restless and e., very weak on attempting to move. Ars.

Drowsy and e. Anagal.

Easily e. by walking. Carbo-an.

E. by slight trouble in remote part, such as itching. **Ars.**

E., faint and as if paralyzed after short walk. Coni.

Thoroughly e. after a walk. Can-ind.

Weak and e. Sulph-ac.

Exhausting.—Anæmia, with chlorosis; defective menstruation; poverty of blood after hæmorrhages, deficiency of light, air or suitable food, or after e. diseases. Ferr.

Exhaustion.—Debility and great e. Sulph-ac.

Debility, e. Kali-jod.

Excessive depression and e. Ant-c.

Excessive prostration, e. faintness. Sep.

E. Hep-s.

E. after mental effort. Natr-c.

E., as after great exertion, especially in arms and thighs. Guaj.

E., causing trembling and knocking together of knees. Berb.

E. from night work. Colch. (Cocc., China, Nux-v.)

E. from slightest exertion; must lie down. Ars.

E.; not able to develop exanthemata. Zinc.

E. of vital forces. Caps., Carbo-v. (Laur.)

E., with defective reaction. Am-c.

Extreme e. and heaviness after slight exertion, with great anxiety, nausea, pale face and difficult breathing. Spong.

Faintness, e., great prostration. Dig.

Frequent e.; debility; must lie down. Kali-c.

General weakness and great e. Hydroc-ac.

Great e. Coni.

Great e. and debility. Kali-n.

Great e. and prostration. Phyt.

Great e. on ascending. Calc-c.

Great physical and mental e. in morning. Lach.

Great weakness and e. Bry., Ign. (Ars., China, Phos., Sec.)

Great weakness and e. after exertion. Colch.

Lauguor, lassitude, e. Diad.

Lassitude, e. and debility after severe illness. Ant-c.

Physical and mental e. and trembling in whole body; thinks will faint or sink down from weakness. Lach.

Profound prostration or e. Carbo-ac.

Reading aloud or talking produces great e. Stann. (Cocc.)

Weakness and e. of whole body. Graph.

Exhilaration. — E., as after morphine, followed by drowsiness. Am brom.

Expanded.—Sensation as if body, and especially face and head, e. Arg-n. (Glon., Gels.)

Exposure.—Catarrhal, rheumatic and other complaints, caused by e. to damp, cold weather. Dulc.

Ill-effects from e. to sun's rays or to heat Glon.

Takes cold easily from e., but especially in warm, moist air. Ham.

Extension.—Contraction of parts alternating with e. Lyc.

Involuntary, spasmodic, alternate e. and contraction of muscles. Lyc.

External.—Great sensitiveness to e. influences. Chin-s.

Internal burning and e. coldness. Mez.

Over-sensitiveness to e. impressions, such as odors, light, noise, or music, slight current of air; every harmless word offends; even suitable medicine aggravates. Nux-v.

Externally.—Raw and sore pain in whole body, internally and e. Canth.

External parts.—Dropsy of internal and e. Dig.

E. become black. Ign.

Fainting, with coldness of e. Coloc.

Inflammation of e. Euphorb., Ign.

Quivering in e. Asaf., Kali-c., Mez., Natr-c.

Sensation of constriction in e. Sil. (Internal parts. Bell., Cact.)

Extremities.—Bruised pain in lower e. Berb., Ruta.

Laxness and weakness of whole muscular system, with emaciation, weakness of digestion, and coldness of e. Ferr.

Exudations.—E. after inflammation, with effusion of lymph. Kali-chl.

Inflammations ending in e. and suppurations. Merc.

Eyes.—E. fixed upon dark side of room away from light. Stram.

Must lie down and close e., and seems as if patient is being rocked. Calad.

Perspiration day and night, as soon as patient sleeps, or even on closing e. Coni.

Worse from turning e. Spig.

Face.—Deep furrows in forehead or f., with flabby, fan-like motion of alæ nasi. Lyc.

Fainting, with pale f. Acon., Berb., Lach., Natr-m., Nux-v.

Faces.—Old misers with wrinkled f. Lyc.

Failing.—Rapid f. of strength. Iod.

Fails.—Irresistible desire to lie down and sleep; strength suddenly f. Selen.

Faint.—All ailments are accompanied by sleepiness and tendency to f. from slight pain. Nux-m.

Desire to stretch and yawn; f., weak and weary; fullness, with throbbing in various organs, as if they contained too much blood. Æsc.

Exhausted, f., and as if paralyzed after short walk. Coni.
F. and tired; wants to sit down. Alu.
F., anxious and weak; pale in morning. Ars.
F., nervous vibrations, seeming to reach interior of bones. Meph.
F. sensation on rising or after mental exertion. Calad.
Physical and mental exhaustion and trembling in whole body; thinks will f. or sink down from weakness. Lach.
Sick and f. in morning, in bed. Coni.
Tendency to f. from odors. Nux-v.
Weak, f. spells, with flushes of heat. Croton-tig.

Fainting.—F. after eating. Nux-v.
F. after least exertion. Ver-a.
F. after loss of blood or other animal fluids, with ringing in ears, cold skin, cold perspiration. China.
F. after lying down. Calad.
F. after rising too early. Kreas.
F. after rising up from lying. Acon., Calad.
F. and debility, with perspiration. Dig.
F. at certain hours of day. Lyc.
F. at night. Mosch., Nux-m.
F. from anæmia. Mosch.
F. from exercise. Nux-v.
F. from heat of room. Kreas., Spig.
F. from pains in stomach. Ran-sc.
F. from riding in carriage. Berb.
F. from sudden emotion. Coff.
F. from walking in open air. Ferr., Kali-c., Seneg.
F. in a crowd; company. Plumb.
F. produced by slight pains. Cocc., Hep-s., Nux-m.
F., syncope. Acon., Ars., Cham., China, Croc., Dig., Hep-s., Nux-m., Nux-v., Oleand., Seneg., Sep., Stram., Sulph., Tart-em., Ver-a.
F. when lying on side. Lyc., Sil.
F. when rising. Bry., Opi.
F., with agitation of chest. Acon., Bell.
F., with asthma. Berb., Kreas., Lach.
F., with coldness of external parts. Coloc.
F., with coldness of limbs. Acon., Calc-c., Coloc., Ver-a.
F., with epistaxis. Croc., Lach.
F., with formication and tremor of feet. Borax.
F., with numbness of limbs. Acon., Natr-m.
F., with pain in heart. Lach.
F., with pains. Ran-s. (Hep-s.)
F., with pale face. Acon., Berb., Lach., Natr-m., Nux-v.
F., with paleness of cheeks, which are red when lying. Acon., Lach.
F., with palpitation of heart, followed by sleep. Nux-m.

F., with perspiration. Dig. (With cold perspiration. Lach.)
F., with pressure on heart. Petr.
F., with trembling. Nux-v., Petr.
F., with vomiting. Ipec., Kali-c., Lach., Sulph.
Frequent f. from weakness, with scarcely perceptible pulse. Ars.
Frequent, sudden attacks of f. Hydr.
Hysterical f. Gels., Ign., Mosch.
Long-lasting f. spells. Hydroc-ac. (Ver-a.)
Nausea and f. in morning when getting up, or when rising up in bed, or from slightest motion. Bry. (Acon.)
Numbness, debility, languor, f. Cedron.
Over-sensitiveness to pain; f. from slightest pain. Hep-s.
Pain, with thirst and redness of cheeks; f.; congestion of blood to head. Acon.
Subject to f. after debilitating disease. Carbo-v.
Sudden paroxysm of f. Rhus-t.

Fainting fits.—F. Ver-a.
F. after making least exertion. Nux-v.
F., with hysterical debility. Ign. (Nux-m.)
F., with subsequent weakness. Ferr.
F., with vertigo. Kali-n.

Faint-like.—F. weakness. Carbo-v.
F. sinking of strength. Caust.

Faintness.—Boring, stinging, gnawing pains, with f. Ran-sc.
Excessive prostration, exhaustion, f. Sep.
Great debility and lassitude, languor and f., weariness and indolence. Chelid.
F. Absinth.
F., exhaustion, great prostration. Dig.
F., goneness; great weakness and prostration. Hydr.
F. on attempting to sit up. Acon.
F., weakness and shuddering. Merc-cor.
F. when going down stairs; can ascend without difficulty. Stann.
F. when walking in open air. Senecio.
F., with sensation of emptiness in abdomen, after stool. Podo.
Lassitude, f. and constant yawning. Asar.
Malaise, f. and prostration. Eucalyp.
Restless, trembling, f. Dios.
Sticking, shooting pains, with f. Merc-jod.
Weakness and f., associated with gastric derangement. Abies-c.
Weakness, prostration, f. Canth.
Weariness, weakness and f., associated with indigestion, gastric derangements and distress, as if a hard-boiled egg, or something, were knotted in the stomach. Abies-n.

Faints.—F. after every exertion. Therid.
F. on going into room full of company. Plumb.

Fall.—Bruised, sore feeling all over, as from a f. or blow (Arn., Bad., Led.); worse in limbs and joints. Ruta.

Hair and nails f. off. Hell.

Falling.—Sensation as if drops of cold water were f. on head, or from heart, or anus. Can-sat.

Sensation of f., in children; child starts and grasps nurse or crib, and screams out for fear of f. Gels.

Falls.—Awkwardness, everything f. from hands. Bov. (Apis.)

Fan-like.—Deep furrows in forehead or face, with flabby, f. motion of alæ nasi. Lyc.

Fanned.—Wants to be f. hard. Carbo-v.

Fast.—Ill-effects from growing too f. Phos-ac.

Fasting.—Better from f. Cham.

Sensation as if had been f. long time. Ign. (Suitable to persons who have been starving, either from want or other causes.)

Worse while f. Croc., Natr-m.

Fat.—Child looks plump and f., yet flesh is flabby. Hep-s.

Tendency in children and young persons to grow very f. Calc-c.

Worse from f. food. Merc-cor.

Fatigue.—F. Calc-c., Can-sat., Gels., Merc., Nux-v., Pic-ac.

F. after thunder storm. Rhod., Sil.

F. from hearing others talk. Alu., Am-c., Ars., Ver-a.

F. from least exertion. Sep.

F. from slightest exertion. Crotal., Cycl.

F. from speaking. Sulph.

Great f. after walking. Cor-r.

Great f. and lassitude. Casc.

Great tiredness or f. Gels.

Inability to undergo least f. China.

Increased ability to exercise muscles without f. Fluor-ac. (Coca.)

Languor, f., torpor. Naja.

Unusual buoyancy, enabling one to ascend great heights, or run rapidly, without sense of f. or loss of breath. Coca.

Fatigued.—Easily f. Natr-m.

Easily f. by least exercise. Carb-ac.

F. feeling. Arg-n.

Trembling weakness; languid and restless; easily f. Gels.

Fatigues.—Talking f. and excites pains. Sulph.

Fats.—Ill-effects from eating pork or f. Puls.

Fauces.—Loss of sensibility over body and in f., larynx, urethra, etc. Kali-brom.

Fear.—Burning pains, with great anguish and f. of death. Ars.

Sensation of falling in children; child starts and grasps nurse or crib and screams out for f. of falling. Gels.

Features.—Sepsis, with sunken f. and hectic or typhoid symptoms. Carbo-v.

Feel.—Bed feels hard, makes patient f. sore and bruised. Bapt. (Arn.)
Joints, bones and periosteum f. sprained. China.

Feeling.—Bruised f., as if broken, all over body. Eupat-perf.
Bruised f., with soreness in whole body. Am-c.
Bruised, sore f. all over, as from a fall or blow (Arn., Bad., Led.), worse in limbs and joints. Ruta.
Bruised, sore f. of body. Hep-s.
Dizziness, with f. of intoxication. Hydroc-ac. (Hydr.)
Fatigued f. Arg-n.
F. as if all joints were broken, swelled or dislocated, at every motion. Paris.
F. as if divided into halves, as if left side did not belong to patient. Sil.
F. as if had grown taller. Pallad.
F. as if had taken violent cold. Carb-ac.
F. as if hidebound. Croton-tig.
F. as if hoop or band were around different parts. Anac.
F. as if inhaling ether. Glon.
F. as if intoxicated. Hydr.
F. as if muscles were too short. Bov.
F. as if pulled by the heart. Acon., Laur., Nux-v.
F. as if wanted to creep into self and could not sufficiently draw, contract or crouch. Cimex.
F. as of contusion in glands. Coni.
F. as of something alive in glands. Spong.
F. in joints, as if dislocated. Agar.
F. of coldness in various parts. Berb.
F. of discomfort in whole body in morning after rising, disappearing on moving about. Puls.
F. of distention in body. Cinnab.
F. of emptiness in internal parts. Cocc.
F. of emptiness in whole body, as if were hollow. Kali-c.
F. of fullness throughout body. Glon.
F. of great lightness of body. Mez.
F. of great prostration, with pain in stomach. Podo.
F. of great weakness, as from loss of fluids. Lachn.
F. of heat over whole body with thirst. Al-cep.
F. of numbness and rigidity in different parts of body. Plat.
F. of numbness in lower half of body. Spong.
F. of roughness in inner parts. Carbo-v., Nux-v., Phos., Sulph.
F. of soreness, as if beaten or pounded, with prostration. Phyt.
F. of weakness and trembling of all limbs. Hyper.
F. when walking, as if leaned forward and to left side. Asclep.
Formication, or constrictive f., in many parts. Kali-n.
General bruised f. of body, as if sore. Cimicif.
General f. of discomfort, lassitude and malaise. Card.

General lassitude and f. of weariness; becomes tired easily. Ham.
Great debility; languor, with painful f. of weight and sensitiveness in all limbs. Agar.
Heavy, tired f.; patient is always tired. Pic-ac.
Hot f. from head to stomach. Sang.
Indescribable sick f. all over. Bapt.
Internal f., as of approaching illness. Chin-s.
Languid, tired f. Dios.
Light and airy f.; legs feel as if floating in air. Sticta.
Malaise; drowsiness; general f. of distress. Still.
Numb, prickling, paralytic f. over whole body, more on left side. Bapt.
Painful, bruised f. over whole body. Sil.
Paralytic f. in arms, legs and spine. Æsc.
Sick and paralytic f. in body, as if paralyzed, mentally and physically. Phos.
Sick f. in whole body. Nitr-ac.
Spasmodic contractions of almost all muscles, with f. as if would go crazy if did not hold tightly upon self. Lil-tig. (Associated with diseases of uterus.)
Tired and drowsy; f. of constriction in internal organs. Alu.
Tired, bruised, sick f. all over body. Bapt.
Tired f., with weariness and restlessness in limbs. Indium.
Tired f. on least exertion. Pic-ac.
Trembling, with f. of lassitude. Apis.
Weak and languid f., as after long and severe illness. Asclep.
Weak, languid f., no desire to do anything. Bapt.
Weakness and bruised f. through whole body. Croton-tig.
Weak, sick f., with trembling when excited; lame and sore all over. Abrot.
Weariness, depression, heaviness and dull f. Hydroc.
Worse when sitting bent, yet there is a f. that must bend. Kalm.

Feels.—Body f. bruised, with sensation of coldness. Phos.
Easily startled when awake and then f. throbbing and palpitation. Camph.
F. uneasy and encumbered by clothing. Nux-v.
F. wasted and worn out, as if run down. Pic-ac.
Flesh f. as if beaten off of bones. Thuja.
Weakness and complete muscular relaxation; f. too weak to stretch out hand or do anything. Lob.
Whole body f. bruised, with soreness in all bones. Merc.
Whole body f. painful, as if bruised. Magn-m.

Feet.—Cannot bear pressure on any part; could not rest back against chair; obliged to change position often; f. painful from resting on floor. Bapt.
Fainting with formication and tremor of f. Borax.
General anæmia, with œdematous f. Arg-m.

Tendency to take cold in head and f. Sil.
Tendency to take cold when uncovering f. Sil.
Weary and tired when sitting, especially in f. Magn-c.
Worse on f. becoming cold. Sil.

Festering.—F. pain. Phos., Puls., Ran-b.
Pain, as from subcutaneous ulceration or f. Puls.

Fetid.—F. discharges and exhalations, breath, stool, urine, sweat, ulcer. Bapt.
Sphacelus; parts look black and burn like fire, with f. odor. Ars.

Fever.—Acute inflammation: inflammatory f.; hæmorrhages of bright-red blood. Acon.
Debility after gastric, bilious and typhoid f. Hydr.
During f. or pains in abdomen, patient covers up but afterwards skin becomes cold and patient uncovers. Camph.
Inflammation and f. following a cold. Acon.
Rheumatic and gouty affections of joints and nerves, accompanied by slight f. and great debility. Ind.

Fibers.—Relaxed f. Caps.

Fidgets.—F. Zinc.

Fidgety.—Great indifference and apathy; discouraged, irritable and f. Apis.
Restless, f.; starts at least noise. Sil.

Filthy.—Body has f. odor, smell, even after bath. Psor.

Finger.—Sensibility of all the nerves, even imagination of some person scratching slightly on linen or paper with the f. nails. Asar.

Fire.—Anthrax, burning like f., with cold, blue skin, dry as parchment, peeling off in large scales. Ars.
Sphacelus; parts look black and burn like f., with fetid odor. Ars.
Ulcers, burning like f., and paining often during sleep, discharging copious, bloody pus or ichor, with blue, black, lardaceous bases. Ars.

Fistulous.—Deep, f., carious ulcers. Calc-c.

Fixedly.—Better when looking f. at an object. Natr-c.
Worse on looking f. at an object. Calc-c., Cina, Kali-c., Lyc., Natr-m., Rhod., Ruta, Seneg., Sil.

Flabby.—Child looks plump and fat, yet flesh is f. Hep-s.
Deep furrows in forehead or face, with f., fan-like motion of alæ nasi. Lyc.
F., shrunken, emaciated children. Calc-ph.
Malnutrition: patient f., weak and sluggish; has profuse sweats and discharges, with cold, damp extremities. Calc-c.
Muscles soft and f. Calc-c.

Flaccidity.—F. and laxness, with weakened condition of muscular structures. Magn-c.

Flattered.—Pride easily wounded; wants to be f. Pallad.

Flatulence.—Asthenopia: nervous deafness; loss of appetite; f. and nervous hacking cough, with irritable nerves in anæmic, nervous persons. Asar.

Flatus.—Better from discharge of f. Aloe, Coloc.

Fleas.—Itching and crawling, as from f., on different parts of body. Pallad.

Flesh.—Child looks plump and fat, yet f. is flabby. Hep-s.

Cutting pain where bones are least covered with f. (not in joints); on touch pain goes to another part. Sang.

F. feels as if beaten off of bones. Thuja.

Loss of f. when living well. Natr-m.

Pain as if contused or sprained, with sensation as if f. were loose on bones in consequence of blows. Ign.

Pain as if f. were torn loose from bones, or as if bones were being scraped. Rhus-t.

Pains seem to be between skin and f. Zinc.

Rapid emaciation with great loss of f., cold sweat and debility. Ars.

Sensation of looseness of f. Bry., Nitr-ac., Rhus-t., Sulph.

Floating.—Light and airy feeling; legs feel as if f. in air. Sticta.

Floor.—Connot bear pressure on any part; could not rest back against chair; obliged to change position often; feet painful from resting on f. Bapt.

Flow.—Profuse f. of watery serum from mucous membranes. Elat.

Fluids.—Anæmia and debility from loss of f. Carbo-v. (China.)

Emaciation and debility after loss of f. Lyc.

Fainting after loss of blood or other animal f., with ringing in ears, cold skin, cold perspiration. China.

Feeling of great weakness, as from loss of f. Lachn.

Great debility after loss of f. or severe illness, especially typhus, if patient is hopeless or despairs of recovery. Psor.

Weakness and debility after loss of animal f. Chin-s.

Weakness and prostration after loss of animal f., or after long and severe illness. China.

Flushes.—F. of heat all over. Crotal. (Lach.)

F. of heat during climacteric age. Sulph-ac. (Puls., Lach.)

Weak, faint spells, with f. of heat. Croton-tig.

Fluttering.—Giddy f. on awaking; must rise or smother. Kali-jod.

Fly.—Crawling over body, as from a f., from below upwards in a straight line, followed by numbness of parts. Euphr.

Folds.—Great emaciation; skin becomes shriveled or lies in f. Sars.

Foolish.—Does f. things; behaves like one mad. Hyos.

Food.—Anæmia with chlorosis; defective menstruation; poverty of blood after hæmorrhages, deficiency of light, air or suitable f., or after exhausting diseases. Fear.

Great weakness with aversion to all f. Ipec.

Worse from cold f. Arg-n.

Forebodings.—Very anxious; restless, with f.; sometimes definite anticipations of time of death; drawing, tearing or tingling pains; symptoms aggravated at night, also by warmth and motion. Acon.

Forehead.—Deep furrows in f. or face, with flabby, fan-like motion of alæ nasi. Lyc.

Formation.—Tendency to f. of abscesses. Hep-s.

Formication.—Crawling, f. or tingling of hands. Ign.

Fainting with f. and tremor of feet. Borax.

F., crawling and numbness with all sorts of pains. Coloc.

F. of whole body. Phos-ac.

F., or constrictive feeling, in many parts. Kali-n.

Itching and f. of various parts. Gum-gut.

Numbness, tingling, f. Acon.

Forward.—Feeling when walking as if leaned f. and to left side. Asclep.

Restless, constantly changing position or throwing body to and fro, f. and backward, especially hands and feet. Bell.

Foul.—Body and breath smell f. Merc.

F. smelling secretions. Carbo-v.

Fresh air.—Better from f. Arg n., Can-ind., Cist., Lil-tig.

Better in f. Cact.

Longing for f. Puls. (Lyc.)

Fright.—Chlorosis in sensitive, nervous and hysterical women, inclined to spasmodic and intermittent complaints, induced by mental emotions, such as grief, f. or disappointed love. Ign.

Convulsive twitching, especially after f. or grief. Ign. (Gels., Opi.)

Ill-effects from f. Opi.

Trembling of whole body, as if from f. Stram. (Gels).

Worse from f. Cupr.

Frighten.—Night and solitude f. patient. Camph.

Frozen.—Itching, burning and redness of parts, as if f. Agar.

Fruits.—Worse from eating juicy f. Calc-ph.

Full.—F., plethoric habit. Ferr.

Worse during f. moon. Alu., Graph., Sulph.

Fullness.—Desire to stretch and yawn; faint, weak and weary; f., with throbbing in various organs, as if they contained too much blood. Æsc.

Feeling of f. throughout body. Glon.

Sensation of f. in inner parts. Acon., China, Mosch., Phos., Sulph.

Sensation of f. in outer parts. Phos.

Furrows.—Deep f. in forehead or face, with flabby, fan-like motion of alæ nasi. Lyc.

Future.—Over-sensitive to least impression; is very indignant, with great concern for f. Staph.

Gaiety.—Sudden changes in sensation, as from g. to sadness. Croc.

Gait.—Great languorr with staggering g. or trembling of body. Magn-s.

Gangrena senilis.—G. Lach.

G. sicca, with coldness and desire for warm covering. Ars.

Gangrene.—G. or carbuncles after blood-poisoning. Lach.

Inflammation, deterioration, and sometimes g. of mucous surfaces. Agar.

Gangrenous.—G. degeneration of parts. Am-c.

Malignant, g., inflammations. Sil.

Gastric.—Chronic g. and intestinal catarrhs, with increased secretions of bile. Chelid.

Debility after g., bilious and typhoid fevers. Hydr.

Rheumatic and g. affections alternate. Kali-bi.

Weakness and faintness, associated with g. derangements. Abies-c.

Weariness, weakness and faintness, associated with indigestion, g. derangements and distress, as if a hard-boiled egg or something were knotted in stomach. Abies-n.

Giddy.—G., as if drunk, as if balancing to and fro. Ferr.

G., fluttering on awaking; must rise or smother. Kali-jod.

Glands.—Atrophy of g., especially testes and mammæ. Kali-jod.

Bruises and shocks in spine and g. Coni.

Burning pains in g. Ars.

Cancerous g. Ars., Coni., Sulph.

Engorgement of g. Bell. (Merc-jod.)

Enlarged g. Bapt. (Cist., Iod.)

Feeling as of something alive in g. Spong.

Feeling of contusion in g. Coni.

G. inflame, swell and suppurate. Hep-s.

G. suppurate and discharge thin, corrosive or curdy substance. Kali-jod.

G. swollen and indurated. Merc-jod.

Hypertrophy and induration of g. Iod.

Increased secretions from mucous membranes and g. Dulc.

Induration, swelling and inflammation of g., with lancinating, cutting, burning pains. Carbo-an.

Increased secretions from g. and mucous membranes. Iris.

Inflammation and swelling of g. Phyt.

Inflammation of g. Bar-c., Merc., Merc-jod., Phos., Phyt., Rhus-t., Sulph.

Inflammation of lymphatic g. Merc-cor.

Inflammation or swelling and induration of g. Calc-c.

Inflamed, swollen, suppurated g. Nitr-ac. (Hep-s., Graph.)

Itching in g. Coni.

Painful sensitiveness of g. Sulph-ac.

Painful swelling and induration of g. Clem.

Painful swelling of g. Ign.
Painless swelling of g. Phos-ac. (Iod.)
Painless swelling of lymphatic g. Sep.
Pains in g. Arn., Bell., Carbo-an., Coloc., Lyc., Merc., Phos., Thuja.
Prickling in g. Bell., Merc., Puls.
Pulsation in g. Calc-c., Merc.
Scrofulous swelling and suppuration of g. Cist.
Spongy g. Carbo-an., Sil.
Suppuration of g. Hep-s., Sil.
Swelling and induration of g. Bar-c., Brom., Cist., Coni., Dulc., Graph., Iod., Natr-c., Spong.
Swelling, induration or suppuration of lymphatic g., with burning pains. Carbo-v.
Swelling, inflammation and suppuration of g. Sil.
Swelling in g. Bar-c., Bell., Calc-c., Carbo-an., Cist., Clem., Cocc., Coni., Dulc., Graph., Iod., Lyc., Magn., Merc., Merc-cor., Merc-jod., Nitr-ac., Phos., Phyt., Rhus-t., Sil., Spong., Staph., Sulph., Thuja.
Swelling of g., with rending, tearing pains. Ferr.
Ulceration in g. Ars., Phos., Sil.
Withering of g. Coni., Iod.

Gnawing.—Boring, stinging, g. pains, with faintness. Ran-sc.
G. pain. Berb., Dros., Mez.
Itching, boring, biting, tingling, g., in various parts of body. Ran sc.
Periosteal inflammation (Staph.), with burning, g., tearing pains. Phos-ac.

Go.—Pains come and g. suddenly, and after a shorter or longer duration, cease suddenly. Bell.

Goneness.—Faintness, g.; great weakness and prostration. Hydr.

Going.—Stitches coming and g. like pulse, terminating with a jerk. Ind.

Gouty.—Rheumatic and g. affections of joints and nerves, accompanied by slight fever and great debility. Ind.

Gradually.—Cramp-like or dull, pressing pains, coming on g. and disappearing in same manner. Plat. (Stann.) (Reverse, Bell.)
Pains, especially drawing pains, with pressure, commence slowly, increase g. to a very high degree, and decrease as slowly. Stann.
Pains increase g., disappear suddenly. Arg-m.
Pains suddenly appear and g. disappear. Puls.

Grasps.—Sensation of falling, in children; child starts and g. nurse or crib and screams out, for fear of falling. Gels.

Green.—Discharges thin, offensive and excoriating, and if purulent are of a dirty, yellowish g. color and very offensive. Nitr-ac.

Grief.—Chlorosis in sensitive, nervous and hysterical women, inclined to spasmodic and intermittent complaints, induced by mental emotions, such as g., fright, or disappointed love. Ign.

Convulsive twitchings, especially after fright or g. Ign. (Gels., Opi.)
Feeling of suppressed g. Ign.
Ill-effects from onanism or excessive sexual indulgence, or g., sorrow, or disappointed love. Phos-ac.
Worse from anger, g. or sorrow. Staph.

Groan.—Debility after pain, compelling patient to g. Graph.

Grow.—Tendency in children and young persons to g. very fat. Calc-c.

Growing (see section on Extremities).—Children when g. suffer with violent pains. Sil.
G. pains. Phos-ac.
Ill-effects from g. too fast. Phos-ac.

Growth.—Anæmia, or chlorosis, with too rapid g. Phos.
Dwarfish, defective mental and physical g. Bar-c.

Glandular.—G. swelling. Caps.
G. swelling, with or without suppuration. Merc. (Hep-s., Graph., Nitr-ac.)
G. swellings, with induration or suppuration. Sulph.
Impaired nutrition and tendency to g. engorgements. Calc-c.
Painful g. swellings. Spig.

Habit.—Full, plethoric h. Ferr.

Hæmoptysis.—Progressive emaciation, with dry cough and h. Acaly.

Hair.—H. and nails fall off. Hell.

Half.—Feeling of numbness in lower h. of body. Spong.

Halves.—Feeling as if divided into h., as if left side did not belong to patient. Sil.

Hand (see section on Upper Extremities).—Lies on left side (Spong.) or on back, with left h. under head; cannot lie on right side or back. Acon. (Nux-v.)
Weakness and complete muscular relaxation; feels too weak to stretch out h. or do anything. Lob.

Hands.—Crawling, formication or tingling of h. Ign.
Awkwardness, everything falls from h. Bov. (Apis.)

Hang.—Worse from letting limb h. down. Sabin., Thuja. (Puls.)

Hard.—Bed feels h., makes patient feel sore and bruised. Bapt. (Arn.)
Weary, tired, bruised, sore; great weakness; must lie down, yet bed feels too h. Arn.

Head (see section on Head).—Better from wrapping h. Sil.
Better lying h. against something. Kali-c.
Better lying with h. high. Ars.
Congestion, especially of chest, heart and h. Acon.
Congestion of blood to h., chest, and especially to abdomen. Aloe.
Congestive condition of h. and lungs, with palpitation of the heart. Ind.
Debility of whole body, with listlessness and heavy h. Anthrak.
Hot feeling from h. to stomach. Sang.

Lies on left side (Spong.) or on back, with left hand under h.; cannot lie on right side or back. Acon. (Nux-v.)
Pain, with thirst and redness of cheeks; fainting; congestion of blood to h. Acon.
Sensation as if drops of cold water were falling on h., or from heart or anus. Can-sat.
Tendency to lie with h. low. Absinth.
Tendency to take cold in h. and feet. **Sil.**
Worse from uncovering h. Sil.
Worse lying with h. low. Arn.
Worse on head becoming cold. Bell., Sep.
Worse while lying on left side with h. low. **Calc-c.**

Headache.—Any attempt of brain-workers to use mind brings on h. Pic-ac.

Heads.—Children too weak to hold up their h. Æth.

Heal.—Small wounds suppurate and do not h. Calc-c. (Hep-s.)

Hearing.—Diminution of senses of smell, sight and h. Anac.

Heart (see section on Heart).—Congestion, especially of chest, h. and head. Acon.
Congestive condition of head and lungs, with palpitation of h. **Ind.**
Fainting, with pain in h. Lach.
Fainting, with palpitation of h., followed by sleep. Nux-m.
Fainting, with pressure on h. Petr.
Feeling as if pulled by the h. Laur., Nux-v.
Sensation as if drops of cold water were falling on head, or from h., or anus. Can-sat.
Slight motion causes palpitation of h. and sweat. **Nitr-ac.**

Heat.—Aversion to h. and being covered. **Sec.**
Better from h. Caust., Kali-bi.
Better from warmth or h. Ars.
Burning, itching pains, with h. **Clem.**
Cannot bear h. of sun. Ant-c. (Bell.)
Constant want of animal h.; constant chilliness. **Coni.**
Fainting from h. of room. Kreas., Spig.
Feeling of h. over whole body, with thirst. **Al-cep.**
Flushes of h. all over. Crotal. (Lach.)
Flushes of h. during climacteric age. Sulph-ac. **(Lach., Puls.)**
H. too intolerable; wants to uncover. Led.
Ill-effects from exposure to sun's rays or to h. Glon.
Is less affected by excessive h. in summer or cold in winter. **Fluor-ac.**
Over-sensitiveness to h. and cold. Ipec.
Weak, faint spells, with flushes of h. Croton-tig.
Worse from h. Aloe, Bry., Cocc-c., Dig., Ferr., **Sec.**
Worse from h., especially h. of bed. Led.
Worse from h. of bed. Clem.
Worse in h. of sun's rays. **Agar., Bell.**

Heated.—Worse after being h. Opi.

Heaviness.—Debility, with h. and relaxation of body. Sabad.

Dullness and languor, with sensation of h. through whole body. Chenop-v.

Extreme exhaustion and h. after slight exertion, with great anxiety, nausea, pale face and difficult breathing. Spong.

General debility, with sensation of h. in legs. Petr.

General oppression and h. Acet-ac.

Great h. and lassitude. Ran-b., Sabin.

Great h. of body. Calc-c.

Great prostration and h. of whole body. Natr-c.

Great weakness and debility, with h. and trembling. Nitr-ac.

H. Asaf., Bell., Nitr-ac., Nux-v., Phos., Pic-ac., Puls., Rhus-t., Stann.

H. alternating with sensation of lightness. Nux-v.

H. and indolence; laziness, obliging patient to lie down. Sabin.

H. and lameness. Æsc.

H. in whole body, as when one awakes from deep sleep. Rheum.

H. of inner parts. Acon., Bism., Nux-v., Opi., Rhus-t., Sil., Sulph.

H. of mind and body. Phos.

Lassitude, lameness and soreness, with stiffness, h., numbness and torpor. Berb.

Painful h. of whole body. Phos.

Weariness and h. after eating. Staph.

Weariness and h. of body. Bar-c.

Weariness, depression, h. and dull feeling. Hydroc.

Heavy.—Body feels h. and sore when rising from seat. Spig.

H., tired feeling; patient is always tired. Pic-ac.

Whole body feels h. Spong. (Pic-ac.)

Hectic.—Sepsis, with sunken features and h. or typhoid symptoms. Carbo-v.

Heights.—Unusual buoyancy, enabling one to ascend great h., or run rapidly without sense of fatigue or loss of breath. Coca.

Hæmorrhage.—Anæmia or atrophy from prolonged h. Helon.

H. from every orifice of body. China.

H. from orifices. Canth.

H. of black blood from all orifices. Sulph-ac.

H. over various parts of black, viscid, clotted blood, turning into long, black strings, and hanging from bleeding orifice. Croc.

H.; small wounds bleed much. Phos.

Hæmorrhages.—Acute inflammation; inflammatory fever; h. of bright-red blood. Acon.

Anæmia, with chlorosis; defective menstruation; poverty of blood after h., deficiency of light, air or suitable food, or after exhausting diseases. Ferr.

H. Erig., Millef.

H.; small wounds bleed much. Kreas., Phos. (Lach.)

H.; blood lumpy and coagulates easily. Ferr.
H. from all orifices of body. Crotal., Diad.
H. of bright-red blood. Kali-n. (Erig., Ham., Sec.)
H. of bright-red blood from orifices. Ipec.
H. profuse, bright. Nitr-ac.
H. usually bright red, profuse. Trill.
Venous congestion; h. Ham.

Hidebound.—Feeling as if h. Croton-tig.

High.—Better from lying with head h. Ars.

Hollow.—Feeling of emptiness in whole body, as if were h. Kali-c.

Hoop.—Sensation of h. or band around parts. Anac., Cact., Coni., Gels., Nitr-ac., Plat., Puls., Sulph.

Hopeless.—Great debility after loss of fluids, or after severe illness, especially typhus, if the patient is h. or despairs of recovery. Psor.

Hopping.—Sensation as if something were h. and jumping in various parts. Croc.

Hot.—H. feeling from head to stomach. Sang.
Worse during h., damp weather. Aloe.

Hot water.—Sensation as if h. were poured from chest into abdomen. Sang.

Hot weather.—Worse in h. Bell., Kali-bi.

Hour.—Complaints return at precisely same h. Ign. (Cedron.)

Humor.—Always out of h.; impatient, snappish, spiteful; will not give a civil answer; excessive irritability. Cham.

Hunger.—Extreme emaciation, with great h. Iod.

Hurry.—Aimless h. and desire to be constantly in motion. Lil-tig.

Hyperæsthesia.—Anæsthesia or excessive h. Plumb.
General anæsthesia or general h. Absinth.
Great h. of all the senses and exalted susceptibility to impressions. Cocc.

Hypertrophy.—H. and induration of glands. Iod.

Hysterical.—Chlorosis in sensitive, nervous and h. women, inclined to spasmodic and intermittent complaints, induced by mental emotions, such as grief, fright or disappointed love. Ign.
Fainting fits, with h. debility. Ign. (Nux-m.)
H. fainting. Gels., Ign., Mosch.
Intermittent, pulsative, darting or lacerating pains from within outward, transferred from different parts, and relieved by touching parts, in h. patients. Asaf.
Nervousness, sleeplessness and h. moods. Senecio.

Ice.—Neuralgic pains in different parts of body, as if touched by pieces of i., or as if icy-cold needles were piercing skin; pricking as from a pin, and itching and burning all over, with great distress; pains, as from splinters. Agar.

Ichor.—Ulcers, burning like fire, and pain often during sleep, discharging copious, bloody pus or i., with blue, black, lardaceous bases. Ars.

Ill-effects.—I. from over-lifting or from exercise. Millef.

Illness.—Great debility after loss of fluids, or severe i., especially typhus, if patient is hopeless or despairs of recovery. Psor.

Great debility, especially of females after protracted i. or defective nutrition. Alet.

Internal feeling as of approaching i. Chin-s.

Lassitude, exhaustion and debility after severe i. Ant-c.

Tardy reaction after debilitating i. Caps.

Weak and languid feeling, as after long and severe i. Asclep.

Weakness and prostration after loss of animal fluids, or after long and severe i. China.

Illusory.—I. sensations. Ind.

Imagination.—Sensibility of all nerves, even i. of some person scratching slightly on linen or paper with finger nails. Asar.

Impaired.—General debility and i. mental energy, with great drowsiness. Corn.

Impatient.—Always out of humor; i., snappish, spiteful; will not give a civil answer; excessive irritability. Cham.

Impotence (see section on Male Sexual Organs).—I. Agn.

Impression.—Excitable, over-sensitive, least unpleasant i. prostrates. Phos.

Over-sensitive to least i.; is very indignant, with great concern for future. Staph.

Impressions.—Great hyperæsthesia of all senses and exalted susceptibility to i. Cocc.

Over-sensitiveness to external i., such as odors, light, noise or music, slight current of air; every harmless word offends; even suitable medicine aggravates. Nux-v.

Inability.—Prostration, with i. to support body. Bar-c.

Inactivity.—Weakness, i. and general depression. Am-m.

Inclination.—General i. to dropsical effusions and anasarca, with stinging pains. Apis.

Great i. to lie down, especially after eating. Lach.

Great languor, with i. to sit or lie down and be alone. Nux-v.

Increase.—Erectile tumors, which have now an i. and then a decrease of blood. Lyc.

Pains, especially drawing pains, with pressure, commence slowly, i. gradually to a very high degree and decrease as slowly. Stann.

Pains i. gradually, disappear suddenly. Arg-m.

Increased.—I. secretion from mucous membranes. Am-m., Canth., Petr., Phos.

i. secretions from mucous membranes and glands. Dulc., Iris.

Increasing.—Slowly i. suddenly ceasing pain. Sulph-ac.

Indifference.—Great i. and apathy, discouraged, irritable and fidgety. Apis.

Great i. to everything. Ign.

I. about surroundings. Rumex.

I. and disinclination for any mental or physical work. Pic-ac.

Indifferent.—Very weak and i. to affairs of life. Phos-ac.

Indigestion.—Weariness, weakness and faintness, associated with i., gastric derangements and distress, as if a hard-boiled egg or something were knotted in the stomach. Abies-n.

Indignant.—Over-sensitive to least impression; is very i., with great concern for future. Staph.

Indignation.—I. or anger, followed by inflammation or colic. Coloc.

Indisposition.—Inclination to stretch, with i. to do anything. Meph.

Indolence.—Great debility and lassitude, languor and faintness, weariness and i. Chelid.

Great languor and weariness, i. and prostration, especially in lower limbs. Ind.

Heaviness and i.; laziness, obliging patient to lie down. Sabin.

Indoors.—Symptoms coming on i. are better in open air, and vice versa. Mang.

Indulgence.—Ill-effects from onanism or excessive sexual i., or grief, sorrow, disappointed love. Phos-ac.

Indurated.—Glands swollen and i. Merc-jod.

Induration.—Glandular swellings, with i. or suppuration. Sulph.

Hypertrophy and i. of glands. Iod.

I. after inflammation. Bell.

I., swelling and inflammation of glands, with lancinating, cutting, burning pains. Carbo-an.

Inflammation or swelling and i. of glands. Calc-c.

Painful swelling and i. of glands. Clem.

Swelling and i. of glands. Bar-c., Brom., Carbo-v., Cist., Coni., Dulc., Graph., Ind., Natr-c., Spong.

Swelling, i. or suppuration of lymphatic glands, with burning pains. Carbo-v.

Infiltration.—Œdematous distention of all tissues by interstitial i. Kali-jod.

Œdematous i. of tissues. Kali-jod. (Apis, Apoc., Ars.)

Inflame.—Glands i., swell and suppurate. Hep-s.

Inflamed.—I., swollen, suppurated glands. Nitr-ac. (Hep-s., Graph.)

Inflammation.—Acute i.; inflammatory fever; hæmorrhages of bright-red blood. Acon.

Chronic i. of serous membranes, with profuse serous effusions. Ars.

Congestion and i. Cact.

Dryness and i. of mucous membranes. Calad.

Excruciating pain and i. of small joints (Caul.), which are very tender to touch, worse at night. Actea-s.

Exudations after i., with effusion of lymph. Kali-chl.
Induration after i. Bell.
Induration, swelling and i. of glands, with lancinating, cutting, burning pains. Carbo-an.
I. and fever following a cold. Acon.
I. and increased secretion of mucous membranes. Agn., Al-cep.
I. and swelling of glands. Phyt.
I., deterioration and sometimes gangrene of mucous surfaces. Agar.
I. ending in exudations and suppurations. Merc.
I., followed by effusions in serous membranes. Apis.
I. of external parts. Euphorb., Ign.
I. of glands. Bar-c., Merc., Merc-jod., Phos., Phyt., Rhus-t., Sulph.
I. of internal organs. Sabad., Tart-em.
I. of internal organs, with tendency to suppuration. Puls.
I. of lymphatic glands. Merc-cor.
I. of lymphatic vessels. Cupr., Merc-cor.
Indignation or anger, followed by i. or colic. Coloc.
I. or swelling and induration of glands. Calc-c.
I., swelling, ulceration and necrosis of bones. Sil.
I., with burning and stinging. Apis.
Irritating i. and excessive secretion from mucous surfaces. Acet-ac. (Ars., Ferr., Iod., Natr-m., Phos.)
Irritation and i. of mucous membranes. Caps.
Local i. of serous membranes. Acon.
Malignant, gangrenous i. Sil.
Periosteal i. (Staph.), with burning, gnawing, tearing pains. Phos-ac.
Swelling, i. and suppuration of glands. Sil.

Inflammatory.—I. swelling, with burning, lancinating pains. Ars.

Inflation.—Feeling of i. Paris, Ran-b.

Influences.—Great sensitiveness to external i. Chin-s.

Inhaling.—Feeling as if i. ether. Glon.

Injured.—Sensation of deadness in i. parts. Arn.

Injury.—Slight i. induced suppuration and ulceration. Hep-s.

Inner parts.—Burning pain, especially in i. Ars. (Sec.)
Cramping pains in i. Ang., Coloc., Cupr., Plat.
Cutting pain in i. Calc-c., Canth., Kali-c., Merc., Sulph.
Dryness of i. Bell., Calad., Calc-c., Phos., Seneg., Sulph.
Feeling of roughness in i. Carbo-v., Nux-v., Phos., Sulph.
Heaviness of i. Acon., Bism., Nux-v., Opi., Rhus-t., Sil., Sulph.
Jerking pain in i. China, Ign., Kali-c., Nitr-ac., Puls., Sil.
Paralysis of i. Cocc.
Rending, tearing pains in i. Bell., Coni., Lyc., Puls., Sil.
Sensation of fullness in i. Acon., China, Mosch., Phos., Sulph.

Intensity.—Pains characterized by great i., are worse during rest and can frequently either be entirely suppressed by rubbing and pressure or by motion. Ind.

Interior.—Burning pains in i. parts. Acon., Ars., Bell., Bry., Canth., Phos., Sabad., Sep., Sulph.

Faint, nervous vibrations, seeming to reach i. of bones. Meph.

Intermit.—Pains i. in severity. Cinnab.

Intermittent.—Chlorosis in sensitive, nervous and hysterical women, inclined to spasmodic and i. complaints, induced by mental emotions, such as grief, fright or disappointed love. Ign.

I. neuralgia; pains return with great regularity. Chin-s.

I., pulsative or pressive, darting or lacerating pains, from within outward, transferred from different parts and relieved in hysterical patients by touching parts. Asaf.

Intermittents.—Drawing sensation as before i. Puls.

Internal.—Dropsy of i. and external parts. Dig.

Dropsy in i. cavities. Spong.

Great i. debility. Lyc.

I. burning and external coldness. Mez.

I. feeling as of approaching illness. Chin-s.

I. trembling. Tart-em.

Raw and sore pain in whole body, i. and external. **Canth.**

Internal organs.—Burning pain in i. Euphorb.

Dropsy of i. Senecio. (Apis.)

Inflammation of i. Sabad., Tart-em.

Inflammation of i., with tendency to suppuration. Puls.

Metastasis to i. Colch.

Sensation in i., as if something were being torn away. **Rhus-t.**

Spasmodic contraction of i. Plumb.

Suppuration of i. Canth.

Internal parts.—Feeling of emptiness in i. Cocc.

Quivering in i. Can-sat.

Sensation as of ball rolling in i. Lach.

Sensation of constriction in external parts. Sil. **(I.** Bell., Cact.)

Suppuration of i. Lach.

Trembling of i. Camph.

Intervals.—Quick, stitching, shooting pains, appearing at i. and changing location. Magn-ph.

Intestinal.—Chronic, gastric and i. catarrhs, with increased secretions of bile. Chelid.

Intolerable.—Pain seems i. (Cham.) and is frequently accompanied by other minor symptoms, such as shuddering, coldness. Ars.

Intolerance.—I. of milk. Æth.

Intoxicated.—Easily i. Coni.

Feeling as if i. Hydr.

Intoxicates.—Beer i. easily. Coloc. (China.)

Intoxication.—Dizziness, with feeling of i. Hydro-ac. (Hydr.)

I. Caps.

I. ending in entire loss of consciousness. Agar.

Involuntary.—I., spasmodic, alternate extension and contraction of muscles. Lyc.

I., spasmodic, muscular contractions. Tabac.

Irritable.—Great indifference, apathy; discouraged, i., fidgety. Apis.

Nervous, i., trembling. Teucr.

Irritability.—Always out of humor; impatient, snappish, spiteful; will not give a civil answer; excessive i. Cham.

Anæmia, with great i.; skin watery and milky white. Kali-c.

Emaciation, i. Petr.

Excessive i. of mind and body; vascular excitement. Gels.

Excessive physical i. Nitr-ac.

General debility, with nervousness and i. Kali-ph.

Great i. Nux-v.

I. and acuteness of senses. Bell.

Nervousness, with great i. of temper and patience. Ambr.

Irritating.—I. inflammation and excessive secretion from mucous surfaces. Acet-ac. (Ars., Ferr., Iod., Natr-m., Phos.)

Irritation.—I. and inflammation of mucous membranes. Caps.

I. of mucous membranes. Apis.

Reflex i. during dentition. Podo.

Sharp, tearing pains in various parts, with ovarian or uterine i. Cimicif.

Itch.—Old cicatrices become red on edges and i. violently. Fluor-ac.

Itching.—Burning, i. pains, with heat. Clem.

Corrosive i. in different parts. Berb.

Dull stitches, sometimes with crampy sensation, sometimes pressing, sometimes conveying sensation of shock or jerk, sometimes i. in different parts of body, in limbs, arms, feet, toes, in side or in back, always in outer parts; places are painful on pressure, as if sore or bruised. Cina.

Exhausted by slight tronble in remote part, such as i. Ars.

Intolerable i. all over body, without perceptible eruption of skin, especially in pregnant women; worse at night, preventing sleep, and worse from scratching. Dolich.

I. and crawling, as from fleas, on different parts of body. Pallad.

I. and formication of various parts. Gum-gut.

I. and stinging in various parts of body. Sil.

I., boring, biting, tingling, gnawing, in various parts of body. Ran-sc.

I., burning and redness of parts, as if frozen. Agar.

I. in glands. Coni.

I. of various parts of body and limbs. Dios.

Neuralgic pains in different parts of body, as if touched by pieces of ice, or as if icy-cold needles were piercing skin; pricking, as from a pin, and i. and burning all over, with great distress; pains as from splinters. Agar.

Shooting, i. stitches. Euphr.

Jactitation.—J., or tossing about, caused by pains. Acon., Ars., Bell., Calc-c., Cham., China, Cina, Coff., Hell., Lyc., Magn-c., Sulph.

Jarring.—Worse from shaking or j. Glon.

Jealousy.—Unhappy love, with j. Hyos., Ign.

Jerk.—Dull stitches, sometimes with a crampy sensation, sometimes pressing, sometimes conveying sensation of shock or j., sometimes itching in different parts of body, in limbs, arms, feet, toes, in side or in back, always in outer parts; places are painful on pressure, as if sore or bruised. Cina.

Stitches coming and going like pulse, terminating with a j. Ind.

Jerked.—Whole body j. during sleep. Zinc.

Jerking.—Body rigid, stretched out stiff (Hyos.), followed by spasmodic j. of arms. Ipec.

Frequent, spasmodic j. of body. Sulph.

J. pain. Asaf., Bell., Calc-c., Caust., Meny., Natr-m., Nux-v., Puls., Rhus-t., Tart-em.

J. pain in inner parts. China, Ign., Kali-c., Nitr-ac., Puls., Sil.

J. pains in parts. Berb.

J. pains, like short stitches, in small spots, lasting only a few moments. Ox-ac.

J., rending, darting pains. Am-m., China.

J. through body. Glon.

Violent j., burning pains, confined to a small spot. Coca.

Jerkings.—Sudden, lightning-like, dull j. in different parts of body. Daph.

Jerks.—Convulsive j. Alu., Ambr., Calc-c., Cina, Hyos., Iod., Laur., Lyc., Natr-c., Natr-m., Petr., Plat., Puls., Sec., Solan-nig., Spig., Stann., Stram.

Drawing in many places, like transient j. Valer.

Frequent twitching and constant j. through body. Stram.

J. in upper part of body. Thuja.

Stitches in j. through whole body. Nux-v.

Joints.—Bruised pains in all j. Mosch.

Bruised, sore feeling all over, as from a fall or blow (Arn., Bad., Led.); worse in limbs and j. Ruta.

Cramp-like dragging in all j. Paris.

Cutting pain where bones are least covered with flesh (not in j.); on touch pain goes to another part. Sang.

Excruciating pain and inflammation of small j. (Caul.), which are very tender to touch; worse at night. Actea-s.

Feeling as if all j. were broken, swelled, or dislocated at every motion. Paris.

Feeling in j. as if dislocated. Agar.

J., bones and periosteum feel sprained. China.

Limbs and j. on which patient is lying feel painful, as if bruised. Rhus-t.

Œdema about j. Thuja.
Paralytic pains in all j. during motion, as if bruised. Arn.
Rheumatic and gouty affections of j. and nerves, accompanied by slight fever and great debility. Ind.
Sensation as of dislocation in j. Ign.
Sensation of crepitation in j. on moving. Rhus-r.
Sensitiveness of whole body (Plat.), and of all j. on motion; bruised pain over whole body. Arn.
Tingling pains in all j. Acon.
Weakness and trembling, especially of j. Mang.
Weakness of all j., especially of ligaments. Acon.
Worse from motion. Led. (Only pains in j., not pains in other parts of body.)

Jumping.—J. of muscles in different parts of the body. Agar.
J. or moving like something alive in different parts. Croc., Mosch.
Sensation as if something living were hopping and j. in various parts. Croc.

Knee joints.—Weakness and prostration of whole body, especially of k. Lith-c.

Knees.—Great languor with weakness of k. and drowsiness. Nux-m.
Lies on back with k. drawn up. Merc-cor.
Prostration: tired, weary, especially about k. Natr-s.
Weakness of whole body, especially k., when walking. Staph.

Knife.—Cutting as if from a k. Ign.
Pains at night as if bones were being scraped with k. Phos-ac. (China.)

Knocking.—Exhaustion, causing trembling and k. together of knees. Berb.

Knotted.—Weariness, weakness and faintness, associated with indigestion, gastric derangements and distress, as if a hard-boiled egg or something were k. in the stomach. Abies-n.

Labor-like.—L. pains. Acon., Bell., Caul., Cimicif., Puls., Sabad.

Lacerated.—L. surfaces. Canth.

Lacerating.—Darting and l. in whole body afternoon and evening. Ind.
Darting, l. pains, or l. with pressure. China.
Drawing l. pains here and there in muscles of whole body when sitting. Staph.
Intermittent, pulsative or pressive, darting or l. pains, from within outward, transferred from different parts, and relieved in hysterical patients by touching parts. Asaf.
L., lancinating or darting pains. Berb.
L. pains. Nicc.
Whole side of body on which patient lies is painful, as if l., with chilliness on uncovering. Sil.

Lacerations.—L.; when intolerable, excruciating pain shows nerves are severely involved. Hyper.

Lameness.—Great lassitude, prostration and l. Cinnab.

Heaviness and l. Æsc.

Lassitude, l. and soreness, with stiffness, heaviness, numbness and torpor. Berb.

Rheumatic, wandering pains, with l. Meph.

Lamenting.—Moaning and l. from pains. Cham.

Lancinating.—Induration, swelling and inflammation of glands, with l., cutting, burning pains. Carbo-an.

Inflammatory swelling, with burning, l. pains. Ars.

Lacerating, l. or darting pains. Berb.

Languid.—L., tired feeling. Dios.

L., usually tired yet knows no reason for it. Helon.

Trembling weakness; l. and restless; easily fatigued. Gels.

Weak and l. feeling, as after long and severe illness. Asclep.

Weak and l. feeling, no desire to do anything. Bapt.

Languor.—Dullness and l., with sensation of heaviness through whole body. Chenop-v.

Great debility and lassitude, l. and faintness, weariness and indolence. Chelid.

Great debility; l., with painful feeling of weight and sensitiveness in all limbs. Agar.

Great l. Rumex.

Great l. and disinclination to physical and mental exertion. Asper.

Great l. and prostration. Grat.

Great l. and weariness, indolence and prostration, especially in lower limbs. Ind.

Great l., especially in morning. Ambr.

Great l. of whole body. Rhus-t.

Great l., wants to lie down. Bapt.

Great l, with inclination to sit or lie down and be alone. Nux-v.

Great l., with staggering gait or trembling of body. Magn-s.

Great l., with trembling and violent thirst. Hyper.

Great l., with weakness of knees and drowsiness. Nux-m.

Great weakness and l. Raph., Tereb.

Great prostration, l. and drowsiness. Æth.

L., fatigue, torpor. Naja.

L., lassitude, exhaustion. Diad.

L., lassitude and debility. Bov.

L., prostration and desire to yawn and stretch. Puls.

Lassitude, torpor, l.; not disposed to move or make any mental exertion. Sang.

Mental and physical lassitude and l. China.

Numbness, debility, l., fainting. Cedron.

Tremulousness, l. and debility. Brom.

Weakness, debility, l., lassitude. Alu., Am-c., Anac., Ars., Bar-c., Calc-c., Carbo-v., Caust., China, Coni., Cupr., Dig., Ferr., Hyos., Iod., Kali-c., Laur., Lyc., Magn-c., Mur-ac., Nitr-ac., Nux-m., Nux-v., Oleand., Petr., Phos., Phos-ac., Rhus-t., Ruta, Sec., Sep., Stann., Therid., Ver-a.

Lardaceous.—Ulcers, burning like fire, and pain often during sleep, discharging copious, bloody pus or ichor, with blue, black, l. bases. Ars.

Large.—Sensation in whole body as if everything were too l. Apis.

Laryngeal.—Anæmia in l. phthisis. Mang.

Larynx (see section on Larynx).—Loss of sensibility over body and in fauces, l., urethra, etc. Kali-brom.

Lassitude.—Bodily and mental l. Caust., China, Coni., Natr-m., Phos-ac., Seneg.

Emaciation, l., debility. Gum-gut.

Great debility and l., languor and faintness, weariness and indolence. Chelid.

Great debility and l. when walking in morning. Chelid.

Great debility, l., and trembling while standing up and without moving. Merc-cor.

Great fatigue and l. Casc.

General feeling of discomfort, l. and malaise. Card.

Great heaviness and l. Ran-b.

Great l. and debility, after eating, talking or walking in open air. Actea-s.

Great l. and feeling of weariness; becomes tired easily. Ham.

Great l. and heaviness. Sabin.

Great l. and prostration. Brachyg.

Great l. and weakness. Daph.

Great l., prostration and lameness. Cinnab.

Great l. with sensation as if sweat would break out all over. Croc.

Great weakness and l. Ambr. (Ars., China.)

Languor, l. and debility. Bov.

Languor, l., exhaustion. Diad.

L. Fluor-ac. (Am-c.)

L. and depression. Apis, Cist.

L. and sluggishness of whole body. Arn.

L., exhaustion and debility after severe illness. Ant-c.

L., faintness and constant yawning. Asar.

L., lameness and soreness, with stiffness, heaviness, numbness and torpor. Berb.

L., torpor, languor; not disposed to move or make any mental exertion. Sang.

L. when walking. Stram.

L. with perspiration after least exercise. Cocc-c.

Mental and physical l. and languor. China.

Trembling, with feeling of l. Apis.
Tremulous l. Alu. (Sulph.)
Weariness and l. Benz-ac.
Weakness, debility, languor, l. Alu., Am-c., Anac., Ars., Bar-c., Calc-c., Carbo v., Caust., China, Coni., Cupr., Dig., Ferr., Hyos., Iod., Kali-c., Laur., Lyc., Magn-c., Mur-ac., Nitr-ac., Nux-m., Nux-v., Olean., Petr., Phos., Phos-ac., Rhus-t., Ruta, Sec., Sep., Stann., Therid., Ver-a.

Laughing.—Worse from singing and l. Phos.

Laxness.—Flaccidity and l., with weakened condition of muscular structures. Magn-c.
L. and weakness of whole muscular system, with emaciation, weakness of digestion and coldness of extremities. Ferr.

Laziness.—Heaviness and indolence; l., obliging patient to lie down. Sabin.
L. and dread of motion. Nux-v.
L., with slowness. Asar.

Leaned.—Feeling when walking as if l. forward and to left side. Asclep.

Learning.—Children slow in l. to walk. Sil. (Calc-c., Calc-ph.)

Left.—Anxiety when lying on l. side at night. Phos.
Better lying on l. side Cina, Natr-c., Pallad.
Feeling as if divided into halves, as if l. side did not belong to patient. Sil.
Feeling when walking as if leaned forward and to l. side. Asclep.
Lies on l. side (Spong.) or on back, with left hand under head; cannot lie on right side or back. Acon. (Nux-v.)
Numb, prickling, paralytic feeling over whole body, more on l. side. Bapt.
Pains suddenly change location (Puls.), appear first on l. later on right side. Benz-ac.
Rheumatic pains, first in l. side, then in right. Lach.
Sensation of numbness, with great weakness and coldness in whole l. side of body. Elaps.
Soreness of whole l. side of body. Indium.
Symptoms in sick generally appear first on l., later on right side, and from below upwards. Benz-ac.
Worse lying on back or l. side. Phos.
Worse when lying on l. side. Acon., China, Cinnab., Lyc., Phos., Puls.
Worse when lying down, especially on l. side. Puls.

Legs (see section on Lower Extremities).—General debility with sensation of heaviness in l. Petr.
Paralytic feeling in arms, l. and spine. Æsc.

Lepra.—L. Alu., Ars., Sep., Sil., Sulph.

Lethargy.—Drowsiness, torpor, l. Nux-m.
L. and listlessness, with utter dejection of mind. Am-c.

Liability (see Tendency).—L. to take cold, with great sensitiveness to cold air. Bell.
L. to take cold. Coni., Graph.
L. to take cold easily. Petr.
Lie.—Can l. only on right side. Phos. (Reverse, Merc.)
Cannot l. on right side. Merc. (Reverse, Phos.)
Great languor, with inclination to sit or l. down and be alone. Nux-v.
Tendency to l. with head low. Absinth.
Lie down.—Debility and weakness; must l. Am-c.
Desire to l. during day. Can-ind.
Exhaustion from slightest exertion; must l. Ars.
Extreme weakness and prostration; must sit or l. constantly. Stann. (Sil.)
Frequent exhaustion; debility; must l. Kali-c.
Great inclination to l., especially after eating. Lach.
Great languor, wants to l. Bapt.
Great prostration, wants to l. all the time. Abies-c.
Heaviness and indolence; laziness, obliging patient to l. Sabin.
Irresistible desire to l. and sleep; strength suddenly fails. Selen.
Must l. and close eyes, and seems as if the patient is being rocked. Calad.
Prostration: so weak almost constantly obliged to l. Nitr-ac. (Sil.)
Weary, tired, bruised, sore; great weakness; must l., yet bed feels too hard. Arn.
Lies.—All parts of body on which patient l. are painful, as if bruised. Ruta.
Child l. on abdomen and spasmodically thrusts breach up. Cupr.
L. on back with knees drawn up. Merc-cor.
L. on back with limbs drawn up. Hell.
L. on left side (Spong.) or on back with left hand under head; cannot lie on right side or back. Acon. (Nux-v.)
Numbness of parts on which patient l. China.
Parts on which patient l. ache, as if sore. Nux-m.
Whole side of body on which patient l. is painful, as if lacerated, with chilliness on uncovering. Sil.
Parts upon which patient l. feel bruised. Caust.
Life.—Very weak and indifferent to affairs of l. Phos-ac.
Lift.—Easily strained, cannot l. anything. Calc-c. (Coni., Rhus-t.)
Lifting.—Easily sprained from l. even small weights. Carbo-an.
Worse from l. Calc-c., Carbo-an., Carbo-v., Graph., Hyper., Lyc., Rhus-t.
Ligaments.—Pains in l., tendons and synovial membranes; worse at rest and on beginning to move, and better from continued motion. Rhus-t.
Weakness of all joints, especially of l. Acon.

Light.—Anæmia with chlorosis; defective menstruation; poverty of blood after hæmorrhages, deficiency of l., air or suitable food, or after exhausting diseases. Ferr.

L. and airy feeling; legs feel as if floating in air. Sticta.

Over-sensitiveness to external impressions, such as odors, l., noise or music, slight current of air; every harmless word offends; even suitable medicine aggravates. Nux-v.

Worse from artificial l. Calc-ph.

Worse from l. Calc-c., Coni., Euphr., Graph., Phos., Sang.

Lightness.—Feeling of great l. of body. Mez.

Great l. while climbing a mountain, without any respiratory trouble. Coca.

Heaviness alternating with sensation of l. Nux-v.

Sensation of l. in body. Asar., Coff., Lact., Natr-m., Petr.

Sensation of l. when walking. Thuja.

Lightning-like.—Neuralgic, l. pains. Magn-c.

Sudden, l., dull jerkings in different parts of body. Daph.

Limb.—Worse from letting l. hang down. Sabin. (Puls.)

Worse letting l. hang down. Thuja. (Puls.)

Limber.—Whole body relaxed and l. in morning. Natr-c.

Limbs.—Bruised, sore feeling all over, as from a fall or blow (Arn., Bad., Led.); worse in l. or joints. Ruta.

Constant restless movements of l. and whole body. Stram.

Fainting, with coldness of l. Acon., Calc-c., Coloc., Ver-a.

Fainting, with numbness of l. Acon., Natr-m.

Feeling of weakness and trembling of all l. Hyper.

Great languor and weariness, indolence and prostration, especially in lower l. Ind.

Great loss of power on walking, especially in limbs, with exhausting sweats. Calc-c.

Lies on back with l. drawn up. Hell.

L. and joints on which patient is lying feel painful, as if bruised. Rhus-t.

Prostration, with trembling in l. Mancin.

Sensation of creeping, like a mouse in l. Calc-c., Sulph.

Tired feeling, with weariness and restlessness in l. Indium.

Trembling of whole body, alternating with convulsive movements of l. Arn.

Line.—Crawling over body, as from a fly, from below upwards in a straight l., followed by numbness of parts. Euphr.

Linen.—Sensibility of all nerves, even imagination of some person scratching slightly on l. or paper with finger nails. Asar.

Liquor.—Worse from coffee, l. and tobacco. Can-ind.

Listlessness.—Debility of whole body, with l. and heavy head. Anthrak.

Lethargy and l., with utter dejection of mind. Am-c.

Lively.—L. music causes weeping. Kreas., Natr-s., Thuja.

Livid.—L., brown vesicles size of pea, all over body. Millef.

Living.—Sensation as if something l. were hopping and jumping in various parts. Croc.

Location.—Pains suddenly change l. (Puls.), appear first on left, later on right side. Benz-ac.

Longing.—L. for fresh air. Puls. (Lyc.)

Looking.—Better when l. fixedly at an object. Natr-c.

Worse on l. at anything. Lith-c.

Worse on l. fixedly at an object. Calc-c., Cina, Kali-c., Lyc., Natr-m., Rhod., Ruta, Seneg., Sil.

Loose.—Cannot bear contact; obliged to wear clothing l. Lach.

Pain, as if contused or sprained, with sensation as if flesh were l. on bones in consequence of blows. Ign.

Pain as if flesh were torn l. from bones, or as if bones were being scraped. Rhus-t.

Looseness.—Sensation of l. of flesh. Bry., Nitr-ac., Rhus-t., Sulph.

Lose.—Children do not learn to walk, l. ability to do so. Calc-ph. (Sil.)

Loss.—Anæmia and debility from l. of fluids. Carbo-v. (China.)

Asthenopia: nervous deafness; loss of appetite; flatulence and nervous, hacking cough, with irritable nerves in anæmic, nervous persons. Asar.

Chlorosis after great l. of blood. Ferr.

Emaciation and debility after l. of fluids. Lyc.

Emaciation and l. of appetite. Kali-jod.

Fainting after l. of blood or other animal fluid, with ringing in ears, cold skin, cold perspiration. China.

Feeling of great weakness, as from l. of fluids. Lachn.

Great debility after l. of fluids or severe illness, especially typhus, if patient is hopeless or despairs of recovery. Psor.

Great l. of power on walking, especially in limbs, with exhausting sweats. Calc-c.

Great weakness and l. of breath on ascending stairs. Iod.

Ill-effects from l. of sleep, night-watching and mental excitement. Cocc. (Nux-v.)

Intoxication ending in entire l. of consciousness. Agar.

L. of energy. Eryng.

L. of flesh when living well. Natr-m.

L. of power, threatening paralysis. Arg-m.

L. of power, with sensation as if marrow of bones had become stiff and coagulated. Ang.

L. of sensibility over body and in fauces, larynx, urethra, etc. Kali-brom.

L. of strength. Fluor-ac.

L. of voluntary motion and of senses. Stram.

Numbness and l. of sensation. Kreas.
Rapid emaciation, with great l. of flesh, cold sweat and debility. Ars.
Weakness and debility after l. of animal fluids. Chin-s.
Weakness and prostration after l. of animal fluids, or after long and severe illness. China.
Worse from l. of sleep. Nux-v.

Love.—Chlorosis in sensitive, nervous and hysterical women, inclined to spasmodic and intermittent complaints, induced by mental emotions, such as grief, fright or disappointed l. Ign.
Ill-effects from onanism or excessive sexual indulgence, or grief, sorrow, disappointed l. Phos-ac.
Unhappy l., with jealousy. Hyos., Ign.

Low.—Tendency to lie with head l. Absinth.
Worse from lying with head l. Ars., Calc-c.
Worse while on left side with head l. Calc-c.

Lumpy.—Hæmorrhages: blood l. and coagulates easily. Ferr.

Lungs (see section on Chest).—Congestive condition of head and l., with palpitation of heart. Ind.

Lying.—Anxiety when l. on left side at night. Phos.
Better from l. on left side. Natr-c.
Better from l. on painful side. Sep.
Better from l. with head high. Ars.
Better l. on left side. Cina.
Better l. on painless side. Fluor-ac., Nux-m.
Better l. on right side. Cinnab., Phos.
Better when l. on back. Bry., Stann.
Better when l. on back or on painful side. Ign.
Better when l. on left side. Pallad.
Better when l. on painful side. Bar-c., Bry., Calc-c., Cham., Coloc., Puls.
Better when l. on right side. Am-m., Bry., Chelid., Tarax.
Better when l. on side. Nux-v.
Better when l. quiet. Sang.
Better while l. upon back. Puls.
Better when sitting or l. Ver-a.
Fainting after rising up from l. Acon., Calad.
Fainting when l. on side. Lyc., Sil.
Fainting, with paleness of cheeks, which are red when l. Acon., Lach.
Limbs and joints on which patient is l. feel painful, as if bruised. Rhus-t.
Pains come on when l. on back and are relieved by turning to one or the other side, or by lying on affected side. Puls.
Parts on which one is l. go to sleep. Rhus-t.
Sensation as if l. on a board. Bapt. (Arn.)
When l. long becomes restless, but change is painful and it is very difficult to find new position which gives relief. Natr-s.

Worse from l., obliged to sit up in bed even at night in order to find relief. Natr-m.
Worse from l. on back. Arg-m.
Worse from l. on painless side. Kali-c.
Worse from l. with head low. Ars.
Worse l. on back or left side. Phos.
Worse l. on left side. China, Cinnab.
Worse l. on right side. Acon., Cina, Lyc.
Worse l. on painful side. Iod.
Worse when l. on back. Nux-v., Phos.
Worse when l. on left side. Acon., Lyc., Phos., Puls.
Worse when l. on painful side. Bar-c., Hep-s., Iod., Nux-m., Ruta, Sil.
Worse when l. on right side. Magn-m., Merc.
Worse when l. on side. Acon., Anac., Calc-c., Carbo-an., Kali-c., Lyc., Stram.
Worse while l. in bed. Plumb.

Lying down.—Better after l. Kali-n.
Better when l. Bry., Calc-ph., Canth., Chelid., Dig., Ipec., Nitr-ac., Nux-v., Pallad., Phyt., Sabad., Spong.
Fainting after l. Calad.
Vibratory sensation through whole body when l. Clem.
Worse after l. Caust., Ign., Ipec., Led., Phos., Sulph.
Worse from l. Anac., Cist.
Worse l. Lith-c., Nicc., Rumex.
Worse on rising from l. Acon. (Bry., Dig., Opi.)
Worse while l. Arn., Ars., Aur., Caps., Caust., Cham., Coni., Dros., Euphr., Ferr., Lachn., Lyc., Meny., Plat., Puls., Rhus-t., Sil., Tart-em.
Worse while l., especially on left side. Puls.

Lymph.—Exudations after inflammation, with effusion of l. Kali-chl.

Lymphatic.—L. swellings. Berb.
L. swelling, with suppuration. Sil.
L. tumors. Sec.
Tardy development of bones, with l. enlargements. Calc-c.

Lymphatic glands.—Inflammation of l. Merc-cor.
Painless swelling of l. Sep.
Swelling, induration or suppuration of l., with burning pains. Carbo-v.

Lymphatic vessels.—Inflammation of l. Cupr., Merc-cor.

Lymphatics.—Red or purple swelling following course of l. Bufo.

Mad.—Does foolish things; behaves like one m. Hyos.

Magnetism.—Susceptible to nervous stimuli, to m. Sil.

Malaise.—Complete m. Anthrak.
General feeling of discomfort, lassitude and m. Card.
M. Paris, Psor.

M.; drowsiness; general feeling of distress. Still.
M., faintness and prostration. Eucalyp.
Weary, drowsy; m. Helon.

Malignant.—M., gangrenous inflammations. Sil.

Malnutrition —M.: patient flabby, weak and sluggish; has profuse sweats and discharges, with cold, damp extremities. Calc-c.

Mammæ (see section on Mammæ).—Atrophy of glands, especially testes and m. Kali-jod.

Marasmus.—M. Ars.
M.: child wrinkles and looks like little dried-up old man. Opi. (Arg-n.)

Meals.—Worse after m. Natr-c.

Medicine.—Over-sensitiveness to external impressions, such as odors, light, noise or music, slight current of air; every harmless word offends; even suitable m. aggravates. Nux-v.

Menses (see section on Menstruation).—Ill-effects from suppression of m. Puls.
Worse during and after m. Graph.
Worse during m. Cimicif., Hyos.

Menstruation. — Anæmia with chlorosis; defective m.; poverty of blood after hæmorrhages, deficiency of light, air or suitable food, or after exhausting diseases. Ferr.

Mental (see section on Mind).—Alternation of m. and bodily symptoms. Croc., Plat.
Bodily and m. lassitude. Caust., China, Coni., Natr-m., Phos-ac., Seneg.
Dwarfish, defective m. and physical growth. Bar-c.
General debility and impaired m. energy, with great drowsiness. Corn.
Great languor and disinclination to physical and m. exertion. Aspar.
Ill-effects from loss of sleep and night-watching and m. excitement. Cocc. (Nux-v.)
M. and physical lassitude and languor. China.
M. dullness and physical depression. Am-brom.
M., nervous and physical weakness. Bar-c.
Physical excitement through m. exaltation. Coff.
Worse after m. excitement. Cist.
Worse from m. activity. Physos.
Worse from m. exertion. Colch., Nux-v. (Sep.)

Mesmerized.—Debility; patients want to be m.; they are starving without vital energy. Calc-ph.

Metastasis.—M. to internal organs. Colch.

Midnight.—Better at night, before m. Ars., Can-sat., Dros., Ferr., Kali-c., Kali-n., Magn-c.
Worse after m. and during day. Anac.
Worse at night, before m. Carbo-v., Cact., Led., Lyc., Mur-ac., Puls., Ran-sc., Sabad., Spong., Tart-em.

Worse in morning, or from evening till m. Anac.

Milk.—Intolerance of m. Æth.

Worse from m. Calc-c. (Æth.)

Mind (see section on Mind).—Any attempt of brain-workers to use m. brings on headache. Pic-ac.

Better from exertion of **m.** Croc., Natr-c.

Great weakness of m. and body in old people. Bar-c.

Lethargy and listlessness, with utter dejection of m. **Am-c.**

Worse from exertion of m. Calc-c., Ign., Nux-v., Sep.

Misers.—Old m., with wrinkled faces. Lyc.

Moaning.—M. and lamenting from pains. Cham.

Restless tossing about and m., in children with sore throat. Lach.

Moist.—Takes cold easily from exposure, but especially in warm, m. air. Ham.

Worse from warm, m. or south wind. Ipec.

Moon.—Worse about new m. Sil. (Caust.)

Worse during full m. Alu., Graph., Kali-n., Sabad., Sulph.

Worse during new m. Alu., **Am-c.**, Calc-c., Caust., Cupr., Daph., Sep., Sil.

Worse near or during full m. **Calc-c.**

Worse when m. is decreasing. Alu., Dulc., Thuja.

Morbid.—Sensitiveness of all nerves, with m. sensation of general weakness. China.

Morning.—Bloating of body in m. Natr-c.

Coldness of whole body in m. after rising. Lach.

Faint, anxious and weak; pale in m. Ars.

Feeling of discomfort in whole body in m. after rising, disappearing on moving about. Puls.

Great debility and lassitude when walking in m. Chelid.

Great languor, especially in m. Ambr.

Great physical and mental exhaustion in m. Lach.

Great weakness and prostration, especially in m. Phos-ac.

Greater weariness in m. after rising than in evening on going to bed. Nux-v.

Inclination to stretch in m. Calc-c.

Nausea and fainting in m. when getting up, or when rising up in bed, or from slightest motion. Bry. (Acon.)

Sick and faint in m. in bed. Coni.

Stiffness in m. Am-c.

Time of action: m. Fluor-ac.

Whole body relaxed and limber in **m.** Natr-c.

Worse in m. Acon., Am-m., Ang., Ant-c., Bry., Calc-c., Chelid., Croc., Dros., Eupat-perf., Guaj., Ipec., Kali-n., Meny., Natr-m., Nux v., Phos., Ran-b., Squilla, Valer., Ver-a.

Worse in m. from four to ten o'clock. Abrot.

Worse in **m.**, or from evening till midnight. Anac.

Motion.—Aimless hurry and desire to be constantly in m. Lil-tig.
Better during m. in open air. Gum-gut.
Better from continued m. Iris.
Better from m. Agar., Ars., Brom., Calad., Fluor-ac., Kali-jod., Kreas., Magn-m., Natr-c., Natr-s., Plat., Ruta, Samb., Sulph.
Better from m., especially walking. Coni.
Better from pressure, touch or m. Arn.
Cannot bear a downward m., as in swing, rocking chair or running down stairs; even seeing water running or pendulum of clock moving causes dizziness. Borax.
Circulation excited by every m. of body. Natr-m.
Feeling as if all joints were broken, swelled, or dislocated at every m. Paris.
Laziness and dread of m. Nux-v.
Loss of voluntary m. and of senses. Stram.
Nausea and fainting in morning when getting up, or when rising up in bed, or from slightest m. Bry. (Acon.)
Neuralgic pains, causing restlessness, relieved by m. Abrot.
Paralytic pains in all joints during m., as if bruised. Arn.
Pains characterized by great intensity, are worse during rest, and can frequently either be entirely suppressed by rubbing and pressure or by m. Ind.
Sensitiveness of whole body (Plat.), and of all joints on m.; bruised pain over whole body. Arn.
Shuns all m. and dreads exercise. Caps.
Slight m. causes palpitation of heart and sweat. Nitr-ac.
Slightest m. after a fall extorts cries. Hyper.
Stiffness in different parts on m. and on touch. Bry.
Trembling; weakness on m. Anac.
Very anxious; restless, with forebodings; sometimes definite anticipations of time of death; drawing, tearing, or tingling pains; symptoms aggravated at night, also by warmth and m. Acon.
Worse from m. Æsc., Aloe, Alu., Apoc., Bry., Camph., Calc-ph., Can-sat., Chelid., Cimicif., Cist., Cocc., Coff., Colch., Euphr., Ferr., Glon., Led., Merc-cor., Mez., Mosch., Natr-m., Nux-v., Pallad., Paris, Phyt., Ran-b., Sabin., Sang., Sec., Sil., Spig., Stann., Still., Ver-v.
Worse from m. and exertion. Pallad.
Worse from m. Led. (Only pains in joints, not pains in other part of body.)

Mountain.—Great lightness while climbing a m., without any respiratory trouble. Coca.

Mouse.—Sensation of creeping like a m. Alu., Laur., Nux-v.
Sensation of creeping like a m., in limbs. Calc-c., Sulph.

Move.—Better after commencing to m. Rhus-t.
Burdensome to m. even a limb. Cycl.

Despairs of being cured and is very restless and exhausted, and very weak on attempting to m. Ars.
Paralytic weakness on beginning to m. Euphorb.
Worse on beginning to m. Caps., Coni., Euphr., Ferr., Lyc., Puls., Rhus-t.

Movement.—Worse from m. Ox-ac.
Worse on m. Bell., Berb., Bry.

Movements.—Constant restless m. of limbs and whole body. Stram.
Trembling of whole body, alternating with convulsive m. of limbs. Arn.
Tremulous m. Cic-v.

Moving.—Better from m. Dulc.
Bruised pain when m. Ign.
Cannot bear a downward motion, as in swing, rocking chair, or running down stairs; even seeing water running or pendulum of clock m. causes dizziness. Borax.
Great debility, lassitude and trembling while standing up and without m. Merc-cor.
Jumping or m. like something alive in different parts. Croc., Mosch.
Wants to be continually m. about. Helon.
Worse when m. Kalm.

Mucous membrane.—Catarrh of m., especially stomach. Abies-c.
Discharges from m. of tough, stringy mucus. Kali-bi.
Dryness and erosions of m. Natr-m.
Dryness and inflammation of m. Calad.
Dryness, with burning of m. Tereb.
Excoriation of m. Kreas. (Hydr.)
Follicular ulceration of m. Kali-chl.
Increased secretions from glands and m. Iris.
Increased secretions of m. Arg-m., Canth., Petr., Phos.
Increased secretions from m., which are tenacious and ropy. Hydr. (Kali-bi.)
Inflammation and increased secretion of m. Agn., Al-cep.
Inflammation, deterioration, and sometimes gangrene of m. Agar.
Irritating inflammation and excessive secretion from m. Acet-ac. (Ars., Ferr., Iod., Natr-m., Phos.)
Irritation and inflammation of m. Caps.
Irritation of m. Apis.
M. dry, swollen, burning and raw. Æsc.
M. loaded with mucus, causing defective digestion. Ant-c.
Profuse flow of watery serum from m. Elat.
Secretions from m. greatly increased. Am-m.
Ulceration of m. Kali-jod.
Ulceration of m., with tendency to putresence. Bapt.

Mucus.—Discharges from mucous membranes of tough, stringy m. Kali-bi.

Mucous membranes loaded with m., causing defective digestion. Ant-c.

Muscles.—Feeling as if m. were too short. Bov.

Increased ability to exercise m. without fatigue. Fluor-ac. (Coca.)

Involuntary, spasmodic, alternate extension and contraction of m. Lyc.

Jumping of m. in different parts of body. Agar.

M. soft and flabby. Calc-c.

Pains where tendons are connected with m. or bones, especially during action of m. Rhus-r.

Pricking or stinging in veins, m. or skin. Ham.

Spasmodic contractions of almost all m., with feeling as if would go crazy if did not hold tightly upon self. Lil-tig. (Associated with diseases of uterus.)

Trembling and twitching of m., and sensation of constriction in different parts. Cact.

Twitching and trembling of m. over whole body. Kali-n.

Twitching of m. in different parts of body. Ant-c.

Muscular.—Involuntary, spasmodic, m. contraction. Tabac.

Laxness and weakness of whole m. system, with emaciation, weakness of digestion and coldness of extremities. Ferr.

Pains in m. portions of body, composed of pressure and bruised feeling. Ver-a.

Music.—Lively m. causes weeping. Kreas., Natr-s., Thuja.

M. causes trembling. Natr-c.

Over-sensitiveness to external impressions, such as odors, light, noise or m., slight current of air; every harmless word offends; even suitable medicine aggravates. Nux-v.

Worse from m. Natr-c., Phos-ac., Sep.

Nails (see section on Extremities).—Hair and n. fall off. Hell.

Sensibility of all nerves, even imagination of some person scratching slightly on linen or paper with finger n. Asar.

Nausea.—Extreme exhaustion and heaviness after slight exertion, with great anxiety, n., pale face and difficult breathing. Spong.

N. and fainting in morning when getting up, or when rising up in bed, or from slightest motion. Bry. (Acon.)

Sensitiveness to open air, with chilliness and frequent n. Hep-s.

Neck (see section on Neck).—General emaciation, most conspicuous about n., which is very thin and shrunken. Natr-m.

Necrosis.—Inflammation, swelling, ulceration and n. of bones. Sil.

Needles.—Neuralgic pains in different parts of body, as if touched by pieces of ice, or as if icy-cold n. were piercing skin; pricking as from a pin, and itching and burning all over with great distress; pains as from splinters. Agar.

Unendurable fine stitches over whole body, as from a thousand n., at night. Can-sat.

Nerves (see section on Nerves).—Lacerations: when intolerable, excruciating pain shows n. are severely involved. Hyper.

Rheumatic and gouty affections of joints and n., accompanied by slight fever and great debility. Ind.

Sensation as if n. were quivering, especially in the summer. Ferr., Puls.

Sensibility of all n., even imagination of some person scratching slightly on linen or paper with finger nails. Asar.

Sensitiveness of all n., with morbid sensation of general weakness. China.

Nervous.—Asthenopia: n. deafness; loss of appetite; flatulence and n. hacking cough, with irritable nerves in anæmic, n. persons. Asar.

Chlorosis in sensitive, n. and hysterical women, inclined to spasmodic and intermittent complaints, induced by mental emotions, such as grief, fright or disappointed love. Ign.

Faint, n. vibrations, seeming to reach interior of bones. Meph.

Great n. debility and sensibility. Nux-v.

Mental, n. and physical weakness. Bar-c.

N., irritable, trembling. Teucr.

N. restlessness, with rapid emaciation and constant thirst for small quantities of water. Ars.

N. shuddering. Cimicif.

N. trembling with great acuteness of senses. Cupr.

N. vibrations through body, causing anxiety and uneasiness. Meph.

Restless, n.; cannot sit still without great effort. Natr-ars.

Weak and n.; a little exercise causes palpitation. Chin-s.

Weak, trembling, n. Lil-tig.

Nervousness.—Congestion, followed by inflammation, with full bounding pulse; great heat; restlessness; thirst; great n. and excitability; anguish of mind and fear of death. Acon.

General debility, with n. and irritability. Kali-ph.

N. Cocc-c.

N., sleeplessness and hysterical moods. Senecio.

N., with great irritability of temper and patience. Ambr.

Neuralgia (see section on Nerves).—Intermittent n.; pains return with great regularity. Chin-s.

Neuralgic.—Arthralgic and n. pains in trunk and limbs. Plumb.

N., lightning-like pains. Magn-c.

N. pains, causing restlessness relieved by motion. Abrot.

N. pains in different parts of body, as if touched by pieces of ice, or as if icy-cold needles were piercing skin; pricking as from a pin, and itching and burning all over, with great distress; pains as from splinters. Agar.

Weakness, with n. pains, sometimes attended with or succeeded by numbness of parts affected. Kalm.

Night.—Anxiety when lying on left side at n. Phos.
Better at n. Ang.
Better at n., before midnight. Ars., Can-sat., Dros., Ferr., Kali-c., Kali-n., Magn-c.
Deep ulcerations, characterized by terrible throbbing pains during n., with extreme sensitiveness of affected part. Asaf.
Excruciating pain and inflammation of small joints (Caul.), which are very tender to touch, worse at n. Actea-s.
Fainting at n. Mosch., Nux-m.
Great restlessness and uneasiness; must constantly change position, especially at n. Rhus-t.
Intolerable itching all over body, without perceptible eruption of skin, especially in pregnant women, worse at n., preventing sleep and worse from scratching. Dolich.
N. and solitude frighten patient. Camph.
Pains at n., as if bones were being scraped with knife. Phos-ac. (China.)
Pains felt at n. while sleeping, particularly before midnight. Ars.
Pains force patient to get out of bed at n. and walk slowly about. Ferr.
Pains particularly intolerable at n., disappearing or are relieved when sitting. Acon.
Prostration during n. Valer.
Restless, cannot keep limbs still at n. Spig.
Restless, cannot lie still a minute at n. Caust.
Unendurable, fine stitches over whole body, as from a thousand needles, at n. Can-sat.
Very anxious; restless, with forebodings; sometimes definite anticipations of time of death; drawing, tearing or tingling pains; symptoms are aggravated at n., also by warmth and by motion. Acon.
Worse at n. Anthrak.
Worse at n., before midnight. Carbo-v., Cact., Led., Lyc., Mur-ac., Puls., Ran-sc., Sabad., Spong., Tart-em.
Worse at n., with tossing about. Abies-c., Abies-n.
Worse evening and n. Acon., Am-c.
Worse from lying, obliged to sit up in bed, even at n., in order to find relief. Natr-m.

Night-watching.—Ill-effects from loss of sleep and n. and mental excitement. Cocc. (Nux-v.)

Night-work.—Exhaustion from n. Colch. (Cocc., China, Nux-v.)

Nodes.—Arthritic n. Calc-c., Dig., Graph., Led., Lyc., Rhod., Sabin., Staph.

Noise.—Disposed to start, even at slight n. Ant-c.
Excessive sensibility to touch and n. Chin-s.

Over-sensitiveness to external impressions, such as odors, light, n. or music, slight current of air; every harmless word offends; even suitable medicine aggravates. Nux-v.

Restless, fidgety; starts at least n. Sil.

Worse from n. Ferr., Ign., Sang.

North.—Worse from n. wind. Spong.

Northeasterly.—Worse during prevalence of n. winds. Rhus-t.

Northwest.—Ailments from west or n. wind, or dry cold wind, or soon after. Hep-s.

Nourishment.—Great physical vigor and great endurance, in spite of slight n. and little sleep. Coca.

Numb.—N., prickling, paralytic feeling over whole body, more on left side. Bapt.

Numbness.—Crawling, creeping sensation, accompanied with sense of n., followed with feeling of swelling. Acon.

Crawling over body, as from a fly, from below upwards in a straight line, followed by n. of parts. Euphr.

Fainting, with n. of limbs. Acon., Natr-m.

Feeling of n. and rigidity in different parts of body. Plat.

Feeling of n. in lower half of body. Spong.

Formication, crawling and n., with all sorts of pains. Coloc.

N. Acon., Carbo-an., Carbo-v., Cocc., Croc., Ign., Kali-c., Nux-v., Rheum, Rhod., Sil., Sulph., Thuja, Ver-a.

N. and loss of sensation. Kreas.

N., debility, languor, fainting. Cedron.

N. of affected parts. Puls.

N. of parts on which patient lies. China.

N. of surface of whole body. Ambr.

N. of whole body. Asclep-tub.

N. of whole body, accompanied by pricking sensation. Phos.

N. over whole body, followed by sensation as if skin were an inch thick and so stiff could hardly move. Apis.

N., tingling, formication. Acon.

Paralysis, with n. and coldness of paralyzed parts after apoplexy, sexual excesses, dissipation. Nux-v.

Paralytic sensations, accompanied by drawing, tearing pains and n. Cham.

Peculiar n., similar to palsy. Ox-ac.

Sensation of n., with great weakness and coldness in whole left side of body. Elaps.

Weakness, with neuralgic pains, sometimes attended with or succeeded by n. of parts affected. Kalm.

Nursing.—Worse from n. Æth.

Nutrition.—Cachectic state from faulty n. and assimilation. Ferr.

Impaired n. and tendency to glandular engorgements. Calc-c.

Obesity.—O., especially in young people. Calc-c.

Occupied.—Restless; cannot sit still; must move about or otherwise be o. Kali-brom.

Odor (see Smell).—Body has filthy o., smells even after bath. Psor.

Carrion-like o., with discharges. Psor.

Sphacelus; parts look black and burn like fire, with fetid o. Ars.

Odors.—Over-sensitiveness to external impressions, such as o., light, noise or music, slight current of air; every harmless word offends; even suitable medicine aggravates. Nux-v.

Tendency to faint from o. Nux-v.

Worse from strong o. Lyc., Phos.

Œdema.—Œ. about joints. Thuja.

Œ. or dropsical swelling of body. Samb.

Œ., or swelling of whole body, with pallid, death-like appearance. Apis.

Œdematous.—General anæmia, with œ. feet. Arg-n.

Œ. distention of all tissues by interstitial infiltration. Kali-jod.

Œ. infiltration of tissues. Kali-jod. (Apis, Apoc., Ars.)

Œ. swelling. Colch.

Œ. swelling of whole body. Crotal., Led. (Apis, Ars.)

Œ. swelling of whole body, with asthmatic complaints. Lact.

Offensive.—Burning, corroding discharges, often extremely o. Ars.

Discharges and excretions o. Sil.

Discharges thin, o. and excoriating and, if purulent, are of a dirty, yellowish-green color and very offensive. Nitr-ac.

Offensive excretions. Guaj.

Old.—Emaciation of children; face has very o. look. Sulph. (Arg-n., Opi.)

Young people look very o. Fluor-ac. (Arg-n., Opi.)

Old man.—Emaciation, with withered, o. look. Arg-n.

Marasmus; child wrinkles and looks like little, dried-up o. Opi. (Arg-n.)

Old people.—Great weakness of mind and body in o. Bar-c.

Onanism (see section on Sexual Organs).—Ill-effects from o. or excessive sexual indulgence, or grief, sorrow, disappointed love. Phos-ac.

Victim seeks solitude to abandon himself to o. Bufo.

Worse from sexual excesses or o. Staph.

Open air.—Aversion to o. Petr. (Am-c., Cocc., Nux-v., Sep., Sil.)

Aversion to o., least cold, damp air goes right through and patient is constantly taking cold. Calc-c.

Better in o. Acon., Æth., Al-cep., Alu., Am-m., Ant-c., Apis, Bry., Calad., Camph., Chin-s., Cimicif., Cinnab., Clem., Coca, Cocc-c., Colch., Croc., Dig., Glon., Graph., Gum-gut., Hell., Mez., Naja, Natr-c., Natr-m., Natr-s., Nicc., Ox-ac., Physos., Plat., Puls., Rhus-r., Sabin.

Better from walking in o. Nux-v.
Better in o. (except roughness of throat, which is worse). Laur.
Better when walking in o. Lact.
Desire for o. Lyc. (Puls.)
Fainting from walking in o. Ferr., Kali-c., Seneg., Senecio.
Great dread of o. Kali-c.
Great chilliness in o.; desires to be covered even in warm room. Hep-s.
Great sensitiveness to o. Mosch.
Sensitiveness and aversion to o. Nux-v. (Rumex.)
Sensitiveness to cold o. Rhus-t. (Rumex.)
Sensitiveness to o. Am-c., Carbo-an., Cham., Coff., Sulph.
Sensitiveness to o., with chilliness and frequent nausea. Hep-s.
Symptoms coming on indoors are better in o., and vice versa. Mang.
Very sensitive to o. Rumex. (Rhus-t.)
Worse in o. Anac., Caust., Cina, Coff., Kali-n., Kreas., Lach., Merc-cor., Petr., Senecio, Sulph., Sulph-ac.
Worse in o., in cold wet weather. Sulph-ac.

Oppressed.—Convulsions alternating with o. breathing. Ign.

Oppression.—General o. and heaviness. Acet-ac.
O. of breathing accompanies most complaints. Kali-c.
Pains and other symptoms are often attended by chilliness and o. of chest. Puls.

Orifices.—Hæmorrhage from o. Canth., China, Crotal., Diad., Ipec., Sulph-ac.
Putrid discharges from o. Carb-ac.

Other side.—Pains come on when lying on back and are relieved by turning to one or the o., or by lying on affected side. Puls.

Outer parts.—Cutting pain in o. Bell., Calc-c., Dros., Natr-c.
Pains, as if bruised, in o., which makes patient cross. Nux-v.
Rending, tearing pains in o. Acon., Ammoniac., Bry., China, Kali-c., Lyc., Sil., Sulph., Zinc.
Sensation of fullness in o. Phos.

Outward.—Intermittent, pulsative or pressive, darting or lacerating pains from within o., transferred from different parts and relieved by touching parts, in hysterical patients. Asaf,
Pains from within o. Bell. (Reverse, Cact.)
Pressing pains from within o., as from a hard pointed body. Ign.

Ovarian.—Sharp, tearing pains in various parts, with o. or uterine irritation. Cimicif.

Over-eating.—Worse from o. Nux-v.

Overheating.—Tendency to take cold after o. Kali-c.

Over-lifting.—Ill-effects from o. or from exercise. Millef.
Straining and o. produces great debility. Carbo-an.

Over-sensitive. — Excitable; o.; least unpleasant impression prostrates. Phos.
O. to all pain and cold air. Aur.

O. to least impression; is very indignant, with great concern for future. Staph.

Over-sensitiveness.—O. of all senses. Valer.

O. of every part of body, accompanied by great weakness. Canth.

O. to external impressions, such as odors, light, noise or music, slight current of air; every harmless word offends; even suitable medicine aggravates. Nux-v.

O. to heat and cold. Ipec.

O. to pain. Ign.

O. to pain; fainting from slightest pain. Hep-s.

O. to slightest touch. Colch.

Oysters.—Worse after eating, especially o. Lyc.

Pain.—All ailments are accompanied by sleepiness and tendency to faint from slight p. Nux-m.

Bruised p. after rising. Carbo-v.

Bruised p., as if beaten. Arn., Bad., Bapt., Carbo-v., Cic-v., Cupr., Dros., Guaj., Natr-m., Natr-s., Nux-v., Olean., Plat., Ruta, Staph., Ver-a.

Bruised p. in bed. Nux-v.

Bruised p. in lower extremities. Berb., Ruta.

Bruised p. when moving. Ign.

Bruised p. when touched. Hep-s.

Bruised p. when uncovered. Aur.

Burning p., especially in inner organs. Ars. (Sec.)

Burning p. in internal organs. Euphorb.

Burning p. in old cicatrix. Graph.

Burning, throbbing p., with chilliness. Hep-s.

Chilliness with p. Ars., Bar-c., Bry., Calc-c., Dulc., Euphr., Graph., Ign., Kali-c., Kali-m., Led., Lyc., Mez., Natr-m., Puls., Rhus-t., Squilla, Sep.

Corroding p. Merc.

Cramping p. in inner parts. Ang., Coloc., Cupr., Plat.

Cutting p. in inner parts. Calc-c., Canth., Kali-c., Merc., Sulph.

Cutting p. in outer parts. Bell., Calc-c., Dros., Natr-c.

Cutting p. where bones are least covered with flesh (not in joints); on touch p. goes to another part. Sang.

Darting, stinging p. on different parts of body at same time. Canth.

Debility after p., compelling patient to groan. Graph.

Excessive sensitiveness to p. Sep. (Cham.)

Excruciating p. and inflammation of small joints (Caul.), which are very tender to touch, worse at night. Actea-s.

Fainting, with p. in heart. Lach.

Feeling of great prostration, with p. in stomach. Podo.

Feels p. in company. Pallad.

Festering p. Phos., Puls., Ran-b.

Frequent pressing p. here and there all over. Indium.
Gnawing p. Berb., Dros., Mez.
Jerking p. Asaf., Bell., Calc-c., Caust., Meny., Natr-m., Nux-v., Puls., Rhus-t., Tart-em.
Jerking p. in inner parts. China, Ign., Kali-c., Nitr-ac., Puls., Sil.
Lacerations; when intolerable, excruciating p. shows nerves are severely involved. Hyper.
Over-sensitive to all p. and cold air. Aur.
Over-sensitiveness to p. Ign.
Over-sensitiveness to p.; fainting from slightest p. Hep-s.
P. as from a sprain. Ign. (Arn., Bry., Ruta.)
P. as from bursting. Bell., Calc-c., Caust., Ign., Ran-b., Sep., Spig.
P. as from subcutaneous ulceration. Am-c.
P. as from subcutaneous ulceration or festering. Puls.
P., as if bruised in outer parts, which makes patient cross. Nux-v.
P., as if contused or sprained, with sensation as if flesh were loose on bones in consequence of blows. Ign.
P., as if flesh were torn loose from bones, or as if bones were being scraped. Rhus-t.
P. as if suppurating. Phos., Puls., Ran-b.
P. followed by great weakness. Kali-ph.
P. in small circumscribed spots. Ign.
P. seems intolerable and is frequently accompanied by other minor symptoms, such as shuddering, coldness. Ars.
P., with thirst and redness of cheeks; fainting; congestion of blood to head. Acon.
Paralytic weakness, with p. in back. Cocc.
Periodical attacks of p. Ferr.
Raw and sore p. in whole body, internally and externally. Canth.
Reflex p. Dios. (Puls.)
Sensitive, feels bodily p. too acutely. Kali-ph.
Sensitiveness of whole body (Plat.) and of all joints on motion; bruised p. over whole body. Arn.
Sensitiveness to p. Aur., Cham., Coff., Lyc., Phos., Sep.
Shocks of p., as from electricity. Ver-a.
Slowly increasing suddenly ceasing p. Sulph-ac.
Stitches, with sore p. through body. Nux-v.
Tearing, cutting, wandering p., with rheumatism. Acon.
Trembling over whole body from excitement, exercise and p. Cocc.
Wandering p., shifting rapidly from part to part. Puls. (Benz-ac., Kali-bi., Led.)

Painful.—All parts of body on which patient lies are p., as if bruised. Ruta.
Better from lying on p. side. Sep.
Better when lying on p. side. Bry., Calc-c., Cham., Coloc., Ign., Puls.

Body p.; sensitive to touch; parts touched feel chilly. Spig.
Cannot bear pressure on any part; could not rest back against chair; obliged to change position often; feet p. from resting on floor. Bapt.
Dull stitches, sometimes with crampy sensation, sometimes pressing, sometimes conveying sensation of shock or jerk, sometimes itching in different parts of body, in limbs, arms, feet, toes, in side or in back, always in outer parts; places are p. on pressure, as if sore or bruised. Cina.
Great debility; languor, with p. feeling of weight and sensitiveness in all limbs. Agar.
Limbs and joints on which patient is lying feel p., as if bruised. Rhus-t.
Limbs and whole body p., as if bruised and beaten. Led. (Arn., Bad., Ruta.)
P., bruised feeling over whole body. Sil.
P. cramps and cramp-like contractions in different portions of body. Coloc.
P. drawing tension of whole body. Graph.
P. sensitiveness of glands. Sulph-ac.
P., spasmodic, contractive sensation through body. Nux-v.
P. swelling and induration of glands. Clem.
Scars become blood-red or blue and are p. Sulph-ac.
When lying long becomes restless, but change is p. and it is very difficult to find new position which gives relief. Natr-s.
Whole body feels p., as if bruised. Magn-m.
Whole side of body on which patient lies is p., as if lacerating, with chilliness on uncovering. Sil.
Worse when lying on p. side. Bar-c., Bry., Hep-s., Iod., Nux-m., Ruta, Sil.

Painfulness.—P. of whole body. Sil.

Painless.—Better lying on p. side. Fluor-ac., Nux-m.
Worse from lying on p. side. Kali-c.

Painlessness.—P. of all ailments. Laur., Stram., Opi.
P. of all ailments; complains of nothing and asks for nothing. Opi.

Pains.—All p. reappear when thinking about them. Ox-ac. (Bar-c.)
Anguish, tremor and sweat during p. Natr-c.
Arthralgic and neuralgic p. in trunk and limbs. Plumb.
Biting, pricking p. Carbo-v., Nux-v., Ran-sc., Sep., Sulph., Zinc.
Boring p. Ars., Carbo-v., Caust., Nux-v., Phos., Phos-ac., Rhus-t., Stann., Sulph.
Boring, piercing p. Bell., Bism., Ran-sc., Spig.
Boring, stinging, gnawing p., with faintness. Ran-sc.
Bruised, burning, cutting, stinging, biting or contractive p. Sulph.
Bruised p. in all joints. Mosch.
Burning, itching p., with heat. Clem.

Burning p. accompanied by chilliness. Caps.
Burning p. in glands. Ars.
Burning p. in interior parts. Acon., Ars., Bell., Bry., Canth., Phos., Sabad., Sep., Sulph.
Burning p., with great anguish and fear of death. Ars.
Burning, smarting p. in different parts. Caps.
Burning, stinging p., like bee stings. Apis.
Children when growing suffer with violent p. Sil.
Colicky or crampy p. Coloc.
Constricting p. Alu., Cocc., Ign., Plat.
Constrictive or contractive p. Gum-gut.
Cramp-like or dull, pressing p., coming on gradually and disappearing in same manner. Plat. (Stann.) (Reverse, Bell.)
Cramp-like p. in various parts. Euphr.
Darting, lacerating p., or lacerating with pressure. China.
Darting p. in various parts. Abrot.
Deep ulcerations, characterized by terrible throbbing p. during night, with extreme sensitiveness of affected parts. Asaf.
Drawing, lacerating p. here and there in muscles of whole body when sitting. Staph.
Drawing p. Ant-c., Bry., Carbo-v., Caust., Cham., Cina, Hell., Hep-s., Kali-c., Kali-m., Lyc., Mang., Merc., Mur-ac., Nux-v., Plat., Plumb., Puls., Rhod., Rhus-t., Sabad., Stann., Staph., Stram., Tart-em., Tereb.
Drawing p. after a cold. Nitr-ac.
Drawing p. in periosteum, or where skin covers bones. Cycl.
Drawing p. in various portions of body while sitting. Staph.
Drawing p. relieved when at rest. Bry., Sabad.
Drawing, rheumatic p. in different parts of body. Bry.
Drawing, tearing p. Actea-s.
Drawing p. when at rest. Mur-ac., Rhod., Rhus-t.
During fever or p. in abdomen, patient covers up, but afterwards skin becomes cold and patient uncovers. Camph.
Even slight p. affect patient violently. Nitr-ac.
Fainting from p. in stomach. Ran-sc.
Fainting produced by slight p. Cocc., Hep-s., Nux-m.
Fainting with p. Ran-sc. (Hep-s.)
Fine stinging or burning p. in different parts. Acon.
Formication, crawling and numbness, with all sorts of p. Coloc.
Frequent, drawing p., constantly appearing and disappearing, in almost all parts of body. Nitr-ac.
Frequent, sharp, tearing p. from one part to another. Dios.
Growing p. Phos-ac.
Induration, swelling and inflammation of glands, with lancinating, cutting, burning p. Carbo-an.
Inflammatory swelling, with burning, lancinating p. Ars.

Intermittent neuralgia; p. return with great regularity. Chin-s.

Intermittent, pulsative or pressive, darting or lacerating p., from within outward, transferred from different parts and relieved in hysterical patients by touching parts. Asaf.

Jactitation or tossing about, caused by p. Acon., Ars., Bell., Calc-c., Cham., China, Cina, Coff., Hell., Lyc., Magn-c., Sulph.

Jerking p. in parts. Berb.

Jerking p., like short stitches, in small spots, lasting only a few moments. Ox-ac.

Jerking, rending, darting p. Am-m., China.

Labor-like p. Acon., Bell., Caul., Cimicif., Puls., Sabad.

Lacerating, lancinating or darting p. Berb.

Lacerating p. Nicc.

Moaning and lamenting from p. Cham.

Neuralgic, lightning-like p. Magn-c.

Neuralgic p., causing restlessness, relieved by motion. Abrot.

Neuralgic p., in different parts of body, as if touched by pieces of ice, or as if icy-cold needles were piercing skin; pricking, as from a pin, and itching and burning all over, with great distress; pains, as from splinters. Agar.

P. and most other symptoms worse after sleep. Selen.

P. and other symptoms are often attended by chilliness and oppression of chest. Puls.

P. and uneasiness return at regular hours. Ars. (Cedron.)

P. appear and disappear suddenly, rapidly, quickly. Kali-bi. (Bell.)

P. appear at approach of rough, windy weather or thunder storm. Rhod.

P. appearing on small longitudinal spots. Ox-ac.

P. are felt severely, making patient cold and weak. Cor-r. (Agar.)

P. as if sore and ulcerated, or as if bruised and contused. Kreas.

P. as if sprained. Rhus-t.

P. at night, as if bones were being scraped with knife. Phos-ac. (China.)

P. attended by shuddering. Sep.

P. change often and last but a short time. Pallad.

P. characterized by great intensity, are worse during rest, and can frequently either be entirely suppressed by rubbing and pressure or by motion. Ind.

P. come and go suddenly, and after a shorter or longer duration, cease suddenly. Bell.

P. constantly change location. Led. (Benz-ac., Kali-bi.)

P. come on suddenly. Cimicif.

P. come on when lying on back, and are relieved by turning to one or other side or by lying on affected side. Puls.

P. felt at night while sleeping, particularly before midnight. Ars.

P. felt only when touching part, are renewed immediately after dinner, in evening after lying down, and in morning immediately after awaking. Ign.

P. first attack one part, then reappear in another. Kali-bi.

P. force patient to get out of bed at night and walk slowly about. Ferr.

P. from within outward. Bell. (Reverse, Cact.)

P. increase gradually, disappear suddenly. Arg-m.

P. in glands. Arn., Bell., Carbo-an., Coloc., Lyc., Merc., Phos., Thuja.

P. in the ligaments, tendons and synovial membranes; worse at rest and on beginning to move, and better from continued motion. Rhus-t.

P. in muscular portions of body, composed of pressure and bruised feeling. Ver-a.

P. in small spots. Lil-tig.

P. in small spots which can be covered with point of finger. Kali-bi. (Ox-ac.)

P. intermit in severity. Cinnab.

P. particularly intolerable at night, disappearing or are relieved when sitting. Acon.

P. pressing, shooting. Phyt.

P. quickly change from one part to another. Arn.

P. relieved by warmth. Sep.

P. seem intolerable. Cham.

P. seem to be between skin and flesh. Zinc.

P. shifting, changing quickly from one part to another. Kali-bi. (Apoc-and., Bell., Puls.)

P. suddenly appear and gradually disappear. Puls.

P. suddenly change location (Puls.), appear first on left, later on right side. Benz-ac.

P. unendurable, driving patient to despair. Coff.

P. where tendons are connected with muscles or bones, especially during action of muscles. Rhus-r.

Paralytic p. in all joints during motion, as if bruised. Arn.

Paralytic sensations, accompanied by drawing, tearing p. and numbness. Cham.

Paralytic weakness with all p. Arg-n.

Periosteal inflammation (Staph.), with burning, gnawing, tearing p. Phos-ac.

Pressing p. from within outward, as from a hard pointed body. Ign.

Pressive, drawing, tearing p., often ending in a stitch. Guaj.

Pricking, burning p. Ipec.

Pricking, tearing, pressing p. running across parts. Hell.

Prickling p. Plat.

Quick, stitching, shooting p., appearing at intervals and changing location. Magn-ph.
Rending, tearing p. Agar., Am-m., Aur., Can-sat., Calc-c., Carbo-v., Caust., Cham., China, Cocc., Colch., Coloc., Dulc., Euphr., Ferr., Hell., Kali-c., Kali-n., Led., Lyc., Merc., Mez., Mur-ac., Nitr-ac., Nux-v., Phos., Phos-ac., Plumb., Puls., Rhus-t., Sars., Sec., Sil., Spig., Staph., Stront., Sulph., Valer., Zinc.
Rending, tearing p. in inner parts. Bell., Coni., Lyc., Puls., Sil.
Rending, tearing p. in outer parts. Acon., Ammoniac., Bry., China, Kali-c., Lyc., Sil., Sulph., Zinc.
Rheumatic and arthritic p. Guaj.
Rheumatic p. all over body. Kalm.
Rheumatic p., first in left side, then in right. Lach.
Rheumatic, wandering p., with lameness. Meph.
Severe, sharp p. in various parts of body. Physos.
Sharp, tearing p. in various parts, with ovarian or uterine irritation. Cimicif.
Shifting, changing p. Lil-tig. (Puls.)
Shooting p., like electric shocks, here and there. Cimicif.
Slow, shooting p., with long-continued thrills. Sang.
Sticking, shooting p., with faintness. Merc-jod.
Sticking, stitching, darting p. Kali-c.
Sticking, tearing, throbbing p. Led.
Stinging p. Apis, Plat.
Stitching, sticking p. Cocc-c.
Stitching, sticking p., as from splinters, especially on touch, in all parts of body. Nitr-ac.
Stitching, with burning, aching p. Al-cep.
Swelling, induration or suppuration of lymphatic glands, with burning p. Carbo-v.
Swelling of glands, with rending, tearing p. Ferr.
Talking fatigues and excites p. Sulph.
Tearing, drawing p. in various parts of body. Carbo-v.
Tearing, drawing p., quickly changing location. Colch. (Puls.)
Tearing, drawing, tensive p. excited by slightest chill. Phos.
Tearing p. Caust.
Tearing p., like shocks, in different parts. Daph.
Tearing, piercing p. Cist.
Tearing, pricking, pulsating p. Lach.
Tearing, shooting p. whole length of body. Coloc.
Tingling p. in all joints. Acon.
Very anxious; restless, with forebodings; sometimes definite anticipations of time of death; drawing, tearing or tingling p.; symptoms aggravated at night, also by warmth and motion. Acon.
Violent destructive inflammations, with burning p. Canth.
Violent, jerking, burning p., confined to a small spot. Coca.

Wandering, aching p. only in small spots, returning often. Nux-m.
Wandering p. pass quickly over body. Sil.
Wandering p., sometimes on one side, sometimes on the other. Rhus-r.
Weakness with neuralgic p., sometimes attended with or succeeded by numbness of parts affected. Kalm.
Worse from motion. Led. (Only p. in joints, no p. in other part of body.)
Worse when walking, yet p. so much after ceasing to walk must walk again. Lil-tig.

Pale.—Complete anasarca without thirst, with very p., clear, wax-like appearance. Apis.
Faint, anxious and weak; p. in morning. Ars.
Fainting, with p. face. Acon., Berb., Lach., Natr-m., Nux-v.
General anasarca, with p., waxy or earth-colored skin and great thirst. Ars.

Paleness.—Fainting, with p. of cheeks, which are red when lying. Acon., Lach.
Rapid and complete prostration, with waxy p. and coldness of skin. Ars.

Pallid.—Œdema or swelling of whole body, with p. death-like appearance. Apis.

Palpitation.—Easily startled when awake, and then feels throbbing and p. Camph.
Weak and nervous; a little exercise causes p. Chin-s.

Palpitation of heart.—Congestive condition of head and lungs, with p. Ind.
Fainting, with p., followed by sleep. Nux-m.
Slight motion causes p. and sweat. Nitr-ac.

Paper.—Sensibility of all nerves, even imagination of some person scratching slightly on linen or p. with finger nails. Asar.

Paralysis.—Loss of power, threatning p. Arg-m.
P. Ars-jod.
P. of inner parts. Cocc.
P. with numbness and coldness of paralyzed parts after apoplexy, sexual excesses, dissipation. Nux-v.

Paralytic.—Numb, prickling, p. feeling over whole body, more on left side. Bapt.
P. feeling in arms, legs and spine. Æsc.
P. pains in all joints during motion, as if bruised. Arn.
P. sensation in whole body and especially in arms and feet, with trembling of whole body and extremities; with pale face; dilated pupils; faintness and numbness of extremities. Acon.
P. sensations, accompanied by drawing, tearing pains and numbness. Cham.
P. stiffness in whole body. Lith-c.

P. weakness and soreness, especially when sitting and at rest. Rhus-t. (Agar.)
P. weakness with all pains. Arg-m.
P. weakness, with pain in back. Cocc.
Sick and p. feeling in body, as if paralyzed, mentally and physically. Phos.
Spasmodic, rheumatic and p. affections. Ang.
Trembling, with p. weakness. Anac.

Paralyzed.—Ebullitions, with anxiety and weakness, as if p., with sore feeling in various parts. Am-m.
Exhausted, faint and as if p., after short walk. Coni.
Paralysis, with numbness and coldness of p. parts after apoplexy, sexual excesses, dissipation. Nux-v.
Rapid emaciation of p. parts. Sec.
Sick and paralytic feeling in body, as if paralyzed, mentally and physically. Phos.

Parchment.—Anthrax, burning like fire, with cold, blue skin, dry as p., peeling off in large scales. Ars.

Parts.—Sensation of hoop or band around p. Anac., Cact., Coni., Gels., Nitr-ac., Plat., Puls., Sulph.

Passions.—Lowest p. are aroused, making man beastly. Bufo.

Patience.—Nervousness, with great irritability of temper and p. Ambr.

Pea.—Livid, brown vesicles, size of p., all over body. Millef.

Peeling.—Anthrax, burning like fire, with cold, blue skin, dry as parchment, p. off in large scales. Ars.

Pendulum.—Cannot bear a downward motion, as in swing, rocking chair, or running down stairs; even seeing water running or p. of clock moving causes dizziness. Borax.

Perforate.—Ulcers p. or become phagedenic. Merc-cor. (Ars.)

Periodical.—P. attacks of pain. Ferr.
P. return of symptoms on alternate days, or they antepone. Chin-s.

Periosteal.—P. inflammation (Staph.), with burning, gnawing, tearing pains. Phos-ac.

Periosteum.—Drawing pains in p., or where skin covers bones. Cycl.
Joints, bones and p. feel sprained. China.

Peritoneum. — Dropsical effusion to serous membranes, especially brain, thorax and p. Hell.

Perspiration.—Better after p. Graph.
Better from p. Cocc-c.
Extreme prostration, with p. Aloe.
Fainting after loss of blood or other animal fluids, with ringing in ears, cold skin, cold p. China.
Fainting and debility, with p. Dig.
Fainting, with p. Dig. (With cold p. Lach.)
General p. Amyl.
Great p. Elat.

Great weakness, depression, p. and sleeplessness. Cact.
Lassitude, with p. after least exercise. Cocc-c.
P. day and night, as soon as patient sleeps, or even on closing eyes. Coni.
Worse from p. Calc-c. (Natr-m.)

Perspiring.—Better after p. Kali-n., Natr-m.
Worse after p. Ign.
Worse when p. Kali-n.

Physical.—Dwarfish, defective mental and p. growth. Bar-c.
Great languor and disinclination to p. and mental exertion. Aspar.
Great p. vigor and great endurance in spite of slight nourishment and little sleep. Coca.
Mental and p. lassitude and languor. China.
Mental dullness and p. depression. Am-brom.
Mental, nervous and p. weakness. Bar-c.
P. excitement through mental exaltation. Coff.

Piano.—Worse when playing on p. Natr-c.

Picking.—P. about clothes (carphologia). Arn., Ars., Bell., Cham., China, Cocc., Colch., Hep-s., Hydroc-ac., Hyos., Iod., Lyc., Mur-ac., Opi., Phos., Phos-ac., Psor., Rhus-t., Stram., Sulph., Zinc.

Piercing.—Boring, p. pains. Bell., Bism., Ran-sc., Spig.
Tearing, p. pains. Cist.

Pin.—Neuralgic pains in different parts of body, as if touched by pieces of ice, or as if icy-cold needles were piercing skin; pricking, as from a p., and itching and burning all over with great distress; pains, as from splinters. Agar.

Plethoric.—Full, p. habit. Ferr.

Plug.—Sensation of a p. in different parts. Anac.

Plump.—Child looks p. and fat, yet flesh is flabby. Hep-s.

Pointed.—Pressing pains from within outward, as from a hard, p. body. Ign.

Pork.—Ill-effects from eating p. or fats. Puls.

Position.—Restless, changing p. often; great anxiety. Ars.
Worse after changing p. Caps., Euphr., Ferr., Puls.

Potatoes.—Worse from eating p. Alu.

Poultices.—Worse from warm p. Lyc.
Worse from wet p. Am-c.

Pounded.—Feeling of soreness, as if beaten or p., with prostration. Phyt.

Poured.—Sensation as if cold water had been p. over body, causing shuddering. Cimex.
Sensation as if hot water were p. from chest into abdomen. Sang.

Power.—Great loss of p. in walking, especially in limbs, with exhausting sweats. Calc-c.
Loss of p., threatening paralysis. Arg-m.

Loss of p., with sensation as if marrow of bones had become stiff and coagulated. Ang.

Pregnant (see section on Pregnancy).—Intolerable itching all over body, without perceptible eruption of skin, especially in p. women; worse at night preventing sleep and worse from scratching. Dolich.

Pressing.—Cramp-like or dull, p. pains, coming on gradually and disappearing in same manner. Plat. (Stann.) (Reverse, Bell.)

Dull stitches, sometimes with a crampy sensation, sometimes p., sometimes conveying sensation of shock or jerk, sometimes itching in different parts of body, in limbs, arms, feet, toes, in side or in back, always in outer parts; places are painful on pressure, as if sore or bruised. Cina.

Frequent p. pain, here and there, all over. Indium.

Pains p., shooting. Phyt.

P. pains from within outward, as from a hard pointed body. Ign.

Pricking, tearing, p. pains running across parts. Hell.

Pressive.—Intermittent, pulsative or p., darting or lacerating pains, from within outward, transferred from different parts and relieved in hysterical patients by touching parts. Asaf.

P., drawing, tearing pains, often ending in a stitch. Guaj.

Pressure.—Better from hard p. China, Coloc., Ign.

Better from p., touch or motion. Arn.

Better on p. Natr-c.

Cannot bear p. on any part; could not rest back against chair; obliged to change position often; feet painful from resting on floor. Bapt.

Darting, lacerating pains, or lacerating with p. China.

Dull stitches, sometimes with crampy sensation, sometimes pressing, sometimes conveying sensation of shock or jerk, sometimes itching in different parts of body, in limbs, arms, feet, toes, in side or in back, always in outer parts; places are painful on p., as if sore or bruised. Cina.

Extreme tenderness; cannot bear least p. of clothing. Helon.

Fainting, with p. on heart. Petr.

Great sensitiveness to touch and p. Apis.

Pains characterized by great intensity, are worse during rest and can frequently either be entirely suppressed by rubbing and p. or by motion. Ind.

Pains, especially drawing, with p., commence slowly, increase gradually to a very high degree, and decrease as slowly. Stann.

Pains in muscular portions of body, composed of p. and bruised feeling. Ver-a.

Worse from p. Am-c., Calc-c., Cina, Clem., Phyt., Iod. (Reverse, Nitr-ac.)

Worse from p. of clothes. Lyc.

Pricking.—Biting, p. pains. Carbo-v., Nux-v., Ran-sc., Sep., Sulph., Zinc.

Neuralgic pains in different parts of body, as if touched by pieces of ice, or as if icy-cold needles were piercing skin; p. as from a pin, and itching and burning all over, with great distress; pains, as from splinters. Agar.

Numbness of whole body, accompanied by p. sensation. Phos.

P., burning pains. Ipec.

P. or stinging in veins, muscles or skin. Ham.

P., tearing, pressing pains running across parts. Hell.

P., tingling, in various parts. Sil.

Tearing, p., pulsating pains. Lach.

Prickling.—Numb, p., paralytic feeling over whole body; more on left side. Bapt.

P. in glands. Bell., Merc., Puls.

P. over whole body. Apis. (Sec.)

P. pains. Plat.

Uncomfortable p. sensation of warmth over body. Sang.

Pride.—Ill-effects from envy, p. or chagrin. Staph.

P. easily wounded; wants to be flattered. Pallad.

Promotes.—P. conception. Anagal., Puls.

Prostrates.—Excitable; over-sensitive; least unpleasant impression p. Phos.

Prostration.—Complete relaxation and p. Gels.

Excessive p., exhaustion, faintness. Sep.

Excessive weariness and p. Puls. (Phos.)

Extreme debility, p. and restlessness. Sec. (Ars.)

Extreme p., with perspiration. Aloe.

Extreme weakness and p. Ver-a. (Ars., Phos.)

Extreme weakness and p.; cannot stand up. Merc-cyan.

Extreme weakness and p.; must sit or lie down constantly. Stann (Sil.)

Faintness, exhaustion, great p. Dig.

Faintness, goneness; great weakness and p. Hydr.

Feeling of great p., with pain in stomach. Podo.

Feeling of soreness, as if beaten or pounded, with p. Phyt.

General debility; great p. Plumb.

General sinking of strength; p. Arn. (Ars.)

Great debility and p. Iod., Spong. (Ars., Bry., Phos., Graph., Natr-c.)

Great depression and p. of strength. Cic-v.

Great exhaustion and p. Phyt.

Great languor and p. Grat.

Great languor and weariness, indolence and p., especially in lower limbs. Ind.

Great lassitude and p. Brachyg.

Great lassitude, p. and lameness. Cinnab.

Great p. Camph., Crotal., Kali-bi.
Great p. and condition same as that produced by malignant scarlatina, or low, adynamic forms of disease. Ailanth.
Great p. and heaviness of whole body. Natr-c.
Great p. and sluggishness of body. Tart-em.
Great p. and tendency to somnolence. Chloral.
Great p.; desire to rest. Pic-ac.
Great p., languor and drowsiness. Æth.
Great p. of muscular system. Physos.
Great p.; wants to lie down all the time. Abies-c.
Great p., with stretching and yawning. Chin-ars.
Great vital p. Ars-jod.
Great weakness and p. Bry., Ferr., Glon., Kreas., Osm., Phos., Sec. (Ars., China.)
Great weakness and p., especially in morning. Phos-ac.
Great weakness and p. of whole system. Phos. (Ars., China.)
Great weariness and p. Cocc-c., Merc.
Languor, p. and desire to yawn and stretch. Puls.
Malaise, faintness and p. Eucalyp.
Profound p. or exhaustion. Carb-ac.
P. Mur-ac.
P. during night. Valer.
P. of mind and body. Lyc.
P.; so weak almost constantly obliged to lie down. Nitr-ac. (Sil.)
P.; tired, weary, especially about knees. Natr-s.
P., with inability to support body. Bar-c.
P., with trembling in limbs. Mancin.
Rapid and complete p., with waxy paleness and coldness of skin. Ars.
Rapid emaciation and p. Ars-jod.
Weakness and p. after loss of animal fluids, or after long and severe illness. China.
Weakness and p. of whole body, especially of knee joints. Lith-c.
Weakness and p., with irresistible drowsiness. Laur.
Weakness, p., faintness. Canth.
Weakness, weariness and p. of whole body. Cycl.

Pulled.—Feeling as if p. by the heart. Acon., Laur., Nux-v.

Pulsating.—Tearing, pricking, p. pains. Lach.
Throbbing and p. in all bloodvessels of body. Tart-em.
Throbbing, p., biting through whole body (Glon.), especially in left chest. Sep.

Pulsation.—Painless p. or throbbing throughout body. Glon.
P. in glands. Calc-c., Merc.

Pulsations.—Feels p. of all arteries down to tips of toes. Kali-c.
P. in whole body, with restlessness, delaying sleep. Ammoniac.
P. through whole body. Ind., Puls., Zinc. (Glon.)
Violent p. in whole body. Graph.

Pulsative.—Intermittent, p. or pressive, darting or lacerating pains, from within outward, transferred from different parts and relieved in hysterical patients by touching parts. Asaf.

Pulse.—Child must be carried; it cries if touched; will not allow p. to be felt. Tart-em.

Frequent fainting from weakness, with scarcely perceptible p. Ars.

Stitches coming and going like p., terminating with a jerk. Ind.

Purple.—Red or p. swelling following course of lymphatics. Bufo.

Purulent.—Discharges thin, offensive and excoriating and if p. are of a dirty, yellowish-green color and very offensive. Nitr-ac.

Pus.—Ulcers, burning like fire, and pain often during sleep, discharging copious, bloody p. or ichor, with blue, black, lardaceous bases. Ars.

Putrescence.—Ulceration of mucous membranes, with tendency to p. Bapt.

Putrid.—P. discharges from orifices. Carb-ac.

Quick.—Q., stitching, shooting pains, appearing at intervals and changing location. Magn-ph.

Quickly.—Pains appear and disappear q. Kali-bi. (Bell.)

Pains shifting, changing q. from one part to another. Kali-bi. (Apoc-and., Bell., Puls.)

Quiet.—Better when lying q. Sang. (Bry.)

Child will not be q. unless carried on point of mother's shoulder. Coloc.

Quivering.—Sensation as if nerves were q., especially in summer. Ferr., Puls.

Q. in external parts. Asaf., Kali-c., Mez., Natr-c.

Q. in internal parts, Can-sat.

Rain.—Worse from getting wet in r. Calc-ph.

Rapid.—Anæmia or chlorosis, with too r. growth. Phos.

R. emaciation, with great loss of flesh, cold sweat and debility. Ars.

Rapidly.—Pains appear and disappear suddenly, r., quickly. Kali-bi. (Bell.)

Raw.—Mucous membranes dry, swollen, burning and r. Æsc.

R. and sore pain in whole body, internally and externally. Canth.

Rays.—Ill-effects from exposure to sun's r. or to heat. Glon.

Reaction.—Exhaustion with defective r. Am-c.

Slow r. Laur. (Caps., Carbo-v.)

Tardy r. after debilitating illness. Caps.

Want of r. Laur., Mosch., Opi., Sulph.

Want of vital r. Opi.

Reading.—R. aloud or talking produces great exhaustion. Stram. (Cocc.)

Worse from r. Calc-c., Cocc., Natr-m., Sil.

Reappear.—All pains r. when thinking about them. Ox-ac. (Bar-c.)
Pains first attack one part, then r. in another. Kali-bi.

Recovery.—Great debility after loss of fluids or severe illness, especially typhus, if patient is hopeless or despairs of r. Psor.

Red.—Fainting, with paleness of cheeks, which are r. when lying. Acon., Lach.
Old cicatrices become r. around edges and itch violently. Fluor-ac.
R. or purple swelling following course of lymphatics. Bufo.
Scars become blood r. or blue and are painful. Sulph-ac.

Redness.—Itching, burning and r. of parts, as if frozen. Agar.
Pain, with thirst and r. of cheeks; fainting; congestion of blood to head. Acon.
Scarlet r. of whole body. Croc. (Bell.)

Red parts.—R. become white. Borax, Ferr., Hell., Merc., Valer.
R. become white; anæmia. Hell. (Ferr.)

Reduced.—Extreme, rapid emaciation; is r. almost to a skeleton. Phos.
Great emaciation; weight r. seventy pounds. Hydr. (Phytolacca berries.)

Reflex.—R. irritation during dentition. Podo.
R. pain. Dios. (Puls.)

Regular.—Pains and uneasiness return at r. hours. Ars. (Cedron.)

Regularity.—Intermittent neuralgia; pains return with great r. Chin-s.

Relapse.—Easy to r. during convalescence. Calc-c.

Relaxation.—Complete r. and prostration, Gels.
Debility, with heaviness and r. of body. Sabad.
General r., with no inclination to do anything. Berb.
Great weakness and r. of all physical and mental powers after exertion or after long talking. Natr-m.
Muscular r. and emaciation. Lach.
R. Tabac.
R., with weakness over whole body. Amyl.
Weakness and complete muscular r.; feels too weak to stretch out hand or do anything. Lob.

Relaxed.—R. fibers. Caps.
Whole body r. and limber in morning. Natr-c.

Relief.—Worse from lying, obliged to sit up in bed even at night in order to find r. Natr-m.

Relieved.—Drawing pains r. when at rest. Bry., Sabad.
Intermittent, pulsative or pressive, darting or lacerating pains from within outward, transferred from different parts and r. by touching parts in hysterical patients. Asaf.
Neuralgic pains causing restlessness, r. by motion. Abrot.
Pains particularly intolerable at night, disappearing or are r. when sitting. Acon.
Pains r. by warmth. Sep.

Rending.—Jerking, r., darting pains. Am-m., China.

R., tearing pains. Agar., Am-m., Aur., Can-sat., Calc-c., Carbo-v., Caust., Cham., China, Cocc., Colch., Coloc., Dulc., Euphr., Ferr., Hell., Kali-c., Kali-n., Led., Lyc., Merc., Mez., Mur-ac., Nitr-ac., Nux-v., Phos., Phos-ac., Plumb., Puls., Rhus-t., Sars., Sec., Sil., Spig., Staph., Stront., Sulph., Valer., Zinc.

R., tearing pains in inner parts. Bell., Coni., Lyc., Puls., Sil.

R., tearing pains in outer parts. Acon., Ammoniac., Bry., China, Kali-c., Lyc., Sil., Sulph., Zinc.

Swelling of glands, with r., tearing pains. Ferr.

Renewed.—Pains felt only when touching parts, are r. immediately after dinner, in evening after lying down, and in morning immediately after awaking. Ign.

Repose.—Better during r. Colch.

Respiration.—Uneasiness, as if from suppressed r., or in consequence of a chill. Acon.

Rest.—Better during r. Ant-c.. Can-ind., Cham., Cimicif., Sil.

Drawing pains relieved when at r. Bry., Sabad.

Drawing pains when at r. Mur-ac., Rhod., Rhus-t.

Great prostration; desire to r. Pic-ac.

Pains characterized by great intensity, are worse during r., and can frequently either be entirely suppressed by rubbing and pressure or by motion. Ind.

Pains disappear when walking and return immediately when at r. Stann.

Paralytic weakness and soreness, especially when sitting and at r. Rhus-t. (Agar.)

Uneasiness of whole body during r. Kreas.

Worse at r. Arn., Colch., Dulc., Euphorb., Ferr., Fluor-ac., Hyos., Iris, Kali-jod., Kreas., Magn-m., Mur-ac., Phos-ac., Plat., Rhod., Rhus-t., Ruta, Sabad., Samb., Senecio, Sep., Sulph.

Resting.—Cannot bear pressure on any part; could not rest back against chair; obliged to change position often; feet painful from r. on floor. Bapt.

Restless.—Constant r. movements of limbs and whole body. Stram.

Despairs of being cured and is very r. and exhausted, and very weak on attempting to move. Ars.

R., cannot keep limbs still at night. Spig.

R., cannot lie still a minute at night. Caust.

R.: cannot sit still; must move about or otherwise be occupied. Kali-brom.

R.: changing position often; great anxiety. Ars.

R., constantly changing position or throwing body to and fro, forward and backward, especially hands and feet. Bell.

R., constantly wants to change position. Tabac.

R.: fidgety; starts at least noise. Sil.

R., must walk slowly about. Ferr.
R.: nervous; cannot sit still without great effort. Natr-ars.
R., tossing about and constant uneasiness. Cupr.
R. tossing about and moaning, in children with sore throat. Lach.
R., trembling faintness. Dios.
R., uneasy, changing position often. Cad.
Trembling weakness; languid and r.; easily fatigued. Gels.
Very anxious; r., with forebodings; sometimes definite anticipations of time of death; drawing, tearing or tingling pains; symptoms aggravated at night, also by warmth and motion. Acon.
Very r., cannot keep still. Eupat-perf.
Very r., throws body about. Lachn. (Acon., Ars.)
When lying long becomes r., but change is painful and it is very difficult to find new position which gives relief. Natr-s.

Restlessness.—Excessive r. Tart-em. (Acon., Ars., Rhus-t.)
Excessive r., with tossing about, shivering and anxiety accompanying many symptoms. Acon.
Extreme debility, prostration and r. Sec. (Ars.)
Great agitation and r. Coff.
Great r. and uneasiness; must constantly change position, especially at night. Rhus-t.
Great r.; constantly compelled to change position. Nicc.
Nervous r., with rapid emaciation and constant thirst for small quantities of water. Ars.
Neuralgic pains, causing r. relieved by motion. Abrot.
Pulsations in whole body, with r. delaying sleep. Ammoniac.
R. Acon., Am-c., Anac., Ars., Asaf., Bapt., Bell., Hyos., Merc., Nux-v., Puls., Rhus-t., Sep., Sil., Staph., Stram., Sulph., Valer.
R. and debility. Apoc.
R., with chilliness; has to move limbs constantly. Natr-m.
Tired feeling, with weariness and r. in limbs. Indium.

Return.—Complaints r. at precisely same hour. Ign. (Cedron.)
Intermittent neuralgia; pains r. with great regularity. Chin-s.
Pains and uneasiness r. at regular hours. Ars. (Cedron.)
Pains disappear when walking and r. immediately when at rest. Stann.
Periodical r. of symptoms on alternate days, or they antepone. Chin-s.

Returning.—Wandering, aching pains only in small spots, r. often. Nux-m.

Rheumatic.—Catarrhal, r. and other complaints, caused by exposure to damp, cold weather. Dulc.
Drawing, r. pains in different parts of body. Bry.
R. and arthritic pains. Guaj.
R. and gastric affections alternate. Kali-bi.

R. and gouty affections of joints and nerves, accompanied by slight fever and great debility. Ind.
R. pains all over body. Kalm.
R. pains, first in left side, then in right. Lach.
R., wandering pains with lameness. Meph.
Spasmodic, r., and paralytic affections. Ang.

Rheumatism.—Tearing, cutting, wandering pain with r. Acon.

Riding.—Better when r. in carriage. Nitr-ac.
Better while r. Graph.
Fainting from r. in carriage. Berb.
Worse after r. Graph.
Worse from r. Lyc.
Worse from r. in carriage. Nux-m., Iod.
Worse from r. in carriage or ship. Petr.
Worse from walking or r. Arg-n.
Worse r. in carriage. Arg-m.

Right.—Better lying on r. side. Am-m., Bry., Cinnab., Chelid., Phos., Tarax.
Can lie only on r. side. Phos. (Reverse, Merc.)
Pains suddenly change location (Puls.), appear first on left, later on r. side. Benz-ac.
Rheumatic pains, first in left side, then in r. Lach.
R. side more affected than left. Am-c.
Symptoms in sick generally appear first on left, later on r. side, and from below upwards. Benz-ac.
Worse lying on r. side. Acon., Cina, Lyc., Magn-m., Merc.

Rigid.—Body r., stretched out stiff (Hyos.), followed by spasmodic jerking of arms. Ipec.

Rigidity.—Feeling of numbness and r. in different parts of the body. Plat.

Rigors.—Chilliness, shivers or r. over back and abdomen, or between shoulders and down back. Acon.

Ringing.—Fainting after loss of blood or other animal fluids, with r. in ears, cold skin, cold perspiration. China.

Rise.—Giddy fluttering on awaking; must r. or smother. Kali-jod.

Rising.—Better on r. Calc-c., Cham.
Body feels heavy and sore when r. from seat. Spig.
Bruised pain after r. Carbo-v.
Coldness of whole body in morning after r. Lach.
Faint sensation on r. or after mental exertion. Calad.
Fainting after r. too early. Kreas.
Fainting after r. up from lying. Acon., Calad.
Fainting when r. Bry., Opi.
Greater weariness in morning after r. than in evening on going to bed. Nux-v.

Nausea and fainting in morning when getting up, or when r. up in bed, or from slightest motion. Bry. (Acon).
Worse from r. in bed. Iod.
Worse on r. Fluor-ac., Opi., Ver-v.
Worse on r. from lying down. Acon. (Bry., Dig., Opi.)
Worse on r. from seat. Æth., Nitr-ac., Phos.
Worse when sitting and after r. Guaj.

Rocked.—Must lie down and close eyes, and seems as if patient is being r. Calad.

Rocking.—Child better from fast r. Cina. (Acon.)

Rocking chair.—Cannot bear a downward motion, as in swing, r. or running down stairs; even seeing water running or pendulum of clock moving causes dizziness. Borax.

Rolling.—Sensation as of ball r. in internal parts. Lach.

Room.—Better in r. Nux-m.
Fainting from heat of r. Kreas., Spig.
Faints on going into r. full of company. Plumb.
Worse in r. Plat.
Worse on entering a r. from open air. Rhus-t.

Ropy.—Increased secretions from mucous membranes, which are tenacious and r. Hydr. (Kali-bi.)

Roughness.—Feeling of r. in inner parts. Carbo-v., Nux-v., Phos., Sulph.

Rub.—Extreme sensitiveness, especially in children; would like to scratch or r. part, but it is too sensitive. Coff.

Rubbing.—Better from r. Canth., Natr-c., Plumb., Phos.
Worse from r. Anac.

Run.—Unusual buoyancy, enabling one to ascend great heights, or r. rapidly without sense of fatigue or loss of breath. Coca.

Run-down.—Feels wasted and worn out, as if r. Pic-ac.

Running.—Cannot bear a downward motion, as in swing, rocking chair, or r. down stairs; even seeing water r. or pendulum of clock moving causes dizziness. Borax.

Sadness.—Sudden changes in sensation, as from gaiety to s. Croc.

Salt.—Ill-effects from eating too much s. Phos.

Scales.—Anthrax, burning like fire, with cold, blue, skin, dry as parchment, peeling off in large s. Ars.

Scars.—S. become blood red or blue and are painful. Sulph-ac.

Scraped.—Pain as if flesh were torn loose from bones, or as if bones were being s. Rhus-t.
Pains at night as if the bones were being s. with a knife. Phos-ac. (China.)

Scratch.—Extreme sensitiveness, especially in children; would like to s. or rub part, but it is too sensitive. Coff.

Scratching.—Intolerable itching all over body, without perceptible eruption of skin, especially in pregnant women; worse at night, preventing sleep, and worse from s. Dolich.

Sensibillty of all nerves, even imagination of some person s. slightly on linen or paper with finger nails. Asar.

Screams.—Sensation of falling in children; child starts and grasps nurse or crib and s. out for fear of falling. Gels.

Scrofula.—S. Calc-c.

Scrofulosis.—S. Hep-s.

Scrofulous.—S. eruptions and ulcers in children. Calc-c.

S. swelling and suppuration of glands. Cist.

Seasickness.—Sensation of s. Coca.

Seat.—Body feels heavy and sore when rising from s. Spig.

Worse on rising from s. Æth., Nitr-ac., Phos.

Seconds.—Exaggeration of duration of time and extent of space; s. seem ages, a few rods an immense distance. Can-ind.

Secretion.—Increased s. from mucous membranes. Petr., Phos.

Inflammation and increased s. of mucous membranes. Agn.

Irritation, inflammation and excessive s. from mucons surfaces. Acet-ac. (Ars., Ferr., Iod., Natr-m., Phos.)

Secretions.—Foul-smelling s. Carbo-v.

Increased s. from glands and mucous membranes. Iris.

Increased s. from mucous membranes. Arg-m., Canth.

Increased s. from mucous membranes and glands. Dulc.

Increased s. from mucous membranes, which are tenacious and ropy. Hydr. (Kali-bi.)

Inflammations and increased s. of mucous membranes. Al-cep.

S. from mucous membranes greatly increased. Am-m.

Suppression of all s. and excretions. Stram.

Watery, yellow s. Natr-s.

Sedentary.—Worse from s. habits. Nux-v.

Seeing.—Cannot bear a downward motion, as in swing, rocking chair or running down stairs; even s. water running or pendulum of clock moving causes dizziness. Borax.

Seething.—Trembling, like boiling and s., as if parts were going to sleep, with unpleasant sensation of coldness. Acon.

Self.—Feeling as if wanted to creep into s. and could not sufficiently draw, contract or crouch. Cimex.

Spasmodic contractions of almost all muscles, with feeling as if would go crazy if did not hold tightly upon s. Lil-tig. (Associated with diseases of uterus.)

Sensation.—Bruised s. when walking. Staph.

Bubbling s. in parts. Berb.

Contractive, drawing s. from below upwards. Ind.

Cramp-like s. in various parts. Graph.

Crawling, creeping s., accompanied with sense of numbness, followed with feeling of swelling. Acon.

Drawing s., as before intermittents. Puls.

Drawing s. through whole body. Bry., Graph., Merc-cor., Rhus-t.

Dull stitches, sometimes with a crampy s., sometimes pressing, sometimes conveying sensation of shock or jerk, sometimes itching in different parts of body, in limbs, arms, feet, toes, in side or in back, always in outer parts; places are painful on pressure, as if sore or bruised. Cina.

Dullness and languor, with s. of heaviness through whole body. Chenop-v.

Faint s. on rising or after mental exertion. Calad.

Faintness, with s. of emptiness in abdomen after stool. Podo.

General debility, with s. of heaviness in legs. Petr.

Great lassitude, with s. as if sweat would break out all over. Croc.

Heaviness alternating with s. of lightness. Nux-v.

Loss of power, with s. as if marrow of bones had become stiff and coagulated. Ang.

Numbness and loss of s. Kreas.

Numbness of whole body, accompanied by pricking s. Phos.

Numbness over whole body, followed by s. as if skin were an inch thick and so stiff could hardly move. Apis.

Pain, as if contused or sprained, with s. as if flesh were loose on bones in consequence of blows. Ign.

Painful, spasmodic, contractive s. through body. Nux-v.

Paralytic s. in whole body and especially in arms and feet, with trembling of whole body and extremities; with pale face; dilated pupils; faintness and numbness of extremities. Acon.

S. as if body and especially face and head expanded. Arg-n. (Glon., Gels.)

S. as if cold water had been poured over body, causing shuddering. Cimex.

S. as if drops of cold water were falling on head, or from heart or anus. Can-sat.

S. as if had been fasting long time. Ign. (Suitable to persons who have been starving, either from want or other causes).

S. as if hot water were poured from chest into abdomen. Sang.

S. as if lying on a board. Bapt. (Arn.)

S. as if nerves were quivering, especially in summer. Ferr., Puls.

S. as if parts or whole body were made of wood. Kali-n.

S. as if parts would go to sleep. Caps.

S. as if something living were hopping and jumping in various parts. Croc.

S. as if swollen. Berb.

S. as if tendons were contracted too short. Cimex.

S. as of ball rolling in internal parts. Lach.

S. as of dislocation in joints. Ign.
S. as of something alive in different parts of body. Croc.
S., as of splinters, in various parts. Arg-n. (Nitr-ac.)
S. in internal organs, as if something were being torn away. Rhus-t.
S. in whole body as if bloodvessels were vibrating. Phell.
S. in whole body as if everything were too large. Apis.
S. of a plug in different parts. Anac.
S. of being very tall. Stram. (Reverse, Coca.)
S. of constriction in external parts. Sil. (Internal parts. Bell., Cact.)
S. of contraction. Graph., Nux-v., Rhus-t., Sep.
S. of creeping like a mouse. Alu., Calc-c., Laur., Nux-v., Sulph.
S. of crepitation in joints on moving. Rhus-r.
S. of deadness in injured parts. Arn.
S. of dryness. Nux-m., Rhus-t.
S. of falling in children; child starts and grasps nurse or crib and screams out for fear of falling. Gels.
S. of fullness in inner parts. Acon., China, Mosch., Phos., Sulph.
S. of fullness in outer parts. Phos.
S. of hoop or band around parts. Anac., Cact., Coni., Gels., Nitr-ac., Plat., Puls., Sulph.
S. of lightness in body. Asar., Coff., Lact., Natr-m., Petr.
S. of lightness when walking. Thuja.
S. of looseness of flesh. Bry., Nitr-ac., Rhus-t., Sulph.
S. of numbness, with great weakness and coldness in whole left side of body. Elaps.
S. of seasickness. Cocc.
Sensitiveness of all nerves, with morbid s. of general weakness. China.
Sudden changes in s., as from gaiety to sadness. Croc.
Trembling and tremulous s., with general debility. Arg-n. (Gels., Cupr., Merc.)
Trembling and twitching of muscles and s. of constriction in different parts. Cact.
Trembling of body, with shuddering s. while yawning. Cina.
Trembling s. through body. Kali-brom.
Tremulous s. through whole body. Graph.
Uncomfortable prickling s. of warmth over body. Sang.
Vibratory s. through whole body when lying down. Clem.
Weakness of whole body, with s. of trembling without trembling. Sulph-ac.

Sensations.—Daily attacks of indescribable sudden debility, commencing with chilly, creeping s. under right leg. Hep-s.
Illusory s. Ind.
Paralytic s., accompanied by drawing, tearing pains and numbness. Cham.
S. of constriction in different parts. Caps. (Cact.)
Stinging, burning s. Urtica.

Senses.—Diminution of s. of smell, sight and hearing. Anac.
Great hyperæsthesia of all s. and exalted susceptibility to impressions. Cocc.
Increased acuteness of all s. Caps.
Irritability and acuteness of s. Bell.
Loss of voluntary motion and of s. Stram.
Nervous trembling, with great acuteness of s. Cupr.
Over-sensitiveness of all s. Valer.
S. are deceptive. Bell.
Unnatural acuteness of s. Cham.

Sensibility.—Excessive s. to touch and noise. Chin-s.
Excitability and s. of all organs. Merc.
Great nervous debility and s. Nux-v.
Loss of s. over body and in fauces, larynx, urethra, etc. Kali-brom.
S. of all nerves, even imagination of some person scratching slightly on linen or paper with finger nails. Asar.
Whole body sensitive to touch; s. as after protracted sickness. Acon.

Sensitive.—Body painful; s. to touch; parts touched feel chilly. Spig.
Chlorosis in s., nervous and hysterical women, inclined to spasmodic and intermittent complaints, induced by mental emotions, such as grief, fright or disappointed love. Ign.
Extreme sensitiveness, especially in children; would like to scratch or rub part, but it is too s. Coff.
S.; feels bodily pain too acutely. Kali-ph.
S. to cold or cold air. Sep. (Rumex.)
Very s. to cold air. Bar-c. (Acon., Calc-c., Cocc., Sep., Sil.)
Very s. to least draft of air. Acon. (Cocc., Nux-m.)
Very s. to open air. Rumex. (Rhus-t.)
Whole body s. to touch; sensibility as after protracted sickness. Acon.

Sensitiveness.—Deep ulcerations, characterized by terrible throbbing pains during night, with extreme s. of affected part. Asaf.
Emaciation; s. to cold air. Natr-ars.
Excessive s. to pain. Sep. (Cham.)
Extreme s. and dread of contact. Hep-s.
Extreme s., especially in children; would like to scratch or rub part, but it is too sensitive. Coff.
Great s. Magn-m.
Great s. to cold air. Sabad.
Great s. to damp weather. Mur-ac.
Great s. to external influences. Chin-s.
Great s. to open air. Mosch.
Great s. to touch and pressure. Apis.
Liability to take cold, with great s. to cold air. Bell.
Painful s. of glands. Sulph-ac.
S. and aversion to open air. Nux-v. (Rumex.)

S. in open air. Am-c.
S. of all nerves, with morbid sensation of general weakness. China.
S. of whole body (Plat.) and of all joints on motion; bruised pain over whole body. Arn.
S. to air. Cist.
S. to cold air. Ammoniac., Calc-c., Cham., Caust., Cocc., Mez., Phos., Sabad., Sep.
S. to cold, open air. Rhus-t. (Rumex.)
S. to cool weather. Phos.
S. to draft of air. Acon., Calc-c., Caust., Cham., Hep-s., Ign., Lach., Lyc., Nux-m., Nux-v., Sil., Stram.
S. to open air. Carbo-an., Cham., Coff., Sulph.
S. to open air, with chilliness and frequent nausea. Hep-s.
S. to pain. Aur., Cham., Coff., Lyc., Phos., Sep.
S. to warm air. Cocc.

Sepsis.—S., with sunken features and hectic or typhoid symptoms. Carbo-v.

Serous membranes.—Chronic inflammation of s., with profuse serous effusions. Ars.
Dropsical effusion to s., especially brain, thorax and peritoneum. Hell.
Inflammation, followed by effusions in s. Apis.
Local inflammation of s. Acon.

Serum.—Profuse flow of watery s. from mucous membranes. Elat.

Severity.—Pains intermit in s. Cinnab.

Sexual excesses.—Paralysis, with numbness and coldness of paralyzed parts after apoplexy, s., dissipation. Nux-v.
Worse from s. or onanism. Staph.

Shaking.—Worse from s. or jarring. Glon.

Shifting.—Pains s., changing quickly from one part to another. Kali-bi. (Apoc-and., Bell., Puls.)
S., changing pains. Lil-tig. (Puls.)
Wandering pain, s. rapidly from part to part. Puls. (Benz-ac., Kali-bi., Led.)

Ship.—Worse from riding in carriage or s. Petr.

Shivering.—Excessive restlessness with tossing about, s. and anxiety accompanying many symptoms. Acon.
S. through whole body. Lob.
Trembling, like s., in evening. Anagal.

Shivers.—Chilliness, s. or rigors over back and abdomen, or between shoulders and down back. Acon.

Shock.—Dull stitches, sometimes with a crampy sensation, sometimes pressing, sometimes conveying sensation of s. or jerk, sometimes itching in different parts of body, in limbs, arms, feet, toes, in side or in back, always in outer parts; places are painful on pressure, as if sore or bruised. Cina.

Shocks.—Bruises and s. in spine and glands. Coni.
S. of pain, as from electricity. Ver-a.
Shooting pains, like electric s., here and there. Cimicif.
Startings, like convulsive s., in affected parts, on going to sleep in evening. Ars.
Tearing pains, like s., in different parts. Daph.
Twitching, like electric s., through one side of body. Colch.
Shooting.—Pains pressing, s. Phyt.
Quick, stitching, s. pains, appearing at intervals and changing location. Magn-ph.
S., itching stitches. Euphr.
S. pains, like electric shocks, here and there. Cimicif.
Slow, s. pains, with long-continued thrills. Sang.
Sticking, s. pains, with faintness. Merc-jod.
Tearing, s. pains whole length of body. Coloc.
Short.—Feeling as if muscles were too s. Bov.
Sensation as if tendons were contracted too s. Cimex.
Shoulder.—Child will not be quiet unless carried on point of mother's s. Coloc.
Shoulders.—Chilliness, shivers or rigors over back and abdomen, or between s. and down back. Acon.
Shriveled.—Great emaciation; skin becomes s. or lies in folds. Sars.
Shrunken.—Flabby, s., emaciated children. Calc-ph.
General emaciation, most conspicuous about neck, which is very thin and s. Natr-m.
Shuddering.—Faintness, weakness and s. Merc-cor.
Pains attended by s. Sep.
Pain seems intolerable and is frequently accompanied by other minor symptoms, such as s. coldness. Ars.
Nervous s. Cimicif.
Sensation as if cold water had been poured over body, causing s. Cimex.
Trembling of body, with s. sensation while yawning. Cina.
Shuns.—S. all motion and dreads exercise. Caps.
Sick.—Feels cold but gets s. on approaching warm stove. Laur.
Indescribable s. feeling all over. Bapt.
S. and faint in morning in bed. Coni.
S. and paralytic feeling in body, as if paralyzed, mentally and physically. Phos.
S. feeling in whole body. Nitr-ac.
Tired, bruised, s. feeling all over body. Bapt.
Weak, s. feeling, with trembling when excited; lame and sore all over. Abrot.
Sickness.—Tardy reaction after debilitating s. Caps.
Weak and tremulous, with prostration, as after long and severe s. Bapt. (Asclep.)

Whole body sensitive to touch; sensibility as after protracted **s.** Acon.

Side.—Anxiety when lying on left s. at night. Phos.

Better lying on left s. Cina, Natr-c., Pallad.

Better lying on painful s. Bry., Calc-c., Cham., Coloc., Puls., Sep.

Better lying on painless s. Fluor-ac., Nux-m.

Better lying on right s. Am-m., Bry., Chelid., Cinnab., Phos., Tarax.

Better when lying on back or on painful s. Ign.

Better when lying on s. Nux-v.

Can lie only on right s. Phos. (Reverse, Merc.)

Cannot lie on right s. Merc. (Reverse, Phos.)

Fainting when lying on s. Lyc., Sil.

Feeling as if divided into halves, as if left s. did not belong to patient. Sil.

Feeling when walking as if leaned forward and to left s. Asclep.

Lies on left s. (Spong.) or on back, with left hand under head; cannot lie on right side or back. Acon. (Nux-v.)

Numb, prickling, paralytic feeling over whole body, more on left s. Bapt.

Pains suddenly change location (Puls.), appear first on left, later on right s. Benz-ac.

Rheumatic pains, first in left s. then in right. Lach.

Right s. more affected that left. Am-c.

Sensation of numbness, with great weakness and coldness in whole left s. of body. Elaps.

Soreness of whole left s. of body. Indium.

Symptoms in sick generally appear first on left, later on right s., and from below upwards. Benz-ac.

Twitching, like electric shocks, through one s. of body. Colch.

Wandering pains, sometimes on one s., sometimes on other. Rhus-r.

Whole s. of body on which patient lies is painful, as if lacerated, with chilliness on uncovering. Sil.

Worse lying down, especially on left s. Puls.

Worse lying on back or left s. Phos.

Worse lying on left s. Acon., China, Cinnab., Lyc., Phos., Puls.

Worse on left s. with head low. Calc-c.

Worse lying on painful s. Bar-c., Hep-s., Iod., Nux-m., Ruta, Sil.

Worse lying on painless s. Kali-c.

Worse lying on right s. Lyc., Magn-m., Merc.

Worse lying on s. Acon., Anac., Calc-c., Carbo-an., Kali-c., Lyc., Stram.

Sides.—Soreness about abdomen, s. and back. Natr-s.

Sight.—Diminution of senses of smell, s. and hearing. Anac.

Singing.—Worse from s. and laughing. Phos.

Sink.—Physical and mental exhaustion and trembling in whole body; thinks will faint or s. down from weakness. Lach.

Sinking.—Faint-like s. of strength. Caust.
General or sudden s. of strength. Ars. (Camph., Ver-a.)
General s. of strength; prostration. Arn. (Ars.)
General weakness and s. of strength. Dig. (Ars., Bry., Phos.)
Rapid s. of strength. Sec. (Ars.)
Rapid s. of vital forces. Laur. (Ars., Ver-a.)
S. of vital powers. Dig.
Sudden and great s. of strength. Camph.
Sudden s. of strength. Ver-a. (Ars.)
Sudden s. of strength; is scarcely able to talk or walk. Colch.

Sit.—Extreme weakness and prostration; must s. or lie down constantly. Stann. (Sil.)
Faint and tired; wants to s. down. Alu.
Faintness on attempting to s. up. Acon.
Great languor, with inclination to s. or lie down and be alone. Nux-v.

Sitting.—Better s. erect. Lact., Natr-m.
Better s. or lying. Ver-a.
Better s. or standing erect. Kalm.
Better s. up. Kali-c.
Drawing, lacerating pains here and there in muscles of whole body when s. Staph.
Drawing pains in various portions of body while s. Staph.
Pains particularly intolerable at night, disappearing or are relieved when s. Acon.
Paralytic weakness and soreness, especially when s. and at rest. Rhus-t. (Agar.)
Weary and tired when s., especially in feet. Magn-c.
Worse at rest, especially while s. Ferr.
Worse s. Ang., Bar-c., Coni., Gum-gut., Lyc., Magn-c.
Worse s. after long exercise, or on rising after having been s. for a long time. Puls.
Worse s. and after rising. Guaj.
Worse s. crooked. Tart-em.
Worse s. or standing. Valer.

Sleep.—Better after s. Æth., Croton-tig., Iod., Sep.
Better from s. Chin-s.
Better from little s. Nux-v.
Cannot go to s. because things in room are out of place. Ars.
Fainting, with palpitation of heart followed by s. Nux-m.
Great physical vigor and great endurance in spite of slight nourishment and little s. Coca.
Heaviness in whole body, as when one awakes from deep s. Rheum.
Ill-effects from loss of s. and night-watching and mental excitement. Cocc. (Nux-v)
Irresistible desire to lie down and s.; strength suddenly fails. Selen.
Pains and most other symptoms worse after s. Selen.

Parts on which one is lying goes to s. Rhus-t.
Pulsations in whole body, with restlessness, delaying s. Ammoniac.
Sensation as if parts would go to s. Caps.
Startings, like convulsive shocks, in affected parts, on going to s. in evening. Ars.
Trembling, like boiling and seething, as if parts were going to s., with unpleasant sensation of coldness. Acon.
Twitches and contractions of body unaffected by s. Ver-a.
Ulcers, burning like fire, and paining often during s., discharging copious bloody pus or ichor, with blue, black, lardaceous bases. Ars.
Whole body jerked during s. Zinc.
Worse after s. Cinnab., Cocc., Lach., Stram.
Worse during s. Cham., Hep-s.
Worse during and after s. Opi.
Worse from loss of s. Nux-v.

Sleepiness.—All ailments are accompanied by s. and tendency to faint from slight pain. Nux-m.
Debility, with s. from least exertion. Nux-m.
Stretching without s. Bov.

Sleeping.—Pains felt at night while s., particularly before midnight. Ars.

Sleeplessness.—Great weakness, depression, perspiration and s. Cact.
Nervousness, s. and hysterical moods. Senecio.

Sleeps.—Perspiration day and night, as soon as patient s., or even on closing eyes. Coni.

Slender.—Atrophy of children; child tall, s., emaciated, big-bellied. Phos.

Slides.—S. down in bed. Hell.

Slight.—Fainting produced by s. pains. Cocc., Hep-s., Nux-m.

Slow.—S. reaction. Laur. (Caps., Carbo-v.)

Slowly.—Pains, especially drawing pains with pressure, commence s., increase gradually to a very high degree, and decrease as s. Stann.
S. increasing suddenly ceasing pain. Sulph-ac.

Slowness.—Laziness, with s. Asar.

Sluggish.—Malnutrition; patient flabby, weak and s.; has profuse sweats and discharges, with cold, damp extremities. Calc-c.

Sluggishness.—Great prostration and s. of body. Tart-em.
Lassitude and s. of whole body. Arn.

Skeleton.—Extreme, rapid emaciation; is reduced almost to a s. Phos.
Low, cachectic condition, with profound debility and great emaciation; almost like a s. Iod.

Skin.—Anæmia, with great irritability; s. watery and milky white. Kali-c.
Anthrax, burning like fire, with cold, blue s., dry as parchment, peeling off in large scales. Ars.

Drawing pains in periosteum, or where s. covers bones. Cycl.
General anasarca, with pale, waxy or earth-colored s. and great thirst. Ars.
Great emaciation; s. becomes shriveled or lies in folds. Sars.
Numbness over whole body, followed by sensation as if s. were an inch thick and so stiff could hardly move. Apis.
Pains seem to be between s. and flesh. Zinc.
Pricking or stinging in veins, muscles or s. Ham.
Rapid and complete prostration, with waxy paleness and coldness of s. Ars.

Small. — Nervous restlessness, with rapid emaciation and constant thirst for s. quantities of water. Ars.

Smarting.—Burning, s. pains in different parts. Caps.

Smell.—Body and breath s. foul. Merc.
Body has filthy odor, s. even after bath. Psor.
Diminution of senses of s., sight and hearing. Anac.

Smells.—Child s. sour. Robin. (Rheum.)
Child s. sour, even after washing or bathing every day. Rheum.
Worse from strong s. Lyc.

Smoking.—Worse after s. Cocc.
Worse from s. Gels.

Smother.—Giddy fluttering on awaking; must rise or s. Kali-jod.

Snappish.—Always out of humor; impatient, s., spiteful; will not give a civil answer; excessive irritability. Cham.

Soft.—Muscles s. and flabby. Calc-c.

Softening.—S. of bones. Calc-c.

Solitude.—Better from s. Ferr.
Night and s. frighten patient. Camph.
Victim seeks s. to abandon himself to onanism. Bufo.

Somnolescence.—Great prostration and tendency to s. Chloral.

Sopor.—All ailments accompanied by s. Opi.

Sore.—Bed feels hard, makes patient feel s. and bruised. Bapt. (Arn.)
Body feels heavy and s. when rising from seat. Spig.
Bruised, s. feeling all over, as from a fall or blow (Arn., Bad., Led.); worse in limbs and joints. Ruta.
Bruised, s. feeling of body. Hep-s.
Dull stitches, sometimes with crampy sensation, sometimes pressing, sometimes conveying sensation of shock or jerk, sometimes itching in different parts of body, in limbs, arms, feet, toes, in side or in back, always in outer parts; places are painful on pressure, as if s. or bruised. Cina.
Ebulitions, with anxiety and weakness, as if paralyzed, with s. feeling in various parts. Am-m.
General bruised feeling of body, as if s. Cimicif.
Pains as if s. and ulcerated, or as if bruised and contused. Kreas.
Parts on which patient lies ache as if s. Nux-m.

Raw and s. pain in whole body, internally and externally. Canth.
S. and stiff all over as from a cold. Physos.
Stitches and s. pain through body. Nux-v.
Weak, sick feeling with trembling when excited; lame and s. all over. Abrot.
Weary, tired, bruised, s.; great weakness; must lie down, yet bed feels too hard. Arn.

Soreness.—Bruised feeling with s. in whole body. **Am-c.**
Bruised s. Ham.
Feeling of s., as if beaten or pounded, with prostration. Phyt.
Lassitude, lameness and s., with stiffness, heaviness, numbness and torpor. Berb.
Paralytic weakness and s., especially when sitting and at rest. **Rhus-t.** (Agar.)
S. about abdomen, sides and back. Natr-s.
S. all over. China. (Arn., Bad., Bapt., Led., Ruta.)
S. of muscles and integuments, as if bruised or beaten; flesh sore to touch even of clothes. Bad. (Arn., Led., Ruta.)
S. of whole left side of body. Indium.
S. when touched. Mang.
Unsteadiness and s. of all parts of body when walking. Bry.

Sorrow.—Ill-effects from onanism or excessive sexual indulgence, or grief, s., disappointed love. Phos-ac.
Worse from anger, grief or s. Staph.

Sour.—Child smells s. Robin. (Rheum.)
Child smells s., even after washing or bathing ever day. Rheum.

South.—Worse from warm, moist or s. wind. Ipec.

Space.—Exaggeration of duration of time and extent of s.; seconds seem ages, a few rods an immense distance. Can-ind.

Spasmodic.—Body rigid, stretched out stiff (Hyos.), followed by s. jerking of arms. Ipec.
Chlorosis in sensitive, nervous and hysterical women, inclined to s. and intermittent complaints, induced by mental emotions, such as grief, fright, or disappointed love. Ign.
Frequent, s. jerking of body. Sulph.
Involuntary, s., alternate extension and contraction of the muscles. Lyc.
Painful, s., contractive sensation through body. **Nux-v.**
Involuntary, s. muscular contractions. Tabac.
S. contraction of internal organs. Plumb.
S. contractions of almost all muscles, with feeling as if would go crazy if did not hold tightly upon self. Lil-tig. (Associated with diseases of uterus.)
S., rheumatic and paralytic affections. Ang.

Speak.—So weak could scarcely s. Can-ind. (Stann.)

Speaking.—Fatigue from s. Sulph.

Sphacelus.—S.; parts look black and burn like fire, with fetid odor. Ars.

Spine.—Bruises and shocks in s. and glands. Coni.

Paralytic feeling in arms, legs and s. Æsc.

Spiteful.—Always out of humor; impatient, snappish, s.; will not give a civil answer; excessive irritability. Cham.

Splinters.—Neuralgic pains in different parts of body, as if touched by pieces of ice, or as if icy-cold needles were piercing skin; pricking as from a pin, and itching and burning all over with great distress; pains as from s. Agar.

Sensation as of s. in various parts. Arg-n. (Nitr-ac.)

Stitching, sticking pains, as from s., especially on touch, in all parts of body. Nitr-ac.

Spongy.—S. glands. Carbo-an., Sil.

Spot.—Violent, jerking, burning pains, confined to a small s. Coca.

Spots.—Ecchymosis; black-and-blue s. all over. Æth. (Arn.)

Jerking pains, like short stitches, in small s., lasting only a few moments. Ox-ac.

Pains appearing on small longitudinal s. Ox-ac.

Pain in small circumscribed s. Ign.

Pain in small s. Lil-tig.

Pains in small s. which can be covered with point of finger. Kali-bi. (Ox-ac.)

Wandering, aching pains only in small s., returning often. Nux-m.

Yearly recurrence of yellow s. Crotal.

Sprain.—Pain as from a s. Ign. (Arn., Bry., Ruta.)

Sprained.—Easily s. from lifting even small weights. Carbo-an.

Joints, bones and periosteum feel s. China.

Pain as if contused or s., with sensation as if flesh were loose on bones in consequence of blows. Ign.

Pains as if s. Rhus-t

Spraining.—Ill-effects from straining or s. parts. Rhus-t.

Spreading.—Ulcers corrode and become deep without s. in circumference. Kali-bi.

Staggering.—Great languor with s. gait or trembling of body. Magn-s.

S. when walking. Bell., Bry., Can-sat., Nux-v., Opi., Ruta, Stram., Sulph., Ver-a. (Alcohol.)

Stagnation.—S. of blood in capillaries, causing blueness, coldness, ecchymosis. Carbo-v.

Stairs.—Great weakness and loss of breath on ascending s. Iod.

Stand.—Extreme weakness and prostration; cannot s. up. Merc-cyan.

Great weakness; feels too weak to talk and finds it difficult to s. firmly. Cocc.

Tired all over as if had walked a great distance, with aching in limbs; can s. only with difficulty. Lact-ac.

Standing.—Better by sitting or s. erect. Kalm.
Great debility, lassitude and trembling while s. and without moving. Merc-cor.
S. most disagreeable position. Sulph.
Worse when s. Canth., Fluor-ac., Pallad., Sulph.
Worse while sitting or s. Valer.

Start.—Disposed to s., even at slight noises. Ant-c.

Startings.—S., like convulsive shocks, in affected parts, on going to sleep in evening. Ars.

Startled.—Easily s. when awake, and then feels throbbing and palpitation. Camph.

Starts.—Restless, fidgety; s. at least noise. Sil.
Sensation of falling in children; child s. and grasps nurse or crib and screams out for fear of falling. Gels.

Starving.—Debility; patients want to be mesmerized; they are s., without vital energy. Calc-ph.
Sensation as if had been fasting long time. Ign. (Suitable to persons who have been s., either from want or other causes.)

Sterility.—S. Agn.

Sticking.—S., shooting pains, with faintness. Merc-jod.
S., stitching, darting pains. Kali-c.
S., tearing, throbbing pains. Led.
Stitching, s. pains. Cocc-c.
Stitching, s. pains, as from splinters, especially on touch, in all parts of body. Nitr-ac.

Stiff.—Body rigid, stretched out s. (Hyos.), followed by spasmodic jerking of arms. Ipec.
Loss of power, with sensation as if marrow of bones had become s. and coagulated. Ang.
Numbness over whole body, followed by sensation as if skin were an inch thick and so s. could hardly move. Apis.
Sore and s. all over, as from a cold. Physos.

Stiffness.—Lassitude, lameness and soreness, with s., heaviness, numbness and torpor. Berb.
Paralytic s. in whole body. Lith-c.
S. in different parts on motion and on touch. Bry.
S. in morning. Am-c.
S. of whole body. Stram.

Still.—Restless; cannot keep limbs s. at night. Spig.
Restless; cannot lie s. a minute at night. Caust.
Restless; cannot sit s.; must move about or otherwise be occupied. Kali-brom.
Restless, nervous; cannot sit s. without great effort. Natr-ars.
Very restless, cannot keep s. Eupat-perf.

Stimulants.—Worse from s. Naja.

Stimuli.—Susceptible to nervous s., to magnetism. Sil.

Stinging.—Boring, s. gnawing p., with faintness. Ran-sc.

Bruised, burning, cutting, s., biting or contractive pains. Sulph.

Burning, s. pains, like bee stings. Apis.

Darting, s. pain on different parts of body at same time. Canth.

Fine s. or burning pains in different parts. Acon.

General inclination to dropsical effusions and anasarca, with s. pains. Apis.

Inflammation, with burning and s. Apis.

Itching and s. in various parts of body. Sil.

Pricking or s. in veins, muscles or skin. Ham.

S., burning sensations. Urtica.

S. pains. Apis, Plat.

S. stitches. Acon., Am-c., Am-m., Asaf., Bell., Bry., Can-sat., Hell., Lyc., Merc., Nux-v., Paris, Phos., Puls., Ran-b., Ran-sc., Rhus-t., Sars., Sep., Spig., Staph., Sulph., Stram., Thuja.

Stitch.—Pressive, drawing, tearing pains, often ending in a s. Guaj.

Stitches.—Dull s., sometimes with a crampy sensation, sometimes pressing, sometimes conveying sensation of shock or jerk, sometimes itching in different parts of body, in limbs, arms, feet, toes, in side or in back, always in outer parts; places are painful on pressure, as if sore or bruised. Cina.

Erratic s. in different parts, with rheumatism. Acon.

Jerking pains, like short s., in small spots, lasting only a few moments. Ox-ac.

Painful s. in different parts, especially in outer part of abdomen. Cina.

Shooting, itching s. Euphr.

Stinging s. Acon., Am-c., Am-m., Asaf., Bell., Bry., Can-sat., Hell., Lyc., Merc., Nux-v., Paris, Phos., Puls., Ran-b., Ran-sc., Rhus-t., Sars., Sep., Spig., Staph., Sulph., Stram., Thuja.

S. coming and going like pulse, terminating with a jerk. Ind.

S. in different parts. Arn.

S. in jerks through whole body. Nux-v.

S. in various parts. Ammoniac.

S., with sore pain through body. Nux-v.

Unendurable, fine s. over whole body, as from a thousand needles, at night. Can-sat.

Stitching.—Great debility, with s. of limbs and confusion of head. Senecio.

Quick, s., shooting pains, appearing at intervals and changing location. Magn-ph.

Sticking, s., darting pains. Kali-c.

S., sticking pains. Cocc-c.

S., sticking pains, as from splinters, especially on touch, in all parts of body. Nitr-ac.

S., with burning, aching pains. Al-cep.

Stomach.—Catarrh of mucous surfaces, especially s. **Abies-c.**
Fainting from pains in s. Ran-sc.
Feeling of great prostration, with pain in s. **Podo.**
Hot feeling from head to s. Sang.
Weakness of body, as if coming from s. Magn-m.
Weariness, weakness and faintness, associated with indigestion, gastric derangements and distress, as if a hard-boiled egg or something were knotted in s. Abies-n.
Worse in wet weather and in cold air outdoors; from lying on s. or on painful side. Am-c.

Stool.—Faintness with sensation of emptiness in abodmen after s. Podo.
Worse before and during s. Ver-a.

Stools.—Fetid discharges and exhalations, breath, s., urine, sweat, ulcers. Bapt.

Stooping.—Better from s. Hyos.
Worse from s. Am-c., Hell., Mang.

Stoop-shouldered.—S.; cannot walk erect. Sulph.

Stove.—Feels cold, but gets sick on approaching warm s. Laur.

Strained.—Easily s., cannot lift anything. Calc-c. (Coni., Rhus-t.)

Straining.—Ill-effects from s. or spraining parts. Rhus-t.
S. and over-lifting produces great debility. Carbo-an.

Strangers.—Worse when among s. Sep., Stram.

Strength.—Faint-like sinking of s. Caust.
General or sudden sinking of s. Ars. (Camph., Ver-a.)
General sinking of s.; prostration. Arn. (Ars.)
Great depression and prostration of s. Cic-v.
Great weakness and sinking of s. Dig. (Ars., Bry., Phos.)
Irresistible desire to lie down and sleep; s. suddenly fails. **Selen.**
Loss of s. Fluor-ac.
Rapid failing of s. Iod.
Rapid sinking of s. Sec. (Ars.)
Sudden and great sinking of s. Camph.
Sudden sinking of s. Ver-a. (Ars.)
Sudden sinking of s.; is scarcely able to talk or walk. Colch.

Stretch.—Desire to s. and yawn; faint, weak and weary; fullness, with throbbing in various organs, as if they contained too much blood. Æsc.
Inclination to s. in morning. Calc-c.
Inclination to s., with indisposition to do anything. Meph.
Inclination to s. without being able to satisfiy it sufficiently. Graph.
Languor, prostration and desire to yawn and s. Puls.
Weariness, with inclination to s. Cimex.

Stretching.—Great prostration, with s. and yawning. Chin-ars.
S. and yawning, without sleepiness. Squilla.
S., without sleepiness. Bov.
Worse from s. Ran-b.

Strings.—Hæmorrhage over various parts, of black, viscid, clotted blood, forming into long, black s. and hanging from bleeding orifice. Croc.

Stringy.—Discharges from mucous membranes of tough, s. mucous. Kali-bi.

Structures.—Flaccidity and laxness, with weakened condition of muscular s. Magn-c.

Subcutaneous.—Pain, as from s. ulceration or festering. Puls.

Sudden.—S. and great sinking of strength. Camph.

Suddenly.—Pains appear and disappear s., rapidly, quickly. Kali-bi. (Bell.)

Pains come and go s., and after a shorter or longer duration cease s. Bell.

Pains come on s. Cimicif.

Pains increase gradually, disappear s. Arg-m.

Pains s. appear and gradually disappear. Puls.

Slowly increasing, s. ceasing pain. Sulph-ac.

Sugar.—Worse from s., coffee, wine. Ox-ac.

Summer.—Is less affected by excessive heat in s. or cold in winter. Fluor-ac.

Sensation as if nerves were quivering, especially in s. Ferr., Puls.

Worse during s. Kali-bi.

Sun.—Cannot bear heat of s. Ant-c. (Bell.)

Worse from heat of s. Bell.

Sunken.—Sepsis, with s. features and hectic or typhoid symptoms. Carbo-v.

Sun's rays.—Ill-effects from exposure to s. or to heat. Glon.

Worse from s. or heat. Lach.

Worse in heat of s. Agar.

Suppressed.—Feeling of s. grief. Ign.

Suppression.—Ill-effects from s. of menses. Puls.

S. of all secretions and excretions. Stram.

Suppurate.—Glands inflame, swell and s. Hep-s.

Glands s. and discharge thin, corrosive or curdy substance. Kali-jod.

Small wounds s. and do not heal. Calc-c. (Hep-s.)

Suppurated.—Inflamed, swollen, s. glands. Nitr-ac. (Hep-s., Graph.)

Suppurating.—Pain, as if s. Phos., Puls., Ran-b.

Suppuration.—Glandular swellings, with induration or s. Sulph.

Glandular swelling, with or without s. Merc. (Hep-s., Graph., Nitr-ac.)

Inflammation of internal organs, with tendency to s. Puls.

Lymphatic swelling, with s. Sil.

Scrofulous swelling and s. of glands. Cist.

Slight injury induced s. and ulceration. Hep-s.

S. of glands. Hep-s., Sil.

S. of internal organs. Canth.

S. of internal parts. Lach.

Swelling, induration or s. of lymphatic glands, with burning pains. Carbo-v.
Swelling, inflammation and s. of glands. Sil.

Suppurations.—Inflammations ending in exudations and s. Merc.

Surprise.—Worse from pleasant s. Coff.

Surroundings.—Indifference about s. Rumex.

Susceptible.—S. to nervous stimuli, to magnetism. Sil.

Susceptibility.—Great hyperæsthesia of all senses and exalted s. to impressions. Cocc.
S. to electric changes. Petr.
Want of s. to drugs. Opi.

Swallowing.—Worse from s. Hep-s.

Sweat.—Anguish, tremor and s. during pains. Natr-c.
Better after s. Acon. (Rhus-t.)
Better from s. after walking in open air. Chin-s.
Excretions, especially urine and s., diminished. Apoc.
Fetid discharges and exhalations, breath, stools, urine, s., ulcers. Bapt.
Great lassitude, with sensation as if s. would break out all over. Croc.
Rapid emaciation, with great loss of flesh, cold s. and debility. Ars.
Slight motion causes palpitation of heart and s. Nitr-ac.
S. day and night, as soon as patient sleeps, or even on closing eyes. Coni.
Worse during s. Stram.

Sweating.—Worse from s. Cham.

Sweats.—Great loss of power on walking, especially in limbs, with exhausting s. Calc-c.
Malnutrition: patient flabby, weak and sluggish; has profuse s. and discharges, with cold, damp extremities. Calc-c.

Sweet.—Worse from eating s. things. Natr-c.

Swell.—Glands inflame, s. and suppurate. Hep-s.

Swelled.—Feeling as if all joints were broken, s., or dislocated at every motion. Paris.

Swelling.—Crawling, creeping sensation, accompanied with sense of numbness, followed with feeling of s. Acon.
Dropsical s. of body. Dulc.
Enormous s. of whole body with mental and cerebral symptoms. Dory.
Glandular s. Caps.
Glandular s., with or without suppuration. Merc. (Hep-s., Graph., Nitr-ac.)
Induration, s. and inflammation of glands, with lancinating, cutting, burning pains. Carbo-an.
Inflammation and s. of glands. Phyt.
Inflammation or s. and induration of glands. Calc-c.
Inflammation, s., ulceration and necrosis of bones. Sil.

Inflammatory s., with burning, lancinating pains. Ars.
Lymphatic s., with suppuration. Sil.
Œdema or dropsical s. of body. Samb.
Œdema or s. of the whole body, with pallid, death-like appearance. Apis.
Œdematous s. Colch.
Œdematous s. of whole body. Crotal. (Apis, Ars.)
Œdematous s. of whole body. Led.
Œdematous s. of whole body, with asthmatic complaints. Lact.
Painful s. and induration of glands. Clem.
Painful s. of glands. Ign., Phos-ac. (Iod.)
Painless s. of lymphatic glands. Sep.
Red or purple s., following course of lymphatics. Bufo.
Scrofulous s. and suppuration of glands. Cist.
Sudden dropsical s. Hell.
Sudden s. of body. Kali-n.
S. and induration of glands. Bar-c., Brom., Coni., Dulc., Graph., Natr-c., Spong. (Cist., Iod.)
S., induration or suppuration of lymphatic glands, with burning pains. Carbo-v.
S., inflammation and suppuration of glands. Sil.
S. in glands. Bar-c., Bell., Calc-c., Carbo-an., Cist., Clem., Cocc., Coni., Dulc., Graph., Iod., Lyc., Magn-m., Merc., Merc-cor., Merc-jod., Nitr-ac., Phos., Phyt., Rhus-t., Sil., Spong., Staph., Sulph., Thuja.
S. of glands, with rending, tearing pains. Ferr.
S. of whole body which turns deep yellow. Bufo.

Swellings.—Cystic s. Calc-c.
Dropsical s. Calad.
Glandular s., with induration or suppuration. Sulph.
Lymphatic s. Berb.
Painful, glandular s. Spig.

Swing.—Cannot bear a downward motion, as in s., rocking chair or running down stairs; even seeing water running or pendulum of clock moving causes dizziness. Borax.

Swollen.—Glands s. and indurated. Merc-jod.
Inflamed, s., suppurated glands. Nitr-ac. (Hep-s., Graph.)
Mucous membranes dry, s., burning and raw. Æsc.
Sensation as if s. Berb.

Symptoms.—Alternation of mental and bodily s. Croc., Plat.
S. in sick generally appear first on left, later on right side, and from below upwards. Benz-ac.

Syncope.—Fainting, s. Acon., Ars., Cham., China, Croc., Dig., Hep-s., Nux-m., Nux-v., Oleand., Seneg., Sep., Stram., Sulph., Tart-em., Ver-a.

Talk.—Fatigue from hearing others t. Alu., Am-c., Ars., Ver-a.
Great weakness; feels too weak to t. and finds it difficult to stand firmly. Cocc.
Sudden sinking of strength; is scarcely able to t. or walk. Colch.
Talking.—Great weakness and relaxatian of all physical and mental powers after exertion or after long t. Natr-m.
Reading aloud or t. produces great exhaustion. Stram. (Cocc.)
T. fatigues and excites pains. Sulph.
T. makes patient weak. Calc-c.
Worse after t. Cocc., Ferr., Natr-c., Natr-m., Phos-ac., Stann.
Tall.—Atrophy of children; child t., slender, emaciated, big-bellied. Phos.
Sensation of being very t. Stram. (Reverse, Coca.)
Taller.—Feeling as if had grown t. Pallad.
Tardy.—T. reaction after debilitating illness or sickness. Caps.
Tea.—Better from drinking t. Kali-bi.
Tearing.—Drawing, t. pains. Actea-s.
Frequent sharp, t. pains from one part to another. Dios.
Paralytic sensations accompanied by drawing, t. pains and numbness. Cham.
Periosteal inflammation (Staph.), with burning, gnawing, t. pains. Phos-ac.
Pressive, drawing, t. pains, often ending in a stitch. Guaj.
Pricking, t., pressing pains running across parts. Hell.
Rending, t., pains. Agar., Am-m., Aur., Can-sat., Calc-c., Carbo-v., Caust., Cham., China, Cocc., Colch., Coloc., Dulc., Euphr., Ferr., Hell., Kali-c., Kali-n., Led., Lyc., Merc., Mez., Mur-ac., Nitr-ac., Nux-v., Phos., Phos-ac., Plumb., Puls., Rhus-t., Sars., Sec., Sil., Spig., Staph., Stront., Sulph., Valer., Zinc.
Rending, t. pains in inner parts. Bell., Coni., Lyc., Puls., Sil.
Rending, t. pains in outer parts. Acon., Bry., China, Kali-c., Lyc., Sil., Sulph., Zinc.
Sharp, t. pains in various parts, with ovarian or uterine irritation. Cimicif.
Sticking, t., throbbing pains. Led.
Swelling of glands, with rending, t. pains. Ferr.
T., cutting, wandering pain with rheumatism. Acon.
T., drawing, tensive pains excited by slightest chill. Phos.
T., drawing pains in various parts of body. Carbo-v.
T., drawing pains, quickly changing location. Colch. (Puls.)
T. pains. Caust.
T. pains like shocks in different parts. Daph.
T., piercing pains. Cist.
T., pricking, pulsating pains. Lach.
T., shooting pains whole length of body. Coloc.

Tenderness and cramp-like drawing and t. in various parts. Mang.
Very anxious; restless, with forebodings; sometimes definite anticipations of time of death; drawing, t. or tingling pains; symptoms aggravated at night, also by warmth and motion. Acon.

Temper.—Nervousness, great irritability of t. and patience. Ambr.

Temperture (see Weather).—Worse from change of t. Nitr-ac., Ran-b.

Tenacious.—Increased secretions from mucous membranes, which are t. and ropy. Hydr. (Kali-bi.)

Tendency (see Liability).—T. or liability to take cold. Coni., Graph., Magn-m., Natr-c., Nux-v.
T. to take cold after overheating. Kali-c.
T. to take cold easily. Natr-m., Nitr-ac., Sulph. (Calc-c., Kali-c., Phos., Sil.)
T. to take cold in head and feet. Sil.
T. to take cold when uncovering feet. Sil.

Tender.—Excruciating pain and inflammation of small joints (Caul.), which are very t. to touch; worse at night. Actea-s.

Tenderness.—Extreme t.; cannot bear least pressure of clothing. Helon.
Great t. of all flesh. Lach.
T. and cramp-like drawing and tearing in various parts. Mang.

Tendons.—Pains in ligaments, t. and synovial membranes; worse at rest and on beginning to move, and better from continued motion. Rhus-t.
Pains where t. are connected with muscles or bones, especially during action of muscles. Rhus-r.
Sensation as if t. were contracted too short. Cimex.

Tensive.—Tearing, drawing, t. pains excited by slightest chill. Phos.

Testes.—Atrophy of glands, especially t. and mammæ. Kali-jod.

Theorizing.—Always t. Apis, Can-ind., Sulph.

Thick.—Numbness over whole body, followed by sensation as if skin were an inch t. and so stiff could hardly move. Apis.

Thinking.—All pains reappear when t. about them. Ox-ac. (Bar-c.)
Pains disappear when t. of them. Camph. (Bar-c., Ox-ac.)
Worse from t. of pain. Hell.
Worse when t. of disease. Bar-c. (Ox-ac.)

Thirst.—Complete anasarca without t., with very pale, clear, wax-like appearance. Apis.
Feeling of heat over whole body with t. Al-cep.
General anasarca, with pale, waxy or earth-colored skin and great t. Ars.
Great languor with trembling and violent t. Hyper.
Nervous restlessness, with rapid emaciation and constant t. for small quantities of water. Ars.
Pain with t. and redness of cheeks; fainting; congestion of blood to head. Acon.

Thorax.—Dropsical effusion to serous membranes, especially brain, t. and peritoneum. Hell.

Thrills.—Slow, shooting pains, with long-continued t. Sang.

Throbbing.—Burning, t. pain, with chilliness. Hep-s.

Deep ulcerations, characterized by terrible t. pains during night, with extreme sensitiveness of affected part. Asaf.

Desire to stretch and yawn; faint, weak and weary; fullness, with t. in various organs, as if they contained too much blood. Æsc.

Easily startled when awake, and then feels t. and palpitation. Camph.

Painful t. in different parts. Hep-s.

Painless pulsation or t. throughout body. Glon.

Sticking, tearing, t. pains. Led.

T. and pulsating in all bloodvessels of body. Tart-em.

T. as if in all the bloodvessels. Lil-tig.

T. in bloodvessels of whole body (Glon., Sep.), especially in abdomen. Selen.

T. or burning through body. Calad.

T., pulsating, biting through whole body (Glon.), especially in left chest. Sep.

T. through body. Sabin.

Undulating pulse, or t., in whole body. Natr-m.

Violent t. through whole body. Zinc. (Glon.)

Throwing.—Restless, constantly changing position or t. body to and fro, forward and backward, especially hands and feet. Bell.

Throws.—Very restless; t. body about. Lachn. (Acon., Ars.)

Thrusts.—Child lies on abdomen and spasmodically t. breach up. Cupr.

Thunder storm.—Fatigue after t. Rhod., Sil.

Pains appear at approach of rough, windy weather or t. Rhod.

Worse before or during t. Petr.

Worse before t. Agar., Rhod.

Worse during t. Phos. (Natr-c., Rhod.)

Time.—Exaggeration of duration of t. and extent of space; seconds seem ages, a few rods an immense distance. Can-ind.

Very anxious; restless, with forebodings; sometimes definite anticipations of t. of death; drawing, tearing or tingling pains; symptoms aggravated at night, also by warmth and motion. Acon.

Tingling.—Crawling, formication or t. of hands. Ign.

Itching, boring, biting, t., gnawing, in various parts of body. Ran-sc.

Numbness, t., formication. Acon.

Pricking, t., in various parts. Sil.

T. pains in all joints. Acon.

T. through whole body. Spig.

Very anxious; restless, with forebodings; sometimes definite anticipations of time of death; drawing, tearing or t. pains; symptoms aggravated at night, also by warmth and motion. Acon.

Tired.—Easily t. by bodily exertion. Calc-c.
General lassitude and feeling of weariness; becomes t. easily. Ham.
Faint and t.; wants to sit down. Alu.
Heavy, t. feeling; patient is always t. Pic-ac.
Languid, t. feeling. Dios.
Languid; usually t. yet knows no reason for it. Helon.
Prostration; t., weary, especially about knees. Natr-s.
T. all over, as if had walked a great distance, with aching in limbs; can stand only with difficulty. Lact-ac.
T. and drowsy; feeling of constriction in internal organs. Alu.
T. and weary all day. Am-c.
T., bruised, sick feeling all over body. Bapt.
T. feeling on least exertion. Pic-ac.
T. feeling, with weariness and restlessness in limbs. Indium.
Very t. in evening. Pallad.
Weak and t. Al-cep.
Weary and t. when sitting, especially in feet. Magn-c.
Weary, t., bruised, sore; great weakness; must lie down, yet bed feels too hard. Arn.

Tiredness.—Great t. or fatigue. Gels.

Tissues.—Œdematous distention of all t. by interstitial infiltration. Kali-jod.
Œdematous infiltration of t. Kali-jod. (Apis, Apoc., Ars.)

To and fro.—Giddy, as if drunk, as if balancing t. Ferr.
Restless, constantly changing position or throwing body t., forward and backward, especially hands and feet. Bell.

Tobacco.—Worse from coffee, liquor and t. Can-ind.
Worse from t., coffee or brandy. Ign.

Torn.—Pains, as if flesh were t. loose from bones, or as if bones were being scraped. Rhus-t.
Sensation in internal organs as if something were being t. away. Rhus-t.

Torpor.—Drowsiness, t., lethargy. Nux-m.
Languor, fatigue, t. Naja.
Lassitude, lameness and soreness, with stiffness, heaviness, numbness and t. Berb.
Lassitude, t., languor; not disposed to move or make any mental exertion. Sang.

Tossing.—Excessive restlessness with t. about, shivering and anxiety accompanying many symptoms. Acon.
Jactitation or t. about, caused by pains. Acon., Ars., Bell., Calc-c., Cham., China, Cina, Coff., Hell., Lyc., Magn-c., Sulph.
Restless t. about and constant uneasiness. Cupr.
Restless t. about and moaning, in children with sore throat. Lach.
Worse at night, with t. about. Abies-c., Abies-n.

Touch.—Better from pressure, t. or motion. Arn.
Body painful; sensitive to t.; parts touched feel chilly. Spig.
Excessive sensibility to t. and noise. Chin-s.
Excruciating pain and inflammation of small joints (Caul.) which are very tender to t., worse at night. Actea-s.
Great sensitiveness to t. and pressure. Apis.
Over-sensitiveness to slightest t. Colch.
Soreness of muscles and integuments, as if bruised or beaten; flesh sore to t., even of clothes. Bad. (Arn., Led., Ruta.)
Stiffness in different parts on motion and on t. Bry.
Whole body sensitive to t.; sensibility as after protracted sickness. Acon.
Worse from t. Bell., Magn-m., Mez., Nitr-ac., Ran-sc., Spig., Stram.
Worse from slightest t. Carbo-an., Ign., Mang., Nux-v.

Touched.—Bruised pain when t. Hep-s.
Child must be carried; it cries if t.; will not allow pulse to be felt. Tart-em.
Neuralgic pains in different parts of body, as if t. by pieces of ice, or as if icy-cold needles were piercing skin; pricking as from a pin, and itching and burning all over with great distress; pains, as from splinters. Agar.
Soreness when t. Mang.
Worse when t. Arg-m.

Touching.—Intermittent, pulsative or pressive, darting or lacerating pains from within outward, transferred from different parts and relieved by t. parts in hysterical patients. Asaf.
Pains felt only when t. part, are renewed immediately after dinner, in evening after lying down, and in morning immediately after awaking. Ign.
Worse from t. parts. Hep-s.
Worse from t. parts or contact. China.

Tough.—Discharges from mucous membranes of t., stringy mucus. Kali-bi.

Trembling.—Constant weakness and t. Ver-a.
Exhaustion, causing t. and knocking together of knees. Berb.
Fainting with t. Nux-v., Petr.
Feeling of weakness and t. of all limbs. Hyper.
Frequent t. through whole body. Sep.
Great debility and t. Sulph. (Alu., China.)
Great debility, lassitude and t. while standing up and without moving. Merc-cor.
Great languor with staggering gait or t. of body. Magn-s.
Great languor with t. and violent thirst. Hyper.
Great weakness and debility, with heaviness and t. Nitr-ac.
Great weakness and t. of whole body while walking. Lact-ac.

Great weakness, t., uneasiness. Petr.
Internal t. Tart-em.
Music causes t. Natr-c.
Nervous, irritable, t. Teucr.
Nervous t., with great acuteness of senses. Cupr.
Paralytic sensation in whole body and especially in arms and feet, with t. of whole body and extremities; with pale face; dilated pupils; faintness and numbness of extremities. Acon.
Physical and mental exhaustion and t. in whole body; thinks will faint or sink down from weakness. Lach.
Prostration, with t. in limbs. Mancin.
Restless, t. faintness. Dios.
T. Acet-ac., Agar.
T. all over, with anxiety and ebullitions of blood. Samb.
T. and tremulous sensation, with general debility. Arg-n. (Cupr., Gels., Merc.)
T. and twitching of muscles, and sensation of constriction in different parts. Cact.
T. debility. China.
T. emotions and tremor of whole body, especially in arms. Coni.
T. in whole body. Natr-s.
T. like boiling and seething, as if parts were going to sleep, with unpleasant sensation of coldness. Acon.
T. like shivering in evening. Anagal.
T. of body. Calc-c.
T. of body, with shuddering sensation while yawning. Cina.
T. of internal parts. Camph.
T. of whole body, alternating with convulsive movements of limbs. Arn.
T. of whole body as if from fright. Stram. (Gels.)
T. or tremor. Ars., Bell., Cic-v., Cocc., Iod., Merc., Opi., Phos., Plumb., Rhus-t., Stram., Sulph., Tabac., Therid., Zinc.
T. over whole body from excitement, exercise and pain. Cocc.
T. sensation through body. Kali-brom.
T. weakness; languid and restless; easily fatigued. Gels.
T. weakness on motion. Anac.
T. with feeling of lassitude. Apis.
T. with paralytic weakness. Anac.
Twitching and t. of muscles over whole body. Kali-n.
Violent t. all over body. Physos., Puls. (Tart-em.)
Violent t. and twitching of whole body. Zinc.
Weak, sick feeling, with t. when excited; lame and sore all over. Abrot.
Weak, t., nervous. Lil-tig.
Weakness and t., especially of joints. Mang.
Weakness of whole body with sensation of t. without t. Sulph-ac.

Tremor.—Anguish, t. and sweat during pains. Natr-c.
Fainting, with formication and t. of feet. Borax.
Trembling emotions and t. of the whole body, especially in the arms. Coni.
Trembling or t. Ars., Bell., Cic-v., Cocc., Iod., Merc., Opi., Phos., Plumb., Rhus-t., Stram., Sulph., Tabac., Therid., Zinc.
T. over body. Cimicif.

Tremulous.—Trembling and t. sensation, with general debility. Arg-n. (Cupr., Gels., Merc.)
T. lassitude. Alu. (Sulph.)
T. sensation through whole body. Graph.
T. weakness. Crotal.
Weak and t. with prostration, as after long and severe illness, sickness. Bapt. (Asclep.)

Tremulousness.—T., languor and debility. Brom.

Tumors.—Erectile t., which have now an increase and then a decrease of blood. Lyc.
Lymphatic t. Sec.

Turning.—Pains come on when lying on back, and are relieved by t. to one or other side, or by lying on affected side. Puls.

Twitches.—T. and contractions of body unaffected by sleep. Ver-a.

Twitching.—Convulsive t., especially after fright or grief. Ign. (Gels., Opi.)
Frequent t. and constant jerks through body. Stram.
Trembling and t. of muscles and sensation of constriction in different parts. Cact.
T. and trembling of muscles over whole body. Kali-n.
T. in various parts. Nitr-ac.
T., like electric shocks, through one side of body. Colch.
T. of muscles, especially about face and head. Kali-chl.
T. of muscles in different parts of body. Ant-c.
Violent trembling and t. of whole body. Zinc.

Typhoid.—Sepsis, with sunken features and hectic or t. symptoms. Carbo-v.

Ulcerated.—Pains as if sore and u., or as if bruised and contused. Kreas.

Ulceration.—Follicular u. of mucous membranes. Kali-chl.
Inflammation, swelling, u. and necrosis of bones. Sil.
Pain, as from subcutaneous u. Am-c.
Pain, as from subcutaneous u. or festering. Puls.
Rapidly extending u. Ars.
Slight injury induced suppuration and u. Hep-s.
U. in glands. Ars., Phos., Sil.
U. of mucous membranes. Kali-jod.
U. of mucous membranes, with tendency to putrescence. Bapt.

Ulcerations.—Deep u., characterized by terrible throbbing pains during night, with extreme sensitiveness of affected part. Asaf.

Ulcers.—Deep, fistulous, carious u. Calc-c.

Fetid discharges and exhalations, breath, stools, urine, sweat, u. Bapt.

Scrofulous eruptions and u. in children. Calc-c.

U., burning like fire, and paining often during sleep, discharging copious, bloody pus or ichor, with blue, black, lardaceous bases. Ars.

U. corrode and become deep without spreading in circumference. Kali-bi.

U. perforate or become phagedenic. Merc-cor. (Ars.)

Uncover.—Heat too intolerable; wants to u. Led.

Uncovered.—Bruised pain when u. Aur.

Cannot bear to be u.; coughs when any part of body is u. Hep-s.

Uncovering.—Tendency to take cold when u. feet. Sil.

Whole side of body on which patient lies is painful as if lacerating, with chilliness and u. Sil.

Worse from u. head. Sil.

Worse from u. in cold. Rheum.

Uncovers.—During fever or pains in abdomen, patient covers up, but afterwards skin becomes cold and patient u. Camph.

Uneasiness.—Great restlessness and u.; must constantly change position, especially at night. Rhus-t.

Great weakness, trembling, u. Petr.

Nervous vibrations through body, causing anxiety and u. Meph.

Pains and u. return at regular hours. Ars. (Cedron.)

Restless tossing about and constant u. Cupr.

U. Ammoniac.

U., as from suppressed respiration, or in consequence of a chill. Acon.

U. of whole body. Ant-c.

U. of whole body during rest. Kreas.

Uneasy.—Feels u. and encumbered by clothing. Nux-v.

Restless, u., changing position often. Cad.

Unhappy.—U. love, with jealousy. Hyos., Ign.

Unpleasant.—Exciteable; over-sensitive; least u. impression prostrates. Phos.

Unsteadiness.—U. and soreness of all parts of body when walking. Bry.

Upper.—Jerks in u. part of body. Thuja.

Upwards.—Contractive, drawing sensation from below u. Ind.

Symptoms in sick generally appear first on left, later on right side, and from below u. Benz-ac.

Urethra.—Loss of sensibility over body and in fauces, larynx, u., etc. Kali-brom.

Urinating.—Worse while u. **Lyc.**

Urine.—Excretions, especially u. and sweat diminished. **Apoc.**

Fetid discharges and exhalations, breath, stools, u., **sweat, ulcers.** Bapt.

Uterine.—Sharp, tearing pains in various parts, **with ovarian or u.** irritation. Cimicif.

Vaporous.—Constant v. exhalation from body. **Grat.**

Vascular.—Excessive irritability of mind and body; **v. excitement.** Gels.

Veal.—Worse from eating **v.** Ipec., Kali-n. (**Calc-c., Caust., Sep.,** Zinc.)

Veins.—Pricking or stinging in **v.**, muscles or skin. **Ham.**

Venous.—V. congestion; hæmorrhages. Ham.

Vertigo.—Fainting fits with **v.** Kali-n.

Vesicles.—Livid, brown **v.**, size of pea, all over body. **Millef.**

Vexation.—Worse from **v.** Acon., Bry., Cham., Coloc., Ign., Natr-m., Nux-v., Plat., Staph.

Vibrations.—Faint, nervous **v.**, seeming to reach interior of bones. Meph.

Nervous **v.** through body, causing anxiety and uneasiness. **Meph.**

V. through body. Bell., Sep., Sulph.

Vibrating.—Sensation in whole body as if bloodvessels were v. Phell.

Vibratory.—V. sensation through whole body when lying down. Clem.

Vigor.—Great physical **v.** and great endurance, in spite of slight nourishment and little sleep. Coca.

Violent.—Goes into **v.** rage on seeing doctor; says, "Go home, I am not sick; I did not send for you." Arn., Apis.

Violently.—Even slight pains affect patient **v.** Nitr-ac.

Vital.—Debility; patient wants to be mesmerized; they are starving without **v.** energy. Calc-ph.

Want of **v.** reaction. Opi.

Vital forces.—Exhaustion of **v.** Caps., **Carbo-v.** (Laur.)

Rapid sinking of **v.** **Laur.** (Ars., Ver-a.)

Vital powers.—Weakness of **v.** Laur.

Sinking of **v.** Dig.

Voluntary.—Loss of **v.** motion and of senses. Stram.

Vomiting.—Better after **v.** Acon. (Dig., Sec.)

Fainting, with **v.** Ipec., Kali-c., Lach., Sulph.

Walk.—Better from continuing to **w.** **Lyc.**

Children do not learn to **w.**, lose ability to do so. **Calc-c., Calc-ph.** (Sil.)

Exhausted, faint and as if paralyzed after short **w.** Coni.

Great weariness, not able to **w.** Calc-c.

Pains force patient to get out of bed at night and w. slowly about. Ferr.
Restless, must w. slowly about. Ferr.
Stoop-shouldered; cannot w. erect. Sulph.
Sudden sinking of strength; is scarcely able to talk or w. Colch.
Thoroughly exhausted after a w. Can-ind.
Worse on beginning to w. Lyc.
Worse when walking, yet pains so much after ceasing to w. must w. again. Lil-tig.

Walked.—Tired all over, as if had w. a great distance, with aching in limbs; can stand only with difficulty. Lact-ac.

Walking.—Better after w. Sulph.
Better from motion, especially w. Coni.
Better from sweat after w. in open air. Chin-s.
Better from w. Valer.
Better when w. Canth., Dulc., Fluor-ac., Stann.
Better when w. in open air. Am-m., Graph., Lact., Natr-s., Naja, Nux-v., Rhus-r.
Bruised sensation when w. Staph.
Easily exhausted by w. Carbo-an.
Fainting from w. in open air. Ferr., Kali-c., Senecio, Seneg.
Feeling when w. as if leaned forward and to left side. Asclep.
Great debility and lassitude when w. in morning. Chelid.
Great fatigue after w. Cor-r.
Great loss of power on w., especially in limbs, with exhausting sweats. Calc-c.
Great weakness after w. Ruta.
Great weakness and trembling of whole body while w. Lact-ac.
Lassitude when w. Stram.
Pains disappearing when w. and return immediately when at rest. Stann.
Staggering when w. Bell., Bry., Can-sat., Nux-v., Opi., Ruta, Stram., Sulph., Ver-a. (Alcohol.)
Unsteadiness and soreness of all parts of body when w. Bry.
Weakness of whole body, especially knees, when w. Staph.
Worse from w. Calc-c., Gels.
Worse from w. in open air. Cina.
Worse from w. or riding. Arg-n.
Worse on w. fast. Iod.
Worse when w. Æsc., Nitr-ac.
Worse when w., yet pains so much after ceasing to walk must walk again. Lil-tig.

Wandering.—Rheumatic, w. pains, with lameness. Meph.
Tearing, cutting, w. pain with rheumatism. Acon.
W., aching pains only in small spots, returning often. Nux-m.

W. pain, shifting rapidly from part to part. Puls. (Benz-ac., Kali-bi., Led.)
W. pains pass quickly over body. Sil.
W. pains, sometimes on one side, sometimes on the other. Rhus-r.

Want.—Constant w. of animal heat; constant chilliness. Coni.
W. of energy. Carbo-an., Laur.
W. of reaction. Laur., Mosch., Opi., Sulph.
W. of susceptibility to drugs. Opi.
W. of vital reaction. Opi.
W. of vital warmth (Sil.), even when taking exercise. Led., Sep.

Wants.—W. to be continually moving about. Helon.
W. to be fanned hard. Carbo-v.

Warm.—Better in w., open air. Hell.
Gangrena senilis sicca, with coldness and desire for w. covering. Ars.
Takes cold easily from exposure, but especially in w., moist air. Ham.
Worse in w., damp weather. Carbo-v.
Worse from sudden changes in weather from w. to cold. Bell.
Worse from w. applications. Sec.
Worse from w., moist or south wind. Ipec.
Worse from w. poultices. Lyc.

Warm air.—Better in w. Nux-m.
Sensitiveness to w. Cocc.

Warm food.—Better from w. Graph.
Better from w. and drink. Lyc.
Better while eating w. Aloe.
Worse after w. Bry.
Worse from w. Caust., Phos.

Warm room.—Better in w. China, Cocc., Dulc., Lil-tig., Sil.
Better when wrapped up well in w. Bell.
Great chilliness in open air; desires to be covered even in w. Hep-s.
Worse in close or w. Puls.
Worse in w. Al-cep., Dig., Magn-m.

Warmth.—Better from w. or heat. Ars.
Better from w. Ars., Cham., Canth., Caps., Hep-s., Kali-c., Kreas., Rheum, Sil.
Better in dry weather and w. Am-c.
Pains relieved by w. Sep.
Uncomfortable prickling sensation of w. over body. Sang.
Very anxious; restless, with forebodings; sometimes definite anticipations of time of death; drawing, tearing or tingling pains; symptoms aggravated at night, also by w. and motion. Acon.
Want of vital w. (Sil.), even when taking exercise. Led., Sep.
Worse from w. Apis, Arg-n., Borax, Iod., Natr-m., Phos., Sec., Tart-em.
Worse from w. and motion. Can-sat.

Worse from w.; from sitting crooked. Tart-em.
Worse from w., heat. Sec.
Worse from w. of bed. Gels., Puls., Sulph.
Worse from w. of stove. Kali-n.

Warm weather.—Better during w. Kali-n.
Worse in w. Borax.

Washed.—Children cannot bear to be w. Am-c., Sulph. (Ant-c.)

Washing.—Aversion to w. Am-c., Ant-c., Bry., Cham., Rhus-t., Sep., Spig., Sulph.
Child smells sour, even after w. or bathing every day. Rheum.
Ill-effects from w. clothes. Phos.
Worse after w. Calc-c., Clem., Sep., Sil. (Reverse, Fluor-ac.)
Worse from cold, especially cold w. Lob.
Worse from w. or bathing. Sulph.
Worse from w. or getting wet. Nux-m.

Wasted.—Feels w. and worn out, as if run down. Pic-ac.

Water.—Aversion to cold w.; omits bath on account of it. Physos.
Great aversion to w., cannot bear to touch it. Am-c.
Nervous restlessness, with rapid emaciation and constant thirst for small quantities of w. Ars.
Sensation as if cold w. had been poured over body, causing shuddering. Cimex.
Sensation as if drops of cold w. were falling on head, or from heart or anus. Can-sat.

Watery.—W., yellow secretions. Natr-s.

Wax-like.—Complete anasarca, without thirst, with very pale, clear, w. appearance. Apis.

Waxy.—General anasarca, with pale, w. or earth-colored skin and great thirst. Ars.

Weak.—Children too w. to hold up their heads. Æth.
Desire to stretch and yawn; faint, w. and weary; fullness, with throbbing in various organs, as if they contained too much blood. Æsc.
Despairs of being cured and is very restless and exhausted and very w. on attempting to move. Ars.
Faint, anxious and w.; pale in morning. Ars.
Great weakness; feels too w. to talk and finds it difficult to stand firmly. Cocc.
Malnutrition; patient flabby, w. and sluggish; has profuse sweats and discharges, with cold, damp extremities. Calc-c.
Pains are felt severely, making patient cold and w. Cor-r. (Agar.)
Prostration, so w. almost constantly obliged to lie down. Nitr-ac. (Sil.)
So w. could scarcely speak. Can-ind. (Stann.)
Talking makes patient w. Calc-c.
Very w. and indifferent to affairs of life. Phos-ac.
W. and exhausted. Sulph-ac.

W. and languid feeling, as after long and severe illness. Asclep.
W. and nervous; a little exercise causes palpitation. Chin-s.
W. and tired. Al-cep.
W. and tremulous with prostration, as after long and severe illness. Bapt. (Asclep.)
W., faint spells, with flushes of heat. Croton-tig.
W., languid feeling, no desire to do anything. Bapt.
W., sick feeling, with trembling when excited; lame and sore all over. Abrot.
W., trembling, nervous. Lil-tig.
Weakness and complete muscular relaxation; feels too w. to stretch out hand or do anything. Lob.

Weakened.—Flaccidity and laxness, with w. condition of muscular structures. Magn-c.

Weakness.—Constant w. and trembling. Ver-a.
Debility and w.; must lie down. Am-c.
Ebulitions, with anxiety and w., as if paralyzed, with sore feeling in various parts. Am-m.
Excessive w. Ver-a.
Extreme w. and prostration. Ver-a. (Ars., Phos.)
Extreme w. and prostration; cannot stand up. Merc-cyan.
Extreme w. and prostration; must sit or lie down constantly. Stann. (Sil.)
Fainting fits, with subsequent w. Ferr.
Faintness, goneness; great w. and prostration. Hydr.
Faintness, w. and shuddering. Merc-cor.
Faint-like w. Carbo-v.
Feeling of great w., as from loss of fluids. Lachn.
Feeling of w. and trembling of all limbs. Hyper.
Frequent fainting from w., with scarcely perceptible pulse. Ars.
General, sudden, excessive w. Phos.
General w. and great exhaustion. Hydroc-ac.
Great debility and w. Sang., Tabac.
Great debility and w. on making least exertion. Carbo-v. (Ars.)
Great languor, with w. of knees and drowsiness. Nux-m.
Great w. Æth., Calc-c., Samb.
Great w. after little exercise. Can-sat.
Great w. after walking. Ruta.
Great w. and debility, with heaviness and trembling. Nitr-ac.
Great w. and exhaustion. Bry., China, Ign. (Ars., Phos., Sec.)
Great w. and exhaustion after exertion. Colch.
Great w. and languor. Raph., Tereb.
Great w. and lassitude. Ambr., Daph. (Ars., China.)
Great w. and loss of breath on ascending stairs. Iod.
Great w. and prostration. Ars., Bry., China, Ferr., Glon., Kreas., Osm., Phos., Sec.

Great w. and prostration, especially in morning. Phos-ac.
Great w. and prostration of whole system. Phos. (Ars., China.)
Great w. and relaxation of all physical and mental powers after exertion or after long talking. Natr-m.
Great w. and sinking of strength. Dig. (Ars., Bry., Phos.)
Great w. and trembling of whole body while walking. Lact-ac.
Great w. and weariness of whole body. Squilla.
Great w., as after great exertion. Kali-n.
Great w., depression, perspiration and sleeplessness. Cact.
Great w.; feels too weak to talk and finds it difficult to stand firmly. Cocc.
Great w. from least exertion. Natr-m. (Ars.)
Great w. of mind and body in old people. Bar-c.
Great w., trembling, uneasiness. Petr.
Great w., with aversion to all food. Ipec.
Great w. without any apparent cause. Petr.
Laxness and w. of whole muscular system, with emaciation, w. of digestion and coldness of extremities. Ferr.
Mental, nervous and physical w. Bar-c.
Over-sensitiveness of every part of body, accompanied by great w. Canth.
Pain, followed by great w. Kali-ph.
Paralytic w. and soreness, especially when sitting and at rest. Rhus-t. (Agar.)
Paralytic w. on beginning to move. Euphorb.
Paralytic w. with all pains. Arg-m.
Paralytic w. with pain in back. Cocc.
Physical and mental exhaustion and trembling in whole body; thinks will faint or sink down from w. Lach.
Relaxation, with w. over whole body. Amyl.
Sensation of numbness, with great w. and coldness in whole left side of body. Elaps.
Sensitiveness of all nerves, with morbid sensation of general w. China.
Sudden w. with coldness. Apis.
Tremulous w. Crotal.
Trembling w.; languid and restless; easily fatigued. Gels.
Trembling; w. on motion. Anac.
Trembling with paralytic w. Anac.
W. and bruised feeling through whole body. Croton-tig.
W. and complete muscular relaxation; feels too weak to stretch out hand or do anything. Lob.
W. and debility after loss of animal fluids. Chin-s.
W. and exhaustion of whole body. Graph.
W. and faintness, associated with gastric derangements. Abies-c.
W. and prostration after loss of animal fluids, or after long and severe illness. China.

W. and prostration of whole body, especially of knee joints. Lith-c.
W. and prostration, with irresistible drowsiness. Laur.
W. and trembling, especially of joints. Mang.
W., debility, languor, lassitude. Alu., Am-c., Anac., Ars., Bar-c., Calc-c., Carbo-v., Caust., China, Coni., Cupr., Dig., Ferr., Hyos., Iod., Kali-c., Laur., Lyc., Magn-c., Mur-ac., Nitr-ac., Nux-m., Nux-v., Olean., Petr., Phos., Phos-ac., Rhus-t., Ruta, Sec., Sep., Stann., Therid., Ver-a.
W. from exertion. Lyc. (Ars.)
W., inactivity and general depression. Am-m.
W. of all joints, especially ligaments. Acon.
W. of body, as if coming from stomach. Magn-m.
W. of vital powers. Laur.
W. of whole body. Ambr.
W. of whole body, especially knees, when walking. Staph.
W. of whole body, with sensation of trembling without trembling. Sulph-ac.
W., prostration, faintness. Canth.
W., weariness and prostration of whole body. Cycl.
W. with neuralgic pains, sometimes attended with or succeeded by numbness of parts affected. Kalm.
Weariness, w. and faintness, associated with indigestion, gastric derangements and distress, as if a hard-boiled egg or something were knotted in stomach. Abies-n.
Weary, tired, bruised, sore; great w.; must lie down, yet bed feels too hard. Arn.
Weariness.—Excessive w. and prostration. Puls. (Phos.)
General lassitude and feeling of w.; becomes tired easily. Ham.
Great debility and lassitude, languor and faintness, w. and indolence. Chelid.
Great languor and w., indolence and prostration, especially in lower limbs. Ind.
Great weakness and w. of whole body. Squilla.
Great w. and prostration. Cocc-c., Merc.
Great w., not able to walk. Calc-c.
Greater w. in morning after rising than in evening on going to bed. Nux-v.
Tired feeling, with w. and restlessness in limbs. Indium.
Weakness, w. and prostration of whole body. Cycl.
W. Ammoniac.
W. and heaviness after eating. Staph.
W. and heaviness of body. Bar-c.
W. and lassitude. Benz-ac.
W., depression, heaviness and dull feeling. Hydroc-ac.
W. on ascending. Calc-ph.
W. over whole body. Calad.

W., weakness and faintness, associated with indigestion, gastric derangements and distress, as if a hard-boiled egg or something were knotted in stomach. Abies-n.

W. with inclination to stretch. Cimex.

Weary. — Desire to stretch and yawn; faint, weak and w.; fullness with throbbing in various organs, as if they contained too much blood. Æsc.

Prostration; tired, w., especially about knees. Natr-s.

Tired and w. all day. Am-c.

W. and tired when sitting, especially in feet. Magn-c.

W., drowsy; malaise. Helon.

W., tired, bruised, sore; great weakness; must lie down, yet bed feels too hard. Arn.

Weather (see Temperature).—Worse from every damp change of w. Natr-s.

Worse from sudden changes in w. from warm to cold. Bell.

Worse on change of w. Calc-ph., Carbo-v., Chelid., Dulc., Gels., Mang., Phos., Rhod.

Weeping.—Lively music causes w. Kreas., Natr-s., Thuja.

Weight.—Great emaciation; w. reduced seventy pounds. Hydr. (Phytolacca berries.)

Great debility; languor, with painful feeling of w. and sensitiveness in all limbs. Agar.

West.—Ailments from w. or northwest wind, or dry, cold wind, or soon after. Hep-s.

Wet.—Worse during w., cold weather. Kali-n.

Worse from getting w. in rain. Calc-ph.

Worse from washing or getting w. Nux-m.

Worse from w. poultices. Am-c.

Worse in w., cold air. Am-c., Calc-c., Dulc., Nux-m., Rhus-t.

Wet weather.— Better in w. Caust.

Worse in cold w. Sulph-ac.

Worse in w. Dulc., Merc.

Worse in w. and in cold air outdoors; from lying on stomach or on painful side. Am-c.

White —Anæmia, with great irritability; skin watery and milky w. Kali-c.

Red parts become w.; anæmia. Borax, Hell., Merc., Valer. (Ferr.)

Wind.—Ailments from west or northwest w., or dry, cold w., or soon after. Hep-s.

Worse from east w. Hep-s., Spong.

Worse from north w. Spong.

Worse in w. Ars., Lyc., Nux-v., Phos., Puls., Sulph.

Winds.—Worse during prevalence of northeasterly w. Rhus-t.

Windy.—Pains appear at approach of rough, w. weather or thunder storm. Rhod.

Wine.—Better from w. Phos.

Worse from brandy or w. Opi.

Worse from sugar, coffee, w. Ox-ac.

Worse from w. Ant-c., Arn., Ars., Calc-c., Carbo-v., Coff., Gels., Glon., Led., Lyc., Nux-v., Opi., Ran-b., Sil., Zinc.

Winter.—Is less affected by excessive heat in summer or cold in w. Fluor-ac.

Worse in w. Aur., Rhus-t.

Withered.—Emaciation, with w., old-man look. Arg-n.

Withering.—W. glands. Coni., Iod.

Within.—Intermittent, pulsative or pressive, darting or lacerating pains from w. outward, transferred from different parts and relieved by touching parts in hysterical patients. Asaf.

Pains from w. outward. Bell. (Reverse, Cact.)

Pressing pains from w. outward, as from a hard pointed body. Ign.

Wood.—Sensation as if parts or whole body were made of w. Kali-n.

Work.—Indifference and disinclination for any mental or physical w. Pic-ac.

Worn out.—Feels wasted and w., as if run down. Pic-ac.

Worse.—Bruised, sore feeling all over, as from a fall or blow (Arn., Bad., Led.), w. in limbs and joints. Ruta.

Erethitic chlorosis, w. during cold weather. Ferr.

Excruciating pain and inflammation of small joints (Caul.) which are very tender to touch, w. at night. Actea-s.

Intolerable itching all over body, without perceptible eruption of skin, especially in pregnant women, w. at night preventing sleep, and w. from scratching. Dolich.

Pains and most other symptoms w. after sleep. Selen.

Pains characterized by great intensity, are w. during rest and can frequently either be entirely suppressed by rubbing and pressure or by motion. Ind.

Pains in ligaments, tendons and synovial membranes, w. at rest and on beginning to move, and better from continued motion. Rhus-t.

W. about new moon (Caust.); from motion; uncovering head. Sil.

W. after caresses. Bell., Calc-c., China, Ign.

W. after changing position. Caps., Euphr., Ferr., Puls.

W.: after drinking; after sleep; after talking; after smoking; in cold air. Cocc.

W.: after drinking; before and during stool. Ver-a.

W.: after eating; after drinking; during menses; at rest. Hyos.

W.: after eating; after excessive sexual indulgence; in cold air; in heat of sun's rays; before thunder storm. Agar.

W.: after eating and drinking; at rest, especially when sitting; from noise; from talking; from heat; from motion. Ferr.

W.: after eating or drinking; at beginning of exercise; in cold air. Caps.

W. after excessive sexual indulgence. Agar.
W. after lying down. Caust., Ign., Led., Phos., Sulph.
W.: after lying down; from tobacco, coffee or brandy; after perspiring; from noise; from slight touch. Ign.
W.: after lying down; from warm, moist or south wind. Ipec.
W.: after meals; on rising from seat; from nursing. Æth.
W.: after sleep; after eating; from sun's rays or heat; in open air. Lach.
W.: after sleep (Lach.); during sweat; in dark; when alone; from touch. Stram.
W.: after sleeping; lying on left side. Cinnab.
W. at night. Anthrak.
W. at night, before midnight. Carbo-v., Cact., Led., Lyc., Mur-ac., Puls., Ran-sc., Sabad., Spong., Tart-em.
W. at night, with tossing about. Abies-c., Abies-n.
W. at rest. Samb.
W.: at rest; after eating and drinking; from anger. Coloc.
W.: at rest; from talking; from music. Phos-ac.
W.: at rest; in cold air; in wet weather; after change of weather. Dulc.
W.: at rest; in warm room; from touch; when lying on right side. Magn-m.
W.: at rest; on rising; when standing. Fluor-ac.
W.: at rest; when lying down; from wine. Arn.
W.: before or during thunder storm; from riding in carriage or ship; in open air. Petr.
W. during cold weather. Ammoniac.
W.: during dry weather (Caust.); from mental exercise; washing; at rest; after eating. Sep.
W. during full moon. Alu., Graph., Sulph.
W.: during full moon; from cold; during rest. Sabad.
W.: during new and full moon; on alternate days; from motion; from eating potatoes. Alu.
W. during new moon. Alu., Am-c., Calc-c., Caust., Cupr., Daph., Sep., Sil.
W. during rest. Mur-ac.
W.: during rest; in damp, cold weather. Ruta.
W.: during rest; in open air. Senecio.
W.: during rest; on entering a room from open air; in cold weather; during prevalence of northeasterly winds. Rhus-t.
W.: during rest; while sitting; while eating; while lying down. Coni.
W.: during thunder storm; after least exertion; after meals; from talking; from eating sweet things. Natr-c.
W.: evening and night; in wet weather and in cold air outdoors; during and after eating; on ascending; from stooping; from wet poultices. Am-c.

W.: evening and night; lying on right side; in close room (Iod., Puls.); on rising from lying down (Bry., Dig., Opi.). Acon.

W.: from acids; in the open air; from fat food; from motion. Merc-cor.

W. from anger. Coloc., Staph.

W.: from anything cold; after eating and drinking; from lying with head low. Ars.

W.: from change of temperature; on awaking; while walking; on rising from seat; from touch. Nitr-ac.

W.: from change of weather; from motion. Chelid.

W.: from coffee, liquor and tobacco; when eating. Can-ind.

W.: from cold air; from lying down; from drinking coffee; from motion; after mental excitement. Cist.

W.: from cold air; from touching parts; during sleep; from swallowing. Hep-s.

W.: from cold and cold air; from slightest touch. Carbo-an.

W.: from cold and cold air; on ascending (Reverse, Borax); during and after coition; after eating; from exertion; from walking; from milk; near or during full moon; with head low; after washing (Sil.; Reverse, Fluor-ac.); while on left side with head low; from pressure (Reverse, Nitr-ac.); from perspiration. (Natr-m.) Calc-c.

W.: from cold, damp weather; from washing or getting wet; from riding in carriage; after eating or drinking. Nux-m.

W.: from cold; from letting limb hang down (Puls.). Thuja.

W.: from cold; from lying on painless side; after eating. Kali-bi.

W.: from cold; when lying down; during sleep; from sweating; from anger; from chagrin. Cham.

W. from contact. Cupr.

W. from contact, motion, stretching, changing position of body, from changes in temperature. Ran-b.

W.: from damp air; from motion. Still.

W.: from dampness; from damp change of weather. Natr-s.

W.: from drinking coffee or cold water; when standing. Canth.

W. from east wind. Hep-s., Spong.

W. from eating veal. Ipec. (Calc-c., Caust., Sep., Zinc.)

W.: from exercise; from mental activity. Physos.

W.: from exercise; from warmth; in close room. Apis.

W. from exertion of body. Arn., Ars., Bry., Cocc., Croc., Lyc., Rhus-t., Sulph.

W. from exertion of mind. Calc-c., Ign., Nux-v., Sep.

W.: from exertion, talking, reading, writing, eating, warmth, motion, lying; obliged to sit up in bed at night in order to find relief. Natr-m.

W.: from heat; during hot, damp weather; from motion; after eating. Aloe.

W.: from heat, especially heat of bed; from motion (only pains in joints, not pains in other part of body); from wine. Led.
W.: from heat of bed; from washing; after eating; from pressure. Clem.
W. from lifting. Calc-c., Carbo-an., Carbo-v., Graph., Hyper., Lyc., Rhus-t.
W. from light. Calc-c., Coni., Euphr., Graph., Phos.
W.: from light; from contact; from motion. Euphr.
W. from light, noise, motion. Sang.
W.: from lying; obliged to sit up in bed even at night in order to find relief. Natr-m.
W.: from mental exertion; from motion. Colch.
W. from motion. Apoc.
W.: from motion; during menses. Cimicif.
W.: from motion; from artificial light; from cold; after eating; from eating juicy fruit; from change of weather; from getting wet in rain. Calc-ph.
W.: from motion; from cold or cold air; as soon as it gets dark. Camph.
W.: from motion; from heat. Cocc-c.
W.: from motion; from heat; after warm food. Bry.
W.: from motion; from letting limb hang down (Puls.). Sabin.
W.: from motion; from pressure. Phyt.
W.: from motion; from wine; from shaking or jarring. Glon.
W.: from motion; slight touch; lying on right side; from mental exertion; from coffee, wine, tobacco, alcoholic liquors; from windy weather; from sedentary habits; from loss of sleep; from overeating; from cold. Nux-v.
W.: from motion, talking; when descending. Stann.
W.: from motion, touch, turning eyes; after coition (Staph.); on bending down. Spig.
W. from motion, warmth, warm applications. Sec.
W.: from motion; when walking; when breathing deeply; after eating. Æsc.
W.: from movement; from sugar, coffee, wine. Ox-ac.
W. from music. Natr-c., Sep.
W. from north wind. Spong.
W. from reading. Calc-c., Cocc., Natr-m., Sil.
W. from rest. Euphorb., Iris.
W.: from sexual excesses or onanism; from anger, grief or sorrow. Staph.
W. from stimulants. Naja.
W. from touch. Ran-sc. (Ant-c., Bell.)
W.: from touch; from motion. Mez.
W.: from touching parts or contact; after eating or drinking (Ars.). China.

W. from uncovering in cold. Rheum.
W. from vexation. Acon., Bry., Cham., Coloc., Ign., Natr-m., Nux-v., Plat., Staph.
W.: from walking; from warmth of bed; from smoking; from wine; from change of weather; in damp weather. Gels.
W. from warm, moist or south wind. Ipec.
W. from warmth. Borax, Phos.
W. from warmth and motion. Can-sat.
W.: from warmth; from cold food; from walking or riding; after eating. Arg-n.
W. from warmth, heat. Sec.
W.: from warmth of bed; during rest; when standing; from washing or bathing; in open air. Sulph.
W.: from warmth of bed; in close or warm room; while lying down, especially on left side; after eating fat food, pork, ice cream, fruit or pastry; when sitting after long exercise, or on rising after having been sitting for a long time. Puls.
W.: from warmth of stove; during wet, cold weather; when perspiring; in open air; during full moon; after eating veal. Kali-n.
W. from wind. Ars., Calc-c., Carbo-v., Coff., Lyc., Nux-v., Opi., Ran-b., Sil., Zinc.
W. from windy weather. Nux-v.
W. in afternoon. Anac., Alu., Am-c., Ant-c., Asaf., Canth., Chelid., Laur., Lyc., Mosch., Nitr-ac., Sars., Thuja.
W. in autumn with warm days and damp, cold nights. Merc.
W. in close room. Acon. (Iod., Puls.)
W. in cold air. Ars., Aur., Camph., Caust., Dulc., Hell., Hep-s., Kali-c., Mosch., Nux-m., Nux-v., Rhus-t., Sabad., Stront.
W.: in cold air; at rest. Kali-jod.
W.: in cold air; from motion; from cold. Mosch.
W.: in cold air; from stooping; from thinking of pain. Hell.
W. in company. Sep., Bar-c., Magn-c., Plumb.
W. in dark. Am-m., Carbo-an., Caust., Valer.
W.: in draft of air (China, Nux-v., Selen.); from getting cold; after riding; after drinking; during and after menses. Graph.
W. in dry, cold air. Asar., Caust., Hep-s., Nux-v.
W. in evening. Acon., Ambr., Am-c., Am-m., Ant-c., Asaf., Bell., Caps., Caust., Colch., Cycl., Euphr., Guaj., Hell., Hyos., Kali-c., Kali-n., Lach., Lyc., Magn-c., Meny, Merc., Mez., Nitr-ac., Phos., Plat., Puls., Ran-b., Ran-sc., Sep., Stann., Stront., Sulph., Sulph-ac., Tart-em., Zinc.
W. in hot weather. Ant-c., Bell., Kali-bi.
W.: in hot weather; after eating; during summer. Kali-bi.
W. in morning. Acon., Am-m., Ant-c., Bry., Calc-c., Chelid., Croc., Dros., Eupat-perf., Guaj., Ipec., Kali-n., Meny., Natr-m., Nux-v., Phos., Ran-b., Squilla, Valer., Ver-a.

W. in morning from four to ten o'clock. Abrot.
W.: in the morning, or from evening till midnight; in open air; after midnight and during the day; from lying down; from rubbing. Anac.
W.: in morning; while sitting. Ang.
W.: in open air; from pleasant surprises; after eating; from motion. Coff.
W.: in open air; from warm food; from cold; from dry weather. Caust.
W.: in open air; in cold weather; from cold bathing; from cold food; from rest. Kreas.
W.: in room; at rest. Plat.
W.: in warm, damp weather; from changes of weather. Carbo-v.
W. in warm room. Al-cep., Nicc.
W.: in warm room; from heat. Dig.
W.: in warm room; on lying down. Nicc.
W. in warm weather. Ant-c., Borax.
W.: in warm weather; after eating; from wine (Glon.); after bathing. Anthrak.
W. in wet, cold air. Am-c., Calc-c., Dulc., Nux-m., Rhus-t.
W.: in wet weather; in autumn, with warm days and damp, cold nights; during exercise; when lying on right side. Merc.
W. in wind. Ars., Lyc., Nux-v., Phos., Puls., Sulph.
W. in winter. Aur., Rhus-t.
W.: lying down (Lachn.); on looking at anything. Lith-c.
W.: lying on painful side; from pressure; from warmth; on walking fast; from riding in carriage; from rising in bed. Iod.
W.: lying on right side (Nux-v.); sitting; beginning to walk; after eating, especially oysters; from warm poultices; from pressure of clothes; from strong smells; while urinating; from riding. Lyc.
W.: lying with head low; when ascending. Spong.
W. on ascending. Ars., Bry., Calc-c., Iod., Spong.
W. on awaking. Ambr., Ars., Calc-c., Caust., Hep-s., Nitr-ac., Phos.
W. on becoming cold. Ars., Ammoniac., Kali-c., Mosch., Nux-v., Sabad.
W. on beginning to move. Caps., Coni., Euphr., Ferr., Lyc., Puls., Rhus-t.
W. on feet becoming cold. Sil.
W. on going into a cold place. Ars., Ran-b.
W. on head becoming cold. Bell., Sep.
W. on looking fixedly at an object. Calc-c., Cina, Kali-c., Lyc., Natr-m., Rhod., Ruta, Seneg., Sil.
W.: on lying down; from cold air; in raw, cold weather. Rumex.
W. on movement. Berb., Bry., Paris.

W.: on movement; from touch; from cold air; from sudden changes in weather from warm to cold; in hot weather; from heat of sun. Bell. (Ant-c.)
W.: on pressure; from drinking; from walking in open air; lying on right side. Cina.
W.: on rising; during and after sleep; from fright; from brandy or wine; after being heated. Opi.
W.: on rising; from motion. Ver-v.
W.: on stooping; from slight touch; from change of weather. Mang.
W.: when alone; from warm feed; lying on back or left side; on rising from seat; during thunder storm (Natr-c., Rhod.); on change of weather; from singing and laughing; from strong odors. Phos.
W. when among strangers. Sep., Stram.
W.: when beginning to move; after drinking cold water. Rhus-r.
W. when fasting. Croc.
W. when lying down. Ars., Aur., Caps., Caust., Cham., Dros., Euphr., Ferr., Lyc., Meny., Plat., Puls., Rhus-t., Sil., Tart-em.
W. when lying on back. Nux-v., Phos.
W. when lying on left side. Acon., Lyc., Phos., Puls.
W. when lying on painful side. Bar-c., Bry., Hep-s., Iod., Nux-m., Ruta, Sil.
W. when lying on side. Acon., Anac., Calc-c., Carbo-an., Kali-c., Lyc., Stram.
W. when moon is decreasing. Alu., Dulc., Thuja.
W.: when moving; when sitting bent, yet there is a feeling that must bend. Kalm.
W. when playing on piano. Natr-c.
W. when sitting. Gum-gut. (Bry.)
W. when sitting and after rising. Guaj.
W.: when standing; from motion and exertion. Pallad.
W. when sitting bent, yet there is a feeling that must bend. Kalm.
W. when thinking of disease. Bar-c. (Ox-ac.)
W.: when touched; from lying on back; riding in carriage. Arg-m.
W.: when walking, yet pains so much after ceasing to walk must walk again. Lil-tig.
W.: while at rest; from change of weather; before thunder storm; in cold, damp weather. Rhod.
W.: while lying in bed; from drinking. Plumb.
W.: while sitting; in cold weather. Magn-c.
W. while sitting or standing. Valer.

Wounded.—Pride easily w.; wants to be flattered. Pallad.

Wounds.—Hæmorrhages and small w. bleed much. Kreas. (Phos., Lach.)
Small w. suppurate and do not heal. Calc-c. (Hep-s.)

Wrapped.—Better when w. up. Rheum.
Better when w. up well in warm room. Bell.
Wrapping.—Better from w. head. Sil.
Better from w. up. Graph.
Better from w. up warmly. Hep-s.
Wrinkled.—Old misers with w. faces. Lyc.
Wrinkles.—Marasmus: child w. and looks like little, dried-up, old man. Opi. (Arg-n.)
Writing.—Worse from w. Natr-m.