

**Druggist's hand-book of American and foreign drugs, preparations, &c; /
sold by Cheney & Myrick.**

Contributors

Cheney & Myrick.
Francis A. Countway Library of Medicine

Publication/Creation

Boston : J.E. Farwell & Co., 1878.

Persistent URL

<https://wellcomecollection.org/works/nzcum3cq>

License and attribution

This material has been provided by This material has been provided by the Francis A. Countway Library of Medicine, through the Medical Heritage Library. The original may be consulted at the Francis A. Countway Library of Medicine, Harvard Medical School, where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>


3789
107



22.8.291.

PROPERTY OF THE
PUBLIC LIBRARY OF THE
CITY OF BOSTON,
DEPOSITED IN THE
BOSTON MEDICAL LIBRARY.


No 3789.107



Thos. W. Cooke.

M. DEC 15

C. APR 17.



L.B. 5/16/98
PRICE, 50 CENTS.

**DRUGGIST'S
HAND-BOOK
OF 3789.1072
AMERICAN ^{and} FOREIGN DRUGS,**

THEIR
COMMON, ENGLISH AND BOTANICAL NAMES,
ARRANGED IN ALPHABETICAL ORDER

By Cheney & Myrick
CHENEY & MYRICK,

BOSTON, MASS.

15 UNION STREET.

BOSTON:
J. E. FARWELL & CO., PRINTERS,
45 PEARL STREET.
1878.



DRUGGIST'S

HAND-BOOK

OF 3789.107

AMERICAN ^{and} FOREIGN DRUGS,


PREPARATIONS, &c.

SOLD BY

CHENEY & MYRICK,

BOSTON, MASS.

No. 13 UNION STREET.



BOSTON;
J. E. FARWELL & CO., PRINTERS,
45 PEARL STREET.

1878.

CHEENEY & MYRICK,

Wholesale Dealers in, and Exporters of

American Drugs,

Jobbers in Drugs, Chemicals, Essential Oils, etc.

MANUFACTURERS OF

**FLUID EXTRACTS, ECLECTIC AND PHARMA-
CEUTICAL PREPARATIONS.**

PRESSED HERBS AND HOPS,

A Specialty.

AGENTS FOR

B. KEITH & CO.'S (New York)

VAPOUR PREMIUM

CONCENTRATED MEDICINES.

15 Union Street,

BOSTON, MASS.

Thomas N. Cook.

May 16, 1898.

375

PREFACE.

In the compilation of this HAND-BOOK, we have consulted standard authorities for correct Botanical names. For medical properties and uses we have taken medical works of acknowledged reputation.

Our aim has been to compile the best and most convenient Hand-book for correct and quick reference which has ever been published, for the use of the Wholesale Druggist, the Retail Apothecary, and the Physician. With an experience of more than thirty years in the Botanic Drug trade, we have seen much of the perplexity which arises from the confusion of names given to our native plants, and we believe this little HAND-BOOK will aid others in surmounting those perplexities, and be a boon long sought for by all Dealers.

CHENEY & MYRICK.

ABBREVIATIONS.

ABO.	ABORTIVE—Capable of producing abortion.
ACI.	ACIDULOUS—Substances which possess a sourish taste.
ACR.	ACRID—Occasioning irritation at the top of the throat.
ADE.	ADENAGIC—Acting on the glandular system.
ALE.	ALEXPHARMIC—Preventing the bad effects of poisons inwardly.
ALT.	ALTERATIVE—Capable of producing a salutary change in a disease.
ANO.	ANODYNE—Relieving pain or causing it to cease.
ANT.	ANTHELMINTIC—Destroying or expelling worms.
A-APH.	ANTI-APHRODISIAC—Capable of blunting the venereal appetite.
A-BIL.	ANTI-BILIOUS—Correcting the bile and bilious secretions.
A-EME.	ANTI-EMETIC—A remedy for vomiting.
A-LIT.	ANTI-LITHIC—Preventing the formation of calculous matter.
A-PER.	ANTI-PERIODIC—Arresting morbid periodical movements
A-PHL.	ANTI-PHLOGISTIC—Opposed to inflammation,
A-SCO.	ANTI-SCORBUTIC—Opposed to scurvy.
A-SEP.	ANTI-SEPTIC—Opposed to putrefaction.
A-SPA.	ANTI-SPASMODIC—Correcting and relieving spasms.
A-SYP.	ANTI-SYPHILITIC—Acting against the venereal disease.
A-VEN.	ANTI-VENOMOUS—Used against bites of venomous insects or snakes, etc.
APE.	APERIENT—Gently opening the bowels.
APH.	APHRODISIAC—Medicine believed capable of exciting the venereal appetite.
ARO.	AROMATIC—Agreeable, spicy.
AST.	ASTRINGENT—Contracting the organic textures.
BAL.	BALSAMIC—Mild, healing, soothing.
BIT.	BITTER—Having a tonic effect.
CAR.	CARMINATIVE—Allaying pain by expelling the flatus.
CAT.	CATHARTIC—Increasing the number of the alvine evacuations.

ABBREVIATIONS.

v

CEP.	CEPHALIC—Relating to the head.
CHO.	CHOLAGOGUE—Causing the flow of bile.
COR.	CORROBORANT—Strengthening and giving tone.
C-IRR.	COUNTER-IRRITANT—Causing irritation in one part to relieve pain in another part.
DEM.	DEMULCENT—Correcting acrid conditions in the humors.
DEO.	DEOBSTRUENT—Removing obstructions
DEP.	DEPURATIVE—Purifying the blood.
DET.	DETERGENT—Deterging or cleansing parts of wounds, etc.
DIA.	DIAPHORETIC—Promoting moderate perspiration.
DIS.	DISCUTIENT—Repelling or resolving tumors.
DIU.	DIURETIC—Increasing the secretion of the urine.
DRA.	DRASTIC—Operating powerfully on the bowels.
EME.	EMETIC—Capable of producing vomiting.
EMM.	EMMENAGOGUE—Favoring the discharge of the menses.
EMO.	EMOLlient—Relaxing and softening inflamed parts.
ERR.	ERRHINE—Discharge from the nose.
ESC.	ESCUENT—Eatable as food.
EXA.	EXANTHEMATOUS—Relating to eruption or skin diseases of an eruptive nature.
EXC.	EXCITANT—Stimulant.
EXP.	EXPECTORANT—Facilitating or provoking expectorations.
FAR.	FARINACEOUS—Containing farina; mealy; employed as nutriment.
FEB.	FEBRIFUGE—Abating or driving away fevers.
F-COM.	FEMALE COMPLAINTS.
GAL.	GALACTAGOGUE—Favoring the secretion of milk.
HER.	HERPATIC—Attacking cutaneous diseases.
HYD.	HYDRAGOGUE—Capable of expelling serum.
HYP.	HYPNOTIC—Promoting sleep, somniferous
INS.	INSECTICIDE—A substance that destroys insects.
LAX.	LAXATIVE—Gently cathartic.
MAT.	MATURATING—Favoring the maturation or ripening of tumors, boils or ulcers.
MUC.	MUCILAGINOUS—Resembling gum in its character.
NAR.	NARCOTIC—Having the property of stupefying.
NAU.	NAUSEANT—Exciting nausea.
NEP.	NEPHRITIC—Relating to the kidneys.
NER.	NERVINE—Acting on the nervous system.
NUT.	NUTRITIVE—Relating to nutrition.
OPT.	OPHTHALMICUM—A remedy for diseases of the eye.
ORN.	ORNAMENTAL—Cultivated for ornament.
PAR.	PARTURIENT—Inducing or promoting labor.
PEC.	PECTORAL—Relating to the breast.

ABBREVIATIONS.

PHRE.	PHRENIC—Relating to the diaphragm.
POI.	POISONOUS—Producing death if taken in improper doses.
PUN.	PUNGENT—Biting, hot, acrid; prickly to the taste.
PUR.	PURGATIVE—Operating on the bowels more powerfully than a cathartic.
REF.	REFRIGERANT—Depressing the morbid temperature of the body.
RUB.	RUBEFACIENT—Causing redness of the skin.
SAD.	SALAD—Fresh herbs eaten as condiments or as food.
SAP.	SAPONACEOUS—Soapy; making a lather with water.
SEC.	SECERNENT—Affecting the secretions.
SED.	SEDATIVE—Directly depressing to the vital forces.
SIA.	SIALOGOGUE—Provoking the secretion of saliva.
STE.	STERNUTATORY—A substance which provokes sneezing.
STI.	STIMULANT—Exciting the organic action of the system.
STO.	STOMACHIC—Giving tone to the stomach.
STY.	STYPTIC—Arresting hemorrhage.
SUD.	SUDORIFIC—Provoking sweat.
TON.	TONIC—Exciting slowly the different systems of the economy.
VER.	VERMIFUGE—Capable of expelling worms.
VES.	VESICANT—Producing blisters.
VUL.	VULNERARY—Favoring the consolidation of wounds.

CHENEY & MYRICK'S
DESCRIPTIVE CATALOGUE OF
Vegetable Medicinal Agents.

— 1 —	Per lb.
AARON'S BEARD. Rhus Cotinus.	
Wood.	Ast.
False Fringe Tree. Smoke Plant. Smoke Tree. Wig Tree.	
Young Fustic.	
Used in chronic diarrhoea.	
— 2 —	
ABSCESS. Polemonium Reptans.	
Root.	Alt. Dia. Ast.
American Greek Valerian. Blue Bells. Jacob's Ladder.	
Sweat Root.	
Serviceable in pleurisy, fevers and inflammatory diseases.	
— 3 —	
ACONITE. Aconitum Napellus.	
Leaves.	Nar. Sed. A-phl. Nar.
Root.	" " " "
Beastsbane. Bearbane. Badgersbane. Friar's Cap. Friar's Cowl. Goatsbane. Monkshood. Mousebane. Wolfsbane. Wolf Root.	
Used in scarlatina, inflammatory fever, acute rheumatism, neuralgia, etc. Must be used cautiously.	
— 4 —	
ADAM AND EVE. Aplectrum Hyemale.	
Root.	Nar. Pec.
Useful in bronchial affections.	

— 5 —

Per lb.

ADAM'S APPLE. Citrus Limetta.
Lime Tree Fruit.

— 6 —

ADDER'S TONGUE. Erythronium Americanum.
 Herb and Root Alt. Emo. Eme.
 Plant A-sco. Emo. Eme.
 Yellow Snake-leaf. Adder Leaf. Dogstooth Violet.
 Used as a poultice for scrofulous sores, to cleanse and heal
 them.

— 7 —

AGARIC OF THE OAK. Boletus Ignarius.
 " PURGING. (Larch Agaric.) Boletus Laricis.
 " WHITE. (" ") " "
 Plant Sty. Ast. Bit.

— 8 —

AGAVE, AMERICAN. Agave Americana.
 Plant Diu. A-syp.
 American Century Plant. American Aloe.

— 9 —

AGAVE, VIRGINIAN. Agave Virginica.
 Root Bit. Car.
 False Aloe.

— 10 —

AGRIMONY. Agrimonia Eupatoria.
 Herb Ton. Alt. Ast.
 Cocklebur. Stickwort.
 Highly recommended in bowel complaints, gravel, asthma,
 coughs and gonorrhœa.

— 11 —

AGRIMONY, HEMP. Eupatorium cannabinum.
 Juice Eme. Pur. Din. Cat.
 Sweet-smelling Trefoil. Water Maudlin.

— 12 —

Per lb.

ALDER BLACK. *Prinos Verticillatus.*

Bark.	Ton. Alt. Ast. Ver.
Berries.	Cat Ver.
Striped Alder. Brook Alder. False Alder. Winter Berry.	
Used with good effect in jaundice, diarrhoea, gangrene, dyspepsia. The berries for worms in children.	

— 13 —

ALDER, RED. *Alnus Rubra.*

Bark.	Alt. Eme. Ast.
Tags.	" " "
Tag Alder. Smooth Alder. Swamp Alder.	
Valuable in scrofula, syphilis and diseases of the skin.	

— 14 —

ALDER, TAG. *Alnus Serratula.*

Bark.	Alt. Eme. Ast
American Alder. Common Alder.	

— 15 —

ALDER, WHITE. *Clethra Alnifolia.*

Leaves and Flowers.	Dia. Exc.
Sweet Pepper Bush.	
Used in fevers, coughs and lung affections.	

— 16 —

ALKANET. *Anchusa Tinctoria.*

Root.	Ast.
Dyers' Alkanet. Orcanette.	
Used to color oils, ointments and tinctures.	

— 17 —

ANGELICA. *Angelica Atropurpurea.*

Root.	Aro. Sti. Car. Diu.
Leaves.	
Seed.	
Bellyache Root. Purple Angelica. Masterwort. Archangel.	
High Angelica. American Angelica. Dead Nettle.	
Used in flatulent colic, heart-burn and debility.	

— 18 —

Per lb.

ANGUSTURA. *Galipea Officinalis.*

Bark. Eme. Cat. Ton. Feb.
Angostura.

Used in bilious diarrhoea and dysentery, intermittents and dropsy.

— 19 —

ANISE. *Pimpinella Anisum.*

Seed. Sti. Car. Aro.
Common Anise.
Valuable to remove flatulent colic of infants, allay nausea, and as a corrigent of griping or unpleasant medicines.

— 20 —

APPLE TREE. *Pyrus Malus.*

Bark. Ton. Feb.
For intermittent, remittent and bilious fevers; also for gravel.

— 21 —

ARBOR VITÆ. *Thuja Occidentalis.*

Leaves. Sto. Dia. Ant. Feb. A-spa.
White Cedar.

— 22 —

ARECA NUT. *Areca Catechu.*

Fruit. (Masticatory of the Orientals.) . . . Ast.
Plant. (Yields Catechu.) "
Betel-nut Tree. Areca Palm.
Used in some diseases of dogs.

— 23 —

ARNICA. *Arnica Montana.*

Flowers. Sti. Diu. Dia.
Leopardsbane. Mountain Tobacco.
Used in gout, dropsy and rheumatism; the tincture for bruises, sprains, bites of insects, etc.

— 24 —

ARROW WOOD. *Viburnum Dentatum.*

Bark. Diu. Det.
Mealy Tree.
Used in cancerous affections.

— 25 —

Per lb.

ASH, BLACK. *Fraxinus Sambucifolia.*

Bark. Ton. Ast.
 May be used where a tonic astringent influence is required;
 also as a wash in salt rheum.

— 26 —

ASH, MOUNTAIN. *Sorbus Americana.*

Bark. Ast. Ton. Det.
 Berries. Ver. A-sco.
 Round Wood.

The bark in bilious diseases to cleanse the blood; berries
 for scurvy, and as a vermifuge.

— 27 —

ASH, PRICKLY. *Xanthoxylum Fraxineum.*

Bark. Sti. Ton. Alt. Sia.
 Berries. Sti. Car A-spa.
 Pellitory Bark. Toothache Bush. Yellow Wood. Sutterberry.
 Toothache Tree.

A valuable tonic in low typhoid; used in colic, rheumatism,
 scrofula, etc. The berries a most valuable agent in Asiatic cholera.

— 28 —

ASH, SOUTH'N PRICKLY. *Xanthoxylum Carolinianum.*

Bark, (more pungent than *Xanthoxylum Fraxineum.*)
 Sea Ash.

— 29 —

ASH, WHITE. *Fraxinus Acuminata.*

Bark. Ton. Cat.
 Beneficial in constipation, dropsy, ague cake, etc. The
 seeds are said to prevent obesity.

— 30 —

ASPARAGUS. *Asparagus Officinalis.*

Root. Diu.
 Sparrow Grass.
 Valuable in dropsy and enlargement of the heart.

— 31 —

Per lb.

AVENS. *Geum Rivale.*

Root.	Ton. Ast.
Bennet. Chocolate Root. Throat Root. Cureall. Evans	
Root. Water Avens. Indian Chocolate. Purple Avens.	
White Avens.	
Valuable in hemorrhages, chronic diarrhoea and dysentery.	
leucorrhœa, aphthous ulcerations.	

— 32 —

BACKACHE BRAKE. *Aspidium Filix Fœmina.*

Root.	Ant. Ver.
Female Fern.	
Used for tapeworm.	

— 33 —

BALM, BASTARD. *Melissa Fuchsii.*

Plant.	Diu. Dia.
----------------	-----------

— 34 —

BALM, BEE. *Monarda Didyma.*

Plant and Oil.	Rub. Sti. Car. Aro.
Oswego Tea Mountain Mint. Mountain Balm. Red Balm.	
The infusion used in flatulence, nausea, vomiting, and in suppression of urine, suppression of menstruation, etc.	

— 35 —

BALM GILEAD. *Populus Balsamifera or Candicans.*

Buds.	Sti. Ton. Diu. A-sco.
Bark.	Ton. Cat.
Arabian Balsam of Gilead. Carolina Poplar. Poplar Tacamahac. Poplar Balsam.	
Tincture of the buds used in affections of the chest, stomach and kidneys, rheumatism and scurvy. Applied to frost and fresh wounds. Bark useful in gout and rheumatism.	

— 36 —

BALM, LEMON. *Melissa Officinalis.*

Herb.	Sti. Dia. A-spa.
Bee Balm. Blue Balm. Citronelle. Cureall. Dropsy Plant.	
Useful in low fevers, and to assist menstruation.	

— 37 —

Per lb.

BALMONY. *Chelone Glabra.*

Herb. Ton. Cat. Ant.
 Snake-head. Turtle-bloom Turtle-head. Salt Rheum Weed.
 Fish-mouth. Shell-flower. Bitter Herb.
 Especially valuable in jaundice and hepatic diseases; to remove worms and excite the digestive organs to action.

— 38 —

BALM, SWEET. *Dracocephalum Canariense.*

Herb. Sti. Dia. A-spa.
 Balm of Gilead Herb.

— 39 —

BARBERRY. *Berberis Vulgaris.*

Bark. Ton. Lax.
 Jaundice Berry. Pepperidge Bush.
 Employed in all cases where tonics are indicated; has proved efficacious in jaundice. The berries, as wash in canker.

— 40 —

BASIL, SWEET. *Ocymum Basilicum.*

Herb. Aro. Sti.
 Common Basil.
 To allay excessive vomiting.

— 41 —

BASSWOOD. *Tilia Americana.*

Bark. Emo. Dis.
 Bast Tree. Linden. Lime Tree.
 Used as a poultice in painful swellings.

— 42 —

BAYBERRY. *Myrica Cerifera.*

Bark. Sti. Ast.
 Berries. "
 Leaves. Aro. Sti. "
 Bayberry Tallow. Wax Myrtle. Wax Berry. Candle Berry. Myrtle. American Vegetable Tallow. Tallow Shrub.
 Valuable in jaundice, diarrhoea, dysentery, canker in the mouth, throat and bowels, and as wash for spongy gums.
 Leaves in scurvy.

— 43 —

Per lb.

BAY, SWEET. *Laurus Nobilis.*

Leaves and Fruit. Aro. Fra. Ast. Sto. Car.
Laurel.

— 44 —

BEAD TREE. *Melia Azedarach.*

Bark. Nar. Ant. Pur.
Pride of India. *Pride of China.*
Useful to remove worms from the bowels, as a wash or
ointment for ringworm, etc.

— 45 —

BEAR'S FOOT. *Polymnia Uvedalia.*

Yellow Leaf Cup. *Uvadalia.*

— 46 —

BEECH. *Fagus Ferruginea.*

Bark. Ast. Ton. A-syp.
Leaves. " " "
Useful in diabetes, cutaneous diseases, ulcers and dyspep-
sia.

— 47 —

BEGGARS' TICK, SWAMP. *Bidens Tripartita.*

Herb and Seed. Emm. Exp.

— 48 —

BELLADONNA. *Atropa Belladonna.*

Leaves. Nar. Ano. Dia.
Deadly Nightshade. *Dwale.* *Black Cherry Poison.*
Used in convulsions, neuralgia, rheumatism, mania, gout,
and painful condition of the nervous system. Requires
caution in its use.

— 49 —

BELLWORT. *Uvularia Perfoliata.*

Herb. Ton. Dem. Ner. Ale. Her.
Leaves. Ton. Dem. Ner.
Mohawk Weed.
For sore throat, inflammation, and as poultice in erysipelas
and wounds.

BELLWORT, (Large-flowered). *Uvularia Grandiflora.*

Plant. Ton. Dem. Ner. Ale. Her.

— 50 —

Per lb.

BETH ROOT. *Trillium Pendulum.*

Root. Ast. Ton. A-sep.
 Rattlesnake Root. Birth Root. Indian Balm. Ground Lily.
 Cough Root. Lambs' Quarter. Snake Bite. Pariswort.
 Truelove. Indian Shamrock. Trillium. Jews'harp
 Plant.
 Valuable in cough, asthma, hectic fever, bloody urine, and
 derangement of female generative organs; and to promote
 parturition.

— 51 —

BETONY. *Betonica Officinalis.*

Herb. Ner. Ton. Dis.
 Wood Betony.
 For headache, hysterics and nervousness.

— 52 —

BIRCH, BLACK. *Betula Lenta.*

Bark. Ast. Sti. Dia.
 Cherry Birch. Mahogany Birch. Sweet Birch. Spice Birch.
 Used in diarrhoea, dysentery, cholera infantum, and to tone
 the bowels after exhausting discharges.

— 53 —

BISHOP'S LEAVES. *Scrophularia Aquatica.*

Leaves.
 Water Betony. Water Figwort.
 For flavoring medicines.

— 54 —

BISTORT. *Polygonum Bistorta.*

Root. Ast.
 Dragonwort. Easter Giant. Patience Dock.
 Used in diarrhoea, and where a general tonic astringent is
 required.

— 55 —

BITTER ROOT. *Apocynum Androsæmifolium.*

Root. Alt. Sud. Eme. Cat. Ant.
 Catch Fly. Dogbane. Flytrap. Honey Bloom. Wandering
 Milkweed. Western Wallflower.
 Valuable in chronic liver complaints, syphilis, scrofula, in-
 termittent and low stage of typhoid fever.

— 56 —

Per lb.

BITTERSWEET, FALSE. *Celastrus Scandens.*

Bark of Root Alt. Dia. Diu.

Berries " "

Climbing Bittersweet. Climbing Orange Root. Climbing Staff Tree. Fever Twig. Fever Twitch. Staff-vine. Waxwork. Yellow Root.

Used in scrofula, syphilis, leucorrhœa and obstructed menstruation.

— 57 —

BITTERSWEET TWIGS. *Solanum Dulcamara.*

Herb Alt. Diu. Sud. Dis.

Felonwort. Garden Nightshade. Scarlet Berry. Violet Bloom. Woody Nightshade. Wolf Grape.

Employed in cutaneous diseases. scrofula, syphilitic diseases, jaundice, obstructed menstruation and rheumatic affections.

— 58 —

BLACKBERRY. *Rubus Villosum.*

Herb Ast. Ton.

Root " "

Cloud Berry Root.

Excellent in cholera infantum, diarrhoea, dysentery and relaxed condition of intestines of children; as injection in gleet, gonorrhœa, prolapsus uteri and ani.

— 59 —

BLACK ROOT. *Leptandra Virginica.*

Root Ton. Cho. Lax.

Beaumont Root. Bowman's Root. Brinton Root. Culver's Physic. Culver's Root. Hini. Oxadoddy. Physic Root. Purple Leptandra. Quitel. Tall Speedwell. Whorlywort.

As a laxative and a tonic in bilious complaints, typhoid fever and liver complaints.

— 60 —

BLAZING STAR. *Aletris Farinosa.*

Root Bit. Ton. Sto. F-com.

Crow Corn Root. False Star Grass. Star Grass. Star Root. Unicorn. Unicorn Root. Ague Grass. Ague Root. Aloe Root. Colic Root.

In chronic rheumatism, dropsy, colic, ague and female derangements.

— 61 —

Per lb.

BLOOD ROOT. *Sanguinaria Canadensis.*

Root Eme. Sti. Alt. Ton. Exp.
 Indian Paint. Red Puccoon.
 Valuable in typhoid, pneumonia, catarrh, scarlatina, jaundice, dyspepsia, ringworm, and in affections of the respiratory organs.

— 62 —

BLOODWORT. *Hieracium Venosum.*

Herb. Ton. Ast. Exp.
 Hawkweed. Striped Bloodwort. Rattlesnake Weed.
 Used in scrotula, hemorrhages; said to be efficient against bites of poisonous snakes.

— 63 —

BLUE FLAG. *Iris Versicolor.*

Root Diu. Cat. Alt. Sia. Ver.
 Flag Lily. Flower de luce. Liver Lily. Poison Flag.
 Snake Lily. Water Flag.
 A potent remedy in dropsy, scrofula, affections of the liver, spleen and kidneys, secondary syphilis, etc.

— 64 —

BONESET. *Eupatorium Perfoliatum.*

Herb. Sud. Eme. Ton.
 Ague Weed. Crosswort. Feverwort. Indian Sage. Sweating Plant. Thoroughwort. Thoroughstem. Thorough Wax. Tearel. Vegetable Antimony.
 Excellent in colds, fevers, dyspepsia, jaundice and general debility of the system, fever and ague.

— 65 —

BORAGE. *Borago Officinalis.*

Herb. Sto. Dia.
 Burrage. Bugloss.
 Used in catarrh, rheumatism, diseases of the skin, etc.

— 66 —

BOX. *Buxus Semperfivrens.*

Herb. Sud. Alt. Ant.
 Box Garden Edging.
 Esteemed in the treatment of syphilis, epilepsy and hysteria.

— 67 —

Per lb.

BOXWOOD. *Cornus Florida.*

Bark.	Ton. Ast. Sti.
Flowers.	Emm. Sud.

Dog Tree. False Box. Florida Cornel. Indian Arrow Wood.
Florida Dogwood. Virginia Dogwood.

An excellent substitute for Peruvian Bark. Valuable in jaundice and liver complaint. The flowers for deranged condition of the female generative organs.

— 68 —

BROOKLIME. *Veronica Beccabunga.*

Herb.	A-sco. Diu. Emm.
Beccabunga. Mouth Smart. Neckweed. Pimpernel Water. Beneficial in obstructed menstruation, scurvy, fevers, skin diseases, coughs, etc.	

— 69 —

BROOM. *Cytisus Scoparius.*

Herb.	Eme. Cat. Diu.
Broom Flowers. Irish Broom. Especially beneficial in dropsy. Said never to fail in increasing the flow of urine.	

— 70 —

BRYONY, WHITE. *Bryonia Alba.*

Root.	Cat. Eme. Nar.
Tetter Berry. Wild Bryony. Wild Hops. An active hydragogue cathartic, similar to Jalap.	

— 71 —

BUCHU. *Barosma Crenata.*

Leaves.	Diu. Dia. Sti.
Bookoo. Bucku. Buku. Useful in derangement of the urinary organs.	

— 72 —

BUCKBEAN. *Menyanthes Trifoliata.*

Root.	Ton. Diu. Ant.
Herb.	" " "
Bean Trefoil. Bitter Trefoil. Bog Bean. Brook Bean. Bog Myrtle. Bitterworm. Moon Flower. Marsh Clover. Marsh Trefoil. Water Shamrock.	
In scurvy, rheumatism, jaundice, dyspepsia, hepatic, worms, etc.	

— 73 —

Per lb.

BUCKHORN BRAKE. *Osmunda Regalis.*

Root	Ton. Muc. Dem. Sty.
Fern Brake. Flowering Brake. Hartshorn Bush. Herb Christopher. King's Fern. Male Fern. Royal Flowering Fern. Saint Christopher Herb.	
Very valuable in female weakness, cough and dysentery; said to be a certain cure for rickets, spine complaint and debility of the muscles.	

— 74 —

BUCKTHORN. *Rhamnus Catharticus.*

Bark	Hyd. Cat.
Berries	Hyd. Cat. Alt.
Purging Berries. Purging Buckthorn. Waythorn.	
Used in rheumatism, gout, dropsy, and eruptive diseases to clear the skin.	

— 75 —

BUGLE, BITTER. *Lycopus Europaeus.*

Herb	Sty. Ast. Ton. Bal.
Green Archangel.	
Recommended in intermittent fever, hemorrhage of lungs, bowels and stomach.	

— 76 —

BUGLE, SWEET. *Lycopus Virginicus.*

Herb	Sed. Ton. Ast.
Carpenter's Herb. Gipsywort. Purple Archangel. Paul's Betony. Water Horehound. Bugle Weed. Water Bugle. Buglewort. Wolf Foot.	
Useful in phthisic, hemorrhage of the lungs, diabetes and chronic diarrhoea.	

— 77 —

BURDOCK. *Arctium Lappa.*

Leaves	Emo. Dia.
Root	Her. A-sco. Alt.
Seeds	Diu. Ton.
Burr Seed. Bardana. Bardane. Clotbur. Hardock. Hareburr. Hurr-burr.	
Used in scorbutic, syphilitic, scrofulous, gout and leprous diseases; the leaves as a cooling poultice.	

— 78 —

Per lb.

BURNING BUSH. *Euonymus Americana.*

Bark.	Ton. Lax. Alt. Diu. Exp.
Seed.	Cat.

Prickwood. Spindle Tree. Strawberry Shrub. Strawberry Bush.

— 79 —

BUR-REED, SPINY. *Xanthium Spinosum.*

Leaves.	Alt. Dep. Diu.
-----------------	----------------

Used in hydrophobia.

— 80 —

BUTTERCUP. *Ranunculus Acris.*

Herb.	Acr. Sti.
---------------	-----------

Acrid Crowfoot. Burrwort. Blister Weed. Bachelor's Buttons. Meadow Bloom.

An active counter-irritant. The extract used with mustard to blister.

— 81 —

BUTTERNUT. *Juglans Cinerea.*

Bark.	Cat.
---------------	------

Lemon Walnut. Oil Nut. White Walnut.

Used in habitual constipation as a gentle and agreeable cathartic, acting like rhubarb; also in intermittent and remittent fevers.

— 82 —

CABBAGE, SKUNK. *Symplocarpus Fœtidus.*

Root.	Sti. A-spa. Exp.
---------------	------------------

Collard. Fetid Hellebore. Meadow Cabbage. Polecat Weed. Stinking Poke. Skunk Weed. Swamp Cabbage.

Successfully used in whooping cough, asthma, hysteria, chronic rheumatism, spasms, convulsions during pregnancy and nervous irritability.

— 83 —

CACTUS, NIGHT-BLOOMING. *Cactus Grandiflorus.*

Flower and Stem.	Sed. Diu. Cardiac.
--------------------------	--------------------

Night-blooming Cereus.

CACTUS. *Cactus Opuntia.*

Leaves.	Ref.
-----------------	------

Juice colors red.

Prickly Pear.

— 84 —

Per lb.

CALAMINT. *Calamintha Officinalis.*

Herb. Aro. Sto. Cor. Diu. Feb. Emm.
Basil Thyme.

— 85 —

CANCER ROOT. *Orobanche Virginiana.*

Root. Ast.
Beech Drops. Broomrape. Cancer Drops. Clapwort. Fir-
rape.

Beneficial in hemorrhage of the bowels, uterus, and in diarrhoea. Valuable in erysipelas. As a local application to arrest the tendency of ulcers and wounds to gangrene.

— 86 —

CANCER WEED. *Salvia Lyrata.*

Herb.
Lyre-leaved Sage. Meadow Sage. Wild Sage.
The strong decoction or extract said to cure cancers and remove warts.

— 87 —

CANELLA. *Canella Alba.*

Bark. Aro. Sti. Ton.
Wild Cinnamon. White Cinnamon.
Useful in enfeebled state of the stomach and bowels, also in scurvy.

— 88 —

CANKER LETTUCE. *Pyrola Rotundifolia.*

Leaves. Ton. Ast. Diu. A-spa.
Consumption Weed. Lettuce Liverwort. Pear Leaf Wintergreen. Round-leaved Pyrola. Round-leaved Wintergreen. Shin Leaf. Wild Lettuce.

— 89 —

CANKER ROOT. *Prenanthes Alba.*

Root. Ast.
Plant. Bit. A-ven.
Canker Weed. Lion's Foot. Rattlesnake Root.
Used in diarrhoea and relaxed and debilitated condition of the bowels.

— 90 —

Per lb.

CARAWAY. *Carum Carui.*

Seed. Aro. Car. Ton.

Used in flatulent colic of children, and to improve the flavor of disagreeable medicines.

— 91 —

CARDAMOM. *Elettaria Cardamomum.*

Seed. Aro. Car. Sti.

A warm and grateful aromatic. Used in flatulence and as a corrective of other medicines.

— 92 —

CARDINAL, BLUE. *Lobelia Syphilitica.*

Herb. Diu. Eme. Cat.

Blue Lobelia. Highbelia.

Has been used in gonorrhœa, dropsy, diarrhoea and dysentery.

— 93 —

CARDINAL, RED. *Lobelia Cardinalis.*

Herb. Ant. Ner. A-spa.

Cardinal Flower. Red Lobelia.

Said to be useful in removing worms from the bowels.

— 94 —

CARDUS, SPOTTED. *Centaurea Benedicta.*

Plant. Ton. Dia. Bit. Feb. Sto.

Bitter Thistle. Blessed Thistle. Holy Thistle.

Used as a tonic in loss of appetite, dyspepsia and intermittent fevers.

— 95 —

CARROT, WILD. *Daucus Carota.*

Seed and Root. Sti. Diu.

Bee's Nest Plant. Bird's Nest Root.

Used in dropsy, gravel, strangury, and as a poultice in foul and indolent ulcers.

— 96 —

Per lb.

CASCARILLA. Croton Eleuteria.

Bark Ton. Sti.
 Eleuthera Bark. Seaside Balsam. Sweet Wood Bark.
 Useful in dyspepsia, flatulence, chronic diarrhoea, general debility, and to arrest vomiting.

— 97 —

CASSIA. Laurus Cinnamomum.

Bark Aro. Sti. Ton. Car. Ast.
 Buds " " " "
 Used as an adjutant to unpleasant medicines, and to allay nausea, check vomiting, relieve flatulence and diarrhoea, and in uterine hemorrhage.

— 98 —

CATMINT. Nepeta Cataria.

Herb A-spa. Dia. Car. Emm.
 Catwort. Catnip. Field Balm.
 Useful in febrile, nervous and infantile diseases; also to restore the menstrual secretions.

— 99 —

CEDAR, RED. Juniperus Virginiana.

Leaves Sti. Diu. Emm.
 Apples or Excrescences Ant.
 Cedar Apples.
 Properties analogous to Savin.

— 100 —

CELANDINE, GARDEN. Chelidonium Majus.

Herb Cat. Acr. Alt. Ape. Sti. Diu. Dia.
 Tetterwort.
 Used in scrofula, cutaneous diseases piles and affections of the spleen. The juice to cure warts, ringworms and fungous growths.

— 101 —

CELANDINE, WILD. Impatiens Pallida.

Herb Ape. Diu.
 Balsam Weed. Jewel Weed. Snap Weed. Quick-in-the-hand.
 Touch-me-not. Slippers. Weathercock.
 Recommended in jaundice, dropsy, liver complaint, salt rheum, and to cleanse foul ulcers.

— 102 —

Per lb.

CELERY. *Apium Graveolens.*

Seed Diu. Sud.

Used in dropsy, incontinence of urine and liver complaints.

— 103 —

CENTAURY, AMERICAN. *Sabbatia Angularis.*

Herb Ton.

Bitter Bloom. Bitter Clover. Eyebright. Red Centaury.

Rose Pink. Wild Succory.

Useful in autumnal fevers, dyspepsia, worms, and to restore the menstrual secretion.

— 104 —

CENTAURY, GROUND. *Polygala Nuttallii.*

Plant Ton. Alt. Diu.

Used in boils and erysipelas.

— 105 —

CHAMOMILE. *Anthemis Nobilis.*

Flowers Ton. Aro. Sti. Eme.

Roman Chamomile.

Used in dyspepsia, weak stomach, intermittent and typhus fevers, hysteria and nervousness.

CHAMOMILE, LOW. *Anthemis Nobilis.*

Herb Ton. Sto.

Garden Chamomile. Ground Apple.

Employed in fevers, colds, and to produce perspiration.

— 106 —

CHAMOMILE, GERMAN. *Matricaria Chamomilla.*

Flowers Ton. Emm. Sto. Car. Nep. Ver.

Chamomilla.

— 107 —

CHECKERBERRY. *Gaultheria Procumbens.*

Leaves Sti. Aro. Ast. Diu.

Box Berry. Canada Tea. Chink. Deer Berry. Ground

Berry. Hillberry. Ivory Plum. Mountain Tea. Spice

Berry. Partridge Berry. Red Berry Tea. Red Pollom.

Spring Wintergreen. Spicy Wintergreen. Tea Berry.

Wax Cluster.

Valuable in dropsy, diarrhoea and obstructions. The oil to flavor other medicines. The essence in colic of infants.

— 108 —

Per lb.

CHERRY, WILD. *Prunus Virginiana.*

Cherries. Ast. Ton. A-sep.

Bark. " " "

Black Cherry.

Valuable in all cases where it is desirable to give tone and strength to the system; also in fever, cough, diarrhoea, jaundice, dyspepsia, scrofula and general debility.

— 109 —

CHESTNUT. *Castanea Americana.*

Bark and Leaves. Ast. Ton.

Bark used in intermittent fever. An infusion of the leaves is highly praised as a remedy for the whooping cough. May be drank freely.

— 110 —

CHESTNUT, HORSE. *Æsculus Hippocastanum.*

Fruit and Bark. Ast. Ton.

Said to be useful in gout and rheumatism. The powder of the nuts as a snuff in diseases of the head. The bark as a substitute for cinchona in fevers.

— 111 —

CHICKWEED. *Stellaria Media.*

Herb. Ref. Emo. Dem.

Adder's Mouth. Stitchwort.

As a poultice to old and indolent ulcers; with benefit also in ophthalmia, erysipelas and cutaneous diseases.

— 112 —

CHICORY. *Cichorium Intybus.*

Root. Ton. Diu. Lax.

Herb. " " "

Succory. Wild Succory.

Used in jaundice and liver complaints.

— 113 —

CHINA ROOT, AMERICAN. *Smilax (Pseudo) China.*

Root. Dep. Alt.

Used in cutaneous complaints, etc.

— 114 —

Per lb.

CHIRETTA. *Agathotes Chirayta.*

Herb. Ton.
 Bitter Stick. Bitter Stem. Chirayta. East India Balmony.
 A bitter tonic recommended in dyspepsia and debility of convalescence from fevers.

— 115 —

CICILY, SWEET. *Osmorrhiza Longistylis.*

Root. Aro. Sto. Car. Exp.
 Anise Root. Sweet Chervil. Sicily Root.
 Useful in coughs, flatulence, and as a gentle stimulant tonic to debilitated stomachs.

— 116 —

CICUTA. *Conium Maculata.*

Leaves. Nar. A-spa. Dis. Ano.
 Seed. " " " "
 American Hemlock. American Water Hemlock. Water Hemlock. Children's Bane. Beaver Poison. Death of Man. Musquash Root. Poison Hemlock. Poison Parsley. Poison Snakeweed. Spotted Cowbane. Water Parsley. Spotted Hemlock. Wild Hemlock.
 Used in chronic rheumatism, neuralgia, asthma and excited condition of the nervous system. Use cautiously.

— 117 —

CLARY. *Salvia Sclarea.*

Herb. A-spa. Bal.
 Clammy Sage. Clear Eye. Spotted Hemlock. Wild Clary. Wild Hemlock.
 Used in night sweats, hectic fever and flatulence.

— 118 —

CLEAVERS. *Galium Aparine.*

Herb. Ref. Diu.
 Bedstraw. Catch Weed. Cheese Rennet Herb. Cleaverwort. Clabbergrass. Goose-grass. Goose's Hare. Milk Sweet. Poor Robin. Savoyan. Scratch Weed. Clivers.
 Valuable in suppression of urine, inflammation of kidney and bladder. As a wash to remove freckles, etc.

— 119 —

Per lb.

CLOTBUR. *Xanthium Strumarium.*

Root.	Alt.	Diu.	Dep.
Seed.		Diu.	Alt.
Leaves.			Mat.

Burr Thistle. Burr Weed. Sea Burdock.

— 120 —

CLOVER, RED. *Trifolium Pratense.*

Blossoms.	Acr.	Pec.
-------------------	------	------

Cleaver Grass.

An extract of the blossoms, an excellent remedy for cancerous ulcers, corns, etc.

— 121 —

CLOVER, WHITE. *Trifolium Repens.*

Flowers.	Det.	Dep.
------------------	------	------

Used in ointment.

— 122 —

CLOVES. *Caryophyllus Aromaticus.*

Undeveloped Flowers. Aro. Sti.
Useful to allay vomiting and stimulate the digestive functions, improve the flavor of and operation of griping medicines.

— 123 —

COCA LEAVES. *Erythroxylon Coca.*

Leaves.	Ner.	Sti.
-----------------	------	------

Spadic.

Used as tea and coffee.

— 124 —

COCASH. *Aster Puniceus.*

Root.	Sti.	Dia.
Aster. Cold Water Root. Red Stalked Aster. Meadow Scabish.		
Star Flower. Swan Weed.		

The warm infusion in colds, rheumatism, nervous debility, headache and menstrual irregularities.

— 125 —

Per lb.

COHOSH, BLACK. *Cimicifuga Racemosa.*

Root. A-per. Nar. Ner. Dia. Diu.
 Bugwort. Black Snakeroot. Bugbane. Rattlesnake's Root.
 Rattle Snakeroot. Richweed. Squaw Root. Rattle Root
 Useful for rheumatism, dropsy, epilepsy and spasmodic af-
 fections. Valuable in female complaints as a partus
 accelerator.

— 126 —

COHOSH, BLUE. *Caulophyllum Thalictroides.*

Root. A-spa. Diu. Dia. Par. Emm. Ant.
 Blue Berry. Blue Ginseng. Pappoose Root. Squaw Root.
 Yellow Ginseng.
 A favorite remedy in chronic uterine diseases, and as a
 parturient has proved invaluable. Also used in rheu-
 matism, dropsy, cramps, colic, hysterics, etc.

— 127 —

COHOSH, RED. *Actaea Rubra.*

Root. Pur. Emm.
 Toad Root. Poison Berry. Red Baneberry. Red Berry
 Snakeroot.

— 128 —

COHOSH, WHITE. *Actaea Alba.*

Root. Pur. Emm.
 Baneberry. Necklace Weed. White Baneberry. White
 Beads. White Berry Snakeroot.
 A decoction useful for the itch. Also used in rheumatism,
 flatulence and nervous irritability.

— 129 —

COLCHICUM. *Colchicum Autumnale.*

Root. Acr. Nar. Sed. Cat. Diu. Eme.
 Seed. " " " " "

Meadow Saffron. Naked Ladies.

Used in gout, rheumatism, palpitation of the heart, gonor-
 rhœa, enlarged prostate, etc. Should be used cautiously.

— 130 —

Per lb.

COLOCYNTH. *Citrullus Colocynthis.*

Fruit Cat.
 Bitter Cucumber. Bitter Apple. Bitter Gourd.
 Is used as a cathartic in combination with other medicines.
 Should not be used alone.

— 131 —

COLOMBO, AMERICAN. *Frasera Carolinensis.*

Root Ton.
 Indian Lettuce. Meadow Pride. Pyramid Flower. Yellow
 Gentian. Pyramid Plant.
 An excellent tonic, and may be used in all cases where a
 mild remedy is required.

— 132 —

COLOMBO. *Cocculus Palmatus.*

Root Ton. Cho.
 Calamba Root. Colombia Root. Columbo Root. Columbo.
 Employed in dyspepsia, chronic diarrhoea and dysentery,
 cholera morbus and cholera infantum, and for convales-
 cence from fevers, etc.

— 133 —

COLTSFOOT. *Tussilago Farfara.*

Leaves Emo. Dem. Ton.
 Root " " "
 Bullsfoot. British Tobacco. Butter Bur. Foles Foot. Horse
 Hoof.
 In coughs, asthma. whooping cough and pulmonary affec-
 tions, scrofula, scrofulous tumors, etc. As snuff in
 headache.

— 134 —

COMFREY. *Symphytum Officinale.*

Root Dem. Ast.
 Gum Plant. Healing Herb. Knitback.
 Useful in diarrhoea, dysentery, coughs, leucorrhœa and
 female debility. As an application to bruises, fresh
 wounds, sores and burns.

— 135 —

Per lb.

CONSUMPTION BRAKE. *Botrychium Fumaroides.*

Root.	· · · · ·	Ast
Leaves.	· · · · ·	Ast. Vul.

Rattlesnake Fern.

Used in diarrhoea and dysentery, and to prevent mucous discharges.

— 136 —

COOLWORT. *Mitella Cordifolia.*

Herb.	· · · · ·	Dia. Ton.
-------	-----------	-----------

Mitrewort. Gem Fruit.

Valuable in strangury, diabetes and all kidney complaints.

— 137 —

CORIANDER. *Coriandrum Sativum.*

Seed	· · · · ·	Sto. Sti. Car.
------	-----------	----------------

Coliander Seeds.

Used to flavor and correct the action of other medicines.

— 138 —

COSTMARY. *Pyrethrum Tanacetum.*

Leaves.	· · · · ·	Sto. Cor. Cep. F-com.
Seeds.	· · · · ·	Ver.

Ale Cost.

— 139 —

COTTON PLANT (ROOT). *Gossypium Herbaceum.*

Bark of Root.	· · · · ·	Emm. Par. Abo.
---------------	-----------	----------------

Said to promote uterine contractions as efficiently as Ergot, and with perfect safety. The seed is used in fever and ague.

— 140 —

COWHAGE. *Mucuna Pruriens.*

Donkeys' Eyes. Florida Bean. Sea Beans. The Cowhage Plant Seed.

Hairs of pods a mechanical anthelmintic.

— 141 —

Per lb.

CRAMP BARK. *Viburnum Opulus.*

Bark.	A-spa.
High Cranberry. Squaw Bush.	
Very effective in relaxing cramps and spasms in asthma, hysteria, pains incident to females during pregnancy, convulsions, etc.	

— 142 —

CRANESBILL. *Geranium Maculatum.*

Root.	Ast. Sty. Ton.
Astringent Root. Alum Root. American Kino Root. Stork's Bill. American Tormentil. Spotted Geranium. Crowfoot.	
A powerful astringent used in dysentery, diarrhoea, cholera infantum, hemorrhage, canker, etc.	

— 143 —

CRAWLEY. *Corallorrhiza Odontorhiza.*

Root.	Sed. Feb. Dia.
Coral Root. Dragon's Claw. Fever Root. Turkey Claw.	
Invaluable in low typhoid and intermittent fever, pleurisy and night sweats.	

— 144 —

CUBEBS. *Piper Cubeba.*

Berries.	Exp. Sto. Car.
Tailed Pepper. Java Pepper.	
Useful in bronchitis, cough and diseases of the urinary organs.	

— 145 —

CUCKOLD. *Bidens Frondosa.*

Herb and Seeds.	Emm. Exp.
Beggars' Tick. Bur Marigold. Harvest Lice. Spanish Needles. Stick Seed.	
Used in palpitation of the heart, cough and uterine derangement.	

— 146 —

CUMMIN SEED. *Cuminum Cyminum.*

Fruit.	Sti. Car.
Black and Sweet Cummin Seed.	
A stimulant and carminative used in wind colic.	

— 147 —

Per lb.

CUNDURANGO. *Asclepias Mataperro.*

Root. Diu. Alt.
Condor Vine. Eagle Vine.

— 148 —

CUSSO. *Brayera Anthelmintica.*

Flowers and Unripe Fruit. Ant. Ver.
Koosso. Cossou. Kousso.

— 149 —

DAISY, WHITE. *Leucanthemum Vulgare.*

Flowers. . . . Ton. Diu. A-spa. Eme.
Maudlinwort. Ox-eye Daisy. White Weed.
Used in whooping cough, asthma, nervousness, leucorrhœa,
and as a local application to wounds and cutaneous dis-
eases.

— 150 —

DAMIANA FLOWERS. *Turnera Aphrodisiaca.*

Herb and Flowers. Aph. Ast. Ton. Exp.

— 151 —

DANDELION. *Taraxacum Dens-Leonis.*

Herb. Sto. Alt. Ton. Diu.
Root. " " " "
Lion's Tooth. Priest's Crown. Puff-ball. Swine Snout.
Recommended in diseases of the liver, and in constipation,
dropsy, diseases of the skin and uterine obstructions.

— 152 —

DEER TONGUE. *Liatris Odoratissima.*

Leaves. Aro. Per. Ton. Sti Dia.
Vanilla Leaf.

— 153 —

DILL. *Anethum Graveolens.*

Seed. Car. Aro. Sto.
Used in flatulency, colic, etc.

— 154 —

Per lb.

DITTANY. *Cunila Mariana.*

Herb. Dia. Sti. Car. A-spa.
 American Dittany. Mountain Dittany. Stone Mint. Sweet
 Horse Mint. Wild Basil.
 Used in warm infusion for colds, headache, fevers, colic and
 nervous affections.

— 155 —

DOCK, GREAT WATER. *Rumex Aquaticus.***“ WATER.** *Rumex Britannica.*

Roots. Ton. Ast. A-sco.

— 156 —

DOCK, YELLOW. *Rumex Crispus.*

Root. Det. Alt. Deo. Her.
 Curled Dock. Narrow Dock.
 Useful in scrofula, syphilis, leprosy, diseases of an eruptive
 nature; as an ointment for the itch and indolent glandular
 tumors; and in all cases where the blood needs purifying.

— 157 —

DOG ROSE. *Rosa Canina.*

Seed. Aro. Ast.
 Bedeguar. Hip Tree. Wild Brier.
 Used in making conserve of roses.

— 158 —

DULSE. *Rhodymenia Palmata.*

A Sea-weed. Ant. Esc
 Dillisk.
 Said to be useful in removing worms from the bowels.

— 159 —

ELDER. *Sambucus Canadensis.*

Bark. Cat. Deo. Diu. Sud. Her.
 Berries. Ape. Alt.
 Flowers. Alt. Sud. Her.
 Common Elder. Sweet Elder.
 The bark used in dropsy, erysipelas, and as an alterative
 in various chronic complaints. The berries in rheumatism and gouty affections. The flowers in erysipelas, fevers and constipation.

— 160 —

Per lb.

ELDER, DWARF. *Aralia Hispida.*

Root. Diu. Alt.

Bristlestem Sarsaparilla. Hyebble. Wild Elder.

Very valuable in dropsy, gravel, suppression of urine and other urinary disorders.

— 161 —

ELDER, PRICKLY. *Aralia Spinosa.*

Bark. Sti. Sia. Sud. Eme. Aro.

Angelica Tree. Pigeon Tree. Spikenard Tree. Southern Prickly Ash. Shot Bush. Southern Prickly Elder.

Valuable in cholera, rheumatism, colic, syphilis, toothache, dropsy, etc. The oil of the seed has been used in ear-ache and deafness.

— 162 —

ELECAMPANE. *Inula Helenium.*

Root. Dia. Diu. Exp. Ast. Sto.

Horse-heal. Scabwort.

Much used in cough, colds, lung diseases, weakness of the digestive organs and dyspepsia; also in tetter, itch and cutaneous diseases.

— 163 —

ELK WOOD. *Andromeda Arborea.*

Bark. Ast.

Leaves. A-feb. Ref. Ast.

Sorrel Tree.

Used in decoction in fevers to allay thirst and in convalescence.

— 164 —

ELM BARK, SLIPPERY. *Ulmus Fulva.*

Bark. Emo. Diu. Dem. Exp.

Ground. " " " "

Flour. " " " "

Indian Elm. Red Elm. Sweet Elm.

Highly beneficial in dysentery, diarrhoea, inflammation of the lungs, bowels, stomach, bladder or kidneys, also as poultices.

— 165 —

Per lb.

ERGOT. *Spermœdia Clavus and Secale Cornutum.*

Fruit. Emm. Par.
 Cockspur Rye. Smut of Rye. Spurred Rye.
 Extensively used in parturition on account of its power of promoting uterine contractions. Should be used only by advice of a physician.

— 166 —

ERYNGO, WATER. *Eryngium Aquaticum.*

Root. Sti. Diu. Dia.
 Button Snakeroot. Corn Snakeroot. Rattlesnake Weed.
 Used in dropsy, malignant fevers common to river districts, gonorrhœa, leucorrhœa, syphilis and scrofula.

— 167 —

EUPHORBIA. *Euphorbia Ipecacuanha.*

Root. Cat. Eme. Ton. Dia. Exp.
 American Ipecac. Spurge. Wild Ipecac. White Ipecac.
 Valuable in bilious colic, dropsical affections, dyspepsia, jaundice, torpidity of the liver, etc.

— 168 —

FENNEL. *Foeniculum Vulgare.*

Seed. Aro. Car. Sti. Sto.
 A good aromatic to expel wind from the bowels, and to flavor other medicines.

— 169 —

FENUGREEK. *Trigonella Fœnum Græcum.*

Seed. Muc.
 Used in poultices and emetics where a thick mucilage is required.

— 170 —

FERN, MALE. *Aspidium Filix Mas.*

Root. Ant. Ver.
 Bear's-paw Root. Knotty Brake. Male Shield Fern. Sweet Brake. Shield Root.
 Valuable to expel tape worm.

— 171 —

Per lb.

FERN, MEADOW. *Myrica Gale.*

Leaves. Pec. Ast. Aro.
 Burrs. " " "

Bay Bush Buds. Dutch Myrtle. Fern Gale. Sweet Gale.
 Sweet Willow.

Used in scald head, itch and in eruptive diseases, also in
 erysipelas.

— 172 —

FERN, SWEET. *Comptonia Asplenifolia.*

Leaves. Ast. Dia. Ton. Exp. Sed. Feb.
 Fern Bush. Spleenwort Fern. Spleenwort Bush. Sweet
 Bush. Spleen Fern. Sweet Ferry.
 Useful in cholera infantum, dysentery, leucorrhœa, debility
 succeeding fevers, bruises, rheumatism, etc.

— 173 —

FEVER BUSH. *Laurus Benzoin.*

Twigs. Aro. Ver. Feb. A-per.
 Fruit. Spicy.
 Benjamin Bush. Spice Bush. Snapwood. Fever Wood.
 Spice Fever Bush. Spice Wood. Snapweed. Wild
 Allspice.
 Recommended in fever and ague, colds, coughs, and as an
 anthelmintic.

— 174 —

FEVERFEW. *Pyrethrum Parthenium.*

Herb. Ton. Car. Emm. Ver. Sti.
 Featherfew. Febrifuge Plant.
 The warm infusion in recent colds, flatulency, worms, ir-
 regular menstruation, hysterics, suppression of urine, etc.

— 175 —

FEVER ROOT. *Triosteum Perfoliatum.*

Root. Cat. Eme. Diu.
 Horse Gentian. Tinker's Weed. Wild Ipecac. Wild Coffee.
 Used in fever and ague, pleurisy, dyspepsia, rheumatism.

— 176 —

Per lb.

FEVER TREE. *Eucalyptus Globulus.*

Leaves	A-per. Feb.
Tree	Anti-malarial.
Blue Gum Tree. Fever Tree of Australia. Woolybut.	

— 177 —

FIGWORT. *Scrophularia Nodosa.*

Root	Sti. Diu. Ano. Alt.
Knotty-rooted Figwort	
Recommended in affections of the kidneys, liver, and enlargement of the spleen, etc.	

— 178 —

FIR. *Abies Balsamea.*

Balsam and Bark	Sti. Ver.
Balsam of Fir. Balsam of Canada.	
Used in urinary complaints, gleet, inflammation of the bladder, catarrh, etc.	

— 179 —

FIRE WEED. *Erechtites Hieracifolius.*

Herb	Ast. Eme. Cat. Ton. Alt.
Excellent in diseases of the mucous tissues of the lungs, stomach and bowels, summer complaint of children, piles, hemorrhage, dysentery, etc.	

— 180 —

FIT ROOT. *Monotropa Uniflora.*

Root	A-spa. Ton. Sed. Ner.
Bird's Nest. Convulsion Weed. Corpse Plant. Fit Plant. Ice Plant Indian Pipe. Nest Root. Ova-ova.	
Valuable in convulsions of children, epilepsy, lock-jaw and spasmodic affections.	

— 181 —

FIVEFINGER. *Potentilla Canadensis.*

Leaves and Root	Ton. Ast
Cinquefoil. Finger Leaf.	

Useful in fevers, bowel complaints, night sweats, spongy gums, sore mouth and hemorrhages.

— 182 —

Per lb.

FLAXSEED. *Linum Usitatissimum.*

Seed. Dem. Emo.

Linseed in infusion is employed in coughs, colds, pulmonary and urinary inflammations. As poultice for burns, boils, carbuncles and old sores.

— 183 —

FLEABANE. *Erigeron Canadense.*

Herb. Ton Diu. Sty.

Butter Weed. Blood Staunch. Colt's-tail. Canada Fleabane.

Horse Weed. Pride Weed. Scabious.

Efficient in diarrhoea, gravel, diabetes, scalding of urine, and in hemorrhage of bowels, uterus, and bleeding of wounds.

— 184 —

FLORIDA BARK. *Pinckneya Pubens.*

Bark. Ton Feb. A-per.

Bitter Bark. Fever Tree. Georgia Bark.

Successfully used in intermittent fever, like Peruvian Bark in its action.

— 185 —

FOXGLOVE. *Digitalis Purpurea.*

Herb. Nar. Diu. Sed.

Dead Men's Bells. Dog's Finger. Fairy Fingers. Fairy Gloves. Finger Flower. Folks' Glove. Ladies' Glove. Purple Foxglove.

An active remedy in neuralgia, insanity, febrile diseases, acute inflammatory complaints, dropsy, palpitation of the heart, asthma, etc. Should be used only by the advice of a physician.

— 186 —

FRINGE TREE. *Chionanthus Virginica.*

Bark. Ape. Alt. Diu. Ton. Feb.

Poison Ash.

— 187 —

Per lb.

FROSTWORT. *Helianthemum Canadense.*

Herb. Ton. Ast. A-sco.
 Frost Plant. Frost Weed. Rock Rose.
 A valuable remedy in scrofula, syphilis, cancerous affections, and as a gargle in scarlatina and canker; as a wash in ophthalmia, itch and cutaneous diseases.

— 188 —

FUMITORY. *Fumaria Officinalis.*

Herb. Ton. Dia. Ape.
 Earth Smoke.
 Useful in jaundice, obstruction of the bowels, scurvy and in general debility of the digestive organs.

— 189 —

GALANGAL. *Alpina Galanga.*

Root. Aro. Sti.
 Amazon Root. Catarrh Root. Galangale. Galangall. East India Catarrh Root. Kassamah Root.
 An aromatic stimulant. Has been used as a snuff in catarrh, nervous headache, etc.

— 190 —

GARGET. *Phytolacca Decandra.*

Berries. Eme. Nar. Cat. Alt.
 Root. " " " "
 Coakum. Jalap Cancer. Pigeon Berry. Poke. Poke Weed. Red Weed. Red Ink Plant. Skoke. Virginia Poke.
 Valuable in chronic rheumatism, syphilis, scrofula, and as an ointment in itch, scald head, etc.

— 191 —

GARLIC. *Allium Sativum.*

Bulbs. Sti. Diu. Exp. Rub.
 Clove Garlic.
 Recommended in cough, asthma, catarrh, hoarseness, promotes activity of the excretory organs. Externally as a counter-irritant in pulmonary affections.

— 192 —

GENTIAN. *Gentiana Lutea.*

Root. Ton. Sto.
Bitterwort. Felwort.

A powerful tonic; improves the appetite, aids digestion, and gives force to the circulation. Used in dyspepsia, jaundice, gout, scrofula and fever and ague.

Per lb.

— 193 —

GENTIAN, AMERICAN. *Gentiana Catesbaei.*

Root. . . Ton. Bit. Sto. Eme. Ant. A-bil.
Blue Gentian. Blue Bells.

— 194 —

GINGER, AFRICAN. *Zingiber Officinalis.***JAMAICA.** *Amomum Zingiber.*

Root. Sto. Ton. Sti. Rub. Err. Sia.
Valuable in diarrhoea, dysentery, cholera, cholera morbus, habitual flatulency, dyspepsia, and to relieve pains in the bowels, stomach, etc. Also to prevent the griping of cathartic medicines.

— 195 —

GINSENG. *Panax Quinquefolium.*

Root. Ton. Sti.
Dwarf Ground Nut. Fivesingers Root. Garantogen. Ninsin.
Red Berry.
Useful in loss of appetite, nervous debility, weak stomach, asthma, gravel, etc.

— 196 —

GOLDEN ROD. *Solidago Odora.*

Herb. Sti. Car. Dia.
Sweet-scented Golden Rod.
Useful in flatulent colic, sickness at the stomach, convalescence from severe diarrhoea, dysentery and cholera morbus. Also in dropsy, gravel and urinary difficulties.

— 197 —

GOLDENSEAL. *Hydrastis Canadensis.*

Root. Ton. Sto. A-bil.
Eye Root. Eye Balm. Ground Raspberry. Indian Plant.
Jaundice Root. Orange Root. Ohio Curcuma. Yellow Puccoon. Yellow Paint Root. Yellow Root. Yellow Eye.
Invaluable in dyspepsia, erysipelas, remittent, intermittent and typhoid fevers, torpor of the liver, ulceration of the mouth, ophthalmia, spermatorrhœa, etc.

— 198 —

Per lb.

GOLDTHREAD. *Coptis Trifolia.*

Root Ton. Ast. Sto.
 Canker Root. Mouth Root. Yellow Root.
 Valuable as a gargle in ulceration of the mouth; used in dyspepsia, inflammation of the stomach, and with Goldenseal to destroy the appetite for intoxicating liquors.

— 199 —

GRAINS PARADISE. *Amomum Granum Paradisi.*

Seed. Aro. Sti.
 Guinea Grains. Maleguetta Pepper. Paradise Seed.
 Similar in effect to Pepper; used in veterinary practice.

— 200 —

GRAVEL PLANT. *Epigaea Repens.*

Herb. Diu. Ast.
 Gravel Weed. Ground Laurel. Mountain Pink. Mayflower.
 Trailing Arbutus. Winter Pink.
 A superior remedy in lithic acid gravel, and all diseases of the urinary organs. Superior to Buchu.

— 201 —

GRINDELIA. *Grindelia Robusta.*

Herb. Dem. Vul.
 Valuable in *Rhus Toxicodendron* poisoning, asthma and kindred diseases.

— 202 —

GUAIAC WOOD. *Gualacum Officinalis.*

Lignum Vitæ. Sti. Dia. Diu. Alt.
 Pock Wood.
 Useful in rheumatism, scrofula, syphilis, amenorrhœa, dysmenorrhœa and uterine complaints.

— 203 —

GUARANA. *Paullinia Sorbilis.*

Seed. Ast. Sti. Exc.
 Valuable for sick headache, phthisic, paralysis, etc.

— 204 —

Per lb.

HAIR-CAP MOSS. *Polytrichum Juniperum.*

Herb. Diu.

Bear's Bed. Ground Moss. May Queen Moss. Robins' Rye.

A powerful diuretic; used in dropsy, gravel, and all urinary obstructions.

— 205 —

HARDHACK. *Spiræa Tomentosa.*

Herb. Ast. Ton.

Horse Weed. Meadow Sweet. Rosey Bush. Silver Weed.

Silver Leaf. Steeple Bush. White Leaf. White Cap.

Valuable in cholera infantum, dysentery, diarrhoea, and debility of the bowels, and to improve the digestion.

— 206 —

HAW, BLACK. *Viburnum Prunifolium.*

Bark. Ast. Diu. Ton.

Sloe.

Valuable for canker, diarrhoea, dysentery, palpitation of the heart, and as a wash for sore eyes; also to arrest threatened abortion.

— 207 —

HEALALL. *Prunella Vulgaris.*

Herb. Ast.

Valuable in hemorrhages and for gargle in canker and sore throat.

— 208 —

HEARTSEASE. *Polygonum Persicaria.*

Plant. Vul. A-sep.

Door Weed. Ladies' Thumb. Peachwort. Red Shanks.

Spotted Knot Weed.

Said to be useful in asthma, colds and fevers.

— 209 —

HELLEBORE, BLACK. *Helleborus Niger.*

Root. Dras. Cat. Diu. Emm. Ant.

Christmas Rose.

In large doses a powerful poison. Used in palsy, insanity, apoplexy, dropsy, epilepsy, chlorosis, amenorrhœa.

— 210 —

Per lb.

HELLEBORE, STINKING. *Helleborus Foetidus.*
 Leaves Eme. Pur. Ver. Poi.
 Bear's Foot. Bastard Bear's Foot. Fetid Hellebore. Stinking
 Black Hellebore.

— 211 —

HELLEBORE, WHITE. *Veratrum Album.*
 Root Poi. Eme. Cat. Err. Ins.
 White European Hellebore.
 Useful in the itch.

— 212 —

HELLEBORE, WHITE AMERICAN. *Veratrum Viride.*
 Root Nar. Sed. Dia. Eme. Ner.
 American Hellebore. Bugbane. Duckretter. Earth Gall.
 False Hellebore. Green Hellebore. Itch Weed. Indian
 Poke. Swamp Hellebore. Tickle Weed.
 Valuable as an arterial sedative in pneumonia, typhoid fever,
 itch, etc. Used only by advice of a physician. The pow-
 der or decoction, useful to destroy insects on plants.

— 213 —

HEMLOCK. *Abies Canadensis.*
 Bark Ast. Ton.
 Leaves Sud. Emm.
 Hemlock Spruce. Weeping Spruce.
 The bark used in leucorrhœa, prolapsus-uteri, diarrhœa,
 gangrene, etc. The oil in liniments. The gum used in
 plasters.

— 214 —

HENBANE. *Hyoscyamus Niger.*
 Herb Nar. Ner. A-spa.
 Fetid Nightshade. Hog Bean. Poison Tobacco. Stinking
 Nightshade.
 Used in gout, neuralgia, asthma, chronic rheumatism, to
 produce sleep and remove irregular nervous action.

— 215 —

Per lb.

HOLLY, AMERICAN. *Ilex Opaca.*

Bark.	Ton. Exp. Lax.
Leaves.	" " "

Used in pleurisy, coughs, catarrh, gout, colic, jaundice and small-pox.

— 216 —

HOLLY, SEA. *Eryngium Ovalifolium.*

Root.	Aro. Diu. Exp.
---------------	----------------

— 217 —

HOLLYHOCK. *Althaea Rosea.*

Flowers red and white.	Emo. Dem. Diu.
--------------------------------	----------------

Used in coughs and female weakness, inflammation of the bladder, retention of urine, affection of the kidneys, etc.

— 218 —

HONEYSUCKLE, BUSH. *Diervilla Canadensis.*

Leaves and Root.	Diu. Alt.
--------------------------	-----------

Employed for gravel, gleet, syphilis, inflammation of the bladder, scrofula, etc.

— 219 —

HOPS. *Humulus Lupulus.*

Flowers.	Bit. Ner. Ano. Ton. Hyp. Feb. Diu.
------------------	------------------------------------

Lupuline.

Valuable as a sedative to produce sleep and in nervousness, delirium tremens; externally as fomentation in cramps, pains, swellings, indolent ulcers, salt rheum, tumors, etc.

— 220 —

HOREHOUND. *Marrubium Vulgare.*

Herb.	Sti. Ton. Exp. Diu.
---------------	---------------------

White Horehound.

Useful in coughs, colds, chronic catarrh, asthma and pulmonary affections; the cold infusion in dyspepsia, and as a vermifuge.

— 221 —

HORSE RADISH. *Cochlearia Armoracia.*

Leaves.	Sti. Diu. A-sco. Rub. Emm.
Root.	" " " " "

Used with advantage in paralysis, rheumatism, dropsy and scurvy. Grated with sugar for hoarseness.

— 222 —

Per lb.

HORSE WEED. *Ambrosia Trifida.*

Herb. Sti. Ast. A-sep. Opt.
Tall Ambrosia.

— 223 —

HOUND'S TONGUE. *Cynoglossum Officinale.*

Plant. Ast. Ano.
Canadian Bur. Tory Weed.
Indicated in hemorrhages, dysentery, coughs, etc.

— 224 —

HOUSE LEEK. *Sempervivum Tectorum.*

Leaves. Dis. Ref.
Bullock's Eye. Thunder Plant.
The leaves steeped form a cooling application to burns,
stings of insects, erysipelas and sores, ringworm, warts,
etc.

— 225 —

HOUSE LEEK, SMALL. *Sedum Acre.*

Plant. Acr. Eme. Cat. Ves. Diu.
Biting Stone Crop.

— 226 —

HYDRANGEA. *Hydrangea Arborescens.*

Root. Diu.
Seven Barks. Wild Hydrangea.
Valuable to remove gravel and brick-dust deposits from the
bladder, and to relieve excruciating pains caused thereby.

— 227 —

HYSSOP. *Hyssopus Officinalis.*

Herb. Sti. Aro. Car. Ton.
Valuable in quinsy, asthma and chest diseases; the leaves
applied to bruises remove pain and discoloration.

— 228 —

ICELAND MOSS. *Cetraria Islandica.*

Moss. Dem. Ton. Nut.
Used in chronic catarrh, dysentery, diarrhoea, and as a tonic
in dyspepsia, convalescence and exhausting diseases.

— 229 —

Per lb.

INDIAN CUP. *Silphium Perfoliatum.*

Plant. Dia. Sti. Alt.

Ragged Cup. Rosin Weed.

Used in cough and painful affections of the chest.

— 230 —

INDIAN HEMP, AMERICAN. *Cannabis Sativa var. Indica.*

Extract. Ner. Ano. Sud. A-spa. A-syp.

Seeds yield oil.

Neckweed.

— 231 —

INDIAN HEMP, BLACK. *Apocynum Cannabinum.*

Root. Nau. Cat. Dia.

Used in dropsy, remittent and intermittent fevers, pneumonia, obstructions of the kidneys, liver and spleen.

— 232 —

INDIAN HEMP, WHITE. *Asclepias Incarnata.*

Root. Diu. Eme. Ant. Ver. Cat.

Flesh-colored Asclepias. Rose-colored Silkweed. Swamp Milkweed. Water Nerve Root.

Recommended in rheumatic, asthmatic, catarrhal and syphilitic affections, and as a vermifuge.

— 233 —

INDIAN PHYSIC. *Gillenia Trifoliata.*

Root. Eme. Cat. Sud. Ton.

Indian Hippo. Meadow Sweet.

Valuable in amenorrhœa, rheumatism, dropsy, costiveness, dyspepsia, worms and intermittents.

— 234 —

INDIAN TURNIP. *Arum Triphyllum.*

Root. Acr. Exp. Dia.

Bog Onion. Cuckoo Pint. Dragon Root. Dragon Turnip.

Jack in-the-pulpit. Lords and Ladies. Meadow Turnip.

Marsh Turnip. Pepper Turnip. Priest's Pintle. Swamp Turnip. Starchwort. Three-leaved Arum. Wake Robin.

Wild Turnip.

Recommended in croup, cough, asthma, bronchitis, pain in the chest, colic, low typhoid, and externally in scrofulous tumors, scald head, etc.

— 235 —

Per lb.

INDIGO, WILD. *Baptisia Tinctoria.*

Herb and Root. Pur. Eme. Sti. A-sep.
 Clover Broom. Horsefly Weed. Horse Fleaweed. Indigo
 Weed. Indigo Broom. Rattle-bush. False Wild Indigo.
 Yellow Indigo. Yellow Broom.
 Valuable as a wash in all species of ulcer, as malignant sore
 mouth and throat, mercurial sore mouth, scrofulous or
 syphilitic ophthalmia, fetid leucorrhœa and discharges.

— 236 —

IRISH MOSS. *Chondrus Crispus.*

Carragheen. Nut. Dem.
 Pearl Moss. Salt Rock Moss.
 Used in cough, colds and pulmonary affections, chronic di-
 arrhoea, dysentery, scrofula and rickets; boiled in milk is
 a nutritious tonic.

— 237 —

IRON WOOD. *Ostrya Virginica.*

Bark. A-per. Ton. Alt.
 Employed in intermittent fever, neuralgia, dyspepsia, scrof-
 ula and indigestion.

— 238 —

IVY, AMERICAN. *Ampelopsis Quinquefolia.*

Bark. Alt. Ton. Ast. Exp.
 Five Leaves. False Grapes. Virginia Creeper. Woodbine.
 Wild Woodvine. Woody Climber.
 Used in syrups for scrofula, syphilis, dropsy, bronchitis and
 pulmonary complaints.

— 239 —

IVY, GROUND. *Nepeta Glechoma.*

Herb. Sti. Ton. Pec.
 Ale Hoof. Cat's-paw. Catfoot. Carrion Flower. Gillrun.
 Gill-over-the-ground. Haymaids. Hedgemaids. Hove.
 Robin-run-away. Robin-run-in-the-hedge. Tun Hoof.
 Used in diseases of the lungs and kidneys, asthma, jaun-
 dice and lead colic.

— 240 —

Per lb.

JABORANDI. *Pilocarpus Pennatifolius.*

Leaves Sia.

A valuable sudorific, sialagogue and moderator of febrile action.

— 241 —

JACOB'S LADDER. *Smilax Peduncularis.*

Herb Diu. Emm.

Valuable in kidney diseases, stone in the bladder, falling of the womb.

— 242 —

JALAP. *Ipomoea Jalapa.*

Root Cat.

Much used as a purgative in dropsy and some forms of scrofula where a powerful cathartic is required.

— 243 —

JESSAMINE, YELLOW. *Gelsemium Semperflorens.*

Root Feb.

Carolina Jessamine. Wild Jessamine. Woodbine.

A valuable febrifuge in all fevers, except congestive; also used in nervous irritability, headache, lock-jaw, and to promote contraction of the uterus.

— 244 —

JOB'S TEARS. *Coix Lachryma.*

Seed Diu. Ton.

Said to dissolve calculi; used also in dropsy and incontinence of urine.

— 245 —

JOHNSWORT. *Hypericum Perforatum.*

Herb Ast. Sed. Diu.

St. Johnswort.

Used in suppression of urine, chronic urinary affections, diarrhea, dysentery, worms, jaundice and menorrhagia. In ointment for wounds, ulcers, caked breast, tumors, etc.

— 246 —

Per lb.

JUNIPER BERRIES. *Juniperus Communis.*

Berries. Sti. Car. Diu.
Juniper Bush.

Efficacious in gonorrhœa, gleet, leucorrhœa, affections of the skin, scorbutic diseases, dropsy, and kidney complaints generally.

— 247 —

KNOT GRASS. *Triticum Repens.*

Root. Diu. Ape.
Bird Weed. Couch Grass. Chiendent. Dog Grass. Dog Weed. Quick or Quitch Grass. Quickens. Quack Grass. Quitch. Witch Grass.
Valuable in kidney diseases, irritation of the bladder and spasmodic affections.

— 248 —

KING'S CLOVER. *Melilotus Officinalis.*

Herb. Emo. Diu.
Melilot. Sweet Clover. Sweet Lucerne.
The leaves and flowers boiled in lard are useful in all kinds of ulcers, inflammations, burns, etc.

— 249 —

LABRADOR TEA. *Ledum Latifolium.*

Herb. Pec. Ton.
Useful in coughs, dyspepsia, dysentery, and skin diseases.

— 250 —

LARKSPUR. *Delphinium Consolida.*

Herb. Eme. Cat. Diu. Nar.
Seed. " " " "
Knight's Spur. Lark Heel. Lark's Claw.
Used externally as ointment in cutaneous diseases and to destroy insects on the body, lice, etc.

— 251 —

LAUREL, MOUNTAIN. (Broad-leaved.) *Kalmia Latifolia.*

Leaves. Nar. Poi. Alt. Err. A-syp. Sed. Ast.
American Laurel. Big-leaved Ivy. Broad-leaved Kalmia.
Calico Bush. Spoonhunt.
Used in scrofula and cutaneous affections.

— 252 —

Per lb.

LAUREL, SHEEP. (Narrow-leaved.) *Kalmia Angustifolia.*
 Leaves . . . Nar. Poi. Alt. A-syp. Sed. Ast. Err.
 Lambkill. Ivy. Laurel Poison. Sheep Poison.
 Used in syphilitic diseases, scald head, cutaneous affections,
 hemorrhages, diarrhoea and flux.

— 253 —

LAVENDER. *Lavandula Vera.*
 Flowers Car. Ton. Sti.
 Garden Lavender.
 Valuable in flatulency, fainting and to arrest vomiting.
 Usually combined with other medicines.

— 254 —

LEATHERWOOD. *Dirca Palustris.*
 Bark Eme. Acr. Rub. Sud. Exp.
 American Mezereon. Leather Bush. Moosewood. Rope
 Bark. Leaver Wood.
 A poultice of the bark will produce vesication. Used in
 combination with alteratives.

— 255 —

LETTUCE, ACRID. *Lactuca Virosa*
 Juice is used in the manufacture of German Lactucarium.

— 256 —

LETTUCE, GARDEN. *Lactuca Sativa.*
 Herb Diu. Nar. Hyp.
 Leaves Sad.
 Juice Ano. Hyp.
 Sleepwort. Salad.
 Used as a narcotic where Opium is objectionable.

— 257 —

LETTUCE, WILD. *Lactuca Elongata.*
 Herb Nar. Sed. Ano. Hyp. Dia.
 Snakeweed. Snake Bite.
 Similar to Garden Lettuce in effect.

— 258 —

Per lb.

LIFE EVERLASTING. *Gnaphalium Polycephalum.*

Herb. Ast. Dia.
 Balsam Weed. Chafe Weed. Cud Weed. Field Balsam.
 Golden Motherwort. Indian Posey. Poverty Weed
 Sweet-scented Life Everlasting. Sweet Balsam. White
 Balsam.

Used for bowel complaints, coughs, colds, bleeding of the lungs, and to produce perspiration.

— 259 —

LIFE ROOT. *Senecio Aureus* and *Senecio Gracilis.*

Herb and Root. Diu Dia. Ton. Aro.
 Cough Weed. Cocash Weed. Female Regulator. False Valerian. Golden Senecio. Ragwort. Squaw Weed. Uncum. Waw Weed.

Valuable in profuse menstruation, gravel, strangury, and for the peculiar influence it has upon the female reproductive organs.

— 260 —

LILY, WHITE. *Nymphaea Odorata.*

Root Ast. Vul. Dis.
 Flowers. Orn. Per.
 Cow Cabbage. Pond Lily. Sweet-scented Water Lily.
 Toad Lily. White Pond Lily. Water Cabbage.
 Useful in dysentery, diarrhoea, leucorrhœa and scrofula.
 Combined with Cherry Bark for bronchial affections. Externally as poultice for boils, tumors, scrofulous ulcers, etc.

— 261 —

LILY ROOT, YELLOW. *Nuphar Advena.*

Root. Ast. Dem. Dis. Emo F-com.
 Brandybottles. Beaver Root. Cow Lily. Yellow Pond Lily. Frog Lily. Spatter Dock.
 Properties very similar to White Lily.

— 262 —

LINDEN FLOWERS. *Tilia Europœa* and *Americana.*

Bark and Flowers. Ast. Dem.
 Basswood. Lime Tree. Locust Bloom. Tilia Flowers.
 For poultice in painful swellings.

— 263 —

Per lb.

LIQUORICE. *Glycyrrhiza Glabra.*

Root	Nut. Dem. Exp. Lax.
Extract	" " "

Licorice. Spanish Juice. Sweet Liquorice. Sweet Wood.

Useful in coughs, catarrh, irritation of the urinary organs, pain of the intestines in diarrhoea, and bronchial affections.

— 264 —

LIVERWORT. *Hepatica Americana.*

Herb	Muc. Ast. Pec.
----------------	----------------

Crystalwort. Kidney Liver Leaf. Liver Moss. Liver Weed.

Liver Leaf. Noble Liverwort. Trefoil.

Used in fevers, hepatic complaints, bleeding of the lungs, coughs, etc.

— 265 —

LOBELIA. *Lobelia Inflata.*

Herb	A-spa. Eme. Exp. Dia.
Seed	" " " "

Asthma Weed. Bladder Podded Lobelia. Emetic Weed.

Emetic Herb. Eyebright. Gag Root. Puke Weed. Vomitwort. Wild and Indian Tobacco.

Invaluable in spasmodic asthma, croup, pneumonia, catarrh, epilepsy, hysteria, cramps and convulsions. Externally as poultice in sprains, bruises, felons, ringworm, erysipelas, and stings of insects, ivy poison, etc.

— 266 —

LOVAGE. *Ligusticum Levisticum.*

Leaves	Aro. Car. Dia.
Root	" " "
Seed	" " "

Lavose. Smellage. Sea Parsley.

Combined with other drugs as a corrective and for its flavor. Sometimes used in female complaints and nervousness.

Sesqui Carb. Potass.

— 267 —

Per lb.

LUNGWORT. *Pulmonaria Officinalis.*

Plant Pec. Exp. Dem.
 Spotted Comfrey. Spotted Lungwort. Virginia Cowslip.
 Used in diseases of the lungs, coughs, influenza, catarrh,
 etc.

— 268 —

LUNGWORT, MAPLE. *Sticta Pulmonaria.*

Plant Bit. Ton.
 Tree Lungwort.
 Used in pulmonary complaints.

— 269 —

MAGNOLIA. *Magnolia Glauca.*

Bark Aro. Ton. Dia.
 Beaver Tree. Sweet Magnolia. Swamp Sassafras. White
 Bay.
 Useful in intermittent fever, dyspepsia, erysipelas, dysen-
 tery, leucorrhœa, and as wash in tetter, salt rheum, etc.

— 270 —

MAIDENHAIR. *Adiantum Pedatum.*

Herb Ref. Exp. Ton. Sud. Ast.
 Rock Fern.
 Valuable in cough, asthma, hoarseness, influenza, pleurisy,
 jaundice, febrile diseases and erysipelas.

— 271 —

MALLOW, LOW. *Malva Rotundifolia.*

Leaves Dem. Diu.
 Blue Mallows. Cheeses. Dwarf Mallow.
 Used for cough, irritation of the bowels, kidneys and uri-
 nary organs, and as poultice for boils, etc.

— 272 —

MALLOW, MARSH. *Althaea Officinalis.*

Flowers Dem. Diu.
 Leaves " "
 Root " "
 Mortification Root. Sweat Weed. Wymote.
 Valuable in hoarseness, catarrh, pneumonia, gonorrhœa,
 venal irritation, dysentery, strangury, gravel and all kid-
 ney complaints; and as poultice in all painful swellings.

— 273 —

Per lb.

MANDRAKE. *Podophyllum Peltatum.*

Root Cat. Alt Ant Hyd Sia.
 American Mandrake. Duck's Foot. Ground Lemon. Hog
 Apple. Indian Apple. May Apple. Raceoon Berry.
 Wild Lemon. Wild Mandrake. Yellow Berry.
 Valuable in jaundice, bilious and intermittent fever, scrof-
 ula, syphilis, liver complaint, rheumatism, and where a
 powerful cathartic is required.

— 274 —

MAN ROOT. *Convolvulus Panduratus.*

Root Cat.
 Bindweed. Kussander. Man-in-the-ground. Mechameck.
 Mechoacan. Man-of-the-earth. Wild Scammony. Wild
 Rhubarb. Wild Jalap. Wild Potato.
 Has been recommended in dropsy, strangury and calculous
 affections, diseases of the lungs, liver and kidneys.

— 275 —

MAPLE, RED. *Acer Rubrum.*

Bark Ton. Ant.
 Swamp Maple. Whistle Wood.
 Used for worms, as a gentle tonic, and as a wash for sore
 eyes.

— 276 —

MARIGOLD. *Calendula Officinalis.*

Flowers Sti. Dia.
 Mary Bud.
 Valuable in keeping out eruptions; and the tincture for
 cuts, bruises, sprains, wounds, etc., and to prevent gan-
 grene is unequalled.

— 277 —

MARJORAM, SWEET. *Origanum Marjorana.*

Herb Sti. Ton. Emm.
 Promotes perspiration, menstruation when recently
 stopped, relieves eruptive diseases.

— 278 —

Per lb.

MARSH ROSEMARY. *Statice Caroliniana.*

Root Ast.
 American Thrift. Canker Root. Ink Root. Meadow Root.
 Lavender Thrift Sea Lavender.
 A domestic remedy for dysentery, diarrhoea, canker, leucorrhœa, gleet, etc.

— 279 —

MASTERWORT. *Heracleum Lanatum.*

Root. Sti. A-spa. Car.
 Seed. " " "
 Cow Parsnip.
 Used in flatulency, dyspepsia, epilepsy, asthma, amenorrhœa, colic, dysmenorrhœa, palsy, apoplexy, etc.

— 280 —

MATICO PLANT. *Artanthe Elongata.*

Leaves. . . . Sty. Aro. Bit. Sti. Vul. Aph. A-syp.
 Pepper Elder. Soldiers' Herb.
 Recommended in bleeding at the lungs, stomach or kidneys, fluor-albus, gonorrhœa, piles, dyspepsia, and to arrest hemorrhage from wounds, insect bites, etc.

— 281 —

MAYWEED. *Anthemis Cotula.*

Herb. . . . Ton. Eme. A-spa. Emm.
 Dog Fennel Dillydil Weed. Fieldwort. Field Weed.
 Maywort. Stinking Chamomile. Wild Chamomile.
 Used in colds to produce perspiration, also in sick headache, amenorrhœa and convalescence from fevers.

— 282 —

MEZEREON. *Daphne Mezereum.*

Bark. Sti. Alt. Diu. Nar.
 Spurge Olive.
 In small doses used in syphilis, scrofula, chronic rheumatism, mercurial syphilis and diseases of the skin.

— 283 —

MILKWEED. *Asclepias Cornuti (Syriaca).*

Root. Ano Emm. Diu. Alt.
Silkweed. Common Silkweed. Common Milkweed. Silky
 Swallowwort. Swallowwort.
 Valuable in amenorrhœa, dropsy, retention of urine, dys-
 pepsia, asthma and scrofulous diseases.

Per lb.

— 284 —

MINT, HORSE. *Monarda Punctata.*

Herb. Sti. Car. Sud. Diu. A.Eme.
 Used in flatulence, nausea, vomiting, suppression of urine,
 and as an emmenagogue.

— 285 —

MINT, MOUNTAIN. *Pycnanthemum Montanum.*

Herb. Sti. Ton. Emm.
 Used for obstructed menstruation, to produce perspiration,
 and in colds, fevers and eruptions.

— 286 —

MISTLETOE. *Viscum Verticillatum.*

Leaves and Twigs. A-spa. Nar. Ton.
 Golden-bough.
 Said to be useful for pleurisy, vertigo, dysentery, chorea
 and epilepsy.

— 287 —

MOCCASIN ROOT. *Cypripedium Pubescens.*

Root. Ton. Sti. Dia. A-spa.
 American Valerian. Ladies' Slipper. Nerve Root. Noah's
 Ark. Bleeding Heart. Indian Shoe. Yellow Moccasin.
 Pine Tulip. Monkey Flower. Slipper Root. Umbel.
 Yellow Ladies' Slipper. Yellow Umbel. Venus' Cup.
 Venus' Shoe.
 Invaluable in nervousness, headache, hysterics, and all
 cases of nervous irritability.

— 288 —

MOTHERWORT. *Leonurus Cardiaca.*

Herb. Emm. Ner. A-spa. Lax.
 Lion's Ear. Lion's Tail. Throwwort.
 Valuable in female complaints, nervousness, colds, dilirium,
 wakefulness, disturbed sleep and liver affections; also as
 fomentation in painful menstruation.

— 289 —

Per lb.

MOUSE EAR. *Gnaphalium Uliginosum.*

Herb. Sud. Sto. Muc.
 Cud Weed. Dysentery Weed.
 Used in coughs, diarrhoea and obstructions.

— 290 —

MUGWORT. *Artemisia Vulgaris.*

Herb. Dia. Emm. Ner.
 Useful in epilepsy, hysteria, amenorrhoea, promotes perspiration, increases the flow of urine and menses.

— 291 —

MULBERRY. *Morus Rubra.*

Bark. Pur. Ant.
 Fruit. Ref. Lax.
 Bark used to expel tape-worm; the berries are laxative and form a grateful drink after fevers, etc.

— 292 —

MULLEIN. *Verbascum Thapsus.*

Herb. Dem. Diu. Ano. A-spa.
 Seed. Nar.
 Bullock's Lungwort. Flannel Flower. Hares Beard. Hig Taper. Shepherd's Club. Woolen. Velvet Plant.
 Used in cough, catarrh, diarrhoea, dysentery, piles, etc.; also as poultice in white-swellings, mumps, sore throat, etc.

— 293 —

MUSTARD, BLACK. *Sinapis Nigra.*

Seed. Ves.

— 294 —

MUSTARD, WHITE. *Sinapis Alba.*

Seed. Sti. Rub. Ves.
 The whole seed formerly used as a tonic in dyspepsia; ground is used as a condiment; in large doses acts as an emetic. Externally as poultice to rouse the system to activity, relieve pain and mitigate inflammation.

— 295 —

Per lb.

MYRRH. Balsamodendron Myrrha.

Gum. Sti. A-sep. Ver.

Myrrh is a stimulant to the mucous tissues and exerts an antiseptic influence; promotes expectoration and menstruation. Used in gleet, catarrh, bronchitis and asthma, also as poultice in sores, ulcers, sore throat, spongy gums, etc.

— 296 —

NANNY BUSH. Viburnum Lentago.

Bark. A-per.

Black Thorn. Nanny Berry. Sheep Berry. Sweet Viburnum.

— 297 —

NEPHRITIC PLANT. Parthenium Integritifolium.

Root. Diu.

Cutting Almond.

Highly extolled as a remedy in strangury, inflammation of the urinary passages and kidneys; also in amenorrhœa.

— 298 —

NETTLE. Urtica Dioica.

Herb. Ast. Ton. Diu.

Root. " " "

Canada Nettle. Stinging Nettle.

Valuable in diarrhoea, dysentery, hemorrhoids, hemorrhages, gravel and scorbutic affections. The seeds reduce corpulence.

— 299 —

NUTGALLS. Quercus Infectoria.

Galls. Ast.

Dyers' Oak.

Useful in dysentery, diarrhoea, passive hemorrhages, and as injection in gleet, leucorrhœa, prolapsus-ani, and as gargle in sore throat, canker, etc.

— 300 —

Per lb.

NUTMEGS. *Myristica Fragrans.*

Fruit	Aro Sti. Car.
-----------------	---------------

Mace.

Used for its fine flavor to correct the action of other medicines, to allay vomiting and nausea; charred with alum in intermittent fever.

— 301 —

NUX VOMICA. *Strychnos Nux Vomica.*

Seeds	Nar. Poi.
-----------------	-----------

Bachelor's Buttons. Columbrina. Dog Button. Ratsbane.
False Angostura. Nux Metella. Poison Nut. Quaker
Button.

In medicinal doses, tonic, diaphoretic, laxative and diuretic
Should be used cautiously.

— 302 —

OAK BARK, BLACK. <i>Quercus Nigra.</i>	Ast
" " RED. " Rubra.	"
" " WHITE. " Alba.	"

Used in sore throat, offensive ulcers, obstinate chronic diarrhoea, hemorrhage, in gargles and injections, in leucorrhœa, prolapsus-ani and piles.

— 303 —

OAK OF JERUSALEM. *Chenopodium Anthelminticum.*

Herb.	Ant. A-spa.
Seed.	" "

American Wormseed. Goosefoot. Jerusalem Tea. Stinking Weed. Wormseed.

Used to expel worms in children; also reputed beneficial in amenorrhœa.

— 304 —

ORANGE. *Citrus Aurantium.*

Flowers.	Aro. A-spa.
Peel.	Aro. Ton.

Used to cover the taste of disagreeable medicines and lessen their tendency to nausea. The fruit after fevers where acids are craved, in scurvy, etc.

— 305 —

Per lb.

ORRIS, FLORENTINE. *Iris Florentina.*

Root Eme. Cat.

Used in the composition of tooth powders and to sweeten
an offensive breath.

— 306 —

OSIER, GREEN. *Cornus Circinata.*

Bark. Ast Ton.

Alder-leaved Dogwood. Broad-leaved Dogwood. Green Ozier
Dogachamus. Round-leaved Cornel. Kinnikinnick.Useful in diarrhoea, dysentery, as gargle in sore throat, also
in typhoid fever and fever and ague.

— 307 —

OSIER, RED. *Cornus Sericea.*

Bark. Ton. Ast. Sti.

Blueberry Cornel. Red Ozier. Rose Willow. Red Rod.
Red Willow Silky Cornel. Swamp Dogwood.Valuable in dyspepsia, diarrhoea, and to check vomiting
common to pregnancy, and disease of the uterus.

— 308 —

PALMA CHRISTI. *Ricinus Communis.*

Seeds yield oil. Cat.

Leaves. Gal. Emm. F-com.

Castor Oil Plant.

— 309 —

PAREIRA BRAVA. *Cissampelos Pareira.*

Root. Ton. Dil. Ape.

Ice Vine. Velvet Leaf.

Used in chronic inflammation of the bladder, disorders of
the urinary organs, leucorrhœa, dropsy, jaundice, etc.

— 310 —

PARILLA, YELLOW. *Menispermum Canadense.*

Root. Ton. Lax Alt.

Moonseed. Texas Sarsaparilla. Yellow Sarsaparilla. Vine
Maple.A superior laxative bitter, used in scrofula, syphilis, rheu-
matism, gout, and cutaneous diseases.

— 311 —

Per lb.

PARSLEY. *Petroselinum Sativum.*

Leaves.	Dem.	Diu.
Root.	Diu.	
Seed.	Car.	

Root useful in dropsy, retention of urine, strangury and gonorrhœa. Leaves bruised, as fomentation, cures bites and stings of insects. Seed to destroy vermin in the hair.

— 312 —

PEACH. *Amygdalus Persica.*

Bark.	Ton.	Sto.
Leaves.	"	"
Pits, (Meats).	"	"

Bark and meats (kernels) recommended in intermittent fever, leucorrhœa, dyspepsia, jaundice, etc. The leaves in irritability of the bladder and urethra, inflammation of the stomach and abdomen.

— 313 —

PELLITORY. *Anacyclus Pyrethrum.*

Root.	Rub.	
Pellitory of Spain. Spanish Chamomile.														
Used for toothache, rheumatic and neuralgic affections of the head, palsy, etc.														

— 314 —

PENNYROYAL. *Hedeoma Pulegioides.*

Herb.	Abo.	Sti.	Dia.	Emm.	Car.
Squaw Mint. Stinking Balm. Thick Weed. Tick Weed.										
Promotes perspiration, restores suppressed lochia, excites the menstrual discharge, and is reported abortive.										

— 315 —

PEONY. *Paeonia Officinalis.*

Flowers.	A-spa.	Ton.	Ner.
Root.	"	"	"
Valuable in St. Vitus, epilepsy, spasms, nervous diseases and whooping cough. Seeds reputed effective in preventing nightmare of dropsical persons.								

— 316 —

Per lb.

PEPPER, BIRD. *Capsicum Annum Baccatum.*

Fruit. Sti. Cat. Rub.
 Cayenne Pepper. Chillies. Chilly Pepper. Red Pepper.
 Spanish Pepper.
 A powerful stimulant used in colds, rheumatism, spasmodic
 affections and cholera.

— 317 —

PEPPER, BLACK. *Piper Nigrum.*

Berry. Aro. Sti.
 A favorite condiment. Used in languid state of the stomach
 and bowels, dyspepsia, colic and intermittents. The
 tincture to destroy lice, flies, etc.

— 318 —

PEPPER, WATER. *Polygonum Hydropiper.*

Leaves. Acr. Pun. A-sep. Ape. Diu.
 Arsmart. Biting Knot Weed. Door Weed. Lake Weed.
 Smart Weed. Sickle Weed.
 Used in amenorrhœa, gravel, colds, coughs, milk sickness,
 bowel complaints and erysipelas.

— 319 —

PEPPERMINT. *Mentha Piperita.*

Herb. Sti. A-spa. Car. Sto.
 Used in flatulent colic, hysterics, spasm cramps in the
 stomach, allay nausea and vomiting; also to flavor other
 medicines.

— 320 —

PERUVIAN BARK. *Cinchona Calisaya.*

Bark. Ton. Feb. A-per.
 Jesuits' Bark.
 Valuable in all febrile, eruptive and inflammatory diseases
 of a periodic nature, and in general debility.

— 321 —

PILEWORT. *Amarantus Hypochondriacus.*

Herb. Ast.
 Amaranth. Love Lies Bleeding. Princes' Feather. Red
 Cockscomb. Spleen Amaranth.
 Recommended in severe menorrhagia, diarrhoea, dysentery,
 hemorrhage of the bowels, leucorrhœa, ulcers, etc.

— 322 —

Per lb.

PIMENTO. *Eugenia Pimenta.*

Berries. Aro. Sti. Car.
 Allspice. Clove Pepper. Jamaica Pepper.
 Used to flavor other medicines. The tincture as a remedy
 for chilblains.

— 323 —

PINE, WHITE. *Pinus Strobus.*

Bark. Sti. Diu. Pec.
 Pitch. Sti. Diu.
 Used in cough, rheumatism, scurvy, kidney complaints.
 The pitch in gonorrhœa, gleet, fluor-albus, kidney and
 bladder complaints.

— 324 —

PINK. *Spigelia Marilandica.*

Root. Sud. Ant.
 American Worm Root. Carolina Pink. Indian Pink. Star
 Bloom. Worm Grass.
 An active and certain vermifuge combined with Senna and
 Manna.

— 325 —

PIPSISSEWA. *Chimaphila Umbellata.*

Herb. Diu. Ton. Alt. Ast.
 Bitter Wintergreen. Ground Holly. King's Cure. Noble
 Pine. Princes' Pine. Pyrola. Pine Tulip. Wintergreen.
 Useful in scrofula, chronic rheumatism, kidney diseases,
 strangury, gonorrhœa, catarrh of the bladder and cutane-
 ous diseases.

— 326 —

PLANTAIN. *Plantago Major.*

Leaves. Alt. Diu. A-sep.
 Root. " " "
 Englishman's Foot. Round-leaved Plantain.
 Beneficial in syphilitic, mercurial and scrofulous diseases,
 leucorrhœa, diarrhœa, etc. The leaves in ointments.

— 327 —

Per lb.

PLEURISY ROOT. *Asclepias Tuberosa.*

Root Diu. Car. Ton.
 Butterfly Weed. Canada Root. Flux Root. Orange Swallow
 Wort. Tuber Root. Wind Root. White Root.
 In pleurisy, febrile diseases, flatulency, indigestion, acute
 rheumatism, dysentery, coughs, inflammation of the
 lungs, etc.

— 328 —

POISON OAK. *Rhus Toxicodendron.*

Leaves Irritant Poison.
 Plant Poi. Rub. Ves.
 Climbing Sumach. Poison Vine. Poison Ivy. Trailing
 Sumach.
 Has been used in chronic paralysis, chronic rheumatism,
 cutaneous diseases, paralysis of the bladder.

— 329 —

POLYPODY. *Polypodium Vulgarē.*

Root and Top Pec. Dem. Pur. Ant.
 Brake Root. Fern Root. Female Fern. Fern Brake. Rock
 Polypod. Rock Brake. Stone Brake.
 Used in pulmonary and hepatic complaints; also to expel
 worms.

— 330 —

POMEGRANATE. *Punica Granatum.*

Rind of Fruit Ast. Ton.
 Bark of Root Ast. Ant. F-com.
 Flowers " " "
 Pomegranate Fruit. Punic Apple.
 Reputed valuable in removing tape worm, and in intermit-
 tent fever, night sweats, passive hemorrhages, diarrhoea,
 canker in the mouth, etc.

— 331 —

POPLAR. *Populus Tremuloides.*

Bark Ton. Feb.
 Aspen. Abele Tree. American Poplar. Quiver Leaf.
 Trembling Poplar. Trembling Tree. White Poplar.
 Used in intermittent fever, emaciation and debility, im-
 paired digestion, chronic diarrhoea, worms, gleet, etc.

— 332 —

Per lb.

POPPY. *Papaver Somniferum.*

Capsules.	Emo.	Ano.
Flowers.	Nar.	Ano.
Leaves.	"	"

Valuable to promote rest, and as poultice for painful swellings; the syrup given to restless children to procure sleep.

— 333 —

PRAIRIE WEED. *Silphium Gummiferum.*

Root.	Eme.	Feb.
Gum.	Diu.	

Prairie Dock. Turpentine Sunflower.

Used in asthma.

— 334 —

PRIVET. *Ligustrum Vulgare.*

Flowers.	Fra.	
Fruit.	Cat.	
Leaves.	Ast.	Bit.

Primwort. Privy. Prim.

— 335 —

PTELEA. *Ptelea Trifoliata.*

Bark.	Ton.	Ant.
Ague Bark. Hop Tree. Prairie Grub. Pickaway Anise.									
Shrubby Trefoil. Stinking Ash. Stinking Prairie Bush.									
Wing Seed. Wafer Ash.									
Recommended in intermittent and remittent fevers, asthma, pulmonary affections, indigestion and dyspepsia.									

— 336 —

PULSATILLA. *Anemone Pulsatilla.*

Herb.	.	.	.	Aer.	Corrosive,	Poi.	Rub.
Meadow Anemone. Pasque Flower.							

— 337 —

PUMPKIN. *Cucurbita Pepo.*

Seed.	Muc.	Diu.
Cold Seeds. Pompion.							
Used in scalding of urine, affections of the urinary passages and said to remove tape-worm effectually.							

— 338 —

Per lb.

QUASSIA. *Simaruba Excelsa.*

Wood. Ton. Feb. Ant.

Bitter Wood. Lofty Quassia. Mountain Damson. Bitter Ash. Stave Wood.

Used in remittent and intermittent fever, dyspepsia, general debility, worms, and to destroy the appetite for alcoholic drinks.

— 339 —

QUEEN OF THE MEADOW. *Eupatorium Purpureum.*

Herb. Diu. Sti. Ton.

Root. " " "

Gravel Root. Joepye. Kidney Root. Purple Boneset. Trumpet Weed.

A valuable remedy in dropsy, strangury, gravel and all urinary disorders.

— 340 —

QUEEN'S ROOT. *Stillingia Sylvatica.*

Root. Alt. Eme. Cat.

Cock-up-hat. Marcory. Queen's Delight. Stillingia. Silver Leaf. Yaw Root.

Invaluable in scrofula, syphilis, liver and cutaneous diseases, bronchitis, laryngitis and lung complaints.

— 341 —

QUINCE. *Cydonia Vulgaris.*

Seed. Dem. Muc.

Very useful in gonorrhœa, dysentery, diarrhoea, aphthous affections, sore mouth and in ophthalmia as a collyrium.

— 342 —

RASPBERRY. *Rubus Strigosus.*

Leaves. Ast.

Red Raspberry.

An excellent remedy in diarrhoea, dysentery, cholera infantum, hemorrhage from the stomach, bowels or uterus, and as injection in gleet, leucorrhœa, canker, etc.

— 343 —

Per lb.

RED ROOT. *Ceanothus Americana.*

Bark Ast. Exp. Sed. A-spa. A-syp.
 New Jersey Tea. Mountain Sweet. Wild Snowball.
 Used in gonorrhœa, dysentery, asthma, chronic bronchitis,
 whooping cough, and as gargle in canker, sore mouth,
 etc.

— 344 —

RHATANY. *Krameria Triandria.*

Root. Ast.
 Employed in chronic diarrhoea, incontinence of urine, hem-
 orrhages, leucorrhœa, profuse menstruation, vomiting
 blood, and in spongy gums to consolidate them and pre-
 serve the teeth.

— 345 —

RHUBARB, AMERICAN. *Rheum Rhaponticum.*

Root. Cat. Ton. Ast.
 Said to possess the properties of foreign Rheum in a minor
 degree. Used for costiveness, debility and summer com-
 plaint.

— 346 —

RHUBARB, INDIA. *Rheum Palmatum.*

Root. Cat. Ast. Ton.
 Extensively used as a purgative, and in chronic diarrhoea,
 dysentery, convalescence from exhausting diseases when
 a mild cathartic is required, infantile complaints, dyspep-
 sia, headache, etc.

— 347 —

ROCK BRAKE. *Pteris Atropurpurea.*

Herb. Ast. Ant.
 Root. " "
 Indian Dream. Winter Fern.
 Efficacious in diarrhoea, dysentery, night sweats, to remove
 worms, and as vaginal injection in leucorrhœa, suppres-
 sion of the lochia, etc.

— 348 —

Per lb.

ROSE FLOWERS, RED. *Rosa Gallica.*“ “ PALE. *Rosa Centifolia.*

Rose flowers are tonic and mildly astringent. Used in hemorrhages, excessive mucous discharges and bowel complaints; the infusion with pith of Sassafras for inflammation of the eyes, etc.

— 349 —

ROSEMARY. *Rosmarinus Officinalis.*

Leaves. Sti. A·spa. Emm.

The warm infusion for colds, colic and nervous conditions.

The oil in liniments and plasters as an external stimulant.

— 350 —

ROSIN WEED. *Silphium Laciniatum.*

Plant. Eme. Feb.

Compass Plant Weed. Polar Plant. Pilot Weed.

Heaves in horses.

— 351 —

RUE. *Ruta Graveolens.*

Herb. Ant. Sti. Emm. A·spa.

Countryman's Treacle.

A narcotic-acrid poison, causing abortion and miscarriage in females. Medicinally, has been used in flatulent colic, hysterics, epilepsy, and as a vermifuge.

— 352 —

RUSH, SCOURING. *Equisetum Hyemale.*

Stalks. Diu. Ast.

Dutch Rush. Gunbright. Horse-tail Rush. Horse Pipe.

Pewterwort. Polishing Rush.

The infusion used for voiding bloody urine, suppression of urine, dropsy, gonorrhœa, gleet, etc.

— 353 —

RYE, SPURRED. *Sclerotium Clavus.*

Fungus. Poi. Emm. Par. Abo. F·com.

Ergot.

— 354 —

Per lb.

SAFFRON. *Carthamus Tinctorius.*

Flowers Emm. Dia.
 American Saffron. Bastard Saffron. Dyers' Saffron. False
 Saffron.

Has been used beneficially in amenorrhœa, dysmenorrhœa,
 chlorosis, hysteria, suppression of the lochial discharges,
 febrile diseases, scarlet fever, measles, etc.

— 355 —

SAGE. *Salvia Officinalis.*

Herb. Ton. Ast. Exp. Dia.
 Valuable in cough, colds, night sweats, worms, spermatorrhœa,
 and as gargle for ulcerated sore throat; also to
 produce perspiration.

— 356 —

SAGE, WOOD. *Teucrium Canadensis.*

Leaves. Sti. Aro. Ton.
 Germanander.
 Used in infusion for fevers, rheumatism, gout, chlorosis, etc.

— 357 —

SANICLE, AMERICAN. *Heuchera Americana.*

Root. Powerful Ast
 Alum Root. Ground Maple.

— 358 —

SANICLE, BLACK. *Sanicula Marilandica.*

Root. Ner. Ano. Ast.
 Black Snakeroot.
 Resembles Valerian. Used in chorea, erysipelas, dysentery,
 fluor-albus, etc.

— 359 —

SANICLE, WHITE. *Eupatorium Aromaticum.*

Root. Dia. A-spa. Exp. Aro.
 Pool Root. Poolwort. White Snakeroot.
 Used in ague, stomach complaints, nervous disease and pul-
 monary affections.

— 360 —

Per lb.

SARSAPARILLA, AMERICAN. *Aralia Nudicaulis.*
 " **SPANISH.** *Smilax Officinalis.*

Root. Alt. Diu.
 False Sarsaparilla. Rabbits' Root. Small Spikenard. Wild
 Licorice. Wild Sarsaparilla.
 Used in chronic diseases of the skin, rheumatic affections,
 dropsy, venereal complaints, and in all cases where al-
 teratives are required.

— 361 —

SASSAFRAS. *Laurus Sassafras.*

Bark. Diu. Aro. Sti. Alt. Dia.
 Pith. Dem. Muc.
 Ague Tree. Cinnamon Wood. Saloop. Saxifrax.
 Valuable in scrofula and eruptive diseases, and as a flavor.
 The pith used as an eye wash in ophthalmia and as a drink
 in disorders of the chest, bowels, kidneys and bladder.

— 362 —

SAUNDERS, RED. *Pterocarpus Santalinus.*

Wood. Ton. Ast.
 Red Wood.
 Used only in coloring tinctures, etc.

— 363 —

SAVIN. *Juniperus Sabina.*

Leaves. Emm. Diu. Dia. Ant.
 Used in kidney complaints, suppression of urine and ob-
 structed menstruation.

— 364 —

SAXIFRAGE. *Pimpinella Saxifraga.*

Root. Aro. Nau. Pun. Sti. Sto.
 Small Burnet Saxifrage. Small Saxifrage. Small Pimpernel.

— 365 —

SCABIOUS, SWEET. *Erigeron Philadelphicum.*

Flowers, Diu. Ast. Ton. Dia. Emm.
 Mourning Bride. Mourning Widow. Philadelphia Fleabane.
 Skevish.

— 366 —

Per lb.

SCABISH. *Oenothera Biennis.*

Herb. Vul. Muc.
 Evening Primrose. Tree Primrose.
 Valuable in cough, tetter and eruptive diseases.

SCABISH. *Oenothera Glauca.*

Plant. Exa. Emo. Det.
 Sundrops.

— 367 —

SCROFULA PLANT. *Scrophularia Marilandica.*

Herb. Deo. Alt. Diu. Ano.
 Carpenter's Square. Figwort. Figwort Herb. Healall.
 Holmes' Weed. Square Stalk.
 Valuable in scrofula, cutaneous diseases, dropsy, ulcers,
 etc.

— 368 —

SCULLCAP. *Scutellaria Lateriflora.*

Herb. Ton. Ner. A-spa.
 Blue Scullcap. Hoodwort. Helmet Flower. Mad-dog-weed.
 Blue Pimpernel. Side-flowering Sculcap. Madweed.
 Hooded Willow Herb.
 Valuable in all nervous complaints, chorea, wakefulness,
 delirium tremens, convulsions, excitability, etc.

— 369 —

SCURVY GRASS. *Cochlearia Officinalis.*

Herb. A-sco. Stl. Dia. Diu.
 Scrubby Grass. Spoonwort.
 Valuable in scurvy and obstructions, dropsy, paralysis and
 rheumatism.

— 370 —

SEA WRACK. *Fucus Versiculosus.*

Yields kelp.
 Fucus. Bladder Wrack.
 Used in obesity

— 371 —

Per lb.

SENNA, AMERICAN. Cassia Marilandica.	
Leaves.	Cat. Deo.
Locust Plant. Wild Senna.	
• A valuable cathartic, mild and effectual.	

— 372 —

SENNA, ALEXANDRIAN. Cassia Acutifolia.	
“ INDIA.	Elongata.
Leaves.	Cat.
A certain and convenient cathartic, and may be used in all cases where a physic is required. The griping may be modified by ginger or cloves added.	

— 373 —

SHAG-BARK TREE. Hickory (Carya) Alba.	
Bark.	Cat.
Fruit.	Esc.
Leaves.	Mild Ast.
Ackroot. Hickory Tree. Shag-bark Walnut. Walnut.	
Used in scrofula, debility, diarrhoea, and as a gentle cathartic; as a wash for ulcers and sore eyes.	

— 374 —

SHAMROCK. Oxalis Acetosella.	
Plant.	Aci. Ref. Diu. A-sco.
Cuckoo Bread. Sour Trefoil. Wood Sorrel.	

— 375 —

SHEPHERDS' PURSE. Capsella Bursa-pastoris.	
Herb.	Acr. Det. Ast.
Cocowort. Pickpocket. Pickpurse. Poor Man's Pharmacetty.	
Toywort.	
Used with Yarrow to check profuse menstruation and hemorrhage.	

— 376 —

SHEPHERDS' WEATHERGLASS. Anagallis Arvensis.	
Plant.	A-ven. Poi. Ner. Exp. Sti.
Red Chickweed. Scarlet Pimpernel.	

Cholera Syrup.

— 377 —

Per lb.

SHOVEL WEED. *Unisema Deltifolia.*

Root.	Emo. Ast. Det.
Seed.	Far.
Pickerel Weed.	

— 378 —

SMILAX, BOSTON. *Myrsiphyllum Asparagooides.*

Plant.	Orn. Decorative.
Cape Smilax.	

— 379 —

SNAKEROOT, BUTTON. *Liatris Spicata.*

Root.	Diu. Ton. Emm.
Backache Root. Devil's Bit. Gayfeather. Prairie Pine.	
Rough Root. Sawwort. Throatwort.	
Valuable in scrofula, dysmenorrhoea, amenorrhoea, gleet, etc.; also in Bright's disease, combined with Bugle and Unicorn.	

— 380 —

SNAKEROOT, CANADA. *Asarum Canadense.*

Root.	Sti. Aro. Dia.
Broad-leaved Asarabacca. Coltsfoot Snakeroot. Catfoot.	
Heart Snakeroot. Indian Ginger. Southern Snakeroot.	
Vermont Snakeroot. Wild Ginger. False Coltsfoot.	

Valuable in causing perspiration, promotes expectoration, and possesses carminative properties. Used in colic, etc.

— 381 —

SNAKEROOT, RATTLE. *Goodyera Pubescens.*

Herb.	A-sco.
Adder's Violet. Networt. Net-leaf Plantain. Spotted Plantain. Rattlesnake Leaf.	
Reputed to have cured scrofula; also used in leucorrhœa. prolapsus-uteri, and as a wash in scrofulous ophthalmia.	

— 382 —

SNAKEROOT, SAMPSON. *Gentiana Ochroleuca.*

Root.	Bit. Ton. Ant. Ast. A-bil. Feb.
Employed to invigorate the stomach and digestive organs, hectic and nervous fevers, gout and rheumatism.	

— 383 —

Per lb.

SNAKEROOT, SENEWA. *Polygala Senega.*

Root Sia. Exp. Diu. Eme. Cat. Emm.
 Mountain Flax. Seneca Root. Seneka Snakeroot. Senega
 Root.

In chronic catarrh, croup, asthma and lung diseases.

— 384 —

SNAKEROOT, VIRGINIA. *Aristolochia Serpentaria.*

Root Sti. Ton. Dia.
 Birthwort. Pelican Flower. Sangrel. Snakeweed. Sangree
 Root. Thick Birthwort.
 To produce perspiration, strengthen the stomach, appe-
 tite, etc.

— 385 —

SNEEZEWORT. *Achillea Ptarmica.*

Root Acr.
 Leaves Ste. Pun.
 German Pellitory. Bastard Pellitory.

— 386 —

SOAP TREE. *Quillaya Saponaria.*

Bark Sap. Feb.
 Quillai Bark. Quillaya.
 Used in preparations for cleansing the hair, and as a snuff
 for cold in the head; also as febrifuge.

— 387 —

SOAPWORT. *Saponaria Officinalis.*

Herb Ton. Dia. Alt.
 Bruisewort. Bouncing Bet. Fullers' Herb. Old Maid's Pink.
 Sheep Weed.
 Valuable in syphilis, scrofula, cutaneous diseases, jaun-
 dice, liver complaint, etc.

— 388 —

SOLOMON SEAL. *Convallaria Multiflora.*

Root Ton. Muc. Ast.
 Dropberry. Giant Solomon Seal. Sealwort. Seal Root.
 Much used in female debility, leucorrhœa, piles and pecto-
 ral affections, erysipelas, and as a wash in poison from
 ivy, etc.

— 389 —

Per lb.

SOLOMON SEAL, SMALL. Convallaria Racemosa.
Root. Ast. Ton. Muc. Exp. F-com.

— 390 —

SORREL, MOUNTAIN. Oxyria Reniformis.
Leaves Diu. Ref.

— 391 —

SORREL, SHEEP. Rumex Acetosella.
Leaves. Diu. Ref.

Cuckoo Bread. Wood Sorrel.

Used in scurvy, scrofula and skin diseases. As poultice to tumors, wens, boils, etc., and an extract said to cure cancers and tumors.

— 392 —

SOUTHERNWOOD. Artemisia Abrotanum.
Herb. Sti. Ner. Ton. Ant.
Boy's Love. Lad's Love. Old Man. Sloven Wood.
Valuable in obstructions, and to remove worms.

— 393 —

SPEARMINT. Mentha Viridis.
Herb. A-spa. Car. Sti. Diu.
Valuable in colic, spasms, dropsy, and to prevent vomiting, gravel, suppression of urine, scalding of urine, and as local application to piles.

— 394 —

SPEEDWELL. Veronica Officinalis.
Herb. Exp. Alt. Ton. Diu.
Virginia Speedwell.*
Recommended in croup, catarrh, renal and skin diseases, jaundice, scrofula, etc.

— 395 —

SPIKENARD. Aralia Racemosa.
Root. Pec. Sto.
American Spikenard. Indian Root. Life-of-man. Spignet.
Petty Morrel.
Used in coughs, colds, pulmonary affections, gout, skin diseases, and to purify the blood.

— 396 —

Per lb.

SPLEENWORT. *Asplenium Adiantum Nigrum.*

Herb. Dem. Pec.

Used in pectoral and lung diseases.

— 397 —

SPUNK. (*Species of Agaric.*) *Boletus Fomentarius.*

Plant. Sty. Ast. Bit.

Oak Agaric.

— 398 —

SPURGE, BLACK. *Euphorbia Maculata.*

Leaves. Ast. Ton. Nar.

Spotted Spurge.

— 399 —

SPURGE, BLOOMING. *Euphorbia Corollata.*

Root. Eme. Dia. Exp.

Emetic Root. Large Flowering Spurge. Milk Pursley.

Milkweed. Milk Ipecac Milk Purslain. Picac. Hippo.

Purging Root. Snake Milk. White Pursley. White Purslain.

Valuable in dropsy.

— 400 —

SPURGE, LARGE SPOTTED. *Euphorbia Hypericifolia.*

Leaves. Ast. Ton. Nar.

— 401 —

SQUAW VINE. *Mitchella Repens.*

Herb. Par Diu. Ast.

Deer Berry. Hive Vine. One Berry. Partridge Berry.

Winter Clover.

Highly beneficial in diseases of the uterus, parturition, dropsy, suppression of urine; a powerful uterine tonic.

— 402 —

SQUILL. *Scilla Maritima.*

Root (bulb) Exp. Diu. Cat. Eme.

Sea Onion.

Sometimes used in dropsy, and as an expectorant in chronic catarrh, pneumonia, asthma, phthisic and other bronchial affections.

— 403 —

Per lb.

STONE ROOT. *Collinsonia Canadensis.*

Root and Plant Sti.
 Horse Balm Horse Weed Hardhack Healall Knob Grass.
 Knob Root. Ox Balm. Richweed.
 Used in chronic catarrh of the bladder. fluor-albus and debility of the stomach, lithic acid, calculous deposits, etc.

— 404 —

STORAX BARK. *Liquidambar Orientale.*

Gum Aro. Fragrant, Bal. Sti Exp.
 Sweet Gum Bark.

— 405 —

STRAWBERRY. *Fragaria Vesca (Virginiana).*

Leaves Ast. Feb. Ref.
 Useful in diarrhoea, dysentery, intestinal debility and night sweats. The fruit in calculous disorders and gout.

— 406 —

SUMACH. *Rhus Glabrum.*

Bark	Ton. Ast. A-sep.
Berries	Ref Diu
Leaves	Ton. Ast. A-sep.

Pennsylvania Sumach. Smooth Sumach. Upland Sumach.
 Valuable in gonorrhœa, leucorrhœa, diarrhoea, hectic fever and scrofula. The berries in diabetes, bowel complaint, febrile diseases, canker, sore mouth, etc.

— 407 —

SUMBUL. *Euryangium Sumbul.*

Root Aro. Bal. Sti. Ton.
 Musk Root.

— 408 —

SUMMER SAVORY. *Satureja Hortensis.*

Herb Sti. Car. Emm.
 Beneficial in colds, menstrual suppression, flatulent colic, and as a gentle, stimulating tonic after fevers. The oil used to relieve toothache.

— 409 —

Per lb.

SUNDEW. *Drosera Rotundifolia.*

Plant. Acr. Det. Rub. Pec. Aph.
Round-leaved Sundew. Youthwort.

— 410 —

SUNFLOWER. *Helianthus Annuus.*

Seed. Exp. Diu.
Comb Flower. Garden Sunflower.

Used in cough and pulmonary affections, dysentery, inflammation of the bladder and kidneys. The leaves are astringent.

— 411 —

SUNFLOWER, SWAMP. *Helenium Autumnale.*

Flowers. Err.
Herb. Ton. Dia. Err. Feb.
Sneezewort. False Sunflower.

— 412 —

SWEET FLAG. *Acorus Calamus.*

Root. Car. Sto. Sti.
Calamus. Grass Myrtle. Myrtle Flag. Sweet Flagroot.
Sweet Myrtle. Sweet Sedge. Sweet Root. Sweet Cane.
Sweet Rush.

Used in flatulent colic, dyspepsia, feeble digestion, and to aid the action of Peruvian Bark in intermittents. Externally to excite the discharges from blistered surfaces, indolent ulcers and issues.

— 413 —

TAMARACK. *Larix Americana.*

Bark. Lax. Ton. Diu Alt.
Gum-resin. C-irr.
American Larch. Black Larch. Hackmatac. Larch.
Recommended in obstructions of the liver, rheumatism, jaundice and cutaneous diseases.

— 414 —

TANSY. *Tanacetum Crispum.*

Herb. Ton Emm. Dia.
Double Tansy. Double-flowered Tansy. Hindheel.
In fevers, agues, hysterics, dropsy, worms, and as fomentation in swellings, tumors, inflammation, etc.

— 415 —

Per lb.

THIMBLEWEED. Rudbeckia Laciiniata.

Herb Diu. Ton. Bal.
 Cone Disk. Cone Flower.
 Valuable in Bright's disease, wasting of the kidneys, and urinary complaints generally.

— 416 —

THISTLE ROOT. Cirsium Arvensis.

Root. Ton. Ast.
 Blessed Thistle. Canada Thistle. Cursed Thistle. Holy Thistle.
 Boiled with milk for dysentery and diarrhoea.

— 417 —

THORN-APPLE. Datura Stramonium.

Leaves (poisonous) A-spa. Nar. Sed.
 Seeds " A-spa. Nar. Anti-Abo.
 Apple Peru. Jamestown Weed. Jimson Weed. Mad Apple. Stinkwort.
 In epilepsy, tic-douloureux and nervous affections, ophthalmic operations, etc. The leaves smoked to relieve spasmodic asthma. The seeds to prevent abortion.

— 418 —

THYME. Thymus Vulgaris.

Herb. Ton. Car. Emm. A-spa.
 Used in dyspepsia, weak stomach, hysteria, dysmenorrhœa, flatulence, colic, headache and to produce perspiration.

— 419 —

TORMENTILLA. Potentilla Tormentilla.

Root. Ast. Ton.
 Septfoil. Shepherd's Knot.
 Used in chronic diarrhoea, dysentery, passive hemorrhages, as an astringent injection, and as a local application to flabby ulcers.

— 420 —

TOUCH WOOD. Polyporus Ignarius.

Plant. Sty. Ast. Bit.
 Agarie. Punk.

— 421 —

Per lb.

TURKEY CORN. *Corydalis Formosa.*

Root. Ton. Diu. Alt.
 Dielytra. Stagger-weed. Turkey Pea.
 One of the best remedies in syphilitic diseases, also in scrofula and cutaneous affections.

— 422 —

TURMERIC ROOT. *Curcuma Longa.*

Root. Aro. Sti.
 Curcuma.
 Used to color tinctures and ointments; also as a test for alkalies which turn it red or brown.

— 423 —

TWIN-LEAF. *Jeffersonia Diphylla.*

Root. Sti. Dia. Diu. Alt. A-spa.
 Ground Squirrel Pea. Helmet Pod. Rheumatism Root.
 Successfully used in chronic rheumatism, secondary syphilis, mercurial syphilis, dropsy and nervous affections, spasms, cramps, etc.; as gargle in diseases of the throat, scarlatina and indolent ulcers.

— 424 —

UNICORN. *Helonias Dioica.*

Root. Alt. Emm. F-com. Ton. Diu. Ver.
 Drooping Starwort. False Unicorn. Red Seed. Unicorns' Horn.
 Invaluable as a uterine tonic, imparting tone and vigor to the reproductive organs; used in leucorrhœa, amenorrhœa, dysmenorrhœa, and to remove the tendency to miscarriage.

— 425 —

UVA URSI. *Arctostaphylos Uva Ursi.*

Leaves. Ton. Diu. Ast.
 Berries. Ton. Ast.
 Bearberry. Bears' Grape. Kinnikinnick. Mountain Box.
 Mountain Cranberry. Meal Berry. Sagackhom. Upland Cranberry. Universe Vine.
 Used in chronic affections of the kidneys and urinary passages, strangury, diabetes, fluor-albus, and excessive mucous discharges with the urine, lithic acid, etc.

— 426 —

Per lb.

VALERIAN, ENGLISH. *Valeriana Officinalis.*

Root Ton. Ner.
 All Heal. American English Valerian. Officinal Valerian.
 Setwall. Vandal Root.
 Used in chorea, nervous debility, hysteria, and low forms of fever where a nervous stimulant is required.

— 427 —

VERVAIN. *Verbena Hastata.*

Herb and Root Ton. Eme. Exp. Sud.
 American Vervain. Blue Vervain. False Vervain. Purvain. Simpler's Joy. Traveller's Joy. Wild Hyssop.
 Used in intermittents, colds, obstructed menses, scrofula, gravel, worms, etc.

— 428 —

VIOLET, BLUE. *Viola Pedata.*

Herb Muc. Emo. Lax. A-syp.
 Birdsfoot Violet.
 Used in colds, cough, sore throat, etc.

— 429 —

VIOLET, CANKER. *Viola Rostrata.*

Herb Muc. Emm. Lax.
 Plant Pec. Eme.
 Beaked Violet.
 Said to be useful in pectoral and cutaneous diseases, also in syphilis.

— 430 —

VIRGIN'S-BOWER. *Clematis Virginica.*

Leaves Sti. Ner.
 Used in severe headache, cancerous ulcers and as ointment in itch.

— 431 —

WAHOO. *Euonymus Atropurpureus.*

Bark Ton. Lax. Alt. Diu. Exp.
 Seed Cat.
 Arrow Wood. Burning Bush. Bitter Ash.
 Useful in intermittents, dyspepsia, torpid liver, constipation, dropsy and pulmonary affections.

— 432 —

Per lb.

WATER CUP. *Sarracenia Purpurea and Flava.*

Herb. Ton. Sti. Diu. Lax.

Eve's Cup. Flytrap. Forefathers' Cup. Huntsman's Cup.

Pitcher Plant. Side-saddle Plant Side-saddle Flower.

Smallpox Plant.

Used in chlorosis, all uterine derangements, dyspepsia and gastric difficulties; said to be useful in smallpox.

— 433 —

WATERMELON. *Cucurbita Citrullus.*

Seed. Muc. Diu.

Cold Seeds.

Valuable in strangury and other urinary affections, drop-sy, etc.

— 434 —

WHITE WOOD. *Liriodendron Tulipifera.*

Bark. A-per. Ton. Sti.

Canoe Wood. Lyre Tree Tulip Tree. Tulip Poplar. White Poplar. Wild Poplar. Yellow Poplar.

Useful in intermittent fever, low condition of the system, dyspepsia, diarrhoea, hysteria, etc.

— 435 —

WHORTLEBERRY. *Vaccinium Corymbosum.*

Fruit Diu. Ast.

Bilberry. Black Whortleberry. Huckleberry.

A valuable diuretic. The bark for gargle in sore mouth.

— 436 —

WICKUP. *Epilobium Spicatum.*

Herb and Root Ast

Indian Wicopy. Marestail. Willow Herb. Wicopy Herb.

Used in dysentery, diarrhoea, and where an astringent is required.

— 437 —

WILLOW, PUSSY. *Salix Nigra.*

Bark. Ton. Ast. Ant.

Catkins Ton. Aph.

Used in indigestion, in weak and relaxed condition of the bowels, diarrhoea, worms, gangrene, indolent ulcers, etc.

The catkins an aphrodisiac.

— 438 —

Per lb.

WILLOW, SAGE. *Lythrum Salicaria.*

Bark. Ast.
 Herb. Muc. Ast. Dem A-syp.
 Loose Strife. Purple Willow Herb. Rainbow Weed.
 Used for canker in the mouth, stomach and bowels.

— 439 —

WILLOW, WHITE. *Salix Alba.*

Bark. Ton. A-per. Ast.
 Used in intermittent fever, debility of the digestive organs, hemorrhages, chronic mucous discharges, diarrhoea and dysentery.

— 440 —

WINTERGREEN, SPOTTED. *Chimaphila Maculata.*

Plant. Diu. Ton. Alt. Ast. Exa. A-syp.
 Spotted Pipsissewa.

— 441 —

WINTER'S BARK. *Wintera Aromatica.*

Bark. Sti. Aro. Ton. A-sco.
 Used in scurvy, weakened digestion, low fevers, fever and ague, etc.

— 442 —

WITCH HAZEL. *Hamamelis Virginica.*

Bark. Ton. Ast. Sed.
 Leaves. " " "
 Pistachio. Snapping Hazel. Spotted Alder. Striped Alder.
 Wood Tobacco. Winter Bloom.
 Valuable in diarrhoea, dysentery, excessive mucous discharges, etc., as a wash in painful swellings, gargle for canker, injection for fluor-albus.

— 443 —

WORMWOOD. *Artemisia Absinthium.*

Herb. Ant. Ton. Nar.
Absinthium.
 Used in intermittent fever, jaundice and worms; also to promote the appetite. Externally in bruises and inflammations.

— 444 —

Per lb.

WORMWOOD, ROMAN.	<i>Ambrosia Artemisiaefolia.</i>
Herb.	Emo. A-sep.
Hogweed. Ragweed. Stammerwort.	
Used as fomentation in wounds and bruises, and as ointment in piles, ulcers, to reduce painful swellings, etc.	

— 445 —

YAM, WILD.	<i>Dioscorea Villosa.</i>
Root.	A-spa.
Colic Root China Root. Devil's Bones.	
Successfully used in bilious colic, spasms, cramps, flatulence, after-pains, affections of the liver, etc.	

— 446 —

YARROW.	<i>Achillea Millefolium.</i>
Herb.	Ast. Alt. Diu.
Milfoil. Nosebleed.	
Used in hemorrhages, incontinence of urine, diabetes, piles, dysentery, flatulence, and as injection in leucorrhœa.	

— 447 —

YELLOW ROOT.	<i>Xanthorhiza Apiifolia.</i>
Root.	Ton.
shrub Yellow Root.	
A pure bitter tonic, and may be used for all purposes where simple bitter tonics are applicable.	

— 448 —

YERBA SANTA.	<i>Eriodictyon Glutinosum & Californicum.</i>
Bear's Weed.	Pec. Ton. Muc.
Consumptives' Weed. Holy Herb. Mountain Balm.	
Useful in chronic laryngitis and bronchitis, in nasal catarrh and rheumatism.	

INDEX.

* * * The numbers refer to the paragraph not the page.

Aaron's Beard.....	1	Alder, Red.....	13
Abele Tree.....	331	" Smooth.....	13
Abscess Root.....	2	" Spotted.....	442
Absinthium.....	443	" Striped.....	12, 442
Ackroot.....	373	" Swamp.....	13
Aconite.....	3	" Tag.....	13, 14
Acrid Lettuce.....	255	" White.....	15
Adam and Eve.....	4	Ale Cost.....	138
Adam's Apple.....	5	" Hoof.....	239
Adder's Mouth.....	111	Alkanet.....	16
" Leaf.....	6	" Dyers'.....	16
" Tongue.....	6	All Heal.....	426
Agaric.....	420	Allspice.....	322
" Larch	7	Almond, Cutting.....	297
" Oak.....	397	Aloe, American.....	8
" of the Oak....	7	" False.....	9
" Purging	7	" Root.....	60
" White	7	Alum Root.....	142, 357
Agave, American.....	8	Amaranth.....	321
" Virginian.....	9	Amazon Root.....	189
Agrimony.....	10	Ambrosia, Tall.....	222
" Hemp	11	Anemone, Meadow....	336
Ague Bark.....	335	Angelica.....	17
" Grass.....	60	" American.....	17
" Root.....	60	" High.....	17
" Tree	361	" Purple.....	17
" Weed	64	" Tree.....	161
Alder, American.....	14	Angostura.....	18
" Black.....	12	" False.....	301
" Brook.....	12	Angustura.....	18
" Common.....	14	Anise, Common.....	19
" False.....	12	" Root.....	115

Anise Seed.....	19	Balm, Bastard.....	33
Antimony, Vegetable..	64	" Bee.....	34, 36
Apple, Indian.....	273	" Blue.....	36
" May	273	" Field.....	98
" Peru.....	417	" Indian.....	50
" Tree Bark.....	20	" Lemon.....	36
Arabian Balsam of Gilead	35	" Mountain.....	34, 448
Arbor Vitæ.....	21	" of Gilead.....	35
Arbutus, Trailing.....	200	" of Gilead Herb.	38
Archangel.....	17	" Red.....	34
" Green.....	75	" Stinking.....	314
" Purple.....	76	" Sweet.....	38
Areca Nut.....	22	Balmony.....	37
" Palm.....	22	" East India....	114
Arnica.....	23	Balsam of Canada....	178
Arrow Wood.....	24, 431	" Fir.....	178
" " Indian...	67	" of Fir.....	178
Arsmart.....	318	" Seaside.....	96
Asarabacca, Broad-leaved.....	380	" Sweet.....	258
Ash Berries, Prickly ..	27	" Weed.....	101, 258
" Bitter.....	338, 431	" White.....	258
" Black.....	25	Baneberry	128
" Mountain.....	26	" Red	127
" Poison	186	" White.....	128
" Prickly.....	27	Barberry.....	39
" Southern Prickly.	28, 161	Bardana	77
" Sea.....	28	Bardane	77
" Stinking.....	335	Basil, Common	40
" White	29	" Sweet.....	40
Asparagus.....	30	" Wild.....	154
Aspen.....	331	Basswood.....	41, 262
Aster.....	124	Bast Tree.....	41
" Red-stalked.....	124	Bayberry.....	42
Asthma Weed.....	265	Bay Bush Buds.....	171
Astringent Root.....	142	Bay, Sweet.....	43
Avens Root.....	31	Bead Tree.....	44
" Purple.....	31	Bean Trefoil.....	72
" Water.....	31	Beaked Violet.....	429
" White.....	31	Bearbane.....	3
Bachelor's Buttons....	80, 301	Bearberry.....	425
Backache Brake.....	32	Bear's Bed.....	204
" Root.....	379	" Foot.....	45, 210
Badgersbane	3	" Grape.....	425
		Bear's-paw Root.....	170
		Bear's Weed.....	448

Beastsbane.....	3	Bitter Stem.....	114
Beaumont Root.....	59	“ Stick	114
Beaver Poison.....	116	Bittersweet, Climbing.	56
“ Root.....	261	“ False....	56
“ Tree.....	269	“ Twigs....	57
Beccabunga.....	68	Bitter Trefoil.....	72
Bedeguar	157	“ Wintergreen....	325
Bedstraw.....	118	“ Wood.....	338
Beech Drops.....	85	Bitterworm.....	72
“ Tree.....	46	Bitterwort.....	192
Bee's Nest Plant.....	95	Blackberry.....	58
Beggars' Tick.....	145	Black Root.....	59
Beggars' Tick, Swamp.	47	“ Thorn.....	296
Belladonna.....	48	Bladder Podded Lo-	
Bellwort.....	49	belia.....	265
“ Large-flowered.	49	Bladder Wrack.....	370
Bellyache Root.....	17	Blazing Star.....	60
Benjamin Bush.....	173	Bleeding Heart.....	287
Bennet.....	31	Blessed Thistle.....	94, 416
Betel-nut Tree.....	22	Blister Weed.....	80
Beth Root.....	50	Blood Root.....	61
Betony	51	“ Staunch.....	183
“ Water.....	53	Bloodwort.....	62
“ Wood	51	“ Striped.....	62
Bilberry	435	Blue Bells.....	2, 193
Bindweed.....	274	“ Berry.....	126
Birch, Black.....	52	Blueberry Cornel.....	307
“ Cherry.....	52	Blue Gum Tree.....	176
“ Mahogany.....	52	“ Mallows.....	271
“ Sweet.....	52	Bog Bean.....	72
Bird's Nest Root.....	95, 180	Boneset.....	64
Bird Weed.....	247	“ Purple.....	339
Birth Root.....	50	Bookoo.....	71
Birthwort	384	Borage.....	65
“ Thick.....	384	Bouncing Bet.....	387
Bistort.....	54	Bowman's Root.....	59
Bishop's Leaves.....	53	Box.....	66
Biting Knot Weed.....	318	“ Berry.....	107
Biting Stone Crop	225	“ False.....	67
Bitter Apple.....	130	“ Garden Edging...	66
“ Bark	184	Boxwood.....	67
“ Bloom.....	103	Boy's Love.....	392
“ Clover.....	103	Brake, Buckhorn.....	73
“ Gourd	130	“ Fern.....	73, 329
“ Herb.....	37	“ Flowering.....	73
“ Root.....	55	“ Rock.....	329, 347

Brake Root.....	329	Butternut	81
" Sweet.....	170	Butter Weed.....	183
Brandybottles.....	261	Cabbage, Skunk.....	82
Brinton Root.....	59	Cactus.....	83
British Tobacco.....	133	" Night-blooming.	83
Broad-leaved Kalmia..	251	Calamba Root.....	132
Brook Bean.....	72	Calamint.....	84
Brooklime.....	68	Calamus.....	412
Broom.....	69	Calico Bush.....	251
" Flowers.....	69	Canada Nettle.....	298
" Indigo.....	235	" Root.....	327
" Irish.....	69	" Tea.....	107
Broomrape.....	85	Canadian Bur.....	223
Broom, Yellow.....	235	Cancer Drops.....	85
Bruisewort.....	387	" Root.....	85
Bryony, White.....	70	" Weed.....	86
" Wild.....	70	Candle Berry.....	42
Buchu.....	71	Cane, Sweet.....	412
Buckbean.....	72	Canella.....	87
Buckthorn.....	74	Canker Lettuce.....	88
" Purging....	74	" Root.....	89, 198, 278
Bucku.....	71	" Violet.....	429
Bugbane.....	125, 212	" Weed.....	89
Bugle, Bitter.....	75	Canoe Wood.....	434
" Sweet.....	76	Caraway.....	90
" Water.....	76	Cardamom.....	91
" Weed.....	76	Cardinal, Blue.....	92
Buglewort.....	76	" Flower.....	93
Bugloss.....	65	" Red	93
Bugwort.....	125	Cardus, Spotted.....	94
Buku.....	71	Carolina Jessamine...	243
Bullock's Eye.....	224	Carpenter's Herb.....	76
Bullsfoot.....	133	" Square....	367
Burdock.....	77	Carragheen.....	236
" Sea.....	119	Carrión Flower.....	239
Bur Marigold.....	145	Carrot, Wild.....	95
Burning Bush.....	78, 431	Cascarilla.....	96
Burrage.....	65	Cassia.....	97
Bur-reed, Spiny.....	79	Castor Oil Plant.....	308
Burr Seed.....	77	Catarrh Root.....	189
" Thistle.....	119	Catch Fly.....	55
" Weed.....	119	" Weed.....	118
Burrwort.....	80	Catmint.....	98
Butter Bur.....	133	Catnip.....	98
Buttercup.....	80	Catsfoot.....	239, 380
Butterfly Weed.....	327		

Cat's-paw.....	239	Cicuta.....	116
Catswort.....	98	Cinnamon, White.....	87
Cedar Apples.....	99	“ Wild.....	87
“ Red.....	99	“ Wood.....	361
“ White	21	Cinquefoil.....	181
Celandine, Garden.....	100	Citronelle.....	36
“ Wild.....	101	Clabbergrass.....	118
Celery.....	102	Clammy Sage.....	117
Centaury, American....	103	Clapwort.....	85
“ Ground.....	104	Clary.....	117
“ Red.....	103	Clary, Wild.....	117
Century Plant, Am.....	8	Clear Eye.....	117
Cereus, Night-blooming	83	Cleaver Grass.....	120
Chafe Weed.....	258	Cleavers.....	118
Chamomile.....	105	Cleaverwort.....	118
“ Garden.....	105	Clivers	118
“ German.....	106	Clotbur.....	77, 119
“ Low.....	105	Cloud Berry Root.....	58
“ Roman.....	105	Clove Garlic.....	191
“ Spanish....	313	“ Pepper.....	322
“ Wild.....	281	Clover, Broom.....	235
Chamomilla.....	106	“ Red.....	120
Checkerberry.....	107	“ Sweet.....	248
Cheese Rennet Herb...	118	“ White.....	121
Cheeses.....	271	Cloves	122
Cherry, Black.....	108	Coakum	190
“ Poison, Black.	48	Coca Leaves.....	123
“ Wild.....	108	Cocash Root.....	124
Chervil, Sweet.....	115	“ Weed.....	259
Chestnut.....	109	Cockleburr.....	10
“ Horse.....	110	Cockscomb, Red.....	321
Chickweed.....	111	Cockspur Rye.....	165
“ Red.....	376	Cock-up-hat	340
Chicory.....	112	Cocowort	375
Chiendent.....	247	Cohosh, Black.....	125
Children's Bane.....	116	“ Blue.....	126
Chillies.....	316	“ Red.....	127
Chilly Pepper.....	316	“ White	128
China Root.....	445	Colchicum	129
“ Root, American.	113	Cold Seeds.....	337, 433
Chink.....	107	Cold Water Root.....	124
Chirayta.....	114	Colic Root.....	60, 445
Chiretta.....	114	Coliander Seeds.....	137
Chocolate, Indian.....	31	Collard	82
“ Root.....	31	Colocynth.....	130
Cicily, Sweet.....	115	Colomba Root.....	132

Colombo.....	132	Cubebs.....	144
" American....	131	Cuckold.....	145
Columbo.....	132	Cuckoo Bread.....	374, 391
Columbo Root.....	132	" Pint.....	234
Coltsfoot.....	133	Cucumber, Bitter.....	130
Colt's-tail.....	183	Cud Weed.....	258, 289
Columbrina.....	301	Culver's Physic.....	59
Comb Flower.....	410	" Root.....	59
Comfrey.....	134	Cummin Seed.....	146
Compass Plant Weed..	350	" " Black...	146
Condor Vine.....	147	" " Sweet ..	146
Cone Disk.....	415	Cundurango.....	147
Cone Flower.....	415	Cup Plant, Indian.....	229
Consumption Brake...	135	Curcuma.....	422
Consumption Weed...	88	" Ohio.....	197
Consumptives' Weed..	448	Cureall.....	31, 36
Convulsion Weed.....	180	Cusso.....	148
Coolwort.....	136		
Coral Root.....	143	Daisy, Ox-eye.....	149
Coriander	137	" White.....	149
Cornel, Florida.....	67	Damiana Flowers.....	150
Cornel, Round-leaved.	306	Damson, Mountain.....	338
Corpse Plant.....	180	Dandelion.....	151
Cossoo.....	148	Dead Men's Bells.....	185
Costmary.....	138	Dead Nettle.....	17
Cotton Plant Root.....	139	Death of Man.....	116
Couch Grass.....	247	Deer Berry.....	107, 401
Cough Root.....	50	" Tongue.....	152
" Weed.....	259	Devil's Bit.....	379
Countryman's Treacle.	351	" Bones.....	445
Cowbane, Spotted.....	116	Dielytra	421
Cow Cabbage.....	260	Dillisk.....	158
Cowhage.....	140	Dill Seed.....	153
" Plant Seed, The	140	Dillydil Weed.....	281
Cow Lily.....	261	Dittany.....	154
Cramp Bark.....	141	" American.....	154
Cranberry, High.....	141	" Mountain....	154
" Mountain..	425	Dock, Curled	156
Cranesbill.....	142	" Narrow	156
Crawley Root.....	143	" Water.....	155
Creeper, Virginia.....	238	" Great Water...	155
Crosswort.....	64	" Yellow.....	156
Crow Corn Root.....	60	Dogachamus	306
Crowfoot.....	142	Dog Button.....	301
" Acrid.....	80	" Fennel.....	281
Crystalwort.....	264	" Grass.....	247

Dog Tree.....	67	Englishman's Foot.....	326
" Weed.....	247	Ergot.....	165, 353
Dogsbane.....	55	Eryngo, Water.....	166
Dog's Finger.....	185	Euphorbia.....	167
Dogwood, Alder-leaved	306	Evans Root	31
" Broad-leaved	306	Eve's Cup.....	432
" Florida.....	67	Eye Balm.....	197
" Swamp.....	307	" Root.....	197
" Virginia.....	67	Eyebright.....	103, 265
Donkeys' Eyes.....	140	Fairy Fingers.....	185
Door Weed.....	208, 318	" Gloves.....	185
Dragon Root.....	234	False Coltsfoot.....	380
Dragon's Claw.....	143	" Grapes.....	238
Dragonwort.....	54	Featherfew.....	174
Dropberry.....	388	Febrifuge Plant.....	174
Dropsy Plant.....	36	Felonwort.....	57
Duckretter.....	212	Felwort.....	192
Duck's Foot.....	273	Female Fern.....	32, 329
Dulse.....	158	" Regulator.....	259
Dwale.....	48	Fennel Seed.....	168
Dwarf Ground Nut.....	195	Fenugreek.....	169
" Mallow.....	271	Fern Bush.....	172
Dysentery Weed	289	Fern Gale.....	171
" Male.....		" Shield.....	170
Eagle Vine.....	147	" Meadow	171
Earth Gall.....	212	" Rattlesnake.....	135
Earth Smoke.....	188	" Rock.....	270
Easter Giant	54	" Root.....	329
East India Catarrh Root	189	" Royal Flowering.	73
Elder.....	159	" Spleen.....	172
" Common.....	159	" Spleenwort.....	172
" Dwarf.....	160	" Sweet.....	172
" Prickly.....	161	Ferry, Sweet.....	172
" South'n Prickly	161	Feverfew.....	174
" Sweet.....	159	Fever Bush.....	173
" Wild.....	160	" Root.....	143, 175
Elecampane.....	162	" Tree.....	176, 184
Eleuthera Bark.....	96	" Tree of Australia	176
Elk Wood.....	163	" Twig.....	56
Elm, Indian.....	164	" Twitch.....	56
" Red.....	164	" Wood.....	173
" Slippery.....	164	Feverwort.....	64
" Sweet.....	164	Fieldwort	281
Emetic Herb.....	265	Field Balsam.....	258
" Root.....	399		
" Weed.....	265		

Field Weed.....	281	Fullers' Herb.....	387
Figwort.....	177, 367	Fumitory	188
" Herb.....	367	Fustic, Young.....	1
" Knotty-rooted..	177	Gag Root.....	265
" Water.....	53	Galangal.....	189
Finger Flower.....	185	Galangale.....	189
" Leaf	181	Gale, Sweet.....	171
Fir Tree	178	Galls.....	299
Fire Weed.....	179	Garantogen	195
Firrape.....	85	Garget.....	190
Fish-mouth.....	37	Garlic.....	191
Fit Plant.....	180	Gayfeather.....	379
" Root.....	180	Gem Fruit.....	136
Fivefinger.....	181	Gentian.....	192
Fivefingers Root.....	195	" American....	193
Five Leaves.....	238	" Blue.....	193
Flag Lily	63	" Yellow.....	131
" Sweet.....	412	Georgia Bark.....	184
Flagroot, Blue.....	63	Geranium, Spotted....	142
" Sweet.....	412	Germanander.....	356
Flannel Flower.....	292	Gill-over-the-ground...	239
Flax, Mountain.....	383	Gillrun.....	239
Flaxseed	182	Ginger, African.....	194
Fleabane.....	183	" Indian.....	380
" Canada.....	183	" Jamaica.....	194
" Philadelphia..	365	" Wild.....	380
Flesh-colored Asclepias	232	Ginseng.....	195
Florida Bark.....	184	" Blue.....	126
" Bean.....	140	" Yellow.....	126
Flower de luce.....	63	Gipsywort.....	76
Flux Root.....	327	Goatsbane	3
Flytrap.....	55, 432	Golden-bough.....	286
Foles Foot.....	133	Golden Motherwort ...	258
Folks' Glove.....	185	" Rod.....	196
Forefathers' Cup.....	432	Golden Rod, Sweet-	
Foxglove.....	185	scented.....	196
" Purple.....	185	Goldenseal	197
Friar's Cap.....	3	Golden Senecio.....	259
" Cowl.....	3	Goldthread.....	198
Fringe Tree.....	186	Goosefoot.....	303
" " False....	1	Goose-grass.....	118
Frog Lily.....	261	Goose's Hare.....	118
Frost Plant.....	187	Grains Paradise.....	199
" Weed.....	187	Gravel Plant.....	200
Frostwort.....	187		
Fucus.....	370		

Gravel Root.....	339	Hemlock, American....	116
" Weed.....	200	" " Water.	116
Grindelia.....	201	" Poison.....	116
Ground Apple.....	105	" Spotted....	116, 117
" Berry.....	107	" Water.....	116
" Holly.....	325	" Wild.....	116, 117
" Laurel.....	200	Hemp, Black Indian...	231
" Lily.....	50	" White "....	232
" Lemon.....	273	Henbane.....	214
" Moss.....	204	Herb Christopher.....	73
Guaiac Wood.....	202	Hickory Tree.....	373
Guarana.....	203	Highbelia.....	92
Guinea Grains.....	199	Hig Taper.....	292
Gum Plant.....	134	Hillberry.....	107
Gunbright.....	352	Hindheel.....	414
		Hini.....	59
Hackmatac.....	413	Hippo.....	399
Hair-cap Moss.....	204	" Indian.....	233
Hardhack.....	205, 403	Hip Tree.....	157
Harddock.....	77	Hive Vine.....	401
Hareburr	77	Hog Apple.....	273
Hares Beard.....	292	" Bean.....	214
Hartshorn Bush.....	73	Hogweed.....	444
Harvest Lice.....	145	Holly, American.....	215
Haw, Black.....	206	Hollyhock.....	217
Hawkweed.....	62	Holmes' Weed.....	367
Haymaids.....	239	Holy Herb.....	448
Healall.....	207, 367, 403	Honey Bloom.....	55
Healing Herb.....	134	Honeysuckle, Bush....	218
Heartsease.....	208	Hoodwort.....	368
Hedgemaids.....	239	Hops.....	219
Hellebore, American..	212	" Wild.....	70
" Black.....	209	Hop Tree.....	335
" False.....	212	Horehound.....	220
" Fetid.....	82, 210	" Water.....	76
" Green.....	212	" White.....	220
" Stinking....	210	Horse Balm.....	403
" " Black.	210	" Flea Weed....	235
" Swamp....	212	" Fly Weed....	235
" White.....	211	" Gentian.....	175
" " Am...	212	Horse-heal.....	162
" " Euro-		Horse Hoof.....	133
pean.....	211	" Mint.....	284
Helmet Flower.....	368	" " Sweet....	154
" Pod.....	423	" Pipe.....	352
Hemlock.....	213	" Radish.....	221

Horse-tail Rush.....	352	Jack-in-the-pulpit.....	234
Horse Weed. 183, 205, 222, 403		Jacob's Ladder.....	2, 241
Hound's Tongue.....	223	Jalap.....	242
House Leek.....	224	" Cancer.....	190
" " Small.....	225	" Wild.....	274
Hove.....	239	Jamestown Weed.....	417
Huckleberry.....	435	Jaundice Berry.....	39
Huntsman's Cup.....	432	" Root.....	197
Hurr-burr.....	77	Jerusalem Tea.....	303
Hydrangea.....	226	Jessamine, Yellow.....	243
" Wild.....	226	Jesuits' Bark.....	320
Hyeble.....	160	Jewel Weed.....	101
Hyssop.....	227	Jews'harp Plant.....	50
" Wild.....	427	Jimson Weed.....	417
Iceland Moss.....	228	Job's Tears.....	244
Ice Plant.....	180	Joepye.....	339
" Vine.....	309	Johnswort.....	245
Indian Dream.....	347	Juniper Berries.....	246
" Hemp, Am.....	230	" Bush.....	246
" Lettuce.....	131	Kassamah Root.....	189
" Paint.....	61	Kidney Root.....	339
" Pipe.....	180	King's Clover.....	248
" Plant.....	197	" Cure.....	325
" Posey.....	258	" Fern.....	73
" Root.....	395	Kinnikinnick.....	306, 425
" Shoe.....	287	Kino Root, American..	142
Indigo Weed.....	235	Knight's Spur.....	250
" Wild.....	235	Knitback.....	134
" Wild, False....	235	Knob Grass.....	403
" Yellow.....	235	" Root.....	403
Ink Root.....	278	Knot Grass.....	247
Ipecac, American.....	167	" Weed, Spotted...	208
" Milk.....	399	Knotty Brake.....	170
" White.....	167	Koosso.....	148
" Wild.....	167, 175	Kousso.....	148
Irish Moss.....	236	Kussander.....	274
Iron Wood.....	237	Labrador Tea.....	249
Itch Weed.....	212	Ladies' Glove.....	185
Ivory Plum.....	107	" Slipper.....	287
Ivy.....	252	" Thumb.....	208
" Bark, American....	238	Lad's Love.....	392
" Big-leaved.....	251	Lake Weed.....	318
" Ground.....	239	Lambkill.....	252
" Poison.....	328	Lambs' Quarter.....	50
Jaborandi.....	240		

Larch.....	413	Liver Leaf, Kidney.....	264
" American.....	413	" Lily.....	63
" Black.....	413	" Moss.....	264
Lark Heel.....	250	" Weed.....	264
Larks' Claw.....	250	Liverwort.....	264
Larkspur.....	250	" Noble.....	264
Laurel.....	43	Lobelia.....	265
" American.....	251	" Blue.....	92
" Broad-leaved...	251	" Red.....	93
" Mountain.....	251	Locust Bloom.....	262
" Narrow-leaved..	252	" Plant.....	371
" Poison.....	252	Lofty Quassia.....	338
" Sheep.....	252	Loose Strife.....	438
Lavender.....	253	Lords and Ladies.....	234
" Garden.....	253	Lovage.....	266
" Thrift.....	278	Love lies bleeding.....	321
Lavose.....	266	Lungwort.....	267
Leaf Cup, Yellow.....	45	" Bullock's....	292
Leather Bush.....	254	" Maple.....	268
Leatherwood	254	Lupuline.....	219
Leaver Wood.....	254	Lyre Tree.....	434
Leopardsbane.....	23		
Leptandra, Purple.....	59	Mace	300
Lettuce, Garden.....	256	Mad Apple.....	417
" Liverwort.....	88	Mad-dog-weed.....	368
" Wild.....	88, 257	Madweed.....	368
Licorice.....	263	Magnolia.....	269
Life Everlasting.....	258	Maidenhair.....	270
Life-of-man.....	395	Mallow, Low.....	271
Life Root.....	259	" Marsh.....	272
Lignum Vitæ.....	202	Mandrake.....	273
Lily, Pond.....	260	" American...	273
" White.....	260	Man-in-the-ground....	274
" White Pond....	260	Man-of-the-earth.....	274
" Yellow "	261	Man Root.....	274
Lime Tree.....	41, 262	Maple, Ground.....	357
" " Fruit.....	5	" Red	275
Linden.....	41	" Swamp.....	275
" Flowers.....	262	Marcory.....	340
Linseed.....	182	Marestail.....	436
Lion's Ear.....	288	Marjoram, Sweet.....	277
" Foot.....	89	Marsh, Clover.....	72
" Tail.....	288	" Rosemary	278
" Tooth.....	151	" Turnip.....	234
Liquorice	263	Marigold	276
Liver Leaf.....	264	Mary Bud.....	276

Masterwort.....	17, 279	Mugwort.....	290
Matico Plant.....	280	Mulberry.....	291
Maudlin, Water.....	11	Mullein.....	292
Maudlinwort.....	149	Musk Root.....	407
May Flower.....	200	Musquash Root.....	116
" Queen Moss.....	204	Mustard, Black.....	293
" Weed.....	281	" White.....	294
Maywort.....	281	Myrrh.....	295
Meadow Bloom.....	80	Myrtle.....	42
" Cabbage.....	82	" Bog.....	72
" Pride.....	131	" Dutch.....	171
" Root.....	278	" Flag.....	412
" Scabish.....	124	" Grass.....	412
" Sweet.....	205, 233	" Sweet.....	412
Meal Berry.....	425	" Wax.....	42
Mealy Tree.....	24		
Mechameek.....	274	Naked Ladies.....	129
Mechoacan.....	274	Nanny Berry.....	296
Melilot.....	248	" Bush.....	296
Mezereon.....	282	Necklace Weed.....	128
" American....	254	Neckweed.....	68, 230
Milfoil	446	Nephritic Plant.....	297
Milk Sweet.....	118	Nerve Root	287
Milkweed.....	283, 399	Nest Root.....	180
" Common.....	283	Nettle.....	298
" Wandering...	55	Networt.....	381
Mistletoe.....	286	New Jersey Tea.....	343
Mitrewort.....	136	Nightshade, Deadly...	48
Moccasin Root.....	287	" Fetid....	214
Mohawk Weed.....	49	" Garden...	57
Monkey Flower.....	287	" Stinking..	214
Monkshood.....	3	" Woody...	57
Moon Flower.....	72	Ninsin.....	195
Moonseed.....	310	Noah's Ark	287
Moosewood.....	254	Noble Pine.....	325
Mortification Root....	272	Nosebleed.....	446
Motherwort.....	288	Nutgalls.....	299
Mountain Box.....	425	Nutmegs.....	300
" Mint.....	34, 285	Nux Metella.....	301
" Sweet.....	343	" Vomica	301
Mourning Bride.....	365		
" Widow.....	365	Oak Bark, Black	302
Mousebane.....	3	" " Red.....	302
Mouse Ear.....	289	" " White.....	302
Mouth Root.....	198	Oak, Dyers'.....	299
" Smart.....	68	" of Jerusalem....	303

Oak, Poison.....	328	Pellitory Root.....	313
Oil Nut.....	81	Pennyroyal.....	314
Old Maid's Pink.....	387	Peony.....	315
Old Man.....	392	Pepper, Bird.....	316
Olive, Spurge.....	282	" Black.....	317
One Berry.....	401	" Bush, Sweet..	15
Onion, Bog.....	234	" Cayenne.....	316
" Sea.....	402	" Elder.....	280
Orange Flowers.....	304	" Jamaica.....	322
" Peel.....	304	" Java.....	144
" Root.....	197	" Maleguetta...	199
" " Climbing	56	" Red.....	316
Oreanette.....	16	" Water.....	318
Orris Root.....	305	Pepperidge Bush.....	39
Osier, Green.....	306	Peppermint.....	319
" Red	307	Peruvian Bark.....	320
Oswego Tea.....	34	Petty Morrel.....	395
Ova-ova.....	180	Pewterwort.....	352
Oxadoddy.....	59	Physic, Indian.....	233
Ox Balm.....	403	" Root.....	59
Ozier, Green.....	306	Picac.....	399
" Red.....	307	Pickaway Anise.....	335
Palma Christa.....	308	Pickerel Weed.....	377
Pappoose Root.....	126	Pickpocket.....	375
Paradise Seed.....	199	Pickpurse.....	375
Pareira Brava.....	309	Pigeon Berry.....	190
Parilla, Yellow.....	310	" Tree.....	161
Pariswort.....	50	Pilewort.....	321
Parsley.*.....	311	Pilot Weed.....	350
" Poison	116	Pimento	322
" Sea.....	266	Pimpernel, Blue.....	368
" Water.....	116	" Scarlet ...	376
Parsnip, Cow.....	279	" Small....	364
Partridge Berry.....	107, 401	" Water....	68
Pasque Flower.....	336	Pine, White.....	323
Patience Dock.....	54	" Tulip.....	287, 325
Paul's Betony.....	76	Pink, Carolina.....	324
Peach	312	" Indian.....	324
Peachwort.....	208	" Mountain.....	200
Pearl Moss.....	236	" Root.....	324
Pelican Flower.....	384	" Winter.....	200
Pellitory Bark.....	27	Pipsissewa.....	325
" Bastard.....	385	" Spotted....	440
" German	385	Pistachio.....	442
" of Spain....	313	Pitcher Plant.....	432
		Plantain.....	326

Plantain, Net-leaf.....	381	Pride Weed	183
" Spotted.....	381	Priest's Crown.....	151
Pleurisy Root.....	327	" Pintle.....	234
Pock Wood.....	202	Prim	334
Poison Berry.....	127	Primrose, Evening.....	366
" Flag.....	63	" Tree.....	366
" Nut.....	301	Primwort	334
" Tobacco.....	214	Princes' Feather.....	321
" Vine.....	328	" Pine.....	325
Poke	190	Privet.....	334
" Indian.....	212	Privy.....	334
" Stinking.....	82	Ptelea.....	335
" Virginia	190	Puccoon, Red.....	61
" Weed	190	" Yellow.....	197
Polar Plant.....	350	Puff-ball.....	151
Polecat Weed.....	82	Puke Weed.....	265,
Pollom, Red.....	107	Pulsatilla.....	336
Polypod Rock.....	329	Pumpkin Seed.....	337
Polypody.....	329	Punic Apple.....	330
Pomegranate	330	Punk.....	420
" Fruit.....	330	Purging Berries.....	74
Pompion.....	337	" Root.....	399
Pool Root.....	359	Purslain, Milk.....	399
Poolwort.....	359	" White.....	399
Poor Man's Pharmacetty	375	Pursley, Milk.....	399
Poor Robin.....	118	" White.....	399
Poplar, American.....	331	Purvain.....	427
" Balsam.....	35	Pyramid Flower.....	131
" Bark.....	331	" Plant.....	131
" Carolina.....	35	Pyrola.....	325
" Tacamahac....	35	" Round-leaved.	88
" White.....	331, 434	Quack Grass.....	247
" Wild.....	434	Quaker Button.....	301
" Yellow	434	Quassia.....	338
Poppy.....	332	Queen's Delight.....	340
Potato, Wild.....	274	Queen of the Meadow.	339
Poverty Weed.....	258	Queen's Root.....	340
Prairie Bush, Stinking.	335	Quickens.....	247
" Dock.....	333	Quick-in-the-hand....	101
" Grub.....	335	Quick Grass.....	247
" Pine.....	379	Quillai Bark.....	386
" Weed.....	333	Quillaya	386
Prickly Pear.....	83	Quince Seed.....	341
Prickwood.....	78	Quitch.....	247
Pride of China.....	44	" Grass.....	247
" of India.....	44		

Quitel.....	59	Round-leaved Sundew	409
Quiver Leaf.....	331	Round Wood.....	26
		Rue.....	351
Rabbits' Root.....	360	Rush, Dutch.....	352
Raccoon Berry.....	273	" Polishing.....	352
Ragged Cup.....	229	" Scouring.....	352
Ragweed.....	444	" Sweet.....	412
Ragwort.....	259	Rye, Robins'.....	204
Rainbow Weed.....	438	" Smut of.....	165
Raspberry.....	342	" Spurred.....	165, 353
" Ground.....	197		
" Red.....	342	Saffron	354
Rattle-bush.....	235	" American.....	354
Rattle Root.....	125	" Bastard.....	354
Rattlesnake Leaf.....	381	" Dyers'.....	354
" Root...50, 89,	125	" False.....	354
" Weed....62,	166	" Meadow.....	129
Ratsbane.....	301	Sagackhomi.....	425
Red Berry.....	195	Sage.....	355
" " Tea.....	107	" Indian.....	64
" Ink Plant.....	190	" Lyre-leaved	86
" Rod.....	307	" Meadow.....	86
" Root.....	343	" Wild.....	86
" Seed.....	424	" Wood.....	356
" Shanks.....	208	Saint Christopher Herb	73
" Weed.....	190	" Johnswort.....	245
" Wood.....	362	Salad.....	256
Rhatany	344	Saloop.....	361
Rheumatism Root.....	423	Salt Rheum Weed....	37
Rhubarb, American...	345	" Rock Moss.....	236
" India.....	346	Sangree Root.....	384
Richweed.....	125, 403	Sangrel.....	384
Robin-run-away.....	239	Sanicle, American....	357
Robin-run-in-the-hedge	239	" Black.....	358
Rock Rose.....	187	" White.....	359
Rope Bark.....	254	Sarsaparilla, American	360
Rose, Christmas.....	209	" Bristlestem	160
" Dog.....	157	" False.....	360
" Pink.....	103	" Spanish....	360
" Flowers, Pale..	348	" Texas.....	310
" " Red..	348	" Wild.....	360
Rosemary Leaves.....	349	" Yellow....	310
Rosey Bush.....	205	Sassafras.....	361
Rosin Weed.....	229, 350	" Swamp.....	269
Rough Root.....	379	Saunders, Red.....	362
Round-leaved Plantain	326	Savin.....	363

Savoyan.....	118	Shepherds' Purse.....	375
Sawwort.....	379	Shepherds' Weather- glass.....	376
Saxifrage	364	Shield Root.....	170
" Small.....	364	Shin Leaf.....	88
" " Burnet.	364	Shot Bush.....	161
Saxifrax.....	361	Shovel Weed.....	377
Scabious	183	Shrub Yellow Root....	447
" Sweet.....	365	Sicily Root.....	115
Scabish.....	366	Sickle Weed.....	318
Seabwort.....	162	Side-saddle Flower....	432
Scarlet Berry.....	57	" Plant.....	432
Scammony, Wild.....	274	Silkweed.....	283
Scratch Weed.....	118	" Common.....	283
Serofula Plant.....	367	" Rose-colored.	232
Scrubby Grass.....	369	Silky Cornel.....	307
Sculcap.....	368	Silver Leaf.....	205, 340
" Blue.....	368	" Weed.....	205
" Side-flowering	368	Simpler's Joy.....	427
Scurvy Grass.....	369	Skevish	365
Sea Beans.....	140	Skoke.....	190
" Holly.....	216	Skunk Weed.....	82
" Lavender	278	Sleepwort.....	256
Seal Root.....	388	Slipper Root.....	287
Sealwort.....	388	Slippers.....	101
Sea Wrack.....	370	Sloe.....	206
Sedge, Sweet.....	412	Sloven Wood.....	392
Seneca Root.....	383	Smallpox Plant.....	432
Senega "	383	Smart Weed.....	318
Senna, Alexandrian...	372	Smellage.....	266
" American.....	371	Smilax, Boston.....	378
" India	372	" Cape.....	378
" Wild	371	Smoke Plant.....	1
Septfoil.....	419	" Tree.....	1
Setwall	426	Snake Bite.....	50, 257
Seven Barks.....	226	" Head.....	37
Shag-bark Tree.....	373	" Leaf, Yellow...	6
" Walnut	373	" Lily.....	63
Shamrock.....	374	" Milk.....	399
" Indian.....	50	Snakeroot, Black....	125, 358
" Water.....	72	" Button....	166, 379
Sheep Berry.....	296	" Canada....	380
" Poison.....	252	" Coltsfoot...	380
" Weed.....	387	" Corn.....	166
Shell-flower.....	37	" Heart.....	380
Shepherds' Club.....	292	" Rattle....	125, 381
" Knot.....	419		

Smakeroot, Red Berry.	127	Spikenard, Small	360
" Sampson	382	Spikenard Tree	161
" Senega	383	Spindle Tree	78
" Seneka	383	Spleen Amaranth	321
" Southern	380	Spleenwort	396
" Vermont	380	" Bush	172
" Virginia	384	Spoonhunt	251
" White	359	Spoonwort	369
" " Berry	128	Spotted Comfrey	267
Snakeweed	257, 384	" Lungwort	267
" Poison	116	Spruce, Hemlock	213
Snapping Hazel	442	" Weeping	213
Snap Weed	101, 173	Spunk	397
Snapwood	173	Spurge	167
Sneezewort	385, 411	" Black	398
Snowball, Wild	343	" Blooming	399
Soap Tree Bark	386	" Large Flow'ing	399
Soapwort	387	" Spotted	398
Soldiers' Herb	280	" Large Spotted	400
Solomon Seal	388	Square Stalk	367
" Giant	388	Squaw Bush	141
" Small	389	" Mint	314
Sorrel, Mountain	390	" Root	125, 126
" Sheep	391	" Vine	401
" Tree	163	" Weed	259
" Wood	374, 391	Squill	402
Sour Trefoil	374	Squirrel Pea, Ground	423
Southernwood	392	Staff Tree, Climbing	56
Spadic	123	Staff-vine	56
Spanish Juice	263	Stagger-weed	421
" Needles	145	Stammerwort	444
" Pepper	316	Star Bloom	324
Sparrow Grass	30	Starchwort	234
Spatter Dock	261	Star Flower	124
Spearmint	393	" Grass	60
Speedwell	394	" " False	60
" Tall	59	" Root	60
" Virginia	394	Starwort, Drooping	424
Spice Berry	107	Stave Wood	338
" Birch	52	Steeple Bush	205
" Bush	173	Stick Seed	145
" Fever Bush	173	Stickwort	10
" Wood	173	Stillingia	340
Spignet	395	Stinging Nettle	298
Spikenard	395	Stinking Chamomile	281
" American	395	" Weed	303

Stinkwort.....	417	Sweet Viburnum.....	296
Stitchwort.....	111	“ Willow.....	171
Stone Brake.....	329	“ Wood.....	263
“ Mint.....	154	“ “ Bark	96
“ Root.....	403	Swine Snout.....	151
Storax Bark.....	404		
Stork's Bill.....	142	Tailed Pepper.....	144
Strawberry.....	405	Tallow, Bayberry.....	42
“ Bush.....	78	“ Shrub.....	42
“ Shrub	78	“ Vegetable, Am	42
Succory.....	112	Tamarack.....	413
“ Wild.....	103, 112	Tansy.....	414
Sumach.....	406	“ Double.....	414
“ Climbing.....	328	“ Double-flowered.	414
“ Pennsylvania..	406	Tea Berry.....	107
“ Smooth.....	406	“ Mountain.....	107
“ Upland.....	406	Tearel.....	64
Sumbul.....	407	Tetter Berry.....	70
Summer Savory.....	408	Tetterwort.....	100
Sundew	409	Thick Weed.....	314
Sundrops	366	Thimbleweed.....	415
Sunflower	410	Thistle, Bitter.....	94
“ False.....	411	“ Canada.....	416
“ Garden.....	410	“ Cursed.....	416
“ Swamp.....	411	“ Holy.....	94, 416
Sutterberry.....	27	“ Root.....	416
Swallowwort.....	283	Thorn-apple.....	417
“ Orange...	327	Thoroughstem.....	64
“ Silky.....	283	Thorough Wax.....	64
Swamp Cabbage.....	82	Thoroughwort.....	64
“ Milkweed.....	232	Three-leaved Arum...	234
Swan Weed.....	124	Thrift, American.....	278
Sweating Plant.....	64	Throat Root.....	31
Sweat Root.....	2	Throatwort.....	379
“ Weed	272	Throwwort	288
Sweet Bush.....	172	Thunder Plant.....	224
“ Gum Bark....	404	Thyme.....	418
“ Liquorice.....	263	“ Basil.....	84
“ Lucerne.....	248	Tickle Weed.....	212
“ Magnolia	269	Tick Weed.....	314
“ Root.....	412	Tilia Flowers.....	262
Sweet-scented Life		Tinker's Weed.....	175
Everlasting.....	258	Toad Lily.....	260
Sweet-scented Water		“ Root.....	127
Lily.....	260	Tobacco, Indian.....	265
Sweet-smelling Trefoil.	11	“ Mountain....	23

Tobacco, Wild.....	265	Universe Vine.....	425
" Wood.....	442	Upland Cranberry....	425
Toothache Bush.....	27	Uvadalia	45
" Tree	27	Uva Ursi.....	425
Tormentil, American..	142		
Tormentilla.....	419	Valerian, American...	287
Tory Weed.....	223	" Am. English.	426
Touch-me-not.....	101	" " Greek.	2
Touch Wood.....	420	" False.....	259
Toywort.....	375	" English.....	426
Trailing Sumach.....	328	" Officinal	426
Traveller's Joy.....	427	Vandal Root.....	426
Tree Lungwort.....	268	Vanilla Leaf.....	152
Trefoil.....	264	Velvet Leaf.....	309
" Marsh.....	72	Velvet Plant.....	292
" Shrubby.....	335	Venus' Cup.....	287
Trembling Poplar.....	331	" Shoe.....	287
" Tree.....	331	Vervain.....	427
Trillium.....	50	" American.....	427
Truelove	50	" Blue.....	427
Trumpet Weed.....	339	" False	427
Tuber Root.....	327	Violet, Adder's.....	381
Tulip Poplar.....	434	" Birdsfoot.....	428
" Tree.....	434	" Bloom.....	57
Tun Hoof.....	239	" Blue.....	428
Turkey Claw.....	143	" Dogstooth.....	6
" Corn.....	421	Vine Maple.....	310
" Pea.....	421	Virginia Cowslip.....	267
Turmeric Root.....	422	Virgin's-bower.....	430
Turnip, Dragon.....	234	Vomitwort.....	265
" Indian.....	234		
" Meadow.....	234	Wafer Ash.....	335
" Pepper.....	234	Wahoo.....	431
" Swamp.....	234	Wake Robin.....	234
" Wild.....	234	Wallflower, Western..	55
Turpentine Sunflower.	333	Walnut.....	373
Turtle-bloom.....	37	" Lemon	81
Turtle-head.....	37	" White.....	81
Twin-leaf	423	Water Cabbage.....	260
		" Cup.....	432
Umbel.....	287	" Flag.....	63
Uncum.....	259	" Nerve Root....	232
Unicorn.....	60, 424	Watermelon.....	433
" False.....	424	Waw Weed.....	259
" Root.....	60	Wax Berry.....	42
Unicorns' Horn.....	424	" Cluster	107

Waxwork.....	56	Wintergreen.....	325
Waythorn.....	74	“ Pear Leaf	88
Weathercock.....	101	Wintergreen Round-leaved.....	88
Whistle Wood.....	275	Wintergreen, Spicy...	107
White Bay.....	269	“ Spotted..	440
“ Beads.....	128	“ Spring...	107
“ Cap.....	205	Winter's Bark.....	441
“ Leaf.....	205	Witch Grass.....	247
“ Root.....	327	“ Hazel.....	442
“ Weed	149	Wolf Foot.....	76
“ Wood	434	“ Grape.....	57
Whorlywort.....	59	“ Root.....	3
Whortleberry.....	435	Wolfsbane.....	3
“ Black....	435	Woodbine.....	238, 243
Wickup	436	Woody Climber.....	238
Wicopy Herb.....	436	Woolen.....	292
“ Indian.....	436	Woolybut.....	176
Wig Tree.....	1	Worm Grass.....	324
Wild Allspice.....	173	“ Root, American.	234
“ Brier.....	157	Wormseed.....	303
“ Coffee.....	175	“ American ..	303
“ Jessamine.....	243	Wormwood....	443
“ Lemon.....	273	“ Roman....	444
“ Licorice	360	Wymote.....	272
“ Mandrake.....	273		
“ Rhubarb.....	274		
“ Woodvine.....	238		
Willow Herb.....	436	Yam Root, Wild.....	445
“ “ Hooded..	368	Yarrow.....	446
“ “ Purple...	438	Yaw Root.....	340
“ Pussy	437	Yellow Berry.....	273
“ Red.....	307	“ Eye.....	197
“ Rose.....	307	“ Ladies' Slipper.	287
“ Sage.....	438	“ Lily Root....	261
“ White.....	439	“ Moccasin.....	287
Wind Root.....	327	“ Paint Root....	197
Wing Seed.....	335	“ Root..56, 197, 198,	447
Winter Berry.....	12	“ Umbel.....	287
“ Bloom.....	442	“ Wood.....	27
“ Clover.....	401	Yerba Santa.....	448
“ Fern.....	347	Youthwort.....	409

BOTANICAL INDEX.

* * * The numbers refer to the paragraph not the page.

<i>Abies balsamea</i>	178	<i>Anchusa tinctoria</i>	16
" <i>Canadensis</i>	213	<i>Andromeda arborea</i>	163
<i>Acer rubrum</i>	275	<i>Anemone Pulsatilla</i>	336
<i>Achillea Millefolium</i>	446	<i>Anethum graveolens</i>	153
" <i>Ptarmica</i>	385	<i>Angelica atropurpurea</i>	17
<i>Aconitum Napellus</i>	3	<i>Anthemis Cotula</i>	281
<i>Acorus Calamus</i>	412	" <i>nobilis</i>	105
<i>Actaea alba</i>	128	<i>Apium graveolens</i>	102
" <i>rubra</i>	127	<i>Aplectrum hyemale</i>	4
<i>Adiantum pedatum</i>	270	<i>Apocynum androsaemifo-</i>	
<i>Æsculus Hippocastanum</i> ..	110	<i>rium</i>	55
<i>Agathotes Chirayta</i>	114	<i>Apocynum cannabinum</i> ...	231
<i>Agave, Americana</i>	8	<i>Aralia hispida</i>	160
" <i>Virginica</i>	9	" <i>nudicaulis</i>	360
<i>Agrimonia Eupatoria</i>	10	" <i>racemosa</i>	395
<i>Aletris farinosa</i>	60	" <i>spinosa</i>	161
<i>Allium sativum</i>	191	<i>Arctium lappa</i>	77
<i>Alnus rubra</i>	13	<i>Arctostaphylos Uva Ursi</i> ..	425
" <i>serrulata</i>	14	<i>Areca Catechu</i>	22
<i>Alpina Galanga</i>	189	<i>Aristolochia Serpentaria</i> ..	384
<i>Althæa officinalis</i>	272	<i>Arnica montana</i>	23
" <i>rosea</i>	217	<i>Artanthe elongata</i>	280
<i>Amarantus hypochondri-</i>		<i>Artemisia abrotanum</i>	392
<i>cus</i>	321	" <i>Absinthium</i>	443
<i>Ambrosia artemisiæfolia</i> ...	444	" <i>vulgaris</i>	290
" <i>trifida</i>	222	<i>Arum triphyllum</i>	234
<i>Amomum Granum paradisi</i>	199	<i>Asarum Canadense</i>	380
" <i>Zingiber</i>	195	<i>Asclepias cornuti</i>	283
<i>Ampelopsis quinquefolia</i> ..	238	" <i>incarnata</i>	232
<i>Amygdalus Persica</i>	312	" <i>mataperro</i>	147
<i>Anacyclus Pyrethrum</i>	313	" <i>Syriaca</i>	283
<i>Anagallis arvensis</i>	376	" <i>tuberosa</i>	327


<i>Asparagus officinalis</i>	30	<i>Centaurea benedicta</i>	94
<i>Aspidium Filix Fœmina</i> ..	32	<i>Cetraria Islandica</i>	228
" " <i>Mas</i>	170	<i>Chelidonium majus</i>	100
<i>Asplenium Adiantum ni-</i> grum.....	397	<i>Chelone glabra</i>	37
<i>Aster puniceus</i>	124	<i>Chenopodium anthelminti-</i> cum.....	303
<i>Atropa Belladonna</i>	48	<i>Chimaphila maculata</i>	440
		" <i>umbellata</i>	325
<i>Balsamodendron Myrrha</i> ..	295	<i>Chionanthus Virginica</i>	186
<i>Baptisia tinctoria</i>	235	<i>Chondrus crispus</i>	236
<i>Barosma crenata</i>	71	<i>Cichorium intybus</i>	112
<i>Berberis vulgaris</i>	39	<i>Cimicifuga racemosa</i>	125
<i>Betonica officinalis</i>	51	<i>Cinchona Calisaya</i>	320
<i>Betula lenta</i>	52	<i>Cirsium arvensis</i>	416
<i>Bidens frondosa</i>	145	<i>Cissampelos Pareira</i>	309
" <i>tripartita</i>	47	<i>Citrullus colocynthis</i>	130
<i>Boletus fomentarius</i>	397	<i>Citrus Aurantium</i>	304
" <i>ignarius</i>	7	" <i>Limetta</i>	5
" <i>larinis</i>	7	<i>Clematis Virginica</i>	430
<i>Borago officinalis</i>	65	<i>Clethra alnifolia</i>	15
<i>Botrychium fumaroides</i> ...	135	<i>Cocculus palmatus</i>	132
<i>Brayera anthelmintica</i>	148	<i>Cochlearia Armoracia</i>	221
<i>Bryonia alba</i>	70	" <i>officinalis</i>	369
<i>Buxus sempervirens</i>	66	<i>Coix lachryma</i>	244
<i>Cactus grandiflorus</i>	83	<i>Colchicum autumnale</i>	129
" <i>Opuntia</i>	83	<i>Collinsonia Canadensis</i> ...	403
<i>Calamintha officinalis</i>	84	<i>Comptonia asplenifolia</i>	172
<i>Calendula</i> "	276	<i>Conium maculata</i>	116
<i>Canella alba</i>	87	<i>Convallaria multiflora</i>	388
<i>Cannabis Indica</i>	230	" <i>racemosa</i>	389
" <i>sativa</i>	230	<i>Convolvulus panduratus</i> ..	274
<i>Capsella bursa-pastoris</i> ...	375	<i>Coptis trifolia</i>	198
<i>Capsicum annuum</i>	316	<i>Corallorrhiza odontorhiza</i> .	143
" <i>baccatum</i>	316	<i>Coriandrum sativum</i>	137
<i>Carthamus tinctorius</i>	354	<i>Cornus Circinata</i>	306
<i>Carum carui</i>	90	" <i>Florida</i>	67
<i>Carya alba</i>	373	" <i>sericea</i>	307
<i>Caryophyllus aromaticus</i> .	122	<i>Corydalis formosa</i>	421
<i>Cassia acutifolia</i>	372	<i>Croton Eleuteria</i>	96
" <i>elongata</i>	372	<i>Cucurbita Citrullus</i>	433
" <i>Marilandica</i>	371	" <i>Pepo</i>	337
<i>Castanea Americana</i>	109	<i>Cuminum Cyminum</i>	146
<i>Caulophyllum thalictroides</i>	126	<i>Cunila mariana</i>	154
<i>Ceanothus Americana</i>	343	<i>Cureuma longa</i>	422
<i>Celastrus scandens</i>	56	<i>Cydonia vulgaris</i>	341
		<i>Cynoglossum officinale</i> ...	223

Cypripedium pubescens...	287	Fraxinus acuminata.....	29
Cytisus Scoparius.....	69	“ sambucifolius...	25
Daphne Mezereum.....	282	Fucus versiculosus.....	370
Datura Stramonium.....	417	Fumaria officinalis.....	188
Daucus Carota.....	95	Galipea officinalis.....	18
Delphinium consolida....	250	Galium aparine.....	118
Diervilla Canadensis.....	218	Gaultheria procumbens...	107
Digitalis purpurea.....	185	Gelsemium sempervirens.	243
Dioscorea villosa.....	445	Gentiana Catesbaei.....	193
Dirca palustris.....	254	“ lutea.....	192
Dracocephalum Canariense	38	“ ochroleuca.....	382
Drosera rotundifolia.....	409	Geranium maculatum....	142
Elettaria Cardamomum...	91	Geum rivale.....	31
Epigaea repens.....	200	Gillenia trifoliata.....	233
Epilobium spicatum.....	436	Glycyrrhiza glabra.....	263
Equisetum hyemale.....	352	Gnaphalium polycephalum	258
Erechthites hieracifolius..	179	“ uliginosum...	289
Erigeron Canadense.....	183	Goodyera pubescens.....	381
“ Philadelphicum..	365	Gossypium herbaceum....	139
Eriodictyon Californicum.	448	Grindelia robusta.....	201
“ Glutinosum...	448	Guaiacum officinalis.....	202
Eryngium aquaticum....	166	Hamamelis Virginica.....	442
“ ovalifolium....	216	Hedeoma pulegioides.....	314
Erythroxylon Coca.....	123	Helenium autumnale....	411
Erythronium Americanum	6	Helianthemum Canadense.	187
Eucalyptus globulus.....	176	Helianthus annuus.....	410
Eugenia Pimenta.....	322	Helleborus foetidus.....	210
Euonymus Americana....	78	“ niger.....	209
“ atropurpureus.	431	Helonias dioica.....	424
Eupatorium aromaticum..	359	Hepatica Americana....	264
“ cannabinum..	11	Heracleum lanatum.....	279
“ perfoliatum...	64	Heuchera Americana....	357
“ purpureum...	339	Hicoria alba.....	373
Euphorbia corollata.....	399	Hieracium venosum.....	62
“ hypericifolia...	400	Humulus Lupulus.....	219
“ Ipecacuanha ..	167	Hydrangea arborescens...	226
“ maculata.....	398	Hydrastis Canadensis....	197
Euryangium Sumbul.....	407	Hyoscyamus niger.....	214
Fagus ferruginea.....	46	Hypericum perforatum...	245
Foeniculum vulgare.....	168	Hyssopus officinalis.....	237
Fragaria vesca.....	405	Ilex opaca.....	215
“ Virginiana.....	405	Impatiens pallida.....	101
Frasera Carolinensis.....	131	Inula Helenium.....	162

<i>Ipomoea Jalapa</i>	242	<i>Melilotus officinalis</i>	248
<i>Iris Florentina</i>	305	<i>Melissa Fuchsii</i>	33
" <i>versicolor</i>	63	" <i>officinalis</i>	36
<i>Jeffersonia diphylla</i>	423	<i>Menispermum Canadense</i>	310
<i>Juglans cinerea</i>	81	<i>Mentha piperita</i>	319
<i>Juniperus communis</i>	246	" <i>viridis</i>	393
" <i>Sabina</i>	363	<i>Menyanthes trifoliata</i>	72
" <i>Virginiana</i>	99	<i>Mitchella repens</i>	401
<i>Kalmia angustifolia</i>	252	<i>Mitella cordifolia</i>	136
" <i>latifolia</i>	251	<i>Monarda didyma</i>	34
<i>Krameria triandria</i>	344	" <i>punctata</i>	284
<i>Lactuca elongata</i>	257	<i>Monotropa uniflora</i>	180
" <i>sativa</i>	256	<i>Morus rubra</i>	291
" <i>virosa</i>	255	<i>Mucuna pruriens</i>	140
<i>Larix Americana</i>	413	<i>Myrica cerifera</i>	42
<i>Laurus Benzoin</i>	173	" <i>Gale</i>	171
" <i>Cinnamomum</i>	97	<i>Myristica fragrans</i>	300
" <i>nobilis</i>	43	<i>Myrsiphyllum asparagoi-</i>	
" <i>Sassafras</i>	361	<i>des</i>	378
<i>Lavandula vera</i>	253	<i>Nepeta cataria</i>	98
<i>Ledum latifolium</i>	249	" <i>glechoma</i>	239
<i>Leonurus cardiaeae</i>	288	<i>Nuphar advena</i>	261
<i>Leptandra Virginica</i>	59	<i>Nymphaea odorata</i>	260
<i>Leucanthemum vulgare</i> ...	149	<i>Ocimum basilicum</i>	40
<i>Liatris odoratissima</i>	152	<i>Oenothera biennis</i>	366
" <i>spicata</i>	379	" <i>glauca</i>	366
<i>Ligusticum levisticum</i>	266	<i>Origanum Marjorana</i>	277
<i>Ligustrum vulgare</i>	334	<i>Orobanche Virginiana</i>	85
<i>Linum usitatissimum</i>	182	<i>Osmorrhiza longistylis</i>	115
<i>Liquidambar orientale</i>	404	<i>Osmunda regalis</i>	73
<i>Liriodendron Tulipifera</i> ..	434	<i>Ostrya Virginica</i>	237
<i>Lobelia cardinalis</i>	93	<i>Oxalis acetosella</i>	374
" <i>inflata</i>	265	<i>Oxyria reniformis</i>	390
" <i>syphilitica</i>	92	<i>Paeonia officinalis</i>	315
<i>Lycopus Europaeus</i>	75	<i>Panax quinquefolium</i>	195
" <i>Virginicus</i>	76	<i>Papaver somniferum</i>	332
<i>Lythrum salicaria</i>	438	<i>Parthenium integrifolium</i> ..	297
<i>Magnolia glauca</i>	269	<i>Paullinia sorbilis</i>	203
<i>Malva rotundifolia</i>	271	<i>Petroselinum sativum</i>	311
<i>Marrubium vulgare</i>	220	<i>Phytolacca decandra</i>	190
<i>Matricaria Chamomilla</i> ...	106	<i>Pilocarpus pennatifolius</i> ..	240
<i>Melia Azedarach</i>	44	<i>Pimpinella Ansium</i>	19
		" <i>Saxifraga</i>	364

<i>Pinckneya pubens</i>	184	<i>Rhodymenia palmata</i>	158
<i>Pinus strobus</i>	323	<i>Rhus cotinus</i>	1
<i>Piper Cubeba</i>	144	“ <i>glabrum</i>	406
“ <i>nigrum</i>	317	“ <i>Toxicodendron</i>	328
<i>Plantago major</i>	326	<i>Ricinus communis</i>	308
<i>Podophyllum peltatum</i> ...	273	<i>Rosa canina</i>	157
<i>Polemonium reptans</i>	2	“ <i>centifolia</i>	348
<i>Polygala Nuttallii</i>	104	“ <i>Gallica</i>	348
“ <i>Senega</i>	383	<i>Rosmarinus officinalis</i>	349
<i>Polygonum Bistorta</i>	54	<i>Rubus strigosus</i>	342
“ <i>hydropiper</i>	318	“ <i>villosus</i>	58
“ <i>Persicaria</i>	208	<i>Rudbeckia laciniata</i>	415
<i>Polymnia uvedalia</i>	45	<i>Rumex acetosella</i>	391
<i>Polypodium vulgare</i>	329	“ <i>aquaticus</i>	155
<i>Polyporus ignarius</i>	420	“ <i>Britannica</i>	155
<i>Polytrichum juniperum</i> ...	204	“ <i>crispus</i>	156
<i>Populus balsamifera</i>	35	<i>Ruta graveolens</i>	351
“ <i>candicans</i>	35		
“ <i>tremuloides</i>	331	<i>Sabbatia angularis</i>	103
<i>Potentilla Canadensis</i>	181	<i>Salix alba</i>	439
“ <i>Tormentilla</i>	419	“ <i>nigra</i>	437
<i>Prenanthes alba</i>	89	<i>Salvia lyrata</i>	86
<i>Prinos verticillatus</i>	12	“ <i>officinalis</i>	355
<i>Prunella vulgaris</i>	207	“ <i>sclarea</i>	117
<i>Prunus Virginiana</i>	108	<i>Sambucus Canadensis</i>	159
<i>Ptelea trifoliata</i>	335	<i>Sanguinaria Canadensis</i> ...	61
<i>Pteris atropurpurea</i>	347	<i>Sanicula Marilandica</i>	358
<i>Pterocarpus santalinus</i> ...	362	<i>Saponaria officinalis</i>	387
<i>Pulmonaria officinalis</i>	267	<i>Sarracenia flava</i>	432
<i>Punica Granatum</i>	330	“ <i>purpurea</i>	432
<i>Pycnanthemum montanum</i>	285	<i>Satureja hortensis</i>	408
<i>Pyrethrum parthenium</i> ...	174	<i>Scilla maritima</i>	402
“ <i>tanacetum</i>	138	<i>Sclerotium clavus</i>	353
<i>Pyrola rotundifolia</i>	88	<i>Scrophularia aquatica</i>	53
<i>Pyrus Malus</i>	20	“ <i>Marilandica</i> . 367	
		“ <i>nodosa</i>	177
<i>Quercus alba</i>	302	<i>Scutellaria lateriflora</i>	368
“ <i>infectoria</i>	299	<i>Secale cornutum</i>	165
“ <i>nigra</i>	302	<i>Sedum acre</i>	225
“ <i>rubra</i>	302	<i>Sempervivum tectorum</i> ...	224
<i>Quillaya saponaria</i>	386	<i>Senecio aureus</i>	259
		“ <i>gracilis</i>	259
<i>Ranunculus acris</i>	80	<i>Silphium gummiferum</i>	333
<i>Rhamnus catharticus</i>	74	“ <i>laciniatum</i>	350
<i>Rheum palmatum</i>	346	“ <i>perfoliatum</i>	229
“ <i>Rhaponticum</i>	345	<i>Simaruba excelsa</i>	338

<i>Sinapis alba</i>	294	<i>Ulmus fulva</i>	164
" <i>nigra</i>	293	<i>Unisema deltifolia</i>	377
<i>Smilax officinalis</i>	360	<i>Urtica dioica</i>	298
" <i>peduncularis</i>	241	<i>Uvularia grandiflora</i>	49
" (<i>pseudo</i>) <i>China</i> ...	113	" <i>perfoliata</i> ,.....	49
<i>Solanum Dulcamara</i>	57		
<i>Solidago odora</i>	196	<i>Vaccinium corymbosum</i> ..	435
<i>Sorbus Americana</i>	26	<i>Valeriana officinalis</i>	426
<i>Spermœdia clavus</i>	165	<i>Veratrum album</i>	211
<i>Spigelia Marilandica</i>	324	" <i>viride</i>	212
<i>Spiræa tomentosa</i>	205	<i>Verbascum Thapsus</i>	292
<i>Statice Caroliniana</i>	278	<i>Verbena hastata</i>	427
<i>Stellaria media</i>	111	<i>Veronica Beccabunga</i>	68
<i>Sticta pulmonaria</i>	268	" <i>officinalis</i>	394
<i>Stillingia sylvatica</i>	340	<i>Viburnum dentatum</i>	24
<i>Strychnos Nux Vomica</i> ...	301	" <i>lentago</i>	296
<i>Symphytum officinale</i>	134	" <i>opus</i>	141
<i>Symplocarpus fœtidus</i>	82	" <i>prunifolium</i> ...	206
<i>Tanacetum crispum</i>	414	<i>Viola pedata</i>	428
<i>Taraxacum Dens-leonis</i> ...	151	" <i>rostrata</i>	429
<i>Teuerium Canadensis</i>	356	<i>Viscum verticillatum</i>	286
<i>Thuja occidentalis</i>	21	 	
<i>Thymus vulgaris</i>	418	<i>Wintera aromatica</i>	441
<i>Tilia Americana</i>	41, 262	 	
" <i>Europœa</i>	262	<i>Xanthium spinosum</i>	79
<i>Trifolium pratense</i>	120	" <i>strumarium</i>	119
" <i>repens</i>	121	<i>Xanthorrhiza Apifolia</i>	447
<i>Trigonella Fœnum græcum</i>	169	<i>Xanthoxylum Carolinia-</i>	
<i>Trillium pendulum</i>	50	<i>num</i>	28
<i>Triosteum perfoliatum</i>	175	<i>Xanthoxylum fraxineum</i> ..	27
<i>Triticum repens</i>	247	 	
<i>Turnera aphrodisiaca</i>	150	<i>Zingiber officinalis</i>	194
<i>Tussilago farfara</i>	133		



CHEENEY & MYRICK,

SOLE AGENTS IN BOSTON FOR THE

PURE

CONCENTRATED MEDICINES

PREPARED BY

B. KEITH & CO., New York,

COMPRISING:

ALKALOIDS, RESINOIDS,

CONCENTRATED TINCTURES,

OILS AND OLEORESINS.



A Descriptive Manual sent on application.

