

Compendium pharmaceuticum : militaribus gallorum nosocomiis, in orbo novo boreali adscriptum.

Contributors

Coste, Jean-François, 1741-1819.
Barber, Henry, 1747?-1800
National Library of Medicine (U.S.)

Publication/Creation

Newporti [R.I.] : Typis Henrici Barber, MDCCLXXX [1780]

Persistent URL

<https://wellcomecollection.org/works/cek32jpp>

License and attribution

This material has been provided by This material has been provided by the National Library of Medicine (U.S.), through the Medical Heritage Library. The original may be consulted at the National Library of Medicine (U.S.) where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

COMPENDIUM


PHARMACEUTICUM,

MILITARIBUS GALLORUM NOSOCOMIIS, IN
ORBE NOVO BOREALI ADSCRIPTUM.

QUID QUID PRÆCIPES ESTO BREVIS.
Hor. art. poet.



NEWPORTI, Typis HENRICI BARBERI
M. DCCL, XXX,



REMEDIA pauca numero suade-
bant & belli, & maris, & longin-
quae navigationis ancipites casus.
Meis haec non mediocriter arridet
votis necessitas, quae proestantiora
in arte admittit tantum. Quo simpli-
cior enim, eo melior, eo vere ditior
Medicina. Quae magis deceret viros,
quibus Libertatis genio duce & auf-
pice, ut valentibus sola Heroica ten-
tanda & peragenda, sic sanitati &
patriae & bellice amico foederi resti-
tuendis nulla nisi Heroica profutura
sunt auxilia!

Newporti, 25 julii 1780.

COSTE, Gall. Exerc. Protomed.

W. B. COLE, JUNR.
NEWPORT, R. I.

Compendium Pharmaceuticum mi-
litaribus Gallorum Nosocomiis
in orbe novo Boreali adscriptum.

I. P O T U S.

1. PTISANNA HIPPOCRATIS.

R. HORDEI integri Lib. iv.
Radicum graminis lib. j.
Lota Coquantur in aquæ Communis lib. xx.
Subfinem adde Gliscirizæ unc. iv.
Aut ejus defectu, extracti ejusdem unc. ij.
Cola—pro usu ordinario.

2. INFUSUM PECTORALE.

R. Summitatum floridarum Malvæ, Bismalvæ,
Violarum, Tussilaginis, aa man. j.
Affunde aquæ Bullientis lib. xij.
Infundantur tepidè.

3. INFUSUM FLORUM SAMBUCI.

R. Florum Sambuci man. iv.
Affunde aquæ Bull. lib. xx.

4. DECOCTUM LAPATHI.

R. Radic. Lap. acut. unc. iv.
Coque. in aq. comm. lib. xij.
in Colat. Solve Succ. Liquir. unc. j.

5. AQUA ORIZÆ.

R. Seminum Orizæ. unc. sem.
Coq. in aq. l. ij.

6. SERUM LACTIS.

Fiat, more solito, ope Cremoris Tartari.

7. DECOCTUM ALBUM.

R. Micæ pan. albiss. unc. ij.

Coque in aq. lib. ij.
In Col. Solve sacchari unc. j.

8. SOLUTIO GUMMI ARABICI.

R. Gumm. Arab. purioris unc. j.
Solve in aq. comm. coctæ lib. ij.

9. INFUSUM AMARUM.

R. Summitat. florid. Centaurii. min. man. j.
affde aq. Bull. lib. iv.

10. OXYCRATIUM.

R. Aquæ fontanæ l. ij.
Aceti optimi Q. S. ad grat. acidit.
Sacchari Comm. unc. j.

11. AQUA ACIDULATA.

R. Aq. font. l. ij.
Spir. vitroli Q. S. ad grat. acid.
Sacchar. Comm. unc. j.

12. LIMONADA.

R. Succ. Limon.
Aq. comm.
Sacchar. aa Q. S.

Specialis cujus vis Radicis præscriptæ Decoc-
tio, Sic fiat, ut Lapathi.

Florum aut foliorum Infusum, ut Florum
Sambuci.

Quibus Lac maritari potest, his, ad mediam,
tertiam aut quartam partem; quibus *Sibium*, *Mel*
aut *Nitrum* solvi aut addi, horum libris duabus,
prius a grano uno ad duo, alterum ab uncia
misse ad unciam, posterius a drachma Semisse
ad drachmas duas, supra aut infra, simul aut
separatim, ad Medici præscribentis autum.

II. APOZEMAT A.

1. APOZEMA LAXANS.

R. Radic. Cichor. Sylvestr. unc. ij.
 Folior ejusd. & Borragin. aa man. iv.
 Sennæ unc. sem.
 Salis Glauberi unc. j.
 Aq Cois Bullientis lib. viij.
 F. inf. Calid. non Decoct.
 Colat. adde Syr. Cich. cum Rhæo unc. iij.
 Dosis, cyath. j. bis, ter, &c.

2. DECOCTUM KINÆ.

R. Cortic. peruv. unc. ij.
 Nitri unc. semis.
 Bull. in aq. lib. vj.

Dosis ut Prioris.

3. DECOCTUM KINÆ CUM LACTE.

R. Decoct. Prioris
 Lact. Vaccin. recent. aa unc. iv.

4. APOZEMA FEBRIFUGUM LAXANS.

R. Apozemat. Laxant.

Dec. Kinæ aa part. æq.

Dof. cyath. j. Semel aut bis.

5. APOZEMA ANTISCORBUTICUM.

R. Radicum Raphan. Rustic. rec.

Acetos. Newport. aa unc. ij.

Foliorum præcedent.

Nasturt. aquat. aa man. j.

Coq. in aq. lib. vj.

Præscribatur per Cyath. et Dosis Spirit.

Cochlear. optata.

6. APOZEMA APERIENS.

R Radic. Cichor. Sylv. aut Taraxaci

aut utrius que part. æqual. unc. iij.

Folior. Fumar.

Scolopend. aa man. semiss.

Uni cuique Cyatho quantitas præscripta Terræ
foliatæ Tartari add. a drachma sem. ad
drachm. iij.

7. SUCCUS SAPONACEUS.

R. Taraxaci, Cichorii Sylvestris,
Nasturtii Aquatici, Borraginis, Acetosæ aa. Q. S.
Et harum repertas pro non repertis.
Tundantur in mortar. marmor, & Clarific. Succ.
per Subſidentiam.

Dosis ab. unc. j ad iij semel, bis, &c.

8. APOZEMA DIURETICUM.

R. Radicum Petrosilini
Asparagi
Eringii, aa. unc. j. & semi
Folior. Parietar. man. ij.
Aq Cois lib. vj.
Coq. Cuique Cyath. Oxym. Scyllit. q. præscr.
addatur.

III. A Q U Æ.

2. A Q U A S T I B I A T A:

R. Tart. Stib. gr. iij.
Solve in aq. comm. unc. xij.
Cum Cautionibus Solitis, spatio trium hor. quad.
Sumat æger.

2 A Q U A M I N E R A L I S M A J O R.

R. Salis Glaub. unc. j.
Nitri unc. semiss.
Aq. Cois lib. j semiss.
Divid. in iij part. trium horarum Spatio S.

3. A Q U A M I N E R A L I S M I N O R.

R. Præcedentium Salium, Dimid. partem.
Aquæ lib. j.
Div. in bin. part. duar. hor. spat. S.

4. AQUA CALCIS.

Hanc indicet Medicus Sub Titulo

Secundæ aut Tertiæ — Dosim præscribat &
Lactis, si addatur.

5. AQUA PICEA.

R. Picis navalis lib. ij.

Affunde aq. Comm. l. xij.

Sœpissimè agitentur per triduum.

Per Chart. bibul. decanta & serva ad usum.

Cum Lacte maritali potest.

6. AQUA MARTIALIS.

R. Globulum martial. Nanceian.

Filo Suspens. infde. per dimid. in aq. tepid. lib. j.

F. duo Cyath. hor. j. interv. S.

IV. POTIONES.

1. POTIO HYDRAGOGA.

R. Folior. Senn. Orient.

Med. Cortic. Samb.

Sal. Glauberi aa drachm. iij.

Coq. in aq. Q. S. ad unc. vj.

Colat. adde Syr. de Spin. Cerv. unc. j. semiss.

2. LAXANS,

R. Folior. Senn. Orient. drachm. iij.

Sal. Epsom. unc. semiss.

Inf. tepid. in Aq. Comm. unc. viij.

3. LAXANS CUM MANNA.

R. Mann. Cal. Q. præscr. ab unc. j ad ij.

Solve in præced. potione.

4. AQUA CASSIÆ.

R. Pulpæ Cassiæ unc. ij.

Sal. Vegetab. drachm. ij.

Aq. cois Calid. lib. ij.

Pro. iv Cyath. præscr. interv. sum.

5. AQUA CASSIÆ STIBIATA.

R. Tart. Emet. Qt. præscr. in Primo, Secundo,
vel Uno quoque Cyath. Præced. Solvatur.

6. AQUA TAMARINDORUM.

R. Tamarind. ping. unc. ij.
Nitri puriss. drachm. ij.
Aq. Comm. lib. ij.
Coq. Leviter. Colatura divid. in Cyath. iv.
Ex præscr. sum.

7. RHÆUM CUM MANNA.

R. Rhæi Elect.
Sal. Glaub. aa drachm. j.
Coq. levit. in aq. comm. Q. S. ad unc. iv.
Solve Mann. Calab. unc. j Semiss.

8. EMETICUM BRASILIENSE.

R. Radic. Brasil. pulv. Q. præscr. a gr. xvij ad
xxx.

Aq. comm. unc. iv.

9. DECOCTUM SIMAROUBÆ.

R. Cortic Simar. drachm. ij.
Aq. Comm. lib. j.
Coq. ad unc. xij Reduct. Divid. in ij Cyath.
præscript. interv. sum.

10. CARDIACUM.

R. Theriacæ Androm. drachm. semiss.
Aq. Menth. simplic. unc. iv.
Syr. Caryophyllor. unc. j.

Sumat Cochl. aut in bin. part.

11. EXPECTORATIVUM.

R. Gummi Ammon. drachm. Semiss.
Solve in Oxym Scyllit. unc. Semiss.
Infus. flor. Samb. unc. iv.
Cochl. Sum.

12. AER FIXUM.

R. Succ. Limon. unc. ij.

Sal. Absynth. drachm. ij.
 Aq. comm. unc. ij.
 Ad ægrot. Lect. misceantur, leviter agitentur
 & in fermentationis ipso instanti Sumat.

13. HAUSTUS PERUVIANUS.

R. Cortic. Peruv. Sel. pulv. drachm. j.
 Sal. ammoniaci gr. xij.
 Infus. amari unc. iv.

Detur bis, ter, quater in die.

14. GARGARISMA ANTISCORBUTICUM.

R. Apozematis Antiscorb. unc. viij.
 Syr. Ejusd. Codic. Paris. unc. j.
 Spirit. Cochlear. drachm. ij.

Vitriol. Q. præscripta.

15. GARGARISMA ACIDULATUM.

R. Oxycrat. lib. j.
 Mell. Ros. Q. S.

16. EMULSIO.

R. Semin. quat. frigid. unc. j.
 Aq. comm. lib. j.
 Sacchar. comm. unc. ij.

F. S. A. Emuls. in iij part. æq. div.

V. V I N A.

1. VINUM ABSYNTHII.

R. Absynth. utriusque aa unc. ij.
 Semin. Coriand. drachm. ij.
 Vin. alb. gener. lib. iv.
 Infund. frig. per XXXVI horas.
 Filtr. Liq. Serva ad usum. Dosis ab unc. ij ad VI.

2. VINUM SCYLLITICUM

R. Scyll. præpar. fice. & Concis. unc. j.
 In matratium mitte. Affunde Vini Hispani lib. j.
 Frigida infund. per IV dies.
 Liquorem Linteo Expressum filtra & serva ad
 usum.

Præscribatur Dosis & Vehiculum.

3. VINUM PERUVIANUM.

R. Cortic. Peruv. Contus. unc. ij.
 Cortic. Aurantior. unc. j.
 Contus. affunde Vin. Rub. gen. lib. ij.
 Per viij dies infund. ter aut quater in die agi-
 tando. Filtr. Serva ad us.

Dosis ab unc. ij ad unc. IV. præscr.

4. VINUM AROMATICUM.

R. Summitat. floridar. Lavendulæ, Roris ma-
 rini, Serpilli, Thymi, Salvæ utriusque aut
 Similium numerosæ ejusdem classis aa man. j.
 Sal. ammon. unc. j.
 Diger. in Vin. Rub. lib. vj.

Servetur ad Fetus extern.

VI. SPIRITUS ET LIQUORES.

1. LIQUOR MINERALIS HOFFMANNI.

2. ALKALI VOLATILE.

Utriusque præscr. dosis sacchari frustulo ad
 ægrot. Lect. Instilletur & Sumat illico.

3. TINCTURA KINÆ SPIRIT. D. WHYTT.

R. Cortic. Peruv. Sel. unc. iv.
 Cortic. Aurantior. unc. j.
 Radic. Gentianæ maj. unc. ij.
 Affunde Spirit. Vin. rectif. lib. iv.
 Dig. baln. mar. per VI dies.
 Filtrato Liq. adde Spirit. Lavend. Lib. Semiss.
 Hujus dos. præscr. ab unc. sem. ad unc. ij.

4. LIQUOR SYPHILITICUS.

R. Merc. Subl. Corros. gr. xij.
 Camphor. drachm j.
 Spirit. frumenti rectif. lib. ij.
 Dosis Cochl. j bis, ter, quater.

VII. J U L E P I.

1. JULEPUS PECTORALIS.

R. Infus. pector. unc. iv.

Syr. alth. unc. j.

2. JULEPUS ANODYNUS.

R. Ptisan. Hippocr. unc. iv.

Syrup. Diacod. unc. semiss.

Capillar. unc. j.

3. SOMNIFERUM.

R. Opii crudi pulv. gr. j.

Solve in acet. fragr. cochl. j.

Infus. flor. samb. unc. iv.

4. JULEPUS KERMETIS.

R. Kerm. min. gr. iv.

Adde sacchar. unc. semiss.

Infus. flor. samb. unc. iv.

Div. in IV part. interv. prescribendis sum.

5. JULEPUS CAMPHORATUS.

R. Camphor. gr. iv.

Solve in Spirit. vin. Cochl. j.

Adde Sacchar. comm. unc. semiss.

Infus. flor. samb. unc. iv.

6. JULEPUS DIURETICUS.

R. Oxymell. Scyllit. drachm ij.

Syr. de V Radicib. unc. j.

Nitri drachm. j.

Infus. flor. samb. unc. vj.

VIII. B O L I.

1. BOLUS JALAPPÆ.

R. Jalap. pulv. drachm. j.

Cinnam. gr. xij.

Pul. Misce cum mell. Q. S. F. boli.

1. BOLUS CYNOGLOSSI.

R. Mass. pilul. cynogl. gr. iij.

F. bolus semel aut bis sum.

3. BOLUS VERMIFUGUS.

R. Corallin. Corficæ

Aut ejus loco Semin. Contra vulg. drachm. j.

Mell. Q. S. F. boli pro dos.

4. BOLUS THERIACÆ.

R. Theriac. Androm. drachm. semiss.

F. bol. Semel aut bis vor.

5. BOLUS THERIACÆ CUM RHÆO.

R. Rhæi pulv.

Theriac. aa gr. x.

F. bolus bis, quater repetend.

6. BOLUS TEREBINTHINÆ.

R. Terebinth. coctæ scrup. j.

Sacchar. pulv. Q. S.

F. bolus semel, bis, ter, quater S.

7. BOLUS BALSAMICUS.

R. Bala. Peruv. Liquid. gutt. x.

Sacchar. pulv. Q. S. F. bolus.

IX. PILULÆ.

1. PILULÆ SAPONACEÆ.

R. Sapon. Medic. Q. S.

Pulv. Liquir. Q. S. F. pilul. gr. x.

2. PILULÆ SCYLLITICÆ.

R. Scyll. præparat. unc. semiss.

Sapon. Medic. unc. ij.

Pulv. Liq. Q. S. F. pil. gran. vj.

3. PILULÆ BALSAM. MORTONI.

Conficiantur juxta Codic. Paris.

Dosis a gr. vj ad xij.

4. PILULÆ MERCURIALES.

R. Panac. Mercur. unc. semiss.

Mic. pan. albiss. drachm. iij.

Pulveratam panaceam micæ panis cum Aq.
Q. S. misce. F. pilul. n.º 288—grana iv
Panaceæ Continentes.

Dosis ab una ad sex.

5. EXTRACTUM CICUTÆ.

Storckiana methodo paretur.

Hujus quotidiana præscrib. dosis a gr. v ad
drachm. ij & ultra.

X. PULVERES.

1. PULVIS MAGNESIÆ.

R. Magnes. alb. drachm. j.
Nuc. Moschat. gr. xv.

F. pulv. pro una dosi.

2. PULVIS ANTIMONIALIS.

R. Antimon. crud. lot. pulv. drachm. j.
Cinnam. acut. drachm. semiss.
Sacchar comm. drachm. iij.
Pulv. M. Divide in XVIII part. æq.

Bis, ter aut 4 sum.

XI. COLLYRIA.

1. COLLYRIUM ANTIPHLOGISTICUM.

R. Vitriol alb. gr. xxxiv.
Aq. Rosar. unc. vi.

2. COLLYRIUM TONICUM.

R. Sal. Ammon. gr. viij.
Spiritus vin. rectific. gutt. xij.
Aq. fontan. unc. viij.

XI. ENEMAT A.

1. ENEMA.

R. Specier. plant. Emoll. man. j.
Coq. in aq. Q. S. F. En.

2. ENEMA LAXANS.

R. Laxant. comm. unc. viij.
Decoct. Emoll. Q. S. F. Enema.

3. ENEMA STIBIATUM.

R. Vin. Emet. turbidi unc. ij.
Prior. dec. Q. S.

4. ENEMA LENIENS.

R. Olei Lini recentis unc. ij.
Decoct. Emoll. Q. S. F. En.

XIII. FOTUS.

1. FOTUS EMOLLIENS.

R. Decoct. Emoll. Q. S.
Pann. aut. lint. ipso madefactum & levissime
express. parti præscr. applic.

2. FOTUS SAMBUCINUS.

R. Flor. samb. man. j.
Bull. in aq. comm. lib. j.
Colat. adde acct. lib. semiss.

Colat. pro fotu.

Spirir. vin. camph. unc. j. add. si sic præscrib.

3. FOTUS ANTISEPTICUS.

R. Flor. Chamæm. man. semiss.
Cortic. peruv. unc. j.
Coq. in aq. lib. iij.
Col. adde Spirit. Vin. Camph. unc. ij.

4. FOTUS VEGETO-MINERALIS.

R. Ap. Stillat. lib. ij.
Extr. saturn. Liq. unc. semiss.
Aq. vit. unc. ij.

Pro fotu minori duplum aq. vehiculum.

XIV. CÆTERA EXTERNA.

1. CATAPLASMA.

R. Micæpanis q. S.
Coque in lact. q. S.
Sub fin. adde Croci q. S.

2. LITUS PICEUS.

R. Picis navalis, duas partes.

Axungiae porcin. unam.

M. Liquefiant Simul. Leviss. illin. part.

3. SINAPISMUS.

R. Semin. Sinapi

unc. j. semiss.

Ferment. pan. recent.

Q. S.

Aceti acerrimi

Q. S.

Ad catapl. consist.

4. PEDILUVIUM SAPONACEUM.

R. Sapon. Comm.

drachm. ij.

Solv. in aq. Q. S. ad pediluv.

5. BALNEUM MINERALE.

R. Calc. Viv.

unc. viij.

Sulphur.

unc. iv.

Bull. in aq.

lib. vj.

Colatur. affunde Balneo Communi Calido.

6. FUMIGIUM PECTORALE.

R. Picis naval.

Cerae flavæ

Terebinth.

aa part. æq.

In vase igni Superposito Liquefiant; & aëri

Cubiculi, Clausis omnibus, Misceatur vapor;

aut tubo fumi ductorio, per trachæam ægri

excipiatur, Cum *immediatum* præscripserit

Medicus, qui tempus etiam præscribet.

7. UNGUENTUM AD SCABIEM.

R. Sulphur. pulv.

unc. iv.

Sal. ammon.

unc. semiss.

Axung. Porcin.

lib. j.

Dosis drachm. j semel aut bis, &c.

8. UNGUENTA ET EMPLASTRA.

Populeum, Mercuriale,


Althææ, Vesicatorium

Cicutæ, & c. omnia ut in Codice Parisiensi;

P O S T - S C R I P T U M.

A B I E T I N U M.

R. Cerev. Newport. *Abietinae* Dictæ. lib. cc.
 Radic. Raph. rust. recent. lib. iv.
 Hujus cerev. & aq. comm. part. æq. præscrib.
 per Cyath. semel, bis, ter, &c.



Quæ præscribentur *illico*, statim a Visitatione
 dentur.

Quæ *Cras*, duabus ad minus ante primam vi-
 sitationem horis.

Quæ *Sero*, circa septimam serotinam.

Omnia Remedia, & omnium doses diversis
 horis præscriptas, ipsi met ægrotis dent Phar-
 macopæi.

Animi deliquium patientibus... Vomentibus...
 ut plurimum adsint. Paucissima, ea que le-
 vissimi momenti, rarissime que infirmariis
 linquant.