Address to the inhabitants of the city and liberties of Philadelphia.

Contributors

National Library of Medicine (U.S.)

Publication/Creation

[Philadelphia]: [publisher not identified], [1797]

Persistent URL

https://wellcomecollection.org/works/cqsczf4z


License and attribution

This material has been provided by This material has been provided by the National Library of Medicine (U.S.), through the Medical Heritage Library. The original may be consulted at the National Library of Medicine (U.S.) where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.





ADDRESS

TO THE

INHABITANTS OF THE CITY AND LIBERTIES

OF

PHILADELPHIA.



BELOVED FELLOW CITIZENS,

An anxious defire for your prefervation, in this time of general alarm, has induced me to prefent you with the following a lvice.—When you are affored that it is offered by one who has had a large there of experience in the fever of ninety-three as well as in the prefent calamity, you will not I hope be unwilling to liften to the truth, because the name of the author is concealed.

In the first place, I wish you to pay attention to the following rules, to avoid taking the fever; they are generally allowed to be safe and effectual.

Be very temperate in your diet; Do not over-heat nor fatigue yourselves by any kind of exercise; Be not exposed to the fun nor to the night air 1 Be very cleanly in your houses and persons; Keep the body laxative by finall doses of cream of tartar, glauber's falts, or eafter oil; and by a free use of ripe fruit, with which a kind providence hath, at this time, so plentifully fupplied us. But above all things endeavour to keep your spirits calm and even. A due observation of these rules will do much, with the divine bleffing, in preferving you from the fever; and if you even fhould be taken with it, the disease will be lighter. Indeed the remedies now generally used have proved so effectual, that if the fick are placed in airy rooms, are well nurfed, and have proper medical affiftance, this fever is not more dangerous than many others.

Although it is cruel to defert a fick person yet it will be well not to have any unnecessary intercourse with the fick.

Secondly—I would recommend the following rules to be observed by those who are taken ill with the fever:

If you are feized with a chilline's or shaking, followed by a fever, bad head-ach, pain in the back and loins, sick stomach or vomiting, uncasiness about the breast, foreness of the eyes or pain in them, immediately get bled; and take one of the powders of jalap and calomel, so successfully used in 1793—They may be had at the apothecaries with proper directions for using them.—Drink very freely of molasses and water, or tamarinds and water. If this method does not carry off the disease, which it often does in a short time, send for a physician.

The chamber windows of the fick should be always kept open; the bed clothes and other linen

often changed; the face, hands, and arms of the fick must be frequently washed with water or vinegar. The mixture of oil of vitriol and falttpetre, recommended by the College of Physicians, and prepared, with proper directions, by the apothecaries, should be constantly used.

If you cannot get a physician, the best general rule is.

For the first three or four days, while the sever continues high, be bled once or twice a day, and take one dose of the above mentioned powder of jalap and calomel, every day—when the sever abates a little, take a dose of glauber's salts, castor oil or rhubarb, every day, until the seventh or eighth day.

If the fickness at flomach continues, put blifters to the wrifts.

For the first three or four days, drink molasses and weer, tamarinds and water, cream of tartar and water, or toast and water. Afterwards use thin sago, tapioca or barley water and eat ripe peaches or grapes. Use no wine till the sever is gone. Then take chocolate, tea, and weak broth for nourishment, and cool chamomile tea to strengthen the stomach. The sick should keep as quiet as possible taking care to make no unnecessary exertions for these have often proved to be extremely dangerous by bringing on faintings, and convulsions—for some time after recovery, the sick must be very cautious in their diet and exercise, to prevent a relapse.

When a fick person gets well, expose their bed to the rain, or let it be well washed by throwing cold water on it—this will not injure the seathers:—But do not put the bed in the sun, nor in such a situation as to injure a neighbour—wash all the cloaths, in cold water—the walls of the sick room should be immediately white washed, the sloors and doors well washed—and the windows kept constantly open.

This advice is offered you from an earnest folicitude for your good—it is a plain account of the methods generally allowed, by the physicians, to be most beneficial and if you will but affist them by your endeavours to be calm and tranquil, I have no doubt but they will, with the bleffing of God, be found highly salutary and effectual for the perfervation of your health.

A FRIEND TO MANKIND

Philadelphia September 6th, 1797.

DDRESS

HE LIFY AND LIBERTIES

To come of all of the party

loving the shambers a my source my that

delicate the spine mentioned bushes on state a stood was an exercise the land lander shade to the six time of the contract of

the fire the facilities or first slave, about modeling and has taken to make a many by statement at the supplied of the state of th

on or leading water and car over precious or grapes. to consequence of the sheet laws often greet

Bridges Process Continues

The second secon

