An inaugural dissertation on opium: submitted to the examination of the Rev. William Smith, S.T.P. provost; and to the trustees and medical professors of the College of Philadelphia; for the degree of Doctor of Medicine: on the twenty-third day of June, A.D. 1791 / by Hast Handy, of the state of Maryland.

#### **Contributors**

Handy, Hast. Lang, Thomas, 1763?-1793. Redman, John, 1722-1808 College of Philadelphia. Medical School. National Library of Medicine (U.S.)

#### **Publication/Creation**

Philadelphia: Printed by T. Lang, no. 21, Church-Alley, MDCCXCI [1791]

#### **Persistent URL**

https://wellcomecollection.org/works/td9grjr7

#### License and attribution


This material has been provided by This material has been provided by the National Library of Medicine (U.S.), through the Medical Heritage Library. The original may be consulted at the National Library of Medicine (U.S.) where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.


You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



## UNITED STATES OF AMERICA



FOUNDED 1836

WASHINGTON, D.C.

GPO 16-67244-1





## INAUGURAL DISSERTATION

ON

# OPIUM;

SUBMITTED TO THE EXAMINATION

OF THE

REV. WILLIAM SMITH, S. T. P. PROVOST;

AND TO THE

TRUSTEES AND MEDICAL PROFESSORS

OFTHE

### COLLEGE OF PHILADELPHIA;

FOR THE DEGREE OF

#### DOCTOR OF MEDICINE:

ON THE TWENTY-THIRD DAY OF JUNE, A. D. 1791.

### BY HAST HANDY,

OF THE STATE OF MARKLAND

PHILADELPHIA:

PRINTED BY T. LANG, No 21, CHURCH-ALLEY.

For Doctor Redman
with respectful compliments
from his fam &
Sevt the
author

### BENJAMIN RUSH, M. D.

PROFESSOR OF THE THEORY AND PRACTICE OF MEDICINE,

AND TO

## BENJAMIN SMITH BARTON, M. D.

PROFESSOR OF BOTANY AND NATURAL HISTORY -IN THE

COLLEGE OF PHILADELPHIA:

A L S O,

TO

## DOCTOR JOHN WOOLFORD,

OF SOMERSET COUNTY,

AND TO

# PETER CHAILLÉ, Esquire,

OF WORCESTER COUNTY-MARYLAND,

#### THE FOLLOWING DISSERTATION

is Inscribed,

As a mark of the RESPECT—GRATITUDE—and AFFEC-TION, of their fincere friend,

The Author.

400707

# BENJAMIN RUSH, M. D.

PROFESSOR OF THE THEORY AND PRACTICE OF MEDICINE,

OT GHA

## BENJAMIN SMITH BARTON, M. D.

PROPESSON OF BOTANY AND PARTURAL HISTORY ANTWE

X L S O.

07

# DOCTOR JOHN WOOLFORD,

OF SOMERSEY COUNTY.

OT HUA

## PETER CHAILLE, Esquire,

OF WORCESTER COUNTY WALTER D.

### THE FOLLOWING DISSERTATION

is Julinbre,

is a unit of the arspect —cantitude -and array-

The Rethors

## INTRODUCTION.

"IT requires," to use the words of one of our professors, "the recollection of escapes " from a lion and a bear," to encounter the opinions which have been uniformly received on the subject of OPIUM. In this difficult enterprise, I have availed myself of facts only, which I flatter myfelf will be much more acceptable, in a discussion of this kind, than mere speculative affertions. If I have failed in elegance or taste in the language of my differtation, I hope I shall be excused, inasmuch as I have suffered, in common with the youth of our country, in having been obliged to submit to that system of modern school-learning, which has, unfortunately, in a great degree, excluded the study of our native language from being a necessary part of education.

#### THE

## NATURAL HISTORY OF OPIUM.

THIS valuable drug is the production of the poppy, which grows, in great plenty, in Egypt, Persia, and the different provinces of Asia, where it is cultivated in large quantities; especially in Thebes in Egypt-hence it derives the name Thebaic Opium. It is laid, that, in the province of Bahar, in the East-Indies, the poppy-seeds are sown in October or November, at about eight inches distance, and are well watered till the plants are about half a foot high, when a compound of nitrous earth, dung, and ashes, is spread over the areas; and, a little before the flowers appear, they are again watered profusely, until the capfules are half grown, and then the opium is collected; for, when fully ripe, they yield but little juice. The method of obtaining it is, by making two incisions, in each unripe capsule, from below upwards, taking care not to penetrate

the internal cavity of the capfule. These incisions are made at fun-set, for three or four successive evenings, until each capsule has received fix or eight wounds; they are then allowed to ripen their feeds. If the capfule were wounded in the heat of the day, a cicatrix would be too foon formed; on the contrary, night favours the distillation of the juice. Early in the morning, the juice is scraped off the wounds with an iron fcoop, and worked in an earthen pot for a long time in the fun, until it becomes of a confiderable spissitude. It is then made up into cakes generally of a globular form, of different fizes, from four ounces to pound or upwards in weight, which are covered with leaves, or fome other vegetable matter, to prevent their running or sticking together.

THE Abbe Raynal, in describing the cultivation of opium, in his History of the East-Indies, says, "When the poppy is full of sap, "and the head of it begins to swell, one or more incisions are made into it; from whence "distil some drops of the milky liquor contained within, which are left to congeal, and

" are afterwards gathered. This operation is " repeated three times; but the produce gra-"dually diminishes in quantity, nor is it of so " good a quality. When the opium is ga-"thered, it is moistened and kneaded with "water, or honey, till it acquires the confift-" ence, viscidity, and glossiness of pitch, when " it is well prepared, and is then made into "cakes. That kind is most esteemed which " is rather foft and yields to the touch, is in-" flammable, of a blackish brown colour, and " has a strong fetid fmell. On the contrary, " that which is dry, friable, burnt, and mixed with earth and fand, is to be thrown away."

OPIUM is a gummy refinous substance, and tenacious to the touch, especially after handling it for some time. When pulverised, it is of a yellowish colour, but, in the mass, of a dark red. It has a strong peculiar smell; bitterish taste, somewhat nauseous at first, asterwards accompanied with a pungent heat and acrimony. In order to ascertain its visible impurities, it should be sliced, by which operation many heterogeneous things are often

9

feen united with it. The best criterion of the goodness of opium, without a chemical analysis, is, that, when broken, it appears bright, is dry, not unctuous, but moderately compact and ponderous, of a dark reddish-brown colour, and tinctures water, when added to it, of a red colour.

I SHALL now enquire into the manner in which opium acts upon the human body.

THERE is no subject which has been the occasion of so much controversy as the modus operandi of opium. It appears to have been a question much agitated among the ancients, whether it acted primarily on the blood, by rarefying and increasing its volume, and afterwards produced its effects indirectly on the brain and nerves; or, whether its operation was directly on the nervous Tystem? It has likewise been made a question, whether, on the exhibition of opium, the action of the heart be increased, and the pulse accelerated?— But, the prevailing opinion, for many centuries, has been, that it possesses a sedative ope-

ration:

ration; and one of the last writers of the present century, on the Materia Medica, has afferted, that it acts by diminishing mobility, and fuspending, in a certain manner, the motion of the nervous fluid. He observes, that, in the narcotic substance, there is a stimulant, as well as a sedative, matter, which, instead of always diminishing the action of the heart, feems to be powerfully stimulant with respect to it. To explain this stimulant power, he fays, it appears necessary to assign some other cause than the direct stimulating quality of the substance applied. With respect to the sedative operation of opium, his conclusions are evidently drawn from its inducing, under certain circumstances, that ceffation of strength and motion which induces fleep. His words are, "As we take it for " granted, that all exercise of sense and vo-"luntary motion depends upon the motion " of the nervous fluid to and from the brain, " we conclude, that fleep confifts in a fuspen-" fion of these motions." Hence, he infers that opium induces fleep, and removes pain,

by suspending the motion of the nervous sluid, through the medium of its sedative powers.

I SHALL now propose my own opinion concerning the operation of opium. This I should do with great diffidence, were I not supported in it by authorities of the highest eft eminence in medicine.

In order to ascertain the manner in which opium acts upon the system, let us first enquire into the usual effects of substances which are univerfally acknowledged to be of a ftimulating nature, particularly fermented and spirituous liquors, upon a healthy body. Do they produce vigour of body, and chearfulness of mind?—So does opium. Do they excite paffion and emotion?-So does opium. Do they induce watchfulness, diffipate fadness, and inspire resolution?-So does opium. Do they, under certain circumstances, induce sleep?—So does opium. And do they, when taken in immoderate doses, produce giddiness, a redness of the face, fwelling of the lips, troublesome dreams, starting, convulsion, a considerable dilatation of the pupils, imperfect speech, full pulse, quick breathing, nausea, vomiting, itching of the skin, madness, hiccup, syncope, death? I will appeal to every reflecting and candid physician, if an immoderate dose of opium does not produce the same effects. Why, then, may we not, with the same propriety, annex the term stimulant to opium as to any of those stimulating liquors?

DOCTOR Young relates a case of a surgeon, who always took a confiderable dose of opium, previously to his performing an operation of any importance. Doctor Brown informs us of a gentleman who was anxious to accomplish a literary composition, which required an uninterrupted exertion of his mental faculties for more than forty-eight hours, who was enabled to perform it by supporting himfelf with stimuli. The last that he had recourse to was opium. This powerful antidote to fleep (under certain circumstances) conducted him to the conclusion of his work, with the fame vigour and clearness of mind with which he had commenced it.

THERE is a passage in Chardin's Travels, which Dr. Leigh on Opium takes notice of, and which I beg leave to transcribe. "The "free use of opium among the Persians, ap-" pears to have been introduced to allay the " uneafiness and troubles of old men, in great " places, who were forbid the use of wine by " Mahomet. They have feveral preparations " of the poppy, which they use for that pur-" pose. The first is the juice of the poppy it-" felf, which they use in form of a pill, of the " bigness of a pin's head at first, and then gra-"dually increase it to the fize of a pea: in " one hour's time they begin to feel its effects. "The Persians say, it entertains their fancies " with pleasant visions, and a kind of rapture. "They very foon grow merry, then burst in-" to a laugh, which continues until they die " away in a fwoon. It is found, by those who " have a disposition for jesting, to increase that " extremely. After the operation of this me-"dicine, the body grows cold, pensive, and "heavy. In this dull and indolent fituation " it remains, till the dose is repeated. Those " of the Perfians who are accustomed to use "this remedy, cannot live without it: the " want of it produces depression of spirits, and " a languor and debility are instantly disco-" vered in the countenance. The Turks fay " they cannot live without opium, unless wine " is given them in its place; and, even then, "they are not content, as they fay the wine "does not operate fo powerfully on them as "opium." Doctor Mead, in speaking of the effects of opium, fays, it is as common a faying with the Turks and Persians, "He has eaten " too much opium," as, with us, "He has drank " too much wine." It is used by the Chinese as an agreeable cordial, and is taken by them previously to all daring and arduous exploits.

Doctor Leigh, with the view of afcertaining the effects of opium, must, to a mind fond of enquiry, afford much instruction, more particularly the 30th and 31st of them; the first of which, the Doctor himself takes notice of —in the latter, we have the authority of the gentleman who made the experiment on himself,

felf, which fact he communicated to Doctor Leigh. The refult of both experiments induces me to conclude, that opium is possessed of the most diffusible stimulus. For a more particular account, I shall refer my readers to the experiments themselves.

MANY other facts might be adduced, from authors, to prove that opium possesses stimulating powers in a healthy state of the body; but, those which have been mentioned, I hope, will be fufficient for my purpose. But, if we examine the effects of opium in certain difeases, we shall find new proofs of its stimulating qualities. Do we not fee it recommended, every day, in those of the greatest debility, and with great fuccess, even by an espouser of its imaginary sedative qualities? Dr. Cullen, in speaking of the cure of intermittent fevers, fays, "It appears to me clear-" ly, that the recurrences of the paroxyfm of "intermittent fevers, depend upon a recur-" rence of a state of debility, and that this is " to be prevented either by the use of tonics, " or stimulants, which may excite the action

" of the heart and arteries, and support that "excitement till the period of accession is " over." After mentioning feveral medicines which possess that power, he speaks of opium as one of the most effectual for that purpose. Doctor Lind fays, that he has feen the happiest effects follow the use of opium in fevers; for, instead of the burning sensation which affects patients labouring under the hot stage, it induces fweat, accompanied by an agreeable foftness of the skin. Doctor Odier, in a letter to Doctor Duncan, in the fixth volume of the Medical Commentaries, gives him the following account of the use of opium. "We "have repeated the experiments of Doctor "Lind on opium, in intermittent fevers, al-" ways with the greatest success. We use " liquid laudanum, as he does, to the extent " of twenty-five drops, after the beginning of " the hot fit, and we find it shortens it much. "It makes even a return of the paroxyfm "more regular, and has, in many instances, "been alone fufficient to cure it altogether. "We have given opium in cases where it is " prohibited

"prohibited by Doctor Lind, and with equal fuccess; I mean those in which there is much delirium, which we have never found to be increased by it, but much oftener removed, and always diminished."

In support of the stimulant esfects of opium in fevers, I shall here insert an extract from Doctor Rush's Lectures, delivered in the year 1791, in the college of Philadelphia. "The " use of opium in the low stage of a typhus fe-" ver, is not to me a new remedy. I have used "it in fuch cases many years, and have re-" commended it, in my Lectures, in all those " fevers, or stages of fevers, where wine was " fafe or proper. I observed the happiest ef-"fects from it in the fevers of the military "hospitals of the United States, during the " late war .- In the year 1779, foon after I " left the hospitals, I had a patient in the low-"est stage of a typhus fever. At that time, " opium was but little used in fevers in this "city, and the dread of it, in these diseases, "was almost universal. I had witnessed its " fafety and efficacy in many fimilar cases in

"the army, and therefore gave a pill, confift-"ing of three grains of opium, to a pupil "in " whose integrity I had great confidence, and " defired him to administer it with his own "bands-adding, at the time I gave it to him, " that the death of our patient appeared to be " certain without it, and that it was the only " medicine, that I knew, that gave him any " chance of recovery; for he had previously " taken large quantities of wine, vol. alk. bark, "and moderate doses of laudanum, to no " purpose. My requests were faithfully ex-"ecuted, and my fuccess was equal to my " wishes. The opium removed the tremors " and delirium of my patient, raised his pulse, " produced general fweats, and from that time " he gradually recovered."

If we examine the whole catalogue of inflammatory difeases, we shall scarcely find one in which opium is recommended while the pure inflammatory diathesis prevails. If opium is so powerfully sedative, why is it not equally powerful in diminishing excess of irregular

<sup>\* &</sup>quot; Doctor John Rogers-now of New-York."

regular action (or, what is called by Doctor Cullen, "phlogistic diathesis"), and in restoring health—which consists in an equilibrium between excitability and excitement, and which can only be effected by means of sedative powers? In pulmonic affections, attended with a cough, it is true, opium is sometimes given with advantage, before the inslammatory diathesis is removed; but, it is only because more undue action is communicated to the whole system by a constant and painful cough, than by moderate doses of this medicine.

I SHALL now mention the usual effects of opium on the human body.

offect only when pain is accompanied by debility. In inflammatory difeases, and in all diseases of too much action of the system, it evidently increases pain, except it be given in doses sufficiently large to produce indirect debility.

2dly. In PRODUCING SLEEP .- Its effects in inducing fleep, are the fame as those by which it eases pain, merely as a stimulant. The whole class of exciting powers, as the stimulus of food, drink, certain passions of the mind, &c. all operating within certain boundaries, give a disposition to sleep, that is, when their stimulus does not extend beyond a certain point. The fleep produced in this way is the most falutary. That opium produces sleep by its stimulant effects, is evident from that wakefulness which accompanies those afthenic diseases which reduce the system below the fleeping point. It is in fuch cases only, that opium should be used to induce fleep. Doctor Young justly observes, that "opium will not always make us fleep, "even when there is no apparent cause to "difturb us." Doctor Mead likewise says, that "those who take it are so transported " that they do not always fleep, yet there is " no happiness in the world can surpass the " charms of this agreeable extafy."

adly. Upon the stomach.—Impressions made on this important viscus, are soon communicated to the several parts of the body. The more excitability that has been given to any particular part, from the beginning of the living state, the more easily is it acted on by the exciting powers, whether they act with full force or not. Hence, opium operates with a sorce in the stomach, which it does not exert in any other part of the system.

4thly. UPON THE PULSE.—That opium increases the action and frequency of the pulse, in its first operation, appears from many experiments, feveral of which I have made upon my own body. The pulse, however, foon fails in frequency, and becomes full and hard. The fame appears to have been the iffue of many unequivocal experiments which were made by Doctor Leigh. This change, in my opinion, does not invalidate the theory which I have proposed; for, an acceleration of the pulse is not a constant concomitant effect of the action of stimuli on the fystem. As a proof of this, we need only at-

tend

tend to that class of diseases which are induced by the action of exciting powers. Is not the pulse, in these cases, hard, full, and strong? On the other hand, the pulse, when under the influence of sedative powers, is weak, soft, and quick; which is diametrically opposite to the effects of stimulants.

5thly. Upon the kidneys.—It has been faid, that opium diminishes every secretion, except that of fweat. This affertion, I conceive, is founded more on theory than observation, as will appear from the following facts. -Doctor Leigh's experiments prove, that opium, when taken in large quantities, increases the discharge of urine.-Doctor Michaelis, in the Medical Communications, fays, he has feen the fecretion of urine fo plentifully increased by taking large quantities of opium, that the quantity of urine exceeded that of all the fluids they had drank.-Mr. Vitet, on Animal Medicine, observes, that "opium, instead of " stupefying, causing sleep, exciting perspira-"tion, and rendering the part to which it is " applied less sensible-increases the appetite and

" and vigour of the horse, ox, and sheep, and "promotes the discharge of urine, particular-"ly in the last of these animals."

6thly. IN PROMOTING SWEAT .- Doctor Cullen, in treating on opium, under the head of Diaphoretics, observes, that "the stimulant " and fedative qualities of opium operate at " one and the fame time; and in no instance "more remarkably than in that of opium's " proving powerfully fudorific." There is no occasion to call in the mixture of a sedative with a stimulating power. Opium, I apprehend, becomes a diaphoretic only in cases of debility; and in fuch cases only Doctor Cullen has recommended it, in other parts of his works. Even in these cases, sweating is probably an accidental effect of the vigour imparted to the fystem by the use of opium, and not necessarily connected with the cure of the difeases of debility. Perhaps more benefit would arise from its use, if this vigour could be communicated to the fystem, without being accompanied by large and weakening difcharges from the skin.

7thly. ON THE APPETITE. -The effects of opium cannot be better illustrated than by adverting to many experiments made by Mr. Vitet, and particularly to those which I before mentioned, when speaking of its effects on the kidneys. The following fact appears to throw great light on the subject .- In the late famine in China, in the year 1770, opium was purchased at an exorbitant price, by the unhappy fufferers, to allay the cravings of hunger. It not only promotes appetite, but, likewise, helps digestion. Of this, Doctor Rush informed us of a remarkable case, in his Lectures.-A medical gentleman who breakfasted with him, took a pill out of a box, which he carried in his pocket, and fwallowed it just before he began to eat. On the Doctor's discovering some surprise at this act, the gentleman informed him, that he was troubled with dyspepsia, and that he was unable to digest a single meal unless he took before it a grain of opium.

I SHALL now, in a curfory manner, mention the difeases in which it is improper. They are those

those which are denominated sthenic, as, the phrenitis, pleuritis, angina, peripneumonia vera and notha, hepatitis, &c.; or, such as are known by great heat, a redness of the eyes, slorid countenance, pains in the back and loins, great thirst, high-coloured urine, with a tense, full, and hard pulse. It cannot fail to do harm so long as these symptoms of inflammatory action remain, which, says an ingenious author\*, "I have had the missortune "to learn from too-frequent experience."

I SHALL now mention, in a few words, the efficacy of opium in a particular class of difeases; but shall not enumerate its effects on each disease belonging to that class, as this would carry me far beyond the bounds of an inaugural differtation.

THE diseases in which it is proper, are those of debility, or those in which the excitement of the system is reduced below its healthy standard; as in most cases of spasm, dyspepsia, violent hysteria, hypochondriasis, dropsy, tetanus, and in severs of the typhus-kind,

mostro eds syd bestoggil ed as more

<sup>\*</sup> Doctor Young, on Opium.

more especially when morbid wakefulness attends. It has lately become a very fashionable remedy for the venereal difease, and there have been a number of valuable communications published, by the different medical focieties in Europe, respecting its efficacy in that disorder. A suspicion remains, that its virtues have been too highly rated: it may, however, be remarked, that many objections to it appear too precipitate. During my attendance upon the practice of the physicians of the Pennfylvania Hospital, I have seen it prescribed, and, I think, in some cases, with obvious advantage. Perhaps it acted only as a cordial and tonic; for, the cases in which it was given, were evidently accompanied with great debility, produced alike by the difeafe, and by previous unfuccessful discharges from the body by the use of mercury.

The doses of opium should be accommodated to the degrees of action in the system; that is, beginning with small doses, and gradually increasing them, until the strength of the system can be supported by the customary and natural

natural stimuli. In the administration of opium, and while the body is under its influence, we should attend to the pulse, which has been justly called the DIAL-PLATE of the system in diseases; for, I conceive it to be as necessary to be governed by its degrees of action in the exhibition of opium, as it is in prescribing bleeding in inflammatory diseases.

For the pharmacy of opium, I must refer to the New Dispensatory, which comprehends the most eligible modes both of preparing and administering it. I shall only remark, that the extractum Thebaicum, which is so highly recommended in the London Dispensatory, as containing the purest opium, is proved, by the experiments of Doctor Leigh, not to possess the advantages that have been ascribed to it. He thinks it advisable to throw aside the formula of the London Dispensatory, and adopt the one recommended by him in Experiment XXIII\*. as being effectual in freeing the opium

<sup>\* &</sup>quot;To one ounce of the common opium of the shops add fix ounces of spirits of wine, diluted with as much water; let them digest in a gentle heat for four days, during which time they

opium from its impurities, at the same time that we avoid injuring the active properties of the medicine.

TO you, worthy Professors of the College of Philadelphia, under whose kind auspices I have been guided, through my studies, to the conclusion of a medical education, I beg leave to return my most grateful acknowledgments. In bidding you adieu, I feel, for each of you, the same respect and affection, mingled with my gratitude, which a dutiful fon feels upon parting with an affectionate parent. May you continue to exert your utmost efforts to promote the interests of medicine; and may you enjoy, for many-many years to come, those bleffings and comforts which flow from a well-spent and useful life!

they should be frequently agitated; then filter the whole and evaporate the tincture, by a very gentle heat, down to the confishence of an extract."







Med. Hist. WZ 270 H237i 1791

