

**A general guide for practising physicians in the examination of the sick :
with an appendix of medical formulae / by J.F. Daniel Lobstein.**

Contributors

Lobstein, J. F. Daniel 1777-1840.
National Library of Medicine (U.S.)

Publication/Creation

Philadelphia : Belair, 1823.

Persistent URL

<https://wellcomecollection.org/works/nyn7usgq>

License and attribution

This material has been provided by This material has been provided by the National Library of Medicine (U.S.), through the Medical Heritage Library. The original may be consulted at the National Library of Medicine (U.S.) where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

WB
L799g
1823a



MEDICINE



NATIONAL



MEDICINE



NATIONAL



MEDICINE



NATIONAL

Education,

and Welfare, Public

Health Service

Washington, D.C.

U.S. Department of

Health, Education,

and




Health S



and Welfare, Public




Health, Education,



U.S. Department of



Washington, D.C.



Health Service

Public




Health S



and Welfare, Public



Health, Education,



U.S. Department of



Washington, D.C.



Health Service

Public



Education,



and Welfare, Public



Health Service



Washington, D.C.



U.S. Department of



Health, Education,

and

NATIONAL LIBRARY OF MEDICINE

NATIONAL LIBRARY OF MEDICINE

MEDICINE

OF MEDICINE

NATIONAL LIBRARY OF MEDICINE

NATIONAL

NATIONAL LIBRARY OF MEDICINE

NATIONAL LIBRARY OF MEDICINE

MEDICINE

OF MEDICINE

NATIONAL LIBRARY OF MEDICINE

NATIONAL

NATIONAL LIBRARY OF MEDICINE

NATIONAL LIBRARY OF MEDICINE

MEDICINE

OF MEDICINE

NATIONAL LIBRARY OF MEDICINE

NATIONAL

th, Education,



Health Service



Health, Education,



Health Service

and Welfare, Public



and Welfare, Public



and Welfare, Public




and Welfare, Public

Health Service



Health, Education,



Health Service



Health, Education,

Washington, D.C.



U.S. Department of



Washington, D.C.



U.S. Department of

U.S. Department of



Washington, D.C.



U.S. Department of



Washington, D.C.

Health, Education,



Health Service



Health, Education,



Health Service

and we




Public



and



Public



A
GENERAL GUIDE
FOR
Practising Physicians,
IN THE
Examination of the Sick.
WITH
AN APPENDIX
OF
Medical Formulæ.

BY J. F. DANIEL LOBSTEIN, M. D.

Author of a work, entitled "Researches and Observations on the Use of Phosphorus in different diseases," published in French, and of different other medical works: Member of the Medical Societies of Paris, Bordeaux, Toulouse, Marseilles, Philadelphia, Lexington, Ky. Pittsburg, &c. &c. Physician and Practitioner in Midwifery in Philadelphia.

*The observing Physician listens to Nature,
The practising interrogates her.*

SECOND EDITION.

PHILADELPHIA:

Published and sold by LEWIS D. BELAIR, Foreign Bookseller, No. 26, North Fifth-street, and to be had at the principal Book-stores in the United States

1823.

EASTERN DISTRICT OF PENNSYLVANIA, to wit:

BE IT REMEMBERED, that on the eighth day of January, in the forty-seventh year of the independence of the United States of America, A. D. 1823, LEWIS D. BELAIR, of the said district, hath deposited in this office the title of a book, the right whereof he claims as proprietor, in the words following, to wit:

A general guide for practising physicians, in the examination of the sick. With an Appendix of Medical Formulæ. By J. F. Daniel Lobstein, M. D., Author of a work, entitled "Researches and observations on the use of phosphorus in different diseases," published in French, and of different other medical works; member of the Medical Societies of Paris, Bordeaux, Toulouse, Marseilles, Philadelphia, Lexington, Ky., Pittsburg, &c. &c., physician and practitioner in midwifery in Philadelphia.

The observing physician listens to Nature,
The practising interrogates her.

In conformity to the act of the congress of the United States, intituled, "An act for the encouragement of learning, by securing the copies of maps, charts, and books, to the authors and proprietors of such copies, during the times therein mentioned"—And also to the act, entitled, "An act supplementary to an act, entitled, "An act for the encouragement of learning, by securing the copies of maps, charts, and books, to the authors and proprietors of such copies during the times therein mentioned," and extending the benefits thereof to the arts of designing, engraving, and etching historical and other prints"

D. CALDWELL,

Clerk of the Eastern District of Pennsylvania.

WB

L799g

1823a

TO
THE PHYSICIANS

AND

Medical Students

OF

The different Medical Colleges


IN THE

UNITED STATES,

RESPECTFULLY DEDICATED,

BY

The Author.



PREFACE.

The physician who desires to prescribe with success, must be qualified to enter into a close and scientific examination of the *symptoms* and *causes* of diseases. He must inquire into every thing, whether antecedent or present, that may have the remotest bearing upon the disease before him: he must examine all the symptoms separately and connectedly, reflect cautiously upon their particular nature, and thus from a comprehensive view of the circumstances of the complaint, form his diagnosis, and determine upon his plan of treatment. An extensive knowledge, both of healthy

and diseased action, is without doubt essential to the successful practice of medicine. But knowledge can be useful, in this respect, only by applying it in a proper way. The most exalted genius, and the most profound erudition are of little avail, unless such genius and such erudition be connected with, and regulated by the *tact* of correct and regular investigation. As a minute and correct investigation of the circumstances attending diseases is therefore of the *greatest importance* to the practical physician, and being aware that but few instructions on this subject have been published in the *English language*, I offer this small work, with the hope that it may *supply*, in some measure, this desideratum.

THE AUTHOR.

GENERAL INSTRUCTIONS

FOR THE

Examination of the Patient.

THE ultimate object of medical science, is the restoration of the sick to health. To the successful attainment of this object, however, a correct knowledge of the beginning, progress, height, decline, and, in short, of the peculiar course of every individual disease, is essentially necessary. In this way alone can we become acquainted with the ways of nature, and distinguish with accuracy the peculiar character of each individual disease, and consequently lay down a rational plan of treatment. Those who act differently err in darkness, and meet with success only by accident. In order to form a correct judgment of a disease, it is necessary to inquire with the utmost care, into the past as well the present circumstance of the patient, and hence the *first visit* is always the most important one.

Since, therefore, much depends on this first examination of the patient, let this be done as minutely and correctly as you possibly can. Many consider this of little importance, and frequently commit serious errors. Some physicians interrogate their patients only *superficially*, (this is generally the case where pathological knowledge is wanting.) Some think it contrary to their acuteness to ask *many* questions, and fancy themselves capable of judging the nature of the disease by the touch of the pulse, or by a look in the urine glass. By such a superficial examination the original seat of chronic diseases is often overlooked, and an affection, which might have been removed without difficulty in its commencement, is suffered to proceed and become incurable.

For the same reason reserve your questions until the patient has done giving his own account of his symptoms and feelings. Notice only the most important parts thereof, and ask him about them afterwards more particularly. Inquire at first into the general circumstances which may be more or less

necessary to the discovery of the causes of the disease, *viz.* concerning the *age, sex, &c.* Next you are to ask what the present circumstances of the disease are, and in this manner you will be led to a knowledge of its causes, violence and seat; this is particularly to be observed in *chronical disorders*. With common people the physician should speak in common language, and avoid technical phrases as much as possible. Nor should he interrupt the patient in the account of his disease, lest he forget to mention circumstances of importance to a correct diagnosis of his disease.

The study of *Physiology* is indispensable to every discerning physician.

Does he not gain much through his interrogations relative to the state, constitution, and disposition, as well as education, habits and morals of the patient? Hence so great a difference in the examination of the rich and the poor, the high and the low, the more insensible and delicate female. When entering the chamber of the patient, the physician should not immediately proceed to feel the pulse and to speak of the disease, as there

are few patients who are not in some degree affected when they first see the doctor, and whose pulse does not acquire a momentary alteration at this time. This is more especially to be attended to in children, and in nervous disorders. The paroxysm is not the proper time for examining a febrile patient. It is requisite for the physician, as he exhorts to *patience*, to possess this quality in a great and exemplary measure himself. Let him listen with attention to the relation of the sick, however tedious it may be, and never interrupt him abruptly, but notice only such things as may be useful. He should chiefly endeavour to study and know his patients, particularly the hypochondriacal and the hysterical, who are so apt to exaggerate their sufferings. It often happens that a patient will give wrong answers to his physician, and this is particularly the case in *obscure disorders*. To obtain correct information, therefore, we must often ask similar questions over again in different ways. The friends and attendants of the sick very often also cause the latter to answer improperly, or indirectly, the questions of

the physician; this is particularly the case with women, who, through modesty, do not express themselves clearly in the presence of others. When this is observed, the physician must conveniently insinuate to those persons to retire. Of chronic diseases it is often impossible to form a correct opinion on a first examination, and several days are requisite to this purpose. In cases of this kind, therefore, the physician must exercise *patience*; when he has gone through with his examination, he should make a memorandum of the most important points, in order to aid his memory. It is very useful, particularly for young practitioners, to keep a day-book for every one of his patients, in which the most material occurrences of the disease, and the remedies prescribed, should be carefully noted.

I must here mention the impropriety of physicians speaking to their patients of similar diseases of others, of prevailing disorders, of funerals, or of the particular cases under their care. *Discretion* is, in this respect, required of the physician. With delicate patients the physician should

endeavour to form his medicines agreeably to the taste of the patients, because, if these can be complied with, it will greatly influence their effect. At the bed of the sick but little certainly is to be advanced in any way. In almost all cases, the questions asked by the sick about the consequences and case to be eluded; and it will scarcely ever be allowable and necessary to tell him of his approaching dissolution, and even when this is thought necessary, the physician should still show his reasons for hoping a recovery, and proffer consolations.

There is nothing on earth at which the depressed soul shudders so much as by the doctor's powerful sentence; *there is no hope, prepare for death!*—But expressions of hope, with sweet and lively prospects, instilled by the physician into the soul of the patient, often produce more salutary efforts of nature than the most boasted remedies.

Particular directions for the examination of the sick.

There are two principal periods to be investigated.

First: The state of the patient *before* he was sick.

Secondly: That which includes his sickness. The examination is to be directed to the following points:

GENERAL QUESTIONS.

1. The *age*.
2. The *sex*.
3. The *temperament*.
4. The *native country*, the *place of residence*, and the *season of the year*.

PARTICULAR QUESTIONS.

1. The *state of former health*.
2. The *period of the disease*.
3. The *present state*
4. *What remedies have been administered*.

THE AGE.

As every age is accompanied with its particular diseases, the physician ought to be informed of it. With children, he must remember the fever from teething, the rickits, the aphtha, worms, scrofula, atrophy, all eruptive disorders, with or without fever, acidity of the stomach, &c. The physician must ascertain whether they were born healthy? How old they are? How many teeth they have? Whether they yet suck, and what kind of milk? Whether the mother or the nurse is in good health? Whether these are of passionate tempers? Whether they have experienced some fright, anger, cold, or over heating? Whether they have their menses during the suckling? Whether the child salivates much? Whether it has discharged worms? Whether it frequently rubs its mouth with its fingers? Whether it rubs its nose? Whether its belly is swelled, hard, tender, hot? Whether it often shrieks and starts when sleeping? Whether the nipples of its breast seem to itch? Whether its mouth is very hot? Whether the inside of its

mouth is much swelled? Whether its tongue is pustulous? Whether it cries often, and whether it cries when at the stool? Whether it is often gnashing its teeth? Whether its pulses are much dilated? Whether it exhibits, sometimes, an extraordinary appetite? Whether it has, or has had, some eruption on the skin? Whether it urinates daily, and with ease? How the stools smell? Whether it stains the linen green, and whether its head is swelled? Whether it feeds too much upon pap, sugar-cakes or potatoes? Whether it sleeps by itself, or in company with others, and who with? (unchaste nurses have often caused the total ruin of a child;) let the child be stripped; examine whether it has a rupture, whether the naval is soft, whether the urethra and anus are duly pervious?

THE SEX.

1 *Women are at all times fickle and changeable.**
At first inquire into the state of the catamenia; ascertain when the menses first appeared; how

*—Varium et mutabile semper Fæmina.—Virg. 7:

they occurred? How long since? Whether they were painful or not, strong or weak, and how long they usually continue? What is the colour of the menses? Were they always regular, or easy to be disturbed? Whether she has fluor albus? Whether this ceases or continues flowing during the menses? Whether it irritates the genital parts? Whether she has some violent passion? Whether she is affected with spasms? Whether she is, perhaps, pining under concealed love? Whether she takes much warm beverage? Whether she has led a sedentary life? Whether she often takes the free and open air? Whether she possesses a slender and delicate frame of body, soft flesh, pale countenance, and transient flushes of redness? Whether her eyes are weak, and often encircled with a blue streak? Whether she is in a state of pregnancy, and how long? Whether, during this state, she has had any milk in her breast? Whether her husband is, or was, affected with any disease? Whether, and when she has been brought to bed? When the delivery took place? Whether she has lost much blood? Whether this has been

the case before the birth? Whether the child has been well situated? How it was with the placenta? Whether she suckles her child, and feels any pain in her breast? Whether she feels any hardness and swelling in her breast? Whether she has worn corsetts, or laced herself hard? Whether she has taken any medicine before, or after, or during acouchment? Whether she has frequently been frightened? Whether she has had children before, or ever miscarried? Whether her labours were difficult or easy? Whether she lives in a happy matrimony, or labours under much grief and frequent vexations? Whether the woman is about the age when the catamenia usually commence, between twelve and fourteen years, or in that between forty-six and fifty, when they cease. These two periods are the most perilous in the life-time of women.

Men are to be asked: What mode of life they have led in their youth? How they lived when older, and how at present? Whether they were fond of drink, dancing, or the pleasures of Venus? Whether pollutions take place? How often? In .

day or night? Whether they drink tea, coffee, or wine? Whether used to strong wine or brandy? Whether they smoke much?* Whether they are strongly inclined to venery, and feel much exhausted afterwards? Whether they are married? How long? Whether their wives are healthy, old, or young? Have had any children, and how many? Whether their children enjoy good health, &c.

THE TEMPERAMENT.

The temperament is also to be taken into particular consideration, because every temperament is inclined to particular kinds of diseases.

The temperament shows itself by the sensitive expressions of the diseased, and the complaints of different patients, in one and the same sickness, are as different as their temperaments. Some do not complain at all, some but little, some very much, some violently. To investigate the temperaments, the following may be observed.

The *Sanguineous* has a fair skin, soft members, a pleasing, lively complexion, sprightly, blue eyes, full blood vessels, cannot well stand exter-

* All smokers have the tongue more or less charged.

nal heat, sweats much and easy, is sensitive and charitable in a high degree, cheerful and without sorrow, changeable, talkative, prone to voluptuousness, and has generally soft stools.

The *Choleric* has generally a delicate, pretty lean and dry body, a whitish yellow skin, middle sized eye, a bright and piercing countenance, uniting sometimes a savage look, the pulse frequent and quick; he talks and walks with rapidity; his bile is acrid and abundant; he sweats little, but soils his linen soon; he has frequent stools, and gives a preference to animal aliment.

The *Hypochondriac*, has generally a yellowish complexion, and is subject to liver complaints; has tumid fistulæ lacrymalis; is sad and irresolute, distrusting, timorous, and on some occasions violent; his whole frame is affected by the least unpleasant occurrences; the least anxious thought will cause him to be affected with flatulency, palpitation, giddiness, diarrhœa, swoons, convulsions, &c. He is easily disposed to vomit, has the most refined sense of smell, the most irritable heart, delicate stomach, and tender bow-

els. He cannot bear some particular sounds, colours, fruits, animals, smells, without feeling much uneasiness.

The *melancholist* has a lead-coloured complexion, a sad look, generally small, deep eyes, surrounded with black hair; mostly rough and curled hair, small arteries, a weak and slow pulse, but swelled and blue veins; he has little, but black bile, hard stools, is middling irritable, but impressions made on him will last a great length of time; he shows in all his actions a particular firmness and steadiness, and at the same time a slowness in his motions, which, however, combines great force and strength.

The *Bæotical* is fleshy, plethoric, has strong muscles, little irritable, small dull nerves, little refined sentiment of pain and pleasure; his pulse sometimes beats hard; he is slow in his actions, but works hard and steady; he is mostly vulgar in his enterprises.

The *Phlegmatic* is lazy, timid or fearful; has generally a soft, white skin, fine hair, particularly little beard, eyes of slow motion and very

projecting, a sluggish appearance, a weak and slow pulse; he speaks slowly, his voice is weak, he is patient, and has, in general, little irritability.

THE NATIVE COUNTRY, OR THE PLACE OF RESIDENCE, THE DWELLING AND THE SEASON.

Infinitely various is the atmosphere in different countries, and even in adjacent districts; this we frequently experience in the United States, where the weather often changes three times in *one* day. *Hippocrates*, *Sydenham*, and other observers, perceived that similar epidemic diseases took place under various qualities of the air. It is well known that a damp abode will produce fevers which even Peruvian bark cannot cure. Let, therefore, the physician always inquire whether his patients' dwelling be situated high or low; whether it is in an airy and public place, or in an alley; whether near some river, or swamp, or in the neighbourhood of some burying ground, or tannery. Yea, even the bed chamber is to be examined; whether the patient lies near a damp wall. All this has great

influence upon him; we know also, that every season of the year produces particular disorders. The summer produces the bilious and putrid diseases, the winter the inflammatory diseases, the spring and the autumn cannot be characterized, as they influence the human system more or less, like winter and summer, according as they partake more or less of the character of these seasons.

Intermittent fevers mostly take place in autumn and spring, and consumptions are produced by the transition from a mild winter to the spring-season. When epidemic diseases prevail, the physician must take particular notice of the beginning, the course, and the critical evacuations of the epidemic disease, as it seldom fails to impress its peculiar character upon other complaints, and, unless this be attended to, may give much perplexity to the physicians. The particular state of the weather, and local circumstances, deserve equal attention.

THE TRADE.

The physician should always inquire what the

trade of his patient is; because, we know that each trade is apt to engender its own infirmities, partly from the greater force exerted by some parts of the body than others, in certain occupations; or that, in certain occupations, different fixed inclinations of the body are required; and hence, in some trades, the intestines are more subject to certain diseases than others: very frequently, also, the place where work is done impairs the health, and in the same way other outward unavoidable circumstances of labour frequently give occasion to certain particular diseases.

Tanners, Leather-dressers, and Skinners, &c. are frequently affected with sores and boils on the hands, cachochymical and rheumatic complaints, gout, putrid fevers, breast complaints, dropsy, &c.

Soap-boilers and Chandlers are exposed to running of the eyes, hard respiration, frequent head-aches, and many nervous symptoms.

Masons are subject to sore lips, wrinkled and inflamed hands, asthma, and become pulmonarians, &c.

Porters become bent forward, are subject to ruptures, stiffness of the neck, sciatica, inflammation of the throat, blood-spitting, and apoplexy.

Carpenters are subject to pains of the back, and of the loins, sciatica and ruptures.

People who work in metals are subject to morbus pictonum.

Taylors are exposed to catarrhs, spitting of blood, consumption, and obstruction of the bowels.

Shoemakers suffer principally from diseases of the bowels, and particularly of the liver; are hypochondriacal, asthmatic, have yellow greenish aspects, melancholy, all complaints of the mind and of the breast, and, according to the observations of *Stoll* they have the weakest lungs.

Millers, Bakers, Hair-dressers, are inclined to all cachetic and various diseases of the skin; suffer in particular in the lungs, and inflammation of the eyes.

Women who wash, or spend much time in damp kitchens, are apt to be cachetic, dropsical,

and liable to catarrhs, rheumatisms, and amenorrhœa.

People who work in *silk, cotton, wool and flax*, are apt to have complaints of the breast.

Orators, Singers, and others, who play on wind instruments, are liable to diseases of the head, hoarseness, colds, quinsy, and affections of the lungs. They are also apt to become affected with hernia, and aneurism of the large arteries of the breast.

Men who ride much on horseback, are subject to asthma, bloody urine, gravel; and sailors are frequently affected with scurvy—rheumatic pains—putrid fever—intermittent fever—colic—ulcers—contusions—ruptures—cholera morbus—venereal diseases, &c.

Butchers are frequently rheumatic, dropsical, and cachectic.

Chimney-sweepers suffer from the soot which sticks to the folds of the scrotum, producing ulcers in those parts.

Persons who pass their days by *writing*, and by *studying*, are subject to piles, obstruction of

the bowels; those who *study much at night* have a very weak, nervous system, and are principally afflicted by congestions in the head, and by diseases of the eyes, and are apt to be atra billious.

THE STATE OF FORMER HEALTH.

First Period.—Cutaneous eruptions and evacuations that have become habitual and necessary to the constitution from long continuance, are apt, on being suddenly checked or repelled, to produce mania, apoplexy, peripneumony, phthisis, and various other dangerous affections. Hæmorrhoidal discharges that have existed a long time, have frequently been known to produce phthisis, dropsy, visceral obstructions, apoplexy, &c. on being suppressed.

Intermittent Fevers in particular, if they have not been properly treated, leave obstructions of viscera, and dropsies. The physician must inquire of his patient to what diseases he was formerly most subjected? Whether rheumatisms from colds, cutaneous eruptions, gout, venereal

complaints, bleedings from the nose, mouth, or ears? Whether he has had the small pox and measles? Whether he has had the present sickness before, and at what time? And how it then was with him? Whether he was born of healthy or nervous parents? Which of them he resembled most? What remedies had been used? Whether he had ever been addicted to self pollutions? Whether, as remedies, he had made use of mercury? Whether he has had frequent wet hands and feet; tetters or old standing ulcers? How it is now with him? Whether he has had issues or setons? Whether he has a rupture?

The diet of the patient ought likewise to be inquired into carefully. It should be asked, whether he eats much fat and salt meat? Whether, in healthy days, he has good appetite and good sleep? How he feels directly after waking? Whether he dreams much? Can make long and continued exercises without any difficulty in respiration? Whether he was accustomed to take much medicine, and how he generally feels after it? Whether he is easily moved by purges and

vomits? Whether they operate soon or long after they are taken? Whether his digestion is good? Whether he is frequently troubled with acidity in the stomach, or flatulency? Whether, when in health, he had a regular stool every day, and what appearances and consistency they had? Whether he has any idiosyncrasy? Whether he lived happy and content, or had often been excited to anger? Whether he is very irritable, and inclined to displeasure? Whether he remembers any thing that may have happened shortly before his sickness, by which it might have been occasioned? Whether, perhaps, he had been exposed to contagion.

STAGE OF THE SICKNESS.

Second Period.—It does not occur very often that a man is suddenly put down by sickness (except in some few complaints) for generally some precursory symptoms make their appearance some days before the more unequivocal appearance of the malady. (*Prodromi morborum.*)

These premonitory signs consist, for the most part, of a weariness in the members, of a dull and

listless feeling, attended by frequent yawnings and stretchings, heaviness of members, confusion of the head; disturbed, unrefreshing sleep; a certain uneasy feeling in the pit of the stomach; loss of appetite, great sensibility, oppressed respiration, chills, light and partial sweats; dryness of the mouth, and shooting pains in the members and the breast.

The physician, therefore, ought to attend to the stage of the sickness; for without a strict attention to this point, we can never determine any thing concerning the critical days. It is absolutely necessary to ascertain the character of the first stage of the sickness; but this is not often correctly learned from the patient himself, for he often reckons the beginning of his disease from the time he first takes his bed. More may be learned from the parents, and from other circumstances, but every thing unusual, which may have been felt by the patient before he was taken ill, ought to be related circumstantially.

Having learned these circumstances, inquiry must be made as to their probable causes. We

must ascertain whether the patient has laboured under any natural wants, or whether he received a hurt, and injured himself by excess in eating, drinking, or by violent exercise, &c.

THE ACTUAL STATE.

In this part of the examination, the physician must proceed from part to part, according to the order of the anatomical structures, or organs of the body, and notice each symptom of each particular part, with regard always to the preceding days.

THE HEAD.

Head-ache, either partial or general—heaviness of the head—inability to walk without staggering—vertigo—absence of mind—quickness in answering—stupor, &c.

THE FACE.

With respect to a healthy state: little variation—unexpressive—hippocratic.

THE COLOUR.

Blooming red—transient red colour—pale—lead colour—yellowish blue—greenish and blackish—copper colour.

FIGURE.

Round—thick—inflated—long—lean—compressed—wrinkled.

COURTENANCE.

Cheerful—lively—serene—sad—quiet—timid
serious—pensive—angry—raging—deranged—
desperate.

THE MOUTH.

Bad taste—bitter—slimy—glutinous—rising
disposition to vomit—nature of the ejecta; mouth
open or closed—swollen—full of sores.

LOBES OF THE EAR.

Red—cold—relaxed—contracted.

THE FORE-HEAD.

Contracted—down-cast—red—hot—flushed—
covered with pustules—painful—trembling—wild.

THE NOSE.

Pale and cold—red pimples on it—bad smell
out of it—blackish inside—strong movements of
the nostrils—nose pointed—fallen in—a yellow-
ish green or pale colour round the corners of the
mouth.

THE LIPS.

Smiling—trembling, particularly of the under-lip—cold—hot—whitish—parched—hanging down—contracted—swoln, particularly the upper one—yellowish—with biles.

THE TEETH.

Milk-white—yellow—not defective—greatly impaired—slimy—covered by tartar—bare from the gums—aching—gnashing of them.

THE TONGUE.

Clear—white—yellow—brown—yellowish black, blue—blackish—wet—dry—dried up—very red—dirty—rough—flakish—glutinous—trembling—unable to stretch out—stiff—swoln—covered with pustules.

THE EYES.

Dark—blue—yellow—shuning light—protruded, swoln—immovable—nearly closed—red—yellow, different in size—shedding tears—pale yellow—naked—glary—staring—throwing out sparks—with specks in them—of a watery, glassy as-

pect—itching of the eye-lids—a blue circle about them.

THE NECK.

Small—long—thick—short—stiff—painful—convulsive.—straightening and contorsions of it.

THE BREAST.

Its construction: high—pointed—protuberant, compressed, particularly of the surface of the sternum.

THE RESPIRATION.

Easy—difficult—various—quick—slow—strong—hard—warm—cold—fœtid—rattling—snoring—slerlorous—whistling—stifled and slow—small and frequent—small and slow—with motion of the shoulder-blades and nostrils.

OPPRESSION OF THE BREAST.

Constantly—or only at times—increasing by the respirations—by coughs, &c.

THE PAINS.

1. *The nature of them:* Violent—acute—dull.
2. *Extent of pain:* extended far—fixed—confined to a small place—wandering pain.
3. *Increase of it:* at standing—walking—lying on the back—on one or the other side—while coughing—inspiration—exterior pressure.

THE COUGH.

1. *With regard to the expectoration:* with a dry or wet expectoration—or without any.
2. *With regard to the irritation:* in the throat—in the breast—in the abdomen.

THE EXPECTORATION.

1. *With regard to its ease or difficulty.*
2. *Of the quantity:* more or less—suppressed expectoration.
3. *Of the colour:* white—yellow—saffron—ash gray—or greenish black.
4. *Of the consistency:* thin—watery—tough—glutinous.

5. *The matter itself:* bloody—bilious—slimy, purulent—puruloid.

6. *The period:* periodical or general and irregular.

THE POSITION IN BED.

Easy—restless on one side—on both sides—on the back—not able at all to lay down.

THE DIFFERENT REGIONS OF THE BODY.

Soft—hot—cold—painful—puffed up—compressed.

THE STOOL

1. *With regard to quantity:* frequent—sparingly.

2. *The consistency:* watery—fluid—lead-like, more frothy—more figured.

3. *The colour:* white—pale yellow—green—greenish—red—like soot—black.

4. *The discharge:* more free—slow—quick—diarrhœa—or attended with tenesmus.

5. *The matter:* indigested—glutinous—bilious—slimy—purulent—greasy—bloody—slimy—along with worms.

6. *The smell:* as well of the matter discharged, as of the *flatus*: sour—putrid—rank smell—bilious.

THE URINE.

1. *With respect to quantity:* much—little—by day and night.

2. *The discharge:* free—without interruptions, by drops--suddenly--uninterrupted--with divided stream—painful at the last drop—wholly without pains.

3. *The colour:* more watery—white—more troubled--more coloured than usual—yellow—red—black—more green—colouring linen.

4. *The smell:* without smell—rank—fœtid.

5. *The consistency:* more watery—thin—milky, oily—mucous—cloudy—thick.

6. *Parts contained by the urine:* settling at the bottom by half—wholly—moveable—sticking fast—gravel like—mealy--stony—saffron like—mealy—laleritius—cinnabar like.

THE PULSE.

With regard to quickness:—slow—quick.

THE STRENGTH.

Strong—weak.

THE DIASTOLE OF THE ARTERIES.

Big—small—full—convulsive.

THE SOFTNESS.

Weak—hard—compressible.

THE RYTHMUS.

Even—uneven—intermittent—double—rising—vermicular—convulsive.

THE WARMTH.

With respect to intensity: More than natural, dry and burning—transient heat.

THE EXTREMITIES.

With respect to warmth and cold: Natural—more than natural—nearly cold—arms and thighs cold externally and internally—sensation of burning heat—cold felt only in particular parts of the body; as, for instance, in the feet, whilst other parts are hot, as the palms of the hands. Chills, attended with great pains of the abdomen. Putting the hands continually towards particular

parts, as the head, nose, or genitals; catching at things floating in the air, or picking the bed-clothes; continual trembling; violent motion of the fingers; throwing about the hands; convulsive motions; twitching of the tendons; starting and drawing back on being touched; wholly without motion; swollen; transient, and recurring tumefaction; constant; pitting on being pressed with the finger; elastic.

THE POSITION IN BED.

In the usual way, or otherwise than when in health—uneasy—sitting up—laying on the left side—extending the neck, the hands and legs—laying on the abdomen—placing the head where the feet should lay—hanging the feet out of the bed—baring the neck—sleeping with open mouth; laying on the back—drawing up the legs, and throwing them around—inclining with the head towards the feet—always desiring to get out of bed.

THE COLOUR OF THE BODY.

With respect to the whole body, or only single

parts:—White—pale—sallow—yellow—yellow-green—blue—red—black—with petechiæ.

THE SKIN.

With respect to exhalation: Dry and damp.

THE SWEAT.

Over the whole body, or partial—debilitating—thin—clammy—sour—oily—fetid—yellow—breaking out in drops—cold or warm—attended with itching and prickling sensations.

ERUPTIONS.

Spots (red, white, yellow, black,) with or without protuberances, or pimples.

THE BLOOD FROM THE VEIN.

Its consistence: Thick—dissolved—viscid.

THE SERUM.

Much—little—yellowish—grayish—lead-coloured—slimy—highly red—blackish—coagulable—milky.

CRASAMENTUM.

Tough—easily to be cut—wholly stiffened—large, or contracted.

WHAT MEDICINES THE PATIENT HAS ALREADY
TAKEN.

It is well known that an *improper* treatment of a disease will not only render it more intractable and dangerous, but, that even *slight affections* will become obstinate and dangerous, from the use of improper remedies; a circumstance, which, I am sorry to say, happens but too frequently among that herd of pretenders, in our profession, who infest society with their nostrums. A physician should thereby inquire, *What remedies the patient has already taken? What benefit or injury has resulted from them, and who administered them.*

It is also important in the examination of the sick, to attend particularly to the state of the respiration, both in relation to its connection with diseases of the breast, and as a general prognostic indication.

The ancients believed the state of the respiration

very important, and although other symptoms indicated an unfavourable termination, they nevertheless did not abandon all hopes of a recovery, so long as the respiration remained free. *Hippocrates* (Epid. 7) relates of a boy who suffered the most violent symptoms, and still recovered, because his respiration was unimpaired. In many parts of his prognosticks he says the same. *Vogel*, in his manual, (T. 2. p. 216.) mentions the case of a student who was sick with the small-pox, and in whom, except respiration, which was good, every symptom seemed to announce death, so that even a teacher at the university of that place limited his life only to twenty-four hours.—*Vogel* expressed some hopes, and referred to his breath as the symptom upon which they were entertained, and the patient was really past all danger in twenty-four hours, by the use of camphor. Let, therefore, the state of breathing be particularly attended to by the physician. No reliance is to be placed on the declaration of the sick, but you must examine yourself. Let the patient fetch a strong and deep breath, with his breast

bared, then the freedom, as well as the smallest embarrassment, will be easily perceived. Often the patient breathes but with one of the lungs, which is known by the motion of the ribs, being confined to one side only; it is often interrupted by a coughing.

The cough, and the first cause of it, deserves attention. Many patients can point out the place where the irritation is seated, and by this one will often be enabled to determine what viscus suffers mostly. It is very difficult to determine whether the matter expectorated be mucus or pus; the physician must make some, if not all, of the following experiments:

1. Purulent matter commonly sinks in water, while mucus swims on its surface, or not far below it.

2. Pus gives to water a uniform, turbid, pale colour. Mucus, on the contrary, does not diffuse itself uniformly through water, but remains suspended in it in the shape of irregular flocculi.

3. Pus, thrown on hot coals, produces a peculiar smell.

4. Pus, thrown on hot coals, burns with a flame.

5. Mucus retains its natural mildness longer, never becomes sour, and but slowly passes into a putrid state. Pus, on the contrary, grows sour and putrid, and soon gives out the odour of volatile alkali.

6. Acid of vitriol dissolves mucus much faster than pus, and when water is added to this solution, the pus is precipitated to the bottom; but mucus, when it separates, swims in flakes.

7. A solution of caustic alkali, dissolves mucus as well as pus: but when water is added to it, the pus, but not the mucus, is precipitated.

8. Mucus coagulates into a hard mass, in an aqueous solution of corrosive sublimate in water, but pus does not.

9. Pus imparts a green colour to the diluted nitric acid; mucus does not.

. The physician ought likewise carefully to inspect the external parts of the thorax and abdomen. For this purpose the patient must be directed to lie on his back, with his head low, and

the legs drawn up so as to relax the abdominal muscles. In this situation the abdomen and breast must be carefully examined with both hands. Particular attention should be paid to the parts immediately under the edge of the false ribs, and notice taken whether pain is felt in that region on being pressed. The physician ought also carefully to inspect the various excretions, and particularly the fæces and urine. For from the appearances of these, we may often derive important information as to the nature of the contents of the primæ viæ, and the particular character of the disease.

In examining the pulse, the physician must attend to the following rules:

The arm of the patient must lie free, somewhat bent, and the hand turned inside and downwards. If the patient is standing, the physician supports the hand with his own. In feeling the pulse, two or three fingers must be gently laid on the artery, and the pressure increased or diminished, or entirely taken off, in order to be better able to judge of the degree of its strength and hardness.

At least thirty or forty beats of the pulse should be counted before the examination ceases.

A watch with a second hand will greatly assist the physician in determining the velocity of the circulation, although one much accustomed to examinations of this kind, can generally form a sufficiently correct judgment on this point without a chronometer.

The pulse must be felt in the right and left arm, for sometimes it is only in appearance weak on the diseased side, and grows stronger by bleeding. A difference in the pulse of the right and left arms may also depend on an enlargement of the artery, or a swelling pressing on it, or a former wound of the same, or even an ossification of the arteries.

In patients labouring under nervous affections, and particularly in hysterical women, the pulse should be frequently examined, for, as *Zimmermann* observes, hardly any kind of pulse can be imagined, which may not be observed in such diseases, in one day or night. Lastly, the physician, at his examination of the pulse, must not for-

get to observe what influence the climate, the time of day, the season, age, sex, temper, the construction of the body, emotion, and nourishment may produce.

The degree of warmth will be best ascertained by laying the hand on the breast of the patient; in inflammatory cases, the warmth seems always to decrease. In bilious fevers it increases more and more, and in putrid fevers, it leaves in the hands of the physician a disagreeable, burning sensation. It is likewise essential carefully to examine whether there exists any kind of eruption on the skin; the surface of the body must be therefore inspected, and the hand gently passed over the breast and abdomen, in order to ascertain whether any roughness exists, or any papular eruption. Whether the skin be dry or damp, will be perceived by grasping the arms of the sick with the whole hand, pressing it a little, and letting it go again. In case of dampness, the hand will be withdrawn with a clammy feeling, but if the arm is dry, without it. But before making this trial, the physician must wipe his hand with a cloth, that

he may be certain that the dampness does not proceed from his own hand.

Let me now be permitted to add a few more practical rules, in particular for young physicians, which may be of the greatest utility to them in future, if they conform to them; and what would be more agreeable to me than to contribute to their usefulness?

Both the duties and prerogatives of the physician are *great* and *manifold*. This science supplies him always with occupation, nor are the objects of its practical application ever wanting—disease and physical evil being found throughout the whole world. A physician is *every where at home*; and as to his science, he is a *free man*; no political or civil events have any influence on its exercise; as many patients as he cures, so many friends does he acquire.* Even the most delicate

* In this case, however, the physician must, nevertheless, not make very large bills, for if he does, he is apt to lose the friendship of his patients; he must, also, himself, have patience, if he is not paid as soon as he should be.

female will confide to him things, which could never pass her lips in other cases. In order to be a successful and esteemed physician, he must have *two things, viz: knowledge, and sound information*; the former must not be slighted, it often performs more than the latter.

A common man judges from appearance. The physician who has the greatest practice is generally called the most *skilful*: two ounces of *savoir faire*, and one ounce of *knowledge*, often procure more patients than a contrary proportion. He who does not understand the art to acquire the confidence and esteem of his patient—to make himself beloved—to inspire a good opinion, will make but a sorry progress, should his knowledge be ever so profound. But certainly the *savoir faire* must be connected with *knowledge*, otherwise he is but a *charlatan*.

There is no learned man that comes so much in contact with all kind of men, so frequently and so closely, as the physician. To no professional man is the art to accommodate himself to all classes and people—to the humours and prejudices of

men, so necessary as to the physician.—If he can once get people, and especially the ladies, to say, *the young doctor is a fine man*—he is safe: his skill will hardly be questioned, provided he knows how to please. In this respect, travelling is particularly to be recommended to young physicians: by this they acquire knowledge of men and manners, which will greatly assist them in their future professional intercourse with men.

The long narrations of the sick, and particularly of ladies, must be heard with *patience*, and not be *contradicted*. No *impatience* must be shown, however useless and prolix they may be. The physician must not discover any doubts as to the *Diagnosis*, nor should he speak to a sick man of experiments, for no one will like to give up his body for this purpose.

When it is said of a physician: *he is not certain of his business*, he is *lost*.—Make the prognosis rather too *bad* than too *good*; if the patient grows worse, it has been *predicted*; does he grow better, you have made a *great cure*; but if, on the

contrary, the prognosis has been made too good, every thing is the reverse.

Take care, if you cannot cure, or alleviate at least, to do nothing which will give unnecessary uneasiness, or prove injurious. No one ought ever to prescribe a remedy without an indication.

As to your reading, do not believe yourself able to cure a sickness because you have read a number of books, and explanations on it; it is not the *eating much*, but the *digesting well what you have eat, that nourishes and strengthens*; this is a physical and moral truth. Reading much occasions indigestions and surfeits. To *read much*, is not always to *know much*, or to be able to *do much*. A man may *know much* and yet be *able to do little*; and, on the contrary, he may *do much*, and know *but little*. Read, therefore, *few*, but *good books*, and read them with great attention, and so that you may assimilate, as it were, with yourself, and make what you have read, a part of yourself.

Do not waste your time with *theories, hypothesis, and systems*. These are, after all, only creations of the imagination, air-castles, which

crumble to pieces at the least touch. To collect facts, to procure to yourself instructive experience concerning the forms of diseases, must be the principal occupation of a practical physician; *a great mass of experience forms the practical physician.*

The first thing which should occupy your attention, when you are about commencing your practice in a particular place, is to get acquainted with its topography, and endemial constitutions. Hence, great advantages arise from frequent conventions of the practical physicians of a great city; but, unfortunately, it does not often take place; in such case, there should be an exchange for *physicians*, as well as for *merchants*, whose business it might be, to regulate medical practice. A physician ought likewise to pay attention to the drink, diet, and other regimen of the patient.

OF DRINKS.

We know that patients, labouring under fever particularly, feel considerable thirst, and much drinking is often very salutary to them;

partly by supplying the moisture evaporated by the heat of the fevers, and partly by furnishing the necessary vehicles for the crisis.

It has already been said, *libendum vel moriendum in febiribus*. A fever patient should, therefore, be permitted to drink as often, and as much, as he desires; and may even be encouraged to it. Much drinking is, however, hurtful, when the thirst originates from a spasmodic constriction of the exhalent vessels of the hollow of the mouth, and æsophagus, which happens in the cold stage of fevers. Too much drinking charges the stomach, and causes its over distention. The drink must, therefore, be but very little during the chill of the fever, but, during the hot stage, much must be taken; though not much at a time, but frequently.

OF DIET.

With regard to the choice of diet, attention must be had to the habit of each patient: when, for instance, when in health, he was accustomed to strong and solid meals, they must not be quite

avoided in fevers; he may, therefore, be allowed light meat, if he was formerly a great eater of meat. The food of sick people, in particular of fever patients, must be such as is easily digested, for the powers of digestion suffer in every fever. No fat animal food is proper, because the weakness of the stomach cannot bear it.

OF THE OTHER REGIMEN.

The physician must, in every sickness, have a particular regard to the habits of the patient, and often, for this reason alone, must allow him things which otherwise would be thought prejudicial. To a great drinker of wine and brandy, some spiritous liquor can be permitted, should they even not harmonise with the character of the sickness. The atmosphere of the sick room must likewise be attended to; it must be neither too hot nor too cold. Let all violent emotions be avoided by the sick; every thing which may give rise to anger, offence, sorrow, must be removed from him; quietness of soul and body, is particularly salutary to every sick person.

INDEX.

Preface.

General Instructions in the examination of the Patient.

Directions for the examination of the Sick, more in particular.

General questions.

Particular questions.

The age.

The sex.

The temperament.

The native country, or the place of residence, the dwelling and the season.

The trade.

The state of former health.

1st Period.

Epoch of the sickness.

2d Period.

The actual state.

The head.

The face.

Figure.

Of the aspect.

The mouth.

Lobes of the ear.

The forehead.

The nose.

The lips.

The teeth.

The tongue.

The eyes.

The neck.

The breast.

Its construction.

The respiration

Pressure on the breast.

The place of the pressure.

The pains.

The cough.

The out-throw.

The laying.

The regions of all the sides.

The stools.

The urine.

The pulse.

The warmth.

The extremities.

The motion.

The position in bed.

The colour of the body.

The skin.

The sweat.

The breaking out.

The blood from the vein.

The thickness of it.

The serum.

The crasamentum.

What medicines the patient has taken before.

Some other important rules at an examination of
the sick.

A few *practical rules*, in particular for young
physicians.

A collection of Formulæ from Paris' Pharmacologia.

A collection of Medical Formulæ, by the author.

Index of different works which the author intends to publish in future.

A
COLLECTION OF FORMULÆ.

(*From Paris' Pharmacologia.*)

EMETICS.

1. R. Vini Ipecacuanhæ f ʒj.
Antimonii Tartarizati gr. j
Aquæ puræ f ʒjss
Fiat Haustus.
- 2 R. Antimonii Tartarizati gr. ij.
Aquæ distillatæ f ʒiv
Solve. Hujus danda sunt cochlearia duo me-
dioc: singulis horæ quadrantibus donec vomitus
excitatus sit.
3. R. Pulveris Ipecacuanhæ ʒss.
Antimonii Tartarizati gr. j
Tinct: Scillæ f ʒj
Aquæ distillatæ f ʒviiss

EMETICS.

Fiat Mistura, cujus sumat quamprimum cochlearia majora quatuor, et cochl: duo sexta quaque parte horæ, donec supervenerit vomitus.

4. R. Zinci Sulphatis ℥j

Confect: Rosæ canin: q. s.

Ut fiat Bolus ex pauxillo Infusi Anthemidis hauriendus. Post quamlibet vomitionem superbantur cyathi aliquot Infusi ejusdem tepidi.

5. R. Tabaci Foliorum ℥j

Aquæ fontis q. s.

Simul contunde in cataplasma: et regioni epigastricæ admoveatur.

6. R. Cupri sulphatis gr. x

Aquæ distillatæ f ℥ij

Fiat pro haustu emetico.

CATHARTICS.

7. R. Extract: Colocynth: comp: ʒj

Opium puri gr. iij

Olei Nucis Moschat: ℥iv

Fiat Massa in Pilulas duodecem dividenda,
e quibus capiat duas omni hora donec bis dejecerit
Alvus.

In Bilious Cholic.

8. R. Magnesiæ Sulphatis

et

Sodæ Sulphatis āā ʒiij

Aquæ Menthæ Viridis fʒvss

Liquor: Antimon: Tart: fʒj

Fiat Mistura de qua sumantur cochlearia duo
ampla ter quotidie.

9. R. Infusi Sennæ fʒj

Tinct: Sennæ

et

Tinct: Jalap: āā fʒj

Potassæ Tart: ʒj

Syrup: Sennæ fʒj

Fiat Haustus primo mane sumendus.

CATHARTICS.

10. R. Magnesiæ Sulphat:

et

Sodæ Sulphat: āā ℥ss

Ferri Sulphat: gr. v.

Misturæ Camphoræ f℥ vii ss

Fiat Mistura de qua sumantur cochlearia duo
ampla bis indies.

11. R. Jalapæ Radacis in pulv: contrit: gr. xv

Hydrargyri Sub-muriat: gr. v

Confect: Ros; caninæ. q. s.

Ut fiat bolus.

12. R. Confect: Sennæ ℥i ss

Sulphuris Præcipitat: ℥ss

Syrup: Ros: q. s.

Ut fiat Electuarium, de quo, ad nucis mœ-
chatæ magnitudinem capiatur, ter vel quater
quotidie, donec alvus commode purgetur.

In Hæmorrhoids.

CATHARTICS.

13. R. Olei Ricini f℥ss
Vitelli Ovi, q. s.

tere simul et adde

Syrupi Papaveris f℥ij.

Tinct. Opii ℥v

Aquæ distillat. f℥j.

Fiat Haustus tertiis vel quartis horis sumendus.

In Cholic from the ingestion of Lead

14. R. Magnesiæ Sulphatis ℥vj

Infus: Sennæ f℥iss

Tinct: Jalap: f℥j

Tinct: Opii ℥x

Tinct: Castorei f℥j

Fiat Haustus, ut supra, dandus.

15. R. Infus: Sennæ f℥ij

Sodæ Tart: ℥vi

Aquæ Cinnamomi f℥ss

Fiat Solutio duabus vicibus sumenda.

CATHARTICS.

16. R. Aloës Spicat: ℥j
 Scammoneæ gr. xij
 Extract: Rhei ℥ij
 Baccarum Capsici pulv: gr. vj.
 Olei Cariophyll: ℥v

Fiant Piluæ xvj, e quibus sumantur binæ hora decubitus, pro re nata.

17. R. Pulv: Aloes comp: ℥j
 Pulveris Antimon: gr. v
 Saponis duri gr. x
 Decoct: Aloes comp: q. s.

Fiat massa in Pilulas xx dividenda, e quibus capiantur binæ, ad alvum, officii immemorem, excitandam.

18. R. Extracti Colocynth: comp: gr. xxiv
 Pil: Aloes cum Myrrha ℥j
 Hydrargyri Sub-muriatis gr. xv

Fiat Massa in Pilula xx dividenda, e quibus sumantur una vel binæ, p. r. n.

CATHARTICS.

19. R. Sodæ Sub-carbonat: (crystall:) ℥iiss
 Potassæ Super-tart: (crystall:) ℥iij
 Aquæ puræ ℥viiij

Stent in lagena bene obturata per triduum, et
 deinde sit in promptu, pro potu cathartico.

Young's Medical Literature: p. 455.

20. R. Scammoneæ gr. v
 Pulv: Rhei gr. xv

Ammoniæ Sub-carbonat: gr. v

Fiat pulvis, ex vehiculo aliquo idoneo sumendus.

21. R. Pulveris Jalap: gr. xv
 Pulv. Ipecacuan: gr. v
 Olei Cinnamomi ℥ij

Fiat pulvis ut supra dandus.

22. R. Pulveris Rhei gr. xv
 Potassæ Super-sulphat: gr. x
 Aquæ Cinnamomi f℥i

Fiat Haustus.

CATHARTICS.

23. R. Sodæ Tartarizat: ʒij
 Sodæ Carbonatis ʒj
 Aquæ puræ fʒiiss
 fiat haustus cum Cochl: j amplo
 Succi Limonum.

In impetu ipso effervescentiæ sumendus.
 Quotidie mane.

A grateful aperient

24. R. Sodæ Carbonatis ʒij
 Ferri Sulphatis gr. iij
 Magnesiæ Sub-carb: ʒi
 Aquæ puræ Oss
 Acidi Sulphurici diluti fʒx

Infundatur primum lagenæ aqua, dein im-
 mittantur salina, et denique Acidum Sulphuricum;
 illico obturetur lagena, et in loco frigido servetur.

25. R. Hydrargyri Sub-muriat: gr. x
 Pil: Cambogiæ com.
 et Extract: Colocynth: com. āā gr. xv
 Syrupi Zingiberis q. s.
 ut ft. Pilulæ xij, e quibus

CATHARTICS.


Sumantur binæ hora decubitus vel summo mane, ad alvum officii immemorem excitandam.

26. R. Cambogiæ in pulverem tritæ gr. iij
Sacchari purificati ℥i

Tere optime simul, et fiat pulvis tertia quaque hora sumendus, donec alvus commode purgetur.

27. R. Foliorum Sennæ ℥iij
Sodæ Sulphatis ℥i
Aquæ ferventis oj

Infunde, et Cola, ut fiat Enema.



DIURETICS.

28. R. Scillæ Radicis exsiccata: gr. iij
Pulveris Opii gr. ss
Cinnamomi Corticis gr. x

Fiat Pulvis bis quotidie sumendus.

29. R. Potassæ Sub-Carbonatis gr. x
Infus: Gentian: comp: f℥iiss
Spir: Etheris comp: ℥ss
Træ Cinnamomi f℥i

DIURETICS

Fiat Haustus.

Diuretic and Stimulant.

30. R. Scillæ Radicis exsiccāt: gr. xij
 Potassæ Nitratis ℥i
 Sacchari purificat:
 et cinnamomi cort: contrīt:
 āā ℥i. fiat pulvis in sex partes æquales
 dividend: sumatur una bis indies.

31.* R. Scillæ Rad: exsiccāt: gr. iv
 Digitalis Foliorum gr. x
 Hydrargyri Sub-muriat: gr vj
 Myrrhæ Pulv: ℥i
 simul tere et adde
 Assafœtidæ ℥ss
 Extract: Gentian. q. s.

Fiat massa in Pilulas xv dividend: e quibus
 sumatur una, nocte maneque.

* This formula is introduced as a combination supported by authority, although I question whether its adoption can be sanctioned upon principal. Let us de-

DIURETICS.

32. R. Massæ Pil. Scillæ ʒi

Hydrarg: Sub-muriat: gr. v

Fiat massa in Pilulas xv dividenda, quarum sumantur duæ singulis noctibus.

cypher the intention of the different ingredients by their KEY LETTERS. The basis is Squill, to which the Digitalis is added, for the purpose we perceive of acting in unison with it, and Calomel, which succeeds it, is intended to promote and direct the diuretic Basis; two foetid gums next present themselves to our notice, and these are shown by the bracket to exert a combined action, depending, as the Key Letter announces, upon their medicinal similarity, but acting in the general scheme of the formula, as shown by the exterior letter, for the purpose of fulfilling a second indication, distinct and different from that which the Basis is designed to answer, i. e. to produce, not a diuretic, but an anti-spasmodic and stimulant effect; an important question then arises for our consideration.—Is the latter part of the formula consistent with the former, or is the stimulant effect of the Gums compatible with the sedative operation of Digitalis?

DIURETICS.

33. R. Sodæ Carbonat: exsiccāt: ℥i
 Saponis duri ℥iv
 Olei Juniperi
 Syrupi Zingiberis q. s.

Fiat massa in Pilulas xxx dividenda, e quibus
 capiat tres, indies, contra calculos renum.

34. R. Scillæ Radicis exsiccāt: gr. ij
 Pilulæ Hydrargyri gr. v
 Opii gr. ss

Fiat Pilula hora decubitus per tres vel quatuor
 noctes consequentes capienda.

35. R. Potassæ Sub-carbonat: ℥i
 Succī Limonum: f℥ss, vel q. s.
 Aquæ Cinnamomi f℥i
 Aceti Scillæ f℥iss
 Tinct: Opii ℥v
 Syrupi Aurantii f℥ss

Fiat Haustus bis indies sumendus.

DIURETICS.

36. R. Potassæ Acetatis ℥i
 Oxymel: Colchici f℥ij
 tere simul cum aquæ puræ f℥i
 Spir: Juniperi comp: f℥ss
 Fiat Haustus, ut supra dandus.

37. R. Baccarum Juniperi contus: ℥ij
 Semin: Anisi contus: ℥ij
 Aquæ ferventis oʒ
 Macera per tres horas, dein cola.

R. Colaturæ f℥xij
 Spir: Junip: comp: f℥ij
 Træ Scillæ f℥i
 Potassæ Nitratis ℥ij
 Fiat Mistura, de qua sumatur cyathus subinde.

38. R. Infus: Digitalis f℥iv
 Træ Digitalis f℥ss
 Potassæ Acetat: ℥i
 Tinct: Opii ℥v

Fiat Mistura, de qua sumantur coch: unum
 amplum bis terve indies.

DIURETICS.

39. R. Liquoris Ammoniae Acetat: f \mathfrak{z} i
Potassae Acetatis \mathfrak{z} i

Fiat Haustus ter quotidie sumendus.

40. R. Potassae Supertartratis \mathfrak{z} i
Pulveris Scillae exsiccata: gr. iij
Pulveris Zingiberis gr. v

Fiat pulvis, sexta quaque hora capiendus.

41. R. Spartii cacum: concis: \mathfrak{z} i
Aquae purae oj

Decoque ad octarium dimidium, et cola.

- R. Colaturae f \mathfrak{z} i
Spir: Etheris Nitrici \mathfrak{m} x
Sumatur alternis horis.

42. R. Tinct: Ferri Muriat: \mathfrak{m} xv
Infus: Quassiae f \mathfrak{z} i

Fiat Haustus tertia quaque hora sumendus.

DIURETICS.

43. R. Potassæ Nitratis ℥i
 Misturæ Ammoniaci f℥vj
 Spir: Juniperi comp: ℥iss
 Aceti Scillæ f℥vj

Fiat Mistura de qua capiat cochl: j amplum
 quartis horis.

44. R. Tincturæ Lyttæ ℥x
 Spiritus Ætheris Nitrici f℥i
 Misturæ Camphoræ f℥xij
 Syrup: Zingiberis f℥i

Fiat Haustus ter in die sumendus.

A highly stimulating Diuretic.

EXPECTORANTS.

45. R. Assafœtidæ ℥ij
 trituratione solve in
 Aquæ Menthæ vir: f℥iij
 addeque Syrup: Tolu: f℥j

EXPECTORANTS.

Fiat Mistura, de qua sumatur cochl: unum
 amplum tertia quaque hora.

46. R. Myrrhæ gum-resin: ℥ss
 Sacchari purificati ℥ss

Tere optime simul ut fiat Pulvis, partitis dosi-
 bus quotidie sumendus, in vehiculo aliquo idoneo.

47. R. Myrrhæ gum-resin: ℥iss
 Scillæ exsiccata: ℥ss
 Extract: Hyosyami ℥ij
 Aquæ q. s. ut fiant Pil. xxx

E quibus sumantur binæ, nocte maneque.

48. R. Scillæ exsiccatae gr. viij
 Pulveris Ipecacuanhæ gr. v
 Camphoræ ℥j
 Pulv: Antimon: gr. vj
 Sacch: purificat: ℥j

Tere in pulverem, in quatuor partes æquales
 dividendum; pars una sumatur bis quotidie, ex
 haustu decocti hordei.

EXPECTORANTS.

49. R. Oxymel: Scillæ
 Syrupi Altheæ
 Mucilag: Acaciæ
 āā f℥ss, misce, et fiat linctus, de quo lambat
 sæpe.

50. R. Misturæ Ammoniac:
 et Aquæ Cinnamomi āā f℥iss
 Syrupi Tolut: f℥ss
 Tinct: Castorei f℥ij
 Tinct: Opīi ℥v

Fiat Mistura, cujus sumatur Cochℓ: unum
 amplum subinde, ac repetatur dosis p. r. n.

*Expectorant and Antispasmodic. Hooping
 Cough, &c.*

51. R. Mist: Amygdal: f℥j
 Vini Ipecacuanhæ ℥x
 Potassæ Carbonatis gr. x
 Sumatur cum Succo Limon: f℥iij
 In impetu ipso effervescentiæ.

EXPECTORANTS.

52. R. Pulveris Myrrhæ gr. xij
 Pulv: Ipecacuanhæ gr. vj.
 Pulv: Potassæ Nitrat: ʒss

Misce et divide in doses æquales quatuor,
 quarum sumat unam quartis horis.

 DIAPHORETICS

53. R. Misturæ Camphoræ fʒiss
 Liquor: Ammon: Acet: fʒss
 Liquor: Antimonii Tart: ℥xx
 Tinct: Opii ℥x.

Fiat Haustus.

54. R. Potassæ Sulphureti gr. xv.
 Saponis duri ʒj
 Balsam: Peru. q. s.

Ut ft: Pilulæ xxx; sumat tres quarta quaque
 hora ex cyatho Infusi calidi Juniperi baccarum.

In Cutaneous Affections.

DIAPHORETICS.

55. R. Pulveris Antimon: ℥ss.

Opium Pulv: ℥ss

Hydrargyri Sub-muriat: gr. v

Confect: Opium q. s.

Ut fiant Pilulæ decem, quarum capiat unam
hora decubitus, et repetatur p. r. n.

56. R. Pulveris Ipecacuanhæ comp: gr. xv

Pulv: Trag: comp: ℥ij

Divide in partes quatuor æquales, quarum
sumat unam quavis hora.

57. R. Pulv: Ipecacuanhæ comp: gr. xv.

Pulv: Antimon: gr. ij

Ft: pulvis hora decubitus sumend: superbi-
bendo Haustulum tepidum

58. R. Guaiaci gum-resinæ gr. x.

Pulv: Ipecacuanhæ comp: gr. v.

Confect: Rosæ q. s.

Ut fiat Bolus, h. s. sumendus.

DIAPHORETICS.

59. R. Potassæ Carbonatis gr. x.

Mist: Camphoræ: f $\overline{3}$ j

Ft: Haust: cum Succo Limonum

Cochleari uno amplo, in impetu ipso effervescentiæ sumendus.

60. R. Guaiaci Resinæ gr. x.

Antimonii Tart:

et

Opii puri āā gr. j.

Syrupi q. s.

Fiat Bolus bis quotidie sumendus.

61. R. Camphoræ

et Pulvis Antimon: āā gr. iij.

Opii puri gr. j.

Confect: Aromat q. s.

Fiat Bolus, h. s. sumendus.

DIAPHORETICS.

62. R. Liqueor: Ammonia Acetat: f3ij

Decoct. Cinchonæ f3x

Tinct: Cinchonæ f3ij

Confect: Aromat: 3ss

Ft. Haustus, tertia vel quarta quaque hora
sumendus.

63. R. Guaiaci Resinæ 3ij

Acaciae gummi 3ij

Simul bene tritis adde

Træ Opii f3ss

Pulv: Cinchonæ 3j

Træ Cinchonæ f3ij

Decoct: Cinchonæ f3viii

Fiat Mistura cujus sumatur cyathus bis quo-
tidie.

Rheumatism.

64 R. Extracti Aconiti

Antimonii Sulphureti

Præcipitati āā gr. j

Magnesiæ Carbonatis 3ss

Tere simul ut fiat pulvis.

DIAPHORETICS.

65. R. Pulv: Antimon: gr. iij.

Potassæ Sub-carbonatis gr. v.

Anthemid. Flor. exsiccata: ʒj

M. Fiat pulvis sexta quaque hora, per biduum
vel triduum sumendus.

66. R. Pulveris Ipecacuanhæ gr. ij

Pulveris Opii gr. i.

Potassæ Nitratis gr. xvj

Fiat Pulvis hora somni sumendus.

 EMMENAGOGUES.

67. R. Sabinæ Foliorum exsiccata.

Zingib: rad: contus: āā ʒss

Potassæ Sulphatis ʒss

M. Fiat Pulvis bis die sumendus,

EMMENAGOGUES.

68. R. Myrrhæ pulv: ʒj

Ferri Ammoniaci gr. vj.

tere simul et adde

Syrup: Zingib: q. s. ut fiat Electuarium,
de quo sumatur ad myristicæ nuclei magnitudinem
bis quotidie.

69. R. Mist: Ferri comp: fʒss

Aquæ Cinnamomi fʒj

Ft. Haustus bis de die sumendus.

70. R. Tinct: Ferri Muriatis

Tinct: Aloes comp: āā fʒss

Tinct: Castorei fʒij

M. de qua sumatur cochl: unum minimum ex
cyatho Infus: Anthemid: Flor: ter quotidie.

Emmenagogue and Antispasmodic.

71. R. Pil: Aloes cum Myrrha

et

Pil: Galbani comp: āā ʒj

Divide in Pil: xxiv, e quibus sumantur binæ
bis quotidie.


EMMENAGOGUES.

72. R. Pil: Aloes cum Myrrha
et

Pil; Ferri comp: āā ʒj

Sodæ Sub-Carbonatis ʒj

Divide Massam in Pilulas xxx e quibus sumantur binæ bis quotidie.



DEMULCENTS.

73. R. Olei Amygdal: fʒj

Acaciæ gummi ʒiij

tere simul, et dein gradatim adde

Aquæ distillatæ fʒvi

Syrup: Rhæados fʒss

Fiat Mistura, de qua sumantur Cochlearia duo ampla ter, quaterve indies.

DEMULCENTS.

74. R. Olei Amygdal: fʒvj
 Liquoris Potassæ m L
 Aquæ Rosæ fʒviiss.
 Fiat Mistura, ut supra capienda.

75. R. Mistur Amygdal: fʒj
 Potassæ Carbonatis gr. x
 Syrupi Rhæados fʒj
 Ft: haust: cum cochl: Succ: Limon: in im-
 petu effervescentiæ sumend.
Demulcent & Febrifuge.

76. R. Pulv: Cetacei
 Pulv: Trag: com: āā ʒss
 Syrupi Papaveris q. s.
 Misceantur, et fiat Linctus. Dosis cochl:
 minimum subinde.

DEMULCENTS.

77. R. Cetacei ℥ij
 Pulv: Trag: comp: ℥j
 Syrup: Papaveris
 Syrup: Tolu: āā f℥ij
 Confect: Ros: ℥vj
 Potassæ Nitratis ℥ss

Fiat Electuarium, de quo capiat ad nucis
 moschatae magnitudinem.


78. R. Cetacei ℥ij
 Vitelli ovi dimidium
 Syrupi f℥ss
 Aquæ Cinnamomi f℥ij
 Aquæ distillatæ f℥iv

Fiat Mistura, de qua capiat æger cochleare
 amplum frequentur.

79. R. Amyli ℥iij
 Aquæ ferventis f℥iv
 Solve pro enemate, et adde,
 si opus fuerit,
 Tinct: Opii f℥ss

DEMULCENTS.

80. R. Decoct. Lichenis oss
Sumatur quotidie, cochleatim,
instar potus communis.



ANTACIDS AND ABSORBENTS.

81. R. Liquoris Potassæ fʒij
Liquoris Calcis fʒvj

M. Cujus capiat æger, acido infestante,
cochleare amplum unum, vel altarium, ex poculo
jusculi bovini.

82. R. Magnesiae ʒss
Aquæ Menthæ Pip. fʒiiss
Spir. Lav. comp. fʒss
Spir. Carui fʒiv
Syrup. Zingib. fʒij

Sumatur cochleare unum mediocre, p. r. n.
Antacid et Carminative.

ANTACIDS AND ABSORBENTS.

83. R. Pulv. Cretæ co. cum Opio ℥j
 Pulv. Catechu Extract. gr. xv
 Sit pulvis, post singulas sedes liquidas sumendus.

In Diarrhæa depending upon Acidity.



REFRIGERANTS.

84. R. Potassæ Nitratis gr. xv
 Ft. Pulv. ex cyatho Aquæ perfrigidæ, illico post solutionem sumend.

85. R. Acidi Muriatici f ℥j
 Decoct. Hordei oj
 Syrupi f ℥ij vel q. s.

Ad acorem compescendum, et gustum conciliandum. Sumatur quotidie, instar potus, et bibat quantum sitis exigat.

In Typhus and other Fevers.

REFRIGERANTS.

86. R. Ammoniaë Muriat. ℥ij
 Acidi Acetici f℥ij
 Spir. Camphor. f℥ss
 Misce ut fiat Lotio.

87. R. Liquor. Plumbi Acetat. f℥j
 Acidi Acetici f℥ij
 Spir. tenuior f℥ss
 Aquæ distillatæ f℥viij
 Fiat lotio.



ASTRINGENTS.

88. R. Cort. Quercus contus. ℥ss
 Aquæ ferventis f℥viij
 macera per horam, et cola.

ASTRINGENTS

R. Hujus Colaturæ f℥iss
 Pulv: Gallarum gr. x
 Tinct. Catechu f℥ss
 Tinct. Cardamom. comp. f℥ss
 Syrup. Cort. Aurant. f℥ss

Fiat Haustus—

89. R. Plumbi Superacetatis gr. iij
 Opii puri gr. j

Fiat massa in Pilulas tres divivenda, quarum
 summatur una bis quotidie, superbibendo Haus-
 tum ex acido acetico compositum.

90. R. Infus. Cuspariæ f℥j
 Tinct. Catechu f℥j
 Pulv. Ipecac. gr. iij
 Opii Pulv. gr. ss

Fiat Haustus.

TONICS.

91. R. Ferri Ammoniaci ℥j

Extract. Gentian.

Extract. Aloes āā ℥ss

Contunde simul, et divide massam in Pilulas
xxx quarum sumat binas ter quotidie.

*Tonic and Purgative, in Dyspepsia, Hysteria,
Mesenteric Obstructions, &c.*

92. R. Cinchonæ pulv. subt. ℥ss.

Magnesiæ Sulphat. ℥vj

Tere simul, et divide in quatuor partes, ex
quibus sumatur una, alternis horis.

Intermittents.

93. R. Ferri Carbonatis gr. v

Pulv. Valerian. ℥ss

Syrupi Zingib. q. s

Fiat bolus.

94. R. Infus. Gentian. comp. f℥j

Liquor. Potassæ. sub-carb. f℥ss

Tinct. Cascarillæ f℥j

Fiat Haustus.

TONICS.

95. R. Cinchonæ cort. contus. \mathfrak{z}_{ss}
 Coque ex aquæ puræ $\mathfrak{f}\mathfrak{z}_{xvj}$
 ad consumpt. dimid. adjectis sub finem coctionis,
 Serpentariæ radicis contus. \mathfrak{z}_{ij}
 Stent per horam, et colaturæ admisce
 Spir. Cinnamomi $\mathfrak{f}\mathfrak{z}_{iss}$
 Acidi Sulphuric. diluti $\mathfrak{f}\mathfrak{z}_{iss}$
 Sumantur $\mathfrak{f}\mathfrak{z}_{ij}$ sexta quaque hora.

Pringle.

96. R. Decoct. Cinchonæ $\mathfrak{f}\mathfrak{z}_{ijss}$
 Infus. Gent. co $\mathfrak{f}\mathfrak{z}_{j}$
 Tinct. Cascarill. $\mathfrak{f}\mathfrak{z}_{ij}$
 Liquor. Potassæ Sub-Carb. $\mathfrak{f}\mathfrak{z}_{ij}$

Fiat Mistura—

97. R. Decoct. Cinchonæ $\mathfrak{f}\mathfrak{z}_{vj}$
 Tinct. Cinchonæ $\mathfrak{f}\mathfrak{z}_{ss}$
 Confect. Aromat. \mathfrak{z}_{j}
 Spir. Ammoniaæ Aromat. $\mathfrak{f}\mathfrak{z}_{j}$

Fiat Mistura, de qua sumr. cochl. \mathfrak{ij} ampla
 indies

Tonic & Stimulant.

TONICS.

98. R. Ferri Ammoniat. gr. v
Rhei rad. contrit. gr. iij

Fiat pulvis, e quolibet vehiculo idoneo quotidie sumendus.

99. R. Infusi Cascarillæ f^ziss
Tinct. Cascarillæ
Tinct. Zingiberis āā f^zj

Fiat Haustus, ter in die sumendus.

In Dyspepsia from Intemperance.

100. R. Ferri Tartarizati gr. x
Pulveris Columbæ gr. xv

Fiat pulv. quarta quaque hora sumendus.

 STIMULANTS.

101. R. Lyttæ in pulv. trit. gr. i
Ammoniaæ carbonat.
Confect. Aromat. āā gr. v
Syrupi q. s.

Ut fiat bolus, quartis vel sextis horis sumendus, cum haustu Infusi Armoracæ.

STIMULANTS.

102. R. Ammoniaë Carbonat. ℥ss
 Aquæ Menth. Piperitid. f℥vij
 Syrupi Aurantii f℥ss
 Sumatur octava pars in languoribus.

103. R. Mist. Camphoræ f℥j
 Spir. Etheris Sulphurici f℥ij
 Tinct. Cardamom. comp. f℥iv
 Spir. Anisi f℥vj
 Olei Carui ℥ xij
 Syrupi Zingib. f℥ij
 Aquæ Menthæ Pip. f℥vss

Fiat Mistura, cujus sumantur cochlearia duo
 ampla urgente flatu.

Flatulent Cholic.

104. R. Ammoniæ Gum-Resinæ
 in pulv. trit. ℥j
 Aceti Scillæ q. s.

Simul bene contritis, sit Emplastrum scuto
 pectori.

STIMULANTS.

105. R. Myrrhæ, in pulv. trit. ℥iss
 Zinci Sulphat. gr. x
 Confect. Rosæ q. s

Ut fiant Pil. xx, e quibus sumantur binæ bis
 quotidie.

106. R. Sinapeos semin: contus.
 Armoracæ Radicis āā ℥ss
 Aquæ ferventis oj

macera per horam, et cola.

- R. Colaturæ f℥vij
 Spir. Ammoniac Aromat. f℥j
 Spir. Pimentæ f℥ss

Fiat Mistura de qua sumantur cochl: duo am-
 pla ter die.

In Paralysis.

107. R. Olei Terebinth. f℥ij
 Mellis despumati ℥j

M. ut fiat linctus, de quo sumatur cochleare
 parvum, nocte, maneque, cum haustu cujusvis
 potus tenuioris tepidifacit.

ANTISPASMODICS.

108. R. Tinct Casotrei fʒj
 Ætheris Sulphurici ℥ x
 Tinct. Opii ℥ vij
 Aquæ Cinnamomi fʒiss
 Fiat Haustus ter quotidie sumand.
109. R. Moschi gr. xv
 Camphoræ (alcoholis pauxillo solutæ)
 gr. v
 Confect: Ros. canin. q. s. ut fiat bolus,
110. R. Moschi ʒj
 Acaciæ gummi ʒss
 tere optime simul, et adde gradatim
 Aquæ Ros. fʒj
 Ætheris Sulphurici fʒj
 Fiat Haustus p. r. n. sumendus.
111. R. Assafoetidæ ʒj
 solve terendo cum
 Aquæ Menth. Pip. fʒj
 addeque

ANTISPASMODICS.

Tinct. Valerian. Ammoniat f3ij

Tinct. Castorei f3iij

Ætheris Sulphuric f3j

Fiat Mistura de qua Sumatur Cochlear. unum
amplum secundis horis.

Signetur.—*Antihysterie Mixture.*

112. R. Pulv. Valerian. ʒj

Tinct: Valerian. Ammoniat.

Tinct. Castorei, āā f3j

Misturæ Camphoræ. f3xij

Fiat Haustus ter quotidie sumend.

113. R. Tabaci Folior: ʒj

Aquæ ferventis f ʒviij

macera, et denique cola. Fiat pro enemate

114. R. Opii puri gr. j

Fiat Pilula—

NARCOTICS.

115. R. Camphoræ gr. xij

Extract: Hyoscyami gr. xvij

Fiant pilulæ xij quarum sumantur tres, omni nocte.

116. R. Extracti Conii ℥j

Folior: Conii exsiccatur:

et in pulverem tritorum, q. s.

ut fiant pilulæ, singulæ grana duo pedentes.

Initio sumat æger pilulam unam pro dosi, mane ac nocte, postea sumat binas, dein tres, et denique augeatur dosis quantum fieri potest.

In Scrophula, Schirrus, and Cancer.

117. R. Tinct: Opii ℥xv

Syrup: Papaveris f℥ij

Spir: Cinnamomi f℥j

Aquæ puræ f℥j

Fiat Haustus, invadente paroxysmo caloris in febribus intermittentibus sumendus.

NARCOTICS:

118. R. Opii gr. iv

Extract: Hyoscyami

Extract: Conii āā gr. xv

Fiat massa in Pilulas sex dividenda, quarum
sumat unam omni nocte.

119. R. Mist: Camphor: f℥j

Spir: Etheris comp: f℥ss

Tinct: Opii ℥x

Syrupi Papav: f℥j

Fiat Haustus hora decubitus sumendus.

120. R. Infusi Lini f℥vj

Tinct: Opii f℥j

Fiat Enema—

ANTHELMINTICS

121. R. Cambogiæ gr. viij

Hydrarg: Sub-muriat: gr. v

Mucilag. Acaciæ q. s. ut fiat Bolus mane sumendus.

Contra Tæniam.

122. R. Pulv: Stanni ℥iij

Confect: Rosæ Gall: ℥ss

Syrupi q. s. ut fiat Elect:

Capiat cochl: amplum, quotidie mane, et repetatur dosis ad tres vices, et deinde capiat æger Haustum aliquem purgantem.

123. R. Sodæ Muriatis ℥ij

Coccinell: ℥ij

Fiat Pulvis, et detur drachma dimidia pro dosi, tempore matutino.

124. R. Ferri Carbonatis ℥j

Sumatur ex vehiculo aliquo crasso, singulis auroris.

ANTHELMINTICS.

125. R. Camphoræ (Alcohole solutæ) ℥j

Ol: Olivæ f℥ij

Misce, Fiat Enema.

Injiciatur h. s. tertia quaque nocte, ad tres vices: dein repetatur alternis noctibus, ad quartam usque vicem, si opus sit.

Contra Ascarides.

126. R. Aloes Soccot: gr. x

Saponis Duri ℥j

Fiat Suppositorium post Alvum exoneratam applicand.

[Faint, illegible text, likely bleed-through from the reverse side of the page.]

127.

128.

129.

130.

A COLLECTION OF FORMULÆ,

(*By the Author.*)

EMETICS.

127. R. Tart. Emetic. gr. j.
Pulv. amyli. ʒj.
M. f. pulvis. *Hufeland.*
128. R. Tart. Emet. gr. jj.
Cremor tart.
Pulv. rad. Ipecacuanhæ. āāʒj.
m. f. pulvis.
129. R. Tart. Emet. gr. j.
Pulv. rad Ipecacuanhæ. ʒj.
Sacchar. alb. ʒjjj.
m. f. pulv. divid. in tres, partes æ-
quales.

One powder every half hour, until sufficient vomiting is excited.

EMETICS.

130. R. Tart. Emet. gr. iv.
 Conserv. Rosar. q. s.
 Ut f. massa pil. exqua
 forment pill, No. iv. d.
 One pill every half hour.
-

CATHARTICS.

131. R. Aq. menth. s. v.
 TR. Rhei aquos āā ℥ iv.
 Extr. Taraxaci ℥ ss.
 oxym. squill. ℥j. m.
 One table-spoon full every hour.
In Colic from Dyspepsia.
132. R. Aq. ceras. ℥iii.
 Ol Ricini ℥j.
 Sapon. venet. dr. sesqui
 Vitell. ov. no. 1.
 Op. gr. viii.
 Syr. emulsiv. ℥ss. m.
 A table-spoon full every two hours.
In Colica of Pictonum.

CATHARTICS.

133. R. Mass. Pill Beccher ℥jj.
 Gum. amon. dep. ℥ss.
 Pulv. rad. scill. ℥ss.
 Sapo officin. ℥ss.
 Conserv. ros. q. s. f. pil.
 Ponder, gr. jj.

10 pills in the morning and evening.

134. R. Liq. Terr. fol. tart. ℥j.
 Extr. Rhei ℥j m.

A tea-spoon full three times a day.

135. R. Magnes. muriat.
 Cremor. tart.
 Flor. sulph.
 Pulv Rhei.
 Pulv. flor. chamom. vulg.
 Elaeo sach. fœnic aā ℥ss.
 m. f. pulv.

A tea-spoon full three times a day.

136. R. Elix. stomach. Whytt. ℥jj.
 A tea-spoon full three times a day.

DIURETICS.

137. R. Gum. ammoniac. ℥jj.
 Pulv. Rhei. ℥i ss.
 Extr. aloes.
 Pulv. Scill. āā ℥ss.
 Extr. gentiān ℥j.
 f. pil. no. 120. consp.
 pulv. cinnamon. d. ad scat
 8 pills one hour before dinner.
-

DIURETICS.

138. R. Gumm. arab. ℥jj.
 Vitell. ov. ℥jjj.
 Aq. calcis. viv. ℥jjj.
 Ol. amygdal. ℥j.
 TR. Thebaic ℥j.
 Syr-papav. alb. ℥j.

A table-spoon full every hour.

In Ischury and Stranguary.

DIURETICS.

139. R. Terebinth. vënet.
 Extr. cascarill. aā ℥ss.
 Opii crudi pur. gr. v.
 m. f. pil: ponder gr. jj.
 5 or 6 pills in the morning and evening.

140. R. Lact. Sulph. ℥jj.
 Aq. fœnic. ℥jjj.
 Aq. cinnamon ℥j.
 Syr. papav. alb. ℥ss.

A table-spoon full every hour.

In diabetes of the Urine.

141. R. Bals. copaiv. ℥ss.
 Ol. tart. per deliq. ℥vjij.
 solv. in aqua juniper, ℥vjij.
 A table-spoon full three times a day.

 DIURETICS.

142. R. Aq. Petroselin. ℥iv.
 Rob. Juniper ℥j.
 Spir. Salis. ℥jj. m.
 A table-spoon full every two hours.

143. R. Cort. Simarub ℥j.
 coq. c. aq. fontan q. s.
 in col. sol. ℥xjj.
 Sacchar. Saturn. ℥j m.

In involuntary discharge of urine arising from difficult labour, much advantage may be derived from injections of this lotion into the urethra.

144. R. Farin. Lycopodii ℥jj.
 Syr. alth. ℥iss.
 exactissime contrit, add.
 aq. commun. ℥jj. m.

A tea-spoon full every hour.

For the suppression of Urine in children.

145. R. Asæ foetidæ ℥ss.
 Pulv. rad Ipecacuanhæ
 Opii.
 Ol. menth. piper. aā gr. iv.
 m. exact. f. pil. ponder gr. jj.

8 pills three times a day.

In chronical Strangury and Dyssury.

DIURETICS.

146. R. Sacchar. alb. lb. j.
 Pulv. cort. peruv. ℥jj.
 condit. cort. aurant. ℥j.
 Spec. pro. morsuli imperat. ℥jjj.
 f. secund. artem. morsuli d.

Two or three drachms of this taken during the day, have been found useful in preventing the involuntary discharge of urine, especially in children.

147. R. Extr. chamom. ℥jj.
 Borac. ℥ss.
 solv. in. aq. cinnamon. lb. j.

A table spoon full five times a day. This mixture is recommended against the involuntary discharge of the semen, masculinum.

 EXPECTORANTS,

148. R: Pulv. cort. peruv. opt.
 Lich. Island āā ℥ss:
 coq: in aq. font. ℥xvj: adreman ℥xii.
 colat. add:
 Oxym Squill. ℥j. m.

Every two hours a half tea-cup.

EXPECTORANTS.

149. R. Pulv. Gumm. arab. \mathfrak{z} ss.
 solve in aq. fontan \mathfrak{z} vj.
 adde

TR. thebiac gutt. xv.

Syrup. diacod. \mathfrak{z} ss. m.

A table-spoon full every hour.

150. R. Kermes mineral gr. iv.
 Gumm. arab. cum.
 Sacchar. lact. bene trit. aa \mathfrak{z} jj.
 aq. font. \mathfrak{z} vjjj.
 m. f. emusl. d.

A table-spoon full every hour.

151. R. Rad. Polygal Seneg. \mathfrak{z} jj.
 coq. c. aq. font. lbj. adreman \mathfrak{z} vj.
 cola colat.

adde

mucilag gumm. arab. \mathfrak{z} ss.

Extr. hyosc. gr. vj.

Syr. cort. aurant. \mathfrak{z} j.

m.

A table-spoon full every hour.

EXPECTORANTS.

152. R. Tart. emet. gr. jj.
 Extr. glycyrrhi zæ. ℥j.
 aq. destill ℥vj. m.

A table-spoon full every two hours.

153. R. Flor. Zinc. gr. jjj.
 Sachar. alb. ℥j.
 m. f. pulv. divid. in vj.
 part. æquales.

A powder every two hours.

Of hooping cough in children.

154. R. Ol carvi. destill. ℥jjj.
 Camphor gr. xjj.
 Phosphor gr. jjj. m.

Make three times a day friction of the stomach,
 breast and shoulders

Of hooping cough in children.

155. R. Aq. cort aurant. ℥iss.
 Aq. cinnamon s. v. ℥ss.
 tinct. op. gut. jj.
 Syr. cort. aurant. ℥ss.

A table-spoon full every two hours.

DIAPHORETICS.

156. R. Gumm. guajac, \mathfrak{D} ss.
 Sal. mir glauher. \mathfrak{D} j
 Extr. aconit. gr. j.
 Sulph. aur. ant. im. pur gr. j.
 m. d. ad. ch. rep. xvi. ad tot ch. dist.
 Four powders every day.

- 157: R. Sulph. aur. antim. pur. gr. \mathfrak{I} jj.
 Resin lign. guayac. gr. \mathfrak{I} j.
 m. f. pil. rep. xxiv.
 ad: tot. pil. dist.
 One pill every two hours.

158. R. Ol Terebinth \mathfrak{I} jj.
 mellis limpidi \mathfrak{I} ss. m.
 In the morning and evening a tea spoon full.
In Rheumatism and hic-cough.

159. R. Vin antimon Huxh. \mathfrak{I} j.
 Extra ct. aconit. \mathfrak{I} j
 25 drops in the morning and evening.

DIAPHORETICS.

160. R. Pulv. rad. valer. \mathfrak{z} ss.
 infund. et diger. leni calore et
 vase clauso c aq. font q. s.
 colat. \mathfrak{z} vj. ad misce
 liquor anod. m. H. \mathfrak{z} jj.

A table-spoon full every hour.

161. R. Op. thebaic gr. iv.
 Mosch. oriental gr. xxxjj.
 Sacchar. alb. \mathfrak{z} j.
 m. f. pulv.
 divid. in xjj. part. æqual.

One powder every hour.

162. R. Phosphor. gr. iv.
 solv in
 Ether vitriol \mathfrak{z} ss. j.

Eight drops of white sugar every two hours.

163. R. Phosphor. gr. x.
 Camphor. gr. x L.
 axung. porc. \mathfrak{z} j.
 m.

For Frictions.

In Paralysis.

EMMENAGOGUES.

164. R. Aloes soccotr. ℥j.
 Limat. ferri ℥jj.
 Sulph. aur. antim. ℥ss.
 Calomel. ℥j.
 Ol. sabin. gutt. xx.
 Syr. sacchar. q. s.
 f. pil. pond. gr. jj. consp.
 pulv. cinnamon. d.

Before the patient goes to bed, take two Pills.
In green-sickness.

165. R. Flor. sulphur. ℥jj.
 Gumm. guajac. ℥j.
 Rad. galang. ℥i ss.
 Sem. foenic. ℥j.
 Pulv. rad. valer. min. ℥ss.
 Sacchar. alb. ℥ss.
 m. f. pills.

A tea-spoon full three or four times a day.

EMMENAGOCUES.

166. R. Extr. rad. hellebore nigr.

Aloes depur.

Flor. sal. ammon. martial

āā ʒjj.

Croci orient. ʒj.

Op. thebaic. ʒss.

m. f. c. essent rhei. q. s.

pil. gr. jj. consp. pulv.

glycyrrhizæ.

Eight or ten pills in the morning and evening.

167. R. Essent. croci.

Essent. Fuligin. āā ʒjj.

T. R. thebaic, ʒss. ℥.

Twenty-five drops every three hours.

DEMULCENTS.

168. R. Rad. Saleb. \mathfrak{z} ss.
 Pulv. cort. peruv. wjj.
 Coq. c. aq. font. lbj. ad. reman \mathfrak{z} vjjj.
 Colat. adde
 Extr. cort. peruv.
 Castor. mosc āā \mathfrak{z} jj.

Two table-spoons full every hour, or two hours.

169. R. Rad. alth. \mathfrak{z} ss.
 Rad. arnic. \mathfrak{z} j.
 Coq. c. aq. font. lbj. ad reman. \mathfrak{z} vjjj:
 col. adde.
 Extr. cort. peruv.
 Opii crud. gr. iv.

A table-spoon full every hour.

170. R. Op. thebaic. gr. vj.
 Camphor. \mathfrak{z} ss.
 Sachar alb. \mathfrak{z} jj.
 m. f. pulv. divid. in xjj part.
 æquales. d.

One powder every two hours.

DEMULCENTS.

171. R. Merc. dulc. gr. xxiv.
 Camphor.
 Conchæ præparatæ āā ʒjj
 m. f. pulv.
 Divid in vjjj part. æquales. ʒ.

Three or four powders a day.

172. R. Aq. chamomie. ʒiv.
 Gumm arab ʒss.
 Alum. crud.
 Extr. cascarill. āā ʒj
 Syr. aurant. ʒss.

A table-spoon full every two hours.

ANTACID & ABSORBENTS.

173. R. Lich. Island. ʒss.
 Rad. Colombo. ʒjj
 Coq. c. aq. calcis viv. ad. col. ʒjjj
 adde
 Extr. myrrh. dr. sesqui.
 Syr. Diacod. ʒjjj. m.

A table-spoon full every two hours.

ANTACID & ABSORBENTS.

174. R. Aq. menth. ℥jj.
 Elixir vitriol. ℥jj.
 Spir. nitr. dulc.
 Extr. cascarill. āā ℥j.
 Syr. aurant. ℥jj.

m

A table-spoon full every two hours.

175. R. Pulv. rad. rhei ℥j.
 Pulv. cort. cascarill. ℥iss
 Pulv. Lign. quass.
 Pulv. flor. chamom āā ℥ss.
 Laud. pur. gr. j.
 m. f. pulv.

A tea-spoon full in flax-seed tea every two hours.

REFRIGERANTS.

176. R. Aq. font. ℥vj.
 Nitr. depur. ℥jj
 oxym. simpl. ℥vj.
 Syr. d. alth. ℥j. m.

Two table-spoons full every hour.

REFRIGERANTS.

177. R. Aq. Rosar. ℥vj.

Nitr. depur. ℥jj.

Acidi tartar. ess. ℥ss.

Syr. papav errat. ℥vj.

A table-spoon full every hour.

178. R. Pulv. cort. peruv. ℥j.

Rad. serpentar virgin. ℥jjj

inf. aq. fervid. q. s.

colat. ℥vj.

Ether. vitriol. ℥j.

T. R. thebaic. ℥jj

Syr. cort. aurant. ℥j.

m.

A table-spoon full every hour.

179. R. Rad. valer. ℥ss.

Rad. angelic.

Rad. arnic. āā ℥jj.

coq. c. aq. lb. j ad resid. ℥vj.

adde.

REFRIGERANTS

Essent alexipharm Stahl
mixtura simplex camphorat.

Elix. acid. Haller. āā ℥j

Syr. aurant. ℥vj.

m

A table-spoon full every hour.

180. R. Flor. arnic. ℥ss.


Coq. c. aq. fontan. q. s. colat. lb. j̄j.

adde

Syr. cort. aurant. ℥jj.

m.

A half tea-cup every two hours.



ASTRINGENTS.

181. R. Conserv. rosar. rubr. ℥iv.

Nitr. depur. ℥ss.

m. f. electuar. d. adoll.

A tea-spoon full every two hours.

ASTRINGENTS.

182. R. Aq. meliss \mathfrak{z} vjj.
 Lap. haematid. \mathfrak{z} j.
 T R. cinnamomi. \mathfrak{z} j.
 Syr. meliss. \mathfrak{z} j. \mathfrak{m} .
 A table-spoon full every hour.

- 183 R. Extr. Lign. Campech. \mathfrak{z} jj
 Sal. ess. tart. \mathfrak{z} j
 aq. ceras n. \mathfrak{z} vj. \mathfrak{m}
 A table-spoon full every hour.

184. R. Ol. amygdal. \mathfrak{z} j.
 Gummi arab \mathfrak{z} jj
 Alum. crud. \mathfrak{z} ss
 Op. theb. gr. jj.
 m. exacte
 A table-spoon full every hour.

TONICS.

185. R. Pulv. Rad. columbo ℥jij
Tartar Tartarizat ℥j.
Eleaeosacchar. menth. piperit ℥ss,
m. f pulv.
A tea-spoon full every two hours.

186. R. Cort. peruv. ℥vj
Coq. c. aq. font. ℥xvj
adreman. ℥vjj. cola
Colat. adde
Extr. cort. peruv. ℥iss.
Syr. cort. aurant. ℥j
m.

Two table-spoons full every two hours.

187. R. Phosphor gr. iv
Solv. in.
Ether. vitriol. ℥ss.
Eight drops of white Sugar every two hours.

STIMULANTS.

188. R. Rad. Serpent. virgin \mathfrak{z}_{ss}
 Infund. in vas. bene clauso.
 caq. font. fervid. \mathfrak{z}_{vj}
 Vers. finem. infus. adde
 Vini Burgund. generos. \mathfrak{z}_{iv} . colat.
 add.
 Syr. d. cinnamomi \mathfrak{z}_{ss} .
 A half tea-cup every hour.

189. R. Extr. cort. augusturæ \mathfrak{z}_{ss}
 Solv. in aq. cinnamomi s. v. \mathfrak{z}_{iv} .
 add.
 Essent. valerian. \mathfrak{z}_{jj} . d.
 A table-spoon full every two hours.

190. R. Phosphor. gr. iv.
 Ol Lini. recent. \mathfrak{z}_{j} .
 m. solv. opt. terendo d.
 Twenty drops every hour.

ANTISPASMODICS.

191. R. Gum. as. fœtid.

Extr. valer. minor āā 3 jj.

Op. gr. vj

Ol. cajep. gutt x jj,

M. f. pil. pond. gr. jj.

Consp. pulv. cinnamomi. d.

Eight or ten pills in the morning and evening.

192. R. Fell. taur. 3ss.

Extr. centaur. min.

Extr. gent. rubr. āā 3 jj

m. f. c. pulv. rhei. pil. gr. jj. d.

Five pills three times a day.

193. R. Op. pur. gr. vj.

Sachar. alb. 3 jj.

m. f. c. pulv. subtilissime.

divid in 24 part. æquales s.

A powder every two hours.

NARCOTICS.

194. R. Op. depurat. ℥ss.
 Extr. glycyrrhizæ ℥j
 m. f. pil. no. xv. d.

One pill every hour.

195. R. Extr. op. aquos, gr. iv.
 Solv. in aq. meliss. ℥jj
 add.

Syr. d. alth. ℥j. ℥

A table-spoon full every three hours.

ANTHELMINTICS.

196. R. Rad. valer. sylvestr.
 Sem. Santon au ℥jj
 Rad. Jalap. gr. xxx.
 Oxym scillit. q. s. ut f.
 Linetus. d.

A tea-spoon full every three hours.

197. R. Pulv. subtiliss. rad. flic. mar. ℥j
 divid in iv. part. æquales.
 d.

One powder in the morning and evening.

ANTHELMINTICS.

198. R. Tart. tartarizat. \bar{z} ss.

Sal. mirab glauher. \bar{z} jj.

Pulv. rhei elect.

Flaved. cort. aurant.

$\bar{a}\bar{a}$ \bar{z} j.

m. f. pulv divid. in

xjv. part. æquales.

One powder in the morning and evening.

199. R. Sem. Santon \bar{z} jj

Fol. Senn. \bar{z} j

coq. in aq. font. \bar{z} jjj colat.
add.

Ol amygdal frigid. et

Recent. express. \bar{z} ss.

Mucilag. gumm. arab q. s.

Ad conf. emuls.

Syr. emulsiv. \bar{z} j. \mathfrak{m} .

A table-spoon full every two hours.

200. R. Pulv. Rad. valer sylvestr. rec. \bar{z} j

Testor. ovor. calcianat. $\bar{\Theta}$ j

m. f. pulv.

The Author intends to publish hereafter the following works:

1. *Topography of the city of Philadelphia; with Observations, on the Civil, Commercial, and Literary Character of the United States. 2 vols. 8vo. with a plan of the City.*

2. *Of the present State of Medicine in North America, the diseases produced by the climate, and the cause of the frequent occurrence of gravel, with an account of the good success the Author has had in relieving many such patients.*

3. *Treatise on Dysentery, and the principal predisposing cause of this disease as it prevailed in the months of July and August in the year 1822, in the several towns and counties in Pennsylvania; to which is annexed a Treatise on the general mode of treatment of the practitioners at those places, and the Author's own plan of treatment.*

4. Researches and Observations on *Leprosy*.

5. Treatise on *Yellow Fever*, with Remarks by the Author in the year 1819 and 1820, in Philadelphia, with his mode of Treatment.

6. Description of the Hospital, Almshouse, Orphan's Asylum, Institution for the Poor, Medical Institutions, and the several Prisons in Philadelphia.

Description of Travels in the year 1818, to *Holland*, and a voyage to the *United States*; the Author's residence of four years at the latter place, to which is annexed *A View of his Life and Misfortunes*, with an account of the frequent *malicious calumnies* that were inflicted on him, both in *Europe* and *America*.

Il a dormi longtems, mais c'était sans *Sommeil*.

Il s'agite á present et pense á son *Reveil*.

R. Wright, Printer, No. 92, South Second-street.

46 347 1 (1)



Health, Education,
and Welfare, Public



NATIONAL LIBRARY OF MEDICINE

Health, Education,
and Welfare, Public



NATIONAL LIBRARY OF MEDICINE

Health, Education,
and Welfare, Public



NATIONAL LIBRARY OF MEDICINE

Health Service



Health, Education,
and Welfare, Public



Health Service



Health, Education,
and Welfare, Public

NATIONAL LIBRARY OF MEDICINE

NATIONAL LIBRARY OF MEDICINE

Washington, D.C.



U.S. Department of
Health, Education,
and Welfare, Public



Washington, D.C.



U.S. Department of
Health, Education,
and Welfare, Public

NATIONAL LIBRARY OF MEDICINE

NATIONAL LIBRARY OF MEDICINE

U.S. Department of
Health, Education,
and Welfare, Public



Washington, D.C.



U.S. Department of
Health, Education,
and Welfare, Public



Washington, D.C.


NATIONAL LIBRARY OF MEDICINE

NATIONAL LIBRARY OF MEDICINE

Health, Education,
and Welfare, Public



Health Service



Health, Education,
and Welfare, Public



Health Service

NATIONAL LIBRARY OF MEDICINE

NATIONAL LIBRARY OF MEDICINE

and Welfare, Public



and Welfare, Public



and Welfare, Public



and Welfare, Public

NATIONAL LIBRARY OF MEDICINE

NATIONAL LIBRARY OF MEDICINE

Health



Health, Education,
and Welfare, Public



Health



Health, Education,
and Welfare, Public



elfare, Public

and Welf



re, Public



and Welfare



Health Service

Health, Education,



Health Service




Health, Education,



Washington, D.C.

U.S. Department of



Washington, D.C.



U.S. Department of



U.S. Department of


Washington, D.C.



U.S. Department of



Washington, D.C.




Health, Education,

Health Service



Health, Education,



Health Service



and Welfare, Public

and Welfare, Public



and Welfare, Public



and Welfare, Public



Health

Health



Health



Health



NATIONAL LIBRARY OF MEDICINE



NLM 03277955 4