Medical inquiries and observations / by Benjamin Rush, M.D. professor of chemistry in the University of Pennsylvania.

Contributors

Rush, Benjamin, 1746-1813.
Rush, Benjamin, 1746-1813. Appendix, containing, the new method of inoculating for the small-pox.
Redman, John, 1722-1808
Hall, Parry, 1755?-1793
Prichard, William, -1815
National Library of Medicine (U.S.)

Publication/Creation

Philadelphia: Printed and sold by Prichard & Hall, in Market Street near Front Street, MDCCLXXXIX [1789]

Persistent URL

https://wellcomecollection.org/works/v3fjpg29

License and attribution

This material has been provided by This material has been provided by the National Library of Medicine (U.S.), through the Medical Heritage Library. The original may be consulted at the National Library of Medicine (U.S.) where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org





ARMY MEDICAL LIBRARY


FOUNDED 1836



WASHINGTON, D.C.








MEDICAL INQUIRIES

AND

OBSERVATIONS.



(はないのからないののののできるころのののからからから

MEDICAL INQUIRES

AND

OBSERVATIONS.

MEDICAL INQUIRIES

AND

OBSERVATIONS.

"/

BENJAMIN RUSH, M. D.

PROFESSOR OF CHEMISTRY IN THE UNIVERSITY OF PENNSYLVANIA.




PHILADELPHIA:

PRINTED AND SOLD BY PRICHARD & HALL, IN MARKET STREET NEAR FRONT STREET.

M.DCC.LXXXIX,

1789



SALHSUZ CALLET

TOTAL AND ADDED OF PARTICIPATION OF STREET

AND DESCRIPTION OF

JOHN REDMAN, M.D.

TWO reasons have determined me to inscribe to you, the following Inquiries and Observations. They are the fruits of studies which began under your direction; and they require the protection of a respectable medical name.

TO whom can they look up for that protection with so much propriety, as to the PRESIDENT OF THE COLLEGE OF PHYSICIANS OF PHILADELPHIA?

WITH sincere wishes that your old age may long continue to be as honourable, as your life has been useful,

I am,

With great respect,

Your affectionate friend,

BENJAMIN RUSH.

lift January, 1789.

Spin of surbed with the surfer and property and delines. With great reflect,

CONTENTS.

- I. AN inquiry into the natural history of medicine among the Indians of North-America, and a comparative view of their diseases and remedies with those of civilized nations.

 Page 9.
- II. An account of the climate of Pennsylvania, and its influence upon the human body. Page 57.
- III. An account of the bilious remitting fever, as it appeared in Philadelphia, in the summer and autumn of the year 1780. Page 89.
- IV. An account of the scarlatina anginosa, as it appeared in Philadelphia, in the years 1783 and 1784. Page 101.
- V. Additional observations upon the scarlatina anginosa.

 Page 109.
- VI. An inquiry into the cause and cure of the cholera infantum. Page 112.
- VII. Observations on the cynanche trachealis. Page 120.
- VIII. An account of the effects of blisters and bleeding in the cure of obstinate intermitting fevers. Page 126.
- IX. An account of the disorder occasioned by drinking cold water in warm weather, and the method of curing it.

 Page 129.
- X. An account of the efficacy of common salt in the cure of hamoptysis. Page 133.
- XI. Free thoughts upon the cause and cure of the pulmonary consumption. Page 137.

- XII. Observations upon worms in the alimentary canal, and upon anthelmintic medicines. Page 150.
- XIII. An account of the external use of arsenic in the cure of cancers. Page 153.
- XIV. Observations upon the cause and cure of the tetanus. Page 169.
- XV. Additional observations on the tetanus and hydrophobia. Page 177.
- XVI. The result of observations made upon the diseases which occurred in the military hospitals of the United States, during the late war. Page 180.
- XVII. An account of the influence of the military and political events of the American revolution upon the human body.

 Page 186.
- XVIII. An inquiry into the relation of tastes and aliments to each other; and into the influence of this relation upon health and pleasure. Page 197.

The Reader is requested to correct the following Errata.—In page 60, line 28, instead of its width, read, the width of the river. p. 62, 1. 18 and 19, instead of difference of sensation between youth and old age, with respect to beat and cold, read, the difference of cloathing and sensation between old age and youth in winter and summer. p. 65, 1. 29, after till, read, the water, instead of it. p. 94, 1. 18, instead of spoonfuls, read, spoonsful. p. 110, 1. 26, instead of ua few bors, read, a few hours. p. 122, 1. 11, instead of paroxysms, read, continuance. In the same p. 1. 12, instead of They are, read, The spasmodic is. p. 130, 1. 19, instead of asphyxi, read, asphyxia. p. 138, 1. 9, dele by; and in 1. 10, add a comma instead of a period; after courts, read all, instead of All. p. 192, 1. 11, instead of destroying, read, distressing; and in 1. 16, after occasioned, add, in part. p. 201, 1. 1, in some of the copies, instead of ie, read, lie.

INQUIRY

INTO THE

NATURAL HISTORY OF MEDICINE AMONG THE INDIANS OF NORTH-AMERICA,

AND A

COMPARATIVE VIEW

OF THEIR

DISEASES AND REMEDIES, WITH THOSE OF CIVILIZED NATIONS.

Read before the AMERICAN PHILOSOPHICAL SOCIETY, held at PHILADELPHIA, on the 4th of February, 1774.

GENTLEMEN*,

I RISE with peculiar diffidence to address you upon this occasion, when I reslect upon the entertainment you proposed to yourselves from the eloquence of that learned member, Mr. Charles Thompson, whom your suffrages appointed to this honor after the delivery of the last anniversary oration. Unhappily for the interests of literature, his want of health has not permitted him to comply with your appointment. I beg therefore that you would forget for a while, the abilities necessary to execute this task with propriety, and listen with candor to the efforts of a member, whose attachment to the society, was the only qualification that entitled him to the honor of your choice.

B Ti

^{*} This INQUIRY was the subject of an Anniversary Oration. The style of an oration is therefore preserved in many parts of it.

THE subject I have chosen for this evening's entertainment, is " An inquiry into the natural history of " medicine among the Indians in North-America, and " a comparative view of their difeases and remedies, " with those of civilized nations." You will readily anticipate the difficulty of doing justice to this subject. How shall we distinguish between the original diseases of the Indians and those contracted from their intercourse with the Europeans? By what arts shall we persuade them to discover their remedies? And lastly, how shall we come at the knowledge of facts in that cloud of errors, in which the credulity of the Europeans, and the superstition of the Indians, have involved both their difeases and remedies? These difficulties ferve to increase the importance of our subject. If I should not be able to solve them, perhaps I may lead the way to more fuccessful endeavors for that purpose.

I SHALL first limit the tribes of Indians who are to be the objects of this inquiry, to those who inhabit that part of North-America which extends from the 30th to the 60th degree of latitude. When we exclude the Esquimaux, who inhabit the shores of Hudson's bay, we shall find a general resemblance in the color, manners, and state of society, among all the tribes of Indians who inhabit that extensive tract of country.

CIVILIANS have divided nations into favage, barbarous, and civilized. The favage, live by fishing and hunting. The barbarous, by passurage or cattle; and the civilized by agriculture. Each of these is connected together in such a manner that the whole appear to form different parts of a circle. Even the manners of the most civilized nations partake of those of the savage. It would seem as if liberty and indolence were the highest highest pursuits of man; and these are enjoyed in their greatest perfection by savages, or in the practice of customs which resemble those of savages.

THE Indians of North-America partake chiefly of the manners of favages. In the earliest accounts we have of them, we find them cultivating a spot of ground. The maize is an original grain among them. The different dishes of it which are in use among the white people still retain Indian names.

It will be unnecessary to show that the Indians live in a state of society adapted to all the exigencies of their mode of life. Those who look for the simplicity and perfection of the state of nature, must seek it in systems, as absurd in philosophy, as they are delightful in poetry.

BEFORE we attempt to ascertain the number or history of the diseases of the Indians, it will be necesfary to inquire into those customs among them which we know influence diseases. For this purpose I shall,

First, Mention a few facts which relate to the birth and treatment of their children.

Secondly, I shall speak of their diet.

Thirdly, Of the customs peculiar to each of the fexes. And,

Fourthly, Of those customs which are common to them both*.

I. Of

^{*} Many of the facts contained in the Natural History of Medicine among the Indians in this Inquiry, are taken from La Hontan and Charlevoix's histories

I. Of the birth and treatment of their children.

MUCH of the future health of the body depends upon its original stamina. A child born of healthy parents always brings into the world a fystem formed by nature to refift the caufes of difeases. The treatment of children among the Indians, tends to fecure this hereditary firmness of constitution. Their first food is their mother's milk. To harden them against the action of heat and cold (the natural enemies of health and life among the Indians) they are plunged every day in cold water. In order to facilitate their being moved from place to place, and at the fame time, to preferve their shape, they are tied to a board, where they lie on their backs for fix, ten, or eighteen months. A child generally fucks its mother till it is two years old, and fometimes longer. It is eafy to conceive how much vigor their bodies must acquire from this simple, but wholesome nourishment. The appetite we sometimes observe in children for flesh, is altogether artificial. The peculiar irritability of the fystem in infancy, forbids stimulating aliment of all kinds. Nature never calls for animal food till she has provided the child with those teeth which are necessary to divide it. I shall not undertake to determine how far the wholesome quality of the mother's milk is increased by her refusing the embraces of her husband, during the time of giving fuck.

II. THE

histories of Canada; but the most material of them are taken from persons who had lived, or travelled among the Indians. The author acknowledges himself indebted in a particular manner to Mr. Edward Hand, surgeon in the 18th regiment, afterwards brigadier-general in the army of the United States, who during several years residence at Fort Pitt, directed his inquiries into their customs, diseases, and remedies, with a success that does equal honor to his ingenuity and diligence.

II. THE diet of the Indians is of a mixed nature, being partly animal and partly vegetable; their animals are wild, and therefore easy of digestion. As the Indians are naturally more disposed to the indolent employment of fishing than hunting in summer, so we find them living more upon fish than land animals, in that feafon of the year. Their vegetables confift of roots and fruits, mild in themselves, or capable of being made fo by the action of fire. Although the interior parts of our continent abound with falt fprings, yet I cannot find that the Indians used falt in their diet, till they were instructed to do fo by the Europeans. The fmall quantity of fixed alkali contained in the ashes on which they roasted their meat, could not add much to its stimulating quality. They preferve their meat from putrefaction, by cutting it into fmall pieces, and expofing it in fummer to the fun, and in winter to the frost. In the one case its moissure is dissipated, and in the other fo frozen, that it cannot undergo the putrefactive process. In dreffing their meat, they are careful to preferve its juices. They generally prefer it in the form of foups. Hence we find, that among them, the use of the spoon preceded that of the knife and fork. They take the same pains to preserve the juice of their meat when they roaft it, by turning it often. The efficacy of this animal juice in diffolving meat in the stomach, has not been equalled by any of those fauces or liquors, which modern luxury has mixed with it for that purpofe.

THE Indians have no fet time for eating, but obey the gentle appetites of nature as often as they call them. After whole days fpent in the chafe or in war, they often commit those excesses in eating, to which long abstinence cannot fail of prompting them. It is common to fee them fpend three or four hours in fatisfying their hunger. This is occasioned not more by the quantity they eat, than by the pains they take in mafticating it.

III. WE come now to speak of those customs which are peculiar to the fexes. And, first, of those which belong to the WOMEN. They are doomed by their husbands to such domestic labor as gives a firmness to their bodies, bordering upon the masculine. Their menses seldom begin to flow before they are eighteen or twenty years of age, and generally cease before they are forty. They have them in small quantities, but at regular intervals. They feldom marry till they are above twenty. The conflitution has now acquired a vigor, which enables it the better to support the convulfions of childbearing. This cuftom likewife guards against a premature old age. Doctor Bancroft ascribes the haggard looks-the loofe hanging breafts-and the prominent bellies of the Indian women at Guiana, entirely to their bearing children too early*. Where marriages are unfruitful (which is feldom the case) a feparation is obtained by means of an eafy divorce; fo that they are unacquainted with the disquietudes which fometimes arise from barrenness. During pregnancy, the women are exempted from the more laborious parts of their duty: hence miscarriages rarely happen among them. Nature is their only midwife. Their labors are short, and accompanied with little pain. Each woman is delivered in a private cabbin, without fo much as one of her own fex to attend her. After washing herfelf in cold water, she returns in a few days to her usual employments; so that she knows nothing of those accidents which arise from the carelessness or ill

management of midwives, or those weaknesses which arise from a month's confinement in a warm room. It is remarkable that there is hardly a period in the interval between the eruption and the ceasing of the menses, in which they are not pregnant, or giving suck. This is the most natural state of the constitution during that interval; and hence we often find it connected with the best state of health in the women of civilized nations.

THE customs peculiar to the Indian MEN, confist chiefly in those employments which are necessary to preferve animal life, and to defend their nation. These employments are hunting and war, each of which is conducted in a manner that tends to call forth every fibre into exercise, and to ensure them the possession of the utmost possible health. In times of plenty and peace, we see them sometimes rising from their beloved indolence, and shaking off its influence by the falutary exercises of dancing and swimming. The Indian men feldom marry before they are thirty years of age: They no doubt derive considerable vigor from this custom; for while they are secured by it from the enervating effects of the premature dalliance of love, they may ensure more certain fruitfulness to their wives, and entail more certain health upon their children. Tacitus describes the same custom among the Germans, and attributes to it the same good effects. " Sera juvenum venus, eoque inexhausta pubertas; " nec virgines festinantur; eadem juventa, similis " proceritas, pares validique miscentur; ac robora " parentum liberi referunt*."

AMONG

^{*} Cæsar, in his history of the Gallic war, gives the same account of the ancient Germans. His words are: "Qui diutissime impuberes permanserunt, maximam inter suos ferunt laudem: hoc ali staturam, ali vires, nervosque confirmari putant." Lib. vi. xxi.

AMONG the Indian men, it is deemed a mark of heroism to bear the most exquisite pain without complaining; upon this account they early inure themfelves to burning part of their bodies with fire, or cutting them with sharp instruments. No young man can be admitted to the honors of manhood or war, who has not acquitted himself well in these trials of patience and fortitude. It is eafy to conceive how much this contributes to give a tone to the nervous fystem, which renders it less subject to the occasional causes of diseases.

IV. WE come now to speak of those customs which are common to both fexes: Thefe are PAINT-ING, and the use of the COLD BATH. The practice of anointing the body with oil is common to the favages of all countries; in warm climates it is faid to promote longevity, by checking excessive perspiration. The Indians generally use bears' greafe mixed with a clay, which bears the greatest resemblance to the color of their skins. This pigment serves to lessen the fensibility of the extremities of the nerves; it moreover fortifies them against the action of those exhalations, which we shall mention hereafter, as a confiderable fource of their difeases. The COLD BATH likewise fortifies the body, and renders it less subject to those diseases which arise from the extremes and viciflitudes of heat and cold. We shall speak hereafter of the Indian manner of using it.

THE state of fociety among the Indians excludes the influence of most of those passions which disorder the body. The turbulent effects of anger are concealed in deep and lasting resentments. Envy and ambition are excluded by their equality of power and property. property. Nor is it necessary that the perfections of the whole sex should be ascribed to one, to induce them to marry. "The weakness of love (says Doc-"tor Adam Smith) which is so much indulged in ages of humanity and politeness, is regarded among sa-"vages as the most unpardonable esseminacy. A "young man would think himself disgraced forever, if he showed the least preference of one woman above another, or did not express the most com-"plete indifference, both about the time when, and "the person to whom he was to be married." Thus are they exempted from those violent or lasting diseases, which accompany the several stages of such passions in both sexes among civilized nations.

It is remarkable that there are no deformed Indians. Some have suspected from this circumstance, that they put their deformed children to death; but nature here acts the part of an unnatural mother. The severity of the Indian manners destroys them.

FROM a review of the customs of the Indians, we need not be surprised at the stateliness, regularity of seatures, and dignity of aspect by which they are characterized. Where we observe these among ourselves, there is always a presumption of their being accompanied with health, and a strong constitution.

HAVING finished our inquiry into the physical customs of the Indians, we shall proceed now to inquire into their diseases.

A CELE-

* Theory of moral fentiments.

⁺ Since the intercourse of the white people with the Indians, we find some of them deformed in their limbs. This deformity, upon inquiry, appears to be produced by those accidents, quarrels, &c. which have been introduced among them by spirituous liquors.

A CELEBRATED professor of anatomy has afferted, that we could not tell by reasoning à priori, that the body was mortal, fo intimately woven with its texture are the principles of life. Lord Bacon declares, that the only cause of death which is natural to man, is that from old age; and complains of the imperfection of physic, in not being able to guard the principle of life, until the whole of the oil that feeds it is confumed. We cannot admit of this proposition of our noble philosopher. In the inventory of the grave in every country, we find more of the spoils of youth and manhood than of age. This must be attributed to moral as well as physical causes.

WE need only recollect the custom among the Indians, of sleeping in the open air in a variable climate—the alternate action of heat and cold upon their bodies, to which the warmth of their cabbins exposes them—their long marches—their excessive exercise their intemperance in eating, to which their long fasting, and their public feasts naturally prompt them; and, lastly, the vicinity of their habitations to the banks of rivers, in order to discover the empire of diseases among them in every stage of their lives. They have in vain attempted to elude the general laws of mortality, while their mode of life fubjects them to these remote, but certain causes of diseases.

FROM what we know of the action of these potentiæ nocentes upon the human body, it will hardly be necessary to appeal to facts to determine that FEVERS constitute the only diseases among the Indians. These fevers are occasioned by the sensible and insensible qualities of the air. Those which are produced by cold, are of the inflammatory kind, fuch as pleurifies, peripneuperipnenmonies, and rheumatisms. Those which are produced by the insensible qualities of the air, or by putrid exhalations, are intermitting, putrid, and insumatory, according as the exhalations are combined with more or less heat or cold. The DYSENTERY (which is an Indian disease) comes under the class of fevers. It is the febris introversa of Dr. Sydenham.

THE Indians are subject to ANIMAL and VEGE-TABLE POISONS. The effects of these upon the body, are in some degree analogous to the exhalations we have mentioned. When they do not bring on sudden death, they produce, according to their malignity, either an inflammatory or putrid sever.

THE SMALL POX and the VENEREAL DISEASE were communicated to the Indians in North-America by the Europeans. Nor can I find that they were ever subject to the SCURVY. Whether this was obviated by their method of preferving their flesh, or by their mixing it at all times with vegetables, I shall not undertake to determine. Doctor Maclurg ascribes to fresh meat an antiseptic quality*. The peculiar customs and manners of life among the Indians, feem to have exempted them from these, as well as all other diseases of the fluids. The leprofy, elephantiasis, fcurvy, and venereal difeafe, appear to be different modifications of the fame primary diforder. fame causes produce them in every age and country. They are diversified like plants by climate and nourishment. They all sprung originally from a moist atmosphere and unwholesome diet: hence we read of their prevailing fo much in the middle centuries, when the

^{*} Experiments on the bile, and reflections on the biliary secretion.

the principal parts of Europe were overflowed with water, and the inhabitants lived entirely on fifh, and a few unwholesome vegetables. The abolition of the feudal system in Europe by introducing freedom, introduced at the same time agriculture; which by multiplying the fruits of the earth, lessened the confumpon of animal food, and thus put a stop to these disorders. The elephantiafis is almost unknown in Europe. The leprofy is confined chiefly to the low countries of Africa. The plica polonica once fo common in Poland, is to be found only in books of medicine. The venereal disease will probably in a few years cease to be a tax upon unlawful embraces. The fmall pox is no longer a fatal diforder, when the body is prepared for its reception by a vegetable regimen. Even the plague itself is losing its sting. It is hardly dreaded at this time in Turkey; and its very existence is preserved there by the doctrine of fatalism, which prevails among the inhabitants of that country. It may ferve as a new and powerful motive against political flavery to perceive, that it is connected with those diseases which most deform and debase the human body. It may likewife ferve to enhance the bleffings of liberty, to trace its effects, in eradicating fuch loathsome and destructive disorders*.

IHAVE

^{*} Muratori, in his antiquities of Italy in the middle ages, describes the greatest part of Europe as overslowed with water. The writings of the historians of those ages are full of the physical and political miseries which prevailed during those centuries. The whole of the diseases we have mentioned, raged at one time in all the countries of Europe. In the ninth century there were 19,000 hospitals for lepers only, in Christendom. Lewis VIII. king of France, in the year 1227, bequeathed legacies to 2000 leprous hospitals in his own kingdom. The same diet, and the same dampness of soil and air, produced the same effects in South-America. The venereal disease probably made its appearance at the same time, in South-America and Naples. Precis de l'histoire physique des tems, par M. Raymond. The leprosy and scurvy still prevail in the northern parts of Europe, where the manner of living, among the inhabitants, still bears some resemblance to that which

I HAVE heard of two or three cases of the GOUT among the Indians, but it was only among those who had learned the use of rum from the white people. A question naturally occurs here, and that is; why does not the gout appear more frequently among that class of people, who confume the greatest quantity of rum among ourselves? To this I answer, that the effects of this liquor upon those enfeebled people, are too fudden and violent, to admit of their being thrown upon the extremities; as we know them to be among the Indians. They appear only in visceral obstructions, and a complicated train of chronic difeases. Thus putrid miasmata are sometimes too strong to bring on a fever, but produce instant debility and death. The gout is feldom heard of in Russia, Denmark, or Poland. Is this occasioned by the vigor of constitution peculiar to the inhabitants of those northern countries? or is it caused by their excessive use of spirituous liquors, which produce the fame chronic complaints

which prevailed in the middle centuries. Pontoppidan's natural history of Norway. Between the years 1006 and 1680, we read of the plague being epidemic fifty-two times throughout all Europe. The fituation of Europe is well known during the fourteenth century; every country was in arms; agriculture was neglected; nourishment of all kinds was scanty and unwholesome; no wonder, therefore, that we read of the plague being fourteen times epidemic in Europe during that period. In proportion as the nations of Europe have become civilized, and cultivated the earth, together with the arts of peace, this diforder has gradually mitigated. It prevailed only fix times in the fixteenth, and five times in the feventeenth centuries. It made its last general appearance in the year 1680. It has occasionally vifited feveral cities in Europe within the last century, but has raged with much less violence than formerly. It is highly probable its very existence would be destroyed, could the inhabitants of Turkey (where it is at all times endemic) be prevailed upon to use the same precautions to prevent its spreading, which have been found successful in other parts of Europe. The British, and other foreigners, who reside at Constantinople, escape the plague more by avoiding all intercourse with persons, houses, clothes, &c. infected with the diforder, than by any peculiarities in their diet or manners. That the use of wine alone does not preserve them from the infection, we learn from the history of the Armenians, who drink large quantities of wine; and yet, from their belief in the doctrine of fatalifm, perish in the fame proportion as the Turks.

among them, which we faid were common among the lower class of people in this country? The similarity of their diseases makes the last of these suppositions the most probable. The effects of wine, like tyranny in a well formed government, are felt first in the extremities; while spirits, like a bold invader, seize at once upon the vitals of the constitution.

AFTER much inquiry, I have not been able to find a fingle instance of MADNESS, MELANCHOLY, or FATUITY among the Indians; nor can I find any accounts of diseases from worms among them. Worms are common to most animals; they produce diseases only in weak, or increase them in strong constitutions*. Hence they have no place in the nosological systems of physic. Nor does DENTITION appear to be a disorder among the Indians. The facility with which the healthy children of healthy parents cut their teeth, among civilized nations, gives us reason to conclude that the Indian children never suffer from this quarter.

THE Indians appear moreover to be strangers to diseases and pains in the teeth.

THE employments of the Indians subject them to many accidents; hence we sometimes read of WOUNDS, FRACTURES, and LUXATIONS among them.

HAVING thus pointed out the natural diseases of the Indians, and shown what disorders are foreign to them; we may venture to conclude, that FEVERS,

^{*} Indian children are not exempted from worms. It is common with the Indians, when a fever in their children is ascribed by the white people to worms, (from their being discharged occasionally in their stoo's) to say "the "fever makes the worms come, and not the worms the fever."

old AGE, CASUALTIES and WAR are the only natural outlets of human life. War is nothing but a distemper; it is founded in the imperfection of political bodies, just as severs are founded on the weakness of the animal body.—Providence in these diseases seems to act like a mild legislature, which mitigates the serverity of death, by inflicting it in a manner the least painful upon the whole, to the patient and the survivors.

LET us now inquire into the REMEDIES of the Indians. These, like their diseases, are simple, and sew in number. Among the first of them we shall mention the POWERS of NATURE. Fevers we said formerly, constituted the chief of the diseases among the Indians; they are likewise, in the hands of nature, the principal instruments to remove the evils which threaten her dissolution; but the event of these efforts of nature, no doubt, soon convinced the Indians of the danger of trusting her in all cases; and hence in the earliest accounts we have of their manners, we read of persons who were intrusted with the office of physicians.

IT will be difficult to find out the exact order in which the Indian remedies were suggested by nature, or discovered by art; nor will it be easy to arrange them in proper order. I shall however attempt it, by reducing them to NATURAL and ARTIFICIAL.

To the class of NATURAL REMEDIES belongs the Indian practice, of abstracting from their patients all kinds of stimulating aliment. The compliance of the Indians with this dictate of nature, in the early stage of a disorder, no doubt, prevents in many cases, their being

being obliged to use any other remedy. They follow nature still closer, in allowing their patients to drink plentifully of cold water; this being the only liquor a patient calls for in a fever.

SWEATING is likewise a natural remedy. It was probably fuggested by observing fevers to be terminated by it. I shall not inquire how far these sweats are essential to the crisis of a fever. The Indian mode of procuring this evacuation is as follows: the patient is confined in a close tent, or wigwam, over a hole in the earth, in which a red hot stone is placed; a quantity of water is thrown upon this stone, which instantly involves the patient in a cloud of vapor and fweat; in this fituation he rushes out, and plunges himself into a river; from whence he retires to his bed. If the remedy has been used with success, he rises from his bed in four and twenty hours, perfectly recovered from his indisposition. This remedy is used not only to cure fevers, but to remove that uneafiness which arises from fatigue of body.

A THIRD natural remedy among the Indians, is PURGING. The fruits of the earth, the flesh of birds, and other animals feeding upon particular vegetables, and above all, the spontaneous efforts of nature, early led the Indians to perceive the necessity and advantages of this evacuation.

Vomits constitute their fourth natural remedy. They were probably like the former, suggested by nature, and accident. The ipecacuana is one of the many roots they employ for this purpose.

THE ARTIFICIAL REMEDIES made use of by the Indians, are BLEEDING, CAUSTICS, and ASTRINGENT medicines. They confine bleeding entirely to the part affected. To know that opening a vein in the arm, or foot, would relieve a pain in the head, or side, supposes some knowledge of the animal economy, and therefore marks an advanced period in the history of medicine.

SHARP stones and thorns are the instruments they use to procure a discharge of blood.

WE have an account of the Indians using something like a POTENTIAL CAUSTIC, in obstinate pains. It consists of a piece of rotten wood called punk, which they place upon the part affected, and afterwards set it on fire; the fire gradually consumes the wood, and its ashes burn a hole in the slesh.

THE undue efforts of nature, in those fevers which are connected with a diarrhoea, or dysentery, together with those hæmorrhages to which their mode of life exposed them, necessarily led them to an early discovery of fome ASTRINGENT VEGETABLES. I am uncertain whether the Indians rely upon aftringent, or any other vegetables, for the cure of the intermitting fever. This difeafe among them probably requires no other remedies than the cold bath, or cold air. Its greater obstinacy, as well as frequency among ourfelves, must be fought for in the greater feebleness of our conflitutions; and in that change which our country has undergone, from meadows, mill-dams, and the cutting down of woods, whereby morbid exhalations have been multiplied, and their passage rendered more free, through every part of the country.

THIS

This is a short account of the remedies of the Indians. If they are simple, they are like their eloquence, sull of strength; if they are sew in number, they are accommodated, as their languages are to their ideas, to the whole of their diseases.

WE faid formerly that the Indians were subject to ACCIDENTS, such as wounds, fractures, and the like. In these cases, nature performs the office of a surgeon. We may judge of her qualifications for this office, by observing the marks of wounds, and fractures, which are sometimes discovered on wild animals. But surther, what is the practice of our modern surgeons in these cases? Is it not to lay aside plasters and ointments, and trust the whole to nature? Those ulcers which require the assistance of mercury, bark, and a particular regimen, are unknown to the Indians.

THE HEMORRHAGES which fometimes follow their wounds, are restrained, by plunging themselves into cold water, and thereby producing a constriction upon the bleeding vessels.

THEIR practice of attempting to recover DROWN-ED PEOPLE, is irrational and unfuccessful. It consofists in suspending the patient by the heels, in order that the water may flow from his mouth. This practice is sounded on a belief, that the patient dies from swallowing an excessive quantity of water. But modern observation teaches us, that drowned people die from another cause. This discovery has suggested a method of cure, directly opposite to that in use among the Indians; and has shewn us that the practice of suspending by the heels, is hurtful.

I Do not find that the Indians ever fuffer in their limbs from the action of COLD upon them. Their mokasons*, by allowing their feet to move freely, and thereby promoting the circulation of the blood, defend their lower extremities in the day time, and their practice of fleeping with their feet near a fire defends them from the morbid effects of cold at night. cases where the motion of their feet in their mokasons is not fufficient to keep them warm, they break the ice, and restore their warmth by exposing them for a short time to the stimulus of cold water. +

WE have heard much of their specific antidotes to the VENEREAL DISEASE. In the accounts of these antivenereal medicines, fome abatement should be made for that love of the marvellous, and of novelty, which are apt to creep into the writings of travellers and physicians. How many medicines which were once thought infallible in this diforder, are now rejected from the materia medica! I have found upon inquiry, that the Indians always affist their medicines in this disease, by a regimen which promotes perspiration. Should we allow that mercury acts as a specific in destroying this disorder, it does not follow that it is proof against the efficacy of medicines which act more mechanically upon the body. ‡

THERE

* Indian shoes.

⁺ It was remarked in Canada, in the winter of the year 1759, during the war before last, that none of those foldiers who wore mokasons were frostbitten, while few of those escaped that were much exposed to the cold, who wore shoes.

I cannot help suspecting the antivenereal qualities of the lobelia, ceanothus and ranunculus, spoken of by Mr. Kalm, in the memoirs of the Swedish academy. Mr. Hand informed me, that the Indians rely chiefly upon a plentiful use of the decoctions of the pine-trees, against the venereal disease. He added moreover, that he had often known this disease prove fatal to them.

THERE cannot be a stronger mark of the imperfect state of knowledge in medicine among the Indians, than their method of treating the SMALL POX. We are told that they plunge themselves in cold water in the beginning of the disorder, and that it generally proves satal to them.

TRAVELLERS speak in high terms of the Indian ANTIDOTES to POISONS. We must remember, that many things have been thought poisonous, which later experience hath proved to possess no unwholesome quality. Moreover, the uncertainty and variety in the operation of poisons, render it extremely difficult to fix the certainty of their antidotes, to them. How many specifics have derived their credit for preventing the hydrophobia, from persons being wounded by animals, who were not in a situation to produce that disorder! If we may judge of all the Indian antidotes to poisons, by those which have fallen into our hands, we have little reason to ascribe much to them in any cases whatever.

I HAVE heard of their performing feveral remarkable cures upon STIFF JOINTS, by an infusion of certain herbs in water. The mixture of feveral herbs together in this infusion calls in question the specific efficacy of each of them. I cannot help attributing the whole success of this remedy to the great heat of the water in which the herbs were boiled, and to its being applied for a long time to the part affected. We find the same medicine to vary frequently in its success, according to its strength, or to the continuance of its application. De Haen attributes the good effects of electricity, entirely to its being used for several months.

I HAVE met with one case upon record of their aiding nature in PARTURITION. Captain Carver gives us an account of an Indian woman in a difficult labor, being suddenly delivered in consequence of a general convulsion induced upon her system, by stopping for a short time her mouth and nose, so as to obstruct her breathing.

WE are sometimes amused with accounts of Indian remedies for the DROPSY, EPILEPSY, COLIC, GRA-VEL and GOUT. If, with all the advantages which modern physicians derive from their knowledge in ANATOMY, CHEMISTRY, BOTANY and PHILOSO-PHY; if, with the benefit of discoveries communicated from abroad, as well as handed down from our ancestors, by more certain methods than tradition, we are still ignorant of certain remedies for these diseases; what can we expect from the Indians, who are not only deprived of these advantages, but want our chiefmotive, the fense of the pain and danger of those diforders to prompt them to feek for fuch remedies to relieve them? There cannot be a stronger proof of their ignorance of proper remedies for new or difficult difeafes, than their having recourse to enchantment. But to be more particular; I have taken pains to inquire into the fuccefs of some of these Indian specifics, and have never heard of one well attefted cafe of their efficacy. I believe they derive all their credit from our being ignorant of their composition. The influence of fecrecy is well known in establishing the credit of a medicine. The fal feignette was an infallible medicine for the intermitting fever, while the manufactory of it was confined to an apothecary at Rochelle; but it lost its virtues as foon as it was found to be composed of the acid of tartar and a fossil alkali. Dr. Ward's

Ward's famous pill and drop ceased to do wonders in scrophulous cases, as soon as he bequeathed to the world his receipts for making them.

I FORESEE an objection to what has been faid concerning the remedies of the Indians, drawn from that knowledge which experience gives to a mind intent upon one subject. We have heard much of the perfection of their fenses of seeing and hearing. An Indian, we are told, will discover not only a particular tribe of Indians by their footsteps, but the distance of time in which they were made. In those branches of knowledge which relate to hunting and war, the Indians have acquired a degree of perfection that has not been equalled by civilized nations. But we must remember, that medicine among them does not enjoy the like advantage with the arts of war and hunting, of being the chief object of their attention. The phycian and the warrior are united in one character; to render him as able in the former, as he is in the latter profession, would require an entire abstraction from every other employment, and a familiarity with external objects, which are incompatible with the wandering life of favages.

Thus have we finished our inquiry into the diseases and remedies of the Indians in North-America. We come now to inquire into the diseases and remedies of civilized nations.

NATIONS differ in their degrees of civilization. We shall select one for the subject of our inquiries which is most familiar to us; I mean the British nation. Here we behold subordination and classes of mankind established by government, commerce, manufactures,

nusactures, and certain customs common to most of the civilized nations of Europe. We shall trace the origin of their diseases through their customs, in the same manner as we did those of the Indians.

- I. It will be sufficient to name the degrees of heat, the improper aliment, the tight dresses, and the premature studies children are exposed to, in order to show the ample scope for diseases, which is added to the original desect of stamina they derive from their ancestors.
- II. CIVILIZATION rifes in its demands upon the health of women. Their fashions; their dress and diet; their eager pursuits and ardent enjoyment of pleasure; their indolence and undue evacuations in pregnancy; their cordials, hot regimen and neglect or use of art, in child-birth, are all so many inlets to diseases.

HUMANITY would fain be filent, while philosophy calls upon us to mention the effects of interested marriages, and of disappointments in love, increased by that concealment which the tyranny of custom has imposed upon the fex*. Each of these exaggerates the natural, and increases the number of artificial diseases among women.

III. THE diseases introduced by civilization extend themselves through every class and profession among men.

^{* &}quot;Married women are more healthy and long-lived than fingle women. The registers, examined by Mr. Muret, confirm this observation; and show particularly, that of equal numbers of single and married women between fifteen and twenty-five years of age, more of the former died than of the latter, in the proportion of two to one: the consequence, therefore, of following nature, must be favourable to health among the female sex." Supplement to Price's Observations on Reversionary Payments. p. 357.

men. How fatal are the effects of idleness and intemperance among the rich, and of hard labor and penury among the poor! What pallid looks are contracted by the votaries of science from hanging over the "fickly taper!" How many difeases are entailed upon manufacturers, by the materials in which they work, and the posture of their bodies! What monkish diseases do we observe from monkish continence, and monkish vices! We pass over the increase of accidents from building, failing, riding, and the like. War, as if too flow in destroying the human species, calls in a train of diseases peculiar to civilized nations. What havoc have the corruption and monopoly of provisions, a damp foil, and an unwholesome sky, made in a few days in an army! The atchievements of British valor at the Havannah, in the last war, were obtained at the expence of 9,000 men, 7,000 of whom perished with the West-India sever*. Even our modern discoveries in geography, by extending the empire of commerce, have likewife extended the empire of difeases. What desolation have the East and West Indies made of British subjects! It has been found upon a nice calculation, that only ten of an hundred Europeans, live above seven years after they arrive in the island of Jamaica.

IV. IT would take up too much of our time to point out all the customs both physical and moral, which

^{*} The modern writers upon the diseases of armies, wonder that the Greek and Roman physicians have left us nothing upon that subject. But may not most of the diseases of armies be produced by the different manner in which wars are carried on by modern nations? The discoveries in geography, by extending the field of war, expose foldiers to many diseases from long voyages, and a fudden change of climate; which were unknown to the armies of former ages. Moreover, the form of the weapons, and the variety in the military exercises of the Grecian and Roman armies, gave a vigor to the constitution, which can never be acquired by the use of muskets and artillery.

which influence diseases among both sexes. The former have engendered the seeds of diseases in the human body itself; hence the origin of catarrhs, jail and miliary severs, with a long train of contagious disorders, which compose so great a part of our books of medicine. The latter likewise have a large share in producing diseases. I am not one of those modern philosophers, who derive the vices of mankind from the influence of civilization; but I am safe in afferting, that their number and malignity increase with the refinements of polished life. To prove this, we need only survey a scene too samiliar to affect us: it is a bedlam; which injustice, inhumanity, avarice, pride, vanity, and ambition, have filled with inhabitants.

Thus have we briefly pointed out the customs which influence the diseases of civilized nations. It remains now that we take notice of their diseases. Without naming the many new severs, fluxes, hæmorrhages, swellings from water, wind, slesh, fat, pus and blood; soulnesses on the skin from cancers, leprosy, yaws, poxes, and itch; and lastly, the gout, the hysteria, and the hypochondriasis, in all their variety of known and unknown shapes; I shall sum up all that is necessary upon this subject, by adding, that the number of diseases which belong to civilized nations, according to Doctor Cullen's nosology, amounts to 1387; the single class of nervous diseases form 612 of this number.

BEFORE we proceed to speak of the remedies of civilized nations, we shall examine into the abilities of NATURE in curing their diseases. We found her active and successful in curing the diseases of the Indians. Is her strength, wisdom, or benignty, equal to

the increase of those dangers which threaten her disfolution among civilized nations? In order to answer this question, it will be necessary to explain the meaning of the term nature.

BY NATURE, in the present case, I understand nothing but physical necessity. This at once excludes every thing like intelligence from her operations: these are all performed in obedience to the same laws which govern vegetation in plants and the intestine motions of fossils. They are as truly mechanical as the laws of gravitation, electricity, or magnetism. A ship when laid on her broadfide by a wave, or a fudden blast of wind, rifes by the simple laws of her mechanism; but suppose this ship to be attacked by fire, or a water-spout, we are not to call in question the skill of the ship-builder, if she is consumed by the one, or funk by the other. In like manner, the Author of nature hath furnished the body with powers to preferve itself from its natural enemies; but when it is attacked by those civil foes which are bred by the peculiar customs of civilization, it refembles a company of Indians, armed with bows and arrows, against the complicated and deadly machinery of fire-arms. To place this subject in a proper light, we shall deliver a history of the operations of nature in a few of the diseases of civilized nations.

I. THERE are cases in which nature is still successful in curing diseases.

In fevers she still deprives us of our appetite for animal food, and imparts to us a desire for cool air and cold water.

In hæmorrhages she produces a faintiness, which occasions a coagulum in the open vessels; so that the further passage of blood through them is obstructed.

In wounds of the flesh and bones, she discharges foreign matter by exciting an inflammation, and supplies the waste of both with new slesh and bone.

- II. THERE are cases where the efforts of nature are too feeble to do service, as in putrid and nervous fevers.
- III. THERE are cases where the efforts of nature are over-proportioned to the strength of the disease, as in the cholera morbus and dysentery.
- IV. THERE are cases where nature is idle, as in the atonic stages of the gout, the cancer, the epilepsy, the mania, the venereal disease, the apoplexy, and the tetanus*.
- V. There are cases in which nature does mischief. She wastes herself with an unnecessary fever in a dropfy and consumption. She throws a plethora upon the brain and lungs. She ends a pleurify and peripneumony in a vomica, or empyema. She creates an unnatural appetite for food in the hypochondriac disorder. And lastly, she drives the melancholy patient to solitude, where, by brooding over the subject of his infanity, he increases his disease.

WE are accustomed to hear of the salutary kindness of nature in alarming us with pain, to prompt us to seek for a remedy. But,

VI. THERE

[&]quot; Hoffman de hypothesium medicarum damno, sect. xv.

36

VI. THERE are cases in which she refuses to send this harbinger of the evils which threaten her, as in the aneurism, scirrhus, and stone in the bladder.

VII. THERE are cases where the pain is not proportioned to the danger, as in the tetanus, consumption, and dropfy of the head. And,

VIII. THERE are cases where the pain is overproportioned to the danger, as in the paronychia and tooth-ach.

This is a short account of the operations of nature, in the diseases of civilized nations. A lunatic might as well plead against the sequestration of his estate, because he once enjoyed the full exercise of his reason, or because he still had lucid intervals, as nature be exempted from the charges we have brought against her.

But this subject will receive strength from considering the REMEDIES of civilized nations. All the products of the vegetable, fossil, and animal kingdoms, tortured by heat and mixture into an almost infinite variety of forms; bleeding, cupping, artificial drains by setons, issues and blisters; exercise, active and passive; voyages and journies; baths, warm and cold; waters saline, aërial and mineral; food by weight and measure; the royal touch; enchantment; miracles; in a word, the combined discoveries of natural history and philosophy, united into a system of materia medica, all show, that although physicians are in speculation the servants, yet in practice they are the masters of nature. The whole of their remedies seem contrived

on purpose to arouse, assist, restrain, and controul her operations.

THERE are some truths like certain liquors, which require strong heads to bear them. I feel myself protected from the prejudices of vulgar minds, when I reslect that I am delivering these sentiments in a society of philosophers.

LET us now take a COMPARATIVE VIEW of the diseases and remedies of the Indians, with those of civilized nations. We shall begin with their diseases.

In our account of the diseases of the Indians we beheld death executing his commission, it is true; but then his dart was hid in a mantle, under which he concealed his shape. But among civilized nations we behold him multiplying his weapons in proportion to the number of organs and functions in the body; and pointing each of them in such a manner, as to render his messengers more terrible than himself.

WE said formerly that severs constituted the chief diseases of the Indians. According to Doctor Sydenham's computation, above 66,000 out of 100,000 died of severs in London about 100 years ago; but severs now constitute but a little more than one-tenth part of the diseases of that city. Out of 21,780 persons who died in London between December 1770 and December 1771, only 2273 died of simple severs. I have more than once heard Doctor Huck complain, that he could find no marks of epidemic severs in London as described by Doctor Sydenham. London has undergone a revolution in its manners and customs since Doctor Sydenham's time. New diseases, the offspring

of luxury, have supplanted fevers; and the few that are left, appear so complicated with other diseases, that their connection can no longer be discovered with an epidemic constitution of the year. The pleurify and peripneumony, those inflammatory fevers of strong constitutions, are now lost in catarrhs, or colds; which instead of challenging the powers of nature or art to a fair combat, infenfibly undermine the constitution, and bring on an incurable confumption. Out of 22,434 who died between December 1769 and the fame month in 1770, 4594 perished with that British disorder. Our countryman, Doctor Maclurg, has ventured to foretel that the gout will be loft in a few years, in a train of hypochondriac, hysteric and bilious disorders. In like manner, may we not look for a feafon when fevers, the natural difeases of the human body, will be loft in an inundation of artificial difeases, brought on by the modish practices of modern civilization?

It may not be improper to compare the PROGNOSIS of the Indians, in diseases, with that of civilized nations, before we take a comparative view of their remedies.

The Indians are faid to be fuccessful in predicting the events of diseases. While diseases are simple, the marks which distinguish them, or characterize their several stages, are generally uniform and obvious to the most indifferent observer. These marks afford so much certainty, that the Indians sometimes kill their physicians for a false prognosis, charging the death of the patient to their carelessness, or ignorance. They estimate the danger of their patients by their degrees of appetite; while an Indian is able to eat, he is looked upon

upon as free from danger. But when we consider the number and variety in the figns of diseases, among civilized nations, together with the shortness of life, the fallacy of memory, and the uncertainty of observation; where shall we find a physician willing to risk his reputation, much less his life, upon the prediction of the event of our acute diseases? We can derive no advantage from the simple sign, by which the Indians estimate the danger of their patients; for we daily see a want of appetite for food in difeases which are attended with no danger; and we fometimes observe an unusual degree of this appetite to precede the agonies of death. I honor the name of HIPPOCRATES: But forgive me ye votaries of antiquity, if I attempt to pluck a few grey hairs from his venerable head. I was once an idolater at his altar, nor did I turn apostate from his worship, till I was taught, that not a tenth part of his prognoftics corresponded with modern ex-The pulse*, urine, and perience, or observation. fweats, from which the principal figns of life and death have been taken, are so variable in most of the acute diseases of civilized nations, that the wisest physicians have in some measure excluded the prognosis from being a part of their profession.

I AM here infensibly led to make an apology for the instability of the theories and practice of physic. The theory of physic is founded upon the laws of the animal economy. These (unlike the laws of the mind, or the common

^{*} Doctor Cullen used to inform his pupils, that after forty years experience, he could find no relation between his observations on the pulse, and those made by Doctor Solano. The climate and customs of the people in Spain being so different from the climate and customs of the present inhabitants of Britain, may account for the diversity of their observations. Doctor Heberden's remarks upon the pulse, in the second volume of the Medical Transactions, are calculated to show how little the issue of diseases can be learned from it.

common laws of matter) do not appear at once, but are gradually brought to light by the phænomena of diseases. The success of nature, in curing the simple diseases of Saxony, laid the foundation for the ANIMA MEDICA of Doctor STAHL. The endemics of Holland * led Doctor BOERHAAVE to feek for the causes of all diseases in the FLUIDS. And the universal prevalence of the diseases of the NERVES, in Great-Britain, led Doctor Cullen to discover their peculiar laws, and to found a SYSTEM upon them; a fystem, which will probably last till some new diseases are let loofe upon the human species, which shall unfold other laws of the animal œconomy.

IT is in confequence of this fluctuation in the principles and practice of physic, being so necessarily connected with the changes in the customs of civilized nations, that old and young physicians so often disagree in their opinions and practices. And it is by attending to the constant changes in these customs of civilized nations, that those physicians have generally become the most eminent, who have soonest emancipated themfelves from the tyranny of the schools of physic; and have occasionally accommodated their principles and practice to the changes in difeafest. This variety in difeases.

"We are now in North-Holland; and I have never feen, among fo few people, so many insected with the leprosy as here. They say the reason is, because they eat so much fish." Howell's Familiar Letters.

^{* &}quot;The scurvy is very frequent in Holland; and draws its origin partly from their strong food, sea-fish, and smoaked flesh, and partly from their dense and moist air, together with their bad water." Hoffman on Endemial Distempers.

⁺ We may learn from these observations, the great impropriety of those Egyptian laws which oblige physicians to adopt, in all cases, the prescriptions which had been collected, and approved of, by the phylicians of former ages. Every change in the customs of civilized nations, produces a change in their difeases, which calls for a change in their remedies. What havoc would plentiful bleeding, purging, and fmall beer, formerly used with fo

diseases, which is produced by the changes in the customs of civilized nations, will enable us to account for many of the contradictions which are to be found in authors of equal candor and abilities, who have written upon the materia medica.

In forming a comparative view of the REMEDIES of the Indians, with those of civilized nations, we shall remark, that the want of success in a medicine is occasioned by one of the following causes.

FIRST, our ignorance of the diforder. Secondly, an ignorance of a fuitable remedy. Thirdly, a want of efficacy in the remedy.

CONSIDERING the violence of the difeafes of the Indians, it is probable their want of fuccess is always occasioned by a want of efficacy in their medicines. But the case is very different among civilized nations. Diffections daily convince us of our ignorance of the feats of difeases, and cause us to blush at our prescriptions. What certain or equal remedies have we found for the gout, the epilepfy, apoplexy, palfy, dropfy of the brain, cancer and confumption? How often are we disappointed in our expectations from the most certain and powerful of our remedies, by the negligence or obstinacy of our patients! What mischief have we not done under the belief of false facts (if I may be allowed the expression) and false theories! We have affisted in multiplying difeafes.-We have done more-we have increased their mortality.

F I SHALL

much fuccess by Dr. Sydenham in the cure of severs, now make upon the enfectbled citizens of London! The severs of the same, and of more southern latitudes, still admit of such antiphlogistic remedies. In the room of these, bark, wine, and other cordial medicines, are prescribed in London in almost every kind of sever.

I SHALL not paufe to beg pardon of the faculty, for acknowledging in this public manner the weaknesses of our profession. I am pursuing truth, and while I can keep my eye fixed upon my guide, I am indifferent whither I am led, provided she is my leader.

But further, the Indian fubmits to his disease, without one fearful emotion from his doubtfulness of its event; and at last meets his fate without an anxious wish for futurity; except it is of being admitted to an "equal sky," where

" His faithful dog shall bear him company."

But among civilized nations, the influence of a false religion in good, and of a true religion in bad men, has converted even the fear of death into a disease. It is this original distemper of the imagination which renders the plague most fatal, upon its first appearance in a country.

UNDER all these disadvantages in the state of medicine, among civilized nations, do more in proportion die of the diseases peculiar to them, than of severs, casualties and old age, among the Indians? If we take our account from the city of London, we shall find this to be the case. Near a twentieth part of its inhabitants perish one year with another. Nor does the natural increase of inhabitants supply this yearly waste. If we judge from the bills of mortality, the city of London contains sewer inhabitants, by several thousands, than it did forty years ago. It appears from this sact, and many others of a like nature, which might be adduced, that although the difficulty of supporting children, together with some peculiar customs of the Indians, which we mentioned, limit their num-

ber, yet they multiply faster, and die in a smaller proportion than civilized nations, under the circumstances we have described. The Indians, we are told, were numerous in this country before the Europeans settled among them. Travellers agree likewise in describing numbers of both sexes who exhibited all the marks of extreme old age. It is remarkable that age seldom impairs the faculties of their minds.

The mortality peculiar to those Indian tribes who have mingled with the white people, must be ascribed to the extensive mischief of spirituous liquors. When these have not asted, they have suffered from having accommodated themselves too suddenly to the European diet, dress, and manners. It does not become us to pry too much into suturity; but if we may judge from the fate of the original natives of Hispaniola, Jamaica, and the provinces on the continent, we may venture to foretel, that, in proportion as the white people multiply, the Indians will diminish; so that in a few centuries they will probably be entirely extirpated*.

It may be faid, that health among the Indians, like infensibility to cold and hunger, is proportioned to their need of it; and that the less degrees, or entire want of health, are no interruption to the ordinary bufiness of civilized life.

It may serve to extend our knowledge of diseases, to remark, that epidemics were often observed to prevail among the Indians in Nantucket, without affecting the white people.

^{*} Even the influence of CHRISTIAN principles has not been able to put a ftop to the mortality introduced among the Indians, by their intercourse with the Europeans. Dr. Cotton Mather, in a letter to Sir William Ashurst, printed in Boston in the year 1705, says, "That about five years before, there were about thirty Indian congregrations in the southern parts of the province of Massachusetts-Bay." The same author, in his history of New-England, says, "That in the islands of Nantucket and Martha's Vineyard there were 3000 adult Indians, 1600 of whom professed the christian religion." At present there is but one Indian congregation in the whole Massachusetts province.

To obviate this supposition, we shall first attend to the effects of a fingle distemper in those people who are the principal wheels in the machine of civil fociety. Justice has stopt its current, victories have been lost, wars have been prolonged, and embaffies delayed, by the principal actors in these departments of government being fuddenly laid up with a fit of the gout. How many offences are daily committed against the rules of good breeding, by the tedious histories of our diforders, which compose so great a part of modern conversation! What sums of money have been lavished in foreign countries in pursuit of health! * Families have been ruined by the unavoidable expences of medicines, and watering places. In a word, the fwarms of beggars which infest so many of the European countries, urge their petitions for charity chiefly by arguments derived from rea! or counterfeit diseases, which render them incapable of supporting themselvest.

But may not civilization, while it abates the violence of natural difeases, increase the lenity of those that are artificial, in the same manner that it lessens the strength of natural vices by multiplying them? To answer this question, it will only be necessary to ask another: Who would exchange the heat, thirst and uneasiness of a sever, for one sit of the cholic or stone?

THE history of the number, combination and fashions of the remedies we have given, may serve to humble the pride of philosophy; and to convince us that

^{*} It is faid, there are feldom less than 20,000 British subjects in France and Italy; one half of whom reside or travel in those countries upon the account of their health.

⁺ Templeman computes, that Scotland contains 1,500,000 inhabitants; 100,000 of whom, according to Mr. Fletcher, are supported at the public expence. The proportion of poor people is much greater in England, Ireland, France, and Italy.

that with all the advantages of the whole circle of fciences, we are still ignorant of antidotes to many of the difeases of civilized nations. We sometimes sooth our ignorance by reproaching our idleness in not investigating the remedies peculiar to this country. We are taught to believe that every herb that grows in our woods is possessed of some medicinal virtue, and that heaven would be wanting in benignity if our country did not produce remedies for all the different diseases of its inhabitants. It would be arrogating too much to fuppose, that man was the only creature in our world for whom vegetables grow. The beafts, birds and infects, derive their fustenance either directly, or indirectly from them; while many of them were probably intended from their variety in figure, foliage and color, only to ferve as ornaments for our globe. It would feem strange that the Author of nature should furnish every spot of ground with medicines adapted to the difeases of its inhabitants, and at the same time deny it the more necessary articles of food and cloathing. I know not whether heaven has provided every country with antidotes even to the natural difeases of its inhabitants. The intermitting fever is common in almost every corner of the globe; but a fovereign remedy for it has been discovered only in South-America. The combination of bitter and aftringent fubftances which ferve as a fuccedaneum to the Peruvian bark, is as much a preparation of art, as calomel, or tartar emetic. Societies stand in need of each other as much as individuals: and the goodness of the Deity remains unimpeached when we suppose, that he intended medicines to ferve (with other articles) to promote that knowledge, humanity and politeness among the inhabitants of the earth, which have been fo justly attributed to commerce.

We have no discoveries in the materia medica to hope for from the Indians in North-America. It would be a reproach to our schools of physic, if modern physicians were not more successful than the Indians, even in the treatment of their own diseases.

Do the bleffings of civilization compensate for the sacrifice we make of natural health, as well as of natural liberty? This question must be answered under some limitations. When natural liberty is given up for laws which enslave instead of protecting us, we are immense losers by the exchange. Thus, if we arm the whole elements against our health, and render every pore in the body an avenue for a disease, we pay too high a price for the bleffings of civilization.

In governments which have departed entirely from their simplicity, partial evils are to be cured by nothing but an entire renovation of their constitution. Let the world bear with the professions of law, physic, and divinity; and let the lawyer, physician and divine yet learn to bear with each other. They are all necessary, in the present state of society. In like manner, let the woman of fashion forget the delicacy of her sex, and submit to be delivered by a man-midwise. Let her snatch her offspring from her breast, and send it to repair the weakness of its stamina, with the milk of a ruddy cottager. Let art supply the place of nature

+ There has been much common-place declamation against the custom

^{*} In the enervated age of Athens, a law was paffed which confined the practice of midwifery only to the men. It was, however, repealed, upon a woman's dying in childbirth, rather than be delivered by a man-midwife. It appears from the bills of mortality in London and Dublin, that about one in feventy of those women die in childbirth, who are in the hands of midwives; but from the accounts of the lying-in hospitals in those cities, which are under the care of man-midwives, only one in an hundred and forty perishes in childbirth.

in the preparation and digeftion of all our aliment. Let our fine ladies keep up their color with carmine, and their spirits with ratafia; and let our fine gentlemen defend themselves from the excesses of heat and cold, with lavender and hartshorn. These customs have become necessary in the corrupt stages of society. We must imitate, in these cases, the practice of those physicians who consult the appetite only, in diseases which do not admit of a remedy.

THE state of a country in point of population, temperance and industry, is so connected with its diseases, that a tolerable idea may be formed of it, by looking over its bills of mortality. HOSPITALS, with all their boasted advantages, exhibit at the same time monuments of the charity and depravity of a people*.

The

among the great, of not suckling their children. Nurses were common in Rome, in the declension of the empire: hence we find Cornelia commended as a rare example of maternal virtue, as much for suckling her sons, as for teaching them eloquence. That nurses were common in Egypt, is probable from the contract which Pharaoh's daughter made with the unknown mother of Moses, to allow her wages for suckling her own child. The same degrees of civilization require the same customs. A woman whose times for eating, see, are constantly interrupted by the calls of enervating pleasures, must always afford milk of an unwholesome nature. It may truly be said of a child doomed to live on this aliment, that as soon as it receives its

It fucks in " the lurking principles of death."

* "Aurengzebe, emperor of Persia, being asked, Why he did not build hospitals? said, I will make my empire so rich, that there shall be no need of bospitals. He ought to have said, I will begin by rendering my subjects rich, and then I will build hospitals.

"At Rome, the hospitals place every one at his ease, except those who labor, those who are industrious, those who have lands, and those who are engaged in trade.

"I have observed, that wealthy nations have need of hospitals, because fortune subjects them to a thousand accidents; but it is plain, that transient affistances are better than perpetual foundations. The evil is momentary; it is necessary, therefore, that the succor should be of the same nature, and that it be applied to particular accidents." Spirit of laws, b. xxiii. ch. 29.

It was referved for the present generation to substitute in the room of public hospitals private DISPENSARIES for the relief of the sick. Philosophy and christianity alike concur in deriving praise and benefit from these excellent

The opulence of physicians, and the divisions of their offices, into those of surgery, pharmacy and midwifery, are likewise proofs of the declining state of a country. In the infancy of the Roman empire, the priest performed the office of a physician; so simple were the principles and practice of physic. It was only in the declension of the empire that physicians vied with the emperors of Rome in magnificence and splendor*.

I AM forry to add in this place, that the number of patients in the HOSPITAL, and incurables in the ALMSHOUSE of this city, show, that we are treading in the enervated steps of our fellow-subjects in Britain. Our bills of mortality likewise show the encroachments of British diseases upon us. The NERVOUS FEVER has become so familiar to us, that we look upon it as a natural disease. Dr. Sydenham, so faithful in his history of severs, takes no notice of it. Dr. Cadwallader informed me, that it made its first appearance in this city about five and twenty years ago. It will be impossible to name the CONSUMPTION with-

out

excellent inftitutions. They exhibit fomething like an application of the mechanical powers to the purposes of benevolence; for in what other charitable institutions do we perceive so great a quantity of distress relieved by so

fmall an expence?

^{*} The first regular practitioners of physic in Rome, were women and staves. The profession was confined to them above six hundred years. The Romans during this period lived chiefly upon vegetables, particularly upon rulse; and hence they were called, by their neighbours, Pultifagi. They were likewise early inured to the healthy employments of war and husbandry. Their diseases, of course, were too sew and simple to render the cure of them an object of a liberal profession. When their diseases became more numerous and complicated, their investigation and cure required the aids of philosophy. The profession from this time became liberal; and maintained a rank with the other professions which are sounded upon the impersection and depravity of human institutions. Physicians are as necessary in the advanced stages of society as surgeons, although their office is less ancient and certain. There are many artificial diseases, in which they give certain relief; and even where their art fails, their prescriptions are still necessary, in order to smooth the avenues of death.

out recalling to our minds the memory of some friend or relation, who has perished within these sew years by that disorder. Its rapid progress among us has been unjustly attributed to the growing resemblance of our climate to that of Great-Britain. The HYSTERIC and HYPOCHONDRIAC DISORDERS, once peculiar to the chambers of the great, are now to be found in our kitchens and workshops. All these diseases have been produced by our having deserted the simple diet, and manners, of our ancestors.

The bleffings of literature, commerce, and religion, were not originally purchased at the expence of health. The complete enjoyment of health is as compatible with civilization, as the enjoyment of civil liberty. We read of countries, rich in every thing that can form national happiness and national grandeur, the diseases of which are nearly as sew and simple as those of the Indians. We hear of no diseases among the Jews, while they were under their democratical form of government, except such as were inslicted by a supernatural power*. We should be tempted to doubt the

* The principal employments of the Jews, like those of the Romans in their simple ages, consisted in war and husbandry. Their diet was plain, consisting chiefly of vegetables. Their only remedies were plasters and ointments; which were calculated for those diseases which are produced by accidents. In proportion as they receded from their simple customs, we find artificial diseases prevail among them. The leprosy made its appearance in their journey through the wilderness. King Asa's pains in his seet, were probably brought on by a fit of the gout. Saul and Nebuchadnezzar were afflicted with a melancholy. In the time of our Saviour, we find an account of all those diseases in Judea, which mark the declension of a people; such as, the palsy, epilepsy, mania, blindness, hæmorrhagia uterina, &c. It is unnecessary to suppose, that they were let loose at this juncture, on purpose to give our Saviour an opportunity of making them the chief subject of his miracles. They had been produced from natural causes, by the gradual depravity of their manners. It is remarkable, that our Saviour chose those artificial diseases for the subject of his miracles, in preference to natural diseases. The efforts of nature, and the operation of medicines, are too slow and uncertain in these cases to detract in the least from the validity of the miracle.

the accounts given of the populoufness of that people, did we not fee the practice of their simple customs producing nearly the same populousness in Egypt, Rome, and other countries of antiquity. The empire of China, it is faid, contains more inhabitants than the whole of Europe. The political institutions of that country have exempted its inhabitants from a large share of the diseases of other civilized nations. The inhabitants of Swifferland, Denmark, Norway * and Sweden, enjoy the chief advantages of civilization without having furrendered for them the bleffings of natural health. But it is unnecessary to appeal to ancient or remote nations to prove, that health is not incompatible with civilization. The inhabitants of many parts of New-England, particularly the province of Connecticut, are strangers to artificial diseases. Some of you may remember the time, and our fathers have told those of us who do not, when the diseases of PENNSYLVANIA were as few and as fimple as those of the Indians. The food of the inhabitants was then simple; their only drink was water; their appetites were restrained by labor; religion excluded the influence of fickening paffions; private hospitality supplied the want of a public hospital; nature was their only nurse, temperance their principal physician. But I must not dwell upon this retrospect of primæval manners; and I am too strongly impressed with a hope of a revival of such happy days, to pronounce them the golden age of our province.

OUR

miracle. He cured Peter's mother-in-law, it is true, of a fever; but to show that the cure was miraculous, the facred historian adds, (contrary to what is common after a fever) that " she arose immediately and ministered unto them."

^{*} In the city of Bergen, which consists of 30,000 inhabitants, there is but one physician; who is supported at the expence of the public. Pontoppidan's Nat. Hist. of Norway.

Our esteem for the customs of our savage neighbours will be lessened, when we add, that civilization does not preclude the honors of old age. The proportion of old people is much greater among civilized, than among savage nations. It would be easy to decide this affertion in our favor, by appealing to facts in the natural histories of Britain, Norway, Sweden, North-America*, and several of the West-India islands

THE laws of decency and nature, are not necessarily abolished by the customs of civilized nations. In many of these, we read of women among whom nature alone still performs the office of a midwiset, and who seel the obligations of suckling their children, to be equally binding with the common obligations of morality.

CIVILIZATION does not render us less fit for the necessary hardships of war. We read of armies of civilized

* It has been urged against the state of longevity in America, that the Europeans, who settle among us, generally arrive to a greater age than the Americans. This is not occasioned so much by a peculiar firmness in their stamina, as by an increase of vigor, which the constitution acquires by a change of climate. A Frenchman (cæteris paribus) outlives an Englishman in his own country. An Hollander prolongs his life by removing to the cape of Good Hope. A Portugueze gains sisteen or twenty years by removing to Brazil. And there are good reasons to believe, that a North-American would derive the same advantages, in point of health and longevity, by removing to Europe, which an European derives from coming to this country.

From a calculation made by an ingenious foreigner, it appears, that a greater proportion of old people are to be found in Connecticut, than in any colony in North-America. This colony contains 180,000 inhabitants. They have no public hospitals or poor houses; nor is a beggar to be seen among them. There cannot be more striking proofs than these sacts, of the simplicity of their manners.

† Parturition, in the simple ages of all countries, is performed by nature. The Israelitish women were delivered even without the help of the Egyptian midwives. We read of but two women who died in childbirth in the whole history of the Jews. Dr. Bancroft says, that childbearing is attended with so little pain in Guiana, that the women seem to be exempted from the curse inflicted upon Eve. These easy births are not confined to warm climates. They are equally safe and easy in Norway and Iceland, according to Pontoppidan and Anderson's histories of those countries.

vilized nations, who have endured degrees of cold, hunger and fatigue, which have not been exceeded by the favages of any country*.

CIVILIZATION does not always multiply the avenues of death. It appears from the bills of mortality, of many countries, that fewer in proportion die among civilized, than among favage nations.

EVEN the charms of beauty are heightened by civilization. We read of stateliness, proportion, and fine teeth t and complexions in both sexes, forming the principal outlines of national characters.

THE danger of many diseases, is not proportioned to their violence, but to their duration. America has advanced but a few paces in luxury and esseminacy. There is yet strength enough in her vitals, to give life to those parts which are decayed. She may recal her steps. For this purpose,

I. LET

* Civilized nations have, in the end, always conquered favages as much by their ability to bear hardships, as by their superior military skill. Soldiers are not to be chosen indiscriminately. The greatest generals have looked upon sound constitutions to be as essential to soldiers, as bravery or military discipline. Count Saxe resused soldiers born and bred in large cities; and sought for such only as were bred in mountainous countries. The king of Prussia calls young soldiers only to the dangers and honors of the field in his elegant poem, Sur l'Art de la Guerre, chant. 1. Old soldiers generally lose the advantages of their veteranism, by their habits of idleness and debauchery. An able general, and experienced officers, will always supply the desects of age in young soldiers.

+ Bad teeth are observed chiefly in middle latitudes, which are subject to alternate heats and colds. The inhabitants of Norway and Russia are as remarkable for their fine teeth, as the inhabitants of Africa. We observe fine teeth to be universal likewise among the inhabitants of France, who live in a variable climate. These have been ascribed to their protecting their heads from the action of the night air by means of woolen night-caps, and to their extraordinary attention to the teeth of their children. These precautions secure good teeth; and are absolutely necessary in all variable climates where

people do not adopt all the customs of the savage life.

- I. Let our children be educated in a manner more agreeable to nature.
- II. LET the common people (who constitute the wealth and strength of our country) be preserved from the effects of spirituous liquors. Had I a double portion of all that eloquence which has been employed in describing the political evils that lately threatened our country, it would be too little to fet forth the numerous and complicated physical and moral evils which these liquors have introduced among us. To encounter this hydra requires an arm accustomed like that of Hercules, to vanquish monsters. Sir William Temple tells us, that in Spain no man can be admitted as an evidence in a court, who has once been convicted of drunkenness. I do not call for so severe a law in this country. Let us first try the force of severe manners. Lycurgus governed more by thefe, than by his laws. " Boni mores non bonæ leges," according to Tacitus, were the bulwarks of virtue among the ancient Germans.
- III. I DESPAIR of being able to call the votaries of Bacchus from their bottle, and shall therefore leave them to be roused by the more eloquent twinges of the gout.
- IV. Let us be cautious what kind of manufactures we admit among us. The rickets made their first appearance in the manufacturing towns in England. Doctor Fothergill informed me, that he had often observed, when a pupil, that the greatest part of the chronic patients in the London Hospital were Spittal-field weavers. I would not be understood, from these facts, to discourage those manufactures which employ women and children: these suffer sew inconveniencies from

from a sedentary life: nor do I mean to offer the least restraint to those manufactories among men, which admit of free air, and the exercise of all their limbs. Perhaps the abstraction of spirituous liquors, and a pure air, might render sedentary employments less unhealthy in America even among men, than in the populous towns of Great-Britain.

THE population of a country is not to be accomplished by rewards and punishments. And it is happy for America, that the universal prevalence of the protessant religion, the checks lately given to negro slavery, the general unwillingness among us to acknowledge the usurpations of primogeniture, the universal practice of inoculation for the small-pox, and the absence of the plague, render the interposition of government for that purpose unnecessary.

THESE advantages can only be secured to our country by AGRICULTURE. This is the true basis of national health, riches and populousness. Nations, like individuals, never rise higher than when they are ignorant whither they are tending. It is impossible to tell from history, what will be the effects of agriculture, industry, temperance and commerce, urged on by the competition of colonies, united in the same general pursuits, in a country, which for extent, variety of soil, climate, and number of navigable rivers, has never been equalled in any quarter of the globe. America is the theatre where human nature will probably receive her last and principal literary, civil and military honors.

But I recall myself from the ages of suturity. The province of Pennsylvania has already shewn to her sister colonies,

colonies, the influence of agriculture and commerce upon the number and happiness of a people. It is fearcely an hundred years fince our illustrious legislator, with an handful of men, landed upon these shores. Although the perfection of our government, the healthiness of our climate, and the fertility of our soil, feemed to enfure a rapid fertlement of the province; yet it would have required a prescience bordering upon divine, to have foretold, that in fuch a fhort space of time, the province would contain above 300,000 inhabitants; and that near 30,000 of this number should compose a city, which should be the third, if not the fecond in commerce in the British empire. The purfuits of literature, require leifure and a total recess from clearing forests, planting, building, and all the common toils of fettling a new country: But before these arduous works were accomplished, the SCIENCES, ever fond of the company of liberty and industry, chose this fpot for the feat of their empire in this new world. Our COLLEGE, fo catholic in its foundation, and extensive in its objects, already sees her fons executing offices in the highest departments of fociety. I have now the honor of speaking in the presence of a most respectable number of philosophers, physicians, astronomers, botanists, patriots, and legislators; many of whom have already feized the prizes of honor, which their ancestors had allotted to a much later posterity-Our first offering had scarcely found its way into the temple of fame, when the oldest focieties in Europe turned their eyes upon us, expecting with impatience to fee the mighty fabric of science, which like a well built arch, can only rest upon the whole of its materials, completely finished from the treasures of this unexplored quarter of the globe.

It reflects equal honor upon our fociety and the honorable affembly of our province, to acknowledge, that we have always found the latter willing to encourage by their patronage, and reward by their liberality, all our schemes for promoting useful knowledge. What may we not expect from this harmony between the sciences and government! Methinks I see canals cut, rivers once impassable, rendered navigable, bridges erected, and roads improved, to facilitate the exportation of grain. I see the banks of our rivers vying in fruitfulness with the banks of the river of Egypt. I behold our farmers, nobles; our merchants, princes. But I forbear—Imagination cannot swell with the subject.

I BEG leave to conclude, by deriving an argument from our connection with the legislature, to remind my auditors of the duty they owe to the society. Patriotism and literature are here connected together; and a man cannot neglect the one, without being destitute of the other. Nature and our ancestors have completed their works among us; and have left us nothing to do, but to enlarge and perpetuate our own happiness.

AN

ACCOUNT

OF THE

CLIMATE

OF

PENNSYLVANIA,

AND ITS

INFLUENCE UPON THE HUMAN BODY.

IN order to render the observations upon the epidemic diseases which compose a part of this volume more useful, it will be necessary to prefix to them a short account of the climate of Pennsylvania, and its influence upon the human body. This account may perhaps serve further, to lead to suture discoveries, and more extensive observations, upon this subject.

The state of Pennsylvania lies between 39° 43' 25", and 42° north latitude, including, of course, 2° 16' 35", equal to 157 miles from its southern to its northern boundary. The western extremity of the state is in the longitude of 5° 23' 40", and the eastern, in that of 27' from the meridian of Philadelphia, comprehending in a due west course 311 miles, exclusive of the territory lately purchased by Pennsylvania from the United States, of which as yet no accurate surveys have been obtained. The state is bounded on the south

fouth by part of the state of Delaware, by the whole state of Maryland, and by Virginia to her western extremity. The last named state, the territory lately ceded to Connecticut, and Lake Erie, (part of which is included in Pennfylvania) form the western and northwestern boundaries of the state. Part of New-York and the territory lately ceded to Pennfylvania, with a part of Lake Erie, compose the northern, and another part of New-York, with a large extent of New-Jersey (feparated from Pennfylvania by the river Delaware) compose the eastern boundaries of the state. The lands which form these boundaries (except a part of the states of Delaware, Maryland, and New-Jersey) are in a state of nature. A large tract of the western and north-eaftern parts of Pennfylvania are nearly in the fame uncultivated fituation.

THE state of Pennsylvania is intersected and diverfified with numerous rivers, and mountains. To defcribe, or even to name them all, would far exceed the limits I have proposed to this account of our climate. It will be fufficient only to remark, that one of thefe rivers, viz. the Sufquehannah, begins at the northern boundary of the state twelve miles from the river Delaware, and winding feveral hundred miles through a variegated country, enters the state of Maryland on the fouthern line, fifty-eight miles westward of Philadelphia; that each of these rivers is supplied by numerous ffreams of various fizes; that tides flow in parts of two of them, viz. in the Delaware and Schuylkill; that the rest rise and fall alternately in wet and dry weather; and that they defcend with great rapidity, over prominent beds of rocks in many places, until they empty themselves into the bays of Delaware and Chefapeak

Chesapeak on the east, and into the Ohio on the western parts of the state.

THE mountains form a considerable part of the state of Pennsylvania. Many of them appear to be reserved as perpetual marks of the original empire of nature in this country. The Allegany, which crosses the state about two hundred miles from Philadelphia, in a north inclining to an east course, is the most considerable and extensive of these mountains. It is called by the Indians the backbone of the continent. Its height in different places is supposed to be about 1300 feet from the adjacent plains.*

THE foil of Pennfylvania is diversified by its vicinity to mountains and rivers. The vallies and bottoms consist of a black mould, which extends from a foot to four feet in depth. But in general a deep clay forms the surface of the earth. Immense beds of limestone lie beneath this clay in many parts of the state. This account of the soil of Pennsylvania is confined wholly to the lands on the east side of the Allegany mountain. The soil on the west side of this mountain shall be described in another place.

THE city of Philadelphia lies in the latitude of 39° 57', in longitude 75° 8' from Greenwich, and fifty-five miles west from the Atlantic ocean.

It is fituated about four miles due north from the conflux of the rivers Delaware and Schuylkill. The buildings, which confift chiefly of brick, extend nearly

^{*} The author is happy in being able to inform the public, that a correct view of these mountains and rivers, with their heights, distances and courses, will be published in a few months by Mr. Reading Howell, of the city of Philadelphia, in a large map of Pennsylvania.

ly three miles north and fouth along the Delaware, and above half a mile due west towards the Schuylkill, to which river the limits of the city extend; the whole including a distance of two miles from the Delaware. The land near the rivers, between the city and the conflux of the rivers, is in general low, moift, and fubject to be overflowed. The greatest part of it is meadow ground. The land to the northward and westward, in the vicinity of the city, is high, and in general well cultivated. Before the year 1778 the ground between the present improvements of the city, and the river Schuylkill, was covered with woods. Thefe, together with large tracts of wood to the northward of the city, were cut down during the winter the British army had possession of Philadelphia. I shall hereafter mention the influence which the cutting down of thefe woods, and the fubfequent cultivation of the grounds in the neighbourhood of the city, have had upon the health of its inhabitants.

THE mean height of the ground on which the city stands, is about forty seet above the river Delaware. One of the longest and most populous streets in the city, rises only a few seet above the river. The air at the north is much purer than at the south end of the city; hence the lamps exhibit a fainter slame in its southern than its northern parts.

THE tide of the Delaware feldom rifes more than fix feet. It flows four miles in an hour. Its width near the city is about a mile.

THE city, with the adjoining districts of Southwark and the Northern Liberties, contain between 40 and 50,000 inhabitants.

FROM the accounts which have been handed down to us by our ancestors, there is reason to believe that the climate of Pennfylvania has undergone a material change. Thunder and lightning are less frequent, and the cold of our winters and heat of our fummers are less uniform, than they were forty or fifty years ago. Nor is this all. The springs are much colder, and the autumns more temperate than formerly, infomuch that cattle are not housed so soon by one month as they were in former years. Within the last eight years, there have been some exceptions to part of these obfervations. The winter of the year 1779, 80, was uniformly and uncommonly cold. The river Delaware was frozen near three months during this winter, and public roads for waggons and fleighs connected the city of Philadelphia in many places with the Jerfey shore. The thickness of the ice in the river near the city, was from fixteen to nineteen inches, and the depth of the frost in the ground was from four to five feet, according to the exposure of the ground and the quality of the foil. This extraordinary depth of the frost in the earth, compared with its depth in more northern and colder countries, is occasioned by the long delay of fnow, which leaves the earth without a covering during the last autumnal and the first winter months. Many plants were destroyed by the intenseness of the cold during this winter. The ears of horned cattle and the feet of hogs exposed to the air, were frost-bitten; fquirrels perished in their holes, and partridges were often found dead in the neighbourhood of farm-houses. The mercury in January stood for several hours at 5° below 0, in Farenheit's thermometer; and during the whole of this month, (except on one day) it never rose in the city of Philadelphia to the freezing point, THE

THE cold in the winter of the year 1783, 4, was as intense but not so steady, as it was in the winter that has been described. It differed from it materially in one particular, viz. there was a thaw in the month of January which opened all our rivers for a few days.

The summer which succeeded the winter of 1779, 80, was uniformly warm. The mercury in the thermometer, during this summer, stood on one day (the 15th of August) at 95°, and sluctuated between 93° and 80° for many weeks. The thermometer, in every reference that has been, or shall be made to it, stood in the shade in the open air.

I know it has been faid by many old people, that the winters in Pennfylvania are lefs cold, and the fummers lefs warm, than they were forty or fifty years ago. The want of thermometrical observations before and during those years, renders it difficult to decide this question. Perhaps the difference of fensation between youth and old age, with respect to heat and cold, may have laid the foundation of this opinion. I fufpect the mean temperature of the air in Pennsylvania has not altered, but that the principal change in our climate confifts in the heat and cold being less confined than formerly to their natural feafons. I adopt the opinion of Doctor Williamson* respecting the diminution of the cold in the fouthern, being occasioned by the cultivation of the northern parts of Europe; but no fuch cultivation has taken place in the countries which lie to the north-west of Pennsylvania, nor do the partial and imperfect improvements which have been made in the north-west parts of the state, appear to be fufficient to lessen the cold, even in the city

^{*} American Philosophical Transactions, vol. I.

city of Philadelphia. I have been able to collect no facts, which dispose me to believe that the winters were colder before the year 1740, than they have been fince. In the memorable winter of 1739, 40, the Delaware was croffed on the ice in fleighs on the 5th of March, old style, and did not open till the 13th of the fame month. The ground was covered during this winter with a deep fnow, and the rays of the fun were constantly obscured by a mist, which hung in the upper regions of the air. In the winter of 1779, 80, the river was navigable on the 4th of March; the depth of the fnow was moderate, and the gloominess of the cold was fometimes fuspended for a few days by a cheerful fun. From these facts, it is probable the winter of 1739, 40, was colder than the winter of 1779, 80.

HAVING premised these general remarks, I proceed to observe, that there are seldom more than twenty or thirty days in summer or winter in Pennsylvania in which the mercury rises above 80° in the former, or falls below 30° in the latter season. Some old people have remarked that the number of extremely cold and warm days in successive summers and winters, bears an exact proportion to each other. This was strictly true in the years 1787 and 1788.

THE warmest part of the day in summer is at two, in ordinary, and at three o'clock in the afternoon in extremely warm weather. From these hours the heat gradually diminishes till the ensuing morning. The coolest part of the four and twenty hours is at the break of day. There are seldom more than three or four nights in a summer, in which the heat of the air is nearly the same as in the preceding day. After the warmest

warmest days, the evenings are generally agreeable, and often delightful. The higher the mercury rises in the day time, the lower it falls the succeeding night. The mercury at 80° generally falls to 68°, while it descends, when at 60° only to 56°. This disproportion between the temperature of the day and night, in summer, is always greatest in the month of August. The dews at this time are heavy in proportion to the coolness of the evening. They are sometimes so considerable as to wet the cloaths; and there are instances in which marsh-meadows, and even creeks which have been dry during the summer, have been supplied with their usual waters from no other source than the dews which have fallen in this month, or in the first weeks of September.

THERE is another circumstance connected with the one just mentioned, which contributes very much to mitigate the heat of summer, and that is, it seldom continues more than two or three days without being succeeded with showers of rain, accompanied sometimes by thunder and lightning, and afterwards by a north-west wind, which produces a coolness in the air that is highly invigorating and agreeable.

THE warmest weather is generally in the month of July. But intensely warm days are often selt in May, June, August and September. In the annexed table of the weather for the year 1787, there is an exception to the first of these remarks. It shews that the mean heat of August was greater by a few degrees than that of July.

THE transitions from heat to cold are often very fudden, and fometimes to very distant degrees. After a day

a day in which the mercury has stood at 86° and even 90°, it sometimes falls in the course of a single night to the 65th, and even to the 60th degree, insomuch that fires have been sound necessary the ensuing morning, especially if the change in the temperature of the air has been accompanied by rain and a south-east wind. In a summer month in the year 1775, the mercury was observed to fall 20° in an hour and an half. There are sew summers in which fires are not agreeable during some parts of them. My ingenious friend Mr. David Rittenhouse, whose talent for accurate observation extends alike to all subjects, informed me, that he had never passed a summer, during his residence in the country, without discovering frost in every month of the year, except July.

THE weather is equally variable in Pennfylvania during the greatest part of the winter. The mercury fell from 37° to $4\frac{1}{2}^{\circ}$ below o, in four and twenty hours, between the fourth and fifth of February 1788. In this feafon nature feems to play at crofs-purpofes. Heavy falls of fnow are often fucceeded in a few days by a general thaw, which frequently in a short time leaves no vestige of the snow. The rivers Delaware, Schuylkill and Sufquehannah have fometimes been frozen (fo as to bear horses and carriages of all kinds) and thawed fo as to be paffable in boats, two or three times in the course of the same winter. The ice is formed for the most part in a gradual manner, and feldom till it has been previously chilled by a fall of fnow. Sometimes its production is more fudden. On the 31st of December 1764, the Delaware was completely frozen over between ten o'clock at night and eight the next morning, fo as to bear the weight of a man. An unufual vapor like a fog was feen to rife from the water, in its passage from a fluid to a solid state.

This account of the variableness of the weather in winter, does not apply to every part of Pennsylvania. There is a line, about the 41° of the state, beyond which the winters are steady and regular, insomuch that the earth there is seldom without a covering of snow during the three winter months. In this line the climate of Pennsylvania forms a union with the climate of the eastern and northern states.

THE time in which frost and ice begin to shew themselves in the neighbourhood of Philadelphia, is generally about the latter end of October or the beginning of November. But the intense cold seldom sets in till about the 20th or 25th of December; hence the common saying, "as the day lengthens the cold "strengthens." The coldest weather is commonly in January. The navigation of the river Delaware, after being frozen, is seldom practicable for large vessels, before the first week in March.

As in summer there are often days in which fires are agreeable, so there are sometimes days in winter in which they are disagreeable. Vegetation has been observed in all the winter months. Garlic was tasted in butter in January 1781. The leaves of the willow, the blossoms of the peach tree, and the slowers of the dandelion and the crocus, were all seen in February 1779; and I well recollect, about thirty-two years ago, to have seen an apple-orchard in full bloom, and small apples on many of the trees, in the month of December.

A COLD day in winter is often succeeded by a moderate evening. The coldest part of the four and twenty hours is generally at the break of day.

In the most intense cold which has been recorded in Philadelphia, within the last twenty years, the mercury flood at 5° below o. But it appears from the accounts published by Messieurs Mason and Dixon, in the 58th volume of the transactions of the Royal Society of London, that the mercury stood at 22° below o on the 2d of January 1767, at Brandywine, about thirty miles to the westward of Philadelphia. They inform us, that on the first of the same month the mercury flood at 20°, and on the day before at 7° below o. I have to lament that I am not able to procure any record of the temperature of the air in the same year in Philadelphia. From the variety in the height and quality of the foil, and from the difference in the currents of winds and the quantity of rain and fnow which fall in different parts of the state, it is very probable this excessive cold may not have extended thirty miles from the place where it was perceived.

THE greatest degree of heat upon record in Philadelphia, is 95°.

THE standard temperature of the air in the city of Philadelphia is $52\frac{1}{2}^{\circ}$, which is the temperature of our deepest wells, as also the mean heat of our common spring water.

THE fpring in Pennfylvania is generally less pleafant, than in many other countries. In March the weather is stormy, variable and cold. In April, and sometimes fometimes in the beginning of May, it is moist, and accompanied by a degree of cold which has been called rawness, and which from its disagreeable effects upon the temper has been called the firocco of this country. From the variable nature of the weather in the spring, vegetation advances very differently in different years. The colder the spring, the more savourable it proves to the fruits of the earth. The hopes of the sarmer from his fruit-trees in a warm spring are often blasted by a frost in April and May. A fall of snow is remembered with regret by many of them on the night between the third and sourth of May in the year 1774. The colder the winter, the greater delay we observe in the return of the ensuing spring.

Sometimes the weather during the spring months is cloudy and damp, attended occasionally with a gentle sall of rain resembling the spray from a cataract of water. A day of this species of weather is called, from its resemblance to a damp day in Great-Britain, "an English day." This damp weather seldom continues more than three or sour days. The month of May 1786, will long be remembered, for having surnished a very uncommon instance of the absence of the sun for sourteen days, and of constant damp or rainy weather.

THE month of June is the only month in the year which refembles a spring month in the southern countries of Europe. The weather is then generally temperate, the sky is serene, and the verdure of the country is universal and delightful.

THE autumn is the most agreeable season in the year in Pennsylvania. The cool evenings and mornings, which generally begin about the first week in Septem-

ber, are succeeded by a moderate temperature of the air during the day. This species of weather continues with an increase of cold scarcely perceptible, till the middle of October, when the autumm is closed by rain, which sometimes falls in such quantities as to produce destructive freshes in the rivers and creeks, and sometimes descends in gentle showers, which continue with occasional interruptions by a few fair days, for two or three weeks. These rains are the harbingers of the winter, and the Indians have long ago taught the inhabitants of Pennsylvania, that the degrees of cold during the winter, are in proportion to the quantity of rain which falls during the autumn*.

FROM this account of the temperature of the air in Pennsylvania, it is evident that there are seldom more than four months in which the weather is agreeable without a fire.

In winter, the winds generally come from the north-west in fair, and from the north-east in wet weather. The north-west winds are uncommonly dry as well as cold. It is in consequence of the violent action of these winds that trees have uniformly a thicker and more compact bark on their northern, than on their southern exposures. Even brick houses are affected by

The influence which the perfection of this science must have upon health, agriculture, navigation and commerce, is too obvious to be mentioned.

^{*} I cannot help agreeing with Mr. Kirwan in one of his remarks upon the science of meteorology in the presace to his estimate of the temperature of different latitudes. "This science (says he) if brought to persection, would enable us at least to foresee those changes in the weather which we could not prevent. Great as is the distance between such knowledge, and our own present attainments, we have no reason to think it above the level of the powers of the human mind. The motions of the planets must have appeared as perplexed and intricate to those who sirst contemplated them; yet by persevering industry, they are now known to the utmost precision. The present is (as the great Leibnitz expresses it) in every case pregnant with the suture, and the connection must be found by long and attentive observation."

by the force and dryness of these north-west winds: hence it is much more difficult to demolish the northern than the southern walls of an old brick house. This fact was communicated to me by an eminent bricklayer in the city of Philadelphia.

THE winds in fair weather in the spring, and in warm weather in the summer, blow from the southwest and from west-north-west. The raw air before mentioned, comes from the north-east. The southwest winds likewise usually bring with them those showers of rain in the spring and summer, which resresh the earth. They moreover moderate the heat of the weather, provided they are succeeded by a north-west wind. Now and then showers of rain come from the west-north-west.

THERE is a common fact connected with the account of the usual winds in Pennsylvania, which it may not be improper to mention in this place. While the clouds are seen slying from the south-west, the scud, as it is called, or a light vapor, is seen at the same time slying below the clouds from the north-east.

THE moisture of the air is much greater than formerly, occasioned probably by the exhalations which in former years fell in the form of snow, now descending in the form of rain. The depth of the snow is sometimes between two and three seet, but in general it seldom exceeds between six and nine inches.

HAIL frequently descends with snow in winter.
Once in four or five years large and heavy showers of hail fall in the spring and summer. They generally run in narrow veins (as they are called) of thirty or forty

forty miles in length, and two or three miles in breadth. The heaviest shower of hail that is remembered in Philadelphia, did not extend in breadth more than half a mile north and south. Some of the stones weighed half an ounce. The windows of many houses were broken by them. This shower fell in May 1783.

FROM fudden changes in the air, rain and fnow often fall together, forming what is commonly called fleet.

In the uncultivated parts of the state, the snow sometimes lies on the ground till the first week in April. The backwardness of the spring has been ascribed to the passage of the air over the undissolved beds of snow and ice which usually remain, after the winter months are past, on the north-west grounds and waters of the state, and of the adjacent country.

THE dissolution of the ice and snow in the spring, is sometimes so sudden as to swell the creeks and rivers in every part of the state to such a degree, as not only to lay waste the hopes of the husbandman from the produce of his lands, but in some instances to sweep his barns, stables, and even his dwelling house into their currents*. The wind during a general thaw, comes from the south-west or south-east.

THE

* The following account of the thaw of the river Susquehannah, in the spring of 1784, was published by the author in the Columbian Magazine for November 1786. It may serve to illustrate a fact related formerly in the history of the winters in Pennsylvania, as well as to exhibit an extraordinary instance of the destructive effects of a sudden thaw.

"THE winter of 1783, 4, was uncommonly cold, infomuch that the mercury in Farenheit's thermometer flood feveral times at 5 degrees below c. The snows were frequent; and, in many places, from two to three feet deep, during the greatest part of the winter. All the rivers in Pennsylvania were frozen, so as to bear waggons and sleds with immense weights. In the

THE air, when dry in Pennfylvania, has a peculiar elasticity, which renders the heat and cold less insupportable than the same degrees of both are in moister countries. It is in those cases only when summer showers are not succeeded by north-west winds, that the heat of the air becomes oppressive and distressing, from being combined with moisture.

month of January a thaw came on fuddenly, which opened our rivers fo as to fet the ice a-driving, to use the phrase of the country. In the course of one night, during the thaw, the wind shifted suddenly to the north-west, and the weather became intenfely cold. The ice, which had floated the day before, was fuddenly obstructed; and in the river Sufquehannah, the obstructions were formed in those places where the water was most shallow, or where it had been accustomed to fall. This river is several hundred miles in length, and from half a mile to a mile and an half in breadth, and winds through a hilly, and in many places a fertile and highly cultivated country. It has as yet a most difficult communication with our bays and the sea, occasioned by the number and height of the falls which occur near the mouth of the river. The ice in many places, especially where there were falls, formed a kind of dam, of a most stupendous height. About the middle of March our weather moderated, and a thaw became general. The effects of it were remarkable in all our rivers; but in none fo much as in the river I have mentioned. I shall therefore endeavour in a few words to describe them. Unfortunately the dams of ice did not give way all at once, nor those which lay nearest to the mouth of the river, first. While the upper dams were fet a-float by the warm weather, the lower ones, which were the largest, and in which, of course, the ice was most impacted, remained fixed. In consequence of this, the river rose in a few hours, in many places, above 30 feet; rolling upon its furface large lumps of ice, from 10 to 40 cubic feet in fize. The effects of this sudden inundation were terrible. Whole farms were laid under water. Barns-Stables-horses-cattle-fences-mills of every kind, and in one instance, a large stone house, 40 by 30 feet, were carried down the stream. Large trees were torn up by the roots-feveral small islands covered with woods, were swept away, and not a vestige of them was left behind. On the barns which preferved their shape, in some instances, for many miles were to be feen living fowls; and, in one dwelling, a candle was feen to burn for some time, after it was swept from its foundation. Where the shore was level, the lumps of ice, and the ruins of houses and farms, were thrown a quarter of a mile from the ordinary height of the river. In some instances, farms were ruined by the mould being fwept from them by the cakes of ice, or by depositions of sand; while others were enriched by large depositions of mud. The damage, upon the whole, done to the state of Pennsylvania by this fresh, was very great. In most places it happened in the day time, or the consequences must have been fatal to many thousands.

"I know of but one use that can be derived from recording the history of this inundation. In case of similar obstructions of rivers, from causes such as have been described, the terrible effects of their being set in motion by means of a general thaw, may in part be obviated, by removing such things out of the course of the water and ice, as are within our power; particularly

cattle, hay, grain, fences, and farming utenfils of all kinds."

FROM tradition, as well as living observation, it is evident, that the waters in many of the creeks in Pennsylvania have diminished considerably within the last sifty years. Hence many mills, erected upon large and deep streams of water, now stand idle in dry weather; and many creeks, once navigable in large boats, are now impassable, even in canoes. This diminution of the waters has been ascribed to the application of a part of them to the purpose of making meadows.

The mean elevation of the barometer in Philadelphia, is about 30 inches. The variations in the barometer are very inconfiderable in the greatest changes of the weather, which occur in the city of Philadelphia. During the violent and destructive storm which blew from the south-west on the 11th of November 1788, it suddenly fell from 30 to 29 \frac{3}{10}. Mr. Rittenhouse informs me, that long and faithful observations have satisfied him, that the alterations in the height of the mercury in the barometer do not precede but always succeed changes in the weather. It falls with the south and south-west, and rifes with the north and north-west winds.

The quantity of water which falls in rain and snow, one year with another, amounts to from 24 to 36 inches. But to complete the account of variable qualities in the climate, it will be necessary to add, that our summers and autumns are sometimes marked by a deficiency, or by an excessive quantity of rain. The summer and autumn of 1782 were uncommonly dry. Near two months elapsed without a single shower of rain. There were only two showers in the whole months of September and October. In consequence of this dry weather, there was no second crop of hay. The Indian

corn failed of its increase in many places, and was cut down for food for cattle. Trees newly planted, died. The pasture fields not only lost their verdure, but threw up fmall clouds of dust when agitated by the feet of men, or beafts. Cattle in some instances were driven many miles to be watered, every morning and evening*. The earth became fo inflammable in some places, as to burn above a foot below its furface. A complete confumption of the turf by an accidental fire kindled in the adjoining state of New-Jersey, spread terror and distress through a large tract of country. Crabs which never forfake falt or brackish water, were caught more than a mile above the city of Philadelphia, in the river Delaware, which is 60 miles above the places in which they are usually found. Springs of water and large creeks were dried up in many parts of the state. Rocks appeared in the river Schuvlkill which had never been observed before, by the oldest persons then alive. On one of them were cut the figures 1701. The atmosphere, duringp art of this dry weather, was often filled, especially in the mornings, with a thin miftt, which while it deceived with the expectation of rain, ferved the valuable purpose of abating the heat of the fun. I am forry that I am not able to furnish the mean heat of each of the fummer months. My notes of the weather enable me to add nothing further upon this fubject, than that the fummer was " uncommonly cool."

THE

^{*} It was remarked during this dry weather, that the sheep were uncommonly fat, and their slesh well tasted, while all the other domestic animals languished from the want of grass and water.

⁺ A fimilar mift was observed in France by Doctor Franklin, in the summer of 1782. The winter which succeeded it, was uncommonly cold in France, as well as in Pennsylvania.

The fummer of the year 1788 afforded a remarkable instance of excess in the quantity of rain, which sometimes falls in Pennsylvania. Thirteen days are marked with rain in July in the records of the weather kept at Spring-Mill. There fell on the 18th and 19th of August seven inches of rain in the city of Philadelphia. The wheat suffered greatly by the constant rains of July in the eastern and middle parts of the state. So unproductive a harvest in grain, from wet weather, had not been known, it is said, in the course of the last 70 years. The heat of the air during these summer months was very moderate. Its mean temperature at Spring-Mill was 67,8 in June, 74,7 in July, and only 70,6 in August.

It is some consolation to a citizen of Pennsylvania, in recording sacts which seem to militate against our climate, to reslect, that the difference of the weather in different parts of the state at the same season, is happily accommodated to promote an increase of the same objects of agriculture; and hence a desiciency of crops has never been known in any one year throughout the whole state.

THE aurora borealis and meteors are seen occasionally in Pennsylvania. In the present imperfect state of our knowledge of their influence upon the human body, it will be foreign to the design of this history of our climate to describe them.

STORMS and hurricanes are not unknown in Pennfylvania. They occur once in four or five years, but they are most frequent and destructive in the autumn. They are generally accompanied by rain. Trees are torn up by the roots, and the rivers and creeks are fometimes fometimes swelled so suddenly as to do considerable damage to the adjoining farms. The wind, during these storms, generally blows from the south-east and south-west. In the storms which occurred in September 1769, and in the same month of the year 1785, the wind veered round contrary to its usual course, and blew from the north.

AFTER what has been faid, the character of the climate of Pennfylvania may be summed up in a few words. There are no two successive years alike. Even the same successive seasons and months differ from each other every year. Perhaps there is but one steady trait in the character of our climate, and that is, it is uniformly variable.

To furnish the reader with a succinct view of the weather in Pennsylvania, that includes all the articles that have been mentioned, I shall here subjoin a table containing the result of meteorological observations made near the river Schuylkill, for one year, in the neighbourhood of Philadelphia, by an ingenious French gentleman*, who divides his time between rural employments and useful philosophical pursuits. This table is extracted from the Columbian magazine for February 1788. The height of Spring-Mill above the city of Philadelphia, is supposed to be about 70 feet

* Mr. Legeaux.

RESULT.	January February March April May July July August September October November	NOW
D. of cold. S July greatest D. of heat. 96 1 Variation. 91 1 Temperature. 53 5		THERMOME
Jo Feb. D. du plus gr. froid. 12 0 3 July plus G. D. de chaud. 28 5 Variation. 40 5 Temperature. 9 6	Acaumur, degrés moyens D. 10 0 1 4 5 8 9 9 13 17 2 17 9 18 9 14 5 8 5	THERMOMETER. BAROM
8 Mar. great- eft elevation. 30 10 2 Febr. leaft elevation 29 Variation. I 10 Mean elevat. 29 9 9	in. pts. 10 29 9 9 29 9 9 29 9 6 29 9 6 29 9 6 29 9 6 29 9 6 29 10 6 29 10 4 29 11 9 29 17 7	BAROME- TER.
WNW	Variable ftill. Variable ftill. N E W Still, S W Still, WSW WNW WNW WNW WNW WNW WNW WNW WNW WNW	TE- VIA NA
4	. boreal.	Tof aur
73	U. 1 L MO M + O N = O + N	ierlo D 2
17	mder. - 00-04-	DAY Miles
12	м. ТФММ -	of fno
9	npeft. a a a = = =	of ten
32 8 14	in. pts. 1 3 10 10 3 7 3 2 4 2 1 2 13 4 11 4 1 10 4 3 1 11 5 2 3 2 7 10 2 6 10	YS WATER OF STORY OF STORY OF STORY OF STORY OF RAIN
TEMPERATURE OF THE YEAR 1787, Very fair, dry, abundant in every thing, and healthy.	Fair, still, cold, and snow. Fair, overcast. Fair, windy. Fair, and very dry. Foggy, cold and wet. Very fair and growing weather. Fair and overcast. Very fair and cloudy. Fair weather. Foggy, fair and dry weather. Very fair. Very fair.	Refult of the Year 1787. WEATHER.

It is worthy of notice, how near the mean heat of the year, and of the month of April, in two successive years, are to each other in the same place. The mean heat of April 1787 was 54°3, that of April 1788 was 52°2. By the table of the mean heat of each month in the year, it appears that the mean heat of 1787 was 53°5 at Spring-Mill.

The following accounts of the climates of Pekin and Madrid, which lie within a few minutes of the same latitude as Philadelphia, may serve to shew how much climates are altered by local and relative circumstances. The account of the temperature of the air at Pekin, will serve further to shew, that with all the advantages of the highest degrees of cultivation which have taken place in China, the winters are colder, and the summers warmer there than in Pennsylvania, principally from a cause which will probably operate upon the winters of Pennsylvania for many centuries to come, viz. the vicinity of an uncultivated north-west country.

" PEKIN, lat. 39° 54', long. 116° 29' W.

"By five years observations its annual mean temperature was found to be 55°,5.

January	y	7		20°,75	July -	-	84°,8
Februar	ry	-	-	32	August -		83
March		-	-	48	September	-	63
April	-		-	59	October -	-	52
May	-	-	1-30	72	November	-	41
June	-	-	-	83,75	December		27

"THE temperature of the Atlantic under this parallel is 62, but the standard of this part of the globe is the North Pacific, which is here 4 or 5 degrees colder than the Atlantic. The Yellow Sea is the nearest to Pekin, being about 200 miles distant from it; but it is itself cooled by the mountainous country of Corea, which interposes between it and the ocean, for a considerable part of its extent. Besides, all the northern parts of China (in which Pekin lies) must be cooled by the vicinity of the mountains of Chinese Tartary, among which the cold is said to be excessive.

"THE greatest cold usually experienced during this period, was 5°, the greatest heat, 98°: on the 25th of July 1773, the heat arose to 108° and 110°; a N. E. or N. W. wind produces the greatest cold, a S. or S. W. or S. E. the greatest heat*."

" MADRID, lat. 40° 25' long. 3° 20' E.

"The usual heat in summer is said to be from 75 to 85°; even at night it seldom falls below 70°; the mean height of the barometer is 27,96. It seems to be about 1900 feet above the level of the seat."

THE above accounts are extracted from Mr. Kirwan's useful and elaborate estimate of the temperature of different latitudes.

THE history which has been given of the climate of Pennsylvania, is confined chiefly to the country on the east side of the Allegany mountain. On the west side of this mountain, the climate differs materially from that of the south-eastern parts of the state in the temperature of the air, in the effects of the winds upon the weather,

^{* &}quot;6 Mem. Sçav. Etrang. p 528." † "Mem. Par. 1777, p. 146."

and in the quantity of rain and fnow, which falls every year. The winter feldom breaks up on the mountains before the 25th of March. A fall of fnow was once perceived upon it, which meafured an inch and an half on the 11th day of June. The trees which grow upon it are fmall, and Indian corn is with difficulty brought to maturity even at the foot of the east fide of it. The fouth-west winds on the west fide of the mountain are accompanied by cold and rain. The foil is rich, confifting of near a foot in many places of black mould. The roads in this country are muddy in winter, but feldom dusty in fummer. The arrangement of the strata of the earth on the west side, differs materially from their arrangement on the east fide of the mountain. " The country, (fays Mr. Rittenhouse in a " letter to a friend in Philadelphia*) when viewed " from the western ridge of the Allegany, appears to " be one vast, extended plain. All the various strata " of stone seem to lie undisturbed in the situation in " which they were first formed, and the layers of stone, " fand, clay, and coal, are nearly horizontal."

THE temperature of the air on the west is seldom so hot, or so cold, as on the east side of the mountain. By comparing the state of a thermometer examined by Doctor Bedford at Pittsburgh, 284 miles from Philadelphia, it appears that the weather was not so cold by twelve degrees in that town, as it was in Philadelphia, on the 5th of February 1788.

To shew the difference between the weather at Spring-Mill and in Pittsburgh, I shall here subjoin an account of it, in both places, the first taken by Mr. Legeaux, and the other by Doctor Bedford. This account is unfortunately

^{*} Columbian Magazine for October 1786.

fortunately confined only to the first fisteen days in April 1788; but it affords a good specimen of the difference of the weather, on the two sides of the mountain, in every month of the year. It is remarkable that in five days out of seven, the rain which fell, was on the same days in both places.

L

METEORO-

Month of April, 1788. WEATHER.	Overcaft, fair. Overcaft and windy. Overcaft, rainy. Overcaft, rainy. Overcaft, rainy. Overcaft, rainy. Overcaft, rainy. Rainy. Overcaft, rainy. Fair. Very fair. Very fair. Very fair. Covercaft, rainy. Teggy, rainy. Toggy, rainy. Cloudy.
of Philadelphia. WATER of RAIN and SNOW,	I IS I I I I I I I I I I I I I I I I I I
of fnow.	I I I I I I I I I I I I I I I I I I I
WIND. WIND. WIND. WIND.	Calm. Changeable. Swy E Calm. NE W W W W W W Calm. Swy Calm. Swy E Swy Calm. Swy NE Calm. SE Swy NE Swy NE Swy NE Swy Calm. SE Swy NE Swy NE Swy Calm. SE Swy Calm. SE Swy Calm. SE Swy Calm. Swy
ATIONS, mide at BAROME- TER. mean height in. pts. 10	10 5 11 7 11 7 11 7 10 3 9 7 7 7 7 7 7 TIONS, m
OBSERV ER. le umur, moyens 10 0	6 29 6 30 6 30 6 30 7 30 8 30 8 30 9 30 1 1 29 1 29 1 29 1 29 2 29 2 30 2 30 3 30 4 2 30 8
METEOROLOGICAL OI THERMOMETER of de Farenbeit, Reaum mean degree degrés mo D. 10 D. 10 D. 10	\$58 1 10 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
(2)	

FROM a review of all the facts which have been mentioned, it appears that the climate of Pennfylvania is a compound of most of the climates in the world. Here we have the moisture of Britain in the spring, the heat of Africa in summer, the temperature of Italy in June, the sky of Egypt in the autumn, the cold and snows of Norway, and the ice of Holland in the winter, the tempests (in a certain degree) of the West-Indies in every season, and the variable winds and weather of Great-Britain in every month of the year.

FROM this history of the climate of Pennsylvania, it is easy to ascertain what degrees of health, and what diseases prevail in the state. As we have the climates, so we have the health, and the acute diseases, of all the countries that have been mentioned. Without attempting to enumerate the diseases, I shall only add a sew words upon the time and manner in which they are produced.

- I. It appears from the testimonies of many aged persons, that pleurisies and inflammatory disorders of all kinds, are less frequent now than they were forty and fifty years ago.
- II. It is a well known fact, that intermitting and bilious fevers have increased in Pennsylvania in proportion as the country has been cleared of its wood, in many parts of the state.
- III. It is equally certain that these severs have leffened, or disappeared, in proportion as the country has been cultivated.
- IV. HEAVY rains and freshes in the spring seldom produce severs, unless they are succeeded by unseasonably warm weather.

 V. HEAVY

V. HEAVY rains, or frost, in the autumn, alike check the progress of fevers in Pennsylvania.

VI. THE fame state of the atmosphere, whether cold or warm, moist or dry, continued for a long time without any material changes, is always healthy. Acute and inflammatory fevers were in vain looked for in the cold winter of 1779, 80. The dry fummer of 1782, and the wet fummer of 1788, were likewife uncommonly healthy in the city of Philadelphia. Thefe facts extend only to those diseases which depend upon the fensible qualities of the air. Diseases from miafmata and contagion, are lefs influenced by the uniformity of the weather. The autumn of 1780 was very fickly in Philadelphia, from the peculiar fituation of the grounds in the neighbourhood of the city, while the country was uncommonly healthy. The dry fummer and autumn of 1782 were uncommonly fickly in the country, from the extensive sources of morbid exhalations which were left by the diminution of the waters in the creeks and rivers. The city of Philadelphia owed its peculiar healthiness during these two seafons, to its being nearly furrounded by tide water.

VII. DISEASES are often generated in one scason and produced in another. Hence we frequently observe fevers of different kinds to follow every species of the weather that was mentioned in the last observation.

VIII. THE fevers which accompany, or follow a warm fummer, are bilious and remitting. In proportion as the cool weather advances, they put on the type of Doctor Cullen's typhus mitior. After a very cold winter, I have twice feen pleurifies in the fpring, accompanied by the fymptoms of the bilious fever. In

one of those epidemics, the pulse, on the fifth day, in several cases, became irregular, and stopped after every third or sourth stroke. This complication of typhus with synocha, is not peculiar to Pennsylvania. I have been informed that severs of even a putrid kind frequently succeed long and cold winters in Russia and Sweden. They have been ascribed, by a Russian physician, to extreme cold producing the same sedative effects as extreme heat upon the human body.

IX. THE excessive heat in Pennsylvania has fometimes proved fatal to perfons who have been much exposed to it. Its morbid effects discover themselves by a difficulty of breathing, a general langour, and in fome instances, by a numbness and an immobility of the extremities. The excessive cold in Pennsylvania has more frequently proved fatal, but it has been chiefly to those persons who have sought a defence from it, by large draughts of spirituous liquors. Its operation in bringing on fleepiness previous to death, is well known. On the 5th of February 1788, many people were affected by the cold. It produced a pain in the head; and in one instance, a sickness at the stomach, and a vomiting appeared to be the confequence of it. I have frequently observed that a greater number of old people die, during the continuance of extreme cold, and warm weather, than in the fame number of days, in moderate weather.

X. MAY and June are usually the healthiest months in the year.

XI. THE influence of the winds upon health, depends very much upon the nature of the country over which they pass. Winds which pass over mill-dams and marshes in August and September, generally carry with them the seeds of severs.

XII. THE country in the neighbourhood of Philadelphia is much more fickly than the central parts of the city, after the 20th of August.

XIII. THE night-air is always unwholesome from the 20th of August, especially during the passive state of the system in sleep. The frequent and sudden changes of the air from heat to cold, (exclusive of its insensible qualities) render it unsafe at any time to sleep with open windows.

XIV. PHILADELPHIA became unufually fickly after the year 1778, during the late war, in confequence of the meadows being overflowed to the fouthward of the city, and of the cutting down of the trees by the British army, which formerly sheltered the city from the exhalations of the grounds to the north and north-west. From the repairs of the banks of the meadows, which exclude tides and freshes; from the cultivation of the grounds to the westward of the city, which were formerly covered with filth, or with flagnating waters; and laftly, from the more regular cleaning of the streets, and the enclosure of a large and offensive canal which croffed two of the principal streets near the centre of the city, Philadelphia, from having been formerly the most fickly, has become one of the healthiest cities in the United States.

XV. VALETUDINARIANS always enjoy the most health in Pennsylvania in the summer and winter months. The spring, in a particular manner, is very unfavourable to them.

I SHALL conclude the account of the influence of the climate of Pennfylvania upon the human body, with the following observations.

- 1. THE fensations of heat and cold are influenced fo much by outward circumstances, that we often miftake the degrees of them, by neglecting to use such conveniencies as are calculated to obviate the effects of their excess. A native of Jamaica often complains less of the heat, and a native of Canada of the cold, in their respective countries, than they do under certain circumstances in Pennsylvania. Even a Pennsylvanian frequently complains less of the heat in Jamaica, and of the cold in Canada, than in his native state. The reason of this is plain. In countries where heat and cold are intense and regular, the inhabitants guard themselves by accommodating their houses and dresses to each of them. The instability and short duration of excessive heat and cold in Pennsylvania, have unfortunately led its inhabitants, in many instances, to neglect adopting customs, which are used in hot and cold countries to guard against them. Where houses are built with a fouthern or fouth-western front expofure, and where other accommodations to the climate are observed in their construction, the disagreeable excesses of heat and cold are rendered much less perceptible in Pennsylvania. Perhaps the application of the principles of philosophy and taste to the construction of our houses within the last thirty or forty years, may be another reason why some old people have supposed that the degrees of heat and cold are less in Pennsylvania than they were in former years.
- 2. The number, height, and vegetable productions of the mountains in Pennsylvania, afford a favourable prognosis of the suture healthiness of the state. Exclusive of the beneficial effects of these mountains in producing salutary winds, and gentle rains, they will serve as a perpetual and inexhaustible store-house

house of that pure species of air, which has of late been proved to constitute the vital part of common air.

3. THE variable nature of the climate of Pennfylvania does not render it necessarily unhealthy. Doctor Huxham has taught us, that the healthiest seasons in Great-Britain have often been accompanied by the most variable weather. His words upon this subject convey a reason for the fact. "When the constitu-" tions of the year are frequently changing, fo that " by the contrast, a fort of equilibrium is kept up; " and health with it; and that especially if persons are " careful to guard themselves well against these sudden " changes"." Perhaps no climate or country is unhealthy, where men acquire from experience, or tradition, the arts of accommodating themselves to it. The history of all the nations in the world, whether favage, barbarous, or civilized, previous to a mixture of their manners by an intercourse with flrangers, feems to favour this opinion. The climate of China appears, in many particulars, to refemble that of Pennfylvania. The Chinese wear loose garments of different lengths, and increase or diminish the number of . them, according to the frequent and fudden changes of their weather; hence they have very few acute difeases amongst them. Those inhabitants of Pennsylvania who have acquired the arts of conforming to the changes and extremes of our weather in drefs, diet, and manners, escape most of those acute diseases which are occasioned by the sensible qualities of the air; and faithful inquiries and observations have proved, that they attain to as great ages as the fame number of people in any part of the world.

AN

ACCOUNT

OF THE

Bilious Remitting Fever,

AS IT APPEARED IN PHILADELPHIA, IN THE SUMMER AND AUTUMN OF THE YEAR 1780.

BEFORE I proceed to describe this fever, it will be necessary to give a short account of the weather, and of the diseases which preceded it.

THE spring of 1780 was dry and cool. A catarrh appeared among children between one year and feven years of age. It was accompanied by a defluxion from the eyes and nofe, and by a cough and dyfpnæa, refembling, in some instances, the cynanche trachealis, and in others, a peripneumony. In some cases it was complicated with the fymptoms of a bilious remitting, and intermitting fever. The exacerbations of this fever were always attended by dyspnæa and cough. A few patients expectorated blood. Some had fwellings behind the ears, and others were affected with small ulcers in the throat. I met with only one case of this fever in which the pulse indicated bleeding. The rest yielded in a few days to emetics, blifters, and the bark, affisted by the usual more simple remedies in such diforders.

AN

An intermittent prevailed among adults in the month of May.

JULY and August were uncommonly warm. The mercury stood on the 6th of August at $94\frac{1}{2}^{\circ}$, on the 15th of the same month at 95°, and for several days afterwards at 90°. Many labouring people perished during this month by the heat, and by drinking, not only cold water, but cold liquors of several kinds, while they were under the violent impressions of the heat.

The vomiting and purging prevailed univerfally, during these two warm months, among the children, and with uncommon degrees of mortality. Children from one year to eight and nine years old were likewise very generally affected by blotches and little boils, especially in their faces. An eruption on the skin, called by the common people the prickly heat, was very common at this time among persons of all ages. The winds during these months blew chiesly from the south, and south-west. Of course they passed over the land which lies between the city, and the conslux of the rivers Delaware and Schuylkill, the peculiar situation of which, at that time, has been already described.

THE dock, and the streets of Philadelphia, supplied the winds at this season, likewise, with a portion of their unwholesome exhalations*.

THE remitting fever made its first appearance in July and August, but its fymptoms were so mild, and

^{*} The musquitoes were uncommonly numerous during the autumn. A certain sign (says Dr. Lind) of an unwholesome atmosphere.

its extent so confined, that it excited no apprehensions of its subsequent more general prevalence throughout the city.

On the 19th of August the air became suddenly very cool. Many hundred people in the city complained, the next day, of different degrees of indisposition, from a sense of lassitude, to a sever of the remitting type. This was the fignal of the epidemic. The weather continued cool during the remaining part of the month, and during the whole month of September. From the exposure of the diftrict of Southwark (which is often distinguished by the name of the Hill) to the fouth-west winds, the fever made its first appearance in that appendage of the city. Scarcely a family, and in many families, scarcely a member of them, escaped it. From the Hill it gradually travelled along the Second-street from the Delaware, improperly called Front-street. For a while it was confined to this street only, after it entered the city, and hence it was called by some people the Front-Street fever. It gradually spread through other parts of the city, but with very different degrees of violence. It prevailed but little in the Northern Liberties. It was scarcely known beyond Fourth-street from the Delaware. Intemperance in eating or drinking, riding in the fun or rain, watching, fatigue, or even a fright, but more frequently cold, all ferved to excite the feeds of this fever into action, wherever they existed.

ALL ages, and both fexes were affected by this fever. Seven of the practitioners of physic were confined by it nearly at the same time. The city, during the prevalence of the fever, was filled with an unusual number of strangers, many of whom, particularly

larly of the Friends (whose yearly meeting was held in the month of September) were affected by it.

This fever generally came on with rigor, but feldom with a regular chilly fit, and often without any fensation of cold. In some persons it was introduced by a slight fore throat, and in others, by a hoarseness which was mistaken for a common cold. A giddiness in the head was the forerunner of the disease in some people. This giddiness attacked so suddenly, as to produce, in several instances, a faintiness, and even symptoms of apoplexy. It was remarkable that all those persons who were affected in this violent manner, recovered in two or three days.

I MET with one instance of this fever attacking with coma, and another with convulsions, and with many instances in which it was introduced by a delirium.

THE pains which accompanied this fever were exquifitely fevere in the head, back, and limbs. The pains in the head were fometimes in the back parts of it, and at other times they occupied only the eyeballs. In some people, the pains were so acute in their backs and hips, that they could not lie in bed. In others, the pains affected the neck and arms, fo as to produce in one instance a difficulty of moving the fingers of the right hand. They all complained more or less of a foreness in the seats of these pains, particularly when they occupied the head and eyeballs. A few complained of their flesh being fore to the touch, in every part of the body. From these circumstances, the disease was sometimes believed to be a rheumatism. But its more general name among all classes of people was, the Break-bone fever.

I MET with one case of pain in the back, and another of an acute ear-ach, both of which returned periodically every night, and without any sever.

A NAUSEA univerfally, and in some instances, a vomiting, accompanied by a disagreeable taste in the mouth, attended this sever. The bowels were, in most cases, regular, except where the disease fell with its whole force upon them, producing a symptomatic dysentery*.

THE tongue was generally moift, and tinctured of a yellow color.

THE urine was high coloured, and in its usual quantity in fevers.

THE skin was generally moist, especially where the disease terminated on the third or fourth day.

THE pulse was quick and full, but never hard in a single patient that came under my care, till the 28th of September.

IT was remarkable, that little, and in some instances, no thirst attended this fever.

A SCREATUS, or constant hawking and spitting, attended in many cases through the whole disease, and was a savourable symptom.

THERE were generally remissions in this fever every morning, and sometimes in the evening. The exacer-

^{*} A symptomatic dysentery frequently accompanies the autumnal severs in Pennsylvania. In the hilly parts of the state, it has been remarked that it prevails chiefly on the bigb grounds; while the remitting or intermitting severs prevail in the neighbourhood telow them.

exacerbations were more fevere every other day, and two exacerbations were often observed in one day.

A RASH often appeared on the third and fourth days, which proved favourable. This rash was accompanied in some cases by a burning in the palms of the hands and soles of the seet. Many people at this time, who were not confined to their beds, and some, who had no sever, had an efflorescence on their skins.

In feveral persons the force of the disease seemed to fall upon the face, producing swellings under the jaw and in the ears, which in some instances terminated in abscesses.

When the fever did not terminate on the third or fourth day, it frequently ran on to the eleventh, fourteenth, and even twentieth days, affuming in its progress, according to its duration, the usual symptoms of the typhus gravior, or mitior, of Doctor Cullen. In some cases, the discharge of a sew spoonfuls of blood from the nose accompanied a solution of the sever on the third or sourth day; while in others, a prosuse homorrhage from the nose, mouth, and bowels, on the tenth and eleventh days, preceded a statal issue of the disease.

SEVERAL cases came under my care, in which the sever was succeeded by a jaundice.

THE disease terminated in some cases without sweating, or a sediment in the urine; nor did I find such patients more disposed to relapse than others, provided they took a sufficient quantity of the bark.

ABOUT the beginning of October the weather became cool, accompanied by rain and an eafterly wind. This cool and wet weather continued for four days. The mercury in the thermometer fell to 60°, and fires became agreeable. From this time the fever evidently declined, or was accompanied with inflammatory fymptoms. On the 16th of October, I met with a case of inflammatory angina; and on the next day I vifited a patient who had a complication of the bilious fever with a pleurify, and whose blood discovered strong marks of the presence of the inflammatory diathesis. His stools were of a green and black color. On the third day of his disorder the rash appeared on his skin, and on the fourth, in consequence of a fecond bleeding, his fever terminated with the common fymptoms of a crifis.

DURING the latter end of October, and the first weeks in November, the mercury in the thermometer fluctuated between 50° and 60°. Pleurisies and inflammatory diseases of all kinds now made their appearance. They were more numerous and more acute, than in this stage of the autumn, in former years. I met with one case of pleurisy in November, which did not yield to less than four plentiful bleedings.

I SHALL now add a short account of the METHOD

I pursued in the treatment of this sever.

I GENERALLY began by giving a gentle vomit of tartar emetic. This medicine, if given while the fever was in its forming state, frequently produced an immediate cure; and if given after its formation, on the first day, seldom failed of producing a crisis on the third or fourth day. The vomit always discharg-

ed more or less bile. If a nausea, or an inessectual attempt to vomit continued after the exhibition of the tartar emetic, I gave a second dose of it, with the happiest effects.

Ir the vomit failed of opening the bowels, I gave gentle doses of falts and cream of tartar*, or of the butter-nut pillt, so as to procure two or three plentiful stools. The matter discharged from the bowels was of a highly bilious nature. It was sometimes so acrid as to exceriate the rectum, and so offensive, as to occasion, in some cases, sickness and faintiness both in the patients and in their attendants. In every instance the patients found relief by these evacuations, especially from the pains in the head and limbs.

In those cases, where the prejudices of the patients against an emetic, or where an advanced state of pregnancy, or an habitual predisposition to hæmatemess occurred, I discharged the bile entirely by means of the lenient purges that have been mentioned. In this practice I had the example of Doctor Cleghorn, who prescribed purges with great success in a fever of the same species in Minorca, with that which has been described. Doctor Lining prescribed purges with equal success in an autumnal pleurisy in South-Carolina, which I take to be a species of a bilious remittent, accompanied by an inflammatory affection of the breast.

AFTER

^{*} I have always found that cream of tartar renders the purging neutral falts lefs difagreeable to the tafte and ftomach; but accident has lately taught me, that the juice of two limes or of one lemon, with about half an ounce of loaf fugar added to fix drachms of glauber or epfom falt, in half a pint of boiling water, form a mixture that is nearly as pleafant as ftrong beveridge.

⁺ This pill is made from an extract of a strong decoction of the inner bark

of the white walnut-tree.

† The tertiana interposita remissione tantum, of Dr. Cullen.

AFTER evacuating the contents of the stomach and bowels, I gave small doses of tartar emetic mixed with Glauber's salt. This medicine excited ageneral perspiration. It likewise kept the bowels gently open, by which means the bile was discharged as fast as it was accumulated.

I CONSTANTLY recommended to my patients, in this stage of the disorder, to lie in bed. This savoured the eruption of the rash, and the solution of the disease by perspiration. Persons who struggled against the sever by sitting up, or who attempted to shake it off by labor or exercise, either sunk under it, or had a slow recovery.

A CLERGYMAN of a respectable character from the country, who was attacked by the disease in the city, returned home, from a desire of being attended by his own family, and died in a few days afterwards. This is only one, of many cases, in which I have observed travelling, even in the easiest carriages, to prove stall in severs after they were formed, or after the first symptoms had shewn themselves. The quickest and most effectual way of conquering a sever, in most cases, is, by an early submission to it.

THE drinks I recommended to my patients were fage and baum teas, apple* and tamarind water, weak punch, lemonade, and wine whey.

I FOUND obvious advantages in many cases, from the use of pediluvia, every night.

In every case, I found my patients refreshed and relieved, by frequent changes of their linen.

N On

^{*} That apple-water is most agreeable which is made by pouring boiling water upon slices of raw apples. It is more lively than that which is made by pouring the water on roasted apples.

On the third or fourth day, in the forenoon, the pains in the head and back generally abated, with a fweat which was diffused over the whole body. The pulse at this time remained quick and weak. This was, however, no objection to the use of the bark, a few doses of which immediately abated its quickness, and prevented a return of the fever.

If the fever continued beyond the third or fourth day without an intermission, I always had recourse to blisters. Those which were applied to the neck, and behind the ears, produced the most immediate good effects. They seldom failed of producing an intermission in the fever, the day after they were applied. Where delirium or coma attended, I applied the blister to the neck on the first day of the disorder. A worthy family in this city will always ascribe the life of a promising boy of ten years old, to the early application of a blister to the neck, in this fever.

WHERE the fever did not yield to blisters, and assumed the symptoms of typhus gravior or mitior, I gave the medicines usually exhibited in both the species of that sever.

I TOOK notice in the history of this fever, that it was sometimes accompanied by the symptoms of a dysentery. Where this disorder appeared, I prescribed lenient purges and opiates. Where these failed of success, I gave the bark in the intermissions of the pain in the bowels, and applied blisters to the wrists. The good effects of these remedies led me to conclude, that the dysentery was the sebris introversa of Doctor Sydenham.

I AM happy in having an opportunity, in this place, of bearing a testimony in favor of the usefulness of OPI-UM in this disorder, after the necessary evacuations had been made. I yielded, in prescribing it at first, to the earnest solicitations of my patients for something to give them relief from their insupportable pains, particularly when they were seated in the eyeballs and head. Its salutary essects in procuring sweat, and a remission of the sever, led me to prescribe it afterwards in almost every case, and always with the happiest essects. Those physicians enjoy but little pleasure in practising physic, who know not how much of the pain and anguish of severs, of a certain kind, may be lessened, by the judicious use of opium.

In treating of the remedies used in this disorder, I have taken no notice of blood-letting. Out of feveral hundred patients whom I visited in this fever, I did not meet with a fingle case, before the 27th of September, in which the state of the pulse indicated this evacuation. It is true, the pulse was full, but never hard. I acknowledge that I was called to feveral patients who had been bled without the advice of a phyfician, who recovered afterwards on the ufual days of the folution of the fever. This can only be afcribed to that disposition which Doctor Cleghorn attributes to fevers, to preferve their types under every variety of treatment, as well as constitution. But I am bound to declare further, that I heard of feveral cases, in which bleeding was followed by a fatal termination of the difeafe.

In this fever relapses were very frequent, from exposure to the rain, sun, or night-air, and from an excess in eating or drinking.

THE

THE CONVALESCENCE from this difease was marked with a number of extraordinary symptoms, which rendered patients the subjects of medical attention for many days after the pulse became perfectly regular, and after the crisis of the disease.

A BITTER taste in the mouth, accompanied by a yellow color of the tongue, continued for near a week.

Most of those who recovered, complained of naufea and a total want of appetite. A faintiness, especially upon sitting up in bed, or in a chair, sollowed this fever. A weakness in the knees was universal. I met with two patients, who were most sensible of this weakness in the right knee. An inflammation in one eye, and in some instances in both eyes, occurred in several patients after their recovery.

But the most remarkable symptom of the convalescence from this sever, was an uncommon dejection of spirits. I attended two young ladies who shed tears while they vented their complaints of their sickness and weakness. One of them very aptly proposed to me, to change the name of the disorder, and to call it, in its present stage, instead of the Break-bone, the Break-heart fever.

To remove these symptoms, I gave the tinsture of bark and elixir of vitriol in frequent doses. I likewise recommended the plentiful use of ripe fruits; but I saw the best effects from temperate meals of oysters, and a liberal use of porter. To these were added, gentle exercise in the open air, which gradually completed the cure.

AN

ACCOUNT

OF THE

Scarlatina Anginosa,

AS IT APPEARED IN PHILADELPHIA, IN THE YEARS 1783 AND 1784.

HE beginning of the month of July was unufually cool; infomuch that the mercury in Farenheit's thermometer flood at 61° in the day time, and fires were very comfortable, especially in the evening. In the last week but one, of this month, the weather fuddenly became fo warm, that the mercury rose to $94\frac{1}{2}^{\circ}$, at which it remained for three days. As this heat was accompanied by no breeze from any quarter, the fense of it was extremely distressing to many people. Upwards of twenty persons died in the course of these three days, from the excess of the heat, and from drinking cold water. Three old people died fuddenly within this space of time. This extreme heat was fucceeded by cool weather, the mercury having fallen to 63°, and the month closed with producing a few intermitting and remitting fevers, together with feveral cases of inflammatory angina.

THE weather in the month of August was extremely variable. The mercury, after standing for several days

at 92°, fuddenly fell so low, as not only to render fires necessary, but in many places, to produce frost.

EVERY genus of fever made its appearance in this month. The fynocha was so acute, in several cases, as to require from three to sour bleedings. The remitting sever was accompanied by an uncommon degree of nausea and faintiness. Several people died, after a few days illness, of the typhus gravior, of Doctor Cullen. The intermittents had nothing peculiar in them, either as to their symptoms or method of cure.

Towards the close of the month, the scarlatina anginosa made its appearance, chiefly among children.

THE month of September was cool and dry, and the fcarlatina anginofa became epidemic among adults as well as young people. In most of the patients who were affected by it, it came on with a chilliness and a fickness at the stomach, or a vomiting; which last was fo invariably present, that it was with me a pathognomonic fign of the difease. The matter discharged from the stomach was always bile. The fwelling of the throat was, in some instances, so great, as to produce a difficulty of speaking, swallowing, and breathing. In a few instances, the speech was accompanied by a fqueaking voice, refembling that which attends the cynanche trachealis. The ulcers on the tonfils were deep, and covered with white, and in some instances, with black floughs. In feveral cases there was a difcharge of a thick mucus from the nose, from the beginning, but it oftener occurred in the decline of the disease, which most frequently happened on the fifth day. Sometimes the fubfiding of the fwelling of the throat was followed by a fwelling behind the ears.

An eruption on the skin generally attended the fymptoms which have been described. But this symptom appeared with confiderable variety. In fome people it preceded, and in others followed the ulcers and fwelling of the throat. In fome, it appeared only on the outfide of the throat and on the breaft; in others, it appeared chiefly on the limbs. In a few, it appeared on the fecond or third day of the diforder, and never returned afterwards. I faw two cases of eruption without a fingle fymptom of the fore throat. The face of one of those patients was fwelled, as in the eryfipelas. In the other, a young girl of feven years old, there was only a flight redness on the skin. She was feized with a vomiting, and died delirious in fiftyfour hours. Soon after her death, a livid color appeared on the outfide of her throat.

THE bowels, in this degree of the disorder, were in general, regular. I can recollect but sew cases which were attended by a diarrhoea.

THE fever which accompanied the disorder was generally the typhus mitior of Doctor Cullen. In a few cases it assumed the symptoms of the typhus gravior.

THE disease frequently went off with a swelling of the hands and seet. I saw one instance in a gentlewoman, in whom this swelling was absent, who complained of very acute pains, in her limbs, resembling those of the rheumatism.

In two cases which terminated fatally, there were large abscesses; the one on the outside, and the other on the inside of the throat. The first of these cases was accompanied by troublesome fores on the ends of

the fingers. One of these patients lived twenty-eight, and the other above thirty days, and both appeared to die from the discharge which followed the opening of their abscesses.

BETWEEN the degrees of the disease which I have described, there were many intermediate degrees of indisposition which belonged to this disorder.

I saw in several cases a discharge from behind the ears, and from the nose, with a slight eruption, and no sore throat. All these patients were able to sit up and walk about.

I saw one instance of a discharge from the inside of one of the ears in a child, who had ulcers in his throat and the squeaking voice.

In some, a pain in the jaw, with swellings behind the ears and a slight sever, constituted the whole of the disease.

In one case, the disease came on with a coma, and in several patients it went off with this symptom.

A FEW instances occurred of adults, who walked about, and even transacted business until a few hours before they died.

THE intermitting fever, which made its appearance in August, was not lost during this month. It continued to prevail, but with several peculiar symptoms. In many persons it was accompanied by an eruption on the skin, and a swelling of the hands and seet. In some, it was attended by a sore throat and pains be-

hind

hind the ears. Indeed, fuch was the prevalence of the contagion which produced the scarlatina anginosa, that many hundred people complained of sore throats without any other symptom of indisposition. The slightest occasional or exciting cause, and particularly cold, seldom failed of producing the disorder.

THE month of October was much cooler than September, and the disease continued, but with less alarming symptoms. In several adults, who were seized with it, the hardness of the pulse indicated blood-letting. The blood, in one case, was covered with a buffy coat, but beneath its surface it was dissolved.

In the month of November the disease assumed several inflammatory symptoms, and was attended with much less danger than formerly. I visited one patient, whose symptoms were so inflammatory as to require two bleedings. During the decline of the disease, many people complained of troublesome fores on the ends of their singers. A number of children likewise had sore throats and sever, with eruptions on their skins, which resembled the chicken-pox. I am disposed to suspect that this eruption was the effect of the contagion of the scarlatina anginosa, as several instances occurred of patients who had all the symptoms of this disease, in whom an eruption of white blisters succeeded their recovery. This form of the disease has been called by Sauvage, the scarlatina variolosa.

I saw one case of fore throat, which was succeeded not only by swellings in the abdomen and limbs, but by a catarrh, which brought on a satal consumption.

A CONSIDERABLE shock of an earthquake was felt on the 29th of this month, at ten o'clock at night, in the city of Philadelphia; but no change was perceived in the disease, in consequence of it.

In December, January, and February, the weather was intenfely cold. There was a thaw for a few days in January, which broke the ice of the Delaware, but it was followed by cold fo excessive as to close the river till the beginning of March. The mercury on the 28th and 29th of February, stood below o in Farenheit's thermometer.

For a few weeks in the beginning of December the difease disappeared in the circle of my patients, but it broke out with great violence the latter end of that month, and in the January following. Some of the worst cases that I met with, (three of which proved fatal) were in those two months.

THE disease disappeared in the spring, but it spread afterwards through the neighbouring states of New-Jersey, Delaware and Maryland.

I SHALL now add an account of the remedies which I administered in this disorder.

In every case that I was called to, I began the cure by giving a vomit joined with calomel. The vomit was either tartar emetic or ipecacuana, according to the prejudices, habits, or constitutions of my patients. A quantity of bile was generally discharged by this medicine. Besides evacuating the contents of the stomach, it cleansed the throat in its passage downwards. To ensure this effect from the calomel, I al-

ways directed it to be given mixed with fyrup or fugar and water, so as to diffuse it generally over every part of the throat. The calomel seldom failed to produce two or three stools. In several cases I was obliged, by the continuance of nausea, to repeat the emetics, and always with immediate and obvious advantage. I gave the calomel in moderate doses in every stage of the disorder. To restrain its purgative effects, I added to it a small quantity of opium.

DURING the whole course of the disorder, where the calomel failed of opening the bowels, I gave lenient purges, when a disposition to costiveness required them.

THE throat was kept clean by detergent gargles. In feveral inflances I faw evident advantages from adding a few grains of calomel to them. In cases of great difficulty of swallowing or breathing, the patients found relief from receiving the steams of warm water mixed with a little vinegar, through a funnel into the throat.

A PERSPIRATION kept up by gentle doses of antimonials, and diluting drinks, impregnated with wine, always gave relief.

In every case which did not yield to the above remedies on the third day, I applied a blister behind each ear, or one to the neck, and I think, always with good effects.

I MET with no cases in which the bark appeared to be indicated as an antiseptic, except the three in which the disease proved fatal. Where the sore throat

was blended with the intermitting fever, the bark was given with advantage. But in common cases it was unnecessary. Subsequent observations have led me to believe, with Doctor Withering, that it is sometimes hurtful in this disorder.

This disease proved fatal in many parts of the country, upon its first appearance; but wherever the mode of treatment here delivered, was adopted, its mortality was soon checked. The calomel was used very generally in New-Jersey and New-York. In the Delaware state, a physician of character made it a practice not only to give calomel, but to anoint the outside of the throat with mercurial ointment.

ADDITIONAL

Additional Observations

UPON THE

Scarlatina Anginosa.

THIS disease has prevailed in Philadelphia, at disferent seasons, ever since the year 1783. It has blended itself occasionally with all our epidemics. Many cases have come under my notice since its first appearance, in which dropsical swellings have succeeded the sever. In some instances there appeared to be essuint of water not only in the limbs and abdomen, but in the thorax. They yielded, in every case that I attended, to purges of calomel and jalap. Where these swellings were neglected, they sometimes proved fatal.

In the winter of 1786, 7, the scarlatina anginosa was blended with the cynanche parotidea, and in one instance with a typhus mitior. The last was in a young girl of nine years of age. She was seized with a vomiting of bile and an efflorescence on her breast, but discovered no other symptoms of the scarlatina anginosa till the sixteenth day of her sever, when a swelling appeared on the outside of her throat; and after her recovery, a pain and swelling in one of her knees.

In the month of July 1787, a number of people were affected by fudden swellings of their lips and eyelids. These swellings generally came on in the night, were attended with little or no pain, and went off in two

or three days. I met with only one case in which there was a different issue to these symptoms. It was in a patient in the Pennsylvania hospital, in whom a swelling in the lips ended in a suppuration, which, notwithstanding the liberal use of bark and wine, proved fatal in the course of twelve days.

In the months of June and July 1788, a number of people were affected by sudden swellings, not only of the upper and lower lips, but of the cheeks and throat. At the same time many persons were affected by an inflammation of the eyes. The swellings were attended with more pain than they were the year before, and some of them required one or two purges to remove them; but in general they went off without medicine, in two or three days.

Is it proper to refer these complaints to the same contagion which produces the scarlatina anginosa?

THE prevalence of the scarlatina anginosa at the same time in the city; its disposition to produce swellings in different parts of the body; and the analogy of the intermitting sever, which often conceals itself under symptoms that are foreign to its usual type; all seem to render this conjecture probable. In one of the cases of an inflammation of the eye, which came under my notice, the patient was affected by a vomiting ua few hors before the inflammation appeared, and complained of a sickness at his stomach for two or three days afterwards. Now a vomiting and nausea appear to be pathognomonic symptoms of the scarlatina anginosa.

In the autumn of 1788, the scarlatina anginosa appeared with different degrees of violence in many parts of the city. In two instances it appeared with an obstinate

Ilinate diarrhæa; but it was in young subjects, and not in adults, as described by Doctor Withering. In both cases, the disease proved fatal; the one on the third, the other on the fifth day.

In the month of December of the same year, I saw one case in which a running from one of the ears and a deasness came on, on the fifth day, immediately after the discharge of mucus from the nose had ceased. This case terminated savourably on the ninth day, but was succeeded for several days afterwards by a trouble-some cough.

I SHALL conclude this essay by the following remarks.

- 1. CAMPHOR has often been suspended in a bag from the neck, as a preservative against this disease. Repeated observations have taught me, that it possesses little or no efficacy for this purpose. I have had reason to entertain a more favourable opinion of the benefit of washing the hands and face with vinegar, and of rinsing the mouth and throat with vinegar and water every morning, as a means of preventing this disorder.
- 2. Whenever I have been called to a patient where the scarlatina appeared to be in a forming state, a vomit of ipecacuana, or tartar emetic, mixed with a few grains of calomel, has never failed of completely checking the disorder, or of so far mitigating its violence, as to dispose it to a favourable issue in a few days; and if these observations should serve no other purpose, than to awaken the early attention of patients and physicians to this speedy and effectual remedy, they will not have been recorded in vain.

AN

INQUIRY

INTO THE

CAUSE AND CURE OF THE

Cholera Infantum.

Y this name I mean to designate a disease, called, By this name I mean to delign in Philadelphia, the "vomiting and purging of " children." From the regularity of its appearance in the fummer months, it is likewife known by the name of "the disease of the season." It prevails in most of the large towns in the United States. It is distinguished in Charleston, in South-Carolina, by the name of "the April and May diforder," from making its first appearance in those two months. It feldom appears in Philadelphia till the middle of June, or the beginning of July, and generally continues till near the middle of September. Its frequency and danger are always in proportion to the heat of the weather. It affects children from the first or second week after their birth, till they are two years old. It fometimes begins with a diarrhœa, which continues for feveral days without any other fymptom of indifpolition; but it more frequently comes on with a violent vomiting and purging and a high fever. The matter discharged from the stomach and bowels is generally yellow or green, but the stools are fometimes slimy and bloody, without any tincture of bile. instances instances they are nearly as limpid as water. Worms are frequently discharged in each kind of the stools that has been described. The children in this stage of the diforder, appear to fuffer a good deal of pain. They draw up their feet, and are never eafy in one pofture. The pulse is quick and weak. The head is unusually warm, while the extremities retain their natural heat, or incline to be cold. The fever is of the remitting kind, and discovers evident exacerbations, especially in the evenings. The disease affects the head fo much, as in fome instances to produce symptoms not only of delirium, but of mania, infomuch that the children throw their heads backwards and forwards, and fometimes make attempts to fcratch, and to bite, their parents or nurses. A swelling frequently occurs in the abdomen, and in the face and limbs. An intense thirst attends every stage of the disorder. The eyes appear languid and hollow, and the children generally fleep with them half closed. Such is the infenfibility of the fystem in some instances in this disorder, that flies have been feen to alight upon the eyes when opened, without exciting a motion in the eyelids to remove them. Sometimes the vomiting continues without the purging, but more generally, the purging continues without the vomiting, through the whole course of the disorder. The stools are frequently large, and extremely fœtid, but in some instances, they are without finell, and refemble the drinks or aliment which had been taken into the body. The difeafe is fometimes fatal in a few days. I once faw it carry off a child in four and twenty hours. Its duration is varied by the feafon of the year, and by the changes in the temperature of the weather. A cool day frequently abates its violence, and disposes it to a favourable termination. It often continues with occafional

fional variations in its appearance, for fix weeks or two months. Where the difease has been of long continuance, the approach of death is gradual, and attended by a number of distressing symptoms. An emaciation of the body, to such a degree as that the bones come through the skin, livid spots, a singultus, convulsions, a strongly marked hippocratic countenance, and a fore mouth, generally precede the satal termination of this disorder. Few children ever recover, after the last symptoms which have been mentioned make their appearance.

This difease has been ascribed to several causes; of each of which I shall take notice in order.

I. It has been attributed to dentition. To refute this opinion, it will be necessary to observe, that it appears only in one season of the year. Dentition I acknowledge sometimes aggravates the disorder; hence we find it is most severe in that period of life, when the greatest number of teeth make their appearance, which is generally about the tenth month. I think I have observed more children to die of this disorder at that age, than at any other.

II. Worms have likewise been suspected of being the cause of this disease. To this opinion, I object the uncertainty of worms ever producing an idiopathic sever, and the improbability of their combining in such a manner as to produce an annual epidemic disease of any kind. But surther, we often see the disorder in all its force, before that age, in which worms usually produce diseases; we likewise often see it resist the most powerful anthelmintic medicines; and lastly, it appears from dissection, where the disease has proved satal, that

not a fingle worm has been discovered in the bowels. It is true worms are in some instances discharged in this disorder, but they are frequently discharged in greater numbers in the hydrocephalus internus, and in the small-pox, and yet who will affert either of those diseases to be produced by worms.

III. THE fummer fruits have been accused of producing this disorder. To this opinion, I object that the disease is but little known in country places, where children eat much more fruit than in cities. As far as I have observed, I am disposed to believe that the moderate use of ripe fruits, rather tends to prevent, than to induce the disease.

FROM the discharge of bile which generally introduces the disease, from the remissions and exacerbations of the sever which accompanies it, and from its occurring nearly in the same season with the cholera and remitting sever in adults, I am disposed to consider it as a modification of the same diseases. Its appearance earlier in the season than the cholera and remitting sever in adults, must be ascribed to the constitutions of children being more predisposed from weakness to be acted upon, by the remote causes which produce those disorders.

I SHALL now mention the remedies which are proper and useful in this disorder.

I. THE first indication of cure is to evacuate the bile from the stomach and bowels. This should be done by gentle doses of ipecacuana, or tartar emetic. The vomits should be repeated occasionally, if indicated, in every stage of the disorder. The bowels should

should be opened by means of manna, castor oil, or magnessa. I have generally found rhubarb improper for this purpose, while the stomach was in a very irritable state. In those cases, where there is reason to believe that the offending contents of the primæ viæ have been discharged by nature, (which is often the case) the emetics and purges should by no means be given; but, instead of them, recourse must be had to

- II. OPTATES. A few drops of liquid laudanum, combined in a testaceous julep, with pepper-mint or cinnamon-water, seldom fail of composing the stomach and bowels. In some instances, this medicine alone subdues the disease in two or three days; but where it does not prove so successful, it produces a remission of pain, and of other distressing symptoms, in every stage of the disorder.
- III. DEMULCENT and DILUTING DRINKS have an agreeable effect in this disease. Mint and mallows teas, or a tea made of blackberry roots insused in cold water, together with a decoction of the shavings of hartshorn and gum arabic with cinnamon, should all be given in their turns for this purpose.
- IV. GLYSTERS made of flaxfeed tea, or of mutton broth, or of flarch dissolved in water, with a few drops of liquid laudanum in them, give ease, and produce other useful effects.
- V. PLASTERS of venice treacle applied to the region of the stomach, and slannels dipped in infusions of bitter and aromatic herbs in warm spirits, or Madeira wine, and applied to the region of the abdomen, often afford considerable relief.

 VI. As

VI. As foon as the more violent symptoms of the disease are composed, TONIC and CORDIAL MEDI-CINES should be given. The bark in decoction, or in substance, (where it can be retained in that form) mixed with a little nutmeg, often produce the most falutary effects*. Port wine or claret mixed with water, are likewise proper in this stage of the disorder. After the disease has continued for some time, we often see an appetite suddenly awakened for articles of diet of a stimulating nature. I have feen many children recover from being gratified in an inclination to eat falted fish, or the different kinds of falted meat. In some instances they discover an appetite for butter, and the richest gravies of roasted meats, and eat them with obvious relief to all their fymptoms. I once faw a child of fixteen months old, perfectly restored, from the lowest stage of this disorder, by eating large quantities of rancid English cheese, and drinking two or three glasses of port wine every day. She would in no instance eat bread with the cheese, nor taste the wine, if it was mixed with water.

WE fometimes fee relief given by the use of the warm bath, in cases of obstinate pain. The bath is more effectual, if warm wine is used, instead of water.

I HAVE had but few opportunities of trying the effects of cold water applied to the body in this diforder; but from the benefit which attended its use in the cases in which it was prescribed, I am disposed to believe that it would do great service, could we overcome the prejudices which subsist in the minds of parents against it.

AFTER

^{*} Several of the physicians of the Philadelphia Dispensary have affured me, that they have lately given in this disorder, (after the usual evacuations) from one grain to two grains of allum every two or three hours, as a tonic and an aftringent, with great success.

AFTER all that has been faid in favor of the remedies that have been mentioned, I am forry to add, that I have very often feen them all administered without effect. My principal dependance, therefore, for many years, has been placed upon

VII. COUNTRY AIR. Out of many hundred children whom I have fent into the country in every stage of this disorder, I have lost only three, two of whom were fent, contrary to my advice, into that unhealthy part of the neighbourhood of Philadelphia called the Neck, which lies between the city and the conflux of the rivers Delaware and Schuylkill. I have feen one cure performed by this remedy, after convulfions had taken place. To derive the utmost benefit from the country air, children should be carried out on horseback, or in a carriage, every day; and they should be exposed to the open air as much as possible in fair weather in the day time. Where the convenience of the constant benefit of country air cannot be obtained, I have feen evident advantages from taking children out of the city once or twice a day. It is extremely agreeable to fee the little fufferers revive, as foon as they escape from the city air, and inspire the pure air of the country.

I SHALL conclude this inquiry, by recommending the following methods of preventing this diforder, all of which have been found by experience to be useful.

- 1. THE daily use of the cold bath.
- 2. A FAITHFUL and attentive accommodation of the dresses of children, to the state and changes of the air.

- 3. A MODERATE quantity of falted meat taken occasionally in those months in which this disease usually prevails. It is perhaps in part from the daily use of salted meat in diet that the children of country people escape this disorder.
- 4. The use of sound old wine in the summer months. From a tea-spoonful, to half a wine glass full, according to the age of the child may be given every day. It is remarkable, that the children of persons in easy circumstances, who sip occasionally with their parents, the remains of a glass of wine after dinner, are much less subject to this disorder, than the children of poor people who are without the benefit of that article of diet.
- 5. CLEANLINESS both with respect to the skin and cloathing of children. Perhaps the neglect of this direction may be another reason why the children of the poor are most subject to this disorder.
- 6. THE removal of children into the country before the approach of warm weather. This advice is peculiarly necessary during the whole period of dentition. I have never known but one instance of a child being affected by this disorder, who had been carried into the country in order to avoid it.

OBSERVATIONS

ON THE

Cynanche Trachealis.

I TAKE great pleasure in thus publicly acknowledging a mistake, which I committed in my letter to Doctor Millar, published by him in London in the year 1770, in supposing that there was but one species of this disorder, and that that was spasmodic. I am now satisfied, from repeated observations, that there is another species, which I shall take the liberty of calling the cynanche trachealis humida.

I EXCLUDE, as a species of this disorder, the cynanche trachealis maligna. Many of the symptoms of the cynanche trachealis occur in the malignant fore throat, but they should by no means constitute the name, or a species of that disease. I have seen the same symptoms in the scarlatina anginosa, and yet I never thought of ranking a cynanche trachealis scarlatina among the species of that disorder. I have likewise seen the cynanche trachealis in the last stage of the secondary sever of the small-pox, without supposing that it ought to derive a specific name from that disease. The species of diarrhæa would be innumerable, if, every time it occurred as a symptom of other disorders, it was to receive a specific name, and to be considered as an idiopathic disorder.

THE reasons which I offered in my letter to Doctor Millar, for believing that the cynanche trachealis is frequently a spasmodic disorder, continue to operate upon me with as much force as ever. But a number of dissections, related by different authors, satisfy me, that the cynanche trachealis humida is a distinct species from the spasmodic, and requires a different method of cure.

THE cynanche trachealis spasmodica is known,

- 1. By coming on fuddenly, and that generally in the night.
- 2. By frequent and perfect intermissions of the symptoms for hours, and in some instances for days, without the least sensible discharge from the trachea. And,
- 3. By yielding to antispasmodic remedies, particularly to the warm bath.

If these facts had left any reason to doubt of a spasmodic species of this disorder, I should have been confirmed in the opinion, by the dissection of a child in the year 1770, who died by it, in whom no marks were to be found of a membrane, or even of mucus in the trachea. The lungs and trachea appeared to be in a sound state.

THE cynanche trachealis humida is known,

- 1. By coming on gradually, and that most commonly in the day time.
- 2. By its continuing or increasing for several days without any remarkable remission, or even abatement of the symptoms.

3. By the discharge of phlegm or mucus from the trachea, and the occasional appearance of it in the stools. And,

4. By not yielding to antispasmodic medicines.

My opinion of the cause of the membrane which is formed in the trachea, continues to be the fame as expressed in my former publication*, with this difference, that I believe the membrane to be the effect of the humid species only, and that it is not an accidental consequence of the spasmodic, as I once supposed. During the paroxysms of the disorder, the symptoms are nearly the fame in both species. They are described by Doctor Millar, in his observations on the asthma and hooping cough, in the following words: " Children " (fays he) at play were fometimes feized with it, but " it generally came on at night. A child who went " to bed in perfect health, waked an hour or two af-" terwards in a fright, with his face much flushed, or " fometimes of a livid color; incapable of describing " what he felt; breathing with much labor, and with " a convulfive motion in the belly; the returns of " inspiration and expiration quickly succeeding each " other

[&]quot;The vessels of the trachea and bronchiæ always abound with a thin "mucus, which is poured into them in proportion as they are irritated by in"flammation, or the action of the external air. Children abound with a
"greater quantity of mucus in these parts than adults; and when it is accu"mulated in the trachea or bronchiæ in a greater quantity than ordinary,
they are unable, upon the account of their weakness, to bring it up. It is
easy to conceive in what manner it is converted into a thin membrane, after
its more fluid parts are dissipated. We have an analogy of this in the nose.
Were the passages of this organ less in our reach, it is probable a membrane
resembling that sound in the trachea would be sound in it every sour and
twenty hours, especially when it was affected by a cold. We always find
the phlegm accumulated in proportion to the time the disorder has continued. In all the cases of membrane mentioned by Doctor Home, the patients never died before the third day, and in many cases, not before the
fourth and fifth days." Letter to Doctor Millar.

"often observed in hysteric paroxysms. The child's "terror sometimes augmented the disorder. He clung to the nurse, and if he was not speedily re-"lieved by coughing, belching, sneezing, vomiting or purging, the suffocation increased, and he died in "the paroxysm."

To this description of the cynanche trachealis, I beg leave to add the three following observations.

- 1. The noise which patients make in coughing in this disorder, resembles the barking of a young dog. This symptom is so universally present, that I always rely upon it as a pathognomonic sign of the disease before it is completely formed. I have observed this barking cough, in one instance of cynanche trachealis humida, to continue for several days after the patient was out of danger.
- 2. DURING the continuance of the disease there is frequently an eruption of little red blotches on the skin, which is accompanied by sensible relief to the patient. This eruption sometimes appears and disappears two or three times in the course of the disease.
- 3. THE disease is not confined wholly to children.

 I have seen two cases of the spasmodic species in adults.

DOCTOR Cullen has given birth to a controverfy respecting the inflammatory nature of the cynanche trachealis. He has included it in the order of phlegmasse in his class of pyrexia. I acknowledge that I have generally seen both the species that have been mentioned, without inflammatory symptoms, and sometimes

times without fever, especially in the first stage of the disorder. When either species has been attended by a hard pulse, it has been only in plethoric habits, or when it has been complicated with symptoms of catarrh or peripneumony.

PERHAPS it may appear improper, after such a declaration, to have adopted the name given to this disorder by Doctor Cullen. I should have had no objection to Doctor Michaelis's name of "angina polyposa," did it not exclude the spasmodic species of this disease; nor should I hesitate in adopting the more generic term of "suffocatio stridula" of Doctor Home, if the disease were not now so generally known by the name given it by Doctor Cullen*.

THE remedies to be used in cynanche trachealis spasmodica, are, 1. Bleeding, when it is connected with pneumonic symptoms; 2. Vomits; 3. Purges; and, 4. Antispasmodic medicines, more especially the warm bath, opium, assated and blisters.

THE remedies which are proper in the cynanche trachealis humida, are the three first which are mentioned for the cure of the spasmodic species, and CALOMEL. Our principal dependence must be placed upon this last medicine. A large dose of it should be given as soon as the disease discovers itself, and smaller doses should be given every day, while any of its symptoms continue. The bark is scarcely a more certain remedy

^{*} The vulgar name of this disease in Pennsylvania is the Hives. It appears to be a corruption of the word "heaves," which took its rise from the manner in which the lungs beave in respiration. The worst degrees of the disorder are called the "bowel-hives," from the great motion of the abdominal muscles in respiration.

for intermittents, than calomel, when thus administered, is in this species of cynanche.

In what manner does the calomel act in this diforder? Is it by increasing the secretion of mucus in the numerous glands of the fauces, cesophagus, stomach and bowels, and thereby lessening the excretion of it in the trachea? The analogy of the secretions and excretions, in other parts of the body, whether promoted by nature or art, seems to savour this conjecture.

I SHALL only add upon the subject of this disorder, that instances of its mortality have been very rare in Philadelphia, since the general use of the remedies which have been mentioned.

AN

AN

ACCOUNT

OF THE EFFECTS OF

BLISTERS AND BLEEDING,

IN THE CURE OF OBSTINATE

Intermitting Fevers.

THE efficacy of these remedies will probably be disputed by every regular-bred physician, who has not been a witness of their utility in the above disorder; but it becomes such physicians, before they decide upon this subject, to remember, that many things are true in medicine, as well as in other branches of philosophy, which are very improbable.

In all those cases of autumnal intermittents, whether quotidian, tertian, or quartan, in which the bark did not succeed after three or four days trial, I have feldom found it fail after the application of blisters to the wrists.

But in those cases where blisters had been neglected, or applied without effect, and where the disease had been protracted into the winter months, I have generally cured it by means of one or two moderate bleedings.

THE pulse in those cases, is generally full, and sometimes a little hard, and the blood when drawn, for the most part appears sizy.

THE bark is seldom necessary to prevent the return of the disorder. It is always inessectual, where bloodletting is indicated. I have known several instances where pounds of this medicine have been taken without effect, in which the loss of ten or twelve ounces of blood has immediately cured the disorder.

How shall we reconcile the practice of bleeding in intermittents, with our modern theories of fever?

MAY not the long continuance of an intermittent, by debilitating the fystem, produce such an irritability in the arteries, as to dispose them to that species of inflammatory diathesis which is founded on indirect debility? Or,

MAY not such congestions be formed in the viscera, as to produce the same species of inflammatory diathesis that occurs in several other inflammatory diseases?

DOCTOR Cullen has taught us, in his account of the chronic hepatatis, that there may be topical affection and inflammatory diathefis, without much pain or fever; and had I not witneffed feveral cases of this kind, I should have been forced to have believed it possible, not only in this disorder, but in many others, from the sacts which were communicated to me by Doctor Michaelis in his visit to Philadelphia in the year 1783.

I ONCE intended to have added to this account of the efficacy of blifters and bleeding in curing obstinate intermittents, testimonies from a number of medical gentlemen, of the success with which they have used them; but these vouchers have become so numerous, that they would swell this essay far beyond the limits I wish to prescribe to it. AN

ACCOUNT

OF THE

DISORDER OCCASIONED BY DRINKING

COLD WATER IN WARM WEATHER,

AND THE METHOD OF CURING IT.

F EW summers elapse in Philadelphia, in which there are not instances of many persons being affected by drinking cold water. In some seasons four or five persons have died suddenly from this cause, in one day. This mortality falls chiefly upon the labouring part of the community, who seek to allay their thirst by drinking the water from the pumps in the streets, and who are too impatient, or too ignorant, to use the necessary precautions for preventing its morbid or deadly effects upon them. These accidents seldom happen, except when the mercury rises above 85° in Farenheit's thermometer.

THREE circumstances generally concur to produce disease or death from drinking cold water. 1. The patient is extremely warm. 2. The water is extremely cold. And, 3. A large quantity of it is taken into the body. The danger from drinking the cold water is always in proportion to the degrees of combination which occur in the three circumstances that have been mentioned.

THE

THE following fymptoms generally follow, where cold water has been taken, under the above circumstances, into the body.

In a few minutes after the patient has swallowed the water, he is affected by a dimness of sight, he staggers in attempting to walk, and unless supported, falls to the ground; he breathes with difficulty; a rattling is heard in his throat; his nostrils and cheeks expand and contract in every act of respiration; his sace appears suffused with blood, and of a livid color; his extremities become cold, and his pulse imperceptible; and unless relief is speedily obtained, the disorder terminates in death, in four or five minutes.

This description includes only the less common cases of the effects of drinking a large quantity of cold water, when the body is preternaturally heated. More frequently, patients are seized with acute spasms in the breast and stomach. These spasms are so painful as to produce syncope, and even asphyxi. They are sometimes of the tonic, but more frequently of the clonic kind. In the intervals of the spasms the patient appears to be perfectly well. The intervals between each spasm become longer or shorter, according as the disease tends to life or death.

It may not be improper to take notice, that punch, beer, and even toddy, when drank under the fame circumstances as cold water, have all been known to produce the same morbid and fatal effects.

I KNOW of but one certain remedy for this disease, and that is LIQUID LAUDANUM. The doses of it,

as in other cases of spasm, should be proportioned to the violence of the disease. From a tea-spoonful to near a table-spoonful have been given in some instances, before relief has been obtained. Where the powers of life appear to be suddenly suspended, the same remedies should be used, which have been so successfully employed in recovering persons supposed to be dead from drowning.

CARE should be taken in every case of disease, or apparent death, from drinking cold water, to prevent the patient's suffering from being surrounded, or even attended by too many people.

Persons who have been recovered from the immediate danger which attends this difease, are sometimes affected after it, by inflammations and obstructions in the breast or liver. They generally yield to the usual remedies which are administered in those complaints, when they arise from other causes.

IF neither the voice of reason, nor the satal examples of those who have perished from this cause, are sufficient to produce restraint in drinking a large quantity of cold liquors, when the body is preternaturally heated, then let me advise to

1. GRASP the vessel, out of which you are about to drink, for a minute or longer with both your hands. This will abstract a portion of heat from the body, and impart it at the same time to the cold liquor, provided the vessel is made of metal, glass, or earth; for heat follows the same laws, in many instances, in passing through

through bodies, with regard to its relative velocity, which we observe to take place in electricity.

2. If you are not furnished with a cup, and are obliged to drink by bringing your mouth in contact with the stream which issues from a pump, or a spring, always wash your hands and face previously to your drinking, with a little of the cold water. By receiving the shock of the water first upon those parts of the body, a portion of its heat is conveyed away, and the vital parts are thereby defended from the action of the cold.

AN

AN

ACCOUNT

OF THE EFFICACY OF

COMMON SALT,

IN THE CURE OF

Hamoptysis.

FROM the present established opinions and practice respecting the cause and cure of hæmoptysis, the last medicine that would occur to a regular-bred physician for the cure of it, is COMMON SALT; and yet I have seen and heard of a great number of cases, in which it has been administered with success.

THE mode of giving it, is to pour down from a tea, to a table-spoonful of clean fine salt, as soon as possible after the hæmorrhage begins from the lungs. This quantity generally stops it; but the dose must be repeated daily for three or sour days, to prevent a return of the disorder. If the bleeding continues, the salt must be continued till it is checked, but in larger doses. I have heard of several instances in which two table-spoonfuls were taken at one time for several days.

IT fometimes excites a fickness at the stomach, and never fails to produce a burning sensation in the throat in its passage into the stomach, and considerable thirst afterwards.

IHAVE

I HAVE found this remedy to fucceed equally well in hæmorrhages, whether they were active or passive, or whether they occurred in young or in old people.

I HAD prescribed it for several years before I could fatisfy myself with a theory, to account for its extraordinary action upon the human body. My inquiries led me to attend more particularly to the following facts.

- 1. THOSE persons who have been early instructed in vocal music, and who use their vocal organs moderately through life, are seldom affected by an harmorrhage from the lungs.
- 2. LAWYERS, players, public cryers, and city watchmen, all of whom exercise their lungs either by long or loud speaking, are less affected by this disorder, than persons of other occupations.

I ACKNOWLEDGE I cannot extend this observation to the public teachers of religion. I have known feveral instances of their being affected by hæmoptysis; but never but one in which the disorder came on in the pulpit, and that was in a person who had been recently cured of it. The cases which I have seen, have generally been brought on by catarrhs.

To this disorder, the practice of some of our American preachers disposes them in a peculiar manner; for it is very common with this class of them, to expose themselves to the cold or evening air immediately after taking, what a celebrated and eloquent preacher used to call a pulpit sweat.

- 3. This hæmorrhage chiefly occurs in debilitated habits, or in persons afflicted by such a disposition to consumption, as indicates a weak and relaxed state of the lungs.
- 4. It generally occurs when the lungs are in a passive state; as in sitting, walking, and more frequently in lying. Many of the cases that I have known, have occurred during sleep, in the middle of the night.

FROM these facts, is it not probable that the common salt, by acting primarily and with great force upon the throat, extends its stimulus to the bleeding vessel, and by giving it a tone, checks the surther essuion of blood?

I SHALL only add to this conjecture the following

- 1. I HAVE never known the common falt perform a cure, where the hæmorrhage from the lungs has been a fymptom of a confumption. But even in this case, it gives a certain temporary relief.
- 2. THE exhibition of common falt in the hæmoptysis, should by no means supercede the use of occasional bleeding when indicated by plethora, nor of that diet which the state of the pulse, or of the stomach, may require.
- 3. I HAVE given the common falt in one case with success, in an hæmorrhage from the stomach, accompanied by a vomiting; and have heard of several cases in which it has been supposed to have checked a discharge

discharge of blood from the nose and uterus, but I can say nothing further in its savor in these last hæmorrhages, from my own experience.

It may perhaps ferve to lessen the prejudices of physicians against adopting improvements in medicine, that are not recommended by the authority of colleges or universities, to add, that we are indebted to an old woman, for the discovery of the efficacy of common falt in the cure of hæmoptysis.

which out another court about proving was here. Clother

AND STORY OF PROTECTION OF THE PARTY OF THE

make bleed and when addition of printers, ode in that

placed on the samping state will be to between

THE RESERVE AND ADDRESS OF THE PARTY AND ADDRE

FREE

FREE THOUGHTS

UPON THE

CAUSE AND CURE

OF THE

Pulmonary Consumption.

HE ancient Jews used to say that a man does not fulfil his duties in life, who passes through it, without building a house, planting a tree, and leaving a child behind him. A physician, in like manner, should consider his obligations to his profession and society as undischarged, who has not attempted to lessent the number of incurable diseases. This is my apology for presuming to make the consumption the subject of a medical inquiry.

PERHAPS I may fuggest an idea, or fact, that may awaken the ideas and facts which now lie useless in the memories or common-place books of other physicians; or I may direct their attention to some useful experiments upon this subject.

I SHALL begin my observations upon the consumption, by remarking,

1. THAT it is unknown among the Indians in North-America.

2. IT

2. It is fcarcely known by those citizens of the United States, who live in the first stage of civilized life, and who have lately obtained the title of the first settlers.

THE principal occupations of the Indian confift in war, fishing, and hunting. Those of the first settler, are fishing, hunting, and the laborious employments of subduing the earth, cutting down forests, building a house and barn, and by distant excursions in all kinds of weather, to mills and courts. All of which tend to excite and preserve in the system, something like the Indian vigor of constitution.

- 3. It is less common in country places than in cities, and increases in both, with intemperance and sedentary modes of life.
- 4. SHIP and house carpenters, smiths, and all those artificers, whose business requires great exertions of strength, in the open air in all seasons of the year, are less subject to this disorder, than men who work under cover, and at occupations which do not require the constant action of their limbs.
- 5. Women who fit more than men, and whose work is connected with less exertion, are most subject to the consumption.

FROM these facts it would seem, that the most probable method of curing the consumption, is to revive in the constitution, by means of exercise or labor, that vigor which belongs to the Indians, or to mankind in their first stage of civilization. THE efficacy of these means of curing consumption will appear, when we inquire into the relative merit of the several remedies which have been used by physicians in this disorder.

I SHALL not produce among these remedies the numerous receipts for syrups, bolusses, electuaries, decoctions, insusions, pills, medicated waters, powders, draughts, mixtures, and diet-drinks, which have so long and so steadily been used in this disease; nor shall I mention as a remedy, the best accommodated diet, submitted to with the most patient self-denial; for not one of them all without the aid of exercise has ever, I believe, cured a single consumption.

- 1. SEA-VOYAGES have cured confumptions; but it has been only when they have been fo long, or fo frequent, as to substitute the long continuance of gentle, to violent degrees of exercise of a shorter duration.
- 2. A CHANGE of CLIMATE has often been prescribed for the cure of consumptions, but I do not recollect an instance of its having succeeded, except when it has been accompanied by exercise, as in travelling, or by some active laborious pursuit.

DOCTOR Gordon of Madeira, ascribes the inefficacy of the air of Madeira in the consumption, in part to the difficulty patients find of using exercise in carriages, or even on horseback, from the badness of the roads in that island.

3. JOURNIES have often performed cures in the confumption, but it has been chiefly when they have been long, and accompanied by difficulties which have roused

roused and invigorated the powers of the mind and body.

- 4. Vomits and nauseating medicines have been much celebrated for the cure of confumptions. These, by procuring a temporary determination to the surface of the body, so far lessen the pain and cough as to enable patients to use profitable exercise. Where this has not accompanied or succeeded the exhibition of vomits, I believe they have seldom afforded any permanent relief.
- 5. BLOOD-LETTING has often relieved confumptions; but it has been only by removing the troublefome fymptoms of inflammatory diathefis, and thereby enabling the patients to use exercise, or labor, with advantage.
- 6. VEGETABLE BITTERS and fome of the STI-MULATING GUMS have in some instances afforded relief in consumptions; but they have done so only in those cases where there was great debility, accompanied by a total absence of inflammatory diathesis. They have most probably acted by their tonic qualities as substitutes for labor and exercise.
- 7. A PLENTIFUL and REGULAR PERSPIRATION excited by means of a flannel shirt worn next to the skin, or by means of a stove-room, or by a warm climate, has in many instances prolonged life in consumptive habits; but all these remedies have acted as palliatives only, and thereby have enabled the consumptive patients to enjoy the more beneficial effects of exercise.

8. BLISTERS, SETONS, and ISSUES, by determining the perspirable matter from the lungs to the surface of the body, lessen pain and cough, and thereby prepare the system for the more falutary essects of exercise.

9. THE effects of SWINGING upon the pulse and respiration, leave us no room to doubt of its being a tonic remedy, and therefore a safe and agreeable substitute for exercise.

FORM all these sacts it is evident that the remedies for consumptions must be sought for in those exercises and employments which give the greatest vigor to the constitution. And here I am happy in being able to produce several sacts which demonstrate the safety and certainty of this method of cure.

DURING the late war, I faw three inflances of persons in confirmed confumptions who were perfectly cured by the hardships of a military life. They had been my patients previously to their entering into the army. Besides these, I have heard of four well attested cases of fimilar recoveries from nearly the same remedies. One of these was the son of a farmer in New-Jerfey, who was fent to fea as the last resource for a confumption. Soon after he left the American shore, he was taken by a British cruiser, and compelled to share in all the duties and hardships of a common failor. After ferving in this capacity for twenty two months, he made his escape, and landed at Boston, from whence he travelled on foot to his father's house, (nearly four hundred miles) where he arrived in perfect health.

DOCTOR Way of Wilmington informed me, that a certain Abner Cloud, who was reduced fo low by a pulmonary confumption as to be beyond all relief from medicine, was fo much relieved by fleeping in the open air, and by the ufual toils of building a hut and improving a farm in the unfettled parts of a new county in Pennsylvania, that he thought him in a fair way of a perfect recovery.

Doctor Latimer of Wilmington, had been long afflicted with a cough and an occasional hamoptysis. He entered into the American army as a surgeon, and served in that capacity till near the end of the war; during which time he was perfectly free from all pulmonic complaints. The spitting of blood returned soon after he settled in private practice. To remedy this complaint, he had recourse to a low diet, but sinding it inessectual, he partook liberally of the usual diet of healthy men, and he now (as he lately informed me) enjoys a good share of health.

It would be very eafy to add many other cases, in which labor, the employments of agriculture, and a life of hardship by sea and land, have prevented, relieved, or cured not only the consumption, but pulmonary diseases of all kinds.

To the cases that have been mentioned, I shall add only one more, which was lately communicated to me by the venerable Doctor Franklin, whose conversation at all times conveys instruction, and not less in medicine than upon other subjects. In travelling, many years ago, through New-England, the doctor overtook the post-rider; and after some inquiries into the history of his life, he informed him that he was bred a shoemaker;

shoemaker; that his confinement, and other circumstances, had brought on a consumption, for which he was ordered by a physician to ride on horseback. Finding this mode of exercise too expensive, he made interest, upon the death of an old post-rider, to succeed to his appointment, in which he perfectly recovered his health in two years. After this he returned to his old trade, upon which his consumption returned. He again mounted his horse, and rode post in all seasons and weathers, between New-York and Connecticut river, (about 140 miles); in which employment he continued upward of thirty years, in perfect health.

THESE facts, I hope, are sufficient to establish the advantages of restoring the original vigor of the constitution, in every attempt to essect a radical cure of consumption.

But how shall these remedies be applied in the time of peace, or in a country where the want of woods, and brooks without bridges, forbid the attainment of the laborious pleasures of the Indian mode of hunting; or where the universal extent of civilization does not admit of our advising the toils of a new settlement, and improvements upon bare creation? Under these circumstances, I conceive substitutes may be obtained for each of them, nearly of equal essicacy, and attainable with much less trouble.

1. DOCTOR Sydenham pronounced riding on horse-back, to be as certain a cure for consumptions as bark is for an intermitting sever. I have no more doubt of the truth of this affertion, than I have that inflammatory severs are now less frequent in London, than they were in the time of Doctor Sydenham. If riding on horseback

horseback in consumptions has ceased to be a remedy in Britain, the fault is in the patient, and not in the remedy. " It is a fign that the stomach requires milk, " (fays Doctor Cadogan) when it cannot bear it." In like manner, the inability of the patient to bear this manly and wholesome exercise, serves only to demonstrate the necessity and advantages of it. I suspect the fame objections to this exercise which have been made in Britain, will not occur in the United States of America; for the Americans, with respect to the symptoms and degrees of epidemic and chronic difeases, appear to be nearly in the same state that the inhabitants of England were in the feventeenth century. I can eafily conceive the vigor of the human conflitution to have been fuch in Doctor Sydenham's time, as that a defluxion or ulcer in the lungs should have had no more effect in increasing the action of the arterial fystem, than a moderate inflammation of the eyes has at present in exciting an inflammatory fever in a good constitution: hence the safety and advantage formerly of riding on horseback in pulmonic complaints. We find, in proportion to the decline of the vigor of the body, that many occasional causes produce fever and inflammation, which would not have done it an hundred years ago.

- 2. THE laborious employments of agriculture, if steadily pursued, and accompanied at the same time by the simple, but wholesome diet of a farm-house, and a hard bed, would probably afford a good substitute for the toils of a savage or military life.
- 3. SUCH occupations or professions as require constant labor or exercise in the open air, in all kinds of weather, may easily be chosen for a young man who. either

either from hereditary predisposition, or an accidental affection of the lungs, is in danger of falling into a consumption. In this we should imitate the advice given by some wise men, always to prefer those professions for our sons which are the least favourable to the corrupt inclinations of their hearts. For example, where an undue passion for money, or a crafty disposition discover themselves in early life, we are directed to oppose them by the less profitable and more disinterested professions of divinity, or physic, rather than cherish them by trade, or the practice of the law*.

4. THERE is a case recorded by Doctor Smollet, of the efficacy of the cold bath in a confumption; and I have heard of its having been used with success in a negro man in one of the West-India islands. To render this remedy useful, or even fafe, it will be necesfary to join it with labor, or to use it in degrees that shall prevent the alternation of the system with vigorand debility: for I take the cure of confumption to depend upon the fimple action of tonic, without the least mixture of debilitating powers. Indeed, I conceive it to be easier to palliate the symptoms, and prolong life, by the use of the powers which are simply debilitating, than by a mixture of both of them. This is not a solitary fact in the human body. We often see a stiff neck and spasms, brought on by a person's being expofed, at the same time, to a stream of air from a door or window.

^{*} It is very common for parents to prefer sedentary occupations for such of their children who are of delicate constitutions, and the more active occupations for those of them who are robust. The reverse of this practice should be followed. The weakly children should be trained to the laborious, and the robust to the sedentary occupations. From a neglect of this practice, many hundred apprentices to taylors, shoemakers, conveyancers, watchmakers, silversmiths, mantuamakers, &c. &c. perish every year by confumptions.

window, and to the heat of a warm room, where neither would have been injurious, if it had acted fingly upon the fystem. There are many extremes in physic, as in other things, which meet in a point. There is an inflammatory diathefis connected with debility, as certainly as with an excess of tone in the arterial system. And I think I have feen greater degrees of this inflammatory diathefis in the male inhabitants of cities, than of the country, and more in women, than in men. I have moreover feen the most acute instammatory difeafes where the fyftem had been previously debilitated by a long continuance of warm weather, or of an obstinate intermitting fever, and in too many instances by the use of spirituous liquors. This species of inflammatory diathefis appears to arife, therefore, from what has been called, and perhaps not improperly, indirect debility. Is it the presence of this species of inflammatory diathefis which renders confumptions fo much more difficult to cure than formerly? Is it this which often renders riding on horseback so ineffectual, or so injurious in this diforder? I suspect it is; and it is to be lamented that it often requires fo much time, or fuch remedies to remove this species of inflammatory diathefis, as to reduce the patient too low to make use of those remedies afterwards which would effect a radical cure.

If it were possible to graduate the tone of the system by means of a scale, I would add, that to cure consumptions, the system should be raised to the highest degree of this scale. Nothing short of an equilibrium of tone, or a free and vigorous action of every muscle and viscus in the body, will fully come up to a radical cure for consumptions.

In regulating the diet of confumptive patients, I conceive it to be as necessary to feel the pulse, as it is in determining when and in what quantity to draw blood. Where indirect inflammatory diathesis prevails, a vegetable diet is certainly proper; but where the patient has escaped, or passed this stage of the disorder, I believe a vegetable diet alone to be injurious; and am sure a moderate quantity of animal food may be taken with advantage. In both cases, the diet should consist, as much as possible, of one kind of aliment.

THE presence or absence of this inflammatory diathesis, furnishes the indications for administering or refraining from the use of the bark and balsamic medicines. With all the testimonies of their having done mischief, many of which I could produce, I have known several cases in which they have been given with obvious advantage; but it was only when there was a total absence of inflammatory diathesis.

Perhaps the remedies I have recommended, and the opinions I have delivered, may derive some support from attending to the analogy of ulcers on the legs, and in other parts of the body. The first of these occur chiefly in habits debilitated by spirituous liquors, and the last frequently in habits debilitated by the scrophula. In curing these disorders, it is in vain to depend upon internal or external medicines. The whole system must be strengthened, or we do nothing; and this is to be effected only by exercise and a generous diet.

In relating the facts that are contained in this effay, I wish I could have avoided reasoning upon them; especially as I am confident of the certainty of the facts, and somewhat doubtful of the truth of my reasonings.

I SHALL only add, that if the cure of confumptions should at last be effected by remedies in every respect the opposites of those palliatives which are now fashionable and universal, no more will happen than what we have already seen in the tetanus, the small-pox, and in the management of fractured limbs.

SHOULD this be the case, we shall not be surprised to hear of physicians, instead of prescribing any one, or all of the medicines formerly enumerated for confumptions, ordering their patients to exchange the amusements or indolence of a city, for the toils of a country life; of their advising farmers to exchange their plentiful tables, and comfortable fire-fides, for the scanty but folid subfistence, and midnight expofure of the herdsman; or of their recommending, not fo much the exercise of a passive sea-voyage, as the active labors and dangers of a common failor. Nor should it surprise us, after what we have seen, to hear patients relate the pleafant adventures of their excursions, or labors, in quest of their recovery from this disorder, any more than it does now to see a strong or well shaped limb that has been broken; or to hear a man talk of his studies, or pleasures, during the time of his being inoculated and attended for the fmallpox.

FROM a review of the facts and observations which have been mentioned, I cannot help thinking that the

words of the philosopher, "Quod petis in te est," apply not more to the means of obtaining happiness, than they do to the means of obtaining a radical cure for the consumption.

I WILL not venture to affert, that there does not exist a medicine, which shall supply, at least in some degree, the place of the labor or exercises, whose usefulness in consumptions has been established by the facts that have been mentioned. Many instances of the analogous essects of medicines, and of exercise upon the human body, forbid the supposition. I shall only add, that if there does exist in nature such a medicine, I am disposed to believe it will be found in the class of TONICS. If this should be the case, I conceive its strength, or its dose, must far exceed the present state of our knowledge or practice, with respect to the efficacy or dose of tonic medicines.

I EXCEPT the disorder, which arises from recent abscesses in the lungs, from the general observation which has been made, respecting the inefficacy of the remedies that were formerly enumerated for the cure of consumptions without labor or exercise. These abscesses often occur without being accompanied by a consumptive diathesis, and are frequently cured by nature, or by very simple medicines.

OBSERVATIONS

UPON

WORMS

IN THE ALIMENTARY CANAL,

AND UPON

ANTHELMINTIC MEDICINES.

ITH great diffidence I venture to lay before the public my opinions upon worms: nor should I have prefumed to do it, had I not entertained a hope of thereby exciting further inquiries upon this subject.

WHEN we confider how univerfally worms are found in all young animals, and how frequently they exist in the human body, without producing disease of any kind, it is natural to conclude, that they ferve fome useful and necessary purposes in the animal œconomy. Do they confume the fuperfluous aliment which all young animals are disposed to take before they have been taught, by experience or reason, the bad consequences which arise from it? It is no objection to this opinion, that worms are unknown in the human body in fome countries. The laws of nature are diverlified, and often suspended under peculiar circumstances in many cases, where the departure from uniformity is still more unaccountable, than in the present instance. Do worms produce diseases from an excess in their number, and an error in their place, place, in the same manner that blood, bile and air produce diseases from an error in their place, or from excess in their quantities? Before these questions are decided, I shall mention a sew sacts which have been the result of my own observations upon this subject.

- 1. In many instances I have seen worms discharged in the small-pox and measles, from children who were in perfect health previously to their being attacked by those disorders, and who never before discovered a single symptom of worms. I shall say nothing here of the swarms of worms which are discharged in severs of all kinds, until I attempt to prove that an idiopathic sever is never produced by worms.
- 2. NINE out of ten of the cases which I have seen of worms, have been in children of the grossest habits and most vigorous constitutions*. This is more especially the case where the worms are dislodged by the small-pox and measles.
- 3. In weakly children, I have often known the most powerful anthelmintics given without bringing away a single worm. If these medicines have afforded any relief, it has been by their tonic quality. From this fact, is it not probable—The conjecture I am afraid is too bold—but I will risk it. Is it not probable, I say, that children are sometimes disordered from the want of worms? Perhaps the tonic medicines which

^{*} Since the above observations upon worms were committed to paper, I have met with the following facts, in a letter from Doctor Capelle of Wilmington, which has been read in the College of Physicians of Philadelphia. In the livers of fixteen, out of eighteen rats which he diffected, he informed me that he found a number of the tænia worms. The rats were fat, and appeared in other respects to have been in perfect health. The two rats in which he found no worms, he fays, "were very lean, and their livers small-" er in proportion than the others."

which have been mentioned, render the bowels a more quiet and comfortable afylum for them, and thereby provide the fystem with the means of obviating the effects of crapulas, to which all children are disposed. It is in this way that nature, in many instances, cures evil by evil. I confine the falutary office of worms only to that species of them which is known by the name of the round worm, and which occurs most frequently in children.

Is there any fuch disease as an idiopathic WORM-FEVER? The Indians in this country say there is not, and ascribe the discharge of worms to a sever, and not a sever to the worms*.

By adopting this opinion, I am aware that I contradict the observations of many eminent and respectable physicians.

DOCTOR Huxham describes an epidemic pleurify, in the month of March in the year 1740, which he supposes was produced by his patients feeding upon some corn that had been injured by the rain the August before. He likewise mentions that a number of people, and these too of the elderly sort, were afflicted at one time with worms in the month of April in the year 1743.

LIEUTAUD gives an account of an epidemic wormfever from Velschius, an Italian physician ||; and Sauvages describes, from Vandermonde, an epidemic dysentery from worms, which yielded finally only to worm medicines. Sir John Pringle, and Doctor Monro, likewise

^{*} See the inquiry into the diseases of the Indians, pag. 22. + Vol. II. of his Epidemics, p. 56. ‡ p. 136. || Vol. I. p. 76. 5 Vol. II. p. 329.

likewise frequently mention worms as accompanying the dysentery and remitting sever, and recommend the use of calomel as an antidote to them.

I GRANT that worms appear more frequently in fome epidemic diseases than in others, and oftener in some years than in others. But may not the same heat, moisture and diet, which produced the diseases, have produced the worms? And may not their discharge from the bowels have been occasioned in those epidemics, as in the small-pox and measles, by the increased heat of the body; by the want of nourishment; or by an anthelmintic quality being accidentally combined with some of the medicines that are usually given in severs?

In answer to this, we are told that we often see the crisis of a sever brought on by the discharge of worms from the bowels by means of a purge, or by an anthelmintic medicine. Whenever this is the case, I believe it is occasioned by offending bile being dislodged by means of the purge at the same time with the worms, or by the anthelmintic medicine (if not a purge) having been given on, or near one of the usual critical days of the sever. What makes the latter supposition probable is, that worms are seldom suspected in the beginning of severs, and anthelmintic medicines seldom given, till every other remedy has sailed of success; and this generally happens about the usual time in which severs terminate in life or death.

It is very remarkable, that fince the discovery and description of the hydrocephalus internus, we hear and read much less than formerly, of worm-severs. I suspect that disorder of the brain has laid the foundation for the principal part of the cases of worm-severs

which are upon record in books of medicine. I grant that worms fometimes increase the danger from severs, and often confound the diagnosis and prognosis of them, by a number of new and analogous symptoms. But here we see nothing more than that complication of symptoms which often occurs in diseases of a very different and opposite nature. How often are we puzzled by hysteric and hypochondriac symptoms in a fever; and yet what physician ever thought of an hysteric or an hypochondriac fever?

HAVING rejected worms as the cause of severs, I proceed to remark, that the diseases most commonly produced by them, belong to the class of NEUROSES. And here I might add, that there is scarcely a disease, or a symptom of a disease, belonging to this class, which is not produced by worms. It would be only publishing extracts from books, to describe them.

THE chronic and nervous diseases of children, which are so numerous, and frequently satal, are, I believe, most commonly occasioned by worms. There is no great danger, therefore, of doing mischief by prescribing anthelminic medicines in all our first attempts to cure their chronic and nervous diseases.

I HAVE taken great pains to find out, whether the presence of the different species of worms might not be discovered by certain peculiar symptoms; but all to no purpose. I once attended a girl of twelve years of age, in a sever, who discharged four yards of a tænia, and who was so far from having discovered any peculiar symptom of this species of worms, that she had never complained of any other indisposition, than now and then a slight pain in the stomach, which often occurs in young girls from a sedentary life, or from errors in

their diet. I beg leave to add further, that there is not a fymptom which has been faid to indicate the prefence of worms of any kind, as the cause of a disease, that has not deceived me; and none oftener than the one that has been so much depended upon, viz. the picking of the nose. A discharge of worms from the bowels, is, perhaps, the only symptom that is pathognomonic of their presence in the intestines.

I SHALL now make a few remarks upon anthelmintic remedies.

But I shall first give an account of some experiments which I made in the year 1771, upon the common earth-worm, in order to ascertain the anthelmintic virtues of a variety of substances. I made choice of the earth-worm for this purpose, as it is, according to naturalists, exactly the same in its structure, manner of subsistence, and mode of propagating its species, with the round worm of the human body.

In the first column I shall set down, under distinct heads, the substances in which worms were placed; and in the second and third columns the time of their death, from the action of these substances upon them.

Hours.	Minutes.
2	48
1	30
1	30
I	-
1	17
. 1	- 11 111 111 111 111
	The state of the s
-	1 12 convulled.
-	1 1
-	18 2. Alkali.

and the state of the state of	Hours.	Minutes.
2. Alkali.	100000	a mice who say
A watery Solution of Salt of Tartar,	C. Land	convulfed, throwing up
Taltal,	parrie co	a mucus on the furface of the water.
3. Neutral Salts.	1 2015	or the water.
In a watery Solution of com-		1 2 2
mon Salt,	Birth Is	I convulsed.
of Nitre,	I A	ditto.
of Sal Diuretic,	-	ditto.
- of Sal Ammoniac, -	-	11/2
of common Salt & Sugar,	22001	4 4 10 0000000
4. Earthy and Metallic Salts.		
In a watery Solution of Epfom		
- of Rock Alum, -	San Carlot	15½
of Corrofive Sublimate,	_	1½ convulfed,
of Calomel, -	_	49
- of Turpeth Mineral,	-,	I convulfed.
of Sugar of Lead, -	77 -0-74 T	Reg Colle & Wall Co
- of green Vitriol,	10000	L. L. I dillet at level at
- of blue Vitriol,		10
of white Vitriol, -	3700	30
W sec. obem I	9700	diract of the supprise had
IV. METALS. Filings of Steel,		
Filings of Tin,	1	252
Things of Till,	il city	to nappressing, created
V. CALCAREOUS EARTH.	sheers by	ner of hibfiltrees, or
Chalk,	2	now frames will divise
VI. SEDATIVE SUBSTANCES.		
Watery Infusion of Opium,	100	114 convulfed.
- of Carolina Pink-root,	O I NO	33
of Tobacco,	-	14
THE RESERVE OF THE PARTY OF THE		property of the Continue workers
VII. ESSENTIAL OILS.	THE PARTY OF	the interest off the party
Oil of Wormwood,	de To t	3 convulfed.
—of Caraway Seed, -		3
—of Amber, -		3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
-of Anifeed,	1	42
-of Turpentine,	-	6
VIII A		
VIII. ARSENIC.		A STATE OF THE PARTY OF THE PAR
A watery Solution of white	near	
Amenic,	2	THE RESERVE TO SERVE THE PARTY OF THE PARTY
IX. FERMENTED LIQUORS.	1000	
In Madeira Wine,	4-	3 convulfed.
- Claret, !	-	10
	1000	THE SALES
X. DISTILLED SPIRIT.		
		Market Color
Common Rum, 1		I convulled.

XI. THE FRESH JUICES OF RIPE FRUITS.	Hours.	Minutes.
The Juice of red Cherries,	nio_fin	51
—of black ditto,	-	5.
	-	2 1
of Gooseberries,	-	3 2
of Whortleberries,	107500	12
	her dais	7
of Rafberries,		52
—of Peaches,	IP LEGIS	25
of Watermelons, no effect,		_
how with the Dr suming	1	Construction of the last
XII. SACCHARINE SUBSTAN-	NOVE #	NAME OF THE PARTY
CES.	10 00 m	our add or so adjudant
Honey, Melaffes,		7
Brown Sugar,		30
Manna,	-	21/2
CONTRACTOR OF THE PROPERTY OF THE PERSON OF	STORY.	MARINE AND ADDRESS OF THE PARTY
XIII. In AROMATIC SUBSTAN-	5 300	rigubarb, hard, beam-
Camphor,	entilee	des indirectly and
Pimento,		31/2
Black Pepper,	-	45
and our plous on annual to have	11/4/11/20	ing the least out her
XIV. FOETID SUBSTANCES.	100	s steward primary site
Juice of Onions, Watery Infusion of Affafætida,	-	32
—— Santonicum, or Worm-	11010	10 27 100 th 115 2 201
Seed,	The state of	tound in the Louisia
	3.000	
XV. MISCELLANEOUS SUB-	1.	interference where The
STANCES.	1	STREET, STREET
Ethiops Mineral,	2	se Autom the mode
Sulphur,	2	The laft, of the lange
Solution of Gunpowder, -	Service .	IL Marianta
of Soap,	100	19.
Oxymel of Squills,	Authorit	3 2
Sweet Oil,	2	30 1 2000 6 2000

In the application of these experiments to the human body, an allowance must always be made for the alteration which the several anthelmintic substances that have been mentioned, may undergo from mixture and diffusion in the stomach and bowels.

In order to derive any benefit from these experiments, as well as from the observations that have been made

made upon anthelmintic medicines, it will be necesfary to divide them into such as act,

- 1. MECHANICALLY,
- 2. CHEMICALLY upon worms; and,
- 3. Into those which possess a power composed of chemical and mechanical qualities.
- 1. THE mechanical medicines act indirectly and directly upon the worms.

THOSE which act indirectly are, vomits, purges, bitter and aftringent substances, particularly aloes, rhubarb, bark, bears-foot, and worm-seed. Sweet oil acts indirectly and very feebly upon worms. It was introduced into medicine from its efficacy in destroying the botts in horses; but the worms which insest the human bowels, are of a different nature, and possess very different organs of life from those which are found in the stomach of an horse.

THOSE mechanical medicines which act directly upon the worms, are, cowhage* and powder of tin. The last of these medicines has been supposed to act chemically upon the worms, from the arsenic which adheres to it in its purest state; but from the length of time a worm lived in a solution of white arsenic, it is probable the tin acts altogether mechanically upon them.

2. THE medicines which act chemically upon worms, appear, from our experiments, to be very numerous.

NATURE

NATURE has wifely guarded children against the morbid effects of worms, by implanting in them an early appetite for common salt, ripe fruits and saccharine substances; all which appear to be among the most speedy and effectual poisons for worms.

LET it not be faid, that nature here counteracts her own purposes. Her conduct in this business is conformable to many of her operations in the human body, as well as throughout all her works. The bile is a necessary part of the animal fluids, and yet an appetite for ripe fruits seems to be implanted chiefly to obviate the consequences of its excess, or acrimony, in the summer and autumnal months.

THE use of common salt as an anthelmintic medicine, is both ancient and universal. Celsus recommends it. In Ireland it is a common practice to feed children, who are afflicted by worms, for a week or two upon a salt sea-weed, and when the bowels are well charged with it, to give a purge of wort in order to carry off the worms, after they are killed by the salt diet.

I HAVE administered many pounds of common salt coloured with cochineal, in doses of half a drachm, upon an empty stomach in the morning, with great success in destroying worms.

EVER fince I observed the effects of sugar and other sweet substances upon worms, I have recommended the liberal use of all of them in the diet of children, with the happiest effects. The sweet substances probably act in preventing the diseases from worms in the stomach only, into which they often in-

finuate

finuate themselves, especially in the morning. When we wish to dislodge worms from the bowels by sugar or melasses, we must give these substances in large quantities, so that they may escape in part the action of the stomach upon them.

I CAN say nothing from my own experience of the efficacy of the mineral salts, composed of copper, iron and zinc, combined with vitriolic acid, in destroying worms in the bowels. Nor have I ever used the corrosive sublimate in small doses as an anthelmintic.

I HAVE heard well-attested cases of the efficacy of the oil of turpentine in destroying worms.

THE expressed juices of onions and of garlic are very common remedies for worms. From one of the experiments it appears that the onion juice possesses strong anthelmintic virtues.

I HAVE often prescribed a tea-spoonful of gunpowder in the morning upon an empty stomach, with obvious advantage. The active medicine here is probably the nitre.

I HAVE found a fyrup made of the bark of the Jamaica cabbage tree*, to be a powerful as well as a most agreeable anthelmintic medicine. It sometimes purges and vomits, but its good effects may be obtained without giving it in such doses as to produce these evacuations.

THERE is not a more certain anthelmintic than Carolina pink-roott. But as there have been instances

^{*} Geoffrea, of Linnæus.

⁺ Spigelia Marylandica, of Linnæus.

of death having followed excessive doses of it, imprudently administered; and as children are often affected by giddiness, stupor, and a redness and pain in the eyes, after taking it, I acknowledge that I have generally preferred to it, less certain, but more safe medicines for destroying worms.

3. Or the medicines whose action is compounded of mechanical and chemical qualities, calomel, jalap, and the powder of steel, are the principal.

CALOMEL, in order to be effectual, must be given in large doses. It is a safe and powerful anthelmintic. Combined with jalap, it often brings away worms when given for other purposes.

OF all the medicines that I have administered, I know of none more safe and certain than the simple preparations of iron, whether they be given in the form of steel-filings or of the rust of iron. If ever they fail of success, it is because they are given in too small doses. I generally prescribe from sive, to thirty grains every morning, to children between one year, and ten years old; and I have been taught by an old sea-captain, who was cured of a tænia by this medicine, to give from two drachms to half an ounce of it, every morning, for three or four days, not only with safety, but with success.

I SHALL conclude this essay with the following remarks.

1. Where the action of medicines upon worms in the bowels, does not agree exactly with their action upon the earth-worms in the experiments that have been X related,

related, it must be ascribed to the medicines being more or less altered by the action of the stomach upon them. I conceive that the superior anthelmintic qualities of pink-root, steel-filings, and calomel (all of which acted but slowly upon the earth-worms compared with many other substances) are wholly occasioned by their escaping the digestive powers unchanged, and acting in a concentrated state upon the worms.

2. In fevers attended with anomalous symptoms, which are supposed to arise from worms, I have constantly resused to yield to the solicitations of my patients, to abandon the indications of cure in the sever, and to pursue worms as the principal cause of the disease. While I have adhered steadily to the usual remedies for the different genera and species of sever, in all their stages, I have at the same time blended those remedies occasionally with anthelmentic medicines. In this I have imitated the practice of physicians in many other diseases; in which troublesome and dangerous symptoms are pursued, without seducing the attention from the original disorder.

AN

AN

ACCOUNT

OF THE

EXTERNAL USE OF ARSENIC

IN THE

CURE OF CANCERS.

Read before the American Philosophical Society, February 3, 1786.

FEW years ago a certain Doctor Hugh Mar-I tin, a furgeon of one of the Pennsylvania regiments stationed at Pittsburg, during the latter part of the late war, came to this city, and advertised to cure cancers with a medicine which he faid he had discovered in the woods, in the neighbourhood of the garrifon. As Doctor Martin had once been my pupil, I took the liberty of waiting upon him, and asked him fome questions respecting his discovery. His answers were calculated to make me believe, that his medicine was of a vegetable nature, and that it was originally an Indian remedy. He shewed me some of the medicine, which appeared to be the powder of a well-dried root of some kind. Anxious to see the success of this medicine in cancerous fores, I prevailed upon the doctor to admit me to fee him apply it in two or three cases. I observed in some instances, he applied a powder to the parts affected, and in others only touched them with a feather dipped in a liquid which had a white fediment, and which he made me believe was the

the vegetable root diffused in water. It gave me great, pleasure to witness the efficacy of the doctor's applications. In several cancerous ulcers, the cures he performed were complete. Where the cancers were much connected with the lymphatic system, or accompanied with a scrophulous habit of body, his medicine always failed, and, in some instances, did evident mischief.

ANXIOUS to discover a medicine that promised relief in even a few cases of cancers, and supposing that all the caustic vegetables were nearly alike, I applied the phytolacca or poke-root, the stramonium, the arum, and one or two others, to foul ulcers, in hopes of feeing the same effects from them which I had seen from Doctor Martin's powder; but in these I was disappointed. They gave fome pain, but performed no cures. At length I was furnished by a gentleman from Pittfburg with a powder which I had no doubt, from a variety of circumstances, was of the same kind as that used by Doctor Martin. I applied it to a fungous ulcer, but without producing the degrees of pain, inflammation, or discharge, which I had been accustomed to fee from the application of Doctor Martin's powder. After this, I should have suspected that the powder was not a simple root, had not the doctor continued upon all occasions to assure me, that it was wholly a vegetable preparation.

In the beginning of the year 1784 the doctor died, and it was generally believed that his medicine had died with him. A few weeks after his death I procured, from one of his administrators, a few ounces of the doctor's powder, partly with a view of applying it to a cancerous fore which then offered, and partly with

a view of examining it more minutely than I had been able to do during the doctor's life. Upon throwing the powder, which was of a brown color, upon a piece of white paper, I perceived diffinctly a number of white particles scattered through it. I suspected at first that they were corrofive fublimate, but the ufual tests of that metallic falt foon convinced me that I was miftaken. Recollecting that arfenic was the basis of most of the celebrated cancer powders that have been used in the world, I had recourse to the tests for detecting it. Upon sprinkling a small quantity of the powder upon some coals of fire, it emitted the garlic smell so perceptibly as to be known by feveral perfons whom I called into the room where I made the experiment, and who knew nothing of the object of my inquiries. After this, with fome difficulty I picked out about three or four grains of the white powder, and bound them between two pieces of copper, which I threw into the fire. After the copper pieces became red hot, I took them out of the fire, and when they had cooled, difcovered an evident whiteness imparted to both of them. One of the pieces afterwards looked like dull filver. These two tests have generally been thought sufficient to distinguish the presence of arfenic in any bodies; but I made use of a third, which has lately been communicated to the world by Mr. Bergman, and which is supposed to be in all cases infallible.

I INFUSED a small quantity of the powder in a solution of a vegetable alkali in water for a sew hours, and then poured it upon a solution of blue vitriol in water. The color of the vitriol was immediately changed to a beautiful green, and afterwards precipitated.

I SHALL close this paper with a few remarks upon this powder, and upon the cure of cancers and foul ulcers of all kinds.

- 1. THE use of caustics in cancers and foul ulcers is very ancient, and universal. But I believe arsenic to be the most efficacious of any that has ever been used. It is the basis of Plunket's and probably of Guy's well known cancer powders. The great art of applying it fuccessfully, is to dilute and mix it in such a manner as to mitigate the violence of its action. Doctor Martin's composition was happily calculated for this purpose. It gave less pain than the common or lunar caustic. It excited a moderate inflammation, which feparated the morbid from the found parts, and promoted a plentiful afflux of humors to the fore during its application. It feldom produced an efcar; hence it infinuated itself into the deepest recesses of the cancers, and frequently separated these fibres in an unbroken state which are generally called the roots of the cancer. Upon this account, I think, in an ulcerated cancer it is to be preferred to the knife. It has no action upon the found skin. This Doctor Hall proved by confining a fmall quantity of it upon his arm for many hours. In those cases where Doctor Martin used it to extract cancerous or schirrous tumors that were not ulcerated, I have reason to believe that he always broke the skin with Spanish slies.
- 2. The arsenic used by the doctor was the pure white arsenic. I should suppose from the examination I made of the powder with the eye, that the proportion of arsenic to the vegetable powder, could not be more than \frac{1}{40} part of the whole compound. I have reason to think that the doctor employed differ-

ent vegetable substances at different times. The vegetable matter with which the arfenic was combined in the powder which I used in my experiments, was probably nothing more than the powder of the root and berries of the folanum lethale, or deadly nightshade. As the principal, and perhaps the only defign of the vegetable addition was to blunt the activity of the arfenic, I should suppose that the same proportion of common wheat flour as the doctor used of his caustic vegetables, would answer nearly the same purpose. In those cases where the doctor applied a feather dipped in a liquid to the fore of his patient, I have no doubt but his phial contained nothing but a weak folution of arfenic in water. This is no new method of applying arsenic to foul ulcers. Doctor Way of Wilmington, has spoken in the highest terms to me of a wash for foulnesses on the skin, as well as old ulcers, prepared by boiling an ounce of white arfenic in two quarts of water to three pints, and applying it once or twice a

3. I MENTIONED formerly that Doctor Martin was often unsuccessful in the application of his powder. This was occasioned by his using it indiscriminately in all cases. In schirrous and cancerous tumors, the knife should always be preferred to the caustic. In cancerous ulcers attended with a scrophulous or a bad habit of body, such particularly as have their seat in the neck, in the breasts of semales, and in the axillary glands, it can only protract the patient's misery. Most of the cancerous sores cured by Doctor Martin were seated on the nose, or cheeks, or upon the surface or extremities of the body. It remains yet to discover a cure for cancers that taint the sluids, or infect the whole lymphatic system. This cure I apprehend

hend must be fought for in diet, or in the long use of fome internal medicine.

To pronounce a disease incurable, is often to render it so. The intermitting sever, if left to itself, would probably prove frequently, and perhaps more speedily satal than cancers. And as cancerous tumors and sores are often neglected, or treated improperly by injudicious people, from an apprehension that they are incurable, (to which the frequent advice of physicians "to let them alone," has no doubt contributed) perhaps the introduction of arsenic into regular practice as a remedy for cancers, may invite to a more early application to physicians, and thereby prevent the deplorable cases that have been mentioned, which are often rendered so by delay or unskilful management.

4. It is not in cancerous fores only that Doctor Martin's powder has been found to do fervice. In fores of all kinds, and from a variety of causes, where they have been attended with fungous slesh or callous edges, I have used the doctor's powder with advantage.

I FLATTER myself that I shall be excused in giving this detail of a quack medicine, when the society reslect that it was from the inventions and temerity of quacks, that physicians have derived some of their most active and useful medicines.

OBSERVATIONS

ON THE

CAUSE AND CURE

OF THE

TETANUS.

Read before the American Philosophical Society, March 17, 1786.

URING my attendance, as physician-general, upon the military hospitals of the United States, in the course of the late war, I met with several cases of the tetanus. I had frequently met with this diforder in private practice, and am forry to fay, that I never fucceeded with the ordinary remedy of opium in any one case that came under my care. I found it equally ineffectual in the army. Baffled in my expectations from a remedy that had been fo much celebrated, I began to investigate more particularly the nature of the disorder. I found it to be a disorder of warm climates, and warm feafons. This led me to ascribe it to relaxation. I refolved to attempt the cure of it by a fet of medicines in some measure the opposites of most of the medicines that have been employed in that diforder. Soon after I adopted this resolution, I was called to visit Col. John Stone, who was wounded through the foot at the battle of Germantown, on the 4th of October 1777. He was in the third day of a tetanus. His spasms were violent, and his pains so exquisite that his cries were heard near a hundred yards from his quarters. His head was thrown a little backwards, and his

his jaw had become stiff and contracted. He was under the care of a skilful regimental surgeon, who was pouring down opium in large quantities without effect.

Duty and friendship both led me to do my utmost to save the life of this valuable officer. I immediately dismissed the opium, and gave him large quantities of wine and bark, to the amount of two or three ounces of the latter, and from a bottle to three pints of the former in the day. In a few hours I was delighted with their effects. His spasms and pains were less frequent and violent, and he slept for several hours, which he had not done for several days and nights before.

WITH the same indication in view, I applied a blister between his shoulders, and rubbed in two or three ounces of mercurial ointment upon the outside of his throat. He continued to mend gradually under the operation of these medicines, so that in ten days he was out of danger, although the spasm continued in his wounded foot for several weeks afterwards.

In the summer of the year 1782, I was called to visit a servant girl of Mr. Alexander Todd, merchant of this city, who had brought on a tetanus by sleeping in the evening on a damp brick pavement, after a day in which the mercury in Farenheit's thermometer had stood at near 90°. The case was nearly as violent and alarming as the one I have described. I treated her in the same manner, and with the same success. To the above named medicines, I added only the oil of amber, which she took in large doses, after I suspected the tonic and stimulating powers of the bark and wine began to lose their effects. The good effects

of the oil were very obvious. She recovered gradually, and has continued ever fince in good health.

In the fummer of the fame year, I was called to Alexander Leslie, a joiner, who had run a nail in his foot. I found him the day afterwards in extreme pain, with fmall convulfions, and now and then a twinge in his jaw. The wound in his foot was without fwelling or inflammation. I dilated the wound and filled it with lint moistened with spirit of turpentine. This in a little while produced a good deal of pain and a great inflammation in his foot. While I was preparing to treat him in the manner I had treated the two former cases, the pains and spasms in his body suddenly left him, and in twenty-four hours after I faw him, he complained of nothing but of the pain and fwelling in his foot, which continued for feveral weeks, and did not leave him till it ended in a suppuration. From the history of these three cases, I beg leave to make the following remarks,

1. That the predifposition to the tetanus depends upon relaxation. This relaxation is generally produced by heat; but excessive labor, watchings, marches, or fatigue from any cause, all produce it likewise; and hence we find it more frequent from wounds received in battles, than from similar wounds received in any other way. These wounds more certainly produce the tetanus, if they have been preceded for some time with warm weather. Doctor Shoepst, the physician-general of the Anspach troops who served at the siege of York in the year 1781, informed me of a singular saft upon this subject. Upon conversing with the French surgeons after the capitulation, he was informed by them that the troops who arrived just before

before the fiege from the West-Indies with Count de Grasse, were the only troops belonging to their nation who suffered from the tetanus. There was not a single instance of that disorder among the French troops who had spent a winter in Rhode-Island.

2. As the tetanus feems to be occasioned by relaxation, the medicines indicated to cure it are such only as are calculated to remove this relaxation, and to restore a tone to the system. The bark and wine appear to act in this way. The operation of the blisters is of a more complicated nature. That they are sedative and antispasmodic in severs is universally acknowledged, but in the peculiar state of irritability which occurs in the tetanus, perhaps their effects are more simply stimulating. But I will go one step surther. In order to cure this disorder, it is necessary not only to produce an ordinary tone in the system, but something like the inflammatory diathesis. The absence of this diathesis is taken notice of by all authors, particularly by Doctor Cullen*.

MERCURY appears to act only by promoting this diathesis. Hence it never does any service unless it be given time enough to produce a falivation. The irritation and inflammation produced in the mouth and throat, seldom fail to produce the inflammatory diathesis, as blood drawn in a falivation has repeatedly shewn.

I APPREHEND that the oil of amber acts as a flimulant chiefly in this diforder. I have heard of a tetanus being cured in the island of Grenada by large doses of mustard. Doctor Wright, lately of the island

^{*} First Lines, Vol. III.

Island of Jamaica, relates in the fixth volume of the London medical essays, several remarkable cases of the tetanus being cured by the cold bath. Both these remedies certainly act as stimulants and tonics. By reasoning à priori, I conceive that electricity would be found to be an equally powerful remedy in this disorder.

As a general inflammatory diathefis disposes to topical inflammation, fo topical inflammation disposes to general inflammatory diathefis. Wounds upon this account are less apt to inflame in fummer than in winter. In the tetanus, I have uniformly observed an abfence of all inflammation in the wounds or injuries that produced it. Doctor Stoll of Vienna has made the fame observation*. A splinter under the nail produces no convulsions, if pain, inflammation or suppuration follow the accident. It is by exciting pain and inflammation, I apprehend, that the spirit of turpentine acts in all wounds and punctures of nervous and tendinous parts. I have never known a fingle instance of a tetanus from a wound, where this remedy had been applied in time. It was to excite an inflammation in the foot of Mr. Leslie, that I dilated the wound and filled it with the spirit of turpentine. I was not surprised at its good effects in this case, for I was prepared to expect them.

I FIND a remarkable case related in Doctor W. Monro's Thesis, published in Edinburgh in the year 1783, of a black girl who had a tetanus from running a nail in her foot, being perfectly cured by deep and extensive incisions being made in the wounded part by Doctor John Bell, of the island of Grenada.

IT

It is by producing inflammation in a particular part, and tone in the whole fystem, I apprehend, that the amputation of a wounded limb sometimes cures a tetanus; and it is because the degrees of both are too inconsiderable to oppose the violence of the spasms in the advanced stages of the tetanus, that amputation often fails of success.

I HAVE been informed by a physician who resided fome time at St. Croix, that the negroes on that island always apply a plaster made of equal parts of salt and tallow to their fresh wounds, in order to prevent a locked jaw. The salt always produces some degree of inflammation.

IF the facts that have been stated are true, and the inferences that have been drawn from them are just, how shall we account for the action of the opium in curing this diforder? I do not deny its good effects in many cases, but I believe it has failed in four cases out of five in the hands of most practitioners. It is remarkable that it fucceeds only where it is given in very large doses. In these cases I would suppose that its fedative powers are lost in its stimulating. It is upon a footing, therefore, in one respect, with the stimulating medicines that have been mentioned; but from its being combined with a fedative quality, it is probably inferior to most of them. I am the more inclined to adopt this opinion, from an account I once received from Doctor Robert, of the island of Dominique, who informed me, that after having cured a negro man of a tetanus with large doses of opium, he was afterwards feized with a diforder in his stomach, of which he died in a few days. Upon opening him, he found his stomach inflamed and mortified. I do not forbid

forbid the use of opium altogether in this disorder. I think small doses of it may be given to ease pain, as in other spasmodic disorders; but as its qualities are complicated, and its efficacy doubtful, I think it ought to yield to more simple and more powerful remedies.

To the cases that have been mentioned, I could add many others, in which I have reason to believe that the excitement of a topical inflammation by artificial means, has effectually prevented a tetanus.

To this account of the tetanus, I beg leave to fubjoin a few words upon a diforder commonly called the jaw-fall in infants, or the trifmus nascentium of Doctor Cullen, which is nothing but a species of tetanus.

I HAVE met with three cases of it in this city, all of which proved fatal. The stage of the diforder in which I was confulted, and the age and weakness of the infants, forbad me to attempt any thing for their relief. I have introduced the subject of this disorder in children, only for the fake of mentioning a fact communicated to me by the late Doctor Cadwalader Evans of this city. This gentleman practifed physic for feveral years in Jamaica, where he had frequent opportunities of feeing the tetanus in the black children. He found it in every case to be incurable. He supposed it to be connected with the retention of the meconium in the bowels. This led him invariably to purge every child that was born upon the estates committed to his care. After he adopted this practice, he never met with a fingle instance of the tetanus among children.

PERHAPS it may tend to enlarge our ideas of the tetanus, and to promote a spirit of inquiry and experiment, to add, that this disorder is not confined to the
human species. I have known several instances of it
in horses, from nails running in their seet, and other
accidents. It is attended with a rigidity of the muscles of the neck, a stiffness in the limbs, and such a
contraction of the jaw as to prevent their eating. It
is generally satal. In two cases I had the pleasure of
seeing the disease persectly cured by applying a potential caustic to the neck under the mane, by large doses
of oil of amber, and by plunging one of them into
the river, and throwing buckets of cold water upon
the other.

How far the reasonings contained in this paper may apply to the hydrophobia, I cannot determine, having had no opportunity of feeing the difeafe fince I adopted these principles; but from the spasmodic nature of the diforder, from the feafon of the year in which it generally occurs, and above all, from the case related by Doctor Fothergill, of a young woman having escaped the effects of the bite of a mad cat by means of the wound being kept open, (which from its feverity was probably connected with fome degrees of inflammation) is it not probable that the fame remedies, which have been used with success in the tetanus, may be used with advantage in the hydrophobia? In a difease so deplorable, and hitherto so unsuccessfully treated, even a conjecture may lead to useful experiments and inquiries.

Additional Observations

UPON THE

Tetanus and Hydrophobia.

CINCE the publication of the foregoing observations, in the fecond volume of the American Philosophical transactions, I have received letters from feveral physicians in America, and one from Doctor James Currie of Liverpool, in Great-Britain; in each of which are contained cases that confirm the efficacy of tonic remedies, more especially of wine and the cold bath, in the cure of tetanus. My own experience has furnished two new cases, in addition to those which are published, in favor of the first of those remedies, joined with mercury. I am, notwithstanding, obliged to own, that the method of cure above mentioned has failed, in some instances, in the hands of feveral respectable practitioners in Philadelphia; but I have reason to believe it was only where it was not used in the first stage of the disorder, or where every possible advantage has not been taken of the combined powers of all of the tonic remedies that have been mentioned.

THE Rev. Dr. Henry Muhlenberg, principal of the German college in Lancaster, informed me in the month of June 1787, that he had often met with the trismus nascentium among the children of poor peo-

ple belonging to his congregation. After reading the account of Doctor Evans's fuccessful method of preventing that diforder in Jamaica, by means of gentle purges, he recommended that practice to the parents of children where he fuspected the disease might take place, and always with fuccefs.

THE more I have confidered the causes and symptoms of hydrophobia, the more I am disposed to ascribe it to the same proximate cause as the tetanus. 1. They both affect the muscles of deglutition. I have lately feen a tetanus brought on by a fractured leg, in which an attempt to fwallow the fmallest quantity of any liquid, produced the fame fudden and general convulfions which occur in the hydrophobia. 2. They both proceed from causes which appear to be related to each other, viz. from wounds, and from the action of cold after the body has been previously weakened by heat and exercise. Of the last, we have a remarkable proof in an account of a spontaneous hydrophobia, published by Mr. Arthaud, president of the circle of Philadelphians at Cape Francois, in the first volume of the transactions* of that new and enterprizing fociety. 3. They both fometimes appear as fymptoms of the fame idiopathic diforder, viz. the hysteria. 4. They both yield to the fame remedies, viz. to the excitement of an inflammation in the wounded part of the body, or to a long continued discharge of matter from it, and to mercury. Of the efficacy of each of these remedies, there are proofs, not only in Mr. Arthaud's observations upon the hydrophobia, before mentioned, but in Vanswieten's commentaries upon Boerhaave's aphorisms t. To

^{*} Recherches, memoires, et observations sur les maladies epizootiques, de Saint Domingue, p. 220. + Aphorism 1143, N° 1.

To these facts I shall add one more, which may ferve still further to establish the sameness of the indications of eure in the tetanus and hydrophobia. In the London medical journal for the months of April, May, and June, 1784, I find the following account published by Doctor De Mathiis, physician to the king of Naples' army. " During his residence in Calabria, " (the doctor tells us) that having one day caught a " viper in the fields, he had occasion in his way home " to pass by a farm-yard, where he saw a dog chain-" ed that was faid to be mad. He offered water to " this dog, upon which he immediately fell into con-" vulfions. Recollecting his viper, he was tempted " to try its effects by applying it to the dog's throat. "This was accordingly done, and the confequences " were, the head of the dog fwelled, the fymptoms of " the hydrophobia ceased, and the animal recovered."

If more facts should occur, which shall shew the relation that the tetanus and hydrophobia have to each other, perhaps we may be led to conclude, that the wound inslicted by the teeth of a dog sometimes acts in the same manner in producing hydrophobia, that wounds made by a nail, or any obtuse lacerating instrument act, in producing tetanus; and that both diseases may be prevented, or cured, with equal certainty by the same tonic remedies.

Trums out he smithed folders of the army, she

THE

RESULT

OF

OBSERVATIONS

MADE UPON THE DISEASES WHICH OCCURRED

IN THE

Military Hospitals of the United States,
DURING THE LATE WAR.

- 1. THE army when it lay in tents was always more fickly, than when it lay in the open air. It was likewise more healthy when it was kept in motion, than when it lay in an encampment.
- 2. Young men under twenty years of age were subject to the greatest number of camp diseases.
- 3. THE fouthern troops were more fickly than the northern or eastern troops.
- 4. The native Americans were more fickly than the natives of Europe who ferved in the American army.
- 5. MEN above thirty, and five and thirty years of age, were the hardiest foldiers in the army. Perhaps the reason why the natives of Europe were more healthy than the native Americans, was, they were more advanced in life.

- 6. THE fouthern troops sickened from the want of falt provisions. Their strength and spirits were re-Rored only by means of falted meat. I once faw a private, in a Virginia regiment, throw away his ration of choice fresh beef, and give a dollar for a pound of falted bacon.
- 7. THOSE officers who wore flannel shirts or waistcoats next to their skins, in general escaped severs and difeases of all kinds,
- 8. THE principal diseases in the hospitals were the typhus gravior and mitior of Doctor Cullen. Men who came into the hospitals with pleurisies or rheumatisms, foon lost the types of their original diseases, and suffered, or died, by the above mentioned fever.
- 9. This fever always prevailed most, and with the worst symptoms in winter. A free air, which could only be obtained in fummer, always prevented, or mitigated it.
- 10. In all those cases, where the contagion was received, cold feldom failed to render it active. Whenever an hospital was removed in winter, one half of the patients generally fickened on the way, or foon after their arrival at the place to which they were fent.
- 11. DRUNKEN foldiers and convalescents were most subject to this fever.
- 12. THOSE patients in this fever who had large ulcers on their backs or limbs, generally recovered.

- 13. I MET with several instances of buboes, also of ulcers in the throat, as-described by Doctor Donald Monro. They were mistaken by some of the junior surgeons for venereal sores, but they yielded to the common remedies of the hospital sever.
- 14. THERE were many inflances of patients in this fever, who fuddenly fell down dead, upon being moved, without any previous fymptoms of approaching diffolution. This was more especially the case, when they arose to go to stool.
- 15. THE contagion of this fever was frequently conveyed from the hospital to the camp, by means of blankets and clothes.
- 16. THOSE black foldiers who had been previously flaves, died in a greater proportion by this fever, or had a much flower recovery from it, than the same number of white soldiers.
- 17. THE remedies which appeared to do most fervice in this disorder were vomits of tartar emetic, gentle doses of laxative salts, bark, wine, and volatile salt in large doses, and in some cases, blisters.
- 18. An emetic seldom failed of checking this sever if exhibited while it was in a forming state, and before the patient was confined to his bed.
- 19. MANY causes concurred to produce, and increase this sever; such as the want of cleanliness, excessive satigue, the ignorance or negligence of officers in providing suitable diet and accommodations for their men, the general use of linen instead of woollen clothes

in the fummer months, and the crouding too many patients together in one hospital, with such other inconveniencies and abuses, as usually follow the union of the purveying and directing departments of hospitals in the fame persons. But there is one more cause of this fever which remains to be mentioned, and that is, the fudden affembling of a great number of perfons together of different habits and manners, fuch as the foldiers of the American army were in the years 1776 and 1777. Doctor Blane informs us in his observations upon the diseases of seamen, "that it sometimes happens " that a fhip with a long established crew shall be very " healthy, yet if strangers are introduced among them, " who are also healthy, sickness will be mutually pro-"duced." The history of diseases furnishes many proofs of the truth of this affertion*. It was very remarkable, that while the American army at Cambridge in the year 1775, confifted only of New-England men (whose habits and manners were the same) there was fcarcely any fickness among them. It was not till the troops of the eastern, middle and fouthern flates met at New-York and Ticonderoga in the year 1776, that the typhus became universal, and spread with fuch peculiar mortality in the armies of the United States.

20. The dysentery prevailed in the summer of 1777 in the military hospitals in New-Jersey, but with very sew instances of mortality. This dysentery was frequently followed by an obstinate diarrhæa, in which the warm bath was found in many cases to be an effectual remedy.

^{* &}quot;Cleanliness is founded on a natural aversion to what is unseemly and offensive in the persons of others; and there seems also to be an instinctive horror at strangers implanted in human nature for the same purpose, as is visible in young children, and uncultivated people. In the early ages of Rome, the same word signified both a stranger and an enemy." Dr. Blane, p. 235.

- 21. I saw feveral instances of severs occasioned by the use of the common ointment made of the flour of sulphur and hogs lard, for the cure of the itch. The severs were probably brought on by the exposure of the body to the cold air, in the usual method in which that ointment is applied. I have since learned, that the itch may be cured as speedily by rubbing the parts affected, two or three times with the dry flour of sulphur, and that no inconvenience and scarcely any smell, follow this mode of using it.
- 22. In gunshot wounds of the joints, Mr. Ranby's advice of amputating the limb was followed by fuccess. I saw two cases of death where this advice was neglected.
- 23. THERE was one instance of a soldier who lost his hearing, and another of a soldier who had been deaf, who recovered his hearing by the noise of artillery in a battle.
- 24. THOSE foldiers who were billetted in private houses, generally escaped the contagion of the hospital fever, and recovered soonest from all their diseases.
- 25. SOLDIERS are but little more than adult children. That officer, therefore, will best perform his duty to his men, who obliges them to take the most care of their HEALTH.
- 26. HOSPITALS are the finks of human life in an army. They robbed the United States of more citizens than the fword. Humanity, economy, and philosophy, all concur in giving a preference to the conveniencies and wholesome air of private houses;

and should war continue to be the absurd and unchristian mode of deciding national disputes, it is to be hoped that the progress of science will so far mitigate one of its greatest calamities, as to produce an abolition of hospitals for acute diseases. Perhaps there are no cases of sickness in which reason and religion do not forbid the seclusion of our fellow-creatures from the offices of humanity in private families, except where they labour under the calamities of madness and the venereal disease, or where they are the subjects of some of the operations of surgery.

HERE were feveral effeumflances peruliar

tioned previously to an account of the thehence of the

events which accompanied it, upon the homan hody,

tire American serolution, which thould be men-

introduced, ware new in deserged in

sped that the progrets of Actuace will to for mian

g namonal defoutes, at is to-

ACCOUNT

o cafes of fickness in which reason and religion do

INFLUENCE OF THE MILITARY AND POLITICAL EVENTS
OF THE AMERICAN REVOLUTION

corneal difeate, cant hotorice are the fungeer

HUMAN BODY.

THERE were feveral circumstances peculiar to the American revolution, which should be mentioned previously to an account of the influence of the events which accompanied it, upon the human body.

- 1. THE revolution interested every inhabitant of the country of both sexes, and of every rank and age that was capable of reslection. An indifferent, or neutral spectator of the controversy, was scarcely to be found in any of the states.
- 2. THE scenes of war and government which it introduced, were new to the greatest part of the inhabitants of the United States, and operated with all the force of novelty upon the human mind.
- 3. The controversy was conceived to be the most important of any that had ever engaged the attention of mankind. It was generally believed by the friends of the revolution, that the very existence of freedom upon our globe, was involved in the issue of the contest in favor of the United States.

- 4. THE American revolution included in it the cares of government, as well as the toils and dangers of war. The American mind was, therefore, frequently occupied at the fame time, by the difficult and complicated duties of political and military life.
- 5. The revolution was conducted by men who had been born free, and whose sense of the blessings of liberty was of course more exquisite than if they had just emerged from a state of slavery.
- 6. THE greatest part of the soldiers in the armies of the United States had family connections and property in the country.
- 7. The war was carried on by the Americans against a nation, to whom they had long been tied by the numerous obligations of consanguinity, laws, religion, commerce, language, interest, and a mutual sense of national glory. The resentments of the Americans of course rose, as is usual in all disputes, in proportion to the number, and sorce of these ancient bonds of affection and union.
- 8. A PREDILECTION to a limited monarchy, as an effential part of a free and fafe government, and an attachment to the reigning king of Great-Britain, (with a very few exceptions) were univerfal in every part of the United States.
- 9. THERE was at one time a fudden dissolution of civil government in all, and of ecclesiastical establishments in several of the states.
- 10. THE expences of the war were supported by means of a paper currency, which was continually depreciating.

 FROM

FROM the action of each of these causes, and frequently from their combination in the same persons, effects might reasonably be expected, both upon the mind and body, which have seldom occurred; or if they have, I believe were never fully recorded in any age or country.

It might afford some useful instruction, to point out the influence of the military and political events of the revolution upon the understandings, passions, and morals of the citizens of the United States; but my business in the present inquiry, is only to take notice of the influence of these events upon the human body, through the medium of the mind.

I SHALL first mention the effects of the military, and secondly, of the political events of the revolution. The last must be considered in a two-fold view, accordingly as they affected the friends or the enemies of the revolution.

I. In treating of the effects of the military events, I shall take notice, first, of the influence of actual war, and, secondly, of the influence of the military life.

In the beginning of a battle, I have observed thirst to be a very common sensation among both officers and soldiers. It occurred where no exercise or action of the body could have excited it.

MANY officers have informed me, that after the first onset in a battle, they felt a glow of heat, so universal as to be perceptible in both their ears. This was the case in a particular manner, in the battle of Princeton, on the third of January in the year 1777, on which day the weather was remarkably cold.

A VETERAN colonel of a New-England regiment, whom I visited at Princeton, and who was wounded in the hand at the battle of Monmouth on the 28th of June, 1778, (a day in which the mercury stood at 90° of Farenheit's thermometer), after describing his situation at the time he received his wound, concluded his story by remarking, that "fighting was hot work on a "cold day, but much more so on a warm day." The many instances which appeared after that memorable battle, of soldiers who were sound among the slain without any marks of wounds or violence upon their bodies, were probably occasioned by the heat excited in the body by the emotions of the mind, being added to that of the atmosphere.

SOLDIERS bore operations of every kind immediately after a battle, with much more fortitude than they did at any time afterwards.

THE effects of the military life upon the human body come next to be confidered under this head.

In another place* I have mentioned three cases of pulmonary consumption being persectly cured by the diet and hardships of a camp life. Doctor Blane, in his valuable observations on the diseases incident to seamen, ascribes the extraordinary healthiness of the British sleet in the month of April 1782, to the effects produced on the spirits of the soldiers and seamen, by the victory obtained over the French sleet on the 12th of that month; and relates, upon the authority of Mr. Ives, an instance in the war between Great Britain and the combined powers of France and Spain in 1744, in which the scurvy, as well as other diseases, were checked by the prospect of a naval engagement.

190

THE American army furnished an instance of the effects of victory upon the human mind, which may ferve to establish the inferences from the facts related by Doctor Blane. The Philadelphia militia who joined the remains of General Washington's army in December 1776, and shared with them a few days afterwards in the capture of a large body of Hessians at Trenton, confifted of 1500 men, most of whom had been accustomed to the habits of a city life. These men flept in tents and barns, and fometimes in the open air during the usual colds of December and January; and yet there were only two instances of fickness, and only one of death, in that body of men in the course of near fix weeks, in those winter months, This extraordinary healthiness of so great a number of men under fuch trying circumstances, can only be ascribed to the vigor infused into the human body by the victory of Trenton having produced infenfibility to all the usual remote causes of diseases.

MILITIA officers and foldiers, who enjoyed good health during a campaign, were often affected by fevers and other diforders, as foon as they returned to their respective homes. I knew one instance of a militia captain, who was seized with convulsions the first night he lay on a feather bed, after sleeping several months on a matrass, or upon the ground. These affections of the body appeared to be produced only by the sudden abstraction of that tone in the system which was excited by a sense of danger, and the other invigorating objects of a military life.

THE NOSTALGIA of Doctor Cullen, or the homefickness, was a frequent disease in the American army, more especially among the soldiers of the New-England states. stion of the mind under the influence of the principles which governed common foldiers in the American army. Of this General Gates furnished me with a remarkable instance in 1776, soon after his return from the command of a large body of regular troops and militia at Ticonderoga. From the effects of the noftalgia, and the seebleness of the discipline, which was exercised over the militia, desertions were very frequent and numerous in his army, in the latter part of the campaign; and yet during the three weeks in which the general expected every hour an attack to be made upon him by General Burgoyne, there was not a single desertion from his army, which consisted at that time of 10,000 men.

THE patience, firmness, and magnanimity with which the officers and soldiers of the American rmy endured the complicated evils of hunger, cold, and nakedness, can only be ascribed to an insensibility of body, produced by an uncommon tone of mind excited by the love of liberty and their country.

Before I proceed to the fecond general division of this subject, I shall take notice, that more instances of apoplexies occurred in the city of Philadelphia, in the winter of 1774, 5, than had been known in former years. I should have hesitated in recording this sact, had I not found the observation supported by a fact of the same kind, and produced by a nearly similar cause, in the appendix to the practical works of Doctor Baglivi, professor of physic and anatomy at Rome. After a very wet season in the winter of 1694, 5, he informs us, that "apoplexies displayed their rage; and perhaps (adds our author) that some part of this "epidemic

" epidemic illness was owing to the universal grief and " domestic care, occasioned by all Europe being en-" gaged in a war. All commerce was diffurbed, and " all the avenues of peace blocked up, fo that the " ftrongest heart could scarcely bear the thoughts of " it." The winter of 1774, 5, was a period of uncommon anxiety among the citizens of America. Every countenance wore the marks of painful folicitude, for the event of a petition to the throne of Britain, which was to determine whether reconciliation, or a civil war, with all its terrible and destroying consequences, were to take place. The apoplectic fit, which deprived the world of the talents and virtues of the Honorable Peyton Randolph, Efg. while he filled the chair of congress in 1775, appeared to be occasioned by the pressure of the uncertainty of those great events upon his mind. To the name of this illustrious patriot, feveral others might be added, who were affected by the apoplexy in the same memorable year. At this time, a difference of opinion upon the subject of the contest with Great-Britain, had scarcely taken place among the citizens of America.

II. THE political events of the revolution produced different effects upon the human body, through the medium of the mind, accordingly as they acted upon the friends or enemies of the revolution.

I SHALL first describe its effects upon the former class of citizens of the United States.

MANY persons of insurm and delicate habits, were restored to persect health, by the change of place, or occupation, to which the war exposed them. This was the case in a more especial manner with hysterical women,

women, who were much interested in the successful issue of the contest. The same essects of a civil war upon the hysteria, were observed by Doctor Cullen in Scotland, in the years 1745 and 1746. It may perhaps help to extend our ideas of the influence of the passions upon diseases, to add, that when either love, jealously, grief, or even devotion, wholly engross the female mind, they seldom fail, in like manner, to cure, or to suspend hysterical complaints.

THE population in the United States was more rapid from births during the war, than it had ever been in the same number of years since the settlement of the country.

I AM disposed to ascribe this increase of births chiefly to the quantity and extensive circulation of money, and to the facility of procuring the means of subsistence during the war, which savoured marriages among the labouring part of the people*. But I have sufficient documents to prove, that marriages were more fruitful than in former years, and that a considerable number of unfruitful marriages became fruitful during the war. In 1783, the year of the peace, there were several children born of parents who had lived many years together without issue.

Mr. Hume informs us, in his history of England, that some old people, upon hearing the news of the restoration of Charles the IId, died suddenly of joy. There was a time when I doubted the truth of this affertion;

^{*} Wheat, which was fold before the war for feven shillings and sixpence, was sold for several years during the war for sour, and in some places for two and sixpence, Pennsylvania currency per bushel. Beggars of every description disappeared in the year 1776, and were seldom seen till near the close of the war.

fertion; but I am now disposed to believe it, from having heard of a similar effect from an agreeable political event, in the course of the American revolution. The door-keeper of congress, an aged man, died suddenly, immediately after hearing of the capture of Lord Cornwallis's army. His death was universally ascribed to a violent emotion of political joy. This species of joy appears to be one of the strongest emotions that can agitate the human mind.

PERHAPS the influence of that ardor in trade and fpeculation, which feized many of the friends of the fevolution, and which was excited by the fallacious nominal amount of the paper money, should rather be confidered as a difease than as a passion. It unhinged the judgement, deposed the moral faculty, and filled the imagination, in many people, with airy and impracticable schemes of wealth and grandeur. Defultory manners, and a peculiar species of extempore conduct, were among its characteristic fymptoms. It produced infensibility to cold, hunger, and danger. The trading towns, and in some instances the extremities of the United States, were frequently visited in a few hours or days by perfons affected by this difeafe; and hence " to travel with the fpeed of a fpeculator" became a common faying in many parts of the country. This species of infanity (if I may be allowed to call it by that name) did not require the confinement of a bedlam to cure it, like the fouth-fea madness described by Doctor Mead. Its remedies were the depreciation of the paper money, and the events of the peace.

THE political events of the revolution produced upon its enemies very different effects from those which have been mentioned. The hypochondriasis of Doctor Cullen, occurred in many instances in persons of this description. In some of them, the terror and distress of the revolution, brought on a true melancholia*. The causes which produced these diseases, may be reduced to sour heads.

1. The loss of former power or influence in government.

2. The destruction of the hierarchy of the English church in America.

3. The change in the habits of diet, company and manners, produced by the annihilation of just debts by means of depreciated paper money. And, 4. The neglect, insults, and oppression, to which the loyalists were exposed, from individuals, and in several instances, from the laws of some of the states.

It was observed in South-Carolina, that several gentlemen who had protected their estates by swearing allegiance to the British government, died soon after the evacuation of Charleston by the British army. Their deaths were ascribed to the neglect with which they were treated by their ancient friends, who had adhered to the government of the United States. The disease was called, by the common people, the Protection Fever.

FROM the causes which produced this hypochondriasis, I have taken the liberty of distinguishing it by the specific name of *Revolutiana*.

In some cases, this disease was rendered satal by exile and confinement; and, in others, by those persons who were afflicted with it, seeking relief from spirituous liquors.

THE

^{*} Infania partialis fine dyspepsia, of Doctor Cullen.

did not terminate the American revolution. The minds of the citizens of the United States were wholly unprepared for their new fituation. The excess of the passion for liberty, inflamed by the successful issue of the war, produced, in many people, opinions and conduct which could not be removed by reason, nor restrained by government. For a while, they threatened to render abortive the goodness of heaven to the United States, in delivering them from the evils of slavery and war. The extensive influence which these opinions had upon the understandings, passions, and morals of many of the citizens of the United States, constituted a species of infanity, which I shall take the liberty of distinguishing by the name of Anarchia.

I HOPE no offence will be given by the freedom of any of these remarks. An inquirer after philosophical truth, should consider the passions of men in the same light that he does the laws of matter or motion. The friends and enemies of the American revolution must have been more or less than men, if they could have suffained the magnitude and rapidity of the events that characterised it, without discovering some marks of human weakness, both in body and mind. Perhaps these weaknesses were permitted, that human nature might receive fresh honors in America, by the contending parties (whether produced by the controversies about independence or the national government) mutually forgiving each other, and uniting in plans of general order and happiness.

AN

INQUIRY

INTO THE

Relation of Tastes and Aliments
TO EACH OTHER;

AND INTO THE

Health and Pleasure.

IN entering upon this subject, I feel like the clown, who, after several unsuccessful attempts to play upon a violin, threw it hastily from him, exclaiming at the same time, that "there was music in it," but that he could not bring it out.

I SHALL endeavour, by a few brief remarks, to lay a foundation for more successful inquiries upon this difficult subject.

ATTRACTION and repulsion seem to be the active principles of the universe. They pervade not only the greatest but the minutest works of nature. Salts, earths, inflammable bodies, metals, and vegetables, have all their respective relations to each other. The order of these relations is so uniform, that it has been ascribed by some philosophers to a latent principle of intelligence pervading each of them.

COLORS, odors, and founds, have likewife their respective relations to each other. They become agreeable and difagreeable, only in proportion to the natural or unnatural combination which takes place between each of their different species.

IT is remarkable, that the number of original colors and notes in music is exactly the same. All the variety in both proceeds from the difference of combination. An arbitrary combination of them is by no means productive of pleasure. The relation which every color and found bear to each other, was as immutably established at the creation, as the order of the heavenly bodies, or as the relation of the objects of chemistry to each other.

BUT this relation is not confined to colors and founds alone. It probably extends to the objects of human aliment. For example; bread and meat, meat and falt, the alkalescent meats and acescent vegetables, all harmonize with each other upon the tongue; while fish and flesh, butter and raw onions, fish and milk, when combined, are all offensive to a pure and healthy tafte.

IT would be agreeable to trace the analogy of founds and taftes. They have both their flats and their sharps. They are both improved by the contrast of discords. Thus pepper, and other condiments, (which are difagreeable when taken by themselves) enhance the relish of many of our aliments, and they are both delightful in proportion as they are simple in their composition. To illustrate this analogy by more examples from music, would lead us from the subject of the present inquiry.

It is observable that the tongue and the stomach, like instinct and reason, are, by nature, in unison with each other. One of these organs must always be disordered, when they disagree in a single article of aliment. When they both unite in articles of diet that were originally disagreeable, it is owing to a perversion in each of them, similar to that which takes place in the human mind, when both the moral faculty and the conscience lose their natural sensibility to virtue and vice.

UNFORTUNATELY for this part of science, the taste and the stomach are so much perverted in infancy and childhood by heterogeneous aliment, that it is difficult to tell what kinds and mixtures of food are natural, and what are artificial. It is true, the system possesses a power of accommodating itself both to artificial food, and to the most discordant mixtures of that which is natural; but may we not reasonably suppose, that the system would preserve its natural strength and order much longer, if no such violence had been offered to it?

If the relation of aliments to each other follows the analogy of the objects of chemistry, then their union will be influenced by many external circumstances, such as heat and cold, dilution, concentration, rest, motion, and the addition of substances which promote unnatural, or destroy natural mixtures. This idea enlarges the field of inquiry before us, and leads us still further from facts and certainty upon this subject, but at the same time it does not preclude us from the hope of obtaining both; for every difficulty that arises out of this view of the subject, may be removed by observation and experiment.

I COME now to apply these remarks to health and pleasure. I shall select only a few cases for this purpose; for if my principles are true, my readers cannot avoid discovering many other illustrations of them.

- 1. WHEN an article of diet is grateful to the tafte, and afterwards difagrees with the stomach, may it not be occasioned by some other kind of food, or by some drink being taken into the stomach, which refuses to unite with the offending article of diet?
- 2. MAY not the uneafiness which many persons feel after a moderate meal, arise from its having confished of articles of aliment which were not related to each other?
- g. MAY not the delicacy of stomach which sometimes occurs after the fortieth or forty-fifth year of human life, be occasioned by nature recovering her empire in the stomach, so as to require simplicity in diet, or such articles only of aliment, as are related? May not this be the reason why most people, who have passed those periods of life, are unable to retain or to digest sish and slesh at the same time, and why they generally dine only upon one kind of sood?
- 4. Is not the language of nature in favor of simplicity in diet, discovered by the avidity with which the luxurious and intemperate often seek relief from variety and satiety, by retreating to spring water for drink, and to bread and milk, for aliment?
- 5. MAY not the reason why plentiful meals of fish, venison, oysters, beef or mutton, when eaten alone,

ie so easily in the stomach, and digest so speedily, be occasioned by no other food being taken with them? A pound, and even more, of the above articles, frequently oppress the system much less than half the quantity of heterogeneous aliments.

- 6. Does not the facility with which a due mixture of vegetable and animal food digests in the stomach, indicate the certainty of their relation to each other?
- 7. May not the peculiar good effects of a diet wholly vegetable, or animal, be occasioned by the more frequent and intimate relation of the articles of the same kingdoms to each other? And may not this be the reason why so few inconveniencies are felt from the mixture of a variety of vegetables in the stomach?
- 8. May not the numerous acute and chronic difeases of the rich and luxurious, arise from heterogeneous aliments being distributed in a diffused, instead of a mixed state, through every part of the body?
- 9. May not the many cures which are afcribed to certain articles of diet, be occasioned more by their being taken alone, than to any medicinal quality inherent in them? A diet of oysters in one instance, of strawberries in another, and of sugar of roses in many instances, has cured violent and dangerous disorders of the breast*. Grapes, according to Doctor Moore, when eaten in large quantities, have produced the same falutary effect. A milk diet, persisted in for several years, has cured the gout. I have seen many cases of dyspepsia cured by a simple diet of beef or mutton, and have

have heard of a well attested case of a diet of veal alone having removed the same disorder. Squashes, and turnips likewise, when taken by themselves, have cured that distressing complaint in the stomach. It has been removed even by milk, when taken by itself in a moderate quantity*. The further the body, and more especially the stomach, recede from health, the more this simplicity of diet becomes necessary. The appetite in these cases does not speak the language of uncorrupted nature. It frequently calls for various and improper aliment; but this is the essect of intemperance having produced an early breach between the taste and the stomach.

PERHAPS the extraordinary cures of obstinate diseases which are sometimes performed by persons not regularly educated in physic, may be occasioned by a long and steady perseverance in the use of a single article of the materia medica. Those chemical medicines which decompose each other, are not the only substances which deseat the intention of the prescriber. Galenical medicines, by combination, I believe, frequently produce effects that are of a compound and contrary nature to their original and simple qualities. This remark is capable of extensive application, but I quit it as a digression from the subject of this inquiry.

10. I WISH it to be observed, that I have condemned the mixture of different aliments in the stomach only in a few cases, and under certain circumstances. It remains yet to determine by experiments, what changes are produced upon aliments by heat, dilution, addition, concentration, motion, rest, and the addition

of

^{*} Medical observations and inquiries; Vol. 6. p. 310. 319.

of uniting substances, before we can decide upon the relation of aliments to each other, and the influence of that relation upon health. The olla podrida of Spain, is said to be a pleasant and wholesome dish. It is probably rendered so, by a previous tendency of all its ingredients to putrefaction, or by means of heat producing a new arrangement, or addition new relations of all its parts. I suspect heat to be a powerful agent in disposing heterogeneous aliments to unite with each other; and hence a mixture of aliments is probably less unhealthy in France and Spain, than in England, where so much less fire is used in preparing them than in the former countries.

As too great a mixture of glaring colors, which are related to each other, becomes painful to the eye, so too great a mixture of related aliments oppresses the stomach, and debilitates the powers of the system. The original colors of the sky, and of the surface of the globe, have ever been found the most permanently agreeable to the eye. In like manner, I am disposed to believe that there are certain simple aliments which correspond, in their sensible qualities, with the intermediate colors of blue and green, that are most permanently agreeable to the tongue and stomach, and that every deviation from them is a departure from the simplicity of health and nature.

11. WHILE nature feems to have limited us to fimplicity in aliment, is not this restriction abundantly compensated by the variety of tastes which she allows us to impart to it in order to diversify and increase the pleasure of eating? It is remarkable that salt, sugar, mustard, horse-radish, capers, and spices of all kinds, according to Mr. Gosse's experiments, related by Ab-

bè Spallanzani*, all contribute not only to render aliments favoury, but to promote their digestion.

- 12. When we consider, that part of the art of cookery consists in rendering the taste of aliments agreeable, is it not probable that the pleasure of eating might be increased beyond our present knowledge upon that subject, by certain new arrangements or mixtures of the substances which are used to impart a pleasant taste to our aliment?
- 13. Should philosophers ever stoop to this subject, may they not discover and ascertain a table of the relations of sapid bodies to each other, with the same accuracy that they have ascertained the relation of the numerous objects of chemistry to each other?
- 14. WHEN the tongue and flomach agree in the fame kinds of aliment, may not the increase of the pleasure of eating be accompanied with an increase of health and a prolongation of life?
- 15. Upon the pleasure of eating, I shall add the following remarks. In order to render it truly exquisite, it is necessary that all the senses, except that of taste, should be as quiescent as possible. Those perfons mistake the nature of the appetite for food, who attempt to what it by accompanying a dinner by a band of music, or by connecting the dining table with an extensive and delightful prospect. The excitement of one sense, always produces collapse in another. Even conversation sometimes detracts from the pleasure of eating; hence great seeders love to eat in silence, or alone; and hence the speech of a passionate Frenchman, while

while dining in a talkative company, was not for improper as might at first be imagined. "Hold your tongues, (said he) I cannot taste my dinner." I know a physician who, upon the same principle, always shuts his eyes, and requests silence in a sick chamber, when he wishes to determine by the pulse the propriety of blood-letting, in cases where its indication is doubtful. His perceptions become more distinct, by consining his whole attention to the sense of feeling.

It is impossible to mention the circumstance of the fenses acting only in succession to each other in the enjoyment of pleasure, without being struck by the impartial goodness of Heaven, in placing the rich and the poor so much upon a level in the pleasures of the table. Could the numerous objects of pleasure, which are addressed to the ears and the eyes, have been possessed at the same time, with the pleasure of eating, the rich would have commanded three times as much pleasure in that enjoyment as the poor; but this is so far from being the case, that a king has no advantage over a beggar, in eating the same kind of aliment.

WITH this remark, I shall close this collection of Inquiries and Observations. To the interests of science and humanity, I thus publicly devote them. If the histories of epidemics, which I have given, contain no discoveries, they may perhaps prove useful, by shewing the degrees of affinity between similar diseases in the same latitudes, and in the same state of society in different countries, and thereby contribute to form a complete system of the history of epidemics.

I SHALL make no apology for having fuggefled several new remedies for common diseases. Each of those remedies has been so often, and so successfully, administered in Philadelphia, and in the neighbouring flates, that I shall leave them to plead their own cause before the bar of the public.

An apology will be more necessary for those opinions in which I have taken the liberty of differing from some of the present established systems of medicine. My motives for publishing these opinions were, that if true, they might be placed in a fituation to receive support from the inquiries and observations of other physicians; and if they are erroneous, that they might, as speedily as possible, be examined and refuted. Nor will my errors be without benefit to medicine. " Men (fays M. de Fontenelle) cannot, upon " any fubject, arrive at what is rational, till they have " first, on that very subject, exhausted all imaginable-" folly. How many abfurdities (adds the fame en-" lightened author) should we not now utter, if the " ancients had not faid them before us, and thus de-" livered us from the trouble of repeating them."-The uniformity of nature in this inflance, with her conduct in the production of moral happiness, deferves our particular attention. As good can be known by mortals, only by the means of evil; fo truth, perhaps, can be difcovered by them, only through the means of error.

APPENDIX:

CONTAINING,

THE

NEW METHOD

OF

Inoculating for the Small-Pox.

SYLVANIA, ON THE 20th OF FEBRUARY, 1781.

ALSO,

OBSERVATIONS

ON THE

Duties of a Physician,

AND THE

METHODS OF IMPROVING MEDICINE,

ACCOMMODATED TO THE PRESENT STATE OF SOCIETY,

7th of February 1789, AT THE CONCLUSION OF A COURSE OF LECTURES UPON CHEMISTRY AND THE PRACTICE OF PHYSIC.

PUBLISHED AT THE REQUEST OF THE CLASS.

BY

BENJAMIN RUSH, M.D.

PROFESSOR OF CHEMISTRY IN THE UNIVERSITY OF PENNSYLVANIA.

THE SECOND EDITION WITH ADDITIONS.

PHILADELPHIA:

FRINTED AND SOLD BY PRICHARD & HALL, IN MARKS

M.Dec.LXXXIX.

APPENDIX:

2119

COHTAM WEN

e for she Small For

CHARLEST TO THE PARTY OF THE PARTY TO THE PA

MERCH

CHRENNALONS

indian of a Thillician,

METHODS OF IMPROVING MEDICE

Eugenter the annual design of the section of the

CAR TO CONTRACT THE CAR SERVICE TO STATE OF THE PARTY OF

Continue of the state of the st

COMMENDED AND MALESTAN

The later than the state of the

SHALLIS AND ALLESSES

Company of all the state of the

AN INDINGAGE

GENTLEMEN,

IT must afford no small pleasure to a benevolent mind in the midst of a war, which daily makes so much havoc with the human species, to reslect, that the small-pox which once proved equally satal to thousands, has been checked in its career, and in a great degree subdued by the practice of INOCULATION.

It is foreign to my purpose to deliver to you the history of this art, and to mark the various steps that have attended its progress to its present state of improvement. We have yet to lament the want of uniformity and of equal success in the practice of it among physicians. A great number of pamphlets have been written upon the subject without exhausting it. There is still ample room lest for the man of genius to exercise his talents for observation and reasoning upon it. The facts I mean to lay before you are so inconsiderable, compared with what still remain to be known upon this subject, that I have to request, when your knowledge in it is compleated, that you would bury my name in silence; and forget that ever I ventured to lay a single stone in this part of the sabric of science.

In treating upon this subject, I shall

- I. CONSIDER the proper subjects and seasons for inoculation.
- II. I SHALL describe the method of communicating the disorder.

III. I SHALL

- III. I SHALL confider the method of preparing the body for the small-pox.
- IV. I SHALL mention the treatment proper during the eruptive fever; and,
- V. POINT out a few cautions that are necessary after the disease is over.
- I. FORMERLY there were great difficulties in the choice of the subjects for Inoculation. But experience teaches us that it may be practifed in every stage of life, and in almost every condition of the human body. In infancy the periods before and after dentition are to be preferred. But we feldom fee any great inconveniencies from fubmiting to the general necessity of inoculating children between the ages of three months and two years. Indeed we often fee children cut three or four teeth during the preparation and eruptive fever without the least addition being made to any of the troublesome symptoms which accompany the small-pox. There is one inconvenience attending the choice of the first months of infancy for inoculating, and that is, the matter often fails of producing the diforder in fuch young fubjects. I have frequently failed in two or three attempts to communicate the diforder to children under four months old with the fame matter that has fucceeded in a dozen other patients inoculated at the fame time. When the inoculation fucceeds in fuch tender fubjects, they generally have lefs fever, and fewer pustules, than are common in any future period of life.

ALTHOUGH a physician would prefer a patient in good health to any other as a subject for inoculation, yet cases often occur in which it is necessary to communi-

cate the fmall-pox while the body is affected with fome other diforder. I can with pleasure inform you, that the small-pox is rendered so perfectly fafe by inoculation, that there are few chronic difeases which should be considered as obstacles in the way of it. I have inoculated patients labouring under a tertian fever, obstructed viscera, the hooping cough, the hypochondriasis, the ashma, the itch, and other cutaneous disorders, and even pregnant women, with the same, and in some instances, with greater success than perfons in perfect health. Doct. Cullen informs us that he has feen inoculation fucceed in fcrophulous patients. A physician in Jamaica informed me that he had inoculated Negroes with fuccess in the worst stage of the yaws. To these facts I must add one more extraordinary than any that has been yet mentioned; Doct. Brown, my late colleague in the care of the military hospitals, informed me, that he had seen inoculation fucceed in patients who were feized, after the infection was communicated, with the hospital fever. The preparation of the body should be accommodated to the disease which affects it. Some physicians have thought the fmall-pox received in this way, was a remedy for other diseases, but my experience has not confirmed this opinion. On the contrary, I am difposed to think that no other change is produced by inoculation than by the regimen and medicines that are used to prepare the body for the small-pox. Nor does the fmall-pox, during its continuance, afford any fecurity against the attacks of other diseases. I have feen the most alarming complication of the small-pox and measles in the same person.

THE feafons commonly preferred for inoculation in this country are, the fpring and fall. It may be practifed tised with equal safety in the winter, a due regard being had to the temperature of the air in the preparation of the body.

THE principal objection to inoculating in the fummer months in this climate, arises from the frequency of bilious disorders at that season, to which the preparation necessary for the small-pox probably disposes the body. This caution applies more directly to children who at a certain age are more subject than grown people to a disorder in their bowels in warm weather.

II. THE methods of communicating the small-pox by inoculation, have been different in different countries, and in the different æras of its progress towards its present stage of improvement. The scab, dossel of lint, and the thread impregnated with variolous matter and bound up in a gash in the arm, have been laid aside.

We are indebted to Mr. Sutton for the mode of communicating it by a flight puncture with the point of a lancet, or needle, dipt in fresh matter. As it is difficult sometimes to procure matter in a fresh state, I have been led to use it with equal success by preserving it on lint in a box, and moistening it with cold water just before I used it. Matter may be kept in this way for a month without losing its insectious quality, provided it be not exposed to heat or moisture. The former destroys its power of insecting as certainly as the salt of tartar destroys the acidity of vinegar. Moisture by remaining long upon the matter, probably destroys its virulence by subjecting it to fermentation. The longer matter has been kept in a general way, the longer the distance will be between the time

of communicating the diforder and the eruptive fever. It will be proper always to yield to the prejudices of our patients in favour of matter taken from persons who have but few pustules. But I am persuaded from repeated observations, that the disease is no ways influenced by this circumstance. I am satisfied likewise that there is no difference between the effects of the matter, whether it be taken in its watery or purulent state. The puncture should not be larger than is sufficient to draw one drop of blood, but it should always be made by a Sharp lancet, for the sudden inflammation and suppuration, excited by a dull lancet, fometimes throw off the matter fo as to prevent its infecting the body*. No plaster or bandage should be applied over the puncture. It should be made in the left arm of all fubjects. The objections to inoculating in the leg are too obvious to be mentioned. I have heard of the disease being communicated by rubbing the dry skin with the matter. My own observations upon this subject give me reason to suspect the facts that are contained in books relative to this mode of infecting the body. I have bound large pieces of lint dipt in fresh matter for 24 hours upon the arm, without producing the disorder. A practitioner of physic in New-Jerfey informed me that he once gave a confiderable quantity of fresh variolous matter in a dose of physic without infecting his patient. I suspect the matter that produces the disease is of the same nature with certain poisons, which require to be brought in contact with a wound or fore in the body before they produce their effects. I deliver this opinion with diffidence. The fubject

I am disposed to believe that the external applications which are used by the Indians for the cure of the bite of poisonous snakes, act only by exciting inflammation and suppuration, which discharge the poison from the wound before it is absorbed. All their external remedies are of a simulating nature.

fubject stands in need of more experiments and investi-

III. I COME now to consider the best method of preparing the body for the small-pox. This must be done, ift by DIET, and 2dly by MEDICINE. DIET should confift chiefly of vegetables. I have never feen any inconvenience from the free use of milk as a part of the preparative diet. In some habits, where a morbid acid prevails in the stomach, we may indulge our patients in a little weak flesh broth two or three times a week with fafety. Tea, coffee, and even weak chocolate, with bifcuit or dry toast, may be used as usual, by persons accustomed to that kind of aliment. Wine and spirits of all kinds should be withheld from our patients during the preparation. The more acefcent their drinks are, the better. It is unnecessary that this change in the diet should take place till a day or two before the time of communicating the diforder. The fystem accommodates to a vegetable and low diet in the course of three weeks or a month, so as to defeat in some measure the advantages we expected from it. The good effects of it appear to depend in a great degree upon the suddenness with which we oblige our patients to conform to it. For this reason, when we are called upon to inoculate perfons who have lived more than three or four weeks upon a low diet, we should always direct them to live a few days upon animal food before we communicate the diforder to them. By these means we may produce all the good effects of the sudden change in the diet I have already 2. The MEDICINES most commonly mentioned. used to prepare the body for the small-pox are antimony and mercury. The latter has had the preference, and has been given in large quantities under a notion

of its being a specific antidote to the variolous matter. Many objections might be made to this opinion; I shall mention only three.

- 1. WE often fee the diforder in a high degree after the fystem is fully impregnated with mercury.
- 2. We often see the same salutary effects of mercury when given before the disorder is communicated to the body, that we perceive when it is given after inoculation; in which case we are sure the mercury cannot enter into mixture with the variolous matter so as to destroy it.
- 3. If mercury acted specifically in destroying the variolous matter, it would render every other part of the preparation unnecessary, but this we know is not the case, for the neglect or improper use of the vegetable diet or cool regimen is often attended with an extraordinary number, or virulence of the small-pox, even in those cases where mercury is given in the largest quantity.

THE way in which mercury prepares the body for the small-pox, seems to be by promoting the several excretions, particularly that by perspiration, which by diminishing the quantity of the sluids and weakening the tone of the solids, renders the system less liable to a plentiful eruption of the small-pox. But I object to the use of this medicine for the sollowing reasons.

1. It effectually deprives us of all the benefits of the cool regimen; for mercury, we know, always disposes the fystem to take cold.

2. All the good effects of mercury may be procured by PURGES which do not subject the body to the above mentioned inconvenience.

THE PURGES may be fuited to the constitutions, and in some cases, even to the inclinations of our patients. I have seen jalap, rhubarb, senna, manna, aloes, soluble tartar, Glauber and Epsom salts, and the butternut pill, all given with equal success. The quantity should be sufficient to procure three or sour stools every day. A little magnesia should always be mixed with rhubarb and jalap in preparing children. It will be sufficient for the mothers and nurses of infants to conform strictly to the vegetable diet. I have never seen any advantages from giving them even a single dose of physic.

It is hardly necessary to observe, that the quality, dose, and number of purges are to be determined by the age, sex, and habits of our patients. A constitution enseebled with a previous disease forbids the use of purges, and requires medicines of a restorative kind. Patients afflicted with cutaneous disorders bear larger and more frequent doses of physic than are indicated in more healthy subjects.

In adult subjects of a plethoric habit, bloodletting is very useful on the third or fourth day after inoculation. We are not to suppose, that every fat person labours under a plethora. A moderate degree of fat is so far from rendering the disease more violent, especially in children, that I think I have generally sound such subjects have the small-pox more savourably than others. MODERATE exercise in the open air should be used during the preparation. But hard labour and every thing that promotes sweat or satigue, as also the extremes of heat and cold, should be avoided.

IV. WE come now to consider the treatment of the body during the eruptive fever. On the eighth day after inoculation our patients are generally feized with the common fymptoms of fever. Sometimes this fever appears on the fixth and feventh day after inoculation. But when it is irregular it is often delayed till the ninth and tenth days. I have feen many instances of it on the fourteenth, a few on the fifteenth and fixteenth, and one case in which it did not come on till the eighteenth day after the infection was communicated to the body*. The place where the puncture was made with the lancet or needle generally ferves as an harbinger of the approaching fever. A flight inflammation appears about it and a pock rifes up in the center. But this remark is liable to some objections. I have seen four inflances in which the fever came on at the expected time, and the diforder went thro' all its stages with the greatest regularity, and yet there was no fign of an inflammation or pock near the fpot where the puncture was made: even the puncture itself became invisible. On the other hand we sometimes fee an inflammation and pock on the arm appear on the eighth and ninth days without any fever accompanying

^{*} Since the publication of the first edition of this lecture, I have heard of two cases, in one of which the sever did not come on till the 20th, and in the other till the 21st day after the insection was communicated to the body. In some of these tedious cases, I have seen an inflammation and suppuration on the punctured part of the arm on the 8th day without any sever. Perhaps in these cases the inflammation and suppuration are only cuticular, and that the small-pox is taken from the matter which is formed by them.

panying them. Some physicians pretend that this inflammation and folitary pock are fufficient to constitute the disease, but repeated experience has taught me to be very cautious in relying upon thefe equivocal marks. It is true, I have fometimes feen patients fecured against the small-pox both in the natural way and by inoculation where thefe marks have appeared; but I have as often feen fuch patients feized afterwards with the fmall-pox in the natural way to the great distress of families and mortification of physicians. Upon this account I make it a constant practice to advise a second or third inoculation where a fever and eruption have been wanting. As the absence of these symptoms is probably occasioned by the weakness or age of the variolous matter, or the too high state of preparation of the body, we should always guard against both, by making the puncture the fecond time with fresh matter, by fubjecting our patients to a less absternious diet, and by giving fewer dofes of physic. I have heard it remarked, that if a flight redness and a fmall pimple appeared on the arm on the third day after inoculation, it was a fign the matter had infected the whole constitution. I acknowledge I have often seen a greater degree of redness on the third than on the fecond day after inoculation, but I have not been able to establish a diagnostic mark from it; for I have feen the difease produced on the usual days where the redness has appeared on the second day, and in some cases where it has not appeared until the eruptive fever.

I AM led here unwillingly to discuss the old question, Is it possible to have the small-pox in the natural way after inoculation?—In many of the cases

cases supposed to be the small-pox from inoculation, it is probable the matter has been taken from the chicken-pox, which refembles the fmall-pox in many of its peculiarities, but in none more than that of leaving pits or marks on the skin. But there are certainly cases where there are the most irrefragible proofs of the infection implanted by inoculation being of a variolous nature, where the diforder has been afterwards taken in the natural way. In these cases I would suppose the variolous matter produced only a topical or cuticular diforder. We fee fomething analogous to this in nurses who attend patients in the small-pox. But further, this topical or cuticular infection may be produced by art in perfons who have had the fmall-pox in the natural way. Some years ago I made a puncture on my left hand with a lancet moistened with variolous matter. On the eighth day an inflammation appeared on the place accompanied with an efflorescence in the neighbourhood of it, which extended about two inches in every direction from the spot where the puncture was made. On the eleventh day I was furprifed to find two pocks (if I may venture to call them fuch) the one on the outfide of the fourth finger of my left hand, and the other on my forehead. They remained there for feveral days but without filling with matter, and then dropped off rather in the form of a foft wart than of a common fcab. Doct. Way of Wilmington repeated the fame experiment upon himfelf, but with an iffue to his curiofity more extraordinary than that I have just now related. On the eighth day after he had made a puncture on his hand, a pock appeared on the fpot, which in the usual time filled with matter, from which he inoculated feveral children, who fickened at the ufual time,

and went thro' all the common stages and symptoms of the small-pox. It would seem from these facts, that it is necessary the small-pox should produce some impression upon the whole system, in order to render it ever afterwards incapable of receiving an impression of a similar nature. A fever and an eruption therefore feem necessary for this purpose. As the inflammation of the arm on the eighth day is a fign of the topical and cuticular infection, fo an eruption (tho' ever fo fmall) feems to be the only certain fign of the infection of the whole system. The eruption is the more decifive in its report in proportion as it comes out and goes off in the usual manner of the small-pox in the natural way. In those cases where patients have been secured against a second attack of the diforder, where there have been no obvious fever or vifible eruption, I think I have observed an unusual inflammation, and a copious and long continued discharge of matter from the arm. Perhaps this may ferve as an outlet of the matter, which in other cases produces the sever and eruption. I am the more disposed to embrace this opinion from the testimony which several authors have left us of the effects of ulcers in fecuring the body from the infection of the plague. The effects of iffues are still more to our purpose. We observe a plentiful discharge of matter from them every time the body is exposed to cold, and the febrile effects of it upon the fystem are thereby frequently obviated. How far a ratio exists between the degrees of inflammation and the discharge of matter from the arm, and the degrees of fever and eruption, must be determined by future and very accurate observations. If it should appear that there are the least inflammation and smallest discharge where there have been the highest fever and most copious eruption,

that there are the greatest inslammation and discharge where there have been the least sever and smallest eruption, I must beg leave to add, without attempting in this place to explain the reasons of it, that the remark, if generally true, is liable to some exceptions. But the subject is involved in darkness; I shall be satisfied if I have brought you within sight of the promised land. Your own ingenuity, like another Jewish leader, must conduct you thither.

THE indications in the treatment of the body during the eruptive fever are,

- 1st. To regulate the degree of fever.
- 2d. To mitigate trouble some and alarming symptoms.

THE fever which produces the eruption is generally of the inflammatory kind. It fometimes therefore comes on with the fymptoms of great heat, preceded with chilliness, and determination to the head and breast, and a full hard pulse. The remedies proper in this case are,

- A. Bloodletting. The quantity to be drawn must be regulated by the violence of the symptoms, the constitution, habits, and even country of the patient, and by the season of the year. I have never found more than one bleeding, to the quantity of twelve or fourteen ounces, necessary in any stage or degree of the eruptive sever of the small-pox by inoculation.
- B. Cool air is of the utmost consequence in the eruptive sever. The use of this remedy in severs marks

marks an æra, not only in the management of the fmall-pox, but in medicine. The degrees of cold should always be increased in proportion to the violence of the fever. Stove-rooms, fo common in this country, should be carefully avoided. The more we oblige our patients to fet up and walk in the open air, the better. Even in those cases where they languish most for the bed, they should be encouraged rather to lie upon, than under the bed cloaths. Children should be stript of flannel petticoats that come in contact with their skins, and even clouts should be laid aside if possible, without great inconvenience, and at any rate they should be often removed. Great and obvious as the advantages of cold air appear to be in the eruptive fever, it has fometimes been used to an excess that has done mischief. There are few cases where a degree of cold below forty of Farenheit's thermometer is necessary in this stage of the smallpox. When it has been used below this, or where patients have been exposed to a damp atmosphere fome degrees above it, I have heard of inflammations of an alarming nature being produced in the throat and breaft.

- c. The bowels, more especially of children, should be kept open with gentle laxatives. And
- D. Cool subacid drinks should be used plentifully until the eruption is completed.

Sometimes the small-pox comes on with a fever the reverse of that which we have described. The heat is inconsiderable, the pulse is weak, and scarcely quicker than ordinary, and the patient complains of but slight pains in the back and head. Here the treat-

ment should be widely different from that which has been mentioned when the fever is of the inflammatory kind. Bleeding in this cafe is hurtful, and even cool air must be admitted with caution. The business of the physician in this case is to excite a gentle action in the fanguiferous system, in order to produce the degree of fever which is necessary to the eruption of the pock. For this purpose he may recommend the use of warm drinks, and even of a warm bed, with advantage. If the eruption delays beyond the third day, with all the circumstances of debility that have been mentioned, I have frequently ordered my patients to eat a few ounces of animal food, and to drink a glass or two of wine, with the most desirable success. The effects of this indulgence are most obvious where the weakness of the fever and the delay of the eruption in children, have made it necessary to allow it to mothers and nurses.

THE small-pox by inoculation so seldom comes on with the symptoms of a putrid sever, that little need be said of the treatment proper in such cases. I shall only observe, that the cold regimen in the highest degree, promises more success in these cases than in any others. I have repeatedly been told, that when the small-pox appears consluent among the Africans, it is a common practice for mothers to rub their children all over with pepper, and plunge them immediately afterwards into a spring of cold water. This, they say, destroys a great part of the pock, and disposes the remainder to a kindly suppuration. From the success that has attended the use of the cold bath in putrid severs in some parts * of Europe mentioned

^{*} In a differtation entitled " Epidemia verna que Wratislaviam, Anno 1737 afflixit," published in the appendix to the Acta Nat. Curios.

in a former lecture, I am disposed to believe in the efficacy of the African remedy.

The fever generally lasts three days, and the eruption continues for a similar length of time, counting the last day of the sever as the first day of the eruption. But this remark is liable to many exceptions. We sometimes observe the eruption to begin on the first, and often on the second day of the sever, and we sometimes meet with cases in which a second eruption comes on after the sever has abated for several days, and the first eruption considerably advanced in its progress towards a complete suppuration. This is often occasioned by the application of excessive cold or heat to the body, or by a sudden and premature use of stimulating drinks or animal food.

I COME now to treat of the best method of mitigating troublesome and alarming symptoms.

The only alarming fymptom is convulsions, to which children are subject during the time of dentition. These have been less frequent, since the liberal and judicious use of cool air in the eruptive sever than formerly. They are often relieved by putting the seet in warm water. But a more effectual and speedy method of curing them is to expose our patients suddenly to the open air. The colder the air the quicker relief it affords in these cases. To prevent the return of the fits, as well as to allay any disagreeable and troublesome startings, a few drops of laudanum should be

Vol. X. it appears, that washing the body all over with cold water in putrid severs, attended with great debility, was attended with success at Breslaw in Slessa. The practice has since been adopted we are told by several of the neighbouring countries. Cullen's first lines of the Practice of Physic.

be given. They generally yield in a little while to this excellent remedy.

THE next fymptom which demands the aid of our art, is the inflammation and fore on the arm. Poultices of all kinds should be laid aside, as tending to increase the inflammation and fore. Inflead of these, the part affected should be washed three or four times a day with cold water*. This application is not only agreeable to our patients, but foon checks the progress of the inflammation, and disposes the fore to heal about the time the eruption is completed. The eyes should likewise be washed frequently with cold water, to secure them from pustules and inflammation. With respect to those alarming or troublesome symptoms which occur in those cases where the pocks are numerous, or confluent, they happen so feldom in inoculation that they do not come properly under our notice in this place. They are moreover fully discussed by Docts. Boerhaave, Huxham, Hillary and other practical writers.

V. I COME now, in the last place, to deliver a few directions that are necessary after the eruption and suppuration are over.

It is well known that eruptions of an obstinate nature sometimes follow the small-pox. These I believe are often occasioned by a too sudden and speedy use of animal food. To guard against these disagreeable consequences of inoculation, it is of the utmost importance to enjoin a cautious and gradual return to the free use of an animal diet, and at the same time it will be necessary

^{*} Where the inflammation on the arm has been so considerable as not to yield immediately to the application of cold water, I have used the vegeto mineral water with advantage.

cessary to give our patients a dose or two of purging physic.

THUS, gentlemen, have I delivered to you a short history of the new method of inoculating for the smallpox. I am aware that prejudices are entertained against some parts of it by physicians of the most ancient name and character among us. I have witneffed the effects of the old and new methods of preparing the body upon many thousand patients, and I am satisfied not only from my own observations, but from the experience of gentlemen upon whose judgments I rely more than upon my own, that the new method is by far the fafest and most successful. Added to this, I can affure my pupils, that I have never known a fingle instance of a patient prepared and treated in the manner I have described, that ever had an abscess after the fmall-pox, or even fuch an inflammation or fore upon the arm as required the application of a poultice.

OBSERVATIONS

OBSERVATIONS

ON THE

Duties of a Physician,

AND THE

METHODS OF IMPROVING MEDICINE,

ACCOMMODATED TO THE PRESENT STATE OF SOCIETY
AND MANNERS IN THE UNITED STATES.

OF LECTURES UPON CHEMISTRY AND THE PRACTICE
OF PHYSIC.

GENTLEMEN,

I SHALL conclude our course of lectures, by delivering to you a few directions for the regulation of your future conduct and studies, in the line of your profession.

I SHALL, first, suggest the most probable means of establishing yourselves in business, and of becoming acceptable to your patients, and respectable in life.

Secondly. I SHALL mention a few thoughts which have occurred to me on the mode to be purfued, in the further profecution of your studies, and for the improvement of medicine.

I. PERMIT me, in the first place, to recommend to such of you as intend to settle in the country, to establish yourselves as early as possible upon farms. My reasons for this advice are as follow.

I. IT

- 1. It will reconcile the country people to the liberality and dignity of your profession, by shewing them that you assume no superiority over them from your education, and that you intend to share with them in those toils, which were imposed upon man in consequence of the loss of his innocence. This will prevent envy, and render you acceptable to your patients as men, as well as physicians.
- 2. By living on a farm you may ferve your country by promoting improvements in agriculture. Chemistry (which is now an important branch of a medical education) and agriculture are closely allied to each other. Hence some of the most useful books upon agriculture have been written by physicians. Witness the essays of Dr. Home of Edinburgh, and of Dr. Hunter of Yorkshire in England.
- 3. The business of a farm will furnish you with employment in the healthy seasons of the year, and thereby deliver you from the tædium vitæ, or what is worse, from retreating to low or improper company. Perhaps one cause of the prevalence of dram or grog drinking, with which country practitioners are sometimes charged, is owing to their having no regular or profitable business to employ them in the intervals of their attendance upon their patients.
- 4. The resources of a farm will create such an independence as will enable you to practice with more dignity, and at the same time screen you from the trouble of performing unnecessary services to your patients. It will change the nature of the obligation between you and them. While money is the only means of your subsistence, your patients will feel that they

are the channels of your daily bread; but while your farm furnishes you with the necessaries of life, your patients will feel more sensibly that the obligation is on their side, for health and life.

- 5. The exigencies and wants of a farm, in stock and labor of all kinds, will enable you to obtain from your patients a compensation for your services in those articles. They all possess them; and men part with that of which money is only the sign, much more readily than they do with money itself.
- 6. The resources of a farm will prevent your cherishing, for a moment, an impious wish for the prevalence of sickness in your neighbourhood. A healthy season will enable you to add to the produce of your farm, while the rewards of an unhealthy season will enable you to repair the inconvenience of your necessary absence from it. By these means your pursuits will be marked by that variety and integrity, in which true happiness is said to consist.
- 7. LET your farms be fmall, and let your principal attention be directed to grafs and horticulture. These afford most amusement, require only moderate labor, and will interfere least with your duties to your profession.
- II. Avoid fingularities of every kind in your manners, drefs, and general conduct. Sir Isaac Newton, it is faid, could not be distinguished in company, by any peculiarity, from a common well-bred gentleman. Singularity in any thing, is a substitute for such great or useful qualities as command respect; and hence we find it chiefly in little minds. The profane and indelicate

delicate combination of extravagant ideas, improperly called wit, and a formal and pompous manner, whether accompanied by a wig, a cane, or a ring, should all be avoided, as incompatible with the simplicity of science and the real dignity of physic. There is more than one way of playing the quack. It is not necessary, for this purpose, that a man should advertife his skill, or his cures, or that he should mount a phæton and difplay his dexterity in operating to an ignorant and gaping multitude. A physician acts the fame part in a different way, who affumes the character of a madman or a brute in his manners, or who conceals his fallibility by an affected gravity and taciturnity in his intercourfe with his patients. Both characters, like the quack, impose upon the public. It is true, they deceive different ranks of people; but we must remember that there are two kinds of vulgar, viz. the rich and the poor; and that the rich vulgar are often below the poor, in ignorance and credulity.

III. IT has been objected to our profession, that many eminent physicians have been unfriendly to christianity. If this be true, I cannot help afcribing it in part to that neglect of public worship with which the duties of our profession are often incompatible; for it has been juftly observed, that the neglect of this religious and focial duty generally produces a relaxation either in principles or morals. Let this fact lead you, in fetting out in bufiness, to acquire such habits of punctuality in vifiting your patients, as shall not interfere with acts of public homage to the SUPREME BEING. Dr. Gregory has observed, that a cold heart is the most frequent cause of deism. Where this occurs in a physician, it affords a prefumption that he is deficient in humanity. But I cannot admit that infidelity

fidelity is peculiar to our profession. On the contrary, I believe christianity places among its friends more men of extensive abilities and learning, in medicine, than in any other fecular employment. Stahl, Hoffman, Boerhaave, Sydenham, Haller and Fothergill, were all christians: These enlightened physicians were considered as the ornaments of the ages in which they lived, and posterity has justly ranked them among the greatest benefactors of mankind.

IV. PERMIT me to recommend to you a regard to all the interests of your country. The education of a physician gives him a peculiar infight into the principles of many useful arts, and the practice of physic favours his opportunities of doing good, by diffusing knowledge of all kinds. It was in Rome, when medicine was practifed only by flaves, that phyficians were condemned by their profession " mutam exercere " artem." But in modern times, and in free governments, they should disdain an ignoble silence upon public fubjects. The history of the American revolution has rescued physic from its former slavish rank in fociety. For the honor of our profession it should be recorded, that some of the most intelligent and useful characters, both in the cabinet and the field, during the late war, have been physicians. The illustrious Dr. Fothergill opposed faction and tyranny, and took the lead in all public improvements in his native country, without fuffering thereby the least diminution of that reputation, or business, in which, for forty years, he flourished almost without a rival in the city of London.

V. STUDY simplicity in the preparation of your medicines. My reasons for this advice are as follow.

- 1. ACTIVE medicines produce the most certain effects in a simple state.
- 2. MEDICINES when mixed frequently destroy the efficacy of each other. I do not include chemical medicines alone in this remark. It applies likewise to galenical medicines. Nor do I affert that the virtues of all these medicines are impaired by mixture; but we can only determine when they are not, by actual experiments and observation.
- 3. When medicines of the same class, or even of different classes, are given together, the strongest only produces an effect. But what are we to say to a compound of two medicines which gives exactly the same degrees of impression to the system? The effect of them will probably be such, if we may judge from analogy, as would have been produced by neither in a simple state.
- 4. By observing simplicity in your prescriptions, you will always have the command of a greater number of medicines of the same class, which may be used in succession to each other, in proportion as habit renders the system insensible of their action.
- 5. By using medicines in a simple state, you will arrive at an exact knowledge of their virtues and doses, and thereby be able to decide upon the numerous and contradictory accounts, which exist in our books, of the characters of the same medicines.

UNDER this head I cannot help adding two more directions.

- patients, in the composition of your medicines. The nature of a medicine may, in some instances, be wholly changed, by being mixed with sweet substances. The Author of nature seems to have had a design in making medicines unpalatable. Had they been more agreeable to the taste, they would long ago have yielded to the unbounded appetites of man, and by becoming articles of diet or condiments, have lost their efficacy in diseases.
- 2. GIVE as few medicines as possible in tinctures made with distilled spirits. Perhaps there are but sew cases in which it is safe to exhibit medicines prepared in spirits, in any other form than in drops. Many people have been innocently seduced into a love of strong drink, from taking large or frequent doses of bitters insused in spirits. Let not our profession in a single instance be charged with adding to the calamities which have been entailed upon mankind by this dreadful species of intemperance.
- VI. LET me advise you, in your visits to the sick, never to appear in a hurry, nor to talk of indifferent matters before you have made the necessary inquiries into the symptoms of your patient's disease.
- VII. Avoid making light of any case; "respice "finem" should be the motto of every indisposition. There is scarcely a disorder so trisling, that has not, directly or indirectly, proved an outlet to human life. This consideration should make you anxious and punctual in your attendance upon every acute disease, and keep you from risking your reputation by an improper or hasty prognosis.

VIII. Do

VIII. Do not condemn, or oppose, unnecessarily, the simple prescriptions of your patients. Yield to them in matters of little consequence, but maintain an inflexible authority over them in matters that are essential to life,

IX. PRESERVE, upon all occasions, a composed or cheerful countenance in the room of your patients, and inspire as much hope of a recovery as you can, confistent with truth, especially in acute diseases. The extent of the influence of the will over the human body, has not yet been fully afcertained. I reject the futile pretensions of Mr. Mesmer to the cure of diseafes, by what he has abfurdly called animal magnetifm; but I am willing to derive the fame advantages from his deceptions, which the chemists have derived from the delufions of the alchemists. The facts which he has established, clearly prove the influence of the imagination and will upon difeafes. Let us avail ourselves of the aid which these powers of the mind present to us, in the strife between life and death. I have frequently prescribed remedies of doubtful efficacy in the critical stage of acute diseases, but never till I had worked up my patients into a confidence, bordering upon certainty, of their probable good effects. The fuccess of this measure has much oftener answered, than disappointed my expectations; and while my patients have commended the vomit, the purge, or the blifter which was prescribed, I have been disposed to attribute their recovery to the vigorous concurrence of the will in the action of the medicine. Does the will beget infenfibility to cold, heat, hunger, and danger? Does it suspend pain, and raise the body above feeling the pangs of Indian tortures? Let us not then be furprifed that it should enable the system

to refolve a spasm, to open an obstruction, or to discharge an offending humor. I have only time to hint at this subject. Perhaps it would lead us, if we could trace it fully, to some very important discoveries in the cure of diseases.

- X. PERMIT me to advise you to attend to that principle in the human mind, which constitutes the affociation of ideas, in your intercourse with your patients. A chamber, a chair, a curtain, or even a cup, all belong to the means of life or death, accordingly as they are affociated with cheerful or diffreffing ideas, in the mind of a patient. But this principle is of moreimmediate application in those chronic diseases which affect the mind. Nothing can be accomplished here, till we produce a new affociation of ideas. For this purpose, a change of place and company are absolutely necessary. But we must fometimes proceed much further. I have heard of a gentleman in South-Carolina, who cured his fits of low spirits by changing his clothes. The remedy was a rational one. It produced at once a new train of ideas, and thus removed the paroxysin of his disease,
 - XI. A PHYSICIAN in sickness is always a weleome visitor in a family: hence he is solicited to partake of the usual sign of hospitality in this country,
 by taking a draught of some strong drink every time he
 enters into the house of a patient. Let me charge you
 to lay an early restraint upon yourselves, by resusing
 to yield to this practice, especially in the forenoon.
 Many physicians have been led by it into habits of
 drunkenness. You will be in the more danger of falling into this vice, from the satigue and inclemency of
 weather to which you will be exposed in country practice.

tice. But you have been taught that strong drink affords only a temporary relief from those evils, and that it tends afterwards to render the body more sensible of them.

XII. MAKE it a rule never to be angry at any thing a fick man fays or does to you. Sickness often adds to the natural impatience and irritability of the temper. We are, therefore, to submit to the severe and unnecessary toils that are sometimes exacted from us, and to bear even the reproaches of our patients with meekness and filence. It is folly to refent injuries at any time, but it is cowardice to refent an injury from a fick man; fince, from his weakness and dependence upon us, he is unable to contend with us upon equal terms. You will find it difficult to attach your patients to you by the obligation of friendship or gratitude. You will fometimes have the mortification of being deferted by those patients who owe most to your skill and humanity. This led Dr. Turner to advise physicians never to chuse their friends from among their patients. But this advice can never be followed by a heart that has been taught to love true excellency, wherever it finds it. I would rather advise you to give the benevolent feelings of your hearts full fcope, and to forget the unkind returns they will often meet with, by giving to human nature-a tear. Let us not despair. From the increasing influence of reason and religion in our world, the time must foon come, when even phyficians, and the brute creation, shall become the objects of the justice and humanity of mankind.

XIII. AVOID giving a patient over in an acute disease. It is impossible to tell, in such cases, where

life ends and where death begins. Hundreds of patients have recovered who have been pronounced incurable, to the great difgrace of our profession. I know that the practice of predicting danger and death upon every occasion, is sometimes made use of by physicians, in order to enhance the credit of their prescriptions, if their patients recover, and to secure a retreat from blame, if they should die. But this mode of acting is mean and illiberal. It is not necessary that we should decide with considence at any time, upon the issue of a disease.

XIV. CASES will frequently occur in which you will be exposed to a struggle between a regard for your own reputation, and for the life of a patient. In fuch cases, let christianity determine what is to be done. That new commandment which directs us to make the measure of our love to our fellow-creatures, the same as the love of the Author of our religion was to the human race, certainly requires that we should at all times risk, and even facrifice reputation, to preserve the life of a fellow-creature. The pufillanimous, or, as he is commonly called, the fafe physician, who, absorbed wholly in the care of his own reputation, views without exertion the last conslict between life and death in a patient, in my opinion will be found hereafter to have been guilty of a breach of the fixth commandment; while the conscientious, or, as he is commonly called, the bold physician, who loses fight of his character, and even of the means of his fubfiftence, and by the use of a remedy of doubtful efficacy turns the scale in favour of life, performs an act that borbers upon divine benevolence. A phyfician who has only once in his life enjoyed the godlike pleafure that is connected with fuch an act of philanthropy, will never

never require any other confideration to reconcile him to the toils and duties of his profession.

XV. I SHALL now give some directions with respect to the method of charging for your services to your patients.

WHEN we confider the expence of a medical education, and the facrifices a physician is obliged to make of ease, society, and even health, to his profession; and when we add to these, the constant and painful anxiety which is connected with the important charge of the lives of our fellow-creatures, and above all, the inestimable value of that blessing which is the object of his fervices, I hardly know how it is possible for a patient fufficiently and justly to reward his physician. But when we confider, on the other hand, that fickness deprives men of the means of acquiring money; that it increases all the expences of living; and that high charges often drive patients from regular-bred physicians to quacks; I fay, when we attend to these confiderations, we should make our charges as moderate as possible, and conform them to the following state of things.

Avoid measuring your services to your patients by scruples, drachms, and ounces. It is an illiberal mode of charging. On the contrary, let the number and the time of your visits, the nature of your patient's disease, and his rank in his family or society, determine the figures in your accounts. It is certainly just to charge more for curing an apoplexy, than an intermitting sever. It is equally just to demand more for risking your life by visiting a patient in a contagious sever, than for curing a pleurify. You have a right

right likewise to be paid for your anxiety. Charge the fame fervices, therefore, higher to the mafter or mistress of a family, or to an only fon or daughter, who call forth all your feelings and industry, than to less important members of a family and of society. If a rich man demands more frequent visits than are necessary, and if he imposes the restraints of keeping to hours by calling in other physicians to confult with you upon every trifling occasion, it will be just to make him pay accordingly for it. As this mode of charging is strictly agreeable to reason and equity, it feldom fails of according with the reason and sense of equity of our patients. Accounts made out upon these principles, are feldom complained of by them. I shall only remark further upon this subject, that the sooner you fend in your accounts after your patients recover, the better. It is the duty of a physician to inform his patient of the amount of his obligation to him at least once a year. But there are times when a departure from this rule may be necessary. An unexpected misfortune in business, and a variety of other accidents, may deprive a patient of the money he had allotted to pay his physician. In this case, delicacy and humanity require, that he should not know the amount of his debt to his physician, till time has bettered his circumitances.

I SHALL only add, under this head, that the poor of every description should be the objects of your peculiar care. Dr. Boerhaave used to say, "they were "his best patients, because God was their paymaster." The first physicians that I have known, have found the poor the steps by which they ascended to business and reputation. Diseases among the lower class of people are generally simple, and exhibit to a physician the

the best cases of all epidemics, which cannot fail of adding to his ability of curing the complicated diseases of the rich and intemperate. There is an inseparable connection between a man's duty and his interest. Whenever you are called, therefore, to visit a poor patient, imagine you hear the voice of the good Samaritan sounding in your ears, "Take care of him, " and I will repay thee."

I COME now to the second part of this address, which was to point out the best mode to be pursued, in the further prosecution of your studies, and the improvement of medicine.

I. GIVE me leave to recommend to you, to open all the dead bodies you can, without doing violence to the feelings of your patients, or the prejudices of the common people. Preserve a register of the weather, and of its influence upon the vegetable productions of the year. Above all, record the epidemics of every feafon; their times of appearing, and difappearing, and the connection of the weather with each of them. Such records, if published, will be useful to foreigners. and a treasure to posterity. Preserve, likewise, an account of chronic cases. Record the name, age and occupation of your patient; describe his disease accurately, and the changes produced in it by your remedies; mention the doses of every medicine you administer to him. It is impossible to tell how much improvement and facility in practice you will derive from following these directions. It has been remarked, that physicians feldom remember more than the two or three last years of their practice. The records which have been mentioned, will supply this deficiency of memory, especially in that advanced stage of life when the advice of physicians is supposed to be most valuable.

II. PERMIT me to recommend to you further, the fludy of the anatomy (if I may be allowed the expression) of the human mind, commonly called metaphysics. The reciprocal influence of the body and mind upon each other, can only be afcertained by an accurate knowledge of the faculties of the mind, and of their various modes of combination and action. It is the duty of physicians to affert their prerogative, and to refcue the mental science from the usurpations of schoolmen and divines. It can only be persected by the aid and discoveries of medicine. The authors I would recommend to you upon metaphysics, are, Butler, Locke, Hartly Reid, and Beattie. These ingenious writers have cleared this sublime science of its technical rubbish, and rendered it both intelligible and useful.

III. Do not confine your studies and attention only to extraordinary cases. The most frequent outlets of human life are through the channels of common diseases. A late professor in the college of Glasgow, when a student in one of the London hospitals, was observed to be bufy in examining the pulse of a patient in a fever, while all his fellow students were employed in examining with uncommon attention the case of a child with two heads that had just been brought into the hospital. Upon being condemned by his companions for neglecting to profit by the examination of fo new a case, he answered, " I never expect in the whole course of my life to see, or hear, of another child with two heads; but I expect to meet with fevers in my practice, every day of my life." This sensible answer admits of extensive application to the advancement of medicine. Could we eradicate fevers only from our bills of mortality, how much more should we add to the population and happiness of our country, than by discovering remedies for polypi and aneurisms? IV. LET

IV. LET me remind you, that improvement in medicine is not to be derived, only from colleges and universities. Systems of physic are the productions of men of genius and learning; but those facts which conflitute real knowledge, are to be met with in every walk of life. Remember how many of our most useful remedies have been discovered by quacks. Do not be afraid, therefore, of converfing with them, and of profiting by their ignorance and temerity in the practice of physic. Medicine has its Pharisees, as well as religion. But the spirit of this sect is as unfriendly to the advancement of medicine, as it is to christian charity. By conversing with quacks, we may convey instruction to them, and thereby lessen the mischief they might otherwise do to society. But further. In the purfuit of medical knowledge, let me adviseyou to converse with nurses and old women. They will often fuggest facts in the history and cure of diseafes which have escaped the most fagacious observers of nature. Even negroes and Indians have fometimes stumbled upon discoveries in medicine. Be not ashamed to inquire into them. There is yet one more means of information in medicine which should not be neglected, and that is, to converse with persons who have recovered from indispositions without the aid of physicians. Examine the strength and exertions of nature in these cases, and mark the plain and homemade remedy to which they ascribe their recovery. I have found this to be a fruitful fource of instruction, and have been led to conclude, that if every man in a city, or a district, could be called upon to relate to persons appointed to receive and publish his narrative, an exact account of the effects of those remedies which accident or whim has fuggested to him, it would furnish a very useful book in medicine. To preserve the facts

facts thus obtained, let me advise you to record them in a book to be kept for that purpose. There is one more advantage that will probably attend the inquiries that have been mentioned; you may discover diseases, or symptoms of diseases, or even laws of the animal economy, which have no place in our systems of no-sology, or in our theories of physic.

V. In dangerous cases that are plain and common, let me caution you against having recourse to consulta-They relax exertion, fuspend enterprise, and lessen responsibility in a physician. They moreover add, unnecessarily, to the expences of a patient. But in difficult and obscure cases let me advise you to anticipate the fears of your patients, by requesting affistance. Such candor begets subsequent confidence and business, for truth is the universal interest of mankind. There are few instances in which any solid advantages have been derived from more than two phyficians confulting together. Where a greater number are employed, the prescriptions are generally the refult of neutralized opinions, and are of course often unfuccefsful. The epitaph of Pliny, viz. " Se turba " medicorum peruisse," might be inscribed upon the tombstones of many persons, whose sick beds had been furrounded by a croud of phylicians.

VI. LET me recommend to your particular attention, the indigenous medicines of our country. Cultivate or prepare as many of them as possible, and endeavour to enlarge the materia medica, by exploring the untrodden fields and forests of the United States. The ipecacuana, the Seneka and Virginia snake roots, the Carolina pink-root, the spice-wood, the sassaft the butter-nut, the thoroughwort, the poke, and the strammonium,

fframmonium, are but a fmall part of the medicinal productions of America. I have no doubt but there are many hundred other plants which now exhale invaluable medicinal virtues in the defart air. Examine, likewife, the mineral waters, which are fo various in their impregnation, and fo common in all parts of our country. Let not the properties of the infects of America escape your investigation. We have already difcovered among fome of them, a fly equal in its bliftering qualities to the famous fly of Spain. Who knows but it may be referved for America to furnish the world, from her productions, with cures for some of those diseases which now elude the power of medicine? Who knows but what, at the foot of the Allegany mountain there blooms a flower that is an infallible cure for the epilepfy? Perhaps on the Monongahela, or the Potowmac, there may grow a root that shall fupply, by its tonic powers, the invigorating effects of the favage or military life in the cure of confumptions, Human misery of every kind is evidently on the decline. Happiness, like truth, is an unit. While the world, from the progress of intellectual, moral and political truth, is becoming a more fafe and agreeable abode for man, the votaries of medicine should not be idle. All the doors and windows of the temple of nature have been thrown open by the convulsions of the late American revolution. This is the time, therefore, to press upon her altars. We have already drawn from them discoveries in morals, philosophy, and government, all of which have human happiness for their object. Let us preserve the unity of truth and happiness, by drawing from the same source, in the present critical moment, a knowledge of antidotes to those difeases which are supposed to be incurable.

I HAVE

I HAVE now, gentlemen, only to thank you for the attention with which you have honored the course of lectures which has been delivered to you, and to assure you, that I shall be happy in rendering you all the services that lie in my power, in any way you are pleased to command me. Accept of my best wishes for your happiness, and may the blessings of hundreds and thousands who were ready to perish, be your portion in life, your comfort in death, and your reward in the world to come.

THE END.

