The pocket manual of homoeopathic practice / abridged from the Manual of homoeopathic practice of A. E. Small by Jacob F. Sheek.

Contributors

Small, A. E. Sheek, Jacob F. National Library of Medicine (U.S.)

Publication/Creation

Philadelphia: Radde, [1857?]

Persistent URL

https://wellcomecollection.org/works/t9ts79yf

License and attribution

This material has been provided by This material has been provided by the National Library of Medicine (U.S.), through the Medical Heritage Library. The original may be consulted at the National Library of Medicine (U.S.) where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org




D.S. miller


SURGEON GENERAL'S OFFICE

LIBRARY.

Section, ..

No. 166630.





JUST PUBLISHED,

MANUAL OF HOMŒOPATHIC PRACTICE;

FOR THE USE OF

Families und Pribate Indibiduals.

BY A. E. SMALL, A. M., M. D.

Professor of Homœopathic Institutes, Pathology, and the Practice of Medicine in the Homœopathic Medical College of Pennsylvania, &c.

Fifth Edition.

852 pages, Price, handsomely bound, \$2,00

The Subscribers in offering the above Work for sale, take great pleasure in commending it for general use. It has been produced with great care by a gentleman of acknowledged science, who has had much experience in the profession, and whose opportunities for observation and research have been extensive. This work, for this Country, has decided advantages over any work of the kind now in use. The language of medicine has hitherto been of such a character as to be unintelligible to the common reader, but in this Manual, technical terms are entirely avoided, thus rendering it in this respect very suitable for a family book. It has other advantages of equal importance. Every disease is described under its most common name, and the medicines to be given are explicitly directed according to indication; appended to each is a plain direction with regard to dose and administration. The Work embraces a concise view of all diseases incident to the Climate of the United States, either North, South or West, and the most modern treatment has been given. The diet to be observed while under Homœopathic treatment is also minutely detailed at the conclusion of the description and treatment of each disease. In short, we honestly believe it possesses advantages not to be found in any other Domestic Work, and already we have heard it praised for its practical value by those who have adopted it as a

Family Guide in Homeopathic Practice.

The book has been printed in excellent type and on handsome paper, and we flatter ourselves that no one will ever regret having supplied himself.

WILLIAM RADDE,

No. 635 Arch Street, Philadelphia.

PRICES FOR FAMILY MEDICINE CASES,

PREPARED BY

WILLIAM RADDE,

HOMŒOPATHIC CHEMIST,

No. 635 ARCH STREET, Philadelphia.

| | | | | 100 | | _ | | | | |
|---|-------------------------|---------------------|-----------|-----|------|-----|------|-----|-----|--------|
| Cases | with | 86 | Medicines | (co | mp | let | e), | - | - | \$8.00 |
| | do. | 14- | do. | - | - | - | - | - | - | 7.00 |
| do. | do. | 60 | do. | - | - | - | - | - | - | 6.00 |
| do. | do. | 50 | do. | - | - | - | - | - | - | 5.00 |
| do. | do. | 32 | do. | - | - | - | - | - | - | 3.50 |
| do. | do. | 27 | do. | (P | ock | et | Ma | nu | al | |
| in | clude | ed), | | - | - | - | - | - | - | 3.50 |
| do. | do. | 18 | do. | - | - | - | - | - | - | 2.50 |
| do. | do. | 12 | do. | - | - | - | - | - | -1 | 1.50 |
| MEDICINE CASES FOR VETERINARY HOMŒOPATHIC PRACTICE. Cases with 104 half ounce vials medicines of the third and sixth potencies (lower or higher according to order), \$15.00 Cases with 60 half ounce vials medicines | | | | | | | | | | |
| or hi Cases w | igher with ne thi |), 40 l ird a | and sixth | via | ls i | me | dici | nes | . 1 | 0.00 |
| | gher The | • | | | | | | | | |
| The above Medicines for Veterinary Practice, are in liquids, but can be furnished also in globules. | | | | | | | | | | |
| 1000 the co | 7 6 | | | | | | | | | |

THE POCKET MANUAL

Homaopathic Practice,

ABRIDGED FROM THE

MANUAL OF HOMEOPATHIC PRACTICE

A. E. SMALL, M. D. SURGEON GENERAL'S OF

BY JACOB F. SHEEK, M.D.

THIRD EDITION.

PHILADELPHIA:

PUBLISHED BY WILLIAM RADDE,

Ne. 635 Arch Street.

WILLIAM RADDE, NEW YORK. OTIS CLAPP, BOSTON.

Annex WBK S 635p 1857

Entered according to Act of Congress, in the year 1855,

BY RADEMACHER & SHEEK,

In the Clerk's Office of the District Court in and for the Eastern District of Pennsylvania.

King & Baird, Printers, No. 9 Sansom St., Philada.

THE POCKET MANUAL.

Introduction.

The design of a brief Manual of Homœo-pathic practice, is to guide in the selection of a diet and regimen, and the administration of common remedies for the relief of the sick, especially when the aid of a physician is not easily obtained, and also when the sickness is not so severe as to preclude the possibility of being relieved by an immediate resort to common and well-tried remedies.

Diet and Regimen.

Observation teaches, that a wholesome and nutritious diet, with fresh air, and a proper amount of exercise, are requisite for the preservation and promption of health, as well as efficient means of effecting a restoration of it, when lost.

Articles of Diet allowed under Homœopathic Treatment.

GRUEL, made of oat-meal, wheat flour, corn starch, farina, rice, barley and corn-meal.

Sour, made of the lean of mutton, beef, chicken, with the addition of rice, young peas, barley, &c.

COOKED MEATS, broiled beef, or muttonsteaks, roasted tenderloin, venison, chickens, &c.

COOKED FISH, boiled rock-fish; trout and other fresh fish, not of an oleaginous character.

Shell Fish, roasted and stewed oysters, without seasoning.

VEGETABLES, potatoes, green peas, beans, tomatoes, rice, &c.

Puddings, made of crackers, tapioca, sago, rice, farina and arrow-root.

Bread, made of wheat flour, not recently baked, and bread made of unbolted wheat flour.

Eggs, lightly boiled, peached or made into custards.

FRUITS, roasted apples, baked pears, or sauce made of apples, raspberries, straw-berries, &c.

Beverages, water, milk, cocoa, rice water, toast water, and any other non medicinal beverage.

The selection of a diet to meet any given case must be made to accord with the preference and condition of the patient.

Diet that may sometimes be allowed.

MEATS, ham, veal, tripe, turkey and other poultry.

FRUITS, watermelons, cantelopes, whortle berries, oranges and lemons.

Beverages, tea, coffee and broma.

Diet not allowed.

Meats, fat pork, ducks, geese, sausages, mince pies, &c.

Sours, every description of seasoned sours.

Shell Fish, crabs, lobsters and clams.

Vegetables, cucumbers, onions, celery, asparagus and all medicinal herbs and roots.

ARTIFICIAL SAUCES, catsup, pickles, mustard and vinegar, spices, aromatics, mints, and distilled and fermented liquors.

RANCID CHEESE and BUTTER, and all kinds of nuts.

Air and exercise.

Well ventilated apartments and gentle exercise in the open air are to be commended under all circumstances when practicable.

Bathing.

Baths are to be classed among the necessary means of promoting health. Only two of the numerous kinds of baths are to be commended, viz: the Fresh and Salt water.

- 1. Cold fresh water baths may be taken when there is no eruption upon the skin, and when they produce no constitutional disturbance and chilliness.
- 2. Tepid baths are the most suitable for children.

- 3. Sea bathing is commended for those leading a sedentary life and inclined to dyspepsia, but pernicious for those suffering from lung complaints.
- 4. It is a safe rule to observe, not to bathe when the pratice invariably produces some constitutional disturbance or debility.

Clothing.

The body should be warmly clad during cold weather, and thinly clad during warm weather, and the feet should always be protected from the effects of damp streets, or damp weather, and all sudden changes of clothing to correspond with the weather should be avoided.

Sleep.

Sleep is designed to refresh the body with rest, and should be regularly indulged in, a given number of hours in the twenty-four, according to age, sex, &c. Eating immediately before retiring is a pernicious practice, and attended with bad results.

List of Remedies, their Antidotes

REMEDIES.

1 Aconitum napellus.

2 Arnica montana,

3 Arsenicum album.

4 Belladonna.

5 Bryonia.

6 Calcarea carb.

7 Cannabis sativa.

8 Chamomilla.

9 China (Cinchona.)

10 Cina,

11 Coffea.

12 Drosera.

13 Dulcamara.

14 Helleborus.

15 Hepar sulph. calc.

16 Hyoscyamus niger.

17 Ignatia.

18 Ipecacuanha.

19 Lycopodium.

20 Mercurius.

21 Nux vomica.

22 Phosphorus.

28 Pulsatilla.

24 Sepia succus.

25 Spongia.

26 Sulphur.

27 Veratrum.

ENGLISH NAMES.

Monkshood, (Aconite).

Leopard's Bane.

White Arsenic.

Deadly Nightshade.

White Bryony.

Carbonate of Lime.

Hemp.

Common Chamomile.

Peruvian Bark.

Worm Seed.

Raw Coffee.

Sun-dew.

Bittersweet.

Christmas Rose.

Sulphuret of Lime.

Black Henbane.

St. Ignatius' Bean.

Ipecacuanha Root.

Wolf's Foot.

Quicksilver.

Poison Nut. or vomit

Nut.

Phosphorus.

Meadow Anemone.

Juice of Cuttle-Fish.

Burnt Sponge.

Brimstone.

White Hellebore.

and English Names.

ANTIDOTES.

1 Camphora, Nux vomica, Wine, Vinegar.

2 Camphora, Ignatia, Ipecacuanha.

3 China, Hepar sulph., Nux vom., Veratrum.

- 4 Coffea, Hyoscyamus, Hepar sulph., Pul-satilla.
- 5 Aconite, Chamomilla, Ignatia, Nux vom.

6 Camphora, Sulphur.

7 Camphora.

8 Aconite, Coffea, Ignatia, Pulsatilla.

9 Arnica, Arsenic, Belladonna.

10 Bryonia, China. Hyoscyamus.

11 Aconite, Chamomilla, Nux vomica.

12 Camphora.

13 Camphora, Ipecacuanha, Mercurius.

14 Camphora, China.

15 Vinegar, Belladonna.

16 Belladonna, Camphora, China.

17 Pulsatilla, Chamomilla, Arnica.

18 Arnica, Arsenic, China.

19 Camphora, Pulsatilla.

- 20 Arnica, Belladonna, Hepar sulph.
- 21 Aconite, Camphora, Coffea.

22 Camphora, Coffea.

23 Camphora, Coffea, Ignatia.

24 Aconite, Vinegar.

25 Camphora.

26 Aconite, Camphora, Nux vomica.

27 Aconite, Arsenic, Camph.

Treatment of Fevers.

Fevers, in general, are characterized by chilliness and heat, functional disturbance, acceleration of the pulse, thirst, restless ness and prostration.

Simple Fever.

When there is a simple fever, or shivering succeeded by heat, thirst, accelerated pulse, and some degree of prostration, Aconite will afford relief.

Dose.—Three globules, dry upon the tongue, and repeated every two hours until relieved.

Inflammatory Fever.

Aconite, when there is full, bounding pulse, headache and delirium at night, will, in most cases, be the only remedy required.

Belladonna, when there is intense pain and heat in the head, flushed face, red and fiery appearance of the eyes, and throbbing in the temples.

Bryonia, when there is biliary derangement and heavy stupifying headache, worse when moving about, and when there is felt some heat and pain in the chest.

Chamomilla, when there is burning heat and redness of the cheeks, tremulous, anxious, palpitation of the heart, irritability, chilliness and heat, and acuteness of the senses.

Dose.—Of either, four globules, dry, or in a teaspoonful of water, every three hours until amelioration or change.

DIET.—Water is the best drink; gruel, of rice flour or tapioca may be allowed until the fever abates, and then something more substantial may be allowed.

Nervous Fever.

The nervous or slow fever, characterized by great prostration, without acute suffering, requires the attendance of a physician. When the fever prevails epidemically, and when the inflammatory symptoms become apparent, Aconite may be given, a dose of four globules every two hours; or Arsenicum, when there is great prostration; or Arnica, when the patient lies as if stunned with half sleep; or Belladonna, when there is bloated appearance of the face, delirium.

and throbbing of the temporal arteries; or Bryonia, when there is nausea, debility and constipation; or China, when there is paleness of the face and rending pains in the head, and general coldness and shivering and anxiety; or Nux vomica, when the patient complains of giddiness and a throbbing headache; all of which are to be administered, when indicated, the same as directed for Aconite.

Hyoscyamus, when there is twitching of the tendons, strong, full pulse, sensation of pricking, and when there are illusions of sight; Nux vomica, when there are gastric or bilious symptoms, and when there are hæmorrhages from the bowels, or slimy diarrhæa and scalding urine; Pulsatilla, when there is bleeding from the nose; Phosphorus, when there is laborious breathing, anxiety, dry tongue, hot skin, small, hard, and quick pulse; Veratrum, when there is great prostration and diarrhæa, aching pains in various parts of the body.

Dose.—Of either, when selected, four globules, dry upon the tongue, or dissolved

in a teaspoonful of water, repeated every three hours, until amelioration or change.

Bilious Fever, or Biliousness.

When there is merely derangement of the stomach, with little or no fever, Nux vomica or Mercurius.

Dose. — Four globules dry upon the tongue, or dissolved in a teaspoonful of water, every three hours until relieved.

When there is considerable fever, that has made its appearance with chilliness, followed by heat and acceleration of the pulse, with bilious derangement, Aconite may be given first, and then Bryonia and Mercurius.

Dose.—Of Aconite, give four globules, either dry or in a teaspoonful of water, and repeat two or three times at intervals of an hour, and then follow with Bryonia in the same way, or Mercurius or Nux vomica, should the Bryonia fail of affording relief. Should this treatment fail, call in a physician.

Intermittent Fevers.

Intermittents of daily paroxysms, coming

on with shaking and shivering, without thirst followed by heat, and then perspiration, China; when the paroxysm comes on by shivering and heat simultaneously, Arsenicum; when brought on by damp weather, Bryonia; when there is pain in the back during the paroxysm as if bruised, and general soreness of the flesh, Arnica; when the paroxysms come on every other day, with shivering, followed by heat and perspiration, Nux vomica; China is the best adapted for epidemic intermittents, arising from marsh miasma; Chamomilla, when there is perspiration on the forehead, bilious vomiting, intense thirst.

Dose.—Of either, four globules dry upon the tongue, or in a spoonful of water, every three hours.

Yellow Fever.

Where persons are exposed to yellow fever, Aconite and Belladonna may be used in the first stage. The former, when there is burning and dry skin, red cheeks, full and rapid pulse, dark urine, nausea, and delirium at night; and the latter, when there

is glowing redness and bloated appearance of the countenance, red and sparkling eyes, foul tengue, &c.; Bryonia, when there is yellowness of the skin, weak and rapid pulse, dread of the future; Mercurius, when there is yellow skin, redness of the whites of the eyes, moist fur upon the tengue, irregular pulse; Nux vomica and Sulphur are also useful in the first stage, but the services of an experienced physician should be sought as soon as possible.

Dose.—Of either, four globules, dry or in a spoonful of water, every two hours, until amelioration or change; for treatment of the subsequent stages, the direction of a physician is essential.

Nettle-Rash. Hives.

When the eruption is attended with fever and quick pulse, Aconite; when occasioned by damp weather, Bryonia; when produced by a cold, Dulcamara; when accompanied by bilious vomiting, Ipecacuanha; when from indigestion, Nux vomica; when produced by eating fat meats, Pulsa-

tilla; when of a chronic character, Calcarea, Sulphur.

Dose.—Four globules, dry or in a spoonful of water, every two hours, except *Calcarea* and *Sulphur*, which should be given twice a day.

Scarlet Rash.

Aconite and Belladonna are the chief remedies needed in the treatment of this disease; Aconite when the fever is high, and Belladonna if there is pain in the head.

Bryonia, if the eruption is slow in making its appearance; Coffea when there is restlessness and whining; Pulsatilla when the eruption has fully made its appearance.

Dose.—Of the selected remedy, give four globules, dry, or in a spoonful of water every three hours, until better.

Scarlet Fever.

Aconite in the first stage, Belladonna if the tonsils or throat be inflamed. These may be all that are required in the simple forms. Aconite, Mercurius, Arsenicum, Calcarea, Hepar, Nitric acid and other remedies may be prescribed by a physician.

Dose.—Of the selected remedy, four globules, dry, or in a spoonful of water every hour, until change.

For the dropsical stage after scarlet fever, Helleborus given as above.

Measles.

Aconite in the febrile stage, Bryonia to hasten the eruption, Pulsatilla after the eruption has appeared and to prevent its receding; Belladonna if the head is affected, Calcarea when the disease occurs in feeble constitutions, subject to eruptions upon the skin: Drosera for the after cough, &c.

Dose.—Of the selected remedy, four globules, dry, or in a spoonful of water. Hyoscyamus may be given in the same way when the cough resembles the whooping-cough. Avoid all stimulating teas, and allow cold drinks during the treatment.

Erysipelas. St. Anthony's Fire. Rose.

Aconite for febrile stage, full pulse; Arsenicum when there is blackish hue of the eruption; Belladonna when there is violent pain in the head, heat and tingling; Bryonia when the disease affects the joints, and when the skin becomes red and swollen, as if poisoned.

Dose.—Of the selected remedy, four glo bules, dry, or in a spoonful of water every two hours, until better.

Diet should be simple, and the apartments well ventilated.

Chicken-pox.

Aconite when there is considerable fever; Belladonna when there is pain in the head; Pulsatilla when there is difficulty in voiding urine, especially in mild cases.

Dose.—Of the selected remedy, four globules, dry, or in water every two hours.

Variola. Varioloid, or Small-pox.

This is a contagious disease, and marked by different stages. The first or febrile stage requires Aconite; if there is a strong tendency to the head, Belladonna; Bryonia will aid the natural course of the eruption; Coffea and Chamomilla may be employed when there is restlessness in the febrile and eruptive stages; Pulsatilla may be given

in confluent small-pox when an efflorescence precedes the eruption, or when attended with nausea and vomiting. Bryonia will forward the eruption.

Dose.—Of the selected remedy, four globules, dry, or in a spoonful of water every two hours.

DIET AND REGIMEN.—Cool, fresh air, great cleanliness, and frequent change of clothing, cold drinks, barley or rice gruel, until the disease has spent its force, then toast and black tea, and even a more generous but plain diet.

Gout.

As this is a disease that affects the joints, and usually begins in the toes or smaller joints, sympathetically affecting the digestive organs, patients should guard against exciting causes, such as wine, cider and malt liquors, and should restrict themselves to a moderate diet.

Aconite when there is considerable fever and swelling of the joints; Arnica when there is great soreness; Arsenicum when the pains are tearing, aggravated by cold and relieved by warmth; Belladonna when the pains change from place to place; Bryonia when motion aggravates the suffering; China when the affected parts are made worse by contact with anything; Nux vomica when the disease has been brought on by the use of intoxicating liquors; Pulsatilla when the pains are worse in the evening; Nux vomica when there is paralytic weakness.

Dose.—Of the selected remedy, four globules, dry, or in a spoonful of water every two or three hours.

DIET.—When there is fever, the diet should be simple and even under other circumstances the diet should be moderate and nutritious.

Rheumatism.

Acute or inflammatory rheumatism, being attended with fever, requires Aconite in the commencement; Arnica when there is pain and soreness in the joints as if bruised; Belladonna when the pains are shooting and

burning; Chamomilla when they are drawing or tearing; China when aggravated by the slightest touch; Bryonia when the pains are aggravated by movement; Hepar when other remedies fail of procuring relief; Mercurius when attended with copious perspiration; Nux vomica when the pains are in the calves of the legs; Pulsatilla when worse in the evening; Belladonna when there is red and shining swelling of the joints, and when rest aggravates the suffering; Sulphur in persons subject to herpetic eruptions.

Dose.—Of the selected remedy, four globules, dry, or in a spoonful of water until better or change.

DIET.—Simple, farinaceous, and free from stimulants at any time.

Chronic Rheumatism.

Aconite and Bryonia when the disease is made worse from a cold, and attended with fever; Calcarea for stiffness of the joints; Dulcamara when the patient is worse on being exposed to the cold; Phosphorus

for stiff neck, weakness of the back and trembling of the extremities; Sulphur when the disease lingers and the patient is subject to frequent relapses; Veratrum for paralytic weakness and bruised sensation in the extremities.

Dose.—Of the selected remedy, four globules, dry, or in water three times a day.

Lumbago, or Pain in the Back.

Bryonia and Nux vomica are the principal remedies; Mercurius and Pulsatilla when there is a sore, bruised sensation.

Dose.—Of the selected remedy, four globules, dry, or in a spoonful of water three times a day.

Rheumatism, or Kink of the Neck.

Aconite if there is fever; Bryonia if worse from moving the head; Belladonna and Nux vomica are also remedies that are adapted.

Sciatic Rheumatism, or that which affects the Hip.

Arsenicum when the pains are acute and drawing; Chamomilla when worse at night; Ignatia and Nux vomica when the pains are

cutting, and a sensation of torpor or paralysis is experienced, and when aggravated by rest.

Dose.—Of the selected remedy, four globules, dry, or in water three times a day.

DIET. — The diet may be moderately generous.

Toothache.

Aconite when the pain is accompanied with fever; Arnica when occasioned by mechanical injury; Arsenicum when cold aggravates the pain; Belladonna when from cold the whole jaw becomes painful; Chamomilla when produced by coffee; when in hollow teeth, Mercurius; when from cold, Nux vomica; when in mild dispositions, occurring at the menstrual period, Pulsatilla; when jumping, Sulphur; for ulceration of the gums, Mercurius, Hepar and Sulphur.

Dose.—Of the selected remedy, four globules, dry, or in water every two hours, until relieved; the patient should will holding hot or acid substances in the mouth.

Quinsy, Sore Throat.

Belladonna if the tonsils are inflamed and enlarged; Mercurius if the Belladonna fails; Ignatia if there is sensation of a plug in the throat; Hepar will hasten suppuration, if Aconite and Belladonna do not relieve, by causing the disease to terminate by resolution; Arsenicum if the throat is threatened by gangrene.

Dose.—Of the selected remedy, four globules, dry, or in water every three hours.

DIET.—Soft pultaceous food is required.

Malignant, or Putrid Sore Throat

Requires for the most part Arsenicum, Mercurius and Sulphur.

Dose.—Of the selected remedy, four globules, dry, or in a spoonful of water every four hours, until relieved.

DIET as before, in Quinsy.

Scurvy, or Canker of the Mouth.

When the canker results from cold, Dulcamara; when it has arisen from the abuse of mercury, Hepar sulph; Arsenicum; when the ulceration is extreme, with burning, China, when gangrene attacks the gums.

Inflammation of the Tongue.

The chief remedies for this difficulty are Aconite. Arnica if produced by mechanical injury; Arsenicum when the inflammation is disposed to become gangrenous; Belladonna and Mercurius may also be employed.

Dose.—Of the selected remedy, four globules, dry, or in a spoonful of water every three hours, until better or change.

Mumps.

As this disease affects the parotid gland, Belladonna may be used when the swelling is red; Bryonia, when the patient has a low fever; Mercurius generally useful if the disease is uncomplicated with other difficulties.

Want of Appetite.

Bryonia and Ipecacuanha may sometimes be useful, but if no other disease affect the patient, drinking copiously of cold water, may be the only remedy required.

Dyspepsia.

This difficulty being a feeble or difficult digestion, when of acute character, requires Aconite when there is fever in the com-

mencement, and when the tongue is coated white or yellow; Arsenicum when there is prostration; Belladonna when attended by pain in the head; Bryonia when there is dryness of the mouth; Ipecacuanha when there is nausea and vomiting; Veratrum when there is coldness of the extremities.

Dose.—Of the selected remedy, four globules dry or in water, every three hours until relieved.

For chronic dyspepsia, the same remedies may be used, repeated at intervals of twelve hours.

Bilious Headache.

For this difficulty, Ipecacuanha, Nux vomica, Bryonia and Mercurius may be employed.

Dose.—Of the selected remedy, four globules dry or in water, every two hours until better.

Heartburn, Waterbrash.

Waterbrash or heartburn is owing to disturbed digestion, and requires Nux vomica, Commonths, Pulsatilla, China and Belladonna.

Dose.—When either of the above remedies are employed, four globules may be given, dry or in a spoonful of water, every three hours until relieved.

Spasm, or Cramp of the Stomach.

This painful difficulty is often brought on by an improper diet or by the use of stimulants or other causes, and requires Belladonna when there is spasmodic tightness that requires the patient to lean back to mitigate the pain of the stomach; Bryonia is indicated when the difficulty begins during or immediately after meals; Chamomilla is indicated when the pressure at the pit of the stomach is as from a stone; China when the cramp occurs in debilitated persons; Ipecacuanha when preceded by sickness of the stomach; Ignatia when produced by grief or any sudden emotion; Nux vomica, when brought on by the use of stimulants; Pulsatilla when attendant upon the menstrual period, and when the pains are griping, attended with loose stools.

Dose.—Of the selected remedy, four glo-

bules, dry or in a spoonful of water, every three hours until relieved.

DIET.—Should be simple, and void of stimulants.

Sea Sickness.

For this difficulty, which proves so troublesome to some persons, Nux vomica and Sepia are the remedies.

Dose.—Of the selected remedy, four globules, dry or in water, every three hours.

Vomiting Mucus.

As this disease arises from disordered condition of the mucus coat of the stomach, the remedies are *Ipecacuanha* when there is simply vomiting of phlegm; *Veratrum* when the phlegm is mixed with bile.

Dose.—Four globules, dry or in a spoonful of water, may be repeated every three hours until relieved or change.

DIET.—Although the appetite may be good, the diet should be simple and easy of digestion.

Vomiting of Blood.

To relieve this difficulty, Aconite is required when there is strongly marked febrile symptoms, weight and pressure in the region of the stomach, nausea and vomiting of blood of a bright color; Arnica when the vomiting of blood arises from a blow upon the stomach; Arsenicum when it occurs in persons of a feeble constitution, and when there is intense burning and prostration; China will have a restoring effect when the energies have become exhausted from the vomiting; Ipecacuanha if nausea remains after an attack; Nux vomica when produced by stimulating drinks, or from suppression of piles; Pulsatilla when it occurs from suppressed menses; Sulphur when the vomiting occurs after a suppression of some eruption upon the skin.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every two hours until relieved.

DIET.—Great care should be exercised to refrain from solid food; all drinks should be

cold, and all articles of diet taken should be either cold or lukewarm.

Costiveness, Constipation.

This difficulty is often a symptom attendant upon various diseased conditions; should be relieved by remedies without a resort to aperients. Nux vomica is indicated when the difficulty has been preceded by diarrhæa; Bryonia when the difficulty occurs in warm weather in bilious temperaments; China when it occurs from debilitating losses, as from miscarriage or diarrhœa, &c.; Calcarea when caused by travelling in cars, or in riding in a carriage, and when it arises from sea sickness; Lycopodium when there is fulness of the head, colic and flatulence; Nux vomica when it results from the use of wine, or when it is brought on by indigestion, or by taking too heavy a meal, and also in recent cases, occurring in alternation with diarrhœa, or from pregnancy; Pulsatilla if it occurs from eating fat meat or gravies; Sepia when it occurs in females or in rheumatic subjects; Sulphur in chronic constipation in connection with Nux vomica.

Dose.—Of the selected remedy, four globules, dry, or in a spoonful of water every six hours, until relieved.

DIET. — Avoid all high-seasoned food, coffee, stimulants, and bread made of superfine flour, ripe fruits are allowed, bran bread, beef, mutton, and light puddings.

Diarrhœa.

This difficulty exhibits a variety of phases that require different remedies to meet; Arsenicum when the diarrhœa is watery and slimy, occurring at night; Nux vomica when it accompanies a disordered stomach. Bryonia when it occurs during the heat of summer, or when it is caused by cold drinks; Calcarea is suitable for diarrhœa of long standing; Chamomilla when it is attended with colic and when the stools are watery, slimy or bilious, and is particularly useful for children; China for painless diarrhœa, mingled with particles of undigested food; Nux vomica when the diarrhoea is watery, and attended with violent cramp colic; Dulcamara when the diarrhœa has been brought

on by cold; Ipecacuanha when it is attended with nausea and vomiting of bitter or bilious matters; Mercurius when it occurs principally at night; Nux vomica when there are frequent watery stools; Pulsatilla when the stools are pap-like, slimy or bilious; Sulphur is suitable for obstinate diarrhæa when the evacuations are tinged with blood; Veratrum when the stools are watery and white, attended with great prostration.

Dose.—Of the selected remedy, four globules, dry, or in a spoonful of water every two hours, until amelioration or change.

DIET.—Abstinence from all kinds of food known to disagree with the patient; the drinks should be rice water, or boiled milk.

Dysentery, or Bloody Flux.

When the disease commences with fever and pains in the extremities, heat and thirst, bilious and thin watery evacuations, tinged with blood, Aconite; when the pains in the limbs are sore as if the patient has been bruised, and when there is soreness remaining after straining at stool, Arnica; Arsening

cum is indicated when the stools are putrid and the patient is very prostrate, and there is a sensation of burning in the rectum, and when the stools are fetid and when there is chilliness and coldness of the extremities; Belladonna when there is frequent and small evacuations, attended with severe straining and pain in the head; Bryonia is suitable in the first stage, when the disease occurs in warm weather or when brought on by eating unripe fruit; Chamomilla is suitable for dysentery in children, brought on by sudden check of perspiration, attended with agitation and restlessness; China is suited to those dysenteries that appear in marshy districts, afflicting many persons at a time; Nux vomica when attended with severe colic, strong stools mixed with blood; Mercurius corrosivus when there is urgent desire to evacuate, accompanied with sensation as if the intestines were being pressed out; Nux vomica when the evacuations are small and frequent, attended with violent cutting about the umbilical region, and when there is considerable heat and thirst; Pulsatilla

when the stools are chiefly mucus streaked with blood; Sulphur is suitable for protracted cases.

Dose.—Of the selected remedy, four globules, dry, or in a spoonful of water every hour or two hours according to the severity of the case.

DIET.—Barley water, rice water, mutton soup, if there is little fever. Avoid all cold drinks, such as cold water, &c.

Cholera Morbus.

To allay the violent purging and vomiting that attends this disease and when there is violent pain in the abdomen and intense thirst and prostration, Arsenicum; Chamomilla when the attack is brought on by some severe mental emotion; Ipecacuanha when there is much vomiting of bilious matters; Nux vomica when the disease comes on suddenly, with much anxiety, and pain in the bowels; Veratrum when the disease seems obstinate, attended with excessive weakness, hollow or sunken eyes, and coldness of the extremities.

Dose.—Of the selected remedy, four globules, dry, or in a spoonful of water every hour, until relieved or change.

Asiatic Cholera.

This formidable disease requires the attention of a physician, but should the services of one be difficult to procure, and when the patient becomes suddenly prostrated; and there is copious discharges of a watery brown color, Arsenicum may be given, and also if the patient is threatened with collapse, which is indicated by a bluish, sunken appearance of the countenance; Nux vomica is of great service in the early stage of the disease, when there is constant vomiting and purging of greenish watery matters; Ipecacuanha in the first stage when the vomiting is severe, with only a slight diarrhæa; Veratrum in a majority of cases will prove the most available remedy to flee to.

Dose.—Of the selected remedy, four globules, dry, or in a spoonful of water every half hour, until a change in the symptoms.

DIET AND REGIMEN.—The patient must be

kept in a warm room, and the heat should be kept up at the surface by the application of friction and bottles filled with heated water.

Cholerine, or the premonitory diarrhæa that indicates an approach of cholera generally requires Arsenicum, Veratrum and Sulphur, and these remedies may obviate any thing like a severe attack of the disease.

Colic.

Colic, or pain in the stomach, in general, requires Chamomilla, Mercurius, Nux vomica and Pulsatilla; Chamomilla for colic in children; Mercurius if the Chamomilla fails of affording relief; when produced by working in lead—Aconite if there is griping and heat in the abdomen, obstruction of the bladder; Belladonna when there is redness of the face and tendency of blood to the head; Chamomilla when there is severe pain in the stomach, attended with great restlessness; China when the colic is produced by flatulence; Ignatia when brought on by any emotional excitement; Mercurius

when there is violent griping and hardness around the navel, extending to the right side; Nux vomica when attended with constipation; Pulsatilla if it occurs at the menstrual period; Sulphur may be used with advantage after Mercurius or Nux vomica.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every half hour until relieved or a change of remedy is called for.

Flatulency.

This difficulty is removed by China, Nux vomica, Pulsatilla and Sulphur; if it occurs from flatulent food, China; if from fat meat, Pulsatilla; if in plethoric persons, Nux vomica; if it returns frequently, Sulphur.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every half hour or hour until relieved.

Inflammation of the Stomach.

Aconite is indicated when there is constant burning and constrictive pain in the

stomach, attended with short breath, and when the pain is aggravated by breathing. small, wiry pulse; Arnica when the inflammation of the stomach has been brought on by some blow or mechanical injury; Arsenicum when there is rapid prostration and pain in the stomach, brought on by cold; Bryonia after Aconite if the pains are acute; Chamomilla when the pain is aggravated by pressure from without: China when the pain is worse on the left side; Hyoscyamus when attended with stupor; Mercurius when the patient cannot lie on the right side, bitter taste in the mouth; Nux vomica when produced by intoxicating drinks; Veratrum when there is severe pain and cramps.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every hour until better or change.

Inflammation of the Bowels.

This affection will require nearly the same remedies as are employed in the treatment of inflammation of the stomach, and the doses and repetition are the same. When inflammation of the bowels is chronic, the remedies may be given as above, every three or six hours.

Worms.

Sometimes worm diseases are attended with fever; then Aconite is the remedy; against pin worms, Nux vomica and Sulphur; long, round worms, Cina and Mercurius; against the tape worm, Calcarea carbonica, Sulphur.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every three hours until relieved.

Itching of the Anus.

This vexatious and troublesome affection arises from peculiar state of the system, and often indicates the incipient stage of piles; when caused by pin worms, Aconite, Nux vomica and Sulphur.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every six hours until relieved.

When the difficulty arises from dry piles

or moist bleeding piles, or from strong beer; Aconite, if there is fever; Nux vomica, if burning; Sulphur, if there is simply itching; Nux vomica and Sulphur, for the difficulty in children.

Dose.—The same as above.

Piles.

Piles are small tumors that may be connected with or may protrude from the rectum; sometimes they bleed, and sometimes they do not.

Bleeding piles may require Belladonna, Chamomilla, Ipecacuanha and Sulphur.

Blind piles require Arnica, when the tumors are painful and swollen; Mercurius, when there is discharge of mucus; Nux vomica, when attended with colicky pains.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every six hours.

Protrusion of the Intestines, or Falling of the Anus.

This difficulty occurs more frequently with children than with adults, and takes

place from straining at stool. When the difficulty is obstinate, and other remedies have failed, Calcarea may be employed. When the difficulty occurs in children of a mild disposition or sensitive temperaments, Ignatia. When hardness and swelling of the abdomen attends the difficulty, Mercurius. In irritable or lively dispositions, addicted to stimulating diet, Nux vomica.

Dose.—Of either when selected, four globules, dry or in a spoonful of water, every six hours.

Liver Complaint.

The liver is subject to various affections; but it is inflammation of the liver that is generally understood by Liver Complaint, and this may be acute or chronic.

When acute Liver Complaint is indicated by pain in the right side, fever, hot skin and thirst, Aconite. When the pains are pressive, and breathing, coughing, or movement of any kind aggravates them, Bryonia. When the pain extends to the shoulder, Belladonna. When the pains are of a dull

character, Chamomilla. China is indicated when the pains comes on in paroxyms and is worse, every other day. Mercurius vivus, when there are severe pains followed by clammy perspiration, yellowness of the skin. Nux vomica against shooting pains and great tenderness in the right side and nausea or vomiting. Sulphur may be given in connection with any of the remedies when the patient has been subject to eruptions upon the skin. Nux vomica and Sulphur may be given in alternation every three hours, when the pains are pulsative and obstruct the respiration.

Dose.—Of the selected remedy, four globules, dry or in water every three hours until mitigation of symptoms or change.

DIET .- The same as in ordinary fevers.

Chronic Liver Complaint.

When inflammation of the liver is of a chronic character and perpetually annoys the patient, the remedies employed are Sulphur, if the patient has been in the habit of taking the blue pill, or has been

frequently salivated. Calcarea is particularly indicated, when stooping uniformly produces pain in the liver, that becomes relieved on assuming the erect posture. China when the pains are worse, every other day. Lycopodium when the bowels are torpid and constipated. Nux vomica and Sulphur are remedies that generally afford relief, when in addition to the main difficulty, there is derangement of the stomach and frequent indications of jaundice.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every six hours.

DIET.—Veal or chicken broth, stale bread, roasted apples, plain puddings. Every article should be omitted that in any way taxes the digestive function.

Jaundice.

This disease is denoted by yellowness of the skin, whitish fæces, orange-colored urine, and frequent pain in the region of the liver. The remedies to be employed are *Aconite* when there is fever, full pulse, and hot skin.

China after the febrile symptoms have passed away, and especially when the disease has arisen from marsh miasm. Digitalis when there is nausea and vomiting, clean tongue, pressure at the pit of the stomach and region of the liver. Mercurius when the disease appears to have arisen from derangement of the digestive organs, or from obstruction of the liver; it is one of the chief remedies employed in the treatment of the disease. Nux vomica is suited to persons of an irritable temperament, when the disease has arisen from a fit of passion and when there is constipation. Pulsatilla is indicated when there is great weakness, anxiety and lassitude towards evening, obscure pressure and pain extending to the right shoulder. Sulphur is one of the best remedies that can be employed in inveterate and obstinate cases, as also is Calcarea.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every morning, noon, and night, until the yellowness disappears from the skin, and the other symptoms of derangement disappear.

Inflammation of the Spleen.

This difficulty is denoted by pain in the left side, and is usually attended with fever. Aconite is indicated when there is fever. Arnica when there is pressive, pain in the left side, causing difficult respiration and excessive vomiting. Arsenicum will be suitable for those cases of inflammation of the spleen accompanying the ague. Bryonia in mild cases, when there is pain in the region of the spleen, aggravated by moving about. China, after the inflammatory symptoms have passed away, or when the pain occurs in paroxysms every twenty-four or forty-eight hours. Nux vomica when the pain is attended with deranged digestion. Pulsatilla when motion or moving about relieves the pain.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every three hours, until the pain subsides or there is call for a change of remedy.

Inflammation of the Kidneys.

This disease is denoted by pungent pain in the back or lumbar region, and difficulty in passing urine. Aconite is always useful when there is fever, or during the inflammatory stage. Arnica when the inflammation has been brought on by mechanical injury. Belladonna when there are shooting pains extending to the shoulder, and when there is colic and pain in the region of the heart, scanty emission of urine. Cannabis when the pain is of a dragging, aching, and pressive character, and when there is stranguary and tearing pains in the region of the kidneys. Arsenicum may be employed to complete the cure when any of the other remedies have only produced an amelioration. Hepar sulphur when the disease is chronic. Mercurius when the skin appears to sympathize with the disease and there is copious perspiration.

Dose.—Of the selected remedy, four glopules, dry or in a spoonful of water, every hour or two hours, according to the severity of the symptoms.

Diet.—As in fevers of an inflammatory character.

Inflammation of the Bladder.

This disease is denoted by pain in the bladder, with tension, heat and swelling externally, severe pain on pressure, frequent and painful discharge of urine, or else sup pression, and ineffectual efforts to urinate. The remedies employed are Aconite, in the commencement of the difficulty; when there is much fever, hot, dry skin, rapid pulse. &c. Arsenicum, when the urine is hot and scalding during micturition, and intense thirst and restlessness. Pulsatilla is one of the best remedies in this difficulty, and is suitable to follow Aconite, and is indicated when there is severe pain in the bladder and suppression of urine. Nux vomica when the difficulty has been produced by alcoholic drinks; Pulsatilla is also a good remedy to check the difficulty when it arises from suppressed menses. Dulcamara when the

disease is chronic and occurs at every cold; Sulphur is also a good remedy to meet the chronic forms of the disease.

Dose.—Of the selected remedy four globules, dry or in a spoonful of water, every hour, two hours, or three, according to the severity of the symptoms.

Gravel.

This disease consists in the formation of stones or concretions in the kidneys, and the best remedies to alleviate the difficulty are Calcarea, Cannabis, Nux vomica, Phosphorus.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, three times a day.

DIET. — Persons afflicted with stone should subsist upon a farinaceous diet, and mucilaginous drinks.

Retention of Urine.

The most eligible remedies against retention of urine are Aconite, when there is pain or burning in the region of the bladder; Pulsatilla, when from some uterine diffi-

culty; Arnica, when from some mechanical injury. Pulsatilla may also be employed when caused by inebriation.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every hour, until relief is obtained.

Difficulty in Passing Urine.

Against this difficulty, Aconite, Belladonna, Mercurius, Nux vomica, Pulsatilla, and Sulphur, may be employed.

Dose.—The same as for retention of urine.

Suppression of Urine.

Against this difficulty the same remedies may be employed as in retention of urine, and in the same doses.

Incontinence of Urine.

Against this difficulty, China and Nux vomica may be employed.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every six hours.

Wetting the Bed.

Against this difficulty, Cina may be employed for children affected with worms.

Belladonna, when the subject appears to suffer from headache.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every night. The use of the flesh-brush may be of service, and also sponging with cold water, and the patient should not drink much before retiring.

Copious Flow of Urine (Diabetes).

This disease is of so formidable a character as to require the services of a physician.

Mercurius and Veratrum are remedies that may be resorted to, till advice can be obtained.

Dose.—Four globules, dry or in a spoonful of water, may be given three times a day.

Passage of Blood with Urine.

Against this difficulty, Aconite may be employed when there is uncertainty as to the exciting cause. Arsenicum is evidently indicated when it originates from Spanish fly blister; Arnica, when occasioned by external violence.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every hour or two hours, until mitigation or change.

Swelled Testicle.

When the swelling is attended with fever, heat and redness, Aconite may be employed; when the swelling arises from external injury, Arnica; when from the abuse of Mercury, China; in long-standing indurations, Lycopodium; when occasioned by mumps, Mercurius, Nux vomica, and Pulsatilla.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every two hours.

If the swelling proceeds from dropsy of the scrotum, Pusatilla and Sulphur.

Dose.—Four globules, dry or in a spoonful of water, morning and evening.

DISEASES OF THE SKIN. Boils.

For these painful tumors, Arnica, when they are sore, swollen and painful; Aconite

when there is considerable fever and restlessness; Belladonna, when they have an inflamed and fiery appearance; Mercurius is useful after Belladonna has subdued the redness; Hepar sulphur, to hasten suppuration, or bring the boil to a head.

DIET .- The same as in acute fevers.

Carbuncle.

This kind of abscess differs from the boil in having no core, and when it breaks, several distinct openings are observed through which the matter is discharged,

Arsenicum is indicated when there is great prostration, and the disease exhibits symptoms of gangrene. Arsenicum, also, when of a bluish or livid complexion. Hepar sulphur is best adapted when extensive cavities are formed, and the discharge profuse. Sulphur is serviceable in hastening a cure after Hepar sulphur.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, three times a day.

Chilblains.

This affection, resulting from cold, is sometimes of an inflammatory character, generally attacking the feet,

Arsenicum is indicated for acute burning pains, and when the affection assumes the form of an ill-conditioned ulcer; Chamomilla, when the pains are acute in the affected parts; Nux vomica is indicated when the inflammation is of a bright red hue; Pulsatilla, when of a bluish or livid hue; Sulphur, when attended with itching.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every six hours. The parts may be covered with cotton, or bathed with glue-water, or tincture of Arnica.

Corns.

These annoying excrescences require the internal use of Calcarea and Sulphur—daily doses of the selected remedy. The corn may be soaked in warm water, and bathed with the tincture of Arnica.

Abscess.

By the term abscess is understood a collection of matter which may be acute or chronic.

Hepar sulphur is valuable in hastening suppuration; Calcarea carb. may be employed as soon as the matter is discharged. Sometimes the lancet may be resorted to when the abscess forms under a thick integument, and is slow in reaching the surface. Mercurius, Hepar sulphur and Phosphorus may be employed in chronic abscesses.

Dose.—When the abscess is acute, four globules may be given, dry or in a spoonful of water, three or four times a day; when chronic once or twice in twenty-four hours.

Itch.

This troublesome disorder may be cured by one or more of the following group of remedies, viz: Sulphur, Calcarea, Hepar sulphur, Lycopodium.

Dose.—Of the selected remedy, four globules, dry or in water, three times a day.

Whitlow.

Abscesses that effect the tips of the fingers surrounding the nails, are termed whitlows. Mercurius is indicated when the redness first makes its appearance; Hepar sulph. is a good remedy to follow Mercurius; Sulphur may also be employed with advantage after Mercurius. Poultices of bread and milk may be employed.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, morning and evening.

Tetter.

This term is used for various eruptions upon the skin; Arsenicum is the remedy when the tetter is attended with burning, rough surface, scaly appearance upon a red, inflamed ground, cracked skin. Bryonia when the eruption is dry and scurfy, upon an inflamed surface; Calcarea when the eruption is most, and is attended with severe itching; Dulcamara when brought out by a cold; Sulphur when dry and itching.

Dose.—Of the salested remedy, four glo-

bules, dry or in a spoonful of water, every twenty-four hours.

Scrofula, (King's Evil).

For scrofulous sores or other difficulties arising from a scrofulous taint in the system, Arsenicum, Calcarea, Hepar sulph.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every twenty-four hours, at night.

DIET.—Let the diet be moderately generous, free from condiments or stimulants.

Ringworm.

This kind of eruption requires Calcarea and Sulphur when it appears on the face; Dulcamara, Hepar sulphur and Arsenicum when it appears on the scalp.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, morning and evening.

DIET.—In this affection as well as all other cutaneous diseases, the subjects should avoid the use of salt provisions and highly seasoned food of every description.

Ulcers.

By an ulcer is understood an extensive abscess, and when it looks bloody and bleeds at the slightest touch, Arsenicum may be employed; China may be used in alternation with Arsenicum when the ulcer is offensive or is surrounded by numerous pustules Mercurius and Sulphur may also be employed.

Dose.—Of the selected remedy, four globules, dry, or in a spoonful of water, morning and evening.

When the ulcers are of a varicose character *Arnica* and *Pulsatilla* may be used as above.

DIET.—Should be nutritious and void of seasoning.

Diseases of the Respiratory Organs. Cold in the Head. Catarrh.

Aconite when there is fever and fulness of the head; Arsenicum when the discharge from the nose is thin and acrid; Pulsatilla when it occurs with loss of smell; Nux vomica when the nose is stopped up; Mer-

curius when there is continued indication to sneeze and obstinate headache.

Dose.—Of the selected remedy, four globules, dry, or in a spoonful of water three times a day.

Cold on the Breast. Catarrhal Fever.

Aconite in the commencement when there is fever; Arsenicum when there is prostration, dryness of the mouth and throat; Belladonna if attended with spasmodic cough and headache; Bryonia if there is heat in the chest, dry cough, and tough sputa; Chamomilla when there is sense of constriction and tightness of the chest; Hepar sulphur if there is obstinate hoarseness; Phosphorus if there is great sensibility to cold air; Pulsatilla if cough worse at night.

Dose.—Of the selected remedy, four globules dry or in a spoonful of water every three hours until relieved.

Jough.

Cough being the symptom of a diseased condition of the respiratory organs, may require Aconite if the patient is of a phlegmatic

habit; Bryonia if the cough be dry or spasmodic; Belladonna if attended with headache; Chamomilla for hacking cough; Hepar sulphur dry, hollow cough; Hyoscyamus when there is a dry, shaking cough, worse when lying down; Ignatia when there is sensation of a feather in the throat; Nux vomica for a dry cough from cold; Phosphorus for dry cough with tickling or stinging in the throat.

Dose.—Of the selected remedy, six globules may be dissolved in half a tumbler of water, and a teaspoonful may be given every hour until amelioration or change.

DIET.—The diet that agrees best with the patient, avoiding all condiments, coffee and stimulating drinks, or exposure to the extremes of temperature.

Hoarseness.

Against this difficulty Chamomilla, Hepar sulphur Mercurius and Sulphur are remedies that may be employed.

Dose.—Of the selected remedy, four globules, dry or in water, three times a day.

Sore Throat, (Laryngitis.)

Belladonna if the tonsils be red and swollen, Hepar sulphur if the throat is painful and when speaking aggravates; Mercurius when there is small white blisters in the throat.

Dose.—Of the selected remedy, four globules, dry or in water, every three hours until relieved.

Croup.

This is usually a disease of childhood, and commences with the symptoms of a common cold; the cough at length becomes shrill and hoarse, with a ringing sound, breathing becomes difficult, and the passage of the air on inspiration is accompanied with a shrill sound, and the expectoration, if any, is of a ropy, tough mucus.

Aconite in the first or febrile stage is requisite to allay the fever and inflammatory symptoms, after which Spongia and Hepar sulphur may be employed.

Dose.—Of the selected remedy, six globules may be dissolved in a wineglassful of water, and a teaspoonful may be given every thirty minutes, until amelioration or change; if the symptoms do not soon change for the better, call in a physician.

Consumption.

Throat consumption, which is a chronic inflammation of the larynx, may be relieved by the use of Arsenicum when the tongue is of a dark color, dry or cracked, and constant thirst; Belladonna when the voice is weak, and when the soreness is worse at night, and when the face is pale or flushed; Hepar sulphur may be used after Belladonna if there is sensation as if a tumor were in the throat; Phosphorus and Spongia are also remedies that may afford relief when there is an accumulation of mucus, and a sense of suffocation, and other remedies under the direction of a physician will be found useful.

For the treatment of pulmonary consumption, see larger manual.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, may be given morning or evening.

Hooping Cough.

This disease is usually epidemic and is characterized by a convulsive spasmodic cough, which at times is suffocative.

Aconite may be employed at the commencement, when the cough is dry, with fever and hot skin. Belladonna, dry, hollow and barking cough with flushed face and sore throat. Bryonia, when the chest has become sore from coughing. Phosphorus, when there is considerable febrile excitement and catarrh. Drosera, when the paroxysms occur in rapid succession, with a shrill hoop, vomiting. For the use of the remedies consult a physician, or the larger work, of which this is an abridgment.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every three hours.

Bronchitis. Influenza or Grippe.

This disease is sometimes acute, and then it is termed influenza or grippe; at other times chronic, and then it is termed bronchitis. The acute form often occurs as an Aconite in the febrile stage. Belladonna, when there is severe pain in the head and profuse watering of the eyes and discharge from the nose. Mercurius, when the throat is sore, and when the cough is short, tickling and fatiguing, and when there are acrid discharges from the nose and considerable swelling of the throat. (See larger work.)

Dose.—The selected remedy may be given a dose of four globules, dry or in water, every three hours, and the patient should be kept in comfortable apartments.

The chronic form of the disease may require Aconite when there is fever. Phosphorus, when there is profuse expectoration of mucus. Sulphur, may also be used in connection with Aconite. For other remedies consult the larger work, or seek the advice of a physician.

Dose.—Of the selected remedy, four globules three times a day.

Inflammation of the Lungs.

This disease which is sometimes termed lung fever, requires Aconite in the first stage when the fever is high and the pulse full, strong and quick. Belladonna when there is pain in the head. Bryonia when there is sore pain in the chest and symptoms of pleurisy. Phosphorus may be employed in almost every stage of the disease, and for the use of other remedies consult the larger work or a physician.

Dose.—Of the selected remedy, four globules, dry or in water, every hour or two hours, according to the severity of the case.

Pleurisy.

For this distressing disease Aconite may be given. A dose of four globules every half hour or hour when severe; if this remedy fails, Bryonia may be given in the same way. Belladonna when there is great restlessness, and Phosphorus when complicated with inflammation of the lungs. Many other remedies may be employed, for the

use of which, see the larger work or consult a physician.

Asthma.

When this disease occurs in persons of a full habit, or in young persons when there is palpitation of the heart, Aconite may be given. Belladonna will be found useful in plethoric females. Arsenicum when there is extreme agitation and moaning. Ipecacuanha when there is spasmodic constriction of the air passages and accumulation of mucus in them. (See larger work.)

Dose.—Of the selected remedy, four globules, dry or in water, every three hours.

Congestion of the Chest.

When there is fulness, weight or pressure, and palpitation of the heart and difficult breathing, denoting congestion of the chest, Aconite for persons of full habit. Belladonna if the throbbing tend to the head. Pulsatilla if in females, at or near the menstrual period.

Dose.-Of the selected remedy, four glo-

bules, dry or in water, every hour until relieved.

Spitting Blood.

Aconite is indicated when there is slight cough, anxiety, and paleness of face in sanguine temperaments and in plethoric individuals. Arnica if the affection arises from a strain or violence of any kind. Belladonna will generally be found useful to allay the hæmorrhage when there is cough with tickling in the throat. Nux vomica in irritable temperaments.

Dose.—Dissolve six globules in half a tumbler of water, and give a teaspoonful of the selected remedy every half hour until the hæmorrhage ceases.

DIET.—The diet of one subject to hæmorrhage from the lungs, should be exceedingly moderate and chiefly farinaceous.

Affections of the Heart.

For palpitation of the heart Arsenicum, Nux vomica, Pulsatilla, and Sepia may be employed. Pulsatilla for persons of a mild disposition. Arsenicum for those subject

to gastric derangement, and Sepia for those of weak and exhausted symptoms

Dose.—Of the selected remedy, four globules, dry or in water, every four or six hours until relieved.

Heart Disease.

For what is termed heart disease Arnica, Arsenicum, Lycopodium and other remedies. (See larger manual.)

Dose.—Of the selected remedy, four globules, morning and evening

NERVOUS DISEASES.

Rush of Blood to the Head.

Aconite is one of the principal remedies to commence with when there is full pulse and beating of the temporal arteries. Belladonna after Aconite when there is apparent detention of the blood-vessels of the head, attended with severe pricking, burning pains in one half of the head, aggravated by slight movements or noise; bloated appearance of the face and redness of the eyes. Arnica is useful when the rush of blood has been occasioned by concussion

or extreme violence. Chamomilla when brought on by a fit of passion. Ignatia when from grief or vexation. Opium when from fright. Pulsatilla when in young girls at the critical age. China when by debilitating losses.

Dose.—Of the selected remedy, four globules, dry or in water, every hour until relieved.

Brain Fever. Inflammation of the Brain.

Aconite should be resorted to immediately when there is throbbing pain in the head and sensitiveness to light and noise, when the skin is hot and dry, rapid pulse and the usual indications of an inflammatory fever; Belladonna when there is great heat in the head, redness and swelling of the face, and violent pulsation of the arteries of the neck; Bryonia when Belladonna has produced trivial improvement, and there is vomiting of bilious matters, and when there is drowsiness and an inclination to retching and vomiting at times; Hyoscyamus when there is drowsiness, loss of consciousness, delirium

about one's own affairs, distended pupils, fixed eyes, redness of the face and picking of the bed clothes, and when there is lethargic sleep, half-open eyes, confusion and giddiness.

Dose.—Of the selected remedy, four globules, dry, or in water every hour, until amelioration or change.

Apoplexy.

As this disease is a sudden loss of motion and consciousness resulting from congestion to the head or hæmorrhage in the nervous centres, Aconite will be indicated, especially when there is a full, quick pulse, red face, throbbing of the arteries of the temples, neck, &c.; Belladonna after Aconite when the face is bloated, and when there is injection of blood in the eyes, paralytic weakness of the limbs; Ignatia when the premonitory symptoms are brought on by grief; Nux vomica against threatened attack of apoplexy, in sedentary subjects addicted to the use of spirituous liquors, or dyspeptic individuals; Pulsatilla is suited to real at-

tacks of the disease, when there is loss of consciousness; Arnica when the attack comes on after a hearty meal, with loss of consciousness and drowsiness.

Dose.—Of the selected remedy, four globules, dry, upon the tongue, or in a spoonful of water every hour until relieved.

Spine Disease.

When there is fever attended with spinal irritation, Aconite; when the upper portion of the spine is affected, Belladonna, especially if there is delirium and apprehension of the disease going to the head; Sulphur and Pulsatilla may be given in alternation where there is difficulty in breathing and pain in the upper portion of the spine, and also when the lower portion is the seat of the difficulty.

Dose.—Of the selected remedy, four globules, dry, or in water every three hours.

Palsy, or Paralysis.

This difficuly consists in being deprived of the power of motion through the agency of the will. When the weakness affects the joints, the hip and knee, Arnica; when the lower limbs are affected, Bryonia; when the arms and hands or fingers, or when both upper and lower extremities are involved, Nux vomica.

Dose.—Of the selected remedy, four globules, dry, or in water every three hours, until relieved.

Spasm, or Lock-jaw.

When produced by local injury, Arnica; when brought on by cold, Belladonna; Mercurius and Hyoscyamus are also remedies that may be used in curing this difficulty.

Dose.—Of the selected remedy, four globules, dry or in water, every four hours, until amelioration or change.

Mania potu. Delirium tremens.

This disease being brought on by persistent inebriation, requires Aconite when there is fever and heat in the head; Calcarea, in long-standing cases; Nux vomica, in the first stage in nearly all cases; Hyoscyamus

may be used with Nux vomica when the delirium becomes established.

Dose.—Of the selected remedy, four globules, dry or in water, every three hours, until amelioration or change.

Fits. Epilepsy.

A fit is characterized by convulsions, loss of consciousness and voluntary motion, and usually by foaming at the mouth; during the fit the face is livid, pale, deep or dark red. The fit is generally preceded by signs of physical disturbance, which sometimes may be noticed.

Belladonna is a useful remedy in the commencement of an attack, or even before it fairly sets in, when it is feared an attack is approaching. Ignatia, when the fit is brought on by grief. Nux vomica, when the patient shrieks, throws back the head with convulsive jerks.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every three hours, until relieved. DIET.—Persons subject to fits should live on a plain diet, easy of digestion.

Neuralgia.

The meaning of this term is pain in the nerve, of the most excruciating character. Arsenicum will sometimes cure the difficulty when it comes on periodically, and when the pain is of a burning or rending character. Belladonna is called for when the difficulty is in the face, and there is darting pains in the cheek-bones, nose and jaws; it is useful in most cases of neuralgia of the face. China, when there are periodical attacks, and also when the difficulty occurs from miscarriage, losses, or diarrhæa. Pulsatilla is indicated when the pain is attended with torpor, or coldness in the extremities.

Dose.—Of the selected remedy, four globules, dry or in water, every two hours, when the pain is severe, until relieved.

St. Vitus' Dance.

The most essential remedy for uncontrollable movements of portions of the body are *Belladonna*, if the twitching is in the face; Hyoscyamus, if the tongue or lower jaws be implicated; Pulsatilla, Nux vomica, and Sulphur, if the extremities are affected.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, three times a day, until relieved or change.

Stammering.

For this unpleasant difficulty, Belladonna, Hyoscyamus, and Sulphur, may be consulted.

Dose.—Of the selected remedy, four globules, dry or in water, every twenty-four hours at night. Let the patient in the mean time exercise the voice, prolonging the sounds, speaking words and sentences slowly.

Headache.

This difficulty for the most part arises from some constitutional debility, but it is under any circumstances a guiding symptom for treatment. Belladonna is indicated when there is constant pain in the head, aggravated by motion, or moving the eyes; Bryonia, when there is piercing and tearing

pain at a fixed spot after a meal. Nux vomica, when the headache arises from a cold, confined to a single spot, sensitive to the touch, or when it arises from indigestion or stimulating drinks. Pulsatilla is suitable for headache at the menstrual period, and suitable for headaches in general in persons of a mild disposition. Chamomilla, for headaches in impatient and restless individuals, that become irritable from pain, and also for pains on one side of the head. Calcarea, for chronic headache attended with sensations of extreme coldness.

In the treatment of headaches, reference may be had to the causes as follows:

- 1. Headache from rush of blood to the head, Aconite, Belladonna.
- 2. Headache from cold in the head, Aconite, Arsenicum, Mercurius.
- 3. Headache from Rheumatism, Bryonia, Chamomilla, Nux vomica.
- 4. Headache from disordered bowels, Nux vomica, Ipecacuanha, Veratrum.

- 5. Headache from constipation, Bryonia, Nux vomica.
- 6. Headache arising from coffee or wine, Nux vomica, Pulsatilla.
- 7. Headache caused by suppressed eruptions, Belladonna, Calcarea, Sulphur.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every four hours, until amelioration or change.

DIET.—In the treatment of all varieties of headache it is requisite for the patient to live abstemiously, avoiding all exciting stimulants, such as green tea, coffee, chocolate, fat meats, or any thing that severely taxes the digestive organs. Let the diet be simple, composed of materials easy of digestion, and free from corroding condiments, or condiments of any kind except salt.

Sick-Headache.

This difficulty must be treated in accordance with the habits, temperament, and constitution of the subject. Nux vomica is the remedy when there is pain and fulness

of the head, attended with vomiting, and especially when the vomiting is preceded by vertigo. Sepia is suited to sick-headache in weak and feeble constitutions, and especially if attendant on falling of the womb, or other disturbance of this organ. Pulsatilla is suitable for sick-headache in young girls who have difficulty in passing the change of puberty.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every three hours, until the paroxysm subsides.

Giddiness, or Vertigo.

This difficulty arises from various causes. Nux vomica is the most suitable remedy when connected with a foul stomach. Pulsatilla, when it occurs in young females near the menstrual period. Arnica, when it has arisen from a blow or concussion.

Dose.—Of the remedy selected, give four globules, dry or in a spoonful of water, every three hours, until the vertigo ceases.

DIET.—Persons subject to sick-headache or vertigo, should abstain from the use of

coffee, green tea, and all rich food and gravies; they should partake of such aliments as will digest easily. It is well, also, that weak or feeble persons subject to the affections, should avoid fatigue or too much confinement, the open air being a more favorable condition to procure relief. Avoid as much as possible irregular hours at meals.

Weakness or Loss of Memory.

Many causes may give rise to this affection. Severe losses of blood may impair the memory, and under such circumstances China may contribute to restore health; Arnica may be employed when the memory has been impaired from blows on the head; Nux vomica when intoxication is the cause, and Ignatia when produced by grief.

Dose.—Of the selected remedy, four globules, dry or in water, may be given and repeated twice a day until the restoration of the memory is affected.

DISEASES AFFECTING VARIOUS ORGANS. Pain in the Hip.

This affection is sometimes termed hip gout, and Aconite may be suitable to afford relief when the difficulty is attended with fever or inflammation in the first stage; Arsenicum when the pain shoots along the interior of the thigh, like a stream of hot fluid aggravated by cold; Belladonna when the pain appears to be like neuralgia; Pulsatilla will often remove pain in the hip when of a rheumatic character, and particularly when the pains become aggravated and wrenching towards evening.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, three times a day.

Hip Disease.

This affection is a chronic inflammation of the hip joint, seated in the bones and socket, most common among children, and supposed to result from scrofula; Arseni-

cum, Calcarea, Mercurius and Sulphur are remedies that may be employed in treating the difficulty. When there is at any time acute febrile symptoms, Aconite may be employed until these pass off. The Aconite may be given every three hours, until the paroxysm of fever subsides.

Dose.—Of the remedy selected for the treatment of the disease, four globules, dry or in a spoonful of water, every morning and evening; the patient should be kept in a horizontal position as much as possible and completely at rest.

Lameness of the Knee-joint.

This affection sometimes occasions considerable suffering, and may be cured by Sulphur when it arises from cold; Arnica when it arises from a sprain; Calcurea when it has been produced by Mercury or Calomel; Pulsatilla when the knee is swollen and soft without being red.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every morning and evening.

Affections of the Eyes.

Aconite when there is inflammation and swelling of the lids, with burning heat and dryness and copious secretion in the eyes and nose; Belladonna when the lids are paralyzed or stuck together, red and swollen; Chamomilla when the upper lids are heavy; Hepar sulphur when the eyes are inflamed from cold and there is catarrh in the head.

Dose.—Of the selected remedy, four globules, dry or in water, every six hours.

Stye.

For this little boil or hard tumor upon the lid, *Pulsatilla* and *Sepia* may be given.

Dose.—Of either, four globules, dry or in water, night and morning.

Inflammation of the Eye-balls.

Aconite when the inflammation comes on suddenly, and increases until the whole eye is red or full of red veins, and also when it comes on from cold, attended with catarrh; Belladonna when the whites of the eyes are red and inflamed and painful; Ignatia when

there is dread of light; Chamomilla for children when there is a pricking or burning in the eyes.

Dose.—Of the selected remedy, four globules dry or in water, every four hours until relieved.

Rheumatism of the Eyes.

When, during an attack of inflammatory rheumatism the eye becomes affected, Belladonna, Pulsatilla, Rhus tox., and Sulphur may be employed, to relieve the patient of the pain which he suffers.

Dose.—Of the remedy selected, four globules dry or in a spoonful of water, may be given every three hours until relieved.

Gout of the Eyes.

When the eyes of persons suffering from gout become affected with heat and burning, with pressive and darting pains, particularly on moving the eyes, *Aconite* may be employed; *Belladonna* when the pain is all round the eye, and sensation as if the eye were being torn from the socket.

Dose.-Of the selected remedy, four glo-

bules, dry or in a spoonful of water, every four hours until the pain subsides.

Scrofulous Sore Eyes.

In scrofulous subjects, and especially in children, this form of sore eyes is met with; Arsenicum is suitable when there is burning pains in the eye, and spots are seen on the cornea; Calcarea. when there are ulcers on the eye-ball; Dulcamara when cold has been the exciting cause.

Dose.—Of the selected remedy, five globules dry or in a spoonful of water, every morning and evening.

Catarrh of the Eyes.

This affection arises from cold that obstructs the tear passage, and may be relieved by *Hepar sulphur* and *Chamomilla*, given in alternation morning and evening.

Cataract.

Conium and Phosphorus are remedies well suited to relieve this difficulty. The Conium may be given, a dose of four globules every day for ten days, then discon-

tinue for the same length of time, and then follow with *Phosphorus*. Specks on the cornea may be removed by *Conium*, *Belladonna*, *Euphrasia*.

Dose.—Of either four globules, night and morning.

Blood-shot Eyes.

Pulsatilla, Aconite and Sulphur, are suitable to relieve.

Dose.—Four globules of the selected remedy, twice a day.

Attacks of Blindness.

These transient difficulties may be relieved by Aconite when they come on suddenly from cold, or Belladonna when they occur towards evening from fever or other causes.

Dose.—Of either, four globules, dry or in a spoonful of water, every six hours, until the difficulty is relieved.

Affections of the Ears.

Inflammation of the internal ear may be relieved by Belladonna when the pain penetrates into the brain; Pulsatilla is also an

effective remedy for the difficulty when it proceeds from cold, and also Nux vomica. For pain in the ear, without inflammation, Calcarea, China, Mercurius, and Nux vomica.

Dose.—Of either, four globules, every hour until relieved, if the pain be acute, or every three hours, if the pain be dull, or becomes somewhat relieved.

Running from the Ears.

Belladonna, if the discharge comes on after scarlet fever; Murcurius, if after small pox or measles; Calcarea, if the discharge is purulent; and Sulphur, if tedious and difficult to cure.

Dose.—Of either, four globules, dry or in a spoonful of water, every morning and evening.

When from a suppression of the discharge, the neck becomes hard and swollen.

Murcurius and Pulsatilla may be given in alternation; a dose of four globules night and morning.

Deafness.

This affection is connected with diseased conditions that must be removed before the deafness will cease. Belladonna, is suitable when the difficulty occurs from congestion; Causticum, when the deafness is nervous; Sulphur, when it occurs from suppressed eruption; Dulcamara, when it arises from cold.

Dose.—Of the selected remedy, four globules night, and morning, dry or in spoonful of water.

Buzzing or Noise in the Ear.

If from cold, Nux vomica; when worse in the evening, Pulsatilla; when attended with perspiration, Mercurius.

Dose.—Four globules, dry or in a spoonful of water, night and morning.

Bleeding at the Nose.

When occasioned by a blow, Arnica; when from being overheated, Aconite; or drinking wine, Aconite; when it comes on at night, or comes on again in the morning, Belladonna; when it occurs in warm weather

or in a warm room, Bryonia; when it occurs in children, Chamomilla; when in persons debilitated, China; when at the menstrual period, or near it, Pulsatilla.

Dose.—Of the selected remedy, three globules, dry or in a spoonful of water three times a day.

Swelling of the Nose.

When the swelling arises from contusion, Arnica; when from catarrh, Belladonna; when the nostril is sore and red, Hepar sulphur; when the swelling is bilious, Bryonia.

Dose.—Of either, four globules, dry or in a spoonful of water, morning and evening.

Cancer of the Nose.

Arsenicum, Aurum, and Sulphur, are remedies that may prove serviceable for this malady.

Dose.—Of either, when selected, four globules, dry or in a spoonful of water, every day.

Offensive Breath.

Nux Vomica, when from derangement of

the stomach; Pulsatilla, if in young girls, near the menstrual period.

Dose.—Of either, four globules, dry or in a spoonful of water, twice a day.

Cramp of the Legs.

Veratrum and Nux vomica, in daily doses of four globules, dry or in water.

Goitre.

For this swelling of the neck, Sepia and Spongia; Belladonna, when it arises from a cold; Murcurius, when there is no discoleration of the skin.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, morning and evening.

Sweating Feet

Sepia and Sulphur, may be employed, the former in the morning, and the latter at night; a dose of four globules, dry or in a spoonful of water.

Sleeplessness.

When produced by intense mental application, Nux vomica; when from overloading

the stomach, Pulsatilla; when from excessive joy, Coffee; when from grief, Ignatia; when from fear or fright, Belladonna.

Dose.—Of the selected remedy four globules, dry or in a spoonful of water, on retiring to rest.

Night Mare.

When this exceedingly unpleasant difficulty arises from, or is attended by fever, Aconite; when from sedentary habits, or over indulgence in wine, Nux vomica; when it arises from derangement of the digestive functions, gross living or late suppers, Pulsatilla; when from general torpidity of the system, Sulphur.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, at bed time.

Rupture.

When rupture shows itself by protrusion of the intestines, forming a tumor, the application of a truss is necessary, Arnica, and Nux vomica, may be employed as remedies, to remove soreness and pain. In severe cases it is requisite to consult a physician.

Fainting.

When caused by rush of blood to the head, Aconite; when it occurs in excitable subjects, Coffea; when fainting comes on in the evening, Hepar sulphur; when after a meal, Nux vomica; when excited by fatigue, Veratrum.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, whenever a fit occurs.

Pains in the Loins.

When the difficulty has been produced by habitual indulgence in spirituous liquors and late hours, Nux vomica. Sulphur and Calcarea are remedies that may also be employed to remove the difficulty when it occurs from other causes.

Dose.—The Nux vomica may be given twice a day; the other remedies once in twenty-four hours, in doses of four globules, dry or in a spoonful of water.

Dropsy.

For dropsy arising from general debility, Arsenicum and China; when it occurs after some acute disease, as scarlet fever, &c., Helleborus; when attended with obstinate constipation, Lycopodium; when it arises from an exhausted condition of the system, Bryonia; when attended with inflammation of the lungs, Belladonna; when confined to the abdomen, Arsenicum; for dropsy of the brain, Hyoscyamus, Belladonna and Helleborus. Sulphur and Calcarea are also remedies that may be employed.

Dose.—Of the selected remedy, four globules may be given, dry or in a spoonful of water, morning and evening. In acute cases *Helleborus* may be given three or four times a day. *Belladonna* and *Hyoscyamus*, for dropsy of the brain, may be given every four hours. It is better in all cases to consult a homœopathic physician.

Concussions, Wounds, Bruises and Sprains.

To remove the immediate effects of concussion of the brain, Arnica; when the concussion affects the chest, or the chest is bruised, Aconite and Arnica; when attended by a sensation as if there were an inter-

nal excoriation or wound, *Pulsatilla*; when there is a manifest shock of the nervous system, with pains in the limbs, produced by mis-step, *Bryonia*; when, from extreme pain, convulsions ensue, *Chamomilla*.

Dose.—Of the selected remedy, four globules every six hours, until amelioration or change.

Sprains.

Arnica, taken internally, and applied externally in the form of a lotion, is recommended for sprains. The application of cold water is also recommended.

Dose.—Of Arnica, to be taken internally, four globules, dry or in a spoonful of water, to be repeated every six hours. For external use, ten drops of the tincture may be put in a tumbler of water, and the part may be bathed three times a day.

Strains.

When, from over-exertion, there are pricking pains in the back, aggravated by movement, *Bryonia*. When a strain pro-

duces sickness and pain in the abdomen, Veratrum.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, night and morning, until amelioration or change.

Wounds.

The best application to wounds is Arnica. When the patient suffers from loss of blood China may be taken internally.

The first object to be gained in the treatment of wounds is to arrest the hemorrhage. This, in domestic practice, may be accomplished by the application of cold water. The manner of applying the cold water is by saturating several folds of linen rags, or lint pads, and placing them upon the wound, frequently recurring to the use of the cold water to moisten them.

Nearly all kinds of wounds receive a similar treatment. Cold or iced water may be generally applied, and the use of *Arnica* may be resorted to.

From punctured wounds serious consequences are liable to arrive such as trismus

or lock-jaw. Arnica should be resorted to at once, and Aconite if there is any indication of fever.

Burns and Scalds.

In superficial burns Arnica is a useful remedy, and in some burns or scalds the affected parts may be bathed in heated alcohol, or a mixture of lime water and linseed oil; Arcenicum may be taken internally if there is burning thirst. If there is considerable fever, Aconite.

Dose.—Of the selected remedy, four globules, in a spoonful of water or dry, every six hours.

Stings of Insects.

When fever attends the stinging by a bee or wasp, Aconite. Arnica may be taken internally and applied externally to remove the pain.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, may be repeated every six hours until relieved.

Fatigue.

When fatigue results in a sensation as if

the flesh upon the limbs were bruised Arnica will afford relief. China will aid in restoring the strength, if the patient is much debilitated. When there is a tendency to faint, owing to being fatigued, Veratrum. Exhaustion from violent exercise, combined with abstinence from food, Coffea.

Dose.—Of the selected remedy, three globules, dry, or in a spoonful of water, repeated every three hours, until relieved.

Mental Emotions.

When suffering from fright or passion, and particularly if there is any febrile excitement, Aconite; when fright effects the stomach and bowels, Pulsatilla; when there is particular liability to be startled by trifles, Belladonna; for the ill effects of grief, Ignatia; when sufferings arise from vexation, Chamomilla; from sudden fits of passion or rage, Nux vomica.

Dose.—Of the selected remedy, from globules, dry or in a spoonful of water, every two hours, until relieved or change.

DISEASES OF WOMEN.

For painful or difficult menstruation, Pulsatilla; if the face is flushed, the head feels full, or the nose bleeds, Bryonia.

Dose.—Of either, four globules, dry or in a spoonful of water, twice a-day—fresh air and moderate exercise, and a simple diet, are of the utmost importance in overcoming the difficulty.

Green Sickness.

When there is delay of the menses at first, and there is weariness, languor and debility, and the appetite is depraved, Calcarea; when there is rush of blood to the head, Belladonna; when there is bitter taste in the mouth, Bryonia; when there is constipation of the bowels and colic, Nux vomica.

Dose.—Of the selected remedy, four globules, dry, or in a spoonful of water, every six hours, until amelioration or change.

Tardy Menstruation.

When after menstruation has become established, it shows itself less frequently

than the usual periods, the patient should use measures to invigorate the system, such as exercising in the open air, strict attention to cleanly habits, and a moderate diet. Pulsatilla is one of the chief remedies required; if there is considerable pain in the head, Belladonna; if there is obstinate constipation, Lycopodium; if there is bleeding at the nose when the menses should appear. Bryonia; when there are pains low down in the abdomen, Pulsatilla.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every six hours, until amelioration or change.

Suppression of the Menses.

This difficulty may happen from any sudden exposure, such as fright, wetting the feet. When from sudden incidental causes, Aconite and Pulsatilla, in alternation, every six hours; and also, if the difficulty arise from fright, Aconite; or when there is congestion to the chest or head, and when there is delirium, Aconite; in chronic cases in debilitated subjects. China may be em-

ployed; if the suppression arise from a chill, or the head-ache be confined to one side, Pulsatilla; when in women of delicate constitution, Sepia; if there be pressive headache, chiefly in the occiput, Sulphur.

Dose.—Of either, when selected, four globules, dry or in a spoonful of water, every six hours, except Sulphur, this latter remedy should be repeated only once in twenty-four hours.

DIET.—The diet should be simple and free from stimulating condiments.

Menstruation too frequent.

If the menses should appear every two or three weeks, attended with headache, flushed face and cold feet, bearing down pains, Belladonna; if in persons of a relaxed muscular fibre, weak and subject to diarrhœas, Calcarea; when there are passive hemorrhages and great debility, nausea, and the discharges are coagulated, Ipecacuanha; when the menses are too early, attended with spasm, colic, nausea and fainting, Nux vomica.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, morning and evening.

DIET.—The diet should be light, but nutritive and free from stimulants.

Menstruation too profuse.

When too copious or long continued, and the patient seems debilitated, China; when the discharge is dark-colored Chamomilla; when there is flooding of bright red blood, as after a miscarriage, Ipecacuanha; Sulphur and Calcarea, may also be called into requisition when other remedies fail of affording relief.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, morning and evening.

Rest in a horizontal position, is in severe cases imperative.

Menstrual Colic.

When the pains are like labor pains, Chamomilla; when there is a sense of pressure and fulness, or violent spasms, Coffea; when there are writhing pains in the abdo-

men, Nux vomica; when attended with nervous headache, Veratrum; and also when there is nausea and vomiting, coldness of the extremities, weakness, fainting, or fainting fits, and diarrhœa, Veratrum; when there is a feeling of weight, as if from a stone in the lower abdomen, with violent pressure in the small of the back, Pulsatilla.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every three hours, until relieved.

Change of Life.

For the numerous ailments that occur at the change of life, when there is complete cessation of the menses, *Belladonna* may be employed when there are frequent rushes of blood to the head; when there are flushes and debility, *Pulsatilla*; when very weak and exhausted, *Arsenicum*; for more serious ailments consult a physician.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, morning and evening.

Hysteria.

Females subject to attacks of hysteria may find relief from Coffea when the attacks come on in spasms, with jerking, agitation, screaming or crying, and cold perspiration; when attended with fainting, nausea, chilliness, paleness of the face, intolerance of light and noise, Ignatia; when persons are excessively chilly or incline to tears and laughter alternately, Pulsatilla; when from fear, or rage, or fright, Veratrum.

Dose.—Of the selected remedy, four globules, dry, and repeated every three hours, until relieved.

DIET.—Persons predisposed to hysteria should subsist upon a light but nutritious diet, and should exercise when practicable in the open air.

Leucorrhœa. Whites.

Females suffering from this difficulty may find relief from the following remedies.

For females of lymphatic temperament, of light complexion, who have two copious

carbonica; if the discharge be thick, like cream, Pulsatilla; if with bearing down pains, frequent desire to make water, Sepia; for inveterate cases of corrosive and burning discharge, and also attended by itching and occasional attacks of colic, Sulphur.

Dose.—Of the selected remedy, four globules, dry or in water, twice a day.

Falling of the Womb.

The signs of falling of the womb are, bearing down, dragging sensations, in the lower part of the abdomen, drawing from the small of the back and around the loins and hips, with other indications of inward weakness.

When falling of the womb arises from a fall or from lifting, as in removing furniture, Arnica; when the pressure downwards is such as to impart the impression that the contents of the abdomen are pressing out, Belladonna; if there be relaxation of the system, as in scrofulous subjects, Calcarea carbonica; when there is a varicose condition of the veins, severe pains in the back,

relaxed condition of the muscles, Nux vomica; when there is severe and obstinate falling of the womb, attended with Leucor-rhæa of an acrid, burning or corroding character, Sulphur and Sepia may be given in alternation every twenty-four hours.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every twenty-four hours, until relieved or change.

Swelling of the Womb.

When the womb appears to be distended with air, Lycopodium; when from the accumulation of water, (dropsy of the womb) Aconite, Arsenicum, Bryonia and Pulsatilla may be consulted.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every morning and evening, until some indication of change.

Pregnancy.

This interesting period, which may be regarded as the most responsible in the life of a woman, requires particular attention, and surely a few simple rules to be regarded cannot be out of place.

1. When a lady in this situation feels weak and languid, it is not well for her to mope about, frequently reclining. It is far better for her to move about, directing her attention to some well chosen or light employment—frequent walks in the open air may, with propriety, be enjoined.

2. The lady should refrain from indulging every morbid appetite that springs up during the time she is pregnant, and also, she should suppress, as a matter of duty,

all angry or irritable feelings.

3. The lady should wear such clothing as will leave her in the greatest freedom. She should refrain from rendering herself uncomfortable at any time by tight lacing or by otherwise compressing her form.

4. She should be regular in her habits—cheerful in her temper—prone to look at the bright side of all matters, and especially should she refrain from borrowing trouble.

Vertigo and Headache.

When females during pregnancy are suffering from headache or vertigo, they may find relief from remedies. Aconite is best adapted to those who are naturally plethoric, having a full bounding pulse, Belladonna, will be called for when the headache results from rush of blood to the head, or rather determination of blood to the head; in irritable and hasty temperaments, Nux vomica; for giddiness, worse from or after stooping, Pulsatilla; when there are pulsative pains, and sensation of heat in the head, Sulphur.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, not to be repeated oftener than once a day

Morning Sickness.

For morning sickness during pregnancy, Nux vomica, Arsenicum and Pulsatilla.

Dose.—Of the selected remedy, four globules on getting up, and repeat if not better in three hours.

Constipation.

For this difficulty during pregnancy, Nux vomica, every afternoon; if the constipation appears obstinate and Nux vomica does not relieve Inconstitute may be substituted for

the Nux vomica—four globules of either at a dose.

Diarrhœa.

For this difficulty during pregnancy, Nux vomica and Pulsatilla; Pulsatilla, may be taken in the morning, Nux vomica, in the afternoon.

Dose,—Four globules dry upon the tongue.

Itching.

Sometimes during pregnancy, woman are severely annoyed by itching of the private parts, when such is the case relief may be obtained by frequent ablutions with warm water, or a weak solution of salt in the water; Sulphur, may be given internally once every day towards evening—a dose of four globules. If at the same time there are little blisters in the mouth and accumulations of saliva, Mercurius; in the same dose.

Fainting Fits.

When frequent fainting or hysteric fits occur during pregnancy, Coffea; in pregnant

females, China; when from weakness or loss of blood, Chamomilla, if from anger.

Dose.—Of either, four globules, dry, repeated if necessary every four or six hours.

Toothache.

Some ladies suffer much from toothache during pregnancy, when such is the case, Chamomilla, Mercurius, Pulsatilla, or Nux vomica, may relieve; should none of these afford relief, consult a physician.

Dose.—Of either, four globules, repeated as often as once in six hours, if necessary, until relieved.

Cramps.

When lying-in women are troubled with cramps in the legs which are very annoying, Calcarea, Nux vomica and Sulphur, may be resorted to for relief.—Give a dose of four globules of Nux vomica; if this does not relieve, give the same dose of Sulphur at night, and Calcarea in the morning, if

Incontinence of Urine.

When pregnant females are troubled with frequent desire to pass water, or when they are unable to relieve it; Pulsatilla, will in most cases afford relief; Belladonna and China may also be used, if necessary.—One or two doses of either, of three or four globules, may be administered a day.

Piles.

When these troublesome tumors appear during pregnancy, and when the patient has not otherwise been subject to them, Nux vomica, in daily doses of four globules, may relieve the patient; if in persons of plethoric habit, Aconite may be used twelve hours before the Nux vomica, in the same dose.

Varicose Veins.

Arnica, may be given for varicose veins, when the limbs appear sore, and the circulation seems to be interrupted; Pulsatilla, may also be used when the veins are much swollen with swelling of the limb and when

the parts assume a bluish hue, with pain and inflammation.

Dose.—Of either, four globules, dry or in a spoonful of water, twice a day.

Flooding.

When brought on by strain or mechanical injury, Arnica; when from other causes, Belladonna, Bryonia and China, the latter in the most dangerous cases, attended with heaviness of the head or giddiness, or drowsiness; when attended by pains like those of labor, Hyoscyamus; when very copious, Ipecacuanha.

Dose.—Of the selected remedy, four globules, dry or in a spoonful of water, every three hours, until relieved.

Miscarriage.

To guard against this misfortune when threatened, the patient should resume the horizontal posture, and take a dose of four globules of *Belladonna*, and repeat in twelve hours if necessary, especially if there are bearing down pains, as if there would be a sof dark

complexion, subject to liver affections, Bryonia; when attended with spasms, Hyoscyamus. It is generally better to consult a physician.

After Delivery.

For after pains Arnica and Belladonna may be given in alternation; the former at night, and the latter in the morning.

Dose.—Four globules of each.

Milk Fever.

To subdue the fever attendant on the coming of the milk, one or two doses of Aconite may be necessary, or Chamomilla if there is considerable nervous excitement and tenderness of the breast.

Dose.—Of either, four globules, dry or in a spoonful of water.

Suppression of the Milk.

If from some sudden emotion, Pulsatilla; if attended with fever, Aconite.

Dose.—Of either, four globules, when indicated.

Great flow of Milk.

For extensive secretion of milk, Calcarea may be given, night and morning, until the difficulty subsides.

Constipation and Diarrhœa.

When the former of these difficulties occurs after delivery, a dose of Nux vomica may relieve the difficulty, if not, consult the physician. Diarrhæa, if it proceeds from cold, may be relieved by Dulcamara; if from other causes, Hyoscyamus; when painful and involuntary, Phosphorus; when painless and watering.

Retention of Urine.

If after delivery the retention of urine, or painful emission of urine, may be relieved by Arnica, in most cases; or by Belladonna and Nux vomica, should the Arnica fail.

Dose.—Of either, four globules, dry or ieved.

Gathered Breasts.

To guard against this difficulty the breasts should be kept well drawn — when the breasts do become hard and swollen in spite of efforts to preserve them in a healthy condition, Bryonia may be given, first, a dose of four globules, and afterwards in twelve hours, a dose of four globules of Belladonna may be given; if these fail of preventing suppuration, four globules of Hepar sulphur may hasten the crisis; bread and milk poultices may also be used for the purpose of alleviating the suffering and hastening a cure.

DIET.—The diet of females, after delivery and during the period of nursing, should be healthy and nutritious, and free from condiments or stimulants.

DISEASES OF INFANTS. Crying.

When infants are prone to cry and be restless Coffea and Chamomilla may be used, two globules may be given at a dose; if the crying seems to be from colic, give two globules of Chamomilla.

Vomiting of Milk.

To remove a tendency of this kind in infants, give two globules of Nux vomica once a-day.

Cold in the Head.

For dry cold in the head and stoppage of the nose, give the child two globules of Nux vomica; if the nose runs, give the same dose of Chamomilla.

Sore Mouth.

To cure this difficulty common to infants, give two globules of Bryonia every day e child colic.

Excoriations.

For excoriations or chafings, two globules of *Mercurius* may be given every day for a week; a little rye flour may be applied with down brush.

Sores behind the Ears.

To cure this disease so common with infants, it is necessary to avoid the use of soap when washing them—it is better to soften the water with rye meal, and at the same time give the child two globules of Arsenicum, once or twice a week.

Infants are liable to a great variety of affections which nurses may be called upon to treat, not here enumerated. The advice of a physician should be had in all difficult cases. But when this is difficult to obtain, the larger Manual, of which this an abridgement, is referred to.

POISONS AND THEIR ANTIDOTES.

THERE are animal, vegetable, and mineral poisons that have a pernicious effect upon the animal system.

Poison from the bites of reptiles may be antidoted by holding a red hot iron to the wound, and by powerful stimulation with whiskey.—Poisons from the bites of snakes are readily imbibed into the system, and can only be remedied by the effect of counteracting agents.

Poisons taken into the stomach may be ejected, provided it is done at an early period, by provoking vomiting, or otherwise they may be neutralized by means of chemical antidotes.

When it is known that any poison, as Arsenic, has been recently taken into the stomach, measures should be taken to produce vomiting at once. This can be done,

- 1. By copious draughts of tepid water.
- 2. By drinking a half pint of warm water, with a tablespoonful of ground mustard

- 3. By tickling the throat with a feather.
- 4. By 10 grs. of pulv. Ipecac.

To Neutralize Poisons.

- 1. If corrosive sublimate has been swallowed, dissolve the whites of eggs in water and drink in large quantities; and in case of poisoning by any metalic substance, such as verdegris, tin, arsenic, lead or mercury, and particularly when there are violent pains in the stomach and bowels, the whites of eggs dissolved in water and drunk freely, will materially mitigate, if not neutralize, the effects of the poison.
- 2. In all cases where there are violent pains in the abdomen, occurring after eating or drinking, giving rise to a suspicion that poison may have been swallowed, the *whites* of eggs, as above, may be administered.
- 3. In cases where the whites of eggs proves insufficient, as indicated, dissolve one part of common white soap in four parts of hot water, and let it be swallowed little at a time unless it is known that the poisoning

has been occasioned by some alkaline substance.

- 4. When poisoning has resulted from swallowing alkaline substances, cider or wine vinegar, diluted with water, may be taken as a drink.
- 5. Sugar dissolved in water may be given in cases of poisoning by mineral or vegetable alkaline substances.
- 6. Milk and olive oil may be administered in case of poisoning by any of the corrosive acids.
- 7. Mucilaginous drinks are also useful against alkaline poisons.
- 8. Strong black coffe, taken very warm will neutralize the effects of Opium, Stramonium, Nux vomica.
- 9. Camphor is efficacious against poisoning by Cantharides (Spanish fly) and many of the vegetable poisons.
- 10. Against the effects of poisonous fish, clams, &c., charcoal, sugar and water, black

- 11. Against vegetable poisons in general, camphor, black coffe and vinegar.
- 12. Poison by the Sumach, Bryonia. Rhus., internally administered.
- 13. When poisoned by swallowing camphor or saffron, black coffee may be taken until the patient vomits
- 14. Against the poisonous effects of spirits of turpentine, *Belladonna* and *Bryonia* may be taken internally, a dose of three globules at intervals of three hours.
- 15. Against poisons by acids, (mineral) any of the alkalies, such as spirits of hartshorn, soap-suds, chalk, magnesia, &c.
- 16. Against alkaline substances in general, such as pot and pearl ashes, &c., vinegar, lemon juice, sour milk and mucilaginous drinks.
- 17. Against poison from arsenic, rust of iron, soap-suds, milk.
- 18. Against poison from lunar caustic, common salt dissolved in water

| A | Bilious fever,13 |
|--|----------------------------|
| Abscess,54 | Bilious Headache,26 |
| After delivery,110 | Bladder, inflammation of |
| | the,47 |
| A CONTRACTOR OF THE PARTY OF TH | Bleeding at the Nose,86 |
| Affections of the Heart,66 | Blindness, attacks of,84 |
| Air and exercise,60 | Blood-shot Eyes,84 |
| Anus, falling of the,40 | Blood, spitting of,66 |
| Anus, itching of the,39 | Blood, vomiting of29 |
| Apoplexy,69 | Bloody flux,32 |
| Appetite, want of,25 | Boils,51 |
| Articles of diet allowed | Bowels, inflammation of,38 |
| under Homoeopathic | Brain fever,68 |
| Treatment,4 | Brain, inflammation of |
| Asiatic Cholera,35 | the,68 |
| Asthma,65 | Breast, cold on the,58 |
| Attacks of Blindness,84 | Breasts, gathered,112 |
| | Breath, offensive,87 |
| В | Bronchitis,62 |
| Back, pain in the,22 | Bronchitis, |
| Bathing,6 | Bruises,91 |
| Bed, wetting the,49 | Buzzing, or noise in the |
| Biliousness,13 | Ear,86 |
| | (110) |

| | Corns,53 |
|-----------------------------|----------------------------|
| C | Costiveness,30 |
| Cancer of the Nose,87 | Cough,58 |
| Canker of the Mouth,24 | Cough, Whooping,62 |
| Carbuncle,52 | Cramps,107 |
| Cataract,83 | Cramp of the Legs,88 |
| Catarrh,57 | Cramp of the Stomach,27 |
| Catarrh of the Eyes,83 | Croup,60 |
| | Crying,113 |
| Change of Life,100 | |
| Chest, congestion of the,65 | D |
| Chicken pox,18 | Deafness,86 |
| Chilblains,53 | Delirium tremens,71 |
| Cholera, Asiatic35 | Delivery, retention of |
| Cholera Morbus,34 | urine after,111 |
| Cholera, see St. Vitus' | Diabetes,50 |
| dance,73 | Diarrhœa,31, 106 |
| Chronic liver complaint,42 | Diet and Regimen,3 |
| Clothing,7 | Diet not allowed,5 |
| Cold on the Breast,58 | Diet that may sometimes |
| Cold in the Head,57 | be allowed,5 |
| Cold in the head of In- | Difficulty in passing |
| fants,113 | urine,49 |
| Colic,36 | Diseases affecting various |
| Colic, Menstrual,99 | organs,79 |
| Concussions,91 | Diseases of Infants,113 |
| Congestion of the Chest,65 | Diseases of the Respira- |
| Constipation,30, 105 | |
| Constipation and Diar- | Diseases of the Skin,51 |
| rhœa after delivery,111 | Disease of the Spine,70 |
| Consumption,61 | Diseases of Women,96 |
| Copious dom of | 90 |

| Dysentery,32 | Fever, Brain,68 |
|---|---|
| Dyspepsia,25 | Fever, Catarrhal,58 |
| | Fever, Inflammatory, 10 |
| E | Fever, Intermittent,13 |
| Ears, affections of the,84 | Fever, Milk,110 |
| Ears, buzzing or noise in | Fever, Nervous,11 |
| the,86 | Fever, Scarlet,16 |
| Ears, running from the,85 | Fever, Simple,10 |
| Ears, soreness behind | Fever, Yellow,14 |
| the,114 | Fevers, treatment of,10 |
| Emotions, mental,95 | Fits,72 |
| Epilepsy,72 | Fits of fainting,106 |
| Erysipelas,17 | Flatulency,37 |
| Exercise and air,6 | Flooding,109 |
| Excoriations,114 | Flux, bloody,32 |
| Eye balls, inflammation | , |
| of the,81 | C |
| | Gathered, Breasts,112 |
| Eyes, blood-shot,84 | Giddiness |
| D 0 1 3 | Gladine Cos, |
| Lyes, Catarrh of the,83 | Gout,19 |
| Eyes, Gout of the,82 | Gout,19 |
| Eyes, Gout of the,82 | Gout, |
| Eyes, Gout of the,82 Eyes, Rheumatism of | Gout,19 |
| Eyes, Gout of the,82 Eyes, Rheumatism of the,82 | Gout, |
| Eyes, Gout of the,82 Eyes, Rheumatism of the,82 | Gout, 19 Gout of the Eyes, 82 Goitre, 88 Gravel, 48 |
| Eyes, Gout of the,82 Eyes, Rheumatism of the,82 | Gout, |
| Eyes, Gout of the,82 Eyes, Rheumatism of the,82 | Gout, 19 Gout of the Eyes, 82 Goitre, 88 Gravel, 48 Great flow of milk, 111 Green sickness, 96 Grippe, 62 |
| Eyes, Gout of the, | Gout, 19 Gout of the Eyes, 82 Goitre, 88 Gravel, 48 Great flow of milk, 111 Green sickness, 96 Grippe, 62 |
| Eyes, Gout of the, | Gout, |

| Headache and Vertigo of | Inflammation of the |
|--|---------------------------|
| women,104 | Eye-balls,87 |
| Headache, Bilious,26 | Inflammation of the |
| Headache, Sick,76 | Kidneys,46 |
| Heartburn,26 | Inflammation of the |
| Heart, affections of the,66 | Lungs,64 |
| Heart Disease,67 | Inflammation of the |
| Hernia, see Rupture,89 | Spleen,45 |
| Hip Disease,79 | Inflammation of the |
| Hip, pain in the,79 | Stomach:37 |
| Hip, Rheumatism of,22 | Inflammation of the |
| Hives, | Tongue,25 |
| Hoarseness,58 | Influenza,62 |
| Hooping Cough,62 | Insects, Stings of,94 |
| Hysteria,101 | Intermittent Fever,13 |
| | Intestings protrusion of |
| | Intestines, protrusion of |
| 1 | the,40 |
| | |
| Icterus, see Jaundice,43 | the,40 |
| Icterus, see Jaundice,43 Incontinence of Urine,49 | the,40 Introduction,3 |
| Icterus, see Jaundice,43 Incontinence of Urine,49 Incontinence of Urine | the, |
| Icterus, see Jaundice,43 Incontinence of Urine,49 Incontinence of Urine | the, |
| Icterus, see Jaundice,43 Incontinence of Urine,49 Incontinence of Urine during Pregnancy,108 | the, |
| Icterus, see Jaundice,43 Incontinence of Urine,49 Incontinence of Urine during Pregnancy,108 Indigestion, see Dyspepsia, | the, |
| Icterus, see Jaundice,43 Incontinence of Urine,49 Incontinence of Urine during Pregnancy,108 Indigestion, see Dyspepsia, | the, |
| Icterus, see Jaundice,43 Incontinence of Urine,49 Incontinence of Urine during Pregnancy,108 Indigestion, see Dyspepsia, | the, |
| Icterus, see Jaundice,43 Incontinence of Urine,49 Incontinence of Urine during Pregnancy,108 Indigestion, see Dyspepsia, | the, |
| Icterus, see Jaundice,43 Incontinence of Urine,49 Incontinence of Urine during Pregnancy,108 Indigestion, see Dyspepsia, | the, |
| Icterus, see Jaundice,43 Incontinence of Urine,49 Incontinence of Urine during Pregnancy,108 Indigestion, see Dyspepsia, | the, |
| Icterus, see Jaundice,43 Incontinence of Urine,49 Incontinence of Urine during Pregnancy,108 Indigestion, see Dyspepsia, | the, |
| Icterus, see Jaundice,43 Incontinence of Urine,49 Incontinence of Urine during Pregnancy,108 Indigestion, see Dyspepsia, | the, |

| | Menstruation, too Fre- |
|------------------------------|---|
| L | quent,98 |
| Lameness of the Knee | Menstruation too Pro- |
| joint, | fuse,99 |
| Laryngitis,60 | Menstruation, Tardy,96 |
| Legs, Cramp of the,88 | Mental emotions, 95 |
| Leucorrhœa,101 | Milk Fever,110 |
| Life, Change of,100 | Milk, Great Flow of,111 |
| List of Remedies, their | Milk, suppression of,110 |
| Antidotes and English | Milk, Vomiting of, in |
| Names,8, 9 | Children,113 |
| Liver Complaint,41 | Miscarriage,109 |
| Liver Complaint, chronic, 42 | Morning Sickness,105 |
| Lock-jaw or Spasm,71 | Mouth, Canker of the,24 |
| Loins, Pain in the,90 | Mucus, Vomiting of,28 |
| | Mumps,25 |
| (see Diarrhœa,)31 | L and the late of |
| Lumbago, | N |
| Lungs, Inflammation of | Neck, Kink of the,22 |
| | Nervous Diseases, 67 |
| | Nervous Fever,11 |
| M | Nerve, Pain in the,73 |
| Malignant, or Putrid Sore | Nettle Rash,15 |
| Throat,2 | 4 Neuralgia,73 |
| Mania Potu,7 | 1 Night Mare,89 |
| Measles,1 | 7 Nose, Bleeding at the,86 |
| Memory, Weakness or | Nose, Cancer of the,87 |
| Loss of,7 | 8 Nose, Swelling of the,87 |
| Menses, Suppression of | |
| the9 | 7 0 |
| Menstrual Colic, | 9 Offensive Breath,87 |

| | Rheumatism of the Eyes,82 |
|--|----------------------------|
| P | Rheumatism of the Hip,22 |
| Pain in the Back,22 | Rheumatism of the Neck,.22 |
| Pain in the Hip,79 | Ringworm,56 |
| Pain in the Loins,90 | Rose,17 |
| Pain in the Nerve, (See | Running from the Ears, 85 |
| Neuralgia,)73 | Rupture,89 |
| Palsy or Paralysis,70 | Rush of blood to the |
| Passage of blood with | |
| the Urine,50 | |
| Piles,40 | S |
| Piles during Pregnancy, 108 | Scalds and Burns,94 |
| Pleurisy,64 | Scarlet Fever,16 |
| Poisons and their Anto- | |
| dotes,115 | Sciatic Rheumatism22 |
| Pregnancy,133 | Scrofula,56 |
| Pregnancy, Piles during, 108 | |
| Protrusion of the Intes- | Scurvy,24 |
| | Sea Sickness,28 |
| Putrid Sore Throat,24 | |
| 1 - 3 - topic 20 - 3 (1 to 2) 3 - 3 - 3 - 3 | Sickness, Morning,105 |
| 0 | Sickness, Green,96 |
| Quinsy,24 | Simple Fever,10 |
| | Skin, Diseases of the51 |
| R | Sleep,7 |
| Rash, Nettle,15 | Sleeplessness,88 |
| Rash, Scarlet,16 | Small-pox,18 |
| Regimen and Diet,3 | Sore Eyes, Scrofulous,83 |
| Retention of Urine | Sore Threat,24, 60 |
| Retention of Urine after | Soreness behind the |
| Delivery,111 | Ears,114 |
| Rheumatism,20 | Sore Mouth in Infants,113 |

| Spasm or Cramp of the | Tongue, Inflammation of |
|--------------------------|--|
| Stomach,27 | the,25 |
| Spasm or Lock-jaw,71 | Too frequent Menstrua- |
| Spine Disease,70 | tion,98 |
| Spitting Blood,66 | Toothache,23 |
| Spleen, Inflammation of | Too profuse menstrua- |
| the,45 | tion,99 |
| Sprains,91, 92 | |
| | nancy,107 |
| | To Neutralize Poisons,116 |
| | Treatment of Fever,10 |
| Stings of Insects,94 | #31 A CONTRACTOR OF THE REAL PROPERTY. |
| Stomach, Cramp of the,27 | |
| Stomach, Inflammation of | Ulcers,57 |
| the,37 | Urine, Copious Flow of,50 |
| Stye,81 | |
| Strains,92 | Passing,49 |
| Suppression of the | Urine, Incontinence of,49 |
| Menses,97 | |
| Suppression of Milk, 110 | during Pregnancy,108 |
| Suppression of Urine,49 | Urine, Passage of Blood |
| Sweating Feet,88 | with the,50 |
| Swelling of the Nose, 87 | Urine, Retention of,48 |
| Swelled Testicle,51 | Urine, Suppression of,49 |
| Swelling of the Womb,103 | |
| | V |
| T | Varicose Veins,108 |
| Tardy Menstruation,9 | 7 Variola,18 |
| Testicle, Swelled,51 | Varioloid, |
| Tetter, 58 | Veins, Varicose,108 |
| Throat, Sore,24, 60 | Vertigo,77 |

| Vertigo and Headache | Wetting the Bed,49 |
|-----------------------|---------------------------|
| of Women,104 | Whites,101 |
| Vomiting of Blood,29 | Whitlow,55 |
| Vomiting, of Mucus,28 | Womb, Falling of the, 102 |
| Vomiting of Milk in | Womb, Swelling of the,103 |
| Children,113 | Worms,39 |
| | Wounds,91, 93 |
| W | |
| Want of Appetite,25 | Y |
| Waterbrash,26 | Yellow Fever,14 |
| Weakness or Loss of | |
| Memory,78 | |

HOMŒOPATHIC BOOKS,

PUBLISHED BY

WILLIAM RADDE,

635 Arch Street, Philadelphia.

The Homoeopathic Materia Medica, arranged Systematically and Practically by A. Teste, M. D. Translated from the French, by Charles J. Hempel, M. D. (634 octavo pages.) 1854. Bound \$2 50.

The Homosopathic Guide, in all Diseases of the Urinary and Sexual Organs, including the Derangements caused by Onanism and Sexular Excesses; with a strict regard to the present demands of medical science, and accompanied by an appendix on the use of the Electro-Magnetism in the treatment of these diseases. By Wm. Gollman, M. D. Translated, with additions, by Charles J. Hempel, M. D. (309 octavo pages.) 1854. Bound \$1 50.

Organon of Specific Homosopathy; or, an Inductive Exposition of the Principles of the Homosopathic Healing Art, addressed to Physicians and intelligent Laymen. By Charles J. Hempel, M. D. (216 octavo pages.) 1854. Bound \$1 00.

Laurie, Dr. J., Elements of Homocopathic Practice of Physic. Second American edition, enlarged and improved, by A. Gerald Hull, M. D., and an Appendix on Intermittent Fever, by J. S. Douglas, A. M., M. D. 1853. 939 8vo. pages. Bound, \$3 00.

9

The Philadelphia Journal of Homosopathy, Edited by William A. Gardiner, M. D., Professor of Anatomy in the Homosopathic Medical College of Pennsylvania, and Alvan E. Small, A. M., M. D., Professor of Homosopathic Institutes, Pathology, and the practice of medicine in the Homosopathic Medical College of Pennsylvania; assisted by numerous contributors. Published monthly by Rademacher & Sheek, 239 Arch st. Phila. Price per volume of 12 monthly numbers, free of postage, \$3 00.

The fourth volume of the Philadelphia Journal commenced in April, 1855. The first three volumes can be furnished at \$7 in numbers, or bound, at \$8. On the 1st of March, 1856, at which time four volumes will be complete, they will be furnished to new subscribers, handsomely bound, at \$11 00.

The Homœopathic Treatment of Indigestion, Constipation, and Hæmorrhoids, by William Morgan, Member of the Royal College of Surgeons of England. Edited with notes and annotations, by A. E. Small, M. D., Professor of Homœopathic Institutes, Pathology, and the practice of medicine in the Homœopathic Medical College of Pennsylvania. (166 pages.) 1854. Bound 75 cents.

The Homoeopathic Treatment of Acute and Chronic Diseases, by Emilius Kreussler, M. D. Translated from the German, with important Additions and Revisions, by Charles J. Hempel, M. D. (190 pages.) 1854. Bound 75 cents.

Materia Medica of American Provings. By C. Hering, M. D., J. Jeanes, M. D., C. B. Matthews, M. D., W. Williamson, M. D., C. Neidhard, M. D., S. R. Dubs, M. D., C. Bute, M. D. Containing the Provings of: Acidum benzoicum, Acidum fluoricum, Acidum oxalicum, Elaterium, Eupatorium perfoliatum, Kalmia latifolia, Lobelia inflata, Lobelia cardinalis, Podophyllum peltatum, Sanguinaria canadensis and Triosteum perfoliatum. Collected and arranged by the American Institute of Homœopathy. With a Repertory by W. P. Esrey, M. D. Second Thousand. (300 pages.) 1853 Bound, \$1.

Manual of Homœopathic Practice, for the use of Families and private individuals. By A. E. Small, A. M., M. D., Professor of Homœopathic Institutes, Pathology, and the Practice of Medicine in the Homœopathic Medical College of Pennsylvania, etc. (Fifth enlarged edition. 852 pages.) 1856. Bound, \$2.00.

Small's Manual in German.—Manual of Homoeopathic Practice, for the use of Families and private individuals. By A. E. Small, A. M., M. D., Professor, etc. Fourth enlarged edition. Translated into German by Charles J. Hempel, M. D., (572 pages,) 1856. Price \$2.00.

For a more extended notice of this work we refer the reader to the advertisement above. The translation has been arranged with great care, and the work is got up in a superior manner. It is undoubtedly the best Domestic now existing in the German language. The publishers of the English edition had so many urgent requests addressed to them by physicians and non-professional friends of Homeopathy to issue this excellent treatise in German, that they considered it their duty to comply with the earnest demands of the public, and to have this translation perfected by a gentleman fully competent to do justice to such a task.

Caspari's Homoeopathic Domestic Physician, edited by F. Hartman, M. D., "Author of the Acute and Chronic Diseases." Translated from the eighth German edition, and enriched by a Treatise on Anatomy and Physiology, embellished with 30 illustrations by W. P. Esrey, M. D. With additions and a preface by C. Hering, M. D. Containing also a chapter on Mesmerism and Magnetism; directions for patients living some distance from a homoeopathic physician, to describe their symptoms; a Tabular Index of the medicines and the diseases in which they are used; and a Sketch of the Biography of Dr. Samuel Hahnemann, the Founder of Homoeopathy. (475 pages.) 1856. Bound, \$100

Diseases of Females and Children and their Homocopathic Treatment, by Walter Williamson, M. D., Professor of Materia Medica and Therapeutics in the Homocopathic Medical College of Pennsylvania. Second improved and enlarged edition. Containing also a full description of the dose of each medicine. (Over 250 pages.) 1854. Bound 75 cents.

The Parent's Guide. Containing the Diseases of Infancy and Childhood and their Homœopathic Treatment. To which is added a Treatise on the Method of rearing Children from their earliest Infancy; comprising the essential branches of Moral and Physical Education. By J. Laurie, M. D. Edited, with Additions by Walter Williamson, M. D., Professor of Materia Medica and Therapeutics in the Homœopathic Medical College of Pennsylvania. (460 pages.) 1854. Bound \$100

Homocopathic Treatment of Diseases of the Sexual System, being a complete Repertory of all the symptoms occurring in the Sexual System of the male and female. Adapted to the use of Physicians and Laymen. Translated, arranged and edited, with Additions and Improvements, by F. Humphreys, M. D. Second Thousand. (144 pages.) Bound 50 cents.

The Hand-Book to Veterinary Homoeopathy, or the Homoeopathic Treatment of Horses Cattle, Sheep, Dogs, and Swine, by John Rush, Veterinary Surgeon. From the London edition. With numerous additions from the Seventh German edition of Dr. F. E. Guenther's Homoeopathic Veterinary, translated by Jacob F. Sheek, M. D. (150 pages.) 1854. Bound 50 cents.

Dry Cough, or Tussis Sicca. By Elijah U. Jones, M. D. (16 pages.) 61/4 cents.

A Treatise on Anatomy and Physiology, by W. P. Esrey, M. D. With thirty Illustrations. (195 pages.) 1851. Bound 50 cents.

JUST PUBLISHED.

The Portraits of the following Professors of the Homocopathic Medical College of Pennsylvania: W. Williamson, Isaac M. Ward, Alvin E. Small, Matthew Semple, Jacob Beakley, William A. Gardiner. Price per Portrait 50 cents; per set, \$2 00. In gilt frames per single copy \$1 25; per set, \$6 50

Medicine, an easy and comprehensive Arrangement of Diseases, adapted to the use of every Owner of Domestic Animals, and especially designed for the Farmer living out of the reach of medical advice, and showing him the way of treating his sick Horses, Cattle, Sheep, Swine, and Dogs, in the most simple, expeditious, safe and cheap manner. By J. C. Schæfer. Translated from the German, with numerous additions from other Veterinary Manuals, by Charles J. Hempel, M. D., 1856. (330 pages.) Price, bound, \$1.25.

This excellent Manual supplies a desideratum, the absence of which has long been seriously felt by all those who take an interest in domestic animals. In this work it is shown in a practical and lucid manner how the blessings of Homoeopathy may be extended even to the brute creation. All the maladies to which animals are subject, are carefully described and their treatment is indicated with admirable precision. For the convenience of the reader the diseases of which this volume treats, have been arranged in alphabetical order. This work contains every thing interesting and useful that may be found in such works as Guenther, Haycock, Youatt, etc. The dose which should be prescribed is indicated in every case. We may safely affirm that this is the most comprehensive and at the same time the most concise and most practical Homoeopathic Veterinary Manual in existence. Paper, print and binding are all that can be desired.

The Sides of the Body and Drug Affinities. Homeeopathic Exercises by C. von Beenninghausen, M. D. Translated and edited by Charles J. Hempel, M. D., 1854. Paper cover, 25 cents.

MENDELLE STATE OF THE PERSON O PROPERTY OF THE PERSON NAMED IN THE PERSON NAM A STATE OF THE PARTY OF THE PAR

