The physician's vade mecum : being a compendium of nosology and therapeutics, for the use of students / by the Rev. Joseph Townsend ... ; from the sixth London edition.

Contributors

Townsend, Joseph, 1739-1816. Carlisle, David, 1771-1835 Cotton, Edward, 1779-1819 National Library of Medicine (U.S.)

Publication/Creation

Boston : Printed by David Carlisle, for Edward Cotton ..., 1805.

Persistent URL

https://wellcomecollection.org/works/cznus294

License and attribution


This material has been provided by This material has been provided by the National Library of Medicine (U.S.), through the Medical Heritage Library. The original may be consulted at the National Library of Medicine (U.S.) where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.


You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



NATIONAL LIBRARY OF MEDICINE Washington





PHYSICIAN'S VADE MECUM;

BEING

A COMPENDIUM

OF

NOSOLOGY AND THERAPEUTICS,

FOR THE

USE OF STUDENTS.

BY

THE REV. JOSEPH TOWNSEND, RECTOR OF PEWSET, WILTS.


From the Sixth London Edition.

BOSTON:

FOR EDWARD COTTON, No. 47, MARLBOROUGH STREET.

1805.

THE



PREFACE.

IN this Compendium of Nosology, I have, as far as possible, confined myself to the system and the genera of my venerable master Dr. Cullen, whose memory and justly acquired reputation will be ever dear to those who studied in his school, and were bonoured with his friendship. Of all the systems which have yet appeared, his for a practitioner is undoubtedly the best : yet in some few instances I have departed from him; but it has been chiefly where he hesitates himself.

My reasons for these variations, as requiring disquisitions ill suited to a Compendium, I must here omit.

The utility of classical distinctions is almost universally acknowledged; yet nothing is more difficult than to make such an arrangement as shall meet with universal approbation. It will, however, be acknowledged sufficient for every useful purpose, if we can with precision ascertain the name and nature of a disease, although we should not perfectly agree as to its proper place in a system of Nosology. Having once formed his diagnosis, the skilful practitioner will next proceed to investigate, where it is possible, the proximate

cause of the disease ; and where that is not to be discovered, he will pay particular attention both to the occasional and to the predisposing cause. In all these investigations the younger students will, I trust, receive some assistance from the Compendium now presented to the public ; and with a moderate share of penetration, will be enabled, in most cases, to determine what are the most judicious indications to effect a cure.

For the Compendium of Therapeutics I have been indebted principally to Drs. Duncan, Whytte, Cullen, Elliot, Berkenhout; and for some of the most efficacious formula, I must acknowledge my obligation to Dr. NANKIVEL, whose fame is too well established in our metropolis to need any eulogium from my pen.

Should this little work meet with acceptance among either the students in our hospitals, or the medical practitioners in country villages, I shall think myself well rewarded for my trouble.

LONDON, OCTOBER, 1792.

CLASSES, ORDERS, GENERA,

AND

SPECIES OF DISEASE.

CLASSES,

WITH CHARACTERISTIC SYMPTOMS.

CLASS.

I. PYREXIÆ -

II. NEUROSES -

III. CACHEXIÆ -- }

After cold shivering, a frequency of pulse, with increase of heat, and especially, among other impaired functions, a diminution of strength.

Affections of sense and motion, disturbed; without either idiopathic pyrexia, or topical disease.

A depraved habit of body; without pyrexia, and independent of neurosis, as original disease.

Morbid affections, which are partial.

IV. LOCALES - - -

ORDERS,

DISTINGUISHED BY THEIR SYMPTOMS.

CLASS I. PYREXIÆ.

ORDERS.

I. Febres	Pyrexia, without primary local affection.
II. Phlegmasiæ	Pyrexia, with topical pain and inflammation. The blood after venefection exhibits the buff coat.
III. Exanthemata	Contagious diseases, be- ginning with fever, and followed by an eruption on the skin.
IV. Hæmorrhagiæ	Pyrexia, with a discharge of blood, without any ex- ternal injury, the blood on venesection exhibiting the buff coat.
V. Profluvia	Pyrexia, with increased ex- cretions.

CLASS II. NEUROSES.

I. Comata {A diminution of the powers of voluntary motion, with sleep, or the senses impaired.

orders. II. Adynamia	tions.			
III. Spasmi	A morbid contraction, or motion of muscular fibres.			
IV. Vesaniæ	The judgment impaired, without either coma, or pyrexia.			

CLASS III. CACHEXIÆ.

I. Marcores --- Universal emaciation.
 II. Intumescentia. General swellings.
 III. Impetigines -- { Cachexia, deforming the external parts of the body with tumours, eruptions, &c.

CLASS IV. LOCALES.

 Dysæthesiæ -- { The senses injured, or destroyed, by the imperfections of the organs.
 Dysorexia --- { The appetite deficient, or depraved.

B

III. Dyscinesiæ - { Motions impeded, or depraved, from an imperfection of the organ.
IV. Apocenoses - { A superabundant flux of blood, or humours, without pyrexia.
V. Epischeses - A suppression of excretions.
VI. Tumores - - { Partial swellings, without inflammation.
VII. Ectopiæ --- Parts displaced.
VIII. Dialyses --- A solution of continuity.

GENERA,

AND THEIR SYMPTOMS.

CLASS I. PYREXIÆ.

ORDER I. FEBRES.

GENERA.

[Cold, hot, and sweating 1. Intermittens - - { stages, in succession, at-tend each paroxism, and are followed by an intermission, or remission.

SPECIES.

1. quotidiana. 2. tertiana.

3. quartana.

2. Continua - - - - { No intermission, yet sub-ject to exacerbations twice in one day.

SPECIES.

- 1. Synocha. Heat increased ; pulse frequent, strong, hard; urine high coloured; senses not much impaired.
- 2. Typhus. Contagious. Heat moderate; pulse quick, weak, small; urine, little changed ; senses much impaired ; prostration of strength.

VARIETIES.

petechialis.
 mitior.
 gravior.
 icterodes.

GENERA.

3. Hectica -----

Exacerbations at noon, but chiefly in the evening, with slight remissions in the morning, after nocturnal sweats; the urine depositing a furfuraceo-lateritious sediment; appetite good; thirst moderate.

This fever is symptomatic of

- 1. Chlorosis.
- 2. Schrophula.
- 3. Nephralgia, &c. v. genus 31.

CLASS I. PYREXIÆ.

ORDER II. PHLEGMASIÆ.

GENERA.

4. Phlogosis - - - { Redness ; heat ; pain ; and tumour on the surface of the body.

SPECIES.

- 1. Phlegmone. Inflammation of a bright red colour; tumour pointed, throbbing, and tending to suppuration.
- 2. Erythema. Inflammation of a dull red colour, vanishing upon pressure, spreading unequally, with a burning pain, and tumour scarcely perceptible, ending in desquamation, or vesicles of the skin.

The phlogosis often terminates in

Impostume.
 Gangrene.
 Sphacelus.

5. Ophthalmia --- { Redness and pain of the eye; intolerance of light; with effusion of tears.

SPECIES.

1. Ophthalmia Membranarum. Inflammation in the coats of the eye, most commonly in the tunica conjunctiva. SPECIES.

2. Ophthalmia Tarsi. Small ulcers in the sabaceous glands of the tarsus, discharging a glutinous matter.

GENERA.

6. Phrenitis ----{

Strong fever; violent headach; redness of face and eyes; impatience of light, and noife; watchfulness; and furious delirium.

SYMPTOMATIC.

- 1. exanthematica.
- 2. verminosa.
- 3. aphrodisiaca.
- 4. hydrophobica.
- 5. traumatica.
- 6. a dolore.

7. Cynanche ---- { Pain, and redness of the fauces; deglutition, and respiration, difficult.

SPECIES.

- 1. Tonsillaris, affecting the mucous membrane of the fauces, but more especially the tonsils.
- 2. Maligna, deglutition less difficult; a mucous crust of a whitish or ash-colour covers the tonsils and mucous membrane of the fauces, which are affected with spreading ulcers. These

SPECIES.

SUL DO SULL

symptoms are accompanied with typhus, and followed by exanthemata.

- 3. Trachealis. Respiration difficult; inspiration accompanied with a wheezing, and the cough occasioning a shrill ringing sound; no apparent tumour in the fauces.
 - Pharyngæa.
 Parotidæa.

SYMPTOMATIC.

- 1. exanthematica.
- 2. arthritica.
 - 3. hepatica.

GENERA.

8. Pneumonia - -- { Pyrexia; difficult respiration; cough; and pain in the thorax.

SPECIES.

- 1. Peripneumonia. The pulse not always hard, but sometimes soft; an obtuse pain in the breast; the respiration always difficult; sometimes the patient cannot breathe unless in an upright posture; the face swelled, and of a livid colour; the cough for the most part moist, frequently bloody.
- 2. Pleuritis. The pulse hard; a pungent pain in one side, aggravated during the time of inspiration; an uneasiness

when lying on one side ; a most painful cough, dry in the beginning of the disease, afterwards moist, and frequently bloody.

These, if not resolved, are followed by

Vomica. Hectic; difficult respiration; cough; pain when lying on the sound side.

Empyema. The above symptoms, with remission of pain, and signs of hydrothorax.

9. Carditis	Pyrexia; pain in the re- gion of the heart; anxi- ety; difficult breathing; cough; irregular pulse; palpitation; fainting.
10. Peritonitis	Pyrexia; pain in the ab- domen, increased when erect.
11. Gastritis	Pyrexia; anxiety; heat and pain in the epigas- trium, increased when any thing is taken into the stomach; vomiting; hick- up; pulse small and hard; prostration of strength.

SPECIES.

1. phlegmonodea.

2. erysipelatosa, with milder symptoms.

GENERA.

Pyrexia; fixed pain in the 12. Enteritis - abdomen ; costiveness ; vomiting. Pyrexia; tension and pain, more or less acute, in the right hypochondrium, usually referred to the top 13. Hepatitis of the right shoulder, and extending to the clavicle, increased by lying on the left side ; urine high coloured. Pyrexia; tension, heat, tumour, and pain in the left 14. Splenitis hypochondrium, increased by pressure. Pyrexia; pain in the region of the kidneys, and shooting along the course of the ureter ; drawing up 15. Nephritis of the testicle ; numbness of the thigh ; vomiting ; urine high coloured ; costiveness, and colic pains. С

SYMPTOMATIC.

1. calculosa.

2. arthritica.

3. purulenta.

16. Cystitis - -

GENERA.

17. Hysteritis

Pyrexia; tumour and pain in the hypogastrium; frequent and painful dis-charge of urine; tenesmus.

Pyrexia; heat, tension, tumour, and pain in the hy--{ pogastrium; pain in the os uteri, when touched; vomiting.

Pyrexia; pains in the joints, increased by the action of the muscles belonging to 18. Rheumatismus { the joint; heat on the part. The blood after venesection exhibits an inflammatory crust.

This disease terminates in

Arthrodynia, pain in the joints without pyrexia.

SPECIES.

- 1. Lumbago, affecting chiefly the loins.
- 2. Ischias, - ----- the hip joint.

GENERA.

19. Odontalgia - - Tooth-ach.

Pyrexia ; pain in the joints, chiefly of the great toe, and especially of the hands and feet, returning at intervals : previous to the attack, the functions of the stomach are commonly disturbed.

SPECIES.

20. Podagra

- 1. regularis.
- 2. atonica.
- 3. retrogada.
- 4. aberrans.

21. Arthropuosis -

Pain of the joints, or muscles, often after contusion, deep, blunt, of long continuance; little or no tumour; no inflammation; pyrexia slight at first, at last hectic; and finally terminating in abscess.

CLASS I. PYREXIÆ.

ORDER III. EXANTHEMATA.

GENERA.

22. Erysipelas

Synocha of two or three days continuance, with drowsiness most often, sometimes with delirium; pulse commonly full and hard; then *Erythema* in the face, with continuance of synocha; tending to either apoplexy, or to abscess.

SPECIES.

vesiculosum.
 phlyctaenodes.

23. Pestis - -

Typhus, contagious in the extreme; prostration of strength; buboes and carbuncles; petechiæ, hemorrhage, and colliquative diarrhœa.

24. Variola - - - -

Synocha; eruption of red pimples the third day, which on the eighth contain pus, and drying, fall off in crusts. SPECIES.

discreta.
 confluens.

GENERA.

25. Varicella ----

26. Rubeola --

Moderate synocha; pimples bearing some resemblance to variola, quickly forming pustules, which contain a fluid matter, and after three or four days from their first appearance desquamate, leaving no cicatrix.

Synocha; hoarseness; dry cough; sneezing; drowsiness; about the fourth day eruption of small redpoints, discernible by the touch, which, after three days, end in mealy desquamation. Blood, after venæsection, exhibits inflammatory crust. 27. Miliaria -----

GENERA.

Synochus; cold stage considerable; hot stage attended with anxiety and frequent sighing; sweat of a strong and peculiar smell; eruption, preceded by a sense of pricking, first on the neck and breast, of small red pimples, which in two days become white pustules, desquamate, and are succeeded by fresh pimples

Contagious synocha; 4th day face swells, and ascarlet eruption appears on the skin in patches; which, after three or four days, ends in desquamation of the cuticle, or is succeeded by anasarca.

SPECIES.

simplex without cynanche.
 cynanchica.

CLASS I. PYREXIÆ.

ORDER IV. HÆMORRHAGIÆ.

GENERA.

29. Epistaxis - -- { Bleeding at the nose, with pain, or fulness of the head.
30. Hæmoptysis -- { Coughing up of florid, or frothy blood; heat or pain in the chest; irritation in the larynx; saltish taste.

SPECIES.

1. plethorica. 2. violenta. 3. phthisica. 4. calculosa. 5. vicaria.

31. Phthisis ---- { cough ; hectic ; purulent expectoration ; hæmopty-sis ; diarrhœa.

SPECIES.

- 1. hamoptoica.
- 2. exanthematica.
- 3. chlorotica.
- 4. scrophulosa.
- 5. syphilitica.

GENERA.

32. Hæmorrhois -	Flux of blood from the anus; pain there, and hæ- morrhoids; vertigo; pain in the loins and head- ach.
33. Menorrhagia -	A too copious menstrual flux.

SPECIES.

1. rubra. 2. abortus. 3. lochialis. 4. vitiorum. 5. alba.

CLASS I. PYREXIÆ.

ORDER V. PROFLUVIA.

Increased excretion of mucus from the membranes of the nose, fauces, and 34. Catarrhus - - { bronchiæ, with pyrexia, and attended by cough, thirst, lassitude, and want of appetite.

SPECIES.

1. a frigore. 2. a contagio. SYMPTOMATIC.

- 1. tussis exanthematica.
- 2. verminosa.
- 3. a dentitione.
- 4. arthritica.

GENERA.

35. Dysenteria - - .

Contagious pyrexia; frequent griping stools; tenesmus; stools chiefly mucus, sometimes mixed with blood, the natural fæces being retained or voided in a hardened state; loss of appetite and nausea, arising from spasmodic constriction of the colon retaining hardened fæces.

CLASS II. NEUROSES.

ORDER I. COMATA.

36. Apoplexia ---- { Abolition, in some degree, of the powers of sense and motion, with sleep, and sometimes snoring, the respiration, and motion of the heart, remaining.

D

19

SPECIES.

1. sanguinea.

2. serosa.

- 3. *hydrocephalica*. In early youth, lassitude, febricula, pain in the head, then a more sluggish pulse, dilated pupils, drowsiness, and apoplexia. The sutures of the cranium open.
- 4. atrabilaria.
- 5. traumatica.
- 6. venenata.
- 7. mentalis.
- 8. cataleptica.
- 9. suffocata.

SYMPTOMATIC.

- 1. exanthematica.
- 2. arthritica.
- 3. verminosa. Carus, cataphora, coma, and lethargus, are degrees only of apoplexy.

GENERA.

37. Paralysis - -- { A loss of the power of voluntary motion affecting certain parts.

SPECIES.

partialis.
 hemiplegica.
 paraplegica.
 venenata.

SYMPTOMATIC.

- 1. exanthematica.
- 2. arthritica.
- 3. verminosa.
- 4. scrophulosa.
- 5. syphilitica.
- 6. traumatica.

CLASS II. NEUROSES.

ORDER II. ADYNAMIÆ.

GENERA.

38. Syncope - - - -

The respiration, and action of the heart, either cease, or become much weaker than usual, with paleness and coldness, arising from diminished energy of the brain, or from organic affections of the heart.

SPECIES.

1. cardiaca, returning without a visible cause, and with violent palpitation of the heart during the intervals.

2. occasionalis, from a manifest cause.

39. Dyspepsia -

Want of appetite ; nausea ; vomiting ; flatulence ; heart-burn ; costiveness ; and pain in the stomach ; with other symptoms of debility in the organ of digestion.

SYMPTOMATIC.

- 1. schirrosa.
- 2. ulcerosa.
- 3. a veneno.
- 4. verminosa.
- 5. chlorotica.
- 6. gravidarum.
- 7. arthritica.
- 8. nephritica.

40. Hypochondriasis {

Dyspepsia; languor and want of energy; dejection of mind and apprehension of evil, more especially respecting health, without sufficient cause; with a melancholic temperament.

CLASS II. NEUROSES.

ORDER III. SPASMI.

In the Animal Functions.

GENERA.

41. Tetanus ---- {Spasmodic rigidity of almost the whole body.

VARIETIES ARE,

1. opisthotonos,

2. emprosthotonos, and

3. Trismus, or locked-jaw.

SYMPTOMATIC.

1. syphiliticus.

2. verminosus.

42.	Convulsio	Alternate relaxations, with violent and involuntary contractions of the mov- ing fibres, without sleep.
43.		Convulsive motions of the limbs or trunk.
44.	Raphania	A spasmodic contraction of the joints, with convulsive motions and most violent pain : periodical.
45.	Epilepsia	Convulsions with sleep and

SPECIES.

1. traumatica.

2. a dolore.

3. verminosa.

4. a veneno.

5. exanthematica.

6. a cruditate ventriculi.

7. ab inanitione.

8. uterina.

9. ex onanismo.

In the Vital Functions.

GENERA.

46. Palpitatio ---- { A palpitation of the heart, either constant or frequently returning.
47. Asthma ----- { Difficult respiration returning at intervals, with a sense of stricture across the breast and in the lungs; a wheezing; hard cough at first, but more free towards the close of every paroxism, with a discharge of mucus, followed by a remission.

SPECIES.

1. spontaneum.

2. exanthematicum.

3. plethoricum.

SYMPTOMATIC.

1. arthriticum.

2. venereum.

GENERA.

48.	Dyspnoea	-	 - {	
			4	

Difficult respiration, continual, and without sense of stricture. Cough frequent through the whole course of the disease.

Convulsive, strangulating 49. Pertussis - -- { cough, with hooping re-lieved by vomiting; contagious.

In the Natural Functions.

50. Pyrosis ----- { Heartburn, with copious eructation, generally of a watery insipid fluid.
51. Colica ----- { Pain in the lower belly, and twisting round the navel; vomiting; costiveness.

SPECIES.

- 1. spasmodica.
- 2. pictonum, ending in palsy.
- 3. stercorea.

52. Cholera - - - -

- { A purging and vomiting of bile; anxiety; painful gripings; spasms of the abdominal muscles, and those of the thighs.

53. Diarrhæa ---- Frequent liquid stools with the natural excrement, but notcontagious, and seldom attended with pyrexia.

SPECIES.

- 1. crapulosa.
- 2. biliosa.
- 3. mucosa.
- 4. caliaca.
- 5. lienteria.
- 6. hepatirrhæa.
- 7. verminosa.

54. Diabetes ---- {A superabundant discharge of urine, which is limpid, and sweetish to the taste.

SYMPTOMATIC.

- 1. hystericus.
- 2. arthriticus.

55. Hysteria - - - - {

A grumbling noise in the belly; a ball ascending to the throat, with a sense of suffocation; stupor; insensibility and convulsions; involuntary laughing and crying; sleep interrupted by sighs; urine limpid and abundant, previous to the fit; great sensibility and irritability of mind.

SPECIES.

chlorotica.
 a menorrhagia.
 a leucorrhæa.
 libidinosa.

56. Hydrophobia - { A dread of water, as inducing painful convulsions of the pharynx.

CLASS II. NEUROSES.

ORDER IV. VESANIÆ.

Imbecility of intellect, by GENERA. which the relations of 57. Amentia things are either not perceived, or not recollected. Erroneous judgment, but not merely respecting health, from imaginary perceptions, or recollections, influencing the conduct, and depressing the mind with ill-grounded 58. Melancholia fears; not combined with either pyrexia or comatose affections; often appearing without dyspepsia, yet attended with costiveness, chiefly in persons of rigid fibres and torpid sensibility. Erroneous judgment from imaginary perceptions, or recollections, attended 59. Insania with agreeable emotions in persons of a sanguine temperament. Vide Cullen's Practice, §. 1581.

60. Mania -----

A conception of false relations, and an erroneous judgment, arising from imaginary preceptions or recollections, exciting the passions, and producing unreasonable actions or emotion, with a hurry of mind in pursuing a train of thought, and in running from one train of thought to another, attended with incoherent and absurd speech, called raving, and violent impatience of either contradiction, or restraint.

61. Oneirodynia - { Disturbed imagination during sleep.

1.	active.	Walking in the sleep.
2.	gravans.	The incubus or night-mare.

CLASS III. CACHEXIÆ.

ORDER I. MARCORES.

GENERA.

62. Tabes - - - - { Emaciation ; weakness ; hectic.

SPECIES.

purulenta.
 scrophulosa.
 venenata.

63. Atrophia - - - { Emaciation ; weakness, but without hectic.

- 1. inanitorum.
- 2. famelicorum.
- 3. cacochymica.
- 4. debilium.

CLASS III. CACHEXIÆ.

ORDER II. INTUMESCENTIÆ.

Adipose.

GENERA.

64. Polysarcia - - Troublesome obesity.

Flatulent.

65. Pneumatosis -- { Air collected in the cellelur texture 'under the skin, rendering it tense, elastic, and crepitating.

SPECIES.

1. spontanea.

2. traumatica.

3. venenata.

4. hysterica.

66. Tympanites - - {

Elastic distention of the abdomen, not readily yielding to pressure, and sounding like a drum, with costiveness and atrophy; but no fluctuation.

- 1. intestinalis, with discharge of wind giving relief.
- 2. abdominalis, without such relief.

67. Physometra -- A permanent elastic swell-ing in the hypogastrium from flatulent distention of the womb.

Aqueous.

68. Anasarca - -- Swelling on the surface of the body; not elastic; pitting by the pressure of the finger; and rising slowly to its former fulness.

SPECIES.

serosa.
 exanthematica.
 a compressione.
 debilium.

69. Hydrocephalus { External swelling of the head, soft, not elastic.

The *internal hydrocephalus* has been described already as the third species of *Apoplexia*.

70. Hydrorachitis { Tumor in new-born infants on the lumbar vertebræ, soft, and small.

Dyspnoea; paleness of face; ædematous swelling of the feet; scarcity of urine; 71. Hydrothorax - { impatience of an horizon-tal position, with sudden starting from sleep, and palpitation; fluctuation of water in the chest.

72. Ascites

Swelling of the abdomen, tense, and scarcely elas-tic; with fluctuation.

SPECIES.

1. abdominalis. 2. saccatus.

74. Hydrocele -

A soft tumor of the scrotum, - { increasing slowly, without pain, fluctuating, general-ly pellucid.

Of the Solids.

Tumor occupying chiefly 75. Physconia --- { one part of the abdomen, increasing slowly, and neither sonorous nor fluctuating.

SPECIES.

1. hepatica. 2. splenica. 3. renales. 4. uterina. 5. ab ovario. 6. mesenterica. 7. omentalis. 8. visceralis.

GENERA.

Large head; prominent 76. Rachitis ---- { forehead ; protruded ster-num ; flattened ribs ; big belly ; emaciated limbs, with great debility.

CLASS III. CACHEXIÆ.

ORDER III. IMPETIGINES.

Swelled lymphatic glands; thick upper lip; obstinate 77. Scrophula - -- { ulcers; ophthalmia tarsi; indolent tumours on the joints; fair complexion; irritable habit.

78. Syphylis

A disease arising from impure connection, and appearing generally after a local affection of the organs, occasioning chancres; buboes; ulcers in the mouth and nose ; clustered pimples of a copper colour, ending in scabby ulcers, chiefly situated near the hairy scalp ; blotches on the surface of the body; nocturnal pain in the bones; nodes, &c.

debility; Extreme complexion pale and bloated; spungy gums; livid spots on the skin; breath offensive; œdematous swellings in the legs; hæmorrhages ; foul ulcers; urine fætid ; stools extremely offensive.

F

79. Scorbutus

GENERA. Skin thick, rough, wrinkly, unctuous, and void of hair ; face deformed, with tubera ; voice hoarse and 80. Elephantiasissounding through the nose; want of feeling in the extremities .- It is contagious. The skin rough and chopped, with white furfura-81. Lepra ceous scales and crusts, under which is frequently a moisture, with itching. Fungi, like mulberries, growing out of the skin in various parts of the 82. Frambæsia body, and discharging ichor; infectious. Called Yaws. The hair grows coarse and twisted into inextricable tangles. It is contagious. Called the *Plica Polonica*. 83. Trichoma Yellowness of the skin and eyes; fæces white; urine 84. Icterus of a high colour, and tinges linen yellow.

SPECIES.

- 1. calculosus, acute pain in the epigastric region, increasing after eating : gall stones pass by stool.
- 2. spasmodicus, without pain, after spasmodic diseases and passions of the mind.
- 3. mucosus, without either pain, gall-stones, or spasm, and relieved by the discharge of tough phlegm by stool.
- 4. hepaticus.
- 5. gravidarum.
- 6. infantum.

GENERA.
 85. Chlorosis ---- {
 Dyspepsia ; livid paleness ;
 great debility ; palpita tion ; depraved appetite,
 with amenorrhaa.

CLASS IV. LOCALES.

ORDER I. DYSÆSTHESIÆ.

Sight diminished, or de-86. Caligo - - - - { sition of a dark body, be-tween the object and the retina.

SPECIES.

1. lentis. 2. cornea. 3. pupilla. 4. humorum. 5. palpebrarum.

GENERA.

Sight diminished, or de-87. Amaurosis - - { stroyed, without any vi-sible injury of the eye: the pupil mostly dilated and immoveable.

SPECIES.

1. compressionis.

2. atonica.

3. spasmodica.

4. venenata.

88. Dysopia ---- {Sight depraved, requiring one certain quantity of light, one particular dis-tance, or one position.

SPECIES.

- 1. tenebrarum.
- 2. luminis.
- 3. dissitorum.
- 4. proximorum.
- 5. lateralis.

89. Pseudoblepsis - Sight depraved, creating objects, or representing them different from what they are.

SPECIES.

1. imaginaria.

2. mutans.

90. Dysecaa ---- { Hearing diminished or de-stroyed.

SPECIES.

- 1. organica, from wax in the meatus, injuries of the membrana, or inflammation and obstruction of the tuba.
- 2. atonica, without any discernible injury of the organ.

91. Paracusis - - - Hearing depraved.

SPECIES.

- 1. imperfecta.
- 2. imaginaria.

92. Anosmia ---- {Smell diminished, or de-stroyed.

- 1. organica.
- 2. atonica.

GENERA.
93. Ageustia - --- { Taste diminished, or destroyed.
94. Anæsthesia - - { Touch diminished, or destroyed.

CLASS IV. LOCALES.

ORDER II. DYSOREXIÆ.

95. Bulimia - - - { Appetite voracious or canine.

SYMPTOMATIC.

1. verminosa.

2. a rachitide.

3. ab acidis.

96. Pica - - - - { Appetite depraved, or a strong desire of unnatural food.

SPECIES.

infantilis.
 chlorotica.
 gravidarum.
 medicatrix.

97. Polydipsia --- Excessive thirst.

SYMPTOMATIC.

- 1. febrilis.
- 2. hydropica.
- 3. fluxuum.
- 4. a venenis.

GENERA.

98. Satyriasis - -- { Excessive and violent de-sire for coition in men.

99. Nymphomania The same in women.

Impatience when absent from one's native home, and vehement desire to 100. Nostalgia - - { return, attended with gloom and melancholy, loss of appetite, and want of sleep.

101. Anorexia - - Appetite impaired. This is merely symptomatic.

102. Anaphrodisia Impotence.

- 1. paralytica.
- 2. gonorrhoica,

CLASS IV. LOCALES.

ORDER III. DYSCINESIÆ.

GENERA.

103. Aphonia --- { Suppression of the voice, without either syncope, or coma. 104. Mutitas --- Dumbness.

SPECIES.

1. organica. 2. atonica. 3. surdorum.

105. Paraphonia - Depravation of voice. 106. Psellismus -- { Vitiated articulation of the voice. 107. Strabismus - Squinting. 108. Contractura - { A rigid contraction of a joint.

- 1. ab inflammatione.
- 2. spasmo.
- 3. ob antagonistas paryliticos.
- 4. ab acrimonia irritante.
- 5. articularis.

CLASS IV. LOCALES.

43

ORDER IV. APOCENOSES.

GENERA.

109. Profusio - - - Loss of blood.

110. Ephidrosis -- {A violent and morbid sweating.

Generally symptomatic. 111. Epiphora - - A flux of tears. 112. Ptyalismus - A salivation. 113. Enuresis --- {Involuntary discharge of urine.

SPECIES.

1. atonica.

2. ab irritatione vel compressione vesica.

114. Gonorrhæa - {A preternatural flux from the urethra in men.

- 1. pura, not arising from impure connection, and without dysuria.
- 2. *impura*, arising from the action of the venereal virus on the urethra, producing first an itching at its orifice; afterward a discharge like pus; ardor

urinæ; often phymosis; paraphymosis; and swelled testicles.

3. laxorum.

4. dormientium.

CLASS IV. LOCALES.

ORDER V. EPISCHESES.

GENERA.

115. Obstipatio - - Costiveness.

SPECIES.

1. debilium.

2. rigidorum.

3. obstructorum.

116. Ischuria - - - Suppression of urine.

SPECIES.

1. renalis.

2. ureterica.

3. vesicalis.

4. urethralis.

117. Dysuria - - - { Difficulty, and pain, in discharging water.

- 1. ardens.
 - 2. spasmodica.
 - 3. compressionis.

4. phlogistica. 5. calculosa. 6. mucosa.

GENERA.

118. Dyspermatis-mus - - - Seminis in actu venereo tarda, impedita, et ad generationem insufficiens emissio.

119. Amenorrhea { Menses wholly or partially obstructed without pregnancy.

CLASS IV. LOCALES.

ORDER VI. TUMORES.

120.	Aneurisma -	A soft tumour, with pulsa- tion, on arteries.
121.	Varix	A soft tumour, without pulse, on veins.
122.	Ecchymoma -	A black and blue swelling, either from a bruise, or from a morbid extravasa- tion of blood.
123.	Schirrus	A hard tumour of a glan- dular part, indolent, and not readily suppurating.

GENERA. 124. Cancer ---- {A hard tumour of a glan-dular part, painful and ob-stinate, which terminates in the foulest ulcer. 125. Bubo - - - - { A suppurating tumour of conglobate glands. 126. Sarcoma --- SA soft excrescence, not painful. 127. Verruca - - - A wart. 128. Clavus - - - A corn. 129. Lupia - - - { A cyst under the skin, moveable, soft, indolent. 130. Ganglion --- { A hard tumour, moveable, on the tendon. 131. Hydatis - - - { A cuticular cyst full of an aqueous fluid. 132. Hydarthus - { A white swelling on the joints. 133. Exostosis --- SA hard tumour on the

CLASS IV. LOCALES.

ORDER VII. ECTOPIÆ.

....

C

GENERA.

134.	Hernia	The displacing of a soft part, covered by the com- mon teguments. A rup- ture.
135.	Prolapsus {	The protrusion of a soft part, uncovered.
136.	Luxatio	The disjointing of a bone.

CLASS IV. LOCALES.

ORDER VIII. DIALYSES.

137.	Vulnus A wound.
138.	Ulcus {An ulcer discharging pus or ichor.
139.	Herpes { Tetters, or an assemblage of little creeping ulcers, itching much, and not in- clined to heal, but ter- minating in furfuraceous scales.

GENERAL INDEX;

A

WITH

AN EXPLANATION OF THE TERMS.

The second s			1355 12 1
A.	Cl.	Or.	Gen.
ADYNANIÆ, A defect of Vital Powers;)			
from α , privitive; and $\Delta uva \mu is$,	II	II	
Power	1	- 11	5 9 1. 1 1
AGEUSTIA, Ayeusia, Want of taste	IV	I	93
AGUE. V. FEBRIS INTERMITTENS.	0.84	1203	and a
AMAUROSIS, Gutta Serena; Apauguous, Obscurity	IV	I	87
COMPRESSIONIS, from			
a pressure of the Optic Nerve.			and in
ATONICA, from Debility.			
····· SPASMODICA, from			
Spasm.			
VENENATA, from Poison.			
AMENORRHEA, Suppression of the?			
Menses; from a priv. Mnyeç, the Menses; and Pew, to flow	IV	V	119
AMENTIA, Idiotism	II	IV	
ANÆSTHESIA, Avaio Inoia, Want of?		IV	57
Sensation	IV	I	94
ANAPHRODISIA, Impotence; from a,			
priv. and aggodisia, the Feast of	IV	II	102
Venus			

	Cl.	Or.	Gen
ANASARCA, Dropsy of the whole Body;)			
from Ava, along; and $\Sigma \alpha_{g}\xi$, the ξ	III	II	68
$Flesh \dots \dots \dots \dots$			
SEROSA, from a retention, or			
from an over increase of Serum.			
EXANTHEMATICA, from			
Exanthemata. V.EXANTHEMATA.			
A COMPRESSIONE, from			
an Interruption of the Circulation.			
ANELIDISMA Town of an Antonio from 2			
ANEURISMA, Tumour of an Artery; from?	IV	VI	120
Aveuguo μος, Dilatation			
neg. and Ogižic, Appetite	IV	II	10
ANOSMIA, Avoo µos, Without Smell	IV	I	9
ORGANICA, from a disease	1		
of the Schneiderian Membrane.			
ATONICA, no manifest cause		Antih	
appearing.			
APHONIA, Loss of Voice; from a, priv.?	TTT	777	10
and Davn, the Voice	IV	III	10
PHRODISIACUS, Venereal Excess; from		1	
Appodicianos, Venereus.			
POCENÖSES, Excessive Discharges.			
POPLEXIA, Apoplexy; from Ano and?	II	I	3
Πλησσω, to strike		-	
SANGUINEA, Sanguine-			
ous, from excess of Blood.			
SEROSA, Serous, in per-			
sons of a cold temperament.			
HYDROCEPHALICA,			
Hydrocephalic; from TSwg, Wa-			
ter; and xepann, the Head.			
the sufficient of West Pile and			
the suffusion of black Bile over the System.			
TRAUMATICA, from			
external Violence; from Teauua,			
alos, a Wound.			

.

51			
Antonio and a start of the star	CI.	Or.	Gen.
APOPLEXIA VENENATA, from poison.		0.16	1842
SUFFOCATA, from Suf-			
focating Exhalations.	146	1. 1.	
MENTALIS, from passions	18		
of the Mind.	1000		19.64
CATALEPTICA. The		-	
Catalepsy; from Karahmios, a	1000	1 33	
Seizure. The patient on a sud-	1.00	1.4.2	1000
den becomes stiff, and observes		1	
the same posture during the	1111	1	1990
fit.	1.1		
APPETITE, Depraved. V. DYSOREXIA.	17.97		
APTHPITICIE Anthritic from A.	1.12		
ARTHRITICUS, Arthritic; from Agege- Inc, a disease in the Joints.			
V. PODAGRA.			
ARTHRODYNIA, Chronic Rheumatism;			
from AgSgov, a Joint; and OSuvn,			
Pain. V. RHEUMATISMUS.		1111	1.11
ARTHROPUOSIS, Inflammation occasion-			
ing a Collection of Matter;			1 Cal
from Aggeov, a Joint; and Ilvo-	I	II	21
σις, Suppuration	1.28	Sec.	C.M.
ASCITES, Dropsy of the Abdomen; from?		77	-112
Agros, a Sack	III	II	72
ABDOMINALIS, The Abdo-	R. Car		1.1.1
minal, an equal swelling of the		1.1	
whole Abdomen.			1010
SACCATUS, The Encysted,	1999		1000
the fluctuation is here less evi-			
dent, and the Swelling of			
the Abdomen at the first par-		150	14.00
tial.	6.6		De les
ASTHMA, Frequent attacks of short breath-?	II	III	47
ing; from Anµi, to breathe			1 11
SPONTANEUM, without any		1	
manifest cause. DI FTHODICIING C DI	1		1
PLETHORICUM, from Ple-			
thora.		,	•

mail and the little	Cl.	Or.	Gen.
ASTHMA EXANTHEMATICUM,			
Exanthematic ; from the repulsion			
of some bumour. V. EXANTHE-			
MATA.	1		1
ATROPHIA, A Slow Decay, or Atrophy; >			
from a, priv. and Tgopn, Nutri-	III	I	63
tion	1		
INANITORUM, from too		-	
great Evacuations.	105.05	1000	
FAMELICORUM, from famine.	1 1 2		
CACOHYMICA, from cor-	1		
rupted Nourishment.	19/19		
DEBILIUM, from an imper-			
fection in the digestive Organ.	1.2.24		
B.			
BUBO*; from BsCav, a Swelling in the?	177	TTT	100
Groin	IV	VI	125
BULIMIA, Canine Appetite; from Bas, an?	IV	II	95
Ox; and AIMES, Hunger	11	11	93
BLEEDING at the Nose. V. EPISTAXIS.	1		
BLOOD, Extravasation of. V. ECCHY-			
MOMA.	10000		
BLOODY FLUX. V. PROFUSIO.			
BREATHING, Difficult. V. ASTHMA,			
or Dyspnæa.			
C.			1
CACHEXIA, A bad babit of body; from?	III		
Kanos, bad; and Egis, a habit . 5		-	
CALIGO, The Cataract	IV	I	86
CANCER, Cancer, a Crab	IV	VI	124
CARDITIS, Inflammation of the Heart ;?			
		and the second se	

* The vowels are placed first in this Index; then follow the consonants.

	Cl.	Or.	Gen.
CARIES, Rottenness in the Bones	IV	VIII	145
CATARACT. V. CALIGO.			
CATARRHUS, Catarrb; from Kalagg@,?		1	
a Defluxion	I	v	34
A FRIGORE, from cold.		in the	
A CONTAGIO, from		Contraction of	
Contagion. The Influenza.			
CATARRH. V. CATARRHUS.			
CÆLIAC PASSION. V. DIARRHœA.		1022	
COLICA, The Colic; from Korov, the Co-?	10		
$lon \dots \dots \dots$	II	III	51
SPASMODICA, Spasmodic, ari-			
sing from Spasms of the Abdo-			
minal Muscles.		-	
PICTONUM, The Painters, or			
Devonshire Colic. It arises from			
the poison of lead.			
STERCOREA, in persons of a			
costive Habit.		City in	
CONSUMPTION. V. PHTHISIS.			
CONTRACTURA, Contraction of the7			
Limbs	I	III	108
AB INFLAMMA-			
TIONE, from inflammation.			
, SPASMO, from spasm.			
OB ANTAGONIS-			
TAS PARALITICOS, from the			
Antagonist Muscles losing their			
action.			
OB ACRIMONIA			
IRRITANTE, from some irritat-		1910	
ing cause.		6286	23.2
ARTICULARIS, from			
stiffness in the Joints.			1911
CONVULSIO, Convulsions	II	III	42
CORNS. V. CLAVUS.			
CORPULENCY. V. POLYSARCIA.		1.	
COSTIVENESS. V. OBSTIPATIO.	and a		179.0
CHICKEN POX. V. VARICELLA.	-	1000	and the

	Cl.	Or.	Gen.
CHILBLAIN. V. PHLOGOSIS, ERY-		2.1	
THEMA.	1	-	
CHLOROSIS, The Green Sickness; from XAweos, green, pale		III	85
CHOLĚRA; from Xohn, the Bile	II	III	52
CHOLERA, The Cholera Morbus; from			
Xonn, the Bile.	-		3. 7.
CHOREA, St. Vitus's Dance; from Xogeia, ?	П	Ш	43
Dancing		In	10
CLAP. V. GONORRHOZA.	1		
CLAVUS, A Corn	IV	VI	128
CYNANCHE; from Kuwy, a Dog; and?			
$A_{\gamma \chi \omega}$, to suffocate		П	7
MALIGNA. The putrid			
sore Throat.	1.000		
PAROTIDÆA. The	1		
Mumps.			122
TRACHEALIS. The	1.		
Croup. TONSILLARIS. Inflam-			
matory Quinsy.		1.1.1	
CYSTITIS, Inflammation of the Bladder;?	I	II	16
from Kusis, the Bladder 5	1 1	п	10
D.	-		
DEAFNESS. V. DYSECÖEA.		-	
DEFECT in Vision. V. DYSOPIA.	-		
DIABETES, Immoderate flow of Urine; >			
from $\Delta_{i\alpha}$, through; and $\beta_{\alpha_{i}\nu\omega}$, to ξ	II	III	,54
$pass \dots \dots$			
MALYSES, The Destruction of Parts ; from Διαλυω, to dissolve ?	IV	VIII	
DIARRHEA, A constant Looseness; from 7			
$\Delta_{i\alpha}g_{\beta}\omega$, to flow through {	II	III	53
CRAPULOSA, The Fe-			
culent Diarrbæa; from Crapulo-	1.4	15.1	
sus, one who overloads his sto-		525	
mach.	1		

from an overflow of Bile. 		Cl.	Or.	Gen
 MUCOSA, The Mucous; a quantity of slime being voided. HEPATIRRHCEA, The Hepatic; a flux of serous matter somewhat resembling flesh is voided, the liver being primarily affected; from Hrag, the liver; and geo, to flow. LIENTERIA. The Lien- tery; the food passes unchanged. CELIACA. The Caliac Passion. CELIACA. The Caliac Passion. DIGESTION, Bad. V. DYSPEVSIA. DUMBNESS. V. MUTITAS. DYSÆSTHESLÆ; Δυσαισδησια, Loss of Sensation	DIARRHŒA BILIOSA, The Bilious;	1.18		102.0
a quantity of slime being voided. HEPATIRRHŒA, The Hepatic; a flux of serous matter somewhat resembling flesh is voided, the liver being primarily affected; from Hrag, the liver; and gw, to flow. LIENTERIA. The Lien- tery; the food passes unchanged. CŒLIACA. The Caliac Passion. VERMINOSA, arising from Worms. DIGESTION, Bad. V. DYSPEVSIA. DUMBNESS. V. MUTITAS. DYSÆSTHESLÆ; Δυσαισδησία, Loss of Sensation		12.000		
 HEPATIRRHŒA, The Hepatic; a flux of serous matter somewhat resembling flesh is voided, the liver being primarily affected; from Hrag, the liver; and geo, to flow. LIENTERIA. The Lien- tery; the food passes unchanged. CCELIACA. The Caliac Passion. VERMINOSA, arising from Worms. DIGESTION, Bad. V. DYSPEVSIA. DUMBNESS. V. MUTITAS. DYSÆSTHESLÆ; Δυσαισθυσία, Loss of Sensation		1		
Hepatic ; a flux of serous matter somewhat resembling flesh is voided, the liver being primarily affected; from Hrag, the liver; and geo, to flow.	HEDATIDDUCEA T	P.S.	6.53	
somewhat resembling flesh is voided, the liver being primarily affected; from Hrag, the liver; and gew, to flow. LIENTERIA. The Lien- tery; the food passes unchanged. CELIACA. The Caliac Passion. VERMINOSA, arising from Worms. DIGESTION, Bad. V. DYSPEYSIA. DUMBNESS. V. MUTITAS. DYSÆSTHESLÆ; Δυσαισθησια, Loss of Sensation	Hebatic: 2 flux of sorrous matter	2.57	and a	-
 voided, the liver being primarily affected; from Hrag, the liver; and gew, to flow. 	somewhat resembling flesh is	1		
affected; from Hrag, the liver; and gew, to flow.	voided, the liver being primarily			1
and gew, to flow. 	affected; from HTap, the liver:	C.A.		
 LIENTERIA. The Lien- tery; the food passes unchanged. CŒLIACA. The Caliac Passion. VERMINOSA, arising from Worms. DIGESTION, Bad. V. DYSPELISIA. DUMBNESS. V. MUTITAS. DYSÆSTHESIÆ; Δυσαισδησια, Loss of Sensation	and etw, to flow.		1. 15	
tery; the food passes unchanged. 	LIENTERIA. The Lien-			
Passion. VERMINOSA, arising from Worms. DIGESTION, Bad. V. DYSPEVSIA. DUMBNESS. V. MUTITAS. DYSÆSTHESLÆ; Δυσαισδησια, Loss of Sensation DYSÆSTHESLÆ; Δυσαισδησια, Loss of Sensation DYSECOĒA, Deafness; from Δυς, diffi- cult; and Axon, hearing DYSENTERIA, Dysentery; from Δυσεν- ligaz, Pain in the Bowels DYSOPIA, Defect in Vision TENEBRARUM, Requiring objects to be placed in a strong light. LUMINIS, Objects only dis- cernible in a weak light. PROXIMORUM, In which dis- tant objects are not perceived. LATERALIS, In which objects are not scen, unless placed in an ob- lique position. YSOREXIA, A Depraved Appetite; from Δυς, bad ; and Ogétis, Ap-?	tery; the food passes unchanged.	0.810	Children in	1
 VERMINOSA, arising from Worms. DIGESTION, Bad. V. DYSPEPSIA. DUMBNESS. V. MUTITAS. DYSÆSTHESLÆ; Δυσαισδησια, Loss of Sensation		12		1
from Worms. DIGESTION, Bad. V. DYSPEPSIA. DUMBNESS. V. MUTITAS. DYSÆSTHESLÆ; Δυσαισδησια, Loss of Sensation				
DIGESTION, Bad. V. DYSPEPSIA. DUMBNESS. V. MUTITAS. DYSÆSTHESLÆ; Δυσαισδησια, Loss of Sensation	····· VERMINOSA, arising	1.07		
DUMBNESS. V. MUTITAS. DYSÆSTHESIÆ; Δυσαισθησια, Loss of Sensation DYSECOEA, Deafness; from Δυς, diffi- cult; and Axon, hearing DYSENTERIA, Dysentery; from Δυσεν- hegea, Pain in the Bowels DYSÖPIA, Defect in Vision TENEBRARUM, Requiring objects to be placed in a strong light. TUV LUMINIS, Objects only dis- cernible in a weak light. DISSITORUM, In which dis- tant objects are not perceived. PROXIMORUM, In which objects are not scen, unless placed in an ob- lique position. DYSOREXIA, A Depraved Appetite; from Δυς, bad; and Ogetig, Ap-?	DICESTION Bod Z Deserve			
 DYSÆSTHESIÆ; Δυσαισδησια, Loss of Sensation	DUMBNESS V MUTURA			
Sensation IV I DYSECOEA, Deafness; from Δυς, difficult; and Axon, hearing IV I cult; and Axon, hearing IV I DYSENTERIA, Dysentery; from Δυσεν- heaa, Pain in the Bowels I V 35 DYSOPIA, Defect in Vision IV I 88 DYSOPIA, Defect in Vision IV I 88 OYSOPIA, Defect in Vision IV I 88 LUMINIS, Objects only discrease only only only only only only only only	DYSÆSTHESLÆ: Augustrand Loss of			
 DYSECOĒA, Deafness ; from Δυς, diffi- cult ; and Axon, hearing	Sensation	IV	I	
 cult; and Axon, hearing				
 DYSENTERIA, Dysentery; from Δυσεν- ligna, Pain in the Bowels	cult; and Axon, hearing	IV	I	90
Γεφια, Pain in the Bowels \$ 1 V 35 DYSOPIA, Defect in Vision IV I 88 OYSOPIA, Defect in Vision IV I 88 TENEBRARUM, Requiring objects to be placed in a strong light. IV I 88 LUMINIS, Objects only dis- cernible in a weak light. IV IV IV 88 DISSITORUM, In which dis- tant objects are not perceived. IV IV IV PROXIMORUM, In which objects are not scen, unless placed in an ob- lique position. IV IV IV OYSOREXIA, A Depraved Appetite ; from Δυς, bad ; and Ogetics, Ap-? IV IV IV	DYSENTERIA, Dysentery; from Auger-7		221	25.57
 DYSOPIA, Defect in Vision IV I \$88 TENEBRARUM, Requiring objects to be placed in a strong light. LUMINIS, Objects only discernible in a weak light. DISSITORUM, In which distant objects are not perceived. PROXIMORUM, In which objects too near are not perceived. LATERALIS, In which objects are not scen, unless placed in an oblique position. DYSOREXIA, A Depraved Appetite ; from Δυς, bad ; and Ogežis, Ap-? IV I 	legia, Pain in the Bowels	Ι	V	35
 TENEBRARUM, Requiring objects to be placed in a strong light. LUMINIS, Objects only dis- cernible in a weak light. DISSITORUM, In which dis- tant objects are not perceived. PROXIMORUM, In which objects too near are not perceived. LATERALIS, In which objects are not scen, unless placed in an ob- lique position. YSOREXIA, A Depraved Appetite; from Δυς, bad; and Ogežic, Ap. V 	DYSOPIA, Defect in Vision	IV	I	88
 LUMINIS, Objects only discretarials DISSITORUM, In which distant objects are not perceived. PROXIMORUM, In which objects too near are not perceived. LATERALIS, In which objects are not scen, unless placed in an oblique position. PYSOREXIA, A Depraved Appetite; IV II 	TENEBRARUM, Requiring			
 cernible in a weak light. DISSITORUM, In which distant objects are not perceived. PROXIMORUM, In which objects objects too near are not perceived. LATERALIS, In which objects are not seen, unless placed in an oblique position. DYSOREXIA, A Depraved Appetite; IV U 	objects to be placed in a strong light.			
 DISSITORUM, In which distant objects are not perceived. PROXIMORUM, In which objects too near are not perceived. LATERALIS, In which objects are not seen, unless placed in an oblique position. PYSOREXIA, A Depraved Appetite; IV U 	LUMINIS, Objects only dis-			
 tant objects are not perceived. PROXIMORUM, In which objects too near are not perceived. LATERALIS, In which objects are not seen, unless placed in an oblique position. PYSOREXIA, A Depraved Appetite; IV U 	DISCUTORIUM T			
 PROXIMORUM, In which objects too near are not perceived. LATERALIS, In which objects are not seen, unless placed in an oblique position. PYSOREXIA, A Depraved Appetite; IV II 	tant chiests and not tan .		1.12	
objects too near are not perceived. LATERALIS, In which objects are not seen, unless placed in an ob- lique position. DYSOREXIA, A Depraved Appetite; from Δυς, bad; and Ogežis, Ap-? IV II	PROXIMORIUM In and it			
 LATERALIS, In which objects are not seen, unless placed in an ob- lique position. DYSOREXIA, A Depraved Appetite; from Δυς, bad; and Opexis, Ap. V 	objects too near are not herecined			
are not seen, unless placed in an ob- lique position. OYSOREXIA, A Depraved Appetite; from Δυς, bad; and Ogežis, Ap-? IV II	LATERALIS. In aphich chiests		2903	
DYSOREXIA, A Depraved Appetite; from Δυς, bad; and Ogežis, Ap-? IV II	are not seen, unless placed in an ob-			
from Δu_{ς} , bad; and $O_{e^{\varepsilon}_{s}}$, Ap-? IV II	lique position.			
Irom Aus, bad; and Operas, Ap- (IV II	DYSOREXIA, A Depraved Appetite:			
petite	from Aus, bad; and Operas, Ap-	IV	II	

	Cl.	Or.	Gen.
of Semen; from Δv_{ς} , difficult;?	IV	v	118
and $\Sigma \pi \epsilon \rho \mu \alpha$, Seed			
DYSPEPSIA, Bad Digestion, from Aus,?	II	II	39
bad; and Πεπίω, to concoct DYSURIA, Difficulty in discharging Urine;			
from Δv_{ς} , difficult; and $Ougov, ?$	IV	v	117
Urine			
ARDENS, A sense of beat,			
without any manifest disorder of the Bladder.	11.		
SPASMODICA, from Spasm.	1000		
COMPRESSIONIS, from a			
compression of the neighbouring			
parts.			
PHLOGISTICA; from vio- lent Inflammation; from Φλογος,			-
flamma.			
CALCULOSA, from stone			
in the Bladder.			
MUCOSA, from an abundant			
secretion of Mucus. DYSCINESIÆ, Difficulty of Motion; from 7			
Δu_{ς} , bad; and $K_{IVE\omega}$, to move	IV	III	
DYSPNEA, A constant Difficulty of			
Breathing; from Δv_s , difficult;	II	III	48
and IIvnw, to breathe	1		
ternus. V. APOPLEXIA.			
of the rubole Body. V. ANA-			
SARCA.			
of the Abdomen. V. ASCITES. of the Womb or Ovaria. V. Hy-			
DROMETRA.	1		
of the Scrotum. V. Hydrocele.			
E.			
ECTOPIÆ, Parts Displaced; from Ex-?		1	
ronos, out of its Situation	IV	VII	

	Cl.	Or.	Gen
ECCHYMOMA; Ex xomana, an Extra-?	IV	VI	122
vasation of Blood	III	III	80
EMPHYSEMA. V. PNEUMATOSIS.	m		00
ENURESIS, An involuntary flow of Urine;?	IV	IV	115
from Evsgew, to make water 5	14	1.	113
ATONICA, the Sphincter of the			
Bladder having lost its tone from some previous disease.			1.00
ab Irritatione, 7 from an irritation			
vel Compres- for compression of			1
sione vesicæ,) the bladder.		1.1.1.1	
ENLARGEMENT of the Abdomen. V.	CKS S		
PHYSCONIA. ENTERITIS Information of the Line 2			
ENTERITIS, Inflammation of the Intes- tines; from Evilegov, the Intestine	Ι	II	12
EPIPHORA, An involuntary flow of tears;?			
from Emigoga, a Flood	IV	IV	111
EPILEPSIA, Epilepsy; from Emilieufis, a?	II	III	43
Swoon			1 10
injury of the Head.	100	1	10
A DOLORE, from Pain.	1 Anna	1	
VERMINOSA, from Worms.			-
EXANTHEMATICA, from	1		
an Eruption drove in.	2		
TRICULI from and the of the			
TRICULI, from crudities of the Stomach.	-157	11.0	
AB INANITIONE, from			
Debility.			
UTERINA, from Hysteric			
Affections. V. HYSTERIA.			
EPHIDROSIS, Excessive Sweating; Equ-?	IV	IV	110
		-	1
Seic, abundant in Water	IV	V	1000
EPISCHÉSES. Επισχίσις, Retention EPISTAXIS, Bleeding at the Nose ERYSIPELAS, St. Anthony's Fire	IVI	IV	29

58			
	Cl.	Or.	Gen.
ERYSIPELAS VESICULOSUM, with	1.1.1.1.1	1	
large Blisters.			
PHLYCT ÆNODES, with			
Phlyctenæ, or small Blisters; from		1	
Drux lawadne, Pustulæ Similis.			N.S.
EXANTHEMATA, Eruptions; from EE-?	I	III	
avenua, a Pustule	1		5.0.5
EXOSTOSIS, Tumour on the Bones; from?	IV	VI	133
Ež and Osteov, a Bone \ldots			
F,	1.3		
FAINTING. V. SYNCOPE.			
FEBRIS INTERMITTENS, An Inter-?	I	I	1
mittent rever, or Ague)		1	1
CONTINUA, a continued Fever	I	I	2
HECTICA, an bectic Fever	1	I	3
FUROR UTERINUS. V. NYMPHO-		11	
MANIA. FLUXES. V. PROFLUVIA.		1.00	
FRACTURA, A Fracture	IV	VIII	142
FRAMBŒSIA, The Yazws; from Fram-7			
boise, Fr. a Raspberry 5	I	III	82
G.	1		
GANGLION, A Tumour on a Tendon	IV	VI	130
GASTRITIS, An Inflammation of the Sto-7	T	TT	11
mach; from rasne, the Stomach	I	II	11
PHLEGMONODEA, with	12.00		
Phlegmon; from Φλεγω, to burn.	- 15		
ERYSIPEL ATOSA, from			
Equointelaç, a red Tumour. An			
Erysipelatous redness is ob- served about the fauces.			
GOUT. V. PODAGRA.			
GONORRHEA; from Tevoggoia, a Flux?			
of Seed	IV	IV	114
PURA, not arising from	1		1.4.11
impure connection.			1

	I CL	Or.	Gen
GONORRHEA IMPURA, arising from			
Venereal Virus.		178	
LAXORUM, the person			NO
being azvake.	1 Port		
DORMIENTIUM, from			
an impure imagination when asleep.		1.67	
GUTTA SERENA. V. AMAUROSIS.		1000	-
GREEN SICKNESS. V. CHLOROSIS.			
H.			
AEMOPTYSIS, Spitting of Blood; from?	I	IV	30
Auna, blood; and IITUW, to spit 5			30
· · · · · · · PLETHORICA, from			
fulness of the Vessels.			
· · · · · · · · · VIOLENTA, from some			
external violence.			
 			
CALCULOSA, from cal-			
careous matter in the Lungs.			
VICARIA, from the sup-			
pression of some customary evacua-			
tion. The termination of an			
Hæmoptysis is in Phthisis.	11		
LÆMORRHAGIÆ, Hæmorrhages; from?	I	177	
Augegayia, an Eruption of Blood	1	IV	
ÆMORRHOIS, The Piles ; from Augog- ?	r	IV	32
eous, a Flux of Blood	-	1.	32
EMIPLEGIA, Palsy of one Side. V.			
PARALYSIS.	1.1.1		
ECTIC FEVER. V. FEBRIS HECTICA.			
EPATITIS, Inflammation of the Liver . FRNIA, A Rubburg	I	II	13
ERNIA, A Rupture . ERPES, Tetters; from $E_{\varrho\pi\omega}$, to creep .	IV	VII	134
OOPING COUGH. V. PERTUSSIS.	IV	VIII	139
YDARTHUS, A White Swelling; from?	1		
TSwg, Water; and Agbgov, a Joint }	IV	VI	130

	Cl.	Or.	Gen.
HYDATIS, An hydatid; from Tdalus, a Bladder	IV	VI	131
HYDROCELE, Dropsy of the Scrotum;)			
from Towg, Water; and Knan, a	III	II	74
Swelling			
HYDROCEPHALUS EXTERNUS, Ex-7			
ternal Swelling of the Head; from	III	II	69
TSwg, Water; and Kepahn, the Head			
HYDROCEPHALUS INTERNUS,			
Dropsy of the Brain ; from YSwe,			
Water ; and Kipann, the Head.			
V. APOPLEXIA.			
HYDROMETRA, Dropsy of the Womb and			-
its Appendages; from Towe, Wa-	III	II	78
ter; and Mnrga, the Womb .) HYDROPHOBIA, Canine Madness; from 7			
TSag, Water; and Dobew, to dread	II	III	56
HYDRORACHITIS, The Spina Bifida;)			
from TSwe, Water; and Paxis,	III	II	70
the Back-bone			
HYDROTHORAX, Dropsy of the Chest; 7			
from TSwg, Water; and Owgaz, {	III	II	71
the Breast			
fections; from Tro youd eranos, one?	II	II	40
who is hipped			-10
HYSTERIA, Hysterics ; from Tsega, the?	77		~ ~
Womb	II	111	55
CHLOROTICA, from a re-		-	
tention of the Menses. V. Culo-			
ROSIS. A MENORRHAGIA, from			
an immoderate flow of the Menses.			
V. MENORRHAGIA.			
A LEUCORRHÆA, from			
the Fluor Albus; from Asunos,			
white; and gia, to flow. V.ME-			
NORRHAGIA.	1		

61			
HYSTERIA LIBIDINOSA, from Sensual Desires	Cl. III I	Or. III II	Gen. 84 17
I.			
ICTĚRUS, The Jaundice. CALCULOSUS, from Gall Stones. SPASMODICUS, from Spasm. MUCOSUS, from Mucus ch- structing the Hepatic Duct. HEPATICUS, from an indu- ration of the Liver. GRAVIDARUM, from preg- nancy, and disappearing after de- livery. INFANTUM, of Infants. IDIOTISM. V. AMENTIA. IMPETIGINES, Diseases which deform the Surface	III	ш	
ENTERITIS. V. Uterus. V.			
HVSTERITIS. Bladder. V. CYSTITIS.			
Brain. V. Рикемития. 			
CARDITIS. 			5101
· · · · · · · · · · · · Liver. V.			
PERIPNEUMONIA.			

	Cl.	Or.	Gen
INFLAMMATION of the Periton zum. V.			
PERITONITIS. \mathcal{V} .	-		
PLEURITIS.			
SPLENITIS.	1		
	1		
GASTRITIS.			
INFLAMMATORY QUINSY. V. CY-			
NANCHE TONSILLARIS.	1		
INFLATION of the Uterus. V. PHYSO-			
METRA.			
Abdomen. V. Түм-		1 - 1	
PANITES. INSANIA Intentity or a decanged Imagina 7			
INSANIA. Insanity or a deranged Imagina- tion	II	IV	59
INTERMITTENS, An Intermittent Fover?			
or Ague	I	I	1
QUOTIDIANA,			
Quotidian. The paroxysms re-		5.8	
turn in the morning, at an in-			
terval of about twenty-four			
hours.			
TERTIANA, Ter-			
tian. The paroxysms commonly come on at mid-day, at an inter-			
val of about forty-eight hours.			
QUARTANA,			
Quarton. The paroxysms come		1	
on in the afternoon, with an			
interval of about seventy-two			
hours.			
NTUMESCENTIA, Szvellings	III	II	
SCHURIA, from Is Xugia, a Suppression?	IV	v	116
of Urine			
disease of the Kidney, with a			
troublesome sense of weight in that			
part.		1	

ICOLUDIA INDEREDICA AND IN	Cl.	Or.	Gen
ISCHURIA URETERICA, After a dis-			
ease of the Kidneys, a sense of pain or uneasiness in some part of the	1.55		
Urethra.			
VESICALIS, A frequent de-			
sire to make water, with a swel-		1	1
ling of the Hypogastrium ; pain at			
the neck of the Bladder.	1.	1	
URETHRALIS, A frequent		1	
desire to make water, with a swel-			
ling of the Hypogastrium, and pain in some part of the Urethra.		1 1 1	
JAUNDICE. V. ICTERUS.	1	1	
K.			
KING'S EVIL. V. SCROFULA.	-		
	1		120
L.			
LEPRA, Leprosy.	TTT	TTT	
LIENTERY. V. DIARRHORA.	III	III	81
LOCALES, Local Affections.			
LOCKED JAW, or TRISMUS. V. TE-			
TANUS.			
LONGINGS OF WOMEN. V. PICA.			
UES VENEREA. V. SYPHILIS and GONORRHORA.			
LUMBAGO. V. RHEUMATISMUS.			
LUMBAR ABSCESS. V. ARTHROPU-			
OSIS.			
.UPIA, A Soft Swelling under the Skin	IV	VI	129
UXATIO, A Luxation	IV	VII	135
M.			
ADNESS, MELANCHOLY. V. ME-			
LANCHOLIA.			
HAPPY. V. INSANIA.			
FURIOUS. V. MANIA.	1		

	CI.	Or.	Gen.
MANIA, Raving or Furious Madness	II	IV	60
MARCORES, Wasting	III	I	
MEASLES. V. RUBEOLA.			
MELANCHOLIA, Melancholy Madness.	II	IV	58
MENORRHAGIA, Immoderate flow of the			
Menses; from Mnv, a Month;	I	IV	55
and Payas, a Rupture	-	1	
women neither with child nor in			
child-birth			
ALBA, Serous; the			
Fluor Albus, or Whites.			
VITRIORUM, from			
some local disease.			
ABORTUS, Abortive;			
from Women with child.			
LOCHIALIS, from			
Women after delivery.			
MENSES, Immoderate flow of. V. ME-			
NORRHAGIA.			
Suppression of. V. AMENOR-			
RHCCA.			
MILIARIA, Miliary Fever	I	III	27
MOTION IMPEDED. V. Dyscinesia.			
MUMPS. V. CYNANCHE PAROTIDEA.			
MUTITAS, Dumbness	IV	III	104
N.			
NEPHRITICUS, Nephritic; from Niger-		1	
Inc, a disease of the Kidney.	1		
NEPHRITIS Inflammation of the Kidney ;?	.		
from Nergos, the Kidney	I	II	15
NERVOUS FEVER. V. TYPHUS MI-			
TIOR.			
NEURUSES, Nervous Diseases; from Nev-7			

II

* 64

	Cl.	Or.	Gen.
NOSTALGIA, Vehement desirs of revisit- ing one's Country; from Nosew, to ?	IV	II	100
return; and Axyos, pain)			
NYMPHOMANIA, Furor Uterinus ; from 7			
Numpia, Nympha; and Mavia, {	IV	II	99
Madness			
0.			
OBSTIPATIO, Costiveness	IV	v	115
DEBILIUM, In weak and			
commonly dyspeptic persons.			
RIGIDORUM, In persons			
of rigid fibres and a melancholy			
temperament. OBSTRUCTORUM, from	1		
obstructions. V. COLICA.	a de		
ODONTALGIA, The Tooth-ache; from?	I	II	1 10
Ofse, a Tooth; and $A\lambda\gamma\sigma_5$, Pain \int	1	11	19
ONEIRODYNIA, Disturbed Sleep; from?	17	177	1
Overgov, a Dream; and Oduvn, S Anxiety	II	IV	61
GRAVANS, The Night-		1	TO TE V &
Mare.			
OPHTHALMIA, Inflammation of the Eye;?	I	II	-
from Oplan mos, the Eye 5			
P.		1000	C. C. C.
PALPITATIO, Palpitation of the Heart .	II	111	4
PALSY OF ONE SIDE, Hemiplegia. V.			
PARALYSIS.	1	2.593	1 The set
PARACUSIS, Singing in the Ears ; from?	IV	I	91
Παga, Wrong; and ακκυ, to hear 5			
existing sounds are not beard as usual.		-	1
IMAGINARIA, When			1
imaginary sounds are beard.			
PARALYSIS, Palsy; from Magazus, to?	п	I	37
. loose	-		01

66			
	I CL	Or.	Gen.
PARALYSIS PARTIALIS, Partial; Pal-			
sy of some particular muscles.			
HEMIPLEGICA, Para-			
lysis of one side; from Huinant,			1
nyos, dimidia parte percussus.			
····· PARAPLEGICA, Palsy			
of one half of the body; from Na-			
gaphnyia.			
dative effects of poisons. V.Co-		6.076	
LICA PICTORUM.			
PARAPLEGIA, Palsy of half of the Body	14.6		
taken transversely. V. PARA-		-	
LYSIS.			
PARAPHONIA, Alteration of the Voice;	1		
from Iluga, Wrong; and Davn, §	IV	III	105
Sound			
PERIPNEUMONIA, Peripneumony, or In-			
flammation of the Lungs. V.			
PNEUMONIA.			
PERITONITIS, Inflammation of the Peri-	Ι	II	101
PERTUSSIS, The Hosping Cough	II	III	49
PESTIS, The Plague	I	III	23
PICA, Particular Longings	IV	II	96
PILES. V. HEMORRHÖIS.			
PODAGRA, The Gout; from II85, the?	I	II	20
Foot; and Aygz, taken 5	1	ш	20
REGULARIS, The Re-			
gular.			
· · · · · · · · · · · · ATONICA, Atonic ; from			
Alovos, a neg. and Tewa, to stretch. RETROGRADA, Retro-			
cedent.			
ABERRANS, Misplaced,			
or wandering.			
POLYDIPSIA, Excessive Thirst; from?	TTT	177	07
Πολευς, much; and A.I.M., Thirst S	IV	IV	97
POLYPUS. V. SARCOMA.			

	01		
DOLMALDOWN	Cl.	Or.	Gen.
POLYSARCHIA, Corpulency; from IIo-7	III	II	64
λv_{ζ} , much; and $\Sigma \alpha_{\varrho} \xi$, Flesh			UT
PUTRID FEVER. V. TYPHUS GRA-			
VIOR.			
PUTRID SORE THROAT. V. Cy-			
NANCHE MALIGNA.			
PHLOGOSIS, Inflammation; from \$202,7	-		
λος, Flamma	I	II	4
PHLEGMONE, with Phleg-		1.1.2	
mon; from Oreyworn, Vivid In-			
flammation.		100.00	12.2.2.1.1
ERYTHEMA; from Eguen-		1	1
μα, Redness.			
PHRENITIS, Phrensy, or Inflammation of?			
the Brain; from Φ_{env} , the Mind	I	II	6
PHTHISIS, Pulmonary Consumption; from?	I	IV	31
$\Phi_{\vartheta i\omega}$, to consume			
INCIPIENS, Incipient; with-		1 11	
out any expectoration of Pus.			
HUMIDA, Purulent; with	1.1.1		
an expectoration of Pus.	1		1773
SCROPHULOSA; from Saro-			1
phula, Tubercles in the Lungs.	100		
····· HÆMOPTOICA, from Hæ-			
moptysis.			
····· EXANTHEMATICA, From			
Exanthemata.			
····· CHLOROTICA, From Chlo-			
rosis.			
····· SYPHILITICA, From a Ve-		1	
nereal Ulcer in the Lungs.			
PHYSCONIA, Enlargement of the Abdomen ;)			
from Durkav, a big-bellied fel-	III	II	75
low			
PHYSOMETRA, Windy Swelling of the			
Uterus ; from Durow, to inflate ;	III	II	67
and Melga, the Womb			01
PLAGUE. V. PESTIS.			

deal and the second sec	Cl.	Or.	Gen.
PLEURITIS, Pleurisy, or Inflammation of	1111		010.0
the Pleura. V. PNEUMONIA.		1.1	
PLICA POLONICA. V. TRICHOMA.	1	1	
PNEUMATOSIS, Emphysema, or Windy?	III	II	65
Swellings	1		
SPONTANEA, With-			1260
out any manifest cause.			
TRAUMATICA, From			
a Wound.			
VENENATA, From Poison.			
HYSTERICA, With Hy- steria.			
PNEUMONIA, from IIveopuov, the Lungs	I	п	8
PROFLUVIA, Fluxes	I	v	0
PROFUSIO, The Bloody Flux	IV	IV	109
PROLAPSUS, A Protrusion	IV	VII	135
PROTRUSION, or Falling down. V.	1 .		-00
PROLAPSUS.	1.15	-	
PSEUDOBLEPSIS, Imaginary Vision of	14.16	1.1.1	
objects ; from Wevdos, false ; and {	IV	I	89
Βλεψις, sight	1. 11		
IMAGINARIA, In			
which objects are perceived which			
are not present.	1.1.1.		
MUTANS, In which			
objects that are present appear			
somehorv changed.			
PSELLISMUS, Defect of Speech; from?	IV	III	106
Ψελλισμα, Hesitation of Speech 5			
PSORA, $\Psi \omega \rho \alpha$, the Itch	IV	VIII	141
PTYALISMUS, A Salivation	IV	IV	112
PYREXIÆ, Febrile Diseases; from Ilv-?	I		
gižia, Fever			
PYROSIS, Heart-burn; from Hugwois, a?	II	III	50
Burning \ldots \ldots \ldots			
R.			
ACHITIS, The Rickets, from Paxis, the Zeack-bone	III		
aunition the Alchers, from Parale the			76

	Cl.	Or.	Gen
RAPHANIA, from Papaw, the radish, or charlock; eating the Seeds of which will occasion this disease	п	III	44
RICKETS. V. RACHITIS. RUBEŎLA, The Measles; from Rubeo, to become red	I	ш	26
RUPTURE. V. HERNIA. RHEUMATISM, Chronic. V. ARTHRO- DYNIA. RHEUMATISMUS, The Rheumatism,?	I	п	18
from Peupalioppos, a Defluxion 5 S.			10
SALIVA, Flux of. V. PTYALISMUS.			in in
SARCOMA, An Excrescence, from $\Sigma \alpha_{g\xi}$, Flesh	IV	VI	126
SATYRIASIS, Excessive desire after Ve-	IV	II	98
SEED, Preternatural flow of. V. GONOR- RHCEA.			
SENSATION, Want of. V. ANRESTHE- SIA.			
SINGINGS IN THE EAR. V. PARA- CUSIS.			
SCALD HEAD. V. TINEA. SCARLATINA, The Scarlet Fever	T	III	28
			,
SCIATICA. V. RHEUMATISMUS. SCORBUTUS, Scurvy	III	III	79
SCURVY. V. SCORBUTUS. SCHIRRHUS, Exignos, a Chip of Marble	IV	VI	123
SCROPHULA, The King's Evil; Scro- fula, a Pig	III	III	77
SMALL POX. V. VARIOLA. SMELL, Loss of. V. ANOSMIA.			
orrenting 2000 of. F. 22HOOMIN.	the loss	1	

	1.01	10	
SPEECH, Defect of. V. PSELLISMUS.	CI.	Or.	Gen.
SPIELCH, Defet of. V. Isellismos. SPITTING OF BLOOD. V. HEMOP-			
TYSI3.			
SPLENITIS, Inflammation of the Spleen	I	II	14
SQUINTING. V. STRABISMUS. ST. ANTHONY'S FIRE. V. ERYSIFE-			
LAS.			
ST. VITUS'S DANCE. V. CHOREA.			105
STRABISMUS, Eleationer, Squinting	IV	III	107
SWEATING. V. EPHYDROSIS. SWELLING OF THE HEAD, External.	1120		
V. Hydrocephalus Exter-			
NUS.		-	
SYNOCHA, Euro xos, continued. V. FE- BRIS CONTINUA.			
YNCOPE, Fainting; from Suvanala, to?	II	11	38
strike down		11	30
CARDIACA, The Cardias			
Syncope ; arising from some or- ganic affection of the heart, or			
neighbouring vessels, and re-			
turning without any manifest			
cause.			
citing cause being manifest.			
YPHILIS, Lues Venerea	III	III	78
Т.			
CABES, A Wasting of the Body	ш	I	62
PURULENTA; from an ulco- rous discharge.			
SCROPHULOSA; from a scro-			
phulous habit.	-		
VENENATA; from Poison.			
CASTE, Want of. V. AGEUSTIA. CEARS, A Flux of. V. EPIPHORA.			
TETANUS, Spasm with Rigidity, from	1	1	
reiva, to stretch.	1	1	

	Cl.	Or.	Gen.
TETĂNUS OPISTHOTONOS, Where			
the body is thrown back by spas-		L.XQ	
modic contractions of the Mus-			
eles; from Onic Forovos, bent back.		a spil	***
EMPROSTHOTONOS, The	1		Pr I
body being bent forwards; from			
Eμπ goo Fev, before; and τεινω, to	10.11		a a Y
stretch.	1.2.1		0.200
TRISMUS, The Locked Jaw;			
from Teromos, stridor.	17.80	1. 612	310
TETTERS. V. HERPES.			
TINEA, A Scald Head	I	VIII	140
TOOTH-ACH. V. ODONTALGIA.			
TUMORES, Tumours	IV	VI	
TUSSIS EXANTHEMATICA. A Cough			
attendant on an eruption.			
THIRST, Excessive. V. POLYDIPSIA.			
TRICHOMA, An Entanglement of the Hair; from Ogiz, Tgixos, and	III	III	00
Koun, the Hair	111	111	83
TYMPANITES, Tympany, Tumavov, a?		1	
Drum	III	II	66
INTESTINALIS, A			
lodgment of wind in the Intes-			
tines.			10.04.8
ABDOMINALIS, Wind			
in the Abdomen.			
TYPHUS, Tugor, Stupor. V. FEBRIS			
CONTINUA. DETECHIALIS Tealer with		1000	
Petechia.	1	1	
MITIOR, The milder Typhus,			
or Slow Fever.			
GRAVIOR, The Oppressive,	1	1	
or Putrid Fever.	1.5	1	
ICTERODES, The Yellow			+
Fever; from Inlegadns, Felle ef-			
fusus.	1	1	1

v.	Cl.	Or.	Gen.
VARIOLA, The Small Pox	I	III	24
VARICELLA, The Chicken Pox VARIX, The Tumour of a Vein VERRUCA, A Wart	I IV IV	III VI VI	25 125 127
W. WHITE SWELLING. V. ARTHRO- PUOSIS.			

and the second s

.

72

PART II.

COMPENDIUM


A

OF

THERAPEUTICS,

WITH

FORMULE.



CONTENTS.

EMETICA	I.
CATHARTICA	II.
DIAPHORETICA	III.
DIURETICA	IV.
EPISPASTICA	v .
EXPECTORANTIA	VI.
ERRHINA	VII.
SIALAGOGA	VIII.
EMMENAGOGA	IX.
ANTHELMINTICA	x.
LITHONTHRIPTICA	XI.
ANTACIDA	XII.
ATTENUANTIA	XIII.
ANTISEPTICA	XIV.
ASTRINGENTIA	xv.
CORROSIVA	XVI.
DEMULCENTIA	XVII.
STIMULANTIA	XVIII.
ANTISPASMODICA	XIX.

MEDICINES ARRANGED

6

IN THEIR

CLASSES AND ORDERS.

CLASS I.

EMETICA.

ORDERS.

I. Irritantia.

Antimon. tartarisatum.	gr.	1gr.	6.
Zincum vitriolatum .			
Hydrargyrus vitriolatus			
Ipecacuanha			
Asarum, rad			
Scilla exsiccata	gr.	4.—gr.	6.

II. Calefacientia.

Sinapi	•	•	•'		•	•	dr.	1dr.	4.
Raphan	us	rust	ica	anus			scr.	1dr.	1/2.
Chamær	ne	lum			•	•	scr.	1dr.	1.

.

III. Narcotica.

Nicotiana				•	dr.	1-2 un.	4.
Digitalis	•		•		gr.	2gr.	5.

CLASS II.

CATHARTICA.

@RDERS.

I. Stimulantia.

	. gr. 10scr. 11.
	. scr. 1dr. 2.
• •	. gr. 10scr. 11/2.
	. gr. 4gr. 12.
	. gr. 4gr. 12.
•	. gr. 5.—gr. 15.
	• gr. 4gr. 15.
	. gr. 1gr. 5.
	 · · · · · · · · · · · · · · · · · · ·

II. Calefacientia.

Guaiacum gummi-resina gr. 10.-dr. 1.

III. Refrigerantia.

Natron vitriolatur	n		dr.	4un.	11.
Kali vitriolatum			dr.	4un.	1.
Flores sulphuris			scr.	1dr.	1.
Cassia fistularis		•	un.	1 <u>-</u> un.	11.

IV. Astringentia. Rhabarbarum gr. 15.—dr. 1.

V. Emollientia.

01	eum	rici	ni	•	•	•	۰.	dr.	4.—un.	2.
Ma	inna						•	dr.	4 un.	2.

78

VI. Narcotica.

Nicotiana .			. dr. 1 un. 4. aq.
Hyoscyamus			. gr. 1gr. 3.
Digitalis .	•	•	. gr. 2gr. 5.

CLASS III.

79

DIAPHORETICA.

I. Calefacientia.

Serpentaria gr. 10scr. 2.
Contrayerva gr. 10.—scr. 2.
G. Guaiacum gr. 10.—scr. 2.
Arnica, flos dr. 1.
Liq. volat. Cornu Cervi . gt. 20gt. 60.
Oleum essen. lavendulæ. gt. 4yt. 10.
II. Stimulantia.
Antimonium tartarisatum gr. $\frac{1}{2}$. o. h.
Vinum Antimonii gt. 5gt. 60.
Calomelas gr. 1.
III. Antispasmodica.
Opium $gr. \frac{1}{2}$ - $gr. 1$.
Moschus $gr. 10scr. 1\frac{1}{2}$.
Camphora gr. 4.—scr. 1.
Ipecacuanha gr. 1.

orders. IV. Diluentia.

Aqua					ad libitum.
Serum	lac	tis	•	•	ad libitum.

CLASS IV.

DIURETICA.

I. Stimulantia.

	Offinition of the second secon
	Colchicum rad $gr. \frac{1}{2}$. $-gr. 2$.
	Daucus Sylvestris un. $\frac{1}{2}$. ad lb. $\frac{1}{2}$.
	Genista cac un. $\frac{1}{2}$. ad lb. $\frac{1}{2}$.
	Juniper. cac. manip 1. d. coch. 2.
	Taraxaci suc un. 1.—un. 3.
	Terebinthina scr. 1dr. 1.
	Scilla gr. 2gr. 6.
	Cantharides $gr. \frac{1}{2}$.
	Apium.
II.	Refrigerantia.
	Acetum $un. \frac{1}{2}$ $un. I.$
	Acetosa un. 4.—un. 6.
	Petroselinum $dr. \frac{1}{2}$.
	Kali præparatum gr. 12.—scr. 1.
	Kali acetatum gr. 20.—gr. 30.
	Nitrum gr. 10gr. 25.
	Berberis
HI.	Diluentia.
	Serum lactis ad libitum.

EPISPASTICA.

ORDERS.

I. Rubefacientia. Sinapi. Raphanus rusticus. Cortex radicis mezerei.

II. Vesicantia. Cantharides.

CLASS VI.

EXPECTORANTIA.

I. Stimulantia.

Allium			. dr. 1dr. 2.
Ammoniacum			. gr. 15. $-dr. \frac{1}{2}$.
Enula			. scr. 1dr. 1.
Hyssopus .			manip. 1 vel. 2.
Marrubium			manip. 1/2.
Scilla			. gr. 3gr. 6.
Antimonium			. scr. 1.—scr. 2.
Vesicatoria.			
Nicotianæ fum	us.		

II.

Emollientia.				
Glycyrrhiza			. dr. 2	1.
Spermaceti			. dr. $\frac{1}{2}$. dr.	1.
Tussilago .			. ad libitum.	
Vapores .		•	. ad libitum.	

CLASS VII.

ERRHINA.

Stimulantia.

Beta, rad. suc				
Betonica, fol.		•	. gr.	3. <u>-gr.</u> 5.
Euphorbium			. gr.	1 <u>4</u> .
Asaru			. gr.	3.—gr. 4.
Helleborus			. gr.	5.—gr. 10.
Nicotiana .			. ad li	ibitum.

CLASS VIII.

SIALAGOGA.

I. Topica.

Angelica	a				
Nicotian	a			ad libitum.	
Piper			0.0	gr. 10scr.	1.

1

	Scillæ		• gr.	3gr.	6.
I.	Interna.	•	• gr.	JSCr.	1.
	Ung. hydr. mitius		. dr.		
	Ung. hydr. fortius Pilulæ ex hydr		• dr. • gr.]	12gr. 2	0.

CLASS IX.

EMMENAGOGA.

I. Stimulantia.

Borax .		•		. gr.	10scr.	1.
Aloë soc.				. gr.	10scr.	1.
Sabina .				. gr.	5.—scr.	1.
Rubia .				. gr.	15.	
Cantharides				. gr.	1.	-
Electricitas.					4	11-
Hydrargyru	s.					

II. Tonica.

Ferri rubigo gr. 5.—scr. 1. — limatura . . . gr. 5.—scr. 1. Lavatio frigida. Corporis exercitio. Diæta lauta.

M

III.	Antispasmodica.	*		
-1	Asafætida	•	•	. scr. 1scr. 2.
	Myrrha			. gr. 10gr. 30.
	Castoreum		0.	. gr. 10.—gr. 30.
	Pediluvium.			

CLASS X.

ANTHELMINTICA.

I. Venenosa. Stannum gr. 15.—gr. 60. Hydrar. cum Sulphure . scr. 1.—dr. 1. Spigelia dr. 4. Felix dr. 2.—dr. 4. Helleborus fœtidus . . gr. 1.—gr. 8. Hydrargyrus.
II. Irritantia.

III. Lubricantia.

Oleum olivarum . . . dr. 4.—un. 1. Oleum ricini dr. 4.—un. 1. IV. Tonica.

> Sabina gr. 5.—scr. 1. Santonicum dr. 1.

Tanacetum. Ferrum vitriolatum . . gr. 2.—gr. 8. Limatura Ferri . . . gr. 5.—scr. 1. Aqua calcis.

L. Eccobrollea.

V. Cathartica.

Sapo				• un. 1.
Jalappa				. scr. 1scr. 2.
Rheum				. gr. 10gr. 30.
Aloë soc				. gr. 10gr. 20.
Scammonium	•	•		. gr. 4gr. 16.
Gambogia .	•		•	. gr. 2gr. 6.

CLASS XI.

LITHONTHRIPTICA.

I. Antacida.

II. Adstrigentia.

Uva ursi scr. 2.

CLASS XII.

ANTACIDA.

ORDERS.

I. Eccoprotica. Sapo gr. 5.—gr. 30. Magnesia gr. 5.—gr. 40. Alkalina.

II. Restringentia.

Creta.	ppt			scr.	1scr.	2.
Testæ	ostreorum,	ppt.	•	scr.	1scr.	3.
Aqua	calcis .			un.	4.—un.	8.

CLASS XIII.

ATTENUANTIA.

. scr. 1.-scr. 2.

CLASS XIV.

ANTISEPTICA.

ORDERS.

I. Tonica.

Cortex peruvianus	. gr. 10dr.	2.
Absinthium	. scr. 1dr.	<u>I</u> .
	. scr. 1dr.	

II. Refrigerantia.

Sales acidi. Sales neutri. Fructus and vegetabilia.

III. Stimulantia.

Camphora				. gr. 3gr. 24.
Asafœtida				• gr. 15.—dr. $\frac{1}{2}$.
Vinum.				0 2
Alkohol				. dr. $\frac{1}{2}$. dr. 1.
Oleum tere	bin	thi	næ	. gt. 10yt. 30.

CLASS XV.

ASTRINGENTIA.

I. Styptica.

II.

III.

Sifficat
Alumen gr. 1.—gr. 24.
Ferrum vitriolat gr. 1gr. 6.
Ferrum ammoniacale . gr. 3gr. 12.
Ferri rubigo gr. 5gr. 24.
Ferri limatura gr. 5.—scr. 1.
Zincum calcinatum gr. 2gr. 10.
Zinc. vitriolatum gr. 1gr. 5.
Arsenicum gr. 13
Caprum.
Corrugantia.
Rosa.
Tormentil scr. 2dr. 1.
Cortex peruvianus gr. 10dr. 2.
Simarouba gr. 10.—gr. 24.
Sanguis draconis gr. 5.—scr. 1.
Quercus.
Gallæ.
Indurantia.
Alkohol.
Acidum vitrioli. dilutum gt. 10gt. 20.

IV. Tonica. Exercitium.

Frictio.

CLASS XVI.

CORROSIVA.

ORDERS.

I. Erodentia.

Cuprum vitriolatum. Allumen ustum.

II. Caustica.

Argentum nitratum. Acidum vitriolicum.

CLASS XVII.

DEMULCENTIA.

Gummi ar	abio	cum	1		. un. 1.—un. 3.
Oleum am	ygd	lala	. dr. 2un. 1/2.		
Spermacet	i				. gr. 15gr. 60.
Althæa .					. manip. 12.
Caricæ .					. dr. 4un. 1.
Malva .			•		. manip. 12.
Lini semer	1				. dr. 4un. 1.

CLASS XVIII.

STIMULANTIA.

ORDERS.

I. Topica.

1

Sinapi dr. 1dr.	2.
Raphanus rusticus dr. $\frac{1}{2}$.—scr.	1.
Cantharides $gr. \frac{1}{2}$ gr.	2.
Mercurii præparationes.	

II. Diffusibilia.

Alkali volatile. Calor. Cinnamomum. Nux moschata. Vinum. Electricitas. Tinct. Opii gt. 3.-gt. 5.

CLASS XIX.

91

ANTISPASMODICA.

ORDERS.

I. Stimulantia.

Alkali volatile.		
Olea essentialia.		
Spiritus vini.		
Æther vitriolicus		. gt. 30gt. 100.
Valeriana		
Asafœtida	10.1	. gr. 20gr. 40.
Camphora		. gr. 3gr. 24.
Moschus		. gr. 8gr. 24.
Opium		
Electricitas.		es jours - ist m

II. Tonica.

Cortex peruvianus		gr.	10.—dr.	2.
Ferrum				
Zincum. calcin				
Cuprum.		-		
Exercitium.				
V. Astringentia.				

CLASS I.

EMETICA.

FORMULÆ.

1. Ŗ .	$\begin{cases} Antim. tart $
2. Ŗ.	$\begin{cases} Antim. tart gr. 2. \\ Ipecac$
3. Ŗ.	$\begin{cases} \text{Vin. antimon.} & \cdots & dr. 4. \\ \text{Oxymel Scillæ} & \cdots & dr. 6. \\ p. r. n. s. \end{cases}$
4. B .	$\begin{cases} Oxymel Scillæ un. 2. \\ p. r. n. s. \end{cases}$
5. B.	$\begin{cases} Oxymel Scillæ \dots un. 2. \\ Suc. raph. rust. \dots un. 1. \\ p. r. n. s. \end{cases}$
6. Ŗ .	$\begin{cases} Vin. ipec $
7. Ŗ .	$\begin{cases} Vin. ipec $
8. Ŗ.	$\begin{cases} Antim. tart gr. 1. \\ Ipecac gr. 6. \\ Calomel gr. 3. \\ v. s. \end{cases}$

SORANDE.K.

CLASS II.

CATHARTICA.

FORMUL R.

9. B .	$\begin{cases} Jalap & \cdots & \cdots & gr. 25. \\ Zinzib. & \cdots & \cdots & scr. 1. \\ c. m. & & & & & \\ \end{cases}$
10. Ŗ .	$\begin{cases} Aloë soc. & \dots & dr. 12.\\ Myrrh & \dots & un. 2.\\ Croci & \dots & \dots & un. 1.\\ Alkohol & \dots & . & . & . & . \\ Digere. Cola. d. dr. 4un. 1. Sign.\\ Elixir Proprietatis. \end{cases}$
11. Ŗ .	$\begin{cases} Aloë soc. & \dots & dr. 12. \\ G. guaiac. & \dots & un. 1. \\ Pulv. arom. \\ Bals. peruv. & \dots & \bar{a}\bar{a} dr. 4. \\ Syr. cort. aur. \\ f. Pill. d. scr. 1. \end{cases}$
12. Ŗ .	$\begin{cases} Aloë soc. \\ Extr. gentian. & . & . & . & . & . & . & . & . \\ Calomel & . & . & . & . & . & . & . & . & . & $
13. Ŗ .	$\begin{cases} Aloë soc. \\ Extr. gentian \bar{a}\bar{a} dr. 1. \\ Ferri vitriolat gr. 15. \\ Syr. rosæ$

FORMULÆ. 14. B. $\begin{cases} Aloë soc. \\ Sapon. alb. \\ Pil. Gummi . . . <math>\bar{a}\bar{a}$ un. 1. d. scr. 1. b. s. s. **15.** \mathcal{B}_{0} . $\begin{cases} Aloë soc. \\ Colocynth. \\ Scammon. . . <math>\bar{a}\bar{a} dr. 1. \\ Extr. Jalap . . . dr. 3. \\ Syr. simp. . . . q. s. \\ f. Pill. d. gr. 12. b. s. s. \end{cases}$ 16. B. $\begin{cases} Scammon. \\ G. guaiac. \\ Aq. cinnam. \\ Syr. rosæ \\ f. haust. hydrag. m. s. \end{cases}$ 17. B. $\begin{cases} Elaterii & . & . & . & gr. \frac{1}{4}.\\ Extr. gentian. & . & . & gr. \frac{1}{4}.\\ o. \ b. \ b. \ s. \end{cases}$ Kali vitriolat.

FORMULÆ.

20. R.

21. R.

22. R.

Rhei	3			scr.	7
Jalap					
Aq. cinnam.		•	•	gr.	J.
Sur a Cart Av	•	•	•	un.	1.
Syr. e Cort. Au		•	• •	dr.	1.
m. s.					
Rhei					7
Rhei	•	•	•		
Sennæ Sem. fænic.	•	•	•	un.	2.
Dem. rænic.					
Bac. junip.				1.15	
Bac. junip. Scobis guaiac.			• āā	dr.	4.
Sacch. alb Sp. vin. gal.				un.	4.
Sp. vin. gal.				16.	3.
Digere. Cola. d.	un.	1.	Elis	cir	
Salutis, vulgo	Da	ffy's	Elix	ir.	
* ************************************					
Rhei				un.	1.
Sennæ				dr.	2.
Cardam.					
Coriand			. āā	dr.	7
Croci.					
Coccinel		1			9
Uvæ pass.			• 44	1100	2.
Sp. vin. gal				11.	1
Digere. Cola. d.	1122	2	6 m m	10.	7.
CONTRACTORES CONTRACTOR					

Boerhaave's Gout Cordial.

CLASS III.

DIAPHORETICA.

FORMULE.

00 D	$\int Contrayerv. \dots scr. 1.$
23. B .	$\begin{cases} Syr. Croci q. s. \\ f. Pil. b. s. s. \end{cases}$
	G. Guaiac scr. 1.
24. B .	$\begin{cases} Sal C. C $
-12 - 114 A.S.	Lb. s. s.
	G. Guaiac. Sach. alb
25. B .	$\begin{cases} Extr. Gent dr. 1. \\ Mucil C arab \\ \end{cases}$
	Mucil. G. arab q. s. f. Pil. d. gr. 15.
	Cort. rad. Mezerii recent. un. 1.
26. B.	Aq. font cong. $1\frac{1}{2}$. $\langle Coque \ ad \ Cong. \ 1. \ \ \ adde$
	Glycyr
	Sulph. antim. præcip. gr. 10.
	Hydrargyr. ē sulph. dr. 2. Guaiac
	Lf. pulv. No. 10. c. 1. p. m. & v.
28. B .	Sulph. antim. præcip. dr. 2. Calomel
	Calomel
	Extr. lig. guaiac dr. 7. Syr. papav. alb q. s.
	[f. Pill. 80. d. No. 3. o. n.

FORMUL .

29. B .	Mist. Camph Vin. Antimon b. s. s.	un. 1. gt. 40.
30. B .	Camph	gr. 5. gr. 1. scr. 1.
31. B .	$\begin{cases} Mosch. & \cdots & \ddots & \ddots \\ Cons. ros. & \cdots & \ddots & \ddots \\ b. s. s. \end{cases}$	gr. 10. scr. 1.
32. B .	Mosch. (sach. alb. trit.) Aq. cinnam d. un. 1.	gr. 30. un. 6.
33. Ŗ .	$\begin{cases} Tinct. Opii. \\ Vin. antimon. \\ d. gt. 30. ad 120. \\ h. s. \end{cases}$	dr. 1. dr. 3.
34. B .	$\begin{cases} Tinct. Opii \\ Vin. ipec \\ Aq. Ammon. Acetat. \\ Aq. rosar \\ Sacch. alb \\ b. s. s. \end{cases}$	gt. 40. dr. 3. dr. 4. un. 1. dr. 2.
35. Ŗ .	Kali præpar Suc. limon Aq. cinnam Syrup. papav. errat. p. r. n. s.	scr. 1. dr. 4. un. 1. dr. 1.

CLASS IV.

DIURETICA.

FORMULZ.

+

		Sem. dauc. sylv.
00	n	Bac. junip āā dr. 2.
36.	Ŗ.	Aq. font 16. 1.
		Digere. Cola. d. un. 2. o. n.
		[Sem. dauc. sylv.
		Sapon. alb. \ldots $\bar{a}\bar{a}$ dr. 1.
37.	Ŗ.	$\begin{cases} Millep. ppt dr. 1. \end{cases}$
•1.	-50.	Mara anal
		$\left[\begin{array}{cccc} Muc. gum. arab. \\ f. Pill. d. scr. 1. o. n. \\ \end{array}\right] q. s.$
	2011	(Juniper bac un. 4.
38.	Ŗ.	Vin. alb
00.	7.00.	Digere. d. un. 2. ter in die.
		A A A A A A A A A A A A A A A A A A A
. là	-752 1	Tereb. venet dr. 1.
00	D	Mucil. g. arab dr. 4
39.		$\{$ Aq. puleg $un. 6.$
		Syr. e cort. aur. $dr. 4$.
		(b. s. s.
		(Tinct. cantharid gt. 30.
	100	Infus. cort. per un. 1.
40.	Ro.	{ Aq. N. M.
		Syr. cort. aurant āā dr. 1.
		bis in die.
		(Kali gr. 10.
A'1	D	Rhei
41.	Ŗ	$\begin{cases} Kali & . & . & . & . & . & gr. 10. \\ Rhei & . & . & . & . & . & . & . & . \\ Ol. juniper & . & . & . & . & . & . & . & gt. 4. \\ b. s. s. \end{cases}$
		(b. s. s.

FORMUL .

and a marke	
42. Ŗ .	Kali. Jalap. Raphan. rust
43. Ŗ .	$\begin{cases} Oxymel scillæ dr. 3. \\ Conf. arom scr. 1. \\ Aq. fæniculi un. 1. \\ Aq. cinnam dr. 1. \\ c. m. \end{cases}$
44. B .	$\begin{cases} \text{Scill} x \text{ exsic.} & \cdots & gr. 4. \\ \text{Sapon. alb.} & \cdots & scr. 1. \\ c. m. & v. & \cdots & scr. 1. \end{cases}$
45. Ŗ .	$\begin{cases} \text{Scill. recent.} & \dots & gr. 10.\\ \text{Ammon. pulv.} & \dots & gr. 15.\\ \text{Pulv. tragac. c.} & \dots & gr. 5.\\ f. Bolus. 6. ter in die s. \end{cases}$
46. B .	$\begin{cases} \text{Tinct. scill.} & \dots & gt. 30. \\ \text{Aq. cinnam.} & \dots & un. 1\frac{1}{2}. \\ \text{Syr. caryoph. rubr.} & dr. 1. \\ f. Haustus. ter in die s. \end{cases}$

CLASS V.

EPISPASTICA.

un. 11.

1<u>2</u>.

FORMUL .

. 7ã na. 1.

{Lin. Sapon. comp. . un. 1 Tinct. Canth. . . . un. f. Lin. quod. part. affect. infricetur. 47. B.

CLASS VI.

EXPECTORANTIA.

	· · · · · · · · · · · · · · · · · · ·
	COxymel scillæ dr. 2.
48. B.	Aq. cinnamom un. 1.
	[c. m.
49. B .	$\begin{cases} \text{Scillæ recentis.} \\ \text{Gum. ammon.} & . & . & . & . & . & . & . & . & . &$
50. Ŗ .	$\begin{cases} Enulæ. \\ Glycyr. \\ Flor. sulph \tilde{a}\tilde{a} un. 1. \\ Mel un. 4. \\ c. M. N. M. ter in die. \end{cases}$
51. B .	$\begin{cases} \text{Sperm. ceti. (v. o. s.)} & dr. 2. \\ \text{Lac. ammon.} & . & . & dr. 8. \\ \text{Syr. croci.} & . & . & . & dr. 6. \\ d. un. 1. ter in die. \end{cases}$

CLASS IX.

EMMENAGOGA.

FORMULE.

	[Tinct. cantharid gt. 20.
52. R.	Aq. pulegii dr. 12.
02. Jp.	Syr. croci dr. 1.
	(b. s. s.
	(Pil. ex aloë cum myrrha scr. 2.
	Pil. gummi.
53. B.	{ Asafœtid āā dr. 1.
	Calomel scr. 1.
	f. Pil. 40. c. Pill. 1. h. s.
	Pil. ex. aloë cum myrrha un. 1.
54. B.	Ferri vitriolat dr. 1.
	L f. Pill. d. scr. 1. b. s.
	Tinct. aloë comp.
D	Tinct. ferri muriati . āā dr. 2.
55. R .	Tinct. hellebori nigri . dr. 4.
	d. dr. 1. m. & v.
	[Fer. ammoniac.
56. R.	
	$\begin{cases} Pulv. aromat. & . & . & . & . & . & . & . & . & . &$
57. R.	$\int Fer. vitriolat dr. 1.$
01. 10.	$\begin{cases} \text{Sach. alb.} & \dots & $
	CT i'ii
	Fer. vitriolat gr. 15.
	Aloë soc.
58. B.	Asafœtid. Extr. gent āā dr. 2.
.L. martin	Syr cost auront
	Syr. cort. aurant. q . s .
	[f. Pill. d. gr. 10. h. s.

CLASS X.

ANTHELMINTICA.

FORMULZ.

59. B .	$\begin{cases} Calomel gr. 10. \\ Rhei gr. 16. \\ m. s. \end{cases}$
60. B .	$\begin{cases} Hydrarg. c. sulphure. \\ Santonici & . & . & . & . & . & . & 2. \\ Sabinæ & . & . & . & . & . & . & . & . & . \\ Sabinæ & . & . & . & . & . & . & . & . & . & $
61. B .	$\begin{cases} \text{Stanni} & \cdot & \cdot & \cdot & \cdot & un. 1. \\ \text{Theriac.} & \cdot & \cdot & \cdot & \cdot & un. 4. \\ d. un. 1. o. m. \end{cases}$
62. B .	$\begin{cases} Spigeliæ & . & . & . & . & . & . & . & . & . & $
63. B .	$\begin{cases} Santonici. \\ Rhei. \\ Corallinæ. \\ Cor. cervi ust \bar{a}\bar{a} dr. 1. \\ d. gr. 24. o. m. \end{cases}$
64. B .	{Sapo. alb un. 1. o. m. ad 10m vicem.
65. Ŗ .	$\begin{cases} Rhei & \dots & gr. & 5. \\ Flor. chamæmel. & . & scr. & 1. \\ o. m. s. & & & \\ \end{cases}$

FORMULÆ.

66. **B**.

(Gambog.		3.			gr. 2.
)	Calomel	•				gr. 5.
	Jalap .		•	•		gr. 10.
1	m. s.					

CLASS XI.

LITHONTHRIPTICA.

CLASS XIII.

ATTENUANTIA.

68. **Ŗ.**.

Spongiæ ust. . . un. 3. Syr. althææ . . . q. s. f. Trochisci 60. Horum unus h. s. linguâ suppositus, ibi per noctem lente deliquescat. Troches for the Bronchocele.

CLASS XIV.

ANTISEPTICA.

FORMULÆ.	(Decoct. cort. Per dr. 12.
	Tinct. cort. Per. comp. dr. 2.
69. B.	Pulv. cort. Per scr. 1.
	Syr. cort. aur dr. 1.
	q. b. s.
and the second second	(Decoct. cort. Per un. 8.
	Conf. aromat dr. 2.
	Tinct. serpent dr. 4.
70. Ro.	Aq. cinnam dr. 12.
	Syr. croci dr. 4.
	d. un. 2. 4. g. h.
	$\begin{cases} Cort. Per un. 5. \\ M = 1 \end{cases}$
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
51 D	Sp. vin. tenui
71. B .	{ Digere. cola. d. dr. 4. ter in die.
	Addendo superioribus.
	Acid vitriol. dilut. gt. 10. ad gt. 20.
	(p. r. n.
	Suc. limon dr. 4-
	Suc. limon dr. 4- Kali.
72. R.	Suc. limon dr. 4-
72. B.	$\begin{cases} Suc. limon dr. 4-Kali. \\ Confect. arom \bar{a}\bar{a} \ scr. 1. \\ Syr. tolut dr. 1. \end{cases}$
72. B .	$\begin{cases} Suc. limon dr. 4- \\ Kali. \\ Confect. arom \bar{a}\bar{a} \ scr. 1. \end{cases}$
72. B .	$\begin{cases} Suc. limon dr. 4-Kali. \\ Confect. arom \bar{a}\bar{a} \ scr. 1. \\ Syr. tolut dr. 1. \end{cases}$
anthoqqu	$\begin{cases} Suc. limon dr. 4-Kali. Confect. arom \bar{a}\bar{a} scr. 1.Syr. tolut dr. 1.Aq. cinnamom un. 1.q. b. s.(Mist. camph un. 1.$
anthoqqu	$\begin{cases} Suc. limon dr. 4-Kali. \\ Confect. arom \bar{a}\bar{a} \ scr. 1. \\ Syr. tolut dr. 1. \\ Aq. cinnamom un. 1. \\ q. b. s. \end{cases}$
anthoqqu	$\begin{cases} Suc. limon dr. 4-Kali. Confect. arom \bar{a}\bar{a} scr. 1.Syr. tolut dr. 1.Aq. cinnamom un. 1.q. b. s.(Mist. camph un. 1.$
anthoqua Anthoqua Anthoqua	$\begin{cases} Suc. limon dr. 4-Kali. \\ Confect. arom \bar{a}\bar{a} \ scr. 1. \\ Syr. tolut dr. 1. \\ Aq. cinnamom un. 1. \\ q. b. s. \\ \end{cases} \begin{cases} Mist. camph un. 1. \\ Tinct. asafætid dr. 2. \\ Aq. ammoniæ acetat. dr. 3. \end{cases}$
anthoqua Anthoqua Anthoqua	$\begin{cases} Suc. limon dr. 4-Kali. \\ Confect. arom \bar{a}\bar{a} \ scr. 1. \\ Syr. tolut dr. 1. \\ Aq. cinnamom un. 1. \\ q. b. s. \\ \end{cases} \begin{cases} Mist. camph un. 1. \\ Tinct. asafætid dr. 2. \\ Aq. ammoniæ acetat. dr. 3. \end{cases}$

CLASS XV.

ASTRINGENTIA:

.

FORMULÆ.

· gr. 25.

· · · · · · · · · · · ·

74. <u>R</u>	$\begin{cases} Alum & \dots & gr. 30.\\ Sang. dracon. & \dots & dr. 1.\\ Syr. ros. & \dots & q. s.\\ f. Pill. n^{\circ} 28. c. Pill. 3. ter in die. \end{cases}$
75. Ŗ. <	Alum $dr.$ $dr.$ $2.$ Cort. Per. $dr.$ $un.$ $1.$ Conserv. ros. $dr.$ $12.$ Syr. ros. $dr.$ $12.$ Syr. ros. $q.$ $s.$ $f.$ Elect. $c.$ $M.$ $M.$ $f.$ Elect. $c.$ $M.$ $M.$ ter in
76. Ŗ .	Limat. ferri. Ter. japon āā dr. 3. Cort. Per un. 2. Syr. zinzib q. s. f. Elect. c. M. N. M. ter in die.
and and and and	Ferri rubig. Cort. Peruv 1. Spec. arom
78. Ŗ. {	Ferri vitriolat. Myrrh. Flor. chamæmel āā gr. 10. bis die s.

FORMULÆ.

79.

80.

81.

82.

83.

Ŗ.	$\begin{cases} Zinc. vitriolati gr. 25. \\ Rhei gr. 5. \\ Thereb. venet q. s. \\ bis d. s. \end{cases}$
Ŗ.	$\begin{cases} Cort. Peruv.\\ Confect. aromat \bar{a}\bar{a} \ scr. 1.\\ Aq. cinnam dr. 12.\\ Spirit. cinnam.\\ Syr. cort. aur dr. 1.\\ m. s. \end{cases}$
Ŗ.,	{Tinct. cort. Per. comp. dr. 1dr. 3. bis in die.
B .	$\begin{cases} Tinct. cort. Per. comp. un. 1. \\ Vin. ferri. \\ c. dr. 4. ter in die. \end{cases}$
Ŗ .	Tormentil. Cort. Peruv. Glycyrrh āā un. l. Syr. cort. aur q. s. f. Elect. d. M. N. M. ter in die. V. ANTISEPTICA tonica.

CLASS XVII.

DEMULCENTIA.

FORMULÆ.

	G. arab un. 1.
	Aq. font
84. B.	{ Cola. adde.
	Sach. alb dr. 4.
	[c. dr. 1. urgente Tussi.
	(Amygd. dulc n.o 15.
,	Ol. amygd un. 1.
85. B.	Gum. arab.
00. 10.	} Sach. alb
	Aq. cinnam un. 8.
	[d. un. 1. p. r. n.
	[Ol. amygd un. 2.
	Syr. viol.
86. B .	{ Syr. tolut
	Sach. alb dr. 2.
	f. Troch. p. r. n. s.
	(Ol. amygd.
	Syr. viol
87. B.	{ Sperm. ceti dr. 2.
	Cons. ros dr. 4.
	(p. r. n. s.
	(Ol. amygd dr. 3.
	Liq. vol. C. C gt. 30.
88. B .	{ Syr. tolut dr. 1.
13 34 6 54	$\begin{cases} Syr. tolut dr. 1. \\ Aq. distil dr. 12. \\ 6. q. h. s. \end{cases}$
	[6. q. h. s.
	P

CLASS XVIII.

STIMULANTIA.

273

CLASS XIX.

ANTISPASMODICA.

FORMULÆ.

93. Ŗ .	$\begin{cases} A safœtid dr. 2. \\ Ol. anisi$
.94. Ŗ .	$\begin{cases} Camphor gr. 10. \\ Gum. arab scr. 1. \\ Syr. papav. alb q. s. \\ f. bol. p. r. n. s. \end{cases}$
95. B .	$\begin{cases} Mosch $
96. R .	$\begin{cases} \text{Mist. moschat.} & \cdot & \cdot & \cdot & dr. & 4. \\ \text{Æther. vitr.} & \cdot & \cdot & \cdot & gt. & 30. \\ p. r. n. s. \end{cases}$
97. B .	$\begin{cases} Mosch. & \dots & gr. 20. \\ A safœtid. \\ Camph. & \dots & \bar{a}\bar{a} \ scr. 2. \\ Tinct. opii. & \dots & gt. 30. \\ Syr. papav. alb. & \dots & g. s. \\ f. Pill. N^{\circ} 20. d. Pill, 5. m. & v. s. \end{cases}$
98. Ŗ .	$\begin{cases} Valerian. & . & . & . & dr. 2. \\ Aq. cinnam. & . & . & . un. 2. \\ Aq. N. M. \\ Syr. croci. & . & . & . & . & . & . & . & . & . &$

FORMUL .

99. R.

Valerian.						
Cort. Peruv.				āā	dr.	6.
Rhei						
Pulv. arom				āā	scr.	2.
Syr. cort. aur.					σ.	5.
f. Elect. de M. I	v.	M.	ter	in	die.	

- 1. Gas oxygenium.
- 2. Gas azoticum.
- 3. Gas hydrogenium.
- 4. Gas acidum Carbonicum.

These factitious airs promise, under the skilful management of Dr. BEDDOES at the Hot Wells, Bristol, and Dr. THORNTON in London, to be a remedy well worthy the attention of the medical practitioner.

The oxygene air, in a properly diluted state, is a stimulus the most natural and diffusive. It promotes the insensible perspiration, greatly aids digestion, favours sleep, exhilarates the spirits, and relieves difficult respiration. It is found of the highest use in the low nervous fever. The azotic air abates inflammation, and with the bydrogene air seems to be capable of arresting the progress of consumption. The carbonic acid air is a most powerful antiseptic.

GENERAL INDEX;

A

WITH

AN EXPLANATION OF THE TERMS.

THE ABBREVIATIONS.

ā ā Uniuscujusque Equal quantities.
c. capiat Let him take.
C. C. Cornu Cervi Hartshorn.
F. Formula The Prescription.
d. Dosis The Dose.
dr. Drachma A Drachm.
gr. Granum A Grain.
gt. Gutta A Drop.
b. s. Horâ somni Bed-time.
m. Mane The Morning.
M. N. M. Magnitudinem Nucis MoschatzThe size of a
Nutmeg.
o. b. Omni hora Each Hour.
o. 2. b. Omnibi hora Every two Hours.
6. q. b. Sextâ quâque horâ Every six Hours.
p. r. n. Pro re nata As occasion may require.
q. s. Quantum sufficit As much as is sufficient.
Ro. Recipe Tuke of.
s. Sumendus To be taken.
scr. Scrupulus A Scruple.
un. Uncia An Ounce.
v. Vespere The Evening.
v. o. s. In ovi vitello solutus Dissolved in the White
of an Egg.
v 00

THE CLASSES.

	- CLASS.
Anthelmintica from	a avil, against; and explus, a worm X
Antiseptica	- avil, against; and onmo, to corrupt XIV
Antacida	ante, against; and acidus, sour XII
Antispasmodica —	avis, against; and oraco, to contract XIX
Astringentia	astringo, to bind XV
Attenuantia	attenuo, to make thin XIII
Cathartica	nabaigos, to purge II
Corrosīva	corrodo, to corrode XVI
Demulcentia	demulceo, to assuage XVII
Diaphoretĭca	Suapego, to pass through the pores III
Diuretĭca	Seigew, to make water IV
Emmenagõga ——	ev, in ; μmv, the menses ; and αγω,] IX to draw] IX
Epispastica	πι, and σπαω, to draw V
Errhīna	ev, in; and gis, the nose VII
Expectorantia o	ex, out; and pectus, the breast . VI
Lithonthriptica. —— >	ubos, a stone, and beuntw, to break XI
Sialagōga — o	nador, saliva; and aya, to force. VIII
Stimulantia st	timulo, to stimulate XVIII

THE

MEDICINES.

Α.	a la constant	Class.	0-
A.	a brond and	Class.	Or,
Æther vitriolicus {Vitriolic Æther V. F. 96	?	XIX	I
Absinthium Wormwood .		XIV	I
Acetosa Sorrel		IV	п
Acetum Vinegar	a service of	IV	II
Acidum vitriolicum Vitriolic Acid	7	XV	III
		XVI	II
Socotrine Aloes)	II	I
Aloe socotorina F. 10, 11,	12, 13,	IX	I
C 14, 15, 58)		
Alumen ustum SBurnt Allum .	· · · · ?	XVI	1
Cr. F. 14, 15.		XIV	TTT
Alkohol $V.F. 10$	}	XV	III
	č	XII	п
Alkalina Alkali]	XIII	II
Alkali valatila	č	XVIII	п
Alkali volatile ¿Volatile Alkali	· · · · 2	XIX	I
Allium Garlic		VI	I
Althæa S Marshmallozo	7	XVII	I
(V. F. 90	5	AVII	1
Amygdala dulcis . Sweet Almond.			
(V. F. 85.			1
Ammoniacum gum- S Gum-resin of A	mmonia-		
mi-resina			
Ammonia V. F. 45.		XII	II
Ammoniacum . $\begin{cases} Gum \ Ammoniacu \\ V. F. 41 \end{cases}$	11 ?	VI	T
· · ¿V. F. 41	5	a martine of	1
Angelica		VIII	1

		Class.	Or.
Antimonium tartar	i- {Tartarised Antimony Olim Tartar Emetic V. F. 1, 2, 8, 22 }	I	I
sātum	Jolim Tartar Emetic {	II	II
	· CV. F. 1, 2, 8, 22)	IV	I
	· Parsley	IV	I
	. Water	III	IV
	- SWater of Ammonia.		
tātæ			
	Cinnamon Water.		1
cinnamõmi .	V. F. 16, 20, 32, 35,		
	1 43, 46, 48, 70, 72,	11 1 1 1	2016
	(80, 98.	v	117
calcis	. Lime Water.	X XI	IV
	E Found Western	AI	1
fæniculi	· F F AS		
	Water of pure Kali .	XI	T
mephitica alka-	i water of pure Rate .		1
lina		XI	I
nucis moschatæ	V. F. 40, 98.		
	C Pannunger al Water	product of	
— pulegii	V. F. 39, 52, 100.		
	S Rose Water.		
rosārum	W. F. 24, 95.		
Aromatic poruder	V.Pulvisaromaticus.		
Argentum nitrātum	Nitrated Silver	XVI	Π
	Leopard's bane	III	I
	Arsenic	XV	I
)	IX	III
Asafætida	V. F. 93, 97 }	XIV	III
	C	XIX	I
Asărum	Asarabacca	I	I
		VIII	1
	B.		
	S Juniper Berry.		
Baccus juniperi	V. F. 21, 36, 38.		

UV. F. 21, 36, 38. T.

115		
Balsamum Peruvia- S Balsam of Peru.	Class.	Or,
num V. F. 11.		
Bearsfoot V. Uva Ursi.		
Beet V. Beta.		
Berberis Barberry Beet	IV	II
Betonica Betony		I
Bitter apple V. Colocynthis.	1	
Broom tops V. Genistæ Cacumen.		
C.		
Calomēlas $\left\{ \begin{matrix} Calomel & . & . & . \\ V. F. 8, 12, 28, 53, 59, \\ 66. \end{matrix} \right\}$		-
Calomēlas	II III	I
C 66.		11
Calor Warmth	XVIII	II
Camphora	III	III
Camphora UV. F. 30, 94, 97.	XIX	III
Campborated mixture {V. Mistura Campho- rata.	AIA	
l'anapportatea mixture 2 rata.		
۲. ۲	IV	I
Cantharides Spanish Fly	V	II
	IX	I
The Fig 2	XVIII	1
Carica $\ldots $ $\begin{cases} The Fig \\ V. F. 90. \end{cases}$	XVII	I
Cardamomum { Cardamom Seed.	State 1	
Cardamonium		
Castorěum	IX	III
Cineres genistæ { The Ashes of Broom. V. F. 42.		
Cinchona V. Cortex Peruvianus.		
Cinnamomum Cinnamon	XVIII	II
Coubage V. Stizolobium.		
Coccinella		
Colchicum Meadow Saffron		
Solchicum Meadow Saffron	IV	1
Q		

Calterfact The "	Class.	Or.
Coltsfoot V. Tussilago.	a fa mer	
Conserve of Roses.		100
Conserva rosarum . <i>V.</i> F. 24, 31, 67, 75,	- x1 m	
C 87, 91.		
Coriandrum {Coriander. V. F. 22.	2. 1. 2. 10	0004
C Burnet II and I am	1.0.58	
Cornu cervi ustum {V. F. 63.		
(Peruvian Bark)	XIV	I
Cortex Peruvianus } V. F. 71, 75, 76, 77, {	XV	II
6 80, 83, 99.	XIX	I
Cortex radicis me- SThe Bark of the Meze-?		
reon Root	V	I
zerei $\ldots \ldots v$. F. 26 $\ldots \ldots$		
Corporis exercitio : Bodily Exercise	IX	II
Corallina $\ldots \qquad \begin{cases} Coral. \\ V. F. 60, 63. \end{cases}$	100123	All
Conserva corticis S Conserve of Orange peel.	1 Charles	in the
aurantii UV. F. 77.		
Confectio aromatica $\begin{cases} Aromatic Confection. \\ V. F. 70, 72, 80. \end{cases}$		
Contrayerva V. F. 23	III	T
Contrayerva Filizo		
Colocynthis $\begin{cases} Bitter Apple & \cdots & \ddots \\ V. F. 15 & \cdots & \ddots & \ddots \end{cases}$	II	1
	XV	I
Cuprum	XIX	II
Cuprum vitriolatum Vitriolated Copper Chamæmēlum Chamomile	XVI I XIV	I
Chamamalum Chamamila S	I	I
C C	XIV	I
Cremor tartari $\ldots \begin{cases} Cream of Tartar. \\ V. F. 18. \end{cases}$		
<i>LV</i> . F. 18.	~~~~	
Creta præparata Prepared Chalk	XIII	II
Crocus $\ldots \ldots \begin{cases} Saffron. \\ V. F. 10, 22. \end{cases}$	1000	
CV. F. 10, 22.	Real Contract	
and the second	1. 1. A. 1.	
D.	1 1 1 1 1 1	

Dandelion	V. Taraxicum.	
Daucus sylvestris	Wild Carrot	IV I

Decoctum corticis Peruviani	ian	Class.	Or.
Peruviani UV. F. 70.		100	
Diæta lauta A full Diet		IX	II
Digitālis Foxglove	. {	I	III
Dragon's blood V. Sanguis Draconis		II	VI
			Con 2421/2
T		a del un	
E.		1. Car	
Euphorbium		VII	I
Elaterium Wild cucumber	•	II	I
Electricitas Electricity	S	IX XVIII	I
Dictificities Dictificity	.5	XIX	II I
Electuarium e scor- Electuary of Water-ge	er-		-
Electuarium e scor- dio	2		
CV. F. 20. Elecambane		1.1.1	
Enŭla $\ldots \ldots $ $\begin{cases} Elecampane & \cdots \\ V. F. 50 & \cdots \end{cases}$	3:	VI	I
Exercitium Exercise		XIX	II
Extractum gentianæ <i>Extract of Gentian.</i> <i>V.</i> F. 12, 13, 17, 25.			
Extractum jalapii SExtract of Jalup.	1	0 000	
V. F. 15.	110	1. 2. 1. 1	
Extractum ligni gu- aiaci	1772		
aiaci	1		
C			
F.	-		
Ferrum Iron		XIX	II
FerrumIronFerri rubigo $\begin{cases} Rust of Iron & & \\ V. F. 77 & \\ Filings of Iron & \\ Ferrum ammonia-Ferrum ammonia-\begin{cases} Amoniacal Iron & \\ V. F. 56. \end{cases}$.5	IX	II
V. F. 77	. 2	XV	I
Serrum ammonia- CAmoniacal Iron	.2	AV	1
cale	.8	XV	I

118		
	Class.	Or.
Ferrum vitriolatum $\begin{cases} Vitriolated Iron & . & . \\ V. F. 13, 54, 57, 58, \\ 78 & . & . & . \end{cases}$	X XV	I 1
Filings of Iron V. Limatura Ferri. Filix Fern Root Foxglove V. Digitalis.	x	I
Flores chamæmeli . { Chamomile Florwers. V. F. 65.		
	П	ш
French Brandy V.Spiritus Vini Gallici. Fructus et vegetabilia Fruits and vegetables.	XIII	п
G.		
Gallæ Galls	XV	II
Gambogia \ldots $\begin{cases} Gamboge & \cdots & \vdots \\ V. F. 66 & \cdots & \vdots \end{cases}$	II X	I V
Garlie V.Allium vel Theriaca Genistæ cacumina Broom Tops	IV	I
Gummi Arabicum <i>V. F. 85, 94, 95.</i>		
Guaiăcum gummi- $\begin{cases} Gum-resin of Guaiac \\ V. F. 11, 16, 24, 25, \\ 27 \\ . \\ . \\ . \\ \end{cases}$	II III	П 1
Glycyrrhiza $\begin{cases} Liquorice & . & . & . \\ V. F. 26, 49, 50, 83, \\ 90 & . & . & . \end{cases}$	VI	11
H.		
Hellebörus Hellebore	VII X	I I
Henbane V. Hyoscyamus. Honey V. Mel. Horebound V. Marrubium.		
Horse-radish V.Raphanus Rusticanus. Hyoscyamus Henbane	п	IV

		Class.	Or.
Hydrargyrus vitrio- } Vitriolated Quicks	ilver .	I	1
Quicksilver with	Sul->	The sport of	1.1.1
sulphure	{	X	1
	C	IX	I
Mercury	5	XIII	II
L			
Indian Pink V. Spigelia.		Land:	
Infusio corticis Pe- S Infusion of Pe	ruvian	The set of	
Infusio corticis Pe- ruviani	6.		
pecacuanha V. F. 2, 8	-	I	I
		III	III
Jalapium ${Jalap }$ $V. F. 9, 19, 20, 6$	56	II	I
Japan earth V. Terra Japoni	ca.	-	
Juniperi cacumina Juniper Tops .	•••	IV	I
K.		- the seal	
Kali præparatum . { <i>Prepared Kali</i> . <i>V</i> . F. 35	2	IV	II
	5	14	
acetatum Acetated Kali		IV	II
		II	III
L.			
S Milk of Ammonia	cum		
Lac ammoniaci . $\begin{cases} Milk & of Ammonia \\ V. F. 51. \end{cases}$		2.1	
Leopard's bane V. Arnica.	nie		
Lemon juice V. Succus Limo. Liquorice V. Glycyrrhiza.			
Limatūra Filings of Iron		IX	II
Lime water V. Aqua Calcis.	-	X	IV

Lini comon Lind	Class.	Or.
Lini semen Linseed	XVII	I
Liquor volatilis cor- nu cervi	III	Ш
• M.		
Madder V. Rubia		
Magnesia	XII	I
Manna	II	V
Marrubium Horehound	VI	I
Meadow Saffron V. Colchicum.		
S Honey.		
Mel $\begin{cases} H_{oney.} \\ V. F. 18, 50. \end{cases}$		
Mercurial Ointment . {V. Unguentum Hy- drargyri.		
Mercury V. Hydrargyrus.		
Millepedæ præpa- S Prepared Woodlice.		
ratæ		
Mistura camphorāta <i>V. F. 29, 72.</i>		
	TH	III
Moschus $\left\{ \begin{matrix} Musk & . & . & . \\ V. F. 31, 32. \end{matrix} \right\}$	VIV	I
Mucilago gummi { V. F. 12, 39.	AIA	
Mustard V. Sinapi.		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	IX	III
<i>V. F. 10, 71, 78.</i>	111	
N.		
Natron vitriolatum Vitriolated Natron	II	ш
watton vititolatuni r involated iverton	I	III
	II	VI
Nicotiāna Tobacco	VII	T
	VIII	I I
fumue Contaction		I
fumus Smoke of Tobacco	VI	II
	IV	
Nux moschatæ Nutmeg	XVIII	II

	0.	Class.	Or.
Oak	{Oil of Almonds	XVII	I
Olea essentialia . Oleum juniperi	Essential Oils Soil of Juniper. V. F. 41.	XIX	I
olivarum .	Olive Oil	X	I
ricini	Gastor Oil	II	VIII
	Oil of Turpentine	XIV	III
			III
		XIX	I
Oxymel scillæ	Society Construction of Squills. V. F. 3, 4, 5, 19, 43, 48.	+	
	P.		
Piper	Bathing of the Feet Pepper	IX	III I
Pilula ex alöe cum myrrha	Aloctic Pills with Myrrh. V. F. 53, 54.		
ex hydrargyri	Mercurial Pills	VIII	II
gummi	Gum Pills. V. F. 14, 53.	(and	
	Compound Powder of Tragacanth. V. F. 41.	100000	
aromaticus	Aromatic Powder. V. F. 11, 56, 99.		
viani	Peruvian Bark in Pow- der. V. F. 69.	1000	
repared owster shells	V.Testæ ostreorum.pp.	1	

.

	Class.	Or.
Q.		
The second se		100
Quercus \ldots Oak \ldots Oak	XV	II
R.		
Raisins V. Uvæ passæ.	1.11.11	1911
· · · · · · · · · · · · · · · · · · ·	I	n
Raphanus Rustica- SHorse-radish	v	I
nus	XVIII	I
Rubia Madder	IX	I
Rheum vel	IV	V IV
Rhabarbarum	II IX	V
<i>Rbubarb V</i> . Rheum.	IA	
S.		
60.1	120	
Sabina $\{Savin$	IX X	IV
(Refined Sugar)	A	1.
Saccharum album . } V. F. 21, 25, 34, 57,		
6 84, 85.		
Sal cornu cervi <i>Salt of Hartshorn.</i> <i>V. F. 24, 89.</i>	2.	
Col Decello . F. 24, 89.	TUTT	I
Sal Prunellæ Purified Nitre Sales acidi et neutri Acid and Neutral Salts	VIII XIV	II
Santonicum	X	IV
Sanguis draconis $\left\{ \begin{array}{ccc} Dragon's \ Blood & \cdot & \cdot \\ V. F. 74 & \cdot & \cdot & \cdot \end{array} \right\}$	xv	II
Danguis dracoms 2 V. F. 74		
6.5	X	V
Sapo $\{V. F. 14, 37, 44, 64.\}$	XI XII	I I
Cr. 11, 01, 11, 01.	XIII	Î
Semen dauci sylves- S Seed of the Wild Carrot.		
tris		
Senna V. F. 21, 22	II	I

Semen fæniculi { Fennel Seed. V. F. 21.	Class.	Or.
Silver V. Argentum. Simarouba	xv	II
Sināpi $\ldots \ldots $ ${Mustard } \ldots \ldots $	I V XVIII	II I I
Sorrel V . Acetosa. Succus limonis $\begin{cases} Lemon \ juice. \\ V. F. 35, 89. \end{cases}$		
Sulphur antimonii præcipitatum <i>V. F. 5.</i> <i>Precipitated Sulphur of</i> <i>Antimony.</i> <i>V. F. 28.</i>		
Scammonium \ldots $\begin{cases} Scammony \\ V. F. 15, 16. \end{cases}$	II X I	I V I
Soilla exsiccata { Dried Squills }	IV VI VIII	I I I
- recens Fresh Squills.	VIII	1
Scobi guaiaci { Raspings of Guaiacum. V. F. 21.	IV	ш
Serum lactis Whey	XIII VI	I
Spermaceti V. F. 51, 87, 89 { Spiritus vinosus te- § Proof Spirit of Wine.	XVII	I
nuior V. F. 71. Spiritus vini	XIX	ľ
Spigēlia		
chatæ	.	

R

ALL PROPERTY	Class.	Or.
Spiritus vini Gallici <i>French Brandy.</i> <i>V.</i> F. 21, 22.		
UV. F. 21, 22.		
cinnamomi { Spirit of Cinnamon.	len i é	
C	20.0	
Stannum $\begin{cases} Tin \dots Tin . Tin nu . Tin$	x	I
Stizolobium Gaubage	X	II
Syrupus simplex { Simple Syrup. V. F. 15.		
	1.1.1	
althææ { Syrup of Marshmallows. V. F. 68.		
	A dates in	
Syrup of Orange-peel.	1.1.10	
corticis au- V. F. 11, 39, 40, 58,		
rantii 60, 69, 77, 80, 83,		
(99. (Sump of Class & 1		
caryophilli) Syrup of Clove July-	1	
rubri <i>Syrup of Clove July-</i> <i>flower.</i> <i>V.</i> F. 46, 100.	20 2	
Syrup of Crocus.		
croci }V. F. 23, 52, 70, 72,		
98.		
Syrupus papaveris Syrup of Wild Poppies.		
erratici V. F. 1.		
papaveris Syrup of White Poppies.		
albi		
$ Ros \infty \dots \begin{cases} Syrup of Roses. \\ V. F. 13, 16, 67, 74, \\ 75. \end{cases}$		
C 75.		
violarum { Syrup of Violets. V. F. 6, 7, 86, 87.		
	1	
zinziberis {Syrup of Ginger. V. F. 76, 91.	1	
(V. F. 76, 91.	1	

....

100 100 100 100 100 100 100 100 100 100	Class.	Or.
T	To silve	1.1
T.	1 × 631	ting "
Tanacētum Tansy	x	IV
Taraxăcum Dandelion	IV	I
Terra japonica Japan Earth.		
CV. F. 70.		
Terebinthinavenēta { Venice Turpentine. V. F. 30, 79.		
Terebinthina Turpentine	IV	I
Testæ ostreorum ? Prepared Ouster-shall	-	
	XII	H
Tin V. Stannum.		
Tinctura asafætidæ { <i>Tincture of Asafætida</i> . <i>V</i> . F. 72.	11.0.0.1	
Clamband Tind C	En la martina	
sita Aloes.		
CV. F. 35.	and an	
opii $\dots {Tincture of Opium. V. F. 33, 34, 97.$	1.103	
C Tinchung of Could 11	1.2.9	
cantharidis { V. F. 40, 47, 52.		
corticis Pe- Compound Tincture of Pe-		
ruviani composita) ruvian Bark.		
Tincture of muriated I-	1 and 1	
ferri muriati } ron.	A DALL	
(V. F. 55.		
Tinctura hellebori STincture of Black Hel-		
nigri lebore.		
scillæ STincture of Squills.	- Star	
C Tinatura of Contantania		
serpentariæ {V. F. 70.		
valerianæ SAmmoniated Tincture of	1	
ammoniāta Valerian.	1 . hours	12.5-4
	1 1 1 1 1 1 1	18000
Formentilla STormentil.		

Ter	TT and indian	Class.	Or.
Turpentine	. V. Terebinthina. . Coltsfoot	VI	1
Theorem	S Garlic.	I VI	II
Theriaca	· U. F. 61.		
	V.		
Valeriana	SValerian?	XIX	I
Vapores	- J	VI	11
	Irritating plaisters	VI	I
Vinegar			
Vinum		XVIII	II
album	<i>White Wine.</i> <i>V.</i> F. 38, 42.		
Antimonii	SAntimonial Wine	III	И
	(V. I. 0, 0, 1, 29, 00.	m	n
hæ	SIpecacuanha Wine.		
11.45	(7.1.0, 1, 51.		
	U.		
Inguentum hydrar-	The Milder Mercurial?		
gyri mitius	The Milder Mercurial Ointment	VIII	Ш
Inguentum hydrar-	SThe Stronger Mercurial?	VIII	II
	Continent		
væ passæ	V. F. 22, 90.		
— ursi	Bear's foot	XI	II
	w.		
	V. Absinthium. V. Santonicum.		
	V. Vinum.		
bey			

APPENDIX.

THE

GENERAL POSOLOGICAL TABLE.

A

Α.

DOSES

		DOSES.
Acetum Scillæ	Vinegar of Squills	gtt. 10gtt. 50.
Acidum muriaticum		
	Muriatic Acid	gtt.15gtt.40.
vitriolicum?	D:1 , 1 77 A	
dilutum 5	Diluted Vitriolic Acid	gtt.10gtt.30.
Athor withielions	77 1. 77.7	
Æther vitriolicus	Vitriolic Æther	gtt. 10gtt. 100.
Aloe socotrina	Socotrine Aloes	gr. 15scr. 1.
Alumen	Alum	
		gr. 6gr. 12.
Ammonia præparata	Prepared Ammonia	gr. 5scr. 1.
Ammoniacum	Gum Ammoniacum	gr. 10gr. 15.
Antimonium	Grude Antimony	
	Grade 21 numbery	scr. 1dr. 1.
calci-2	Calcined Antiman	
natum	Calcined Antimony	gr. 15scr. 2.
40.40		
inter (Tartarised Antimony	9r. 1 6
risatum 5		6 S
vitri-7		
ficatum cerat	Vitrified Antimony	gr. 2 gr. 10.
	and the second	
Aqua ammoniæ	Water of Ammonia .	gtt.10gtt.30.
ace-	Water of acetated Am-7	
tatæ		dr. 2dr. 6.
	monia S	
anethi	Dill-seed Water	un. 1un. 2.
calcis	Lime Water	un. 41b. 1.
	Cinnamon Water	un. 1un. 4.
fœniculi	Fennel Water	un. 2un. 4.
1 5	Water of prepared?	
kali }	Water of prepared Kali	gtt. 20,gtt. 30.
C	1.un	

Aqua kali puri	Water of pure Kali .	gtt 10gtt.30.
menthæ pipe-}	Peppermint Water	un. 2un. 4.
pimento	All-spice Water	un. 2un. 4.
pulegii		
Rosæ		
Arabicum Gummi .	Gum Arabic	dr. 1dr. 2.
Asafætida		gr. 10scr. 1.

B.

Balsamum canadense			
copaivæ	Balsam of Copaiva	•	gtt.20gtt.40.
num }	Balsam of Peru .	•	gr. 6gr. 25.
tolutanum	Balsam of Tolu .		scr. 1dr. 1.

C.

Calomelas	Calomel	gr. 8gr. 10.
	Campbor	
Cantharis	Cantharides	gr. 1gr. 4.
Cardamomum	Cardamom seeds	gr. 5gr. 10.
	Cascarilla Bark	
	Castor	-
	Camomile	
	Hemlock	
	Peruvian Bark	
Confectio aromatica	Cordial Confection	gr. 15scr. 2.
	Confection of Opium .	
Conserva absinthii	Conserve of Sea	la o ma t
maritimi	Conserve of Sea Wormwood	ar. 2un. 3.
	Conserve of Guckozu-	
ari	Conserve of Guckozu-	scr. 1dr. 1.
corticisau-	Conserve of Orange	1 111 1
rantii	Conserve of Orange Peel	- ad libitum.
cynosbati	Conserve of Hips	ad libitum.
	~ 4	

Conserva lujulæ {	Conserve of Wood- sorrel	dr. 4	4un.	1.
vestris	Conserve of Sloes	dr.	1dr.	3.
bræ	Conserve of Red Roses	dr.	2un.	1.
	Conserve of Squills .	scr. gr. 10	1dr. 0dr.	1.
Cornu cervi ustum Creta	Burnt Hartsborn	dr.	1dr.	2.

D.

Decoctum cinchonæ	Decoction of Peruvian Bark	un.	2un.	6.
cervi	Decoction of Harts-	un.	4lb.	× 2.
hordei .	Simple Decoction of Barley	un.	4lb.	<u>1</u> 2.
compositum	Compound Decoction of Barley	un.	4lb.	<u>I</u> 2.
rillæ	Simple Decoction of Sarsaparilla	un.	4lb.	<u>I</u> 2.
compositum	Compound Decoction of Sarsaparilla	ųn.	4lb.	12:
ulmi	Decoction of Elm Fox-glove	un.	41b.	7.

E.

Elaterium		The inspi of the cumber			. <u>1</u> gr.	3,
Electuarium	cassiæ				. 1dr.	6.
monii .	scam-	S Electuary	of Scam	mo- 2 sci	r. 1dr.	1.
monn .	sennæ	Electuary .	of Senna	· dr	. 1 dr.	4,

Extractum cacumi- { Extract of Broom-} scr. 11/2...dr. 14 _____ cascarillæ Extract of Cascarilla gr. 10...scr.11. - chamæ- ¿ Extract of Camomile gr. 10...scr. 2. meli $\begin{array}{c} \text{meli} & \dots & \\ & & \\$ cum resina . , l the Resin . thidis compositum gentianæ Extract of Gentian gr. 10...scr.1¹/₂ glycyr-} Extract of Liquorice dr. 1...dr. 4. hæma-} Extract of Logwood gr. 10...dr. 2. rhizæ hæma. toxyli - hellebori { Extract of Black Hel-} gr. 2...gr. 10. nigri jalapii .. Extract of Jalap .. gr. 10...scr. 1. . . gr. 10...scr. 1. . Extract of Rue - rutæ . sabinæ . Extract of Savin . . gr. 10...scr.11. sennæ . . Extract of Senna . . gr. 10...scr. 12.

F.

Ferri rubigo		
Ferrum ammonia- cale	Ammoniacal Iron .	gr. 2gr. 10.
tartarisatum	Tartarized Iron .	gr. 2gr. 10.
vitriolatum	Vitriolated Iron .	gr. 1gr. 6.
Filix	Male Fern Root .	scr. 11un. 12.
Flores benzoes	Flowers of Benzoin	gr. 10scr. 1.
sulphuris	Flowers of Sulphur	scr. 1scr.11.

G.

DOSES.

5

Gambogia			Gamboge gr. 2gr. 12.
Genista .			Broom Tops scr. 1dr. 1.
Gentiana .			Gentian gr. 10dr. 1.
Ginseng .	•	•	· · · · · gr. 10dr. 1.
Glycyrrhiza			Liquorice Root dr. 4dr. 6.
Guaiacum			$$ scr. 1 $\frac{1}{4}$ dr. 1.
Gummi resir	a		Gum resin gr. 6scr.11.

H.

Hæmatoxylum	Logwood	gr. 10dr. 1.
nelleborus niger .	Black Hellebore	gr. 1 or. 5.
ilyuraigyius	Quicksilver	11D. 4. 11D 4
acetatus	Acetated Quicksilver	or. 1. or. 10.
natus	Calcined Quicksilver .	gr. 1/2gr. 2.
cretâ	Quicksilver with Chalk	gr. 5scr. 1.
. tus	Muriated Quicksilver	gr. 18gr. 12
sulphure	Sulphurated Quicksil-	scr. 1dr. 1.
ratus ruber	Ked sulphurated Quick-	gr. 10scr.1 ¹ / ₂ .
latus	Vitriolated Quicksil-	gr. 1gr. 4.

I.

S

.

Infusum sennæ tarisatum .	tar-	Tartarised infusion Senna	of }	un. 2un.	4.
Ipecacuanha .		Florentine Orris .		gr. 10scr.	1.

J.

Jalapium .			Jalap		gr.	7scr.	I.
Juniperus.			Juniper Berries		scr.	1dr.	1.

K.

Kino			gr. 10scr.11.
Kali præparatum	Prepared Kali		gr. 8scr. 1.
acetatum .	Acctated Kali .		scr. 1dr. 1.
tartarisatum	Tartarised Kali		dr. 2dr. 6.
vitriolatum	Vitriolated Kali		dr. 2dr. 6.

L.

Lac ammoniaci . Milk of Ammoniacum dr. 2...un. 1. — amygdalæ . Milk of Almonds . un. 2...un. 6. Liquor volatilis cor- $\begin{cases} Volatile & Liquor & of \\ Hartsborn & ... \end{cases}$ scr.1 $\frac{1}{2}$...dr. 2.

M.

Magnesia alba	White Magnesia	scr. 1dr. 2	
	Burnt Magnesia		
vitriolata	Vitriolated Magnesia	dr. 2dr. 6	
Manna		un. 1 2	ŀ.
Mel acetatum	Acetated Honey	dr. 1dr. 2	!.
rosæ	Rose Honey	dr. 1dr. 2	
scillæ	Squill Honey	scr.11dr. 2	
	Woodlice		

BOSES.

Misturacamphorata	Campborated Mixture	un.	2un. 4.
cretacca .	Chalk Mixture	un.	2un. 4.
	Musk Mixture		
Mucilago amyli	Mucilage of Starch .	dr.	1un. 1.
gummi	Mucilage of Gum }	dr.	1un. 1.
cydonii mali	Mucilage of Quince- seed	dr.	1un. 1.
thæ	Mucilage of Traga- canth	dr.	1un. 1.
Myrrha	Myrrb	gr.	$10scr.1\frac{1}{2}$.

N.

Natron præparatum	Prepared Natron .	gr.	10scr.1	12.
tartarisatum	Tartarised Natron	dr.	4un.	1.
vitriolatum	Vitriolated Natron	dr.	6un.	1.
Nitrum purificatum	Purified Nitre .	gr.	5scr.	1.

0.

Oleum amygdalæ .	Oil of Almonds	dr.	4un. 1.
juniperi §	Oil of Juniper-ber-	gtt.	2gtt.10.
baccæ	ries	5	· · · ·
lavendulæ .	Oil of Lavender	gtt.	1gtt. 5.
lini	Oil of Linseed	dr.	4un. 1.
olivæ	Oil of Olives	dr.	4un. 1.
ricini	Gastor Oil	dr.	2un. 1.
sinapeos .	Oil of Mustard	dr.	4un. 1.
Opium purificatum	Purified Opium	gr.	1gr. 2.
Ostreorum testæ .	Oyster-shells	scr.	1dr. 14.
Oxymel colchici	Oxymel of Colchicum	scr.	1scr.11.
scillæ	Oxymel of Squills	scr.	11 dr. 1.

	DOSES.
Pilula aloes compo- S Compound Pills of sita Aloes	} gr. 10scr. 1.
Myrrhâ ? Pills of Aloes with	} gr. 6gr. 18.
posita ? Compound Galbanum Pills	${\rm gr. 10scr.1\frac{1}{2}}$
hydrargyri . Quicksilver Pills	gr. 6scr. 1.
	gr. 2gr. 8.
Pimento All-spice	or 5 ser 1
Pulvis aloës cum Aloetic Powder with canella	{ gr. 10scr. 1.
ferro	} gr. 8gr. 18.
guaiaco ? Guaiacum	} gr. 10scr. 1.
antimonialis Antimonial Powder .	gr. 3gr. 6.
aromaticus . Aromatic Powder	gr. 5scr. 1.
e chelis can- crorum composi- tus	$\left\{ scr. 1\frac{1}{2}dr. \right\}$
Contrayervæ Gompound Powder of	gr. 15scr.11.
situs cum opio . Compound Powder of Chalk with opium .	gr. 10scr. 2.
compositus	gr. 18scr. 1 ¹ / ₂ .
positus Myrrh	gr. 15scr.14
opiatus Opium Powder	gr. 5scr. 1.
	gr. 10scr. 1.
compositus cum aloe	gr. 5gr. 10.

P.

. .

DOSES.

Pulvis scammonii cum calomelane	Powder of Scammony with Calomel }	gr.	8gr. 16.
positus	Compound Powder of 3	scr.	1scr. 2.
compositus	Compound Powder of Tragacanth	scr.	1dr. 1.
Pyrethrum	Pellitory of Spain	gr.	1gr. 6.

Q.

Quassia			Quassy Woo	od.		gr.	5scr.	1.
Quercus			Oak Bark				6scr.	

R.

Raphanus	5 FU	isti	can	us.	Horse-	rad	isb		scr. 1dr.	1.
Rheum					Rhubar	-6			gr. 15scr.	2.
Ruta .					Rue				gr. 15scr.	1.

1

S.

Sal ammoniacus	Sal Ammoniac gr. 8scr. 1.
cornu cervi	Salt of Hartsborn . gr. 10scr. 1.
succini purifica-	Purified Salt of Am- } gr. 5gr. 15.
tus	ber
Sapo	Soap scr. 11 4.
	scr. 1 scr. $1\frac{1}{2}$.
Sassafras	scr. 1dr. 1.
Scammonium	Scammony gr. 5scr. 1.
Scilla exsiccata	Dried Squills gr. 1gr. 3.
	Fresh Squills gr. 5gr. 10.
Scordium	Water-germander scr. 1dr. 1.
Seneka	scr. 1scr. 2.
Senna	scr. 1dr. 1.
Serpentaria	gr. 10scr. 2.
Simarouba	Simarouba Bark gr. 10scr.17

Cinani	7.4. 2. 1	DOSES.
Smapi		dr. 1dr. 3.
Spermacen	· · · · · · · · ·	scr. 1dr. 1.
Spigena	. Indian Pink	gr. 10scr. 1.
Spina cervinæ .	Buckthorn	$scr. 1\frac{1}{2}dr. 2,$
Spiritus ætheris vi-	EVitriolic Spirit of Æther	? gtt. 20 gtt. 60.
triolici	Etther	1
	Compound Spirit of vitriolic Æther	} gtt. 20gtt.60.
triolici compositus	vitriolic Æther .	10 000
	Nitrous Spirit of Æther	{ gtt. 20 gtt. 60.
trosi	Z Æther	7
ammoniæ	Spirit of Ammonia .	scr. 1scr. 2.
	{ Compound Spirit of Ammonia	scr. 11dr. 1.
compositus	C Ammonia) -
C-ut days	Fatid Spirit of Am- monia	scr. 1scr. 2.
iœtidus	(monta)
	Succinated Spirit of Ammonia	gr. 10scr. 1.
succinatus	2 Ammonia	
anisi com-	Compound Spirit of Aniseed	dr. 1dr. 4.
positus	C Aniseed	
carui	Spirit of Carraway	dr. 1dr. 4.
cinnamomi	Spirit of Ginnamon .	ar. 1ar. 4.
jumperi	S Compound Spirit of Z	dr. 1dr. 4.
composituo		
lavenuna	Spirit of Lavender .	ui, 1ui, 4.
compositus	Compound Spirit of }	scr. 11. dr. 2.
peritidis	Spirit of Peppermint	dr. 1dr. 3.
tivæ	Spirit of Peppermint Spirit of Spearmint . Spirit of Nutmeg	dr. 1dr. 4.
nucis mos-2		
chatæ	Spirit of Nutmeg	dr. 1dr. 4.
pimento .	Spirit of Pimento	dr. 1dr. 3.
pulegii	Spirit of Pennyroval	dr. 1dr. 3.
raphani	Spirit of Pennyroyal Compound Spirit of Horse-radisb	
compositus?	Horse-radish	dr. 1dr. 3.
Spongia usta	Burnt Sponge	scr. 1dr. 1.
Stanni pulvis	Powder of Tin	dr. 1dr. 6.
Styrax	Storax	gr. 10scr. 1.

ŧ

Succinum præpara- ? Prepared Amber . . scr. 11/2...dr. 1. Succus aconiti spis- { Inspissated Juice of } gr. 1...gr. 4. _____baccæ sambu- { Inspissated Juice of } un. 1/2...un. 2. un. $\frac{1}{2}$...un. 2. ci spissatus . . ¿ Elderberry . ---- cicutæ spis- S Inspissated Juice og gr. 2...gr. 10. satus . . . I Hemlock ---- cochleariæ S Compound Juice of } un. 2...un. 6. compositus . . ¿ Scurvy-grass ----- ribis nigri . { Inspissated Juice of } un. 1. ... 2. Sulphur antimonii { Precipitated Sulphur } gr. 2...gr. 5. ----- præcipita-Precipitated Sulpbur . dr. 1...dr. 2. tum . . Syrup of Marsb-mal- dr. 1...dr. 2. Syrupus althæ . albi papaveris Syrup of White Pop- dr. 4...un. 1. albi 2 pies . Syrup of wild Poppy dr. 2...dr. 4. erratici . . Syrup of Rose . . dr. 1...dr. 2. rosæ . vinz spinze cer- { Syrup of Buckthorn . dr. 1...dr. 2. vinæ . . ---- violæ . . Syrup of Violets . . dr. 1...dr. 2. ---- zinziberis . Syrup of Ginger . . dr. 1...dr. 2.

Т.

	Tan		
Tartari crystalli	Crystals of Tartar .	dr. 4un.	1.
Tinctura aloës	Tincture of Aloes	dr. 4un.	1.
posita	Compound Tincture of Aloes	scr. $1\frac{1}{2}$ dr.	2.
asæfætidæ	Tincture of Asafa-	scr. 1dr.	2.
balsami pe-	Tincture of Balsam of ? Peru	scr.14dr.	2

DOSES.

		DOSES.
Tinctura balsami to-	STincture of Balsam of Tolu	Corlide o
lutani	l of Tolu	5
composita	S Compound Tincture of Benjamin	dr. 1dr. 2.
composite i .	STincture of the Span-	
Cantharius	STincture of the Span- ish Fly	5 gr. 10dr. 1.
cardamomi	STincture of Carda- mom	{ dr. 1dr. 3.
	S Compound Tincture of	
composita	Scompound Tincture of Cardamom	5 ar. 1ar. 5.
cascarillæ .	STincture of Cascaril- la	dr. 1dr. 4.
castorei	Tincture of Castor .	scr. 1dr. 11.
catechu .	Tincture of Catechy .	dr. 2dr. 3.
cinchonæ .	Tincture of Bark	dr. 1dr. 4.
composita	Tincture of Bark S Compound Tincture of Bark	{ dr. 2dr. 4.
composita	Ammoniated Tincture	
ammoniata	Ammoniated Tincture of Bark	scr. $1\frac{1}{2}$ dr. 2.
cinnamomi	Tincture of Cinna- mon	dr. 1dr. 3.
2	Compound Tinctume of	2
composita	Compound Tincture of Cinnamon	dr. 1dr. 3.
colombæ .	Tincture of Colomba .	dr. 1dr. 3.
ferri ammo-	Tincture of Ammoni- acal Iron	scr. 1dr. 2.
macans	Tincture of Muniated	
ferri muriati	Tincture of Muriated	gtt. 10gtt. 60.
galbani	Tincture of Galba-	dr. 1dr. 3.
centianz	Compound Tincture of)	
composita	Compound Tincture of Gentian	dr. 2dr. 3.
guaiaci am-	Ammoniated Tincture	dr. 1dr. 4.
moniata	Tindung of Plant II	
gri	Tincture of Black Hel- lebore	scr. 1,dr. 1.
jalapii .	Tincture of Falab	dr. 1dr. 3.
myrrhæ	Tincture of Myrrb .	dr. 1dr. 2.
The second s		

		DOSES.
Tinctura opii	Tincture of Opium	gtt.20gtt.25.
cam-	Campborated Tincture of Opium	
phorata	of Opium	gtt. 30gtt.60.
rhabarbari	L'incture of Rhubarb .	dr. 4un. 2.
	Compound Tincture of Rhubarb	1
composita	Rhubarb	dr. 4un. 2.
Sabinæcom-	Compound Tincture of Savin	
posita	Savin	gtt.20gtt.40.
scillæ	Tincture of Squills	gtt.20gtt.60.
sennæ	Tincture of Senna	dr. 2un. 1.
serpentariæ	Tincture of Serpentari	dr. 1dr. 2.
valerianæ .	Tincture of Valerian .	dr. 1dr. 3.
	Ammoniated Tincture?	
ammoniata	Ammoniated Tincture of Valerian.	scr. 1dr. 2.
zingiberis .	Tincture of Ginger	dr. 1dr. 2.
l'ormentilla	Tormentil Root	gr. 10scr. 2.
Tragacantha	Tragacanth	gr. 10dr. 1.


v.

Valeriana	Valerian	scr. 1dr. 2.
Vinum aloes	Wine of Aloes	dr. 6un. 1.
antimonii	Antimonial Wine	gtt.20gtt.50.
tartarisati	Wine of Tartarised Antimony	gtt. 20gtt. 50.
ferri	Wine of Iron	dr. 1dr. 4.
ipecacuanhæ	Ipecacuanha Wine	dr. 1dr. 4.
rhabarbari .	Wine of Rhubarb	dr. 4un. 2.
Uva ursi	Bear's Whortleberry .	scr. 1dr. 1.

Z.

Zincum calcinatum Calcined Zinc gr. 3...gr. 10. vitriolatum Purified Vitriolated gr. 5...scr. 1.

T



INDEX

NOMINUM MUTATORUM.

FORMER NAMES.

NEW NAMES.

A,

Acetum scilliticum. Æthiops mineralis. Aqua aluminosa bateana. - calcis simplex. ---- cinnamomi simplex. ______ spirituosa. - bordeata. - juniperi composita. ---- mentbæ piperitidis simplex. spirituosa. ----- vulgaris simplex. _____ spirituosa. - nucis moschatæ. - piperis jamaicensis. - pulegii simplex. ----- spirituosa. - rapbani composita. ---- rosarum damascenarum. ---- sapphirina. ---- seminum anethi. anisi composita. carui. Aqua vitriolica campborata.

Acetum scillæ. Hydrargyrus cum sulphure. Aqua aluminis composita. ---- calcis. ---- cinnamomi. Spiritus cinnamomi. Decoctum hordei. Spiritus juniperi compositus. Aqua menthæ piperitidis. Spiritus menthæ piperitidis. Aqua menthæ sativæ. Spiritus menthæ sativæ. _____ nucis moschatæ. Aqua pimento. ---- pulegii. Spiritus pulegii. ----- raphani compositus. Aqua rosæ. ---- cupri ammoniati. ----- anethi. Spiritus anisi compositus. ----- carui. Aqua zinci vitriolati cum camphora.

NEW NAMES.

B.

Petroleum sulphuratum. Oleum sulphuratum. Tinctura benzöes composita.

C.

Decoctum album. ————— commune pro clystere. ————— pectorale.

D.

E.

Electuarium lenitivum. Elixir aloes. — myrrbæ compositum. — paregoricum. Emplastrum ex ammoniaco cum mercurio. — cepbalicum. — commune. — adbæsi-

Vum.

------ lithargyri.

sina,

NEW NAMES.

Emplastrum commune cum gummi.

curio.

e cymino. roborans. e sapone. stomachicum. resicatorium. Emulsio communis. Extractum catharticum.

- thebäicum.

Flores benzoini. —— martiales. Fotus communis.

Hiera picra.

Infusum amarum simplex.

Julepum e campborâ. e cretâ. e moscho.

Linimentum album. ______ saponaceum. ______ volatile. Lixivium saponarium. ______ tartari. Emplastrum lithargyri cum gummi.

hydrargyro. — cumini. — thuris. — saponis. — ladani. — cantharidis. Lac amygdalæ. Extractum e colocynthide compositum. Opium purificatum.

F.

Flores benzoës. Ferrum ammoniacale. Decoctum pro fomento.

H.

Pulvis aloëticus.

I.

L.

cum mer-

NEW NAMES.

M.

144

Mel Ægyptiacum. --- rosaceum. Mercurius calcinatus. ---- corrosivus sublimatus. ______ ruber. ----- dulcis sublimatus. ----- emeticus flavus. ----- precipitatus albus.

Oxymel æruginis. Mel rosæ. Hydrargyrus calcinatus. ----- muriatus. - nitratus ruber. Calomelas. Hydrargyrus vitriolatus. Calx hydrargyri alba.

Nitrum vitriolatum.

Kali vitriolatum.

0.

N.

Oleum petrolei barbadensis. - terebinthine æthereum.

Opium colatum.

Philonium Londinense.

Putvis e bolo compositus.

----- e cerussa compositus.

Pilulæ aromaticæ.

---- rufi.

opio.

Oleum petrolei. tum. Opium purificatum. Oxymel scillæ.

P.

Confectio opiata. Pulvis aloëticus cum guaiaco. Pilulæ ex aloë cum myrrhâ. Pulvis e creta compositus,

cum

opio.

---- e cerussa. ------ asari compositus.

R.

Succus baccæ sambuci spissatus.

Rob baccarum sambuci.

----- sternutatorius.

cum

Oxymel scilliticum.

NEW NAMES.

S.

Saccharum saturni. Sal absinthii. — catharticus glauberi. — diureticus. — martis. — tartari. — vitrioli. — volatilis salis ammoniaci. Species aromaticæ. Spiritus cornu cervi. — lavendulæ compositus.

----- nitri dulcis. _____ glauberi. ------ salis ammoniaci. ----- dulcis. ----- marini glauberi. ---- vinosus campboratus. - vitrioli dulcis. ----- volatilus aromaticus. _____ fætidus. Succi scorbutici. Syrupus ex althæa. ----- e corticibus aurantiorum. ---- balsamicus. - e meconio. ---- rosarum solutivus.

Cerussa acetata. Kali præparatum. Natron vitriolatum. Kali acetatum. Ferrum vitriolatum. Kali præparatum. Zincum vitriolatum. Ammonia præparata. Pulvis aromaticus. Liquor volatilis cornu cervi. Tinctura lavendulæ composita. Spiritus lavendulæ. ----- ætheris nitrosi. Acidum nitrosum. Aqua ammoniæ. Spiritus ammoniæ. Acidum muriaticum. Spiritus camphoratus. ----- ætheris vitrioli. ----- ammoniæcompositus. ------ fœtidus. Succus cochleariæ compositus; Syrupus althææ. ----- corticis aurantii. ----- tolutanus. ----- papaveris albi. ----- rosæ.

Τ.

Tabellæ cardialgicæ. Tartarum emeticum. ______ solubile. ______ vitriolatum. Trochisci e creta. Antimonium tartarisatum. Kali tartarisatum. —— vitriolatum.

Tinctura amara. _____ aromatica.

_____ fætida. ______ guaiacina volatilis. ______ jaþonica. ______ martis in spiritu salis. ______ melampodii. ______ rbabarbari spirituosa. ______ vinosa. ______ vinosa. ______ sacra. ______ stomachica.

 NEW NAMES.

Tinctura gentianæ composita. -- cinnamomi composita. ------ asafœtidæ. ------- catechu. ------ ferri muriati. ——— hellebori nigri. ------ rhabarbari. Vinum rhabarbari. Infusum rosæ. Vinum aloës. Tinctura cardamomi composita. Trochisci ex amylo.

V.

----- simplex.

FINIS.





