

A treatise on acute and chronic diseases of the neck of the uterus.

Contributors

Meigs, Charles D. 1792-1869.
Lamar Soutter Library

Publication/Creation

Philadelphia : Blanchard and Lea, 1854.

Persistent URL

<https://wellcomecollection.org/works/ch954tth>

License and attribution


This material has been provided by This material has been provided by the University of Massachusetts Medical School, Lamar Soutter Library, through the Medical Heritage Library. The original may be consulted at the Lamar Soutter Library at the University of Massachusetts Medical School. where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>





1967

P. Simons

Dr. T. C. CHRISTY

PITTSBURGH, PA

T. C. Christy

Pittsburgh Aug 12th 18








A TREATISE
ON
ACUTE AND CHRONIC DISEASES
OF THE
NECK OF THE UTERUS.

ILLUSTRATED WITH
NUMEROUS PLATES, COLORED AND PLAIN.

BY
CHARLES D. MEIGS, M.D.,

PROFESSOR OF MIDWIFERY AND THE DISEASES OF WOMEN AND CHILDREN IN JEFFERSON MEDICAL COLLEGE;
MEMBER OF THE AMERICAN MEDICAL ASSOCIATION; OF THE AMERICAN PHILOSOPHICAL SOCIETY,
AND ONE OF THE COUNCIL; VICE PRESIDENT OF THE PHILADELPHIA COLLEGE OF PHYSICIANS;
AUTHOR OF "OBSTETRICS, THE SCIENCE AND THE ART;" "WOMAN, HER DISEASES AND REMEDIES;" "A TREATISE ON CERTAIN OF THE DISEASES OF YOUNG CHILDREN," ETC. ETC.



LIBRARY OF THE
Pittsburg Academy of Medicine,
NOT TO BE REMOVED.


no. 682

PHILADELPHIA:
BLANCHARD AND LEA.
1854.

gynec

29N
M976.2

Entered according to the Act of Congress, in the year 1854, by
BLANCHARD AND LEA,
in the Office of the Clerk of the District Court of the United States in and for the
Eastern District of Pennsylvania.



511.01

PHILADELPHIA:
T. K. AND P. G. COLLINS, PRINTERS.

TO

ROBERT M. HUSTON, M.D.,

PROFESSOR OF THERAPEUTICS AND THE MATERIA MEDICA IN JEFFERSON MEDICAL
COLLEGE AT PHILADELPHIA.

MY DEAR SIR :—

You are aware, I believe, that by command of the American Medical Association, I was directed, as chairman of a committee appointed at Charleston, South Carolina, to present a Report to that body on the subject of Acute and Chronic Diseases of the Cervix Uteri.

Professor Channing, of Boston, and Dr. Thomas H. Yardley, of Philadelphia, who were of the committee, confided to me the duty of drawing up the Report, which was presented to the Association at the New York meeting in May, 1853.

The paper, with the drawings, was ordered to be printed and engraved, and may be found in the last volume of the *Transactions*.

Under the impression that the views of disease and suggestions of treatment in this paper might, if more generally diffused, prove of some service to our professional brethren, I have, with the liberal consent and full approval of the publishing committee, made a separate volume of the Tract, which I beg you to allow me to dedicate, thus publicly, to you. I hope you will

accept it as a mark of my most sincere respect and warm attachment. I pray you also, as far as you properly may, overlook its numerous faults of substance and form; to receive my book with wonted kindness, and continue to favor me, as long as I live, with that course of kind and friendly conduct, which, together with my high appreciation of your sterling abilities and candor as a man, has long made me, and ever shall make me, feel that I ought to be, and am your sincere and respectful friend and most grateful servant,

CHARLES D. MEIGS.

324 WALNUT STREET,
Jan. 15, 1854.

ON

ACUTE AND CHRONIC DISEASES

OF

THE NECK OF THE UTERUS.

THE great prevalence of cases of sexual disorders has of late called much of the attention of physicians to a consideration of the causes, signs, and treatment of those affections, and several recent publications have thrown much light on them. It was to be expected that the labors of ingenious men, devoted to this species of research, should, by this time, have placed all questions in this kind of practice so fairly before us, and with solutions of the various problems so clearly exposed, that there could be no farther real necessity for making public one's observations or reflections.

It is, nevertheless, undeniable that our daily clinical experience, as well as what we notice of the current medical literature, and what we behold around us among the sick, all concur to prove that it is in general

esteemed to be a difficult thing to comprehend the various disorders of the womb, and appreciate their peculiar reaction upon the constitutions of women.

Notwithstanding the numerous learned works we possess, whether they be of ancient date or modern, it does appear to me that this class of disorders, as to the clinical duties at least that are connected with them, are not so well understood as they ought to be, and that this is the chief reason why so many of the cases tend, at last, to fall under the care of a few individuals, who may have acquired a sort of fame or notoriety for success in their treatment, instead of remaining, as they ought, in charge of the family physician or surgeon, usually the first to be consulted on account of them.

I regard this tendency to specialization as a thing most injurious to the profession, which ought to be a whole in the whole and a whole in every part. Such specialization of the office of the physician is very far from tending to elevate the whole body in its usefulness to the public, however it may serve to exalt the interests of a few individuals, and it must be confessed that any specialization as to this sort of clinical duties is both highly inconvenient to the people, and disparaging to the profession at large, while it is wholly uncalled for by the nature of the cases. A little consideration might serve to convince us that this class of disorders presents to the practising physician nothing more essentially inscrutable, or intractable, than the ordinary complaints submitted for examination and advice to the gentlemen of the Art.

There would be less propensity to bring them into the class of a specialty in practice, if the treatises now in our possession, were as clear in the description and illustration of disease, and as precise in the indication and relation of methods, as they ought to be. Far from this—we have to regret that many of the drawings and colored prints serve rather to obscure, than enlighten the path of the practitioner. It needs only to glance, for example, at the plates to Madame Boivin's work, to see that this remark is quite just, while the more elegant volume of Dr. Hooper affords as little aid—his engravings, however beautiful, exhibiting for us only the ravages of diseases ended in death, and not those curable forms and stages, which are far more worthy of investigation, as guiding us in our attempts to cure.

It has seemed to the Author, that, before entering upon the examination and description of the special cases, he is called upon for a few remarks concerning methods of proceeding—the usefulness and propriety of which have, by some, been sharply called in question, while others have contended that they are indispensable to correct diagnostication and treatment.

I allude to the method introduced by M. Récamier, Physician to the Hôtel Dieu, at Paris. That celebrated professor, in his work entitled *Recherches sur le Traitement du Cancer*, 2 vols. 8vo. Paris, 1829, says, at page 317, t. i. :—

“Dès l'année 1801, consulté fréquemment pour des maladies organiques de l'utérus, je commençai à traiter

les ulcères du vagin et du museau de tanche de la même manière que ceux de la gorge, qui m'en donnèrent l'idée. Un tub d'étain du volume du doigt, et de quatre ou cinq pouces de long, servait à ces pansements, dans lesquels les surfaces ulcérées étoient touchées avec un pinceau de charpie trempé dans du miel rosat, ou dans du rob de Daucus, seul ou associé avec du collyre de Lanfranc, du laudanum de Rousseau, ou de l'extrait d'opium."

M. Récamier farther informs us, that, in 1812, M. Bayle inquired of him concerning his methods, and that the facts he communicated to that author were made public in the *Dict. des Sci. Méd.*, art. Cancer, which notice is found in tom. iii. p. 604, as follows:—

“Déjà M. Récamier est parvenu à porter différentes substances médicamenteuses immédiatement sur l'ulcère, à l'aide d'un pinceau conduit dans un tube de gomme élastique ou de métal qui écarte les parois du vagin, et embrasse dans son orifice supérieure toute la partie saillante du col de l'utérus. Ces essais, conduits avec prudence, conduiront peut-être un jour à quelque méthode de traitement, plus efficace que celles auxquelles nous sommes encore réduits.”

The great success, in treatment, that attended M. Récamier's practice at the Hôtel Dieu and the city generally, led to the introduction of *his* method, which may be denominated the surgical method of curing the disorders of the cervix; and the question now is, whether the advantages resulting from it are sufficient to counterbalance certain evils supposed to have grown

out of its introduction. These evils, it is alleged, consist in the great modification which any sensible woman must experience, if subjected to a metroscopic examination—some laxity of the moral sense likely to grow out of such proceedings—the physical injury, by contusion or laceration, sometimes attending the operation, and the mischievous effects of violent drugs and dangerous instruments, to the employment of which it leads and tempts us. Farther—it is asserted to be unnecessary, since the exploration by touching, as it is called, reveals sufficiently well the nature of diseases attacking the cervix uteri.

I shall not here discuss the moral differences between a diagnosis made by the operation of touching, and a metroscopic one. Either of them is bad enough, in itself considered; but as neither of them could be supposed possible, except out of some direful necessity of the patient, and as the one is not essentially more revolting to the feelings of the sufferer than the other, it appears to me that the argument is as valid against the one as the other. No one will deny that the delicacy of those relations that exist between medical people and their female patients, opposes, in a variety of cases, an insuperable barrier against any successful treatment whatever, for there are found individuals so fastidious as to prefer pain, disease, and even death itself, to any revelation concerning their disorders.

Some women, who do not object to relate the history of their diseased sensations, compel us to rest satisfied with such barren histories as they themselves can give,

and medical men, it is presumed, are often obliged to adopt an empirical method, or—to use a common phrase—to guess at the seat, nature, and phasis of the disease, as well as the remedies for it, rather than resign the women to hopeless distress on the one hand, or, on the other, urgently insist upon her waiver of that fastidious sentimentality which ought, to a certain extent, to rule her professional relations with the medical adviser, but not wholly and exclusively, and to her ruin.

Even to examine by Touching, does, in many parts of the United States, appear to be a revolting proposition; and there are some persons who prefer to make journeys of hundreds of miles, in order that such an inquiry, supposing it indispensable, may be instituted by a stranger, and far from home. Some examination is, nevertheless, often an indispensable requisite to correct information as to the sanitary wants of the patient; and physicians cannot always rely upon the historical relation of the patient herself or her friends, who assuredly cannot impart knowledge which they do not themselves possess, and can by no possible means acquire.

It may be farther averred, that the Touch alone does not surely impart this knowledge; for as much as a tint or color is often the clearest exponent of a morbid state, it becomes sometimes an imperious necessity to ascertain it by the metroscope. The question is, then, not whether the instrument informs us better, but whether, without its aid, we could at all learn our therapeutical or surgical duty to the subject.

The objection as to danger of injury, and that other,

the temptation to make use of too violent topical remedies, is a question of the good sense and prudence, or conscientiousness of the medical man—subjects not for us to discuss. Yet, we may adventure the remark, that no sincere person will deny, that, in our profession in these United States, there exists a great majority of gentlemen, competently educated; men skilled in their art; men of probity, and having elevated views in morals and religion; and, as to life and conversation, irreproachable.

If the whole class of cases under consideration should be confided to such persons as these, little objection would be made to their professional opinions or practice. There is conceded to them, by common consent, as well as by governmental authority, a "*jus docendi scribendi atque exercendi, ubi rite vocati fuerint*;" and the public esteem them to be warranted in all their acts, done within the metes and bounds of their real professional privileges. They have no authority to violate those rules and arrogate privileges beyond; and when they do so it is at their own peril.

The question, then, seems to be still more narrowed down; and we have only to determine what is, and what is not, strictly within the limits of our duty and prerogatives—things to be resolved, not by formal council, but by the physician himself, upon the spur of the occasion. We must not repudiate, and, by wholesale reprobation, condemn and annul a good method of cure, merely because incompetent or wicked persons might or do abuse it to their own gain: to do so, would be to amerce

and punish the sick and the miserable for faults of our brotherhood.

Lastly.—Even if it be true that some abuses, disgraceful to Medicine, do exist, we are persuaded that such discreditable examples must be very rare among a class so generally acknowledged for wisdom, virtue, and politeness, as the great body of the United States physicians. Wherefore, we do not find ourselves called upon to discountenance and reprobate the prudent and necessary employment of modern methods and instruments, invented to improve the means both of diagnosis and surgical treatment of diseases of the cervix uteri; conceiving that this is a matter to be left to the conscience and judgment of our brethren, whenever the occasion may arise.

The reactions of the reproductive organs upon the other members of the animal economy are known to be both diverse and comprehensive; nor is it difficult to perceive that this should be the case, seeing the great importance of their functions. One could hardly suppose, indeed, that a system of anatomical tissues, representing the complement of the vital powers, could be an indifferent in their constitutional reaction. The powerful sway they exert upon not only the physical, but the psychological condition and nature of the woman, might well persuade us that changes in their vital *status*, even such as are inappreciable except by the reason, should greatly affect both the body and mind of the woman.

The reproductive force can never, in fact, be an indifferent, as regards the health and perfection of the woman—who is always an imperfect being until she has, at full puberty, acquired this complementary force, and begins to decline from her perfections as soon as she lays it down at the change of life. During all the period in which she possesses this force, even very slight modifications of it must affect the direction as well as intensity, of many others of her physiological actions.

It is probable that the Hysterical malady, which assumes such diverse forms, and comprehends in its range, so many separate and distinct organs, depends essentially upon a vital *status* of the reproductive viscera, often so slight as to escape all sensible detection. It is, at least, certain that sexual diseases do give rise to severe distress in distant regions of the body; and, while they can incommode, vex, and even destroy the woman by degenerating the womb, the ovaries, or other parts, they can likewise subvert her health, and destroy her life by perverting the strength and soundness of other vital portions—the radiating point of the mischief being, in the mean time, concealed within the depths of the pelvis, and wholly masked by the constitutional disorders thus set on foot by it.

A dark and mysterious veil hides from us many of the laws that grow out of the intimate relation and mutual dependency existing between the conservative or generic forces of animals, and their reproductive or genetic powers. Many stumbling-blocks in the path of the practitioner would be taken away, if these laws and

relations could be fully understood; and we should then be able to take more precise indications, and adopt more positive methods of treatment. Possessing full anatomical and physiological information upon those organs and forces, we might raise up in the mind a true IDEAL of them, which would serve as a standard or scale by which to measure and judge every aberration of form, substance, power, or place, in the instances brought before us for our decision.

And it is proper, indeed, that the physician should, in every case of disease, endeavor to acquire the perfect IDEA of the organ whose state he is about to determine. This determination he only can make, who hath already erected his ideal standard, as now proposed. Otherwise, he cannot but frequently err in his diagnosis. But he who hath ever at hand in his scientific store, a perfect IDEAL of the healthy organs, shall scarcely err, since, in every diagnostication, he will strictly compare the real with the perfect IDEAL, or STANDARD, and, from observing the deviations and aberrations, deduce a perfect knowledge of the case before him.

In order to raise up such an ideal or standard of the uterus, it is necessary to analyze its component textures, and arrange them: for example, into a series, as: 1. The serous tissue. 2. The mucous tissue. 3. The sanguiferous; 4, absorbent; 5, the muscular tissue. 6. The nervous substance. 7. The glandules and follicles. 8. The areolar texture.

These are the only things in the uterus that can be

subjects of disease, whether severally or conjointly. When they are combined in the just ratio of mass crasis and vital force, they represent the form and substance of the healthy womb, and, we might add, its faculties also; whereas, every deviation from such normal ratio of the elementary tissues, represents a certain disease of that organ.

Equable augmentation of the elementary tissues constitutes hypertrophy of the uterus—which may be either local or general.

Hypertrophy of the womb may be physiological or pathological.

The term physiological hypertrophy here applies to those equable augmentations of the elements of the uterus, that take place in pregnancy, in which the womb acquires, in the course of 280 days, a greatly increased volume, and a weight of 25 to 30 ounces. In the non-gravid state, its length is about $2\frac{1}{4}$ inches: in pregnancy, it is 12 inches in length. The non-gravid weight is $2\frac{1}{2}$ ounces, whereas it, not rarely, weighs two pounds, at term. These great changes occurring in the mass, while inconsiderable changes in the ratio of its elements take place, can only be the result of a physiological hypertrophization—and it is well to make such a reflection, seeing that the womb recovers its non-gravid form, substance, and faculties, in about thirty days after the termination of pregnancy.

In this process of Normal-hypertrophy, the several elementary textures are evolved in their equal general ratios; and the same kind of equable development

takes place in all the cases of true pathological hypertrophy.

As the womb readily recovers from any physiological hypertrophy in about thirty days after the removal of the cause, so, in like manner, it recovers from its pathological hypertrophy soon after the removal of its cause. Such cause may be a polypus developed within the cavity; chronic inflammation of the cervix, or os uteri; dislocated states of the uterus, in retroversion, or anteversion; or any circumstance that should provoke the organ to grow inordinately, but equably, as to the ratio of its elements.

Unequable development of the several elements, converts the womb into a Tumor, degenerates it, and renders it incurable by medicines; whereas, the state of pathological hypertrophy is one to be recovered from upon removal of the cause.

If, in a womb, the areolar or the vascular, or the nervous element, should be augmented several hundred per cent. beyond its normal ratio, the rest of the tissues preserving their quantitative relations to each other, the viscus would be changed into a hæmatoma, a cephaloma, &c. &c., according to the nature of the case or chief constituent element of such tumor.

Unhappily, the womb is, by nature, peculiarly subject to such changes. It may pass unharmed through the hypertrophizations and recoveries of many consecutive pregnancies, because of its innate aptitude to recover its non-gravid form and substance by involution as the antithesis of its acts of evolution; a reflection

this that affords us the greatest encouragement when called on to undertake the treatment of cases of enlarged womb. So true is this, that, in all cases where we can clearly diagnosticate a uterine hypertrophy, we may found on it a happy prognosis, provided we may also reasonably expect to remove the cause of the excessive growth, *e. g.* if the cause should prove to be a mere retroversion, we may count upon a cure if we can reposit the womb and maintain it in its proper attitude in the pelvis. This is, in fact, all that we shall be called upon to do; for, this being done, the organ hastens to recover by involution its non-gravid form and substance, as after a delivery at term, or after an abortion.

A perfect IDEAL of the normal womb, one fit to serve as a STANDARD, or scale of comparison or measurement for cases, should comprise, in addition to a notion of its elements, one of its form, volume, place, posture in that place, sensibility, resistance, complexion, and all its powers as well as its anatomical relations or connections.

A great help to the formation of this ideal standard, may be found in drawings and engravings. And here we beg leave to submit a figure (Fig. 1) copied from nature. The womb, which was that of a young unmarried woman, was $2\frac{1}{2}$ inches in length, by $1\frac{3}{4}$ in width at the widest part. Its weight might be $2\frac{1}{2}$ ounces. The specimen, a recent one, was presented to us by Dr. Addinell Hewson, of Philadelphia. We regard this uterus as a fair standard specimen.

In respect to this drawing, and indeed all the figures made use of as illustrating points treated of in this essay, we owe an apology for their want of artistic excellence. It is clearly out of the question that we should show these things to artists, as well as that no artist could represent them from mere description. We did try that experiment, which failed. We were then compelled to become artists in self-defence, and succeeded, as is here to be seen, in making very inelegant, but very faithful representations of the subjects of the sketches. As to their fidelity we have no other assurance to give than such as we may refer to as professional experience; and we feel assured that all those physicians who have been obliged to acquire this painful experience must concur in the opinion that our drawings are very truthful.

This figure, it is therefore believed, gives a fair average representation of the form and size of the human womb. The surgical neck projects within the remains of the vagina, to the normal depth; and the aperture, or os uteri, preserves its appearance as a transverse sulcus.

Fig. 2 represents an antero-posterior section, and exhibits the left symmetrical half of the womb; showing the thickness of the walls, in this direction; the size and shape of the cavity; as well as those of the canal of the neck; the two lips, anterior and posterior; and the length of the vaginal neck or surgical neck.

Fig. 3 is a transverse section of the womb, exhibiting the posterior half, with the shape and size of the

cavity; as well as the canal of the cervix, and the orifice as seen in this way.

Fig. 4 is designed to give an idea of the womb's place and position or attitude in the pelvis. It is on a scale of half an inch to the inch; and shows how far below the plane of the superior strait (see dotted line) the fundus uteri should be found.

Most of the published drawings have erroneously exhibited the fundus uteri rising as high as the plane of the strait, or even elevated somewhat above it, which is incorrect, and leads to considerable errors in diagnosis.

Considering that the plane of the ischium is $3\frac{1}{2}$ inches long, and that the mean length of a normal womb is about $2\frac{1}{4}$ inches, the figure may serve to give a correct idea of standard as to place and altitude, since the diagnosticator, by touching the os tinæ, at once recognizes the place in the excavation where it is found, as whether too high, or too low, and he also determines, by palpation at the hypogastrium, whether the fundus is too much elevated or no; and so he judges of the length and volume of the womb he is examining.

The anatomical relations of the womb are those which unite it with the bladder in front: the vagina inferiorly; the broad and the round ligaments, ovaries, and Fallopian tubes at the sides and angles; while, posteriorly, it has no anatomical relations whatever; that surface being there completely invested with a peritoneal covering.

The standard should comprise a true idea of the os

tincæ or aperture of the canal, many deviations from the standard being observable in practice; all of which may afford useful lights in diagnosis, prognosis, and practice: certain changes of its form may be regarded as pathognomonic.

The sensibility of the uterus to pressure or contact; its resistance and flexibility, ought also to form part of the IDEAL; and lastly, the color or tint—as observed in the metroscope—as whether pale, rose-tinted, raspberry-red, violaceous; or even of a hue approaching to that of melanotic tissues, constitutes an important item in the aggregate of characteristics.

Experience has shown that many instances of bad health are to be attributed to acute or chronic ailments of the womb, in women, where no topical pain or other sign of local lesion is complained of.

Thus some of the examples of perverted innervation exhibited in torpor of the bowels, chronic tympanitis, frequent attacks of spasm, and general convulsion; cephalalgia, palpitation of the heart, pain in the back, loins, and lower extremities; fluor albus, and aggravated hydræmia, take their origin from disease of the cervix uteri, which, meanwhile, gives no pain, and is wholly unsuspected as the subject of any disease. In so far, therefore, as these affections spring from acute and chronic disease of the neck of the uterus, they might be assumed to come within the scope of inquiries assigned to this essay; but since an elaborate statement of all those sub-

jects would fill a volume rather than this essay, we shall confine our remarks within narrower limits.

Among the number of sexual disorders, few are more frequently complained of than leucorrhœa, and it seems probable that most women have occasion, at some period of life, to complain of it. In general, it gives little inconvenience, is of short duration, and ceases spontaneously; not requiring for its cure the advice of physicians. Perhaps in a thousand cases of moderate fluor albus, the physician would be consulted for one or two only. This, however, is not the case always, for in certain exceptions the secretion becomes very great, and is attended with debility, pain in the back and loins, a sense of bearing down or weight in the pelvis, with heat in the passages, which may pass into insufferable pruritus. Instances in which the profluvium is very great, will rarely be met with in any physician's practice; and not many of the subjects are found to require the use of the guard-napkin, a precaution which could not be dispensed with if the secretion were so abundant as is by some supposed. We have heard of cases of leucorrhœal discharge to the amount of eight ounces per day, but probably such examples occur not more than once or twice in a long career of medical practice; one in which the secretion should equal a tablespoonful per day, even, would be very troublesome, as well as uncommon, the majority of the patients complaining only of an inconvenient humidity of the parts.

Where the discharge in leucorrhœa consists of merely vaginal products, it may safely be assumed that such

leucorrhœa is of very little consequence to the woman's general health. We speak here of the moderate cases. Indeed, affections of the vagina may, for the most part, be considered to interest very little the female constitution.

Such a statement as this might excite surprise, in those who are accustomed to hear of the very debilitating effects of fluor albus; and it becomes necessary to qualify the statement, by showing that, in those cases where the health has appeared greatly to suffer, the essential malady is not in the vagina, but in the neck of the uterus itself.

Patients do not, in general, make any discrimination between the several different appearances presented in fluor albus; because they are satisfied to believe that excessive humidity of the genital mucous surface is fluor albus, or vaginal leucorrhœa, a disorder whose presence disturbs them, not only by the actual inconvenience occasioned by it, but in a more considerable degree by the apprehension it arouses of prospective mischiefs to their health.

While our own observation convinces us that profuse vaginal secretion is rarely met with in practice, we are equally convinced that some of the patients are rendered too moist by excessive activity of Duverney's glands, and farther, that the most mischievous of leucorrhœal secretions is that which comes from the canal of the cervix of the womb.

The muciparous glands of the vagina furnish either a thin watery mucus, or else one of a creamy consistence,

which in other instances appears to be butyraceous, or concrete.

The excretion from the follicles and glands of the canal of the neck, however, is always gluey or albuminous, and resembles fresh white of eggs; and, when the patient, in describing the disorder, informs us that she discovers a slimy transparent mucus, and especially if it appears at intervals of once a day, or oftener, we may take it for granted that she labors under inflammation of the neck of the womb. There is no apparatus in the vagina itself for the secretion of this albumen; but the abundant follicles of the canal of the cervix are devoted solely to such production—when the cervix is chronically inflamed, that production is much increased; to that degree, indeed, as to impart a character of sliminess to the discharge, that makes it resemble *albumen ovi*.

It very often happens to observe this transparent viscid mucus to be wholly unaccompanied by any vaginal excretion; the substance coming away from the os uteri, and escaping upon the napkins without the least admixture. In using the metroscope, the same albuminous matter may be seen oozing forth from the orifice of the womb only, and so tenacious that it cannot be wiped away with the sponge.

Those physicians who have attended women in labor, are familiar with the viscous excretion from the neck of the womb, which generally discharges considerable quantities of it while the os is undergoing dilatation. In a state of ordinary health, the production—which is equal merely to the physiological demand—is so incon-

siderable, that the albumen is not to be observed; but any augmented vital activity in the cervix may make its presence manifest.

It has already been remarked that subjects of leucorrhœa complain of it as a weakening disorder; nor can it be denied that this albuminous fluor from the cervix mostly coincides with a sense of great lassitude and debility—not because of the wastage of the material, but because of the disturbing effect in the general economy, produced by even slight modifications of the health of the uterus. Hence I may venture to say, that those women who complain of the exhausting effect of their leucorrhœa, should be regarded as suffering, not from the loss by secretion, but from the perturbing influence of a chronic inflammation of the womb.

Physicians consulted for these leucorrhœal affections, ought, therefore, carefully to discriminate between the different kinds of discharges. When the excretion is deemed to proceed from the muciparous apparatus of the vagina only, it may suffice to make astringent injections, whether of mineral or vegetable sorts. In case such remedies prove unavailing, the vital activity of the mucous body may be changed by solutions of argent. nitrat., of feeble strength—and one might confidently look for a cure under such a prescription. Yet, in fact, our ordinances for those disorders are notoriously unsuccessful; and the reason is, we vainly attempt by these methods to cure a disease of the vagina which does not exist, which would not make the woman ill if it really did

exist; whereas we ought to be addressing our remedies to the removal of a disease of the cervix.

We should cure a much greater number of leucorrhœas if we would not misinterpret the disorder, calling that a vaginal which is really a cervical malady, and *vice versâ*.

We repeat, that the serious cases are cases of disease of the cervix—but, a vaginal injection for inflammation of the canal of the neck, is, simply, ridiculous. The albuminous leucorrhœa is a sign of inflammation of the cervix, in which is included the canal, with its copious muciparous apparatus. It is as much a surgical disorder as an ulcer of the leg, or an anthrax, or conjunctivitis. When the surgical disorder is cured the sign disappears. Hence we desire to express the opinion, that such leucorrhœas are to be held as acute or chronic inflammations of the canal of the neck, and ought to be treated accordingly.

The most essential element of a successful practice exists in a positive diagnosis. It will not do for us to believe, or suspect, or infer, this or that—we must guard the interests of the patient by knowing it is this, or that, or the other form and stage of a disease.

The historical or descriptive account delivered by the patient, or her friends, cannot serve as a guide for us; nor can they compare the actual state of the suffering organ with that perfect ideal STANDARD, by which we ought to compare, weigh, and measure everything brought before us for judgment.

It must ever be a very trying occasion, that of a sensi-

tive and delicate woman, who is brought into such a strait as to require a physical examination of those parts which naturally shun exposure. The medical man, who has even a common share of sensibility, will always, therefore, defer this last resort as long as possible, while he makes use of empirical treatment—if, haply, he might thus be enabled to effect a cure without the waiver, on her part, of those honorable scruples which deserve from him the most perfect respect.

Of all the means of making a physical diagnosis, Touching is the easiest and the least distressing to a woman of sensibility, bad though it be. By Touching we can determine the place, the volume, the resistance, the sensibility, the smoothness or roughness, the patulousness, and other characteristics of the organ.

Where the touch gives sufficient information, let the Touch suffice; but, if any doubts as to the wants of the case remain, then a Metroscopic examination should be made. If declined—let the consequences rest with the patient; the physician is absolved from blame.

There are a great many sorts of Metroscopes now in use—some consisting of a tube, as originally proposed by Récamier, but composed of glass, or silver, or ivory, &c.; and some consisting of a bivalve, trivalve, or quadrivalve Speculum uteri, each of which is preferred, according to the taste or caprice of the practitioner.

The most reliable metroscope, probably, is a slightly conical tube of silver, six inches and a half in length. The uterine extremity should be one inch in diameter,

bevelled with an angle of thirty-five or forty degrees. The outer, or larger extremity, should be one inch and a half in diameter. The silver should be highly polished, with the edges of the bevelled end rolled and rendered blunt, lest they might catch in the folds of the membrane, or even wound the cervix.

An olive-shaped piece of wood, secured in a steel handle, and made to fit accurately in the smaller extremity of the cone, serves to guide it without pain to the bottom of the vagina, whereupon the guide is withdrawn, in order that the Surgical neck may engage in the opening, and thus enable the surgeon to discern any marks of disease there.

The light passing down the tube ought to be as clear as possible, and the inner surface of the metroscope should not have a very high polish, lest, serving as a reflector, it might pour a flood of chromatized light on the parts, and thus give rise to the greatest misapprehension of their real condition. It would be better to have the inner surface painted with black, in order that no reflection from the walls should deceive us, and lead to error. Any person accustomed to the use of the metroscope with a very bright inner surface, or bore, must be familiar with the sparkling red points that it seems to disclose upon the mucous surfaces exposed by it to view, and also, must have seen how a slight change in the direction of the tube, causes these red lights to disappear; but they are always apt to mislead, and therefore it would be better to use a tube whose inner surface should have no lustre: a tube blackened within,

like a microscope tube, would be far better than one with a reflector, such as the glass speculum uteri.

An instrument on the plan above proposed can disclose the physical appearances of any square inch of the inner walls of the vagina; for by merely rotating the tube on its axis, and directing the bevelled end this way or that, we may at leisure observe any part of the cervix or vagina.

The bivalve and the quadrivalve speculum are sometimes convenient; but they as often annoy us and obstruct the research by allowing folds of the vagina to fall in between the parted blades, and thus completely hide the parts sought to be studied. They are by no means suitable for the application of the cauterly, whether liquid or solid; and no one could conveniently make use of leeches by means of them. In any case, where the multivalve speculum is applicable, M. Récamier's tube is more so, on which account, we prefer it altogether.

Plate 4 represents a Récamier metroscope, with its guide. This instrument is of silver, and bevelled in a way to facilitate the operation, in engaging the os tinæ in the open end of the tube, which readily catches the cervix by its projecting long lip. It has not any handle, a thing that, moreover, is both useless and troublesome by catching in the bed-linen or the napkins with which the patient is always to be enveloped on such occasions.

With a Récamier tube, one can readily observe any, even slight modifications of form or surface, hue, abra-

sion, vegetations, druses or botryoidal excrescences. Small polypi, jutting from the canal of the neck, any fissures or rhagades, ulcerations, cauliflower degeneration, or open carcinoma, &c. &c., that shall have given rise to the symptoms may be thus seen. The same occasion may be seized to make such surgical dressings as may be indicated, and the sacrifice of sensibility in this way made by the sufferer, is almost sure to be rewarded by a speedy cure of any curable disorder, which, but for such sacrifice, would continue to make her unhappy, leading, by a perpetual progress of deterioration, to ruined health, and, finally, to the last refuge of the miserable, which is the tomb.

A diagnosis by the metroscope should be made in the daylight, and always in presence of a third person.

The patient should lie on the back, near the side or foot of the bed; the head, and not the shoulders, resting upon a pillow. A sheet or spread is to cover the person; the margin of the covering to descend nearly to the floor.

The knees should be much flexed, and the feet near to the trunk of the body.

Before proceeding to adjust the instrument, an examination should be made by Touching, to ascertain the precise position of the uterus, and the place occupied by the cervix; the sensibility, resistance, volume, &c., of the neck, and particularly, the state of the aperture of the womb.

There should be provided a Speculum-forceps, and some small bits of moistened sponge, or carded cotton,

which, being held in the forceps, serve to absorb or remove any mucus or slime, or sanguineous excretion. The most convenient Speculum-forceps that can be got is probably a bullet forceps; such as the one proposed by Professor Gibson.

The Speculum-forceps of Charrière is far less convenient.

If the Metroscope should now be adjusted beneath the coverings, and the margin of the sheet be afterwards carefully wrapped around the outer end of the cylinder, it will be easy to conceal, in this way, the entire person of the patient, while the light falling down the tube, serves to reveal any existing signs of disease of the parts to be examined.

If these inquiries are instituted for the purpose of determining the precise cause and learning the proper treatment of a troublesome leucorrhœa, especially one characterized by the albuminous discharges heretofore mentioned, we shall rarely fail to observe a positive inflammation of the cervix and os uteri, or to notice a certain quantity of transparent viscid phlegm, oozing slowly away, or tamponing the orifice of the canal of the cervix.

One or both of the lips of the womb may be found tumid, softened, granulated, or botryoidal in appearance, and of a uniform red; or else drusy as to the surface, and presenting some resemblance to the surface and color of a ripe raspberry; whence it has been the custom of some to speak of this form of inflammation as *inflammation framboisée*, a French word that very aptly expresses the idea of it.

Annexed is a drawing (*vide* Plate 5), by which we hope to impart a correct idea of one of the forms assumed in inflammation of the cervix uteri. It was drawn soon after the inspection of a case that was under the care of the Author. The lady, about forty years of age, was the mother of several children, of whom the youngest was between three and four years old.

She had long complained of weakness, pain, and dragging sensation in the back and loins, a bearing down at the hypogaster, and a leucorrhœa, which she supposed to be the whole malady. Her fastidious delicacy induced her, for many months, to conceal her uneasiness; nor did she at last apply for counsel, until her health was very much reduced, and her appearance greatly changed. She had acquired a deep sallow tint of the skin; had anorexia; lowness of spirits; intestinal torpor; slight dysuria, and a constant fluor albus.

It was not until after presenting clearly to her comprehension a statement of the motives for it, that she reluctantly consented to allow a metroscopic examination to be instituted; and it manifestly appears that none other could have possibly revealed the real nature of her position and its danger.

The os tincæ of a healthy woman with difficulty suffers the passage of a small female catheter into the canal of the cervix. In this case, the ends of two fingers could be introduced nearly half an inch. The cervix, of course, must be much enlarged to make so great an aperture. But the drawing, which is believed to be as correct as

any daguerreotype could be, will show better than words the appearance it presented.

Plate 5, which may be compared with Plate 1, will show how enormously this Chirurgical neck and this os uteri exceed in magnitude the one we have presented as a sample of the ideal or standard uterus.

The cervix, although so greatly enlarged, and as red as the tint in the drawing, was not exceedingly sensitive. Its resistance was neither too hard nor too soft, as is the case in the hypertrophies. The os had the shape or form here expressed. It was enlarged, but not deformed. Had it been deformed, that circumstance alone would decide as to its being not hypertrophy; because, it would prove that the development or growth was non-equable.

The orifice or aperture of the canal was occupied with a viscid transparent slime, which was the albuminous product of sur-excited muciparous glands and follicles, which abundantly line the canal of the cervix. Its appearance is pretty well represented in the engraving.

Inspecting the interior of the canal of the neck, as far as it could be observed, the red tint seen on the lips gradually passed into the dark, almost black hue, which, in the figure, approaches to the color of melanotic tissues, and it was of so black a color as to lead the writer at first to fear that it was due to some process of sloughing. He had never, in any other case, noticed anything similar.

This case was treated, by the author, by means of antiphlogistic contacts of the nitrate of silver pencil.

The number of those contacts, which were reiterated with intervals of from five to seven days, did not exceed six or eight, and as the inflammation vanished before the therapeutical power of the remedy, the womb returned rapidly to its form and dimensions; just as it would do, if, being enlarged by gestation, it should be set at liberty, by an abortion, to return to its non-gravid condition. We shall shortly explain the meaning and intention of the phraseology we have employed, as to antiphlogistic applications of the *argent. nitratum*.

The ideal womb is two and a quarter inches long. This specimen was so much augmented in size that, while the *os tinæ* was low down in the excavation, the fundus was distinctly felt above the plane of the superior strait, being at least one inch higher than that.

It might, perhaps, be a desirable thing to know, if possible, why it happens that, in certain cases of inflamed cervix, the surface of the lips of the womb should be smooth or even, as is seen in the present specimen; while in others, the inflamed superficies become uneven, or tuberculated, or drusy. To show the difference here alluded to, the Author begs to ask attention to the annexed figure (Plate 6), which exhibits the uneven surface in question.

This drawing is also copied from nature, and represents an appearance very commonly met with in practice. The Chirurgical neck is manifestly and much enlarged, which does not imply merely swelling of the texture, but rather, a condition of hypertrophic growth or nutritive development. Here, as in almost all the

examples, the hypertrophy proceeds from the provocation contained in a positively inflamed state of the corpus mucosum uteri.

Such an inflammation is, virtually, an advanced vital *status*, which stimulates the whole organ, and compels it to obey its natural law, which is that it shall wax or increase in substance, equably under certain stimulation. This is the power which enables it to go through those vast but equable mutations of its form and substance that coincide with gestations.

One might well, from inspection of such a specimen, deem that the vital *status* of the corpus mucosum must be dangerously exalted. It exhibits many tubercular elevations, which, however, are soft and velvety to the touch. There was no ulceration; on the contrary, the entire surface was covered with its paved epithelium, which was so delicate, however, as easily to be broken by a sponge, or by imprudent, awkward manipulation with the tube. Madame Boivin seems to have conceived the idea that a tuberculated surface like this may possibly be the expression of a commencing stage of cauliflower degeneration, and the thought is worthy of attention.

The patient from whom this drawing was taken, was rapidly cured, the irregularities of the surface subsiding to the ordinary smooth level, and all the excess of magnitude, sensibility, and color of the parts being taken away, chiefly by contacts of the nitrate crayon—in which surely resides a true antiphlogistic therapeutical

force, as we shall hereafter endeavor to show and explain at greater length.

Out of a considerable number of drawings, faithfully representing this appearance of disease in the subject, I have selected these two as sufficient to explain or illustrate those physical lesions the practitioner may expect to meet with; not wishing to load this essay with a useless array of specimens. I shall, however, add one more of this class (Plate 7), taken from nature, in a patient who had, for a long time, and in vain, been subjected to treatment by nitrate of silver cauterizations. It also presented the appearance, like that shown in Plate 5, of a collection of albuminous mucus in the orifice. As here, so it often happens to observe this mucus-production to be greatly augmented; whereas, in other samples closely resembling it in certain patients, this peculiar sign is either not seen at all, or in indifferent quantity.

It may well be supposed that variable degrees of vital excitement in the muciparous apparatus, might, for one individual, or now, cause excessive production, while at another time, or in another case, it should give rise to no excess in the albuminous production, and thus we may justly infer that this albuminous discharge is not invariably present as a pathognomonic characteristic; but on the contrary, the inflammation is the thing to be considered, treated, and cured, if we would really restore the patient's health. When the albuminous discharge is seen, it is, however, always pathognomonic of the cervical inflammation.

The Author respectfully submits, that these illustrations are sufficient to confirm his assertion, precedently made, that diagnostication by M. Récamier's method is indispensable for the correct information of the medical attendant. Not only do they show how concise and absolute such a diagnosis may be; but they must convince that diagnosis, by touching alone, could not convey to the mind so precise a notion of the surgical and medical wants of the sufferer; while they, farther, manifest the facility, convenience, and exactitude, with which surgical dressings and other treatment may be made by the metroscopic method.

Whosoever should examine these illustrations might be expected confidently to infer that so considerable an inflammation as either of them represents, would be likely not only to give rise to the constitutional disorders attendant upon many examples of leucorrhœa; but he would also understand why, along with the albuminous fluor, there might arise an excessive vaginal secretion, which, nevertheless, would be but one of the accidents of the principal case.

Daily experience convinces that multitudes of sick women are treated by professional and other persons, for affections like those here portrayed (without the least inkling of the truth), with vaginal injections of various astringent and other solutions and infusions, which rarely produce any good effect upon the health; though they serve, in many, to add to the mischief.

It would certainly be a considerable step in the progress of clinical medicine, were it possible to clear up

these obscurities and banish from the art the mere senilities which so much discredit it; but this can only be done by means of perfect diagnostications.

I beg to repeat that physicians, in order that they may make proper ministrations, require—not belief, but knowledge of their cases. Where perfect knowledge of the case can be obtained, there will be the most perfect administration; there will be, at least, the meliorations; and, in so far as remedies can succeed, there will be the most successful results or cures.

A medical man, ordering injections for such disorders as are here described, will assuredly be baffled, since no such injections can be supposed to pass beyond the limits of the vagina itself. They cannot penetrate into the canal of the cervix. They bedew only the mammillary part of the uterus, while they bathe the entire of the vaginal walls. It is the custom of many practitioners, to order vaginal injections, composed of solutions of argent. nitrat. of various strength. Few of them, we are persuaded, can say they have found much advantage to the patients from this operation. If the Author is to be justified in asserting that the major part of these cases consist, essentially, in disease of the cervix itself, and not of the vagina, which is only secondarily or symptomatically involved in the disorder—then such a practice is either useless or pernicious. If such a solution is strong enough, it is too strong; and if it be too dilute, it is indifferent in the treatment, or merely nugatory.

The patient requires a remedy for the raspberry-

colored inflammation of the neck—one fitted to bring to its close a train of perverted and exalted vital force of an organ, whose disturbance proves to be one of the most considerable disturbers of the constitutional health. The cure of the real disease, the radiating point of disturbance, cures the leucorrhœa, as well as all the balance of the perversions.

But, it is proper for us to exhibit other appearances assumed by the inflamed cervix uteri, lest a false direction be given to opinions upon such special cases as may come up in one's practice. We have already exhibited several modifications of the cervical surfaces observed in different specimens, and we here call attention to one represented in the annexed figure (Plate 8, Fig. 1), one that is not quite so common as the *inflammation framboisée*, yet so common as to be often met with in practice.

The appearances here exhibited (Plate 8, Fig. 1) were those observed in the case of a lady from a distant city, who was addressed for treatment, to the writer, by a distinguished member of the profession. She had been for a considerable time under his own medical care, after having undergone a great variety of surgical and medical treatment by others, but without any useful effect.

She complained of pain in the interior of the pelvis; and of disordered menstruation, which was both menorrhagic and painful, as well as irregular in its returns. She had dysuria; pain in the middle of the sacrum, and tenesmus: she was excessively hydræmical and de-

sponding, and had capricious appetite; while acidity and torpid bowels accompanied the affections above enumerated, and, to crown all the rest, she was frequently attacked with what might be called crispations, or rather spasms and convulsions, simulating closely certain epileptic forms. The nervous system was in a state of such sur-excitement, that a word, a look, an emotion, or any motion of the limbs, often served to render her quite insensible from an attack resembling a slight form of puerperal eclampsia.

She had borne three children, of whom she had, within a year, lost two by scarlet fever; and that event, by the moral shock it occasioned, had greatly aggravated all her pre-existing complaints.

The womb was retroverted; the fundus resting in the Douglass cul-de-sac, while the os was near to the symphysis pubis.

Upon exposing the surgical neck to a beam of daylight, by means of the Récamier tube, the os proved to be inflamed, with the margin of the anterior lip tinted red, just as is here shown; while the lower lip was covered by a disk of inflamed corpus mucosum, of a square shape; the whole of this square patch was evidently a raised surface. One might almost venture to call it a *molluscum* on the cervix. It is frequently met with in clinical practice in sexual disorders; and we think always exhibits this peculiar character. Its frequency in practice, we repeat, is considerable.

In reasoning upon such a case, it would seem superfluous to look beyond facts, like these as here stated,

for a rationale of the constitutional and local phenomena. The healthiest young married woman is liable, almost immediately after conception, to be affected by those disturbing radiations of the uterine or hysteric force that are developed by the new vital states of pregnancy, and she may soon be seized with distressing nausea, or frequent vomiting, or profuse salivation; with anorexia, hydræmia, hysterical passion, and a thousand perversions both of the reason and the senses, as well as of the organic functions.

If the hysteric malady, with its incoherent train of vital manifestations, may arise out of a bias of reproductive irritation, even less considerable than that of an incipient gestation; we really are not called upon to look farther for causes of the constitutional symptoms of our case than to those morbid states of the womb that are here set forth in the figure 9.

As to the treatment, the fundus uteri was lifted up out of its false position, the cervix was thrust back to its place near the sacrum (see the ideal standard, Plate 3), and retained in it by means of an annular pessary, whose sacral segment rested in the posterior vaginal cul-de-sac, and its pubal segment against the pubis. Nothing could now retrovert it again.

To take the womb thus out of its dislocated position would, alone, go far towards insuring its recovery; and it will be presently contended that many of the uterine diseases, even great hypertrophies, require no farther treatment; but being thus delivered over again under dominion of their natural or generical laws, they hasten

to recover their true generic substance and form, by involution, as after parturition. In this instance, however, the disk of inflamed tissue was treated by antiphlogistic contacts of argent. nitrat., by which it was cured; and thus provision was made for the early removal of a cause of the constitutional disorders, additional to the displacement cause.

Having repeatedly spoken of contacts of the nitrate of silver as antiphlogistic contacts, it seems proper now to explain my meaning in the use of that phraseology.

It is undeniable that a pencil of nitrate of silver applied to a soft, moist, living tissue, and held long in contact with it, will disorganize the tissue, and so prove to be a destructive contact. It is equally undeniable that a contact may be effected with such rapidity and lightness as to prove ineffective or indifferent, while there is another mode or force which does resolve inflammation with great certainty; and this is the antiphlogistic contact above spoken of. We therefore feel warranted to speak of such use of the nitrate of silver as being either DESTRUCTIVE, OR INDIFFERENT, OR ANTIPHLOGISTIC contacts; and experience confirms the propriety of the classification; for, we meet with numerous examples of treatment that conclusively prove it is not the mere treatment by escharotics that is successful, but the use of them in such a way as to provide for their due operation as antiphlogistics and not as destructives; for as any ulceration of the mouth of the womb is a thing of very rare occurrence, we do not require, in the case, the use of destructive contacts of the salt of silver

or other escharotic, but only their curative or antiphlogistic power—a power which is perhaps really due to their contro-stimulant faculty. Certain women, who are in vain treated for these cervix-inflammations, for months in succession, by contacts of nitrate of silver, recover their health very speedily upon a few such antiphlogistic or contro-stimulant touches, lightly made—that is, made with due regard to the resolvent or antiphlogistic power of the drug. It is not enough, therefore, in studying this subject, for the practitioner to resolve upon the treatment by a method of escharotics or cauterizations, as it is erroneously expressed. Far from it—what he requires is, to create for himself an IDEAL of his operation, so that, when about to perform it, he may predetermine what it is he hath to do, and whether the contact he is going to make shall be a destructive or an antiphlogistic one. It might equally well be called a resolvent one. He who fails to set up before him this IDEAL of his duty and purpose, will be apt to fail in the cure; or his cure will be a chance-medley and not the product of a rightly reasoned purpose and conformable act.

This absence of precision in the design and act frequently occasions the greatest and most dangerous aggravations, and the most poignant sufferings—which, in our estimation, is wicked and abominable. They are disgraceful to the Art and the artist at once.

Believing these remarks to be both just and clinically important, it is desirable they should arrest the attention of every practitioner in this line.

After the foregoing observations, we will now aver that, by means of antiphlogistic contacts of the nitrate crayon, it is possible to cure, and that speedily, most of the inflammations, and their accidents met with in this humble department of clinical medicine or surgery; for it is to be remembered that few of them are attended with any, the least degree of ulceration, as we have before asserted.

It is a common opinion, and it is generally agreed to say so, that these are ulcers on the womb; and there are people who seem never to fail to discover an ulcer upon making an examination with the speculum matricis. An immense experience in a populous metropolis—an experience greatly increased by the resort of numerous invalids from the country, and from the different United States—enables me with confidence to declare, that an ulceration of the womb is among the rarest of disorders. I repeat the expression of my opinion, that these disorders and *framboisée* inflammations and hypertrophies of the cervix, have been misinterpreted and accounted as ulcerations, which they were not, the superficies being covered with a delicate epithelium, yet so very delicate as readily to give way and suffer abrasion under improvident, unskilful manipulation with the tube or the sponge.

A proper antiphlogistic and resolvent contact of the crayon ought not to destroy even this delicate epithelium; but rather to make it more firm and dense, and so planish, as it were, the unevenness down to the normal surface level. In this way, we may compel the

drusy or tubercular eminences to sink down again to their place, and, by solidifying the epithelium, give a firm physical delimitary support to the before debilitated capillaries that rose up in the form of a soft molluscum.

My patient was thus treated. She was also advised to take abundantly a nutritious diet, with a copious allowance of Bordeaux wine and water; to swallow, soon after each daily meal, two grains of iron revived by hydrogen, and made into a pill with clarified honey; to get into the open air, on foot, as much and as long as possible, and, being a person inclined to follow the instructions, she soon recovered a good state of health.

As incidental to this part of our explanations, it may be proper to remark, that the state of the canal of the cervix so often referred to, is, in all probability, one of the ordinary causes of sterility. In examining these structures after death, we have observed the whole cylinder of the canal of the cervix to be filled or tamponed, so to speak, with a plug of viscid lymph, so obstructing the passage as to render it apparently impossible that any spermzoon could obtain access to the uterine cavity. Certain it is, that some sterile women are always affected with this excessive albuminous mucous production. We have met with instances of unrelieved sterility in women enjoying the most robust health, with the sole exception of this vexation, which never gave any pain, nor modified the mensual phenomena in the least. Many women, who had temporarily suspended the usual succession of their gestations, apparently in consequence of this derangement of

the health, have again conceived after the cure of the albuminous leucorrhœa; or rather, the inflammation of which it was the sign and consequence.

Surprise has often been expressed on observing that married women, after years of sterile cohabitation, have suddenly become fruitful. In these instances, the want of fruitfulness could not depend on failure of the ovulations; may it not be that the spontaneous cure of a protracted and subacute inflammation of the kind herein treated of may have restored the health, and so given power to take away the woman's reproach?

Continuing the plan adopted in this essay, we now observe that other forms of cervical inflammation, than those already described, will present themselves to the observation of the clinical practitioner; and we submit the accompanying drawing, taken from the life, in a case which proved unexpectedly rebellious to treatment, though it was subdued at last.

This person, a lady of small stature and delicately formed, of a sanguine choleric temperament, had given birth in rather too rapid succession to six living children, and experienced, in the third lying-in, a very dangerous attack of childbed fever; and, a few years later, subsequently to the birth of her sixth child, suffered from a severe crural phlebitis, or milk-leg. The health had been less firm than usual after her recovery from the phlebitis, although she was not afterwards, on account of her valetudinary state, confined to the house.

After, for a long time, patiently enduring severe pains, referred, in chief, to points in the neighborhood

of Poupart's ligament of the left side, with distressing sensations in the range of the external obturator nerve, bearing-down feeling, backache, debility, loss of appetite, irregular action of the bowels, and dysmenorrhœal symptoms, she asked for advice. There was considerable fluor albus, no positive dysury, nor other sign of uterine deviation or displacement. Exercise on foot invariably increased the pain, and the jarring of carriage-springs was highly annoying. She looked dispirited and wan.

Touching the chiralurgical neck, it was found to be excessively solid, with the posterior lip not a little longer than its fellow. The touch gave, from the resistance, the idea of scirrhus induration; and was so painful, even on slight pressure, as to be very unwillingly borne, and then, not without some exclamations. The left angle of the os was sulcated—as if it had recovered imperfectly of some foregoing laceration in labor. Pain excited by this pressure was felt not only at the point of contact, but severely in the left groin and inner side of the thigh.

The lady submitted, under advice, to an examination by the metroscope, and it disclosed the form, size, and hue, portrayed in the figure (Plate 8, Fig. 2). A long familiarity with maladies of this class, did not prevent the writer from having repeated misgivings as to the result of this attack; which again and again seemed to take upon it so many threatening characteristics of carcinoma, and resisted so obstinately the most careful, reasoned, and persevering treatment, that, even now,

he is led to doubt if the case was not strongly tinged with the malignant nature in question.

It was treated with antiphlogistic contacts of the nitrate crayon, with emollient injections of flaxseed mucilage, with anodyne enemata, containing, each, forty drops of tinct. opii, at bedtime, with repeated application of Swedish leeches to the cervix; with a regulated diet, occasional baths, a soluble state of the bowels; much rest on the sofa, and the use of hydriodate of potassa, combined with comp. syr. sarsa.

Of several hundred cases of inflamed cervix (at various times, for many years) under treatment, this appeared to be the most irresolvable. Yet it began at last to give way, and slowly yielded—so completely, that the patient was advised to take a course of the waters at Saratoga; from whence she returned in good health, after an absence of a few weeks. Since that time she has passed through a healthy gestation, and has given birth to a robust infant with the easiest of all her labors. During the dilating processes of the labor, the whole cervix was found remarkably healthful. The recovery was fortunate; and she has very good reason to rejoice that M. Récamier has taught the profession not only how to make a physical diagnosis, but also how to treat these dreadful cases. We repeat here, that an inspection of our drawing will communicate an idea of the physical appearances, wellnigh as correct as the direct observation of the inflamed cervix itself. It cannot well be believed that such a form of inflammation as this could be made amenable to a treatment by

mere vaginal injection, by alterative doses of mass. hydrarg., by preparations of iodine or tartar of antimony, or any other merely constitutional medication. It is true that, in some instances, the topical applications may have been either indifferent, or positively injurious; and it must ever happen, that even where one forms in his mind a correct ideal of the therapeutical purpose and act, he may err in the realization of it. It can only be said, that the treatment rarely gave rise to other pain than what was caused, sometimes, by pressure of the instrument. But every sensible pressure with the index finger gave as much. Be this as it may, the ultimate final resolution of a detestable inflamed induration of the cervix, and her complete recovery, furnish proof, that the method (if not a safe, or desirable one) is, at least, in some very unpromising instances, crowned with the happiest success.

The author having already set forth, in a preceding part of this paper, his views in relation to hypertrophied states of the womb, and the constitutional proneness of that organ to undergo hypertrophic development, he will now beg to call attention to some of the consequences of uterine irritation, that differ, at least in form, from those already adverted to and illustrated.

Women, who complain of intrapelvic pain, and other disorders of the lower part of the body, are inclined, in general, to account for these incommodities by referring them to, what they call, womb-complaints. This term is so vague and imprecise, that the pronouncing of

it rarely excites any clear precise idea. Among these cases of womb-complaints, probably none are so common as those which depend upon retroversion of the womb. So frequently does this affection occur in the course of one's medical practice, that one almost acquires a disposition, in every case, before examination, to suspect it has some dependency upon *retroversio uteri*. The author has long been fully convinced that retroversion of the womb constitutes seventy-five per cent. of all cases of sexual disorders, that are of a gravity sufficient to require appeal to medical advice. This may, at first, appear to be an exaggerated estimate; but it will probably be found sustained by statistical experience.

An inspection of Plate 3 shows how it must happen, that alternating states of fulness or voidness of the urinary bladder must interest the uterus, as to its place. An overfilled bladder of urine, by thrusting the fundus backwards towards the sacrum, puts violently on the stretch the ligamenta rotunda; and, as the uterus is, to a certain extent, rigid and inflexible, it follows, that if the fundus is thrust back so as to stretch the round ligaments, the cervix must come forward, straining at the same time the utero-sacral folds—for the womb moves by the way of see-saw—in being retroverted.

A great many women and young girls suffer themselves to acquire the bad habit of retaining the urine until a large quantity is accumulated within the bladder. Thirty ounces of liquid, in the urinary bladder, make a mass as big as a quart measure, and it cannot but thrust the uterus injuriously backwards, causing the

neck to see-saw at the same time forward, and approach the pubis.


A long habit of this kind comes at last to ruin the uterine ligaments; so that the fundus, being wholly overset backwards, sinks down into the Douglass cul-de-sac, while the os takes a permanent place near the symphysis pubis; and this is retroversion. It is even sometimes a congenital malposition, as shown by Morgagni and others.

But, let it be remembered that the womb is constitutionally prone to set off on a race of hypertrophic development, and we may then understand how it shall be readily provoked to commence a process of hypertrophization, by the awkward, unnatural, and irritating posture it acquires in retroversion.

We have met with some of these cases in which the womb grew so much that the fundus was jammed against the hollow of the sacrum, and the os against the symphysis, or on the soft parts above it, compressing the bladder most mischievously, but not at all bending the womb itself.

In other specimens, we find the uterus bent like a retort, as in the outline figure annexed. The angula-

Fig. 1.



tion, in some of the examples, is almost acute; so that the caliber of the canal of the neck is seriously diminished, and its function as an efferent duct for the menstrua, in a measure hindered; whence we have distressing dysmenorrhœa.

Medical men, called upon to diagnosticate in such cases, should be very careful, first to establish in their minds the ideal or standard, by which to compare; otherwise they will be apt, upon finding the whole pelvis occupied, or blocked up with an immense and immovable solid mass, to conceive of it as a tumor; whereas it may prove in fact to be no tumor, but only an overset and enormously hypertrophied uterus.

We have met with repeated examples of such misinterpretation of the case, women being supposed to labor under tumors within the pelvis, whereas the supposed tumors were nothing more than the posterior aspect of the corpus and fundus uteri, turned over and touched through the posterior membranous wall of the vagina; and wholly disappearing as soon as the womb could be properly repositèd.

A young lady was brought to the Author from a distant State, being accompanied by her attending physician. In this case, a drawing was made, after the most careful examination, of which we subjoin a copy—Plate 9.

The figure is one-fourth less than the natural size, and is made to exhibit a cross section of the pelvis conducted through the pubis and sacrum, with the fifth lumbar vertebra. In making this exploration, it was

easy to verify the diagnostic by hypogastric palpation, and by examination conducted both by the rectum and the vagina. The cervix was bent, as in the figure, and the body of the uterus enlarged and turned over deep into the recto-vaginal cul-de-sac. The entire mass was so packed and immovably fixed in the excavation as to make it impossible for one to raise it by any degree of upward pressure with the fingers, and the canal was too much curved to admit of correcting the deviation by using Professor Simpson's sound. In general respects, the patient's health, being not very greatly affected, she was advised to return to her home and undergo attempts to reposit the organ by the use of caoutchouc bottles filled with curled hair, a method proposed by M. Hervez de Chegoin. The result has not been communicated to us, farther than to inform us that the lady's health is improved.

We have stated this case, because the diagram was made after due reflection, at the time of our consultation, and because we rely upon its accuracy as a representation of not infrequent cases of disorders of the cervical portion of the uterus. Certainly, we have met with a considerable number of analogous forms of disordered womb for many years past.

To reposit the uterus, and maintain it so, would appear to be the chief indication in such a case; since that alone would be to place it in a condition to obey again its normal or generical law of form and substance. We repeat that a considerable number of instances, in which the womb was greatly augmented in every di-

mension, in consequence of the irritation superinduced by retroversion, have been treated with the happiest success, on this principle, by the author of this essay.

To show how great is the change wrought in the hypertrophied uterus by such reposition, we annex two figures (Plate 10, Figs. 1 and 2).

These drawings represent one and the same uterus, Fig. 1 being a view of it when the hypertrophy was at the highest stage; and Fig. 2, when it had entirely disappeared.

The patient was a woman 39 or 40 years of age; her children were all grown up, except the youngest, a daughter, some 13 or 14 years old.

When first called to the case, the belly was tumid, and to a considerable degree tense and sonorous on percussion, but, with the integuments, so strictly drawn over the abdominal contents as to prevent any satisfactory conclusion concerning the state and nature of the substance giving rise to the so great distension.

There were dysury and pelvic fulness, with tenesmus; the menstrua absent, causing some suspicion, on her part, of existing gestation.

Touching disclosed a retroversion. The pelvic cavity was so full as to seem packed. The os uteri was higher than the top of the symphysis pubis, and permanently there. The substance of the womb could be traced down and backwards to the hollow of the sacrum.

This womb was repositied, completely, and with considerable relief. Subsequently, after severe catharsis, it became possible to trace its outline in the belly, and

Professor Simpson's womb-sound was used, in order to clear up the diagnosis. I next very slowly and cautiously passed the sound into the os uteri, and it advanced without giving pain or encountering any obstruction, until the probe-point of it was arrested by coming in contact with the vault of the fundus. The sound had gone six and a half inches into the cavity, which proves that the Fig. 1, Plate 10, is correct as to its length. I am answerable that the volume of the surgical neck and the orifice are also rightly illustrated, while the transverse diameter is as near the truth as I could make it by the most careful measurement, spanning it with the thumb and fingers through the abdominal walls, relaxed after the cathartic operations.

The rectification of the position did not, however, save the life of the unfortunate patient, who proved to be also affected with a colloid degeneration of the ovary. This, which became an enormous mass of disease, spread its ravages far and wide within the peritoneal cavity, and she died at the end of six months from the time here referred to, after repeated paracentesis abdominis. Upon making a *post-mortem* examination, the uterus was found to be of the size and form represented upon the Fig. 2, Plate 10.

The case appears to us to present points of great interest, since it shows that a vast increase of the volume of the womb, unconnected with conception and gestation, is no more inconsistent with recovery of the non-gravid form and size, than a similar recovery after healthy pregnancy. The measurement, made with

Simpson's sound, and the opportunity to determine the appearances of the organ, after the death of the lady from colloid cancer, rendered it an extremely favorable example for illustrating the views set forth in this report on the subject of uterine hypertrophy. It ought not to be forgotten that this womb admitted of the introduction of six and a half inches of Simpson's womb-sound soon after it was relieved of its retroversion, and that the lady perished, some six months later, with degeneration of the ovary and other parts. If, therefore, the hypertrophy of the womb had had any dependency upon the ovarian disease, we should not expect to find it reduced back to its normal size; whence we infer that, to relieve it from its dislocated position, was the very thing necessary for its cure.

Since writing the above, we have concluded to present a drawing (Plate 13, Fig. 1), exhibiting the appearance of a case of hypertrophy of the cervix uteri, which came under care of the author. It was the case of a maiden lady of some 35 years of age. It is believed that this picture may serve to communicate a correct notion of the physical characteristics of the surgical neck in the instance referred to. This patient recovered under resolvent contacts of the nitrate crayon, and the exhibition of internal remedies of an alterative kind. Probably such considerable augmentation as this of the cylindrical portion of the womb, yet not involving a state of general hypertrophy of the organ, will not be very often met with in practice. Still, cases of the kind are of sufficient frequency to give interest to the description of

such a great change in the volume of the neck of the womb. In this instance, and in others much resembling it, we have not been accustomed to detect signs of positive inflammation in the part. Nevertheless, it would be reasonable, from the resolving or deobstruent power of the nitrate contacts in positively inflamed cervix, to infer a similar availability in mere hypertrophic irritation; and practical experience justifies such an inference.

Another drawing (Plate 11), herewith presented, shows the appearance of a cervix and os examined by the writer. The patient was a resident of a neighboring State, who, some months previous to her visit to Philadelphia, was visited, at her residence, in consultation. The womb, at that time, was completely retroverted, and so much enlarged as to fill the excavation, pretty much as it is filled by the presenting part in a labor. It was, at the time, immovable by the hand, but was afterwards slowly raised by means of the caoutchouc bags or pessaries of Hervez: vid. *Trans. Acad. Roy. de Méd.*, tom. ii. p. 319. She was considered to be dangerously ill; but began to recover when the womb was replaced and relieved. After acquiring a tolerable degree of health and strength, she proceeded to Philadelphia, complaining of bearing-down pains and intropelvic distress, with catamenial disorder, attributable to the remaining and uncured disorders of the uterus.

The metroscope showed the os tinæ and cervix as they seem in the figure, in which we have represented the

organ foreshortened. The unhealthy state of the cervix was attested, not only by its augmented size, the tubercular elevations of the margins of the orifice, and the red inflammation, but also by the viscid albuminous discharges from the canal of the neck.

The treatment consisted, mainly, in the use of anti-phlogistic impressions made by the nitrate of silver pencil. The inflammation of the mucous body being cured, the disordered womb returned to its accustomed obedience to its generical law of form and substance, and recovered its normal magnitude.

An inspection of this specimen of disorder, remaining after a very great hypertrophy had been reduced, strengthens the inference hereinbefore expressed, that the precise appearances manifested by the os and cervix, in inflammation, are accidental—being either drusy, tuberculated, or smooth and even in surface; and now we present a case of hypertrophy, of which Plate 12 is a just and fair exponent of the appearance, as it was examined by us, both by touching and by the Récamier speculum, as well as by M. Joubert de Lamballe's ivory metroscope.

The os uteri was of this size, and the cervix could not be embraced within the aperture of the Joubert instrument. The neck of the womb, as far as it could be explored by thrusting the fingers upwards all around the neck, in the vaginal cul-de-sac, was of this shape, and flaring out at this rate. The fundus, which was readily detected in the hypogaster, was as high and as ample as is here seen.

The tint of the inflammation of the os tinæ is carefully reproduced in the drawing.

The patient had been in apparent danger of imminent death a few weeks before this sketch was taken, and from causes connected with this uterine disease. She is the mother of a numerous family.

Some leechings of the chiralurgical neck, and repeated applications of nitrate of silver to it, served to cure the cervical inflammation, and the womb returned to the size shown in Plate 13, Fig. 2. The patient was soon restored to health, after several years of the greatest inconvenience and many most painful and alarming attacks endured before this treatment began.

No man, much experienced in the treatment of uterine hypertrophies, can have failed to meet with persons in whom, to examine by touching, was to find the pelvis filled up solid, so to speak, with the os uteri close to the pubis. We have met with not a few such instances; and it has happened more than once, that we have been so much disheartened upon a first examination, as to be prompted to make a diagnosis of incurable disease.

In one case, a lady from the distant South, and in the most wretched health, had the excavation so filled up with a hypertrophied and solidified mass, that there was scarcely space sufficient to allow an introduction of the index finger betwixt this mass and the floor of the pelvis upon which it rested. The neck and os were near the symphysis. It was a case of complete immobility of the uterus, which seemed as big as a foetal head in a labor at term. By means of a Para gum-elastic bottle,

a very small one, stuffed with mattress-hair, we made an oviform pessary, a little bigger than the thumb. This was forced into the vagina, and retained by an outer compress. In a few days, one somewhat larger was substituted. The elasticity or spring of the caoutchouc bottle steadily pressed the mass upwards, and the size of the balls being occasionally increased, we had the satisfaction to find, after no very protracted service, that the intropelvic tissues had acquired a natural character, and the lady returned to her country in very good health, which she still enjoys.

We might relate a great number of cases to show that upon removing the causes of augmented volume of the womb, it falls speedily into its generical habits of nutrition, but we abstain, considering that the declaration of this doctrine, indeed, with a few illustrations and explanations, ought to suffice to present the matter clearly to the apprehensions of any of our intelligent colleagues.

It is, by many, very confidently supposed that the use of escharotics in these cervical inflammations will speedily suffice to restore the health of the patient; and those who are most accustomed to use them, are, perhaps, more thoroughly convinced, than any other persons, of their great efficacy. It will not, however, always answer to make the application to the mammillary part of the cervix alone, because the inflammation is, in some of the examples, found to attack, with greater or less severity, the corpus mucosum and the mucous follicles of the *canalis cervicis*. Here it is proper to apply the nitrate by means of Lallemand's port-caustic,

or by means of a fitch pencil, which is composed of hairs so rigid that one can readily pass it, loaded with a solution, some distance up the canal. It would be dangerous to inject such solution with a syringe whose canula should be introduced within the os. But after all, we must meet with cases, at first to all appearance tractable, that will, in the end, be found to foil our most patient and well-reasoned efforts to cure them.

One makes up a diagnosis upon the means or elements of a diagnosis—there is no other way. One cannot, therefore, positively declare what is the state of the tissues that compose the walls of the canal of the neck, and it may, and does happen that those tissues undergo changes which render a cure by the means herein treated of out of the question. All the parts that come into view might be apparently little changed, while other parts beyond the reach of sight and touch should be in a very different condition. Here is a drawing taken from a specimen in the author's collection, that illustrates this point. (Plate 14.)

This figure answers correctly, as to its scale, to the preparation from which it was drawn; and shows how considerably the womb was enlarged at the time of the woman's death; upon looking at the specimen, after closing the incision, we might be easily misled, so far as to think such a case would, in life, be readily amenable to treatment like Fig. 12; but on cutting it open by an incision from the fundus down to the cavity and canal, and to the os, it is seen that the interior is irremediably diseased, the substance of the walls being converted into

a sort of pennicillated structure, of which the ends of the pencils exhibit small tubercular elevations all along the inner wall.

A casual examination by touching, or even a careful metroscopy could not be expected to clear up such a diagnosis as this one; and all attempts to restore a healthful crasis and form to such degenerated tissues, by leeches, by escharotics, either on the outside of the neck or within the canal, must have failed. We know nothing farther of this case—it having come into our possession by the politeness of a stranger. Nevertheless, it is a specimen most useful in the study and minute research so desirable, as to these recondite sexual maladies. We have recently witnessed the death of a fine woman, who perished under this precise form of disorder immensely aggravated.

Changes taking place in parts of the texture of the inner wall of the cervix must be as various as accident could make them. Such a pennicillated degeneration as the above, being one form, it is not difficult to conceive of other modifications as producing either fibrous or cellular polypus, or the more unmanageable forms of Hæmatomatous degeneration, of which we have met with not a few examples in our practice, and we shall now introduce into our Essay the figure (Plate 15) representing a case which was for a considerable length of time under treatment without any useful influence being produced therefrom.

The womb was carefully examined, with a view to determine its dimensions and probable weight. It was

not more than four inches in its longest diameter. The os was of an oval shape, and the edges or lip was much condensed—to such a degree, indeed, as to communicate, by touching, the idea of scirrhus induration. Projecting very little beyond the plane of the orifice was a hæmatomatous mass, that evidently sprung from the right side of the wall of the canalis cervicis by a broad origin. This bleeding tumor is well represented in the drawing, in which the surgical neck, foreshortened, is seen to look like a bourelet or ring projecting in the vagina, which is opened.

The hemorrhages, here, were on some occasions very threatening. There was little encouragement to be taken from the suggestion to remove the fungus by strangulation—a step forbidden, also, by the delicate state of the woman's general health.

Without indulging idle hopes of effecting a cure, and with clear understanding that no promises to that effect were given, or any flattering hopes held out, the case was conducted for a few months under very unfavorable circumstances, by means of nitrate cauterizations, destructive as to the hæmatome, but antiphlogistic as to the cervical ring. They, perhaps, cannot be said to have done any good; unless, indeed, we might attribute to them the diminished frequency and force of the hemorrhages, and, perhaps, also some positive reduction of the fungus itself.

Circumstances rendered it inexpedient to continue these attempts at amelioration, which were unattended with pain or any other sanitary inconvenience. The

treatment was repeated about once in every seven days, from the date in May, 1852, until the close of autumn. Certainly no aggravation was noticeable up to the final period of these attempts; and the patient went away supposing herself to be somewhat improved in general health. She is since dead.

As a general conclusion, a physician might venture, in such cases, to pronounce them incurable.

Women often complain of irregular menstrual returns, saying, that while the legitimate periods are duly and healthfully observed, they are, in addition, vexed with an occasional show after any considerable exertion. Women are apt to regard every sanguineous discharge from the genitalia as menstrual discharge.

All those who recognize the truth that menstruation is one of the phenomena of ovulation, will at once suspect that such irregular *markings* must arise from some cause other than the physiological hyperæmia of the ovulative act. And, in fact, it is mostly found, upon due inquiry, that the patient has the raspberry-colored inflammation of the cervix, already described; or she has certain small *vivaces*, or bunches of red cellular and capillary tissue, which are either found peeping out at the plane level of a somewhat patulous os tinæ, or jutting quite forth out of and beyond it, and attached by a delicate peduncle or footstalk.

No one could expect to cure such a disorder as this by any sort of constitutional therapy, or by any vaginal injections; and it is not safe to leave them to their own tendencies, which would perhaps convert them into very

troublesome bleeding polypi—many of which are to be met with in a long professional course of observation. A specimen of this kind is seen in the annexed figure (Plate 16, Fig. 1). It represents the os uteri of a lady, who, without having much real indisposition, was nevertheless excessively annoyed by circumstances like those we have now detailed; and who indulged apprehensions of some disastrous term to them. Examine the drawing: it so very accurately exhibits the appearance both of the neck of the womb, and the little tumor or excrescence, that it scarcely requires description. Nevertheless, it is proper to call attention to the hyperæmia, or inflammatory turgescence of the os tinæ, and to suggest the notion that this redness and appearance of phlogosis probably extended some distance upwards within the *canalis cervicis*, thus maintaining a molimen hemorrhagicum, which, upon the slightest provocation, might cause a moderate gush, or marking of blood to appear, as particularly after a sexual union.

In a great many cases like this, it is customary with the author carefully to seize the excrescence, or nascent polypus, with the dressing forceps, and so twist it off at the base, if practicable, and, immediately afterwards, to apply the nitrate pencil strongly to that base, or, on some occasions, to use a camel-hair brush dipped in acid nitrate of mercury, which answers well and is followed by no inconvenience, particularly if a small velvet sponge, thoroughly imbibed with soap-suds, is immediately afterwards pressed against the surfaces. The soap

decomposes the excess of acid, and prevents the spreading of the escharotic beyond the place of contact.

One need not expect that the avulsion of these little polypi shall certainly effect the cure—for they are very likely to be reproduced; probably, because only the most outward parts have been removed. When properly removed, even down to the very source, it is unlikely to reappear; but a second and a third attempt should be made, if necessary. The case above illustrated was cured in 1851, and to all appearance remained so—the lady having no annoyance of the kind until, in the winter of 1852–3, she began again to perceive signs of its return, and now she has an excrescence like the one in the drawing, at the left angle of the os.

We have other drawings, exhibiting cases in which many such little excrescences were observed to jut forth of the opened os, looking not unlike so many very ripe red currants. We have treated them as above proposed, and with satisfactory results. It seems needless to introduce many of them here. Nevertheless, we have introduced the figure (Plate 17), showing the appearance of the excrescence protruding like ripe currants from the *os tincae*, as mentioned on the opposite page. In this case, under treatment in the spring of 1853, there was hypertrophy of the womb to such degree, as to allow the fundus to be felt quite two and a half inches higher than the plane of the superior strait.

In continuation of these clinical details, we now remark, that the lady from whom the drawing (Plate 16, Fig. 2) was taken, complained of menorrhagia gradually

increasing in violence, and settling at length into an incessant drainage, under which she became excessively weakened and pallid. She had borne no child for some sixteen years, and, like a majority of women similarly affected, was confident that her trouble arose from what they call change of life. She refused, during some eighteen months, to submit to a physical diagnosis, and became at length, so dreadfully affected with hydræmia, that her life seemed to be in great danger. She was repeatedly informed that the word change of life, as used in general, conveys no distinct idea, and that her issue of blood must arise from some organic fault.

At length the blood, from continual waste of the solid constituents of it, became so dilute, so hydræmic, that she could not walk across the carpet without bringing on palpitation, nor ascend the stairs but with caution, and always with much difficulty. Seeing that she had no other hope of amendment, she submitted to an examination, whereupon the small pedunculated vascular excrescence, or polypus, was discovered, as shown in Plate 16, Fig. 2. It was immediately twisted off. The hemorrhages never returned afterwards, and she has had good health these now many years.

This example and statement suffice to fulfil our purpose in this relation, which is the reason why we detail no other similar instances—which we could do, drawing on the stores of our personal experience in practice.

It is of the utmost importance in the practice of physic and surgery, to make absolutely correct diagnostics, since all our prognosis, as well as treatment,

which is contained within the diagnosis, depends upon being right in the beginning.

This opinion will be admitted to be just by all those who belong not to the empirical schools of our art, but, on the contrary, adhere to the rationalists in Medicine.

There is a great liability, even among the most experienced men, to be led into ludicrous or even fatal mistakes in the diagnostication of the so-called diseases of the cervix.

A lady came to Philadelphia complaining of uterine disease, that had baffled her physicians at home, and applied for advice to an expert. Upon some consideration, the author was invited to attend in consultation, and dissented from the opinion that was entertained by the attendant.

Patient had been affected with some form of violent intro-pelvic inflammation, which, we believe, had been regarded as metritis, by a misapprehension of its seat. After protracted and great suffering, and after several operations with the knife—the precise nature of which we do not know—she was observed to have the vagina so much diminished in length, that her relations of a marital nature became impossible. She came to Philadelphia, as before mentioned. The canal of the vagina was about an inch in depth, and no more. At the bottom of this cul-de-sac was a firm substance, that was mistaken for the surgical neck, and the delicate aperture in it for the os uteri.

To the touch, such a case presents the greatest similitude to the mammillary projection of the womb, and is,

therefore, a great stumbling-block in the way of diagnosis. The medical gentleman, whom I met, insisted that it *was* the os uteri, and that adhesion of the vagina to the whole exterior vaginal cervix gave it the present appearance, as at *a* in the diagram on the next page.

Dissenting from this opinion, we averred with equal confidence that the womb could not be touched, nor even approached, and that the so-called os was nothing more than one of the apertures in a long vaginal stricture, and that the womb itself was not at all implicated in the disorder, save in so far as it was imprisoned above this impracticable stricture, amounting nearly to atresia vaginæ. See (*b*) in the diagram.

Some months subsequent to these discussions, the lady returned to Philadelphia, and placed herself under the sole direction of the writer of this statement, and went away cured.


On the next page we have given an outline drawing, or diagram, which shows how readily one might mistake the thickened bourrelet (*a*) for a vaginal cervix and os uteri; whereas, in truth, the os uteri is above, and in the free part of the vagina marked (*b*).

To look at the diagram, it is easy to perceive the truth as to such a case, while, in practice, the diagnosis had, and has deceived many an experienced and able physician.

We have now under treatment a case precisely analogous, affecting a woman about fifty-five years of age, which was handed over to us by an eminent practitioner, who had treated it for some time under the con-

viction that what he touched, as in the figure (at *a*), was the os tinæ, in a state of cancerous induration. And it ought to be observed that, in all such instances

Fig. 2.



coming under our notice, we have found the part so very solid and scirrhus, as to lead to fears that it could not be amenable to any power of resolution. It is well known that some urethral strictures do become almost callous.

When called to examine the state of the parts in this

case, we were, at first, startled to find such an appearance of malignant disease; but a little reflection enabled us to doubt of the fact. This doubt was easily resolved by passing the probe point of Simpson's sound along and quite through the lengthy stricture, into the free and ample vaginal cavity above. That this was done was verified by an examination made through the walls of the rectum, in doing which the probe point, in the free cavity, was recognized, as well as the shaft of the sound lying in the stricture and closely embraced by it. The same method of making this diagnosis was employed in the first case described in this connection; and it is one always to be resorted to and relied upon with implicit confidence.

Having stated these cases, which are not affections of the cervix uteri, we hope to be absolved from any charge of transcending the limits assigned to us, inasmuch as we have deemed it proper to array all the means of differential diagnosis that might haply serve to prevent misapprehension in the cases we have felt charged to treat of, and shall now ask liberty to refer to a work entitled "Woman, her Diseases and Remedies," page 106, for the history of a case whose circumstances are forcibly recalled to memory by the above observations.

Hitherto we have not, in this treatise, said anything in regard to the malignant degenerations of the texture, so often met with in inquiring into diseases of the neck of the uterus.

To dilate upon all the forms of malignant chronic or acute diseases of the cervix would require a considerable

volume, and it is not to be supposed that such a detail would fail to exhaust the patience of the reader. The figure (Plate 18), which we have in this connection presented, is designed to illustrate one form of chronic disease of the neck of the womb, which, in the case at least from which the figure has been carefully designed, was found susceptible of a radical cure.

The patient was a very robust and stout married woman, aged about 30 years, less or more. She had children. Complaining of frequent attacks of irregular menstrua, she appealed for advice to a physician, who, giving an unfavorable prognosis, so excited her fears and the anxiety of her family, that the author was invited to form an opinion on the case.

The vagina contained a substance of the size and shape of the red mass which, in Plate 18, is seen springing from the anterior aspect of the vaginal cervix. To the touch, it communicated the impression always produced by touching the tissues in scirrhus or carcinoma uteri. It had the same resistance and roughness or grater-like feel that belong to cancer of the womb or vagina. The gentlest touch caused it to bleed. It was not sensitive so as to be intolerant of pressure.

The posterior aspect of the cervix gave, by the touch, the idea of normal tissue; and this was likewise the case as to both the lips of the os tinæ; and, indeed, all the accessible parts of the womb seemed to be perfectly sound and healthy, save only where the peduncle, or root of this malignant mass, arose from the anterior aspect of the neck. The vagina was everywhere quite

healthy. An inspection of the figure must produce the same impressions as were excited in the author's mind by the physical diagnosis.

It would, in such a case, evidently be useless to apply any dressings to the surface of the tumor, which must be supposed to be all of one quality and vital temper, from the base to the apex. It would be a mere waste of time, therefore, to act upon the surface of it only. But if the diseased mass, in fact, proceeded from the base alone, on which it rested and depended for its existence, then one might hope that, in eradicating the very base itself, would be found a sure remedy for an otherwise fatal extension of the degeneration.

It was, accordingly, proposed that the mass should be removed, either with a uvula scissors, or by means of a ligature. The ligature being preferred, was applied, and the mass came away after a few days.

It was also proposed that, as soon as the tumor should come away, the base or root should be destroyed by actual cautery, or by acid nitrate of mercury. The latter was adopted. Every vestige of diseased structure was thus removed, and the lady has now, for three years, enjoyed good health; having experienced very little inconvenience during the whole process of cure.

The question naturally here arises, whether this was a malignant tumor or no. We are aware that some persons will be likely to regard its curability as evidence of its non-malignant nature; but, as for us, we consider that such a mass, being left to work out its own complete development, could not fail, in the progress of it,

to involve in destruction larger and still larger portions of the uterine tissue, and at last bring the life of the patient to a premature close. If the tumor was not malignant, it would become so if left uncured.

It would have been, perhaps, hopeless to attempt the cure, had the examination not given the most flattering assurances that the diseased mass sprung from a rather superficial portion of the cervix, as was ascertained by the touch. We doubt not that, in numerous instances of parts wholly changed like this, cures have been and will be effected by removing all changed texture—exposing sound surfaces, which being filled by healthy granulation, restore completely, or almost completely, both form and function to the before diseased parts.

We shall next beg leave to call attention to a form of diseased cervix, of which, during a very long and copious experience in practice, we have met with but one solitary example. And even this is rendered less useful, perhaps, by coincident circumstances of the patient, that serve to lessen the value of the case as furnishing experimental results of the treatment. The lady was near fifty years of age, had borne several children, but none since seven or eight years. She was in an advanced stage of pulmonary tuberculosis, and evidently destined, at an early day, to die with pulmonary consumption.

Certain symptoms, proceeding from intro-pelvic disturbance, and causing great distress, led to the opinion that the whole case was aggravated by some form of uterine irritation; and as she was anxious to be re-

lieved, and willing to undergo an examination, it was found, on making one by the touch, that the vaginal neck and os were both enlarged and painful. The mouth of the womb was much more patulous than it ought to be, and a lump was perceived upon the anterior aspect of the surgical neck. On exposing the point by means of a Récamier tube, there was seen a bright elastic tumor of a translucent appearance, which is represented in Plate 19, Fig. 2.

The lady, even in her low state of health, was convinced that she was pregnant; but the womb could not be felt through the hypogastric integuments. Whence it was inferred that the organ was of the form and dimensions given in Plate 19, Fig. 1.

Professor Mütter opened this hygroma with a sharp-pointed, narrow bistoury, and there issued from it a few drops of colloid fluid, but as transparent as albumen ovi; after which came away a few drops of blood, whereupon the tumor, or hygroma, collapsed, and the lady, whose consumption made continual progress, had little or no farther trouble from this special cause; a few touches of the pencil of argent. nitrat. having dissipated the inflammation and engorgement of the womb.

A few months later, she died, exhausted with hectic—the lungs being utterly disorganized by softened tubercles and numerous vomicæ.

A *post-mortem* examination being allowed, it was found that the hygroma had not filled again, but left a bluish spot or blain. The os was still a good deal open, but the neck was little enlarged. Plate 19, Fig. 1, shows

a profile view of this uterus, which is deemed well worthy of observation, particularly because the fundus was converted into a tumor, which is seen like a subrotund swelling at the left hand end of the figure, and somewhat separated from the general mass of the uterus by the sort of strangulation or groove seen in the picture. This was a firm fibrous product, developed out of the substance of the fundus itself, which underwent this fibrous conversion, while every other part of the organ retained the equable ratios of its several elementary or constituent tissues.

We observed that we deemed this case interesting, and it is so, chiefly in this, that it would be likely to give rise to a false diagnosis, and that on the following accounts:—

Leaving out of consideration the tuberculosis, which, it was manifest, must, at no distant day, destroy the patient, and judging only from the results of the pelvic examination, and the inquiries made at the surpubal region, one would be led to pronounce a flattering prognosis, since one would scarcely doubt of his ability to cure all the evident disorders of this womb. Yet, no one could examine the necroscopic specimen without at once perceiving that it would be impossible to cure such a womb as this. The apparent fundus is not the fundus, in fact, but is a fibrous tumor, into which parts of the true fundus have been converted. It is inaccessible to any surgical means, and is wholly disobedient or indifferent to every therapeutical force. As well might we administer medicines to convert a femur into a tibia,

and *vice versa*, as to give them to convert a tumor into a natural tissue again. The attempt is ever a ridiculous one, evincing a complete misunderstanding of the laws of life, as well as of the scope of the medical art.

A swelling may be cured again; but a tumor is a new product, and as much an independent organism as a lung, an eye, or a muscle. It has, however, no generical destiny; and, therefore, can obey no therapeutical law.

Before bringing this paper to a close, we shall present a few remarks on the subject of displacement of the neck of the womb; and we begin by referring to our Plate 3, to show the due relations, as to distance, of the os tinæ from the walls of the pelvis.

The ligamenta utero-sacralia, so called by the anatomists, appear to us to be rather deserving the denomination ligamenta vagino-sacralia; for they are in reality duplicatures of peritoneum running backwards, one on each side of the pelvis, from the posterior or upper extremity of the vagina to the sacrum. It seems to us that their office is to keep the end of the vagina at a certain place, near enough to the lower part of the sacrum; and certain it is that, as long as they preserve their due firmness or tension, the upper end of the vagina cannot drop down from near the sacrum to near the arch of the pubis. A line drawn from the lower part of the sacrum, say near its fourth segment, to the top of the arch, is at least four and a half inches. When we find the os tinæ jutting outside of the arch, we know that the vagina has fallen at least three and a half inches, and of course that the ligamenta utero-sacra-

lia are stretched or elongated to that amount. But when, on making such an examination, we thrust or carry the cervix uteri backwards and upwards to its true place, then the ligamenta utero-sacralia become again as short as they ought to be; and if they would remain permanently so, we should cure the patient merely by thus thrusting the uterus up to its true place. But, unfortunately, when we take away the support, it falls down again; because the utero-sacral folds, and all the serous and cellular or areolar relations of the vagina are weak and relaxed, and cannot hold it up.


Now, if this be a just representation of the facts, no one can deny that prolapsus uteri is a disorder or weakness of the vagina and its ligaments, and that to cure the prolapsus we must cure the vagina first; it being evident that, with a vagina of three and a half inches in length, the womb cannot quit its place in the pelvis.

The womb, as we have already said, is two and a quarter inches in length, and the longest antero-posterior plane within the pelvis may be assumed to be four inches and a half. Hence, it is clear that, if the womb be thrown over backwards, so as to let its fundus fall into the rectovaginal cul-de-sac of peritoneum, called the Douglass cul-de-sac, it is inevitable for the cervix uteri to come forward; for the uterus cannot well turn over without a see-saw movement. If, therefore, the womb preserve its rigidity, and it be retroverted, the os tincæ must come near to the symphysis pubis. This would be the case in all instances of retroversion without flexion of the longitudinal axis of the uterus. We

have met, in practice, with many instances of this kind, and in more than one remarkable case have found the fundus fastened down in its unnatural bed in the pelvis, by means of strong adhesions, which it was necessary to divide with the scalpel before we could reduce the uterus into its proper position again. One was a case of retroversion, with hypertrophy of the womb coinciding with fatal Fallopian pregnancy. The organ stretched across the pelvis, from the sacrum to the pubis, fully four and a half inches. The specimen is in our collection. Another was a case of uterine pregnancy.

But, while it is true that the uterus, being of a rigid and firm consistence, does not always bend in retroversion, it is very common to meet with specimens in which the organ is bent at a right angle, or even more than that. Retroversion, with an unbent womb, is a

Fig. 3.



mere accident or chirurgical disorder; whereas retroversion, with a bent or angulated uterus, is a case in which the womb has itself become diseased. It is a case in

which, by the nutrition of one segment or half of the womb, it has grown smaller or larger than the other symmetrical half or segment; for, it is clear, if both the anterior and posterior halves should grow or be developed *pari passu*, the organ could be only straight, and could be by no means crooked or bent, as in the above diagram. The quantity of the convex must greatly exceed the quantity of the concave half; otherwise, the womb could not be bent, but must remain straight or fusiform.

In treating these retroversions, therefore, we must expect to meet with greater difficulty and delay in the case, if we have an angulated organ to rectify, as well as a case of retroversion. We do not mean to say that the methods are different, since there is but one good method for all of them, and that is a treatment by the pessarium of a proper form.

And here we may beg leave to notice what we regard as a great oversight on the part of practitioners, in regard to one of the chiefest sources of embarrassment and ultimate disappointment of the cure. The circumstance here alluded to is this. In retroversions of some considerable duration, the anterior columnna of the vagina has become shortened, and, in consequence of its being without any antagonistic or opposing force, allowed so to coacervate its material as to be indisposed afterwards to remain in the state of extension natural to it.

We believe that all living soft parts have an indefeasible tendency to consolidation, when not prevented

by an antagonizing power. This depends, indeed, on what Bichat announces as the *contractilité par défaut d'extension*. If the os uteri should be brought close to the symphysis pubis, and kept there for some months or years, it is clear that if any one should cause it to remove backwards again to its place three and a half inches away from the crown of the arch, and then let it go, it would leap back again to the vicinity of the pubis, being drawn thither by the anterior column of the vagina, which soon contracts again like a bit of stretched caoutchouc. Now, this is the circumstance which we complained of as being too much overlooked by our physicians in their intentions as to a cure. They are well enough aware that when the womb is overset, or retroverted, it is useless to reposit it, and then abandon it to itself, since it always falls over again with the first motion, or effort to stoop, or to cough, &c. They have used pessaries of every possible shape, and they have been much annoyed to find their patients worse instead of being better for their use.

An immense use has been made of the globe-pessary; and certainly, in a simple prolapsus uteri, it answers admirably. But it does not answer well for the cases of retroversion; because the morbidly condensed and elastic anterior column of the vagina, slowly contracting in order to recover a state of rest, pulls the os uteri forwards over and above the convex upper surface of the ball, and draws it again close up to the symphysis, the fundus meanwhile sinking down backwards into the peritoneal cul-de-sac between the rectum and the vagina.

In this case, the woman is greatly annoyed, having both a pessary and a retroversion to contend with.

Many years ago, the author was in attendance on an aged woman, who had long suffered from prolapsus uteri. She had been taught, by a nurse, to construct a pessary, by making a whalebone ring, some three inches in diameter. This ring being wrapped or *served* with bobbin, was dipped in melted wax, until a sufficient coating of wax was given. In this way she made an elastic annular pessary, by means of which she was enabled to pass through many years of an advanced age, without any inconvenience from a procidentia which always threatened to return upon the removal of the support.

The globe-pessary of Dr. Physick, and the concavo-convex disk, or Dewees's pessary, have been much employed in Philadelphia, and throughout the United States generally, as might be expected from the eminent position and repute of both those gentlemen.


The globe of Dr. Physick is liable to the objection above stated, as a remedy for retroversion; and Dewees's disk is equally obnoxious to criticism, as being liable to injure the os uteri, which rests nearly vertically upon the metallic surface. Of course, the same objections lie against all the glass pessaries, of which many thousands have been on sale in the drug establishments of our people. Indeed, they are at last becoming justly discredited.

Seeing the difficulties that surround this subject, and acting on the experience of the aged lady already men-

tioned, the author constructed pessaries with watch-spring, as follows:—

Take a piece of watch-spring of the proper length. That is to say, if a pessary of three inches diameter is required, take a lamina of watch-spring nine inches and three-sixteenths in length. Bend it into a circle, and rivet or solder it, to make an annulus three inches in diameter. Serve it all round with bobbin, or large twine, and then dip it again and again in melted virgin wax, so as to infiltrate the threads completely. Polish the waxen surface with the hands. This ring, which is

Fig. 4.




as elastic as watch-spring, can be compressed betwixt the thumb and fingers, so as to be converted from the

shape of this figure (4) to that of Fig. 5, and then introduced into the vagina without giving the woman any pain. As soon as it has taken its place, it expands again, and recovers its original form.

Previous to introducing the annulus, the womb should be repositied, either by the hand alone or by Professor Simpson's womb-sound; and, that being done, the annulus acts in the manner illustrated by Plate 20, in which a silver ring, gilt, is made use of.

Fig. 5.



Let it be observed that the distance from the pubis to the sacrum, in this plane, is at least four inches and a half, and that the annulus is three inches in diameter.

Now, if the ring is introduced in such a manner as to cause the sacral segment of it to pass behind the cervix, and rest in the cul-de-sac behind, formed by the posterior column of the vagina, while the pubal or anterior segment rests on the symphysis pubis, it is impossible that the cervix uteri should again come forward to the symphysis, or that the retroversion can occur again while the annulus is left *in situ* to prevent it. Indeed, the vagina is now full three inches in length, and not even prolapsus uteri can vex the patient; for prolapsus is shortening of the vagina, and nothing more and nothing less.

Such an annular pessary as this, left *in situ* for a few months, must effectually overcome the contraction *par défaut d'extension* of the anterior vaginal column; and by allowing the ligamenta utero-sacralia to be at long rest, they, by coacervation of their substance, will recover their normal density or tone; and so, the ring being at last taken away, the woman is found to be cured; for the ligam. utero-sacralia are now condensed again, and the anterior columna vaginalis has regained its ductility.

The method of constructing annular pessaries of watch-spring, as above set forth, was detailed at a meeting of the College of Physicians of Philadelphia, by the reporter.

At a subsequent meeting of that College, one of the Fellows thereof, Dr. Charles Evans, reported an improvement, consisting in coating the watch-spring-served annules with gutta percha dissolved in chloro-

form; and this fortunate idea has rendered the instrument so perfect, that we may suppose it to be all that could be wished for as an apparatus for the purpose of treating retroversions.

Reporter has long used annules made of absolutely pure silver cylinders, bent into a circle and gilt with fire gilding. Such an instrument is excellent, and is so pliable that it may be crushed into an elliptical form before its introduction, and then, by a little dexterity, opened again into the circular form while lying within the vagina. This is perhaps the most perfect of these instruments, yet difficult to use and to obtain.

A reference to Plate 20 shows that, if the posterior segment of such an annulus is lodged within the cul-de-sac of the vagina that is found behind the neck of the womb, while the anterior segment reposes upon the tissues just above and behind the crown of the pubal arch, it is absolutely impossible for the retroversion to take place; and it is to be believed that, in a space of time, greater or less, according to a variety of circumstances, all the tissues concerned in keeping the uterus in its place will recover their tone, by virtue of the physiological force called by Bichat *contractilité par défaut d'extension*. It could not be otherwise. As to the external apparatus called utero-abdominal supporters, which we have the mortification to see prescribed and applauded by physicians and surgeons, even eminent persons in our class, we can but express again our conviction of their utter uselessness, as well as the liability

of those who use them to aggravation of all the evils for which they are the pretended remedies.

We have here placed a drawing (Plate 21), taken from the museum of Jefferson Medical College, at Philadelphia, which represents one of the specimens there of polypus of the womb; and we have felt constrained to present some remarks upon cases of this kind, inasmuch as they greatly interest the cervix of the uterus, whose acute and chronic diseases we are commanded to describe. And herein we do not feel called upon to go into a full account of the various uterine polypi. Let it suffice to say that they consist of tumors, hard or soft, which rise up from the surface, whether exterior or interior, of the child-bearing organ: many of them, however, being developed in the very substance of the organ, and invading greater or lesser portions of its structure.

These growing polypi depend upon non-equable development of certain of the elementary tissues of the womb, which, being produced out of all normal rate, may attain a great magnitude or mass. They vary from a few grains in weight, like the currant-shaped excrescence in Plate 16, Fig. 1, or the bunches in Plate 16, Fig. 2, or the more considerable tumor projecting from the os, in Plate 21. We possess specimens of the size of an ostrich egg, and one that was at least six inches in longitudinal by five in the conjugate diameter. We were present at the examination of a specimen, which was, at the time, weighed by the late Professor Wm. E. Horner, and found, with the womb which contained it,

to weigh thirty-two pounds. The degenerated development-force, by means of which a fibrous polypus rises up on the surface of the womb, or within its substance, may, in some cases, extend so far throughout the whole limits of the uterus as to apparently convert the whole substance of it into the material or nature of polypus. We possess a specimen in which it would be difficult to discriminate between the character of the large mass, into which the whole womb has become converted, and the substance of the large polypi just now mentioned as in our possession.

But lest we should be tempted to carry this investigation far beyond the limits proper for this paper, we shall confine ourselves to remarks upon the interior polypus, or polypus of the cavity of the womb.

A tumor of this sort, which, at the commencement, might be supposed to be no bigger than a split pea, growing, by constant nutrition of its mass, soon comes to distend the cavity which it occupies, and that cavity must expand upon the same principles as those which regulate the physiological hypertrophization or evolution of the womb in true pregnancy. If the polypus should take its origin within the true cavity of the uterus, the fundus and corpus uteri would, of course, first expand for the accommodation of the growing mass, just as happens in the early stages of a gestation.

Under these circumstances, the form and size of the neck of the womb do not undergo any change, and an examination per vaginam would not enable a physician

to pronounce with assurance that any change whatever had taken place in the form and volume of the organ.

The term expansion does not here imply merely a stretching of the walls—as when a bladder is blown, but it means a regular physiological hypertrophy, or growth. Now, when the womb grows, it must grow generically, and will, in such case, preserve its generical character as to form; for the idea of genus and species cannot but include ideas of both form and substance, of superficies and solid contents; when the womb, or parts of it degenerate, then the form goes in the most convenient direction, or *qua data portâ*.

A great uncertainty as to the existence or non-existence of pregnancy ever attends the vaginal examination in the early stages; but in proportion as a polypus or an ovum becomes larger, so must the cervical portion of the womb grow shorter, until, at last, the cylindrical neck acquires the shape of a cone, or rather a conoidal form; for a polypus, though it can grow indefinitely, and come to be of an enormous size at last, must ever mould itself upon the internal walls of the womb. The polypus, therefore, cannot so alter the shape of the womb as to give it a figure other than such as naturally belongs to it, and characterizes it whether gravid or not gravid.

Sooner or later, in any case of polypus uteri, it may be expected that the lower segment of the tumor shall appear at the os uteri, and gradually dilating it more and more, open it at last so widely that the contractility

of the fundus and body shall be able to thrust the tumor out into the vagina.

In the figure (Plate 21) it is seen that the polypus begins to show itself very plainly at the opening mouth of the womb. But, with the cone of the cervix, and the circle of the os so thick and strong as here shown, it could not be that the polypus shall very soon be expelled from the uterine cavity.

It might be a question whether the diagnosis of such a tumor is to be absolutely relied upon, seeing that it so closely resembles the case of hæmatoma or bleeding fungus, represented at Plate 15 of this report. Yet it is not difficult, either with the index finger alone or with a womb-sound, to ascertain that the fungus at Plate 15 is a hæmatoma springing directly from the inner wall of the canalis cervicis, while the other tumor (Plate 21) is a real uterine polypus rising from a portion of the wall of the true cavity. I may repeat that the shape assumed by the womb in a natural pregnancy is well known; and that in all cases where the womb contains a true polypus of the cavity, it in like manner preserves its natural form. But, if a fibrous or other degeneration within its texture takes place in the very substance or walls of the womb, making one or many fibrous tumors, the womb loses its normal form, and becomes lumpy or botryoidal.

The examination of such cases should, hence, always be so conducted as to lead to a knowledge of the form actually possessed by the enlarged organ. If that form be normal, or generical, then we infer that the enlarge-

ment is occasioned by the presence of something moulded into shape by the womb itself, and that it is an ovum or a polypus. If, on the other hand, the generical form is not preserved, we may infer the existence of some morbid growth outside of the cavity, but within the very substance or walls of the womb.

The uterus is destined, normally, to discharge a quantity of blood from its cavity with every periodical ovulation, and the custom of women is one so regularly observed, that it gives to the mind a tendency to regard every discharge of blood from the organ as a menstrual discharge. Hence, when women find themselves bleeding too often, too copiously, or in a way too greatly prolonged, it is their habit to consider the deviation as a fault of their *courses*. They do not, in general, consider that blood may issue from such a sanguine organ, without the discharge having any relation whatever to their mensual act; and they usually speak of all such profluvia as disorders of the menstruation. A medical man, on the contrary, ought to possess an ideal standard; by which to compare every such case, and he must at once perceive that such a state cannot possibly be a mensual state, but must be related to some other quality and faculty than those of ovulation and menstruation.

Enough has been already said in this work to show that morbid changes in the corpus mucosum of the womb may serve to explain the frequent reappearance of sanguine discharges from the genitalia. Such discharges as these, however, are not for the most part copious and wasting. It is true, however, that such

discharges are most apt to coincide with the hyperæmia of the ovulation, or to have relation to some mental or physical shock, or to the sexual insult, &c. &c.

In cases like that portrayed at Plate 21, the profluvium of blood is likely to be independent of any periodical ovulation, and, indeed, in some instances is never wholly absent, while the subject of it is liable to sudden enormous effusions of blood, generally greatest at the mensual periods. We have elsewhere related a case, in which the woman was never, during six years and a half, without bloody issue from the genitalia; an issue which arose from a polypus passed into the vagina. So many striking instances of this either frequent or constant hemorrhage have occurred to us in practice, that we spontaneously, as it were, adopt it as *prima facie* evidence of the presence of a uterine polypus, when we discover such frequent, or copious, or constant sanguine evacuations.

A polypus, like that in Plate 21, whose lower segment peeps out from the opening os, and whose sides are compressed or strictured by the firm walls of the cervix uteri, could hardly do otherwise than bleed more or less day and night, since the stricturing cervix must necessarily keep up a molimen hæmorrhagicum in the uncovered and uncompressed superficies of the tumor.

It is not always, however, the polypus alone that has begun to project beyond the stricturing circle of the os that bleeds. Many wombs are kept in a state of hyperæmia and hemorrhagical fulness by the presence and

pressure of the polypus, and such cases are marked by the most violent floodings. Now, when we come to inquire diagnostically into such cases, and find, upon touching, that the os tincæ is unmodified, and the cylindrical neck unchanged, all that we can do is to infer, for we cannot know, that the hemorrhages are caused by a polypus in the cavity, whose existence, however, we can only conjecture or infer; and especially where the polypus is still so small as not greatly to magnify the womb and make its increase perceptible, to the touch, in the surpubal region.

There can scarcely be found, in the whole range of medical duties, a more difficult case of diagnosis than this. Time alone can solve the problem; and then only by protruding the mass into the cervix, or out into the vagina, whereupon all doubt is at an end.

In numerous instances, our inferential diagnosis has been verified by immediate examination, or by after events. Yet we have met with samples of such hemorrhage impressing us with a sort of inward conviction that they could only arise from polypus, a conviction which proved to be a baseless hypothesis, destitute of any foundation of truth.

We have dwelt thus long on this subject, chiefly out of an anxious desire to put our friends and brethren on guard against making too hurried a diagnosis, and also as a preface to the drawing, Plate 22.

The annexed figure, Plate 22, was drawn from the specimen at the time a *post-mortem* examination was

made to ascertain the cause of a fatal uterine hemorrhage.

The woman, several years married, had borne no children. During two or three years, she had been under the medical care of the author, who, observing her to be occasionally seized with frightful uterine hemorrhages that left her always excessively hydræmical, could not avoid the conclusion that a small polypus concealed within the cavity of the womb, but undiscernible by any physical examination, would at some future time be thrust out into the vagina, so as to allow of its removal. Repeated careful examination left the same impression upon the mind.

Meanwhile, when the floodings should be too wasting, she was advised to resort to rest, to hæmostatics, and, above all, to the tampon for the vagina.

Having removed her residence to a greater distance, she took counsel of another physician, and for more than a year occasionally suffered from attacks of very alarming floodings. Upon the last of these occasions, the writer was called in consultation with the attending physician, and, hastening to the rendezvous, found she had expired some four or five minutes before he arrived. It was with him and the attending physician anxiously desired, that the question of the existence, or non-existence, of a polypus uteri should, in this case, be settled, and the figure (Plate 22) exhibits a very correct view of the cavity and walls of the womb. There was nothing upon the lining membrane that should throw any light upon the strange and most obstinate hemor-

rhages, unless, indeed, the magnitude of the cavity be so regarded; and its size is truly given, and may be compared with our figure, Plate 2, Fig. 2. But, upon the left ovary was a cystical tumor, which is shown in the figure. Yet no one can assign such a cyst as a sufficient cause for those irregular and enormous uterine evacuations.

I have, at this moment, under treatment the case of a maiden lady, about forty-three years of age, in whom the hemorrhages are immense and irregular—sometimes very alarming. In this instance, I can by no means detect any, the least, modification of the form, size, resistance, or natural place of the womb; and, it is probable that no man can say whether these distressing attacks arise from polypus, or no.

It would be a most useful thing to possess some certain methods by which to distinguish between habitual violent floodings without polypus uteri, and cases in which the polypus does exist, but cannot be come at. One can scarcely, in medical practice, be put to greater loss for some certainty in discrimination, than in such cases as these.

The great length of this paper renders it necessary to bring it to a close. There is a considerable number of affections to which the cervix uteri is liable, which it would be easy to discuss; and, in regard to the so-called malignant disorders of the part, it would be gratifying to us to describe and illustrate their various appearances, and suggest methods for their treatment. But we refrain from farther trespass on the time of the

reader, to whom we offer the foregoing observations, in the hope that they may serve to remove some of the difficulties which we have noticed to exist in the path of the practitioner, not only in our own earlier days of observation, but now, and daily, in the numerous cases submitted under advice for our revision and counsel. If what has been presented is at once true and clear, we shall indulge the hope hereafter to have fewer calls from persons residing in distant States.

In closing this essay, the Author takes the occasion to renew the expression of his sincere desire that the class of cases herein treated of may receive a greater share of attention from his brethren in the practice; so that they may less frequently, than heretofore, be found to accumulate in the large cities and towns, or in the hands of specialists: he is convinced that, as such disorders require no greater amount of particular information or dexterity than other surgical and constitutional maladies, it is within the ability, and is the duty of the brethren generally, to conduct them safely and gently to a satisfactory cure. In our opinion, it would be much more creditable that such skill and discrimination should belong generally to the whole profession, than for one or two individuals in a district, or in a great metropolis, as London or Paris, to acquire a notoriety, which, to say the least of it, is scarcely enviable; since, among the humiliating services that physicians and surgeons are by their vocation obliged to render to the distressed, none can be more revolting to the sensitive mind than these.

It might, perhaps with consoling truth, be added, that few professional ministrations turn aside with greater certainty and celerity the attacks of disease, or arrest the shafts they aim at the existence of our clients.

I N D E X.

A.

	PAGE
Abdominal supporters reprobated	97
Abrasion of mucous surface of os, case.....	55
Abrasion of mucous surface of os to be avoided in cauterizations	55
Albuminous leucorrhœa	35
Annular pessary of gilt silver.....	97
Acid nitrate for small polypi	77
Acid nitrate in bleeding tumor	84
Adjustment of metroscope	41
Argent. nitrat. in inflamed cervix.....	53
Antiphlogistic contacts with argent. nitrat.	53
Adherent fundus in retroversion	90
Adhesion of fundus	90
Angulated uterus in retroversion	91
Antagonism of parts	92
Anterior columna vaginæ in retroversion	91
Anatomical relations and place of womb	31
Argument for metroscopic diagnosis	48

B.

Bayle's account of Récamier's instrument	20
Bivalve speculum-uteri	40
Blood from the genitalia often mistaken for menstrua.....	102
Bleeding from polypus	103
Bleeding tumor or hæmatoma of womb.....	73
Boivin's plates not useful.....	19

C.

Caoutchouc bottles of Hervez.....	68
Case to show in what instance diagnosis is impossible	72

	PAGE
Case of strictured vagina mistaken for diseased os	79
Case of hydræmia from small bleeding polypus	78
Case of inflammation <i>framboisée</i> , with plate.....	43
Case of molluscum on cervix	50
Case of bleeding tumor in cervix	83
Case of hygroma on cervix	85
Carcinomatous tumor of cervix cured	83
Component elements of womb.....	26
Corpus mucosum of cervix inflamed	46
Cauterization of cervix by Lallemand's port-caustic	71
Currant-like polypi of os, with plate	76, 77
Canal of cervix obstructed by albumen, cause of sterility	56
Canal of cervix, hæmatoma in the	73
Complement of the forces in the reproductive organs.....	24
Contracted columna anterior renders retroversion less curable	92
Contro-stimulant power of the nitrate of silver	54
Cervix uteri, hypertrophy of the.....	67
Columna anterior vagina permanently contracted.....	91
Cervix, inflamed case of, with plate	57, 58
Cervical distinguished from vaginal leucorrhœa	34
Comparison of touching with metroscopy as diagnostic.....	21
Cephalalgia from irritation of womb	32
Cervix uteri, bleeding tumor removed from the	83
Chronic tympany from irritated womb	32
Competency of professional people in the cases	23

D.

Diagnostics of sexual diseases deemed difficult	18
Diagnosis, its importance as means of success.....	37
Diagnosis, physical, being declined, the practice is empirical	22
Diagnosis by touching by some persons supposed to be always sufficient..	21
Diagnosis of retroversion	66
Diagnosis of polypus uteri difficult in some cases	99
Diagnosis of hypertrophy of the womb	101
Diagnosis of stricture vaginæ	79
Debility from leucorrhœa explained	38
Differential means of diagnosis	21
Dimensions of the womb	27
Dimensions of the gravid womb	27
Discrimination of vaginal and cervical leucorrhœa necessary	34, 36
Disturbing power of sexual disorders.....	25
Drawings and colored prints unsatisfactory in most cases.....	19
Duverney's glands, discharge from, mistaken for fluor albus	34

E.

	PAGE
Elementary or constituent tissues of the womb	21
Empirical practice when physical diagnosis is disallowed.....	22
Epithelial surface of os rarely abraded	55
Equable development of womb or hypertrophy	28
Evans's (Dr. Charles) improved elastic annular pessary	96

F.

Falling of the womb is relaxation of utero-sacral ligaments	88
Fatal menorrhagia without organic lesion, case of.....	104
Fastidiousness as to diagnosis.....	22
Flexion of womb, with figure	90
Fluor albus often depends on inflamed cervix	32, 33
Follicles of cervix, albuminous secretion from the	35
Frambois�e inflammation, irregular show from	75
Frequency of retroversion	61
Fundus uteri, adhesion of.....	90

G.

Generic and genetic forces, relations of the	26
Gluey fluor albus	38
Guessing at the case	22
Gutta percha ring-pessary of Evans	96

H.

H�ematoma in cervix uteri	73
Hemorrhage from h�ematoma uteri fatal	74
Hemorrhage from the womb, often mistaken for menstrua	75
Hemorrhage from the womb, fatal, with no organic lesion	104
Hooper's plates referred to	19
Hygroma on cervix uteri, with a plate	85
Hypertrophy of the womb, diagnosis of	101
Hypertrophy of the womb	27
Hypertrophy of the womb, physiological or pathological	27, 28, 29
Hydr�emia from sexual disorders	32
Hysteria, probably radiated from reproductive system.....	25
Hysterical state from inflamed cervix, case of.....	50

I.

	PAGE
Ideal of reproductive apparatus	26
Ideal model or standard specimen of uterus.....	29
Ideal of operations to be performed with escharotics	54
Inadequacy of touching for diagnosis.....	22
Inner wall of womb degenerated, not to be diagnosicated always.....	72
Indurating inflammation of cervix, obstinate case of	57
Injections per vaginam for inflamed cervix, little relied on	37
Involution of womb as antithesis of evolution	29
Involutive force cures hypertrophy	29

J.

Jus docendi, &c.....	23
----------------------	----

K.

Knowledge, not belief, demanded in diagnosis	49
--	----

L.

Lallemand's port-caustic	77
Leucorrhœa from affections of uterus alone.....	33
Ligamenta utero-sacralia	88
Ligation for tumor of cervix, case, with plate	83

M.

Medical men alone to decide on necessity for metroscopic diagnosis....	24
Medical men of United States, competent and honest.....	23
Medical profession injured by specialization of practice	18
Menstrua depend alone on ovulation	75
Menstrua not always coincident with bleeding from organs.....	102
Menstrua, irregularity of as to quantity from inflamed cervix	75
Menstruation, profuse, often depends on currant-like excrescences of os	76
Menorrhagia, fatal case of	104
Metroscope of Récamier, his account of.....	20
Metroscope objected to by some as useless	21
Metroscope, various forms of.....	38
Metroscope, Récamier's, preferred by author	39
Molluscum of cervix uteri	50

	PAGE
Metroscopy, relative indelicacy of Touching and	21
Motives to write this essay	17
Muciparous apparatus of cervix	47

N.

Nitrate of silver, antiphlogistic contacts with	53
Nitrate of silver, curative contacts with	53
Nitrate of silver, destructive contacts with	53
Nitrate of silver, indifferent contacts with	53
Non-coincidence of menstruation and genital hemorrhages	75
Normal hypertrophy of the womb.....	27

O.

Orifice of stricture in vagina mistaken for os uteri	79
Os uteri, its normal appearance	43
Os uteri, excessively patulous	75
Os uteri near pubis in retroversions	89
Ovulation is the direct cause of menstruation.....	75

P.

Palpitation of heart from womb diseases.....	32
Pathology of retroversion.....	84
Pathology of hypertrophy	27, 28, 29
Pathology of raspberry-colored inflammation	42, 55
Pessary, Evans's annular.....	93
Pessary, silver gilt, of author.....	97
Pessary, glass, objections to	93
Pessary, globe, fails to cure retroversion.....	92
Pessary, watch-spring of author	94
Pessary, whalebone ring	93
Pathological hypertrophy.....	27, 29
Physiological hypertrophy of womb	27
Physical diagnosis of sexual disorders indispensable.....	38
Place of the womb in the pelvis, and its anatomical relations	31
Plate of the womb.....	29
Polypus with hemorrhage	103
Polypus of thirty-two pounds weight.....	98

	PAGE
Polypus of the os causes drainage of blood, with anæmia	78
Practice in sexual maladies not a specialty	18
Prolapsus uteri	88
Pure silver to make annular pessary with	97

R.

Rareness of ulcer of os uteri or cervix	24
Raspberry-colored cervix.....	42
Raspberry tinted inflammation of os, with plate.....	43
Récamier's (Professor) metroscope	19
Récamier's (Professor) Recherches sur le Cancer quoted	19
Récamier's (Professor) speculum uteri described, with plate	40
Reaction of reproductive organs on the animal economy	24
Reproductive force not an indifferent in woman's health	25
Reproductive force, when morbid, becomes a radiant of disturbance ...	28
Retroflexion of womb	62
Retroversion certainly curable by means of the annulus	96
Retroversion, old cases of, with condensed anterior columna	91
Retroversion, see-saw descent of womb in	89
Retroversion not easily treated with the globe.....	92
Retroversion, gilt annulus of author in	97
Retroversion with hypertrophy	63
Retroversion, its frequency	61
Resolvent or deobstruent power of arg. nitrat.	53

S.

Sanguine discharges of vagina mistaken for menstrea	102
Sexual diseases act on the constitution as hysteria	25
See-saw descent of womb	89
Shortening of anterior columna in retroversion, its effects	91
Silver, nitrate of, in diseases of cervix and os	43
Silver, nitrate of, ideal of purpose in using the	54
Simpson's sound, a case in which it passed 6½ inches in utero	66
Speculum uteri, objections to, motives for	19-21
Speculum uteri, Récamier's	19
Speculum uteri, bivalve	40
Speculum uteri preferred by author, with plate	39
Spasm from sexual diseases	32
Specialty, objections to	107

	PAGE
Specialty injurious to medical profession	18
Standard or ideal uterus	26
Sterility by albuminous leucorrhœa	56
Stricture of vagina	79
Stricture of cervix	80
Swellings and tumors, difference between them	88

T.

Tissues of the womb	26
Torpor of bowels from uterine irritations.....	32
Tympany from diseased os	86
Touching averred to supersede the metroscopic diagnosis	21
Touching for diagnosis.....	38

U.

Ulcer of womb a rare disorder	55
Unequal development of womb constitutes a tumor	28
Uterine disorders as easily diagnosticated as other diseases.....	18
Uterine disorders should be treated by the family physician	18
Uterine polypus, remarks on, as in plate	98
Utero-sacral ligaments or folds of peritoneum	88
Utero-abdominal supporters, reprobation of	97
Uterus with hygroma and tumor on fundus, plate	86

V.

Vagina restrained from falling by ligamenta utero sacralia	88
Vaginal stricture mistook for os uteri, figure	79
Vaginal leucorrhœa not albuminous	35
Vaginal leucorrhœa less important than uterine	33
Vaginal injections little to be relied on in inflamed cervix	37
Vagueness of opinion on sexual disorders	17

W.

Watch-spring annular pessary of author	94
Watery or cream-like fluor albus	34
Weight of Womb, non-gravid and gravid	27

	PAGE
Womb, ideal model or standard of, plate	29
Womb, normal, hypertrophy of	25, 101
Womb, pathological hypertrophy of the	27, 29
Womb, involutive power of the	28
Womb, flexion of, with figure	90
Womb, falling or prolapsus of	88
Womb, how situated in pelvis.....	31
Womb, retroverted, with plate	61
Womb-sound, Simpson's	101

THE END.






Fig 1.









Fig 2.































Fig. 1.






Fig. 2.















Fig 2














Fig. 1.








Fig. 2.














Fig. 1.









Fig. 2.














Fig. 1









Fig. 2

















THE NATIONAL ARCHIVES
COLLECTION OF THE
UNITED STATES DEPARTMENT OF THE INTERIOR

TO THE SECRETARY OF THE INTERIOR
WASHINGTON, D. C.
FROM THE DIRECTOR OF THE NATIONAL ARCHIVES
RE: [Illegible]

[The following text is extremely faint and largely illegible due to fading and bleed-through from the reverse side of the page. It appears to be a memorandum or report.]

THE NATIONAL ARCHIVES
COLLECTION OF THE
UNITED STATES DEPARTMENT OF THE INTERIOR

TO THE SECRETARY OF THE INTERIOR
WASHINGTON, D. C.
FROM THE DIRECTOR OF THE NATIONAL ARCHIVES
RE: [Illegible]

[The following text is extremely faint and largely illegible due to fading and bleed-through from the reverse side of the page. It appears to be a memorandum or report.]

BLANCHARD & LEA'S MEDICAL AND SURGICAL PUBLICATIONS.

TO THE MEDICAL PROFESSION.

In the present catalogue we have affixed prices to our publications, in obedience to the repeated requests of numerous members of the profession. While books, like all other articles, must necessarily vary somewhat in cost throughout the extended territories of this country, yet our publications will generally be furnished at these rates by booksellers throughout the Union, who can readily and speedily procure any which they may not have on hand.

To accommodate those physicians who have not convenient access to bookstores, or who cannot order through merchants visiting the larger cities, we will forward our works by mail, *free of postage*, on receipt of the printed prices in current funds or postage stamps. As our business is wholesale, and we open accounts with booksellers only, the amount must in every case, without exception, accompany the order, and we can assume no risks of the mail, either on the money or the books; and as we only sell our own publications, we can supply no others. Physicians will, therefore, see the convenience and advantage of making their purchases, whenever practicable, from the nearest bookseller.

We can only add that no exertions are spared to merit a continuance of the gratifying confidence hitherto manifested by the profession in all works bearing our imprint.

BLANCHARD & LEA.

PHILADELPHIA, August, 1857.

* * We have now ready a new ILLUSTRATED CATALOGUE of our Medical and Scientific Publications, forming an octavo pamphlet of 80 large pages, containing specimens of illustrations, notices of the medical press, &c. &c. It has been prepared without regard to expense, and will be found one of the handsomest specimens of typographical execution as yet presented in this country. Copies will be sent to any address, by mail, free of postage, on receipt of nine cents in stamps.

Catalogues of our numerous publications in miscellaneous and educational literature forwarded on application.

TWO MEDICAL PERIODICALS, FREE OF POSTAGE, FOR FIVE DOLLARS PER ANNUM.

THE AMERICAN JOURNAL OF THE MEDICAL SCIENCES, subject to
postage, when not paid for in advance, - - - - - \$5 00
THE MEDICAL NEWS AND LIBRARY, invariably in advance, - - - 1 00
or, BOTH PERIODICALS furnished, FREE OF POSTAGE, for Five Dollars remitted
in advance.

THE AMERICAN JOURNAL OF THE MEDICAL SCIENCES,

EDITED BY ISAAC HAYS, M. D.,

is published Quarterly, on the first of January, April, July, and October. Each number contains at least two hundred and eighty large octavo pages, handsomely and appropriately illustrated, wherever necessary. It has now been issued regularly for more than THIRTY-FIVE years, and it has been under the control of the present editor for more than a quarter of a century. Throughout this long period, it has maintained its position in the highest rank of medical periodicals both at home and abroad, and has received the cordial support of the entire profession in this country. Its list of Collaborators will be found to contain a large number of the most distinguished names of the profession in every section of the United States, rendering the department devoted to

ORIGINAL COMMUNICATIONS

full of varied and important matter, of great interest to all practitioners.

As the aim of the Journal, however, is to combine the advantages presented by all the different varieties of periodicals, in its

REVIEW DEPARTMENT

will be found extended and impartial reviews of all important new works, presenting subjects of novelty and interest, together with very numerous

BIBLIOGRAPHICAL NOTICES,

including nearly all the medical publications of the day, both in this country and Great Britain, with a choice selection of the more important continental works. This is followed by the

QUARTERLY SUMMARY,

being a very full and complete abstract, methodically arranged, of the

IMPROVEMENTS AND DISCOVERIES IN THE MEDICAL SCIENCES.

This department of the Journal, so important to the practising physician, is the object of especial care on the part of the editor. It is classified and arranged under different heads, thus facilitating the researches of the reader in pursuit of particular subjects, and will be found to present a very full and accurate digest of all observations, discoveries, and inventions recorded in every branch of medical science. The very extensive arrangements of the publishers are such as to afford to the editor complete materials for this purpose, as he not only regularly receives

ALL THE AMERICAN MEDICAL AND SCIENTIFIC PERIODICALS,

but also twenty or thirty of the more important Journals issued in Great Britain and on the Continent, thus enabling him to present in a convenient compass a thorough and complete abstract of everything interesting or important to the physician occurring in any part of the civilized world.

To their old subscribers, many of whom have been on their list for twenty or thirty years, the publishers feel that no promises for the future are necessary; but those who may desire for the first time to subscribe, can rest assured that no exertion will be spared to maintain the Journal in the high position which it has occupied for so long a period.

By reference to the terms it will be seen that, in addition to this large amount of valuable and practical information on every branch of medical science, the subscriber, by paying in advance, becomes entitled, without further charge, to

THE MEDICAL NEWS AND LIBRARY,

a monthly periodical of thirty-two large octavo pages. Its "NEWS DEPARTMENT" presents the current information of the day, while the "LIBRARY DEPARTMENT" is devoted to presenting standard works on various branches of medicine. Within a few years, subscribers have thus received, without expense, the following works which have passed through its columns:—

WATSON'S LECTURES ON THE PRACTICE OF PHYSIC.

BRODIE'S CLINICAL LECTURES ON SURGERY.

TODD AND BOWMAN'S PHYSIOLOGICAL ANATOMY AND PHYSIOLOGY OF MAN.

WEST'S LECTURES ON THE DISEASES OF INFANCY AND CHILDHOOD.

MALGAIGNE'S OPERATIVE SURGERY, with wood-cuts.

SIMON'S LECTURES ON GENERAL PATHOLOGY.

BENNETT ON PULMONARY TUBERCULOSIS, with wood-cuts,

WEST ON ULCERATION OF THE OS UTERI, and

BROWN ON THE SURGICAL DISEASES OF FEMALES, with wood-cuts.

While in the number for July, 1856, was commenced a new and highly important work, which is continued throughout 1857.

WEST'S LECTURES ON THE DISEASES OF WOMEN.

The very favorable reception accorded by the profession to the valuable "LECTURES ON THE DISEASES OF CHILDREN," by the same author, which likewise appeared in this periodical, has induced the publishers to secure the present work for their subscribers, from advance sheets, supplied by the author. The very high reputation of Dr. West, and the unusual clinical advantages which he has enjoyed, sufficiently indicate the practical value of a systematic work from his pen on so important a subject. The publishers, therefore, trust that its appearance in the "News" will afford entire satisfaction to their numerous subscribers, who will thus receive it free of all expense.

☞ For a more extended advertisement, see p. 32.

It will thus be seen that for the small sum of FIVE DOLLARS, paid in advance, the subscriber will obtain a Quarterly and a Monthly periodical,

EMBRACING ABOUT FIFTEEN HUNDRED LARGE OCTAVO PAGES,

mailed to any part of the United States, free of postage.

These very favorable terms are now presented by the publishers with the view of removing all difficulties and objections to a full and extended circulation of the Medical Journal to the office of every member of the profession throughout the United States. The rapid extension of mail facilities will now place the numbers before subscribers with a certainty and dispatch not heretofore attainable; while by the system now proposed, every subscriber throughout the Union is placed upon an equal footing, at the very reasonable price of Five Dollars for two periodicals, without further expense.

Those subscribers who do not pay in advance will bear in mind that their subscription of Five Dollars will entitle them to the Journal only, without the News, and that they will be at the expense of their own postage on the receipt of each number. The advantage of a remittance when ordering the Journal will thus be apparent.

As the Medical News and Library is in no case sent without advance payment, its subscribers will always receive it free of postage.

Remittances of subscriptions can be mailed at our risk, when a certificate is taken from the Postmaster that the money is duly inclosed and forwarded.

Address

BLANCHARD & LEA, PHILADELPHIA.

ALLEN (J. M.), M. D.,

Professor of Anatomy in the Pennsylvania Medical College, &c.

THE PRACTICAL ANATOMIST; or, The Student's Guide in the Dissecting-ROOM. With 266 illustrations. In one handsome royal 12mo. volume, of over 600 pages, leather. \$2 25. (*Now Ready.*)

In the arrangement of this work, the author has endeavored to present a complete and thorough course of dissections in a clearer and more available form for practical use, than has as yet been accomplished. The chapters follow each other in the order in which dissections are usually conducted in this country, and as each region is taken up, every detail regarding it is fully described and illustrated, so that the student is not interrupted in his labors, by the necessity of referring from one portion of the volume to another.

However valuable may be the "Dissector's Guides" which we, of late, have had occasion to notice, we feel confident that the work of Dr. Allen is superior to any of them. We believe with the author, that none is so fully illustrated as this, and the arrangement of the work is such as to facilitate the labors of the student in acquiring a thorough practical knowledge of Anatomy. We most cordially recommend it to their attention.—*Western Lancet*, Dec. 1856.

We believe it to be one of the most useful works upon the subject ever written. It is handsomely illustrated, well printed, and will be found of convenient size for use in the dissecting-room.—*Med. Examiner*, Dec. 1856.

From Prof. J. S. Davis, University of Va.

I am not acquainted with any work that attains so fully the object which it proposes.

From C. P. Fanner, M. D., Demonstrator, University of Michigan.

I have examined the work briefly, but even this examination has convinced me that it is an excellent guide for the Dissector. Its illustrations are beautiful, and more than I have seen in a work of this kind. I shall take great pleasure in recommending it to my classes as the text-book of the dissecting-room.

ANALYTICAL COMPENDIUM

OF MEDICAL SCIENCE, containing Anatomy, Physiology, Surgery, Midwifery, Chemistry, Materia Medica, Therapeutics, and Practice of Medicine. By JOHN NEILL, M. D., and F. G. SMITH, M. D. New and enlarged edition, one thick volume royal 12mo. of over 1000 pages, with 374 illustrations. See NEILL, p. 24.

ABEL (F. A.), F. C. S. AND C. L. BLOXAM.

HANDBOOK OF CHEMISTRY, Theoretical, Practical, and Technical; with a Recommendatory Preface by Dr. HOFMANN. In one large octavo volume, extra cloth, of 662 pages, with illustrations. \$3 25.

It must be understood that this is a work fitted for the earnest student, who resolves to pursue for himself a steady search into the chemical mysteries of creation. For such a student the 'Handbook' will prove an excellent guide, since he will find in it, not merely the approved modes of analytical investigation, but most descriptions of the apparatus ne-

cessary, with such manipulatory details as rendered Faraday's 'Chemical Manipulations' so valuable at the time of its publication. Beyond this, the importance of the work is increased by the introduction of much of the technical chemistry of the manufactory.—*Dr. Hofmann's Preface.*

ASHWELL (SAMUEL), M. D.,

Obstetric Physician and Lecturer to Guy's Hospital, London.

A PRACTICAL TREATISE ON THE DISEASES PECULIAR TO WOMEN.

Illustrated by Cases derived from Hospital and Private Practice. Third American, from the Third and revised London edition. In one octavo volume, extra cloth, of 528 pages. \$3 00.

The most useful practical work on the subject in the English language.—*Boston Med. and Surg. Journal.*

The most able, and certainly the most standard and practical, work on female diseases that we have yet seen.—*Medico-Chirurgical Review.*

ARNOTT (NEILL), M. D.

ELEMENTS OF PHYSICS; or Natural Philosophy, General and Medical.

Written for universal use, in plain or non-technical language. A new edition, by ISAAC HAYS, M. D. Complete in one octavo volume, leather, of 484 pages, with about two hundred illustrations. \$2 50.

BUDD (GEORGE), M. D., F. R. S.,

Professor of Medicine in King's College, London.

ON DISEASES OF THE LIVER. Second American, from the second and enlarged London edition. In one very handsome octavo volume, extra cloth, with four beautifully colored plates, and numerous wood-cuts. pp. 468. \$3 00.

For many years, Dr. Budd's work must be the authority of the great mass of British practitioners on the hepatic diseases; and it is satisfactory that

the subject has been taken up by so able and experienced a physician.—*British and Foreign Medico-Chirurgical Review.*

BY THE SAME AUTHOR.

ON THE ORGANIC DISEASES AND FUNCTIONAL DISORDERS OF THE STOMACH. In one neat octavo volume, extra cloth. \$1 50.

From the high position occupied by Dr. Budd as a teacher, a writer, and a practitioner, it is almost needless to state that the present book may be consulted with great advantage. It is written in an easy

style, the subjects are well arranged, and the practical precepts, both of diagnosis and treatment, denote the character of a thoughtful and experienced physician.—*London Med. Times and Gazette*, Dec. 1855.

BROWN (ISAAC BAKER),
Surgeon-Accoucheur to St. Mary's Hospital, &c.

ON SOME DISEASES OF WOMEN ADMITTING OF SURGICAL TREATMENT. With handsome illustrations. One vol. 8vo., extra cloth. (*Now Ready.*) \$1 60.

Mr. Brown has earned for himself a high reputation in the operative treatment of sundry diseases and injuries to which females are peculiarly subject. We can truly say of his work that it is an important addition to obstetrical literature. The operative suggestions and contrivances which Mr. Brown describes, exhibit much practical sagacity and skill,

and merit the careful attention of every surgeon-accoucheur.—*Association Journal.*

We have no hesitation in recommending this book to the careful attention of all surgeons who make female complaints a part of their study and practice.—*Dublin Quarterly Journal.*

BENNETT (J. HUGHES), M. D., F. R. S. E.,
Professor of Clinical Medicine in the University of Edinburgh, &c.

THE PATHOLOGY AND TREATMENT OF PULMONARY TUBERCULOSIS, and on the Local Medication of Pharyngeal and Laryngeal Diseases frequently mistaken for or associated with, Phthisis. In one handsome octavo volume, extra cloth, with beautiful wood-cuts. pp. 130. (*Lately Issued.*) \$1 25.

BENNETT (HENRY), M. D.

A PRACTICAL TREATISE ON INFLAMMATION OF THE UTERUS, ITS CERVIX AND APPENDAGES, and on its connection with Uterine Disease. Fourth American, from the third and revised London edition. To which is added (*July, 1856*), a REVIEW OF THE PRESENT STATE OF UTERINE PATHOLOGY. In one neat octavo volume, extra cloth, of 500 pages, with wood-cuts. \$2 00.

The addition of the "REVIEW" presents the most recent aspects of the questions discussed in this well-known work, bringing it down to the latest moment.

This edition has been carefully revised and altered, and various additions have been made, which render it more complete, and, if possible, more worthy of the high appreciation in which it is held by the medical profession throughout the world. A copy should be in the possession of every physician.—*Charleston Med. Journal and Review.*

We are firmly of opinion that in proportion as a knowledge of uterine diseases becomes more appreciated, this work will be proportionably established as a text-book in the profession.—*The Lancet.*

When, a few years back, the first edition of the present work was published, the subject was one almost entirely unknown to the obstetrical celebrities of the day; and even now we have reason to know that the bulk of the profession are not fully alive to the importance and frequency of the disease of which it takes cognizance. The present edition is so much enlarged, altered, and improved, that it can scarcely be considered the same work.—*Dr. Ranking's Abstract.*

ALSO, FOR SALE SEPARATE,

A REVIEW OF THE PRESENT STATE OF UTERINE PATHOLOGY.
1 small vol. 8vo. 50 cents.

BIRD (GOLDING), A. M., M. D., &c.

URINARY DEPOSITS: THEIR DIAGNOSIS, PATHOLOGY, AND THERAPEUTICAL INDICATIONS. A new and enlarged American, from the last improved London edition. With over sixty illustrations. In one royal 12mo. vol, extra cloth. pp. 372. \$1 30.

It can scarcely be necessary for us to say anything of the merits of this well-known Treatise, which so admirably brings into practical application the results of those microscopical and chemical researches regarding the physiology and pathology of the urinary secretion, which have contributed so much to the increase of our diagnostic powers, and to the

extension and satisfactory employment of our therapeutic resources. In the preparation of this new edition of his work, it is obvious that Dr. Golding Bird has spared no pains to render it a faithful representation of the present state of scientific knowledge on the subject it embraces.—*The British and Foreign Medico-Chirurgical Review.*

BY THE SAME AUTHOR.

ELEMENTS OF NATURAL PHILOSOPHY; being an Experimental Introduction to the Physical Sciences. Illustrated with nearly four hundred wood-cuts. From the third London edition. In one neat volume, royal 12mo., extra cloth. pp. 402. \$1 25.

BLAKISTON'S PRACTICAL OBSERVATIONS ON CERTAIN DISEASES OF THE CHEST, and on the Principles of Auscultation. In one vol., cloth, 8vo. pp. 384. \$1 25.

BURROWS ON DISORDERS OF THE CEREBRAL CIRCULATION, and on the Connection between the Affections of the Brain and Diseases of the Heart. In one 8vo. vol., extra cloth, with colored plates. pp. 216. \$1 25.

BEALE ON THE LAWS OF HEALTH IN RELATION TO MIND AND BODY. A Series of Letters from an old Practitioner to a Patient. In one volume, royal 12mo., extra cloth. pp. 296. 80 cents

BUSHNAN'S PHYSIOLOGY OF ANIMAL AND

VEGETABLE LIFE; a Popular Treatise on the Functions and Phenomena of Organic Life. In one handsome royal 12mo. volume, extra cloth, with over 100 illustrations. pp. 234. 80 cents.

BUCKLER ON THE ETIOLOGY, PATHOLOGY, AND TREATMENT OF FIBRO-BRONCHITIS AND RHEUMATIC PNEUMONIA. In one 8vo. volume, extra cloth. pp. 150. \$1 25.

BLOOD AND URINE (MANUALS ON). BY JOHN WILLIAM GRIFFITH, G. OWEN REESE, AND ALFRED MARKWICK. One thick volume, royal 12mo., extra cloth, with plates. pp. 460. \$1 25.

BRODIE'S CLINICAL LECTURES ON SURGERY. 1 vol. 8vo., cloth. 350 pp. \$1 25.

BARLOW (GEORGE H.), M. D.

Physician to Guy's Hospital, London, &c.

A MANUAL OF THE PRACTICE OF MEDICINE. With Additions by D.F. CONDIE, M. D., author of "A Practical Treatise on Diseases of Children," &c. In one handsome octavo volume, leather, of over 600 pages. (*A new work, just issued, 1856.*) \$2 75.

We most emphatically commend it to the attention of the profession, as deserving their confidence—a depository of practical knowledge, from which they may draw with great benefit.—*Cincinnati Med. Observer*, Mar. 1856

The student has long been in want of a good elementary work on the Practice of Medicine. In Dr. Barlow's Manual that want is supplied; and we have no question that it will at once be installed as the favorite text-book in all Medical Schools.—*Medical Times and Gazette*.

We recommend Dr. Barlow's Manual in the warmest manner as a most valuable vade-mecum. We have had frequent occasion to consult it, and have found it clear, concise, practical, and sound. It is eminently a practical work, containing all that is

essential, and avoiding useless theoretical discussion. The work supplies what has been for some time wanting, a manual of practice based upon modern discoveries in pathology and rational views of treatment of disease. It is especially intended for the use of students and junior practitioners, but it will be found hardly less useful to the experienced physician. The American editor has added to the work three chapters—on Cholera Infantum, Yellow Fever, and Cerebro-spinal Meningitis. These additions, the two first of which are indispensable to a work on practice destined for the profession in this country, are executed with great judgment and fidelity, by Dr. Condie, who has also succeeded happily in imitating the conciseness and clearness of style which are such agreeable characteristics of the original book.—*Boston Med. and Surg. Journal*.

BARTLETT (ELISHA), M. D.**THE HISTORY, DIAGNOSIS, AND TREATMENT OF THE FEVERS**OF THE UNITED STATES. A new and revised edition. By ALONZO CLARK, M. D., Prof. of Pathology and Practical Medicine in the N. Y. College of Physicians and Surgeons, &c. In one octavo volume, of six hundred pages, extra cloth. (*Now Ready.*) Price \$3 00.

The position which this work has obtained as one of our medical classics, renders unnecessary any remark further than to say that the editor, in executing the task assigned to him by the late author, has endeavored to render the work a faithful exposition of the subject in its most advanced condition. To effect this, a considerable amount of matter has been introduced, but by a slight enlargement of the page it has been accommodated without unduly increasing the bulk of the volume. The reputation of the editor as an accurate observer and philosophical writer is sufficient guarantee that, in his hands, the work will fully maintain its former character.

It is the best work on fevers which has emanated from the American press, and the present editor has carefully availed himself of all information existing upon the subject in the Old and New World, so that the doctrines advanced are brought down to the latest date in the progress of this department of Medical Science.—*London Med. Times and Gazette*, May 2, 1857.

This excellent monograph on febrile disease, has stood deservedly high since its first publication. It will be seen that it has now reached its fourth edition under the supervision of Prof. A. Clark, a gentleman who, from the nature of his studies and pursuits, is well calculated to appreciate and discuss the many intricate and difficult questions in pathology. His annotations add much to the interest of the work, and have brought it well up to the condition of the science as it exists at the present day in regard to this class of diseases.—*Southern Med. and Surg. Journal*, Mar. 1857.

It is a work of great practical value and interest,

containing much that is new relative to the several diseases of which it treats, and, with the additions of the editor, is fully up to the times. The distinctive features of the different forms of fever are plainly and forcibly portrayed, and the lines of demarcation carefully and accurately drawn, and to the American practitioner is a more valuable and safe guide than any work on fever extant.—*Ohio Med. and Surg. Journal*, May, 1857.

The plan of the work is exceedingly compact and comprehensive. The style of the author is clear, his reasoning logical, and his deductions philosophical, while the spirit that pervades the work is, in the main, unexceptionable. The frequent additions by the editor, are what might be looked for from their distinguished source, able, judicious, and timely. We heartily commend it to the attention of our readers as the only work on fevers that is fully adapted to this country and climate. We predict for the present edition even a more rapid sale than the former ones.—*N. J. Med. Reporter*, Mar. 1857.

BOWMAN (JOHN E.), M. D.**PRACTICAL HANDBOOK OF MEDICAL CHEMISTRY. Second American,**

from the third and revised English Edition. In one neat volume, royal 12mo., extra cloth, with numerous illustrations. pp. 288. \$1 25.

BY THE SAME AUTHOR.

INTRODUCTION TO PRACTICAL CHEMISTRY, INCLUDING ANA-

LYSIS. Second American, from the second and revised London edition. With numerous illustrations. In one neat vol., royal 12mo., extra cloth. pp. 350. \$1 25.

CURLING (T. B.), F. R. S.,

Surgeon to the London Hospital, President of the Hunterian Society, &c.

A PRACTICAL TREATISE ON DISEASES OF THE TESTIS, SPERMA-TIC CORD, AND SCROTUM. Second American, from the second and enlarged English edition. In one handsome octavo volume, extra cloth, with numerous illustrations. pp. 420. (*Just Issued, 1856.*) \$2 00.

In the revised English edition, of which this is a reprint, the author, for want of space, omitted the Anatomical Introduction. By a more condensed style of printing, room has been found in the present volume to retain this important portion without rendering the work inconveniently large. Some of the notes of the former American editor have also been incorporated, and a number of new illustrations introduced. With these improvements, and the thorough revision which it has enjoyed at the hands of the author, it will be found fully worthy to retain the authoritative position which it has acquired with regard to this class of affections.

CARPENTER (WILLIAM B.), M. D., F. R. S., &c.,

Examiner in Physiology and Comparative Anatomy in the University of London.

PRINCIPLES OF HUMAN PHYSIOLOGY; with their chief applications to

Psychology, Pathology, Therapeutics, Hygiene, and Forensic Medicine. A new American, from the last and revised London edition. With nearly three hundred illustrations. Edited, with additions, by FRANCIS GURNEY SMITH, M. D., Professor of the Institutes of Medicine in the Pennsylvania Medical College, &c. In one very large and beautiful octavo volume, of about nine hundred large pages, handsomely printed and strongly bound in leather, with raised bands. (*Just Issued*, 1856.) \$4 25.

In the preparation of this new edition, the author has spared no labor to render it, as heretofore, a complete and lucid exposition of the most advanced condition of its important subject. The amount of the additions required to effect this object thoroughly, joined to the former large size of the volume, presenting objections arising from the unwieldy bulk of the work, he has omitted all those portions not bearing directly upon HUMAN PHYSIOLOGY, designing to incorporate them in his forthcoming Treatise on GENERAL PHYSIOLOGY. As a full and accurate text-book on the Physiology of Man, the work in its present condition therefore presents even greater claims upon the student and physician than those which have heretofore won for it the very wide and distinguished favor which it has so long enjoyed. The additions of Prof. Smith will be found to supply whatever may have been wanting to the American student, while the introduction of many new illustrations, and the most careful mechanical execution, render the volume one of the most attractive as yet issued.

For upwards of thirteen years Dr. Carpenter's work has been considered by the profession generally, both in this country and England, as the most valuable compendium on the subject of physiology in our language. This distinction it owes to the high attainments and unwearied industry of its accomplished author. The present edition (which, like the last American one, was prepared by the author himself), is the result of such extensive revision, that it may almost be considered a new work. We need hardly say, in concluding this brief notice, that while the work is indispensable to every student of medicine in this country, it will amply repay the practitioner for its perusal by the interest and value of its contents.—*Boston Med. and Surg. Journal*.

This is a standard work—the text-book used by all medical students who read the English language. It has passed through several editions in order to keep pace with the rapidly growing science of Physiology. Nothing need be said in its praise, for its merits are universally known; we have nothing to say of its defects, for they only appear where the science of which it treats is incomplete.—*Western Lancet*.

The most complete exposition of physiology which any language can at present give.—*Brit. and For. Med.-Chirurg. Review*.

The greatest, the most reliable, and the best book on the subject which we know of in the English language.—*Stethoscope*.

To eulogize this great work would be superfluous. We should observe, however, that in this edition the author has remodelled a large portion of the former, and the editor has added much matter of interest, especially in the form of illustrations. We may confidently recommend it as the most complete work on Human Physiology in our language.—*Southern Med. and Surg. Journal*, December, 1855.

The most complete work on the science in our language.—*Am. Med. Journal*.

The most complete work now extant in our language.—*N. O. Med. Register*.

The best text-book in the language on this extensive subject.—*London Med. Times*.

A complete cyclopædia of this branch of science.—*N. Y. Med. Times*.

The profession of this country, and perhaps also of Europe, have anxiously and for some time awaited the announcement of this new edition of Carpenter's Human Physiology. His former editions have for many years been almost the only text-book on Physiology in all our medical schools, and its circulation among the profession has been unsurpassed by any work in any department of medical science.

It is quite unnecessary for us to speak of this work as its merits would justify. The mere announcement of its appearance will afford the highest pleasure to every student of Physiology, while its perusal will be of infinite service in advancing physiological science.—*Ohio Med. and Surg. Journ.*

BY THE SAME AUTHOR. (*Lately Issued.*)

PRINCIPLES OF COMPARATIVE PHYSIOLOGY. New American, from the Fourth and Revised London edition. In one large and handsome octavo volume, with over three hundred beautiful illustrations. pp. 752. Extra cloth, \$4 80; leather, raised bands, \$5 25.

The delay which has existed in the appearance of this work has been caused by the very thorough revision and remodelling which it has undergone at the hands of the author, and the large number of new illustrations which have been prepared for it. It will, therefore, be found almost a new work, and fully up to the day in every department of the subject, rendering it a reliable text-book for all students engaged in this branch of science. Every effort has been made to render its typographical finish and mechanical execution worthy of its exalted reputation, and creditable to the mechanical arts of this country.

This book should not only be read but thoroughly studied by every member of the profession. None are too wise or old, to be benefited thereby. But especially to the younger class would we cordially commend it as best fitted of any work in the English language to qualify them for the reception and comprehension of those truths which are daily being developed in physiology.—*Medical Counsellor*.

Without pretending to it, it is an encyclopedia of the subject, accurate and complete in all respects—a truthful reflection of the advanced state at which the science has now arrived.—*Dublin Quarterly Journal of Medical Science*.

A truly magnificent work—in itself a perfect physiological study.—*Ranking's Abstract*.

This work stands without its fellow. It is one few men in Europe could have undertaken; it is one

no man, we believe, could have brought to so successful an issue as Dr. Carpenter. It required for its production a physiologist at once deeply read in the labors of others, capable of taking a general, critical, and unprejudiced view of those labors, and of combining the varied, heterogeneous materials at his disposal, so as to form an harmonious whole. We feel that this abstract can give the reader a very imperfect idea of the fulness of this work, and no idea of its unity, of the admirable manner in which material has been brought, from the most various sources, to conduce to its completeness, of the lucidity of the reasoning it contains, or of the clearness of language in which the whole is clothed. Not the profession only, but the scientific world at large, must feel deeply indebted to Dr. Carpenter for this great work. It must, indeed, add largely even to his high reputation.—*Medical Times*.

CARPENTER (WILLIAM B.), M. D., F. R. S.,

Examiner in Physiology and Comparative Anatomy in the University of London.

(Just Issued, 1856.)

THE MICROSCOPE AND ITS REVELATIONS. With an Appendix containing the Applications of the Microscope to Clinical Medicine, &c. By F. G. SMITH, M. D. Illustrated by four hundred and thirty-four beautiful engravings on wood. In one large and very handsome octavo volume, of 724 pages, extra cloth, \$4 00; leather, \$4 50.

Dr. Carpenter's position as a microscopist and physiologist, and his great experience as a teacher eminently qualify him to produce what has long been wanted—a good text-book on the practical use of the microscope. In the present volume his object has been, as stated in his Preface, "to combine, within a moderate compass, that information with regard to the use of his 'tools,' which is most essential to the working microscopist, with such an account of the objects best fitted for his study, as might qualify him to comprehend what he observes, and might thus prepare him to benefit science, whilst expanding and refreshing his own mind." That he has succeeded in accomplishing this, no one acquainted with his previous labors can doubt.

The great importance of the microscope as a means of diagnosis, and the number of microscopists who are also physicians, have induced the American publishers, with the author's approval, to add an Appendix, carefully prepared by Professor Smith, on the applications of the instrument to clinical medicine, together with an account of American Microscopes, their modifications and accessories. This portion of the work is illustrated with nearly one hundred wood-cuts, and, it is hoped, will adapt the volume more particularly to the use of the American student.

Every care has been taken in the mechanical execution of the work, which is confidently presented as in no respect inferior to the choicest productions of the London press.

The mode in which the author has executed his intentions may be gathered from the following condensed synopsis of the

CONTENTS.

INTRODUCTION—History of the Microscope. CHAP. I. Optical Principles of the Microscope. CHAP. II. Construction of the Microscope. CHAP. III. Accessory Apparatus. CHAP. IV. Management of the Microscope. CHAP. V. Preparation, Mounting, and Collection of Objects. CHAP. VI. Microscopic Forms of Vegetable Life—Protophytes. CHAP. VII. Higher Cryptogamia. CHAP. VIII. Phanerogamic Plants. CHAP. IX. Microscopic Forms of Animal Life—Protozoa—Animalcules. CHAP. X. Foraminifera, Polycystina, and Sponges. CHAP. XI. Zoophytes. CHAP. XII. Echinodermata. CHAP. XIII. Polyzoa and Compound Tunicata. CHAP. XIV. Molluscous Animals Generally. CHAP. XV. Annulosa. CHAP. XVI. Crustacea. CHAP. XVII. Insects and Arachnida. CHAP. XVIII. Vertebrated Animals. CHAP. XIX. Applications of the Microscope to Geology. CHAP. XX. Inorganic or Mineral Kingdom—Polarization. APPENDIX. Microscope as a means of Diagnosis—Injections—Microscopes of American Manufacture.

Those who are acquainted with Dr. Carpenter's previous writings on Animal and Vegetable Physiology, will fully understand how vast a store of knowledge he is able to bring to bear upon so comprehensive a subject as the revelations of the microscope; and even those who have no previous acquaintance with the construction or uses of this instrument, will find abundance of information conveyed in clear and simple language.—*Med. Times and Gazette.*

Although originally not intended as a strictly

medical work, the additions by Prof. Smith give it a positive claim upon the profession, for which we doubt not he will receive their sincere thanks. Indeed, we know not where the student of medicine will find such a complete and satisfactory collection of microscopic facts bearing upon physiology and practical medicine as is contained in Prof. Smith's appendix; and this of itself, it seems to us, is fully worth the cost of the volume.—*Louisville Medical Review*, Nov. 1856.

BY THE SAME AUTHOR.

ELEMENTS (OR MANUAL) OF PHYSIOLOGY, INCLUDING PHYSIOLOGICAL ANATOMY. Second American, from a new and revised London edition. With one hundred and ninety illustrations. In one very handsome octavo volume, leather. pp. 566. \$3 00.

In publishing the first edition of this work, its title was altered from that of the London volume, by the substitution of the word "Elements" for that of "Manual," and with the author's sanction the title of "Elements" is still retained as being more expressive of the scope of the treatise.

To say that it is the best manual of Physiology now before the public, would not do sufficient justice to the author.—*Buffalo Medical Journal.*

In his former works it would seem that he had exhausted the subject of Physiology. In the present, he gives the essence, as it were, of the whole.—*N. Y. Journal of Medicine.*

Those who have occasion for an elementary treatise on Physiology, cannot do better than to possess themselves of the manual of Dr. Carpenter.—*Medical Examiner.*

The best and most complete exposé of modern Physiology, in one volume, extant in the English language.—*St. Louis Medical Journal.*

BY THE SAME AUTHOR. *(Preparing.)*

PRINCIPLES OF GENERAL PHYSIOLOGY, INCLUDING ORGANIC CHEMISTRY AND HISTOLOGY. With a General Sketch of the Vegetable and Animal Kingdom. In one large and very handsome octavo volume, with several hundred illustrations.

The subject of general physiology having been omitted in the last editions of the author's "Comparative Physiology" and "Human Physiology," he has undertaken to prepare a volume which shall present it more thoroughly and fully than has yet been attempted, and which may be regarded as an introduction to his other works.

BY THE SAME AUTHOR.

A PRIZE ESSAY ON THE USE OF ALCOHOLIC LIQUORS IN HEALTH AND DISEASE. New edition, with a Preface by D. F. CONDIE, M. D., and explanations of scientific words. In one neat 12mo. volume, extra cloth. pp. 178. 50 cents.

CONDIE (D. F.), M. D., &c.

A PRACTICAL TREATISE ON THE DISEASES OF CHILDREN. Fourth edition, revised and augmented. In one large volume, 8vo., leather, of nearly 750 pages. \$3 00.

FROM THE AUTHOR'S PREFACE.

The demand for another edition has afforded the author an opportunity of again subjecting the entire treatise to a careful revision, and of incorporating in it every important observation recorded since the appearance of the last edition, in reference to the pathology and therapeutics of the several diseases of which it treats.

In the preparation of the present edition, as in those which have preceded, while the author has appropriated to his use every important fact that he has found recorded in the works of others, having a direct bearing upon either of the subjects of which he treats, and the numerous valuable observations—pathological as well as practical—dispersed throughout the pages of the medical journals of Europe and America, he has, nevertheless, relied chiefly upon his own observations and experience, acquired during a long and somewhat extensive practice, and under circumstances peculiarly well adapted for the clinical study of the diseases of early life.

Every species of hypothetical reasoning has, as much as possible, been avoided. The author has endeavored throughout the work to confine himself to a simple statement of well-ascertained pathological facts, and plain therapeutical directions—his chief desire being to render it what its title imports it to be, **A PRACTICAL TREATISE ON THE DISEASES OF CHILDREN.**

Dr. Condie's scholarship, acumen, industry, and practical sense are manifested in this, as in all his numerous contributions to science.—*Dr. Holmes's Report to the American Medical Association.*

Taken as a whole, in our judgment, Dr. Condie's Treatise is the one from the perusal of which the practitioner in this country will rise with the greatest satisfaction.—*Western Journal of Medicine and Surgery.*

One of the best works upon the Diseases of Children in the English language.—*Western Lancet.*

Perhaps the most full and complete work now before the profession of the United States; indeed, we may say in the English language. It is vastly superior to most of its predecessors.—*Transylvania Med. Journal.*

We feel assured from actual experience that no physician's library can be complete without a copy of this work.—*N. Y. Journal of Medicine.*

A veritable pædiatric encyclopædia, and an honor to American medical literature.—*Ohio Medical and Surgical Journal.*

We feel persuaded that the American medical profession will soon regard it not only as a very good, but as the VERY BEST "Practical Treatise on the Diseases of Children."—*American Medical Journal.*

We pronounced the first edition to be the best work on the diseases of children in the English language, and, notwithstanding all that has been published, we still regard it in that light.—*Medical Examiner.*

CHRISTISON (ROBERT), M. D., V. P. R. S. E., &c.

A DISPENSATORY; or, Commentary on the Pharmacopœias of Great Britain and the United States; comprising the Natural History, Description, Chemistry, Pharmacy, Actions, Uses, and Doses of the Articles of the Materia Medica. Second edition, revised and improved, with a Supplement containing the most important New Remedies. With copious Additions, and two hundred and thirteen large wood-engravings. By R. EGLESFELD GRIFFITH, M. D. In one very large and handsome octavo volume, leather, raised bands, of over 1000 pages. \$3 50.

It is not needful that we should compare it with the other pharmacopœias extant, which enjoy and merit the confidence of the profession: it is enough to say that it appears to us as perfect as a Dispensatory, in the present state of pharmaceutical science, could be made. If it omits any details pertaining to

this branch of knowledge which the student has a right to expect in such a work, we confess the omission has escaped our scrutiny. We cordially recommend this work to such of our readers as are in need of a Dispensatory. They cannot make choice of a better.—*Western Journ. of Medicine and Surgery.*

COOPER (BRANSBY B.), F. R. S.

LECTURES ON THE PRINCIPLES AND PRACTICE OF SURGERY.

In one very large octavo volume, extra cloth, of 750 pages. \$3 00.

COOPER ON DISLOCATIONS AND FRACTURES OF THE JOINTS.—Edited by BRANSBY B. COOPER, F. R. S., &c. With additional Observations by Prof. J. C. WARREN. A new American edition. In one handsome octavo volume, extra cloth, of about 500 pages, with numerous illustrations on wood. \$3 25.

COOPER ON THE ANATOMY AND DISEASES OF THE BREAST, with twenty-five Miscellaneous and Surgical Papers. One large volume, imperial 8vo., extra cloth, with 252 figures, on 36 plates. \$2 50.

COOPER ON THE STRUCTURE AND DISEASES OF THE TESTIS, AND ON THE THYMUS GLAND. One vol. imperial 8vo., extra cloth, with 177 figures on 29 plates. \$2 00.

COPLAND ON THE CAUSES, NATURE, AND TREATMENT OF PALSY AND APOPLEXY. In one volume, royal 12mo., extra cloth. pp. 326. 80 cents.

CLYMER ON FEVERS; THEIR DIAGNOSIS, PATHOLOGY, AND TREATMENT In one octavo volume, leather, of 600 pages. \$1 50.

COLOMBAT DE L'ISERE ON THE DISEASES OF FEMALES, and on the special Hygiene of their Sex. Translated, with many Notes and Additions, by C. D. MEIGS, M. D. Second edition, revised and improved. In one large volume, octavo, leather, with numerous wood-cuts. pp. 720. \$3 50.

CARSON (JOSEPH), M. D.,

Professor of Materia Medica and Pharmacy in the University of Pennsylvania.

SYNOPSIS OF THE COURSE OF LECTURES ON MATERIA MEDICA AND PHARMACY, delivered in the University of Pennsylvania. Second and revised edition. In one very neat octavo volume, extra cloth, of 208 pages. (*Now Ready.*) \$1 50.

CHURCHILL (FLEETWOOD), M. D., M. R. I. A.

ON THE THEORY AND PRACTICE OF MIDWIFERY. A new American, from the last and improved English edition. Edited, with Notes and Additions, by D. FRANCIS CONDIE, M. D., author of a "Practical Treatise on the Diseases of Children," &c. With 139 illustrations. In one very handsome octavo volume, leather. pp. 510. \$3 00.

To bestow praise on a book that has received such marked approbation would be superfluous. We need only say, therefore, that if the first edition was thought worthy of a favorable reception by the medical public, we can confidently affirm that this will be found much more so. The lecturer, the practitioner, and the student, may all have recourse to its pages, and derive from their perusal much interest and instruction in everything relating to theoretical and practical midwifery.—*Dublin Quarterly Journal of Medical Science.*

A work of very great merit, and such as we can confidently recommend to the study of every obstetric practitioner.—*London Medical Gazette.*

This is certainly the most perfect system extant. It is the best adapted for the purposes of a text-book, and that which he whose necessities confine him to one book, should select in preference to all others.—*Southern Medical and Surgical Journal.*

The most popular work on midwifery ever issued from the American press.—*Charleston Med. Journal.*

Were we reduced to the necessity of having but one work on midwifery, and permitted to choose, we would unhesitatingly take Churchill.—*Western Med. and Surg. Journal.*

It is impossible to conceive a more useful and elegant manual than Dr. Churchill's Practice of Midwifery.—*Provincial Medical Journal.*

Certainly, in our opinion, the very best work on the subject which exists.—*N. Y. Annalist.*

No work holds a higher position, or is more deserving of being placed in the hands of the tyro, the advanced student, or the practitioner.—*Medical Examiner.*

Previous editions, under the editorial supervision of Prof R. M. Huston, have been received with marked favor, and they deserved it; but this, reprinted from a very late Dublin edition, carefully revised and brought up by the author to the present time, does present an unusually accurate and able exposition of every important particular embraced in the department of midwifery. * * The clearness, directness, and precision of its teachings, together with the great amount of statistical research which its text exhibits, have served to place it already in the foremost rank of works in this department of remedial science.—*N. O. Med. and Surg. Journal.*

In our opinion, it forms one of the best if not the very best text-book and epitome of obstetric science which we at present possess in the English language.—*Monthly Journal of Medical Science.*

The clearness and precision of style in which it is written, and the great amount of statistical research which it contains, have served to place it in the first rank of works in this department of medical science.—*N. Y. Journal of Medicine.*

Few treatises will be found better adapted as a text-book for the student, or as a manual for the frequent consultation of the young practitioner.—*American Medical Journal.*

BY THE SAME AUTHOR. (Now Ready, 1856.)

ON THE DISEASES OF INFANTS AND CHILDREN. Second American

Edition, revised and enlarged by the author. Edited, with Notes, by W. V. KEATING, M. D. In one large and handsome volume, extra cloth, of over 700 pages. \$3 00, or in leather, \$3 25.

In preparing this work a second time for the American profession, the author has spared no labor in giving it a very thorough revision, introducing several new chapters, and rewriting others, while every portion of the volume has been subjected to a severe scrutiny. The efforts of the American editor have been directed to supplying such information relative to matters peculiar to this country as might have escaped the attention of the author, and the whole may, therefore, be safely pronounced one of the most complete works on the subject accessible to the American Profession. By an alteration in the size of the page, these very extensive additions have been accommodated without unduly increasing the size of the work.

A few notices of the former edition are subjoined:—

We regard this volume as possessing more claims to completeness than any other of the kind with which we are acquainted. Most cordially and earnestly, therefore, do we commend it to our professional brethren, and we feel assured that the stamp of their approbation will in due time be impressed upon it. After an attentive perusal of its contents, we hesitate not to say, that it is one of the most comprehensive ever written upon the diseases of children, and that, for copiousness of reference, extent of research, and perspicuity of detail, it is scarcely to be equalled, and not to be excelled, in any language.—*Dublin Quarterly Journal.*

After this meagre, and we know, very imperfect notice of Dr. Churchill's work, we shall conclude by saying, that it is one that cannot fail from its copiousness, extensive research, and general accuracy, to exalt still higher the reputation of the author in this country. The American reader will be particularly pleased to find that Dr. Churchill has done full justice throughout his work to the various American authors on this subject. The names of Dewees, Eberle, Condie, and Stewart, occur on nearly every page, and these authors are constantly referred to by the author in terms of the highest praise, and with the most liberal courtesy.—*The Medical Examiner.*

The present volume will sustain the reputation acquired by the author from his previous works. The reader will find in it full and judicious directions for the management of infants at birth, and a compendious, but clear account of the diseases to which children are liable, and the most successful mode of treating them. We must not close this notice without calling attention to the author's style, which is perspicuous and polished to a degree, we regret to say, not generally characteristic of medical works. We recommend the work of Dr. Churchill most cordially, both to students and practitioners, as a valuable and reliable guide in the treatment of the diseases of children.—*Am. Journ. of the Med. Sciences.*

We know of no work on this department of Practical Medicine which presents so candid and unprejudiced a statement or posting up of our actual knowledge as this.—*N. Y. Journal of Medicine.*

Its claims to merit both as a scientific and practical work, are of the highest order. Whilst we would not elevate it above every other treatise on the same subject, we certainly believe that very few are equal to it, and none superior.—*Southern Med. and Surgical Journal.*

BY THE SAME AUTHOR.

ESSAYS ON THE PUERPERAL FEVER, AND OTHER DISEASES PECULIAR TO WOMEN. Selected from the writings of British Authors previous to the close of the Eighteenth Century. In one neat octavo volume, extra cloth, of about 450 pages. \$2 50.

CHURCHILL (FLEETWOOD), M. D., M. R. I. A., &c.

ON THE DISEASES OF WOMEN; including those of Pregnancy and Child-bed. A new American edition, revised by the Author. With Notes and Additions, by D. FRANCIS CONDIE, M. D., author of "A Practical Treatise on the Diseases of Children." With numerous illustrations. In one large and handsome octavo volume, leather, of 768 pages. (*Now Ready*, May, 1857.) \$3 00.

This edition of Dr. Churchill's very popular treatise may almost be termed a new work, so thoroughly has he revised it in every portion. It will be found greatly enlarged, and thoroughly brought up to the most recent condition of the subject, while the very handsome series of illustrations introduced, representing such pathological conditions as can be accurately portrayed, present a novel feature, and afford valuable assistance to the young practitioner. Such additions as appeared desirable for the American student have been made by the editor, Dr. Condie, while a marked improvement in the mechanical execution keeps pace with the advance in all other respects which the volume has undergone, while the price has been kept at the former very moderate rate. A few notices of the former edition are subjoined:—

We now regretfully take leave of Dr. Churchill's book. Had our typographical limits permitted, we should gladly have borrowed more from its richly stored pages. In conclusion, we heartily recommend it to the profession, and would at the same time express our firm conviction that it will not only add to the reputation of its author, but will prove a work of great and extensive utility to obstetric practitioners.—*Dublin Medical Press*.

Former editions of this work have been noticed in previous numbers of the Journal. The sentiments of high commendation expressed in those notices, have only to be repeated in this; not from the fact that the profession at large are not aware of the high merits which this work really possesses, but from a desire to see the principles and doctrines therein contained more generally recognized, and more universally carried out in practice.—*N. Y. Journal of Medicine*.

We know of no author who deserves that approbation, on "the diseases of females," to the same extent that Dr. Churchill does. His, indeed, is the only thorough treatise we know of on the subject; and it may be commended to practitioners and students as a masterpiece in its particular department. The former editions of this work have been commended strongly in this journal, and they have won their way to an extended, and a well-deserved popu-

larity. This fifth edition, before us, is well calculated to maintain Dr. Churchill's high reputation. It was revised and enlarged by the author, for his American publishers, and it seems to us that there is scarcely any species of desirable information on its subjects that may not be found in this work.—*The Western Journal of Medicine and Surgery*.

We are gratified to announce a new and revised edition of Dr. Churchill's valuable work on the diseases of females. We have ever regarded it as one of the very best works on the subjects embraced within its scope, in the English language; and the present edition, enlarged and revised by the author, renders it still more entitled to the confidence of the profession. The valuable notes of Prof. Huston have been retained, and contribute, in no small degree, to enhance the value of the work. It is a source of congratulation that the publishers have permitted the author to be, in this instance, his own editor, thus securing all the revision which an author alone is capable of making.—*The Western Lancet*.

As a comprehensive manual for students, or a work of reference for practitioners, we only speak with common justice when we say that it surpasses any other that has ever issued on the same subject from the British press.—*The Dublin Quarterly Journal*.

DICKSON (S. H.), M. D.,

Professor of Institutes and Practice of Medicine in the Medical College of South Carolina.

ELEMENTS OF MEDICINE; a Compendious View of Pathology and Therapeutics, or the History and Treatment of Diseases. In one large and handsome octavo volume, of 750 pages, leather (*Lately Issued*.) \$3 75.

As an American text-book on the Practice of Medicine for the student, and as a condensed work of reference for the practitioner, this volume will have strong claims on the attention of the profession. Few physicians have had wider opportunities than the author for observation and experience, and few perhaps have used them better. As the result of a life of study and practice, therefore, the present volume will doubtless be received with the welcome it deserves.

This book is eminently what it professes to be; a distinguished merit in these days. Designed for "Teachers and Students of Medicine," and admirably suited to their wants, we think it will be received, on its own merits, with a hearty welcome.—*Boston Med. and Surg. Journal*.

Indited by one of the most accomplished writers of our country, as well as by one who has long held a high position among teachers and practitioners of medicine, this work is entitled to patronage and careful study. The learned author has endeavored to condense in this volume most of the practical matter contained in his former productions, so as to adapt it to the use of those who have not time to devote to more extensive works.—*Southern Med. and Surg. Journal*.

We can strongly recommend Dr. Dickson's work to our readers as one of interest and practical utility, well deserving of a place in their libraries as a book of reference; and we especially commend the first part as presenting an admirable outline of the principles of medicine.—*Dublin Quarterly Journal*, Feb. 1856

This volume, while as its title denotes it is a compendious view, is also a comprehensive system of practice, perspicuously and pleasantly written, and admirably suited to engage the interest, and instruct the reader.—*Peninsular Journal of Medicine*, Jan. 1856.

Prof. Dickson's work supplies, to a great extent, a desideratum long felt in American medicine.—*N. O. Med. and Surg. Journal*.

Estimating this work according to the purpose for which it is designed, we must think highly of its merits, and we have no hesitation in predicting for it a favorable reception by both students and teachers.

Not professing to be a complete and comprehensive treatise, it will not be found full in detail, nor filled with discussions of theories and opinions, but embracing all that is essential in theory and practice, it is admirably adapted to the wants of the American student. Avoiding all that is uncertain, it presents more clearly to the mind of the reader that which is established and verified by experience. The varied and extensive reading of the author is conspicuously apparent, and all the recent improvements and discoveries in therapeutics and pathology are chronicled in its pages.—*Charleston Med. Journal*.

In the first part of the work the subject of general pathology is presented in outline, giving a beautiful picture of its distinguishing features, and throughout the succeeding chapters we find that he has kept scrupulously within the bounds of sound reasoning and legitimate deduction. Upon the whole, we do not hesitate to pronounce it a superior work in its class, and that Dr. Dickson merits a place in the first rank of American writers.—*Western Lancet*.

DRUITT (ROBERT), M. R. C. S., &c.

THE PRINCIPLES AND PRACTICE OF MODERN SURGERY. A new American, from the improved London edition. Edited by F. W. SARGENT, M. D., author of "Minor Surgery," &c. Illustrated with one hundred and ninety-three wood-engravings. In one very handsomely printed octavo volume, leather, of 576 large pages. \$3 00.

Dr. DrUITT's researches into the literature of his subject have been not only extensive, but well directed; the most discordant authors are fairly and impartially quoted, and, while due credit is given to each, their respective merits are weighed with an unprejudiced hand. The grain of wheat is preserved, and the chaff is unmercifully stripped off. The arrangement is simple and philosophical, and the style, though clear and interesting, is so precise, that the book contains more information condensed into a few words than any other surgical work with which we are acquainted.—*London Medical Times and Gazette*.

No work, in our opinion, equals it in presenting so much valuable surgical matter in so small a compass.—*St. Louis Med. and Surgical Journal*.

DrUITT's Surgery is too well known to the American medical profession to require its announcement anywhere. Probably no work of the kind has ever been more cordially received and extensively circulated than this. The fact that it comprehends in a comparatively small compass, all the essential elements of theoretical and practical Surgery—that it is found to contain reliable and authentic information on the nature and treatment of nearly all surgical affections—is a sufficient reason for the liberal patronage it has obtained. The editor, Dr. F. W. Sargent, has contributed much to enhance the value of the work, by such American improvements as are calculated more perfectly to adapt it to our own views and practice in this country. It abounds everywhere with spirited and life-like illustrations, which to the young surgeon, especially, are of no minor consideration. Every medical man frequently needs just such a work as this, for immediate reference in moments of sudden emergency, when he has not time to consult more elaborate treatises.—*The Ohio Medical and Surgical Journal*.

The author has evidently ransacked every standard treatise of ancient and modern times, and all that

is really practically useful at the bedside will be found in a form at once clear, distinct, and interesting.—*Edinburgh Monthly Medical Journal*.

DrUITT's work, condensed, systematic, lucid, and practical as it is, beyond most works on Surgery accessible to the American student, has had much currency in this country, and under its present auspices promises to rise to yet higher favor.—*The Western Journal of Medicine and Surgery*.

The most accurate and ample resumé of the present state of Surgery that we are acquainted with.—*Dublin Medical Journal*.

A better book on the principles and practice of Surgery as now understood in England and America, has not been given to the profession.—*Boston Medical and Surgical Journal*.

An unsurpassable compendium, not only of Surgical, but of Medical Practice.—*London Medical Gazette*.

This work merits our warmest commendations, and we strongly recommend it to young surgeons as an admirable digest of the principles and practice of modern Surgery.—*Medical Gazette*.

It may be said with truth that the work of Mr. DrUITT affords a complete, though brief and condensed view, of the entire field of modern surgery. We know of no work on the same subject having the appearance of a manual, which includes so many topics of interest to the surgeon; and the terse manner in which each has been treated evinces a most enviable quality of mind on the part of the author, who seems to have an innate power of searching out and grasping the leading facts and features of the most elaborate productions of the pen. It is a useful handbook for the practitioner, and we should deem a teacher of surgery unpardonable who did not recommend it to his pupils. In our own opinion, it is admirably adapted to the wants of the student.—*Provincial Medical and Surgical Journal*.

DUNGLISON, FORBES, TWEEDIE, AND CONOLLY.

THE CYCLOPÆDIA OF PRACTICAL MEDICINE: comprising Treatises on the Nature and Treatment of Diseases, Materia Medica, and Therapeutics, Diseases of Women and Children, Medical Jurisprudence, &c. &c. In four large super-royal octavo volumes, of 3254 double-columned pages, strongly and handsomely bound, with raised bands. \$12 00.

* * * This work contains no less than four hundred and eighteen distinct treatises, contributed by sixty-eight distinguished physicians, rendering it a complete library of reference for the country practitioner.

The most complete work on Practical Medicine extant; or, at least, in our language.—*Buffalo Medical and Surgical Journal*.

For reference, it is above all price to every practitioner.—*Western Lancet*.

One of the most valuable medical publications of the day—as a work of reference it is invaluable.—*Western Journal of Medicine and Surgery*.

It has been to us, both as learner and teacher, a work for ready and frequent reference, one in which modern English medicine is exhibited in the most advantageous light.—*Medical Examiner*.

We rejoice that this work is to be placed within the reach of the profession in this country, it being unquestionably one of very great value to the prac-

itioner. This estimate of it has not been formed from a hasty examination, but after an intimate acquaintance derived from frequent consultation of it during the past nine or ten years. The editors are practitioners of established reputation, and the list of contributors embraces many of the most eminent professors and teachers of London, Edinburgh, Dublin, and Glasgow. It is, indeed, the great merit of this work that the principal articles have been furnished by practitioners who have not only devoted especial attention to the diseases about which they have written, but have also enjoyed opportunities for an extensive practical acquaintance with them, and whose reputation carries the assurance of their competency justly to appreciate the opinions of others, while it stamps their own doctrines with high and just authority.—*American Medical Journ.*

DEWEES'S COMPREHENSIVE SYSTEM OF MIDWIFERY. Illustrated by occasional cases and many engravings. Twelfth edition, with the author's last improvements and corrections. In one octavo volume, extra cloth, of 600 pages. \$3 20.

DEWEES'S TREATISE ON THE PHYSICAL AND MEDICAL TREATMENT OF CHILDREN. Tenth edition. In one volume, octavo, extra cloth, 548 pages. \$2 80.

DEWEES'S TREATISE ON THE DISEASES OF FEMALES. Tenth edition. In one volume, octavo, extra cloth, 532 pages, with plates. \$3 00.

DANA ON ZOOPHYTES AND CORALS. In one volume, imperial quarto, extra cloth, with woodcuts. \$15 00. Also, **AN ATLAS**, in one volume, imperial folio, with sixty-one magnificent colored plates. Bound in half morocco. \$30 00.

DE LA BECHE'S GEOLOGICAL OBSERVER. In one very large and handsome octavo volume, extra cloth, of 700 pages, with 300 woodcuts. \$4 00.

FRICK ON RENAL AFFECTIONS; their Diagnosis and Pathology. With illustrations. One volume, royal 12mo., extra cloth. 75 cents.

DUNGLISON (ROBLEY), M. D.,

Professor of Institutes of Medicine in the Jefferson Medical College, Philadelphia.

MEDICAL LEXICON; a Dictionary of Medical Science, containing a concise Explanation of the various Subjects and Terms of Physiology, Pathology, Hygiene, Therapeutics, Pharmacology, Obstetrics, Medical Jurisprudence, &c. With the French and other Synonymes; Notices of Climate and of celebrated Mineral Waters; Formulæ for various Official, Empirical, and Dietetic Preparations, etc. A NEW EDITION, revised, is now ready. In one very thick octavo volume, of over nine hundred large double-columned pages, strongly bound in leather, with raised bands. \$4 00.

Every successive edition of this work bears the marks of the industry of the author, and of his determination to keep it fully on a level with the most advanced state of medical science. Thus nearly FIFTEEN THOUSAND WORDS have been added to it within the last few years. As a complete Medical Dictionary, therefore, embracing over FIFTY THOUSAND DEFINITIONS, in all the branches of the science, it is presented as meriting a continuance of the great favor and popularity which have carried it, within no very long space of time, through so many editions.

Every precaution has been taken in the preparation of the present volume, to render its mechanical execution and typographical accuracy worthy of its extended reputation and universal use. The very extensive additions have been accommodated, without materially increasing the bulk of the volume, by the employment of a small but exceedingly clear type, cast for this purpose. The press has been watched with great care, and every effort used to insure the verbal accuracy so necessary to a work of this nature. The whole is printed on fine white paper; and, while thus exhibiting in every respect so great an improvement over former issues, it is presented at the original exceedingly low price.

We welcome it cordially; it is an admirable work, and indispensable to all literary medical men. The labor which has been bestowed upon it is something prodigious. The work, however, has now been done, and we are happy in the thought that no human being will have again to undertake the same gigantic task. Revised and corrected from time to time, Dr. Dunglison's "Medical Lexicon" will last for centuries.—*British and Foreign Med.-Chirurg. Review.*

The fact that this excellent and learned work has passed through eight editions, and that a ninth is rendered necessary by the demands of the public, affords a sufficient evidence of the general appreciation of Dr. Dunglison's labors by the medical profession in England and America. It is a book which will be of great service to the student, in teaching him the meaning of all the technical terms used in medicine, and will be of no less use to the practitioner who desires to keep himself on a level with the advance of medical science.—*London Medical Times and Gazette.*

In taking leave of our author, we feel compelled to confess that his work bears evidence of almost incredible labor having been bestowed upon its composition.—*Edinburgh Journal of Med. Science.*

A miracle of labor and industry in one who has written able and voluminous works on nearly every branch of medical science. There could be no more useful book to the student or practitioner, in the present advancing age, than one in which would be found, in addition to the ordinary meaning and derivation of medical terms—so many of which are of modern introduction—concise descriptions of their explanation and employment; and all this and much more is contained in the volume before us. It is therefore almost as indispensable to the other learned professions as to our own. In fact, to all who may have occasion to ascertain the meaning of any word belonging to the many branches of medicine. From a careful examination of the present edition, we can vouch for its accuracy, and for its being brought quite up to the date of publication; the author states in his preface that he has added to it about four thousand terms, which are not to be found in the preceding one.—*Dublin Quarterly Journal of Medical Sciences.*

On the appearance of the last edition of this valuable work, we directed the attention of our

readers to its peculiar merits; and we need do little more than state, in reference to the present reissue, that, notwithstanding the large additions previously made to it, no fewer than four thousand terms, not to be found in the preceding edition, are contained in the volume before us.—Whilst it is a wonderful monument of its author's erudition and industry, it is also a work of great practical utility, as we can testify from our own experience; for we keep it constantly within our reach, and make very frequent reference to it, nearly always finding in it the information we seek.—*British and Foreign Med.-Chirurg. Review.*

It has the rare merit that it certainly has no rival in the English language for accuracy and extent of references. The terms generally include short physiological and pathological descriptions, so that, as the author justly observes, the reader does not possess in this work a mere dictionary, but a book, which, while it instructs him in medical etymology, furnishes him with a large amount of useful information. The author's labors have been properly appreciated by his own countrymen; and we can only confirm their judgment, by recommending this most useful volume to the notice of our cisatlantic readers. No medical library will be complete without it.—*London Med. Gazette.*

It is certainly more complete and comprehensive than any with which we are acquainted in the English language. Few, in fact, could be found better qualified than Dr. Dunglison for the production of such a work. Learned, industrious, persevering, and accurate, he brings to the task all the peculiar talents necessary for its successful performance; while, at the same time, his familiarity with the writings of the ancient and modern "masters of our art," renders him skilful to note the exact usage of the several terms of science, and the various modifications which medical terminology has undergone with the change of theories or the progress of improvement.—*American Journal of the Medical Sciences.*

One of the most complete and copious known to the cultivators of medical science.—*Boston Med. Journal.*

The most comprehensive and best English Dictionary of medical terms extant.—*Buffalo Medical Journal.*

BY THE SAME AUTHOR.

THE PRACTICE OF MEDICINE. A Treatise on Special Pathology and Therapeutics. Third Edition. In two large octavo volumes, leather, of 1,500 pages. \$6 25.

Upon every topic embraced in the work the latest information will be found carefully posted up.—*Medical Examiner.*

The student of medicine will find, in these two elegant volumes, a mine of facts, a gathering of precepts and advice from the world of experience, that will nerve him with courage, and faithfully direct him in his efforts to relieve the physical suf-

ferings of the race.—*Boston Medical and Surgical Journal.*

It is certainly the most complete treatise of which we have any knowledge.—*Western Journal of Medicine and Surgery.*

One of the most elaborate treatises of the kind we have.—*Southern Med. and Surg. Journal.*

DUNGLISON (ROBLEY), M. D.,

Professor of Institutes of Medicine in the Jefferson Medical College, Philadelphia.

HUMAN PHYSIOLOGY. Eighth edition. Thoroughly revised and extensively modified and enlarged, with five hundred and thirty-two illustrations. In two large and handsomely printed octavo volumes, leather, of about 1500 pages. (*Just Issued*, 1856.) \$7 00.

In revising this work for its eighth appearance, the author has spared no labor to render it worthy a continuance of the very great favor which has been extended to it by the profession. The whole contents have been rearranged, and to a great extent remodelled; the investigations which of late years have been so numerous and so important, have been carefully examined and incorporated, and the work in every respect has been brought up to a level with the present state of the subject. The object of the author has been to render it a concise but comprehensive treatise, containing the whole body of physiological science, to which the student and man of science can at all times refer with the certainty of finding whatever they are in search of, fully presented in all its aspects; and on no former edition has the author bestowed more labor to secure this result.

A similar improvement will be found in the typographical execution of the volumes, which, in this respect, are superior to their predecessors. A large number of additional wood-cuts have been introduced, and the series of illustrations has been greatly modified by the substitution of many new ones for such as were not deemed satisfactory. By an enlargement of the page, these very considerable additions have been accommodated without increasing the size of the volumes to an extent to render them unwieldy.

We believe that it can truly be said, no more complete repertory of facts upon the subject treated, can anywhere be found. The author has, moreover, that enviable tact at description and that facility and ease of expression which render him peculiarly acceptable to the casual, or the studious reader. This faculty, so requisite in setting forth many graver and less attractive subjects, lends additional charms to one always fascinating.—*Boston Med. and Surg. Journal*, Sept. 1856.

The most complete and satisfactory system of Physiology in the English language.—*Amer. Med. Journal*.

The best work of the kind in the English language.—*Silliman's Journal*.

The present edition the author has made a perfect mirror of the science as it is at the present hour. As a work upon physiology proper, the science of the functions performed by the body, the student will find it all he wishes.—*Nashville Journ. of Med.* Sept. 1856.

That he has succeeded, most admirably succeeded in his purpose, is apparent from the appearance of an eighth edition. It is now the great encyclopædia on the subject, and worthy of a place in every physician's library.—*Western Lancet*, Sept. 1856.

BY THE SAME AUTHOR.

GENERAL THERAPEUTICS AND MATERIA MEDICA; adapted for a Medical Text-book. New edition, much improved. With one hundred and eighty-seven illustrations. In two large and handsomely printed octavo vols., leather, of about 1100 pages. \$6 00.

In this work of Dr. Dunglison, we recognize the same untiring industry in the collection and embodying of facts on the several subjects of which he treats, that has heretofore distinguished him, and we cheerfully point to these volumes, as two of the most interesting that we know of. In noticing the additions to this, the fourth edition, there is very little in the periodical or annual literature of the profession, published in the interval which has elapsed since the issue of the first, that has escaped the careful search of the author. As a book for reference, it is invaluable.—*Charleston Med. Journal and Review*.

It may be said to be the work now upon the subjects upon which it treats.—*Western Lancet*.

As a text-book for students, for whom it is particularly designed, we know of none superior to it.—*St. Louis Medical and Surgical Journal*.

It purports to be a new edition, but it is rather a new book, so greatly has it been improved, both in the amount and quality of the matter which it contains.—*N. O. Medical and Surgical Journal*.

We bespeak for this edition, from the profession, an increase of patronage over any of its former ones, on account of its increased merit.—*N. Y. Journal of Medicine*.

We consider this work unequalled.—*Boston Med. and Surg. Journal*.

BY THE SAME AUTHOR. (*A new Edition.*)

NEW REMEDIES, WITH FORMULÆ FOR THEIR PREPARATION AND ADMINISTRATION. Seventh edition, with extensive Additions. In one very large octavo volume, leather, of 770 pages. (*Just Issued*, May, 1856.) \$3 75.

Another edition of the "New Remedies" having been called for, the author has endeavored to add everything of moment that has appeared since the publication of the last edition.

The chief remedial means which have obtained a place, for the first time, in this volume, either owing to their having been recently introduced into pharmacology, or to their having received novel applications—and which, consequently, belong to the category of "New Remedies"—are the following:—

Apiol, Caffein, Carbazotic acid, Cauterization and catheterism of the larynx and trachea, Cedron, Cerium, Chloride of bromine, Chloride of iron, Chloride of sodium, Cinchonine, Cod-liver olein, Congelation, Eau de Pagliari, Galvanic cautery, Hydriodic ether, Hyposulphite of soda and silver, Inunction, Iodide of sodium, Nickel, Permanganate of potassa, Phosphate of lime, Pumpkin, Quindia, Rennet, Saccharine carbonate of iron and manganese, Santonin, Tellurium, and Traumaticine.

The articles treated of in the former editions will be found to have undergone considerable expansion in this, in order that the author might be enabled to introduce, as far as practicable, the results of the subsequent experience of others, as well as of his own observation and reflection; and to make the work still more deserving of the extended circulation with which the preceding editions have been favored by the profession. By an enlargement of the page, the numerous additions have been incorporated without greatly increasing the bulk of the volume.—*Preface*.

One of the most useful of the author's works.—*Southern Medical and Surgical Journal*.

This elaborate and useful volume should be found in every medical library, for as a book of reference, for physicians, it is unsurpassed by any other work in existence, and the double index for diseases and for remedies, will be found greatly to enhance its value.—*New York Med. Gazette*.

The great learning of the author, and his remarkable industry in pushing his researches into every source whence information is derivable, have enabled him to throw together an extensive mass of facts and statements, accompanied by full reference to authorities; which last feature renders the work practically valuable to investigators who desire to examine the original papers.—*The American Journal of Pharmacy*.

ERICHSEN (JOHN),

Professor of Surgery in University College, London, &c.

THE SCIENCE AND ART OF SURGERY; BEING A TREATISE ON SURGICAL INJURIES, DISEASES, AND OPERATIONS. Edited by JOHN H. BRINTON, M. D. Illustrated with three hundred and eleven engravings on wood. In one large and handsome octavo volume, of over nine hundred closely printed pages, leather, raised bands. \$4 25.

It is, in our humble judgment, decidedly the best book of the kind in the English language. Strange that just such books are not oftener produced by public teachers of surgery in this country and Great Britain. Indeed, it is a matter of great astonishment, but no less true than astonishing, that of the many works on surgery republished in this country within the last fifteen or twenty years as text-books for medical students, this is the only one that even approximates to the fulfilment of the peculiar wants of young men just entering upon the study of this branch of the profession.—*Western Jour. of Med. and Surgery.*

Its value is greatly enhanced by a very copious well-arranged index. We regard this as one of the most valuable contributions to modern surgery. To one entering his novitiate of practice, we regard it the most serviceable guide which he can consult. He will find a fulness of detail leading him through every step of the operation, and not deserting him until the final issue of the case is decided. For the same reason we recommend it to those whose routine of practice lies in such parts of the country that they must

rarely encounter cases requiring surgical management.—*Stethoscope.*

Embracing, as will be perceived, the whole surgical domain, and each division of itself almost complete and perfect, each chapter full and explicit, each subject faithfully exhibited, we can only express our estimate of it in the aggregate. We consider it an excellent contribution to surgery, as probably the best single volume now extant on the subject, and with great pleasure we add it to our text-books.—*Nashville Journal of Medicine and Surgery.*

Prof. Erichsen's work, for its size, has not been surpassed; his nine hundred and eight pages, profusely illustrated, are rich in physiological, pathological, and operative suggestions, doctrines, details, and processes; and will prove a reliable resource for information, both to physician and surgeon, in the hour of peril.—*N. O. Med. and Surg. Journal.*

We are acquainted with no other work wherein so much good sense, sound principle, and practical inferences, stamp every page.—*American Lancet.*

ELLIS (BENJAMIN), M. D.

THE MEDICAL FORMULARY: being a Collection of Prescriptions, derived from the writings and practice of many of the most eminent physicians of America and Europe. Together with the usual Dietetic Preparations and Antidotes for Poisons. To which is added an Appendix, on the Endermic use of Medicines, and on the use of Ether and Chloroform. The whole accompanied with a few brief Pharmaceutic and Medical Observations. Tenth edition, revised and much extended by ROBERT P. THOMAS, M. D., Professor of Materia Medica in the Philadelphia College of Pharmacy. In one neat octavo volume, extra cloth, of 296 pages. (*Latest Issued.*) \$1 75.

After an examination of the new matter and the alterations, we believe the reputation of the work built up by the author, and the late distinguished editor, will continue to flourish under the auspices of the present editor, who has the industry and accuracy, and, we would say, conscientiousness requisite for the responsible task.—*Am. Jour. of Pharm.*

It will prove particularly useful to students and young practitioners, as the most important prescriptions employed in modern practice, which lie scattered through our medical literature, are here collected and conveniently arranged for reference.—*Charleston Med. Journal and Review.*

FOWNES (GEORGE), PH. D., &c.

ELEMENTARY CHEMISTRY; Theoretical and Practical. With numerous illustrations. Edited, with Additions, by ROBERT BRIDGES, M. D. In one large royal 12mo. volume, of over 550 pages, with 181 wood-cuts. In leather, \$1 50; extra cloth, \$1 35.

We know of no better text-book, especially in the difficult department of organic chemistry, upon which it is particularly full and satisfactory. We would recommend it to preceptors as a capital "office book" for their students who are beginners in Chemistry. It is copiously illustrated with excellent wood-cuts, and altogether admirably "got up."—*N. J. Medical Reporter.*

A standard manual, which has long enjoyed the reputation of embodying much knowledge in a small space. The author has achieved the difficult task of condensation with masterly tact. His book is concise without being dry, and brief without being too dogmatical or general.—*Virginia Med. and Surgical Journal.*

The work of Dr. Fownes has long been before the public, and its merits have been fully appreciated as the best text-book on chemistry now in existence. We do not, of course, place it in a rank superior to the works of Brande, Graham, Turner, Gregory, or Gmelin, but we say that, as a work for students, it is preferable to any of them.—*London Journal of Medicine.*

A work well adapted to the wants of the student. It is an excellent exposition of the chief doctrines and facts of modern chemistry. The size of the work, and still more the condensed yet perspicuous style in which it is written, absolve it from the charges very properly urged against most manuals termed popular.—*Edinburgh Journal of Medical Science.*

FERGUSON (WILLIAM), F. R. S.,

Professor of Surgery in King's College, London, &c.

A SYSTEM OF PRACTICAL SURGERY. Fourth American, from the third and enlarged London edition. In one large and beautifully printed octavo volume, of about 700 pages, with 393 handsome illustrations, leather. \$3 00.

The most important subjects in connection with practical surgery which have been more recently brought under the notice of, and discussed by, the surgeons of Great Britain, are fully and dispassionately considered by Mr. Ferguson, and that which was before wanting has now been supplied, so that we can now look upon it as a work on practical surgery instead of one on operative surgery alone. *Medical Times and Gazette.*

No work was ever written which more nearly comprehended the necessities of the student and

practitioner, and was more carefully arranged to that single purpose than this.—*N. Y. Med. Journal.*

The addition of many new pages makes this work more than ever indispensable to the student and practitioner.—*Ranking's Abstract.*

Among the numerous works upon surgery published of late years, we know of none we value more highly than the one before us. It is perhaps the very best we have for a text-book and for ordinary reference, being concise and eminently practical.—*Southern Med. and Surg. Journal.*

FLINT (AUSTIN), M. D.,

Professor of the Theory and Practice of Medicine in the University of Louisville, &c.

(An Important New Work.)

PHYSICAL EXPLORATION AND DIAGNOSIS OF DISEASES AFFECTING THE RESPIRATORY ORGANS. In one large and handsome octavo volume, extra cloth, 636 pages. (Now Ready.) \$3 00.

We can only state our general impression of the high value of this work, and cordially recommend it to all. We regard it, in point both of arrangement and of the marked ability of its treatment of the subjects, as destined to take the first rank in works of this class. So far as our information extends, it has at present no equal. To the practitioner, as well as the student, it will be invaluable in clearing up the diagnosis of doubtful cases, and in shedding light upon difficult phenomena.—*Buffalo Med. Journal.*

This is the most elaborate work devoted exclusively to the physical exploration of diseases of the lungs, with which we are acquainted in the English language. From the high standing of the author as a clinical teacher, and his known devotion, during many years, to the study of thoracic diseases, much was to be expected from the announcement of his determination to embody in the form of a treatise,

the results of his study and experience. These expectations we are confident will not be disappointed. For our own part, we have been favorably impressed by a perusal of the book, and heartily recommend it to all who are desirous of acquiring a thorough acquaintance with the means of exploring the conditions of the respiratory organs by means of auscultation and percussion.—*Boston Med. and Surg. Journal.*

A work of original observation of the highest merit. We recommend the treatise to every one who wishes to become a correct auscultator. Based to a very large extent upon cases numerically examined, it carries the evidence of careful study and discrimination upon every page. It does credit to the author, and, through him, to the profession in this country. It is, what we cannot call every book upon auscultation, a readable book.—*Am. Jour. Med. Sciences.*

FISKE FUND PRIZE ESSAYS.

THE EFFECTS OF CLIMATE ON TUBERCULOUS DISEASE. By EDWIN LEE, M. R. C. S., London.

THE INFLUENCE OF PREGNANCY ON THE DEVELOPMENT OF TUBERCLES. By EDWARD WARREN, M. D., of Edenton, N. C.

Together in one neat octavo volume, extra cloth. \$1 00. (Just Ready.)

These two valuable Essays on Tuberculosis are reprinted by request of the Rhode Island Medical Society, from the "*American Journal of the Medical Sciences*" for April and July, 1857.

GRAHAM (THOMAS), F. R. S.,

Professor of Chemistry in University College, London, &c.

THE ELEMENTS OF CHEMISTRY. Including the application of the Science to the Arts. With numerous illustrations. With Notes and Additions, by ROBERT BRIDGES, M. D., &c. &c. Second American, from the second and enlarged London edition.

PART I. (Lately Issued) large 8vo., 430 pages, 185 illustrations. \$1 50.

PART II. (Preparing) to match.

GRIFFITH (ROBERT E.), M. D., &c.

A UNIVERSAL FORMULARY, containing the methods of Preparing and Administering Official and other Medicines. The whole adapted to Physicians and Pharmacutists. SECOND EDITION, thoroughly revised, with numerous additions, by ROBERT P. THOMAS, M. D., Professor of Materia Medica in the Philadelphia College of Pharmacy. In one large and handsome octavo volume, extra cloth, of 650 pages, double columns. (Just Issued.) \$3 00; or bound in sheep, \$3 25.

It was a work requiring much perseverance, and when published was looked upon as by far the best work of its kind that had issued from the American press. Prof Thomas has certainly "improved," as well as added to this Formulary, and has rendered it additionally deserving of the confidence of pharmacutists and physicians.—*Am. Journal of Pharmacy.*

We are happy to announce a new and improved edition of this, one of the most valuable and useful works that have emanated from an American pen. It would do credit to any country, and will be found of daily usefulness to practitioners of medicine; it is better adapted to their purposes than the dispensatories.—*Southern Med. and Surg. Journal.*

A new edition of this well-known work, edited by R. P. Thomas, M. D., affords occasion for renewing our commendation of so useful a handbook, which ought to be universally studied by medical men of every class, and made use of by way of reference by office pupils, as a standard authority. It has been much enlarged, and now condenses a vast amount of needful and necessary knowledge in small compass. The more of such books the better for the profession and the public.—*N. Y. Med. Gazette.*

It is one of the most useful books a country practi-

tioner can possibly have in his possession.—*Medical Chronicle.*

The amount of useful, every-day matter, for a practicing physician, is really immense.—*Boston Med. and Surg. Journal.*

This is a work of six hundred and fifty one pages, embracing all on the subject of preparing and administering medicines that can be desired by the physician and pharmacist.—*Western Lancet.*

In short, it is a full and complete work of the kind, and should be in the hands of every physician and apothecary. *O. Med. and Surg. Journal.*

We predict a great sale for this work, and we especially recommend it to all medical teachers.—*Richmond Stethoscope.*

This edition of Dr. Griffith's work has been greatly improved by the revision and ample additions of Dr. Thomas, and is now, we believe, one of the most complete works of its kind in any language. The additions amount to about seventy pages, and no effort has been spared to include in them all the recent improvements which have been published in medical journals, and systematic treatises. A work of this kind appears to us indispensable to the physician, and there is none we can more cordially recommend.—*N. Y. Journal of Medicine.*

BY THE SAME AUTHOR.

MEDICAL BOTANY; or, a Description of all the more important Plants used in Medicine, and of their Properties, Uses, and Modes of Administration. In one large octavo volume, extra cloth, of 704 pages, handsomely printed, with nearly 350 illustrations on wood. \$3 00.

GROSS (SAMUEL D.), M. D.,

Professor of Surgery in the Jefferson Medical College of Philadelphia, &c.

New Edition (Now Ready.)

ELEMENTS OF PATHOLOGICAL ANATOMY. Third edition, thoroughly revised and greatly improved. In one large and very handsome octavo volume, with about three hundred and fifty beautiful illustrations, of which a large number are from original drawings. Price in extra cloth, \$4 75; leather, raised bands, \$5 25.

The length of time which has elapsed since the appearance of the last edition of this work, and the energetic labors of the numerous investigators of pathological subjects, have so changed the details of the science, that very extensive alterations have been found requisite in its revision, to bring it thoroughly up to the present state of the subject. In many respects this edition may therefore be regarded as a new work. A similar improvement will likewise be found in its mechanical execution, and in the series of illustrations, which has been greatly altered and improved. In every respect it may therefore be expected to fully maintain the very high reputation which it has acquired as a sound practical text-book on all points relating to its important subject, while a considerable reduction has been made in the price.

BY THE SAME AUTHOR.

A PRACTICAL TREATISE ON THE DISEASES, INJURIES, AND MALFORMATIONS OF THE URINARY BLADDER, THE PROSTATE GLAND, AND THE URETHRA. Second Edition, revised and much enlarged, with one hundred and eighty-four illustrations. In one large and very handsome octavo volume, of over nine hundred pages. (Just Issued.) In leather, raised bands, \$5 25; extra cloth, \$4 75.

A volume replete with truths and principles of the utmost value in the investigation of these diseases.—*American Medical Journal.*

On the appearance of the first edition of this work, the leading English medical review predicted that it would have a "permanent place in the literature of surgery worthy to rank with the best works of the present age." This prediction has been amply fulfilled. Dr. Gross's treatise has been found to supply completely the want which has been felt ever since the elevation of surgery to the rank of a science, of a good practical treatise on the diseases of the bladder and its accessory organs. Philosophical in its design, methodical in its arrangement, ample and sound in its practical details, it may in truth be said to leave scarcely anything to be desired on so important a subject, and with the additions and modifications resulting from future discoveries and im-

provements, it will probably remain one of the most valuable works on this subject so long as the science of medicine shall exist.—*Boston Med. and Surg. Journal.*

Dr. Gross has brought all his learning, experience, tact, and judgment to the task, and has produced a work worthy of his high reputation. We feel perfectly safe in recommending it to our readers as a monograph unequalled in interest and practical value by any other on the subject in our language.—*Western Journal of Med. and Surg.*

Whoever will peruse the vast amount of valuable practical information it contains, and which we have been unable even to notice, will, we think, agree with us, that there is no work in the English language which can make any just pretensions to be its equal.—*N. Y. Journal of Medicine.*

BY THE SAME AUTHOR. (Just Issued).

A PRACTICAL TREATISE ON FOREIGN BODIES IN THE AIR-PASSAGES. In one handsome octavo volume, extra cloth, with illustrations. pp. 468. \$2 75.

A very elaborate work. It is a complete summary of the whole subject, and will be a useful book of reference.—*British and Foreign Medico-Chirurg. Review.*

A highly valuable book of reference on a most important subject in the practice of medicine. We

conclude by recommending it to our readers, fully persuaded that its perusal will afford them much practical information well conveyed, evidently derived from considerable experience and deduced from an ample collection of facts.—*Dublin Quarterly Journal*, May, 1855.

BY THE SAME AUTHOR. (Preparing.)

A SYSTEM OF SURGERY; Diagnostic, Pathological, Therapeutic, and Operative. With very numerous engravings on wood.

GLUGE (GOTTLIEB), M. D.,

Professor of Physiology and Pathological Anatomy in the University of Brussels, &c.

AN ATLAS OF PATHOLOGICAL HISTOLOGY. Translated, with Notes and Additions, by JOSEPH LEIDY, M. D., Professor of Anatomy in the University of Pennsylvania. In one volume, very large imperial quarto, extra cloth, with 320 figures, plain and colored, on twelve copperplates. \$5 00.

GARDNER'S MEDICAL CHEMISTRY, for the use of Students and the Profession. In one royal 12mo. vol., ex. cloth, pp. 396, with illustrations. \$1 00.

HARRISON'S ESSAY TOWARDS A CORRECT THEORY OF THE NERVOUS SYSTEM. In one octavo volume, leather, 292 pages. \$1 50.

HUGHES' CLINICAL INTRODUCTION TO THE PRACTICE OF AUSCULTATION AND OTHER MODES OF PHYSICAL DIAGNOSIS, IN DISEASES OF THE LUNGS AND HEART. Second American, from the second London edition. 1 vol. royal 12mo., ex. cloth, pp. 304. \$1 00.

HAMILTON (FRANK H.), M. D.,

Professor of Surgery, in Buffalo Medical College, &c.

A TREATISE ON FRACTURES AND DISLOCATIONS. In one handsome octavo volume, with numerous illustrations. (Preparing.)

HOBLYN (RICHARD D.), M. D.

A DICTIONARY OF THE TERMS USED IN MEDICINE AND THE COLLATERAL SCIENCES. By RICHARD D. HOBLYN, A. M., &c. A new American from the last London edition. Revised, with numerous Additions, by ISAAC HAYS, M. D., editor of the "American Journal of the Medical Sciences." In one large royal 12mo. volume, leather, of over 500 double columned pages. (*Just Issued*, 1856.) \$1 50.

If the frequency with which we have referred to this volume since its reception from the publisher, two or three weeks ago, be any criterion for the future, the binding will soon have to be renewed, even with careful handling. We find that Dr. Hays has done the profession great service by his careful and industrious labors. The Dictionary has thus become eminently suited to our medical brethren in this country. The additions by Dr. Hays are in brackets, and we believe there is not a single page but bears these insignia; in every instance which we have thus far noticed, the additions are really needed and exceedingly valuable. We heartily commend the work to all who wish to be *au courant* in medical terminology.—*Boston Med. and Surg. Journal*.

To both practitioner and student, we recommend this dictionary as being convenient in size, accurate in definition, and sufficiently full and complete for ordinary consultation.—*Charleston Med. Journ. and Review*.

Admirably calculated to meet the wants of the practitioner or student, who has neither the means

nor desire to procure a larger work.—*American Lancet*.

Hoblyn has always been a favorite dictionary, and in its present enlarged and improved form will give greater satisfaction than ever. The American editor, Dr. Hays, has made many very valuable additions.—*N. J. Med. Reporter*.

To supply the want of the medical reader arising from this cause, we know of no dictionary better arranged and adapted than the one bearing the above title. It is not encumbered with the obsolete terms of a bygone age, but it contains all that are now in use; embracing every department of medical science down to the very latest date. The volume is of a convenient size to be used by the medical student, and yet large enough to make a respectable appearance in the library of a physician.—*Western Lancet*.

Hoblyn's Dictionary has long been a favorite with us. It is the best book of definitions we have, and ought always to be upon the student's table.—*Southern Med. and Surg. Journal*.

HOLLAND (SIR HENRY), BART., M. D., F. R. S.,

Physician in Ordinary to the Queen of England, &c.

MEDICAL NOTES AND REFLECTIONS. From the third London edition.

In one handsome octavo volume, extra cloth. (*Now Ready*.) \$3 00.

As the work of a thoughtful and observant physician, embodying the results of forty years' active professional experience, on topics of the highest interest, this volume is commended to the American practitioner as well worthy his attention. Few will rise from its perusal without feeling their convictions strengthened, and armed with new weapons for the daily struggle with disease.

HUNTER (JOHN).

TREATISE ON THE VENEREAL DISEASE. With copious Additions, by

DR. PH. RICORD, Surgeon to the Venereal Hospital of Paris. Edited, with additional Notes, by F. J. BUMSTEAD, M. D. In one octavo volume, with plates. \$3 25. See RICORD.

ALSO, HUNTER'S COMPLETE WORKS, with Memoir, Notes, &c. &c. In four neat octavo volumes, leather, with plates. \$10 00.

HORNER (WILLIAM E.), M. D.,

Professor of Anatomy in the University of Pennsylvania.

SPECIAL ANATOMY AND HISTOLOGY. Eighth edition. Extensively revised and modified. In two large octavo volumes, extra cloth, of more than one thousand pages, handsomely printed, with over three hundred illustrations. \$6 00.

This edition enjoyed a thorough and laborious revision on the part of the author shortly before his death, with the view of bringing it fully up to the existing state of knowledge on the subject of general and special anatomy. To adapt it more perfectly to the wants of the student, he introduced a large number of additional wood-engravings, illustrative of the objects described, while the publishers have endeavored to render the mechanical execution of the work worthy of its extended reputation.

JONES (T. WHARTON), F. R. S.,

Professor of Ophthalmic Medicine and Surgery in University College, London, &c.

THE PRINCIPLES AND PRACTICE OF OPHTHALMIC MEDICINE

AND SURGERY. With one hundred and ten illustrations. Second American from the second and revised London edition, with additions by EDWARD HARTSHORNE, M. D., Surgeon to Wills' Hospital, &c. In one large, handsome royal 12mo. volume, extra cloth, of 500 pages. (*Now Ready*.) \$1 50.

We are confident that the reader will find, on perusal, that the execution of the work amply fulfils the promise of the preface, and sustains, in every point, the already high reputation of the author as an ophthalmic surgeon as well as a physiologist and pathologist. The book is evidently the result of much labor and research, and has been written with the greatest care and attention; it possesses that best quality which a general work, like a system or manual can show, viz: the quality of having all the materials whencesoever derived, so thorough-

ly wrought up, and digested in the author's mind, as to come forth with the freshness and impressiveness of an original production. We entertain little doubt that this book will become what its author hoped it might become, a manual for daily reference and consultation by the student and the general practitioner. The work is marked by that correctness, clearness, and precision of style which distinguish all the productions of the learned author.—*British and For. Med. Review*.

JONES (C. HANDFIELD), F. R. S., & EDWARD H. SIEVEKING, M. D.,
Assistant Physicians and Lecturers in St. Mary's Hospital, London.

A MANUAL OF PATHOLOGICAL ANATOMY. First American Edition, Revised. With three hundred and ninety-seven handsome wood engravings. In one large and beautiful octavo volume of nearly 750 pages, leather. (*Lately Issued.*) \$3 75.

As a concise text-book, containing, in a condensed form, a complete outline of what is known in the domain of Pathological Anatomy, it is perhaps the best work in the English language. Its great merit consists in its completeness and brevity, and in this respect it supplies a great desideratum in our literature. Heretofore the student of pathology was obliged to glean from a great number of monographs, and the field was so extensive that but few cultivated it with any degree of success. As a simple work of reference, therefore, it is of great value to the student of pathological anatomy, and should be in every physician's library.—*Western Lancet*.

In offering the above titled work to the public, the authors have not attempted to intrude new views on their professional brethren, but simply to lay before them, what has long been wanted, an outline of the

present condition of pathological anatomy. In this they have been completely successful. The work is one of the best compilations which we have ever perused.—*Charleston Medical Journal and Review*.

We urge upon our readers and the profession generally the importance of informing themselves in regard to modern views of pathology, and recommend to them to procure the work before us as the best means of obtaining this information.—*Stethoscope*.

From the casual examination we have given we are inclined to regard it as a text-book, plain, rational, and intelligible, such a book as the practical man needs for daily reference. For this reason it will be likely to be largely useful, as it suits itself to those busy men who have little time for minute investigation, and prefer a summary to an elaborate treatise.—*Buffalo Medical Journal*.

KIRKES (WILLIAM SENHOUSE), M. D.,

Demonstrator of Morbid Anatomy at St. Bartholomew's Hospital, &c.

A MANUAL OF PHYSIOLOGY. A new American, from the third and improved London edition. With two hundred illustrations. In one large and handsome royal 12mo. volume, leather. pp. 586. \$2 00. (*Now Ready, 1857.*)

In again passing this work through his hands, the author has endeavored to render it a correct exposition of the present condition of the science, making such alterations and additions as have been dictated by further experience, or as the progress of investigation has rendered desirable. In every point of mechanical execution the publishers have sought to make it superior to former editions, and at the very low price at which it is offered, it will be found one of the handsomest and cheapest volumes before the profession.

In making these improvements, care has been exercised not unduly to increase its size, thus maintaining its distinctive characteristic of presenting within a moderate compass a clear and connected view of its subjects, sufficient for the wants of the student.

This is a new and very much improved edition of Dr. Kirkes' well-known Handbook of Physiology. Originally constructed on the basis of the admirable treatise of Miller, it has in successive editions developed itself into an almost original work, though no change has been made in the plan or arrangement. It combines conciseness with completeness, and is, therefore, admirably adapted for consultation by the busy practitioner.—*Dublin Quarterly Journal*, Feb. 1857.

Its excellence is in its compactness, its clearness, and its carefully cited authorities. It is the most convenient of text-books. These gentlemen, Messrs Kirkes and Paget, have really an immense talent for silence, which is not so common or so cheap as prating people fancy. They have the gift of telling us what we want to know, without thinking it necessary to tell us all they know.—*Boston Med and Surg. Journal*, May 14, 1857.

One of the very best handbooks of Physiology we possess—presenting just such an outline of the science, comprising an account of its leading facts and generally admitted principles, as the student requires during his attendance upon a course of lectures, or for reference whilst preparing for examination.—*Am. Medical Journal*.

We need only say, that, without entering into discussions of unsettled questions, it contains all the recent improvements in this department of medical science. For the student beginning this study, and the practitioner who has but leisure to refresh his memory, this book is invaluable, as it contains all that is important to know, without special details, which are read with interest only by those who would make a specialty, or desire to possess a critical knowledge of the subject.—*Charleston Medical Journal*.

KNAPP'S TECHNOLOGY; or, Chemistry applied to the Arts and to Manufactures. Edited, with numerous Notes and Additions, by Dr. EDMUND RONALDS and Dr. THOMAS RICHARDSON. First American edition, with Notes and Additions, by Prof. WALTER R. JOHNSON. In two handsome

octavo volumes, extra cloth, with about 500 wood- engravings. \$6 00.

LALLEMAND ON SPERMATORRHEEA. Translated and edited by HENRY J. McDUGAL. In one volume, octavo, extra cloth, 320 pages. Second American edition. \$1 75.

LUDLOW (J. L.), M. D.

A MANUAL OF EXAMINATIONS upon Anatomy, Physiology, Surgery, Practice of Medicine, Obstetrics, Materia Medica, Chemistry, Pharmacy, and Therapeutics. To which is added a Medical Formulary. Designed for Students of Medicine throughout the United States. Third edition, thoroughly revised and greatly extended and enlarged. With three hundred and seventy illustrations. In one large and handsome royal 12mo. volume, leather, of over 800 closely printed pages. (*Now Ready.*) \$2 50.

The great popularity of this volume, and the numerous demands for it during the two years in which it has been out of print, have induced the author in its revision to spare no pains to render it a correct and accurate digest of the most recent condition of all the branches of medical science. In many respects it may, therefore, be regarded rather as a new book than a new edition, an entire section on Physiology having been added, as also one on Organic Chemistry, and many portions having been rewritten. A very complete series of illustrations has been introduced, and every care has been taken in the mechanical execution to render it a convenient and satisfactory book for study or reference.

The arrangement of the volume in the form of question and answer renders it especially suited for the office examination of students and for those preparing for graduation.

We know of no better companion for the student during the hours spent in the lecture room, or to refresh, at a glance, his memory of the various topics

examined into his head by the various professors to whom he is compelled to listen.—*Western Lancet*, May, 1857.

LEHMANN (C. G.)

PHYSIOLOGICAL CHEMISTRY. Translated from the second edition by GEORGE E. DAY, M. D., F. R. S., &c., edited by R. E. ROGERS, M. D., Professor of Chemistry in the Medical Department of the University of Pennsylvania, with illustrations selected from Funke's Atlas of Physiological Chemistry, and an Appendix of plates. Complete in two large and handsome octavo volumes, extra cloth, containing 1200 pages, with nearly two hundred illustrations. (*Just Issued.*) \$6 00.

This great work, universally acknowledged as the most complete and authoritative exposition of the principles and details of Zoochemistry, in its passage through the press, has received from Professor Rogers such care as was necessary to present it in a correct and reliable form. To such a work additions were deemed superfluous, but several years having elapsed between the appearance in Germany of the first and last volume, the latter contained a supplement, embodying numerous corrections and additions resulting from the advance of the science. These have all been incorporated in the text in their appropriate places, while the subjects have been still further elucidated by the insertion of illustrations from the Atlas of Dr. Otto Funke. With the view of supplying the student with the means of convenient comparison, a large number of wood-cuts, from works on kindred subjects, have also been added in the form of an Appendix of Plates. The work is, therefore, presented as in every way worthy the attention of all who desire to be familiar with the modern facts and doctrines of Physiological Science.

The most important contribution as yet made to Physiological Chemistry.—*Am. Journal Med. Sciences*, Jan. 1856.

The present volumes belong to the small class of medical literature which comprises elaborate works of the highest order of merit.—*Montreal Med. Chronicle*, Jan. 1856.

The work of Lehmann stands unrivalled as the most comprehensive book of reference and information extant on every branch of the subject on which

it treats.—*Edinburgh Monthly Journal of Medical Science*.

Already well known and appreciated by the scientific world, Professor Lehmann's great work requires no laudatory sentences, as, under a new garb, it is now presented to us. The little space at our command would ill suffice to set forth even a small portion of its excellences.—*Boston Med. and Surg. Journal*, Dec. 1855.

BY THE SAME AUTHOR. (*Just Issued*, 1856.)

MANUAL OF CHEMICAL PHYSIOLOGY. Translated from the German, with Notes and Additions, by J. CHESTON MORRIS, M. D., with an Introductory Essay on Vital Force, by SAMUEL JACKSON, M. D., Professor of the Institutes of Medicine in the University of Pennsylvania. With illustrations on wood. In one very handsome octavo volume, extra cloth, of 336 pages. \$2 25.

From Prof. Jackson's Introductory Essay.

In adopting the handbook of Dr. Lehmann as a manual of Organic Chemistry for the use of the students of the University, and in recommending his original work of PHYSIOLOGICAL CHEMISTRY for their more mature studies, the high value of his researches, and the great weight of his authority in that important department of medical science are fully recognized.

The present volume will be a very convenient one for students, as offering a brief epitome of the more elaborate work, and as containing, in a very con-

densed form, the positive facts of Physiological Chemistry.—*Am. Journal Med. Sciences*, April, 1856.

LAWRENCE (W.), F. R. S., &c.

A TREATISE ON DISEASES OF THE EYE. A new edition, edited, with numerous additions, and 243 illustrations, by ISAAC HAYS, M. D., Surgeon to Will's Hospital, &c. In one very large and handsome octavo volume, of 950 pages, strongly bound in leather with raised bands. \$5 00.

This work is so universally recognized as the standard authority on the subject, that the publishers in presenting this new edition have only to remark that in its preparation the editor has carefully revised every portion, introducing additions and illustrations wherever the advance of science has rendered them necessary or desirable, constituting it a complete and thorough exponent of the most advanced state of the subject.

This admirable treatise—the safest guide and most comprehensive work of reference, which is within the reach of the profession.—*Stethoscope*.

This standard text-book on the department of which it treats, has not been superseded, by any or all of the numerous publications on the subject heretofore issued. Nor with the multiplied improvements of Dr. Hays, the American editor, is it at all likely that this great work will cease to merit the confidence and preference of students or practitioners. Its ample extent—nearly one thousand large

octavo pages—has enabled both author and editor to do justice to all the details of this subject, and condense in this single volume the present state of our knowledge of the whole science in this department, whereby its practical value cannot be excelled. We heartily commend it, especially as a book of reference, indispensable in every medical library. The additions of the American editor very greatly enhance the value of the work, exhibiting the learning and experience of Dr. Hays, in the light in which he ought to be held, as a standard authority on all subjects appertaining to this specialty.—*N. Y. Med. Gaz.*

LARDNER (DIONYSIUS), D. C. L., &c.

HANDBOOKS OF NATURAL PHILOSOPHY AND ASTRONOMY. Revised, with numerous Additions, by the American editor. **FIRST COURSE**, containing Mechanics, Hydrostatics, Hydraulics, Pneumatics, Sound, and Optics. In one large royal 12mo. volume, of 750 pages, with 424 wood-cuts. \$1 75. **SECOND COURSE**, containing Heat, Electricity, Magnetism, and Galvanism, one volume, large royal 12mo., of 450 pages, with 250 illustrations. \$1 25. **THIRD COURSE** (*now ready*), containing Meteorology and Astronomy, in one large volume, royal 12mo. of nearly 800 pages, with 37 plates and 200 wood-cuts. \$2 00.

LA ROCHE (R.), M. D., &c.

YELLOW FEVER, considered in its Historical, Pathological, Etiological, and Therapeutical Relations. Including a Sketch of the Disease as it has occurred in Philadelphia from 1699 to 1854, with an examination of the connections between it and the fevers known under the same name in other parts of temperate as well as in tropical regions. In two large and handsome octavo volumes of nearly 1500 pages, extra cloth. (Just Issued.) \$7 00.

From Professor S. H. Dickson, Charleston, S. C.,
September 18, 1855.

A monument of intelligent and well applied research, almost without example. It is, indeed, in itself, a large library, and is destined to constitute the special resort as a book of reference, in the subject of which it treats, to all future time.

We have not time at present, engaged as we are, by day and by night, in the work of combating this very disease, now prevailing in our city, to do more than give this cursory notice of what we consider as undoubtedly the most able and erudite medical publication our country has yet produced. But in view of the startling fact, that this, the most malignant and unmanageable disease of modern times, has for several years been prevailing in our country to a greater extent than ever before; that it is no longer confined to either large or small cities, but penetrates country villages, plantations, and farm-houses; that it is treated with scarcely better success now than thirty or forty years ago; that there is vast mischief done by ignorant pretenders to knowledge in regard to the disease, and in view of the probability that a majority of southern physicians will be called upon to treat the disease, we trust that this able and comprehensive treatise will be very generally read in the south.—*Memphis Med. Recorder*.

This is decidedly the great American medical work of the day—a full, complete, and systematic treatise, unequalled by any other upon the all-important subject of Yellow Fever. The laborious, indefatigable, and learned author has devoted to it many years of

arduous research and careful study, and the result is such as will reflect the highest honor upon the author and our country.—*Southern Med. and Surg. Journal*.

The genius and scholarship of this great physician could not have been better employed than in the erection of this towering monument to his own fame, and to the glory of the medical literature of his own country. It is destined to remain the great authority upon the subject of Yellow Fever. The student and physician will find in these volumes a *résumé* of the sum total of the knowledge of the world upon the awful scourge which they so elaborately discuss. The style is so soft and so pure as to refresh and invigorate the mind while absorbing the thoughts of the gifted author, while the publishers have succeeded in bringing the externals into a most felicitous harmony with the inspiration that dwells within. Take it all in all, it is a book we have often dreamed of, but dreamed not that it would ever meet our waking eye as a tangible reality.—*Nashville Journal of Medicine*.

We deem it fortunate that the splendid work of Dr. La Roche should have been issued from the press at this particular time. The want of a reliable digest of all that is known in relation to this frightful malady has long been felt—a want very satisfactorily met in the work before us. We deem it but faint praise to say that Dr. La Roche has succeeded in presenting the profession with an able and complete monograph, one which will find its way into every well ordered library.—*Va. Stethoscope*.

BY THE SAME AUTHOR.

PNEUMONIA; its Supposed Connection, Pathological and Etiological, with Autumnal Fevers, including an Inquiry into the Existence and Morbid Agency of Malaria. In one handsome octavo volume, extra cloth, of 500 pages. \$3 00.

A more simple, clear, and forcible exposition of the groundless nature and dangerous tendency of certain pathological and etiological heresies, has seldom been presented to our notice.—*N. Y. Journal of Medicine and Collateral Science*.

This work should be carefully studied by Southern physicians, embodying as it does the reflections of an original thinker and close observer on a subject peculiarly their own.—*Virginia Med. and Surgical Journal*.

LAYCOCK (THOMAS), M. D., F. R. S. E.,

Professor of Practical and Clinical Medicine in the University of Edinburgh, &c.

LECTURES ON THE PRINCIPLES AND METHODS OF MEDICAL OBSERVATION AND RESEARCH. For the Use of Advanced Students and Junior Practitioners. In one very neat royal 12mo. volume, extra cloth. Price \$1 00. (Just Published, 1857.)

A review of the book cannot now be attempted; and our desire is simply to recommend it to all—not merely the class for which it was designed; since there are many senior practitioners in full and (peculiarly) successful practice who would be very much benefited by a close study of its precepts and principles.—*Va. Med. Journal*, March, 1857.

To the medical investigator, who would be philosophical, and who would accustom himself to observe and to think, the work before us will be scarcely less than a cyclopædia—a treasury of logi-

cal professional thought and reasoning. Appropriated to a heretofore unoccupied field of research, and designed to fill an obvious hiatus, in medical literature, it may in truth, from its discussiveness of reasoning, and its copiousness as regards number and variety of topics, with great propriety be denominated *multum in parvo*.—*Medical Independent*, Detroit, April, 1857.

This is a most interesting and suggestive little work.—*N. J. Med. Reporter*, March, 1857.

MULLER'S PRINCIPLES OF PHYSICS AND METEOROLOGY. Edited, with Additions, by R. EGLESFELD GRIFFITH, M. D. In one large and handsome octavo volume, extra cloth, with 550 wood-cuts, and two colored plates. pp. 636. \$3 50.

MILLER (HENRY), M. D.,

Professor of Obstetrics and Diseases of Women and Children in the University of Louisville.

PRINCIPLES AND PRACTICE OF OBSTETRICS, &c.; including the Treatment of Chronic Inflammation of the Cervix and Body of the Uterus considered as a frequent cause of Abortion. With illustrations on wood. In one very handsome octavo volume, of over 600 pages. (In Press.)

The very favorable reception accorded by the profession to the "Treatise on Human Parturition," published some years since by Prof. Miller, is an earnest that the present work will fulfil the author's purpose of providing within moderate compass an accurate and trustworthy text-book for the student, and work of reference for the Obstetric practitioner. Based upon the former work, but enlarged to more than double its size, and almost entirely rewritten, it presents the matured experience gained in long and extensive practice, while the author's position as a teacher for so many years has given him a familiarity with the wants of students, and a facility of conveying instruction, which cannot fail to render the volume eminently adapted to its purposes.

MEIGS (CHARLES D.), M. D.,

Professor of Obstetrics, &c. in the Jefferson Medical College, Philadelphia.

OBSTETRICS: THE SCIENCE AND THE ART. Third edition, revised and improved. With one hundred and twenty-nine illustrations. In one beautifully printed octavo volume, leather, of seven hundred and fifty-two large pages. \$3 75.

The rapid demand for another edition of this work is a sufficient expression of the favorable verdict of the profession. In thus preparing it a third time for the press, the author has endeavored to render it in every respect worthy of the favor which it has received. To accomplish this he has thoroughly revised it in every part. Some portions have been rewritten others added, new illustrations have been in many instances substituted for such as were not deemed satisfactory, while, by an alteration in the typographical arrangement, the size of the work has not been increased, and the price remains unaltered. In its present improved form, it is, therefore, hoped that the work will continue to meet the wants of the American profession as a sound, practical, and extended **SYSTEM OF MIDWIFERY.**

Though the work has received only five pages of enlargement, its chapters throughout wear the impress of careful revision. Expunging and rewriting, remodelling its sentences, with occasional new material, all evince a lively desire that it shall deserve to be regarded as improved in *manner* as well as *matter*. In the *matter*, every stroke of the pen has increased the value of the book, both in expungings and additions.—*Western Lancet*, Jan. 1857.

The best American work on Midwifery that is accessible to the student and practitioner.—*N. W. Med. and Surg. Journal*, Jan. 1857.

This is a standard work by a great American Obstetrician. It is the third and last edition, and, in the language of the preface, the author has "brought the subject up to the latest dates of real improvement in our art and Science."—*Nashville Journ. of Med. and Surg.*, May, 1857.

BY THE SAME AUTHOR. (*Lately Issued.*)

WOMAN: HER DISEASES AND THEIR REMEDIES. A Series of Lectures to his Class. Third and Improved edition. In one large and beautifully printed octavo volume, leather. pp. 672. \$3 60.

The gratifying appreciation of his labors, as evinced by the exhaustion of two large impressions of this work within a few years, has not been lost upon the author, who has endeavored in every way to render it worthy of the favor with which it has been received. The opportunity thus afforded for a second revision has been improved, and the work is now presented as in every way superior to its predecessors, additions and alterations having been made whenever the advance of science has rendered them desirable. The typographical execution of the work will also be found to have undergone a similar improvement, and the work is now confidently presented as in every way worthy the position it has acquired as the standard American text-book on the Diseases of Females.

It contains a vast amount of practical knowledge, by one who has accurately observed and retained the experience of many years, and who tells the result in a free, familiar, and pleasant manner.—*Dublin Quarterly Journal*.

There is an off-hand fervor, a glow, and a warm-heartedness infecting the effort of Dr. Meigs, which is entirely captivating, and which absolutely hurries the reader through from beginning to end. Besides, the book teems with solid instruction, and it shows the very highest evidence of ability, viz., the clearness with which the information is presented. We know of no better test of one's understanding a subject than the evidence of the power of lucidly explaining it. The most elementary, as well as the obscurest subjects, under the pencil of Prof. Meigs, are isolated and made to stand out in

such bold relief, as to produce distinct impressions upon the mind and memory of the reader.—*The Charleston Med. Journal*.

Professor Meigs has enlarged and amended this great work, for such it unquestionably is, having passed the ordeal of criticism at home and abroad, but been improved thereby; for in this new edition the author has introduced real improvements, and increased the value and utility of the book immeasurably. It presents so many novel, bright, and sparkling thoughts; such an exuberance of new ideas on almost every page, that we confess ourselves to have become enamored with the book and its author; and cannot withhold our congratulations from our Philadelphia confreres, that such a teacher is in their service.—*N. Y. Med. Gazette*.

BY THE SAME AUTHOR. (*Lately Published.*)

ON THE NATURE, SIGNS, AND TREATMENT OF CHILD-BED FEVER. In a Series of Letters addressed to the Students of his Class. In one handsome octavo volume, extra cloth, of 365 pages. \$2 50.

The instructive and interesting author of this work, whose previous labors in the department of medicine which he so sedulously cultivates, have placed his countrymen under deep and abiding obligations, again challenges their admiration in the fresh and vigorous, attractive and racy pages before us. It is a delectable book. * * * This treatise upon child-bed fevers will have an extensive sale, being destined, as it deserves, to find a place in the library of every practitioner who scorns to lag in the rear of his brethren.—*Nashville Journal of Medicine and Surgery*.

This book will add more to his fame than either of those which bear his name. Indeed we doubt whether any material improvement will be made on the teachings of this volume for a century to come, since it is so eminently practical, and based on profound knowledge of the *science* and consummate skill in the *art* of healing, and ratified by an ample and extensive experience, such as few men have the industry or good fortune to acquire.—*N. Y. Med. Gazette*.

BY THE SAME AUTHOR; WITH COLORED PLATES.

A TREATISE ON ACUTE AND CHRONIC DISEASES OF THE NECK OF THE UTERUS. With numerous plates, drawn and colored from nature in the highest style of art. In one handsome octavo volume, extra cloth. \$4 50.

MAYNE'S DISPENSATORY AND THERAPEUTICAL REMEMBRANCER. Comprising the entire lists of *Materia Medica*, with every Practical Formula contained in the three British Pharmacopœias. Edited, with the addition of the Formulae of the U. S. Pharmacopœia, by R. E. GRIFFITH, M. D. 1 12mo. vol. ex. cl., 300 pp. 75 c.

MALGAIGNE'S OPERATIVE SURGERY, based on Normal and Pathological Anatomy. Translated from the French by FREDERICK BRITTON, A. B., M. D. With numerous illustrations on wood. In one handsome octavo volume, extra cloth, of nearly six hundred pages. \$2 25.

MACLISE (JOSEPH), SURGEON.

SURGICAL ANATOMY. Forming one volume, very large imperial quarto.

With sixty-eight large and splendid Plates, drawn in the best style and beautifully colored. Containing one hundred and ninety Figures, many of them the size of life. Together with copious and explanatory letter-press. Strongly and handsomely bound in extra cloth, being one of the cheapest and best executed Surgical works as yet issued in this country. \$11 00.

* * The size of this work prevents its transmission through the post-office as a whole, but those who desire to have copies forwarded by mail, can receive them in five parts, done up in stout wrappers. Price \$9 00.

One of the greatest artistic triumphs of the age in Surgical Anatomy.—*British American Medical Journal*.

Too much cannot be said in its praise; indeed, we have not language to do it justice.—*Ohio Medical and Surgical Journal*.

The most admirable surgical atlas we have seen. To the practitioner deprived of demonstrative dissections upon the human subject, it is an invaluable companion.—*N. J. Medical Reporter*.

The most accurately engraved and beautifully colored plates we have ever seen in an American book—one of the best and cheapest surgical works ever published.—*Buffalo Medical Journal*.

It is very rare that so elegantly printed, so well illustrated, and so useful a work, is offered at so moderate a price.—*Charleston Medical Journal*.

Its plates can boast a superiority which places them almost beyond the reach of competition.—*Medical Examiner*.

Every practitioner, we think, should have a work of this kind within reach.—*Southern Medical and Surgical Journal*.

No such lithographic illustrations of surgical regions have hitherto, we think, been given.—*Boston Medical and Surgical Journal*.

As a surgical anatomist, Mr. MacLise has probably no superior.—*British and Foreign Medico-Chirurgical Review*.

Of great value to the student engaged in dissecting, and to the surgeon at a distance from the means

of keeping up his anatomical knowledge.—*Medical Times*.

The mechanical execution cannot be excelled.—*Pennsylvania Medical Journal*.

A work which has no parallel in point of accuracy and cheapness in the English language.—*N. Y. Journal of Medicine*.


To all engaged in the study or practice of their profession, such a work is almost indispensable.—*Dublin Quarterly Medical Journal*.

No practitioner whose means will admit should fail to possess it.—*Ranking's Abstract*.

Country practitioners will find these plates of immense value.—*N. Y. Medical Gazette*.

We are extremely gratified to announce to the profession the completion of this truly magnificent work, which, as a whole, certainly stands unrivalled, both for accuracy of drawing, beauty of coloring, and all the requisite explanations of the subject in hand.—*The New Orleans Medical and Surgical Journal*.

This is by far the ablest work on Surgical Anatomy that has come under our observation. We know of no other work that would justify a student, in any degree, for neglect of actual dissection. In those sudden emergencies that so often arise, and which require the instantaneous command of minute anatomical knowledge, a work of this kind keeps the details of the dissecting-room perpetually fresh in the memory.—*The Western Journal of Medicine and Surgery*.

 The very low price at which this work is furnished, and the beauty of its execution, require an extended sale to compensate the publishers for the heavy expenses incurred.

MOHR (FRANCIS), PH. D., AND REDWOOD (THEOPHILUS).

PRACTICAL PHARMACY. Comprising the Arrangements, Apparatus, and Manipulations of the Pharmaceutical Shop and Laboratory. Edited, with extensive Additions, by Prof. WILLIAM PROCTER, of the Philadelphia College of Pharmacy. In one handsomely printed octavo volume, extra cloth, of 570 pages, with over 500 engravings on wood. \$2 75.

MACKENZIE (W.), M. D.,

Surgeon Oculist in Scotland in ordinary to Her Majesty, &c. &c.

A PRACTICAL TREATISE ON DISEASES AND INJURIES OF THE

EYE. To which is prefixed an Anatomical Introduction explanatory of a Horizontal Section of the Human Eyeball, by THOMAS WHARTON JONES, F. R. S. From the Fourth Revised and Enlarged London Edition. With Notes and Additions by ADDINELL HEWSON, M. D., Surgeon to Wills Hospital, &c. &c. In one very large and handsome octavo volume, leather, raised bands, with plates and numerous wood-cuts. \$5 25.

The treatise of Dr. Mackenzie indisputably holds the first place, and forms, in respect of learning and research, an Encyclopedia unequalled in extent by any other work of the kind, either English or foreign.—*Dixon on Diseases of the Eye*.

Few modern books on any department of medicine or surgery have met with such extended circulation, or have procured for their authors a like amount of European celebrity. The immense research which it displayed, the thorough acquaintance with the subject, practically as well as theoretically, and the able manner in which the author's stores of learning and experience were rendered available for general use, at once procured for the first edition, as well on the continent as in this country, that high position as a standard work which each successive edition has more firmly established, in spite of the attractions of several rivals of no mean ability. This, the fourth edition, has been in a great measure re-written; new matter, to the extent of one hundred and fifty pages, has been added, and in several instances formerly expressed opinions have been modified in

accordance with the advances in the science which have been made of late years. Nothing worthy of repetition upon any branch of the subject appears to have escaped the author's notice. We consider it the duty of every one who has the love of his profession and the welfare of his patient at heart, to make himself familiar with this the most complete work in the English language upon the diseases of the eye.—*Med. Times and Gazette*.

The fourth edition of this standard work will no doubt be as fully appreciated as the three former editions. It is unnecessary to say a word in its praise, for the verdict has already been passed upon it by the most competent judges, and "Mackenzie on the Eye" has justly obtained a reputation which it is no figure of speech to call world-wide.—*British and Foreign Medico-Chirurgical Review*.

This new edition of Dr. Mackenzie's celebrated treatise on diseases of the eye, is truly a miracle of industry and learning. We need scarcely say that he has entirely exhausted the subject of his specialty.—*Dublin Quarterly Journal*.

MILLER (JAMES), F. R. S. E.,
Professor of Surgery in the University of Edinburgh, &c.

PRINCIPLES OF SURGERY. Fourth American, from the third and revised Edinburgh edition. In one large and very beautiful volume, leather, of 700 pages, with two hundred and forty exquisite illustrations on wood. (*Just Issued, 1856.*) \$3 75.

The extended reputation enjoyed by this work will be fully maintained by the present edition. Thoroughly revised by the author, it will be found a clear and compendious exposition of surgical science in its most advanced condition.

In connection with the recently issued third edition of the author's "Practice of Surgery," it forms a very complete system of Surgery in all its branches.

The work of Mr. Miller is too well and too favorably known among us, as one of our best text-books, to render any further notice of it necessary than the announcement of a new edition, the fourth in our country, a proof of its extensive circulation among us. As a concise and reliable exposition of the science of modern surgery, it stands deservedly high—we know not its superior.—*Boston Med. and Surg. Journal.*

It presents the most satisfactory exposition of the modern doctrines of the principles of surgery to be found in any volume in any language.—*N. Y. Journal of Medicine.*

The work takes rank with Watson's Practice of Physic; it certainly does not fall behind that great work in soundness of principle or depth of reasoning and research. No physician who values his re-

putation, or seeks the interests of his clients, can acquit himself before his God and the world without making himself familiar with the sound and philosophical views developed in the foregoing book.—*New Orleans Med. and Surg. Journal.*

Without doubt the ablest exposition of the principles of that branch of the healing art in any language. This opinion, deliberately formed after a careful study of the first edition, we have had no cause to change on examining the second. This edition has undergone thorough revision by the author; many expressions have been modified, and a mass of new matter introduced. The book is got up in the finest style, and is an evidence of the progress of typography in our country.—*Charleston Medical Journal and Review.*

BY THE SAME AUTHOR. (*Lately Published.*)

THE PRACTICE OF SURGERY. A new American from the last Edinburgh edition. Illustrated by three hundred and nineteen engravings on wood. In one large octavo volume, leather, of over 700 pages. \$3 75.

No encomium of ours could add to the popularity of Miller's Surgery. Its reputation in this country is unsurpassed by that of any other work, and, when taken in connection with the author's *Principles of Surgery*, constitutes a whole, without reference to which no conscientious surgeon would be willing to practice his art. The additions, by Dr. Sargent, have materially enhanced the value of the work.—*Southern Medical and Surgical Journal.*

It is seldom that two volumes have ever made so profound an impression in so short a time as the "Principles" and the "Practice" of Surgery by Mr. Miller—or so richly merited the reputation they have acquired. The author is an eminently sensible, practical, and well-informed man, who knows exactly what he is talking about and exactly how to talk it.—*Kentucky Medical Recorder.*

By the almost unanimous voice of the profession,

his works, both on the principles and practice of surgery have been assigned the highest rank. If we were limited to but one work on surgery, that one should be Miller's, as we regard it as superior to all others.—*St. Louis Med. and Surg. Journal.*

The author, distinguished alike as a practitioner and writer, has in this and his "Principles," presented to the profession one of the most complete and reliable systems of Surgery extant. His style of writing is original, impressive, and engaging, energetic, concise, and lucid. Few have the faculty of condensing so much in small space, and at the same time so persistently holding the attention; indeed, he appears to make the very process of condensation a means of eliminating attractions. Whether as a text-book for students or a book of reference for practitioners, it cannot be too strongly recommended.—*Southern Journal of Med. and Phys. Sciences.*

MONTGOMERY (W. F.), M. D., M. R. I. A., &c.,

Professor of Midwifery in the King and Queen's College of Physicians in Ireland, &c.

AN EXPOSITION OF THE SIGNS AND SYMPTOMS OF PREGNANCY.

With some other Papers on Subjects connected with Midwifery. From the second and enlarged English edition. With two exquisite colored plates, and numerous wood-cuts. In one very handsome octavo volume, extra cloth, of nearly 600 pages. (*Now Ready, 1857.*) \$3 75.

The present edition of this classical volume is fairly entitled to be regarded as a new work, every sentence having been carefully rewritten, and the whole increased to more than double the original size. The title of the work scarcely does justice to the extent and importance of the topics brought under consideration, embracing, with the exception of the operative procedures of midwifery, almost everything connected with obstetrics, either directly or incidentally; and there are few physicians who will not find in its pages much that will prove of great interest and value in their daily practice. The special Essays on the Period of Human Gestation, the Signs of Delivery, and the Spontaneous Amputation and other Lesions of the Fœtus in Utero present topics of the highest interest fully treated and beautifully illustrated.

In every point of mechanical execution the work will be found one of the handsomest yet issued from the American press.

A book unusually rich in practical suggestions.—*Am. Journal Med. Sciences, Jan. 1857.*

These several subjects so interesting in themselves, and so important, every one of them, to the most delicate and precious of social relations, controlling often the honor and domestic peace of a family, the legitimacy of offspring, or the life of a parent, are all treated with an elegance of diction, fulness of illustrations, acuteness and justice of reasoning, unparalleled in obstetrics, and unsurpassed in medicine. The reader's interest can never flag, so fresh, and vigorous, and classical is our author's style; and one forgets, in the renewed charm of every page, that it, and every line, and every word

has been weighed and reweighed through years of preparation; that this is of all others the book of Obstetric Law, on each of its several topics; on all points connected with pregnancy, to be everywhere received as a manual of special jurisprudence, at once announcing fact, affording argument, establishing precedent, and governing alike the juryman, advocate, and judge. It is not merely in its legal relations that we find this work so interesting. Hardly a page but that has its hints or facts important to the general practitioner; and not a chapter without especial matter for the anatomist, physiologist, or pathologist.—*N. A. Med.-Chir. Review, March, 1857.*

NEILL (JOHN), M. D.,

Surgeon to the Pennsylvania Hospital, &c.; and

FRANCIS GURNEY SMITH, M. D.,

Professor of Institutes of Medicine in the Pennsylvania Medical College.

AN ANALYTICAL COMPENDIUM OF THE VARIOUS BRANCHES

OF MEDICAL SCIENCE; for the Use and Examination of Students. A new edition, revised and improved. In one very large and handsomely printed royal 12mo. volume, of about one thousand pages, with 374 wood-cuts. Strongly bound in leather, with raised bands. \$3 00.

The very flattering reception which has been accorded to this work, and the high estimate placed upon it by the profession, as evinced by the constant and increasing demand which has rapidly exhausted two large editions, have stimulated the authors to render the volume in its present revision more worthy of the success which has attended it. It has accordingly been thoroughly examined, and such errors as had on former occasions escaped observation have been corrected, and whatever additions were necessary to maintain it on a level with the advance of science have been introduced. The extended series of illustrations has been still further increased and much improved, while, by a slight enlargement of the page, these various additions have been incorporated without increasing the bulk of the volume.

The work is, therefore, again presented as eminently worthy of the favor with which it has hitherto been received. As a book for daily reference by the student requiring a guide to his more elaborate text-books, as a manual for preceptors desiring to stimulate their students by frequent and accurate examination, or as a source from which the practitioners of older date may easily and cheaply acquire a knowledge of the changes and improvement in professional science, its reputation is permanently established.

The best work of the kind with which we are acquainted.—*Med. Examiner.*

Having made free use of this volume in our examinations of pupils, we can speak from experience in recommending it as an admirable compend for students, and as especially useful to preceptors who examine their pupils. It will save the teacher much labor by enabling him readily to recall all of the points upon which his pupils should be examined. A work of this sort should be in the hands of every one who takes pupils into his office with a view of examining them; and this is unquestionably the best of its class.—*Transylvania Med. Journal*

In the rapid course of lectures, where work for

the students is heavy, and review necessary for an examination, a compend is not only valuable, but it is almost a *sine qua non*. The one before us is, in most of the divisions, the most unexceptionable of all books of the kind that we know of. The newest and soundest doctrines and the latest improvements and discoveries are explicitly, though concisely, laid before the student. There is a class to whom we very sincerely commend this cheap book as worth its weight in silver—that class is the graduates in medicine of more than ten years' standing, who have not studied medicine since. They will perhaps find out from it that the science is not exactly now what it was when they left it off.—*The Stethoscope*

NEILL (JOHN), M. D.,

Professor of Surgery in the Pennsylvania Medical College, &c.

OUTLINES OF THE VEINS AND LYMPHATICS. With handsome colored plates. 1 vol., cloth. \$1 25.

OUTLINES OF THE NERVES. With handsome plates. 1 vol., cloth. \$1 25.

NELIGAN (J. MOORE), M. D., M. R. I. A., &c.

(A splendid work. Just Issued.)

ATLAS OF CUTANEOUS DISEASES. In one beautiful quarto volume, extra cloth, with splendid colored plates, presenting nearly one hundred elaborate representations of disease. \$4 50.

This beautiful volume is intended as a complete and accurate representation of all the varieties of Diseases of the Skin. While it can be consulted in conjunction with any work on Practice, it has especial reference to the author's "Treatise on Diseases of the Skin," so favorably received by the profession some years since. The publishers feel justified in saying that few more beautifully executed plates have ever been presented to the profession of this country.


The diagnosis of eruptive disease, however, under all circumstances, is very difficult. Nevertheless Dr. Neligan has certainly, "as far as possible," given a faithful and accurate representation of this class of diseases, and there can be no doubt that these plates will be of great use to the student and practitioner in drawing a diagnosis as to the class, order, and species to which the particular case may belong. While looking over the "Atlas" we have been induced to examine also the "Practical Treatise," and we are inclined to consider it a very superior work, combining accurate verbal description, with sound views of the pathology and treatment of eruptive diseases.—*Glasgow Med. Journal.*

The profession owes its thanks to the publishers of Neligan's Atlas of Cutaneous Diseases, for they have

placed within its reach and at a moderate cost a most accurate and well delineated series of plates illustrating the eruptive disorders. These plates are all drawn from the life, and in many of them the daguerreotype has been employed with great success. Such works as these are especially useful to country practitioners, who have not an opportunity of seeing the rarer forms of cutaneous disease, and hence need the aid of illustrations to give them the requisite information on the subject. With these plates at hand, the inexperienced practitioner is enabled to discriminate with much accuracy, and he is thus, comparatively speaking, put on an equal footing with those who have had the opportunity of visiting the large hospitals of Europe and America.—*Va. Med. Journal*, June, 1856.

BY THE SAME AUTHOR.

A PRACTICAL TREATISE ON DISEASES OF THE SKIN. Second American edition. In one neat royal 12mo. volume, extra cloth, of 334 pages. \$1 00.

 The two volumes will be sent by mail on receipt of *Five Dollars*.

OWEN ON THE DIFFERENT FORMS OF THE SKELETON, AND OF THE TEETH.

One vol. royal 12mo., extra cloth, with numerous illustrations. *(Just Issued.)* \$1 25.

(Now Complete.)

PEREIRA (JONATHAN), M. D., F. R. S., AND L. S.

THE ELEMENTS OF MATERIA MEDICA AND THERAPEUTICS.

Third American edition, enlarged and improved by the author; including Notices of most of the Medicinal Substances in use in the civilized world, and forming an Encyclopædia of Materia Medica. Edited, with Additions, by JOSEPH CARSON, M. D., Professor of Materia Medica and Pharmacy in the University of Pennsylvania. In two very large octavo volumes of 2100 pages, on small type, with about 500 illustrations on stone and wood, strongly bound in leather, with raised bands. \$9 00.

Gentlemen who have the first volume are recommended to complete their copies without delay. The first volume will no longer be sold separate. Price of Vol. II. \$5 00.

When we remember that Philology, Natural History, Botany, Chemistry, Physics, and the Microscope, are all brought forward to elucidate the subject, one cannot fail to see that the reader has here a work worthy of the name of an encyclopædia of Materia Medica. Our own opinion of its merits is that of its editors, and also that of the whole profession, both of this and foreign countries—namely, “that in copiousness of details, in extent, variety, and accuracy of information, and in lucid explanation of difficult and recondite subjects, it surpasses all other works on Materia Medica hitherto published.” We cannot close this notice without alluding to the special additions of the American editor, which pertain to the prominent vegetable productions of this country, and to the directions of the United States Pharmacopœia, in connection with all the articles contained in the volume which are referred to by it. The illustrations have been increased, and this edition by Dr. Carson cannot well be regarded in any other light than that of a treasure which should be found in the library of every physician.—*New York Journal of Medical and Collateral Science.*

The third edition of his “Elements of Materia Medica, although completed under the supervision of others, is by far the most elaborate treatise in the English language, and will, while medical literature is cherished, continue a monument alike honorable to his genius, as to his learning and industry.—*American Journal of Pharmacy.*

The work, in its present shape, forms the most comprehensive and complete treatise on materia medica extant in the English language.—Dr. Pereira has been at great pains to introduce into his work, not only all the information on the natural, chemical, and commercial history of medicines, which might be serviceable to the physician and surgeon, but whatever might enable his readers to understand thoroughly the mode of preparing and manufacturing various articles employed either for preparing medicines, or for certain purposes in the arts connected with materia medica and the practice of medicine. The accounts of the physiological and therapeutic effects of remedies are given with great clearness and accuracy, and in a manner calculated to interest as well as instruct the reader.—*Edinburgh Medical and Surgical Journal.*

PEASLEE (E. R.), M. D.,

Professor of Physiology and General Pathology in the New York Medical College.

HUMAN HISTOLOGY, in its relations to Anatomy, Physiology, and Pathology; for the use of Medical Students. With over four hundred illustrations. In one handsome octavo volume. (Nearly Ready.)

The author's object in this work has been to give a connected view of the simple chemical elements, of the immediate principles, of the simple structural elements, and of the proper tissues entering into the composition of the fluids and the solids of the human body; and also, to associate with the structural elements and tissues their functions while in health, and the changes they undergo in disease. It will, therefore, be seen that the subject of the volume is one, the growing importance of which, as the basis of all true medical science, demands for it a separate volume. The book will therefore supply an acknowledged deficiency in medical text-books, while the name of the author, and his experience as a teacher for the last thirteen years, is a guarantee that it will be thoroughly adapted to the use of the student.

PIRRIE (WILLIAM), F. R. S. E.,

Professor of Surgery in the University of Aberdeen.

THE PRINCIPLES AND PRACTICE OF SURGERY. Edited by JOHN NEILL, M. D., Professor of Surgery in the Penna. Medical College, Surgeon to the Pennsylvania Hospital, &c. In one very handsome octavo volume, leather, of 780 pages, with 316 illustrations. \$3 75.

We know of no other surgical work of a reasonable size, wherein there is so much theory and practice, or where subjects are more soundly or clearly taught.—*The Stethoscope.*

There is scarcely a disease of the bones or soft parts, fracture, or dislocation, that is not illustrated by accurate wood-engravings. Then, again, every instrument employed by the surgeon is thus represented. These engravings are not only correct, but really beautiful, showing the astonishing degree of perfection to which the art of wood-engraving has

arrived. Prof. Pirrie, in the work before us, has elaborately discussed the principles of surgery, and a safe and effectual practice predicated upon them. Perhaps no work upon this subject heretofore issued is so full upon the science of the art of surgery.—*Nashville Journal of Medicine and Surgery.*

One of the best treatises on surgery in the English language.—*Canada Med. Journal.*

Our impression is, that, as a manual for students, Pirrie's is the best work extant.—*Western Med. and Surg. Journal.*

PARKER (LANGSTON),

Surgeon to the Queen's Hospital, Birmingham.

THE MODERN TREATMENT OF SYPHILITIC DISEASES, BOTH PRIMARY AND SECONDARY; comprising the Treatment of Constitutional and Confirmed Syphilis, by a safe and successful method. With numerous Cases, Formulæ, and Clinical Observations. From the Third and entirely rewritten London edition. In one neat octavo volume, extra cloth, of 316 pages. \$1 75.

PARRISH (EDWARD),

Lecturer on Practical Pharmacy and Materia Medica in the Pennsylvania Academy of Medicine, &c.

AN INTRODUCTION TO PRACTICAL PHARMACY. Designed as a Text-Book for the Student, and as a Guide for the Physician and Pharmaceutist. With many Formulæ and Prescriptions. In one handsome octavo volume, extra cloth, of 550 pages, with 243 Illustrations. \$2 75.

A careful examination of this work enables us to speak of it in the highest terms, as being the best treatise on practical pharmacy with which we are acquainted, and an invaluable *vade-mecum*, not only to the apothecary and to those practitioners who are accustomed to prepare their own medicines, but to every medical man and medical student. Throughout the work are interspersed valuable tables, useful formulæ, and practical hints, and the whole is illustrated by a large number of excellent wood-engravings.—*Boston Med. and Surg. Journal*.

This is altogether one of the most useful books we have seen. It is just what we have long felt to be needed by apothecaries, students, and practitioners of medicine, most of whom in this country have to put up their own prescriptions. It bears, upon every page, the impress of practical knowledge, conveyed in a plain common sense manner, and adapted to the comprehension of all who may read it. No detail has been omitted, however trivial it may seem, although really important to the dispenser of medicine.—*Southern Med. and Surg. Journal*.

To both the country practitioner and the city apothecary this work of Mr. Parrish is a godsend. A careful study of its contents will give the young graduate a familiarity with the value and mode of administering his prescriptions, which will be of as much use to his patient as to himself.—*Va. Med. Journal*.

Mr. Parrish has rendered a very acceptable service to the practitioner and student, by furnishing this book, which contains the leading facts and principles of the science of Pharmacy, conveniently arranged for study, and with special reference to those features of the subject which possess an especial practical interest to the physician. It furnishes the student, at the commencement of his studies, with that information which is of the greatest importance in initiating him into the domain of Chemistry and Materia

Medica; it familiarizes him with the compounding of drugs, and supplies those minutiae which but few practitioners can impart. The junior practitioner will, also, find this volume replete with instruction.—*Charleston Med. Journal and Review*, Mar. 1856.

There is no useful information in the details of the apothecary's or country physician's office conducted according to science that is omitted. The young physician will find it an encyclopedia of indispensable medical knowledge, from the purchase of a spatula to the compounding of the most learned prescriptions. The work is by the ablest pharmaceutist in the United States, and must meet with an immense sale.—*Nashville Journal of Medicine*, April, 1856.

We are glad to receive this excellent work. It will supply a want long felt by the profession, and especially by the student of Pharmacy. A large majority of physicians are obliged to compound their own medicines, and to them a work of this kind is indispensable.—*N. O. Medical and Surgical Journal*.

We cannot say but that this volume is one of the most welcome and appropriate which has for a long time been issued from the press. It is a work which we doubt not will at once secure an extensive circulation, as it is designed not only for the druggist and pharmaceutist, but also for the great body of practitioners throughout the country, who not only have to prescribe medicines, but in the majority of instances have to rely upon their own resources—whatever these may be—not only to compound, but also to manufacture the remedies they are called upon to administer. The author has not mistaken the idea in writing this volume, as it is alike useful and invaluable to those engaged in the active pursuits of the profession, and to those preparing to enter upon the field of professional labors.—*American Lancet*, March 24, 1856.

RICORD (P.), M. D.,

A TREATISE ON THE VENEREAL DISEASE. By JOHN HUNTER, F. R. S.

With copious Additions, by P. H. RICORD, M. D. Edited, with Notes, by FREEMAN J. BUMSTEAD, M. D. In one handsome octavo volume, extra cloth, of 520 pages, with plates. \$3 25.

Every one will recognize the attractiveness and value which this work derives from thus presenting the opinions of these two masters side by side. But, it must be admitted, what has made the fortune of the book, is the fact that it contains the "most complete embodiment of the veritable doctrines of the Hôpital du Midi," which has ever been made public. The doctrinal ideas of M. Ricord, ideas which, if not universally adopted, are incontestably dominant, have heretofore only been interpreted by more or less skilful

secretaries, sometimes accredited and sometimes not.

In the notes to Hunter, the master substitutes himself for his interpreters, and gives his original thoughts to the world in a lucid and perfectly intelligible manner. In conclusion we can say that this is incontestably the best treatise on syphilis with which we are acquainted, and, as we do not often employ the phrase, we may be excused for expressing the hope that it may find a place in the library of every physician.—*Virginia Med. and Surg. Journal*.

BY THE SAME AUTHOR.

ILLUSTRATIONS OF SYPHILITIC DISEASE.

Translated by THOMAS F. BETTON, M. D. With fifty large quarto colored plates. In one large quarto volume, extra cloth. \$15 00.

LETTERS ON SYPHILIS, addressed to the Chief Editor of the *Union Médicale*. Translated by W. P. LATTIMORE, M. D. In one neat octavo volume, of 270 pages, extra cloth. \$2 00.

RIGBY (EDWARD), M. D.,

Senior Physician to the General Lying-in Hospital, &c.

A SYSTEM OF MIDWIFERY. With Notes and Additional Illustrations. Second American Edition. One volume octavo, extra cloth, 422 pages. \$2 50.

BY THE SAME AUTHOR. (*Now Ready*, 1857.)

ON THE CONSTITUTIONAL TREATMENT OF FEMALE DISEASES.

In one neat royal 12mo. volume, extra cloth, of about 250 pages. \$1 00.

The aim of the author has been throughout to present sound practical views of the important subjects under consideration; and without entering into theoretical disputations and disquisitions to embody the results of his long and extended experience in such a condensed form as would be easily accessible to the practitioner.

ROYLE'S MATERIA MEDICA AND THERAPEUTICS; including the

Preparations of the Pharmacopœias of London, Edinburgh, Dublin, and of the United States. With many new medicines. Edited by JOSEPH CARSON, M. D. With ninety-eight illustrations. In one large octavo volume, extra cloth, of about 700 pages. \$3 00.

RAMSBOTHAM (FRANCIS H.), M. D.

THE PRINCIPLES AND PRACTICE OF OBSTETRIC MEDICINE AND

SURGERY, in reference to the Process of Parturition. A new and enlarged edition, thoroughly revised by the Author. With Additions by W. V. KEATING, M. D. In one large and handsome imperial octavo volume, of 650 pages, strongly bound in leather, with raised bands; with sixty-four beautiful Plates, and numerous Wood-cuts in the text, containing in all nearly two hundred large and beautiful figures. (*Lately Issued*, 1856.) \$5 00.

In calling the attention of the profession to the new edition of this standard work, the publishers would remark that no efforts have been spared to secure for it a continuance and extension of the remarkable favor with which it has been received. The last London issue, which was considerably enlarged, has received a further revision from the author, especially for this country. Its passage through the press here has been supervised by Dr. Keating, who has made numerous additions with a view of presenting more fully whatever was necessary to adapt it thoroughly to American modes of practice. In its mechanical execution, a like superiority over former editions will be found.

From Prof. Hodge, of the University of Pa.

To the American public, it is most valuable, from its intrinsic undoubted excellence, and as being the best authorized exponent of British Midwifery. Its circulation will, I trust, be extensive throughout our country.

The publishers have shown their appreciation of the merits of this work and secured its success by the truly elegant style in which they have brought it out, excelling themselves in its production, especially in its plates. It is dedicated to Prof. Meigs, and has the emphatic endorsement of Prof. Hodge, as the best exponent of British Midwifery. We know of no text-book which deserves in all respects to be more highly recommended to students, and we could wish to see it in the hands of every practitioner, for they will find it invaluable for reference.—*Med. Gazette*.

But once in a long time some brilliant genius rears his head above the horizon of science, and illuminates and purifies every department that he investigates; and his works become types, by which innumerable imitators model their feeble productions. Such a genius we find in the younger Ramsbotham, and such a type we find in the work now before us. The binding, paper, type, the engravings and wood-cuts are all so excellent as to make this book one of the finest specimens of the art of printing that have given such a world-wide reputation to its enterprising and liberal publishers. We welcome Ramsbotham's Principles and Practice of Obstetric Medi-

cine and Surgery to our library, and confidently recommend it to our readers, with the assurance that it will not disappoint their most sanguine expectations.—*Western Lancet*.

It is unnecessary to say anything in regard to the utility of this work. It is already appreciated in our country for the value of the matter, the clearness of its style, and the fulness of its illustrations. To the physician's library it is indispensable, while to the student as a text-book, from which to extract the material for laying the foundation of an education on obstetrical science, it has no superior.—*Ohio Med. and Surg. Journal*.

We will only add that the student will learn from it all he need to know, and the practitioner will find it, as a book of reference, surpassed by none other.—*Stethoscope*.

The character and merits of Dr. Ramsbotham's work are so well known and thoroughly established, that comment is unnecessary and praise superfluous. The illustrations, which are numerous and accurate, are executed in the highest style of art. We cannot too highly recommend the work to our readers.—*St. Louis Med. and Surg. Journal*.

ROKITANSKY (CARL), M. D.,

Curator of the Imperial Pathological Museum, and Professor at the University of Vienna, &c.

A MANUAL OF PATHOLOGICAL ANATOMY. Four volumes, octavo,

bound in two, extra cloth, of about 1200 pages. Translated by W. E. SWAINE, EDWARD SIEVEKING, C. H. MOORE, and G. E. DAY. (*Just Issued*.) \$5 50

To render this large and important work more easy of reference, and at the same time less cumbersome and costly, the four volumes have been arranged in two, retaining, however, the separate paging, &c.

The publishers feel much pleasure in presenting to the profession of the United States the great work of Prof. Rokitansky, which is universally referred to as the standard of authority by the pathologists of all nations. Under the auspices of the Sydenham Society of London, the combined labor of four translators has at length overcome the almost insuperable difficulties which have so long prevented the appearance of the work in an English dress. To a work so widely known, eulogy is unnecessary, and the publishers would merely state that it is said to contain the results of not less than THIRTY THOUSAND *post-mortem* examinations made by the author, diligently compared, generalized, and wrought into one complete and harmonious system.

The profession is too well acquainted with the reputation of Rokitansky's work to need our assurance that this is one of the most profound, thorough, and valuable books ever issued from the medical press. It is *sui generis*, and has no standard of comparison. It is only necessary to announce that it is issued in a form as cheap as is compatible with its size and preservation, and its sale follows as a matter of course. No library can be called complete without it.—*Buffalo Med. Journal*.

An attempt to give our readers any adequate idea of the vast amount of instruction accumulated in these volumes, would be feeble and hopeless. The effort of the distinguished author to concentrate in a small space his great fund of knowledge, has

so charged his text with valuable truths, that any attempt of a reviewer to epitomize is at once paralyzed, and must end in a failure.—*Western Lancet*.

As this is the highest source of knowledge upon the important subject of which it treats, no real student can afford to be without it. The American publishers have entitled themselves to the thanks of the profession of their country, for this timely and beautiful edition.—*Nashville Journal of Medicine*.

As a book of reference, therefore, this work must prove of inestimable value, and we cannot too highly recommend it to the profession.—*Charleston Med. Journal and Review*, Jan. 1856.

This book is a necessity to every practitioner.—*Am. Med. Monthly*.

SCHOEDLER (FRIEDRICH), PH. D.,

Professor of the Natural Sciences at Worms, &c.

THE BOOK OF NATURE; an Elementary Introduction to the Sciences of

Physics, Astronomy, Chemistry, Mineralogy, Geology, Botany, Zoology, and Physiology. First American edition, with a Glossary and other Additions and Improvements; from the second English edition. Translated from the sixth German edition, by HENRY MEDLOCK, F. C. S., &c. In one volume, small octavo, extra cloth, pp. 692, with 679 illustrations. \$1 80.

SMITH (HENRY H.), M. D.,

Professor of Surgery in the University of Pennsylvania, &c.

MINOR SURGERY; or, Hints on the Every-day Duties of the Surgeon. Illustrated by two hundred and forty-seven illustrations. Third and enlarged edition. In one handsome royal 12mo. volume. pp. 456. In leather, \$2 25; extra cloth, \$2 00.

And a capital little book it is. . . Minor Surgery, we repeat, is really Major Surgery, and anything which teaches it is worth having. So we cordially recommend this little book of Dr. Smith's.—*Med.-Chir. Review*.

This beautiful little work has been compiled with a view to the wants of the profession in the matter of bandaging, &c., and well and ably has the author performed his labors. Well adapted to give the requisite information on the subjects of which it treats.—*Medical Examiner*.

The directions are plain, and illustrated throughout with clear engravings.—*London Lancet*.

One of the best works they can consult on the subject of which it treats.—*Southern Journal of Medicine and Pharmacy*.

A work such as the present is therefore highly useful to the student, and we commend this one to their attention.—*American Journal of Medical Sciences*.

No operator, however eminent, need hesitate to consult this unpretending yet excellent book. Those who are young in the business would find Dr. Smith's treatise a necessary companion, after once understanding its true character.—*Boston Med. and Surg. Journal*.

No young practitioner should be without this little volume; and we venture to assert, that it may be consulted by the senior members of the profession with more real benefit, than the more voluminous works.—*Western Lancet*.

BY THE SAME AUTHOR, AND

HORNER (WILLIAM E.), M. D.,

Late Professor of Anatomy in the University of Pennsylvania.

AN ANATOMICAL ATLAS, illustrative of the Structure of the Human Body.

In one volume, large imperial octavo, extra cloth, with about six hundred and fifty beautiful figures. \$3 00.

These figures are well selected, and present a complete and accurate representation of that wonderful fabric, the human body. The plan of this Atlas, which renders it so peculiarly convenient for the student, and its superb artistical execution, have been already pointed out. We must congratulate

the student upon the completion of this Atlas, as it is the most convenient work of the kind that has yet appeared; and we must add, the very beautiful manner in which it is "got up" is so creditable to the country as to be flattering to our national pride.—*American Medical Journal*.

SARGENT (F. W.), M. D.

ON BANDAGING AND OTHER OPERATIONS OF MINOR SURGERY.

Second edition, enlarged. One handsome royal 12mo. vol., of nearly 400 pages, with 182 woodcuts. Extra cloth, \$1 40; leather, \$1 50.

This very useful little work has long been a favorite with practitioners and students. The recent call for a new edition has induced its author to make numerous important additions. A slight alteration in the size of the page has enabled him to introduce the new matter, to the extent of some fifty pages of the former edition, at the same time that his volume is rendered still more compact than its less comprehensive predecessor. A double gain in thus effected, which, in a *vade-mecum* of this kind, is a material improvement.—*Am. Medical Journal*.

Sargent's Minor Surgery has always been popular, and deservedly so. It furnishes that knowledge of the most frequently requisite performances of surgical art which cannot be entirely understood by attending clinical lectures. The art of bandaging, which is regularly taught in Europe, is very frequently overlooked by teachers in this country; the student and junior practitioner, therefore, may often require that knowledge which this little volume so tersely and happily supplies. It is neatly printed and copiously

illustrated by the enterprising publishers, and should be possessed by all who desire to be thoroughly conversant with the details of this branch of our art.—*Charleston Med. Journ. and Review*, March, 1856.

A work that has been so long and favorably known to the profession as Dr. Sargent's Minor Surgery, needs no commendation from us. We would remark, however, in this connection, that minor surgery seldom gets that attention in our schools that its importance deserves. Our larger works are also very defective in their teaching on these small practical points. This little book will supply the void which all must feel who have not studied its pages.—*Western Lancet*, March, 1856.

We confess our indebtedness to this little volume on many occasions, and can warmly recommend it to our readers, as it is not above the consideration of the oldest and most experienced.—*American Lancet*, March, 1856.

SKEY'S OPERATIVE SURGERY. In one very handsome octavo volume, extra cloth, of over 650 pages, with about one hundred woodcuts. \$3 25.

STANLEY'S TREATISE ON DISEASES OF THE BONES. In one volume, octavo, extra cloth, 286 pages. \$1 50.

SOLLY ON THE HUMAN BRAIN; its Structure, Physiology, and Diseases. From the Second and

much enlarged London edition. In one octavo volume, extra cloth, of 500 pages, with 120 woodcuts. \$2 00.

SIMON'S GENERAL PATHOLOGY, as conducive to the Establishment of Rational Principles for the prevention and Cure of Disease. In one neat octavo volume, extra cloth, of 212 pages. \$1 25.

STILLÉ (ALFRED), M. D.

PRINCIPLES OF GENERAL AND SPECIAL THERAPEUTICS In handsome octavo. (*Preparing.*)

SIBSON (FRANCIS), M. D.,

Physician to St. Mary's Hospital.

MEDICAL ANATOMY. Illustrating the Form, Structure, and Position of the Internal Organs in Health and Disease. In large imperial quarto, with splendid colored plates. To match "Maclise's Surgical Anatomy." Part I. (*Preparing.*)

SHARPEY (WILLIAM), M. D., JONES QUAIN, M. D., AND RICHARD QUAIN, F. R. S., &c.
HUMAN ANATOMY. Revised, with Notes and Additions, by **JOSEPH LEIDY, M. D.**, Professor of Anatomy in the University of Pennsylvania. Complete in two large octavo volumes, leather, of about thirteen hundred pages. Beautifully illustrated with over five hundred engravings on wood. \$6 00.

It is indeed a work calculated to make an era in anatomical study, by placing before the student every department of his science, with a view to the relative importance of each; and so skilfully have the different parts been interwoven, that no one who makes this work the basis of his studies, will hereafter have any excuse for neglecting or undervaluing any important particulars connected with the structure of the human frame; and whether the bias of his mind lead him in a more especial manner to surgery, physic, or physiology,

he will find here a work at once so comprehensive and practical as to defend him from exclusiveness on the one hand, and pedantry on the other.—*Journal and Retrospect of the Medical Sciences.*

We have no hesitation in recommending this treatise on anatomy as the most complete on that subject in the English language; and the only one, perhaps, in any language, which brings the state of knowledge forward to the most recent discoveries.—*The Edinburgh Med. and Surg. Journal.*

SMITH (W. TYLER), M. D.,
 Physician Accoucheur to St. Mary's Hospital, &c.
ON PARTURITION, AND THE PRINCIPLES AND PRACTICE OF OBSTETRICS. In one royal 12mo. volume, extra cloth, of 400 pages. \$1 25.

BY THE SAME AUTHOR.

A PRACTICAL TREATISE ON THE PATHOLOGY AND TREATMENT OF LEUCORRHOEA. With numerous illustrations. In one very handsome octavo volume, extra cloth, of about 250 pages. \$1 50.

We hail the appearance of this practical and invaluable work, therefore, as a real acquisition to our medical literature.—*Medical Gazette.*

TAYLOR (ALFRED S.), M. D., F. R. S.,
 Lecturer on Medical Jurisprudence and Chemistry in Guy's Hospital.
MEDICAL JURISPRUDENCE. Fourth American, from the fifth improved and enlarged English Edition. With Notes and References to American Decisions, by **EDWARD HARTSHORNE, M. D.** In one large octavo volume, leather, of over seven hundred pages. (*Just Issued, 1856.*) \$3 00.

This standard work has lately received a very thorough revision at the hands of the author, who has introduced whatever was necessary to render it complete and satisfactory in carrying out the objects in view. The editor has likewise used every exertion to make it equally thorough with regard to all matters relating to the practice of this country. In doing this, he has carefully examined all that has appeared on the subject since the publication of the last edition, and has incorporated all the new information thus presented. The work has thus been considerably increased in size, notwithstanding which, it has been kept at its former very moderate price, and in every respect it will be found worthy of a continuance of the remarkable favor which has carried it through so many editions on both sides of the Atlantic. A few notices of the former editions are appended.

We know of no work on Medical Jurisprudence which contains in the same space anything like the same amount of valuable matter.—*N. Y. Journal of Medicine.*

No work upon the subject can be put into the hands of students either of law or medicine which will engage them more closely or profitably; and none could be offered to the busy practitioner of either calling, for the purpose of casual or hasty reference, that would be more likely to afford the aid desired. We therefore recommend it as the best and safest manual for daily use.—*American Journal of Medical Sciences.*

So well is this work known to the members both of the medical and legal professions, and so highly is it appreciated by them, that it cannot be necessary for us to say a word in its commendation; its having already reached a fourth edition being the best possible testimony in its favor. The author has obviously subjected the entire work to a very careful revision.—*Brit. and Foreign Med. Chirurg. Review.*

This work of Dr. Taylor's is generally acknowledged to be one of the ablest extant on the subject of medical jurisprudence. It is certainly one of the

most attractive books that we have met with; supplying so much both to interest and instruct, that we do not hesitate to affirm that after having once commenced its perusal, few could be prevailed upon to desist before completing it. In the last London edition, all the newly observed and accurately recorded facts have been inserted, including much that is recent of Chemical, Microscopical, and Pathological research, besides papers on numerous subjects never before published.—*Charleston Medical Journal and Review.*

It is not excess of praise to say that the volume before us is the very best treatise extant on Medical Jurisprudence. In saying this, we do not wish to be understood as detracting from the merits of the excellent works of Beck, Ryan, Traill, Guy, and others; but in interest and value we think it must be conceded that Taylor is superior to anything that has preceded it. The author is already well known to the profession by his valuable treatise on Poisons; and the present volume will add materially to his high reputation for accurate and extensive knowledge and discriminating judgment.—*N. W. Medical and Surgical Journal.*

BY THE SAME AUTHOR.

ON POISONS, IN RELATION TO MEDICAL JURISPRUDENCE AND MEDICINE. Edited, with Notes and Additions, by **R. E. GRIFFITH, M. D.** In one large octavo volume, leather, of 688 pages. \$3 00

TODD (R. B.), M. D., F. R. S., &c.
CLINICAL LECTURES ON CERTAIN DISEASES OF THE URINARY ORGANS AND ON DROPSIES. In one octavo volume. (*Now Ready, 1857.*) \$1 50

The valuable practical nature of Dr. Todd's writings have deservedly rendered them favorites with the profession, and the present volume, embodying the medical aspects of a class of diseases not elsewhere to be found similarly treated, can hardly fail to supply a want long felt by the practitioner.

Now Complete (April, 1857.)

TODD (ROBERT BENTLEY), M. D., F. R. S.,

Professor of Physiology in King's College, London; and

WILLIAM BOWMAN, F. R. S.,

Demonstrator of Anatomy in King's College, London.

THE PHYSIOLOGICAL ANATOMY AND PHYSIOLOGY OF MAN. With about three hundred large and beautiful illustrations on wood. Complete in one large octavo volume, of 950 pages, leather. Price \$4 50.

The very great delay which has occurred in the completion of this work has arisen from the desire of the authors to verify by their own examination the various questions and statements presented, thus rendering the work one of peculiar value and authority. By the wideness of its scope and the accuracy of its facts it thus occupies a position of its own, and becomes necessary to all physiological students.

Gentlemen who have received portions of this work, as published in the "MEDICAL NEWS AND LIBRARY," can now complete their copies, if immediate application be made. It will be furnished as follows, free by mail, in paper covers, with cloth backs.

PARTS I., II., III. (pp. 25 to 552), \$2 50.

PART IV. (pp. 553 to end, with Title, Preface, Contents, &c.), \$2 00.

Or, PART IV., SECTION II. (pp. 725 to end, with Title, Preface, Contents, &c.), \$1 25.

In the present part (third) some of the most difficult subjects in Anatomy and Physiology are handled in the most masterly manner. Its authors have stated that this work was intended "for the use of the student and practitioner in medicine and surgery," and we can recommend it to both, confident that it is the most perfect work of its kind. We

cannot conclude without strongly recommending the present work to all classes of our readers, recognizing talent and depth of research in every page, and believing, as we do, that the diffusion of such knowledge will certainly tend to elevate the sciences of Medicine and Surgery.—*Dublin Quarterly Journal of Medical Sciences.*

TANNER (T. H.), M. D.,

Physician to the Hospital for Women, &c.

A MANUAL OF CLINICAL MEDICINE AND PHYSICAL DIAGNOSIS.

To which is added The Code of Ethics of the American Medical Association. Second American Edition. In one neat volume, small 12mo. Price in extra cloth, 87½ cents; flexible style, for the pocket, 80 cents.

Dr. Tanner has, in a happy and successful manner, indicated the leading particulars to which, in the clinical study of a case of disease, the attention of the physician is to be directed, the value and import of the various abnormal phenomena detected, and the several instrumental and accessory means which may be called into requisition to facilitate diagnosis and increase its certainty.—*Am. Journal of Med. Sciences.*

The work is an honor to its writer, and must obtain a wide circulation by its intrinsic merit alone.

Suited alike to the wants of students and practitioners, it has only to be seen, to win for itself a place upon the shelves of every medical library. Nor will it be "shelved" long at a time; if we mistake not, it will be found, in the best sense of the homely but expressive word, "handy." The style is admirably clear, while it is so sententious as not to burden the memory. The arrangement is, to our mind, unexceptionable. The work, in short, deserves the heartiest commendation.—*Boston Med. and Surg. Journal.*

WATSON (THOMAS), M. D., &c.

LECTURES ON THE PRINCIPLES AND PRACTICE OF PHYSIC.

Third American edition, revised, with Additions, by D. FRANCIS CONDIE, M. D., author of a "Treatise on the Diseases of Children," &c. In one octavo volume, of nearly eleven hundred large pages, strongly bound with raised bands. \$3 25.

To say that it is the very best work on the subject now extant, is but to echo the sentiment of the medical press throughout the country.—*N. O. Medical Journal.*

Of the text-books recently republished Watson is very justly the principal favorite.—*Holmes's Rep. to Nat. Med. Assoc.*

By universal consent the work ranks among the very best text-books in our language.—*Illinois and Indiana Med. Journal.*

Regarded on all hands as one of the very best, if not the very best, systematic treatise on practical medicine extant.—*St. Louis Med. Journal.*

Confessedly one of the very best works on the principles and practice of physic in the English or any other language.—*Med. Examiner.*

As a text-book it has no equal; as a compendium of pathology and practice no superior.—*New York Annalist.*

We know of no work better calculated for being placed in the hands of the student, and for a text-book; on every important point the author seems to have posted up his knowledge to the day.—*Amer. Med. Journal.*

One of the most practically useful books that ever was presented to the student.—*N. Y. Med. Journal.*

WHITEHEAD ON THE CAUSES AND TREATMENT OF ABORTION AND STERILITY.

Second American Edition. In one volume, octavo, extra cloth, pp. 308. \$1 75.

WALSHE ON DISEASES OF THE HEART, LUNGS, AND APPENDAGES; their Symptoms and Treatment. In one handsome volume, extra cloth, large royal 12mo., 512 pages. \$1 50.

WHAT TO OBSERVE

AT THE BEDSIDE AND AFTER DEATH, IN MEDICAL CASES.

Published under the authority of the London Society for Medical Observation. A new American, from the second and revised London edition. In one very handsome volume, royal 12mo., extra cloth. \$1 00.

To the observer who prefers accuracy to blunders and precision to carelessness, this little book is invaluable.—*N. H. Journal of Medicine.*

One of the finest aids to a young practitioner we have ever seen.—*Peninsular Journal of Medicine.*

WILSON (ERASMUS), M. D., F. R. S.,

Lecturer on Anatomy, London.

A SYSTEM OF HUMAN ANATOMY, General and Special. Fourth American, from the last English edition. Edited by PAUL B. GODDARD, A. M., M. D. With two hundred and fifty illustrations. Beautifully printed, in one large octavo volume, leather, of nearly six hundred pages. \$3 00.

In many, if not all the Colleges of the Union, it has become a standard text-book. This, of itself, is sufficiently expressive of its value. A work very desirable to the student; one, the possession of which will greatly facilitate his progress in the study of Practical Anatomy.—*New York Journal of Medicine.*

It offers to the student all the assistance that can be expected from such a work.—*Medical Examiner.*

The most complete and convenient manual for the student we possess.—*American Journal of Medical Science.*

In every respect, this work as an anatomical guide for the student and practitioner, merits our warmest and most decided praise.—*London Medical Gazette.*

Its author ranks with the highest on Anatomy.—*Southern Medical and Surgical Journal.*

BY THE SAME AUTHOR. (*Just Issued.*)

THE DISSECTOR'S MANUAL; or, Practical and Surgical Anatomy. Third American, from the last revised and enlarged English edition. Modified and rearranged, by WILLIAM HUNT, M. D., Demonstrator of Anatomy in the University of Pennsylvania. In one large and handsome royal 12mo. volume, leather, of 582 pages, with 154 illustrations. \$2 00.

The modifications and additions which this work has received in passing recently through the author's hands, is sufficiently indicated by the fact that it is enlarged by more than one hundred pages, notwithstanding that it is printed in smaller type, and with a greatly enlarged page.

It remains only to add, that after a careful examination, we have no hesitation in recommending this work to the notice of those for whom it has been expressly written—the students—as a guide possess-

ing very superior claims, well calculated to facilitate their studies, and render their labor less irksome, by constantly keeping before them definite objects of interest.—*The Lancet.*

BY THE SAME AUTHOR. (*Now Ready, May, 1857.*)

ON DISEASES OF THE SKIN. Fourth and enlarged American, from the last and improved London edition. In one large octavo volume, of 650 pages, extra cloth, \$2 75.

This volume in passing for the fourth time through the hands of the author, has received a careful revision, and has been greatly enlarged and improved. About one hundred and fifty pages have been added, including new chapters on Classification, on General Pathology, on General Therapeutics, on Furuncular Eruptions, and on Diseases of the Nails, besides extensive additions throughout the text, wherever they have seemed desirable, either from former omissions or from the progress of science and the increased experience of the author. Appended to the volume will also now be found a collection of SELECTED FORMULÆ, consisting for the most part of prescriptions of which the author has tested the value.

In the present edition Mr. Wilson presents us with the results of his matured experience gained after an extensive acquaintance with the pathology and treatment of cutaneous affections; and we have now before us not merely a reprint of his former publications, but an entirely new and rewritten volume. Thus, the whole history of the diseases affecting the skin, whether they originate in that structure or are

the mere manifestations of derangement of internal organs, is brought under notice, and the book includes a mass of information which is spread over a great part of the domain of Medical and Surgical Pathology. We can safely recommend it to the profession as the best work on the subject now in existence in the English language.—*London Med. Times and Gazette, March 28, 1857.*

ALSO, JUST READY,

A SERIES OF PLATES ILLUSTRATING WILSON ON DISEASES OF THE SKIN; consisting of nineteen beautifully executed plates, of which twelve are exquisitely colored, presenting the Normal Anatomy and Pathology of the Skin, and containing accurate representations of about one hundred varieties of disease, most of them the size of nature. Price in cloth \$4 25.

In beauty of drawing and accuracy and finish of coloring these plates will be found superior to anything of the kind as yet issued in this country.

The plates by which this edition is accompanied leave nothing to be desired, so far as excellence of delineation and perfect accuracy of illustration are concerned.—*Medico-Chirurgical Review.*

The representations of the various forms of cutaneous disease are singularly accurate, and the coloring exceeds almost anything we have met with in point of delicacy and finish.—*British and Foreign Medical Review.*

Of these plates it is impossible to speak too highly.

BY THE SAME AUTHOR.

ON CONSTITUTIONAL AND HEREDITARY SYPHILIS, AND ON SYPHILITIC ERUPTIONS. In one small octavo volume, extra cloth, beautifully printed, with four exquisite colored plates, presenting more than thirty varieties of syphilitic eruptions. \$2 25.

BY THE SAME AUTHOR. (*Just Issued.*)

HEALTHY SKIN; A Popular Treatise on the Skin and Hair, their Preservation and Management. Second American, from the fourth London edition. One neat volume, royal 12mo., extra cloth, of about 300 pages, with numerous illustrations. \$1 00; paper cover, 75 cents.

WILDE (W. R.),

Surgeon to St. Mark's Ophthalmic and Aural Hospital, Dublin.

AURAL SURGERY, AND THE NATURE AND TREATMENT OF DISEASES OF THE EAR. In one handsome octavo volume, extra cloth, of 476 pages, with illustrations. \$2 80.

This work certainly contains more information on the subject to which it is devoted than any other with which we are acquainted. We feel grateful to

the author for his manful effort to rescue this department of surgery from the hands of the empirics who nearly monopolize it.—*Va. Med. and Surg. Journal.*

WEST (CHARLES), M. D.,

Accoucheur to and Lecturer on Midwifery at St. Bartholomew's Hospital, Physician to the Hospital for Sick Children, &c.

LECTURES ON THE DISEASES OF INFANCY AND CHILDHOOD.

Second American, from the Second and Enlarged London edition. In one volume, octavo, extra cloth, of nearly five hundred pages. \$2 00.

We take leave of Dr. West with great respect for his attainments, a due appreciation of his acute powers of observation, and a deep sense of obligation for this valuable contribution to our professional literature. His book is undoubtedly in many respects the best we possess on diseases of children. *Dublin Quarterly Journal of Medical Science.*

Dr. West has placed the profession under deep ob-

ligation by this able, thorough, and finished work upon a subject which almost daily taxes to the utmost the skill of the general practitioner. He has with singular felicity threaded his way through all the tortuous labyrinths of the difficult subject he has undertaken to elucidate, and has in many of the darkest corners left a light, which will never be extinguished.—*Nashville Medical Journal.*

BY THE SAME AUTHOR. (*Nearly Ready.*)

Publishing in the "Medical News and Library," for 1856 and 1857.

LECTURES ON THE DISEASES OF WOMEN. In two parts.

PART I. Svo. of about 300 pages, comprising the DISEASES OF THE UTERUS.

PART II. (*Preparing*), will contain DISEASES OF THE OVARIES, and of all the parts connected with the UTERUS; of the BLADDER, VAGINA, AND EXTERNAL ORGANS.

The object of the author in this work is to present a complete but succinct treatise on Female Diseases, embodying the results of his experience during the last ten years at St. Bartholomew's and the Midwifery Hospitals, as well as in private practice. The characteristics which have secured to his former works so favorable a reception, cannot fail to render the present volume a standard authority on its important subject. To show the general scope of the work, an outline of the Contents of Part I. is subjoined.

Lectures I, II.—INTRODUCTORY—Symptoms—Examination of Symptoms—Modes of Examinations. *Lectures III, IV, V*—DISORDERS OF MENSTRUATION, Amenorrhœa, Menorrhagia, Dysmenorrhœa. *Lectures VI, VII, VIII.*—INFLAMMATION OF THE UTERUS, Hypertrophy, Acute Inflammation, Chronic Inflammation, Ulceration of the Os Uteri, Cervical Leucorrhœa. *Lectures IX, X, XI, XII, XIII.*—MISPLACEMENT OF THE UTERUS, Prolapsus, Anteversion, Retroversion, Inversion. *Lectures XIV, XV, XVI, XVII.*—UTERINE TUMORS AND OUTGROWTHS, Mucous, Fibro-cellular, and Glandular Polypi, Mucous Cysts, Fibrinous Polypi, Fibrous Tumors, Fibrous Polypi, Fatty Tumors, Tubercular Diseases. *Lectures XVIII, XIX, XX.*—CANCER OF THE UTERUS.

PART II. will receive an equally extended treatment, rendering the whole an admirable text-book for the student, and a reliable work for reference by the practitioner.

BY THE SAME AUTHOR. (*Just Issued*)

AN ENQUIRY INTO THE PATHOLOGICAL IMPORTANCE OF ULCERATION OF THE OS UTERI. In one neat octavo volume, extra cloth. \$1 00.**WILLIAMS (C. J. B.), M. D., F. R. S.,**

Professor of Clinical Medicine in University College, London, &c.

PRINCIPLES OF MEDICINE. An Elementary View of the Causes, Nature,

Treatment, Diagnosis, and Prognosis of Disease; with brief remarks on Hygienics, or the preservation of health. A new American, from the third and revised London edition. In one octavo volume, leather, of about 500 pages. \$2 50. (*Now Ready, May, 1857.*)

The very recent and thorough revision which this work has enjoyed at the hands of the author has brought it so completely up to the present state of the subject that in reproducing it no additions have been found necessary. The success which the work has heretofore met shows that its importance has been appreciated, and in its present form it will be found eminently worthy a continuance of the same favor, possessing as it does the strongest claims to the attention of the medical student and practitioner, from the admirable manner in which the various inquiries in the different branches of pathology are investigated, combined and generalized by an experienced practical physician, and directly applied to the investigation and treatment of disease.

We find that the deeply-interesting matter and style of this book have so far fascinated us, that we have unconsciously hung upon its pages, not too long, indeed, for our own profit, but longer than reviewers can be permitted to indulge. We leave the further analysis to the student and practitioner. Our judgment of the work has already been sufficiently expressed. It is a judgment of almost unqualified praise. The work is not of a controversial, but of a didactic character; and as such we hail it, and

recommend it for a text-book, guide, and constant companion to every practitioner and every student who wishes to extricate himself from the well-worn ruts of empiricism, and to base his practice of medicine upon principles.—*London Lancet*, Dec. 27, 1856.

A text-book to which no other in our language is comparable.—*Charleston Medical Journal.*

No work has ever achieved or maintained a more deserved reputation.—*Va. Med. and Surg. Journal.*

YOUATT (WILLIAM), V. S.**THE HORSE. A new edition, with numerous illustrations; together with a**

general history of the Horse; a Dissertation on the American Trotting Horse; how Trained and Jockeyed; an Account of his Remarkable Performances; and an Essay on the Ass and the Mule.

By J. S. SKINNER, formerly Assistant Postmaster-General, and Editor of the Turf Register. One large octavo volume, extra cloth. \$1 50.

The attention of all who keep horses is requested to this handsome and complete edition of a work which is recognized as the standard authority on all matters connected with veterinary medicine. The very low price at which it is now offered, FREE BY MAIL, places it within the reach of every one.

BY THE SAME AUTHOR.

THE DOG. Edited by E. J. LEWIS, M. D. With numerous and beautiful illustrations. In one very handsome volume, crown Svo., crimson cloth, gilt. \$1 25.

Faint header text at the top of the page, possibly including a title or page number.

First main section of faint text, appearing as a list or series of entries.

Second main section of faint text, continuing the list or entries.

Third main section of faint text, possibly a summary or conclusion.

Fourth main section of faint text, continuing the list or entries.

Fifth main section of faint text, possibly a final note or signature.

Sixth main section of faint text, appearing as a list or series of entries.







