

The clinical history in outline / by Paul G. Woolley.

Contributors

Woolley, Paul Gerhardt, 1875-
Augustus Long Health Sciences Library

Publication/Creation

St. Louis : C. V. Mosby co., 1914.

Persistent URL

<https://wellcomecollection.org/works/yq8kswjp>

License and attribution

This material has been provided by This material has been provided by the Augustus C. Long Health Sciences Library at Columbia University and Columbia University Libraries/Information Services, through the Medical Heritage Library. The original may be consulted at the the Augustus C. Long Health Sciences Library at Columbia University and Columbia University. where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

COLUMBIA LIBRARIES OFFSITE
HEALTH SCIENCES STANDARD



HX64128407

RC73 .W83

The clinical history

RECAP

THE
CLINICAL HISTORY
IN OUTLINE
WOOLLEY

RC 73 W 83

RC73


W83


Columbia University
in the City of New York

College of Physicians and Surgeons




Reference Library





CLINICAL HISTORY IN OUTLINE



COLUMBIA
UNIVERSITY
LIBRARY

THE CLINICAL HISTORY IN OUTLINE

By

PAUL G. WOOLLEY, S. B., M. D.

Professor of Pathology, College of Medicine, University
of Cincinnati; Director of Laboratories,
Cincinnati General Hospital,
Cincinnati, Ohio

ST. LOUIS
C. V. MOSBY CO.
1914

ADDED TO
UNIVERSITY
LIBRARY

Re 73
W 83

COPYRIGHT, 1914, BY C. V. MOSBY COMPANY

med. Lib.

14 - 3086

Press of
The C. V. Mosby Company
St. Louis

PREFACE.

The object in taking a clinical history has always been to discover the condition from which a person is suffering, and to discover, if may be, the causes of the condition in order that treatment, medical or surgical, may be instituted and the diseased condition cured. It is, however, becoming realized more and more generally that a thorough clinical history may have a distinct value in forming the basis of educational measures which will teach a patient how to avoid recurrences of a disease from which he is suffering, and how to avoid sequelæ of the disease.

In some instances the diseased condition is an obvious one which demands but few questions to decipher it. In other instances no detail is so small that it is unimportant, and yet in the former instances many questions and a very complete history may be necessary to discover the cause or causes. In the latter case the same thing is obvious. Therefore it happens that judgment is necessary in taking a history, as well as in treating a patient. Judgment and tact are both necessary, the proportions varying with the character of the patient.

Such a volume as this makes no attempt to take automatically a clinical history. It is intended merely as a sort of reminder of points to be considered, and also it is intended to offer a systematic scheme by following which a student may be enabled to arrange the facts concerning a patient in an orderly way. It is not intended to replace such excellent volumes as McKisack's "Systematic Case Taking." It is modelled upon Strümpell's "Leitfaden f. d. klin. Krankenuntersuchungen."

The Cincinnati Hospital.

P. G. W.

UNIVERSITY
OF CHICAGO
LIBRARY

CONTENTS

CHAPTER I.

	PAGE
Foreword	9
Data Required in History Taking	10

CHAPTER II.

The Complaint of the Patient in His Own Words	11
The Family History	12
Personal History	13
History of Present Illness	15
The Physical Examination	16
The General Appearance of the Patient	16
Anatomic Data	17
Outline of Organs, Especially of Liver and Stomach	22
Special Examinations	23
Acute Infectious Diseases	24
Diseases of the Respiratory System	25
Diseases of the Cardiovascular System	26
Gastro-Intestinal Diseases	27
Central Nervous System	28
Past History of Other Nervous Disturbances	28
Urinary Diseases	30


CHAPTER III.


Data Referring to Certain Frequent Symptoms	32
Data Referring to Pain	41

CHAPTER IV.

Post-Mortem Examinations and Records	48
Form of Post-Mortem Record	50

RECEIVED
UNIVERSITY
LIBRARY





CLINICAL HISTORY IN OUTLINE

CHAPTER I.

Foreword

In taking the clinical history of a patient there are several items which demand close attention. The most important of these is *never ask leading questions*. Many a person can be made to tell a story which is sometimes untrue, often misleading, by asking questions which seem to indicate the answer desired by the physician. Another is, *always insist upon definite answers*, whenever it is possible. Another is, never ask embarrassing questions in the presence of a third party. *Learn to use tact*. If a patient is very ill, wait for his own history, and rely largely upon relatives, or friends, or, as often must happen, upon the physical examination. If you receive questionable answers, repeat your query in new and different forms, and at different times. But above all treat every patient as you would treat any other human being. Don't be rough or sharp except when occasion demands. Such occasions are few. At the same time, don't trust a patient's statement overmuch. It is especially true in public hospitals that the patients are dull and ignorant. The physical examination is the most important part of any history. When in doubt, trust that.

Don't forget that your questions may be misunderstood; that the patient may be very ignorant; that he may be intentionally misleading you (malingerer); that he is afraid or embarrassed. *Take everything with a grain of salt except what you discover with the aid of your special senses.*

Data Required in History Taking

In taking the history of a patient it is customary to place the following data at the head of the first sheet:

Name.

Age.

Date.

Address. City. Street. No.

Social Condition: Single—Married—Widower or
 Widow—Divorced.

Race.

Occupation.

Place of Birth.

Name of nearest relative or friend.

REMARKS.


Certain of these data are for the purpose of identifying patients, and for placing the physician or hospital authorities in a position to communicate with relatives or friends. In some instances a certain amount of suggestive information is furnished in the answers.


The *age* has a certain, more or less definite, relation to the incidence of certain diseases, for instance, types of tumors.

The *address* may be of value in epidemiologic studies of series of cases, for instance, of typhoid, cerebro-spinal fever, etc.

The *occupation* may have a relation to occupational intoxications (lead, phosphorus, benzol) or to occupational neuroses (eyestrain, writer's cramp, etc.).

The *place of birth* may suggest such pathologic possibilities as hydatid disease, kala-azar, leprosy, malaria, etc.





CHAPTER II.

A. Anamnesis includes the information derived from the patient or his relatives or friends.

- I. The Complaint.
- II. Family History.
- III. Personal History (or Past History).
- IV. Present Illness.

B. Status præsens (present condition) includes the information derived from an examination of the patient.

- I. Physical examination.
- II. Special examination.

The Complaint of the Patient in His Own Words

REMARKS.

This is always the first item of the history and should invariably be in the words of the patient and should be elicited by a question which is not leading; *i. e.*, the physician asks, "Why have you come to the hospital?" and the patient says, "For a pain in the stomach." This item is therefore placed at the head of the history, "The patient complains of 'a pain in the stomach,'" not "The patient says he has an abdominal pain."

With certain patients it may be useful to allow them to tell their whole story at this time, although this story belongs under *Present Illness* (q. v.).

The Family History

(Hereditary Relationships.)


Father	}	Living or dead; if alive—state of health.
Mother		
Brothers		If dead, cause of death.
Sisters		


REMARKS.

In the case of each individual note the occurrence of any abnormality, or deformity that has shown any hereditary tendency (supernumerary fingers, or toes; hemophilia; color blindness; albinism; alcaptonuria; pentosuria; diabetes; gout).

Make especial note of infectious diseases, or other conditions which have shown a tendency to affect other members of the family ("tuberculosis"; "lung fever"; "spinal disease"; "consumption"; "rheumatism"; "kidney disease"; "stomach troubles"; "cancers"; "nervous disease"; "brain troubles"; "insanity").

The family history is of especial value in nervous and mental conditions; in states due to precocious arteriosclerosis; and in tuberculosis. It has a certain general scientific value in the study of congenital and, especially, hereditary disorders. It is relatively unimportant in most infectious diseases.





Personal History

THE PREVIOUS HISTORY (including former diseases suffered by the patient and in certain cases the name and address of the physician who was in attendance, or the hospital in which he was cared for, and the dates).

Diseases of childhood. These should be specified.

Measles.

Mumps.

Whooping cough.

Diphtheria.

Scarlet fever.

Chicken-pox.

Other infectious diseases. (More than one attack?)

Pneumonia. (More than once?)

Pleurisy. (Character.)

Tonsillitis. (More than once?)

Typhoid. (In bed how long?)

Malaria. (Chills—how often?)

Smallpox. (Pock-marks?) (Vaccination.)

Rheumatism. (Distribution.)

Syphilis. (When?)

Gonorrhœa. (More than once?)

Dysentery. (Type.)

Sequelæ of the foregoing.

System diseases.—

Digestive disorders—Sour stomach, belching, vomiting (character), diarrhœa, constipation, pain.

Respiratory disorders—Cough, expectoration, coryza, pain in chest, shortness of breath.

Cardiovascular disorders—Palpitation, shortness of breath.

Renal (urinary) disorders—Frequency of urination (day and night), swelling of feet, difficulty of urination, pain, headache.

Nervous disorders—Headache, dizziness, convulsions, paralysis, epilepsy, dreams (character).

Traumata (accidental).

Menstrual History.—

Appearance (age), regular, irregular, character, duration, pain.

Marital History.—

Number years married.

Health of husband or wife.

Leucorrhœa—date of appearance.

Miscarriages (age of fetuses).

Number of children.

Labors—(normal—instrumental).

Puerperium—fever, chills, time in bed.


(Domestic relationships. Happy, unhappy. Reasons.)


Residences.—

Location.

Sanitary surroundings (open closets, baths, etc.)

Water supply.





Habits. (cf. also occupations.)

Hours of work.

Hours of leisure (recreations).

Food—No. meals, appetite, likes and dislikes, coffee, tea.

Drugs—Cocain, morphin, heroin, chloroform, etc.

Alcohol—No. glasses beer or spirits per day.

How much water consumed.

How much sleep.

Occupation.—

Surroundings—Ventilation, illumination, toilet facilities, drinking cups, common towels.

Continuous work; rest periods; rest rooms.

Safety devices.

Sickness among associates.

Habits of associates—spitting on floor, etc.

History of the Present Illness

Date of onset.

Manner of onset—first symptom.

When was work discontinued?

When did patient take to bed?

Can walk now? How far?

Is present illness similar to other previous ones?

Character, duration of each; dates.

The general opinion *of the patient* regarding his illness and its cause.

The Physical Examination

THE GENERAL APPEARANCE OF THE PATIENT.—

Position or attitude (in bed or standing).

Lies on side, on back, on face. Legs and arms drawn up or extended. Stands erect, bent; jactitation.

Gait.—

Spastic, ataxic, reeling, pseudo-ataxic, step-page, waddling, lameness.

Condition of nutrition.—

Well-nourished, wasted, emaciated, weight, obese, anasarca. *gen dropsy*

Skin.—


Dry, moist, hot, cold, pale, flushed, cyanotic, greenish-yellow, yellowish, pigmented, bronzed, jaundiced, rough, smooth, satiny, desquamation, erythema, petechiæ, hæmorrhages, tumors, parasites, birth-marks, nævi, papules, macules, vesicles, wheals, pustules, scars.


Subcutaneous swellings.—

Periosteal nodules, painful points.

Expression.—

Anxious, vacant, stupid, staring, placid, excited, pinched, mask-like, saturnine, puffy, acromegalic, hippocratic, paralytic.





Mental Condition.—

Intelligent, apathetic, dull, stupid, emotional,
delirious.

Hallucinations, hypochondriac, comatose.

Memory.

Odor surrounding the patient.

Speech.—

Articulation, aphasia.

ANATOMIC DATA.—

Lymph nodes.—

(Cervical, suboccipital, supraclavicular, axillary, epitrochlear, inguinal mesenteric.)

Small, large, firm, soft, fluctuating, tender, painful, not adherent, adherent, discrete, conglomerate.

Head.—

Large, small, symmetrical, asymmetrical, hydrocephalic, rachitic.

Fontanelles—Open, closed. Areas of tenderness. Cranio-tabes.

Hair—Scanty, abundant, thin, thick, fine, coarse, color.

Face—Symmetric, asymmetric.

Eyes.—

Pupils, dilated, contracted, equal, unequal, shape, reflexes (Argyll-Robertson).

Arcus senilis.

Strabismus, nystagmus, exophthalmus.

Amaurosis, hemianopsia, retinitis.

Conjunctivæ—Pale, congested, inflamed.

Eyelids—Edema, ptosis, chalazion.

(Special ophthalmic examination when necessary.)

Ears.—

—Tophi, stigmata (Darwinian tubercle).

Deafness, discharge, wax, foreign bodies.

Tympanum.

Mastoid tenderness. Position of concha.

(Special otologic examination when necessary.)

Nose.—

Deformities—"Saddle-back," "Bardolphian."

Ozæna, epistaxis, discharge.

(Special rhinologic examination when necessary.)

Mouth.—

Salivation, stomatitis.


Lips—Color, deformities (hare-lip), fissures (rhagades), herpes, ulcerations.


Breath—Sweet, clean, fœtid, alcoholic, acetone (diabetic), urinous.

Tongue.—

Color, dry, moist, clean, coated, smooth, rough, fissured, ulcerated, "geographical," leucoplakia, mucous patches, strawberry.

Protrusion, symmetrical, deviation, tremor.





Gums.—

Color, inflamed, spongy, hæmorrhagic, pigmented (lead), pyorrhœa alveolaris.

Teeth.—

Number, condition, decay, fillings, deformities (Hutchinson's).

(Special dental examination when necessary.)

Pharynx.—

Adenoids, tonsils, inflammation, membrane, abscesses.

Reflexes, paralyses.

Uvula, long, short, inflamed, congested, edema.

Larynx.—

Voice, husky, aphonia.

(Special examination when necessary.)

Neck.—

Shape—Long, thin, short, thick. Supraclavicular fossæ.

Muscles—Prominence in dyspnœa.

Blood vessels—Venous pulsation. Diastolic (venous stasis), Systolic (tricuspid insufficiency).

Salivary glands—Tumors, pain.

Thyroid—Tumors, assoc. with exophthalmus.

Thymus—Enlargement.

Larynx—Tracheal tug.

Spinal column—Curvatures.

Cysts—Branchial.

Thorax—(Heart and Lungs).*Inspection*.—

Shape—Pigeon breast, rickety chest (rickety rosary), funnel chest, barrel chest (emphysema), scoliotic, kyphotic, paralytic, laterally compressed, symmetric, asymmetric, bulging.

Expansion—Rhythmic, arrhythmic, symmetrical, asymmetrical, slow, rapid, free, labored, costal, costo-abdominal, Cheyne-Stokes', Biot's.

Apex beat, normal position, displaced, Broadbent's sign.

Palpation.—Fremitus, thrills, pulsations, friction rubs.


Pulse—Small, large, hard, soft, quick, slow, anacrotic, dicrotic, collapsing, regular, irregular.


Auscultation.—

Breath sounds, vesicular, puerile, broncho-vesicular, tubular, amphoric, cog-wheel, stridor.

Voice sounds—vocal resonance (increased or decreased), bronchophony, pectorophony, ægophony.

Adventitious sounds—Rhonchi, rles (crepitant, subcrepitant, mucous, metallic). Friction sounds, bell sounds, metallic tinkling, succussion.





Heart sounds—Normal, accentuated, weak, rhythm, tachycardia, bradycardia, reduplication, gallop, murmurs, localization.

Percussion.—

Resonance—Tympanitic, dull, increased, Skodiac, decreased, amphoric, metallic, Winterich's sign, cracked-pot.

Cardiac dullness, lateral measurements from mid-sternal line.

Exploratory puncture.—Pleura. Pericardium.

Abdomen.—(Stomach, intestines, liver, spleen, kidneys.)

Inspection.—

Enlarged veins, caput medusæ.

Linæ albicantes, eruptions, rose-spots.

Shape, retraction, "scaphoid," meteorism.

Movements — respiratory — pulsations, muscular, gastric, intestinal.

Enlarged organs—position of organs.

Palpation.—

Tumor masses, tenderness, ascites, rigidity.

Spleen, kidneys, liver edge, surface of liver, gall bladder.

Vaginal exploration.

Rectal exploration.

Auscultation.—

Friction rubs, aneurismal bruits, fetal heart, borborygmi, splashing sounds.

Percussion.—

Areas of dulness.
(Auscultatory percussion.)

Exploratory puncture.—

Ascites; splenic enlargements.

OUTLINE OF ORGANS, ESPECIALLY OF LIVER AND STOMACH.

Genitalia.—

Abnormalities.

Scars.

Tumors.

Evidence of discharge (signs of irritation).

Bacteriological examination.

Digital examination of prostate, tubes, ovaries,
uterus.

Central Nervous System.—

Disturbances of motion—weakness, paralyses, etc.

Disturbances of sensation—anæsthesia, paræsthesia.

“Trophic” disturbances.

Disturbances of special senses—seeing, hearing,
taste, smell.

Reflexes—skin, tendon, muscle,


When necessary, examination of cerebrospinal fluid:


Wassermann.

Globulin.

Cell count.

Bacteriologic.





Blood.—

Hemoglobin per cent.
Leucocytes per cu.mm.
Red cells per cu.mm.
When necessary, serum reactions:
 Wassermann.
 Widal.

Urine.—

Amount—24 hours.
Albumin.
Casts.
Reaction (Litmus, methyl red).
Sugar.
When necessary, complete urine examination.

Feces.—

Appearance, formed or unformed; consistency.
Microscopic.
 Undigested food.
 Parasites.
When necessary, complete examination.
Blood.

Special Examinations

There are but few, if any, cases in which a general history is not of value. Often it suggests certain system diseases or diseases of a specific nature. Under such conditions additional data should be collected and added to the general history.

ACUTE INFECTIOUS DISEASES.

Especial Reference to Previous Diseases of an Infectious Character.—

Typhoid, measles, scarlet fever, usually occur but once in the same individual.

Pneumonia, acute articular rheumatism, erysipelas are not infrequently recurrent.

Social Surroundings.—

Hygienic conditions—(Brill's disease, typhus, tuberculosis, smallpox).

Occupation.

Early Symptoms.—

Chills, headache, pain, vomiting, diarrhœa, eruption.

Appearance at Time of Examination.—

Temperature, pulse, respiration.

Condition of nutrition.

Mental condition.

Color of cheeks and lips.

Type of respiration.

Herpes labialis.

Physical Examination.—

Evidence of foci of infection.


Middle ear disease.


Tonsils, carious teeth, pyorrhœa alveolaris, adenoids.

Glandular involvement.

Genital infection.

Joint or muscle pain.





Blood Examination.—

Leucocytes.
Differential count.
Cultures.
Serum reactions—
 Wassermann.
 Widal.
Complement deviations.

Urine Examination.—

Albumin, casts.
Reaction (preferably with Methyl red).
Bacteriologic.

Feces.—

Bacteriologic.

*Animal Inoculations.**Sputum.*—

Bacteriologic.

DISEASES OF THE RESPIRATORY SYSTEM.

*Occupation.**Social Surroundings.**Onset.*—Gradual or rapid.

Symptoms—cough, chill, pain, etc.

Special detailed examination of thorax, and upper respiratory tract.

Sputum.—

Time of expectoration; night, morning.

Effect of position.

Appearance—color, consistency.

Odor.

Microscopic—

Parasites.

Bacteria.

Bacteriologic examination complete.

Special laryngologic examination, including the character of voice.

DISEASES OF THE CARDIOVASCULAR SYSTEM.

History of Past Infectious Diseases.—

Rheumatism, scarlet fever, diphtheria, influenza, tonsillitis, syphilis, gonorrhœa.

Habits.—


Alcohol, tobacco, over-eating, athletics.


Psychic conditions.—

Worry.

Special Detailed Examination of Peripheral Vascular System.—

Pulse.





Character of vessels—(temporal and radial vessels).

Polygraphic studies.

Special Detailed Examination of Heart and Lungs.—

Evidence of general cardiac involvement.

Evidence of special valvular or myocardial conditions.

Galvanometric studies.

Evidence of pulmonary congestion, liver, spleen, Sputum—Character.

Urine—Chronic congestion. Secondary nephritis.

Blood—Bacteriologic.

Blood Cultures.

GASTRO-INTESTINAL DISEASES.

Past History of Dietary Habits, including alcoholism and tobacco.

Sedentary life; nervous conditions; amount of sleep.

Occupation.—

(Lead, arsenic, mercury, antimony.)

State of Nutrition and General Appearance.

Special Gastric and Intestinal Examinations.—

Symptoms in detail.

Chemical examination of gastric juice—

Acids, ferments, etc.

Microscopic and bacteriologic examination
of gastric washings.

Motility—

Radiographic examination.

Special chemical tests—

Blood lipase (liver conditions).

Phenosulphophthalein.

Special Examination of feces.—

Character and quantity.

Microscopic.

Blood.

Bacteriologic.

Parasites—

Amœbæ.

Ova.

CENTRAL NERVOUS SYSTEM.

Family History.—

Valuable in cases of epilepsy, general nervousness, hysteria, and various psychic disorders.

Past History.—


Infectious diseases, especially syphilis.


Rheumatism.

PAST HISTORY OF OTHER NERVOUS DISTURBANCES.

Convulsions in childhood.

Migraine.





*Traumata.**Psychic disturbances—*

Shock.
Worry.
Grief, etc.

Intoxications.—

Lead.
Arsenic.
Alcohol.

Habits and Surroundings.—

Nervous—irritable.
Headaches.
Epileptic attack (order—sequence).

Cerebral System.—

Headache.
Dizziness.
Loss of memory.
Sight. (Reflexes.)
Hearing—Taste.
Speech—Sense of smell.
Vomiting.
Paralyses.
Sensation.
Aphasias.

Spinal.—

Pain.
Girdle sensations.

Retention of urine, incontinence.

Constipation, involuntary excretion.

Sexual side—increase or decrease of desire or ability.

Motor.—

Weakness.

Paralysis.

Cramps.

Convulsions.

Sensory.—

Paræsthesia.

Anæsthesia.

URINARY DISEASES.

Past History.—

Infectious Diseases—Syphilis, diphtheria, scarlet fever.

Habits.—

Alcohol, diet.


Occupational Intoxications—Lead, etc.


Exposure to extremes of temperature.

Swelling of Feet, Ankles.

Frequency of urination.

Amount of urine; color; sediment.





Headache, dizziness, loss of appetite.
Asthma, dyspnœa.
Vision.

Physical Examination.—

Paleness; puffiness of eyelids.
Arteriosclerosis.
Albuminuric retinitis.
Cardiac hypertrophy.
Character of pulse.
Ascites, General edema.

Special Urinary Examination. (Total amount in 24 hours.)

Microscopic.
Complete chemical examination.
Phthalein tests.

Special Examination of Bladder, Ureters and Kidneys.—

Digital exploration.
Cystoscopy. Ureteral catheterization.
Radiographic examination.

CHAPTER III.


The following data refer to certain frequent symptoms. In each case the symptom precedes the names of conditions with which the symptom may be associated. These lists are merely suggestive and do not pretend to be complete. For fuller discussions of symptoms one may consult Cabot's "Differential Diagnosis" and other similar volumes.


Ascites.—

- Portal obstruction.
- Cardiac disease.
- Tuberculous peritonitis.
- Carcinomatous peritonitis.
- Chronic peritonitis.
- Ovarian tumors.
- Chronic pulmonary disease.
- Hydræmia.
- Chronic Bright's disease.
- Distomiasis.

Bradycardia. (Pulse below 60 per minute.)

- Convalescence from fevers (Diphtheria, influenza).
- Circulatory diseases (Chronic myocarditis, Stokes-Adam's disease, aortic stenosis).
- Urinary diseases (Chronic nephritis).
- Nervous diseases (Intracranial pressure, meningitis).
- Cretinism.
- Intoxications (Alcohol, tobacco, digitalis).





Tachycardia. (Pulse above 120 per minute.)

Fevers.

Tuberculosis.

Anæmia.

Neurasthenia.

Graves' disease.

Hysteria.

Shock and collapse.

Abdominal distension.

Peritonitis.

Certain cardiac diseases (Endocarditis, pericarditis).

Chills.—

Sepsis.

Infectious disease.

Gall-stone disease.

Color of Skin.—

Yellow—jaundice.

Lemon yellow—anæmia, esp. chlorosis.

Bronzing—Chronic tuberculosis.

Addison's disease.

Extozoic infections (pediculosis).

Pregnancy.

Hodgkin's diseases.

Hepatic cirrhosis.

Diabetes (bronzed).

Blue-gray—Argyria.

Coma.—

Alcoholism.

Apoplexy.

Uræmia.
Diabetes.
Meningitis.
General paralysis.
Brain tumors.
Poliomyelitis.

Continued Fever.—


Typhoid.
Sepsis.
Tuberculosis.
Meningitis.
Influenza.
Infectious arthritis.
Renal suppurations.
Hepatic suppurations.
Leukæmia.
Syphilis.
Cardiac infections.


Diseases of Infancy.—

Diarrhœa.
Rickets.
Scurvy.
Convulsions (eclampsic).
Disorders of dentition.
Thymic enlargements.

Diseases of Puberty.—

Chlorosis.
Tuberculosis.
Nervous diseases.





Diseases of Childhood.—

The erythematous fevers.

Diseases of Old Age.—

Arteriosclerosis.

Carcinoma.

Chronic arthritis.

Emphysema (pulmonary).

Hereditary Diseases.—

Certain Nervous Diseases.

Diabetes.

Gout.

Hemophilia.

Albinism.

Pentosuria.

Neoplasia.

Progressive muscular dystrophy.

Cerebellar ataxia.

Friedrich's ataxia.

Vocational or Occupational Diseases.—

Occupational neuroses—

Writer's cramp.

Telegrapher's cramp.

Singer's cramp.

Caisson disease.

Housemaid's knee.

Konioses—(Pneumokoniosis)—Dust diseases.

Anthraxis (miners).

Siderosis (iron-workers, grinders).

Aluminosis (potters).

Silicosis (stone cutters).

Tobaccosis (tobacco workers).

Other forms occur in wood workers, sawyers, furriers, hair pickers, etc.

Industrial poisonings—

Lead (painters, type-founders, compositors, paint makers).

Benzol (painters, varnish workers, rubber workers).

Arsenic (dyers, etchers, taxidermists, textile printers).

Anilin (dye makers).

Chromium (workers in chemical works).

Wood alcohol (varnishers, polishers).

Brass (polishers).

Mercury (felt hat makers, mirror platers, makers of mercury vapor lamps, photographers).

Phosphorus (match makers).


(For further data see "Industrial Poisons," by E. F. McCampbell, Ohio State Board of Health, Columbus, Ohio.)


Infections—

Anthrax (workers with hides and skins).

Blood Pressure.—

"Roughly speaking, the cases with blood pressure permanently above 200 m.m. of mercury are mainly those of increased intracranial pressure, chronic nephritis, and aortic insufficiency; those between 150 and 200 m.m., beside these conditions are arteriosclerosis, Basedow's disease, chronic polycythemia and high pressure stasis." (Hirschfelder.)





Hypotension.—

Acute infectious diseases.
Shock and collapse.
After hemorrhage.
After severe diarrhœa or dysentery.
After profuse vomiting.
In pleurisy.
In pericarditis.
All acute cardiac disease.
Chronic mitral stenosis.
Cachectic conditions.

Cyanosis, enlargement of the liver and ascending edema characteristic of failure of the right heart.

Dyspnœa.—

Dyspnœa and other respiratory disturbances in heart failure are due chiefly to stasis in the pulmonary capillaries and veins; i. e., due to pulmonary edema.
An early sign of mitral lesions. In aortic lesions a sign of broken compensation; i. e., of secondary mitral insufficiency.
Cough, dyspnœa, cardiac asthma, pulmonary edema, pulmonary hæmorrhage, together constitute a group of symptoms characteristic of stasis in pulmonary veins (Hirschfelder).
Cardiac diseases.
Tuberculosis (pulmonary).
Chronic bronchitis.
Pneumonia.
Chronic nephritis.

Asthma.
Emphysema.
Infectious diseases.
Exertion and excitement.

Hæmoptysis.—


Pulmonary tuberculosis.
Aneurism.
Heart disease.
Pneumonia.
Carcinoma.
Bronchiectasis.


Hæmorrhages, Cutaneous.—

Hemophilia.
Purpura hæmorrhagica.
Malignant endocarditis.
Henoch's purpura.
Scurvy.
Nephritis.
Diabetes.
Foot-and-mouth disease.
Syphilis (neonatorum).
Schönlein's disease.

Hæmatemesis.—

Peptic ulcer (gastric, duodenal).
Cirrhosis (esophageal hæmorrhoids).
Splenic enlargements.
Anæmic.
Purpura.
Typhoid.
Aneurism.





Hæmaturia.—

Renal—

Acute nephritis.
Chronic nephritis.
Toxic (turpentine).
Infarction.
New growths.
Tuberculosis.
Nephrolithiasis.
Filariasis.
Bilharziosis.
Pelvic varices (renal epistaxis).
Leukæmia.

Ureteral—

Calculi.

Urethral—

Acute urethritis.
Calculi.

Vesical—

Calculi.
Acute cystitis.
Trauma.
Tumors.

Herpes.—

Malaria.
Cerebrospinal fever.
Pneumonia.
Also in acute miliary tuberculosis and typhoid.

Hypothermia.—

Malaria.
Convalescence from acute fevers.

Collapse.

Toxic conditions (opium, alcohol).

Cholera.

Myxædema.

Diabetic coma.

Chronic cardiac disease.

Cerebral and spinal conditions.

Idiosyncrasies.—

Strawberry.

Rhus (poison ivy).

Crab meat and shell fish.

Quinin, morphin, iodoform, potassium iodide.

Certain plants or grasses (hay fever, rose cold, etc).

Itching.—

Quinin, morphin.

Diabetes.

Jaundice.

Pediculosis, etc.

Jaundice.—

Epidemic jaundice—Weil's disease.

Catarrhal.

Gall-stone.

Hypertrophic cirrhosis.

Hematogenic.


Pancreatic tumors and cysts.


Carcinoma of liver, stomach, duodenum.

Acute yellow atrophy.

Icterus neonatorum.

Chloroform necrosis of liver.





Liver.—

Enlarged and smooth.
Chronic passive congestion.
Amyloid.
Cirrhosis.
Fatty liver.
Enlarged and rough.
Abscesses.
Echinococcus.
Syphilis (gummata).
New growths.
Cysts.

Mydriasis.—

Glaucoma.
Optic atrophy.
Anæmias.
Neurasthenia.
Aortic insufficiency.
Irritation of cervical sympathetic.
Emotional disturbances.

Myosis.—

Congestion of iris.
Paralysis of cervical sympathetic.
Paralysis of fifth nerve.
Plethora.
Venous obstruction.
Mitral valve disease.
Spinal disease.

Pain*General Abdominal Pain.*—

Constipation.
Enteritis.

Appendicitis.
Typhoid.
General peritonitis.
Lead poisoning.
Intestinal obstruction.
Tuberculous peritonitis.
Tabes crises.
Extrauterine pregnancy.
Gastric neuroses.
Mucous colitis.
Gall-bladder disease.

Epigastric Pain (beside the above).—


Acute gastritis.
Peptic and duodenal ulcer.
Hyperacidity.
Pericarditis.
Pancreatitis.
Pyloric adhesions.


Left Hypochondriac Pain.—

Flatulence.
Angina pectoris.
Renal suppurations and calculi.
Sub-diaphragmatic abscess.

Right Hypochondriac Pain.—

Chronic hepatic congestion.
Gall-bladder disease.
Carcinoma of the liver.
Renal suppuration and calculi.
Sub-diaphragmatic abscess.





Left Iliac Pain.—

Pyosalpinx.
Ectopic gestation.
Dysmenorrhœa.
Ovarian cysts.
Ureteral calculi.
Sigmoid carcinoma.
Diverticulitis.

Right Iliac Pain.—

Appendicitis.
Pyosalpinx.
Dysmenorrhœa.
Ectopic gestation.
Ovarian cysts.
Mucous colitis.
Chronic colitis.
Ureteral calculi.

Lumbar Pain.—

Sacro-iliac disease.
Spondylitis.
Spinal arthritides.
Strains.
Herpes zoster
Lumbago.
Psychoneuroses.
Renal suppurations.
Renal tumors.
Spinal tumors.
Retroperitoneal tumors.
Fatigue.


Defective balance, scolioses, etc.
Infectious diseases.
Aneurisms.
Pelvic disorders.
Tabes dorsalis.
Myelitis.


Headache.—

Aneurisms.
Psychoneuroses.
Nephritis.
Meningitis.
Sinusitis.
Neuralgias.
Syphilitic periostitis.
Brain tumors.
“Indurative” headaches.
Eyestrain.
Indigestion and constipation.
Menstruation.
Onset of infectious disease.
Intoxications (lead, alcohol).
Fatigue, hunger, bad air.

Thoracic Pain.—

Digestive disorders (flatulence).
Angina pectoris.
Hepatic and biliary disorders.
Aneurisms.
Pleuritis and pneumonia.
Pericarditis.
Intercostal “rheumatism.”





Herpes zoster.
Fractured ribs.

Brachial Pain.—

Arthritis.
Bursitis.
Neuritis.
Angina pectoris.
Neuralgia.
Osteomyelitis.
Occupational neuroses.
Fractures.
Cervical ribs.

Pain in Legs and Feet.—

Flat foot.
Arthritides.
Varicose veins.
Phlebitis.
Sciatica.
Osteomyelitides.
Sprains and strains.
Syphilitic periostitis.
Tendosynovitis.
Neuritis.
Tumors.
Gout.
Metatarsalgia.
Intermittent claudication.
Erythromelalgia.

Pigmentation.—

Lead (lime in gums).
Argyria.

Addison's disease.
Cachexias.
Xanthomatosis.
Chloromatosis.
Melanomatosis.
Tattooing.
Gun powder burns.

Sequelæ of Infectious Disease.—


Diphtheria (nephritis, myocardial disease, paralyses).
Scarlet fever (nephritis, otitis media).
Articular rheumatism (myocardial disease, endocarditis, chorea).
Whooping cough (pulmonary tuberculosis).
Measles (pulmonary tuberculosis).
Gonorrhœa (arthritis, peritonitis, endocarditis).


Splenic Enlargements.—

Myelogenous leukæmia.
Malaria.
Banti's disease.
Gaucher's splenomegaly.
Lymphosarcomatosis.
Hodgkin's disease.
Acute infections.
Chronic congestion.
Amyloid.
Syphilis.

Vertigo.—

Arteriosclerosis.
Nephritis.





Ménière's disease.
Stokes-Adams' disease.
Transient monoplegia and hemiplegia.
Hemianopsia.
Errors of refraction.
Certain gastric disorders.
Aortic insufficiency.

Vomiting.—

Gastric neuroses.
Appendicitis.
Cardiac diseases.
Gastric ulcer.
Intestinal obstruction.
Gastric cancer.
Uræmia.
Tabes Dorsalis.
Brain tumors.
Pregnancy.
Acute gastritis.
Alcoholism.
Onset of acute infections.
Post-operation.
Errors of refraction.

CHAPTER IV.

Post-Mortem Examinations and Records.

A post-mortem examination is the final method of substantiating a clinical diagnosis. The application of this method has lead to collections of statistics by several well-known clinicians who have discovered that their clinical diagnoses have been imperfect in a considerable number of instances.

The record of a post-mortem examination is the last necessary thing in the complete history of a fatal clinical case. The items in the form of Post-Mortem Record shown on pages 50, 51, 52 and 53, which is a duplicate of that used in the Cincinnati Hospital, indicate the data which should be secured in making an autopsy.

FORM OF POST-MORTEM RECORD

CINCINNATI HOSPITAL.

POST-MORTEM RECORD.

[AFTER WARTHIN.]

No. of Autopsy, Name, Ward, Admitted	No. Nationality, 191 , Died	Age, 191 , Autopsy, Clinical Diagnosis, Mode of Death, { Sudden, { Slow, Autopsy ordered by	Date of Autopsy, Sex, Occupation, Color,	hours after death. Attending Physician Interne, Performed by	{ Married, { Single, Weather, { Cold, { Mild, { Hot,
History of { Alcoholism, { Syphilis, { Consumption, { Injury,					
Cause of Death,					


I. EXTERNAL APPEARANCES.—Condition of Nutrition,


Appearance of Skin, Deformities, Rigor Mortis,	Eruptions, Decomposition,	Weight of Body, lbs., Scars, Other Peculiarities,	Height, { Wounds, { Bruises,
--	------------------------------	--	------------------------------------

II. HEAD.—Scalp, Skull—size, Fluid in Cranium, amount,	Thickness, Thickness, Thickness,	Eyes, Injuries, Character,	Hair, Configuration,	{ Color, { Quantity, { Soft and thin, { Hard and thick
--	--	----------------------------------	-------------------------	---

Dura Mater.—

Sinuses, quantity of blood.	Color, Thrombi,	Adherent to Calvarium,
-----------------------------	--------------------	------------------------





Pia Mater. — Surface of Hemispheres,	Thickness,	Vascularity,	Fluid, Condition of Convolutions,	Vessels at Base, { Flattened, Asymmetrical,
Brain. —Weight, Ventricles,—size, Softening, Base of Skull after removing Dura,	Grams; Consistence of Substance, Fluid, Blood-Clots, Softening,	Lateral Vs., Blood-Clots,	Color, Contents, Tumors, Areas of Degeneration,	Puncta Vasculosa, 4th Ventricle, Other Lesions,
III. SPINE. —Deformities of Spinal Column	Cord, { Examined, Not Examined,	Membranes,	Color,	
IV. THORAX and Neck. — Tongue, Larynx,	Glands, Trachea,	Thyroid, Pharynx,	Tonsils, { Mediastinal Glands, Bronchial	Thymus,
Lungs. — Left Lung, Right Lung, Lesion,	Upper Lobe, Lower Lobe, Upper Lobe, Middle Lobe, Lower Lobe,	Pleural Cavities. — Left, Adhesions, Effusion, Right, Adhesions, Effusion, Effusions, Quantity, Clots, { Red, Chicken-fat, White, tough, Effusions, Quantity, Character, Heart.—Size, Position, Pericardium-Adhesions, Heart opened <i>in Situ</i> shows Blood, { Fluid, Clotted,		
			{ Clear, Purulent,	Blood,
			Right Side,	Left,

CINCINNATI HOSPITAL.—CON'T.

POST-MORTEM RECORD.

(52)


Heart.—Weight,	Grams,	Shape, { Globular, Elongated,		
Hypertrophy of Cardiac Walls—None,			Left Sided,	General,
Atrophy of Cardiac Walls,			Dilatation,	Fatty Metamorphosis,
Valves and Orifices,				
Valvulitis, { Chronic, Acute,				
Calcification,			Aortic,	Mitral,
				Coronary Vessels,
				Tricuspid Valve,
Aorta.—Arch,	Thoracic,	Abdominal,		
Other Blood Vessels,			Atheroma,	Aneurism,
				Position of Diaphragm,


V. GENITO-URINARY TRACT.


Kidneys.—Weight—Left,	Grams;	Right,	Grams;	{ Color, Shape,	{ Cysts, Capsule, Surface,
Lesion,					Ureters,
Suprarenal Bodies,					
Bladder,	Contents,		Thickness of Wall,	Prostate,	Urethra,
Uterus,			Ovaries,		Testicles,

VI. ABDOMEN.—Position of the Organs.

Liver.—Weight,	Grams;	Size,	Peritoneum,	Contents,	Adhesions,
Edges,			Color,		Surface,
Gall-Bladder and Ducts,			Cut Surface,		Color of Bile,
Lesion,			Gall-Stones,		







LABORATORY METHODS

With Special Reference to the Needs of the General Practitioner

By **B. G. R. WILLIAMS, M. D.,**

Member of Illinois State Medical Society, American Medical Association, Etc.

Assisted by **E. G. C. WILLIAMS, M. D.,**

Formerly Pathologist of Northern Michigan Hospital for the Insane,
Traverse City, Michigan, Etc.

With an Introduction by

VICTOR C. VAUGHAN, M. D., LL.D.,

Professor of Hygiene and Physiological Chemistry and Dean of the Department of Medicine and Surgery, University of Michigan; President-Elect of the American Medical Association.

SECOND EDITION, REVISED AND REWRITTEN.

Octavo, 250 pages, with 50 engravings, Cloth, \$2.50

CONTENTS

Chapter	Chapter
I. General Considerations.	XI. Milk and Its Home Modifications.
II. The Sputum.	XII. Some Simple Water Analyses.
III. Searching for Germs.	XIII. Every-Day Stool Tests.
IV. Vascular Dramas.	XIV. Technic of the Private Post-Mortem.
V. Chemistry and Biology of the Gastric Juice.	XV. To Find the Treponema in Six Minutes.
VI. Essence of Tissue Diagnosis.	XVI. Laboratory Prophylaxis.
VII. Detection of the Common Poisons.	XVII. Indications for Laboratory Aids.
VIII. Exudates in Brief.	XVIII. Tables and Miscellaneous.
IX. Diazo Versus Widal.	
X. The Urine in Disease.	

FROM REVIEWS

This book may be freely commended to those who may desire a working guide to the more usual laboratory methods. The style is clear and concise, and the general makeup of the book is excellent.—*Journal of the American Medical Association.*

General practitioners are under an everlasting debt of gratitude to the Williamses for their textbook. Any publication which lightens the burdens of these physicians and points out a way to bettering their work is bound of necessity to succeed.—*Maryland Medical Journal.*

TUBERCULIN

In Diagnosis and Treatment

By **FRANCIS MARION POTTENGER, A. M., M. D., LL.D.,**

Medical Director of the Pottenger Sanatorium for Diseases of the Lungs and Throat, Monrovia, California.

Octavo, 250 pages, with 35 engravings and 1 color plate.

Price, Cloth, \$2.50.

CONTENTS

Chapter

- I. Importance of the Tuberculin Test in the Early Diagnosis of Tuberculosis.
- II. Subcutaneous Tuberculin Test.
- III. Cutaneous Tuberculin Test.
- IV. Percutaneous Tuberculin Test.
- V. Conjunctival Tuberculin Test.
- VI. Tuberculin in the Treatment of Tuberculosis.
- VII. Hypersensitiveness.

Chapter

- VIII. Certain Conditions Which Have Made the Adoption of Tuberculin as a Diagnostic and Therapeutic Measure Difficult.
- IX. Evidences of the Therapeutic Value of Tuberculin.
- X. Fever in its Relationship to Tuberculosis.
- XI. Temperature Curve in Tuberculosis.
- XII. Technic of Administering Tuberculin.
- Appendix. Koch's Announcement of the Discovery of Tuberculin.

FROM REVIEWS

This book by Pottenger, who has long been recognized as an authority on everything pertaining to pulmonary tuberculosis, contains about everything worth knowing at the present time on the use of tuberculin in both diagnosis and treatment. It is a book of great value not only to the specialist, but also to the general practitioner.—*Journal of the Michigan State Medical Association.*

We have enjoyed reading this work. Dr. Pottenger has the reputation of being exceptionally thorough in his diagnostic work and we are given the benefit of this in the book. The author makes it plain that the use of tuberculin for diagnostic purposes is corroborative only, that to in any measure neglect the history and physical findings invites failure. We heartily recommend this book to the attention of general practitioners.—*Journal of the Iowa State Medical Association.*

THE WASSERMANN REACTION

Its Technic and Practical Application in the Diagnosis of Syphilis

By JOHN W. MARCHILDON, B. S., M. D.,

Assistant Professor of Bacteriology, St. Louis University Medical School,
St. Louis.

105 pages, with 11 illustrations and 1 colored frontispiece.

Price, Cloth, \$1.50.

CONTENTS

Chapter

- I. Materials Required for Making the Wassermann Reaction.
- II. The Preparation of the Hemolytic Amboceptor or Hemolysin.
- III. The Preparation of Complement.
- IV. The Preparation of Red Blood Corpuscles.
- V. The Preparation of Serum from the Patient.
- VI. The Preparation of the Antigen.

Chapter

- VII. To Obtain the Dosage of an Extract.
- VIII. The Method of Making a Wassermann Reaction.
- IX. The Modification of the Wassermann Reaction.
- X. The Wassermann Reaction in Syphilis.
- XI. The Wassermann Reaction in Diseases other than Syphilis.
- XII. The Influence of Anti-Syphilitic Treatment on the Wassermann Reaction

FROM REVIEWS

We can commend this excellent little work to those who wish to become more independent of the larger laboratories and to place themselves in a position better to understand and perform this most important diagnostic test.—*Journal American Medical Association.*

This volume should be on the shelves of every physician.—*Interstate Medical Journal.*

We commend the work to those of our readers interested (and what physician is not) in the accurate diagnosis of syphilis.—*The American Practitioner.*

This little volume, big enough, sets forth in clear terms the technic of the Wassermann reaction. The author has peeled away much that was designed to befog the man of limited acquirements in the laboratory, thereby enabling the man of patience and average ability to do all of his own laboratory work. His style is clear, cogent and apt to teach.—*Journal of the Texas State Medical Association.*

This primer of the Wassermann reaction can be recommended as a very clear and concise statement of the rationale and technic of that complicated test.—*American Journal of Surgery.*

VACCINE AND SERUM THERAPY

Including also a Study of Infections, Theories of Immunity,
Specific Diagnosis, and Chemotherapy

By **EDWIN HENRY SCHORER,**

B. S. (University of Wisconsin), M. D. (Johns Hopkins University),
Dr. P. H. (Harvard University).

Formerly Assistant Thomas Wilson Sanitarium for Children, Mt. Wilson,
Maryland; Asst. Rockefeller Institute for Medical Research, New York
City; and at one time Member of the Faculty of the University of
Missouri, of the University of Kansas, and of the Department
of Preventive Medicine and Hygiene of Harvard
University, Boston.

Octavo, 250 pages, with 18 engravings and a colored plate.

Price, Cloth, \$3.00.

SECOND REVISED EDITION.

CONTENTS

Chapter

- I. Infections.
- II. Immunity.
- III. Specific Diagnosis.
- IV. Specific Therapy.

Chapter

- V. Specific Diagnosis, Treatment and Prophylaxis in the Different Infections.
- Appendix. Syphilis and Malaria.

FROM REVIEWS

It contains all that is necessary for physicians to know about this new and fascinating method of treatment. The text is well done and the illustrations are adequate. Doctor Schorer has had a large and varied experience and is the master of the technique of the laboratory.—*The Canadian Medical Association Journal*.

The whole subject has been treated in a very practical and comprehensive manner, and we heartily recommend the book to all who may be interested in the subject.—*Journal of the Indiana Medical Association*.

This revised second edition will be welcomed by all interested in the treatment of disease, medical and surgical. Altogether this will prove a valuable addition to the literature on vaccine and serum therapy.—*The American Practitioner*.

DIAGNOSTIC METHODS

A Guide for History Taking, Making of Routine Physical Examinations and the Usual Laboratory Tests Necessary for Students in Clinical Pathology, Hospital Internes, and Practicing Physicians

By HERBERT THOMAS BROOKS, A. B., M. D.,

Professor of Pathology, University of Tennessee, College of Medicine,
Memphis, Tennessee.

SECOND EDITION, REVISED AND REWRITTEN.

85 pages, Limp Binding, Price, \$1.00.

CONTENTS

Chapter

- I. Outline for History Taking.
- II. Physical Examination of the Patient.
- III. Sputum.
- IV. Urine.
- V. Gastric Contents.
- VI. Blood.
- VII. Serous Fluids.

Chapter

- VIII. Intestinal Contents.
- IX. Tuberculin Diagnosis.
- X. The Wassermann Reaction.
- XI. Complement Fixation Test for Gonorrhea.
- XII. Apparatus and Chemical Reagents Necessary for Physician's Laboratory.

FROM REVIEWS

An excellent laboratory guide for the practitioner who needs a brief review of his laboratory technique. It is equally good as a working guide to the student. The study of its first pages will benefit the student or interne in taking histories.—*Illinois Medical Journal*.

It is a clear, trustworthy exhibition of the simplest and best method of laboratory diagnosis. Following it closely any high-school pupil could do the Wassermann reaction. No matter how many books on diagnosis one may have, this book will prove a valuable addition.—*Texas State Journal of Medicine*.

ARTERIOSCLEROSIS

Etiology, Pathology, Diagnosis, Prognosis, Prophylaxis
and Treatment.

With a Special Chapter on Blood Pressure

By **LOUIS M. WARFIELD, A. B., M. D.,**

Assistant Superintendent and Resident Physician, to Milwaukee County Hospital; Assistant Professor of Medicine, Wisconsin College of Physicians and Surgeons, Milwaukee; Formerly Medical House Officer, Johns Hopkins Hospital, Baltimore, Md.

With an Introduction

By **W. S. THAYER, M. D.,**

Johns Hopkins University.

220 pages, with 28 engravings.

SECOND REVISED EDITION.

Price, \$2.50.

CONTENTS

Chapter

- I. Anatomy.
- II. Physiology of the Circulation.
- III. Pathology.
- IV. Etiology.
- V. The Physical Examination of the Heart and Arteries.
- VI. Symptoms and Physical Signs.
- VII. Symptoms and Physical Signs
—Continued.

Chapter

- VIII. Diagnosis and Differential Diagnosis.
- IX. Prognosis.
- X. Prophylaxis.
- XI. Treatment.
- XII. Arteriosclerosis in Its Relation to Life Insurance.
- XIII. Practical Suggestions.

FROM REVIEWS

It will surely be found useful, especially in those chapters which deal with prophylaxis and practical suggestions as to treatment.—*Johns Hopkins Hospital Bulletin.*

Dr. Warfield has brought together, in a compact volume, a very readable account of modern views on the subject, and makes many suggestive observations, which deserve further attention.—*British Medical Journal.*

MUSCLE SPASM AND DEGENERATION IN INTRATHORACIC INFLAMMATIONS

**Their Importance as Diagnostic Aids and Their Influence in
Producing and Altering the Well Established Physical
Signs, also a Consideration of Their Part in the
Causation of Changes in the Bony Thorax**

AND LIGHT TOUCH PALPATION

**The Possibility and Practicability of Delimiting Normal
Organs and Diagnosticating Diseased Conditions Within
the Chest and Abdomen by Very Light Touch**

By FRANCIS MARION POTTENGER, A. M., M. D., LL.D.,

**Medical Director of the Pottenger Sanatorium for Diseases of the Lungs and
Throat, Monrovia, California.**

110 pages, with sixteen original illustrations.

Price, Cloth, \$2.00.

CONTENTS

Chapter

- I. Spasm and degeneration of the muscles of the neck and thorax in the presence of intrathoracic inflammations.
- II. Cause of muscle spasm and degeneration.
- III. What can be determined by noting the condition of the neck and chest muscles in acute and chronic inflammations of the lungs and pleura.
- IV. Effect of muscle spasm and degeneration.
- V. Cause of lagging as a sign of apical involvement.

Chapter

- VI. Cause of flattening of the chest wall on the affected side.
- VII. The relation of the muscle change to the anomalies of the upper aperture of the thorax.
- VIII. Neck, chest, and shoulder pains of reflex origin.
- IX. The effect of muscle change upon percussion findings in the physical examination of the chest.
- X. The effect of muscle change upon the data derived from auscultation.
- XI. Light touch palpation.

FROM REVIEWS

A casual review cannot do this book justice; the thanks of the profession are due to the author and publisher for such a valuable piece of literature in the field of diagnosis. It is like a refiner's furnace to the old methods of physical examination and shows the refined possibilities of light touch palpation.—*Journal of the Texas State Medical Association.*

Pottenger gives a logical explanation of careful observations of the chest in disease, and the book will be of value to all who are keenly interested in physical diagnosis.—*Journal of the American Medical Association.*

GENITO-URINARY DIAGNOSIS AND THERAPY

For Urologists and General Practitioners. Including also a Chapter on "The Serological Diagnosis and Specific Treatment of Gonococcic Infections"

By **DOCTOR ERNST PORTNER,**

Specialist for Urology, Berlin, Germany.

Translated and Edited by

BRANSFORD LEWIS, M. D., B. Sc.,

Professor of Genito-urinary Surgery, Medical Department of St. Louis University, St. Louis; Genito-urinary Surgeon to St. John's Hospital and Frisco Hospital; Member American Urological Association; American Association of Genito-urinary Surgeons; American Medical Association, Etc.

240 pages, with 43 engravings.

Price, Cloth, \$2.50.

CONTENTS

Chapter

- I. Disinfection of Urologic Instruments.
- II. Anesthesia in Urology.
- III. Lubricants.
- IV. Catheterization of the Male.
- V. Diseases of the Urethra and Penis.
- VI. Diseases of the Testes and Epididymis.
- VII. Diseases of the Prostate Gland.
- VIII. Diseases of the Seminal Vesicles.


Chapter


- IX. Diseases of the Urinary Bladder.
- X. Diseases of the Kidneys.
- XI. Diseases of the Ureters.
- XII. Disturbances of the Genital Function in the Male.
- XIII. Diseases of the Urinary Organs in the Female.
- XIV. Diseases of the Urinary Organs in Childhood.
- XV. The Serological Diagnosis and Specific Treatment of Gonococcic Infections.


FROM REVIEWS


This book sets forth in concise—even terse—terms the best practice in dealing with diseases of the genito-urinary system.—The Canadian Medical Association Journal.

The mere fact that Doctor Lewis has considered it worth while to translate and edit Portner's book is sufficient recommendation to ensure its acceptance and approval by American practitioners.—New York Post-Graduate Medical Journal.









RC 73

W 83

Woolley

Clinical History in Outline

P. ...

Field

a. ...

W. Bierman

A. Robertelli

W. ...

W. Nelson

