

Vanderbilt Clinic formulary : 1901.

Contributors

Vanderbilt Clinic (New York, N.Y.)
Augustus Long Health Sciences Library

Publication/Creation

[New York], [1901]

Persistent URL

<https://wellcomecollection.org/works/cfp85k88>

License and attribution

This material has been provided by This material has been provided by the Augustus C. Long Health Sciences Library at Columbia University and Columbia University Libraries/Information Services, through the Medical Heritage Library. The original may be consulted at the the Augustus C. Long Health Sciences Library at Columbia University and Columbia University. where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

M-RS125


C72

1901

Columbia University. College of Physicians
and Surgeons. Vanderbilt clinic.
Vanderbilt clinic formulary.

THE LIBRARIES
COLUMBIA UNIVERSITY

MEDICAL LIBRARY



Columbia University. College
of Physicians and Surgeons.

VANDERBILT CLINIC FORMULARY

1901

M = COLLECTION

Spec Coll

xp Coll

RS

125

C72

1901



Prescriptions in this formulary are written for single doses only, in the case of preparations for internal use, and for any convenient quantity in the case of preparations for external and local use. In prescribing, the physician should write in the patient's prescription book the date, name of prescription as stated in the formulary, and directions for use. The apothecary will dispense a quantity sufficient for not more than four days unless more is required, in which case the physician should write below his prescription the words "double quantity."

In order to lessen the chances of mistake in administering medicine, the use of "drop" doses should be avoided as much as possible.

To facilitate the prompt handling of prescriptions in the Apothecary's Department, and thus save annoying delay to patients, it is of much importance that the formulary be adhered to in prescribing.

Digitized by the Internet Archive
in 2011 with funding from
Open Knowledge Commons

VANDERBILT CLINIC FORMULARY

Part I

Preparations for Internal Use

RESPIRATORY SYSTEM

Ammonium Carbonate Mixture No. 1

R. Ammonii Carb.
Ext. Glycyrrhizæaa gr j
Syr. Ipecac.....℥iv
Syr. Senegæ
Syr. Tolut.....aa ℥viiij
Aq. Cinnamomi.....q.s. ad fl. 3j
M.

Ammonium Carbonate Mixture No. 2

R Ammonii Carb gr. j
Ext. Senegæ Fl.
Ext. Scillæ Fl..... aa ℥ij
Tinct. Opii Camph ℥xij
Syr. Tolut..... q.s. ad fl. 3j
M.

Ammonium Chloride Mixture No. 1

R Ammonii Chlorid gr. v
Spir. Chloroform..... ℥iij
Syr. Tolut.
Syr. Simp..... aa fl. 3ss
Aq. Destil..... q.s. ad fl. 3ij
M.

Ammonium Chloride Mixture No. 2

R Morphinæ Sulph..... gr. $\frac{1}{30}$
Mist. Ammon. Chlorid. No. 1... q.s. ad fl. 3ij
M.

Antimonial Mixture

R Vin. Antimonii
Vin. Ipecacuanhæ
Spir. Ætheris Nit..... aa ℥x
Liq. Ammonii Acetat..... q.s. ad fl. 3j
M.

Codeine Mixture

R Codeinæ Sulph. gr. $\frac{1}{4}$
Ac. Hydrocyanic. Dil. ℥ iij
Ammon. Chlorid. gr. iij
Syr. Pruni Virg. q.s. ad fl. 3j
M.

Cubeb Compound Mixture

R Ext. Cubebæ Fl. ℥ viijss
Morphinæ Sulph. gr. $\frac{1}{12}$
Ol. Ricini
Syr. Pruni Virg.
Syr. Ipecac. aa ℥ x
Syr. Tolut. q.s. ad fl. 3j
M.

Creosote Mixture No. 1

R Creosoti ℥ j
Tinct. Gentianæ Comp. q.s. ad fl. 3j
M.

Creosote Mixture No. 2

R Creosoti
Spir. Frumenti. aa ℥ ij
M. S. Increase slowly.

Emphysema Mixture

R Potas. Iodidi..... gr. v
Morph. Sulph..... gr. $\frac{1}{2}$
Tinct. Belladonnæ..... ℥v
Spir. Ætheris Nit. Comp..... ℥xlv
Aq. Destil..... q.s. ad fl. 3ss
M.

Grindelia Mixture

R Ext. Grindeliæ Fl..... ℥xv
Syr. Sarsaparillæ Comp..... q.s. ad fl. 3j
M.

Iodide Cough Mixture

R Potas. Iodidi..... gr. xv
Tinct. Opii Deod..... ℥v
Vin. Ipecac..... ℥xv
Syr. Pruni Virg.
Aq. Destil..... aa q.s. ad fl. 3ij
M.

Antimonial Tablet

R Antimonii et Potassii Tart..... gr. $\frac{1}{16}$
Pulv. Opii..... gr. $\frac{1}{8}$
Hydrarg. Chlorid. Mit..... gr. $\frac{1}{2}$
M.

Bronchitis Tablet (Delafield)

R Ext. Belladonnæ.....gr. $\frac{1}{40}$
Pulv. Ipecac.....gr. $\frac{1}{20}$
Pulv. Ipecac. et Opii.....gr. $\frac{1}{10}$
Quininæ Sulph.....gr. $\frac{1}{4}$
M.

Codeine Sulphate Tablet.....gr. $\frac{1}{4}$

Heroin Tablet.....gr. $\frac{1}{12}$

Ipecacuanha Tablet.....gr. $\frac{1}{10}$

Ipecacuanha Tablet.....gr. $\frac{1}{4}$

Ipecac. and Opium Tablet (Dover)...gr. ijss

CIRCULATORY SYSTEM

Convallaria Mixture

R Ext. Convallariæ Fl.....℥xx
Ext. Digitalis Fl.....℥ij
Potas. Iodidi.....gr. v
Syr. Sarsaparillæ Comp.....q.s. ad fl. 3ij
M.

Digitalis Mixture

R Tinct. Digitalis
Tinct. Nuc. Vomicae.....aa ℥v
Tinct. Cinch. Comp.....q.s. ad fl. 3j
M.

Strophanthus Mixture

R Tinct. Strophanthi ℥v
Tinct. Gentianæ Comp. q.s. ad fl. 3j
M.

Aconite, Fluid Extract, Tablet ℥j

Aconitine Tablet gr. $\frac{1}{100}$

Caffeine, Citrated, Tablet gr. $\frac{1}{2}$

Caffeine, Citrated, Tablet gr. j

Caffeine, Citrated, Tablet gr. ij

Digitalin Tablet gr. $\frac{1}{100}$

Digitalin Tablet gr. $\frac{1}{30}$

Digitalis, Fluid Extract, Tablet ℥j

Nitroglycerine Tablet gr. $\frac{1}{200}$

Nitroglycerine Tablet gr. $\frac{1}{100}$

Nitroglycerine Tablet gr. $\frac{1}{30}$

DIGESTIVE SYSTEM

Alkaline Mixture

R Magnesii Sulph.....gr. vijss
Magnesii Carb.....gr. iv
Spir. Ammoniae Aromat.....℥iv
Aq. Destil.....q.s. ad fl. 3j
M.

Astringent Mixture

R Tinct. Kino
Tinct. Krameriae
Tinct. Catechuaa ℥xx
M.

Antifermentative Mixture

R Glyceriti Ac. Carbol. (1-5)℥v
Aq. Destil.....q.s. ad fl. 3j
M.

Aspidium Mixture

R Oleores. Aspidii.....fl. 3j
Spir. Chloroformi.....fl. 3ss
Glycerini
Syr. Zingiber.....aa q.s. ad fl. 3ss
M.

Bismuth and Chalk Mixture

R̄ Bismuthi Subnit.
Cretæ Præp. aa gr. iv
Tinct. Opii Camph. ℥iv
Aq. Destil. q.s. ad fl. 3j
M.

Bismuth and Opium Mixture

R̄ Bismuthi Subnit. gr. v
Tinct. Opii Deod. ℥j
Aq. Cinnamomi. q.s. ad fl. 3j
M.

Bismuth and Pepsin Mixture

R̄ Pepsini Sacch. gr. iv
Mist. Bismuthi et Cretæ q.s. ad fl. 3j
M.

Bromide and Chloral Mixture

R̄ Sodii Bromidi. gr. x
Chloral. gr. v
Aq. Menthæ Pip. q.s. ad fl. 3j
M.

Bromide and Hyoscyamus Mixture

R̄ Potas. Bromidi gr. xv
Tinct. Hyoscyami fl. 3ss
Aq. Menthæ Pip. q.s. ad fl. 3j
M.

Capsicum Mixture

R̄ Tinct. Capsici
Tinct. Nuc. Vomicae..... aa ℥ij
Tinct. Zingiber ℥vj
Tinct. Cinch. Comp..... q.s. ad fl. 3j
M.

Chloral Mixture

R̄ Chloral gr. ij
Spir. Chloroformi ℥x
Aq. Menthæ Pip q.s. ad fl. 3j
M.

Chloroform and Belladonna Mixture

R̄ Spir. Chloroform..... ℥x
Tinct. Belladonnæ..... ℥v
Potas. Bromidi..... gr. xv
Aq. Menthæ Pip..... q.s. ad fl. 3j
M.

Cholera Mixture ("Sun")

R̄ Spir. Camphoræ
Spir. Menthæ Pip.
Tinct. Capsici
Tinct. Rhei
Tinct. Opii..... aa ℥xij
M.

Diarrhœa Mixture (Squibb)

R Spir. Camphoræ
Tinct. Capsici
Tinct. Opii..... aa ℥xiij
Chloroform. Pur. ℥v
Spir. Vin. Rect..... q.s. ad fl. 3j
M.

Flatulence Mixture

R Chloroform. Pur ℥ $\frac{1}{4}$
Aq. Menthæ Pip..... q.s. ad fl. 3j
M.

Hydrastis Mixture

R Ext. Hydrastis Fl..... fl. 3ss
Ext. Rhamni Pursh. Fl. ℥x
Glycerini..... q.s. ad fl. 3j
M.

Hydrochloric Acid Mixture

R Ac. Hydrochlor. Dil..... ℥xx
Aq. Menthæ Pip..... q.s. ad fl. 3j
M.

Hydrochloric Acid and Pepsin Mixture

R Ac. Hydrochlor. Dil..... ℥xx
Pepsini Sacch..... gr. v
Glycerini ℥v
Aq. Menthæ Pip..... q.s. ad fl. 3j
M.

Hydrochloric Acid and Resorcin Mixture

R Ac. Hydrochlor. Dil. ℥xx
Resorcini Resub. gr. v
Aq. Menthæ Pip q s. ad fl. 3j
M.

Nitrohydrochloric Acid Mixture No. 1

R Ac. Nitrohydrochlor. Dil. ℥x
Tinct. Nuc. Vomicae ℥v
Tinct. Cinch. Comp. q.s. ad fl. 3j
M.

Nitrohydrochloric Acid Mixture No. 2

R Ac. Nitrohydrochlor. Dil. ℥ijss
Tinct. Nuc. Vomicae ℥j
Tinct. Calumbæ ℥x
Syr. Limonis ℥xx
Aq. Destil. q.s. ad fl. 3j
M.

Rhubarb and Soda Mixture

R Pulv. Rhei gr. ij
Sodii Bicarb gr. v
Pulv. Ipecac gr. $\frac{1}{4}$
Aq. Menthæ Pip q.s. ad fl. 3j
M.

Rhubarb and Soda Compound Mixture No. 1

R Pulv. Rhei.....gr. ij
Sodii Bicarbgr. v
Pulv. Ipecac.....gr. $\frac{1}{4}$
Tinct. Nuc. Vomicae℥v
Aq. Menthæ Pip.....q.s. ad fl. 3ij
M.

Rhubarb and Soda Compound Mixture No. 2

R Ext. Rhamni Pursh. Fl.....℥xv
Mist. Rhei et Sodæ Co. No. 1....q.s. ad fl. 3ij
M.

Stomachic Mixture

R Tinct. Nuc. Vomicae℥x
Tinct. Gentianæ Comp.....fl. 3ss
Aq. Chloroformi.....q.s. ad fl. 3ij
M.

Sulphocarbolate Mixture

R Sodii Sulphocarb.....gr. x
Tinct. Nuc. Vomicae℥v
Tinct. Cubebæ℥x
Glycerini℥xv
Aq. Destil.....q.s. ad fl. 3j
M.

Aloin Compound Tablet No. 1

R Aloin.....gr. $\frac{1}{5}$
Ext. Belladonnæ.....gr. $\frac{1}{8}$
Strychninæ Sulph.....gr. $\frac{1}{60}$
M.

Aloin Compound Tablet No. 2

R Aloin.....gr. $\frac{1}{5}$
Ext. Belladonnæ.....gr. $\frac{1}{8}$
Strychninæ Sulph....gr. $\frac{1}{60}$
Pulv. Ipecac.....gr. $\frac{1}{16}$
M.

Aloin Compound Tablet No. 3

R Aloin
Ext. Belladonnæ
Ext. Nuc. Vomicae
Resinæ Podophylliaa gr. $\frac{1}{10}$
M.

Calomel and Soda Tablet No. 1

R Hydrarg. Chlor. Mit.
Sodii Bicarb.....aa gr. j
M.

Calomel and Soda Tablet No. 2

R Hydrarg. Chlor. Mit.
Sodii Bicarb.....aa gr. ij
M.

Calomel and Jalap Powder

R̄ Hydrarg. Chlor. Mit..... gr. v
Pulv. Jalapæ Comp..... gr. xx
M.

Castor Oil and Salol Capsule No. 1

R̄ Ol. Ricini..... ℥ijss
Salol..... gr. ijss
M.

Castor Oil and Salol Capsule No. 2

R̄ Ol. Ricini... ℥v
Salol..... gr. v
M.

Cerium and Soda Powder

R̄ Cerii Oxalat..... gr. x
Sodii Bicarb..... gr. xx
M.

Chalk and Soda Powder

R̄ Cretæ Præp.
Sodii Bicarb.
Magnesii Carb..... aa gr. iij
M.

Lead and Opium Pill

R̄ Plumbi Subacetat.....gr. ij
Pulv. Opii.....gr. j
M.

Laxative Pill

R̄ Pulv. Aloes.....gr. j
Ext. Nuc. Vomicæ.....gr. $\frac{1}{4}$
Ext. Belladonnæ.....gr. $\frac{1}{6}$
Ext. Colocynth. Comp.....gr. ij
M.

Laxative Powder

R̄ Sodii Chlorid.....gr. vj
Sodii Bicarb... ..gr. xxiv
Sodii Sulph. Exsic.....3j
Magnesii Sulph.....3ss
M.

Podophyllum Compound Tablet

R̄ Res. Podophylli.....gr. $\frac{1}{2}$
Ext. Nuc. Vomicæ.....gr. $\frac{1}{3}$
Pulv. Aloes.....gr. ij
Ol. Anisi..... $\text{m}\frac{1}{6}$
M.

Rhubarb and Soda Tablet

R Pulv. Rhei.....gr. j
Sodii Bicarb gr. v
Pulv. Ipecac.....gr. $\frac{1}{8}$
Olei Menthæ Pip..... ℥ $\frac{1}{20}$
M.

Rhubarb and Soda Compound Tablet No. 1

R Pulv. Rhei.....gr. ij
Sodii Bicarb..... gr. v
Pulv. Ipecac.....gr. $\frac{1}{4}$
Tinct. Nuc. Vomicæ..... ℥ v
Ol. Menthæ Pip..... ℥ $\frac{1}{20}$
M.

Rhubarb and Soda Compound Tablet No. 2

R Pulv. Rhei.....gr. j
Sodii Bicarb.....gr. v
Pulv. Ipecac.....gr. $\frac{1}{8}$
Ext. Nuc Vomicægr. $\frac{1}{4}$
Ext. Rhamni Pursh. Fl..... ℥ v
Ol. Menthæ Pip..... ℥ $\frac{1}{10}$
M.

Santonin Compound Powder

R Santoningr. $\frac{1}{2}$
Hydrarg. Chlor. Mit.....gr. ij
M.

Sulphur Compound Powder

R Sulphur Præcip.
Magnesii Carb.
Magnesii Sulph.....aa gr. xv
Ol. Anisi..... ℥j
M.

Aloin Tablet.....gr. $\frac{1}{10}$

Aloin Tablet.....gr. $\frac{1}{4}$

Aspidium, Oleoresin, Capsulegr. xv

Bismuth Subgallate Tablet..... gr. v

Calomel Tabletgr. $\frac{1}{20}$

Calomel Tabletgr. $\frac{1}{10}$

Calomel Tablet.....gr. $\frac{1}{4}$

Calomel Tablet.....gr. $\frac{1}{2}$

Cerium Oxalate Tablet.....gr. j

Cerium Oxalate Tablet.....gr. v

Naphthalin Tablet....gr. v

Podophyllin Tablet...gr. $\frac{1}{10}$

GENITO-URINARY SYSTEM

Boric Acid Mixture

R̄ Ac. Boric.....gr. viijss
Tinct. Hyoscyami.....℥ xv
Aq. Destil.....q.s. ad fl. 3ss
M.

Buchu Mixture

R̄ Ext. Buchu Fl.....℥ xx
Potas. Citratgr. x
Spir. Ætheris Nit.....fl. 3ss
Aq. Destil.....q.s. ad fl. 3ss
M.

Copaiba Mixture (Lafayette)

R̄ Copaibæ
Sp. Ætheris Nit.
Tinct. Lavandulæ Comp.....aa ℥ viijss
Liq. Potassæ.... .℥ ij
Muc. Acaciæ.....℥ viijss
Aq. Destil.....q.s. ad fl. 3j
M.

Cystitis Mixture

R̄ Ac. Benzoici.....gr. x
Sodii Biborat.....gr. xx
Ol. Gaulth.....℥ $\frac{1}{3}$
Aq. Destil.....q.s. ad fl. 3j
M.

Diuretic Mixture

R̄ Inf. Digitalis.....fl. 3ss
Tinct. Hyoscyami ℥xv
Aq. Destil q.s. ad fl. 3j
M.

Potassium Acetate Mixture

R̄ Potas. Acetat.....gr. xx
Tinct. Hyoscyami ℥xv
Aq. Destil. q.s. ad fl. 3j
M.

Potassium Bicarbonate Mixture

R̄ Potas. Bicarb.....3ss
Tinct. Hyoscyami ℥xv
Aq. Destil.....q.s. ad fl. 3ss
M.

Potassium Citrate Mixture

R̄ Potas. Citrat.....gr. xv
Syr. Limonis.....fl. 3ss
Aq. Destil.....q.s. ad fl. 3j
M.

Potassium & Sodium Tartrate Mixture

R̄ Potas. et Sod. Tart.....3j
Potas. Acetat.
Sod. Bicarbaa 3ss
Aq. Destil.....q.s. ad fl. 3ss
M.

Salol Compound Pill

R Salol.....gr. iv
Potas. Permangan.....gr. j
M.

Salol Compound Powder

R Salol
Pulv. Ipecac. et Opii
Bismuthi Subnit.....aa gr. iiij
M.

Sodium Compound Powder

R Sodii Salicylat.....gr. viij
Sodii Sulph.....gr. xv
Sodii Phosph.....q.s. ad 3j
M.

Triticum Mixture (Taylor)

R Ext. Tritici Rep. Fl.
Ext. Uvæ Ursi Fl.....aa ℥xx
Liq. Potassæ.....℥viiij
Tinct. Opii℥iss
Aq. Destil.....q.s. ad fl. 3j
M.

Uterine Antispasmodic Mixture

R Antipyrinigr. iij
Sodii Bromidi.....gr. vij
Spir. Chloroformi ℥v
Tinct. Valerianæ..... fl. 3ss
Aq. Destil..... q.s. ad fl. 3j

M.

Uterine Tonic Mixture

R Ext. Ergotæ Fl.
Ext. Hydrastis Fl.
Tinct. Cinch. Comp.
Glycerini.....aa ℥xv

M.

Ergotin Tablet.....gr. $\frac{1}{4}$

Urotropin Tablet.....gr. v

NERVOUS SYSTEM

Chorea Mixture No. 1

R Liq. Potas. Arsenit..... ℥iij
Aq. Menthæ Pip..... q.s. ad fl. 3j

M.

Chorea Mixture No. 2

R Liq. Potas. Arsenit..... ℥iij
Chloral.....gr. v
Aq. Menthæ Pip..... q.s. ad fl. 3j

M.

Enuresis Mixture

R̄ Sodii Bromidigr. vijss
Ext. Ergotæ Fl.
Tinct. Belladonnæ..... aa ʒvijss
Aq. Cinnamomiq.s. ad fl. ʒj
M.

Epileptic Mixture No. 1

R̄ Sod. Bromidi
Potas. Bromidi.....aa gr. x
Ammonii Bromidi.....gr. v
Sodii Bicarb.....gr. ij
Liq. Potas. Arsenit..... ʒj
Aq. Destil..... q.s. ad fl ʒj
M.

Epileptic Mixture No. 2

R̄ Tinct. Belladonnæ..... ʒij
Potas. Bromidigr. xv
Chloral.....gr. v
Aq. Destil.....q.s. ad fl. ʒj
M.

Sedative Mixture (Brown-Sequard)

R̄ Potas. Iodidi.....gr. v
Potas. Bromidi
Ammon. Bromidi.....aa gr. x
Sodii Bicarb.....gr. iv
Tinct. Nuc. Vomicæ..... ʒvj
Tinct. Gentianæ Comp..... ʒviij
Aq. Destil.....q.s. ad fl. ʒij
M.

Valerianate Pill

R Quininæ Valerianat.
Zinci Valerianat.
Ammonii Valerianat..... aa gr. j
M.

Morphine and Atropine Tablet

R Morphinæ Sulph.....gr. $\frac{1}{8}$
Atropinæ Sulph.....gr. $\frac{1}{200}$
M.

Atropine Sulphate Tabletgr. $\frac{1}{200}$

Atropine Sulphate Tabletgr. $\frac{1}{100}$

Belladonna, Extract, Tabletgr $\frac{1}{4}$

Hyoscine Hydrobromate Tablet.....gr. $\frac{1}{200}$

Hyoscine Hydrobromate Tablet.....gr. $\frac{1}{100}$

Hyoscyamine Tablet.....gr. $\frac{1}{200}$

Hyoscyamine Sulphate Tabletgr. $\frac{1}{100}$

Morphine Sulphate Tabletgr. $\frac{1}{8}$

Morphine Sulphate Tabletgr. $\frac{1}{4}$

MISCELLANEOUS

I.—PREPARATIONS FOR RHEUMATISM, GOUT AND SYPHILIS

Iron Salicylate Mixture

R̄ Ac. Salicylat.....gr. ij
Ferri Pyrophos.....gr. iij
Sodii Phos.....gr. xx
Aq. Destil.....q.s. ad fl. ʒij
M.

Sodium Salicylate Mixture

R̄ Sod. Salicylat ... gr. xx
Ext. Glycyrrhizæ.....gr. iij
Aq. Destil.....q.s. ad fl. ʒij
M.

Salicylate and Iodide Mixture

R̄ Sodii Salicylat.....gr. vijss
Potas. Iodidi.....gr. v
Ext. Gelsemii Fl.....℥j
Ext. Cimicifugæ Fl.....℥xx
Syr. Sarsaparillæ Comp.... q.s. ad fl. ʒij
M.

Colchicum and Iodide Mixture

℞ Vin. Colchici Rad..... ℥xx
Potas. Iodidi..... gr. x
Syr. Sarsaparillæ Comp..... fl. 3j
Aq. Destil..... q.s. ad fl. 3ij

M.

Potassium Iodide Mixture

℞ Potas. Iodidi gr. x
Syr. Sarsaparillæ Comp fl. 3ss
Aq. Destil..... q.s. ad fl. 3ij

M.

Biniodide Mixture No. 1

℞ Hydrarg. Iodidi Rub..... gr. $\frac{1}{32}$
Potas. Iodidi..... gr. x
Tinct. Cinch. Comp..... q.s. ad fl. 3j

M.

Biniodide Mixture No. 2

℞ Hydrarg. Iodidi Rub..... gr. $\frac{1}{15}$
Potas. Iodidi..... gr. xij
Tinct. Cinch. Comp..... q.s. ad fl. 3j

M.

Biniodide Mixture No. 3

R Hydrarg. Iodidi Rubgr. $\frac{1}{10}$
Potas. Iodidi.....gr. xvj
Tinct. Cinch. Comp..... .. q.s. ad fl. 3j
M.

Protiodide and Iron Pill

R Hydrarg. Iodidi Flavgr. $\frac{1}{4}$
Ferri et Quininæ Cit.....gr. iij
Tinct. Hyoscyami.....gr. $\frac{1}{8}$
Ext. Gentianæq.s.
M.

Mercury, Corrosive Chloride, Tablet..gr. $\frac{1}{30}$

Mercury, Corrosive Chloride, Tablet..gr. $\frac{1}{30}$

Mercury, Corrosive Chloride, Tablet..gr. $\frac{1}{16}$

Mercury, Red Iodide, Tablet.....gr. $\frac{1}{25}$

Mercury, Yellow Iodide, Tablet.....gr. $\frac{1}{6}$

Mercury, Yellow Iodide, Tablet.....gr. $\frac{1}{4}$

Salicin Tabletgr. v

Salol Tablet.....gr. j

Salol Tabletgr. v

2.—TONICS AND NUTRITIVES

Iron Chloride Mixture

R Tinct. Ferri Chlor..... ℥xv
Glycerini..... ℥xx
Aq. Destil..... q.s. ad fl. 3j

M.

Iron and Ammonium Citrate Mixture

R Ferri et Ammonii Citrat..... gr. x
Liq. Potas. Arsenit..... ℥ij
Syr. Aurant. Cort..... fl. 3ss
Aq. Destil q.s. ad fl. 3j

M.

Iron and Potassium Tartrate Mixture

R Ferri et Potassii Tart..... gr. x
Glycerini..... ℥xx
Aq. Destil..... q.s. ad fl. 3ij

M.

Iron, Arsenic and Quinine Mixture

R Ferri et Quininæ Cit..... gr. v
Liq. Potas. Arsenit..... ℥iij
Tinct. Gentianæ Comp..... q.s. ad fl. 3ij

M.

Iron and Strychnine Mixture

℞ Ferri Pyrophos..... gr. x
Strychninæ Sulph..... gr. $\frac{1}{32}$
Tinct. Zingiber ℥j
Glycerini ℥v
Aq. Destil..... q.s. ad fl. 3j
M.

Phosphoric Acid Mixture (Starr)

℞ Ac. Phosphoric. Dil..... ℥viii
Tinct. Nuc. Vomicæ..... ℥iv
Syr. Hypophos..... q.s. ad fl. 3j
M.

Cod Liver Oil Emulsion

℞ Olei Morrhuae..... fl. 3j
Sacchari Alb..... gr. xv
Tinct. Lavandulæ Comp..... ℥j
Chondri q.s.
Aq. Destil..... q.s. ad fl. 3ij
M.

Cod Liver Oil Emulsion with Iron

℞ Olei Morrhuae..... fl. 3j
Syr. Ferri Iodidi..... ℥vijss
Chondri q.s.
Aq. Cinnamomi q.s. ad fl. 3ij
M.

Cod Liver Oil Emulsion with Hypophosphites

℞ Olei Morrhuae.....fl. 3j
 Calcii Hypophos.....gr. ijss
 Sodii Hypophos.
 Potas. Hypophos.....aa gr. v
 Glycerini fl. 3ss
 Chondri.....q. s.
 Aq. Destil.....q.s. ad fl. 3ij
 M.

Cod Liver Oil Emulsion with Creosote

℞ Creosoti ℥ij
 Emulsi Ol. Morrhuae.....q.s. ad fl. 3ij
 M.

Iron Carbonate Compound Pill

℞ Massæ Ferri Carb. (Blaud).gr. v
 Hydrarg. Chlor. Corros.....gr. $\frac{1}{80}$
 Strychninæ Sulph.....gr. $\frac{1}{60}$
 Ac. Arsenosi.....gr. $\frac{1}{50}$
 M.

Iron and Strychnine Tablet

℞ Ferri Redacti.....gr. j
 Strychninæ Sulph.....gr. $\frac{1}{60}$
 M.

Iron, Arsenic and Strychnine Tablet

R Ferri Redacti.....gr. j
Strychninæ Sulph.....gr. $\frac{1}{60}$
Ac. Arsenosi.....gr. $\frac{1}{100}$
M.

Iron and Strychnine Compound Tablet

R Ferri Redacti
Quininæ Sulph.....aa gr. $\frac{1}{2}$
Ac. Arsenosi.....gr. $\frac{1}{100}$
Strychninæ Sulph.....gr. $\frac{1}{200}$
M.

Arsenous Acid Tablet.....gr. $\frac{1}{100}$

Arsenous Acid Tablet.....gr. $\frac{1}{60}$

Arsenous Acid Tablet.....gr. $\frac{1}{50}$

Arsenous Acid Tablet.....gr. $\frac{1}{40}$

Arsenous Acid Tablet.....gr. $\frac{1}{30}$

Arsenous Acid Tablet.....gr. $\frac{1}{20}$

Manganese Dioxide Tablet.....gr. j

Nux Vomica, Extract, Tablet.....gr. $\frac{1}{4}$

Strychnine Sulphate Tablet.....gr. $\frac{1}{100}$

Strychnine Sulphate Tablet.....	gr. $\frac{1}{60}$
Strychnine Sulphate Tablet.....	gr. $\frac{1}{50}$
Strychnine Sulphate Tablet.....	gr. $\frac{1}{40}$
Strychnine Sulphate Tablet.....	gr. $\frac{1}{30}$
Sulphurated Lime Tablet.....	gr. $\frac{1}{4}$
Sulphurated Lime Tablet.....	gr. $\frac{1}{2}$
Thyroid Extract Tablet.....	gr. v

3. — ANALGESICS, ANTIPYRETICS AND ANTIPERIODICS

Acetanilid Tablet.....	gr. iiij
Acetanilid Tablet.....	gr. v
Antipyrine Tablet.....	gr. v
Phenacetine Tablet.....	gr. v
Quinine Sulphate Pill.....	gr. ij
Quinine Sulphate Pill.....	gr. iiij
Quinine Sulphate Pill.....	gr. v

Phenacetine and Salol Tablet

R Phenacetin
Salol.....aa gr. ijss
M.

Antiperiodic Capsule No. 1

R Tinct. Antiperiod. (Warburg) cum Aloe...3j

Antiperiodic Capsule No. 2

R Tinct. Antiperiod. (Warburg) sine Aloe...3j

Part II

Preparations for External and Local Use

LIQUIDS

Belladonna Liniment

R̄ Tinct. Belladonnæ.....fl. ℥j
Tinct. Aconiti
Chloroformi.....aa fl. ℥ss
Lin. Saponisq.s. ad fl. ℥iv
M.

Drying Liniment (Pick)

R̄ Tragacanthægr. xxiv
Glycerini℥x
Aquæ Bul.....q.s. ad fl. ℥j
M.

Stimulating Liniment

R̄ Aq. Ammoniæ
Tinct. Capsici.aa fl. ℥j
Lin. Saponis.....q.s. ad fl. ℥iv
M.

Turpentine Liniment (Stokes)

R̄ Ol. Terebinth fl. ℥jss
Ac. Acetic. fl. ℥iij
Ol. Limonis ℥xl
Vitelli q.s.
Aquæ q.s. ad fl. ℥iv
M.

Alum Gargle

R̄ Aluminis ℥ss
Potas. Chlorat. ℥j
Glycerini fl. ℥ss
Aquæ q.s. ad fl. ℥iv
M.

Hydrochloric Acid Gargle

R̄ Ac. Hydrochlor ℥viij
Potas. Chlorat. ℥ij
Syr. Limonis fl. ℥ij
Glycerini fl. ℥ss
Aquæ q.s. ad fl. ℥iv
M.

Iron Gargle

R̄ Potas. Chlorat. ℥j
Tinct. Ferri Chlor. fl. ℥j
Glycerini fl. ℥j
Aquæ q.s. ad fl. ℥iv
M.

Myrrh Gargle

R̄ Tinct. Myrrhæ..... ℥xv
Hydrarg. Chlor. Corros... gr. ij
Aquæ. q.s. ad fl. ℥iv
M.

Potassium Chlorate Gargle

R̄ Potas. Chlorat..... ℥j
Glycerini fl. ℥ss
Aquæ..... q.s. ad fl. ℥iv
M.

Salicylic Acid Gargle

R̄ Ac. Salicyl..... ℥ss
Sodii Biborat..... ℥j
Tinct. Myrrhæ..... ℥xv
Aquæ..... q.s. ad fl. ℥iv
M.

Tannic Acid Gargle No. 1

R̄ Ac. Tannic.
Aluminis..... aa ℥ss
Glycerini..... fl. ℥ss
Aquæ..... q.s. ad fl. ℥iv
M.

Tannic Acid Gargle No. 2

R̄ Ac. Tannic.....gr. xv
Potas. Chlorat.....℥ij
Aquæ.....q.s. ad fl. ℥iv
M.

Zinc Chloride Gargle

R̄ Zinci Chlorgr. x
Glycerini.....fl. ℥ij
Aq. Rosæ.....fl. ℥ss
Aquæ.....q.s. ad fl. ℥iv
M.

Aluminum Acetate Solution

R̄ Aluminis.....gr. xx
Plumbi Subacet.....gr. c
Aquæ.....q.s. ad fl. ℥iv
M.

Antiseptic Solution

R̄ Ol. Eucalypt.
Ol. Menthæ Pip.
Ol. Gaultheriæ.....aa $\pi\text{℥}\frac{3}{4}$
Thymol.....gr. iij
Ac. Benzoic.
Ac. Boric.....aa gr iv
Spir. Vini Rect.....fl. ℥j
Glycerini.....fl. ℥ss
Aquæ.....q.s. ad fl. ℥iv
M.

Boro-Salicylic Solution

R Ac. Boric..... gr. xij
Ac. Salicyl..... gr. ij
Aquæ..... q.s. ad fl. ℥iv
M.

Carbolic Compound Solution (Dobell)

R Ac. Carbolic..... gr. iv
Sodii Bicarb.
Sodii Biborat..... aa gr. viij
Glycerini fl. ℥ss
Aquæ..... q.s. ad fl. ℥iv
M.

Silver Nitrate Compound Solution

R Argenti Nitratis..... gr. x
Spir. Ætheris Nit..... fl. ℥j
M

Atropine Collyrium

R Atropinæ Sulph..... gr. ij
Aquæ Destil.... fl. ℥j
M.

Zinc Collyrium

R Zinc Sulph..... gr. ij
Aquæ Destil..... fl. ℥j
M.

Alopecia Wash No. 1

R̄ Hydrarg. Chlor. Corros.....gr. ij
Tinct. Cantharid.....fl. ʒj
Tinct. Capsicifl. ʒss
Aquæ.....q.s. ad fl. ʒiv
M.

Alopecia Wash No. 2

R̄ Hydrarg. Chlor. Corros.....gr. ij
Resorciniʒj
Ol. Ricini.....fl. ʒij
Spir. Vini Rect.....q.s. ad fl. ʒiv
M.

Astringent Wash

R̄ Aluminis
Zinci Sulph.
Sodii Biborat.
Ac. Carbolie.....aa ʒj
Aquæ.....q.s. ad fl. ʒiv
M.

Cade Compound Wash

R̄ Ol. Cadin.....fl. ʒvj
Ol. Ricini.....fl. ʒivss
Ac. Salicyl.....ʒj
Spir. Vini Rect... ..q.s. ad fl. ʒiv
M.

Calamine Wash

R̄ Calaminæ Præp.
Zinci Oxidi.....aa 3j
Glycerini..... fl. 3ij
Aquæ.....q.s. ad fl. 3iv
M.

Iodine Compound Wash

R̄ Tinct. Iodi
Tinct. Myrrhæ.....aa fl. 3i
M.

Lead and Opium Wash

R̄ Liq. Plumbi Subacet.....℥xlv
Tinct. Opii.....fl. 3j
Aquæ.....q.s. ad fl. 3iv
M.

Resorcin Wash

R̄ Resorcini.....3vj
Glycerini.....℥xl
Spir. Vini Rect.
Aquæ.....aa q.s. ad fl. 3iv
M.

Zinc Oxide Wash

R̄ Zinc Oxidi.....3jss
Ac. Carbohcgr. xlv
Glycerini.....fl. 3ijss
Aquæ.....q.s. ad fl. 3iv
M.

Zinc and Magnesia Wash

R̄ Zinc Oxidi
Magnesii Carbonat.....aa 3j
Aquæ.....fl. 3iv
M.

Black Wash

R̄ Hydrarg. Chlor. Mit.....3ss
Liq. Calcis.....fl. 3iv
M.

Red Wash

R̄ Zinc Sulph.....gr. x
Tinct. Lavandulæ Comp.....℥xv
Aquæ.....q.s. ad fl. 3iv
M.

White Wash

R̄ Zinc Sulph.
Potas. Sulphid.....aa 3j
Aquæ.....q.s. ad fl. 3iv
M.

Yellow Wash

R̄ Hydrarg. Chlor. Corros.....gr. iv
Liq. Calcis.....fl. ℥iv
M.

Alum and Zinc Injection (Ultzmann)

R̄ Aluminis
Zinci Sulph.....aa gr. ij
Aquæ.....q.s. ad fl. ℥iv
M.

Lead and Zinc Injection

R̄ Plumbi Subacet.
Zinci. Sulph.....aa gr. viij
Tinct. Opī.....fl. ℥ss
Aquæ.....q.s. ad fl. ℥iv
M.

Creosote Inhalant

Creosoti
Chloroformi
Spir. Vini. Rect.....aa fl. ℥i
M.

Compound Benzoin Inhalant

R̄ Menthol 3ss
Tinct. Benzoini Comp. q.s. ad fl. 3j
M.

Terebene Inhalant

R̄ Terebeni. ℥xl
Magnesii Carb. 3j
Aquæ. q.s. ad fl. 3j
M.

Tincture of Iodine (Churchill)

R̄ Iodi. 3j
Potas. Iodidi 3ij
Spir. Vini Rect. fl. 3ij
Aquæ. q.s. ad fl. 3iv
M.

Compound Tincture of Green Soap

R̄ Sapon. Virid 3j
Ol. Cadin.
Spir. Vini Rect. aa fl. 3j
M.

OINTMENTS

Balsam of Peru Ointment

R̄ Bals. Peruv fl. ʒij
Petrolati q.s. ad ʒj
M.

Bismuth Compound Ointment

R̄ Bismuthi Subnit.
Zinci Oxidi
Amyli aa gr. xlvij
Petrolati q.s. ad ʒj
M.

Boric Acid Ointment

R̄ Ac. Borici ʒj
Petrolati q.s. ad ʒj
M.

Cade Compound Ointment

R̄ Ol. Cadin ℥xlv
Ung. Zinci Oxidi q.s. ad ʒj
M.

Camphor Compound Ointment

R̄ Camphoræ.....gr. xxxij
Eucalyptol.....fl. ℥ss
Ac. Borici.....gr. xxiv
Petrolati.....q.s. ad ℥j
M.

Chrysarobin Ointment

R̄ Chrysarobin.....gr. xlvij
Petrolati.....q.s. ad ℥j
M.

Chrysarobin Compound Ointment

R̄ Chrysarobin
Ac. Salicyl.....aa gr. xxiv
Petrolati.....q.s. ad ℥j
M.

Gall and Opium Ointment

R̄ Gallæ.....℥jss
Pulv. Opii.....℥ss
Petrolati.....q.s. ad ℥j
M.

Guaiacol Ointment

R̄ Guaiacol.....gr. xxiv
Petrolati.....q.s. ad ℥j
M.

Ichthyol Ointment

R ζ Ichthyol..... $\mathfrak{M}$ xlviij
Petrolati.....q.s. ad ζ j
M.

Iodine Ointment No. 1

R ζ Iodi.gr. xx
Potas. Iodidi.....gr. iv
Aquæ..... $\mathfrak{M}$ iv
Petrolati.....q.s. ad ζ j
M.

Iodine Ointment No. 2

R ζ Iodi..... ζ j
Ol. Anserini.....q.s. ad ζ j
M.

Iodoform Ointment

R ζ Iodoform ζ ss
Petrolati.....q.s. ad ζ j
M.

Lead and Opium Ointment

R ζ Plumbi Iodidi
Pulv. Opiiaa ζ j
Petrolati.....q.s. ad ζ j
M.

Resorcin Ointment

R̄ Resorcin.....3j
Petrolati...q.s. ad 3j
M.

Salicylic Acid Ointment 5%

R̄ Ac. Salicyl... gr. xxiv
Petrolati...q.s. ad 3j
M.

Salicylic Acid Ointment 12½%

R̄ Ac. Salicyl.....3j
Petrolati.....q.s. ad 3j
M.

Starch Ointment (Lassar)

R̄ Amyli
Zinci Oxid.....aa 3ij
Petrolati.....q.s. ad 3j
M.

Starch Compound Ointment

R̄ Ac. Salicyl.....gr. xv
Zinci Oxid.
Amyli.....aa 3ij
Aq. Menth. Pip.....q.s. ad 3j
M. Petrolati

Sulphur Ointment (Wilkinson)

R̄ Sulphur. Sublimat..... gr. xcvj
Ol. Cadin..... ℥xv
Cretæ Præparat..... ʒj
Sapon. Virid.
Adipis aa q.s. ad ʒj
M.

Sulphur Compound Ointment

R̄ Sulphur. Sublimat..... ʒj
Ac. Carbolic..... ʒss
Lanolin..... ʒvj
Ol. Olivæ..... q.s. ad ʒj
M.

POWDERS

Bismuth and Alum Powder

R̄ Bismuthi Subnit.
Aluminis..... aa ʒss
M.

Bismuth and Calomel Powder

R̄ Bismuthi Subnit.
Hydrarg. Chlor. Nit..... aa ʒss
M.

Compound Soda Powder

R ζ Sodii Bicarb
Sodii Biborat.
Sodii Chlorid.....aa ζ ss
M.

Tannic Acid Powder

R ζ Ac. Tannicgr. xlvij
Zinci Oxidi.....q.s. ad ζ j
M.

Zinc=Carbolic Powder

R ζ Ac. Carbolic.....gr. xv
Zinci Oxidi
Amyli.....aa ζ ss
M.

Zinc and Starch Powder

R ζ Zinci Oxidi
Amyli.....aa ζ ss
M.

SUPPOSITORIES

Belladonna Suppository

R̄ Ext. Belladonnæ.....gr. $\frac{1}{4}$
Ol. Theobromat.....q.s.
M.

Belladonna and Cannabis Suppository

R̄ Ext. Belladonnæ
Ext. Cannabis Ind.....aa gr. $\frac{1}{4}$
Ol. Theobromat.....q.s.
M.

Belladonna and Morphine Suppository

R̄ Ext. Belladonnæ.....gr. $\frac{1}{8}$
Morphine Sulph.....gr. $\frac{1}{4}$
Ol. Theobromat.....q.s.
M.

Iodoform and Tannic Acid Suppository

R̄ Iodoformgr. ij
Ac. Tannicgr. iiij
Ol. Theobromat.....q.s.
M.

Opium Suppository

R̄ Pulv. Opii.....gr. j
Ol. Theobromat.....q.s.
M.

SUPPOSITORIES

Belladonna Suppository

℞ Ext. Belladonna gr. i
 Ol. Theobromat q.s.
 M.

Belladonna and Cannabis Suppository

℞ Ext. Belladonna
 ℞ Ext. Cannabis Ind.
 Ol. Theobromat
 M.

Belladonna and Morphine Suppository


℞ Ext. Belladonna
 Morphine Sulph.
 Ol. Theobromat
 M.


Iodoform and Tannic Acid Suppository


℞ Iodoform
 Ac. Tannic
 Ol. Theobromat
 M.


Opium Suppository


℞ Pz. Opil.
 Ol. Theobromat
 M.






















COLUMBIA UNIVERSITY LIBRARIES

This book is due on the date indicated below, or at the expiration of a definite period after the date of borrowing, as provided by the library rules or by special arrangement with the Librarian in charge.

DATE BORROWED	DATE DUE	DATE BORROWED	DATE DUE
C28 (1170) 50M			

C

DA

JA

AL

COLUMBIA UNIVERSITY LIBRARIES



0050061089

M. COLLECTION
M-RS125

C72

1901

Col-
s and
uilt

formulary.

D TO

U. BINDERY

BINDERY

M-RS125

C72

1901

