

The pharmacopoeia of King's College Hospital.

Contributors

King's College Hospital.
King's College London

Publication/Creation

London : Henry Renshaw, 1869.

Persistent URL

<https://wellcomecollection.org/works/kz76g5av>

License and attribution

This material has been provided by This material has been provided by King's College London. The original may be consulted at King's College London. where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

"DISPENSARY"
KING'S COLLEGE HOSPITAL

THE
KING'S COLLEGE
HOSPITAL
PHARMACOPŒIA

200842223 9



'S COLLEGE LONDON

King's Collection 148-27





651512

RCSM

Library
THE

PHARMACOPŒIA

OF

KING'S COLLEGE HOSPITAL.



LONDON :


HENRY RENSHAW, 356, STRAND.

1869.

14827 MEDICAL OFFICERS.

16.2.70

Presented



Consulting Physician.

SIR THOMAS WATSON, BART., M.D., F.R.S.

Physicians.

G. JOHNSON, M.D.

LIONEL S. BEALE, M.B., F.R.S.

ALFRED B. GARROD, M.D., F.R.S.

W. A. GUY, M.B., F.R.S.

Assistant-Physicians.

MORRIS TONGE, M.D.—ALFRED B. DUFFIN, M.D.

*Physician-Accoucheur and Physician for the
Diseases of Women and Children.*

WILLIAM O. PRIESTLEY, M.D.

*Assist.-Phys. Accoucheur and Assist.-Phys.
for the Diseases of Women and Children.*

WILLIAM PLAYFAIR, M.D.

Surgeons.

SIR W. FERGUSSON, BART., F.R.S.

R. PARTRIDGE, ESQ., F.R.S.

Ophthalmic Surgeon.

J. SOELBERG WELLS, ESQ.

Assistant-Surgeons.

JOHN WOOD, ESQ. | HENRY SMITH, ESQ.

Surgeon-Dentist.

SAMUEL CARTWRIGHT, ESQ.

Vaccinator.

R. W. DUNN, ESQ.

Pathological Registrar.

DR. CHARLES KELLY.

Surgical Registrar.

MR. T. HOWELLS.

Dispenser.

MR. F. BLACKBURN.

Dispensary

P R E F A C E.

THIRTEEN years having elapsed since the Pharmacopœia of King's College Hospital was revised, a new edition seems imperatively called for. The present one is adapted to the British Pharmacopœia. Its objects are to facilitate the labours both of the prescriber and of the dispenser, whilst at the same time presenting to the student a series of compendious formulæ which have been found valuable in conducting the work of the various departments. With this view, the members of the Hospital Staff have been severally consulted, so that this compilation contains formulæ in common use with each

of them. The doses have, as far as possible, been arranged on uniform standards, so that, for example, of the mixtures, an ounce should represent the usual dose for an adult, a drachm for an infant. The gargles and lotions are all made upon the standard of a pint, the pigments and collyria of an ounce, &c.

COLLYRIA.

1. Collyrium Argenti Nitratis Fortius.

R Argenti nitratis, gr. iv.
Aquæ destillatæ, ℥j.

2. Collyrium Argenti Nitratis Mitius.

R Argenti nitratis, gr. ij.
Aquæ destillatæ, ℥j.

3. Collyrium Atropiæ Sulphatis.

R Atropiæ sulphatis, gr. ij.
Aquæ destillatæ, ℥j.

4. Collyrium Cupri Sulphatis.

R Cupri sulphatis, gr. ij.
Aquæ destillatæ, ℥j.

5. Collyrium Zinci c. Opio.

℞ Zinci sulphatis, gr. ij.
Tincturæ opii, ℥xx.
Aquæ destillatæ, ℥j.

GARGARISMATA.

1. Gargarisma Aluminis.

℞ Aluminis, ℥j
Acidi sulphurici diluti, ℥iij.
Aquæ, ad Oj.

2. Gargarisma Sodæ Chloratæ.

℞ Liquoris sodæ chloratæ, ℥ss.
Aquæ, ad Oj.

3. Gargarisma Capsici.

℞ Tincturæ capsici, ℥iij.
Aquæ, ad Oj.

INJECTIONES.

1. Injectio Zinci Sulphatis.

R Zinci sulphatis, gr. ij.

Aluminis, gr. iv.

Aquæ, ℥j.

For Purulent Ophthalmia.

2. Injectio Zinci Sulphocarboulatis.

R Zinci sulphocarboulatis, gr. xl.

Aquæ, Oj.

LOTIONES.

1. Lotio Acidi Carbolici.

R Acidi carbolici, ℥ij.

Mucilaginis acaciæ, ℥j.

Aquæ, ad Oj.

2. Lotio Evaporans.

℞ Ammoniã hydrochloratis, ℥ss.
 Spiritus rectificati, ℥iss.
 Aquæ, ad Oj.

3. Lotio Myrrhæ.

℞ Tincturæ myrrhæ, ℥iij.
 Aquæ, ad Oj.

4. Lotio Potassæ Carbonatis.

℞ Potassæ carbonatis, ℥j.
 Aquæ, ad Oj.

5. Lotio Rubra.

℞ Zinci sulphatis, gr. xx.
 Spiritus rorismarini, }
 Spiritus lavandulæ, } āā ℥iij.
 Aquæ, ad Oj.

6. Lotio Sodæ Hyposulphitis.

℞ Sodæ hyposulphitis, q. s.
ad saturandum.
Aquæ, Oj.

7. Lotio Plumbi Acetatis.

℞ Plumbi acetatis, ℥j.
Glycerini, ℥iss.
Aquæ, ad Oj.

8. Lotio Sodæ Biboratis.

℞ Sodæ biboratis, ℥iss.
Glycerini, ℥iij.
Aquæ, ad Oj.

MISTURÆ.

(FOR ADULTS.)

1. Mistura Acida Aromatica.

℞ Acidi hydrochlorici diluti, ℥xv.
Spiritus armoraciæ compositi, ℥x.
Tincturæ zingiberis, ℥v.
Infusi calumbæ, ad ℥j.

2. Mistura Acidi Nitrohydrochlorici.

Rx Acidi nitrohydrochlorici, ℥_{xv}.
Infusi chiratæ, ad ℥j.

3. Mistura Alba.

Rx Magnesiæ carbonatis gr. x.
Magnesiæ sulphatis ℥j.
Aquæ menthæ piperitæ, ad ℥j.

4. Mistura Ammoniaë Acetatis.

Rx Liquoris ammoniaë acetatis, ℥ss.
Aquæ, ℥ss.

5. Mistura Ammoniaë c. Cinchona.

Rx Ammoniaë carbonatis, gr. iij.
Infusi cinchonæ, ℥j.

6. Mistura Bismuthi.

℞ Bismuthi albi, gr. v.
 Magnesiæ carbonatis, gr. x.
 Mucilaginis tragacanthæ, ℥ss.
 Aquæ anethi, ℥j.

7. Mistura Chloroformi.

℞ Spiritus chloroformi, ℥x.
 Mucilaginis tragacanthæ, ℥j.

8. Mistura Copaibæ.

℞ Balsami copaibæ, ℥xx.
 Mucilaginis acaciæ, ℥ss.
 Acidi sulphurici diluti, ℥x.
 Aquæ, ℥ss.

9. Mistura Cretæ c. Hæmatoxylo.

℞ Tincturæ catechu, ℥ss.

Misturæ cretæ,
Decocti hæmatoxyli, } āā ℥ss.

Dose, for children, ℥j to ℥ij.

10. Mistura Effervescens.

℞ a Sodæ bicarbonatis, gr. xx.

Aquæ, ℥j.

b Acidi tartarici, gr. xviii.

Aquæ, ℥ss.

11. Mistura Etheris Nitrosi c. Ammonia.

℞ Etheris nitrosi, ℥xx.

Ammoniæ carbonatis, gr. iiij.

Tincturæ tolutanæ, ℥x.

Infusi gentianæ compositi, ad ℥j.

12. Mistura Ferri c. Potassii Iodido.

R Ferri potassio-tartratis, gr. xx.
 Potassii iodidi, gr. x.
 Aquæ, ℥j.

13. Mistura Ferri c. Magnesiae Sulphate.

R Ferri sulphatis, gr. ij.
 Magnesiae sulphatis, gr. xx.
 Aquæ, ℥j.

14. Mistura Ferri Perchloridi.

R Liquoris ferri perchloridi, ℥x.
 Infusi quassiae, ℥j.

15. Linctus.

R Acidi sulphurici diluti, ℥xv.
 Syrupi scillæ, ℥ss.
 Tincturæ camphoræ compositæ, ℥ij.
 Sacchari fæcis, ℥j.
 Aquæ anisi, ad ℥j.
 Dose, ℥j.



MISTURÆ.

(FOR CHILDREN.)

1. **Mistura Catechu Aromatica.**

℞ Confectionis aromatici, gr. xx.

Infusi catechu, ℥iss.

Dose, ℥j—℥ij.2. **Mistura Liquoris Potassæ c. Ipecacuanha.**℞ Liquoris potassæ, }
Vini ipecacuanhæ, } āā ℥ss.

Syrupi rhæados, ℥ij.

Mucilaginis, ℥ss.

Aquæ, ad ℥ij.

Dose, ℥j—℥ij.3. **Mistura Magnesiæ Sulphatis c. Rheo.**

℞ Magnesiæ sulphatis, ℥j.

Tincturæ rhei, ℥ij.

Syrupi zingiberis, ℥j.

Aquæ carui, ad ℥iss.

Dose, ℥j—℥ij.

4. **Mistura Potassæ Citratis.**

℞ Potassæ bicarbonatis, gr. xx.

Acidi citrici, gr. xviiij.

Syrupi, ℥iij.

Aquæ, ad ℥iss.

Dose, ℥j—℥ij.

5. **Mistura Salina c. Ipecacuanha.**

℞ Liquoris ammoniæ citratis, ℥iss.

Vini ipecacuanhæ, ℥xl.

Vini antimonialis, ℥ss.

Dose, ℥j.

6. **Mistura Olei Ricini.**

℞ Olei ricini, ℥j.

Tincturæ opii, ℥iv.

Pulveris acaciæ,

Sacchari albi,

Aquæ, ad ℥j.

} āā ℥ss.

Dose, ℥j.

7. Mistura Cretæ c. Hæmatoxylo.

Same as for adults. *Dose*, ʒj—ʒij.

PIGMENTA.

1. Pigmentum Acidi Carbolici Mitius.

℞ Acidi carbolici, ʒj.
Glycerini, ʒvij.

2. Pigmentum Ferri Perchloridi.

℞ Liquoris ferri perchloridi,
Glycerini, āā ʒss.

3. Pigmentum Iodi.

℞ Iodi, ʒj.
Spiritus rectificati, ʒj.

4. Pigmentum Olei Ricini c. Collodio.

R Olei ricini, } $\bar{a}\bar{a}$ \bar{z} ss.
 Collodii, }

5. Pigmentum Picis Fortius.

R Picis liquidæ, } $\bar{a}\bar{a}$ \bar{z} ss.
 Spiritus rectificati, }

6. Pigmentum Picis Mitius.

R Picis liquidæ, \bar{z} j.
 Spiritus rectificati, \bar{z} vij.

7. Pigmentum Sulphuris.

R Sulphuris præcipitati, } $\bar{a}\bar{a}$ \bar{z} ij.
 Potassæ carbonatis, }
 Glycerini, }
 Spiritus rectificati, }

PILULÆ.

1. **Pilula Calomelanos c. Colocynthide.**

℞ Hydrargyri subchloridi, gr. j.
Pilulæ colocynthidis compositæ,
gr. iv.
Olei carui, q. s.

2. **Pilula Calomelanos c. Opio.**

℞ Hydrargyri subchloridi, gr. j.
Pulveris opii, gr. $\frac{1}{4}$.
Confectionis rosæ caninæ, q. s.

3. **Pilula Colocynthidis c. Oleo Crotonis.**

℞ Pilulæ colocynthidis compositæ,
gr. iv.
Olei crotonis, ℥ss.

4. Pilula Ferri c. Gentiana.

℞ Ferri sulphatis,
 Extracti gentianæ,
 Pulveris zingiberis, } āā gr. iss.

5. Pilula Hydrargyri c. Opio.

℞ Pilulæ hydrargyri, gr. iij.
 Pulveris opii, gr. $\frac{1}{4}$.

PULVERES (for Children).

1. Pulvis Cinchonæ c. Soda.

℞ Pulv. cinchonæ flavæ, ' } āā. partes
 „ sodæ bicarbonatis, } æquales
 Dose, gr. iij—gr. v.

2. Pulvis Ipecacuanhæ Compositus c. Rheo.

R Pulveris ipecacuanhæ compositi,
gr. iv.

Pulveris rhei, gr. vj.

Dose, gr. iiij—gr. v.

3. Pulvis Hydrargyri c. Creta c. Saccharo.

R Hydrargyri c. cretâ, gr. ij.
Sacchari albi, gr. viij.

4. Pulvis Rhei Compositus c. Hydrargyro.

R Pulveris rhei compositi, gr. viij.
Hydrargyri c. cretâ, gr. ij.

UNGUENTA.

1. Unguentum Belladonnæ c. Hydrargyro.

℞ Extracti belladonnæ, gr. x.
Hydrargyri ammoniati, gr. v.
Adipis, ℥j.

2. Unguentum Diachyli (Hebra's Formula).

℞ Olei olivæ, ℥xv.
Lithargyri, ℥iij + ℥vj.
Coque in unguentum molle, dein
adde
Olei lavandulæ, ℥ij.

3. Unguentum Hydrargyri Oxidi Rubri Mitius.

℞ Unguenti hydrargyri oxidi
rubri, ℥ij.
Adipis, ℥vj.

4. Unguentum Hydrargyri Mitius.

2

R Unguenti hydrargyri, ℥ij.
Camphoræ, gr. x.
Spiritus rectificati, q. s.
Adipis, ℥vj.

3.

1

4.

F

INDEX.

I. COLLYRIA.

1. Collyrium Argenti Nitratis Ec
2. „ Argenti Nitratis M
3. „ Atropiæ Sulphatis
4. „ Cupri Sulphatis
5. „ Zinci cum Opio

I. GARGARISMATA. atio

5. „ Capsici 6

II. INJECTIONES.

1. Injectio Zinci Sulphatis 7
2. „ Zinci Sulphocarbolutis 7

TIO NES.

PA

1.	Lotio	Acidi Carbolici
2.	„	Evaporans
3.	„	Myrrhæ
4.	„	Potassæ Carbonatis
5.	„	Lubra
6.	„	Sodæ Hyposulphitis
7.	„	Plumbi Acetatis
8.	„	Sodæ Biboratis

MISTURÆ (for Adults).

	Misturæ	Acida Aromatica	
	„	Acidi Nitrohydrochlorici	10
	„	Alba	10
5.	„	Ammoniæ Acetatis	10
6.	„	Ammoniæ c. Cinchonâ	10
7.	„	Chloridæ	10
8.	„	Copaibæ	10
9.	„	Cretæ c. Hæmatoxylo	10
10.	„	Effervescens	10
11.	„	Etheris Nitrosi c. Am- moniâ	10

12.	Mistura	Ferri c. Potassii Iodido .	13
13.	„	Ferri c. Magnesiae Sulphate	13
14.	„	Ferri Perchloridi	13
15.	Linctus	13
16.	Mistura	Magnesiae c. Rheo	14
17.	„	Olei Ricini	14
18.	„	Potassae Bicarbonatis	14
19.	„	Potassii Bromidi	14
20.	„	Potassii Iodidi	15
21.	„	Quiniae	15
22.	„	Rhei Ammoniata	15
23.	„	Terebinthinæ	15

VI. MISTURÆ (for Children).

1.	Mistura	Catechu Aromatica	16
2.	„	Liquoris Potassae c. Ipecacuanhâ	16
3.	„	Magnesiae Sulphatis c. Rheo	16
4.	„	Potassae Citratis	17
5.	„	Salina c. Ipecacuanhâ	17
6.	„	Olei Ricini	17
7.	„	Cretæ c. Hæmatoxylo	18

VII. PIGMENTA.

PA

1. Pigmentum Acidi Carbolici Mitius
2. „ Ferri Perchloridi . . .
3. „ Iodi
4. „ Olei Ricini c. Collodio
5. „ Picis Fortius . . .
6. „ Picis Mitius . . .
7. „ Sulphuris

VIII. PILULÆ.

1. Pilula Calomelanos c. Colocynthide
2. „ Calomelanos c. Opio . .
3. „ Colocynthidis c. Oleo Cro-
tonis
4. „ Ferri c. Gentianâ . . .
5. „ Hydrargyri c. Opio . . .

IX. PULVERES.

1. Pulvis Cinchonæ c. Sodâ . . .
2. „ Ipecacuanhæ Compositus c.
Rheo

3.	Pulvis Hydrargyri c. Cretâ c.	
	Saccharo	22
4.	„ Rhei Compositus c. Hy-	
	drargyro	22

X. UNGUENTA.

1.	Unguentum Belladonnæ c. Hydrar-	
	gyro	23
2.	„ Diachyli	23
3.	„ Hydrargyri Oxidi	
	Rubri Mitius	23
4.	„ Hydrargyri Mitius	24

THE END.

DIET TABLE.—MEN.

DAILY ALLOWANCE.

FULL.	MIDDLE.	MILK.
BREAKFAST { Bread 6 oz. Milk $\frac{1}{4}$ pint. DINNER..... { Meat (cooked) 6 oz. SUPPER..... { Gruel 1 pint. Milk $\frac{1}{4}$ pint.	BREAKFAST { Bread 6 oz. Milk $\frac{1}{4}$ pint. DINNER..... { Meat (cooked) 4 oz. SUPPER..... { Gruel 1 pint. Milk $\frac{1}{4}$ pint.	BREAKFAST { Bread 4 oz. Milk $\frac{3}{4}$ pint. DINNER..... { Bread 4 oz. Rice Milk $\frac{1}{2}$ pt. (4 days). Rice or Bread Pudding $\frac{1}{2}$ lb. (3 days). SUPPER..... Milk $\frac{3}{4}$ pint.
CHILDREN'S DIETS (under Ten Years of Age)—Two-thirds of any Diet ordered.		
Roast Boiled Stewed	Mutton—Monday and Thursday. " Tuesday and Friday. " Wednesday and Saturday. On Sundays—Roast Beef.	



